

ARMS 33

RECORD TYPE: FEDERAL (NOTES MAIL)

CREATOR:Kathie L. Olsen (CN=Kathie L. Olsen/OU=OSTP/O=EOP [OSTP])

CREATION DATE/TIME: 8-APR-2003 18:18:45.00

SUBJECT:: Fwd: Cfa: 20th CENTURY CLIMATE NOT SO HOT

TO:Phil Cooney (CN=Phil Cooney/OU=CEQ/O=EOP@EOP [CEQ])

READ:UNKNOWN

TEXT:

FYI

----- Forwarded by Kathie L. Olsen/OSTP/EOP on 04/08/2003
06:05 PM -----

Anne Kinney <akinney@hq.nasa.gov>

04/03/2003 07:37:57 AM

Record Type: Record

To: Kathie L. Olsen/OSTP/EOP@EOP

cc:

Subject: Fwd: Cfa: 20th CENTURY CLIMATE NOT SO HOT

>Hi Kathie! I hope you are doing well! I thought you would be
>interested in this press release - especially the first sentence -
>which relates so strongly to climate change.

warm regards, Anne

>Date: Tue, 1 Apr 2003 13:21:43 -0500

>From: "STEPHEN P. MARAN" <hrsmaran@clair.gsfc.nasa.gov>

>To: akinney@hq.nasa.gov

>Subject: Cfa: 20th CENTURY CLIMATE NOT SO HOT

>

>THE FOLLOWING RELEASE WAS RECEIVED FROM THE HARVARD-SMITHSONIAN
>CENTER FOR ASTROPHYSICS, IN CAMBRIDGE, MASSACHUSETTS, AND IS
>FORWARDED FOR YOUR INFORMATION. (FORWARDING DOES NOT IMPLY
>ENDORSEMENT BY THE AMERICAN ASTRONOMICAL SOCIETY.) Steve Maran,
>American Astronomical Society

>

>Contacts:

>David Aguilar

>617-495-7462

>daguilar@cfa.harvard.edu

>

>Christine Lafon

>617-495-7463

>clafon@cfa.harvard.edu

>

>Release No: 03-10

>For Immediate Release

>

>NOTE TO EDITORS: Photos of key climate indicators are available online at
><http://cfa-www.harvard.edu/press/pr0310image.html>

>

>20th CENTURY CLIMATE NOT SO HOT

>

>Cambridge, MA -- A review of more than 200 climate studies led by
>researchers at the Harvard-Smithsonian Center for Astrophysics has
>determined that the 20th century is neither the warmest century nor
>the century with the most extreme weather of the past 1000 years. The
>review also confirmed that the Medieval Warm Period of 800 to 1300
>A.D. and the Little Ice Age of 1300 to 1900 A.D. were worldwide
>phenomena not limited to the European and North American continents.
>While 20th century temperatures are much higher than in the Little
>Ice Age period, many parts of the world show the medieval warmth to
>be greater than that of the 20th century.

>

>Smithsonian astronomers Willie Soon and Sallie Baliunas, with
>co-authors Craig Idso and Sherwood Idso (Center for the Study of
>Carbon Dioxide and Global Change) and David Legates (Center for
>Climatic Research, University of Delaware), compiled and examined
>results from more than 240 research papers published by thousands of
>researchers over the past four decades. Their report, covering a
>multitude of geophysical and biological climate indicators, provides
>a detailed look at climate changes that occurred in different regions
>around the world over the last 1000 years.

>

>"Many true research advances in reconstructing ancient climates have
>occurred over the past two decades," Soon says, "so we felt it was
>time to pull together a large sample of recent studies from the last
>5-10 years and look for patterns of variability and change. In fact,
>clear patterns did emerge showing that regions worldwide experienced
>the highs of the Medieval Warm Period and lows of the Little Ice Age,
>and that 20th century temperatures are generally cooler than during
>the medieval warmth."

>

>Soon and his colleagues concluded that the 20th century is neither
>the warmest century over the last 1000 years, nor is it the most
>extreme. Their findings about the pattern of historical climate
>variations will help make computer climate models simulate both
>natural and man-made changes more accurately, and lead to better
>climate forecasts especially on local and regional levels. This is
>especially true in simulations on timescales ranging from several
>decades to a century.

>

>--Historical Cold, Warm Periods Verified--

>

>Studying climate change is challenging for a number of reasons, not
>the least of which is the bewildering variety of climate indicators -
>all sensitive to different climatic variables, and each operating on
>slightly overlapping yet distinct scales of space and time. For
>example, tree ring studies can yield yearly records of temperature
>and precipitation trends, while glacier ice cores record those
>variables over longer time scales of several decades to a century.

>

>Soon, Baliunas and colleagues analyzed numerous climate indicators
>including: borehole data; cultural data; glacier advances or
>retreats; geomorphology; isotopic analysis from lake sediments or ice
>cores, tree or peat celluloses (carbohydrates), corals, stalagmite or
>biological fossils; net ice accumulation rate, including dust or
>chemical counts; lake fossils and sediments; river sediments; melt
>layers in ice cores; phenological (recurring natural phenomena in
>relation to climate) and paleontological fossils; pollen; seafloor
>sediments; luminescent analysis; tree ring growth, including either

>ring width or maximum late-wood density; and shifting tree line
>positions plus tree stumps in lakes, marshes and streams.

>
>"Like forensic detectives, we assembled these series of clues in
>order to answer a specific question about local and regional climate
>change: Is there evidence for notable climatic anomalies during
>particular time periods over the past 1000 years?" Soon says. "The
>cumulative evidence showed that such anomalies did exist."

>
>The worldwide range of climate records confirmed two significant
>climate periods in the last thousand years, the Little Ice Age and
>the Medieval Warm Period. The climatic notion of a Little Ice Age
>interval from 1300 to 1900 A.D. and a Medieval Warm Period from 800 to
>1300 A.D. appears to be rather well-confirmed and wide-spread,
>despite some differences from one region to another as measured by
>other climatic variables like precipitation, drought cycles, or
>glacier advances and retreats.

>
>"For a long time, researchers have possessed anecdotal evidence
>supporting the existence of these climate extremes," Baliunas says.
>"For example, the Vikings established colonies in Greenland at the
>beginning of the second millennium that died out several hundred
>years later when the climate turned colder. And in England, vineyards
>had flourished during the medieval warmth. Now, we have an
>accumulation of objective data to back up these cultural indicators."

>
>The different indicators provided clear evidence for a warm period in
>the Middle Ages. Tree ring summer temperatures showed a warm interval
>from 950 A.D. to 1100 A.D. in the northern high latitude zones, which
>corresponds to the "Medieval Warm Period." Another database of tree
>growth from 14 different locations over 30-70 degrees north latitude
>showed a similar early warm period. Many parts of the world show the
>medieval warmth to be greater than that of the 20th century.

>
>The study -- funded by NASA, the Air Force Office of Scientific
>Research, the National Oceanic and Atmospheric Administration, and
>the American Petroleum Institute -- will be published in the Energy
>and Environment journal. A shorter paper by Soon and Baliunas
>appeared in the January 31, 2003 issue of the Climate Research
>journal.

>
>Headquartered in Cambridge, Massachusetts, the Harvard-Smithsonian
>Center for Astrophysics (CfA) is a joint collaboration between the
>Smithsonian Astrophysical Observatory and the Harvard College
>Observatory. CfA scientists organized into six research divisions
>study the origin, evolution, and ultimate fate of the universe.

>
>-----
>IF YOU DO NOT WISH TO CONTINUE RECEIVING PRESS RELEASES THAT ARE
>FORWARDED TO THE NEWS MEDIA VIA THE AMERICAN ASTRONOMICAL SOCIETY,
>PLEASE REPLY ACCORDINGLY TO ANY INCOMING PRESS RELEASE, OR WRITE
>TO hrsmaran@clair.gsfc.nasa.gov. Requests for referrals to experts
>should be sent to the same address.

--
Anne L. Kinney
Director, Astronomy and Physics Division
Office of Space Science
NASA Headquarters

For appointments, call Jane Davis at 202-358-2150