

ARMS 35

RECORD TYPE: FEDERAL (NOTES MAIL)

CREATOR:Kameran L. Onley (CN=Kameran L. Onley/OU=CEQ/O=EOP [CEQ])

CREATION DATE/TIME: 9-APR-2003 13:30:39.00

SUBJECT:: FYI: 20th CENTURY CLIMATE NOT SO HOT

TO:"Douglas_Onley/HQ/UIIMC.UIMC"@ue.org @ inet ("Douglas_Onley/HQ/UIIMC.UIMC"@ue.org
READ:UNKNOWN

TEXT:

Doug,
Another science article on climate change. These findings aren't covered in newspapers, but nonetheless are important to the debate. I thought you might want to forward it to your mother.

Kameran

>Release No: 03-10

>For Immediate Release

>

>NOTE TO EDITORS: Photos of key climate indicators are available online at
><http://cfa-www.harvard.edu/press/pr0310image.html>

>

>20th CENTURY CLIMATE NOT SO HOT

>

>Cambridge, MA -- A review of more than 200 climate studies led by researchers at the Harvard-Smithsonian Center for Astrophysics has determined that the 20th century is neither the warmest century nor the century with the most extreme weather of the past 1000 years. The review also confirmed that the Medieval Warm Period of 800 to 1300 A.D. and the Little Ice Age of 1300 to 1900 A.D. were worldwide phenomena not limited to the European and North American continents. While 20th century temperatures are much higher than in the Little Ice Age period, many parts of the world show the medieval warmth to be greater than that of the 20th century.

>

>Smithsonian astronomers Willie Soon and Sallie Baliunas, with co-authors Craig Idso and Sherwood Idso (Center for the Study of Carbon Dioxide and Global Change) and David Legates (Center for Climatic Research, University of Delaware), compiled and examined results from more than 240 research papers published by thousands of researchers over the past four decades. Their report, covering a multitude of geophysical and biological climate indicators, provides a detailed look at climate changes that occurred in different regions around the world over the last 1000 years.

>

>"Many true research advances in reconstructing ancient climates have occurred over the past two decades," Soon says, "so we felt it was time to pull together a large sample of recent studies from the last 5-10 years and look for patterns of variability and change. In fact, clear patterns did emerge showing that regions worldwide experienced the highs of the Medieval Warm Period and lows of the Little Ice Age, and that 20th century temperatures are generally cooler than during the medieval warmth."

>

>Soon and his colleagues concluded that the 20th century is neither the warmest century over the last 1000 years, nor is it the most extreme. Their findings about the pattern of historical climate

>variations will help make computer climate models simulate both
>natural and man-made changes more accurately, and lead to better
>climate forecasts especially on local and regional levels. This is
>especially true in simulations on timescales ranging from several
>decades to a century.

>
>--Historical Cold, Warm Periods Verified--

>
>Studying climate change is challenging for a number of reasons, not
>the least of which is the bewildering variety of climate indicators -
>all sensitive to different climatic variables, and each operating on
>slightly overlapping yet distinct scales of space and time. For
>example, tree ring studies can yield yearly records of temperature
>and precipitation trends, while glacier ice cores record those
>variables over longer time scales of several decades to a century.

>
>Soon, Baliunas and colleagues analyzed numerous climate indicators
>including: borehole data; cultural data; glacier advances or
>retreats; geomorphology; isotopic analysis from lake sediments or ice
>cores, tree or peat celluloses (carbohydrates), corals, stalagmite or
>biological fossils; net ice accumulation rate, including dust or
>chemical counts; lake fossils and sediments; river sediments; melt
>layers in ice cores; phenological (recurring natural phenomena in
>relation to climate) and paleontological fossils; pollen; seafloor
>sediments; luminescent analysis; tree ring growth, including either
>ring width or maximum late-wood density; and shifting tree line
>positions plus tree stumps in lakes, marshes and streams.

>
>"Like forensic detectives, we assembled these series of clues in
>order to answer a specific question about local and regional climate
>change: Is there evidence for notable climatic anomalies during
>particular time periods over the past 1000 years?" Soon says. "The
>cumulative evidence showed that such anomalies did exist."

>
>The worldwide range of climate records confirmed two significant
>climate periods in the last thousand years, the Little Ice Age and
>the Medieval Warm Period. The climatic notion of a Little Ice Age
>interval from 1300 to 1900 A.D. and a Medieval Warm Period from 800 to
>1300 A.D. appears to be rather well-confirmed and wide-spread,
>despite some differences from one region to another as measured by
>other climatic variables like precipitation, drought cycles, or
>glacier advances and retreats.

>
>"For a long time, researchers have possessed anecdotal evidence
>supporting the existence of these climate extremes," Baliunas says.
>"For example, the Vikings established colonies in Greenland at the
>beginning of the second millennium that died out several hundred
>years later when the climate turned colder. And in England, vineyards
>had flourished during the medieval warmth. Now, we have an
>accumulation of objective data to back up these cultural indicators."

>
>The different indicators provided clear evidence for a warm period in
>the Middle Ages. Tree ring summer temperatures showed a warm interval
>from 950 A.D. to 1100 A.D. in the northern high latitude zones, which
>corresponds to the "Medieval Warm Period." Another database of tree
>growth from 14 different locations over 30-70 degrees north latitude
>showed a similar early warm period. Many parts of the world show the
>medieval warmth to be greater than that of the 20th century.

>
>The study -- funded by NASA, the Air Force Office of Scientific

>Research, the National Oceanic and Atmospheric Administration, and
 >the American Petroleum Institute -- will be published in the Energy
 >and Environment journal. A shorter paper by Soon and Baliunas
 >appeared in the January 31, 2003 issue of the Climate Research
 >journal.

>
 >Headquartered in Cambridge, Massachusetts, the Harvard-Smithsonian
 >Center for Astrophysics (CfA) is a joint collaboration between the
 >Smithsonian Astrophysical Observatory and the Harvard College
 >Observatory. CfA scientists organized into six research divisions
 >study the origin, evolution, and ultimate fate of the universe.

>

 >IF YOU DO NOT WISH TO CONTINUE RECEIVING PRESS RELEASES THAT ARE
 >FORWARDED TO THE NEWS MEDIA VIA THE AMERICAN ASTRONOMICAL SOCIETY,
 >PLEASE REPLY ACCORDINGLY TO ANY INCOMING PRESS RELEASE, OR WRITE
 >TO hrsmaran@clair.gsfc.nasa.gov. Requests for referrals to experts
 >should be sent to the same address.

--
 Anne L. Kinney
 Director, Astronomy and Physics Division
 Office of Space Science
 NASA Headquarters

For appointments, call Jane Davis at 202-358-2150