

August 7, 1997

SECY 97-178

For: The Commissioners

From: James L. Blaha, Assistant for Operations, Office of the EDO

Subject: WEEKLY INFORMATION REPORT - WEEK ENDING AUGUST 1, 1997

Contents

Enclosure

Nuclear Reactor Regulation	A	
Nuclear Material Safety and Safeguards		B
Nuclear Regulatory Research		
	C*	
Analysis and Evaluation of Operational Data		D
General Counsel	E*	
Administration	F	
Chief Information Officer	G	
Chief Financial Officer		
	H*	
Human Resources		
	I	
Small Business & Civil Rights		
	J*	
Enforcement		
	K*	
State Programs	L*	
Public Affairs	M	
International Programs	N	
Office of the Secretary	O	
Region I	P*	

Region II	P
Region III	P
Region IV	P
Executive Director for Operations	
Q*	
Congressional Affairs	R

*No input this week.

James L. Blaha
Assistant for Operations, OEDO

Contact:
N. Dudley, OEDO

Office of Nuclear Reactor Regulation
Items of Interest
Week Ending August 1, 1997

Accident Management Demonstration Visit

On July 24 and 25, 1997, staff from the Containment Systems and Severe Accident Branch, the Emergency Preparedness and Radiation Protection Branch, the Human Factors Assessment Branch, and Region II, attended a severe accident management implementation "demonstration" at the North Anna Power Station. This was the second of a series of licensee-hosted demonstrations organized by NEI. The demonstration consisted of licensee presentations regarding the development and implementation of plant-specific severe accident management guidelines and training, followed by a table-top drill demonstrating the use of the severe accident management guidelines by members of the licensee's emergency response organization. The information obtained through this demonstration will be used in the development of a Temporary Instruction for evaluating licensee severe accident management programs. The meeting was also attended by representatives from NEI and several other licensees.

ECCS Suction Strainers

NRC staff from the Containment Systems and Severe Accident Branch in NRR and the Generic Safety Issues Branch in RES held a meeting on Thursday, July 17, 1997, with the Nuclear Energy Institute (NEI) and the Westinghouse Owners Group (WOG), the Combustion Engineering Owners Group (CEOG), and the Babcock and Wilcox Owners Group (BWOG) to discuss the potential for blockage of the emergency core cooling system (ECCS) sump by debris generated by a loss-of-coolant accident (LOCA).

The purpose of the meeting was to inform NEI and the PWR Owners Groups of the work that had been done by the staff, the Boiling Water Reactor Owners Group, and licensees in resolving a similar issue at boiling water reactors. Representatives of the Boiling Water Reactor Owners Group attended this meeting.

August 1, 1997
ENCLOSURE A

The staff discussed the underlying safety concern which led the staff to request the meeting. The safety concern is loss of adequate net positive suction head to the ECCS pumps during a LOCA caused by blockage of the ECCS sump screens by debris.

The staff has begun an examination of this concern for the PWRs. The goal of the effort is to determine if there is a need for further NRC action to be taken for PWRs beyond that taken during the original resolution of Unresolved Safety Issue (USI) A-43, "Containment Emergency Sump Performance." This issue was resolved with issuance on December 3, 1985 of NRC Generic Letter 85-22, "Potential for Loss of Post-LOCA Recirculation Capability Due to Insulation Debris Blockage."

RES staff presented the concerns that have been raised in a preliminary review of the resolution of USI A-43 and the information that has been gained from the BWR work in this area.

Meetings on Grid Reliability (EELB/DRPE)

During the period of July 21-24, 1997, the NRC staff from NRR and Region IV attended several meetings related to the deregulation of the electric power industry and the reliability of the electrical power grids.

On July 21, 1997, NRC staff met with members of the University of California Energy Institute (UCEI) and discussed the status, details, and expected impact of the California Public Utility Commission's plan for the reorganization and deregulation of the state's electricity industry (public utilities and independent power producers). A list of studies that the UCEI has conducted for the Public Utility Commission was reviewed and copies of several reports regarding post-deregulation electric power reliability were obtained for staff review.

On July 22, 1997, NRC staff met with Pacific Gas & Electric (PG&E) staff to discuss offsite power issues for Diablo Canyon at PG&E corporate headquarters in San Francisco, CA. The purpose of this meeting was to discuss grid operation, plant modifications and grid procedure changes precipitated by the grid disturbance

August 1, 1997

ENCLOSURE A

event of August 10, 1996, the impact of deregulation on the PG&E grid operation and the interface between the independent system operator (ISO) and the Power Exchange. These two organizations are scheduled to begin operations in January 1998. In addition, the staff toured the Energy Control Center for the PG&E grid. Key points of discussion included:

- ! PG&E is planning to divest itself of a significant percentage of generation capability in order to allow other producers to compete under deregulation. All utilities under the state deregulation plan will be able to recoup their stranded costs within a 5 year period through increased revenues from rate payers. PG&E believes that Diablo Canyon will be placed in a better competitive position after the payment of the plant's debt.
- ! The California ISO will function as a not-for profit corporation to broker electric power transactions in the state. The ISO will utilize experienced utility staff to maintain reliability. The ISO's Transmission Control Agreement (as negotiated with the State of California) establishes (1) support for applicable reliability criteria including offsite power criteria for nuclear power plants (NPPs) and (2) priority for the restoration of offsite power to NPPs.

On July 23-24, 1997, NRR staff attended a public meeting of the Department of Energy sponsored Task Force on Electric System Reliability. Discussions included comments on the current draft Task Force Interim Report which includes recommendations on the security of the U.S. bulk power system (generation and transmission, and control facilities). Interim report recommendations of interest to the NRC include:

- ! Federal Energy Regulatory Commission (FERC) should review existing North American Electric Reliability Council (NERC) policies and standards with focus on reliability and enforceability.

August 1, 1997
ENCLOSURE A

! Federal legislation is necessary to further clarify the authority and responsibility among the FERC and other entities for overseeing, setting, and enforcing reliability standards.

The interim report is planned to be presented to the Secretary of Energy Advisory Board in September 1997 for submittal to Congress. Other policy and technical issues will be discussed at the next meeting to be held in September.

Indian Point Unit No. 2

Indian Point Unit No. 2 experienced an automatic reactor trip from 100% power at 9:06 a.m. on Saturday, July 26, 1997. The unit was operating with 1 of 2 offsite feeders available through the ring bus when a relay actuated causing 2 of 3 output breakers to open. The turbine tripped on mechanical overspeed followed by a reactor trip (the turbine electrical overspeed device was bypassed at the time). All 6.9 kv power was lost causing the reactor coolant pumps (RCPs) to trip. All three emergency diesel generators (EDGs) started as expected, when low voltage was sensed on the vital buses; however, they did not load onto the buses. Per the plant's electrical design, the EDGs start and idle, but do not load onto the buses unless a blackout signal is present in addition to a unit trip signal. In addition, the 21 auxiliary feedwater (AFW) pump did not autostart in response to low-low level in all 4 steam generators due to its supply bus being de-energized.

While operating at power, the normal station line-up is to have two of the four 480-volt ac vital buses (Buses 5A and 6A) powered through the station auxiliary transformer while the other two vital buses (2A and 3A) are powered via the unit auxiliary transformer. Before bus 2A and 3A transfer to an offsite power source, a phase check is performed. Due to the turbine/generator overspeed, the buses were out of phase resulting in bus 2A and 3A not being energized. Bus 3 was manually transferred to its normal offsite power source within three minutes and the 21 AFW pump was started within seven minutes. One RCP was restarted to

August 1, 1997

ENCLOSURE A

maintain forced circulation and power to all other buses was restored.

On Monday, July 28, 1997, at approximately 2:50 a.m., the turbine tripped while synchronizing to the grid. The licensee formed a root cause team to investigate the trip. Region I assembled a two-person inspection team to investigate both events and to follow the progress of the licensee's team.

On Wednesday, July 30, 1997, the licensee synchronized to the grid and planned to continue power ascension.

Salem Nuclear Generating Station, Units 1 and 2

Restart Schedule - Salem Unit 2 is currently cooled down to perform several corrective maintenance items. Criticality is expected between August 5 and August 8, 1997.

August 1, 1997

ENCLOSURE A

Green Ticket Responses - The responses to letters from Senator Biden of Delaware and David Lochbaum of the Union of Concerned Scientists were issued on July 29, 1997. Both letters expressed concerns about the use of combustible materials in fire barrier penetration seals at Salem.

Chilled Water System - The amendment that incorporates the Chilled Water System into the Technical Specifications was issued on July 29, 1997. The staff had expedited the review and issuance of this amendment to reduce the plant's reliance on operator workarounds.

Zion, Units 1 and 2

Emergency Safety Features

On July 24, 1997, the licensee reported that several Emergency Safety Features (ESF) actuations occurred at Zion, Unit 1, due to communications problems while preparing to perform a surveillance of the "1A" emergency diesel generator (EDG). The ESF equipment was mistakenly actuated in preparation for doing the surveillance. The "1A" EDG became inoperable at the end of the day because the surveillance had not been completed. On July 26, 1997, the licensee reported that all EDGs for Unit 1, which is defuelled, were inoperable. The "1A" EDG had been inoperable since July 24, 1997, because a safe shutdown timer relay failed during the surveillance. The "0" EDG became inoperable at 11:59 p.m. on July 25, 1997, due to being beyond the allowable time to complete its surveillance. The "1B" EDG was out of service for maintenance. The resident inspectors are following up on the issues associated with these surveillances.

August 1, 1997

ENCLOSURE A

Office of Nuclear Material Safety and Safeguards
Items of Interest
Week Ending August 1, 1997

U. S. /Japan Safeguards Bilateral Meeting

On July 28-29, 1997, safeguards bilateral discussions were held between the U.S. Government and representatives of the Japanese Government and nuclear industry. At the meetings, which included representatives of the Departments of State and Energy and the Arms Control and Disarmament Agency, NRC staff presented papers on implementation of International Atomic Energy Agency (IAEA) safeguards in the U.S., safeguards for the final disposal of spent fuel in geologic repositories, and U.S. views on IAEA implementation of the Strengthened Safeguards System (formerly called Program 93+2). The Japanese representatives presented papers on the status of IAEA safeguards in Japan, the status of the planned Rokassha reprocessing plant, and Japanese views on the Strengthened Safeguards System.

U. S. Enrichment Corporation - AVLIS Project

On July 29-30, 1997, Division of Fuel Cycle Safety and Safeguards staff met with the U.S. Enrichment Corporation (USEC), to discuss technical aspects of the Atomic Vapor Laser Isotope Separation (AVLIS) program. On July 29, 1997, USEC presented information on the criticality safety program, a brief overview of the AVLIS program, and outlined the nuclear criticality safety approach for the AVLIS enrichment facility. USEC also discussed their approach to establishing analysis benchmarks and code validation for the higher enrichment levels needed for AVLIS. On July 30, 1997, USEC presented information on the integrated safety analysis being conducted for the AVLIS enrichment facility and discussed the major safety hazards being considered.

U. S. Enrichment Corporation - Privatization

On July 25, 1997, the U.S. Enrichment Corporation (USEC) advised the NRC staff that the President had signed the memorandum approving USEC's Privatization Plan and directing that privatization be completed. The Privatization Plan provides for

August 1, 1997
ENCLOSURE B

an initial dual-track process under which privatization by means of merger-acquisition or an initial public offering of stock, will be pursued. Later in the process, a decision will be made based on the approach most advantageous to the Government.

Tank Waste Remediation System Meeting in Richland, Washington

On July 22-31, 1997, NRC staff members were in Richland, Washington, to participate in the Department of Energy (DOE) Regulatory Unit's training of review teams in preparation for reviewing the privatization contractors' (Lockheed Martin Advanced Environmental Systems (LMAES) and British Nuclear Fuels, Inc., (BNFL)) proposed standards for Hanford Tank Waste Remediation System (TWRS). The LMAES standards submittal was received on July 28, 1997; the BNFL submittal is scheduled for September 1997. The NRC personnel initiated their review of the LMAES submittal while meeting with DOE in Richland. NRC's primary role in Phase I of the TWRS program is to assist DOE in the technical review, and to advise DOE on programs and activities where the DOE-TWRS contractors do and do not meet the NRC requirements and guidance which would become applicable if the NRC were to become the regulator of the TWRS privatization effort.

Meeting with Transnuclear, Inc.

On July 23, 1997, NRC staff met with representatives of Transnuclear, Inc., (TN) and the Department of Energy (DOE) to discuss the feasibility of making significant modifications to the certificates of compliance for the TN-BRP and TN-REG spent fuel transport casks. These casks are used to ship fuel from DOE's West Valley facility. The NRC originally certified the casks to transport only half loads, and DOE may seek certification to ship full loads from West Valley to the Idaho National Engineering and Environmental Laboratory in 2001 or later. NRC staff expressed concern with some aspects of TN's analyses, particularly the structural credit being taken for the borated stainless steel fuel basket.

Visit to Maybell, Colorado Uranium Mill Site

August 1, 1997

ENCLOSURE B

During the week of July 20, 1997, Division of Waste Management (DWM) staff accompanied the Department of Energy on a visit to a uranium mill site undergoing reclamation at Maybell, Colorado. Colorado, as an Agreement-State, is responsible for overseeing the remediation action being taken and for terminating the site-specific license. However, under the Atomic Energy Act, the NRC will need to determine that all applicable standards for reclamation have been met. In addition, the NRC will be responsible for licensing the long-term custodian for the site under the general licensing provisions of 10 CFR 40.27. The purpose of the DWM staff participation was to gain familiarity with the site, and to observe ongoing remediation activities. This background information will be helpful when the NRC staff conducts the general licensing reviews.

Special Nuclear Material Licensing Options for Envirocare

On July 30, 1997, NRC staff met with representatives from Envirocare of Utah, Inc. (Envirocare). The meeting was held at the request of Envirocare to discuss licensing options for possession of larger quantities of special nuclear material (SNM). Envirocare is currently licensed by the State of Utah to dispose of low-level waste, and its SNM possession is limited to less than critical mass quantities, which can be regulated by Agreement States. Envirocare plans to submit application(s) to the NRC to allow for possession of greater than critical mass quantities of SNM.

NRC staff discussed the licensing process under 10 CFR Part 70 for treatment and storage. Envirocare was encouraged to specify in detail what operations it wishes to have considered in the license application. NRC staff discussed the scope of the required Environmental Report and provided several guidance documents to aid in license application preparation. If Envirocare submits a Part 70 license application, discussions with the State of Utah also would be required.

Finally, the NRC staff discussed the licensing process under 10 CFR Part 61 for treatment, storage, and disposal. NRC staff noted that these licensing regulations require the preparation of an environmental impact statement. The Envirocare

August 1, 1997

ENCLOSURE B

representatives stated that they plan to submit a license application in August or September 1997. NRC staff encouraged Envirocare to continue pre-licensing discussions.

August 1, 1997
ENCLOSURE B

Office for Analysis and Evaluation of Operational Data
Items of Interest
Week Ending August 1, 1997

Technical Training Division

The first presentation of the new Emergency Preparedness Technology Course (H 203) was held at the Technical Training Center (TTC) July 28 through August 1, 1997. Course development was requested by NRR to assist emergency planning inspectors in their inspection and regulatory oversight responsibilities. The course was developed and presented by members of the Emergency Preparedness and Radiation Protection Branch of NRR, the Emergency Response Branch of AEOD, and the Reactor Technology Training and Specialized Technical Training Branches of the TTC. Twenty-one individuals, from all the regions, AEOD, NRR, Taiwan, and China attended the course.

Topics covered by the course include the history of NRC emergency preparedness requirements, emergency preparedness criteria and guidance documents, PWR and BWR systems important to safety, severe accidents, licensee emergency preparedness plans, protective action recommendations, drills and exercises, the emergency preparedness inspection program, offsite emergency planning, and NRC interface with FEMA.

Safety Programs Division

Presentation to the Terry Turbine Users Group

A staff member from the Reactor Analysis Branch made a presentation at the Terry Turbine Users Group meeting held in Houston, Texas, on July 30, 1997. Areas presented included the issue of Terry turbine governor valve stem binding, which included the latest event on December 28, 1996, at Hope Creek, and implications of the Maintenance Rule. NUREG-1275, Vol. 10, "Operating Experience Feedback Report ➤ Reliability of Safety-Related Steam Turbine-Driven Standby Pumps," was published in October 1994. This report has been widely used and industry groups continue to request updates on current operating experience.

August 1, 1997
ENCLOSURE D

Presentation to AEOD Staff by Representative From IPSN-France

On July 30, 1997, AEOD staff attended a briefing with NRR representatives, given by Mr. Eric Debec-Mathet, IPSN-France. He spoke about a through-wall crack in a straight section of high-head safety injection pipe in Dampierre Unit 1. The circumferential cracking was caused by thermal-cycling fatigue from cold water intrusion caused by a leaking upstream injection valve. Similar defects were found in identical pipes and elbows in other French plants by ultrasonic and radiography testing. This operating experience is important to AEOD's ongoing study on pressurized-water reactor primary system leaks.

August 1, 1997
ENCLOSURE D

Incident Response Division

On July 24, 1997, a staff member from the Incident Response Division attended the monthly National Response Team (NRT) meeting and made a presentation on the forthcoming Gaseous Diffusion Plant exercise in Portsmouth, Ohio on September 10, 1997. NRC staff informed NRT members that NRC would be pleased to meet with EPA and DOE representatives to discuss their roles.

PRELIMINARY NOTIFICATIONS (PNs)

- a. PNO-I-97-044A, Rsa Laboratories, UPDATE TO PN1-97-044 STRONTIUM-90 AND RADIUM SEALED SOURCES FOUND IN PUBLIC DOMAIN
- b. PNO-III-97-059, Wisconsin Electric Power Co. (Point Beach 2), REACTOR COOLANT PUMP SEAL LEAK DELAYS UNIT 2 STARTUP
- c. PNO-III-97-060, Bowser-Morner, Inc., STOLEN NUCLEAR GAUGE
- d. PNO-III-97-061, U.S. Enrichment Corporation, LOSS OF PROCESS STEAM SUPPLY
- e. PNO-III-97-062, Advanced Medical Systems, Inc., RADIOACTIVE WASTE SHIPMENTS FROM ADVANCED MEDICAL SYSTEMS, INC.
- f. PNO-III-97-063, Bowser-Morner, Inc., DAMAGE TO PORTABLE MOISTURE DENSITY GAUGE
- g. PNO-III-97-064, Commonwealth Edison Co., CHIEF NUCLEAR EXECUTIVE TO RETIRE
- h. PNO-IV-97-043, Entergy Operations, Inc. (River Bend 1), REACTOR SHUTDOWN IN EXCESS OF 72 HOURS
- i. PNO-IV-97-043, Entergy Operations, Inc. (River Bend 1), REACTOR SHUTDOWN IN EXCESS OF 72 HOURS
- j. PNO-IV-97-043A, Entergy Operations, Inc. (River Bend 1), UPDATE OF REACTOR SHUTDOWN IN EXCESS OF 72 HOURS

August 1, 1997
ENCLOSURE D

August 1, 1997
ENCLOSURE D

Office of Administration
Items of Interest
Week Ending August 1, 1997

Contract Award

On July 18, 1997, a firm fixed price contract entitled, "GSE Simulator Programming and Modeling Tools," was awarded to GSE Systems, Inc. The contractor will provide their SimSuite Power Software package, FORTRAN Subroutines Software, and associated software update services for the nuclear power plant simulators located at the NRC Technical Training Center. The period of performance is July 21, 1997, through July 20, 1998, with four one-year renewable option periods for continuation of the software update services. The total contract price, including options is \$171,137. The contract was awarded in accordance with FAR Subpart 12, "Acquisition of Commercial Items." The streamlining initiatives utilized included: combined synopsis/solicitation procedures and electronic transmittal of the statement of work.

U. S. Enrichment Corporation (USEC)

The security inspection of the Portsmouth Gaseous Diffusion Plant, scheduled for July 28-August 1, 1997, was postponed to September 2-5, 1997, because of a safety-related event that occurred at the Portsmouth plant on July 25, 1997. The inspection will be conducted by a five member NRC team made up of four members from the Office of Administration and one member from the Chief Information Officer's office to ensure that the requirements of 10 CFR Part 95 and the commitments made in the NRC approved security plan for the protection of classified matter are being followed.

Chief Information Officer
Items of Interest
Week Ending August 1, 1997

Significant FOIA Requests Received during the 5-Day Period of
July 25-31, 1997:

Technical study contacts related to acoustics, vibration, wave propagation and vulnerability of structures, contracts of \$25,000 or less. (FOIA/PA-97-270)

ADP System Development/Program Services contract, NRC-03-95-025. (FOIA/PA-97-271)

Cotter Corporation, Hazelwood, MD, regarding disposal of leached barium sulfate at West Lake Landfill. (FOIA/PA-97-272)

Institute for Nuclear Medical Education, Boulder, CO, et. al, re NRC visits after 1/95 and prior to 7/96. (FOIA/PA-97-273)

American Society of Nuclear Cardiology, communications with NRC from 1/95 to 7/97. (FOIA/PA-97-274)

Correspondence between any NRC employee or contractor and identified names, 1/1/92 through 7/1/97. (FOIA/PA-97-275)

I. M. P. A. C. card holder listing. (FOIA/PA-97-276)

OI report regarding case number 2-96-043. (FOIA/PA-97-277)

Rocketdyne/Atomics International Santa Susana Field Lab in Simi Valley, et al., re contamination of hazardous substances, 1980 to present. (FOIA/PA-97-278)

NRC activities of named individual re Georgetown Univ., Walter Reed Army Medical Center, et al. (FOIA/PA-97-279)

Nine Mile Point Unit 1, NRC Press Release No. I-97-36 dated April 9, 1997, copy of approval to hold meeting on short notice. (FOIA/PA-97-280)

August 1, 1997
ENCLOSURE G

Maine Yankee, OI reports regarding case numbers 1-96-025 and 1-96-040. (FOIA/PA-97-281)

Reporting services, name and rates of current contractor.
(FOIA/PA-97-282)

Personnel listing of managers, GS-9 to GS-15, on diskette or hard copy. (FOIA/PA-97-283)

OIG reports, 1/1/97 through 6/30/97, involving power reactors.
(FOIA/PA-97-284)

August 1, 1997
ENCLOSURE G

Office of Human Resources
Items of Interest
Week Ending August 1, 1997

Campaign Leadership Conference for the Combined Federal Campaign (CFC) Attended

On August 1, 1997, a staff member of the Office of Human Resources attended the 1997 CFC Campaign Leadership Conference for the National Capital Area. The conference included a panel discussion by past CFC managers, a Federation Fair, and a workshop for campaign managers. Secretary of Transportation Rodney E. Slater agreed to serve as the chair of the 1997 campaign.

Arrivals

BARTO, Andrew	GENERAL ENGINEER (PFT) NMSS
MURRAY, Alexander	SR. CHEMICAL ENGINEER (PFT) NMSS

Retirements

BORDENICK, Bernard	SR TRIAL LITIGATION ATTORNEY (PFT) OGC
JOHANSEN, Joanne	VISUAL INFORMATION SPECIALIST (PFT) IRM
JORDAN, Edward	DEP EXEC DIR FOR REG EFFECTIVENESS(PFT) OEDO
GALLAGHER, John	ELECTRICAL ENGINEER (PFT) NRR
GALLIEN, Margaret	TRAVEL VOUCHER EXAMINER (PFT) RII
KARSCH, Rudolph	ELECTRICAL ENGINEER (PFT) AEOD
TAYLOR, Jack	TEAM LEADER (PFT)
TROUP, Gerald	SR. FUEL FACILITIES INSP (PFT) RII

OIG

August 1, 1997
ENCLOSURE I

VERRELLI, David TECHNICAL ASSISTANT (PFT)
RI I
WOOLRIDGE, Edward MATERIALS ENGINEER (PFT)
RES

Departures

BOUWENS, Mark HEALTH PHYSICIST (PFT)
RI
MATTHEWS, Steven QUALITY ASSURANCE SPECIALIST (PFT)
NRR

Office of Public Affairs
Items of Interest
Week Ending August 1, 1997

Media Interest

A reporter from The New London Day covered a meeting at headquarters with NU on Millstone issues.

Press Releases

Headquarters:

- 97-109 Commission Publishes Proposed Rule for Utility Role in Initial Reactor Operator License Examinations
- 97-110 NRC Seeks Early Public Input to Help Develop Changes to Regulations on Medical Uses of Radioactive Material

Regions:

- I-97-93 NRC Staff, New York Power Authority Officials to Discuss Apparent Violation at Indian Point 3 Plant
- I-97-94 Note to Editors: Meeting With NU August 31
- I-97-95 NRC, RG&E to Discuss Apparent Security Violation at R. E. Ginna Plant
- I-97-96 NRC Staff Assigns New Salem Resident Inspector
- II-97-59 NRC Moves Inspection Responsibility for Region II Non-Power Reactors to Headquarters
- III-97-68 \$2,500 Fine Against Blue Springs, Missouri, Hospital for Deliberate Violations of NRC Requirements
- III-97-69 NRC Staff to Meet With Northern States Power Co. on Apparent Violations at Prairie Island Plant

August 1, 1997
M

ENCLOSURE

**III-97-70 NRC to Hold Predecisional Enforcement Conference With
Detroit Edison Company**

**IV-97-43 NRC Staff Proposes to Fine OPPD \$55,000 for
Violations at Fort Calhoun Nuclear Power Plant**

**August 1, 1997
M**

ENCLOSURE

- IV-97-44 NRC Rates San Onofre Nuclear Plant 'Good' and
 'Superior' in SALP Report
- IV-97-45 NRC Names On-Site Representative for Hanford Tank
 Waste Remediation Project

August 1, 1997
M

ENCLOSURE

Office of International Programs
Items of Interest
Week Ending August 1, 1997

US-Kazakstan Workshop and Training on Export Controls

On Friday, the OIP Director for Nonproliferation, Exports and Multilateral Relations made a presentation on NRC export licensing as part of a week-long export control training workshop hosted and organized by the Department of Commerce for a delegation of government officials from Kazakstan. The visiting five-person delegation was headed by Mr. Valeriy Korablev, Deputy, Department of External Relations and Protocol in the Office of the Prime Minister. The Atomic Energy Agency of Kazakstan was represented by C. T. Masenov, Deputy of the Department of Control and Atomic Energy.

IAEA Vacancy Notices

The following notices from the International Atomic Energy Agency have been posted on NRC bulletin boards:

P-4 Senior Training Officer Safeguards	97/025
P-5 Section Head Technical Co-operation	97/026
P-3 Research Scientist Research and Isotopes	97/027
P-5 Unit Head Safeguards	97/028
P-5 Unit Head Safeguards	97/029
P-3 Supervisor, Radiometry Group 97/030 Research and Isotopes	

August 1, 1997
N

ENCLOSURE

P-4 Waste Safety Specialist
(Decommissioning/Environmental Restoration)
97/031
Nuclear Safety

P-5 Unit Head **97/032**
Safeguards

P-5 Section Head **97/033**
Nuclear Safety

P-4 Nuclear Physicist
97/034
Research and Isotopes

August 1, 1997
N

ENCLOSURE

P-3 Head, Bibliographic Control Unit
97/035
Nuclear Energy

P-2 Energy Data Analyst 97/036
Nuclear Energy

P-3 Electronics Engineer 97/037
Safeguards

P-4 Power Engineer/Economist 97/038
Nuclear Energy

P-4 NDA Systems Engineer 97/039
Safeguards

P-4 Head of General Accounting Unit
97/040
Administration

P-4 Co-ordinator, Emergency Assistance Services
97/041
Nuclear Safety

P-5 Section Head 97/042
Nuclear Safety

P-5 Regulatory Standards Officer
97/043
Nuclear Safety

P-4 Instrumentation/Software Specialist 97/044
Safeguards

D-1 Director
97/045
Technical Co-operation

P-5 RCA Co-ordinator
97/046

August 1, 1997
N

ENCLOSURE

Technical Co-operation

- P-4 Senior Translator
97/047
Administration**
- P-2 Development Programmer
Nuclear Energy 97/048**
- P-3 Chemist
Nuclear Energy 97/049**
- P-3 Plasma Physicist
97/050
Nuclear Energy**
- D-1/ Director
97/051**
- D-2 Administration**
- P-5 Section Head
Administration 97/052**
- P-5 Section Head
Research and Isotopes 97/053**
- P-4 Medical Radiation Physicist-SSDL Officer
97/054
Research and Isotopes**
- P-3 Performance Monitoring Engineer
97/055
Safeguards**
- P-5 Section Head/Nuclear Medicine Physician
Research and Isotopes 97/056**
- P-5 Radioactive Source Security Specialist
Nuclear Safety 97/601**

August 1, 1997

N

ENCLOSURE

P-5 Unit Head, Emergency Preparedness and Response Unit
97/602
Nuclear Safety

P-3 Industrial Chemist
Research and Isotopes

97/701

August 1, 1997
N

ENCLOSURE

Office of the Secretary
Items of Interest
Week Ending August 1, 1997

Negative Consent Documents Released to the Public

<u>Document</u>	<u>Date</u>	<u>Subject</u>
1. SECY-97-138	7/1/97	Termination of Fort St. Vrain Nuclear Generating Station Operating License
- SRM on 97-138	7/24/97	(same)

Information Papers Released to the Public

1. SECY-97-152	7/18/97	Status of Safety Evaluation Report on Proposed Reduction in Augmented Examination Requirements for Boiling Water Reactor Pressure Vessels Pursuant to 10 CFR 50.55a(g)(6)(ii)(A) (SRM M970512B)
2. SECY-97-157	7/23/97	Weekly Information Report - Week Ending July 18, 1997
3. SECY-97-158	7/22/97	Quarterly Status for the Probabilistic Risk Assessment Implementation Plan
4. SECY-97-159	7/23/97	Staff Requirements Memorandum (SRM) Dated February 21, 1997, Re: Briefing for Commission on Codes and Standards, January 22, 1997
5. SECY-97-160	7/24/97	Staff Review of Licensee Responses to the 10 CFR 50.54(f) Request Regarding the Adequacy

August 1, 1997

0

ENCLOSURE

and Availability of Design Bases
Information

6. SECY-97-161 7/24/97 Transportation of Radioactive
Material: Program Status and
Current and Future Issues

COMSECY Documents Released to the Public

1. COMEXM-97-002 5/28/97 NRC Action with Regard to Ward
Valley Low Level Waste (LLW)
Disposal Site
- SRM on 97-002 6/25/97 (same)
 - Chmn. Jackson's 6/11/97 (same)
Vote on 97-002
 - Comr. Rogers' 6/10/97 (same)
Vote on 97-002
 - Comr. Dicus' 6/11/97 (same)
Vote on 97-002
 - Comr. Diaz' 6/10/97 (same)
Vote on 97-002
 - Close out memo 6/25/97 (same)
from J. Hoyle to
Comr. McGaffigan

Commission Correspondence Released to the Public

1. Letter to Commissioner Robert C. Shinn, Jr., Trenton (NJ)
Department of Environmental Protection, dtd 7/23/97 concerns
the clean-up of a residence contaminated by tritium
2. Letter to Joe Colvin, Nuclear Energy Institute, dtd 7/23
concerns the shipment of the Trojan decommissioned reactor
vessel

August 1, 1997

ENCLOSURE

3. Letter to Merrylin Zaw-Mon, State of Maryland Department of the Environment, dtd 7/18/97 concerns State participation in the external regulation of DOE facilities
4. Letter to Dr. John Gibbons, Assistant to the President for Science and Technology, dtd 7/18/97 accepts invitation to participate in the U. S. - Japan Joint High Level Committee meeting, October 24, 1997
5. Letter to James Ikeda, State of Hawaii NRC State Liaison Officer, dtd 7/18/97 concerns State participation in the external regulation of DOE facilities

Federal Register Notices Issued

1. 10 CFR Part 35; Medical Use of Byproduct Material: Issues and Request for Public Comment
2. 10 CFR Part 55; Initial Licensed Operator Examination Requirements; Proposed Rule
3. ACRS Subcommittee on Planning and Procedures; Notice of Meeting on August 27, 1997
4. ACRS Subcommittee on Regulatory Policies and Practices; Notice of Meeting on August 27, 1997
5. Joint Meeting of the ACRS Subcommittees on Probabilistic Risk Assessment, Plant Operations, and on Fire Protection; Notice of Meeting on August 28 and 29, 1997

Atomic Safety and Licensing Board's Issuances

- 1 . NORTHERN STATES POWER COMPANY (Independent Spent Fuel Storage Installation); Docket No. 72-18-ISFSI; MEMORANDUM AND ORDER (LBP-97-13); (Terminating Proceeding) 7/30/97

August 1, 1997

0

ENCLOSURE

Region II
Items of Interest
Week Ending August 1, 1997

Florida Power Corporation - Crystal River

Representatives from Florida Power Corporation were in the Regional Office on July 30, 1997 to attend a closed management meeting. The purpose of the meeting was to discuss the Security Improvement Plan for Crystal River Unit 3.

Southern Nuclear Operating Company, Inc.

On July 31, the Regional Administrator and NRC managers from Region II and NRR attended an NRC Interface Meeting with the Southern Nuclear Operating Company, (SONOPCO) Inc., in Birmingham, Alabama. SONOPCO made presentations by each site Vice President and Plant Manager regarding plant status and long term site projects. The NRC discussed agency processes for several programs including allegations, senior management meetings, and complaints of improper staff conduct.

Severe Weather Workshop

Florida Power & Light Company and Carolina Power & Light Company co-hosted a Severe Weather Workshop in Fort Lauderdale, Florida for representatives from both Region II and non-Region II utilities whose operations may be affected by severe weather. Officials from the State of North Carolina, the Federal Emergency Management Agency (FEMA), Region IV, and Region II, also participated in this workshop.

The principal items of discussion included: Plant Restart Discussions following Natural Disasters, NRC Administrative Letter 97-03, dated March 28, 1997, and the role and responsibilities of FEMA, in the conduct of Disaster Initiated Reviews following natural disasters, and its associated impact on plant restart.

Florida Power and Light Company - Turkey Point

August 1, 1997

P

ENCLOSURE

Turkey Point Unit 3 tripped on July 30, 1997, when the B Main Steam Isolation Valve (MSIV) closed at 100 percent power. The cause of the closure was determined to be a failed relay in the MSIV control circuit. The relay is a Westinghouse BFD22S relay which is normally energized when the MSIV is open. The relay has been replaced and further review of the relay failure is being performed. All similar relays on MSIV circuits have been replaced on Unit 3. The licensee plans to review those in Unit 4 during the next refueling outage.

Shortly after the trip, the "A" Auxiliary Feedwater (AFW), turbine-driven pump tripped on overspeed. The cause of this overspeed trip is being investigated by the licensee. The licensee has three AFW, turbine driven pumps (A, B, and C). The third pump (C) was aligned to function as the A pump. Under this condition, Unit 3 can operate at power for 30 days. On July 31, 1997, Unit 3 went critical and was at 100 percent power with a 30-day LCO for the inoperable A AFW pump.

The resident inspector responded to the control room and observed post trip actions and has verified technical specification requirements.

Differing Professional View - Summer SALP Report

Region II completed action on a differing professional view (DPV). The DPV concerned the written assessment in the plant support section of the Summer SALP report issued on December 6, 1996. In summary, the DPV encompassed three issues as follows: (1) Some examples in the SALP report in the plant support section were misused and did not support the assessment that a performance decline or challenge occurred, (2) the plant support section of the report was inconsistent with the previous SALP report and the last plant performance review, and (3) the use of non-cited violations to support the plant support section of the report was inappropriate since the violations represented isolated cases.

Region II convened a DPV review panel in accordance with NRC Management Directive 10.159. The panel completed review of the issues, accepted some of the DPV submitter's views and provided a

August 1, 1997

ENCLOSURE

P

recommended course of action to the Regional Administrator in June 1997. The Regional Administrator accepted the course of action on June 19, 1997, and conveyed this to the DPV submitter and SALP Board. As a result, the SALP report was rewritten to address the DPV issues. The SALP report was revised and reissued to the licensee on July 30, 1997.

B&W - Naval Fuel Division

On July 28, the licensee reported a loss of a criticality control under NRC Bulletin 91-01. The licensee discovered a transport cast in the uranium recovery area with material containing uranium-235 stored in such a manner that the mass of U-235 was in excess of the criticality limit. The licensee unloaded the cart and stored the U-235 in accordance with approved safety limits. The material had originally been transferred to the uranium recovery areas from the metallurgical laboratory. Therefore, the licensee halted transfers for this type material from the metallurgical laboratory until an investigation team completes review of the root causes and corrective actions. Region II issued a letter confirming this action on August 1. An NRC team, consisting of NMSS and Region II staff, is inspecting the licensee's actions.

August 1, 1997

P

ENCLOSURE

Region III
Items of Interest
Week Ending August 1, 1997

Portsmouth Gaseous Diffusion Plant - Special Team Dispatched

On July 29, 1997, a special inspection team was dispatched to the Portsmouth Gaseous Diffusion Plant to focus on the root causes relating to the loss of steam generating capacity at the plant. On July 25, 1997, the steam supply was lost from its onsite steam production plant. Normal feedwater was lost to the two boilers that were in-service apparently due to plugged aerators. Steam is used for numerous activities at the plant including maintenance of sufficient temperatures in the process equipment and transfer lines to keep the uranium hexafluoride in gaseous form. (Uranium hexafluoride will solidify at normal ambient temperatures.) Feedwater was restored and actions were taken to prevent process gas solidification.

Dresden Nuclear Power Station - Special Team Dispatched

On July 28, 1997, Unit 2 of the Dresden Nuclear Power Station was manually scrammed from approximately 87 percent power following a feedwater flow transient. A special NRC inspection team was dispatched to the station to independently assess the event and to review the licensee's investigation results.

Wisconsin Supreme Court Decision

On July 30, 1997, the Wisconsin Supreme Court denied a Citizen's Utility Board (CUB) petition to block Wisconsin Electric's plans for a temporary dry storage facility for spent nuclear fuel at the utility's Point Beach Nuclear Plant. The state Supreme Court upheld an appellate court decision supporting the Public Service Commission of Wisconsin's (PSCW) environmental impact statement related to the construction and operation of the storage facility. The statement was the basis for the PSCW's decision in January 1995 authorizing the utility to construct a temporary dry storage facility for spent fuel. Two dry storage containers have already been loaded and are stored at the plant.

August 1, 1997

ENCLOSURE

P

Confirmatory Action Letter issued

On July 28, 1997, Region III issued a Confirmatory Action Letter (CAL) to Professional Service Industries, Inc. (PSI), Lombard, Illinois. On July 18 and 19, 1997, Region I conducted an inspection at PSI facilities in Pittsburgh, PA. That inspection identified numerous apparent violations, including examples of unqualified personnel conducting radiographic operations. The CAL discusses PSI's corrective actions for the apparent violations. Some of the corrective actions discussed in the CAL include retraining of radiographic technicians, field audits of radiographic operations, and audits every two months of radiographic operations at PSI's Pittsburgh facility.

August 1, 1997

P

ENCLOSURE

City of Cleveland Meeting - Advanced Medical Systems, Inc.

On July 30, 1997, NRC staff members and officials from the City of Cleveland met in Cleveland to discuss concerns regarding Advanced Medical Systems, Inc (AMS). The meeting was requested by the City of Cleveland officials. A second meeting was held with two City Council members. Issues discussed at the two meetings regarding AMS included: security of the facility; emergency response planning; an apparent cancer cluster around AMS; offsite contamination; radiation; and the overall status of the facility.

From July 22 through July 28, 1997, a total of approximately 600 curies of cobalt-60 waste was shipped from AMS to Barnwell, S. C., for disposal. The remaining cobalt-60 inventory at AMS consists of a 1200 curie sealed source and residual cobalt-60 contamination in restricted areas.

Commonwealth Edison Management Change

On July 30, 1997, Commonwealth Edison Company announced that Thomas J.

Maiman, Executive Vice President in charge of nuclear operations, will

retire August 29 after 32 years with the company. He will be succeeded by Robert J. Manning, who is currently executive vice president with responsibility for the utility's fossil-fueled generating stations. He will be named executive vice president of generation, retaining responsibility for the fossil-fueled stations and adding the nuclear generating stations.

Harry W. Keiser, currently chief nuclear operating officer, will be

named principal nuclear officer and will continue to direct day-to-day nuclear operations.

Centerior Service Company Management Change - Perry Nuclear Power Plant

August 1, 1997

P

ENCLOSURE

On July 28, 1997, Centerior Service Company named William (Bill) Kanda as the new plant manager at Perry. Kanda was previously Director of Quality and Personnel Development. He succeeds Richard Brandt who resigned.

Zion Nuclear Power Station - Letter to ComEd on Potential "Chilling Effect"

On July 22, 1997, NRC Region III Administrator A. Bill Beach sent a letter to Thomas J. Maiman, Commonwealth Edison's Senior Vice President of Nuclear Operations, regarding a significant increase in the number of allegations concerning employment discrimination at the utility's Zion plant. The letter requests a meeting with ComEd to discuss its assessment of the potential for a "chilling effect" at the plant and to discuss ComEd's view on the effectiveness of the Employee Concerns Program.

Commissioner Dicus Meetings - Mallinckrodt and Illinois Department of Nuclear Safety

On July 29, 1997, NRC Commissioner Greta J. Dicus, accompanied by NRC Region III Deputy Regional Administrator Jim Caldwell and Director of the Division of Nuclear Material Safety Roy Caniano, visited the Mallinckrodt Nuclear Medicine facility in Missouri. Commissioner Dicus met with David Morra, President Nuclear Medicine Division, Les Sabo, Director, U.S. Nuclear Medicine Operations and Roy Brown, Director Regulatory Compliance, and was provided a tour of the facility. The tour included: the production area for Mallinckrodt's molybdenum 99/technetium 99m generators and cyclotron area where non NRC regulated materials are produced.

On July 30, 1997, Commissioner Dicus, accompanied by NRC Region III State Agreements Officer James Lynch, visited with the Illinois Department of Nuclear Safety (IDNS) in Springfield, Illinois. She met with Thomas Ortciger, Director of IDNS. Commissioner Dicus then toured IDNS' laboratory, emergency response facility and was provided a demonstration of IDNS' decontamination global positioning satellite system.

August 1, 1997

P

ENCLOSURE

August 1, 1997
P

ENCLOSURE

Region IV
Items of Interest
Week Ending August 1, 1997

Waterford 3 Predecisional Enforcement Conference

On July 29, 1997, a public predecisional enforcement conference was held in Region IV between representatives of Entergy Operations, Inc, and NRC personnel. The conference was to discuss apparent violations related to the operability of valves that have dual safety functions, including containment isolation.

Cooper Nuclear Station (CNS) Torus-to-Drywell Vacuum Breaker Problems

On July 29, 1997, CNS implemented a Technical Specification required shutdown when a torus-to-drywell vacuum breaker would not reclose after testing. A subsequent drywell-to-torus leakage test confirmed excessive leakage. The licensee found four (of 12) vacuum breakers which were not fully seated and sealed. The seat retaining ring fasteners had been tightened to the extent that the soft seat was bowed at the fasteners, preventing full closure and sealing of the valve. On one valve, the seat ring physically contacted the disc when the disc was in the closed position. The last record of maintenance showed that the vacuum breakers were rebuilt in 1982 with a fastener torque of 75 in-lbs. Current licensee procedures specify only 25 in-lbs for the retaining ring fasteners. During the forced outage, the licensee rebuilt all 12 valves. Licensee testing of the valves and root cause investigation are in progress.

Texas Utilities Electric (Comanche Peak) Public SALP Meeting

On July 30, the Region IV, Regional Administrator and other members of the NRC staff conducted an open meeting to discuss the recently completed SALP. The facility achieved all Category I ratings and a reduced inspection program is planned.

WNP-2 Regulatory Interface Workshop

August 1, 1997

P

ENCLOSURE

A regulatory interface workshop was held on July 31, 1997, in the Region IV office. Participants included the Washington Public Power Supply System management personnel and NRC managers and staff, including the Regional Administrator and the Associate Director for Reactor Projects, NRR. This workshop, which was open for public observation, was held to discuss issues to develop an effective regulatory interface.

August 1, 1997
P

ENCLOSURE