CHAP 1.doc
Version 14.3

CHAPTER I
GENERAL CORRECT CODING POLICIES
FOR
NATIONAL CORRECT CODING INITIATIVE POLICY MANUAL
FOR MEDICARE SERVICES

Current Procedural Terminology **© 2007 American Medical Association. All Rights Reserved.**

Current Procedural Terminology **(CPT) is copyright 2006 American Medical Association. All Rights Reserved. No fee schedules, basic units, relative values, or related listings are included in CPT. The AMA assumes no liability for the data contained herein. Applicable FARS/DFARS restrictions apply to government use.**

CPT® **is a trademark of the American Medical Association.**

Chapter I

General Correct Coding Policies

A. Introduction

Healthcare providers utilize HCPCS/CPT codes to report medical services performed on patients to Medicare Carriers and Fiscal Intermediaries (FIs). HCPCS (Healthcare Common Procedure Coding System) consists of Level I CPT (Current Procedural Terminology) codes and Level II codes. CPT codes are defined in the American Medical Association's (AMA) *CPT Manual* which is updated and published annually. HCPCS Level II codes are defined by the Centers for Medicare and Medicaid Services (CMS) and are updated throughout the year as necessary. Changes in CPT codes are approved by the AMA CPT Editorial Panel which meets three times per year.

CPT and HCPCS Level II codes define medical and surgical procedures performed on patients. Some procedure codes are very specific defining a single service (e.g. CPT code 93000 (electrocardiogram)) while other codes define procedures consisting of many services (e.g. CPT code 58263 (vaginal hysterectomy with removal of tube(s) and ovary(s) and repair of enterocele)). Because many procedures can be performed by different approaches, different methods, or in combination with other procedures, there are often multiple HCPCS/CPT codes defining similar or related procedures.

CPT and HCPCS Level II code descriptors usually do not define all services included in a procedure. There are often services inherent in a procedure or group of procedures. For example, anesthesia services include certain preparation and monitoring services.

The CMS developed the NCCI to prevent inappropriate payment of services that should not be reported together. There are two NCCI edit tables: "Column One/Column Two Correct Coding Edit Table" and "Mutually Exclusive Edit Table". Each edit table contains edits which are pairs of HCPCS/CPT codes that in general should not be reported together. Each edit has a column one and column two HCPCS/CPT code. If a provider reports the two codes of an edit pair, the column two code is denied, and the column one

code is eligible for payment. However, if it is clinically appropriate to utilize an NCCI-associated modifier, both the column one and column two codes are eligible for payment. (NCCI-associated modifiers and their appropriate use are discussed elsewhere in this chapter.) All edits are included in the "Column One/Column Two Correct Coding Edit Table" except those that are based on the "mutually exclusive" (Chapter I, Section P) and "gender-specific" (Chapter I, Section Q) criteria in which case the edits are included in the "Mutually Exclusive Edit Table".

When the NCCI was first established and during its early years, the "Column One/Column Two Correct Coding Edit Table" was termed the "Comprehensive/Component Edit Table". This latter terminology was a misnomer. Although the column two code is often a component of a more comprehensive column one code, this relationship is not true for many edits. In the latter type of edit the code pair edit simply represents two codes that should not be reported together. For example, a provider should not report a vaginal hysterectomy code and total abdominal hysterectomy code together.

In this Manual many policies are described utilizing the term "physician". Unless indicated differently the usage of this term does not restrict the policies to physicians only but applies to all practitioners, hospitals, providers, or suppliers eligible to bill the relevant HCPCS/CPT codes pursuant to applicable portions of the Social Security Act (SSA) of 1965, the Code of Federal Regulations (CFR), and Medicare rules. In some sections of this Manual, the term "physician" would not include some of these entities because specific rules do not apply to them. For example, Anesthesia Rules and Global Surgery Rules do not apply to hospitals.

This chapter addresses general coding principles, issues, and policies. Many of these principles, issues, and policies are addressed further in subsequent chapters dealing with specific groups of HCPCS/CPT codes. In this chapter examples are often utilized to clarify principles, issues, or policies. The examples do not represent the only codes to which the principles, issues, or policies apply.

B. Coding Based on Standards of Medical/Surgical Practice

Most HCPCS/CPT code defined procedures include services that are integral to them. Some of these integral services have specific CPT codes for reporting the service when not performed as an integral part of another procedure. (For example, CPT code 36000 (introduction of needle or intracatheter into a vein) is integral to all nuclear medicine procedures requiring injection of a radiopharmaceutical into a vein. CPT code 36000 is not separately reportable with these types of nuclear medicine procedures. However, CPT code 36000 may be reported alone if the only service provided is the introduction of a needle into a vein.) Other integral services do not have specific CPT codes. (For example, wound irrigation is integral to the treatment of all wounds and does not have a HCPCS/CPT code.) Services integral to HCPCS/CPT code defined procedures are included in those procedures based on the standards of medical/surgical practice. It is inappropriate to separately report services that are integral to another procedure with that procedure.

Many NCCI edits are based on the standards of medical/surgical practice. Services that are integral to another service are component parts of the more comprehensive service. When integral component services have their own HCPCS/CPT codes, NCCI edits place the comprehensive service in column one and the component service in column two. Since a component service integral to a comprehensive service is not separately reportable, the column two code is not separately reportable with the column one code.

Some services are integral to large numbers of procedures. Other services are integral to a more limited number of procedures. Examples of services integral to a large number of procedures include:

- Cleansing, shaving and prepping of skin
- Draping and positioning of patient
- Insertion of intravenous access for medication administration
- Insertion of urinary catheter
- Sedative administration by the physician performing a procedure (see Chapter II, Anesthesia Services)
- Local, topical or regional anesthesia administered by the physician performing the procedure

- Surgical approach including identification of anatomical landmarks, incision, evaluation of the surgical field, debridement of traumatized tissue, lysis of adhesions, and isolation of structures limiting access to the surgical field such as bone, blood vessels, nerve, and muscles including stimulation for identification or monitoring
- Surgical cultures
- Wound irrigation
- Insertion and removal of drains, suction devices, and pumps into same site
- Surgical closure and dressings
- Application, management, and removal of postoperative dressings and analgesic devices (peri-incisional
- TENS unit
- Institution of Patient Controlled Anesthesia
- Preoperative, intraoperative and postoperative documentation, including photographs, drawings, dictation, or transcription as necessary to document the services provided
- Surgical supplies, except for specific situations where CMS policy permits separate payment

Although other chapters in this Manual further address issues related to the standards of medical/surgical practice for the procedures covered by that chapter, it is not possible because of space limitations to discuss all NCCI edits based on the principle of the standards of medical/surgical practice. However, there are several general principles that can be applied to the edits as follows:

1. The component service is an accepted standard of care when performing the comprehensive service.

2. The component service is usually necessary to successfully complete the comprehensive service.

3. The component service is not a separately distinguishable procedure when performed with the comprehensive service.

Specific examples of services that are not separately reportable because they are components of more comprehensive services follow:

Medical:

1. Since interpretation of cardiac rhythm is an integral component of the interpretation of an electrocardiogram, a rhythm strip is not separately reportable.

2. Since determination of ankle/brachial indices requires both upper and lower extremity doppler studies, an upper extremity doppler study is not separately reportable.

3. Since a cardiac stress test includes multiple electrocardiograms, an electrocardiogram is not separately reportable.

Surgical:

1. Since a myringotomy requires access to the tympanic membrane through the external auditory canal, removal of impacted cerumen from the external auditory canal is not separately reportable.

2. A “scout” bronchoscopy to assess the surgical field, anatomic landmarks, extent of disease, etc., is not separately reportable with an open pulmonary procedure such as a pulmonary lobectomy. By contrast, an initial diagnostic bronchoscopy is separately reportable. If the diagnostic bronchoscopy is performed at the same patient encounter as the open pulmonary procedure and does not duplicate an earlier diagnostic bronchoscopy by the same or another physician, the diagnostic bronchoscopy may be reported with modifier –58 to indicate a staged procedure. A cursory examination of the upper airway during a bronchoscopy with the bronchoscope should not be reported separately as a laryngoscopy. However, separate endoscopies of anatomically distinct areas with different endoscopes may be reported separately (e.g., thoracoscopy and mediastinoscopy).

3. Since a colectomy requires exposure of the colon, the laparotomy and adhesiolysis to expose the colon are not separately reportable.

C. Medical/Surgical Package

Most medical and surgical procedures include pre-procedure, intra-procedure, and post-procedure work. When multiple procedures are performed at the same patient encounter, there is often overlap of the pre-procedure and post-procedure work. Payment methodologies for surgical procedures account for the overlap of the pre-procedure and post-procedure work.

The component elements of the pre-procedure and post-procedure work for each procedure are included component services of that procedure as a standard of medical/surgical practice. Some general guidelines follow:

1. Many invasive procedures require vascular and/or airway access. The work associated with obtaining the required access is included in the pre-procedure or intra-procedure work. The work associated with returning a patient to the appropriate post-procedure state is included in the post-procedure work.

Airway access is necessary for general anesthesia and is not separately reportable. There is no CPT code for elective endotracheal intubation. CPT code 31500 describes an emergency endotracheal intubation and should not be reported for elective endotracheal intubation. Visualization of the airway is a component part of an endotracheal intubation, and CPT codes describing procedures that visualize the airway (e.g., nasal endoscopy, laryngoscopy, bronchoscopy) should not be reported with an endotracheal intubation. These CPT codes describe diagnostic and therapeutic endoscopies, and it is a misuse of these codes to report visualization of the airway for endotracheal intubation.

Intravenous access (e.g., CPT codes 36000, 36400, 36410) is not separately reportable when performed with many types of procedures (e.g., surgical procedures, anesthesia procedures, radiological procedures requiring intravenous contrast, nuclear medicine procedures requiring intravenous radiopharmaceutical).

After vascular access is achieved, the access must be maintained by a slow infusion (e.g., saline) or injection of heparin or saline into a “lock”. Since these services are necessary for maintenance of the vascular access, they are not separately reportable with the vascular access CPT codes or procedures requiring vascular access as a standard of medical/surgical practice. CPT code 37201 (Transcatheter therapy, infusion for thrombolysis other than coronary) should not be reported for use of an anticoagulant to maintain vascular access.

The global surgical package includes the administration of fluids and drugs during the operative procedure. CPT codes 90760-90775 should not be reported separately. Under OPPS, the administration of fluids and drugs during or for an operative procedure are included services and are not separately reportable (e.g., CPT codes 90760-90775).

When a procedure requires more invasive vascular access services (e.g. central venous access, pulmonary artery access), the more invasive vascular service is separately reportable if it is not typical of the procedure and the work of the more invasive vascular service has not been included in the valuation of the procedure.

Insertion of a central venous access device (e.g. central venous catheter, pulmonary artery catheter) requires passage of a catheter through central venous vessels and, in the case of a pulmonary artery catheter, through the right atrium and ventricle. These services often require the use of fluoroscopic guidance. Separate reporting of CPT codes for right heart catheterization, selective venous catheterization, or pulmonary artery catheterization is not appropriate when reporting a CPT code for insertion of a central venous access device. Since CPT code 75998 describes fluoroscopic guidance for central venous access device procedures, CPT codes for more general fluoroscopy (e.g., 76000, 76001, 77002) should not be reported separately.

2. Medicare Anesthesia Rules prevent separate payment for anesthesia services by the same physician performing a surgical or medical procedure. The physician performing a surgical or medical procedure should not report CPT codes 90760-90775 for the administration of anesthetic agents during the procedure. If it is medically reasonable and necessary that a separate provider

(anesthesia practitioner) perform anesthesia services (e.g., monitored anesthesia care) for a surgical or medical procedure, a separate anesthesia service may be reported by the second provider.

Under OPPS, anesthesia for a surgical procedure is an included service and is not separately reportable. For example, a provider should not report CPT codes 90760-90775 for anesthesia services.

3. Many procedures require cardiopulmonary monitoring either by the physician performing the procedure or an anesthesia practitioner. Since these services are integral to the procedure, they are not separately reportable. Examples of these services include cardiac monitoring, pulse oximetry, and ventilation management (e.g., 93000-93010, 93040-93042, 94760, 94761, 94770).

4. A biopsy performed at the time of another more extensive procedure (e.g. excision, destruction, removal) is separately reportable under specific circumstances.

If the biopsy is performed on a separate lesion, it is separately reportable. This situation may be reported with anatomic modifiers or modifier -59.

If the biopsy is performed on the same lesion on which the more extensive procedure is performed, it is separately reportable only if the biopsy is utilized for immediate pathologic diagnosis prior to the more extensive procedure, and the decision to proceed with the more extensive procedure is based on the result of the pathologic examination. Modifier -58 may be reported to indicate that the biopsy and the more extensive procedure were planned or staged procedures.

If a biopsy is performed and submitted for pathologic evaluation that will be completed after the more extensive procedure is performed, the biopsy is not separately reportable with the more extensive procedure.

If a single lesion is biopsied multiple times, only one biopsy code may be reported with a single unit of service. If multiple lesions are non-endoscopically biopsied, a biopsy code may be

reported for each lesion appending a modifier indicating that each biopsy was performed on a separate lesion. For endoscopic biopsies, multiple biopsies of a single or multiple lesions are reported with one unit of service of the biopsy code. If it is medically reasonable and necessary to submit multiple biopsies of the same or different lesions for separate pathologic examination, the medical record must identify the precise location and separate nature of each biopsy.

5. Exposure and exploration of the surgical field is integral to an operative procedure and is not separately reportable. For example, an exploratory laparotomy (CPT code 49000) is not separately reportable with an intra-abdominal procedure. If exploration of the surgical field results in additional procedures other than the primary procedure, the additional procedures may generally be reported separately. However, a procedure designated by the CPT code descriptor as a "separate procedure" is not separately reportable if performed in a region anatomically related to the other procedure(s) through the same skin incision, orifice, or surgical approach.

6. If a definitive surgical procedure requires access through diseased tissue (e.g., necrotic skin, abscess, hematoma, seroma), a separate service for this access (e.g., debridement, incision and drainage) is not separately reportable. For example, debridement of skin to repair a fracture is not separately reportable.

7. If removal, destruction, or other form of elimination of a lesion requires coincidental elimination of other pathology, only the primary procedure may be reported. For example, if an area of pilonidal disease contains an abscess, incision and drainage of the abscess during the procedure to excise the area of pilonidal disease is not separately reportable.

8. An excision and removal (-ectomy) includes the incision and opening (-otomy) of the organ. A HCPCS/CPT code for an –otomy procedure should not be reported with an –ectomy code for the same organ.

9. Multiple approaches to the same procedure are mutually exclusive of one another and should not be reported separately.

For example, both a vaginal hysterectomy and abdominal hysterectomy should not be reported separately.

10. If a procedure utilizing one approach fails and is converted to a procedure utilizing a different approach, only the successful procedure may be reported. For example, if a laparoscopic hysterectomy is converted to an open hysterectomy, only the open hysterectomy procedure code may be reported.

11. If a laparoscopic procedure fails and is converted to an open procedure, the physician should not report a diagnostic laparoscopy in lieu of the failed laparoscopic procedure. For example, if a laparoscopic cholecystectomy is converted to an open cholecystectomy, the physician should not report the failed laparoscopic cholecystectomy nor a diagnostic laparoscopy.

12. If a diagnostic endoscopy is the basis for and precedes an open procedure, the diagnostic endoscopy is separately reportable with modifier -58. However, the medical record must document the medical reasonableness and necessity for the diagnostic endoscopy. A scout endoscopy to assess anatomic landmarks and extent of disease is not separately reportable with an open procedure. When an endoscopic procedure fails and is converted to another surgical procedure, only the successful surgical procedure may be reported. The endoscopic procedure is not separately reportable with the successful procedure.

13. Treatment of complications of primary surgical procedures is separately reportable with some limitations. The global surgical package for an operative procedure includes all intra-operative services that are normally a usual and necessary part of the procedure. Additionally the global surgical package includes all medical and surgical services required of the surgeon during the postoperative period of the surgery to treat complications that do not require return to the operating room. Thus, treatment of a complication of a primary surgical procedure is not separately reportable (1) if it represents usual and necessary care in the operating room during the procedure or (2) if it occurs postoperatively and does not require return to the operating room. For example, control of hemorrhage is a usual and necessary component of a surgical procedure in the operating room and is not separately reportable. Control of postoperative hemorrhage is also not separately reportable unless the patient

must be returned to the operating room for treatment. In the latter case, the control of hemorrhage may be separately reportable with modifier -78.

D. Evaluation and Management (E&M) Services

Medicare Global Surgery Rules define the rules for reporting evaluation and management (E&M) services with procedures covered by these rules. This section summarizes some of the rules.

All procedures on the Medicare Physician Fee Schedule are assigned a Global period of 000, 010, 090, XXX, YYY, or ZZZ. The global concept does not apply to XXX procedures. The global period for YYY procedures is defined by the Carrier. All procedures with a global period of ZZZ are related to another procedure, and the applicable global period for the ZZZ code is determined by the related procedure.

Since NCCI edits are applied to same day services by the same provider to the same beneficiary, certain Global Surgery Rules are applicable to NCCI. An E&M service is separately reportable on the same date of service as a procedure with a global period of 000, 010, or 090 under limited circumstances.

If a procedure has a global period of 090 days, it is defined as a major surgical procedure. If an E&M is performed on the same date of service as a major surgical procedure for the purpose of deciding whether to perform this surgical procedure, the E&M service is separately reportable with modifier -57. Other E&M services on the same date of service as a major surgical procedure are included in the global payment for the procedure and are not separately reportable. NCCI does not contain edits based on this rule because Medicare Carriers have separate edits.

If a procedure has a global period of 000 or 010 days, it is defined as a minor surgical procedure. The decision to perform a minor surgical procedure is included in the payment for the minor surgical procedure and should not be reported separately as an E&M service. However, a significant and separately identifiable E&M service unrelated to the decision to perform the minor surgical procedure is separately reportable with modifier -25. The E&M service and minor surgical procedure do not require different diagnoses. If a minor surgical procedure is performed

on a new patient, the same rules for reporting E&M services apply. The fact that the patient is “new” to the provider is not sufficient alone to justify reporting an E&M service on the same date of service as a minor surgical procedure. NCCI does contain some edits based on these principles, but the Medicare Carriers have separate edits. Neither the NCCI nor Carriers have all possible edits based on these principles.

Example: If a physician determines that a new patient with head trauma requires sutures, confirms the allergy and immunization status, obtains informed consent, and performs the repair, an E&M service is not separately reportable. However, if the physician also performs a medically reasonable and necessary full neurological examination, an E&M service may be separately reportable.

Procedures with a global surgery indicator of “XXX” are not covered by these rules. Many of these “XXX” procedures are performed by physicians and have inherent pre-procedure, intra-procedure, and post-procedure work usually performed each time the procedure is completed. This work should never be reported as a separate E&M code. Other “XXX” procedures are not usually performed by a physician and have no physician work relative value units associated with them. A physician should never report a separate E&M code with these procedures for the supervision of others performing the procedure or for the interpretation of the procedure. With most “XXX” procedures, the physician may, however, perform a significant and separately identifiable E&M service on the same day of service which may be reported by appending modifier –25 to the E&M code. This E&M service may be related to the same diagnosis necessitating performance of the “XXX” procedure but cannot include any work inherent in the “XXX” procedure, supervision of others performing the “XXX” procedure, or time for interpreting the result of the “XXX” procedure. Appending modifier –25 to a significant, separately identifiable E&M service when performed on the same date of service as an “XXX” procedure is correct coding.

E. Modifiers and Modifier Indicators

1. The AMA *CPT Manual* and CMS define modifiers that may be appended to HCPCS/CPT codes to provide additional information about the services rendered. Modifiers consist of two alphanumeric characters.

Modifiers may be appended to HCPCS/CPT codes only if the clinical circumstances justify the use of the modifier. A modifier should not be appended to a HCPCS/CPT code solely to bypass an NCCI edit if the clinical circumstances do not justify its use. If the Medicare program imposes restrictions on the use of a modifier, the modifier may only be used to bypass an NCCI edit if the Medicare restrictions are fulfilled.

Modifiers that may be used under appropriate clinical circumstances to bypass an NCCI edit include:

Anatomic modifiers: E1-E4, FA, F1-F9, TA, T1-T9, LT, RT, LC, LD, RC
Global surgery modifiers: -25, -58, -78, -79
Other modifiers: -27,-59, -91

It is very important that NCCI-associated modifiers only be used when appropriate. In general these circumstances relate to separate patient encounters, separate anatomic sites or separate specimens. (See subsequent discussion of modifiers in this section.) Most edits involving paired organs or structures (e.g., eyes, ears, extremities, lungs, kidneys) have modifier indicators of “1” because the two codes of the code pair edit may be reported if performed on the contralateral organs or structures. Most of these code pairs should not be reported with NCCI-associated modifiers when performed on the ipsilateral organ or structure unless there is a specific coding rationale to bypass the edit. The existence of the NCCI edit indicates that the two codes generally cannot be reported together unless the two corresponding procedures are performed at two separate patient encounters or two separate anatomic locations. However, if the two corresponding procedures are performed at the same patient encounter and in contiguous structures, NCCI-associated modifiers generally should not be utilized.

The appropriate use of most of these modifiers is straight-forward. However, further explanation is provided about modifiers -25, -58, and -59. Although modifier -22 is not a modifier that bypasses an NCCI edit, its use is occasionally relevant to an NCCI edit and is discussed below.

a) **Modifier -22**: Modifier -22 is defined by the *CPT Manual* as an "unusual procedural service". This modifier should not be reported routinely but only when the service performed is significantly more extensive than that defined by the HCPCS/CPT code reported.

Occasionally a provider may perform two procedures that should not be reported together based on an NCCI edit. If the edit allows use of NCCI-associated modifiers to bypass it and the clinical circumstances justify use of one of these modifiers, both services may be reported with the NCCI-associated modifier. However, if the NCCI edit does not allow use of NCCI-associated modifiers to bypass it and the procedure qualifies as an unusual procedural service, the physician may report the column one HCPCS/CPT code of the NCCI edit with modifier -22. The Carrier may then evaluate the unusual procedural service to determine whether additional payment is justified.

b) **Modifier -25**: The *CPT Manual* defines modifier -25 as a "significant, separately identifiable evaluation and management service by the same physician on the same day of the procedure or other service". Modifier -25 may be appended to an evaluation and management (E&M) CPT code to indicate that the E&M service is significant and separately identifiable from other services reported on the same date of service. The E&M service may be related to the same or different diagnosis as the other procedure(s).

Modifier -25 may be appended to E&M services reported with minor surgical procedures (global period of 000 or 010 days) or procedures not covered by global surgery rules (global indicator of XXX). Since minor surgical procedures and XXX procedures include pre-procedure, intra-procedure, and post-procedure work inherent in the procedure, the provider should not report an E&M service for this work. Furthermore, Medicare Global Surgery rules prevent the reporting of a separate E&M service for the

work associated with the decision to perform a minor surgical procedure whether the patient is a new or established patient.

c) **Modifier -58**: Modifier -58 is defined by the *CPT Manual* as a “staged or related procedure or service by the same physician during the postoperative period”. It may be used to indicate that a procedure was followed by a second procedure during the post-operative period of the first procedure. This situation may occur because the second procedure was planned prospectively, was more extensive than the first procedure, or was therapy after a diagnostic surgical service. Use of modifier -58 will bypass NCCI edits that allow use of NCCI-associated modifiers.

If a diagnostic endoscopic procedure results in the decision to perform an open procedure, both procedures may be reported with modifier -58 appended to the HCPCS/CPT code for the open procedure. However, if the endoscopic procedure preceding an open procedure is a “scout” procedure to assess anatomic landmarks and/or extent of disease, it is not separately reportable.

Diagnostic endoscopy is never separately reportable with another endoscopic procedure of the same organ(s) when performed at the same patient encounter. Similarly, diagnostic laparoscopy is never separately reportable with a surgical laparoscopic procedure of the same body cavity when performed at the same patient encounter.

If a planned laparoscopic procedure fails and is converted to an open procedure, only the open procedure may be reported. The failed laparoscopic procedure is not separately reportable. The NCCI contains many, but not all, edits bundling laparoscopic procedures into open procedures. Since the number of possible code combinations bundling a laparoscopic procedure into an open procedure is much greater than the number of such edits in NCCI, the principle stated in this paragraph is applicable regardless of whether the selected code pair combination is included in the NCCI tables. A provider should not select laparoscopic and open HCPCS/CPT codes to report because the combination is not included in the NCCI tables.

d) **Modifier -59:** Modifier -59 is an important NCCI-associated modifier that is often used incorrectly. For the NCCI its primary purpose is to indicate that two or more procedures are performed at different anatomic sites or different patient encounters. It should only be used if no other modifier more appropriately describes the relationships of the two or more procedure codes. The *CPT Manual* defines modifier -59 as follows:

> **Modifier -59: Distinct Procedural Service:** Under certain circumstances, the physician may need to indicate that a procedure or service was distinct or independent from other services performed on the same day. Modifier -59 is used to identify procedures/services that are not normally reported together, but are appropriate under the circumstances. This may represent a different session or patient encounter, different procedure or surgery, different site or organ system, separate incision/excision, separate lesion, or separate injury (or area of injury in extensive injuries) not ordinarily encountered or performed on the same day by the same physician. However, when another already established modifier is appropriate, it should be used rather than modifier -59. Only if no more descriptive modifier is available, and the use of modifier -59 best explains the circumstances, should modifier -59 be used.

NCCI edits define when two procedure HCPCS/CPT codes may not be reported together except under special circumstances. If an edit allows use of NCCI-associated modifiers, the two procedure codes may be reported together if the two procedures are performed at different anatomic sites or different patient encounters. Carrier processing systems utilize NCCI-associated modifiers to allow payment of both codes of an edit. Modifier -59 and other NCCI-associated modifiers should NOT be used to bypass an NCCI edit unless the proper criteria for use of the modifier is met. Documentation in the medical record must satisfy the criteria required by any NCCI-associated modifier used.

Some examples of the appropriate use of modifier -59 are contained in the individual chapter policies.

One of the common misuses of modifier –59 is related to the portion of the definition of modifier -59 allowing its use to describe “different procedure or surgery”. The code descriptors

of the two codes of a code pair edit consisting of two surgical procedures or two diagnostic procedures usually represent different procedures or surgeries. The edit indicates that the two procedures/surgeries cannot be reported together if performed at the same anatomic site and same patient encounter. The provider cannot use modifier –59 for such an edit based on the two codes being different procedures/surgeries. However, if the two procedures/surgeries are performed at separate anatomic sites or at separate patient encounters on the same date of service, modifier –59 may be appended to indicate that they are different procedures/surgeries on that date of service.

An exception to this general principle about misuse of modifier –59 applies to some code pair edits consisting of a surgical procedure and a diagnostic procedure. If the diagnostic procedure precedes the surgical procedure and is the basis on which the decision to perform the surgical procedure is made, the two procedures may be reported with modifier -59 under appropriate circumstances. However, if the diagnostic procedure is an inherent component of the surgical procedure, it cannot be reported separately. If the diagnostic procedure follows the surgical procedure at the same patient encounter, modifier -59 may be utilized if appropriate.

Use of modifier -59 to indicate different procedures/surgeries does not require a different diagnosis for each HCPCS/CPT coded procedure/surgery. Additionally, different diagnoses are not adequate criteria for use of modifier -59. The HCPCS/CPT codes remain bundled unless the procedures/surgeries are performed at different anatomic sites or separate patient encounters.

From an NCCI perspective, the definition of different anatomic sites includes different organs or different lesions in the same organ. However, it does not include treatment of contiguous structures of the same organ. For example, treatment of the nail, nail bed, and adjacent soft tissue constitutes treatment of a single anatomic site. Treatment of posterior segment structures in the ipsilateral eye constitutes treatment of a single anatomic site. Arthroscopic treatment of a shoulder injury in adjoining areas of the ipsilateral shoulder constitutes treatment of a single anatomic site.

Example: The column one/column two code edit with column one CPT code 38221 (bone marrow biopsy) and column two CPT code 38220(bone marrow, aspiration only) includes two distinct procedures when performed at separate anatomic sites or separate patient encounters. In these circumstances, it would be acceptable to use modifier –59. However, if both 38221 and 38220 are performed through the same skin incision at the same patient encounter which is the usual practice, modifier –59 should NOT be used. Although CMS does not allow separate payment for CPT code 38220 with CPT code 38221 when bone marrow aspiration and biopsy are performed through the same skin incision at a single patient encounter, CMS does allow separate payment for HCPCS level II code G0364 (bone marrow aspiration performed with bone marrow biopsy through same incision on the same date of service) with CPT code 38221 under these circumstances.

2. Each NCCI edit has an assigned modifier indicator. A modifier indicator of “0” indicates that NCCI-associated modifiers cannot be used to bypass the edit. A modifier indicator of “1” indicates that NCCI-associated modifiers may be used to bypass an edit under appropriate circumstances. A modifier indicator of “9” indicates that the edit has been deleted, and the modifier indicator is not relevant.

3. Modifiers -76 (“repeat procedure or service by same physician”) and -77 (“repeat procedure by another physician”) are not NCCI-associated modifiers. Use of either of these modifiers does not bypass an NCCI edit.

F. Standard Preparation/Monitoring Services for Anesthesia

With few exceptions anesthesia HCPCS/CPT codes do not specify the mode of anesthesia for a particular procedure. Regardless of the mode of anesthesia, preparation and monitoring services are not separately reportable with anesthesia service HCPCS/CPT codes when performed in association with the anesthesia service. However, if the provider of the anesthesia service performs one or more of these services prior to and unrelated to the anticipated anesthesia service or after the patient is released from the anesthesia practitioner’s postoperative care, the service may be separately reportable with modifier -59.

G. Anesthesia Service Included in the Surgical Procedure

Under the CMS Anesthesia Rules, with limited exceptions, Medicare does not allow separate payment for anesthesia services performed by the physician who also furnishes the medical or surgical service. In this case, payment for the anesthesia service is included in the payment for the medical or surgical service. For example, separate payment is not allowed for the physician's performance of local, regional, or most other anesthesia including nerve blocks if the physician also performs the medical or surgical procedure. However, Medicare may allow separate payment for moderate conscious sedation services (CPT codes 99143-99145) when provided by same physician performing the medical or surgical procedure except for those procedures listed in Appendix G of the *CPT Manual*.

CPT codes describing anesthesia services (00100-01999) or services that are bundled into anesthesia should not be reported in addition to the surgical or medical procedure requiring the anesthesia services if performed by the same physician. Examples of improperly reported services that are bundled into the anesthesia service when anesthesia is provided by the physician performing the medical or surgical service include introduction of needle or intracatheter into a vein (CPT code 36000), venipuncture (CPT code 36410), or intravenous infusion/injection (CPT codes 90760-90768, 90774-90775). However, if these services are not related to the delivery of an anesthetic agent, or are not an inherent component of the procedure or global service, they may be reported separately.

H. HCPCS/CPT Procedure Code Definition

The HCPCS/CPT code descriptors of two codes are often the basis of an NCCI edit. If two HCPCS/CPT codes describe redundant services, they should not be reported separately. Several general principles follow:

1. A family of CPT codes may include a CPT code followed by one or more indented CPT codes. The first CPT code descriptor includes a semicolon. The portion of the descriptor of the first code in the family preceding the semicolon is a common part of

the descriptor for each subsequent code of the family. For example,

CPT code 70120	Radiologic examination, mastoids; less than three views per side
CPT code 70130	complete, minimum of three views per side

The portion of the descriptor preceding the semicolon ("Radiologic examination, mastoids") is common to both CPT codes 70120 and 70130. The difference between the two codes is the portion of the descriptors following the semicolon. Often as in this case, two codes from a family may not be reported separately. A physician cannot report CPT codes 70120 and 70130 for a procedure performed on ipsilateral mastoids at the same patient encounter. It is important to recognize, however, that there are numerous circumstances when it may be appropriate to report more than one code from a family of codes. For example, CPT codes 70120 and 70130 may be reported separately if the two procedures are performed on contralateral mastoids or at two separate patient encounters on the same date of service.

2. If a HCPCS/CPT code is reported, it includes all components of the procedure defined by the descriptor. For example, CPT code 58291 includes a vaginal hysterectomy with "removal of tube(s) and/or ovary(s)". A physician cannot report a salpingo-oophorectomy (CPT code 58720) separately with CPT code 58291.

3. CPT code descriptors often define correct coding relationships where two codes may not be reported separately with one another at the same anatomic site and/or same patient encounter. A few examples follow:

a. A "partial" procedure is not separately reportable with a "complete" procedure.

b. A "partial" procedure is not separately reportable with a "total" procedure.

c. A "unilateral" procedure is not separately reportable with a "bilateral" procedure.

d. A “single” procedure is not separately reportable with a “multiple” procedure.

e. A “with” procedure is not separately reportable with a “without” procedure.

f. An “initial” procedure is not separately reportable with a “subsequent” procedure.

I. *CPT Manual* and CMS Coding Manual Instructions

CMS often publishes coding instructions in its rules, manuals, and notices. Physicians must utilize these instructions when reporting services rendered to Medicare patients.

The *CPT Manual* also includes coding instructions which may be found in the “Introduction”, individual chapters, and appendices. In individual chapters the instructions may appear at the beginning of a chapter, at the beginning of a subsection of the chapter, or after specific CPT codes. Physicians should follow *CPT Manual* instructions unless CMS has provided different coding or reporting instructions.

The American Medical Association publishes *CPT Assistant* which contains coding guidelines. CMS does not review nor approve the information in this publication. In the development of NCCI edits, CMS occasionally disagrees with the information in this publication. If a physician utilizes information from *CPT Assistant* to report services rendered to Medicare patients, it is possible that Medicare Carriers and Fiscal Intermediaries may utilize different criteria to process claims.

J. CPT “Separate Procedure” Definition

If a CPT code descriptor includes the term “separate procedure”, the CPT code may not be reported separately with a related procedure. CMS interprets this designation to prohibit the separate reporting of a “separate procedure” when performed with another procedure in an anatomically related region often through the same skin incision, orifice, or surgical approach.

A CPT code with the “separate procedure” designation may be reported with another procedure if it is performed at a separate

patient encounter on the same date of service or at the same patient encounter in an anatomically unrelated area often through a separate skin incision, orifice, or surgical approach. Modifier -59 may be appended to the “separate procedure” CPT code to indicate that it qualifies as a separately reportable service.

K. Family of Codes

The *CPT Manual* often contains a group of codes that describe related procedures that may be performed in various combinations. Some codes describe limited component services, and other codes describe various combinations of component services. Physicians must utilize several principles in selecting the correct code to report:

1. A HCPCS/CPT code may be reported if and only if all services described by the code are performed.

2. The HCPCS/CPT code describing the services performed should be reported. A physician should not report multiple codes corresponding to component services if a single comprehensive code describes the services performed. There are limited exceptions to this rule which are specifically identified in this Manual.

3. HCPCS/CPT code(s) corresponding to component service(s) of other more comprehensive HCPCS/CPT code(s) should not be reported separately with the more comprehensive HCPCS/CPT code(s) that include the component service(s).

4. If the HCPCS/CPT codes do not correctly describe the procedure(s) performed, the physician should report a “not otherwise specified” CPT code rather than a HCPCS/CPT code that most closely describes the procedure(s) performed.

L. More Extensive Procedure

The *CPT Manual* often describes groups of similar codes differing in the complexity of the service. Unless services are performed at separate patient encounters or at separate anatomic sites, the less complex service is included in the more complex service and is not separately reportable. Several examples of this principle follow:

1. If two procedures only differ in that one is described as a “simple” procedure and the other as a “complex” procedure, the “simple” procedure is included in the “complex” procedure and is not separately reportable unless the two procedures are performed at separate patient encounters or at separate anatomic sites.

2. If two procedures only differ in that one is described as a “simple” procedure and the other as a “complicated” procedure, the “simple” procedure is included in the “complicated” procedure and is not separately reportable unless the two procedures are performed at separate patient encounters or at separate anatomic sites.

3. If two procedures only differ in that one is described as a “limited” procedure and the other as a “complete” procedure, the “limited” procedure is included in the “complete” procedure and is not separately reportable unless the two procedures are performed at separate patient encounters or at separate anatomic sites.

4. If two procedures only differ in that one is described as an “intermediate” procedure and the other as a “comprehensive” procedure, the “intermediate” procedure is included in the “comprehensive” procedure and is not separately reportable unless the two procedures are performed at separate patient encounters or at separate anatomic sites.

5. If two procedures only differ in that one is described as a “superficial” procedure and the other as a “deep” procedure, the “superficial” procedure is included in the “deep” procedure and is not separately reportable unless the two procedures are performed at separate patient encounters or at separate anatomic sites.

6. If two procedures only differ in that one is described as an “incomplete” procedure and the other as a “complete” procedure, the “incomplete” procedure is included in the “complete” procedure and is not separately reportable unless the two procedures are performed at separate patient encounters or at separate anatomic sites.

7. If two procedures only differ in that one is described as an “external” procedure and the other as an “internal” procedure, the “external” procedure is included in the “internal” procedure and is not separately reportable unless the two procedures are performed at separate patient encounters or at separate anatomic sites.

M. Sequential Procedure

Some surgical procedures may be performed by different surgical approaches. If an initial surgical approach to a procedure fails and a second surgical approach is utilized at the same patient encounter, only the HCPCS/CPT code corresponding to the second surgical approach may be reported. If there are different HCPCS/CPT codes for the two different surgical approaches, the two procedures are considered “sequential”, and only the HCPCS/CPT code corresponding to the second surgical approach may be reported. For example, a physician may begin a cholecystectomy procedure utilizing a laparoscopic approach and have to convert the procedure to an open abdominal approach. Only the CPT code for the open cholecystectomy may be reported. The CPT code for the failed laparoscopic cholecystectomy is not separately reportable.

N. Laboratory Panel

The *CPT Manual* defines organ and disease specific panels of laboratory tests. If a laboratory performs all tests included in one of these panels, the laboratory may report the CPT code for the panel or the CPT codes for the individual tests. If the laboratory repeats one of these component tests as a medically reasonable and necessary service on the same date of service, the CPT code corresponding to the repeat laboratory test may be reported with modifier -91 appended.

O. Misuse of Column Two Code with Column One Code

CMS manuals and instructions often describe groups of HCPCS/CPT codes that should not be reported together for the Medicare program. Edits based on these instructions are often included as misuse of column two code with column one code.

A HCPCS/CPT code descriptor does not include exhaustive information about the code. Physicians who are not familiar with a HCPCS/CPT code may incorrectly report the code in a context different than intended. The NCCI has identified HCPCS/CPT codes that are incorrectly reported with other HCPCS/CPT codes as a result of the misuse of the column two code with the column one code. If these edits allow use of NCCI-associated modifiers (modifier indicator of "1"), there are limited circumstances when the column two code may be reported on the same date of service as the column one code. Two examples follow:

1. Three or more HCPCS/CPT codes may be reported on the same date of service. Although the column two code is misused if reported as a service associated with the column one code, the column two code may be appropriately reported with a third HCPCS/CPT code reported on the same date of service. For example, CMS limits separate payment for use of the operating microscope for microsurgical techniques (CPT code 69990) to a group of procedures listed in the online *Claims Processing Manual* (Chapter 12, Section 20.4.5 (Allowable Adjustments)). The NCCI has edits with column one codes of surgical procedures not listed in this section of the manual and column two CPT code of 69990. Some of these edits allow use of NCCI-associated modifiers because the two services listed in the edit may be performed at the same patient encounter as a third procedure for which CPT code 69990 is separately reportable.

2. There may be limited circumstances when the column two code is separately reportable with the column one code. For example, the NCCI has an edit with column one CPT code of 80061 (lipid profile) and column two CPT code of 83721 (LDL cholesterol by direct measurement). If the triglyceride level is less than 400 mg/dl, the LDL is a calculated value utilizing the results from the lipid profile for the calculation, and CPT code 83721 is not separately reportable. However, if the triglyceride level is greater than 400 mg/dl, the LDL may be measured directly and may be separately reportable with CPT code 83721 utilizing an NCCI-associated modifier to bypass the edit.

P. Mutually Exclusive Procedures

Many procedure codes cannot be reported together because they are mutually exclusive of each other. Mutually exclusive procedures

cannot reasonably be performed at the same anatomic site or same patient encounter. An example of a mutually exclusive situation is the repair of an organ that can be performed by two different methods. Only one method can be chosen to repair the organ. A second example is a service that can be reported as an "initial" service or a "subsequent" service. With the exception of drug administration services, the initial service and subsequent service cannot be reported at the same patient encounter.

Pairs of HCPCS/CPT codes that are mutually exclusive of one another based either on the HCPCS/CPT code descriptors or the medical impossibility/improbability that the two procedures could be performed at the same patient encounter are identified as code pair edits in the Mutually Exclusive edit table.

Many edits in the Mutually Exclusive edit table allow the use of NCCI-associated modifiers. For example, the two procedures of a code pair edit may be performed at different anatomic sites (e.g., contralateral eyes) or separate patient encounters on the same date of service.

Q. Gender-Specific Procedures (formerly Designation of Sex)

The descriptor of some HCPCS/CPT codes includes a gender-specific restriction on the use of the code. HCPCS/CPT codes specific for one gender should not be reported with HCPCS/CPT codes for the opposite gender. For example, CPT code 53210 describes a total urethrectomy including cystostomy in a female, and CPT code 53215 describes the same procedure in a male. Since the patient cannot have both the male and female procedures performed, the two CPT codes cannot be reported together. Edits based on this principle are included in the Mutually Exclusive edit table since the two procedures of a code pair edit cannot be performed on the same patient.

R. Add-on Codes

Some codes in the *CPT Manual* are identified as “add-on” codes which describe a service that can only be reported in addition to a primary procedure. *CPT Manual* instructions specify the primary procedure code(s) for some add-on codes. For other add-on codes, the primary procedure code(s) is(are) not specified. When the *CPT Manual* identifies specific primary codes, the add-on code

should not be reported as a supplemental service for other HCPCS/CPT codes not listed as a primary code.

Add-on codes permit the reporting of significant supplemental services commonly performed in addition to the primary procedure. By contrast, incidental services that are necessary to accomplish the primary procedure (e.g., lysis of adhesions in the course of an open cholecystectomy) are not separately reportable with an add-on code. Similarly, complications inherent in an invasive procedure occurring during the procedure are not separately reportable. For example, control of bleeding during an invasive procedure is considered part of the procedure and is not separately reportable.

In general, NCCI does not include edits with most add-on codes because edits related to the primary procedure(s) are adequate to prevent inappropriate payment for an add-on coded procedure. (i.e., If an edit prevents payment of the primary procedure code, the add-on code will also not be paid.) However, NCCI does include edits for some add-on codes when coding edits related to the primary procedures must be supplemented. Examples include edits with add-on codes 69990 (microsurgical techniques requiring use of operating microscope) and 95920 (intraoperative neurophysiology testing).

HCPCS/CPT codes that are not designated as add-on codes should not be misused as an add-on code to report a supplemental service. A HCPCS/CPT code may be reported if and only if all services described by the CPT code are performed. A HCPCS/CPT code should not be reported with another service because a portion of the service described by the HCPCS/CPT code was performed with the other procedure. For example: If an ejection fraction is estimated from an echocardiogram study, it would be inappropriate to additionally report CPT code 78472 (cardiac blood pool imaging with ejection fraction) with the echocardiography (CPT code 93307). Although the procedure described by CPT code 78472 includes an ejection fraction, it is measured by gated equilibrium with a radionuclide which is not utilized in echocardiography.

S. Excluded Service

The NCCI does not address issues related to HCPCS/CPT codes describing services that are excluded from Medicare coverage or are not otherwise recognized for payment under the Medicare program.

T. Unlisted Procedure Codes

The *CPT Manual* includes codes to identify services or procedures not described by other HCPCS/CPT codes. These unlisted procedure codes are identified as XXX99 or XXXX9 codes and are located at the end of each section or subsection of the manual. If a physician provides a service that is not accurately described by other HCPCS/CPT codes, the service should be reported utilizing an unlisted procedure code. A physician should not report a CPT code for a specific procedure if it does not accurately describe the service performed. It is inappropriate to report the best fit HCPCS/CPT code unless it accurately describes the service performed, and all components of the HCPCS/CPT code were performed. Since unlisted procedure codes may be reported for a very diverse group of services, the NCCI generally does not include edits with these codes.

U. Modified, Deleted, and Added Code Pairs/Edits

Correct coding (column one/column two) and mutually exclusive edits are adopted after due consideration of Medicare policies including the principles described in the *National Correct Coding Initiative Policy Manual for Medicare Services,* HCPCS and *CPT Manual* code descriptors, *CPT Manual* coding guidelines, coding guidelines of national societies, standards of medical and surgical practice, current coding practice, and provider billing patterns. Since the NCCI is developed by CMS for the Medicare program, the most important consideration is CMS policy.

Prior to initial implementation of the NCCI in 1996, the proposed edits were evaluated by Medicare Part B Carrier Medical Directors, representatives of the American Medical Association’s CPT Advisory Committee, and representatives of other national medical and surgical societies.

The NCCI undergoes continuous refinement with revised edit tables published quarterly. There is a process to address annual changes (additions, deletions, and modifications) of HCPCS/CPT codes and *CPT Manual* coding guidelines. Other sources of refinement are initiatives by the CMS central office and comments from the CMS regional offices, AMA, national medical, surgical, and other healthcare societies/organizations, Medicare contractor medical directors, providers, consultants, other third party payors, and other interested parties. Prior to implementing new edits, CMS generally provides a review and comment period to representative national organizations that may be impacted by the edits. However, there are situations when CMS thinks that it is prudent to implement edits prior to completion of the review and comment period. CMS Central Office evaluates the input from all sources and decides which edits are modified, deleted, or added each quarter.

v. Medically Unlikely Edits (MUEs)

To lower the Medicare Fee-For-Service Paid Claims Error Rate, CMS has established units of service edits referred to as Medically Unlikely Edit(s) (MUEs).

An MUE for a HCPCS/CPT code is the maximum number of units of service (UOS) under most circumstances allowable by the same provider for the same beneficiary on the same date of service. The ideal MUE value for a HCPCS/CPT code is the unit of service that allows the vast majority of appropriately coded claims to pass the MUE.

All claims submitted to Carriers and outpatient services claims (Type of Bill 13X, 14X, 83X, 85X) submitted to Fiscal Intermediaries are tested against MUEs. Each line of a claim is adjudicated separately against the MUE value of the HCPCS/CPT code reported on that line. If the unit of service on that line exceeds the MUE value, the entire line is denied at the Carrier or the claim is returned to the provider at the Fiscal Intermediary (FI).

Medicare Administrative Contractors (MACs) process claims previously submitted to Carriers and Fiscal Intermediaries. MACs apply MUEs to the same types of claims.

If appropriate use of CPT modifiers (e.g., -59, -76, -77, -91, anatomic) causes the same HCPCS/CPT code to appear on separate lines of a claim, each line is separately adjudicated against the MUE value for that HCPCS/CPT code. Claims processing contractors have rules limiting use of these modifiers with some HCPCS/CPT codes.

UOS denied based on an MUE may be appealed at the Carrier.

The MUE value for each HCPCS/CPT code is based on one or more of the following criteria:

(1) Anatomic considerations may limit UOS based on anatomic structures. For example, the MUE for cataract surgery would be two since there are only two eyes.

(2) CPT code descriptors/CPT coding instructions in the *CPT Manual* may limit UOS. For example, a procedure described as the "initial 30 minutes" would have an MUE of 1 because of the use of the term "initial".

(3) Edits based on established CMS policies may limit units of service. For example, the bilateral surgery indicator on the Medicare Physician Fee Schedule Database (MPFSDB) may limit reporting of bilateral procedures.

(4) The nature of an analyte may limit UOS and is in general determined by one of three considerations:

a) The nature of the specimen may limit the units of service as for a test requiring a 24 hour urine specimen.

b) The nature of the test may limit the units of service as for a test that requires 24 hours to perform.

c) The physiology, pathophysiology, or clinical application of the analyte is such that a maximum unit of service for a single date of service can be determined. For example, the MUE for RBC folic acid level would be one since the test would only be necessary once on a single date of service.

(5) The nature of a procedure/service may limit UOS and is in general determined by the amount of time required to perform a

procedure/service (e.g., overnight sleep studies) or clinical application of a procedure/service (e.g., motion analysis tests).

(6) The nature of equipment may limit UOS and is in general determined by the number of items of equipment that would be utilized (e.g., cochlear implant or wheelchair).

(7) Clinical judgment considerations are based on input from numerous physicians and certified coders.

The first MUEs were implemented January 1, 2007. Additional MUEs are added on a quarterly basis on the same schedule as NCCI updates. Prior to implementation proposed MUEs are sent to numerous national healthcare organizations for a sixty day review and comment period.

Beginning January 1, 2008, all new MUEs and previously implemented MUEs are tested against 100% claims data from a six-month period in 2006.

Some contractors allow providers to report repetitive services performed over a range of dates on a single line of a claim with multiple units of service. If a provider reports services in this fashion, the provider should report the “from date” and “to date” on the claim line. Contractors are instructed to divide the units of service reported on the claim line by the number of days in the date span and round to the nearest whole number. This number is compared to the MUE value for the code on the claim line.

A denial of services due to an MUE is a coding denial, not a medical necessity denial. A provider/supplier cannot bill the beneficiary based on an MUE denial. However, if the provider/supplier appeals the MUE denial and one or more units of service are denied based on medical necessity, the beneficiary may be billed for this (these) service(s) if there is a properly executed Advanced Beneficiary Notice (ABN).

Most MUE values are set so that a provider or supplier would only very occasionally have a claim line denied or a claim returned to the provider. If a provider encounters a code with frequent denials due to the MUE, frequent returns to the provider due to the MUE, or frequent use of a CPT modifier to bypass the MUE, the

provider or supplier should consider the following: (1) Is the HCPCS/CPT code being used correctly? (2) Is the unit of service being counted correctly? (3) Are all reported services medically reasonable and necessary? and (4) Why does the provider's or supplier's practice differ from national patterns? A provider or supplier may choose to discuss these questions with the local Medicare contractor or a national healthcare organization whose members frequently perform the procedure.

A provider, supplier, healthcare organization, or other interested party may request modification of an MUE value for a HCPCS/CPT code. A written request proposing an alternative MUE with rationale may be sent to:

National Correct Coding Initiative
Correct Coding Solutions, LLC
P.O. Box 907
Carmel, IN 46082-0907
Fax: 317-571-1745