

Vial Label

NDC 58768-150-15	Store at 20-25°C (68-77°F)	Lot No. XXXXX Exp. XX/XX	
<i>(Visudyne Logo)</i>	QLT PhotoTherapeutics, Inc. Seattle, WA 98101 L4124-C		
Visudyne[®] verteporfin for injection	Co-Developed and Distributed by: Novartis Ophthalmics, Inc. Duluth, GA 30097		
15 mg			
<i>(Novartis Logo)</i>			

Carton Label

<p>NDC 58768-150-15 <i>(Novartis Logo)</i></p> <p><i>(Visudyne Logo)</i> Visudyne® verteporfin for injection</p> <p>15 mg</p>	<p>Visudyne® verteporfin for injection 15 mg</p> <p><i>(Novartis Logo)</i></p>
---	---

Front Panel

Side Panel

<p>Visudyne® verteporfin for injection</p> <p>15 mg</p> <p>Use only if tamper evident seal on the vial is intact. Dispose after use. See package insert for dosage and full prescribing information. Rx only. Keep out of the reach of children.</p> <p>Manufactured by: Parkedale Pharmaceuticals, Inc. Rochester, MI 48307 Or SP Pharmaceuticals Albuquerque, NM 87109</p> <p>For: QLT PhotoTherapeutics, Inc. Seattle, WA 98101</p> <p>Co-Developed and Distributed by: Novartis Ophthalmics, Inc. Duluth, GA 30097</p>	<p>Visudyne® verteporfin for injection</p> <p>Single use vial containing 15 mg. Store between 20-25°C (68-77°F)</p> <p>Visudyne® is a lyophilized dark green cake.</p> <p>Each mL of reconstituted Visudyne contains:</p> <p>Active: Verteporfin, 2 mg Inactives: Lactose, dimyristoyl phosphatidylcholine, egg phosphatidylglycerol, ascorbyl palmitate and butylated hydroxytoluene.</p> <p><i>(UPC Code)</i></p>
---	--

Back Panel 1

Back Panel 2