| Author | Title | Year |
|------------|--|------|
| Jeha | A phase II, open-label study of clofarabine in pediatric patients | 2003 |
| | with refractory or relapsed acute-myelogenous or | |
| | lymphoblastic leukemia | |
| Jeha | Clofarabine, A Novel Nucleoside Analog, Is Active in Pediatric | 2003 |
| | Patients with Advanced Leukemia | |
| Jeha | Clofarabine, a novel nucleoside analog, is active in pediatric | 2004 |
| | patients with advanced leukemia | |
| Jeha | Clofarabine therapy for the treatment of relapsed or refractory | 2004 |
| | pediatric acute leukemias | |
| Kantarjian | Clofarabine-A New Nucleoside Analogue with Significant | 2002 |
| | Activity in Leukemia | |
| Kantarjian | Phase I Clinical and Pharmacology Study of Clofarabine in | 2003 |
| | Patients with Solid and Hematologic Cancers | |
| Kantarjian | Phase 2 clinical and pharmacologic study of clofarabine in | 2003 |
| | patients with refractory or relapsed acute leukemia | |
| Kantarjian | Innovation in the management of AML and MDS | 2004 |
| Litzow | PNAs for AML | 2003 |
| Kozuch | Phase I Clinical and Pharmacological Study of Clofarabine | 1999 |
| Lindemalm | Comparison of cytoxicity of 2-chloro-2'-arabino-fluoro-2'- | 2003 |
| | deoxyaenosine (clofarabine) with cladribine in mononuclear | |
| | cells from patients with acute myeloid and chronic lymphocytic | |
| | leukemia | |
| Mansson | Resistance Mechanisms For Nucleoside Analogues | 2002 |
| Mansson | Down-Regulation of Deoxycytidine Kinase in Human leukemic | 2003 |
| | Cell lines resistant to cladribine and clofarabine and increased | |
| | ribonucleotide reductase activity contributes to fludarabine | |
| | resistance | |
| Oncology | Phase 1 Study of Clofarex Begun | 2002 |
| News | | |
| Plunkett | Targeting DNA Repair in Cancer Therapy | 2004 |
| UTMDACC | Leukemia Insights | 2000 |
| UTMDACC | Leukemia Insights | 2002 |
| Watson | Clofarabine shows antileukemic activity in pediatric setting | 2004 |
| Yamauchi | DAN repair Initiated in Chronic Lymphocytic Leukemia | 2001 |
| | Lymphocytes by 4-Hydroperoxycyclophosphamide is Inhibited | |
| | by Fludarabine and Clofarabine | |
| Zuiderduin | Joint 11 th International and 9 th European Symposium on | 2003 |
| | Purines and Pyrimidines in Man (PP'03) | |
| No Authors | Clofarabine | 2004 |
| Listed | | |

Table of Contents

| Author | Title | Year |
|------------|---|------|
| Cheson | Hematologic Malignancies: New Developments and Future Treatments | 2002 |
| Chiao | Clofarabine-induced Acral Erythema During the Treatment of | 2003 |
| | Patients with Myelodysplasia and Acute Leukemia: Report of | 2003 |
| | Two Cases | |
| Cortes | Clofarabine {2-chloro-9-(2-deoxy-2-flouro-b-D- | 2002 |
| | arabinofuranosyl) adenine} Is Active for Patients with | |
| | Refractory or Relapsed Acute Leukemias, Myelodysplastic | |
| | Syndromes (MDS) and Chronic Myeloid Leukemia in Blast | |
| | Phase (CML-BP) | |
| Cunningham | A phase I dose-finding and safety study of clofarabine in | 2003 |
| | patients with advanced solid malignancies | |
| Douer | Induction of Complete Remission using Single Agent | 2003 |
| | Clotarabine in a Patient with Primary Refractory Acute | |
| | Myeloblaste Leukemia | |
| Estey | New Designs for phase 2 clinical trials | 2003 |
| Estey | New Designs for Phase II trials: Application to a Trial of | 2004 |
| | Targeted Therapies vs. Chemotherapy in Patients >60 with | |
| | AML/High-Risk MDS | |
| Faderl | Clofarabine is active as a single agent and in combination with | 2003 |
| | ara-C in patients (pts) with relapsed/refractory acute leukemias | |
| | and high-risk myelodysplastic syndrome (MDS) | |
| Ferrara | Prognostic factors and therapeutic options for relansed or | 2004 |
| : | refractory acute myeloid leukemia | |
| Foran | A phase II, open-label study of clofarabine in adult patients | 2003 |
| | with refractory or relapsed acute myelogenous leukemia | |
| Gandhi | Clofarabine | 2002 |
| Gandhi | Pharmacokinetics and Pharmacodynamics of Plasma | 2003 |
| | Clofarabine and Cellular Clofarabine Triphosphate in Patients | 2003 |
| | with Acute Leukemias | ! |
| Giles | New Drugs in Acute Myeloid Leukemia | 2002 |
| leha | Clofarabine (Clofarex) is an active agent in pediatric leukemias | 2002 |
| Jeha | Phase I Study of Clofarabine (CLOFAREX TM) in Pediatric | 2002 |
| | Leukema | -002 |
| eha | A Phase II, Open-Label Study of CLOFARAX TM in Pediatric | 2002 |
| | Patients with Refractory or Relapsed Acute-Myelogenous or | |
| | Lymphoblastic Leukemia | |
| eha | A Phase II, Open-Label Study of Clofarabine in Pediatric | 2003 |
| | Patients with Refractory or Relapsed Acute Myelogenous | |
| | Leukemia | |