HIV TESTING IN DRUG ABUSE TREATMENT

James L. Sorensen, Ph.D.

University of California, San Francisco and San Francisco General Hospital Presentation at Drug Abuse and Risk Behaviors: The Evolvig Dynamics of HIV/AIDS, Bethesda, MD

May 9, 2007

ACKNOWLEDGEMENTS

- Support from NIH/NIDA: P50DA09253, U10DA15915, R01DA11344, R21DA020369
- Staff & Patients: San Francisco General Hospital
- Colleagues & Advisors: Lisa Metsch, Grant Colfax, Jennifer Hettema, Raul Mandler, Jose Szapocznik, Susan Tross, Brad Shapiro



BACKGROUND

- Changes in HIV Testing & Counseling
 - Technology
 - Simplified collection of samples
 - Quicker results
 - Policy
 - Ethical and Practical Challenges

HIV RAPID TEST



- FDA approved
- Only requires blood from a finger stick or oral fluid from a swab
- Results in 20 minutes
- Does not require laboratory facilities and can be done by drug counselors

CHANGES IN POLICY

- Changes in HIV Testing & Counseling
 - Technology
 - Finger Stick or Swab
 - Results in 20 minutes
 - Policy
 - Emphasis on benefits to public health
 - More routine testing
 - Less counseling and education
 - Ethical and Practical Challenges
 - Subgroups hard-hit and with less access to care
 - Fears, responsibilities, trust

BENEFITS OF WIDESPREAD HIV SCREENING

- Decreases spread of HIV: An HIV diagnosis is associated with reduction in high risk sexual behaviors
- Improves survival: Linkage to care and treatment
- Reduces the stigma that is associated with testing based on risk

Policy Change: Offer Routine HIV Testing in Outpatient Health Care Settings

- CDC now recommends offering routine HIV testing to persons regardless of risk factors:
 - Emergency Departments
 - Sexually Transmitted Diseases (STD) Clinics
 - Labor and Delivery
 - Correctional Facilities
 - Offices of Primary Care Physicians
 - Substance Abuse Treatment Clinics

ETHICAL AND PRACTICAL ISSUES


- Changes in HIV Testing & Counseling
 - Technology
 - Finger Stick or Swab
 - Results in 20 minutes
 - Policy
 - Emphasis on public health benefits
 - Broadened testing
 - Less counseling and education
 - Ethical and Practical Challenges
 - Subgroups hard-hit, with less access to care
 - Fears, responsibilities, trust
 - Feasibility of screening & treating

INFORMATION: Some Available, More Needed




Desirable impact of HIV testing and counseling on sexual behavior

Impact on drug-use risk behaviors is less well understood







Variable	Unweighted Effect Size
Unprotected Intercourse	d = .39
Condom Use	d = .54
No. of Sexual Partners	d = .26









Calsyn et al. (1992). American Journal of Public Health, 82, 573-576. Saxon et al. (1992). Journal of Studies on Alcohol, 53, 611-618.



DRUG ABUSE TREATMENT

Among the nation's drug abuse treatment programs there is considerable variation in practices related to HIV testing & counseling.

- In some settings testing is routine.
- In others, even referral for testing is rare.

ARE DRUG TREATMENT PROGRAMS TESTING?

- Fewer than 1/3 of U.S drug treatment programs offer HIV testing and counseling*
- Less than ½ of CTN CTPs made HIV testing available either in the CTP, through referral or outsourced **
- (But not all studies agree on the %s***)
- HIV prevalence studies of drug treatment clients yield an HIV prevalence rate of over 1 percent and as high as 28 percent in some places***

**Brown et al. JSAT, 2006

***Pollack et al, JSAT 2006

***Murrill et al JUH, 2001

NEED FOR RESEARCH

- CDC and new guidelines are moving away from HIV counseling at the time of testing
- Scientific study is needed to evaluate the effectiveness of offering HIV rapid testing + counseling in drug treatment programs
 - Effect on acceptability of HIV testing
 - Effect on risk behaviors



- o The NIDA CTN is developing a protocol to study the impact of
 - o Providing rapid HIV testing
 - o And counseling in drug abuse treatment programs.

RESEARCH QUESTIONS

Among persons who attend substance abuse treatment and report being HIV negative or not knowing their status...

- (1) What is the more effective testing strategy to ensure they get HIV tested and receive their results?
- (2) What is the more effective testing strategy to decrease their risk behaviors?

THREE INTERVENTIONS

- Offer on-site HIV rapid testing with Project RESPECT counseling
- Offer on-site HIV rapid testing with minimal counseling
- Offer referral for HIV testing in the community

CTN 0032 PROTOCOL DEVELOPMENT HIV Rapid Testing and Counseling... Lisa Metsch, Grant Colfax, "et al."

- Protocol Concept approved by CTN, then by Dr. Volkow in November, 2006
- Protocol Development is in progress
- Informal surveys of CTPs, February May, 2007
 - Amount of testing? On site? How recent?
- Protocol will be reviewed in Summer 2007

IN SUMMARY



- Significant changes in HIV testing and counseling

 Technology, Policy, and Ethical Challenges
- Study of HIV Rapid Testing and Counseling being planned
- Need information (need research)
 - Impact on drug use, other risk factors
 - Feasibility of large-scale testing in treatment programs
 - Best-practice solutions to ethical quandries
- These are Vital Issues in need of attention

THANK YOU!

Contact information:

James.Sorensen@ucsf.edu

415-206-3969