

# Appendices

## Appendix A: References

- Acosta D.H.; Rodriguez, T.D.A. 1989. Infestacion de *Arceuthobium vaginatum* subsp. *vaginatum* (Willd.) sobre *Pinus hartwegii* (Lindl.) en el Cerro San Miguel, Desierto de Los Leones, Mexico, DF. En: V Simposio sobre Parasitologia Forestal; 1989 Octubre 4-6; Cd. Juarez, Chih: Sociedad Mexicana de Entomologia. 44.
- Acosta, P.R.; Delgado, M.J.; Cervantes, S.P. 1992. La vegetacion del Estado de Tlaxcala, Mexico. Publ. 6. Tizatlan, Tlaxcala: Hardin Botanico Tizatlan. 31 p.
- Adams, D.H.; Frankel, S.J.; Lichter, J.M. 1993. Considerations when using ethephon for suppressing dwarf mistletoe and leafy mistletoe infestations in ornamental landscapes. *Journal of Arboriculture*. 19(6):351-357.
- Aho, P.E. 1982. Indicators of cull in western Oregon conifers. Gen. Tech. Rep. PNW-144. Portland, OR: U.S. Department of Agriculture, Forest Service, Pacific Northwest Forest and Range Experiment Station. 17 p.
- Alexander, M.E.; Hawksworth, F.G. 1975. Wildland fires and dwarf mistletoes: a literature review of ecology and prescribed burning. Gen. Tech. Rep. RM-14. Fort Collins, CO: U.S. Department of Agriculture, Forest Service, Rocky Mountain Forest and Range Experiment Station. 12 p.
- Alexander, R.R. 1986. Silvicultural systems and cutting methods for old-growth lodgepole pine forests in the Central Rocky Mountains. Gen. Tech. Rep. RM-127. Fort Collins, CO: U.S. Department of Agriculture, Forest Service, Rocky Mountain Forest and Range Experiment Station. 31 p.
- Alfaro, R. 1985. Survey and appraisal of dwarf mistletoe in second-growth western hemlock stands. In: Muir, J.A., ed. Proceedings of a workshop on management of hemlock dwarf mistletoe; 1983 August 15-16; Burnaby, BC: Forest Pest Management Rep. 4. Victoria, BC: British Columbia Ministry of Forests, Forest Protection Branch: 10-21.
- Allen, T.F.H.; Hoekstra, T.W. 1992. Toward a unified ecology. New York: Columbia University Press. 384 p.
- Allred, W.S.; Gaud, W.S. 1994. Characteristics of ponderosa pines and Abert squirrel herbivory. *Southwest Naturalist*. 39(1):89-100.
- Alosi, M.C.; Calvin, C.L. 1985. The ultrastructure of dwarf mistletoe (*Arceuthobium* spp.) sinker cells in the region of the host secondary vasculature. *Canadian Journal of Botany*. 63:889-898.
- Amaranthus, M.P.; Weigand, J.F.; Abbott, R. 1998. Managing high-elevation forests to produce American matsutake (*Ticholoma magnivelare*), high-quality timber, and non-timber forest products. *Western Journal of Applied Forestry*. 13:120-128.
- Anderson, R.L.; Kaufert, F.H. 1959. Brooming response of black spruce to dwarf mistletoe infection. *Forest Science*. 5:356-364.
- Andrade Escobar, V.; Cibrián Tovar, D. 1980. Evaluación de poblaciones de muérdago enano (*Arceuthobium globosum* Hawks y Wiens y *A. vaginatum* Willd) en bosques de *Pinus hartwegii* Lindl en Zoquiapan, Edo. de México. En: Primer simposio nacional sobre parasitologia forestal; 1980 Febrero 18-19. Uruapan, Michoacán: Sociedad Mexicana de Entomologia: 238-253.
- Andrews, S.R.; Daniels, J.P. 1960. A survey of dwarf mistletoes in Arizona and New Mexico. Station Pap. 49. Fort Collins, CO: U.S. Department of Agriculture, Forest Service, Rocky Mountain Forest and Range Experiment Station. 17 p.
- Anonymous. 1982. Dwarf mistletoe biocontrol. *The IPM Practitioner*. 4(8):5.
- Ashworth, V.E.T.M. 2000. Phylogenetic relationships in *Phoradendron* (Viscaceae) inferred from three regions of the nuclear ribosomal cistron. II. The North American species of *Phoradendron*. *Aliso*. 19(1):41-53.
- Atsatt, P.R. 1983a. Host-parasite interactions in higher plants. In: Lange, O.L.; Nobel, P.S.; Osmond, C.B.; Ziegler, H., eds. *Physiological plant ecology*. III. Encyclopedia of plant physiology, Volume 12C. New York: Springer-Verlag: 519-535.
- Atsatt, P.R. 1983b. Mistletoe leaf shape: a host morphogen hypothesis. In: Calder, M.; Berghardt, P., eds. *The biology of mistletoes*. Sydney: Academic Press: 259-275.
- Baker, F.A.; Durham, S. 1997. Dwarf mistletoe impact on jack pine infection, volume loss and mortality curves. Unpublished report submitted to: Weyehauser, Canada; 1997 March 11. Logan: Utah State University, Department of Forest Resources. 10 p.
- Baker, F.A.; French, D.W. 1991. Radial enlargement of mortality centers caused by *Arceuthobium pusillum* Peck in black spruce stands. *Forest Science*. 37:364-367.
- Baker, F.A.; French, D.W.; Rose, D.W. 1982. DMLOSS: a simulator of losses in dwarf mistletoe infested black spruce stands. *Forest Science*. 28:590-598.
- Baker, F.A.; Knowles, K.; Meyer, T.R.; French, D.W. 1989. Aerial application of ethylene-releasing chemicals fail to promote abscission of dwarf mistletoe aerial shoots on jack pine. *Forestry Chronicle*. 65:194-195.
- Baker, F.A.; Knowles, K.; Slivitzky. 1992. Impact of dwarf mistletoe on jack pine forests in Manitoba. *Plant Disease*. 76:1256-1259.
- Baloch, G.M.; Ghani, M.A. 1980. Parasitic weed plants and their natural enemies with special reference to Pakistan: a review. *Pakistan Journal of Forestry*. 30:2-13.
- Baranyay, J.A. 1966. Fungi from dwarf mistletoe infection in western hemlock. *Canadian Journal of Botany*. 44:597-604.
- Baranyay, J.A. 1970. Lodgepole pine dwarf mistletoe in Alberta. Publ. 1286. Ottawa, ON: Canada Department of Fisheries and Forestry. 22 p.

- Baranyay, J.A.; Hawksworth, F.G.; Smith R.B. 1971. Glossary of dwarf mistletoe terms. BC P-2-71. Victoria, BC: Department of the Environment, Canadian Forestry Service, Pacific Forest Research Centre. 42 p.
- Baranyay, J.A.; Safranyik, L. 1970. Effect of dwarf mistletoe on growth and mortality of lodgepole pine in Alberta. Publ. 1285. Canadian Forestry Service, Department of Fisheries and Forestry. 19 p.
- Barlow, B.A. 1964. Classification of the Loranthaceae and Viscaceae. Proceedings Linnaean Society of New South Wales II. 89:268–272.
- Barlow, B.A. 1983. Biogeography of Loranthaceae and Viscaceae. In: Calder, M.; Bernhardt, P., eds. The biology of mistletoes. Sydney: Academic Press: 19–46.
- Barney, C.W.; Hawksworth, F.G.; Geils, B.W. 1998. Hosts of *Viscum album*. European Journal of Forest Pathology. 28:187–208.
- Barrett, J.W.; Roth, L.F. 1985. Response of dwarf mistletoe-infested ponderosa pine to thinning: 1. Sapling growth. Res. Pap. PNW-330. Portland, OR: U.S. Department of Agriculture, Forest Service, Pacific Northwest Forest and Range Experiment Station. 15 p.
- Bates, C.G. 1927. Better seeds, better trees. Journal of Forestry. 25:130–144.
- Beatty, J.S.; Filip, G.M.; Mathiasen, R.L. 1997. Larch dwarf mistletoe. Forest Insect and Disease Leaflet 169. [revised 1988]. Washington, DC: U.S. Department of Agriculture, Forest Service. 8 p. [Online]. Available: <http://www.fs.fed.us/r6/nr/fid/fidls/fidl169.htm>. [2002, June 29].
- Becker, H.; Schmoll, H. 1986. Mistel: Arzneipflanze, Brauchtum, Kunstmotiv. Stuttgart: Wissenschaftliche Verlagsgesellschaft. 132 p.
- Bello Gonzales, M.A. 1984. Estudio de muérdagos (Loranthaceae) en la region Tarasca, Michoacán. Bol. Téc. 102. México, DF: Secretaría de Agricultura y Recursos Hidráulicos, Instituto Nacional de Investigaciones Forestales. 62 p.
- Bello Gonzales, M.A.; Gutierrez Garduño, M. 1985. Clave para la identificación de la familia Loranthaceae en la porción del Eje Neovolcánico localizado dentro del Estado de Michoacán. Ciencia Forestal. 10(54):3–33.
- Bennetts, R.E.; White, G.C.; Hawksworth, F.G.; Severs, S.E. 1996. The influence of dwarf mistletoe on bird communities in Colorado ponderosa pine forests. Ecological Applications. 6:899–909.
- Besse, W.J.; Dunsworth, G.; Perry, J. 2001. The forest project: three-year review and update. Ecoforestry. 16(4):10–17.
- Bloomberg, W.J.; Smith, R.B. 1982. Measurement and simulation of dwarf mistletoe infection of second-growth western hemlock on southern Vancouver Island. Canadian Journal of Forest Research. 12:280–291.
- Bolsinger, C.L. 1978. The extent of dwarf mistletoe in six principal softwoods in California, Oregon and Washington, as determined from forest survey records. In: Scharpf, R.F.; Parmeter, J.R., Jr., tech. coords. Proceedings of the symposium on dwarf mistletoe control through forest management; 1978 April 11–13; Berkeley, CA. Gen. Tech. Rep. PSW-31. Berkeley, CA: U.S. Department of Agriculture, Forest Service, Pacific Southwest Forest and Range Experiment Station: 45–54.
- Bonga, J.M. 1964. An unusual witches' broom on black spruce caused by eastern dwarf mistletoe *Arceuthobium pusillum* on *Picea mariana*. Forest Science. 10:77–78.
- Booth, C.; Samuels, G.J. 1981. *Nectria neomacrospora* nom. nov.: a new name for *Nectria macrospora* (Wollenw.) Oullette. Transaction British Mycological Society. 77(3): 645.
- Bradley, A.F.; Noste, N.V.; Fisher, W.C. 1992. Fire ecology of forests and woodlands in Utah. Gen. Tech. Rep. INT-287. Ogden, UT: U.S. Department of Agriculture, Forest Service, Intermountain Research Station. 128 p.
- Brandt, J.P.; Brett, R.D.; Knowles, K.R.; Sproule, A. 1998. Distribution of severe dwarf mistletoe damage in west-central Canada. Special Rep. 13. Edmonton, AB: Natural Resources Canada, Canadian Forest Service, Northern Forestry Centre. 27 p.
- Briede, J.-W.; Mexal, J.G.; Lynch, A.M.; Hawksworth, F.G. 1991. Shoot growth and development of Douglas-fir and white fir in New Mexico. In: Baumgartner, D.M.; Lotan, J.E., eds. Interior Douglas-fir: the species and its management; 1990 February 27–March 1; Spokane, WA. Pullman, WA: Washington State University Cooperative Extension: 155–159.
- British Columbia Ministry of Forests. 1995. Dwarf mistletoe management guidebook. Forest practices code of British Columbia. Victoria, BC: British Columbia Ministry of Forests. 20 p. [Online]. Available: <http://www.for.gov.bc.ca/tasb/legregs/fpc/fpcguide/dwarf/dwarftoc.htm>. [2002, June 30].
- British Columbia Ministry of Forests. 2000. Growth and yield stand modelling PrognosisBC. [Homepage of PrognosisBC, British Columbia Ministry of Forests]. [Online]. Available: <http://www.fro.gov.bc.ca/research/gymodels/progbc/index.htm>. [2002, July 7].
- Broshot, N.; Larson, L.; Tinnin, R. 1986. Effects of *Arceuthobium americanum* on twig growth of *Pinus contorta*. Res. Note. PNW-RN-453. Portland, OR: U.S. Department of Agriculture, Forest Service, Pacific Northwest Research Station. 6 p.
- Broshot, N.E.; Tinnin, R.O. 1986. The effect of dwarf mistletoe on starch concentrations in the twigs and needles of lodgepole pine. Canadian Journal of Forest Research. 16:658–660.
- Browner, C.H. 1985. Plants used for reproductive health in Oaxaca, Mexico. Economic Botany. 39:482–504.
- Buckland, D.C.; Marples, E.G. 1953. Management of western hemlock infested with dwarf mistletoe. British Columbia Lumberman. 36(5):50–51, 136, 140.
- Bunderson, E.D.; Weber, D.J.; Nelson, D.L. 1986. Diseases associated with *Juniperus osteosperma* and a model for predicting their occurrence with environment site factors. Great Basin Naturalist. 46:427–440.
- Burke, H.R. 1975. A new species of *Smilcraulax* from Mexico, with key to species of the genus (Coleoptera: Curculionidae). Entomological News. 86:167–171.
- Byler, J.W. 1978. The pest damage inventory in California. In: Scharpf, R.F.; Parmeter, J.R., Jr., tech. coords. Proceedings of the symposium on dwarf mistletoe control through forest management; 1978 April 11–13; Berkeley, CA. Gen. Tech. Rep. PSW-31. Berkeley, CA: U.S. Department of Agriculture, Forest Service, Pacific Southwest Forest and Range Experiment Station: 162–171.
- Byler, J.W.; Cobb, F.W., Jr. 1972. The occurrence and pathogenicity of *Nectria fockeliana* on dwarf mistletoe in California. Canadian Journal of Botany. 50:1162.
- Caballero Deloya, M. 1968. Los principales enemigos del bosque in los estados de Baja California, Chihuahua, Durango, Nayarit y Sonora, Bosques de clima templado y frío. Publ. 5. México, DF: Direccion General del Inventario Nacional Forestal. 20 p.
- Caballero Deloya, M. 1970. La frecuencia de los daños al bosque (areas de coníferas en Zacatecas, Sinaloa y Jalisco). Publ. 14. México, DF: Direccion General del Inventario Nacional Forestal. 28 p.

- Calder, D.M. 1983. Mistletoes in focus: an introduction. In: Calder, M.; Bernhardt, P., eds. The biology of mistletoes. Sydney: Academic Press: 1–17.
- Calder, M.; Bernhardt P., eds. 1983. The biology of mistletoes. Sydney: Academic Press. 348 p.
- Calvin, C.L.; Wilson, C.A. 1996. Endophytic system. In: Hawksworth, F.G.; Wiens, D. Dwarf mistletoes: biology, pathology, and systematics. Agric. Handb. 709. Washington, DC: U.S. Department of Agriculture, Forest Service: 113–122.
- Calvin, C.L.; Wilson, C.A.; Varughese, G. 1991. Growth of longitudinal stands of *Phoradendron juniperinum* (Viscaceae) in shoots of *Juniperus occidentalis*. Annals of Botany. 67:153–161.
- Cerezke, H.F.; Emond, F.J. 1989. Forest insect and disease conditions in Alberta, Saskatchewan, Manitoba, and the Northwest Territories in 1987. Inf. Rep. NOR-X-300. Edmonton, AB: Forestry Canada, Northern Forestry Centre. 25 p.
- Cházaro B., M. 1989a. Loranthaceae (“muérdagos”) del centro y sur del Estado de Veracruz. En: IV simposio nacional sobre parasitología forestal; 1987 October 28–30; Durango, Drg. Publicación Especial 60. Instituto Nacional de Investigaciones Forestales y Agropecuarias: 604–612.
- Cházaro B., M. 1989b. Los muérdago (Loranthaceae) del Estado de Jalisco. En: IV Simposio sobre parasitología forestal; 1989 Octubre 4–6; Cd. Juárez, Chih: 45.
- Cházaro B., M. 1990. Los muérdago del Estado de Jalisco. Biosphera. 1:3–7.
- Cházaro B., M.; Huerta Martínez, F.M.; Patiño Beltrán, R.M.; Sánchez Fornué, R.; Lomeli Mijes, E.; Flores Macías, A. 1992. Los muérdagos (Loranthaceae) de Jalisco, parásitas poco conocidas. Ciencia y Desarrollo. 17(102):70–85.
- Cházaro B., M.; Oliva R., H. 1987a. Loranthaceas del centro de Veracruz y zona limítrofe de Puebla. I. Cactaceas y Succulentas Mexicanas. 32:55–60.
- Cházaro B., M.; Oliva R., H. 1987b. Loranthaceas del centro de Veracruz y zona limítrofe de Puebla. II. Cactaceas y Succulentas Mexicanas. 32:78–86.
- Cházaro B., M.; Oliva R., H. 1988a. Loranthaceas del centro de Veracruz y zona limítrofe de Puebla. IV. Cactaceas y Succulentas Mexicanas. 33:42–48.
- Cházaro B., M.; Oliva R., H. 1988b. Loranthaceas del centro de Veracruz y zona limítrofe de Puebla. V. Cactaceas y Succulentas Mexicanas. 33:71–75.
- Chen, C.; Marsden, M.; Taylor, J.E. 1993. Sensitivity analysis of the Interim Dwarf Mistletoe Impact Modeling System for the user. Rep. MAG-93-10. Fort Collins, CO: U.S. Department of Agriculture, Forest Service, Forest Pest Management Methods Application Group. 13 p.
- Childs, T.W. 1960. Drought effects on conifers in the Pacific Northwest, 1958–59. Res. Note 182. Portland, OR: U.S. Department of Agriculture, Pacific Northwest Forest and Range Experiment Station. 5 p.
- Cibrián Tovar, D.; Campos Bolanos, R.; Pineda Torres, C.; Guerrero Alarcon, E.; Olvera Olmos, V. 1980. Aspectos biológicos del genero *Arceuthobium*. En: Primer simposio nacional sobre parasitología forestal; 1980 Febrero 18–19. Uruapan, Michoacán: Sociedad Mexicana de Entomología: 229–237.
- Conkle, M.T.; Critchfield, W.B. 1988. Genetic variation and hybridization of ponderosa pine. In: Baumgartner, D.M.; Lotan, J.E., eds. Ponderosa pine, the species and its management, proceedings of the symposium; 1987 September 29–October 1; Spokane, WA. Pullman, WA: Washington State University, Cooperative Extension: 27–43.
- Conklin, D.A. 2000. Dwarf mistletoe management and forest health in the Southwest. Albuquerque, NM: U.S. Department of Agriculture, Forest Service, Southwestern Region. 30 p.
- Conklin, D.A. 2002. Emergence of latent dwarf mistletoe infection in young ponderosa pine regeneration: 10-year monitoring of Whitetail A&B Project at Mescalero. R3-02-02. Albuquerque, NM: U.S. Department of Agriculture, Forest Service, Southwestern Region, Forestry and Forest Health. 8 p.
- Conklin, D.A.; Armstrong, W.A. 2001. Effects of three prescribed fires on dwarf mistletoe infection in southwestern ponderosa pine. Rep. R3-01-02. Albuquerque, NM: U.S. Department of Agriculture, Forest Service, Southwestern Region, Forestry and Forest Health. 17 p.
- Current Vegetation Survey. 2002. [Homepage of Current Vegetation Survey, Region 6, Forest Service, U.S. Department of Agriculture]. [Online]. Available: <http://www.fs.fed.us/r6/survey/>. [2002, July 8].
- Daniel, J.T.; Templeton, G.E.; Smith, R.J.; Fox, W.T. 1973. Biological control of northern jointvetch in rice with endemic fungal disease. Weed Science. 21:303–307.
- Daugherty, C.M.; Mathiasen, R.L. 1999. Adult sex ratio of *Phoradendron juniperinum* in ten severely infected *Juniperus monosperma* in northern Arizona. Madroño. 46(4):169–176.
- Davidson, A.G.; Prentice, R.M. 1967. Important forest insects and diseases of mutual concern to Canada, the United States and Mexico. Ottawa, ON: Ministry of Forestry and Rural Development. 248 p.
- Dawson, T.E.; Ehleringer, J.R. 1991. Ecological correlates of seed mass variation in *Phoradendron juniperinum*, a xylem-tapping mistletoe. Oecology. 85:332–342.
- Dawson, T.E.; Ehleringer, J.R.; Marshall, J.D. 1990a. Sex-ratio and reproductive variation in the mistletoe *Phoradendron juniperinum* (Viscaceae). American Journal of Botany. 77:584–589.
- Dawson, T.E.; King, E.J.; Ehleringer, J.R. 1990b. Age structure of *Phoradendron juniperinum* (Viscaceae), a xylem-tapping mistletoe: Inferences from a non-destructive morphological index of age. American Journal of Botany. 77:573–583.
- de Jong, M.D.; Scheepens, P.C.; Zadoks, J.C. 1990. Risk analysis for biological control: a Dutch case study in biocontrol of *Prunus serotina* by the fungus *Chondrostereum purpureum*. Plant Disease. 74:189–194.
- De la Puente, J.M. 1966. Forest disease and insect resistance in Latin America. In: Gerhold, H.D.; Schreiner, E.J.; McDermott, R.E.; Winieski, J.A., eds. Breeding pest-resistant trees. Oxford: Pergamon Press: 31–34.
- DeBach, P., ed. 1964. Biological control of insect pests and weeds. New York: Reinhold Publishing. 844 p.
- Deeks, S.J.; Shamoun, S.F.; Punja, Z.K. 2001. In vitro germination and development of western hemlock dwarf mistletoe. Plant Cell, Tissue, and Organ Culture. 66:97–105.
- Deeks, S.J.; Shamoun, S.F.; Punja, Z.K. [In press]. Histopathology of callus and germinating seeds of *Arceuthobium tsugense* subsp. *tsugense* infected by *Cylindrocarpon cylindroides* and *Colletotrichum gloeosporioides*. International Journal of Plant Sciences.
- DeMars, D.J. 1980. Estimates of the occurrence of dwarf mistletoe on the Deschutes National Forest. Res. Note PNW-364. Portland, OR: U.S. Department of Agriculture, Forest Service, Pacific Northwest Forest and Range Experiment Station. 8 p.

- DeNitto, G., comp. 2002. Montana forest insect and disease conditions and program highlights—2001. Rep. 02-1. Missoula, MT: U.S. Department of Agriculture, Forest Service, Northern Region, State and Private Forestry. 42 p.
- Dixon, G.E.; Hawksworth, F.G. 1979. A spread and intensification model for southwestern dwarf mistletoe in ponderosa pine. *Forest Science*. 25(1):43–52.
- Dobie, J.; Britneff, A.A. 1975. Lumber grades and volumes from lodgepole pine infected with dwarf mistletoe. *Wood and Fiber*. 7:104–109.
- Dooling, O.J. 1978. Survey methods to determine the distribution and intensity of dwarf mistletoes. In: Scharpf, R.F.; Parmeter, J.R., Jr., tech. coords. Proceedings of the symposium on dwarf mistletoe control through forest management; 1978 April 11–13; Berkeley, CA. Gen. Tech. Rep. PSW-31. Berkeley, CA: U.S. Department of Agriculture, Forest Service, Pacific Southwest Forest and Range Experiment Station: 36–44.
- Dowding, E.S. 1931. *Wallrothiella arceuthobii*, a parasite of jack-pine mistletoe. *Canadian Journal of Research*. 5:219–230.
- Drummond, D.B. 1978. Approaches to determining volume losses due to dwarf mistletoe on a Westwide basis. In: Scharpf, R.F.; Parmeter, J.R., Jr., tech. coords. Proceedings of the symposium on dwarf mistletoe control through forest management; 1978 April 11–13; Berkeley, CA. Gen. Tech. Rep. PSW-31. Berkeley, CA: U.S. Department of Agriculture, Forest Service, Pacific Southwest Forest and Range Experiment Station: 55–61.
- Drummond, D.B. 1982. Timber loss estimates for the coniferous forest of the United States due to dwarf mistletoes. Rep. 83-2. Fort Collins, CO: U.S. Department of Agriculture, Forest Service, Forest Pest Management, Methods Application Group. 24 p.
- Eav, B. B.; Marsden, M. A. 1988. Pest models for the Inland Mountain West. In: Schmidt, W. C., comp. Future forests of the Mountain West: a stand culture symposium; 1986 September 29–October 3; Missoula, MT. Gen. Tech. Rep. INT-243. Ogden, UT: U.S. Department of Agriculture, Forest Service, Intermountain Research Station. 402 p.
- Edwards, D. 2001. Hemlock dwarf mistletoe in the Long Beach Model Forest. Long Beach Model Forest. [Online]. Available: <http://www.lbmf.bc.ca>. [2002, April 20].
- Edwards, D.N. 2002. Incidence of hemlock dwarf mistletoe in variable retention cutblocks in the Long Beach Model Forest. *Canadian Plant Disease Survey* 82: 128–132. [Online]. Available: <http://res2.agr.gc.ca/london/pmrc/english/report/disease2002.html>. [2002, August 2].
- Ehleringer, J.R.; Cook, C.S.; Tieszen, L.L. 1986. Comparative water use and nitrogen relationships in a mistletoe and its host. *Oecology*. 68:279–284.
- Ellis, D.E. 1946. Anthracnose of dwarf mistletoe caused by a new species of *Septogloeum*. *Journal Elisha Mitchell Scientific Society*. 62:25–50.
- Englerth, G.H. 1942. Decay of western hemlock in western Oregon and Washington. *Bull.* 50. New Haven, CT: Yale University, School of Forestry. 53 p.
- Equiluz Peidra, T. 1991. Biosystematics of the Mexican and Central American white pines. In: Proceedings, symposium on white pine provenances and breeding; August 5–11; Montreal, Quebec. Gen. Tech. Rep. NE-155. Radnor, PA: U.S. Department of Agriculture, Forest Service, Northeast Forest Experiment Station: 4–10.
- Escudero Moreno, M.; Cibrián Tovar, D. 1985. Determinación del periodo de dispersión de *Arceuthobium globosum grandicaule* en la región Central de México. En: Memoria de los simposios nacionales de parasitología forestal. II y III. Publicación Especial 46. México, DF: Secretaría de Agricultura y Recursos Hidráulicos: 342–351.
- Etheridge, D.E. 1973. Wound parasites causing tree decay in British Columbia. *Forest Pest Leaflet* 62. Victoria, BC: Canadian Department of the Environment, Pacific Forest Research Centre. 15 p.
- Everett, R.; Schelihaas, D.; Spurbeck, D.; Ohison, P.; Keenum, D.; Anderson, D. 1997. Structure of northern spotted owl nest stands and their historical conditions on the eastern slope of the Pacific Northwest Cascades, USA. *Forest Ecology and Management*. 94:1–14.
- Fairweather, M.L. 1995. Post-treatment biological evaluation of the 1981 Tusayan dwarf mistletoe (DM) control project. Rep. R3-95-1. Albuquerque, NM: U.S. Department of Agriculture, Forest Service, Southwest Region, Forest Pest Management. 6 p.
- Felix, L.S. 1970a. The biology of *Phoradendron bolleanum* subspecies *pauciflorum* on *Abies concolor*. Berkeley: University of California. 194 p. Dissertation.
- Felix, L.S. 1970b. Hyperparasitism and autoparasitism in true mistletoes. *Plant Disease Reporter*. 54:15.
- Ferrell, G.T. 1974. Moisture stress and fir engraver (Coleoptera: Scolytidae) attack in white fir infected by true mistletoe. *Canadian Entomologist*. 106:315–318.
- Filip, G.M. 1984. Dwarf mistletoe and *Cytospora* canker decrease grand fir growth in central Oregon. *Forest Science*. 30:1071–1079.
- Filip, G.M.; Beatty, J.S.; Mathiasen, R.L. 2000. Fir dwarf mistletoe. *Forest Insect and Disease Leaflet* 89. [revised]. Washington, DC: U.S. Department of Agriculture, Forest Service. 8 p. [Online]. Available: <http://www.fs.fed.us/r6/nr/fid/firdm.pdf>. [2002, June 29].
- Filip, G.M.; Colbert, J.J.; Parks, C.A.; Seidel, K.W. 1989. Effects of thinning on volume growth of western larch infected with dwarf mistletoe in northeastern Oregon. *Western Journal of Applied Forestry*. 4:143–145.
- Filip, G.M.; Colbert, J.J.; Shaw, C.G., III; Hessburg, P.F.; Hosman, K.E. 1993. Influence of dwarf mistletoe and western spruce budworm on growth and mortality of Douglas-fir in unmanaged stands. *Forest Science*. 39:465–477.
- Fisher, J.T. 1983. Water relations of mistletoes and their hosts. In: Calder, D.M.; Bernhardt, P., eds. *The biology of mistletoes*. Sydney: Academic Press: 161–184.
- Flora of North America Editorial Committee. 1993. Volume 2, Pteridophytes and gymnosperms. New York: Oxford University Press. 475 p.
- Flora Mesoamericana. 2002. [Homepage of Flora Mesoamericana, Missouri Botanical Garden, Universidad Nacional Autónoma de México and The Natural History Museum of London]. [Online]. Available: <http://www.mobot.org/MOBOT/fm/welcome.html>. [2002, July 20].
- Forest Health Monitoring Program. 1994. *Forest health monitoring: a national strategic plan*. Research Triangle Park, NC: U.S. Department of Agriculture, Forest Service, Forest Health Monitoring Program. 13 p. [Online]. Available: <http://www.na.fs.fed.us/spfo/fhm/index.html>. [2002, June 30].
- Forest Health Protection. 2002. *Forest insect and disease conditions in the United States 2000*. U.S. Department of Agriculture, Forest Service. 100 p. [Online]. Available: [http://www.fs.fed.us/foresthealth/annual\\_i\\_d\\_conditions/index.html](http://www.fs.fed.us/foresthealth/annual_i_d_conditions/index.html). [2002, June 29].

- Forest Health Technology Enterprise Team. 2002. Dwarf Mistletoe Model. [Homepage of Forest Health Technology Enterprise Team, Forest Service, U.S. Department of Agriculture]. [Online]. Available: <http://www.fs.fed.us/foresthealth/technology/dm.html>. [2002, June 28].
- Forest Insect and Disease Survey. 1994. Forest depletions caused by insects and diseases in Canada 1982–1987. Inf. Rep. ST-X-8. Ottawa, Canada: Canadian Forestry Survey, Forest Insect and Disease Survey. 9 p.
- Forest Inventory and Analysis. 2002. [Homepage of Forest Inventory and Analysis, Forest Service, U.S. Department of Agriculture]. [Online]. Available: <http://www.fia.fs.fed.us>. [2002, July 8].
- Forest Management Service Center. 2000. Forest Vegetation Simulator (FVS). [October 12-last update]. [Homepage of Forest Health Management Service Center, Forest Service, U.S. Department of Agriculture]. [Online]. Available: <http://www.fs.fed.us/fmnc/fvs/>. [2002, June 28].
- Forest Service. 2002. [Homepage of Tools for Forest Vegetation Management, Forest Service, U.S. Department of Agriculture]. [Online]. Available: <http://www.fs.fed.us/vegtools/>. [2002, July 7].
- Frankel, S.; Adams, D. 1989. Reduction of dwarf mistletoe with the plant growth regulator ethephon. Forest Pest Management Rep. 89-1. San Francisco: U.S. Department of Agriculture, Forest Service, Pacific Southwest Region. 5 p.
- Frankel, S.; Dale, J.; Hart, D. 1989. A biological evaluation of pest conditions at five southern California ski areas, San Bernardino National Forest. Rep. 89-5. Albany, CA: U.S. Department of Agriculture, Forest Service, Pacific Southwest Region. 21 p.
- Frazer, J.G. 1930. The golden bough. London: MacMillan and Company. 12 volumes.
- Freeman, C.E.; Worthington, R.D.; Corral, R.D. 1985. Some floral nectar—sugar compositions from Durango and Sinaloa, Mexico. *Biotropica*. 17:309–313.
- French, D.W.; Meyer, M.P.; Anderson, R.L. 1968. Control of dwarf mistletoe on black spruce. *Journal of Forestry*. 66:359–360.
- Funk, A.; Baranyay, J.A. 1973. Additional fungi and gall disease of dwarf mistletoe swellings in western hemlock. *Canadian Plant Disease Survey*. 53:182.
- Funk, A.; Smith, R.B. 1981. *Potebniamyces gallicola* n. sp., from dwarf mistletoe infections in western hemlock. *Canadian Journal of Botany*. 59:1610–1612.
- Funk, A.; Smith, R.B.; Baranyay, J.A. 1973. Canker of dwarf mistletoe swellings on western hemlock caused by *Nectrica funkiana* var. *macrospora*. *Canadian Journal of Forest Research*. 3:71–74.
- Gallina, S. 1988. Importancia del injerto (*Phoradendron* sp.) para el venado. *Southwestern Naturalist*. 33:21–25.
- García, A.M. 1977. Patología vegetal práctica. Ed. Limusa. México. 156 p.
- Garnett, G.N. 2002. Wildlife use of witches' brooms induced by dwarf mistletoe in ponderosa pine forests of northern Arizona. Flagstaff: Northern Arizona University. Thesis.
- Gehring, C.A.; Whitham, T.G. 1992. Reduced mycorrhizae on *Juniperus monosperma* with mistletoe: the influence of environmental stress and tree gender on a plant parasite and a plant-fungal mutualism. *Oecologia*. 89:298–303.
- Geils, B.W. 2001a. Dwarf mistletoe. In: Maloy, O.C.; Murray, T.D., eds. *Encyclopedia of plant pathology*. New York: John Wiley & Sons, Inc.: 388–389.
- Geils, B.W. 2001b. Leafy mistletoe. In: Maloy, O.C.; Murray, T.D., eds. *Encyclopedia of plant pathology*. New York: John Wiley & Sons, Inc.: 613–616.
- Geils, B.W.; Hawksworth, F.G.; Janssen, J.E. 1991. Longevity of ponderosa pine parasitized by southwestern dwarf mistletoe. *Supplement to Bulletin of the Ecological Society of America*. 72(2):122.
- Geils, B.W.; Mathiasen, R.L. 1990. Intensification of dwarf mistletoe on southwestern Douglas-fir. *Forest Science*. 36:955–969.
- Gentry, H.S. 1946. Notes on the vegetation of Sierra Surotato in northern Sinaloa. *Bulletin of Torrey Botanical Club*. 73:451–462.
- Gibson, I.A.S. 1978. Informe sobre una visita a Mexico. *Ciencia Forestal*. 3(12):40–53.
- Gilbert, J.A. 1984. The biology of dwarf mistletoes (*Arceuthobium* spp.) in Manitoba. Winnipeg: University of Manitoba. 138 p. Thesis.
- Gilbert, J.A. 1988. Some aspects of the reproductive biology of *Arceuthobium americanum* in Manitoba. Winnipeg: University of Manitoba. Dissertation.
- Gill, F.S. 1990. *Ornithology*. New York: W.H. Freeman and Company. 660 p.
- Gill, L.S. 1935. *Arceuthobium* in the United States. *Trans. Conn. Academy Arts and Science*: 32:111–245.
- Gill, L.S. 1956. Summary of chemical tested for controlling western species of dwarf mistletoes (*Arceuthobium* spp.). In: *Proceedings 3rd annual western international forest disease work conference*; 1955 December; Spokane, WA: 18–25.
- Gill, L.S.; Hawksworth, F.G. 1954. Dwarf mistletoe control in southwestern ponderosa pine forests under management. *Journal of Forestry*. 1954:347–353.
- Gill, L.S.; Hawksworth, F.G. 1961. The mistletoes, a literature review. *Tech. Bull.* 1242. Washington, DC: U.S. Department of Agriculture. 87 p.
- Gleick, J. 1988. *Chaos: making a new science*. Penguin. 352 p.
- Gregg, J.W. 1991. The differential occurrence of the mistletoe, *Phoradendron juniperinum*, on its host *Juniperus osteosperma* in the Western United States. Salt Lake City: University of Utah, Department of Biology. 78 p. Thesis.
- Gregg, T.F.; Hummel, S.S. 2002. Assessing sampling uncertainty in FVS projections using a bootstrap resampling method. In: Crookston, Nicholas L.; Havis, Richard N., comps. *Second Forest Vegetation Simulator (FVS) conference*; 2002 February 12–14; Fort Collins, CO. Proc. RMRS-P-25. Ogden, UT: U.S. Department of Agriculture, Forest Service, Rocky Mountain Research Station.
- Gregg, T.F.; Michaels Goheen, E. 1997. Current vegetation survey in the Pacific Northwest Region: a direct link to FVS and the insect and disease extensions. In: Teck, R.; Moeur, M.; Adams, J., comps. *Proceedings: Forest Vegetation Simulator conference*; 1997 February 3–7; Fort Collins, CO. Gen. Tech. Rep. INT-GTR-373. Ogden, UT: U.S. Department of Agriculture, Forest Service, Intermountain Research Station: 182–190.
- Grimble, D.G.; Beckworth, R.C. 1993. Temporal changes in presence of late instar *Mitoura spinetorum* (Lycaenidae) in eastern Oregon. *Journal of the Lepidopterists' Society*. 47(4):329–330.
- Gutierrez Vilchis, L.H.; Salinas Quinard, R. 1989. Algunos aspectos fenológicos del muérdago enano *Arceuthobium vaginatum* (Viscaceae) en el Desierto del Los Leones, D.F. En: *V simposio sobre parasitología forestal*;

- 1989 Octubre 4–6; Cd. Juarez, Chih: Sociedad Mexicana de Entomología. 43.
- Guyon, J.; Munson, S. 1991. Biological evaluation of insect and disease conditions of the Carson and Bridgeport Ranger Districts, Toiyabe National Forest. Rep. R4-91-02. Ogden, UT: U.S. Department of Agriculture, Forest Service, Intermountain Region, Forest Pest Management. 45 p.
- Hadfield, J.S. 1999. Douglas-fir dwarf mistletoe infection contributes to branch breakage. *Western Journal of Applied Forestry*. 14(1):5–6.
- Hadfield, J.S.; Mathiasen, R.L.; Hawksworth, F.G. 2000. Douglas-fir dwarf mistletoe. *Forest Insect and Disease Leaflet 54*. [revised 2000]. Washington, DC: U.S. Department of Agriculture, Forest Service. 9 p.
- Hadfield, J.S.; Russell, K. 1978. Dwarf mistletoe management in the Pacific Northwest. In: Scharpf, R.F.; Parmeter, J.R., Jr., tech. coords. *Proceedings of the symposium on dwarf mistletoe control through forest management*; 1978 April 11–13; Berkeley, CA. Gen. Tech. Rep. PSW-31. Berkeley, CA: U.S. Department of Agriculture, Forest Service, Pacific Southwest Forest and Range Experiment Station: 73–81.
- Hanover, J.W. 1966. Tree improvement for disease resistance in Western United States and Canada. In: Gerhold, H.D.; Schreiner, E.J.; McDermott, R.E.; Winieski, J.A., eds. *Breeding pest-resistant trees*. Oxford: Pergamon Press: 53–56.
- Hansen, D. 1997. Insect and disease conditions in Bryce Canyon National Park detected during August 1995. Rep. R4-97-06. Ogden, UT: U.S. Department of Agriculture, Forest Service, Intermountain Region, Forest Health Protection. 44 p.
- Hawksworth, F.G. 1952. Unusual hosts for two southwestern mistletoes. *Plant Disease Reporter*. 36(6):246.
- Hawksworth, F.G. 1961. Dwarf mistletoe of ponderosa pine in the Southwest. *Tech. Bull.* 1246. Washington, DC: U.S. Department of Agriculture. 112 p.
- Hawksworth, F.G. 1965. Life tables for two species of dwarf mistletoe. I. Seed dispersal, interception, and movement. *Forest Science*. 11:142–151.
- Hawksworth, F.G. 1972. Biological control of the mistletoes. In: Nordin, V.J., comp. *Biological control of forest diseases. Fifteenth Congress of the International Union of Forestry Research Organizations*; 1971 March; Gainesville, FL. Ottawa, ON: Canadian Forestry Service: 83–92.
- Hawksworth, F.G. 1977. The 6 class dwarf mistletoe rating system. Gen. Tech. Rep. RM-48. Fort Collins, CO: U.S. Department of Agriculture, Forest Service, Rocky Mountain Forest and Range Experiment Station. 7 p.
- Hawksworth, F.G. 1978a. Biological factors of dwarf mistletoe in relation to control. In: Scharpf, R.F.; Parmeter, J.R., Jr., tech. coords. *Proceedings of the symposium on dwarf mistletoe control through forest management*; 1978 April 11–13; Berkeley, CA. Gen. Tech. Rep. PSW-31. Berkeley, CA: U.S. Department of Agriculture, Forest Service, Pacific Southwest Forest and Range Experiment Station: 5–15.
- Hawksworth, F.G. 1978b. Intermediate cuttings in mistletoe-infested lodgepole pine and southwestern ponderosa pine stands. In: Scharpf, R.F.; Parmeter, J.R., Jr., tech. coords. *Proceedings of the symposium on dwarf mistletoe control through forest management*; 1978 April 11–13; Berkeley, CA. Gen. Tech. Rep. PSW-31. Berkeley, CA: U.S. Department of Agriculture, Forest Service, Pacific Southwest Forest and Range Experiment Station: 86–92.
- Hawksworth, F.G. 1979. *Phoradendron* in the Western United States. In: Drummond, D.B., comp. *Proceedings 26th western international forest disease work conference*; 1978 October 24–28; Tucson, AZ. Davis, CA: U.S. Department of Agriculture, Forest Service, Forest Insect and Disease Management, Methods Application Group: 21–31.
- Hawksworth, F.G. 1980. Los muérdagos enanos (*Arceuthobium*) y su importancia en la silvicultura de México. En: *Primer simposio nacional sobre parasitología forestal*; 1980 Febrero 18–19. Uruapan, Michoacán: Sociedad Mexicana de Entomología: 207–228.
- Hawksworth, F.G. 1983. Mistletoes as forest parasites. In: Calder, M.; Bernhardt, P., eds. *The biology of mistletoes*. Sydney: Academic Press: 317–333.
- Hawksworth, F.G. 1987. Taxonomía y distribución de *Arceuthobium* en México y Centro América. En: *Simposio nacional sobre parasitología forestal y IV Reunión sobre Plagas y enfermedades forestales*; Octubre 28–30; Durango, Dgo. Instituto Nacional de Investigaciones Forestales y Agropecuarias: 559–591.
- Hawksworth, F.G. 1991. Coevolution of Mexican white pines and their dwarf mistletoe parasites. In: *Proceedings, symposium on white pine provenances and breeding*; August 5–11; Montreal, Quebec. Gen. Tech. Rep. NE-155. Radnor, PA: U.S. Department of Agriculture, Forest Service, Northeast Forest Experiment Station: 23–28.
- Hawksworth, F.G.; Cibrián Tovar, D. 1985. Observaciones sobre las enfermedades de árboles forestales en el norte de México y sur de los Estados Unidos. En: *Memoria de los simposios nacionales de parasitología forestal II y III. Publicación Especial 46*. México DF: Secretaría de Agricultura y Recursos Hidráulicos, Instituto Nacional de Investigaciones Forestales: 57–66.
- Hawksworth, F.G.; Dixon, C.S.; Krebill, R.G. 1983. *Peridermium bethelii*: a rust fungus associated with lodgepole pine dwarf mistletoe. *Plant Disease*. 67:729–733.
- Hawksworth, F.G.; Dooling, O.J. 1984. Lodgepole pine dwarf mistletoe. *Forest Insect and Disease Leaflet 18*. [revised 2001]. Washington, DC: U.S. Department of Agriculture, Forest Service. 11 p. [Online]. Available: <http://www.fs.fed.us/r6/rn/fid/fidls/fid18.htm>. [2002, June 29].
- Hawksworth, F.G.; Edminster, C.B. 1981. Carlos Bates' dwarf mistletoe resistant ponderosa pines: a postscript after half a century. Res. Note RM-412. Fort Collins, CO: U.S. Department of Agriculture, Forest Service, Rocky Mountain Forest and Range Experiment Station. 4 p.
- Hawksworth, F.G.; Geils, B.W. 1985. Vertical spread of dwarf mistletoe in thinned ponderosa pine in Arizona. Res. Note. RM-460. Fort Collins, CO: U.S. Department of Agriculture, Forest Service, Rocky Mountain Forest and Range Experiment Station. 3 p.
- Hawksworth, F.G.; Geils, B.W. 1990. How long do mistletoe-infected ponderosa pines live? *Western Journal of Applied Forestry*. 5:47–48.
- Hawksworth, F.G.; Geils, B.W. 1996. Biotic associates. In: Hawksworth, F.G.; Wiens, D. 1996. *Dwarf mistletoes: biology, pathology, and systematics*. Agric. Handb. 709. Washington, DC: U.S. Department of Agriculture, Forest Service: 73–89.
- Hawksworth, F.G.; Graham, D.P. 1963a. Dwarf mistletoe on spruce in the Western United States. *Northwest Science*. 37:31–38.
- Hawksworth, F.G.; Graham, D.P. 1963b. Spread and intensification of dwarf mistletoe in lodgepole pine reproduction. *Journal of Forestry*. 61:587–591.

- Hawksworth, F.G.; Hinds, T.E. 1964. Effects of dwarf mistletoe on immature lodgepole pine stands in Colorado. *Journal of Forestry*. 62:27–32.
- Hawksworth, F.G.; Hinds, T.E.; Johnson, D.W.; Landis, T.D. 1977a. Silvicultural control of dwarf mistletoe in young lodgepole pine stands. Tech Rep. R2-10. Lakewood, CO: U.S. Department of Agriculture, Forest Service, Rocky Mountain Region, State and Private Forestry. 13 p.
- Hawksworth, F.G.; Johnson, D.W. 1989a. Biology and management of dwarf mistletoe in lodgepole pine in the Rocky Mountains. Gen. Tech. Rep. RM-169. Fort Collins, CO: U.S. Department of Agriculture, Forest Service, Rocky Mountain Forest and Range Experiment Station. 38 p.
- Hawksworth, F.G.; Johnson, D.W. 1989b. Mistletoe control with ethephon. In: van der Kamp, B.J., comp. Proceedings 36th annual western international forest disease work conference; 1988 September 19–23; Park City, UT. Vancouver, BC: University of British Columbia, Department of Forest Sciences: 29–45.
- Hawksworth, F.G.; Johnson, D.W. 1993. Protect your trees from dwarf mistletoe. Gen. Tech. Rep. RM-225. Fort Collins, CO: U.S. Department of Agriculture, Forest Service, Rocky Mountain Forest and Range Experiment Station. 8 p.
- Hawksworth, F.G.; Lusher, A.A. 1956. Dwarf mistletoe survey and control on the Mescalero Apache Reservation, New Mexico. *Journal of Forestry*. 54:384–390.
- Hawksworth, F.G.; Marsden, M.A. 1990. Permanent plots for quantifying damage caused by western dwarf mistletoes and their spread and intensification. Res. Note RM-498. Fort Collins, CO: U.S. Department of Agriculture, Forest Service, Rocky Mountain Forest and Range Experiment Station. 6 p.
- Hawksworth, F.G.; Moir, W.H.; Janssen, J.E. 1992a. Effects of dwarf mistletoe in old-growth lodgepole pine stands at Fraser Experimental Forest, Colorado. In: Kaufmann, M.R.; Moir, W.H.; Bassett, R.L., tech. coords. Old-growth forest in the Southwest and Rocky Mountain Regions, proceedings of a workshop; 1992 March 9–13; Portal, AZ. Gen. Tech. Rep. RM-213. Fort Collins, CO: U.S. Department of Agriculture, Forest Service, Rocky Mountain Forest and Range Experiment Station: 60–65.
- Hawksworth, F.G.; Scharpf, R.F. 1978. Literature on the dwarf mistletoes: damage and control. In: Scharpf, R.F.; Parmeter, J.R., Jr., tech. coords. Proceedings of the symposium on dwarf mistletoe control through forest management; 1978 April 11–13; Berkeley, CA. Gen. Tech. Rep. PSW-31. Berkeley, CA: U.S. Department of Agriculture, Forest Service, Pacific Southwest Forest and Range Experiment Station: 178–179.
- Hawksworth, F.G.; Scharpf, R.F., tech coords. 1984. Biology of dwarf mistletoes. Gen. Tech. Rep. RM-111. Fort Collins, CO: U.S. Department of Agriculture, Forest Service, Rocky Mountain Forest and Range Experiment Station: 53–61.
- Hawksworth, F.G.; Scharpf, R.G. 1981. *Phoradendron* on conifers. Forest Insect and Disease Leaflet 164. Washington, DC: U.S. Department of Agriculture, Forest Service. 7 p.
- Hawksworth, F.G.; Scharpf, R.S.; Marosy, M. 1991. European mistletoe continues to spread in Sonoma County. *California Agriculture*. 45(6):39–40.
- Hawksworth, F.G.; Shaw, C.G., III. 1984. Damage and loss caused by dwarf mistletoes in coniferous forests of Western North America. In: Wood, R.K.S.; Jellis, G.J., eds. Plant diseases: infection, damage and loss. Oxford: Blackwell Scientific Publications. 327 p.
- Hawksworth, F.G.; Wicker, E.F.; Scharpf, R.F. 1977b. Fungal parasites of dwarf mistletoes. Gen. Tech. Rep. RM-36. Fort Collins, CO: U.S. Department of Agriculture, Forest Service, Rocky Mountain Forest and Range Experiment Station. 14 p.
- Hawksworth, F.G.; Wiens, D. 1965. *Arceuthobium* in Mexico. *Brittonia*. 17:213–238.
- Hawksworth, F.G.; Wiens, D. 1966. Observations on witches' broom formation, autoparasitism, and new hosts in *Phoradendron*. *Madroño*. 18(7):218–224.
- Hawksworth, F.G.; Wiens, D. 1972. Biology and classification of dwarf mistletoes (*Arceuthobium*). *Agric. Handb.* 401. Washington, DC: U.S. Department of Agriculture, Forest Service. 234 p.
- Hawksworth, F.G.; Wiens, D. 1977. *Arceuthobium* in Mexico: additions and range extensions. *Brittonia*. 29:411–418.
- Hawksworth, F.G.; Wiens, D. 1989. Two new species, nomenclatural changes, and range extensions in Mexican *Arceuthobium* (Viscaceae). *Phytologia*. 66:3–11.
- Hawksworth, F.G.; Wiens, D. 1993a. Viscaceae—mistletoe family. *Journal of Arizona-Nevada Academy of Science*. 27(2):241–245.
- Hawksworth, F.G.; Wiens, D. 1993b. Viscaceae, mistletoe family. In: Hickman, J.C., ed. *Jepson manual, higher plants of California*. Berkeley: University of California Press: 1092–1097.
- Hawksworth, F.G.; Wiens, D. 1996. Dwarf mistletoes: biology, pathology, and systematics. *Agric. Handb.* 709. Washington, DC: U.S. Department of Agriculture, Forest Service. 410 p. [Online]. Available: [http://www.rms.nau.edu/publications/ah\\_709/](http://www.rms.nau.edu/publications/ah_709/). [2002, May 2].
- Hawksworth, F.G.; Wiens, D.; Nickrent, D.L. 1992b. New Western North American taxa of *Arceuthobium* (Viscaceae). *Novon*. 2:204–211.
- Hawksworth, F.G.; Williams-Cipriani, J.C.; Eav, B.B.; Geils, B.G.; Johnson, R.R.; Marsden, M.A.; Beatty, J.S.; Schubert, G.D.; Robinson, D.C.E. 1995. Dwarf mistletoe impact modeling system: user's guide and reference manual. Rep. MAG-95-2. Fort Collins, CO: U.S. Department of Agriculture, Forest Service, Forest Pest Management, Methods Application Group. 120 p. [Online]. Available: [http://www.fs.fed.us/foresthealth/technology/d\\_mod/dm Ug.pdf](http://www.fs.fed.us/foresthealth/technology/d_mod/dm Ug.pdf). [2002, June 28].
- Hedwall, S.J. 2000. Bird and mammal use of dwarf mistletoe-induced witches' brooms in Douglas-fir in the Southwest. Flagstaff: Northern Arizona University. 66 p. Thesis.
- Hennon, P.E.; Beatty, J.S.; Hildebrand, D. 2001. Hemlock dwarf mistletoe. Forest Insect and Disease Leaflet 135. Washington, DC: U.S. Department of Agriculture, Forest Service. 8 p. [Online]. Available: <http://www.fs.fed.us/r6/nr/fid/fidls/hemlock-dm.pdf>. [2002, June 29].
- Hernandez Cuevas, L.V. 1991. Los muéradagos (Loranthaceae) de la region central del Estado de Tlaxcala. Publ. 4. Tizatlan, Tlaxcala: Jardin Botanico de Tizatlan. 38 p.
- Hernandez Cuevas, L.V.; Acosta P., R.; Galinado F., G.L. 1992. Los muérdago enanos (*Arceuthobium* spp.) en los bosques de pino del Volcan la Malintzi, Estados del Tlaxcala y Puebla. Bol. 15. Tizatlan, Tlaxcala, Mexico: Jardin Botanico Tizatlan. 58 p.
- Hessburg, P.F.; Mitchell, R.G.; Filip, G.M. 1994. Historical and current roles of insects and pathogens in eastern Oregon and Washington forested landscapes. Gen. Tech. Rep. PNW-GTR-327. Portland, OR: U.S. Department of Agriculture, Forest Service, Pacific Northwest Research Station. 72 p.

- Hildebrand, D.M. 1995. *Arceuthobium tsugense*—hemlock dwarf mistletoe: a species of special concern? Portland, OR: U.S. Department of Agriculture, Forest Service, Pacific Northwest Region. 54 p.
- Hildebrand, D.M.; Mathiasen, R.L.; Beatty, J.S. 1997. Mountain hemlock dwarf mistletoe (*Arceuthobium tsugense* subsp. *mertensiana*), 1995 general regional survey in Washington. Rep. R6-97-01. Portland, OR. U.S. Department of Agriculture, Forest Service, Pacific Northwest Region, Natural Resources, Forest Insects and Diseases. 5 p.
- Hinds, T.E.; Hawksworth, F.G. 1965. Seed dispersal velocity in four dwarf mistletoes. *Science*. 148:517–519.
- Hitchcock, C.; Cronquist, A.; Ownbey, M.; Thompson, J.W. 1964. Vascular plants of the Pacific Northwest. Part 2. Seattle: University of Washington Press.
- Hodge, J.; Humphreys, N.; Van Sickle, G.A. 1994. Surveys of forest health in managed stands in British Columbia, 1993. Victoria, BC: Department of Natural Resources Canada, Canadian Forestry Service, Pacific Forestry Centre.
- Holling, C.S. 1978. Adaptive environmental assessment and management. London: John Wiley & Sons.
- Holling, C.S. 1992. Cross-scale morphology, geometry, and dynamics of ecosystems. *Ecological Monographs*. 62(4):477–502.
- Holling, C.S.; Meffe, G.K. 1996. Command and control and the pathology of natural resource management. *Conservation Biology*. 10(2):328–337.
- Horst, R.K. 2002. Westcott's plant disease handbook. 6th ed. Hingham, MA: Kluwer Academic Publishers. +1000 p.
- Hreha, A.M.; Weber, D.J. 1979. Distribution of *Arceuthobium divaricatum* and *Phoradendron juniperinum* on the South Rim of Grand Canyon, Arizona. *Southwestern Naturalist*. 24(4):625–636.
- Hunt, K. 1971. A comparison of kraft pulping of sound and dwarf mistletoe-infected western hemlock wood. Inf. Rep. VP-X-78. Vancouver, BC: Canada Department of Fisheries and Forestry, Forest Products Laboratory. 7 p.
- Hunt, R.S. 1993. Abies. In: Flora of North America Editorial Committee. Flora of North America north of Mexico, Volume 2. New York: Oxford University Press: 354–362.
- Hunt, R.S.; Owens, J.N.; Smith, R.B. 1996. Penetration of western hemlock, *Tsuga heterophylla*, by the dwarf mistletoe *Arceuthobium tsugense*, and development of the parasite cortical system. *Canadian Journal of Plant Pathology*. 18:342–346.
- Hunt, R.S.; Smith, R.B. 1978. Natural infection of two new hosts by hemlock dwarf mistletoe in British Columbia. *Canadian Plant Disease Survey*. 58:31–32.
- Jensen, K. 2000. *Colletotrichum gloeosporioides* (Penz.) Penz. & Sacc. f. sp. Malvae. Fungal disease of mallow. Agriculture and Agri-Food Canada Web. [Online]. Available: <http://res2.agr.ca/lethbridge/weedbio/agents/acolglom.htm>. [2002, July 8].
- Johnson, D.W. 1992. Effects of application rate and timing of ethephon treatments on abscission of ponderosa pine dwarf mistletoe 4 years following treatment. Tech. Rep. R2-54. Lakewood, CO: U.S. Department of Agriculture, Rocky Mountain Region, Forest Pest Management. 9 p.
- Johnson, D.W. 1994. Dwarf mistletoe suppression program activity review. In: Proceedings joint western forest insect work conference and western international forest disease work conference. Albuquerque, NM: 102–107.
- Johnson, D.W. 1998. Evaluation of Hidden Lakes dwarf mistletoe pruning study, Routt National Forest, Colorado. Tech. Rep. R2-61. Lakewood, Co: U.S. Department of Agriculture, Forest Service, Rocky Mountain Region, Renewable Resources. 8 p.
- Johnson, D.W.; Hawksworth, F.G.; Drummond, D.B. 1981. Yield loss of lodgepole pine stands to dwarf mistletoe in Colorado and Wyoming National Forests. *Plant Disease*. 65:437–438.
- Johnson, D.W.; Hildebrand, D.M.; Hawksworth, F.G. 1989. Effects of application rate and timing of ethephon treatments on abscission of ponderosa pine dwarf mistletoe. Tech. Rep. R2-44. Lakewood, CO: U.S. Department of Agriculture, Forest Service, Rocky Mountain Region, Forest Insect and Disease Management. 7 p.
- Johnson, D.W.; Yarger, L.C.; Minnemeyer, C.D.; Pace, V.E. 1976. Dwarf mistletoe as a predisposing factor for mountain pine beetle attack of ponderosa pine in the Colorado Front Range. Tech. Rep. R2-4. Lakewood, CO: U.S. Department of Agriculture, Forest Service, Rocky Mountain Region, Forest Insect and Disease Management. 7 p.
- Johnson, W.F. 1977. Manager's handbook for black spruce in the North-Central States. Gen. Tech. Rep. NC-34. St. Paul, MN: U.S. Department of Agriculture, Forest Service, North Central Forest Experiment Station. 18 p.
- Julien, M.H. 1982. Biological control of weeds: a world catalogue of agents and their target weeds. Farnham Royal Slough, UK: Commonwealth Institute of Biological Control. 108 p.
- Kimmey, J.W.; Mielke, J.L. 1959. Western dwarf mistletoe on ponderosa pine. Forest Pest Leaflet 40. Washington, DC: U.S. Department of Agriculture, Forest Service. 7 p.
- Kipfmueller, K.F.; Baker, W.L. 1998. Fires and dwarf mistletoe in a Rocky Mountain lodgepole pine ecosystem. *Forest Ecology and Management*. 108:77–84.
- Knutson, D.M. 1970. Effects of dwarf mistletoe infection on ponderosa pine xylem. *Northwest Science*. 44:64.
- Knutson, D.M. 1978. Biological and chemical control of dwarf mistletoe. In: Scharpf, R.F.; Parmeter, J.R., Jr., tech. coords. Proceedings of the symposium on dwarf mistletoe control through forest management; 1978 April 11–13; Berkeley, CA. Gen. Tech. Rep. PSW-31. Berkeley, CA: U.S. Department of Agriculture, Forest Service, Pacific Southwest Forest and Range Experiment Station: 151–155.
- Knutson, D.M. 1983. Physiology of mistletoe parasitism and disease responses in the host. In: Calder, M.; Bernhardt, P., eds. The biology of mistletoes. Sydney: Academic Press: 295–316.
- Knutson, D.M.; Hutchins, A.S. 1979. *Wallrothiella arceuthobii* infecting *Arceuthobium douglasii*: culture and field inoculation. *Mycologia*. 71:821–828.
- Knutson, D.M.; Tinnin, R. 1980. Dwarf mistletoe and host tree interactions in managed forests of the Pacific Northwest. Gen. Tech. Rep. PNW-111. Portland, OR: U.S. Department of Agriculture, Forest Service, Pacific Northwest Forest and Range Experiment Station. 19 p.
- Knutson, D.M.; Tinnin, R. 1986. Effects of dwarf mistletoe on the response of young Douglas-fir to thinning. *Canadian Journal of Forest Research*. 16:30–35.
- Kolb, T. E. 2002. Ecofisiologia del parasitismo en el reino vegetal. En: Saez-Lopez, J.A.; Catalan, P.; Saez, L., eds. Plantas parasitarias de la Peninsula Iberica e Islas Baleares. Madrid: Mundi-Prensa: 57–85.



- Kope, H.H.; Shamoun, S.F. 2000. Mycoflora associates of western hemlock dwarf mistletoe plants and host swellings collected from southern Vancouver Island, British Columbia. Canadian Plant Disease Survey. 80:144–147.
- Kope, H.H.; Shamoun, S.F.; Oleskevich, C. 1997. First report of *Colletotrichum gloeosporioides* on *Arceuthobium tsugense* subsp. *tsugense* in Canada. Plant Disease. 81:1095.
- Korstian, C.F.; Long, W.H. 1922. The western yellow pine mistletoe: effect on growth and suggestions for control. Bull. 1112. Washington, DC: U.S. Department of Agriculture. 35 p.
- Kuijt, J. 1955. Dwarf mistletoes. Botanical Review. 21(10):569–626.
- Kuijt, J. 1960a. The distribution of dwarf mistletoes, *Arceuthobium*, in California. Madroño. 15:129–139.
- Kuijt, J. 1960b. Morphological aspects of parasitism in the dwarf mistletoes (*Arceuthobium*). Publ. Botany 30. Berkeley, CA: University of California: 337–436.
- Kuijt, J. 1963. Distribution of dwarf mistletoes and their fungus hyperparasites in Western Canada. National Museum of Canada Bulletin. 186:134–148.
- Kuijt, J. 1964. Critical observations on the parasitism of New World mistletoes. Canadian Journal of Botany. 42:1243–1278.
- Kuijt, J. 1967. On the structure and origin of the seedling of *Psittacanthus schiedeanus* (Loranthaceae). Canadian Journal of Botany. 45:1497–1506.
- Kuijt, J. 1968. Mutual affinities of Santalalean families. Brittonia. 20(2):136–147.
- Kuijt, J. 1969a. The biology of parasitic flowering plants. Berkeley: University of California Press. 246 p.
- Kuijt, J. 1969b. Observations on *Wallrothiella arceuthobii*, a fungus parasite of dwarf mistletoes. Canadian Journal of Botany. 47:1359–1365.
- Kuijt, J. 1970. Seedling establishment in *Psittacanthus* (Loranthaceae). Canadian Journal of Botany. 48(4):705–711.
- Kuijt, J. 1975a. The genus *Cladocolea* (Loranthaceae). Journal Arnold Arboretum. 56(3):265–335.
- Kuijt, J. 1975b. The identity of *Struthanthus haenkei* (*Spirostylis haenkei*) (Loranthaceae). Canadian Journal of Botany. 53:249–255.
- Kuijt, J. 1983. Status of the genera *Aetanthus* and *Psathyranthus* (Loranthaceae). Candollea. 38:661–672.
- Kuijt, J. 1987. Novelties in Mesoamerican mistletoes (Loranthaceae and Viscaceae). Annuals Missouri Botanical Garden. 74:511–532.
- Kuijt, J. 1988. Monograph of the Eremolepidaceae. Systematic Botanical Monographs. 18.
- Kuijt, J. 1996. Cataphylls and taxonomy in *Phoradendron* and *Dendrophthora* (Viscaceae). Acta Bot. Neerl. 45:263–277.
- Lamont, B. 1983. Germination of mistletoes. In: Calder, M.; Bernhardt, P., eds. The biology of mistletoes. Sydney: Academic Press: 129–143.
- Lei, S.A. 1997. Host-parasite relationship between Utah juniper and juniper mistletoe in the Spring Mountains of southern Nevada. In: Monsen, S.B.; Stevens, R., comps. Proceedings, ecology and management of pinyon-juniper communities within the Interior West; 1997 September 15–18; Provo, UT. RMRS-P-9. Fort Collins, CO: U.S. Department of Agriculture, Forest Service, Rocky Mountain Research Station: 99–104.
- Lichter, J.M.; Reid, M.S.; Berry, A.M. 1991. New methods for control of leafy mistletoe (*Phoradendron* spp.) on landscape trees. Journal of Arboriculture. 17(5):127–130.
- Lightle, P.C.; Hawksworth, F.G. 1973. Control of dwarf mistletoe in a heavily used ponderosa pine recreation forest: Grand Canyon, Arizona. Res. Pap. RM-106. Fort Collins, CO: U.S. Department of Agriculture, Forest Service, Rocky Mountain Forest and Range Experiment Station. 22 p.
- Lightle, P.C.; Weiss, M.J. 1974. Dwarf mistletoe of ponderosa pine in the Southwest. Forest Insect and Disease Leaflet 19. [revised 1998]. Washington, DC: U.S. Department of Agriculture, Forest Service. 7 p. [Online]. Available: <http://www.fs.fed.us/r6/nr/fid/fidl/fidl19.htm>. [2002, June 29].
- Linhart, Y.B.; Synder, M.A.; Gibson, P.J. 1994. Differential host utilization by two parasites in a population of ponderosa pine. Oecologia. 98:117–120.
- Linnane, J.P. 1987. Fort Bayard National Cemetery. File Rep. 3420, December 7, 1987. Albuquerque, NM: U.S. Department of Agriculture, Forest Service, Southwestern Region. 2 p.
- Livingston, W.H.; Blanchette, R.A.; Brenner, M.L.; Zuzek, K.J. 1985. Effective use of ethylene-releasing agents to prevent spread of eastern dwarf mistletoe on black spruce. Canadian Journal of Forest Research. 15:872–876.
- Livingston, W.H.; Brenner, M.L. 1983. Ethephon stimulates abscission of eastern dwarf mistletoe aerial shoots on black spruce. Plant Disease. 67:909–910.
- Livingston, W.H.; Brenner, M.L.; Blanchette, R.A. 1984. Altered concentrations of abscisic acid, indole-3-acetic acid, and zeatin riboside associated with eastern dwarf mistletoe infections on black spruce. In: Hawksworth, F.G.; Scharpf, R.F., tech coords. Biology of dwarf mistletoes. Proceedings of the symposium; 1984 August 8; Fort Collins, CO. Gen. Tech. Rep. RM-111. Fort Collins, CO: U.S. Department of Agriculture, Forest Service, Rocky Mountain Forest and Range Experiment Station: 53–61.
- Lopez De Buen, L.; Ornelas, J.F. 1999. Frugivorous birds, host selection and the mistletoe *Psittacanthus schiedeanus*, in central Veracruz, Mexico. Journal Tropical Ecology. 15:329–340.
- Madgiral Sanchez, X. 1967. Contribucion al conocimiento del la ecologia del los bosques de oyamel (*Abies religiosa*) en el Valle de Mexico. Bol. Tech. 18. Instituto Nacional de Investigaciones Forestales. 94 p.
- Maffei, H. 1984. Control of dwarf mistletoe at the Grand Canyon: results after a third of a century. In: Hunt, R.S., comp. Proceedings 32nd annual western international forest disease work conference; 1984 September 25–28; Taos, NM: 59–60.
- Maffei, H. 1992. Pruning guidelines for dwarf mistletoe infected ponderosa pine. Bend, OR: U.S. Department of Agriculture, Forest Service, Pacific Northwest Region, Deschutes National Forest. 13 p.
- Maffei, H. 2002. A methodology for modeling the spatial and temporal effects of vegetation management alternatives on late successional habitat in the Pacific Northwest. In: Crookston, Nicholas L.; Havis, Richard N., comps. Second Forest Vegetation Simulator (FVS) conference; 2002 February 12–14; Fort Collins, CO. Proc. RMRS-P-25. Ogden, UT: U.S. Department of Agriculture, Forest Service, Rocky Mountain Research Station.
- Maffei, H.; Arena, J.V. 1993. Forest insect and disease risk and occurrence maps in GIS: application to integrated resource analysis. In: Liebhold, A.M.; Barrett, H.R., eds. Proceedings; spatial analysis and forest pest management; 1992 April 27–30; Mountain Lakes, VA. Gen. Tech. Rep. NE-175. Radnor, PA: U.S. Department of Agriculture, Forest Service, Northeastern Forest Experiment Station: 8–14.

- Maffei, H.; Beatty, J. 1988. Changes in the incidence of dwarf mistletoes over 30 years in the Southwest. In: van der Kamp, B.J., comp. Proceedings 36th annual western international forest disease work conference; 1988 September 19–23; Park City, UT. Vancouver, BC: University of British Columbia, Department of Forest Science: 88–90.
- Maffei, H.; Stone, J.; David, L.; Gregg, T.; Adams, J.; Geils, B. 1999. Development of the understory enhancement for the dwarf mistletoe spread and intensification model. In: Trummer, L., comp. Proceedings 46th western international forest disease work conference; 1998 September 28–October 2; Reno, NV. Anchorage, AK: U.S. Department of Agriculture, Forest Service, State and Private Forestry: 37–46.
- Magasi, L.P. 1984. Forest conditions in the Maritimes in 1983. Inf. Rep. M-X-19. Canadian Forest Service, Maritimes Forest Research Centre. 49 p.
- Makowski, R.M.D.; Mortensen, K. 1992. The first mycoherbicide in Canada: *Colletotrichum gloeosporioides* f. sp. *malvae* for round-leaved mallow. In: Delfosse, E.S.; Scott, R.R., eds. Proceedings of the first international weed control congress; Melbourne, Australia: 298–300.
- Mantiri, F.; Samuels, G.J.; Rahe, J.E.; Honda, B. 2001. Phylogenetic relationships in *Neonectria* species having *Cylindrocarpon* anamorphs inferred from mitochondrial ribosomal DNA sequences. Canadian Journal of Botany. 79:334–340.
- Mark, W.R.; Hawksworth, F.G. 1974. How important are bole infections in spread of ponderosa pine dwarf mistletoe? Journal of Forestry. 72:146–147.
- Mark, W.R.; Hawksworth, F.G.; Oshima, N. 1976. Resin disease: a new disease of lodgepole pine dwarf mistletoe. Canadian Journal of Forest Research. 6:415–424.
- Marler, M.; Pedersen, D.; Michell-Olds, T.; Callaway, R.M. 1999. A polymerase chain reaction method for detecting dwarf mistletoe infection in Douglas-fir and western larch. Canadian Journal of Forest Research. 29:1317–1321.
- Marsden, M.A.; Filip, G.M.; Hessburg, P.F. 1990. Using the forest timber inventory for sampling the occurrence of pests on interior Douglas-fir. In: Baumgartner, D.M.; Lotan, J.E., comp. Interior Douglas-fir: the species and its management; 1990 February 27–March 1; Spokane, WA. Pullman, WA: Washington State University, Cooperative Extension: 109–113.
- Marsden, M.A.; Shaw, C.G., III; Morrison, M. 1993. Simulation of management options for stands of southwestern ponderosa pine attacked by Armillaria root disease and dwarf mistletoe. Res. Pap. RM-308. Fort Collins, CO: U.S. Department of Agriculture, Forest Service, Rocky Mountain Forest and Range Experiment Station. 5 p.
- Marshall, J.D.; Dawson, T.E.; Ehleringer, J.R. 1993. Gender-related differences in gas exchange are not related to host quality in the xylem-tapping mistletoe *Phoradendron juniperinum* (Viscaceae). American Journal of Botany. 80(6):641–645.
- Marshall, J.D.; Ehleringer, J.R. 1990. Are xylem-tapping mistletoes partially heterotrophic? Oecologia. 84:244–248.
- Marshall, J.G.; Dawson, T.E.; Ehleringer, J.R. 1994. Integrated nitrogen, carbon, and water relations of a xylem-tapping mistletoe following nitrogen fertilization of the host. Oecologia. 100:430–438.
- Marshall, K. 1996. Management implications of maintaining Douglas-fir dwarf mistletoe brooms for wildlife use. In: Beatty, J.S., comp. Proceedings 44th western international forest disease work conference; 1996 September 16–20; Hood River, OR. Sandy, OR: U.S. Department of Agriculture, Forest Service, Westside Forest Insects and Diseases Technical Center: 72–74.
- Marshall, K.; Filip, G.M. 1999. The relationship of Douglas-fir dwarf mistletoe (*Arceuthobium douglasii*) to stand conditions and plant associations in the Southern Cascade Mountains, Oregon. Northwest Science. 73(4):301–311.
- Marshall, K.; Mamone, M.S.; Barclay, R.B. 2000. A survey of northern spotted owl nests in Douglas-fir dwarf mistletoe brooms in the Siskiyou Zone, Rouge River National Forest and Ashland Resource Area, Medford District, Bureau of Land Management. Rep. SWOFIDSC-00-3. U.S. Department of Agriculture, Forest Service, Southwest Oregon Forest Insect and Disease Service Center. 12 p.
- Martínez, M. 1948. Los Pinos Mexicanos. 2d ed. México. 361 p.
- Martínez Gonzáles, F. 1983. Las plagas forestales en México. En: Primeras Jornadas Forestales Hispano-Mexicanas. Publicación Especial 41. México DF: Secretaría de Agricultura y Recursos Hidráulicos, Instituto Nacional de Investigaciones Forestales: 123–128.
- Mathiasen, R.L. 1978. Seed germination and infection techniques for three southwestern dwarf mistletoes. Plant Disease Reporter. 62:64–67.
- Mathiasen, R.L. 1982. Taxonomic studies of dwarf mistletoes (*Arceuthobium* spp.) parasitizing *Pinus strobiformis*. Great Basin Naturalist. 42:120–127.
- Mathiasen, R.L. 1984. Improving assessment of dwarf mistletoe infection in southwestern ponderosa pine stands. Arizona Forestry Notes 21. Flagstaff: Northern Arizona University, School of Forestry. 7 p.
- Mathiasen, R.L. 1989. Management of dwarf mistletoe using uneven-aged cutting methods. In: Proceedings 9th intermountain regional silviculture workshop; 1989 September 18–21; Jackson Hole, WY. Ogden UT: U.S. Department of Agriculture, Forest Service, Intermountain Region: 186–194.
- Mathiasen, R.L. 1994. Natural infection of new hosts by hemlock dwarf mistletoe. Res. Note RM-RN-530. Fort Collins, CO: U.S. Department of Agriculture, Forest Service, Rocky Mountain Forest and Range Experiment Station. 6 p.
- Mathiasen, R.L. 1996. Dwarf mistletoes in forest canopies. Northwest Science. 70:61–71.
- Mathiasen, R.L. 1998a. Comparative susceptibility of conifers to larch dwarf mistletoe in the Pacific Northwest. Forest Science. 44(4):559–568.
- Mathiasen, R.L. 1998b. Infection of young western larch by larch dwarf mistletoe in northern Idaho and western Montana. Western Journal of Applied Forestry. 13(2):41–46.
- Mathiasen, R.L. 1999. Comparative susceptibility of subalpine firs to Douglas-fir dwarf mistletoe. Canadian Journal of Plant Pathology. 21:45–51.
- Mathiasen, R.L.; Beatty, J.S.; Hildebrand, D.M. 1995a. First report of larch dwarf mistletoe on Pacific silver fir and on mountain hemlock in the Cascade Mountains, Washington. Plant Disease. 79:1249.
- Mathiasen, R.L.; Beatty, J.S.; Hildebrand, D.M. 1996a. First report of lodgepole pine dwarf mistletoe on subalpine fir. Plant Disease. 80:342.
- Mathiasen, R.L.; Beatty, J.S.; Melgar, J. 2000a. First report of *Arceuthobium hondurensis* on *Pinus tecunumanii*. Plant Disease. 84(3):372–373.
- Mathiasen, R.L.; Beatty, J.S.; Pronos, J. 2002a. Pinyon pine dwarf mistletoe. Forest Insect and Disease Leaflet 174. Washington, DC: U.S. Department of Agriculture, Forest Service. 7 p.

- Mathiasen, R.L.; Daugherty, C.M. 2001. Susceptibility of foxtail pine and western white pine to limber pine dwarf mistletoe in northern California. *Western Journal of Applied Forestry*. 16(2):58–60.
- Mathiasen, R.L.; Geils, B.W.; Carlson, C.E.; Hawksworth, F.G. 1995b. Larch dwarf mistletoe not found on alpine larch. Res. Note. RM-RN-533. Fort Collins, CO: U.S. Department of Agriculture, Forest Service, Rocky Mountain Forest and Range Experiment Station. 4 p.
- Mathiasen, R.L.; Hawksworth, F.G. 1988. Dwarf mistletoes on western white pine and whitebark pine in northern California and southern Oregon. *Forest Science*. 34:429–440.
- Mathiasen, R.L.; Hawksworth, F.G.; Edminster, C.B. 1990. Effects of dwarf mistletoe on growth and mortality of Douglas-fir in the Southwest. *Great Basin Naturalist*. 50:173–179.
- Mathiasen, R.L.; Hoffman, J.T.; Guyon, J.C.; Wadleigh, L.L. 1996b. Comparison of two roadside survey procedures for dwarf mistletoes on the Sawtooth National Forest, Idaho. *Great Basin Naturalist*. 56:129–134.
- Mathiasen, R.L.; Howell, B. 2002. First report of *Arceuthobium hawksworthii* in Honduras. *Plant Disease*. 2002(7):815.
- Mathiasen, R.L.; Marshall, K. 1999. Dwarf mistletoe diversity in the Siskiyou–Klamath Mountain Region. *Natural Areas Journal*. 19:379–385.
- Mathiasen, R.L.; Melgar, J.; Beatty, J.; Parks, C. 2000b. First report of *Psittacanthus angustifolius* on *Pinus oocarpa* and *Pinus maximinoi*. *Plant Disease*. 84(2):203.
- Mathiasen, R.L.; Nickrent, D.; Daugherty, C. 2002b. First report of *Arceuthobium hondurensis* in Oaxaca, Mexico. *Plant Disease*. 86:72.
- Mathiasen, R.L.; Nickrent, D.; Parks, C.; Beatty, J.; Sesnie, S. 2001. First report of *Arceuthobium hondurensis* in Mexico. *Plant Disease*. 85:444.
- Mathiasen, R.L.; Parks, C.; Beatty, J.; Sesnie, S. 2000c. First report of *Psittacanthus angustifolius* on pines in Mexico and Guatemala. *Plant Disease*. 84:808.
- Mathiasen, R.L.; Parks, C.G.; Geils, B.W.; Beatty, J.S. 1998. Notes on the distribution, host range, plant size, phenology, and sex ratio of two rare dwarf mistletoes from Central America: *Arceuthobium hawksworthii* and *A. hondurensis*. *Phytologia*. 84(2):154–164.
- Mathiasen, R.L.; Shaw, D.C. 1998. Adult sex ratio of *Arceuthobium tsugense* in six severely infected *Tsuga heterophylla*. *Madroño*. 45(3):210–214.
- McCambridge, W.F.; Hawksworth, F.G.; Edminster, C.B.; Laut, J.G. 1982. Ponderosa pine mortality resulting from a mountain pine beetle outbreak. Res. Pap. RM-235. Fort Collins, CO: U.S. Department of Agriculture, Forest Service, Rocky Mountain Forest and Range Experiment Station. 7 p.
- McGregor, M.D. 1978. Management of mountain pine beetle in lodgepole pine stands in the Rocky Mountain area. In: theory and practice of mountain pine beetle management in lodgepole pine forests, proceedings of the symposium; 1978 April 25–27; Pullman, WA. Moscow, ID: University of Idaho Press: 129–139.
- McHenry, D.E. 1934. Does mistletoe kill trees at Grand Canyon. *Grand Canyon Nature Notes*. 9:305–309.
- McMinn, H.E. 1939. Loranthaceae, mistletoe family, 1. *Phoradendron*. In: An illustrated manual of California shrubs. J.W. Stacey, Inc.: 89–92.
- Meinecke, E.P. 1912. Parasitism of *Phoradendron juniperinum libocedri* Engelm. Reprinted from: Proceedings of the Society of American Foresters. Vol. VII, No. 1. 1912 March. Washington, DC: Judd & Dettweiler, Inc.: 35–41.
- Melgar, J.; Berrios, M.; Mathiasen, R.; Howell, B. 2001. First report of *Psittacanthus angustifolius* on *Psidium guineense* and *Pinus tecunumanii* in Honduras. *Plant Disease*. 85:1120.
- Melgar, J.; Mathiasen, R.; Howell, B. 2001. First report of *Arceuthobium globosum* subsp. *grandicaule* in Honduras. *Plant Disease*. 85:563.
- Merrill, L.M.; Byler, J.W.; Corse, T.; Reedy, T.; Hall, L.D. 1988. An evaluation of the effectiveness of dwarf mistletoe suppression in uneven-aged stands on the Flathead Indian Reservation. *Forest Pest Management Rep.* 89-6. Missoula, MT: U.S. Department of Agriculture, Forest Service, Northern Region. 9 p.
- Merrill, L.M.; Hawksworth, F.G.; Johnson, D.W. 1985. Evaluation of a roadside survey procedure for dwarf mistletoe on ponderosa pine in Colorado. *Plant Disease*. 69:572–573.
- Mielke, J.L. 1959. Infection experiments with *Septogloeum gillii*, a fungus parasitic on dwarf mistletoe. *Journal of Forestry*. 57:925–926.
- Missouri Botanical Garden. 2002. VAST nomenclatural database (revision 1.5). [Homepage of Missouri Botanical Garden]. [Online]. Available: <http://mobot.mobot.org/W3T/Search/vast.html> [2002, May 2].
- Mistletoe Center. 2002. [Homepage of The Mistletoe Center, Rocky Mountain Research Station, Forest Service, U.S. Department of Agriculture]. [Online]. Available: <http://www.rms.nau.edu/mistletoe>. [2002, July 2].
- Monning, E.; Byler, J. 1992. Forest health and ecological integrity in the Northern Rockies. Rep. 92-7. Missoula, MT: U.S. Department of Agriculture, Forest Service, Northern Region, Forest Pest Management. 19 p.
- Moody, B.H., comp. 1992. Forest insect and disease conditions in Canada, 1989. Ottawa, ON: Forestry Canada, Forest Insect and Disease Survey. 117 p.
- Moody, B.H.; Amirault, P.A. 1992. Impacts of major pests on forest growth and yield in the Prairie Provinces and Northwest Territories: a literature review. Inf. Rep. NOR-X-324. Edmonton, AB: Forestry Canada, Northern Forestry Centre. 35 p.
- Moore, M. 1979. Mistletoe. In: Medicinal plants of the Mountain West. Santa Fe: Museum of New Mexico Press. 107–109.
- Morris, M.J.; Wood, A.R.; Den Breeyen, A.D. 1998. Development and registration of a fungal inoculant to prevent regrowth of cut wattle tree stumps in South Africa, and brief overview of other bioherbicide projects currently in progress. In: Main, D.S.; Burge, M.N., eds. IV international bioherbicides workshop, programme and abstracts; 1998 August 6–7; University of Strathclyde, Glasgow, Scotland: 15.
- Mortenson, K. 1998. Biological control of weeds using microorganisms. In: Boland, G.J.; Kuykendall, L.D., eds. Plant-microbe interactions and biological control. New York: Marcel Dekker Inc.: 223–248.
- Muir, J.A. 1967. Occurrence of *Colletotrichum gloeosporioides* on dwarf mistletoe (*Arceuthobium americanum*) in Western Canada. *Plant Disease Reporter*. 51:789–799.
- Muir, J.A. 1970. Dwarf mistletoe spread in young lodgepole pine stands in relation to density of infection sources. *Biomon. Res. Notes*. 26:49. Canada Department of Fisheries and Forests.

- Muir, J.A. 1973. *Cylindrocarpon gillii*, a new combination for *Septogloeum gillii* on dwarf mistletoe. Canadian Journal of Botany. 51:1997–1998.
- Muir, J.A. 1977. Effects of the fungal hyperparasite *Colletotrichum gloeosporioides* of dwarf mistletoe (*Arceuthobium americanum*) on young lodgepole pine. Canadian Journal of Forest Research. 7:579–583.
- Muir, J.A. 1989. European leafy mistletoe. In: Pest Management Progress 8. Victoria BC: British Columbia Ministry of Forests and Lands.
- Muir, J.A. 2002. Survey of dwarf mistletoe (*Arceuthobium americanum* Nutt. ex Engelm.). Canadian Plant Disease Survey 82: 133–135. [Online]. Available: <http://res2.agr.gc.ca/london/pmrc/english/report/disease2002.html>. [2002, August 2].
- Muir, J.A., ed. 1993. Proceedings of a workshop on management of hemlock dwarf mistletoe. BC Pest Management Rep. 4. Victoria, BC: British Columbia Ministry of Forests. 58 p.
- Muir, J.A.; Robins, J.K. 1973. Detection of dwarf mistletoe of jack pine on aerial photographs. Plant Disease Reporter. 57:951–954.
- Munns, E.N. 1919. Effect of fertilization on the seed of Jeffrey pine. Plant World. 22:138–144.
- Muraro, S. J. 1978. Prescribed fire—a tool for the control of dwarf mistletoe in lodgepole pine. In: Scharpf, R.F.; Parmeter, J.R., Jr., tech. coords. Proceedings of the symposium on dwarf mistletoe control through forest management; 1978 April 11–13; Berkeley, CA. Gen. Tech. Rep. PSW-31. Berkeley, CA: U.S. Department of Agriculture, Forest Service, Pacific Southwest Forest and Range Experiment Station: 124–127.
- Mushtaque, M.; Baloch, G.M. 1979. Possibilities of biological control of mistletoes, *Loranthus* spp., using oligophagous insects from Pakistan. Entomophaga. 24:73–81.
- Myers, C.A.; Hawksworth, F.G.; Stewart, J.L. 1971. Simulating yields of managed, dwarf-mistletoe-infected lodgepole pine stands. Res. Pap. RM-72. Fort Collins, CO: U.S. Department of Agriculture, Forest Service, Rocky Mountain Forest and Range Experiment Station. 15 p.
- Myren, D.T.; Gross, H.L. 1977. Distribution of organisms causing important forest tree diseases in Ontario based on collections recorded by the Forest Insect and Disease Survey Unit. Rep. O-X-262. Sault Ste. Marie, ON: Department of Fisheries and the Environment, Canadian Forestry Service, Great Lakes Forestry Research Centre. 136 p.
- North American Forestry Commission (NAFC). 2002. [Homepage of the North American Forestry Commission]. [Online]. Available: <http://www.fs.fed.us/global/nafc/welcome.html>. [2002, July 2].
- Najera Martinez, F.; Gonzales Gandarilla, J.F.; Cibrian Tovar, J. 1987. Los muérdago enanos en el Estado de Durango en Mexico. En: IV simposio nacional sobre parasitología forestal y IV reunion sobre enfermedades forestales; 1987 Octubre 28–30; Durango, Dgo. Instituto Nacional de Investigaciones Forestales y Agropecuarias: 592–603.
- Nebeker, T.E.; Schmitz, R.F.; Tisdale, R.A.; Hobson, K.R. 1995. Chemical and nutritional status of dwarf mistletoe, Armillaria root rot, and comandra blister rust infected trees which may influence tree susceptibility to bark beetle attack. Canadian Journal Botany. 73:360–369.
- Nevill, R.J.; Wood, C. 1995. Hemlock dwarf mistletoe and decay organisms associated with western hemlock and amabilis fir at the Montane Alternative Silvicultural Systems (MASS) research site in British Columbia. In: Arnott, J.T.; Besse, W.J.; Mitchell, A.K.; Peterson, J., eds. Montane Alternative Silvicultural Systems (MASS), proceedings of a workshop; 1995 June 7–8; Courtenay, BC. FRDA Rep. 238. BC: Canada-BC Partnership Agreement of Forest Research Development. 122 p.
- Nicholls, T.H.; Egeland, L.; Hawksworth, F.G.; Johnson, D.W.; 1987a. Control of dwarf mistletoe with ethephon. In: Cooley, S.J., comp. Proceedings 34th annual western international forest disease work conference; 1986 September 8–12; Juneau, AK. Portland, OR: U.S. Department of Agriculture, Forest Service, Forest Pest Management: 78–85.
- Nicholls, T.H.; Egeland, L.; Hawksworth, F.G.; Johnson, D.W.; Robbins, M.K. 1987b. Control of dwarf mistletoe with a plant growth regulator. In: Proceedings of a technical conference on management of subalpine forests: building on 50 years of research; 1987 July 6–9; Silver Creek, CO. Gen. Tech. Rep. RM-149. Fort Collins, CO: U.S. Department of Agriculture, Forest Service, Rocky Mountain Forest and Range Experiment Station: 154–156.
- Nicholls, T.H.; Hawksworth, F.G.; Merrill, L.M. 1984. Animal vectors of dwarf mistletoe, with special reference to *Arceuthobium americanum* on lodgepole pine. In: Hawksworth, F.G.; Scharpf, R.F., tech. coords. Biology of dwarf mistletoes: proceedings of the symposium; 1984 August 8; Fort Collins, CO. Gen. Tech. Rep. RM-111. Fort Collins, CO: U.S. Department of Agriculture, Forest Service, Rocky Mountain Forest and Range Experiment Station: 102–110.
- Nickrent, D.L. 2002. [June 8, last update]. Parasitic plant connection. [Homepage of D. L. Nickrent, Department of Plant Biology, Southern Illinois University at Carbondale]. [Online]. Available: <http://www.science.siu.edu/parastic-plant/index.html>. [2002, July 5].
- Ostry, M.E.; Nicholls, T.H. 1979. Eastern dwarf mistletoe on black spruce. Forest Insect and Disease Leaflet 158. Washington, DC: U.S. Department of Agriculture, Forest Service. 7 p.
- Page, J.M. 1981. Drought accelerated parasitism of conifers in the mountain ranges of northern California, USA. Environmental Conservation. 8:217–226.
- Parker, A.J.; Parker, K.C. 1994. Structural variability of mature lodgepole pine stands on gently sloping terrain in Taylor Park Basin, Colorado. Canadian Journal of Forest Research. 24:2020–2029.
- Parker, A.K. 1970. Growth of *Wallrothiella arceuthobii* on artificial media. Canadian Journal of Botany. 48:837–838.
- Parker, T.J. 2001. Bird communities in dwarf mistletoe infested ponderosa pine forests. Flagstaff, AZ: Northern Arizona University. 90 p. Thesis.
- Parks, C.; Bull, E.; Tinnin, R.O.; Shepherd, J.F.; Blumton, A.K. 1999a. Wildlife use of dwarf mistletoe brooms in Douglas-fir in northeast Oregon. Western Journal of Applied Forestry. 14:100–105.
- Parks, C.; Conklin, D.A.; Bednar, L.; Maffei, H. 1999b. Woodpecker use and fall rates of snags created by killing ponderosa pine infected with dwarf mistletoe. Res. Pap. PNW-RP-515. Portland, OR: U.S. Department of Agriculture, Forest Service, Pacific Northwest Research Station. 11 p.

- Parks, C.; Hoffman, J.T. 1991. Control of western dwarf mistletoe with the plant-growth regulator ethephon. Res. Note PNW-RN-506. Portland, OR: U.S. Department of Agriculture, Forest Service, Pacific Northwest Forest and Range Experiment Station. 4 p.
- Parks, C.G.; Bull, E.L. 1997. American martin use of rust and dwarf mistletoe brooms in northeastern Oregon. *Western Journal of Applied Forestry*. 12(4):131-133.
- Parmeter, J.R., Jr. 1978. Forest stand dynamics and ecological factors in relation to dwarf mistletoe spread, impact, and control. In: Scharpf, R.F.; Parmeter, J.R., Jr., tech. coords. Proceedings of the symposium on dwarf mistletoe control through forest management; 1978 April 11-13; Berkeley, CA. Gen. Tech. Rep. PSW-31. Berkeley, CA: U.S. Department of Agriculture, Forest Service, Pacific Southwest Forest and Range Experiment Station: 16-30.
- Parmeter, J.R., Jr.; Hood, J.R.; Scharpf, R.F. 1959. *Colletotrichum* blight of dwarf mistletoe. *Phytopathology*. 49:812-815.
- Parmeter, J.R., Jr.; Scharpf, R.F. 1963. Dwarf mistletoe or red fir and white fir in California. *Journal of Forestry*. 61:371-374.
- Parmeter, J.R., Jr.; Scharpf, R.F. 1982. Stem infection by dwarf mistletoe in California true firs. Res. Pap. PSW-165. Berkeley, CA: U.S. Department of Agriculture, Forest Service, Pacific Southwest Forest and Range Experiment Station. 7 p.
- Pearson, G.A. 1912. The influence of age and condition of the tree upon seed production in western yellow pine. Circ. 196. Washington, DC: U.S. Department of Agriculture, Forest Service. 11 p.
- Perry, J.P., Jr. 1991. The Pines of Mexico and Central America. Portland, OR: Timber Press. 231 p.
- Piirto, D.D.; Crews, D.L.; Troxell, H.E. 1974. The effects of dwarf mistletoe on the wood properties of lodgepole pine. *Wood and Fiber*. 6:26-35.
- Plant Names Project. 1999. [Homepage of International Plant Names Index]. [Online]. Available: <http://www.ipni.org>. [2002, May 1].
- Pousette, J. 1991. Impact of dwarf mistletoe on growth in lodgepole pine forests. Internal Rep. PM-PB-60. Victoria, BC: British Columbia Ministry of Forests. 12 p.
- Power, J.M.; D'Eon, S.P. 1991. Quantifying pest-caused forest depletion using geographic information systems and database technologies. Inf. Rep PI-X-105. Petawawa, ON: Forestry Canada, Petawawa National Forestry Institute. 17 p.
- Pronos, J. 1995. Can dwarf mistletoe be eliminated from recreation areas? In: Proceedings 43rd western international forest disease work conference; Whitefish, MT: 88-92.
- Quick, C.R. 1963. Chemical control. Unit IX. Leafy mistletoes (*Phoradendron* spp.). In: Proceedings 10th western international forest disease work conference; 1962 October 15-19; Victoria, Alberta (sic): 97-98.
- Quick, C.R. 1964. Experimental herbicide control of dwarf mistletoe on some California conifers. Res. Note PSW-47. Berkeley, CA: U.S. Department of Agriculture, Forest Service, Pacific Southwest Forest and Range Experiment Station. 9 p.
- Ramsfield, T.D. 2002. Investigations into a biological control strategy for lodgepole pine dwarf mistletoe. Vancouver, BC: University of British Columbia, Graduate Studies, Department of Forest Sciences. 185 p. Ph.D. Thesis.
- Ramsfield, T.D.; Shamoun, S.F.; van der Kamp, B.J. 1999. Fungal parasites of lodgepole pine dwarf mistletoe in British Columbia. *Canadian Journal of Plant Pathology*. 21:204.
- Reich, R.M.; Lundquist, J.; Bravo, V.A. 2000. Spatial relationship of resident and migratory birds and canopy openings in disease ponderosa pine forests. *Environmental Modeling and Software*. 15:189-197.
- Reich, R.M.; Mielke, P.W.; Hawksworth, F.G. 1991. Spatial analysis of ponderosa pine trees infected with dwarf mistletoe. *Canadian Journal of Forest Research*. 21:1808-1815.
- Reid, N.; Florentino Caldera, H.; Marmolejo M., J.G. 1987. Intensidad de infeccion de cuatro especies de muérdago enano *Arceuthobium* en El Cerro El Potosi, Nuevo Leon. En: IV simposio nacional sobre parasitología forestal y IV reunion sobre y enfermedades forestales; 1987 Octubre 28-30; Durango, Dgo. Instituto Nacional de Investigaciones Forestales y Agropecuarias: 613-624.
- Reid, N.; Standford Smith, M.; Yan, Z. 1995. Ecology and population biology of mistletoes. In: Lowman, M.D.; Nadcarni, N.M., eds. Forest canopies. San Diego, CA: Academic Press: 285-310.
- Reid, N.; Yan, Z. 2000. Mistletoes and other phanerogams parasitic on eucalypts. In: Keane, P.J.; Kile, G.A.; Podger, F.D.; Brown, B.N., eds. Diseases and oathogens of eucalypts: 353-383.
- Reséndiz Reséndiz, J.; Martínez Hernández, J.F.; Carbajal Vera, I.J. 1989. Contribucion al conocimiento de la distribucion geografica, altitudinal y hospederos del muérdago verdadero *Psittacanthus* sp. En: V simposio sobre parasitología forestal; 1989 Octubre 4-6; Juarez, Chihuahua. México, DF: Sociedad Mexicana de Entomología, AC: 46.
- Rey, L.; Sadik, A.; Fer, A.; Renaudin, S. 1991. Trophic relations of the dwarf mistletoe *Arceuthobium oxycedri* with its host *Juniperus oxycedrus*. *Journal of Plant Physiology*. 138:411-416.
- Rey, L.; Sadik, A.; Fer, A.; Renaudin, S. 1992. Etude de quelques aspects du metabolisme carbone et azote chez l'*Arceuthobium oxycedri*, gui nain du genevrier. *Canadian Journal of Botany*. 70:1709-1216.
- Reynolds, R.T.; [and others]. 1992. Management recommendations for the northern goshawk in the Southwestern United States. Gen. Tech. Rep. RM-217. Fort Collins, CO: U.S. Department of Agriculture, Forest Service, Rocky Mountain Forest and Range Experiment Station. 90 p.
- Richardson, K.S.; van der Kamp, B.J. 1972. The rate of upward advance and intensification of dwarf mistletoe on immature western hemlock. *Canadian Journal of Forest Research*. 2:313-316.
- Ridings, W.H. 1986. Biological control of stranglervine in citrus, a researcher's view. *Weed Science*. Supplement 1: 31-32.
- Ringnes, D.B.; Stover, P.; Scharpf, R.F. 1996. Dwarf mistletoe resistance in ponderosa pine: selection and testing protocols. In: Moreno, M.T.; Cubero, J.I.; Berner, D.; Musselman, L.J.; Parker, C., eds. Advances in parasitic plant research. Proceedings 6th parasitic weed symposium. Cordoba, Spain: Junta de Andalucía, Consejería de Agricultura y Pesca: 690-696.
- Robbins, K.; Johnson, D.W.; Hawksworth, F.G.; Nicholls, T.H. 1989. Aerial application of ethephon is ineffective in controlling lodgepole pine dwarf mistletoe. *Western Journal of Applied Forestry*. 4:27-28.
- Robins, J.K. 1972. Dwarf mistletoe aerial surveying method: results of preliminary trials in the Athabasca Forest. Misc. Rep. NOR-Y-10. Edmonton, AB: Department of the Environment, Canadian Forest Service, Northern Forest Research Center. 6 p.

- Robinson, D.C.E.; Geils, B.W.; Muir, J. 2002. A spatial statistical model for the spread of dwarf mistletoe within and between stands. In: Crookston, Nicholas L.; Havis, Richard N., comps. Second Forest Vegetation Simulator (FVS) conference; 2002 February 12–14; Fort Collins, CO. Proc. RMRS-P-25. Ogden, UT: U.S. Department of Agriculture, Forest Service, Rocky Mountain Research Station. [Presentation online]. Available: [http://www.essa.com/downloads/FVS\\_2002\\_DMSummary.pdf](http://www.essa.com/downloads/FVS_2002_DMSummary.pdf). [2002, September 5].
- Rodriguez Angeles, A. 1983. Muérdago enano sobre *Abies*, *Pinus* y *Pseudotsugae* de Mexico. *Ciencia Forestal*. 8(45):7–45.
- Roeser, J. 1926. The importance of seed source and the possibilities of forest tree breeding. *Journal of Forestry*. 24:38–51.
- Rolston, H., III. 1994. Conserving natural value. New York: Columbia University Press. 259 p.
- Roth, L.F. 1953. Pine dwarf mistletoe on the Pringle Falls Experimental Forest. Res. Note. 91. Portland, OR: U.S. Department of Agriculture, Forest Service, Pacific Northwest Forest and Range Experiment Station. 3 p.
- Roth, L.F. 1971. Dwarf mistletoe damage to small ponderosa pines. *Forest Science*. 17:373–380.
- Roth, L.F. 1974a. Resistance of ponderosa pine to dwarf mistletoe. *Silvae Genetica*. 23:116–120.
- Roth, L.F. 1974b. Juvenile susceptibility of ponderosa pine to dwarf mistletoe. *Phytopathology*. 64:689–692.
- Roth, L.F. 1978. Genetic control of dwarf mistletoe. In: Scharpf, R.F.; Parmeter, J.R., Jr., tech. coords. Symposium proceedings: dwarf mistletoe control through forest management; 1978 April 11–13; Berkeley, CA. Gen. Tech. Rep. PSW-31. Berkeley, CA: U.S. Department of Agriculture, Forest Service, Pacific Southwest Forest Range and Experiment Station: 69–72.
- Roth, L.F. 2001. Dwarf mistletoe-induced mortality in north-west ponderosa pine growing stock. *Western Journal of Applied Forestry*. 16(3):136–141.
- Roth, L.F.; Barrett, J.W. 1985. Response of dwarf mistletoe-infested ponderosa pine to thinning: 2. Dwarf mistletoe propagation. Res. Pap. PNW-331. Portland, OR: U.S. Department of Agriculture, Forest Service, Pacific Northwest Forest and Range Experiment Station. 20 p.
- Ruhland, B.M.; Calvin, C.L. 2001. Morphological aspects of seedling establishment in four temperate region *Phoradendron* (Viscaceae) species. *Madroño*. 48(2):79–89.
- Ryan, M.G. 1990. Growth and maintenance respiration in stems of *Pinus contorta* and *Picea engelmannii*. *Canadian Journal of Forest Research*. 20:48–57.
- Safranyik, L.; Nevill, R.; Morrison, D. 1998. Effects of stand density management on forest insects and diseases. Tech. Trans. Note 12. Victoria, BC: Natural Resources Canada, Canadian Forest Service, Pacific Forestry Centre. 4 p.
- Sala, A.; Carey, E.; Callaway, R. 2001. Dwarf mistletoe affects whole-tree water relations of Douglas-fir and western larch primarily through changes in leaf to sapwood ratios. *Oecologia*. 126:42–52.
- Salas, P.M.A. 1988. Aves dispersoras de muérdago. Informe Técnico. Secretaría de Agricultura y Recursos Hidráulicos, Instituto Nacional de Investigaciones Forestales y Agropecuarias.
- Schaffer, B.; Hawksworth, F.G.; Beemsterboer, P. 1983a. Effects of dwarf mistletoe and vigor classes on electrical resistance in lodgepole pine. *Forest Science*. 29:124–126.
- Schaffer, B.; Hawksworth, F.G.; Jacobi, W.R. 1983b. Effects of comandra blister rust and dwarf mistletoe on cone and seed production of lodgepole pine. *Plant Disease*. 67:215–217.
- Schaffer, B.; Hawksworth, F.G.; Wullscheger, S.D.; Reid, C.P.P. 1983c. Cytokinin-like activity related to host reactions to dwarf mistletoes. *Forest Science*. 29:66–70.
- Scharpf, R.F. 1964. Cultural variation and pathogenicity of the *Colletotrichum* blight fungus of dwarf mistletoe. *Phytopathology*. 54:905–906.
- Scharpf, R.F. 1969a. *Cytospora abietis* associated with dwarf mistletoe on true firs in California. *Phytopathology*. 59:1657–1658.
- Scharpf, R.F. 1969b. Dwarf mistletoe on red fir: infection and control in understory stands. Res. Pap. PSW-50. Berkeley, CA: U.S. Department of Agriculture, Forest Service, Pacific Southwest Forest and Range Experiment Station. 8 p.
- Scharpf, R.F. 1970. Seed viability, germination and radicle growth of dwarf mistletoe in California. Res. Pap. PSW-59. Berkeley, CA: U.S. Department of Agriculture, Forest Service, Pacific Southwest Forest and Range Experiment Station. 18 p.
- Scharpf, R.F. 1972. Summation of tests for chemical control of dwarf mistletoe. In: Proceedings 19th annual western international forest disease work conference; 1971 September 13–17; Medford, OR: 80–83.
- Scharpf, R.F. 1984. Host resistance to dwarf mistletoes. In: Hawksworth, F.G.; Scharpf, R.F., tech. coords. Biology of dwarf mistletoes, symposium proceedings; 1984 August 8; Fort Collins, CO. Gen. Tech. Rep. RM-111. Fort Collins, CO: U.S. Department of Agriculture, Forest Service, Rocky Mountain Forest and Range Experiment Station: 70–76.
- Scharpf, R.F. 1987. Resistance of Jeffrey pine to dwarf mistletoe. In: Weber, H.C.; Forstreuter, W., eds. Proceedings of the 4th international symposium on parasitic flowering plants; 1987 August 2–7; Philipps Universität, Marburg, Germany: 745–753.
- Scharpf, R.F.; Bynum, H.H. 1975. *Cytospora* canker of true firs. Forest Pest Leaflet 146. Washington, DC: U.S. Department of Agriculture, Forest Service. 5 p.
- Scharpf, R.F.; Geils, B.; Wiens, D.; Parker, C.; Forstreuter, W. 1997. Parasitic plants. In: Hansen, E.M.; Lewis, K.J., eds. Compendium of conifer diseases. St. Paul, MN: American Phytopathological Society: 36–40.
- Scharpf, R.F.; Hawksworth, F.G. 1966. Hosts and distribution of *Uredo phoradendri*. *Mycologia*. 58:811–812.
- Scharpf, R.F.; Hawksworth, F.G. 1968. Dwarf mistletoe on sugar pine. Forest Pest Leaflet 113. Washington, DC: U.S. Department of Agriculture, Forest Service, 4 p.
- Scharpf, R.F.; Hawksworth, F.G. 1993. Mistletoes. In: Scharpf, R.S., tech. coord. Diseases of Pacific Coast conifers. Agric. Handb. 521. Albany, CA: U.S. Department of Agriculture, Forest Service, Pacific Southwest Research Station: 112–135.
- Scharpf, R.F.; Kinlock, B.B.; Jenkinson, J.L. 1992. One seed source of Jeffrey pine shows resistance to dwarf mistletoe. Res. Pap. PSW-RP-207. Albany, CA: U.S. Department of Agriculture, Forest Service, Pacific Southwest Forest Range and Experiment Station. 8 p.
- Scharpf, R.F.; Parmeter, J.R., Jr. 1967. The biology and pathology of dwarf mistletoe, *Arceuthobium campylopodum* f. *abietinum*, parasitizing true firs (*Abies* spp.) in California. Tech. Bull. 1362. Washington, DC: U.S. Department of Agriculture. 42 p.
- Scharpf, R.F.; Parmeter, J.R., Jr., tech coords. 1978. Proceedings of the symposium on dwarf mistletoe control through forest management. Gen. Tech. Rep. PSW-31. Berkeley, CA: U.S. Department of Agriculture, Forest Service, Pacific Southwest Forest and Range Experiment Station. 190 p.

- Scharpf, R.F.; Parmeter, J.R., Jr. 1982. Population dynamics of dwarf mistletoe on young true firs in the Central Sierra Nevada, California. Res. Pap. PSW-161. Albany, CA: U.S. Department of Agriculture, Forest Service, Pacific Southwest Forest and Range Experiment Station. 9 p.
- Scharpf, R.F.; Roth, L.F. 1992. Resistance of ponderosa pine to western dwarf mistletoe in central Oregon. Res. Pap. PSW-RP-208. Albany, CA: U.S. Department of Agriculture, Forest Service, Pacific Southwest Forest and Range Experiment Station. 9 p.
- Scharpf, R.F.; Smith, R.S.; Vogler, D. 1988. Management of western dwarf mistletoe in ponderosa and Jeffrey pines in forest recreation areas. Gen. Tech. Rep. PSW-103. Berkeley, CA: U.S. Department of Agriculture, Forest Service, Pacific Southwest Research Station. 11 p.
- Scharpf, R.F.; Vogler, D. 1986. Western dwarf mistletoe infects understory Jeffrey pine seedlings on Cleveland National Forest, California. Res. Note PSW-386. Berkeley, CA: U.S. Department of Agriculture, Forest Service, Pacific Southwest Forest and Range Experiment Station. 2 p.
- Schmitt, C.L. 1996. BMPMZ management guide, management of ponderosa pine infected with western dwarf mistletoe in northeastern Oregon. BMZ-96-07. Portland, OR: U.S. Department of Agriculture, Forest Service, Pacific Northwest Region, Blue Mountains Pest Management Zone.
- Schmitt, C.L. 1997. BMPMZ management guide, management of Douglas-fir infected with dwarf mistletoe in the Blue Mountains of northeastern Oregon and southwestern Washington. BMZ-97-02. Portland, OR: U.S. Department of Agriculture, Forest Service, Pacific Northwest Region, Blue Mountains Pest Management Zone.
- Schwandt, J.; Page, D. 1978. Surveying Idaho forests for dwarf mistletoe by helicopter. Rep. 78-6. Coeur d'Alene, ID: Idaho Department of Lands, Forest Insect and Disease Control. 7 p.
- Shamoun, S.F. 1998. Development of biological control strategy for management of dwarf mistletoes. In: Sturrock, R., comp. Proceedings 45th western international forest disease work conference; 1997 September 15-19; Prince George, BC. Victoria, BC: Canadian Forest Service, Pacific Forestry Centre. 36-42.
- Shamoun, S.F. 2000. Application of biological control to vegetation management in forestry. In: Spencer, N.R., ed. Proceedings of the X international symposium on biological control of weeds; 1999 July 4-14; Montana State University, Bozeman, MT: 87-96.
- Shamoun, S.F.; Hintz, W.E. 1998. Development and registration of *Chondrostereum purpureum* as a mycoherbicide for hardwood weeds in conifer reforestation sites and utility rights-of-way. In: Main, D.S.; Burge, M.N., eds. IV international bioherbicides workshop, programme and abstracts; 1998 August 6-7; University of Strathclyde, Glasgow, Scotland: 14.
- Shamoun, S.F.; Ramsfield, T.D.; Shrimpton, G.; Hintz, W.E. 1996. Development of *Chondrostereum purpureum* as a mycoherbicide for red alder (*Alnus rubra*) in utility rights-of-way. In: Comeau, P.; Harper, G., eds. Proceedings of the 1996 expert committee on weeds. Victoria, BC: British Columbia Ministry of Forests, Research Branch: 9.
- Shaw, C.G., III; Hennon, P.H. 1991. Spread, intensification, and upward advance of dwarf mistletoe in thinned young stands of western hemlock in southeast Alaska. Plant Disease. 75:363-367.
- Shaw, D.C.; Freeman, E.A.; Mathiasen, R.L. 2000. Evaluating the accuracy of ground-based hemlock dwarf mistletoe rating: a case study using the Wind River canopy crane. Western Journal Applied Forestry. 15(1):8-14.
- Shaw, D.C.; Weiss, S.B. 2000. Canopy light and the distribution of hemlock dwarf mistletoe (*Arceuthobium tsugense* [Rosendahl] G.N. Jones subsp. *tsugense*) aerial shoots in an old-growth Douglas-fir/western hemlock forest. Northwest Science. 74(4):306-315.
- Sinclare, W.A.; Lyon, H.H.; Johnson, W.T. 1987. American mistletoes and dwarf mistletoes In: Diseases of trees and shrubs. Ithaca, NY: Comstock Publishing Association: 420-435.
- Singh, P. 1981. Eastern dwarf mistletoe on black spruce in Newfoundland. Phytopathology. 71:255.
- Singh, P.; Carew, G.C. 1989. Impact of eastern dwarf mistletoe in black spruce forests in Newfoundland. European Journal of Forest Pathology. 19:305-322.
- Smith, B.S. 1992. Lucy Bishop Millington, nineteenth-century botanist: her life and letters to Charles Horton Peck, State Botanist of New York. Huntia. 8:111-153.
- Smith, E.L.; McMahan, A.J. 2002. Eco-physiology approach to projecting tree stress and vigor in FVS. In: Crookston, Nicholas L.; Havis, Richard N., comps. Second Forest Vegetation Simulator (FVS) conference; 2002 February 12-14; Fort Collins, CO. Proc. RMRS-P-25. Ogden, UT: U.S. Department of Agriculture, Forest Service, Rocky Mountain Research Station.
- Smith, R.B. 1969. Assessing dwarf mistletoe on western hemlock. Forest Science. 15:277-285.
- Smith, R.B. 1985. Hemlock dwarf mistletoe biology and spread. In: Muir, J., ed. Proceedings, workshop on management of hemlock dwarf mistletoe; 1983 August 15-16; Burnaby, BC. Pest Management Rep. 4. Victoria, BC: British Columbia Ministry of Forests: 4-10.
- Smith, R.B.; Funk, A. 1980. Assessing *Nectra macrospora* as a biological control agent for hemlock dwarf mistletoe. Bi-monthly Progress Report. Ottawa: Canada Department of Forestry. 36(3):11-12.
- Smith, R.B.; Wass, E.F. 1976. Field evaluation of ecological differentiation of dwarf mistletoe on shore pine and western hemlock. Canadian Journal of Forest Research. 6:225-228.
- Smith, R.B.; Wass, E.F. 1979. Infection trials with three dwarf mistletoe species within and beyond their known ranges in British Columbia. Canadian Journal of Plant Pathology. 1:47-58.
- Smith, R.S. 1977. Overstory spread and intensification of hemlock dwarf mistletoe. Canadian Journal of Forest Research. 7:632-640.
- Smith, R.S. 1983. Diseases of eastside pine types. In: Robson, T.F.; Standford, R.B., eds. Management of the eastside pine type in northeastern California; proceedings of a symposium; 1982 June 15-17; Susanville, CA. Publ. SAF 83-06. Northern California Society of American Foresters: 79-81.
- Smith, R.S.; Wass, E.F.; Meagher, M.D. 1993. Evidence of resistance to hemlock dwarf mistletoes (*Arceuthobium tsugense*) in western hemlock (*Tsuga heterophylla*) clones. European Journal of Forest Pathology. 23:163-170.
- Snyder, M.A.; Fineschi, B.; Linhart, Y.B.; Smith, R.H. 1996. Multivariate discrimination of host use by dwarf mistletoe *Arceuthobium vaginatum* subsp. *cryptopodum*: inter- and intraspecific comparisons. Journal of Chemical Ecology. 22(2):295-305.
- Sproule, A. 1996a. Branch age in jack pine at the time of dwarf mistletoe infection. Forestry Chronicle. 72(3):307.

- Sproule, A. 1996b. Impact of dwarf mistletoe on some aspects of the reproductive biology of jack pine. *Forestry Chronicle*. 72(3):303–306.
- Srivastava, L.M.; Esau, K. 1961. Relation of dwarf mistletoe (*Arceuthobium*) to the xylem tissues of conifers. II. Effect of the parasite on the xylem anatomy of the host. *American Journal of Botany*. 48:209–215.
- Stage, A.R.; Crookston, N.L.; Wiitala, M.R. 1986. Procedures for including pest management activities in forest planning using present or simplified planning methods. In: Bailey, R.G., tech. coord. *Lessons from using FORPLAN: proceeding of a planning and implementation workshop*; 1986 April 29–May 1; Denver, CO. Washington, DC: U.S. Department of Agriculture, Forest Service, Land Management Planning Systems: 202–215.
- Standley, P.C. 1920. Loranaceae. In: *Trees and shrubs of Mexico*. Contributions from the United States National Herbarium, Volume 23. Washington DC: Smithsonian Institution: 222–235.
- Steeger, C.; Hitchcock, C.L. 1998. Influence of forest structure and diseases on nest-site selection by red-breasted nuthatches. *Journal of Wildlife Management*. 62(4):1349–1358.
- Stevens, R.E.; Hawksworth, F.G. 1970. Insects and mites associated with dwarf mistletoes. Res. Pap. RM-59. Fort Collins, CO: U.S. Department of Agriculture, Forest Service, Rocky Mountain Forest and Range Experiment Station. 12 p.
- Stevens, R.E.; Hawksworth, F.G. 1984. Insect-dwarf mistletoe associations: an update. In: Hawksworth, F.G.; Scharpf, R.F., tech. coords. *Biology of dwarf mistletoes: proceedings of the symposium*; 1984 August 8; Fort Collins, CO. Gen. Tech. Rep. RM-111. Fort Collins, CO: U.S. Department of Agriculture, Forest Service, Rocky Mountain Forest and Range Experiment Station: 94–101.
- Stewart, J.L. 1978. Overview of the dwarf mistletoe problem. In: Scharpf, R.F.; Parmeter, J.R., Jr., tech. coords. *Symposium proceedings: dwarf mistletoe control through forest management*; 1978 April 11–13; Berkeley, CA. Gen. Tech. Rep. PSW-31. Portland, OR: U.S. Department of Agriculture, Forest Service, Pacific Southwest Forest Range and Experiment Station: 2–4.
- Stipe, L.E.; Kohler, S.; Hagle, S.; Hastie, L. 1992. Montana forest pest conditions and program highlights, 1991. Rep. 92-2. Missoula, MT: U.S. Department of Agriculture, Forest Service, Northern Region, Forest Pest Management. 27 p.
- Strand, M.A.; Roth, L.F. 1976. Simulation model for spread and intensification of western dwarf mistletoe in thinned stands of ponderosa pine saplings. *Phytopathology*. 66:888–895.
- Sutton, G.M. 1951. Dispersal of mistletoes by birds. *Wilson Bulletin*. 63(4):235–237.
- Tainter, F.H.; French, D.W. 1971. The role of wound periderm in the resistance of eastern larch and jack pine to dwarf mistletoe. *Canadian Journal of Botany*. 49:501–504.
- Taylor, J.E. 1995. Western larch dwarf mistletoe and ecosystem management. In: Schmidt, W.C.; McDonald, K.J., comp. *Ecology and management of Larix forests: a look ahead, proceedings of an international symposium*; 1992 October 5–9; Whitefish, MT. Gen. Tech. Rep. INT-GTR-319. Ogden, UT: U.S. Department of Agriculture, Forest Service Intermountain Research Station: 310–313.
- Taylor, J.E.; Marsden, M.A. 1997. Permanent plots for studying the spread and intensification of larch dwarf mistletoe and the effects of the parasite on growth of infected western larch on the Flathead Indian Reservation, Montana. Rep. 97-5. U.S. Department of Agriculture, Forest Service, Northern Region, Forest Health Protection. 5 p.
- Taylor, R.J.; Patterson, T.F.; Harrod, R.J. 1994. Systematics of Mexican spruce—revisited. *Systematic Botany*. 19(1):47–59.
- TeBeest, D.O.; Templeton, G.E. 1985. Mycoherbicides: progress in the biological control of weeds. *Plant Disease*. 69:6–10.
- Thomson, A.J.; Muir, J.A.; Lewis, K.J. 1997. Variability in sub-regional impacts of dwarf mistletoe on mature lodgepole pine. *Forestry Chronicle*. 73:371–375.
- Thoreau, H.D. 1858. *The journal of Henry David Thoreau*, February 12, 1858. Boston: Houghton Mifflin. [1962 Dover reprint, Vol. 2:278–279.]
- Tinnin, R.O. 1998. An alternative to the 6-class dwarf mistletoe rating system. *Western Journal of Applied Forestry*. 13:64–65.
- Tinnin, R.O. 2001. Effect of dwarf mistletoe on bole taper and volume in young Douglas-fir. *Western Journal of Applied Forestry*. 16(1):5–8.
- Tinnin, R.O.; Forbes, R.B. 1999. Red squirrel nests in witches' brooms in Douglas-fir trees. *Northwest Naturalist*. 80:17–21.
- Tinnin, R.O.; Hawksworth, F.G.; Knutson, D.M. 1982. Witches' broom formation in conifers infected by *Arceuthobium* spp.: an example of parasitic impact upon community dynamics. *American Midland Naturalist*. 107:351–359.
- Tinnin, R.O.; Knutson, D.M. 1980. Growth characteristics of the brooms on Douglas-fir caused by *Arceuthobium douglasii*. *Forest Science*. 26:149–158.
- Tinnin, R.O.; Knutson, D.M. 1985. How to identify brooms in Douglas-fir caused by dwarf mistletoe. Res. Note PNW-426. Portland, OR: U.S. Department of Agriculture, Forest Service, Pacific Northwest Forest and Range Experiment Station. 8 p.
- Tinnin, R.O.; Parks, C.G.; Knutson, D.M. 1999. Effects of Douglas-fir dwarf mistletoe on trees in thinned stands in the Pacific Northwest. *Forest Science*. 45(3):359–365.
- Tkacz, B.M. 1989. Incorporating pest management into land management decisions. In: Teclé, A.; Covington, W.W.; Hamre, R.H., tech. coords. *Multiresource management of ponderosa pine forests*; 1989 November 14–16; Flagstaff, AZ. Gen. Tech. Rep. RM-185. Fort Collins, CO: U.S. Department of Agriculture, Forest Service, Rocky Mountain Forest and Range Experiment Station: 60–64.
- Tong Jun; Ren Wei. 1980. Preliminary studies on the disease cycle of *Arceuthobium chinense*. *Journal Yunnan Forestry College*. 1:19–25.
- Trelease, W. 1916. *The genus Phoradendron*, a monographic revision. Urbana: University of Illinois Press. 224 p.
- Tropical Agriculture Research and Training Center. 1992. *Forest pests in Central America*. Tech. Man. 3. Turrialba, Costa Rica: Tropical Agriculture Research and Training Center. 49 p.
- Trummer, L.M.; Hennon, P.E.; Hansen, E.M.; Muir, P.S. 1998. Modeling the incidence and severity of hemlock dwarf mistletoe in 110-year-old wind-disturbed forests in southeast Alaska. *Canadian Journal of Forest Research*. 28:1501–1508.



- Turner, N.J.; Szczawinski, A.F. 1991. Common poisonous plants and mushrooms of North America. Portland, OR: Timber Press: 250.
- Unger, L. 1992. Dwarf mistletoes. Forest Pest Leaflet 44. Victoria, BC: Canadian Forest Service. [Online]. Available: [http://www.pfc.cfs.nrcan.gc.ca/diseases/hforest/Pests/dmistle\\_e.html](http://www.pfc.cfs.nrcan.gc.ca/diseases/hforest/Pests/dmistle_e.html). [2002, June 29].
- Urness, P.J. 1969. Nutritional analysis and in vitro digestibility of mistletoes browsed by deer in Arizona. Journal of Wildlife Management. 33(3):499-505.
- USDA, NRCS. 2001. The PLANTS database, Version 3.1. [Homepage of Natural Resources Conservation Service, U.S. Department of Agriculture]. [Online]. Available: <http://plants.usda.gov/>. [2002, July 2].
- Valdivia Sanchez, J.J. 1964. Pathogía forestal. I. El muérdago enano (*Arceuthobium* spp.) en los bosques de la zona noroeste de Michoacán. Bol. 15. Comision Forestal Michoacan: 1-67.
- van der Kamp, B.J.; Hawksworth, F.G. 1985. Damage and control of the major diseases of lodgepole pine. In: Baumgartner, D.M.; Krebill, R.G.; Arnott, J.T.; Weetman, G.F. Lodgepole pine the species and its management, symposium proceedings; 1984 May 8-10 and May 14-16; Spokane, WA, and Vancouver, BC. Pullman WA: Office of Conferences and Institutes, Cooperative Extension: 125-131.
- Vandygriff, J.C.; Rasmussen, L.A.; Rineholt, J.F. 2000. A novel approach to managing fuel wood harvest using bark beetle pheromones. Western Journal Applied Forestry. 15(4):183-188.
- van Ommeren, R.J.; Whitham, T.G. 2002. Changes in interactions between juniper and mistletoe mediated by shared avian frugivores: parasitism to potential mutualism. Oecologia. 130:281-288.
- Van Sickle, G.A.; Wegwitz, E. 1978. Silvicultural control of dwarf mistletoes in young lodgepole pine stands in Alberta and British Columbia. Rep. BC-X-180. Victoria, BC: Environment Canada, Canadian Forest Service, Pacific Forestry Centre. 11 p.
- Vasek, F.C. 1966. The distribution and taxonomy of three western junipers. Brittonia. 18:350-372.
- Vázquez Collazo, I. 1986. Sistema de evaluación de 4 clases para muérdago verdadero (*Psittacanthus* spp.). Archivo Téc. México DF: Secretaría de Agricultura y Recursos Hidráulicos, Instituto Nacional de Investigaciones Forestales y Agropecuarias.
- Vázquez Collazo, I. 1989. Ciclo biológico y fenología del muérdago verdadero (*Psittacanthus calyculatus* (DC.) Don) en el C.E.F. Barranca de Cupatitzio. En: V simposio sobre parasitología forestal; 1989 Octubre 4-6; Juarez, Chih. Mexico, DF: Sociedad Mexicana de Entomología. 42 p.
- Vázquez Collazo, I. 1991. Notas sobre polinización y dispersión de *Arceuthobium vaginatum* (Willd.) Presl (Viscaceae). La Ciencia y el Hombre [Universidad Veracruzana]. 8:101-109.
- Vázquez Collazo, I. 1993a. Contribución al conocimiento del muérdago verdadero (*Psittacanthus* spp.) en México. En: II simposio sobre detección, evaluación y Manejo de Muérdagos en coníferas. México: Secretaría de Agricultura y Recursos Hidráulicos, SFF.
- Vázquez Collazo, I. 1993b. Determinación de "tipo de sitio" para evaluar rodales infectados por muérdago enano (*Arceuthobium globosum* Hawksworth et Wiens). Ciencia Forestal. 18(73):77-103.
- Vázquez Collazo, I. 1994a. Intensidad del muestreo para evaluar rodales infestados por muérdago enano (*Arceuthobium globosum* Hawksworth & Wiens). Foll. Tech. 17. Uraupan, Michoacán: Secretaría de Agricultura y Recursos Hidráulicos, Instituto Nacional de Investigaciones Forestales y Agropecuarias, Centro Investigaciones del Pacífico Centro. 23 p.
- Vázquez Collazo, I. 1994b. Determinación de la época y dosis del Esteron 47M para el control del muérdago verdadero (*Psittacanthus calyculatus*) en mezquite (*Prosopis laevigata*). Ciencia Forestal. 19(76):27-50.
- Vázquez Collazo, I.; Pérez Chávez, R. 1989. Efecto del parasitismo del muérdago verdadero (*Psittacanthus* spp.) en la producción de semilla de tres especies de pino. En: V simposio sobre parasitología forestal; 1989 Octubre. 4-6; Juarez, Chihuahua. México, DF: Sociedad Mexicana de Entomología, AC: 64.
- Vázquez Collazo, I.; Pérez Chávez, R.; Pérez Chávez, R. 1982. Efecto del parasitismo del muérdago (*Psittacanthus schiedeana* Cham. and Schlecht Blume) en el desarrollo de tres especies del género *Pinus*. Ciencia Forestal. 40(7):48-64.
- Vázquez Collazo, I.; Pérez Chávez, R.; Pérez Chávez, R. 1985. Efecto del parasitismo del muérdago, *Psittacanthus schiedeana* (Cham. and Schlecht) Blume, en el desarrollo de tres especies del género *Pinus*. En: Memoria de los simposios nacionales de parasitología forestal II y III. Publicación Especial 46. México, DF: Secretaría de Agricultura y Recursos Hidráulicos: 47-56.
- Vázquez Collazo, I.; Pérez Chávez, R.; Pérez Chávez, R. 1986. Control químico del muérdago verdadero (*Psittacanthus* sp.) en la Sierra Purepecha (Meseta Tarasca). Ciencia Forestal. 59(1):106-126.
- Vega Rojas, E.J. 1976. El muérdago, enfermedad en bosques de coníferas y hojosas. Bosques y Fauna. 13(1):3-19.
- Venkata Rao, C. 1963. On the morphology of the calyculus. Journal of Indian Botanical Society. 42:618-628.
- Vera Gaxiola, F. 1984. Observaciones dasmétricas en un rosal de *Pinus hartwegii* Lind. atacado por muérdago. En: Memoria de los simposios nacionales de parasitología forestal II y III. Publicación Especial 46. Sociedad Mexicana de Entomología: 39-46.
- Wagner, W.W. 1957. The limitation of two leafy mistletoes of the genus *Phoradendron* by low temperatures. Ecology. 38:142-145.
- Wagner, W.W. 1965. Dwarf mistletoe removal and reinvasion in Jeffrey and ponderosa pine, northeastern California. Res. Note PNW-73. Portland, OR: U.S. Department of Agriculture, Forest Service, Pacific Northwest Research Station. 8 p.
- Wagner, M.R.; Mathiasen, R.L. 1985. Dwarf mistletoe-ponderosa moth interaction and its contribution to ponderosa pine mortality in Arizona. Great Basin Naturalist. 45:423-426.
- Wall, R.E. 1994. Biological control of red alder using stem treatments with the fungus *Chondrostereum purpureum*. Canadian Journal of Forest Research. 24:1527-1530.
- Wall, R.E.; Prasad, R.; Shamoun, S.F. 1992. The development and potential role of mycoherbicides for forestry. Forestry Chronicle. 68:736-741.
- Walters, J.W. 1978. A guide to forest diseases of southwestern conifers. Rep. R3 78-9. Albuquerque, NM: U.S. Department of Agriculture, Forest Service, Southwestern Region, Forest Insect and Disease Management. 36 p.

- Wanner, J.; Tinnin, R.O. 1986. Respiration in lodgepole pine parasitized by American dwarf mistletoe. *Canadian Journal of Forest Research*. 16:1375–1378.
- Wanner, J.L. 1986. Effects of infection by dwarf mistletoe (*Arceuthobium americanum*) on the population dynamics of lodgepole pine (*Pinus contorta*). Portland, OR: Portland State University. 103 p. Dissertation.
- Wanner, J.L.; Tinnin, R.O. 1989. Some effects of infection by *Arceuthobium americanum* on the population dynamics of *Pinus contorta* in Oregon. *Canadian Journal of Forest Research*. 19:736–742.
- Watson, D.M. 2001. Mistletoe—a keystone resource in forests and woodlands worldwide. *Annual Reviews of Ecology and Systematics*. 32:219–250.
- Weir, J.R. 1915. *Wallrothiella arceuthobii*. *Journal of Agricultural Research*. 4:369–378.
- Weir, J.R. 1916a. Larch mistletoe: some economic considerations of its injurious effects. *Bull.* 317. Washington, DC: U.S. Department of Agriculture. 25 p.
- Weir, J.R. 1916b. Mistletoe injury to conifers in the Northwest. *Bull.* 360. Washington, DC: U.S. Department of Agriculture. 39 p.
- Wellwood, R.W. 1956. Some effects of dwarf mistletoe on hemlock. *Forestry Chronicle*. 32:282–296.
- Whiting, A.F. 1950. Ethnobotany of the Hopi. *Bull.* 15 (revised). Flagstaff, AZ: Museum of Northern Arizona. 120 p.
- Wicker, E.F. 1967a. Seed density as a klendusic factor of infection and its impact upon propagation of *Arceuthobium* spp. *Phytopathology*. 57:1164–1168.
- Wicker, E.F. 1967b. Appraisal of biological control of *Arceuthobium campylopodum* f. *campylopodum* by *Colletotrichum gloeosporioides*. *Plant Disease Reporter*. 51:311–313.
- Wicker, E.F. 1974. Ecology of dwarf mistletoe seed. *Res. Pap. INT-154*. Ogden, UT: U.S. Department of Agriculture, Forest Service, Intermountain Forest and Range Experiment Station. 28 p.
- Wicker, E.F.; Hawksworth, F.G. 1988. Relationships of dwarf mistletoes and intermediate stand cultural practices in the Northern Rockies. In: Schmidt, W.C., comp. *Proceedings, future forests of the Mountain West: a stand culture symposium; 1986 September 29–October 3; Missoula, MT*. Gen. Tech. Rep. INT-243. Ogden, UT: U.S. Department of Agriculture, Forest Service, Intermountain Research Station. 402 p.
- Wicker, E.F.; Hawksworth, F.G. 1991. Upward advance, intensification and spread of dwarf mistletoe in a thinned stand of western larch. *Res. Note RM-504*. Fort Collins, CO: U.S. Department of Agriculture, Forest Service, Rocky Mountain Forest and Range Experiment Station. 4 p.
- Wicker, E.F.; Shaw, C.G. 1968. Fungal parasites of dwarf mistletoes. *Mycologia*. 60:372–383.
- Wiens, D. 1964. Revision of the acataphyllous species of *Phoradendron*. *Brittonia*. 16:1–54.
- Wiens, D. 1970. *Phoradendron*. In: Correll, D.S.; Johnston, M.C. *Manual of the vascular plants of Texas*. Renner: Texas Research Foundation: 504–505.
- Wiens, D.; Barlow, B.A. 1971. The cytogeography and relationships of the viscaceae and eremolepidaceae mistletoes. *Taxon*. 20:313–332.
- Wiens, D.; Calvin, C.L. 1987. Epiparasitism in mistletoes. *Golden Bough* (Royal Botanic Gardens, Kew). 9:3–5.
- Wiens, D.; DeDecker, M. 1972. Rare natural hybridization in *Phoradendron* (Viscaceae). *Madroño*. 21:395–402.
- Wiens, D.; Hawksworth, F.G. 1990. *Phoradendron* sect. *Pauciflorae* (Viscaceae): new species and combinations. Unpublished manuscript, October 18. 19 p.
- Wiens, D.; Nickrent, D.L.; Shaw, C.G., III.; Hawksworth, F.G.; Hennon, P.E.; King, E.J. 1996. Embryonic and host-associated skewed adult ratios in dwarf mistletoe. *Heredity*. 77:55–63.
- Wiens, D.; Shaw, C.G., III. 1994. *Arceuthobium hawksworthii* (Viscaceae), a new species of dwarf mistletoe from Belize. *Journal of Idaho Academy of Science*. 30(1):25–32.
- Wiggins, I.L. 1980. *Flora of Baja California*. Stanford, CA: Stanford University Press: 139–141.
- Wilcox, W.W.; Pong, W.Y.; Parmeter, J.R. 1973. Effects of mistletoe and other defects on lumber quality in white fir. *Wood and Fiber*. 4:272–277.
- Wilson, C.A.; Calvin, C.L. 1996. Anatomy of the dwarf mistletoe shoot system. In: Hawksworth, F.G.; Wiens, D. *Dwarf mistletoes: biology, pathology, and systematics*. Agric. Handb. 709. Washington, DC: U.S. Department of Agriculture, Forest Service: 95–111.
- Wilson, C.L. 1969. Use of plant pathogens in weed control. *Annual Review of Phytopathology*. 7:411–434.
- Wilson, J.L.; Tkacz, B.M. 1992. Pinyon ips outbreak in pinyon juniper woodlands in northern Arizona: a case study. In: Ffolliott, Peter F.; Gottfried, Gerald J.; Bennett, Duane A.; Hernandez C., Victor Manuel; Ortega-Rubio, Alfredo; Hamre, R. E., tech. cords. *Ecology and management of oak and associated woodlands: perspectives in the Southwestern United States and Northern Mexico*. Gen. Tech. Rep. RM-218. Fort Collins, CO: U.S. Department of Agriculture, Forest Service, Rocky Mountain Forest and Range Experiment Station: 187–190.
- Wittwer, D., comp. 2002. *Forest insect and disease conditions in Alaska—2001 R10-TP-102*. Anchorage, AK: U.S. Department of Agriculture, Forest Service, Alaska Region. 65 p.
- Wood, C. 1986. Distribution maps of common tree diseases in British Columbia. *Inf. Rep. BC-X-281*. Victoria, BC: Canadian Forestry Service, Pacific Forestry Centre. 68 p.
- Wood, R.E.; Shuft, M.J.; Schultz, D.E. 1979. An evaluation of tree mortality in Laguna Mountain Recreation Area. *Insect and Disease Management Rep.* 79-1. San Francisco: U.S. Department of Agriculture, Forest Service, Pacific Southwest Region, Cleveland National Forest. 22 p.
- Wright, E. 1942. *Cytospora abietis*, the cause of a canker of true firs in California and Nevada. *Journal Agricultural Research*. 65:143–153.
- Zavala, I.; Zavala, M.A. 1993. Global positioning system as a tool for ecosystem studies at the landscape level: an application in the Spanish Mediterranean. *Landscape and Urban Planning*. 24:95–104.
- Zimmerman, G.T.; Laven, R.D. 1984. Ecological interrelationships of dwarf mistletoe and fire in lodgepole pine forest. In: Hawksworth, F.G.; Scharpf, R.F., tech. coords. *Biology of dwarf mistletoes: proceedings of the symposium; 1984 August 8; Fort Collins, CO*. Gen. Tech. Rep. RM-111. Fort Collins, CO: U.S. Department of Agriculture, Forest Service, Rocky Mountain Forest and Range Experiment Station: 123–131.
- Zimmermann, G.T.; Laven, R.D.; Omi, P.N.; Hawksworth, F.G. 1990. Use of prescribed fire for dwarf mistletoe control in lodgepole pine management. In: Alexander, M.E.; Bisgrove, G.F., tech. coord. *The art and science of fire management; 1988 October 24–27; Kananaskis, AB*. Info. Rep. NOR-X-309. Edmonton, AB: Forestry Canada, Northern Forestry Centre: 163–174.