

## IX. REFERENCES

1. Bashirov AA: [Functional changes in endocrine glands due to butadiene and styrene.] *Gig Tr Prof Zabol* 13(7):40-41, 1969 (Rus).
2. Kats BY: [Styrene induced toxico-chemical hepatic injury under industrial conditions.] *Gig Tr Prof Zabol* 6(10):21-24, 1962 (Rus).
3. Bashirov AA: [Blood protein composition in digestive organ diseases in workers exposed to divinyl and styrene.] *Gig Tr Prof Zabol* 15(5):57-59, 1971 (Rus).
4. Alekperov II, Knabengof VG, Vinokurova MI: [Capillaroscopic studies and determination of the stability of capillaries in persons working with 1,3-butadiene, styrene and ethylbenzene.] *Azerb Med Zh* 45(10):58-61, 1968 (Rus).
5. Dreyer R, Martin W, Von Weber U: [The saturation vapor pressures of benzene, toluene, ethylbenzene, styrene, cumene, and bromobenzene between 10 and 760 Torr.] *J Prakt Chem* 4(1):324-28, 1955 (Ger).
6. Leonardos G, Kendall D, Barnard N: Odor threshold determinations of 53 odorant chemicals. *J Air Pollut Control Assoc* 19(2):91-95, 1969.
7. Smith HO, Hochstettler AD: Determination of odor thresholds in air using Cl<sub>4</sub>-labeled compounds to monitor concentrations. *Environ Sci Technol* 3(2):169-70, 1969.
8. Shen L: [Material for determination of the maximum permissible concentration of styrene in the air]. *Gig Sanit* 26(8):11-17, 1961 (Rus).
9. Standard Specification for Styrene Monomer 996, in 1973 Annual Book of ASTM Standards, Part 20. Philadelphia, PA, American Society for Testing and Materials, 1973, p. 974.
10. Lane WH: Determination of the solubility of styrene in water and of water in styrene. *Ind Eng Chem Anal Ed* 18(5):295-96, 1946.
11. Harkness N, Jenkins SH: Chemical and biological oxidation of styrene and isoprene. *Inst Sewage Purif J Proc (Part 2)*:216-20, 1958.
12. Styrene-Type Monomers. Midland, MI, The Dow Chemical Co, 1969, 13 pp.
13. Styrene, in Hazardous Chemicals Data, NFPA 49-1975. Boston, MA, National Fire Protection Association, 1975, pp 49-273 to 49-274.
14. Weast RC (ed.): CRC Handbook of Chemistry and Physics, ed 56. Cleveland, OH, The Chemical Rubber Co, 1976, p C-494.

15. Glasgow AR, Krouskop NC, Beadle J, Axilrod GD, Rossini FD: Compounds involved in production of synthetic rubber, determination of purity by measurement of freezing points. *Anal Chem* 20:410-22, 1948.
16. Bonastre M: [Analysis of the American copal balm, also known as liquid amber, from liquidambar styraciflua l.] *Bulletin des Travaux de la Societe de Pharmacie* 17:338-50, 1831 (Fre).
17. Warner AJ: Introduction, in Boundy RH, Boyer RF, Stoesser SM (eds.): *Styrene--Its Polymers, Copolymers and Derivatives*. American Chemical Society Monograph Series, No. 115. New York, Reinhold Publishing Corp, 1952, pp 1-8.
18. Nicholson W: Storax, in *A Dictionary of Chemistry*, vol II, London, England, 1795, pp 901-03.
19. Berthelot M: [Action of heat on benzene and similar carbides.] *Acad Sci (Paris)* 63:788-93, 1866 (Fre).
20. Bashford VG, Eagleton SD: Styrene and polystyrene. *Chem Ind (Suppl)*, Aug 10, 1953, pp S38-S42.
21. Coulter KE, Kehde H: *Styrene Polymers--Monomers*, in *Encyclopedia of Polymer Science and Technology--Plastics, Resins, Rubbers, Fibers*. New York, John Wiley and Sons, Inc, 1970, vol 13, pp 135-49.
22. Styrene, Polystyrene and Styrene-butadiene Copolymers. IARC Monographs on the Evaluation of the Carcinogenic Risk of Chemicals to Humans. 19:231-74, 1979.
23. Cogswell SA: Styrene, in *Chemical Economics Handbook*, Menlo Park, CA, SRI International, 1980, pp 694.3051A-.3053R.
24. Facts and Figures for the Chemical Industry. *Chemical & Engineering News* 60(24):33-35, 1982.
25. Frey HE, Wolfe AF: Polystyrene and styrene copolymer resins, in *Chemical Economics Handbook*, Menlo Park, CA, SRI International, 1979, pp 580.1501A-.1503V.
26. Modern Plastics Encyclopedia. 58(10A):826-910, 1981.
27. Frey HE: Thermoplastic elastomers, in *Chemical Economics Handbook*, Menlo Park, CA, SRI International, 1980, pp 525.6622C-.6622K.
28. Wolfe AJ: Styrene-butadiene elastomers (SBR), in *Chemical Economics Handbook*, Menlo Park, CA, SRI International, 1977, pp 525.6420A-.6420U.

29. Frey HE, Maffly RL: Unsaturated polyester resins, in *Chemical Economics Handbook*, Menlo Park, CA, SRI International, 1980, pp 580.1231A-.12330.
30. National Occupational Hazard Survey. Cincinnati, OH, US Dept of Health and Human Services, Centers for Disease Control, National Institute for Occupational Safety and Health, 1982.
31. Ott MG, Kolesar RC, Scharnweber HC, Schneider EJ, Venable JR: A mortality survey of employees engaged in the development or manufacture of styrene-based products. *J Occup Med* 22(7):445-60, 1980.
32. DeGesero RA: The evaluation and control of chemicals in polystyrene manufacturing. *Ann Occup Hyg* 17:123-29, 1974.
33. Key JA, Hobbs FD: Report 5--Ethylbenzene and styrene. Prepared for Emission Standards and Engineering Division, Office of Air Quality Planning and Standards, Environmental Protection Agency, Research Triangle Park, NC, September 1980, 67 pp.
34. Guidelines for Manufacturers of Reinforced Plastics/Composites. New York, The Society of the Plastics Industry, Inc, 1977, 28 pp.
35. Gotell P, Axelson O, Lindelof B: Field studies on human styrene exposure. *Work Environ Health* 9(2):76-83, 1972.
36. Burroughs GE: Health Hazard Evaluation Determination Report No. 78-110-585--Piper Aircraft Corporation, Vero Beach, FL. Cincinnati, OH, US Dept of Health, Education, and Welfare, Center for Disease Control, National Institute for Occupational Safety and Health, 1979, 17 pp.
37. Tossavainen A: Styrene use and occupational exposure in the plastics industry. *Scand J Work Environ Health* 4(Suppl 2):7-13, 1978.
38. Brighton CA, Pritchard G, Skinner GA: Styrene polymers--Technology and Environmental Aspects. Applied Science Publishers LTD, Essex, England, 1979, pp 109-36.
39. Evans PD: Control of workshop atmospheres within the GRP industry. London, England. BP Chemicals Limited, Research and Development Department, South Wales Division, November 1976, 13 pp.
40. Neligan RE, Leonard MJ, Bryan RJ: The gas chromatographic determination of aromatic hydrocarbons in the atmosphere. *Am Chem Soc Div Water Air Waste Chem Preprints* 5(2):118-21, 1965.
41. Valenta J: [Air and water pollution by styrene with the butadiene-styrene rubber production.] *Cesk Hyg* 11(6):349-52, 1966 (Cze).

42. Kaznina NI: [Air pollution by volatiles liberated by some plastics.] *Gig Sanit* 33(5):108-09, 1968 (Rus).
43. Rosen AA, Skeel RT, Ettlinger MB: Relationship of river water odor to specific organic contaminants. *J Water Pollut Control Fed* 35:777-82, 1963.
44. Grossman IG: Waterborne styrene in a crystalline bedrock aquifer in the Gales Ferry area, Ledyard, Southeastern Connecticut. *US Geol Surv Prof Pap* 700-B, 1970, pp B203-09.
45. Kleopfer RD, Fairless BJ: Characterization of organic components in a municipal water supply. *Environ Sci Technol* 6(12):1036-37, 1972.
46. Kahn JH, LaRoe EG, Conner HA: Whiskey composition--Identification of components by single-pass gas chromatography-mass spectrometry. *J Food Sci* 33(4):395-400, 1968.
47. Walradt JP, Pittet AO, Kinlin TE, Muralidhara R, Sanderson A: Volatile components of roasted peanuts. *J Agric Food Chem* 19(5):972-79, 1971.
48. Withey JR, Collins PG: Styrene Monomer in Foods--A Limited Canadian Survey. *Bull Environ Contam Toxicology* 19:86-94, 1978.
49. Smirnova ET, Yatakova ZM: [Health hazards of polystyrene toys.] *Gig Sanit* 31(1):112-14, 1966 (Rus).
50. Gadolina ID, Kaznina NI, Kuznetsova GM, Smirnitskii NS: [Hygienic assessment of polyester plastics for flooring.] *Gig Sanit* 34(4):22-26, 1969 (Rus).
51. Von Oettingen WF: Toxicity and Potential Dangers of Aliphatic and Aromatic Hydrocarbons--A Critical Review of the Literature, Public Health Bulletin No. 255. Federal Security Agency, US Public Health Service, 1940, p 109.
52. Pokrovskiy VA: [The toxicity of styrene.] *Gig Tr Prof Zabol* 5(5):3-7, 1960 (Rus).
53. Spencer HC, Irish DD, Adams EM, Rowe VK: The response of laboratory animals to monomeric styrene. *J Ind Hyg Toxicol* 24(10):295-301, 1942.
54. Mallette FS: Industrial hygiene--in synthetic rubber manufacture. *Ind Med* 12(7):495-99, 1943.
55. McLaughlin RS: Chemical burns of the human cornea. *Amer J Ophthalmol* 29(11):1353-62, 1946.

56. Barsotti M, Parmeggiani L, Sassi C: [Observations on occupational pathology in a polystyrene resin factory.] Med Lav 43(1):418-24, 1952 (Ita).
57. Pratt-Johnson JA: Retrobulbar neuritis following exposure to vinyl benzene (styrene) Can Med Assoc J 90:975-77, 1964.
58. Kohn AN: Ocular toxicity of styrene. Amer J Ophthalmology 85(4):569-70, 1978.
59. Matsushita T, Matsumoto T, Miyagaki J, Maeda K, Takeuchi Y, Katajima J: [Nervous disorders considered to be symptoms of chronic styrol poisoning.] Saigai Igaku 11:173-79, 1968 (Jap).
60. Schwarzmann JM, Kutscha NP: Accidental styrene poisoning. Res Life Sci 19(3):1-3, 1971.
61. Araki S, Abe A, Ushio K, Fujino M: A case of skin atrophy, neurogenic muscular atrophy and anxiety following long exposure to styrene. Jpn J Ind Health 13(5):427-31, 1971.
62. Stepien T: [Two cases of vision organ lesions caused by chemicals used in certain branches of industry and in agriculture.] Klinika Oczna 43(2):169-72, 1973 (Pol).
63. Hruba E, Salomanova Z, Schwartzova K: [Long-term follow-up of workers exposed to the hazards of styrene.] CS Neurologie a Neurochirurge 38(71), No. 2:116-22, 1975 (Cze).
64. Axelson O, Frobarj F, Wedefelt U: [Can styrene exposure cause cerebral lesions?] Lakartidningen 71(3):137-38, 1974 (Swe).
65. Dowty BJ, Laseter JL, Storer J: The transplacental migration and accumulation in blood of volatile organic constituents. Pediatr Res 10:696-701, 1976.
66. Holmberg PC: Central nervous defects in two children of mothers exposed to chemicals in the reinforced plastics industry--Chance or a causal relation? Scand J Work Environ Health 3:212-14, 1977.
67. Melgaard B, Arlien-Soborg P, Brulin P: Chronic toxic encephalopathy in styrene exposed workers. Unpublished manuscript, Department of Neurology, Rigshospitalet, Copenhagen, Denmark, 8 pp.
68. Carpenter CP, Shaffer CB, Weil CS, Smyth HF Jr: Studies on the inhalation of 1:3-butadiene; with a comparison of its narcotic effect with benzol, toluol, and styrene, and a note on the elimination of styrene by the human. J Ind Hyg Toxicol 26(3):69-78, 1944.

69. Stewart RD, Dodd HC, Baretta ED, Schaffer AW: Human exposure to styrene vapor. *Arch Environ Health* 16:656-62, 1968.
70. Hake CL, Stewart RD, Wu A, Graff SA, Forster HV, Keeler WH, Lebrun AJ, Newton PE, Soto RJ: Styrene--Development of a biologic standard for the industrial worker by breath analysis, Report No. NIOSH-MCOW-ENVM-STY-77-2. Milwaukee, Medical College of Wisconsin (undated), NIOSH Contract No. HSM 99-72-84, 141 pp.
71. Gamberale F, Hultengren M: Exposure to styrene--II. Psychological functions. *Work Environ Health* 11:86-93, 1974.
72. Oltramare M, Desbaumes E, Imhoff C, Michiels W: [Toxicology of Monomeric Styrene--Experimental and Clinical Studies on Man.] Geneva, Editions Medecine et Hygiene, 1974, 100 pp (Fre).
73. Odkvist LM, Astrand I, Larsby B, Kall C: [Does styrene disturb the balance apparatus in man?] *Arbete Och Halsa* 1980:2, 1979, 19 pp (Swe).
74. Troshina IM: [Some features peculiar to the morbidity of workers in contact with styrene.] *Gig Tr Prof Zabol* 7(9):17-21, 1963 (Rus).
75. Thiess AM, Friedheim M: Morbidity among persons employed in styrene production, polymerization and processing plants. *Scand J Work Environ Health* 4(Suppl 2):203-14, 1978.
76. Fleig I, Thiess A: Mutagenicity study of workers employed in the styrene and polystyrene processing and manufacturing industry. *Scand J Work Environ Health* 4(Suppl 2):254-58, 1978.
77. Thiess AM, Fleig I: Chromosome investigations on workers exposed to styrene/polystyrene. *J Occup Med* 20(11):747-49, 1978.
78. Frentzel-Beyme R, Thiess AM, Wieland R: Survey of mortality among employees engaged in the manufacture of styrene and polystyrene at the BASF Ludwigshafen works. *Scand J Work Environ Health* 4(Suppl 2):231-39, 1978.
79. Engstrom K, Rantanen J: A new gas chromatographic method for determination of mandelic acid in urine. *Int Arch Arbeitsmed* in English 33:163-67, 1974.
80. Schaller KH, Gossler K, Bost HP, Valentin H: [Gas chromatographic methods for the determination of styrene in the blood and mandelic acid and phenylglyoxylic acid in the urine--Part I.] *Arbeitsmed Sozialmed Praeventivmed* 11(1):24-26, 1976 (Ger).

81. Lillis R, Lorimer WV, Diamond S, Selikoff IJ: Neurotoxicity of styrene in production and polymerization workers. Env Res 15:133-38, 1978.
82. Lorimer WV, Lillis R, Nicholson WJ, Anderson H, Fischbein A, Daum S, Rom W, Rice C, Selikoff IJ: Clinical studies of styrene workers--Initial findings. Environ Health Perspect 17:171-81, 1976.
83. Nicholson WJ, Selikoff IJ, Seidman H: Mortality experience of styrene-polystyrene polymerization workers--Initial findings. Scand J Work Environ Health 4(suppl 2):247-52, 1978.
84. Maier A, Ruhe R, Rosensteel R, Lucas JB: Health Hazard Evaluation/Toxicity Determination Report No. 72-90-107—Arco Polymer Incorporated (Sinclair-Koppers Company, Inc), Monaca, PA. Cincinnati, OH, US Dept of Health, Education, and Welfare, National Institute for Occupational Safety and Health, 1974, 28 pp.
85. Wolff MS, Lorimer WV, Lillis R, and Selikoff IJ: Blood styrene and urinary metabolites in styrene polymerisation. Br J Ind Med 35:318-29, 1978.
86. Wolff MS, Lillis R, Lorimer WV, Selikoff IJ: Biological indicators of exposure in styrene polymerization workers. Scand J Work Environ Health 4(Suppl 2):114-18, 1978.
87. Wolff MS, Daum SM, Lorimer WV, Selikoff IJ, Aubrey BB: Styrene and related hydrocarbons in subcutaneous fat from polymerization workers. J Toxicol Environ Health 2:997-1005, 1977.
88. Astrand I, Kilbom A, Ovrum P, Wahlberg I, Vesterberg O: Exposure to styrene--I. Concentration in alveolar air and blood at rest and during exercise and metabolism. Work Environ Health 11:69-85, 1974.
89. Buchet JP, Lauwerys R, Roels H, DeFeld JM: [Measurement of exposure of workers to styrene by assay of urinary metabolites--Mandelic and phenylglyoxylic acids--Part I. Technique of metabolite assay by gas phase chromatography.] Arch Mal Prof Med Trav Secur Soc 35:511-16, 1974 (Fre).
90. Philippe R, Lauwerys R, Buchet JP, Roels H, Defeld JM: [Measurement of exposure of workers to styrene by assay of urinary metabolites--Mandelic and phenylglyoxylic acids--Part II. Application to workers manufacturing polyesters.] Arch Mal Prof Med Trav Secur Soc 35(6):631-40, 1971 (Fre).

91. Brooks SM, Anderson LA, Tsay J, Carson A, Buncher CR, Elia V, Emmett EA: Investigation of Workers Exposed to Styrene in the Reinforced Plastic Industry--Health and Psychomotor Status, Toxicologic and Industrial Hygiene Data and Effects of Protective Equipment as it Relates to Exposures through Lung and Skin Routes. Cincinnati, University of Cincinnati, College of Medicine, Institute of Environmental Health and Kettering Laboratory Report prepared for The Society of The Plastics Industry, Inc., New York, 1979, 330 pp.
92. Engstrom K, Harkonen H, Kalliokoski P, Rantanen J: Urinary mandelic acid concentration after occupational exposure to styrene and its use as a biological exposure test. Scand J Work Environ Health 2:21-26, 1976.
93. Ponomareva NI, Zlobina NS: [Working conditions and the state of the upper respiratory tract in workers engaged in the production of block and emulsion polystyrene and its copolymers.] Gig Tr Prof Zabol 15(6):22-26, 1971 (Rus).
94. Zlobina NS: [The toxicity of low concentrations of styrene vapors.] Gig Sanit 28(5):29-35, 1963 (Rus).
95. Zlobina NS, Izyumova AS, Ragul'ye NY: [The effect of low concentrations of styrene on the specific functions of the female organism.] Gig Tr Prof Zabol 12:21-25, 1975 (Rus).
96. Veretinskaya AG, Gorizontova MN, Zlobina NS, Popova TB, Ragul'ye NY, Kharlamova SF: [The effect of work conditions on the functional state of the liver among workers in high-tonnage polystyrene production shops.] Gig Tr Prof Zabol 10:47-49, 1978 (Rus).
97. Bardodej Z, Malek B, Volfova B, Zelena E: [The hazard of styrene in the production of glass laminates.] Cesk Hyg 5(9):541-46, 1960 (Cze).
98. Rowe VK, Atchison GJ, Luce EN, Adams EM: The determination of monomeric styrene in air. J Ind Hyg Toxicol 25(8):348-53, 1943.
99. Rogaczewska T, Kaszper J: [Polarographic determination of styrene in air by the method of Sedivec and Flek.] Chem Anal (Warsaw) 9:611-15, 1964 (Pol.).
100. Bardodej Z, Bardodejova E: The metabolism of ethylbenzene, styrene and alpha-methyl styrene. Proc XV Int Congr Ind Health, Vienna, Austria, 1966, pp 457-60.
101. Dzyuba NI: [Influence of production conditions on the status of the nervous system of workers at the Severodonets fiber glass plant.] Gig Tr Prof Zabol 16(3):50-52, 1972 (Rus).

102. Bernard PL: [Contribution to the study of polystyrene toxicity.] Arch Mal Prof Med Trav Secur Soc 27(12):891-93, 1966 (Fre).
103. Axelson O, Gustavson J: Some hygienic and clinical observations on styrene exposure. Scand J Work Environ Health 4(Suppl 2):215-19, 1978.
104. Bodner AH, Butler GJ, Okawa MT: Health Hazard Evaluation/Toxicity Determination Report No. 73-103-128--American Standard Fiberglass Inc, Stockton, CA. Cincinnati, OH, US Dept of Health, Education, and Welfare, National Institute for Occupational Safety and Health, 1974, 9 pp.
105. Simko A, Jindrichova J, Pultarova H: [The effect of styrene on the state of health of people working in the manufacture of laminates.] Prac Lek 18(8):348-52, 1966 (Cze).
106. Klimkova-Deutschova E: [Neurological findings in the plastics industry in styrene workers.] Int Arch Gewerbepathol Gewerbehyg 19:35-50, 1962 (Ger).
107. Van Mourik JHC: Experiences with silica gel as adsorbent. Am Ind Hyg Assoc J 26(5):498-509, 1965.
108. Klimkova-Deutschova E, Dandova D, Salomanova Z, Schwartzova K, Titman O: [Recent advances on the neurological picture of occupational exposure to styrene.] Cesk Neurol Neurochirurge 36(1):20-25, 1973 (Cze).
109. Huzl F, Sykora J, Mainarová J, Janková J, Srutek J, Junger V, Lahn V: [The problem of the risk incurred in working with styrene.] Prac Lek 19(3):121-25, 1967 (Cze).
110. Zielhuis RL, Hartogensis F, Jongh J, Kalsbeek JWH, Van Rees H: The health of workers processing reinforced polyesters, in XIVth Intern Congr Occup Health, Madrid, Spain, September 16-21, 1963, vol III, 1964, pp 1092-97.
111. Gamberale F, Lisper HO, Anshelm-Olson B: [Styrene exposure effects on plastic boat industry workers.] Arbete och Halsa 1975:8, 23 pp (Swe).
112. Bergman K, Lindberg E: [Styrene exposure in the plastic boat industry.] Arbete Och Halsa 1977:3, 40 pp (Swe).
113. Rosensteel RE, Meyer CR: Health Hazard Evaluation Determination Report No. 75-150-378--Reinell Boats, Inc, Poplar Bluff, MO. Cincinnati, OH, US Dept of Health, Education, and Welfare, Center for Disease Control, National Institute for Occupational Safety and Health, 1977, 52 pp.

114. Chmielewski J, Renke W: Clinical and experimental studies on the pathogenesis of toxic effects of styrene--Part II. The effect of styrene on the respiratory system. Bull Inst Marit Trop Med Gdynia in English 26:299-302, 1975.
115. Chmielewski J, Mikulski P, Uselis J, Wiglusz R: Rating of the exposure to styrene of persons working at the production of polyesteric laminates. Bull Inst Marit Med Gdynia in English 24:203-09, 1973.
116. Chmielewski J: Clinical and experimental research into the pathogenesis of toxic effect of styrene--Part V. Impact of styrene on carbohydrate balance in people in the course of their work. Bull Inst Marit Trop Med Gdynia in English 27:177-84, 1976.
117. Chmielewski J, Renke W: Clinical and experimental research into the pathogenesis of toxic effect of styrene--Part III. Morphology, coagulation and fibrinolysis systems of the blood in persons exposed to the action of styrene during their work. Bull Inst Marit Trop Med Gdynia in English 27:63-67, 1976.
118. Dolmierski R, Kwiatkowski SR, Nitka J: Clinical and experimental research into the pathogenesis of toxic effect of styrene--Part VII. Appraisal of the nervous system in the workers exposed to styrene. Bull Inst Marit Trop Med Gdynia in English 27:193-95, 1976.
119. Chmielewski J, Hac E: Clinical and experimental research into the pathogenesis of toxic effects of styrene--Part IV. Estimation of liver functions in persons exposed to the action of styrene during their work. Bull Inst Marit Trop Med Gdynia in English 27:69-74, 1976.
120. Chmielewski J, Mikulski P: [The influence of styrene on carbohydrate metabolism.] Rocznik Pomor Akad Med (Suppl) 10:321-24, 1974 (Pol).
121. Ohtsuji H, Ikeda M: A rapid colorimetric method for the determination of phenylglyoxylic and mandelic acids--Its application to the urinalysis of workers exposed to styrene vapour. Br J Ind Med 27:150-54, 1970.
122. Golebiowska-Podgorczyk I: Clinical and experimental studies on the pathogenesis of toxic effects of styrene--Part I. Evaluation of the role of styrene in the occurrence of occupational dermatoses. Bull Inst Marit Trop Med Gdynia in English 26:289-97, 1975.
123. Rosen I, Haeger-Aronsen B, Rehnstrom S, Welinder H: Neurophysiological observations after chronic styrene exposure. Scand J Work Environ Health 4(Suppl 2):184-94, 1978.

124. Seppalainen AM, Harkonen H: Neurophysiological findings among workers occupationally exposed to styrene. Scand J Work Environ Health 3:140-46, 1976.
125. Harkonen H, Lindstrom K, Seppalainen AM, Asp S, Hernberg S: Exposure-response relationship between styrene exposure and central nervous functions. Scand J Work Environ Health 4:53-59, 1978.
126. Harkonen H: Symptoms and findings among workers exposed to styrene with special reference to the central nervous system, In Kahn H, Hernberg S (eds.): Detection of Early Effects of Toxic Substances--Collection of Scientific Papers. Tallinn, Estonia, Institute of Experimental and Clinical Medicine of the Ministry of Health of the Estonian SSR and Institute of Occupational Health, Helsinki, 1977, pp 108-11.
127. Lindstrom K, Harkonen H, Hernberg S: Disturbances in psychological functions of workers occupationally exposed to styrene. Scand J Work Environ Health 3:129-39, 1976.
128. Lindstrom K, Harkonen H, Mantere P: Alcohol consumption and tolerance of workers exposed to styrene in relation to level of exposure and psychological symptoms and signs. Scand J Work Environ Health 4(Suppl 2):196-99, 1978.
129. Meretoja T, Vainio H, Sorsa M, Harkonen H: Occupational styrene exposure and chromosomal aberrations. Mut Res 56:193-97, 1977.
130. Meretoja T, Jarventaus H, Sorsa M, Vainio H: Chromosome aberrations in lymphocytes of workers exposed to styrene. Scand J Work Environ Health 4(Suppl 2):259-64, 1978.
131. Hogstedt B, Hedner K, Mark-Vendel E, Mitelman F, Schutz A, Skerfving S: Increased frequency of chromosome aberrations in workers exposed to styrene. Scand J Work Environ Health 5:333-35, 1979.
132. Andersson HC, Tranberg EA, Uggla AH, Zetterberg G: Chromosomal aberrations and sister-chromatid exchanges in lymphocytes of men occupationally exposed to styrene in a plastic-boat factory. Mut Res 73:387-401, 1980.
133. Thiess AM, Friedheim M: [Morbidity study in co-workers of the polyester laboratory and of the technical service, exposed to styrene.] Zentralbl Arbeitsmed Arbeitsschutz 9:238-41, 1979 (Ger).
134. Thiess AM, Schwegler H, Fleig I: Chromosome investigations in lymphocytes of workers employed in areas which styrene-containing unsaturated polyester resins are manufactured. Am J Ind Med 1:205-10, 1980.

135. Norppa H, Vainio H, Sorsa M: Chromosome aberrations in lymphocytes of workers exposed to styrene. Am J Ind Med 2:299-304, 1981.
136. Watanabe T, Endo A, Sato K, Ohtsuji T, Miyasaka M, Koizumi A, Ikeda M: Mutagenic potential of styrene in man. Ind Health 19(1):37-45, 1981.
137. Pero RW, Bryngelsson T, Hogstedt B, Akesson B: Occupational and in vitro exposure to styrene assessed by unscheduled DNA synthesis in resting human lymphocytes. Carcinogenesis 3(6):681-85, 1982.
138. Cherry N, Waldron HA, Wells GG, Wilkinson RT, Wilson HK, Jones S: An investigation of the acute behavioural effects of styrene on factory workers. Brit J Ind Med 37:234-40, 1980.
139. Hemminki K, Franssila E, Vainio H: Spontaneous abortions among female chemical workers in Finland. Int Arch Occup Environ Health 45:123-26, 1980.
140. Harkonen H, Holmberg PC: Obstetric histories of women occupationally exposed to styrene. Scand J Work Environ Health 8:74-77, 1982.
141. Proceedings of NIOSH Styrene-Butadiene Briefing, Covington, Kentucky, April 30, 1976, DHEW (NIOSH) Publication No. 77-129. Cincinnati, OH, US Dept of Health, Education, and Welfare, Public Health Service, Center for Disease Control, National Institute for Occupational Safety and Health, 1976, 169 pp.
142. Ahlmark A: Styrene research--Epidemiological report. Stockholm, Swedish Plastics Federation, 1978, 20 pp.
143. Bardodej Z, Bardodejova E, Malek B: [Value and application of exposure tests--XI. Exposure test for styrene.] Cesk Hyg 6(9):546-52, 1961 (Cze).
144. Bardodej Z: [Styrene metabolism.] Cesk Hyg 9(4):223-39, 1964 (Cze).
145. Bardodej Z, Bardodejova E: Biotransformation of ethyl benzene, styrene, and alpha-methyl styrene in man. Am Ind Hyg Assoc J 31(1):206-09, 1970.
146. Fiserova-Bergerova V, Teisinger J: Pulmonary styrene vapor retention. Ind Med Surg 34:620-22, 1965.
147. Fernandez JG, Caperos JR: [Styrene exposure--Part I. An experimental study of pulmonary absorption and excretion in humans.] Int Arch Occup Environ Health 40:1-12, 1977 (Fre).

148. Caperos JR, Humbert B, Droz PO: [Exposure to styrene--II. Evaluation of absorption, excretion, and metabolism in man.] Int Arch Occup Environ Health 42:223-30, 1979 (Fre).
149. Engstrom J, Bjurstrom R, Astrand I, Ovrum P: Uptake, distribution and elimination of styrene in man. Scand J Work Environ Health 4:315-23, 1978.
150. Engstrom J, Astrand I, Wigaeus E: Exposure to styrene in a polymerization plant. Scand J Work Environ Health 4:324-29, 1978.
151. Dutkiewicz T, Tyras H: [Studies on the skin absorption properties of styrene in human beings.] Gig Tr Prof Zabol 12(4):35-39, 1968 (Rus).
152. Dutkiewicz T, Tyras H: Skin absorption of toluene, styrene, and xylene by man. Br J Ind Med 25(3):243, 1968.
153. Dutkiewicz T, Tyras H: [Comparative studies on the percutaneous absorption of toluene, ethylbenzene, xylene, and styrene in man.] Med Pr 20(3):228-34, 1969 (Pol).
154. Riihimaki V, Pfaffli P: Percutaneous absorption of solvent vapors in man. Scand J Work Environ Health 4:73-85, 1978.
155. Brooks SM, Anderson L, Emmett E, Carson A, Tsay J, Elia V, Buncher R, Karbowsky R: The effects of protective equipment on styrene exposure in workers in the reinforced plastics industry. Arch Environ Health 35(5):287-94, 1980.
156. Guillemin MP, Bauer D: Biological monitoring of exposure to styrene by analysis of combined urinary mandelic and phenylglyoxylic acids. Am Ind Hyg Assoc J 39(11):873-79, 1978.
157. Guillemin M: [Installation and use of an experimentation chamber.] Arch Mal Prof Med Trav Secur Soc 36:421-28, 1975 (Fre).
158. Guillemin M, Bauer D: Human exposure to styrene--Part II. Quantitative and specific gaschromatographic analysis of urinary mandelic and phenylglyoxylic acids as an index of styrene exposure. Int Arch Occup Environ Health 37:57-64, 1976.
159. Ikeda M, Imamura T, Hayashi M, Tabuchi T, Hara I: Evaluation of hippuric, phenylglyoxylic and mandelic acids in urine as indices of styrene exposure. Int Arch Arbeitsmed in English 32(1-2):93-101, 1974.
160. Pfaffli P, Hesso A, Vainio H, Hyvonen M: 4-Vinylphenol excretion suggestive of arene oxide formation in workers occupationally exposed to styrene. Toxicol & Applied Pharmacol 60(1):85-90, 1981.

161. Watabe T, Hiratsuka A, Aizawa T, Sawahata T, Ozawa N, Isobe M, Takabatake E: Studies on metabolism and toxicity of styrene IV. 1-vinylbenzene-3,4-oxide, a potent mutagen formed as a possible intermediate in the metabolism in vivo of styrene to 4-vinylphenol. *Mut Res* 93(1):45-55, 1982.
162. Wolf MA, Rowe VK, McCollister DD, Hollingsworth RL, Oyen F: Toxicological studies of certain alkylated benzenes and benzene--Experiments on laboratory animals. *AMA Arch Ind Health* 14:387-98, 1956.
163. Gut I: [Behavioral effects of styrene in rats.] *Act Nerv Super* 10(1):22-30, 1968 (Cze).
164. Gut I: [Some effects of styrene on the rat.] *Ceskoslovenska Hygiena* 13(1):27-32, 1968 (Cze).
165. Shugaev BB: Concentrations of hydrocarbons in tissues as a measure of toxicity. *Arch Environ Health* 18:878-82, 1969.
166. Szulinska G, Czyz E, Chyba A: [Effect of styrene in air on experimental animals during prolonged continuous exposure.] *Rocznik Panstw Zakl Hig* 28(4):397-402, 1977 (Pol).
167. Quast JF, Humiston, CG, Kalnins RV, Olson KJ, McCollister SB, Wade CE, Beyer JE, Schwetz BA: Results of a Toxicity Study of Monomeric Styrene Administered to Beagle Dogs by Oral Intubation for 19 Months. MCA No. STY 1.2-TOX-GAV-DOW, Midland, MI, Dow Chemical USA, Toxicology Research Laboratory, for Chemical Manufacturers Association, Washington, DC, 1979, 199 pp.
168. Seppäläinen AM: Neurotoxicity of styrene in occupational and experimental exposure. *Scand J Work Environ Health* 4(Suppl 2):181-83, 1978.
169. Vainio H, Jarvisalo J, Taskinen E: Adaptive changes caused by intermittent styrene inhalation on xenobiotic biotransformation. *Toxicol Appl Pharmacol* 49:7-14, 1979.
170. Toxicological Study on Styrene Incorporated in Drinking Water of Rats for Two Years in Conjunction with a Three-Generation Reproduction Study. Litton Bionetics, Inc. Kensington, MD, for Chemical Manufacturers Association, Washington, DC, 1980.
171. Vainio H, Paakkonen R, Ronnholm K, Raunio V, Pelkonen O: A study on the mutagenic activity of styrene and styrene oxide. *Scand J Work Environ Health* 3:147-51, 1976.
172. Milvy P, Garro AJ: Mutagenic activity of styrene oxide (1,2-epoxyethylbenzene), a presumed styrene metabolite. *Mut Res* 40:15-18, 1976.

173. Stoltz DR, Withey RJ: Mutagenicity testing of styrene and styrene epoxide in *Salmonella typhimurium*. Bull Environ Contam Toxicol 17(6):739-42, 1977.
174. Greim H, Bimboes D, Egert G, Goggelmann W, Kramer M: Mutagenicity and chromosomal aberrations as an analytical tool for in vitro detection of mammalian enzyme-mediated formation of reactive metabolites. Arch Toxicol 39:159-69, 1977.
175. Loprieno N, Abbondandolo A, Barale R, Baroncelli S, Bonatti S, Bronzetti G, Cammellini A, Corsi C, Corti G, Frezza D, Leporini C, Mazzaccaro A, Nieri R, Rosellini D, Rossi AM: Mutagenicity of industrial compounds--Styrene and its possible metabolite styrene oxide. Mut Res 40:317-24, 1976.
176. Loprieno N, Presciuttini S, Sbrana I, Stretti G, Zaccaro L, Abbondandolo A, Bonatti S, Florio R, Mazzaccaro A: Mutagenicity of industrial compounds--VII. Styrene and styrene oxide: II. Point mutations, chromosome aberrations and DNA repair induction analyses. Scand J Work Environ Health 4(Suppl 2):169-78, 1978.
177. Roberfroid M, Poncelet F, Lambotte-Vandepaer M, Duverger-van Bogaert M, de Meester C, Mercier M: Acute biotoxic effect of styrene on rat liver--Correlation with enzyme-mediated mutagenicity of benzpyrene and acrylonitrile. Scand J Work Environ Health 4(Suppl 2):163-68, 1978.
178. de Meester C, Poncelet F, Roberfroid M, Rondelet J, Mercier M: Mutagenicity of styrene and styrene oxide. Mut Res 56:147-52, 1977.
179. Linnainmaa K, Meretoja T, Sorsa M, Vainio H: Cytogenetic effects of styrene and styrene oxide on human lymphocytes and *Allium cepa*. Scand J Work Environ Health 4(Suppl 2):156-62, 1978.
180. Watabe T, Isobe M, Sawahata T, Yoshikawa K, Yamada S, Takabatake E: Metabolism and mutagenicity of styrene. Scand J Work Environ Health 4(Suppl 2):142-55, 1978.
181. Norppa H, Sorsa M, Pfaffli P, Vainio H: Styrene and styrene oxide induce SCEs and are metabolised in human lymphocyte cultures. Carcinogenesis 1:357-61, 1980.
182. de Raat WK: Induction of sister chromatid exchanges by styrene and its presumed metabolite styrene oxide in the presence of rat liver homogenate. Chem-Biol Interactions 20:163-70, 1978.
183. Conner MK, Alarie Y, Dombroske RL: Sister chromatid exchange in murine alveolar macrophages, bone marrow, and regenerating liver cells induced by styrene inhalation. Toxicol Appl Pharmacol 55(1):37-42, 1980.

184. Meretoja T, Vainio H, Jarventaus H: Clastogenic effects of styrene exposure on bone marrow cells of rat. *Toxicol Lett* 1:315-18, 1978.
185. Norppa H, Sorsa M, Vainio H: Chromosomal aberrations in bone marrow of Chinese hamsters exposed to styrene and ethanol. *Toxicol Lett* 5:241-44, 1980.
186. Norppa H, Elovaara E, Husgafvel-Purslainen K, Sorsa M, Vainio H: Effects of styrene oxide on chromosome aberrations, sister chromatid exchange and hepatic drug biotransformation in Chinese hamsters *in vivo*. *Chem Biol Interactions* 26:305-15, 1979.
187. Donner M, Sorsa M, Vainio H: Recessive lethals induced by styrene and styrene oxide in *Drosophila melanogaster*. *Mut Res* 67:373-76, 1979.
188. Vainio H, Hemminki K, Elovaara E: Toxicity of styrene and styrene oxide on chick embryos. *Toxicology* 8:319-25, 1977.
189. Zlobina NS, Ragul'ye NY, Smolyar NY: [The pattern of styrene penetration into the organism and its elimination.] *Gig Sanit* (11):105-06, 1974 (Rus).
190. Ragul'ye NY: [Problem of the embryotropic effect of styrene.] *Gig Sanit* 11:65-66, 1974 (Rus).
191. Vergiyeva T, Zaykov K, Palatov S: [Study of the embryotoxic effect of styrene.] *Khig Zdraveopaz* 22(1):39-43, 1979 (Bul).
192. Murray FJ, John JA, Balmer MF, Schwetz BA: Teratologic evaluation of styrene given to rats and rabbits by inhalation or by gavage. *Toxicology* 11:335-43, 1978.
193. Kankaanpaa JTJ, Elovaara E, Hemminki K, Vainio H: The effect of maternally inhaled styrene on embryonal and foetal development in mice and Chinese hamsters. *Acta Pharmacol Toxicol* 47:127-29, 1980.
194. Sikov MR, Cannon WC, Carr DB, Miller RA, Montgomery LF, Phelps DW: Teratologic assessment of butylene oxide, styrene oxide and methyl bromide, DHHS (NIOSH) Publication No. 81-124. Cincinnati, OH, US Dept of Health and Human Services, Centers for Disease for Disease Control, National Institute for Occupation Safety and Health, 1981, 76 pp.
195. Jersey GC, Balmer MF, Quast JF, Park CN, Schuetz DJ, Beyer JE, Olson KJ, McCollister SB, Rampy LW: Two-year chronic inhalation toxicity and carcinogenicity study on monomeric styrene in rats--Final report, MCA No: Sty 1.1-TOX-INH(2 yr). Midland, MI, Dow Chemical USA, December 1978, 150 pp.

196. Ponomarkov V, Tomatis L: Effects of long-term oral administration of styrene to mice and rats. *Scand J Work Environ Health* 4(Suppl 2):127-35, 1978.
197. Bioassay of styrene for possible carcinogenicity--CAS No. 100-42-5. National Cancer Institute Carcinogenesis Technical Report Series 185, NIH Publication No. 79-1741. Bethesda, MD, US Dept of Health, Education, and Welfare, Public Health Service, National Institutes of Health, National Cancer Institute, 1979, 92 pp.
198. Bioassay of a solution of beta-nitrostyrene and styrene for possible carcinogenicity--CAS No. 102-96-5 and 100-42-5. National Cancer Institute Carcinogenesis Technical Report Series No. 170, DHEW Publication No. (NIH) 79-1726. Bethesda, MD, US Dept of Health, Education, and Welfare, Public Health Service, National Institutes of Health, National Cancer Institute, 1979, 81 pp.
199. Kotin P, Falk HL: Organic peroxides, hydrogen peroxide, epoxides, and neoplasia. *Rad Res Suppl* 3:193-211, 1963.
200. Van Duuren BL, Nelson N, Orris L, Palmes ED, Schmitt FL: Carcinogenicity of epoxides, lactones, and peroxy compounds. *J Natl Cancer Inst* 31(1):41-55, 1963.
201. Weil CS, Condra N, Haun C, Striegel JA: Experimental carcinogenicity and acute toxicity of representative epoxides. *Am Ind Hyg Assoc J* 24(4):305-25, 1963.
202. Maltoni C, Failla G, Kassapidis G: First experimental demonstration of the carcinogenic effects of styrene oxide--Long-term bioassays on Sprague-Dawley rats by oral administration. *Med Lavoro* 5:358-62, 1979.
203. Danishefsky I, Willhite M: The metabolism of styrene in the rat. *J Biol Chem* 211:549-53, 1954.
204. Savolainen H, Vainio H: Organ distribution and nervous system binding of styrene and styrene oxide. *Toxicology* 8:135-41, 1977.
205. Plotnick HB, Weigel WW: Tissue distribution and excretion of 14C-styrene in male and female rats. *Res Commun Chem Pathol Pharmacol* 24(3):515-24, 1979.
206. Sauerhoff MW, Madrid EO, Braun WH: The fate of orally administered styrene in rats. Midland, MI, Dow Chemical USA, December 1976, 42 pp.
207. Sauerhoff MW, Braun WH: The fate of styrene in rats following an inhalation exposure to 14C-styrene. Midland, MI, Dow Chemical USA, December 1976, 26 pp.

208. Ramsey JC, Young JD: Pharmacokinetics of inhaled styrene in rats and humans. *Scand J Work Environ Health* 4(Suppl 2):84-91, 1978.
209. Savolainen H, Pfaffli P: Accumulation of styrene monomer and neurochemical effects of long-term inhalation exposure in rats. *Scand J Work Environ Health* 4(Suppl 2):78-83, 1978.
210. El Masri AM, Smith JN, Williams RT: Studies in detoxication--Part 73. The metabolism of alkylbenzenes--Phenylacetylene and phenylethylene (styrene). *Biochem J* 68:199-204, 1958.
211. Ruvinskaya SE: Conversions of styrene in the body of experimental animals. *Fed Proc* 25(5) Part II:T854-56, 1966.
212. Bardodej Z, Bardodejova E, Gut I: [Metabolism of styrene in rats.] *Cesk Hyg* 16:243-45, 1971 (Cze).
213. Ohtsuji H, Ikeda M: The metabolism of styrene in the rat and the stimulatory effect of phenobarbital. *Toxicol Appl Pharmacol* 18:321-28, 1971.
214. Seutter-Berlage F, Delbressine LPC, Smeets FLM, Ketelaars HCJ: Identification of three sulphur-containing urinary metabolites of styrene in the rat. *Xenobiotica* 8(7):413-18, 1978.
215. Delbressine LPC, Ketelaars HCJ, Seutter-Berlage F, Smeets FLM: Phenaceturic acid, a new urinary metabolite of styrene in the rat. *Xenobiotica* 10(5):337-42, 1980.
216. Bakke OM, Scheline RR: Hydroxylation of aromatic hydrocarbons in the rat. *Toxicol Appl Pharmacol* 16:691-700, 1970.
217. Pantarotto C, Fanelli R, Bidoli F, Morazzoni P, Salmona M, Szczawinska K: Arene oxides in styrene metabolism, a new perspective in styrene toxicity? *Scand J Work Environ Health* 4(Suppl 2):67-77, 1978.
218. Ikeda M, Ohtsuji H, Imamura T: In vivo suppression of benzene and styrene oxidation by co-administered toluene in rats and effects of phenobarbital. *Xenobiotica* 2(2):101-06, 1972.
219. James SP, White DA: The metabolism of phenethyl bromide, styrene and styrene oxide in the rabbit and rat. *Biochem J* 104:914-21, 1967.
220. Vainio H, Makinen A: Styrene and acrylonitrile induced depression of hepatic nonprotein sulfhydryl content in various rodent species. *Res Commun Chem Pathol Pharmacol* 17(1):115-24, 1977.

221. Parkki MG, Marniemi J, Vainio H: Action of styrene and its metabolites styrene oxide and styrene glycol on activities of xenobiotic biotransformation enzymes in rat liver in vivo. *Toxicol Appl Pharmacol* 38:59-70, 1976.
222. Delag G, Chmielewski J, Mikulski P, Wiglusz R: Clinical and experimental research into the pathogenesis of toxic effect of styrene--Part VI. The effect of styrene on carbohydrate balance, experimental research. *Bull Inst Marit Trop Med Gdynia* in English 27:185-91, 1976.
223. Leibman K, Ortiz E: Styrene epoxide-an intermediate in microsomal oxidation of styrene to its glycol. *Pharmacologist* 10:203, 1968.
224. Leibman KC, Ortiz E: Oxidation of styrene in liver microsomes. *Biochem Pharmacol* 18(2):552-54, 1969.
225. Leibman KC, Ortiz E: Epoxide intermediates in microsomal oxidation of olefins to glycals. *J Pharmacol Exp Ther* 173(2):242-46, 1970.
226. Salmona M, Pachecka J, Cantoni L, Belvedere G, Mussini E, Garattini S: Microsomal styrene mono-oxygenase and styrene epoxide hydrase activities in rats. *Xenobiotica* 6(10):585-91, 1976.
227. Cantoni L, Salmona M, Facchinetti T, Pantarotto C, Belvedere G: Hepatic and extrahepatic formation and hydration of styrene oxide in vitro in animals of different species and sex. *Toxicol Lett* 2:179-86, 1978.
228. Watabe T, Isobe M, Yoshikawa K, Takabatake E: Studies on metabolism and toxicity of styrene--Part I. Biotransformation of styrene to styrene glycol via styrene oxide by rat liver microsomes. *J Pharmacobi Dyn* 1(2):98-104, 1978.
229. Belvedere G, Tursi F: Styrene oxidation to styrene oxide in human blood erythrocytes and lymphocytes. *Res Comm Chem Path Pharmacol* 33(2):273-82, 1981.
230. Beije B, Jenssen D: Investigation of styrene in the liver perfusion/cell culture system. No indication of styrene-7,8-oxide as the principal mutagenic metabolite produced by the intact rat liver. *Chem-Biol Interactions* 39(1):57-76, 1982.
231. Ryan AJ, Bend JR: The metabolism of styrene oxide in the isolated perfused rat liver. *Drug Metab Dispos* 5(4):363-67, 1977.

232. Bend JR, Smith BR, Van Anda J, Ryan AJ, Fouts JR: Biotransformation of styrene oxide by the isolated perfused rat liver and by subfractions of homogenized liver cells. In Proceedings of Industrial and Environmental Xenobiotics, *in vitro* vs. *in vivo* Biotransformation and Toxicity, Prague, Czechoslovakia, 1977. Int Congr Ser-Excerpta Med 1978, 440(Ind Environ Xenobiotics), pp 62-70.
233. Fjeldstad PE, Thorud S, Wannag A: Letter to the editor--Styrene oxide in the manufacture of reinforced polyester plastics. Scand J Work Environ Health 5:162-63, 1979.
234. Schwartz L, Tulipan L, Birmingham DJ: Occupational Diseases of the Skin, ed 3. Philadelphia, PA, Lea & Febiger, 1957, p 952.
235. Stasiecki P, Bentley P, Oesch F, Waechter FL: Drug metabolizing enzymes in specialized regions of the endoplasmic reticulum. Experientia 35:944, 1979 (Abst).
236. Manita MD: [The spectrophotometric method of analysis in the ultraviolet region of the spectrum in detecting several air pollutants.] Predel'no Dopustimye Konts Atmos Zagriaz 7:117-25, 1963 (Rus).
237. Bykhovskaya MA: [Methods of determining ditolylmethane and the separate determination of ditolylmethane and styrene when present together in the air.] Gig Sanit 28(3):48-52, 1963 (Rus).
238. Dutkiewicz T, Blochowicz A: [Remarks about the methods for styrene determination in the air.] Ann Acad Med Lodz 9:205-12, 1967 (Pol).
239. Bartenev VD, Simonov VA, Stavchanskii II: [Spectrophotometric determination of dibutyl phthalate and styrene when simultaneously present in air (exchange of experience).] Zavod Lab 35(2):187-88, 1969 (Rus).
240. Yamamoto RK, Cook WA: Determination of ethyl benzene and styrene in air by ultraviolet spectrophotometry. Am Ind Hyg Assoc J 29(3):238-41, 1968.
241. Kaznina NI: [Determination of styrene in air by paper chromatography]. Gig Sanit 33(5):65-67, 1968 (Rus).
242. Poletaev MI: [The colorimetric determination of small amounts of styrene in air.] Gig Sanit 3:46-47, 1952 (Rus).
243. Blake AJ, Rose BA: The rapid determination of toluene and styrene vapours in the atmosphere. Analyst 85:442-45, 1960.

244. Methods for the Detection of Toxic Substances in Air, Booklet No. 4. Benzene--Toluene and Xylene--Styrene. London, England, Her Majesty's Stationery Office, Dept of Employment, HM Factory Inspectorate, 1972, 16 pp.
245. Campbell EE, Ide HM: Air sampling and analysis with microcolumns of silica gel. Am Ind Hyg Assoc J 27(4):323-31, 1966.
246. Salyamon GS: [Determination of isopropylbenzene hydroperoxide and styrene in the air when present simultaneously]. Gig Sanit 27(10):51-54, 1962 (Rus).
247. Klyuzko AS, Vovyaniko II: [Chromatographic determination of ethylbenzene and styrene in the air.] Gig Naselemykh Mest: 129-31, 1967 (Rus).
248. Elkins HB: Styrene, in the Chemistry of Industrial Toxicology. New York, John Wiley and Sons, Inc, 1950, pp 109,211,221,225,274,355-56.
249. Parkes DG, Ganz CR, Polinsky A, Schulze J: A simple gas chromatographic method for the analysis of trace organics in ambient air. Am Ind Hyg Assoc J 37(3):165-73, 1976.
250. Bertsch W, Chang RC, Zlatkis A: The determination of organic volatiles in air pollution studies--Characterization of profiles. J Chromatogr Sci 12:175-82, 1974.
251. Fraust CL, Hermann ER: Charcoal sampling tubes for organic vapor analysis by gas chromatography. Am Ind Hyg Assoc J 27(1):68-74, 1966.
252. Severs LW, Melcher RG, Kocsis MJ: Dynamic U-tube system for solid sorbent air sampling method development. Am Ind Hyg Assoc J 39(4):321-26, 1978.
253. Burnett RD: Evaluation of charcoal sampling tubes. Am Ind Hyg Assoc J 37(1):37-45, 1976.
254. Kalliomaki P, Pfaffli P: Charcoal sampling method for determining the concentration of styrene in air. Scand J Work Environ Health 1:193-98, 1975.
255. Taylor DG, Kupel RE, Bryant JM: Documentation of the NIOSH Validation Tests, DHEW (NIOSH) Publication No. 77-185. Cincinnati, OH, US Dept of Health, Education, and Welfare, Public Health Service, Center for Disease Control, National Institute for Occupational Safety and Health, 1977, pp S30-1 to S30-3.
256. Mueller FX, Miller JA: Determination of organic vapors in industrial atmospheres. Am Lab 6(5):49-61, 1974.

257. Evans PR, Horstman SW: Desorption efficiency determination methods for styrene using charcoal tubes and passive dosimeters. Am Ind Hyg Assoc J 42(6):471-74, 1981.
258. Saalwaechter A, McCammon CS Jr, Roper CP, Carlberg KS: Performance testing of the NIOSH charcoal tube technique for the determination of air concentrations of organic vapors. Am Ind Hyg Assoc J 38(9):476-86, 1977.
259. Organic Solvents in Air--Physical and Chemical Analysis Branch Method No. P&CAM 127, in NIOSH Manual of Analytical Methods, ed 2, DHEW (NIOSH) Publication No. 77-157-A. Cincinnati, OH, US Dept of Health, Education, and Welfare, Public Health Service, Center for Disease Control, National Institute for Occupational Safety and Health, 1977, vol 1, pp 127-1 to 127-7.
260. Bretschneider K, Fahnert R, Otto J: [Gas chromatographic room air analyses of solvents important for occupational hygiene--Quantitative determinations of individual substances and non-enriched mixtures.] Z Gesamte Hyg 18(10):717-20, 1972 (Ger).
261. Grosskopf K: [An attempt at a systematic description of longitudinal indicator reaction tubes.] Chem Ztg 87:270-75, 1963 (Ger).
262. Bouillot J: [Direct determination of toxic vapors by ultraviolet absorption spectra.] Bull Soc Chim Fr 18:317-18, 1951 (Fre).
263. Leidel NA, Bush KA, Lynch JR: Occupational Exposure Sampling Strategy Manual, DHEW (NIOSH) Publication No. 77-173. Cincinnati, OH, US Dept of Health, Education, and Welfare, Public Health Service, Center for Disease Control, National Institute for Occupational Safety and Health, 1977, 132 pp.
264. Wise CE, Reese RM, Dibeler VH, Mohler FL: Introduction of measured liquid samples into the mass spectrometer. J Res Natl Bur Stand 44:215-20, 1950.
265. Desbaumes E, Imhoff C: Use of saran bags for the determination of solvent concentration in the air of workshops. Staub-Reinhalt Luft in English 31(6):36-41, 1971.
266. Tsendrovskaya VA: [Separate determination of indene, coumarone, styrene, cyclopentadiene and dicyclopentadiene in air by the thin-layer chromatography.] Gig Sanit 38(1):62-65, 1973 (Rus).
267. Hoshika Y: Gas chromatographic determination of styrene as its dibromide. J Chromatogr 136:95-103, 1977.

268. Styrene Oxide--Measurements Research Branch Analytical Method No. 303, in NIOSH Manual of Analytical Methods, ed 2, DHEW (NIOSH) Publication NO. 79-141. Cincinnati, OH, US Dept of Health, Education and Welfare, Public Health Service, Center for Disease Control, National Institute for Occupational Safety and Health, 1979, vol 5, pp 303-1 to 303-8.
269. Pfaffli P, Vainio H, Hesso A: Styrene and styrene oxide concentrations in the air during the lamination process in the reinforced plastics industry. Scand J Work Environ Health 5:158-61, 1979.
270. Harkonen H, Kalliomaki P, Hietala S, Hernberg S: Concentrations of mandelic and phenylglyoxylic acid in urine as indicators of styrene exposure. Work Environ Health 11:162-65, 1974.
271. Horiguchi S, Teramoto K: [The upper limits of mandelic and phenylglyoxylic acids normally excreted in the urine as an index of styrene exposure. Studies on industrial styrene poisoning-- Part III.] Sangyo Igaku 14(4):288-89, 1972 (Jap).
272. Burkiewicz C, Ryblowska J, Zielinska H: [Evaluation of styrene exposure in men under industrial conditions.] Med Pr 25(3):305-10, 1974 (Pol).
273. Carrard D: [Study on styrene--toxicity, urinary metabolites based on a survey of four factories.] Thesis, University of Lausanne, School of Medicine, 1975, 47 pp (Fre).
274. Sedivec V, Flek J: [Determination of toxic substances and their metabolites in biological fluids by gas chromatography--Part VI. Mandelic acid in urine.] Collect Czech Chem Commun 35(3):931-37, 1970 (Ger).
275. Vivoli G, Vecchi G: [Study of the urinary excretion of mandelic acid as a test of styrene exposure.] Lav Um 26(1):1-9, 1974 (Ita).
276. Saeki T: [Quantitative determination of urinary styrene metabolites by means of gas chromatography.] Okayama Igakkai Zasshi 88(5-6):397-401, 1976 (Jap).
277. Bauer D, Guillemin M: Human exposure to styrene--Part I. The gas-chromatographic determination of urinary phenylglyoxylic acid using diazomethane derivatization. Int Arch Occup Environ Health 37:47-55, 1976.
278. Chakrabarti SK: New fluorometric analysis for mandelic and phenylglyoxylic acids in urine as an index to styrene exposure. Clin Chem 25(4):592-95, 1979.

279. Sollenberg J, Baldesten A: Isotachophoretic analysis of mandelic acid, phenylglyoxylic acid, hippuric acid and methylhippuric acid in urine after occupational exposure to styrene, toluene and/or xylene. *J Chromatogr* 132:469-76, 1977.
280. Slob A: A new method for determination of mandelic acid excretion at low level styrene exposure. *Br J Ind Med* 30:390-93, 1973.
281. Flek J, Sedivec V: Simultaneous gas chromatographic determination of urinary mandelic and phenylglyoxylic acids using diazomethane derivatization. *Int Arch Occup Environ Health* 45:181-88, 1980.
282. Fields RL, Horstman SW: Biomonitoring of industrial styrene exposures. *Am Ind Hyg Assoc J* 40(6):451-59, 1979.
283. Ella VJ, Anderson LA, MacDonald TJ, Carson A, Buncher CR, Brooks SM: Determination of urinary mandelic and phenylglyoxylic acids in styrene exposed workers and a control population. *Am Ind Hyg Assoc J* 41(12):922-26, 1980.
284. Goodwin BL: *Handbook of Intermediary Metabolism of Aromatic Compounds*. New York, John Wiley & Sons, Inc., 1976, p Ml.
285. Stampfer JF, Hermes RE, Weeks RW Jr, Campbell EE, Ettinger HJ: Development of a Sampling and Analytical Method for Styrene Oxide, LA-7979-PR. Progress Report for NIOSH. Los Alamos, NM, Los Alamos Scientific Laboratory, University of California, 1979, NIOSH-LA-78-11, 12 pp.
286. American War Standard--Allowable Concentration of Styrene Monomer, Z37.15-1944. New York, American Standards Association, 1944, 7 pp.
287. Cook WA: Maximum allowable concentrations of industrial atmospheric contaminants. *Ind Med* 14:936-46, 1945.
288. Proceedings of the Eighth Annual Meeting of the ACGIH. Chicago, IL, April 7-13, 1946. Cincinnati, OH, American Conference of Governmental Industrial Hygienists, 1946, pp 39-40,54-56.
289. 1947 M.A.C. Values. *Ind Hyg News* 7(8):15, 1947.
290. Report of the Committee on Threshold Limits, in Transactions of the Eighteenth Annual Meeting of the ACGIH, Philadelphia, PA, April 21-24, 1956. Cincinnati, OH, American Conference of Governmental Industrial Hygienists, 1956, pp 70-73.
291. Threshold Limit Values for 1957--Adopted at the Nineteenth Annual Meeting of the ACGIH, St. Louis, MO, April 20-23, 1957. *AMA Arch Ind Health* 16:261-65, 1957.

292. Threshold Limit Values for 1961--Adopted at the 23rd Annual Meeting of the ACGIH, Detroit, MI, April 9-12, 1961. Cincinnati, OH, American Conference of Governmental Industrial Hygienists, 1961, pp 1-3,7.
293. Threshold Limit Values for 1964--Adopted at the 26th Annual Meeting of the ACGIH, Philadelphia, PA, April 25-28, 1964. Cincinnati, OH, American Conference of Governmental Industrial Hygienists, 1964, pp 1-2,12.
294. Report of the Committee on Threshold Limit Values, in Transactions of the Twenty-Ninth Annual Meeting of the ACGIH, Chicago, IL, May 1-2, 1967. Cincinnati, OH, American Conference of Governmental Industrial Hygienists, 1967, pp 74-76.
295. Threshold Limit Values for 1967--Recommended and Intended Values, Adopted at the 29th Annual Meeting of the ACGIH, Chicago, IL, May 1-2, 1967. Cincinnati, OH, American Conference of Governmental Industrial Hygienists, 1967, pp 1,12-13,16-17.
296. Threshold Limit Values of Air-Borne Contaminants for 1968--Recommended and Intended Values, Adopted at the 30th Annual Meeting of the ACGIH, St. Louis, MO, May 13, 1968. Cincinnati, OH, American Conference of Governmental Industrial Hygienists, 1968, pp 15-16.
297. Threshold Limit Values of Airborne Contaminants, Adopted by ACGIH for 1969 and Intended Changes. Cincinnati, OH, American Conference of Governmental Industrial Hygienists, 1969, pp 13,17-18.
298. Styrene (Monomer) (Phenyl Ethylene), in Transactions of the Thirty-First Annual Meeting of the ACGIH, Denver, CO, May 11-13, 1969. Cincinnati, OH, American Conference of Governmental Industrial Hygienists, 1969, p 189.
299. Threshold Limit Values for Chemical Substances and Physical Agents in the Workroom Environment with Intended Changes for 1981. Cincinnati, OH, American Conference of Governmental Industrial Hygienists, 1981, p 17.
300. Documentation of the Threshold Limit Values, ed 4. Cincinnati, OH, American Conference of Governmental Industrial Hygienists, 1980, pp 373-74.
301. Bardodej Z: Styrene, in Documentation of MAC in Czechoslovakia. Praha, Czechoslovak Committee of MAC, 1969, pp 144-45.
302. American National Standard, Acceptable Concentrations of Styrene, ANSI Z37.15-1969. New York, American National Standards Institute, Inc, 1970, 7 pp.

303. Scandinavian Expert Group on Limit Value Documentation--4. Styrene.] Arbete och Halsa, 1979:14, 36 pp (Swe).
304. Maximum Concentrations at the Workplace and Biological Tolerance Values for Working Materials, 1982. Commission for Investigation of Health Hazards of Chemical Compounds in the Work Area, Report No. XVIII. Bonn, Federal Republic of Germany, German Science Foundation, 1982, p 42.
305. Ordinance Issued by the National Swedish Board of Occupation Safety and Health Concerning Hygienic Limit Values, AFS 1981:8] May 1981, 55 pp (Swe).
306. A Recommended Standard--An Identification System for Occupationally Hazardous Materials, HEW Publication No. (NIOSH) 75-126. Cincinnati, OH, US Dept of Health, Education, and Welfare, Public Health Service, Center for Disease Control, National Institute for Occupational Safety and Health, 1974, 63 pp.
307. Styrene, in Hazardous Chemicals Data Book, Weiss G (ed.). Park Ridge, NJ, Noyes Data Corporation, 1980, p 838.
308. Styrene Monomer, Chemical Safety Data Sheet SD-37 rev. Washington, DC, Manufacturing Chemists Association Inc, 1971, 14 pp.
309. Lloyd LE: Handling styrene monomer, in Boundy RH, Boyer RF, Stoesser SM (eds.): Styrene--Its Polymers, Copolymers and Derivatives. American Chemical Society Monograph Series, No. 115. New York, Reinhold Publishing Corp, 1952, pp 195-214.
310. Special Occupancies--Article 500--Hazardous (Classified) Locations, NFPA No. 70-1978, in National Fire Codes--A Compilation of NFPA Codes, Standards, Recommended Practices, and Manuals. Boston, MA, National Fire Protection Association, 1980, vol 6, pp 70-347 to 70-364.
311. Toxic and Hazardous Industrial Chemicals Safety Manual for Handling and Disposal with Toxicity and Hazard Data. Tokyo, Japan, International Technical Information Institute, 1976, pp 494-95.

312. Styrene Monomer--Safety Data Sheet. New York, Shell Chemical Corporation; Industrial Hygiene Department, Industrial Hygiene Bulletin SC:58-10, January 1959, 7 pp.
313. Styrene Monomer--Data Sheet 627. National Safety Council, Chemical Section. National Safety News 102(6):70-74, 1970.
314. Fuller RB, Jensen JD: Plastic fiber glass operations. Fire Technol 9(2):101-11, 1973.
315. Case Histories of Accidents in the Chemical Industry. Washington, DC, Manufacturing Chemists Association, Inc, 1962, vol 1, p 8.
316. Case Histories of Accidents in the Chemical Industry. Washington, DC, Manufacturing Chemists Association, Inc, 1966, vol 2, p 122.
317. Recommended Practice on Static Electricity, NFPA 77-1977, in National Fire Codes--A Compilation of NFPA Codes, Standards, Recommended Practices, and Manuals. Boston, MA, National Fire Protection Association, 1980, vol 4, pp 77-1 to 77-62.
318. Storage and Handling of Styrene-Type Monomers. Midland, MI, Dow Chemical Co, 1967, 26 pp.
319. Morris HE: Integrated pollution control. Pet Refiner 33(12):229-31, 1954.
320. Criteria for a Recommended Standard--Working in Confined Spaces, DHEW (NIOSH) Publication No. 80-106. Cincinnati, OH, US Dept of Health, Education, and Welfare, Public Health Service, Center for Disease Control, National Institute for Occupational Safety and Health, 1979, 78 pp.
321. Behavioral Procedures for Reducing Worker Exposure to Carcinogens--Final Report. Prepared by University of Kansas for NIOSH Contract No. 210-77-0040, Cincinnati, OH, US Dept of Health and Human Services, Public Health Service, Centers for Disease Control, National Institute for Occupational Safety and Health, 1981, 36 pp.
322. Olishifski JB, McElroy FE (eds.): Appendix B-Catalog of Toxic Substances, in Fundamentals of Industrial Hygiene. Chicago, IL, National Safety Council, 1971, pp 812-13.
323. Adams EM, Schneider EJ: Eye irritants formed by the interaction of styrene and halogens in the atmosphere. Proc Air Pollut Smoke Prev Assoc 45:61-64, 1952.
324. Malten KE, Zielhuis RL: Industrial Toxicology and Dermatology in the Production and Processing of Plastics. New York, Elsevier Publishing Co, 1964, pp 72,77,81.

325. Industrial Ventilation--A Manual of Recommended Practice, ed 6. Lansing, MI, Committee on Industrial Ventilation, American Conference of Governmental Industrial Hygienists, 1978, 354 pp.
326. Maisonneuve MJ, Lardeux MP: [Ventilation of work sites and stations--Several examples--Part 3. Manufacture of plastic boats.] Paris, Institut National de Recherche et de Securite, Note No. 763-65-71. Cahiers de Notes Documentaires No. 65:395-99, 1971 (Fre).
327. Willis T: Styrene--Cleaning up the workshop. Int Boat Ind: 38-41, June 1980.
328. An Investigation to Observe the Best Available Technology Applied in Sweden to Reduce Employee Exposure to Styrene, in unpublished report by Daniel P. Boyd & Co, submitted to NIOSH by The Society of the Plastics Industry, Inc, New York, September 1980, 49 pp.
329. Hygienic Limits. [Instructions on Hygienic Limits for Air Pollutants at the Workplace.] Stockholm, Sweden, National Board of Occupational Safety and Health, June 1978, 26 pp. (Swe).
330. Compendium of Engineering Controls for the RP/C Industries, in unpublished report by Arthur D. Little, Inc, submitted to NIOSH by The Society of the Plastics Industry, Inc, New York, Sept 1980, 41 pp.
331. American National Standard--Fundamentals Governing the Design and Operation of Local Exhaust Systems, ANSI Z9.2-1971. New York, American National Standards Institute, Inc, 1972, 63 pp.
332. Hagopian JH, Bastress EK: Recommended Industrial Ventilation Guidelines, HEW Publication No. (NIOSH) 76-162. Cincinnati, OH, US Dept of Health, Education, and Welfare, Public Health Service, Center for Disease Control, National Institute for Occupational Safety and Health, 1976, 330 pp.
333. Engineering Control Technology Assessment for the Plastics and Resins Industry, DHEW (NIOSH) Publication No 78-159. Cincinnati, OH, US Dept of Health, Education, and Welfare, Public Health Service, Center for Disease Control, National Institute for Occupational Safety and Health, 1978, 234 pp.
334. Symposium Proceedings--Control Technology in the Plastics and Resins Industry, Atlanta, GA, February 27-28, 1979, DHHS (NIOSH) Publication No. 81-107. Cincinnati, OH, US Dept. of Health and Human Services, Public Health Service, Centers for Disease Control, National Institute for Occupational Safety and Health, 1981, 335 pp.

335. Technical Services Memorandum #8--Glove Selection Chart. Toronto, Canada, Industrial Accident Prevention Association, 6 pp.
336. Bagdinov YM: [Experimental hygienic investigation of protective properties of textiles for working garments for workers exposed to styrene vapors.] Gig Sanit 36(10):30-35, 1971 (Rus).
337. Scovill RG: Dermatitis prevention--polyester resins. Ind Health Air Pollut Control (Mich) 17(2):6-7, winter 1971-72.
338. American National Standard, Practices for Respiratory Protection, ANSI Z88.2-1969. New York, American National Standards Institute Inc, 1969, p 22.
339. Campbell DL, Collins RL: Tests of Glass Plano Safety Spectacles, DHEW (NIOSH) Publication No. 77-136. Cincinnati, OH, US Dept of Health, Education, and Welfare, Public Health Service, Center for Disease Control, National Institute for Occupational Safety and Health, 1977, 19 pp.
340. Campbell DL, Collins RL, Wolfe RS Jr: Tests of Eyecup Goggles, DHEW (NIOSH) Publication No. 77-165. Cincinnati, OH, US Dept of Health, Education, and Welfare, Public Health Service, Center for Disease Control, National Institute for Occupational Safety and Health, 1977, 23 pp.
341. Leidel NA, Busch KA, Lynch JR: Occupational exposure sampling strategy manual, DHEW (NIOSH) Publication No. 77-173. Cincinnati, OH, US Dept of Health, Education, and Welfare, Center for Disease Control, National Institute for Occupational Safety and Health, 1977, 132 pp.
342. Crandall MS: Extent of Exposure to Styrene in the Reinforced Plastic Boat Making Industry. DHHS (NIOSH) Publication No. 82-110. Cincinnati, OH, US Dept of Health and Human Services, Centers for Disease Control, National Institute for Occupational Safety and Health, 1982, 79 pp.
343. Wilson HK, Cocker J, Purnell CJ, Brown RH, Gompertz D: The time course of mandelic and phenylglyoxylic acid excretion in workers exposed to styrene under model conditions. Brit J Ind Med 36:235-37, 1979.
344. Sumoto I: Current situations & future prospects in development of styrene resins. Jap Plast Age 8(11):49-57, 1970.
345. Styrenic materials zoom, but where's new capacity coming from: Modern Plastics 5:89-92, 210-11, 1967.

346. Samimi B, Falbo L: Monitoring of workers exposure to low levels of airborne monomers in a polystyrene production plant. Am Ind Hyg Assoc J 43(11):858-62, 1982.
347. Pryor P, Tanaka S: Health Hazard Evaluation Determination Report HE 76-39-604--Neville Chemical Company, Pittsburgh, PA. Cincinnati, OH, US Dept of Health and Human Services, Centers for Disease Control, National Institute of Occupational Safety and Health, 1980, 56 pp.
348. Wilson RH: Health hazards encountered in the manufacture of synthetic rubber. J Am Med Assoc 124:701-03, 1944.
349. Bashirov AA: [Gastric function in workers of the synthetic rubber industry.] Vrach Delo 4:100-03, 1968 (Rus).
350. Burroughs GE: Health Hazard Evaluation Determination Report No. 77-1-426--Firestone Synthetic Rubber Company, Akron, OH. Cincinnati, OH, US Dept of Health, Education, and Welfare, Center for Disease Control, National Institute for Occupational Safety and Health, 1977, 10 pp.
351. Young RJ, Behrens V: Walk-Through Survey of American Synthetic Rubber Corporation, Louisville, KY. Cincinnati, OH, US Dept of Health, Education, and Welfare, Center for Disease Control, National Institute for Occupational Safety and Health, 1978, 23 pp.
352. Meinhardt TJ, Lemen RA, Crandall MS, Young RJ: Environmental epidemiologic investigation of the styrene-butadiene rubber industry: mortality patterns with discussion of the hematopoietic and lymphatic malignancies. Scand J Work Environ Health 8(4):250-59, 1982.
353. Crandall MS, Young RJ, Blade LM: In-Depth Industrial Hygiene Composite Report on Exposure to Styrene and Butadiene at Two Styrene-butadiene Rubber Processing Plants, Cincinnati, OH, US Dept of Health and Human Services, Centers for Disease Control, National Institute for Occupational Safety and Health, 1981, 66 pp.
354. Checkoway H, Williams TM: A hematological survey of workers at a styrene-butadiene synthetic rubber manufacturing plant. Am Ind Hyg Assoc J 43(3):164-69, 1982.
355. Volkova ZA, Bagdinov ZM: [Problems of labor hygiene in rubber vulcanization.] Gig Sanit 34(9):326-33, 1969 (Rus).
356. Rappaport SM: Air sampling and analysis in a rubber vulcanization area. Am Ind Hyg Assoc J 39(5):205-10, 1977.
357. Stephenson RW, Fosdick LB: Hazards in the use of isopolyesters as maintenance coatings. Ind Hyg J 21(1):522-25, 1960.

358. Wagner WL: Health Hazard Evaluation/Toxicity Determination Report No. 73-124-127--Schnadig Corp, Cornelia, GA. Cincinnati, OH, US Dept of Health, Education, and Welfare, National Institute for Occupational Safety and Health, 1974, 7 pp.
359. Kingsley I: Health Hazard Evaluation Determination Report No. 75-178-295--New York Telephone and Telegraph Company, New York, NY. Cincinnati, OH, US Dept of Health, Education, and Welfare, Center for Disease Control, National Institute for Occupational Safety and Health, 1976, 5 pp.
360. Ruhe RL: Health Hazard Evaluation Determination Report HE 79-92-629--Franco American Novelty Company, Hempstead, NY. Cincinnati, OH, US Dept of Health, Education and Welfare, Center for Disease Control, National Institute for Occupational Safety and Health, 1979, 7 pp.
361. Gorman, RW: Health Hazard Evaluation Report HETA 81-052-896--Marble Products of Memphis, Memphis, TN. Cincinnati, OH, US Dept of Health and Human Services, Centers for Disease Control, National Institute for Occupational Safety and Health, 1981, 15 pp.
362. Fannick N: Health Hazard Evaluation Determination Report HE 77-122-695--Gould's Pumps, Inc., Seneca Fall, NY. Cincinnati, OH, US Dept of Health and Human Services, Centers for Disease Control, National Institute for Occupational Safety and Health, 1980, 8 pp.
363. McKarns JS, Hill FN, Bolton PR: Monostyrene vapor concentrations from a plastic concrete. Am Ind Hyg Assoc J 28(6):414-17, 1967.
364. Geissert JO, Herbert J: Health Hazard Evaluation Determination Report No. 76-28-332--Welch Plastics and Manufacturing Company, Columbus, OH. Cincinnati, OH, US Dept of Health, Education, and Welfare, Center for Disease Control, National Institute for Occupational Safety and Health, 1976, 23 pp.
365. Price JH: Health Hazard Evaluation Determination Report HE 77-92-541--Packard Electric, Warren, OH. Cincinnati, OH, US Dept of Health, Education, and Welfare, Center for Disease Control, National Institute for Occupational Safety and Health, 1978, 30 pp.
366. Belanger PL, Elesh E: Health Hazard Evaluation Determination Report No 79-36-656--Bell Helmets, Inc., Norwalk, CA. Cincinnati, OH, US Dept of Health, Education, and Welfare, Center for Disease Control, National Institute for Occupational Safety and Health, 1980, 14 pp.
367. Okawa MT: Health Hazard Evaluation Determination Report No. 74-113-192--Del Monte Corporation, Oakland, CA. Cincinnati, OH, US Dept of Health, Education, and Welfare, Center for Disease Control, National Institute for Occupational Safety and Health, 1975, 7 pp.

368. McManus KP: Health Hazard Evaluation Report HE 80-126-777--St. Regis Paper Company, Bucksport, ME. Cincinnati, OH, US Dept of Health and Human Services, Centers for Disease Control, National Institute for Occupational Safety and Health, 1980, 15 pp.
369. Gunter BJ: Health Hazard Evaluation Determination Report No. 77-76-438--Stanley Structures, Denver, CO. Cincinnati, OH, US Dept of Health, Education, and Welfare, Center for Disease Control, National Institute for Occupational Safety and Health, 1977, 5 pp.
370. Gunter BJ, Lucas JB: Health Hazard Evaluation/Toxicity Determination Report No. 72-86-38--Gates Rubber Co, Denver, CO. Cincinnati, OH, US Dept of Health, Education, and Welfare, National Institute for Occupational Safety and Health, 1973, 17 pp.
371. Love JR: Health Hazard Evaluation Report TA 80-51-803--United States International Communication Agency, Washington, DC. Cincinnati, OH, US Dept of Health and Human Services, Centers for Disease Control, National Institute for Occupational Safety and Health, 1981, 2 pp.
372. Ruhe RL, Jannerfeldt ER: Health Hazard Evaluation Report HE 80-188-797--Metamora Products Corporation, Elkland, PA. Cincinnati, OH, US Dept of Health and Human Services, Centers for Disease Control, National Institute for Occupational Safety and Health, 1981, 7 pp.
373. Rogers JC: Industrial hygiene problems in the field of plastics. AMA Arch Ind Health 12:470-71, 1955.
374. Schumacher RL, Breysse PA, Carlyon WR, Hibbard RP, Kleinman GD: Styrene exposure in the fiberglass fabrication industry in Washington State. Am Ind Hyg Assoc J 42(2):143-49, 1981.
375. Cohen SR, Vandervort R: Health Hazard Evaluation/Toxicity Determination Report No. 72-68-25--North American Rockwell Co, Ashtabula, OH. Cincinnati, OH, US Dept of Health, Education, and Welfare, National Institute for Occupational Safety and Health, 1972, 94 pp.
376. Vandervort R, Lucas JB: Health Hazard Evaluation/Toxicity Determination Report No. 73-78-60--Owens-Corning Fiberglas Corp, Huntingdon, PA. Cincinnati, OH, US Dept of Health, Education, and Welfare, National Institute for Occupational Safety and Health, 1973, 10 pp.
377. Curtis RA, Dement JM, Mangin HJ, Zumwalde RD: Comprehensive Industrial Hygiene Survey of The Kohler Co, Camp Kroft, Spartanburg, SC. Cincinnati, OH, National Institute for Occupational Safety and Health, 1973, 43 pp.

378. Gunter BJ: Health Hazard Evaluation/Toxicity Determination Report No. 73-126-186--Raven Industries, Inc, Sioux Falls, SD. Cincinnati, OH, US Dept of Health, Education, and Welfare, National Institute for Occupational Safety and Health, 1975, 8 pp.
379. Jones M: Industrial Hygiene Survey of Pomona Pipe Products Co, Greensboro, NC. Cincinnati, OH, National Institute for Occupational Safety and Health, 1976, 8 pp.
380. Jones M, Phillips R: Industrial Hygiene Survey of Pomona Pipe Co, Gulf, NC. Cincinnati, OH, National Institute for Occupational Safety and Health. 1976, 11 pp.
381. Kominsky JR, Singal M: Health Hazard Evaluation Determination Report No. 76-8-370--Fuel Economy Engineering Company, Maysville, KY. Cincinnati, OH, US Dept of Health, Education, and Welfare, Center for Disease Control, National Institute for Occupational Safety and Health, 1977, 36 pp.
382. Engstrom K, Harkonen H, Pekari K, Rantanen J: Evaluation of occupational styrene exposure by ambient air and urine analysis. Scand J Work Environ Health 4(Suppl 2):121-23, 1978.
383. White GL, Wegman DH: Health Hazard Evaluation Determination Report HE 78-68-546--Lear Siegler, Inc., Marblehead, MA. Cincinnati, OH, US Dept of Health, Education, and Welfare, Center for Disease Control, National Institute for Occupational Safety and Health, 1978, 47 pp.
384. Rosensteel RE: Health Hazard Evaluation Determination Report No. HE 78-3-555--Warminster Fiberglass, Southampton, PA. Cincinnati, OH, US Dept of Health, Education, and Welfare, Center for Disease Control, National Institute for Occupational Safety and Health, 1979, 23 pp.
385. Gunter BJ: Health Hazard Evaluation Determination Report No. 79-130-645--Craig Power Plant, Craig, CO. Cincinnati, OH, US Dept of Health, Education, and Welfare, Center for Disease Control, National Institute for Occupational Safety and Health, 1979, 5 pp.
386. Markel HL: Health Hazard Evaluation Determination Report HE 78-125-712--Owens-Corning Fiberglas Corporation, Conroe, TX. Cincinnati, OH, Dept of Health and Human Services, Centers for Disease Control, National Institute for Occupational Safety and Health, 1980, 14 pp.
387. Markel HL, Wilcox T: Health Hazard Evaluation Report HHE 79-104-838--A.O. Smith-Inland, Inc., Little Rock, AR. Cincinnati, OH, Dept of Health and Human Services, Centers for Disease Control, National Institute for Occupational Safety and Health, 1981, 20 pp.

388. Markel HL, Jannerfeldt E: Health Hazard Evaluation Report HHE 79-156-899--Gulf-Wandes Corporation, Baton Rouge, LA. Cincinnati, OH, US Dept of Health and Human Services, Centers for Disease Control, National Institute for Occupational Safety and Health, 1981, 19 pp.
389. Boiano JM: Health Hazard Evaluation Report HHE 80-165-907--International Harvester, Ft. Wayne, IN. Cincinnati, OH, US Dept of Health and Human Services, Centers for Disease Control, National Institute for Occupational Safety and Health, 1981, 17 pp.
390. Evans WA, Elesh E: Health Hazard Evaluation Determination Report HE 77-114-529--The Standard Products Company, Lexington, KY. Cincinnati, OH, US Dept of Health, Education, and Welfare, Center for Disease Control, National Institute for Occupational Safety and Health, 1978, 21 pp.
391. Pfaffli P, Zitting A, Vainio H: Thermal degradation products of homopolymer polystyrene in air. Scand J Work Environ Health 4:(Suppl 2):22-27, 1978.
392. Kjellberg A, Wigaeus E, Engstrom J, Astrand I, Ljungquist E: [Long term effects of styrene exposure in the plastic boat industry.] Arbete och Halsa 1979:18, 25 pp (Swe).