HA 201 XC 3m

# DEPARTMENT OF COMMERCE BUREAU OF THE CENSUS

WM. J. HARRIS, DIRECTOR

# MORTALITY STATISTICS 1911

TWELFTH ANNUAL REPORT

PREPARED UNDER THE SUPERVISION OF CRESSY L. WILBUR, M. D., CHIEF STATISTICIAN FOR VITAL STATISTICS



WASHINGTON GOVERNMENT PRINTING OFFICE 1913

# CONTENTS.

D-1	Page.
Deaths and crude death rates	. 9–14
Growth of the registration area	. 9
Deaths, by color and age of decedent.	. 10
Death rates of the registration area.	. 11 . 11
Death rates of registration states.	. 12
Death rates of large cities	. 13
Death rates of foreign countries and cities.	. 13
Specific and standardized death rates.	14-24
Specific death rates	. 15
Standardized (or corrected) death rates.	- 20
Standardized death rates, by color and nativity	. 22
Infant and child mortality	. 24–28
Importance of reporting all deaths of infants born alive.  CAUSES OF DEATH	. 26
Detailed and abridged International Lists.	. 28–36 . 28
Typhoid fever	90
Measles	30
Scarlet fever	30
Whooping cough	31
Diphtheria and croup	31
Other epidemic diseases	31
Pellagra	31
Tuberculosis (all forms)	32
Cancer.	33
Acute anterior poliomyelitis (infantile paralysis).	34
Organic diseases of the heart	34
Diarrhea and enteritis (under 2 years).	35 35
Suicide	35
Violent deaths (excluding suicide)	36
ACCURACY OF STATISTICS OF CAUSES OF DEATH	36–38
INDEX.	
11/11/11/11/11/11/11/11/11/11/11/11/11/	569
SUMMARY AND RATE TABLES.	
Table I.—Population, deaths (exclusive of stillbirths), and death rates per 1,000 population in the registration area and its sub-	
divisions by color of decedent: 1911.  Table II.—Deaths (exclusive of stillbirths) and death rates per 100,000 population, by causes, according to the detailed Interna-	41
tional List, for the registration area: 1908 to 1911.  Table III.—Death rates per 100,000 population in the registration area and its subdivisions, by color of decedent and cause of death:	59
1911	64
Table IV.—Death rates per 100,000 population in cities and rural districts of each registration state from each cause and class of	; ;
causes: 1911.	132
$\cdot$	
GENERAL TABLES.	
Table 1.—Deaths (exclusive of stillbirths) in the registration area and its subdivisions, by color and age of decedent: 1911	150
Table 2.—Deaths (exclusive of stillbirths) in the registration area, its main subdivisions, each registration state, and each city of	TOO.
100,000 population or over in 1910, by age and by sex, color, general nativity, and parent nativity of decedent: 1911	174
Table 3.—Deaths (exclusive of stillbirths) in the registration area and its subdivisions, by color of decedent and cause of death: 1911.	258
Table 4.—Deaths (exclusive of stillbirths) in the registration area, its main subdivisions, and in cities and rural districts of each	
registration state from each cause and class of causes: 1911	
Making Thanking (amalagement of additional of the street o	326
Table 5.—Deaths (exclusive of stillbirths) in the registration area from each cause and class of causes, by sex and age of decedent:	326
1911	326
1911	.342
Table 6.—Deaths (exclusive of stillbirths) in the registration area, all registration states, and each registration state from each cause and class of causes, by age of decedent: 1911.	
Table 6.—Deaths (exclusive of stillbirths) in the registration area, all registration states, and each registration state from each cause and class of causes, by age of decedent: 1911.  Table 7.—Deaths (exclusive of stillbirths) in each city of 100,000 population or over in 1910, by cause of death (abridged Interna-	. 342 354
Table 6.—Deaths (exclusive of stillbirths) in the registration area, all registration states, and each registration state from each cause and class of causes, by age of decedent: 1911.  Table 7.—Deaths (exclusive of stillbirths) in each city of 100,000 population or over in 1910, by cause of death (abridged International List) and by age of decedent: 1911.	.342
Table 6.—Deaths (exclusive of stillbirths) in the registration area, all registration states, and each registration state from each cause and class of causes, by age of decedent: 1911.  Table 7.—Deaths (exclusive of stillbirths) in each city of 100,000 population or over in 1910, by cause of death (abridged International List) and by age of decedent: 1911.  Table 8.—Deaths (exclusive of stillbirths) from certain important causes, by months, for the registration area, registration states, and	342 354 466
Table 6.—Deaths (exclusive of stillbirths) in the registration area, all registration states, and each registration state from each cause and class of causes, by age of decedent: 1911.  Table 7.—Deaths (exclusive of stillbirths) in each city of 100,000 population or over in 1910, by cause of death (abridged International List) and by age of decedent: 1911.  Table 8.—Deaths (exclusive of stillbirths) from certain important causes, by months, for the registration area, registration states, and cities of 100,000 population or over in 1910: 1911.  Table 9.—Deaths (exclusive of stillbirths) from important causes, during each of the first three days of life, the remainder of the first	342 354 466
Table 6.—Deaths (exclusive of stillbirths) in the registration area, all registration states, and each registration state from each cause and class of causes, by age of decedent: 1911.  Table 7.—Deaths (exclusive of stillbirths) in each city of 100,000 population or over in 1910, by cause of death (abridged International List) and by age of decedent: 1911.  Table 8.—Deaths (exclusive of stillbirths) from certain important causes, by months, for the registration area, registration states, and cities of 100,000 population or over in 1910: 1911.  Table 9.—Deaths (exclusive of stillbirths) from important causes, during each of the first three days of life, the remainder of the first week, weeks of the first month, months of the first quarter, and the remaining quarters of the first year, for the registra-	342 354 466
Table 6.—Deaths (exclusive of stillbirths) in the registration area, all registration states, and each registration state from each cause and class of causes, by age of decedent: 1911.  Table 7.—Deaths (exclusive of stillbirths) in each city of 100,000 population or over in 1910, by cause of death (abridged International List) and by age of decedent: 1911.  Table 8.—Deaths (exclusive of stillbirths) from certain important causes, by months, for the registration area, registration states, and cities of 100,000 population or over in 1910: 1911.	342 354 466
Table 6.—Deaths (exclusive of stillbirths) in the registration area, all registration states, and each registration state from each cause and class of causes, by age of decedent: 1911.  Table 7.—Deaths (exclusive of stillbirths) in each city of 100,000 population or over in 1910, by cause of death (abridged International List) and by age of decedent: 1911.  Table 8.—Deaths (exclusive of stillbirths) from certain important causes, by months, for the registration area, registration states, and cities of 100,000 population or over in 1910: 1911.  Table 9.—Deaths (exclusive of stillbirths) from important causes, during each of the first three days of life, the remainder of the first week, weeks of the first month, months of the first quarter, and the remaining quarters of the first year, for the registration area, registration states, and cities of 100,000 population or over in 1910: 1911.	342 354 466 513
Table 6.—Deaths (exclusive of stillbirths) in the registration area, all registration states, and each registration state from each cause and class of causes, by age of decedent: 1911.  Table 7.—Deaths (exclusive of stillbirths) in each city of 100,000 population or over in 1910, by cause of death (abridged International List) and by age of decedent: 1911.  Table 8.—Deaths (exclusive of stillbirths) from certain important causes, by months, for the registration area, registration states, and cities of 100,000 population or over in 1910: 1911.  Table 9.—Deaths (exclusive of stillbirths) from important causes, during each of the first three days of life, the remainder of the first week, weeks of the first month, months of the first quarter, and the remaining quarters of the first year, for the registra-	342 354 466 513

# LETTER OF TRANSMITTAL.

DEPARTMENT OF COMMERCE,
BUREAU OF THE CENSUS,
Washington, D. C., September 25, 1913.

SIR:

I transmit herewith the twelfth annual report on mortality statistics, which is based on the transcripts of deaths received from the registration area for deaths for the year 1911. This area is increasing yearly. For 1911 it included 63.1 per cent of the total estimated population of the United States. Kentucky and Missouri are now registration states; new laws of excellent character have recently been enacted in Arkansas, North Carolina, Mississippi, Tennessee, and Virginia; and efforts to obtain such legislation have been made in Georgia, Illinois, Iowa, and other states. The Bureau of the Census desires to aid in securing the extension of proper legislation and especially to urge the necessity of more thorough enforcement of existing laws for the registration of births.

To be of the greatest service these reports should be published as soon as possible after the close of the year to which they relate. They have been somswhat delayed during the period of the Thirteenth Census and, in order to avoid further delay, the present report has been condensed and no special text has been prepared, that of the annual bulletin being reprinted practically without change.

The report was prepared under the direction of Dr. Cressy L. Wilbur, chief statistician for vital statistics of this bureau.


Very respectfully,

Director of the Census.

Hon. WILLIAM C. REDFIELD, Secretary of Commerce.

# MORTALITY STATISTICS 1911

# GROWTH OF THE REGISTRATION AREA FOR DEATHS: 1880 TO 1911.



Note.—In addition to the registration states (shaded in the cartograms), the registration area includes certain cities in nonregistration states.

# MORTALITY STATISTICS: 1911.

## DEATHS AND CRUDE DEATH RATES.

The total number of deaths returned for the registration area of the United States for the year 1911 was 839,284. The estimated midyear population of this area was 59,275,977, or 63.1 per cent of the total population of the United States, and the death rate for the year was 14.2 per 1,000. This is the lowest death rate ever recorded for the registration area, as appears from the following statement:

YEAR.	Death rate per 1,000 pop- ulation.	YEAR.	Death rate per 1,000 pop- ulation.
1911 1910 1909 1908 1908 1907 1906 1906 1905	14. 2 15. 0 14. 4 14. 8 16. 0 15. 7 16. 0 16. 5	1903. 1902. 1901. 1900. 19001. 18901. 18801.	16. 0 15. 9 16. 5 17. 6 17. 8 19. 6 19. 8

<sup>1</sup> Census year ending May 31.

### GROWTH OF THE REGISTRATION AREA.

The series of annual reports began with the calendar year 1900, following the series of decennial reports. which began with that of the Seventh Census for 1850 and terminated with the Twelfth Census report for the year ending May 31, 1900. The earlier decennial reports on mortality were based upon an enumeration of deaths at the time of the enumeration of the population, hence the rates were far from accurate and can not be compared with rates based upon the immediate registration of deaths. The "registration area," which comprises those states and cities in which the registration of deaths is returned as fairly complete (at least 90 per cent of the total) and from which transcripts of the deaths recorded under the state laws or municipal ordinances are obtained by the Bureau of the Census, was established by the Tenth Census (1880). For that year it consisted of only 2 states-Massachusetts and New Jersey-and certain cities in other states, the aggregate population of the area being only 8,538,366, or 17 per cent of the total population of the United States. The land area represented formed an insignificant fraction (six-tenths of 1 per cent), and the rates can not be considered representative of the country as a whole.

The growth of the registration area, with respect to the population included and the extent of land area, is shown in the following table:

•	UNITED	STATES.	REGISTRATION AREA FOR DEATHS								
YEAR.			Populat	ion.	Land area.						
	Popula- tion.	Land area (square miles).	Number.	Per cent of to- tal.	Square miles.	Per cent of to-					
Calendar year 1911 Calendar year 1910 Calendar year 1909 Calendar year 1908 Calendar year 1908 Calendar year 1907 Calendar year 1907 Calendar year 1906 Calendar year 1905 Calendar year 1904 Calendar year 1904 Calendar year 1902 Calendar year 1902 Calendar year 1900 Calendar year 1900 Calendar year 1900 Census year 1900 Census year 1800 2 Census year 1800 2 Census year 1800 2	93, 927, 342 92, 309, 348 90, 691, 354 89, 073, 360 87, 455, 366 85, 837, 372 82, 601, 384 80, 983, 390 79, 365, 396 77, 747, 402 78, 994, 575 62, 622, 250 50, 155, 783	1 2, 973, 890 1 2, 973, 890 2, 974, 159 2, 974, 974, 974, 974, 974, 974, 974, 974	59, 275, 977 58, 843, 896 50, 870, 518 46, 789, 913 41, 933, 419 34, 052, 201 33, 455, 201 32, 701, 083 32, 709, 52 30, 765, 618 128, 807, 269 19, 589, 440	63. 1 58. 3 56. 1 52. 5 49. 2 48. 9 40. 4 40. 4 40. 4 40. 3 7. 9 31. 4 17. 0	1, 106, 734 997, 978 765, 738 725, 117 603, 151 603, 066 212, 744 212, 762 212, 762 212, 770 212, 621 176, 878 90, 695 16, 481	37. 2 33. 6 25. 7 24. 4 20. 3 7. 2 7. 2 7. 2 7. 2 7. 2 7. 2 7. 2 7. 2					

<sup>1</sup> Net reduction of 269 square miles as compared with area stated by Census of 1900, due to drainage of lakes and swamps in Illinois and Indiana, building of the Roosevelt and Laguna Reservoirs, and overflow of the Colorado River into the Salton Sea in California.
<sup>2</sup> Ending May 31.

While a large proportion of the population and a still larger proportion of the land area of the United States are still without effective registration of deaths, and hence are not included in the annual compilations of mortality statistics made by the Bureau of the Census, the registration area has grown until it may be considered representative in many respects of the country as a whole. Birth registration is in a much less satisfactory state; it is probable that not much more than 25 per cent of the population of the country is represented by records of births even approximately complete. The remedy for this condition, which is the extension of effective registration of both births and deaths throughout the entire United States, depends primarily upon the enactment and thorough enforcement of adequate laws by the states. The Bureau of the Census has long been cooperating to this end, with the active support of many national organizations, notably the American Medical Association, the American Public Health Association, and the National Federation of Women's Clubs. The recently organized

Children's Bureau of the Department of Commerce <sup>1</sup> will bring additional support to the movement for better vital statistics and especially for the registration of births, inasmuch as that bureau is charged with the investigation of infant mortality and the birth rate.

#### EXTENT OF THE REGISTRATION AREA IN 1911.

The states included in the registration area for deaths for 1911 are the following:

California. Missouri. Ohio. Pennsylvania. Colorado. Montana. Connecticut. New Hampshire. Rhode Island Indiana. New Jersey. New York. Utah. Kentucky. Vermont. Maine. North Carolina (mu-Washington. Maryland. nicipalities of 1,000 Wisconsin. population or over in 1900). Massachusetts. Michigan. Minnesota.

Of these 23 states, or 22 states if the partial registration in North Carolina be disregarded, Kentucky and Missouri appear in the returns for the first time. The registration states formed less than one-half of the total number of states in the Union. Together with the District of Columbia, which is included in totals for the group of registration states but is elsewhere treated as a registration city, they comprised (including the North Carolina municipalities referred to) somewhat more than one-half of the total estimated midyear population in 1911 (54,385,234, or 57.9 per cent).

Following is a list of the registration cities in non-registration states:

These registration cities in nonregistration states may be regarded as forerunners of effective registration. They will in time, doubtless, be brought under state laws instead of the local ordinances or regulations now, for the most part, in force. Delaware has a law that would be effective if a sufficient number of local registration districts were provided, a matter entirely within the control of the state board of health. In a similar way the insufficient number of local registrars cripples the operation of the otherwise excellent

laws of Kansas 2 and Nebraska. Laws of the type of the "Model Bill" have recently gone into effect in Idaho, Mississippi, and Virginia, and are now undergoing the test of practical experience under the diverse conditions in those states affecting the administration of registration laws. The "Model Bill," a generalized draft of a bill for the registration of births and deaths based on the practical experience of registration officials in this country, has been thoroughly revised recently by a special committee of the Council on Health and Public Instruction of the American Medical Association, in consultation with committees or representatives of the American Public Health Association, the American Bar Association, the Conference of Commissioners on Uniform State Laws, the Children's Bureau, and the Bureau of the Census.3

This bill has been introduced in the legislatures of several states, among them Illinois, Iowa, North Carolina (to extend the present system of death registration to the entire state and to provide for the registration of births), 4 and Tennessee. 4 Other states are in need of such legislation. In some the state authorities are not yet prepared to cooperate and time is being wasted in experimenting with fundamentally defective laws, which can never be expected, however faithfully administered, to afford satisfactory results. On the whole, however, the prospects were never brighter, nor was there ever before as much genuine public interest in the registration of vital statistics or as full recognition of the important practical uses subserved by such registration. Looking back upon the long history of registration, or rather attempted registration, in the United States and remembering that the direct control of the collection of births and deaths is entirely in the hands of the states, and that 48 separate and, in this respect, entirely independent state legislatures must be brought to see the wisdom of such registration and to provide adequate and uniform means therefor, including reasonable financial support, it would perhaps seem that if uniform and accurate vital statistics that shall cover the entire country and be comparable with those of other civilized nations are to be obtained, at least within the lifetime of the present generation, some means must be adopted whereby more effective cooperation may become possible, not only among the numerous national organizations on actively engaged in promoting the extension of adequate laws, but also among the state sanitary and registration authorities charged with their enforcement.

<sup>&</sup>lt;sup>1</sup>Transferred to the Department of Labor on its organization March 5, 1913.

<sup>&</sup>lt;sup>2</sup>This defect in the Kansas law has been removed by an amendment (1913).

<sup>&</sup>lt;sup>3</sup> Pamphlet on "Why Should Births and Deaths be Registered;" published by the American Medical Association, 535 Dearborn Avenue, Chicago, Ill.

<sup>4</sup> Passed (1912)

<sup>&</sup>lt;sup>4</sup> Passed (1913).
<sup>5</sup> A conference to consider the coordination of the work of national organizations engaged in various phases of health and welfare work was held in New York on April 12, 1913.

DEATHS, BY COLOR AND AGE OF DECEDENT.

Table 2 gives for the registration area, its main subdivisions, the registration states, and cities of 100,000 population or over in 1910, the number of deaths of white persons, of negroes, and of Indians, Chinese, and Japanese, and the deaths of persons in certain age groups. Out of the total of 839,284 decedents, 779,770, or 92.9 per cent, were whites and 56,431 were negroes (the latter including all mixtures of white and negro blood), while only 1,359 were Indians, 1,060 Chinese, and 664 Japanese. The percentage of deaths of white persons and that of white population are higher in the registration area than in the United States as a whole, because none of the Southern States, where the greatest proportions of negroes are found, is as yet included as a whole in the registration area.

The age groups shown in this table comprise individual years for the first five years of life and quinquennial periods for the subsequent years up to the age of 99, all decedents of 100 years and over being given in one group. Out of the total of 839,284 all ages, 1,296—an unnecessarily large number—were of unknown or unstated age. No less than 1,054 of these were reported from the rural part of the registration states, a condition suggestive of carelessness on the part of local registrars in rural districts in accepting certificates of death without the statement of the ages of the decedents. Deducting the unknown or unstated ages, there remain 837,988 deaths at known ages, of which 149,322, or 17.8 per cent, were of infants under 1 year of age, 209,482, or 25 per cent, were of children under 5 years of age, and 222,579, or 26.6 per cent, were of persons 65 years of age or over.

The percentage which deaths of infants under 1 year of age formed of the total deaths at known ages for the year (17.8) was somewhat less than that for 1910 (19.2). This ratio, however, is not a reliable one for the comparison of infant mortality.

## DEATH RATES OF THE REGISTRATION AREA.

Direct comparison can not be satisfactorily made, as a rule, of the numbers of deaths registered from year to year for a given area, owing to the fact that there are changes in population. It is therefore necessary to reduce the data to the form of death rates, or the number of deaths, from all causes or individual causes, in a selected unit of population. Usually death rates for all causes are stated as rates per 1,000 inhabitants and death rates from individual causes as rates per 100,000 inhabitants. Of course a death rate of 158.9 per 100,000 population from tuberculosis (all forms), which was the rate shown for 1911, is practically the same as the rate of 1.59 per 1,000, according to the other mode

of expression. It might be preferable to state rates for all causes and for individual diseases upon a uniform basis per 10,000 population without a decimal; the decimal portion of a rate per 100,000 and even the last integral figure are of doubtful validity. Computed in this way the death rate of the registration area from all causes in 1911 would be 142 per 10,000 inhabitants, the rate for tuberculosis (all forms) would be 16, and that for typhoid fever would be 2 (instead of 21 per 100,000), etc. But it is difficult to become accustomed to changes in conventional modes of expression, so for the present the usual methods of statement will be employed.

The following table shows the death rates of the registration area and its main subdivisions for the years 1908 to 1911, inclusive, and also for the periods 1901 to 1905 and 1906 to 1910:

	DEATH	RATE 1	FROM AI	LL CAUS	es 1 pei	1,000	
AREA.	1911	1910	1909	1908	Ann aver		
	1911		1303	1905	1906- 1910	1901- 1905	
The registration area	14.2	15.0	14.4	14.8	15.1	16.2	
Registration states <sup>2</sup>	13.9 15.1 12.7 16.9	14.7 15.9 13.4 16.9	14.2 15.4 13.0 15.6	14.7 15.9 13.3 15.4	15.0 16.3 13.4 15.9	15.9 17.4 14.1 16.6	
All registration cities 2	15.3	16.1	15.4	. 15.7	16.2	17.0	

<sup>1</sup> Exclusive of stillbirths.

<sup>2</sup> Includes District of Columbia.

For the registration area as a whole and also for each of its main subdivisions, except the registration cities in nonregistration states, the death rates for 1911 were lower than the rates for any other year or period shown in the table. The rate for the period 1906 to 1910 showed a decrease as compared with that for the preceding quinquennial period for each group. It should be remembered, however, that the registration area has not remained constant in its composition nor in the distribution of its population among the main subdivisions. The states of Kentucky and Missouri were added to the group of registration states for 1911, and the cities of those states from which returns were received prior to the operation of the present state laws were transferred from the group of registration cities in other states to the group of cities in registration states. These subdivisions are therefore of a temporary character, being employed merely as headings under which to summarize the distribution of the returns for the current bulletin or report. The increased proportion of rural population due to the admission of new registration states tends to reduce the death rate for the registration area as a whole. Hence it is desirable

to examine the changes in death rates for a large portion of the registration area, embracing both urban and rural, in which no changes occurred except those due to natural increase and balance of migration.

The following table shows the changes in death rates for the group of registration states as constituted for the calendar year 1900:

	DEATE	( RATE )	FROM A		es <sup>1</sup> per	1,000
AREA.					Ann	
•	1911	1910	1909	1908	1906 to 1910	1901 to 1905
Registration states 2 (1900)	14.9	15.6	14.9	15.1	15.5	15.9
Cities <sup>2</sup> (of 8,000 or more inhabitants in 1900)	15. 4 14. 3	16. 2 14. 7	15.6 13.9	15. 9 14. 0	16. 4 14. 2	17. 4 14. 1

Exclusive of stillbirths.
 Includes District of Columbia (city of Washington).

The states included in the registration area for the calendar year 1900 were Connecticut, Indiana, Maine, Massachusetts, Michigan, New Hampshire, New Jersey, New York, Rhode Island, and Vermont. The District of Columbia was also included. This group differs from the registration area of the Twelfth Census (year ending May 31, 1900) by the addition of Indiana. As constituted for the calendar year 1900 the group comprised a population of 19,960,742, or 26.3 per cent of the total for the United States in that year, and in 1911 a population of 24,627,761, or 26.2 per cent of the total. Thus the population is sufficiently large to give a good idea of the movement of the death rate in an area not affected by additions of new registration territory.

The death rate of this group of registration states (14.9) was slightly higher than that of the registration area as a whole (14.2) for the year 1911. A reduction from 15.9 to 15.5, or 2.5 per cent, is shown between the periods 1901 to 1905 and 1906 to 1910; the corresponding reduction in the registration area as a whole was from 16.2 to 15.1, or 6.8 per cent, and of the group of registration states, without regard to additions, from 15.9 to 15, or 5.7 per cent. In the original registration states of 1900 the death rate for the urban population (places of 8,000 inhabitants or more in 1900) shows a regular decrease of 1 per 1,000 through the two 5-year periods to the final year of registration, while the death rate for the rural population shows a much smaller increase (one-tenth of 1 per 1,000). The increase in the rural death rate may be due to greater accuracy of registration.

#### DEATH RATES OF REGISTRATION STATES.

The following table presents the general or crude death rates for the states that were included in the registration area for 1911, with comparative figures, as far as available, for the three years preceding and for the quinquennial periods 1901 to 1905 and 1906 to 1910:

	DEATH	RATE I	FROM AI		es <sup>1</sup> per	1,000
STATE.		}			Anr	
*	1911	1910	1909	1908	1906 to 1910	1901 to 1905
Registration states 2	13.9	14.7	14.2	14.7	15.0	15.9
California. Colorado. Connecticut Indiana. Kentucky.	15.4 12.9	13. 5 13. 8 15. 6 13. 5 (³)	13.4 14.2 15.0 12.9 (3)	14.1 14.5 14.8 12.8 (3)	13. 9 14. 3 15. 6 13. 0 (3)	(3) (3) 15.7 13.2 (3)
Maine. Maryland. Massachusetts. Michigan. Minnesota.	15.8 15.3 13.2	17.1 16.0 16.1 14.1 10.9	15.6 15.5 15.4 13.1 (³)	15.7 15.8 15.9 13.4 (³)	16.2 16.0 16.1 13.6 (4)	15.9 (3) 16.6 13.3 (3)
Missouri Montana New Hampshire New Jersey New York	10.2 17.1	(3) 10.6 17.3 15.5 16.1	(3) 16.9 14.7 15.7	(3) (3) 16. 8. 14. 8 15. 9	(3) (4) 17.2 15.4 16.4	(3) (3) 16.6 16.1 17.1
North Carolina <sup>5</sup>	13 1	18.7 13.7 15.6 17.1	(3) 12.9 14.7 15.6	(3) (3) 15.1 15.9	(4) (4) 15.5 16.7	(3) (3) (3) 17.8
Utah. Vermont. Washington. Wisconsin.	10.3 15.8 8.9 11.5	10.8 16.0 10.0 12.0	(3) 15.7 9.8 11.8	(3) 15.9 9.3 11.7	(4) 16.1 (4) (4)	(3) 16.2 (3) (3)

1 Exclusive of stillbirths.
2 Includes District of Columbia.
3 Not admitted to registration area until a later date.
4 Figures for deaths not available for the entire period 1906 to 1910.
5 Figures relate only to municipalities having a population of 1,000 or over in

In all the states for which comparisons can be made, except California, the death rate for 1911 was lower than those for the preceding year, and for the period 1906 to 1910, and in all but two (Maine and New Hampshire) it was lower than that for the period 1901 to 1905. It should be remembered that these are crude rates, which make no allowance for differences in the sex and age distribution of the population, and that variations in the proportion of colored population and possible deficiencies of registration in certain states may also affect comparisons between the states. For North Carolina the rates are based on figures derived from municipalities of 1,000 population and represent a high proportion of colored population. It is possible that the registration of deaths is less complete in Washington 1 and perhaps in certain other

<sup>&</sup>lt;sup>1</sup> The following extracts from the Ninth Biennial Report of the State Board of Health of Washington relate to the completeness of registration in that state: "The vital statistics situation in this registration in that state: The vital statistics state in the past four years is extremely interesting. After giving the subject a great deal of careful thought and study, it is the belief of the state registrar that the state of Washington has, in all probability, one of the lowest death rates of any civilized country or state in the world The mortality statistics published by the Census Bureau for 1909 comment at some length upon the extremely low death rate of Washington and some other Western states, and also make the statement that rates under 7 per thousand, when they continue for several years and relate to inhabitants of when they continue for several years and relate to inhabitants of several thousand, unless the population consists almost entirely of young adults, may eafely be taken as indicating deficiency in the registration of deaths. There are several counties in the state of Washington which will consistently give rates well under 7 per thousand, but it is the belief of the state registrar that, after making all possible allowance for any incompleteness. all possible allowance for any incompleteness, these rates represent as high a proportionate completeness of death returns as the rates in many Eastern states which may be twice as high. One reason is that this important exception 'unless the population is composed almost entirely of young adults' really obtains in several of our counties."

states than in the older states of the registration area. Hence the inference that one state is far more healthful than another should not be drawn without more thorough investigation.

#### DEATH RATES OF LARGE CITIES.

A similar statement of the death rates of the large cities of the United States—those having 100,000 or more inhabitants at the census of 1910—is given in the following table:

	DEATE	RATE I	ROM AI	L CAUS ATION.	ES 1 PER	1,000
CITY.					Anr aver	
	1911	1910	1909	1908	1906 to 1910	1901 to 1905
Birmingham, Ala	18.2	19.5	18.2	17.8	(2)	(3)
Los Angeles, Cal	14.5	14.0	13.7	13.8	14.8	16.4
Oakland, Cai	12.7	12.7	14.2	14.9	15.4	13.3
San Francisco, Cal	15.2	15.1	15.0	15.5	16.1	20.3
Denver, Colo	15.5	16.4	17.0	18.3	17.5	17.2
Bridgeport, Conn. New Haven, Conn. Washington, D. C. Atlanta, Ga. Chicago, Ill.	13.9	15.2	14.4	14.5	15.5	16.0
	16.7	16.5	16.9	16.4	17.3	17.3
	18.7	19.6	19.0	19.1	19.6	20.5
	19.8	18.9	17.2	18.1	19.4	21.1
	14.5	15.1	14.6	14.5	14.9	14.5
Indianapolis, Ind. Louisville, Ky. New Orleans, La. Baltimore, Md. Boston, Mass.	14.7	16.3	14.3	14.2	15.2	15. 4
	16.1	16.7	15.5	17.0	17.4	19. 0
	20.4	21.3	20.2	22.3	21.7	22. 4
	18.4	19.2	18.7	19.0	19.5	20. 0
	17.1	17.2	16.8	18.3	17.9	18. 8
Cambridge, Mass. Fall River, Mass. Lowell, Mass Worcester, Mass Detroit, Mich	15.2	15.0	14.7	16.0	15.1	15.1
	17.4	18.4	19.1	20.5	19.7	20.3
	17.7	19.7	18.0	19.2	19.4	20.2
	15.7	16.9	15.5	16.7	17.1	16.8
	14.4	15.9	14.0	13.7	14.8	15.1
Grand Rapids, Mich. Minneapolis, Minn.4 St. Paul, Minn Kansas City, Mo. St. Louis, Mo.	13.6	14.6	11.9	12.7	13.3	13.5
	11.5	12.3	10.7	10.7	11.0	10.2
	10.9	11.9	11.4	10.5	11.0	10.0
	15.4	15.9	14.4	14.1	14.6	15.9
	15.4	15.8	15.8	14.7	15.6	17.9
Omaha, Nebr Jersey City, N. J. Newark, N. J. Paterson, N. J. Albany, N. Y. Buffalo, N. Y	14.3	15.1	14.7	13.2	13.8	11.5
	15.8	16.3	16.8	17.4	17.7	19.3
	14.8	16.5	16.5	16.2	17.2	18.7
	14.6	14.7	15.3	15.5	15.7	16.9
	20.4	19.4	17.6	18.6	18.6	18.4
	14.5	16.3	15.2	15.3	16.0	15.5
New York, N. Y Bronx Borough. Brooklyn Borough Manhattan Borough Queens Borough. Richmond Borough	15.2	16.0	16.0	16.3	16.9	19.0
	13.3	15.9	15.9	17.0	17.4	20.9
	14.8	15.6	15.4	15.6	16.3	18.2
	16.0	16.5	16.6	16.8	17.4	19.5
	13.7	13.8	14.2	14.1	14.9	16.1
	16.7	17.0	18.1	18.4	18.6	19.0
Rochester, N. Y. 4. Syracuse, N. Y. Cincinnati, Ohio. Cleveland, Ohio. Columbus, Ohio.	14.4	14.6	14.4	13.7	14.7	14.6
	14.3	15.4	14.5	15.7	15.2	14.5
	16.5	17.4	16.5	18.0	18.1	19.1
	13.8	14.3	12.9	13.3	14.1	14.9
	14.3	15.4	14.0	15.2	15.1	15.4
Dayton, Ohio Toledo, Ohio Portland, Oreg Phiadelphia, Pa Pittsburgh, Pa		14.8 14.6 11.0 17.4 17.9	15.4 14.6 9.8 16.4 15.8	14.8 14.6 9.9 17.3 17.3	15.5 14.9 10.3 17.7 18.0	15.1 14.3 10.2 18.1 19.9
Scranton, Pa.4.		16.4	16.3	16.4	16.3	16.2
Providence, R. I.		17.7	16.1	16.6	17.6	18.8
Memphis, Tenn.4.		21.4	20.1	20.1	20.6	19.4
Nashville, Tenn.		18.7	18.1	19.4	19.3	21.5
Richmond, Va	21.0	22.6	20.7	21.7	22.5	23.4
Seattle, Wash	8.8	10.0	10.0	9.3	9.8	9.3
Spokane, Wash	11.6	13.0	12.6	13.4	12.8	11.3
Milwaukee, Wis	11.9	13.8	13.7	12.7	13.7	13.2

- Exclusive of stillbirths.
   Figures for deaths not available for the entire period 1906 to 1910.
   Not admitted to registration area until 1908.
   Rates too low, some deaths of infants being omitted; see p. 26.

For 41 of the 50 registration cities that had 100,000 or more inhabitants in 1910, the rate for 1911 was lower than that for the preceding year, and for 28 of the 49 for which comparisons between the two five-year periods can be made, the rate for the later period, 1906 to 1910, was lower than that for the earlier period. As in the case of the states, allowance must be made for unlike sex and age distribution, but there should be no uncertainty as to completeness of registration in such large cities. The proportion of colored population is a factor in the higher rates shown for certain cities (see relative rates in Table III), and as the death rates are based upon the total deaths occurring in each city, without regard to duration of residence or the place where the disease that caused death was contracted, it should be remembered that the apparent mortality of some cities may be unduly increased by the inclusion of deaths of persons who have come to them as invalids. In the hospitals of all large cities many deaths occur among persons who have come from the surrounding country for treatment or operation, and such deaths are represented in the death rate of the city.

#### DEATH RATES OF FOREIGN COUNTRIES AND CITIES.

For comparison with the death rates of American states and cities shown in the two tables preceding, international statistics published by the Registrar-General of England and Wales in his latest Annual Report (1910) and Summary (1911) are presented in the following tables:

	ANNU	JAL CR	UDE DI	EATH I		ER 1,0	00 PEI	RSONS	De- crease per
COUNTRY.	1910	1909	1906 to 1910	1901 to 1905	1896 to 1900	1891 to 1895	1886 to 1890	1881 to 1885	cent be- tween 1881 to 1885 and 1906 to 1910.
United States (registration area)	15.0	14.4	15.1	16.2	(1)	(¹)	(t)	<b>(</b> 1)	(1)
Australian Common- wealth. Austria Belgium Bulgaria. Ceylon.	21.2	10.3 22.9 15.8 26.6 31.0	10.7 22.3 (1) (1) 30.8	11.7 24.2 17.0 22.5 26.7	12.7 25.6 18.1 23.9 27.0	13.3 27.9 20.1 27.8 28.3	14.8 28.9 20.2 18.9 25.1	15.7 30.1 20.6 17.7	31.8 25.9 (1) (1) (1)
Chile	12.9 13.5 16.6	31.5 13.2 14.6 16.7 19.3	31.3 13.7 14.7 17.4 19.2	30.2 14.8 16.0 18.6 19.6	28.8 16.4 17.7 19.0 20.7	32.6 18.6 18.7 20.5 22.3	35.2 18.7 18.9 20.0 22.0	26.9 18.4 19.4 22.2 22.2	2 16.4 25.5 24.2 21.6 13.5
German Empire Hungary Ireland Italy Jamaica	23.6	17.2 25.6 17.1 21.5 21.7	(1) 25.0 17.3 21.0 24.4	19.9 26.4 17.6 21.9 22.6	21.2 27.9 18.1 22.9 22.1	23.3 31.8 18.5 25.5 22.0	24.4 32.1 17.9 27.2 23.5	25.3 33.1 18.0 27.3 (¹)	(¹) 24.5 3.9 23.1 (¹)
Japan Netherlands New Zealand Norway Ontario, Province of	9.7	22.0 13.7 9.2 13.4 14.6	(1) 14.3 9.7 13.8 14.0	20.9 16.0 9.9 14.5 13.0	20.7 17.2 9.6 15.6 11.6	21.1 .19.6 10.1 16.8 10.6	20.6 20.5 9.9 17.0 11.0	(1) 21.4 10.9 17.2 11.4	(1) 33.2 11.0 19.8 222.8
Prussia	16.0 25.2 (1) 15.3	17.0 27.8 (¹) 15.9	17.3 26.0 (1) 16.1	19.6 25.5 30.9 17.0	21.0 27.4 31.9 18.0	22.8 31.0 35.8 19.0	24.0 28.7 33.2 18.8	25.4 26.2 35.4 19.6	31.9 0.8 (¹) 17.9
Servia Spain Sweden Switzerland	(1) 23.3 14.0 (1)	29.3 24.0 13.7 16.1	(1) 24.3 14.3 (1)	22.4 26.0 15.5 17.5	24.8 28.8 16.1 18.1	28.9 30.1 16.6 19.8	25.9 30.9 16.4 20.4	24.5 32.6 17.5 21.3	(¹) 25.5 18.3 (¹)

<sup>&</sup>lt;sup>1</sup> Figures not available.

<sup>&</sup>lt;sup>2</sup> Increase.

	ANNUAL CRUDE DEATH RATE PER 1,000 PERSONS LIVING.											
CITY.	1911	1910	1906 to 1910	1901 to 1905	1896 to 1900	1891 to 1895	1886 to 1890	1881 to 1885	per cent be- tween 1881 to 1885 and 1906 to 1910.			
London EdinburghGlasgowDublin (registration	15.0 16.0 17.7	13.7 15.7 17.1	14.9 16.8 19.0	16.4 17.8 20.1	18.5 19.0 21.2	19.8 19.7 22.8	19.7 19.7 23.1	20.9 19.6 26.0	28.7 14.3 26.9			
area)	21.4 17.2	19.9 18.6	21.6 19.6	23.3 20.8	25.6 23.4	25.7 25.1	26.6 24.4	27.5 24.7	21.5 20.6			
MelbourneSydneyMontrealTorontoParis.	10.9 (1) (1)	12.7 10.4 22.4 21.3 16.7	12.9 10.5 22.6 18.2 17.5	14.0 11.4 23.3 16.3 17.9	15.5 12.1 23.1 14.6 19.1	16.7 14.3 25.3 15.2 21.1	21.0 17.9 26.7 20.1 22.9	20.1 20.8 31.0 20.7 24.4	35.8 49.5 27.1 12.1 28.3			
Brussels Amsterdam Rotterdam The Hague Copenhagen	12.4 12.1	13.6 12.2 12.2 12.5 14.2	14.1 13.1 13.4 13.2 15.1	15.2 14.7 15.6 14.4 16.1	17.2 16.7 18.0 16.2 17.6	20.2 19.2 20.8 18.7 20.2	21.2 22.4 22.0 20.8 22.3	23.4 25.1 24.2 23.3 22.3	39.7 47.8 44.6 43.3 32.3			
Stockholm Christiania. St. Petersburg Moscow Berlin	13.5 20.8 27.2	14.6 11.9 24.1 26.9 14.7	15.1 12.9 25.6 27.6 15.5	16.1 15.3 23.7 26.6 17.0	18.2 17.5 25.8 28.7 18.1	20.0 19.0 25.6 29.2 20.5	21.2 22.3 27.0 33.6 22.5	24.3 19.9 32.9 33.3 26.6	37.9 35.2 22.2 17.1 41.7			
HamburgDresden BreslauMunichVienna.	14.6 19.5 15.8	14.2 13.8 19.1 15.9 16.6	14.8 14.7 20.8 17.5 17.1	16.3 17.6 23.7 21.0 19.1	17.3 19.0 26.3 23.9 21.1	24.2 20.6 27.8 25.8 24.1	25.3 22.1 28.8 28.3 25.1	25.2 25.0 31.3 30.4 28.2	41.3 41.2 33.5 42.4 39.4			
Prague Budapest Trieste Milan	19.4 24.0	15.5 18.4 22.9 17.1	16.1 19.5 24.5 19.3	18.6 19.8 26.3 22.1	19.8 21.6 27.5 23.2	22.7 25.5 29.8 27.4	26.1 30.8 30.4 30.4	28.9 31.5 31.1 30.3	44.3 38.1 21.2 36.3			
Turin Venice Bucharest New York	22.8 26.1 15.1	14.9 19.0 25.6 16.0	17.5 22.9 24.7 17.0	19.6 24.2 23.3 18.9	19.8 25.8 24.6 20.3	21.6 27.8 (1) 24.6	23.5 30.2 (1) 25.8	27.2 29.1 (1) 27.5	35.7 21.3 (1) 38.2			
Chicago	17.1	15.1 216.8 17.2 20.6	14.5 217.7 17.9 22.5	14.2 18.1 18.8 26.3	15.2 19.2 21.1 29.2	20.6 21.1 23.5 38.2	19.5 20.6 23.4 33.1	21.5 22.3 24.7 30.5	32.6 2 20.6 27.5 26.2			

<sup>1</sup> Figures not available.

<sup>2</sup> Furnished by the Bureau of the Census.

Between the earliest quinquennial period shown (1881 to 1885) and the most recent (1906 to 1910) a marked reduction in the general death rate took place in nearly all countries and in all the cities included in the tables, the percentages of decrease for most of the cities being considerably greater than those for the majority of the countries. In the case

of the two countries for which increased death rates are shown (Chile and the Province of Ontario) it is possible that defective registration during the earlier period may have been responsible for the apparently lower rates as compared with the later ones. The Netherlands and Prussia showed the largest percentages of decrease between the two periods (33.2 per cent and 31.9 per cent, respectively), followed closely by the Australian Commonwealth (31.8 per cent), where the rate for the period 1881 to 1885 (15.7) was lower than that of any other country except New Zealand (10.9) and Ontario (11.4). The rate of the latter may be disregarded on account of admittedly defective registration. The cities showing the greatest relative decrease in the death rate are Sydney (49.5 per cent), Amsterdam (47.8 per cent), Rotterdam (44.6 per cent), Prague (44.3 per cent), The Hague (43.3 per cent), and Munich (42.4 per cent).

The lowest percentages of reduction for any of the cities are for Toronto (12.1 per cent) and Edinburgh (14.3 per cent). For the American cities given in this table, the rates for which are based chiefly upon municipal reports, the percentage of decrease ranges from 38.2 per cent for New York to 20.6 per cent for Philadelphia.

In comparing the rates for these foreign countries and cities it should be borne in mind that the figures, like the rates given for American states and cities, are crude rates only, uncorrected for differences in the composition of the population with respect to sex and age. The population of certain cities is favorably affected by large accessions of persons in early or middle life, which would tend to make the rates of such cities lower than those of cities dependent to a greater extent upon natural increase. The proportion of aged persons in the population has usually a greater influence in raising the general death rate than the proportion of young children, and rapidly growing cities have comparatively small populations at advanced ages.

# SPECIFIC AND STANDARDIZED DEATH RATES.

All the death rates given in the preceding text and also in Tables I to IV, and in the annual reports and bulletins published for previous years, are general, gross, or crude death rates. These terms do not signify that the rates were computed without due care, or that they may not properly be used for many important purposes, but indicate simply that the rates are based upon the total deaths and the total population, without regard to the age and sex constitution of the latter. For populations similarly constituted, the crude rates afford valuable comparisons. The total loss by death in proportion to population is correctly shown by such rates, and the difference between the crude birth rate and the crude death rate repre-

sents the natural increase of population. Crude rates will always be used, at least as a first step to the more refined analysis of mortality statistics.

There may be unfairness, however, in the comparison of crude death rates derived from populations very differently constituted. It is known that the death rate of females is much lower than the death rate of males, and that the death rates of children under 5 years of age and of elderly persons are much higher than those of children over 5 years of age and of persons in early and middle adult life. Thus, if two populations are numerically equal and the death rates are the same for each age group, by sex, the population with a larger proportion of males, of

young children (under 5 years of age), and of elderly persons, will have a larger number of deaths and hence will show a higher crude death rate. In some cases the sanitary conditions might be precisely the same and yet the difference in the crude death rates might lead to the conclusion that one area was much more healthful than the other. Therefore it is desirable to study the mortality by means of more precise ratios than the crude death rates.

#### SPECIFIC DEATH RATES.

A "specific death rate" may be technically defined as a death rate based upon a specified or limited group of population. As the age is the most important single factor affecting mortality, specific rates are primarily those of certain age groups. Sex should also be taken into consideration, and the most useful specific rates are those showing the relation of the deaths, by sex, of certain age groups to the corresponding population.

In the table on pages 16 to 17 specific death rates for 1911 are shown, by sex, for the 11 age groups employed in the annual reports of the Registrar-General of England and Wales, beginning with that comprising children under 5 years of age and ending with that comprising persons 75 years of age and over. The crude death rate at all ages is also shown, and the specific death rates of infants under 1 year of age (not the true infantile mortality) and of children from 1 to 4 years of age. The areas for which rates are given are the registration states for 1911, with aggregates for the group and also for the group of states included in the registration area in the calendar year 1900, and the cities having 100,000 population or more in 1910.

The death rates in the table on pages 16 and 17, except those for all ages, are specific rates based upon the deaths, by sex, in each age group and the population estimated as of July 1, 1911, distributed in each age group according to the proportions shown by the census of 1910. As usual, population of unknown ages is distributed according to proportions shown for known ages.

The group of registration states for the year 1911 includes the District of Columbia (shown as the city of Washington in the list of cities) and does not include the municipalities of North Carolina, population data not being available for the latter. Specific rates, like general rates, are affected, in some cases to a marked extent, by the inclusion of deaths of nonresi-

dents and, perhaps, by incompleteness of registration. The rates shown for the state of Washington, and, perhaps, for some other states, may be somewhat below the truth, owing to the difficulty of procuring complete returns of deaths from very sparsely settled territory. The rates for the cities, however, should be accurate. There is no reason why all deaths should not be registered in a city of considerable size.

The instructions under which the returns are made to this bureau require the reporting of all deaths, even those occurring during the first few days of life, whether the children were prematurely born or not. Unfortunately deaths of children prematurely born were not returned for Rochester, and the absence or small number of deaths of infants under 1 day old in Scranton and Memphis indicates that some deaths of infants were not reported. Hence the death rates of children under 1 year of age for these cities, and to a less extent those of children under 5 years of age, and the total death rates, are not comparable with those of cities for which all deaths are returned.<sup>2</sup>

In this preliminary study of specific rates no attempt is made to differentiate the mortality by color. Reference to the subject is made upon another page, and in a subsequent report it will be possible to present extended comparisons of the specific death rates of the white and colored population. The death rate of the colored is much higher than that of the white. In the tables of this section of the report states and cities in which the colored population formed as much as 10 per cent of the total are designated by asterisks (\*). The rates shown relate to the total population and indicate the effect of the incidence of mortality upon each age and sex group of the population as a whole.

For some years past, among other valuable tables of international statistics in the annual reports of the Registrar-General of England and Wales, there have been included tables showing the specific death rates of males and females in certain countries for 11 age groups. These data, which as a rule are based on the mean of the deaths registered for a period of three years, of which the median year is that of the latest available census (1900 or 1901), are reproduced in the table on pages 18 and 19, with similar specific rates computed by the Bureau of the Census for the registration area of the United States, its main subdivisions, and the registration states for the calendar year 1900.

<sup>&</sup>lt;sup>1</sup> See note on p. 12.

# CRUDE DEATH RATES AT ALL AGES AND SPECIFIC DEATH RATES FOR 11 AGE GROUPS (WITH SUBDIVISION OF OVER IN

[States or cities in which 10 per cent or more of the inhabitants

				·			DE	ATH RA	TE 1 PI	ER 1,00		ATION:		· · · · · · ·			r the min	
								В	oth sex	es.			<del></del>				Males.	
	AREA.	All ages.	Under 1 year.	1 to 4 years.	Un- der 5 years.	5 to 9 years.	10 to 14 years.	19	20 to 24 years.	25 to 34 years.	35 to 44 years.	45 to 54 years.	55 to 64 years.	65 to 74 years.	75 years and over.	All ages.	Under 1 year.	1 to 4 years.
	REGISTRATION STATES 2	13. 9	112.9	11.8	32. 9	3.1	2. 2	3. 6	5.2	6.4	8.9	13. 6	26. 2	55. 2	138.9	14.7	124. 6	12.2
12345	California. Colorado. Connecticut Indiana. Kentucky*.	13. 7 12. 9 15. 4 12. 9 13. 2	83. 2 101. 8 130. 9 94. 7 87. 2	8.7 10.0 13.3 9.6 12.6	24. 2 29. 1 38. 6 26. 9 28. 1	2.8 3.1 3.3 2.8 3.0	2.3 2.7 2.4 2.2 2.4	3.9 3.6 3.2 3.9 5.3	5.8 7.2 4.8 5.6 7.3	6.9 9.1 6.0 6.0 8.1	10.0 9.9 9.2 7.8 9.3	14. 5 13. 6 14. 7 10. 8 12. 7	27. 0 24. 3 29. 6 22. 2 22. 3	53. 8 52. 0 59. 3 51. 4 49. 7	130. 0 134. 3 140. 7 137. 2 131. 7	15.2 14.5 16.2 13.4 13.3	90. 9 112. 1 145. 9 104. 7 94. 1	8.8 10.0 13.2 10.1 12.7
6	Maine. Maryland * Massachusetts. Michigan. Minnesota.	16. 1	110.9	9.6	30. 7	2.5	2.1	3.9	5.5	6. 1	7. 9	11.6	24.4	50. 5	142.6	16.6	129. 6	10.5
7		15. 8	142.1	14.1	40. 0	3.2	2.5	4.5	6.2	7. 9	10. 0	15.8	29.1	59. 8	154.5	16.8	150. 3	15.0
8		15. 3	143.3	13.1	41. 1	2.9	2.1	3.3	4.4	5. 9	8. 9	14.2	29.8	60. 5	141.2	16.2	158. 8	13.6
9		13. 2	111.4	9.4	30. 6	3.0	2.4	3.3	5.0	5. 7	6. 9	11.4	21.8	50. 8	137.1	14.0	126. 8	9.7
10		10. 5	83.4	6.9	22. 4	2.5	2.0	3.3	4.5	5. 6	6. 9	10.8	20.6	44. 3	122.7	11.2	93. 6	7.5
11	Missouri. Montana. New Hampshire New Jersey	13. 1	95. 7	12. 2	29. 3	3.1	2.2	3.9	5.7	6.8	8.7	13. 4	24. 2	51. 8	134.0	13. 9	106. 7	12.4
12		10. 2	86. 4	8. 6	24. 6	3.1	2.8	3.6	4.2	5.6	8.8	13. 3	23. 7	45. 1	122.4	11. 1	93. 1	9.7
13		17. 1	150. 3	12. 0	41. 1	3.3	2.4	3.6	4.6	5.8	7.9	12. 9	24. 5	51. 2	144.8	17. 6	160. 9	11.7
14		14. 7	131. 5	14. 2	38. 9	3.5	2.1	3.3	5.2	6.3	9.6	15. 0	30. 7	61. 8	141.8	15. 6	145. 5	14.8
15	New York.	15. 5	128. 8	14. 6	38. 9	3.6	2.2	3.5	5.0	6. 8	10.7	16. 7	31. 9	62. 4	147. 2	16. 6	140. 1	15.3
16	Ohio.	13. 1	99. 0	9. 9	28. 2	3.0	2.2	3.4	5.1	6. 0	7.9	12. 0	22. 5	50. 6	135. 9	13. 7	108. 8	10.3
17	Pennsylvania	14. 2	124. 8	13. 5	37. 3	3.3	2.1	3.6	5.2	6. 2	8.8	13. 7	26. 9	58. 1	144. 9	15. 0	138. 6	14.1
18	Rhode Island.	15. 5	138. 6	13. 7	40. 8	3.6	2.0	3.1	4.9	6. 3	9.7	15. 5	31. 7	65. 0	152. 2	16. 4	156. 1	14.5
19	Utah. Vermont. Washington Wisconsin.	10.3	72.9	7. 7	21. 2	2.8	2.3	2.9	3.8	5.7	8.1	11.7	20. 9	48.3	122.9	11. 1	82. 5	8.5
20		15.8	102.0	7. 9	27. 8	2.4	1.6	3.8	4.5	5.8	7.3	12.3	25. 9	54.2	141.1	16. 2	109. 8	8.4
21		8.9	64.6	6. 9	18. 6	2.4	2.2	3.5	4.3	4.8	6.3	10.3	19. 0	43.6	109.8	9. 3	72. 1	7.1
22		11.5	98.4	7. 6	26. 1	2.4	1.9	2.8	4.2	5.3	6.4	10.1	19. 6	45.7	126.9	12. 3	108. 8	8.1
23	States included in registration area in 1900. <sup>3</sup>	14.9	125. 5	12.8	36. 6	3.2	2.2	3. 5	5.0	6.3	9.4	14.5	28. 4	58.3	143.0	15.8	138.6	13.3
	CITIES OF 100,000 POPULATION OR OVER . IN 1910.																1	
24	Birmingham, Ala.*. Los Angeles, Cal. Oakland, Cal. San Francisco, Cal. Denver, Colo.	18. 2	136. 1	24. 2	47. 4	4.8	3.4	7.4	11.3	12.2	16.6	23. 3	37. 6	72. 3	183. 0	18.9	146. 6	26.9
25		14. 5	100. 1	11. 5	30. 1	2.8	2.8	4.2	6.7	8.1	10.6	16. 2	27. 1	57. 1	131. 9	16.7	112. 0	11.3
26		12. 7	87. 2	10. 2	26. 6	3.1	1.7	2.6	5.1	5.1	7.7	12. 7	27. 0	55. 7	138. 1	13.3	96. 4	10.8
27		15. 2	104. 8	11. 4	31. 1	3.2	2.7	3.3	5.0	6.5	11.7	21. 2	38. 9	69. 4	169. 8	16.8	116. 2	12.4
28		15. 5	131. 9	12. 7	37. 0	3.5	3.0	3.5	7.2	10.3	12.3	16. 4	31. 7	63. 2	158. 6	18.1	143. 7	13.4
29	Bridgeport, Conn. New Haven, Conn. Washington, D. C.* Atlanta, Ga.* Chicago, Ill.	13.9	138. 4	12.5	40. 5	2.5	2.0	3.4	3.9	5.7	9. 6	18. 4	29. 3	65. 2	148. 2	14.4	155. 4	13.7
30		16.7	133. 9	14.9	41. 0	3.5	2.6	3.8	5.0	7.9	11. 6	16. 7	39. 7	74. 6	140. 0	17.2	136. 6	14.9
31		18.7	170. 0	15.9	47. 6	3.6	3.3	5.0	8.1	8.7	13. 3	19. 3	36. 1	71. 6	163. 4	21.2	187. 2	14.7
32		19.8	138. 1	24.2	48. 7	4.9	3.7	8.8	11.4	12.0	17. 3	26. 9	39. 6	79. 4	158. 3	19.8	135. 0	26.2
33		14.5	123. 3	16.0	39. 5	4.7	2.6	3.7	5.3	6.9	11. 4	19. 3	35. 1	63. 6	144. 2	16.4	142. 7	17.1
34	Indianapolis, Ind	14.7	105. 8	11. 1	30. 5	3.2	3.5	5. 0	6.6	7.1	10. 4	16. 7	31. 1	66. 7	151.3	16.0	116. 6	13. 0
35	Louisville, Ky.*.	16.1	115. 5	16. 4	36. 2	3.7	2.6	5. 4	7.0	9.1	13. 0	19. 2	35. 4	65. 3	141.3	18.0	135. 5	16. 6
36	New Orleans, La.*	20.4	152. 6	17. 9	46. 7	3.7	3.2	5. 9	10.2	12.5	18. 9	27. 5	48. 4	72. 4	149.1	23.1	166. 4	18. 6
37	Baltimore, Md.*	18.4	189. 2	18. 2	51. 8	4.0	2.8	4. 7	6.4	9.4	12. 4	21. 0	35. 9	71. 9	161.4	20.3	199. 4	19. 7
38	Boston, Mass	17.1	160. 9	16. 9	47. 6	3.7	2.1	3. 8	4.7	7.5	12. 1	19. 6	37. 9	71. 0	141.7	18.4	177. 3	18. 2
39	Cambridge, Mass. Fall River, Mass. Lowell, Mass. Worcester, Mass. Detroit, Mich	15. 2	125. 6	15. 4	39. 1	4.3	3. 5	4.6	3.8	5. 5	9. 0	16. 0	29. 4	64. 0	148. 8	15. 9	156. 9	16.4
40		17. 4	239. 5	23. 2	74. 0	2.8	2. 3	2.7	4.6	5. 3	9. 5	12. 3	32. 0	61. 2	123. 9	18. 6	264. 9	21.4
41		17. 7	203. 4	19. 6	60. 6	3.3	2. 0	3.5	4.8	6. 8	10. 6	16. 2	34. 6	75. 4	150. 5	18. 6	228. 6	20.0
42		15. 7	136. 0	11. 5	38. 9	3.4	3. 0	3.2	4.8	5. 8	10. 2	16. 3	33. 4	73. 6	167. 0	16. 8	154. 3	10.8
43		14. 4	168. 8	14. 6	47. 7	4.5	2. 5	3.6	5.3	6. 2	8. 0	15. 7	27. 7	59. 3	144. 8	15. 2	188. 6	14.8
44	Grand Rapids, Mich	13. 6	107. 2	11. 6	32. 3	3.3	2.6	2.5	4.9	5.8	7. 2	12. 7	28. 1	60. 4	152. 0	14.6	122.7	12.3
45		11. 5	106. 4	9. 6	30. 0	3.3	2.1	4.2	4.5	5.5	8. 4	13. 5	26. 9	49. 1	133. 5	12.3	120.9	9.9
46		10. 9	115. 5	9. 2	31. 2	3.4	2.0	2.9	4.0	5.3	7. 9	13. 1	25. 7	59. 8	122. 8	11.9	127.9	11.0
47		15. 4	145. 7	11. 1	38. 9	3.8	2.8	5.0	6.9	8.2	12. 3	17. 6	35. 2	64. 4	154. 4	16.8.	158.7	9.8
48		15. 4	123. 8	16. 0	38. 3	4.6	2.7	4.0	5.8	7.7	10. 8	20. 6	35. 4	68. 1	148. 1	17.5	139.6	16.6
49	Omaha, Nebr		103. 3	9.5	28. 2	4.3	4. 2	4.8	6. 0	7. 9	11. 4	18. 5	35. 4	66. 1	164. 0	16. 2	131. 0	10.9
50	Jersey City, N. J.		143. 4	18.0	44. 5	4.0	2. 4	3.6	5. 5	8. 6	12. 3	19. 9	39. 8	67. 2	132. 6	17. 3	161. 4	18.0
51	Newark, N. J.		122. 3	14.9	38. 7	3.5	1. 6	3.5	4. 9	6. 3	11. 7	18. 1	37. 8	70. 3	137. 7	16. 4	137. 9	16.0
52	Paterson, N. J.		117. 7	12.2	33. 9	4.4	3. 0	3.1	5. 6	6. 7	11. 0	17. 6	39. 2	67. 1	138. 7	16. 0	123. 2	12.8
53	Albany, N. Y.		162. 9	11.1	41. 6	6.2	2. 6	5.0	5. 8	9. 9	14. 6	23. 3	45. 0	74. 7	173. 6	22. 5	178. 3	11.5
	Buffalo, N. Y New York, N. Y Rochester, N. Y Syracuse, N. Y Cincinnati, Ohio	14. 5 15. 2 14. 4 14. 3 16. 5	140. 6 130. 6 105. 5 146. 9 113. 1	11. 9 17. 4 16. 2 13. 4 15. 1	39. 2 42. 0 35. 0 41. 9 35. 6	3. 0 3. 8 4. 3 3. 7 4. 7	2.5 2.1 2.7 2.7 2.3	3.8 3.5 3.1 2.5 4.2	5.3 4.8 4.7 3.7 7.6	6.3 7.1 5.4 5.9 8.7	10. 1 12. 3 8. 6 8. 7 13. 0	16. 9 19. 9 16. 3 14. 0 20. 4	34. 4 38. 6 29. 1 29. 3 33. 7	66. 1 72. 0 68. 7 58. 0 61. 9	142. 4 145. 3 161. 4 140. 0 152. 0	15. 9 16. 6 15. 2 15. 1 19. 2	159. 2 140. 1 125. 5 181. 0 125. 7	12. 4 18. 2 16. 4 13. 5 15. 4
59	Cleveland, Oblo	13. 8	123. 7	14.7	38. 8	4.5	2. 4	3. 2	4.6	6.3	10.6	16. 1	31. 8	60. 4	135. 9	15. 0	136. 8	15.6
60		14. 3	121. 8	9.0	31. 3	4.4	3. 5	5. 2	5.6	7.3	10.8	16. 7	29. 5	67. 2	130. 0	15. 0	136. 6	9.9
61		13. 7	118. 3	7.7	30. 7	2.2	1. 8	5. 0	5.7	5.5	8.8	15. 2	29. 1	57. 8	155. 4	14. 4	120. 8	7.3
62		14. 9	119. 3	10.6	32. 6	3.9	3. 0	3. 5	5.2	8.1	10.9	15. 6	34. 7	68. 1	148. 6	16. 8	131. 8	12.2
63		10. 9	101. 9	8.7	29. 0	4.5	1. 4	3. 9	4.0	5.4	7.3	11. 2	27. 0	58. 2	132. 5	11. 5	120. 7	9.8
64	Philadelphia, Pa	16. 6	141. 9	18.8	45. 3	4.3	2.2	3.7	5. 9	7.4	11. 4	18. 2	35. 0	68. 4	150. 0	17. 9	155. 8	19. 9
65	Pittsburgh, Pa	14. 9	141. 4	17.3	44. 3	4.3	2.4	3.7	6. 0	6.8	10. 4	17. 6	33. 0	70. 8	145. 9	16. 3	152. 7	17. 7
66	Seranton, Pa	14. 8	112. 4	13.7	35. 2	2.6	2.6	4.7	6. 1	7.9	12. 2	20. 0	40. 0	73. 1	138. 4	16. 7	128. 9	12. 3
67	Providence, R. I	15. 6	137. 5	14.0	40. 9	3.8	2.0	3.4	5. 4	6.7	10. 6	17. 0	34. 2	66. 9	139. 8	16. 8	165. 6	15. 5
68	Memphis, Tenn.*	21. 3	152. 6	21.4	48. 6	6.8	4.7	9.6	13. 6	14.2	19. 8	28. 9	49. 4	66. 6	155. 2	23. 2	158. 1	22. 7
69	Nashville, Tenn.*. Richmond, Va.* Reattle, Wash. Spokane, Wash Milwaukee, Wis	20. 5	158. 3	30. 8	57. 6	4.9	4.5	7.5	10.6	13.0	14.6	23. 7	37. 6	74. 3	157. 2	21. 6	150. 2	35. 1
70		21. 0	197. 6	20. 4	61. 5	3.9	2.6	7.0	9.2	11.5	16.4	26. 7	50. 5	76. 0	155. 4	22. 9	216. 0	21. 7
71		8. 8	78. 6	8. 1	22. 4	2.5	1.9	3.2	3.8	4.6	6.4	11. 8	22. 5	47. 9	106. 9	9. 6	101. 2	9. 5
72		11. 6	97. 8	8. 3	28. 6	2.4	3.4	3.6	6.5	6.3	7.5	13. 8	27. 4	62. 8	141. 5	11. 5	104. 6	8. 3
73		11. 9	143. 2	11. 1	38. 9	3.0	2.0	2.5	4.4	5.3	6.9	11. 9	24. 5	52. 2	126. 3	13. 1	154. 9	12. 5

<sup>1</sup> Exclusive of stillbirths.

 $<sup>^{\</sup>rm 2}$  Includes District of Columbia, but excludes North Carolina.

THE FIRST QUINQUENNIUM), BY SEX, FOR THE REGISTRATION STATES AND CITIES OF 100,000 POPULATION OR 1910: 1911.

in 1910 were colored are indicated by asterisks (\*).]

			<del>57</del>					DI	EATH R	ATE 1 P	ER 1,00	) POPUL	ATION:	1911-	-contin	ued.	<del></del>	-							<u> </u>
·	,			Males	-Con	tinued									•		Fem	ales.							-
Un- der 5 years.	5 to 9 years.	10 to 14 years.	15 to 19 years.	20 to 24 years.	25 to 34 years.	44	45 to 54 years.	55 to 64 years.	65 to 74 years.	75 years and over.	All ages.	Un- der 1 year.	1 to 4 years.	Un- der 5 years.	5 to 9 years.	10 to 14 years.	15 to 19 years	20 to 24 years.	25 to 34 years.	35 to 44 years.	45 to 54 years.	64	65 to 74 years.	75 years and over.	
35.8	3.2	2.3	3.8	5.4	6.7	9.8	15.1	28.5	58.3	142.0	13.0	100.9	11.3	30.0	3.0	2.1	3.5	5.0	6.0	7.9	12.0	23.7	52.0	136.1	
26.0 31.3 42.0 29.3 29.5	2.8 3.0 3.3 2.8 3.0	2.5 2.7 2.8 2.4 2.3	3.9 4.0 3.6 3.8 4.5	6.2 8.1 5.2 5.4 7.1	7.6 10.6 6.4 5.8 7.7	11.5 11.2 10.2 7.8 9.2	16.6 15.8 16.4 11.1 13.3	30.7 28.5 32.6 23.7 23.2	58.1 57.1 62.8 52.8 51.0	138.7 136.6 145.4 138.1 128.5	11.7 11.0 14.6 12.4 13.0	75. 2 91. 1 115. 4 84. 5 80. 1	8.7 10.1 13.3 9.1 12.5	22.4 26.8 35.2 24.5 26.6	2.8 3.3 3.3 2.7 3.0	2.2 2.8 2.1 2.0 2.5	3.8 3.1 2.8 4.0 6.0	5.2 6.1 4.4 5.8 7.5	6.0 7.2 5.5 6.1 8.6	7.9 8.3 8.2 7.7 9.5	11.5 10.5 12.8 10.5 12.1	22.0 18.4 26.6 20.5 21.3	48.2 45.3 56.1 49.8 48.3	118.5 131.6 137.1 136.2 134.8	
35. 2 42. 7 44. 9 34. 0 25. 0	2.5 3.3 3.0 3.2 2.6	2.5 2.7 2.1 2.6 2.0	4.3 4.5 3.4 3.6 3.5	5.9 6.4 5.1 4.8 4.7	6.0 8.7 6.2 5.6 5.8	7.7 10.9 9.9 7.0 7.1	12.2 17.2 15.7 12.0 11.4	24.8 31.6 32.7 23.2 22.6	50.9 64.7 68.2 53.1 48.9	145.0 159.5 148.6 143.8 128.8	15.5 14.9 14.5 12.4 9.6	92.1 133.4 127.4 95.6 72.9	8.7 13.1 12.5 9.0 6.2	26. 2 37. 2 37. 2 27. 0 19. 9	2.5 3.0 2.8 2.8 2.3	1.8 2.3 2.1 2.1 2.0	3.6 4.6 3.2 2.9 3.1	·5.2 5.9 3.8 5.1 4.2	6.2 7.2 5.7 6.0 5.3	8.1 9.2 8.0 6.8 6.6	10.9 14.2 12.8 10.7 10.0	24.0 26.5 27.1 20.1 18.2	50. 1 55. 1 54. 2 48. 3 38. 9	140.4 150.7 136.1 130.1 116.4	6 7 8 9 10
31.7 27.2 43.5 42.4	3.2 3.4 3.4 3.6	2.4 2.6 2.3 2.1	3.8 3.5 3.9 3.6	5.6 4.2 4.8 5.7	6.8 5.8 5.4 6.9	9.3 9.8 7.9 11.0	14.7 15.5 12.8 16.8	26.5 24.9 27.0 33.6	54.0 47.0 56.8 65.1	134.9 129.3 156.5 144.8	12.2 8.9 16.6 13.7	84.4 79.2 139.6 117.0	12.1 7.4 12.2 13.5	26. 9 22. 0 38. 7 35. 2	3.0 2.8 3.1 3.4	2.1 3.0 2.4 2.1	3.9 3.7 3.4 3.1	5.7 4.3 4.4 4.7	6.7 5.1 6.2 5.8	8.0 6.9 7.9 8.1	11.8 8.7 12.9 13.0	21.5 21.1 22.0 27.8	49.4 41.6 46.3 58.6	133.0 110.5 135.0 139.5	11 12 13 14
42.1 30.5 40.9 45.6	3.8 3.2 3.4 4.3	2.4 2.2 2.3 1.9	3.9 3.4 3.9 3.0	5.4 5.3 5.5 5.2	7.4 6.4 6.5 6.6	12.3 8.7 9.9 10.8	19.1 13.4 15.6 17.9	35.3 24.2 30.1 33.6	65.6 53.0 62.1 69.2	151.1 135.1 147.9 164.3	14.4 12.4 13.3 14.7	117.1 88.9 110.6 120.9	13.9 9.5 12.9 13.0	35.8 25.9 33.7 36.0	3.3 2.8 3.3 3.0	2.1 2.1 2.0 2.1	3.2 3.4 3.2 3.2	4.6 4.9 5.0 4.7	6.1 5.6 5.8 6.0	9.0 7.0 7.5 8.7	14.3 10.6 11.6 13.2	28.6 20.6 23.6 29.9	59.4 48.1 54.3 61.3	144.1 136.7 142.4 143.6	15 16 17 18
23.8 29.4 20.3 28.6 39.8	2.9 2.8 2.5 2.5 3.4	2.3 1.6 2.1 1.9	3.3 3.5 3.6 3.1 3.7	4.4 4.6 4.3 4.5	5.9 5.6 4.6 5.5	9.3 7.9 6.6 6.9	13.9 12.3 11.0 11.2	23.1 27.9 20.3 21.3 30.9	47.0 56.5 44.4 50.1 61.6	128.5 142.6 116.8 130.2	9.4 15.5 8.3 10.5	63.2 94.2 56.8 87.8	6.8 7.5 6.7 7.2	18.5 26.2 16.9 23.5	2.7 2.0 2.3 2.4 3.1	2.2 1.5 2.2 2.0 2.1	2.5 4.2 3.4 2.5	3.1 4.4 4.4 3.9 4.7	5.6 5.9 5.1 5.0 6.0	6.5 6.5 5.8 5.9	9.0 12.4 9.2 8.9	18.3 23.9 16.8 17.7 26.0	49.5 51.8 42.5 40.9 55.1	117.6 139.8 100.8 123.4 139.2	19 20 21 22 23
														_				===							-
52.1 33.0 28.6 34.6 41.0	5.0 2.2 4.0 3.9 2.9	4.1 3.6 2.2 2.6 3.3	7.2 4.7 3.2 3.0 3.7	11.9 7.7 5.6 5.7 7.7	11.7 9.8 6.2 6.8 13.2	16.9 13.6 7.8 13.2 14.3	25. 1 18. 8 13. 5 24. 8 19. 5	38.4 30.6 25.3 46.4 40.2	75.4 64.0 57.5 76.9 76.4	170.6 147.1 147.1 184.2 172.1	17.5 12.3 11.9 13.2 12.9	124.9 87.4 78.1 92.6 119.2	21.5 11.6 9.7 10.3 12.0	42.5 27.1 24.5 27.5 33.1	4.6 3.3 2.3 2.4	2.7 2.0 1.3 2.8	7.6 3.8 2.1 3.5	10.7 5.8 4.7 4.0	12.8 6.2 3.7 6.1	16.4 7.5 7.5 9.3	21.0 13.4 11.7 15.8 12.7	36.7 23.5 28.9 28.9	69.7 50.2 53.9 61.0	191.5 117.8 129.6 155.4	24 25 26 27
45.2 42.1 49.8 50.4 44.6	1.7 4.0 3.3 4.6 4.9	2.1 3.6 4.0 3.7 2.8	3.8 4.6 5.0 7.7 4.2	3.2 4.5 8.5 10.3 6.0	5.3 9.0 10.6 10.4 7.6	10.8 13.4 16.8 18.2 13.8	21.4 17.3 23.2 31.0 23.4	32.8 40.4 41.2 37.6 41.8	68.9 79.5 86.5 91.6 72.2	149.5 132.9 175.3 162.2 147.7	13.3 16.2 16.4 19.7 12.5	121. 2 131. 0 153. 1 141. 4 103. 6	11.3 14.8 17.2 22.2 14.9	35.8 39.9 45.4 47.0 34.3	4.0 3.2 3.1 3.9 5.3 4.4	2.8 1.8 1.5 2.6 3.7 2.4	3.4 3.0 3.0 5.1 9.7 3.2	6.7 4.5 5.5 7.8 12.3 4.7	7.3 6.1 6.7 7.0 13.4 6.0	8.2 9.6 10.2 16.3 8.6	15.0 16.1 15.8 23.3 14.6	25.9 39.1 31.8 41.4 28.0	50.7 62.3 70.3 58.0 69.6 55.6	147.2 147.3 145.2 154.1 155.6 141.6	28 29 30 31 32 33
34.3 40.2 50.4 55.2 52.4	4.0 3.8 4.1 4.4 3.9	3.5 3.9 3.3 2.1	4.2 4.9 6.1 4.4 3.8	6.6 7.4 11.8 7.3 5.3	7.7 10.1 15.6 11.0 8.5	11.3 15.9 22.3 14.2 14.5	19.8 23.2 33.6 24.7 22.1	34.8 42.9 58.2 41.6 41.0	77. 7 75. 5 85. 5 82. 9 81. 1	151.1 147.8 163.1 176.1 147.6	13.4 14.3 17.9 16.7 15.8	94.7 95.5 138.6 178.7 143.8	9.0 16.3 17.1 16.6 15.7	26.6 32.1 43.0 48.4 42.7	2.4 3.7 3.4 3.6 3.6	3.5 2.2 2.5 2.3 2.1	5.8 5.9 5.8 5.0 3.9	6.6 6.7 8.8 5.7 4.1	6.5 8.1 9.6 8.0 6.6	9.5 10.2 15.6 10.7 9.8	13.5 15.5 21.5 17.5 17.2	27.3 28.8 40.1 30.9 35.2	56.3 57.3 62.9 63.4 63.4	151.4 136.7 141.0 152.2 138.1	34 35 36 37 38
45. 9 79. 8 65. 7 42. 7 52. 0	5.3 3.8 3.4 2.7 4.8	2.9 2.0 3.2 2.9 2.8	4.3 2.7 3.9 3.8 4.2	2.6 4.6 5.8 5.0.	5.4 5.2 7.2 6.2 5.9	10.3 9.5 11.9 11.6 9.0	16.6 11.3 16.8 17.7 18.1	32.4 36.8 33.8 41.0 29.3	73.0 67.8 87.2 77.0 64.7	154.5 126.7 162.6 202.9 162.8	14.5 16.3 16.7 14.6 13.6	94.4 212.5 178.5 116.6 148.7	14.3 25.0 19.1 12.2 14.4	32.0 68.1 55.3 34.9 43.2	3.2 1.8 3.3 4.1 4.2	4.1 2.7 0.9 3.0 2.3	4.9 2.8 3.0 2.7 3.0	4.8 4.6 3.9 4.5 5.4	5.7 5.4 6.3 5.3 6.5	7.8 9.5 9.3 8.7 6.9	15.6 13.2 15.8 14.9 13.1	27.0 27.8 35.3 26.3 26.0	57. 5 55. 9 66. 5 70. 7 54. 7	145.7° 121.6 143.6 142.9 131.1	39 40 41 42 43
36.5 32.8 35.6 40.7 42.0	3.3 3.4 3.7 4.4 4.9	2.7 2.1 1.8 3.5 2.8	2.9 5.6 2.7 5.3 4.4	4.0 4.0 4.7 7.0 6.5	5. 2 5. 6 5. 9 9. 0 8. 7	8.0 8.6 8.6 14.0 13.2	13.7 13.8 14.0 18.6 25.2	29.0 31.2 28.5 41.6 42.7	68.5 59.7 68.5 70.7 79.6	171.0 145.1 134.3 154.6 164.9	12.7 10.6 9.7 13.9 13.2	91.6 92.1 102.0 132.2 107.7	11.0 9.3 7.5 12.4 15.3	28.2 27.1 26.7 37.0 34.5	3.3 3.1 3.0 3.1 4.2	2.5 2.1 2.2 2.0 2.6	2.1 3.0 3.1 4.8 3.6	5.6 5.0 3.4 6.9 5.2	6.5 5.5 4.5 7.4 6.6	6.4 8.3 7.2 10.4 8.3	11.6 13.2 11.9 16.4 15.6	27. 2 21. 8 22. 5 27. 8 28. 1	52.7 38.5 51.3 58.4 58.0	135.7 123.9 113.4 154.2 135.3	44 45 46 47 48
34.8 48.2 43.5 35.5 44.6	3.7 4.6 3.7 4.8 5.3	4.9 2.4 1.9 2.5 3.2	5.5 3.6 3.7 3.6 6.1	8.1 5.9 4.9 5.8 7.0	7.2 9.6 7.3 7.5 11.7	11.5 14.7 13.9 12.4 17.3	20.9 23.1 21.7 21.3 27.3	44.2 43.5 44.7 47.4 51.6	79.6 78.0 74.6 73.2 89.3	175.6 129.9 141.3 150.5 171.9	12. 2 14. 3 13. 3 13. 3 18. 5	75.6 124.8 105.9 112.1 147.3	8.0 18.0 13.8 11.6 10.7	21.6 40.7 33.9 32.4 38.5	4.9 3.4 3.2 4.0 7.0	3.5 2.5 1.2 3.5 2.1	4.1 3.5 3.3 2.7 4.0	3.8 5.1 4.9 4.6 4.6	8.7 7.6 5.2 5.9 8.4	11.3 9.6 9.4 9.5 12.1	15.4 16.4 14.2 13.9 19.7	25. 2 36. 2 31. 4 31. 9 39. 1	50. 6 57. 7 66. 8 61. 7 62. 6	153.6 134.5 135.3 129.6 174.8	49 50 51 52 53
43.8 44.9 39.9 49.9 38.2	3.2 4.1 4.9 3.2 5.1	3.0 2.2 3.0 2.5 2.7	4.6 3.9 3.2 2.4 4.5	5.9 5.1 4.6 3.9 9.1	7.1 7.8 5.9 6.7 11.1	11.6 14.5 8.9 9.6 17.3	19.9 23.3 19.8 15.8 26.2	41.1 43.8 31.4 31.5 40.9	67.8 77.0 72.9 57.7 78.4	146.4 149.4 179.8 157.9 162.5	13.0 13.8 13.6 13.4 13.9	121.5 120.7 84.6 110.4 100.4	11.3 16.5 15.9 13.3 14.8	34.5 39.1 30.2 33.6 33.0	2.7 3.6 3.7 4.2 4.2	2.0 2.1 2.4 2.9 2.0	3.1 3.0 2.5 3.8	4.6 4.5 4.8 3.5 6.3	5.3 6.2 4.9 5.2 6.4	8.5 10.0 8.3 7.7 8.9	13.7 16.2 12.9 12.3 14.8	27.8 33.6 27.1 27.4 27.3	64.7 67.6 65.4 58.3 49.3	139.7 142.3 148.4 128.6 145.5	54 55 56 57 58
42. 2 34. 4 30. 9 36. 6 34. 3	4.6 4.9 2.3 5.0 4.2	2.3 3.9 2.5 3.0 1.2	3.7 5.5 6.3 3.9 3.7	4.9 5.5 5.9 6.3 4.7	6.9 7.8 5.7 9.4 5.1	12.0 11.6 10.2 12.6 7.7	19.3 17.3 16.3 18.4 12.9	36.4 31.7 30.2 39.0 30.2	67.4 73.3 66.6 79.7 62.3	156.3 150.7 171.1 148.4 132.4	12.6 13.6 13.0 13.0 10.0	110.3 107.3 115.7 106.1 82.0	13.8 8.1 8.1 9.0 7.5	35.3 28.0 30.6 28.5 23.5	4.5 3.9 2.1 2.9 4.7	2.4 3.1 1.1 2.9 1.5	2.9 5.0 3.8 3.2 4.0	4.2 5.6 5.4 4.2 3.2	5.7 6.8 5.4 6.9 5.8	9.0 9.9 7.2 9.0 6.5	12.5 16.0 14.1 12.6 8.3	27.2 27.3 28.0 30.3 22.0	54. 5 62. 1 49. 9 56. 8 53. 5	121.4 116.0 144.0 148.9 132.7	59 60 61 62 63
49.3 47.3 38.0 48.3 50.9	4.5 4.7 3.0 4.6 7.4	2.3 2.4 2.0 2.0 4.1	4.3 4.4 7.1 3.2 9.1	6.0 6.7 7.4 6.5 13.9	7.8 7.5 9.7 7.5 15.8	13.3 12.5 14.5 11.7 21.9	21. 4 21. 2 22. 9 19. 9 33. 7	40.1 37.7 50.1 36.4 51.7	75.4 77.7 79.4 70.7 73.1	155.8 152.3 123.1 149.0 190.7	15.4 13.5 12.9 14.4 19.4	127.7 129.5 95.5 109.8 146.8	17.7 16.9 15.0 12.4 20.0	41. 2 41. 2 32. 5 33. 7 46. 2	4.1 4.0 2.3 3.1 6.3	2.1 2.4 3 2 2.0 5.2	3.2 3.1 2.3 3.7 10.0	5.9 5.2 4.8 4.4 13.4	6.9 6.0 6.0 5.9 12.4	9.5 8.0 9.7 9.5 17.3	15.0 13.5 16.6 14.3 23.4	30. 4 28. 6 29. 8 32. 1 47. 1	62.9 64.7 67.5 63.9 61.0	146.4 141.6 149.8 134.1 128.5	64 65 66 67 68
60. 2 67. 1 27. 9 30. 0 43. 5	5. 4 3. 5 2. 4 2. 8 2. 9	4.1 2.6 1.7 3.9 2.2	7.3 6.8 2.3 4.0 2.9	11.7 9.7 3.6 6.8 5.0	13. 4 12. 4 4. 3 6. 1 5. 8	14.6 17.6 7.3 6.5 8.6	24.3 26.9 13.5 15.8 13.7	41. 2 62. 9 26. 6 24. 7 27. 3	78. 1 93. 0 52. 4 63. 2 62. 1	166.3 196.9 122.5 127.3 118.5	19.6 19.3 7.8 11.6 10.8	167.3 179.1 55.9 90.8 130.5	26.6 19.2 6.6 8.3 9.6	55.0 55.9 16.8 27.1 34.1	4.3 4.3 2.6 1.9 3.1	4.8 2.7 2.1 3.0 1.8	7.7 7.1 4.1 3.1 2.1	9.6 8.7 4.0 6.1 3.8	12.6 10.7 5.0 6.6 4.9	14.6 15.3 5.0 9.0 5.1	23.0 26.5 9.0 10.8 10.1	34. 2 40. 4 16. 5 31. 4 21. 7	71.1 62.8 42.6 62.4 43.5	150.1 129.3 91.8 156.2 132.3	69 70 71 72 73

<sup>&</sup>lt;sup>2</sup> Includes Connecticut, the District of Columbia, Indiana, Maine, Massachusetts, Michigan, New Hampshire, New Jersey, New York, Rhode Island, and Vermont. 12489°—13——2

STANDARDIZED OR CORRECTED DEATH RATES AT ALL AGES AND SPECIFIC DEATH RATES IN 11 AGE GROUPS, MAIN SUBDIVISIONS, AND THE REGISTRATION STATES, FOR THE YEAR

[Data for foreign countries chiefly from annual report of the Registrar-General of England and Wales, 1910;

_					DEA	гн вате	PER 1,0	00 POPU	LATION.2				}
	AREA AND YEAR OR PERIOD OF YEARS. <sup>1</sup>						Both se	exes.					,
		All ages. <sup>3</sup>	Under 5 years.	5 to 9 years.	10 to 14 years.	15 to 19 years.	20 to 24 years.	25 to 34 years.	35 to 44 years.	45 to 54 years.	55 to 64 years.	65 to 74 years.	75 years and over.
1	Russia (European) (1896–1898).	28. 61	134. 50	12. 74	5. 42	5. 82	7.59	8. 48	11. 13	17. 21	32. 40	66.06	116, 65
2	Spain (1900–1902).	26. 53	104. 14	8. 60	4. 31	7. 13	9.35	9. 23	11. 16	15. 93	32. 45	78.33	210, 71
3	Hungary (1899–1901).	24. 87	91. 96	11. 26	5. 57	6. 87	8.99	8. 70	11. 07	16. 83	34. 04	72.52	170, 58
4	Austria (1899–1901).	23. 12	86. 71	7. 15	3. 92	5. 23	7.46	8. 26	10. 85	16. 75	32. 76	72.46	167, 84
5	Bulgaria (1899–1901).	20. 92	76. 87	12. 53	6. 26	7. 12	10.59	10. 12	11. 57	15. 13	23. 12	42.43	89, 65
6	Italy (1900–1902). Prussia (1899–1901). Germany (1901). Finland (1899–1901). Scotland (1800–1902).	20, 23	74.84	6. 25	3. 45	5. 05	6.82	7. 26	8.65	12.38	25. 51	65. 55	179.50
7		19, 70	73.95	5. 00	2. 81	3. 95	5.24	6. 18	9.23	14.91	29. 01	65. 41	159.56
8		19, 52	74.19	4. 52	2. 67	3. 89	5.21	6. 29	9.15	14.57	28. 53	63. 71	157.79
9		19, 12	63.77	11. 05	5. 58	5. 69	7.09	7. 36	9.02	12.47	24. 54	59. 73	146.11
10		17, 61	48.04	4. 56	3. 02	4. 66	5.86	7. 39	10.83	17.44	33. 84	64. 96	148.98
11	France (1900–1902). England and Wales (1900–1902). Switzerland (1899–1901). Belgium (1899–1901). Ireland (1900–1902)	17.50	47.64	4. 75	3. 28	5. 18	7.48	7.97	10.31	15.07	27.80	63.79	172.35
12		17.16	53.52	4. 11	2. 34	3. 35	4.33	5.89	9.86	16.38	30.89	64.01	149.58
13		16.86	46.07	3. 84	2. 55	4. 17	5.68	6.60	9.41	15.67	31.09	69.74	160.56
14		16.78	54.77	4. 08	2. 34	3. 90	5.56	6.20	8.45	13.76	26.28	60.39	155.34
15		16.59	37.22	4. 35	3. 38	5. 41	6.91	8.77	10.72	15.29	29.59	65.09	168.58
16	Western Australia (1900–1902)	15.83	48.03	2. 24	2. 05	3.53	6. 78	7.30	10.39	15. 49	28. 40	57.41	154.90
17	Netherlands (1898–1900)	15.40	51.24	3. 59	2. 39	3.84	5. 11	5.79	7.71	11. 58	23. 48	55.68	140.58
18	Sweden (1899–1901)	13.88	37.48	5. 68	3. 87	5.10	6. 49	6.72	7.88	11. 02	19. 47	45.53	129.97
19	Denmark (1900–1902)	13.63	38.31	3. 69	2. 89	3.89	4. 93	5.53	7.59	11. 76	21. 62	50.68	140.52
20	Queensland (1900–1902)	13.29	29.92	2. 09	1. 96	3.96	6. 38	.7.66	9.93	14. 54	26. 20	56.98	126.21
21	New South Wales (1900–1902). Victoria (1900–1902). South Australia (1900–1902). Tasmania (1900–1902). New Zealand (1900–1902).	13. 10	32. 52	2. 10	1.87	2. 99	4. 30	5. 57	8.33	12. 94	24. 63	55.09	144. 48
22		13. 08	31. 66	2. 68	2.02	3. 03	4. 49	6. 15	8.61	13. 53	25. 81	54.20	133. 69
23		11. 73	29. 68	2. 42	1.74	3. 18	4. 17	5. 27	7.48	10. 77	21. 10	48.96	120. 22
24		11. 44	24. 41	1. 98	1.99	3. 32	4. 41	4. 53	7.49	10. 28	20. 90	52.09	148. 37
25		10. 80	23. 25	2. 13	1.76	2. 94	3. 81	4. 65	6.73	11. 16	20. 83	48.47	131. 44
26 27 28 29 30 31 32 33 34 35 36 37 38 39 40	United States (1900):  The registration area. Registration states. Connecticut. District of Columbia. Indiana. Maine. Massachusetts. Michigan. New Hampshire. New Jersey. New York. Rhode Island. Vermont. Cities in registration states. Rural part of registration states. Registration cities in other states.		51. 86 50. 02 52. 76 80. 73 37. 55 57. 55 38. 27 52. 20 54. 76 53. 30 68. 83 36. 01 60. 66 37. 12 55. 33	5. 08 4. 63 6. 48 4. 20 4. 06 5. 20 3. 68 4. 61 4. 85 4. 98 5. 75 3. 19 5. 83	3. 25 2. 99 2. 92 3. 03 2. 97 2. 79 3. 61 3. 01 2. 84 3. 73	5. 19 4. 851 4. 91 5. 43 5. 661 4. 683 4. 64 5. 11 5. 10 2. 4. 68 5. 10 2. 4. 68 5. 80	7. 36 6. 84 9. 99 7. 34 7. 04 6. 51 6. 24 6. 75 6. 96 7. 67 6. 03 7. 20 6. 35 8. 25	8. 74 8. 23 7. 62 10. 55 7. 34 7. 00 7. 74 7. 02 7. 11 8. 53 9. 15 8. 42 6. 90 9. 19 6. 84 9. 58	11. 21 10. 32 9. 68 12. 70 8. 23 8. 30 10. 15 7. 61 8. 94 11. 96 11. 40 8. 97 7. 72 12. 77	16. 58 15. 03 15. 35 20. 21 11. 49 10. 73 15. 44 10. 92 12. 24 15. 97 17. 57 18. 34 10. 97 19. 69	29. 58 27. 35 29. 12 37. 55 21. 83 21. 89 29. 29 20. 94 24. 09 30. 31 30. 21 32. 72 22. 74 34. 45 21. 36 34. 80	60. 22 56. 61 57. 79 77. 20 51. 34 48. 22 59. 89 49. 58 53. 48 51. 53 59. 12 68. 33 47. 57 68. 22 48. 85 69. 82	146. 82 142. 61 148. 46 167. 08 139. 09 135. 13 145. 70 136. 64 137. 56 149. 05 142. 77 160. 41 137. 42 155. 04 135. 96
42	All registration cities.	20.15	58.04	5. 63	3.44	5.42	7.73	9.39	12.57	19.31	34.62	69.00	157.60

<sup>&</sup>lt;sup>1</sup> Foreign countries arranged in the order of their standardized or corrected death rates for persons of both sexes.

<sup>2</sup> The rates for foreign countries are based on the mean of the deaths registered for a period of three years (specified for each country in the stub) of which the median year is that of the latest available census and the population as enumerated at that census; the rates for the United States are based on the number of deaths returned for the calendar year 1900 and the population enumerated June 1, 1900.

# SPECIFIC AND STANDARDIZED DEATH RATES.

BY SEX, FOR CERTAIN FOREIGN COUNTRIES AND FOR THE REGISTRATION AREA OF THE UNITED STATES, ITS 1900 OR NEAREST YEAR FOR WHICH DATA ARE AVAILABLE.

rates for the United States and specific rates for foreign countries (both sexes) added by the Bureau of the Census.]

		DEATH RATE PER					ee per	1,000 POI	ULATIO	n²—con	inueā.				-						Ī			
					Ma	les.	,									Fem	ales.				• •			
All ages.3	Under 5 years.	9	10 to 14 years.	15 to 19 years.	20 to 24 years.	25 to 34 years.	35 to 44 years.	45 to 54 years.	55 to 64 years.	65 to 74 years.	75 years and over.	All ages.3	Under 5 years.	9	14	15 to 19 years.	20 to 24 years.	25 to 34 years.	35 to 44 years.	45 to 54 years.	.55 to 64 years.	65 to 74 years.	75 years and over.	
29.80 27.37 24.96 23.86 20.89	109.85 98.40	12.88 8.49 11.13 6.88 12.74	5.37 4.03 4.90 3.52 5.94	5. 59 6. 93 5. 98 4. 89 6. 67	7. 45 10. 07 8. 55 7. 47 10. 15	8.14 9.07 7.61 7.85 8.67	11.18 11.76 10.78 11.10 10.55	18.44 18.04 17.80 18.68 16.06	32.31 35.07 34.00 34.54 23.87	65.66 80.43 70.69 72.53 41.35	116.59 210.22 169.05 170.53 85.58	27. 49 25. 74 24. 79 22. 42 20. 96	125.05 98.29 85.54 79.59 73.19	12.61 8.70 11.40 7.43 12.31	5.48 4.60 6.25 4.33 6.60	6.04 7.31 7.73 5.57 7.58	7.74 8.70 9.42 7.46 11.04	8.81 9.38 9.75 8.66 11.53	11.10 10.60 11.36 10.62 12.61	13.99	32.54 30.02 34.11 31.18 22.12	76.36 74.36	116.88 211.06 172.10 165.83 93.80	3 4
20.09 21.03 20.78 19.98 18.56	76.86 79.84 80.33 68.02 52.13	5.98 4.94 4.47 11.18 4.34	3.15 2.69 2.59 5.24 2.82	4.68 4.19 4.06 5.45 4.64	6.73 5.74 5.57 7.48 6.14	6.73 6.13 6.16 7.34 7.55	8.44 10.38 10.10 9.27 11.68	13.59 18.32 17.69 14.30 19.50	26. 99 33. 28 32. 49 27. 96 37. 95	65.56 69.47 67.56 64.28 71.61	177.30 164.11 161.97 152.00 159.22	20.36 18.45 18.34 18.32 16.73	72.93 68.08 68.07 59.44 43.91	6.55 5.06 4.58 10.97 4.77	3.76 2.94 2.75 5.93 3.23	5.43 3.71 3.72 5.95 4.69	6.92 4.76 4.86 6.69 5.59	7.77 6.23 6.43 7.37 7.25	8.87 8.11 8.24 8.78 10.04	10.74	24.13 25.37 25,13 21.54 30.47	65.72 62.16 60.60 56.07 60.17	182.17 156.19 154.67 141.87 142.78	
18.56 18.37 17.57 17.80 16.25	50.62	4.69 4.06 3.80 4.02 3.90	3.00 2.28 2.39 2.19 2.86	5.08 3.49 3.90 3.72 4.83	8. 10 4. 77 5. 75 5. 64 7. 19	8.19 6.38 6.58 6.17 8.96	11.56 10.94 10.40 9.14 10.62	17.54 18.67 18.83 16.37 15.63	31.50 34.80 34.30 30.11 29.52	69.50 70.25 70.79 66.52 63.07	183.78 158.18 160.83 162.40 169.19	16.51 16.04 16.20 15.82 16.90	43.55 48.76 41.50 50.11 35.01	4.81 4.16 3.87 4.14 4.82	3.55 2.40 2.71 2.49 3.92	5.27 3.21 4.45 4.08 5.99	6.88 3.94 5.62 5.49 6.65	7.75 5.44 6.61 6.24 8.58	9.08 8.84 8.46 7.76 10.81	12.80	24.35 27.45 28.32 22.70 29.65	58.81 59.03 68.85 54.98 67.15	163.58 143.48 160.35 149.89 168.01	11 12 13 14 15
17.80 16.03 14.45 14.41 14.88	53.81 55.43 40.30 42.13 31.84	2.47 3.59 5.62 3.67 2.21	2.00 2.28 3.52 2.52 2.11	3.66 3.96 4.96 3.55 5.24	7.24 5.82 6.93 5.34 8.55	7.54 5.70 6.91 5.52 8.95	10.93 7.60 8.28 8.10 10.83	17. 82 12. 92 12. 42 13. 54 16. 49	32.03 25.40 21.95 24.71 29.31	65. 07 59. 15 48. 98 55. 43 61. 97	169.16 142.15 134.95 148.53 132.06	14.00 14.81 13.36 12.90 11.80	42.38 47.01 34.58 34.21 27.69	2.03 3.59 5.75 3.69 1.92	2.05 2.52 4.21 3.25 1.76	3.42 3.71 5.24 4.21 2.55	6.18 4.42 6.00 4.52 3.75	6.88 5.86 6.52 5.53 5.83	9.29 7.82 7.51 7.09 8.32	10.44 10.29 9.78 10.05 10.98	21.56 21.69 17.35 18.74 20.60	41.18 52.22 42.71 46.36 47.81	126.17 139.31 126.30 133.97 117.25	16 17 18 19 20
13.79 13.99 12.33 11.55 11.12	34.23 34.01 32.18 26.50 25.02	2.18 2.69 2.81 1.71 2.35	2.02 2.10 1.85 2.34 1.72	3.46 3.11 2.90 2.66 2.89	4.76 4.90 4.21 4.11 3.90	5.62 6.27 5.24 4.23 4.55	8.86 8.82 7.61 7.36 6.88	14.71 15.38 11.96 11.27 11.94	27. 86 29. 88 24. 76 23. 32 22. 04	60.82 61.58 54.71 52.52 51.34	151.02 141.57 122.31 156.07 137.86	12.44 12.22 11.16 11.33 10.51	30.58 29.06 27.25 22.13 21.36	2.01 2.63 2.03 2.30 1.93	1.69 1.92 1.62 1.62 1.80	2.51 2.92 3.47 3.97 2.97	3.84 4.10 4.16 4.78 3.74	5.48 6.00 5.30 4.86 4.74	7.58 8.33 7.35 7.74 6.56	10.43 11.46 9.34 9.13 10.11	20.15 21.50 17.03 18.28 18.95	46.49 44.64 43.33 51.52 43.48	135.63 122.82 118.06 136.03 122.87	21 22 23 24 25
18. 91 17. 60 18. 08 26. 12 14. 15 14. 69 19. 00 13. 98 16. 38 19. 34 19. 11 21. 57 13. 71 21. 32 13. 77 21. 62	63.18 41.72 57.24 59.71 75.37 75.33 41.22 65.95 40.02 60.17	5.18 4.70 4.30 5.80 5.27 3.79 4.64 4.99 5.06 5.87 3.04 5.52 3.79 6.04	3. 29 2. 91 2. 74 4. 19 2. 85 2. 83 3. 60 3. 07 2. 90 3. 34 2. 66 3. 12 2. 69 4. 00	5.28 4.87 4.69 8.26 4.67 5.39 5.20 4.70 3.55 5.13 4.62 5.31 4.42 6.04	7. 74 7. 01 6. 48 11. 31 6. 72 6. 49 7. 09 6. 06 6. 75 7. 23 7. 38 7. 23 5. 39 7. 80 6. 04 8. 98	9.05 8.29 7.93 11.71 6.43 6.24 7.80 6.23 6.35 8.94 9.79 8.47 5.18 9.75 6.25 10.31	12.05 10.83 10.42 13.87 7.67 7.43 10.46 7.20 7.64 11.93 13.24 12.17 8.07 13.47 7.53 14.10	18. 15 15. 80 16. 26 23. 67 11. 67 -9. 96 16. 26 10. 84 11. 58 17. 54 19. 04 18. 62 10. 20 20. 80 10. 85 22. 78	31. 95 28. 89 31. 54 42. 36 22. 59 22. 36 31. 28 22. 04 24. 97 33. 68 31. 92 35. 26 22. 75 37. 57 22. 02 39. 10	64. 27 59. 61 59. 89 54. 36 50. 82 64. 14 51. 50 57. 00 65. 95 62. 18 69. 85 52. 65 73. 65 51. 46 77. 14	151, 44 146, 12 156, 52 185, 19 141, 02 140, 49 150, 35 139, 15 137, 69 146, 36 153, 51 139, 51 160, 90 138, 40 170, 32	17. 16 16. 47 16. 65 22. 64 14. 55 15. 00 17. 30 13. 80 16. 26 17. 03 17. 39 20. 19 13. 99 13. 77 18. 61	47. 39 45. 78 47. 90 75. 28 34. 53 40. 86 51. 84 34. 73 47. 16 49. 75 49. 17 62. 32 30. 79 55. 31 34. 15 50. 42	4.98 4.62 4.76 7.15 4.24 4.10 5.13 3.56 4.51 4.51 5.57 3.29 5.34 3.80 5.62	3.21 3.06 3.19 3.19 3.42 3.08 3.11 2.98 2.49 3.14 2.99 3.46	5.11 4.5.950 5.4.5.7.65.4.4.5.78 5.4.4.5.78 5.4.4.5.5 5.4.4.5.5 5.4.4.5.5	7.02 6.68 6.21 8.96 7.56 6.02 6.42 6.74 5.51 8.11 6.75 6.68 6.67 7.60	8.42 8.18 7.28 9.56 9.56 7.77 7.68 7.85 7.89 8.12 8.38 8.72 8.64 7.48 8.82	10.31 9.79 8.89 11.62 8.83 9.20 9.86 8.07 9.48 9.85 10.59 10.64 9.87 11.22 7.93 11.25	11.28 11.56 14.67 11.01 12.93 14.33 16.07 18.06 11.52 17.09 11.10 16.34	27.26 25.84 26.95 32.57 21.00 21.41 27.55 19.71 23.21 27.04 28.58 30.42 22.73 31.58 20.69 30.59	56.44 53.77 56.02 66.26 48.12 45.51 56.46 47.40 50.16 57.51 56.31 67.05 42.43 63.82 46.19 63.34	142.87 139.50 142.23 154.64 137.09 130.33 142.27 138.00 142.14 139.63 165.56 135.67 150.85 132.29 153.20	26 27 28 29 30 31 32 33 34 35 36 37 38 39 40
21.48	63.11	5.79	3.58	5.68	8.41	10.04	13.79	21.80	38.32	75.38	165.39	18.81	52.91	5.48	3.31	5.18	7.14	8.73	11.24	16.73	31.11	63.59	151.91	42

<sup>&</sup>lt;sup>3</sup> The standardized or corrected death rate is the death rate at all ages that would have resulted from the rates for the various age groups if the sex and age constitution of the population of the given area had been identical with that of England and Wales, as enumerated at the census of 1901.

· It will be observed that in the table on pages 18 and 19 the rates for the total population are standardized or "corrected" rates instead of general or crude death rates. The following table, based upon that in the report of the Registrar-General for 1910, presents standardized or corrected rates for various foreign countries and for the registration area, its main subdivisions, and the registration states of the United States for 1900.

	DEA	TH RAT	e per 1	,000 PC	PUT.AT	non.	Ratio cor-	
	Both	sexes.	Ma	les.	Fem	ales.	rected death rate	
AREA AND YEAR OR PERIOD OF YEARS. <sup>1</sup>	Cor- rected rate, <sup>2</sup>	Crude rate.	Cor- rected rate. <sup>2</sup>	Crude rate.	Cor- rected rate. <sup>2</sup>	Crude rate.	(both sexes) of specified area bears to that of England and Wales taken as 1000.	Mean age 3 of popu- lation (both sexes).
Russia (European) (1896– 1898). Spain (1890–1902). Hungary (1899–1901) Austria (1899–1901). Bulgaria (1899–1901).	28. 61 26. 53 24. 87 23. 12 20. 92	27.63 26.34 24.83	29.80 27.37 24.96 23.86 20.89	34.59 28.97 26.87 25.80 23.47	27. 49 25. 74 24. 79 22. 42 20. 96	23.90	1667 1546 1449 1347 1219	26.98 27.50
Italy (1900–1902) Prussia (1899–1901) Germany (1901) Finland (1899–1901) Scotland (1900–1902)	20.23 19.70 19.52 19.12 17.61	20.84	20.09 21.03 20.78 19.98 18.56	21.26	18.34 18.32	19.77 19.61 19.84	1179 1148 1138 1114 1026	
France (1900–1902). England and Wales (1900–1902). Switzerland (1899–1901). Belgium (1899–1901). Ireland (1900–1902).	17.50 17.16 16.86 16.78 16.59	17.16 18.22 18.53	18.56 18.37 17.57 17.80 16.25	18.37 18.99 19.55	15.82	16.04 17.48 17.52	1020 1000 983 978 967	27.50 28.90 28.69
Western Australia (1900– 1902) Netherlands (1898–1900) Sweden (1899–1901) Denmark (1900–1902) Queensland (1900–1902)	15.83 15.40 13.88 13.63 13.29	17.32 16.78 15.80	17.80 16.03 14.45 14.41 14.88	18.06 17.24 16.66	14.81 13.36	16.60 16.35 14.98	809 794	27.74 29.83 28.38
New South Wales (1900– 1902). Victoria (1900–1902). South Australia (1900–1902). Tasmania (1900–1902). New Zealand (1900–1902).	13.10 13.08 11.73 11.44 10.80	13.12   11.02	13.79 13.99 12.33 11.55 11.12	l 14.80	12. 22 11. 16	11.43 10.23 10.11	763 762 684 667 629	26.98 26.01 25.29
United States (1900):   The registration area. Registration states. Connecticut. District of Columbia Indiana. Maine. Massachusetts. Manigan. New Hampshire. New Jersey. New York. Rhode Island. Vermont. Cities in registration states. Rural part of registra-	17.04 17.37 24.36 14.37 14.85 18.13 13.90 16.31 18.20 18.26	18. 02 22. 25 14. 19 17. 11 18. 25 14. 03 18. 55 17. 75 18. 21 20. 45 16. 56	18. 91 17. 60 18. 08 26. 12 14. 15 14. 69 19. 00 13. 98 16. 38 19. 34 19. 11 21. 57 13. 71	18.59 24.63 14.34 17.11 19.05 14.52 18.41 19.01 19.28 21.06 16.56	16. 65 22. 64 14. 55 15. 00 17. 30 13. 80 16. 26 17. 03 17. 39 20. 19 13. 90	16. 46 17. 44 20. 11 14. 04 17. 11 17. 49 13. 52 18. 68 16. 49 17. 15 19. 87 16. 56	1012 1420 837 865 1057 810 950 1061 1064 1216	28. 66 29. 41 29. 52 27. 51 31. 25 29. 24 28. 01 31. 52 27. 85 28. 60 28. 77 31. 25
Registration cities in other states	13.79 20.14	18. 21	13. 77 21. 62	[	18.61	16.65	1174	27.31
All registration cities	20.15	18.57	21.48	19.96	18.81	17.20	1174	27.52

# STANDARDIZED (OR CORRECTED) DEATH RATES.

In the English tables and in those of similar form for American areas presented in this report, the

term "corrected rate," is employed to signify a rate in the computation of which allowance has been made for differences in age and sex constitution of the population. Specific death rates are exceedingly useful, but on account of their number and the complexity of the relations sometimes shown by them, it is difficult to obtain from them a general idea of the mortality of a given country, state, or city. Hence there has long been a demand for some statistical expression which, while not ignoring the dissimilarities of the constitution of different populations, might reduce them to a common denominator as it were and thus render comparisons readily possible.

In obtaining "corrected" death rates the usual method is to select a standard population, definitely distributed into certain groups with respect to age, or age and sex; the specific death rates of any area as computed for the same groups are then applied to corresponding subdivisions of the standard population, the result being the number of deaths which would have occurred in each group of the standard population had its death rate been the same as that of the same group of the given area. The summation of the deaths that would have occurred in all the groups of the standard population gives the total number of deaths in the standard population corresponding to the observed specific death rates in the given area, and the division of this total by the standard population yields the corrected death rate.

The term "corrected death rate" might be understood to imply that the crude rate was incorrect and that allowance had been made for defects in the returns. A better designation would be standardized death rate, signifying a rate based upon a standard population. The standardized or corrected rate based upon the population of Sweden in 1890, recommended by the International Statistical Institute in 1895, is known as the "index of mortality." The population of Sweden for 1890 was divided into only five groups, without distinction of sex, as follows: Under 1 year (25.5 per 1,000), 1 to 19 years (398), 20 to 39 years (269.6), 40 to 59 years (192.3), and 60 years and over (114.6). The eleven age groups, by sex, as used for many years in the English reports, afford greater precision; moreover, the frequently unreliable rate for infants under 1 year and the objectionable divisions upon years ending with a cipher-years upon which population and deaths are prone unduly to concentrate—render the English grouping preferable, at least for this preliminary study designed to bring the advisability of standardized rates for this country into serious consideration.

An additional advantage in the use of the English basis for corrected or standardized rates is the fact, as shown in the preceding table computed on this basis, that the rate for the registration area in 1900, and more particularly for the group of registration states. shows little change in passing from the crude to the

¹ Foreign countries arranged in the order of their standardized or corrected death rates for persons of both sexes.

² The standardized or corrected death rate is the death rate at all ages that would have resulted from the rates for the various age groups if the sex and age constitution of the population of the given area had been identical with that of England and Wales as enumerated at the census of 1901.

³ In this computation persons whose age was not stated were excluded.

⁴ Corrected rates for the United States added by the Bureau of the Census.

corrected form. The crude rate of the group of registration states in 1900 (17.19) was practically identical with the rate of England and Wales (17.16), the population of which in 1901 is the standard population upon which all these corrections are based. The corrected rate shows only a slight reduction (17.04), while the crude rate for the registration states in 1911 (13.9) would be reduced to a corrected rate of 13.7 on the English standard or raised to 14.1 if compared with the constitution of the registration states in 1900. It is not so important what standard population shall be used as that some standard shall be adopted for all countries publishing mortality statistics, since, otherwise, corrected rates would be as incomparable as crude rates. The chief objection to the general use of the English standard population is that heretofore it has been the practice of the Registrar-General to use the proportions of population shown by the latest census, which necessitated the revision of the corrected rates every 10 years. With the discontinuance of this plan and the adoption of the standard million of 1901 as the permanent basis of standardized or corrected rates, as now contemplated by him, it may be deemed advisable to adjust American rates so that they will be comparable with the statistics for England and the other countries prepared by the Registrar-General, whose recent adoption of the International List of Causes of Death has been of great service in promoting the uniformity of mortality statistics throughout the world.

It will therefore be of special interest to examine the corrected and crude death rates of the registration states and great cities of the United States as obtained by the application to the standard population of their specific death rates, by sex, according to the age groups shown in the table on pages 16 to 17.

[States or cities in which 10 per cent or more of the inhabitants in 1910 were colored are indicated by asterisks (\*).]

	DEAT	H RAT		1,000 F 1911	OPULA	TION:	PER CENT COR- RECTED <sup>1</sup> DEATH RATE REPRESENTS			
AREA.	Both	sexes.	Ma	les.	Fem	ales.		RUDE D RATE:	EATH	
	Cor- rect- ed <sup>1</sup> rate.	Crude rate.	Cor- rect- ed <sup>1</sup> rate.	Crude rate.	Cor- rect- ed <sup>1</sup> rate.	Crude rate.	Both sexes.	Males.	Fe- males.	
REGISTRATION STATES 2	13.7	13.9	14.4	14.7	13.1	13.0	99	98	101	
California	13.6	13.7 12.9 15.4 12.9 13.2	13.9 14.9 15.7 12.4 13.1	15.2 14.5 16.2 13.4 13.3	11.8 12.4 14.0 12.2 13.6	11.7 11.0 14.6 12.4 13.0	93 105 96 95 102	91 103 97 93 98	101 113 96 98 105	
Maine	15.0	16.1 15.8 15.3 13.2 10.5	13.3 16.6 16.0 12.9 11.3	16.6 16.8 16.2 14.0 11.2	12.6 15.2 14.1 12.0 10.2	15.5 14.9 14.5 12.4 9.6	81 101 98 94 103	80 99 99 92 101	81 102 97 97 106	
Missouri Montana New Hampshire New Jersey	11.6	13.1 10.2 17.1 14.7	13.5 12.5 14.7 16.1	13.9 11.1 17.6 15.6	12.7 10.8 13.8 14.3	12.2 8.9 16.6 13.7	100 114 83 103	97 113 84 103	104 121 83 104	
New YorkOhioPennsylvaniaRhode Island	12.4	15.5 13.1 14.2 15.5	16.7 12.9 15.3 16.8	16.6 13.7 15.0 16.4	14.8 12.0 13.6 14.8	14.4 12.4 13.3 14.7	101 95 101 101	101 94 102 102	103 97 102 101	

Corrected on basis of standard million of England and Wales, 1901.
 Includes District of Columbia, but excludes North Carolina.

	DEAT	H RATI	PER 19	1,000 P 11	OPULA	TION:	RECT	CENT C ED 1 DE REPRES	ATH
AREA.	Both	sexes.	Ma	les.	Fem	ales.	OF CI	RATE.	HTAE
	Cor- rect- ed <sup>1</sup> rate.	Cruđe rate.	Cor- rect- ed <sup>1</sup> rate.	Crude rate.	Cor- rect- ed <sup>1</sup> rate.	Crude rate.	Both sexes.	Males.	Fe- males,
Utah	11.0	10.3	11.7	11.1	10.3	9.4	107	105	110
Vermont	12.6	15.8	12.7	16.2	12.5	15.5	80	78	81:
Washington	9.8	8.9	10.1	9.3	9.6	8.3	110	109	116
Wisconsin	11.0	11.5	11.6	12.3	10.5	10.5	96	94	100
States included in reg- tration area in 1900 <sup>2</sup> .	14.6	14.9	15.3	15.8	13.9	14.0	98	97	99
CITIES OF 100,000 POP- ULATION OF OVER IN 1910.									-
Birmingham, Ala.*	21.3	18.2	21.6	18.9	20.9	17.5	117	114	119
Los Angeles, Cai	14.3	14.5	16.0	16.7	12.7	12.3	99	96	103
Oakland, Cai	12.5	12.7	13.0	13.3	12.0	11.9	98	98	101
San Francisco, Cal	15.9	15.2	17.7	16.8	14.2	13.2	105	105	108
Denver, Colo	16.5	15.5	18.8	18.1	14.4	12.9	106	104	112
Bridgeport, Conn	15.4	13.9	16.2	14.4	14.7	13.3	111	113	111
New Haven, Conn	17.1	16.7	17.6	17.2	16.6	16.2	102	102	102
Washington, D. C.*	18.9	18.7	20.8	21.2	17.2	16.4	101	98	105
Atlanta, Ga.*.	22.0	19.8	22.1	19.8	22.0	19.7	111	112	112
Chicago, Ill	16.4	14.5	18.4	16.4	14.5	12.5	113	112	116
Indianapolis, Ind		14.7	16.4	16.0	14.2	13.4	104	103	106
Louisville, Ky.*		16.1	18.8	18.0	15.3	14.3	106	104	107
New Orleans, La.*		20.4	24.6	23.1	19.1	17.9	107	106	107
Baltimore, Md.*		18.4	21.1	20.3	17.7	16.7	105	104	106
Boston, Mass		17.1	19.4	18.4	16.5	15.8	105	105	104
Cambridge, Mass	15.4	15.2	16.5	15.9	14.5	14.5	101	104	100
Fall River, Mass	18.4	17.4	19.4	18.6	17.5	16.3	106	104	107
Lowell, Mass	18.8	17.7	20.0	18.6	17.6	16.7	106	108	105
Worcester, Mass	16.2	15.7	17.5	16.8	14.9	14.6	103	104	102
Detroit, Mich	16.0	14.4	17.1	15.2	14.9	13.6	111	113	110
Grand Rapids, Mich.	13.7	13.6	14.4	14.6	13.0	12.7	101	99	102
Minneapolis, Minn		11.5	13.9	12.3	12.0	10.6	112	113	113
St. Paul, Minn		10.9	14.0	11.9	11.8	9.7	118	118	122
Kansas City, Mo.		15.4	18.0	16.8	15.9	13.9	110	107	114
St. Louis, Mo.		15.4	18.9	17.5	14.8	13.2	109	108	112
Omaha, Nebr		14.3	17.8	16.2	13.9	12.2	110	110	114
Jersey City, N. J		15.8	19.1	17.3	16.2	14.3	111	110	113
Newark, N. J		14.8	17.9	16.4	14.7	13.3	109	109	111
Paterson, N. J		14.6	17.2	16.0	14.6	13.3	109	108	110
Albany, N. Y		20.4	21.6	22.5	18.0	18.5	97	96	97
Buffalo, N. Y		14.5	17.3	15.9	14.4	13.0	109	109	111
New York, N. Y		15.2	18.5	16.6	16.0	13.8	113	111	116
Rochester, N. Y		14.4	16.2	15.2	14.0	13.6	105	107	103
Syracuse, N. Y		14.3	16.2	15.1	13.7	13.4	104	107	102
Cincinnati, Ohio		16.5	19.5	19.2	14.4	13.9	102	102	104
Cleveland, Ohio Columbus, Ohio Dayton, Ohio Toledo, Ohio Portland, Oreg	15.3 15.2 14.0 15.6	13.8 14.3 13.7 14.9 10.9	16.8 16.1 14.7 17.2 13.5	15.0 15.0 14.4 16.8 11.5	14.0 14.3 13.4 14.0 11.7	12.6 13.6 13.0 13.0 10.0	111 106 102 105 116	112 107 102 102 117	111 105 103 108 117
Philadelphia, Pa	1 16.7	16.6	18.7	17.9	16.1	15.4	105	104	105
Pittsburgh, Pa		14.9	18.3	16.3	15.5	13.5	113	112	115
Scranton, Pa		14.8	18.5	16.7	15.1	12.9	113	111	117
Providence, R. I		15.6	17.7	16.8	14.8	14.4	104	105	103
Memphis, Tenn.*		21.3	25.1	23.2	21.9	19.4	110	108	113
Nashville, Tenn.* Richmond, Va.* Seattle, Wash Spokane, Wash Milwaukee, Wis	10.4 13.7	20.5 21.0 8.8 11.6 11.9	22.7 25.4 11.6 13.3 14.5	21.6 22.9 9.6 11.5 13.1	21.6 21.2 9.3 14.1 12.1	19.6 19.3 7.8 11.6 10.8	108 110 118 118 112	105 111 121 116 111	110 110 119 122 112

Corrected on basis of standard million of England and Wales, 1901.
 Includes Connecticut, the District of Columbia, Indiana, Maine, Massachusetts,
 Michigan, New Hampshire, New Jersey, New York, Rhode Island, and Vermont.

The actual amount of difference between the standardized and the crude rate is not of special importance. For states or cities with populations more favorably constituted than the standard population, the corrected rates are higher than the crude rates. For states or cities less favorably constituted, the corrected rates are lower than the crude rates. There is thus a tendency to equalization of rates.

For the group of registration states, 1911, the difference between the crude rate (13.9) and the corrected rate (13.7) is slight. That the low crude death rates of California, Indiana, Michigan, Ohio, and Wis-

consin are not due to unusually favorable age and sex distribution of population is evident from the fact that their standardized rates are even lower. In other states, namely, Colorado, Kentucky, Minnesota, Montana, Utah, and Washington, low crude rates are only slightly raised by correction for age and sex distribution; and yet the specific death rates for Washington, even if no allowance be made for possibly incomplete registration, differ little from those of New Zealand (1900 to 1902) over 10 years ago, before the period of phenomenally low death rates began. Not a death rate in the table, except those for a few cities with large colored populations, would have been regarded as even remotely credible by vital statisticians a quarter of a century ago, and the highest rates shown are only about the average rates at that time.

For states like Maine, New Hampshire, and Vermont, in which are unusually large proportions of persons at the more advanced ages, the corrected rates are far more representative of the true sanitary conditions, as compared with those of other states, than the crude rates. Cities have usually a large proportion of population at the more favorable ages, hence nearly all cities show standardized rates higher than the crude rates. The only exceptions in the list are the cities of Los Angeles, Oakland, and Albany, in which the population is less favorably constituted than the standard.

The following table shows the changes in mortality that have occurred in the 11 years from 1900 to 1911 in the group of registration states as constituted in 1900. This area embraced about one-fourth of the total population of the United States in 1911 and hence the results are of much significance as showing the general tendency of mortality for the country as a whole.

AGE GROUP.	FOF	STATE	E <sup>1</sup> PER ES INCL A IN 19	1,000 UDED 1	POPUL N REGI	ATION STRA-	PER CENT DEATH RATE IN 1911 REP RESENTS OF THAT IN 1900.			
•	Both sexes.	Males.	Fe- males.	Both sexes.	Males.	Fe- males.	Both sexes.	Males.	Fe- males	
All ages: Crude rate Corrected rate 3 Under 5 years		15.8 15.3	14.0 13.9	17.2 17.0 49.9	17.9 17.6 54.1	16.5 16.5 45.7	87 86 73	88 87 74	85 84 ————	
Under 1 year	125.5 12.8 3.2 2.2 3.5	138.6 13.3 3.4 2.4 3.7 5.3	112.1 12.2 3.1 2.1 3.3 4.7	161.9 19.8 4.7 3.0 4.8 6.8	178.4 20.4 4.7 2.9 4.9	145.0 19.1 4.6 3.1	78 65 68 73 73	78 65 72 83 76	77 64 67 68 69	
20 to 24 years	9.4 14.5 28.4 58.3	5.3 6.7 10.4 16.1 30.9 61.6 147.4	4.7 6.0 8.3 12.9 26.0 55.1 139.2	6.8 8.2 10.3 15.0 27.3 56.5 142.4	7.0 8.3 10.8 15.8 28.8 59.5 145.9	4.8 6.7 8.2 9.8 14.2 25.8 53.7 139.3	74 77 91 97 104 103 100	76 81 96 102 107 104 101	70 73 85 91 101 103 100	

<sup>&</sup>lt;sup>1</sup> Exclusive of stillbirths. <sup>2</sup> Group includes Connecticut, the District of Columbia, Indiana, Maine, Massacussetts, Michigan, New Hampshire, New Jersey, New York, Rhode Island, and

ermont.

\* Based on the standard million of England and Wales, 1901.

In both 1900 and 1911 the population was slightly less favorable than the standard population with respect to age and sex constitution, hence the corrected rates are somewhat lower than the crude rates. The difference is so small, however, that the crude rates for this group, though not for the individual states composing it, may safely be used in comparing changes in mortality from 1900 to 1911. A comparison of the corrected rates for 1911 and 1900 for the group shows a decrease during the 11 years of 14 per cent for both sexes, 13 per cent for males, and 16 per cent for females. The relative female mortality (the percentage which the corrected death rate of females represented of the corrected death rate of males) declined from 94 in 1900 to 91 in 1911.

The specific death rates for both males and females of all age groups under 45 decreased between 1900 and 1911, the greatest relative decrease being that for females 1 to 4 years of age (35 per cent). The death rate of male infants under 1 year of age decreased 22 per cent and that of female infants under 1 year 23 per cent. For both sexes the greatest percentage of decrease was for the age group 1 to 4 years, the percentages of decrease being less for each succeeding group of ages until, for the age groups 55 to 64 years and 65 to 74 years, small percentages of increase are shown. The mortality above 75 years was practically the same in 1911 and 1900, although a slight increase (1 per cent) is shown for males.

Similar comparisons may be made of the changes in the specific death rates and of the relative male or female mortality in each of the states for which rates are available for the years 1900 and 1911. The following table shows the corrected death rates of these states, by sex, for 1900 and 1911.

	CORRI	ECTED 1	DEAT	H RAT	1900	1,000	PER CENT DEATH RATE IN 1911 REPRESENTS OF THAT IN 1900.			
AREA.	Both sexes.	oth Males Fe-			1	Fe- males.	Both sexes.	Males.	Fe- males.	
States included in registration area in 1900.  Connecticut. District of Columbia. Indiana Maine. Massachusetts. Michigan. New Hampshire. New Jersey New York. Rhode Island	14.6 14.8 18.9 12.3 13.0 15.0 12.4 14.2 15.1 15.7 15.7	15.3 15.7 20.8 12.4 13.3 16.0 12.9 14.7 16.1 16.7 16.8 12.7	13.9 14.0 17.2 12.2 12.6 14.1 12.0 13.8 14.3 14.8 14.8	17.0 17.4 24.4 14.4 14.9 18.1 13.9 16.3 18.2 18.3 20.9 13.8	17.6 18.1 26.1 14.2 14.7 19.0 16.4 19.3 19.1 21.6 13.7	16. 5 16. 7 22. 6 14. 6 15. 0 17. 3 16. 3 17. 0 17. 4 20. 2 13. 9	86 85 77 85 87 83 89 87 83 86 75	87 87 80 87 90 84 92 90 83 87 78 93	84 76. 84 84 82 87 85 84 85 90	

<sup>&</sup>lt;sup>1</sup> Corrected on basis of standard million of England and Wales, 1901.

STANDARDIZED DEATH RATES, BY COLOR AND NATIVITY.

A difficulty that does not enter into the treatment of European statistics affects the comparability of American death rates, namely, the differences in the

populations of states and cities with respect to color, nativity, and parent nativity. How such differences may affect the crude and corrected death rates for the aggregate population may be inferred from the following table: .

	DEATH	RATE <sup>2</sup> PI	er 1,000 : ION STATI		ON, REG	ISTRA-
SEX AND AGE GROUP. <sup>1</sup>		Na	tive whi	te.		
SEA AND AGE GROOF.	Total popu- lation.	Total.	Native parents.	One or both parents foreign born.	For- eign- born white.	Col- ored.
Both sexes (all ages)	17.2	16.5	15.7	17.8	18.9	25.0
Under 5 years. 5 to 9 years. 15 to 19 years. 15 to 19 years. 20 to 24 years. 25 to 34 years. 35 to 44 years. 45 to 54 years. 55 to 64 years. 55 to 64 years. 75 years and over.	6.8 8.2 10.3 15.0 27.3 56.5	49.1 4.5 2.9 4.7 6.8 8.2 9.6 12.7 22.6 50.4 138.5	42.8 4.2 2.9 4.7 6.2 6.4 7.7 11.6 22.0 49.6 136.1	55.8 4.9 2.9 4.8 7.7 10.7 12.8 16.2 27.0 60.8 175.8	40. 2 5. 7 2. 9 4. 5 6. 2 7. 9 11. 4 18. 6 34. 4 66. 4 151. 1	106.4 8.9 9.0 11.4 11.6 12.2 15.0 24.5 42.5 69.5 143.3
Males (all ages)	17.9	17.3	16.0	19.4	19.2	25.6
Under 5 years. 5 to 9 years. 10 to 14 years. 15 to 19 years. 20 to 24 years. 25 to 34 years. 35 to 44 years. 45 to 54 years. 55 to 64 years. 55 to 64 years. 55 to 67 years. 75 years and over.	54.1 4.7 2.9 4.9 7.0 8.3 10.8 15.8 28.8 59.5 145.9	53.3 4.6 2.8 4.7 6.9 8.3 10.1 13.1 24.1 54.9 143.2	46.5 4.3 2.8 4.5 6.1 5.9 7.5 11.7 23.4 53.9 140.6	60.5 4.9 2.9 5.0 8.2 12.0 14.6 17.6 66.2 181.2	42.7 6.2 3.0 -4.8 6.6 7.8 11.8 19.8 35.9 66.9 151.3	114.6 8.9 6.5 11.3 12.3 12.6 14.3 24.9 42.5 72.3 156.3
Females (all ages)	16.5	15.6	15.3	16.2	18.6	24.4
Under 5 years. 5 to 9 years. 10 to 14 years. 15 to 19 years. 20 to 24 years. 25 to 34 years. 35 to 44 years. 45 to 54 years. 55 to 64 years. 65 to 74 years. 75 years and over.	6.7 8.2 9.8 14.2 25.8	44.9 4.5 2.9 4.8 6.81 9.0 12.2 21.3 46.3 134.5	39.1 4.2 3.0 4.9 6.3 7.0 7.7 11.4 20.6 45.5 132.2	51.1 4.8 2.9 4.6 7.3 9.6 11.1 14.9 25.7 171.0	37.8 5.3 2.8 4.2 5.9 8.0 11.0 17.3 32.8 66.0	98.5 8.8 11.3 11.4 11.1 11.8 15.7 24.1 42.4 66.9 134.3

Population and deaths at unknown age not distributed.
 Exclusive of stillbirths.

Among the colored population, which is chiefly negro, higher death rates are shown for both sexes and for all age groups than among the white population, except in the case of females 75 years of age and over. The death rates of the foreign-born whites are in the majority of cases higher than those of the native whites born of either native or foreign parents, although important exceptions will be noted, some of which may be due to transfer of deaths from one class to another. The low death rate of foreign-born children under 5 years is almost certainly understated. On the basis of an assumed death rate of 85 per 1,000 for foreign-born males under 5 years of age and 75 for foreign-born females under that age—rates which are probably lower

than those for the countries from which the immigra-

tion during the years 1896-1900 was chiefly derivedthe corrected death rates would be as follows:

	DEATH RATE I PER 1,000 POPULATION, REGISTRATION STATES: 1900										
		Na	ative whi	ite.							
SEX.	Total popu- lation.	Total.	Native par- ents.	One or both parents foreign born.	For- eign- born white.	Col- ored.					
Both sexes:	•										
Crude rate	17.2	16.5	15.7	17.8	18.9	25.0					
Corrected rate 2	17.0	16.0	14.5	19.1	{ 17.2 3 21.7	29.1					
Males:											
Crude rate	17.9	17.3	16.0	19.4	19.2	25.6					
Corrected rate 2	17.6	16.7	14.8	20.3	$     \begin{cases}       19.2 \\       17.5 \\       22.4     \end{cases} $	29.9					
Females:											
Crude rate	16.5	15.6	15.3	16.2	18.6	24.4					
Corrected rate 2	16.5	15.4	14.2	18.1	$\begin{cases} 16.9 \\ 21.0 \end{cases}$	28.3					

1 Exclusive of stillbirths <sup>1</sup> Excusive of Studiers, 2 Based on standard million of England and Wales, 1901, for each element of the population.

<sup>2</sup> In computing this corrected death rate an assumed death rate of 85 per 1,000 for foreign-born males under 5 years of age and of 75 per 1,000 for foreign-born females under 5 years of age and of 75 per 1,000 for foreign-born females.

under that age was used.

The differences between the death rates of the native white population of native and foreign parentage and the foreign-born white population should not be interpreted as essential racial differences, but rather as due to economic and other social causes. The same reasons. may explain the higher death rate of the colored or negro population as compared with the white population. The death rate of the colored population of the registration area as a whole in 1911 (23.7 per 1,000), although much higher than that of the white population (13.7), is lower than the rates of the great majority of European countries up to the last quarter of the nineteenth century and could undoubtedly be reduced to a figure which would more closely approximate, if not equal, the death rate of the white population. Death rates based on total population (white and colored) afford evidence as to the gross effect of sanitary conditions on mortality. The death rate of the white population alone for an area containing a considerable proportion of colored population, is a selected rate, just as a death rate exclusive of the mortality of the foreign born would be, and hence can not be compared with rates based upon the total population.

It is of great importance from a sanitary point of view, however, to study the mortality of the negro population in detail, as contrasted with that of the white population. The following table shows the specific death rates of the whites and negroes, by sex, in three cities having large proportions of colored population.

	DEA	THE PATE	1 P T T T T	00 POPUL	ATTON: 1	011
CITY AND AGE GROUP.		White.			Negro.	
CITI AND AGE GROUP.	Both	Males.	Fe-	Both	Males.	Fe-
	sexes.	mancs.	males.	sexes.	mares.	males.
WASHINGTON, D. C.						:
All ages	15.5	17.8	13.4	26.6	30.3	23.5
Under 5 years.  Under 1 year  1 to 4 years  5 to 9 years.  15 to 19 years.  15 to 19 years.  20 to 24 years.  25 to 34 years.  25 to 44 years.  25 to 64 years.  55 to 64 years.  55 to 64 years.  75 years and over	119.3 9.7 2.6 2.2 2.9	35.1 136.2 9.3 2.2 2.9 6.3 7.1 12.5 18.3 35.8 81.4 174.7	29.8 102.7 10.1 3.0 1.5 2.9 5.5 4.6 6.9 11.2 25.2 53.9 150.0	88.0 310.8 32.3 6.1 6.0 9.9 12.7 15.0 22.6 32.3 57.1 90.7 173.3	90.3 327.1 29.5 6.2 6.9 10.5 13.7 19.1 27.9 37.8 60.6 113.8 180.2	85.7 294.4 35.0 6.1 5.1 9.4 12.0 11.7 18.0 27.9 54.3 72.0 168.9
NEW ORLEANS, LA.						
All ages	16.6	18.7	14.5	31.2	36.2	26.9
Under 5 years.	37.8 123.3 14.5 2.6 1.8 3.2 5.6 8.9 122.7 41.1 69.0 148.0	40.9 135.9 15.0 2.8 2.5 4.0 6.6 10.5 17.9 28.6 49.9 79.0 154.5	34.6 110.5 14.0 2.4 1.2 2.5 4.7 7.3 9.9 16.8 33.6 61.6 144.2	75.1 247.7 28.8 7.3 7.3 13.9 21.7 20.9 31.5 42.5 73.1 83.2 151.6	81.1 265.9 30.7 8.2 8.4 13.0 26.9 28.6 33.6 49.9 88.1 106.2 186.6	69.3 229.7 27.1 6.3 6.3 14.5 18.0 14.6 29.5 35.7 61.7 67.1 131.3
BALTIMORE, MD.						
All ages	16.2	17.9	14.6	30.9	34.3	27.6
Under 5 years. Under 1 year 1 to 4 years. 5 to 9 years 10 to 14 years. 15 to 19 years. 25 to 34 years. 25 to 34 years. 45 to 54 years. 45 to 64 years. 55 to 64 years. 75 years and over	43.2 159.3 14.9 3.3 2.1 3.4 4.7 7.3 9.8 18.1 32.6 70.1 160.6	46.1 167.5 16.6 3.7 2.7 3.3 5.3 8.7 11.7 22.0 38.5 79.7 175.4	40.1 150.8 13.1 2.8 1.6 3.5 4.1 6.0 8.0 14.4 27.3 62.6 151.2	111.2 386.4 41.1 8.8 7.4 12.8 14.8 18.7 24.6 37.1 60.9 87.8 168.5	119.5 408.4 42.6 9.4 7.9 12.5 17.7 21.5 26.2 39.6 65.2 109.2 183.0	103. 2 363. 6 39. 6 8. 2 7. 0 13. 1 12. 6 16. 3 23. 1 34. 7 57. 1 70. 5 160. 7

The specific death rates of the negro population are higher than those of the white population for practically every age period. The net result is shown in the following table presenting corrected death

rates, in which the differences of age and sex constitution between the white and negro population of these cities have been eliminated by the application of the specific rates to the standard population:

	DEAT	TH RATE	PER 1,0	00 POPUI	ATION: 1	911
CITY AND COLOR.	C	Corrected.	.2		Crude.	
	Both sexes.	Males.	Fe- males.	Both sexes.	Males.	Fe- males.
Washington, D. C	. 18.9	20. 8	17. 2	18.7	21. 2	16.4
White	14.6	16. 4	13. 0	15.5	17. 8	13.4
Negro	30.5	33. 3	27. 9	26.6	30. 3	23.5
New Orleans, La	21.8	24. 6	19.1	20.4	23. 1	17.9
	17.5	19. 9	15.3	16.6	18. 7	14.5
	34.0	38. 8	29.6	31.2	36. 2	26.9
Baltimore, Md.		21.1	17.7	18. 4	20.3	16.7
White		18.4	15.1	16. 2	17.9	14.6
Negro		38.4	32.6	30. 9	34.3	27.9

<sup>1</sup> Exclusive of stillbirths.
<sup>2</sup> The corrected death rates are the death rates at all ages that would have resulted from the rates prevailing at the various age groups if the sex and age constitution of the population in the several areas had been identical with that of the population of England and Wales as enumerated at the census of 1901.

For Washington the crude death rate of the white inhabitants fell from 15.5 to a corrected figure of 14.6, which indicates that the sex and age constitution of the white population of this city was somewhat less favorable with respect to the production of a low death rate than that of the standard population. The death rates of the negro population showed a much greater change in the reverse direction, the crude rate of 26.6 becoming a corrected rate of 30.5. For New Orleans and Baltimore the corrected death rates of the white population are slightly higher than the crude rates, but the corrected death rates of the colored population are markedly higher than the crude rates. It would seem that owing to the more favorable sex and age constitution of the colored population, the ordinary crude death rates of the colored, although high, do not fully express the large difference in the mortality of the white and colored.

#### INFANT AND CHILD MORTALITY.

The mortality of infants and children under 1 year of age, from 1 to 4 years, and for the total under 5 years of age may be studied in the table showing specific death rates for the registration states and large cities in 1911 (pp. 16-17). For the group of registration states as a whole the death rate of infants under 1 year of age per 1,000 infants under 1 year in the population was 112.9, or about eight times the death rate at all ages. The death rate of children from 1 to 4 years of age (11.8 per 1,000) was equal to about onetenth of that of infants under 1 year. The death rate of children in the first 5 years of life (32.9) was about ten times that of children in the second 5 years (3.1), and was greater than that for any age group until we reach that of 65 to 74 years (55.2). These figures show the great preponderance of infant and child mortality and a study of the death rates of infants and children for individual areas will show where special efforts may be made to restrict the causes to which such deaths are chiefly due.

There has been a marked reduction in the infant death rate in recent years. The following table shows for the calendar year 1911 and the census year 1900 the death rates per 1,000 population under 1 year of age as computed for the states included in the registration area in 1900 and for cities of 100,000 population and over in 1910, with the percentage of decrease or increase. It will be noted that the death rate of infants under 1 year of age decreased nearly one-fifth (19 per cent) in the group of registration states during the period of 11½ years.

<sup>&</sup>lt;sup>1</sup> Figures from report on Vital Statistics, Part I, Twelfth Census, p. lxxx.

	DEATH R. LATION AGE.	ATE 1 PER 1 UNDER 1	,000 POPU- YEAR, OF
AREA.	1911	Census year: 1900	Per cent of de- crease, 1900 to 1911.2
States included in registration area in 1900 3.	129.5	159.3	19
Connecticut	143.3	156.8 144.1 177.8 121.3 172.0	17 23 19 8 13
New Jersey	131.5	167.4	21
New York	- 128.8	159.8	19
Rhode Island	138.6	197.9	30
Vermont.	102.0	122.1	16
CITIES OF 100,000 POPULATION OR OVER IN 1910.	•		
Birmingham, Ala. Los Angeles, Cal Oakland, Cal San Francisco, Cal Denver, Colo	136.1	(4)	( <sup>5</sup> )
	160.1	175.1	43
	87.2	116.4	25
	104.8	152.2	31
	131.9	162.3	19
Bridgeport, Conn. New Haven, Conn. Washington, D. C. Atlanta, Ga. Chicago, Ill	138.4	172. 2	20
	133.9	154. 0	13
	170.0	274. 5	38
	138.1	306. 0	55
	123.3	146. 6	16
Indianapolis, Ind. Louisville, Ky. New Orleans, La Baltimore, Md. Boston, Mass	105.8	173.5	39
	115.5	173.5	33
	152.6	229.2	33
	189.2	235.1	20
	160.9	194.1	17
Cambridge, Mass. Fall River, Mass. Lowell, Mass. Worcester, Mass. Detroit, Mich	125.6	186.5	33
	239.5	304.7	21
	203.4	275.5	26
	136.0	164.7	17
	168.8	201.2	16
Grand Rapids, Mich	107.2	146.1	27
Minneapolis, Minn	106.4	102.0	+ 4
St. Paul, Minn	115.5	96.9	+19
Kansas City, Mo	145.7	186.8	22
St. Louis, Mo	123.8	162.4	24
Omaha, Nebr. Jersey City, N. J. Newark, N. J. Paterson, N. J. Albany, N. Y.	122.3 117.7 162.9	151.9 196.4 182.0 190.5 199.6	32 27 33 38 18
Buffalo, N. Y. New York, N. Y. Rochester, N. Y. Syracuse, N. Y. Cincinnati, Ohio	140.6	150.9	7
	130.6	189.4	31
	105.5	108.7	3
	146.9	132.5	+11
	113.1	174.3	35
Cleveland, Ohio	123.7	185. 5	33
	121.8	141. 3	14
	118.3	124. 6	5
	119.3	157. 4	24
	101.9	92. 3	+10
Philadelphia, Pa. Pittsburgh, Pa. Scranton, Pa. Providence, R. I. Memphis, Tenn.	141.9	201.9	30
	141.4	179.8	21
	112.4	170.9	34
	137.5	214.9	36
	152.6	247.1	38
Nashville, Tenn. Richmond, Va. Seattle, Wash. Spokane, Wash. Milwaukee, Wis.	158.3	228. 9	31
	197.6	300. 7	34
	78.6	102. 6	23
	97.8	136. 1	28
	143.2	190. 2	25

1 Exclusive of stillbirths.

A plus sign (+) denotes increase. Includes District of Columbia.

Not admitted to registration area until a later date.
Figures for deaths not available for both years.

The largest percentage of decrease in the death rate of infants under 1 year of age shown for any of the states compared was that for Rhode Island (30 per cent) and the smallest that for Michigan (8 per cent). In all the large cities included in that table, except Minneapolis, St. Paul, Syracuse, and Portland, the infant death rate was lower in 1911 than in the census year 1900. The largest relative decrease was in Atlanta (55 per cent), followed by those for Los Angeles

(43), Indianapolis (39), and Washington, Paterson, and Memphis (each 38). It must be remembered that this comparison relates only to two individual years and that the data may be vitiated, in certain cases, by failure to return all deaths of infants under 1 year of age.

Even if it were justifiable to assume that all deaths of infants under 1 year of age were reported, the number of deaths of infants under 1 year of age per 1,000 population under 1 year of age (infant death rate) would not be a satisfactory basis for the study of infant mortality. This is best measured by the ratio of deaths of infants under 1 year of age to every 1,000 living births, designated infantile mortality, as recommended in the recent Report of the Special Committee on Infantile Mortality of the Royal Statistical Society. (Journal of the Royal Statistical Society, December, 1912, p. 44.)

Infantile mortality.—For the purposes of this report, infantile mortality has been defined as the ratio of deaths during the first year of life to births. Such is the usual basis of calculation, but in a few countries the estimated number living at ages under 1 year replaces the births. The ratio so obtained can only be described as most unsatisfactory and even illusory. The proper estimation of numbers living is laborious and the results unreliable.

Unfortunately, owing to the generally incomplete registration of births in the United States, it is impossible to present satisfactory rates of infantile mortality for the great majority of the states and cities. Even for the registration states—that is, the states in which the registration of deaths is regarded as at least approximately complete—and for many of the cities of 100,000 population and over this can not be done:

[Births for provisional birth registration area, which comprised Connecticut, Maine, Massachusetts, Michigan, New Hampshire, Pennsylvania, Rhode Island, Vermont, District of Columbia (city of Washington), and New York City, based on transcripts returned to the Bureau of the Census; for other areas, state or city compilations or official statements were used.]

· AREA.	Popula- tion under 1 year of age, Apr. 15, 1910.	Births (exclusive of still- births): 1910	Deaths (exclusive of still-births) under 1 year of age: 1910	Death rate of infants under 1 year of age per 1,000 population of same age: 1910	Deaths of infants under 1 year of age per 1,000 births (infantile mortality): 1910
Registration states 2	1,156,256	1,187,616	147,543	127.6	124
California Colorado Connecticut. Indiana Kentucky	40,336 17,124 24,197 56,098 61,106	32,138 12,164 27,291 56,309 3 60,732	3,720 1,789 3,476 5,996 35,873	92. 2 104. 5 143. 7 106. 9 3 87. 9	116 147 127 106 3 88
Mainé. Maryland. Massachusetts. Michigan Minnesota.	15,010 27,864 70,734 62,050 46,111	15,578 20,568 <b>86,766</b> 63,566 43,840	2,108 4,239 11,377 7,912 4,261	140.4 152.1 160.8 127.5 92.4	135 206 131 124 97

¹ Registration of births incomplete for all areas. The most incomplete returns (cases where the reported number of births was less than the population under 1 year of age and consequently the ratio of infantile mortality shown greater than the specific death rate) denoted by italies; best returns (cases where the reported number of births exceeded the population under 1 year of age by 10 per cent or more and consequently the ratio of infantile mortality given is probably approximately correct) in bold face.

² Includes District of Columbia (city of Washington, see below) and excludes North Carolina, where there is no state law governing birth registration.

³ Figures for births and deaths are for 1911, the first calendar year of operation of the state law.

AREA.	Popula- tion under 1 year of age, Apr. 15, 1910.	Births (exclusive of still- births): 1910 i	Deaths (exclusive of still-births) under 1 year of age: 1910	Death rate of infants under 1 year of age per 1,000 population of same age: 1910	Deaths of in- fants under 1 year of age per 1,000 births (infan- tile mor- tality): 1910
Missotiri	73,929	2 74, 130	<sup>2</sup> 7, 150	<sup>2</sup> 96.7	2 96
Montana	7,902	3 6, 124	714	90.4	117
New Hampshire	8,325	9, 385	1, 373	164.9	<b>146</b>
New Jersey	56,198	53, 942	8, 363	148.8	155
New York.	191,553	213, 235	27,503	143.6	129
Ohio	98,776	100, 969	11,445	115.9	113
Pennsylvania.	189,502	202, 643	28,377	149.7	140
Rhode Island.	11,728	13, 439	2,129	181.5	158
Utah	10,885	10,372	896	82.3	86
Vermont	7,233	7,351	791	109.4	108
Washington	22,079	19,211	1,862	84.3	97
Wisconsin	52,027	50,847	5,621	108.0	111
CITIES OF 100,000 POPULATION OR OVER IN 1910.					
Birmingham, Ala.	2,939	2,777	391	133.0	141
Los Angeles, Cal.	4,798	<b>5,458</b>	531	110.7	<b>97</b>
Oakland, Cal.	2,669	2,407	253	94.8	105
San Francisco, Cal.	6,153	6,482	699	113.6	108
Denver, Colo.	3,445	2,844	464	134.7	163
Bridgeport, Conn	2,360	2,976	367	155.5	123
New Haven, Conn	3,009	3,772	406	134.9	108
Washington, D. C	5,489	7,016	1,068	194.6	152
Atlanta, Ga	3,355	2,450	521	155.3	213
Chicago, Ili	49,073	424,368	6,844	139.5	281
Indianapolis, Ind	3,846	4,522	557	144.8	123
	3,754	5 3,458	503	134.0	145
	6,848	6 6,561	1,061	154.9	162
	10,239	9,858	2,146	209.6	218
	13,570	17,758	2,246	165.5	126
Cambridge, Mass. Fäll River, Mass. Lowell, Mass. Worcester, Mass. Detroit, Mich.	2,323	2,462	293	126.1	119
	3,291	4,591	854	259.5	186
	2,326	2,631	607	261.0	231
	3,190	3,921	536	168.0	137
	10,442	11,960	2,138	204.8	179
Grand Rapids, Mich. Minneapolis, Minn. St. Paul, Minn. Kansas City, Mo. St. Louis, Mo.	2,440	2,693	329	134.8	122
	5,435	5,686	7 621	7 114.3	7 109
	3,808	8,778	498	130.8	132
	3,839	4,234	654	170.4	154
	12,439	14,712	1,689	135.8	115
Omaha, Nebr. Jersey City, N. J. Newark, N. J. Paterson, N. J. Albany, N. Y	2,093	2,330	293	140.0	126
	6,229	4,681	954	153.2	204
	8,519	10,023	1,242	145.8	124
	2,584	2,557	379	146.7	148
	1,529	1,369	249	162.9	182
Buffalo, N. Y. New York, N. Y. Rochester, N. Y. Syracuse, N. Y. Cincinnati, Ohio.	8,973	10,008	1,623	180.9	162
	110,524	129,355	16,159	146.2	125
	4,032	4,999	7 443	7 109.9	7 89
	2,534	2,797	447	176.4	160
	6,120	7,003	917	149.8	131
Cleveland, Ohio Columbus, Ohio Dayton, Ohio Toledo, Ohio Portland, Oreg	2,827 2,214 3,216 3,086	13,596 3,281 2,521 3,289 3,249	2,033 397 325 402 325	147.2 140.4 146.8 125.0 105.3	150 121 129 122 100
Philadelphia, Pa. Pittsburgh, Pa. Scranton, Pa. Providence, R. I. Memphis, Tenn.	32,889	38,667	5,334	162.2	138
	12,578	15,059	2,259	179.6	150
	3,355	3,512	7 520	7 155.0	7 148
	4,760	5,727	827	173.7	144
	2,234	1,881	7 345	7 154.4	7 183
Nashville, Tenn.	2,139	1,669	289	135.1	178
Richmond, Va.	2,687	2,734	616	229.3	225
Seattle, Wash.	3,466	4,220	348	100.4	82
Spokane, Wash.	2,051	2,284	292	142.4	128
Milwaukee, Wis.	7,955	9,414	1,368	172.0	145

<sup>1</sup> Registration of births incomplete for all areas. The most incomplete returns (cases where the reported number of births was less than the population under 1 year of age and consequently the ratio of infantile-mortality shown greater than the specific death rate) denoted by italics; best returns (cases where the reported number of births exceeded the population under 1 year of age by 10 per cent or more and consequently the ratio of infantile mortality given is probably approximately correct) in bold face.

2 Figures for births and deaths are for 1911, the first calendar year of operation of the state law.

3 Includes stillbirths.

4 Estimated as 95 per cent of returns from Cook County.

6 Whether or not stillbirths are excluded is not known.

6 Figure represents number of births reported during 1911. A new law was enacted Mar. 16, 1911. In 1910 only 3,733 births were recorded; this number included several hundred births which occurred prior to that year.

7 Returns to the Bureau of the Census incomplete, a considerable number of deaths of infants under 1 year of age having been omitted.

The preceding table shows the population under 1 year of age enumerated at the Thirteenth Census, which was taken as of April 15, 1910; the living births for the year 1910 as returned to the Bureau of the Census from the provisional birth registration area, which comprised the states of Connecticut, Maine, Massachusetts, Michigan, New Hampshire, Pennsylvania, Rhode Island, and Vermont and the cities of New York and Washington; births, exclusive of stillbirths as far as ascertainable, for the other states and large cities on the basis of official reports or statements by registration offices; and the deaths of infants, exclusive of stillbirths, under 1 year of age as published for each area in the annual bulletin on mortality statistics for 1910. Upon the basis of these figures have been computed (a) the infant death rate, or number of deaths of infants under 1 year of age per 1,000 population of the same age, and (b) the infantile mortality, or ratio of deaths of infants under 1 year of age to 1,000 living births.

As the number of children under 1 year of age in the population represents the difference between the number born during the year preceding the census and the number born and dying during that year, it is evident, assuming that the number of births in the census year was substantially the same as in the calendar year, that the number of births should always considerably exceed the population under 1 year of age, and hence that the infant death rate based on population should considerably exceed the true infantile mortality. Where this is not so, as in the births and infantile mortality rates printed in italics in the table, it is certain that the deficiency in the registration of births is so great as to render the figures for infantile mortality valueless; and even where the births and population under 1 year of age are approximately equal, the rates of infantile mortality are probably considerably above the truth.

#### IMPORTANCE OF REPORTING ALL DEATHS OF INFANTS BORN ALIVE.

Comparability of statistics of infant mortality, whether based upon the ratios to population or living births, requires that all deaths of infants under 1 year of age that were born alive should be included. This demands a distinct line of demarcation between stillbirths and children born alive and dying soon after birth, such as is provided in the Rules of Statistical Practice adopted by American registration officials in 1908 and prescribed in the instructions for making returns to the Bureau of the Census:

#### STILLBIRTHS (AS RELATED TO DEATHS).

Rule No. 4.—Stillbirths should not be included in deaths. Rule No. 5.—Children born alive and living for any time whatever, no matter how brief, after birth, should not be classed as stillbirths, even though reported by the attending physicians or midwives as "stillborn."

Rule No. 6.—Whenever age, in days, hours, or minutes, is reported for a "stillborn" child, or indicated by a difference between dates of birth and death, the registrar should secure a statement that will enable the case to be classed with certainty either as a stillbirth or as a death. If no additional information can be obtained, the statement of age should govern, and the case be compiled as a death, not as a stillbirth.

#### PREMATURE BIRTHS.

Rule No. 7.—Premature births (not stillborn) should be included in total deaths (classified under International Title No. 151).

Rule No. 8.—Premature births (stillborn) should be classed under stillbirths, and should not be included in total deaths.

Rule No. 9.—When a premature birth is reported as "stillborn" and an inconsistent statement of age (days, hours, minutes) is also given, the registrar should endeavor to secure a statement that will enable the case to be classed with certainty either as a stillbirth or as a death. If no additional information can be obtained, the statement of age should govern, and the case be compiled as a death, not as a stillbirth.

Rule No. 10.—When a premature birth is reported with no statement of age (space left blank), the local registrar should endeavor to obtain a statement of age, or at least that the child was born alive; but, in the absence of any further data, the case should be compiled as a stillbirth.

The Special Committee on Infantile Mortality of the Royal Statistical Society recommended "That the infantile mortality rate should be calculated from (a) the births of children born alive, including, if necessary, those born alive but registered dead, and (b) the number of deaths of children born alive during the first year of life, including, if necessary, the children 'presented dead.'" These recommendations are in accordance with the accepted practice of American registration officials, so far as the registration of births is complete enough to permit any rates of infantile mortality to be calculated. The deaths of infants returned to the Bureau of the Census should include, and for practically all areas do include, the deaths of all infants that were born alive. Deaths of infants that were prematurely born alive are, of course, included, even though they may have survived only a moment after birth. There were 23,539 deaths of infants from premature birth in the registration area in 1911, of which 10,794 (45.9 per cent) were of infants less than a day old and 18,606 (79 per cent) were of infants less than a week old.

In presenting the report of the Special Committee on Infantile Mortality to the Royal Statistical Society Dr. Reginald Dudfield, chairman of the committee, commented upon the lack of comparability of the data relating to infantile mortality on account of the varying practices with respect to stillbirths and the exclusion of certain deaths, and added, in a footnote, the following statement as to the United States:

I have been informed quite recently that in certain of the states within the Union (North America) the deaths of children aged under one week are excluded from the data used in calculating infantile mortality rates. I have not had time to verify that statement, but I have no reason to doubt the accuracy of my informant.

Concerning which, in the discussion that followed, Sir Athelstane Baines very naturally observed that—

Our country was undoubtedly at a disadvantage on this point [registration of stillbirths], but he did not think that Dr. Dudfield was handicapped more heavily than France, Holland, and the United States, as to which last a footnote to the paper conveyed information regarding the basis of calculation of infantile mortality which astounded him.

The statement quoted by Dr. Dudfield is incorrect not only as regards the states, but also the individual cities (with few exceptions) in the United States. All returns to the Bureau of the Census are certified to be complete and correct, according to the rules of statistical practice previously stated, and replies from the registration officials of all the states in the Union that possess systems of registration, including some that are not yet embraced in the registration area, deny that deaths of infants under one week of age are now or have at any time been excluded from the number of deaths in making up the state compilations. The same is true for the great majority of cities, although in a few instances deaths that occurred soon after birth have been excluded from the local reports:

MINNEAPOLIS: "The monthly reports of this department [department of health] issued during 1910 and prior showed a death rate based on all deaths, excluding only stillbirths, as well as a rate based upon deaths after nonresidents, infants under a week old, and such deaths as were caused by accidents or violence were deducted. This practice has not been continued since 1910, however."

NEW YOEK: "In calculating infantile mortality rates we do not exclude the deaths of children under one week. This statement is correct for our latest report with this exception, if it might be called an exception, that on page 3 of the weekly report there is a footnote which reads: 'If the deaths under 1 month be deducted from the total deaths under 1 year, the resultant rate would be ——.' In 1902, we began to print in our weekly report, in addition to the actual deaths occurring in the city, a table showing the weekly mortality with the deaths of children under 1 week and nonresidents of the city excluded; the practice was discontinued in 1911. Deaths of children born alive, even though the duration of life may be 1 second, are included in our compilation of deaths."

ROCHESTER: "In calculating our mortality rates we include the death of every child born alive at term. We have not departed from this custom in many years. Permature births are not included in our infant deaths. A statement of the number of premature births is published in both the monthly and annual reports. No other deaths are excluded from our records."

No matter what the local practice may be in this respect, it should not lead to the omission of the deaths of any children born alive from the transscripts returned to the Bureau of the Census. As shown in Table 9, out of 149,322 deaths of infants under 1 year of age in 1911, no less than 18,074, or 12.1 per cent, were aged less than 1 day. When the ratio of deaths of infants under 1 day of age is markedly less than 10 per cent of the number under 1 year, it is suggestive that either some deaths of infants have been omitted from the returns or possibly, as was more likely to be the case before the

adoption of the revised standard certificate of death, with its provision for precise statement of age in hours or minutes for infants dying under 1 day of age, that some deaths of infants under 1 day of age have been reported as aged 1 day. For this reason attention was called to the returns for certain cities as shown in the following table:

•	19	11	1910		
CITY.	Deaths under 1 year.	Deaths under 1 day.	Deaths under 1 year.	Deaths under 1 day.	
Minneapolis, Minn Rochester, N. Y Scranton, Pa. Memphis, Tenn	601 443 387 348	91 31 11	621 443 520 345	30 3 2	

Marked improvement is shown in the returns from Minneapolis for 1911 as compared with the preceding year. The deaths of infants under 1 year of age for 1910 and previous years, together with all rates based upon them, as published for that city in the annual reports and bulletins of the Bureau of the Census, must be accounted as incomplete. The same is true for the figures shown for Rochester, Scranton, and Memphis for 1911 and previous years.<sup>1</sup>

¹ Since the present report`was compiled supplemental reports for 1911 have been received from the state authorities of New York and Pennsylvania, from which it appears that 136 deaths of infants under 1 year of age (68 under 1 day) should be added to the number of deaths originally returned for Rochester, and 69 deaths under 1 year of age (47 under 1 day) should be added to the number of deaths originally returned for Scranton. These additional returns increase the total number of deaths in Rochester from 3,271 to 3,407; the death rate from 14.4 to 15; the death rate of infants under 1 year of age per 1,000 population under 1 year of age from 105.5 to 137.8; and the infantile mortality per 1,000 births from 84 to 109. For Scranton the corresponding changes would be as follows: Deaths, 1,974 to 2,043; death rate, 14.8 to 15.3; death rate of infants under 1 year of age, 112.7 to 132.8; infantile mortality per 1,000 births, 99 to 116.

#### CAUSES OF DEATH.

The data on causes of death are shown in the summary and rate tables (Tables II to IV) and in the general tables (Tables 3 to 9) as follows:

Table II gives the number of deaths and death rates for each of the years 1908 to 1911 and the two periods 1901 to 1905 and 1906 to 1910 from each cause and class of causes of the detailed International List.

Table III shows the death rates by color, according to a short list of important causes, for the main and minor subdivisions of the registration area.

Table IV gives the death rates of the urban and rural population of each registration state according to the detailed list of causes of death.

Table 3 presents the number of deaths, classified by cause and by color of decedent, for the same areas shown in Table III.

Table 4 shows the number of deaths, according to the detailed list of causes, for the urban and rural population of each registration state.

In Table 5 the deaths from each cause shown in the detailed International List are distributed by age and sex of decedent for the registration area as a whole.

Table 6 gives the distribution of deaths by age of decedent and according to the detailed list of causes for the registration states.

Table 7 presents data for the same age periods employed in Table 6 for cities having a population of 100,000 or over in 1910. The list of causes of death is much condensed.

Table 8 shows the distribution by month of occurrence of deaths from all causes and from several important causes for the registration area, registration states, and cities of 100,000 population or over in 1910.

Table 9 is of special interest for the study of infant mortality. Deaths during the first year of life are shown with considerable detail of age according to the most important causes of death at that age period, for the registration area, registration states, and cities of 100,000 population or over in 1910.

#### DETAILED AND ABRIDGED INTERNATIONAL LISTS.

In examining the statistics of causes of death compiled according to the International classification, it is necessary to bear in mind the distinction between the detailed International List and the abridged International List. In the latter, for example, tuberculosis of the lungs includes acute miliary tuberculosis. which is shown separately in the extended list. The condensed tables shown in this report, and also the short list employed by the Registrar-General of England and Wales, are based on the abridged list, to which reference is made by numbers in the tables. The following table shows the abridged International List in full, with the title numbers of the detailed International List included in each title of the abridged list, together with the number of deaths from each cause, the death rates per 100,000 population, and the percentages which deaths from each of these causes formed of the deaths from all causes, for the registration area in 1911.

The small number of deaths returned or the somewhat indefinite character of certain titles will explain why they were omitted from the more condensed list of causes given in certain tables, thus permitting terms of greater importance to be included. In the condensed list deaths from pneumonia of all forms, including bronchopneumonia, are entered under the heading of "Pneumonia" in agreement with the short list adopted by the Registrar-General. In general, differences from the strict form of the abridged International List are indicated in the tables by placing the reference numbers in parentheses, this

method of expression being equivalent to the statement that the causes are segregated from the international title of which the number is given.

No.			n regist rea: 1911	
Abridged International List No.	CAUSE OF DEATH. <sup>1</sup>	Num- ber.	Rate per 100,000 popula- tion.	Per cent deaths from specified cause form of deaths from all . causes.
	All causes 2	839,284	1,415.9	100.0
1	Typhoid fever (1) Typhus fever (2) Malaria (4) Smallpox (5) Measles (6) Scarlet fever (7) Whooping cough (8) Diphtheria and croup (9) Influenza (10) Asiatic cholera (12) Cholera nostras (13) Other epidemic diseases (3, 11, 14, 15, 16, 17, 18, 19) Tuberculosis of the lungs (28, 29) Tuberculous meningitis (30) Other forms of tuberculosis (31, 32, 33, 34, 35)	12,451	21.0	1.5
1 2 3 4 5 6 7 8 9	Malaria (4)	1,802	(³) 3.0	(4) 0.2
4	Smallpox (5)	130 5,922	0.2 10.0	(4) 0.7
6	Scarlet fever (7)	5,243	8.8	0.6
7	Whooping cough (8)	6,682	11.3 18.9	0.8 1.3
9	Influenza (10)	11,174 9,294	15.7	1.1
10	Asiatic cholera (12)	350	(8)	(4) (4)
11 12 13 14 15	Other epidemic diseases (3, 11, 14, 15, 16, 17, 18, 19)	5,775	9.7	0.7
13	Tuberculosis of the lungs (28, 29)	5,775 81,796	138.0	9.7
15	Tuberculous meningitis (30). Other forms of tuberculosis (31, 32, 33, 34, 35). Cancer and other malignant tumors (39, 40, 41, 42,	5,237 7,172	8.8 12.1	0.6
16	i Cancer and other malignant tilmors (39, 40, 41, 42,		74.3	5.2
17	43, 44, 45). Simple meningitis (61). Cerebral hemorrhage and softening (64, 65). Organic diseases of the heart (79). Acute bronchitis (89). Chronic bronchitis (90).	44,024 7,285 45,309 83,525	12.3	0.9
18	Cerebral hemorrhage and softening (64, 65)	45,309	76.4	5.4
19 :20	Acute bronchitis (89)	6,482	140.9 10.9	10.0 0.8
21	Chronic bronchitis (90)	5,077	8.6	0.6
21 22 23	Presinonia 1921	52,868	89.2	6.3
	Other diseases of the respiratory system (tuber- culosis excepted) (86, 87, 88, 91, 93, 94, 95, 96, 97, 98)	35, 223	59.4	4.2
:24	Diseases of the stomach (cancer excepted) (102, 103)	10,917	18.4	1.3
:25	Distribution Distribution (100)  Appendicitis and typhlitis (108)  Appendicitis and typhlitis (108)	45,868	77.4	5.5
25 26 27	Appendicitis and typhlitis (108)	6,896	11.6 11.9	0.8
28	Hernia, intestinal obstruction (109) Cirrhosis of the liver (113)	7,061 8,310	14.0	1.0
28 29 30	Cirrhosis of the liver (113)  Acute nephritis and Bright's disease (119, 120)  Nonephroprous tumors and other diseases of the	57,803	97.5	6.9
-30 -31	Noncancerous tumors and other diseases of the female genital organs (128, 129, 130, 131, 132) Puerperal septicemia (puerperal fever, peritonitis)	3,767	6.4	0.4
-32	(137). Other puerperal accidents of pregnancy and labor	4,376	7.4	0.5
	(134, 135, 136, 138, 139, 140, 141)	5,080	8.6	0.6
-33 -34	Congenital debility and malformations (150, 151).   Senility (154)	46,899 13,974	79.1 23.6	5.6 1.7
35	Violent deaths (suicide excepted) (164, 165, 166,	- 20,014		
	167, 168, 169, 170, 171, 172, 173, 174, 175, 176, 177,	54,028	91.1	6.4
-36 -37	Suicide (155, 156, 157, 158, 159, 160, 161, 162, 163)	9,622	16.2	1.1
-37	Senility (154). Violent deaths (suicide excepted) (164, 165, 166, 167, 168, 169, 170, 171, 172, 173, 174, 175, 176, 177, 178, 179, 180, 181, 182, 183, 184, 185, 186). Suicide (155, 156, 157, 158, 159, 160, 161, 162, 163). Other diseases (20, 21, 22, 23, 24, 25, 26, 27, 36, 37, 38, 46, 47, 48, 49, 50, 51, 52, 53, 54, 55, 56, 57, 58, 59, 60, 62, 63, 66, 67, 68, 69, 70, 71, 72, 73, 74, 75, 76, 77, 78, 80, 81, 82, 83, 84, 85, 99, 100, 101, 105, 106, 107, 110, 111, 112, 114, 115, 116, 117, 118, 121, 122, 122, 123, 124, 125, 126, 127, 133, 142, 143, 144, 145, 146, 147, 148, 149, 182, 153. Unknown or ill-defined diseases (187, 188, 189)			
	59, 60, 62, 63, 66, 67, 68, 69, 70, 71, 72, 73, 74, 75,	1	1	1
	76, 77, 78, 80, 81, 82, 83, 84, 85, 99, 100, 101, 105,		l	
	122, 123, 124, 125, 126, 127, 133, 142, 143, 144, 145,			
38	146, 147, 148, 149, 152, 153)	124,642 7,213	210.3 12.2	14.9
90	OHEROWH OF HEACHING GISCASES (101, 100, 109)	1,210	1	0.,0

<sup>1</sup> Abridged International List of Causes of Death. The title or titles of the "Detailed International List" that are included under each heading are shown by number in parentheses.

2 Exclusive of stillbirths.
3 Less than one-tenth of 1 per 100,000.
4 Less than one-tenth of 1 per cent.

The International Classification was revised in 1909 for use beginning with the year 1910, and there are numerous differences, some of considerable importance, between the systems in use for 1900 to 1909 and for 1910 and subsequent years. Some of these changes involve differences in classification according to the ages of decedents. It is unfortunate that the annoying distinctions of assignment according to age should have been retained, and even extended, but for the most part the causes affected are in themselves indefinite and little would be lost by regarding them as ill-defined. In the following table, which illustrates some of the changes in classification that must be taken into account, the first column shows the titles of the second revision under which these causes are now assigned; the second column shows, in terms of the second revision, the classification of these causes under the first revision 1900 to 1909; the third column gives the titles of the first revision under which these causes were formerly included.

CAUSE OF DEATH. [Titles in roman; terms in italics.]	(SECON)	R CLASS VD RE- UNDER ICH DED—	Title of first re- vision under which for- merly in- cluded.
Tetanus. Beriberi (new title).  Tuberculosis of the larynx (old title discontinued). Acute miliary tuberculosis (new title). Scrofula (old title discontinued). Rickets (new title). Rheumatism (unqualified). Purpura hemorrhagica. Hemophilia. Neuralgia and neuritis (new title). Endocarditis (unqualified, 60 years of age and over). Myocarditis (unqualified, 60 years of age and over). Ankylostomiasis (new title). Chyluria (new title). Placenta praevia. Childbirth, parturition, etc., (not otherwise defined). Puerperal hemorrhage. Other accidents of labor. Puerperal phlegmasia alba dolens, embolus, sudden death. Following childbirth (not otherwise defined). "Inanition" (from disease, under 1 year). (under 3 months); 1905 to 1909. (3 months and over); 1900 to 1904. (under 3 months); 1905 to 1909. ("Asthenia"). ("Atrophy" (under 1 year) (under 1 year) ("Manustion" ("In 69 years) ("Marasmus" ("O years and over).  "Weakness"  Atlectasis (under 3 months). Injury at birth (various forms). "Astrophy" ("Sebility" ("Debility" ("Atrophy" ("Yeakness"  "Attrophy" ("Yeakness"  "Attrophy" ("Sebility" ("Debility" ("Sebility" ("Todynamus" ("Atrophy" ("Atrophy" ("Todynamus" ("Attrophy" ("Debility" ("Debility" ("Todynamus" ("Attrophy" ("Todynamus" ("Attrophy" ("Todynamus" ("Attrophy" ("Debility" ("Todynamus" ("Todynamus" ("Attrophy" ("Todynamus" ("	407 555 555 555 73 799 106 1211 - 135 4 136 4 136 4 136 6 151 - 189 5 154 - 151	122 136 140 153 151 189 189	85 74 78 78 107 122 136 140
Myary at orth (various forms)  "Astrophy" "Debitity" "Exhaustion"	164 166 171 172 175 176 181 182 183	165 168 (7) (7) (7) (7) (8) (6) (6)	175 174 166 166 166 166 176 176 176

¹ Transferred from Diseases of nervous system (Class II) to General diseases Class I), beginning with 1910.
² Discontinued as a separate title and included with Tuberculosis of the lungs beginning with 1910.
³ Discontinued as a separate title and included with Tuberculosis of other organs beginning with 1910.
⁴ In addition to the changes specified in the table, it should be noted that in the case of the causes classified under titles 135, 136, 139, and 140, numerous changes were made from one title to another in 1910, as the result of which, statistics entered under these titles for 1910 and 1911 are not comparable with those for earlier years.
⁶ Changes not effective until 1911.
⁶ Formerly included under old title 176 (other external violence). In effect, the title—not title-heading or name—has been discontinued, since the present title 186, although bearing the same title-heading, bears little resemblance to the former title; three out of the four subtitles of the old "Other external violence" are now classified under titles other than the present "Other external violence."

#### TYPHOID FEVER.

There were 12,451 deaths from typhoid fever in the registration area of the United States during the year 1911, a slight decrease from the number for the pre-

ceding year. The death rate for 1911 was 21 per 100,000 population, somewhat less than the rate for 1910 (23.5) and slightly less than that for 1909 (21.1), being the lowest death rate from typhoid fever since the institution of the annual reports and probably the lowest on record. This fact and the progressive reduction in the mortality from this disease, from 32 per 100,000 population for the period 1901 to 1905 to 25.6 for the period 1906 to 1910, indicate that the public health officials of the country and the people who support their efforts are awakening to the necessity of wiping out this filth disease. The mortality from this cause in the United States is still far in excess of that of progressive European countries; if it could be reduced by three-fourths, so that it would be only 5 per 100,000 as in England and Wales, the Netherlands, and Prussia, for 1910, it would represent a saving of nearly ten thousand lives, at the period of their greatest usefulness as a rule, in the registration area alone.

Dr. Allen W. Freeman, assistant commissioner of health of Virginia, in a recent paper before the Southern Medical Association, forcefully says:

We have learned by sad experience that the measure of typhoid fever in any community is the measure of the distribution of human filth in that community, and that the dissemination of human excrement will inevitably result in the spread of typhoid fever \* \* \*. The problem [of the prevention of typhoid fever] is no longer an investigative or scientific problem, but a problem of administration. When the people of the United States wish to pay for absolute protection against typhoid fever it can be bought with the full assurance that the goods can be delivered. As physicians and sanitarians, we are most interested in the practical question, Can typhoid fever be prevented? We know that it can. We know that our methods are certain, that they will yield the desired result in every case where they are properly applied. The problem remaining for solution is how to convince the American people that protection from typhoid fever is something worth spending money for.

Dr. Freeman estimates that in the northern part of the United States the purification of water supplies would result in the reduction of the annual typhoid rate to a figure usually less than 20 per 1,000, while in the South, the purification of the water supply alone would seldom reduce the rate to less than 50 per 1,000. other measures, such as perfect sewering or rigid screening and supervision of dry closets, being required to bring down the rate to the point which could be reached in the North by water purification alone. Below this point, in North and South alike, reduction must be attained by the thorough supervision of cases of illness, which means the requirement of morbidity returns and the prompt notification of all suspicious cases, protection of milk and other foods from typhoid contamination, elimination of flies and their breeding places, control of typhoid carriers, and the use of antityphoid vaccine wherever feasible.

The necessity for more effective action in many localities is clearly shown by examination of the death rates and especially the death rates of the colored population, as given in Table III. Thus the death rate of the colored population of the registration area (44.9 per 100,000) was more than double that of the white population (19.9), and in states with considerable proportions of negro population (Kentucky, Maryland, Missouri and the North Carolina municipalities) the rates were high for both white and colored.

The cities of 100,000 population and over having the highest death rates from typhoid fever in 1911 were Atlanta (66.1), Memphis (65.4), Nashville (53.9), Birmingham (45.5), and Spokane (35.6)—all but the last cities of the South; while the lowest rates, valuable as evidence that the typhoid mortality of American cities need not exceed that of the well-regulated European cities, are recorded for Cambridge (2.8) and Bridgeport (3.8). Chicago and New York had the same rates for the year (10.9), and several cities, besides Cambridge and Bridgeport, had rates under 10 per 100,000, namely, Worcester (6), Paterson (7), Jersey City (7.2), Lowell (7.3), and Boston (8.7).

#### MEASLES.

Measles caused 5,922 deaths in the registration area during 1911, equivalent to a death rate of 10 per 100,000. The number of deaths from measles was seven-tenths of 1 per cent of the total number of deaths from all causes. The death rate was somewhat less than that of the preceding year (12.3), but exceeded those for 1909 (9.6) and 1908 (9.9). The average annual rate for the period 1906 to 1910 (10.8) was somewhat higher than that for the preceding quinquennial period 1901 to 1905 (9). Undoubtedly sufficient attention is not given by the health authorities and by the public to the restriction of this disease. The death rate of the colored (11.1) slightly exceeded that of the white population (9.9) in 1911.

Kentucky had the highest death rate from measles (19.7) of all the registration states, Missouri the next highest (18.7), the North Carolina municipalities (15.5) coming next in order. Of the large (100,000) cities, Nashville had the highest rate from this disease (53), followed by Fall River (37.5), Memphis (27.8), Louisville (25.5), and Atlanta (25).

### SCARLET FEVER.

Scarlet fever, with 5,243 deaths, or 8.8 per 100,000 population, was considerably less fatal than during the preceding years, in which (1908 to 1910) the death rates ranged from 11.4 to 11.9. This disease shows a low mortality among the colored population, that for

<sup>&</sup>lt;sup>1</sup> The Present Status of Our Knowledge Regarding the Transmission of Typhoid Fever, Public Health Reports issued by the United States Public Health Service, Jan. 10, 1913.

the year being only 1.6, as compared with a rate of 9.2 for the white population.

The states reporting the highest mortality from scarlet fever in 1911 were Utah (14.5 per 100,000 population), New York (12.6), Rhode Island (10.4), and Ohio (10.3). Among the large cities, Cleveland had the highest death rate (33), followed by St. Louis (27.7), Syracuse (26), Rochester (22), and Chicago (21.9).

#### WHOOPING COUGH.

Of the three children's diseases—measles, scarlet fever, and whooping cough—the last mentioned caused more deaths during the period 1906 to 1910 than either of the others. For 1911 there were returned for the registration area 6,682 deaths, corresponding to a death rate of 11.3 per 100,000 population. This disease has an earlier age incidence than either of the other children's diseases, 3,687 of the 6,682 deaths (55.2 per cent) being of children under 1 year of age; the corresponding percentages for measles and scarlet fever were respectively 22.3 and 4.6. This indicates the importance of more effective measures for the restriction of whooping cough as a means of reducing the infant mortality. The death rate of the colored (31.5) was over three times that of the white population (10.4) from this disease.

The states showing the highest death rates from whooping cough in 1911 were Rhode Island (21.7), and Kentucky (19). The North Carolina municipalities had a high rate (46.2), and of the cities of 100,000 population and over in 1910, the highest rates for 1911 were those of Nashville (33.2), Richmond (31.7), New Orleans (28.1), Atlanta (24.3) and Cambridge (22.5)—all except the last being southern cities with large negro population.

#### DIPHTHERIA AND CROUP.

To some extent a children's disease, but with a wider range of age incidence than measles, scarlet fever, or whooping cough, diphtheria caused nearly twice as many deaths in 1911 as any of the other three. The death rate was 18.9 per 100,000 population, the lowest since the beginning of the series of annual reports in 1900. The rate for that year was 43.3, but it has fallen steadily, with only slight interruptions, until it is now less than one-half its height at the beginning of the last decade. This is as it should be, for diphtheria, which term includes the comparatively few deaths from "croup," is a preventable and curable disease. High mortality from this cause indicates lack of efficient sanitary supervision or failure to make timely use of antitoxin.

Among the states with the highest death rates from diphtheria in 1911 were Pennsylvania (27), Rhode

Island (25.6), Kentucky (24.8), Utah (22.1), and Connecticut (21.9). The cities of 100,000 population and over having the highest mortality were Rochester (41), Cambridge (39.4), Chicago (38.2), Detroit (33.9), and St. Paul (32.9).

#### OTHER EPIDEMIC DISEASES.

Among the epidemic diseases shown as separate titles in the Detailed International List are some which are represented by only small numbers of deaths. Typhus fever caused 5 deaths in the registration area during 1911, all of which occurred in the city of El Paso, Tex.; relapsing fever, 2 deaths (1 in Andrew County, Mo., and 1 in New London County, Conn.); Asiatic cholera, 2 (1 in Boston, Mass., and 1 in Auburn, N. Y.); bubonic plague, 1 (Contra Costa County, Cal.); and leprosy, 7 (3 in Alameda County, Cal., and 1 each in San Francisco, Minneapolis, Freeborn County, Minn., and Manhattan Borough, N. Y.). Of the persons who died from leprosy, 5 were whites, 1 was Chinese, and 1 was Japanese. Beriberi was returned as the cause of 7 deaths, distributed as follows: 1 each in the city of Sacramento, Marin County, and San Joaquin County, Cal., Brooklyn Borough, N. Y., and Seattle, Wash., and 2 in Charleston, S. C.

One hundred and ninety-three deaths were returned as due to the various affections classified under "Other epidemic diseases," as represented by title No. 19 of the Detailed International List. These deaths were ascribed to the following causes: Chicken pox, 83; mumps, 61; German measles, 35; filariasis, 1; milk sickness, 1; dengue fever, 2 (1 in Savannah, Ga., and 1 in Leslie County, Ky.); glandular fever, 2 (1 in Whitley County, Ind., and 1 in Otsego County, N. Y.); Rocky Mountain spotted fever, 8 (1 in Garfield County, Colo.; 1 in Carbon County, Mont.; 4 in Ravalli County, Mont.; and 2 in Missoula City, Mont.).

#### PELLAGRA.

A large increase in the mortality from this disease was shown for 1911, 659 deaths being reported as having been caused by pellagra in the registration area during that year. During the early part of the decade 1900 to 1909 the reported mortality from this disease was insignificant, two deaths being returned for 1900, two for 1903, and one for 1904. For 1908, 23 deaths were returned, all of which occurred in southern cities. A large increase was shown for 1909, during which 116 deaths were returned, and a still greater increase for 1910, when 368 deaths were reported as due to this disease. The mortality for 1911

<sup>&</sup>lt;sup>1</sup> In addition, there were 10 deaths from Asiatic cholera at Swinburne Island (New York Quarantine Station) of persons who arrived on steamships from infected ports. These deaths are not included among the deaths in New York City.

(659), as compared with that for 1910 (368), indicates an increase of 79 per cent. It is questionable, however, if this should be considered as representative of the actual increase in the mortality. Undoubtedly this disease has for years caused many deaths in certain parts of the country, but it has escaped recognition and such deaths have not been reported as due to pellagra. Moreover, the fact that the registration area does not include the greater part of the territory in which this disease prevails should be taken into consideration in the study of pellagra statistics. It is probable that, as the registration area is extended and the disease becomes more familiar to physicians in general, the number of deaths returned will increase from year to year, unless the disease is stamped out.

As in previous years the excess of deaths of females over those of males was very large, 464, or 70.4 per cent, of the deaths being of females.

The distribution of the deaths from pellagra was as follows in the registration states: California, 12; Colorado, 6; Connecticut, 1; District of Columbia, 1; Indiana, 3; Kentucky, 65; Maine, 1; Maryland, 11; Massachusetts, 1; Michigan, 3; Missouri, 18; New Jersey, 2; New York, 2; North Carolina, 177 (representing only the returns of municipalities of 1,000 population or over in 1900); Ohio, 2; Pennsylvania, 5; Rhode Island, 7; and Wisconsin, 5. In registration cities in nonregistration states the mortality was as follows: Birmingham, Ala., 21; Mobile, Ala., 16; and Montgomery, Ala., 25; Jacksonville, Fla., 8; Atlanta, Ga., 106, and Savannah, Ga., 13; Chicago, Ill., 9, and Decatur, Ill., 1; New Orleans, La., 28; Charleston, S. C., 30; Knoxville, Tenn., 12; Memphis, Tenn., 13; and Nashville, Tenn., 12; El Paso, Tex., 1; Galveston, Tex., 6; and San Antonio, Tex., 7; Danville, Va., 4; Lynchburg, Va., 3; Norfolk, Va., 5; Petersburg, Va., 3; Richmond, Va., 12; and Roanoke, Va., 2.

## TUBERCULOSIS (ALL FORMS).

The total number of deaths from all forms of tuberculosis in the registration area during 1911 was 94,205. the death rate being 158.9 per 100,000—slightly lower than the rates for the preceding years (160.3 and 160.8 for 1910 and 1909, respectively). The rates for the past three years are considerably lower than the annual averages for the quinquennial periods 1901 to 1905 (192.6) and 1906 to 1910 (168.7). There would appear to be a marked reduction in the death rate from this disease, although the rate for the past three years has remained practically unchanged.

Comparison of the death rates from tuberculosis for the registration area as a whole is affected by the additions to the area, with possible changes in the composition of the population. It will therefore be of interest to examine the specific and standardized rates for the original group of registration states (as constituted in 1900) for 1911 and 1901:

	DEATH RATE FROM TUBERCULOSIS (ALL FORMS) PER 100,000 POPULATION OF THE STATES INCLUDED IN THE REGISTRATION AREA IN 1900.1						PER CENT WHICE RATE IN 1911 REP- RESENTS OF THAT			
AGE PERIOD.		1911			1901			IN 1901.		
	Both sexes.	Males.	Fe- males.	Both sexes.	Males.	Fe- males.	Both sexes.	Males.	Fe- males.	
All ages: Crude rate Corrected rate 2	158.9 150.1	179. 4 167. 0	138.0 134.4		199.9 189.3			90 88	78 77	
Under 5 years	31.1 35.6 115.3	31.4	30.9 43.7 130.4	31.0 39.4 144.2	31.6	30.4 52.4 169.1	100 90 80	90 99 104 85 77	93 102 83 77 72	
25 to 34 years. 35 to 44 years. 45 to 54 years. 55 to 64 years. 65 to 74 years. 75 years and over.	217.8 228.4 191.0 193.6 194.3	230. 4 278. 5 253. 5 253. 0 229. 9	204.6 175.5 124.6 133.4 160.6	282.6 254.7 208.8 220.2	287.0 285.9 256.5	278. 2 221. 6 159. 0 173. 9 224. 3	77 90 91 88	80 97 99 95 81 69	74 79 78 77 72 63	
25 years and over: Crude rate Corrected rate 2	209.3 206.5	249.1	168. 1			223.7		90 90	75 75	

<sup>1</sup> Includes Connecticut, the District of Columbia, Indiana, Maine, Massachusetts, Michigan, New Hampshire, New Jersey, New York, Rhode Island, and Vermont.

<sup>2</sup> Corrected on basis of standard million of England and Wales, 1901.

The specific death rates from tuberculosis (all forms). as shown in the above table, for a population comprising about one-fourth (26.2 per cent) of the total population of the United States, were less in 1911 than in 1901 for each sex and age group, except those of girls aged 5 to 9 years and boys aged 10 to 14 years. The largest percentages of reduction occurred at ages of 75 years and over, both for males (31 per cent) and females (37 per cent), next in order coming those for males aged 20 to 24 years (23 per cent) and females aged 20 to 24 years and 65 to 74 years (each 28 per cent). The corrected death rate at all ages decreased 12 per cent for males and 23 per cent for females, although the initial rate for females in 1901 (173.8 per 100,000) was considerably lower than the corresponding rate for males (189.3). The marked relative decrease of the death rates of females above the age of 35 years may be compared with the increase at those ages of the death rates of females from cancer, as presented in a table of like form on page 31.

The most important form under which deaths from tuberculosis were reported was tuberculosis of the lungs. In the abridged International List, which is taken as the basis of Tables III and 3, deaths from miliary tuberculosis are included under tuberculosis of the lungs, the total number of deaths charged to the abridged title being 81,796 or 138 per 100,000. Tuberculous meningitis caused 5,237 deaths (8.8 per 100,000) and other forms of tuberculosis, 7,172 (12.1 per 100,000). Tuberculosis (all forms) caused 11.2 per cent of deaths from all causes.

The incidence of mortality from tuberculosis is vastly higher upon the colored than upon the white population, the death rates per 100,000 from tuberculosis of the lungs in the registration area being 405.3 and 126.2, respectively. In other words, the death rate of the colored population from this disease was more than three times the death rate of the white population. The apparent death rate of the colored from tuberculous meningitis (15.4) was not quite twice that of the white population (8.5), owing probably to the less careful diagnosis of causes of death of the colored persons. For other forms of tuberculosis the death rate of the colored (30.1) was nearly three times that of the white population (11.3). The high mortality of the colored population should be borne in mind in considering the death rates of states and cities in which there is a large proportion of colored population. In the case of certain states and cities with high death rates from tuberculosis, it should be remembered that the returns include deaths of nonresidents who went to such places for climatic advantages.

The highest death rates from tuberculosis (all forms) shown for the states in the registration area were those of Kentucky (229.3), Colorado (218), California (206.8), Maryland (203.3), and the lowest rates were those of Utah (46.7), Michigan (96.1), Wisconsin (103.8), Washington (106.7), and Montana (107.1). The high death rate for the group of North Carolina municipalities (256.8 per 100,000) was due to urban conditions and the large colored population.

The cities of 100,000 population or over in 1910 having the highest death rates from tuberculosis of all forms were Denver (292.7), Los Angeles (277.5), Albany (269.4), Cincinnati (265.3), and New Orleans (260.5); while those with the lowest rates were Milwaukee (106.4), Portland, Oreg. (106.9), Spokane (109.4), Grand Rapids (110.3), and Scranton (112.7).

## CANCER.

Cancer, which term includes malignant neoplasms of all kinds, caused 44,024 deaths in the registration area in 1911. The death rate (74.3 per 100,000) was slightly lower than that for 1910 (76.2), but higher than that for any earlier year for which records are available. A comparison of the death rate for the periods 1901 to 1905 and 1906 to 1910, as shown in Table II, indicates an increase in the registration area for each form of cancer reported, except "Cancer of other organs or organs not specified." The decrease in the latter is due to more definite specification in recent years of the seat of the disease. Although cancer is generally found to be increasing, as measured by the total number of deaths and the crude death rates, definite conclusions should not be drawn as to the amount of the increase until careful study has been made of the incidence by sex and age. It should be remembered also, in considering the rates for cities,

that the mortality is affected by deaths of persons going to city hospitals for surgical operations.

The following table presents specific and corrected death rates from cancer for the group of registration states of 1900, the two years 1911 and 1901 being compared:

DEATH RATE FROM CANCER (ALL FORMS) FER 100,000 POPULATION OF THE STATES INCLUDED IN THE REGIS- TRATION AREA IN 1900,1						N OF	PER CENT WHICH RATE IN 1911 REPRESENTS OF THAT IN 1901.		
AGE PERIOD.		1911			1901				
	Both sexes.	Males.	Fe- males.	Both sexes.	Males.	Fe. males.	Both sexes.	Males,	Fe- males.
All ages: Crude rate Corrected rate	83.9 77.6	64.2 56.7	104.0 97.2		48.7 43.6	83.0 79.7	.128 125	132 130	125 122
Under 5 years 5 to 9 years 10 to 14 years	3.0 1.2 1.3	3.1 1.3 1.0	3.0 1.1 1.5	3.4 1.0 0.9	3.8 1.3 0.9	0.8 0.9	88 120 144	82 100 111	167
15 to 19 years	1.3 2.3 4.8 13.9 61.0	1.0 2.9 4.9 8.7 31.1	92.5	2.1 3.9 13.4 60.2	1.9 3.3 9.4 32.5	2.2 4.5 17.5 89.6	110 123 104 101	153 148 93 96	77 102 111 103
45 to 54 years 55 to 64 years 65 to 74 years 75 years and over	166.3 352.4 566.7 794.7	109.2 283.4 512.8 730.5	422.3 617.8		203.8	331.8 468.9	114 131 135 143	121 139 140 140	111 127 132 144
25 years and over: Crude rate Corrected rate 2	155.7 159.0	117.7 117.9		124.5 127.2	90.9 90.4		125 125	129 130	123 122

<sup>1</sup> Includes Connecticut, the District of Columbia, Indiana, Maine, Massachusetts, Michigan, New Hampshire, New Jersey, New York, Rhode Island, and Vermont.
<sup>2</sup> Corrected on basis of standard million of England and Wales, 1901.

Employing the corrected rates based upon a standard distribution of population by sex and age, cancer increased just one-fourth (25 per cent) from 1901 to 1911. The increase for males (30 per cent) was somewhat greater than the increase for females (22 per cent). Up to the age of 25 years the mortality from cancer and other malignant tumors is slight and fluctuations of the rates have little significance. Above that age it is notable that the death rates increased for each sex and age group, except those for males aged 25 to 34 years and 35 to 44 years. Possibly the increase of a selected class of recent immigrants chiefly male, at those ages may contribute to this exceptional reduction. The corrected cancer rate at all ages for 1911 (78, taken to the nearest integer) may be compared with the rates corrected on the same basis for certain foreign countries in 1910, as given in the last report of the Registrar-General of England and Wales: The Netherlands, 93; England and Wales, 97; Austria, 73; Ireland, 68; New Zealand, 84; Prussia, 77; Australian Commonwealth, 87: Spain, 45; Hungary, 45. The accuracy of cancer rates depends not only upon complete registration of deaths but also upon the degree of care with which the medical certificate of cause of death is made out.

The highest crude death rate from cancer among the registration states was for Vermont (101.per 100,000 population), a condition due to the relatively high age distribution of the population and the negligible

amount of immigration. Other states with high rates were Maine (98.6), New Hampshire (96.8), Massachusetts (94.4), and Rhode Island (88); while the lowest rates are shown for Montana (40), Kentucky (42.7), Washington (46.1), Utah (51.9), and North Carolina municipalities (54.8).

Among the cities of 100,000 population and over in 1910, in which many deaths from cancer occur in hospitals of patients brought there for operation, those having the highest death rates from this disease were Albany (122.8), Boston (111.2), San Francisco (110.6), Oakland (105.3), and Cambridge (104.1); those with the lowest rates were Memphis (51.9), Seattle (57.4), Atlanta (61.2), Detroit (65.1), and Jersey City (65.5).

The mortality of the colored population of the registration area from this disease (57) was much lower than that of the white population (75), a difference due in part perhaps to less efficient diagnosis of the disease causing death.

Many deaths from cancer, especially in rural districts, are reported as due to "tumor" of various organs or unqualified, or the deaths may be hidden under such terms as "chronic stomach trouble," "hemorrhage," "debility," and the like. Such returns are sometimes due to a disinclination on the part of physicians to report cancer as the cause of death.

# ACUTE ANTERIOR POLIOMYELITIS (INFANTILE PARALYSIS).

There were 1,060 deaths from acute anterior poliomyelitis in the registration area during 1911 as compared with 1,459 in 1910 and 569 in 1909. Prior to 1909 this disease was not segregated from other diseases of the spinal cord (International title 63). The death rate for 1911 was 1.8, a decrease from that of 1910 (2.7), but greater than that for 1909 (1.1).

The deaths from acute anterior poliomyelitis in the registration area in 1911 were distributed as follows: California, 31 (including 3 in Los Angeles, 4 in Oakland, and 2 in San Francisco); Colorado, 6 (Denver, 2); Connecticut, 15 (New Haven, 3); District of Columbia, 5; Indiana, 69 (4 in Indianapolis); Kentucky, 61 (1 in Louisville); Maine, 13; Maryland, 34 (10 in Baltimore); Massachusetts, 55 (2 in Boston, 3 in Cambridge, 4 in Fall River, 4 in Lowell, and 2 in Worcester); Michigan, 46 (6 in Detroit); Minnesota, 59 (4 in Minneapolis and 8 in St. Paul); Missouri, 60 (4 in Kansas City and 5 in St. Louis); Montana, 5; New Hampshire, 11; New Jersey, 46 (9 in Jersey City, 4 in Newark, and 3 in Paterson); New York, 166 (3 in Albany, 2 in Buffalo, 101 in New York, 2 in Rochester, and 1 in Syracuse); North Carolina, 15; Ohio, 137 (41 in Cincinnati, 15 in Cleveland, 4 in Columbus, 2 in Dayton, and 3 in Toledo); Pennsylvania, 93 (11 in Philadelphia, 6 in Pittsburgh, and 2 in Scranton); Rhode Island, 14 (2

in Providence); Utah, 3; Vermont, 11; Washington, 19 (3 in Seattle and 2 in Spokane); Wisconsin, 31 (3 in Milwaukee).

The deaths from this disease in registration cities in the nonregistration states were as follows: Birmingham, Ala., 8 and Montgomery, Ala., 3; Wilmington, Del., 2; Atlanta, Ga., 2 and Savannah, Ga., 1; Chicago, Ill., 13; Decatur, Ill., 1 and Springfield, Ill., 2; Kansas City, Kans., 4; New Orleans, La., 3; Omaha, Nebr., 2; Charleston, S. C., 1; Memphis, Tenn., 2 and Nashville, Tenn., 1; El Paso, Tex., 1 and San Antonio, Tex., 2; Lynchburg, Va., 2; Norfolk, Va., 1; Petersburg, Va., 1; Richmond, Va., 1; and Roanoke, Va., 1; and Wheeling, W. Va., 1.

#### ORGANIC DISEASES OF THE HEART.

Organic diseases of the heart caused more deaths (83,525) than any other disease or group of diseases shown in the Abridged International List (see table on p. 29), although the number of deaths from tuberculosis of all forms (94,205) was considerably greater. The title "Organic diseases of the heart" includes a somewhat miscellaneous collection of affections, and the tendency to increase has been more marked in recent years. The death rate for 1911 (140.9) was slightly lower than that for the preceding year (141.5), but the rate for each of these years was much higher than the rate for 1909 (129.7), and the rates for the quinquennial periods 1901 to 1905 (124.2) and 1906 to 1910 (133.2).

The excess of the rates for 1910 and 1911 over those for earlier years is explained in part by the fact that, beginning with 1910, deaths of persons 60 years of age or over from endocarditis and myocarditis, when these terms were unqualified, have been assigned to this group of diseases instead of to acute endocarditis, as formerly. This fact, however, does not account entirely for the increase shown in the rates for these two. years as compared with earlier years or for the excess of the rate for the later five-year period over that for the earlier five-year period. However, it will be noted that there has been a marked increase in the general death rates from the group of diseases of the circulatory system, as shown in Table II. It is probable that there is some degree of inexactness in the assignment of heart disease as the cause of death in many cases, although the terms most questionable, such as heart failure, cardiac paralysis, and the like, are not included under this head at all, but are classed among the ill-defined causes.

The mortality from heart disease is largely that of persons of middle and advanced age; hence the age distribution of population is an important factor in the rate.

The death rate of the colored population (211.8 per 100,000) was much higher than that of the white population (137.8).

Among the registration states those least affected by immigration and with the largest proportion of elderly persons would naturally show the highest death rates. The states with the highest rates are Vermont (211.8), New Hampshire (197), Massachusetts (183.5), Maine (179.8), and California (178.7), while the lowest rates are shown for Montana (80.8), Utah and Washington (each 82.8), Kentucky (86.5), and Colorado (89.4).

Among the large cities the highest rates were shown for Albany (237.7), Worcester (228.8), San Francisco (227.9), Nashville (220.8), and Washington (214.5). The lowest rates are shown for Scranton (93.9), Minneapolis (95.1), Milwaukee (95.6), Seattle (96.9), and Spokane (99.6).

## PNEUMONIA (ALL FORMS).

The total number of deaths from pneumonia of all forms in the registration area in 1911 was 79,233, the death rate per 100,000 population being 133.7. The death rate of the white population (128.4) was about one-half that of the colored (252.2). The figures for pneumonia (all forms) shown in Tables III and 3 differ from those for "pneumonia" in the table giving the distribution of deaths according to titles of the abridged International List, because, in agreement with the Medical Superintendent of the Registrar-General's Office, it was deemed advisable to unite bronchopneumonia and pneumonia in the list shown in Tables III and 3. The total number of deaths from pneumonia of all forms in 1911 included, as shown in Table II. 26,365 deaths caused by bronchopneumonia (44.5 per 100,000 population), 28,553 caused by lobar pneumonia (48.2 per 100,000) and 24,315 reported as due to "pneumonia" without qualification (41 per 100.000).

On account of the large number of deaths returned as due to "pneumonia" (undefined), which forms about one-third of the total from all forms of pneumonia, it is better to treat the deaths from this group of causes as a total. As shown by partial investigation, about one-third of the deaths reported as due to "pneumonia" (undefined) proved to be deaths from bronchopneumonia, and a considerable proportion of the deaths reported from the various forms of pneumonia is actually due to infectious diseases, in the course of which pneumonia appears as a complication or terminal condition.

Among the death rates from pneumonia (all forms) in the registration states in 1911, the highest were those of New York (177.8), Massachusetts (153.8), Connecticut (153.5), Rhode Island (152.1), and New Jersey (151.4), and the lowest those of Washington (64.8), Wisconsin (85.7), Montana (90.2), Michigan (90.4), and Minnesota (96.1).

The large cities showing the highest death rates from this cause were Atlanta (227.8), Nashville

(222.6), New Haven (212.1), New York (209.6), and Pittsburgh (207.2).

DIARRHEA AND ENTERITIS (UNDER 2 YEARS).

The most important preventable cause of infant mortality is represented by the group of affections summarized under the International title "Diarrhea and enteritis." In 1911 there were, in the registration area, 45,868 deaths from this cause of infants under 2 years of age and 8,108 deaths of persons above this age limit. The death rate from diarrhea and enteritis (under 2 years) was 77.4 per 100,000 population of all ages, a rate nearly one-fourth lower than that for the preceding year (100.8) and lower than that shown for any previous year since the annual mortality reports were instituted.

The low mortality from infantile diarrhea indicates a generally favorable condition of infant health during the year. Of course, the comparison of the deaths of children under 2 years of age with the total population, as in the computation of the general death rate, is not satisfactory, although it shows the influence of the mortality of the selected group of children upon the general death rate. To some extent the relative general death rates of various areas from diarrhea and enteritis (under 2 years) depend upon the birth rates and the number of children under 2 years of age in the population.

The death rate of the white population from this cause (75.9) was considerably lower than that of the colored population (111), which fact should also be taken into consideration in comparing the death rates shown for different areas.

Among the registration states in 1911 the highest death rate from diarrhea and enteritis (under 2 years) per 100,000 population at all ages was in the municipalities of North Carolina (150.1), followed by Pennsylvania (104.1), Massachusetts (103.2), New Jersey (99.7), and Maryland (98.4). The lowest rates were for Washington (25.4), Montana (36.2), California (36.4), Utah (37.4), and Minnesota (40.1).

Among the large cities maximum rates appear for Fall River (318.9), Lowell (201.8), Scranton (173.5), Richmond (158.6), and New Orleans (136.9).

#### SUICIDE.

The total number of deaths from suicide in the registration area for 1911 was 9,622, an increase of 1,032 over the preceding year. The death rate, however, increased only from 16 to 16.2 per 100,000 and was lower than that for 1909 (16.5) or 1908 (17.8).

As the registration of deaths improves the statement of the causes of deaths increases in precision and thus deaths may be transferred to suicide from the titles included under "Accidental or undefined violence." There is, therefore, a tendency to apparent increase in the death rate from suicide, even though the actual

rate may have remained stationary; also in comparing the rates for various states and cities it should be noted that the precision of statement varies to a considerable degree and hence, the state or city in which the statement of the accidental, suicidal, or homicidal character of violence is most precise, unfortunately, may appear to have a higher death rate from suicide than other states or cities in which the causes are less accurately returned.

The death rate of the white population in the registration area from suicide (16.5) was higher than that of the colored population (10.3). Among the registration states the highest death rates from this cause were in California (30.1), Montana (27.8), Colorado (21.7), Washington (20.7), and Vermont (20.1), and among the cities of 100,000 population and over, San Francisco (39.4), St. Louis (37.7), Los Angeles (37.2), Denver (35.6) and Oakland (35.1).

#### VIOLENT DEATHS (EXCLUDING SUICIDE).

Under the heading of "Violent deaths (suicide excepted)" are included all deaths from external causes which were not reported as caused by suicide. Of the total number of deaths in the registration area in 1911 classified in this group (54,028), more than nine-

tenths (50,121) were of an accidental or undefined character, the remainder being due to homicide. The death rate from accidental and unspecified violence was 84.6 per 100,000 population, which is slightly higher than the rate for the preceding year (84.3), but lower than the averages for the consecutive periods 1901 to 1905 (84.9) and 1906 to 1910 (86). Homicide was reported as the cause of 3,907 deaths in 1911, the rate being 6.6 per 100,000 population. Statistics as to deaths from various forms of violence are given in Table II, with comparable figures for each year from 1908 to 1911 in cases where the changes in classification permit.

Of the death rates from violence (exclusive of suicide) shown for the registration states, the highest were those of Montana (126.9), California (110.5), Pennsylvania (106.2), Colorado (102.2), and Washington (96). The cities of 100,000 population and over having the highest rates were Memphis (191.7), Scranton (177.3), Birmingham (151.9), Albany (131.7), and Boston (125.3). The lowest rates among the states were in Wisconsin (64.3), Minnesota (70.6), and Missouri (74.6), and among the cities, Fall River (46.5), Grand Rapids (54.3), and St. Paul (58).

## ACCURACY OF STATISTICS OF CAUSES OF DEATH.

The difficulties inherent in the task of reducing to compact statistical tables the vast number of statements of causes of death received by a large registration office are seldom fully appreciated by those who have not engaged in the work of compilation. Even if each certificate of death out of the 839,284 that constituted the material of the present bulletin bore only a single cause of death, the process of classifying the thousands of different terms—some of them of a very indefinite or unsatisfactory character—under the 189 titles of the revised International List of Causes of Death would present many difficulties. Condensation is necessary and unrelated terms must, to a certain extent, be grouped, because it is quite impracticable to present statistical tables giving all the original forms of statement. The labor of compilation would be greatly reduced and the statistics as compiled would more nearly represent the actual causes of death if physicians would use only accepted terms in describing causes of death, especially the definite terms of the International List.<sup>1</sup>

But many certificates of death bear statements of two or more causes instead of one, and a system of selection, according to methods which should be as uniform and as well adapted to the character of the terms as possible, must be adopted. Practically all statistical compilations of causes of death are based upon the selection of a preferred term. It would greatly complicate tabular presentation to attempt to show all primary and secondary terms in relation, although it might be possible to do this for a limited list of the most important terms. For example, the number of deaths from the combination "Measlesbronchopneumonia" might be given separately, so that the number might be added to either the number of deaths compiled from "Measles" or the number compiled from "Bronchopneumonia." It is evident that there would still be a wide margin of error because in many deaths reported only one of the terms would be used. At present all deaths from "Measles-bronchopneumonia" are compiled under "Measles," which is regarded as the primary cause.

Some degree of uncertainty attaches to the statistics of causes of death because of the possibility that the statement of cause by the attending physician was incorrect. Of course, if a large proportion of deaths were not certified by medical men, as in some countries, the probability of error would be still greater, but in the United States, where physicians are numerous, comparatively few deaths are certified except by physicians. Even so, however, the accuracy of statement must depend upon the ability of the average physician to make a correct clinical diagnosis, unassisted, as a rule, by the results of a post-mortem examination by means of which the diagnosis could be confirmed or a different cause established. The general ability of physicians to make correct diagnoses of diseases must be based, to a considerable extent, upon their medical training and experience.

<sup>&</sup>lt;sup>1</sup> Copy of the Physicians' Pocket Reference to the International List of Causes of Death will be sent upon request to any physician in the United States.

A study has recently been made by Dr. Richard C. Cabot, of 3,000 clinical diagnoses in an up-to-date American hospital that were subjected to the test of subsequent post-mortem examinations. While the results were confirmatory of the original diagnoses to a high degree in certain classes of causes, such as diabetes mellitus (95 per cent), typhoid fever (92 per cent), aortic regurgitation (84 per cent), in others the percentages of correct diagnoses were very low: Acute nephritis (16 per cent), chronic myocarditis (22 per cent), bronchopneumonia (33 per cent), acute endocarditis (39 per\_cent), chronic interstitial nephritis (50 per cent), miliary tuberculosis (52 per cent), and active phthisis (59 per cent). According to these figures, assuming that the diagnoses thus tested were at least not inferior to those made by the average medical practitioner, there is only an even chance that a death reported as due to chronic interstitial nephritis was actually caused by that disease. about three chances to two that a death ascribed to active phthisis was due to that cause, and more than five chances to one that a decedent reported to have died from acute nephritis did not have acute nephritis at all. And even if he had, for statistical purposes the cause of the acute nephritis should be stated, as for example, scarlet fever.

Assuming, however, that the physicians who sign the medical certificates of causes of death are informed as to the nature of those causes, some inquiry may be made as to the possibility of securing more precise statements in place of indefinite returns and the effect that such additional information would have upon the causes of death as compiled. It should be understood, of course, that each definite cause of death as compiled stands for a minimum number, and that this number would be increased if deaths from such cause that were not properly reported, and hence were classified under various ill-defined titles, could be included. Circular letters were sent to physicians in various parts of the country requesting more precise statements of causes of death in cases reported by them as due to "meningitis," "paralysis," "convulsions," "pneumonia," and "peritonitis," together with copies of the Physicians' Pocket Reference to the International List of Causes of Death, which calls attention to the unsatisfactory nature of such returns. It is not feasible to make such inquiry for all indefinite returns, nor is the number of cases specially investigated sufficient to warrant absolute conclusions, but some light was thrown on the nature of the errors incident to these unsatisfactory returns.

Inquiry as to "pneumonia" (not otherwise defined) resulted in a change of assignment in 416 out of 1,013 cases (41.1 per cent), and confirmed the diagnosis of

lobar pneumonia in 518 cases (51.1 per cent), leaving only 79 deaths still undefined. The fact that bronchopneumonia is a separate title of the International List implies that deaths from "pneumonia" are chiefly due to lobar pneumonia, but the large proportion of deaths credited to bronchopneumonia through the additional information contained in the replies from physicians (319 or 31.5 per cent) show that this assumption is not entirely justified. Other causes increased by transfer of deaths from "pneumonia" are influenza (29), measles (15), and whooping cough (11).

"Peritonitis" is not accepted as a cause of death by some registration offices without explanation. Out of 102 cases investigated the assignment was changed in 79 (77.5 per cent), additions being made more particularly to appendicitis (18), diarrhea and enteritis (11), puerperal septicemia (8), intestinal obstruction (7), salpingitis (5), gonococcus infection (4), and ulcer of the stomach (4).

As the result of 354 replies relating to "meningitis" the assignment of cause was changed, or made more definite, in 304 instances (85.9 per cent), the chief additions being to cerebrospinal fever (104), tuberculous meningitis (54), diarrhea and enteritis (36), traumatism, by various means (14), and lobar pneumonia (11).

For "paralysis," the assignment was changed in 176 cases out of 235 (74.9 per cent), the chief increments being to cerebral hemorrhage, apoplexy (113), other diseases of the spinal cord (30), general paralysis of the insane (10), syphilis (6), and Bright's disease (5).

Inquiry into 268 deaths from "convulsions" resulted in 151 changes (56.3 per cent), 69 deaths being added to diarrhea and enteritis, 17 to injuries at birth, 12 to puerperal albuminuria, and the remainder to other causes.

If the percentages of change resulting from this investigation, which, though limited, may prove to be fairly representative, be applied to the numbers of deaths compiled from the various causes for the registration area for 1911, the deaths classified under "meningitis" and "cerebrospinal meningitis" (both unqualified) will be reduced from 6,745 to 951, or 85.9 per cent; "paralysis" from 6,359 to 1,596, or 74.9 per cent; "convulsions" from 4,417 to 1.930, or 56.3 per cent; "pneumonia" from 52,868 to 31,139, or 41.1 per cent, and "peritonitis" from 2,349 to 529. or 77.5 per cent. At the same time, some of the definite causes would be increased as follows: Typhoid fever from 12,451 to 12,588, or 1.1 per cent; smallpox from 130 to 178, or 36.9 per cent; measles from 5,922 to 6,319, or 6.7 per cent; whooping cough from 6,682 to 7,016, or 5 per cent; influenza from 9,294 to 10,103, or 8.7 per cent; tuberculous meningitis from 5.237 to 6,284, or 20 per cent; syphilis from 3,821 to 4,092, or 7.1 per cent; gonococcus infection from 222 to 314. or 41.4 per cent; cerebrospinal fever from 540 to 2,522, or 367 per cent; cerebral hemorrhage, apoplexy

<sup>&</sup>lt;sup>1</sup> Diagnostic Pitfalls Identified during a Study of Three Thousand Autopsies, Journal of the American Medical Association, Dec. 28,

from 44,274 to 47,373, or 7 per cent; bronchopneumonia from 26,365 to 34,011, or 29 per cent; diarrhea and enteritis (under 2 years) from 45,868 to 47,703, or 4 per cent; appendicitis and typhlitis from 6,896 to 7,337, or 6.4 per cent; salpingitis and other diseases

of female genital organs from 1,401 to 1,535, or 9.6 per cent; puerperal septicemia from 4,376 to 4,560, or 4.2 per cent; puerperal albuminuria and convulsions from 2,094 to 2,293, or 9.5 per cent; injuries at birth from 4,573 to 4,975, or 8.8 per cent.

# SUMMARY AND RATE TABLES

TABLE I.—POPULATION, DEATHS (EXCLUSIVE OF STILLBIRTHS), AND DEATH RATES PER 1,000 POPULATION IN THE REGISTRATION AREA AND ITS SUBDIVISIONS, BY COLOR OF DECEDENT: 1911.

[All death rates are based upon the total deaths, including deaths of nonresidents and deaths in hospitals and institutions. Minor areas containing state insane asylums are designated by asterisks (\*). Areas with very low rates in one or more years, due possibly to incomplete registration, are designated by daggers (†). Figures for white and colored are shown separately for minor subdivisions (except as indicated in the footnotes) only when the colored population of the subdivision formed at least 10 per cent of the total or numbered 10,000 or over in 1910. The term "cities" indicates municipalities of 10,000 inhabitants or over in 1910.

	POPUI	LATION			TH RATI			POPUL	ATION.	,		TH RATE	
AREA AND COLOR.	Census of Apr. 15, 1910.	Estimated as of July 1, 1911.	Deaths, 1911.	1911	An- nual aver- age: 1906 to 1910.	An- nual aver- age: 1901 to 1905.	AREA AND COLOR.	Census of Apr. 15, 1910.	Estimated as of July 1, 1911.	Deaths, 1911.	1911	An- nual aver- age: 1906 to 1910.	An- nual aver- age: 1901 to 1905.
SUMMARY. The registration area							REGISTRATION STATES—Con.						
(total) White Colored	57,934,575 55,480,695 2,453,880	59,275,977 56,763,765 2,512,212	839, 284 779, 770 59, 514	14.2 13.7 23.7	1 15.1 (2) (2)	1 16. 2 (2) (2)	New York (total)	9,113,614 8,966,921 146,693	9,372,954 9,222,087 150,867	145,654 142,024 3,630	15.5 15.4 24.1	16.4 (2) (2)	17.1 (2) (2)
Registration states 3 (total). White	-51,395,856	54,385,234 52,549,780 1,835,454	756,777 716,763 40,014	13.9 13.6 21.8	1·15. 0 (2) (2)	1 15.9 (2) (2)	North Carolina 6 (total) White	;	374,314 242,479 131,835	6,859 3,519 3,340	18.3 14.5 25.3	(5) (5) (5)	(4) (4) (4)
Cities in registration states 3 (total) White	26,601,836 25,622,440 979,396	27,485,457 26,477,859 1,007,598	413,920 389,554 24,366	15.1 14.7 24.2	1 16.3 (2) (2)	1 17.4 (2) · (2)	Ohio (total)	1	4,841,710 4,727,740 113,970	63,402 61,024 2,378	13.1 12.9 20.9	(5) (5) (5)	(4)
Rural part of registra- tion states (total) White Colored	26,591,929 25,773,416	26,899,777 26,071,921	342,857 327,209	12.7 12.6	1 13. 4 (2) (2)	1 14.1 (2) (2)	Pennsylvania (total)		7,831,890 7,630,245 201,645	111,292 107,220 4,072	14.2 14.1 20.2	15. 5 (2) (2)	(4) (4). (4)
Registration cities in other states (total). White. Colored.	4,740,810	4,890,743	15,648 82,507	16.9	1 15.9	1 16.6	Rhode Island (total) White Colored		558,108 547,707 10,401	8,671 8,422 249	15.5 15.4 23.9	$16.7$ $\binom{2}{2}$ $\binom{2}{2}$	17.8 (2) (2)
		4,213,985 676,758	63,007 19,500	15.0 28.8,	(2) (2)	(2) (2)	)Utah (total) White Colored	373,351 366,602 6,749	385,171 378,208 6,963	3,960 3,894 66	10.3 10.3 9.5	(5) (5) (6)	(4) (4) (4)
All registration cities 3 (total)	31,342,646 29,707,279 1,635,367	32,376,200 30,691,844 1,684,356	496,427 452,561 43,866	-15.3 14.7 26.0	1 16. 2 (2) (2)	1 17. 0 (2) (2)	Vermont (total)	355,956 354,298 1,658	357,463 355,798 1,665	5,661 5,631 30	15.8 15.8 18.0	16.1 (2) (2)	$^{16.2}_{\binom{2}{2}}$
REGISTRATION STATES. California (total)	2,377,549	2,486,757	34,010	13.7	13.9	(4)	Washington (total) White Colored		1,218,330 1,183,302 35,028	10,845 10,323 522	8.9 8.7 14.9	(5) (5) (5)	(4) (4) (4)
California (total) White Colored	1	2,486,757 2,363,622 123,135	32,205 1,805	. 13.6 14.7	_ <sup>(2)</sup> _ <sup>(2)</sup>	. EEE	Wisconsin (total)	- 1	2,359,863 2,346,412	27,050 26,895	11.5 11.5	(5) (5) (6)	(4) (4)
Colorado (total)	•	830,755 814,655 16,100	10,740. 10,427 313	12.9 12.8 19.4	(2)	(f) (f)	ColoredREGISTRATION CITIES.	13,303	13,451	155	11.5	(5)	(4)
Connecticut (total)	1,114,756 1,098,932 15,824	1,140,003 1,123,821 16,182	17,552 17,153 399	15.4 15.3 24.7	15.6 (2) (2)	15.7 (2) (2)	ALABAMA.7	:					
Indiana (total)	2,700,876 2,640,034 60,842	2,723,441 2,662,090 61,351	35,210 33,877 1,333	12.9 12.7 21.7	13.0 (2) (2)	13.2 (2) (2)	Registration cities (total). White Colored	222,342 127,910 94,432	227,414 130,895 96,519	4,711 2,045 2,666	20.7 15.6 27.6	(5) (5) (5)	1 24.8 1 19.7 1 31.2
Kentucky (total) White Colored	2,289,905 2,027,951 261,954	2,307,369 2,043,824 263,545	30,407 24,580 5,827	13. 2 12. 0 22. 1	(4) (4) (4)	(4) (4) (4)	Birmingham (total) White Colored	132,685 80,369 52,316	136,253 82,530 53,723	2,480 1,172 1,308	18. 2 14. 2 24. 3	(5) (5) (5)	(4) (4) (4)
Maine (total) White Colored	742,371 740,017 2,354	748,233 745,860 2,373	12,031 12,014 17	16.1 16.1 7.2	$16.2$ $\binom{2}{2}$ $\binom{2}{2}$	15.9 (2) (2)	Mobile (total)	51,521 28,738 22,783	52,684 29,394 23,290	1,267 553 714	24.0 18.8 30.7	23.6 18.7 29.7	24.8 19.7 31.2
Maryland (total) White Colored	1,295,346 1,062,645 232,701	1,308,476 1,074,098 234,378	20,694 15,147 5,547	15.8 14.1 23.7	16.0 14.4 22.9	(4) (4) (4)	Montgomery (total) White Colored	38,136 18,803 19,333	38,477 18,971 19,506	964 320 644	25.1 16.9 33.0	(5) (5) (5)	(4) (4) (4)
Colorea	3,325,087 41,329	3,454,813 3,412,364 42,449	53,003 52,122 881	15.3 15.3 20.8	$16.1$ $\binom{(2)}{(2)}$	16.6 (2) (2)	CALIFORNIA.  Registration cities (total).  White	1,266,930 1,211,582	1,331,061 1,272,931	19,627 18,538	14.7 14.6	1 15.6 (2) (2)	1 18.0 (2) (2)
Michigan (total)	2,810,173 2,785,258 24,915	2,867,794 2,842,368 25,426	37,993 37,417 - 576	13.2 13.2 22.7	13.6 (2) (2)	13.3 (2) (2)	Colored  Alameda Bakersfield Bakersley	23,383 12,727	58,130 24,229 13,296	1,089 265 307	18.7 10.9 23.1	14.8	13.3
Minnesota (total)	2,075,708 2,059,253 16,455	2,099,451 2,082,808 16,643	21,988 21,662 326	10.5 10.4 19.6	(5) (5) (5)	(1)	Berkeley Eureka Fresno	40, 434 11, 845 24, 892	43,743 12,397 26,007	375 211 354	8.6 17.0 13.6	11.3 (5) 16.2	(4) (4) (4) 16.9
Missouri (total)	3,293,335 3,134,932 158,403	3,321,094 3,161,369 159,725	43,434 39,794 3,640	13.1 12.6 22.8	(1) (4) (4)	(3)	Long Beach. Los Angeles (total) White. Colored	17,809 319,198 305,342 13,856	19,712 343,819 328,894 14,925	301, 5,001 4,745 256	15.3 14.5 14.4 17.2	(5) 14.8 14.6 19.8	16.4 16.2 19.6
Montana (total)	376,053 360,587 15,466	392,293 376,159 16,134	4,009 3,658 351	10.2 9.7 21.8	(5) (5) (5)	999 9	Oakland Pasadena Pomona	150,174 30,291 10,207	156,684 32,342 10,779	1,984 429 152	12.7 13.3 14.1	15.4 14.3	13.3 (4) (4) (4)
New Hampshire (total) White Colored	430,572 429,909 663	432, 894 432, 227 667	7,391 7,380 11	17.1 17.1 16.5	17. 2 (2) (2)	16.6 (2) (2)	Redlands	10,449	11,140	152 260	13.6 16.2	(5) (5) (5)	(4) (4)
New Jersey (total) White Colored	91,240 1	2,634,583 2,539,840 94,743	38,617 36,636 1,981	14.7 14.4 20.9	(2)	16.1 (2) (2)	White Colored Sacramento San Bernardino	13,506 1,706 44,696 12,779	14,292 1,805 46,581 13,589	238 22 828 266	16.7 12.2 17.8 19.6	(5) (5) 16. 6 (5)	(1) 18.0 (1)

Based on figures for area as constituted in each year.
 Not computed.
 Including District of Columbia.
 Not admitted to registration area until a later date.

<sup>&</sup>lt;sup>5</sup> Figures for deaths not available for the entire period.

<sup>6</sup> Includes only municipalities having a population of 1,000 or over in 1900.

<sup>7</sup> Nonregistration state; cities shown below only those with effective local ordinances.

-POPULATION, DEATHS (EXCLUSIVE OF STILLBIRTHS), AND DEATH RATES PER 1,000 POPULATION IN THE REGISTRATION AREA AND ITS SUBDIVISIONS, BY COLOR OF DECEDENT: 1911—Continued. TABLE I.-

	POPUL	ATION.		DEAT	TH RATI	e per	i of this table.	POPUL	ATION.			H RATE	
AREA AND COLOR.	Census of Apr. 15, 1910.	Estimated as of July 1, 1911.	Deaths, 1911.	1911	An- nual aver- age: 1906 to 1910.	An- nual aver- age:	AREA AND COLOR.	Census of Apr. 15, 1910.	Estimated as of July 1, 1911.	Deaths, 1911.	1911	An- nual aver- age: 1906 to 1910.	An- nual aver- age:
REGISTRATION CITIES—Continued.							REGISTRATION CITIES—Continued.						
CALIFORNIA—contd. San Diego San Francisco (total) White Colored San Jose	39,578 416,912 400,034 16,878 28,946	42, 254 425, 982 408, 737 17, 245 32, 607	817 6,495 6,142 353 413	19.3 15.2 15.0 20.5 12.7	18.2 16.1 16.1 15.9 14.9	16.8 20.3 19.8 30.1 15.2	GEORGIA—contd. Savannah (total) White Colored	65, 064 31, 784 33, 280	65, 530 32, 012 33, 518	1,919 619 1,300	29.3 19.3 38.8	24.8 17.9 31.3	27.1 19.2 34.5
Santa Barbara Santa Cruz Stockton * Vallejo	11,659 11,146 23,253 11,340	12,279 11,816 23,956 11,752	215 178 488 136	17.5 15.1 20.4 11.6	(1) (1) 21.9 (1)	(A)	Registration cities (total). White. Colored.	2,395,921 2,341,357 54,564	2,465,009 2,408,917 56,092	35,852 34,605 1,247	14.5 14.4 22.2	3 14. 9 (4) (4)	3 14.6 (4) (4)
COLORADO.  Registration cities (total).  White	297,058 287,722	308, 991	4, 652 4, 452	15.1 14.9	³ 17.3	3 18.3	Aurora  Belleville Chicago (total) White Colored	29,807 21,122 2,185,283 2,139,057 46,226	31,250 21,126 2,249,265 2,201,686 47,579	413 310 32,531 31,478 1,053	13. 2 14. 7 14. 5 14. 3 22. 1	14. 0 15. 6 14. 9 14. 7 23. 1	12.9 17.7 14.5 14.3 24.5
Colored Colorado Springs. Denver. Pueblo. Trinidad.	9,336 29,078 213,381 44,395 10,204	299, 285 9, 706 29, 835 222, 038 46, 320 10, 798	483 3,441 602 126	20. 6 16. 2 15. 5 13. 0 11. 7	17.7 17.5 15.4 (1)	(4) (4) (2) 17. 2 23. 2 (2)	Decatur Evanston Jacksonville* Quincy Springfield	31, 140 24, 978 15, 326 36, 587 51, 678	32, 426 25, 677 15, 356 36, 627 53, 282	400 281 380 660 877	12.3 10.9 24.7 18.0 16.5	11.7 (1) 21.0 15.3 17.0	12.9 (2) 22.7 15.5 17.4
CONNECTICUT.  Registration cities (total).  White.  Colored.	752,224 740,652 11,572	773, 180 761, 303 11, 877	12,024 11,706 318	15.6 15.4 26.8	3 16. 0 (4) (4)	3 16. 1 (4) (4)	INDIANA. Registration cities (total). White. Colored.	819,067 777,984 41,083	843, 390 801, 367 42, 023	11,838 10,911 927	14. 0 13. 6 22. 1	* 14. 4 (4) (4)	3 15.0 (4) (4)
Ansonia Bridgeport Bristol Danbury town Greenwich town	15, 152 102, 054 13, 502 23, 502 16, 463	15, 454 105, 854 13, 974 23, 995 16, 988	211 1,472 180 336 258	13.7 13.9 12.9 14.0 15.2	15. 0 15. 5 12. 6 15. 6 16. 8	14. 1 16. 0 14. 4 15. 6 15. 2	Anderson East Chicago Elkhart Elwood Evensville	I	22,756 21,016 19,782 10,779 70,886	306 294 208 106 1,087	13. 4 14. 0 10. 5 9. 8 15. 3	13. 0 (1) 13. 0 12. 5 13. 2	14.8 ( <sup>5</sup> ) 12.4 13.4 13.1
Hartford Manchester town Meriden town Middletown town*	98, 915 13, 641 32, 066 20, 749	101, 247 14, 012 32, 478 21, 147	1,849 165 535 476	18.3 11.8 16.5 22.5	16.8 11.0 14.2 22.7	16. 6 11. 8 13. 7 20. 0	Fort Wayne Gary Hammond Huntington	63, 933 16, 802 20, 925 10, 272	66,015 7 16,802 21,900 10,330	815 290 275 126	12.3 7 17.3 12.6 12.2	13.2 (¹) 14.0 11.3	13.5 ( <sup>5</sup> ) 14.0 14.0
Naugatuck New Britain New Haven New London	12,722 43,916 133,605 19,659	12, 988 45, 838 136, 734 19, 916	118 593 2,281 337	9.1 12.9 16.7 16.9	12.9 14.3 17.3 18.4	14. 6 14. 4 17. 3 19. 7	Indianapolis (total)	211,789 21,861 10,412	240,080 217,617 22,463 10,369 8,838	3,530 3,029 501 186 156	14.7 13.9 22.3 17.9 17.7	15.2 14.2 24.0 17.1 16.3	15. 4 14. 6 23. 1 19. 9 18. 1
Norwalk town Norwich town Orange town Stamford town	24,211 28,219 11,272 28,836	24,734 28,436 11,795 30,058	383 484 141 508	15.5 17.0 12.0 16.9	15. 6 16. 6 (1) 17. 3	14. 9 16. 9 (5) 17. 9	Kokomo Lafayette Laporte Logansport	17,010 20,081	1,531 17,701 20,320 10,941 19,398	30 210 330 169 249	19.6 11.9 16.2 15.4 12.8	21.8 14.2 16.9 (1) 15.9	29.4 14.5 17.7 (5) 17.4
Torrington town. Wallingford town. Waterbury. Windham town.	16,840 11,155. 73,141 12,604	17,376 11,418 75,833 12,905	174 123 1,134 266	10. 0 10. 8 15. 0 20. 6	11. 6 13. 0 15. 7 16. 8	12. 1 12. 9 15. 9 16. 8	Marion Michigan City Mishawaka Muncie New Albany	19,359	19, 459 19, 500 12, 659 24, 269 20, 629	254 251 157 314	13. 1 12. 9 12. 4 12. 9 15. 4 13. 7	13. 2 13. 5 (1) 14. 5 16. 4 11. 7	14.9 13.0 ( <sup>5</sup> ) 16.7 17.3 12.3
Wilmington (total)	87,411 78,309 9,102	88,745 79,504 9,241	1,446 1,217 229	16.3 15.3 24.8	17.0 15.9 26.5	17. 0 15. 7 27. 2	Peru Richmond South Bend Terre Haute Vincennes	22,324 53,684 58,157 14,895	11,049 22,776 59,250 59,317 15,407	285 758 913 257	12. 5 12. 8 15. 4 16. 7	13. 5 13. 6 15. 6 16. 5	16.0 13.1 17.3 16.1
Washington (total) White Colored	331,069 236,128 94,941	337, 475 240, 697 96, 778	6,304 3,739 2,565	18.7 15.5 26.5	19. 6 15. 9 28. 7	20. 5 16. 5 29. 5	KANSAS. <sup>6</sup> Registration cities (total). White	154, 144 139, 824	163, 372 148, 170	2,393 2,008 385	14. 6 13. 6 25. 3	(1) (1) (1)	3 15.1 (4) (4)
FLORIDA. <sup>6</sup> Registration cities (total). White Colored	77,644 42,741 34,903	83, 152 45, 413 37, 739	1,819 803 1,016	21.9 17.7 26.9	22.0 18.7 25.9	25. 3 21. 9 29. 0	Colored Kansas City (total) White Colored	82,331 72,997 9,334	8 85, 679 75, 965 9, 714	1,405 1,145 260	16. 4 15. 1 26. 8	(1)	(2) (2) (2) (2) 14.8
Jacksonville (total) White Colored Key West (total) White	57,699 28,331 29,368 19,945 14,410	63, 346 31, 104 32, 242 19, 806 14, 309	1,367 524 843 452 279	21. 6 16. 8 26. 1 22. 8 19. 5	22. 1 17. 9 25. 8 22. 0 20. 1	27.5 23.3 30.5 21.7 20.4	Leavenworth (total)	19, 363 16, 880 2, 483 52, 450	8 22, 110 19, 275 2, 835 8 55, 583	315 238 77 673	14. 2 12. 3 27. 2 12. 1	15.7 14.5 23.9 12.9	14.8 13.4 22.5 15.4
ColoredGEORGIA.	5, 535	5,491	173	31.5	26.3	24. 4	Registration cities (total). White Colored	403, 294 333, 219 70, 075	409, 402 338, 094 71, 308	6,934 4,937 1,997	16.9 14.6 28.0	3 17. 1 (4) (4)	3 18.9 (4) (4)
Registration cities (total). White	219, 903 134, 646 85, 257 154, 839	225, 785 138, 470 87, 315	5,091 2,296 2,795 3,172	22. 5 16. 6 32. 0	21. 2 16. 2 28. 7	23.3 17.1 31.8 21.1	Covington (total) White Colored 9 Frankfort (total)	53, 270 50, 358 2, 912 10, 465	53,535 50,611 2,924 10,584	809 716 93 206	15. 1 14. 1 31. 8 19. 5	16.1	18.6 (4) (4) (2) (2) (2) (2)
White Colored	102)862 51,977	106,458 53,797	1,677 1,495	15.8	15.6	16. 1 29. 6	White	7,614 2,851	7,701 2,883	138 68	17.9 23.6		

<sup>1</sup> Figures for deaths not available for the entire period.
2 Not admitted to registration area until a later date.
3 Based on figures for area as constituted in each year.
4 Not computed.
5 Included in rural.

<sup>&</sup>lt;sup>5</sup> Nonregistration state; cities shown below only those with effective local ordi-

Nonregistration state, that should be seen a seen a

-POPULATION, DEATHS (EXCLUSIVE OF STILLBIRTHS), AND DEATH RATES PER 1,000 POPULATION IN THE REGISTRATION AREA AND ITS SUBDIVISIONS, BY COLOR OF DECEDENT: 1911—Continued.

	POPUL	ATION.			TH RATI			POPUL	ATION.			H RATE	
AREA AND COLOR.	Census of Apr. 15, 1910.	Estimated as of July 1, 1911.	Deaths, 1911.	1911	An- nual aver- age: 1906 to 1910.	An- nual aver- age: 1901 to 1905.	AREA AND COLOR.	Census of Apr. 15, 1910.	Estimated as of July 1, 1911.	Deaths, 1911.	1911	An- nual aver- age: 1906 to 1910.	An- nual aver- age: 1901 to 1905.
REGISTRATION CITIES—Continued.							REGISTRATION CITIES—Continued.						
KENTUCKY-continued.							MASSACHUSETTS—contd.						
Henderson (total)	11,452 8,436 3,016 35,099 24,076 11,023	11,595 8,541 3,054 36,167 24,809 11,358	229 133 96 827 459 368	19.8 15.6 31.4 22.9 18.5 32.4	0.000 E	EEEEE	Fall River Fitchburg Framingham town Gardner town Gloucester	119,295 37,826 12,948 14,699 24,398	122,592 38,996 13,288 15,352 24,006	2,134 498 185 193 347	17. 4 12. 8 13. 9 12. 6 14. 5	19.7 13.7 16.1 14.7 14.4	20.3 13.9 14.8 15.0 17.5
Louisville (total)	223, 928 183, 390 40, 538 30, 309 29, 740	227,448 186,273 41,175 30,554 29,980	3,661 2,597 1,064 383 364	16.1 13.9 25.8 12.5 12.1	17.4 15.1 27.7 15.6 (2) (2)	19.0 16.9 28.1 16.0 (2)	Greenfield town. Haverhill Holyoke. Hyde Park town. Lawrence.	10,427 44,115 57,730 15,507 85,892	10,736 45,646 59,598 15,749 89,752	155 653 902 191 1,405	14.4 ·14.3 15.1 12.1 15.7	(7) 15.6 17.8 13.2 17.7	(6) 15.4 17.2 13.1 17.8
Owensboro (total). White. Colored Paducah (total). White.	16,011 12,895 3,116 22,760	16,355 13,172 3,183 23,164 17,007	352 260 92 467	33.1 21.5 19.7 28.9 20.2	(1) (1) (1) 17.5	(1) (1) (1) (22.2	Leominster town Lowell Lynn Malden Marlborough	17,580 106,294 89,336 44,404 14,579	18,379 108,999 92,331 45,955 14,702	1,925 1,152 551 223	12.0 17.7 12.5 12.0 15.2	12.0 19.4 14.1 13.1 13.5	12.9 20.2 15.0 13.7 14.3
LOUISIANA.4 New Orleans (total)	339,075	6, 157 345, 433	270 197 7,055	15.9 32.0 20.4	13.5 28.4 21.7	29. 2	Medford Melrose Methuen town Milford town New Bedford	23, 150 15, 715 11, 448 13, 055 96, 652	23,993 16,060 12,123 13,285 102,098	275 178 141 214 1,741	11.5 11.1 11.6 16.1 17.1	11.6 12.3 (7) 16.9 17.8	12.5 12.7 (6) 14.8 19.8
WhiteColored	249, 435 89, 640	254, 112 91, 321	4,208 2,847	16.6 31.2	18.0 32.1	19.2 31.0	Newburyport Newton North Adams Northampton * Peabody town	14,949 39,806 22,019 19,431	15,015 40,531 21,988 19,335	280 463 317	18.6 11.4 14.4 19.4	17.4 11.7 14.8 18.6	19. 1 12. 5 15. 6 15. 9
Registration cities (total). White Colored	166, 433 165, 750 683	168,926 168,234 692	3,114 3,103 11	18.4 18.4 15.9	5 18. 5 (2) (2)	<sup>5</sup> 18.6 (2) (2)	Ł	15, 721 32, 121 12, 141	16,360	375 227 552 204	13.9 16.3 16.5	13.8 15.4	14.1 15.8 14.2
Auburn Augusta* Bangor* Biddeford Lewiston	15,064 13,211 24,803 17,079	15,322 13,397 25,164 17,192 26,550	203 342 519 317	13.2 25.5 20.6 18.4	14.9 23.0 18.1 20.4	(6) 23.5 17.8 19.3	Pittsfield. Plymouth town. Quincy. Revere town. Salem.	32, 642 18, 219 43, 697	33,856 12,390 33,754 19,573 45,177	395 192 745	11.7 9.8 16.5	13. 5 12. 3 11. 6 17. 3	· 13.7 12.5 18.8
Portland	1 50,011	59,602 11,699	1,062 163	19.1 17.8 13.9	19.9 18.2 16.7	(5) 18.1 (6)	Somerville Southbridge town Springfield Taunton * Wakefield town	77,236 12,592 88,926 34,259 11,404	79,177 12,979 92,675 35,061 11,680	1,031 131 1,417 715 144	13.0 10.1 15.3 20.4 12.3	13.2 14.0 15.5 21.4 12.2	13.9 16.6 15.5 19.9 13.1
Registration cities (total). White	607, 242 518, 478 88, 764	614,368 524,610 89,758	11,355 8,567 2,788	18.5 16.3 31.1	5 19.4 5 17.3 5 31.7	5 20.0 5 17.7 5 32.2	Waltham. Watertown town. Webster town. Westfield town.	27,834 12,875 11,509 16,044	28,212 13,268 11,871 16,636	389 137 156 284	13.8 10.3 13.1 17.1	13.5 11.3 13.5 16.2	13.7 12.2 15.5 16.4
Baltimore (total)	473,390 85,095 21,839	564,544 478,526 86,018 22,415 21,320 1,095	10,407 7,757 2,650 416 375 41	18. 4 16. 2 30. 8 18. 6 17. 6 37. 4	19.5 17.3 31.5 18.7 17.9 33.2	20. 0 17. 8 32. 0 (¹) (¹)	Weymouth town Winthrop town Woburn Worcester	12,895 10,132 15,308 145,986	13,214 10,886 15,528 150,336	187 114 193 2,362	14.2 10.5 12.4 15.7	15.2 8 11.5 15.2 17.1	14.8 8 11.3 15.1 16.8
Frederick (total)	10,411 8,941 1,470 16,507 15,375	16, 863	313	20.8 18.5 34.3 18.6 17.0	20.1 17.8 34.0 17.5	22.0 18.4 41.1 (1) (1)	MICHIGAN.  Registration cities (total).  White.  Colored.	1,043,746 1,032,902 10,844	1,090,282 1,078,909 11,373	15,355 15,108 247	14.1 14.0 21.7	<sup>5</sup> 14. 6 (2) (2)	5 14.5 (2) (2)
Colored 3  MASSACHUSETTS.  Registration cities (total). White.	1,132	15,707 1,156 2,683,475 2,647,999	41,010	39.8 15.3 15.2	16.7 28.6	<sup>(1)</sup>	AdrianAlpenaAnn ArborBattle CreekBay City	10,763 12,706 14,817 25,267	10,780 12,768 14,861 25,894	152 215 338 399 563	14. 1 16. 8 22. 7 15. 4	15. 0 16. 0 19. 3 15. 4	(6) (6) 15.3 16.0
White	2,572,008 34,372	2,647,999 35,476	40,293 717	15.2 20.2	(2) (2)	(2) (2)		45, 166	46,096	i l	12.2	13.5	9 13.0
Adams townArlington townAttleborough townBeverly	13,026 11,187 16,215 18,650	13,158 11,557 17,071 19,485	186 147 187 262	14.1 12.7 11.0 13.4	14. 2 12. 2 12. 5 13. 7	16.7 12.1 13.3 14.4	Detroit. Escanaba Flint. Grand Rapids Holland	465,766 13,194 38,550 112,571 10,490	493,040 13,624 43,417 116,036 10,803	7,110 182 401 1,580 115	14.4 13.4 9.2 13.6 10.6	14.8 17.3 10.9 13.3 ( <sup>7</sup> )	15.1 18.7 13.3 13.5 (°)
Boston (total) White Colored Brockton Brookline town	670,585 655,770 14,815 56,878 27,792	688, 911 673, 615 15, 296 59, 093 28, 853	11,765 11,393 372 640 342	17. 1 16. 9 24. 3 10. 8 11. 9	17.9 17.7 24.3 12.0 11.4	18.8 18.6 26.0 12.2 10.9	Ironwood Ishpeming Jackson Kalamazoo* Lansing	12,821 12,448 31,433 39,437 31,229	13, 396 12, 617 32, 694 41, 422 33, 481	. 113 124 410 719 343	8.4 9.8 12.5 17.4 10.2	13.5 14.2 14.4 17.9 11.4	14. 1 13. 4 14. 3 16. 9 12. 0
Cambridge Chelsea Chicopee Clinton town Everett	104,839 32,452 25,401 13,075 33,484	106, 643 31, 276 26, 669 13, 068 34, 549	1,617 622 389 183 377	15. 2 19. 9 14. 6 14. 0 10. 9	15. 1 17. 6 16. 2 14. 4 12. 0	15. 1 18. 1 18. 6 15. 9 13. 5	Manistee Marquette Menominee Muskegon Pontiac*	12,381 11,503 10,507 24,062 14,532	12,315 11,674 10,387 24,712 15,179	158 201 136 365 316	12.8 17.2 13.1 14.8 20.8	12.0 16.2 14.4 13.1 19.3	(6) 15. 2 12. 9 12. 5 17. 2

<sup>Not admitted to registration area until a later date.
Not computed.
Colored population less than 10 per cent of total.
Nonregistration state; cities shown below only those with effective local ordi-</sup>

nances.

<sup>6</sup> Based on figures for area as constituted in each year.

Included in rural.
 Figures for deaths not available for the entire period.
 Returns for 1901 to 1909 shown under the head of Surfolk County rural in reports

for those years.

Including for 1901 to 1904 West Bay City, annexed to Bay City in 1905.

TABLE I.—POPULATION, DEATHS (EXCLUSIVE OF STILLBIRTHS), AND DEATH RATES PER 1,000 POPULATION IN THE REGISTRATION AREA AND ITS SUBDIVISIONS, BY COLOR OF DECEDENT: 1911—Continued.

[See note at head of this table.]

	POPUL	ATION.			TH RATI			POPUL	ATION.			H RATE POPUL	
AREA AND COLOR.	Census of Apr. 15, 1910.	Estimated as of July 1, 1911.	Deaths, 1911.	1911	An- nual aver- age: 1906 to 1910.	An- nual aver- age: 1901 to 1905.	AREA AND COLOR.	Census of Apr. 15, 1910.	Estimated as of July 1, 1911.	Deaths, 1911.	1911	An- nual aver- age: 1906 to 1910.	An- nual aver- age: 1901 to 1905.
REGISTRATION CITIES—Continueds							REGISTRATION CITIES—Continued.	-					
MICHIGAN—continued.			!				NEW JERSEY.						
Port Huron	18,863 50,510 12,615 12,115	18,624 51,312 12,855 12,295	300 704 162 249	16. 1 13. 7 12. 6 20. 3	14. 2 14. 0 14. 1 21. 0	12.8 13.0 17.9 18.4	Registration cities (total). White	1,580,235 55,628	1,702,736 1,644,826 57,910	25,821 24,477 1,344	15. 2 14. 9 23. 2	2 16. 6 (3) (8)	2 17.9: (3) (8)
MINNESOTA.	,	,					Asbury Park (total) White	10, 150 8, 209 1, 941	11,172 9,036 2,136	146 112	13.1 12.4	(1) (1) (1)	(8) (8)
Registration cities (total). White Colored	654,837 648,272 6,565	672,598 665,875 6,723	7,732 7,611 121	11.5 11.4 18.0	(1) (1) (1)	2 10.6 (3) (8)	Asbury Park (total).  White. Colored Atlantic City (total).  White. Colored	1,941 46,150 36,231 9,919	2, 136 48, 270 37, 895 10, 375	34 796 630 166	15. 9 16. 5 16. 6 16. 0	(1) 16.5 16.6 16.1	(8) 16.2 16.8 14.3
Duluth Mankato Minneapolis St. Cloud	78,466 10,365 301,408 10,600	81,817 10,210 311,182 10,891	960 155 3,572 136	11. 7 15. 2 11. 5 12. 5	13.1 14.6 11.0 (1)	13.0 13.7 10.2 (4)	Bayonne Bloomfield Bridgeton Camden East Orange	55,545 15,070 14,209 94,538 34,371	58,836 15,912 14,354 97,307 36,650	815 146 247 1,626 332	13. 9 9. 2 17. 2 16. 7 9. 1	14.8 11.5 14.8 16.9 9.9	16.8 (8) 14.7 17.3 (8)
St. Paul. Stillwater Virginia. Winona.	10 108	219, 136 9, 645 11, 567 18, 150	2,386 123 154 246	10.9 12.8 13.3 13.6	11. 0 (1) (1) 12. 6	10.0 (4) (4) 12.4	Elizabeth Garfield Hackensack Harrison Hoboken	73,409 10,213 14,050 14,498	76,543 11,481 14,781 14,912	1,202 136 217 194	15.7 11.8 14.7 13.0 17.7	16. 4 (1) 15. 3 16. 4 19. 9	16.7 (8) (8) 18.2 19.7
Registration cities (total). White	1,150,840 1,068,828 82,012	1,179,141 1,095,029 84,112	17,874 15,775 2,099	15.2 14.4 25.0	2 15. 2 (3) (3)	<sup>2</sup> 16. 9 (3) (3)	Irvington Jersey City Kearny Long Branch	70,324 11,877 267,779 18,659	71,527 13,040 276,474 19,912	1,266 159 4,381 266	12. 2 15. 8 13. 4	(1) 17.7 14.0	(8) 19.3 (8) (8) (3)
HannibalJefferson City	18,341 11,850	19,031 12,117	263 158	13.8 13.0	(4) (4) (4) 14.6	(4) (4) (4) 15.9	Long Branch Millville	13, 298 12, 451	13,573 12,591	284 166	20.9 13.2	20. 2 13. 5	(8) 14.4
Jefferson City Joplin Kansas City (total) White Colored Moberly	32,073 248,381 224,677 23,704 10,923	32,261 257,512 232,940 24,572 11,278	3,961 3,340 621 148	14. 4 15. 4 14. 3 25. 3 13. 1	(4) 14.6 13.5 24.9 (4)	(4) 15.9 14.6 27.1 (4)	Montclair (total) White Colored Morristown New Brunswick	21,550 19,046 2,504 12,507 23,388	22, 833 20, 180 2, 653 12, 596 23, 451	314 270 44 293 475	13. 8 13. 4 16. 6 23. 3 20. 3	14.1 (3) (8) 22.1 19.9	17.6 (3) (3) 18.5 18.4
St. Joseph *. St. Louis (total). White. Colored. Sedalia.	77,403 687,029 642,488 44,541 17,822 35,201 11,817	5 78, 926 700, 707 655, 287 45, 420 18, 138	1,001 10,765 9,591 1,174	12.7 15.4 14.6 25.8 16.9	(6) 15.6 14.8 26.7	(6) 17.9 17.1 30.3 (4)	Newark. Orange. Passaic Paterson	347, 469 29, 630 54, 773 125, 600	363,376 30,503 58,970 129,087	5,395 535 830 1,890	14. 8 17. 5 14. 1 14. 6	17. 2 18. 2 15. 8 15. 7	18.7 20.2 18.3 16.9
Springfield Webb City	35,201 11,817	18, 138 36, 660 12, 511	619 188	16.9 15.0	(4) (4) (4)	(4) (4) (4)	Perth Amboy Phillipsburg Plainfield Trenton *	32,121 13,903	33,664 14,039	468 183	13.9 13.0	14.0 12.7	12.9 13.0
MONTANA.	00.000	107 004	1 470	,,,	(1)		Plainfield Trenton *	20,550 96,815	21,065 99,945	297 1,843	14. 1 18. 4	16.5 18.1	16.0 17.1
Registration cities (total). White: Colored Anaconda.	98,662 96,506 2,156	101,394 99,176 2,218 10,217	1,470 1,417 53	14.5 14.3 23.9	(1)	(4) (4) (4) (4)	Union. West Hoboken. West New York. West Orange	21,023 35,403 13,560 10,980	22,018 36,969 15,136 11,749	233 404 176 106	10.6 10.9 11.6 9.0	14.4 11.8 (1) (1)	16.7 (8) (8) (8)
Billings Butte Great Falls	10,031 39,165	10, 863 39, 849	149 635	13. 7 15. 9	(1)	(4) (4) (4)	NEW YORK	,	1	_			``
Missoula	13,948 12,515 12,869	13,829 12,727 13,909	211 184 167	15.3 14.5 12.0	(1) (1) (1)	(4) (4) (4)	Registration cities (total). White Colored	6,771,142 6,652,637 118,505	7,019,013 6,896,543 122,470	108,488 105,442 3,046	15.5 15.3 24.9	<sup>2</sup> 16. 7 ( <sup>3</sup> ) ( <sup>3</sup> )	2 18.1 (8) (8)
NEBRASKA.7 Registration cities (total). White	168,069 162,802 5,267	171, 219 165, 848 5, 371	2,425 2,301 124	14. 2 13. 9 23. 1	13.3 (3) (3)	11.2 (3) (3)	Albany. Amsterdam Auburn. Batavia. Binghamton *	100, 253 31, 267 34, 668	100, 967 33, 115 35, 198 11, 959	2,063 437 633 205	20. 4 13. 2 18. 0 17. 1	18.6 15.4 15.5 15.3	18. 4 15. 5 15. 4 (8) 17. 2
LincolnOmaha	43,973 124,096	44, 488 126, 731	613 1,812	13.8 14.3	12.0 13.8	10.5 11.5	Buffalo	423, 715	49, 767 435, 315	939 6,294	18.9	18. 2 16. 0	15.5
NEW HAMPSHIRE. Registration cities (total). White Colored.	174,112 173,789 323	177,001 176,676 325	3, 156 3, 151 5	17.8 17.8 15.4	2 17.7 (3) (3)	<sup>2</sup> 17.1 ( <sup>3</sup> ) ( <sup>3</sup> )	Cohoes Corning Cortland Dunkirk	24, 709 13, 730 11, 504 17, 221	24, 868 13, 801 11, 580 17, 722	481 186 206 268	19.3 13.5 17.8 15.1	19. 6 16. 1 15. 3 15. 0	19.5 14.6 12.3 16.1
BerlinConcord *DoverKeene.	11.780	12,134 21,724 13,251 10,178	187 436 248 181	15. 4 20. 1 18. 7 17. 8	15. 2 20. 3 18. 6 16. 7	15.5 17.2 17.4 15.6	Elmira. Fulton. Geneva. Glens Falls. Gloversville.	37, 176 10, 480 12, 446 15, 243 20, 642	37,535 10,890 12,516 15,389 21,153	562 173 161 295 335	15. 0 15. 9 12. 9 19. 2 15. 8	15.0 (1) 14.2 15.5 15.6	15.0 (8) 14.1 15.3 13.9
Laconia. Manchester Nashua. Portsmouth	10,183 70,063	10, 444 71, 662 26, 262 11, 346	154 1,302 428	14.7 18.2 16.3	17.6 18.1 17.1	17.1 17.9	Hornell. Hudson Ithaca. Jamestown	13,617 11,417	13, 733 11, 678 14, 877	213 220 285	15. 5 18. 8 19. 2 12. 7	14. 0 17. 7 15. 8 11. 2	(8) 18.9 15.6 12.0

Figures for deaths not available for the entire period.
 Based on figures for area as constituted in each year.
 Not computed.
 Not admitted to registration until a later date.
 Estimate based on enumerated populations of 1890 and 1910.

Population not estimated.
 Nonregistration state; cities shown below only those with effective local ordi-

nances.

8 Included in rural.

Table I.—POPULATION, DEATHS (EXCLUSIVE OF STILLBIRTHS), AND DEATH RATES PER 1,000 POPULATION INTHE REGISTRATION AREA AND ITS SUBDIVISIONS, BY COLOR OF DECEDENT: 1911—Continued.

	POPUL	ATION.			TH RATE			POPUL	ATION.			H RATE	
· AREA AND COLOR.	Census of Apr. 15, 1910.	Estimated as of July 1, 1911.	Deaths, 1911.	1911	An- nual aver- age: 1906 to 1910.	An- nual aver- age: 1901 to 1905.	AREA AND COLCE.	Census of Apr. 15, 1910.	Estimated as of July 1, 1911.	Deaths, 1911.	1911	An- nual aver- age: 1906 to 1910.	An- nual aver- age: 1901 to 1905.
REGISTRATION CITIES—Continued.							REGISTRATION CITIES—Continued.	•		-	-		
NEW YORK—continued.			ļ,				NORTH CAROLINA—contd.						
Johnstown Kingston Lackawanna Little Falls	25, 908 14, 549 12, 273	10,615 26,031 15,349 12,578	152 502 380 210	14.3 19.3 24.8 16.7	13.8 18.6 (1) 14.1	13.3 17.6 (2) (2)	Raleigh * (total) White Colored Wilmington (total) White. Colored	19,218 11,846 7,372 25,748 13,627 12,121	19,348 11,926 7,422 26,331 13,936	606 328 278 778 306 472	31.3 27.5 37.5 29.5 22.0	26.8 22.7 33.3 22.7 17.4	25.0 21.2 30.5 25.6 19.9
Lockport. Middletown * Mount Vernon New Rochelle	•	18,104 15,222 32,403 30,968	315 388 416 337	17. 4 25. 5 12. 8 10. 9	15. 0 21. 7 14. 1 13. 0	15.6 19.3 14.3 13.5	Colored	12, 121 17, 167 9, 336 7, 831	12,395 20,042 10,900	472 359 133 226	38.1 17.9 12.2	28. 7 (1) (1) (1)	31.6 (4) (4)
New York (total)  Bronx Borough  Brooklyn Borough  Manhattan Borough  Queens Borough	4,766,883 430,980 1,634,351	4,956,864 470,486 1,703,567	75,329 6,251 25,174 38,236 4,182	15.2 13.3 14.8	16.9 17.4 16.3	19.0 20.9 18.2	оню.	7,831	9,142	220	24.7	(4)	(1)
Kichmond Bolough	00,000	1,703,567 2,388,207 305,407 89,197	1,400	16.0 13.7 16.7	17. 4 14. 9 18. 6	19.5 16.1 19.0	Registration cities (total) - White		2,216,747 2,147,397 69,350	31,293 29,713 1,580	14.1 13.8 22.8	933	* 15.7 (5) (6)
White	426, 660 1,610,499 2,266,617 280,692	4,855,923 465,770 1,678,705 2,321,704 301,806 87,938	72, 799 6, 153 24, 528 36, 588 4, 076 1, 454	15.0 13.2 14.6 15.8 13.5 16.5	16.7 17.0 16.2 17.2 14.8 18.5	18.8 20.5 18.1 19.2 15.9 18.9	Akron Alliance. Ashtabula Bellaire Cambridge	69,067 15,083 18,266 12,946 11,327	72,289 15,857 18,929 13,193 11,704	958 163 242 165 132	13.3 10.3 12.8 12.5 11.3	(1) (1) 15.2 15.8 (1)	(4) (4) 14.9 18.5 (4)
Colored Bronx Borough Brooklyn Borough Manhattan Borough Queens Borough Richmond Borough	23, 852 64, 925	100, 941 4, 716 24, 862 66, 503 ,3, 601 1, 259	2,530 98 646 1,648 106 32	25.1 20.8 26.0 24.8 29.4 25.4	26. 5 42. 0 23. 0 26. 9 25. 1 24. 3	30. 0 46. 5 24. 5 32. 2 23. 5 25. 9	Canton Chillicothe Ciacinnati (total) White Colored		51, 996 14, 695 378, 063 357, 611 20, 452	569 229 6,225 5,627 598	10. 9 15. 6 16. 5 15. 7 29. 2	10.3 16.2 18.1 17.3 31.4	10.3 15.6 19.1 18.3 34.8
Newburgh Niagara Falls North Tonawanda Ogdensburg* Olean	27,805 30 445	28, 173 31, 440 12, 406 16, 210 15, 155	549 590 156 399 209	19.5 18.8 12.6 24.6 13.8	18. 1 16. 7 13. 2 26. 6 13. 2	18. 7 16. 2 (²) 23. 3 11. 5	Cleveland Columbus (total). White Colored Dayton	560, 663 181, 511 168, 711 12, 800 116, 577	579,013 187,255 174,050 13,205 118,301	7,999 2,671 2,415 256 1,624	13.8 14.3 13.9 19.4 13.7	14. 1 15. 1 14. 5 23. 1 15. 5	14. 9 15. 4 14. 8 24. 0 15. 1
Ossining Oswego Peekskill Plattsburg Port Chester	11,138	12, 249 23, 612 15, 751 11, 391 13, 207	193 359 259 182 204	15.8 15.2 16.4 16.0 15.4	(1) 15.9 17.3 14.2 (1)	(2) (2) 17.7 (2) (2)	East Liverpool	20, 387 14, 825 14, 858 35, 279 13, 147	20, 802 15, 563 14, 521 36, 668 13, 302	309 163 229 468 - 230	14.9 10.5 15.8 12.8 17.3	(1) (1) 13.3 14.0 15.2	(4) (4) 13.0 13.5 16.4
Poughkeepsie	218, 149 20, 497 12, 693	28, 627 10, 711 227, 103 21, 281 12, 618	562 149 3,271 493 270	19.6 13.9 14.4 23.2 21.4	18. 4 (¹) 14. 7 19. 9 20. 8	18.3 (2) 14.6 17.4 21.5	Lakewood Lancaster Lima Lorain Mansfield		16,627 13,594 31,309 30,455 21,150	190 149 - 358 337 258	11.4 11.0 12.4 11.1 12.2	(1) (1) 11.9 (1) (1)	(4) 13.9 (4) (4) (4)
Schenectady Syracuse Troy Utica*.	72, 826 137, 249 76, 813 74, 419	76, 447 142, 110 76, 947 77, 088	946 2,027 1,621 1,442	12.4 14.3 21.1 18.7	14.2 15.2 20.3 19.2	14.9 14.5 20.5 17.8	Marietta Marion. Massillon. Middletown.	12,923 18,232 13,879 13,152	12, 871 19, 011 14, 114 13, 633	187 230 137 175	14.5 12.1 9.7 12.8	12.5 (1) 11.3 12.0	15.0 (4) 11.9 11.4
Watertown Watervliet White Plains Yonkers	26,730 15,074 15,949 79,803	27,090 15,220 17,012 84,360	451 263 290 1,204	16.6 17.3 17.0 14.3	17.3 16.7 (1) 15.3	14. 9 16. 7 (2) 16. 3	Newark Norwood Piqua Portsmouth	25, 404 16, 185 13, 388 23, 481	26, 192 17, 371 13, 536 25, 667	311 157 165 404	11. 9 9. 0 12. 2 15. 7	12.3 (1) (1) 14.8	14.0 (4) (4) 15.1
NORTH CAROLINA. Registration cities (total). White	149,045 92,025 57,020	155, 772 96, 004 59, 768	3,246 1,585 1,661	20.8 16.5 27.8	(1) (1)	<sup>3</sup> 25. 4 <sup>3</sup> 20. 4 <sup>3</sup> 31. 2	Sandusky Springfield (total) White Colored Steubenville	19, 989 46, 921 41, 976 4, 945 22, 391	20, 027 47, 784 42, 748 5, 036 23, 374	289 620 541 79 325	14.4 13.0 12.7 15.7 13.9	(1) (1) (1)	(4) (4) (4) (4) (4)
Asheville (total) White Colored Charlotte (total) White Colored	18, 762 13, 401 5, 361 34, 014 22, 259 11, 755	19, 136 13, 668 5, 468 34, 737 22, 732 12, 005	338 - 233 105 517 273 244	17.7 17.0 19.2 14.9 12.0 20.3	(H)	(4) (4) (4) (4) (4) (4)	Tiffin. Toledo Warren Youngstown Zanesville	11,894 168,497 11,081 79,066 28,026	12,004 172,983 11,356 82,960 28,578	157 2,578 150 1,206 504	13. 1 14. 9 13. 2 14. 5 17. 6	12.0 14.9 (1) 14.9	13.2 14.3 (4) 15.9 (4)
Durham (total)	18,241 11,372 6,869 15,895	19,567 12,199 7,368 16,611 10,643 5,968	351 155 196 ~ 297 157	17.9 12.7 26.6 17.9 14.8 23.5	EEEEE	(4) (4) (4) (4) (4)	OREGON.6  Portland (total)	207,214 198,953 8,261	219, 915 211, 148 8, 767	2,390 2,300	10.9 10.9	10.3 10.3 9.3	10.2 10.3 9.2

<sup>1</sup> Figures for deaths not available for the entire period.
2 Included in rural.
3 Based on figures for area as constituted in each year.
4 Not admitted to registration area until a later date.

 Not computed.
 Nonregistration state; cities shown below only those with effective local ordinances.

7 Colored population less than 10 per cent of total.

TABLE I.—POPULATION, DEATHS (EXCLUSIVE OF STILLBIRTHS), AND DEATH RATES PER 1,000 POPULATION IN THE REGISTRATION AREA AND ITS SUBDIVISIONS, BY COLOR OF DECEDENT: 1911—Continued.

	POPUL	ATION.			TH RAT			POPUL	ATION.			H RATE	
AREA AND COLOR.	Census of Apr. 15, 1910.	Estimated as of July 1, 1911.	Denths, 1911.	1911	An- nual aver- age: 1906 to 1910.	An- nual aver- age: 1901 to 1905.	AREA AND COLOR.	Census of Apr. 15, 1910.	Estimated as of July 1, 1911.	Deaths, 1911.	1911	An- nual aver- age: 1906 to 1910.	An- nual aver- age: 1901 to 1905.
REGISTRATION CITIES—Continued.							REGISTRATION CITIES—Continued.						
PENNSYLVANIA.							PENNSYLVANIA—continued.						
Registration cities (total). White	3,653,461 3,507,665 145,796	3,739,670 3,590,611 149,059	57,909 54,769 3,140	15.5 15.3 21.1	1 17.0 (2) (2)	1 17.9 (2) (2)	Washington. West Chester (total) White. Colored.	18,778 11,767 9,888 1,879	19,182 12,041 10,118 1,923	260 237 192 45	13.6 19.7 19.0 23.4	(1) 19.9 17.9 30.3	(3) (3) (3) (3)
Allentown Altoona Beaver Falls Rethlehem Braddock	51,913 52,127 12,191 12,837 19,357	53,653 53,285 12,452 13,090 19,810	824 621 166 181 352	15.4 11.7 13.3 13.8 17.8	15. 9 13. 2 13. 0 (1) 22. 9	16.1 16.7 (3) (3) (3) (3)	Wilkes-Barre. Wilkinsburg. Williamsport. York.	67,105 18,924 31,860 44,750	68, 986 19, 656 32, 239 46, 091	1,072 252 519 659	15.5 12.8 16.1 14.3	15.8 14.2 16.3 14.7	(3) (3) 13.8 (3)
Bradford. Butler Carbondale. Carlisle (total). White. Colored	20, 728	14,485 22,055 17,467 10,385 9,254 1,131	212 241 294 171 143 28	14.6 10.9 16.8 16.5 15.5 24.8	13.3 14.6 17.3 15.7 14.5 25.0	(3) (3) 17. 2 16. 3 15. 3 23. 7	RHODE ISLAND.  Registration cities (total).  White  Colored	437,627 429,094 8,533	450,869 442,103 8,766	7,052 6,832 220	15.6 15.5 25.1	1 16.8 (2) (2)	1 17.9° (2) (2)
Carnegie		10,336 11,890 39,092 34,211 4,881	92 195 603 511 92	8.9 16.4 15.4 14.9 18.8	(4) 16.5 16.1 14.4 27.5	(3) (3) (3) (3) (3)	Central Falls Cranston Cumberland town East Providence town Newport	22,754 7 21,107 10,107 15,808 27,149	23,573 7 21,983 10,287 16,317 27,671	328 8 537 138 206 364	13. 9 7 24. 4 13. 4 12. 6 13. 2	16. 1 9 25. 0 13. 7 14. 6 13. 8	16.6 (10) (10) (10) (10) 15.9
Coatesville (total)	1	11,740 10,130 1,610 11,341 13,352	127 104 23 144 189	10.8 10.3 14.3 12.7 14.2	(4) (4) (4) 13.8 (4)	(3) (3) (3) (3) 15.4 (8)	Pawtucket. Providence. Warwick town. Woonsocket	51,622 224,326 26,629 38,125	53,664 230,692 27,088 39,594	830 3,599 475 575	15.5 15.6 17.5 14.5	15.9 17.6 16.7 14.4	16.6 18.8 (10) 16.1
Duhois Dunmore Duquesne Easton Erie	12, 623 17, 615 15, 727 28, 523 66, 525	13,019 18,230 16,545 28,912 68,211	133 319 181 486 1,102	10. 2 17. 5 10. 9 16. 8 16. 2	11.5 15.9 15.8 15.9 15.1	14.4 (3) (3) (3) (3) 14.8	Charleston (total) White. Colored. TENNESSEE, <sup>11</sup>	58,833 27,764 31,069	59,202 27,938 31,264	1,770 518 1,252	29.9 18.5 40.0	27.5 17.2 36.5	29.7 19.3 38.2
Greensburg Harrisburg Hazleton Homestead Johnstown	13,012 64,186 25,452 18,713 55,482	13, 232 65, 650 25, 831 19, 423 57, 758	208 990 337 230 830	15.7 15.1 13.0 11.8 14.4	(4) 14.4 13.8 16.3 15.2	(3) 15.6 14.3 (3) 15.4	Registration cities (total). White Colored	277,815 181,128 96,687	281, 226 183, 331 97, 895	5,787 2,963 2,824	20.6 16.2 28.8	1 19.8 (4) (4)	1 20.3 1 16.7 1 25.5
Lancaster Lebanon McKees Rocks McKeesport Mahanoy City	47,227 19,240 14,702 42,694 15,936	47, 932 19, 437 15, 723 43, 607 16, 233	694 307 165 634 278	14.5 15.8 10.5 14.5 17.1	14.6 15.8 (4) 19.6 17.5	14.6 (3) (3) 19.4 21.7	Knoxville (total).  White. Colored. Memphis (total). White. Colored Nashville (total) White. Colored	36,346 28,706 7,640 131,105 78,590 52,515 110,364	36,799 29,064 7,735 133,036 79,748 53,288 111,391	666 440 226 2,836 1,330 1,506 2,285	18.1 15.1 29.2 21.3 16.7 28.3 20.5	(1) (4) (4) 20.6 16.1 27.0 19.3	(3) (3) (3) 19.4 16.5 22.9 21.5
Meadville Monessen Mount Carmel Nanticoke New Castle	12,780 11,775 17,532 18,877 36,280	12,961 12,947 18,063 19,703 37,189	174 139 191 286 534	13.4 10.7 10.6 14.5 14.4	15.1 (4) 13.9 15.5 15.3	14.0 ( <sup>3</sup> ) 18.1 ( <sup>3</sup> ) 14.9	White	73, 832 36, 532	111,391 74,519 36,872	1,193 1,092 4,097	16.0 29.6 22.5	15. 2 27. 2	17.0 29.6
Norristown* North Braddock Oil City Old Forge Philadelphia (total)	27,875 11,824 15,657 11,324	28,561 12,470 17,666 12,020	624 142 213 167	21.8 11.4 12.1 13.9	23. 2 (4) 12. 3	23.5 (3) (3) (3) (8) (8) 18.1	White	152,282 20,592 39,279	160, 273 21, 486	3,600 497	22.5 22.5 23.1 29.8	(2) (2)	1 21.5 1 20.7
Colored	1,463,384 85,624	1,580,248 1,492,897 87,351	26,276 24,251 2,025	16. 6 16. 2 23. 2	(4) 17.7 17.2 27.8	18.1 17.5 30.1	Galveston (total)	36,981 28,895 8,086 96,614	41,918 37,930 29,636 8,294 101,911 90,505	1,248 704 509 195 2,145	18.6 17.2 23.5 21.0	(12) (12) (12) 20. 7	(3) (3) (8) (8) 21.4 21.5
Phoenixville Pittsburgh (total) White Colored Pittston	10,743 533,905 508,010 25,895 16,267	10, 931 542, 480 516, 169 26, 311 16, 720	8,099 7,656 443 280	17.6 14.9 14.8 16.8 16.7	18.0 5 18.0 6 17.5 6 24.9 18.9	(3) 5 19.9 6 19.5 6 31.0 (3)	San Antonio (total) White Colored	85,801 10,813	90,505 11,406	1,897 248	21.0 21.7	20.8 19.9	21.5 20.7
Plymouth	16,996 15,599 20,236 96,071	17, 404 15, 831 20, 789 98, 163	252 211 387 1,408	14.5 13.3 18.6 14.3	15.3 14.8 18.3 14.9	15.6 14.7 16.9 15.9	Registration cities (total). White Colored	118,357 116,415 1,942 25,580	123, 627 121, 597 2, 030 26, 713	1,461 1,424 37	11.8 11.7 18.2 11.8	(4) (4) (4)	1 16.0 (2) (2) (2)
Seranton	129,867 19,588	133,126 20,057	1,974 251	14.8 12.5	16.3 13.7	16.2	Salt Lake City	92,777	96,914	1,145	11.8	(4) 14.2	(3) 16.0
Sharon. Shenandoah. South Betblehem South Sharon.	15,270 25,774 19,973 10,190	15,801 26,441 20,796 10,190	190 506 308 112	12.0 19.1 14.8 11.0	16.5 19.3 15.9 (4)	(3) (3) (8) 14.5 (8)	VERMONT.  Registration cities (total). White Colored	44,748 44,605 143	45,500 45,356 144	813 808 5	17.9 17.8 34.7	1 17.5 (2) (2)	1 17.5 (2) (2)
SteeltonSunburyUniontownWarren	14,246 13,770 13,344 11,080	14,497 14,254 16,577 11,414	188 181 217 102	13.0 12.7 13.1 8.9	16.0 12.6 (4) 12.1	17.1 (8) (8) (8) (8)	Barre. Burlington. Rutland	10,734 20,468 13,546	11,013 20,691 13,796	158 426	14.3 20.6	13.3 21.0	15.2 19.0

<sup>1</sup> Based on figures for area as constituted in each year.
2 Not computed.
5 Not admitted to registration area until a later date.
6 Figures for deaths not available for the entire period.
5 Including Allegheny for the years 1901 to 1907.
6 Excluding Allegheny for the years 1901 to 1907.
7 Including state institutions.

Including 317 deaths from state institutions.

9 Including state institutions for the years 1907 to 1910.

10 Included in rural.

11 Nonregistration state; cities shown below only those with effective local ordinates. nances.

12 Population not estimated.

TABLE I.—POPULATION, DEATHS (EXCLUSIVE OF STILLBIRTHS), AND DEATH RATES PER 1,000 POPULATION IN THE REGISTRATION AREA AND ITS SUBDIVISIONS, BY COLOR OF DECEDENT: 1911—Continued.

	POPUL	ATION.			TH RATI			POPUL	ATION.			H RATE POPULA	
AREA AND COLOR.	Census of Apr. 15, 1910.	Estimated as of July 1, 1911.	Deaths, 1911.	1911	An- nual aver- age: 1906 to 1910.	An- nual aver- age: 1901 to 1905.	AREA AND COLOR.	Census of Apr. 15, 1910.	Estimated as of July 1, 1911.	Deaths, 1911.	1911	An- nual aver- age: 1906 to 1910.	An- nual aver- age: 1901 to 1905.
REGISTRATION CITIES—Continued.		-					RURAL PART OF REGISTRATION STATES.9		-				ì
VIRGINIA.1					Ì		CALIFORNIA.						
Registration cities (total). White Colored	317, 924 207, 255 110, 669	336, 534 219, 206 117, 328	6, 934 3, 429 3, 505	20.6 15.6 29.9	<sup>2</sup> 22.1 (3) (3)	<sup>2</sup> 22. 0 <sup>2</sup> 17. 1 <sup>2</sup> 29. 6	Total White Colored	1,110,619 1,048,233 62,386	1,155,696 1,090,691 65,005	14,383 13,667 716	12.4 12.5 11.0	2 12. 4 (7) (7)	(4) (4)
Alexandria (total)	15,329 11,132	15,426 11,202	309 178	20. 0 15. 9	21. 4 17. 4	21.9 18.4	Alameda County	32, 140 309	35, 661 285	629	17. 6 10. 5	15. 5 7. 5	•(4)
		4,224	131	31.0	31.6	30.0	Alpine County † Amador County. Butte County. Calaveras County.	9,086 27,301	285 8,839 28,547 8,924	153 399 95	17.3 14.0	10.1 17.5	4) (4) (4) (4)
Danville (total)	19,020 12,811 6,209	19, 202 12, 934 6, 268	395 238 157	20.6 18.4 25.0	(3) (3)	44			7,777	107	10.6	13.4	
Lynchburg (total)	1 1	29, 996 20, 364 9, 632	567 307 260	18.9 15.1 27.0	17.5 13.2 25.9	20.3 15.3 28.1	Colusa County † Contra Costa County Del Norte County † Eldorado County Fresno County	31, 674 2, 417 7, 492 50, 765	33,342 2,419 7,310 54,275	326 18 132 595	9.8 7.4 18.1 11.0	11.3 10.8 16.7 10.6	<b>e</b>
Norfolk (total)		81,701 51,300 30,401	1,756 721 1,035	21.5 14.1 34.0	23. 2 16. 9 33. 4	19. 2 14. 4 26. 3	Glenn County † Humboldt County † Imperial County †	7,172 22,012 13,591	7,419 22,286 14,479	69 174 142	9.3 7.8 9.8	6. 6 8. 5 (3) 3. 8	(4) (4) (4) (4) (4)
Petersburg (total)	24, 127 13, 112	24, 409 13, 265	628 274 354	25.7 20.7	27.0 19.7	25. 5 19. 9	Inyo County † Kern County	6,974 24,988	7, 292 27, 018	27 195	3.7 7.2	3. 8 10. 8	.(3)
Richmond (total)		11,144 129,290 81,932 47,358	2,718 1,372 1,346	21.0 16.7 28.4	35.5 522.5 617.4 629.9	31. 6 23. 4 18. 5 31. 7	Kings County. Lake County. Lassen County † Los Angeles County. Madera County †	16, 230 5, 526 4, 802 126, 626	17,008 5,467 4,838 138,327	183 82 22 1,869	10.8 15.0 4.5 13.5	10.3 13.5 6.2 12.7	(4) (4) (4) (4)
Roanoke (total)	34.874	36,510 28,209 8,301	561 339 222	15. 4 12. 0 26. 7	(1) (1) (4)	(4) (4) (4)	Madera County †  Marin County	8,368	8, 613 26, 266 3, 863	234 28	8.4 8.9 7.2	8.8 10.7 11.0	
Washington.							Mendocino County * Merced County	23, 929 15, 148	24,353 15,874	330 130	13.6 8.2	12.6 9.1	(4) (4) (4) (4)
Registration cities (total). White Colored		557, 171 542, 112 15, 059	5, 451 5, 293 158	9. 8. 9. 8 10. 5	(3) (3) (3)	2 10. 2 (7) (7)			6,327 2,028 24,729	37 11 270	5.4 10.9	6.5 2.2 11.6	
Aberdeen Bellingham Everett North Yakima	13,660 24,298 24,814 14,082	14,872 25,917 26,891 15,418	114 239 240 212	7.7 9.2 8.9 13.8	(3) (3) (3)	-	Mono County † Monterey County Napa County * Nevada County. Orange County.		20, 210 14, 609 36, 239	547 226 466 271	27.1 15.5 12.9	24. 8 15. 9 10. 8	4
Seattle. Spokane Tacoma. Walla Walla.	237, 194 104, 402 83, 743 19, 364	252, 782 112, 433 88, 455 20, 403	2, 234 1, 299 893 220	8.8 11.6 10.1 10.8	9.8 12.8 11.5 (3)	9.3 11.3 10.9 (4)	Placer County † Plumas County Riverside County Sacramento County San Benito County	18, 237 5, 259 19, 484 23, 110 8, 041	18,537 5,332 20,655 23,903 8,213	52 213 337 94	14.6 9.8 10.3 14.1 11.4	14.6 11.8 18.2 10.9	(4) (4) (4) (4) (4)
WEST VIRGINIA. <sup>1</sup> Wheeling (totai) White Colored <sup>3</sup> .	41,641 40,433 1,208	41,978 40,760 1,218	737 714 23	17.6 17.5 18.9	17.5 ( <sup>7</sup> )	16. 6 (7) (7)	San Bernardino County* San Diego County † San Joaquin County San Luis Obispo County San Mateo County	33, 478 22, 087 27, 478 19, 383 26, 585	35, 499 23, 439 28, 645 19, 719 28, 358	507 249. 485 204 258	14.3 . 10.6 16.9 10.3 9.1	16. 2 10 5. 6 16. 4 11. 4 10. 3	(4) (4) (4) (4) (4)
wisconsin.  Registration cities(total). White	752, 948 750, 499 2, 449	783, 668 781, 125 2, 543	9,941 9,903 38	12.7 12.7 14.9	(3) (3) (3)	2 12.7 (7) (7)	Santa Barbara County Santa Clara County * Santa Cruz County Shasta County. Sierra County	16,079 54,593 14,994 18,920 4,098	16,536 53,785 14,889 19,115 4,107	115 904 179 223 42	7.0 16.8 12.0 11.7 10.2	12.9 15.6 14.5 15.6 12.2	(4) (4) (4) (4) (4)
Appleton Ashland Beloit Eau Claire Fond du Lac	16,773 11,594 15,125 18,310 18,797	16,718 10,869 15,687 18,205 19,171	216 209 164 283 273	12.9 19.2 10.5 15.5 14.2	(3) (3) 11. 3 13. 4 (3)	11.5 (4) 13.2 11.3 (4)	Siskiyou County Solano County Sonoma County Stanislaus County	18, 801 16, 219 48, 394 22, 522	19, 025 16, 225 49, 607 24, 108	166 179 692 242	8.7 11.0 14.0 10.0	10.5 12.6 13.5 9.1	(1) (4) (4) (4)
Green Bay Janesville Kenosha La Crosse Madison	25, 236 13, 894 21, 371 30, 417 25, 531	25, 825 13, 924 22, 600 30, 748 25, 835	524 219 301 419 305	20.3 15.7 13.3 13.6 11.8	17.8 (3) (3) (3) (3) 11.1	13.8 (4) (4) (4) (4) 10.6	Sutter County Tehama County Trinity County Tulare County † Tuolumne County †	6,328 11,401 3,301 35,440 9,979	6,381 11,450 3,170 37,528 9,834	67 145 52 349 140	10.5 12.7 16.4 9.3	9.8 14.5 12.7 8.3	(1) (1) (2) (3)
Manitowoc. Marinette. Milwaukee. Oshkosh	13, 027 14, 610 373, 857 33, 062	13, 099 14, 427 395, 567 33, 678	155 194 4,727 462	11.8 13.4 12.0 13.7	( <sup>3</sup> ) 11.5 13.7 ( <sup>3</sup> )	13. 2 11. 7 13. 2 (4)	Ventura County Yolo County Yuba County COLORADO.	18,347 13,926 10,042	18, 833 13, 963 10, 216	265 204 178	14.1 14.6 17.4	11. 6 13. 0 16. 9	(4) (4) (4) (4)
Racine. Sheboygan. Superior Wausau .	38,002 26,398 40,384 16,560	41,917 26,985 41,333 17,080	459 308 472 251	11. 0 11. 4 11. 4 14. 7	(3) (3) 10.7 (3)	(4) (4) 10.6 (4)	Total White Colored	501, 966 495, 817 6, 149	521,764 515,370 6,394	6,088 5,975 113	11.7 11.6 17.7	2 12. 6 (7) (7)	(4) (4) (4)

<sup>&</sup>lt;sup>1</sup> Nonregistration state; cities shown below only those with effective local ordi-

nances.

2 Based on figures for area as constituted in each year.

3 Figures for deaths not available for the entire period.

4 Not admitted to registration area until a later date.

5 Including Manchester for the years 1908 to 1910.

<sup>&</sup>lt;sup>6</sup> Excluding Manchester for the years 1908 to 1910.
<sup>7</sup> Not computed.
<sup>8</sup> Colored population less than 10 per cent of total.
<sup>9</sup> Exclusive of municipalities having a population of 10,000 or over in 1910.
<sup>10</sup> Including Imperial County.

Table I.—POPULATION, DEATHS (EXCLUSIVE OF STILLBIRTHS), AND DEATH RATES PER 1,000 POPULATION IN THE REGISTRATION AREA AND ITS SUBDIVISIONS, BY COLOR OF DECEDENT: 1911—Continued.

	i		í l	<u> </u>		-	t or this table.	1			1		
	POPUL	ATION.			TH RATI			POPUL	ATION.		DEAT 1,000	POPULA	PER TION.
AREA AND COLOR.	Census of Apr. 15, 1910.	Estimated as of July 1, 1911.	Deaths, 1911.	1911	An- nual aver- age: 1906 to 1910.	An- nual aver- age: 1901 to 1905.	AREA AND COLOR.	Census of Apr. 15, 1910.	Estimated as of July 1, 1911.	Deaths, 1911.	1911	An- nual aver- age: 1906 to 1910.	An- nual aver- age: 1901 to 1905.
RURAL PART OF REGISTRATION STATESContinued.							RURAL PART OF REGISTRATION STATES —Continued.						
colorado—continued.							connecticut—continued.						
Adams County †	3,302 2,516 5,043	9,498 11,002 3,448 2,732 5,288	65 131 30 25 85	6.8 11.9 8.7 9.2 16.1	12.0 10.1 10.2 4.9 15.8	(2) (2) (2) (2) (2) (2)	New Haven County	48,169 43,375 26,459 35,757	48,918 43,940 26,695 35,638	727 739 373 538	14.9 16.8 14.0 15.1	14. 2 16. 5 14. 1 16. 0	14.4 15.8 15.4 15.9
Boulder County Chaffee County Cheyenne County † Clear Creek County Conejos County †.	30,330 7,622 3,687 5,001 11,285	31,405 7,688 4,077 4,748 11,590	340 111 21 67 64	10.8 14.4 5.2 14.1 5.5	15.1 18.5 3.2 16.1 6.0	(2) (2) (2) (2) (2) (2)	INDIANA. Total. White Colored.	19,759	1,880,051 1,860,723 19,328	23,372 22,966 406	12.4 12.3 21.0	7 12. 4 (8) (8)	7 12.6 (8) (8)
Costilla County † Custer County Delta County Dolores County † Douglas County	5 400	5,604 1,827 14,692 583 3,201	12 23 110 6 32	2.1 12.6 7.5 10.3 10.0	0.8 13.2 8.9 6.8 8.5	(2) (2) (2) (2) (2) (2)	Adams County Allen County Bartholomew County Benton County Blackford County	21,840 29,453 24,813 12,688 15,820	21, 793 29, 342 24, 838 12, 635 15, 650	183 298 336 112 195	8. 4 10. 2 13. 5 8. 9 12. 5	10.1 9.4 13.1 8.9 11.1	11.0 9.3 13.5 9.5 13.1
Eagle County El Paso County Elbert County † Fremont County to		2,983 14,920 5,604 18,492 10,671	33 253 37 253 120	11. 1 17. 0 6. 6 13. 7 11. 2	13.6 17.1 4.5 14.4 14.7	(2) (2) (2) (2) (2) (2)	Boone County Brown County Carroll County Cass County * Clark County		24,473 7,762 17,729 17,191 19,699	281 76 186 261 259	11. 5 9. 8 10. 5 15. 2 13. 1	12.3 12.2 12.6 14.2 13.5	12.2 12.7 10.9 11.9 12.9
Gilpin County Grand County † Gunnison County. Hinsdale County † Huerfano County.	4,131 1,862 5,897 646	3,819 1,999 5,966 529 13,922	50 4 52 6 203	13.1 2.0 8.7 11.3 14.6	13.4 9.9 11.4 13.4 17.0	(2) (2) (2) (2) (2) (2)	Clay County Clinton County Crawford County Daviess County Dearborn County	32,535 26,674 12,057 27,747 21,396	32,322 26,488 11,885 27,483 21,300	423 297 156 329 270	13.1 11.2 13.1 12.0 12.7	12.3 12.9 12.7 11.8 13.3	11.7 13.8 13.4 13.8 14.1
Jackson County †	1,013 14,231 2,899 7,483	1,081 14,833 3,168 8,205 11,277	6 281 19 43 138	5.6 18.9 6.0 5.2 12.2	(3) 17.4 5.6 5.1 12.2	(2) (2) (2) (2) (2) (2)	Decatur County. Dekalb County. Delaware County Dubois County. Elkhart County.	18,793 25,054 27,409 19,843 29,726	18,705 24,975 27,362 19,781 29,708	262 270 298 233 371	14.0 10.8 10.9 11.8 12.5	14.0 11.9 10.1 10.9 13.0	14.9 11.3 11.2 12.5 11.9
Lake County Larimer County. Las Animas County Lincoln County † Logan County †	10,600 25,270 23,439	9,689 26,929 24,288 6,527 10,314	219 238 365 33 99	22.6 8.8 15.0 5.1 9.6	20.1 413.1 18.7 5.0 7.4	(2) (2) (2) (2) (2) (2)	Fayette County Floyd County Fountain County Franklin County Fulton County	14,415 9,664 20,439 15,335 16,879	14,526 9,683 20,316 15,207 16,809	208 126 250 197 202	14.3 13.0 12.3 13.0 12.0	12.5 11.8 12.6 12.7 11.7	13.7 10.9 12.3 14.3 12.4
Mesa County Mineral County † Montezuma County † Montrose County Morgan County	22,197 1,239 5,029	23,778 1,157 5,269 10,994 10,348	215 13 25 90 89	9.0 11.2 4.7 8.2 8.6	10.8 11.0 6.2 10.6 9.3	(2) (2) (2) (2) (2) (2)	Gibson County. Grant County. Greene County. Hamilton County Hancock County.	19,000	30,139 31,569 37,892 26,674 19,011	399 519 437 339 251	13. 2 16. 4 11. 5 12. 7 13. 2	12.8 15.5 12.8 12.0 14.0	13. 2 15. 7 13. 8 12. 5 13. 8
Otero County Ouray County Park County † Phillips County † Pitkin County	20, 201 3, 514 2, 492 3, 179	5 21, 262 3, 366 2, 431 3, 373 4, 267	<sup>5</sup> 364 38 30 18 49	5 17.1 11.3 12.3 5.3 11.5	16.9 15.8 8.0 8.3 12.0	(2) (2) (2) (2) (2) (2)	Harrison County Hendricks County Henry County Howard County Huntington County	20, 232 20, 840 29, 758 16, 167 18, 710	20,053 20,786 30,327 16,038 18,660	199 233 404 175 192	9.9 11.2 13.3 10.9 10.3	11.9 13.1 12.5 10.5 12.0	12.4 12.4 13.6 10.9 10.4
Prowers County Pueblo County * Rio Blanco County † Rio Grande County Routt County †	9,520 7,828 2,332 6,563	10, 223 8, 078 2, 410 6, 866 6 8, 037	139 354 23 113 6 65	13.6 43.8 9.5 16.5 68.1	13.7 29.4 6.6 13.6 6.1	(2) (2) (2) (2) (2) (2)	Jackson County Jasper County Jay County Jefferson County* Jennings County	24,727 13,044 24,961 20,483 14,203	24, 494 12, 892 24, 734 20, 186 14, 014	311 135 311 348 182	12. 7 10. 5 12. 6 17. 2 13. 0	14.1 10.6 12.4 16.4 13.4	14.5 9.0 12.5 15.9 13.9
Saguache County † San Juan County San Miguel County Sedgwick County † Summit County	4,700 3,061	4,197 3,151 4,618 3,316 1,913	56 54 69 19 16	13.3 17.1 14.9 5.7 8.4	9.1 23.1 17.1 7.2 11.8	(2) (2) (2) (2) (2) (2)	Johnson County Knox County Kosciusko County Lagrange County Lake County	20,394 24,288 27,936 15,148 26,039	20, 413 24, 561 27, 794 15, 133 28, 647	244 280 365 194 309	12.0 11.4 13.1 12.8 10.8	13.1 11.5 11.6 12.4 12.5	13.3 11.5 11.6 12.7 9.8
Teller County. Washington County † Weld County Yuma County †	14,351 6,002 39,177	12,559 6,489 41,913 9,150	219 33 362 61	17. 4 5. 1 8. 6 6. 7	12.9 4.8 9.9 4.6	(2) (2) (2) (2) (2)	Laporte County Lawrence County Madison County Marion County Marshall County	16,245 30,625 31,720 30,011 24,175	16, 261 31, 222 31, 048 31, 708 24, 061	209 445 378 364 282	12.9 14.3 12.2 11.5 11.7	12.9 13.8 11.3 13.9 11.5	13.1 13.6 11.8 15.6 11.6
CONNECTICUT. Total White Colored	362,532 358,280 4,252	366, 823 362, 518 4, 305	5, 528 5, 447 81	15. 1 15. 0 18. 8	7 14. 9 (8) (8)	7 15.1 (8) (8)	Martin County Miami County Monroe County Monroe County Montgomery County Morgan County	12,950 18,440 23,426 29,296 21,182	12,735 18,422 23,736 29,286 21,269	143 220 287 352 277	11. 2 11. 9 12. 1 12. 0 13. 0	12.4 12.8 13.2 12.6 13.7	13.4 12.5 12.8 13.5 13.0
Fairfield County Hartford County Litchfield County Middlesex County  1 Exclusive of municipe		51,172 81,805 53,691 24,904	825 1,158 828 340		15. 4 13. 5 15. 4 14. 6	15.6 14.3 15.1 15.0	Newton County. Noble County. Ohio County. Orange County. Owen County.	14,053	10,509 24,067 4,281 17,233 13,919	90 266 53 221 167	8.6 11.1 12.4 12.8 12.0	9.3 11.7 14.0 12.7 11.0	11.0 11.5 13.7 12.7 12.3

<sup>&</sup>lt;sup>1</sup> Exclusive of municipalities having a population of 10,000 or over in 1910.

<sup>2</sup> Not admitted to registration area until a later date.

<sup>3</sup> Figures for deaths not available for the entire period.

<sup>4</sup> Including Jackson County.

<sup>6</sup> Including Crowley County, organized May 29, 1911. 6 Including Moffat County, organized Mar. 27, 1911. 7 Based on figures for area as constituted in each year. 8 Not computed.

TABLE I.—POPULATION, DEATHS (EXCLUSIVE OF STILLBIRTHS), AND DEATH RATES PER 1,000 POPULATION IN THE REGISTRATION AREA AND ITS SUBDIVISIONS, BY COLOR OF DECEDENT: 1911—Continued.

			, ,				1 of this table.			ı.	<u> </u>		
	POPUL	ation.			POPUL			POPUL	ATION.			H RATE POPULA	
AREA AND COLOR.	Census of Apr. 15, 1910.	Estimated as of July 1, 1911.	Deaths, 1911.	1911	An- nual aver- age: 1906 to 1910.	An- nual aver- age: 1901 to 1905.	AREA AND COLOR.	Census of Apr. 15, 1910.	Estimated as of July 1, 1911.	Deaths, 1911.	1911	An- nual aver- age: 1906 to 1910.	An- nual aver- age: 1901 to 1905.
RURAL PART OF REGISTRATION STATES —Continued.							RURAL PART OF REGISTRATION STATES —Continued.						
INDIANA—continued.							KENTUCKY—continued.						
Parke County Perry County Pike County Porter County Posey County	22,214 18,078 19,684 20,540 21,670	22,119 17,994 19,587 20,706 21,590	260 231 249 230 289	11.8 12.8 12.7 11.1 13.4	12.5 11.3 14.0 11.8 12.9	12.7 13.5 16.0 13.1 14.8	Bracken County (total) White Colored 3 Breathitt County † (total)	10,308 9,969 339 17,540	10,085 9,753 332 17,933	149 144 5	14.8 14.8 15.1 6.9	(2) (2) (2)	(2)
Pulaski County Putnam County Randolph County Ripley County Rush County	13,312 20,520 29,013	13,224 20,403 29,056 19,400 19,253	148 250 326 285 232	11.2 12.3 11.2 14.7 12.1	10.4 12.8 11.7 12.0 11.7	9.7 13.0 12.6 12.0 12.4	White Colored 3 Breekinridge County (total) White Colored 3	17,379 261 21,034 19,452 1,582	17, 666 267 21, 095 19, 508 1, 587	258 227 31	7.0 12.2 11.6 19.5	(2) (2) (2) (2) (2) (2) (2)	(2) (2) (2) (2) (2) (2)
St. Joseph County Scott County Shelby County Spencer County Starke County	8.323	15,514 8,324 26,839 20,465 10,582	216 120 352 267 125	13.9 14.4 13.1 13.0 11.8	11.8 13.0 13.1 11.4 11.9	13.4 14.1 13.3 12.4 12.6	Bullitt County (total)	9,487 8,808 679 15,805 15,244 561	9,474 8,796 678 15,795 15,234 561	170 151 19 135 126 9	17.9 17.2 28.0 8.5 8.3 16.0	(2) (2) (2) (2) (2) (2) (2)	(2) (2) (2) (2) (2) (2)
Steuben County. Sullivan County. Switzerland County Tippecance County Tipton County	32, 439 9, 914 19, 982 17, 459	14,160 33,225 9,679 19,914 17,258	182 410 123 279 196	12.9 12.3 12.7 14.0 11.4	12.8 12.1 15.2 12.4 12.3	11.9 13.6 13.1 11.2 12.2	Caldwell County (total) White Colored Calloway County (total) White Colored 3	14,063 11,543 2,520 19,867 18,798 1,069	14,009 11,499 2,510 20,141 19,057	170 123 47 258 242 16	12.1 10.7 18.7 12.8 12.7 14.8	(2) (2) (2) (2) (2) (2) (2)	(2) (2) (2) (2) (2) (2) (3)
Union County. Vanderburg County * Vermilion County. Vigo County.	1	6,201 7,245 19,306 31,781	79 234 279 412	12.7 32.3 14.5 13.0	12.0 27.1 13.5 11.1	13.2 18.0 14.4 9.6	Campbell County (total) White Colored 3	29,060 28,886 174	1,084 29,445 29,269 176	382 373 9	13.0 12.7 51.1	(2) (2) (2) (2) (2) (2) (2)	(2) (2) (3) (3) (3) (4) (4) (4) (4) (4) (4) (4) (4) (4) (4
Wabash County Warren County Warrick County Washington County	26,926 10,899 21,911 17,445	26,767 10,843 21,861 17,206	320 131 293 214	12.0 12.1 13.4 12.4	11.6 11.2 12.3 12.7	11.7 10.0 12.6 13.1	Carlisle County (total) White	i	8,908 8,521 387	104 100 - 4	11.7 11.7 10.3	''	1
Wayne County * Wells County . White County Whitley County	22,418	21,566 22,293 17,415 16,839	355 210 211 204	16.5 9.4 12.1 12.1	15.5 11.4 9.8 10.9	14.7 11.5 10.8 11.4	Carroll County (total)	8,110 7,580 530 21,966 21,856 110	7,901 7,385 516 22,179 22,068 111	126 119 7 202 199	15.9 16.1 13.6 9.1 9.0 27.0	(2) (2) (2) (2) (2) (3) (4) (4) (5) (6) (7)	(2) (2) (2) (2) (2) (2) (2)
KENTUCKY. TotalWhiteColored		1,897,967 1,705,730 192,237	23,473 19,643 3,830	12.4 11.5 19.9	(2) (2) (2) (2)	(2) (2) (2)	Casey County (total)	15, 479 15, 201 278 38, 845	15,521 15,242 279 38,953	176 173 3 733	11.3 11.4 10.8 18.8	(2) (2) (2) (2) (2) (2) (2)	(2) (2) (2) (2) (2) (2) (2)
Adair County (total) White Colored <sup>2</sup> Allen County (total). White. Colored <sup>2</sup>	16,503 15,028 1,475 14,882 13,972	16,701 15,208 1,493 14,909 13,997	213 179 34 209 181	12.8 11.8 22.8 14.0 12.9	(2) (2) (2) (2) (2) (2) (2)	(2) (2) (2) (2) (2) (2)	Clark County (total) White	22, 888 15, 957 17, 987 13, 519	22,952 16,001 18,146 13,639	385 348 253 173	16.8 21.7 13.9 12.7	1	1
Anderson County (total) White	10,146 9,412 734	10,158 9,423 735	28 114 96	30.7 11.2 10.2 24.5	(2) (2)	(2)	Colored. Clay County (total) White. Colored 3.	4,468 17,789 17,295	4,507 18,086 17,584 502	80 166 164 2	17.8 9.2 9.3 4.0	(2) (2) (2) (2) (2) (2) (2)	(2) (2) (2) (2) (2) (2) (2)
Ballard County (total) White Colored Barren County (total)	12,690 11,105 1,585 25,293	12,926 11,312 1,614	18 133 118 15	10.3 10.4 9.3	(2)	(2) (2) (2) (2)	Clinton County (total) White Colored 3 Crittenden County (total)	8,153 8,059 94 13,296 12,708	8,187 8,093 94 13,066 12,488	78 78 137 127	9.5 9.6 10.5 10.2	(2) (2) (2) (2) (2) (2) (2)	(2) (2) (2) (2) (2) (3)
White	21,703 3,590 13,988 12,652	25,550 21,924 3,626 13,898 12,571	277 70 173 143 30	12.6 19.3 12.4 11.4	(2) (2) (2) (2) (2) (2) (2) (2) (2) (2)	(2) (2) (2) (2) (2) (2) (2)	White	588 9,846 8,822	578 9,954 8,919	10 104 83	17.3 10.4 9.3	''	i
Beli County (total) White Colored Boone County (total)	28,447 25,527	1,327 30,006 26,926 3,080	290 241 49	9.7 9.0 15.9		999999	Colored Daviess County (total) White Colored 3	1,024 25,009	1,035 24,953 22,904 2,049	21 282 264 18	20.3 11.3 11.5 8.8	(2) (2) (2) (3) (4) (4)	(2) (2) (2) (2) (3) (2) (3) (4)
Boone County (total) White	8,942 478 17,462	9,207 8,740 467 17,389	129 121 8 283	14.0 13.8 17.1		''	Edmonson County (total) White	10,469 10,030 439 9,814	10,517 10,076 441 9,744	92 73 19 122	8.7 7.2 43.1 12.5	(2) (2) (2) (2) (2) (3) (4) (4)	(2) (2) (2) (2) (2) (2)
White	11,819 5,643 23,444	17,389 11,770 5,619 24,008 23,153 855	283 158 125 373 356 17	16.3 13.4 22.2 15.5 15.4 19.9	22222	(2) (2) (2) (2) (2) (2)	Colored 3 Estill County (total)	9,809 5 12,273 12,167	9,739 5 12,347 12,240	122  103 100	12.5 8.3 8.2		
Boyle County (total) White	14,668	14,772 10,590 4,182	205 125	13.9 11.8	(2) (2) (2) (2)	(2) (2) (2) (2)	White	106 12,616	107 12,239 8,487 3,752	159 93	28.0 13.0 11.0 17.6	(2) (2) (2) (2) (3) (3) (4)	(2) (2) (2) (2) (2) (2)

<sup>&</sup>lt;sup>1</sup> Exclusive of municipalities having a population of 10,000 or over in 1910.
<sup>2</sup> Not admitted to registration area until a later date.

<sup>&</sup>lt;sup>2</sup> Colored population less that 10 per cent of total.

50

## MORTALITY STATISTICS.

-POPULATION, DEATHS (EXCLUSIVE OF STILLBIRTHS), AND DEATH RATES PER 1,000 POPULATION IN THE REGISTRATION AREA AND ITS SUBDIVISIONS, BY COLOR OF DECEDENT: 1911—Continued.

**	<u> </u>		l l	Ī				[			İ		
	POPUL	ATION.	1	1,000	POPUL.	E PER ATION.		POPUL	ATION.			POPULA	
AREA AND COLOR.	Census of Apr. 15, 1910.	Estimated as of July 1, 1911.	Deaths, 1911.	1911	An- nual aver- age: 1906 to 1910.	An- nual aver- age: 1901 to 1905.	AREA AND COLOR.	Census of Apr. 15, 1910.	Estimated as of July 1, 1911.	Deaths, 1911.	1911	An- nual aver- age: 1906 to 1910.	An- nual. aver- age: 1901 to 1905.
RURAL PART OF REGISTRATION STATES —Continued.			4				RURAL PART OF REGISTRATION STATES L—Continued.						
KENTUCKY—continued.							KENTUCKY—continued.						
Fleming County (total) White Colored 3 Floyd County† (total) White Colored 3	16,066 15,039 1,027 18,623 18,478 145	15, 943 14, 924 1, 019 18, 999 18, 851 148	220 200 20 126 125	13.8 13.4 19.6 6.6 6.6 6.8	(2) (2) (2) (2) (2) (2) (2)	(2) (2) (2) (2) (2) (2) (2)	Kenton County (total) White Colored 3. Knott County† (total) White Colored 3.	17, 085 16, 755 330 10, 791 10, 632 159	17,646 17,292 354 11,046 10,883 163	182 178 4 74 71 3	10.3 10.3 11.3 6.7 6.5 18.4	(2) (2) (2) (2) (2) (2) (2)	(2) (2) (2) (2) (2) (2) (2)
Franklin County (total) White Colored 3 Fulton County (total) White Colored	10,670 9,775 895 14,114 10,758 3,356	10,585 9,716 869 14,429 10,998 3,431	101 84 17 233 166 67	9.5 8.6 19.6 16.1 15.1 19.5	(2) (2) (2) (2) (2) (2) (2)	(2) (2) (2) (2) (2) (2)	Knox County (total).  White Colored <sup>3</sup> . Larue County (total).  White Colored <sup>3</sup> .	22,116 21,050 1,066 10,701 9,916 785	22, 696 21, 602 1, 094 10, 694 9, 910 784	291 270 21 134 119 15	12.8 12.5 19.2 12.5 12.0 19.1	(2) (2) (2) (2) (2) (2) (2)	(2) (2) (2) (2) (2) (2) (2)
Gallatin County (total) White Colored 3 Gerrard County (total) White Colored	4, 697 4, 423 274 11, 894 9, 610 2, 284	4,641 4,370 271 11,876 9,595 2,281	51 50 1 190 140 50	11.0 11.4 3.7 16.0 14.6 21.9	(2) (2) (2) (2) (2) (2) (2)	(2) (2) (2) (2) (2) (2) (2)	Laurel County† (total) White Colored 3. Lawrence County (total) White Colored 3.	19,872 19,210 662 20,067 19,904 163	20, 150 19, 479 671 20, 122 19, 959 163	129 123 6 190 186 4	6.4 6.3 8.9 9.4 9.3 24.5	(2) (2) (2) (2) (2) (2) (2)	(2) (2) (2) (2) (2) (2) (2)
Grant County (total)	10,581 10,289 292 33,539 30,638 2,901	10, 256 9, 973 283 33, 581 30, 676 2, 905	122 120 2 487 421 66	11.9 12.0 7.1 14.5 13.7 22.7	(2) (2) (2) (2) (2) (2) (2)	(2) (2) (2) (2) (2) (2) (2)	Lee County (total)  White Colored 3. Leslie County† (total).  White Colored 3.	9,531 9,297 234 8,976 8,844 132	9,719 9,480 239 9,247 9,111 136	70 68 2 63 62 1	7.2 7.2 8.4 6.8 6.8 7.4	(2) (2) (2) (2) (2) (2)	(2) (2) (2) (2) (2) (2) (2)
Grayson County (total) White Colored <sup>3</sup> Green County (total) White Colored	19,958 19,625 333 11,871 10,528 1,343	19,968 19,635 333 11,825 10,487 1,338	253 247 6 157 128 29	12.7 12.6 18.0 13.3 12.2 21.7	(2) (2) (2) (2) (2) (2) (2)	(2) (2) (2) (2) (2) (2) (2)	Letcher County (total) White Colored <sup>2</sup> Lewis County (total) White Colored <sup>2</sup>	10,623 10,606 17 16,887 16,746 141	10,799 10,782 17 16,768 16,628 140	85 75 10 260 253 7	7. 9 7. 0 (4) 15. 5 15. 2 50. 0	(2) (2) (2) (2) (2) (2) (2)	(2) (2) (2) (2) (2) (2) (2)
Greenup County (total) White. Colored 3 Hancock County (total) White. Colored 3	18,475 18,208 267 8,512 7,946 566	18,848 18,576 272 8,464 7,901 563	258 255 3 107 102 5	13.7 13.7 11.0 12.6 12.9 8.9	(2) (2) (2) (2) (2) (2) (2)	(2) (2) (2) (2) (2) (2) (2)	Lincoln County (total) White Colored. Livingston County (total) White Colored 3.	17, 897 14, 942 2, 955 10, 627 9, 957 670	17, 998 15, 026 2, 972 10, 539 9, 875 664	260 198 62 152 135 17	14. 4 13. 2 20. 9 14. 4 13. 7 25. 6	(2) (2) (2) (2) (2) (2) (2)	(2) (2) (2) (2) (2) (2)
Hardin County (total).  White Colored 3 Harlan County† (total) White Colored 3	22, 696 20, 870 1, 826 10, 566 10, 002 564	22, 667 20, 843 1, 824 10, 655 10, 086 569	328 278 50 70 65 5	14. 5 13. 3 27. 4 6. 6 6. 4 8. 8	(2) (2) (2) (2) (2) (2) (2)	(2) (2) (2) (2) (2) (2)	Logan Couny (total) White	24,977 19,623 5,354 9,423 7,623 1,800	24, 853 19, 526 5, 327 9, 435 7, 633 1, 802	344 239 105 122 78	13.8 12.2 19.7 12.9 10.2 24.4	2) (2) (2) (2) (2) (2) (2)	(1) (2) (3) (3) (3) (4) (4) (4) (4) (4) (4) (4) (4) (4) (4
Harrison County (total) White Colored. Hart County (total) White Colored.	1,751	16, 667 14, 937 1, 730 18, 147 16, 159 1, 988	259, 208 51 236 192 44	15.5 13.9 29.5 13.0 11.9 22.1	(2) (2) (2) (2) (2) (2)	(2) (2) (2) (2) (2) (2)	McCracken County (total) White Colored McLean County (total) White. Colored 3	12,304 10,417 1,887 13,241 12,491 750	12, 674 10, 719 1, 955 13, 337 12, 582 755	149 122 27 197 183 14	11.8 11.4 13.8 14.8 14.5 18.5	(2) (2) (2) (2) (2) (2)	(2) (2) (2) (2) (2) (2)
Henderson County (total).  White.  Colored  Henry County (total).  White.  Colored	17, 900 14, 098 3, 802 13, 716 11, 924 1, 792	17, 322 13, 659 3, 663 13, 606 11, 828 1, 778	218 152 66 182 138 44	12.6 11.1 18.0 13.4 11.7 24.7	(2) (2) (2) (2) (2) (2)	(2) (2) (2) (2) (2) (2) (2)	Madison County (total) White Colored. Magoffin County (total) White. Colored 3	26, 951 21, 248 5, 703 13, 654 13, 508 146	27, 115 21, 377 5, 738 13, 854 13, 706 148	310 207 103 186 183 3	11.4 9.7 18.0 13.4 13.4 20.3	(2) (2) (2) (2) (2) (2) (2)	(2) (2) (2) (2) (2) (2)
Hickman County (total) White Colored Hopkins County (total) White Colored	11,750 9,984 1,766 34,291 27,718 6,573	11,751 9,985 1,766 34,694 28,044 6,650	174 136 38 491 854 137	14.8 13.6 21.5 14.2 12.6 20.6	(2) (2) (2) (2) (2) (2) (2)	(2) (2) (2) (2) (2) (2) (2)	Marion County (total)	16, 330 14, 064 2, 266 15, 771 15, 636	16, 334 14, 067 2, 267 16, 024 15, 887	235 174 61 193 192 1	14.4 12.4 26.9 12.0 12.1 7.3	(2) (2) (2) (2) (2) (2) (2)	(2) (2) (2) (2) (2) (2) (2)
Jackson County (total) White. Colored 3 Jefferson County *(total) White. Colored.	10, 734 10, 712 22 38, 992 33, 719 5, 273	10, 754 10, 732 22 39, 187 33, 905 5, 282	77 77 539 432 107	7. 2 7. 2 13. 8 12. 7 20. 3	(2) (2) (2) (2) (2) (2) (2) (2)	(2) (2) (2) (2) (2) (2) (2)	Martin County (total)	7, 291 7, 287 4 18, 611 15, 741 2, 870	7, 475 7, 471 4 18, 388 15, 552 2, 836	69 69 318 250 68	9. 2 9. 2 17. 3 16. 1 24. 0	(2) (2) (2) (2) (2) (2) (2)	(2) (2) (2) (2) (2) (2)
Jessamine County (total) White Colored Johnson County (total) White Colored 3	12, 613 9, 650 2, 963 17, 482 17, 435 47	12,696 9,714 2,982 17,941 17,893 48	237 236	13. 2 11. 0 20. 1 13. 2 13. 2 20. 8	(2) (2) (2) (2) (2) (2) (2)	(2) (2) (2) (2) (2) (2) (2)	Meade County (total) White Colored * Menifee County† (total) White Colored *	9,783 9,128 655 6,153 6,113 40	9, 693 9, 044 649 6, 072 6, 033	112 101 11 34 33 1	11.6 11.2 16.9 5.6 5.5 25.6	(2) (2) (2) (2) (2) (2) (2)	(2) (2) (2) (2) (2) (2) (2)

Exclusive of municipalities having a population of 10,000 or over in 1910.
 Not admitted to registration area until a later date.

Colored population less than 10 per cent of total.
 Not computed, basis of population being too small.

'fable I.—POPULATION, DEATHS (EXCLUSIVE OF STILLBIRTHS), AND DEATH RATES PER 1,000 POPULATION IN THE REGISTRATION AREA AND ITS SUBDIVISIONS, BY COLOR OF DECEDENT: 1911—Continued.

			"	····			d of this table.]						
	POPUL	ATION.			TH RAT			POPUI	ATION.			TH RATI POPUL	
AREA AND COLOR.	Census of Apr. 15, 1910.	Estimated as of July 1, 1911.	Deaths, 1911.	1911	An- nual aver- age: 1906 to 1910.	An- nual aver- age: 1901 to 1905.	AREA AND COLOR.	Census of Apr. 15, 1910.	Estimated as of July 1, 1911.	Deaths, 1911.	1911	An- nual aver- age: 1906 to 1910.	An- nual aver- age: 1901 to 1905.
RURAL PART OF REGISTRATION STATES—Continued.	•	•					RURAL PART OF REGISTRATION STATES —Continued.						
KENTUCKY—continued.				ļ			KENTUCKY—continued.						,
Mercer County (total) White Colored Metcalfe County (total) White Colored 3	2,171 10,453	14,020 11,856 2,164 10,509 9,711 798	194 140 54 136 116 20	13.8 11.8 25.0 12.9 11.9 25.1	(2) (2) (2) (2) (2) (2) (2)	(2) (2) (2) (2) (2) (2)	Spencer County (total) White Colored. Taylor County (total) White Colored.	7,567 6,809 758 11,961 10,532 1,429	7,586 6,826 760 12,068 10,626 1,442	94 86 8 150 118 32	12.4 12.6 10.5 12.4 11.1 22.2	(2) (2) (2) (2) (2) (2) (2)	(2) (2) (2) (2) (2) (2)
Monroe County (total)	9,674 3,194	13,736 13,007 729 12,871 9,676 3,195	183 170 13 164 98 66	13.3 13.1 17.8 12.7 10.1 20.7	(2) (2) (2) (2) (2) (2) (2)	(2) (2) (2) (2) (2) (2) (2)	Todd County (total)	16,488 11,145 5,343 14,539 11,217 3,322	16,381 11,073 5,308 14,595 11,260 3,335	256 167 89 84 55 29	15.6 15.1 16.8 5.8 4.9 8.7	(2) (2) (3) (3) (2) (2)	(2) (2) (2) (2) (2) (2) (2)
Morgan County (total) White Colored 3 Muhlenberg County (total). White Colored	16,259 16,225 34 28,598 25,687 2,911	16,683 16,648 35 29,558 26,549 3,009	191 191 396 338 58	11.4 11.5 13.4 12.7 19.3	(2) (2) (2) (2) (2) (2) (2)	(2) (2) (2) (2) (2) (2)	Trimble County (total) White Colored 3 Union County (total) White Colored	6,512 6,370 142 19,886 17,472 2,414	6,419 6,279 140 19,711 17,318 2,393	78 73 5 258 209 49	12.2 11.6 35.7 13.1 12.1 20.5	(2) (2) (2) (2) (2) (2) (2)	(2) (2) (2) (2) (2) (2) (2)
Nelson County (total). White Colored Nicholas County (total) White. Colored 8	16,830 13,895 2,935 10,601 9,705 896	16,859 13,919 2,940 10,437 9,555 882	268 184 84 146 121 25	15.9 13.2 28.6 14.0 12.7 28.3	333333	9 9 9 9 9 9	Warren County (total) White Colored Washington County (total). White Colored	30,579 24,466 6,113 13,940 12,161 1,779	30,652 24,524 6,128 13,911 12,136 1,775	437 319 118 170 131 39	14.3 13.0 19.3 12.2 10.8 22.0	2) 2) 2) 2) 2) 2) 3) 3) 3) 3)	(2) (2) (2) (2) (2) (2) (2) (2)
Ohio County (total)	27,642 26,354 1,288 7,248 6,170 1,078	27,685 26,395 1,290 7,268 6,187 1,081	351 329 22 111 91 20	. 12.7 12.5 17.1 15.3 14.7 18.5	(2) (2) (2) (2) (2) (2) (2)	(2) (2) (2) (2) (2) (2) (2)	Wayne County (total) White Colored <sup>3</sup> Webster County (total) White Colored	17,518 16,779 739 20,974 18,331 2,643	17,838 17,086 752 21,080 18,424 2,656	175 154 21 256 217 39	9.8 9.0 27.9 12.1 11.8 14.7	(2) (2) (2) (2) (2) (2) (2)	(2) (2) (2) (2) (2) (2)
Owen County (total).  White. Colored 3. Owsley County (total) White. Colored 3.	14,248 13,305 943 7,979 7,904 75	13,845 12,929 916 8,113 8,037 76	149 131 18 68 66 2	10.8 10.1 19.7 8.4 8.2 26.3	(2) (2) (2) (2) (2) (2) (2)	(2) (2) (2) (2) (2) (2) (2)	Whitley County (total) White Colored * Wolle County (total) White Colored *	31,982 30,859 1,123 9,864 9,808 56	32,833 31,680 1,153 9,998 9,941 57	285 271 14 85 84 1	8.7 8.6 12.1 8.5 8.5 17.5	(2) (2) (2) (3) (3) (2)	(2) (2) (2) (2) (2) (2)
Pendleton County (total). White. Colored 3. Perry County (total). White Colored 2.	11,985 11,724 261 11,255 11,041 214	11,623 11,370 253 11,618 11,397 221	158 146 12 121 105 16	13.6 12.8 47.4 10.4 9.2 72.4	(2) (2) (2) (3) (3) (4) (2)	(2) (2) (2) (2) (2) (2) (2)	Woodford County (total) White	12,571 8,847 3,724 575,938	12,503 8,799 3,704 579,307	183 106 77 8,917	14. 6 12. 0 20. 8	(2) (2) (2) 4 15. 4	(2) (2) (2) (2) .j
Pike County (total)	31,679 31,347	32,778	355	10.8		1	Total	574, 267 1, 671	577,626 1,681	8,911	15. 4 3. 6	(5) (6)	(5)
White	6,268 5,931 337	32,434 344 6,248 5,912 336	346 9 40 36 4	10.7 26.2 6.4 6.1 11.9	(2) (2) (2) (2) (2) (2) (2) (2)	(2) (2) (2) (2) (2) (2) (2)	Androscoggin County Aroostook County Cumberland County Franklin County	18,511 74,664 53,443 19,119	18,633 76,367 53,797 19,202	261 913 834 261	14.0 12.0 15.5 13.6	15.7 13.4 15.4 15.7	14.9 12.3 15.9 15.2
Pulaski County (total) White Colored 3 Robertson County (total) White Colored 3	35,986 34,799 1,187 4,121 4,051 70	36,560 35,354 1,206 4,027 3,959 68	413 390 23 59 57	11.3 11.0 19.1 14.7 14.4	(2) (2) (2) (3) (3) (4) (3) (4) (4) (4) (4) (4) (4) (4) (4) (4) (4	(2) (2) (2) (2) (2) (2) (2)	Hancock County Kennebec County Knox County Lincoln County	35,575 38,194 28,981 18,216	35,372 38,226 28,807 18,039	551 623 561 345	15.6 16.3 19.5 19.1	15.0 16.7 16.4 16.0	14. 1 17. 1 16. 2 15. 4
Rockcastle County (total). White. Colored 8 Rowan County (total)	14,473 14,348 125	14,724 14,597 127	169 168 1	29.4 11.5 11.5 7.9	1	1	Oxford County	36,256 60,482 19,887 18,574	36,747 61,227 20,245 18,360	606 952 275 299	16.5 15.5 13.6 16.3	16.3 15.6 12.9 16.4	16.4 16.1 13.6 16.1
Colored 3	9,438 9,379 59	9,579 9,519 60	122 120 2	12.7 12.6 33.3	(2) (2) (2) (2) (2) (2) (2)	(2) (2) (2) (2) (2) (2) (2)	Somerset County. Waldo County. Washington County. York County.	36,301 23,383 42,905 51,447	36,600 23,286 42,621 51,778	539 438 621 838	14.7 18.8 14.6	14.5 16.6 14.8	15.8 16.2 14.2
Russell County (total)  White. Colored S Scott County (total)  White. Colored	10,861 10,654 207 16,956 12,912 4,044	11,003 10,793 210 16,820 12,808 4,012	143 139 4 221 153 68	13.0 12.9 19.0 13.1 11.9 16.9	(2) (2) (2) (2) (2) (2) (2)	(2) (2) (2) (2) (3) (2) (3) (4) (4) (4) (4) (4) (4) (4) (4) (4) (4	MARYLAND, Total	688,104 544,167 143,937	694,108 549,488 144,620	9,339 6,580 2,759	12.0	17.3 4 12.8 4 11.6 4 17.3	(2) (2) (2) (2)
Shelby County (total)	18,041 14,050 3,991 11,460	18,005 14,022 3,983	261 176 85	14.5 12.6.	(2) (2) (2) (2) (2) (2) (2) (2)	200000000000000000000000000000000000000	Allegany County (total) White	40,572 40,121 451	41,062 40,613 449	311 299 12	7.6 7.4 26.7	8. 4 8. 3 16. 1	(2) (2) (2)
Colored. Simpson County (total) White Colored 1 Exclusive of municipali	9,295 2,165	11,441 9,280 2,161		13.0 11.0 21.7			(total)	39,553 25,396 14,157	39,546 25,392 14,154	723 387 336	18.3 15.2 23.7	15. 0 11. 8 20. 6	(2) (2) (2),

 <sup>1</sup> Exclusive of municipalities having a population of 10,000 or over in 1910.
 2 Not admitted to registration area until a later date.
 5 Colored population less than 10 per cent of total.

 $<sup>^{4}</sup>$  Based on figures for area as constituted in each year.  $^{5}$  Not computed.

TABLE I.—POPULATION, DEATHS (EXCLUSIVE OF STILLBIRTHS), AND DEATH RATES PER 1,000 POPULATION IN THE REGISTRATION AREA AND ITS SUBDIVISIONS, BY COLOR OF DECEDENT: 1911—Continued.

	<del></del> .		1 1	1		1	of this table.			1 ,			
	POPUL	ATION.		DEA'	TH RATI	PER LTION.	-	POPUL	ATION.			H RATE POPULA	
AREA AND COLOR.	Census of Apr. 15, 1910.	Estimated as of July 1, 1911.	Deaths, 1911.	1911	An- nual aver- age: 1906 to 1910.	An- nual aver- age: 1901 to 1905.	AREA AND COLOR.	Census of Apr. 15, 1910.	Estimated as of July 1, 1911.	Deaths, 1911.	1911	An- nual aver- age: 1906 to 1910,	An- nual aver- age: 1901 to 1905.
RURAL PART OF REGISTRATION STATES —Continued.							RURAL PART OF REGISTRATION STATES —Continued.						
MARYLAND—continued.							MASSACHUSETTS—contd.						
Baltimore County* (total). White Colored Calvert County (total). White Colored	12,616 10,325	126, 215 113, 200 13, 015 10, 338 5, 286	1,836 1,617 219 145 50	14.5 14.3 16.8 14.0 9.5	14.7 14.3 18.3 14.6 11.9	(2) (2) (2) (2) (2) (2) (2)	Franklin County. Hampden County. Hampshire County Middlesex County*	33,173 43,268 43,896 118,852	32,923 44,407 44,259 120,739	488 630 585 <b>2,</b> 233	14.8 14.2 13.2 18.5	14.5 15.7 14.7 18.9	15. 4 15. 8 14. 4 18. 7
Caroline County (total) White Colored Carroll County* (total) White Colored *	19, 216	5,052 19,579 14,700 4,879 33,943	95 277 176 101 485	18.8 14.1 12.0 20.7 14.3	17.5 13.2 11.1 19.5 14.3	(2) (2) (2) (2) (2) (2) (2)	Nantacket County Norfolk County * Plymouth County * Worcester County * MICHIGAN.		2,969 100,802 76,851 134,405	1,349 1,205 2,181	17.5 13.4 15.7 16.2	23.1 13.9 15.9 15.9	21. 2 14. 5 15. 5 16. 1
		31,929 2,014	436 49	13.7 24.3	14.0 19.6		Total White. Coored.	1,766,427 1,752,356 14,071	1,777,512 1,763,459 14,053	22,638 22,309 329	12.7 $12.7$ $23.4$	4 13.1 (5) (5)	4 12.7 (5) (6)
Cecil County (total)		23, 649 20, 331 3, 318 16, 231 7, 739 8, 492	336 269 67 282 101 181	14. 2 13. 2 20. 2 17. 4 13. 1 21. 3	13.6 12.5 20.0 15.2 12.2 17.8	(2) (2) (2) (2) (2) (2) (2)	Alcona County Alger County Allegan County Alpena County Antrim County	5,703 7,675 39,819 7,259 15,692	5,707 7,910 39,998 7,242 15,700	63 68 509 70 204	11.0 8.6 12.7 9.7 13.0	11.5 12.0 13.7 10.1 13.6	10.0 11.2 12.9 11.4 13.0
Dorchester County (total) White Colored Frederick County (total) White Colored	28, 669 19, 247 9, 422 42, 262 38, 331 3, 931	28,755 19,305 9,450 42,219 38,298 3,921	491 255 236 483 416 67	17.1 13.2 25.0 11.4 10.9 17.1	15.3 12.8 20.4 11.6 10.9 18.7	(2) (2) (2) (2) (2) (2) (2)	Arenac County. Baraga County. Barry County. Bay County. Benzie County.	9,640 6,127 22,633 23,072 10,638	9,529 6,338 22,758 23,127 10,608	104 67 296 250 143	10.9 10.6 13.0 10.8 13.5	11.1 12.7 12.8 10.7 12.8	10.1 11.3 12.4 10.7 12.6
Garrett County † (total) White Colored * Hariord County (total) White Colored	20, 105 19, 998 107 27, 965	20,399 20,290 109 27,929	144 144 356 266	7.1 7.1 12.7 11.7	6.4 6.4 10.9 13.3 12.3	(2) (2) (2) (2) (2) (2) (2)	Berrien County. Branch County. Calhoun County Cass County Charlevoix County	53,622 25,605 31,371 20,624 19,157	54, 493 25, 443 31,500 20,746 19,749	679 353 446 309 238	12.5 13.9 14.2 14.9 12.1	13.4 14.7 13.6 14.3 12.5	12.4 13.9 13.6 13.8 12.7
Howard County (total)	16,106	22,820 5,109 16,033	90 216 155	17.6 13.5 12.6	17.6 14.3 12.8		Cheboygan County Chippewa County Clare County Clare County	17,872 11,857 9,240	17,998 12,099 9,249 22,702	215 99 97	11.9 8.2 10.5	13.4 9.5 12.1	11.8 10.5 10.5
White Colored White White Colored Colored Colored	3,774 16,957 10,795 6,162	12,276 3,757 16,734 10,653 6,081	61 287 147 140	16. 2 17. 2 13. 8 23. 0	19. 4 16. 2 13. 0 21. 7	(2) (2) (2) (2) (2) (2)	Clinton County. Crawford County.  Delta County. Dickinson County.	23, 129 3, 934 16, 914 20, 524	17,116 20,850	300 48 167 206	13. 2 12. 2 9. 8 9. 9	12.8 12.3 11.1 12.0	12.3 11.8 9.9 13.0
Montgomery County (total) White Colored	32,089 22,847 9,242	32, 289 22, 989 9, 300	332 204 128	10.3 8.9 13.8	10.9 9.3 14.8	(2) (2) (2)	Eaton County Emmet County Genesee County	30, 499 18, 561 26, 005	30, 457 18, 697 25, 622	441 216 399	14.5 11.6 15.6	14.3 13.0 14.9	13. 9 13. 8 13. 7
Prince Georges County (to- tal). White. Colored.	36, 147 24, 644 11, 503	36,911 25,165 11,746	507 299 208	13.7 11.9 17.7	14, 2 11, 6 19, 4	(2) (2) (2)	Gladwin County † Gogebic County Grand Traverse County Gratiot County Hillsdale County	8, 413 10, 512 11, 669 28, 820 29, 673	8,375 11,178 11,608 28,468 29,641	91 130 121 320 441	10.9 11.6 10.4 11.2 14.9	9.8 16.0 13.3 12.4 13.9	7.6 17.6 11.8 11.9 13.3
Queen Annes County (total) White Colored St. Marys County†(total) White Colored	11,023 5,816 17,030 9,726	16,653 10,901 5,752 17,012 9,716 7,296	305 143 162 115 66 49	18.3 13.1 28.2 6.8 6.8 6.7	15.4 12.7 20.5 4.8 5.0 4.6	(2) (2) (2) (2) (2) (2)	Houghton County Huron County Ingham County Ionia County* Ioseo County	88,098 34,758 22,081 33,550 9,753	91, 691 34, 721 21, 824 33, 329 9, 593	1,001 384 295 430 89	10.9 11.1 13.5 12.9 9.3	12.4 10.8 13.0 13.6 12.0	13.3 10.4 14.1 13.1 11.1
Somerset County (total) White. Colored. Talbot County (total) White. Colored.	16,978 9,477 19,620	26, 519 17, 019 9, 500 19, 532 12, 783 6, 749	336 177 159 342 175 167	12.7 10.4 16.7 17.5 13.7 24.7	10.3 9.2 12.2 15.9 12.1 22,8	(2) (2) (2) (2) (2) (2) (2)	Iron County Isabella County Jackson County Kalamazoo County Kalamazoo County	15, 164 23, 029 21, 993 20, 990 8, 097	16, 447 22, 808 22, 028 21, 198 8, 197	187 215 307 249 94	11.4 9.4 13.9 11.7 11.5	12.0 11.8 14.3 13.2 14.8	10.9 10.7 13.2 13.3 13.0
Washington County (total). White. Colored 3. Wicomico County (total) White.	33,110 32,122 988 26,815 20,504	33,302 32,315 987 27,299 20,874	388 371 17 346 267	11.7 11.5 17.2 12.7 12.8	12.0 11.7 21.4 11.7 11.0	(2) (2) (2) (2) (2) (2) (2)	Kent County Keweenaw County Lake County Lapeer County Leelanau County	46,574 7,156 4,939 26,033 10,608	47, 357 7, 692 4, 927 25, 824 10, 564	820 99 60 378 144	17.3 12.9 12.2 14.6 13.6	15.9 13.5 11.3 14.5 14.8	14.8 10.7 11.0 14.3 12.2
Colored	6,311 21,841 14,814	6, 425 21, 959 14, 894 7, 065	79 296 160 136	12.3 13.5 10.7 19.3	13.8 11.9 10.2 15.6	(2) (2) (2) (2)	Lenawee County. Livingston County Luce County * Mackinac County Macomb County	37,144 17,736 4,004 9,249 32,606	36, 883 17, 549 4, 028 9, 454 32, 506	473 242 84 99 484	12.8 13.8 20.9 10.5 14.9	13.8 14.0 25.0 12.4 14.7	13. 9 13. 2 20. 0 10. 6 13. 8
massachusetts.							Manistee County	14 307	14,274	172	12.1	11.8	12.0
Total	760,036 753,079 6,957	771,338 764,365 6,973	11,993 11,829 164	15.5 15.5 23.5	4 15. 9 ( <sup>6</sup> ) ( <sup>6</sup> )	4 16.0 (5) (6)	Marquette County Mason County Mecosta County Menominee County	22, 788 21, 832 19, 466 15, 141	23,831 22,288 19,313 15,094	312 241 249 134	13.1 10.8 12.9 8.9	11.5 12.0 13.9 9.5	11.8 11.6 12.8 9.5
Barnstable County. Berkshire County Bristol County. Dukes County Essex County*		27,715 37,946 53,770 4,494 90,058				18.6 14.6 15.1 19.0 16.5	Midland County Missaukee County Monroe County Montcalm County Montmorency County  A Roard on for	3,755	13,876 10,676 32,917 31,825 3,804	-		12.4 11.4 12.8 13.6 13.4	11. 2 10. 9 12. 4 12. 4 11. 6

Exclusive of municipalities having a population of 10,000 or over in 1910.
 Not admitted to registration area until a later date.
 Colored population less than 10 per cent of total.

 $<sup>^{4}</sup>$  Based on figures for area as constituted in each year.  $^{5}$  Not computed.

Table I.—POPULATION, DEATHS (EXCLUSIVE OF STILLBIRTHS), AND DEATH RATES PER 1,000 POPULATION IN THE REGISTRATION AREA AND ITS SUBDIVISIONS, BY COLOR OF DECEDENT: 1911—Continued.

*							<u> </u>						
	POPUL	ATION.			TH RATI			POPUI	ATION.			TH RATI	
AREA AND COLOR.	Census of Apr. 15, 1910.	Estimated as of July 1, 1911.	Deaths, 1911.	1911	An- nual aver- age: 1906 to 1910.	An- nual aver- age: 1901 to 1905.	AREA AND COLOR.	Census of Apr. 15, 1910.	Estimated as of July 1, 1911.	Deaths, 1911.	1911	An- nual aver- age: 1906 to 1910.	An- nual aver- age: 1901 to 1905.
RURAL PART OF REGISTRATION STATES —Continued.							RURAL PART OF REGISTRATION STATES—Continued.						
MICHIGAN—continued.							MINNESOTA—continued.						
Muskegon County. Newaygo County Oakland County Oceana County Ogemaw County	16,515 19,220 35,044 18,379 8,907	16,523 19,384 35,184 18,514 8,864	194 222 490 204 91	11.7 11.5 13.9 11.0 10.3	11.6 12.3 14.6 12.6 12.2	11.9 12.0 13.2 12.3 10.9	Lyon County McLeod County Mahnomen County † Marshall County Martin County	18,691	15,611 18,537 3,171 15,992 17,502	165 170 38 155 144	10.6 9.2 12.0 9.7 8.2	(2) (2) (2) (2) (2) (2)	(3) (3) (3) (3) (3)
Ontonagon County Osceola County Oscoda County † Otsego County Ottawa County	8,650 17,889 2,027 6,552 34,811	8,954 17,737 2,054 6,411 35,136	100 194 16 92 449	11.2 10.9 7.8 14.4 12.8	12.2 11.1 11.1 12.8 11.8	13.4 11.8 5.9 12.7 11.7	Meeker County	17,022 10,705 24,053 22,640 11,755	16,792 10,910 23,923 22,712 11,764	185 100 203 228 88	11.0 9.2 8.5 10.0 7.5	(2) (2) (2) (2) (2)	(3) (8) (3) (3) (3)
Presque Isle County Roscommon County † Saginew County St. Clair County St. Joseph County	11,249 2,274 38,780 33,478 25,499	11,326 2,385 38,722 33,040 25,965	134 21 429 388 379	11.8 8.8 11.1 11.7 14.6	13.1 10.1 11.3 13.6 13.9	10.1 13.6 11.5 13.1 13.8	Nicollet County * Nobles County Norman County Olmsted County * Otter Tail County *	14,125	13,922 15,247 13,122 22,518 45,494	209 146 103 514 587	15.0 9.6 7.8 22.8 12.9	(2) (2) (2) (2) (2)	(3) (3) (3) (3) (3)
Sanilac County. Schoolcraft County. Shiawassee County Tuscola County.		33,738 8,691 33,151 34,698	384 73 421 438	11.4 8.4 12.7 12.6	10.9 12.2 13.4 11.9	11.3 11.8 13.0 12.2	Pennington County Pine County Pinestone County Polk County Polk County Pope County	1	9,374 16,128 9,527 35,702	88 159 74 277	9.4 9.9 7.8 7.8	(2) (2) (2) (2) (2)	(3) (8); (3) (3) (3)
Van Buren County	29, 897	32,819 29,429 68,324 21,088	485 363 1,280 269	14.8 12.3 18.7 12.8	13.5 12.9 17.8 13.5	13.6 13.6 16.3 12.7	Ramsey County Red Lake County Redwood County Renville County Rice County	8,931 5 15,940 18,425	12,594 8,838 6,563 18,274 22,899 25,828	123 100 46 147 189	9.8 11.3 7.0 8.0 8.3	(2) (2) (2) (2) (2) (2) (2)	(3)
Total. White Colored	1,420,871 1,410,981 9,890	1,426,853 1,416,933 9,920	14,256 14,051 205	10.0 9.9 20.7	(2) (2) (2)	(3) (3) (3)	. :	· ·	25,828 10,344 11,374 81,068	189 343 97 102	13.3 9.4 9.0		<b>!</b>
Aitkin County Anoka County * Becker County Beltrami County Benton County	10,371 12,493 18,840 19,337	10,576 12,586 18,853 20,580	83 162 214 255 97	7.8 12.9 11.4 12.4	(2) (2) (2) (2) (2) (2)	(3) (3) (8) (3) (3)	Rock County Roseau County St. Louis County Scott County Sherburne County		14,838 7,350	769 143 85	9.5 9.6 11.6	(2) (2) (2) (2) (2)	(3) (3) (3) (3)
		9,341 18,660	112 199	9.3 12.0 10.7	í		Sibley County Stearns County Steele County. Stevens County	15,540 39,122 16,146 8,293	15,339 39,038 16,036 8,065	147 313 170 66	9.6 8.0 10.6 8.2	(2) (2) (2) (2)	(3) (3) (3)
Big Stone County Biue Earth County Brown County Cartton County Carver County		20,039 17,901 17,391 11,766	234 158 150 87	11.7 8.8 8.6 7.4	(2) (2) (2) (2) (2) (2)	(8) (8) (8) (8) (8)	Swift County Todd County Traverse County † Wabasha County	12,949 23,407 8,049 18,554	12,795 23,103 8,064 18,516	127 198 47 201	9.9 8.6 5.8 10.9	(2) (2) (2) (2) (2)	(3) (3) (3) (3)
Cass County †		13,481 13,338 19,683 6,988	132 161 174 64	9. 8 12. 1 8. 8 9. 2	. (2) . (2) (2) (2) (2)	(3) (3) (3) (3)	Wadena County Waseca County Washington County Watonwan County	l	8,488 13,425 15,658 11,356	67 108 172 92	7.9 8.0 11.0 8.1	(2) (2) (2) (2) (2)	(3) (3) (3) (3)
Cook County † Cottonwood County Crow Wing County Dakota County * Dodge County	1,336 12,651 16,861 25,171 12,094	1,306 12,668 16,891 25,590 11,930	11 133 197 272 136	8.4 10.5 11.7 10.6 11.4	(2) (2) (2) (2) (2)	(3) (3) (3) (3) (3)	Wilken County Winona County Wright County Yellow Medicine County	9,063 14,815 28,082 15,406	9,010 14,644 27,739 15,284	65 148 265 118	7.2 10.1 9.6 7.7	(2) (2) (2) (2) (2)	(8) (3) (3) (3)
Douglas County Faribault County Fillmore County Freeborn County Goodhue County	17,669 19,949 25,680 22,282 31,637	17,394 19,826 25,300 22,245 31,637	164 191 278 201 - 393	9.4 9.6 11.0 9.0 12.4	(2) (2) (2) (2) (2) (2)	(8) (3) (3) (3) (3)	MISSOURI. Total White Colored	2,142,495 2,066,104 76,391	2,141,953 2,066,340 75,613	25,560 24,019 1,541	11.9 11.6 20.4	(8) (3) (8)	(3) (3) (3)
Grant County.  Hennepin County Houston County Hubbard County Isanti County	9,114 32,072 14,297 9,831 12,615	8, 981 32, 379 14, 101 10, 034 12, 536	85 274 127 85 128	9.5 8.5 9.0 8.5 10.2	(2) (2) (2) (2) (2) (2)	(3) (3) (3) (3) (3)	Adair County	22,700 15,282 13,604 21,687 23,869	22,817 15,032 13,250 21,750 23,666	265 165 107 193 259	11.6 11.0 8.1 8.9 10.9	(3) (3) (3) (3) (3)	(3) (3) (3) (3) (3)
Itasca County. Jackson County. Kanabec County Kandiyohi County. Kittson County	17,208 14,491 6,461 18,969 9,669	19,325 14,406 6,526 18,810 9,619	183 147 61 191 85	9.5 10.2 9.3 10.2 8.8	(2) (2) (2) (2) (2) (2)	(3) (3) (3) (3) (3)	Barton County Bates County Benton County Bollinger County Boone County	16, 747 25, 869 14, 881 14, 576 30, 533	16, 564 25, 347 14, 677 14, 568 30, 762	139 291 188 127 344	. 8.4 11.5 12.8 8.7 11.2	(3) (3) (3) (3) (3)	(3) (8) (8) (3) (3) (4)
Koochiching County Lac qui Parle County Lake County Le Sueur County Lincoln County	6,431 15,435 8,011 18,609 9,874	7,222 15,496 8,441 18,197 9,847	77 147 95 171 61	10.7 9.5 11.3 9.4 6.2	(2) (2) (2) (2) (2) (2)	(3) (3) (3) (3) (3)	Buchanan County Butler County Caldwell County Callaway County* Camden County	15, 617 20, 624 14, 605 24, 400 11, 582	6 15, 487 21, 094 14, 355 24, 207 11, 395	169 475 155 379 89	10.9 22.5 10.8 15.7 7.8	(8) (3) (3) (3) (3)	(3) (3) (3) (3) (3)

Exclusive of municipalities having a population of 10,000 or over in 1910.
 Figures for deaths not available for the entire period.
 Not admitted to registration area until a later date.

<sup>Included in Red Lake County.
Including Pennington County, which was organized Nov. 23, 1910.
Estimate based on enumerated populations of 1890 and 1910.</sup> 

TABLE I.—POPULATION, DEATHS (EXCLUSIVE OF STILLBIRTHS), AND DEATH RATES PER 1,000 POPULATION IN THE REGISTRATION AREA AND ITS SUBDIVISIONS, BY COLOR OF DECEDENT: 1911—Continued.

				DEA	TH RATI	e per	i or this table.	DODET	1,000		DEAT	H RATE	PER
ļ	POPUL	ATION.			POPUL			POPUL	ATTON.		1,000	POPULA	TION.
AREA AND COLOR.	Census of Apr. 15, 1910.	Estimated as of July 1, 1911.	Deaths, 1911.	1911	An- nual aver- age: 1906 to 1910.	An- nual aver- age: 1901 to 1905.	AREA AND COLOR.	Census of Apr. 15, 1910.	Estimated as of July 1, 1911.	Deaths, 1911.	1911	An- nual aver- age: 1906 to 1910.	An- nual aver- age: 1901 to 1905.
RURAL PART OF REGISTRATION STATES —Continued.							RURAL PART OF REGISTRATION STATES 1—Continued.						
missouri-continued.							MISSOURI—continued.						
Cape Girardeau County Carroll County Carter County Cass County Cedar County	23, 008	28,023 22,688 5,358 22,893 15,978	416 287 60 265 161	14.8 12.7 11.2 11.6 10.1	(2) (2) (2) (2) (2) (2)	(2) (2) (2) (2) (2) (2)	Putnam County. Ralls County. Randolph County. Ray County. Reynolds County	14,308 12,913 15,259 21,451 9,592	14,017 12,989 15,116 21,042 9,767	125 134 175 252 79	8.9 10.3 11.6 12.0 8.1	(2) (2) (2) (2) (2)	(2) (2) (2) (2) (2) (2)
Chariton County. Christian County. Clark County Clay County Clay County. Clint County	15, 832	23, 097 15, 697 12, 497 20, 472 15, 045	249 170 150 361 181	10.8 10.8 12.0 17.6 12.0	(2) (2) (2) (2) (2) (2)	(2) (2) (2) (2) (2) (2)	Ripley County. St. Charles County. St. Clair County St. Francois County*. St. Louis County.	13,099 24,695 16,412 35,738 82,417	13,090 24,721 16,230 37,167 86,378	177 318 153 525 1,275	13.5 12.9 9.4 14.1 14.8	(2) (2) (2) (2) (2)	(2) (2) (2) (2) (2)
Cole County	10,107 20,311 13,576 15,613 13,181	10,007 20,041 13,650 15,306 13,093	90 212 142 141 89	9.0 10.6 10.4 9.2 6.8	(2) (2) (2) (2) (2) (2)	(2) (2) (2) (2) (2) (2)	Ste. Genevieve County Saline County Schuyler County Scotland County Scott County	10,607 29,448 9,062 11,869 22,372	10,637 28,929 8,845 11,703 23,506	128 327 92 109 393	12.0 11.3 10.4 9.3 16.7	(2) (2) (2) (2) (2) (2)	(2) (2) (2) (2) (2) (3)
Daviess County Dekalb County Dent County Douglas County† Douglas County† Dunklin County		17, 151 12, 301 13, 275 16, 649 31, 381	179 112 125 93 721	10. 4 9. 1 9. 4 5. 6 23. 0	(2) (2) (2) (2) (2) (2)	(2) (2) (2) (2) (2) (2)	Shannon County Shelby County Stoddard County Stone County† Sullivan County	11, 443 14, 864 27, 807 11, 559 18, 598	11, 466 14, 705 28, 190 11, 762 18, 393	94 179 554 69 192	8. 2 12. 2 19. 7 5. 9 10. 4	(2) (2) (2) (2) (2) (2)	(2) (2) (2) (2) (2) (2)
Franklin County	29 830	29, 739 12, 912 16, 364 28, 529 16, 612	353 158 159 267 181	11.9 12.2 9.7 9.4 10.9	(2) (2) (2) (2) (2) (2)	(2) (2) (2) (2) (2) (2)	Taney County Texas County Vernon County* Warren County Warshington County	9,134 21,458 28,827 9,123 13,378	9,014 21,369 28,487 9,027 13,271	69 200 424 113 144	7.7 9.4 14.9 12.5 .10.9	(2) (2) (2) (2) (2) (2)	(2) (2) (2) (2) (2) (2)
Harrison County Henry County Hickory County Holt County Howard County		19, 986 27, 143 8, 589 14, 229 15, 326	229 318 77 158 204	11.5 11.7 9.0 11.1 13.3	(2) (2) (2) (2) (2) (2)	(2) (2) (2) (2) (2) (2)	Wayne County Webster County. Worth Countyf Wright County.	15 181	15, 166 17, 466 7, 785 18, 411	212 184 47 184	14.0 10.5 6.0 10.0	(2) (2) (2) (2) (2)	(2) (2) (2) (2) (2)
Howell County Iron County Jackson County Jasper County Jefferson County		20,972 8,545 36,816 45,591 28,141	251 128 433 576 373	12.0 15.0 11.8 12.6 13.3	(2) (2) (2) (2) (2) (2)	(2) (2) (2) (2) (2) (2)	MONTANA. Total. White Colored. Beaverhead County.	264, 081 13, 310	290,899 276,983 13,916 6,548	2,539 2,241 298	8.7 8.1 21.4	(3) (3) (3)	(2) (2) (2) (2)
Johnson County. Knox County. Laclede County Lafayette County Lawrence County		26, 109 12, 272 17, 464 29, 968 25, 962	287 133 152 379 310	11.0 10.8 8.7 12.6 11.9	(2) (2) (2) (2) (2) (2)	(2) (2) (2) (2) (2) (2)	Broadwater County	3, 491 13, 962 14, 885 17, 191	3,595 14,749 15,378 17,953	58 35 133 93 121	8.9 9.7 9.0 6.0 6.7	(3) (8) (8) (3) (8) (8)	(2) (2) (2) (2) (2)
Lewis County Lincoln County Linn County Livingston County McDonald County.		15,367 16,873 25,223 19,105 13,535	202 174 277 223 96	13.1 10.3 11.0 11.7 7.1	(2) (2) (2) (2) (2) (2)	(2) (2) (2) (2) (2) (2)	Custer County†.  Dawson County. Deer Lodge County*.  Fergus County†4.  Flathead County		15,078 13,983 2,897 37,105 20,123	110 100 97 257 142	7.3 7.2 33.5 6.9 7.1	(3)	(2) (2) (2) (2) (2)
Macon County	30, 868 11, 273 10, 088 12, 231	30,606 11,430 10,143 12,058	338 158 109 176	11.0 13.8 10.7 14.6	(2) (2) (2) (2) (2) (2)	(2) (2) (2) (2) (2) (2)	Gallatin County Granite County Jefferson County Lewis and Clark County†. Lincoln County	5.601	14,633 2,773 5,634 9,454 3,898	131 22 44 58	9.0 7.9 7.8 6.1 8.5	(3) (3) (3) (3)	(2) (2) (2) (2) (2)
Mercer County Miller County Mississippi County Moniteau County Monroe County	16,717 14,557 14,375	12,045 16,902 14,888 14,186 18,132	123 185 233 161 184	10.2 10.9 15.7 11.3 10.1	(2) (2) (2) (2) (2) (2)	(2) (2) (2) (2) (2) (2) (2)	Madison County Missoula County† Park County Powell County	7, 229 10, 727 10, 731 5, 904	7, 173 11, 098 11, 145 5, 961	85 112 92 47	11.9 10.1 8.3 7.9	(3) (3) (3) (3) (4)	(2) (2) (2) (2)
Montgomery County	15,604	15,487	166	10.7			Ravalli County Rosebud County† Sanders County†	11,666 7,985 3,713	12, 136 8, 525 3, 935	98 114 24	8.1 13.4 6.1	(3) (3) (3)	(2) (2) (2) (2)
Morgan County New Madrid County Newton County Nodaway County Oregon County	27, 136 28, 833 14, 681	12,945 20,491 27,150 28,332 14,774	141 311 337 316 112	10.9 15.2 12.4 11.2 7.6	(2) (2) (2) (2) (2) (2)	(2) (2) (2) (2) (2) (2) (2)	Silver Bow County Sweet Grass County† Teton County† Valley County†.	17,683 4,029 9,546 13,630	18, 126 4, 143 10, 092 14, 764	238 27 118 150	13. 1 6. 5 11. 7 10. 2	(3) (8) (8) (3)	(2) (2) (2) (2) (2) (2) (2)
Osage County. Ozark Countyt. Pemiscot County. Perry County. Petris County.	11,926	14, 304 11, 899 20, 469 14, 871 15, 955	147 68 367 192 132	10.3 5.7 17.9 12.9 8.3	(2) (2) (2) (2) (2) (2)	(2) (2) (2) (2) (2) (2)	NEW HAMPSHIRE. Total		255, 893 255, 551 342	4, 235 4, 229 6	16. 6 16. 5 17. 5	5 16. 9 (6) (6)	<sup>5</sup> 16. 2 ( <sup>6</sup> ) ( <sup>6</sup> )
Phelps County Pike County Platte County Polk County Pulaski County	22, 556 14, 429 21, 561 11, 438	15, 991 22, 167 14, 214 21, 355 11, 565				(2) (2) (2) (2) (2) (2)	Beiknap County Carroll County Cheshire County Coos County Grafton County  A Including Meacher Y	20, 591 18, 973 41, 652		281 267 687	10.0	17.9 16.4 16.4 14.3 16.7	17. 4 15. 2 15. 9 12. 9 15. 6

Exclusive of municipalities having a population of 10,000 or over in 1910.
 Not admitted to registration area until a later date.
 Figures for deaths not available for the entire period.

<sup>4</sup> Including Meagher, Yellowstone, and Musselshell Counties, the last of which was formed from part of each of the other three, Mar. 1, 1911.

5 Based on figures for area as constituted in each year.

6 Not computed.

Table I.—POPULATION, DEATHS (EXCLUSIVE OF STILLBIRTHS), AND DEATH RATES PER 1,000 POPULATION IN THE REGISTRATION AREA AND ITS SUBDIVISIONS, BY COLOR OF DECEDENT: 1911—Continued.

,	POPUL	ATION.		DEA'	TH RATI	E PER		POPUL	ATION.			H RATE	
AREA AND COLOR.	Census of Apr. 15, 1910.	Estimated as of July 1, 1911.	Deaths, 1911.	1911	An- nual aver- age: 1906 to 1910.	An- nual aver- age: 1901 to 1905.	AREA AND COLOR.	Census of Apr. 15, 1910.	Estimated as of July 1, 1911.	Deaths, 1911.	1911	An- nual aver- age: 1906 to 1910.	An- nual aver- age: 1901 to 1905.
RURAL PART OF REGISTRATION STATES —Continued.							RURAL PART OF REGISTRATION STATES —Continued.				-		
NEW HAMPSHIRE—contd.							NEW YORK—continued.				- ,		
Hillsborough County Merrimack County Rockingham County Strafford County Sullivan County	31,838 40,919 25,704	29, 791 31, 721 40, 972 25, 653 19, 499	521 604 706 380 321	17.5 19.0 17.2 14.8 16.5	18. 2 18. 0 16. 9 16. 1 16. 4	18.3 17.0 16.8 16.2 16.0	Onondaga County Ontario County Orange County Orleans County Oswego County	63, 049 39, 840 72, 883 32, 000 37, 816	63, 668 39, 742 74, 355 32, 149 37, 629	964 663 1,158 466 645	15.1 16.7 15.6 14.5 17.1	14.9 14.6 15.5 14.3 15.9	14.8 14.7 15.2 14.0 15.6
NEW JERSEY.	201.001						Otsego County	47, 216 14, 665	47,018	796 243	16.9 16.4	16.5 16.9	16.3
Total		931,847 895,014 36,833	12,796 12,159 637	13.7 13.6 17.3	<sup>2</sup> 13.3 (3) (3)	2 13. 7 (8) (8)	Otsego County	34, 752 46, 873 73, 072	14,804 34,736 47,360 72,200	518 669 1,011	14.9 14.1 14.0	15. 4 14. 0 13. 9	15.9 15.8 14.0 12.8
Atlantic County. Bergen County. Burlington County. Camden County. Cape May County.		26, 607 121, 158 67, 686 49, 796 20, 329	1,299 1,043 655 255	15.7 10.7 15.4 13.2 12.5	14.9 11.7 15.9 14.7 12.5	13. 9 13. 4 15. 1 15. 2 12. 6	Saratoga County Schenectady County Schoharie County Schuyler County Seneca County*	49, 224 15, 409 23, 855 14, 004 26, 972	49, 198 16, 029 23, 520 13, 752 26, 854	788 186 388 266 578	16.0 11.6 16.5 19.3 21.5	15.6 11.8 16.2 16.2 20.4	16.1 15.2 16.1 14.8 19.5
Cumberland County Essex County Gloucester County Hudson County		28, 963 44, 342 38, 085 43, 099	481 698 540 909	16.6 15.7 14.2 21.1	13.2 12.0 13.0 17.0	13.1 11.9 12.6 17.4	Steuben County Suffolk County * Suffolk County * Sullivan County Tioga County		55, 949 98, 173 33, 602	1,034 1,988 650	18.5 20.3 19.3	17. 6 19. 2 18. 3	14.9 17.5 16.6
Hunterdon County Mercer County Middlesex County Monmouth County		33,646 29,466 61,622 71,679	508 333 779 1,027	15.1 11.3 12.6 14.3	14.2 11.7 12.2 13.4	13. 9 10. 8 13. 6 14. 6	Tompkins County Ulster County Warren County		25,341 18,690 67,011 16,937	432 275 969 271	17.0 14.7 14.5 16.0	17.2 15.5 14.9 14.9	16.2 15.7 14.9 14.0
Morris County * Ocean County Passaic County Salem County	62, 197 21, 318 35, 529 26, 999	63, 786 21, 426 37, 771 27, 175	961 279 400 355	15.1 13.0 10.6 13.1	15.1 13.6 10.0 12.6	* 14.6 13.1 11.2 13.9	Washington County Wayne County Westchester County Wyoming County Yates County	41,778	47, 919 50, 491 90, 421 32, 036	736 1,399 446	17. 4 14. 6 15. 5 13. 9	15.7 15.0 16.0 13.8	15.3 14.9 15.9 14.3
Somerset County Sussex County Union County Warren County	38,820 26,781 46,238 29,284	39, 451 27, 637 48, 286 29, 837	535 371 518 433	13. 6 13. 4 10. 7 14. 5	12.4 13.7 11.9 14.3	12.9 10.8 12.4 14.1	Yates County	18,642	18, 480	277	15.0	14.3	15.1
NEW YORK.				•			Total White Colored	210,787 141,174	218, 542 146, 475	3,613 1,934 1,679	16.5 13.2	(5) (5) (5)	(6) (6) (6)
Total. White Colored		2,353,941 2,325,544 28,397	37, 166 36, 582 584	15.8 15.7 20.6	2 15. 4 (3) (3)	<sup>2</sup> 14.8 (3) (3)	Colored	69, 613	72,067	1,679	23.3	(e)	. (9)
Albany County Allegany County Broome County Cattaraugus County Cayuga County	33,630 41,412 30,366 51,176 32,438	33,370 40,997 30,403 50,760 32,095	552 648 585 699 554	16.5 15.8 19.2 13.8 17.3	15. 0 13. 9 16. 4 13. 2 16. 0	15.0 13.1 15.4 12.5 15.5	Total White. Colored.		2, 624, 963 2, 580, 343 44, 620	32,109 31,311 798	12.2 12.1 17.9	(5) (5) (5)	(6) (6) (6)
Chautauqua County Chemung County Chenango County Clinton County* Columbia County		56, 926 17, 642 35, 273 36, 786 32, 179	879 297 596 473 536	15.4 16.8 16.9 12.9 16.7	14. 4 16. 6 17. 1 12. 2 16. 0	13. 5 15. 6 16. 1 11. 2 16. 0	Adams County Allen County Ashland County Ashland County Ashtabula County Athens County *	24, 755 26, 072 22, 975 41, 281 47, 798	.24, 563 26, 324 23, 194 41, 609 48, 908	253 316 291 571 700	10.3 12.0 12.5 13.7 14.3	(5) (6) (5) (5) (5)	(6) (6) (6) (6) (6)
Cortland County	17 745	17, 639 45, 323 59, 932 91, 967 33, 706	298 662 1,236 1,224 517	16. 9 14. 6 20. 6 13. 3 15. 3	15.8 14.2 19.2 14.5 15.5	16.5 12.3 19.0 13.1 14.3	Auglaize County. Belmont County. Brown County. Butler County. Carroll County.	31, 246 63, 910 24, 832 21, 840 15, 761	31,253 65,619 24,417 21,610 15,633	339 857 314 291 166	10.8 13.1 12.9 13.5 10.6	(5) (6) (6) (5) (5) (5)	(6) (6) (6) (6)
Franklin County. Fulton County. Genesse County. Greene County. Hamilton County	45,717	45, 432 13, 358 26, 092 30, 020 4, 241	792 233 310 515 57	17.4 17.4 11.9 17.2 13.4	15.7 15.4 14.0 17.1 10.3	15. 5 15. 0 14. 3 16. 9 9. 8	Champaign County Clark County Clermont County Clinton County Columbiana County	26, 351 19, 514 29, 551 23, 680 56, 232	26, 316 19, 568 29, 300 23, 617 56, 799	348 268 385 303 661	13.2 13.7 13.1 12.8 11.6	(5) (6) (6) (6) (5) (5)	(6) (6) (6) (6) (6)
Herkimer County Jefferson County Lewis County Livingston County Madison County	44, 083 53, 652 24, 849 38, 037 39, 289	44, 451 53, 352 24, 430 38, 217 39, 242	640 803 362 642 641	14.4 15.1 14.8 16.8 16.3	14.1 14.7 14.3 15.6 16.4	12. 6 13. 8 13. 6 14. 6 15. 6	Coshocton County Crawford County Cuyahoga County Darke County Defiance County	30,121 34,036 61,581 42,933 24,498	30,216 34,050 66,049 42,981 24,268	339 416 808 456 293	11.2 12.2 12.2 10.6 12.1	(6) (6) (6) (6) (6)	(6) (6) (6) (6) (6)
Monroe County Montgomery County Nassau County Niagara County Oneida County	65, 063 26, 300 83, 930 31, 666 59, 241	66, 938 26, 399 87, 548 31, 978 59, 181	935 418 1,122 424 866	14. 0 15. 8 12. 8 13. 3 14. 6	13.3 15.2 13.6 13.5 14.9	13.8 13.8 13.8 13.5 14.4	Delaware County Erie County Fairfield County Fayette County Franklin County	27, 182 18, 338 26, 108 21, 744 40, 056	27, 277 18, 382 26, 211 21, 745 41, 299	300 364 278 274 543	11.0 19.8 10.6 12.6 13.1	(5) (5) (5) (6) (5)	(6) (6) (5) (6) (6)

Exclusive of municipalities having a population of 10,000 or over in 1910.
 Based on figures for area as constituted in each year.
 Not computed.

<sup>4</sup> Including only municipalities having a population of 1,000 or over in 1990 and less than 10,000 in 1910.

5 Figures for deaths not available for the entire period.

6 Not admitted to registration area until a later date.

TABLE I.—POPULATION, DEATHS (EXCLUSIVE OF STILLBIRTHS), AND DEATH RATES PER 1,000 POPULATION IN THE REGISTRATION AREA AND ITS SUBDIVISIONS, BY COLOR OF DECEDENT: 1911—Continued.

	POPUL	ATION.			POPUL			POPUL	ATION.			H RATE	
AREA AND COLOR.	Census of Apr. 15, 1910.	Estimated as of July 1, 1911.	Deaths, 1911.	1911	An- nual aver- age: 1906'to 1910.	An- nual aver- age: 1901 to 1905.	AREA AND COLOR.	Census of Apr. 15, 1910.	Estimated as of July 1, 1911.	Deaths, 1911.	1911	An- nual aver- age: 1906 to 1910.	An- nual aver- age: 1901 to 1905.
RURAL PART OF REGISTRATION STATES —Continued.		:					RURAL PART OF REGISTRATION STATES —Continued.						
omo-continued.							PENNSYLVANIA—continued.						
Fulton County		24, 049 25, 480 14, 662 29, 504 32, 025	274 442 213 394 407	11. 4 17. 3 14. 5 13. 4 12. 7	(2) (2) (2) (2) (2) (2)	(3) (3) (3) (3) (3)	Adams County Allegheny County Armstrong County Beaver County Bedford County		34, 299 348, 197 69, 756 68, 583 38, 808	448 4,628 841 900 427	13.1 13.3 12.1 13.1 11.0	12.7 16.4 12.8 13.8 12.7	(3) (3) (3) (3)
Hamilton County Hancock County Hardin County Harrison County Henry County	80, 956 23, 002 30, 407 19, 076 25, 119	71, 569 22, 834 30, 312 18, 905 24, 855	893 194 369 239 280	12.5 8.5 12.2 12.6 11.3	(2) (2) (2) (2) (2) (2)	(3) (3) (3) (3) (3)	Berks County*. Blair County. Bradford County. Bucks County. Butler County.	87, 151 56, 731 54, 526 76, 530 51, 961	87, 948 58, 481 53, 931 77, 183 52, 558	1,213 687 877 1,060 560	13.8 11.7 16.3 13.7 10.7	14.8 13.4 15.3 14.6 11.5	(8) (3) (8) (8) (8)
Highland County Hocking County Holmes County Huron County Jackson County		28, 435 23, 560 17, 714 34, 435 30, 369	364 267 215 449 403	12.8 11.3 12.1 13.0 13.3	(2) (2) (2) (2) (2) (2)	(3) (3) (3) (3) (3) (3)	Cambria County. Cameron County. Carbon County. Center County. Chester County.	110,649 7,644 52,846 43,424 75,619	115, 874 7, 717 53, 866 43, 489 76, 155	1,362 78 734 514 1,143	11.8 10.1 13.6 11.8 15.0	14.0 13.3 15.3 13.4 15.2	(3) (3) (3) (3) (3)
Jefferson County Knox County Lake County Lawrence County Licking County		44,626 30,475 23,079 26,181 30,439	510 364 364 372 345	11. 4 11. 9 15. 8 14. 2 11. 3	(2) (2) (2) (2) (2) (2)	(3) (3) (3) (3) (3)	Clarion County Clearfield County Clinton County Columbia County Crawford County	36, 638 81, 145 31, 545 48, 467 48, 785	36, 926 82, 359 31, 832 49, 515 48, 351	408 846 394 576 664	11.0 10.3 12.4 11.6 13.7	11. 7 12. 2 13. 3 12. 7 14. 3	(8) (2) (3) (8) (8)
Logan County Lorain County Lucas County Madison County Mahoning County	30, 084 32, 329 24, 231 19, 902 37, 085	30, 043 32, 609 24, 537 19, 819 38, 820	383 355 301 248 471	12.7 10.9 12.3 12.5 12.1	(2) (2) (2) (2) (2) (2)	(3) (3) (3) (3) (3) (3)	Cumberland County	44 700	44,600 58,662 81,646 36,234 49,392	591 800 1,016 403 686	13.3 13.6 12.4 11.1 13.9	13.7 15.3 13.0 11.9 14.0	(3) (8) (8) (8) (8)
Marion County	23 598	15, 607 23, 798 25, 225 27, 477 31, 747	160 289 312 300 408	10.3 12.1 12.4 10.9 12.9	(2) (2) (2) (2) (2) (2)	(3) (3) (3) (3)	Fayette County Forest County Franklin County Fulton County Greene County	141, 260 9, 435 47, 975 9, 703 28, 882	144, 499 9, 240 48, 481 9, 677 28, 954	1, 952 74 868 171 306	13.5 8.0 17.9 17.7 10.6	15.3 9.3 14.5 13.3 12.4	(3) (3) (3) (3)
Monroe County Montgomery County Morgan County Morrow County Muskingum County	47.186	23, 904 49, 575 15, 876 16, 686 29, 435	259 683 191 202 364	10.8 13.8 12.0 12.1 12.4	(2) (2) (2) (2) (2) (2)	(8) (3) (3) (8) (3)	Huntingdon County Indiana County Jefferson County Juniata County Lackawanna County	38,304 66,210 63,090 15,013 83,724	38, 751 69, 104 63, 575 14, 887 86, 770	480 884 765 198 1,391	12. 4 12. 8 12. 0 13. 3 16. 0	12. 4 13. 7 13. 0 13. 7 17. 2	(8) (8) (8) (8)
Noble County Ottawa County Paulding County Perry County Pickaway County.		18, 496 22, 377 22, 144 35, 831 26, 054	168 267 221 342 366	9.1 11.9 10.0 9.5 14.0	(2) (2) (2) (2) (2) (2)	(3) (3) (3) (3)	Lancaster County Lawrence County Lebanon County Lehigh County Luzerne County	108, 348 33, 752 40, 325 62, 447	108,708 34,432 40,830 63,635	1,375 369 497 1,001	12.6 10.7 12.2 15.7 14.0	13. 2 12. 1 13. 7 16. 3 15. 6	(8) (8) (8) (8) (8)
Pike County Portage County Preble County Putnam County Richland County	15,723 30,307 23,834 29,972 26,899	15, 424 30, 436 23, 848 29, 661 26, 930	171 401 263 322 322	11.1 13.2 11.0 10.9 12.0	(2) (2) (2) (2) (2) (2)	(8) (8) (3) (3) (8)	Lycoming County McKean County Mercer County Mifflin County	198, 489 48, 953 33, 324 52, 239 27, 785	205, 072 49, 203 32, 959 54, 192 28, 350 23, 158	2,875 520 378 666 357	10.6 11.5 12.3 12.6	11.1 12.1 13.9 14.4	
Ross County Sandusky County Scioto County Seneca County Shelby County	24, 982 30, 527 24, 663	25, 268 35, 276 23, 710 30, 570 24, 666	334 380 308 365 279	13. 2 10. 8 13. 0 11. 9 11. 3	(2) (2) (2) (2) (2) (2)	(3) (3) (3) (8) (3)	Montgomery County Montour County * Northampton County Northumberland County	22,941 126,116 14,868 70,806 60,530	128, 941 14, 789 72, 887 61, 554 23, 877	317 1,637 294 981 740	13.7 12.7 19.9 13.5 12.0	13.5 13.2 18.7 14.7 12.9	888888888888888888888888888888888888888
Stark County * Summit County Trumbull County Tuscarawas County Union County	43, 808 39, 186 41, 685 57, 035 21, 871	44, 474 40, 434 42, 165 57, 436 21, 815	642 563 547 572 267	14. 4 13. 9 13. 0 10. 0 12. 2	(2) (2) (2) (2) (2) (2)	(3) (3) (3) (3)	Perry County Pike County Potter County Schuylkill County Snyder County	24, 136 8, 033 29, 729 145, 948 16, 800	23,877 7,944 29,621 148,708 16,739	302 110 419 2,229 207	12.6 13.8 14.1 15.0 12.4	13.4 15.2 12.2 16.2 12.6	(3)
Van Wert County	13, 096 24, 497 32, 499	28, 964 12, 823 24, 365 32, 207	279 148 308 380	9.6 11.5 12.6 11.8	(2) (2) (2) (2) (2)	(3) (3) (8) (3)	Somerset County	67,717 11,293 37,746 42,829	69, 950 11, 191 37, 466 42, 064	923 140 543 530	13.2 12.5 14.5 12.6	13.5 10.8 15.4 13.4	(3)
Wayne County	38,058 25,198 46,330 20,760	38,080 25,227 45,691 20,717	465 285 488 238	12.2 11.3 10.7 11.5	(2) (2) (2) (2) (2)	(2) (3) (3) (3)	Union County	1 '	16,085 39,513 28,235 130,799	203 462 414 1,859	12.6 11.7 14.7 14.2	13. 1 12. 8 15. 5 15. 4	(3)
PENNSYLVANIA. Total. White Colored.	4,011,650 3,960,096 51,554	4,092,220 4,039,634 52,586	53, 383 52, 451 932	13.0 13.0 17.7	4 14.2 (5) (6)	(3) (3) (3)	Wayne County	29,236 206,517	29, 123 213, 827 15, 309	377 2,471 195	12.9 11.6 12.7	13.7 14.4 13.6	(3) (3) (3)

<sup>Exclusive of municipalities having a population of 10,000 or over in 1910.
Figures for deaths not available for the entire period.
Not admitted to registration area until a later date.</sup> 

<sup>&</sup>lt;sup>4</sup> Based on figures for area as constituted in each year.
<sup>5</sup> Not computed.

TABLE I.—POPULATION, DEATHS (EXCLUSIVE OF STILLBIRTHS), AND DEATH RATES PER 1,000 POPULATION IN THE REGISTRATION AREA AND ITS SUBDIVISIONS, BY COLOR OF DECEDENT: 1911—Continued.

-	POPUL	ATION.		DEA'	TH RATI	E PER		POPUL	ATION.		DEA' 1,000	TH RATE	PER TION.
AREA AND COLOR.	Census of Apr. 15, 1910.	Estimated as of July 1, 1911.	Deaths, 1911.	1911	An- nual aver- age; 1906 to 1910.	An- nual aver- age: 1901 to 1905.	AREA AND COLOR.	Census of Apr. 15, 1910.	Estimated as of July 1, 1911.	Deaths, 1911.	1911	An- nual aver- age: 1906 to 1910.	An- nual aver- age: 1901 to 1905.
RURAL PART OF REGISTRATION STATES — Continued.							RURAL PART OF REGISTRATION STATES —Continued.						
RHODE ISLAND.							WASHINGTON—continued.						
Total White Colored		107,239 105,604 1,635	1,619 1,590 29	15.1 15.1 17.7	2 16.2 (3) (3)	<sup>2</sup> 17. 6 (³) (³)	Clallam County Clarke County Columbia County Cowlitz County Douglas County†	6,755 26,115 7,042 12,561	6,896 27,668 7,033 13,134	70 254 50 84	10.2 9.2 7.1 6.4	(6) (6) (6) (6)	33333
Bristol County Kent County	17,602 9,749	18,236 9,839	301 153 197	16.5 15.6	16.0 17.1	18.5 17.6			10,046	46	4.6	(6)	. 83
Bristol County Kent County Newport County Providence County Washington County	17,602 9,749 12,186 40,504 24,942	18,236 9,839 12,473 41,700 24,991	197 600 368	15.8 14.4 14.7	16.2 4 16.2 15.2	15.9 5 18.3 15.6	Ferry County † Franklin County † Garfield County † Grant County † Island County †	4,800 5,153 4,199	4,830 5,724 -4,233	44 25 26	9.1 4.4 6.1	(6) (6) (6) (6) (6)	93333
UTAH-	074 004	007 544			(0)	<i>(</i> m)	Island County †	8,698 4,704	9, 471 5, 051	46 29	4.9 5.7	(6)	윉
Total		261,544 256,611 4,933	2,499 2,470 29	9.6 9.6 5.9	(6) (6) (6)	333	Jefferson County King County Kitsan County	8,337 47,444 17,647	8,658 53,219 18,978	85 385 179	9.8 7.2 9.4	(6) (6) (6) (6)	33333
Beaver County Boxelder County	4,717 13,894	4,852 • 14,369	42 107	8.7 7.4	(6) (6)	(7)	Kittitas County Klickitat County †	18,561 10,180	19,644 11,013	195 71	9.9 6.4	(6)	(7)
Beaver County		23, 664 9, 067 10, 460	201 99 97	8.5 10.9 9.3	(6) (6) (6) (6) (6)	33333	Lewis County Lincoln County Mason County Okanogan County †	32, 127 17, 539 5, 156	34,204 18,221 5,321	321 139 60	9.4 7.6 11.3	(6) (6) (6) (6) (6)	33333
Emery County †	6,750 3,660	7,007 3,692	68 26	9.7 7.0	(6) (6)	(7)	Okanogan County† Pacific County†	12, 887 12, 532	13,890 13,334	116 97	8.4	(6)	g
Emery County†	1,595 3,933 10,702	1,650 3,981 10,778	15 45 88	9.1 11.3 8.2	(6) (6) (6) (6) (6)	33333	Pierce County*	37,069 3,603	40,347 -3,686	486 26	12.0 7.1	(6) (6) (6) (6) (6)	33333
		1,633 6,172	10 51	6.1 8.3	(6)	(7)	Skagit County Skamania County † Snohomish County	29, 241 2, 887 34, 395	31,072 3,034 36,632	258 16 259	8.3 5.3 7.1	(6)	
Kane County †	2,467 1,734 1,883	2,518 1,708 1,876	20 18 21	7.9 10.5 11.2	(6) (6) (6) (6) · (6)	SSSS	Spokane County*	35,002 25,297	36, 988 27, 102	350 169	9.5 6.2	(6) (6) (6) (5)	3333
Salt Lake County	38,649	41,083	386	9.4	(6)	(2)	Thurston County Wahkiakum County†	17,581 3,285	18,517 3,341	171 2	9.2 0.6	(6) (6)	8
San Juan County †	2,377 16,704 9,775	2,543 16,752 9,937	6 158 109	2.4 9.4 11.0	(6) (6) (6) (6)	3333	Walla Walla County † Whatcom County Whitman County	12,567 25,213 33,280	13, 148 26, 700 34, 249	68 193 245	5.2 7.2 7.2	(6) (6) (6)	SS
Summit County Tooele County	8,200 7,924	8,049 7,993	106 82	13. 2 10. 3	(6) (6) (6) (6)	3333	Yakima County	27,627	29, 699	245 306	7.2 10.3	(6)	(7)
Uinta CountyUtah County*	7,050 37,942	7, 122 38, 612	66 405	9.3 10.5	(6) (6)	8	WISCONSIN.	* ***		75 100	10.0	(0)	
Wasatch County Washington County Wayne County †	5, 123	9,431 5,184 1,730	99 55 13	10.5 10.6 7.5	(6) (6) (6) (6)	3333	Total White Colored		1,576,195 1,565,287 10,908	17,109 16,992 117	10. 9 10. 9 10. 7	(6) (6) (6)	.83
Weber County	9,599	9,681	106	10.9	(6)	(7)	Adams County	8,604 10,371	8,491 10,608	92 91	10.8 8.6	(6) (6)	(7) (7)
VERMONT. Total	311,208	311,963	4 040	15 5	9 1 5 0	2 15. 9	Adams County Ashland County Barren County Bayfield County Brown County	29, 114 15, 987	29,297 16,008	276 140	9.4 8.7	(6) (6) (6) (6) (6)	(7) (7) (7) (7)
White Colored	309,693 1,515	310, 442 1, 521	4,848 4,823 25	15. 5 15. 5 16. 4	2 15. 9 (3) (3)	(3) (8)	1		28,787	284.	9.9	1	ļ
Addison County	20,010	19, 778	264	13.3		15.1	Buffalo County	9,026	15,878 8,968	151 86	9.5 9.6	(6) (6)	8
Bennington County Caledonia County	21,378 26,031	21,338 26,233 22,105	333 425 355 99	15.6 16.2	15.6 15.9	16.1 16.1	Calumet County Chippewa County Clark County	16,701 32,103 30,074	16,655 32,129 30,255	161 392 236	9.7 12.2	(6) (6) (6)	333
Chittenden County Essex County	21,979 7,384	22,105 7,302	355 99	16.1 13.6	15.7 15.0	15.5 14.1			•	357	7.8	1	
Franklin County	29,866	29,826	485	16.3	14.8	15.3	Columbia County Crawford County Dane County* Dodge County	16, 288 51, 904	31,115 16,130 52,090	166 600	10.3	(5) (6) (6)	33333
Grand Isle County Lamoille County	3,761 12,585	3,677 12,621	41 179	11.2 14.2	13.2 15.3	12.2 13.5	Dodge County Door County	47, 436 18, 711	52,090 47,849 18,484	166 600 530 203	11.1 11.0	(6)	(7)
Orange CountyOrleans County	18,703 23,337	18,630 23,497	289 332	15.5 14.1	17.0 15.5	17.3 15.7	Douglas County †	7,038	7,061	33 252	4.7		l
Rutland County	34,593 30,968 26,932	34,822 31,312 26,964	496 549	14.2 17.5	15.6 16.2	15.3 17.1	Dunn County  Eau Claire County †  Florence County †	25,260 14,411 3,381	25,059 14,319 3,346	98 26	10.1 6.8 7.8	(6) (6) (6) (6)	33333
Windham County Windsor County	33,681	33,858	458 543	17.0 16.0	18.1 16.2	17.1 17.1	Fond du Lac County	3,381 32,813	32,634	374	11.5		l
WASHINGTON.	000 100	007 75-	,		,_	,	Forest County	6,782 39,007	6,984 38,854	74 421	10.6	(6) (6)	(7)
TotalWhiteColored	620,433 601,656 18,777	661, 159 641, 190 19, 969	5,394 5,030 364	8.2 7.8 18.2	(6) (6) (6)	(F) :	Green County. Green Lake County. Iowa County.	21, 641 15, 491 22, 497	38,854 21,456 15,406 22,380	421 250 163 205	11.7 10.6 9.2	(6) (6) (6) (6) (6)	33333
Adams County†	10,920 5,831	11,664 6,133	69 53	5.9 8.6	(6) (6)	(2)	Iron-County	8,306 17,075	8,739 16,951	83 161	9.5 9.5	(6) (6)	(2)
Benton County Chehalis County	5,831 7,937 21,930	6, 133 8, 586 23, 222	53 61 189	7.1 8.1	(6) (6) (6) (6)	33333	Jefferson County	34,306 19,569	34,309 19,275	383 198	11.2	(6) (6) (6) (6) (6)	33333
Chelan County	15, 104	16,471	151	9.2	I (6)	J (7) .	Kenosha County	11,558	11,706	112	9.6	) (e)	1 (7)

<sup>1</sup> Exclusive of municipalities having a population of 10,000 or over in 1910.
2 Based on figures for area as constituted in each year.
3 Not computed.
1 Including state institutions for 1906

<sup>5</sup> Including state institutions.
6 Figures for deaths not available for the entire period.
7 Not admitted to registration area until a later date.
8 Including Pend Oreille County, which was organized June 10, 1911.

Table I.—POPULATION, DEATHS (EXCLUSIVE OF STILLBIRTHS), AND DEATH RATES PER 1,000 POPULATION IN THE REGISTRATION AREA AND ITS SUBDIVISIONS, BY COLOR OF DECEDENT: 1911—Continued.

	POPUL	ATION.			TH RAT			POPUL	ATION.			H RATE	
AREA AND COLOR.	Census of Apr. 15, 1910.	Estimated as of July 1, 1911.	Deaths, 1911.	1911	An- nual aver- age: 1906 to 1910.	An- nual aver- age: 1901 to 1905.	AREA AND COLOR.	Census of Apr. 15, 1910.	Estimated as of July 1, 1911.	Deaths, 1911.	1911	An- nual aver- age: 1906 to 1910.	An- nual aver- age: 1901 to 1905.
RURAL PART OF REGISTRATION STATES 1—Continued.							RURAL PART OF REGISTRATION STATES —Continued.						
wisconsin-continued.				İ			wisconsin-continued.						
Kewaunee County. La Crosse County. Lafayette County Langlade County. Lincoln County.	13 570	16, 730 13, 532 20, 026 17, 389 19, 050	218 155 201 164 179	13.0 11.5 10.0 9.4 9.4	(2) (2) (2) (2) (2) (2)	(3) (3) (3) (3) (3)	Richland County Rock County Rusk County St. Croix County Sauk County		18,678 26,397 11,509 25,711 32,879	198 303 94 279 376	10.6 11.5 8.2 10.9 11.4	(2) (2) (2) (2) (2) (2)	(3) (3) (3) (3) (3)
Manitowoc County Marathon County Marinette County † Marquette County Milwaukee County	38, 494 19, 202	31, 923 39, 164 19, 404 10, 685 54, 837	304 374 130 121 1,236	9.5 9.6 6.7 11.3 22.5	(2) (2) (2) (2) (2) (2)	(3) (3) (3) (4)	Sawyer County Shawano County Sheboygan County Taylor County Trempealeau County	6, 227 31, 884 28, 490 13, 641 22, 928	6, 519 32, 093 28, 601 13, 927 22, 699	62 297 315 102 229	9.5 9.3 11.0 7.3 10.1	(2) (2) (2) (2) (2) (2)	(3) (3) (3) (3) (3)
Monroe County. Oconto County Oneida County Outagamie County. Ozaukee County.	25 657	28, 787 25, 923 11, 481 32, 404 17, 036	342 244 118 324 158	11.9 9.4 10.3 10.0 9.3	(2) (2) (2) (2) (2) (2)	(3) (3) (3) (3)	Vernon County Vilas County† Walworth County Washburn County Washington County	28, 116 6, 019 29, 614 8, 196 23, 784	27, 858 6, 162 29, 381 8, 372 23, 860	291 54 371 72 228	10.4 8.8 12.6 8.6 9.6	(2) (2) (2) (2) (2) (2)	(3) (3) (3) (3)
Pepin County. Pierce County Polk County Portage County. Price County† Racine County.	21 367 1	7, 578 21, 745 21, 485 30, 965 14, 151 17, 290	83 253 206 349 110 224	11.0 11.6 9.6 11.3 7.8 13.0	(2) (2) (2) (2) (2) (2) (2)	(3) (3) (3) (3) (3)	Waukesha County. Waupaca County. Waushara County. Winnebago County* Wood County.	37, 100 32, 782 18, 886 29, 054 30, 583	37, 416 32, 613 19, 193 28, 887 30, 632	524 392 154 390 287	14.0 12.0 8.0 13.5 9.4	(2) (2) (2) (2) (2) (2)	(3) (3) (3) (3) (3)

Exclusive of municipalities having a population of 10,000 or over in 1910.
 Figures for deaths not available for the entire period.

<sup>3</sup> Not admitted to registration area until a later date.

TABLE II.—DEATHS (EXCLUSIVE OF STILLBIRTHS), AND DEATH RATES PER 100,000 POPULATION, BY CAUSES, ACCORDING TO THE DETAILED INTERNATIONAL LIST, FOR THE REGISTRATION AREA: 1908 TO 1911.

ılst				NUMBER C	F DEATHS.	<del></del>			DEATH R	ATE PER	100,000	POPULATIO	on.
Detailed Int. List No.	CAUSE OF DEATH.	1911	1910	1909	1908	Annual average: 1906 to	Annual average: 1901 to	1911	1910	1909	1908	Annual average: 1906 to	Annual average: 1901 to
Deta	,					1910.	1905.					1910.	1905.
	All causes	839,284	805,412	732,538	691,574	714,933	529,630	1,415.9	1,495.8		1,478.0	1,511.5	1,619.7
,	I.—General diseases*	228, 602 12, 451	12,673	194,161	187,433	191,161	146,137	385.7	400.6	381.7	24.3	404.1 25.6	446. 9 32. 0
1 2 3 4 5	Typhoid fever Typhus fever Relapsing fever Malaria Smallpox	1,802 130	1,167 202	1,175 79	1,109 92	1,206 108	1,568 1,119	(1) (1) (3.0 0.2	(1) (1) (2.2 0.4	2.3 0.2	(1) 2.4 0.2	(1) (1) 2.6 0.2	
. 7 8 9 10	Measles Scarlet fever Whooping cough Diphtheria and croup Influenza	5,922 5,243 6,682 11,174 9,294	6,598 6,255 6,146 11,521 7,774	4,860 5,781 4,906 10,358 6,649	4,611 5,577 4,969 10,052 9,989	5,092 5,030 5,440 10,576 7,760	2,951 3,608 3,572 9,674 6,506	10.0 8.8 11.3 18.9 15.7	12.3 11.6 11.4 21.4 14.4	9.6 11.4 9.6 20.4 13.1	9.9 11.9 10.6 21.5 21.3	10.8 10.6 11.5 22.4 16.4	9.0 11.0 10.9 29.6 19:9
11 12 13 14 15	Miliary fever	350 3,062 1	563 3,446 1	415 2,871 2	1 492 2,930 5	. 485 3,076 19	460 2,810 18	(1) 0.6 5.2 (1)	1.0 6.4 (1)	0.8 5.6 (¹)	1.1 6.3 (1)	1.0 6.5 (1)	1,4 8.6 0.1
16 17 18 19	Yellow fever Leprosy Erysipelas Other epidemic diseases*	7 2,510 193	10 2,442 198	9 2,004 154	11 1,815 133	1 8 1,977 156	92 5 1,455 76	(1) 4.2 0.3	(1) 4.5 0.4	(¹) 3.9 0.3	(1) (1) 3.9 0.3	(1) (1) 4.2 0.3	(1) 4.5 0.2
20 21 22 23	Purulent infection and septicemia. Glanders. Anthrax. Rabies.	1,913 11 14 83	1,877 7 22 64	1,657 8 14 55	1,727 3 22 82	1,798 7 21 72	1,998 5 23 42	3.2 (1) (1) 0.1	3.5 (1) (1) 0.1	3.3 (1) (1) 0.1	3.7 (1) (1) 0.2	3.8 (1) (1) 0.2	(1) 6.1 0.1 0.1
24 25 26 27	Tetanus*. Mycoses. Pellagra. Beriberi*.		1,373 32 368 10	1,373 38 116 (³)	1,169 35 23 (³)	1,276 29 101 ( <sup>4</sup> )	1,150 14 1 (3)	2.3 0.1 1.1 (¹)	2.5 0.1 0.7 (1)	2.7 0.1 0.2 (3)	2.5 0.1 (1) (3)	2.7 0.1 0.2 (4)	3.5 (1) (1) (3)
28 29 30 31 32 33 34 35	Tuberculosis (total) Tuberculosis of the lungs* Acute miliary tuberculosis* Tuberculous meningitis Abdominal tuberculosis Potiv disease White swellings Tuberculosis of other organs* Disseminated tuberculosis.	94, 205 78, 514 3, 282 5, 237 3, 680 853 438 1, 308 893	86,309 73,214 1,997 4,654 3,159 764 422 1,118 981	81,835 70,844 (3) 4,575 3,041 740 379 1,072 1,184	78,409 68,074 (3) 4,218 2,723 746 356 992 1,300	79,792 69,436 (4) 4,289 2,843 692 348 988 1,195	62, 978 55, 809 (3) 2, 905 1, 946 492 234 666 926	158.9 132.5 5.5 8.8 6.2 1.4 0.7 2.2 1.5	160.3 136.0 3.7 8.6 5.9 1.4 0.8 2.1 1.8	160.8 139.3 (³) 9.0 6.0 1.5 0.7 2.0 2.3	167.6 145.5 (3) 9.0 5.8 1.6 0.8 2.2 2.8	168.7 146.8 (4) 9.1 6.0 1.5 0.7 2.1 2.5	1.5 0.7 2.0 2.8
36 37 38	Rickets* Syphilis Gonococcus infection	508 3,821 222	455 3,221 197	(3) 2,858 141	(3) 2,432 111	(4) 2,550 121	( <sup>3</sup> ) 1,335 41	0.9 6.4 0.4	0.8 6.0 0.4	( <sup>8</sup> ) 5. 6 0. 2	(3) 5.2 0.2	(4) 5.4 0.3	(3) 4.1 0.1
39 40 41 42 43 44 45	Cancer and other malignant tumors (total) Of the buccal cavity Of the stomach, liver Of the peritoneum, intestines, rectum Of the female genital organs Of the breast Of the skin Of other organs or of organs not specified	44,024 1,727 17,365 5,824 6,707 4,264 1,619 6,518	41,039 1,576 16,475 5,258 6,147 3,730 1,459 6,394	37, 562 1, 427 14, 915 4, 676 5, 714 3, 585 1, 492 5, 753	33, 465 1, 148 13, 044 3, 963 5, 250 3, 023 1, 282 5, 755	34,320 1,212 13,395 4,148 5,118 3,070 1,268 6,110	22, 214 677 8, 091 2, 332 3, 263 1, 845 740 5, 266	74.3 2.9 29.3 9.8 11.3 7.2 2.7 11.0	76.2 2.9 30.6 9.8 11.4 6.9 2.7 11.9	73.8 2.8 29.3 9.2 11.2 7.0 2.9 11.3	71.5 2.5 27.9 8.5 11.2 6.5 2.7 12.3	72.6 2.6 28.3 8.8 10.8 6.5 2.7 12.9	67.9 2.1 24.7 7.1 10.0 5.6 2.3 16.1
46 47 48 49 50	Other tumors (tumors of the female genital organs excepted). Acute articular rheumatism*. Chronic rheumatism and gout*. Scurvy. Diabetes.	455 3,545 781 56 8,805	553 3,328 676 68 8,040	458 2,470 1,163 84 7,024	458 2,432 1,109 59 6,274	489 2,551 1,039 67 6,494	488 1,698 1,191 48 3,772	0.8 6.0 1.3 0.1 14.9	1.0 6.2 1.3 0.1 14.9	0.9 4.9 2.3 0.2 13.8	5.2 2.4 0.1	1.0 5.4 2.2 0.1 13.7	1.5 52 3.6 0.1 11.5
51 62 53 54 55	Exophthalmic goiter Addison's disease Leukemia. Anemia, chlorosis Other general diseases*.		687 220 864 2,614 1,359	636 234 832 2,421 263	500 199 689 2,152 252	512 200 728 2,293 476	218 149 394 1,578 158	1.3 0.4 1.6 4.7 2.0	1.3 0.4 1.6 4.9 2.5	1.3 0.5 1.6 4.8 0.5	1.1 0.4 1.5 4.6 0.5	1.1 0.4 1.5 4.8 1.0	0.7 0.5 1.2 4.8 0.5
56 57 58 59	Alcoholism (acute or chronie) Chronic lead poisoning Other chronic occupation poisonings Other chronic poisonings	2,875 145 11 309	2,909 136 6 259	2,578 86 5 262	2,348 95 4 220	2,734 101 5 233	2,002 87 5 166	4.9 0.2 (1) 0.5	5.4 0.3 (1) 0.5	5.1 0.2 (¹) 0.5	5.0 0.2 (1) 0.5	5.8 0.2 (¹) 0.5	0.3 (1) 0.5
	II.—Diseases of the nervous system and of the organs of special sense*	81,428	77,991	73,283	69,921	72,470	58,890	137.4	144.8	144.1	149.4	153.2	180.1
60 61	Encephalitis Meningitis (total) Simple meningitis Cerebrospinal meningitis (undefined) Cerebrospinal fever	792 7,285 4,690 2,055 540	761 7,619 5,347 2,052 220	355 7,853 5,662 } 2,191	452 8,904 6,304 2,600	517 9,197 6,384 2,813	630 10,366 7,601 2,765	3.5 0.9	1.4 14.2 9.9 3.8 0.4	4.0	1.0 19.0 13.5 5.6	1.1 19.4 13.5 5.9	1.9 31.7 23.2 8.5
62 63 64	Locomotor ataxia. Other diseases of the spinal cord (total). Acute anterior poliomyelitis. Other diseases of the spinal cord 5.	44,274	1,435 4,101 1,459 2,642 39,701	1,386 2,905 569 2,336 36,463	1,198 2,412 2,412 32,467	1,249 2,736 2,736 33,913 for deaths	786 1,589 1,589 22,756	2.7 6.6 1.8 4.8 74.7	2.7 7.6 2.7 4.9 73.7	1.1 4.6 71.7	2.6 5.2 5.2 69.4	2.6 5.8 5.8 71.7	

Less than one-tenth of 1 per 100,000.
 Less than 1.
 Not compiled separately prior to 1910.

<sup>&</sup>lt;sup>4</sup> Figures for deaths not available for the entire period. <sup>5</sup> Exclusive of acute anterior poliomyelitis (infantile paralysis).

TABLE II.—DEATHS (EXCLUSIVE OF STILLBIRTHS), AND DEATH RATES PER 100,000 POPULATION, BY CAUSES, ACCORDING TO THE DETAILED INTERNATIONAL LIST, FOR THE REGISTRATION AREA: 1908 TO 1911—Continued.

ist	are material by asterisks (*) following tile cities	<u> </u>										-	
ıţ.			1	NUMBER	OF DEATHS	·			DEATH 1	RATE PE	R 100,000	POPULATIO	ON.
Detailed Int. List No.	CAUSE OF DEATH.	1911	1910	1909	1908	Annual average: 1906 to 1910.	Annual average: 1901 to 1905.	1911	1910	1909	1908	Annual average: 1906 to 1910.	Annual average: 1901 to 1905.
	II.—Diseases of the nervous system and of the organs of special sense*—Con.												
65 66 67 68	Softening of the brain  Paralysis without specified cause <sup>1</sup> .  General paralysis of the insane <sup>1</sup> .  Other forms of mental alienation.	1,035 6,359 3,988 1,371	1,066 7,756 2,944 1,761	1,126 7,669 2,584 1,717	1,087 7,544 2,387 1,723	1,163 7,606 2,588 1,719	1,198 6,583 2,234 1,170	1.7 10.7 6.7 2.3	2.0 14.4 5.5 3.3	2.2 15.1 5.1 3.4	2.3 16.1 5.1 3.7	2.5 16.1 5.5 3.6	3.7 20.1 6.8 3.6
69 70 71 72	Epilepsy. Convulsions (nonpuerperal). Convulsions of infant;. Chorea.	2,329 186 4,231 116	2,287 200 4,802 123	2,066 191 5,340 117	1,824 273 6,177 102	1,981 256 6,038 103	1,452 364 7,000 87	3.9 0.3 7.1 0.2	4.2 0.4 8.9 0.2	4.1 0.4 10.5 0.2	3.9 0.6 13.2 0.2	4.2 0.5 12.8 0.2	$\begin{array}{c} 4.4 \\ 1.1 \\ 21.4 \\ 0.3 \end{array}$
73 74 75 76	Neuralgia and neuritis* Other diseases of the nervous system* Diseases of the eyes and their annexa Diseases of the ears	2,273 55 1,138	362 2,069 37 967	2,693 29 789	2,579 27 765	2,599 29 776	2,240 22 413	$\left\{\begin{array}{c} 0.7 \\ 3.8 \\ 0.1 \\ 1.9 \end{array}\right.$	0.7 3.8 0.1 1.8	5.2 0.1 1.6	5.5 0.1 1.6	5.5 0.1 1.6	6.9 - 0.1 1.3
	III.—Diseases of the circulatory system	109,830	100,106	90,456	80,607	84,040	52,696	185.3	185.9	177.8	172.3	177. 7	161.2
77 78 79 80 81	Pericarditis. Acute endocarditis * Organic diseases of the heart * Angina pectoris. Diseases of the arteries, atheroma, aneurism, etc.	747 4,489 83,525 4,212 13,789	650 4,792 76,178 3,869 11,657	660 6,906 65,971 3,481 10,174	585 5,994 60,038 2,997 7,935	638 5,790 62,985 3,204 8,394	677 3,665 40,612 2,143 3,066	1.3 7.6 140.9 7.1 23.3	1. 2 8. 9 141. 5 7. 2 21. 6	1.3 13.6 129.7 6.8 20.0	1.3 12.8 128.3 6.4 17.0	1.3 12.2 133.2 6.8 17.7	2.1 11.2 124.2 6.6 9.4
82 83	Embolism and thrombosis.  Diseases of the veins (varices bemorrhoids	2,016	1,990	1,981	1,907	1,866	1,367	3.4	3.7	3.9	4.1	3.9	4.2
84	Diseases of the lymphatic system (lymphan-	352	349	320	251	284	187	0.6	0.6	0.6	0.5	0.6	0.6
85	gitis, etc.). Hemorrhage; other diseases of the circulatory system *.	326 374	255 366	154 809	126 774	144	65	0.5	0.5	0.3	0.3	0.3	0.2
	IV.—Diseases of the respiratory system.	99,650	100,835	90,868	81,758	736 88, 976	915 72,091	0.6 168.1	0.7 187.3	1.6 178.6	1.7 174.7	1.6 188.1	2.8 220.5
86 87 88 89 90	Diseases of the nasal fossae. Diseases of the larynx Diseases of the thyroid body. Acute bronchitis. Chronic bronchitis.	133 824 266 6,482 5,077	135 746 224 7,229 5,391	109 770 194 6,939 5,188	85 770 185 7,089 5,043	99 781 183 7,206 5,239	71 756 97 6,996 5,031	0. 2 1. 4 0. 4 10. 9 8. 6	0.3 1.4 0.4 13.4 10.0	0.2 1.5 0.4 13.6 10.2	0. 2 1. 6 0. 4 15. 2 10. 8	0.2 1.7 0.4 15.2 11.1	0.2 2.3 0.3 21.4 15.4
91 92 93	Bronchopneumonia. Pneumonia (total). Lobar pneumonia Pneumonia (undefined). Pleurisy.	26,365 52,868 28,553 24,315 2,160	25,337 54,187 24,972 29,215 2,150	21, 026 49, 007 18, 350 30, 657 2, 082	16,758 44,501 44,501 1,848	19,130 48,713 48,713 1,955	10,768 41,044 41,044 1,520	44.5 89.2 48.2 41.0 3.6	47.1 100.6 46.4 54.3 4.0	41.3 96.3 36.1 60.3 4.1	35.8 95.1 95.1 3.9	40. 4 103. 0 103. 0 4. 1	32.9 125.5 125.5 4.6
94 95 96 97 98	Pulmonary congestion, pulmonary apoplexy Gangrene of the lung	2,341 187 1,578 163	2,499 138 1,454 166	2,550 221 1,419 137	2, 596 146 1,313 175	2,636 177 1,386 169	2,802 166 1,220 227	3.9 0.3 2.7 0.3	4.6 0.3 2.7 0.3	5. 0 0. 4 2. 8 0. 3	5. 5 0. 3 2. 8 0. 4	5. 6 0. 4 2. 9 0. 4	8.6 0.5 3.7 0.7
	Other diseases of the respiratory system (tuber- culosis excepted).	1,206	1,179	1,226	1,249	1,302	1,393	2.0	2.2	2.4	2.7	2.8	4.3
QQ.	V.—Diseases of the digestive system  Diseases of the mouth and annexa.	98,601	104,801	91,863	89,513	91,377	63,834	166.3	194.6	180.6	191.3	193. 2	195. 2
99 100 101 102 103	Diseases of the pharynx Diseases of the esophagus Ulcer of the stomach Other diseases of the stomach (cancer excepted)	366 952 142 2,143 8,774	423 840 120 2,203 8,403	356 792 129 1,770 8,171	324 690 137 1,523 7,830	349 735 132 1,680 7,939	242 473 113 964 5,786	0. 6 1. 6 0. 2 3. 6 14. 8	0.8 1.6 0.2 4.1 15.6	0.7 1.6 0.3 3.5 16.1	0. 7 1. 5 0. 3 3. 3 16. 7	0.7 1.6 0.3 3.6 16.8	0.7 1.4 0.3 2.9 17.7
104 105 106 107 108	Diarrhea and enteritis (under 2 years) Diarrhea and enteritis (2 years and over) Ankylostomiasis * Intestinal parasites * Appendicitis and typhlitis.	45,868 8,108 15 90 6,896	54, 266 8, 914 9 76 6, 128	44,648 7,868 62 5,768	44,521 7,692 65 5,289	45,516 7,891 67 5,306	29,094 6,610 38 3,589	$   \begin{bmatrix}     77.4 \\     13.7 \\     (2) \\     0.2 \\     11.6   \end{bmatrix} $	100. 8 16. 6 (2) 0. 1 11. 4	87.8 15.5 0.1	95. 2 16. 4 0. 1 11. 3	96. 2 16. 7 0. 1 11. 2	89.0 20.2 0.1 11.0
109 110	Hernia, intestinal obstruction (total)  Hernia.  Intestinal obstruction Other diseases of the intestines	7,061 2,369 4,692 1,785	6,678 2,192 4,486 1,571	6,371 2,018 4,353 1,411	5,976 1,867 4,109 1,248	6, 089 1, 927 4, 162 1, 311	4,256 1,364 2,892 945	11.9 4.0 7.9 3.0	12. 4 4. 1 8. 3 2. 9	12. 6 4. 0 8. 6 2. 8	12.8 4.0 8.8 2.7	12.9 4.1 8.8 2.8	13.0 4.2 8.8 2.9
113	Acute yellow atrophy of the liver. Hydatid tumor of the liver. Cirrhosis of the liver. Biliary calculi	302 24 8,310 1,749	224 24 7,485 1,501	211 19 7,045 1,486	187 13 6,709 1,275	189 16 6,784 1,301	131 11 4,694 736	0.5 (2) 14.0 3.0	0. 4 (2) 13. 9 2. 8	0. 4 (2) 13. 8 2. 9	0. 4 (2) 14. 3 2. 7	0.4 (2) 14.3 2.8	0.4 (2) 14.4 2.2
115 116 117 118	Other diseases of the liver.  Diseases of the spleen.  Simple peritonitis (nonpuerperal).  Other diseases of the digestive system (cancer and tubergulesis expected).	3,076 124 2,349	3,092 96 2,419	2,829 97 2,611	2,746 94 2,978	2,865 95 2,899	2,443 85 3,537	5. 2 0. 2 4. 0	5. 7 0. 2 4. 5	5.6 0.2 5.1	5. 9 0. 2 6. 4	6.1 0.2 6.1	7.5 0.3 10.8
	and tuberculosis excepted)	467 67,348	329 62,559	219 57,070	216 51,717	214 54,171	88 37,584	0.8	0.6	0. 4	110.5	0.5	0.3
119	Acute nephritis Bright's disease	5,956	5,665	5,018	4,632	4,773	3,138	10.0	10.5	9.9	9.9	10.1	9.6
122	Bright's disease Chyluria * Other diseases of the kidneys and annexa * Calculi of the urinary passages	51,847 1 1,343 361	1,389 1,389 329	43, 412 1,318 292	39, 203 1, 280 250	41,339 1,247 265	28,565 926 155	87. 5 (2) 2. 3 0. 6	2. 6 0. 6	85.3 2.6 0.6	83. 8 2. 7 0. 5	87. 4 2. 6 0. 6	87.4 2.8 0.5

<sup>&</sup>lt;sup>1</sup> Paresis (unqualified) transferredt rom List No. 66 to No. 67 beginning with 1911.

<sup>&</sup>lt;sup>2</sup> Less than one-tenth of 1 per 100,000.

Table II.—DEATHS (EXCLUSIVE OF STILLBIRTHS), AND DEATH RATES PER 100,000 POPULATION, BY CAUSES, ACCORDING TO THE DETAILED INTERNATIONAL LIST, FOR THE REGISTRATION AREA: 1908 TO 1911—Continued.

===	are indicated by asterisks (*) following the titles,	and refere	uce snould	pe made t	o the state	ments in tl	ne text (p.	29) relati	ve to cha	enges in o	classificat	tion.]	
t. Lis			:	NUMBER (	F DEATHS.			·	DEATH I	ATE PEI	100,000	POPULATIO	ON.
Detailed Int. List No.	CAUSE OF DEATH.	1911	1910	1909	1908	Annual average: 1906 to 1910.	Annual average: 1901 to 1905.	1911	1910	1909	1908	Annual average: 1906 to 1910.	Annual average: 1901 to 1905.
	VI.—Nonvenereal diseases of the genito- urinary system and annexa—Con.											~,	
124 125 126 127 128	Diseases of the bladder. Diseases of the urethra, urinary abscess, etc Diseases of the prostate Nonvenereal diseases of the male genital organs. Uterine hemorrhage (nonpuerperal)	1,532 285 2,175 49 76	1,561 237 2,020 75 81	1,484 234 1,873 49 79	1,476 190 1,495 39 90	1,484 204 1,628 49 79	1,415 136 862 35 89	2.6 0.5 3.7 0.1 0.1	2.9 0.4 3.8 0.1 0.2	2.9 0.5 3.7 0.1 0.2	3.2 0.4 3.2 0.1 0.2	3.1 0.4 3.4 0.1 0.2	4.3 0.4 2.6 0.1 0.3
129 130 131 132	Uterine tumor (noncancerous). Other diseases of the uterus. Cysts and other tumors of the ovary. Salpingitis and other diseases of the female genital organs.	892 770 628 1,401	933 774 500 1,298	862 759 518 1,146	845 717 454 1,015	837 734 472 1,034	581 564 430 671	1.5 1.3 1.1 2.4	1.7 1.4 0.9	1.7 1.5 1.0 2.3	1.8 1.5 1.0	1.8 1.6 1.0	1.8 1.7 1.3
133	Nonpuerperal diseases of the breast (cancer excepted)	32	31	26	31	26	17	0.1	0.1	0.1	0.1	0.1	0.1
134	VII.—The puerperal state	9,456	8,455	7,791	7,344	7,330	4,643	16.0	15.7	15.3	15.7	15.5	14.2
135 136 137	Accidents of pregnancy Puerperal hemorrhage * Other accidents of labor * Puerperal septicemia *	908 851 911 4,376	877 754 820 3,892	834 357 788 3,427	772 425 598 - 3,271	800 491 629 3,224	549 337 295 2,057	1.5 1.4 1.5 7.4	1.6 1.4 1.5 7.2	1.6 0.7 1.5 6.7	1.6 0.9 1.3 7.0	1.7 1.0 1.3 6.8	1.7 1.0 0.9 6.3
138 139	Puerperal albuminuria and convulsions * Puerperal phlegmasia alba dolens, embolus, sudden death *	2,094	1,824	1,706	1,619	1,593	911	3.5	3.4	3.4	3.5	3.4	2.8
140 141	Puerperal diseases of the breast	266 48 2	230 53 5	23 650 6	13 643 3	61 528 3	488 1	0.4 0.1 (1)	0.4 0.1 (1)	(1) (1)	(1) 1.4 (1)	0.1 1.1 (¹)	(1) (1)
	VIII.—Diseases of the skin and of the cellular tissue	3,010	3,008	2,985	2,817	2,869	2,392	5.1	5.6	5.9	6.0	6.1	7.3
142 143 144 145	Gangrene. Furuncle Acute abseess. Other diseases of the skin and annexa.	1,656 285 456 613	1,748 273 506 481	1,691 257 534 503	1,562 203 514 538	1,656 221 512 480	1,457 149 473 312	2.8 0.5 0.8 1.0	3.2 0.5 0.9 0.9	3.3 0.5 1.0 1.0	3.3 0.4 1.1 1.1	3.5 0.5 1.1 1.0	4.5 0.5 1.4 1.0
	IX.—Diseases of the bones and of the organs of locomotion	1,365	1,317	1,455	1,418	1,335	932	2.3	2.4	2.9	3.0	2.8	2.9
146 147	Diseases of the bones (tuberculosis excepted)*. Diseases of the joints (tuberculosis and rheuma-	1,187	1,145	1,325	1,296	1,190	. 795	2.0	2.1	2.6	2.8	2.5	2.4
148 149	Amputations. Other diseases of the organs of locomotion	121 5 52	119 7 46	88 3 39	81 10 31	97 13 36	75 35 27	0.2 (1) 0.1	$0.2 \\ {}^{(1)} \\ 0.1$	0.2 (1) 0.1	0.2 (1) 0.1	(1) (1) 0.1	0.2 0.1 0.1
150	X.—Malformations	8,465	7,998	7,755	6,907	7,066	3,978	14.3	14.9	15.2	14.8	14.9	12.2
100	cluded) (total)  Hydrocephalus  Congenital malformations of the heart  Other congenital malformations	8,465 736 5,069 2,660	7,998 685 4,821 2,492	7,755 664 4,766 2,325	6,907 681 4,179 2,047	7,066 669 4,272 2,125	3,978 527 2,190 1,261	14.3 1.2 8.6 4.5	14.9 1.3 9.0 4.6	15.2 1.3 9.4 4.6	14.8 1.5 8.9 4.4	14.9 1.4 9.0 4.5	12.2 1.6 6.7 3.9
	XI.—Early infancy *	46,692	39,388	36,782	35,384	35,456	24,167	78.8	73.2	72.3	75.6	75.0	73.9
151	Congenital debility, icterus and sclerema* (total) Premature birth	38,434 23,539	32,350 20,275	31,770 18,286	30,890 16,441	30,526 16,899	17,646 10,062	64. 8 39. 7	60.1 37.7	62. 4 35. 9	66. 0 35.1	64.5 35.7	54.0 30.8
152 153	mus," etc. Other causes peculiar to early infancy * (total). Injuries at birth Other causes peculiar to early infancy 2 Lack of care *.	14,895 8,087 4,573 3,514 171	12,075 6,906 3,725 3,181 132	13,484 4,906 3,508 1,398 106	14,449 4,376 3,110 1,266 118	13,627 4,765 3,138 1,627 165	7,585 2,499 1,634 864 4,022	25.1 13.6 7.7 5.9 0.3	22. 4 12. 8 6. 9 5. 9	26.5 9.6 6.9 2.7 0.2	30.9 9.3 6.6 2.7 0.3	28. 8 10. 1 6. 6 3. 4 0. 3	23.2 7.6 5.0 2.6 12.3
	XII.—Old age*	13,974	13,604	13,456	13,807	13,715	13,400	23.6	25.3	26.5	29.5	29.0	41.0
154	Senility *	13,974 63,650	13,604 57,196	13,456 52,029	13,807 49,311	13,715	13,400	23.6	25.3	26.5	29.5	29.0	41.0
	•	9,622	8,590	8,402	8,332	7,584	33,251 4,548	107.4	106.2	102.3	105.4	107. 9	101.7
155 156 157 158 159 160 161 162 163	Suicide (total).  By poison.  By asphyxia.  By hanging or strangulation.  By drowning.  By firearms.  By cutting or piercing instruments.  By jumping from high places.  By crushing.  Other suicides.	2,927 1,013 1,373 536 2,859 623 146 70	2,456 941 1,265 517 2,561 544 137 88 81	2,462 989 1,215 507 2,395 536 156 84 58	2,511 878 1,171 464 2,468 507 157 66 110	2,281 785 1,085* 415 2,233 472 128 67 118	4,548 1,549 365 684 231 1,108 261 55 20 275	4.9 1.7 2.3 0.9 4.8 1.1 0.2 0.1 0.1	4.6 1.7 2.3 1.0 4.8 1.0 0.3 0.2 0.2	4.8 1.9 2.4 1.0 4.7 1.1 0.3 0.2 0.1	5.4 1.9 2.5 1.0 5.3 1.1 0.3 0.1 0.2	4.8 1.7 2.3 0.9 4.7 1.0 0.3 0.1 0.3	1.1 2.1 0.7 3.4 0.8 0.2 0.1 0.8
164 165 166 167	Accidental or undefined (total)  Poisoning by food*  Other acute poisonings*	50,121 481 1,399 869 4,567	45,416 157 1,227 745 4,182	40,773 1,779 637 4,007	37,976 1,652 687 3,704	40,702 1,655 545 3,885	27,753 1,412 	84.6 { 0.8 2.4 1.5 7.7	84.3 0.3 2.3 1.4 7.8	80.2 3.5 1.3 7.9	81.2 3.5 1.5 7.9	86.0 3.5 1.2 8.2	84.9 4.3 8.3
168 169 170 171	Burns (conflagration excepted) Absorption of deleterious gases (conflagration excepted)* Accidental drowning Traumatism by firearms Traumatism by cutting or piercing instru-	2,143 5,571 1,327	1,379 4,818 1,161	2,004 4,558 944	1,709 4,677 986	1,766 4,551 1,012	1,519 3,362 1,109	3.6 9.4 2.2	2.6 8.9 2.2	3.9 9.0 1.9	3.7 10.0 2.1	3.7 9.6 2.1	4.6 10.3 3.4
172	Traumatism by cutting or piercing instru- ments * Traumatism by fall *	122 8,905	- 8,305	(3)	(3)	(4)	(3) (2)	0.2 15.0	0.2 15.4	( <sup>8</sup> )	(3)	(4) (4)	· (3)
1I	ess than one-tenth of 1 per 100,000. <sup>2</sup> Exclusive of		-		piled separ							or the entir	

Table II.—DEATHS (EXCLUSIVE OF STILLBIRTHS), AND DEATH RATES PER 100,000 POPULATION, BY CAUSES, ACCORDING TO THE DETAILED INTERNATIONAL LIST, FOR THE REGISTRATION AREA: 1908 TO 1911—Continued.

. List				NUMBER (	F DEATHS.				DEATH R	ATE PER	100,000	POPULATIO	on.
Detailed Int. List No.	CAUSE OF DEATH.	1911	1910	1909	1908	Annual average: 1906 to 1910.	Annual average: 1901 to 1905.	1911	1910	1909	1908.	Annual average: 1906 to 1910.	Annual average: 1901 to 1905.
	XIII.—External causes *—Continued.												
173 174 175	Accidental or undefined—Continued. Traumatism in mines and quarries (total). Traumatism in mines. Traumatism in quarries. Traumatism by machines. Traumatism by other crushing* (total). Railroad accidents and injuries. Street-car accidents and injuries. Automobile accidents and injuries. Injuries by other vehicles. Landslide, other crushing*	2,372 2,256 116 1,239 13,572 7,696 1,883 1,291 2,237 465	2,484 2,366 118 1,299 13,302 7,877 1,949 980 1,940 556	1,997 1,863 134 1,174 (1) 6,659 1,723 632 2,152 (1)	1,917 1,811 106 901 (1) 6,080 1,696 393 1,924 (1)	2,010 2,010 1,002 (2) 7,076 1,747 496 1,870 (2)	320 320 285 (1) } 4,977 } 848 (1)	4.0 3.8 0.2 2.1 22.9 13.0 3.2 2.2 3.8 0.8	4.6 4.4 0.2 2.4 24.7 14.6 3.6 1.8 3.6	3.9 3.7 0.3 2.3 (1) 13.1 3.4 1.2 4.2 (1)	4.1 3.9 0.2 1.9 (1) 13.0 3.6 4.1 (1)	4.2 4.2 2.1 (2) 15.0 3.7 1.0 4.0 (2)	1.0 1.0 0.9 (1) 15.2 2.6
176 177 178 179 180 181 185 186	Injuries by animals*. Starvation. Excessive cold. Effects of heat. Lightning. Electricity (lightning excepted)*. Fractures (cause not specified). Other external violence *.	188 3 165	502 38 254 826 156 478 623 3,391	(1) 37 251 816 150 (1) 357 10,896	(1) 34 227 829 161 (1) 734 9,665	(2) 36 243 763 154 (2) 1,351 8,554	(1) 33 191 1,188 98 (1) 2,785 6,527	0.9 0.2 0.3 5.3 0.4 0.9 0.6 4.2	0.9 0.1 0.5 1.5 0.3 0.9 1.2 6.3	(1) 0.1 0.5 1.6 0.3 (1) 0.7 21.4	(1) 0.1 0.5 1.8 0.3 (1) 1.6 20.6	(2) 0.1 0.5 1.6 0.3 (2) 2.9 18.1	(1) 0.1 0.6 3.6 0.3 (1) 8.5 20.0
182 183 184	Homicide (total).  By firearms* By cutting or piercing instruments* By other means*	3,907 2,347 638 922	3,190 1,852 452 886	2,854 2,854	3,003 3,003	2,771 2,771	950 950	$   \left\{     \begin{array}{c}       6.6 \\       4.0 \\       1.1 \\       1.6     \end{array}   \right. $	5.9 3.4 0.8 1.6	5.6	6.4 6.4	5.9 5.9	2.9 2.9
	XIV.—III-defined diseases	7,213	12,462	12,584	13,637	13,907	15,633	12.2	23.1	24.7	29.2	29.4	47.8
187 188 189	Ill-defined organic disease. Sudden death. Not specified or ill-defined *(total) Ill-defined Not specified or unknown	6,225 3,512	622 271 11,569 9,932 1,637	725 273 11,586 10,273 1,313	852 202 12,583 11,296 1,287	842 233 12,833 11,224 1,609	1,311 123 14,199 12,580 1,618	1.0 0.6 10.5 5.9 4.6	1. 2 0. 5 21. 5 18. 4 3. 0	1.4 0.5 22.8 20.2 2.6	1.8 0.4 27.0 24.2 2.8	1.8 0.5 27.1 23.7 3.4	4.0 0.4 43.4 38.5 4.9

<sup>1</sup> Not compiled separately prior to 1910.

<sup>&</sup>lt;sup>2</sup> Figures for deaths not available for the entire period.

## TABLE III.—DEATH RATES PER 100,000 POPULATION IN THE REGISTRATION AREA

[All death rates are based upon the total deaths, including deaths of nonresidents and deaths in hospitals and institutions. Minor areas containing state insane asylums population of the subdivision formed at least 10 per cent of the total, or numbered 10,000 or over in 1910. The term "cities" indicates municipalities

=	population of the subdivis			-5 Pox 6			<del></del>								
			[	ı		DEATH ]	MATE PE	R 100,000	FUPULAT	ION FR	Jan.—-	[	ſ		
	AREA AND COLOE.	All causes. <sup>1</sup>	Typhoid fever.	Mala- ria.	Small- pox.	Measles.	Scarlet fever.	Whoop- ing cough.	Diph- theria and croup.	In- flu- enza.	Ery- sipelas.	Tuber- culosis of the lungs.	Tuber- culous men- ingitis.	Other forms of tu- bercu- losis.	Rheu- ma- tism.
	•		1	3	4	5	6	7	8	9	(12)	18	14	15	(37)
	SUMMARY.														
1 2 3	The registration area (total)		21.0 19.9 44.9	3.0 2.3 19.8	0. 2 0. 2 0. 6	10.0 9.9 11.1	8.8 9.2 1.6	11.3 10.4 31.5	18. 9 19. 3 9. 8	15. 7 15. 3 23. 9	4. 2 4. 3 2. 9	138.0 126.2 405.3	8.8 8.5 15.4	12.1 11.3 30.1	7.3 7.2 10.5
4. 5 6	Registration states 2 (total)	1,391.5 1,364.0 2,180.1	20. 4 19. 7 40. 6	2. 4 2. 2 9. 2	0. 2 0. 2 0. 4	9. 9 9. 9 10. 0	8.5 8.8 1.7	11. 2 10. 6 29. 5	18.3 18.6 9.6	15.8 15.6 21.0	4. 2 4. 3 2. 8	134. 7 125. 1 409. 8	8.9 8.6 18.1	12. 0 11. 3 32. 6	7.3 7.1 10.8
7 8 9	Cities in registration states 2 (total) White Colored	1,506.0 1,471.2 2,418.2	18.6 18.2 31.0	1.2 1.0 6.9	0.2 0.2 0.4	10.1 10.1 10.2	11.0 11.3 2.4	10.7 10.1 26.3	21. 4 21. 8 10. 8	10. 4 10. 1 18. 9	4.8 4.9 3.4	150.3 139.4 435.5	12.1 11.7 22.7	12. 4 11. 5 36. 4	7.4 7.3 11.2
10 11 12	Rural part of registration states (total) White Colored	1,274.6 1,255.0 1,890.2	22. 2 21. 3 52. 3	3.7 3.4 11.8	0. 2 0. 2 0. 4	9.7 9.7 9.8	6.0 6.2 0.8	11.8 11.1 33.5	15.1 15.4 8.1	21.3 21.3 23.6	3.6 3.7 2.1	118.7 110.5 378.4	5. 7 5. 5 12. 6	11. 6 11. 0 27. 9	7. 1 7. 0 10. 3
13 14 15	Registration cities in other states (total) White	1,687.0 1,495.2 2,881.4	27. 7 23. 1 56. 4	9.8 3.6 48.6	0.7 0.6 1.2	10.8 10.3 14.0	12. 2 14. 0 1. 2	11.9 7.9 36.8	24. 9 27. 2 10. 2	14.3 11.5 31.9	4.3 4.5 3.3	175.0 140.0 393.2	7. 7 7. 7 8. 1	13. 1 11. 5 23. 3	7.8 7.5 9.6
16 17 18	All registration cities 2 (total)	1,533.3 1,474.5 2,604.3	20.0 18.8 41.2	2.5 1.3 23.7	0.3 0.2 0.7	10. 2 10. 1 11. 8	11.2 11.7 1.9	10.9 9.8 30.5	21. 9 22. 5 10. 6	11.0 10.3 24.1	4.7 4.8 3.3	154.0 139.5 418.5	11.4 11.1 16.9	12.5 11.5 31.2	7.5 7.3 10.6
	REGISTRATION STATES.														
19 20 21	California (total)		17.3 16.7 29.2	4.0 3.9 7.3	0.4 0.3 1.6	3.2 3.2 4.1	3.6 3.8	6. 4 6. 4 5. 7	6.5 6.8 1.6	8. 4 8. 7 4. 1	2.7 2.7 1.6	180. 8 173. 5 321. 6	10.3 10.0 16.2	15. 7 15. 0 28. 4	6.5 6.3 11.4
22 23 24	Colorado (total)		30.3 30.0 49.7	0.4 0.4		15.0 15.3	9. 9 9. 9 6. 2	6. 7 6. 5 18. 6	11.8 11.9 6.2	12.3 12.5	3.0 3.1	202. 7 197. 1 484. 5	6.9 6.8 12.4	8. 4 8. 3 12. 4	7.9 8.1
25 26 27	Connecticut (total)		13.5 13.3 24.7	1.9 2.0		8. 2 8. 3 6. 2	9. 0 9. 2	14.0 13.6 43.3	21. 9 21. 7 37. 1	23. 5 23. 3 37. 1	5. 1 5. 2	127. 7 123. 9 395. 5	11.0 10.2 61.8	10. 8 10. 5 30. 9	7. 4 7. 0 30. 9
28 29 30	Indiana (total).  White. Colored.		26. 7 26. 7 26. 1	4.0 3.9 8.1	0. 1 0. 1	9. 6 9. 7 4. 9	6. 6 6. 7 1. 6	10.0 9.6 26.1	14.1 14.0 17.9	18.3 18.2 24.4	4.2 4.2 3.3	131. 4 125. 2 397. 7	7. 9 7. 7 19. 6	15.7 15.0 45.6	7.0 6.8 14.7
31 32 33	Kentucky (total) White Colored		46.3 43.7 66.8	10.3 8.9 20.9	0. 2 0. 2	19. 7 19. 9 18. 6	3.7 4.1 0.8	19. 0 17. 2 32. 6	24. 8 26. 8 9. 1	17.8 16.0 31.5	3.3 3.4 1.9	200. 4 170. 6 432. 2	9. 6 9. 1 13. 7	19.3 17.0 37.2	7.5 6.7 14.0
34 35 36	Maine (total)		18.0 18.1	0. 4 0. 4		4.1 4.2	2.1 2.1	9. 8 9. 8	10.0 10.1	25.3 25.3	3.7 3.8	116.5 116.8 42.1	9. 6 9. 7	15. 9 15. 8 42. 1	7.1 7.1
37 38 39	Maryland (total). White Colored.		37.5 33.6 55.5	1.1 0.6 3.4		9.9 10.0 9.8	5.0 5.9 1.3	14.7 10.1 35.8	12.8 13.0 11.9	16. 6 14. 0 28. 6	3.8 4.1 2.6	178. 8 132. 4 391. 2	8. 8 7. 9 12. 8	15. 7 11. 8 33. 7	6.3 6.0 7.7
40 41 42	Massachusetts (total)		9.0 9.0 7.1	0. 4 0. 4	0.1 0.1	8. 9 9. 0	5. 7 5. 8	14. 6 14. 2 47. 1	16.8 17.0 4.7	10.0 10.1 4.7	4.9 4.9 4.7	129.3 126.6 346.3	13. 1 12. 7 44. 8	10. 8 10. 5 37. 7	6.1 6.1 9.4
43 44 45	Michigan (total). White. Colored.		19.1 18.9 43.3	1.0 0.9 7.9	0. 2 0. 2	6.9 6.8 19.7	7.1 7.2	8.5 8.5 11.8	16. 5 16. 5 11. 8	18.3 18.3 11.8	5.0 5.0 11.8	81. 2 78. 2 416. 9	3.9 3.9 7.9	10.9 10.7 39.3	7. 2 7. 1 19. 7
46 47 48	Minnesota (total) White Colored		13.5 13.6	0.1 0.1	0.3 0.3	5.3 5.3	9. 0 9. 1	8. 2 8. 0 36. 1	15. 0 15. 1	8. 5 8. 5 12. 0	4.6 4.6	100. 4 96. 8 540. 8	7.7 7.4 42.1	12. 1 12. 0 18. 0	5. 9 5. 9 12. 0
49 50 51	Missouri (total) White Colored.	1,258.8 2,278.9	31.9 31.2 46.3	15.3 15.2 17.5	0.9 0.9 2.5	18.7 19.4 5.0	9.7 10.0 4.4	12.9 12.8 16.3	20. 4 21. 1 7. 5	25. 9 25. 6 31. 9	4.7 4.7 3.1	137. 2 120. 6 465. 8	5.3 5.0 10.6	11.5 10.2 37.6	7. 6 7. 2 16. 3
52 53 54	Montana (total)	1,021.9 972.5 2,175.5	20. 4 19. 9 31. 0			12.5 10.1 68.2	9. 4 9. 8	6.9 6.4 18.6	7. 6 8. 0	3.8 4.0	3.1 2.9 6.2	91.3 69.1 607.4	5.1 3.5 43.4	10.7 9.8 31.0	6. 6 6. 4 12. 4
55 56 57	New Hampshire (total)	1,707.4 1,649.2	14.6 14.6			9. 2 9. 3	3.7 3.7	12.2 12.3	15. 7 15. 7	26. 6 26. 4 149. 9	3.0 3.0	104.6 104.3 299.9	6. 7 6. 7	10.2 10.2	7.4 7.4
58 59 60	New Jersey (total). White . Colored.	1,442.5 2,090.9	12.0 11.6 22.2	1.0 0.9 2.1	(3)	10.7 10.7 11.6	8. 4 8. 5 4. 2	12.6 12.2 21.1	21. 7 22. 0 11. 6	11. 2 11. 1 13. 7	4.7 4.9 1.1	151. 4 144. 0 349. 4	11.3 10.9 22.2	11.4 10.5 35.9	9. 2 9. 1 11. 6
61 62 63	New York (total)	1,540.0 2,406.1	14.1 14.0 18.6	0. 7 0. 6 2. 0	0.1 0.1	10.6 10.6 6.0	12.6 12.8 3.3	8. 4 8. 3 13. 9	20.9 21.0 15.9	14. 4 14. 5 12. 6	5. 4 5. 4 6. 0	154.9 149.1 515.0	12.8 12.6 25.2	10.0 9.7 29.8	7. 7 7. 7 6. 6
64 65 66	North Carolina 4 (total) White Colored	1,832.4 1,451.3 2,533.5	70. 0 67. 2 75. 1	23. 2 16. 1 36. 4	1.1 1.2 0.8	15.5 14.4 17.4	2.1 2.9 0.8	46. 2 21. 9 91. 0	10. 4 10. 7 9. 9	24.3 21.9 28.8	2.7 2.9 2.3	229. 5 163. 3 351. 2	7.5 6.6 9.1	19.8 13.6 31.1	8. 0 5. 8 12. 1

<sup>1</sup> Exclusive of stillbirths.

 $<sup>^2</sup>$  Includes District of Columbia.

AND ITS SUBDIVISIONS, BY COLOR OF DECEDENT AND CAUSE OF DEATH: 1911.

are designated by asterisks (\*). Figures for white and colored are shown separately for minor subdivisions (except as indicated in the footnotes) only when the colored of 10,000 inhabitants or over in 1910. Numbers under causes of death correspond to those of the abridged International List (see p. 29).]

19819819							DEATH	RATE PE	R 100,00	0 POPULA	ATION F	rom—								F
Can- cer.	Dia- betes.	Menin- gitis.	Cerebral hemor- rhage and softening.	Organic diseases of the heart.	Bron- chitis.	Pneu- monia (all forms).	Other respiratory diseases.	Diar- rhea and ente- ritis (under 2 years).	Appen- dicitis.	Hernia, intes- tinal obstruc- tion.	Cir- rhosis of the liver.	Ne- phritis, Bright's disease.	Puer- peral fever.	Other puer- peral affec- tions.	Con- genital debility and mal- forma- tions.	Violent deaths (ex- cluding sui- cide).	Sui- cide.	All other causes.	Ill- defined and un- known.	
16	(37)	17	18	19	20,21	22,(23)	(23)	25	26	27	28	29	31	32	88	85	36	(37)	38	j
74.3	14.9	12.3	76. 4	140.9	19.5	133. 7	14.9	77.4	11.6	11.9	14.0	97.5	7.4	8.6	79.1	91.1	16. 2	242. 6	12.2	
75.0	15.2	12.0	76. 1	137.8	18.9	128. 4	14.3	75.9	11.6	11.7	14.0	94.3	7.1	8.4	77.8	88.7	16. 5	235. 7	10.2	
57.0	7.0	17.9	84. 2	211.8	33.6	252. 2	28.6	111.0	11.9	16.6	13.6	170.4	13.5	13.3	108.2	146.0	10. 3	398. 8	55.6	
74. 0	15. 0	12.0	77.8	140.5	19.9	129. 6	14.7	73.6	11.1	11.6	13.6	94.1	7.1	8.4	79.2	89.8	15.9	238. 2	11.6	
74. 6	15. 3	11.9	77.7	138.4	19.5	125. 9	14.4	72.7	11.1	11.5	13.6	92.4	7.0	8.3	78.4	88.3	16.0	234. 6	10.4	
57. 0	6. 8	15.3	78.4	201.3	31.8	236. 2	24.2	99.6	10.0	14.2	12.0	141.2	11.4	12.3	101.7	133.1	12.0	339. 9	45.5	
81.9	17.0	12.9	75.1	148.3	22. 2	153.7	15.4	91.0	14.6	13.2	16.6	112.7	8.0	8.5	86.5	93.9	19.1	238.8	5.8	
82.4	17.3	12.9	74.7	144.5	21. 5	148.6	14.9	90.1	14.7	13.1	16.7	110.3	7.9	8.3	85.1	92.3	19.3	234.0	5.2	
68.2	8.3	14.6	87.8	248.5	40. 6	287.3	30.1	113.0	13.4	16.4	13.6	175.8	11.4	13.0	123.1	137.1	13.9	365.3	20.7	
65.9	13.0	11.0	80.5	132.5	17.6	105.0	14.0	55.8	7.4	9.9	10.5	75.0	6.2	8.4	71.7	85.6	12.6	237.5	17.6	1111
66.6	13.3	10.9	80.9	132.1	17.5	102.8	13.9	55.0	7.5	9.8	10.5	74.3	6.1	8.3	71.6	84.3	12.7	235.2	15.7	
43.4	5.0	16.1	66.9	143.9	21.1	174.1	17.0	83.2	5.9	11.6	10.1	99.1	11.5	11.5	75.7	128.3	9.7	309.0	75.7	
77.6	12.9	15.8	61.7	145.4	14.7	178. 9	17.4	119.6	18.0	15.7	18.8	135.8	10.1	10.0	78.1	106.1	20.2	291. 5	18. 4	1
80.9	13.8	14.3	55.5	130.2	10.9	160. 2	13.6	116.0	18.1	14.5	18.9	117.5	8.7	9.1	70.4	94.0	22.5	248. 7	8. 0	
56.9	7.7	25.1	100.0	240.4	38.4	295. 4	40.5	141.9	17.0	23.2	17.9	249.9	18.9	16.1	125.9	181.2	5.8	558. 4	83. 0	
81.3	16.4	13.3	73.1	147.9	21. 1	157. 5	15.7	95.3	15.1	13.6	16.9	116.2	8.3	8.7	85. 2	95.7	19.3	246.8	7.7	1
82.2	16.8	13.0	72.0	142.6	20. 0	150. 2	14.7	93.7	15.2	13.3	17.0	111.3	8.0	8.4	83. 1	92.5	19.8	236.0	5.6	
63.6	8.1	18.8	92.7	245.3	39. 7	290. 5	34.3	124.6	14.8	19.1	15.3	205.5	14.4	14.2	124. 2	154.8	10.6	442.9	45.8	
82.6	16. 4	13.4	72.5	178. 7	13.0	101.5	14.8	36. 4	11.2	12.6	20.3	92.1	5.8	7.6	47.3	110.5	30.1	233. 0	2.3	1 2 2
84.3	17. 0	12.7	· 74.1	180. 7	13.2	100.8	14.6	35. 9	11.3	12.3	20.5	93.0	5.8	7.4	47.5	109.1	29.7	233. 5	2.2	
48.7	6. 5	26.0	41.4	139. 7	9.7	115.3	19.5	45. 5	8.9	17.9	16.2	·75.5	5.7	10.6	43.9	137.2	38.2	222. 5	4.1	
55.3 55.5 43.5	13.5 13.6 6.2	14.1 14.1 12.4	45.3 45.3 43.5	89.4 88.3 149.1	12. 5 12. 4 18. 6	136. 0 135. 9 142. 9	16.5 16.2 31.1	56.6 57.2 24.8	15.6 15.6 18.6	9.8 9.8 6.2	11.1 11.0 12.4	79.9 77.5 205.0	8.8 8.6 ·18.6	8.9 8.8 12.4	80. 2 79. 5 111. 8	102. 2 100. 4 192. 5	21.7 21.7 18.6	196.6 194.8 285.7	3.6 3.7	2 2 2
78.5	17.3	20.1	105.8	159.6	23.9	153. 5	16. 4	79.1	9.1	14.3	14.5	117.5	5.0	6.3	94.7	91.8	18.2	250.6	9.3	222
78.3	17.3	19.9	105.9	158.7	23.6	152. 4	16. 1	79.0	9.0	14.1	14.5	116.9	5.0	6.3	93.9	91.6	18.2	248.5	8.9	
92.7	18.5	30.9	98.9	216.3	49.4	228. 6	37. 1	86.5	18.5	24.7	12.4	160.7	6.2	6.2	154.5	105.1	18.5	395.5	37.1	
71.3	14.5	8.8	80.5	143.2	15. 2	99. 6	8.8	61.5	10.5	12.3	12.6	84. 6	10.9	6.8	65. 4	80.8	16.7	231.2	1.7	2
71.4	14.6	8.8	79.8	139.8	15. 0	96. 6	8.6	60.7	10.3	12.1	12.3	83. 2	10.8	6.8	65. 4	79.8	16.8	229.8	1.7	
66.8	11.4	9.8	110.8	293.4	24. 4	229. 8	17.9	99.4	17.9	17.9	24.4	145. 1	14.7	6.5	66. 8	122.2	11.4	290.1	1.6	
42.7	6.8	22.1	41.3	86.5	15.6	98. 9	15.0	50.1	7.2	9.9	8.7	65.9	7.5	10.1	78.1	77.7	8.7	233.3	49.7	3
42.0	7.1	21.7	38.1	74.5	13.4	85. 5	12.9	49.3	7.1	9.3	8.3	61.3	6.4	• 9.8	77.9	66.3	9.3	213.7	45.1	
48.2	4.9	24.7	66.0	179.5	33.4	202. 6	31.1	56.5	8.0	14.4	11.8	102.1	16.3	12.5	79.7	165.8	3.8	384.8	85.8	
98.6 98.8 42.1	23.8 23.9	13. 4 13. 4	121. 4 121. 7	179.8 179.7 210.7	25. 1 25. 1 42. 1	141.7 142.0 42.1	19.2 19.3	63. 2 63. 4	13.5 13.5	12.3 12.3	5.3 5.4	114.1 114.4 42.1	3.9 3.9	9.5 9.5	74.4 74.5 42.1	78.6 78.7 42.1	13.5 13.5	348.8 349.4 168.6	25. 1 25. 2	333
73.0	12.8	13.8	80.1	142.8	22.6	146.8	20.2	98.4	8.2	12.0	12.6	128.0	5.4	8.5	98.6	76.6	11.4	270. 4	28. 4	3
78.0	14.3	13.2	77.5	127.5	19.7	119.6	18.8	91.0	7.7	11.3	13.8	116.7	4.9	6.9	88.5	71.7	12.9	246. 9	19. 9	
49.9	5.5	16.2	92.2	212.9	35.8	271.4	26.5	132.7	10.2	15.4	7.3	179.6	7.7	15.8	144.6	99.0	4.3	378. 0	67. 4	
94.4	19.8	14.6	99.5	183.5	24.3	153.8	12.7	103.2	10.9	12.2	9.8	86.7	6.1	8.7	87.9	92.5	13.0	263. 6	7.4	444
94.7	19.9	14.5	99.5	183.5	24.2	152.7	12.6	103.3	10.9	12.1	9.8	85.6	6.1	8.6	87.9	92.1	13.0	262. 9	7.2	
75.4	16.5	18.8	98.9	176.7	28.3	242.6	18.8	89.5	16.5	14.1	9.4	174.3	4.7	18.8	84.8	122.5	11.8	325. 1	21.2	
74.5	14.4	12.3	74.8	147.0	25.4	90. 4	17.6	57.0	11.8	13.2	11.8	67. 2	8.5	9.0	92.7	84.0	14.6	298.9	13.9	4
74.7	14.5	12.3	74.7	145.9	25.3	89. 4	17.3	56.5	11.8	13.1	11.8	67. 0	8.5	9.0	92.4	83.7	14.5	298.0	13.6	
55.1	3.9	7.9	86.5	263.5	31.5	204. 5	43.3	114.1	11.8	23.6	11.8	82. 6	3.9	11.8	121.9	118.0	27.5	397.2	43.3	
67.8 67.9 54.1	12.3 12.3 6.0	8.5 8.5 12.0	48.1 48.1 42.1	90.1 89.9 114.2	13.1 13.2	96.1 95.3 198.3	10.2 10.2 6.0	40.1 39.9 60.1	16.3 16.4 6.1	10.0 9.8 24.0	8.5 8.5 6.0	63.3 63.0 102.1	7.3 7.3	7.0 7.0 12.0	63.0 63.2 36.1	70.6 70.3 114.2	14.4 14.3 24.0	195. 4 194. 7 288. 4	14.9 13.4 192.3	4
59.4	12.4	13.6	53.9	102.4	19.4	119.7	13.4	60.8	11.2	10.8	14.0	85.2	8.4	8.6	68.6	74.6	18.0	228. 5	22.9	5
59.8	12.8	13.8	52.8	96.6	18.5	113.2	13.1	60.1	11.3	10.8	13.6	81.6	8.3	8.5	68.1	70.1	18.5	222. 1	21.4	
51.3	4.4	10.0	75.1	217.2	36.9	247.3	20.0	75.8	9.4	10.6	21.3	155.3	10.0	11.3	78.3	162.2	9.4	355. 6	52.6	
40.0 40.4 31.0	10.5 10.6 6.2	8.2 8.2 6.2	32.4 32.2 37.2	80.8 81.1 74.4	7.9 8.2	90.2 83.5 247.9	12.2 11.7 24.8	36.2 36.4 31.0	18.9 19.1 12.4	10.7 10.6 12.4	11.2 -11.2 -12.4	52.0 52.4 43.4	9.7 10.1	10.2 9.3 31.0	72.1 73.6 37.2	126.9 126.0 148.8	27.8 27.1 43.4	168.5 159.0 390.5	18.1 11.7 167.3	5: 5: 5:
96.8 96.9	23. 6 23. 6	21. 7 21. 7	117.8 118.0	197.0 196.9 299.9	34.4 34.5	145.5 145.7	22.4 22.4	88.7 88.8	10.9 10.9	13.2 13.2	11.8 11.8	110.9 110.6 299.9	4.2 4.2	9.5 9.5	99.6 99.5 149.9	93. 6 93. 7	12.9 12.7 149.9	367.3 367.4 299.9	11.8 11.8	5
74.6	13.3	13.8	88.4	143.3	18.4	151.4	17.2	99.7	9.0	9.3	15.1	116.5	7.7	8.4	86.9	93.6	15.8	212.1	5.6	5
74.4	13.5	13.9	88.4	141.6	18.2	148.2	16.5	99.0	9.0	9.1	15.4	115.0	7.4	8.3	85.7	92.7	16.0	208.2	5.4	
81.3	8.4	11.6	90.8	188.9	24.3	237.5	35.9	119.3	10.6	16.9	6.3	157.3	14.8	11.6	119.3	116.1	8.4	315.6	9.5	
86.3	19.0	10.9	86.1	165.7	22.8	177.8	13.3	81.8	11.9	12.6	18.0	132.0	6.6	8.4	82. 4	91. 4	16. 4	235. 9	1.9	6
86.6	19.2	11.0	86.2	164.9	22.5	175.2	13.3	81.2	11.9	12.6	18.1	131.0	6.5	8.3	81. 5	91. 2	16. 5	234. 5	1.8	
68.3	8.6	8.6	77.6	218.1	42.4	342.0	16.6	119.3	13.3	13.9	12.6	194.9	17.9	11.3	138. 5	107. 4	12. 6	322. 1	5.3	
54.8 59.4 46.3	5.9 7.4 3.0	19.5 19.8 19.0	71.3 64.3	136.0 96.1 209.4	19.8 11.1 35.7	150.7 84.5 272.3	14.4 13.6 15.9	150.1 130.7 185.8	16.6 20.6 9.1	10.7 9.9 12.1	8.3 7.0 10.6	91.9 74.6 123.6	8.5 4.1 16.7	17.1 14.0 22.8	90.3 86.2 97.8	91.1 66.8 135.8	6.1 8.7 1.5	343.6 291.6 439.2	65. 5. 32. 2 126. 7	68

<sup>8</sup> Less than one-tenth of 1 per 100,000 population.

<sup>&</sup>lt;sup>4</sup>Includes only municipalities having a population of 1,000 or over in 1900.

## TABLE III.—DEATH RATES PER 100,000 POPULATION'IN THE REGISTRATION AREA AND

[All death rates are based upon the total deaths, including deaths of nonresidents and deaths in hospitals and institutions. Minor areas containing state insane asylums population of the subdivision formed at least 10 per cent of the total, or numbered 10,000 or over in 1910. The term "cities" indicates municipalities

						DEATH R	ATE PER	100,000	POPULAT	ion fro	ом—	·	<del></del>		
	AREA AND COLOR.	All causes. <sup>1</sup>	Typhoid fever.	Mala- ria.	Small-pox.	Measles.	Scarlet fever.	Whooping cough.	Diph- theria and croup.	In- fiu- enza.	Ery- sipelas.	Tuber- culosis of the lungs.	Tuber- culous men- ingitis.	Other forms of tuberculosis.	Rheu- ma- tism.
	REGISTRATION STATES—Contd.														
1 2 3	Ohio (total)	1,309.5 1,290.8 2,086.5	22. 7 22. 6 29. 0	0. 9 0. 9 2. 6	0.1 0.1	6. 4 6. 5 4. 4	10.3 10.5 1.8	11. 4 11. 0 29. 0	15.0 15.1 11.4	21.8 21.8 22.8	3.9 3.9 3.5	127. 4 119. 3 462. 4	7.3 6.9 24.6	13. 2 12. 8 29. 8	6.9 6.8 9.7
4 5 6	Pennsylvania (total) White Colored	1,421.0 1,405.2 2,019.4	21.9 21.8 24.3	0.5 0.5 0.5	0.1 0.1	10.3 10.2 11.4	9.6 9.8 1.5	12.7 12.3 28.3	27.0 27.4 8.9	14.7 14.7 11.9	3.7 3.7 2.5	117.9 111.0 377.4	7.2 6.9 21.3	10.3 9.8 29.8	7.3 7.3 6.9
7 8 9	Rhode Island (total)	1,553.6 1,537.7 2,394.0	9.5 9.5 9.6	1.1		4.1 4.2	10.4 10.4 9.6	21.7 20.3 96.1	25.6 26.1	9.5 9.7	2.9 2.7 9.6	145.1 138.4 500.0	13.3 13.1 19.2	12.5 11.7 57.7	6.5 6.2 19.2
10 11 12	Utah (total)		19.2 19.3 14.4		2.3 2.4	10.9 11.1	14. 5 14. 5 14. 4	6.8 6.9	22. 1 22. 5	6.5 6.3 14.4	3.1 3.2	37.9 36.0 143.6	1.6 1.6	7.3 7.4	10.4 10.6
13 14 15	Vermont (total)		12.3 12.4	1.4 1.4		10.6 10.7	1.4 1.4	7.6 7.6	6.7 6.7	43.9 44.1	3.6 3.7	97.1 96.4 240.2	· 8.7 8.7	12.9 12.6 60.1	7.3 7.3
16 17 18	Washington (total)	890. 2 872. 4 1,490. 2	18.3 17.2 57.1	0.2 0.3	0.2 0.3	5.6 5.7 2.9	4.6 4.7	5.7 5.3 20.0	8.5 8.5 11.4	9.0 9.0 8.6	2.5 2.6	84.3 75.9 368.3	10.1 9.5 25.7	12.3 11.9 25.7	4.8 4.8 2.9
19 20 21	Wisconsin (total)	1, 146. 3 1, 146. 2 1, 152. 3	13.2 13.2 14.9	0.2 0.2	0.1 0.1	10.7 10.7 7.4	9.4 9.4	8.7 8.7 7.4	13.6 13.6 7.4	12.9 13.0	3.9 3.9 7.4	88. 0 87. 2 230. 5	5.4 5.4 14.9	10.4 10.2 37.2	8.7 8.7 14.9
	REGISTRATION CITIES.		-												
22	ALABAMA. <sup>2</sup> Registration cities (total)	2,071.6	75.6	45.3	0.4	24. 2	1.8	19.3	9.7	14.5	1.8	241.8	3.5	5.3	1.8
23 24	Registration cities (total)	1,562.3 2,762.1	67.2 87.0	19.1 80.8		22. 9 25. 9	3.1	21. 4 16. 6	9.9 9.3	8.4 22.8	1.5 2.1	122.2 404.1	3.8 3.1	3.8 7.3	2.3 1.0
25 26 27 28 29 30 31 32 33	Birmingham (total).  White. Colored. Mobile (total).  White Colored. Montgomery (total).  White. Colored.  Colored.  Colored.	1,820.1 1,420.1 2,434.7 2,404.9 1,881.3 3,065.7 2,505.4 1,686.8 3,301.5	45.5 42.4 50.3 184.1 153.1 223.3 33.8 42.2 25.6	77.8 34.0 133.1 78.0 31.6	0.7	11.4 17.0 4.3 49.4 26.4	1.5 2.4 3.8 6.8	20. 5 24. 2 14. 9 20. 9 20. 4 21. 5 13. 0 10. 5 15. 4	9.5 10.9 7.4 11.4 10.2 12.9 7.8 5.3 10.3	8.8 4.8 14.9 20.9 17.0 25.8 26.0 10.5 41.0	1.5 1.2 1.9 1.9 3.4 2.6	224. 6 107. 8 403. 9 318. 9 166. 7 510. 9 197. 5 116. 0 276. 8	5.1 4.8 5.6 2.6 5.3	2.2 1.2 3.7 5.7 6.8 4.3 15.6 10.5 20.5	0.7 1.9 1.9 3.4 5.2 10.5
34 35 36	Registration cities (total)	1,474.5 1,456.3 1,873.4	16.8 15.7 39.6	1.4 1.1 6.9	0.5 0.5 1.7	5.0 4.9 5.2	2.9 3.0	5. 4 5. 4 5. 2	6.7 7.0	5.9 6.0 5.2	2.7 2.7 3.4	191. 2 180. 2 431. 8	12.2 11.5 27.5	17.9 16.9 39.6	8.4 8.0 17.2
37 38 39 40 41	Alameda. Bakersfield Berkeley Eureka. Fresno	1,093 7	8.3 67.7 9.1 32.3 42.3	7.5			8.1	4.1 4.6 3.8	8.3 7.5 8.1 42.3		4.1 8.1 3.8	82. 5 353. 5 52. 6 209. 7 173. 0	8.3 2.3 8.1 7.7	16.5 30.1 11.4 40.3 26.9	12.4 15.0 6.9 16.1
42 43 44 45 46 47	Long Beach Los Angeles (total) White Colored Oakland Pasadena	1,527.0 1,454.5 1,442.7 1,715.2 1,266.2 1,326.4	15.2 11.6 10.6 33.5 14.0 6.2	10.1 1.2 0.9 6.7 1.3	1.7 1.5 6.7	5.1 2.3 2.4 11.5	5.1 2.6 2.7	10.1 5.5 5.2 13.4 3.8 3.1	10.1 6.4 6.7 7.0 12.4	20.3 6.4 6.4 6.7 3.8 12.4	1.2 1.2 5.7	157.3 248.1 239.9 428.8 104.7 262.8	5.1 10.2 9.7 20.1 13.4 3.1	15.2 19.2 18.2 40.2 14.7 15.5	5.1 10.2 9.4 26.8 5.7
48 49 50 51 52 53	Pomona. Redlands. Riverside (total). White Colored. Sacramento.	1,364.5	18.6 9.0 62.1 56.0 110.8 40.8				26.9 6.2 7.0	18.6 21.0	6.2 7.0 8.6	27.8 18.0 6.2 7.0	6.2 7.0 2.1	139.2 412.9 347.9 349.8 332.4 191.1	18.6 9.0 18.6 14.0 55.4 23.6	18.6 26.9 12.4 7.0 55.4 30.1	9.3 9.0 6.2 7.0
54 55 56 57 58	San Bernardino San Diego San Francisco (total) White Colored	1,957.5 1,933.5 1,524.7 1,502.7 2,047.0	80.9 16.6 15.3 13.5 58.0	1.2 0.5 17.4	2.4	2.4 7.7 7.8 17.4	7.4 4.7 3.5 3.7	6. 8 6. 9 5. 8	7.4 9.5 5.2 5.4	14.7 23.7 2.8 2.7 5.8	3.5 3.2 11.6	485.7 274.5 158.5 144.6 487.1	9.5 16.9 15.9 40.6	36.8 23.7 14.6 14.2 23.2	22.1 14.2 8.7 8.6 11.6
59 60 61 62 63	San Jose. Santa Barbara. Santa Cruz. Stockton* Vallejo	1 751 A	3.1 24.4 8.5 20.9 8.5				3.1 8.5 4.2	12.5 17.0	8.3 8.5	3.1 8.1 16.9 12.5	3.1 8.1 4.2	153.3 236.2 135.4 333.9 110.6	6.1 8.1 8.5 8.3	21.5 24.4 8.5 20.9 17.0	20.9
64	COLORADO.  Registration cities (total)	1,505,5	19.1	1.0		18.1	6.8	8.1	15.9	9.7	3.6	279.9	12.6	12.3	8.7
65 66	White Colored.	1,487.5 2,060.6	19.4 10.3	1.0		18.7	6. 7 10. 3	7. 4 30. 9	16.0 10.3	10.0	3.7	269. 0 618. 2	12.4 20.6	12.7	9.0

<sup>&</sup>lt;sup>1</sup> Exclusive of stillbirths.

ITS SUBDIVISIONS, BY COLOR OF DECEDENT AND CAUSE OF DEATH: 1911—Continued.

are designated by asterisks (\*). Figures for white and colored are shown separately for minor subdivisions (except as indicated in the footnotes) only when the colored of 10,000 inhabitants or over in 1910. Numbers under causes of death correspond to those of the abridged International List (see p. 29).]

	 						DEATH	RATE PE	ER 100,00	0 POPUL	ATION F	ROM-			- <u> </u>				<del></del>	T
Can- cer.	Dia- betes.	Menin- gitis.	Cerebral hemor- rhage and softening.	Organic diseases of the heart.	Bron- chitis.	Pneu- monia (all forms).	Other respiratory disteases.	Diarrhea and enteritis (under 2 years).	Appen- dicitis.	Hernia, intes- tinal obstruc- tion.	Cir- rhosis of the liver.	Ne- phritis, Bright's disease.	Puer- peral fever.	Other puer- peral affec- tions.	Con- genital debility and mal- forma- tions.	Violent deaths (ex- cluding sui- cide).	Sui- cide.	All other causes.	III- defined and un- known.	,
16	(37)	17	18	19	20,21	22,(23)	(23)	25	26	27	28	29	31	82	33	35	36	(37)	88	
76. 4 76. 7 65. 8	14. 4 14. 4 16. 7	9.8 9.7 14.0	89.1 88.8 100.9	145. 9 143. 4 246. 6	19.1 18.6 37.7	101.8 99.8 185.1	10. 2 10. 3 8. 8	59.8 59.7 63.2	10.0 10.0 8.8	10.6 10.7 7.0	14.9 14.9 14.9	77.5- 76.5 117.6	7.5 7.5 9.7	7.3 7.3 8.8	65.3 65.3 67.6	90.6 89.3 144.8	16.1 15.9 22.8	229.6 227.8 301.8	6.1 5.9 13.2	2
66. 4 66. 6 56. 5	13.2 13.4 6.0	9.0 9.1 7.9	79.6 80.2 57.5	129.0 127.6 180.5	21.3 20.9 36.7	140.0 137.3 240.0	20.2 19.9 30.7	104.1. 103.4 130.4	8.7 8.7 8.9	10.9 10.8 16.4	13.7 13.7 12.9	91.9 90.3 151.8	7.3 7.3 9.4	9.2 9.2 9.4	93.0 92.4 117.5	106.2 105.8 122.0	13.2 13.4 5.5	227.3 225.9 279.7	13.8 13.8 14.9	4 5 6
88.0 87.3 125.0	21.5 21.7 9.6	13.1 13.1 9.6	95.7 ~ 95.9 86.5	158.0 156.1 259.6	27.6 27.6 28.8	152.1 151.2 201.9	14.3 14.1 28.8	· 88.3 88.9 57.7	13.1 13.0 19.2	12.4 12.6	14.9 14.8 19.2	124.2 123.8 144.2	5.2 5.1 9.6	10.8 11.0	89.4 89.3 96.1	85.5 84.0 163.4	11.6 11.3 28.8	255.3 253.6 346.1	10.6 10.0 38.5	8
51.9 52.6 14.4	11.2 11.4	10.1 10.0 14.4	37.4 37.8 14.4	82.8 82.8 86.2	18.4 18.5 14.4	110.6 111.0 86.2	16.6 16.9	37.4 37.8 14.4	16.4 16.4 14.4	13.8 14.0	5.5 5.6	59.7 60.0 43.1	5.2 5.0 14.4	10.4 10.6	77.4 78.5 14.4	85.7 83.0 229.8	18.2 17.5 57.4	199.4 200.9 114.9	17.7 17.5 28.7	111
101.0 100.9 120.1	20.1 20.2	8.4 8.4	132.6 132.9 60.1	211.8 211.9 180.2	28.8 28.7 60.1	129.0 129.0 120.1	12.6 12.6	61.8 62.1	19.3 19.4	14.3 14.3	11.5 11.5	105.7 106.2	4.5 4.5	9.2 9.3	77.8 78.1	85.9 83.8 540.5	20.1 19.4 180.2	309.7 310.0 240.2	6.2 6.2	13 14 15
46.1 46.8 22.8	10.1 10.3 2.9	4.4 4.3 8.6	49.7 50.5 22.8	82.8 83.5 60.0	6.7 6.5 14.3	64.8 61.8 165.6	7.6 7.4 11.4	25. 4 25. 5 22. 8	12.6 12.9 2.9	9.3 9.5	6.0 6.0 5.7	55.0 54.8 62.8	5.1 4.8 14.3	9.4 9.6 2.9	52.1 53.3 11.4	96.0 91.9 234.1	20.7 20.4 31.4	146:6 145.4 188.4	13.5 11.4 82.8	16 17 18
74.7 74.8 66.9	14.5 14.6	13.4 13.3 29.7	59.5 59.6 44.6	110.6 110.8 74.3	18.7 18.8	85.7 85.6 111.5	15.0 15.0 7.4	51.3 51.3 44.6	13.5 13.6 7.4	11.8 11.8 7.4	12.4 12.5	64.2 64.3 52.0	6.4 6.3 22.3	6.6 6.6	75.6 75.6 74.3	64.3 64.2 74.3	13.7 13.7 14.9	239.0 239.4 171.0	10.2 10.2 7.4	19 20 21
			,									-								
67.7 74.9 58.0	9.2 10.7 7.3	13.2 10.7 16.6	89.3 73.3 110.9	151.7 101.6 219.6	10.1 3.1 19.7	138.9 86.3 210.3	- 17.6 12.2 24.9	116.1 119.9 110.9	32.1 42.8 17.6	28.6 32.1 23.8	14.5 12.2 17.6	179.0 144.4 225.9	11.4 10.7 12.4	12.8 12.2 13.5	109.1 99.3 122.3	141.2 93.2 206.2	11.9 18.3 3.1	373.3 283.4 495.2		
68.3 69.1 67.0 77.8 95.3 55.8 52.0 68.5 35.9	9.5 10.9 7.4 9.5 13.6 4.3 7.8 5.3	13.2 9.7 18.6 11.4 10.2 12.9 15.6 15.8	88.1 65.4 122.9 100.6 88.5 115.9 78.0 84.3 71.8	132.1 84.8 204.8 170.8 139.5 210.4 194.9 116.0 271.7	17.1 6.8 30.1 36.4 10.5 61.5	160.7 101.8 251.3 77.8 71.4 85.9 145.5 42.2 246.1	11.7 10.9 13.0 28.5 17.0 42.9 23.4 10.5 35.9	135.8 132.1 141.5 68.3 88.5 42.9 111.8 116.0 107.7	34.5 43.6 20.5 28.5 34.0 21.5 28.6 52.7 5.1	25.0 29.1 18.6 32.3 44.2 17.2 36.4 26.4 46.1	13.2 10.9 16.8 15.2 10.2 21.5 18.2 21.1 15.4	103.5 93.3 119.1 315.1 234.7 416.5 259.9 226.7 292.2	13.2 13.3 13.0 9.5 3.4 17.2 7.8 10.5	16.1 15.8 16.8 5.7 6.8 4.3 10.4 5.3 15.4	105.7 109.1 100.5 110.1 64.6 167.5 119.6 110.7 128.2	151.9 103.0 227.1 108.2 64.6 163.2 148.1 94.9 199.9	12.5 19.4 1.9 13.3 17.0 8.6 7.8 15.8	251. 7 218. 1 303. 4 495. 4 421. 9 588. 2 636. 7 353. 2 912. 5	107.2 43.6 204.8 51.2 10.2 103.0 135.1 31.6 235.8	25 26 27 28 29 30 31 32 33
99.8 101.1 70.5	20.8 21.3 10.0	14. 2 13. 7 25. 8	78.0 79.0 56.8	198.6 198.1 208.2	14.8 14.8 15.5	110.7 108.9 149.7	15.8 15.2 27.5	38.8 38.8 37.8	14.2 14.1 17.2	13.4 13.0 20.6	24.6 24.7 24.1	106. 6 105. 7 125. 6	6.3 6.3 6.9	7.8 7.5 13.8	54.2 54.4 49.9	99.2 97.7 130.7	35.2 35.0 39.6	244.3 243.7 258.0	0.5 0.5 1.7	34 35 36
57.8 60.2 82.3 129.1 42.3	12.4 15.0 20.6	8.3 30.1 9.1 8.1 15,4	61.9 120.3 68.6 137.1 69.2	169.2 165.5 114.3 145.2 130.7	4.1 6.9 8.1 3.8	57.8 248.2 82.3 64.5 80.7	8.3 15.0 9.1 24.2 23.1	16.5 142.9 13.7 16.1 88.4	16.5 60.2 11.4 32.3 26.9	20.6 7.5 16.0 8.1 19.2	8.3 30.1 9.1 16.1 23.1	107.3 127.9 45.7 104.9 53.8	8.3 30.1 2.3 8.1 15.4	8.3 15.0 9.1 16.1 11.5	33.0 112.8 34.3 88.7 84.6	127.9 255.7 73.2 193.6 76.9	12.4 67.7 20.6 48.4 26.9	206. 4 323. 4 141. 7 298. 5 230. 7	- 8.1	37 38 39 40 41
116.7 95.4 98.2 33.5 105.3 117.5	20.3 19.2 20.1 16.6 3.1	20.3 17.5 17.3 20.1 16.0 9.3	96.4 62.0 63.2 33.5 83.0 80.4	208.0 183.2 180.8 247.9 194.0 160:8	15.2 13.1 13.4 6.7 13.4 9.3	. 86.2 98.0 97.0 120.6 107.2 80.4	15.2 15.7 14.3 46.9 18.5 21.6	20.3 34.3 35.0 20.1 35.1 12.4	10.8 10.0 26.8 9.6 15.5	15. 2 12. 5 12. 8 6. 7 15. 3 12. 4	15.2 18.6 19.5 16.6 27.8	197.8 93.4 93.6 87.1 82.3 123.7	5.1 7.3 7.0 13.4 4.5	10.1 9.0 9.1 6.7 5.1	60.9 58.5 57.5 80.4 60.6 27.8	96.4 93.1 92.4 107.2 80.4 55.7	25.4 37.2 38.9 35.1 3.1	243.5 248.7 247.5 274.7 180.6 250.4	0.6 0.6	42 43 44 45 46 47
83.5 62.8 68.3 77.0	18.6 9.0 37.3 42.0	9.3 37.3 42.0 6.4	74. 2 98. 7 87. 0 84. 0 110. 8 96. 6	157.7 134.6 161.5 174.9 55.4 139.5	9.3 6.2 7.0	129.9 26.9 43.5 42.0 55.4 135.2	37.1 9.0 6.2 7.0	18.6 44.9 87.0 84.0 110.8 85.9	27.8 9.0 12.4 14.0	9.0	9.3 9.0 25.8	64.9 44.9 105.6 112.0 55.4 135.2	6.2 7.0 4.3	18.6 6.2 7.0 6.4	92.8 98.7 68.3 77.0	139.2 107.7 80.8 84.0 55.4 150.3	18.6 12.4 7.0 55.4 38.6	269.0 179.5 298.2 314.9 166.2 388.6	2.1	48 49 50 51 52 53
95.7 113.6 110.6 111.1 98.6	7.4 42.6 26.5 26.9 17.4	22.1 18.9 11.7 11.3. 23.2	66. 2 111. 2 71. 4 72. 9 34. 8	228.1 215.4 227.9 227.0 249.3	14.7 11.8 21.6 21.3 29.0	147. 2 97. 0 132. 9 131. 9 156. 6	14.7 42.6 12.2 12.0 17.4	80. 9 45. 0 38. 0 38. 7 23. 2	14.7 21.3 17.6 18.1 5.8	29. 4 14. 2 14. 1 14. 2 11. 6	14.7 14.2 40.6 39.9 58.0	103.0 170.4 122.8 120.4 179.8	7.1 7.0 7.3	14.7 7.1 7.3 7.3 5.8	73.6 52.1 48.8 49.7 29.0	132.5 123.1 95.5 93.9 133.4	58.9 56.8 39.4 39.1 46.4	184.0 388.1 233.8 233.2 249.3	0.2 0.2	54 55 56 57 58
101.2 122.2 93.1 96.0 42.5	24.5 40.7 8.5 8.3 8.5	9.2 24.4 16.7 8.5	82.8 195.5 110.0 167.0 102.1	251. 5 293. 2 279. 3 221. 2 263. 8	9.2 8.5 20.9	101.2 122.2 59.2 129.4 110.6	12.3 8.1 8.5 8.5	30.7 48.9 42.3 25.0 8.5	6.1 16.3 8.3 8.5	3.1 8.1 12.5 8.5	15.3 16.3 42.3 4.2	98.1 122.2 101.6 121.1 93.6	3.1 8.3	12.3 8.1 16.9 4.2	55.2 24.4 42.3 12.5 8.5	52.1 122.2 110.0 175.3 187.2	18.4 32.6 16.9 33.4 25.5	177. 9 228. 0 380. 8 526. 0 110. 6	3.1 8.1	59 60 61 62 63
71.5 72.5 41.2	18. 4 18. 7 10. 3	18.8 18.7 20.6	57.6 58.5 30.9	109. 4 106. 6 195. 8	15. 9 16. 0 10. 3	146.0 148.0 82.4	16.5 18.4 20.6	56.0 56.8 30.9	19.7 19.7 20.6	10.0 10.4	16.8 16.7 20.6	111.7 106.6 267.9	8.4 8.0 20.6	8.7 8.4 20.6	80.9 78.9 144.2	79.0 77.9 113.3	28.5 28.7 20.6	235.0 233.2 288.5	1.0 1.0	64 65 66

<sup>&</sup>lt;sup>2</sup> Nonregistration state; cities shown below only those with effective local ordinances.

## TABLE III.—DEATH RATES PER 100,000 POPULATION IN THE REGISTRATION AREA AND

[All death rates are based upon the total deaths, including deaths of nonresidents and deaths in hospitals and institutions. Minor areas containing state insane asylums population of the subdivision formed at least 10 per cent of the total, or numbered 10,000 or over in 1910. The term "cities" indicates municipalities

٦		"	u at least					100,000 P						· • • · · · · · · · · · · · · · · · · ·	
- 1			1 !								, i		1		
	AREA AND COLOR.	All causes.1	Typhoid fever.	Mala- ria.	Small- pox.	Measles.	Scarlet fever.	Whoop- ing cough.	Diph- theria and croup.	In- flu- enza.	Ery- sipelas.	Tuber- culosis of the lungs.	Tuber- culous men- ingitis.	Other forms of tu- bercu- losis.	Rheu- ma- tism.
		.,	1	3	4	5	6	7	8	9	(12)	13	14	15	(37)
	REGISTRATION CITIES-Continued.								,						
	COLORADO—continued.														
1 2 3 4	Colorado Springs	1,618.9 1,549.7 1,299.7 1,166.9	13. 4 18. 0 28. 1 18. 5	3.4 0.5 2.2		21. 2 15. 1 18. 5	10.1 5.0 15.1	3.4 5.4 23.7 9.3	6.7 16.7 19.4 9.3	20. 1 7. 3 10. 8 27. 8	5.0	559.7 270.2 177.0 148.2	13.4 10.8 21.6 9.3	16.8 11.7 13.0 9.3	10.1 8.1 13.0
5 6 7	Registration cities (total)		16. 9 16. 7 33. 7	2. 1 2. 1		9.7 9.7 8.4	9.3 9.5	15. 1 14. 7 42. 1	22. 9 22. 5 50. 5	19.8 19.4 42.1	5.3 5.4	128.6 124.0 421.0	11.5 10.4 84.2	10.6 75.8 42.1	5. 9 5. 5 33. 7
8 9 10 11 12	Ansonia Bridgeport Bristol Danbury town Greenwich town	1,365.3 1,390.6 1,288.1 1,400.3 1,518.7	3. 8 14. 3 8. 3 5. 9	0 0.9 4.2			2.8 4.2 17.7	7.6 35.8 8.3 23.5	12.9 14.2 14.3 16.7 11.8	12. 9 12. 3 14. 3 20. 8 29. 4	2.8 4.2	122. 9 108. 6 93. 0 125. 0 100. 1	8.5 14.3 4.2 17.7	6. 6 14, 3 20. 8 5. 9	3.8 4.2 5.9
13 14 15 16	Hartford Manchester town Meriden town Middletown town*	1,826.2 1,177.6 1,647.3 2,250.9	19.8 21.4 3.1 42.6	6. 2 4. 7		3. 0 21. 4 12. 3	22. 7 7. 1 6. 2	16.8 14.3 21.6 9.5	42. 5 42. 8 21. 6 42. 6	11.9 14.3 43.1 14.2	9.9 7.1 6.2 23.6	117.5 114.2 403.3 175.0	8.9 21.6 14.2	11.9 7.1 3.1 14.2	5.9 7.1 6.2 4.7
17 18 19 20	Naugatuck New Britain New Haven New London	908. 5 1, 293. 7 1, 668. 2 1, 692. 1	10. 9 24. 9 10. 0	4. 4 2. 9			15. 4 10. 2 5. 0	7.7 45.8 13.2 10.0	43. 6 19. 0 10. 0	15. 4 15. 3 21. 2 25. 1	6.6	53. 9 89. 4 123. 6 155. 7	8.7 16.8 15.1	13. 1 13. 2 15. 1	4. 4 8. 0
21 22 23 24	Norwalk town. Norwich town. Orange town. Stamford town.	1,702.1 1,195.4 1,690.1	12. 1 10. 5 8. 5			23.3	14.1	24.3 24.6 6.7	7.0 8.5 . 20.0	52.6 63.3 17.0 16.6	3. 5 6. 7	101.1 112.5 93.3 136.4	4.0 7.0 8.5 16.6	12.1 10.5 25.4 6.7	8. 1 7. 0 8. 5 10. 0
25 26 27 28	Torrington town. Wallingford town. Waterbury. Windham town.	1,001.4 1,077.2 1,495.4 2,061.2	92. 1 8. 8 23. 7 46. 5	2.6			22. 4 7. 7	5.8 15.8	23. 0 35. 0 26. 4 15. 5	7.9 31.0	17. 5 4. 0 15. 5	115. 1 78. 8 113. 4 193. 7	17.5 13.2 31.0	5. 8 11. 9 15. 5	5.8 8.8 7.9 7.7
	DELAWARE. <sup>2</sup>											107.0		140	10.2
29 30 31	Wilmington (total)	1,629.4 1,530.7 2,478.1	28. 2 20. 1 97. 4	1			7.9 7.5 10.8	9.0 8.8 10.8	22. 5 20. 1 43. 3	10.1 10.1 10.8	4.5 5.0	135.2 114.5 313.8	6.8 5.0 21.6	14.6 13.8 21.6	13.5 11.3 32.5
32 33 34	Washington (total)	1,868.0 1,553.4 2,650.4	22. 2 19. 5 28. 9	1.2			1.2	7.4 5.4 12.4	5. 6 6. 6 3. 1	20.1 17.4 26.9	2.4 2.9 1.0	218. 1 135. 4 423. 6	12. 4 10. 8 16. 5	14.8 12.0 21.7	6. 2 5. 0 9. 3
95	FLORIDA. <sup>2</sup> Registration cities (total)	2 197 6	67.3	45.7		20.4	6.0	31.3	8.4	21.6	2, 4	239.3	4.8	21.6	2.4
35 36 37	White	1,768.2 2,692.2	83.7 47.7	13. 2 84. 8		28. 6 10. 6	11.0	19.8 45.0	11.0 5.3	13. 2 31. 8	2. 2 2. 6	156.3 339.2	6.6 2.6	17. 6 26. 5	4.4
38 39 40 41 42 43	Jacksonville (total). White. Colored. Key West (total). White. Colored.	2,158.0 1,684.7 2,614.6 2,282.1 1,949.8 3,147.2	67. 9 90. 0 46. 5 65. 6 69. 9 54. 6	19.3 99.2		35. 4 12. 4 10. 1 14. 0		9.6 116.1	7.9 9.6 6.2 10.1 14.0	25.3 12.9 37.2 10.1 14.0	1. 6 3. 2 5. 0	238. 4 154. 3 319. 5 242. 4 160. 7 454. 8		17. 4 19. 3 15. 5 35. 3 14. 0 91. 0	3.2 6.4
	GEORGIA.2	9 954 0	F0.0	00 p		90.0	9.1	24 1	15 1	18.2	4.0	188. 2	6.2	13.3	5.3
44 45 46	Registration cities (total)			59.6		23.8	3.1 4.3 1.1	34. 1 22. 4 52. 7	15. 1 18. 1 10. 3	8.7 33.2	2. 2 6. 9	111.9 309.2	5.8 6.9	9. 4 19. 5	5.3 5.8 4.6
47 48 49 50 51 52	Atlanta (total) White. Colored Savannah (total). White. Colored.	1,979.3 1,575.3 2,779.0 2,928.4 1,933.6 3,878.5	66. 1 58. 2 81. 8 42. 7 59. 4 26. 9	1.9 13.0 83.9 31.2		25. 4 24. 2 10. 7 18. 7	1.9	39. 0 58. 0 40. 6	13. 0 15. 3 25. 0	11. 9 3. 8 27. 9 33. 6 25. 0 41. 8	5.0 2.8 9.3 1.5	172.8 109.9 297.4 225.8 118.7 328.2	7.4 6.1 6.2	22.3 10.7	6. 2 5. 6 7. 4 3. 1 6. 2
53 54 55	ILLINOIS. <sup>2</sup> Registration cities (total)	1, 454. 4 1, 436. 5 2, 223. 1	12. 1 12. 0 17. 8	0.6 0.5 1.8	0. 1 0. 1 1. 8		20.6 20.9 7.1	2.8 2.6 10.7	37.5	8.4 8.3 12.5	4.9 4.9 3.6	145.8 138.4 463.5	8.3	10. 9 10. 5 25. 0	8.5 8.6 7.1
56 57 58 59 60	Aurora Belleville. Ghicago (total). White. Colored.	1 467 4	22. 4 28. 4 10. 9 10. 9 8. 4	9. 5 0. 4 0. 3	0.1 0.1 2.1	4.7 5.8 5.7 8.4	21. 9 22. 2 8. 4	2.3 2.1	38. 2 38. 6	9. 6 18. 9 8. 0 7. 9 10. 5	9.5 4.4 4.4 4.2	140.6	4.7 8.9 8.6	6. 4 28. 4 10. 6 10. 3 25. 2	8.4

<sup>1</sup> Exclusive of stillbirths.

ITS SUBDIVISIONS, BY COLOR OF DECEDENT AND CAUSE OF DEATH: 1911—Continued.

are designated by asterisks (\*). Figures for white and colored are shown separately for minor subdivisions (except as indicated in the footnotes) only when the colored of 10,000 inhabitants or over in 1910. Numbers under causes of death correspond to those of the abridged International List (see p. 29).]

	-								ER 100,00			ged Interi ROM—								T
Co	Th/o	Momir	Cerebral	Organic	Descri	Pneu-	Other respira-	Diar- rhea and		Hernia,	Cir-	Ne-	Puer-	Other puer-	Con- genital debility	Violent deaths		All	III- defined	_
Can- cer.	Dia- betes.	Menin- gitis.	hemor- rhage and softening.	diseases of the heart.	Bron- chitis.	monia (all forms).	tory dis- eases.	ente- ritis (under 2 years).	Appen- dicitis.	tinal obstruc- tion.	rhosis of the liver.	phritis, Bright's disease.	peral fever.	peral affec- tions.	and mal- forma- tions.	(ex- cluding sui- cide).	Sui- cide.	other causes.	and un- known	
16	(37)	17	18	19	20,21	22,(23)	(23)	25	26	27	28	29	31 ——	32	33	35	36	(37)	38	_
67.0 77.0 51.8 55.6	13.4 19.4 15.1 27.8	3.4 22.5 15.1	50.3 61.7 38.9 74.1	117.3 121.6 60.4 46.3	3.4 18.9 10.8 9.3	110.6 151.8 149.0 111.1	3.4 21.2 4.3 9.3	23.5 41.4 116.6 185.2	30.2 20.7 13.0	10.1 11.3 2.2 18.5	13.4 18.9 13.0	120.7 122.1 73.4 37.0	13.4 8.1 6.5 9.3	6.7 8.1 15.1	87.1 77.5 95.0 74.1	80.4 79.7 75.6 74.1	6.7 35.6 13.0 9.3	201.1 251.8 190.0 176.0	0.9 2.2	1234
76.4 10.1 117.9	17.2 17.3 8.4	21.5 21.3 33.7	92.1 91.7 117.9	148.3 147.1 227.3	23. 4 22. 9 58. 9	164.4 163.0 252.6	17.8 17.5 42.1	89.4 88.9 117.9	11.3 11.2 16.8	16.7 16.6 25.3	15.0 15.1 8.4	119.1 118.7 143.1	6.2 6.3	7.4 7.4 8.4	101.3 100.5 151.6	93.1 92.9 109.5	18.9 19.0 8.4	- 248. 2 245. 4 429. 4	9.7 9.2 42.1	5 6
12.9 68.0 71.6 45.8 76.5	15.1 28.6 12.5 5.9	97.1 13.2 28.6 33.3 29.4	84.1 50.1 71.6 108.4 82.4	116.5 120.9 85.9 241.7 94.2	19. 4 18. 9 29. 2 5. 9	58. 2 143. 6 193. 2 83. 3 153. 0	12. 9 19. 8 7. 2 8. 3 17. 7	252. 4 123. 8 114. 5 45. 8 94. 2	10.4 8.3 11.8	25. 9 14. 2 7. 2 8. 3 11. 8	12.9 20.8 14.3 12.5 17.7	12. 9 137. 9 57. 2 75. 0 135. 4	7.6 7.2	5.7 14.3 4.2 5.9	129. 4 89. 7 93. 0 87. 5 129. 5	84.1 89.7 78.7 87.5 129.5	6.5 22.7 14.3 25.0 11.8	239. 4 224. 8 186. 1 258. 4 253. 1	51.8 3.8 14.3 4.2 5.9	8 9 10 11
95.8 71.4 52.3 118.2	18.8 21.4 18.5 18.9	15.8 28.5 12.3 18.9	97.8 50.0 92.4 198.6	176.8 92.8 147.8 430.3	17.8 7.1 27.7 28.4	240.0 99.9 135.5 203.3	16.8 14.3 33.9 28.4	68.2 85.6 67.7 66.2	21.7 3.1 4.7	18.8 14.3 6.2 28.4	15.8 7.1 15.4 4.7	144. 2 50. 0 61. 6 85. 1	10.9 6.2 9.5	5.9 3.1 9.5	110.6 71.4 46.2 75.7	137.3 71.4 73.9 118.2	32.6 21.4 18.5 14.2	307.2 214.1 271.0 430.3	3.0	13 14 15
15.4 52.4 91.4 120.5	8.7 22.7 5.0	7.7 17.5 20.5 10.0	61. 6 74. 2 90. 7 155. 7	69.3 67.6 164.6 175.7	15.4 19.6 26.3 25.1	161.7 106.9 212.1 150.6	7.7 26.2 14.6 25.1	123. 2 106. 9 70. 2 95. 4	6.5 19.0 15.1	7.7 28.4 24.1 15.1	15.3 16.1 25.1	100.1 74.2 134.6 185.8	4.4 3.7 10.0	13.1 8.8 10.0	53.9 161.4 109.7 85.4	30.8 82.9 90.0 80.3	13.1 16.8 5.0	138.6 168.0 247.2 251.1	7.7 10.9 23.4	17 18 19 20
113.2 109.0 76.3 66.5	32.3 35.2 59.3 16.6	32.3 38.7 17.0 13.3	165.8 123.1 84.8 99.8	161.7 179.3 135.7 149.7	24.3 38.7 16.6	117.2 109.0 110.2 226.2	44.5 17.6	20.2 87.9 33.9 86.5	7.0 16.6	28.1	16.2 10.5 25.4 10.0	165.8 126.6 84.8 199.6	7.0	12.1 7.0 13.3	88.9 102.0 25.4 126,4	97.0 87.9 50.9 96.5	8.1 3.5 50.9 23.3	222.4 313.0 237.4 266.2	4.0 7.0 33.9 3.3	21 22 23 24
63.3 52.5 60.7 62.0	7.9 23.2	23.7 62.0	69.1 113.9 87.0 108.5	80.6 113.9 108.1 178.2	17.3 35.0 33.0 77.5	80.6 140.1 141.1 193.7	5.8 8.8 18.5 15.5	28.8 78.8 121.3 116.2	10.5 7.7	11.5 15.8 7.7	11.5 8.8 11.9 15.5	34.5 43.8 118.7 131.7	10.5 7.7	5.8 9.2 7.7	97.8 52.5 109.5 100.7	34.5 70.1 88.4 108.5	28.8 35.0 10.5 23.2	120.9 113.9 232.1 371.9	9.2	25 26 27 28
71.0 74.2 43.3	7.9 8.8	32.7 31.4 43.3	87.9 88.0 86.6	136.3 127.0 216.4	18.0 15.1 43.3	217:5 198.7 378.7	21.4 22.6 10.8	73.2 73.0 75.7	5.6 5.0 10.8	13.5 11.3 32.5	7.9 8.8	117.2 114.5 140.7	3.4 2.5 10.8	5.6 5.0 10.8	142.0 129.6 248.9	76.6 74.2 97.4	15.8 16.4 10.8	286.2 269.2 432.9	23.7 25.2 10.8	29 30 31
86.8 91.4 75.4	16.0 20.4 5.2	10.7 9.6 13.4	123.0 114.3 144.7	214.5 180.7 298.6	20.7 15.4 34.1	164.5 105.1 312.0	32.6 29.9 39.3	80.9 56.9 140.5	10.7 11.6 8.3	15.1 13.3 19.6	13.6 17.4 4.1	157.3 138.8 203.6	7.4 7.5 7.2	9.5 8.3 12.4	125.9 100.1 190.1	79.7 69.8 104.4	26.1 31.6 12.4	349.1 304.9 458.8	5.6 2.9 12.4	33
46.9 59.5 31.8	6.0 6.6 5.3	22.8 28.6 15.9	54.1 39.6 71.5	133.5 118.9 151.0	10.8 13.2 7.9	131.1 112.3 153.7	26.5 22.0 31.8	204.4 207.0 201.4	12.0 11.0 13.2	19.2 24.2 13.2	15.6 22.0 7.9	179. 2 125. 5 243. 8	12.0 11.0 13.2	21.6 26.4 15.9	91.4 57.3 132.5	152.7 118.9 193.4	18.0 28.6 5.3	452.2 334.7 593.5	105.8 33.0 193.4	36
50.5 64.3 37.2 35.3 48.9	6.3 6.4 6.2 5.0 7.0	23.7 32.2 15.5 20.2 21.0 18.2	52.1 35.4 68.2 60.6 48.9 91.0	131.0 115.7 145.8 141.4 125.8 181.9	11.1 16.1 6.2 10.1 7.0 18.2	131.0 102.9 158.2 131.3 132.8 127.3	31.6 25.7 37.2 10.1 14.0	116.8 83.6 148.9 484.7 475.2 509.4	15.8 16.1 15.5	23.7 32.2 15.5 5.0 7.0	15.8 28.9 3.1 15.1 7.0 36.4	183. 1 125. 4 238. 8 166. 6 125. 8 272. 9	12.6 9.6 15.5 10.1 14.0	20.5 28.9 12.4 25.2 21.0 36.4	101.0 64.3 136.5 60.6 41.9 109.2	180.0 144.7 214.0 65.6 62.9 72.8	18.9 35.4 3.1 15.1 14.0 18.2	431.0 282.9 573.8 520.0 447.3 709.5	138.9 48.2 226.4	
62.4 73.7 44.7	12.0 15.2 6.9	31.9 19.5 51.5	86.4 73.7 106.5	116.0 94.6 150.0	19.0 9.4 34.4	248.9 132.1 434.1	34.1 20.2 56.1	110.3 88.8 144.3	21.7 22.4 20.6	20.4 18.1 24.1	10.2 7.9 13.7	205.9 179.1 248.5	14.6 10.1 21.8	18.2 15.9 21.8	104.5 88.8 129.4	120.0 85.9 174.1	12.4 19.5 1.1	556.7 381.3 834.9	53.1 22.4 101.9	45
61.2 68.6 46.5 65.6 90.6 41.8	8.1 12.2 21.4 25.0 17.9	11.9 10.3 14.9 80.9 50.0 110.4	79.2 75.1 87.4 103.8 68.7 137.2	101.7 80.8 143.1 151.1 140.6 161.1	16.8 8.5 33.5 24.4 12.5 35.8	227.8 135.3 410.8 300.4 121.8 471.4	23.1 16.0 37.2 61.0 34.4 86.5	101.7 84.5 135.7 131.2 103.1 158.1	25.0 23.5 27.9 13.7 18.7 9.0	19.3 17.8 22.3 22.9 18.7 26.9	8.1 7.5 9.3 15.3 9.4 20.9	197. 8 180. 4 232. 4 225. 8 174. 9 274. 5	15.0 11.3 22.3 13.7 6.2 20.9	19.3 15.0 27.9 15.3 18.7 11.9	90.5 78.0 115.2 138.9 125.0 152.2	115.4 86.4 172.9 131.2 84.3 176.0	13.1 18.8 1,9 10.7 21.9	459.9 363.5 650.6 793.5 440.5 1,130.7	27.5 19.7 42.8 116.0 31.2 196.9	48 49
81.3 81.6 71.3	13.6 13.5 16.0	11.1 10.9 17.8	45.8 45.3 64.2	138.9 136.2 256.7	8.9 8.8 12.5	193. 3 190. 2 328. 0	11.4 11.4 12.5	125. 2 126. 7 64. 2	16.6 16.5 23.2	12.4 12.2 17.8	20.8 20.8 19.6	110.8 109.8 153.3	9.0 8.7 21.4	6.4 6.4 5.3	58.7 59.1 44.6	93.8 93.3 117.7	21.7 21.7 21.4	206.7 203.5 347.6	1.7 1.6 7.1	54
89.6 66.3 80.0 80.3 67.3	9.6 4.7 14.0 13.9 18.9	22. 4 33. 1 10. 1 10. 0 14. 7	86.4 89.9 42.4 41.9 67.3	64.0 94:7 140.3 137.6 264.8	9.6 33.1 7.9 7.8 10.5	102.4 66.3 200.7 197.6 346.8	22. 4 23. 7 10. 6 10. 7 8. 4	48.0 71.0 132.6 134.0 69.4	3.2 14.2 16.4 16.2 23.1	12.8 18.9 11.6 11.4 21.0	12.8 23.7 20.8 20.8 21.0	160.0 85.2 109.4 108.5 151.3	3.2 4.7 9.1 8.8 21.0	6.4 6.6 6.6 4.2	99.2 113.6 56.9 57.2 42.0	89.6 66.3 94.5 93.9 119.8	9.6 47.3 21.3 21.4 16.8	294.4 340.8 193.6 190.6 334.2	9.5 0.4 0.4 2.1	56 57 58 59 60

<sup>&</sup>lt;sup>2</sup> Nonregistration state; cities shown below only those with effective local ordinances.

# TABLE III.—DEATH RATES PER 100,000 POPULATION IN THE REGISTRATION AREA AND

[All death rates are based upon the total deaths, including deaths of nonresidents and deaths in hospitals and institutions. Minor areas containing state insane asylums population of the subdivision formed at least 10 per cent of the total, or numbered 10,000 or over in 1910. The term "cities" indicates municipalities

=					DEV	TH RATE	PER 100.	,000 POPU	LATION F	ROM	-				
		1	[ [				100	1	1		•			,	
	AREA AND COLOR.	All causes.1	Typhoid fever.	Mala- ria.	Small- pox.	Measles.	Scarlet fever.	Whoop- ing cough.	Diph- theria and croup.	In- flu- enza.	Ery- sipelas.	Tuber- culosis of the lungs.	Tuber- culous men- ingitis.	Other forms of tu- bercu- losis.	Rheu- ma- tism.
			1	3	4	5	6	7	8	9	(12)	13	14	15	(37)
	REGISTRATION CITIES—Continued.														
	ILLINOIS 2—continued.														
1 2 3 4 5	Decatur Evanston Jacksonville * Quincy Springfield	1, 233. 6 1, 094. 4 2, 474. 6 1, 801. 9 1, 646. 0	9. 3 27. 3 26. 0 30. 0 28. 2			23. 4 13. 0 24. 6	12.3 7.8 11.3	12.3 3.9 13.0 2.7 11.3	37. 0 31. 2 6. 5 38. 2 22. 5	12.3 32.6 19.1 7.5	9.3 3.9 6.5 19.1 13.1	83. 3 58. 4 234. 4 163. 8 167. 0	6. 2 3. 9 6. 5 2. 7	9.3 7.8 13.0 13.7 18.8	15. 4 7. 8 6. 5 16. 4 1. 9
	indiana.	1 400 0	27.2				, ,	10.0	70.6	10.0	4.0	140.0	9.4	18.6	7.1
6 7 8	Registration cities (total)		27. 2 27. 2 26. 2	3.4 3.1 9.5	0. 1 0. 1	6.6 6.6 7.1	8. 4 8. 7 2. 4	10. 3 9. 1 33. 3	18. 6 18. 2 26. 2	12.0 11.4 23.8	4. 0 4. 2	127. 4 380. 7	9. 2 11. 9	16. 7 54. 7	6.5
9 10 11 12 13	Anderson East Chicago	1,344.7 1,398.9 1,051.5 983.4 1,533.4	17. 6 28. 5 15. 2 46. 4 21. 2	9.3 8.5		17. 6 23. 8 5. 1	17.6 28.5 15.2 18.6 1.4	22. 0 4. 8 15. 2	13. 2 9. 5 5. 1 46. 4 12. 7	35. 2 9. 5 5. 1	4.8 5.1 5.6	145. 0 109. 4 70. 8 83. 5 172. 1	30.8 18.6 5.6	22. 0 10. 1 18. 3	4.4 9.5 20.2 9.3 7.1
	Fort Wayne Gary Hammond Huntington	1,234.6 1,726.0 1,255.7 1,219.7	13.6 23.8 36.5 19.4	1.5		11.9	9.1 11.9 9.1	6.1 23.8 4.6 9.7	18. 2 71. 4 22. 8 29. 0	9.1 6.0 4.6	4. 5 4. 6	96. 9 53. 6 105. 0 116. 2	10.6 4.6 9.7	15.1 11.9 9.1 19.4	6.1 9.1 9.7
18 19 20 21 22 23	Indianapolis (total)	1,470.3 1,391.9 2,230.3 1,793.8 1,765.1 1,959.5	25.8 25.3 31.2 19.3 22.6	2.9 3.2 9.6 11.3		1.2 1.4	3.7 4.1	7.5 5.5 26.7 38.6 45.3	17.1 15.2 35.6 19.3 22.6	9.6 8.7 17.8 28.9 33.9	3.7 4.1	154.1 130.5 382.9 270.0 203.7 653.2	8.3 7.4 17.8	26. 2 22. 1 66. 8 38. 6 33. 9 65. 3	5. 4 4. 6 13. 4 9. 6
24 25 26 27 28	Kokomo. Lafayette. Laporte. Logansport. Marion	1,186.4 1,624.0 1,544.6 1,283.6 1,305.3	28. 2 19. 7 9. 1 5. 2 36. 0	11.3 9.8  5.1	5. 2	15.5 5.1	11.3 4.9 9.1 10.3	5.6 27.4 5.2 30.8	22.6 4.9 18.3 20.6 25.7	11.3 34.4 9.1 20.6 20.6	4.9 9.1	146.9 177.2 109.7 123.7 107.9	14.8 5.2 10.3	22. 6 9. 8 18. 3 15. 5 20. 6	4.9 18.3
29 30 31 32 33	Michigan City Mishawaka Miuncie New Albany Peru	1,287.2 1,240.2 1,293.8 1,536.7 1,366.6	20. 5 79. 0 24. 7 33. 9 172. 0	14.5			46. 2 31. 6 4. 1 4. 8	41. 2 14. 5	5.1 15.8 38.8 9.1	8.2 19.4 9.1	4.1 9.7 9.1	159.0 63.2 119.5 184.2 117.7	10.3 7.9 12.4 14. 9.1	23.7 20.6 19.4 - 18.1	10.3 15.8 12.4
34 35 36 37	Richmond South Bend Terre Haute Vincennes.	1,251.3 1,279.3 1,539.2 1,668.1	13. 2 33. 8 30. 3 26. 0	6.7 6.5		]	4.4 13.5 8.4 6.5	13.2 1.7 10.1	26.3 25.3 13.5 32.5	22.0 3.4 11.8 26.0	4.4 3.4 8.4 6.5	155.1	13. 2 15. 2 10. 1 19. 5	30.7 6.8 21.9 6.5	1.7 15.2 19.5
	KANSAS. <sup>2</sup>	1 464 0	48.4	3.7	1.8	5.5	3.7	14.7	13.5	19.0	6.7	129.2	3.7	23.9	7.3
38 39 40	Registration cities (total)	1,355.2 2,532.6	45. 2 78. 9	3.4 6.6	1.3 6.6	6.1	4.0	14. 2 19. 7	12.1 26.3	15. 5 52. 6	7.4		4.0	23.9 16.9 92.1	7.4 6.6
41 42 43 44 45 46 47	Kansas City (total).  White. Colored. Leavenworth (total).  White. Colored. Wichita.			2.3 1.3 10.3 18.1 20.8	2.3 1.3 10.3 4.5 5.2	4.7 5.3 9.0 10.4 5.4	4. 7 5. 3	19.8 19.7 20.6 9.0 5.2 35.3 9.0	10.5 7.9 30.9 4.5 35.3 21.6	18.7 15.8 41.2 40.7 25.9 141.1 10.8	7.0 7.9 4.5 5.2 7.2	142. 2 422. 1 104. 0 83. 0 246. 9		29. 2 19. 7 102. 9 9. 0 5. 2 35. 3 21. 6	9. 2 9. 2 9. 0 5. 2 35. 3 5. 4
	KENTUCKY.					90.0			10.0	17 9	L	995 7		19.5	9.8
48 49 50	Registration cities (total)	1,693.7 1,460.2 2,800.5	34.0 29.3 56.1	4.4		21.6	4.6 5.6	6.8 5.0 15.4	12.0 13.0 7.0	17.3 11.8 43.5	5.1 5.6 2.8	181.0	8.0	14.8 42.1	9.8 7.7 19.6
51 52 53 54 55 56	Covington (total)	1,511.2 1,414.7 3,180.6 1,946.3 1,792.0 2,358.7	29. 9 29. 6 34. 2 85. 0 90. 9 69. 4	34. 2			11.9	. 34.2	14.9 15.8 18.9 26.0	7.5 7.9 28.3 39.0	5.6 5.9	195. 6 581. 4 368. 5 272. 7	9.9 9.4	9.3 7.9 34.2 9.4	37.8 13.0
57 58 59 60 61 62	Henderson (total) White. Colored. Lexington * (total). White. Colored.	1,975.0 1,557.2 3,143.4 2,286.6 1,850.1 3,240.0	86. 2 82. 0 98. 2 52. 5 48. 4 61. 6	43.1 35.1 65.5		8.3			32. 7 5. 5	17. 2 65. 5 22. 1 4. 0 61. 6	8.3 12.1	720. 4 262. 7 173. 3	11.7 22.1 8.1	17. 2 11. 7 32. 7 35. 9 20. 2 70. 4	35.1 32.7 16.6 12.1
63 64 65 66 67 68	Louisville (total) White. Colored. Newport (total). White. Colored <sup>3</sup> .	1,609.6 1,394.2 2,584.1 1,253.5 1,214.1 3,310.1	23. 7 17. 7 51. 0 36. 0 33. 4 174. 2	17.0		.  18.8	4.3	4.8 19.4	4.9 16.4 16.7	6.7	3.5 3.2 4.9 9.8 10.0	175.0 371.6 189.8	7.0 4.9	16.1	12.1 6.5

 <sup>1</sup> Exclusive of stillbirths.
 2 Nonregistration state; cities shown below only those with effective local ordinances.

ITS SUBDIVISIONS, BY COLOR OF DECEDENT AND CAUSE OF DEATH: 1911—Continued.

are designated by asterisks (\*). Figures for white and colored are shown separately for minor subdivisions (except as indicated in the footnotes) only when the colored of 10,000 inhabitants or over in 1910. Numbers under causes of death correspond to those of the abridged International List (see p. 29).]

			over in 191						er 100,00								···· • • ·			Ē
Can- cer.	Dia- betes.	Menin- gitis.	Cerebral hemor- rhage and softening.	Organic diseases of the heart.	Bron- chitis.	Pneu- monia (all forms).	Other respira- tory dis- eases.	Diarrhea and enteritis (under 2 years).	Appendicitis.	Hernia, intes- tinal obstruc- tion.	Cir- rhosis of the liver.	Ne- phritis, Bright's disease.	Puer- peral fever.	Other puer- peral affec- tions.	Con- genital debility and mal- forma- tions.	Violent deaths (ex- luding sui- cide).	Sui- cide.	All other causes.	III- defined and un- known	
16	(37)	17	18	19	20,21	22,(23)	(23')	25	26	27	28	29	31	32	38	35	36	(87)	38	
					•											-				
86.4 74.0 169.3 106.5 97.6	6.2 11.7 19.5 8.2 11.3	12.3 11.7 16.4 35.7	55.5 74.0 175.8 98.3 52.6	46.3 128.5 260.5 210.2 118.2	24.7 3.9 35.5 20.6	43.2 120.7 149.8 163.8 142.6	6.2 11.7 45.6 21.8 18.8	30.8 46.7 19.5 57.3 52.6	21.6 15.6 32.6 24.6 24.4	18.5 35.1 32.6 16.4 16.9	15.4 7.8 38.2 30.0	117.2 54.5 188.9 120.1 146.4	12.3 7.8 19.5 8.2 7.5	3.1 3.9 6.5 8.2 3.8	77.1 70.1 32.6 57.3 82.6	107.9 70.1 71.6 51.9 118.2	40.1 19.5 21.8 33.8	274.5 167.5 859.6 376.8 328.4	27.8 3.9 13.0 24.6 18.8	
79.2 79.6 71.4	16.8 17.0 14.3	9.6 9.4 14.3	75.4 73.6 109.5	144.4 136.6 292.7	14.6 13.9 28.6	109.3 101.3 261.8	10.6 9.9 23.8	80.6 79.1 109.5	17.1 17.0 19.0	16.7 16.2 26.2	15.4 14.8 26.2	93.9 92.0 130.9	12.6 12.5 14.3	7.2 7.2 7.1	72.4 73.4 54.7	94.1 92.7 121.4	24.3 24.8 14.3	241. 2 239. 7 268. 9	2.3 2.2 2.4	8
57. 1 23. 8 65. 7 37. 1 98. 7	25.3 18.6 14.1	9.3 21.2	96. 7 23. 8 85. 9 74. 2 43. 7	123. 0 47. 6 161. 8 102. 1 127. 0	13. 2 4. 8 5. 1 9. 3 26. 8	127. 4 247. 4 106. 2 55. 7 146. 7	4.4 9.5 5.1 18.3	35. 2 404. 5 25. 3 55. 7 114. 3	26. 4 4. 8 15. 5	13. 2 23. 8 10. 1 9. 3 12. 7	20. 2 9. 3 12. 7	83. 5 23. 8 45. 5 64. 9 110. 0	8.8 4.8 15.2 9.3 12.7	4.4 15.2 7.1	83. 5 128. 5 40. 4 111: 3 76. 2	65. 9 80. 9 80. 9 37. 1 86. 1	35. 2 4. 8 10. 1 18. 6 11. 3	210. 9 138. 0 166. 8 129. 9 261. 0	4.4	10 11 12 13
90. 9 41. 7 36. 5 96. 8	18. 2 6. 0 9. 1 67. 8	6.1 6.0 13.7	72.7 23.8 27.4 96.8	115. 1 65. 5 68. 5 125. 8	16. 7 17. 9 13. 7 9. 7	103. 0 154. 7 91. 3 38. 7	12.1 13.7	21. 2 380. 9 127. 9 9. 7	31.8 29.8 18.3 19.4	15.1 11.9 13.7 9.7	12.1 6.0 27.4 9.7	101.5 41.7 73.1 87.1	13.6 17.9 22.8 29.0	7.6 17.9 9.1 9.7	54. 5 136. 9 118. 7 48. 4	93. 9 327. 3 155. 3 77. 4	24. 2 47. 6 45. 7 19. 4	233.3 178.6 159.8 251.7		14 16 16
82. 5 84. 6 62. 3 96. 4 101. 8 65. 3	18. 7 17. 9 26. 7 9. 6 11. 3	11.7 11.9 8.9	96. 6 92. 4 138. 0 115. 7 90. 5 261. 3	175. 8 160. 4 325. 0 192. 9 181. 0 261. 3	12.9 11.0 31.2 48.2 45.3 65.3	110.0 93.3 271.5 48.2 45.3 65.3	11. 2 11. 0 13. 4 19. 3 22. 6	56. 6 51. 5 106. 8 154. 3 169. 7 65. 3	13.7 13.3 17.8	25.8 24.8 35.6 9.6 11.3	22.9 22.1 31.2 19.3 22.6	92.1 91.0 102.4 192.9 203.7 130.6	7.9 8.3 4.5 9.6 11.3	4.6 4.6 4.5 9.6 11.3	70. 8 71. 7 62. 3 86. 8 90. 5 65. 3	83. 7 81. 3 106. 8 86. 8 90. 5 65. 3	29. 2. 31. 7 4. 5 19. 3 22. 6	277. 0 276. 2 284. 9 231. 5 248. 9 130. 6	0.8 0.9 9.6 11.3	18 19 20 21 22 23
90. 4 98. 4 164. 5 113. 4 61. 7	11.3 39.4 18.3 25.8 20.6	5. 6 24. 6 5. 2 20. 6	67.8 83.7 109.7 113.4 97.6	124.3 211.6 201.1 82.5 164.4	16.9 24.6 9.1 5.2 15.4	67.8 78.7 164.5 67.0 71.9	5.6 9.8 9.1 15.4	50.8 19.7 91.4 41.2 61.7	11.3 29.5 9.1 30.9 20.6	9.8 9.1 15.5 5.1	5.6 19.7 9.1 10.3 20.6	67.8 113.2 64.0 123.7 51.4	11.3 4.9 9.1 10.3 15.4	5.6 9.8 5.2 15.4	90. 4 44. 3 82. 3 56. 7 56. 5	96. 0 167. 3 82. 3 92. 8 66. 8	4.9 9.1 25.8 10.3	197. 7 344. 5 274. 2 226. 8 221. 0	5. 2 15. 4	24 25 26 27 28
30. 8 15. 8 90. 7 92. 1 63. 4	20. 5 15. 8 8. 2	20.5 7.9 4.1	61.5 39.5 61.8 111.5 81.5	148. 7 142. 2 103. 0 208. 4 162. 9	7.9 12.4 43.6 27.2	112.8 102.7 115.4 82.4 63.4	10.3 23.7 12.4	107. 7 55. 3 57. 7 72. 7 36. 2	10.3 7.9 16.5 14.5	25.6 31.6 4.1 9.7 18.1	7.9 20.6 4.8 9.1	82. 1 110. 6 90. 7 121. 2 99. 6	5.1 7.9 16.5 9.7	5.1 7.9 14.5 9.1	30. 8 79. 0 86. 5 33. 9 63. 4	112.8 71.1 90.7 97.0 126.7	25. 6 23. 7 16. 5 33. 9 18. 1	215. 4 221. 2 222. 5 227. 8 208. 2	16.5	29 30 31 31 31 31
96. 6 67. 5 82. 6 97. 4	17. 6 13. 5 16. 9 13. 0	8.8 3.4 3.4 19.5	83. 4 45. 6 65. 7 64. 9	149. 3 133. 3 143. 3 155. 8	13.2 11.8 8.4	65.9 75.9 128.1 175.2	6.8 16.9 19.5	43.9 128.3 64.1 51.9	15. 2 30. 3 32. 5	4.4 11.8 10.1 45.4	13. 2 15. 2 11. 8 19. 5	109. 8 92. 8 134. 9 64. 9	18.6 27.0 26.0	4.4 15.2 10.1	52. 7 81. 0 80. 9 45. 4	74. 6 74. 3 96. 1 103. 8	35. 1 20. 3 37. 1 26. 0	219. 5 204. 2 271. 4 279. 1	4.4 8.4 6.5	3
83. 2 87. 7 39. 5	15.3 14.8 19.7	20.8 19.6 32.9	62.4 60.1 85.5	115. 7 99. 9 269. 7	12. 2 9. 4 39. 5	131.0 125.5 184.2	15.9 16.2 13.2	68. 6 63. 4 118. 4	11.6 12.1 6.6	15.3 14.2 26.3	6.7 4.7 26.3	91. 2 77. 6 223. 7	8.0 7.4 13.2	4.3 4.7	83. 9 80. 3 118. 4	123, 0 116, 8 184, 2	22. 0 23. 6 6. 6	281. 0 263. 2 453. 9	11. 6 11. 5 13. 2	38 39 49
82. 9 89. 5 30. 9 81. 4 77. 8 105. 8 84. 6	16.3 17.1 10.3 13.6 15.6	31. 5 30. 3 41. 2 4. 5 5. 2	59. 5 57. 9 72 1 104. 0 93. 4 176. 4 50. 4	126. 1 101. 4 319. 1 144. 7 124. 5 282. 2 88. 2	19.8 15.8 51.5 9.0 5.2 35.3 1.8	158. 7 152. 7 205. 9 167. 3 166. 0 176. 4 73. 8	12.8 11.8 20.6 27.1 31.1	101.5 96.1 144.1 13.6 5.2 70.5 39.6	9.3 9.2 10.3 	12.8 11.8 20.6 18.1 10.4 70.5 18.0	8.2 3.9 41.2 4.5 5.2	100. 4 84. 2 226. 5 85. 9 57. 1 282. 2 79. 2	9.3 9.2 10.3	7. 0 7. 9	98. 0 97. 4 102. 9 49. 8 41. 5 105. 8 75. 6	143. 6 134. 3 216. 2 108. 5 108. 9 105. 8 97. 2	23. 3 26. 3 18. 1 20. 8	264. 9 244. 8 422. 1 312. 1 249. 0 740. 7 293. 3	7. 0 7. 9 13. 6 15. 6	4
70.3 72.2 61.7	14.4 15.7 8.4	24. 9 24. 0 29. 4	74.3 66.8 109.4	153. 1 122. 7 297. 3	29.3 21.0 68.7	130. 9 100. 0 277. 7	31.3 25.1 60.3	45.7 41.4 65.9	12.9 14.2 7.0	15.1 13.0 25.2	20. 0 21. 0 15. 4	122.9 118.3 144.4	6.1 5.3 9.8	6. 4 4. 7 14. 0	91. 6 91. 4 92. 6	113. 1 91. 1 217. 4	16. 1 18. 3 5. 6	319.7 273.0 541.3	18. 3 13. 0 43. 5	49
59.8 61.3 34.2 47.2 51.9 34.7	13. 1 13. 8	14.9 15.8 18.9 26.0	61. 6 59. 3 102. 6 56. 7 26. 0 138. 7	192.4 185.7 307.8 122.8 103.9 173.4	20. 5 21. 7 37. 8 39. 0 34. 7	123.3 96.8 581.4 103.9 90.9 138.7	14.9 13.8 34.2 28.3 39.0	35.5 31.6 102.6 47.2 51.9 34.7	14.9 15.8 9.4 13.0	9.3 9.9 18.9 26.0	20. 5 21. 7 9. 4 13. 0	158. 8 152. 1 273. 6 141. 7 168. 8 69. 4	11. 2 9. 9 34. 2	5. 6 5. 9	95.3 98.8 34.2 66.1 90.9	93. <u>4</u> 73. 1 444. 6 179. 5 168. 8 208. 1	13.1 13.8 18.9 69.4	209. 2 193. 6 478. 8 406. 3 363. 6 520. 3	11. 2 9. 9 34. 2 75 6 77 9 69. 4	55
60. 4 58. 5 65. 5 88. 5 92. 7 79. 2	5.5 8.1	60.4 82.0 24.9 32.2 8.8	60. 4 58. 5 65. 5 177. 0 125. 0 290. 5	103. 5 70. 2 196. 5 224. 0 165. 3 352. 2	25. 9 11. 7 65. 5 22. 1 8. 1 52. 8	163. 9 163. 9 163. 7 171. 4 129. 0 264. 1	17. 2 23. 4 27. 6 16. 1 52. 8	94. 9 93. 7 98. 2 35. 9 40. 3 26. 4	25.9 -23.4 -32.7 16.6 -24.2	17.2 65.5 24.9 20.2 35.2	17. 2 11. 7 32. 7 16. 6 12. 1 26. 4	103. 5 35. 1 294. 7 110. 6 96. 7 140. 9	5.5 4.0 8.8	8.6 11.7 11.1 4.0 26.4	146.6 140.5 163.7 77.4 44.3 149.7	103. 5 105. 4 98. 2 193. 5 157. 2 272. 9	17. 2 23. 4 19. 4 24. 2 8. 8	345. 0 245. 9 622 1 564. 0 528. 0 642. 7	51. 7 23. 4 131. 0 30. 4 12. 1 70. 4	57 58 59 60 61 62
76. 1 77. 3 70. 4 58. 9 60. 0	16.3 17.2 12.1 22.9 23.3	22. 0 18. 8 36. 4 32. 7 33. 4	66. 8 65. 0 75. 3 68. 7 70. 0	150. 8 115. 4 310. 9 117. 8 116. 7 174. 2	26. 8 20. 4 55. 9 32. 7 33. 4	125.3 89.1 289.0 94.9 90.1 348.4	39.6 30.6 80.1 13.1 13.3	37.4 34.4 51.0 42.5 40.0 174.2	11.0 11.3 9.7 9.8 10.0	16.3 14.5 24.3 9.8 10.0	18.0 19.3 12.1 29.5 30.0	122. 2 119. 2 136. 0 91. 6 93. 4	5.7 4.8 9.7 6.5 3.3 174.2	5.7 4.3 12.1 3.3 3.3	83. 5 85. 4 75. 3 72. 0 73. 4	106.8 88.6 189.4 68.7 46.7 1,219.5	16. 7 19. 9 2. 4 22. 9 23. 3	318. 8 274. 3 519. 7 153. 8 153. 4 174. 2	7.9 8.1 7.3 9.8 10.0	6: 6: 6: 6: 6:

<sup>&</sup>lt;sup>3</sup> Colored population less than 10 per cent of the total.

# TABLE III.—DEATH RATES PER 100,000 POPULATION IN THE REGISTRATION AREA AND

[All death rates are based upon the total deaths, including deaths of nonresidents and deaths in hospitals and institutions. Minor areas containing state insane asylums population of the subdivision formed at least 10 per cent of the total, or numbered 10,000 or over in 1910. The term "cities" indicates municipalities

		**				DEATH F	ATE PE	R 100,000 :	POPULAT	ION FR	Эм				
											<u> </u>	<u> </u>	-		
	AREA AND COLOR.	All causes.1	Typhoid fever.	Mala- ria.	Smæll- pox.	Measles.	Scarlet fever.	Whoop- ing cough.	Diph- theria and croup.	In- flu- enza.	Ery- sipelas.	Tuber- culosis of the lungs.	Tuber- culous men- ingitis.	Other forms of tu- bercu- losis.	Rheu- ma- tism.
			1	3	4	5	6	7	8	9	(12)	13	14	15	(37)
	REGISTRATION CITIES—Continued.														
	KENTUCKY—continued.														
1 2 3 4 5 6	Owensboro (total). White Colored. Paducah (total) White Colored.	2,890.4 2,016.1 1,587.6	36. 7 30. 4 62. 8 60. 4 64. 7 48. 7	7.6 31.4 77.7 29.4		207. 9 242. 9 62. 8 13. 0 17. 6	6.1 7.6 4.3 5.9	4.3	31.4 13.0 11.8 16.2	97.8 75.9 188.5 21.6 17.6 32.5	12. 2 15. 2 8. 6 11. 8	262.9 212.6 471.3 246.1 147.0 519.7	18.3 22.8 13.0 17.6	12.2 15.2 38.9 17.6 97.4	18.3 15.2 31.4 8.6 5.9 16.2
7 8 9	LOUISIANA. <sup>2</sup> New Orleans (total)	2,042.4 1,656.0 3,117.6	31. 0 23. 2 52. 6	10.7 6.7 21.9	0.6	11.3 13.8 4.4	1.2 1.6	28. 1 28. 7 26. 3	7. 2 6. 7 8. 8	26.6 23.6 35.0	2.3 2.8 1.1	241.7 159.0 472.0	5.2 5.1 5.5	13.6 9.1 26.3	9.8 4.3 25.2
	MAINE.								***	70.0	5.3	142.1	13.0	20.1	5.9
10 11 12	Registration cities (total)	1,843.4 1,844.5 1,589.6	30.8 30.9	0.6		10.7 10.7	2.4 2.4	11.2 11.3	13.0 13.1	13.6 13.7	5.3	142.1	13.1	19.6 144.5	5.9
13 14	Auburn . Augusta * Bangor * Biddeford . Lewiston . Portland . Waterville .	1,324.9 2,552.8	6.5 22.4	<b></b> .		13.1 14.9		6.5	26.1	32.6 7.5	6.5 14.9	84.8 216.5	7.5	22. 4	7.5
15 16	Bangor *. Biddeford	2,062.5 1,843.9	83.5 11.6			4.0 11.6	23.3	7. 9 29. 1	7.9 23.3	7.9 29.1	7.9	155.0 180.3 131.8	15.9 11.6 3.8	15.9 34.9 30.1	7.9 5.8
17 18 19	Lewiston	1,781.8 1,781.8	11.3 35.2 8.5			3.8 10.1 34.2		15.1 11.7	18.8 11.7	18.8 6.7 8.5	11.7	125.8 153.9	20.1 17.1	21.8	10.1
-	MARYLAND.		0.0												
20 21 22	Registration cities (total)		30.6 29.2 39.0	0.6		13.8 13.3 16.7	7.2 7.8 3.3	8.8 6.7 21.2	12. 4. 13. 3 6. 7	13.5 11:1 27.9	5.0 5.0 5.6	206.9 153.3 520.3	13.7 11.8 24.5	20.0 14.5 52.4	8.3 7.2 14.5
23 24 25 26 27	Baltimore (total).  White. Colored. Cumberland (total). White. Colored. Colored.	1,843.4 1,621.0 3,080.8 1,855.9 1,758.9	27. 6 25. 9 37. 2 102. 6 98. 5	0. 5 0. 6		14.3 14.0 16.3	7.8 8.6 3.5	8.1 5.9 20.9 8.9 9.4	12.0 13.2 5.8 13.4 14.1	12. 9 10. 2 27. 9 22. 3 23. 5	5.1 5.0 5.8 4.5 4.7	212.2 156.5 522.0 102.6 93.8	14.3 12.3 25.6 8.9 9.4	20. 4 14. 8 51. 2 8. 9 4. 7	8.5 7.5 14.0 4.5 4.7
28 29 30 31	Frederick (total)	2,076.6 1.854.9	182. 6 47. 4 44. 2					19.0 22.1	19.0 22.1	19.0 11.0		274.0 180.2 99.4	9.5 11.0	91.3 37.9 22.1	
31 32 33 34	Frederick (total). White. Colored. Hagerstown (total). White. Colored s.	3,425.1 1,856.1 1,699.9 3,979.2	67. 2 23. 7 25. 5			19.1		23.7 19.1 86.5	17.8 12.7 86.5	67. 2 17. 8 19. 1	5.9 6.4	671.6 183.8 165.5 432.5		134.3 11.9 12.7	11.9 6.4 86.5
	MASSACHUSETTS.											100.0	7,0	10.0	
35 36 37	Registration cities (total) White Colored	1,528.2 1,521.6 2,021.1	9.7 9.7 8.5	0.3 0.3	0.1 0.1	9.7 9.8	6.4	14.9 14.5 45.1	18.3 18.4 5.6	7.2 7.3	5.3 5.3 2.8	122.3 119.9 298.8	14.3 13.9 47.9	10.6 10.3 33.8	5.9 5.8 11.3
38 39 40 41	Adams town Arlington town Attleborough town Beverly	1 272 0	15. 2 5. 9 35. 9			22.8 5.9 5.1	8.7 5.9 15.4	30. 4 17. 6 15. 4	22.8 8.7	7.6 26.0 11.7	7.6	45.6 121.1 76.2 97.5	15. 2 8. 7 17. 6 10. 3	7.6 23.4 10.3	7.6
42 43 44 45 46	Boston (total).  White Colored Brockton Brookline town	1,707.8 1,691.3 2,432.0 1,083.0 1,185.3	8.7 8.6 13.1 1.7 6.9		0.1	10.3 10.5	11.2 11.4 5.1 3.5	14.8 14.3 39.2 8.5 6.9	19.7 20.0 6.5 8.5 6.9	4.6 4.8 22.0 10.4	7.5 7.6 6.5 1.7 3.5	152.6 148.0 353.0 81.2 45.1	19.5 18.4 65.4 11.8 3.5	10.3 9.8 32.7 11.8 6.9	4.6 4.5 13.1 11.8 3.5
47 48 49 50 51	Cambridge Chelsea. Chicopee Clinton town Everett.	1,516.3 1,988.7 1,458.6 1,400.4 1,091.2	2.8 12.8 3.7 7.7 5.8			.  <b>-</b>	2.8 19.2 3.7		39. 4 12. 8 18. 7 23. 0 20. 3	7.5 3.2 7.5 15.3 5.8	3.8 16.0 7.7 2.9	166. 9 137. 5 101. 2 130. 1 95. 5	14.1 3.2 7.5 23.0 5.8	13.1 16.0 3.7 80.6 2.9	8. 4 15. 0 2. 9
52 53 54 55 56	Fall River. Fitchburg. Framingham town. Gardner town. Gloucester.	1,740.7 1,277.1 1,392.2 1,257.2	14.7 7.7			.	1.6 2.6 4.2	17.9 41.0 22.6 26.1 16.7	22. 0 41. 0 7. 5 13. 0 16. 7	1.6 2.6 7.5 4.2	4.1 8.3	75.3 91.2	5.7 5.1 7.5 6.5	9.0 10.3 7.5 19.5 8.3	5.7 10.3 8.3
57 58 59 60 <b>61</b>	Greenfield town Haverhill. Holyoke Hyde Park town. Lawrence	1,212.8	1 6.3			11.7	21.9 6.7 3.3	4. 4 8. 4 12. 7 15. 6	9.3 13.1 18.5 6.3 20.1	4.4 8.4 7.8	6.6 12.7 3.3	112.4	15.1	9.3 13.1 8.4 6.3 18.9	2. 2 3. 4 5. 6
62 63 64 65 66	Leominster town Lowell Lynn Malden Marlborough	1,199.0	10.9			4.3 6.5		15. 6 20. 6	19.6 20.4		4. 4 27. 2	84.9 149.6		11.0 5.4 8.7 6.8	11.0 6.5 4.4 13.6

<sup>&</sup>lt;sup>1</sup> Exclusive of stillbirths.

<sup>&</sup>lt;sup>2</sup> Nonregistration state; cities shown below only those with effective local ordinances.

# DEATH RATES FROM PRINCIPAL CAUSES.

ITS SUBDIVISIONS, BY COLOR OF DECEDENT AND CAUSE OF DEATH: 1911—Continued.

are designated by asterisks (\*). Figures for white and colored are shown separately for minor subdivisions (except as indicated in the footnotes) only when the colored of 10,000 inhabitants or over in 1910. Numbers under causes of death correspond to those of the abridged International List (see p. 29).]

	,				-		DEATH	RATE PI	ER 100,00	0 POPUL	ATION F	том—					Tank da Tank		
Can- cer.	Dia- betes.	Menin- gitis.	Cerebral hemor- rhage and softening.	Organic diseases of the heart.	Bron- chitis.	Pneu- monia (all forms).	Other respira- tory dis- eases.	Diar- rhea and ente- ritis (under 2 years).	Appen- dicitis.	Hernia, intes- tinal obstruc- tion.	Cir- rhosis of the liver.	Ne- phritis, Bright's disease.	Puer- peral fever.	Other puer- peral affec- tions.	Con- genital debility and mal- forma- tions.	Violent deaths (ex- cluding sui- cide).	Sui- cide.	All other causes.	III- defined and un- known.
16	(37)	17	18 '	19	20,21	22,(23)	(23)	25	26	27	28	29	31	32 ·	88	85	36	(37)	38
55. 0 60. 7 31. 4 51. 8 64. 7 16. 2	12. 2 15. 2 17. 3 17. 6 16. 2	42. 8 45. 6 31. 4 38. 9 29. 4 65. 0	73. 4 68. 3 94. 3 38. 9 41. 2 32. 5	116. 2 68. 3 314. 2 86. 3 41. 2 211. 1	24. 5 7. 6 94. 3 82. 0 29. 4 227. 4	116. 2 98. 7 188. 5 194. 3 176. 4 243. 6	6.1 7.6 43.2 41.2 48.7	146. 7 129. 1 219. 9 73. 4 52. 9 129. 9	18.3 22.8 17.3 23.5	12. 2 7. 6 31. 4 8. 6 5. 9 16. 2	30. 6 22. 8 62. 8 30. 2 41. 2	134. 5 136. 7 125. 7 99. 3 88. 2 129. 9	8.6 11.8	12.2 7.6 31.4 8.6 5.9 16.2	201. 8 212. 6 157. 1 116. 6 117. 6 113. 7	55. 0 53. 1 62. 8 168. 4 141. 1 243. 6	13. 0 17. 6	379. 1 334. 0 565. 5 328. 1 258. 7 519. 7	24. 5 30. 4 82. 0 35. 3 211. 1
79.3 81.9 72.3	13.6 15.0 9.9	15.1 13.4 19.7	84.0 83.4 85.4	202.6 164.9 307.7	26.6 19.7 46.0	161.8 102.3 327.4	13.9 11.4 20.8	136. 9 128. 7 159. 9	14.2 14.6 13.1	18.2 18.1 18.6	34. 7 33. 4 38. 3	243. 2 190. 5 389. 8	12.7 8.7 24.1	15.3 13.8 19.7	61.4 55.5 77.7	114.6 83.8 200.4	13.6 18.1 1.1	390. 8 314. 4 603. 4	0.3
95.3 95.7	24.3 24.4	20.1 20.2	119.0 119.5	194.8 192.6 722.5	20.7 20.8	176.4 177.1	22.5 22.6	85.8 86.2	28.4 28.5	13.0 13.1	4.7 4.8	143.3 143.8	7.1 7.1	7.1 7.1	90.0 89.8 144.5	98.3 98.1 144.5	13.6 13.7	391.3 391.1 433.5	18.9 19.0
78. 3 67. 2 127. 2 69. 8 105. 5 107. 4 34. 2	26.1 .37.3 27.8 17.4 30.1 21.8 8.5	26. 1 14. 9 23. 8 34. 9 26. 4 13. 4 8. 5	124.0 179.1 79.5 104.7 113.0 125.8 128.2	137.1 425.5 238.4 139.6 143.1 196.3 102.6	26.1 22.4 7.9 17.4 22.6 21.8 34.2	97.9 201.5 166.9 250.1 188.3 164.4 196.6	6.5 59.7 15.9 11.6 30.1 18.5 34.2	71.8 104.5 31.8 116.3 169.5 57.0 111.1	37.3 51.7 11.6 33.9 28.5 17.1	7.5 19.9 15.1 16.8 17.1	4.0 17.4 7.5 3.4	137.1 164.2 115.2 116.3 162.0 166.1 68.4	7.5 19.9 15.1 1.7 8.5	13.1 7.5 5.8 18.8 3.4 8.5	39.2 67.2 115.2 104.7 82.9 95.6 94.0	65.3 104.5 107.3 93.1 116.8 104.0 51.3	6.5 29.9 11.9 5.8 18.8 11.7 17.1	280. 6 671. 8 528. 5 360. 6 357. 8 359. 0 205. 1	6.5 29.9 55.6 5.8 11.3 10.1 25.6
92.6 97.6 63.5	16.8 18.7 5.6	17.6 17.2 20.1	95. 4 90. 0 127. 0	168.5 144.7 307.5	28.5 24.0 54.6	194.8 151.9 445.6	23. 0 20. 8 35. 7	102.9 97.6 133.7	14.5 13.3 21.2	14.6 13.7 20.1	18.6 19.6 12.3	162. 6 146. 2 258. 5	7.3 6.7 11.1	9.3 7.6 18.9	127.3 113.0 210.6	85.5 78.0 129.2	17.7 19.4 7.8	289. 2 260. 6 456. 8	21.0 18.7 34.5
93. 9 98. 8 66. 3 84. 8 89. 1	17.0 19.0 5.8 17.8 18.8	18.1 17.6 20.9 8.9 9.4	95.8 89.7 130.2 89.2 89.1 91.3	167.7 142.3 309.2 124.9 122.0 182.6	28.9 24.2 54.6 22.3 18.8 91.3	198.4 154.6 441.8 165.1 131.3 821.9	22.5 20.1 36.0 35.7 37.5	104. 2 98. 0 138. 3 107. 1 112. 6	14.0 12.7 20.9 13.4 14.1	14.7 13.8 19.8 17.8 18.8	18.1 19.0 12.8 31.2 32.8	162.1 147.3 244.1 151.7 107.9 1,004.6	6.7 6.3 9.3 17.8 18.8	9.0 7.3 18.6 4.5 4.7	125.9 111.6 205.8 120.5 112.6 274.0	79.7 71.3 126.7 236.4 239.2 182.6	17.9 19.6 8.1 8.9 9.4	284.1 254.7 447.6 316.8 309.6 456.6	20.7 18.4 33.7 4.5
75.9 88.3 71.2 76.4	9.5 11.0 11.9 12.7	23.7 25.5	161. 2 176. 7 67. 2 47. 4 50. 9	208. 6 198. 7 268. 6 225. 3 216. 5 346. 0	37.9 44.2 17.8 12.7 86.5	151.7 110.4 402.9 142.3 121.0 432.5	9.5 11.0 29.7 25.5 86.5	75. 9 77. 3 67. 2 71. 2 76. 4	19.0 22.1 29.7 25.5 86.5	19.0 11.0 67.2 5.9 6.4	19.0 22.1 17.8 19.1	189. 6 176. 7 268. 6 177. 9 146. 4 605. 5	19.0 134.3 5.9 6.4	19.0 22.1 17.8 12.7 86.5	170.7 176.7 134.3 154.2 121.0 605.5	66. 4 33.1 268. 6 89. 0 89. 1 86. 5	37.9 44.2 11.9 12.7	407.7 353.3 738.8 349.9 318.3 778.5	47. 4 44. 2 67. 2 35. 6 38. 2
92.2 92.4 · 81.7	19.5 19.4 19.7	15. 2 15. 2 16. 9	91.8 92.0 78.9	175.0 175.1 163.5	24. 2 24. 1 33. 8	159.7 158.6 245.2	12.6 12.5 19.7	114.9 115.2 95.8	12.9 12.8 19.7	12.9 12.8 16.9	9.7 9.7 8.5	86.8 85.4 186.0	7.2 7.2 5.6	9.0 8.8 19.7	91.4 91.5 87.4	94.5 94.2 115.6	13.1 13.1 14.1	253.6 252.8 318.5	7.3 <sup>-</sup> 7.1 19.7
83.6 95.2 41.0 118.0	7.6 26.0 5.9 15.4	30. 4 8. 7	76.0 103.8 58.6 97.5	152.0 216.3 134.7 230.9	22.8 34.6 17.6 15.4	68. 4 129. 8 76. 2 82. 1	30.4 8.7 17.6 5.1	228.0 51.9 64.4 51.3	7.6 5.9 20.5	22.8 8.7 17.6 10.3	15.2 29.3 5.1	68. 4 121. 1 64. 4 97. 5		15. 2 23. 4	121.6 26.0 82.0 92.4	76.0 77.9 76.2 128.3	8.7 5.9 15.4	205. 2 181. 7 205. 0 159. 1	5.9
111. 2 110. 7 130. 8 74. 5 169. 8	21. 2 20. 9 32. 7 10. 2 34. 7	12.2 12.5 10.2 3.5	90. 9 91. 1 78. 5 69. 4 117. 8	189. 9 190. 2 176. 5 126. 9 214. 9	20.3 20.0 32.7 15.2 20.8	207.1 204.7 313.8 91.4 69.3	11.6 11.3 26.2 10.2 3.5	106. 4 106. 0 124. 2 55. 8 13. 9	15.1 14.7 32.7 1.7 13.9	16.5 16.3 26.2 8.5 3.5	12.8 12.8 13.1 6.8 6.9	98. 9 95. 2 261. 5 55. 8 55. 5	9.4 9.4 13.1 8.5 3.5	9.9 9.8 13.1 18.6 3.5	85.9 86.1 78.5 64.3 55.5	125.3 124.7 150.4 50.8 52.0	18.6 18.6 19.6 11.8 3.5	274.3 272.1 372.6 218.3 242.6	5.8 5.8 6.5 10.2
104.1 147.1 60.0 122.4 95.5	14.1 25.6 22.5 20.3	6.6 32.0 86.2 23.0 20.3	85.3 131.1 52.5 122.4 89.7	172.5 316.5 112.5 137.7 208.4	24. 4 38. 4 22. 5 30. 6 20. 3	152.8 185.4 165.0 114.8 86.8	12. 2 9. 6 23. 0 5. 8	86.3 121.5 258.7 61.2 34.7	5.6 12.8 2.9	11.3 16.0 7.7 8.7	3.8 9.6 7.5 7.7	88.1 118.3 93.7 68.9 46.3	7.5 25.6 7.5 2.9	10.3 19.2 3.7 7.7 5.8	78. 8 73. 5 135. 0 68. 9 63. 7	88.1 118.3 75.0 130.1 43.4	5.6 16.0 15.3 2.9	266.3 300.5 165.0 183.7 173.7	0.9 28.8 3.7 38.3
74.2 74.4 112.9 65.1 54.2	14.7 23.1 22.6 19.5 29.2	17.9 33.3 7.5 32.6 8.3	62.8 61.5 60.2 65.1 137.5	137.9 156.4 188.1 130.3 191.6	53.0 20.5 15.1 26.1 25.0	193.3 138.5 165.6 104.2 141.6	6.5 18.0 15.1 13.0 4.2	318.9 71.8 7.5 84.7 70.8	11. 4 7. 7 22. 6 6. 5 25. 0	13.1 15.4 15.1 6.5 8.3	10.6 2.6 22.6 13.0 25.0	93.8 53.9 127.9 117.2 58.3	4.1 7.7  12.5	14.7 15.4 7.5 13.0 4.2	133.0 100.0 105.4 143.3 70.8	46.5 79.5 112.9 71.7 87.5	17.9 15.4 15.1 6.5 12.5	247. 2 169. 2 195. 7 175. 9 258. 3	13.1
93.1 103.0 62.1 127.0 63.5	18.6 13.1 11.7 12.7 8.9	18.6 6.6 36.9 25.6	74.5 109.5 67.1 44.4 70.2	167.7 186.2 125.8 165.1 111.4	18.6 11.0 23.5 12.7 22.3	111.8 162.1 191.3 120.6 197.2	27.9 13.1 11.7 6.3 14.5	111. 8 48. 2 184. 6 44. 4 215. 0	27.9 28.5 20.1	9.3 11.0 11.7	8.8 6.7 31.7 7.8	55.9 83.2 105.7 88.9 57.9	2.2 8.4 12.3	8.8 3.4 6.3 5.6	55.9 65.7 122.5 57.1 98.0	102.5 87.6 68.8 120.6 112.5	15.3 6.7 12.7 12.3	316. 7 278. 2 239. 9 209. 5 202. 8	93.1 1.7 31.7 33.4
59. 9 75. 2 83. 4 104. 4 122. 4	32.6 19.3 13.0 30.5 47.6	6.5	97. 9 91. 7 88. 8 82. 7 176. 8	158.1 213.3	21.8 56.0 18.4 6.5 6.8	163. 2 147. 7 110. 5 91. 4 122. 4	5.4 22.9 6.5 4.4 20.4	65.0 43.5	13.1	5.4 19.3 14.1 4.4 13.6	2.2	130.6 82.6 72.6 74.0 74.8	5.4 9.2 8.7 6.8	5.4 10.1 9.7 8.7	81.6 124.8 67.1 65.3 47.6	87.1 116.5 84.5 91.4 68.0	20.2 8.7 10.9	206. 8 305. 5 216. 6 180. 6 224. 5	10.9 2.8 8.7

# Table III.—DEATH RATES PER 100,000 POPULATION IN THE REGISTRATION AREA AND

[All death rates are based upon the total deaths, including deaths of nonresidents and deaths in hospitals and institutions. Minor areas containing state insane asylums population of the subdivision formed at least 10 per cent of the total, or numbered 10,000 or over in 1910. The term "cities" indicates municipalities

						DEATH F	ATE PEI	100,000	POPULAT	ION FR	ом—				
	AREA AND COLOR.	All causes. 1	Typhoid fever.	Mala- ria.	Small-pox.	Measles.	Scarlet fever.	Whooping cough.	Diphtheria and croup.	In- flu- enza.	Ery- sipelas.	Tuber- culosis of the lungs.	Tuber- culous men- ingitis.	Other forms of tuberculosis.	Rheu- ma- tism.
	REGISTRATION CITIES—Continued.			<b></b>											
	MASSACHUSETTS—continued.		į						:						
1 2 3 4 5	Medford Melrose. Methuen town Milford town New Bedford.	1,146.2 1,108.3 1,163.1 1,610.8 1,705.2	15.1				6. 2 8. 2 1. 0	8. 2 37. 6 32. 3	25. 0 8. 2 7. 5 9. 8	12.5 8.2 15.1 6.9	7.5 3.9	87. 5 62. 3 115. 5 128. 0 134. 2	8. 2 7. 5 22. 5	12.5 8.2 15.1 9.8	6.2 15.1 9.8
6 7 8 9 10	Newburyport Newton North Adams Northampton * Peabody town	1,864.8 1,142.3 1,441.7 1,939.5 1,387.5	18.2 15.5			9. 9 4. 5	6.7 4.9 5.2	40. 0 7. 4 9. 1 5. 2 30. 6	13.3 4.9 13.6 36.2	20. 0 4. 9 22. 7 15. 5	2. 5 4. 5	126.5 44.4 91.0 144.8 116.1	26.6 17.3 4.5 10.3 6.1	2. 5 22. 7 15. 5	9.9
11 12 13 14 15	Pittsfield		14.8 16.1 8.9 6.6		3.0	29. 5 8. 9	8.1 20.7 5.1 4.4	11.8 56.5 5.9 10.2 24.3	20. 7 8. 1 17. 8 5. 1 26. 6	3.0 14.8 . 5.1 11.1	5.9 5.9	97. 5 145. 3 97. 8 71. 5 117. 3	8.9 24.2 11.9 5.1 15.5	3.0 10.2 8.9	8.9
16 17 18 19 20	Somerville Southbridge town Springfield Taunton * Waksfield town	1,302.1 1,009.3 1,529.0	7.6 7.7 18.3 14.3 17.1	2.2	1.3	2.5 12.9	5.1 3.2	13.9 15.4 11.9 25.7 34.2	22.7 15.4 9.7 17.1 8.6	8.8 9.7 14.3	6.3 7.7 5.4 14.3	101.0 30.8 87.4 165.4 128.4	18.9 5.4 5.7 17.1	8.8 20.5 5.7 34.2	5.1 15.4 8.6 25.7
21 22 23 24	Waltham. Watertown town. Webster town Westfield iown.	1,378.8 1,032.6 1,314.1	7.1			17.7 8.4 6.0		3.5	10.6 33.7 42.1	17.7 33.7	7.1 7.5	74. 4 45. 2 134. 8 498. 9	24.8 7.5 6.0	49.6 8.4 12.0	
25 26 27 28	Weymouth town Winthrop town Woburn Worcester	1.047.2	7.6 6.4 6.0			9.2	6.4 8.6	12.9 7.3	22.7 18.4 19.3 23.9	15.1 18.4 32.2 6.0	7.6 5.3	121.1 36.7 90.2 115.1	9.2	22.7 12.9 6.0	8.0
29	MICHIGAN.  Registration cities (total)	1 408 8	22.8	1.2	0.3	7.7	9.2	8.3	23.7	7.7	6.1	93.2	6.1	11.8	7.5
30 31	Registration cities (total)	1,408.3 1,400.3 2,171.8	22.6 44.0	1.1	0.3	7.7 8.8	9.3	8. 2 8. 8	23.6 26.4	7.8	6.0 17.6	90.6 334.1	6.1 8.8	11.6 35.2	7. 2 35. 2
32 33 34 35 36	Adrian Alpena. Ann Arbor Battle Creek Bay City	1,410.0 1,683.9 2,274.4 1,540.9 1,221.4	27.8 94.0 20.2 15.4 41.2	6.7	11.6	9.3 13.5 7.7 2.2	9.3 7.8 4.3	23.5 6.7 3.9 4.3	46. 4 7. 8 6. 7 15. 4 15. 2	46.4 6.7 7.7 21.7	6.7 3.9 4.3	55.7 125.3 114.4 73.4 80.3	13.5 3.9 6.5	37.1 15.7 53.8 19.3 2.2	15.4 8.7
37 38 39 40 41	Detroit. Escanaba. Flint Grand Rapids. Holland.	1,442.1	15.8 44.0 18.4 26.7 18.5	1.7		9.3 15.5	13.0 14.7 4.6 5.2	5.5 14.7 9.2 5.2 9.3	33.9 36.7 11.5 10.3 9.3	4.1 2.3 4.3 9.3	5.9 7.3 6.9 5.2	98.8 80.7 53.0 87.0 74.1	6.5 9.2 7.8 9.3	8.7 7.3 9.2 15.5	8.9 14.7 6.9 9.5
42 43 44 45 46	Ironwood Ishpeming Jackson Kalamazoo* Lansing	843.5 982.8 1,254.1 1,735.8 1,024.5	27.5 9.7	3.1		12.1 9.0	7.5 7.9 6.1 4.8 6.0	14.9 15.9 3.1 12.1 11.9	7.5 47.6 15.3 4.8 3.0	7.5 21.4 19.3 17.9	15.9 12.1 6.0	59.7 39.6 85.6 113.5 53.8	7.5 3.1 2.4 3.0	14.9 7.9 9.2 16.9 14.9	7.9 2.4 3.0
47 48 49 50 51	Manistee Marquette Menominee Muskegon Pontiac*	1,309.3	8.1 94.2 67.4 20.2 46.1	4.0			40.6 34.3 9.6	32. 5 68. 5 48. 6	16.2 25.7 19.3 4.0 19.8	19.3 20.2 32.9	8.6 8.1 59.3	138.0 137.1 57.8 117.4 98.8	8.6 19.3 4.0 13.2	8.6 8.1 19.8	16.2 8.1 13.2
52 53 54 55	Port Huron. Saginaw. Sault Ste. Marie. Traverse City *	1, 610, 8	48.3 23.4 54.5 32.5	7.8			5.8	3.9 24.4	10.7 35.1 31.1	16.1 1.9 7.8	5.8	96.6 83.8 155.6 170.8	8.0 8.1	21.5 15.6 56.9	5.8 7.8 8.1
<u></u>	MINNESOTA.	1 1/0 0	10 5	0.0		1.0	ד חד	11.0	94.4	4 2	5.6	195.0	Q Æ	14.0	5.2
56 57 58	Registration cities (total)	1,149.6 1,143.0 1,799.8	13.5 13.7	0.3 0.3	0.4 0.5	1.0	10.1 10.2	11.9 11.9 14.9	24.4 24.6	4.3 4.2 14.9	5.6 5.7	125.9 122.1 505.7	8.6 8.4 29.7	14.0 14.0 14.9	5.3
59 60 61 52	Duluth Mankato Minneapolis St. Cloud	1 173 4	23. 2 39. 2 11. 9 18. 4	0.3	0.3	1.2 1.3 18.4	7.3 9.8 6.1	1.2 15.4	17.1 9.8 23.8 18.4	6.1 9.8 2.2 9.2	8.6 9.8 4.5 9.2	143.0 88.1 133.7 110.2	9.8 9.8 7.7 18.4	18.3 19.6 12.9 18.4	17.1 3.2
63 64 65 66	St. Paul. Stillwater Virginia. Winona.	1. 275. 3	10.5 31.1 17.3 5.5			S	16.0 38.6	10.0 20.7 17.3 27.5	32.9 5.5	5. 5 10. 4 11. 0	6.4 8.6	111.8 165.9 95.1 115.7	9.6 10.4 5.5	13.2 31.1 8.6 11.0	4. 6 5. 5

<sup>&</sup>lt;sup>1</sup> Exclusive of stillbirths.

ITS SUBDIVISIONS, BY COLOR OF DECEDENT AND CAUSE OF DEATH: 1911—Continued.

are designated by asterisks (\*). Figures for white and colored are shown separately for minor subdivisions (except as indicated in the footnotes) only when the colored of 10,000 inhabitants or over in 1910. Numbers under causes of death correspond to those of the abridged International List (see p. 29).]

		-			<del></del>		DEATH	RATE PI	R 100,00	0 POPUL	ATION E	ROM—								T
Can- cer.	Dia- betes.	Menin- gitis.	Cerebral hemor- rhage and softening.	Organic diseases of the heart.	Bron- chitis.	Pneu- monia (all forms).	Other respira- tory dis- eases.	Diar- rhea and ente- ritis (under	Appen- dicitis.	Hernia, intes- tinal obstruc- tion.	Cir- rhosis of the liver.	Ne- phritis, Bright's disease.	Puer- peral fever.	Other puer- peral affec- tions.	Con- genital debility and mal- forma- tions.	Violent deaths (ex- cluding sui- cide).	Sui- cide.	All other causes.	III- defined and un- known	
16	(87)	17	18	19	20, 21	22,(23)	(23)	years). 25	26	27	28	29	81	32	88	85	36	(37)	88	
116.7 74.7 57.7 105.4 65.6	20.8 18.7 33.0 7.5 16.7 26.6	15.1 25.5 13.3	91.7 137.0 99.0 143.0 81.3	195.9 180.6 115.5 90.3 140.1	12.5 12.5 33.0 15.1 46.0	108. 4 62. 3 123. 7 255. 9 180. 2	12.5 24.9 8.2 15.1 21.5	20. 8 56. 0 57. 7 22. 6 257. 6	12.5 18.7 15.1 8.8 20.0	24.7 8.8 20.0	8.3 6.2 15.1 10.8 6.7	75. 0 105. 9 57. 7 150. 5 62. 7	7.5 10.8	8.2 7.5 6.9	50.0 18.7 82.5 128.0 123.4 66.6	54. 2 31. 1 66. 0 128. 0 60. 7 99. 9	12.5 7.5 18.6	229. 2 261. 5 214. 5 233. 3 268. 4 373. 0	16.5 26.4 6.7	1 2 3 4 5
153.2 81.4 100.1 98.3 61.1	14.8 22.7 25.9 6.1	4.9 18.2 15.5 18.3	96.2 131.9 170.7 128.4	233.1 172.7 141.0 212.1 189.5	4.9 40.9 25.9 30.6	103.6 122.8 113.8 128.4	4.9 13.6 25.9 12.2	44. 4 72. 8 62. 1 73. 3	17.3 36.4 10.3 12.2	17.3 4.5 10.3 24.4	9.9 4.5 5.2	59. 2 68. 2 113. 8 79. 5	4.5 5.2 6.1	9.1 15.5 6.1	91.3 100.1 93.1 67.2	74.0 104.6 134.5 103.9	17.3 4.5 20.7	217.1 245.6 527.5 244.5	4.5 5.2 6.1	6 7 8 9
65.0 137.2 71.1 92.0 99.6	35.4 48.4 11.9 20.4 22.1	32.5 24.2 5.9	115, 2 80, 7 65, 2 66, 4 110, 7	206.8 201.8 127.4 137.9 228.0	14.8 16.1 17.8 5.1 26.6	118.1 96.8 71.1 132.8 154.9	20.7 8.1 17.8	106.3 129.1 88.9 76.6 128.4	17.7 24.2 14.8	17.7 8.1 8.9 22.1	20.7 16.1 3.0 6.6	112.2 80.7 65.2 61.3 104.0	3.0 8.1 5.9 5.1 11.1	14.8 32.3 8.9 5.1 11.1	91.6 129.1 74.1 46.0 152.7	130.0 88.8 80.0 76.6 73.0	8.9 24.2 8.9 20.4 6.6	283. 6 201. 8 225. 2 122. 6 214. 7	32.3	11 12 13 14 15
89.7 61.6 90.6 82.7 42.8	22.7 46.2 24.8 28.5 8.6	5.1 30.8 10.8 17.1 42.8	128.8 61.6 99.3 139.8 231.2	202.1 100.2 150.0 188.2 102.7	18.9 11.9 37.1 25.7	121. 2 92. 5 156. 5 253. 8 128. 4	7.6 15.4 7.6 20.0 8.6	48.0 100.2 90.6 196.8 59.9	8.8 15.1 20.0	6.3 7.7 11.9 14.3 8.6	3.8 15.4 16.2 5.7	61.9 15.4 160.8 85.6 34.2	3.8 11.9 5.7	13.9 7.7 6.5 8.6	61.9 123.3 107.9 105.5 -17.1	64. 4 92. 5 98. 2 82. 7 59. 9	2.5 7.7 14.0 22.8	228. 6 138. 7 249. 3 427. 8 214. 0	8. 6 8. 6	16 17 18 19 20
120.5 90.4 33.7 78.1	21.3 25.3 18.0	17.7 7.5 8.4 6.0	102.8 67.8 117.9 78.1	127.6 196.0 59.0 180.3	14.2 7.5 16.8 30.1	117.0 120.6 143.2 126.2	7.5 8.4 6.0	63.8 . 75.4 126.4 150.3	14.2	7.1 15.1 12.0	3.5 16.8 12.0	67.3 45.2 101.1 114.2	10.6	6.0	70. 9 82. 9 134. 8 54. 1	109.9 30.1 92.7 78.1	10.6 8.4 6.0	283.6 203.5 193.7 168.3	3.5 7.5 8.4	21 22 23 24
98. 4 101. 0 83. 7 79. 2	7.6 27.6 12.9 18.6	30.3 9.2 12.9 8.6	121.1 128.6 70.8 74.5	219.5 110.2 115.9 228.8	15.1 12.9 28.6	128.6 82.7 141.7 164.3	15.1 27.6 6.4 18.0	60.5 70.8 79.8	45.9 12.9 16.0	7.6 18.4 12.9 14.0	7.6 9.2 12.9 7.3	121.1 73.5 77.3 72.5	15.1	7.6 9.2 6.7	53.0 36.7 77.3 115.1	75.7 73.5 96.6 92.5	7.6 9.2 12.9 13.3	219.5 192.9 231.8 314.0	7.6 4.7	25 26 27 28
76.2 76.4 61.5	13.5 13.5 8.8	16.9 17.1	66.2 66.3 61.5	126.6 125.2 255.0	25. 0 24. 9 35. 2	116.5 115.7 193.4	18.9 18.6 44.0	70.7 70.8 61.5	16.3 16.3 17.6	15.4 15.3 26.4	13.0 13.0 17.6	68.9 68.4 114.3	9.5 9.5 8.8	9.1 9.1 8.8	114.0 113.5 158.3	82. 6 82. 5 96. 7	18.3 18.0 44.0	315.4 314.3 422.1	9.6 9.6 8.8	29 30 31
102.0 94.0 201.9 96.5 75.9	18.6 7.8 40.4 42.5 10.8	37.1 15.7 33.6 19.3 15.2	55.7 86.2 107.7 81.1 41.2	194.8 94.0 195.1 200.8 112.8	18.6 70.5 20.2 15.4 13.0	111. 2 86. 2 94. 2 42. 5 95. 5	27.8 31.3 26.9 27.0 19.5	9.3 117.5 33.6 34.8 47.7	. 37.1 7.8 33.6 19.3 23.9	18.6 15.7 60.6 23.2 19.5	9.3 7.8 33.6 23.2 6.5	37.1 7.8 94.2 104.3 34.7	23.5 6.7 7.7 4.3	15.7 13.5 7.7 4.3	46. 4 203. 6 121. 1 104. 3 93. 3	55.7 54.8 107.7 100.4 80.3	18.6 23.5 33.6 15.4 13.0	352. 5 422. 9 753. 7 390. 1 314. 6	27.8 23.5 13.5 7.7 2.2	32 33 34 35 36
65.1 66.1 53.0 85.3 74.1	10.3 29.4 13.8 17.2 18.5	22.1 7.3 11.2 18.5	52.5 73.4 50.7 87.0 64.8	113.4 154.1 43.8 122.4 120.3	29. 0 14. 7 18. 4 25. 9 46. 3	140.8 88.1 82.9 117.2 46.3	19.9 14.7 6.9 18.1 18.5	98.6 102.8 34.5 62.0 27.8	14.4 14.7 9.2 14.7 9.3	13.8 22.0 2.3 19.8 9.3	15.4 22.0 6.9 11.2 18.5	65.1 88.1 41.5 78.4 27.8	2.3 10.3	9.9 6.9 10.3	140.4 88.1 105.9 94.8 111.1	88. 2 73. 4 66. 8 54. 3 55. 5	20.3 22.0 9.2 21.5 18.5	292.1 .205.5 228.0 297.3 240.7	8.5 29.4 9.2 8.6	
44.8 71.3 79.5 96.6 71.7	7.9 21.4 7.2 11.9	7.5 9.2 12.1 3.0	14.9 87.2 82.6 154.5 50.8	22. 4 103. 0 128. 5 217. 3 164. 3	29.9 31.7 18.4 9.7 14.9	59.7 95.1 61.2 113.5 44.8	15.9 21.4 16.9 17.9	59.7 63.4 33.6 41.0 35.8	15.9 18.4 16.9 14.9	7.9 6.1 24.1 3.0	15.9 12.1 9.0	22. 4 23. 8 128. 5 99. 0 41. 8	3.1 12.1 3.0	7.5 7.9 12.2 4.8 14.9	67.2 63.4 79.5 60.4 53.8	119: 4 79: 3 48: 9 84: 5 71: 7	22.4 7.9 15.3 21.7 9.0	194.1 126.8 302.8 514.2 221.0	22. 4 7. 9 9. 2 7. 2 23. 9	43 44 45
129. 9 94. 2 57. 8 89. 0 65. 9	8.6 9.6 16.2 19.8	8.6 19.3 32.4 6.6	40.6 77.1 77.0 97.1 79.1	170.5 68.5 77.0 129.5 210.8	8.1 42.8 9.6 4.0 19.8	56.8 154.2 115.5 129.5 98.8	8.1 42.8 19.3 8.1 46.1	40.6 111.4 77.0 48.6 46.1	24. 4 25. 7 38. 5 24. 3 26. 4	8.1 25.7 28.9 12.1 6.6	32.5 25.7 19.3 4.0	105.6 85.7 48.1 72.8 131.8	19.3 12.1 13.2	8.1 8.6 9.6 12.1 6.6	56.8 119.9 134.8 97.1 98.8	89. 3 85. 7 67. 4 85. 0 92. 2	24.4 17.1 9.6 20.2 32.9	211.1 334.1 279.2 307.5 764.2	16.2 24.3 6.6	47 48 49 50 51
91.3 99.4 23.3 138.3	10.7 15.6 23.3 16.3	5.4 15.6 31.1 8.1	80.5 68.2 15.6 154.5	187.9 142.3 101.1 284.7	32.2 25.3 31.1 32.5	107.4 120.8 124.5 89.5	16.1 19.5 8.1	59.1 13.6 54.5 24.4	10.7 21.4 15.6 16.3	21.5 21.4 15.6 16.3	16.1 9.7 7.8	145.0 54.6 54.5 105.7	5.4 7.8 23.3 16.3	7.8 7.8 16.3	145.0 97.4 77.8 40.7	123.5 109.1 108.9 73.2	5.4 11.7 8.1	349. 0 306. 0 280. 0 642. 5	5.4 11.7	52 53 54 55
77.5 77.5 74.4	12.8 12.9	10.6 10.5 14.9	48.3 48.5 29.7	98.4 97.2 223.1	11.9 12.0	104.5 103.9 163.6	8.0 8.0 14.9	47.0 - 46.9 59.5	21.9 21.9 14.9	11.6 11.6 14.9	12.0 12.0 14.9	71.7 70.7 163.6	7.6 7.7	6.7 6.6 14.9	74.6 74.8 59.5	74.0 73.9 89.2	18.7 18.8 14.9	204. 7 204. 2 252. 9	1.6 1.7	56 57 58
63. 6 166. 5 77. 8 82. 6	6.1 29.4 10.6 18.4	15.9 19.6 7.7 9.2	35. 4 107. 7 44. 3 27. 5	75.8 156.7 95.1 229.5	7.3 10.6 9.2	108.8 127.3 113.4 82.6	6.1 19.6 8.4	64.8 9.8 44.0 36.7	17.1 97.9 22.8 27.5	13.4 19.6 12.2 18.4	17.1 9.8 14.1 9.2	79. 4 137. 1 76. 8 64. 3	11.0 6.7 9.2	9.8 8.0	85.6 29.4 . 67.8 110.2	90. 4 127. 3 68. 8 18. 4	19.6 19.6 20.2 36.7	190. 7 244. 9 214. 7 202. 0	1.2 0.3 36.7	59 60 61 62
75.3 103.7 17.3 132.2	16.0 20.7 8.6 27.5	12.8 25.9	48. 4 93. 3 43. 2 132. 2	101.3 114.0 95.1 104.7	15.1 10.4 25.9 16.5	92.6 62.2 121.0 88.1	8.7 20.7	43.8 10.4 164.3 27.5	21.0 17.3 5.5	9.6 10.4 8.6 11.0	8.2 20.7 5.5	62.1 82.9 25.9 55.1	8.2 10.4 5.5	5.5	78.5 41.5 138.3 77.1	58. 0 51. 8 328. 5 137, 7	16.0 34.6 11.0	185.3 352.5 129.7 281.0	1.4	63 64 65 66

## TABLE III.—DEATH RATES PER 100,000 POPULATION IN THE REGISTRATION AREA AND

[All death rates are based upon the total deaths, including deaths of nonresidents and deaths in hospitals and institutions. Minor areas containing state insane asylums population of the subdivision formed at least 10 per cent of the total, or numbered 10,000 or over in 1910. The term "cities" indicates municipalities

=					<del> </del>	DEATIT	RATE PI	ER 100,000	POPULA	TION FF	OM-	<del>-</del>		<del></del>	
	AREA AND COLOR.	Ali causes. <sup>1</sup>	Typhoid iever.	Mala- ria.	Small- pox.	Measles.	Scarlet fever.	Whooping cough.	Diph- theria and croup.	In- fiu- enza.	Ery- sipelas.	Tuber- culosis of the lungs.	Tuber- culous men- ingitis.	Other forms of tu- bercu- losis.	Rheu- ma- tism.
			1	3	4	5	6	7	8	9	(12)	13	14	15	(87)
	REGISTRATION CITIES—Continued.  MISSOURI.														
1 2 3	Registration cities (total). White. Colored.		25. 5 24. 3 41. 6	4.8 4.2 13.1	0.8 0.6 3.6	12.0 12.7 3.6	18.5 19.5 5.9	7.0 7.2 4.8	17.5 17.9 11.9	18.5 18.0 25.0	5. 1 5. 2 3. 6	142.1 118.9 444.6	8. 2 7. 7 15. 5	12.6 10.0 47.6	7.8 7.6 10.7
4 5	Hannibal Jefferson City	1,382.0 1,304.0	21.0 66.0			5.3 8.3	5.3	10.5	8.3	31.5		147.1 189.8	21.0	10.5 24.8	10.5
6 7 8 9 10	Hannibal Jefferson City Joplin Kansas City (total) White Colored. Moberly	1, 441. 4 1, 538. 2 1, 433. 8 2, 527. 3 1, 312. 3	37. 2 29. 9 28. 8 40. 7 35. 5	6. 2 1. 6 0. 4 12. 2	3. 1 2. 1 12. 2	3.1 3.1 3.4	5. 4 5. 6 4. 1	24.8 10.1 10.7 4.1 17.7	24.8 12.4 12.4 12.2 26.6	27.9 22.5 20.2 44.8 17.7	8. 2 9. 0	210.8 149.9 109.9 529.1 212.8	5.0 4.3 12.2	24.8 13.2 9.4 48.8	12.4 5.8 5.6 8.1 17.7
11 12 13 14 15 16 17	St. Joseph. St. Louis (total) White. Colored. Sedalia. Springfield Webb.	1,268.3 1,536.3 1,463.6 2,584.8 1,687.1 1,688.5 1,502.7	31.7 16.1 15.9 19.8 82.7 109.1 24.0	8.9 5.4 5.3 6.6 16.5 8.2	5.5 2.7	1.3 16.3 16.9 6.6	6.3 27.7 29.0 8.8 5.5 5.5 8.0	8.9 4.0 4.1 2.2 5.5 16.4 24.0	8.9 17.6 18.2 8.8 27.6 60.0 40.0	17.7 16.1 16.3 13.2 33.1 21.8 16.0	5.1 4.1 4.1 4.4 5.5 10.9 8.0	90.0 136.3 115.1 442.5 165.4 171.8 223.8	3.8 10.3 9.5 22.0 5.5 10.9	16.5 11.4 9.0 46.2 22.1 5.5 24.0	7.6 8.4 8.1 13.2 16.5 2.7
18 19 20	MONTANA.  Registration cities (total)	1,449.8 1,428.8	28.6 27.2 90.2			9.9 10.1	15.8 16.1	15.8 13.1	5.9 6.0	3.9 4.0	6.9 7.1	131.2 124.0	7.9 7.1	17.8 18.1	7.9 8.1
	Anaconda. Billings. Butte. Great Falls. Helena. Missoula.  NEBRASKA. 2	1,213.7 1,371.6 1,593.5 1,525.8 1,445.7 1,200.7	73.6 22.6 36.2 23.6 28.8				9.2 17.6 21.7 31.4 7.2	135.3 48.9 18.4 10.0 7.2 7.9 21.6	29. 4 9. 2 5. 0	9.2 5.0 7.2	9.8 9.2 10.0	39.2 92.1 220.8 50.6 117.9 64.7	9.8 5.0 7.2 15.7 14.4	18.4 12.5 36.2 31.4 14.4	10.0
27 28 29	Registration cities (total). White Colored.	1,416.3 1,387.4 2,308.7	19.3 19.9			9.9 10.3	5.3 5.4	1.8 1.8	12.8 13.3	8.8 9.0	7.0 7.2	84.7 66.9 633.0	5.8 5.4 18.6	11.7 10.9 37.2	9.9 10.3
30 31	Lincoln. Omaha. NEW HAMPSHIRE.	1,377.9 1,429.8	22.5 18.1			27.0 3.9	2.2 6.3	4.5 0.8	6.7 15.0	11.2 7.9	11. 2 5. 5	47.2 97.8	4.5 6.3	9.0 12.6	9.0 10.3
32 33 34	Registration cities (total). White	1,783.0 1,783.5 1,538.5	15.8 15.8			9.0 9.1	2.3 2.3	15.3 15.3	21.5 21.5	15.3 15.3	4.0 4.0	115.8 116.0	10.7 10.8	10.7 10.8	7.9 7.9
35 36 37 38	Berlin. Concord * Dover. Keene	1,541.1 2,007.0 1,871.6 1,778.3	49. 4 13. 8 22. 6 19. 7			8, 2 30, 2 9, 8	4.6	33.0 7.5 9.8	90.7 9.2 30.2	8.2 18.4 7.5 39.3	4.6	57.7 138.1 196.2 68.8	4.6 7.5 29.5	15.1 19.7	30.2
20	Laconia. Manchester Nashua. Portsmouth	1 474 5	9.6 9.8 11.4 26.4			2.8 19.0 26.4	4.2	19.1 22.3 7.6 8.8	9.6 14.0 19.0 44.1	9.6 15.3 7.6 26.4	2.8 11.4 8.8	134.0 113.0 110.4 97.0	19.1 14.0 3.8 8.8	18.1 3.8 8.8	9.6 9.8 7.6
	NEW JERSEY.	,													
43 44 45	Colored	1,488.1 2,320.8	12.0 11.8 19.0	1.1 1.1 1.7		11.9 11.9 12.1	9. 4 9. 5 5. 2	14.3 14.1 20.7	22. 6 23. 0 12. 1	8.5 8.3 13.8	5.6 5.8 1.7	156.5 148.3 388.5	12.6 12.2 22.4	12.5 11.3 46.6	9.4 9.4 10.4
46 47 48	Asbury Park( total) White Colored.	1,306.8 1,239.5 1,591.8	17. 9 22. 1				17.9 22.1		9.0 11.1			134.3 88.5 327.7			17.9 11.1 46.8
- 1	White Colored Atlantic City (total) White Colored City (total) Colored		16.6 21.1			2.1 2.6	4.1 5.3	16.6 15.8 19.3	20.7 15.8 38.6	2.1 2.6	4.1 5.3	128. 4 116. 1 173. 5	2.1 2.6	14.5 7.9 38.6	8.3 7.9 9.6
52 53 54 55 56	Bayonne Bloomfield Bridgeton Camden East Orange	917.5 1,720.8 1,671.0 905.9	8.5 6.3 27.9 9.2 2.7			7.0 7.0 13.4	18.7 6.3 7.0 4.1 8.2	13.6 12.6 7.0 14.4 10.9	25.5 12.6 20.9 38.0 8.2	3.4 12.6 20.9 6.2 13.6	8.5 3.1	96. 9 44. 0 222. 9 177. 8 92. 8	13. 6 6. 3 7. 0 7. 2 19. 1	3.4 12.6 27.9 15.4 8.2	10.2 18.9 13.9 12.3
57 58 59 60 61	Elizabeth Garfield Hackensack Harrison Hoboken	1,184.6	7.8 13.5 18.2			9.1 81.2 13.4 39.1	18.3 69.7 6.8	53.6 9.8	20.9 26.1 20.3 33.5 35.0	1.3 6.8 20.1 1.4	2.6 8.7 6.7 12.6	128. 0 95. 8 162. 4 214. 6 205. 5	13.1 17.4 13.5 6.7 22.4	6.5 6.7 21.0	11.8 20.1 12.6
62 63 64 65 66	Irvington Jersey City Kearny Long Branch Millville	1,584.6	7.7 7.2 66.3 7.9	15.1 7.4	<sup>1</sup>	15.2	7.7 11.6 5.0 7.4 15.9	7.7 11.2 35.2 14.7	30.7 21.0 15.1 71.5	5.8 15.1 7.4	8.7 5.0	176. 4 166. 4 105. 5 147. 4 135. 0	15.3 11.2 20.1 7.4	23.0 11.9 10.0 22.1 15.9	15.3 8.0 14.7 15.9

<sup>1</sup> Exclusive of stillbirths.

ITS SUBDIVISIONS, BY COLOR OF DECEDENT AND CAUSE OF DEATH: 1911—Continued.

are designated by asterisks (\*). Figures for white and colored are shown separately for minor subdivisions (except as indicated in the footnotes) only when the colored of 10,000 inhabitants or over in 1910. Numbers under causes of death correspond to those of the abridged International List (see p. 29).]

			over in 19		١.	<del> </del>				0 POPUL								<del></del>	
Can- cer.	Dia- betes.	Menin- gitis.	Cerebral hemor- rhage and softening.	Organic diseases of the heart.	Bron-chitis.	Pneu- monia (all forms).	Other respira- tory dis- eases.	Diarrhea and enteritis (under 2 years).	Appen- dicitis.	Hernia, intes- tinal obstruc- tion.	Cir- rhosis of the liver.	Ne- phritis, Bright's disease.	Puer- peral fever.	Other puer- peral affec- tions.	Con- genital debility and mal- forma- tions.	Violent deaths (ex- cluding sui- cide).	i	All other causes.	III- defined and un- known.
16	(37)	17	18	19	20,21	22,(23)	(23)	25	26	27	28	29	31	32	33	35	36	(37)	, 38
									:										
·82. 0 83. 7 59. 4	16.0 16.8 5.9	12.3 12.8 5.9	61.7 60.2 80.8	138.6 127.9 277.0	25. 2 23. 8 42. 8	142.4 130.9 292.5	16.2 15.4 26.2	75.4 74.9 82.0	17.6 18.3 9.5	13.1 13.6 5.9	23. 0 22. 7 26. 2	125.0 118.6 208.1	9.2 9.2 9.5	6.7 6.4 10.7	72.8 71.6 89.2	102. 2 94. 3 204. 5	32.8 34.4 11.9	257.8 246.8 401.8	5.2 4.5 14.3
73.6 57.8 55.8	26.3	10.5 24.8 27.9	52. 5 57. 8 46. 5 66. 4	126.1 . 99.0 117.8	5.3 -33.0 6.2	89.3 107.3 120.9	15.8 16.5 9.3	36.8 57.8 105.4		16.5 6.2	10.5 41.3 15.5	73.6 74.3 43.4	5.3	5.2	147.1 8.3 71.3	115.6 140.3	10.5		
91.6 95.7 52.9 70.9	12.4 14.4 15.9	10.5 24.8 27.9 16.3 16.7 12.2 8.9	66. 4 65. 3 77. 3 106. 4	134.0 124.1 227.9 53.2	18.3 17.6 24.4 17.7	148.7 130.9 317.4 106.4	9.3 15.1 14.2 24.4 8.9	36. 8 57. 8 105. 4 55. 9 54. 9 65 1 62. 1	21. 0 24. 8 9. 3 20. 6 21. 5 12. 2 26. 6	16.5 6.2 14.0 14.2 12.2 8.9	12. 4 11. 2 24. 4 17. 7	43.4 101.4 91.4 195.3 44.3	15.5 13.6 13.7 12.2	9.3 9.0 12.2 8.9	147.1 8.3 71.3 84.7 84.1 89.5 62.1	93. 0 124. 3 114. 2 219. 8 97. 5	34.1 31.5 33.1 16.3 17.7	241. 7 239. 3 254. 2 286. 2 276. 0 382. 5 203. 9	52.5 8.3 3.1 9.3 8.2 20.3 44.3
67.2 84.5 85.5 70.5	13.9	5.1 9.6 9.9	77.3 58.8 56.8 88.1 66.2	120.4	15.2	98.8 148.3 138.4	10.1 16.7 15.9 28.6 22.1	36. 7 87. 2 85. 8	43.1 13.4 13.6 11.0	15.2 13.7 14.3 4.4 5.5	10.1 30.3 30.2 30.8	96.3 147.1 140.1	7.6 8.0 7.9	10.1 4.3 3.7	49. 4 65. 1 63. 8 83. 7 132. 3	69.7 97.5	22.8 37.7 39.7	287. 6 243. 8 233. 5 391. 9	i
70.5 60.6 70.9 16.0	18.5 8.8 11.0 5.5 8.0	4.4 33.1 16.4 40.0	88.1 66.2 57.3 48.0	134.1 325.8 176.4 125.5 71.9	29. 6 55. 0 5. 5 21. 8 8. 0	290.6 170.9 152.7 87.9	28. 6 22. 1 19. 1 56. 0	107.9 38.6 70.9 135.9	11.0 16.5 24.5 16.0	5.5	8.2	248. 8 132. 3 84. 6	8.8 11.0 5.5	13. 2 22. 1 5. 5	120.0	89.7 209.2 82.7 92.7	11.0 16.4	391.9 275.7 308.2 199.8	5.1 1.1 1.2 22.1 8.2 8.0
										16.0	16.0	71.9	16.0	16.0	135.9	143.9	8.0		
75.9 72.6 225.4	20.7 21.2	15.8	45.4 44.4 90.2	120.3 120.0 135.3	8.9 9.1	128.2 124.0 315.6	18.7 17.1 90.2	53.3 54.4	43.4 44.4	18.7 19.2	16.8 16.1 45.1	89.7 89.7 90.2	17.8 18.1	9.9 10.1	90.7 92.8	126. 2 123. 0 270. 5	49. 3 45. 4 225. 4	235.7 237.0 180.3	12.8 13.1
39.2 9.2 90.3 94.0	9.8 9.2 27.6 21.7 23.6	27.6 7.2 23.6 7.2	58.7 27.6 42.7 28.9 70.7 50.3	68.5 119.7 125.5 115.7	29. 4 18. 4 10. 0	195.7 73.6 148.1 130.2	29.4 36.8 12.5 14.5	29. 4 73. 6 57. 7 50. 6	48.9 82.9 40.2 28.9 7.9 64.7	9. 2 20. 1 21. 7 15. 7	19.6 18.4 22.6 14.5 7.9 7.2	97.9 92.1 87.8 115.7 78.6	9.8 27.6 27.6 7.2	15. 1 14. 5 15. 7	39.2 64.4 82.8 231.4 102.1 21.6	58.7 138.1 138.0 130.2 133.6 122.2	19.6 55.2 67.8 28.9 31.4	234. 9 267. 0 228. 4 282. 0 235. 7 186. 9	88.1 9.2 14.5 7.9
94.0 78.6 93.5	23.6 14.4	23.6 7.2	70.7 50.3	165.0 107.8		86.4 100.6	14.5 15.7 21.6	55.0 43.1	7.9 64.7	15.7 35.9	7.9 7.2	78.6 71.9	14.4	15.7	102. 1 21. 6	133.6 122.2	31.4 50.3	235. 7 186. 9	14.5 7.9
88.8 87.4 130.3	18.7 18.7 18.6	21.0 21.1 18.6	59.0 57.9 93.1	138.4 133.3 297.9	9.3 9.0 18.6	172.3 166.4 353.7	12.8 13.3	51.4 51.3 55.9	34.5 35.6	22.8 22.9 18.6	15.8 16.3	87.6 87.4 93.1	13.4 12.1 55.9	13. 4 13. 3 18. 6	67.2 66.3 93.1	88.8 89.8 55.9	28. 0 28. 3 18. 6	282.7 283.4 260.7	13. 4 13. 3 18. 6
89. 9 88. 4	13.5 20.5	13.5 23.7	53. 9 60. 8	116.9 146.0	2.2 11.8	173. 1 172. 0	24.7 8.7	60.7 48.1	31.5 35.5	22. 5 22. 9	4.5 19.7	71.9 93.1	18.1	9.0 15.0	103. 4 54. 4	80.9 91.5	18.0 31.6	292. 2 279. 3	40.5 3.9
84. 2 84. 3	24.3 24.3	27.7 27.7	95.5 95.7	189.3 189.0	36.7 36.8	154.8 155.1	26. 6 26. 6	146.3 146.6	16.4 16.4	15.3 15.3	9.0 9.1	104.0 104.1	6.2 6.2	9.0 9.1	136.7 136.4	110.2 110.4	12.4 11.9	339.0 338.5 615.4	11.3 11.3
16.5 115.1	8.2 23.0	41.2 4.6 15.1	49. 4 124. 3	74.2 354.4 203.8	16.5 36.8	197.8 142.7	49. 4 32. 2	288. 4 23. 0	8.2 13.8	8, 2 18. 4	8.2 18.4	24.7 165.7	8.2 9.2	18.4	307.7 173.1 55.2	90.7 105.9	307.7 16.5 4.6	197.8 529.4	
16.5 115.1 98.1 157.2 95.7	23.0 37.7 39.3 19.1	15.1 19.7 9.6	90.6 167.0 86.2	203.8 176.9 114.9	7.5 9.8 19.1	181.1 127.7 67.0	7.5 19.7	288. 4 23. 0 166. 0 29. 5	22.6 19.7		9.8	143. 4 176. 9		19.7	45.3 137.6	166.0 66.8	7.5 39.3	324.5 353.7	9.8
65.6 87.6 114.6	22.3 15.2 52.9	46.0 19.0	89.3 83.8 105.8	154.9 175.2 308.5	58.6 30.5 8.8	174.4 144.7 105.8	9.6 23.7 45.7 8.8	57.4 213.5 99.0 79.3	9.6 18.1 15.2 17.6	18.1 26.7 17.6	7.0 11.4 17.6	134.0 71.2 91.4 167.5	9.8 8.8	4.2 22.8 8.8	76.6 188.4 118.0 132.2	67.0 97.7 140.9 158.6	38.3 11.2 3.8 8.8	430.9 307.0 289.4 361.4	28.7 9.8 7.6
74.4 74.0 86.3	13.7 14:0 6.9	16.9 17.1 10.4	76. 4 75. 8 93. 2	139.6 137.8 191.7	19.4 19.1 29.4	168.6 164.7 279.7	17.1 16.2 44.9	114.0 112.8 148.5	11.2 11.1 13.8	10.4 10.0 22.4	17.3 17.5 10.4	122.3 120.6 169.2	9.7 9.5 17.3	9.6 9.5 13.8	94.6 93.0 139.9	96. 6 95. 2 134. 7	17.0 17.3 10.4	205.8 201.2 336.7	5. 2 5. 2 6. 9
53.7 55.3 46.8	17.9 22.1		116. 4 143. 9	179.0 177.1 187.3	35.8 33.2 46.8	71.6 77.5 46.8	26.9 22.1 46.8	53.7 33.2 140.4	9.0 11.1		17. 9 22. 1	125.3 99.6 234.1			35.8 33.2 46.8	80.6 66.4 140.4	9.0	259.6 254.5 280.9	9.0 11.1
82.9 92.4 48.2	33.1 42.2	4.1 5.3	87.0 102.9 28.9	184. 4 192. 6 154. 2	24.9 31.7	105.6 89.7 163.8	14.5 13.2 19.3	87. 0 84. 4 96. 4	12.4 10.6 19.3	26. 9 26. 4 28. 9	12.4 15.8	165.7 168.9 154.2	16.6 18.5 9.6	6.2 5.3 9.6	99. 4 105. 6 77. 1	99. 4 108. 2 67. 5	33. 1 36. 9 19. 3	329. 4 306. 1 414. 5	4.1 2.6 9.6
40.8 37.7 97.5 79.1 76.4	10.2 12.6 7.0 9.2 10.9	20.4 18.9 20.9 8.2 5.5	61.2 100.6 167.2 103.8 70.9	81.6 75.4 236.9 152.1 133.7	23.8 12.6 20.9 9.2 5.5	159.8 100.5 83.6 191.1 73.7	27.2 6.3 20.9 22.6 21.8	181.9 50.3 97.5 101.7 19.1	7.0 8.2	8.5 13.9 9.2 2.7	6.8 18.9 7.0 13.4 16.4	91.8 69.1 167.2 143.9 103.7	13. 4	11.9 13.9 10.3 5.5	125.8 37.7 62.7 116.1 43.7	107.1 69.1 83.6 116.1 21.8	20. 4 12. 6 13. 9 20. 6 13. 6	171.7 157.1 229.9 234.3 117.3	5.1 6.3 7.0 6.2
74.5 34.8 94.7 53.6 82.5	15.7 17.4 6.8 6.7 19.6	15.7 8.7 6.7 30.8	83. 6 34. 8 74. 4 40. 2 79. 7	132.0 61.0 135.3 60.4 156.6	11.8 17.4 6.8 20.1 40.5	180.3 165.5 142.1 100.6 264.2	32.7 8.7 27.1 13.4 25.2	146.3 217.8 115.0 140.8	9.1 27.1	7.8 6.8	17.0 6.8 26.8	79.7 52.3 148.8 87.2	11.8 6.8 6.7	18.3 8.7 6.8 13.4	116.3 130.7 81.2 93.9	129.3 52.3- 67.7 107.3	20.9 8.7 20.3 13.4	220.8 130.7 175.9 134.1	10.5 17.4 13.5
92. 0 65. 5 90. 4	10.1	22.8 20.1	115.0 73.8	184.0 145.8	30.7 22.4 35.2	53.7 198.9	15.3 12.7	53.7 109.6	7.7 14.8	12.7	30.8 30.7 23.1	144.0 107.4 129.8	7.0 7.7 11.6	5.6	74.1 61.3 96.2	103.5 30.7 112.8	28.0 30.7 13.0	185.9 115.0 215.2	4.3 5.0
162. 1 87. 4	22.1 7.9	20. 1 22. 1	70.3 154.7 47.7	95. 4 147. 4 158. 8	35.2 14.7 7.9	175.8 176.8 95.3	15.1 29.5 31.8	35.2 103.1 71.5	14.7 7.9	5.0 36.8	15.1 14.7 7.9	80.4 176.8 143.0	5.0 7.4 15.9	10.0 14.7	75.3 58.9 103.2	50. 2 169. 5 55. 6	13.0 10.0 7.4 7.9	286.3 464.2 206.5	5.0

<sup>&</sup>lt;sup>2</sup> Nonregistration state; cities shown below only those with effective local ordinances.

#### TABLE III.—DEATH RATES PER 100,000 POPULATION IN THE REGISTRATION AREA AND

-				·····		DB; ====		100.000	DARYT : -	(ON TO		·			
		-	0	,		DEATH E	ATE PEI	100,000	POPULAT	ON FE					
	. AREA AND COLOR.	All causes. <sup>1</sup>	Typhoid fever.	Mala- ria.	Small- pox.	Measles.	Scarlet fever.	Whoop- ing cough.	Diph- theria and croup.	In- fiu- enza.	Ery- sipelas.	Tuber- culosis of the lungs.	Tuber- culous men- ingitis.	Other forms of tuberculosis.	Rheu- ma- tism.
			1	8	4	5	6	7	8	9	(12)	13	14	15	(37)
	REGISTRATION CITIES—Continued.														
	NEW JERSEY—continued.							•							
1 2 3 4 5	Montclair (total). White Colored. Morristown. New Brunswick	1,375.2 1,338.0 1,658.5 2,326.1 2,025.5	13.1 14.9 31.8 17.1	7.9		37.7	23.8 12.8	30.7 29.7 37.7 39.7 34.1	4.4 5.0 55.6 8.5	21.9 19.8 37.7 39.7 4.3	7.9	105. 1 84. 2 263. 9 166. 7 162. 0	8.8 9.9 39.7 4.3	8.8 9.9 39.7 12.8	8.8 9.9 15.9 8.5
6 7 8 9	Newark Orange Passaic Paterson	1,484.7 1,753.9 1,407.5 1,464.1	10.5 13.1 6.8 7.0	0.6 3.3 1.7 0.8		6.9 3.3 20.3 1.5	6.6 3.3 10.1	12.1 13.1 6.8 12.4	15.7 22.9 23.7 16.3	9.1 16.4 6.8 10.1	6.9 9.8 1.7 3.9	179.7 147.5 105.1 168.9	12.4 59.0 18.7 7.0	14.9 26.2 17.0 7.0	8.0 6.6 13.6 9.3
10 11 12 13	Perth Amboy Phillipsburg. Plainfield. Trenton*	1,390.2 1,303.5 1,409.9 1,844.0	23.7 44.0	5.9 7.1		5.9 71.2 31.0	17.8 4.7 7.0	23.8 35.6 4.7 21.0	59.4 14.2 9.5 27.0	8.9 42.7 33.2 11.0	5.9 5.0	89. 1 57. 0 132. 9 192. 0	5.9 7.1 14.2 17.0	5.9 7.1 14.2 15.0	3.0 21.4 14.2 11.0
14 15 16 17	Union. West Hoboken. West New York. West Orange.	1.092.8	4.5 2.7 6.6 8.5				18.9 13.2	18.2 24.3 13.2 8.5	50.0 32.5 26.4 8.5	9.1 10.8	9.1 8.1 6.6	136.3 132.5 132.1 119.2	9.1 8.1 6.6	4.5 5.4 6.6	4.5 8.1 13.2 8.5
	NEW YORK.						_								
18 19 20	Registration cities (total). White. Colored.		14.4 14.4 16.3	0.6 0.6 1.6	0.1	11.5 11.6 6.5	14.6 14.8 4.1	8.6 8.5 14.7	25. 2 25. 3 18. 0	8.6 8.6 9.8	5.9 5.9 7.3	165.4 158.7 538.1	15.5 15.3 28.6	9.4 9.0 32.7	7.4 7.4 4.9
21 22 23 24 25	Albany. Amsterdam. Auburn. Batavia. Binghamton*	2,043.2 1,319.6 1,798.4 1,714.2 1,886.8	18.8 9.1 5.7 33.4 4.0			5.7 8.4 10.0	1.0 27.2 5.7 8.4 2.0	12.1 14.2 58.5 14.1	24.8 6.0 14.2 83.6 16.1	25.8 9.1 5.7 41.8 22.1	7.9 3.0 5.7 4.0	239.7 105.7 108.0 100.3 120.6	18.8 3.0 8.5 	10.9 6.0 19.9 16.7 8.0	6.9 3.0 2.8 8.4 6.0
26 27 28 29 30	Buffalo. Cohoes. Corning. Cortland. Dunkirk.	1,445.8 1,934.2 1,347.7 1,778.9 1,512.2	25.0 112.6 21.7 43.2 16.9			1.8 4.0 7.2 8.6	17.9 12.1 8.6 62.1	9.0 36.2 43.5 25.9 33.9	25.0 16.1 8.6 22.6	5.5 4.0 8.6 22.6	3.0	121.8 164.9 58.0 34.5 101.6	9.9 12.1 17.3	10.1 20.1 25.9 16.9	7.8 8.0 17.3 5.6
31 32 33 34 35	Elmira. Fulton. Geneva. Glens Falls. Gloversville	1,497.3	13.3 36.7 32.0 6.5 4.7			18.6 8.0 32.5	5.3 9.2 6.5	5.3 36.7 8.0 6.5 9.5	16.0 8.0 26.0	21.3 39.9 19.5 4.7	9.2 8.0 4.7	55.9 64.3 95.9 143.0 108.7	5.3  13.0 9.5	16.0 16.0 26.0 4.7	2.7 8.0 6.5 14.2
36 37 38 39	Hornell Eudson Ithaca Jamestown	1,551.0 1,883.9 1,915.7 1,269.6	14.6 26.9 39.9	6.7		20.2	6.7 3.1	36.4 6.7 15.3	51.0 8.6 6.7 6.1	21.8 40.3 6.1	13.4	72.8 171.3 94.1 76.7	7.3 25.7 6.7 6.1	13.4 3.1	14.6 6.7 3.1
40 41 42 43	Johnstown. Kingston Lackawanna Little Falls.	1,431.9 1,928.5 2,475.7 1,669.6	26.9 6.5 31.8			19.2 19.5 8.0	6.5 8.0	19.5	65. 2 8. 0	37.7 46.1 6.5 31.8	18.8 3.8 15.9	197.8 222.8 91.2 159.0	9.4 15.4 15.9	9.4 42.3 13.0 8.0	18.8 7.7
44 45 46 47	Lockport Middletown* Mount Vernon New Rochelle	2,548.9 1,283.8 1,088.2	22.1 59.1 18.5 6.5			6. 6 6. 2 6. 5	6.6 9.3 9.7	27.6 3.1	27. 6 13. 1 24. 7 22. 6	44.2 19.7 15.4 16.1	13.1 3.1 6.5	71.8 256.2 64.8 87.2	5.5 13.1 12.3 6.5	16.6 39.4 21.6	5.5 13.1 3.1 6.5
48 49 50 51 52 53	New York (total)  Bronx Borough  Brooklyn Borough  Manhaitan Borough  Queens Borough  Richmond Borough.	1, 19.7 1,328.6 1,477.7 1,601.0 1,369.3 1,666.0	10.9 7.9 12.9 10.3 8.8 10.1	0.7 0.4 0.9 0.5 1.0	0.1 0.2 0.1 0.1 0.3	13.2 11.5 7.6 18.3 3.6 28.0	15.1 12.5 17.1 14.8 10.5 12.3	7.5 7.9 5.0 8.5 8.2 22.4	25. 6 25. 5 23. 0 28. 2 21. 3 23. 5	6.9 6.8 9.0 5.3 5.9 14.6	6.5 5.7 4.8 8.4 2.9 3.4	180.9 168.5 159.9 203.5 143.1 172.7	17.7 16.8 14.1 21.5 9.8 14.6	8.5 7.4 9.4 8.3 6.9 6.7	7.7 7.0 9.4 6.8 5.9 9.0
54 55 56 57 58 59	White Bronx Borough. Brooklyn Borough. Manhattan Borough. Queens Borough. Richmond Borough.		10.9 7.9 12.9 10.4 8.9 10.2	0.7 0.4 0.9 0.5 1.0	0.1 0.2 0.1 0.1 0.3	13.3 11.4 7.6 18.6 3.6 27.3	15.3 12.5 17.2 15.2 10.6 12.5	7.4 7.7 5.1 8.4 7.6 22.7	25.8 25.8 23.0 28.4 21.5 22.7	6.8 6.9 8.8 5.2 6.0 14.8	6.4 5.8 4.8 8.3 3.0 3.4	172.9 166.6 155.2 191.7 137.8 168.3	17.5 16.7 14.2 21.2 8.9 14.8	8.0 7.1 8.8 7.8 6.6 6.8	7.7 7.1 9.4 6.9 6.0 9.1
60 61 62 63 64 65	Colored Bronx Borough Brooklyn Borough Manhattan Borough Queens Borough Richmond Borough	2,506.4 2,078.0 2,598.3 2,478.1 2,943.6 2,541.7		4.0		7.9 21.2 4.0 7.5	5.0 21.2 8.0 3.0	11.9 21.2 4.0 12.0 55.5	18.8 20.1 19.5 79.4	20.1 9.0	7.9 12.0	565.7 360.5 478.6 613.5 583.2 476.6	28.7 21.2 12.1 33.1 83.3	32.7 42.4 52.3 25.6 27.8	5.0 12.1 3.0
66 67 68 69 <b>7</b> 0	Newburgh Niagara Falls. North Tonawanda Ordensburg*	1,948.7 1,876.6 1,257.5 2,461.4 1,379.1	42.6 194.0 96.7 30.8 13.2	<b></b>				10.6 35.0 24.2	31.9 25.4 16.1 74.0 19.8	14.2 6.4 8.1 37.0 13.2	12.7 8.1	152.6 89.1 96.7 283.8 59.4	7.1 6.4 12.3 13.2	7.1 19.1 16.1 24.7	3.5 12.7 8.1

<sup>1</sup> Exclusive of stillbirths.

					,					0 POPUL		rom—		`					
Can- cer.	Dia- betes.	Menin- gitis.	Cerebral hemor- rhage and softening.	Organic diseases of the heart.	Bron- chitis.	Pneu- monia (all forms).	Other respira- tory dis- eases.	Diarrhea and enteritis (under 2 years).	Appen- dicitis.	Hernia, intes- tinal obstruc- tion.	Cir- rhosis of the liver.	Ne- phritis, Bright's disease.	Puer- peral fever.	Other puer- peral affec- tions.	Congenital debility and mal-formations.	Violent deaths (ex- cluding sui- cide).	Sul- cide.	All other causes.	Ill- defined and un- known.
16	(37)	17	18	19	20,21	22,(23)	(23)	25	26	27	28	29	81	82	33 <sup>*</sup>	85	86	(37)	38
•																	•	-	
70. 1 74. 3 37. 7 158. 8 81. 0	8.8 9.9 15.9 17.1	8.8 9.9 7.9 25.6	109.5 109.0 113.1 71.5 106.6	122.6 138.8 206.4 217.5	4.4 5.0 31.8 8.5	113.9 114.0 113.1 262.0 196.2	21. 9 14. 9 75. 4 15. 9 8. 5	61.3 44.6 188.5 87.3 319.8	35.0 34.7 37.7 15.9 29.8	17.5 19.8 23.8 4.3	21.9 24.8 15.9 29.8	100.7 104:1 75.4 119.1 140.7	8.8 5.0 37.7	17.5 14.9 37.7 47.6	92. 0 89. 2 113. 1 230. 2 110. 9	87.6 84.2 113.1 182.6 127.9	17.5 19.8 17.1	245.3 232.9 339.2 349.3 311.3	4. 4 5. 0 15. 9 8. 5
78. 2 95. 1 42. 4 87. 5	16.5 19.7 8.5 10.1	12.4 16.4 22.0 24.0	82.3 78.7 22.0 64.3	131.8 157.4 88.2 192.9	23.4 22.9 17.0 13.9	155.5 222.9 228.9 137.1	16.2 9.8 6.8 17.8	117. 8. 137. 7 222. 1 70. 5	12.7 22.9 17.0 10.1	8.5 16.4 13.6 10.8	16.5 32.8 6.8 13.9	135.4 134.4 49.2 131.7	9.9 16.4 20.3 10.8	9.6 16.4 11.9 7.7	90.0 118.0 118.7 75.9	90.5 101.6 88.2 96.1	19.8 13.1 13.6 17.8	170. 9 193. 4 181. 4 209. 2	3.6 3.3 6.8 7.7
59.4 49.9 147.2 73.0	5.9 21.4 19.0 16.0	23.8 14.2 4.7 13.0	23.8 85.5 94.9 77.0	71.3 121.1 118.7 156.0	20.8 7.1 12.0	89.1 192.3 94.9 217.0	14.9 7.1 23.0	240.6 99.7 66.5 131.0	3.0 14.2 10.0	5.9 7.1 4.7 16.0	11.9 7.1 4.7 17.0	71.3 78.4 113.9 149.0	5.9 7.1 4.7 16.0	11.9 28.5 5.0	148.5 71.2 99.7 113.0	130.7 64.1 85.4 112.0	3.0 21.4 9.5 11.0	184. 2 178. 1 237. 4 292. 0	20.8 7.1 9.5 3.0
72.7 48.7 66.1 42.6	4.5 16.2 17.0	18. 2 32. 5 33. 0 25. 5	59. 0 43. 3 52. 9 76. 6	81.8 92.0 152.0 102.1	18.2 21.6 39.6	168.0 124.4 152.0 144.7	9.1 8.1 13.2	31.8 62.2 66.1 76.6		9.1 10.8 6.6 17.0	22.7 13.5 39.6	90.8 110.9 33.0 68.1	5.4 6.6	5. 4 13. 2	27.3 67.6 59.5 51.1	40.9 13.5 59.5 34.0	18.2 10.8 19.8 25.5	136.3 140.7 125.5 68.1	4.5 5.4
83.·8 83.·9 75.·1	18.9 19.1 9.8	10.8 10.9 7.3	69.3 69.4	151.0 149.6 228.6	22.2 21.9 40.8	192.9 189.8 364.2	13.0 13.0 16.3	94.4 93.8 130.6	13.6 13.6 14.7	12.8 12.8 13.1	19.3 19.4 10.6	136.7 135.5 205.8	7.2 7.0 18.0	8.4 8.3 13.1	85.7 84.5 149.4	88.3 88.1 96.4	16.8 16.9 13.1	211.8 209.9 323.3	1.6 1.6 4.9
122. 8 72. 5 108. 0 133. 8 108. 5	30.7 9.1 25.6 33.4 24.1	17.8 12.1 8.5 16.7 16.1	111.9 84.6 153.4 117.1 124.6	237.7 141.9 241.5 125.4 241.1	10.9 42.3 22.7	141.6 123.8 147.7 125.4 186.9	22.8 3.0 11.4 25.1 22.1	51. 5 126. 8 176. 1 83. 6 74. 3	18.8 15.1 14.2 16.7 18.1	19.8 6.0 25.6 8.4 18.1	40.6 12.1 14.2 20.1	194.1 99.7 116.5 117.1 196.9	3.0 15.1 8.5 8.4 12.1	20.8 3.0 11.4 12.1	99. 0 54. 4 108. 0 50. 2 62. 3	131.7 87.6 54.0 192.3 120.6	21.8 12.1 34.1 8.4 20.1	386.3 214.4 321.0 292.7 369.7	5.0
95.6 40.2 115.9 129.5 45.1	17.2 12.1 21.7 8.6 11.3	5.7 24.1 16.9	66.4 112.6 79.7 181.3 45.1	169.8 176.9 123.2 164.1 129.8	16.5 20.1 25.9 16.9	147.5 245.3 159.4 129.5 118.5	12.6 52.3 8.6 5.6	108.7 209.1 43.5 51.8 39.5	17.7 8.0 21.7 17.3 11.3	16.8 8.0 7.2 25.9 22.6	17.0 20.1 21.7	94.9 124.7 144.9 207.3 124.1	4.6 7.2 8.6 5.6	5.5 4.0 21.7 25.9 16.9	75.1 108.6 101.4 103.6 152.4	87.5 76.4 94.2 86.4 124.1	11.5 20.1 21.7 34.5	237. 5 281. 5 224. 6 362. 7 338. 6	0.7 7.2 8.6
106.6 101.0 103.9 169.0 94.5	8.0 16.0 39.0 37.8	2.7 36.7 39.9 26.0 23.6	82.6 101.0 111.9 214.4 108.7	213.1 220.4 111.9 149.5 222.2	8.0 36.7 24.0 19.5 18.9	122.6 101.0 183.8 181.9 156.0	8.0 9.2 8.0 32.5 14.2	42.6 119.4 24.0 91.0 52.0	24. 0 9. 2 16. 0 52. 0 14. 2	10.7 18.4 16.0 19.5 23.6	13.3 9.2 8.0 19.5 18.9	223.8 64.3 103.9 91.0 85.1	10.7 13.0 4.7	5.3 9.2 19.5 9.5	48.0 110.2 55.9 104.0 52.0	98.6 64.3 63.9 58.5 104.0	40.0 8.0 32.5 23.6	269. 1 413. 2 167. 8 298. 9 359. 3	9.2
123.8 102.8 154.6 95.1	7.3 34.3 13.4 15.3	21.8 17.1 20.2 27.6	58.3 119.9 255.4 79.7	211.2 239.8 208.4 110.4	29.1 51.4 13.4 21.5	131.1 137.0 127.7 82.8	7.3 17.1 47.1 15.3	43.7 137.0 20.2 64.4	8.6 40.3 27.6	21.8 8.6 6.7 9.2	17.1 26.9 15.3	131.1 179.8 235.3 88.9	7.3 8.6 6.7	8.6 13.4 12.3	36.4 128.4 53.8 98.1	72.8 94.2 107.5 107.3	14.6 17.1 26.9 36.8	415.1 351.1 282.3 202.4	6.7
122.5 142.1 6.5 31.8	28.3 23.0 6.5 8.0	18.8 26.9 32.6 15.9	103.6 149.8 19.5 79.5	131.9 226.7 65.2 182.9	9.4 15.4 71.7	113.0 111.4 156.4 167.0	9.4 19.2 13.0	28.3 57.6 723.2 127.2	9. 4 15. 4 23. 9	9.4 34.6 6.5 39.8	9.4 26.9 6.5 39.8	122.5 111.4 228.0 87.5	11.5	9.4 3.8 6.5 15.9	113.0 92.2 273.6 159.0	37.7 146.0 104.2 198.8	23.0 19.5 23.9	263. 8 295. 8 508. 2 167. 0	3.8
165.7 131.4 58.6 51.7	33.1 19.7 27.8 9.7	11.0 13.1 3.1 3.2	104.9 210.2 89.5 58.1	243.0 295.6 123.4 93.6	22.1 19.7 12.3 9.7	160. 2 269. 3 120. 4 87. 2	22.1 19.7 15.4 12.9	22.1 39.4 83.3 84.0	16.6 26.3 9.3 9.7	33.1 52.6 12.3 12.9	5.5 52.6 24.7 9.7	66.3 164.2 98.8 96.9	5.5 9.3 3.2	16.6 9.3	93.9 59.1 120.4 64.6	149.1 164.2 83.3 74.3	22.1 19.7 12.3 12.9	320.4 551.8 185.2 226.0	5.5 3.1
79. 2 78. 4 75. 8 82. 1 71. 1 100. 9	18.6 22.7 16.0 19.4 19.6 22.4	9.6 9.6 7.2 11.1 8.8 16.8	56.7 57.6 61.4 51.3 68.8 65.0	140.1 137.9 161.5 127.6 128.0 120.0	23.0 13.0 34.2 18.0 20.0 5.6	209. 6 157. 9 205. 6 230. 0 154. 5 199. 6	12.0 6.0 12.3 12.7 13.8 12.3	92.6 74.8 98.9 90.7 97.9 98.7	12.4 9.6 12.8 12.3 14.4 15.7	11.1 12.1 9.5 12.0 11.1 11.2	19.5 15.7 19.2 19.3 25.9 31.4	142.8 122.2 137.2 148.4 139.5 220.9	7.6 8.5 7.5 7.4 5.9 14.6	8.2 10.0 ·8.3 7.4 10.5 7.8	86.8 82.7 65.9 103.3 86.8 70.6	84.3 71.0 71.9 97.1 71.1 90.8	16.8 14.2 14.8 18.5 20.0 11.2	186.2 144.7 184.2 195.9 172.2 228.7	1.4 1.7 0.5 2.0 1.3 4.5
79.3 78.4 75.7 82.4 70.9 101.2	18.8 23.0 16.1 19.7 19.9 21.6	9.6 9.7 7.3 11.2 8.6 17.1	56.7 58.0 60.9 51.4 68.9 66.0	138.5 136.5 160.1 125.7 126.9 116.0	22.6 13.1 33.5 17.7 19.5 5.7	206. 0 155. 4 203. 7 225. 2 152. 4 193. 3	11.9 5.8 12.2 12.7 13.6 12.5	91.8 74.3 97.9 90.2 94.1 100.1	12.4 9.7 12.6 12.4 14.6 15.9	11.1 12.2 9.3 12.1 10.6 11.4	19.8 15.9 19.4 19.6 26.2 31.8	141.4 120.7 136.1 146.7 137.8 221.7	7.3 8.6 7.4 7.0 6.0 11.4	8.1 9.9 8.2 7.4 10.3 8.0	85.3 82.9 64.6 101.5 84.5 70.5	84.0 70.6 71.4 97.2 71.9 91.0	16.9 14.4 15.0 18.5 20.2 11.4	183.5 144.3 181.6 192.7 170.3 229.7	1.4 1.7 0.5 1.8 1.3 4.5
74.3 84.8 84.5 69.2 83.3 79.4	8.9 8.0 9.0 79.4	6.9 4.0 7.5 27.8	57.5 21.2 96.5 46.6 55.5	217.9 275.7 261.4 194.0 222.2 397.1	41.6 80.4 30.1 55.5	384. 4 402. 9 337. 9 398. 5 333. 2 635. 4	15.9 21.2 20.1 13.5 27.8	132.8 127.2 164.9 108.3 416.6	11.9 24.1 9.0	20.1 7.5 55.5	7.9 4.0 10.5	213.0 275.7 213.2 206.0 277.7 158.9	18.8 8.0 21.1 238.3	11.9 21.2 20.1 7.5 27.8	159.5 63.6 152.8 163.9 277.7 79.4	95.1 106.0 104.6 96.2	13.9 4.0 19.5	314.0 190.8 362.0 306.8 333.2 158.9	7.5
131.3 70.0 96.7 154.2 46.2	3.5 9.5 8.1 12.3 13.2	42.6 31.8 8.1 37.0 26.4	142.0 57.3 32.2 166.6 112.2	255.6 101.8 120.9 172.7 158.4	24.8 9.5 8.1 6.2 6.6	213.0 162.2 145.1 314.6 191.3	24.8 6.4 16.1 30.8 19.8	60.3 229.0 104.8 74.0 79.2	17.7 12.7 30.8 26.4	10.6 19.1 16.1 6.2 19.8	24.8 15.9 18.5 13.2	156.2 82.7 40.3 141.9 72.6	7.1 12.7 12.3 6.6	7.1 12.7 16.1 6.2	92.3 136.8 56.4 111.0 85.8	127.8 139.9 64.5 98.7 118.8	17.7 35.0	287.5 276.7 241.8 604.6	22.3

# Table III.—DEATH RATES PER 100,000 POPULATION IN THE REGISTRATION AREA AND

-		<del></del>				DEATH I	RATE PEI	R 100,000	POPULAT	ION FR	ом—				
	AREA AND COLOR.	All causes.1	Typhoid fever.	Mala- ria.	Small-pox.	Measles.	Scarlet fever.	Whooping cough.	Diph- theria and croup.	In- flu- enza.	Ery- sipelas. (12)	Tuber- culosis of the lungs.	Tuber- culous men- ingitis.	Other forms of tuberculosis.	Rheu- ma- tism.
	REGISTRATION CITIES—Continued.														
	NEW YORK—continued.											i			
1 2 3 4 5	Ossining Oswego Peekskili Plattsburg Port Chester	1,575.6 1,520.4 1,644.3 1,597.8 1,544.6	12.7 19.0			16.9 6.3	8.2 17.6 15.1	16,3 31.7	24. 5 21. 2 6. 3 8. 8 22. 7	16.3 8.5 12.7 17.6 30.3	25.4	98.0 110.1 190.5 149.2 98.4	16.9 19.0 17.6 15.1	16.3 4.2 19.0 35.1 7.6	24.5 12.7 17.6
6 7 8 9 10	Poughkeepsie Rensselaer Rochester Rome Saratoga Springs	1,963.2 1,391.1 1,440.3 2,316.6 2,139.8	18.7 10.6 4.7			5.7 61.1	10.5 22.0 9.4	14.0 9.3 8.8	7.0 37.3 41.0 75.2	21.0 18.7 5.7 18.8 47.6	3.5 9.3 5.7 4.7	143. 2 56. 0 111. 4 319. 5 261. 5	9.7 9.4 23.8	3.5 10.6 9.4 15.9	7.0 4.4 4.7 7.9
11 12 13 14	Schenectady Syracuse. Troy. Utica*	1,237.5 1,426.4 2,106.6 1,870.6	5.2 16.2 27.3 11.7	 		11.3	3.9 26.0 29.9 1.3	11.8 12.0 22.1 5.2	9. 2 25. 3 18. 2 31. 1	18.3 4.2 19.5 10.4	1.3 4.2 6.5 7.8	90.3 95.7 232.6 124.5	9.2 11.3 5.2 19.5	7.8 6.3 10.4 22.1	7.8 3.5 16.9 3.9
15 . 16 17 18	Watertown. Wateryliet. White Plains Yonkers.	1,664.8 1,728.0 1,704.7 1,427.2	33.2 72.3 23.5 9.5				7.4 19.7 5.9 21.3	3.7 26.3 41.1 13.0	26.3 47.0 21.3	7.4 46.0 5.9 3.6	14.8  5.9	107.1 151.1 105.8 116.2	3.7 6.6 29.4 16.6	18.5 6.6 17.6 7.1	7.4 11.8 5.9
	NORTH CAROLINA.									00.7	0.6	972.0	10.0	70.0	
19 20 21	Registration cities (total)	2,083.8 1,651.0 2,779.1	64. 2 67. 7 58. 6	20.5 15.6 28.4	1.9 3.1	12.8 13.5 11.7	1.9 2.1 1.7	62.3 26.0 120.5	11.6 11.5 11.7	32.7 29.2 38.5	2.6 3.1 1.7	278.0 223.9 364.7	10.9 10.4 11.7	19.3 11.5 31.8	9.0 8.3 10.0
22 23 24 25 26 27	Asheville (total) White Colored. Charlotte (total) White Colored.	1,766.3 1,704.7 1,920.3 1,488.3 1,201.0 2,032.5	20.9 21.9 18.3 46.1 52.8 33.3	11.5 4.4 25.0			2.9 4.4	25.9 22.0	5.2 18.3 8.6 13.2	48.4		402.3 135.3 61.6	31. 4 29. 3 36. 6 8. 6 13. 2	15.7 21.9 17.3	14.4 13.2
28 29 30 31 32 33	Durham (total).  White Colored. Greensboro (total).  White Colored.	1,793.8 1,270.6 2,660.2 1,788.0	51.1	20. 4 24. 6 13. 6 6. 0	8.2		13.6	40.7	16.4 13.6	20.4 16.4 27.1 18.1 18.8 16.8	6.0	447.9 264.9		35.8 24.6 54.3 6.0	27.1 18.1 28.2
34 35 36 37 38 39	Raleigh* (total). White Colored. Wilmington (total). White Colored.	3,132.1 2,750.3 3,745.6 2,954.7 2,195.8 3,808.0	56. 9 67. 1 40. 4 125. 3 143. 5 104. 9	57.0 43.1	10.3	41.8 57.4	3.8 7.2	25.2 161.7 239.3 78.9	20.7 25.2 13.5 19.0 21.5 16.1	10.3 16.8 26.6 14.4 40.3	5.2 13.5 7.6 14.4	136.3	10.3 8.4 13.5 11.4	31.0 25.2 40.4 19.0 7.2 32.3	16.8 13.5
40 41 42	Winston (total)	1 220 2	79.8 82.6 76.6					29.9 45.9 10.9				137.6		10.0 9.2 10.9	
	оню.								40.5			140.1	0.4	14.0	
43 44 45	Registration cities (total)	1,411.7 1,383.7 2,278.3	22.8 22.6 28.8	0.8 0.8 1.4	0.1	5.6 5.6 4.3	16.4 16.9 1.4	12.5 11.8 33.2	19.5 19.6 15.9	14.0 14.1 13.0	4.0 4.0 4.3	148.1 135.8 529.2	9.4 8.9 24.5	14.3 13.9 28.8	7.1 7.0 10.1
46 47 48 49 50	Akron. Alliance Ashtabula. Bellaire. Cambridge.	1,325.2 1,027.9 1,278.5	42.9 37.8 5.3 22.7 25.6			1.4 12.6	37.3 6.3 7.6	20.7 6.3 10.6 15.2 8.5	45.5	5.5 12.6 5.3 7.6 17.1			9.7 6.3 5.3 15.2 17.1	9.7 12.6 5.3 15.2 25.6	
51 52 53 54 55	Canton Chillicothe Cincinnati (total) White Colored	1,094.3 1,558.4 1,646.6 1,573.5		0.5	0.3	1.9 13.6 8.4 3.4 4.9	13.6 20.9 21.8 4.9	5.0 4.5 14.7	12.3	9.6 6.8 14.5 14.8 9.8	13.6 4.2 4.2 4.9	115.4 204.2 237.0 205.8 782.3	11.4 9.8	9.6 34.0 16.9 15.9 34.2	5.6 4.8
56 57 58 59 60	Cleveland	1 1.001.0	14.4 7.6	0.5 1.1 1.1		6.9 11.2 12.1	33.0 4.3 4.6	14.7 11.7 9.2 45.4 9.3	22.7	10.7 14.4 14.9 7.6 14.4	4.8 2.1 2.3 3.4	143.6 363.5	7.9 10.1 10.3 7.6 10.1	9.8 20.8 19.5 37.9 16.9	4.8 4.6 7.6
61 62 63 64 65	East Liverpool. Elyria. Findlay. Hamilton Ironton	1,485.4 1,047.4 1,577.0 1,276.3	19.1	6.9	4.8	14. 4 13. 8 7. 5	4.8 6.9 5.5 7.5	14. 4 13. 8 35. 5 30. 1	6.9 10.9	4.8 27.5 13.6 22.6		151.5	14. 4 6. 4 24. 5 7. 5	28.8 6.4 20.7 10.9 7.5	12.9 13.8 10.9
66 67 68 69 <b>70</b>	Lakewood Lancaster Lima Lorain. Mansfield.	1,096.1 1,239.3 1,106.6	36.1			6.6	24.1 3.2 19.7 4.7	36. 1 19. 2 13. 1 9. 5	7.4 6.4	▶ 13.1		96.2 139.8 150.1 55.8 94.6	6.6	6.0 7.4 25.6 19.7 14.2	3.2 6.6

<sup>1</sup> Exclusive of stillbirths.

DEATH RATES FROM PRINCIPAL CAUSES. ITS SUBDIVISIONS, BY COLOR OF DECEDENT AND CAUSE OF DEATH: 1911—Continued.

			<u> </u>			» <u></u>	DEATH		R 100,00	0 POPUL		ROM-	* , 10 ~		<del>.</del>				
Can- cer.	Dia- betes.	Meningitis.	Cerebral hemor- rhage and softening.	Organic diseases of the heart.	Bron-chitis.	Pneu- monia (all forms).	Other respira- tory dis- eases.	Diar- rhea and ente- ritis (under 2 years).	Appendicitis.	Hernia, intes- tinal obstruc- tion.	Cir- rhosis of the liver.	Ne- phritis, Bright's disease.	Puer- peral fever	Other puer- peral affec- tions.	Congenital debility and malformations.	Violent deaths (ex- cluding sui- cide).	Sui- cide.	All other causes.	Ill- defined and un- known.
16	(37)	17	18	19	20,21	22,(23)	(23)	25	26	27	28	29	31	32	88 .	85	36	(37)	38
49.0 97.4 76.2 70.2 68.1	16.3 42.4 6.3 52.7 15.1	16.3 12.7 19.0 26.3 15.1	65.3 160.9 120.6 131.7 75.7	114.3 190.6 120.6 166.8 106.0	12.7 44.4 35.1 68.1	195.9 80.5 146.0 105.3 159.0	25.4 12.7 8.8 7.6	57.1 29.6 76.2 43.9 181.7	8-2 4.2 19.0 35.1	24.5 4.2 19.0 26.3 7.6	8.2 21.2 25.4 8.8 7.6	204.1 114.3 101.6 79.0 98.4	8.2 8.5 6.3 8.8 7.6	24.5 12.7 19.0 8.8 7.6	73.5 114.3 95.2 131.7 113.6	204.1 114.3 127.0 105.3 128.7	16.3 12.7 6.3 17.6 22.7	277.6 271.0 260.3 254.6 196.9	17.6 15.1
108.3 84.0 92.5 98.7 118.9	41.9 28.0 21.1 28.2 39.6	7.0 9.3 5.7 23.5 7.9	178.2 121.4 108.8 108.1 158.5	213.1 158.7 170.0 272.5 134.7	38.4 9.3 23.8 42.3 23.8	241.0 140.0 116.2 155.1 285.3	21.0 46.7 15.0 9.4 15.9	101.3 56.0 92.9 94.0 31.7	31.4 14.1 14.1 63.4	7.0 28.0 14.5 14.1 23.8	21.0 18.7 19.4 23.5 31.7	143. 2 74. 7 117. 6 225. 6 309. 1	17.5 8.8 7.9	10.5 18.7 7.5 9.4	118.8 74.7 22.5 70.5 55.5	83.8 56.0 87.2 159.8 95.1	10.5 9.3 23.8 18.8 15.9	317.9 308.1 243.5 418.2 317.0	14.1
56. 2 82. 3 143. 0 80. 4	13.1 18.3 28.6 20.8	9.2 13.4 32.5 24.7	92.9 95.7 122.2 120.6	124.3 167.5 243.0 189.4	17.0 27.4 20.8 23.3	162.2 119.6 236.5 206.2	14.4 10.6 20.8 24.6	90.3 79.5 81.9 97.3	6.5 14.1 15.6 22.1	10.5 15.5 24.7 25.9	13.1 12.0 41.6 19.5	86.3 97.1 174.1 132.3	5.2 2:1 7.8 3.9	5.2 4.9 15.6 11.7	81.1 97.1 97.5 144.0	66.7 89.4 105.3 88.2	14.4 20.4 11.7 9.1	201.4 242.1 288.5 348.9	1.3 1.4 3.9 3.9
121.8 78.8 82.3 73.5	11.1 32.9 5.9 10.7	18.5 26.3 11.8 11.9	107.1 144.5 70.5 71.1	239.9 157.7 152.8 145.8	18.5 46.0 17.6 14.2	107.1 295.7 164.6 164.8	7.4 32.9 23.5 9.5	77.5 92.0 141.1 179.0	25.8 6.6 29.4 8.3	33.2 17.6 15.4	14.8 13.1 15.4	70.1 98.6 99.9 128.0	3.7 11.8 7.1	7.4 6.6 17.6 8.3	73.8 72.3 111.7 73.5	110.7 65.7 188.1 87.7	18.5 17.6 7.1	395.0 197.1 252.8 166.0	6.6 1.2
55.9 64.6 41.8	5.1 4.2 6.7	18.0 15.6 21.8	73. 8 66. 7 85. 3	168.2 111.5 259.3	25.7 13.5 45.2	180.4 96.9 314.5	16.7 15.6 18.4	149.6 118.7 199.1	21. 2 25. 0 15. 1	13.5 14.6 11.7	6.4 7.3 5.0	113.0 86.5 155.6	9.6 3.1 20.1	13.5 9.4 20.1	96.9 82.3 120.5	113.6 90.6 150.6	7.1 11.5	408.9 366.7 476.8	59.1 20.8 120.5
67.9 73.2 54.9 37.4 57.2	2.9 4.4	10.5 14.6 8.6 4.4 16.7	52.3 65.8 18.3 31.7 39.6 16.7	88. 8 80. 5 109. 7 120. 9 74. 8 208. 2	36.6 21.9 73.2 28.8 4.4 75.0	146.3 65.8 347.5 132.4 70.4 249.9	15.7 7.3 36.6 11.5 13.2 8.3	78. 4 51. 2 146. 3 86. 4 105. 6 50. 0	26.1 29.3 18.3 14.4 17.6 8.3	5.2 7.3 2.9 4.4	2.9 4.4	83. 6 65. 8 128. 0 72. 0 . 52. 8 108. 3	18.3	18.3 5.8	31.4 43.9 72.0 101.2 16.7	67.9 73.2 54.9 86.4 61.6 133.3	5.2 7.3 8.6 13.2	245. 6 248. 8 237. 7 368. 5 325. 5 449. 8	41.8 14.6 109.7 60.5 13.2 149.9
56.2 65.6 40.7 108.4 112.8 100.5	5.1 8.2 6.0 • 9.4	15.3 24.6 30.1 28.2 33.5	46.0 65.6 .13.6 .48.2 37.6 67.0	127.8 90.2 190.0 138.5 65.8 268.1	27.1 6.0 9.4	173.8 73.8 339.3 114.4 75.2 184.3	10.2 8.2 13.6 6.0 9.4	102.2 106.6 95.0 96.3 56.4 167.6	5.1 13.6 24.1 28.2 16.8	42.1 47.0 33.5	18.1 28.2	81.8 65.6 108.6 138.5 112.8 184.3	25.6 67.9 6.0 9.4	15.3 8.2 27.1 6.0 9.4	66.4 49.2 95.0 108.4 75.2 167.6	51.1 32.8 81.4 72.2 65.8	10.2 16.4 6.0 9.4	419. 1 295. 1 624. 3 349. 2 291. 3 452. 4	86.9 16.4 203.6 72.2 28.2 150.8
46.5 50.3 40.4 60.8 64.6 56.5	15.5 40.4	20.7 25.2 13.5 19.0 .7.2 32.3	144.7 176.1 94.3 163.3 78.9 258.2	289. 4 234. 8 377. 3 254. 5 165. 0 355. 0	56.9 41.9 80.8 22.8 21.5 24.2	180. 9 142. 5 242. 5 269. 6 157. 9 395. 3	31.0 33.5 26.9 22.8 35.9 8.1	227.4 134.2 377.3 292.4 229.6 363.0	41.3 41.9 40.4 26.6 43.1 8.1	31. 0 25. 2 40. 4 22. 8 28. 7 16. 1	15.5 16.8 13.5 11.4 7.2 16.1	186.1 201.2 161.7 170.9 100.5 250.1	25.8 8.4 53.9 11.4 7.2 16.1	31, 0 33, 5 26, 9 19, 0 21, 5 16, 1	139.5 117.4 175.2 155.7 100.5 217.8	83.8 237.8 192.9 309.9 186.1 129.2 250.1	10.3 16.8 3.8 7.2	790. 8. 788. 2 794. 9. 455. 7 452. 1 459. 91	150. 8 8. 4 107. 8 22. 8 14. 4 32. 3
34.9 36.7 32.8	10.0 9.2 10.9	29.9 18.3 43.8	29.9 18.3 43.8	159.7 91.7 240.6	15.0 32.8	239.5 110.1 393.8	20.0	154.7 146.8 164.1	15.0 18.3 10.9		10.1	74.8. 36.7 120.3	10.1	15.0 32.8	104.8 73.4 142.2	84.8 100.9 65.6	5.0 9.2	244.5 183.5. 317.2	94.8 64.2 131.3
79.7 80.1 69.2	14.3 14.3 14.4	11.4 11.2 17.3	78. 4 77. 8 98. 1	138.3 133.6 284.1	24.7 24.1 44.7	112.1 108.5 220.6	9.7 9.7 8.7	81.2 81.6 70.7	14.2 14.3 11.5	12.0 12.1 10.1	16.8 16.9 15.9	90.2 89.5 112.5	9.0 9.0 8.7	7.8 7.7 10.1	72.6 72.6 73.5	103.4 101.4 165.8	20.3 20.1 24.5	238. 1. 235. 7: 312. 9	2.8 2.6 10.1
62.2 56.8 84.5 75.8 51.3	13.8 12.6 15.8 7.6 25.6	9.7 6.3 31.7 22.7	58.1 82.0 58.1 83.4 68.4	116.2 82.0 137.4 197.1 59.8	13.8 5.3 7.6	123.1 88.3 116.2 151.6 59.8	8.3 5.3 17.1	81.6 12.6 68.7 68.2 59.8	18.0 6.3 15.8 7.6 34.2	5.5 12.6 21.1 25.6	2.8 12.6 15.8	.71.9 56.8 31.7 15.2 94.0	26.3. 21.1 8.5	9.7 5.3 17.1	88.5 69.4 68.7 83.4 76.9	107.9 107.2 190.2 121.3 59.8	15.2 18.9. 5.3 22.7 25.6	215.8° 201.8 237.7 174.3 213.6	71.4 12.6
61.5 88.5 97.9 97.9 97.8	13.5 13.6 14.8 14.8 14.7	9.6 6.8 10.6 10.6	94. 2 95. 3 84. 9 84. 4 92. 9	117.3 204.2 185.7 173.9 391.2	3.8 20.4 37.3 34.1 92.9	.96. 2 74. 9 125. 9 117. 7 268. 9	13.5 13.6 10.3 10.3 9.8	67.3 34.0 64.3 62.1 102.7	7.7 27.2 13.0 13.1 9.8	13.5 6.8 14.3 14.8 4.9	3.8 26.7 27.7 9.8	40. 4 163. 3 144. 9 142. 9 180. 9	7.7 13.6 8.5 8.9	7.7 13.6 6.6 6.4 9.8	53.9 68.1 60.8 59.3 88.0	94.2 95.3 112.9 106.0 234.7	19.2 13.6 20.4 20.7 14.7	188. 5 224. 6 260. 8 255. 6 352. 0	2.6 2.5 4.9
73.4 87.0 90.8 37.9 93.8	14.2 15.5 16.1 ·7.6 13.5	8,8 18.7 16.7 45.4 12.7	64. 4 93. 5 92. 5 106. 0 84. 5	118.3 146.3 134.4 302.9 168.2	38. 2 11. 7 12. 1 7. 6 12. 7	96.0 121.2 117.8 166.6 121.7	9.7 8.5 9.2	133.3 37.4 35.6 60.6 55.8	13. 1 16. 6 17. 2 7. 6 16. 1	10.5 12.3 12.1 15.1 13.5	16.1 16.0 14.9 30.3 22.8	93.6 78.0 79.9 53.0 71.0	7.9 13.9 13.8 15.1 7.6	4.8 9.1 8.6 15.1 13.5	72. 0 73. 7 73. 0 83. 3 82. 0	91. 7 99. 9 94. 8 166. 6 83. 7	20.4 24.0 22.4 45.4 27.9	228.7 271.3 272.3 257.5 228.2	1.9 5.3 4.6 15.1
67.3 57.8 172.2 79.1 82.7	14.4 12.9 27.5 8.2 15.0	33.7 12.9 27.5 27.3 15.0	14. 4 51. 4 130. 8 65. 5 90. 2	129.8 218.5 137.7 100.9 165.4	9. 6 12. 9 6. 9 5. 5 7. 5	134. 6 83. 5 96. 4 79. 1 255. 6	19. 2 6. 4 41. 3 5. 5 7. 5	81. 7 38. 6 27. 5 46. 4 67. 7	9.6 25.7 6.9 5.5 30.1	9.6 27.5 10.9 7.5	19.2 12.9 20.7 19.1 15.0	52.9 32.1 48.2 111.8 60.1	9.6 6.4 8.2 7.5	14.4 12.9 13.6 7.5	76.9 57.8 75.8 84.5 97.7	120. 2 115. 7 103. 3 109. 1 105. 2	9.6 19.3 13.8 13.6 15.0	254.8 147.8 296.1 201.8 270.6	9.6 6.4 2.7 7.5
66. 2 88. 3 76. 7 52. 5 85. 1	12.0 36.8 12.8 6.6 9.5	6.0 16.0 6.6 4.7	72. 2 110. 3 60. 7 36. 1 132. 4	120.3 110.3 102.2 55.8 141.8	12.0 14.7 12.8 3.3 18.9	78. 2 73. 6 67. 1 98. 5 99. 3	18.0 14.7 12.8 3.3 9.5	78. 2 36. 8 47. 9 141. 2 37. 8	7. 4 22. 4 19. 7 4. 7	6.0 7.4 19.2 3.3 23.6	29.4 12.8 3.3 14.2	66. 2 51. 5 67. 1 52. 5 89. 8	6.0 16.0 6.6	6.0 12.8 6.6	90.2 73.6 70.3 88.7 61.5	102. 2 44. 1 111. 8 124. 8 99. 3	12.0 22.1 16.0 16.4 18.9	168. 4 176. 5 217. 2 180. 6 170. 2	14.7 3.2

# TABLE III.—DEATH RATES PER 100,000 POPULATION IN THE REGISTRATION AREA AND

***		Ī				*	- D	TO 00							
				· 	T	DEATI	I RATE 1	PER 100,00	O POPUL	ATION I	FROM—		,	<del>,</del>	
	AREA AND COLOR.	All causes.1	Typhoid fever.	Mala- ria.	Small-pox.	Measles.	Scarlet fever.	Whooping cough.	Diph- theria and eroup.	In- flu- enza.	Ery- sipelas.	Tuber- culosis of the lungs.	Tuber- culous men- ingitis.	Other forms of tuberculosis.	Rheu- ma- tism.
	REGISTRATION CITIES—Continued.														
	оню—continued.		1							! 					
1 2 3 4	Marietta Marion Massillon Middletown Navert	1,452.9 1,209.8 970.7 1,283.6	46.6 15.8 7.1 22.0			7.1 14.7	46.6 5.3 7.1 7.3	31.1 5.3 7.1 44.0	15.5 10.5 14.2 7.3	77.7 36.8 21.3 29.3	5.3 14.7	93.2 94.7 42.5 73.4	7.8 5.3 22.0	7.8 26.3 14.2 36.7	7.8 5.3 7.3
5 6 7 8	Newark Norwood Piqua Portsmouth		26.7 5.8 14.8 74.0			15.3 22.2 31.2	11.5	7.6 11.5 14.8 39.0	30.5 5.8 42.9	14.8 23.4	3.8	68.7 109.4 147.8 175.3	3.8 35.1	15.3 5.8 14.8 27.3	7.6 11.5 7.4 3.9
9 10 11 12 13	Sandusky Springfield (total). White Colored. Steubenville.				2.3		14. 6 16. 4 12. 8	20.0 4.2 4.7	5.0 23.0 25.7 29.9	5.0 23.0 25.7	2.1 2.3 4.3	114.8 131.8 107.6 337.6 107.0	10.0 8.4 7.0 19.9 8.6	10.0 10.5 7.0 39.7 4.3	20.0
14 15 16 17 18	Tiffin Toledo Warren. Youngstown. Zanesville.	1,307.9 1,490.3 1,320.9 1,453.7 1,763.6	23. 1 26. 4 44. 6 157. 5	0.6 8.8		7.2 21.0	8.3 5.2 17.6 4.8	15.0 17.6 19.3	24.9 48.2 28.0	66.6 14.5 9.6 21.0	4.6 6.0	141.6 165.3 105.7 102.5 147.0	7.5 17.6 9.6 3.5	13.9 14.5 28.0	25. 0 5. 8 7. 2 10. 5
10	OREGON. <sup>2</sup>						į		Ì				}	1	
19 20 21	Portland (total)	1,086.8 1,089.3 1,026.6	19.1 18.5 34.2			8.6 9.0	5.9 6.2	2.7	12.3 12.8	8.6 9.0	3.2 3.3	85.0 76.7 285.2	8.6 8.1 22.8	13.2 12.8 22.8	3.2 2.8 11.4
90	PENNSYLVANIA.		20.5												- 1
22 23 24	Registration cities (total). White. Colored.		23.8 23.9 21.5	0.4 0.4 0.7	0.1 0.1	12.6 12.6 14.1	11.3 11.7 2.0	10.2 9.6 24.2	30.1 31.0 10.1	11.2 11.2 10.1	3.7 3.8 2.7	140.7 130.8 378.4	10.5 9.9 24.2	12.0 11.2 30.2	7.6 7.7 6.7
25 26 27 28	Allentown Altoona. Beaver Falls. Bethlehem.	1,535.8 1,165.4 1,333.1 1,382.7	46, 6 28, 2 72, 3 84, 0			5.6 48.2	5.6	5.6 7.5 24.1 7.6	46.6 7.5 40.2	5.6 13.1 7.6	1.9 3.8	117.4 82.6 80.3 91.7	11.2 5.6 16.1 7.6	16.8 9.4 8.0	18.6 5.6 8.0
	Braddock	1,776.9 1,463.6 1,092.7 1,683.2	36.3 22.9	•••••			5.0 22.9	5.0 13.6	45.4 27.2 5.7	15.1 4.5 40.1	5.7	106.0 96.7 90.7 68.7	5.0 9.1 5.7	5.0 13.8 18.1 5.7	5.0 6.9 11.5
33 34 35 36 37	Carlisle (total). White. Colored. Carnegie. Chambersburg.	1,646.6 1,545.3 2,475.7 890.1 1,640.0					19.3	9.7 8.4	9.7 8.4	28.9 32.4 9.7 33.6	8.4	154.1 129.7 353.7 58.0 168.2	9.6 10.8 9.7 8.4	19.3 21.6 9.7 16.8	9.6 10.8 9.7
38 39 40 41 42 43	Chester (total). White. Colored. Coatesville (total).		11 7 1			2.9		2.6 2.9	15.3 14.6 20.5 25.6 29.6	15.3 11.7 41.0 8.5 9.9	5.1 2.9 20.5		5.1 2.9 20.5	25.6	
44 45 46 47 48	Columbia. Connellsville. Dubois. Dunnore. Duquesne.	1,415.5	52.4 46.1			7.7 32.9 6.0	11.0	7.5 36.3	35.3 22.5 15.4 43.9 24.2	15.0 11.0	8.8 7.5 11.0 6.0	88.2 59.9 69.1 82.3 108.8	26.5 37.4 5.5	7.7	
49 50 51 52 53	Erie Greensburg Harrisburg Hazleton	1,571.9	190.6 90.7 16.8			34.6 1.5 3.9	3.5 2.9 4.6	6.9 7.3 7.6 6.1 7.7	20.8 16.1 27.4 27.1	6.9 11.7 7.6 16.8	6.9 5.9 7.6 1.5	100.3 118.7 68.0 131.0 61.9	6.9 11.7 37.8 7.6 3.9	24.2 5.9 7.6 10.7 7.7	17.3 2.9 9.1 11.6
	Johnstown Lancaster Lebanon McKees Rocks		25.7 6.4			46.3 10.4 2.1 20.6	22.5 6.3	30.9 29.4 4.2	97.8 22.5 54.2 87.5 12.7	10.3 1.7 14.6 15.4 12.7	3.5 4.2 6.4	97.8 112.5 118.9 92.6 50.9	10.3 15.6 12.5 5.1 6.4		3.5
	McKeesport. Mahanoy City Meadville. Monessen Mount Carmel		54.0 7.7			6.9 49.3 46.3	49.3	9.2 49.3 23.1 15.4 27.7	11.5 73.9 54.1 16.6	4.6 12.3 15.4	18.5 7.7	91.7 49.3 84.9 54.1 22.1	6.9	11.5 7.7 5.5	9.2 18.5
67	Nanticoke. New Castle. Norristown * Norristown * North Braddock. Oil City.	2,184.8    1,138.7	48.4			5.1 2.7 7.0 32.1	5.1 13.4 14.0 16.0	5.1 40.3 14.0 8.0 34.0	40.6 64.5 31.5 40.1 5.7	10.8 42.0	7.0	76.1 80.7 206.6 128.3 50.9	3.5 16.0	5.1 16.1 10.5 8.0 11.3	5.1 13.4 14.0 8.0

<sup>1</sup> Exclusive of stillbirths.

<sup>&</sup>lt;sup>2</sup> Nonregistration state; cities shown below only those with effective local ordinances.

				<del></del>	•		DEATH	RATE P	ER 100,00	0 POPUL	ATION I	rom—			<del> </del>				
Can- cer.	Die- betes.	Menin- gitis.	Cerebral hemor- rhage and softening.	Organic diseases of the heart.	Bron- chitis.	Pneu- monia (all forms).	Other respiratory diseases.	Diarrhea and enteritis (under 2 years).	Appen- dicitis.	Hernia, intes- tinal obstruc- tion.	Cir- rhosis of the liver.	Ne- phritis, Bright's disease.	Puer peral fever.	Other puer- peral affec- tions.	Con- genital debility and mal- forma- tions.	Violent deaths (ex- cluding sui- cide).	Sui- cide.	All other causes.	III- defined and un- known.
16	(37)	17	18	19	20, 21	22,(23)	(28)	25	26	27	28	29	81	32	88	35	86	(87)	88
116.5 42.1 85.0 44.0	21.0 21.3 7.3	31.1 10.5 22.0	132. 1 73. 6 56. 7 51. 3	147.6 136.8 127.5 66.0	15.5 10.5 28.3 7.3	62.1 73.6 63.8 132.0	10.5	54. 4 42. 1 7. 1 124. 7	15.5 15.8 7.1	15.5 21.0 7.1	14.2 7.3	85. 5 78. 9 85. 0 102. 7	15.5 5.3 7.3	7.8 10.5 7.1	85.5 78.9 85.0 124.7	93. 2 105. 2 70. 9 117. 4	15.5 10.5 14.2 14.7	225.3 242.0 163.0 168.7	5.3 7.1
53.5 86.4 125.6 66.2	3.8 23.0 7.4 7.8	11.5 7.4 19.5	118. 4 80. 6 125. 6 70. 1	106.9 109.4 140.4 179.2	38.2 5.8 7.4 27.3	34.4 51.8 66.5 109.1	15.3 5.8 14.8 7.8	38.2 51.8 51.7 89.6	11.5 5.8 7.4 7.8	15.3 7.4 7.8	7.6 11.5 7.8	72.5 86.4 88.7 50.6	7.6	19.1 7.4 11.7	72.5 74.8 81.3 93.5	72.5 28.8 59.1 113.0	30.5 17.3 14.8 15.6	213.8 103.6 169.9	15.3
99. 9 46. 0 51. 5	10.0 16.7 16.4 19.9 12.8	5. 0 14. 6 16. 4	109. 9 121. 4 126. 3 79. 4 47. 1	249.7 159.0 156.7 178.7 64.2	20. 0 14. 6 14. 0 19. 9 12. 8	69.9 102.5 93.6 178.7 188.2	15.0 8.4 9.4 8.6	15.0 60.7 58.5 79.4 98.4	5.0 12.6 14.0 8.6	15.0 12.6 14.0	25.0 10.5 7.0 39.7 12.8	74.9 83.7 84.2 79.4 64.2	5.0 10.5 7.0 39.7 12.8	5.0 6.3 7.0	69.9 73.2 79.5 19.9 119.8	154.8 67.0 65.5 79.4 162.6	10.0 16.7 14.0 39.7 38.5	233. 8 224. 7 215. 6 208. 2 278. 0 218. 2	5.0 6.3 4.7 19.9 4.3
91.6 88.4 88.1 44.6 91.0	25.0 19.1 10.8 10.5	6.4 8.8 13.3 7.0	108.3 87.3 61.6 63.9 105.0	233.3 125.4 132.1 89.2 157.5	33.3 23.7 17.6 22.9 10.5	125.0 113.9 158.5 229.0 84.0	13.3 17.6 2.4 17.5	41.7 68.2 35.2 121.7 63.0	25. 0 17. 3 52. 8 12. 1 38. 5	8.3 15.0 8.8 8.4 14.0	16.7 17.3 8.8 27.7 10.5	33.3 89.0 88.1 38.6 94.5	8.1 17.6 8.4 7.0	6.9 26.4 14.5 21.0	50.0 67.1 61.6 74.7 84.0	41.7 102.9 61.6 179.6 154.0	24.9 8.8 20.5 17.5	216. 6 315. 6 264. 2 192. 9 346. 4	8.8 4.8 14.0
75.9 78.1 22.8	15.5 15.2 22.8	8.2 8.5	60. 0 62. 5	118.2 117.9 125.5	9.5 9.5 II.4	76.8 77.7 57.0	15.0 15.6	28. 2 29. 4	15. 5 15. 2 22. 8	14.6 15.2	9.1 9.0 11.4	60. 0 58. 7 91. 3	5.0 5.2	10 0 10.4	72.3 73.4 45.6	82. 8 85. 2 22. 8	34.6 34.6 34.2	203.3 204.1 . 182.5	1.8 1.9 2
76.1 76.7 61.7	16. 1 16. 5 6. 0	9.0 9.1 7.4	75.4 76.4 51.0	142.9 140.3 206.6	25.2 24.5 43.6	160.6 156.4 262.3	20.7 20.1 34.9	118.4 117.4 143.6	13. 2 13. 2 11. 4	13.5 13.3 17.4	16. 6 16. 8. 12. 1	118.0 116.1 164.4	9.0 9.0 10.7	9.7 9.6 11.4	91.0 89.7 124.1	105.8 105.2 118.7	15.6 16.0 4.7	229.5 227.4 280.4	8.0 8.0 2 9.4 2
70. 8 54. 4 32. 1 45. 8	24. 2 22. 5 15. 3	16.8 3.8 7.6	152. 8 65. 7 40. 2 160. 4	104.4 112.6 80.3 122.2	11.2 1.9 8.0 38.2	115.5 129.5 104.4 76.4	7.5 22.5 15.3	111.8 37.5 88.3 91.7	16.8 11.3 7.6	11.2 7.5	13.0 15.0 48.2 22.9	113. 7 95. 7 72. 3 122. 2	5.6 11.3 16.1 7.6	1.9 9.4 24.1	145. 4 93. 8 128. 5 84. 0	83. 9 80. 7 160. 6 38. 2	5.6 5.6 38.2	214.3 213.9 208.8 290.3	33.5 2 1.9 2 24.1 2
35.3 110.5 40.8 51.5	10.1 41.4 9.1 17.2	10.1 13.8 9.1 5.7	30.3 117.4 31.7 131.7	65.6 186.4 81.6 97.3	20.2 9.1 34.4	383.6 145.0 99.7 280.5	15. 1 13. 8 18. 1 51. 5	307. 9 34. 5 90. 7 103. 1	6.9 13.6 11.5	15. 1 6. 9 18. 1 22. 9	10.1 27.6 4.5 40.1	70.7 103.6 95.2 91.6	35.3 6.9 13.6 11.5	20.2 9.1 34.4	141.3 55.2 81.6 91.6	136.3 131.2 86.1 206.1	10.1 34.5 4.5 11.5	181. 7 290. 0 154. 2 194. 7	22.7 5.7 3
134.8 129.7 176.8	9.6 10.8 38.7 8.4	38.5 43.2 9.7	134.8 140.5 88.4 29.0 100.9	154.1 118.9 442.1 58.0 168.2	19.3 21.6	154.1 140.5 265.3 96.7 168.2	38.5 43.2 33.6	77.0 64.8 176.8 174.1 33.6	8.4	19.3 10.8 88.4 8.4	9.6 10.8 19.3	154. 1 140. 5 265. 3 48. 4 168. 2	9.6 10.8	8.4	48.1 54.0 135.4 84.1	67.4 54.0 176.8 48.4 50.5	9.6 10.8 16.8	327.4 313.4 442.1 .96.7 353.2	9.6 10.8 3 3 16.8
71.6 73.1 61.5 42.6 39.5 62.1	15.3 17.5 17.0 19.7	7.7	61.4 64.3 41.0 25.6 29.6	163.7 140.3 327.8 170.4 118.5 496.9	23.0 20.5 41.0 8.5 9.9	184.2 166.6 307.3 51.1 59.2	15.3 14.6 20.5 17.0 19.7	120. 2 122. 8 102. 4 93. 7 98. 7 62. 1	10.2 11.7		10.2 11.7	84. 4 84. 8 82. 0 102. 2 108. 6 62. 1	2.6 2.9	12.8 11.7 20.5 8.5 9.9	117.7 114.0 143.4 119.3 108.6 186.3	92.1 93.5 82.0 68.1 69.1 62.1	12.8 14.6	227.7 207.5 368.8 144.8 128.3 248.4	12.8 14.6 34 44 44 44 44
79. 4 82. 4 38. 4 71. 3 42. 3	8.8 7.5 7.7 11.0 6.0	8.8 7.5 7.7 5.6 6.0	44.1 44.9 38.4 76.8 18.1	176.4 52.4 69.1 98.7 42.3	17.6 15.0 7.7 76.8 12.1	114.6 89.9 84.5 257.8 181.3	8.8 7.5 15.4 16.5 18.1	8.8 22.5 61.4 246.8 175.3	8.8 80.0 7.7 5.5	17.6 7.5 15.4 5.5 6.0	17.6 22.5 7.7 5.5 12.1	79. 4 67. 4 38. 4 76. 8 30. 2	17.6 15.0 15.4	7.5 7.7 5.5 6.0	149.9 . 142.3 . 107.5 . 137.1 . 139.0	88. 2 314. 6 107. 5 87. 8 66. 5	30.0 7.7 16.5	194. 0 209. 7 230. 4 340. 1 133. 0	17.6 4: 30.0 4: 5.5 4: 12.1 4:
100.3 93.8 68.0 83.8 77.4	20.8 20.5 7.6 16.8 11.6	10.4 11.7 15.1 9.1 3.9	159.1 82.1 83.1 94.4 65.8	169. 5 164. 2 60. 5 161. 5 96. 8	20.8 16.1 15.1 15.2 46.5	152. 2 133. 4 151. 1 115. 8 112. 3	17.3 10.3 7.6 25.9 23.2	62.3 126.1 15.1 62.5 92.9	31. 1 19. 1 52. 9 12. 2 27. 1	10.4 17.6 30.2 15.2 19.4	6.9 27.9 7.6 16.8 7.7	117.6 92.4 52.9 121.9 100.7	17.3 *5.9 7.6 6.1 7.7	10.4 8.8 22.7 7.6 15.5	93. 4 89. 4 75. 6 106. 6 96. 8	169.5 86.5 347.6 117.3 131.6	41.5 11.7 22.7 18.3 7.7	200. 6 222. 8 219. 2 257. 4 232. 3	6.9 49 1.5 50 83.1 51 10.7 52
10.3 58.9 91.8 87.5 25.4	10.4 18.8 10.3 6.4	10.3 3.5 16.7 5.1 19.1	5.1 45.0 118.9 164.6 19.1	56.6 72.7 189.9 102.9 44.5	20.6 6.9 16.7 15.4 12.7	133.9 187.0 83.4 92.6 171.7	20.6 17.3 8.3 36.0	226. 5 135. 0 50. 1 61. 7 203. 5	5.1 12.1 6.3 10.3	10. 4 12. 5 20. 6 6. 4	15.4 15.6 6.3 5.1 19.1	51. 5 62. 3 137. 7 102. 9 6. 4	10.3 5.2 10.4 6.4	5.1 5.2 6.3 5.1 6.4	82. 4 121. 2 75. 1 97. 8 133. 6	30. 9 126. 4 77. 2 113. 2 82. 7	10.3 6.9 12.5 15.4	164.8 252.8 248.3 324.1 159.0	20.6 54 17.3 55 2.1 56 51.4 57 12.7 58
61.9 49.3 61.7	11.5 15.4	4.6 6.2 7.7 5.5	50. 5 30. 8 108. 0 23. 2 38. 8	80.3 67.8 185.2 69.5 66.4	32.1 37.0 30.9	194. 9 221. 8 115. 7 108. 1 110. 7	11.5 110.9 15.4 15.4 27.7	133.0 197.1 38.6 254.9 149.5	13.8 6.2 23.1 5.5	34. 4 6. 2 15. 4 22. 1	16.1 6.2 7.7 5.5	73. 4 37. 0 61. 7 23. 2' 55. 4	11.5 12.3 11.1	6.9 12.3 7.7	112. 4 110. 9 77. 2 100. 4 72. 0	158. 2 92. 4 92. 6 85. 0 121. 8	22.9 30.9 16.6	233.9 351.1 277.8 108.1 160.5	6. 9 59 30. 8 60 61 69. 5 62 16. 6 63
60.9 75.3 87.5 8.0 79.2	10.2 10.8 14.0	5. 1 16. 1 24. 5 16. 0 67. 9	45.7 67.2 91.0 40.1 78.6	40.6 83.4 255.6 24.1 101.9	50.8 16.1 17.5 24.1 5.7	233.5 145.2 259.1 208.5 107.5	20.3 13.4 14.0 8.0 5.7	197. 9 48. 4 59. 5 152. 4 45. 3				101.5 48.4 178.6 48.1 90.6	16.1 10.5 16.0	10. 2 13. 4 7. 0	106.6 107.6 73.5 72.2 79.2	187. 8 91. 4 122. 5 104. 3 73. 6	13. 4 7. 0 16. 0	167. 5 266. 2 528. 7 96. 2 243. 4	10. 2 64 61. 8 65 66 8. 0 67 22. 6 68

<sup>&</sup>lt;sup>2</sup> Colored population less than 10 per cent of the total.

#### TABLE III.—DEATH RATES PER 100,000 POPULATION IN THE REGISTRATION AREA AND

					<del></del>	DEATH .	RATE PE	R 100,000	РОРПТ. А Т	ION FP	)M		······································		
			ii												<del></del> -
	AREA AND COLOR.	All causes.1	Typhoid fever.	Mala- ria.	Small- pox.	Measles.	Scarlet fever.	Whoop- ing cough.	Diph- theria and croup.	In- flu- enza.	Ery- sipelas.	Tuber- culosis of the lungs.	Tuber- culous men- ingitis.	Other forms of tu- bercu- losis.	Rheu- ma- tism.
			1	3	4	5	6	7	8	9	(12)	18	14	15	(37)
	REGISTRATION CITIES—Continued.														
	PENNSYLVANIA—continued.														
1 2 3 4	Old Forge Philadelphia (total) White Colored	1,389.4 1,662.8 1,624.4 2,318.2	8.3 14.6 14.6 13.7	0.7 0.7 1.1	0.1 0.1	8.3 18.3 18.4 17.2	25.0 12.3 12.9 3.4	6.9 6.2 18.3	66.6 31.1 32.2 12.6	11.6 11.6 11.4	3.9 4.0 3.4	66.6 193.5 177.0 476.2	16.6 14.0 13.3 25.2	8.3 11.6 10.7 27.5	- 8.3 8.0 8.2 5.7
5 6 7 8	Phoenixville. Pittsburgh (total). White. Colored.	1,493.0 1,483.2 1,683.7	36.6 25.6 25.8 22.8	<b></b>		9.1 9.4 8.9 19.0	9.1 10.7 11.2	9.1 18.8 17.2 49.4	45.7 23.4 24.4 3.8	11.8 12.2 3.8	4.6 4.8	137.2 106.0 99.4 235.6	9.1 9.0 8.1 26.6	27.4 15.9 14.7 38.0	18.3 6.6 6.6 7.6
9 10 11 12 13	Pittston Plymouth Pottstown Pottsville. Reading	1,674.6 1,447.9 1,332.8 1,861.6 1,434.3	6.0 11.5 12.6 19.2 23.4	5.7		17.9 11.5	12.6 33.7 15.3	17.2 19.0 8.1	83.7 57.5 12.6 91.4 38.7	29.9 11.5 6.3 4.8 8.1	5.7 6.3 4.8 1.0	53.8 80.4 113.7 120.3 102.9	5.7 19.2 7.1	6.0 11.5 25.3 19.2 12.2	17.9 34.5 6.3 7.1
14 15 16 17 18	Scranton Shamokin Sharon Shenandoah South Bethlehem	1,482.8 1,251.4 1,202.5 1,913.7 1,481.1	14.3 39.9 19.0 3.8 38.5	3.8		2.3 34.9 9	38.0 219.4 4.8	4.5 12.7 7.6 4.8	12.8 44.9 19.0 109.7 38.5	11.3 12.7 3.8 4.8	2.3 5.0 3.8 9.6	99.9 74.8 75.9 64.3 110.6	7.5 5.0	5.3 12.7	9.8 10.0 6.3 .15.1 9.6
19 20 21 22 23	South Sharon	1,099.1 1,296.8 1,269.8 1,309.0 893.6	19.6 28.1 120.6 17.5			7.0 18.1	9.8 13.8 7.0 6.0	9.8 13.8 7.0 6.0	19.6 165.6 21.0 12.1 26.3	6.9 7.0 26.3	6.0	68.7 131.1 112.2 66.4 26.3	9.8 12.1 8.8	9.8 7.0 6.0	6.9
24 25 26 27	Washington West Chester (total) White Colored.		29.7	- <b></b>		8.3 9.9	5.2	41.7 16.6 19.8	20.9 16.6 19.8	20. 9 16. 6 19. 8	5.2	114.7 99.7 98.8 104.0	8.3 9.9	15.6 24.9 19.8 52.0	5.2 16.6 19.8
28 29 30 31	Wilkes-Barre Wilkinsburg Williamsport York	1,553.9 1,282.1 1,609.9 1,429.8	11.6 40.7 46.5 23.9			4.3 6.2	2.9 5.1 3.1	8.7 15.2	20.3 5.1 9.3 30.4	11. 6 25. 4 18. 6 8. 7	2.9 3.1 8.7	84.1 81.4 108.6 117.2	4.3 15.3 9.3 6.5	7.2 15.3 15.5 26.0	10.1 10.2 9.3 8.7
	RHODE ISLAND.													,	;
32 33 34	Registration cities (total)		10.6 10.6 11.4	0.7 0.7		2.9 2.9	9.3 9.3 11.4	21.1 19.2 114.1	26.2 26.7	8.6 8.8	2.9 2.9	155.5 147.9 536.2	13.1 13.1 11.4	13.3 12.2 68.4	6.4 6.3 11.4
35 36 37 38 39	Central Falls. Cranston <sup>2</sup> . Cumberland town. East Providence town Newport.	1,391.4 2,442.8 1,341.5 1,262.5 1,315.5	8.5 18.2 9.7 6.1 14.5			4.2	4.2 4.5 6.1	21. 2 4. 5 29. 2 36. 8 7. 2	12.7 9.1 9.7 30.6 7.2	4.2 4.5 9.7 12.3 14.5	4.2 18.2	127.3 391.2 126.4 110.3 94.0	8.5 13.6 19.4 12.3 10.8	12.7 27.3 9.7 24.5 18.1	18.2 12.3
40 41 42 43	Pawtucket. Providence Warwick town. Woonsocket.	1,546.7 1,560.1 1,753.5 1,452.2	3.7 12.1 7.4 10.1			4.3 3.7 2.5	5.6 13.4 14.8 2.5	24. 2 19. 5 25. 8 32. 8	37.3 24.7 11.1 63.1	20.5 7.4 7.4	1.7 7.4 5.1	128.6 131.8 383.9 128.8	16.8 9.5 14.8 30.3	13.0 12.6 11.1 5.1	13.0 4.3 18.5
44	. SOUTH CAROLINA.3	9 000 0	40.7	00.7				40.0		04.0		919.5	4 10	, ,	
44 45 46	Charleston (total). W hite Colored.	2,989.8 1,854.1 4,004.6	40.5 35.8 44.8	32.1 17.9 44.8				16.9 3.6 28.8	8.4 14.3 3.2	27.0 14.3 38.4	5.1 3.6 6.4	312.5 125.3 479.8	1.7 3.6	6.8 3.6 9.6	1.7 3.6
	TENNESSEE.3						_							<b>22</b> -	
47 48 49	Registration cities (total)	2,057.8 1,616.2 2,884.7	58.3 51.3 71.5	45.2 16.9 98.1	1.0	37. 0 39. 3 32. 7	2.5 3.3 1.0	22.8 19.1 29.6	12. 4 13. 1 11. 2	28. 4 14. 2 55. 2	5.0 4.9 5.1	212.3 134.7 357.5	10.0 8.7 12.3	20.3 15.8 .28.6	6.4 4.9 9.2
50 51 52 53 54 55 56 57 58	Knoxville (total)  White Colored.  Memphis (total).  White Colored.  Nashville (total).  White Colored.	1,809.8 1,513.9 2,921.8 2,131.8 1,667.8 2,826.2 2,051.3 1,600.9 2,961.6	46. 2 44. 7 51. 7 65. 4 53. 9 82. 6 53. 9 51. 0 59. 7	84. 2 32. 6 161. 4 13. 5 6. 7 27. 1	0.8	21. 7 20. 6 25. 9 27. 8 28. 8 26. 3 53. 0 57. 7 43. 4	2.3 3.8 3.6 4.0 2.7	16.3 13.8 25.9 15.8 12.5 20.6 33.2 28.2 43.4	10. 9 10. 3 12. 9 16. 5 16. 3 16. 9 8. 1 10. 7 2. 7	13.6 10.3 25.9 26.3 3.8 60.1 35.9 26.8 54.2	5. 4 6. 9 4. 5 3. 8 5. 6 5. 4 5. 4	212.0 147.9 452.5 220.2 129.2 356.6 202.9 135.5 339.0	13.6 10.3 25.9 6.0 7.5 3.8 13.5 9.4 21.7	24.5 20.6 38.8 15.0 10.0 22.5 25.1 20.1	3.0 2.5 3.8 11.7 8.1

<sup>&</sup>lt;sup>1</sup> Exclusive of stillbirths.

<sup>&</sup>lt;sup>2</sup> Includes state institutions.

ITS SUBDIVISIONS, BY COLOR OF DECEDENT AND CAUSE OF DEATH: 1911.

\*\*CAUSE COLOR OF DECEDENT AND CAUSE OF DEATH: 1911.

\*\*The Color of the Color of 10,000 inhabitants or over in 1910. Numbers under causes of death correspond to those of the abridged International List (see p. 29).]

			·				DEATH	RATE P	ER 100,00	0 POPUL	ATION I	вом—	-		······································		,			Ī
Can- cer.	Dia- betes.	Zini Menin- gitis.	Cerebral hemor- rhage and softening.	Organic diseases of the heart.	Bron- chitis.	Pneu- monia (all forms).	Other respira- tory dis- eases.	Diarrhea and enteritis (under 2 years).	Appen- dicitis.	Hernia, intes- tinal obstruc- tion.	Cir- rhosis of the liver.	Ne- phritis, Bright's disease.	Puer- peral fever.	Other puer- peral affec- tions.	Con- genital debility and mal- forma- tions.	Violent deaths (ex- cluding sui- cide).	Sui- cide.	All other causes.	Ill- defined and un- known.	
16	(37)	17	18	19	20,21	22, (23)	(23)	25	26	27	28	29	31	32	33	35	36	(87)	88	
		·:	-,	ŧ	 H			,	,		1 1	ن د					ų 4.	( tu		
49.9 87.3 88.1 73.3	17.8 18.6 5.7	25.0 6.5 6.4 8.0	25.0 73.1 74.6 48.1	91.5 181.1 179.3 211.8	26. 2 24. 7 52. 7	216.3 159.0 152.2 274.7	33.3 22.0 20.8 42.4	141, 4 118, 0 114, 3 179, 7	12.6 12.5 14.9	13.8 13.3 22.9	16. 7 16. 9 13. 7	49. 9 164. 5 162. 6 196. 9	16.6 8.1 7.8 13.7	8.3 9.3 9.0 13.7	124.8 80.6 78.2 122.5	183.0 89.2 88.3 105.3	8.3 17.4 18.2 4.6	199. 7 230. 0 226. 4 291. 9	8.3 3.0 2.8 5.7	1 2 3 4
73: 2 68: 4 69: 9 38: 0	18.3 9.4 9.9	36.6 9.6 9.7 7.6	82.3 61.2 61.6 53.2	183.0. 118.2 117.8 125.4	36.3 36.8 26.6	155.5 207.2 202.8 292.6	27.4 23.0 22.9 26.6	128.1 130.3 131.2 114.0	.9.1 13.5 13.8 7.6	36.6 10.5 10.7 .7.6	9.1 24.1 24.8 11.4	64.0 73.7 .71.9 110.2	10.3 10.8	18.3 8.8 8.9 7.6	146.4 101.0 101.3 95.0	118.9 106.5 105.2 133.0	36.6 19.0. 19.4 11.4	292. 7 216. 6 217. 2 205. 2	3.3 3.3 3.8	5 6 7 8
41.9 51.7 75.8 52.9 78.4	6.0 12.6 9.6 33.6	17.9 11.5 9.6 13.2	35.9 46.0 145.3 144.3 124.3	65.8 74.7 139.0 178.0 127.3	53.8 17.2 19.0 4.8 19.4	251. 2 120. 7 176. 9 149. 1 76. 4	17.9 40.2 6.3 9.6 17.3	113.6 298.8 44.2 134.7 94.7	12.0 6.3 43.3 12.2	12.0 5.7 19.0 24.1 18.3	12.0 23.0 12.6 38.5 14.3	59. 8 23. 0 56. 9 182. 8 89. 6	6.0 17.2 38.5 7.1	17.2 6.3 24.1 10.2	119.6 132.2 126.3 72.2 83.5	340.9 114.9 56.9 139.5 86.6	12.0 -6.3 4.8 28.5	215.3 183.9 202.1 288.6 226.2	59.8 17.2 6.3	9 10 11 12 13
70.6 24.9 44.3 30.3 38.5	24. 8 24. 9 18. 9 28. 9	11.3 15.0 12.7 18.9 14.4	84.9 74.8 69.6 68.1 57.7	93. 9 134. 6 94. 9 34. 0 76. 9	36.1 10.0 25.3 41.6 9.6	200.6 119.9 126.6 166.4 91.4	18.8 29.9 25.3 41.6 19.2	173.5 64.8 44.3 295.0 302.9	14.3 19.0	16.5 5.0 12.7 18.9	18.0 15.0 11.3 14.4	74.4 59.8 50.6 45.4 72.1	14.3 10.0 6.3 11.3	10.5 5.0 6.3 3.8 14.4	31.5 89.7 107.6 166.4 177.9	.177.3 69.8 145.6 204.2 57.7	9.0 10.0 19.0 11.3 14.4	223.8 249.3 183.5 257.2 254.9	.2.3 24.9 12.7 37.8 4.8	14 15 16 17 18
68.7 27.6 42.1 12.1 61.3	6.9 14.0 26.3	19.6 6.9 14.0 12.1 17.5	19.6 41.4 140.3 12.1 43.8	19.6 124.2 147.3 78.4 122.7	39.3 14.0 6.0 8.8	117.8 103.5 35.1 120.6 26.3	9.8 13.8 14.0 18.1 26.3	176.6 213.8 70.2 48.3 17.5	28. 1 30. 2	13.8 21.0 18.1	9.8 13.8 12.1 17.5	58.9 13.8 98.2 78.4 35.0	14.0 12.1 8.8	9.8 14.0 42.2	137.4 186.2 84.2 114.6 61.3	49.1 55.2 84.2 235.3 70.1	19.6 6.9 7.0 18.1 8.8	176.6 131.1 231.5 181.0 227.8	19.6  6.0 8.8	19 20 21 22 23
130.3 157.8 158.1 156.0	26.1 16.6 19.8	5.2 8.3 9.9	26. 1 132. 9 138. 4 104. 0	93.8 199.3 207.6 156.0	15. 6 16. 6 19. 8	140. 7 132. 9 108. 7 260. 0	5. 2 33. 2 29. 7 52. 0	52.1 33.2 39.5	15. 6 24. 9 29. 7	5. 2 33. 2 39. 5		62.6 182.7 187.8 156.0	10.4 24.9 9.9 104.0	5.2 16.6 19.8	83. 4 116. 3 89. 0 260. 0	125.1 191.0 197.7 156.0	15.6 33.2 39.5	234.6 348.8 306.4 572.0	5. 2 8. 3 52. 0	24 25 26 27
63.8 137.4 83.7 91.1	14.5 20.4 15.5 28.2	11.6 15.3 6.2 8.7	.76.8 101.8 148.9 128.0	98.6 137.4 152.0 123.7	34.8 5.1 27.9 26.0	156. 6 132. 3 164. 4 93. 3	26.1 10.2 15.5 8.7	131.9 45.8 52.7 80.3	31.9 5.1 27.9 8.7	18.8 18.6 10.8	13.0 15.3 12.4 17.4	118.9 56.0 117.9 125.8	14.5 10.2 15.5 2.2	14.5 20.4 18.6 19.5	91.3 81.4 74.4 99.8	207.3 76.3 111.7 73.8	4.3 20.4 9.3 8.7	239. 2 178. 1 297. 8 227. 8	15.9 15.3 6.2	28- 29 30 31
87.6 86.4 148.3	21.7 21.9 11.4	14.0 14.0 11.4	90.3 90.5 79.9	157.3. 155.2 262.4	26. 8 26. 7 34. 2	151.3 149.5 239.6	14.9 14.5 34.2	87.2 88.2 34.2	14.9 14.7 22.8	14.0 14.3	14.6 14.5 22.8	125.1 124.4 159.7	4.9 4.8 11.4	11.1 11.3	90.9 90.5 114.1	87. 2 86. 4 125. 5	11.8 11.3 34.2	258.2 256.0 365.0	10.0 9.5 34.2	32 33 34
63.6 182.0 87.5 73.5 68.7	17.0 22.7 9.7 30.6 32.5	63.6 4.5 29.2 12.3 14.5	84. 8 122. 8 97. 2 55. 2 122. 9	106.1 263.8 184.7 190.0 140.9	50.9 18.2 9.7 24.5 25.3	144. 2 163. 8 126. 4 104. 2 126. 5	·12.7 18.2 18.1	140.0 63.7 48.6 67.4 39.8	8.5 4.5 9.7	8.5 4.5 9.7 6.1 14.5	8.5 13.6 6.1 18.1	106.1 122.8 68.0 91.9 101.2	10.8	8.5 4.5 9.7 7.2	127.3 77.3 106.9 85.8 65.1	46.7 68.2 48.6 42.9 61.4	13.6 18.4 3.6	169.7 755.1 243.0 202.2 260.2	8.5 9.1 29.2 7.2	35 36 37 38 39
67.1 95.4 59.1 70.7	16.8 19.5 11.1 42.9	13.0 9.1 29.5 5.1	121.1 83.7 107.1 50.5	164.0 155.2 162.4 118.7	39.1 23.8 18.5 30.3	137.9 166.0 96.0 161.6	11.2 16.9 25.8 7.6	72.7 77.6 147.7 154.1	13.0 19.1 3.7 20.2	9.3 18.6 3.7 12.6	16.8 14.3 11.1 25.3	137.9 137.4 107.1 106.1	3.7 6.9 2.5	3.7 15.2 11.1 10.1	109.9 86.7 96.0 88.4	100.6 98.8 114.4 63.1	9.3 15.2 3.7 12.6	229. 2 246. 6 228. 9 186. 9	7.5 12.1 11.1 2.5	40 41 42 43
81.1 85.9 76.8	8.4 17.9	30.4 10.7 48.0	158. 8 118. 1 195. 1	351.3 175.4 508.6	18.6 21.5 16.0	207.8 96.6 307.1	28.7 21.5 35.2	153. 7 85. 9 214. 3	13.5 25.1 3.2	23.6 10.7 35.2	15.2 14.3 16.0	356. 4 236. 2 463. 8	6.8 3.6 9.6	32.1 32.2 32.0	270.3 107.4 415.8	114.9 82.3 143.9	5.1 10.7	608.1 461.7 738.9	52.4 10.7 89.6	45
66.8 73.6 54.1	8.2 10.4 4.1	25. 2 22. 4 30. 6	60. 8 56. 7 68. 4	161.1 111.3 254.4	25.2 12.0 50.1	199.8 124.9 340.2	30.2 15.3 58.2	98. 5 100. 9 94. 0	28.1 27.8 28.6	21.7 17.5 29.6	12.8 13.6 11.2	120.9 105.8 149.1	18.5 10.4 33.7	12.8 8.7 20.4	83.6 79.1 91.9	155. 4 103. 1 253. 3	16.4 20.7 8.2	407.1 351.3 511.8	43.7 24.5 79.7	48
95.1 99.8 77.6 51.9 52.7 50.7 75.4 85.9 54.2	13.6 17.2 9.8 12.5 5.6 4.5 5.4 2.7	32.3 27.6 39.4 19.8 17.4 24.4	67.3 55.0	106.0 86.0 181.0 126.3 99.1 167.0 220.8 134.2 396.0	40.8 13.8 142.2 27.8 15.0 46.9 17.1 8.1 35.3	138.6 106.7 258.6 197.7 127.9 302.1 222.6 128.8 412.2	24.5 17.2 51.7 32.3 17.6 54.4 29.6 12.1 65.1	51.6 37.8 103.4 90.2 110.3 60.1 123.9 115.4 141.0	32.6 37.8 12.9 31.6 31.3 31.9 22.4 20.1 27.1	19.0 17.2 25.9 21.0 15.0 30.0 23.3 20.1 29.8	24.5 24.1 25.9 12.0 15.0 7.5 9.9 8.1 13.6	111.4 106.7 129.3 157.1 140.4 182.0 80.8 68.4 105.8	21.7 17.2 38.8 16.5 11.3 24.4 19.8 6.7 46.1	19.0 6.9 64.6 9.8 8.8 11.3 14.4 9.4 24.4	65.2 58.5 90.5 71.4 72.7 69.4 104.1 93.9 124.8	125.0 113.5 168.1 191.7 119.1 300.3 122.1 81.9 203.4	16.3 13.8 25.9 19.5 27.6 7.5 12.6 16.1 5.4	423. 9 350. 9 698. 1 414. 2 361. 1 493. 5 393. 2 340. 9 499. 0	32.6 17.2 90.5 76.7 41.4 129.5 8.1 9.4 5.4	52 53 54 55

<sup>&</sup>lt;sup>3</sup> Nonregistration state; cities shown below only those with effective local ordinances.

### TABLE III.—DEATH RATES PER 100,000 POPULATION IN THE REGISTRATION AREA AND

==			-	<del></del>		DE :	AME NO	100.000	DODETY 1	TON TO					
			1			DEATH I	SATE PE	100,000	POPULAT	ION FR	ли—				
	AREA AND COLOR.	All causes.1	Typhoid fever.	ria.	Small- pox.	Measles.	Scarlet fever.	Whoop- ing cough.	Diph- theria and eroup.	In- flu- enza.	Ery- sipelas.	Tuber- culosis of the lungs.	Tuber- culous men- ingitis.	Other forms of tu- bercu- losis.	Rheu- ma- tism.
			1	8	4	5	6	7	8	9	(12)	18	14	15	(87)
	REGISTRATION CITIES—Continued.  TEXAS. <sup>2</sup>														
1 2 3	Registration cities (total)		43.5 41.8 55.9	17.1 15.0 32.6	13.8 13.7 14.0	16.0 17.5 4.7	5. 5 6. 2	5.0 5.0 4.7	11.0 12.5	33.6 36.2 14.0	5.0 5.0 4.7	391. 2 395. 0 363. 0	6.6 7.5	15. 4 15. 6 14. 0	7.2 7.5 4.7
4 5 6	El Paso	2,977.2 1,856.1 1,717.5	42.9 18.5 23.6	11.9 21.1 16.9	57.3	11.9 10.5 10.1	19. 1 2. 6 3. 4	4.8 10.5 10.1	16. 7 13. 2 16. 9	19.1 7.9 10.1	9.5 2.6 3.4	625. 0 155. 5 104. 6	16.7	9.5 5.3	11.9 5.3 3.4
7 8 9 10	El Paso. Galveston (total). White Colored. San Antonio (total). White Colored.	2,351.1 2,104.8 2,096.0 2,174.3	53.0 47.5 96.4	36. 2 17. 7 15. 5 35. 1	1.0 8.8	12.1 19.6 22.1	1.0 1.1	12.1 2.9 3.3	7.8 8.8	49.1 51.9 26.3	3.9 4.4	337.6 382.7 387.8 341.9	4.9 5.5	24.1 21.6 23.2 8.8	12.1 5.9 6.6
11 12	UTAH. Registration cities (total)	1 181 8	22. 6 22. 2		1.6 1.6	21.8 22.2	22.6 23.0	7.3 7.4	23.5 23.8	7.3 7.4	1.6 1.6	58. 2 56. 7	4.0 4.1	14.6 14.8	12.9 13.2
13 14	i		49.3		7.5	3.7	59.9	11. 2	11, 2	3.7		147.8 26.2	7.5	18.7	11.2
15	Ogden. Salt Lake City. VERMONT.	1, 181.5	23.7			26.8	12.4	6.2	26.8	8.3	2.1	67.1	3.1	13.4	13.4
16 17 18	Registration cities (total)	1,786.8 1,781.5 3,472.2	19.8 19.8	2.2 2.2	•••••	8.8 8.8	2. 2 2. 2	8.8 8.8	15. 4 15. 4	22. 0 22. 0	4. 4 4. 4	158. 2 156. 5 694. 4	11.0 11.0	13. 2 13. 2	13. 2 13. 2
19 20 21	Barre Burlington Rutland	1,434.7 2,058.9 1,659.9	45.4 14.5 7.2	4.8		18. 2 9. 7	7.2	18.2	27. 2 19. 3	33.8 21.7	18. 2	317.8 87.0 137.7	18. 2 14. 5	19.3 14.5	18. 2 9. 7 14. 5
	Virginia.3														
22 23 24	Registration cities (total). White Colored		37.7 36.0 40.9	12.2 5.9 23.9		7.1 7.3 6.8	4.5 6.4 0.9	40.7 18.2 82.7	14.9 18.2 8.5	19.3 13.2 30.7	2.7 3.2 1.7	218.7 129.1 386.1	11.3 11.9 10.2	22. 0 19. 2 27. 3	9.8 6.8 15.3
25 26 27	Alexandria (total)	2,003.1 1,589.0 3,101.3	19.4 26.8	6. 5 23. 7		13.0 17.9		13.0 17.9	13. 0 8. 9 23, 7	32. 4 17. 9 71. 0		265.8 232.1 355.1		25.9 17.9 47.3	6.5
28 29 30 31 32 33	Danville (total) White Colored Lynchburg (total) White Colored	2,057.1 1,840.1 2,504.8 1,890.3 1,507.6 2,699.3	57.3 30.9 111.7 40.0 39.3 41.5	26.0 7.7 63.8 6.7 4.9 10.4		5. 2 16. 0	33.3 49.1	104. 2 38. 7 239. 3 20. 0 19. 6 20. 8	15. 6 15. 5 16. 0 30. 0 34. 4 20. 8	26.0 23.2 31.9 6.7 4.9 10.4	5.2 16.0 6.7 9.8	187.5 170.1 223.4 226.7 142.4 404.9	6.7 4.9 10.4	20.8 23.2 16.0 26.7 34.4 10.4	5.2 7.7 3.3 4.9
34 35 36 37 38 39	Norfolk (total)	2,149.3 1,405.5 3,404.5	53. 9 48. 7 62. 5 53. 3 75. 4 26. 9	28. 2 9. 7 59. 2 24. 6 22. 6 26. 9		9.7		52.6 13.6 118.4 77.8 15.1 152.5	7.3 9.7 3.3 16.4 22.6 9.0	15.9 15.6 16.4 49.2 15.1 89.7	3.7 5.8	231.3 93.6 463.8 270.4 241.2 305.1	8.6 13.6 8.2 15.1	20.8 21.4 19.7 16.4 22.6 9.0	9.8 5.8 16.4 8.2
40 41 42 43 44 45	Richmond (total)	2, 102. 3 1, 674. 6 2, 842. 2 1, 536. 6 1, 201. 7 2, 674. 4	17.8 19.5 14.8 57.5 46.1 96.4	1.5 1.2 2.1 5.5 7.1		8.5 8.4 8.2 7.1 12.0	2.3 2.4 2.1 5.5 7.1	31.7 19.5 52.8 16.4 14.2 24.1	10. 1 14. 6 2. 1 35. 6 35. 4 36. 1	17.8 13.4 25.3 13.7 7.1 36.1	2.3 2.4 2.1	210. 4 130. 6 348. 4 175. 3 67. 4 542. 1	17.8 18.3 16.9 11.0 3.5 36.1	22. 4 13. 4 38. 0 21. 9 17. 7 36. 1	11.6 11.0 12.7 13.7 3.5 48.2
	Washington.														•
46 47 48	Registration cities (total) White Colored	978.3 976.4 1,049.2	19.7 19.6 26.6	0.5 0.6	0.4 0.4	5.2 5.3	5.4 5.5	7.7 7.7 6.6	7.7 7.9	7.9 7.9 . 6.6	3.1 3.1	91. 2 88. 9 172. 7	14.2 13.5 39.8	15.6 15.7 13.3	5.9 5.9 6.6
49 50 51 52	Aberdeen. Bellingham. Everett North Yakima	766. 5 922. 2 892. 5 1,375. 0	6.7 23.2 18.6 58.4	6.5		6.7 3.7 32.4	33.6 3.9 3.7	26. 9 7. 4 25. 9	3.7 6.5	6.7 15.4 3.7 6.5	7.7	74.0 27.0 89.2 129.7	6.7 11.6 7.4 13.0	15.4 37.2 19.5	7. 7 25. 9
53 54 55 56	Seattle Spokane. Tacoma. Walla Walla.	883.8 1,155.4 1,009.6 1,078.3	10.3 35.6 17.0 39.2	0.4	0.4 0.9	5.1 5.3 3.4	2.8 6.2 9.0 4.9	7.5 7.1 4.5 9.8	8.7 8.0 10.2 4.9	6.7 8.9 10.2 4.9	1.6 5.3 5.7	92.2 85.4 113.1 83.3	13.1 8.9 28.3 14.7	15.8 15.1 6.8 34.3	4.7 9.8 3.4 4.9
	WEST VIRGINIA.3														
57 58 59	Wheeling (total)	1,755.7 1,751.7 1,888.3	35.7 34.3 82.1			16.7 17.2	7.1 7.4	16.7 17.2	28.6 29.4	31.0 31.9		154.8 142.3 574.7	9.5 9.8	9.5 9.8	14.3 14.7

<sup>1</sup> Exclusive of stilbirths.

<sup>&</sup>lt;sup>2</sup> Nonregistration state; cities shown below only those with effective local ordinances.

			<del></del>				DEATH	RATE PI	er 100,00	0 POPUL	ATION E	ROM-		· · · · · · · · ·	<del> </del>					
Can- cer.	Dia- betes.	Menin- gitis.	Cerebral hemor- rhage and softening.	Organic diseases of the heart.	Bron- chitis.	Pneu- monia (all forms).	Other respira- tory dis- eases.	Diarrhea and enteritis (under 2 years).	Appendicitis.	Hernia, intes- tinal obstruc- tion.	Cir- rhosis of the liver.	Ne- phritis, Bright's disease.	Puer- peral fever.	Other puer- peral affec- tions.	Congenital debility and malformations.	Violent deaths (ex- cluding sui- cide).	Sui- cide.	All other causes.	III- defined and un- known	
16	(37)	17	18	19	20,21	22,(23)	(23)	25	26	27	28	29	81	32	88	35	86	(87)	38	
74.3 78.0 46.5	12.1 13.1 4.7	27.0 29.3 9.3	49. 0 47. 4 60. 5	101.2 93.6 158.2	28.6 29.9 18.6	161. 2 162. 2 153. 6	21.5 20.6 27.9	209.6 225.2 93.1	14.3 16.2	11.0 10.6 14.0	27. 0 26. 8 27. 9	162.9 142.9 311.8	9.4 10.0 4.7	11.6 12.5 4.7	130. 4 137. 9 74. 5	121. 6 114. 8 172. 2	29.2 32.4 4.7	442.9 429.3 544.5	39. 1 34. 9 69. 8	123
76.3 60.6 60.7 60.3 78.5 84.0 35.1	2.4 13.2 16.9 15.7 16.6 8.8	42.9 34.3 40.5 12.1 17.7 19.9	45. 3 47. 5 40. 5 72. 3 51. 0 50. 8 52. 6	62. 0 147. 6 124. 8 229. 1 100. 1 100. 5 96. 4	45.3 13.2 10.1 24.1 27.5 28.7 17.5	336. 4 150. 3 148. 5 156. 7 93. 2 87. 3 140. 3	23.9 31.6 27.0 48.2 16.7 16.6 17.5	305. 4 76. 5 77. 6 72. 3 219. 8 233. 1 114. 0	7.2 5.3 6.7 20.6 23.2	7.2 15.8 13.5 24.1 10.8 11.0 8.8	35.8 26.4 30.4 12.1 23.5 22.1 35.1	105. 0 276. 8 246. 3 385. 8 144. 2 130. 4 254. 3	19.1  8.8 8.8 8.8 8.8	11.9 15.8 20.2 9.8 9.9 8.8	140.8 76.5 87.7 36.2 146.2 151.4 105.2	181. 3 131. 8 135. 0 120. 6 93. 2 82. 9 175. 3	28.6 26.4 33.7 30.4 34.3	603. 6 416. 6 371. 2 578. 7 386. 6 370. 1 517. 3	40.6 36.9 23.6 84.4 39.2 36.5 61.4	4 5 6 7 8 9
72.8 73.2 49.3	9. 7 9. 9	11.3 10.7 49.3	51.0 51.8	98.7 97.9 147.8	12.9 12.3 49.3	109. 2 107. 7 197. 0	18.6 18.9	46.1 46.9	23.5 23.8	15.4 15.6	9.7 9.9	80.1 79.8 98.5	6.5 6.6	9.7 9.9	45.3 45.2 49.3	85. 7 80. 6 394. 1	34.0 32.1 147.8	223.3 221.2 344.8	20.2 18.9 98.5	11 12 13
44.9 80.5	15.0 8.3	18.7 9.3	63. 6 47. 5	131.0 89.8	11.2 13.4	131.0 103.2	18.7 18.6	33.7 49.5	15.0 25.8	26. 2 12. 4	3.7 11.4	63. 6 84. 6	8.3	18.7 7.2	52. 4 43. 3	93.6 83.6	33.7 34.1	228. 4 221. 8	25.8	14 15
107. 7 108. 0	19.8 19.8	8.8 8.8	138.5 136.7 694.4	193.4 191.8 694.4	22. 0 22. 0	107.7 105.8 694.4	22. 0 22. 0	153.8 154.3	63.7 63.9	11.0 11.0	13.2 13.2	116.5 116.9	6.6 6.6	11.0 11.0	94.5 94.8	83.5 81.6 694.4	22.0 22.0	305.5 306.5	. 6.6 6.6	
63. 6 135. 3 101. 5	24. 2 29. 0	14.5 7.2	54.5 159.5 174.0	118. 0 178. 8 275. 4	18. 2 38. 7	90.8 120.8 101.5	9. 1 33. 8 14. 5	18. 2 299. 6 43. 5	27. 2 96. 7 43. 5	9.7 21.7	18.2 14.5 7.2	90.8 125.7 123.2	9.7 7.2	9.1 14.5 7.2	72. 6 125. 7 65. 2	81.7 72.5 101.5	27.2 14.5 29.0	245. 2 352. 8 282. 7	9.1 4.8 7.2	19 20 21
73.1 82.1 56.3	13.1 16.4 6.8	17.5 19.2 14.5	108.5 89.4 144.0	167. 9 134. 1 231. 0	35. 1 13. 2 75. 9	150. 9 83. 5 277. 0	37.7 18.7 73.3	147.1 106.3 223.3	14.6 14.6 14.5	19.3 16.0 25.6	14.3 15.1 12.8	184.8 146.0 257.4	9.8 8.2 12.8	14.9 15.1 14.5	116.8 94.0 159.4	· 107. 9 84. 4 151. 7	14.6 - 20.1 4.3	372.6 -293.3 520.8	39. 2 19. 2 76. 7	23
84.3 98.2 47.3	19.4 26.8	13.0 8.9 23.7	90. 8 44. 6 213. 1	168.5 142.8 236.7	71.3 26.8 189.4	149.1 107.1 260.4	51. 9 35. 7 94. 7	103.7 80.3 165.7	6.5 8.9	6.5 8.9	13.0 17.9	207. 4 151. 8 355. 1			77.8 62.5 118.4	116.7 116.1 118.4		369. 5 276. 7 615. 5	58.3 35.7 118.4	25 26 27
67. 7 77. 3 47. 9 33. 3 24. 6 51. 9	5. 2 7. 7 23. 3 34. 4	72.9 100.5 16.0 10.0 9.8 10.4	72. 9 61. 9 95. 7 110. 0 103. 1 124. 6	177.1 185.6 159.5 163.4 117.9 259.6	41.7 30.9 63.8 33.3 9.8 83.1	192.7 139.2 303.1 106.7 83.5 155.7	15.6 7.7 31.9 13.3 4.9 31.1	125. 0 139. 2 95. 7 110. 0 88. 4 155. 7	15. 6 47. 9 3. 3 4. 9	30. 0 39. 3 10. 4	5. 2 7. 7 3. 3	104.2 85.0 143.6 126.7 88.4 207.6	5. 2 7. 7 13. 3 9. 8 20. 8	. 20.8 30.9 3.3 4.9	98. 9 116. 0 63. 8 80. 0 68. 7 103. 8	88.5 77.3 111.7 90.0 78.6 114.2	15.6 23.2 10.0 14.7	442. 7 394. 3 542. 4 363. 4 294. 6 508. 7	36. 5 30. 9 47. 9 156. 7 78. 6 321. 8	28 29 30
67. 3 79. 9 46. 1 69. 6 67. 8 71. 8	4.9 7.8 8.2 17.9	13.5 15.6 9.9 28.7 22.6 35.9	80. 8 70. 2 98. 7 159. 8 158. 3 161. 5	200.7 136.5 309.2 172.1 143.2 206.4	47.7 13.6 105.3 24.6 15.1 35.9	156.7 66.3 309.2 172.1 75.4 287.1	51. 4 21. 4 102. 0 36. 9 30. 2 44. 9	135. 9 66. 3 253. 3 204. 8 165. 8 251. 3	15.9 11.7 23.0 12.3 15.1 9.0	28. 2 9. 7 59. 2 20. 5 15. 1 26. 9	24.5, 23.4 26.3 20.5 15.1 26.9	168. 9 117. 0 256. 6 454. 7 354. 3 574. 3	15.9 9.7 26.3 4.1 7.5	18. 4 23. 4 9. 9 20. 5 30. 2 9. 0	129. 7 81. 9 210. 5 147. 5 135. 7 161. 5	106.5 74.1 161.2 81.9 67.8 98.7	11.0 15.6 3.3 16.4 22.6 9.0	419. 8 309. 9 605. 2 360. 5 278. 9 457. 6	12. 2 3. 9 26. 3 28. 7 15. 1 44. 9	136
87.4 97.6 69.7 68.5 85.1 12.0	17.8 20.7 12.7 11.0 14.2	10.8 9.8 12.7 21.9 24.8 12.0	147.7 122.1 192.2 21.9 17.7 36.1	170. 9 153. 8 200. 6 79. 4 53. 2 168. 7	31.7 12.2 65.5 8.2 3.5 24.1	158.6 90.3 276.6 112.3 63.8 277.1	43.3 23.2 78.1 13.7 3.5 48.2	158. 6 115. 9 232. 3 153. 4 131. 2 228. 9	13.9 14.6 12.7 27 4 35.4	17.0 17.1 16.9 13.7 17.7	11.6 15.9 4.2 11.0 10.6 12.0	193 4 173.3 228.0 90.4 88.6 96.4	10.1 9.8 10.6 2.7 3.5	18.6 13.4 27.5 2.7 3.5	128. 4 107. 4 164. 7 82. 2 78. 0 96. 4	114.5 83.0 168.9 126.0 109.9 180.7	19.3 26.9 6.3 13.7 17.7	369. 7 303. 9 483. 5 257. 5 198. 5 457. 8	24. 8 8. 5 52. 8 54. 8 24. 8 156. 6	42 43 44
62.3 63.1 33.2	11.7 11.8 6.6	5.0 4.8 13.3	52. 6 52. 9 39. 8	92. 4 93. 0 73. 0	5. 6 5. 2 19. 9	72.1 70.8 119.5	8.1 7.9 13.3	28. 4 28. 4 26. 6	16.5 16.8 6.6	10.1 10.3	7. 7 7. 7 6. 6	71.3 70.3 106.2	5. 9 5. 9 6. 6	10.6 10.9	59. 4 60. 7 13. 3	78.8 77.3 132.8	29.3 29.1 33.2	158. 1 159. 0 126. 2	8.1 8.3	46 47 48
40. 3 81. 0 74. 4 32. 4	6.7 7.7 7.4 6.5	11.6	40, 3 54, 0 48, 3 38, 9	67. 2 108. 0 85. 5 97. 3	15. 4 3. 7 13. 0	60. 5 .46. 3 .37. 2 123. 2	15.4 7.4	47. 1 11. 6 33. 5 51. 9	15. 4 11. 2 25. 9	13. 4 19. 3 11. 2 38. 9	19.3 7.4 25.9	33. 6 92. 6 66. 9 129. 7	6.7	3. 7 6. 5	47. 1 46. 3 70. 7 90. 8	107.6 50.2 81.8 110.3	19.3 11.2 38.9	127. 8 192. 9 137. 6 220. 5	6. 7 3. 9 18. 6	49 50 51 52
57. 4 67. 6 71. 2 53. 9	12.7 13.3 12.4 4.9	4.4 6.2 5.7 9.8	50. 2 55. 1 48. 6 107. 8	96. 9 99. 6 76. 9 68. 6	4.7 4.4 6.8 4.9	53.0 123.6 76.9 53.9	8.3 10.7 5.7 4.9	23. 7 40. 9 22. 6 24. 5	12.3 27.6 11.3 44.1	7.1 10.7 6.8 19.6	5.5 9.8 5.7 9.8	63. 8 80. 9 70. 1 83. 3	7.1 5.3 7.9 4.9	10.7 13.3 11.3 24.5	52.6 78.3 54.3 49.0	75.2 79.2 84.8 83.3	30.1 29.4 39.6 24.5	138.1 194.8 154.9 176.4	1.2 8.0 23.7 24.5	53 54 55 56
112.0 115.3	11.9 12.3	26. 2 24. 5 82. 1	54.8 56.4	126.3 127.6 82.1	21. 4 22. 1	200.1 200.2 164.2	31.0 31.9	85.8 -88.3	19. 1 19. 6	16.7 17.2	21. 4 19. 6 82. 1	107. 2 105. 5 164. 2	11.9 12.3	21.4 22.1	85. 8 83. 4 164, 2	159. 6 157. 0 246. 3	26. 2 27. 0	· 293. 0 294. 4 246. 3		57 58 59

<sup>&</sup>lt;sup>2</sup> Colored population less than 10 per cent of the total.

# TABLE III.—DEATH RATES PER 100,000 POPULATION IN THE REGISTRATION AREA, AND

=	population of the subdivis					····		·							
			0		ī	DEATH R	ATE PER	100,000 1	POPULAT	ION FRO	)M— 	,			
	AREA AND COLOR.	All causes.1	Typhoid fever.	Mala- ria.	Small- pox.	Measles.	Scarlet fever.	Whoop- ing cough.	Diph- theria and croup.	In- flu- enza.	Ery- sipelas.	Tuber- culosis of the lungs.	Tuber- culous men- ingitis.	Other forms of tu- bercu- losis.	Rheu- ma- tism.
			1	3	4	5	6	7	8	9	(12)	13	14	15	(37)
	REGISTRATION CITIES—Continued. wisconsin.							_						321	
1 2 3	Registration cities (total). White. Colored.		20. 5 20. 5 39. 3	0.3		10. 2 10. 2	12. 0 12. 0	7. 7 7. 6 39. 3	20. 2 20. 2	8.0 8.1	4. 6 4. 6	99. 8 99. 3 235. 9	7.3 7.3	11.0 10.9 39.3	8. 8 8. 7 39. 3
4 5 6 7 8	Appleton Ashland Beloit Eau Claire Fond du Lac	4	12. 0 82. 8 11. 0 10. 4			6. 0 19. 1 5. 5	6. 0	6.4	9, 2 22, 0 46, 9	12. 0 9. 2 12. 7 22. 0 10. 4	6. 0 18. 4 6. 4	119. 6 211. 6 95. 6 142. 8 83. 5	12. 0 9. 2 12. 7	23. 9 27. 6 6. 4 22. 0 20. 9	23. 9 18. 4 19. 1 5. 5 10. 4
9 10 11 12 13	Green Bay Janesville. Kenosha. La Crosse. Madison.	1,572.8 1,331.9 1,362.7 1,180.6	19. 4 7. 2 48. 7 13. 0 3. 9	· · · · · · · · · · · · · · · · · · ·		27. 1 43. 1 23. 2	11.6 22.1 6.5	19. 4 28. 7 22. 1 26. 0 7. 7	27. 1 21. 5 8. 8 32. 5	15. 5 14. 4 8. 8 19. 5 27. 1	3.9 7.2 4.4 3.3 7.7	96. 8 122. 1 79. 6 110. 6 65. 8	31. 0 7. 2 17. 7 6. 5 19. 4	7. 7 21. 5 4. 4 22. 8 15. 5	3.9 14.4 4.4 3.3 11.6
14 15 16 17	Manitowoc Marinette Milwaukee Oshkosh	1,183.3 1,344.7 1,195.0 1,371.8	22.9 69.3 19.0 14.8			7. 1 50. 5	6. 9 15. 7 8. 9	7.6 41.6 2.3 8.9	6. 9 20. 2 11. 9	3. 3 3. 0	13. 9 3. 8 11. 9	106.9 110.9 97.1 89.1	15.3 20.8 2.8 3.0	30.5 13.9 6.6 11.9	15.3 6.9 7.1 11.9
18 19 20 21	Racine. Sheboygan. Superior. Wausau. RURAL PART OF REGISTRATION	1,095.0 1,141.4 1,141.9 1,469.6	23. 9 11. 1 33. 9 23. 4			2. 4 11. 1 2. 4 35. 1	9.5 3.7 4.8 46.8	2. 4 33. 4 14. 5	19. 1 7. 4 41. 1 58. 5	26. 2 3. 7 4. 8 17. 6	7.3 5.9	114.5 111.2 82.3 87.8	11.9 11.1 12.1 5.9	7. 2 14. 8 19. 4 11. 7	7.3 29.3
	STATES. <sup>2</sup> CALIFORNIA.														
22 23 24	Total White Colored:		17.9 17.8 20.0	7.1 7.1 7.7	0. 2 0. 1 1. 5	1.2 1.1 3.1	4. 4 4. 7	7.5 7.6 6.2	6.3 6.5 3.1	11.3 11.8 3.1	2.6 2.8	168. 8 165. 6 223. 1	8. 0 8. 2 6. 2	13. 2 12. 8 18. 5	4.3 4.2 6.2
25 26 27 28 29	Alameda County Alpine County Amador County Butte County Calaveras County	1,763.8 1,052.6 1,731.0 1,397.7 1,064.5	25. 2 22. 6 10. 5 11. 2	22. 6 24. 5 22. 4		11.3	5.6	2.8 7.0	14.0	22.6 17.5 11.2	2.8	362. 0 112. 1 100. 9	16.8 11.3 10.5	8.4 33.9 14.0	7.0 11.2
30 31 32 33 34	Colusa County Contra Costa County Del Norte County Eldorado County Fresno County	1,375.9 977.7 744.1 1,805.7 1,096.3	38.6 15.0 29.5	12.9 13.7 7.4		3.0	27. 0	12.9 15.0 13.7 1.8	9. 0 13. 7 16. 6	77. 2 9. 0 109. 4 1. 8	12.9 6.0	77. 2 111. 0 124. 0 95. 8 141. 9	6.0 16.6	12.9  13.7 18.4	6.0
35 36 37 38 39	Glenn County Humboldt County Imperial County Inyo County Kern County	930. 0 780. 8 980. 7 370. 3 721. 7	13. 5 69. 1 7. 4	27. 0 6. 9 13. 7 3. 7		13.5	4. 5 3. 7	3.7	13. 5 4. 5	4.5 20.7	6.9	107. 8 80. 8 151. 9	9.0 6.9	4. 5 20. 7	
40 41 42 43 44	Kings County Lake County Lassen County Los Angeles County Madera County	1,076.0 1,499.9 454.7 1,351.1 835.9	35.3 36.6 41.3 9.4	41. 2 20. 7 1. 4		18.3	5. 9 18. 3 6. 5	23. 5 73. 2 8. 0 23. 2	5. 9 8. 7	5. 9 18. 3 6. 5	5.9 1.4	88. 2 237. 8 20. 7 302. 9 69. 7	5.9 9.4	29. 4 36. 6 11. 6 11. 6	5.9 18.3 2.2
45 46 47 48 49	Marin County Mariposa County Mendocino County* Mened County Modoc County	890. 9 724. 8 1,355. 1 818. 9 584. 8	11. 4 24. 6 31. 6	18.9		11.4	3.8 25.9 12.6 15.8	7. 6 25. 2	3.8 8.2	7.6 4.1 12.6 15.8	4.1 6.3	167. 5 129. 4 143. 7 107. 1 31. 6	3.8 4.1	3.8 8.2 6.3 15.8	8.2
50 51 52 53 54	Mono County Monterey County Napa County* Nevada County. Orange County.	542. 4 1,091. 8 2,706. 6 1,547. 0 1,285. 9	8. 1 19. 8 6. 8 33. 1			6. 8 2. 8	4.9 6.8 2.8	8.1 20.5 8.3	4.0 11.0	12. 1 4. 9 6. 8 22. 1	4.0 9.9 5.5	121.3 282.0 219.0 110.4	12. 1 24. 8	12. 1 24. 7 13. 7 30. 4	4.0 4.9 13.7 2.8
55 56 57 58 59	Placer County. Plumas County. Riverside County Sacramento County. San Benito County.	1,461.9 975.2 1,031.2 1,409.9 1,144.5	21. 6 14. 5 33. 5	37.8 12.6	4.8		14.5 4.2	9.7 4.2	10.8 14.5 12.6	14.5 8.4 24.4	5. 4 4. 8	172. 6 242. 1 196. 6 146. 1	5.4 4.8 4.2 24.4	10.8 14.5 20.9	16.2
60 61 62 63 64	San Bernardino County* San Diego County San Joaquin County San Luis Obispo County San Mateo County	1, 428. 2 1, 062. 3 1, 693. 1 1, 034. 5 909. 8		7.0	4.3	3.5	2. 8 3. 5 3. 5	8.5 10.5 3.5	2.8 4.3 14.0 5.1 3.5	8.5 4.3 14.0 10.1	4.3 3.5 3.5	245. 1 132. 3 223. 4 182. 6 141. 1	19. 7 4. 3 7. 0	16.9 17.1 14.0 10.1 3.5	2.8 4.3 10.5 5.1

<sup>1</sup> Exclusive of stillbirths.

ITS SUBDIVISIONS, BY COLOR OF DECEDENT AND CAUSE OF DEATH: 1911—Continued.

are designated by asterisks (\*). Figures for white and colored are shown separately for minor subdivisions (except as indicated in the footnotes) only when the colored of 10,000 inhabitants or over in 1910. Numbers under causes of death correspond to those of the abridged International List (see p. 29).]

-	· · · · · · · · · · · · · · · · · · ·		over in 1910				<u> </u>		, ·	O POPUL								-	
Can- cer.	Dia- betes.	Meningitis.	Cerebral hemor- rhage and softening.	Organic diseases of the heart.	Bron- chitis.	Pneu- monia (all forms).	Other respira- tory dis- eases.	Diarrhea and enteritis (under 2 years).	Appen- dicitis.	Hernia, intes- tinal obstruc- tion.	Cir- rhosis of the liver.	Ne- phritis, Bright's disease.	Puer- peral fever.	Other puer- peral affec- tions.	Con- genital debility and mal- forma- tions.	Violent deaths (ex- cluding sui- cide).	Sui- cide.	All other causes.	Ill- defined and un- known.
16	(37)	17	18	1,9	20, 21	22, (23)	(23)	25	26	27	28	29	81	32	. 88	35	86	(37)	38
82. 7 82. 7 78. 6	16.5 16.5	16.3 16.3 39.3	59. 6 59. 5 78. 6	102.7 102.5 157.3	22, 1 22, 1	95. 1 95. 0 118. 0	15.2 15.2	79.4 79.4 78.6	20.9 21.0	15.6 15.6	15.6 15.6	67.8 67.6 118.0	7.5 7.6	5.6 5.6	84.6 84.6 78.6	76. 9 76. 8 118. 0	u t 18.9' 18.8 39.3	249: 2 249: 4 196: 6	6.1 6.1
107. 7 92. 0 76. 5 126. 3 93. 9	17. 9 18. 4 12. 7 22. 0 20. 9	12.0 64.4 6.4 5.5 10.4	101. 7 110. 4 82. 9 65. 9 88. 7	149. 5 165. 6 76. 5 186. 8 125. 2	6. 0 27. 6 6. 4 5. 5 15. 6	59. 8 147. 2 57. 4 104. 4 88. 7	12.0 46.0 19.1	41. 9 55. 2 38. 2 22. 0 62. 6	23. 9 12. 7 33. 0 78. 2	12. 0 36. 8 6. 4 27. 5 26. 1	17.9 12.7 5.5 5.2	47. 9 46. 0 70. 1 109. 9 67. 8	6. 0 18. 4 6. 4 5. 5 10. 4	6.0 9.2 5.2	53.8 119.6 70.1 54.9 52.2	. 65.8 193.2 19.1 115.4 109.5	9. 2 16. 5 10. 4	287. 1 377. 2 286. 9 373. 5 318. 2	35.9 6.4 43.9 15.6
104.5 122.1 57.5 126.8 112.3	27.1 21.5 8.8 29.3 15.5	42.6 7.2 31.0 13.0 19.4	73.6 79.0 48.7 45.5 69.7	89.1 193.9 88.5 113.8 96.8	15.5 14.4 8.8 29.3 11.6	243.9 129.3 53.1 74.8 61.9	27. 1 21. 5 13. 3 19. 5 15. 5	170.4 28.7 150.4 19.5 27.1	85.2 7.2 8.8 45.5 7.7	31. 0 14. 4 8. 8 55. 3 19. 4	7.7 53.1 26.0	112.3 86.2 44.2 42.3 73.5	23. 2 7. 2 16. 3 3. 9	8.8 3.3	193.6 57.5 110.6 58.5 89.0	108.4 143.6 115.0 84.6 112.3	19.4 28.7 26.5 22.8 15.5	371. 7 323. 2 269. 9 286. 2 236. 1	19.4 4.4 6.5 11.6
99. 2 90. 1 74. 3 121. 7	15.3 27.7 15.7 5.9	7.6 6.9 13.4 11.9	61. 1 34. 7 52. 8 68. 3	99.2 104.0 95.6 115.8	15.3 29.3 8.9	53.4 90.1 94.3 92.0	22. 9 6. 9 10. 6 35. 6	15.3 62.4 98.8 35.6	45.8 13.7 32.7	7.6 20.8 12.4 20.8	7.6 6.9 17.4 23.8	68.7 110.9 66.2 80.2	15.3 13.9 5.8 3.0	6.9 7.3 5.9	30.5 117.8 86.2 98.0	76.3 62.4 62.9 41.6	15.3 13.9 19.0 26.7	305. 4 263. 4 232. 3 311. 8	22.9 1 13.9 1 2.0 5.9
64. 4 114. 9 31. 5 58. 5	11.9 18.5 7.3 35.1	21.5 11.1 24.2 35.1	52.5 74.1 50.8 87.8	83.5 81.5 104.0 99.5	26. 2 29. 6 7. 3 5. 9	100. 2 51. 9 91. 9 140. 5	26. 2 11. 1 16. 9 17. 6	64, 4 66, 7 58, 1 52, 7	19.1 18.5 19.4 23.4	7.2 3.7 12.1 11.7	9.5 14.8 12.1 5.9	38. 2 85. 2 58. 1 82. 0	11.9 3.7 7.3 11.7	7.2	52. 5 81. 5 79. 8 82. 0	57.3 77.8 121.0 117.1	23. 9 18. 5 21. 8 23. 4	178. 9 155. 6 186. 3 251. 8	4.8 2.4 5.9
62.7 64.7 29.2	11.4 11.9 3.1	12.5 11.6 26.2	66.1 68.4 27.7	155. 8 160. 4 78. 5	10.9 11.3 4.6	90. 9 91. 3 84. 6	13.7 13.8 12.3	33, 6 32, 5 52, 3	7.8 8.2 1.5	11.7 11.5 15.4	15. 2 15. 6 9. 2	75.5 78.1 30.8	5.1 5.1 4.6	7.3 7.2 7.7	39. 4 39. 4 38. 5	123. 5 122. 3 143. 1	24.3 23.6 36.9	220. 0 221. 7 190. 8	4.4' 4.3 6.2
112. 2 56. 6 87. 6	14.0 11.3 24.5	16. 8  14. 0	92.5 90.5 52.5	201.9 124.4 126.1	5. 6 3. 5	221, 5 124, 4 119, 1	39.3 33.9 21.0	44.9 45.3 56.0	11.2	11. 2 33. 9 24. 5	14.0 11.3 10.5	201.9 237.6 70.1	5.6 11.3	14.0 11.3 3.5	44.9 33.9 42.0	95.3 1,052.6 169.7 157.6	16.8 22.6 35.0	213.1 226.3 322.3	7.0
22: 4 102: 9 30: 0 82: 7 82: 1 47: 9	25. 7 3. 0 9. 2	6.0 41.3	64.3 54.0 82.1 47.9	112.1 115.7 93.0 82.7 437.8 138.2	25. 7 3. 0 27. 4 9. 2	102.9 96.0 41.3 82.1 95.8	25.7 9.0	33.0 13.7 47.9	9.0 13.7 5.5	12.9 6.0	25. 7 12. 0 41. 0 18. 4	38.6° 54.0 41.3 164.2 59.0	11.2 6.0 13.7 7.4	12.9 9.0	22. 4 25. 7 51. 0 13. 7 62. 6	180. 0 141. 0 165. 4 109. 4 121. 6	25. 7 27. 0 27. 4 22. 1	235. 3 334. 3 126. 0 165. 4 424. 1 119. 8	12.9
40. 4' 22. 4 20. 7 27. 4 3. 7	13.5 9.0 6.9 13.7 3.7	13.5 6.9 7.4	40. 4 62. 8 55. 3	107.8 107.7 48.3 13.7 59.2	13.5 3.7	80. 9 76. 3 27. 6 41. 1 74. 0	13.5 4.5 13.8 3.7	27. 0 13. 5 69. 1 13. 7 25. 9	13.5 6.9	13.5 4.5 13.8 13.7 11.1	13.5	80. 9 35. 9 20. 7 27. 4 11. 1	4.5 13.8 3.7	7.4	27. 0 49. 4 13. 8 13. 7 37. 0	121.3 130.1 227.9 27.4 214.7	27. 0 13. 5 34. 5 27. 4 40. 7	107.8 139.1 103.6 109.7 85.1	13.8 27.4
35.3 18.3 73.7 46.4	5.9 18.3 13.0 11.6	36.6 20.7 11.6	64. 7 71. 6 58. 1	76. 4 146. 3 41. 3 1851 92. 9	11.8 18.3 13.0	88.2 91.5 82.7 75.9 34.8	5.9 36.6 7.2	64.7 36.6 20.7 44.1 23.2	5. 9 3. 6	9.4 34.8	17.6 54.9 15.2 46.4	64.7 128.0 20.7 85.3 34.8	3.6 11.6	20.7 5.8	100.0 54.9 20.7 54.2 34.8	100.0 91.5 41.3 71.6 139.3	17.6 18.3 25.3	152.9 292.7 62.0 213.3 162.5	5.9 41.3
64.7 25.9 20.5 37.8 79.0	15. 2 8. 2 12. 6	7.6 12.3 6.3	41.9 25.9 61.6 50.4 47.4	152.3 103.5 156.0 107.1 94.8	7.6 24.6	68.5 110.9 37.8 47.4	7.6 8.2 12.6	20.5 12.6 31.6	7.6 12.3 15.8	11.4	15.2 8.2 15.8	60.9 51.8 94.4 37.8 47.4	12.3 6.3	3.8 20.5 6.3	34.3 24.6 25.2	68.5 181.2 168.4 157.5 31.6	3.8 51.8 24.6 25.2	87.6 103.5 340.8 94.5 63.2	25. 9 8. 2
76.8 163.3 95.8 74.5	32.4 29.7 6.8 11.0	8.1 34.6 6.8 8.3	68.7 153.4 123.2 71.7	49.3 133.4 410.7 184.8 140.7	8.1 9.9 20.5 16.6	56. 6 168. 2 89. 0 102. 1	16.2 24.7 34.2 16.6	24.3 24.7 20.5 60.7	8.1 4.9 13.7 16.6	12. 1 29. 7 20. 5 11. 0	20.2 59.4 20.5 22.1	56.6 148.4 123.2 41.4	4.0 6.8 2.8	8.1 19.8 27.4 11.0	12.1 19.8 41.1 46.9	443.8 93.0 143.5 157.4 96.6	36.4 39.6 6.8 33.1	230. 5 870. 9 253. 3 242. 8	49.3 5.5
24. 2 58. 6 85. 2	5.4 18.8 4.2 12.2	5.4 33.9 16.7 12.2	64.7 56.3 33.9 62.8 60.9	151.0 150.0 53.3 113.0 170.5	5.4 4.8 8.4 12.2	124.1 93.8 62.9 92.0 48.7	10.8 4.8 46.0 12.2	29. 0 37. 7 60. 9	4.8	16.2 14.5 8.4	9.7 33.5 48.7	64.7 18.8 67.8 113.0 73.1	4.8 12.2	10.8	37.8 18.8 38.7 50.2 48.7	269.7 412.6 135.6 167.3 36.5	16.2 18.8 9.7 25.1 36.5	302.1 131.3 154.9 271.9 207.0	21.6 56.3 4.2
36.6 51.2 118.7 55.8 56.4	5.6 21.3 5.1 3.5	11.3 14.0 15.2 14.1	53. 5 81. 1 52. 4 50. 7 42. 3	211.3 174.9 213.0 136.9 126.9	14.1 17.1 7.0 15.2 7.1	84.5 68.3 118.7 55.8 70.5	5.6 17.5 10.1 7.1	67.6 8.5 14.0 15.2 17.6	8.5 8.5 20.9 10.1 10.6	14.1 4.3 14.0 10.1 10.6	5.6 8.5 24.4 15.2 10.6	64.8 72.5 206.0 45.6 21.2	5.6 8.5 17.5 5.1 7.1	5.6 4.3 17.5	45. 1 29. 9 38. 4 20. 3 38. 8	154.9 119.5 160.6 111.6 102.3	22.5 8.5 41.9 20.3 21.2	276. 1 187. 7 247. 9 197. 8 144. 6	

 $<sup>^{2}</sup>$  Exclusive of municipalities having a population of 10,000 or over in 1910.

#### TABLE III.—DEATH RATES PER 100,000 POPULATION IN THE REGISTRATION AREA AND

						<del></del>		<del></del>					<del>,</del>		
						DEATH I	RATE PE	R 100,000	POPULAT	ION FR	ом				
	. AREA AND COLOR.	All causes.1	Typhoid fever.	Mala- ria.	Small- pox.	Measles.	Scarlet fever.	Whoop- ing cough.	Diph- theria and croup.	In- flu- enza.	Ery- sipelas.	Tuber- culosis of the lungs.	Tuber- culous men- ingitis.	Other forms of tu- bercu- losis.	Rheu- ma- tism.
			1	8	4	5	6	7	8	9	(12)	13	14	15	(87)
	RURAL PART OF REGISTRATION STATES 2—Continued.														
	CALIFORNIA—continued.												i		
1 2 3 4 5	Santa Barbara County. Santa Clara County. Santa Cruz County. Shasta County. Sierra County		7. 4 6. 7 26. 2 24. 3	1.9 57.5			3.7 5.2	18.1 3.7	1.9 6.7	12.1 7.4 6.7 26.2 48.7	3.7	84.7 230.5 114.2 99.4	6.0 5.6 13.4	22.3 26.9 10.5 24.3	6.0 5.6 15.7
6 7 8 9	Siskiyou County		12.3 18.1 24.9	15. 8 6. 2 12. 4			5.3 6.2 2.0 4.1	10.5 18.5 6.0 4.1	10. 5 6. 2 2. 0 8. 3	10.5 6.2 12.1 4.1	6. 2 8. 3	73. 6 86. 3 171. 3 112. 0	5.3 8.1 12.4	6. 2 18. 1 8. 3	5.3 6.2 6.0
10 11 12 13	Sutter County. Tehama County. Trinity County. Tulare County.		31.3 52.4 32.0	17.5			8.7 5.3	15.7 31.5 8.0	13.3	15.7 34.9 31.5 13.3	15.7 8.7	78. 4 139. 7 94. 6 109. 3	8. 7 2. 7	13.3	17.5 31.5 10.7
14 15 16 17	Tuolumne County Ventura County Yolo County Yuba County	1,423.6 1,407.1 1,461.0 1,742.4	81. 4 15. 9 29. 4	14.3				47.8 7.2 9.8	10.2 5.3	61.0 10.6 50.1	7. 2 9. 8	132. 2 207. 1 121. 8 156. 6	10.6 29.4	21. 2 14. 3 39. 2	10.2 7.2
18	COLORADO.	1 166 0	37.0			10.0	11 7			***					
19 20	Total. White. Colored.	1, 159. 4 1, 767. 3	36.1 109.5			13.2 13.4	11.7 11.8	5. 9 6. 0	9.4 9.5	13.8 14.0	2.7 2.7	157.0 155.4 281.5	3.4 3.5	6.1 5.8 31.3	7.5 7.6
21 22 23 24 25	Adams County Arapahoe County Archuleta County Baca County Bent County	684. 4 1, 190. 7 870. 1 915. 1	10.5 27.3 29.0 73.2 37.8			56.7	10.5 37.8	9.1	21.1	9.1 29.0	9.1	200. 0 445. 4			9.1
26 27 28 29	Boulder County Chaffee County Cheyenne County Clear Creek County Conejos County	1,082.6	25. 5 78. 0 24. 5			15.9 13.0	3.2 13.0	6.4	37.8 3.2 24.5	12.7 26.0 49.1 21.1	21.1	548. 4 184. 7 78. 0	12.7 21.1	9.6	6.4
30 31 32 33 34	Costilla County.	214.1 1,258.9	17.8						17.8	54.7 20.4	17.3	69.0 17.8 74.9	20, 4		20.4
35 36 37 38 39	· · · · · · · · · · · · · · · · · · ·	1,106.3	100.6 13.4 35.7 32.4			5.4	13.4		6. 7	31. 2 33. 5 6. 7 17. 8 5. 4	6.7			31. 2 33. 5 13. 4 5. 4	13.4 17.8 10.8
40 41	Garfield County		84.3	•••••		9.4	• • • • • • • •	• • • • • • • • • • • • • • • • • • • •			•••••	56.2	9.4	9.4	9.4
42 43 44 45	Grand County Gunnison County Hinsdale County Huerfano County	200.1 871.6 1,134.2 1,458.1				16. 8 14. 4						50.3 189.0		7.2	
46 47 48 49 50	Jackson County Jefferson County Kiowa County Kit Carson County La Plata County	555.0 1,894.4 599.7 524.1 1,223.7							12.2	13.5 24.4	6.7	63.1 24.4		20.2 31.6	6.7
51 52 53 54 55	Lake County Larimer County Las Animas County Lincoln County Logan County	2, 260. 3 883. 8 1, 502. 8 505. 6 959. 9	10.3 29.7 61.8 15.3			82. 6 3. 7 12. 4	10.3 18.6 20.6	14. 9 15. 3	10.3 3.7 41.2	51.6 18.6 4.1 15.3	10.3	91.9	7.4	10.3 3.7 12.4	7. 4 16. 5
56 57 58 59	Mesa County Mineral County Montezuma County Montrose County	904. 2 1, 123. 6 474. 5 818. 6	42.1			38. 8 4. 2 45. 5		19. 4	9.7	19. 4 12. 6 86. 4 38. 0	4. 2	100.9		4. 2 9. 1	9. 7
60 61 62 63 64	Morgan County Otero County 3. Ouray County Park County	860. 1 1,712. 0 1,128. 9 1,234. 1 533. 6	29. 0 131. 7			56. 4 59. 4	28. 2	9. 4 41. 1 29. 6	9.7 14.1	9.7 18.8 41.1		193. 3 277. 5 59. 4	9.4	9.7 4.7	9.7
65 66 67 68 69	Rio Blanco County	1, 148. 3 1, 359. 7 4, 382. 3 954. 4	176. 1 86. 7			19. 6 61. 9	99.0	49.5	23. 4 58. 7 12. 4	19.6 61.9 41.5	12. 4	136. 9 594. 2 41. 5	19. 6 12. 4		9. 8 12. 4
70	Rio Grande County	808.8	14. 6 24. 9		!	14.6 of munici	14. 6	29. 1 12. 4		14.6	14.6	74.7	:::::	14.6	29. 1 24. 9

<sup>1</sup> Exclusive of stillbirths.

 $<sup>^2\,\</sup>mathrm{Exclusive}$  of municipalities having a population of 10,000 or over in 1910.

							DEATH	RATE PI	ER 100,00	0 POPUL	ATION F	вом-							
Can- cer.	Dia- betes.	Menin- gitis.	Cerebral hemor- rhage and softening.	diseases of the	Bron- chitis.	Pneu- monia (all forms).	Other respiratory diseases.	Diar- rhea and ente- ritis (under 2 years).	Appen- dicitis.	Hernia, intes- tinal obstruc- tion.	Cir- rhosis of the liver.	Ne- phritis, Bright's disease.	Puer- peral fever.	Other puer- peral affec- tions.	Con- genital debility and mal- forma- tions.	Violent deaths (ex- cluding sui- cide).	Sui- cide.	All other causes.	Ill- defined and un- known.
16	(37)	17	18	19	20, 21	22, (23)	(23)	25	26	. 27	28	29	31	32	33	35	36	(37)	38
24. 2 115. 3	18.1	6.0	24.2 111.6	72. 6 238. 0	18.6	54.4 117.1	12.1 16.7	36.3 31.6	9.3 6.7	26.0	18.1	30. 2 115. 3	18.1 3.7 6.7	12.1 7.4 13.4	36.3 42.8 40.3	60.5 113.4 107.5	18.1 31.6 13.4	127. 0 321. 7 268. 7	6. 7
87.3 57.5 48.7	6.7	26. 9 48. 7	47.0 36.6 48.7	134.3 141.3 97.4	20. 1 10. 5 24. 3	114. 2 57. 5 121. 7	20.9	20.1 36.6	15.7	6.7 15.7	13.4 10.5	87.3 41.9 48.7		15. 7	26. 2	198.8 170.4	26.2	204. 0 292. 2	5. 2 24. 3
47.3 43.1 60.5 58.1	5.3 12.3 12.1 12.4	10.5 12.3 22.2 29.0	36.8 104.8 121.0 62.2	52.6 141.8 205.6 116.1	5.3 12.3 22.2 4.1	73.6 104.8 94.7 74.7	5.3 24.2 33.2	26.3 49.3 24.2 29.0	5.3 6.2 14.1 16.6	18.5 6.0 - 4.1	26.3 6.2 30.2 16.6	42.0 61.6 68.5 49.8	10.5 8.1 4.1	5.3 6.0 4.1	31.5 18.5 44.3 29.0	115.6 92.4 88.7 83.0	47.3 49.3 32.3 12.4	173.5 203.4 264.1 161.8	15.8 6.2 2.0 4.1
62.7 69.9 94.6 50.6	15.7 2.7	17.5	47.0 17.5 94.6 56.0	156.7 288.2 220.8 117.2	47.0 8.7 31.5 8.0	78.4 69.9 31.5 63.9	15.7 17.5 13.3	15.7 8.7 31.5 29.3	13.3	17.5 31.5 2.7	15.7 43.7	15.7 43.7 94.6 48.0		8.7	15.7 17.5 31.5 45.3	141.0 104.8 315.5 87.9	15.7 17.5 157.7 5.3	235.1 218.3 315.5 141.2	15.7 8.7 2.7
61.0 58.4 93.1 68.5	10.2 5.3 35.8 19.6	20.3 5.3 7.2 9.8	40.7 111.5 71.6 88.1	111. 9 180. 5 200. 5 293. 7	10. 2 31. 9	284.7 95.6 50.1 156.6	50.8 5.3 14.3 9.8	10.2 74.3 35.8 29.4	10.2 10.6 7.2	20.3 26.5 21.5 19.6	10.2	61.0 90.3 93.1 48.9	10.6 7.2	10.2 10.6 7.2	10.2 31.9 28.6 29.4	50.8 116.8 200.5 234.9	50.8 10.6 21.5 29.4	274.6 201.8 329.4 332.8	10.2 5.3 14.3 19.6
45.6 45.6 46.9	10.5 10.7	11.3 11.4	37.9 37.6 62.6	77.6 77.6 78.2	10.5 10.3 31.3	130.1 128.8 234.6	16.5 16.1 46.9	56.9 57.4 15.6	13.2 13.2 15.6	9.6 9.5 15.6	7.7 7.8	61.1 60.5 109.5	9.0 8.9 15.6	9.0 9.1	79. 7 79. 9 62. 6	116.0 113.5 312.8	17.6 17.7 15.6	173.8 172.5 281.5	5.2 5.2
42.1 54.5 58.0	10.5 9.1	10.5 9.1  18.9	52.6 27.3 36.6 56.7	42.1 36.4 29.0 36.6 94.6	21.1	52. 6 127. 2 145. 0 219. 6 226. 9	9.1 29.0	9.1 58.0 37.8	29.0	29.0	36.6	42.1 54.5 29.0 94.6	10.5 9.1	18.9	10.5 45.4 58.0 146.4 94.6	52.6 72.7 174.0 146.4 56.7	31.6 36.4  18.9	63.2 181.8 145.0 146.4 94.6	
54.1 117.1 63.2 17.3	15. 9 26. 0	6.4 26.0	66. 9 13. 0 24. 5 42. 1 8. 6	89.2 78.0 147.4 34.5	9.6	60.5 208.1 . 73.6 273.8 112.2	6.4 13.0 126.4 8.6	44.6 52.0 73.6 21.1 25.9	15. 9 39. 0 24. 5	6.4 13.0 8.6	9.6 13.0	73. 2 117. 1 98. 1 126. 4 25. 9	6.4	3.2 13.0 21.1	66.9 104.1 24.5 126.4 43.1	82. 8 156. 1 126. 4 43. 1	12.7 65.0 42.1 34.5	168.8 182.1 98.1 147.4 69.0	3.2
17.8 54.7 47.6	164. 2 6. 8	54.7 13.6 171.5	109. 5 47. 6	17.8 109.5 88.5	54. 7 125. 0	53. 5 273. 7 54. 4 93. 7	31.2	47.6	17.8 6.8	17.8 31.2	54.7	6.8 171.5 93.7	6.8		54.7 27.2 171.5	17.8 40.8 343.1 218.7	13.6	17.8 218.9 122.5 171.5 125.0	6.8
60.3 35.7 70.3 56.2	16.2 18.7	13.4 10.8	17.8 37.9	134.1 107.2 35.7 81.1 112.5	13.4 5.4 18.7	100.6 120.6 53.5 173.0 75.0	20.1 10.8 18.7	33.5 53.6 35.7 70.3 37.5	6.7	10.8	6.7 21.6 18.7	100.6 87.1 17.8 81.1 103.1	10.8	53. 5 16. 2 18. 7	33.5 87.1 35.7 102.7 103.1	234.7 181.0 160.6 140.6 131.2	100.6 20.1 35.7 16.2 9.4	134.1 160.9 89.2 210.9 159.3	16.2
26. 2 35. 9	26.2 16.8	33.5	33.5	183.3 50.0 50.3	26.2	104.7 100.6 189.0 215.5	104.7 16.8 7.2	26. 2 16. 8	26.2	16.8		209.5 100.6 189.0 79.0	16.8	26. 2	52.4 50.3 186.8	183.3 50.0 117.3 189.0 222.7	26.2 189.0	130. 9 100. 1 201. 1 189. 0 172. 4	
60.7 31.6 12.2 88.7	20.2	17.7	74. 2 31. 6 36. 6 17. 7	92.5 87.6 31.6 36.6 124.1	13.5	92.5 101.1 63.1 24.4 168.5	40.5 12.2 35.5	27.0 60.9 26.6	6.7	92.5 6.7 12.2 26.6	13.5	92.5 94.4 12.2 88.7	24.4	6.7	92.5 101.1 94.7 73.1 79.8	74. 2 63. 1 115. 3	92.5 20.2 12.2 17.7	148.3 157.8 109.7 195.1	31.6 12.2
61.9 40.8 45.3 30.6 87.3	20.6 11.1 8.2	20.6 3.7 32.9 15.3	82.6 33.4 20.6	154.8 55.7 32.9 15.3 48.5	103.2 7.4 8.2	381.9 85.4 172.9 46.0 145.4	103.2 8.2 15.3 9.7	51.6 44.6 148.2 15.3 67.9	10.3 18.6 8.2	31.0 22.3 16.5	10.3 11.1 8.2	165.1 37.1 53.5 15.3 29.1	20.6 7.4 12.4 15.3	31.0 7.4 16.5 15:3	165.1 55.7 102.9 46.0 67.9	247.7 59.4 329.4 91.9 58.2	31.0 3.7 12.4 9.7	330.3 159.7 201.7 46.0 164.8	11.1. 16.5
50.5 9.1 67.6	21.0 9.1	18.2	37.9 27.3 29.0	126. 2 56. 9 72. 8 38. 7	12.6 86.4 9.1	46.3 345.7 38.0 72.8 77.3	8.4 9.1 9.7	21.0 19.0 18.2 19.3	33.6 18.2	12.6 9.1 9.7	12.6	29. 4 86. 4 19. 0 54. 6 29. 0	4.2 27.3 19.3	18.2	100.9 86.4 56.9 100.1 87.0	54.7 259.3 113.9 45.5 58.0	8.4 19.0 9.1 9.7	122. 0 172. 9 113. 9 72. 8 135. 3	4.2
23. 5 59. 4 41. 1	14.1 46.9	18.8	51.7 41.1	65.8 148.5 164.5 88.9 140.6	9.4	141.1 178.3 164.5 59.3 210.9	9.4 118.8 41.1	136.4 41.1 29.6 46.9	28. 2 29. 7	4.7	9.4 29.7	75.3 164.5 93.7	4.7 29.7	32.9 29.6 23.4	117.6 59.4 82.3 59.3 70.3	117.6 89.1 82.3 59.3 70.3	28.2 89.1 41.1 46.9	254. 0 178. 3 82. 3 177. 9 140. 6	18.8 41.1
39.1 74.3 41.5 145.6	9.8 12.4	19.6 74.3	78.3	117.4 2352 83.0	29.3 12.4 83.0 29.1	117.4 371.4 290.5 218.5	37.1	88.0 173.3 41.5 87.4	29.3 37.1 41.5 58.3	37.1	19.6 12.4 14.6	9.8 111.4 102.0 49.8	9.8 12.4 14.6	39.1 12.4	88.0 185.7	68.5 507.6 41.5 43.7	9.8 61.9	146.7 1,287.4 207.5 364.1	29.1

<sup>3</sup> Including Crowley County, organized May 29, 1911.

Including Moffat County, organized Mar. 27, 1911.

Jan Barrier Comment

TABLE III.—DEATH RATES PER 100,000 POPULATION IN THE REGISTRATION AREA AND [All death rates are based upon the total deaths, including deaths of nonresidents and deaths in hospitals and institutions. Minor areas containing state insane asylums population of the subdivision formed at least 10 per cent of the total, or numbered 10,000 or over in 1910. The term "cities" indicates municipalities

						DEATH 1	RATE PE	R 100,000	POPULAT	ON FR	ом—				
	AREA AND COLOR.	All causes.1	Typhoid fever.	Mala- ria.	Small- pox.	Measles. 5	Scarlet fever.	Whooping cough.	Diph- theria and croup.	In- flu- enza.	Ery-sipelas.	Tuber- culosis of the lungs.	Tuber- culous men- ingitis.	Other forms of tuberculosis.	Rheu- ma- tism.
	RURAL PART OF REGISTRATION STATES 2—Continued.														
	COLORADO-continued.			ĺ											
1 2 3 4 5	Saguache County San Juan County San Miguel County Sedgwick County Summit County	1,334.3 1,713.7 1,494.2 573.0 836.4	31.7 21.7					63. 5		47 7 104. 5	31. 7 21. 7	108.3			30.2
6 7 8 9	Teller County Washington County Weld County Yuma County	1,743.8 508.6 863.7 666.7	15. 9 30. 8 33. 4				55. 7 9. 5	31.8	9, 5	8. 0 15. 4 9. 5 10. 9		63.7 61.6 107.4 21.9	2.4	8.0 15.4 4.8 21.9	8.0 14.3
10	CONNECTICUT. Total	1,507.0	6.3	1.6		5.2	8.5	11.7	19.9	31. 4	4.6	125.9	9.8	11.2	10.4
11 12	Total. White. Colored.		6.3	1.7		5. 2	8.6	11.3 46.5	20.1	31. 4 23. 2	4.7	123. 6 325. 2	9.9	11.3	10. 2 23. 2
13 14 15 16	Fairfield County Hartford County Litchfield County Middlesex County	1, 415. 6 1, 542. 2 1, 362. 0	3.9 1.2 11.2 4.0	1.9		2. 0 8. 6 11. 2	3. 9 11. 0 5. 6 8. 0	5. 9 7. 3 24. 2	9. 8 26. 9 11. 2 28. 0	21. 5 22. 0 31. 7 40. 1	3.9 3.7 1.9 8.0	226. 7 132. 0 102. 4 88. 1	11.7 12.2 11.2 12.0	11.7 12.2 18.6 12.0	13.7 8.6 13.0 4.0
17 18 19 20	New Haven County New London County Tolland County Windham County	1, 486. 2 1, 681. 8 1, 397. 3 1, 509. 6	12.3 9.1 8.4	3.7		2.0 4.6 3.7 2.8	4. 1 22. 8 3. 7 5. 6	12.3 18.2 3.7 16.8	16. 4 15. 9 56. 2 8. 4	47. 0 22. 8 52. 4 33. 7	2.0 11.4 3.7 5.6	89. 9 136. 5 67. 4 109. 4	12.3 4.6 3.7 5.6	8. 2 9. 1 11. 2 2. 8	12.3 6.8 11.2 11.2
21 22 23	INDIANA. Total White Colored	1, 243. 2 1, 234. 3 2, 100. 6	26. 5 26. 5 25. 9	4. 3 4. 3 5. 2	0.1 0.1	11.0 11.1	5.7 5.8	9. 8 9. 8 10. 3	12.1 12.3	21. 2 21. 1 25. 9	4. 3 4. 2 10. 3	127. 5 124. 3 434. 6	7.3 7.0 36.2	14. 4 14. 2 25. 9	6. 9 6. 9 5. 2
24 25 26 27 28	Adams County Allen County Bartholomew County Benton County Blackford County	1, 352, 8	22. 9 17. 0 36. 2 7. 9 12. 8			4.6	3. 4 4. 0	6. 8 4. 0 7. 9	4. 6 6. 8 32. 2	22. 9 6. 8 8. 1 44. 7	3. 4 8. 1 15. 8 19. 2	87. 2 119. 3 185. 2 47. 5 102. 2	4. 6 6. 8 16. 1	10. 2 20. 1 7. 9 6. 4	9. 2 13. 6 20. 1
29 30 31 32 33	Boone County. Brown County Carroll County Cass County Clark County.	979 1	16. 3 38. 6 28. 2 23. 3 15. 2	5. 6 5. 1		4.1 12.9 5.8	11. 3 52. 4 5. 1	16.3 38.6 5.8	38. 6 11. 6 5. 1	36.8 38.6 5.6 17.5 40.6	4. 1 5. 6 5. 8 5. 1	147. 1 154. 6 95. 9 174. 5 162. 4	5.6	20. 4 12. 9 28. 2 29. 1 10. 2	20. 4 5. 6 11. 6
34 35 36 37 38	Clay County. Clinton County. Crawford County Daviess County Dearborn County	1,308.7 1,121.3 1,312.6 1,197.1 1,267.6	12. 4 11. 3 42. 1 40. 0 9. 4	25. 2			3. 8 25. 2 18. 2	9.3 3.8 42.1 14.6	27. 8 15. 1 8. 4 10. 9 9. 4	18.6 34.0 33.7 21.8 14.1	12. 4 3. 8 7. 3	142. 3 113. 3 227. 2 156. 5- 117. 4		15. 5 15. 1 8. 4 7. 3 4. 7	6. 2 3. 8 8. 4
39 40 41 42 43	Decatur County Dekalb County Delaware County Dubois County Elkhart County	1,081.1	42. 8 8. 0 36. 5 30. 3 20. 2	10.7 3.7 5.1		12. 0 11. 0 10. 1 37. 0	8. 0 11. 0 20. 2	5.3 3.7 25.3 10.1	21. 4 12. 0 3. 7 30. 3 10. 1	26. 7 20. 0 18. 3 15. 2 10. 1		144. 3 92. 1 120. 6 136. 5 77. 4	7.3 5.1 3.4	26. 7 16. 0 11. 0 20. 2 10. 1	5.3 4.0 7.3 5.1 10.1
41 45 46 47 48	Fayette County Floyd County Fountain County Franklin County Franklin County Fulton County	1,301.2 1,230.6 1,295.5	20. 7 20. 7 14. 8 32. 9	6.9 9.8 6.6 11.9	4.9	68. 8 14. 8 39. 5	6. 9 20. 7 9. 8 13. 2 5. 9	72.3	10.3	20.7 19.7 39.5 17.8	6. 9	144. 6 134. 3 113. 2 151. 2 113. 0	10.3 4.9 6.6 17.8	13.8 10.3 19.7 13.2 11.9	13.8 4.9 6.6 5.9
49 50 51 52 53	Gibson County Grant County Greene County Hamilton County Hancock County	1, 644. 0 1, 153. 3 1, 270. 9	29. 9 28. 5 34. 3 22. 5 31. 6	16. 6 7. 9 3. 7		13.3 9.5 7.9	3.3 9.5 2.6 3.7	13.3 9.5 5.3 18.7 21.0	19. 9 6. 3 18. 5 3. 7 5. 3	36. 5 15. 8 18. 5 26. 2 26. 3	6.3 2.6 3.7 10.5	185. 8 136. 2 121. 4 153. 7 121. 0	6.6 12.7 5.3 7.5 10.5	16.6 6.3 10.6 7.5 31.6	6.6 3.2 5.3
54 55 56 57 58	Harrison County Hendricks County Henry County Howard County Howard County Huntington County	1 190 a	29. 9 19. 2 23. 1 6. 2 21. 4				5.0 9.9 6.2 10.7	34.9 14.4 13.2	19.9 13.2 6.2	10.0 24.1 16.5 6.2 10.7	5.0 4.8 3.3 16.1	114.7 129.9 128.6 118.5 112.5	4.8 6.6 16.1	10.0 19.2 9.9 12.5	5.0 28.9 6.2
59 60 61 62 63	Jackson County Jasper County Jay County Jefferson County Jennings County	1,047.2	32.7 31.0 36.4 34.7 71.4				4.1	7.8 12.1 19.8 7.1	12. 2 4. 0 5. 0	4.1 28.3 14.9 14.3	5. 0	130.6 85.3 109.2 257.6 149.9	8.2 15.5 8.1 5.0	16.3 7.8 32.3 9.9	8.1 19.8 7.1
64 65 66 67 68	Johnson County. Knox County. Kosciusko County Lagrange County Lake County.	1,140.0 1,313.2 1,282.0	19.6 48.9 3.6 6.6 20.9			24. 4 18. 0 19. 8	4.1 3.6 6.6 3.5	19.6 12.2 7.2 7.0	19.6 24.4 10.8 7.0	14.7 28.5 21.6 26.4 14.0	6.6	147.0 89.6 125.9 112.3 115.2	19.6 4.1 3.6	19.6 8.1 7.2 26.4	14.7 8.1 7.2 26.4 3.5

<sup>1</sup> Exclusive of stillbirths.

DEATH RATES FROM PRINCIPAL CAUSES.

ITS SUBDIVISIONS, BY COLOR OF DECEDENT AND CAUSE OF DEATH: 1911—Continued.

							DEATH	RATE PE	R 100,000	POPULA	TION FI	ком—	,						
Can- cer.	Dia- betes.	Menin- gitis.	Cerebral hemor- rhage and softening.	Organic diseases of the heart	Bron- chitis.	Pneu- monia (all forms).	Other respira- tory dis- eases.	Diarrhea and enteritis (under 2 years).	Appen- dicitis.	Hernia, intes- tinal obstruc- tion.	Cir- rhosis of the liver.	Ne- phritis, Bright's disease.	Puer- peral fever.	Other puer- peral affec- tions.	Con- genital debility and mal- forma- tions.	Violent deaths (ex- cluding sui- cide).	Sui- cide.	All other causes.	Ill- defined and un- known
16	(37)	17	18	19	20, 21	22, (23)	(23)	25	26	27	28 	29	81 <sup>*</sup>	32	33	35	36	(37)	38
47.7		23.8		119.1		524. 2			50.0										
31.7 21.7 60.3	21.7	20.0	21.7 60.3 104.5	126. 9 129. 9 30. 2		190.4 411.4 30.2 104.5	31.7 43.3	71.5 126.9 21.7	23.8	23.8 21.7 52.3	63.5 43.3	23.8 95.2 43.3 209.1	31.7 21.7	23.8	95.3 43.3 60.3 52.3	95.3 380.8 346.5 90.5 156.8	95.2 43.3 30.2	143. 0 253. 9 86. 6 150. 8 52. 3	23.8
17.8	8.0 7.2	8.0 9.5	63.7 35.8	103.5 62.0	7.2	326. 4 46. 2 81. 1	63.7 30.8 9.5	·119.4 46.2 66.8	47.8	8.0 7.2	8.0	87.6 46.2	23.9	8.0	135.4 30.8 71.6	222. 9 30. 8	23.9 15.4 7.2	215.0 123.3 121.7	8.0 15.4
42.9 32.8	21.9	10.9	21.9	43.7	10.9	65.6	5.0	32.8	4.8	21.9	4.8	50.1 76.5	11.9	7.2	65.6	54. 9 54. 6	1.4	142.1	10.9
32.9 33.6 23.2	17.4 17.1 46.5	17.2 17.1 23.2	134.7 135.7 46.5	183. 2 183. 2 185. 8	25.1 25.1 23.2	130.6 130.2 162.6	13.4 13.2 23.2	57.5 58.2	4.6 4.4 23.2	9.3 9.1 23.2	13.4 13.2 23.2	114.2 113:1 209.1	2. 5 2. 2 23. 2	4.1 4.1	81.0 80.0 162.6	88. 9 88. 8 92. 9	16.6 16.3 46.5	255. 7 255. 2 302. 0	8. 8 8. 8 23. 5
93.8 30.7 33.8 94.1	19.5 13.4 18.6 8.0	19.5 15.9 14.9 8.0	140.7 112.5 136.0 128.2	207.1 171.1 167.6 144.2	19.5 28.1 18.6 24.0	113.3 129.6 134.1 120.2	7.8 7.3 13.0 24.0	48.9 81.9 46.6 40.1	5.9 6.1 5.6	9.8 8.6 7.5 8.0	25.4 8.6 11.2 16.0	121. 2 84. 3 160. 2 112. 2	2.0 2.4 3.7 4.0	2.0 2.4 3.7 8.0	84. 0 92. 9 70. 8 60. 1	80. 1 88. 0 72. 6 88. 1	21.5 11.0 16.8 20.0	271.6 215.1 294.3 232.3	2. 0 8. 0 18. 0 8. 0
71.5 79.7 78.7 78.6	24. 5 15. 9 11. 2 25. 3	10.2 6.8 18.7 47.7	177.8 143.4 108.6 129.1	116.5 284.5 198.5 182.4	24.5 27.3 45.0 19.6	149. 2 145. 6 119. 9 123. 5	14.3 15.9 18.7 19.6	65.4 41.0 48.7 58.9.	8. 2 2. 3	10.2 18.2 3.7 5.6	12.3 4.6 30.0 8.4	118.6 134.3 78.7 101.0	2.0 5.6	4.1 4.6 3.7 8.4	87. 9 72. 8 78. 7 81. 4	116.5 88.8 74.9 101.0	14.3 9.1 45.0 11.2	226. 9 323. 2 202. 3 280. 6	8, 2, 2, 11, 1 8, 4
7.8 7.9 6.9	13.5 13.6 5.2	8.5 8.6	. 82.8 82.5 113.8	142.7 141.1 294.9	15.5 15.5 15.5	95.3 94.6 160.4	8.1 8.1 5.2	53.0 52.7 77.6	7.5 7.4 15.5	10.3 10.4	11.3 11.2 20.7	80. 4 79. 4 175. 9	10.1 10.0 15.5	6.6 6.6 5.2	62.3 62.0 93.1	74.8 74.3 124.2	13.3 13.4 5.2	226. 7 225. 6 336. 3	1. i 1. i
0.5 1.3 8.4 3.3	13.8 10.2 20.1 23.7 .6.4	4.6 10.2 8.1 7.9 6.4	91.8 75.0 76.5 55.4 76.7	91.8 88.6 161.0 .87.1 172.5	6.8 16.1 7.9	59.6 129.5 100.6 87.1 108.6	6.8 20.1	36.7 47.7 40.3 15.8 57.5	4.6 10.2 7.9	3.4 12.1 23.7 19.2	9.2 10.2 8.1 7.9	41.3 88.6 48.3 47.5 89.5	9. 2 13. 6 15. 8 25. 6	18.4 20.1 7.9 12.8	68. 8 51. 1 52. 3 39. 6 70. 3	64. 2 75. 0 56. 4 63. 3 76. 7	4.6 10.2 20.1 15.8 12.8	114.7 119.3 289.9 221.6 236.4	
3.1 6.4 4.7 1.4	16.3 16.9 5.8 10.2	8.2 11.3 23.3 5.1	57.2 12.9 118.4 122.2 55.8	159.4 141.7 90.2 174.5 116.8	20.4	65.4 38.6 79.0 87.3 96.4	5.6· 10.2	20.4 51.5 11.3 40.7 55.8	4.1 5.6 11.6 25.4	4.1 5.6 17.5 5.1	16.3 38.6 11.3 17.5	77. 6 38. 6 79. 0 87. 3 132. 0	8.2 11.3 5.1	4.1 12.9 16.9	69. 5 25. 8 79. 0 64. 0 106. 6	53.1 12.9 39.5 75.6 126.9	16.3 5.6 11.6 15.2	228.8 257.7 203.1 331.6 172.6	12.9 5.8 5.1
2.6 0.6 2.6 2.7 3.3	6.2 11.3 18.2 23.5	9.3 11.3 16.8 18.2	40. 2 120. 8 33. 7 80. 0 122. 1	136.1 120.8 151.5 145.5 178.4	6.2 18.9 8.4 21.8 14.1	83.5 94.4 101.0 94.6 122.1	18.6 3.8 8.4 25.5 14.1	105.2 30.2 58.9 58.2 18.8	9.3 3.8 7.3 14.1	6.2 7.6 16.8 18.2 14.1	12.4 3.8 8.4	102.1 60.4 58.9 76.4 56.3	27.8 18.9 8.4	9.3 11.3 3.6 18.8	58.8 56.6 33.7 69.1 37.6	89.7 64.2 58.9 69.1 65.7	15.5 15.1 8.4 7.3 28.2	244.4 466.1 185.1 163.7 234.7	
4.8 8.1 9.2 0.2 7.4	37.4 4.0 11.0 10.1 26.9	16.0 7.3	106.9 72.1 106.0 60.7 134.6	208. 5 120. 1 102. 3 136. 5 171. 7	37.4 24.0 11.0 15.2 10.1	.96.2 52.1 80.4 131.4 47.1	26.7 16.0 11.0 15.2 10.1	5.3 32.0 43.9 65.7 33.7	5.3 4.0 3.7	5.3 12.0 3.7 20.2 3.4	21.4 8.0 11.0 5.1 6.7	69. 5 68. 1 65. 8 70. 8 84. 2	5.3 8.0 11.0 20.2 16.8	5.3 8.0 7.3 10.1 6.7	48.1 28.0 69.4 60.7 50.5	48.1 68.1 51.2 60.7 87.5	10.7 12.0 18.3	294.0 260.3 212.0 192.1	
0.1 2.6 9.1 9.2 1.4	6.9 10.3 34.5 13.2 11.9	27.5 14.8 6.6 11.9	48. 2 20. 7 88. 6 98. 6 71. 4	220.3 289.2 162.4 118.4 148.7	13.8 14.8 13.2 5.9	48.2 72.3 73.8 111.8 77.3	20.7 4.9 13.2 5.9	48. 2 51. 6 64. 0 39. 5 53. 5	6.9 14.8 6.6 23.8	6.9 20.7 24.6 13.2 17.8	13.8 10.3 14.8 6.6 11.9	130.8 31.0 73.8 65.8 65.4	4.9	10.3	41.3 72.3 49.2 59.2 59.5	62. 0 31. 0 78. 8 85. 5 59. 5	13.8 41.3 19.7 6.6 23.8		6. 6
6.4 1.9 2.2 5.2 7.9	15.8 7.9 11.2 15.8	3.3 3.2 10.6 7.5	102.9 139.4 42.2 112.5 63.1	82. 9 291. 4 68. 6 131. 2 105. 2	19.9 19.0 13.2 30.0 31.6	102.9 79.2 139.9 101.2 99.9	9.5 5.3 3.7 10.5	82. 9 50. 7 108. 2 37. 5 52. 6	16.6 3.2 11.2	16.6 15.8 10.6 3.7 15.8	6.6 19.0 13.2 7.5 26.3	79.6 148.9 39.6 78.7 110.5	16.6 3.2 31.7 7.5 10.5	6.6 3.2 7.9 15.0 15.8	73. 0 57. 0 84. 5 67. 5 94. 7	76.3 66.5 79.2 56.2 84.2	10.0 9.5 31.7 11.2 5.3	212.3 373.8 182.1 239.9	
4.9 2.9 9.2 3.6 8.2	10.0 24.1 '9.9 24.9 16.1	15.0 14.4 9.9 12.5 5.4	44.9 72.2 95.6 93.5 101.8	169.6 110.7 145.1 199.5 171.5	5.0 28.9 23.1 12.5 5.4	89. 8 96. 2 95. 6 49. 9 69. 7	5.0 9.6 6.6 6.2 5.4	39. 9 19. 2 52. 8 31. 2 16. 1	10.0 14.4 13.2 18.7 16.1	9.9	19.9 4.8 13.2 12.5 10.7	59.8 91.4 72.5 81.1 75.0	5.0 6.6 12.5	9.6 3.3 5.4	54.9 33.7 72.5 68.6 48.2	29.9 77.0 105.5 49.9 58.9	10.0 9.6 13.2 5.4	290.2 187.1	
3.1 4.1 7.0 3.8 9.9	12.2 7.8 20.2 29.7 21.4	12.1 5.0	40.8 62.1 101.1 74.3 71.4	151. 1 108. 6 153. 6 257. 6 92. 8	7.8 7.8 8.1 14.9 7.1	110. 2 85. 3 72. 8 168. 4 157. 0	8.2 4.0 9.9 7.1	53. 1 38. 8 44. 5 39. 6 50. 0	4.1 15.5 8.1 5.0	8.2 24.3 5.0 7.1	20.4 7.8 8.1 9.9 21.4	89.8. 93.1 76.8 94.1 149.9	4.1 12.1 5.0 7.1	12.2 .8.1 7.1	85.7 85.3 60.6 34.7 78.5	81.7 38.8 64.7 59.4 78.5	16.3 12.1 24.8 7.1	253.1 193.9 222.4 371.5	8.2 7.8 - 9.9
3.5 2.6 6.3 2.7	9.8 12.2 14.4 19.8	9.8 12.2 3.6 13.2	53.9 81.4 118.7 66.1	88. 2 101. 8 205. 1 185. 0	19.6 16.3 14.4 19.8	122.5 122.1 100.7 85.9	9.8 12.2 10.8 6.6	49.0 77.4 28.8 39.6	9.8 8.1 19.8	4.9 24.4 7.2 13.2	19.6 8.1 14.4	58.8 24.4 89.9 85.9	4.9 8.1 14.4 19.8	9.8 4.1 7.2 13.2	68. 6 77. 4 43. 2 92. 5	49.0 81.4 93.5 46.3	39.2 12.2 7.2	210.6 162.9	•••••

 $<sup>^{2}</sup>$  Exclusive of municipalities having a population of 10,000 or over in 1910.

### TABLE III.—DEATH RATES PER 100,000 POPULATION IN THE REGISTRATION AREA AND

=						DEATH	RATE PE	R 100,000	POPULA:	TION FR	ом				
	AREA AND COLOR.	All causes.1	Typhoid fever.	Mala- ria.	Small- pox.	Measles.	Scarlet fever.	Whoop- ing cough.	Diph- theria and croup.	In- flu- enza.	Ery- sipelas.	Tuber- culosis of the lungs.	Tuber- culous men- ingitis.	Other forms of tu- bercu- losis.	Rheu- ma- tism.
			1	3	4	5	6	7	8	9	(12)	13	14	15	(37)
	RURAL PART OF REGISTRATION STATES 2—Continued.														
1 2 3 4 5	INDIANA—continued.  Laporte County. Lawrence County. Madison County. Marion County. Marshall County.	1, 285.3 1, 425.3 1, 217.5 1, 148.0 1, 172.0	6.1 67.3 16.1 12.6 29.1			6.1 22.5 3.2 20.8	18. 4 6. 4 8: 3	6. 1 28. 8 6. 4 22. 1 16. 6	24.6 19.2 25.8 6.3 12.5	6.1 41.6 9.7 3.2 45.7	6.1 12.8 3.2 6.3 4.2	73.8 153.7 157.8 85.2 91.4	22.4 9.7	6.1 22.4 16.1 25.2 8.3	18.4 3.2 12.9 3.2 8.3
6 7 8 9 10	Martin County. Miami County. Monroe County. Mongomery County. Mongan County.		55. 0 65. 1 12. 6 20. 5 28. 2	4.2		5. 4 4. 2 4. 7	10.9 3.4	15.7 3.4	15.7 4.2 6.8 18.8	62.8 38.0 21.1 23.9 23.5	16.9	133. 5 103. 1 168. 5 85. 4 122. 2	7.9 10.9 4.2 13.7 37.6	15.7 5.4 4.2 6.8 18.8	10.9 8.4 6.8 9.4
11 12 13 14 15	Newton County Noble County Obio County Orange County Owen County	856. 4 1,105. 2 1,238. 0 1,282. 4 1,199. 8	12.5 23.4 23.2 21.6	17.4		4. 2 81. 2 14. 4	9, 5 8, 3 5, 8	9. 5 17. 4	9.5 4.2 29.0 14.4	9.5 29.1 23.4 17.4 28.7	4.2	104.7 62.3 140.2 133.5 129.3	9.5 4.2 23.4 7.2	9.5 16.6 23.4 58.0 14.4	9.5 4.2 5.8
16 17 18 19 20	Parke County Perry County Pike County Porter County Posey County		40.7 61.1 30.6 29.0 18.5	5.1		27.1 5.1 4.8 13.9	14.5	9.0 11.1 15.3 9.7 23.2	22.6 77.8 56.2 9.7 13.9	13.6 27.8 40.8	5.6 5.1 4.6	99. 5 133. 4 173. 6 67. 6 180. 6	25.5 4.6	27.1 16.7 25.5 4.8 9.3	9.0 11.1 5.1 19.3
21 22 23 24 25	Pulaski County Putnam County Randolph County Ripley County Rush County	1,119.2 1,225.3 1,122.0 1,469.1 1,205.0	37.8 29.4 10.3 72.2 26.0			7.6 4.9 5.2	7.6 20.6 5.2	9.8 3.4	19.6 3.4 20.6 15.6	7.6 19.6 6.9 41.2 10.4	7.6 3.4 5.2	75.6 132.3 120.5 185.6 88.3	19.6 10.3 5.2	15.1 19.6 24.1 10.3	7.6 19.6 10.3 15.5
26 27 28 29 30	St. Joseph County. Scott County. Shelby County. Spencer County. Starke County	1,392.3 1,441.6 1,311.5 1,304.7 1,181.3	12.9 26.1 39.1 28.4	12.0		19.3 36.0 58.6	6. 4 4. 9 9. 5	12.9 48.1 18.6 14.7	19.3 7.5 14.7 9.5	19.3 3.7 34.2 18.9	3.7 14.7 9.5	128.9 228.3 204.9 131.9 85.1	19.3 12.0 11.2	6.4 36.0 3.7 24.4 9.5	24.0 3.7 4.9 9.5
31 32 33 34 35	Steuben County. Sullivan County. Switzerland County. Tippecanoe County. Tipton County.	1,285.3 1,234.0 1,270.8 1,401.0 1,135.7	24.1 20.7 10.0			6. 0 10. 3 5. 0	9. 0 34. 8	24.1	27.1	42. 4 18. 1 35. 2 11. 6	7.1 12.0 10.3 5.0 11.6	56. 5 150. 5 134. 3 130. 6 127. 5	3.0 10.0 11.6	28. 2 6. 0 20. 7 5. 0 11. 6	9.0 5.0 5.8
36 37 38 39	Union County Vanderburg County Vermilion County Vigo County		16.1 41.4 10.4 62.9		13.8	96. 6 31. 5	13.8 10.4	15. 5 18. 9	10. 4 18. 9	48. 4 41. 4 46. 6 22. 0	16.1 41.4 3.1	80.6 427.9 114.0 125.9	16.1 5.2 9.4	16.1 27.6 31.1 9.4	13.8 15.5 3.1
40 41 42 43	Wabash County Warren County Warrick County Warshick County Washington County	1,195.5 1,208.2 1,340.3 1,243.8	14. 9 46. 1 59. 5 58. 1	18.3		7.5 18.4 50.3 40.7	4.6 5.8	11. 2 18. 4 9. 1	7.5 27.4 17.4		3.7	108.3 73.8 137.2 116.2	3.7 27.7 27.4 5.8	7.5 9.2 27.4 23.2	3.7 5.8
44 45 46 47	Wells County White County Whitley County	1,646.1 942.0 1,211.6 1,211.5	9.3 31.4 17.2 23.8	11.5		4. 6 9. 0 23. 0	4.5	13. 5 5. 7 5. 9	11.5	18.5 9.0 17.2 11.9	5.7 5.9	92. 7 89. 7 126. 3 89. 1	4.6 9.0 5.7	18.5 13.5 11.5 17.8	4.5
48 49 50	Total. White	1,236.7 1,151.6 1,992.3	49.0 46.5 70.7	10. 4 9. 8 16. 1	0.2 0.2	18. 8 19. 5 12. 5	3.5 3.8 1.0	21.6 19.6 39.0	27.6 29.5 9.9	17.9 16.8 27.0	2.8 3.0 1.6	195. 0 168. 5 430. 2	9.8 9.3 14.0	19.3 17.5 35.4	7.0 6.4 12.0
51 52 53 54 55 56	Adair County (total).  White. Colored 3 Allen County (total). White. Colored 2.	1,275.4 1,177.0 2,277.3 1,401.8 1,293.1 3,070.2	65. 9 59. 2 134. 0 40. 2 28. 6 219. 3	6.6 6.7 7.1		21.4	6. 0 6. 6	29. 9 32. 9 6. 7 7. 1	71. 9 65. 8 134. 0 13. 4 7. 1 109. 6	47. 0 50. 0		251. 5 223. 6 535. 8 254. 9 200. 0 1,096. 5	6.0	29 9 26.3 67.0 40.2 35.7 109.6	6.0 67.0 6.7 7.1
57 58 59 60 61 62	Andersop County (total)  White Colored 8 Ballard County (total) White Colored.	1,018.8 2.449.0	19.7 21.2 30.9 35.4	136. 1 46. 4 53. 0		9.8 10.6 54.2 61.9	7.7 8.8	29. 5 10. 6 272. 1 46. 4 44. 2 62. 0	9.8 10.6 30.9 26.5 62.0	26.5	9.8 10.6	139.3 141.4	29.5 31.8	19.7 10.6 136.1 15.5	9.8 10.6
63 64 65 66 67 68	Barren County (total) White Colored Bath County (total) White Colored 3	1,244.8 1,137.5	47.7	13. 7 27. 6			7.8 9.1 7.2 8.0	19.6 22.8 7.2 8.0			3.9 4.6	215.3 173.3 468.8 244.6 222.7 452.1	11.7 9.1 27.6	31.3 31.9 27.6 21.6 23.9	11.7 9.1 27.6 7.2 8.0

<sup>1</sup> Exclusive of stillbirths.

 $<sup>^2</sup>$  Exclusive of municipalities having a population of 10,000 or over in 1910.

are designated by asterisks (\*). Figures for white and colored are shown separately for minor subdivisions (except as indicated in the ootnotes) only when the colored of 10,000 inhabitants or over in 1910. Numbers under causes of death correspond to those of the abridged International List (see p. 29).]

							DEATH	RATE PI	ER 100,00	0 POPULA	TION F	вом—		···					
Can- cer.	Dia- betes.	Menin- gitis.	Cerebral hemor- rhage and softening.	diseases of the	Bron- chitis.	Pneu- monia (all forms).	Other respiratory diseases.	Diar- rhea and ente- ritis (under 2 years).	Appen- dicitis.	Hernia, intes- tinal obstruc- tion.	Cir- rhosis of the liver.	Ne- phritis, Bright's disease.	Puer- peral fever.	Other puer-peral affections.	Con- genital debility and mal- forma- tions.	Violent deaths (ex- cluding sui- cide).	Sui- cide.	All other causes.	Ill- defined and un- known.
16	(37)	17	18	19	20, 21	22, (23)	(23)	25	26	27	28	29	31	32	88	35	86	(37)	88
98. 4 35. 2 58. 0 78. 8 58. 2	24.6 6.4 9.7 12.6 4.2	12.3 12.8 22.5 3.2 4.2	98. 4 60. 9 67. 6 41. 0 91. 4	147.6 144.1 125.6 119.8 116.4	18. 4 12. 8 25. 8 9. 5 12. 5	147.6 140.9 83.7 107.2 62.3	12.3 12.8 · 12.9 9.5 8.3	79. 9 89. 7 45. 1 28. 4 45. 7	6.1	18.4 6.4 6.4 6.3 20.8	12.3 6.4 3.2 3.2 20.8	92. 2 70. 5 80. 5 94. 6 95. 6	6.1 28.8 19.3 12.6 4.2	6.1 3.2 6.4 6.3 16.6	30.7 73.7 51.5 56.8 54.0	79.9 128.1 67.6 94.6 66.5	6.1 16.1 15.8 8.3	215. 2 201. 8 228. 7 274. 4 232. 7	3.2
78.5 54.3 37.9 75.1 47.0	7.9 21.7 6.8 9.4	7.9 5.4 8.4 10.2 4.7	70.7 97.7 101.1 109.3 79.9	125.6 114.0 134.8 181.0 178.7	15.7 32:6 4.2 17.1	55.0 65.1 88.5 92.2 126.9	12.6 6.8 4.7	39.3 54.3 88.5 34.1 84.6	7.9 12.6 13.7 9.4	7.9 5.4 4.2 10.2 9.4	7.9 5.4 12.6 20.5 9.4	47.1 108.6 67.4 47.8 98.7	23.6 5.4 29.5 6.8 4.7	10.9 4.2 23.5	94.2 32.6 63.2 44.4 84.6	78.5 103.1 113.8 64.9 61.1	5. 4 13. 7 9. 4	149. 2 217. 1 168. 5 276. 6 192. 8	8.4
47.6 91.4 116.8 46.4 115.0	9.5 20.8 14.4	9.5 23.4 5.8	57.1 149.6 116.8 52.2 79.0	38.1 199.4 210.2 191.5 143.7	19.0 16.6 23.4 17.4 21.6	57.1 37.4 163.5 63.8 143.7	9.5 8.3 5.8 21.6	57.1 16.6 58.0 43.1	8.3	8.3 17.4 21.6	4.2 5.8 14.4	66. 6 58. 2 46. 7 75. 4 43. 1	11.6	9.5 5.8 21.6	57.1 24.9 46.7 104.5 28.7	57. 1 95. 6 23. 4 52. 2 35. 9	19.0 8.3 70.1 5.8 14.4	171.3 207.8 163.5 174.1 194.0	7.2
58.8 66.7 35.7 101.4 74.1	11.1 9.7 9.3	18.1 11.1 20.4 4.8	81.4 77.8 61.3 96.6 74.1	108.5 66.7 112.3 183.5 101.9	4.5 11.1 40.8 23.2	108.5 144.5 76.6 82.1 129.7	13.6 4.6	54.3 83.4 91.9 58.0 106.5	9.0 5.6 10.2 9.7	4.5 22.2 10.2 9.7 9.3	22.6 16.7 20.4 9.7 9.3	45. 2 88. 9 45. 9 101. 4 78. 7	13.6 5.6 15.3	4.5 5.6 15.3 4.6	99.5 72.2 76.6 33.8 46.3	72.3 50.0 71.5 101.4 69.5	9.0 10.2 14.5 23.2	194. 4 200. 1 163. 4 125. 6 250. 1	5.1 9.7 4.6
68.1 63.7 75.7 97.9 77.9	22.7 4.9 17.2 15.5 10.4	7.6 19.6 20.6 5.2	68.1 78.4 117.0 97.9 103.9	75.6 122.5 148.0 185.6 77.9	30.2 24.5 10.3 25.8 41.6	143.7 147.0 48.2 97.9 114.3	7.6 3.4 5.2 10.4	22.7 24.5 20.6 56.7 26.0	22.7 4.9 13.8 5.2 5.2	7.6 13.8 10.4	15.1 14.7 10.3 20.6	60. 5 122. 5 58. 5 103. 1 109. 1	22.7 4.9 3.4 10.3 10.4	10.3 5.2	45. 4 34. 3 82. 6 67. 0 114. 3	75. 6 88. 2 48. 2 36. 1 67. 5	15.1 9.8 24.1 20.6 36.4	211. 7 186. 2 203. 1 237. 1 218. 1	5. 2 5. 2 5. 2 2
77.3 132.1 63.3 48.9 66.2	12.9 22.4 14.7 9.5	11.2 4.9	103. 1 48. 1 104. 3 29. 3 75. 6	277. 2 144. 2 137. 9 73. 3 113. 4	19.3 29.8 24.4	77.3 96.1 85.7 117.3 75.6	6.4 12.0 7.5 4.9 9.5	51.6 48.1 26.1 78.2 47.3	12.9 3.7 4.9 9.5	19.3 24.0 14.9 14.7 9.5	6.4 24.0 14.9 4.9 18.9	83.8 108.1 82.0 97.7 75.6	12.9 12.0 7.5 14.7 9.5	12.9 12.0 7.5 4.9 18.9	12.9 60.1 41.0 48.9 113.4	64.5 12.0 100.6 88.0 . 37.8	32. 2 36. 0 22. 4 9. 8	264. 3 276. 3 242. 2 263. 9 302. 4	3.7 2 23
105.9 42.1 124.0 110.5 52.1	28.2 12.0 10.3 50.2 11.6	14.1 9.0 20.7 10.0 17.4	155. 4 48. 2 62. 0 125. 5 52. 1	218.9 78.3 330.6 205.9 133.3	15.0 10.3 25.1 17.4	56.5 93.3 93.0 95.4 40.6	14.1 9.0 10.0 11.6	14.1 111.4 20.7 40.2 63.7	14.1 12.0 10.3	7.1 9.0 41.3 15.1	7.1 12.0 10.3 5.0 11.6	56.5 81.3 51.7 60.3 75.3	14.1 15.0 10.3	7.1 6.0 	84.7 105.3 72.3 40.2 52.1	70.6 114.4 31.0 95.4 75.3	14.1 12.0 20.7 10.0 11.6	254. 2 159. 5 155. 0 296. 3 243. 4	5.8
129. 0 96. 6 62. 2 59. 8	15.5 9.4	16.1	161.3 96.6 77.7 47.2	225.8 331.3 124.3 122.7	16.1 13.8 36.3 12.6	16.1 289.9 139.8 72.4	16.1 27.6 10.4 3.1	32.3 179.4 103.6 97.5	3.1	27. 6 5. 2 3. 1	55. 2 5. 2 18. 9	16.1 110.4 98.4 66.1	16.1 10.4 9.4	27. 6 5. 2 3. 1	96.8 151.8 119.1 91.2	112.9 220.8 114.0 103.8	48. 4 20. 7 18. 9	177. 4 855. 8 212. 4 229. 7	3 3 3 3 9.4
82. 2 36. 9 68. 6 40. 7	22. 4 27. 7 18. 3 5. 8	7.5 9.2 18.3 5.8	85.9 110.7 50.3 69.7	153. 2 138. 3 118. 9 156. 9	11.2 9.2 22.9 5.8	85.9 83.0 86.9 75.6	3.7 9.1 5.8	33.6 27.7 91.5 34.9	7.5 18.4 13.7 17.4	11.2	11. 2 27. 7 9. 1 17. 4	82. 2 46. 1 96. 1 110. 4	11.2 18.4 13.7 5.8	11.6	59.8 27.7 22.9 81.4	93. 4 138. 3 82. 3 46. 5	14.9 27.4 5.8	224. 2 258. 2 192. 1 232. 5	3.7 9.2 4 4 4
74.2 26.9 51.7 101.0	23.2 9.0 17.2 5.9	13.9	190. 1 62. 8 109. 1 77. 2	194.8 94.2 126.3 124.7	4.6 23.0 11.9	97.4 103.2 86.1 160.3	4.5 5.7 5.9	46.4 31.4 45.9 11.9	18.5 5.7	23.2 9.0 11.5 11.9	4.6 13.5 5.7 11.9	153.0 130.1 97.6 118.8	9.3 9.0 17.8	5.9	64.9 35.9 86.1 29.7	97.4 53.8 57.4 53.4	9.3	468.3 174.9 241.2 243.5	5.9 4
36.8 36.1 43.2	5. 2 5. 4 3. 6	21.4 21.3 22.9	34.1 32.4 49.9	72. 1 64. 9 135. 8	12.7 11.8 20.3	92.0 ·82.7 174.8	11.5 10.5 20.3	51.1 50.9 53.1	6.0 5.7 8.3	8.8 8.6 10.4	6. 2 5. 7 10. 4	53.6 49.9 86.4	7.9 6.6 18.7	10.9 10.8 12.0	75.2 75.3 74.9	70.1 61.4 146.7	7.1 7.6 3.1	214.6 202.0 326.7	56.5 4 51.4 4 101.4 5
35.9 32.9 67.0 20.1 21.4		24.0 26.3 26.8 28.6	18.0 19.7 47.0 50.0	71.9 72.3 67.0 60.4 64.3	6.0 6.6 26.8 28.6	71.9 72.3 67.0 174.4 171.5 219.3	6.7 7.1	47.9 52.6 67.1 57.2 219.3	6.0 6.6	6.0 6.6	6.7 7.1	18.0 19.7 67.1 57.2 219.3	24.0 19.7 67.0 6.7 7.1	35.9 32.9 67.0 26.8 28.6	24.0 19.7 67.0 80.5 85.7	41.9 39.5 67.0 20.1 21.4	13.4 14.3	197. 6 177. 5 401. 9 248. 2 228. 6 548. 2	149. 7 5 124. 9 5 401. 9 67. 1 5 50. 0 5 328. 9 5
39. 4 31. 8 136. 1 30. 9 35. 4	15.7 17.7	7.7	39. 4 31. 8 136. 1 30. 9 35. 4	49. 2 53. 1 15. 5	9.8 10.6	108.3 106.1 136.1 69.6 70.7 62.0		'19.7 21.2 38.7 44.2	9.8 10.6 7.7 8.8	9.8 10.6	7.7 8.8	49. 2 42. 4 136. 1 61. 9 70. 7	9.8 10.6	9.8 10.6 30.9 35.4	59.1 63.7 100.6 114.9	78.8 53.1 408.2 23.2 17.7 62.0	9.8 10.6 7.7 8.8	246. 1 244. 1 272. 1 131. 5 132. 6 123. 9	19.7 21.2 5 46.4 64.2 62.0 6
39. 1 36. 5 55. 2 50. 4 55. 7	14.4 15.9	39. 1 36. 5 55. 2 36. 0 39. 8	39.1 45.6 21.6 15.9 75.4	62. 6 68. 4 27. 6 79. 1	35. 2 27. 4 82. 7	82.2 77.5 110.3	7.8 9.1	66. 5 68. 4 55. 2 50. 4 39. 8 150. 7	3.9 27.6 7.2 8.0	3.9 4.6 14.4 15.9	3.9 27.6	50. 9 45. 6 82. 7 64. 8 63. 6 75. 4	19.6 18.2 27.6 21.6 15.9 75.4	15.7 18.2 7.2 8.0	78.3 91.2 64.8 71.6	35. 2 31. 9 55. 2 64. 8		270. 1 237. 2 468. 8 251. 8 214. 8 602. 9	70.5 6 63.9 6 110.3 6 28.8 6 8.0 6 226.1 6

\* Colored population less than 10 per cent of total.

#### TABLE III.—DEATH RATES PER 100,000 POPULATION IN THE REGISTRATION AREA AND

-	15		<del></del>			DEATH 1	RATE PEI	100,000	POPULAT	ION FR	ом—				
	AREA AND COLOR.	All causes. <sup>1</sup>	Typhoid fever.	Mala- ria.	Small-pox.	Measles.	Scarlet fever.	Whooping cough.	Diphtheria and croup.	In- flu- enza.	Ery- sipelas,	Tuber- culosis of the lungs.		Other forms of tuberculosis.	Rheu- ma tism.
	RURAL PART OF REGISTRATION STATES *-Continued.														
1 2 3 4 5	Bell County (total) White Colored Boone County (total) White Colored 3	966.5 895.0 1,590.9 1,401.1 1,384.4	66. 7 70. 6 32. 5 21. 7 22. 9			10.0 11.1 10.9		3. 3 3. 7	26.7 29.7 10.9 11.4	13.3 14.9 21.7 22.9	3.3 32.5	90. 0 70. 6 259. 7 249. 8 251. 7 214. 1	3.3 3.7 10.9 11.4	3.3 3.7 21.7 22.9	3.3
7 8 9 10 11 12	Bourbon County (total)  White Colored Boyd County (total)  White Colored 3	1,627.5 1,342.4	63.3 76.5 35.6 70.8 69.1			214. 1 5. 8 17. 8 20. 8 21. 6	4.2 4.3	23. 0 8. 5 53. 4 95. 8 90. 7	5.8 8.5 37.5 38.9	4.2 4.3		230.0 152.9 391.5 199.9 198.7	12.5 13.0	11.5 8.5 17.8 16.7 13.0	8.3 8.6
13 14 15 16 17	Boyle County (total).  White Colored. Bracken County (total).  White Colored 3.	1,387.8 1,180.4	54.2 47.2 71.7 9.9 10.3			19.8			20.3 28.3			233. 9 135. 4 94. 4 239. 1 247. 9 235. 8 602. 4	13. 5 18. 9 19. 8 20. 5	6.8 23.9	
19 20 21 22 23 24	Breathitt County (total)	691.5 701.9	44.6 45.3 37.9 35.9 63.0	4.7		23.7 25.6		16.7 17.0 4.7 5.1	11. 2 11. 3 14. 2 15. 4			66.9 67.9 227.5 210.2 441.1	4.7	22.3 22.6 19.0 15.4 63.0	4.7 5.1
25 26 27 28 29 30	Bullitt County (total) White Colored *. Butler County (total) White Colored *.	1,794.4	31.7 34.1 19.0 19.7	42. 2 45. 5		21. 1 22. 7	6.3	84.4 68.2 295.0 6.3 6.6	21.1 22.7	21.1 22.7 19.0 13.1 178.3		274. 4 284. 2 147. 5 170. 9 157. 5 534. 8	21.1 11.4 147.5	21.1 11.4 147.5 12.7 13.1	
31 32 33 34 35 36	Caldwell County (total) White Colored Calloway County (total). White Colored <sup>2</sup>	1,213.5	35.7 26.1 79.7 44.7 36.7 184.5	26.2		7.1 8.7 44.7 47.2	5. 0 5. 2	35.7 34.8 39.8 19.9 21.0	14.3 17.4 19.9 21.0	21. 4 26. 1 19. 9 21. 0	7.2 8.7	199. 9 139. 1 478. 1 198. 6 194. 2 276. 8	79.7 14.9 15.7	21. 4 8. 7 79. 7 29. 8 31. 5	7.1 8.7 5.0 5.2
37 38 39 40 41 42	Campbell County (total)	1,297.3 1,274.4 5,113.6	30.6 30.7 11.2 11.7	22.5 23.5			10. 2 10. 2	17. 0 17. 1 33. 7 23. 5 258. 4	17. 0 17. 1 67. 4 70. 4	17. 0 17. 1 22. 5 23. 5	3.4 3.4 11.2 11.7	180. 0 177. 7 568. 2 157. 2 164. 3	3.4	23.8 23.9	11.2 11.7
43 44 45 46 47 48	Carroll County (total)  White Colored 3 Carter County (total) White Colored 4	·	25. 3 27. 1 27. 1 27. 2			63.3 67.7 27.1 27.2		4.5 4.5	38.0 40.6 45.1 45.3	38. 0 40. 6 13. 5 13. 6	12.7 13.5	354. 4 365. 6 193. 8 157. 8 149. 5 1, 801. 8	25.3 27.1 4.5 4.5	25.3 27.1 9.0 9.1	12.7 13.5 9.0 9.1
49 50 51 52 53 54	Casey County (total) White Colored 3 Christian County* (total) White Colored	1,133.9 1,135.0 1,075.3	38.7 32.8 358.4 69.3 47.9 100.0	6. 4 6. 6 7. 7 8. 7 6. 2		25. 8 26. 2 35. 9 56. 6 6. 2	6. 4 6. 6	12. 9 13. 1 23. 1 17. 4 31. 2	38.7 39.4 7.7 8.7 6.2	25. 8 26. 2 25. 7 30. 5 18. 7	7.7 13.1	174.0 177.1 403.0 352.9 475.0	6. 4 6. 6 12. 8 4. 4 25, 0	12.9 13.1 28.2 26.1 31.2	6. 4 6. 6 7. 7 8. 7 6. 2
55 56 57 58 59 60	Clark County (total) White Colored Clay County (total) White Colored *	1,394.2 1,268.4 1,775.0 917.8 932.7 398.4	49. 6 51. 3 44. 4 60. 8 62. 6	5. 5 22. 2 11. 1		5.5 5.7		5.5 22.2 22.1 22.7	71. 9 73. 9	16.5 14.7 22.2 5.5 5.7		248. 0 212. 6 355. 0 132. 7 136. 5	22.0 14.7 44.4 5.5 5.7	11.0 44.4 33.2 34.1	11.0 14.7
61 62 63 64 65 66	Clinton County (total)	952. 7 963. 8 1,048. 5 1,017. 0 1,730. 1	61. 1 61. 8 61. 2 64. 1	23.0				12. 2 12. 4 7. 7 8. 0	12. 2 12. 4 15. 3 16. 0	48.9		195. 4 197. 7 114. 8 120. 1	24.4 24.7 7.7 8.0	24.4 24.7 30.6 32.0	15.3 16.0
67 68 69 70 71 72	Cumberland County (total)	1,044.8 930.6 2,029.0 1,130.1 1,152.6	60.3 56.1 96.6 40.1 39.3	10. 0 96. 6 24. 0		68. 1 74. 2		10.0 96.6	90. 4 100. 9 8. 0 8. 7	20. 1 22. 4 16. 0 17. 5	20. 1 22. 4 4. 0 4. 4	150.7 112.1 483.1 176.3 174.6 195.2	10.0 11.2 12.0 13.1	96.6 8.0 4.4 48.8	10.0 96.6

<sup>1</sup> Exclusive of still births.

 $<sup>^{2}</sup>$  Exclusive of municipalities having a population of 10,000 or over in 1910.

		,	· · · · · · · · · · · · · · · · · · ·			I	EATH R.	ATE PER	100,000	POPULATI	ON FRO	м—					,			T
Can- cer.	Dia- betes.	Meningitis.	Cerebral hemor- rhage and softening.	Organic diseases of the heart.	Bron- chitis.	Pneu- monia (all forms).	Other respira- tory dis- eases.	Diarrhea and enteritis (under 2 years).	Appen- dicitis.	Hernia, intes- tinal obstruc- tion.	Cir- rhosis of the liver.	Ne- phritis, Bright's disease.	Puer- peral fever.	Other puer-peral affections.	Congenital debility and malformations.	Violent deaths (ex- cluding sui- cide).	Sui-	All other causes.	Ill- defined and un- known	ļ
16	(87)	17	18	19	20, 21	22, (23)	(23)	25	26	27	28	29	- 31	32	33	35	36	(37)	38	
																		:		-
16.7 14.9 32.5 76.0 80.1	10.9 11.4	3.3 3.7	10. 0 11. 1 108. 6 114. 4	26.7 22.3 64.9 108.6 91.5 428.3	6.7 7.4 10.9 11.4	50. 0 44. 6 97. 4 65. 2 68. 6	10. 0 11. 1 10. 9 11. 4	43.3 44.6 32.5 76.0 80.1	6.7 3.7 32.5 10.9 11.4	3.3 32.5 32.6 34.3	6.7 7.4 54.3 57.2	36. 7 40. 9 65. 2 68. 6	3.3 3.7	23.3 - 26.0	76. 7 74. 3 97. 4 76. 0 80. 1	160.0 122.6 487.0 43.4 34.3 214.1	6.7 7.4 21.7 22.9	190. 0 174. 6 324. 7 228. 1 217. 4 428. 3	63.3 63.1 64.9 54:3 45.8 214.1	3 4 5
51.8 51.0 53.4 58.3 60.5	17.3 25.5	40.3 42.5 35.6 12.5 13.0	40.3 42.5 35.6 33.3 34.6	166. 8 76. 5 355. 9 133. 3 125. 3 350. 9	17.3 53.4 12.5 8.6 117.0	143.8 101.9 231.4 100.0 103.7	12.5 13.0	63.3 59.5 71.2 62.5 60.5 117.0	5.8 17.8 12.5 13.0	25.0 25.9	5.8 17.8	138.0 127.4 160.2 25.0 25.9	16.7 8.6 233.9	11.5 17.0 12.5 13.0	80. 5 93. 5 53. 4 66. 6 64. 8 117. 0	115.0 118.9 106.8 141.6 146.8	23. 0 34. 0 12. 5 8. 6 117. 0	356. 5 297. 4 480. 5 283. 2 285. 1 233. 9	35. 6 62. 5 64. 8	110
74. 5 85. 0 47. 8 49. 6 51. 3	9.9 10.3	6.8 9.4	67.7 56.7 95.6 59.5 61.5	128. 6 85. 0 239. 1 128. 9 133. 3	20.3 9.4 47.8	162.5 113.3 286.9 178.5 184.5	13.5 9.4 23.9	40.6 47.2 23.9 69.4 71.8	6.8	6.8 23.9 9.9 10.3	19.8 20.5	101. 5 103. 9 95. 6 39. 7 41. 0	27.1 9.4 71.7 19.8 20.5	6.8 9.4	115.1 103.9 143.5 89.2 92.3	155.7 179.4 95.6 89.2 82.0 301.2	13. 5 9. 4 23. 9 50. 0 51. 3	155. 7 122. 8 239. 1 287. 6 287. 1 301. 2	33.8 28.3 47.8 9.9 10.3	116
		16.7 17.0		16.7 17.0	5. 6 5. 7	50. 2 50. 9	5. 6 5. 7	16.7 17.0	5.6 5.7	5.6 5.7			5.6 5.7	5.6 5.7	39.0 39.6	105.9 107.6	- 5.6 5.7	139.4 141.5	105.9 107.6	20
52. 1 51. 3 63. 0	14.2 15.4	4. 7 63. 0	33.2 35.9	42. 7 41. 0 63. 0	14. 2 15. 4	90. 1 87. 1 126. 0	14. 2 15. 4	61. 6 66. 6	4.7 5.1	9.5 10.3	4.7 5.1	80. 6 71. 8 189. 0	4.7 5.1	23.7 25.6	99.5 92.3 189.0	56. 9 46. 1 189. 0		241.8 225.5 441.1	19.0 20.5	$\begin{bmatrix} 22 \\ 23 \\ 24 \end{bmatrix}$
31.7 34.1 31.7 32.8		31.7 34.1 6.3 6.6	42. 2 45. 5 25. 3 26. 3	147.8 125.1 442.5 50.6 52.5	6.3 6.6	126. 7 68. 2 885. 0 50. 6 45. 9 178. 3	31.7 22.7 147.5 25.3 26.3	31.7 22.7 147.5 12.7 13.1		31.7 34.1 19.0 19.7	42.2 45.5 6.3 6.6	63.3 68.2 57.0 59.1	10.6 11.4 6.3 6.6	21.1 22.7 6.3 6.6	73.9 79.6 82.3 85.3	137. 2 136. 4 147. 5 50. 6 45. 9 178. 3	42.2 45.5	348.3 352.4 295.0 139.3 131.3 356.5	42. 2 45. 5 25. 3 19. 7 178. 3	- 27 28 29
28.6 17.4 79.7 19.9 21.0	19.9 21.0	42.8 34.8 79.7 29.8 26.2 92.3	21. 4 26. 1 29. 8 31. 5	42.8 34.8 79.7 39.7 42.0	24.8 26.2	114. 2 60. 9 358. 6 158. 9 152. 2 276. 8	7.1 8.7 14.9 15.7	64.2 60.9 79.7 44.7 47.2	7.1 8.7 14.9 15.7	21. 4 17. 4 39. 8 5. 0 5. 2	5. 0 5. 2	50.0 34.8 119.5 34.8 36.7	14.3 17.4 9.9 5.2 92.3	28.6 26.1 39.8 9.9 10.5	57.1 60.9 39.8 99.3 104:9	42.8 43.5 39.8 34.8 21.0 276.8		242.7 278.3 79.7 213.5 220.4 92.3	50. 0 43. 5 79. 7 34. 8 36. 7	32 33 34
95. 1 95. 7 11. 2 11. 7	6.8 6.8 11.2 11.7	27. 2 27. 3 22. 5 23. 5	57. 7 58. 1 78. 6 82. 1	105.3 105.9 44.9 35.2 258.4	17.0 17.1	105. 3 102. 5 568. 2 157. 2 140. 8 516. 8	10. 2 10. 2	37. 4 37. 6 67. 4 70. 4	20. 4 20. 5	3.4 3.4 33.7 35.2	17.0 17.1	74.7 75.2 89.8 93.9	3.4	3.4 3.4	81. 5 82. 0 89. 8 93. 9	88.3 68.3 3,409.1 22.5 23.5	17. 0 17. 1	203. 8 201. 6 568. 2 112. 3 117. 4	20. 4 20. 5 11. 2 11. 7	37 38 39
12.7 13.5 22.5 -18.1 900.9	12.7 13.5	12.7 13.5 27.1 27.2	101.3 108.3 4.5 4.5	126.6 108.3 387.6 58.6 58.9	38.0 40.6 4.5 4.5	101.3 -81.2 387.6 36.1 36.3	4.5 ·4.5	50.6 54.2 58.6 58.9	25.3 27.1 9.0 9.1	12.7 13.5 9.0 9.1	25.3 27.1 4.5 4.5	36.1 36.3	25.3 27.1 9.0 9.1	13. 5 13. 6	88. 6 81. 2 193. 8 45. 1 45. 3	38.0 40.6 45.1 45.3	12.7 13.5 4.5 4.5	278.4 284.4 193.8 184.9 185.8	38.0 40.6 31.6 31.7	43 44 45 46
19.3 13.1 358.4		25.'8 26. 2	12.9 13.1	64. 4 65. 6	6.4 6.6	58. 0 59. 0	6.4 6.6	45. 1 45. 9				51.5 52.5	6. 4 6. 6	12.9 13.1	96. 6 91. 9 358. 4	70.9 72.2	6.4 6.6	186.8 190.3	109.5 111.5	49
41.1 43.6 37.5	10.3 13.1 6.2	12.8 21.8	56. 5 56. 6 56. 2	105.3 69.7 156.2	12.8 8.7 18.7	100. 1 56. 6 162. 5	18.0 13.1 25.0	69.3 65.4 75.0	7.7 13.1	2.6 6.2	7.7 8.7 6.2	107.8 91.5 131.2	7.7 8.7 6.2	5.1 4.4 6.2	79. 6 78. 4 81. 2	95.0 91.5 100.0	10.3 17.4	423. 6 413. 9 437. 5	79. 6 26. 1 156. 2	52 53 54
82.7 95.3 44.4 22.1 22.7	11.0 7.3 22.2	16. 5 22. 0 5. 5 5. 7	38.6 44.0 22.2	88.2 58.7 177.5 27.6 28.4	16.6 17.1	176.3 154.0 244.1 44.2 39.8 199.2	11.0 14.7 11.1 11.4	44.1 51.3 22.2 55.3 56.9	11.1 11.4	16.5 14.7 22.2 5.5 5.7	11.1 11.4	71.6 80.7 44.4 11.1 11.4	11.0 14.7 5.5 5.7	11.0 7.3 22.2	121.2 124.6 110.9 44.2 45.5	71.6 58.7 110.9 66.3 62.6 199.2	5.5 7.3 5.5 5.7	225. 9 190. 6 332. 8 110. 6 113. 7	22.0 14.7 44.4 116.1 119.4	
12. 2 12. 4	12. 2 12. 4	24. 4 24. 7		61. 1 61. 8		61.1 61.8		24. 4 24. 7	12.2 12.4	12. 2 12. 4		36.6 37.1		12.2 12.4	73.3 74.1	24.4 24.7		146.6 148.3	48.9 49.4	61 62
23. 0 24. 0		15.3 16.0	76.5 72.1 173.0	30. 6 32. 0	15.3 16.0	68. 9 72. 1	7.7 8.0	23. 0 16. 0 173. 0		7.7 8.0	7.7 8.0	30.6 32.0	8.0		107.1 96.1 346.0			252. 6 240. 2 519. 0	45. 9 40. 0 173. 0	64 65 66
50. 2 44. 8 96. 6 48. 1 43. 7 97. 6	10.0 11.2	30. 1 33. 6 24. 0 26. 2	20.1 22.4 28.1 30.6	50. 2 56. 1 40. 1 39. 3 48. 8	10. 0 96. 6 12. 0 13. 1	30. 1 22. 4 96. 6 104. 2 100. 4 146. 4	20.1 11.2 96.6 8.0 8.7	40. 2 44. 8 92. 2 100. 4	10.0 96.6	20.1 22.4 8.0 8.7	20.1 11.2 96.6 8.0 4.4 48.8	40.2 33.6 96.6 36.1 39.3	8.0 4.4 48.8	4.0 4.4	80. 4 89. 7 88. 2 87. 3 97. 6	30.1 33.6 20.0 21.8	4.0 4.4	180.8 157.0 386.5 200.4 209.6 97.6	10.0 11.2 36.1 39.3	

#### TABLE III.—DEATH RATES PER 100,000 POPULATION IN THE REGISTRATION AREA AND

_	· · · · · · · · · · · · · · · · · · ·						<del></del>	100,000 1	······································		)M		<del></del>		
	_		1		<u> </u>		1100	20,000 2			·		1		<del></del>
	AREA AND COLOR.	All causes.1	Typhoid fever.	Mala- ria.	Small- pox.	Measles.	Scarlet fever.	Whoop- ing cough.	Diph- theria and croup.	In- flu- enza.	Ery- sipelas.	Tuber- culosis of the lungs.	Tuber- culous men- ingitis.	Other forms of tu- bercu- losis.	Rheu- ma- tism.
			1	8	4	5	6	7	8	9	(12)	13	14	15 	(87)
1 2 3	RURAL PART OF REGISTRATION STATES - Continued.  KENTUCKY - continued.  Edmonson County (total)	874. 8 724. 5	47. 5 39. 7 226. 8	28.5 29.8				28. 5 29. 8	76.1 59.5 453.5	19.8		114.1 109.2 226.8			
4 5 6	Colored s. Elliott County (total) White Colored s.	4,308.4 1,252.1 1,252.7	82. 1 82. 1				20.5 20.5	71.8 71.9	51.3 51.3	30.8		143.7 143.8	10.3 10.3		
7 8 9 10	Estill County (total). White Colored * Fayette County (total). White. Colored.		64.8 65.4 24.5 11.8			40.9 58.9	8.1 8.2		8. 1 8. 2 16. 3 23. 6			113.4 114.4 155.2 117.8	24.3 24.5 8.2		8.1 8.2
12 13	Tilesenine (Coursel (t. t. 1)		53.3 37.6			6.3		18.8	25. 1	80. 0 31. 4	6.3	239.9 181.9	26. 7 12. 5	25.1	
14 15 16 17	White Colored * Floyd County (total) White Colored *	1,340.1 1,962.7 663.2 663.1	36. 8 37. 1				5. 3 5. 3	20. 1 15. 8 15. 9	26. 8 26. 3 26. 5	33.5 21.1 21.2	5.3 5.3	106.1	13.4	26.8 10.5 10.6	
18 19 20 21 22 23 24	Franklin County (total) White Colored * Fulton County (total) White Colored.	054.9	37.8 30.9 115.1 62.4 63.6 58.3	124. 7 118. 2		37.8 41.2 76.2 90.9	6.9		28.3 30.9 13.9 9.1 29.1	20.8 27.3		198. 4 144. 1 805. 5 242. 6 190. 9 408. 0	9.4 10.3	9.4 10.3	9.4
25 26 27 28 29 30	Gallatin County (total). White. Colored * Garrard County (total). White. Colored.	1,098.9 1,144.2 369.0 1,599.9 1,459.1 2,192.0	86.2 91.5 42.1 41.7 43.8	· · · · · · · ·					21. 5 22. 9 58. 9 73. 0	8. 4 10. 4	8.4 10.4	172.4 183.1 235.8 145.9 613.8		21.5 22.9 25.3 131.5	21.5 22.9 8.4 10.4
31 32 33 34 35 36	Grant County (total). White. Colored 3 Graves County (total). White. Colored 3.	1,189.5 1,203.2 706.7 1,450.2 1,372.4 2,271.9	29.3 30.1 74.4 65.2 172.1	9.8 10.0 17.9 19.6	3.0	19.5 20.1 23.8 22.8 34.4	3. 0 3. 3	9.8 10.0 35.7 22.8 172.1	41.7 45.6	9.8 10.0 41.7 45.6	6. 0 6. 5	253. 5 260. 7 238. 2 208. 6 550. 8	29.3 30.1 8.9 9.8	29.3 30.1 29.8 19.6 137.7	19.5 20.1 3.0 3.3
37 38 39 40 41 42	Grayson County (total)	1,267.0	85. 1 86. 6 67. 7 76. 3	5.0 5.1 16.9 19.1		10.0 10.2 8.5 9.5	5. 0 5. 1	15. 0 15. 3 59. 2 28. 6 299. 0	70.1 71.3 8.5 9.5	300.3 50.7 47.7		220. 4 219. 0 300. 3 219. 9 238. 4 74. 7	5.0 5.1 42.3 47.7	30. 0 25. 5 300. 3 25. 4 19. 1 74. 7	8.5 9.5
43 44 45 46 47 48	Greenup County (total) White Colored * Hancock County (total) White Colored *	1,368.8 1,372.7	69. 0 70. 0 94. 5 101. 3			21.2 21.5		26. 5 26. 9 11. 8 12. 7	26. 5 26. 9 23. 6 25. 3	<i></i>		169.8 172.3 259.9 253.1 355.2	5.3 5.4 11.8 12.7	15.9 16.1 11.8 12.7	10.6 10.8 11.8 12.7
49 50 51 52 53 54	Hardin County (total).  White	1,447.0 1,333.8 2,741.2 657.0 644.5 878.7	61.8 62.4 54.8 46.9 49.6	13. 2 4. 8 109. 6 18. 8 19. 8		17.6 19.2		30. 9 33. 6 9. 4 9. 9	35.3 38.4 9.4 9.9	22.1 14.4 109.6 18.8 19.8	4. 4 4. 8	167.6 143.9 438.6 46.9 49.6	8.8 9.6	26.5 24.0 54.8 9.4 9.9	4.4
55 56 57 58 59 60	Harrison County (total) White Colored. Hart County (total) White Colored.	1 200 5	24. 0 6. 7 173. 4 55. 1 43. 3 . 150. 9			24.8	5. 5 6. 2	30.0 26.8 57.8 11.0 12.4	84.0 80.3 115.6 44.1 49.5	6. 0 6. 7 11. 0 6. 2 50. 3		252. 0 200. 8 693. 6 248. 0 222. 8 452. 7.	18. 0 20. 1 22. 0 18. 6 50. 3	24. 0 26. 8 22. 0 12. 4 100. 6	12.0 6.7 57.8 5.5 6.2
61 62 63 64 65 66	Henderson County (total) White Colored. Henry County (total). White Colored.	1,258.5 1,112.8	28. 9 29. 3 27. 3 58. 8 59. 2 56. 2			5.8 7.3 7.3 8.5		28.9 29.3 27.3 29.4 16.9 112.5	11.5 14.6 14.7 16.9	40. 4 36. 6 54. 6 22. 0 16. 9 56. 2	7.3 8.5	167. 4 146. 4 245. 7 227. 8 160. 6 674. 9	5.8 7.3 22.0 16.9 56.2	34.6 29.3 54.6 14.7 8.5 56.2	17.3 22.0 14.7 8.5 56.2
67 68 69 70 71 72	Hickman County (total)	1,362.0 2,151.8 1,415.2	68. 1 70. 1 56. 6 49. 0 46. 4 60. 2	11.5 10.7 15.0		56.6 14.4 17.8	5.8 7.1	34.0 30.0 56.6 20.2 7.1 75.2	93.6 100.2 56.6 17.3 21.4	25. 5 30. 0 17. 3 10. 7 45. 1	2. 9 3. 6	229.8 160.2 622.9 250.8 192.6 496.2	8.5 10.0 8.6 10.7	25. 5 20. 0 56. 6 23. 1 25. 0 15. 0	25.5 10.0 113.3 5.8 3.6 15.0

<sup>1</sup> Exclusive of stillbirths.

 $<sup>^{\</sup>rm 2}$  Exclusive of municipalities having a population of 10,000 or over in 1910.

				<del> </del>						POPULAT		ow—					<u> </u>		
Can- cer.	betes.	Meningitis.	hemor- rhage and softening.	Organic diseases of the heart.	Bron- chitis.	Prieu- monia (all forms).	Other respira- tory dis- eases.	Diarrhea and enteritis (under 2 years).	Appendicitis.	Hernia, intes- tinal obstruc- tion.	Cir- rhosis of the liver.	Ne- phritis, Bright's disease.	Puer-peral fever.	Other puer-peral affections.	Congenital debility and malformations.	Violent deaths (ex- cluding sui- cide).	Sui-	All other causes.	Ill- defined and un- known.
16	(37)		18	19	20, 21	22, (23)	(23)	29	20	24	28	29	31	-52	35	30	- 00	(81)	
	1									-									
	9.5 9.9	19.0 19.8	19.0 19.8	57.1 29.8 680.3		28.5 29.8	9.5 9.9	38.0 29.8 226.8	9.5 9.9			19.0 19.8		19.0 9.9 226.8	47.5 49.6	28.5 19.8 226.8		142.6 109.2 907.0	114.1 69.5 1,133.8
30.8 30.8		30.8 30.8	30.8 30.8	41.1 41.1	41.1 41.1	82.1 82.1		20.5 20.5		10.3 10.3		82.1 82.1		20.5 20.5	61.6 61.6	82.1 82.1		102.6 102.7	102.6 102.7
16.2 16.3		56.7 57.2	48.6 49.0	32.4 32.7		48.6 24.5 2,803.7	8.1 8.2	40.5 40.8	8.1 8.2	8.1 8.2	-:	48.6 49.0			56.7 57.2	16.2 16.3	 	137.7 138.9	32. 4 32. 7
32.7 23.6 53.3	32.7 35:3 26.7	16.3 11.8 26.7	81.7 47.1 159.9	98.0 82.5 133.3	8.2 26.7	155. 2 94. 3 293. 2	16.3 11.8 26.7	24. 5 35. 3			8.2 11.8	65. 4 70. 7 53. 3	8. 2 26. 7		49.0 70.7	89. 9 94. 3 80. 0	8.2 11.8	302.3 247.4 426.4	26.7
58.5 60.3		12.5 13.4 15.8 15.9	69.0 53.6 294.4	112.9 93.8 392.5 10.5 10.6	6.3 6.7 10.5 10.6	100.4 93.8 196.3 36.8 37.1		31.4 26.8 98.1 21.1 21.2	12.5 13.4 5.3 5.3	6.3 6.7 5.3 5.3		94.1 93.8 98.1 15.8 15.9		12.5 13.4 10.5 10.6	81.5 80.4 98.1 47.4 47.7	31.4 26.8 98.1 42.1 42.4	12.5 13.4	332.4 328.3 392.5 152.6 153.8	62.7 60.3 98.1 57.9 58.4
• • • • • • • • • • • • • • • • • • • •		9.4 10.3	9.4	66.1	9.4 10.3	66.1 51.5		47.2 41.2			9.4 10.3	66.1 72.0			9.4 10.3	28.3 20.6	9. 4 10. 3	207. 8 205. 8 230. 1	
13.9 18.2		27.7 36.4	10.3 41.6 45.5 29.1	61. 8 115. 1 76. 2 63. 6 116. 6	13.9 18.2	230.1 138.6 136.4 145.7	6.9 9.1	115.1 83.2 .72.7 116.6		20. 8 27. 3	10.5	27.7 36.4		34.7 18.2 87.4	83.2 100.0 29.1	115.1 124.7 90.9 233.2	13.9 9.1 29.1	230.1 256.4 281.9 174.9	75. 6 82. 3 76. 2 18. 2 262. 3
43.1 45.8		21.5 22.9	64. 6 68. 6	129.3 114.4 369.0	43.1 45.8		21.5 22.9	21.5 22.9				43.1 45.8			21.5 22.9	129.3 137.3		215.5 228.8	21.5 22.9
25.3 31.3	8.4 10.4	16.8 20.8	67.4 73.0 43.8	117.9 114.6 131.5		143.1 104.2 306.9	8.4 10.4	33.7 41.7	16.8 10.4 43.8	33.7 175.4		92.6 104.2 43.8	25.3 20.8 43.8	16.8 20.8	75.8 73.0 87.7	168. 4 166. 8 175. 4	16.8 20.8	261.0 271.0 219.2	21.5 22.9 58.9 41.7 131.5
117.0 120.3		9.8 10.0	58.5 60.2	126.8 120.3 353.4		39.0 40.1		9.8 10.0	9.8 10.0	9.8 . 10.0		29.3 30.1			29.3 30.1	97.5 90.2 353.4	19.5 20.1	195.0 200.5	29.3 30.1 17.9 13.0 68.8
50.6 48.9 68.8	6.0 6.5	23.8 26.1	29.8 29.3 34.4	47.6 45.6 68.8	11.9 13.0	181.6 176.0 241.0	8.9 9.8	80. 4 78. 2 103. 3	3.0 3.3	14.9 13.0 34.4	6.0 6.5	62.5 61.9 68.8	3.0 3.3	14.9 13.0 34.4	116.1 117.4 103.3	44.7 42.4 68.8	3.0 3.3	196.5 185.8 309.8	17.9 13.0 68.8
40.1 35.7 300.3 50.7	10.0 10.2	20.0 20.4	35.1 35.7	60.1 61.1	10.0 10.2	90.1 91.7	10.0 10.2	90.1 91.7		1		60.1 61.1	10.0 10.2	30.0 30.6	70.1 71.3	25. 0 20. 4 300. 3	10.0 10.2	200.3 198.6 300.3 287.5	40.1 40.7
50.7 57.2		16.9 19.1	16.9 19.1	109.9 95.4 224.2	16.9 19.1	76.1 76.3 74.7	16.9 9.5 74.7	8.5 74.7		8.5 9.5		42.3 38.1 74.7	25. 4 9. 5 149. 5	16.9 9.5 74.7	33.8 28.6 74.7	33.8 28.6 74.7	8.5 74.7	287.5 276.5 373.7	50.7 19.1 299.0
47.8 48.4		1	31.8 32.3	69.0 70.0	5.3 367.6	90.2 91.5	15.9 16.1					42.4 43.1	15.9 16.1	15.9 16.1	111.4 113.0	100.8 102.3	5.3 5.4	206. 9 199. 2 735. 3	95.5 96.9
35.4 25.3 177.6	35. 4 38. 0	11.8 12.7	35. 4 38. 0	47.3 50.6	35. 4 38. 0	35. 4 38. 0	11.8 12.7	70.9 75.9	11.8 12.7		35. 4 38. 0	23. 6 25. 3		11.8 12.7	94.5 88.6 177.6	11.8 12.7		295. 4 303. 8 177. 6	35. 4 38. 0
26.5 28.8	13.2 14.4	8.8 9.6	70.6 . 72.0 54.8	88. 2 81. 6 164. 5	26. 5 28. 8	70.6 67.2 109.6	17.6 9.6 109.6	75.0 76.8 54.8		4.4 4.8	8. 8 9. 6	119.1 91.2 438.6	30.9 24.0 109.6	4. 4 4. 8	66.2 67.2 54.8	88.2° 72.0 274.1	8.8 9.6	273. 5 249. 5 548. 2	39.7 38.4 54.8 84.5 69.4 351.5
• • • • • • • • • • • • • • • • • • • •	9.4 9.9	28. 2 19. 8 175. 7		28. 2 29. 7		18.8 19.8		37.5 39.7	9.4 9.9	9.4 9.9		18.8 19.8	9.4 9.9	9.4 9.9		150. 2 138. 8 351. 5		65.7 69.4	84. 5 69. 4 351. 5
84.0 80.3 115.6 38.6 30.9 100.6	12.0 13.4	6.0 6.7 44.1 30.9 150.9	60.0 33.5 289.0 44.1 43.3 50.3	120. 0 107. 1 231. 2 77. 1 80. 5 50. 3	36.0 40.2 11.0 12.4	90.0 73.6 231.2 104.7 92.8 201.2	12.0 6.7 57.8 16.5 18.6	60. 0 66. 9 27. 6 30. 9	6.0 6.7 11.0 12.4	5.5 6.2	12.0 13.4	102.0 87.0 231.2 82.7 74.3	6.0 6.7 5.5	12.0 13.4 5.5 6.2	54.0 60.3 60.6 61.9	96.0 100.4 57.8 77.1 68.1	24.0 20.1 57.8 5.5 6.2	270.0 241.0 520.2 192.9 179.5	36.0 33.5 57.8 44.1 30.9 150.9
- 23.1 22.0 27.3 58.8		5.8 7.3 29.4	17.3 14.6 27.3 51.4	57.7 58.6 54.6 117.6	5.8 7.3	98.1 80.5 163.8 51.4	17.3 14.6 27.3 22.0	46.2 51.2 27.3 7.3	5.8 27.3 7.3	23.1 22.0 27.3 22.0	23.1 7.3 81.9 7.3	150.9 40.4 36.6 54.6 80.8	5.8	23.1 14.6 54.6	50.3 132.8 117.1 191.1 36.7	63.5 36.6 163.8 80.8	7.3	301.8 225.1 219.6 245.7 294.0	57.7 29.3 163.8 29.4
67. 6 25. 5		33.8  17.0	50.7 56.2 34.0	93.0 281.2 76.6	16.9 8.5	50.7 56.2 178.7	8. 5 112. 5 17. 0	8.5	.8.5 8.5	25.4 8.5	8.5 17.0	67.6 168.7	8.5		42.3 110.6	76.1 112.5 76.6	8.5 8.5	253.6 562.4 212.7	25. 4 56. 2
30.0 40.4 39.2 45.1	2.9 8.6	10. 0 56. 6 20. 2 17. 8	49. 0 49. 9 45. 1	60. 1 169. 9 92. 2 85. 6	10.0 14.4 7.1	170.3 226.5 100.9 92.7	10. 0 56. 6 23. 1 28. 5	57. 6 49. 9 90. 2	20. 2 17. 8 30. 1	10.0 2.9 3.6	20.0	25. 5 20. 0 56. 6 49. 0 49. 9 45. 1	10.0 8.6 3.6	17.3 21.4	92. 2 96. 3 75. 2	40.1 283.1 89.4 53.5	10.0 11.5 14.3	200.3 283.1 233.5 221.1 285.7	- 11

<sup>&</sup>lt;sup>3</sup> Colored population less than 10 per cent of total.

# TABLE III.—DEATH RATES PER 100,000 POPULATION IN THE REGISTRATION AREA AND

=	population of the subtity.	1													
						DEATH I	LATE PER	100,000	POPULAT	ION FRO	)M				
	AREA AND COLOR.	All causes.1	Typhoid fever.	Mala- ria.	Small-pox.	Measles.	Scarlet fever.	Whooping cough.	Diph- theria and eroup.	In- flu- enza.	Ery- sipelas.	Tuber- culosis of the lungs.	Tuber-culous men-ingitis.	Other forms of tuberculosis.	Rheu- ma- tism.
	RURAL PART OF REGISTRATION STATES2—Continued.								-						
	KENTUCKY—continued.	!													
1 2 3	Jackson County (total) White Colored s	716.0 717.5	46. 5 46. 6						46.5 46.6			148.8 149.1		27.9 28.0	18.6 18.6
4 5 6	Jefferson County * (total) . White Colored .	1,375.5 1,274.1 2,025.7	30.6 26.5 56.8	5.1 5.9		11.8		7. 7 8. 8	7. 7 8. 8	5. 1 5. 9	5. 1 5. 9	255. 2 209. 4 549. 0		10.2 11.8	15.3 17.7
7 8 9 10 11 12	Jessamine County (total) White Colored Johnson County (total) White Colored 8	1,101.5	20.6 67.1 117.1			11.1	15.8 20.6 5.6 5.6	7.9 10.3 83.6 83.8	31.5 41.2 27.9 27.9	7.9 10.3 5.6 5.6	5. 6 5. 6	204. 8 102. 9 536. 6 105. 9 106. 2	22.3 22.4	31. 5 20. 6 67. 1 27. 9 27. 9	7.9 33.5 5.6 5.6
12 13	Colored 8.  Kenton County (total)	2,083.3 1.031.4	J	• • • • • •			22.7	22.7					•••••		
14 15 16 17 18	White Colored 8 Knott County (total). White. Colored 3.	1,029.4 1,129.9	63. 4 55. 1				23.1	23. 1 18. 1 18. 4	11.3 11.6 45.3 45.9		5.7 5.8				11.3
19 20 21 22 23 24	Knox County (total) White Colored * Larue County (total) White Colored *	1,282.2	79.3 69.4 274.2 46.8 50.5			4. 4 4. 6	4. 4 4. 6	44.1 46.3 56.1 60.5	35. 2 37. 0 37. 4 40. 4	23. 1 37. 4 40. 4		176. 2 166. 7 365. 6 196. 4 161. 5 637. 8	4. 4 4. 6 9. 4 10. 1	22. 0 18. 5 91. 4 18. 7 20. 2	8.8 4.6 91.4 18.7 20.2
25 26 27 28 29 30	Laurel County (total). White. Colored *  Lawrence County (total). White. Colored *	640. 2 631. 4 894. 2 944. 2 931. 9 2,454. 0	15. 4	•••••		9. 9 10. 3	5.0 5.1 9.9 10.0	24. 8 15. 4 298. 1 34. 8 25. 1 1, 227. 0	5. 0 5. 1 24. 8 25. 1	5.0 5.1		59.6	5.0 5.0	9.9 10.3 14.9 15.0	9.9 10.3 9.9 10.0
31 32 33 34 35 36	Lee County (total). White. Colored * Leslie County (total). White. Colored *	720. 2 717. 3 836. 8 681. 3 680. 5 735. 3		10.3 10.5		20.6	10.3 10.5	20.6 21.1 10.8 11.0	20.6	10.8 11.0				21.6	
37 38 39 40 41 42	Letcher County (total)  White Colored 3  Lewis County (total) White Colored 3	787. 1 695. 6 (4) 1,550. 6 1,521. 5 5,000. 0	83.5	• • • • • •		6. 0 6. 0		37. 0 37. 1 23. 9 24. 1	55. 6 55. 6 41. 7 42. 1	9.3 9.3 29.8		92. 6 55. 6 250. 5 252. 6	29.8 30.1	23. 9 24. 1	53. 7 54. 1
43 44 45 46 47 48	Lincoln County (total)	1,444.6 1,317.7 2,086.1 1,442.3	72.2	75. 9 70. 9		67.3	9.5 10.1	16.7 20.0 38.0 40.5	16.7 20.0 28.5 30.4	19.0	5.6 6.7	244.5 186.3 538.4 199.3 192.4 301.2	16.7 13.3 33.6 19.0 20.3	9.5	22. 2 26. 6
49 50 51 52 53 54	Logan County (total) White Colored Lyon County (total) White Colored	1,971.1 1,293.1	60. 4 41. 0 131. 4 31. 8 39. 3	93. 9 31. 8 26. 2		41. 0 56. 3 10. 6 13. 1			12. 1 10. 2 18. 8 21. 2 26. 2	31.8   . 26.2   .	4.0	52.4	12. 1 15. 4	39.3	18.8
55 56 57 58 59 60	McCracken County (total)  White Colored McLean County (total) White Colored 3	1, 138. 2 1, 381. 1 1, 477. 1	47.3 56.0 30.0 31.8	65.3 102.3 30.0 31.8		18. 7 22. 5 23. 8			23.7 28.0 7.5 7.9		15.0 15.9	236. 7 205. 2 409. 2 187. 4 166. 9 529. 8	7. 9 9. 3 15. 0 15. 9	82.5 87.4	7.5 7.9
62	Madison County (total)  White. Colored  Magoffin County (total)  White. Colored 3	968.3	37.4 ].				3.7 4.7	3. 7 4. 7 65. 0 58. 4 675. 7	14. 8 18. 7 122. 7 124. 0	4.7 28.9 29.2		115.5 109.4	14.8	7. 4 9. 4 28. 9 29. 2	3.7 4.7 7.2 7.3
67 68 69	Marion County (total)  White Colored Marshall County (total) White Colored  1 Exclusive of stillbirths	1, 438. 7 1, 236. 9 2, 690. 8	61. 2 64. 0 44. 1	68. 6 69. 2		12.2 7.1 44.1 106.1		18. 4 21. 3 6. 2 6. 3	18. 4 21. 3 43. 7 44. 1	25.0 25.2		232. 6 177. 7 573. 4 168. 5 170. 0	6. 2 6. 3	30. 6 14. 2 132. 3 18. 7 18. 9	

<sup>1</sup> Exclusive of stillbirths.

 $<sup>^2</sup>$  Exclusive of municipalities having a population of 10,000 or over in 1910.

							DEATH	RATE PE	R 100,000	) POPULA	TION F	вом—								T
Can- cer.	Dia- betes.	Menin- gitis.	Cerebral hemor- rhage and softening.			Pneu- monia (all forms).	Other respiratory disteases.	Diarrhea and enteritis (under 2 years).	Appen- dicitis.	Hernia, intes- tinal obstruc- tion.	Cir- rhosis of the liver.	Ne- phritis, Bright's disease.	Puer- peral fever.	Other puer-peral affections.	Congenital debility and malformations.	Violent deaths (ex- cluding sui- cide).	Sui- cide.	All other causes.	Ill- defined and un- known	
16	(37)	17	18	19	20, 21	22, (23)	(23)	25	26	27	28	29	31	32	33	85	36	(37)	38	
									,									,		
9.3 9.3		9.3 9.3		46.5 46.6		18.6 18.6	9.3 9.3	18. 6 18. 6				18.6 18.6			83.7 83.9	27.9 28.0		102.3 102.5	83.7 83.9	19
48.5 53.1 18.9	7.7 5.9 18.9	20.4 17.7 37.9	66.3 56.0 132.5	97. 0 88. 5 151. 5	25. 5 26. 5 18. 9	117. 4 103. 2 208. 3	17.9 17.7 18.9	40.8 44.2 18.9	5.1 5.9	17.9 20.6	15.3 14.7 18.9	107.2 97.3	2.6 2.9	7.7 2.9 37.9	56.1 47.2 113.6	51.0 44.2 94.7	5.1 5.9	296. 0 292. 0 321. 8	17.9 14.7 37.9	34
70. 9 82. 4 33. 5 33. 4 33. 5	11.1 11.2	23.6 30.9 11.1 11.2	31.5 30.9 33.5 5.6 5.6	102. 4 102. 9 100. 6 66. 9 67. 1	31.5 30.9 33.5 11.1 11.2	118.1 82.4 234.7 117.1 117.4	23.6 10.3 67.1 5.6 5.6	39. 4 41. 2 33. 5 94. 8 89. 4	15.8 20.6 5.6 5.6	7.9 10.3	11.1 11.2	170. 4 47. 3 30. 9 100. 6 27. 9 27. 9	5. 6 5. 6	57.9	55.1 41.2 100.6 172.8 173.3	110.3 92.6 167.7 128.2 128.5	15.8 20.6	252. 0 226. 5 335. 3 156. 1 156. 5	23.6 10.3 67.1 39.0 39.1	7 8 9 10
45.3		17.0	79.3	102.0	5.7	130.3	11.3	2,083.3		17.0	11.3	17.0			56.7	85.0 75.2	11.3	187.0	17.0	12
46.3 9.1 9.2		9.1 9.2	81.0 9.1 9.2	9.1 9.2	5.8	127. 2 282. 5 27. 2 . 18. 4	11.6 18.1 18.4	23.1 9.1 9.2		17.3	11.6	9.1 9.2	27. 2 27. 6		36.2 36.8	75.2 565.0 27.2 27.6	11.6	190. 8 117. 7 119. 5	17.3 108.6 101.1	_11#
8.8		30.8 32.4	26.4	57.3	22.0	613.5 83.7	8.8	61.7		13.2	4.4	26.4		8.8	123. 4	110.2	4.4	220.3	613.5 70.5	125
9.3 37.4 40.4	9. 4 10. 1	18.7 20.2	18.5 182.8 28.1 30.3	55.6 91.4 112.2 111.0 127.6	18.5 91.4 9.4 127.6	83.3 91.4 74.8 60.5 255.1	9.3 9.4 10.1	28. 1 30. 3	9.4 10.1	13.9 18.7 10.1 127.6	4.6	27.8 112.2 121.1	9.4 10.1	9.3 9.4 10.1	111.1 365.6 84.2 80.7 127.6	115.7 46.8 50.5	4.6 18.7 20.2	217.6 274.2 130.9 111.0 382.7	74.1	20 - 21 - 22 - 23 - 24
14. 9 15. 4		24.8 25.7	9.9 10.3	44.7 46.2	9. 9 10. 3	64. 5 66. 7		19.9 20.5	9.9 10.3		5.0 5.1	39.7 41.1	5.0 5.1	19.9 20.5	44.7 46.2	19.9 20.5	9.9 10.3	109. 2 102. 7 298. 1	44.7 41.1 149.0	1
19.9 20.0	5. 0 5. 0	24.8 25.1	19.9 20.0	49. 7 50. 1		64. 6 65. 1	9. 9 10. 0	59. 6 60. 1			9.9 10.0	39.8 40.1	9.9 10.0	5. 0 5. 0	59.6 55.1 613.5	34.8 35.1	5.0 5.0	139. 2 135. 3 613. 5	69.6 70.1	28
10.3 10.5		41.2 42.2	30.9 31.6	30.9 21.1 418.4	30. 9 31. 6	72.0 73.8		41. 2 31. 6 418. 4				30.9 31.6			41.2 42.2	20.6 21.1		113. 2 116. 0	20.6 21.1	31 32 - 33 34 35
21.6 22.0			10.8 11.0	54. 1 54. 9	10.8 11.0	10.8 11.0	10. 8 735. <b>3</b>	21. 6 22. 0						10.8 11.0	21.6 22.0	43.3 43.9		151.4 153.7	64.9 65.9	34 35 - 36
9.3 9.3		9.3 9.3		46.3 37.1	18.5 18.5	64. 8 55. 6	9. 3 9. 3	46.3 46.4					9.3 9.3	18.5 18.5	27.8 27.8	55.6 37.1		101.9 92.7	83. 3 83. 5	. 38 . 39
23.9 24.1		41.7 42.1	59.6 60.1	137. 2 138. 3	17.9 18.0	89. 5 84: 2 714. 3	17. 9 18. 0	77.5 78.2		11.9 12.0		89. 5 90. 2	11.9 12.0	17.9 18.0	89.5 90.2	107.3 72.2 4,285.7	6.0 6.0	208. 7 210. 5	59. 6 60. 1	40 41 42
77. 8 93. 2 28. 5 30. 4	5.6 6.7	38.9 33.3 67.3. 47.4 40.5 150.6	16.7 20.0 38.0 40.5	122. 2 93. 2 269. 2 38. 0 40. 5	22. 2 20. 0 33. 6 9. 5 10. 1	116.7 106.5 168.2 170.8 151.9 451.8	5.6 6.7	61.1 66.6 33.6 104.4 101.3 150.6	5. 6 6. 7 9. 5 10. 1	16.7 20.0 28.5 30.4	9.5 10.1	66.7 73.2 33.6 75.9 81.0	19.0 20.3	33.3 39.9 19.0 20.3	44. 4 46. 6 33. 6 113. 9 121. 5	105.6 73.2 269.2 56.9 50.6 150.6	5.6 6.7	211. 1 186. 3 336. 5 170. 8 . 172. 2 150. 6	38. 9 46. 6 56. 9 10. 1 753. 0	44 45 46 47
52.3 56.3 37.5 21.2 26.2		16.1 15.4 18.8 10.6 13.1	56. 3 61. 5 37. 5 21. 2 26. 2	64-4 71.7 37-5 53.0 52.4 55.5	12.1 10.2 18.8 10.6 13.1	100.6 92.2 131.4 74.2 78.6 55.5	24. 1 25. 6 18. 8 10. 6 13. 1	40. 2 35. 8 56. 3 21. 2 26. 2	31.8 39.3	24.1 25.6 18.8 21.2 13.1 55.5	16.1 15.4 18.8	44. 3 46. 1 37. 5 42. 4 52. 4	12.1 10.2 18.8 21.2 26.2	8.0 10.2	68.4 51.2 131.4 74.2 65.5 111.0	60.4 61.5 56.3 84.8 13.1 388.5	4.0 5.1 10.6 13.1	289. 7 281. 7 319. 1 296. 8 248. 9 499. 4	36. 2 25. 6 75. 1 95. 4 78. 6 166. 5	49 50 51 52
7.9 9.3 52.5 47.7 132.5	7. 9 9. 3 30. 0 31. 8	23.7 9.3 102.3 30.0 31.8	55. 2 37. 3 153. 5 22. 5 23. 8	23. 7 18. 7 51. 2 37. 5 31. 8 132. 5	7.9 51.2 22.5 23.8	126. 2 130. 6 102. 3 164. 9 166. 9 132. 5	23. 7 28. 0 22. 5 23. 8	47.3 37.3 102.3 97.5 87.4 264.9	7.9 9.3	15.0 15.9		47. 3 56. 0 82. 5 87. 4	7.5 7.9	15.0 15.9	86.8 102.6 90.0 95.4	47.3 46.6 · 51.2 67.5 55.6 264.9	15.8 18.7 7.5 7.9	189. 4 177. 3 255. 8 247. 4 246. 4 264. 9	31.6 37.3 37.5 31.8 132.5	55 56 57 58
36.9 42.1 17.4 7.2 7.3		18.4 23.4 .21.7 21.9	36. 9 28. 1 69. 7 7. 2 7. 3	55.3 51.5 69.7 21.7 21.9	3.7 4.7	59.0 51.5 87.1 57.7 58.4	11. 1 14. 0 21. 7 21. 9	33. 2 23. 4 69. 7 79. 4 80. 3	3.7 4.7 7.2 7.3	18.4 18.7 17.4	7.4 9.4 7.2 7.3	114.3 79.5 244.0 21.7 21.9	7.4 4.7 17.4	25.8 18.7 52.3 7.2 7.3	55.3 51.5 69.7 108.3 109.4	59. 0 51. 5 87. 1 50. 5 51. 1	7.4 9.4	210. 2 196. 5 261. 4 209. 3 211. 6	40.6 9.4 156.8 267.1 262.7 675.7	61 62 63 64
42.9 35.5 88.2 31.2 31.5	12.2 14.2	30.6 35.5 18.7 18.9	67.3 71.1 44.1 25.0 25.2	104.1 78.2 264.7 31.2 31.5	36.7 35.5 44.1 12.5 12.6	116.3 92.4 264.7 131.0 132.2	12. 2 14. 2 6. 2 6. 3	42.9 42.7 44.1 87.4 88.1	6.1 7.1	12. 2 14. 2		42.9 35.5 88.2 37.4 .37.8	6.1 7.1	18.4 14.2 44.1 31.2 31.5	104. 1 92. 4 176. 4 68. 6 69. 2	42. 9 35. 5 88. 2 49. 9 50. 4	12.2 14.2 6.2 6.3	275.5 220.4 617.6 181.0 182.5	42. 9 28. 4 132. 3 25. 0 25. 2	67 68 69

<sup>&</sup>lt;sup>3</sup> Colored population less than 10 per cent of total.

<sup>4</sup> Not computed, basis of population being too small.

#### TABLE III.—DEATH RATES PER 100,000 POPULATION IN THE REGISTRATION AREA AND

						DEATH R	ATE PER	100,000 1	POPULATI	ON FRO	-м-	-	<del></del>		
	AREA AND COLOR.	All causes.	Typhoid fever.	Mala- ria.	Small-pox.	Measles. 5	Scarlet fever.	Whooping cough.	Diph- theria and croup.	In- flu- enza.	Ery- sipelas.	Tuber- culosis of the lungs.	Tuber- culous men- ingitis.	Other forms of tuberculosis.	Rheu- ma- tism.
	RURAL PART OF REGISTRATION STATES2—Continued.													•	
	KENTUCKY—continued.														
1 2	Martin County (total)	923. 1 923. 6	80. 3 80. 3					26. 8 26. 8	26.8 26.8	13. 4 13. 4		93. 6 93. 7			
1 2 3 4 5	White. Colored <sup>3</sup> Mason County (total	1,729.4 1,607.5	38. 1 38. 6			27. 2 32. 2		5. 4 6. 4		59.8 51.4		184.9 160.8	10.9 6.4	10.9 12.9	5. 4 6. 4
i	Colored	2, 391.1	35. 3 82. 5				10.3	10.3	20, 6	105.8	10.3	317.3 113.5	35.3	51.6	
7 8 9 10	Meade County (total) White. Colored <sup>3</sup> Menifee County (total) White.	1, 155.5 1, 116.8 1, 694.9 559.9	88.5	l		11.1	11.1	11.1	22.1	154.1 32.9	11.1	110.6 154.1 115.3		44. 2 154. 1 16. 5	
11 12	White	547.0 2,564.1		33.2			49.7			33.2		116.0		1	
13 14	Mercer County (total)	1,383.7 1,180.8	92.7 42.2		<i></i>		7.1 8.4		21.4 25.3	28.5 16.9		192.6 151.8	42. 8 33. 7	7.1 8.4	7.1
15 16 17	White. Colored. Metcalie County (total). White. Colored 3.	2, 495. 4 1, 294. 1 1, 194. 5	369.7 47.6 51.5	19.0 20.6		19.0		38. 1 41. 2	28. 5 30. 9	92. 4 28. 5 20. 6		415.9 218.9 185.4	92.4	38. 1 30. 9	46.2 9.5
18	Colored 3	2,506.3	36.4	7.3		125.3		14.6	21.8	125.3 43.7	7.3	626. 6 327. 6	7.3	125.3 29.1	125.3 21.8
20 21	Monroe County (total) White Colored <sup>3</sup> Montgomery County (total) White Colored	1,307.0 1,783.3	38. 4 15. 5	7.7		53.8		15.4	23.1	46.1	7.7	276.8 1,234.6	7. 7 46. 6	30.8	23.1
20 21 22 23 24	White	1,012.8 2,065.7	10.3 31.3	<b>.</b>	l. <i></i>				10.3	10.3		217. 0 563. 4	51.7 31.3	10.3	
- 1	Morgan County (total)	1,144.9 1,147.3	30.0 30.0	<b>-</b>		12.0 12.0	59.9 60.1	30.0 30.0	71.9 72.1	18.0 18.0		161.8 162.2	12.0 12.0	36.0 36.0	
25 26 27 28 29 30	Morgan County (total) White Colored <sup>3</sup> Muhlenberg County (total) White Colored	1,339.7 1,273.1	60. 9 60. 3	27.1		37. 2		13. 5 15. 1	23. 7 22. 6	3. 4 3. 8	3.4 3.8	216.5 207.2	6.8 7.5	33.8 37.7	6.8
30	Colored	1,927.6	66.5	66.5 5.9		11.9		5.9	33.2	23.7		299.1 219.5		5.9	<b></b>
32 33	White	1,321.9 2,857.1	93. 4 102. 0	7.2		7.2 34.0		7.2		14.4 68.0		194.0 340.1		7.2	17. 8 7. 2 68. 0
34 35 36	Nelson County (total)	1,398.9 1,266.4 2,834.5		9.6 113.4					9.6 10.5	9.6 113.4	9. 6 10. 5	258.7 261.6 226.8	19. 2 20. 9	57.5 41.9 226.8	9.6 10.5
37 38	Ohio County (total)	1,267.8 1,246.4	72. 2 68. 2	14. 4 15. 2		50. 6 53. 0		7.2	39.7 41.7	18.1 18.9		195. 1 185. 6	18. 1 18. 9	32.5 34.1	3. 6 3. 8
39 40 41	Ohio County (total)	1,705.4 1,527.2	155.0 55.0 64.7	<b> </b>	1	1	1	155.0		27.5	13.8 16.2	387.6 261.4 210.1	13. 8 16. 2		
42	Colored	1,850.1	42.0	·····						185.0 21.7		555. 0 195. 0		36.1	
43 44 45	White. Colored 3	1,013.2 1,965.1	43.3 46.4			15.5			23.2	23.2	14.4 7.7 109.2	162. 4 655. 0	14. 4 15. 5	30.9 109.2	
45 46 47 48	Owen County (total). White. Colored *. Owsley County (total). White. Colored *.	838. 2 821. 2 2, 631. 6	24.7 24.9					24.7 24.9		12.3 12.4		87.1		12.4	
49	Pendleton County (total)	1, 359. 4	25.8						8.6 8.8	60. 2 52. 8		281.4	8.8		8.8
50 51 52 53	Colored 3. Perry County (total). White. Colored 3.	4,743.1 1,041.5	51.6 43.9	8.6			8.6	25. 8 26. 3	77.5	395.3 25.8		790.5 43.0			
54		ı	11					•••••	ĺ		······	452, 5			
55 56 57	Pike County (total)	1,066.8 2,616.3	581.4			15.4		64.1 64.7	58. 0 58. 6		3.1			12.3	3. 1 3. 1
58 59 60	Powell County (total)	640. 2 608. 9 1, 190. 5	16. 0 16. 9		l				16.0 16.9	32.0 33.8		112.0 101.5 297.6		32.0 33.8	
61 62	Pulaski County (total)	1, 129. 6	41.0	2.7 2.8		5. 5 5. 7	8. 2 8. 5	16.4 17.0	35. 6 33. 9	21.9 19.8	5.5 5.7	164.1 149.9	16.4 17.0	16.4 17.0	13.7 14.1
63 64	Colored 3	1,907.1	24.8			0.1		24.8 25.3	82. 9 24. 8 25. 3	82. 9 24. 8 25. 3	24.8	580. 4 322. 8		24.8 25.3	24.8 25.3
65 66	White Colored 3		ll .							ļ		2,941.2			
67 68 69	White	1 1 150 0	54.3 54.8	13.7		41.1		82.2	6.8			171.3	20. 4 20. 6		
70 71 72	Colored s. Rowan County (total). White Colored s.	1,273.6 1,260.6 3,333.3	31.3 31.5	10.5		20.9 21.0		20.9 21.0	31.3 31.5			210.1	20.9 21.0		

<sup>&</sup>lt;sup>1</sup> Exclusive of stillbirths.

<sup>&</sup>lt;sup>2</sup> Exclusive of municipalities having a population of 10,000 or over in 1910.

### DEATH RATES FROM PRINCIPAL CAUSES.

ITS SUBDIVISIONS, BY COLOR OF DECEDENT AND CAUSE OF DEATH: 1911—Continued.

are designated by asterisks (\*). Figures for white and colored are shown separately for minor subdivisions (except as indicated in the footnotes) only when the colored of 10,000 inhabitants or over in 1910. Numbers under causes of death correspond to those of the abridged International List (see p. 29).]

				<del></del>			DEATH :	BATE PE	r 100,000	POPULA	TION FI	вом—							
Can- çer.	Dia- betes.	Menin- gitis.	Cerebral hemor- rhage and softening.	Organic diseases of the heart.	Bron- chitis.	Pneu- monia (all forms).	Other respira- tory dis- eases.	Diarrhea and enteritis (under 2 years).	Appendicitis.	Hernia, intes- tinal obstruc- tion.	Cir- rhosis of the liver.	Ne- phritis, Bright's disease.	Puer- peral fever.	Other puer- peral affec- tions.	Congenital debility and malformations.	Violent deaths (ex- cluding sui- cide).		All other causes.	Ill- defined and un- known.
16	(87)	17	18	19	20, 21	22, (23)	(23)	25	26	27	28	29 	31	32	. 33	35	36 ———	(37)	38
•																		900 7	50.5°
26.8 26.8		40.1 40.2		80.3 80.3	13. 4 13. 4 21. 8	40.1 40.2		80.3 80.3	13.4 13.4	10.0		13.4 13.4	10.9		53.5 53.5	66.9 66.9	5.4	200.7 200.8 315.4	53.5
65.3 77.2	16.3 19.3	10.9 6.4 35.3	54.4 57.9 35.3	244. 7 244. 3 246. 8	25.7	157. 7 109. 3 423. 1	10.9 12.9	38.1 45.0	10.9 6.4 35.3	16.3 19.3		103.3 90.0 176.3	12.9	10.9 6.4 35.3	70. 7 70. 7 70. 5	119.6 90.0 282.1	6.4	327. 9 246. 8	103.3 64.3 317.3
31.0 33.2	10.3 11.1 16.5 16.6	10.3 154.1 49.4 49.7	20.6 11.1 154.1	72.2 66.3 154.1	20.6 22.1	134.1 121.6 308.2 16.5 16.6	20.6- 22.1	61.9 66.3		10.3		61.9 66.3 16.5 16.6		16.5 16.6	72. 2 66. 3 154. 1 32. 9 33. 2	31.0 11.1 308.2 16.5 16.6	10.3	257. 9 276. 4 82. 3 82. 9	10.3 11.1 65.9 66.3
71.3 75.9 46.2 57.1 61.8	14.3 16.9	14.3 8.4 46.2 9.5 10.3	49.9 50.6 46.2 38.1 41.2	114.1 92.8 231.1 66.6 61.8 125.3	35.7 25.3 92.4 9.5 10.3	57. 1 67. 5 114. 2 113. 3 125. 3	28.5 33.7	28. 5 8. 4 138. 6 38. 1 41. 2	7.1 8.4 9.5 10.3	21. 4 25. 3 9. 5 10. 3	14.3 16.9 9.5 10.3	85. 6 84. 3 92. 4 57. 1 61. 8	7.1		78. 5 67. 5 138. 6 66. 6 51. 5 250. 6	78. 5 67. 5 138. 6 57. 1 51. 5 125. 3	7.1 8.4 9.5 10.3	228. 2 185. 6 462. 1 190. 3 195. 7 125. 3	42.8 42.2 46.2 104.7 61.8 626.6
29.1 23.1 137.2 38.8 31.0	21. 8 23. 1 7. 8 10. 3	7.3 7.7 23.3 31.0	7.3 7.7 23.3 20.7 31.3	43.7 46.1 46.6 20.7	7.3 7.7 7.8 10.3	58. 2 61. 5 163. 1 124. 0 281. 7	7.3 7.7 15.5 20.7	43.7 46.1 38.8 10.3	15.5	15.5 10.3	7.3 7.7	51. 0 53. 8 93. 2 82. 7 125. 2	7.3 7.7 23.3 20.7 31.3	7.3 7.7	116.5 123.0 31.1 31.0	36. 4 30. 8 137. 2 54. 4 51. 7 62. 6		254. 8 261. 4 137. 2 225. 3 217. 0 250. 4	58. 2 53. 8 137. 2 46. 6 10. 3 156. 5
18.0		42.0 42.0	31.3	125. 2 18. 0 18. 0		71.9 72.1	12.0 12.0	125. 2 53. 9 54. 1	62.6	31.3	62.6	125. 2 12. 0 12. 0	12.0 12.0	6.0 6.0	31.3 71.9 72.1	65.9 66.1		209. 8 210. 2	119.9 120.1
37.2 30.1 99.7	10.1 7.5 33.2	13.5 15.1	10.1 11.3	54.1 41.4 166.2	20.3 18.8 33.2	104.9 94.2 199.4	10.1 11.3	71.0 64.0 132.9	3.4 3.8	6.8 7.5	13.5 7.5 66.5	84. 6 82. 9 99. 7	3.4	16.9 15.1 33.2	101.5 101.7 99.7	81. 2 67. 8 199. 4	16. 9 15. 1 33. 2	203. 0 207. 2 166. 2	44.0 41.4 66.5
53.4 50.3 68.0 28.7 31.4	5. 9 7. 2 28. 7 31. 4	23.7 21.6 34.0 47.9 52.3	53.4 35.9 136.1 95.8 73.3	124.6 115.0 170.1 86.2 73.3 226.8	17.8 21.6 38.3 31.4 113.4	154. 2 122. 1 306. 1 115. 0 73. 3 566. 9	41.5 28.7 102.0	47.5 43.1 68.0 28.7 31.4		11.9	35. 6 21. 6 102. 0 9. 6 10. 5	77.1 57.5 170.1 115.0 115.1 113.4	19. 2 20. 9	9.6 10.5	112.7 115.0 102.0 76.7 83.7	77.1 43.1 238.1 76.7 73.3 113.4	11.9 14.4	284.7 229.9 544.2 210.8 167.5 680.3	71. 2 43. 1 204. 1 19. 2 20. 9
25.3 26.5 82.6 80.8 92.5	7.2 7.6	25.3 22.7 77.5 27.5 16.2 92.5	25.3 22.7 77.5 55.0 64.7	61. 4 53. 0 232. 6 178. 9 177. 8 185. 0	10.8 11.4 13.8 16.2	79. 5 75. 8 155. 0 123. 8 145. 5	10.8 7.6 77.5 13.8 16.2	101.1 98.5 155.0 41.3 48.5	7.2 7.6	3.6 3.8 13.8 16.2	14. 4 15. 2	28.9 30.3 123.8 129.3 92.5	7.2 7.6	14. 4 15. 2 13. 8	72. 2 75. 8 82. 6 80. 8 92. 5	39.7 34.1 155.0 41.3. 32.3 92.5	3.6 3.8 27.5 32.3	231. 2 238. 7 77. 5 302. 7 290. 9 370. 0	47.0 49.3 13.8 16.2
57.8 61.9	14.4 15.5	21.7 15.5 109.2	43.3 30.9 218.3 37.0 37.3	108.3 116.0 49.3 49.8	7.2 7.7 24.7 24.9	43.3 38.7 109.2 24.7 24.9	14.4 15.5 37.0 37.3	43.3 46.4 37.0 37.3	7.2	14.4 7.7 109.2 12.3 12.4		28.9 30.9	21.7 23.2	12.3 12.4	65.0 54.1 218.3 86.3 87.1	28.9 30.9 61.6 62.2		158.9 154.7 218.3 221.9 224.0	36.1 30.9 109.2 49.3 49.8
17.2		60.2 44.0 790.5 17.2 17.5	77.4 79.2	154.9 140.7 790.5	8.6 8.8	68.8 61.6 395.3 86.1 87.7	17.2 17.5	43.0 35.2 395.3 25.8 26.3		17.2 17.6 8.6 8.8	17. 2 8. 8 395. 3	60.2			86.0 88.0 25.8 26.3	77. 4 70. 4 395. 3 206. 6 114. 1 4, 977. 4	8.6 8.8 8.6 8.8	223.7 219.9 395.3 172.1 149.2 1,357.5	8.6 8.8 215.2 219.4
12. 2 9. 2 290. 7 32. 0		18.3 18.5 48.0 50.7	12.2 12.3	45.8 43.2 290.7 48.0 33.8 297.6	9.2 9.2	67.1 67.8 32.0 33.8	3.1 3.1	94.6 95.6 32.0 33.8		6.1		9. 2 9. 2 32. 0 33. 8	6.1 6.2 16.0	12.2 12.3 16.0 16.9	51. 9 52. 4 16. 0 16. 9	79.3 70.9 872.1 32.0 33.8	6.1 6.2 16.0 16.9	161.7 157.2 581.4 96.0 84.6 297.6	137.3 138.7 16.0 16.9
38.3		13.7 14.1	21. 9 22. 6 124. 2 126. 3	76. 6 76. 4 82. 9 99. 3 101. 0	8.2 8.5	71.1 70.7 82.9 173.8 176.8	13.7 11.3 82.9 24.8 25.3	46. 5 45. 3 82. 9 74. 5 75. 8	5.5 2.8 82.9	5.5 5.7 24.8 25.3	2.7 2.8	38.3 36.8 82.9 49.7 50.5	24.8 25.3	16.4 17.0	90.3 90.5 82.9 24.8 25.3	90.3 82.0 331.7 49.7 50.5	8.2 8.5 24.8 25.3	150. 4 147. 1 248. 8 124. 2 126. 3	84.8 87.7 99.3 101.0
34.0 34.3 41.8 42.0		6.8 6.9 31.3 31.5	10.4 10.5	74.7 75.4 41.8 42.0	6.8 6.9	47.5 48.0 83.5 84.0	6.8 6.9	74.7 68.5 787.4 52.2 52.5	6.8 6.9 10.4 10.5	6.8 6.9 10.4 10.5	10.4 10.5	47.5 48.0 52.2 42.0 1,666.7	6.8 6.9 41.8 42.0		88.3 89.1 104.4 105.1	88.3 89.1 41.8 42.0		156. 2 157. 6 250. 5 241. 6 1,666. 7	81. 5 82. 2 125. 3 126. 1

<sup>2</sup> Colored population less than 10 per cent of total.

### TABLE III.—DEATH RATES PER 100,000 POPULATION IN THE REGISTRATION AREA AND

	population of the subdivi					<del></del>		R 100,000							-
	AREA AND COLOR.	All causes.1	Typhoid fever.	Mala-ria.	Small-pox.	Measles.	Scarlet fever.	Whooping cough.	Diph- theria and croup.	In- flu- enza.	Ery-sipelas.	Tuber- culosis of the lungs.	Tuber- culous men- ingitis.	Other forms of tu- bercu- losis.	Rheu- ma- tism.
	RURAL PART OF REGISTRATION STATES 2—Continued.												<b></b>		
	KENTUCKY—continued.													i	
1 2 3 4	Russall County (total).  White. Colored *. Scott County (total).  White. Colored.	1,299.6 1,287.9 1,904.8	45. 4 46. 3	9.3				27.3 27.8 41.6	45. 4 46. 3	18.2 18.5		227. 2 213. 1 952. 4	18. 2 18. 5	27.3 27.8	9.1 9.3
5 6	White. Colored.	1, 194. 6 1, 694. 9	62.5			7.8	5.9 24.9	7. 8 149. 6	5.9 7.8	29.7 23.4 49.9	5.9 7.8	291. 3 296. 7 274. 2	17.8 15.6 24.9	5. 9 7. 8	5.9 7.8
7 8 9 10 11 12	Shelby County (total). White. Colored. Simpson County (total). White. Colored.	1, 449. 6 1, 255. 2 2, 134. 1 1, 302. 3 1, 099. 1 2, 174. 9	50. 0 49. 9 50. 2 96. 1 53. 9 277. 6	17. 5 21. 6		5. 6 7. 1 52. 4 64. 7		94.4 64.2 200.9 8.7 10.8	16.7 21.4	50.2 17.5		216. 6 164. 0 401. 7 201. 0 86. 2 694. 1	11. 1 7. 1 25. 1	16.7 14.3 25.1 35.0 32.3 46.3	22. 2 7. 1 75. 3
13 14 15 16 17 18	Spencer County (total)	1, 239. 1 1, 259. 9 1, 052. 6 1, 243. 0 1, 110. 5 2, 219. 1	24.9		••••••	52. 7 58. 6 41. 4 47. 1	8.3 9.4	8.3	65. 9 73. 2	14.6		171. 4 175. 8 131. 6 265. 2 197. 6 762. 8	26. 4 29. 3 24. 9 18. 8 69. 3		39.5 29.3 131.6 8.3 9.4
19 20 21 22 23 24	Todd County (total) White Colored. Trigg County (total) White Colored.	1, 562. 8 1, 508. 2 1, 676. 7 575. 5 488. 5 869. 6	34.3 35.5	18.1		18.3 27.1 13.7	6.1 9.0	13.7	42.7 45.2 37.7	6.1 9.0 6.9 8.9		213.7 135.5 376.8 130.2 71.0 329.8	12.2 37.7	24.4 18.1 37.7 6.9 8.9	12.2 18.1
25 26 27 28 29 30	Trimble County (total).  White. Colored s. Union County (total). White.	1,215.1 1,162.6 3,571.4 1,308.9 1,206.8 2,047.6	31. 2 31. 9 81. 2 75. 1 125. 4	45.7 40.4		71.0 75.1		15.6 15.9 25.4 28.9	30.4 34.6	15. 6 15. 9 25. 4 17. 3 83. 6		186. 9 159. 3 1,428. 6 202. 9 190. 6 292. 5		15.2 11.5 41.8	15.6 15.9 10.1 5.8 41.8
31 32 33 34 35 36		1,425.7 1,300.8 1,925.6 1,222.1 1,079.4 2,197.2	65. 2 65. 2 65. 3 35. 9 24. 7	3.3 4.1		26. 1 24. 5 32. 6 14. 4		• • • • • • • • • • • • • • • • • • • •	26. 1 28. 5 16. 3 28. 8 33. 0	6.5 8.2	13.0 16.3 7.2 8.2	261. 0 191. 6 538. 5 215. 7 206. 0 281. 7	19.6 20.4 16.3 21.6 16.5 56.3	13.0 8.2 32.6 21.6 8.2 112.7	6.5 8.2
37 38 39 40 41 42	Wayne County (total). White Colored * Webster County (total). White Colored.	, , , ,	22. 4 17. 6 133. 0 66. 4 70. 6 37. 7	5.6 5.9 19.0 16.3 37.7		52.2	• • • • • • • • • • • • • • • • • • • •		39. 2 41. 0 19. 0 21. 7	11.2 11.7 9.5 10.9	5.6 5.9	213. 0 181. 4 930. 8 204. 0 162. 8 489. 5	19.0 21.7	11.2 11.7 38.0 43.4	11.2 11.7
43 44 45 46 47	Whitley County (total).  White. Colored <sup>5</sup> Wolfe County (total).  White. Colored <sup>8</sup>	1,214.2 850.2 845.0	30.0 30.2			18. 9 10. 0 10. 1		34.7	30.5 31.6 30.0 30.2	9. 1 9. 5 10. 0 10. 1	3.0. 3.2	88. 3 88. 4 86. 7 80. 0 80. 5	3.0 3.2 10.0 10.1	15.2 15.8 10.0 10.1	6.1 6.3
48 49 50 51	Woodford County (total)	1,754.4 1,463.6 1,204.7 2,078.8	32.0 34.1			16.0		40.0 56.8	24.0 11.4 54.0	24.0 22.7 27.0	24.0 22.7 27.0	200. 0 159. 1 297. 0	16.0 22.7	8.0 27.0	8.0 27. 0
52 53 54	MAINE. Total. White. Colored.	1,539.3 1,542.7 356.9	14.3 14.4	0.3 0.3		2.2 2.3	2.1 2.1	9.3 9.3	9.1 9.2	28.7 28.7	3.3 3.3	109.1 109.2 59.5	8.6 8.7	14.7 14.7	7.4 7.4
55 56 57 58	Androscoggin County Aroostooli County Cumberland County Franklin County	1, 195.5 1, 550.3 1, 359.2	5:4 17.0 9.3 10.4	5.2		5.6	2.6 1.9	5.4 26.2 1.9 5.2	10.7 19.6 9.3 5.2	10.7 15.7 26.0 10.4	5.2 3.7	112.7 90.4 117.1 78.1	5.4 5.2 5.6	16. 1 11. 8 5. 6 10. 4	11.8 7.4 10.4
59 60 61 62	Hancock County Kemnsbee County Knox County Lincoln County	1 620 8 1	7.8 13.9				11.3 3.5	2.8 5.2 17.4	5.7 5.2	56.5 18.3 31.2 77.6	2.8 2.6 3.5 5.5	115.9 112.5 201.3 127.5	5.7 7.8 3.5 11.1	14.1 10.5 31.2 5.5	8.5 5.2 5.5
63 64 65 66	Oxford County Penobscot County Piscataquis County Sagadahoc County	1.554.9	8.2 29.6			5.4 3.3	3.3 5.4	4.9 29.6 16.3	8.2 11.4 19.8	40.8 27.8 24.7 43.6	2.7 4.9 4.9	76. 2 96. 4 84. 0 87. 1	13.6 11.4 29.6	- 19.0 21.2 29.6 5.4	10.9 9.8 9.9 10.9
67 68 69 70	Somerset County Waldo County Washington County York County.	1,472.7 1,881.0 1,457.0 1,618.4	16.4 4.3 16.4 27.0	1.9		9.7	1.9	2.7 8.6 7.0 9.7		30. 1 34. 4 23. 5 23. 2	5.5 8.6	84.7 133.1 147.8 104.3		10.9 30.1 14.1 9.7	2.7 2.3 11.6

<sup>1</sup> Exclusive of stillbirths.

 $<sup>^{2}</sup>$  Exclusive of municipalities having a population of 10,000 or over in 1910.

are designated by asterisks (\*). Figures for white and colored are shown separately for minor subdivisions (except as indicated in the footnotes) only when the colored of 10,000 inhabitants or over in 1910. Numbers under causes of death correspond to those of the abridged International List (see p. 29).]

							DEATH :	RATE PE	R 100,000	) POPULA	TION FE	ом—		-					
Can- cer.	Dia- betes.	Menin- gitis.	Cerebral hemor- rhage and softening.	Organic diseases of the heart.	Bron- chitis.	Pneu- monia (all forms).	Other respira- tory dis- eases.	Diar- rhea and ente- ritis (under 2 years).	Appendicitis.	Hernia, intes- tinal obstruc- tion.	Cir- rhosis of the liver.	Ne- phritis, Bright's disease.	Puer- peral fever.	Other puer- peral affec- tions.	Con- genital debility and mal- forma- tions.	Violent deaths (ex- cluding sui- cide).	Sui- cide.	All other causes.	fil- defined and un- known.
16	(37)	17	18	19	20, 21	22, (23)	(23)	25	26	27	28	29	31	32	33	35	36	(87)	38
-														-				,	
45. 4 46. 3		54. 5 55. 6	18. 2 18. 5	27.3 27.8	27.3 27.8	109. 1 111. 2		45. 4 46. 3			9.1 9.3			18. 2 18. 5	118.1 111.2 476.2	45. 4 46. 3		272.7 268.7	63. 6 64. 9
11.9 15.6	11.9 15.6	41.6 54.7	41.6 39.0 49.9	118.9 101.5 174.5	5.9 7.8	101. 1 70. 3 199. 4	11.9 49.9	65. 4 62. 5 74. 8	17.8 15.6 24.9			59. 5 78. 1		5.9 24.9	35. 7 23. 4 74. 8	47.6 39.0 74.8	17.8 23.4	476. 2 202. 1 179. 6 274. 2	23. 8 23. 4 24. 9
83.3 71.3 125.5 35.0 43.1	11.1 7.1 25.1	44. 4 49. 9 25. 1	77.8 71.3 100.4 26.2 32.3	83.3 64.2 150.6 104.9 97.0 138.8	11.1 7.1 25.1 8.7 10.8	105. 5 78. 4 200. 9 87. 4 53. 9 231. 4	27.8 28.5 25.1 8.7	38. 9 28. 5 75. 3 52. 4 64. 7	16.7 7.1 50.2 17.5 21.6	22. 2 28. 5 8. 7 10. 8	11.1 7.1 25.1 8.7 10.8	72. 2 78. 4 50. 2 87. 4 86. 2 92. 5	22. 2 14. 3 50. 2 8. 7	8.7 10.8	33.3 28.5 50.2 61.2 53.9 92.5	77.8 71.3 100.4 78.7 75.4 92.5	16.7 21.4 8.7 10.8	177.7 178.3 175.7 262.2 237.1 370.2	33. 3 28. 5 50. 2
79. 1 87. 9 24. 9 28. 2		26. 4 29. 3 16. 6 9. 4	13. 2 14. 6 33. 1 18. 8	39. 5 43. 9 66. 3 75. 3	13. 2 14. 6 24. 9 28. 2	145.0 161.1 91.1 65.9		13. 2 14. 6 33. 1 37. 6	8.3 9.4	13. 2 14. 6 16. 6 18. 8	13. 2 14. 6	39. 5 29. 3 131. 6 66. 3 56. 5	13. 2	26.4 14.6 131.6	52.7 58.6 82.9 84.7	26. 4 14. 6 131. 6 99. 4 103. 5	13. 2 14. 6	263.6 263.7 263.2 223.7 197.6	65. 9 73. 2 74. 6 65. 9 138. 7
42.7 45.2 37.7	18.3 18.1 18.8	69.3 36.6 27.1 56.5	138.7 91.6 99.3 75.4 20.6 26.6	85.5 99.3 56.5 48.0 53.3	12.2 37.7 6.9 8.9	277.4 116.0 117.4 113.0 13.7 17.8	12.2 18.1 6.9 8.9	73.3 99.3 18.8 20.6 17.8 30.0	18.3 18.1 18.8	12.2 9.0 18.8	12.2 18.1	138.7 73.3 72.2 75.4 20.6 26.6	18.3 9.0 37.7	20. 6 26. 6	69.3 116.0 135.5 75.4 6.9 8.9	85.5 90.3 75.4 27.4 17.8	6. 9 8. 9	293. 0 280. 0 320. 3 95. 9 88. 8	67.2 36.1 131.9 75.4 53.3
62.3 63.7 30.4 17.3	5.1 5.8	15.6 15.9 25.4 17.3	31.2 31.9 5.1 5.8	109.1 95.6 714.3 60.9 57.7	15.6 15.9 5.1 5.8	93.5 95.6 81.2 75.1	15.6 15.9 20.3 11.5	31.2 31.9 50.7 57.7	10.1 11.5	5.1 5.8	15.6 15.9 5.1 5.8	31.2 31.9 15.2 11.5	10.1 5.8	10.1 11.5	155.8 159.3 111.6 109.7	60.0 124.6 111.5 714.3 96.4 69.3	10.1 11.5	119.9 171.4 175.2 202.9 202.1	62.3 47.8 714.3 40.6 28.9
55. 5 44. 9 97. 9 64. 7 57. 7 112. 7	7.2 8.2	83.6 22.8 20.4 32.6 7.2 8.2	35. 9 36. 7 32. 6 14. 4 16. 5	83.6 101.1 85.6 163.2 79.1 90.6	19.6 20.4 16.3 14.4	125. 4 81. 6 69. 3 130. 5 115. 0 82. 4	9.8 12.2 21.6 8.2	58.7 61.2 49.0 28.8 24.7	6.5 8.2 7.2 8.2	6.5 4.1 16.3		97. 9 89. 7 130. 5 43. 1 49. 4	41.8 6.5 4.1 16.3 7.2	9.8 12.2 7.2 8.2	125.4 107.7 110.1 97.9 86.3 98.9	292.5 75.0 85.6 32.6 64.7 41.2		208.9 261.0 248.7 310.1 244.4 189.5	26.1 12.2 81.6 64.7 65.9
28. 0 29. 3 9. 5 5. 4 37. 7	11.2 11.7 4.7 5.4	28.0 29.3 19.0 21.7	5.6 133.0 33.2 38.0	44. 8 46. 8 42. 7 38. 0 75. 3	56.3 5.6 5.9 14.2 16.3	338. 0 39. 2 29. 3 266. 0 113. 9 124. 8 37. 7	112.7 11.2 11.7 14.2 5.4 75.3	56. 3 33. 6 35. 1 66. 4 70. 6	9.5 10.9		5.6 5.9 19.0 16.3	28. 0 . 17. 6 266. 0 19. 0 16. 3	56.3 14.2 16.3	5.6 5.9 9.5 10.9	61. 7 64. 4 99. 6 103. 1	50. 5 46. 8 133. 0 56. 9 38. 0	23.7 27.1	619.7 162.6 134.6 797.9 166.0 157.4	56.3 140.2 140.5 133.0 38.0 32.6 75.3
15. 2 12. 6 86. 7 30. 0	6.1 6.3	24. 4 22. 1 86. 7 30. 0 30. 2	9.1 9.5 10.0 10.1	27.4 28.4 40.0 40.2	3.0 3.2 10.0	73.1 69.4 173.5 50.0 50.3	15. 2 15. 8 10. 0 10. 1	37.7 42.6 37.9 173.5 30.0 30.2	3.0 3.2	3.0	37.7  10.0 10.1	37. 7 18. 3 15. 8 86. 7 30. 0 30. 2	6.1 6.3 30.0 30.2	15.2 15.8 30.0 30.2	48.7 47.3 86.7 70.0 70.4			225. 9 134. 0 138. 9 120. 0 120. 7	67. 0 69. 4 130. 0 130. 8
45.5		8.0 11.4	80.0 68.2 108.0	96. 0 45. 5 216. 0	24.0	80.0 79.6 81.0	24.0 81.0	72.0 79.6 54.0	8.0 11.4			112.0 79.6 189.0	8.0 11.4	8.0 11.4	80. 0 90. 9 54. 0	72. 0 79. 6 54. 0	16.0 22.7	287. 9 204. 6 486. 0	16. 0 11. 4 27. 0
99.6 99.7 59.5	23. 6 23. 7	11.4 11.4	122.0 - 122.4	175. 4 175. 9	26. 4 26. 3 59. 5	131.5 131.7 59.5	18.3 18.4	56.6 56.8	9.1 9.2	12.1 12.1	5.5 5.5	105. 6 105. 8 59. 5	2.9 2.9	10.2 10.2	69. 9 70. 1	72.8 73.1	13.5 13.5	-336. 4 337. 2 59. 5	26. 9 27. 0
75.1 35.4 20.8 72.9	16.1 10.5 33.5 10.4	10.7 5.2 13.0 10.4	150. 3 48. 5 154. 3 125. 0	177. 1 68. 1 202. 6 109. 4	16. 1 18. 3 29. 7 36. 5	177. 1 82. 5 119. 0 151. 0	5. 4 15. 7 13. 0 10. 4	37.6 209.5 33.5 41.7	16.1 11.8 9.3 5.2	5. 2 16. 7 26. 0	16.1 2.6 1.9 15.6	96. 6 58. 9 109. 7 125. 0	2.6 1.9	11.8 11.2 5.2	42. 9 77. 3 52. 0 98. 9	53.7 48.5 61.3 83.3	10.7 6.5 9.3 10.4	305. 9 197. 7 355. 0 250. 0	26. 8 73. 3 9. 3 36. 5
15. 9 20. 3 38. 9 99. 6	22.6 26.2 31.2 61.0	2.8 23.5 3.5 11.1	107. 4 143. 9 177. 0 227. 3	192. 2 238. 1 274. 2 210. 7	36.8 41.9 20.8 27.7	155. 5 120. 3 152. 7 94. 2	11.3 13.1 17.4 16.6	31.1 39.2 10.4	7.8 20.8	11.3 13.1 17.4 11.1	5.2 6.9 5.5	132.9 86.3 128.4 205.1	5.2 3.5	5.7 7.8 6.9 11.1	70.7 57.6 48.6 27.7	65. 0 73. 2 100. 7 27. 7	17.0 20.9 24.3 22.2	330.8 392.4 433.9 471.2	19.8 15.7 24.3 22.2
00.7 04.5 84.0 92.6	29.9 21.2 19.8 16.3	10.9 9.8 4.9 10.9	108.9 104.5 118.5 158.0	198. 7 156. 8 118. 5 266. 9	13.6 32.7 4.9 27.2	163.3 124.1 113.6 163.4	16.3 27.8 9.9 10.9	54. 4 49. 0 24. 7 5. 4	10.9 14.7 4.9 10.9	8.2 14.7 14.8 16.3	6.5	125. 2 93. 1 64. 2 103. 5	2.7 3.3 4.9 5.4	13.6 11.4 9.9 10.9	103. 4 76. 8 108. 7 49. 0	98.0 93.1 69.2 103.5	19.0 19.6 14.8 5.4	364.7 369.1 296.4 348.6	13.6 19.6 9.9 27.2
84.7 28.8 77.4 25.5	16.4 60.1 7.0 27.0	21.9 21.5 14.1 11.6	112.0 124.5 110.3 146.8	166.7 244.8 161.9 185.4	21.9 25.8 23.5 34.8	-142.1 158.9 159.5 125.5	32.8 25.8 14.1 30.9	35. 5 12. 9 56. 3 19. 3	16.4 2.3 5.8	16.4 12.9 9.4 9.7	10.9 8.6 7.0 5.8	49. 2 180. 4 98. 5 144. 8	5.5 4.3 4.7 1.9	21.9 12.9 7.0 7.7	43.7 55.8 91.5 79.2	95. 6 73. 0 42. 2 86. 9	16. 4 8. 6 2. 3 13. 5	366. 1 472. 4 302. 7 324. 5	30.1 25.8 18.8 19.3

<sup>3</sup> Colored population less than 10 per cent of total.

# Table III.—DEATH RATES PER 100,000 POPULATION IN THE REGISTRATION AREA AND

===						DEATH :	RATE PEI	R 100,000	POPULAT	ION FRO	ом—		<del></del>		
	AREA AND COLOR.	All causes.	Typhoid fever.	Mala- ria.	Small-pox.	Measles.	Scarlet fever.	Whooping cough.	Diphtheria and croup.	In- flu- enza.	Ery-sipelas.	Tuber- culosis of the lungs.	Tuber- culous men- ingitis.	Other forms of tuberculosis.	Rheu- ma- tism.
	RURAL PART OF REGISTRATION STATES 2—Continued.														
1 2 3	MARYLAND. Total. White. Colored.	1,345.5 1,197.5 1,907.8	43.7 37.9 65.7	1.6 0.5 5.5		6. 5 6. 7 5. 5	3.2 4.0	19.9 13.3 44.9	13.3 12.7 15.2	19.3 16.7 29.0	2.7 3.3 0.7	153.9 112.5 311.2	4.5 4.2 5.5	12.0 9.3 22.1	4.5 4.7 3.5
4 5 6 7 8 9	Allegany County (total).  White Colored <sup>3</sup> Anne Arundel County (total).  White Colored.	736. 2 2, 672. 6 1, 828. 3 1, 524. 1	26. 8 27. 1 53. 1 51. 2 56. 5	5. 1		10. 1 15. 8	2.4 2.5 7.6 11.8	36. 5 32. 0 445. 4 17. 7 7. 9 35. 3	7.3 7.4 25.3 31.5 14.1	21. 9 22. 2 17. 7 11. 8 28. 3	2.4 2.5	46.3 39.4 668.2 192.2 122.1 317.9	7.6 3.9 14.1	2.4 2.5 25.3 19.7 35.3	7.3 7.4
10 11 12 13 14 15	Baltimore County (total) White. Colored. Calvert County (total). White. Colored.	1,454.7	28.5 30.0 15.4 38.7	0.8		15.1	6.3	5.5 3.5 23.1	14.3 14.1 15.4 9.7 18.9	16.6 17.7 7.7 29.0	3.2 3.5 9.7	162.4 159.9 184.4 145.1 37.8	5.5 5.3 7.7	14.3 14.1 15.4	4.0 4.4
16 17 18 19 20 21	Caroline County (total).  White. Colored. Carroll County (total).  White. Côlored 3	1,414.8 1,197.3 2,070.1 1,428.9 1,365.5	71. 5 68. 0 82. 0 29. 5			 	5. 1 6. 8 5. 9 6. 3	20. 4 13. 6 41. 0 17. 7 15. 7 49. 7	5.1 20.5 8.8 9.4	59. 4 35. 8 34. 0 41. 0 23. 6 25. 1	19.8 5.1 6.8 8.8 9.4	257.3 229.8 108.8 594.4 109.0 106.5	15.3 20.4 8.8 6.3	30.6 13.6 82.0 8.8 9.4	5.9 6.3
22 23 24 25 26 27	Cecil County (total).  White. Colored. Charles County (total).  White. Colored.	1,420.8 1,323.1 2.019.3 1,737.4 1,305.1	25. 4 24. 6 30. 1 61. 6 38. 8 82. 4	6.2		4.2 4.9 6.2	4.2	25.4 29.5	8.5 9.8 43.1 51.7 35.3	29.6 34.4 55.4 51.7 58.9	4.2	149.0 164.9 93.5 602.8 197.2 90.5 294.4	49.7 12.7 9.8 30.1	16.9 9.8 60.3 6.2	4.2 4.9 6.2 12.9
28 29 30 31 32 33	Dorchester County (total)	1 707 5	104.3 114.0 84.7 42.6 41.8			2. 4 2. 6	7.0 10.4 2.4 2.6	52. 2 25. 9 105. 8 11. 8 13. 1	7.0 5.2 10.6 18.9 20.9	17.4	2.4 2.6	205. 2 119. 1 381. 0 106. 6 94. 0 229. 5	3.5 5.2	13.9 5.2 31.7 4.7 5.2	4.7 ,5.2
34 35 36	Garrett County (total)	700 7	1			4.9 4.9		24.5 24.6	14.7 14.8	14.7 14.8	9.8 9.9	53.9 54.2		4.9 4.9	14.7 14.8
35 36 37 38 39	Colored s Harford County (total) White Colored.	1,274.7 1,165.6 1,761.6	30.7			3.6 19.6		14.3 13.1 19.6	10.7 4.4 39.1	3.6 4.4	3.6 4.4	161.1 118.3 352.3	10.7 8.8 19.6	7.2 4.4 19.6	7.2 4.4 19.6
40 41 42 43 44 45	Howard County (total)	1, 262. 6 1, 623. 6 1, 715. 1 1, 379. 9	53. 2 83. 7 56. 3			17.9 18.8 16.4	6.0 9.4	6.2 8.1 6.0	6:2 8.1 6.0 9.4	37.4 32.6 53.2 23.9 18.8 32.9	6.2 8.1 12.0 18.8	346.0 233.1 131.4		18.7 8.1 53.2 12.0 9.4 16.4	6.2 8.1
46 47 48 49 50	Montgomery County (total). White. Colored. Prince Georges County (total). White. Colored.	1,028.2 887.4 1,376.3 1,373.6 1,188.2 1,770.8	40.3 13.0 107.5 29.8 19.9 51.1	3.1 4.3		5.4 4.0 8.5	2.7 4.0	31.0 17.4 64.5 19.0 11.9 34.1	9.3 8.7 10.8 24.4 27.8 17.0	15.5 4.3 43.0 16.3 19.9		164.1 130.5 247.3 186.9 115.2 340.5	5.4 17.0	9.3 4.3 21.5 16.3 7.9 34.1	10.8 11.9 8.5
52 53 54 55 56 57	Queen Annes County (total)	1,831.5 1,311.8 2,816.4 676.0 679.3 671.6	54.0 45.9 69.5 23.5 10.3 41.1	12.0 9.2 17.4 5.9		24.0 9.2 52.2		90.1 27.5 208.6	36. 0 27. 5 52. 2	24.0 9.2 52.2 5.9		276. 2 183. 5 452. 0 105. 8 102. 9 109. 6		12.0 9.2 17.4	12.0 9.2 17.4
58 59 60 61 62 63	Colored	1,267.0 1,040.0 1,673.7 1,751.0 1,369.0 2,474.4	60. 3 52. 9 73. 7 66. 6 31. 3 133. 4	5.1		5.1 7.8		22.6 63.2 46.1	26.4 17.6 42.1 5.1 7.8	3.8 5.9 20.5 15.6 29.6		162.1 94.0 284.2 184.3 78.2 385.2	5.1 7.8	7.5 11.8 30.7 23.5 44.5	3.8 10.5 10.2 15.6
64 65 66 67 68	White	1, 165. 1 1, 148. 1 1, 722. 4 1, 267. 4 1, 279. 1 1, 229. 6	80.6 81.4			7.3		30.0 30.9 3.7 4.8	3.7 4.8			108. 1 105. 2 202. 6 146. 5 138. 9 171. 2	6.0 6.2 3.7 4.8	3.0 3.1 14.7 14.4 15.6	3.0 3.1
70 71 72		1,348.0 1,074.3 1,925.0	27.3 13.4 56.6				4.6 6.7	18. 2 6. 7 42. 5	9.1 6.7 14.2	27.3	4.6 6.7	186.7 114.1 339.7	9.1 13.4	9.1 13.4	4.6 14.2

<sup>1</sup> Exclusive of stillbirths.

<sup>&</sup>lt;sup>2</sup> Exclusive of municipalities having a population of 10,000 or over in 1910.

are designated by asterisks (\*). Figures for white and colored are shown separately for minor subdivisions (except as indicated in the footnotes) only when the colored of 10,000 inhabitants or over in 1910. Numbers under causes of death correspond to those of the abridged International List (see p. 29).]

							DEATH	RATE PI	ER 100,00	0 POPUL	ATION F	ROM—							
Can- cer.	betes.		Cerebral hemor- rhage and softening.	heart.	chitis.	Pneu- monia (all forms).	Other respiratory diseases.	Diarrhea and enteritis (under 2 years).	Appendicitis.	Hernia, intes- tinal obstruc- tion.	Cir- rhosis of the liver.	Ne- phritis, Bright's disease.	Puer- peral fever.	Other puer-peral affections.	Congenital debility and malformations.	Violent deaths (ex- cluding sui- cide).	Sui- cide.	All other causes.	Ill- defined and un- known.
16	(37)	17	18	. 19	20. 21	22, (23)	(23)	25	~ 26	27	28	29	31	32	33	85	36	(37)	38
55.6 59.3 41.5	9.2 10.2 5.5	10.4 9.5 13.8	66. 6 65. 5 70. 5	120.0 111.0 154.2	17.4 15.7 24.2	104.3 88.8 163.2	17.7 16.9 20.7	94.5 84.6 132.1	2.6 2.4 3.5	9.7 8.9 12.4	7.3 8.2 4.1	97.4 88.6 130.7	3.7 3.3 5.5	7.8 6.2 13.8	73. 2 65. 2 103. 7	- 68.7 65.7 80.2	5.8 6.7 2.1	253.7 233.9 329.1	35.0 21.1 87.8
43.8 41.9 222.7 55.6 59.1 49.5	4.9 4.9 10.1 15.8	7.3 7.4 15.2 11.8 21.2	34.1 34.5 131.5 130.0 134.2	58.4. 59.1 116.3 70.9 197.8	26.8 27.1 27.8 15.8 49.5	48.7 46.8 222.7 139.1 130.0 155.4	9.7 9.8 22.8 27.6 14.1	51.1 51.7 174.5 161.5 197.8	2.5	2.4 2.5 10.1 11.8 7.1	9.7 7.4 222.7 2.5 3.9	48.7 46.8 222.7 164.4 153.6 183.7	9.7 9.8	4.9 4.9 15.2 7.9 28.3	46.3 46.8 111.3 86.6 155.4	85. 2 78. 8 668. 2 129. 0 145. 7 98. 9	2.4 2.5 17.7 23.6 7.1	102.3 103.4 270.6 173.3 445.1	7.3 7.4 50.6 19.7 106.0
79. 2 84. 8 30. 7 77. 4 56. 8 99. 0	19.0 21.2	15.1 13.3 30.7	64-2 65-4 53.8 48.4 18.9 79.2	136.3 135.2 146.0 87.1 75.7 99.0	28.5 27.4 38.4 29.0 18.9 39.6	126. 8 122. 8 161. 4 106. 4 75. 7 138. 6	19.8 17.7 38.4 19.3 18.9 19.8	84.8 76.9 153.7 145.1 151.3 138.6	1.6	16.6 15.9 23.1	15.1 15.0 15.4 9.7	110.1 110.4 107.6 67.7 56.8 79.2	4.0 1.8 23.1 9.7	7.9 8.0 7.7 9.7 18.9	79.2 77.7 92.2 116.1 94.6 138.6	81.6 76.0 130.6 106.4 75.7 138.6	9.5 9.7 7.7	266.2 258.8 330.4 261.2 189.2 336.5	12.7 12.4 15.4 58.0 18.9 99.0
56. 2 68. 0 20. 5 53. 0 50. 1 99. 3	5.1 6.8 17.7 18.8	11.8 12.5	40.9 54.4 91.3 90.8 99.3	102. 2 68. 0 205. 0 179. 7 172. 3 297. 9	10.2 13.6 11.8 9.4 49.7	81.7 68.0 123.0 91.3 78.3 297.9	10.2 41.0 20.6 21.9	137.9 149.7 102.5 47.1 43.8 99.3	2.9 3.1	15.3 13.6 20.5 17.7 18.8	14.7 12.5 49.7	107.3 102.0 123.0 88.4 84.6 149.0	5.9 6.3	10.2 41.0 5.9 6.3	76.6 74.8 82.0 70.7 59.5 248.3	40.9 13.6 123.0 61.9 59.5 99.3	8.8 9.4	250.3 265.3 205.0 371.2 360.2 546.2	51.1 27.2 123.0 23.6 18.8 99.3
88.8 98.4 30.1 30.8 51.7 11.8	25.4 24.6 30.1 12.3 12.9 11.8	8.5 9.8 18.5 12.9 23.6	93. 0 88. 5 120. 6 98. 6 103. 4 94. 2	131.1 118.0 211.0 147.9 116.3 176.6	12.7 14.8 12.3	93. 0 73. 8 211. 0 147. 9 90. 5 200. 2	8.5 9.8 24.6 25.8 23.6	55. 0 54. 1 60. 3 184. 8 155. 1 212. 0	4.2 30.1	8.5 9.8 6.2	12.7 14.8 6.2	139.5 152.5 60.3 92.4 64.6 117.8		12.7 14.8 6.2	84.6 83.6 90.4 129.4 90.5 164.9	67.7 63.9 90.4 92.4 64.6 117.8	8.5 4.9 30.1 6.2 12.9	245.3 236.1 301.4 258.8 206.7 306.2	21.1 19.7 30.1 80.1 51.7 106.0
59.1 62.2 52.9 45.0 47.0 25.5	10.4 5.2 21.2 2.4 2.6	3.5 5.2 9.5 7.8 25.5	48.7 57.0 31.7 82.9 78.3 127.5	142.6 108.8 211.6 104.2 94.0 204.0	10.4 5.2 21.2 11.8 10.4 25.5	114.8 51.8 243.4 78.2 73.1 127.5	13.9 20.7 11.8 10.4 25.5	166. 9 134. 7 232. 8 52. 1 54. 8 25. 5	2.4 2.6	24.3 25.9 21.2 4.7 5.2	3.5 5.2 7.1 7.8	97.4 77.7 137.6 101.8 99.2 127.5	4.7 5.2	13.9 5.2 31.7 2.4 2.6	132.2 108.8 179.9 71.1 65.3 127.5	66. 1 46. 6 105. 8 61. 6 57. 4 102. 0	3.5 5.2 4.7 5.2	326. 9 274. 5 433. 9 244. 0 229. 8 382. 6	59.1 31.1 116.4 28.4 23.5 76.5
29.4 29.6	9.8 9.9		24.5 24.6	34.3 34.5	4.9 4.9	73.5 73.9	9.8 9.9	39. 2 39. 4		4.9 4.9		24.5 24.6			39. 2 39. 4	44.1 44.4		161.8 162.6	49.0 49.3 14.3
57.3 57.0 58.7	3.6 4.4	14.3 17.5	68. 0 83. 3	146.8 131.5 215.3	17.9 13.1 39.1	82.3 74.5 117.4	17.9 17.5 19.6	68.0 65.7 78.3	3.6 4.4	10.7 8.8 19.6		100.3 100.8 97.9			60. 9 39. 4 156. 6	46.5 52.6 19.6	7. 2 8. 8	304.3 284.8 391.5	14.3 8.8 39.1
99. 8 89. 6 133. 1 41. 8 37. 5 49. 3	24. 9 24. 4 26. 6	29. 9 37. 5 16. 4	81. 1 97. 8 26. 6 65. 7 28. 2 131. 6	168. 4 187. 4 106. 5 137. 4 131. 4 148. 0	24. 9 24. 4 26. 6 17. 9 9. 4 32. 9	68.6 57.0 106.5 149.4 93.9 246.7	43.7 40.7 53.2 47.8 56.3 32.9	74.8 48.9 159.7 89.6 84.5 98.7	6.2 8.1	12.5 8.1 26.6 12.0 9.4 16.4	12.0 18.8	87.3 81.5 106.5 155.4 103.3 246.7	6.0 9.4	6. 2 26. 6 6. 0 9. 4	93. 6 73. 3 159. 7 89. 6 84. 5 98. 7		12.5 16.3	212. 1 236. 2 133. 1 328. 7 300. 4 378. 2	6.2 8.1 71.7 28.2 148.0
43.4 47.8 32.3 21.7 23.8 17.0	3.1 4.3 2.7 4.0	12.4 17.4 10.8 4.0 25.5	46.5 43.5 53.8 67.7 63.6 76.6	92. 9 87. 0 107. 5 149. 0 155. 0 136. 2	18.6 21.7 10.8 2.7	117.7 100.0 161.3 127.3 87.4 212.8	21. 7 15. 9 34. 1	49.6 39.1 75.3 151.7 170.9 110.7			9.3 13.0	71. 2 47. 8 129. 0 89. 4 83. 4 102. 2	3.1 4.3 2.7 8.5	6.2 4.3 10.8 8.1 11.9	18.6 13.0 32.3 73.1 71.5 76.6	46.1 47.7	15.5 21.7	185.8 178.3 204.3 241.1 222.5 280.9	18.6 21.7 10.8 40.6 4.0 119.2
78.1 91.7 52.2 11.8 20.6		6.0 9.2	54.0 55.0 52.2 17.6 30.9	120. 1 91. 7 173. 9 23. 5 20. 6 27. 4	12.0 9.2 17.4 23.5 20.6 27.4	156. 1 128. 4 208. 6 35. 3 61. 8	24.0 18.3 34.8 5.9 10.3	150. 1 128. 4 191. 2 88. 2 92. 6 82. 2		18.0 9.2 34.8	12.0 18.3	84.1 55.0 139.1 58.8 41.2 82.2	6.0 17.4	24.0 9.2 52.2 5.9	114.1 73.4 191.2 41.1 61.8 13.7	41.2	6.0 9.2	288. 2 192. 6 469. 4 164. 6 164. 7 164. 5	96. 1 27. 5 226. 0
41.5 41.1 42.1 51.2 46.9 59.3	11.3 11.8 10.5 5.1	7.5 21.1 15.4 44.5	64.1 41.1 105.3 97.3 109.5 74.1	101.8 99.9 105.3 215.0 203.4 237.1	7.5 11.8 25.6 15.6 44.5	71. 6 52. 9 105. 3 168. 9 140. 8 222. 2	18. 9 11. 8 31. 6 20. 5 23. 5 14. 8	116.9 129.3 94.7 143.4 125.2 177.8	3.8 5.9 5.1	7.8	3.8 5.9	113. 1 94. 0 147. 4 107. 5 93. 9 133. 4	10. 2 7. 8 14. 8	7.5 5.9 10.5 15.4 7.8 29.6	64.1 64.6 63.2 46.1 31.3 74.1	58. 8 42. 1 76. 8 86. 1		230. 0 188. 0 305. 3 302. 1 258. 2 385. 2	56.6 35.3 94.7 51.2 23.5 103.7
42.0 43.3 51.3 67.1	3.7 4.8	12.0 12.4 11.0 9.6 15.6	57.1 55.7 101.3 40.3 47.9 15.6	123. 1 111. 4 506. 6 102. 6 119. 8 46. 7	15.0 -15.5	57. 1 58. 8 102. 6 100. 6 108. 9	30. 0 30. 9 11. 0 9. 6 15. 6	54.1 46.4 304.0 102.6 115.0 62.3	3.0 3.1 25.6 24.0 31.1	3.0 3.1 7.3 4.8 15.6	12.0 12.4 3.7 4.8	81. 1 80. 5 101. 3 84. 3 62. 3 155. 6	9.0 9.3 3.7	6.0 6.2 11.0 14.4	72. 1 71. 2 101. 3 36. 6 38. 3 31. 1	57.5	3.0. 3.1	264. 2 263. 0 304. 0 300. 4 297. 0 311. 3	30. 0 27. 9 101. 3 22. 0 24. 0 15. 6
72.9 73.9 70.8	4.6 14.2		82.0 73.9 99.1	72.9 47.0 127.4	13. 7 6. 7 28. 3	132. 1 114. 1 169. 8	9.1 6.7 14.2	77.4 80.6 70.8		4.6 6.7		95.6 80.6 127.4	9.·1 13. 4		50. 1 53. 7 42. 5	40.3		250.5 214.9 325.5	127.5 80.6 226.5

<sup>2</sup> Colored population less than 10 per cent of total.

#### TABLE III.—DEATH RATES PER 100,000 POPULATION IN THE REGISTRATION AREA AND

_	population of the subdivi							ER 100,000							
	AREA AND COLOR.	All causes.1	Typhoid fever.	Mala- ria.	Small-pox.	Measles.	Scarlet fever.	Whooping cough.	Diphtheria and croup.	In- flu- enza.	Ery- sipelas. (12)	Tuber- culosis of the lungs.	Tuber- culous men- ingitis.	Other forms of tuberculosis.	Rheu- ma- tism.
	RURAL PART OF REGISTRATION STATES 2—Continued.														
1 2 3	MASSACHUSETTS. Total	1,554.8 1,547.6 2,351.9	6.7 6.8	0.8		6.1 6.1	3.1 3.1	13.7 13.3 57.4	11.8 11.9	19.8 19.8 28.7	3.6 3.5 14.3	153.5 149.5 588.0	8.8 8.6 28.7	11.4 11.0 57.4	7.0 7.1
4 5 6 7 8	Barnstable County Berkshire County Bristol County Dukes County Essex County	1,861.8 1,446.8 1,378.1 1,824.7 1,534.6	7.2 10.5 7.4 44.5 3.3	3.7		11.2	7.9 11.2	25.3 18.4 20.5 22.3 17.8	7.2 18.4 11.2	43.3 26.4 20.5 22.3 14.4	3.6 5.3 1.9	97.4 97.5 91.1 44.5 99.9	7.2 5.3 7.4 22.3 8.9	14.4 7.9 13.0 22.3 16.7	3.6 21.1 5.6
9 10 11 12	Franklin County Hampden County Hampshire County Middlesex County		9.1 6.8 6.8 6.6			27.3 6.8 5.8	6.1 4.5 0.8	9.0 9.0 10.8	27.3 20.3 13.6 11.6	21.3 4.5 31.6 15.7	2.3 2.3 6.6	63.8 83.3 81.3 343.7	11.3 9.0 17.4	12.1 2.3 9.1	9.1 2.3 13.6 8.3
13 14 15 16	Nantucket County Norfolk County Plymouth County Worcester County	1,751.4 1,338.3 1,568.0 1,622.7	5.0 9.1 6.0			4.0 3.9 5.2	4.0 1.3 1.5	33.7 12.9 7.8 17.1	5. 0 2. 6 18. 6	33.7 21.8 24.7 16.4	6.9 2.6 3.0	33.7 97.2 190.0 167.4	6.0 5.2 8.2	17.9 9.1 12.6	2.0 7.8 8.9
17 18 19	MICHIGAN. Total. White. Colored.		16.8 16.6 42.7	0.9 0.9 7.1	0.2 0.2	6.5 6.3 28.5	5.9 6.0	8.7 8.6 14.2	12.0 12.1	24.8 24.8 21.3	4.3 4.3 7.1	73.9 70.7 483.9	2.6 2.6 7.1	10.4 10.2 42.7	7.0 7.0 7.1
20 21 22 23 24	Alcona County Alger County Allegan County Alpena County Antrim County	1, 103. 9 859. 7 1, 272. 6 966. 6 1, 299. 4	17.5 12.6 7.5 69.0 19.1			12.6 7.5 44.6		12.6 10.0	12.6 7.5 6.4	25.0 13.8 31.8	17.5 5.0	17.5 50.6 75.0 69.0 76.4	12.6	17.5 2.5 27.6 19.1	17.5 12.6 5.0 13.8 6.4
25 26 27 28 29	Arenac County Baraga County Barry County Bay County Benzie County		13.2 21.6			21.0 15.8 13.2 4.3	31.5 38.9 18.9	10. 5 15. 8 4. 4 4. 3 18. 9	10.5 21.6	15.8 43.9 4.3 9.4	28.3	84. 0 94. 7 43. 9 73. 5 94. 3	10.5	21.0 17.6 13.0 28.3	10.5 15.8 4.4 9.4
30 31 32 33 34	Berrien County Branch County Calhoun County Cass County Charlevoix County	1, 246. 0 1, 387. 4 1, 415. 9 1, 489. 4 1, 205. 1	14.7 7.9 19.0 9.6 15.2	3.2		11. 0 15. 7 6. 3 9. 6 10. 1	12.8 7.9 6.3 9.6 25.3	7.3 7.9 3.2	5.5 15.9 4.8 20.3	23.9 31.4 41.3 33.7 20.3	1.8 7.9 3.2	84. 4 62. 9 47. 6 62. 7 76. 0	1.8	14.7 3.9 6.3 28.9 10.1	9. 2 3. 9 14. 5 5. 1
35 36 37 38 39	Cheboygan County Chippewa County Clare County Clinton County Crawford County		11.1		5.6	5.6		11. 1 8. 3	5.6 33.1 4.4 25.3	5.6 24.8 10.8 22.0	16.5 10.8 4.4	66.7 24.8 32.4 74.9 101.3	4.4	5.6 16.5 10.8 4.4 25.3	8.3
40 41 42 43 44	Delta County Dickinson County Eaton County Emmet County Genesee County	975. 7 988. 0	11.7 4.8			4.8 3.3 5.3		29. 2 14. 4 3. 3 10. 7 7. 8	23. 4 33. 6 3. 3 5. 3 3. 9	29. 2 46. 0 10. 7 31. 2	17.5 3.3 5.3 11.7	111.0 71.9 59.1 101.6 50.7	5.8 14.4 3.3 5.3 7.8	5.8 4.8 9.8 16.0 7.8	11.7 16.4 16.0 15.6
45 46 47 48 49	Gladwin County	1,163.0 1,042.4 1,124.1	23.9 17.9 51.7 42.2 43.9	8.9 7.0 3.4	3.5	11.9 26.8 17.2	11.9 25.8	11.9	17.9 3.5 3.4	11.9 8.6 28.1 47.2	8. 6 7. 0 3. 4	59.7 107.4 86.1 66.7 60.7		26. 8 17. 6 3. 4	11.9 7.0 13.5
50 51 52 53 54	Houghton County Huron County Ingham County Ionia County Joseo County	1,091.7 1,106.0 1,351.7 1,290.2 927.8	9.8 2.9 32.1 12.0	••••••		8.7 14.4 3.0	5.5 2.9	28. 4 11. 5 9. 2 21. 0 20. 8	36.0 11.5 4.6	2. 2 17. 3 45. 8 45. 0 20. 8	3.3 5.8 3.0	76.3 57.6 64.1 81.0 41.7	12.0 2.9	8.7 8.6 13.7 12.0 10.4	3.3 5.8 4.6 12.0 20.8
55 56 57 58 59	Iron County Isabella County Jackson County Kalamazoo County Kalkaska County	1,137.0 942.7 1,393.7 1,174.6 1,146.8	9.1 9.4			6.1 4.5 9.4	13. 2 4. 5 12. 2	12.2 4.4 4.5 4.7	6.1 9.1 4.7	6. 1 17. 5 36. 3 28. 3 24. 4	6.1	48.6 52.6 72.6 84.9 48.8	18.2	12.2 4.4 4.5 9.4	4.5 9.4
60 61 62 63 64	Kent County Keweenaw County Lake County Lapeer County Leelanau County	1,731.5 1,287.1 1,217.8 1,463.8 1,363.1	10.6 7.7 9.5		3.9	23. 2 18. 9	14.8	10. 6 19. 4	12.7 78.0 7.7 9.5	29.6 13.0 81.2 23.2 9.5	10.6 20.3	116.1 91.0 40.6 38.7 85.2		12.7 26.0 7.7 9.5	8.4 7.7
65 66 67 68 69	Lenawee County Livingston County Luce County Mackinac County Macomb County	1,379.0 2,085.4 1.047.2	28. 5 74. 5 10. 6				5. 7 9. 2	11. 4 21. 2	5. 7 40. 0	46. 1 68. 4 21. 2 9. 2	5. 7 3. 1	65. 1 85. 5 99. 3 95. 2 73. 8	10.6	8.1 17.1 24.8 18.5	2.7  9.2

<sup>&</sup>lt;sup>1</sup> Exclusive of stillbirths.

							DEATE	I RATE P	ER 100,0	00 POPUI	ATION	FROM—								=
Can- cer.	Dia- betes.	Menin- gitis.	Cerebral hemor- rhage and softening.	Organic diseases of the heart.	Bron- chitis.	Pneu- monia (all forms).	Other respira- tory dis- eases.	Diarrhea and enteritis (under 2 years).	Appen- dicitis.	Hernia, intes- tinal obstruc- tion.	Cir- rhosis of the liver.	Ne- phritis, Bright's disease.	Puer- peral fever.	Other puer- peral affec- tions.	Con- genital debility and mal- forma- tions.	Violent deaths (ex- cluding, sui- cide).	Sui- cide.	All other causes.	Ill- defined and un- known.	
16	(37)	17	18	19	20, 21	22, (28)	(23)	25	26	27	28	29	31	32	33	<b>35</b> .	36	(37)	88	
						-														
102.0 102.6 43.0	21.1 21.3	12.2 12.0 28.7	126.4 125.7 200.8	213.0 212.7 243.8	24.6 24.9	133.1 132.3 229.5	13.2 13.2 14.3	62.2 62.3 57.4	4.1 4.2	9.6 9.7	10.1 10.1 14.3	86.6 86.3 114.7	2.2 2.2	7.6 7.6 14.3	75.5 75.5 71.7	85.6 84.9 157.8	12.7 12.8	298. 4 297. 9 358. 5	7.9 7.7 28.7	1 2 3
104.6 68.5 113.4 133.5 116.6	32.5 26.4 18.6 44.5 22.2	10.8 10.5 13.0 22.3 12.2	169.6 110.7 91.1 155.8 151.0	328.3 245.1 180.4 311.5 245.4	36.1 7.9 29.8	129.9 97.5 111.6 44.5 151.0	7.2 29.0 3.7 22.3 10.0	39.7 58.0 120.9 22.3 57.7	7.2 2.6 1.9 22.3 3.3	10.8 10.5 3.7	10.8 18.4 9.3 22.3 6.7	133.5 87.0 74.4 66.8 71.1	7.2	10.8 13.2 14.9	61.3 58.0 67.0 44.5 50.0	155. 2 89. 6 85. 5 155. 8 85. 5	3.6 13.2 9.3	378. 9 245. 1 219. 5 578. 5 317. 6	14. 4 13. 2 11. 2	4 5 6 7 8
109.3 65.3 56.5 124.2	27.3 9.0 11.3 18.2	21.3 6.8 20.3 5.8	145.8 85.6 103.9 120.9	206.5 112.6 149.1 213.7	27.3 15.8 38.4 21.5	142.8 155.4 115.2 163.2	18.2 11.3 22.6 14.1	54.7 141.9 90.4 48.9	21.3 4.5 2.5	9.1 4.5 13.6 8.3	12.1 15.8 9.0 6.6	75.9 67.6 85.9 102.7	6.1 6.8	9.1 2.3 7.5	69.9 126.1 88.1 91.1	72.9 99.1 61.0 95.2	15.2 6.8 4.5 14.9	246.0 335.5 275.6 344.5		9 10 11 12
101.0 92.3 117.1 99.7	23.8 22.1 23.1	15.9 7.8 14.9	269. 5 117. 1 145. 7 132. 4	235.8 211.3 248.5 203.9	25.8 42.9 23.1	134.7 108.1 109.3 145.1	9.9 19.5 10.4	67. 4 34. 7 37. 7 61. 8	2.0 2.6 6.0	33.7 14.9 7.8 10.4	67.4 7.9 10.4 11.2	134.7 74.4 88.5 94.5	1.0 3.9 1.5	9.9 5.2 7.4	101.0 65.5 49.4 93.0	235.8 71.4 76.8 78.1	11.9 14.3 15.6	269.5 255.0 277.2 318.4	2.0 16.9 7.4	13 14 15 16
73.5 73.7 49.8	15.0 15.1	9.5 9.4 14.2	. 80.1 79.8 106.7	159.5 158.6 270.4	25. 6 25. 6 28. 5	74.4 73.3 213.5	16.8 16.6 42.7	48.6 47.7 156.6	9.1 9.1 7.1	11.8 11.7 21.3	11.0 11.1 7.1	66.1 66.2 56.9	7.9 7.9	9.0 9.0 14.2	79. 6 79. 5 92. 5	84.8 84.4 135.2	12. 4 12. 4 14. 2	288.7 288.0 377.1	16.0	17 18 19
100.0 27.6 44.6	12.6 20.0	5.0	35.0 12.6 85.0 27.6 51.0	140. 2 12. 6 182. 5 96. 7 172. 0	50. 6 47. 5 82. 8 38. 2	87.6 50.6 95.0 82.8 70.1	35.0 37.9 22.5	70.1 139.1 · 37.5 13.8 51.0	10.0	70.1 12.5 25.5	17.5 12.5 19.1	25.3 57.5 27.6 95.5	17.5 15.0 19.1	35.0 12.6 2.5 19.1	70.1 151.7 75.0 55.2 63.7	122. 7 50. 6 80. 0 27. 6 89. 2	15.0 19.1	140. 2 139. 1 230. 0 276. 2 248. 4	70.1 37.9 17.5 55.2 25.5	20 21 22 23 24
52. 5 78. 9 65. 9 51. 9 47. 1	22.0 8.6 18.9	8.8 13.0	42.0 31.6 123.0 30.3 47.1	199. 4 31. 6 215. 3 99. 5 113. 1	21. 0 31. 6 30. 8 8. 6 37. 7	84.0 31.6 79.1 77.8 94.3	15.8 8.8 4.3 47.1	42. 0 15. 8 39. 5 64. 9 66. 0	10.5 15.8 8.8 8.6 9.4	22. 0 13. 0 28. 3	15.8 13.2 4.3 9.4	31. 6 61. 5 43. 3 122. 5	15.8 8.8	8.8 8.6	104. 9 31. 6 65. 9 95. 1 94. 3	63. 0 94. 7 52. 7 108. 1 28. 3	31.6 13.2 28.3	241. 4 284. 0 312. 0 220. 5 320. 5	38.9	25 26 27 28 29
67. 9 125. 8 130. 2 81. 9 40. 5	20. 2 23. 6 34. 9 14. 5 25. 3	9.2 11.8 9.5 4.8 5.1	86. 2 125. 8 130. 2 139. 8 35. 4	172.5 275.1 209.5 241.0 121.5	18. 4 19. 7 28. 6 28. 9 40. 5	60.6 51.1 73.0 115.7 70.9	11.0 19.7 25.4 14.5 25.3	40. 4 27. 5 12. 7 67. 5 65. 8	5.5 7.9 9.5 4.8 5.1	12.8 7.9 14.5 5.1	11.0 7.9 12.7 9.6 10.1	75. 2 78. 6 38. 1 33. 7 45. 6	14.7 11.8 3.2 9.6 5.1	3.7 11.8 15.9 4.8 10.1	53. 2 47. 2 114. 3 91. 6 81. 0	99.1 70.7 69.8 62.7 55.7	14.7 3.9, 6.3 9.6 10.1	277.1 302.6 323.8 351.9 334.2	7.9 15.9 9.6	30 31 32 33 34
38. 9 33. 1 64. 9 74. 9 50. 6	11.1 16.5 39.6	11.1 8.8	55. 6 24. 8 43. 2 61. 7	144. 5 90. 9 129. 7 326. 0 151. 9	22. 2 16. 5 32. 4 8. 8	88. 9 41. 3 21. 6 61. 7 76. 0	22. 2 41. 3 10. 8 8. 8	72. 2 66. 1 32. 4 22. 0 101. 3	11.1 8.3 26.4 25.3	5. 6 8. 8 25. 3	11.1 21.6 30.8	38. 9 33. 1 43. 2 88. 1 76. 0	10.8 4.4	11.1 33.1 32.4 13.2	94. 5 82. 7 86. 5 35. 2 76. 0	111.1° 74.4 97.3 35.2 177.3	10.8 13.2	300. 0 107. 4 302. 7 326. 0 253. 2	}	35 36 37 38 39
40.9 33,6 111.6 48.1 93.7	5.8 9.6 13.1 10.7 35.1	9. 6 23. 0 5. 3 7. 8	29. 2 24. 0 114. 9 48. 1 109. 3	35.1 91.1 298.8 149.8 148.3	11.7 4.8 19.7 21.4 42.9	70.1 52.7 75.5 48.1 50.7	11.7 14.4 23.0 26.7 27.3	99.3 124.7 19.7 32.1 46.8	4.8 3.3 10.7 3.9	5.8 19.2 26.3 16.0 23.4	6.6 16.0 19.5	29. 2 33. 6 91. 9 58. 8 85. 9	5.8 19.2 3.3 21.4 3.9	5.8 4.8 9.8 26.7 11.7	64.3 115.1 62.4 80.2 113.2	40. 9 67. 1 85. 4 58. 8 82. 0	13.1 16.0 19.5	233. 7 - 167. 9 256. 1 246. 0 452. 7	40,9 38.4 19.7 32.1	40 41 42 43 44
35. 8 8. 9 94. 8 74. 2	23.9 8.9 17.2 17.6 23.6	23.9 17.9 17.2 14.1	71.6 8.9 86.1 73.8 101.2	155. 2 44. 7 129. 2 147. 5 246. 3	47.8 17.9 43.1 28.1 16.9	119. 4 134. 2 77. 5 45. 7 91. 1	11.9 8.9 8.6 3.5 20.2	11.9 98.4 43.1 31.6 13.5	8.9 10.5 13.5	17.2 10.5 6.7	8.9 8.6 7.0 23.6	35. 8 35. 8 94. 8 73. 8 67. 5	3.5 13.5	11.9 17.9 17.2 10.5	107. 5 152. 1 68. 9 73. 8 70. 8	47.8 196.8 60.3 56.2 94.5	17. 2 17. 6 33. 7	203. 0 152. 1 129. 2 214. 3 388. 0	35.8 35.8 8.6 7.0	45 46 47 48 49
54.5 40.3 68.7 54.0 52.1	6.5 8.6 18.3 24.0 31.3	10.9 14.4 9.2 12.0 10.4	53. 4 40. 3 123. 7 111. 0 52: 1	84. 0 109. 4 233. 7 198. 0 83. 4	29. 4 28. 9 41. 2 24. 0	75. 2 69. 1 64. 1 54. 0 62. 5	12.0 8.6 13.7 12.0	85.1 63.4 13.7 36.0 73.0	14.2 8.6 13.7 3.0	5.5 2.9 9.2 9.0	5.5 5.8 4.6 18.0	32. 7 92. 2 45. 8 63. 0 52. 1	8.7 2.9 4.6	9.8 5.8 9.2 9.0 20.8	92.7 92.2 73.3 51.0 62.5	114.5 86.4 73.3 69.0 135.5	4.4 8.6 18.3 21.0	186. 5 267. 8 320. 7 312. 0 166. 8	10.9 8.6 18.3 21.0	50 51 52 53 54
36.5 65.8 86.3 94.3 73.2	4.4 13.6 14.2 24.4	6.1 8.8 9.1 9.4	30. 4 83. 3 136. 2 89. 6 36. 6	73.0 127.1 177.0 160.4 73.2	66. 9 8. 8 18. 2 18. 9 61. 0	54.7 13.2 54.5 66.0 61.0	6.1 8.8 22.7 9.4 12.2	109. 4 52. 6 13. 6 33. 0 73. 2	6.1 17.5 22.7 4.7	6.1 4.4 13.6 9.4	6.1 8.8 4.5 9.4	30. 4 52. 6 118. 0 61. 3 134. 2	12.2 4.5 18.9 12.2	6.1 13.2 9.1 9.4	145.9 100.8 77.2 23.6 122.0	255. 4 52. 6 113. 5 94. 3 85. 4	12.2 13.2 9.1 4.7 12.2	127. 7 175. 4 326. 9 273. 6 256. 2	12.2 17.5 13.6 9.4	55 56 57 58 59
101. 4 52. 0 40. 6 73. 6 56. 8	19.0 60.9 19.4 37.9	12.7 26.0 3.9	128.8 13.0 69.7 56.8	310. 4 39. 0 223. 3 201. 4 66. 3	40.1 78.0 20.3 19.4 28.4	92. 9 65. 0 60. 9 127. 8 56. 8	29. 6 13. 0 20. 3 27. 1 18. 9	31.7 65.0 40.6 23.2 47.3	8. 4 39. 0 23. 2 18. 9	12.7 7.7 47.3	19. 0 20. 3 23. 2	133. 0 26. 0 142. 1 85. 2 75. 7	6.3 26.0 20.3	4.2 13.0	69.7 143.0 40.6 54.2 94.7	78.1 143.0 142.1 62.0 85.2	19.0 13.0 40.6 19.4 28.4	359. 0 299. 0 182. 7 495. 7 444. 9	6.3 26.0 20.3 11.6	60 61 62 63 64
108. 5 102. 6 149. 0 10. 6 98. 4	13.6 17.1 18.5	10.8 5.7 10.6 15.4	116.6 96.9 124.1 42.3 83.1	173. 5 170. 9 124. 1 84. 6 156. 9	19.0 11.4 74.5 31.7 24.6	86. 8 62. 7 149. 0 84. 6 104. 6	8.1 28.5 49.7 10.6 18.5	35. 2 28. 5 74. 5 52. 9	16.3 24.8	10.8 5.7 10.6 21.5	16.3 5.7 99.3 10.6 18.5	86.8 39.9 24.8 21.2 147.7	2.7 5.7 42.3 12.3	5. 4 11. 4 31. 7 6. 2	59. 6 68. 4 99. 3 74. 0 67. 7	56. 9 68. 4 124. 1 95. 2 55. 4	10.8 24.8 10.6 21.5	292. 8 398. 9 744. 8 211. 6 350. 7	8.1 22.9	65 66 67

<sup>2</sup> Exclusive of municipalities having a population of 10,000 or over in 1910.

### TABLE III.—DEATH RATES PER 100,000 POPULATION IN THE REGISTRATION AREA AND

=													' indicat		
	•		1		1	DEATE	RATE I	PER 100,00	00 POPUL	ATION 1	FROM—	1			,
	AREA AND COLOR.	All causes.1	Typhoid fever.	ria.	Small- pox.	Measles.	Scarlet fever.	Whoop- ing cough.	Diph- theria and croup.	In- flu- enza.	Ery- sipelas.	Tuber- culosis of the lungs.	culous men- ingitis.	Other forms of tuberculosis.	Rheu- ma- tism.
	-		1	3	4	5	6	7	8	9	(12)	13	14	15	(37)
	RURAL PART OF REGISTRATION STATES 2—Continued.				-										
1	MICHIGAN—continued.	1 205 0	28.0			, ,	7.0		07.0	07.0		00.1	14.0	77.0	<b>7</b> 0
2 3 4 5	Manistee County Marquette County Mason County Mecosta County Mecominee County		21. 0 17. 9 25. 9 6. 6			15.5	7.0 16.8 17.9 5.2 6.6	7.0 29.4 4.5 5.2 6.6	21. 0 33. 6 22. 4	35.0 4.2 35.9 20.7 26.5	8. 4 4. 5 10. 4	98. 1 96. 5 85. 2 46. 6 53. 0	14.0 8.4 4.5 5.2	7.0 25.2 4.5 10.4	7.0 4.2 9.0 20.7 6.6
6 7 8 9 10	Midland County Missaukee County Monroe County Montealm County Montmorency County	1,203.5 824.3 1,373.2 1,407.7 920.1	27.3 15.7	3.1			18.7 3.0 3.1	3. 0 3. 1 26. 3	14. 4 9. 4 18. 2 22. 0	21.6 28.1 15.2 53.4 26.3	6. 1 9. 4	100.9 65.6 91.1 40.8 26.3	3.0	27.3 12.6	7. 2 9. 4 6. 1 12. 6
11 12 13 14 15	Muskegon County Newaygo County Oakland County Oceana County		10.3 14.2 10.8	2.8		5. 2 2. 8	24. 2 10. 3 2. 8	18. 2 2. 8 10. 8	5. 2 34. 1	18. 2 25. 8 39. 8 32. 4	18.2 5.2 5.7	60. 5 67. 1 73. 9 43. 2	5. 2 2. 8 5. 4	6.1 5.2 5.4	6. 1 5. 7 10. 8
16 17 18 19 20	Ontonagon County Osceola County Oscooda County Otsego County Otsego County Ottawa County	1,116.8 1,093.8 779.0	11.3 11.2 22.6			11.3 5.6	22.3	11.3 44.7 11.3	22.3 5.6 46.8	11. 2 11. 3 97. 4 31. 2		33.8 33.5 73.3 48.7 62.4	5.6	11.3 48.7 15.6	11.3
	Ottawa County	1, 277. 9	19.9			19.9	11.4	5.7	5.7	25.6	5.7	96.8		8.5	8.5
21 22 23 24 25	Presque Isle County Roscommon County Saginaw County St. Clair County St. Joseph County	1,183.1 880.5 1,107.9 1,174.3 1,459.7	8.8 10.3 21.2			3. 0 7. 7	10.3 3.0 3.9	41.9 7.7 9.1 3.9	17. 7 10. 3 9. 1	17. 7 18. 2 46. 2	5. 2 3. 0	26. 5 251. 6 62. 0 48. 4 53. 9	3.0 3.9	7.7 6.1 7.7	5. 2 9. 1 7. 7
26 27 28 29	Sanilae County Schooleraft County Shiawasse County Tuscola County	1,138.2 839.9 1,269.9 1,262.3	17.8 12.1 11.5	3.0			3.0 6.0 5.8	3.0 11.5 12.1 20.2	8.9 11.5 9.0 11.5	29. 6 11. 5 24. 1 60. 5	8.9 6.0	47. 4 92. 0 48. 3 69. 2		8.9 23.0 6.0 8.6	5.9 11.5 9.0 2.9
30 31 32 33	Van Buren County Washtenaw County Wayne County Wexford County	1,477.8 1,233.5 1,873.4 1,275.6	33.5 17.0 30.7 28.5	1.5		15. 2 17. 0 7. 3	7.3 4.7	6. 1 3. 4 1. 5 9. 5	3.0 24.9 4.7	12. 2 20. 4 14. 6 28. 5	6.1 8.8 4.7	73. 1 68. 0 200. 5 28. 5	3.0 2.9	21.3 17.0 11.7 19.0	9.1 10.2 10.2 4.7
34	MINNESOTA.	999.1	10.5		0.0	7.0	0.5		10.0	10.		00.0	7.0	11.4	
35 36	Total. WhiteColored	991.6 2,066.5	13.5 13.6		0. 2 0. 2	7.3 7.3	8.5 8.5	6.4 6.1 50.4	10.6 10.7	10.4 10.4 10.1	4. 1 4. 1	88.3 85.0 564.5	7.3 7.0 50.4	11. 1 11. 2 20. 2	6.2 6.1 20.2
37 38 39 40 41	Aitkin County Anoka County Becker County Becker County Beltrami County Benton County	784. 8 1, 287. 1 1, 135. 1 1, 239. 1 925. 1	9.5 47.7 37.1 29.2 9.5			9.5 5.3 4.9 9.5	23. 8 5. 3 14. 6	23. 8 26. 5	9.5 15.9 9.7 9.5	28.4	7.9 5.3	132. 4 127. 1 201. 6 179. 8 66. 8	9.5 7.9 21.2 4.9	15.9 10.6 14.6	9.5 15.9 5.3 4.9 9.5
42 43 44 45 46		1,199.0 1,066.5 1,167.7 882.6 862.5	32. 1 5. 4 10. 0 5. 6 11. 5			5.0 16.8	5. 4 29. 9	5.0 5.6 5.8	10.7 5.4 33.5 5.8	21. 4 16. 1 5. 0	5.6	53.5 101.8 79.8 89.4 46.0	10.7 26.8 25.0 5.6 11.5	21.4 25.0 11.2 5.8	32.1 5.4 5.0 16.8
47 48 49 50 51	Cass County Chippewa County Chisago County. Clay County. Clearwater County.	739. 4 979. 2 1, 207. 1 884. 0 915. 9	17.0 14.8 15.0 40.6 14.3		8.5	8.5 	7.5 5.1	10. 2 14. 3	17.0 7.5	17.0 7.4 5.1 14.3	5.1	110.5 66.8 120.0 71.1 171.7	22. 3 7. 5	8.5 7.4 7.5 20.3 28.6	8.5 7.5 10.2
52 53 54 55 56	Cook County Cottonwood County Crow Wing County Dakota County	842.3 1,049.9 1,166.3 1,062.9 1,140.0	47. 4 8. 4				11. 7 8. 4	7.9 5.9 3.9	76.6 47.4 5.9 7.8	31. 6 7. 8 8. 4	3.9	229.7 39.5 130.2 105.5 109.0	7.9 11.8 3.9	5.9	5.9 8.4
57 58 59 60 61	Douglas County. Faribault County Fillmore County. Freeborn County.	942.9 963.4 1,098.8 903.6 1,242.2	5. 0 13. 5			5. 7 15. 1 13. 5 3. 2	10.1 27.7 4.5 12.6	5.7 4.0	15.1 7.9 6.3	5.7 5.0 23.7 9.0 22.1	17. 2 4. 5 3. 2	92. 0 45. 4 63. 2 89. 9 107. 5	7.9 4.5 6.3	23.0 15.1 7.9 13.5 12.6	5.7 15.8
62 63 64 65 66	Grant County Hennepin County Houston County Hubbard County	946. 4 846. 2 900. 6 847. 1 1,021. 1	22. 3 6. 2			3. 1 10. 0	11. 1 14. 2 10. 0	27.8	11. 1 12. 4	11.1	3.1	122.5 40.1 78.0 69.8 135.6	11. 1 6. 2 7. 1 10. 0	22.3 3.1 14.2 29.9 8.0	11. 1 12. 4
67 68 69 70 71	Itasca County. Jackson County. Kanabee County.	947.0 1,020.4 934.7 1,015.4 883.7	25. 9 15. 3 5. 3			27.8	6.9 15.9 10.4	15.5 15.3 21.3 10.4	20. 7 27. 8 15. 3	20.8	6.9 10.6	77. 6 97. 2 46. 0 90. 4 52. 0	5.2 6.9 5.3	13.9 10.6 10.4	10.3 15.3 21.3 10.4

<sup>&</sup>lt;sup>1</sup> Exclusive of stillbirths.

<sup>&</sup>lt;sup>2</sup> Exclusive of municipalities having a population of 10,000 or over in 1910.

		,	1	-			DEATH 1	RATE PE		POPULA:		OM—				<del></del>		<u>.</u>		T
Can- cer.	Dia- betes.	Menin- gitis.	Cerebral hemor- rhage and softening.	Organic diseases of the heart.	Bron- chitis.	Pneu- monia (all forms).	Other respira- tory dis- eases.	Diar- rhea and enter- itis (under 2 years).	Appen-	Hernia, intes- tinal obstruc- tion.	Cir- rhosis of the liver.	Ne- phritis, Bright's disease.	Puer- peral fever.	Other puer- peral affec- tions.	Con- genital debility and mal- forma- tions.	Violent deaths (ex- cluding sui- cide).	Sui- cide.	All other causes.	Ill- defined and un- known	
16	(87)	17	18	19	20, 21	22, (28)	(23)	25	26	27	28	29	31	32	33	35	36	(37)	38	
												,								
49. 0 42. 0 71. 8 103. 6 39. 8	21. 0 4. 2 13. 5 10. 4 6. 6	7. 0 12. 6 26. 9	91. 1 21. 0 76. 3 129. 4 26. 5	119.1 88.1 103.2 129.4 59.6	7. 0 29. 4 22. 4 20. 7 26. 5	112.1 62.9 44.9 67.3 33.1	7.0 8.4 17.9 20.7 26.5	42. 0 75. 5 22. 4 41. 4 59. 6	14.0 21.0 17.9 25.9 6.6	14.0 4.2 9.0 15.5 13.3	7. 0 10. 4 6. 6	56. 0 50. 4 53. 8 77. 7 13. 3	4.2 15.5 6.6	7.0 4.2 13.5 5.2 13.3	91.1 109.1 49.4 41.4 99.4	63.1 260.2 85.2 98.4 79.5	14.0 8.4 13.5 10.4	245. 2 218. 2 215. 4 284. 8 185. 5	7, 0 37, 8 17, 9 10, 4 33, 1	
64.9 65.6 106.3 106.8 52.6	7.2 6.1 31.4	14. 4 37. 5 15. 2 6. 3	108.1 37.5 75.9 69.1 78.9	100. 9 46. 8 133. 7 232. 5 26. 3	7.2 21.3 25.1	136. 9 56. 2 100. 2 59. 7 105. 2	14.4 37.5 21.3 25.1	57. 7 28. 1 54. 7 25. 1 26. 3	7.2 9.4 9.1 9.4	14.4 9.4 27.3 9.4	21. 6 3. 0 12. 6 52. 6	43. 2 37. 5 57. 7 50. 3 78. 9	28.8 6.1 9.4	18.7 6.1 12.6	50. 4 46. 8 97. 2 91. 1 78. 9	57. 7 46. 8 72. 9 81. 7 78. 9	21.6 9.4 18.2 9.4	273. 9 168. 6 322. 0 351. 9 236. 6	14. 4 37. 5 12. 2 12. 6 26. 3	1
102. 9 98. 0 85. 3 64. 8 45. 1	6.1 10.3 11.4 16.2 11.3	6.1 2.8	115. 0 61. 9 122. 2 59. 4 67. 7	127.1 129.0 164.8 124.2 79.0	30.3 20.6 39.8 27.0	54. 5 77. 4 85. 3 59. 4 79. 0	12.1 10.3 14.2 16.2 11.3	30.3 31.0 22.7 54.0	14.2 16.2	15.5 14.2 10.8 11.3	6.1 10.3 19.9 10.8 11.3	54. 5 36. 1 73. 9 48. 6 33. 8	18.2 5.2 11.4 5.4 22.6	18. 2 20. 6 22. 6	66. 6 61. 9 42. 6 86. 4 124. 1	42. 4 72. 2 96. 6 70. 2 45. 1	12.1 25.8 34.1	302. 6 304. 4 335. 4 313. 3 327. 2	18.2 15.5 14.2 45.1	111111111111111111111111111111111111111
55. 8 56. 4 194. 7 46. 8 99. 6	11.2 15.6 19.9	11.3 15.6 11.4	22.3 73.3 15.6 116.7	44.7 157.9 202.8 136.6	78. 2 33. 8 28. 5	67. 0 62. 0 140. 4 51. 2	31.2 17.1	100.5 28.2 48.6 46.8 31.3	11.3 5.7	11.2 22.6 11.4	22.3 11.3  11.4	55. 8 84. 6 124. 8 82. 5	22.3 11.3 48.7 15.6 8.5	22.3 5.6 15.6 14.2	67. 0 84. 6 48. 7	167. 5 67. 7 48. 7 156. 0 93. 9	11.2	156. 4 219. 9 194. 7 312. 0 230 5	44.7 5.6 62.4 17.1	. [13
44.1 83.9 80.1 69.6 100.1	10.3 9.1 19.3	8.8 7.7 3.0 7.7	17. 7 41. 9 54. 2 63. 6 157. 9	106. 0 209. 6 155. 0 166. 5 204. 1	36.2 18.2 19.3	79.5 41.9 77.5 78.7 134.8	20.7 18.2 30.8	158. 9 41. 9 38. 7 30. 3 27. 0	2.6 6.1 11.6	26.5 15.5 9.1 7.7	17.7 12.9 3.0 19.3	26. 5 41. 9 59. 4 78. 7 84. 7	5.2 9.1 3.9	2.6 12.1 7.7	123. 6 108. 5 69. 6 73. 2	106. 0 59. 4 63. 6 73. 2	17.7 5.2 3.0 15.4	238. 4 125. 8 232. 4 314. 8 315. 8	70.6 5.2 15.1 11.6	.   2:
59.3 34.5 75.4 92.2	8.9 11.5 18.1 5.8	11.9 6.0 14.4	80. 0 34. 5 78. 4 74. 9	145.2 69.0 214.2 144.1	23.7 34.5 21.1 23.1	83. 0 11. 5 66. 4 80. 7	5.9 23.0 9.0 14.4	44.5 23.0 30.2 34.6	14.8 6.0 5.8	9.0 11.5	11.9 11.5 12.1 5.8	53. 4 46. 0 57. 3 57. 6	3.0 11.5 5.8	8.9 11.5 3.0 5.8	77.1 69.0 90.5 66.3	53. 4 92. 0 99. 5 34. 6	3.0 21.1 11.5	302.3 195.6 313.7 363.1	3.0 6.0 17.3	.   2'
103.6 47.6 71.7 80.6	21.3 20.4 14.6 19.0	12.2 3.4 17.6 14.2	91. 4 139. 3 83. 4 123. 3	231. 6 234. 5 175. 6 128. 0	18.3 6.8 27.8 9.5	76. 2 44. 2 102. 5 66. 4	18.3 20.4 26.3 9.5	18.3 10.2 140.5 80.6	6.1 6.8 2.9 14.2	12.2 10.2 23.4 19.0	12.2 10.2 17.6 4.7	109. 7 85. 0 86. 4 66. 4	6.1 6.8 7.3 19.0	6.8 13.2 9.5	82.3 40.8 131.7 104.3	82.3 95.1 114.2 104.3	12.2 10.2 23.4 9.5	377.8 261.6 453.7 251.3	3.0 20.4 17.6 9.5	3
63. 2 63. 4 40. 3	12.1 12.1 10.1	7.5 7.5 10.1	47.9 47.9 50.4	86.1 86.5 40.3	13.7 13.8	92.2 91.3 221.8	11.2 11.3	36.8 36.6 60.5	13.7 13.8	9.2 9.0 30.2	6.9 6.9	59.4 59.4 60.5	7.1 7.2	7.1 7.1 10.1	57.5 57.7 20.2	69.0 68.6 131.0	12.3 12.2 30.2	191.0 190.2 312.5	21.1 19.0 322.6	333
56.7 95.3 58.3 38.9 76.3	15.9 9.7	7.9 10.6 14.6	37.8 103.3 21.2 24.3 28.6	28. 4 143. 0 58. 3 72. 9 85. 8	31.8 29.2	28.4 71.5 84.9 72.9 162.1	9. 5 15. 9	9.5 23.8 37.1 53.4 57.2	9.5 5.3 24.3 19.1	9.5 7.9 14.6 9.5	9.5 31.8 15.9 4.9	56.7 127.1 53.0 24.3 19.1	18.9 7.9 15.9	9.5 10.6 14.6 9.5	37.8 71.5 53.0 53.4 76.3	94. 6 87. 4 79. 6 223. 5 66. 8	9.5 7.9 15.9 24.3 19.1	113.5 174.8 212.2 174.9 171.7	37.8 7.9 53.0 97.2 19.1	3344
53.5 91.1 59.9 44.7 51.8	32.1 26.8 10.0	10.7 5.4 20.0 27.9	32.1 37.5 89.8 50.3 97.8	64.2 91.1 94.8 67.0 109.3	10.7 21.4 15.0 34.5	128.6 80.4 124.8 78.2 86.3	21.4 5.0 16.8 5.8	85.6 16.1 39.9 50.3 17.3	10.7 5.4 10.0 5.8	10.7 16.1 10.0 5.6 11.5	5.8	42.8 101.8 89.8 16.8 51.8	10.7 5.4 5.0 11.2 5.8	10.7 21.4 15.0 5.6	96.3 75.0 54.9 50.3 46.0	171.3 58.9 69.9 72.6 74.8	5.4 20.0 27.9 5.8	235.5 214.4 224.6 117.3 132.3	10.7 5.4 20.0 50.3 11.5	4
8.5 89.0 120.0 61.0 57.2	29.7 22.5 5.1	8.5 7.4 5.1	17.0 22.3 22.5 40.6 42.9	76. 5 140. 9 112. 5 55. 9 28. 6	8.5 15.0 5.1	102.0 118.7 164.9 61.0 100.2	7.5 10.2	25. 5 66. 8 60. 0 35. 6 28. 6	14.8 7.5 20.3	7.5	7.5 5.1 28.6	37.1 37.5 40.6 42.9	8.5 14.8 7.5	14.8 7.5 10.2	42.5 59.3 30.0 76.2 100.2	76. 5 96. 4 60. 0 91. 4 42. 9	14.8 22.5 5.1 28.6	85.0 118.7 314.9 172.7 114.5	76.5 14.8 7.5 15.2 42.9	49
76. 6 63. 2 53. 3 66. 4 67. 1	17.8 11.7 8.4	15.8 11.8 7.8 8.4	23.7 100.6 19.5 142.5	47.4 112.5 132.9 150.9	23.4	150.0 94.7 105.5 109.0	5.9 23.4	86.8 29.6 31.3 16.8	7.9 23.7 7.8 16.8	15.8 11.8 15.6 8.4	7.9 5.9 11.7	47.4 65.1 66.4 75.4	15.8 5.9 7.8 8.4	15.8 17.8	153.1 63.2 100.6 54.7 58.7	76.6 63.2 112.5 109.4 33.5	23.7 11.8 19.5	229.7 236.8 159.8 179.8 226.3	31.6 11.8 23.4 33.5	154
74. 7 80. 7 63. 2 53. 9 88. 5	17. 2 30. 3 15. 8 13. 5 15. 8	23.0 4.0 6.3	28. 7 60. 5 63. 2 53. 9 75. 9	126. 5 70. 6 150. 2 67. 4 148. 6	17. 2 30. 3 31. 6 13. 5 19. 0	86. 2 90. 8 86. 9 53. 9 113. 8	17. 2 15. 1 23. 7 4. 5 22. 1	23.0 30.3 15.8 40.5 19.0	17. 2 15. 1 7. 9	23.0 15.1 4.0 4.5 12.6	11.5 5.0 4.0 18.0 9.5	51.7 30.3 90.9 49.4 110.6	25.2 4.0 13.5 6.3	17.2 5.0 7.9 4.5 3.2	46.0 30.3 71.1 53.9 47.4	34.5 40.4 39.5 71.9 63.2	15: 1 4. 0 4. 5 12. 6	149.5 237.1 241.1 202.3 240.2	25.2 11.9 27.0	57 58 59 60 61
66. 8 55. 6 85. 1 69. 8 55. 8	6.2 14.2	7.1	22.3 58.7 49.6 49.8 71.8	77.9 89.6 106.4 99.7 111.7	11.1 3.1 21.3 23.9	100. 2 77. 2 106. 4 69. 8 119. 6	11.1 3.1 7.1 10.0	11.1 9.3 28.4 59.8 55.8	21.3 16.0	6. 2 10. 0 23. 9	6.2 31.9	66.8 58.7 99.3 49.8 23.9	3.1 19.9 39.9	6. 2 7. 1 10. 0	89.1 40.1 21.3 39.9 63.8	89.1 123.5 14.2 59.8 47.9	11.1 3.1 7.1 29.9 31.9	144.7 169.9 170.2 129.6 87.7	11.1 3.1 21.3 10.0 8.0	62 63 64 65 66
25. 9 55. 5 30. 6 53. 2 104. 0	25.9 6.9 5.3	5.2 6.9 5.3 41.6	20.7 34.7 30.6 90.4 52.0	62.1 55.5 91.9 85.1 31.2	20.8 5.3 10.4	62.1 83.3 122.6 138.2 93.6	30.6 10.6 20.8	88.0 13.9 15.3 10.6 41.6	5.2 48.6 30.6 15.9	10.3 6.9 10.6 10.4	5. 2 6. 9 15. 3 5. 3 10. 4	25.9 83.3 61.3 63.8 20.8	10.3 34.7	5.2 13.9 5.3	62.1 27.8 61.3 85.1 72.8	196.6 62.5 61.3 42.5 31.2	20.7 30.6 5.3	113.8 243.0 168.6 170.1 166.3	36.2 6.9 76.6 10.6 10.4	65 65 70 71

<sup>&</sup>lt;sup>3</sup> Including part of White Earth Indian Reservation.

<sup>4</sup> Including part of Red Lake Indian Reservation.

### TABLE III.—DEATH RATES PER 100,000 POPULATION IN THE REGISTRATION AREA AND

=	population of the stiputive					<del></del>				<del></del>					лраногоз 
				Γ	1	DEATH 1	KATE PE	R 100,000	POPULAT	ON FR	OM		1	1	
	AREA AND COLOR.	All causes.1	Typhoid fever.	ria.	Small- pox.	Measles.	Scarlet fever.	Whoop- ing cough.	Diph- theria and croup.	In- flu- enza.	Ery- sipelas.	Tuber- culosis of the lungs,	Tuber- culous men- ingitis.	Other forms of tu- bercu- losis.	Rheu- ma- tism.
	Transfer Division of the Control of		1	3	4	5	6	7	8	9	(12)	18	14	15	(37)
	RURAL PART OF REGISTRATION STATES 2—Continued.														
	MINNESOTA—continued.	1,066.2						}			}			40.5	
1 2 3 4 5	Koochiching County Lae qui Parle County Lake County Le Sueur County Lincoln County		96, 9 25, 8 82, 9			13.8 6.5 5.5	41.5 32.3	12.9 11.0	6.5 11.8 5.5	6.5 11.0 40.6	6. 5 23. 7 10. 2	13.8 77.4 106.6 44.0 20.3	12.9	13.8	6.5
6 7 8 9 10	Lyon County McLeod County Mahnomen County 3 Marshall County Martin County	1,056.9 917.1 1,198.4 969.2 822.8	44. 8 5. 4 18. 8 5. 7		5.7	19.2 6.3 17.1	10.8	38.4 5.4 31.5	5. 4 12. 5 22. 9	12.8 27.0 12.5 5.7	6. 4 16. 2 31. 5	32.0 59.3 252.3 131.3 34.3	5. 4 6. 3	6. 4 31. 5 12. 5 22. 9	5.4
11 12 13 14 15	Meeker County Mille Lees County Morrison County Mower County Murray County		11.9 9.2 16.7 13.2 34.0			6.0 4.2 13.2 25.5	6.0 18.3 8.4 13.2 17.0	27.5 4.4 8.5	11.9 4.2 8.8	11.9 9.2 8.4 26.4 17.0		148.9 100.8 87.8 88.1 34.0	17. 9 9. 2 12. 5 4. 4	11.9 4.2 17.6	6.0 9.2 13.2
16 17 18 19 20	Nicollet County Nobles County Norman County Olmsted County Otter Tail County	1,501.2 957.6 784.9 2,282.6 1,290.3	14. 4 6. 6 7. 6 4. 4			78.7 4.4 6.6	19.7 7.6 40.0	21.5 6.6 8.9 2.2	6. 6 15. 2 26. 6 17. 6	21. 5 26. 2 13. 3 28. 6	7.2 6.6 17.8 6.6	222.7 19.7 106.7 159.9 158.3	14.4 6.6 7.6 4.4 4.4	14.4 6.6 44.4 28.6	8.9 6.6
21 22 23 24 25	Pennington County Pine County Pipestone County Polk County Pope County	938. 8 985. 9 776. 7 775. 9 976. 7	21. 3 12. 4 19. 6			 	10.7 18.6 10.5	12. 4 10. 5 2. 8	42.7 31.0 21.0 8.4	24.8 5.6 15.9	2.8 7.9	106. 7 111. 6 42. 0 123. 2 79. 4	12. 4 8. 4 15. 9	10.7 10.5 8.4 23.8	21.3 6.2 2.8 15.9
26 27 28 29 30	Ramsey County Red Lake County. Redwood County. Renville County. Rice County.		22.6 45.7 4.4			30.5 5.5 8.7 46.5	16.4	22.6	33.9 106.7 38.3 8.7 3.9	5.5 21.8 11.6	5.5 4.4 7.7	90. 5 76. 2 38. 3 65. 5 209. 1	11.3 5.5	27.1	11.3 5.5
31 32 33 34 35	Rock County Roseau County St. Louis County  Scott County Sherburne County		13.6				19.3 26.4 6.2 6.7	2.5 6.7 13.6	8.8 9.9 6.7 27.2	9. 7 13. 5 13. 6	8.8 2.5 13.5	58. 0 149. 5 66. 6 40. 4 81. 6	8.8 14.8 13.5	8. 8 8. 6 27. 0	6. 2 6. 7
36 37 38 39	Sibley County. Stearns County Steele County. Stevens County.		2.6			6. 5 37. 4 12. 4	26. 1 5. 1 18. 7	2. 6 6. 2 12. 4	13.0 7.7 12.5 24.8	6.5 2.6 12.5 49.6	6.5 2.6 6.2 12.4	58.7 41.0 74.8 37.2	5. 1 18. 7	6.5 10.2 12.5	6.5 5.1 12.5 12.4
40 41 42 43	Swift County. Todd County. Traverse County. Wabasha County.	· 1					4. 3 12. 4 21. 6	8.7 12.4 10.8	8.7	39. 1 8. 7 21. 6	7.8 8.7 5.4	109, 4 64, 9 62, 0 81, 0	4.3 5.4	7.8 8.7 16.2	5.4
44 45 46 47	Wadena County Waseca County Washington County Watonwan County	- 1	11.8 7.4 6.4 17.6		8.8	7.4	7.4	11.8 6.4 17.6	19. 2 8. 8	12, 8 8, 8	11.8 6.4 8.8	82, 5 67, 0 76, 6 52, 8	7, 4 6, 4 17, 6	11. 8 14. 9 19. 2 26. 4	14.9 6.4 17.6
48 49 50 51	Wilkin County Winona County Wright County Yellow Medicine County	721. 4 1,010. 7 955. 3 772. 0	7.2			14. 4 13. 1	6.8 3.6	6.8 7.2	11. 1 13. 7 3. 6	11. 1 13. 7 10. 8	7. 2 6. 5	22, 2 34, 1 61, 3 72, 0	7, 2 13, 1	22, 2 6, 8 7, 2 6, 5	13. 7 7. 2 6. 5
52 53 54	MISSOURI. Total. White. Colored.	1, 193. 3 1, 162. 4 2, 038. 0	35. 4 34. 8 51. 6	21. 1 21. 0 22. 5	1.0 1.0 1.3	22, 4 22, 9 6, 6	4.9 4.9 2.6	16. 2 15. 7 29. 1	22. 0 22. 7 2. 6	29. 9 29. 6 39. 7	4.4 4.5 2.6	134.5 121.6 489.3	3.6 3.6 5.3	10.8 10.3 26.5	7.5 7.0 22.5
	Adair County Andrew County Atchison County Audrain County Barry County		26. 3 39. 9 7. 5 13. 8 76. 1	4. 4 6. 7	1.0	39. 4	8.8	4. 4 20. 0 7. 5 9. 2 16. 9	17. 5 26. 6 15. 1 23. 0 59. 2	21. 9 20. 0 22. 6 36. 8 16. 9	13.3	105. 2 113. 1 67. 9 105. 7	0.5	26. 3 9. 2 12. 7	13. 3 15. 1
60 61 62 63 64	Barton County Bates County Benton County Bollinger County Boone County	839. 2 1,148. 1 1,280. 9 871. 8 1,118. 3	24. 1 39. 5 68. 1 61. 8 29. 3	15. 8 20. 4 48. 1		3. 9 6. 8 13. 7 3. 3	7.9 6.8 6.5	6. 0 7. 9 20. 4 34. 3 3. 3	42.3 11.8 6.8 54.9	54.3 23.7 115.8 13.7 32.5	6.0 7.9 6.8 6.9	108.7 110.5 149.9 82.4 152.8	3.9 6.9 3.3	12.1 19.7 13.6 6.9 6.5	6. 0 15. 8 13. 6
65 66 67 68 69	Buchanan County Butler County Caldwell County Callaway County Camden County	1,091.2 2,251.8 1,079.8 1,565.7 781.0	19. 4 66. 4 27. 9 37. 2 8. 8			165.9	6.5 4.7	94.8	51. 7 66. 4 16. 5 17. 6	33, 2 13, 9 62, 0 35, 1	7.0 12.4 8.8	109. 8 170. 7 118. 4 243. 7 105. 3	9. 5 8. 3 8. 8	6.5 28.4 13.9 8.3	9. 5 16. 5
	<sup>1</sup> Exclusive of stillbirths.			<sup>2</sup> Exc	lusive of	municipa	alities ha	ving a no	mulation	of 10.0	OO or ove	r in 1910	1.		•

<sup>1</sup> Exclusive of stillbirths

<sup>&</sup>lt;sup>2</sup> Exclusive of municipalities having a population of 10,000 or over in 1910.

are designated by asterisks (\*). Figures for white and colored are shown separately for minor subdivisions (except as indicated in the footnotes) only when the colored of 10,000 inhabitants or over in 1910. Numbers under causes of death correspond to those of the abridged International List (see p. 29).]

				7		. 3	DEATH R.	ATE PER	100,000	POPULATI	ON FRO	эм—				•		· · · · · · · · · · · · · · · · · · ·	
Can- cer.	Dia- betes.	Menin- gitis.	Cerebral hemor- rhage and softening	Organic diseases of the heart.	Bron- chitis.	Pneu- monia (all forms).	Other respira- tory dis- eases.	Diarrhea and enteritis (under 2 years).	Appen- dicitis.	Hernia, intes- tinal obstruc- tion.	Cir- rhosis of the liver.	Ne- phritis, Bright's disease.	Puer- peral fever.	Other puer- peral affec- tions.	Con- genital debility and mal- forma- tions.	Violent deaths (ex- cluding 'sui- cide).	Sui- cide.	All other causes.	Tll- defined and un- known
16	(87)	17	18	19	20, 21	22,(23)	(23)	25	26	27	28	29	31	32	33	85	36	(37)	38
											•								
27.7 51.6 47.4 82.4 30.5	19.4 11.8 16.5 10.2	59.2 11.0 10.2	51.6 23.7 49.5 10.2	124.6 45.2 23.7 98.9 81.2	27.7 25.8 22.0 30.5	55.4 129.1 47.4 60.4 30.5	12.9 11.8 22.09 20.3	55. 4 51. 6 94. 8 22. 0 30. 5	19.4 11.0	19.4 16.5	13.8 11.8 5.5	13.8 45.2 47.4 98.9 20.3		27.7 12.9 11.8 11.0	83.1 58.1 23.7 38.5 71.1	152.3 38.7 272.5 60.4 30.5	27.7 19.4 71.1	249. 2 148. 4 130. 3 214. 3 142. 2	27.7 6.5 11.8 5.5
76.9 59.3 63.1 50.0 68.6	12.8 5.4 6.3 11.4	6.4 5.4 6.3 11.4	70.5 32.4 31.5 37.5 28.6	25.6 97.1 31.5 81.3 28.6	12.8 21.6	83.3 91.7 126.1 118.8 51.4	19. 2 27. 0 18. 8 11. 4	19.2 16.2 157.7 37.5 34.3	32.0 10.8 25.0 22.9	19.2 31.5 12.5	10.8 6.3	76.9 75.5 31.5 43.8 51.4	12.8 31.5 12.5 11.4	6.4 5.4 31.5 6.3 5.7	102.5 64.7 31.3 74.3	57.7 59.3 63.1 62.5 62.8	6.4 21.6 31.5	287.0 161.8 126.1 156.3 194.3	19.2 10.8 94.6 56.3 5.7
59.6 18.3 54.3 88.1 42.5	8.4 30.8 25.5	9.2 4.4	59.6 27.5 29.3 74.9 17.0	65.5 91.7 71.1 132.1 85.0	17.9 18.3 8.4 30.8 8.5	148.9 100.8 96.1 74.9 102.0	20.9 8.5	53.6 55.0 29.3 8.8 8.5	6.0 36.7 4.2 8.8 8.5	6.0 8.4 4.4	17.9 4.2 4.4 8.5	59. 6 55. 0 50. 2 52. 8 51. 0	18.3 8.4	9.2 4.2 4.4	47.6 27.5 71.1 44.0 68.0	35.7 45.8 29.3 39.6 17.0	29.8 4.2 13.2 8.5	208.4 210.8 175.6 184.9 127.5	17.9 9.2 25.1 25.5
79. 0 59. 0 53. 3 373. 0 70. 3	28.7 19.7 7.6 13.3 8.8	26. 2 8. 9 8. 8	71. 8 26. 2 68. 6 93. 3 85. 7	86. 2 98. 4 45. 7 164. 3 98. 9	21.5 15.2 8.9 17.6	79.0 85.3 91.4 115.5 96.7	14.4 19.7 15.2 35.5 11.0	14.4 19.7 22.9 17.8 35.2	39.4 7.6 53.3 30.8	7.2 19.7 26.6 22.0	13.3 4.4	466.9 45.9 30.5 164.3 118.7	7.2 13.1 7.6	13.1 4.4 8.8	64. 6 85. 3 30. 5 53. 3 52. 8	28.7 59.0 7.6 71.1 37.4	21. 5 6. 6 26. 6 17. 6	193. 9 137. 7 190. 5 697. 2 250. 6	45.7 8.9 30.8
64.0 43.4 84.0 39.2 63.5	10.7 6.2 10.5 14.0 39.7	21.3 21.0 5.6 15.9	42.7 37.2 63.0 42.0 15.9	64.0 37.2 31.5 47.6 150.9	21.0 2.8 15.9	64.0 99.2 52.5 47.6 142.9	6.2 10.5 16.8	21.3 24.8 21.0 16.8 15.9	12.4 10.5 11.2 23.8	10.7 12.4 16.8	24.8 5.6 7.9	10.7 43.4 31.5 30.8 31.8	32.0 18.6 7.9	8.4 7.9	96.0 80.6 84.0 44.8 31.8	21.3 105.4 10.5 36.4 23.8	21.3 12.4 10.5 14.0	181. 4 148. 8 167. 9 165. 3 174. 7	53.3 43.4 42.0 25.2 39.7
79. 2 45. 7 65. 7 78. 6 73. 6	22.6 15.2 5.5 21.8 19.4	22.6 8.7 3.9	11.3 30.5 54.7 21.8 42.6	113.1 15.2 76.6 83.0 131.6	33.9 15.2 10.9 21.8 23.2	67.9 45.7 120.4 69.9 120.0	22.6 10.9 8.7 3.9	33.9 15.2 60.2 43.7 31.0	11.3 15.2 5.5 4.4 19.4	4.4 11.6	22.6 4.4 11.6	56.6 60.9 32.8 26.2 50.3	11.3 5.5 7.7	22.6 10.9 4.4 7.7	101.8 30.5 21.9 48.0 61.9	124.5 15.2 27.4 56.8 46.5	11.3 5.5 13.1 11.6	158.4 106.7 169.6 187.8 282.6	11.3 30.5 4.4 11.6
58.0 52.8 23.4 74.1 40.8	9.7 17.6 2.5 40.8	9.7 3.7 6.7 13.6	58.0 8.8 14.8 20.2 54.4	77.3 61.5 35.8 101.1 95.2	8.8 8.6	125.7 96.7 134.5 60.6 68.0	9.7 8.8 3.7 6.7 27.2	38.7 8.8 107.3 40.4	58.0 8.8 11.1 6.7 54.4	8.8 13.6	8.8 11.1 6.7	38.7 44.0 34.5 47.2 27.2	19.3 6.2 20.2	26.4 8.6 13.5 27.2	77.3 61.5 86.3 27.0	58.0 44.0 151.7 80.9 149.7	9.7 8.8 14.8 20.2	145. 0 167. 0 111. 0 269. 6 353. 7	9.7 26.4 32.1 27.0 68.0
32.6 43.5 81.1 49.6	19.6 20.5	6.5 7.7	58. 7 43. 5 87. 3 62. 0	104.3 76.8 124.7 24.8	26.1 2.6 24.9 12.4	97.8 82.0 43.7 148.8	26.1 7.7 12.5	26.1 17.9 62.4 37.2	6.5 12.8 12.5	13.0 7.7 6.2	13.0 5.1 6.2	58.7 35.9 43.7 24.8	13.0 2.6 6.2	6.5 5.1 12.4	97.8 61.5 56.1 74.4	32.6 46.1 56.1 62.0	32.6 7.7 12.5	156.5 210.1 212.0 136.4	20.5 12.4
46.9 77.9 49.6 64.8	23. 4 8. 7 16. 2	31.3 13.0 16.2	46. 9 26. 0 37. 2 86. 4	109.4 103.9 24.8 129.6	7.8 8.7 12.4 16.2	54.7 86.6 49.6 59.4	23.4 12.4 5.4	70.3 39.0 12.4 10.8	31.3 17.3 12.4 27.0	7.8 4.3		15.6 51.9 37.2 108.0	7.8 8.7	5.4	78.2 69.3 12.4 37.8	46.9 30.3 99.2 108.0	7.8 4.3 24.8	171.9 164.5 99.2 183.6	31.3 13.0 12.4 16.2
58.9 37.2 31.9 44.0	35.3 7.4 6.4 8.8	23.6 12.8	58.9 59.6 31.9 70.4	35.3 67.0 172.4 88.1	37. 2 38. 3 26. 4	106.0 22.3 115.0 70.4	11.8 14.9 25.5	23.6 59.6 6.4 26.4	11.8 7.4 8.8	22.3 6.4	11.8 7.4 19.2	58.9 29.8 95.8 8.8	7.4 6.4 8.8	11.8 22.3 6.4 8.8	70.7 44.7 31.9 70.4	35.3 14.9 95.8 52.8	11.8 7.4 25.5	82.5 208.6 204.4 123.3	11.8 6.4 8.8
11.1 54.6 64.9 32.7	11.1 14.4 6.5	6.8 7.2	11.1 122.9 46.9 19.6	66.6 122.9 79.3 72.0	25. 2 13. 1	33.3 95.6 111.8 65.4	55.5 6.8 7.2 19.6	55.5 34.1 25.2 58.9	3.6 6.5	18.0 6.5	6.8 18.0	44.4 20.5 64.9 85.1	22.2 3.6 6.5	3.6	55.5 20.5 32.4 39.3	55.5 34.1 36.1 13.1	20.5 3.6 6.5	122. 1 307. 3 234. 3 196. 3	47.8 18.0
47.0 47.2 42.3	10.5 10.7 2.6	14.4 14.4 14.5	49.6 48.9 68.8	82.5 80.0 150.8	16.2 15.7 30.4	107.2 103.9 197.0	11.9 11.8 13.2	52.8 52.2 68.8	7.6 7.5 9.3	9.6 9.4 15.9	9.1 8.8 15.9	63.2 62.0 96.5	7.9 7.8 10.6	9.7 9.6 11.9	66.2 66.2 66.1	59.3 57.3 115.1	9.9 10.0 6.6	212.3 209.0 304.2	32.6 30.3 95.2
96.4 79.8 75.5 41.4 50.7	26.6 15.1 13.8 4.2	39.4 20.0 22.6 13.8 16.9	61.4 99.8 45.3 69.0 38.0	52.6 106.4 52.8 82.8 59.2	17.5 13.3 4.6 4.2	78.9 73.2 45.3 36.8 114.1	21. 9 13. 3 15. 1 4. 6 8. 5	17.5 26.6 45.3 18.4 38.0	8.8 6.7 7.5 8.5	7.5 4.6 4.2	13.1 13.8 8.5	61.4 99.8 67.9 55.2 33.8	13.1 6.7 4.2	26.3 7.5 23.0 16.9	87. 7 33. 3 22. 6 50. 6 50. 7	57. 0 79. 8 75. 5 36. 8 54. 9	8.8 20.0 18.4 8.5	219.1 139.7 166.0 179.3 181.7	17.5 18.4 38.0
48.3 47.3 47.7 20.6 48.8	6.0 19.7 6.9 13.0	6.0 15.8 6.8 41.2 9.8	42.3 82.9 27.3 13.7 42.3	102.6 118.4 40.9 41.2 107.3	6.0 15.8 20.4 6.9 28.0	72.4 78.9 115.8 61.8 91.0	6.0 15.8 6.8 13.7 9.8	39.5 40.9 41.2 65.0	12.1 3.9 13.6	18.1 11.8 13.6 13.7 9.8	6.0 7.9 20.4	36. 2 47. 3 34. 1 13. 7 58. 5	6.0 20.4 9.8	6.0 11.8 13.6 13.7	24. 1 59. 2 88. 6 48. 1 48. 8	54.3 55.2 61.3 34.3 61.8	12.1	102.6 236.7 218.0 151.0 208.0	12.1 11.8 61.3 20.6 22.8
58.1 37.9 76.6 57.8	25.8 4.7 20.9 33.0 17.6	19.4 14.2 7.0 12.4	58.1 56.9 83.6 41.3 35.1	109.8 42.7 111.5 74.4 8.8	12.9 9.5 7.0 28.9 8.8	135.6 227.6 104.5 78.5 79.0	33.2 7.0 4.1	38.7 142.2 20.9 24.8	4.7 13.9 12.4 8.8	6.5 4.7 20.9 4.1 8.8	37.2 8.8	103.3 85.3 55.7 82.6 105.3	4.7 7.0 12.4 17.6	6.5 19.0 13.9 8.3	45. 2 80. 6 41. 8 49. 6 26. 3	122.7 180.1 48.8 66.1 43.9	6.5 4.7 7.0 24.8 8.8	129. 1 275. 0 229. 9 454. 4 140. 4	147. 0 20. 9 37. 2 26. 3

<sup>2</sup>Including part of White Earth Indian Reservation.

4 Including Boise Fort Indians.

#### TABLE III.—DEATH RATES PER 100,000 POPULATION IN THE REGISTRATION AREA AND

[All death rates are based upon the total deaths, including deaths of nonresidents and deaths in hospitals and institutions. Minor areas containing state insane asylums population of the subdivision formed at least 10 per cent of the total, or numbered 10,000 or over in 1910. The term "cities" indicates municipalities

=						DEATH I	RATE PE	R 100,000	POPULAT	ION FR	ом—				
	AREA AND COLOR.	All causes.1	Typhoid fever.	Mala- ria.	Small- pox.	Measles.	Scarlet fever.	Whoop- ing cough.	Diphtheria and croup.	In- flu- enza.	Ery- sipelas. (12)	Tuber- culosis of the lungs.	Tuber-culous men-ingitis.	Other forms of tuberculosis.	Rheu- ma- tism.
	RURAL PART OF REGISTRATION STATES 2—Continued.														
1 2 3 4 5	MISSOURI—continued.  Cape Girardeau County. Carroll County Carter County Cass County Cedar County	1,484.5 1,265.0 1,119.8 1,157.6 1,007.6	67. 8 13. 2 17. 5 18. 8	14.3 4.4 74.7	7.1	39. 3 4. 4 37. 3 13. 1	3. 6 8. 8	42.8 4.4 18.7 17.5	25. 0 13. 2 18. 7 8. 7 18. 8	25. 0 44. 1 18. 7 34. 9 50. 1	4. 4 37. 3 8. 7	128. 5 105. 8 112. 0 78. 6 125. 2	10.7 4.4 18.7 4.4	10.7 4.4 4.4 6.3	21. 4 8. 8 4. 4 6. 3
6 7 8 9 10		1,200.3 1,763.4 1,203.1	13. 0 63. 7 32. 0 48. 8 19. 9	4.3 16.0		19. 1 14. 7 13. 3	4.3	21. 6 19. 1 16. 0 19. 5 13. 3	12. 7 16. 0 14. 7	39. 0 6. 4 16. 0 29. 3 19. 9	9.8 6.6	142. 9 121. 0 168. 0 107. 5 93. 1	6. 4 8. 0	17.3 6.4 16.0 9.8 26.6	8.0 24.4
11 12 13 14 15	Cole County Cooper County Crawford County Dade County Dallas County	899. 4 1,057. 8 1,040. 3 921. 2 679. 8	20. 0 24. 9 58. 6 65. 3 45. 8	7. 3 6. 5 15. 3	20.0 5.0	44.0	10.0	7. 3 6. 5	5.0 36.6 45.7 38.2	20. 0 10. 0 29. 3 52. 3 7. 6	10.0 6.5 7.6	79. 9 134. 7 95. 2 84. 9 61. 1	7.3	10.0 10.0 14.7	5.0
16 17 18 19 20	Daviess County Dekalb County Dent County Donglas County Douglas County Dunklin County	1,043.7 910.5 941.6 558.6 2,297.6	29. 2 8. 1 30. 1 30. 0 44. 6	11.7 15.1 18.0 334.6	5.8 3.2	5.8 52.7 6.0 137.0	17. 5 6. 4	16. 3 12. 0 229. 4	11.7 16.3 22.6 48.1 25.5	29. 2 40. 6 60. 3 6. 0 25. 5	6.0	122. 4 56. 9 128. 1 30. 0 194. 4	9, 6	17. 5 7. 5	5.8 8.1 7.5
21 22 23 24 25	Franklin County Gasconade County Gentry County Greene County Greene County Grundy County	1, 223, 7	30.3 23.2 36.7 31.5 30.1	3. 4 7. 7 14. 0 6. 0	6.1	6.7 23.2 12.2 21.0	6.1	20. 2 6. 1 21. 0 30. 1	47. 1 15. 5 31. 5	23. 5 46. 5 42. 8 17. 5 72. 2	7.0	124. 4 77. 4 67. 2 73. 6 72. 2	7. 7	10. 1 23. 2 6. 1 24. 5 12. 0	10.1 7.7 6.1
26 27 28 29 30	Harrison County Henry County Hickory County Holt County Howard County	1,145.8 1,171.6 896.5 1,110.4 1,331.1	30. 0 22. 1 34. 9 35. 1 19. 6	19.6		85. 1 3. 7 6. 5	3.7	5.0 14.7 11.6 7.0 6.5	15. 0 3. 7 14. 1	20. 0 33. 2 23. 3 35. 1 13. 0	10. 0 7. 4 6. 5	125. 1 99. 5 104. 8 98. 4 221. 8	7.0	5. 0 3. 7 28. 1 6. 5	5. 0 23. 3 13. 0
31 32 33 34 35	Howell County Iron County Jackson County Jasper County Jefferson County	1,196.8 1,498.0 1,176.1 1,263.4 1,325.5	66. 8 70. 2 21. 7 61. 4 35. 5	14.3 23.4 19.7 10.7	11.7 2.7 2.2	19. 1 35. 1 2. 7 2. 2 7. 1	9.5 11.7 13.6 4.4 3.6	4.8 13.6 21.9 24.9	38. 1 70. 2 8. 1 24. 1 24. 9	38. 1 58. 5 38. 0 48. 3 21. 3	4.8 5.4 10.7	133. 5 163. 8 65. 2 149. 2 145. 7	9. 5 2. 7 6. 6 14. 2	23.8 10.9 8.8 10.7	14.3 15.4 14.2
36 37 38 39 40	Knox County	1 083 8	15.3 40.7 40.1 33.4 57.8	7.7 8.1 3.3 3.9		24. 4 6. 7 23. 1	8. 1 6. 7 3. 9	11. 5 16. 3 16. 7 15. 4	7. 7 8. 1 34. 4 10. 0 34. 7	30. 6 8. 1 5. 7 40. 0 34. 7	3.3	72. 8 97. 8 103. 1 130. 1 150. 2	24. 4 3. 3 3. 9	7.7 16.3 5.7 13.3 7.7	15.3 16.3 11.5 10.0 3.9
41 42 43 44 45	Lewis County Lincoln County Linn County Livingston County McDonald County	1,031.2 1,098.2 1,167.2 709.3	19.5 11.9 15.9 20.9 29.6	13.0 11.9 10.5		39. 0 5. 9 27. 8	6.5 4.0 10.5	5. 2 7. 4	26. 0 17. 8 23. 8 • 5. 2 59. 1	45. 6 65. 2 7. 9 31. 4	4. 0 7. 4	136. 7 136. 3 122. 9 146. 6 66. 5	5. 2	19.5 23.7 15.9 10.5	19.5 5.9 11.9
	Macon County. Madison County Maries County Marion County Mercer County		45.7 78.7 78.9 41.5 16.6	3.3 43.7 8.3		22.9 17.5 9.9	6.5 8.7 8.3 16.6		19.6 43.7 98.6 16.6	45. 7 87. 5 29. 6 41. 5 33. 2	13.1	98. 0 201. 2 128. 2 157. 6 116. 2	3.3  8.3	9.8 17.5 9.9 8.3	6.5 17.5 9.9 8.3 8.3
51 52 53 54 55	Miller County Mississippi County Moniteau County Monroe County Monroe County Montgomery County		35. 5 80. 6 14. 1 22. 1 45. 2	47.0 7.0 6.5	6.7	5. 9 13. 4 38. 7	35. 5 6. 7 6. 5	33. 6 5. 5	59. 2 33. 6 14. 1 5. 5	47.3 20.2 14.1 22.1 25.8	14.1 5.5 6.5	94.7 154.5 91.6 88.2 103.3	5.9 6.7 21.1	23. 7 13. 4 5. 5 12. 9	7.0 5.5 6.5
56 57 58 59 60	Morgan County New Madrid County Newton County Nodaway County Oregon County	758.1	46.3 14.6 29.5 17.6 47.4	151.3 11.0 20.3	4.9	112. 2 7. 4 17. 6 20. 3	23. 2 4. 9 3. 7 6. 8	7.7 24.4 14.7 10.6 6.8	23. 2 29. 3 36. 8 7. 1 13. 5	54.1 14.6 14.7 38.8 13.5	3.7	100. 4 102. 5 154. 7 109. 4 88. 0	7.7 4.9 6.8	15.4 19.5 18.4 7.1	7.4 7.1 6.8
61 62 63 64 65	Perry County. Pettis County.	571.5 1,793.0 1,291.1 827.3	69. 9 25. 2 19. 5 53. 8 12. 5	25. 2 127. 0	4.9	35. 0 136. 8 20. 2	7.0 6.7 6.3	35. 0 16. 8 53. 7 53. 8 6. 3	41. 9 8. 4 34. 2 13. 4 12. 5	48.9 25.2 4.9 20.2 56.4	8.4 19.5 20.2	69.9 109.3 151.4 · 87.4 43.9	7.0	7.0 8.4 9.8 13.4 12.5	7.0 19.5 6.7
66 67 68 69 70	Phelps County Pike County Platte County Polk County Polk County Pulaski County	1 457 1 1	43.8 36.1 35.2 51.5 77.8	12.5 27.1 14.1	12.5	7. 0 23. 4 25. 9		4, 5 7. 0	18.8 4.5 7.0 51.5 60.5	6.3 22.6 28.1 18.7 34.6	4.5 7.0 4.7	131.3 139.8 91.5 135.8 103.8	8.6	18.8 22.6 7.0	12.5 9.0 14.1 23.4

<sup>1</sup> Exclusive of stillbirths.

							DEATH R	ATE PER	100,000	POPULAT	ION FRO		· · · · · · · · · · · · · · · · · · ·					-	,	Ī
Can- cer.	Dia- betes.	Menin- gitis.	Cerebral hemor- rhage and softening.	diseases of the	Bron- chitis.	Pneu- monia (all forms).	Other respira- tory dis- eases.	Diarrhea and enteritis (under 2 years).	Appen- dicitis.	Hernia, intes- tinal obstruc- tion.	Cir- rhosis of the liver.	Ne- phritis, Bright's disease.	Puer- peral fever.	Other puer- peral affec- tions.	Con- genital debility and mal- forma- tions.	Violent deaths (ex- cluding sui- cide).	Sui- cide.	All other causes.	Ill- defined and un- known	
16	(87)	17	18	19	20, 21	22, (23)	(23)	· 25	26	27	28	29	31	32	88	35	86	(37)	38	
	-									,										
46.4 66.1 18.7 34.9 37.6	7.1 8.8 21.8 12.5	39.3 8.8 18.7 26.2 6.3	39.3 52.9 37.3 65.5 56.3	82.1 119.0 37.3 100.5 100.1	21.4 4.4 37.3 4.4 6.3	142.7 141.0 93.3 131.0 93.9	14.3 4.4	74.9 57.3 130.6 48.0 25.0	14.3 4.4 8.7 6.3	21.4 8.8 4.4 6.3	10.7 17.6 13.1 25.0	82.1 92.6 74.7 91.7 75.1	17.8 13.2 18.7 17.5 6.3	7.1 13.2 18.7 8.7 12.5	128.5 61.7 74.7 69.9 68.8	57.1 79.3 65.5 25.0	8.8 4.4 6.3	235.5 273.3 112.0 231.5 187.8	46.4 13.2 112.0 13.1 12.5	1 2 3 4 5
82.3 38.2 96.0 63.5 86.4	26.0 6.4 32.0 24.4 33.2	8.7 6.4 8.0 19.5 19.9	52.0 25.5 72.0 112.3 79.8	103.9 44.6 128.0 229.6 126.3	4.3 6.4 24.0 9.8 19.9	77.9 197.5 120.0 171.0 33.2	4.3 19.1 24.0 6.6	30.3 19.1 24.0 53.7 39.9	21.6 16.0 14.7 19.9	17.3 12.7 16.0 4.9 13.3	4.3 24.4 6.6	52.0 44.6 32.0 175.8 93.1	8.7 12.7 16.0 9.8 13.3	21.6 19.1 9.8	73.6 95.6 48.0 68.4 113.0	64.9 57.3 48.0 107.5 46.5	8.7 6.4 8.0 24.4 19.9	160. 2 152. 9 192. 0 327. 3 212. 7	13.0 63.7 29.3 26.6	6 7 8 9 10
10.0 74.8 80.6 32.7 30.6	5.0 7.3 19.6	10.0 7.3 13.1 15.3	60.0 69.9 58.6 26.1 15.3	79.9 84.8 73.3 78.4 61.1	40.0 10.0 14.7 7.6	70.0 54.9 109.9 91.5 22.9	20.0 26.1 7.6	50.0 34.9 36.6 45.8	29.9 7.3	10.0 5.0 19.6 7.6	10.0 10.0 7.6	40.0 69.9 29.3 26.1 30.6	10.0 14.7 7.6	10.0 7.3 19.6 7.6	99.9 44.9 80.6 26.1 15.3	89.9 39.9 29.3 45.7 7.6	10.0 5.0 7.3 6.5	159.9 234.5 161.2 143.7 145.1	10.0 29.9 14.7 65.3 53.5	15
40.8 24.4 7.5 36.0 22.3	3.2	11.7 15.1 . 6.0 44.6	58.3 56.9 22.6 24.0 70.1	17.5 105.7 52.7 30.0 38.2	6.0 28.7	99.1 89.4 105.5 54.1 248.6	7.5 6.0 28.7	35.0 32.5 37.7 24.0 184.8	11.7 16.3 	17.5 22.6 15.9	5.8  6.0 3.2	70. 0 32. 5 22. 6 30. 0 22. 3	6.0 12.7	5.8 7.5 12.0 35.1	64.1 65.0 105.5 6.0 127.5	40.8 24.4 22.6 36.0 66.9	5.8 7.5 12.0	227.4 252.0 143.1 78.1 213.5	30.0 102.0	19 20
63.9 54.2 67.2 14.0 102.3	7.0 12.0	3.4 23.2 18.3 10.5 12.0	53.8 69.7 61.1 52.6 30.1	53.8 46.5 110.0 91.1 90.3	37.0 23.2 10.5 6.0	74.0 139.4 85.6 115.7 108.3	13.5 23.2 10.5 12.0	63.9 92.9 24.4 24.5 18.1	10.1 23.2 18.3 12.0	16.8 7.7 12.2 7.0 12.0	30.3 15.5 7.0 6.0	77.3 62.0 85.6 38.6 30.1	6.7 7.7 6.1 3.5 6.0	3.4 15.5 6.1	57.2 77.4 79.4 63.1 54.2	77.3 69.7 55.0 31.5 96.3	13.5 31.0 6.1 3.5 30.1	228.7 170.4 146.7 182.3 198.7	16.8 7.7 17.5 24.1	23 24 25
55. 0 84. 7 58. 2 35. 1 52. 2	15.0 7.4 14.1 13.0	7.0 6.5	75.1 77.4 34.9 28.1 52.2	'50.0 151.1 46.6 168.7 110.9	15.0 7.4 11.6 35.1 45.7	130.1 114.2 81.5 70.3 84.8	5.0 22.1 11.6 14.1	55.0 40.5 34.9 42.2 45.7	18.4	5.0 11.1 11.6	21.1 6.5	85.1 51.6 11.6 77.3 143.5	25.0 3.7 11.6	7.0 13.0	40.0 40.5 116.4 49.2 32.6	60.0 62.6 69.9 35.1 71.8	20.0 7.4 .11.6 14.1 13.0	175.1 213.7 163.0 246.0 261.0	15.0 36.8 23.3 21.1 45.7	28 29 30
33.4 35.1 57.0 35.1 49.7	13.6 17.5 10.7	23.8 23.4 16.3 24.1 7.1	33.4 35.1 84.2 32.9 49.7	66.8 93.6 122.2 120.6 113.7	23.8 21.7 28.5 28.4	114.4 210.6 95.1 79.0 103.0	10.9 28.5 10.7	33.4 81.9 48.9 54.8 71.1	8.1 4.4 10.7	35.1 16.3 2.2 14.2	4.8 23.4 5.4 6.6 21.3	38.1 23.4 81.5 65.8 60.4	14.3 23.4 10.9 2.2	19.1 2.2 10.7	81.1 70.2 57.0 92.1 117.3	28.6 35.1 84.2 68.0 110.2	10.9 19.7 10.7	247. 9 304. 3 236. 3 199. 6 177. 7	47. 7 58. 5 10. 9 15. 4 24. 9	31 32 33 34 35
72.8 48.9 22.9 70.1 50.1	23.0 8.1 5.7 16.7 15.4	22.9 3.3 3.9	53.6 65.2 17.2 53.4 53.9	68.9 73.3 51.5 106.8 53.9	15.3 16.3 11.5 26.7 27.0	68.9 57.0 143.1 123.5 138.7	15.3 8.1 6.7 3.9	42.1 32.6 28.6 36.7 53.9	8.1 5.7 3.3 3.9	3.8 8.1 11.5 20.0 11.6	3.8 32.6 10.0 3.9	76.6 65.2 34.4 46.7 57.8	3.3 11.6	3.8 16.3 11.5 10.0 3.9	68.9 48.9 51.5 60.1 69.3	42.1 40.7 45.8 66.7 65.5	5.7 3.3 15.4	333. 2 252. 6 177. 5 293. 6 169. 5	15.3 32.6 22.9 26.7 42.4	36 37 38 39 40
32.5 29.6 51.5 47.1 22,2	6.5 17.8 4.0 15.7	13.0 11.9 7.9 20.9	65.1 41.5 75.3 57.6 14.8	84.6 53.3 134.8 78.5 81.3	26.0 11.9 15.9 20.9	123.6 77.0 71.4 73.3 51.7	17.8 4.0 5.2	39. 0 29. 6 39. 6 31. 4 22. 2	17.8 4.0 20.9	13.0 4.0 26.2	13.0 11.9 5.2	130.1 88.9 87.2 83.7 29.6	6.5 5.9 7.9	13.0 5.9 5.2 7.4	58.6 65.2 51.5 36.6 73.9	45.6 29.6 43.6 68.0 22.2	6.5 11.9 23.8 5.2	273.3 207.4 214.1 303.6 110.8	39.0 29.6 11.9 15.7 81:3	41 42 43 44 45
68.6 35.0 49.3 91.2 8.3	13.1 8.7 9.9 8.3 8.3	3.3 26.2 9.9 33.2	62.1 43.7 19.7 74.6 8.3	58. 8 96. 2 59. 2 116. 1 66. 4	3.3 35.0 9.9 33.2	94.7 61.2 78.9 199.0 199.2	3.3 8.7 19.7 66.3 16.6	45.7 96.2 39.4 8.3 66.4	3.3 8.7 9.9 16.6	3.3 9.9 8.3 16.6	9.8 8.7 8.3 33.2	68. 6 26. 2 39. 4 99. 5 58. 1	9.8 19.7 8.3 8.3	16.3 8.3 8.3	62.1 43.7 49.3 66.3 41.5	55.5 52.5 9.9 74.6 16.6	13.1 8.7 24.9 8.3	199.3 218.7 256.3 240.5 174.3	35.9 87.5 19.7 16.6 8.3	50
23.7 40.3 35.2 49.6 103.3	5.9 6.7 21.1 16.5 6.5	41. 4 26. 9 14. 1 5. 5 6. 5	23. 7 33. 6 56. 4 44. 1 38. 7	65.1 33.6 126.9 66.2 90.4	23. 7 13. 4 42. 3 5. 5 19. 4	106. 5 154. 5 105. 7 77. 2 90. 4	11.8 26.9 7.0 11.0	65.1 201.5 21.1 33.1 58.1	11.8 14.1 11.0	5.9 14.1 27.6 19.4	5.9 13.4 14.1 5.5	17.7 40.3 91.6 115.8 45.2	17.7 13.4 7.0 5.5 6.5	17.7 20.2 7.0 5.5 12.9	100.6 114.2 70.5 93.8 38.7	59.2 60.5 28.2 44.1 64.6	6. 7 7. 0 12. 9	153. 8 248. 5 246. 7 220. 6 187. 3	29.6 .94.0 21.1 16.5 19.4	51 52 53 54 55
54.1 9.8 44.2 74.1 6.8	10.6	38.6 29.3 11.0 17.6	61.8 24.4 47.9 60.0 27.1	30.9 48.8 106.8 120.0 47.4	30.9 14.6 7.4 7.1	108. 1 136. 6 151. 0 123. 5 81. 2	23. 2 9. 8 18. 4 14. 1 6. 8	54.1 161.0 70.0 31.8 67.7	14.6 3.7 14.1 6.8	7.7 14.6 14.7 3.5	23.2 9.8 11.0 3.5 6.8	30.9 29.3 81.0 70.6 60.9	19.5 3.5	19.5 14.7 3.5 20.3	54.1 117.1 47.9 74.1 47.4	85. 0 122. 0 73. 7 45. 9 13. 5	15.4 4.9 7.4 14.1	146.8 209.8 213.6 190.6 108.3	38.6 39.0 14.7 17.6 27.1	56 57 58 59 60
28.0 16.8 40.3 31.3	6.3	21.0 19.5 47.1 6.3	41.9 8.4 29.3 47.1 43.9	104.9 33.6 14.7 53.8 68.9	14.0 8.4 9.8 20.2 6.3	55.9 16.8 229.6 121.0 81.5	21.0 8.4 6.7 12.5	48.9 8.4 219.8 107.6 6.3	9.8 6.7 6.3	8. 4 26. 9 12. 5	9.8 6.7	7.0 29.3 74.0 62.7	16.8 19.5 26.9 12.5	7.0 8.4 19.5 6.7 12.5	62. 9 25. 2 83. 1 87. 4 43. 9	48.9 25.2 112.4 87.4 50.1	7.0 16.8 14.7 6.7 6.3	188. 8 58. 8 268: 7 215. 2 163. 0		l co
37.5 103.8 28.1 32.8 25.9	4.5 14.1 4.7	37.5 22.6 4.7 34.6	43. 8 72. 2 35. 2 37. 5 34. 6	87. 5 139. 8 133. 7 79. 6 60. 5	25. 0 22. 6 4. 7	50. 0 108. 3 56. 3 117. 1 121. 0	12.5 22.6 9.4	62.5 49.6 7.0 42.1 25.9	6.3 9.0 7.0 8.6	25. 0 4. 5 7. 0 18. 7	6.3 9.0 9.4	118.8 90.2 77.4 84.3 43.2	13.5 7.0 17. 3	6.3 13.5 4.7 8.6	68.8 81.2 56.3 70.2 77.8	31.3 49.6 49.2 60.9 34.6	12.5 9.0 14.1 4.7 25.9	193.9 275.2 253.3 243.5 302.6	25.0 76.7 7.0 23.4 43.2	66 67 68 69 70

 $<sup>^{2}</sup>$  Exclusive of municipalities having a population of 10,000 or over in 1910.

#### TABLE III.—DEATH RATES PER 100,000 POPULATION IN THE REGISTRATION AREA AND

[All death rates are based upon the total deaths, including deaths of nonresidents and deaths in hospitals and institutions. Minor areas containing state insane asylums population of the subdivision formed at least 10 per cent of the total, or numbered 10,000 or over in 1910. The term "cities" indicates municipalities

-	population of the subdivis												· · · · · ·		1
						DEATE	RATE P	ER 100,00	0 POPUL	ATION E	ROM-				
	AREA AND COLOR.	All causes.1	Typhoid fever.	Mala- ria.	Small- pox.	Measles.	Scarlet fever.	Whoop- ing cough.	Diph- theria and croup.	In- flu- enza.	Ery-sipelas.	Tuber- culosis of the lungs.	Tuber- culous men- ingitis.	Other forms of tuberculosis.	Rheu- ma- tism.
								•							(8.)
	RURAL PART OF REGISTRATION STATES 2—Continued.				•										
	missouri—continued.							ļ	·						
1 2 3 4 5	Putnam County Ralls County Randolph County Ray County Reynolds County	891. 8 1,031. 6 1,157. 7 1,197. 6 808. 8	7.1 15.4 19.8 42.8 41.0	6.6 4.8 41.0		28. 5 28. 5 10. 2	6.6	7.1 19.8 19.0	7. 1 15. 4 19. 8 9. 5 41. 0	21. 4 26. 5 23. 8 20. 5	7. 7 4. 8	85. 6 69. 3 105. 8 133. 1 71. 7		21. 4 7. 7 6. 6 28. 5	7. 7 6. 6 19. 0
6 7 8 9 <b>10</b>	Ripley County St. Charles County St. Clair County St. Francois County St. Francois County St. Louis County	1,352.2 1,286.4 942.7 1,412.5 1,476.1	45. 8 16. 2 30. 8 32. 3 23. 2	99.3 4.0 5.4 3.5	5.4	84. 0 36. 4 18. 5 40. 4 17. 4	4.0 8.1 9.3	7.6 2.7 6.9	99.3 8.1 21.5 10.4	22. 9 24. 3 18. 5 16. 1 22. 0	7.6 12.1 6.2 13.5 2.3	160. 4 72. 8 92. 4 164. 1 546. 4	7.6 8.1 10.8 2.3	4. 0 18. 5 32. 3 8. 1	7.6 12.3 10.8 4.6
11 12 13 14 15	Ste. Genevieve County Saline County Schuyler County Scotland County Scott County Scott County	1,203.3 1,130.4 1,040.1 931.4 1,671.9	47. 0 20. 7 22. 6 8. 5 51. 1	93.6	3.5	28. 2 	3.5 4.3	8.5 29.8	9. 4 6. 9 11. 3 46. 8	18.8 34.6 101.8 8.5 12.8	3. 5 4. 3	188. 0 134. 8 158. 3 51. 3 127. 6	6. 9 11. 3 17. 1 12. 8	10. 4 22. 6 4. 3	9. 4 17. 3
16 17 18 19 20	Shannon County Shelby County Stoddard County Stone County Sullivan County	819. 8 1,217. 3 1,965. 2 586. 6 1,043. 9	52.3 13.6 56.8 42.5 43.5	26. 2 138. 3 8. 5		26.2 127.7 17.0 48.9	34, 9 14. 2	8.7 102.9 8.5 5.4	34.9 49.7 42.5	8.7 40.8 31.9 34.0 27.2	7.1 5.4	17. 4 149. 6 170. 3 51. 0 114. 2	7.1	27. 2 3. 5	6.8 3.5 5.4
21 22 23 24 25	Taney County Texas County Vernon County Warren County Warsen County Washington County	765. 5 935. 9 1,488. 4 1,251. 8 1,085. 1	42.1 31.6 44.3 60.3	66.6 4.7 10.5 11.1 15.1	3.5		4.7 7.5	9.4 3.5 22.2 67.8	33.3 18.7 7.0 11.1 22.6	51.5 28.1 11.1 30.1	9. 4 35. 1	133.1 107.6 143.9 77.5 113.0	4.7 3.5 7.5	4. 7 14. 0 11. 1 7. 5	4.7 7.0 22,2
26 27 28 29	Wayne County	1,397.9 1,053.5 603.7 999.4	52.7 74.4 43.5	52.7 5.7 5.4		85.7 11.5 12.8 32.6		26. 4 11. 5 5. 4	52. 7 40. 1 43. 5	79.1 40.1 25.7 27.2	19.8	151.7 114.5 25.7 103.2	5. 7 12. 8	6. 6 5. 7 21. 7	6. 6 5. 4
	MONTANA.	872.8	17.5			13.4	7.2	3.8	8.3	3.8	1.7	77.3	4.1	8.3	6.2
30 31 32	Total	809. 1 2, 141. 4	17.5 17.3 21.6			10. 1 79. 0	7.6	4.0	8.7	4.0	1.4 7.2	49. 5 632. 4	2. 2 43. 1	6.9 35.9	5.8 14.4
33 34 35 36 37	Beaverhead County Broadwater County Carbon County Cascade County Chouteau County	885. 8 973. 6 901. 8 604. 8 674. 0	33. 9 13. 0 22. 3			6.5	45.8	6.8	27.8 27.1 13.0 27.9	13. 6 6. 5		15.3 33.9 26.0 61.3		6.5	15.3 13.6 5.6
38 39 40 41 42	Custer County.  Dawson County.  Deer Lodge County.  Fergus County 3  Flathead County 4	729. 5 715. 2 3,348. 3 692. 6 705. 7	46. 4 35. 8 16. 2 14. 9			26. 5 7. 2 5. 4 24. 8	13.3 7.2 13.5	7.2 8.1	21.5 2.7	2. 7 5. 0	6.6	26. 5 28. 6 138. 1 37. 7 44. 7	6.6	13.3	6.6 5.4 5.0
43 44 45 46	Gallatin County Granite County Jefferson County Lewis and Clark County	895. 2 793. 4 781. 0 613. 5	27.3 35.5 10.6			13. 7 72. 1 17. 7	10.6			6.8		68.3 36.1 53.2	6.8	27.3	13.7
47 48 49 50	Lincoln County Madison County Missoula County Park County	846. 6 1, 185. 0 1, 009. 2 825. 5	13.9 27.0 9.0			41.8 9.0	13.9		13.9	9.0		51.3 97.6 162.2 26.9	36.0	9.0	13.9 9.0 9.0
51 52 53 54	Powell County Ravalli County Rosebud County Sanders County 4	.788. 5 807. 5 1,337. 2 609. 9	16.8 8.2			24.7	16.8 8.2	16.5	8. 2 23. 5	16.5 11.7	8.2 11.7	16.8 57.7 351.9 76.2	16.8 8.2 11.7	8. 2 46. 9	23. 5
55 56 57 58	Silver Bow County. Sweet Grass County Teton County 6. Valley County 7.  NEW HAMPSHIRE.	1,313.0 651.7 1,169.2 1,016.0	19.8 20.3			5.5 109.0 6.8	22.1	9.9 6.8	5. 5 13. 5	6.8	11.0	226. 2 24. 1 138. 7 189. 7	20.3	9.9 6.8	19.8 6.8
59 60 61	Total. White. Colored.	1,655.0 1,654.9 1,754.4	13.7 13.7			9. 4 9. 4	4.7 4.7	10. 2 10. 2	11.7 11.7	34. 4 34. 0 292. 4	2.3 2.3	96. 9 96. 3 584. 8	3.9 3.9	9.8 9.8	7. 0 7. 0
62 63 64 65 66	Belknap County Carroll County Cheshire County Coos County Grafton County	1,542.9 1,828.1 1,377.4 1,422.0 1,645.5	H			12.3 4.9 5.3 4.8	4.9	24. 5 5. 3 12. 0	6.2 10.7 21.6	45. 1 24. 6 34. 3 16. 0 33. 5	6.2	63. 2 67. 7 49. 0 74. 6 88. 6	14.7 2.4	27.1 18.5 9.8 5.3 7.2	12.3 14.7 5.3 2.4

Exclusive of stillbirths.
 Exclusive of municipalities having a population of 10,000 or over in 1910.
 Including Meagher, Yellowstone, and Musselshell Counties, the last named formed from part of the other three; separate estimated populations not available.

	***************************************					,	DEATH 1	RATE PE	R 100,000	POPULA	ION FR	ом								Ī
Can- cer.	Dia- betes.	Menin- gitis.	Cerebral hemor- rhage and softening.	Organic diseases of the heart.	Bron- chitis.	Pneu- monia (all forms).	Other respira- tory dis- eases.	Diar- rhea and enter- itis (under 2 years).	Appen- dicitis.	Hernia, intes- tinal obstruc- tion.	Cir- rhosis of the liver.	Ne- phritis, Bright's disease.	Puer- peral fever.	Other puer- peral affec- tions.	Con- genital debility and mal- forma- tions.	Violent deaths (ex- cluding sui- cide).	Sui- cide.	All other causes.	Ill- defined and un- known	
16	(87)	17	18	19	20, 21	22, (23)	(28)	25	26	27	28	29	31	82	88	35	36	(87)	88	
35.7 69.3 59.5 47.5 20.5	7.1 7.7 9.5	7.7 19.0 61.4	49. 9 92. 4 52. 9 57. 0	92.7 100.1 99.2 99.8 20.5	7.7 13.2 4.8 20.5	85. 6 107. 8 52. 9 109. 3 102. 4	13.2	14.3 46.2 33.1 28.5 41.0	7.1 7.7 6.6 9.5 30.7	7.1 7.7 6.6 9.5 10.2	7. 1 15. 4 20. 5	57.1 123.2 125.7 47.5 20.5	19.8 4.8 10.2	7. 7 6. 6 19. 0	49. 9 61. 6 52. 9 80. 8 41. 0	42.8 30.8 99.2 71.3 30.7	6.6 4.8	199. 8 200. 2 264. 6 213. 9 102. 4	57. 1 15. 4 26. 5 47. 5 30. 7	19345
15.3 52.6 61.6 29.6 38.2	15.3 12.1 18.5 2.7 11.6	7.6 21.5 5.8	38.2 60.7 92.4 53.8 49.8	45.8 145.6 73.9 35.0 86.8	7.6 20.2 18.5 18.8 30.1	91.7 93.0 92.4 134.5 94.9	15.3 20.2 18.5 10.8 13.9	53.5 52.6 37.0 110.3 48.6	15.3 4.0 12.3 5.4 5.8	12.1 12.3 8.1 6.9	7.6 28.3 6.2 8.1 9.3	30.6 84.9 37.0 113.0 68.3	12.3 16.1 4.6	38.2 4.0 6.2 8.1 6.9	107.0 97.1 49.3 94.2 47.5	45.8 101.1 24.6 96.9 75.3	7.6 24.3 6.2 8.1 26.6	206.3 271.0 160.2 231.4 185.2	61.1 12.1 6.2 43.0 3.5	67 8 9
9. 4 41. 5 33. 9 94. 0 29. 8	9. 4 13. 8 11. 3	28.2 3.5 11.3 8.5 17.0	28. 2 51. 9 33. 9 51. 3 12. 8	56. 4 124. 4 79. 1 119. 6 34. 0	47.0 10.4 11.3 17.1 46.8	141.0 83.0 124.4 51.3 229.7	18.8 13.8 11.3 8.5 4.3	75. 2 34. 6 17. 1 136. 1	3.5 33.9 12.8	17.1 21.3	56. 4 6. 9 33. 9	75. 2 17. 3 33. 9 25. 6 51. 1	9.4	18.8 6.9 8.5 12.8	47.0 69.1 45.2 42.7 144.6	75.2 55.3 33.9 76.9 85.1	3.5 8.5	188.0 318.0 180.9 247.8 208.5	9.4 31.1 33.9 42.7 59.6	11 12 13 14 15
8.7 61.2 14.2 8.5 59.8	8.7 13.6 3.5 8.5 10.9	8.7 6.8 31.9 5.4	8.7 20.4 56.8 17.0 38.1	34.9 142.8 31.9 17.0 97.9	6.8 17.7 8.5 10.9	26.2 95.2 294.4 59.5 70.7	8.7 13.6 24.8 10.9	130.8 6.8 170.3 17.0 38.1	13.6 10.6 5.4	6.8 14.2 8.5 16.3	8.7 6.8 3.5 8.5	52.3 88.4 42.6 8.5 48.9	8.7 13.6 7.1	26.2 6.8 31.9 8.5	87.2 88.4 117.1 25.5 92.4	34.9 47.6 53.2 25.5 43.5	13.6 7.1 8.5 10.9	104.7 272.0 244.8 93.5 190.3	52.3 54.4 74.5 59.5 27.2	16 17 18 19 20
44. 4 46. 8 56. 2 99. 7 60. 3	11.1 9.4 17.6 33.2 15.1	11.1 4.7 14.0 11.1 15.1	22. 2 51. 5 94. 8 55. 4 15. 1	11.1 18.7 108.8 77.5 60.3	22. 2 14. 0 35. 1 11. 1 15. 1	110.9 65.5 122.9 99.7 82.9	4.7 45.6 33.2	33.3 65.5 17.6 66.5 60.3	22. 2 4. 7 10. 5 22. 2 7. 5	14.0 3.5 22.2 7.5	14.0 7.0 11.1	33.3 32.8 98.3 • 121.9 45.2	9.4 17.6 15.1	4.7 7.0 22.2	22.2 37.4 66.7 33.2 60.3	33.3 42.1 59.7 110.8 15.1	4.7 10.5 7.5	66.6 191.9 396.7 188.3 173.3	88.8 28.1 10.5 22.2 98.0	24 25
33.0 34.4 38.5 32.6	17.2	26.4 17.2 21.7	19. 8 22. 9 51. 4 27. 2	79. 1 80. 2 51. 4 65. 2	26. 4 5. 7 16. 3	118.7 137.4 25.7 108.6	6.6 22.9 12.8 21.7	105.5 11.5 25.7 21.7	6.6 11.5 5.4	26. 4 5. 7 5. 4		39.6 63.0 64.2 86.9	6.6 5.7 10.9	19.8 11.5 10.9	46.2 22.9 51.4 32.6	39.6 45.8 12.8 27.2	13.2 17.2 12.8 5.4	184.6 183.2 154.1 173.8	65.9 28.6 25.7 27.2	26 27 28 29
27.5 28.9	6.9 6.9 7.2	5.5 5.4 7.2	27.8 27.8 28.7	67. 0 67. 2 64. 7	7.6 7.9	77.0 69.0 237.1	10.0 9.7 14.4	30.3 30.0 35.9	10.3 10.1 14.4	7.9 7.6 14.4	9.3 9.4 7.2	38.8 39.0 35.9	6.9 7.2	10.3 9.0 35.9	65.7 66.8 43.1	127. 2 127. 1 129. 3	20.3 20.6 14.4	145.1 131.1 424.0	19.9 11.2 194.0	30 31 32
76. 4 27. 8 27. 1 26. 0 22. 3	6.8 6.5	27.8	61. 1 83. 4 13. 6 6. 5 22. 3	122.2 111.3 74.6 45.5 61.3		91. 6 55. 6 108. 5 78. 0 83. 6	13.0 5.6	27.8 61.0 45.5 16.7	6.8 5.6	30.5 20.3 5.6	6.5	15.3 54.2 6.5 33.4	15.3 27.8	15.3 27.1 11.1	76,4 27.8 115.3 58.5 55.7	91.6 389.4 108.5 110.5 78.0	45.8 27.8 6.8 26.0 16.7	168.0 139.1 135.6 84.5 105.8	19.5 27.9	33 34 35 36 37
26.5 14.3 34.5 8.1 34.8	5.4	7.2 5.4 5.0	6.6 28.6 310.7 16.2 34.8	46. 4 7. 2 276. 1 40. 4 59. 6	13.3 8.1 5.0	33.2 57.2 34.5 48.5 64.6	6.6 276.1 9.9	26.5 35.8 24.3 9.9	13.3 14.3 34.5 18.9 19.9	6.6 7.2 2.7 5.0	19.9 7.2 5.4 5.0	53. 1 28. 6 103. 6 27. 0 54. 7	13.3 34.5 13.5	13.3 7.2 5.4 9.9	73.0 93.0 103.6 80.9 49.7	106. 1 93. 0 34. 5 140. 1 139. 1	39.8 21.5 34.5 29.6 5.0	66.3 128.7 1,898.5 113.2 94.4	19.9 57.2 34.5 8.1	38 39 40 41 42
27.3 36.1 35.5 31.7	34.2 17.7 10.6	6.8 17.7 10.6	34.2 144.2 10.6	41.0 72.1 17.7 179.8	10.6	82.0 108.2 71.0 42.3	20.5 35.5 21.2	34.2 36.1 31.7	6.8	17.7	27.3 36.1 10.6	54.7 36.1 35.5 21.2	20.5 17.7	6.8	54.7 71.0	116.2 36.1 230.7 105.8	17.7	143.5 180.3 88.7 95.2	6.8	44 45 46
55.8 27.0 26.9	69.7 9.0 9.0	27.9 9.0 9.0	41.8 9.0 35.9	153. 4 45. 1 62. 8	9. <b>0</b> 26. 9	111.5 90.1 71.8	13. 9 9. 0	55.8 27.0 44.9	27.9	13.9 17.9	26. 9	51.3 83.6 27.0 44.9		51.3 13.9 9.0 17.9	51.3 125.5 63.1 80.8	205. 2 41. 8 216. 3 152. 5	102.6 18.0 17.9	102. 6 111. 5 126. 1 107. 7	41.8 72.1	47 48 49 50
33.6 57.7 11.7	16.5	8.2	117.4 83.0 23.5 76.2	134.2 82.4 82.1 101.7	8.2	134.2 33.0 93.8 25.4	16.8 11.7 25.4	8.2 11.7	16.8 33.0 11.7	23.5	8.2 11.7	24.7	16.5	58.7	50.3 65.9 50.8	134.2 74.2 105.6 101.7	16.8 8.2 25.4	67.1 156.6 328.4 127.1	8.2 82.1	51 52 53 54
27.6 24.1 19.8 27.1		6.8	11.0 24.1 9.9 13.5	93. 8 48. 3 49. 5 33. 9	44.1 19.8	115.8 72.4 89.2 155.8	6.8	9.9 81.3	19.8 6.8	16.6 19.8 13.5	9.9	99.3 48.3 19.8 47.4	6.8	5.5 48.3 9.9	66.2 96.5 49.5 61.0	226. 2 96. 5 148. 6 67. 7	22.1 24.1 59.5 6.8	115.9 144.8 247.7 162.6	79.3 40.6	55 56 57 58
105. 5 105. 7	23.1 23.1	17.6 17.6	133.3 133.4	202.4 202.3 292.4	32.8 32.9	139.1 139.3	19.5 19.6	48.8 48.9	7.0 7.0	11.7 11.7	13. 7 13. 7	115.7 115.0 584.8	2.7 2.7	9.8 9.8	73. 9 74. 0	82.1 82.2	13.3 13.3	386.9 387.4	12.1 12.1	59 60 61
108.3 117.0 186.3 47.9 93.4	18.5 24.5 10.7 26.8	18.0 19.6 32.0 16.8	126.3 98.5 117.6 69.2 126.9	243. 6 289. 3 122. 5 255. 6 131. 7 ding par	36.1 18.5 34.3 47.9 19.2		9. 0 6. 2 29. 4 26. 6 24. 0	9. 0 18. 5 34. 3 32. 0 45. 5	12.3 16.0 9.6	9. 0 30. 8 21. 3 14. 4	18.0 6.2 4.9 16.0 19.2	117. 3 117. 0 112. 7 111. 8 100. 6	6.2 4.9 5.3 2.4	9. 0 16. 0 12. 0	18. 0 73. 9 73. 5 95. 9 55. 1	45. 1 117. 0 58. 8 42. 6 105. 4	27.1 18.5 9.8 10.7 12.0	460. 2 535. 5 250. 0 298. 2 493. 4	9.0 18.5 4.9 5.3 14.4	62 63 64 65 66

Including part of Flathead Indian Reservation.
 Including part of Crow Indian Reservation.

<sup>&</sup>lt;sup>6</sup> Including Blackfeet Indian Reservation.
<sup>7</sup> Including Fort Peck Indian Reservation.

## TABLE III.—DEATH RATES PER 100,000 POPULATION IN THE REGISTRATION AREA AND

[All death rates are based upon the total deaths, including deaths of nonresidents and deaths in hospitals and institutions. Minor areas containing state insane asylums population of the subdivision formed at least 10 per cent of the total, or numbered 10,000 or over in 1910. The term "cities" indicates municipalities

٦	population of the subdivis						<del>-</del>	ER 100,00				·····	`		
	AREA AND COLOR.	All causes.1	Typhoid fever.	Mala- ria.	Small-pox.	Measles.	Scarlet fever.	Whooping cough.	Diphtheria and croup.	In- flu- enza.	Ery- sipelas.	Tuber-culosis of the lungs.	Tuber-culous men-ingitis.	Other forms of tuberculosis.	Rheu- ma- tism.
	RURAL PART OF REGISTRATION STATES 2—Continued.														
	NEW HAMPSHIRE—continued.														
1 2 3 4 5	Hillsborough County Merrimack County Rockingham County Strafford County Sullivan County	1,748.9 1,904.1 1,723.1 1,481.3 1,646.2	10. 1 12. 6 17. 1 19. 5 15. 4			9.5 4.9 19.5 41.0	3.4 22.0 3.9	31.5 4.9 7.8 5.1	10. 1 9. 5 14. 6 19. 5 5. 1	40.3 50.4 51.3 7.8 20.5	6.7 3.2 7.8	124.2 141.9 97.6 105.3 102.6	7.3 3.9 5.1	20.1 15.8 7.8	10. 1 9. 5 7. 3
6	NEW JERSEY. Total	1,373.2	11.8	0.8	0.1	8.6	6.5	9.3	20.0	16.3	3.1	142.1	8.9	9.4	8.8
8	Total White Colored		11. 2 27. 1	0.7 2.7	0.1	8. 5 10. 9	6.7	8.8 21.7	20.3	16. 4 13. 6	3.2	136. 1 287. 8	8.4 21.7	9.1 19.0	8. 6 13. 6
9 10 11 12 13	Atlantic County. Bersen County Burlington County Camden County Cape May County	1,567.3 1,072.2 1,540.9 1,315.4 1,254.4	22. 6 5. 8 14. 8 16. 1 4. 9			7.5 10 7 14.8 14.1 4.9	3.8 3.3 10.3 6.0	18.8 17.3 7.4 4.0 4.9	22. 6 13. 2 13. 3 10. 0 19. 7	22.6 9.1 14.8 14.1 4.9	2. 5 4. 4 2. 0 4. 9	131. 5 104. 8 135. 9 172. 7 68. 9	12.4 7.4 6.0 4.9	15. 0 9. 9 19. 2 6. 0 24. 6	7. 5 5. 0 11. 8 14. 1 14. 8
14 15 16 17	Cumberland County Essex County Gloucester County Hudson County	1,660.7 1,574.1 1,417.9 2,109.1	10. 4 6. 8 34. 1 18. 6	2.6 2.3	3.5	6.9 31.5 7.0	3. 5 58. 6 4. 6	15.8 15.8 9.3	13.8 76.7 21.0 37.1	10.4 13.5 5.3 7.0	6.9 5.3 4.6	141. 6 214. 2 154. 9 529. 0	13.8 24.8 5.3 2.3	17.3 13.5 13.1 4.6	6.8
18 19 20 21	Hunterdon County Mercer County Middlesex County Monmouth County		3.0 10.2 8.1 22.3	3.0 1.6 1.4		17.8 6.8 3.2	5. 9 3. 4 11. 4	3. 0 3. 4 8. 1 4. 2	8. 9 17. 0 17. 9 22. 3	17.8 20.4 11.4 18.1	3.0 6.8 3.2 4.2	151.6 101.8 95.7 121.4	3.0 3.4 9.7 9.8	11.9 6.8 4.9 9.8	8.9 3.4 9.7 5.6
22 23 24 25	Morris County Ocean County Passale County Salem County		• 4.7 9.3 7.9 22.1	4.7		2.6	4.7 2.6 3.7	14. 1 14. 0 5. 3	11. 0 18. 7 37. 1 14. 7	32.9 23.3 10.6 22.1	4.7 5.3 3.7	139.5 112.0 103.3 117.8	4.7 5.3 11.0	7.8 9.3 2.6 7.4	9.4 4.7 2.6 14.7
26 27 28 29	Somerset County Sussex County Union County Warren County	1,356.1 1,342.4 1,072.8 1,451.2	20.3 4.1 6.7	2.1			4.1	7.6 3.6 10.4 10.1	15. 2 3. 6 16. 6 16. 8	20.3 36.2 24.9 16.8	2.5 3.6 3.4	88.7 101.3 99.4 83.8	17.7 7.2 16.6 3.4	6.2 10.1	7.6 3.6 6.2 16.8
30	NEW YORK.	1,578.9	13. 1	0.9		7.6	6.6	7.8	8.2	31.9	4.0	123.9	4.5	11.8	8.8 8.7
31 32	Total		12.9 28.2	0.9 3.5		3.5	6.7	7.8 10.6	8.3 7.0	31.9 24.7	4.1	120.3 415.5	4.4 10.6	11.7 17.6	14.1
33 34 35 36 37	Albany County Allegany County Broome County Cattaraugus County Cayuga County	1,654.2 1,580.6 1,924.2 1,377.1 1,726.1	18.0 14.6 3.3 11.8 21.8			16.4 5.9	21. 0 7. 3 3. 3 7. 9 3. 1	18. 0 7. 3 6. 6 25. 6 9. 3	9. 0 9. 8 7. 9 6. 2	21. 0 53. 7 32. 9 19. 7 28. 9	9.8 13.8 3.1	107.9 48.8 72.4 76.8 99.7			15.0 2.4 9.9 9.9 9.3
38 39 40 41 42	Chautauqua County Chemung County Chenango County Clinton County Columbia County	1,544.1 1,683.5 1,689.7 1,285.8 1,665.7	7.0 11.3 8.2 21.8			11. 3 5. 4 6. 2	5.3 5.7 5.4 3.1	15.8 5.7 5.7 2.7	12.3 17.0 8.5 2.7 18.6	49. 2 17. 0 22. 7 51. 6 31. 1	2.8 8.2	116.9	3. 5 5. 7 3. 1	10.5 22.7 22.7 22.7 10.9 12.4	12.3 5.7 2.8 5.4
43 44 45 46 47	Cortland County Delaware County Dutchess County Eric County Essex County	1,689.4 1,460.6 2,062.3 1,330.9 1,533.9	5. 7 17. 7 20. 0 15. 2 23. 7			2.2 11.7	2, 2 15, 0 12, 0 5, 9	22.7 2.2 18.4 4.3 8.9	11.3 2.2 8.3 8.7	51. 0 66. 2 33. 4 21. 7 23. 7	4.4 3.3 4.3	267.0	1.7 2.2	17. 0 11. 0 20. 0 9. 8 14. 8	10.0
48 49 50 51 52	Franklin County Fulton County Genesee County Greene County Hamilton County	1,743.3 1,744.3 1,188.1 1,715.5 1,344.0	24. 2 15. 0 11. 5 26. 6			8.8 7.5 6.7	2.2	. 15.0	11.5	26. 4 37. 4 61. 3 30. 0	7.5 3.8	164.7 57.5	3.3	19.8 15.0 7.7 10.0	3.8
53 54 55 56 57	Herkimer County Jefferson County Lewis County Livingston County Madison County	1, 439. 8 1, 505. 1 1, 481. 8 1, 679. 9 1, 633. 5	9. 0 18. 7 4. 1 5. 2 12. 7	1.9		7.8	7.5 10.5 7.6	2.6	. 4.1	11. 2 50. 6 40. 9 28. 8 33. 1	1.9 16.4	63.7 53.2 141.3	1.9		16.4
58 59 60 61 62	Monroe County. Montgomery County. Nassau County. Niagara County. Oneida County.	1,396.8 1,583.4 1,281.6 1,325.9 1,463.3	1.5 11.4 14.8 21.9 15.2	3.4		3.8 14.8	11. 4 16. 0 3. 1	3.8 10.3	9.1 6.3	16.0 34.4	1.1	. 155.3 86.8 . 75.1	15.5 4.6 3.1	11.4 12.6 15.6	3.4 9.4
63 64 65 66 67	Onondaga County Ontario County Orange County Orleans County	1,514.1 1,668.3 1,557.4 1,449.5 1,714.1	9. 4 12. 6 16. 1 15. 6 8. 0			23 6	10. 1 9. 4 3. 1	2.7	2.5 12.1 15.6	32.7 35.0 15.6	2.5 1.3	93. 1 146. 6 87. 1	7.5 10.8 3.1	10.1 9.4	10.1 4.0 12.4

1 Exclusive of stillbirths.

						<del></del>	DEATH	RATE PI	ER 100,00	O POPUL	ATION E	ROM—			-					=
Can- cer.	Dia- betes.	Menin- gitis.		Organic diseases of the heart.	Bron- chitis.	Pneu- monia (all forms).	Other respira- tory dis- eases.	Diarrhea and enteritis (under 2 years).	Appen- dicitis.	Hernia, intes- tinal obstruc- tion.	Cir- rhosis of the liver.	Ne- phritis, Bright's disease.	Puer- peral fever.	Other puer- peral affec- tions.	Congenital debility and malformations.	Violent deaths (ex- cluding sui- cide),	Sui- cide.	All other causes.	Ill- defined and un- known	
16	(87)	17	18	19	20, 21	22, (23)	(23)	25	26	27	28	29	31	32	33	35	36	(37)	38	
110.8 91.4 141.6 62.4 87.2	16.8 44.1 24.4 19.5 20.5	23.5 15.8 17.1 11.7 20.5	171.2 154.5 141.6 105.3 184.6	211.5 280.6 192.8 202.7 169.2	47.0 34.7 46.4 11.7 30.8	134.3 167.1 153.8 124.7 102.6	36.9 18.9 14.6 20.5	20. 1 126. 1 39. 1 78. 0 35. 9	6.7 3.2 4.9 11.7 5.1	3.4 22.1 4.9 11.7 5.1	13.4 31.5 4.9 11.7 5.1	100.7 100.9 129.4 124.7 159.0	3.4 4.9	13. 4 3. 2 9. 8 15. 6 15. 4	107.4 53.6 51.3 116.9 97.4	57.1 85.1 102.5 70.2 92.3	10.1 3.2 26.8 11.7 5.1	412.9 372.0 378.3 276.8 369.2	20. 1 12. 6 7. 3 11. 7 15. 4	1 2 3 4 5
75.0 75.1 73.3	12.4 12.5 10.9	8.3 8.0 13.6	110.4 111.4 86.9	150.0 148.6 184.6	16.5 16.5 16.3	120.0 117.9 171.0	17.4 17.2 21.7	73.6 73.6 73.3	5.1 5.0 5.4	7.4 7.4 8.1	11.2 11.6	105.9 104.6 138.5	3.9 3.6 10.9	6.2 6.1 8.1	72.9 72.3 86.9	88.1 88.2 86.9	13.4 13.7 5.4	223.5 221.1 282.4	6.2 5.9 13.6	6 7 8
63.9 57.8 97.5 60.2 54.1	11.3 6.6 4.4 22.1 9.8	7.5 7.4 7.4 4.0 4.9	90, 2 74, 3 122, 6 88, 4 132, 8	157. 9 130. 4 162. 5 130. 5 113. 1	7.5 12.4 14.8 10.0 14.8	109. 0 105. 6 113. 8 106. 4 73. 8	15.0 12.4 19.2 22.1 19.7	124.0 53.6 93.1 68.3 113.1	3.8 7.4 5.9 9.8	11.3 6.6 4.4 4.0	11.3 12.4 22.2 16.1 9.8	109. 0 72. 6 138. 9 100. 4 177. 1	3.8 2.5 4.4 6.0 4.9	7.5 4.1 8.9 4.0 4.9	116.5 57.8 78.3 60.2 44.3	131.5 86.7 87.2 84.3 68.9	15.0 21.5 13.3 10.0 4.9	315.7 143.6 279.2 251.0 236.1	3.8 2.5 8.9 2.0	9 10 11 12 13
148.5 65.4 84.0 78.9	20.7 9.0 2.6 18.6	6.9 11.3 2.6 27.8	172.6 135.3 102.4 81.2	210.6 137.6 136.5 143.9	3.5 20.3 18.4 30.2	86.3 151.1 105.0 204.2	6.9 15.8 21.0 11.6	93.2 42.8 81.4 92.8	17:3 2.3 11.6	24.2 4.5 18.4 2.3	17.3 15.8 7.9 27.8	110.5 119.5 131.3 167.1	3.5 5.3 9.3	10.4 4.5 7.9 2.3	103.6 65.4 86.6 65.0	89. 8 60. 9 60. 4 174. 0	13.8 13.5 5.3 16.2	293.5 268.4 244.2 283.1	7.9	14 15 16 17
95.1 54.3 51.9 94.9	8.9 37.3 4.9 15.3	5.9 13.0 11.2	208. 0 98. 4 73. 0 159. 0	169. 4 169. 7 116. 8 186. 9	8.9 17.0 22.7 18.1	104.0 115.4 118.5 92.1	23.8 20.4 4.9 16.7	44.6 27.1 170.4 67.0	5.9 3.4 4.9 7.0	5.9 8.1 14.0	3.0 3.4 8.1 7.0	124.8 78.1 61.7 133.9	3. 2 9. 8	11.9 9.7 4.2	53.5 44.1 100.6 71.2	80. 2 74. 7 102. 2 54. 4	5.9 17.0 21.1 12.6	303.2 183.3 168.8 219.0	8.9 3.4 14.6 19.5	1
80.0 93.3 47.7 88.3	11.0 9.3 18.5 18.4	6.3 4.7 7.9 11.0	105. 0 154. 0 63. 5 106. 7	163.0 168.0 135.0 125.1	26.7 9.3 18.5 25.8	164.6 98.0 111.2 99.3	39.2 28.0 10.6 7.4	54.9 14.0 79.4 58.9	1.6 4.7 7.9 3.7	6.3 9.3 7.9 7.4	1.6 18.7 2.6 7.4	122.3 130.7 53.0 77.3	1.6	11.0 4.7 2.6 3.7	65. 8 74. 7 95. 3 92. 0	111.3 56.0 98.0 51.5	11.0 9.3 15.9 3.7	288.5 196.0 .92.7 . 264.9	14.0 5.3 14.7	124
81. 1 86. 8 72. 5 50. 3	17.7 7.2 14.5 16.8	2.5 7.2 10.4 3.4	83.6 126.6 111.8 147.5	164.8 155.6 136.7 174.3	20.3 21.7 8.3 10.1	134.3 173.7 101.5 144.1	17.7 18.1 14.5 26.8	73.5 61.5 62.1 50.3	2.5 3.6 2.1	5.1 3.6 6.2 6.7	5.1 32.6 2.1 6.7	103.9 83.2 95.3 90.5	2.5 10.9 6.7	10.1 7.2 6.2 3.4	73.5 61.5 70.4 77.1	76.0 104.9 58.0 144.1	12.7 3.6 10.4 16.8	278.8 209.9 91.1 274.8	7.6 3.6 4.1 6.7	27 28
93. 9 94. 6 38. 7	19.5 19.7 3.5	11.3 11.2 14.1	136.1 136.4 112.7	209.7 210.2 172.6	24.7 24.4 49.3	133. 0 131. 6 246. 5	14.1 14.1 17.6	44,3 43,9 70,4	6.8 6.8 7.0	12.1 12.0 17.6	14.2 14.1 21.1	118.0 117.6 147.9	5.1 4.9 17.6	8.3 8.4 3.5	72.7 72.5 91.6	100.8 100.1 154.9	15. 2 15. 2 10. 6	307.6 307.5 316.9	2.5 2.5 7.0	_
98.9 119.5 134.9 86.7 146.4	15.0 17.1 19.7 21.7 34.3	27.0 4.9 32.9 3.9 9.3	128.9 117.1 227.0 110.3 171.4	212. 8 263. 4 266. 4 256. 4 211. 9	12.0 22.0 36.2 15.8 40.5	179.8 124.4 161.2 94.6 112.2	12.0 17.1 16.4 15.8 18.7	47. 9 22. 0 46. 0 27. 6 18. 7	6.0 14.6 16.4 11.8 9.3	15. 0 14. 6 13. 2 13. 8 9. 3	18.0 9.8 26.3 13.8 15.6	155.8 112.2 154.6 82.7 118.4	15.0 4.9 13.2 5.9	6.0 12.2 9.9 7.9 6.2	68.9 61.0 82.2 49.3 77.9	158.8 92.7 108.5 94.6 90.4	9.0 22.0 9.9 15.8 59.2	236.7 361.0 394.7 283.7 367.7	2.4 3.3	33 34 35 36 37
100. 1 130. 4 113. 4 81. 6 59. 0	14.1 28.3 28.4 8.2 15.5	8.8 11.3 16.3 18.6	130. 0 141. 7 181. 4 97. 9 152. 3	240.7 249.4 314.7 163.1 264.1	21. 1 11. 3 25. 5 19. 0 12. 4	115.9 170.0 127.6 89.7 118.1	28.1 17.0 5.7 21.7 18.6	28.1 22.7 19.8 51.6 28.0	17.6 5.7 5.7 10.9	14.1 5.7 11.3 8.2 15.5	22.8 17.0 17.0 10.9 12.4	79. 0 141. 7 136. 1 76. 1 202. 0	3.5 5.7 8.5 2.7 9.3	3.5 5.7 8.5 13.6 6.2	49.2 90.7 59.5 92.4 37.3	89.6 73.7 73.7 81.6 102.6	17.6 17.0 14.2 21.8	347.8 272.1 379.9 212.0 348.1	1.8 2.8 10.9 6.2	39 40 41
147. 4 94. 9 75. 1 98. 9 56. 4	22.7 24.3 20.0 17.4 29.7	5.7 11.0 -11.7 12.0 8.9	130. 4 125. 8 148. 5 83. 7 86. 0	215.4 220.6 230.3 195.7 181.0	51. 0 28. 7 36. 7 29. 4 38. 6	119.0 97.1 225.2 89.2 127.6	22.7 8.8 21.7 15.2 8.9	22. 7 26. 5 68. 4 54. 4 59. 3	17.0 6.6 6.7 6.5 17.8	17.0 2.2 15.0 8.7 5.9	22.7 15.4 15.0 10.9 23.7	130. 4 97. 1 130. 1 69. 6 89. 0	13.2 1.7 1.1 11.9	11.3 11.0 8.3 5.4 17.8	51. 0 66. 2 86. 8 65. 2 100. 9	85.0 112.5 121.8 113.1 86.0	17.0 8.8 13.3 16.3 11.9	385.5 269.2 413.8 261.0 326.4	1.7 3.3 3.0	46
59. 4 89. 8 53. 7 79. 9 47. 2	4.4 11.5 26.6 23.6	15. 4 22. 5 15. 3 16. 7 23. 6	99. 0 119. 8 134. 1 216. 5 117. 9	132.1 187.2 153.3 213.2 117.9	26. 4 37. 4 26. 8 43. 3	180. 5 179. 7 76. 7 119. 9 117. 9	8.8 7.7 3.3	105.7 52.4 23.0 53.3	2.2 3.3 23.6	11.0 23.0 20.0	4.4 15.0 7.7 30.0	88. 0 202. 1 61. 3 139. 9 235. 8	4.4 7.5 10.0	11.0 15.0 3.8 10.0	110.1 89.8 69.0 60.0	72.6 67.4 69.0 96.6 165.1	13. 2 7. 5 23. 0 6. 7	248.7 389.3 253.0 309.8 353.7	2.2 3.8 23.6	.   49
76.5 97.5 114.6 91.6 96.8	18.0 16.9 4.1 26.2 38.2	13.5 5.6 8.2 5.2 25.5	150. 7 178. 1 180. 1 128. 2 165. 6	200. 2 249. 3 233. 3 238. 1 214. 1	27. 0 18. 7 20. 5 23. 5 20. 4	148.5 82.5 139.2 198.9 124.9	22. 5 15. 0 12. 3 7. 8 20. 4	36. 0 22. 5 32. 7 54. 9 33. 1	9.0 5.6 4.1 10.5 5.1	9. 0 15. 0 28. 7 2. 6 30. 6	13.5 18.7 16.4 10.5 17.8	112.5 97.5 118.7 130.8 81.5	7.5 4.1 2.6	11.2 9.4 4.1 13.1 5.1	96.7 95.6 77.8 34.0 86.6	117.0 73.1 98.2 125.6 76.4	15.7 18.7 8.2 15.7 28.0	218. 2 292. 4 241. 5 342. 8 369. 5	4.5 3.7 2.6	53 54 55 56 57
77.7 79.5 72.0 100.1 106.5	19.4 15.2 24.0 12.5 30.4	9.0 7.6 5.7 3.1 8.4	97. 1 132. 6 88. 0 90. 7 113. 2	203. 2 219. 7 118. 8 237. 7 207. 8	17.9 26.5 20.6 34.4 35.5	88.1 109.8 124.5 68.8 155.5	10.5 11.4 10.3 6.3 15.2	73. 2 34. 1 64. 0 50. 0 52. 4	9.0 11.4 6.9 9.4 1.7	10.5 10.3 3.1 8.4	7.5 16.0 6.3 18.6	68.7 166.7 118.8 71.9 108.1	1.5 3.8 10.3 9.4 5.1	7.5 11.4 8.0 9.4 6.8	83.7 60.6 75.4 68.8 72.7	113.5 125.0 107.4 90.7 62.5	17.9 26.5 10.3 9.4 10.1	255.5 280.3 196.5 272.1 268.7	7.6 1.1 3.1	60
103.7 138.4 90.1 84.0 114.3	17.3 7.5 25.6 34.2 29.2	11.0 17.6 12.1 12.4 10.6	131.9 173.6 107.6 143.1 233.9	215. 2 234. 0 160. 0 168. 0 260. 4	20. 4 15. 1 28. 2 24. 9 31. 9	117.8 110.7 133.1 87.1 61.1	4.7 17.6 10.8 12.4 13.3	40.8 20.1 61.9 68.4 18.6	3.1 5.0 2.7 6.2 8.0	14.1 15.1 14.8 21.8 5.3	4.7 12.6 18.8 9.3 15.9	97.4 138.4 134.5 124.4 159.5	7.9 7.5 6.7 9.3	11.0 12.6 5.4 12.4 10.6	73. 8 67. 9 76. 7 87. 1 74. 4	117.8 138.4 133.1 93.3 90.4	9.4 7.5 22.9 18.7 10.6	279. 6 344. 7 252. 8 279. 9 374. 7	1.6 . 2.7 8.0	64 65 66

<sup>&</sup>lt;sup>2</sup> Exclusive of municipalities having a population of 10,000 or over in 1910.

## TABLE III.—DEATH RATES PER 100,000 POPULATION IN THE REGISTRATION AREA AND

[All death rates are based upon the total deaths, including deaths of nonresidents and deaths in hospitals and institutions. Minor areas containing state insane asylums population of the subdivision formed at least 10 per cent of the total, or numbered 10,000 or over in 1910. The term "cities" indicates municipalities

=					·	DEATE	I RATE I	PER 100,00	O POPUL	ATION 1	FROM-				-
	AREA AND COLOR.	All causes.1	Typhoid fever.	Mala-ria.	Small- pox.	Measles.	Scarlet fever.	Whooping cough.	Diph- theria and croup.	In- flu- enza.	Ery- sipelas.	Tuber- culosis of the lungs.	Tuber- culous men- ingitis.	Other forms of tuberculosis.	Rheu- ma- tism.
	RURAL PART OF REGISTRATION STATES 2—Continued.														
	NEW YORK—continued.														
1 2 3 4 5	Otsego County. Putnam County. Rensselaer County Rockland County. St. Lawrence County.	1,693.0 1,641.4 1,491.2 1,412.6 1,400.3	12. 8 13. 5 11. 5 6. 3 26. 3	2. 1		13. 5 2. 9 25. 3 1. 4	20.3 31.7 6.3	6.8 12.7 5.5	8. 5 8. 6 21. 1 2. 8	46.8 47.3 40.3 19.0 42.9	6. 4 6. 3 4. 2	78. 7 94. 6 80. 6 120. 4 99. 7	2. 1 13. 5 4. 2 8. 3	19. 1 25. 9 19. 0 9. 7	5.8 12.7 4.2
6 7 8 9	Saratoga County Schenectady County Schobarie County Schopler County Schuyler County Seneca County	1,601.7 1,160.4 1,649.7 1,934.3 2,152.4	8.1 6.2 12.8	2. 0 4. 3		18.3	7.3 3.7	6. 1 25. 0 7. 3 11. 2	20.3 12.5 4.3	32. 5 6. 2 68. 0 43. 6 18. 6	14.5	119.9 131.0 85.0 80.0 212.3	7.3	12. 2 12. 8 7. 3 14. 9	12.2 18.7 8.5 7.3 7.4
11 12 13 14	Steuben County	1,848.1 2,025.0 1,934.4 1,704.7	10. 7 9. 2 23. 8 15. 8	1. 0 3. 0		1.8 1.0 3.9	7.1 4.1 8.9 3.9	12.5 6.1 11.9 11.8	3. 6 8. 1 6. 0 3. 9	23. 2 36. 7 38. 7 47. 4	3.6 7.1 8.9 3.9	76. 9 199. 6 520. 8 118. 4	6.1 11.9 7.9	14.3 16.3 3.0 11.8	21. 4 9. 2 23. 8 11. 8
15 16 17 18	Tompkins County. Ulster County Warren County Washington County.	1,600.0 1,740.4	5. 4 16. 4 11. 8 29. 2			5. 4 13. 4 59. 0 12. 5	5. 4 6. 0 8. 3	5.4 3.0 5.9 4.2	11.9	69. 6 31. 3 29. 5 41. 7	5. 4 4. 5 4. 2	69. 6 108. 9 118. 1 96. 0	6.0 11.8 6.3	10.7 11.9 5.9 14.6	10.7 9.0 5.9 8.3
19 20 21 22	Wayne County Westchester County Wyoming County Yates County	1,457.7 1,547.2 1,392.2 1,498.9	7.9 5.5 12.5 5.4			8.8 15.6	5.9 5.5 6.2	13.9 7.7 3.1 5.4	9.9 12.2 3.1	33. 7 13. 3 43. 7 59. 5	7.9 6.6	81. 2 182. 5 68. 7 70. 3	7.9 12.2 3.1	11.9 13.3 12.5 5.4	5.9 14.4 3.1 10.8
23 24 25	NORTH CAROLINA. <sup>3</sup> Total	1, 653. 2 1, 320. 4 2, 329. 8	74. 1 66. 9 88. 8	25. 2 16. 4 43. 0	0.5 1.4	17. 4 15. 0 22. 2	2.3 3.4	34. 8 19. 1 66. 6	9.6 10.2 8.3	18.3 17.1 20.8	2.7 2.7 2.8	194. 9 123. 6 340. 0	5.0 4.1 6.9	20. 1 15. 0 30. 5	7.3 4.1 13.9
26 27 28	OHO. Total White Colored	1,223.2 1,213.4 1,788.4	22. 7 22. 6 29. 1	1.0 0.9 4.5	(\$)	7.2 7.2 4.5	5. 2 5. 2 2. 2	10.5 10.3 22.4	11.3 11.4 4.5	28. 4 28. 3 38. 1	3.8 3.8 2.2	109.9 105.6 358.6	5.5 5.2 24.7	12.2 11.8 31.4	6.7 6.7 9.0
29 30 31 32 33	Adams County Allen County Ashland County Ashtabula County Athens County	1,030.0 1,200.4 1,254.6 1,372.3 1,431.3	20. 4 26. 6 30. 2 19. 2 22. 5	2.4		8. 1 4. 3 36. 8	12. 2 3. 8 4. 8 2. 0	12. 2 8. 6 28. 6	16. 3 7. 6 4. 3 7. 2 18. 4	40.7 19.0 69.0 55.3 10.2	3.8 8.6	150. 6 167. 1 64. 7 122. 6 161. 5	8.1 7.6 4.3 7.2 6.1	20. 4 11. 4 14. 4 12. 3	4.1 11.4 8.6 7.2 4.1
34 35 36 37 38	Auglaize County Belmont County Brown County Butler County Carroll County	1,084.7 1,306.0 1,286.0 1,346.6 1,061.9	6. 4 25. 9 45. 1 32. 4 6. 4	8. 2 4. 6		16.0 6.1 12.3 4.6 6.4	6. 1 9. 3	9.1	16.0 30.5 4.1 9.3 19.2	25.6 22.9 16.4 27.8 12.8	3.2 6.1 4.1	118. 4 117. 3 176. 1 83. 3 57. 6	6. 4 3. 0 12. 3 4. 6 19. 2	12.8 9.1 16.4 9.3	12.8 10.7 4.1 4.6 6.4
39 40 41 42 43	Champaign County Clark County Clermont County Clinton County Columbiana County	1,314.0 1,283.0 1,163.8	15. 2 10. 2 13. 7 25. 4 17. 6			3.8 5.1 1.8	7. 6 5. 1 3. 4	5. 1 20. 5 25. 4 10. 6	3.8 51.1 6.8 12.7 19.4	19.0 20.4 27.3 59.3 22.9	5.1 3.4 12.7 3.5	98. 8 224. 9 150. 2 105. 9 66. 9	7.6 6.8 4.2 5.3	26. 6 10. 2 10. 2 25. 4 8. 8	15. 2 10. 2 6. 8 8. 5 1. 8
44 45 46 47 48	Coshocton County Crawford County Cuyahoga County Darke County Defiance County	1,121.9 1,221.7 1,223.3 1,060.9 1,207.4	11.6			2.3	3.3 2.9 15.1 4.7 8.2	16.5 11.7 13.6 7.0	9.9 5.9 7.6 4.7 16.5	16. 5 20. 6 18. 2 37. 2 16. 5	6.6 1.5 2.3	89. 4 94. 0 75. 7 88. 4 111. 3	6.6 8.8 6.1 2.3 4.1	9.9 17.6 6.1 7.0 28.8	13. 2 2. 9 10. 6 7. 0
49 50 51 52 53	Delaware County Erie County Fairfield County Fayette County Franklin County	1,099.8 1,980.2 1,060.6 1,260.1 1,314.8	10.9 19.1			7.3 5.4 4.6 16.9	3.7 5.4 3.8	18.3 5.4 7.6 4.6 9.7	15.3 13.8 2.4	25. 7 16. 3 49. 6 59. 8 29. 1	21.8	117.3 190.4 83.9 115.0 184.0	15.3 4.6 2.4	11.0 3.8 4.6 21.8	5. 4 3. 8
54 55 56 57 58	Fulton County Gallia County Geauga County Greene County Guernsey County	1 120 2	43.2	3. 4		<b></b>	8.3	7.8 13.6 13.6 34.3	12.5 15.7 3.4 6.2	29. 1 43. 2 75. 0 47. 5 25. 0	4.2 7.8 3.4 9.4	200.2	3. 4 9. 4	20.8 7.8 13.6 27.1 25.0	12.5 7.8 13.6 10.2 3.1
59 60 61 62 63	Hamilton County Hancock County Hardin County Harrison County Henry County	1, 247. 7 849. 6 1, 217. 3 1, 264. 2 1, 126. 5	26.4 1	1		8.0	8.4 4.4 9.9	19.6 30.7 3.3 5.3	12.6 6.6	19.6 17.5 36.3 42.3 12.1	2.8 6.6 5.3 8.0		16.8 6.6	21.0 13.2 10.6 4.0	2.8 4.4 9.9 10.6 4.0
64 65 66 67 68	Highland County. Hocking County Holmes County Huron County Jackson County	1,280.1	31.7 21.2 22.6 20.3 29.6				3. 5 8. 5 2. 9	14. 1 21. 2	3.5 8.5 5.6	17.6 29.7 28.2 40.7 36.2	4. 2 5. 6 14. 5	93. 4 73. 4 92. 9	11.3 5.8 3.3	17.6 17.0 16.9 11.6 19.8	7.0 8.5 5.6

<sup>&</sup>lt;sup>1</sup> Exclusive of stillbirths.

<sup>&</sup>lt;sup>2</sup> Exclusive of municipalities having a population of 10,000 or over in 1910.

	+=>		over in 191						•	O POPUL							·		
Can- cer.	Dia- betes.	Menin- gitis.	Cerebral hemor- rhage and softening.	Organic diseases of the heart.	Bron- chitis.	Pneu- monia (all forms).	Other respira- tory dis- eases.	Diarrhea and enteritis (under 2 years).	Appendicitis.	Hernia, intes- tinal obstruc- tion.	Cir- rhosis of the liver.	Ne- phritis, Bright's disease.	Puer- peral fever.	Other puer-peral affections.	Con- genital debility and mal- forma- tions.	Violent deaths (ex- cluding sui- cide).		All other causes.	Ill- defined and un- known.
16	(37)	17	. 18	19	20, 21	22, (23)	(23)	25	26	27	28	29	81	32	88	35 	36	(37)	38
129.7 108.1 83.5 61.2 70.6	14.9 6.8 28.8 21.1 9.7	4.3 20.3 17.3 12.7 13.9	157. 4 135. 1 161. 2 103. 5 139. 9	259. 5 222. 9 213. 0 128. 8 191. 1	21.3 33.8 14.4 25.3 19.4	161. 6 168. 9 135. 3 158. 4 112. 2	12.8 13.5 20.2 10.6 5.5	27. 6 54. 0 34. 5 33. 8 36. 0	8.5 13.5 5.8 14.8	17.0 13.5 2.9 14.8 6.9	19.1 13.5 5.8 19.0 6.9	142.5 114.8 132.4 133.0 84.5	8.5 6.8 5.8 5.8 5.5 5.5	6.4 2.9 14.8 5.5	85. 1 101. 3 66. 2 88. 7 62. 3	112.7 155.4 138.2 82.3 74.8	10.6 6.8 14.4 12.7 11.1	308. 4 216. 2 198. 6 209. 0 337. 9	4.3 6.8 2.9 4.2
83.3 43.7 136.1 152.7 122.9	24.4 21.3 7.3	10.2 6.2 21.8	136. 2 87. 3 144. 6 196. 3	207.3 112.3 289.1 334.5 372.4	20.3 31.2 29.8 29.1	146.3 112.3 114.8 123.6	12.2 12.5 12.8 29.1	58.9 56.1 25.5 36.4 33.5	4.1 4.3 7.3	6.1 17.0 21.8	4.1 12.5 29.8 29.1	128.1 81.1 157.3 116.3	2.0 6.2 8.5 7.3	6.1	85.4 37.4 63.8 101.8	119.9 162.2 59.5 87.3 85.6	12.2 12.5	296.8 180.9 335.9 443.6 428.2	2.0 4.3 14.5
125. 1 98. 8 95. 2 122. 3	37.2 19.7 23.4 29.8 7.9	11.2 14.3 8.1 11.9 19.7	216.0 164.4 144.6 128.0 213.1	348.5 188.4 190 5 201.3	18.6 23.2 23.4 23.8 43.4	245.8 126.9 186.4 148.8 126.3	3.7 19.7 20.4 6.0 7.9	21. 4 53. 0 35. 7 11. 8	3.7 8.9 4.1 8.9 3.9	14.9 12.5 13.2 14.9 19.7	18.6 17.9 15.3 20.8	149. 0 151. 9 198. 6 89. 3 110. 5	14.9 3.9	7.4 14.3 7.1 6.0 3.9	85. 6 85. 8 49. 9 20. 8 86. 8	105.5 70.3 116.1 47.4	11.2 14.3 22.4 8.9 39.5	396. 8 590. 8 288. 7 390. 7	1.8 2.0 14.9 3.9
85.6 65.7 106.3 75.1	16.1 19.4 11.8 23.0	5.4 4.5 5.9 23.0	181.9 114.9 159.4 164.9	214.0 174.6 206.6 194.1	32.8 29.5 25.0	96.3 158.2 147.6 217.0	10.7 19.4 11.8 14.6	21.4 31.3 41.3 60.5	21.4 4.5 4.2	16.1 20.9 17.7 14.6	17.9 23.6 10.4	139. 1 117. 9 112. 2 160. 7	1.5 11.8 4.2	10.7 10.4 17.7 6.3	64. 2 68. 6 41. 3 85. 6	91.0 94.0 70.9 108.5	32.1 6.0 5.9 18.8	278. 2 252. 2 324. 7 302. 6	3.0 5.9 2.1
65. 4 119. 4 90. 5 75. 8	15.8 11.1 9.4 16.2	'9.9 14.4 6.2	142, 6 95, 1 143, 6 173, 2	190. 1 132. 7 259. 1 259. 7	19.8 21.0 21.9 10.8	93. 1 152. 6 96. 8 129. 9	15.8 23.2 3.1 21.6	19.8 98.4 18.7 32.5	2.0 4.4 3.1 16.2	5.9 11.1 6.2 5.4	25.7 6.6 12.5 27.1	87.1 122.8 65.6 97.4	4.0 3.3 6.2 5.4	7.9 6.6 12.5 5.4	81. ≱ 85. 2 46. 8 75. 8	136.7 129.4 68.7 70.3	25.7 13.3 15.6 16.2	316.9 212.3 330.9 286.8	4.0 1.1 3.1
54.0 56.0 50.0	6.4 9.6	20.6 22.5 16.7	69. 6 62. 8 83. 3	113.0 86.0 167.9	15.6 9.6 27.8	129.5 76.5 237.3	12.8 12.3 13.9	150.5 138.6 174.8	13.3 17.8 4.2	8.7 6.8 12.5	9. 6 6. 8 15. 3	76.9 66.9 97.1	7.8 4.8 13.9	19.7 17.1 25.0	85.6 88.8 79.1	75. 0 51. 2 123. 5	5.5 6.8 2.8	· 297.0 242.4 408.0	70.0 39.6 131.8
73.6 73.8 60.5	14.5 14.4 20.2	8.5 8.5 9.0	98.1 98.0 105.3	152.3 151.6 188.3	14.3 14.1 26.9	93. 2 92. 5 130. 0	10.7 10.7 9.0	41.7 41.5 51.5	6.4 6.4 4.5	9.5 9.6 2.2	13.3 13.3 13.4	66.7 65.7 125.5	6.3 6.2 11.2	6.9 6.9 6.7	59.2 59.2 58.3	79.8 79.3 112.1	12.6 12.4 20.2	222.4 221.3 284.6	8.9 8.8 17.9
48. 9 79. 8 103. 5 67. 3 75. 7	12.2 19.0 17.2 24.0 10.2	4.1 30.4 -8.6 12.0 10.2	65.1 83.6 120.7 125.0 118.6	89.6 121.6 142.3 137.0 141.1	8.1 34.2 12.9 19.2 8.2	101. 8 91. 2 90. 5 120. 2 83. 8	16.3 3.8 4.3 2.4 14.3	28.5 49.4 30.2 33.6 69.5	8.1 7.6 8.6 14.4 2.0	8.1 19.0 2.4 18.4	12.2 11.4 4.3 24.0 12.3	48.9 68.4 94.9 52.9 61.3	3.8 4.3 4.8 2.0	16.3 4.3 4.8 8.2	65. 1 34. 2 34. 5 76. 9 94. 1	52.9 72.2 94.9 132.2 124.7	4.1 17.2 19.2 4.1	134.3 205.1 250.1 247.5 263.8	12. 2 7. 6 8. 6 12. 0 6. 1
73. 6 76. 2 102. 4 60. 2 83. 2	12.8 1.5 20.5 13.9 12.8	.12.8 16.8 4.1 9.3 6.4	99. 2 64. 0 90. 1 124. 9 96. 0	89. 6 102. 1 163. 8 194. 4 172. 7	16.0 10.7 13.9 25.6	86.4 160.0 98.3 106.4 76.8	16.0 12.2 8.2 13.9 12.8	28. 8 93. 0 41. 0 46. 3 19. 2	6.4 6.1 16.4	9.6 4.6 8.2 13.9 6.4	16.0 12.2 12.3 18.5 19.2	80.0 56.4 53.2 78.7 44.8	6.4 6.1 4.6 12.8	12.8 13.7 4.1 4.6	67. 2 73. 1 45. 1 64. 8 44. 8	44.8 134.1 65.5 124.9 76.8	3. 2 12. 2 20. 5 13. 9 6. 4	179. 2 193. 5 225. 3 249. 9 211. 1	6.4 10.7 8.2 6.4
83.6 81.8 92.1 84.7 65.1	15.2 20.4 17.1 8.5 10.6	15.3 3.4 10.6	114.0 117.5 116.0 135.5 77.5	224. 2 138. 0 201. 4 152. 4 119. 7	11.4 20.4 6.8 4.2 15.8	76.0 102.2 99.0 63.5 100.4	3.8 10.2 6.8 8.5 17.6	19.0 46.0 41.0 25.4 59.9	19.0 5.1 10.2 4.2 5.3	11. 4 10. 2 6. 8 8. 5 5. 3	34.1 12.7 10.6	125.4 61.3 51.2 76.2 107.4	11.4 15.3 3.4 8.5 7.0	7.6 10.2	60.8 51.1 44.4 42.3 45.8	79.8 56.2 68.3 76.2 59.9	15. 2 20. 4 17. 1 12. 7 15. 8	220. 4 245. 3 225. 3 279. 5 243. 0	11. 4 5. 1 10. 2
72. 8 126. 3 63. 6 76. 8 70. 1	9.9 8.8 21.2 14.0 16.5	13.2 5.9 2.3 12.4	82.7 138.0 87.8 81.4 148.3	145.6 146.8 201.4 148.9 140.1	13.2 5.9 25.7 14.0 4.1	105. 9 64. 6 98. 4 48. 9 94. 8	13.2 14.7 18.2 18.6 4.1	33.1 5.9 66.6 30.2 16.5	11.7 3.0 7.0 4.1	9.9 11.7 10.6 9.3 12.4	13. 2 23. 5 16. 7 7. 0 4. 1	49.6 70.5 86.3 51.2 37.1	8.8 1.5 9.3 4.1	6.6 6.1 4.7 12.4	56.3 67.5 45.4 65.1 45.3	66. 2 96. 9 101. 4 67. 5 74. 2	3.3 14.7 21.2 7.0 24.7	145.6 211.5 174.1 211.7 263.7	19.9 2.9 6.1 11.6 8.2
77. 0 103. 4 80. 1 73. 6 72. 6	3.7 10.9 26.7 82.2 7.3	3.7 16.3 3.8 18.4 7.3	139. 3 266. 6 91. 6 78. 2 99. 3	121.0 467.8 171.7 174.8 145.3	29.3 10.9 11.4 9.2 7.3	84.3 92.5 68.7 83.0 82.3	18.3 16.3 11.4 4.6 7.3	14.7 38.1 26.7 59.8 50.8	7.3 5.4 18.4 2.4	11.0 16.3 11.4 13.8 9.7	11.0 5.4 11.4 9.2 12.1	51.3 70.7 45.8 101.2 87.2	11.0 5.4 3.8 9.2 2.4	7.3 9.7	51.3 16.3 64.9 87.4 48.4	51.3 152.3 30.5 41.4 89.6	11.0 32.6 7.6 13.8 24.2	183. 3 380. 8 183. 1 216. 1 239. 7	10.9 7.6 7.3
74.8 86.3 122.8 94.9 78.1	29. 1 15. 7 13. 6 10. 2 6. 2	4.2 19.6 6.8 10.2 9.4	104. 0 141. 3 136. 4 118. 6 90. 6	133.1 211.9 238.7 172.9 121.8	12.5 11.8 13.6 16.9 9.4	124.7 211.9 163.7 71.2 84.3	8.3 3.9 6.8 6.8 15.6	16.6 78.5 61.4 20.3 90.6	4.2 3.9 13.6 6.8 9.4	4.2 7.8 6.8 6.2	15. 7 20. 5 10. 2 15. 6	54.1 27.5 81.8 64.4 56.2	3.9 6.8 6.8 12.5	12.5 13.6 12.5	58.2 15.7 34.1 47.5 71.8	91.5 98.1 68.2 71.2 106.2	15.7 23.7 6.2	203. 8 400. 3 266. 0 274. 5 199. 8	4.2 11.8 3.4 18.7
92. 2 78. 8 56. 1 74. 1 76. 4	14.0 4.4 9.9 5.3 24.1	12.6 4.4 16.5 4.0	79. 6 96. 3 62. 7 100. 5 124. 7	142.5 61.3 168.3 179.8 116.7	9.9 21.2 12.1	79. 6 74. 4 92. 4 100. 5 120. 7	3.3 20.1	41.9 30.7 23.1 37.0 32.2	4.2 8.8 13.2 5.3 4.0	5.6 8.8 9.9 . 10.6 16.1	18. 2 13. 1 16. 5 15. 9 16. 1	86.6 56.9 85.8 58.2 28.2	2.8 4.4 19.8	1.4 4.4 9.9 5.3 20.1	57.3 43.8 56.1 68.8 64.4	88. 0 48. 2 62. 7 105. 8 60. 3	16.8 4.4 6.6 21.2 8.0	187.2 153.3 191.3 253.9 217.3	12.6 23.1 26.4 8.0
59. 8 59. 4 67. 7 90. 0 75. 7	21.1 12.7 22.6 29.0 9.9	7.0 4.2 8.7 16.5	102. 0 59. 4 90. 3 95. 8 56. 0	186. 4 135. 8 186. 3 217. 8 135. 0	14.1 12.7 11.3 14.5 9.9	52. 8 72. 1 79. 0 72. 6 92. 2	3.5 12.7 11.3 11.6 9.9	38. 7 67. 9 56. 5 14. 5 75. 7	7.0 4.2 22.6 5.8 9.9	10. 6 4. 2 11. 3 8. 7 9. 9	21.1 4.2 22.6 20.3 9.9	66.8 55.2 73.4 90.0 49.4	7.0 12.7 2.9 3.3	8.5 11.3 5.8 6.6	52. 8 80. 6 45. 2 55. 2 82. 3	45.7 93.4 56.5 101.6 82.3	10.6 12.7 5.6 2.9 13.2	295. 4 140. 1 248. 4 255. 6 207. 4	3.5 8.5 11.3 11.6 19.8

 $<sup>^3</sup>$  Including only municipalities having a population of 1,000 or over in 1900, and less than 10,000 in 1910.

<sup>4</sup> Less than one-tenth of 1 per 100,000.

#### TABLE III.—DEATH RATES PER 100,000 POPULATION IN THE REGISTRATION AREA AND

[All death rates are based upon the total deaths, including deaths of nonresidents and deaths in hospitals and institutions. Minor areas containing state insane asylums population of the subdivision formed at least 10 per cent of the total, or numbered 10,000 or over in 1910. The term "cities" indicates municipalities

_		<u> </u>	·			DEATH		ER 100,00	0 POPUL						
	AREA AND COLOR.	All causes.1	Typhoid iever.	Mala- ria.	Small- pox.	Measles. 5	Scarlet fever.	Whooping cough.	Diph- theria and croup.	In- flu- enza.	Ery- sipelas.	Tuber- culosis of the lungs.	Tuber- culous men- ingitis.	Other forms of tuberculosis.	Rheu- ma- tism.
	RURAL PART OF REGISTRATION STATES Continued.														
	omo—continued.														
1 2 3 4 5	Jefferson County		42.6 23.0 56.3 49.7 16.4			8.7 19.1 6.6	9.0 6.6 21.7	33. 6 6. 6 4. 3 22. 9 13. 1	9.0 21.7 3.8	17. 9 32. 8 47. 7 22. 9 13. 1	9. 8 8. 7 3. 3	80.7 91.9 121.3 156.6 101.8	2, 2 3, 3 13, 0 3, 8	17. 9 3. 3 34. 4 3. 3	8.7 3.8 6.6
6 7 8 9	Logan County Lorain County Lucas County Madison County Mahoning County	1,274.8 1,088.7 1,226.7 1,251.3 1,213.3	13.3 6.1 24.5 20.2 23.2			3.1 5.0	15.3 8.2 5.0 7.7	26.6 8.2 5.2	3.3 6.1 24.5 5.0 59.2	36.6 27.6 12.2 20.2 10.3	5. 0 2. 6	139.8 61.3 110.0 141.3 87.6	10.0 8.2 5.0 5.2	26.6 6.1 8.2 10.1 5.2	9.2
11 12 13 14 15	Marion County Medina County Meigs County Merger County Mircer County Miami County	1,025.2 1,214.4 1,236.9 1,091.8 1,285.2	32.0 8.4 11.9 18.2 12.6			8.4 11.9 3.6 3.1	8.4 10.9 3.1	6.4 4.2 4.0 3.6 3.1	4. 2 15. 9 14. 6	6. 4 29. 4 15. 9 29. 1 15. 7	8. 4 7. 9 10. 9	83.3 75.6 130.8 98.3 151.2	6. 4 4. 2 4. 0 10. 9 . 25. 2	32.0 4.2 11.9 3.6 9.4	6.4 16.8 4.0 3.6 9.4
16 17 18 19 20	Monroe County Montgomery County Morgan County Morrow County Muskingum County	1,083.5 1,377.7 1,203.1 1,210.6 1,236.6	33. 5 14. 1 37. 8 24. 0 13. 6			4. 2 2. 0 18. 0 20. 4	12.6 2.0 6.3 6.0 10.2	16.7 4.0 6.3	8. 4 17. 0	29.3 26.2 44.1 24.0 84.9	4.0	66.9 149.3 113.4 83.9 84.9	8. 4 2. 0 12. 6	20.9 8.1 18.9 30.0 13.6	4.2 10.1 6.0 3.4
21 22 23 24 25	Noble County Ottawa County Paulding County Perry County Pickaway County	908.3 1,193.2 998.0 954.5 1,404.8	16. 2 22. 3 40. 6 27. 9 15. 4	9.0		16.2 9.0 16.7 3.8	5. 4 4. 5 2. 8 7. 7	16. 2 13. 4 4. 5 5. 6 3. 8	27. 0 8. 9 13. 5 14. 0 15. 4	21.6 8.9 31.6 27.9 49.9	8.9 4.5	97.3 80.4 81.3 106.1 153.5	4.5 18.1 8.4	16. 2 8. 9 16. 7 15. 4	10.8 13.4 4.5 14.0 3.8
26 27 28 29 30	Pike County. Portage County Preble County. Putnam County. Richland County	1, 108. 7 1, 317. 5 1, 102. 8 1, 085. 6 1, 195. 7	25. 9 9. 9 12. 6 47. 2 29. 7	<b></b>	3.3	4. 2 3. 4	9.9 7.4	6.6	13.0 13.5 3.7	25. 9 29. 6 4. 2 40. 5 18. 6	6.6	226. 9 69. 0 109. 0 107. 9 89. 1	6. 6 6. 7 3. 7	19.5 6.6 4.2 6.7 14.9	6.5 4.2 13.5 7.4
31 32 33 34 35	Ross County Sandusky County Scieto County Senece County Shelby County		31.7 36.9 42.2 16.4 24.3			4.0 75.9 3.3 20.3	19.8 21.1 12.2	2. 8 54. 8 9. 8 12. 2	11. 9 19. 8 88. 6	35. 6 34. 0 29. 5 26. 2 32. 4	2. 8 8. 1	209. 8 85. 0 164. 5 94. 9 85. 1	11.9 2.8 6.5 4.1	4.0 11.3 16.9 16.4 12.2	7.9 5.7 16.9 3.3 4.1
36 37 38 39 40	Stark County Summit County Trumbull County Truscarwas County Union County		13. 5 27. 2 30. 8 8. 7 13. 8	2.4		2.4 3.5	4.5 17.3 7.1	4.5 22.3 16.6 13.9 4.6	4.5 27.2 9.5 13.9 4.6	20. 2 22. 3 37. 9 22. 6 27. 5	22. 5 7. 4 7. 1 1. 7	87. 7 111. 3 78. 3 52. 2 187. 9	4. 5 4. 9 2. 4 5. 2 9. 2	11. 2 7. 4 7. 1 10. 4 18. 3	9.0 14.8 2.4 8.7 9.2
41 42 43 44	Van Wert County. Vinton County. Warren County. Washington County		17.3 31.2 12.3 27.9			7.8	3, 5 8, 2	7.8 4.1 9.3	3.5 12.3 6.2	24. 2 46. 8 36. 9 34. 2	4.1	86.3 109.2 119.0 108.7	6.9 4.1 6.2	13.8 7.8 16.4 6.2	3.5 7.8 4.1 3.1
45 46 47 48	Wayne County. Williams County. Wood County Wyandot County.	1,221.1 1,129.7 1,068.0 1,148.8	26.3 35.7 30.6 33.8			2.6 4.0 2.2 4.8	10.5 4.4	2. 6 4. 0 15. 3 14. 5	18. 4 7. 9 6. 6 4. 8	28.9 31.7 21.9 29.0	5.3 4.0 6.6	63. 0 63. 4 67. 8 82. 1	5.3 2.2 9.7	2.6 7.9 8.8 9.7	7.9 4.0 4.4
49 50 51	PENNSYLVANIA. Total. White. Colored.		20. 2 20. 0 32. 3	0.5 0.5	(3)	8.1 8.1 3.8	7.9 8.0	15. 1 14. 8 39. 9	24. 0 24. 3 5. 7	17. 9 17. 9 17. 1	3.6 3.6 1.9	97. 0 93. 4 374. 6	4.3 4.2 13.3	8.7 8.5 28.5	6.9 6.9 7.6
52 53 54 55 56	Adams County Allegheny County Armstrong County Beaver County Bedford County	1,306.2 1,329.1 1,205.6 1,312.3 1,100.3	26. 2 19. 8 33. 0 39. 4 20. 6			2.9 7.2 2.9 2.9 7.7	10.1 11.5 7.3	8.7 22.1 15.8 17.5 2.6	18.7 41.6 21.9 12.9	20. 4 12. 9 18. 6 11. 7 12. 9	3. 2 2. 9 2. 9 7. 7	102. 0 133. 0 68. 8 110. 8 69. 6	5.8 4.9 4.3 4.4 5.2	17. 5 9. 8 7. 2 21. 9 5. 2	2.9 6.3 7.2 5.8 5.2
57 58 59 60 61	Berks County Blair County Bradford County Bredford County Bucks County Butler County	1,379.2 1,174.7	21.6	1.3		9.1 5.1 20.4 11.4	10.2 1.9 2.6 3.8	5.7 13.7 14.8 5.2 20.9	44.3 13.7 9.3 13.0 19.0	14. 8 17. 1 61. 2 28. 5 11. 4	2.3 1.7 1.3 3.8	119. 4 56. 4 59. 3 123. 1 68. 5	3.4 1.7 3.7 5.2 3.8	5.7 12.0 5.6 15.5 9.5	12.5 6.8 9.3 7.8 3.8
62 63 64 65 66	Cambria County. Cameron County Carbon County Center County Chester County.	1,175.4 1,010.8 1,362.6 1,181.9 1,500.9	24. 2 13. 0 13. 0 13. 8 23. 6	2.3		18. 1 3. 7 6. 6	5. 2 25. 9 26. 0 11. 5 1. 3	20.7 25.9 7.4 13.8 13.1	19.8 13.0 39.0 13.8 9.2	6.0 64.8 7.4 18.4 23.6	2.6 5.6 2.3 1.3	62.1 38.9 79.8 43.7 135.3	4.3 9.3 2.3 5.3	10.4 1.9 16.1 14.4	8.6 7.4 9.2 2.6
67 68 69 70 71	Clarion County Clearfield County Clinton County Columbia County Crawford County			2.7 1.2 3.1	Irrairra of	5.4 3.6 4.0 4.1	3.1 8.1 4.1				2.7 3.6 3.1 2.0 10.3		2.4 12.6 6.1	16. 2 12. 1 9. 4 2. 0 14. 5	7.3 6.3 4.0 4.1

<sup>&</sup>lt;sup>1</sup> Exclusive of stillbirths.

 $<sup>{}^{2}</sup>$  Exclusive of municipalities having a population of 10,000 or over in 1910.

are designated by asterisks (\*). Figures for white and colored are shown separately for minor subdivisions (except as indicated in the footnotes) only when the colored of 10,000 inhabitants or over in 1910. Numbers under causes of death correspond to those of the abridged International List (see p. 29).]

. 10,000			over in 1910 ,		Joks unid				: 100,000					DISU (Sec	9 p. 28).]	•			- [
Can- cer.	Dia- betes.	Menin- gitis.	Cerebral hemor- rhage and softening.	Organic diseases of the heart.	Bron- ehitis.	Pneu- monia (all iorms).	Other respiratory diseases.	Diarrhea and enteritis (under 2 years).	Appen- dicitis.	Hernia, intes- tinal obstruc- tion.	Cir- rhosis of the liver.	Ne- phritis, Bright's disease.	Puer- peral fever.	Other puer-peral affections.	Congenital debility and malformations.	Violent deaths (ex- cluding sui- cide).	Sui-	All other causes.	Ill- defined and .un- known.
16	(37)	17	18	19	20, 21	22, (23)	(23)	years).	26	27	28	29	31	32	33	<b>35</b>	36	(37)	38
•														,					·
26. 9 78. 8 95. 3 64. 9 75. 6	9.8 13.0 34.4 16.4	3.3 17.3 11.5 13.1	42.6 124.7 112.7 72.6 88.7	73. 9 203. 4 143. 0 99. 3 200. 4	9.0 6.6 8.7 26.7 6.6	138. 9 134. 5 190. 6 137. 5 69. 0	15.7 19.7 19.1 6.6	136. 7 36. 1 34. 7 76. 4 29. 6	13.1 8.7 7.6	4.5 19.7 26.0 11.5 9.9	9.0 3.3 17.3 11.5 13.1	35. 9 32. 8 69. 3 53. 5 59. 1	6.7 6.6 8.7 22.9 6.6	15.7 3.3 13.0 15.3 3.3	69. 5 42. 7 43. 3 76. 4 49. 3	123. 2 59. 1 164. 7 72. 6 85. 4	6.7 3.3 21.7	174. 8 210. 0 268. 6 244. 5 216. 8	26. 9 6. 6 8. 7 45. 8 6. 6
106.5 76.7 44.8 141.3 56.7	43.3 15.3 16.3 20.2 15.5	3.1 12.2 15.1 18.0	83. 2 122. 7 89. 7 75. 7 77. 3	179.7 141.1 134.5 166.5 121.1	10.0 9.2 24.5 5.0 30.9	30.0 76.7 142.6 85.8 141.7	20. 0 6. 1 20. 4 15. 1 5. 2	26.6 30.7 32.6 60.5 87.6	10.0 3.1 5.0	6.7 6.1 12.2 20.2 10.3	6.7 9.2 12.2 5.0 20.6	89. 9 82. 8 53. 0 50. 5 59. 2	10.0 3.1 8.2 10.1 7.7	13.3 6.1 12.2 5.0	83.2 46.0 73.4 55.5 92.7	56.6 92.0 110.0 95.9 79.9	10.0 12.3 8.2 30.3 20.6	233. 0 208. 5 203. 8 171. 6 146. 8	3.1 4.1 5.2
64.1 50.4 39.6 61.9 100.8	12.8 21.0 14.6 18.9	6.4 8.4 7.9 10.9 6.3	89.7 151.3 111.0 87.3 · 100.8	102.5 218.5 158.6 109.2 176.4	12.8 12.6 27.8 3.6 15.7	115.3 88.2 75.3 65.5 72.4	8. 4 11. 9 21. 8 12. 6	25. 6 21. 0 35. 7 36. 4 31. 5	10.9 12.6	44. <sup>9</sup> 4.2 11.9 10.9 9.4	25.6 4.2 11.9 18.2 22.0	44.9 79.8 43.6 72.8 59.8	8.4 7.3 9.4	6.4 12.6 11.9 7.3 6.3	64.1 37.8 63.4 83.7 75.6	51.3 71.4 75.3 58.2 94.5	12.8 12.6 19.8 3.6 22.0	173. 0 226. 9 301. 3 192. 9 201. 6	4.2 11.9 7.3 3.1
46.0 64.5 88.2 95.9 67.9	8.4 8.1 18.9 12.0 13.6	6.3	71.1 127.1 126.0 167.8 112.1	133. 9 207. 8 176. 4 167. 8 132. 5	16.7 6.1 6.3	96. 2 104. 9 75. 6 71. 9 95. 1	12.6 2.0 6.3 6.0 17.0	41.8 28.2 18.9 18.0 17.0	16.7 2.0 6.8	12.6 8.1 6.3 6.0 6.8	12.6 12.1 12.6 24.0 3.4	37.7 139.2 31.5 65.9 95.1	4.2 2.0 6.3	4.2 8.1 6.3	66. 9 56. 5 50. 4 53. 9 51. 0	37.7 68.6 63.0 59.9 61.2	12.6 22.2 31.5 6.0 10.2	209. 2 288. 5 220. 5 251. 7 244. 6	29.3 6.3 12.0 10.2
54.1 44.7 45.2 61.4 92.1	4.5 11.2 19.2	5. 4 13. 4 13. 5 8. 4 3. 8	43. 3 35. 8 54. 2 61. 4 88. 3	135. 2 151. 9 90. 3 80. 9 134. 3	5. 4 26. 8 13. 5 11. 2 . 3. 8	59. 5 71. 5 90. 3 64. 2 76. 8	5. 4 13. 4 9. 0 5. 6 7. 7	37. 8 17. 9 31. 6 33. 5 57. 6	5. 4 4. 5 2. 8 15. 4	10. 8 17. 9 4. 5 8. 4 15. 4	5.4 8.9 18.1 11.2 3.8	59. 5 62. 6 76. 8 30. 7 84. 4	8.9 13.5 5.6 11.5	17.9 4.5 11.2 3.8	59. 5 89. 4 58. 7 64. 2 92. 1	43.3 160.9 58.7 50.2 134.3	16.2 31.3 4.5 14.0 11.5	124. 4 232. 4 180. 6 167. 5 257. 2	10.8 8.9 9.0 11.2 19.2
25.9 62.4 46.1 50.6 111.4	6.5 16.4 29.4 27.0 7.4	32. 4 30. 3 7. 4	110. 2 131. 4 130. 0 84. 3 85. 4	155.6 193.8 155.1 77.5 189.4	19.5 26.3 12.6 13.5 3.7	84.3 115.0 58.7 80.9 115.1	6.6 16.8 18.6	38. 9 29. 6 16. 8 33. 7 14. 9	16.4 16.9 7.4	13. 0 9. 9 8. 4 13. 5 3. 7	6.5 16.4 21.0 20.2 7.4	51.9 88.7 88.1 57.3 78.0	6.5 6.7 3.7	3.3 8.4 11.1	58. 4 69. 0 50. 3 . 80. 9 40. 8	38. 9 82. 1 37. 7 67. 4 70. 6	9.9 8.4 6.7 3.7	136. 2 269. 4 255. 8 175. 3 237. 7	6.5 19.7 8.4 2 3.4 3.7
87.1 70.9 59.0 58.9 56.8	7.9 5.7 16.4 20.3	23.7 5.7 25.3 9.8 4.1	110.8 102.1 50.6 114.5 93.2	178.1 161.6 97.0 215.9 145.9	27.7 17.0 21.1 3.3 12.2	87.1 62.4 92.8 88.3 89.2	7.9 11.3 8.4 9.8 12.2	55. 4 14. 2 92. 8 19. 6 28. 4	4.0 8.4 9.8 8.1	4.0 11.3 4.2 3.3 4.1	4.0 8.5 16.4	91. 0 48. 2 33. 7 81. 8 85. 1	7.9 5.7 16.9	7.9 8.5 3.3 8.1	39.6 51.0 63.3 75.2 56.8	51. 4 68. 0 71. 7 101. 4 68. 9	15.8 14.2 12.7 6.5	154.3 209.8 126.5 183.2 198.7	19.8 4.2 4.1
58. 5 59. 4 80. 6 66. 2 91. 7	13.5 2.5 23.7 17.4 4.6	13.5 4.9 4.7 3.5 9.2	168.6 106.3 106.7 80.1 91.7	206. 9 185. 5 147. 0 121. 9 146. 7	11.2 14.8 21.3 12.2 4.6	98. 9 108. 8 113. 8 60. 9 87. 1	9.0 19.8 4.7 12.2 9.2	27. 0 66. 8 59. 3 20. 9 36. 7	4.5 4.9 4.7 8.7 4.6	13.5 7.4 7.1 15.7 4.6	18.0 17.3 14.2 20.9 4.6	69. 7 91. 5 52. 2 57. 5 82. 5	13.5 14.8 2.4 5.2 4.6	4.5 9.9 7.1	31.5 66.8 80.6 55.7 45.8	69.7 91.5 85.4 66.2 55.0	15.7 4.9 26.1 8.7	400.2 239.9 241.9 217.6 261.3	6.7 9.9 9.5 3.5 4.6
41. 4 85. 8 123. 1 93. 1	6.9 23.4 28.7 24.8	4.1 9.3	76.0 85.8 114.9 65.2	110.5 132.6 164.2 189.4	39. 0 20. 5 12. 4	86.3 85.8 94.4 86.9	10.4 4.1 18.6	17.3 70.2 28.7 37.3	10.4 7.8 3.1	6.9 12.3 6.2	8.2 3.1	48.3 62.4 57.5 55.9	3.5 23.4 8.2	10.4 7.8 4.1 3.1	82.9 15.6 41.0 52.8	65. 6 62. 4 69. 8 80. 7	6. 9 7. 8 8. 2 12. 4	214. 1 210. 6 233. 9 208. 0	3.5 15.6 12.3 6.2
81.4 71.4 74.4 57.9	15.8 7.9 21.9 29.0	7.9 7.9 8.8 4.8	115.5 67.4 85.4 82.1	139.2 146.7 111.6 149.6	21.0 4.0 10.9 19.3	94.5 63.4 87.5 57.9	5.3 11.9 6.6 19.3	28.9 11.9 48.1 24.1	15.8 4.0 6.6 4.8	10.5 7.9 13.1	23.6 15.9 24.1 24.1	91. 9 55. 5 37. 2 48. 3	7.9 7.9 8.8 4.8	10.5 15.9 6.6 9.7	55.1 67.4 46.0 57.9	55.1 71.4 76.6 82.1	18.4 15.9 8.8 33.8	241.6 301.3 207.9 236.5	7.9 7.9 6.6 9.7
57.5 57.7 41.8	10.6 10.7 5.7	9.0 9.0 9.5	83.5 83.6 76.1	116.3 116.4 106.5	17.7 17.7 17.1	121.1 120.4 176.9	19.7 19.7 19.0	91.1 91.1 93.2	4.7 4.7 1.9	8.6 8.5 13.3	11.0 10.9 15.2	68.0 67.4 116.0	5.7 5.7 5.7	8.8 8.9 3.8	94.9 94.8 98.9	106.6 106.3 131.2	11. 0 11. 1 7. 6	225. 2 224. 5 277. 6	19.1 18.9 30.4
78.7 46.8 40.1 61.2 64.4	20.4 4.9 5.7 7.3 5.2	8.7 9.8 4.3 13.1 2.6	212. 8 56. 3 74. 5 68. 5 79. 9	163.3 89.9 113.3 115.2 116.0	11.7 21.8 14.3 17.5 10.3	96.2 155.7 108.9 122.5 92.8	8.7 21.8 22.9 13.1 18.0	· 75.8 127.2 60.2 71.4 41.2	3.7 2.9 5.8 2.6	8.7 8.9 5.7 10.2 12.9	5.8 18.1 12.9 11.7 10.3	75. 8 55. 1 53. 0 42. 3 59. 3	5.8 6.0 4.3 5.8 10.3	5.8 6.9 12.9 8.7 7.7	64.1 98.2 116.1 122.5 87.6	43.7 104.3 103.2 128.3 43.8	9.8 5.7 13.1	227, 4 230, 0 207, 9 218, 7 255, 1	5.8 6.0 5.22.9 8.7 30.9
67.1 53.0 111.3 84.2 62.8	17.1 13.7 18.5 22.0 7.6	12.5 8.5 11.1 9.1 3.8	131. 9 100. 9 148. 3 123. 1 79. 9	117. 1 90. 6 189. 1 154. 2 112. 3	20.5 10.3 26 0 13.0 19.0	94. 4 94. 0 140. 9 73. 8 87. 5	22.7 13.7 27.8 24.6 13.3	67.1 66.7 48.2 54.4 45.7	3.4 6.8 11.1 5.2 3.8	11. 4 5. 1 14. 8 6. 5 5. 7	9.1 8.5 14.8 13.0 7.6	67.1 90.6 120.5 121.8 30.4	8.0 3.4 7.4 9.1 1.9	6.8 8.5 13.0 2.6 5.7	81.9 109.4 72.3 80.3 66.6	55. 7 83. 8 96. 4 86. 8 68. 5	30.7 10.3 18.5 20.7 7.6	263.8 241.1 289.3 231.9 216.9	42. 1 5 15. 4 5 16. 7 5 10. 4 6 38. 1 6
40.6 51.8 48.3 78.2 70.9	6.0 9.3 6.9 11.8	13.0 18.4 10.5	31. 1 51. 8 79. 8 101. 2 123. 4	64.7 116.6 85.4 147.2 185.1	8.6 24.1 16.1 19.7	138.9 90.7 146.7 82.8 118.2	31.6 13.8 23.6	132. 9 38. 9 131. 8 16. 1 90. 6	5.2 3.7 13.8 2.6	9.5 13.0 9.3 9.2 7.9	12.1 13.0 20.4 16.1 6.6	48.3 77.8 59.4 55.2 116.9	9.3 4.6 3.9	10.4 11.1 9.2 7.9	146.7 51.8 120.7 85.1 95.9	111.3 129.6 120.7 96.6 93.2	7.4 4.6 9.2	167. 4 142. 5 213. 5 246. 0 253. 4	19.8 51.8 6 16.7 6 13.8 6 11.8
62.3 40.1 94.2 48.5 80.7	13.5 14.6 18.8 14.1 14.5	5. 4 10. 9 12. 6 14. 1 10. 3	81.2 55.9 134.0 115.1 113.8	154. 4 94. 7 147. 7 159. 5 211. 0	24. 4 8. 5 12. 6 6. 1 18. 6	75. 8 104. 4 91. 1 111. 1 115. 8	8.1 24.3 9.4 18.2 12.4	37. 9 75. 3 44. 0 60. 6 24. 8	10.8 4.9 12.6 2.0 8.3	2.7 8.5 15.7 10.1 10.3	13.5 1.2 6.3 10.1 16.5	67.7 57.1 78.5 64.6 88.9	2.7 3.6 9.4 6.1 20.7	8.1 12.1 3.1 8.1 8.3	86.7 99.6 81.7 99.0 53.8	70. 4 70. 4 97. 4 60. 6 66. 2	8.1 8.5 3.1 10.1 20.7	184.2 188.2 207.3 175.7 302.0	13. 5 6 18. 2 6 28. 3 6 24. 2 7 8. 3 7

<sup>3</sup> Less than one-tenth of 1 per 100,000.

## TABLE III.—DEATH RATES PER 100,000 POPULATION IN THE REGISTRATION AREA AND

[All death rates are based upon the total deaths, including deaths of nonresidents and deaths in hospitals and institutions. Minor areas containing state insane asylums population of the subdivision formed at least 10 per cent of the total, or numbered 10,000 or over in 1910. The term "cities" indicates municipalities

=	population of the subdivi							ER 100,00				01616S	murcal	w muni(	wheneres
	AREA AND COLOR.	All causes.1	Typhoid fever.	Mala- ria.	Small-pox.	Measles.	Scarlet fever.	Whooping cough.	Diph- theria and croup.	In- flu- enza.	Ery-sipelas.	Tuber- culosis of the lungs.	Tuber- culous men- ingitis.	Other forms of tuberculosis.	Rheu- ma- tism.
	RURAL PART OF REGISTRATION							·							(01)
	STATES 2—Continued.  PENNSYLVANIA—continued.														
1 2 3 4 5	Cumberland County Dauphin County Delaware County Elk County Erie County	1,325.1 1,363.7 1,244.4 1,112.2 1,388.9	13.5 10.2 6.1 11.0 20.2	4.5		1.7 6.1 16.6	6.7 2.4 2.8 2.0	10. 2 8. 6 41. 4 10. 1	22. 4 47. 7 19. 6 8. 3 14. 2	29. 1 22. 2 9. 8 33. 1 30. 4	2. 2 10. 2 2. 4 11. 0 8. 1	100. 9 168. 8 137. 2 52. 4 97. 2	2.2 3.4 11.0 2.8 2.0	6.7 8.5 15.9 2.8 12.1	4.5 10.2 6.1 2.8 10.1
6 7 8 9 10	Fayette County. Forest County. Franklin County Fulton County Greene County	1,350.9 800.9 1,790.4 1,767.1 1,056.8	33.9 22.7 41.3 10.4			36.7 2.1 3.5	2.1 4.1 10.3	24. 2 8. 3 41. 3 27. 6	36.0 26.8 10.4	6.9 21.6 14.4 10.3 48.4	2.8 8.3	76.1 10.8 598.2 144.7 103.6	3.5 4.1 6.9	5.5 16.5 10.3 3.5	9.7 6.2 10.4
11 12 13 14 15	Huntingdon County Indiana County Jefferson County Juniata County Lackawanna County	1,238.7 1,279.2 1,203.3 1,330.0 1,603.1	20.6 27.5 42.5 6.7 10.4	1.4 6.7	*	5. 2 8. 7 4. 7 33. 6 4. 6	7. 7 5. 8 11. 0 6. 7 12. 7	54. 2 40. 5 28. 3	15. 5 24. 6 31. 5	20.6 15.9 23.6 13.4 20.7	2.6 1.4 1.6	77.4 83.9 72.4 120.9 78.4	2.6 8.7 3.1 6.7 8.1	7.7 7.2 11.0 6.9	15.5 4.3 7.9 20.2 4.6
16 17 18 19 20	Lancaster County Lawrence County Lebanon County Lehanon County Lenigh County Luzerne County		12.9 17.4 24.5 29.9 7.8	2.9 2.4 1.0		3.7 2.9 7.3 11:0 10.2	5.5 4.9 4.7 5.4	9. 2 8. 7 7. 3 11. 0 13. 2	11.0 29.0 29.4 44.0 44.9	23. 9 8. 7 12. 2 18. 9 13. 2	3.7 5.8 1.6 5.9	105.8 63.9 90.6 111.6 96.6	5.5 2.9 3.1 3.9	5.5 2.9 7.3 12.6 2.9	7.4 2.9 9.8 4.7 5.4
21 22 23 24 25	Monroe County		22. 4 21. 2 29. 5 21. 2 4. 3			9.1 16.6	3.0 20.3 7.1 8.6	2.0 18.2 25.8 3.5	20.3 6.1 11.1 14.1 25.9	20.3 18.2 24.0 14.1 13.0	6.1 7.4 3.5	63.0 63.7 66.4 88.2 86.4	2.0 3.0 1.8 3.5 4.3	4.1 12.1 7.4 10.6 4.3	12.2 6.1 3.7 7.1 17.3
26 27 28 29 30	Montgomery County Montour County Northampton County Northamptend County Perry County	1,269.6 1,988.0 1,345.9 1,202.2 1,264.8	21.7 47.3 16.5 14.6 33.5		1.6	3.9 8.2 13.0	1.6 8.2 17.9 4.2	6.2 15.1 6.5	24.0 20.3 28.8 27.6 20.9	18.6 20.3 9.6 19.5 8.4	4.7 13.5 6.9 1.6	131.1 142.0 102.9 81.2 83.8	4.7 5.5 1.6	10.9 13.5 4.1 6.5 8.4	7.0 6.8 12.3 1.6 16.8
31 32 33 34	Pike County. Potter County. Schuylkill County. Snyder County.		27. 0 11. 4 29. 9			13.5 14.1	10. 1 51. 8	12.6 10.1 20.2 23.9	16. 9 38. 3	25. 2 40. 5 12. 8 6. 0	3. 4 5. 4	151.1 33.8 74.6 107.5	6.8 4.0	6.8 8.1 6.0	25. 2 3. 4 6. 7 6. 0
35 36 37 38	Somerset County Sullivan County. Susquehanna County. Tioga County		28. 6 2. 7 28. 5			4.3 2.7	1.4 5.3	10.0 13.3 4.8	27. 2 8. 9 2. 7 4. 8	18.6 8.9 42.7 47.5	2.9 5.3 2.4	42. 9 71. 5 85. 4 45. 2	4.3 2.7 2.4	11.4 8.9	5.7 2.7 14.3
39 40 41 42	Union County Venange County Warren County Washington County	- 1	12.4 25.3 17.7 25.2	0.8		22.8 3.5 14.5	6. 2 2. 5 3. 5 6. 1	2.5 7.1 19.1	3.5 42.0	12. 4 30. 4 28. 3 19. 9	2.5 3.5 1.5	87. 0 136. 7 85. 0 97. 9	6.2 3.5 7.6	18.7 20.2 9.2	7.1 6.9
43 44 45 46	Wayne County Westmoreland County Wyoming County. York County.	1,294.5 1,155.6 1,273.8 1,128.7	20.6 19.6 6.5 15.1	0.5 2.2		6.9 8.4 1.1	6. 9 15. 9 1. 1	6.9 14.0 19.6 36.7	29. 5 6. 5 38. 8	51.5 9.4 13.1 9.7	3. 7 6. 5 3. 2	109. 9 63. 6 65. 3 99. 2	6.9 4.7 6.5 1.1	10.3 8.4 7.5	10.3 7.5 6.5 6.5
47 48 49	Total	1,509.7 1,505.6 1,773.7	4.7 4.7	2.8		9.3 9.5	14.9 15.2	24. 2 24. 6	23.3 23.7	13. 1 13. 3	2.8 1.9 61.2	101.6 98.5 305.8	14.0 13.3 61.2	9.3 9.5	6.5 5.7 61.2
50 51 52 53 54	Bristol County Kent County Newport County Providence County Washington County	1,650.6 1,555.0 1,579.4 1,438.8	5. 5 20. 3 2. 4 4. 0	2.4		10. 2 8. 0 14. 4 8. 0	27. 4 40. 7 4. 8 20. 0	27. 4 40. 7 24. 1 33. 6	32.9 30.5 16.0 31.2 4.0	16. 5 10. 2 14. 4 16. 0	5. 5 2. 4 4. 0	142.6 81.3 56.1 100.7 104.0	32. 9 10. 2 8. 0 9. 6 12. 0	5. 5 10. 2 8. 0 9. 6 12. 0	10. 2 9. 6 8. 0
55 56 57	UTAH, Total White Colored	955. 5 962. 5 587. 9	17.6 17.9		2.7 2.7	5.7 5.8	10.7 10.5 20.3	6. 5 6. 6	21.4 21.8	6.1 5.8 20.3	3.8 3.9	28.3 26.1 141.9	0.4 0.4	3.8 3.9	9.2 9.4
58 59 60 61 62	Beaver County Boxelder County Cache County Carbon County Davis County	865. 6 744. 7 849. 4 1,091. 9 927. 3			20. 6 4. 2 22. 1	7.0 4.2	27. 8 16. 9 28. 7	7.0 12.7 11.0 47.8	7.0 12.7 55.1 19.1	13. 9 12. 7	4.2	61.8 20.9 4.2 44.1		7.0	7.0 8.5
63 64 65 66 67	Emery County Garfield County Grand County Iron County Juab County	970. 5 704. 2 909. 1 1, 130. 4 816. 5					60.6		14.3 60.6 25.1 9.3	25. 1 9. 3	14.3	42. 8 27. 1			14.3

<sup>&</sup>lt;sup>1</sup> Exclusive of stillbirths.

<del></del>		•								OPULATI		····		•						T
Can- cer.	Dia- betes.	Menin- gitis.	Cerebral hemor- rhage and softening.	Organic diseases of the heart.	Bron- chitis.	Pneu- monia (all forms).	Other respira- tory dis- eases.	Diarrhea and enteritis (under 2 years).	Appendicitis.	Hernia, intes- tinal obstruc- tion.	Cir- rhosis of the liver.	Ne- phritis, Bright's disease.	Puer- peral fever.	Other puer- peral affec- tions.	Con- genital debility and mal- forma- tions.	Violent deaths (ex- cluding sui- cide).		All other causes.	Ill- defined and un- known	•
<b>16</b>	(37)	17	18	19	20, 21	22, (23)	(28)	25	26	27	28	29	31	32	38	35	36	(37)	38	
															,					
71.7 54.5 53.9 55.2 89.1	24.7 18.8 12.2 8.3 14.2	11.2 1.7 2.4 19.3 6.1	127.8 105.7 94.3 77.3 125.5	152.5 134.7 137.2 77.3 190.3	13.5 10.2 6.1 13.8 16.2	114.3 86.9 116.4 118.7 111.3	17.9 15.3 14.7 19.3 16.2	51.6 80.1 61.2 77.3 28.3	3.7 11.0 4.0	6.7 11.9 8.6 2.8 26.3	9.0 6.8 9.8 11.0 14.2	69.5 66.5 101.7 41.4 68.8	6.8 1.2 8.3 6.1	4.5 11.9 7.3 16.6 6.1	91.9 76.7 60.0 121.4 64.8	69.5 76.7 93.1 93.8 107.3	2.2 10.2 12.2	275.8 276.2 215.6 151.8 234.9	17.9 18.8 7.3 2.8 18.2	1 2 3 4 5
39. 4 32. 5 90. 8 103. 3 76. 0	4.2 14.4 10.3 6.9	13.1 10.3 20.7	36.0 75.8 125.8 103.3 62.2	52.6 86.6 115.5 165.3 86.3	11.8 21.6 20.6 20.7 20.7	178.5 54.1 94.9 134.3 107.1	13.8 10.8 24.8	188.9 21.6 61.9 93.0 27.6	5.5 2.1 10.3 3.5	4.8 10.8 6.2	6.9 10.8 4.1 20.7 10.4	41.5 54.1 94.9 82.7 58.7	6.9 4.1 3.5	8.3 21.6 8.3 10.3 10.4	129.4 75.8 105.2 165.3 69.1	123, 2 32, 5 66, 0 62, 0 38, 0	7.6 10.8 2.1 10.3 6.9	209.7 238.1 202.1 475.4 214.1	31.1 10.8 24.8 20.7 17.3	1
69.7 . 40.5 58.2 40.3 27.7	5.2 7.2 4.7 13.4 12.7	2.6 8.7 9.4 6.7 10.4	111.0 49.2 45.6 100.8 77.2	108.4 73.8 103.8 235.1 92.2	7.7 26.0 15.7 13.4 31.1	116.1 137.5 84.9 120.9 194.8	5.2 14.5 11.0 26.9 30.0	77.4 107.1 81.8 33.6 206.3	5.2 8.7 6.3	5.2 10.1 9.4 6.7 11.5	5.2 13.0 6.3 26.9 16.1	77.4 62.2 . 61.3 60.5 70.3	7.7 4.3 7.9 6.7 8.1	7.7 15.9 11.0 13.4 6.9	80.0 111.4 88.1 94.0 103.7	61.9 118.7 141.6 87.3 258.2	2.6 11.6 7.9 6.7 . 5.8	242.6 209.8 202.9 208.2 225.9	10.3 18.8 7.9 13.4 5.8	11 12 13 14 15
69. 9 49. 4 58. 8 55. 0 43. 4	13.8 8.7 7.3 15.7 8.3	9.2 2.9 4.9 9.4 7.8	113.1 20.3 117.6 160.3 55.1	181.2 81.3 100.4 100.6 89.7	12.0 20.3 12.2 29.9 24.9	84.6 92.9 68.6 136.7 190.2	23.9 14.5 29.4 31.4 36.6	47.8 95.8 58.8 94.3 152.6	2.8 5.8 2.4 9.4 3.4	6.4 8.7 12.2 14.1 10.2	7.4 11.6 19.6 7.9 11.7	76.4 78.4 75.9 73.9 63.4	1.8 8.7 3.1 4.4	9.2 14.5 7.3 3.1 15.1	69.0 69.7 102.9 125.7 117.0	50.6 104.6 58.8 133.6 135.1	10.1 14.5 4.9 26.7 5.4	276.9 180.1 247.4 270.3 190.7	4.6 40.7 31.8 18.9 26.8	16 17 18 19 20
61.0 45.5 94.1 98.8 86.4	18.3 9.1 18.5 3.5 25.9	14.2 9.1 7.4 3.5 4.3	101.6 57.6 75.7 112.9 133.9	117.9 115.3 129:2 165.8 133.9	22.4 15.2 12.9 10.6 13.0	75.2 94.1 136.5 105.8 120.9	16.3 21.2 14.8 14.1 13.0	18.3 30.3 29.5 56.4 38.9	2.0 9.1 14.8 7.1 8.6	8.1 3.0 1.8 10.6 8.6	4.1 9.1 20.3 21.2 4.3	71.1 60.7 81.2 74.1 82.0	10.2 9.1 3.7 7.1 4.3	14.2 6.1 5.5 7.1 17.3	63.0 91.0 60.9 67.0 82.0	67.1 127.4 62.7 91.7 120.9	6.1 21.2 11.1 14.1 25.9	213.4 242.7 217.7 211.6 263.4	6.1 3.0 16.6 3.5 17.3	21 22 23 24 25
67.5 128.5 42.5 35.7 54.4	7.8 40.6 11.0 8.1 4.2	10.9 13.7 6.5 4.2	100.0 169.0 113.9 84.5 96.3	149.7 196.1 123.5 128.3 217.8	17.1 27.0 26.1 11.4 4.2	94.6 155.5 145.4 126.7 79.6	16.3 40.6 12.3 26.0 29.3	70.6 60.9 94.7 73.1 29.3	3.1	8.5 13.5 5.5 6.5 4.2	10.1 40.6 9.6 13.0 4.2	89.2 74.4 78.2 66.6 113.1	3.9 6.8 4.1 4.9 12.6	7.8 6.8 2.7 8.1 8.4	73.7 67.6 122.1 94.2 67.0	76.0 87.9 79.6 73.1 88.0	11.6 13.5 15.1 16.2 16.8	210.2 554.5 215.4 211.2 242.9	7.0 40.6 12.3 14.6 12.6	26 27 28 29 30
37.8 64.1 46.4 71.7	12.6 20.3 13.4 23.9	10.1 8.7 11.9	151.1 67.5 80.7 227.0	176.2 118.2 107.6 131.4	25.2 16.9 22.9 11.9	100.7 111.4 125.1 101.6	25.2 16.9 35.6 11.9	12.6 30.4 138.5 47.8	6.8 10.1	12.6 10.8	37.8 14.1 23.9	201.4 64.1 76.0 77.7	16.9 8.7	12.6 20.3 8.7 11.9	62.9 57.4 122.4 29.9	151.1 314.0 186.9 35.8	16.9 10.8 6.0	138.5 256.6 205.1 197.1	12.6 33.8 18.2 35.8	31 32 33 34
50.0 44.7 58.7 80.8	1.4 17.9 18.7 9.5	12.9 21.4 7.1	51.5 71.5 125.4 92.7	75.8 116.2 202.9 171.2	11.4 35.7 45.4 23.8	112.9 214.5 101.4 80.8	10.0 8.9 18.7 19.0	148.7 62.6 37.4 21.4	5.7 2.7 16.6	5.7 10.7 11.9	5.7 8.0 7.1	50.0 53.6 96.1 76.1	8.6 8.9 7.1	15.7 8.9 10.7 2.4	111.5 151.9 74.7 52.3	183.0 116.2 120.1 71.3	14.3 8.9 13.3 16.6	260. 2 205. 5 306. 9 330. 4	27.2 26.8 10.7 11.9	35 36 37
93.3 73.4 67.3 47.4	24.9 12.7 21.3 6.9	18.7 5.1 7.6	99.5 93.6 95.6 39.8	242.5 131.6 127.5 99.4	24.9- 20.2 17.7 28.3	74.6 101.2 92.1 143.7	12.4 2.5 10.6 20.6	12.4 27.8 14.2 151.4	2.5 1.5	10.1 7.1 8.4	18.7 10.1 7.1 7.6	93.3 53.1 141.7 42.8	6.2 2.5 6.1	6.2 10.1 3.5 6.9	93.3 50.6 67.3 113.2	37.3 50.6 102.7 212.5	6.2 7.6 24.8 9.2	254.9 245.5 481.7 198.8	15.2 21.3 18.3	39 40 41 42
92.7 46.8 117.6 52.8	13.7 6.1 19.6 7.5	13.7 8.4 6.5 8.6	99. 6 44. 4 78. 4 102. 4	164.8 56.1 189.4 126.1	13.7 14.0 6.5 8.6	116.7 102.4 98.0 89.5	6.9 15.0 45.7 11.9	24.0 144.0 13.1 52.8	3.4 4.7 6.5 4.3	17.2 5.1 39.2 4.3	17.2 8.0 6.5 5.4	106.4 36.5 65.3 64.7	3.4 7.5	10.3 7.0 9.7	20.6 98.7 39.2 90.6	54.9 127.7 84.9 47.4	10.3 10.3 6.5 14.0	243.8 162.7 307.0 201.6	30.9 65.0 13.1 2.2	45
89.5 90.9	20.5 20.8	9.3 9.5	118.4 118.4 122.3	161.3 160.0 244.6	30.8 31.2	155.7 158.1	12.1 12.3	93. 2 91. 9 183. 5	5.6 5.7	5.6 5.7	15.9 16.1	120.3 121.2 61.2	6.5 6.6	9.3 9.5	83.0 84.3	78.3 73.9 367.0	11.2 11.4	243. 4 243. 4 244. 6	13.1 12.3 61.2	48
71.1 72.2 86.3 92.0	27.4 30.5 32.1 9.6 24.0	5.5 20.3 8.0 14.4	104.2 142.3 136.3 107.9 128.0	82.3 182.9 208.5 148.7 208.1	43.9 30.5 8.0 33.6 28.0	170.0 152.4 136.3 187.0 104.0	5.5 20.3 16.0 7.2 20.0	164.5 91.5 104.2 81.5 56.0	5.5 8.0 4.8 8.0	8.0 9.6 4.0	11.0 20.3 8.0 14.4 24.0	142.6 182.9 72.2 100.7 136.0	5.5 30.5 2.4 8.0	16.5 9.6 12.0	109.7 40.7 104.2 93.5 52.0	71.3 50.8 120.3 64.7 96.0	10.2 16.8 16.0	268.7 203.3 368.8 199.0 252.1	5.5 10.2 48.1 12.0 4.0	52
42.1 42.9	11.9 12.1	9.6 9.7	31.0 31.3 20.3	75.3 75.6 60.8	21.0 21.4	111.3 112.6 40.5	15.7 16.0	33.3 33.5 20.3	13.0 12.9 20.3	13.0 13.2	3.4 3.5	50.1 50.7 20.3	4.6 4.3 20.3	10.7 10.9	92.5 94.3	85.6 84.2 162.2	10.7 10.5 20.3	188.1 191.3 20.3	16.4 16.8	
27.8 50.7 76.5	20.6 27.8 12.7	12.7 11.0 28.7	20.6 13.9 12.7 22.1 28.7	82.4 62.6 63.4 77.2 86.0	7.0 22.1	103.1 69.6 88.7 99.3 133.8	41.2 4.2 9.6	41.2 41.8 46.5 44.1 28.7	7.0 16.9 11.0 28.7	20.6 20.9 16.9 22.1 19.1	11.0	20.9 54.9 33.1 38.2	7.0 4.2	8.5 22.1 9.6	61.8 62.6 80.3 143.4 86.0	144.3 55.7 42.3 242.6 76.5	7.0 12.7 33.1 9.6	206. 1 167. 0 211. 3 143. 4 114. 7	27.8 12.7 11.0	58 59 60 61 62
42.8 60.6 25.1 18.6	25.1 9.3	54.2 60.6	25.1 55.7	42.8 108 3 25.1 18.6	14.3 135.4 75.4 18.6	199.8 60.6 200.9 176.3	18.6	14.3 25.1 9.3	27. 1 25. 1	60.6	25.1 9.3	27.1 60.6 50.2		42.8 27.1 75.4 9.3	114.2 162.5 75.4 129.9	57.1 54.2 303.0	28.5	228.3 81.3 181.8 150.7 83.5	14.3	66

<sup>&</sup>lt;sup>2</sup> Exclusive of municipalities having a population of 10,000 or over in 1910.

#### TABLE III.—DEATH RATES PER 100,000 POPULATION IN THE REGISTRATION AREA AND

(All death rates are based upon the total deaths, including deaths of nonresidents and deaths in hospitals and institutions. Minor areas containing state insane asylums population of the subdivision formed at least 10 per cent of the total, or numbered 10,000 or over in 1910. The term "cities" indicates municipalities

=	population of the subdivi							PER 100,0	*		<del></del>				
	AREA AND COLOR.	All causes.1	Typhoid lever.	Mala-ria.	Small-pox.	Measles.	iever.	Whooping cough.	Diph- theria and croup.	In- flu- enza.	Ery- sipelas.	Tuber- culosis of the lungs.	culous men- ingitis.	Other forms of tu- bercu- losis.	ma- tism.
	DUDAT DADO OF DUGGGD ANTON		I	8	4	5	6	7	8	9	(12)	13	14	15	(37)
	RURAL PART OF REGISTRATION STATES 2—Continued.														
1 2 3 4 5	Kane County Millard County Morgan County Piute County Rieh County	612.4 826.3 794.3 1,053.9 1,119.4	39. 7			16.2		39.7	32. 4 39. 7 175. 6	39. 7		32.4			
6 7 8 9	Salt Lake County. San Juan County. Sanpete County. Sevier County.	939.6	9.7 39.3				12.2	4.9	38.9 17.9 10.1	2. 4 6. 0 10. 1	2.4	36. 5 10. 1		6.0	
10 11 12 13	Summit County. Tooele County. Uinta County Utah County	1,025.9 926.7 1,048.9	28.1			12.9	5.2	12.4	37.3 37.5 12.9	2.6		74.5 50.0 98.3 20.7	12.5	7.8	12.4
14 15 16 17	Wasatch County Washington County Wayne County Weber County	1,049.7 1,061.0 751.4 1,094.9	38.6	- <b></b> -		41.3	19.3 31.0		57.9 10.3	20.7	21.2	21. 2 38. 6 20. 7			
18 19 20	VERMONT. Total. White. Colored.		11.2 11.3	1.3 1.3		10.9 11.0	1.3 1.3	7.4 7.4	5.4 5,5	47.1 47.4	3.5 3.5	88.2 87.6 197.2	8.3 8.4	12.8 12.6 65.7	6.4 6.4
21 22 23 24 25	Addison County. Bennington County Caledonia County Chittenden County Essex County		20. 2 18. 7 19. 1 4. 5 13. 7	4.5		3.8	4.7 3.8	5.1 9.4 15.2 9.0 27.4	10.1 7.6	35. 4 60. 9 26. 7 . 36. 2 27. 4	5.1 9.4 7.6 9.0	60.7 51.6 102.9 122.1 54.8	11.4 4.5	14.1 11.4 13.6 27.4	4.7 15.2 4.5
26 27 28 29 30	Franklin County Grand Isle County Lamoille County Orange County Orleans County	1,626.1 1,115.0 1,418.3 1,551.3 1,412.9							6.7 7.9		5.4	124.1 108.8 31.7 75.1 72.3	10.1 4.3	26.8 7.9 16.1 12.8	3.4 16.1 8.5
31 32 33 34	Rutland County Washington County Windham County Windsor County	1,424.4 1,753.3 1,698.6 1,603.8	6.4 14.8	3.2		5.7 14.8 23.6	2.9 3.0	19.2 3.7 3.0	11.5 3.2 3.7 8.9	43.1 35.1 44.5 67.9	2.9 3.7 3.0	94.8 105.4 118.7 59.1	17.2 6.4 29.7 5.9	8.6 19.2 7.4 8.9	19.2 5.9
35 36 37	WASHINGTON. Total White Colored		15.1		0.2 0.2	5.9 5.9 5.0	3.9 4.1	4.1 3.3 30.0	9.2 8.9 20.0	10. 0 10. 0 10. 0	2.1 2.2	78.5 64.9 515.8	6.5 6.2 15.0	9.5 8.7 35.1	3.8 3.9
38 39 40 41 42	Adams County Asotin County Benton County Chehalis County Chelan County	591.6 864.2 710.5 813.9 916.8	25.7 16.3 58.2 21.5 36.4			23.3 4.3 42.5	8.6 4.3	4.3	16.3	8.6 16.3 12.9 6.1	4.3	51. 4 114. 1 23. 3 56. 0 54. 6	17.1 16.3 11.6 21.5	8.6 4.3 12.1	6.1
43 44 45 46 47	Clallam County 4 Clarke County Columbia County Cowlitz County Douglas County	1,015.1 918.0 710.9 639.6 457.9	3.6	· · · · · · · ·		18.1			14.5 3.6 15.2		3.6	145. 0 79. 5 71. 1 30. 5 69. 7	7. 2 7. 6 10. 0	14.5 10.0	18.1
48 49 50 51 52	Ferry County 5	911.0 436.8 614.2 485.7 574.1	47. 2 2L. 1		4	19.8			41.4	21.1	23.6	227.7 34.9 10.6 79.2	20.7	10.6	21.1
53 54 55 56 57	Jefferson County King County Kitsap County Kittias County Kittias County Klickitat County	981.8 723.4 943.2 992.7 644.7	15.8		1.9	3.8 10.5 10.2	11.6 5.6 5.3 10.2	7.5 5.3 5.1	7.5 10.5 5.1 9.1	5. 6 5. 1	11.6	115. 5 71. 4 58. 0 86. 5 90. 8	3.8 5.3 30.5	11.3 10.5 5.1 18.2	1.9 10.5 5.1
58 59 60 61 62	Lewis County Lincoln County Mason County Okanogan County Pacific County	938.5 762.9 1,127.6 835.1 727.5	23. 4 16. 5			5. 5 15. 0	2.9 16.5	2.9	29. 2 36. 0 15. 0	5.8 5.5 14.4 7.5	11.0	76. 0 27. 4 263. 1 180. 0 60. 0	8.8 	11.7 16.5 7.5	8.8 16.5 18.8
63 64 65 66 67	Pierce County San Juan County Skagit County  Skagit County Skamania County Snohomish County	1,204.6 705.4 830.3 527.4 707.0	2.5				5.0 3.2	2.5	2.5 6.4 5.5	17.3 9.7	2.5	104.1 81.4 115.9 33.0 68.2	5.0 3.2 5.5	19.8 27.1 22.5	2.5 3.2 2.7

<sup>1</sup> Exclusive of stillbirths.

<sup>&</sup>lt;sup>2</sup> Exclusive of municipalities having a population of 10,000 or over in 1910.

<sup>&</sup>lt;sup>3</sup> Including part of Colville Indian Reservation.

.,				-	***		DEATH	RĄTE PE	R 100,00	) POPULA	TION FI	BOM		*****			<u>,                                    </u>		
Can- cer.	Dia- betes.	Menin- gītis.	Cerebral hemor- rhage and softening.	Organic diseases of the heart.	Bron- chitis.	Pneu- monia (all forms).	Other respira- tory dis- eases.	Diar- rhea and enter- itis (under 2 years).	Appen- dicitis.	Hernia, intes- tinal obstruc- tion.	Cir- rhosis of the liver.	Ne- phritis, Bright's disease.	Puer- peral fever.	Other puer- peral affec- tions.	Con- genital debility and mal- forma- tions.	Violent deaths (ex- cluding sui- cide).	Sui- cide.	AII other causes.	Tll- defined and un- known.
16	(87)	17	18	19	20, 21	22, (23)	(23)	. 25	26	27	28	29	81	82	88	85	86	(37)	38
•					٠						•								
61. 2 32. 4 58. 5	61.2 16.2	16:2	32.4 58.5 53.3	32. 4 198. 6 117. 1	32.4 58.5	178.2 79.4 117.1 213.2	16.2 39.7	32.4	32.4 58.5 106.6	39.7	16.2	61.2 81.0		61.2	61.2 48.6 58.5 159.9	61.2 48.6 79.4 117.1		244.9 81.0 158.9 234.2 319.8	48.6 39.7
51.1 95.5 50.3	12.2 17.9 10.1	9.7	19.5 17.9 30.2	90.1 95.5 120.8	29. 2 11. 9 40. 3	94.9 39.3 113.4 150.9	19.5 39.3 11.9 30.2	56.0 11.9 30.2	4.9 17.9 10.1	9.7 6.0 10.1	2.4 11.9	51.1 53.7 60.4	2.4	4.9 11.9 10.1	58.4 113.4 130.8	114.4 78.6 47.8 100.6	19.5	146.0 185.1 161.0	14.6 39.3 29.8 20.1
12.4 12.5 28.1 51.8	12.5 15.5	24.8 12.5 7.8	- 49.7 50.0 14.0 62.2	74.5 62.6 28.1 101.0	12.4 12.5 14.0 25.9	285.7 25.0 168.5 69.9	111.8 14.0 12.9	37.3 12.5 28.1 28.5	14.0 20.7	12. 5 56. 2 10. 4	14.0 2.6	99. 4 50. 0 56. 2 46. 6	12.4 28.1 10.4	25.0	49.7 150.1 84.2 95.8	136.7 162.6 42.1 62.2	25.0 28.1 7.8	236.1 200.2 168.5 290.1	12.4 25.0 14.0 15.5
77.2 57.8 41.3	10.6	10.6 19.3 20.7	74.2 19.3 41.3	42. 4 19. 3	42.4 57.8 20.7	180.3 96.5 57.8 103.3	10.6 57.9	42. 4 77. 2 31. 0	10.6 19.3 10.3	57.8 10.3		31.8 19.3 165.3	10.6	21.2	180.3 57.9 289.0 103.3	106.0 31.0	10.6 19.3 10.3	148. 4 405. 1 231. 2 185. 9	31.8 19.3
100.0 99.9 131.5	20.2 20.3	8.3 8.4	131.7 132.4	214.4 214.9 131.5	29. 8 29. 6 65. 7	132.1 132.4 65.7	11.2 11.3	48. 4 48. 6	12.8 12.9	14.7 14.8	11, 2 11, 3	104.2 104.7	4.2 4.2	9.0 9.0	75.3 75.7	86. 2 84. 1 526, 0	19.9 19.0 197.2	310.3 310.5 263.0	6.1 6.1
60.7 103.1 95.3 81.4 109.6	32.8 19.1 9.0 13.7	9.4 7.6 9.0 13.7	141. 6 220. 3 106. 7 86. 0 150. 6	323.6 220.3 194.4 212.6 95.9	40. 4 23. 4 26. 7 36. 2	70.8 89.0 137.2 167.4 54.8	20. 2 18. 7 19. 1 9. 0 13. 7	50. 6 32. 8 45. 7 73. 4 136. 9	5.1 14.1 15.2 4.5	10.1 4.7 11.4 18.1	10.1 4.7 7.6 9.0 13.7	106.2 103.1 141.0 99.5	7.6 9.0 13.7	10.1 9.4 11.4 9.0	50.6 117.2 53.4 108.6 82.2	55.6 70.3 91.5 117.6	15. 2 9. 4 15. 2 40. 7	222.5 281.2 373.6 294.1	15.2 4.5 13.7
87.2 54.4 110.9 150.3 97.9	16.8 31.7 42.9	26.8 5.4	103.9 136.0 103.0 177.1 144.7	221.3 108.8 198.1 214.7	16.8 27.2 95.1 10.7 25.5	117.3 136.0 229.8 123.5 136.2	16.8 7.9 10.7	80. 5 39. 6 10. 7	16.8 7.9 10.7	13. 4 15. 8 32. 2	13. 4 27. 2	100.6 27.2 103.0 80.5	3. 4 54. 4	10.1 10.7	130.8 27.2 47.5 48.3	93.9 108.8 55.5 75.1	13.4 7.9 16.1	342. 4 261. 5 217. 6 229. 8 322. 1	7.9 5.4 4.3
97.9 89.0 127.7 107.6 100.4	12.8 14.4 16.0 33.4 26.6	2.9 9.6 11.1 3.0	129. 2 121. 4 155. 8 109. 3	153. 2 178. 0 236. 3 226. 2 251. 0	25. 5 20. 1 19. 2 33. 4 50. 2	136. 2 135. 0 166. 1 122. 4 135. 9	5.7 16.0 3.7 8.9	38.3 63.2 51.1 33.4 26.6	8.5 14.4 6.4 14.8 29.5	21.3 11.5 16.0 11.1 20.7	17.0 14.4 22.3 14.8	59.6 83.3 111.8 140.9 127.0	7.4	8.5 11.5 16.0 3.7 5.9	45.9 73.5 44.5 70.9	59.6 94.8 86.2 100.1 100.4	16.1 12.8 5.7 38.3 40.8 23.6	310.7 298.7 418.4 341.2 298.3	4.3 5.7 6.4 3.7 8.9
32.5 33.1 15.0	8.8 9.0	3.9 3.9 5.0	47.2 48.3 10.0	74.7 75.5 50.1	7.7 7.6 10.0	58.5 54.1 200.3	7.1 7.0 - 10.0	23. 0 23. 1 20. 0	9.4 9.7	8.6 8.9	4.5 4.5 5.0	41.3 41.6 30.0	4.4 3.9 20.0	8.5 8.6 5.0	46.0 47.1 10.0	110.6 104.3 310.5	13.5 12.9 30.0	136. 9 133. 8 235. 4	18.0 14.0 145.2
25.7 65.2 38.8 30.4	23.3 8.6 6.1	4.3	17.1 81.5 34.9 30.1 30.4	69.9	16.3	8.6 16.3 23.3 77.5 24.3	78.6 11.6 4.3 12.1	34.3 32.6 23.3 12.9 24.3	17.1 11.6 12.9 24.3	17.2	4.3 12.1	60. 0 65. 2 11. 6 25. 8 36. 4	8.6 4.3 12.1	8.6 16.3 11.6 4.3	94.3 69.9 30.1 42.5	77. 2 48. 9 81. 5 133. 5 97. 1	23.3 12.9 6.1	68.6 146.7 174.7 163.6 248.9	48. 9 23. 3 21. 5 30. 4
58. 0 54. 2 28. 4 15. 2 10. 0	14.5 15.2 10.0	14.5 3.6 10.0	43.5 65.1 71.1 45.7 10.0	,		43.5 61.4 56.9 68.5 29.9	7.2 14.2 15.2	43.5 39.8 7.6	29.0	15.2		14.5 39.8 28.4 7.6	14.5 3.6 14.2	7.2 14.2	43.5 43.4 99.5 38.1	116.0 112.0 42.7 190.3	14.5 42.7 7.6	145.0 169.9 113.7 60.9	188.5 14.5 14.2 15.2 19.9
62.1 17.5 47.2 21.1	20.7 23.6		41.4 31.7	20.7 69.9 21.1		186.3 69.9 47.2 31.7		20.7 17.5 42.2	23. 6 21. 1			29.9 94.5 21.1	10.6	19.9 21.1	29.9 20.7 17.5 94.5 21.1	19.9 41.4 122.3 47.2 52.8	17.5	99. 5 82. 8 52. 4 94. 5 95. 0	103.5 17.5 47.2 10.6 19.8
59. 4 46. 2 24. 4 42. 2 40. 7	1.9 26.3 5.1	3.8 10.5 20.4	39.6 57.8 37.6 58.0 30.5	79.2 115.5 78.9 137.0 96.7	19.8 34.7 5.6 5.3	39.6 46.2 47.0 26.3 61.1	23.1 3.8 5.1	24. 4 21. 1 76. 4	5.6 10.5 15.3	7.5 15.8 5.1	5.6 21.1 5.1	19.8 80.9 33.8 73.8 25.5	5.6	11.6 - 7.5 5.3 15.3	69.3 47.0 42.2 66.2	99. 0 138. 6 142. 8 105. 4 173. 1	34.7 22.5 26.3	39.6 150.2 86.4 179.2 122.2	34.7 5.3 15.3
18.2 40.9 60.4 18.8 7.2	9.1 17.5 22.0 37.6 7.2	2,9 11.0 18.8	27. 2 49. 7 38. 4 75. 2 36. 0	72.6 -70.2 71.3 75.2 28.8	18.2 11.7 11.0	54.5 64.3 54.9	18. 2 8. 8 18. 8 7. 2	27.2 26.3 11.0 18.8 36.0	23.4 11.0	18.2 8.8 37.6 21.6	9.1 5.8 5.5	14.4		14.6 5.5 18.8	55.5 54.9 75.2 14.4	54.5 143.3 87.8 281.9 136.8	18.2 17.5 27.4 7.2	99. 9 149. 1 109. 8 75. 2 122. 4	8.8 22.0 18.8 57.6
22.5 34.7 48.3 40.9	7.5 9.9 27.1 9.7	2. 5 6. 4 2. 7	22.5 114.0 45.1 43.7	99.1 54.3 54.7 33.0 54.6	7.5 9.9 27.1 16.1	52.5 94.2 27.1 51.5 33.0	22.5 12.4 9.7	22.5 9.9 27.1 32.2	15.0 12.4 3.2 2.7	7.5 14.9 27.1 12.9	2.5 65.9 2.7	45.0 81.8 135.6 35.4	7.5 2.5	22.5	52.5 34.7 70.8 33.0	94.2 108.5 138.4 197.8 120.1	7.5 22.3 9.7	67.5 359.4 162.8 70.8 98.9 101.0	29.7 16.1 33.0

<sup>4</sup> Including Makah, Ozette, Quillayute, and Hoh Indian Reservations.

<sup>&</sup>lt;sup>5</sup> Including Swinomish Indian Reservation.

#### TABLE III.—DEATH RATES PER 100,000 POPULATION IN THE REGISTRATION AREA AND

[All death rates are based upon the total deaths, including deaths of nonresidents and deaths in hospitals and institutions. Minor areas containing state insane asylums population of the subdivision formed at least 10 per cent of the total, or numbered 10,000 or over in 1910. The term "cities" indicates municipalities

=	population of the subdivis							ER 100,00							
	area and color.	All causes. <sup>1</sup>	Typhoid fever.	ria.	Small- pox.	Measles.	Scarlet fever.	Whoop-ing cough.	Diph- theria and croup.	In- flu- enza.	Ery- sipelas.	Tuber- culosis of the lungs.	Tuber- culous men- ingitis.	Other forms of tuberculosis.	Rheu- ma- tism.
			1	3	4	5	6	7	8	9	(12)	18	14	15	(37)
1 2 3 4	RURAL PART OF REGISTRATION STATES—Continued.  WASHINGTON—continued.  Spokane County	946.3 623.6 923.5 59.9	8.1 18.4 16.2			2.7 3.7 5.4	2.7 3.7 5.4	3.7 5.4	24.8 3.7 5.4	5. 4 25. 8 16. 2	3.7 10.8	108. 1 36. 9 86. 4	5.4 5.4	16.2	3.7
5 6 7 8	Walla Walla County Whatcom County. Whitman County Yakima County * WISCONSIN.	517.2 722.8 715.3 1,030.3	15.2 3.7 20.4 67.3			11.7 10.1	3.7	7.6 5.8 37.0	3.7 8.8 26.9	15.0 17.5 13.5	3.4	53.2 52.4 52.6 134.7	7.5 2.9 6.7	15.2 7.5 8.8 6.7	3.4
9 10 11	Total White Colored	1,085.5 1,085.6 1,072.6	9.5 9.5 9.2	0.2 0.2	0.1 0.1	11.0 11.0 9.2	8.1 8.1	9.3 9.3	10.3 10.3 9.2	15.3 15.4	3.6 3.6 9.2	82.1 81.1 229.2	4.5 4.4 18.3	10.1 9.9 36.7	8.6 8.6 9.2
12 13 14 15 16	Adams County Ashland County Barron County Bayfield County Brown County	1,083.5 857.8 942.1 874.6 986.6	11.8 28.3 6.8 6.2 3.5			11. 8 9. 4 3. 4 18. 7 20. 8	18.9 3.4 6.2 10.4	23. 6 9. 4 31. 2 6. 9	23.6 37.7 13.7 25.0 17.4	58.9 23.9 13.9	9.4 6.8 3.5	94. 2 75. 4 41. 0 93. 7 62. 5	3, 4 17, 4	11.8 6.8 6.9	9. 4 10. 2 6. 9
17 18 19 20 21	Buffalo County Burnett County Calumet County Chippewa County Clark County	951.0 959.0 966.7 1,220.1 780.0	12.6 18.0 15.6 9.9			6.3 18.0 3.1 13.2	11.2 12.0 12.4 16.5	22.3 12.0 3.1 13.2	12.6 44.6 31.1 13.2	37.8 22.3 6.0 15.6 6.6	3.1 3.3	56.7 111.5 18.0 133.8 23.1	12.0	12.6 33.5 18.0 12.4 9.9	12.6 11.2
22 23 24 25 26	Columbia County Crawford County Dane County Dodge County Door County	1,147.4 1,029.1 1,151.9 1,107.7 1,098.2	6.4 1.9 6.3 5.4			22.5 11.5 14.6 27.1	12.9 6.2 13.4 4.2 10.8	6.2 5.8 2.1 10.8	12.9 3.8 6.3 5.4	45.0 24.8 13.4 10.4 10.8	9.6 6.2 5.8 4.2	64.3 68.2 115.2 54.3 113.6	5.8 4.2 5.4	9.6 6.2 15.4 2.1 10.8	3.2 24.8 7.7 8.4 10.8
27 28 29 30 31	Douglas County Dunn County Eau Claire County Florence County Fond du Lac County	467. 4 1,005. 6 684. 4 777. 0 1,146. 0	8.0 7.0 6.1			14.2	9.2	4.0	28.3 8.0 7.0	16.0 7.0 21.4		70.8 83.8 34.9 88.9	4.0 3.1	8.0 7.0	14.2 8.0 7.0 29.9 9.2
32 33 34 35 36	Forest County Grant County Green County Green Lake County Iowa County	1,059.6 1,083.5 1,165.2 1,058.0 916.0	28.6 15.4 4.7 8.9			71.6 2.6 14.0 4.5	2.6 4.7 8.9	85.9 12.9 4.7 6.5 8.9	14.3 5.1 9.3	12.9 14.0 26.0 13.4	5.1 6.5 4.5	100. 2 59. 2 88. 6 77. 9 80. 4	14.3	28.6 12.9 14.0 6.5 4.5	5.1 6.5 8.9
37 38 39 40 41	Iron County Jackson County Jefferson County Juneau County Kenosha County	1.027.2	34.3 20.4 10.4 8.5		2.9	11.4 11.8 17.5 20.8 25.6	11.7	5.8 5.2 8.5	5.2 17.1	5.9 20.4 25.9	8.5	91.5 88.5 87.4 103.8 68.3	5.9 2.9 5.2 8.5	22.9 5.9 17.5	11.7 5.2
42 43 44 45 46	Kewaunee County La Crosse County Lafayette County Lafayette County Langlade County Lincoln County	1,303.0 1,145.4 1,003.7 943.1 939.6	5. 8 26. 2			65.8 5.0	35.9 7.4 5.8 21.0	12.0 7.4	5.0 5.8 15.7	17.9 7.4 15.0 5.8 5.2	11.5	95.6 140.4 89.9 34.5 47.2	6.0 5.0 5.2	6.0 14.8 11.5	14.8 10.0
47 48 49 50 51	Manitowoc County Marathon County Marinette County Marinette County Marquette County Milwaukee County	952.3 955.0 670.0 1,132.4 2,254.0	12.5 10.2 5.2 18.7 47.4			15.3 5.2 7.3	6.3 15.3 7.3	12.5 17.9 10.3 28.1 16.4	3.1 12.8 10.3 18.7 27.4	6.3 2.6 65.5 5.5	9.4 9.4 12.8	87.7 53.6 41.2 102.9 277.2	3.1 5.1 9.4 18.2	12.5 5.1 10.3 9.4 36.5	9.4 2.6 10.3
52 53 54 55 56	Monroe County Oconto County Oneida County Outsgamie County Ozaukee County	1,188.0 941.2 1,027.8 999.9 927.4	7.7 8.7 9.3 5.9			27.8 38.6 8.7 9.3	10.4 11.6 12.3 5.9	13.9 27.0 8.7 12.3 5.9	17.4 3.9 3.1 11.7	6.9 19.3 8.7 5.9	6.9 3.9 3.1	97.3 77.2 87.1 95.7 82.2	6.9 5.9	6.9 7.7 8.7 12.3 11.7	17.4 11.6 8.7 6.2 5.9
57 58 59 60 61	Pepin County Pierce County Polk County Portage County Price County	1,095.3 1,163.5 958.8 1,127.1 777.3	4.6 9.3 6.5 21.2			4.7 9.7	4.6 9.3 9.7 42.4	9.3 29.1	4.6 25.8	66.0 18.4 4.7 9.7 7.1	4.6 9.3 6.5	66.0 59.8 93.1 125.9 84.8	13.2 4.6 4.7 12.9 14.1	13.2 13.8 4.7 12.9 7.1	13.2 32.2 -9.3 22.6
62 63 64 65 66	Racine County Richland County Rock County Rusk County Rusk County St. Croix County	816.8 1,085.1	5.8 26.8 3.8 3.9	3.9		5.8 21.4 37.9 26.1	5.8 10.7 8.7 3.9	22.7 8.7	11.6 16.1 8.7 19.4	17.4 21.4 11.4 17.4 23.3	5.4 7.6 3.9	75.2 75.0 68.2 26.1 73.9	5.4 7.6	11.6 10.7 7.6	5.4 8.7 7.8
67 68 69 70	Sauk County. Sawyer County. Shawano County Sheboygan County.	1,143.6 951.1 925.4 1,101.4	9.1 15.3 3.1 7.0				9.3 17.5	3.0 15.3 18.7 17.5	6.1 15.3 12.5 3.5	21.3 3.1 14.0	3.0 6.2	39.5 138.1 74.8 55.9	30.7 3.1	21.3 3.1 10.5	9.1 3.1 7.0

<sup>1</sup> Exclusive of stillbirths.

<sup>&</sup>lt;sup>2</sup> Exclusive of municipalities having a population of 10,000 or over in 1910.

<u> </u>	*					······································	DEATH B.	ATE PER	100,000	POPULATI	ON FRO	м—						<del></del>		=
Can- cer.	Dia- betes.	Menin- gitis.		Organic diseases of the heart.	Bron- chitis.	Pneu- monia (all forms).	Other respiratory diseases.	Diarrhea and enteritis (under 2 years).	Appen- dicitis.	Hernia, intes- tinal obstruc- tion.	Cir- rhosis of the liver.	Ne- phritis, Bright's disease.	Puer- peral fever.	Other puer- peral affec- tions.	Congenital debility and malformations.	Violent deaths (ex- cluding sui- cide).	Sui- cide.	All other causes.	Ill- defined and un- known.	
16	(87)	17	18	19	20, 21	22, (23)	(23)	25	26	27	28	29	31	32	33	35	86	(87)	3,8	
32. 4 25. 8	10.8 7.4	5.4	59. 5 48. 0 102. 6	94. 6 59. 0	8.1	89. 2 44. 3	10.8 11.1	13.5 11.1	5.4 - 3.7	5. 4 14. 8	5. 4 11. 1.	67. 6 40. 6	2.7 11.1	2.7	40.6 44.3	91.9 81.2	13.5	197. 4 95. 9	16.2 7.4	1234
48.6 	7.6 8.8 10.1	3.7 2.9	56. 2 46. 7 26. 9	30.4 67.4 70.1 107.7	7.5 14.6	70. 2 29. 9 22. 8 82. 4 29. 2 104. 4	3.7	10.8 11.2 38.0 37.0	7.6 18.7 14.6 6.7	7.6 7.5 2.9 3.4	22.8 3.7	22. 8 26. 2 32. 1 50. 5	5.4 15.2 5.8 13.5	15.2 18.7 14.6 6.7	27.0 22.8 41.2 81.8 43.8	76.1 108.6 73.0 124.6	7.6 15.0 5.8 20.2	151. 2 136. 9 97. 4 105. 1 134. 7	29.9 30.4 18.7 23.4 6.7	5 6 7 8
70.7 70.8 64.2	13.5 13.6	11.9 11.8 27.5	59. 4 59. 6 36. 7	114.5 114.9 55.0	17.0 17.1	81.1 80.9 110.0	14.8 14.9 9.2	37.3 37.3 36.7	9.8 9.8 9.2	10.0 10.0 9.2	10.8 10.9	62. 4 - 62. 6 36. 7	5.8 5.6 27.5	7.1 7.2	71.2 71.2 73.3	58.0 57.9 64.2	11.2 11.2 9.2	233. 9 234. 4 165. 0	12.2 12.3 9.2	9 10 11
11.8 18.9 47.8 25.0 86.8	11.8 9.4 17.1	11.8 18.9 3.4 18.7 13.9	11.8 37.7 47.8 18.7 55.6	153.1 84.8 99.0 37.5 72.9	11.8 10.2 6.2 · 20.8	94. 2 75. 4 85. 3 93. 7 72. 9	11.8 18.9 23.9	70. 7 37. 7 41. 0 62. 5 45. 2	20.5	10.4	20.8	11.8 9.4 51.2 18.7 59.1	9.4 23.9 3.5	35.3 20.5 3.5	47.1 47.1 88.7 75.0 69.5	58. 9 132. 0 54. 6 93. 7 10. 4	35.3 18.9 6.8 6.2 3.5	259.1 94.3 163.8 206.1 222.3	17.1	12 13 14 15 16
88. 2 89. 2 96. 1 84. 0 46. 3	12.6 11.2 6.0 18.7 13.2	6.0 18.7 16.5	63.0 55.8 54.0 40.5 39.7	88.2 44.6 132.1 149.4 95.9	50.4 11.2 12.0 9.3 9.9	88. 2 33. 5 84. 1 90. 3 82. 6	6.3 12.0 18.7 13.2	18.9 12.0 34.2 13.2	22.3 24.0 31.1 3.3	12.6 33.5 12.0 3.1 3.3	12.6 12.0 15.6 6.6	56.7 55.8 90.1 37.3 33.1	11.2 6.2 3.3	11.2 6.0 3.1 6.6	56.7 111.5 48.0 84.0 69.4	37.8 66.9 66.0 56.0 36.4	6.3 18.0 9.3	201.5 122.7 162.1 264.6 175.2		17 18 19 20 21
67.5 93.0 90.2 104.5 86.6	22.5 15.4 25.1 21.6	12.9 12.4 13.4 20.9 5.4	90. 0 62. 0 59. 5 77. 3 48. 7	131.8 148.8 119.0 135.8 59.5	6.4 31.0 15.4 27.2 16.2	83.6 24.8 92.1 48.1 86.6	16.1 18.6 23.0 25.1 27.1	12.9 18.6 25.0 31.3 43.3	16.1 6.2 23.0 6.3 10.8	6.4 12.4 5.8 14.6 5.4	25.7 18.6 11.5 14.6 16.2	54.6 80.6 61.4 77.3 97.4	9.6 6.2 5.8 2.1 5.4	3.2 6.2 15.4 2.1 5.4	70.7 68.2 78.7 64.8 32.5	83.6 18.6 40.3 35.5 54.1	6.4 6.2 7.7 14.6	234.6 229.4 245.7 255.0 254.3	6.4 18.6 3.8 8.4 10.8	22 23 24 25 26
14.2 71.8 62.9 89.7 91.9	12.0 21.0	14.2 15.3	14.2 23.9 27.9 29.9 73.5	42.5 147.7 55.9 179.3 131.8	16.0 29.9 24.5	56. 6 103. 8 76. 8 89. 7 91. 9	8.0 7.0 18.4	14. 2 31. 9 21. 0 29. 9 42. 9	23. 9 7. 0 15. 3	8. 0  12. 3	12.0	28.3 59.9 55.9	16.0	4.0	63.8 41.9 29.9 67.4	70.8 35.9 55.9 89.7 52.1	8.0 7.0 3.1	70.8 215.5 153.6 149.4 272.7	1 1	27 28 29 30 31
14.3 59.2 102.5 90.9 71.5	25. 7 9. 3 6. 5 13. 4	28.6 10.3 28.0 6.5 8.9	54. 0 65. 2 71. 4 76. 0	71.6 175.0 116.5 90.9 76.0	14.3 23.2 13.0 8.9	143. 2 87. 5 65. 2 84. 4 98. 3	2.6 28.0 19.5 22.3	28. 6 20. 6 28. 0 51. 9 17. 9	14.3 15.4 18.6	14.3 7.7 4.7 6.5 13.4	7.7 32.6 6.5 4.5	14.3 41.2 74.6 38.9 44.7	10.3 4.7	7.7 26.0 4.5	43.0 72.1 37.3 64.9 26.8	114.5 51.5 46.6 51.9 40.2	28.6 12.9 28.0 6.5 4.5	186.1 247.1 316.9 272.6 210.0	18.0 4.7 17.9	32 33 34 35 36
22, 9 59, 0 93, 3 77, 8 51, 3	11.4 11.8 8.7 5.2 17.1	14.6 15.6	22.9 88.5 72.9 46.7 51.3	80.1 147.5 119.5 88.2 102.5	11.4 47.2 46.6 5.2	57. 2 64. 9 55. 4 72. 6 51. 3	11.4 29.5 14.6 20.8 17.1	91.5 35.0 31.1 34.2	5.8 10.4	22. 9 23. 6 20. 4	5. 9 17. 5 5. 2 25. 6	34.3 29.5 61.2 46.7 34.2	11.4 5.9 8.7	2.9 10.4 8.5	114.4 64.9 58.3 77.8 51.3	80.1 47.2 49.5 72.6 128.1	11.4 11.8 8.7 5.2 25.6	183.1 182.9 215.7 223.1 179.4	11.4 11.8 8.7 31.1 17.1	37 38 39 40 41
101.6 66.5 79.9 46.0 47.2	17.9 22.2 10.0 23.0 5.2	6.0 7.4 15.0 17.3 10.5	29.9 59.1 59.9 51.8 84.0	65.8 147.8 94.9 86.3 73.5	17.9 36.9 5.0 11.5 5.2	125. 5 81. 3 74. 9 86. 3 73. 5	17.9 10.0 11.5 15.7	125.5 7.4 25.0 57.5 68.2	17.9 15.0 28.8	12.0 14.8 5.8 5.2	14.8 10.0 11.5 21.0	89.7 73.9 79.9 34.5 68.2	6.0 7.4 15.0	6. 0 7. 4 5. 0	47.8 14.8 39.9 80.5 84.0	41.8 66.5 25.0 57.5 73.5	12.0 14.8 25.0 5.8 5.2	286.9 303.0 274.6 241.5 147.0	29. 9 7.4 10. 0 5. 8 10. 5	42 43 44 45 46
40.7 35.7 20.6 28.1 116.7	9.4 5.1 10.3	15.7 12.8 10.3	53.3 43.4 25.8 56.2 91.2	103. 4 79. 2 72. 1 •93. 6 187. 8	18.8 10.2 10.3 37.4 27.4	72.0 48.5 20.6 112.3 186.0	9.4 5.1 46.8 27.4	31.3 79.2 72.1 109.4	15.7 2.6 12.8	12.5 7.7 10.3 9.4 10.9	6.3 12.8 5.2 47.4	84.6 58.7 25.8 56.2 171.4	2.6	6.3 15.3. 7.3	50.1 91.9 97.9 112.3 147.7	28. 2 66. 4 36. 1 37. 4 93. 0	6.3 15.3 18.7 16.4	216.1 196.6 149.5 252.7 494.2	9.4 25.5 10.3 9.4 3.6	49 50
86.8 42.4 8.7 58.6 64.6	27.8 3.9 8.7 15.4 11.7	10.4 7.7 43.6 18.5	55.6 54.0 26.1 37.0 64.6	132.0 61.7 87.1 101.8 117.4	17.4 15.4 12.3 5.9	107.7 19.3 87.1 95.7 47.0	10.4 15.4 17.4 12.3 5.9	48.6 54.0 69.7 40.1 47.0	13.9 11.6 8.7 6.2 5.9	3.5 11.6 15.4 11.7	3.9 17.4 3.1	34.7 27.0 34.8 52.5 58.7	3.5 7.7 8.7 6.2	6.9 7.7 6.2 5.9	93.8 150.4 69.7 74.1 64.6	69.5 27.0 165.5 40.1 41.1	6.9 3.9 8.7 12.3 11.7	243.2 192.9 217.8 203.7 182.0		54 55
79.2 119.6 41.9 42.0 42.4	32.2 9.3 9.7	13.8	92.4 78.2 55.9 58.1 14.1	79. 2 165. 6 148. 9 103. 3 84. 8	92.4 18.4 9.3 19.4 7.1	113.8 96.6 51.2 64.6 77.7	18.4 9.3 9.7 7.1	13.2 41.4 27.9 54.9 35.3	23.3 6.5 14.1	13.2 9.2 9.3 12.9	9.2 4.7 12.9 7.1	79. 2 82. 8 79. 1 54. 9 14. 1	9.2 14.0 6.5	13.8 14.0 16.1	13.2 64.4 51.2 77.5 120.1	26. 4 23. 0 74. 5 45. 2 63. 6	13.2 18.4 9.3 9.7	303.5 202.3 167.6 209.9 106.0		57 58 59 60 61
81.0 69.6 109.9 34.8 73.9	23.1 16.1 37.9 8.7 15.6	5.8 26.8 15.2 26.1 7.8	69. 4 48. 2 94. 7 26. 1 73. 9	98.3 112.4 102.3 34.8 108.9	5.8 10.7 15.2 19.4	115.7 85.7 94.7 60.8 140.0	23.1 16.1 18.9 34.8 3.9	17.4 26.8 15.2 17.4 15.6	5.8 10.7 3.8	5.8 10.7 3.8 43.4 19.4	17.4 5.4 7.6 17.4 11.7	115.7 48.2 49.2 26.1 70.0	5.8 5.4 3.8 8.7 11.7	5.8 5.4 11.4 17.4 11.7	121.5 85.7 72.0 69.5 58.3	92.5 37.5 79.6 113.0 50.6	34.7 16.1 15.2 43.4 7.8	312.3 219.5 204.6 121.6 221.7	5.4 26.5 8.7	62 63 64 65 66
100.4 92.0 43.6 97.9	18.2 6.2 10.5		82.1 15.3 49.9 69.9	161. 2 30. 7 65. 4 143. 4	15. 2 15. 3 31. 2 35. 0	60. 8 76. 7 81. 0 73. 4	3.1 17.5	45.6 46.0 34.3 35.0	6.1 24.5		9.1 9.3 7.0	76.0 15.3 62.3 42.0	9.1 3.1	3.1 7.0	57. 8 46. 0 68. 6 42. 0	54.7 184.1 43.6 55.9		267. 6 168. 7 233. 7 255. 2	30.7 3.1 10.5	67 68 69 70

<sup>&</sup>lt;sup>3</sup>Including part of Colville Indian Reservation, and Pend Oreille County, which was organized June 10, 1911.

<sup>&</sup>lt;sup>4</sup> Including Yakima Indian Reservation.

#### TABLE III.—DEATH RATES PER 100,000 POPULATION IN THE REGISTRATION AREA AND

[All death rates are based upon the total deaths, including deaths of nonresidents and deaths in hospitals and institutions. Minor areas containing state insane asylums population of the subdivision formed at least 10 per cent of the total, or numbered 10,000 or over in 1910. The term "cities" indicates municipalities

						DEATE	I RATE 1	PER 100,00	0 POPUL	ATION :	FROM-				
	AREA AND COLOR.	All causes. <sup>1</sup>	Typhoid fever.	Mala-ria.	Small- pox.	Measles.	Scarlet fever.	Whoop- ing cough.	Diph- theria and croup.	In- flu- enza.	Ery- sipelas. (12)	Tuber- culosis of the lungs.	Tuber- culus men- ingitis.	Other forms of tu- bercu- losis.	Rheu- ma- tism.
											(12)				(5.)
	RURAL PART OF REGISTRATION STATES 2—Continued.														
	wisconsin—continued.		]												
1 2 3 4	Taylor County Trempealeau County Vernon County Vilas County	732. 4 1,008. 9 1,044. 6 876. 3	7.2 8.8 10.8			28. 7 32. 5	7. 2 32. 5	13. 2 3. 6	7.2	7. 2 44. 1 32. 3	4.4	28. 7 79. 3 68. 2 16. 2	10.8	8.8 17.9 16.2	21.5 4.4 7.2 16.2
5 6 7 8	Walworth County Washburn County Washington County Waukesha County	1, 262. 7 860. 0 955. 6 1, 400. 5	3.4 8.4 2.7			13. 6 5. 3	3.4 12.6 10.7	3.4 23.9	6.8 47.8 8.4 8.0	51.1 11.9 8.4 24.1	10.2 11.9 4.2 2.7	47.6 71.7 25.1 125.6	4.2 16.0	20.4 11.9 8.4 2.7	23.8 11.9 21.0 21.4
9 10 11 12	Waupaca County Waushara County Winnebago County Wood County	1, 202. 0 802. 4 1, 350. 1 936. 9	6.1 13.8 13,1	3.3	3.3	21, 5 10, 4 3, 5 6, 5	21.5 9.8	21.5 31.3 6.5	15.3 5.2 38.1 3.3	27.6 15.6 10.4	3.1	76. 7 72. 9 76. 2 58. 8	6.1	3.1 6.9 3.3	15.3 6.9 6.5

<sup>&</sup>lt;sup>1</sup> Exclusive of stillbirths.

						, 1	eath r	ate per	100,000	POPULAT	ION FRO	)M—			<del>"——</del>				
Can- cer.	Dia- betes.	Menin- gitis.	Cerebral hemor- rhage and softening.	Organic diseases of the heart.	Bron- chitis.	Pneu- monia (all forms).	Other respira- tory dis- eases.	Diar- rhea and enter- itis (under 2 years).	Appen- dicitis.	Hernia, intes- tinal obstruc- tion.	rhosis	Ne- phritis, Bright's disease.	Puer- peral fever.	Other puer- peral affec- tions.	Con- genital debility and mal- forma- tions.	Violent deaths (ex- cluding sui- cide).		All other causes.	Ill- defined and un- known
16	(87)	17	18	19	20, 21	22, (28)	(23)	25	26	27	28	29	31	32	88	35	36	(37)	38
35.9 57.3 71.8 16.2 71.5 35.8 79.6 93.5 85.9 93.5	17. 6 7. 2 10. 2 12. 6 29. 4 9. 2 15. 6 20. 8	7.2 14.4 48.7 3.4 8.4 10.7 18.4	43.1 52.9 71.8 16.2 57.9 47.8 58.7 90.9 95.1 26.1 117.7	50.3 154.2 132.8 113.6 173.6 83.6 113.2 187.1 122.7 88.6	14.4 30.8 10.8 17.0 12.6 16.0 18.4 5.2	28.7 44.1 79.0 194.7 95.3 71.7 83.8 53.5 79.7 57.3 96.9	8.8 17.9 17.0 47.8 16.8 8.0 13.4 10.4 24.2	64.6 22.0 21.5 32.5 20.4 35.8 16.8 40.1 18.4 41.7 27.7	7.2 6.8 16.8	7. 2 17. 6 17. 0 11. 9 21. 0 8. 0 6. 1 10. 4	7.2 3.6 6.8 21.0 18.7	. 43.1 30.8 57.4 32.5 88.5 47.8 83.8 85.5 107.3 72.9 58.8 62.0	4.4 7.2 16.2 6.8 23.9 4.2 16.0 6.1	21.5 4.4 7.2 6.8 11.9 4.2 16.0 3.1	114. 9 83. 7 57. 4 81. 1 40. 8 107. 5 64. 1 46. 0 93. 8 38. 1	50.3 57.3 43.1 64.9 85.1 47.8 33.5 117.6 61.3 20.8 107.3	7.2 8.8 17.9 16.2 17.0 8.4 21.4 18.4 5.2	129.2 233.5 233.8 97.4 309.7 95.6 192.8 296.7 263.7 177.1 408.5	28.7 17.6 3.6 16.2 27.2 12.6 8.0 6.1

 $<sup>^{2}</sup>$  Exclusive of municipalities having a population of 10,000 or over in 1910.

#### TABLE IV.—DEATH RATES PER 100,000 POPULATION IN CITIES AND RURAL DISTRICTS

[The term "cities" as here used is restricted to municipalities having 10,000 or

						DI	EATH RAT	e per 1	00,000 PO	PULATIO	N.				
List No.		CALIFO	ORNIA.	COLO	RADO.	CONNE	CTICUT.	INDI	ANA.			KENT	JCKY.		
Detailed Int. Li	CAUSE OF DEATH.	Cities.	Rural dis- tricts.	Cities.	Rural dis- tricts.	Cities.	Rural dis- tricts.	Cities.	Rural dis- tricts.	To Cities.	Rural dis- tricts,	Will Cities.	Rural dis- tricts.	Cole	Rural districts.
Ω_	All causes <sup>1</sup>	1, 474. 5	1, 244. 5	1, 505. 5	1, 166. 8	1,555.1	1,507.0	1,403.6	1, 243. 2	1,693.7		1,460.2		2,800.5	1,992.3
	I.—General diseases	440. 2	366.7	532.7	352.6	387.1	378.9	404.0	367.1	511.7	464.7	436.6	427.7	868.1	792.8
1	Typhoid fever	16.8	17.9	19.1	37.0	16.9	6.3	27.2	26.5	34.0	49.0	29.3	46.5	56.1	70.7
2 3 4 5	Typhus fever Relapsing fever Malaria Smallpox	1.4	7.1	1.0		2.1	0.3 1.6	3.4	4.3	9.5	10.4	4.4	9.8	33.7	16.1
6	Measles.	0. 5 5. 0	0. 2 1. 2	18.1	13.2	9.7	5.2	6.6	0.1 11.0	23.9	0.2 18.8	21.6	0. 2 19. 5	35.1	12.5
7 8 9 10	Scarlet fever. Whooping cough. Diphtheria and croup. Influenza.	2.9 5.4 6.7 5.9	4.4 7.5 6.3 11.3	6.8 8.1 15.9 9.7	11.7 5.9 9.4 13.8	9.3 15.1 22.9 19.8	8.5 11.7 19.9 31.4	8. 4 10. 3 18. 6 12. 0	5.7 9.8 12.1 21.2	4.6 6.8 12.0 17.3	3.5 21.6 27.6 17.9	5.6 5.0 13.0 11.8	3.8 19.6 29.5 16.8	15. 4 7. 0 43. 5	1.0 39.0 9.9 27.0
11 12 13 14 15	Miliary fever Asiatic cholera Cholera nostras Dysentery Plague		0,4 4,8 0,1	0.6 1.9	0.2 3.4	0.5 4.1	5. 5	0. 4 6. 9	0.4 8.7	0.2	1.5 15.7	9.2	1.5 15.3	1, 4 21, 0	1.6 19.2
16 17 18 19	Yellow fever Leprosy. Erysipelas. Other epidemic diseases.	0.1 2.7 0.1	0.3 2.6 0.1	3.6	2.7 0.6	5.3 0.3	4.6 0.3	4.0 0.4	4.3 0.7	5.1	2.8 0.3	5.6	3.0 0.4	2.8	1.6
20 21 22	Purulent infection and septicemia. Glanders. Anthrax	2.9 	2,3	5.2	3.6	4.4 0.1 0.1	2.7	2.1	2.7	4.4	3.2	3.3	2.9	9.8	5.2
23	Rabies	0.2	0.1					0.4	0.1 0.1		0.1		0.1		
24 25 26 27	Tetanus. Myooses Pellagra Beriberi.	2.2 0.2 0.4 0.1	2.8 0.1 0.6 0.2	1.6	1.7 0.4 0.6	2.3	0.3	4.1 0.2 0.2	2.7 0.1 0.1	3.7 0.2 4.6	1.8 0.1 2.4	3.0 0.3 5.0	1.8 0.1 2.4	7.0 2.8	2.6
28 29 30 31 32 33 34 35	Tuberculosis (total) Tuberculosis of the lungs. Acute miliary tuberculosis. Tuberculous meningitis. Abdominal tuberculosis Pott's disease. White swellings. Tuberculosis of other organs. Disseminated tuberculosis.	221.3 185.3 5.9 12.2 9.1 2.4 0.9 3.5 2.0	190. 0 163. 6 5. 2 8. 0 7. 4 1. 4 0. 5 1. 9 2. 0	304.9 278.6 1.3 12.6 4.9 1.9 0.6 2.3 2.6	166.6 154.9 2.1 3.4 2.9 0.6	150.7 121.3 7.2 11.5 5.3 1.4 0.8 2.1	146.9 119.9 6.0 9.8 6.0 1.4 0.5 1.1 2.2	168.0 132.0 8.1 9.4 10.9 1.8 0.7 3.1 2.1	149.1 123.1 4.4 7.3 8.4 0.9 0.7 3.0 1.4	254.0 214.7 11.0 8.8 10.7 1.7 2.9 2.4	224. 1 189. 5 5. 5 9. 8 12. 0 2. 4 1. 0 2. 7 1. 3	203.8 174.8 6.2 8.0 8.9 0.9 0.9 1.8 2.4	195.3 164.1 4.4 9.3 10.7 2.5 0.8 2.4	492.2 403.9 33.7 12.6 19.6 5.6 5.6 8.4 2.8	479.6 .415.1 .15.1 .14.0 .23.4 .1.0 .2.6 .5.2 .3.1
36 37 38	Rickets	0.6 10.2 0.5	0.6 6.0 0.3	1.0 11.0 0.3	5.2 0.2	0.4 4.1 0.5	1.6 1.9 0.3	0.7 8.1 0.2	0.6 4.8 0.2	1.7 8.1	0.6 5.6 0.2	0.6 4.4	0.5 3.0 0.2	7.0 25.2	1.6 29.1 0.5
39 40 41 42 43 44 45	Cancer and other malignant tumors (total).  Of the buccal cavity.  Of the stomach, liver.  Of the peritoneum, intestines, rectum.  Of the female genital organs.  Of the breast.  Of the skin.  Of other organs or of organs not specified.	99. 8 3. 8 41. 5 14. 4 13. 1 9. 8 3. 2 13. 9	62. 7 2, 9 27. 8 7. 0 8. 0 4. 8 3. 4 8. 9	71.5 2.6 27.2 11.0 9.7 8.1 1.6 11.3	45.6 1.0 21.1 5.2 6.5 3.3 2.9 5.7	76. 4 5. 0 23. 5 10. 5 14. 0 9. 2 2. 1 12. 2	82. 9 1. 9 28. 1 13. 1 12. 0 11. 4 4. 1 12. 3	79.2 3.2 29.0 10.2 18.1 5.9 3.0 9.7	67. 8 3. 2 28. 4 7. 6 9. 3 7. 4 4. 6 7. 3	70.3 2.0 21.7 11.5 13.7 7.6 2.7 11.2	36.8 1.4 12.1 3.1 7.4 3.6 3.1 6.1	72.2 2.4 22.5 11.5 13.3 7.1 3.3 12.1	36.1 1.4 12.3 2.9 6.8 3.2 3.3 6.1	18. 2 11. 2 15. 4 9. 8	43.2 1.6 10.4 5.2 13.0 6.8 0.5 5.7
46	Other tumors (tumors of the female genital	0.8	0.5	0.3	0.4	1.0	1.4	0.7	0.6	1.5	0.7	1.2	0.6	2.8	1.6
47 48 49 50	organs excepted). Acute articular rheumatism Chronic rheumatism and gout Scurvy Diabetes.	6.8 1.7 0.2 20.8	3.3 1.0 11.4	7.1 1.6 0.3 18.4	5.7 1.7 0.2 10.5	5.0 0.9 0.4 17.2	8.2 2.2 0.3 17.4	5. 5 1. 7	5. 5 1. 4 0. 1 13. 5	8.5 1.2 0.2 14.4	5, 4 1, 6 0, 1 5, 2	6.5 1.2 0.3 15.7	4.7 1.7 5.4	18.2 1.4 8.4	10.9 1.0 0.5 3.6
51 52 53 54 55	Exophthalmic goiter	1.7 0.2 2.1 5.2 2.2	0.8 0.4 1.7 3.4 2.4	0.6 0.6 2.3 4.5 1.9	1.0 0.2 2.5 1.3	0.9 0.3 2.2 4.7 1.6	0.3 1.4 5.5 1.9	2.3 0.2 1.5 5.7 1.8	2.2 0.5 1.4 2.9 1.8	1.0 1.5 5.6 2.4	0, 4 0, 1 0, 8 1, 6 2, 1	1.2 1.5 4.4 3.0	0.4 0.1 0.8 1.5 1.9	1.4 11.2	0.5 1.0 2.6 4.2
56 57 58 59	Alcoholism (acute or chronic)	7 2	10.4 0.1	12.3 0.6	6.9	7. 0 0. 6	6.0 0.3	4. 9 0. 6	3.0 0.1	3.2 0.2	1.8 0.1	3.3 0.3	1.6 0.1	2.8	3.6
98	II.—Diseases of the nervous system and of the organs of special sense.	134.6	1.2	0.6	0. 4 85. 7	0.1 160.9	0. 3 203. 6	0.7 129.5	0.9 137.9	173.9	0, 5 104, 9	157.6	99.3	251.0	154. 5
60 61	Encephalitis. Meningitis (total). Simple meningitis. Cerebrospinal meningitis (undefined). Cerebrospinal fever.	1.8 14.2 9.9 3.6 0.7	1.8 12.5 7.9 3.9 0.7	1.0 18.8 11.3 6.8 0.6	0.4 11.3 7.5 2.3 1.5	0.9 21.5 14.7 6.1 0.6	17. 2 15. 5 1. 1 0. 5	1.4 9.6 5.8 3.3 0.5	1. 4 8. 5 4. 5 2. 6 1. 4	2. 4 24. 9 20. 5 3. 9 0. 5	1.8 21.4 12.7 6.5 2.2	2.7 24.0 19.5 3.8 0.6	2.1 21.3 12.5 6.5 2.2	1.4 29.4 25.2 4.2	22.9 14.0 6.8 2.1
62 63 64	Locomotor ataxia	4.6 8.2 1.1 7.1 76.1	3.5 5.9 1.4 4.5 63.5	5. 2 6. 1 1. 0 5. 2 55. 3	1.0 2.3 0.6 1.7 37.6	2.6 6.1 1.3 4.8 90.8	2.7 7.9 1.4 6.5 131.4	3.2 7.1 1.8 5.3 73.9	3. 0 10. 2 2. 9 7. 3 80. 4	4.2 7.6 3.2 4.4 69.6	1.7 5.9 2.5 3.4 31.7	4.1 7.7 3.8 3.8 62.4	1.8 5.3 2.3 3.0 29.9	4.2 7.0 7.0 103.8	1.0 10.9 4.7 6.2 47.9

<sup>1</sup> Exclusive of stillbirths.

<sup>&</sup>lt;sup>2</sup> Less than one-tenth of 1 per 100,000 population.

#### OF EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES: 1911.

more inhabitants in 1910, smaller places being included with the "rural districts."]

						DEATH I	RATE PER	100,000 POP	ULATION.	<del></del>					·	T
MA	INE.			MARY	LAND.		·	MASSACI	HUSETTS.	-місн	IGAN.	MINN	ESOTA.	MISS	ouri.	t No.
Cities.	Rural districts.	To Cities.	Rural districts.	Wi Cities.	Rural districts.	Colo	Rural districts.	Cities.	Rural districts.	Cities.	Rural districts.	Cities.	Rural dis- tricts.	Cities.	Rural dis- tricts.	Detailed Int. List No.
1,843.4	1,539.3	1,848.2	1,345.∕5	1,633.0	1,197.5	3,106.1	1,907.8	1,528.2	1,554.8	1,408.4	1,273.6	1,149.6	999.1	1,515.8	1,193.3	
436.9	361.8	497.9	384.7	433.1	325.2	876.8	610.6	374.6	404.8	342.0	298.0	350.1	275.3	423.8	404.5	
30.8	14,3	30.6	43.7	- 29.2	37.9	39.0	65.7	9.7	6.7	22.8	16.8	13.5	13.5	25.5	35.4	2
0.6	0.3	0.5	1.6	0.6	0.5		5.5	0.3 0.1	0.8	1.2 0.3	0.9 0.2	0.3 0.4	0.2	4.8 0.8	$\begin{array}{c} (2) \\ 21.1 \\ 1.0 \end{array}$	1 2 3 4 5
10.7 2.4 11.2 13.0 13.6	2.2 2.1 9.3 9.1 28.7	13.8 7.2 8.8 12.4 13.5	6.5 3.2 19.9 13.3 19.3	13.3 7.8 6.7 13.3 11.1	6.7 4.0 13.3 12.7 16.7	16.7 3.3 21.2 6.7 27.9	5.5 44.9 15.2 29.0	9.7 6.4 14.9 18.3 7.2	6.1 3.1 13.7 11.8 19.8	7.7 9.2 8.3 23.7 7.7	6.5 5.9 8.7 12.0 24.8	1.0 10.1 11.9 24.4 4.3	7.3 8.5 6.4 10.6 10.4	12.0 18.5 7.0 17.5 18.5	22.4 4.9 16.2 22.0 29.9	6 7 8 9 10
0.6 7.1	0.3 4.3	0.7 3.9	1.4 8.5	0.8 4.0	1.3 7.8	3.3	2.1 11.1	(2) 0.9 3.4	0.1 5.3	0.6 3.1	0.6 3.2	0.4 0.9	0.8 3.3	0.3 4.2	0.7 13.4	11 12 13 14 15
5.3	3.3	5.0	2.7	5.0	3.3	5.6	0.7	5.3	3.6	6.1	4.3	0.1 5.6	0.1 4.1			16 17 18 19
	0.2	0.3	2.7 0.7	0.2	0.9	1.1	•••••	0.4	0.3	0.3	0.2	0.4	0.4	5.1 0.3	4. 4 0. 4	
3.6	2,9	3.1	3.2	2.9	2.5	4.5	5.5	3.9 (2) (2)	2.7	6.0	3.8	4.8	2.5	4.1	3.5	20 21 22 23
		0.3	0.1	0.4	0.2				0.1	0.2	0.1			0.3	0.1	
1.8	1.2 0.2	4.4 0.5	1.2	3.4 0.4	2.4	10.0	5.5 1.4	1.6 0.1 (²)	0.6 0.1	1.8 0.1 0.1	0.1	1.5 0.3	1.5 0.1	2.5 0.7	1.9 0.5	24 25 26 27
175.2 138.5 3.6 13.0 10.7 0.6 0.6 4.1 4.1	132.4 105.6 3.5 8.6 6.9 1.2 0.2 2.9 3.5	240.6 197.6 9.3 13.7 10.4 2.4 1.0 2.9 3.3	170.3 147.8 6.1 4.5 7.2 0.6 0.7 2.4 1.0	179.6 147.5 5.7 11.8 6.7 2.1 1.0 2.3 2.5	125.9 108.6 3.8 4.2 5.3 0.7 0.2 2.4 0.7	597. 2 490. 2 30. 1 24. 5 32. 3 4. 5 1. 1 6. 7 7. 8	338.8 296.6 14.5 5.5 14.5 . 2.8 2.8 2.1	147.2 116.6 5.7 14.3 4.9 1.3 0.6 2.2 1.6	173.7 148.7 4.8 8.8 3.6 1.7 0.8 1.7 3.6	111.2 89.6 3.6 6.1 6.1 1.3 0.7 1.8	86.9 71.3 2.6 2.6 5.1 2.2 0.4 1.7	148.5 118.9 7.0 8.6 7.4 1.6 1.0 2.4	106.7 83.5 4.8 7.3 4.7 1.9 1.1 2.2 1.3	163.0 - 137.1 5.0 8.2 7.7 1.4 0.8 1.7	149.0 130.5 4.0 3.6 6.0 1.4 0.5 1.8	28 29 30 31 32 33 34 35
2.4 4.1 1.8	0.7 2.4 0.2	0.7 17.3 0.5	0.6 4.5	0.4 13.2 0.6	0.2 1.1	2.2 41.2	2.1 17.3	1.2 4.8 0.6	0.9 3.0 0.3	1.3 7.7 0.5	0.9 2.5 0.2	1.2 7.6 1.6	0.4 1.8 0.3	0.8 15.9 0.4	0.4 2.8 0.4	36 37 38
95.3 1.8 34.3 13.6 22.5 6.5 1.8 14.8	99.6 3.8 39.9 14.2 14.3 9.7 3.5	92.6 4.1 38.1 10.6 12.7 9.4 2.1 15.6	55.6 2.0 22.2 4.9 9.9 5.5 2.2 8.9	97.6 3.4 40.6 12.0 12.2 9.5 2.3 17.5	59.3 2.0 24.8 5.6 8.2 6.4 2.5 9.8	63.5 7.8 23.4 2.2 15.6 8.9 1.1 4.5	41.5 2.1 12.4 2.1 16.6 2.1 0.7 5.5	92.2 3.5 31.5 15.0 14.8 10.1 - 2.1 15.2	102.0 3.9 32.9 18.9 13.5 11.3 5.6 15.9	76.2 2.5 31.5 10.1 11.6 6.6 2.8 11.3	73.5 3.7 31.2 8.5 8.6 7.0 4.4 10.2	77.5 2.2 29.0 11.3 12.9 8.8 2.1 11.2	63.2 3.4 30.8 8.2 5.2 3.9 1.8 10.1	82.0 4.0 28.4 10.4 14.5 5.9 3.5 15.4	47.0 2.5 18.0 4.3 6.5 5.7 3.7	39 40 41 42 43 44 45
1.2	1.9	1.6	0.7	1.7	0.7	1,1	0.7	0.7	0.9	1.9	1.4	0.7	0.3	1.2	0.9	46
2.4 3.6 1.2 24.3	4.5 2.9 23.6	6.5 1.8 0.2 16.8	4.2 0.3 0.1 9.2	5.7 1.5 0.2 18.7	4.4 0.4 0.2 10.2	11.1 3.3 5.6	3.5 5.5	4.7 1.2 0.1 19.5	5.6 1.4 0.1 21.1	6.2 1.3 13.5	5.4 1.6 15.0	4.3 0.9 12.8	4.4 1.8 0.1 12.1	7.0 0.8 0.2 16.0	6.1 1.4 10.5	47 48 49 50
1.2 1.2 0.6 8.3 4.1	0.7 0.3 1.9 7.9 1.0	0.8 0.3 1.5 5.5	0.4 0.4 1.2 3.3 1.2	1.0 0.4 1.3 5.7 1.1	0.2 0.5 1.5 3.8 1.1	2.2 4.5 1.1	1.4 1.4 1.4	1.0 0.5 1.7 7.2 2.2	1.8 1.2 1.0 8.8 1.4	2.3 0.8 1.5 10.3 3.7	1.6 0.7 2.0 9.9 3.9	1.0 0.3 0.9 5.9 1.5	1.6 0.4 1.7 4.4 2.2	2.1 0.4 1.2 3.3 2.0	0.7 0.2 1.3 1.6 1.8	51 52 53 54 55
8.9	2.8 0.3	4.6 0.3	3.6 0.1	4.8	3.8 0.2	3.3	2.8	6.6 0.5	5.8 0.4	3.9 0.3	2.8	4.8 0.1	4.3 0.1	3.5 0.8	1.7 0.1	56 57
0.6		0.3	0.7	0.4	0.4		2.1	(2) 0.6	0.1	0.5	0.1 0.8	0.1	0.1	1.0	0.1	57 58 59
215.5	195.1	176.1	151.8	161.1	147.0	264.0	170.1	149.1	205.9	149.1	154.8	91.9	93.4	119.7	110.9	
1.8 20.1 15.4 4.7	2.1 11.4 7.4 3.8 0.2	0.8 17.6 10.4 5.9 1.3	0.9 10.4 6.9 2.4 1.0	0.8 17.2 10.7 5.3 1.1	0.5 9.5 5.8 2.5 1.1	1.1 20.1 8.9 8.9 2.2	2.1 13.8 11.1 2.1 0.7	1.7 15.2 11.7 2.8 0.7	1.2 12.2 9.2 2.9 0.1	2.0 16.9 11.1 5.0 0.7	1.6 9.5 6.6 2.6 0.2	1.2 10.6 6.8 3.1 0.6	0.8 7.5 3.0 2.0 2.5	1.0 12.3 7.3 3.1 1.9	1.6 14.4 9.0 4.2 1.3	60 61
1.2 7.1 1.2 5.9 117.2	4.1 11.0 1.9 9.1 117.2	3.3 6.8 2.1 4.7 93.9	1.4 6.9 3.0 3.9 64.4	3.6 7.2 2.5 4.8 88.4	1.8 6.7 2.2 4.5 63.1	1.1 4.5 4.5 125.9	7.6 6.2 1.4 69.1	3.1	4.3 9.1 1.9 7.1 123.2	2.7 6.2 1.7 4.5 65.2	2.6 7.5 1.5 6.0 78.2	2.2 7.4 2.7 4.8 47.0	1.1 5.7 2.9 2.9 47.0	4.4 5.3 0.8 4.4 58.8	2.0 6.8 2.3 4.4 47.4	62 63 64

<sup>&</sup>lt;sup>3</sup> Exclusive of acute anterior poliomyclitis (infantile paralysis).

#### TABLE IV.—DEATH RATES PER 100,000 POPULATION IN CITIES AND RURAL DISTRICTS

[The term "cities" as here used is restricted to municipalities having 10,000 or

						DE	ATH RAT	e per 10	00,000 PO	PULATION	τ.				
List No.		CALIFO	DRÍNIA.	coro	BADO.	CONNE	CTICUT.	INDL	ANA.			KENT	UCKY.		
	CAUSE OF DEATH.									To	tal.	Wh	ite.	Colo	red.
Detailed Int.		Cities.	Rural dis- tricts.	Cities.	Rural dis- tricts.	Cities.	Rural dis- tricts.	Cities.	Rural dis- tricts.	Cities.	Rural dis- tricts.	Cities.	Rural dis- tricts.	Cities.	Rural dis- tricts.
	II.—Diseases of the nervous system and of the organs of special sense—Continued.														
65 66 67 68	Softening of the brain Paralysis without specified cause General paralysis of the insane. Other forms of mental alienation	1.9 8.3 6.1 1.5	2.6 10.8 9.0 5.1	2.3 6.1 5.5 2.3	0.4 10.7 6.7 4.0	1.3 4.5 7.0 2.5	3.3 10.1 7.1 2.7	1.5 7.8 7.4 2.0	2.4 12.1 5.4 2.8	4.6 27.6 5.1 4.2	2.4 18.3 3.6 2.4	4.4 21.3 5.6 4.4	2.5 16.5 3.8 2.2	5.6 57.5 2.8 2.8	2.1 34.9 2.6 4.2
69 70 71 72	Epilepsy Convulsions (nonpuerperal). Convulsions of infants. Chorea	2.7 0.2 1.7 0.1	5.0 2.2 0.1	3.6 1.6 0.6	4.4 2.3 0.2	3.8 0.5 10.1	5.2 0.3 7.1 0.3	5.8 2.0 0.4	4.4 0.1 1.0 0.1	5.6 1.2 8.5 0.7	4.1 0.3 4.7 0.3	4.7 1.5 6.2 0.6	3.5 0.2 4.0 0.4	9.8 19.6 1.4	8.8 0.5 11.4
73 74 75 76	Neuralgia and neuritis. Other diseases of the nervous system. Diseases of the eyes and their annexa. Diseases of the ears.	0.3 5.0 1.9	0.8 4.4 0.7	1.6 4.2 2.9	0.4 1.7 2.3	0.9 5.6 0.1 2.8	1.4 4.4 0.3 2.5	0.5 3.3 0.2 3.3	0.2 3.2 0.1 2.7	1.0 5.9 0.7	0.6 4.0 0.2 1.5	1.2 5.9 0.9	0.5 3.8 0.2 1.6	5.6	1.0 5.7 0.5
	III.—Diseases of the circulatory system.	254.4	188.0	157.9	99.7	200.0	233.6	188. 2	181.5	202. 2	88.5	169.5	80.6	357.6	158.1
77 78 79 80 81	Pericarditis. Acute endocarditis. Organic diseases of the heart. Angina pectoris. Diseases of the arteries, atheroma, aneurism, etc.	1.5 11.2 198.6 6.9 29.1	0.7 4.9 155.8 5.0 17.2	0.6 4.2 109.4 11.3 20.4	1.0 3.4 77.6 5.0 7.9	0.6 11.8 148.3 9.6 21.7	0. 5 6. 8 183. 2 11. 2 25. 6	1. 2 7. 5 144. 4 6. 6 24. 5	1.5 2.1 142.7 10.3 21.9	1.7 8.1 153.2 9.0 23.4	1.4 1.3 72.1 4.4 7.2	0.3 7.1 122.7 9.5 24.3	1. 2 1. 3 64. 9 4. 2 6. 9	8.4 12.6 297.3 7.0 19.6	3.1 1.0 135.8 6.2 9.9
82 83	Embolism and thrombosis.  Diseases of the veins (varices, hemorrhoids,	5.3 0.5	3.1 0.4	9.1 0.6	3.1 0.8	6.6 0.3	4.9 0.5	2.6 1.1	2. 1 0. 2	3.7 0.7	0.9 0.5	3.3 0.9	1.0 0.5	5.6	0.5 0.5
84 85	philebitis, etc.). Diseases of the lymphatic system (lymphangitis, etc.). Hemorrhage; other diseases of the circula-	0.8 0.6	0.3 0.6	0.6 1.6	0.6 0.4	0.4	0.3 0.5	0.2	0.3 0.3	0.7 1.7	0. 2 0. 4	0.6 0.9	0.2 0.4	1.4 5.6	1.0
	tory system.  IV.—Diseases of the respiratory sys-	141. 2	115.5	178.3	157. 2	205.6	169.0	134.5	118.9	191.5	116. 2	146:1	105.0	406.7	215. 4
86	tem.  Diseases of the pasal fossæ	0.1	0.2					0.4	0.2		0.6		0.6		0.5
87 88 89 90	Diseases of the larynx. Diseases of the thyroid body. Acute bronchitis. Chronic bronchitis.	1.0 0.8 5.6 9.2	0.9 0.3 4.5 6.4	1.0 11.0 4.9	0.8 5.7 4.8	1.7 0.3 11.0 12.4	1. 4 15. 3 9. 8	1.4 0.5 6.8 7.8	1.4 0.6 7.6 8.0	2.2 0.5 7.8 21.5	1. 6 0. 3 6. 6 6. 1	2.1 0.3 4.4 16.6	1.8 0.4 6.1 5.7	2.8 1.4 23.8 44.9	11.4 8.8
91 92 93	Bronchopneumonia Pneumonia (total). Lobar pneumonia Pneumonia (undefined). Pleurisy.	29.9 80.8 50.9 29.8 4.4	20.9 70.1 32.7 37.4 2.7	33.7 112.3 56.6 55.7 2.9	33.5 96.6 46.0 50.6 2.5	38.3 126.1 47.9 78.2 5.0	27.0 103.6 29.4 74.2 3.5	39.7 69.6 45.4 24.2 3.3	29. 4 65. 9 34. 4 31. 5 1. 9	27. 4 103. 6 31. 3 72. 3 5. 6	25. 5 66. 5 26. 8 39. 7 1. 1	21.9 78.1 24.8 53.2 3.3	23.3 59.3 24.3 35.0 1.0	53.3 224.4 61.7 162.7 16.8	44.7 130.0 48.4 81.7 2.1
94 95	Pulmonary congestion, pulmonary apoplexy.	4.3	5.1	1.9	1.9	6.1	4.9	1.3	1.0	7.3	1.7	8.9	1.5		4.2
96 97 98	Gangrene of the lung. Asthma. Pulmonary emphysema. Other diseases of the respiratory system (tuberculosis excepted).	0.5 3.1 0.3 1.4	0.3 2.4 0.1 1.8	6.8 3.9	3.1 0.4 7.9	0.6 2.2 0.4 1.6	2.7	2.7 0.2 0.7	0.2 1.9 0.2 0.7	10.5 0.7 4.4	0. 2 3. 3 0. 3 2. 4	6.2 0.9 3.5	0.2 2.7 0.3 2.1	30.9 8.4	0.5 8.3 4.7
00	V.—Diseases of the digestive system.	136.1	111.3	144.0	123.4	180.3	138.8	186.5	139.3	173.7	131.9	150.0	129.6	286.1	152.4
99 100 101 102 103	Diseases of the mouth and annexa Diseases of the pharynx Diseases of the esophagus Ulcer of the stomach Other diseases of the stomach (cancer excepted).	0.5 1.7 0.3 5.7 8.8	0.4 0.9 0.3 4.5 9.3	2.3 0.3 6.5 7.1	1.9 3.8 8.8	1.0 1.6 0.3 4.4 14.9	0.8 1.9 0.3 1.9 21.5	0.2 1.2 0.2 4.3 12.0	0.8 1.6 3.4 17.5	0.5 2.0 0.2 4.4 21.3	1.1 2.3 0.1 2.8 18.6	0.3 1.2 0.3 2.7 14.2	1.1 2.5 0.1 2.6 18.0	1.4 5.6 12.6 54.7	1.0 1.0 4.2 23.9
104 105 106 107	Diarrhea and enteritis (under 2 years) Diarrhea and enteritis (2 years and over) Ankylostomiasis Intestinal parasites. Appendicitis and typhlitis	38.8 11.0	33.6 11.7 0.1 0.2	56.0 11.0	56.9 7.7	89. 4 11. 1	57. 5 13. 1	80. 6 15. 4	53.0 14.9 0.1 0.2	45.7 21.5	51.1 17.7 0.3 0.9	41. 4 17. 7	50.9 17.8 0.4 0.8	65.9 39.3 2.8	53.1 16.6
108 109	Hernia, intestinal obstruction (total)	14. 2 13. 4	7.8 11.7	19.7	13. 2 9. 6	11.3 16.7	9.3	17. 1 16. 7	7. 5 10. 3	12.9 15.1	6.0 8.8	14. 2 13. 0	5.7 8.6	7.0 25.2	10.4
110	Hernia Intestinal obstruction Other diseases of the intestines	5. 1 8. 3 2. 9	2.2 9.4 3.0	2.6 7.4 1.0	2.5 7.1 2.3	5. 9 10. 7 2. 1	2. 2 7. 1 4. 6	4. 4 12. 3 3. 6	3.1 7.2 4.4	5. 6 9. 5 5. 1	1.7 7.1 3.1	4.1 8.9 4.4	1.6 7.0 2.8	12.6 12.6 8.4	3.1 7.3 5.7
111 112 113 114	Acute yellow atrophy of the liver Hydatid tumor of the liver Cirrhosis of the liver Biliary calculi	0.3 24.6 2.8	0.3 15.2 1.9	0.3 16.8 3.6	0.4 7.7 3.6	0.1 15.0 3.0	0.8 13.4 1.4	1.3 15.4 5.3	0.9 11.3 3.7	0.2 20.0 4.2	0. 2 0. 1 6. 2 2. 4	0.3 $21.0$ $4.1$	0.2 0.1 5.7 2.5	15.4 4.2	10.4
115 116 117 118	Other diseases of the liver. Diseases of the spleen. Simple peritonitis (nonpuerperal) Other diseases of the digestive system (cancer and tuberculosis excepted).	6.5 0.1 3.5 1.0	4.8 0.2 4.5 1.0	3.6 5.2 0.6	4. 4 2. 1 1. 0	4.9 0.3 3.5 0.9	4. 4 0. 3 3. 0	7.1 0.1 5.1 0.8	5.7 0.4 3.1 0.4	10.5 8.5 0.7	5.3 0.2 4.7 0.2	7.7 6.2 0.9	5. 2 0. 2 4. 3 0. 2	23.8 19.6	8.3

<sup>&</sup>lt;sup>1</sup> Less than one-tenth of 1 per 100,000 population.

OF EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES: 1911—Continued.

more inhabitants in 1910, smaller places being included with the "rural districts."]

					DEATH R	ATE PER 1	00,000 POP1	ULATION.	•							
MAI	INE.			MARY	LAND.			MASSACI	USETTS.	місн	GAN.	MINNE	SOTA.	MISSO	URI.	1
Cities.	Rural districts.		tal.		nite.	Colo		Cities.	Rural districts.	Cities.	Rural districts.	Cities.	Rural dis- tricts.	Cities.	Rural dis- tricts.	
•		Cities.	Rurai districts.	Cities.	Rural districts:	Cities.	Rural districts.			-			tercus.		tricts.	1
1.8 17.8 21.3 9.5	4.8 18.1 6.2 2.8	1.5 21.6 5.7 1.1	2.2 32.1 8.4 3.0	1.5 17.3 5.3 0.8	2.4 30.4 9.8 3.1	1.1 46.8 7.8 3.3	1.4 38.7 2.8 2.8	1.0 6.7 5.6 1.2	3.2 10.9 14.1 4.5	1.0 14.2 9.9 2.6	1.9 24.0 6.4 1.8	1.3 3.4 1.6 1.9	0.9 6.5 2.5 2.3	2.9 8.9 9.9 2.5	2.2 16.6 3.8 2.1	
5.9 3.6 0.6	4.5 0.5 4.5 0.3	2.9 0.7 10.6 0.2	5.2 0.1 11.5 0.4	1.3 0.8 6.9 .0.2	5.1 9.1 0.5	12.3 32.3	5.5 0.7 20.7	2.4 0.6 4.5 0.1	11.3 0.4 4.0 0.1	3.9 0.5 15.7 0.2	4.8 0.7 9.6 0.2	1.9 0.4 4.0 0.1	4.2 0.3 8.9 0.1	2.9 0.3 3.4 0.3	4.7 0.6 3.5	
2.4 4.1 1.2	2.6 4.1 0.2 0.5	0.8 6.2 0.2 2.3	0.7 3.2 0.1 0.9	1.0 6.3 0.2 2.3	0.9 3.1 0.2 0.7	5. 6 2. 2	3.5 1.4	1.3 4.7 0.1 3.0	0.4 5.1 0.1 1.8	1.0 5.6 0.3 1.3	0.7 3.6 0.1 1.8	0.6 5.4 0.1 2.5	0.4 3.4 0.1 1.7	0.6 4.0 2.4	0.7 3.0 (1) 1.7	
275.9	237.2	218.4	149.0	190.6	141.8	381.0	176.3	244.5	296.0	170.7	198.0	138.4	109.8	194.1	106.5	1
0.6 10.7 194.8 16.6 42.6	1.2 3.3 175.4 16.1 33.1	1.0 7.8 168.5 8.6 25.7	1.4 3.7 120.0 5.5 14.7	0.8 6.1 144.7 9.1 23.3	1.5 3.5 111.0 6.0 16.4	2.2 17.8 307.5 5.6 40.1	1.4 4.8 154.2 3.5 8.3	0.8 10.5 175.0 8.1 42.5	1.0 6.1 213.0 13.0 57.4	1.6 5.5 126.6 7.6 22.9	1.9 4.1 159.5 8.5 18.5	0.6 11.7 98.4 5.2 17.2	0.8 4.3 86.1 2.7 12.2	4.7 10.9 138.6 5.2 30.7	1.4 2.9 82.5 4.5 11.7	
7.7 1.2	6.6 0.2	4.2 0.7	1.6 0.4	4.2 0.6	1.5 0.5	4.5- 1.1	2.1	3.8 1.2	4.3 0.4	5.1 0.2	3.2 0.2	3.6 0.6	2.2 0.6	3.2 0.6	2.1 0.4	
1.8	0.2 1.2	0.7 1.3	0.4 1.2	0.8	0.5	2.2	2.1	2.0 0.7	0.4 0.4	0.3	0.7 1.4	0.3 0.7	0.4	0.3	0.3	ı
219.6	176.2	246.3	139.5	196.7	121.4	535.9	208.1	196.5	171.0	160.4	116.8	- 124.4	117.0	183.8	135.3	
0.6 1.8 1.2 10.7 10.1	0.2 0.9 0.9 16.4 10.0	0.3 0.7 0.7 14.6 13.8	0.1 2.0 0.1 8.8 8.6	0.4 0.8 0.6 11.1 13.0	0.2 1.8 0.2 7.3 8.4	1.1 35.7 18.9	2.8 14.5 9.7	0.1 1.5 0.3 14.0 10.2	1.4 0.5 12.4 12.2	0.2 2.3 0.6 15.3 9.7	0.4 1.6 0.8 15.0 10.6	0.7 0.4 6.5 5.4	0.3 0.8 0.7 6.4 7.2	0.4 1.3 0.8 13.3 11.9	0.1 1.8 0.3 6.3 9.9	
45.6 130.8 29.0 101.8 1.8	27.4 104.1 15.5 88.6 3.1	67.5 127.3 65.1 62.2 6.3	31.1 73.2 33.3 39.9 2.7	52.8 99.1 54.9 44.2 5.3	25.3 63.5 32.6 30.9 2.7	153.7 291.9 124.8 167.1 12.3	53.2 109.9 36.0 74.0 2.8	47. 4 112. 3 58. 0 54. 3 3. 8	36.8 96.3 49.4 46.9 3.6	42.2 74.3 41.6 32.7 3.9	16.8 57.6 12.5 45.1 3.5	43.1 61.4 51.0 10.4 3.1	39.5 52.6 44.1 8.6 2.3	40.4 102.0 80.0 22.0 4.2	24.3 82.9 35.5 47.4	
12.4	6.2	7.7	6.2	8.0	6.6	5.6	2.8 4.8	3.8	3.6 4.0	5.0	4.3	1.6	2.3 2.0	2.6	1.6 2.4	
2.4 0.6 1.8	0.2 3.3 0.3 3.3	0.2 4.1 3.1	0.3 2.9 0.1 3.2	0.2 4.0 1.5	0.4 2.0 0.2 2.9	4.5 12.3	6.2 4.1	0.6 1.4 0.2 1.2	0.4 1.6 1.7	0.6 3.2 0.2 2.8	0.2 3.0 0.4 2.6	0.1 1.3 0.1 0.4	0.4 3.2 0.3 1.3	0.7 3.2 1.0 2.0	0.3 2.6 0.1 2.6	
206.0	151.7	208.8	167.1	196.3	149.6	281.9	233.7	194.4	129.4	182.2	140.3	127.6	101.5	187.7	135.1	
1.2 0.6 3.6 26.0	0.2 3.6	0.8 1.6 0.3 2.9 20.7	1.9 1.6 0.3 1.4 23.6	0.4 1.5 0.4 3.0 15.4	0.4 1.1 0.4 0.9 20.2	3.3 2.2 2.2 51.2	7.6 3.5 3.5 36.6	0.4 1.6 0.5 3.4 10.3	0.5 0.5 0.4 3.4 13.5	1.5 2.5 0.7 4.4 22.4	0.3 1.8 0.2 2.9 17.9	0.6 1.6 0.3 4.9 6.8	0.6 2.0 0.1 2.4 8.6	0.7 1.4 0.3 4.7 11.5	1.0 2.3 0.2 2.5 16.7	
85.8 16.6	56.6 14.2	102.9 13.3	94.5 14.0	97.6 13.2	84.6 12.9	133.7 14.5	132.1 18.0	114.9 11.9	62.2 12.1	70.7 10.9	48.6 15.5	47.0 5.9	36.8 7.5	75.4 17.3	52.8 14.8	
28.4	0.7 9.1	14.5	0.9 2.6	13.3	0.5 2.4	21.2	2.1 3.5	12.9	4.1	0.1 16.3	0.1 0.2 9.1	0.1 21.9	13.7	0. 1 17. 6	0.2 7.6	
13.0 3.6 9.5 1.2	12.1 2.8 9.3 3.1	14.6 4.7 9.9 4.1	9.7 2.7 6.9 2.4	13.7 4.4 9.3 4.0	8.9 1.6 7.3 2.5	20.1 6.7 13.4 4.5	12.4 6.9 5.5 2.1	12.9 4.2 8.6 2.1	9.6 3.2 6.4 2.6	15.4 4.5 10.9 3.9	11.8 2.6 9.2 4.1	11.6 4.9 6.7 2.4	9.2 3.3 5.9 3.2	13.1 4.0 9.1 4.0	9.6 2.8 6.8 3.6	
0.6	0.7	0.3	- 0.3	0.2	0.4	1.1				1.0 0.1	0.6 0.1	0.3	0:4	0.9 0.1 23.0	0.7 9.1 2.6	
4.7 7.1	5.5 1.4	18.6 4.7	7.3 1.4	19.6 5.1	8.2 1.8	12.3 2.2	4.1	(1) 9.7 3.5	2.5	13.0 3.9	11.0 2.2	12.0 3.3	6.9 2.7	3.9		
8.3 0.6 5.9 2.4	7.3 0.2 3.5 1.4	5.7 2.6 1.1	2.2 2.9 0.1	5.1 · 2.3 1.3	2.4 1.8 0.2	8.9· 4.5	1.4 6.9	4.1 0.1 4.3 1.6	3.8 0.3 3.4 0.4	6.6 0.6 7.2 1.0	6.1 0.2 6.8 0.9	5.5 0.3 1.9 1.0	4.3 0.3 2.0 0.8	8.1 0.3 4.2 1.0	5.0 0.2 5.7 0.3	

#### TABLE IV.—DEATH RATES PER 100,000 POPULATION IN CITIES AND RURAL DISTRICTS

[The term "cities" as here used is restricted to municipalities having 10,000 or

						DE	ATH RAT	E PER 10	00,000 PO	PULATION	ī.			<del></del>	
t No.		CALIFO	DRNIA.	coroi	RADO.	CONNE	CTICUT.	INDL	ANA.			KENTU	CKY.		
ıt. Lis	CAUSE OF DEATH.									Tot	tal.	Wh	ite.	Colo	red.
Detailed Int. List No.		Cities.	Rural dis- tricts.	Cities.	Rural dis- triets.	Cities.	Rural dis- tricts.	Cities.	Rural dis- tricts.	Cities.	Rural dis- tricts.	Cities.	Rural dis- tricts.	Cities.	Rural dis- tricts.
	VI.—Nonvenereal diseases of the genito-urinary system and annexa.	128. 2	90.9	127.8	69.6	130.9	127. 6	117.3	96.1	142.9	66. 5	133. 4	61.9	187.9	108.2
119 120 121	Acute nephritis. Bright's disease. Chyluria	9. 2 97. 4	5.5 69.9	14.6 97.1	8. 4 52. 7	14.2 104.9	12.3 102.0	12. 4 81. 5	6.6 73.7	10.5 112.4	5. 1 48. 5	7.1 111.2	4.6 45.4	26.6 117.8	9. 9 76. 5
122 123	Other diseases of the kidneys and annexa. Calculi of the urinary passages.	2.9 0.7	1.8 0.6	1.3 0.6	1.5 0.2	1.6 0.4	1.9 0.8	2.8 0.8	2.9 0.6	4.2 0.5	3.1 0.4	3.0 0.6	2.8 0.4	9.8	5. 2 0. 5
124 125 126 127	Diseases of the bladder Diseases of the urethra, urinary abscess, etc. Diseases of the prostate Nonvenereal diseases of the male genital organs.	2.6 0.8 4.3 0.2	3.7 4.8	1.0 1.0 2.3	1.1 0.6 1.1	1.6 0.4 2.3	4.9 3.5	1.8 0.6 4.0 0.2	2.9 0.2 4.5	2.7 1.5 1.7 0.2	2.3 0.3 3.2 0.1	2.4 0.3 1.8 0.3	2.2 0.1 3.1	4.2 7.0 1.4	3.1 1.6 3.6 0.5
128	Uterine hemorrhage (nonpuerperal)	0.1				0.6	0.3	0.1	0.1	0.2	0.3	0.3	0.3		0.5
129 130 131 132	Uterine tumor (noncancerous).  Other diseases of the uterus.  Cysts and other tumors of the ovary.  Salpingitis and other diseases of the female genital organs.	2.1 2.2 1.4 4.4	1.2 1.0 0.3 1.9	2.3 1.3 1.3 4.9	0. 2 0. 6 1. 3 1. 7	1.2 0.9 1.2 1.4	1.1 0.3 0.3 0.3	2.3 1.8 2.3 6.5	1.4 0.6 0.9 1.5	2.2 2.2 1.5 3.2	0.5 1.5 0.8 0.5	0.6 1.8 1.5 2.7	0.5 1.4 0.8 0.4	9.8 4.2 1.4 5.6	1.0 2.6 1.6 1.6
133	Nonpuerperal diseases of the breast (cancer excepted).		••••	0.3		0.3		0.1	0.1		0.1		0.1		
134	VII.—The puerperal state	14.1	12.4	17.2	18.0	13.6	0.8	19.8	16.7	12.5	18.8 2.4	10.1	2.2	23.8	30.7
135 136 137	Accidents of pregnancy Puerperal hemorrhage Other accidents of labor Puerperal septicemia	1.1 1.1 6.3	$1.2 \\ 0.7 \\ 1.1 \\ 5.1$	2.3 1.3 8.4	1.3 0.8 9.0	1.8 0.6 6.2	1.1 0.3 2.5	0.6 1.1 12.6	0.9 0.9 10.1	0.5 1.5 6.1	1.9 2.0 7.9	0.6 0.9 5.3	2.0 2.0 6.6	4. 2 9. 8	1.6 2.1 18.7
138 139	Puerperal albuminuria and convulsions Puerperal phlegmasia alba dolens, embo-	3. 2 0. 5	3.5 0.4	3.9	5. 0 0. 8	3.5 0.3	1.6 0.3	3.8 0.4	2.8 0.4	3.4 0.2	4.2 0.3	2.4	4.1 0.3	8.4 1.4	4.7
140	lus, sudden death.  Following childbirth (not otherwise defined).	0.2	0.3						0.2	0.5	0.2	0.6	0.2		
141	Puerperal diseases of the breast	4.4	4.2	1.6	1.5	6. 2	4.1	4.6	5. 2	5.1	4.2	3.8	4.2	11. 2	4.2
142	VIII.—Diseases of the skin and of the cellular tissue.  Gangrene	2.3	3.2	1.3	1,1	3.8	2.5	2.7	3.4	2.9	1.7	1.8	1,6	. 8.4	2.1
143 144 145	Gangrene. Furuncle Acute abscess. Other diseases of the skin and annexa.	0.9 0.4 0.8	0.5 0.3 0.2	0.3	0.4	0.1 1.3 1.0	0.5	0.5 0.7 0.7	0.6 0.3 0.9	1.0 1.2	0.3 0.2 2.0	1. 2 0. 9	0.4 0.2 2.0	2, 8	2,1
	IX.—Diseases of the bones and of the organs of locomotion.	2. 2	1.8	2.6	1.1	1.3	1.6	1.1	1.4	2.0	1.2	1.8	1.3	2.8	
146	Diseases of the bones (tuberculosis excepted).	2. 0	1.3	2.6	1.0	1.0	1.4	0.9	1.2	1.5	1.1	1.2	1.2	2.8	
147 148	Diseases of the joints (tuberculosis and rheumatism excepted).  Amputations	0.1	0.3		0.2	0.3			0.1	0.5		0.6			
149	Other diseases of the organs of locomotion  X.—Malformations	0. 2 13. 0	0.2 10.3	14.6	13.8	14.1	0.3 15.0	20.0	0.1 17.2	6.8	0.1 11.3	8.0	0. 1 12. 1	1.4	4 7
150	Congenital malformations (stillbirths not	13.0	10.3	14.6	13.8	14.1	15.0	20.0	17. 2	6.8	11.3	8.0	12.1	1.4	4.7
	included) (total). Hydrocephalus	1.4 8.0 3.7	0.7 6.1 3.5	0.3 12.3 1.9	0.6 8.8 4.4	1.6 8.0 4.5	1.1 9.5 4.4	1. 2 13. 3 5. 6	1.3 10.6 5.3	0.7 4.4 1.7	0.6 5.2 5.5	0.9 5.0 2.1	0.7 5.5 5.9	1.4	2.6 2.1
400	XI.—Early infancy	50.9	36.9	76.7	77.8	109.7	84.0	52. 4	58.7	92.8	74.0	91.1	73.3	101.0	80. 1 70. 2
151	Congenital debility, icterus, and sclerema (total). Premature birth	41. 2 30. 6	29.1	66.3 41.1	65.9 42.0	87. 2 47. 3	66.0 36.8	44.2	45. 1 36. 2	39.8	63.9 42.5	41.4	63. 2 42. 5	91. 2 32. 3	42, 1
152	Premature birth. Congenital debility, "atrophy," "marasmus," etc. Other causes peculiar to early infancy	10.6 9.6	8. 4 7. 5	25. 2 10. 4	24.0 11.9	39. 8 22. 0	29. 2 17. 7	8. 2 13. 8	8.8 13.4	44.9 7.1	21. 4 9. 7	42.0 7.7	20.7 9.7	58. 9 4. 2	28. 1 9. 9
153	(total). Injuries at birth. Other causes peculiar to early infancy <sup>2</sup> . Lack of care.	5. 8 3. 8 0. 2	4.1 3.5 0.3	4. 5 5. 8	5.2 6.7	13.8 8.1 0.5	10.6 7.1 0.3	9. 4 4. 4 0. 2	6.9 6.4 0.3	1.7 5.4 1.0	5.3 4.4 0.4	1. 5 6. 2	5.3 4.3 0.4	2.8 1.4 5.6	4.7 5.2
200	XII.—Old age	20. 4	26. 5	26.5	27.6	23.8	30.3	11.1	13.7	31.0	21.0	29.9	18.8	36.5	40.1
154	Senility	20.4	26. 5	26.5	27.6	23.8	30.3	11.1	13.7	31.0	21.0	29.9	18.8	36.5	40.1
	XIII.—External causes Suicide (total)	35. 2	24.3	28. 5	133.6	112.0	105.5	118. 5 24. 3	13.3	129. 2	77.2	109.4	7.6	223. 0 5. 6	3.1
155 156 157 158 159 160 161 162 163	By poison By asphyxia By hanging or strangulation By drowning By firearms By cutting or piercing instruments By jumping from high places.	35. 2 7. 2 5. 4 2. 8 1. 2 15. 0 2. 9 0. 5 0. 1	4. 4 0. 4 3. 0 1. 2 10. 6 3. 3 0. 4 0. 5	12.3 0.3 1.0 0.3 12.3 1.6 0.6	7.0 5.7 0.4 1.0 1.1 7.5 1.1	8.1 2.6 2.6 1.0 3.1 1.0 0.3 0.1	3.5 2.2 3.8 0.5 0.3	11.3 1.2 3.0 2.3 4.9 1.2 0.2 0.1 0.2	4.3 0.2 2.8 1.1 3.8 0.6 0.1 0.3	6.6 0.5 2.9 1.0 3.7 1.0	0.8 0.4 2.4 0.7 0.1 0.1 0.2	7.1 0.6 3.5 1.2 4.1 1.2 0.3	2.7 0.9 0.4 2.6 0.7 0.1	1.4	0.5 0.5 0.5

<sup>&</sup>lt;sup>1</sup> Less than one-tenth of 1 per 100,000 population.

OF EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES: 1911—Continued.

more inhabitants in 1910, smaller places being included with the "rural districts."]

•					DEATH R	ATE PER 1	00,000 POP	ULATION.							<u> </u>	Ī
MA	INE.			MARY	LAND.			MASSACI	iusetts.	місн	IGAN.	MINN	ESOTA.	мизя	ouri.	
Cities.	Rural districts.	To	Rural districts.	Wickles.	Rural districts.	Cole	Rural districts.	Cities.	Rural districts.	Cities.	Rural districts.	Cities.	Rural dis- tricts.	Cities.	Rural dis- tricts.	
169.9	120.7	179.0	106.2	159.9	96.8	290.8	141.8	103.9	99.3	93.6	80.7	95.6	72.3	151.4	75.9	- -
20.1 123.1	8.1 97.5	21.5 141.1	9.8 87.6	15.8 130.4	8.2 80.4	54.6 203.9	15.9 114.8	7.5 79.2	6.1 80.5	10.2 58.7 0.1	6.0 60.1	6.5 65.1	4.3 55.2	9.3 115.7	4.9 58.4	-
3.6	1.7 1.6	2.3 0.3	1.2' 0.4	2.3 0.4	0.9 0.4	2.2	2.1 0.7	2.5 0.8	1.9 0.3	0.1 3.6 1.2	2.1 0.6	3.1 1.5	2.7 0.4	3.5 0.8	2.4 0.4	.13
3.6 6.5	3.5 4.5	2.1 1.1 2.6	1.7 2.9	1.7 1.0 2.7	1.8 2.5	4.5 2.2 2.2	1.4 4.1	1.9 0.6 4.0	3.5 0.1 4.1	3.4 0.7 6.4 0.1	4.8 0 3 3.8 0.1	J1 :	1.7 0.1 5.5	3.2 1.1 4.7	3.2 0.2 3.4	- 1
0.6	0.2	0.2	0.1	0.2	0.2			0.1 0.1	0.1	0.1	0.1	0.4	0.1	0.1	(1)	
2.4 7.1	0.5 1.2 0.9 1.0	2.1 1.8 0.8 2.9	0.9 0.6 0.6	1.0 1.9 0.6	0.7 0.7 0.7	8.9 1.1 2.2	1.4	1.7 1.4 1.4	0.3 0.9 0.5	1.6 2.2 1.7 3.3	0.8 1.2 1.0 0.8	· 2.5 2.5 1.3 3.4	0.4 0.8 0.5	2.5 3.0 2.4	0.5 1.0 0.6 0.9	
3.0	1.0	2.9	0.4	1.9	0.2	8.9	1.4	2.6 0.1	0.6	3.3 0.1	0.8	3.4	0.4	5.0	0.9 (1)	
14.2	13.1	16.6	11.5	14.3	9.5	30.1	19.4	16.2	9.9	18.6	16.9	14.3	14.3	15.9	17.6	
2.4 1.8 7.1	1.6 2.1 2.1 2.9	1.5 1.6 1.8 7.3	1.4 1.4 1.0 3.7	1.1 1.5 1.1	1.5 1.3 0.4	3.3 2.2 5.6 11.1	1.4 2.1 3.5 5.5	1.6 1.0 1.8 7.2	0.6 1.2 1.9	2.1 1.5 1.7 9.5	1.7 1.3 2.6 7.9	0.9 0.9 0.7	1.1 1.6 1.3 7.1	1.4 1.1 0.8	1.9 2.0 1.9 7.9	_
3.0	4.0	7.3 3.6 0.8	3.5	6.7 3.4 0.4	3.3 2.7	4.5	5.5 6.2	3,9	2.2 2.7 0.8	1		7.6 3.0	7.1 2.6	9.2 2.5		1
	0.3 0.2	0:8	0.3	0.4	0.4	3.3	0.7	0.7 (1)	0.8	3.2 0.5 0.1	2.8 0.5 0.1	0.9	0.4	0.7	3.3 0.5 0.1	
•••••						•••••••						0.1			•••••	-
14.2	10.7	5.4	5.5	5.0	4.5	7.8	9.0	6.0	5.2	6.2	.8.0	5.8	3.6	4.5	4.0	
9.5 1.2 0.6 3.0	8.1 0.5 0.9 1.2	2.8 0.3 1.0 1.3	3.7 0.1 0.9 0.7	2.3 0.4 1.0 1.3	2.9 0.2 0.9 0.5	5.6 1.1 1.1	6.9 0.7 1.4	2.5 0.7 1.3 1.6	3.2 0.4 0.5 1.0	3.6 0.3 1.1 1.3	5.6 0.5 0.8 1.2	1.5 0.9 1.3 2.1	2.2 0.2 0.7 0.6	2.3 0.8 0.4 0.9	2.6 0.1 0.5 0.8	
2.4	1.2	3.9	1.4	3.4	1.1	6.7	2.8	3.2	1.7	2.8	2.3	3.7	.2.0	2.2	1.3	
2.4	0.7	3.7	0.7	3.2	0.4	6.7	2:1	2.4	1.4	2.4	2.0	3.7	1.8	1.8	1.0	-
	0.3	0.2	0.4	0.2	0.4	•••••	0.7	0.6	0.3	0.5	0.2	•••••	0.1	0.3	0.2	1
7.1	0.2 7.4	14.0	0.3	14.0	0.4			0.1			•••••		0.1	0.1 0.1	0.1	-
7.1	7.4	14.0	10.4	14.9	11.3	8.9	6.9	17.1	13.0	16.2	16.9	15.8	12.4	13.1	10.8	-
1.2 3.6 2.4	0.9 4.1 2.4	0.8 9.8 3.4	0.6 7.1 2.7	1.0 10.3 3.6	0.5 8.0 2.7	6.7 2.2	0.7 3.5 2.8	1.9 10.1 5.1	0.6 8.4 3.9	1.4 10.4 4.5	- 1.7 9.1 6.2	1.5 8.9 - 5.4	1.3 6.5 4.6	0.8 9.2 3.1	1.0 5.8 4.0	
108.9	71.1	129.1	72.6	112.5	61.5	226.2	114.8	95.2	75.1	111.7	74.5	68.8	54.0	70.8	67.2	
82.9 42.0	62.5	113.3 48.3	62.8 29.4	98.2 41.6	53.9 28.6 25.3	201. 7 88. 0	96.8   32.5	74.3 48.4	62.5 37.5	97.8 49.8	62.7 37.4	58.9 43.0	45. L 27. 4	59.7 39.4	55. 4 39. 8	:
40.8 26.0	27.6 8.6	64.9 15.5	33.4 8.8	56. 6 13. 9	25.3 7.5	113.6 24.5	64.3 13.8	26. 0 20. 7	25.0° 12.1	49.8 48.0 13.6	25.3 11.8	15.9	17.7 8.6	10.9	15.6	
7.7 18.4	4.0 4.7	9.6 5.9 0.3	4.9 3.9 1.0	10.3 3.6 0.4	5.1 2.4 0.2	5.6 18.9	4.1 9.7 4.1	13.3 7.3 0.2	6.4 5.7 0.5	6.7 6.9 0.4	6.0 5.8 0.1	5.6 4.3	5.5 3.2 0.4	6.4 4.4 0.3	5. 2 6. 3 0. 3	
42.0	79.8	28.5	36.3	29.2	34.2	24.5	44.3	12.9	37.6	44.2	52.7	18.7	41.1	8.6	22.4	1
42.0 111.9	79. 8 86. 3	28.5	36.3 74.5	29. 2 97. 4	34.2	24.5	44.3	12.9	37.6	44.2	52.7	18.7	41.1	8.6		1
13.6	13.5· 2.4	17.7	5.8 0.6	19. 4 7. 1	72.4 6.7 0.7	137.0	2.1	107.5	98.3	18.3	97.2	92.8	81. 4 12. 3.	135. 0 32. 8	9.9	-
1.2 1.8 3.6 3.0 3.0 1.2	2.4 0.3 3.5 1.2 4.3 1.4	6.3 2.9 1.1 0.2 4.9 1.0	0.6 0.1 1.9 0.7 1.7	3. 2 1. 1 0. 2 5. 3	0.7 0.2 2.2 0.7 2.0 0.2	7.8 2.2 1.1 1.1 2.2 1.1	. 0.7 0.7 0.7 0.7	13.1 2.4 2.8 1.6 1.5 3.1	12.7 2.1 0.5 2.5 2.2 3.6 1.3	18.3 8.2 1.1 2.1 0.9 4.7 0.9	12.4 4.2 0.3 3.0 0.6 3.3 0.9	18.7 4.3 2.1 2.7 1.2 5.6 1.8 0.7 0.1 0.1	12.3. 2.5 3.6 0.8. 4.4	32.8 18.4 1.9 1.6 0.8 8.1	3.8 1.4 0.6 3.5 0.6	
	0.2 0.2	1.1 0.2	0.4 0.1	1.0 1.3 0.2	0.5 0.2	1.1		0.2 0.1 0.1	0.1 0.4	0.2	0.9	0.7 0.1 0.1	0.4 0.1 0.1 0.3	1.1 0.4 0.3 0.2	U. 6	

<sup>2</sup> Exclusive of injuries at birth.

#### TABLE IV.—DEATH RATES PER 100,000 POPULATION IN CITIES AND RURAL DISTRICTS

[The term "cities" as here used is restricted to municipalities having 10,000 or

=					<del></del>	DI	SATH RAI	E PER 1	00,000 PO	PULATIO	v.				[
ist No.		CALIFO	ORNIA.	COLOI	LADO.	CONNE	CTICUT.	INDL	ANA.			KENTU	JCKY.		
Int. L	CAUSE OF DEATH.		D		D1		Rural		Rural	Tot	tal.	Wh	ite.	Colo	red.
Detailed Int. List No.		Cities.	Rural dis- tricts.	Cities.	Rural dis- tricts.	Cities.	dis- tricts.	Cities.	dis- tricts.	Cities.	Rural dis- tricts.	Cities.	Rural dis- tricts.	Cities.	Rural dis- tricts.
	XIII.—External causes—Continued.														
164 165 166 167 168	Accidental or undefined (total). Poisoning by food. Other acute poisonings. Conflagration. Burns (conflagration excepted). Absorption of deleterious gases (conflagration excepted).	88.3 1.6 3.1 1.7 6.3 7.1	114.1 2.0 2.5 3.4 6.4 2.4	65.1 1.3 4.9 0.3 5.8 4.2	103.9 1.7 3.4 1.9 6.9 2.5	89. 2 1. 0 2, 2 0. 6 11. 3 6. 3	85.3 0.8 2.5 0.5 6.0 1.4	86.7 0.8 3.3 0.2 9.6 3.7	71.5 0.9 2.2 0.5 6.8 2.8	93.6 1.0 2.4 0.5 11.5 2.2	57.7 0.8 2.1 1.2 9.2 1.6	83.4 0.6 2.1 0.6 10.1 1.5	52.6 0.8 2.1 1.1 8.4 1.3	141.6 2.8 4.2 18.2 5.6	103.0 1.6 1.6 2.6 15.6 3.6
169 170 171 172	Accidental drowning. Traumatism by firearms. Traumatism by cutting or piercing instruments. Traumatism by fall.	10.7 2.0 0.1 16.9	17.7 4.9 0.3	1.3 1.3 0.3	9.0 5.0 0.4 8.0	6.7 1.2 0.4 17.5	19.1 2.2 0.5	6. 4 2. 0 0. 2	6.6 2.3 0.4	9.3 5.9 0.2 15.4	4.2 6.2 0.4 6.9	8.3 4.1 14.2	3.5 4.8 0.4 7.1	14.0 14.0 1.4 21.0	9.9 18.7 0.5
173	Traumatism in mines and quarries	0.2	5.5	2.3	26.4	0.3	15.5	1.3	2.1	0.5	2.7	0.6	2.4	21.0	5.2
174	(total). Traumatism in mines Traumatism in quarries Traumatism by machines	0. 2 0. 1 2. 6	4.8 0.7 4.1	1.9 0.3 2.9	26. 1 0. 4 2. 5	0.3 1.9	0.8	1.3	2.0 0.1 1.1	0.5	2.5 0.2 1.0	0.6	2. 2 0. 2 0. 9	2.8	5.2 1.6
175	Traumatism by other crushing (total). Railroad accidents and injuries. Street-car accidents and injuries. Automobile accidents and injuries. Injuries by other vehicles. Landslide, other crushing.	28. 9 10. 4 7. 5 5. 2 5. 3 0. 5	36. 7 18. 0 2. 5 3. 8 9. 8 2. 6	20.1 8.1 2.9 3.6 4.9 0.6	25.7 15.1 0.2 1.3 8.2 0.8	26.3 13.1 7.1 1.9 3.8 0.4	22. 6 14. 4 3. 8 1. 9 1. 6 0. 8	31. 4 18. 7 5. 7 1. 9 3. 7 1. 4	19.9 13.3 1.8 0.8 3.3 0.7	25. 2 14. 4 6. 4 2. 2 1. 0 1. 2	12.9 10.0 0.4 0.3 2.0 0.2	22.8 13.0 5.3 2.4 0.9 1.2	11.8 9.0 0.4 0.2 2.1 0.2	36.5 21.0 11.2 1.4 1.4	21.8 18.7 0.5 1.0 1.6
176 177 178 179 180 181 185 186	Injuries by animals. Starvation Excessive cold Effects of heat. Lightning Electricity (lightning excepted). Fractures (cause not specified) Other external violence.	0.6	1.7 0.6 0.3 2.2 0.1 1.6 0.3 9.0	1.6 0.6 0.6	1.7 0.4 1.9 2.5 0.6 0.2 3.1	0.5 0.4 0.5 7.0 0.1 0.8 1.3 3.0	0.5 7.6 0.5 0.5 0.8 3.5	0.6 0.1 0.4 2.5 0.1 1.9 0.6 3.1	2.4 0.1 0.5 2.1 1.1 0.1 3.3	0.5 0.7 3.7 0.2 0.5 5.4 7.3	0.6 0.1 0.1 1.1 1.1 0.1 0.9 4.7	0.3 0.3 3.8 0.3 0.6 5.9 6.5	0.5 0.1 0.9 1.1 0.1 1.0 4.2	1.4 2.8 2.8 2.8 11.2	1.0 0.5 1.0 2.6 0.5
182 183 184	Homicide (total).  By firearms.  By cutting or piercing instruments.  By other means.	10.9 7.7 1.7 1.5	9.3 6.6 1.7 1.0	13.9 8.7 3.2 1.9	12.1 8.2 1.9 1.9	3.9 1.8 0.6 1.4	3.5 1.9 0.8 0.8	7.5 5.3 0.7 1.4	3.2 2.5 0.3 0.4	19.5 12.5 5.4 1.7	12.4 9.5 0.9 1.9	7.7 5.3 1.5 0.9	8.9 6.9 0.6 1.3	75. 7 46. 3 23. 8 5. 6	43.7 32.3 3.6 7.8
	XIV.—Ill-defined diseases	0.5	4.4	1.0	5. 2	9.7	8.5	2.3	1.5	18.3	56. 5	13.0	51.4	43.5	101.4
187 188 189	III-defined organic disease Sudden death Not specified or iII-defined (total) III-defined Not specified or unknown.	0.2 0.3 0.3	0, 7 3, 7 2, 5 1, 2	1.0 1.0	0.6 4.6 3.6 1.0	0.3 0.9 8.5 6.6 1.9	1.1 0.3 7.1 3.0 4.1	0.1 0.2 1.9 0.6 1.3	0.1 0.1 1.3 0.7 0.6	2.0 16.4 13.2 3.2	5. 5 2. 1 48. 9 13. 0 35. 9	0.6 12.4 9.5 3.0	5.1 1.5 44.8 12.3 32.6	8.4 35.1 30.9 4.2	8.8 7.3 85.3 19.8 65.5

<sup>&</sup>lt;sup>1</sup> Less than one-tenth of 1 per 100,000 population.

OF EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES: 1911—Continued.

more inhabitants in 1910, smaller places being included with the "rural districts."]

	<del>'</del>			-	DEATH RA	TE PER 100	,000 POPUI	ATION.								_
MA	NE.	· .		MARY	LAND.			MASSACE	IUSETTS.	місн	IGAN.	MINNI	SOTA.	MISSO	OURI.	st No.
Cities.	l	То	tal.	Wi	nite.	Colo	red.		Durmol		Rural		Rural		Rural dis- tricts.	Detailed Int. List No.
Cities.	Rural districts.	Cities.	Rural districts.	Cities.	Rural districts.	Cities.	Rural districts.	Cities.	Rural districts.	Cities.	districts.	Cities.	dis- tricts.	Cities.	tricts.	Detailed
95. 9 3. 0 1. 2 8. 3 4. 1	70.4 0.9 1.7 2.4 5.4	80.2 0.3 1.6 0.7 12.2 3.9	65.8 1.0 2.0 1.2 6.6 2.2	74.2 0.4 1.7 . 0.4 9.7 3.6	63.5 1.1 1.3 0.5 5.1 1.8	115.9 1.1 2.2 26.7 5.6	74.7 0.7 4.8 3.5 12.4 3.5	91.3 0.7 1.9 1.3 8.6 4.2	83.6 0.5 1.3 2.2 5.8 2.3	79. 9 0. 5 2. 8 1. 6 7. 3 3. 9	82.5 0.4 3.7 1.3 5.9 1.8	69.6 1.6 1.9 0.9 4.5 6.8	65.4 0.5 1.8 2.2 4.2 2.2	85.7 0.8 3.1 0.8 7.9 3.8	54. 2 1. 0 2. 6 0. 9 6. 2 1. 5	
16.6 1.8 0.6	17.8 3.6 0.2	7.5 1.6 0.2	13.1 2.6 0.1	6.1 1.7 0.2	12.2 1.8 0.2	15.6 1.1	16.6 - 5.5	7.2 0.7 0.3	14.4 1.8 0.3	8.3 1.4 0.2	14.7 3.1 0.1	5.2 1.6	9.0 3.2 0.4	4.6 1.6 0.2	ĺ	169 170 171
13.6	12.8	17.1	5.9 1.6	17.3 0.4	6.6 2.0	15.6	3.5	19.8 0.1	15.9 0.3	13.6 0.9	7.3	9.8 3.7	7.5 4.3	15.6 2.0	8.4 1.5	1
2.4	0.3 0.3 1.9	0.3 0.2 0.2 2.4	1.4 0.1 0.7	0.4 0.2 0.2 1.7	1.8 0.2 0.9	6.7		(¹) 0.1 1.8	0.3 0.3	0.9	7.3 0.1 1.5	3.7 3.7	4.2 0.1 1.4	1.8 0.3 - 2.4	1.4 0.1 1.1	1
20.1 13.6 3.6 1.2 1.8	11.6 6.0 0.9 0.2 3.5 1.0	19.5 10.9 3.3 1.0 3.6 0.8	15.0 9.1 1.3 0.9 2.7 1.0	19. 1 10. 7 3. 2 1. 1 3. 2 0. 8	16.4 10.2 1.1 1.1 2.7 1.3	22.3 12.3 3.3 5.6 1.1	9.7 4.8 2.1 2.8	18. 4 8. 5 2. 9 3. 3 3. 5 0. 3	18.3 9.9 3.2 2.3 2.3 0.5	23.7 9.2 7.2 3.5 3.5 0.3	16.3 10.1 1.9 0.6 3.1 0.7	21.1 12.3 3.0 2.1 3.1 0.6	18.0 11.8 0.3 0.8 4.3 0.8	28.0 13.2 6.5 3.1 4.4 0.8	13.0 8.9 (1) 0.2 3.4 0.6	
11.2 1.2 1.8 9.5	0.7 3.1 0.2 0.7 0.9 4.1	0.5 0.3 8.6 0.3 0.2 0.5 2.4	0.9 0.3 0.6 3.9 0.4 0.6 3.2 4.0	0.2 0.4 8.4 0.2 0.2 0.2 0.4 2.1	0.7 0.2 0.4 3.8 0.5 0.7 3.6 3.6	10.0 1.1 1.1 4.5	1.4 0.7 1.4 4.1	0.1 0.4 0.1 20.6 (1) 0.7 0.8 3.4	0.1 0.3 0.8 13.0 0.3 1.7 0.6 2.6	0.7 4.0 0.2 1.7 1.9 4.8	1.9 · 0.6 2.3 0.8 0.8 0.7 7.1	0.7 0.1 0.9 0.9 0.1 1.5 1.3	1.5 0.1 1.1 1.0 0.8 0.6 0.6 5.0	1.0 0.4 0.1 8.1 0.3 0.8 1.3 2.9	1.6 0.1 0.4 2.1 0.4 0.1 0.2 3.5	176 177 178 179 180 181 185 186
2. 4 1. 2 0. 6 0. 6	2.4 1.2 0.5 0.7	5.2 2.3 2.0 1.0	2.9 2.2 0.1 0.6	3.8 1.7 1.1 1.0	2.2 1.5 0.2 0.5	13.4 5.6 6.7 1.1	5.5 4.8 0.7	3.2 1.2 0.5 1.5	1.9 0.4 0.8 0.8	2.8 1.3 0.5 1.0	2.3 1.1 0.5 0.7	4.5 2.7 0.3 1.5	3.6 2.0 0.2 1.5	16.5 9.2 3.7 3.6	5. 2 3. 5 0. 7 1. 1	182 183 184
18.9	26.9	21.0	35.0	18.7	21.1	34.5	87.8	7.3	7.9	9.6	16.5	1.6	21.1	5.2	32.6	_1
5.3 13.6 10.7 3.0	2.8 1.9 22.3 10.9 11.4	1.0 0.3 19.7 18.9 0.8	0.3 1.6 33.1 17.6 15.6	0.8 0.4 17.5 17.0 0.6	0.4 1.1 19.7 11.6 8.0	32.3 30.1 2.2	3.5 84.4 40.1 44.3	0.1 0.5 6.6 5.7 0.9	0.3 0.6 7.0 6.2 0.8	2.1 0.5 7.1 6.4 0.6	3.1 0.8 12.5 6.8 5.7	0.1 1.5 0.6 0.9	0.8 1.3 18.9 5.0 13.9	0.9 0.2 4.1 2.0 2.0	2.1 1.8 28.8 8.7 20.0	187 188 189

#### TABLE IV.—DEATH RATES PER 100,000 POPULATION IN CITIES AND RURAL DISTRICTS

[The term "cities" as here used is restricted to municipalities having 10,000 or

_				,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,		DE	ATH RAT	E PER 10	00,000 PO	PULATION	ī.				
t No.		MONT	ANA.	NE HAMPS		NE JERS		NEW .	YORK.		, 1	NORTH CA	ROLINA.	1	
nt. Lis	CAUSE OF DEATH.									To	tal.	Wh	ite.	Colo	red.
Detailed Int. List No.		Cities.	Rural dis- tricts.	Cities.	Rural dis- tricts.	Cities.	Rural dis- tricts.	Cities.	Rural dis- tricts.	Cities.	Rural dis- tricts.2	Cities.	Rural dis- tricts.2	Cities.	Rural dis- tricts. <sup>2</sup>
	All causes 2,	1,449.8	872.8	1,783.0	1,655.0	1, 516. 4	1,373.2	1,545.6	1,578.9	2, 083. 8	1,653.2	1,651.0	1, 320. 4	2,779.1	2,329.8
	I.—General diseases	403.4	209.0	379.7	377.5	395.4	358.1	422.7	376.8	735. 0	563.7	630. 2	432.2	903.5	831.2
1 2	Typhoid fever Typhus fever	28.6	17.5	15.8	13.7	12.0	11.8	14.4	13.1	64.2	74.1	67.7	66.9	58.6	88.8
3 4 5	Typhus fever Relapsing fever. Malaria. Smallpox.					1.1	0.8 0.1	0.6 0.1	0.9	20.5 1.9	25. 2 0. 5	15. 6 3. 1	16.4	28.4	43.0 1.4
6	Measles.	9.9 15.8	13. 4 7. 2	9.0 2.3	9. 4 4. 7	11.9 9.4	8.6 6.5	11.5 14.6	7.6 6.6	12.8 1.9	17.4 2.3	13.5 2.1	15.0 3.4	11.7 1.7	22.2
8 9 10	Scarlet fever. Whooping cough Diphtheria and croup. Influenza	15.8 5.9 3.9	3.8 8.3 3.8	15.3 21.5 15.3	10. 2 11. 7 34. 4	14.3 22.6 8.5	9.3 20.0 16.3	8.6 25.2 8.6	7.8 8.2 31.9	62.3 11.6 32.7	34.8 9.6 18.3	26. 0 11. 5 29. 2	19.1 10.2 17.1	120. 5 11. 7 38. 5	66.6 8.3 20.8
11 12	Miliary fever									ļ. <b>.</b>				<b></b>	
13 14 15	Cholera nostras.  Dysentery Plague.	2.0	0.3 3.4	0.6 5.6	1.2 5.9	0.5 3.3	0.3 5.3	0.3 2.1	1.1 5.1	0.6 27.6	0.9 23.3	1.0 30.2	0.7 19.1	23.4	1.4 31.9
16 17	Yellow feverLeprosy							74							
18 19	Erysipelas. Other epidemic diseases.	6.9 2.0	1.7 2.1	4.0	2.3 0.4	5.6 0.3	3.1 0.2	5.9 0.3	4.0 0.1	2.6	2.7 0.5	3.1	2.7	1.7	2.8 1.4
20 21 22	Purulent infection and septicemia	l	1.0	5.1	5. 5 0. 4	2.1	1.2	2.4 0.1	2.7	5.8	3. 7 0. 5	2.1	2.7 0.7	11.7	5.6
23	Rabies				0.4	0.5	0.4	0.2	(4) 0.1						
24 25 26 27	Tetanus. Mycoses Pellagra Beriberi			1.7	1.6	2. 1 0. 1	1.7 0.1	1.1 (4) (4) (4)	1.5 (4) (4)	10.3 67.4	8. 2 32. 9	70.8	0.7 30.7	21.8 61.9	37.5
28 29 30 31 32 33 34 35	Tuberculosis (total).  Tuberculosis of the lungs. Acute miliary tuberculosis. Tuberculous meningitis. Abdominal tuberculosis Potr's disease. White swellings Tuberculosis of other organs. Disseminated tuberculosis.	156.8 125.3 5.9 7.9 8.9 3.9	89.7 76.0 1.4 4.1 2.8 0.3	137.3 108.5 7.3 10.7 4.5 2.3 0.6 1.7	110.6 93.8 3.1 3.9 3.9 2.0 0.8 2.0 1.2	181.6 145.7 10.8 12.6 6.3 1.6 1.2 2.0 1.5	160. 4 135. 4 6. 7 8. 9 4. 8 1. 1 0. 6 1. 5	190.3 157.9 7.4 15.5 4.1 1.7 0.9 1.9 0.9	140.1 118.7 5.1 4.5 5.7 1.3 0.8 1.8 2.3	308.1 269.0 9.0 10.9 11.6 0.6 1.3 3.9 1.9	220. 1 187. 1 7. 8 5. 0 13. 7 2. 7	245.8 215.6 8.3 10.4 8.3 1.0 2.1	142.7 120.8 2.7 4.1 12.3 1.4	408. 2 354. 7 10. 0 11. 7 16. 7 1. 7 1. 7 6. 7 5. 0	377.4 321.9 18.0 6.9 16.7 5.6 
36 37 38	Rickets Syphilis. Gonococcus infection	1.0 9.9	0.7 2.1 0.3	1.1 1.7	0.8 3.1	1.1 4.5 0.6	1.3 4.2	1.0 8.5 0.4	0.5 3.0 0.2	0.6 15.4 1.3	1.4 10.5 0.9	9.4	0.7 3.4	1.7 25.1 3.3	2.8 25.0 2.8
39 40 41 42 43 44 45	Cancer and other malignant tumors (total). Of the buccal cavity Of the stomach, liver. Of the peritoneum, intestines, rectum. Of the female genital organs. Of the breast. Of the skin. Of other organs or of organs not specified.	75. 9 3. 0 30. 6 15. 8 6. 9 7. 9	27.5 1.7 13.4 1.7 2.8 2.1 1.4 4.5	84. 2 2. 8 27. 7 11. 9 12. 4 12. 4 3. 4 13. 6	105.5 3.9 36.3 18.8 17.2 9.0 5.9 14.5	74.4 2.1 28.2 11.0 12.7 7.2 1.6 11.6	75.0 3.2 32.2 10.2 8.9 8.7 2.6 9.2	83.8 2.8 32.4 12.7 12.6 7.9 1.6 13.8	93. 9 4. 5 35. 9 12. 7 13. 6 10. 9 4. 8 11. 5	55. 9 2. 6 16. 7 8. 3 12. 8 5. 1 2. 6 7. 7	54.0 3.7 14.6 3.7 14.2 6.9 0.9 10.1	64.6 3.1 20.8 11.5 11.5 5.2 3.1 9.4	56.0 4.8 15.7 4.1 12.3 6.1 1.4 11.6	41.8 1.7 10.0 3.3 15.1 5.0 1.7 5.0	50.0 1.4 12.5 2.8 18.0 8.3
46	Other tumors (tumors of the female genital organs excepted).		0.3	0.6	1.6	0.2	0.9	0.6	1.1	2.6	0.5	1.0	0.7	5.0	
47 48	Acute articular rheumatism Chronic rheumatism and gout	5. 9 2. 0	5. 2 1. 0	5. 1 2. 8	5. 9 1. 2	8.6 0.8	7.1 1.7	6.4 1.0	6.5 2.2	9.0	6.9 0.5	8.3	4.1	10.0	12.5 1.4
49 50	Scurvy	20.7	6.9	24.3	23.1	0.2 13.7	0. 1 12. 4	0.1 18.9	(4) 19. 5	5.1	6.4	4.2	9.6	6.7	
51 52 53 54 55	Exophthalmic goiter Addison's disease. Leukemia Anemia, chlorosis. Other general diseases	2.0 3.9 4.9	0.7 0.3 0.7 2.1	2.3 0.6 1.1 15.3 2.8	1.2 0.4 3.1 12.9 1.2	0.8 0.3 1.4 3.8 2.2	0.3 0.2 1.0 2.4 1.2	1.2 0.5 2.2 3.7 1.7	1.5 0.6 1.5 7.4 1.7	0.6 0.6 0.6 3.2 5.1	0.5 0.5 0.5 1.8 2.3	1.0 1.0 3.1 7.3	0.7 0.7 0.7 2.7 2.0	1.7 3.3 1.7	2.8
56 57 58	Alcoholism (acute or chronic)	18.7	7. 2 0. 3	4.0	5.1 0.4	6. 1 0. 4 0. 1	4.0 0.1	5.8 0.3 0.1	5.3 0.1	3.2 0.6	1.8	3.1 1.0	2.0	3.3	1.4
59	Other chronic poisonings	7.9 87.8	1.4 68.8	206.8	216. 5	0.3 134.4	0. 1 182. 2	0.3	0. 7 213. 5	0.6 154.7	0. 5 150. 5	1.0	0.7 137.2	170.7	177.6
60 61	Encephalitis Meningitis (total) Simple meningitis. Cerebrospinal meningitis (undefined) Cerebrospinal fever.	1. 0 15. 8 6. 9 8. 9	1.0 5.5 2.4 2.1 1.0	4.0 27.7 20.9 6.8	2.3 17.6 12.5 5.1	1. 4 16. 9 10. 4 5. 1 1. 4	1.3 8.3 5.9 2.3 0.1	0.6 10.8 5.7 4.5 0.6	1.3 11.3 8.0 3.0 0.3	5.8	2. 3 20. 6 8. 7 9. 2 2. 7	2.1 15.6 9.4 5.2 1.0	2.7 22.5 8.2 10.9 3.4	21.8 13.4 6.7 1.7	1.4 16.7 9.7 5.6 1.4

Includes only municipalities having a population of 1,000 or over in 1900.
 Includes only municipalities having a population of 1,000 or over in 1900, and less than 10,000 in 1910.

OF EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES: 1911—Continued.

more inhabitants in 1910, smaller places being included with the "rural districts."]

			,		DEATH R.	ATE PER 100	0,000 POPUL	ATION.					
он	to.	PENNSYI	WANIA	RHODE	ISLAND.	UT.	AH.	VERM	iont.	WASHI	ngton.	Wisco	ONSIN.
Cities.	Rural districts.	Cities.	Rural districts.	Citîes.	Rural districts.	Cities.	Rural districts.	Cities.	Rural districts.	Cities.	Rural districts.	Cities.	Rural districts.
1,411.7	1,223.2	1,548.5	1,304.5	1,564.1	1,509.7	1,181.8	955. 5	1,786.8	1,554.0	978.3	815.8	1,268.5	1,085.5
409.8	344.6	397.7	308.4	421.0	366. 5	324.4	191.6	452.7	361.6	286.1	211.4	346.3	286. 0
22.8	22.7	23.8	20.2	10.6	4.7	22.6	17.6	19.8	. 11. 2	. 19.7	17.1	20.5	9.5
0.8 0.1	1.0	0.4 0.1	0.5 (4)	0.7	2.8	1.6	2.7	2.2	1.3	0.5 0.4	0.2	0.3	0.2 0.1
5.6 16.4 12.5 19.5 14.0	7.2 5.2 10.5 11.3 28.4	12.6 11.3 10.2 30.1 11.2	8.1 7.9 15.1 24.0 17.9	2.9 9.3 21.1 26.2 8.6	9.3 14.9 24.2 23.3 13.1	21.8 22.6 7.3 23.5 7.3	5.7 10.7 6.5 21.4 6.1	8.8 2.2 8.8 15.4 22.0	10.9 1.3 7.4 5.4 47.1	5.2 5.4 7.7 7.7 7.9	5.9 3.9 4.1 9.2 10.0	10. 2 12. 0 7. 7 20. 2 8. 0	11.0 8.1 9.3 10.3 15.3
0.4 3.1	0.5 6.4	0.6 2.5	1.1 4.5	0.7 4.7	1.9 4.7	1.6 3.2	0. 4 2. 7	4.4	0.3 3.2	0.2	0. 2. 2. 1	0.1 3.2	0.8 3.4
4.0 0.3	3.8 0.3	3.7 0.3	3.6 0.5	2.9 0.7	2.8	1.6	3.8 0.4	4.4	3.5 0.3	3.1	2.1 0.2	4.6 0.1	3.6 0.6
3.5	2.6	3.0	2.7	3.5	0.9	6.5	4.2	4.4	2.9	3.6	2.6	4.7	3.7
(4) 0:2	0.2	0.1 0.2	(4) 0.1						0.3				*********
2.5	·		1.5	1.6		1.6		2.2	1.6	0.2	0.3	0.3	1.3
	(4) 0.1	2.0 0.1 0.1	(4) (4)	1.6						0.2	••••••	2.3 0.3 0.3	0.2
171. 9 142. 8 5. 3 9. 4 7. 3 1. 3 0. 7 2. 9 2. 3	127.6 108.5 3.5 5.5 6.0 1.4 0.6 2.6 1.6	163.1 134.0 6.7 10.5 6.3 1.1 0.9 2.5	110.0 93.3 3.7 4.3 4.4 1.1 0.6 1.9 0.8	181.9 148.6 6.9 13.1 6.9 2.2 1.1 2.0	125. 0 98. 8 2. 8 14. 0 2. 8 2. 8	76.8 50.2 8.1 4.0 4.0 5.7 0.8 3.2 0.8	32.5 26.8 1.5 0.4 2.7 1.1	182. 4 151. 6 6. 6 11. 0 6. 6 2. 2 2. 2 2. 2	109.3 83.7 4.5 8.3 4.8 1.3 1.3 1.9	121. 0 89. 4 1. 8 14. 2 8. 3 2. 2 0. 5 3. 6 1. 1	94.5 76.5 2.0 6.5 4.5 0.8 0.5 2.6	118.0 97.2 2.6 7.3 5.6 0.5 0.6 2.3 1.9	96.7 78.3 3.8 4.5 4.1 1.1 0.6 2.0 2.3
0.6 11.1 0.4	0.6 4.4 0.2	1.3 6.2 0.3	0.5 3.1 0.2	1.3 8.6 0.9	0.9 3.7	0.8 8.9 0.8	0.8 0.4 0.4	8.8	1.3 2.6 0.6	0.5 5.0 0.4	0.3 1.8	1.5 4.2 0.1	0.6 1.5 0.1
79.7 2.8 31.3 10.4 15.1 7.4 1.6 11.1	73.6 3.0 30.6 8.4 8.2 8.1 4.5	76.1 2.5 29.1 10.7 13.9 6.5 1.7 11.6	57.5 2.4 25.0 6.8 7.6 5.8 7.0	87.6 4.7 29.5 12.6 15.5 10.2 3.3	89. 5 1. 9 35. 4 7. 5 20. 5 7. 5 1. 9	5.7	42.1 23.3 23.3 4.6 2.7 2.7 1.5	107.7 6.6 35.2 13.2 6.6 17.6 2.2 26.4	100.0 5.4 36.5 13.1 16.3 9.6 4.5	62.3 1.8 28.4 7.2 9.5 4.1 1.3	32.5 1.2 13.3 3.9 3.8 3.6 1.4	82.7 1.8 40.1 11.9 9.6 5.5 1.3 12.6	70.7 2.2 37.2 8.5 4.4 5.1 2.6 10.7
0.3	0.8	0.6	0.4	0.4			0.8		1.6	0.9	0.2	0.6	0.8
6.1 1.0	5.0 1.8	6.4 1.3	5.5	4.2 2.2	6.5	12.1 0.8	7.6 1.5	13.2	5.4 1.0	5.6 0.4	3.3 0.5	7.8 1.0	6.9 1.7
(4) 14.3	14.5	0.3 16.1	10.6	21.7	20.5	9.7	11.9	2.2 19.8	20.2	11.7	8.8	0.3 16.5	13.5
2.3 0.4 2.0 4.6 1.5	2.3 0.4 1.6 4.0 2.1	0.9 0.4 1.8 4.4 1.6	0.9 0.2 0.9 4.0 1.9	0.2 0.7 0.4 6.0 2.9	0.9 3.7	2.4 0.8 0.8 5.7 2.4	0.8 1.1 2.3 2.3	2.2 11.0 2.2	2.6 0.3 2.2 9.3 2.6	·1.1 0.5 2.7 2.9 1.1	0.5 0.2 1.2 2.9 1.4	2.8 0.4 1.7 5.4 2.8	2.0 0.3 2.0 6.0 2.2
6.9 0.3	3.1 0.2	4.2 0.3	2.9 0.2	6.9	12.1	6.5	4.6	6.6	4.5 0.3	7.2 0.2	5.6	6.0	3.4 0.2
0.8	(4) 0.5	(4) 0.2	0.2		0.9	1.6	0.4		1.0	1.1	0.2	0.4	0.2
135.0	153.2	130.5	151.1	153.0	158.5	97.1	73.8	186.8	193.9	81.1	85.0	127.5	124.9
0.9 11.4 6.8 2.9 1.7	1.3 8.5 4.4 3.4 0.8	1.6 9.0 7.5 1.1 0.4	7.2	1.6 14.0 8.2 5.1 0.7	9.3 8.4 0.9	2.4 11.3 8.1 1.6 1.6	5.0	8.8 2.2 6.6	1.0 8.3 6.1 2.2	0.9 . 5.0 2.2 2.7 0.2	0.2 3.9 1.1 2.6 0.3	1.5 16.3 12.4 3.8 0.1	1.4 11.9 9.1 2.7 0.1

<sup>&</sup>lt;sup>3</sup> Exclusive of stillbirths.

Less than one-tenth of 1 per 100,000 population.

# TABLE IV.—DEATH RATES PER 100,000 POPULATION IN CITIES AND RURAL DISTRICTS

[The term "cities" as here used is restricted to muicipalities having 10,000 or

=		1				r	EATH RA			OPULATIO		<del></del>			
ist No.		MON	TANA.		EW PSHIRE.		EW RSEY.	NEW	YORK.	-	1	NORTH CA	ROLINA.	 1	
Int. L	CAUSE OF DEATH.		Rural		Rural		Bernal		, , , , , , , , , , , , , , , , , , ,	#	otal.	w	hite.	Col	ored.
Detailed Int. List No.		Cities.	dis- triets.	Cities.	dis- tricts.	Cities.	Rural dis- tricts.	Cities.	Rural dis- tricts.	Cities.	Rural dis- tricts.2	Cities.	Rural dis- tricts.2	Cities.	Rural dis- tricts.2
	II.—Diseases of the nervous system and of the organs of special sense—Continued.														
62 63 64	Locomotor ataxia.  Other diseases of the spinal cord (total)  Acute anterior poliomyelitis.  Other diseases of the spinal cord accepted the cord accepted hemorrhage, apoplexy.		0.7 3.4 1.7 1.7 27.5	3.4 7.3 2.3 5.1 93.8	6.3 8.6 2.7 5.9 129.0	2.6 6.3 1.8 4.5 75.5	3.5 7.4 1.6 5.8 106.9	2.7 6.0 1.9 4.2 68.6	3.3 8.3 1.5 6.8 132.7	0.6 9.0 3.9 5.1 70.0	2.3 7.8 4.1 3.7 67.7	11.5 5.2 6.2 62.5	2.0 8.2 4.1 4.1 60.1	1.7 5.0 1.7 3.3 82.0	2.8 6.9 4.2 2.8 83.3
65 66 67 68	Softening of the brain. Paralysis without specified cause General paralysis of the insane. Other forms of mental alienation.	3.9 2.0	0.3 5.5 9.3 3.4	1.7 27.1 11.3 3.4	4.3 23.8 4.7 2.3	0.9 6.2 3.9 0.9	3.5 17.4 10.8 6.0	0.7 3.8 5.7 1.2	3.4 15.3 17.4 2.5	3.9 24.4 7.1 5.8	1.8 24.7 2.7 2.3	4.2 16.7 10.4 8.3	2.7 17.1 4.1 0.7	3.3 36.8 1.7 1.7	40.2
69 70 71 72	Epilepsy Convulsions (nonpuerperal) Convulsions of infants Chorea	1.0 3.0	4.8 0.3 2.8 0.3	7.3 1.1 11.3 0.6	3.9 7.0	2.7 0.1 10.9 0.5	5.7 6.5	2.8 (4) 6.9 0.1	7.3 0.2 4.8 0.2	3.2 0.6 4.5	4.1 1.4 3.7	1.0	4.1 0.7 3.4	1.7 1.7 10.0	4.2 2.8 4.2
73 74 75 76	Neuralgia and neuritis. Other diseases of the nervous system. Diseases of the eyes and their annexa. Diseases of the ears.	1.0 3.0 4.9	2.4	0.6 3.4 2.8	1.6 3.9 1.2	0.8 3.0 1.8	0.1 4.0 0.8	0.8 3.2 0.1 2.4	1.1 3.5 (4) 0.9	0.6 5.1 0.6	0.5 5.5 3.2	1.0 6.2	6.1	3.3	1.4 4.2
	III.—Diseases of the circulatory system.	159.8	93.8	246.9	272.4	180.2	190.2	203.5	278.5	214.4	126.3	161.5	99.0	299.5	181.8
77 78 79 80 81	Pericarditis. Acute endocarditis. Organic diseases of the heart. Angina pectoris. Diseases of the arteries, atheroma, aneurism, etc.	2.0 16.8 120.3 4.9 10.8	0.7 6.2 67.0 2.4 11.3	1.7 7.3 189.3 9.0 31.6	1. 2 4. 7 202. 4 14. 1 40. 6	1.2 13.0 139.6 4.6 16.3	0.6 6.9 150.0 7.1 19.6	0.9 13.4 151.0 5.9 27.2	1.4 4.4 209.7 14.0 41.8	3. 2 5. 8 168. 2 10. 9 20. 5	1, 4 113. 0 1, 4 6. 9	2.1 7.3 111.5 10.4 22.9	0.7 86.0 1.4 6.8	5.0 3.3 259.3 11.7 16.7	2.8 167.9 1.4 6.9
82 83 84 85	Embolism and thrombosis.  Diseases of the veins (varices, hemorrhoids, phlebitis, etc.).  Diseases of the lymphatic system (lymphangitis, etc.).  Hemorrhage; other diseases of the circula-	3.0	1.7 0.3 1.0 3.1	7.3 0.6	6.6	3.5 0.8 0.6	4.4 0.4 0.3	3.3 0.7 0.8	5.1 0.8 0.5	3.9 0.6	2.7 0.5	5. 2 1. 0	3.4	1.7	1.4 1.4
,	tory system.  IV.—Diseases of the respiratory system.	155.8	94.5	218. 1	2.0 191.5	205.2	0.8	0.4 228.1	0.8	1.3	0.5 157.9	1.0	98.3	1.7 378.1	278.9
86 87 88 89 90	Diseases of the nasal fosses.  Diseases of the larynx Diseases of the thyroid body. Acute bronchitis.  Chronic bronchitis	1.0 3.0 5.9	0.7 4.5 3.1	2.3 0.6 25.4 11.3	2.3 0.4 13.7 19.1	0.2 1.5 0.4 11.5 7.9	0.2 1.7 8.5 8.0	0.1 0.8 0.3 15.1	(4) 1.6 0.3 13.6	1.9	1.4	2.1	0.7 1.4	1.7	2.8 2.8 19.4
91 92 93	Bronchopneumonia. Pneumonia (total). Lobar pneumonia. Pneumonia (undefined). Pleurisy.	38.5 89.7 63.1 26.6 4.9	18.9 58.1 21.7 36.4 1.4	42.9 111.9 20.9 91.0	21.1 118.0 11.3 106.7	59.5 109.1 55.5 53.6	29.1 90.9 38.7 52.2	7.1 82.6 110.3 88.6 21.7	39.1 93.8 43.2 50.7	14.8 45.6 134.8 71.9 62.9	6.9 30.2 99.3 47.1 52.2	34.4 62.5 34.4 28.1	6.1 15.0 61.4 26.6 34.8	20.1 63.6 251.0 132.2 118.8	8.3 61.1 176.2 88.8 87.4
94 95	Pulmonary congestion, pulmonary apo-	3.9	4.8	10.2	9.0	5.2	6.9	2.8	5.2	2.6 6.4	1.8 2.7	8.3	2.7	3.3	4.2
96 97 98	Gangrene of the lung	3.9	1.0 2.1	2.8	2.0 0.8 2.3	0.5 2.5 0.2 2.0	0.1 1.9 0.1 2.8	0.4 1.7 0.3 1.3	0.2 1.6 0.3 1.1	3. 2	2.3 0.9 1.8	1.0	1.4 1.4 2.7	6.7	4.2
99	V.—Diseases of the digestive system  Diseases of the mouth and annexa	191.3	80.1	254.8	141.1	194.0	140.5	177.8	139.1	282.5	259.4	235.4	241.7	358.1	295.6
100 101 102	Diseases of the pharynx Diseases of the esophagus Ulcer of the stomach Other diseases of the stomach (cancer excepted).	3.0 1.0 6.9 6.9	3.1 5.5	1.1 1.1 4.5 18.6	2.3 0.4 2.7 24.2	1.2 0.1 3.5 11.2	1.3 0.1 2.6 14.7	0.5 1.3 0.2 4.1 6.8	0.6 1.6 0.4 3.9 19.6	1.9 3.9 2.6 32.1	0.9 1.4 0.9 25.2	1.0 5.2 2.1 16.7	0.7 0.7 1.4 23.2	3.3 1.7 3.3 56.9	29.1
106	Diarrhea and enteritis (under 2 years) Diarrhea and enteritis (2 years and over) Ankylostomiasis. Intestinal parasites Appendicitis and typhlitis.	53.3 12.8	30.3	146.3 14.1	48.8 12.9	114.0 12.3 0.1	73.6 13.7	94. 4 12. 3 (4) 13. 6	44.3 18.3	149.6 25.0 0.6	150.5 27.9 0.9	118.7 26.0	138.6 22.5 1.4	199.1 23.4 1.7	174.8 38.9
109	Hernia, intestinal obstruction (total)  Hernia Intestinal obstruction Other diseases of the intestines	18.7 3.0 15.8 5.9	7.9 3.4 4.5 1.4	16.4 15.3 5.6 9.6	7.0 11.7 4.7 7.0	11. 2 10. 4 5. 7 4. 7	7.4 3.6 3.8	12.8 5.4 7.4	6.8 12.1 3.4 8.8	21. 2 13. 5 6. 4 7. 1	13.3 8.7 2.3 6.4	25.0 14.6 6.2 8.3	17.8 6.8 0.7 6.1	15.1 11.7 6.7 5.0	4.2 12.5 5.6 6.9
111 112	Acute yellow atrophy of the liver. Hydatid tumor of the liver. Cirrhosis of the liver. Biliary calculi.	1.0 16.8 3.9	9.3	4.5 1.1 9.0 1.1	1.6 1.2 13.7 2.7	3.0 0.5 0.1 17.3 2.2	2.9 0.4 0.1 11.2 1.9	2.5 0.3 0.1 19.3 2.9	2.4 0.5 (1) 14.2 2.0	5.1 1.3 6.4 1.3	9.6	3.1 1.0 7.3 2.1	3.4 6.8 4.1	8.4 1.7 5.0	15.3

<sup>&</sup>lt;sup>1</sup> Includes only municipalities having a population of 1,000 or over in 1900.
<sup>2</sup> Includes only municipalities having a population of 1,000 or over in 1900, and less than 10,000 in 1910.

OF EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES: 1911—Continued.

more inhabitants in 1910, smaller places being included with the "rural districts."]

			÷		DEATH R	ATE PER 10	0,000 POPUL	ATION.						T
033	10.	PENNSY	LVANIA.	*RHODE	ISLAND.	ψx	Ан.	VER	MONT.	WASHI	ngton.	Wisco	onsin.	st No.
Cities.	Rural districts.	Cities.	Rural districts.	Cities.	Rural districts.	Cities.	Rural districts.	Cities.	Rural districts.	Cities.	Rural districts.	Cities.	Rural districts.	Detailed Int. List No.
3.1 8.4 3.4 5.0 77.0	2.8 10.2 2.3 7.8 94.6	2.5 5.4 0.9 4.5 73.9	2.3 5.5 1.4 4.1 81.8	3.3 7.5 2.4 5.1 89.6	6.5 2.8 3.7 117.5	1.6 3.2 3.2 51.0	4.6 1.1 3.4 31.0	6.6 8.8 4.4 4.4 134.1	1.9 13.5 2.9 10.6 128.5	2.3 4.7 1.6 3.1 52.6	1.7 3.3 1.5 1.8 47.2	1.8 5.4 1.3 4.1 58.7	1.9 5.8 1.3 4.5 58.4	
1.4 4.2 11.0 3.3	3.5 9.8 5.5 1.8	1.5 7.0 5.8 1.7	1.8 13.4 6.7 3.3	0.7 5.5 11.5 1.3	0.9 6.5 3.7 0.9	8.1 1.6 1.6	5.4 3.8 3.1	4.4 2.2 2.2	3.2 7.1 6.7	3.4 1.3 0.9	6.8 8.2 4.4	0.9 8.2 2.4 1.4	1.0 11.3 4.3 3.7	65 66 67 68
2.5 0.1 3.8	5.9 0.1 2.6	2.6 0.3 11.3	4.4 0.6 15.6	2.9 0.2 7.8	1.9 0.9 4.7	3.2	2.7 0.8 6.1	6.6	6.4 5.4 4.2 0.3	1.1 2.9 0.2	3.0 0.5 2.0	2.0 0.4 22.5 0.3	4.7 0.7 13.5	69 70 71
0.3 0.6 4.5	0.2 1.1 3.6	0.2 0.7 4.2	0.3 0.5 3.0	0.2 0.7 5.1	0.9 2.8	0.8 0.8 5.7	0.8 0.8 2.3	2.2	0.3 1.9 3.2	0.7 2.3	0.2 0.5 1.4	0.3 0.5 3.3	0.1 0.5 4.4	ŧ
0.1 2.4 185.7	0.1 1.6 193.2	4.2 0.3 2.5 186.9	(4) 1.5 146.6	1. i 212, 5	1.9 208.9	3. 2 127. 8	- 0.4 1.9 91.0	2. 2 2. 2 2. 2 259. 3	2.2	0.2 2.7 111.6	2.0 91.7	1.9 142.3	1.3 147.3	76
1. 4 9. 5 138. 3 7. 1 24. 7	1. 5 2. 2 152. 3 9. 1 23. 4	1.3 9.2 142.9 6.2 21.6	1.1 3.5 116.3 7.9 14.4	2.0 10.0 157.3 6.2 31.1	1.9 5.6 161.3 7.5 28.9	6.5 98.7 8.1 11.3	5.4 75.3 4.2 4.2	2, 2 4, 4 193, 4 19, 8 30, 8	1.9 4.5 214.4 21.2 46.8	0. 4 3. 1 92. 4 3. 4 10. 1	0.8 2.7 74.7 5.3 6.4	1.0 7.9 102.7 4.2 20.3	1.1 3.6 114.5 4.6 19.7	77 78 79 80 81
2.9 0.6	2.9 0.7	4.0 0.8	2.0 0.3	4.7 0.2	2,8	0.8	0.8 0.4	8.8	4.2	1.3 0.4	1.1 0.2	4.3 0.5	2.5 0.5	82
0.7 0.5	0.2 0.8	0.5 0.5	0.4 0.7	0.7 0.4	0.9	1.6 0.8	0.4 0.4		0.3	0.5 0.2	0,6	0.8 0.5	0,3 0.4	
146.5	118.2	206.5	158.5	193.0	198.6	140.7	148.0	151.6	173.1	85.8	73. 4	132.3	112.9	
0.1 0.9 0.3 14.3 10.5	0.3 1.1 0.4 6.7 7.6	0.2 1.6 0.4 16.4 8.8	0.5 2.7 0.5 10.8	0.2 1.8 0.2 15.7 11.1	0.9 1.9 0.9 24.2 6.5	0.8 0.8 5.7 7.3	0.4 2.7 0.4 16.4 4.6	2.2 19.8 2.2	17.0 12.8	0.7 0.7 1.1 3.1 2.5	0.8 0.6 3.6 4.1	0.1 1.0 0.4 11.4 10.7	0.1 1.7 0.4 8.2 8.8	86 87 88 89
45. 4 66. 7 59. 0 7. 7 3. 0	37.3 55.9 45.6 10.3 1.7	65. 0 95. 6 56. 0 39. 6 - 5. 7	41.8 79.3 28.2 51.1 3.0	43.0 108.2 47.9 60.3 2.9	44.8 111.0 27.0 83.9 1.9	29.9 79.3 55.8 23.5 8.1	26. 8 84. 5 18. 7 65. 8 3. 8	17.6 90.1 17.6 72.5 2.2	33.3 98.7 26.0 72.8 3.2	25.7 46.5 45.9 0.5 2.5	22.8 35.7 33.0 2.7 1.8	24.2 70.8 17.1 53.7 3.2	18.0 63.1 18.1 45.0 2.8	1
1.4	2.7	6.5	5.5 0.2	4.0	5.6	2.4 0.8	1.1	6.6 2.2	1.9	0.7 0.4	1.2	3.8 0.9	4.7	1
0.2 1.8 0.5 1.3	0.2 2.5 0.4 1.3	0.3 3.2 0.2 2.6	0.2 3.9 0.3 3.2	2.9 0.7 2.2	0.9	3.2 0.8 1.6	1.1 6.1	2. 2 4. 4 2. 2 2. 2	2.6 0.3 3.2	0. 9 0. 4 0. 7	2.3 0.2 0.3	2.6 0.4 2.8	0.3 2.7 0.3 1.8	97
174.4	121.4	217, 9	171.5	175.9	169.7	137.5	94.1	294. 5	145. 5	100.1	72.4	180.6	107. 5	
0.9 1.8 0.2 4.9 12.8	0.5 2.1 0.3 2.8 15.1	0.7 1.5 0.2 4.0 18.6	0.8 1.5 0.3 2.1 22.7	0.4 0.9 4.2 12.0	1.9 3.7 22.4	1.6 1.6 3.2 6.5	1.5 2.7 9.6	2.2 6.6 17.6	0.6 0.3 4.5 17.0	2. 2 3. 6 5. 7	0.3 1.2 0.2 2.1 7.0	0.8 1.8 0.1 3.2 15.7	0.2 1.9 0.1 1.9 11.2	1100
81. 2 11. 8	41.7 12.3	118.4 15.0	91.1 13.3	87, 2 12, 2	93. 2 9. 3	46.1 8.1	33.3 6.1	153.8 2.2	48. 4 18. 6	28. 4 9. 5	23. 0 7. 4	79. 4 9. 7	37.3 10.3	104 105
0.1 14.2	0. 4 6. 4	0.1 13.2	0.2 4.7	14.9	5.6	23.5	13.0	63.7	12.8	16.5	9.4	0.1 20.9		106 107
12.0 4.2 7.8 3.0	9.5 2.6 6.9 2.9	13.5 5.0 8.5 3.0	8.6 2.3 6.3 2.5	14.0 6.4 7.5 2.9	5.6 5.6 1.9	15. 4 3. 2 12. 1 4. 0	13.0 1.5 11.5 1.1	11.0 2.2 8.8 4.4	14.7 5.8 9.0 4.8	10.1 2.9 7.2 5.2	8.6 2.3 6.4 2.1	15.6 5.1 10.5 2.2		109
0.8 (4) 16.8 4.4	0.8 13.3 3.7	(4) 16.6 3.5	. 0.7 11.0 1.9	0.2 0.2 14.6 3.3	1.9 15.9 1.9	9. 7 2. 4	3.4 1.1	13.2 13.2	1.0 11.2 2.6	0.2 7.7 4.3	0.2 4.5 0.8	0.5 0.1 15.6 3.7	0.4 10.8 1.9	111 112 113

<sup>&</sup>lt;sup>8</sup> Exclusive of acute anterior poliomyelitis (infantile paralysis).

<sup>4</sup> Less than one-tenth of 1 per 100,000 population.

#### TABLE IV.—DEATH RATES PER 100,000 POPULATION IN CITIES AND RURAL DISTRICTS

[The term "cities" as here used is restricted to municipalities having 10,000 or

AROLINA.  Rural districts.  8.9 10.  4.1 16. 1.4	0.0 5.6
Rural districts.2 Cities 1.4 1.1 16.	ies. Rural districts.2
Rural districts. <sup>2</sup> Cities 8.9 10.	ies. Rural districts.2
8.9 10. 4.1 16. 1.4	ies. districts.2
4.1 1.4	
4.1 1.4	
82.6 202.	
	2.4 117.9
4.8 23. 62.1 132.	3.4 6.9 32.2 90.2
1.4 3.	1.7 3.3 1.4
0.7 1.	1.7 2.8 1.7 1.4 3.3 2.8
1.4 3.	3.3 6.9
1.4 5.	5.0 2.8 1.7 1.4 5.1
21.8 40.	0.2 38.9
1.4	6.7 2.8 2.8 1.7 8.3
4.8 20.	20.1 13.9
8.9	11.1
0.5	
	6.7 4.2 5.0 1.4
	1.7
1.	1.7
1.	1.7
10.2 6.	6.7 5.6
0.7	6.7 5.6 1.4 5.0
4.8 1.	1.7 4.2
	—
1	13.5
3.4 15. 1.4 13.	1.9 51.3 5.1 25.0 3.4 5.6 1.7 19.4
1 1 4.	1.7 1.4
1 1	.0.0 40.2
	1.4 4.1 4.8 8.9 1 0.7 0.7 10.2 10.2 10.2 10.2 10.2 4.8 4.8 81.9 13 78.5 11 43.0 6 35.5 5 3.4 1.1,4 1.2,0

<sup>&</sup>lt;sup>1</sup> Includes only municipalities having a population of 1,000 or over in 1900. <sup>2</sup> Includes only municipalities having a population of 1,000 or over in 1900, and less than 10,000 in 1910.

OF EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES: 1911-Continued.

more inhabitants in 1910, smaller places being included with the "rural districts."]

٦			<del>i</del> _			DEATH R	ATE PER 100	,000 POPULA	TION.	<del></del>			<del></del>		Ť
-	ОН	10.	PENNSY	LVANIA.	RHODE	ISLAND.	UT.	АН	VERM	IONT.	_WASHI	ngton.	Wisco	ONSIN.	st No:
	Cities.	Rural districts.	Cities.	Rural districts.	Cities.	Rural 'districts.	Cíties.	Rural districts.	Cities.	Rural districts.	Cities.	Rural districts.	Cities.	Rural districts,	Detailed Int. List No.
	5.4 0.2 3.2 0.5	5.8 0.3 3.2 0.5	4.9 0.2 3.1 1.1	· 5.4 0.1 3.9 0.7	4.9 0.2 2.9 0.9	3.7 2.8	5.7 0.8 8.1 0.8	4.6 4.2 0.4	2.2 4.4	6.1 2.9	3.9 1.4 1.4	3.9 0.2 1.1 0.5	7.0 0.3 2.3 1.7	3.7 0.1 3.2 0.4	
	108.9	80.8	135.0	79.2 -	143.3	130.5	104.3	61.6	160.4	118.9	87.6	49.8	83.8	73.8	
-	14. 2 76. 0	6.9 59.8	13.1 104.9	7.6 60.4	9.3 115.8	10.3 110.0	8.1 72.0	6.1 44.0	13.2 103.3	7. 7 96. 5	2.3 - 68.9	0.8 40.5	7.3 60.5	5.1 57.4 2.3 0.2	119 120
ľ	1.7 0.7	1.7 0.6	2. 2 0. 6	1.6 0.3	2.9 0.9	1.9	· 1.6	1.5 0.8	, 6. 6	1.0 0.3	1.4 0.5	0.8 0.3	1.4 0.4		
	1.8 0.5 4.5 0.2	3.5 0.2 4.8 0.2	2.6 0.3 3.2 0.1	2.8 0.3 3.3 0.1	2.0 1.3 5.5	2, 8 0, 9 3, 7	7.3	3.1 0.8 1.1 0.4	2.2 8.8	4.5 0.6 4.5	1.6 0.5 3.4	2.4	2.4 0.1 4.1	3.8 0.2 3.3	124 125 126 127
	(8)	0.1	0.1	0.1	0.2				2,2			0.2			. 128
	2.3 1.1 1.4 4.3	0.7 0.7 0.6 0.8	2.0 1.2 1.5 3.2	0.5 0.5 0.7 1.0	0.7 0.9 1.8 2.0	0.9	6.5 3.2 2.4	1.1 1.9 0.8	2.2 2.2 4.4 15.4	1.0 1.0 1.3 0.6	1.4 2.7 0.7 3.9	0.5 0.8 0.5 1.1	1.3 2.9 1.3 2.2	0.2 0.7 0.4 0.3	129 130 131 132
ļ	(3)	(3)	0.1	(3)				· · · · · · · · · · · · · · · · · · ·							. 133
-	16.7 2.1	13.2	18.7	14.6	16.0	15.9	16.2	15.3	2.2	13.1	16.5 4.3	12.9	13.1	12.9	_1
	2.1 1.1 1.1 9.0	1.6 1.2 1.3 6.3	1.4 1.6 1.6 9.0	1.1 2.0 1.8 5.7	1.8 2.2 0.4 4.9	0.9 1.9 1.9 6.5	0.8 1.6 0.8 6.5	1, 9 0, 4 3, 4 4, 6	2.2 2.2 2.2 6.6	1.9 0.6 1.0 4.2	4.3 1.1 2.0 5.9	2.3 1.2 2.1 4.4	0.9 1.1 1.0 7.5	1.0 1.5 2.3 5.8	135 136 137
	3.1 0.3	2.6 0.2	4.6 0.4	3.6 0.3	6.2 0.4	4.7	4.0 1.6	3.4 1.5	4.4	4.5 0.6	3, 2	2.7 0.2	2.2 0.4	1.6 0.6	Ι.
	- 0.1	(³)	(3)	(3)			0.8			0.3				0.1	140 141
	4.8	5.5	5.2	6.8	3.8	1.9	3.2	2.7	6.6	4.5	3.6	2.4	4.2	4.8	
	2.2 0.6 0.8 1.2	3.5 0.5 0.3 1.1	2.7 0.7 1.1 0.7	3.9 0.5 1.1 1.3	0.9 0.2 1.8	1.9	2.4	1.9 0.4	4.4	3.5 0.3	0.9 0.7 0.5	0.9 0.6 0.6	1.4 0.6 0.5 1.7	2.8 0.3 0.7 1.0	142 143
	2.9	1.1	0.7 3.2	1.3	0.9 3.1	2.8	3.2	0.4	2.2	0.6 3.2	1.4 2.7	0.3 0.6	1.7	1. ó ö. 's	145
-		<u> </u>				·			4.4						
	2.7 0.1	(3) 0.9	2.9 0.3	1.1 0.1	1.8 1.1	1.9	3.2	1.5	2.2	2.6 0.6	2.7	0.6	2.3	0.8	147
	(3)	0.2	0.1	0.1	0.2	0.9			2.2						148 149
-	15.5	15.3	15.6	18.6	15.3 15.3	18.6	8.1	16.8	11.0	16.3 16.3	9.7	10.1	9.4	9.9	150
	15.5 1.1	15.3	1.3	1.5	1.3	0.9		0.4		0.6	0.5	0.9	9.4	9.9	150
	8.6 5.8	9.6 4.6	10.5 3.8	11.9 5.1	8. 6 5. 3	10.3	6.5 1.6	11.1 5.4	6.6	10.6 5.1	7.4	6.4 2.9	4.2 3.6	4.8 3.9	
-	74. 7 57. 1	43.8	88. 9 75. 4	88.5	75.6	84.9 64.3	49.3 37.2	90. 6 75. 7	98.9	69. 6 59. 0	59. 2 49. 7	42.0	89. 6 75. 2	70.9 61.3	151
	45.9	30.2	44.4	42.4	41.9	35. 4	27.5	60.8	74.7	44.9	30.7	22.7	41.7	35.5	
	11. 2 17. 4 10. 6 6. 7 0. 3	13.7 10.6 6.6 4.0 0.5	31. 0 13. 4 7. 6 5. 8 0. 1	33.8 11.7 6.5 5.1 0.5	33.7 24.4 18.9 5.5 0.9	28. 9 20. 5 14. 9 5. 6	9.7 12.1 7.3 4.9	14.9 14.1 7.3 6.9 0.8	8.8 15.4 13.2 2.2	14.1 10.3 7.7 2.6 0.3	19.0 9.3 4.7 4.7 0.2	13. 2 6. 2 3. 3 2. 9	33.4 14.2 8.8 5.4 0.3	25.8 9.4 5.4 4.0 0.2	
	10.3	20. 4	12.9	22. 6	17.5	50. 4	29.9	55.8	30.8	48.1	18.1	22.1	35.1	52.3	
ľ	10.3	20. 4	12.9	22.6	17.5	50.4	29.9	55.8	30.8	48.1	18.1	22.1	35. 1	52.3	154

<sup>3</sup> Less than one-tenth of 1 per 100,000 population.

12489°—13——10

<sup>4</sup> Exclusive of injuries at birth.

## TABLE IV.—DEATH RATES PER 100,000 POPULATION IN CITIES AND RURAL DISTRICTS

[The term "cities" as here used is restricted to municipalities having 10,000 or

-									20 000			<del></del>	<u> </u>		<del></del>
						DE	SATH RAT	E PER II	JU,000 PO:	PULATION	· 				
ist No.		MONT	FANA.	NI HAMP		NE JER		NEW	YORK.		1	NORTH CA	Arolina.	1	
Int. L	CAUSE OF DEATH.		Rural		Rural		Rural		Rural	To	tal.	Wh	uite.	Cold	ored.
Detailed Int. List No.		Cities.	dis- tricts.	Cities.	dis- tricts.	Cities.	dis- tricts.	Cities.	dis- tricts.	Cities.	Rural dis- tricts.2	Cities.	Rural dis- tricts.2	Cities.	Rural dis- tricts.2
۵	XIII.—External causes		147.5	122.6	95.4	113.6	101.5	105.1	115.9	120.7	80.5	102.1	58.0	150.6	126.3
155 156	Suicide (total) By poison By asphyxia. By hanging or strangulation. By drowning.	49.3 19.7	20.3 3.1	12.4 1.7 0.6	13.3 2.3	17.0 5.1 3.8	13.4 1.6 1.3	16.8 3.8 4.5	15.2 4.4 0.4	7.1 3.2	5.5 1.8	11.5 5.2	6.8 2.7		2.8
157 158 159	By hanging or strangulation. By drowning By firearms	3.9 18.7	1.0 1.7 12.7	2.8 1.1 3.4	3.5 2.3 3.5	2.6 0.5 3.9	3.1 1.4 4.7	1.7 0.6 4.2	4.2 1.1 3.9	3.2	1.4 0.9	5.2	2.0 1.4		
160 161 162 163	By firearms By cutting or piercing instruments. By jumping from high places By crushing. Other suicides.	6.9	1.0 0.3 	2.3	1.6	0.7 0.2 0.2	1.0 0.1	1.1 0.7 0.1	0.8 0.1 0.1	0.6		1.0			
	A and dominal on some discourse of the discourse		115.5	108.5	80.5	92.2	0.2 85.5	0.1 82.4	0.2 97.1	91.8	1.4 62.7	81.2	0.7 46.4	108.8	2.8 95.7
164 165 166 167 168	Accidental or underned (total) Poisoning by food. Other scute poisonings. Conflagration Burns (conflagration excepted). Absorption of deleterious gases (conflagration excepted).	1.0 6.9 3.0 3.0	1.0 3.1 2.8 3.4	0.6 1.1 2.3 13.6	0.8 2.3 2.3 3.1	0.9 2.5 0.9 10.7	1.3 1.7 1.8 7.5	0.6 2.0 2.7 8.6	0.8 2.7 1.6 4.7	1.3 2.6 1.9 9.6	1.8 4.1 2.3 12.8	2.1 2.1 3.1 11.5	2.7 4.1 6.8	3.3 6.7	4.2 6.9 25.0
169 170	gration of deterrous gases (confia- gration excepted). Accidental drowning. Traumatism by firearms.	2.0 3.9 3.0	3.1 17.5	4.5 11.9 1.7	0.8 14.8	10.2	3. 2 17. 4	5.4 9.1	1.9	3.9 8.3	3.2 5.0	5.2 5.2	2.7 3.4	1.7 13.4	4.2 8.3
171 172	Traumatism by cutting or piercing instruments, Traumatism by fall.	4.9	4.8 0.7 5.5	19.8	16.0	0.8 0.1 16.4	1.3	0.5 0.1 19.3	2.0 0.1 20.9	10.3	3.7	14.6	0.7 5.5	18,4	13.9
173	Traumatism in mines and quarries	27.6	15.8	0.6	10.0	0.1	1.2	0.1	0.5	10.3	3.7	14.0	6.5	3.3	
174	(total). Traumatism in mines. Traumatism in quarries. Traumatism by machines.	27.6	15.8	0.6		0.1	1.1 0.1	0.1 ( <sup>8</sup> )	0.3 0.2						
175	Traumatism by other crushing (total).	33.5	1.0 40.6	3.4 19.8	3.1 17.2	1.7 24.6	1.8 23.1	`í.8 19.8	1.8 31.3	1.9	3. 2 13. 3	1.0 19.8	1.4 13.0	3.3 30.1	6.9 13.9
	Railroad accidents and injuries Street-car accidents and injuries Automobile accidents and injuries Injuries by other vehicles Landslide, other crushing	19.7	28.5 0.3 10.0 1.7	10.7 0.6 4.0 4.0 0.6	8.6 0.4 1.6 6.3 0.4	15.1 2.8 3.3 3.2 0.1	15.1 2.7 1.9 2.8 0.5	6.9 3.8 3.2 5.3 0.7	23.0 1.2 2.5 3.8 0.8	14.1 3.2 1.9 2.6 1.9	10.5 0.9 0.9 0.9	10.4 3.1 3.1 1.0 2.1	9.6 1.4 1.4 0.7	20.1 3.3 5.0 1.7	12.5
176 177			2.8 0.3	1.1 0.6	0.4	0.5 0.2	0.9 0.2	0.3	1.1 0.2	1.3	1.4	1.0	0.7	1.7	2.8
178 179 180	Injuries by animals. Starvation Excessive cold. Effects of heat. Lightning	2.0	2.8	22.0 0.6	0.4 12.9	0.2 0.3 11.3 0.1	0.2 7.6 0.3	(3) (3) 7.3 0.1	0.2 0.5 3.1 1.1	0.6 2.6	0.5 0.9 1.8	3.1	2.0	1.7 1.7	1.4 2.8 1.4
181 185 186	Lightning. Electricity (lightning excepted). Fractures (cause not specified). Other external violence.	2.0 14.8	7.2	1.1 4.0	1, 2 4, 3	1.0 0.4 3.2	0.8 0.3 3.0	0.8 0.8 2.8	1.3 (3) 4.4	2.6 14.1	3.2	2.1 10.4	0.7 2.7	3.3 20.1	4.2
182 183 184	Homicide (total) By firearms. By cutting or piercing instuments By other means.	16.8	11.7 7.2 1.0 3.4	1.7 0.6 1.1	1.6 1.6	4.3 2.2 0.6 1.6	2.6 1.7	5.9 2.9 1.1 1.9	3.7 2.2 0.6 0.9	21.8 18.0 1.9 1.9	12.4 7.8 2.7 1.8	9.4 7.3 2.1	4.8 3.4 0.7 0.7	41.8 35.1 1.7 5.0	27.8 16.7 6.9 4.2
	XIV.—III-defined diseases	12.8	19.9	11.3	12.1	5.2	6.2	1.6	2.5	59.1	70.0	20.8	39.6	120.5	,131.8
187 188 189	III-defined organic disease Sudden death Not specified or iII-defined (total) III-defined Not specified or unknown	12.8 10.8 2.0	1.4 18.6 8.9 9.6	2.3 0.6 8.5 7.3 1.1	3.1 1.2 7.8 7.8	0.2 0.1 4.9 4.5 0.4	6. 2 6. 1 0. 1	0.1 (3) 1.5 1.5 0.1	0.2 0.2 2.2 2.0 0.2	1.3 2.6 55.2 16.7 38.5	3.2 1.4 65.4 27.0 38.4	1.0 19.8 12.5 7.3	1. 4 0. 7 37. 5 15. 0 22. 5	3.3 5.0 112.1 23.4 88.7	6.9 2.8 122.1 51.3 70.8

Includes only municipalities having a population of 1,000 or over in 1900.
 Includes only municipalities having a population of 1,000 or over in 1900, and less than 10,000 in 1910.

OF EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES: 1911—Continued.

more inhabitants in 1910, smaller places being included with the "rural districts."]

					DEATH 1	RATE PER 10	0,000 POPUI	ATION.						T
	по.	PENNSY	LVANIA.	RHODE	ISLAND.	UT	AH.	VERA	IONT.	Washi	ngton.	Wisc	CONSIN.	st No.
Cities.	Rural districts.	Cities.	Rural districts.	Cities.	Rural districts.	Cities.	Rural districts.	Cities.	Rural districts.	Cities.	Rural districts.	Cities.	Rural districts.	Detailed Int. List No.
123.7	92.4	121.3	117.6	98.9	89.5	119.7	96.4	105.5	106.1	108.0	124.0	95.8	69. 2	1
20.3 9.1 0.5 2.5 1.3 5.5 1.1 0.2 0.1	12.6 4.2 (8) 2.4 0.9 4.0 0.6 0.1 0.1	15.6 5.5 2.6 0.6 3.9 1.0 0.3 0.1	11. 0 2. 6 0. 3 2. 9 0. 5 3. 8 0. 8 0. 1 0. 1	11.8 1.3 4.0 1.3 0.9 3.3 0.9	11. 2 0. 9 2. 8 3. 7 2. 8 0. 9	34.0 9.7 2.4 17.8 2.4 1.6	10.7 3.4 2.7 0.4 4.2	22. 0 4. 4 2. 2 4. 4 4. 4 2. 2 4. 4	19.9 5.4 0.6 5.4 1.6 5.8 1.0	29.3 9.0 1.8 2.3 1.1 12.2 2.2 0.4 0.2 0.2	13.5 3.5 0.3 2.6 0.9 4.7 1.2 0.2	18.9 5.1 0.6 4.7 1.9 5.0 0.4 0.1	11.2 1.9 . 0.1 3.4 0.7 3.6 1.0	155 156 157 158 159 160 161 162
94.4 0.9 2.6 1.9 8.3 3.4	77.4 0.8 2.4 1.0 5.1 2.0	100.8 0.2 2.0 0.9 11.6 4.0	102.7 0.6 2.3 1.5 8.6 2.0	2.0 1.6 10.4 8.2	77.4 1.9 1.9 3.7 3.7	74.4 0.8 4.0 . 4.0 1.6	80.7 0.4 1.1 4.2 1.5	79.1 2.2 6.6 2.2 8.8 4.4	80.8 1.0 2.2 0.3 5.4 1.6	71.4 1.3 2.7 1.3 4.3 5.4	103. 5 0. 5 3. 5 2. 7 5. 3 2. 3	73.2 0.3 1.9 1.5 4.1 2.0	56.3 0.8 1.0 0.8 3.3 1.0	164 165 166 167 168
8.7 1.5 0.2	6.6 2.6 0.3	5.6 1.3 0.3	11.1 2.2 0.1	9.3 0.7 0.2	18.6 0.9	4.0 3.2	9. 2 5. 0	11.0 2.2	9.9 3.5 0.3	9.5 1.6 0.4	20.3 4.4 0.2	10.8 1.7 0.3	9.1 3.7 0.1	170
18.9	16.6	19.5	13.6	16.9	20.5	9.7	8.0	13.2	21.8	10.8	7.9	14.7	10.6	1
0.9	3.8	11.6	26.5		4.7	6.5	18.4		2.9	0.9	3, 3	0.3	0.3	173
0.6 0.2 3.5	3.7 0.1 1.4	11.3 0.3 3.2	22.5 1.0 2.2	1.3	4.7 1.9	6.5	. 18.0 0.4 1.5		2.9 3.8	0.9 3.6	3.3 2.7	0.1 0.1 2.8	0.2 0.1 1.1	i
32.5 18.9 5.9 3.6 3.1	24.0 17.6 1.9 1.0 2.8 0.6	26.8 15.8 4.4 2.7 3.6 0.3	24.3 18.9 1.6 1.0 2.4 0.4	18.4 4.9 5.1 4.9 3.5	11.2 3.7 4.7 2.8	31.5 22.6 4.0 3.2 1.6	21.8 9.2 0.8 1.9 7.3 2.7	24.2 13.2 4.4 2.2 2.2 2.2	15.1 8.3 1.3 4.8 0.6	21. 4 10. 4 3. 4 . 3. 2 2. 2 2. 2	29.5 17.1 1.2 0.9 5.3 5.0	24.5 14.2 3.6 1.9 3.6 1.3	15.7 11.4 0.4 0.6 2.6 0.6	
1.0 0.1 0.1 3.9 1.1 0.7 4.2	1.3 0.1 0.3 3.1 0.6 0.4 0.6 4.5	7.8 0.1 1.1 0.2 3.8	0.7 0.2 0.2 3.4 0.9 0.7 (3) 4.5	11.8 0.2 2.0	5.6 0.9	1.6 0.8 4.9	0.8 0.4 0.4 1.9 0.4 5.0	2.2	1.3 0.6 0.6 4.8 0.6 1.3	0.4 0.2 0.9 0.5 4.7	1.5 0.3 1.1 0.2 0.2 1.2	1.5 0.1 0.5 1.7		176 177 178 179 180 181 185 186
9.0 5.2 1.3 2.5	2.5 1.2 0.4 0.9	4.9 2.5 0.9 1.6	4.0 2.1 0.7 1.2	4.2 1.8 0.9 1.6	0.9	11.3 7.3 1.6 2.4	5. 0 4. 2 0. 8	4.4 4.4	5.4 3.5 0.3 1.6	7. 4 5. 0 0. 9 1. 4	7.1 4.8 0.8 1.5	3.7 1.1 1.0 1.5	1.7	182 183 184
2.8	8.9	8.0	19.1	10.0	13.1	20. 2	16.4	6.6	6.1	8.1	18.0	6.1	12. 2	
0.3 2.5 1.4 1.1	0.7 0.5 7.7 3.4 4.3	0.6 0.2 7.2 6.3 0.9	1.6 2.1 15.3 12.5 2.8	1. 6 8. 4 5. 1 3. 3	0.9 12.1 7.5 4.7	20.2 19.4 0.8	0.8 0.4 15.3 8.0 7.3	6. 6 2. 2 4. 4	0.3 0.3 5.4 1.9 3.5	0.5 0.4 7.2 5.0 2.2	0.8 1.4 15.9 6.8 9.1	0.8 0.3 5.1 4.7 0.4	3.0 0.3 9.0 8.2 0.8	188 189

<sup>&</sup>lt;sup>2</sup> Less than one-tenth of 1 per 100,000 population.

# GENERAL TABLES

(149)

#### TABLE 1.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION

[Figures for white and colored are shown separately for minor subdivisions (except as indicated in the footnotes) only when the colored population of the subdivision rural subdivisions (counties, exclusive of municipalities

Ī							DEAT	HS AT AGE	of—	,			
	AREA AND COLOR.	All deaths.	Under 1 year.	1 year.	2 years.	3 years.	4 years.	Under 5 years.	5 to 9 years.	10 to 14 years.	15 to 19 years.	20 to 24 years.	25 to 29 years.
	SUMMARY.				40 #00	0.000		200 400	10.110	10.007	01 154	00 800	94 949
1	The registration area (total)	839, 284	149,322	31,362	13,580	8,928	6, 290	209, 482	18,112	12,337	21,154	32,306	34, 249
2	White	779, 770	139,429	28,705	12,386	8,245	5, 805	194, 570	16,789	11,115	18,591	28,328	30, 122
3	Colored	59, 514	9,893	2,657	1,194	683	485	14, 912	1,323	1,222	2,563	3,978	4, 127
4	Registration states <sup>1</sup> (total)	756,777	134, 949	27,933	12,003	7,875	5,599	188,359	16, 138	11,020	18,646	28, 018	29,694
5		716,763	128, 108	26,051	11,210	7,434	5,260	178,063	15, 214	10,188	16,959	25, 539	27,142
6		40,014	6, 841	1,882	793	441	339	10,296	924	832	1,687	2, 479	2,552
7	Cities in registration states (total) White Colored.	413,920	77,419	16,468	6,953	4, 525	3,280	108,645	8,939	5,596	9,655	15,909	17,674
8		389,554	73,293	15,384	6,509	4, 274	3,086	102,546	8,449	5,190	8,773	14,390	15,963
9		24,366	4,126	1,084	444	251	194	6,099	490	406	882	1,519	1,711
10	Rural part of registration states (total).	342,857	57, 530	11,465	5,050	3,350	2,319	79,714	7,199	5,424	8,991	12, 109	12,020
11	White	327, 209	54,815	10,667	4,701	3,160	2, 174	75, 517	6,765	4,998	8, 186	11,149	11,179
12		15, 648	2,715	798	349	190	145	4, 197	434	426	805	960	841
13	Registration cities in other states (total).	82,507	14,373	3, 429	1,577	1,053	691	21,123	1,974	1,317	2,508	4,288	4,555
14		63,007	11,321	2, 654	1,176	811	545	16,507	1,575	927	1,632	2,789	2,980
15 16	White Colored.	19,500 496,427	3,052 91,792	775 19,897	401 8,530	242 5,578	146 3,971	4,616 129,768	10,913	390 6,913	876 12,163	2,789 1,499 20,197	1,575 22,229
17 18	All registration cities 1 (total)	452, 561 43, 866	84,614 7,178	18,038 1,859	7,685 845	5, 085 493	3,631 340	119,053 10,715	10,024	6, 117 796	10, 405 1, 758	17, 179 3, 018	18, 943 3, 286
10	REGISTRATION STATES.	34,010	3,524	687	337	234	145	4,927	525	427	800	1, 415	1,650
19 20 21	California (total)	32, 205 1, 805	3,307	649 38	308 29	221 13	134 11	4,619 308	509 16	405 22	761 39	1,312	1,514 136
22	Colorado (total)	10,740	1,818	372	143	106	64	2,503	248	199	264	591	715
23		10,427	1,782	368	139	104	63	2,456	245	192	257	579	678
24		313	36	4	4	2	1	47	3	7	7	12	37
25 26 27	Connecticut (total)	17,552 17,153 399	3, 243 3, 167 76	630 613 17	274 268 6	171 160 11	121 121	4,439 4,329 110	338 330 8	236 226 10	327 318 9	534 517 17	570 549 21
28	Indiana (total)	35, 210	5,362	1,103	484	314	229	7,492	745	563	1,018	1,425	1,302
29		33, 877	5,181	1,062	460	305	222	7,230	721	539	965	1,342	1,232
30		1, 333	181	41	24	9	7	262	24	24	53	83	70
31	Kentucky (total)	30, 407	5,373	1,546	650	455	326	8,350	831	608	1,283	1,595	1,446
32		24, 580	4,554	1,280	534	393	267	7,028	669	469	908	1,183	1,078
33		5, 827	819	266	116	62	59	1,322	162	139	375	412	• 368
34 35 36	Maine (total)	12,031 12,014 17	1,681 1,678 3	285 284 1	122 122	83 83	59 59	2,230 2,226 4	167 167	139 139	257 257	345 344 1	341 341
37	Maryland (total)	20,694	4,003	877	342	188	154	5,564	426	328	587	769	860
38		15,147	2,797	589	214	124	104	3,828	278	204	342	454	538
39		5,547	1,206	288	128	64	50	1,736	148	124	245	315	322
40	Massachusetts (total) White. Colored.	53,003	10,412	1,899	732	483	354	13,880	878	605	994	1,486	1,776
41		52,122	10,276	1,851	715	472	343	13,657	860	589	968	1,448	1,718
42		881	136	48	17	11	11	223	18	16	26	38	58
43	Michigan (total)	37,993	7,065	1,142	518	341	259	9,325	838	624	899	1,343	1,378
44		37,417	6,979	1,122	512	335	256	9,204	818	601	870	1,313	1,348
45		576	86	20	6	6	3	121	20	23	29	30	30
46	Minnesota (total)	21,988	3,899	615	276	229	143	5, 162	550	435	726	978	994
47		21,662	3,849	595	273	221	142	5, 080	542	427	710	958	975
48		326	50	20	3	8	1	82	8	8	16	20	19
49	Missouri (total). White. Colored.	43, 434	7,150	1,761	845	548	382	10,686	1,059	736	1,307	1,835	1,851
50		39, 794	6,669	1,645	790	519	355	9,978	994	656	1,142	1,595	1,567
51		3, 640	481	116	55	29	27	708	65	80	165	240	284
52	Montana (total)	4,009	717	118	66	55	35	991	111	87	113	192	241
53		3,658	661	97	53	42	28	881	98	74	99	170	231
54		351	56	21	13	13	7	110	13	13	14	22	10
55 56 57	New Hampshire (total)	7,391 7,380 11	1,260 1,257 3	223 223	78 78	45 45	31 31	1,637 1,634 3	121 120 1	86 86	139 139	172 170 2	180 179 1
58	New Jersey (total)	38,617	7,678	1,658	671	433	341	10,781	882	501	812	1,350	1,434
59		36,636	7,285	1,567	628	409	323	10,212	832	461	742	1,251	1,318
60		1,981	393	91	43	24	18	569	50	40	70	99	116
61	New York (total)	145,654	25, 407	5,623	2,471	1,515	1,038	36,054	2,939	1,809	3,079	4,833	5, 439
62	White	142,024	24, 722	5,455	2,407	1,475	1,012	35,071	2,881	1,764	2,960	4,611	5, 170
63	Colored	3,630	685	168	64	40	26	983	58	45	119	222	269
64	North Carolina <sup>2</sup> (total)	6,859	1,313	522	186	91	58	2,170	165	122	276	432	371
65		3,519	656	260	73	46	22	1,057	75	50	112	181	167
66		3,340	657	262	113	45	36	1,113	90	72	164	251	204
67 68 69	Ohio (total)	63,402 61,024 2,378	9,941 9,644 297	1,950 1,858 92	876 838 38 uding Dist	576 555 21 rict of Colu	421 404 17 mbia.	13,764 13,299 465	1,335 1,284 51	942 885 57	1,532 1,445 87	2,349 2,183 166	2,501 2,347 154

AREA AND ITS SUBDIVISIONS, BY COLOR AND AGE OF DECEDENT: 1911.

						DEATI	ES AT AGE	of—							Deaths
0 to 34 years.	35 to 39 years.	40 to 44 years.	45 to 49 years.	50 to 54 years.	55 to 59 years.	60 to 64 years.	65 to 69 years.	70 to 74 years.	75 to 79 years.	80 to 84 years.	85 to 89 years.	90 to 94 years.	95 to 99 years.	100 years. and over.	at un- known age.
34, 416 30, 695 3, 721	38,570 34,437 4,133	37, 522 33, 939 3, 583	39, 457 36, 031 3, 426	44, 130 40, 626 3, 504	44, 023 41, 237 2, 786	49, 651 46, 982 2, 669	54,306 52,200 2,106	54,898 53,007 1,891	49, 019 47, 799 1, 220	36, 108 35, 234 874	19, 564 19, 034 530	- 6,761 6,441 320	1,518 1,345 173	405 242 163	1, 296 1, 006 290
30,066 27,724 2,342	33,687 31,054 2,633	32, 851 30, 540 2, 311	34, 595 32, 433 2, 162	39,001 36,729 2,272	39,651 37,722 1,929	45, 208 43, 401 1, 807	50, 261 48, 702 1, 559	51, 458 50, 006 1, 452	46, 042 45, 111 931	34,081 33,410 671	18, 576 18, 170 406	6,434 6,176 258	1,410 1,280 130	341 226 115	1, 240 974 266
18,747 17,125 1,622	21,466 19,603 1,863	21,067 19,446 1,621	22, 126 20, 614 1, 512	24,031 22,463 1,568	23, 243 21, 964 1, 279	25,140 24,011 1,129	25, 559 24, 714 845	23,742 22,991 751	19, 134 18, 721 413	13, 279 12, 999 280	6,870 6,711 159	2,304 2,211 93	490 447 43	118 77 - 41	186 146 40
11,319	12, 221	11,784	12, 469	14,970	16, 408	20,068	24,702	27,716	26, 908	20,802	11,706	4, 130	920	223	1,054
10, 599 720	11,451 770	11,094 690	11,819 650	14,266 704	15,758 650	19,390 678	23, 988 714	27, 015 701	26,390 518	20, 411 391	11,459 247	3,965 165	833 87	149 74	828 226
4,350 2,971 1,379	4, 883 3, 383	4,671 3,399 1,272	4,862 3,598	5, 129 3, 897 1, 232	4,372 3,515	4, 443 3, 581 862	4,045 3,498	3,440 3,001	2,977 2,688	2,027 1,824	988 864	327 265	108 65	64 16	56 32
23,097	1,500 26,349	1,272 25,738 22,845	1,264 26,988	29,160	857 27,615	29, 583	547 29, 604	439 27, 182 25, 992	289 22,111 21,409	203 15,306	7,858 7,575	62 2,631 2,476	43 598	48 182	24 242
20,096 3,001	22,986 3,363	22, 845 2, 893	24, 212 2, 776	26,360 2,800	25, 479 2, 136	27, 592 1, 991	28, 212 1, 392	25, 992 1, 190	21, 409 702	14,823 483	7,575 283	2,476 155	512 86	· 93 89	178 64
1,788 1,671 117	1,964 1,831 133	1, 961 1, 827 134	1, 952 1, 817 135	2,086 1,945 141	2,097 1,949 148	2, 350 2, 202 148	2, 481 2, 406 75	2,500 2,425 75	2, 221 2, 188 33	1,656 1,643 13	· 856 846 10	249 236 13	61 58 . 3	24 22 2	20 19 1
690 658 32	612 587 25	591 568 23	548 · 518 30	630 608 22	550 532 18	565 550 15	564 553 11	529 · 524 5	447 440 7	289 281 8	132 130 2	37 36 1	13 13	2 2	21 20 1
607 587 20	701 676 25	814 790 24	803 780 23	. 899 881 18	929 901 28	1, 154 1, 130 24	1,215 1,198 17	1, 278 1, 254 24	1, 152 1, 147 5	835 830 5	448 445 - 3	190 188 2	41 40 1	4 4	38 33 · 5
1, 273 1, 188 85	. 1,414 1,305 109	1,363 1,279 84	1,338 1,276 62	1,683 1,599 84	1,902 1,826 76	2, 176 2, 110 66	2,644 2,566 78	2,870 2,799 71	2, 633 2, 601 32	1,894 1,865 29	1,037 1,018	328 316 12	71 68 3	12 8 4	· 27 24 3
1,317 997 320	1,363 1,022 341	1,144 869 275	1, 188 875 313	1,282 981 301	1, 253 997 256	1,450 1,226 224	1,668 1,427 241	1,704 1,500 204	1,543 1,380 163	1,055 940 115	641 559 82	224 176 48	66 37 , 29	40 15 25	356 244 112
338 336 2	399 399	388 387 1	433 433	524 523 1	665 665	791 789 2	986 984 2	1,106 1,105 1	1,154 1,154	952 951 1	518 517	205 204 1	50 50	9	34 34
790 538 252	869 599 270	862 584 278	925 669 256	1,093 784 309	1, 034 804 230	1, 256 1, 012 244	1,308 1,115 193	1,356 1,120 236	1,139 987 152	838 746 92	417 360 57	148 122 26	41 26 · 15	15 3 12	69 34 38
1,852 1,803 49	2, 236 2, 173 63	2,350 2,300 50	2, 417 2, 361 56	2,745 2,688 57	2,914 2,865 49	3, 518 3, 465 53	3, 813 3, 779 34	3,728 3,694 . 34	3, 248 3, 227 21	2,518 2,498 20	1,363 1,353 10	524 522 2	103 100 3	18 18	37 36
1,273 1,247 26	1,294 1,260 34	1,259 1,230 29	1,523 1,487 36	1,821 1,788 33	1,890 1,858 32	.2, 262 2, 244 18	2,696 2,661 35	3,031 3,001 30	2,768 2,760 8	2,106 2,093 13	1,130 1,120 10	396 387 9	66 64 2	18 13 5	53 50 3
934 923 11	884 864 20	891 867 24	1,013 996 17	1,111 1,099 12	1,056 1,050 6	1,130 1,121 9	1,307 1,295 12	1,314 1,310 4	1,419 1,415 4	1,099 1,093 6	643 639 4	236 232 4	36 35 1	14 11 3	56 20 36
1,803 1,544 259	1,920 1,654 266	1,833 1,628 205	1,961 1,733 228	2,220 2,019 201	2,239 2,047 192	2,394 2,245 149	2,777 .2,626 151	2,883 2,747 136	2,501 2,411 90	1,866 1,791 75	948 901 47	314 282 32	68 52 16	26 8 18	207 174 33
234 219 15	267 256 11	251 234 17	260 241 19	246 226 20	209 198 11	181 161 20	156 143 13	166 148 18	144 137 7	98 90 8	36 33 3	15 13 2	2 1 . 1		· 9 5 4
203 203	220 219 1	256 256	278 278	350 349 1	395 395	451 450 1	545 545	611 611	679 679	527 527	328 327 1	136 136	25 25	6 6	46 46
1,529 1,424 105	1,897 1,766 131	1,765 1,661 104	1,833 1,733 100	2,042 1,914 128	2,072 1,972 100	2,341 2,232 109	2,543 2,454 89	2,409 2,353 56	2,005 1,959 46	1,413 1,379 34	695 674 21	241 230 11	53 51 2	8 7 1	11 11
6,027 5,764 263	7,272 6,968 304	7, 199 6, 937 262	7,639 7,456 183	8, 262 8, 054 208	8,200 8,044 156	9,273 9,121 152	9,511 9,397 114	9,428 9,307 121	8,111 8,045 66	5, 940 5, 894 46	3, 205 3, 177 28	1,140 1,124 16	238 229 9	46 40 6	10 10
310 160 150	349 187 162	293 160 133	259 115 144	297 162 135	316 166 150	317 186 131	325 211 114	293 191 102	242 169 73	154 98 56	69 43 26	38 12 26	18 4 14	11 1 10	32 12 20
2,430 2,287 143	2,663 2,482 181	2,583 2,410 173	2,733 2,603 130	3, 204 3, 039 165	3,359 3,232 127	3,796 3,687 109	4,555 4,451 104	4,945 4,858 87	4,614 4,534 80	3,380 3,340 40	1,888 1,861 27	609 595 14	146 138 8	24 17 7	50 47 3

### TABLE 1.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION

-				<del></del>			DEAT	THS AT AGE	of—				
	AREA AND COLOR.	All deaths.	Under 1 year.	1 year.	2 years.	8 years.	4 years.	Under 5 years.	5 to 9 years.	10 to 14 years.	15 to 19 years.	20 to 24 years.	25 to 29 years.
	REGISTRATION STATES—Contd.												
1 2 3	Pennsylvania (total)		24,195 23,343 852	5,098 4,868 230	2,077 2,005 72	1,423 1,370 53	995 956 39	33,788 32,542 1,246	2,630 2,525 105	1,553 1,472 81	2,629 2,489 140	4,024 3,796 228	4,177 3,944 233
4 5 6	Rhode Island (total)	8,671 8,422 249	1,675 1,634 41	302 294 8	129 123 6	104 100 4	63 61 2	2,273 2,212 61	182 175 7	99 96 3	166 159 7	272 257 15	281 267 14
7 8 9	Utah (total)	3,960 3,894 66	822 817 5	147 146 _1	86 85 1	57 57	42 42	1,154 1,147 7	132 130 2	94 93 1	114 113 1	146 142 4	199 191 8
10 11 12	Vermont (total)	5,661 5,631 30	741 740 1	113 112 1	36 36	36 35 1	30 30	956 953 3	79 77 2	49 49	120 118 2	131 128 3	155 151 4
13 14 15	Washington (total)	10,845 10,323 522	1,531 1,459 72	273 254 19	171 158 13	116 106 10	81 72 9	2,172 2,049 123	256 233 23	216 198 18	374 353 21	567 532 35	619 587 32
16 17 18	Wisconsin (total)	27,050 26,895 155	5,184 5,160 24	780 774 6	358 357 1	236 235 , 1	203 202 1	6,761 6,728 33	608 603 5	479 474 5	685 674 11	948 935 13	941 933 8
	REGISTRATION CITIES.										-		
19	ALABAMA.¹ Registration cities (total)	4,711	704	253	94	56	36 [	1,143	107	90	196	316	360
20 21	White Colored	2,045 2,666	317 387	138 115	41 53	25 31	27	530 613	55 52	33 57	68 128	103 213	113 247
22 23 24 25 26 27 28 29 30	Birmingham (total). White Colored. Mobile (total). White Colored. Montgomery (total). White Colored.	2,480 1,172 1,308 1,267 553 714 964 320 644	412 216 196 150 56 94 142 45 97	164 99 65 38 23 15 51 16	64 29 35 11 5 6 19 7	30 17 13 11 6 5 15 2 13	23 6 17 6 2 4 7	693 367 326 216 92 124 234 71 163	63 37 26 30 12 18 14 6	40 i 16 i 24 i 28 9 19 22 22 8	95   34   61   58   21   37   43   13   30	187 - 68 119 73 24 49 56 11 45	202 72 130 101 33 68 57
	California.												
31 32 33	Registration citles (total) White Colored	19,627 18,538 1,089	2,031 1,925 106	403 380 23	201 182 19	124 117 7	84 78 6	2,843 2,682 161	271 263 8	225 215 10	430 413 17	808 744 64	963 878 85
34 35 36 37 38	Alameda. Bakersfield Berkeley Eureka Fresno.	265 307 375 211 354	14 45 30 22 64	7 2 8 3 3	2 4 1 1 8	1 2 3 3	1 1 2	25 54 42 27 80	5 7 4 16	2 5 3 2 6	7 8 8 9 12	12 15 14 7 18	14 28 13 17 21
39 40 41 42 43 44	Long Beach. Los Angeles (total). White. Colored. Oakland. Pasadena.	301 5,001 4,745 256 1,984 429	27 518 490 28 243 26	7 114 106 8 51 7	1 43 39 4 30 4	1 39 39 17 1	3 27 25 2 8 2	39 741 699 42 349 40	5 61 59 2 35 7	4 63 60 3 19 5	9 117 111 6 34 6	9 232 214 18 81 15	10 289 269 20 81 21
45 46 47 48 49 50	Pomona. Redlands. Riverside (total). White. Colored. Sacramento.	152 152 260 238 22 828	18 18 34 31 3 113	2 10 9 1	3 2 2 2	1 2	1	20 25 46 42 4 142	1 1 2 2 2	5 5 3 2 10	6 6 11 10 1 22	5 4 17 12 5 40	4 9 22 20 2 42
51 52 53 54 55	San Bernardino. San Diego San Francisco (total). White Colored.	266 817 6,495 6,142 353	26 62 665 642 23	7 9 136 127 9	10 68 60 8	1 3 38 35 35	1 2 29 26 3	35 86 936 890 46	3 10 82 78 4	2 6 70 68 2	10 24 109 104 5	13 32 238 226 12	21 45 282 254 28
56 57 58 59 60	San Jose. Santa Barbara. Santa Cruz. Stockton. Vallejo.	413 215 178 488 136	48 15 13 21 9	7 5 1 7 4	4 3 3 4	2 3 3	3	62 23 17 38 16	8 3 2 4 2	6 4 3 4 1	9 6 3 11 3	. 15 3 4 21 13	8 11 6 16 3
61	colorado.  Registration citles (total)	4,652	704	144	51	39	25	063	80	74	104	239	316
62 63	White	4,452 200	680 24	141	48 3	39	24 1	963 932 31	89 87 2	70 4	99	239 230 9	289 27
64 65 66 67	Colorado Springs	3,441 602 126	49 475 135 45	96 37 7	2 36 12 1	2 27 8 2	2 19 4	59 653 196 55	9 59 19 2	8 52 9 5	16 69 16 3	40 163 31 5	47 218 45 6
68 69 70	Registration cities (total) White	12,024 11,706 318	2,395 2,333 62	497 482 15	211 205 6	119 110 9	81 81	3,303 3,211 92	223 216 7	162 154 8	230 223 7	392 379 13	421 404 17

 $<sup>^{1}</sup>$  Nonregistration state; cities shown below only those with effective local ordinances.

AREA AND ITS SUBDIVISIONS, BY COLOR AND AGE OF DECEDENT: 1911—Continued.

						DEATE	IS AT AGE	of—	***	<del>'</del>					Deaths	=
80 to 84 years.	35 to 39 years.	40 to 44 years.	45 to 49 years.	50 to 54 years.	`55 to 59 years.	60 to 64 years.	65 to 69 years.	70 to 74 years.	75 to 79 years.	80 to 84 years.	85 to 89 years.	90 to 94 years.	95 to 99 years.	100 years and over.	at un- known age.	
4,154 3,901 253	4,812 4,497 315	4,429 4,175 254	4,711 4,464 247	5,294 5,079 215	5,407 5,239 168	6, 212 6, 060 152	7,054 6,918 136	6,907 6,782 125	6,015 5,957 58	4, 264 4, 213 51	2, 274 2, 249 25	749 725 24	164 155 9	26 19 7	19 19	1 2 3
339 321 18	377 365 12	413 405 8	409 395 14	473 457 16	514 493 21	563 546 17	602 594 8	602 592 10	447 439 8	351 346 5	205 202 3	78 78	. 20 . 20	3 1 2	2 2	4 5 6
165 155 10	171 · 166 5	174 167 7	160 155 5	184 178 6	156 153 3	180 178 2	181 181	240 237 3	215 214 1	159 159	89 89	32 32	6 5 1	1 1	· 8	7 8 9
153 151 2	171 167 4	180 180	225 224 1	249 249	344 343 1	404 402 2	497 497	566 563 3	556 554 2	436 436	254 254	102 101 1	28 28	5 5	1 1	10 11 12
585 542 43	569 530 39	555 517 38	624 594 30	678 659 19	568 553 15	610 590 20	602 587 15	658 646 12	522 515 7	· 359 351 8	. 181 175 6	55 50 5	7 6 1	9 2 7	59 54 5	13 14 15
959 954 5	893 891 2	940 926 14	1,056 1,052 4	1,261 1,254 7	1,240 1,235 5	1,429 1,417 12	1,753 1,747 6	1,889 1,881 8	1,924 1,919 5	1,681 1,676 5	1,098 1,097 1	343 341 2	74 73 1	14 14	74 71 3	16 17 18
290 96 194	348 129 219	228 94 134	271 95 176	282 114 168	195 103 92	232 124 108	190 116 74	142 92 50	125 88 37	101 54 47	51 25 26	22 8 14	6	10	6 5 1	19 20 21
162 59 103 77 24 53 51 13	192 77 115 88 30 58 68 22 46	116 48 68 66 34 32 46 12 34	119 43 76 84 33 51 68 19 49	135 59 76 76 33 43 71 22 49		113 62 51 79 43 36 40 19	88 62 26 64 31 33 38 23 15	. 66 45 21 46 29 17 30 18	51 37 14 49 36 13 25 15	50 30 20 28 17 11 23 7	17 9 8 16 8 8 18 8	835725734	1 1 3 3 2	4 3 3 3 3	4 3 1 2 2	22 23 24 25 26 27 28 29 30
1,087 1,015 72	1,178 1,096 82	1,227 1,137 90	1,240 1,141 99	1,330 1,222 108	1,246 1,152 94	1,434 1,340 94	1,386 1,348 38	1,347 1,309 38	1,191 1,178 13	816 812 4	433 428 5	130 124 6	29 28 1	11 11	2 2	31 32 33
11 26 11 13 15	11 27 12 7 21	12 23 28 9 23	13 17 19 11 14	12 9 25 13 21	19 21 21 12 20	14 15 26 18 18	26 14 42 10 20	16 16 33 13 19	27 11 28 - 19 15	19 6 · 29 12 9	15 2 13 6 5	2 3 - 1	2 1 1 1	1.	1	34 35 36 37 38
16 306 288 18 82 23	13 320 295 25 92 23	13 297 272 25 102 31	18 329 305 24 101 24	20 329 304 25 123	8 307 297 10 114 23	26 336 318 18 158 33	32 347 341 6 144 36	17 357 351 6 159	25 260 258 2 135 32	24 167 165 2 104 27	12 98 96 2 50 16	1 35 33 2 16 5	6 6 4 1	4 4 1		39 40 41 42 43 44
6 15 10 9 1 46	4 8 22 19 3 68	9 7 14 14 57	14 5 12 10 2 44	9 8 16 16	8 5 8 8	10 13 12 12 12	12 13 17 17 17	15 9 15 14 1 48	. 15 10 14 14 46	9 6 5 5	4 1 6 6	1 2 4 3 1 5	1 1 3	1 1		45 46 47 48 49 50
17 41 380 361 19	22 44 404 381 23	22 36 464 436 28	15 39 486 445 41	22 49 501 455 46	12 47 445 400 45	16 82 497 469 28	15 70 442 430 12	10 66 390 379 11	14 76 364 361 3	-10 33 245 245	7 21 118 118	8 34 34	777	1 1 1	1	51 52 53 54 55
16 8 5 29 11		22 14 6 33 5	16 9 6 41 7	27 14 9 34 9	30 21 14 53 9	29 16 13 47 10	37 9 16 28 7	44 21 22 34 9	33 13 21 24 9	18 15 10 25 7	10 10 8 13 3	4 3 3 3	2	1		56 57 58 59 60
330 307 23	,	282 264 18	268 252 16	279 265 14	267 259 8	265 257 8	278 272 6	214 211 3	183 177 6	117 111 6	57 55 2	15 15	. 5 5		3 3	61 62 63
52 244 32 2	45 219 35 5	28 224 24 6	19 213 32 4	27 212 31 9	29 206 28 4	23 209 28 5	33- 207 29 29	15 176 21 2	16 152 13 2	11 96 9 1	50 2 . 1	2 13	5		1 2	64 65 66 67
472 459 13	531 509 22	614 595 19	614 593 21	669 655 14	650 629 21	807 786 21	783 767 16	780 763 17	598 596 2	430 429 1	218 216 2	94 92 2	16 15 1	4 4	13 11 2	68 69 70

### TABLE 1.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION

-							DEAT	HS AT AGE	or—			·	
	AREA AND COLOR.	All deaths.	Under 1 year.	1 year.	2 years.	3 years.	4 years.	Under 5 years.	5 to 9 years.	10 to 14 years.	15 to 19 years.	20 to 24 years.	25 to 29 years.
	REGISTRATION CITIES—Contd.												
	CONNECTICUT—continued.												
1 2 3 4 5	Ansonia Bridgeport Bristol Danbury town Greenwich town.	211 1,472 180 336 258	82 339 42 55 52	11 63 14 8 13	4 20 1 3 5	1 14 4 2 4	1 10 3 2 2	99 446 64 70 76	5 23 2 4 2	2 17 2 2 3	6 33 3 6 4	5 46 2 9 10	7 53 4 8 7
6 7 8 9	Hartford Manchester town Meriden town Middletown town	1,849 165 535 476	306 42 73 56	58 7 19 10	40 6 9 8	16 5 2	13 3 4 3	433 63 107 77	37 4 8 8	28 1 10 3	26 6 11 14	64 3 29 8	74 5 24 17
10 11 12 13	Naugatuck. New Britain. New Haven. New London.	118 593 2,281 337	38 189 413 54	8 42 91 4	3 13 39 4	1 10 24 1	2 8 9 4	52 262 576 67	12 45 3	2 8 31 1	5 5 47 6	1 23 68 11	22 88 11
14 15 16 17	Norwalk town. Norwich town. Orange town. Stamford town.	383 484 141 508	46 86 14 95	10 14 1 26	6 7 1 7	4 6 1 4	, 2 1	68 114 17 132	8 8 2 4	3 6 1 9	8 7 2 7	8 12 4 18	9 10 6 17
18 19 20 21	Torrington town. Wallingford town. Waterbury. Windham town.	174 123 1,134 266	41 22 290 60	5 9 67 17	$\begin{array}{c} 4\\1\\27\\3\end{array}$	1 1 14 4	1 10 3	52 33 408 87	5 7 25 7	5 3 21 4	5 1 19 9	7 3 49 12	10 5 38 6
	DELAWARE. <sup>1</sup>												
22 23 24	Wilmington (total)	1,446 1,217 229	317 269 48	77 66 11	18 16 2	24 22 2	14 13 1	450 386 64	35 27 8	18 14 4	41 24 17	50 37 13	51 34 17
95	DISTRICT OF COLUMBIA.  Washington (total)	6, 304	955	209	75	36	95	1,300	93	83	145	902	079
25 26 27	Colored	3, 739 2, 565	491 464	85 124	34 41	22 14	25 11 14	643 657	48 45	39 44	58 87	286 138 148	273 119 154
90	FLORIDA. <sup>1</sup> Registration cities (total)	1,819	329	96	46	22	13	506	34	31	69	110	107
28 29 30	White	, 803 1, 016	160 169	41 55	20 26	14 8	6 7	241 265	17 17	10 21	62 27 35	36 74	47 60
31 32 33 34 35 36	Jacksonville (total). White- Colored. Key West (total). White- Colored.	1,367 524 843 452 279 173	183 66 117 146 94 52	65 24 41 31 17 14	30 11 19 16 9 7	15 9 6 7 5 2	10 5 5 3 1 2	303 115 188 203 126 77	25 12 13 9 5	27 8 19 4 2 2	46 16 30 16 11 5	94 27 67 16 9 7	95 42 53 12 5 7
	GEORGIA. <sup>1</sup>												
37 38 39	Registration cities (total) White Colored	5,091 2,296 2,795	811 368 443	230 102 128	135 53 82	77 30 47	34 18 16	1,287 571 716	123 49 74	90 29 61	206 67 139	371 116 255	328 105 223
40 41 42 43 44 45	Atlanta (total) White Colored. Savannah (total) White Colored.	3,172 1,677 1,495 1,919 619 1,300	480 268 212 331 100 231	155 79 76 75 23 52	85 38 47 50 15 35	48 20 28 29 10	19 13 6 15 5	787 418 369 500 153 347	70 36 34 53 13 40	51 19 32 39 10 29	139 54 85 67 13 54	227 87 140 144 29 115	208 85 123 120 20 100
	ILLINOIS.1												
46 47 48	Registration cities (total) White	35,852 34,605 1,247	6,690 6,576 114	1,491 1,445 46	695 681 14	518 504 14	359 350 9	9,753 9,556 197	989 962 27	549 532 17	880 826 54	1,519 1,433 86	1,638 1,541 97
49 50 51 52 53	Aurora. Belleville. Chicago (total). White. Colored.	413 310 32,531 31,478 1,053	83 58 6,252 6,155 97	7 10 1,416 1,373 43	3 5 648 640 8	3 485 473 12	1 339 332 7	96 77 9,140 8,973 167	7 5 923 899 24	9 7 497 482 15	9 11 790 748 42	14 10 1,383 1,310 73	7 10 1,501 1,425 76
54 55 56 57 58	Decatur. Evanston. Jacksonville Quincy. Springfield.	400 281 380 660 877	58 43 14 64 118	8 9 16 25	7 4 2 11 15	5 2 12 8	3 1 1 1 13	81 57 19 104 179	5 14 4 13 18	8 5 3 8 12	10 9 10 13 28	21 7 10 24 50	25 14 17 26 38
	indiana.												
59 60 61	Registration cities (total) White Colored	11,838 10,911 927	1,904 1,774 130	367 344 23	167 145 22	104 98 6	86 79 7	2,628 2,440 188	234 219 15	193 175 18	338 303 35	559 498 61	537 484 53
62 63 64 65	Anderson. East Chicago. Eikhart. Elwood.	306 294 208 106	- 146 24 24	3 37 4 3	9 6 3 1	4 3 2	2 3 1	63 195 34 28	10 6 3 7	3 6 2 4	10 4 11 3	11 7 9 5	8 11 10 2

<sup>&</sup>lt;sup>1</sup> Nonregistration state; cities shown below only those with effective local ordinances.

AREA AND ITS SUBDIVISIONS, BY COLOR AND AGE OF DECEDENT: 1911—Continued.

				•		DEAT	HS AT AGE	OF—							Deaths at un-
0 to 34 years.	35 to 39 years.	40 to 44 years.	45 to 49 years.	50 to 54 years.	55 to 59 years.	60 to 64 years.	65 to 69 years.	70 to 74 years.	75 to 79 years.	80 to 84 years.	85 to 89 years.	90 to 94 years.	95 to 99 years.	100 years and over.	known age.
		-	<del></del> -						-				,	-	, ,
4 65 4 9 6	74 74 3 23 8	. 79 . 5 16 12	12 79 9 22 15	5 102 7 18	9 71 9 17 21	12 82 9 23 15	11 98 10 22 14	11 68 17 27 14	10 67 12 24 16	2 40 11 23 12	4 17 - 5 - 7 6	8 1 4 2	2 1		2 2 2 1
75 1 27 14	86 2 33 17	118 7 27 36	105 7 31 23	131 9 41 35	93 11 21 36	137 10 26 44	117 7 30 35	131 7 40 27	83 8 85 41	56 6 19 24	38 2 7 13	· 15 6 8 2	1 1 1	1	1
14 103 20	2 23 118 13	9 20 115 19	6 21 113 22	5 23 117 17	22 139 19	5 38 173 28	5 16 167 30	7 28 147 22	6 22 102 15	5 21 73 19	9 37 6	2 15 3	1 6	1	i 5
5 12 4 30	7 19 6 21	17 20 10 32	23 22 8 25	16 23 9 31	25 38 11 30	33 34 13 29	35 45 13 43	47 32 16 31	28 35 6 14	24 29 9 16	15 13 2 14	3 5 2 5	1		
8 2 57 12	9 4 49 10	7 3 51 8	8 2 50 11	5 2 53 6	3 7 51 13	11 9 57 19	6 10 58 11	13 13 63 19	10 10 39 15	3 6 25 7	3 3 7 10	9	2	2	i
52 42 10	46 · 37 9	56 46 10	52 43 9	87 65 22	72 62 10	80 66 14	89 79 10	91 87 4	73 68 5	64 62 2	29 28 1	10 10			
313 151 162	370 190 180	357 183 174	307 178 129	367 194 173	342 205 137	405 277 128	478 367 111	445 358 87	343 280 63	211 170 41	121 101 20	45 38 7	13 2 11	6	1 1
142 42 100	143 42 · 101	92 38 54	121 42 79		83 43 40	77 43 34	64 41 23	53 34 19	40 29 11	26 16 10	- 13 6 7	6 1 5	4 1 3	3 1 2	8
121 30 91 21 12 9	122 29 93 21 13 8	75 28 47 17 10 7	110 39 71, 11, 3 8	74 34 40 20 12 8	63 33 30 20 10 10	61 31 30 16 12 4	49 28 21 15 13 2	40 25 15 13 9 4	21 14 7 19 15 4	14 8 6 12 8 4	9 4 5 4 2 2	5 1 4 1			8
315 115 200	320 137 183	297 115 . 182	290 96 194	323 132 191	224 117 107	223 141 82	222 159 63	186 141 45	123 93 30	95 75 20	48 32 16	10 5 5	2		2 1 1
192 80 112 123 35 88	206 106 100 114 31 83	163 75 88 134 40 94	165 65 100 125 31 94	193 98 95 130 34 96	148 85 63 76 32 44	151 101 50 72 40 32	151 112 39 71 47 24	128 104 24 58 37 21	94 81 13 29 12 17	58 48 10 37 27 10	28 20 8 20 12 8	6 2 4 4 3 1		5 1	1 1 1
1,701 1,587 114	1,988 1,865 123	2,036 1,930 106	2,228 2,125 . 103	2,308 2,219 89	1,984 1,913 71	1,925 1,873 52	1,878 1,843 35	1,500 1,475 25	1,409 1,395 14	915 900 15	441 428 13	160 154 6	40 39 1	4	651
13 13 1,574 1,470 104	13 8 1,843 1,735 108	12 13 1,887 1,789 98	23 13 2,047 1,958 · 89	22 9 2,140 2,060 80	24 13 1,811 1,746 65	19 12 1,729 1,690 39	32 26 1,635 1,608 27	20 21 1,286 1,270 16	40 26 1,135 1,126 9	27 683 676	16 6 358 350 8	5 1 130 126 · 4	1 1 33 32 1	4	1 1 2 2 2
12 12 10 26 41	19 15 18 32 40	14 11 25 38 36			19 8 24 35 50	1	28 19 30 58 50	i	26 25	23 19 40 47	13 8 9 14 17	3	. 1		1
563 492 71	611 527 84	556 494 62	563 519 44	682 623 59	691 640 51	729 682 47	816 771 45	678	624	418	232 222 10	79 75 4	22 21 1	4 1 3	7.52
11 17 5 1		8 8 7 1	11 7 6 6	20 9 8 6	25 6 17 4	25 4 17 8	26 2 24 8	15 1 11 5		11 13 1	7	7			

### TABLE 1.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION

. =		1				<del></del>	DEAT	HS AT AGE		`			arcipanties
	AREA AND COLOR.	All deaths.	Under 1 year.	1 year.	2 years.	3 years.	4 years.	Under 5 years.	5 to 9 years.	10 to 14 years.	15 to 19 years.	20 to 24 years.	25 to 29 years.
	REGISTRATION CITIES—Contd.			<del></del> -									
1 2 3 4 5	INDIANA—continued. Evansville	1,087 815 290 275 126	189 111 106 70 13	49 9 28 10 3	18 7 6 3	12 8 2 2	6 2 4 3 3	274 137 146 88 19	18 20 5 10 3	16 6 1 2 4	28 26 5 10 2	61 45 14 16 8	41 39 21 21 1
6 7 8 9 10	Indianapolis (total). White. Colored. Jeffersonville (total). White. Colored.	3,530 3,029 501 186 156 30	419 359 60 30 28 2	67 54 13 6 6	48 34 14 1	38 32 6	16 14 2	588 493 95 37 35 2	59 48 11 3 3	63 53 10 1	105 84 21 4 3	169 140 29 8 7	160 137 23 12 11
12 13 14 15 16	Kokomo Lafayette Laporte Logansport Marion	210 330 169 249 254	42 26 23 30 45	6 4 7 9	3 2 1 3	1 1 3 2	5 1 4 1	57 34 34 44 63	8 8 3 5 4	3 4 2 4 5	7 12 2 6 7	8 14 2 11 14	8 15 7 10 10
17 18 19 20 21	Michigan City Mishawaka Muncie New Albany Peru	251 157 314 317 151	39 31 61 39 19	10 7 11 8	4 2 2 7 2	4 3 1	1 3 4 1	58 47 81 56 22	7 5 5 2 2	8 2 5 7 2	6 3 13 7 6	14 6 13 12 4	9 8 12 15 10
22 23 24 25	Richmond. South Bend. Terre Hauts. Vincennes.	285 758 913 257	* 36 185 126 25	10 27 28 12	3 16 14 6	2 5 4 2	4 6 7 5	55 239 179 50	3 20 14 4	4 15 15 9	6 22 23 10	8 41 43 16	10 33 50 14
26 27 28	KANSAS. <sup>1</sup> Registration cities (total) White Colored	2,393 2,008 385	415 354 61	66 61 5	28 23 5	12 9 3	19 16 3	540 463 77	50 43 7	50 39 11	80 64 16	134 113 21	119 90 29
29 30 31 32 33 34 35	Kansas City (total). White. Colored. Leavenworth (total). White. Colored. Wichita.	1, 405 1, 145 260 315 238 77 673	279 240 39 27 16 11 109	53 48 5 7 7	22 17 5 1 1	6 4 2	10 9 1 1 1 8	370 318 52 36 24 12 134	31 27 4 5 2 3 14	26 19 7 6 5 1	47 36 11 12 10 2 21	92 73 19 10 9 1	72 53 19 11 6 5
36	KENTUCKY.  Registration cities (total)	6, 934	888	252	91	76	55	1,362	147	103	246	360	346
37 38	Registration cities (total) White Colored		665 223	172 80	60 31	53 23	, 33 , 22	983 379	104 43	68 35	137 109	223 137	215 131
39 40 41 42 43 44	Covington (total)	809 716 93 206 138 68	104 95 9 19 16 3	26 21 5 7 7	10 8 2 2 2	6 6 2 2	4 3 1 3 2 1	150 133 17 33 29 4	23 20 3 3 1 2	15 13 2 5 4 1	21 20 1 6 3	44 35 9 15 8 7	40 29 11 18 8 10
45 46 47 48 49 50	Henderson (total). White. Colored. Lexington (total). White. Colored.	229 133 96 827 459 368	40 23 17 84 36 48	15 13 2 23 . 12 11	3 2 1 9 5 4	3 2 1	2 2 6 1 5	60 40 20 125 56 69	4 2 2 15 10 5	7 2 5 6 1 5	12 8 4 30 14 16	17 5 12 45 22 23	10 6 4 31 12 19
51 52 53 54 55 56	Louisville (total). White Colored Newport (total). White Colored 2.	3,661 2,597 1,064 383 364 19	441 343 98 55 51 4	123 75 48 11 10 1	51 32 19 4 4	50 32 18 5 5	28 16 12 5 5	693 498 195 80 75 5	69 50 19 3 3	51 32 19 6 6	122 60 62 17 14 3	172 106 66 25 22 3	191 122 69 19 17 2
57 58 59 60 61 62	Owensboro (total). White. Colored. Paducah (total). White. Colored.	352 260 92 467 270 197	75 62 13 70 39 31	25 20 5 22 14 8	7 3 4 5 4 1	5 4 1 5 2 3	3 3 4 1 3	115 92 23 106 60 46	19 15 4 11 3 8	7 6 1 6 4 2	11 7 4 27 11 16	12 10 2 30 15 15	12 7 5 25 14 11
	LOUISIANA.1	7 0 7 7	1 07-	051	110	Er	بر	1 500	100	104	206	372	398
63 64 65	New Orleans (total). White Colored.	7,055 4,208 2,847	1,071 662 409	251 163 88	112 68 44	55 31 24	23 · 21	1,533 947 586	123 65 58	104 46 58	206 82 124	372 146 226	189 209
66 67 68	MAINE.  Registration cities (total) White. Colored	3, 114 3, 103 11	520 517 3	88 88	31 31	23 23	20 20	682 679 3	48 48	** 44 44	76 76	99 99	117 117
69 70 71	Auburn Augusta Bangor	203 342 519	34 30 62	6 9 4	3	4	1 1	47 40 71	6 3 1	2 5 9	7 4 19	3 9 27	3 8 24

<sup>&</sup>lt;sup>1</sup> Nonregistration state; cities shown below only those with effective local ordinances.

AREA AND ITS SUBDIVISIONS, BY COLOR AND AGE OF DECEDENT: 1911-Continued.

					, t	DEAT	HS AT AGI	e of—							Deaths
80 to 84 years.	35 to 39 years.	40 to 44 years.	45 to 49 years.	50 to 54 years.	55 to 59 years.	60 to 64 years.	65 to 69 years.	70 to 74 years.	75 to 79 years.	80 to 84 years.	85 to 89 years.	90 to 94 years.	95 to 99 years.	100 years and over.	at un- known age.
			,			, <del>-</del>							,		
51 32 21 14 3	64 51 19	61 37 15 17	56 45 8 14 7	56 43 6 17	45 53 6 12	68 47 6 10	74 61 2 6	55 61 4 6	52 50 2 5	34 42 1 10	23 18 3 2 4	7 1	3 1		5
	12	. 6	1	4	4	9	11	14		7	İ	1 1			
184 146 38 8	211 166 45 8 5	184 152 32 8 5	195 173 22 11 9	239 204 35 9 7 2	233 204 29 15 12	231 201 30 10 8 2	251 222 29 11 9 2	255 231 24 15 14	210 202 8 10 9	122 109 13 - 8 7	44 41 3 5 4	17 15 2 1 1	7. 7	2 1 1 1	1
6	1 .	11 16		7	10		1	ł	1 16	1	5		` 1	1	
16 2 15 14	6 17 12 11 3	16 6 11 8	4 19 8 10 10	. 29 16 13 15	19 6 23 24	14 21 11 17 21	13 27 10 21 14	12 24 15 15 14	16 25 11 - 12 12	14 24 13 6 4	3 7 8 10	3 2 5 2	i		i
20 9 14 8 5	17 2 9 11 7	10 8 17 14 7	13 5 17 11 4	13 10 11 19 14	10 6 12 18 12	16 6 15 28 8	14 10 30 25 11	. 13 10 21 28 9	9 5 19 26 18	8 6 14 18 5	5 5 5 6 5	1 2 1 3	2		
12 31 49 15	10 34 48 9	9 29 51 7	13 25 46 12	20 33 54 11	14 42 62 13	- 17 46 57 17	26 49 70 20	21 37 46 15	22 27 40 17	16 21 26 10	\$ 14 8 29 5	5 5 8 3	1 2	1	
110 90 20	115 93 22	110 83 27	126 <sup>-</sup> 106 20	137 123 14	140 120 20	. 131 107 24	118 103 15	146 125 21	117 101 16	88 79 9	49 45 4	19 12 . 7	5 4 1	3 1 2	· 6 4 2
67 52 15	74 59	67 48	88 70 18 17 16	86 76	71 58	77 60 17 23 17	65 53	60 51	51 43	30 24 6	21 18 3 11 10		1 1	1	3
67 52 15 14 12 2 29	74 59 15 9 6 3 32	67 48 19 12 8 4	17 16 1 21	86 76 10 13 10 3 3	71 58 13 22 17 5 47	23 17 6 31	65 53 12 16 14 2 37	60 51 9 35 25 10 51	51 43 8 25 18 7 41	6 26 23 3 32	11 10 1 17	5 3 2 8 4 4 6	1 1 3	1 1 1	2 1 1 1
366 232 134	429 281 148	377 232 145	419 260 159	411 284 127	424 307 117	420 339 81	422 340 82	382 322 60	. 335 299 36	197 174 23	104 88 16	31 24 7	9 7 2	5 5	39 18 21
29 24 5 15	56 51 5	39 36 3	42 33 9 11	42 33 9	58 54 4	55 51 4	54 51 3	46 44 2	43 43	28 26 2 5	14 13 1	5 4 1	3 2 1		2
15 8 7	51 5 13 6 7	36 3 7 4 3	11 6 5	11 7 4	4 10 7 3	4 9 7 2	54 51 3 19 16	44 2 9 6 3	12 11 1	5 4 1	2 2				2 1 1 3 1 2
9 7	14 8 6	13 5 8	13 8 5 50	14 7 7 55	9 3 6	6 4 2	11 9	12 9 3	5 · 4 1 42	8 5 3	1	1		1	2 1 1 19
9 7 2 52 31 21	54 28 26	48 20 28	50 21 29	55 31 24	62 39 23	53 34 19	11 9 2 49 32 17	44 30 14	42 31 11	32 27 5	1 10 7 3	1 4 3 1		1 1 1	19 10 9
199 125	231 151 80 12 11	209 126	l	i									4 3		12 5 7
199 125 74 17 15 2	12 11 1	209 126 83 16 18	249 153 96 22 20 2	219 148 71 29 29	221 153 68 27 27	237 194 43 21 21	224 176 48 21 20	209 184 25 17 17	176 158 18 28 28	100 92 8 - 6 6	56 47 9 13 13	17 14 3 2 2	1 2 2		7
	19	21 13	1	. 13 . 9	15 9	12 9		26 19	16 15	10 7	4 4	1 1			
12 7 5 33 15 18	9 30 16 14	21 13 8 24 12 12	10 7 3 22 12 10	13 9 4 28 20 8	15 9 6 22 15 7	12 9 3 27 19 8	17 13 4 27 23 4	26 19 7 19 13 6	16 15 1 13 9 4	10 7 3 8 7 1	4 2 2	1		3	, i
390 202 188	467 230 237	478 266 212	447 258 189	440 293 147	406 266 140	427 283 144	354 261 93	314 228 86	287 218 69	175 138 - 37	80 61 19	23 19 4	18 6 12	10 2 8	3 2 1
136 135 1	142 142	141 140	144 144	163 162 1	184 184	201 199 2	241 240 1	232 232	194 194	149 149	68 67 1	28 27 1	13 13		12 12
5 16 24	2 23 24	8 17 26	12 19 24	11 25 34	15 24 27	15 31 40	23 24 46	10 33 45	16 27 31	12 18 22	3 9 14		3		2 5

<sup>2</sup> Colored population less than 10 per cent of total.

#### TABLE 1.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION

		1			— <u></u>		DEAT	HS AT AGE	of—				
-	AREA AND COLOR.	All deaths.	Under 1 year.	1 year.	2 years.	3 years.	4 years.	Under 5 years.	5 to 9 years.	10 to 14 years.	15 to 19 years.	20 to 24 years.	25 to 29 years.
	REGISTRATION CITIES—Contd.												
1 2 3 4	MAINE—continued.  Biddeford	317 508 1,062 163	76 93 183 42	22 12 24 11	1 8 13 4	4 6 6 1	6 7 4 1	109 126 230 59	8 10 18 2	6 9 10 3	11 11 23 1	6 17 29 8	8 21 47 6
5 6 7	MARYLAND.  Registration cities (total) White Colored	11,355 8,567 2,788	2,142 1,583 559	457 329 128	171 120 51	108 78 30	80 55 25	2,958 2,165 793	217 156 61	151 102 49	291 182 109	427 268 159	532 325 207
8 9 10 11 12 13	Baltimore (total)	10,407 7,757 2,650 416 375 41	1,960 1,433 527 81 70 11	434 311 123 13 11 2	158 113 45 7 4 3	98 71 27 2 2	78 53 25	2,728 1,981 747 103 87 16	201 143 58 9 7	138 92 46 8 7	260 161 99 13 12 1	383 229 154 22 22 22	494 290 204 23 22 1
14 15 16 17 18 19	Frederick (total).  White. Colored. Hagerstown (total).  White. Colored <sup>1</sup> .	219 168 51 313 267 46	38 28 10 63 52 11	5 2 3 5 5	1 5 3 2	2 1 6 4 2	2 2	46 31 15 81 66 15	4 4 3 2 1	1 1 4 2 2	12 5 7 6 4 2	8 4 14 13 1	8 7 1 7 6 1
20	MASSACHUSETTS.  Registration cities (total)	41,010	8,720	1,645	630	410	299	11,704	726	481	765	1,161	1,429
20 21 22	White Colored	40, 293 717	8,603 117 67	1,602 43 13	615 15	400 10 2	291 8	11,511 193 85	710 16	468 13	744 21 4	1,133 28 4	1,385 44 3
23 24 25 26	Adams town. Arlington town. Attleboro town. Beverly.	186 147 187 262	17 50 52	8 2	1 3 4	1 1 2	1 1 2	23 63 62	5 2 3 8	· 2 3 7	7 4 1	4 6 7	8 8
27 28 29 30 31	Boston (total). White- Colored. Broekton. Brookline town.	11,765 11,393 372 640 342	2,246 2,188 58 111 22	475 452 23 26 7	179 171 8 12	127 124 3 1 3	93 90 3 4 2	3, 120 3, 025 95 154 34	217 208 9 14	120 112 8 3 3	220 208 12 21 1	325 309 16 21 9	489 460 29 19 5
32 33 34 35 36	Cambridge	1,617 622 389 183 377	297 100 144 23 53	54 21 23 6 9	36 5 9 1 8	25 5 6 1 . 3	18 7 5	430 138 187 31 76	41 12 4 2 7	32 6 6 3	42 13 8 6 7	40 14 10 6 8	51 22 13 4 15
37 38 39 • 40 41	Fall River Fitchburg Framingham town Gardner town Gloucester	2,134 498 185 193 347	810 112 31 52 56	160 23 4 7 10	55 12 2 2 2 7	24 8 2	16 6 1 2	1,065 161 39 62 77	36 5 3 4 8	28 8 3 2 6	34 · 8 3 1 9	57 28 7 6 13	47 14 6 10 11
42 43 44 45 46	Greenfield town. Haverhili. Holyoke. Hyde Park town Lawrence.	155 653 902 191 1,405	26 94 301 28 434	10 23 35 2 103	4 8 8 1 29	3 3 12 3 17	1 1 4 5 8	44 129 360 39 591	19 20 3 20	2 5 10 3 20	3 13 13 7 21	3 15 25 8 34	8 23 36 4 53
47 48 49 50 51	Leominster town Lowell Lynn Malden Marlboro	220 1,925 1,152 551 223	43 486 208 85 26	1 97 41 10 3	3 35 13 11 3	2 21 7 2 1	10 13 2	49 649 282 110 33	32 12 13 5	3 18 9 13 2	3 36 22 13 3	3 55 33 17 7	6 72 47 19 6
52, 53 54 55 56	Medford Metrose. Methuen town Milford town New Bedford	275 178 141 214 1,741	31 18 29 36 603	6 1 3 3 111	4 3 2 2 20	3 23	1 17	45 22 35 44 774	3 4 2 31	3 1 1 6 19	9 2 5 6 22	5 2 2 5 5	6 4 2 10 49
57 58 59 60 61	Newburyport	280 463 317 375 227	* 33 77 59 46 38	5 12 10 8 8	6 5 2 5	4 4 5 2 2	2 4 3 1	44 103 79 61 54	5 3 12 4 1	3 5 2	9 9 9 9 3	6 10 8 12 6	9 10 15 13 11
62 63 64 65 66	Pittsfield. Plymouth town. Quincy. Revere town. Salem.	552 204 395 192 745	99 45 89 39 172	16 12 21 7 40	11 4 6 1 10	5 1 8 1 7	3 4 1	134 66 125 48 235	7 4 7 4 15	7 3 2 3 3	12 3 7 3 13	19 3 15 4 17	18 5 12 6 12
67 68 69 70 71	Somerville. Southbridge town. Springfield. Taunton. Wakefield town.	1,031 131 1,417 715 144	163 36 251 157 21	33 5 46 16 4	12 4 24 9 1	8 1 12 3	6 3 10	222 49 343 185 27	17 2 12 8 2	9 2 16 8	12 2 23 1 2	22 1 53 25. 5	33 3 48 24 2·
72 73 74 75	Waltham. Watertown town. Webster town. Westfield town.	137 156	60 34 52 53	9 2 3 3	6 2 6	1 1	4 1 2 2		12 3 8 3	13 5 2 3	19 2 16	11 5 21	7 5 8 14

 $<sup>^{\</sup>mbox{\tiny 1}}$  Colored population less than 10 per cent of total.

AREA AND ITS SUBDIVISIONS, BY COLOR AND AGE OF DECEDENT: 1911—Continued.

						DEATI	IS AT AGE	of—							Deaths
30 to 34 years.	85 to 89 years.	40 to 44 years.	45 to 49 years.	50 to 54 years.	55 to 59 years.	60 to 64 years.	65 to 69 years.	70 to 74 years.	75 to 79 years.	80 to 84 years.	85 to 89 years.	90 to 94 years.	95 to 99 years.	100 years and over.	at un- known age.
17 26 44 4	10 27 51 5	11 31 39 9	9 24 53 3	- 9 27 52 5	11 29 69 9	17 20 70 8	20 31 · 84 · 13	25 35 75 9	19 29 65 7	17 22 51 7	3 5 31 3	3 18 2	1 3		1
508 352 156	520 342 178	576 392 184	584 428 156	731 538 193	634 493 141	688 575 113	691 610 81	682 588 94	505 455 50	397 368 29	178 158 20	62 53 9	17 14 3	5 2 3	1
461 316 145 27 25	474 303 171 25 22 3	531 354 177 19 17 2	538 392 146 20 15	697 506 191 15 15	580 446 134 21 18 3	619 511 108 29 27 2	627 553 74 21 19	618 530 88 24 24	468 419 49 10 10	354 327 27 15 15	158 140 18 8 7	57 49 8 3 3	16 13 3 1 1	5 2 3	
10 6 4 10 5 5	8 7 1 13 10 3	11 6 5 15 15	8 4 18 17 1	5 5 14 12 2	13 12 1 20 17 3	19 18 1 21 19 2	14 11 3 29 27 2	18 16 2 22 22 18 4	15 14 1 12 12	14 13 14 14 13	5 4 1 7 7	2 1 1			1 1
1,465 1,426 39	1,821 1,771 50	1,912 1,869 43	1,939 1,891 48	2,160 2,110 50	2,273 2,232 41	2,689 2,646 43	2,834 2,808 26	2,627 2,602 25	2,159 2,141 18	1,596 1,585 11	· 871 . 866 . 5	315 314 1	59 57 2	9	15 15
505 486 19 23 5	4 9 2 15 649 622 27 18	6 4 3 10 685 658 27 30 17	5 8 12 5 678 649 29 32 11	5 10 9 13 743 718 25 40 24	10 7 9 15 686 665 21 38 27	5 19 11 23 811 794 17 52 26	16 9 7 17 769 757 12 49 26	11 12 10 19 665 653 12 37 41	9 12 13 18 483 476 7 44 38	7 9 9 16 356 351 5 28 32	1 4 6 8 161 160 1 13 13	1 1 1 5 68 68	14 13 1	1	
57 30 7 12 13	76 23 13 10 17	17 68 28 14 8 12	77 30 . 16 10 22	24 94 32 9 6 21	27 96 17 16 10 23	26 91 41 18 17 31	26 112 65 15 17 34	41 100 54 16 16 29	38 87 46 16 9 25	32 72 28 9 10 17	11 35 19 8 6 12	4 8 12 2 3 2 2	1 2 2 2 1 2	1 2	1
62 15 8 5 11	75 18 11 4 14	82 13 7 6 10	64 15 14 6 9	75 26 8 11 22	100 26 10 13 21	*95 28 11 10 29	111 38 13 16 30	80 27 · 17 10 24	57 28 . 9 14 18	42 22 12 6 18	16 . 14 . 2 . 5 12	6 3 · 2 2 4	1	1	
23 18 3 53	31 32 1 62	4 30 38 8 74	5 21 33 8 53	7 40 52 9 61	5 40 38 17 63	11 42 54 15 62	16 51 52 17 78	14 52 42 15 64	8 42 48 11 47	11 47 17 13 29	1 21 9 9 15	1 8 4 1 5	1		1
63 49 13 5	7 90 41 22 . 6	80 62 21 12	81 62 30 11	100 .62 34 12	7 104 74 34 18	16 111 82 33 18	19 126 73 49 29	20 119 80 43 14	21 78 69 36 21	11 51 49 29 13	6 47 30 17 6	5 11 11 5 1	2 3		
10 7 2 12 47	7 3 4 8 62	13 8 7 9 72	12 4 3 14 67	11 6 4 12 67	19 10 6 12 75	21 17 10 16 71	23 19 8 17 96	24 30 20 17 77	17 22 12 15 53	26 10 9 4 54	18 6 5 5 30	2 4 2 14	1,		2
11 11 10 15 5	9 9 11 20 6	8 19 13 11 9	10 24 13 10 13	15 16 17 16 15	22 20 22 22 22 16	14 34 26 28 23	. 46 22 28 19	30 37 24 40 18	26 41 13 43 11	23 39 12 22 7	12 16 8 17 5	6 9 1 4 3	1 2 1		1
18 7 11 3 26	28 13 13 2 33	20 6 14 5 31	28 9 18 12 22	26 8 15 20 26	30 8 23 12 45	32 9 27 14 44	49 12 20 17 55	39 14 27 8 62	27 14 27 11 44	28 7 13 11 37	24 9 10 4 19	4 4 5 3 4	2 2 2	1	2 1
38 3 57 22 6	44 3 81 34 3	42 1 71 25 5	60 8 70 24 5	41 6 66 33 7	71 11 74 38 5	87 8 111 58 9	80 7 108 58 16	93 10 90 51 15	70 6 86 50 13	51 3 46 43 11	28 4 42 16 9	9 2 18 9 1	2 2 1 1		2
13 2 2 2 17	12 4 4 13	18 6 4 13	18 5 2 12	16 11 6 13	19 9 6 10	29 15 9 13	23 5 10 17	33 11 11 13	24 10 8 17	23 2 5 14	11 4 3 6	4 2 1 3	1		1 1

### TABLE 1.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION

=					•		DEAT	HS AT AGE	OF—				
	AREA AND COLOR.	All deaths.	Under 1 year.	1 year.	2 years.	3 years.	4 years.	Under 5 years.	5 to 9 years.	10 to 14 years.	15 to 19 years.	20 to 24 years.	25 to 29 years.
1	REGISTRATION CITIES—Contd.  MASSACHUSETTS—continued.  Weymouth town	187	26	2				28	3	1	1	5	11
2 3 4	Winthrop town. Woburn. Worcester. MICHIGAN.	114 193 2,362	28 447	5 9 68	1 6 25	2 2 25	5 16	12 50 581	3 1 2 45	4 4 37	3 2 43	2 1 73	11 2 7 84
5 6 7	Registration cities (total) White Colored	15, 355 15, 108 247	3,235 3,198 37	525 519 6	215 214 1	158 156 2	129 128 1	4, 262 4, 215 47	370 364 6	226 225 1	373 357 16	635 623 12	654 638 16
8 9 10 11 12	Adrian. Alpena. Ann Arbor. Battle Creek. Bay City	152 215 338 399 563	15 65 35 44 121	1 10 6 7 14	1 2 4 7	1 2 6 3 6	1 2 2 4	18 80 53 56 152	7 4 6 7 15	3 3 4 10 7	6 6 11 11 22	4 9 15 14 14	3 8 16 11 28
13 14 15 16 17	Detroit. Escanaba Flint. Grand Rapids. Holland	7,110 182 401 1,580 115	1,869 41 93 270 31	313 6 10 59 1	117 3 6 23 2	97 2 4 12	66 3 6 12	2, 462 55 119 376 34	194 4 9 34 1	100 5 5 25 2	165 7 11 27 4	311 9 21 59 4	329 8 11 62 7
18 19 20 21 22	Ironwood. Ishpeming. Jackson. Kalamazoo. Lansing.	113 124 410 719 343	35 24 51 67 51	8 6 10 14 6	3 1 3 7 8	1 1 2 2	2 3 3 1	46 34 68 93 68	2 3 11 7 8	2 6 9 6 5	3 5 7 17 5	11 5 7 23 21	7 6 17 24 13
23 24 25 26 27	Manistee Marqueite Menominee Muskegon Pontiae	158 201 136 365 316	23 44 35 65 31	3 8 3 11		1	2 1 1 1 1	29 57 40 83 37	5 4 5 7 1	4 2 2 4 5	13 6 5 16 2	7 13 3 17 12	6 13 5 10 17
28 29 30 31	Port Huron. Saginaw. Sault Ste. Marie. Traverse City.	300 704 162 249	53 114 38 20	5 12 6 3	3 9 3	2 12 4	6 10 1 1	69 157 52 24	8 18 5 5	10 1 2	3 12 9	10 29 6 11	9 30 5 9
32 33 34	MINNESOTA.  Registration cities (total) White Colored	7, 732 7, 611 121	1,371 1,356 15	189 188 1	90 88 2	85 83 2	55 55	1,790 1,770 20	178 176 2	117 116 1	240 239 1	398 388 10	416 404 12
35 36 37 38	Duluth Mankato Minneapolis St. Cloud	960 155 3, 572 136	183 14 601 26	27 1 89 7	10 49 1	6 42	5 1 24	231 16 805 34	26 4 75 3	22 1 48 1	22 4 124 4	58 6 183 8	69 7 179 1
39 40 41 42	St. Paul. Stillwater Virginia. Winons.	2,386 123 154 246	449 15 50 33	58 1 4 2	24 5 1	34 1 1 1	22 1 1 1	587 18 61 38	60 2 8	36 2 6 1	66 6 5 9	115 8 8 12	130 7 - 14 9
43 44 45	MISSOURI.  Registration cities (total) White Colored	17, 874 15, 775 2, 099	2, 627 2, 374 253	552 494 58	277 249 28	190 173 17	146 133 13	3, 792 3, 423 369	393 353 40	252 216 36	478 396 82	805 655 150	898 714 184
46 47 48 49 50 51 52	Hannibal. Jefferson City Joplin Kansas City (total) White Colored Moberly.	263 158 465, 3, 961 3, 340 621 148	50 10 78 587 513 74 20	2 4 19 87 72 15 6	5 1 17 36 32 4 1	1 2 5 33 29 4	2 2 2 16 15 1 2	60 19 121 759 661 98 29	5 5 68 59 9 7	4 1 9 49 44 5	7 3 9 114 85 29 2	9 12 26 209 148 61 8	9 7 22 251 186 65 5
53 54 55 56 57 58 59	St. Joseph St. Louis (total) White Colored Sedalia Springfield Webb City  MONTANA.	1, 001 10, 765 9, 591 1, 174 306 619 188	110 1,573 1,432 141 51 106 42	20 358 318 40 9 38	11 181 164 17 6 12 7	8 128 116 12 1 8 4	2 110 101 9 3 6 1	151 2,350 2,131 219 70 170 63	14 256 230 26 5 21 7	17 154 128 26 3 10 4	33 270 232 38 14 16	37 456 385 71 11 31 6	39 . 500 . 401 . 99 . 14 . 35 . 16
60 61 62	MONTANA.  Registration cities (total)  White  Colored	1,470 1,417 53	233 230 3	46 46	22 21 1	12 12	9 9	322 318 4	36 34 2	28 28	33 30 3	68 66 2	95 91 4
63 64 65 66 67 68	Anaconda Billings Butte Great Falls Helena Missoula.	124 149 635 211 184 167	25 29 83 48 30 18	7 5 16 10 5 3	3 1 6 4 4 4	4 2 5	1 4 2 2 2	40 37 114 64 42 25	1 17 5 5 8	6 4 9 3 5	2 8 12 3 5	5 8 26 13 4 12	12 14 14 14 12 11

AREA AND ITS SUBDIVISIONS, BY COLOR AND AGE OF DECEDENT: 1911—Continued.

formed at least 10 per cent of the total, or numbered 10,000 or over in 1910. The term "cities" indicates municipalities having 10,000 inhabitants or over in 1910 are omitted.]

						DEATE	IS AT AGE	or-							Deaths at un-	
80 to 84 years.	85 to 89 years.	40 to 44 years.	45 to 49 years.	50 to 54 years.	55 to 59 years.	60 to 64 years.	65 to 69 years.	70 to 74 years.	75 to 79 years.	80 to 84 years.	85 to 89 years.	90 to 94 years.	95 to 99 years.	100 years and over.	known age.	
6 5 8 81	6 3 5 107	3 6 11 119	11 5 8 123	11 8 7 124	9 15 10 130	11 11 21 159	12 8 13 171	15 14 8 165	24 4 11 153	20 6 8 99	6 2 9 49	3 3 7 5 10	8	i	1	
624 608 16	616 597 19	602 589 13	708 686 22	869 849 20	803 788 15	. 873 . 865 . 8	959 946 13	. 982 972 10	788 787 1	595 590 5	289 285 4	102 100 2	12 12	4 3 1	9	
8 7 13 15 20	4 6 16 22 16	7 7 27 16 22	9 8 19 20 28	11 10 23 29 34	5 8 24 33 29	5 9 21 29 37	16 14 21 24 31	20 13 17 43 32	9 8 25 26 35	12 7 14 20 33	4 6 8 11 7	1 2 5 2 1				]
293 9 15 61 2	290 7 17 55	257 8 13 59 3	341 7 14 67 3	374 9 18 86 4	318 15 18 90 10	332 7 30 107 7	382 8 19 95 8	318 9 24 135 10	289 5 27 100 9	204 5 19 87 6	105 3 5 43 1	39 1 5 9	1 2	1	2 1	
5 5 17 33 9	7 7 16 39 9	5 3 19 31 12	2 4 18 38 10	5 10 19 54 18	4 7 24 52 20	5 2 39 52 18	1 6 34 74 38	2 10 27 71 27	3 5 36 44 27	2 3 23 36 19	1 3 13 19 9	6 4 4	1 1	1	1	1
7 10 6 10 11	3 7 11 14 15	6 10 3 14 20	6 8 7 12 10	8 12 11 22 23	5 10 · 8 18 30	9 10 8 26 28	15 11 5 37 22	13 14 10 31 27	10 7 5 12 25	8 2 1 21 15	1 3 1 9 4	$\begin{array}{c} 1\\2\\ \\ \\1\\2\\ \end{array}$	1	1	1	2040404
16 29 8 15	10 27 9 9	16 25 7 12	. 10 35 9 14	16 42 9 22	19 33 8 15	14 43 11 24	20 50 6 22	30 64 7 28	19 40 5 17	15 27 3 13	8 17 2 6	12 12	1		3	04040000
394 387 7	394 380 14	408 394 14	451 · 442 · 9	475 466 9	441 439 2	404 399 5	421 414 7	365 363 2	387 384 3	244 243 1	148 147 1	50 50	6 6	4 3 1	1	
56 11 188 5	67 6 176 8	54 6 199 6	54 11 214 11	65 9 221 6	55 12 207 7	48 9 188 6	39 8 174 11	30 8 177 3	26 19 199 12	20 8 115 5	12 7 75 5	4 3 22	3	2		
111 2 16 5	115 7 8 7	122 5 8 8	132 6 7 16	152 8 5 9	136 8 2 14	117 11 4 21	156 6 2 25	115 11 4 17	109 6 16	72 7 2 15	*13	· 18	1	2	1	
957 769 188	1,021 833 188	995 859 136	1,121 960 161	1,180 1,040 140	1,059 945 114	1,071 988 83	1,058 994 64	1,024 958 66	783 751 32	582 555 27	280 264 16	86 77 9	18 14 4	5 1 4	16 10 6	
10 10 25 212 156 56	11 19 35 257 204 53 8	11 6 23 264 213 51 10	11 · 8 22 242 200 42 9	16 7 21 248 217 31 6	17 13 29 253 218 35 10	17 10 29 233 205 28 9	11 · 6· 23 241 221 20 7	21 9 27 187 171 16 14	21 6 20 169 160 9 6	13 8 13 126 119 7 6	5 5 3 54 51 3	2 3 2 20 18 2	4 4	1	1 1 1	
61 577 460 117 18 23 14	. 64 572 466 106 18 29 8	52 586 510 76 10 27 6	61 720 624 96 16 27 5	77 741 659 82 22 22 37 5	71 610 546 64 13 31 12	59 671 623 48 17 20 6	73 644 612 32 13 34 6	63 625 597 28 25 44 9	52 454 441 13 16 32 7	42 337 324 13 12 22 3	23 181 172 9 4 1	5 48 43 5 1 5	1 9 6 3	3 1	6 1 1 3 2	
103 96 7	110 107 3	118 114 4	127 122 5	99 92 7	90 87 3	57 55 . 2	63 58 5	42 41 1	37 37	27 27	9 9	4 4			2 1 1	ľ
3 15 58 13 7	8 7 54 12 11 18 12489°	10 13 71 5 9 10	4 7 65 25 7 19	16 5 45 13 12 8	7 7 37 11 14 14	3 7 21 5 11 10	5 5 23 11 10 9	3 3 18 5 11 2	4 1 13 3 11 5	4 5 5 3 7 3	2 4 1 1 1	1 2 1			1	

### TABLE 1.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION

							DEAT	HS AT AGE	of—				
	AREA AND COLOR.	All deaths.	Under 1 year.	1 year.	2 years.	3 years.	4 years.	Under 5 years.	5 to 9 years.	10 to 14 years.	15 to 19 years.	20 to 24 years.	25 to 29 years.
	REGISTRATION CITIES—Contd.  NEBRASKA,1						•					٠.	
1 2 3	Registration cities (total) White	2,425 2,301 124	348 338 10	53 53	35 33 2	27 25 2	16 16	479 465 14	55 53 2	52 51 1	72 68 4	111 106 5	139 118 21
4 5	Lincoln	613 1,812	127 221	27 26	9 26	9 18	5 11	177 302	13 42	12 40	16 56	17 94	27 112
6 7 8	NEW HAMPSHIRE.  Registration cities (total) White Colored	3,156 3,151 5	740 738 2	139 139	53 53	23 23	16 16	971 969 2	65 64 1	34 34	71 71	89 88 1	92 92
9 10 11 12	Berlin Concord Dover Keene	187 436 248 181	75 39 38 28	15 4 7 5	6 5 5 1	5	2 3 2 1	103 51 55 35	8 6 5 2	4 2 2 2 2	5 5 7 6	6 10 5 1	5 16 6 1
13 14 15 16	Laconia. Manchester. Nashus. Portsmouth.	154 1,302 428 220	23 418 85 34	7 72 22 7	3 27 4 2	9 4 2	4 3 1	33 530 118 46	2 27 11 4	1 14 6 3	2 26 13 7	2 41 18 6	4 41 15 4
17 18 19	NEW JERSEY.  Registration cities (total) White Colored	25,821 24,477 1,344	5,572 5,297 275	1,262 1,198 64	493 464 29	302 285 17	253 240 13	7,882 7,484 398	631 596 35	337 316 21	547 501 46	933 860 73	1,017 932 85
20 21 22 23 24 25	Asbury Park (total)	146 112 34 796 630 166	20 12 8 125 97 28	3 3 14 9 5	1 1 11 10 1	3 1 2 5 5	1 1 4 4.	28 18 10 159 125 34	4 3 1 13 7 6	14 7 7	5 4 1 19 13 6	3 3 29 24 5	3 2 1 26 15 11
26 27 28 29 30	Bayonne Bloomfield Bridgeton Camden East Orange	815 146 247 1,626 332	270 26 29 353 35	53 7 5 81 13	29 2 3 33 4	9 1 3 19 4	6 2 4 15 2	367 38 44 501 58	21 5 5 36 5	14 1 3 27 6	26 3 6 41 4	33 1 7 64 9	32 5 10 53 7
31 32 33 34 35	Elizabeth. Garfield. Hackensack Harrison Hoboken.	1,202 136 217 194 1,266	286 57 43 55 228	67 10 5 9 83	26 1 6 7 35	14 4 4 6 17	14 1 1 20	407 72 59 78 383	28 10 7 2 23	11 5 16	22 2 2 3 23.	62 3 9 10 47	53 2 15 4 58
36 37 38 39 40	Irvington. Jersey City Kearny Long Branch Millville.	159 4,381 266 284 166	22 923 46 39 25	2 241 13 5 5	97 1 3	3 52 1 2 2	3 42 2 2 3	30 1,355 63 51 35	111 6 9 7	3 64 1 3 2	95 3 6 4	158 6 11 4	5 208 7 9 3
41 42 43 44 45	Montclair (total)	314 270 44 293 475	68 56 12 53 135	6 5 1 11 21	5 4 1 5 7	2 1 1 1 4	4 2,	81 66 15 74 169	6 4 2 4 9	3 2 1 7 6	6 3 3 4 9	10 7 3 12 18	11 7 4 11 18
46 47 48 49	Newark Orange Passaic Paterson.	5,395 535 830 1,890	1,091 112 337 313	272 31 58 60	85 8 15 26	53 7 20 20	56 5 5 19	1,557 163 435 438	120 14 17 55	51 14 12 36	119 12 19 40	184 22 27 68	207 21 29 65
50 51 52 53	Perth Amboy Phillipsburg Plainfield Trenton	468 183 297 1,843	169 40 41 443	48 9 11 68	9 6 2 34	4 2 27	6 1 3 12	236 56 59 584	. 16 5 6 49	, 9 1 4 18	11 3 10 33	18 3 7 69	16 3 17 87
54 55 56 57	Union West Hoboken West New York. West Orange	233 404 176 106	37 90 36 25	12 22 15 2	10 19 2 1	3 5 4 1	8 5 3 2	70 141 60 31	10 17 4 5	2 2 2	2 6 2 3	13 16 4 2	3 14 11 4
58	NEW YORK.  Registration cities (total)	108,488	20,971	4,962	2,122	1,311	902	30,268	2,426	1,394	2,366	3,793	4,409
59 60	WhiteColored	105, 442 3, 046	20,377 594	4,812 150	2,065 57	1,275 36	882 20	29,411 857	2,426 2,382 44	1,354 40	2,366 2,270 96	3,609 184	4,175 234
61 62 63 64 65	Albany. Amsterdam. Auburn. Batavia. Binghamton.	2,063 437 633 205 939	251 95 123 35 106	31 17 · 26 4 17	17 4 12 6 9	16 6 2 3 3	4 1 4 2 3	319 123 167 50 138	46 13 14 10	20 4 2 2 9	43 13 7 7 16	59 23 25 12 23	80 17 28 5 24
66 67 68 69 70	Buffalo	6, 294 481 186 206 268	1,297 128 32 30 69	214 21 5 3 10	90 8 2 3 13	60 2 1 2	42 7 2 3 1	1,703 166 41 40 95	117 15 4 3 9	99 11 4 1 3	165 7 2 5 13	244 20 3 5 8	228 12 13 7 15

<sup>&</sup>lt;sup>1</sup> Nonregistration state; cities shown below only those with effective local ordinances.

AREA AND ITS SUBDIVISIONS, BY COLOR AND AGE OF DECEDENT: 1911-Continued.

						DEATI	IS AT AGE	of—							Deaths
0 to 34 years.	35 to 39 years.	40 to 44 years.	45 to 49 years.	50 to 54 years.	55 to 59 years.	60 to 64 years	65 to 69 years.	70 to 74 years.	75 to 79 years.	80 to 84 years.	85 to 89 years.	90 to 94 years.	95 to 99 years.	100 years and over.	at un- known age.
126 116 10	125 111 14	128 123 5	132 121 11	164 149 15	164 158 6	143 139 4	149 146 3	123 121 2	122 . 117 5	82 81 1	46 45 1	10 10	2 2	1 1	
24 102	22 103	19 109	18 114	. 37 127	36 128	42 101	41 108	31 92	36 86	29 53	10 36	4 6	2	1	
106 106	118 118	108 108	146 146	139 139	161 161	179 178 1	189 189	184 184	198 198	161 161	89 89	40 40	2 2	2 2	· 15
7 12 5 4	6 19 5 2	4 14 - 11 4	6 33 17 7	26 10 8	3 36 13 7	4 33 10 11	4 39 15 19	5 39 24 17	5 43 17 20	3 26 16 21	2 14 - 17 5	1 9 3 8	1	1 1	2 1 2
7 47 17 7	5 50 23 8	8 49 8 10	7 36 24 16	7 52 19 13	10 62 19 11	14 62 29 16	9 68 22 13	13 56 15 15	12 62 29 10	7 50 25 13	9 22 10 10	2 4 5 8	i	· · · · · · · · · · · · · · · · · · ·	2 2
1,100 1,033 67	1,371 1,269 102	1,284 1,207 77	1,321 1,250 71	1,441 1,358 83	1,427 1,350 77	1,525 1,450 75	1,480 1,430 50	1,355 1,320 35	1,081 1,060 21	672 656 16	298 294 4	93 87 6	20 19 1	3 2 1	3
4 3 1 40 26 14	12 9 3 52 35 17	7 6 1 41 30	5 3 2 52 42 10	8 6 2 61 50	11 8 3 48 36 12	10 5 5 59 50	6 5 1 45 36	13 13 66 63 3	11 11 30 30	7 5 2 26 26	9 8 1 • 13 13	3 2 1			
29 6 6 61 11	35 5 9 66 10	30 3 10 91 10	43 5 9 77 15	35 8 13 76	26   8   19   76   18	9 35 13 13 108 22	9 35 7 24 106	19 13 24 82 29	15 10 23 75 30	12 11 12 53 29	5 3 5 20 11	3 1 3 12	2	······································	
54 7 8 8 67	65 5 12 14 84	50 8 · 8 · 14 77	64 1 12 8 90	53 6 13 10 79	18 54 4 17 9 73	22 64 8 10 12 70	35 66 3 15 5 66	29 58 2 13 4 53	30 41 3 9 5 31	29 31 7 2 18	11 15 1 1 1	4	3		
7 235 6 8	7 262 14 16 6	2 227 7 14 5	7 231 7 17	79 10 271 11 25 6	73 11 259 5 21 10	70 11 233 17 18 8	12 207 27 19 22	16 196 38 19 17	31 16 136 37 22 14	10 83 8 11	2 35 2 2	1 11 1 2	2		
16 11 5 17	14 11 3 10	14 14	5 19 18 1 7 20	14 11 3 12 31	20 16	19 19	18 18	22 22	16 ·16	6 16 16	1 6 6	3 3	2	1	
17 13 220 17 33 91	317 28 29 104	15 13 296 29 30 98	295 25 34 106	323 31 27 113	333 29 20 126	18 34 327 33 30 138	23 33 318 30 29 127	18 22 294 27 24 118	25 18 218 18 20 91	11 14 134 14 6	7 7 59 9 7 18	2 1 18 1	1 5		
91 13 9 15 62	104 17 8 17 88	18 5 12 107	106 17 8 20 79	113 19 5 16 99	126 126 14 13 9 112	19 16 18	127 8 10 21 105	118 10 11 26 80	20 91 13 16 15 84	6 46 7 6 16 51	7 18 7 4 4	1 9 4	1 2	1	
5 14 4 6	18 17 8 5	107 14 19 6 4	79 12 17 10 4	99 17 14 10	112 7 21 14 4	105 14 23 8 12	105 14 26 12 6	80 9 23 6 3	84 14 12 7 6	51 9 14 2	26 6 4 1 1	5 2 1 1			
1, 906 1, 675 231	5, 989 5, 729 260	5, 952 5, 724 228	6,208 6,050 158	6,470 6,294 176	6, 187 6, 060 127	6, 658 6, 529 129	6,385 6,298 87	5,737 5,648 89	4,252 4,208 44	2,970 2,944 26	1,489 1,473 16	495 482 13	104 100 4	24 21 3	6 6
112 19 18 7 29	110 21 22 9 37	124 14 25 5 60	127 22 21 9 54	141 16 29 4 57	153 24 43 11 65	170 24 48 9 86	151 31 49 25 92	145 27 42 18 69	116 24 36 14 71	74 10 32 11 54	52 8 18 6 28	18 2 7 1 14	2 2		1
264 15 13 4 7	321 18 6 8 12	308 13 5 6 7	363 30 9 8	398 18 8 17	389 24 13 11 12	380 33 15 18 15	356 20 14 18 8	327 30 16 20 8	269 27 7 16 15	193 11 10 14 16	125 7 1 4 2	35 4 2 1	3 7	3 .	

#### TABLE 1.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION

=					<del> </del>		DEAT	HS AT AGE	of—	<u></u>			
	AREA AND COLOR.	All deaths.	Under 1 year.	1 year.	2 years.	3 years.	4 years.	Under 5 years.	5 to 9 years.	10 to 14 years.	15 to 19 years.	20 to 24 years.	25 to 29 years.
	REGISTRATION CITIES—Contd.												
	NEW YORK—continued.	562	60	10	5	1	3	79	13	3	17	28	23
1 2 3 4 5	Elmira Fulton Geneva Gless Falls Gloversville	173 161 295 335	34 19 44 30	7 3 10 6	1 4 3 2	2	2 1 2 1	45 27 61 39	1 4 9 2	3 2 1 4 3	3 5 9 5	5 5 12 4	1 7 14 14
6 7 8 9	Hornell	213 220 285 414	23 37 20 81	5 3 5 10	2 2 3 6	1 1 7	3 3	30 43 32 107	7 2 3 9	5 1 7	2 2 3 13	4 10 9 22	4 8 10 14
10 11 12 13	Johnstown Kingston Lackawanna Little Falls	152 502 380 210	19 52 269 48	1 6 29 5	2 9 2	1 6 4 3	1 2 1 1	22 68 312 59	5 12 9	9 3 1	2 17 5 5	2 25 4 15	6 20 7 9
14 15 16 17	Lockport. Middletown Mount Vernon. New Rochelle.	315 388 416 337	39 34 87 79	6 5 25 15	5 2 7 8	2 1 5 8	3 1 3 7	55 43 127 117	3 5 7 13	1 12 · 6 6	8 4 11 4	7 11 10 7	12 13 17 11
18 19 20 21 22 23	New York (total)  Bronx Borough  Brooklyn Borough  Manhattan Borough  Queens Borough  Richmond Borough	75, 329 6, 251 25, 174 38, 236 4, 182 1, 486	15,028 1,134 4,701 8,083 853 257	3,868 265 1,257 2,163 133 50	1,628 130 513 893 78 14	1,005 98 326 502 47 32	673 46 252 318 39 18	22,202 1,673 7,049 11,959 1,150 371	1,755 169 649 804 96 37	938 94 355 401 71 17	1,659 160 541 832 95	2,646 230 826 1,387 154 49	3,144 283 1,075 1,580 162 44
24 25 26 27 28 29	White. Bronx Borough. Brooklyn Borough. Manhattan Borough. Queens Borough. Richmond Borough.	72,799 6,153 24,528 36,588 4,076 1,454	14,515 1,121 4,582 7,737 823 252	3,741 263 1,226 2,077 127 48	1,578 128 501 858 77 14	972 95 317 482 46 32	654 45 248 305 38 18	21,460 1,652 6,874 11,459 1,111 364	1,718 166 636 785 94 37	907 93 345 381 71 17	1,581 156 523 783 90 29	2,494 227 790 1,280 150 47	2,943 276 1,016 1,448 160 43
30 31 32 33 34 35	Colored.  Bronx Borough Brooklyn Borough.  Manhattan Borough Queens Borough.  Richmond Borough	2,530 98 646 1,648 106 32	513 13 119 346 30 5	127 2 31 86 6 2	50 2 12 35 1	33 3 9 20 1	19 1 4 13 1	742 21 175 500 39 7	37 3 13 19 2	31 1 10 20	78 4 18 49 5	152 3 36 107 4 2	201 7 59 132 2 1
36 37 38 39 40	Newburgh Niagara Falls North Tonawanda. Ogdensburg. Olean.	549 590 156 399 209	67 170 40 36 36	11 32 9 7 11	8 10 5 4	9 9 4 4 3	5 7 3 3 2	100 228 56 55 56	11 13 3 9 4	7 10 4 3 3	9 28 7 11 3	28 38 7 11 8	24 29 8 16 6
41 42 43 44 45	Ossining. Oswego. Peekskill Platisburg. Port Chester.	193 359 259 182 204	31 63 42 33 54	3 8 10 2 12	1 7 8 3 7	3 3 2 4	2 4 3	37 85 66 40 80	4 3 3 4 6	4 2 5 4 3	3 3 7 5 1	7 11 7 7 7 6	14 14 6 6 10
46 47 48 49 50	Poughkeepsie. Rensselaer. Rochester Rome. Saratoga Springs.	3,271 493	82 19 443 51 24	15 5 121 17 4	4 1 57 7 3	4 1 42 9 2	33 5	107 26 696 89 33	7 3 75 18 3	7 3 48 19	8 4 65 14 6	12 1 116 29 12	31 5 115 15 10
51 52 53 54	Schenectady Syracuse Troy Utica	946 2,027 1,621 1,442	201 386 226 322	35 66 50 71	15 35 20 22	5 20 11 11	6 9 15 9	262 516 322 435	26 41 34 24	19 30 18 13	31 37	22 57 48 29	39 93 57 60
55 56 57 58	Watertown. Watervliet. White Plains. Yonkers.	263	69 51 54 302	11 13 13 69	3 4 7 36		3 2 5 5	86 74 83 426	5 6 8 26	1 2 14 18	5	14 7 18 50	23 6 18 41
	NORTH CAROLINA.			21.2			97	097	7.1	54	133	227	200
59 60 61	Registration cities (total)	3,246 1,585 1,661	571 247 324	216 99 117	78 35 43	23 22	27 8 19	937 412 525	74 39 35	25 29	46 87	87 140	200 78 122
62 63 64 65 66 67	Asheville (total) White Colored Charlotte (total) White Colored	233	35 21 14 84 60 24	13 6 7 32 20 12	6 4 2 14 8 6	7 6	2 2 3 1 2	57 32 25 140 94 46	9 8 1 • 14 6 8	4 3 1 8 2 6	8 7 22 9 13	13 29	33 21 12 25 6 19
68 69 70 71 72 73	Durham (total) White Colored Greensboro (total) White Colored	351 155 196 297 157	55 21 34 57 21 36	22 11 11 12 6 6	8 3 5 5 2 3	4 4 2 2	3 1 2 2 2	. 31	6 2 4 6 2 4	6 4	7 17 17 7	9 24 17 8	12

AREA AND ITS SUBDIVISIONS, BY COLOR AND AGE OF DECEDENT: 1911—Continued.

•		<del> </del>		·		DEAT	HS AT AGE	of—							Deaths	Ī
80 to 84 years.	35 to 39 years.	40 to 44 years.	45 to 49 years.	50 to 54 years.	55 to 59 years.	60 to 64 years.	65 to 69 years.	70 to 74 years.	75 to 79 years.	80 to 84 years.	85 to 89 years.	90 to 94 years.	95 to 99 years.	100 years and over.	at un- known age.	
	•															
7 5 2 6 16	35 3 10 18 · 20	17 6 9 7 17	19 5 6 11 23	24 13 11 15 11	46 11 11 14 17	50 9 14 28 29	49 13 16 18 31	57 12 12 20 36	. 43 13 13 21 21	28 13 3 10 26	15 9 2 15 13	9 2 3 2 3	1 2			. 12345
7 7 6 14	9 6 11 16	7 14 8 14	8 19 20 21	15 8 19 17	11 6 23 23	25 14 28 28	14 19 26 24	22 19 36 23	16 20 22 39	17 16 17 13	8 6 8 6	2 1 3 2	2			. 67
6 26 3 10	· 5 27 11 9	7 18 3 7	3 26 5 15	27 4 . 11	7 27 2 13	16 44 2 12	18 47 2 9	15 42 3 17	12 22 6	10 28 5 7	7 11 4	6	1	1		10 11 12 13
6 22 17 5	12 18 15 14	5 18 17 15	13 25 25 14	19 35 17 15	20 20 17 17	32 28 25 13	28 29 24 17	33 35 25 17	34 29 14 20	10 24 25 21	12 15 9 8	4 1 8 3	1			14 15 16 17
3,629 308 1,206 1,883 170 62	4,439 353 1,390 2,380 244 72	4,445 355 1,433 2,309 273 75	4,498 403 1,469 2,289 252 85	4,553 368 1,477 2,366 257 . 85	4,265 364 1,434 2,136 258 73	4,445 382 1,564 2,183 221 95	4,122 379 1,436 1,960 241 106	3,504 310 1,278 1,583 205 128	2,431 196 945 1,056 166 68	1,605 137 640 679 99 50	738 59 284 322 51 22	236 22 95 94 12 13	54 1 23 23 4 3	16 1 5 9 1	5 4 1	. 20
3,431 303 1,155 1,751 163 59	4,215 343 1,331 2,234 236 71	4,255 349 1,392 2,172 270 72	4,364 395 · 1,442 2,200 245 82	4,405 359 1,439 2,272 . 252 . 83	4,161 357 1,406 2,070 255 73	4,352 379 1,534 2,131 215 93	4,055 377 1,418 1,918 238 104	3,440 304 1,256 1,555 198 127	2,403 195 938 1,038 164 68	1,586 137 633 670 99 47	730 59 281 319 49 22	227 20 93 90 11 13	52 1 22 22 22 4 3	15 1 4 9 1	5 4 1	25 26
198 5 51 132 7 3	224 10 59 146 8	190 6 41 137 3 3	134 8 27 89 7 3	* · 148 9 38 94 5 2	104 7 28 66 3	93 3 30 52 6 2	67 2 18 42 3 2	64 6 22 28 7 1	28 1 7 18 2	19 7 9	8 3 3 2	9 2 2 4 1	2 1 1	1		30 31 32 33 34 35
15 25 7 18 8	30 25 7 - 16 - 10	29 26 7 17 14	30 22 5 27 5	32 26 9 27 8	18 19 3 30 10	40 19 3 34 11	48 22 6 37 14	50 22 10 29 17	37 19 6 26 15	26 13 5 20 8	12 5 3 9 7	2 1 3 1	1 1 1			36 37 38 39 40
9 15 10 8 9	11 15 20 8 13	5 8 12 3 8	11 19 8 9 8	13 22 14 10 10	11 18 21 15 7	5 27 13 9 10	18 29 22 12 8	11 29 15 12 4	15 32 12 11 10	6 16 6 9 8	5 5 4 8 3	4 6 7 2	1			41 42 43 44 45
16 5 127 18 7	21 9 138 11 12	23 5 152 27 11	30 7 189 22 12	36 6 212 27 19	34 11 195 27 21	50 12 200 28 24	39 14 230 34 29	46 15 250 35 25	45 11 196 36 20	24 9 159 25 10	21 3 78 13 12	26 4 4	3 2	1		46 47 48 49 50
46 67 73 49	37 100, 97 69	50 90 92 58	50 97 77 62	48 123 110 78	56 118 92 82	50 136 141 92	65 133 125 89	55 135 129 104	44 105 69 75	36 85 56 62	9 54 31 28	12 14 7 7	3 2 5 2	1		51 52 53 54
13 9 13 57	12 8 13 65	25 13 15 61	20 18 11 62	30 19 14 57	21 15 9 59	27 19 12 56	42 21 15 63	33 18 12 51	37 15 8 34	31 6 11 36	15 2 9 16	7 2 1 8	1 3	1		55 56 57 58
167 84 83	193 99 94	139 74 65	147 66 81	146 77 69	141 59 82	157 84 73	159 105 54	135 94 41	113 82 31	62 41 21	27 20 7	15 8 7	8 2 6	5 1 4	7 2 5	59 60 61
33 26 7 24 12 12	36 29 7 31 15 16	19 13 6 23 *8 15	. 23 17 6 23 9	15 7 8 22 11 11	11 9 2 24 9	13 12 1 30 21 9	9 7 2 26 19 7	11 10 1 21 12 9	20 16 4	4 1 3 8 4 4	5 5 4 1	3 3 1 2	2	1 1 1	3 1 2	62 63 64 65 66 67
14 4 10 16 7 9	i .	13 6	15 7 8 20 11	16 10 6 15 10 5	15 8 7 16 5	22 10 12 10 6 4	21 15 6 8 5	i	l	5 3 2 9 7 2	3 2 1	1 1	i 1		3	68 69 70 71 72 73

### TABLE 1.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION

							DEAT	HS AT AGE	OF				Ī
	AREA AND COLOR.	All deaths.	Under 1 year.	1 year.	2 years.	8 years.	4 years.	Under 5 years.	5 to 9 years.	10 to 14 years.	15 to 19 years.	20 to 24 years.	25 to 29 years.
	REGISTRATION CITIES—Contd.				-							•	
	NORTH CAROLINA—continued.												
1 2 3 4 5 6	Raleigh (total)	606 328 278 778 306 472	85 31 54 175 59 116	28 15 13 84 27 57	12 7 5 22 6 16	7 2 5 12 6 6	4 3 1 11 3 8	136 58 78 304 101 203	10 8 2 21 9	12 7 5 9 4 5	17 4 13 15 5	40 17 23 32 12 20	28 12 16 52 18 34
7 8 9	Winston (total)	359 133 226	80 34 46	25 14 11	11 5 6	835	2	126 56 70	8 4 4	11 3 8	23 6 17	34 11 23	17 2 15
	ощо.												
10 11 12	Registration cities (total) White Colored	31, 293 29, 713 1, 580	5, 390 5, 197 193	1,080 1,019 61	487 455 32	332 319 13	225 216 9	7,514 7,206 308	770 735 35	471 435 36	783 727 56	1,366 1,245 121	1,483 1,366 117
13 14 15 16 17	Akron Alliance Ashtabula Bellaire Cambridge	958 163 242 165 132	199 22 50 32 23	34 2 7 8 5	15 5 6 4 2	21 8 3	12 4 2	281 33 73 47 31	37 2 6 6 3	21 2 3 2 1	19 2 5 5 5	56 6 13 10 7	37 10 13 4 4
18 19 20 21 22	Canton. Chillicothe. Cincinnati (total). White Colored.	569 229 6, 225 5, 627 598	107 20 721 665 56	8 3 177 154 23	7 4 93 79 14	3 58 52 6	1 34 33 1	125 31 1,083 983 100	13 9 128 119 9	10 3 72 61 11	16 9 154 131 23	23 10 310 243 67	28 11 311 262 49
23 24 25 26 27	Cleveland	7,999 2,671 2,415 256 1,624	1,766 356 317 39 266	384 64 54 10 30	162 21 18 3 13	122 14 13 1 12	72 8 6 2 11	2,506 463 408 55 332	236 61 53 8 21	115 49 42 7 16	176 89 79 10 53	295 117 105 12 71	358 136 113 23 63
28 29 30 31 32	East Liverpool. Elyria. Findlay. Hamilton. Ironton.	309 163 229 468 230	54 28 31 78 34	11 2 8 16 18	6 1 2 9 3	2 3 1	4 5 1	77 31 41 111 57	8 3 7 6	6 2 1 6 3	10 2 5 10 13	20 5 7 24 14	23 10 2 18 13
33 34 35 36 37	Lakewood Laicaster Lima Lorain Mansfield	190 149 388 337 258	48 20 60 106 38	10 3 14 16 4	4 5 7 5 1	1 4 2 2	3 2 2 1 1	65 31 87 130 46	5 1 6 11 4	2 5 7 7 5	4 1 12 5 8	4 2 23 22 10	8 7 19 22 14
38 39 40 41	Marietta. Marion Massillon. Middletown	187 230 137 175	21 27 21 45	9 8 1 17	3 2 1	2 4 2 3	1 4 2	36 45 24 68	7 4 5 1	3 4 4	5 5 1 3	9 13 3 5	11 12 3 6
42 43 44 45	Newark	311 157 165 404	56 27 23 81	6 3 6 29	5 2 2 11	3 1 2 6	1 1 5	71 34 33 132	5 3 1 14	4 2 1 7	6 2 5 15	16 8 4 27	16 4 10 13
46 47 48 49 50	Sandusky. Springfield (total). White. Colored. Steubenville.	289 620 541 79 325	35 93 84 9 72	5 15 11 4 15	1 4 2 2 9	1 4 4 3	6 5 1 1	42 122 106 16 100	18 17 1 8	4 11 8 3 4	7 14 7 7 7 12	11 24 19 5 15	14 27 24 3 22
51 52 53 54 55	Tiffin Toledo Warren Youngstown. Zanesville	157 2,578 150 1,206 504	22 394 21 315 78	66 66 10	31 2 37 2	17 2 20 3	24 1 10 5	22 532 26 448 98	3 60 2 41 14	2 43 2 33 9	58 6 23 14	4 92 6 54 26	6 125 9 73 21
56 57 58	OREGON. <sup>1</sup> Portland (total) White Colored <sup>2</sup>	2,390 2,300 90	334 328 6	37 37	35 32 3	18 18	12 12	436 427 9	59 57 2	18 17 1	68 68	107 104 3	141 135 6
	pennsylvania.											i	
59 60 61	Registration cities (total) White Colored	57, 909 54, 769 3, 140	11,827 11,154 673	2,655 2,480 175	1,123 1,068 57	780 741 39	560 526 34	16,945 15,967 978	1,387 1,304 83	767 711 - 56	1,378 1,284 94	2,248 2,069 179	2,362 2,177 185
62 63 64 65	Allentown Altoona Beaver Falls Bethlehem	824 621 166 181	200 125 36 33	24 16 12 5	13 11 4 1	13 8 2 1	8 3 1 3	258 163 55 43	21 11 3 6	12 9 2	19 9 3 7	30 34 6 6	33 22 12 8
66 67 68 69	Braddock Bradford Butler. Carbondale	352 212 241 294	128 19 56 48	37 3 11 7	11 1 2 8	10 1 2	3 3 2 1	189 26 72 66	15 2 8 4	2 4 5 6	10 9 5 12	16 7 16 11	15 8 13 16

<sup>&</sup>lt;sup>1</sup> Nonregistration state; cities shown below only those with effective local ordinances.

AREA AND ITS SUBDIVISIONS, BY COLOR AND AGE OF DECEDENT: 1911—Continued.

						DEATH	S AT AGE	of—							Deaths at un-
0 to 84 years.	85 to 39 years.	40 to 44 years.	45 to 49 years.	50 to 54 years.	55 to 59 years.	60 to 64 years.	65 to 69 years.	70 to 74 years.	75 to 79 years.	80 to 84 years.	85 to 89 years.	90 to 94 years.	95 to 99 years.	100 years and over.	known age.
33 16 17 27 12 15	33 15 18 43 16 27	32 18 14 27 13 14	18 8 10 29 10 19	38 26 12 27 8 19	28 14 14 39 14 25	31 18 13 43 17 26	48 31 17 36 21	36 23 13 26 17 9	36 29 7 23 17 6	18 16 2 13 6 7	4 2 2 8 5 3	5 5 1	2 1 1 1	1 1 1	1 1
20 7 13	21 6 15	13 6 · 7	19 4 15	13 5 8	. 8	8 8	13 7 6	8 6 2	5÷ 2 3	5 4 1	2 2	2 1 1	· 1 1	1	
1,488 1,385 103	1,662 1,520 142	1,574 1,458 116	1,679 1,573 106	1,795 1,678 117	1,774 1,687 87	1,780 1,711 69	1,940 1,889 51	1,816 1,772 44	1,586 1,552 34	1,033 1,015 18	. 555 546 9	165 160 5	35 34 1	9 6 3	15 13 2
36 8 16 7 6	37 11 12 4 9	37 6 6 6 5	40 7 8 8 8	43 6 16 5 6	41 10 16 9 4	55 9 11 10 4	78 11 12 9 14	50 19 11 15 10	46 7 8 7 11	30 9 12 7 5	11 5 1 3 3	3 1 1			
32 12 316 277 39	25 15 363 308 55	32 12 390 344 46	28 10 451 400 51	34 9 417 379 38	34 13 399 362 37	26 9 384 359 25	36 18 373 359 14	40 19 369 356 13	30 19 336 325 11	22 10 203 198 5	9 8 119 117 2	6 2 29 28 1	11 11	2 1 1	5 4 1
384 146 135 11 64	461 150 128 22 94	409 163 146 17 64	398 153 140 13 92	432 185 164 21 104	420 160 146 14 97	415 170 157 13 112	435 184 172 12 110	339 185 178 7 106	301 134 130 - 4 105	168 77 73 4 85	112 33 32 1 21	31 12 11 -1 12	5 2 2 2	2	1 2 1 1
20 6 6 22 6	11 8 7 23 6	13 6 6 19 9	13 8 11 21 9	13 6 17 25 11	12 12 13 28 11	19 , 8 17 31 9	21 12 18 33 20	15 11 25 32 14	13 7 25 30 12	8 16 13 13 11	6 7 5 11 4	2 3 4 1	i 1		1
8 11 19 16 7	8 6 22 20 11	7 5 11 6 4	8 9 21 15 8	5 5 13 13 9	6 4 25 12 18	13 12 23 11 19	14 11 20 12 26	10 13 25 13 20	9 11 28 12 18	6 12 18 8 19	6 2 6 2 7	2 2	1 2		1
1 12 5 3	5 8 5 15	4 9 9 4	7 11 4 4	8 13 11 9	9 11 6 3	10 12 10 5	, 11 15 14 9	19 13 11 . 16	17 20 17 10	15 · 13 6 3	5 5 3 5	4 3 2	1 2		
12 6 6 13	13 5 11 . 15	13 9 7 10	14 13 12 21	18 7 5 22	23 6 7 19	19 11 9 19	22 11. 16 14	21 10 13 20	17 16 7 17	12 6 10 17	7 4 7 5	1 2	1		1
12 19 17 2 20	14 21 17 4 13	14 20 17 3 15	10 31 26 5 17	19 46 41 5 13	17 42 35 7 18	21 44 38 6 13	18 33 30 3 16	21 45 43 2 15	24 50 45 5 11	20 19 19 7	. 11 23 23 23	2 10 8 2 1	1 1	- 1	2
6 138 3 64 20	3 122 4 69 36	5 157 7 57 18	1 137 2 52 22	6 145 8 63 28	15 176 9 44 . 25	7 163 11 39 20	21 179 16 44 34	20 160 15 40 36	8 128 14 26 35	15 76 9 26 27	6 64 1 6 17	1 18 4 2	1 3	2	1
145 139 6	124 117 7	147 137 10	131 126 5	149 137 12	151 144 7	166 150 16	148 147 1	146 144 2	115 114 1	87 87	36 35 1	11 11	2 2		3 2 1
2,484 2,282 202	2,928 2,678 250	2,674 2,476 198	2,861 2,660 201	3,204 3,028 176	3,083 2,950 133	3,341 3,225 116	3,530 3,435 95	3,192 3,107 85	2,553 2,516 37	1,716 1,684 32	890 871 19	291 279 12	61 56 5	6 4	4 4
37 32 9 1	37 29 9 2	27 30 4 6	34 28 9 6	25 37 11 7	43 32 4 12	56 35 3 19	41 41 12 12	49 40 8 11	44 40 6 18	32 17 8 13	19 9 2 3	7 3			
10 8 9 19	11 4 9 20	16 10 11 13	11 12 10 12	14 21 7 14	14 17 7 10	8 13 16 19	10 22 13 22	7 19 13 22	2 17 8 14	2 9 7 9	3 8 8	1 4 1		i	

<sup>&</sup>lt;sup>2</sup> Colored population less than 10 per cent of total.

### TABLE 1.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION

=							DEAT	HS AT AGE	OF-				
	AREA AND COLOR.	All deaths.	Under 1 year.	1 year.	2 years.	3 years.	4 years.	Under 5 years.	5 to 9 years.	10 to 14 years.	15 to 19 years.	20 to 24 years.	25 to 29 years.
	REGISTRATION CITIES—Contd. PENNSYLVANIA—continued.												
1 2 3 4 5	Carlisle (total)	171 143 28 92 195	23 21 2 46 24	1 . 1 . 6 4	2 2	1 1 3	1 1 1 4	28 24 4 53 36	1 1 4 5	4 4 1 2	7 4 3 1 2	4 2 2 1 9	2 2 4
6 7 8 9 10	Chester (total)	603 511 92 127 104 23	133 113 20 34 28 6	42 34 8 7 6	6 6 3 3	7 5 2 2 2	5 3 2	193 161 32 46 39 7	9 8 1 2 1	3 3 1 1	19 13 6 1 1	26 23 3 5 4	19 16 3 4 3
12 13 14 15 16	Columbia. Connells ville. Dubois. Dumnore. Duquesne.	144 189 133 319 181	26 34 28 139 67	3 8 25 27	2 2 1 6	2 5 2	2 1 1 1 2	35 40 38 176 104	5 6 2 3 5	1 5 2 5	5 15 • 4 5 3	5 9 1 <b>8</b> 5 5	5 15 10 7 8
17 18 19 20 21	Easton Erie Greensburg Harrisburg Hazleton	486 1, 102 208 990 337	74 215 26 157 74	16 34 2 22 22 8	13 12 4	4 8 2 9 5	2 7 3 8 3	104 277 33 208 94	8 13 2 19 6	7 22 6 12 8	18 45 9 24 17	15 42 18 42 12	21 49 20 45 15
22 23 24 25 26	Homestead Johnstown Lancaster Lebanon McKees Rocks	230 830 694 307 165	95 234 81 55 77	27 62 21 5 21	12 15 5 2 6	7 13 8 2 3	4 8 10 1	145 332 125 65 108	11 28 25 17 2	1 8 6 1	4 24 25 3 4	5 32 30 12 4	11 50 24 11 4
27 28 29 30 31	McKeesport Mahanoy City Meadville Monessen Mount Carmel	634 278 174 139 191	159 97 20 63 65	30 30 4 19 10	14 15 1 7 • 2	6 12 5 1	6 6 3 2	215 160 25 97 80	14 16 3 4 9	11 2 6 1 5	17 4 4 1 5	42 10 4 1 8	50 10 8 5 9
32 33 34 35 36	Nanticoke New Castle Norristown North Braddock Oil City	286 534 624 142 213	93 121 62 44 42	17 31 13 15 11	8 13 5 12 3	6 11 4 5 2	5 4 8 3 1	129 180 92 79 59	6 13 11 6 7	4 9 3 3 1	6 13 15 2 3	12 21 25 - 4 12	4 25 24 9 7
37 38 39 40	Old Forge Philadelphia (total). While Colored.	167 26, 276 24, 251 2, 025	64 4,769 4,312 457	1,151 1,038 113	530 493 37	2 357 333 24	273 253 20	80 7,080 6,429 651	7 592 547 45	5 298 262 36	3 534 485 49	5 960 846 114	10 994 863 131
41 42 43 44	Phoenixyllle. Pittsburgh (total). White. Colored.	192 8,099 7,656 443	1,812 1,730 82	6 453 422 31	11 168 158 10	100 92 8	3 76 71 5	2,609 2,473 136	5 216 198 18	3 113 105 8	3 192 175 17	11 349 328 26	9 355 337 18
45 46 47 48 49	Pittston. Plymouth Pottstown. Pottsville Reading.	280 252 211 387 1,408	61 87 39 66 276	19 22 9 10 54	9 7 6 3 28	3 5 2 27	6 2 5 13	98 123 59 86 398	6 7 3 14 34	2 3 2 8 26	4 3 8 14 40	12 10 3 23 43	15 1 11 17 53
50 51 52 53 54	Scranton Shamokin Sharon Shenandoah South Bethlehem	1,974 251 190 506 308	387 55 42 187 139	87 12 5 44 15	33 4 4 29 6	31 5 5 25 4	17 1 12	555 76 57 297 164	37 9 5 23 5	34 6 5 6 3	63 8 7 10 6	86 7 4 15 8	96 5 6 13 10
55 56 57 58 59	South Sharon	112 188 181 217 102	52 74 31 40 18	10 14 4 11 2	3 2 3	2 5 1 2 1	1 2 1 1	65 98 39 57 21	3 9 5 4 2	2 4 3 3 1	1 2 3 13 5	1 10 7 13 4	5 4 6 18 2
60 61 62 63	Washington West Chester (total) White Colored	260 237 192 45	38 35 23 12	7 5 2 3	4 8 6 2	3 2 1 1	1	53 50 32 18	9 6 5 1	4 7 5 2	6 5 1 4	7 8 7 1	17 7 5 2
64 65 66 67	Wilkes-Barre Wilkinsburg Wilkinsburg Williamsport York RHODE ISLAND.	1,072 252 519 659	223 39 72 124	31 4 13 20	7 1 5 9	9 2 4 6	9 3 4 3	279 49 98 162	26 8 9 11	21 4 9 9	34 9 10 16	45 13 20 28	56 8 20 22
68 69 70	REGISTRATION CITIES (total) White	7,052 6,832 220	1,365 1,328 37	239 232 7	106 100 6	81 79 2	44 42 2	1,835 1,781 54	147 141 6	85 82 3	145 139 6	229 215- 14	233 222 11
71 72 73 74 75	Central Falls. Cranston. State institutions. Cumberland town. East Providence town.	328 220 317 138 206	102 40 7 27 38	18 8 1 4 6	1 2 1 4	6 1 2 2	3 1 1 1	130 52 8 35 51	4 3 1 3 7	2 6 2	6 3 6 1 4	19 4 12 5 2	11 3 8 4 5

AREA AND ITS SUBDIVISIONS, BY COLOR AND AGE OF DECEDENT: 1911—Continued.

						DEATH	IS AT AGE	or—		-		-			Deaths
30 to 34 years.	35 to 39 years.	40 to 44 years.	45 to 49 years.	50 to 54 years.	55 to 59 years.	60 to 64 years.	65 to 69 years.	70 to 74 years.	75 to 79 years.	80 to 84 years.	85 to 89 years.	90 to 94 years.	95 to 99 years.	100 years and over.	at un- known age.
										•					,
2 2	9 8 1 1 4	7 6 1 8 7	6 3 3 3	15 13 2	7 6 1 2 6	17 14 3 3 17	23 20 3 6 30	12 11 1 2 20	12 11 1 3 19	6 5 1	8 7 1 1 3		1	-	
3 3 26 22	37 32 5		6	12 24 18 6 6	6 40 34 · 6	17 40 35 5	30 32 26 6 5	. 20 28 27 1	19 23 23	5 24 23	6 6	·3 2 2	1		
26 22 4 8 7	3 1	27 20 7 7 6 1	24 19 5 4 2 2	2	10 8 2	4 3 1	· 1	9 8 1	7 6 1	3 3	1 1		1		
5 13 5 10 4	2 11 4 11 4	3 9 5 10 9	5 5 6 9 11	11 8 6 15 5	6 14 5 11 3	12 10 8 . 13	9 9 4 11 5	14 8 8 6 2	5 7 9 7	5 4 4 11	7 3 2 2	4 4 3	1		
27 44 14 45 12	22 49 17 41,	14 . 50 12 50 20	26 54 15 45 22	24 44 9 57	32 67 9 70,	24 49 7 66 17	28 90 4 66 27	36 83 . 8 69 11	32 63 11 65 12	33 36 6 41	13 18 5 19	1 5 1 6	1 2 2 2		
5 29 22 9 4	12. 8 41 21 11	20 4 28- 29 9	1	19 8 36 39 17 2		3 32 38 21	27 6 35 58 22 2	11 4 25 47 27 1	12 1 29 64 20 2	9	12 23	1 6	2		1 1
	. 5	8	36 33 13 4 31		30 42 20 3 25 6	6	22 2 22 22 9		8	3 14 36 12 1	9 3 10	5 3	1		1
41 6 6 6 12	6 7 4 8	26 7 8 3 6	31 8 8 3 4	29 9 12 1 10	<u>11</u>	19 8 19 1 1	9 14 3 8	27 7 12 4 75	6 14 4 2	1 5 1 3	6	2 2 2			
· 22 22 22 5 6	8 23 29 5 6	14 22 46	13 25 40 5 8	18 25 52 2 15	14 16 36 6 10	11 30 47 1 19	15 29 43 7 18	8 27 49 5 17	28 35 3 10	3 17 35 4	1 4 16	1 3 4	1 2		
10 1,138 987 151	6 1,441 1,274 167	7 1,271 1,141 130	1,398 1,261 137	9 1,594 1,488 106	1,484 1,412 72	6 1,651 1,584 67	6 1,680 1,619 61	3 1,483 1,433 50	1,218 1,197 21	2 821 805 16	1 450 441 9	147 140 7	35 32 3	6 4 2	1 1
5 376 359 17	7 425 383 42	8 394 369 25	3 409 382 27	9 454 422 32	13 410 389 21	12 423 403 20	8 427 415 12	10 410 396 14	8 265 261 4	11 167 166 1	3 81 79 2	22 20 2	1 1	1	
18 12 6 14 47	21 10 5 20 56	16 10 2 222 55	10 10 6 15 67	17 13 13 19 69	12 5 11 22 84	4 11 18 21 96	17 13 17 32 100	13 6 12 18 104	10 8 19 16 62	4 4 12 14 39	1 3 4 10 18	2 15			
9 <u>4</u> 7	101 12	118 12	121 14	109	118 20	104 18	119 14	90 10	56 10	50 8	16 2	15 5 1 3	1 2 1	1	
12 9 13 6 4	7 16 12 8 6	7 11 5 6 4	22 11 . 2 3	12 10 4	5 13 8 5 5	8 13 8 1 1 4	8 12 14 5 11	19 13 15 1 1	10 11 6	12 8 5 1 4	2 1 3	2	1		
6 4 8 21 3	ì	10 2	7 8 2	4 7 3 10	5 14 9 3	14 9 11	5 11 21 8 8	1 12 18 8 4	14 5 6	10	1 1 5 3	1			
20 5 5	16 11 8 3	13 9 7 2	15 5 5	14 5 5	21 18 3	14 10 9 1	12 19 17 2	22 21 21	15 15 13 2	8 17 14 3	12 11 11	33	1		
53 7 24 17	75 20 31 26	59 11 22 21	62 12 25 27	59 13 36 42	55 18 30 35	65 10 40 47	63 20 37 46	46 17 45 42	· 37 16 28 51	24 12 20 33	8 3 12 20	1 1 4	1 1	, 1	
299 281 18	339 328 11	362 354 8	349 336 13	407 393 14	433 414 19	460 444 16	472 464 8	461 454 7	344 338 6	253 251 2	132 130 2	49 49	· 14	. 2	2 2
9 5 19 6 8	19 9 20 6 7	12 14 27 9 9	13 5 24 6 7	13 12 22 12 14	14 17 28 8 11	24 17 32 12 16	26 14 25 9	13 19 31 10 23	10 18 29 3 17	5 9 13 7 12	5 4 8 2 2	1 3 1	1 2		1 1

### TABLE 1.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION

-							DEAT	HS AT AGE	of—				
	AREA AND COLOR.	All deaths.	Under 1 year.	1 year.	2 years.	3 years.	4 years.	Under 5 years.	5 to 9 years.	10 to 14 years.	15 to 19 years.	20 to 24 years.	25 to 29 years.
	REGISTRATION CITIES—Contd.												
	RHODE ISLAND—continued.										:		
1 2 3 4 5	Newport. Pawfucket Providence. Warwick town Woonsocket.	364 830 3,599 475 575	50 174 674 89 164	14 20 119 20 29	2 8 63 11 14	2 10 38 3 17	4 25 2 7	68 216 919 125 231	6 21 74 10 18	5 13 38 13 5	13 16 71 13 12	10 18 127 19 22	11 27 131 20 13
	SOUTH CAROLINA.1												
6 7 8	Charleston (total)	1,770 518 1,252	334 75 259	72 15 57	34 8 26	22 4 18	8 2 6	470 104 366	29 7 22	35 6 29	53 8 45	104 21 83	125 19 106
0	TENNESSEE.1	E 707	776	045	77.4	. 50	F1	1 050	100	101	025	405	404
9 10 11	Registration cities (total) White	5,787 2,963 2,824	776 437 339	245 143 102	114 60 54	70 37 33	51 27 24	1,256 704 552	139 69 70	101 44 57	235 100 135	405 149 256	424 149 275
12 13 14 15 16 17 18 19 20	Knoxville (total) White Colored Memphis (total) White Colored Nashville (total). White Colored Colored Nashville (total).	666 440 226 2,836 1,330 1,506 2,285 1,193 1,092	86 51 35 348 182 166 342 204 138	26 18 8 85 47 38 134 78	9 6 ·3 47 22 25 58 32 26	33 15 18 31 16 15	3 3 21 7 14 27 17 10	130 84 46 534 273 261 592 347 245	21 10 11 70 35 35 48 24 24	11 6 5 45 21 24 45 17 28	30 20 10 117 42 75 88 38 50	40 26 14 231 73 158 134 50 84	47 24 23 235 79 156 142 46 96
	TEXAS.1												
21 22 23	Registration cities (total) White	4,097 3,600 497	775 716 59	247 229 18	84 79 5	51 48 3	23 23	1,180 1,095 85	75 70 5	66 55 11	142 118 24	256 228 28	272 234 38
24 25 26 27 28 29 30	El Paso. Galveston (total). White. Colored. San Antonio (total). White. Colored.	1,248 704 509 195 2,145 1,897 248	284 90 69 21 401 367 34	98 25 20 5 124 113 11	34 14 10 4 36 35	18 4 3 1 29 27 2	6 4 4 13 13	440 137 106 31 603 555 48	29 10 9 1 36 34 2	18 6 3 42 34 8	35 18 9 9 89 75 14	85 37 31 6 134 117	90 47 35 12 135 111 24
	UTAH.												
31 32 33	Registration cities (total) White Colored	1,461 1,424 37	200 196 4	51 50 1	26 26	19 19	18 18	314 309 5	46 46	27 27	54 53 1	62 61 1	92 89 3
34 35	OgdenSalt Lake CityVERMONT.	316 1,145	50 150	14 37	6 20	4 15	3 15	77 237	17 29	10 17	14 40	12 50	21 71
36	Registration cities (total) White	813	153	22	2	4	12	193	14	. 10	26	27	27
37 38	Colored	808 5	152 1	21 1	2	3 1	12	190 3	14	10	26	27 -	27
39 40 41	Barre. Burlington Rutland.	158 426 229	19 111 23	3 14 5	2	3 1	4 3 5	26 133 34	2 9 3	3 6 1	2 16 8	10 9 8	7 12 8
	. VIRGINIA.1												
42 43 44	Registration cities (total) White Colored	6,934 3,429 3,505	1,358 612 746	288 138 150	138 53 85	94 37 57	52 21 31	1,930 861 1,069	129 74 55	105 45 60	249 95 154	391 160 231	415 168 247
45 46 47 48 49 50	Alexandria (total) White Colored. Danville (total) White Colored.	309 178 131 395 238 157	51 29 22 84 55 29	4 2 2 24 15 9	3 1 2 18 6 12	5 2 3 7	3 3 5 3 2	66 37 29 138 79 59	3 2 1 8 5 3	4 1 3 7 4 3	9 3 6 14 5	18 11 7 19 13 6	11 7 4 24 14 10
51 52 53 54 55 56	Lynchburg (total).  White Colored. Norfolk (total). White Colored.	207	105 50 55 334 114 220	25 13 12 62 21 41	13 9 4 27 8 19	6 5 1 24 5 19	2 2 20 6 14	153 79 74 467 154 313	12 9 3 33 15 18	8 7 1 33 5 28	27 11 16 60 17 43	33 12 21 112 32 80	41 23 18 115 33 82
57 58 59 60 61 62	Petersburg (total). White. Colored. Richmond (total). White. Colored.	628 274 354 2,718 1,372 1,346	121 48 73 539 242 297	46 16 30 96 48 48	19 4 15 46 18 28	5 3 2 33 15 18	6 3 3 10 3 7	197 74 123 724 326 398	15 6 9 43 27 16	3 2 1 29 13 16	19 12 7 91 33 58	31 12 19 145 62 83	32 16 16 160 54 106
63 64 65	Roanoke (total)	561 339 222	124 74 50	31 23 8	. 12 7 5	14 7 7	4 1 3	185 112 73	15 10 5	21 13 8	29 14 15	33 18 15	32 21 11

<sup>&</sup>lt;sup>1</sup> Nonregistration state; cities shown below only those with effective local ordinances.

# DEATHS, BY COLOR AND AGE OF DECEDENT.

AREA AND ITS SUBDIVISIONS, BY COLOR AND AGE OF DECEDENT: 1911—Continued.

	•					DEAT	HS AT AGE	of—						y	Deaths at un-
80 to 84 years.	85 to 39 years.	40 to 44 years.	45 to 49 years.	50 to 54 years.	55 to 59 years.	60 to 64 years.	65 to 69 years.	70 to 74 years.	75 to 79 years.	80 to 84 years.	85 to 89 years.	90 to 94 years.	95 to 99 years.	100 years and over.	known age.
19 28 162 19 24	12 44 171 32 19	14 34 205 18 20	22 42 193 16 21	25 51 214 26 18	23 46 238 20 28	19 57 228 23 32	28 47 257 32 25	15 74 213 27 36	31 44 146 - 20 26	17 28 124 22 16	19 18 53 16 5	6 4 28 3 2	1 2 5 1 2	2	
103 26 77	129 29 100	123 36 87	111 29 82	112 27 85	76 32 44	84 39 45	63 38 <b>25</b>	50 24 26	42 30 12	39 28 11	14 12 2	4 1 3	2 2	2	
356 138 218	380 171 209	341 164 177	333 169 164	348 184 164	285 154 131	308 173 135	248 161 87	225 149 76	194 142 52	116 91 25	49 36 13	19 10 9	. 10 . 9	7	8 5 3
31 20 11 202 75 127 123 43 80	44 23 21 214 88 126 122 60 62	51 27 24 187 88 99 103 49 54	42 30 12 163 79 84 128 60 68	36 23 13 183 102 81 129 59 70	39 29 10 132 65 67 114 60 54	36 29 7 161 84 77 111 60 51	33 26 7 102 57 45 113 78 35	21 18 3 90 55 35 114 76 38	26 19 7 78 54 24 90 69 21	14 14 57 41 - 16 45 36 9	13 9 4 27 18 9	431853725	1 4 1 3 5	3 4	7 4 3 1 1
229 183 46	278 237 41	227 186 41	230 199 31	.202 164 38	197 175 22	199 166 33	160 147 13	144 127 17	100 92 8	66 65 1	31 29 2	13 10 3	8 5 3	10 7 3	12 8 4
76 50 28 22 103 85 18	99 53 37 16 126 107 19	65 37 19 18 125 107	81 42 31 11 107 94 13	50 41 26 15 111 94 17	36 46 33 13 115 108 7	46 52 38 14 101 84 17	28 38 32 6 94 87 7	24 36 29 7 84 76 8	19 23 18 5 58 56 2	11 12 12 12 43 42 1	8 6 6 17 16 1	1 5 3 2 7 6 1	4 1 3	2 8 5 3	1 8 4 4 3 3
74 69 5	83 79 4	81 76 5	89 87 2	67 63 4	75 73 2	81 79 2	74 74	78 77 1	69 68 1	56 56	27 27	10 10	2 1 1		
15 59	18 65	19 62	9 80	10 57	10 65	16 65	18 56	20 58	16 53	7 49	5 22	2 8	······ż		
33 33	36 36	30 30	43- 43	36 36	54 53 1	50 49 1	57 57	60 60	55 55	31 31	17 17	9 9	5 5		
9 15 9	15	12 10 8	. 13 24 6	9 11 16	10 28 16	11 25 14	8 26 23	8 31 21	9 25 21	9 14 8	8	5 4	4		
346 150 196			354 154 200			171	319 217 102	283 217 66	197 169 28	145 122 23	-	18 12 6		7	2
18 10 8 15 12 3	17 9 8 15 5	16 10	23 12	27 9 18 28 15 13	21 14 7 16 11 5	22 12	19 14 5 15 11 4	17 9 8 12 9 3	9 7 2 15 15	10 8 2 4 4	5 4 1 2 2		1	1	i
27 15 12 100 30 . 70	25 15 10 123 42 81	16 101 40	11 15 85 36	į .	27 16 11 91	17 82 53	21 15 6 77 45 32	25 16 9 65 54	40 35	16 12 4 30 25 5	10 7 3 15 9 6	3 2 1 6 4 2	1 - 1 1	i	
26 10 16 130 57	148	35 11 24 151 51 100	10 20 148 63	41 14 27 172 83 89	20 15 146	12 30 186	. 29 14 15 140 106 34	121 94	88 80	1 71	3 3 34	4	2	. i	1
30 16 14	•	16 6 10		1	į.	24 18	1.	17 14 3	9	15	1	1	ł	1	

# TABLE 1.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION

		All					DEAT	THS AT AGE	OF—				
	AREA AND COLOR.	deaths.	Under 1 year.	1 year.	2 years.	3 years.	4 years.	Under 5 years.	5 to:9 years.	10 to 14 years.	15 to 19 years.	20 to 24 years.	25 to 29 years.
	REGISTRATION CITIES—Contd.												
	Washington.												
1 2 3	Registration cities (total) White Colored	5, 451 5, 293 158	769 748 21	134 131 3	81 81	49 48 1	37 37	1,070 1,045 25	104 101 3	96 94 2	171 169 2	287 278 9	335 318 17
4 5 6 7	Aberdeca Bellingham Everett North Yakima	114 239 240 212	26 28 36 32	7 6 8 9	3 4 4 4	2 2 2	4 1	38 40 54 46	3 4 4 6	2 3 2 4	3 11 12 8	8 6 14 5	8 11 5 13
8 9 10 11	SeattleSpokaneTacomaWalla Walla	2, 234 1, 299 893 220	293 217 111 26	50 30 18 6	33 13 19 1	22 11 9 1	13 9 8 2	411 280 165 36	41 20 25 1	29 27 23 6	63 33 33 8	114 85 43 12	146 77 55 20
	WEST VIRGINIA.1												
12 13 14	Wheeling (total)	737 714 23	111 109 2	23 23	9 9	7 7	10 9 1	160 157 3	27 27	8 6 2	18 17 1	42 37 5	38 38
	WISCONSIN.												
15 16 17	Registration cities (total)	9,941 9,903 38	2,136 2,130 6	334 333 1	150 150	95 95	92 92	2, 807 2, 800 7	250 249 1	182 182	232 230 2	411 407 4	427 424 8
18 19 20 21 22	Appleton Ashland Beloit Eau Claire Fond du Lac	216 209 164 283 273	26 36 24 25 36	4 6 5 2 4	2 5	1 1 2	1 1 2	33 48 30 29 46	3 4 3 6 9	2 10 3 5 7	3 3 3 9 12	13 13 8 8 10	9 10 4 12 11
23 24 25 26 27	Green Bay Janesville. Kenosha. La Crosse. Madison.	524 219 301 419 305	172 18 90 46 40	19 4 10 11 13	13 3 9 6 4	4 1 3 6 4	5 5 1 2 2	213 31 113 71 63	21 5 4 9 10	5 4 6 7 4	10 3 5 12 5	22 5 11 17 9	18 14 9 12 8
28 29 30 31	Manitowoc Marinette Milwaukee Oshkosh	155 194 4,727 462	20 37 1,208 86	3 10 172 16	2 5 73 4	2 48 2	3 57 3	25 57 1,558 111	4 7 107 13	3 3 75 12	2 11 102 11	5 10 199 10	6 4 213 17
32 33 34 35	Racine Sheboygan Superior Wausau	459 308 472 251	85 64 83 40	13 11 16 15	9 2 7 3	8 1 7 5	1 2 2 5	116 80 115 68	· 10 5 21 9	16 -5 9 6	11 5 19 6	21 12 24 14	19 17 36 8

 $<sup>^{\</sup>mbox{\tiny 1}}$  Nonregistration state; eities shown below only those with effective local ordinances.

AREA' AND ITS SUBDIVISIONS, BY COLOR AND AGE OF DECEDENT: 1911—Continued.

					TO THE STREET	DEATI	HS AT AGE	of—							Deaths	
30 to 34 years.	35 to 39 years.	40 to 44 years.	45 to 49 years.	50 to 54 years.	55 to 59 years.	60 to 64 years.	65 to 69 years.	70 to 74 years.	75 to 79 years.	80 to 84 years.	85 to 89 years.	90 to 94 years.	95 to 99 years.	100 years and over.	known age.	
						•								,		
333 311 22	303 284 19	307 293 14	354 344 10	365 355 10	316 310 6	339 330 9	298 294 4	287 286 1	230 229 1	143 142 1	74 74	26 24 2	3 3	2 1 1	8 8	1 2 3
.8 11 8 16	6 9 9 14	5 9 16 10	6 9 24 , 10	5 21 21 15	3 21 12 15	3 24 12 15	5 17 12 6	2 13 15 11	5 19 15 6	3 5 4 7	4 1 4	1			1 1	4 5 6 7
147 87 48 8	153 53 42 17	126 83 48 10	162 82 43 18	155 80 56 12	129 68 56 12	135 77 61 12	122 65 57 14	118 75 41 12	90 44 44 7	49 37 26 12	32 14 16 3	10 9 6	1 1 1	1	2 3	8 9 10 11
45 45	40 39 1	43 42 1	36 35 1	42 42	35 34 1	36 36	43 40 3	37 37	33 32 1	28 26 2	23 21 2	2 2	1 1			12 13 14
439 437 2	397 396 1	391 384 7	444 443 1	546 542 4	488 487 1	527 524 3	545 544 1	593 592 1	512 512	387 387	264 264	70 70	17 17	4 4	8 8	15 16 17
6 18 -10 13 9	8 7 7 9 10	11 7 13 23 11	7 11 7 15 10	12 18 12 19 19	15 12 7 20 20	11 12 14 22 9	9 9 9 22 16	19 11 12 22 18	27 7 10 25 19	14 3 10 11 24	10° 2 2 9 7	4 2 2 5	i		2 1 1	18 19 20 21 22
26 12 14 24 14	17 - 8 13 19 17	12 7 12 24 9	20 9 11 27 14	22 14 21 27 17	16 9 7 27 23	22 9 15 20 12	28 18 11 33 21	29 19 13 22 23	17 20 14 26 20	9 13 6 24 18	14 16 7 14 12	2 2 6 4 4	2		1 1	23 24 25 26 27
5 8 184 20	8 5 192 19	6 9 168 17	12 10 201 23	7 7 245 24	4 8 235 20	8 9 244 27	10 13 233 29	14 10 261 31	12 12 217 26	10 7 160 25	11 3 99 24	27	7	1 2	i	28 29 30 31
22 16 30 8	21 9 20 8	16 7 31 10	19 16 24 8	18 17 31 16	14 17 21 13	31 20 28 14	30 . 18 16 20	28 24 22 15	25 13 9 13	23 14 9 7	16 9 5 4	2 3 2 2	i	. 1	1	32 33 34 35

<sup>&</sup>lt;sup>2</sup> Colored population less than 10 per cent of total.

TABLE 2.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA, ITS MAIN SUBDIVISIONS, EACH GENERAL NATIVITY, AND PARENT

ARLA AND SEX, COLOR, AND NATIVITY.    THE REGISTRATION AREA.   September   Sep	SATHS AT AGE OF-	ATHS AT AG	DEA							-
Total	Under 5   5 to 9 years.   10 to 14 years.   15 to 19 years.   20 to 24 years.	Under 5 years.	4 years.	3 years.	2 years.	1 year.			AREA AND SEX, COLOR, AND NATIVITY.	
Make									THE REGISTRATION AREA.	
White.	209, 482 18, 112 12, 337 21, 154 32, 306	209, 482	6, 290	8,928	13,580	31,362	149, 322		1 Total	1
Males	115, 202 9, 483 6, 481 10, 927 17, 138 94, 280 8, 629 5, 856 10, 227 15, 168	115, 202 94, 280	3,318 2,972	4,677 4,251	7,178 6,402	16,478 14,884	83,551 65,771	457, 308 381, 976	2 Males	
Females	_		5,805	<u> </u>	12,386	28,705	<u> </u>		1	4
Males	107,320 8,806 5,927 9,800 15,164 8,791 13,164	107,320 87,250			6,567 5,819	15,112 13,593	78, 235 61, 194	425, 751 354, 019	5 Males	
Both parents native   F   147,137   30,106   53,8   69,97   32,98   2,198   1,095   1,383   42,712   5,989   1,196   1,390   49,902   3,194   2,192   3,157   4,102   1,102	_	192, 335	5,583	<u>-</u>	12,003	28,078	138, 696		7 Native	7
Description   Property   Proper	106, 081		2,960 2,623	4, 184 3, 791		14, 782 13, 296	77, 814 60, 882	304,380 265,045	8 Males	
11	42,591 4,300 2,780 4,518 6,265	42,591	1,338	2,003	2,811	6,333	30, 106	147 137	Both parents native $\begin{cases} M \\ F \end{cases}$	10
Foreign	40,148 3,123 1,896 2,890 3,591	40, 148	1, 235	1,706	2,737	6,701	35,435 27,769	106,365 87,263	One of both parents foreign. IF.	
Males	3,515   165   160   360   745	1 1	50	82	114	262	3,007	30,645	Farentage unknown	
15	_				<del></del>					
Males	789 378 341 980 2,489	789	106	111	139	244	189	86, 502		15
Colored   September   Septem	-						ļ			
Males	207 17 11 43 74	207	7	6	18	53	123		1	18
Negro.   Mailes   Section   Sectio	-	i			<del></del>					
Indian	7,030 646 668 1,436 2,004	7,030	236	343	583	1, 291	4,577	27, 957		21
Chinese	105   34   35   44   49	6,711	219	321	555	1,242	4,374	29,386 27,045 702	2 Negro	
Total	1 199 29 39 48 49 49	199 42	15	17 4	18 6	39 2	110 29	657 973		
REGISTRATION STATES.1	105   2 3 3 49	105		3	3 5 7	10 7	84	496		
Males			-			·			, 1	
28         Females         345,284         59,507         13,269         5,683         3,759         2,669         84,877         7,680         5,230         8,957         13,138           29         White         716,763         128,108         26,051         11,210         7,434         5,260         178,063         15,214         10,188         16,959         25,539           30         Males         390,016         71,730         13,683         5,912         3,896         2,778         97,999         7,994         5,425         8,938         13,651           31         Females         326,747         56,378         12,368         5,298         3,538         2,482         80,064         7,220         4,763         8,021         11,888           32         Native         526,142         127,453         25,485         10,865         7,188         5,062         176,053         14,418         9,458         14,650         19,399           33         Males         280,416         71,357         13,384         5,715         3,753         2,678         96,892         7,547         5,016         7,543         9,783           34         Females         445,726         56,006		188, 359	5,599	7;875	12,003	27,933	134,949	756, 777	6 Total	26
Males	103,482 8,458 5,790 9,689 14,880 5,230 8,957 13,138		2,940 2,659	4,116 3,759		14,664 13,269	75, 442 59, 507		7 Males 8 Females	
Temales   326,747   56,378   12,368   5,298   3,538   2,482   80,064   7,220   4,763   8,021   11,888	-(	178,063	5,260	7,434	11, 210	26,051	128, 108	716, 763		29
33         Males         280, 416         71, 357         13, 384         5,715         3,758         2,678         96, 892         7,547         5,016         7,543         9,783           34         Females         245,726         56,096         12,101         5,150         3,430         2,384         79,161         6,871         4,442         7,107         9,616           35         Both parents native         M. 148,908         35,930         6,327         2,968         1,938         1,478         48,641         4,350         2,972         4,361         5,448           36         One or both parents foreign         M. 96,710         32,251         6,800         2,627         1,749         1,157         44,554         3,061         1,899         2,837         3,687           37         Parentage unknown         M. 34,793         3,176         257         120         1,509         1,106         36,488         2,774         1,718         2,607         3,223           38         Foreign         180,598         414         468         292         230         186         1,590         763         695         2,195         5,811           39         Males         101,855         <	97, 999 7, 994 5, 425 8, 938 13, 651 8, 064 7, 220 4, 763 8, 021 11, 888		2,778 2,482	3,896 3,538	5, 912 5, 298	13,683 12,368	71, 730 56, 378	390, 016 326, 747	Males Females	30 31
34         Females         245,726         56,096         12,101         5,150         3,430         2,384         79,161         6,871         4,442         7,107         9,616           35         Both parents native         [F.]         148,908         35,930         6,327         2,968         1,938         1,478         48,641         4,350         2,972         4,361         5,448           36         One or both parents foreign         [F.]         79,829         25,370         6,041         2,462         1,509         1,106         36,488         2,774         1,718         2,607         3,667           37         Parentage unknown         [F.]         27,556         2,646         230         98         64         41         3,079         137         135         294         605           38         Foreign         180,598         414         468         292         230         186         1,590         763         695         2,195         5,811           39         Males         101,855         243         250         162         128         95         878         431         384         1,316         3,601           40         Females         78,	.				10,865	25, 485	127, 453			32
37     Parentage unknown     M. 27,556     2,556     2,646     230     98     64     41     3,067 137     135     294     605 605       38     Foreign     180,598     414     468     292     230     186     1,590     763     695     2,195     5,811       39     Males     101,855     243     250     162     128     95     878     431     384     1,316     3,601       40     Females     78,743     171     218     130     102     91     712     332     311     879     2,210	96,892 7,547 5,016 7,543 9,783 7,107 9,616	96, 892 79, 161	2,678 2,384	3,758 3,430	5, 715 5, 150	13, 384 12, 101	71,357 56,096	280, 416 245, 726	3 Males	33 34
37     Parentage unknown     M. 27,556     2,556     2,646     230     98     64     41     3,067 137     135     294     605 605       38     Foreign     180,598     414     468     292     230     186     1,590     763     695     2,195     5,811       39     Males     101,855     243     250     162     128     95     878     431     384     1,316     3,601       40     Females     78,743     171     218     130     102     91     712     332     311     879     2,210	48,641 4,350 2,972 4,361 5,448 39,594 3,960 2,589 4,206 5.788	39,594	1,478 1,237	1,938 1,857	2,968 2,590	5,830	35, 930 28, 080	138, 341	Both parents native $$	35
38 Foreign 180,598 414 468 292 230 186 1,590 763 695 2,195 5,811  39 Males 101,855 243 250 162 128 95 878 431 384 1,316 3,601 78,743 171 218 130 102 91 712 332 311 879 2,210	36,488   2,774   1,718   2,607   3,223	44,584 36,488	1,106	1,749 1,509	2,627 2,462	6,800 6,041	32, 251 25, 370 3 172	96, 710 79, 829	6 One or both parents foreign. ${M \choose F}$	
39 Males. 101,855 243 250 162 128 95 878 431 384 1,316 3,601 40 Females. 78,743 171 218 130 102 91 712 332 311 879 2,210	3,079 137 135 294 605	3,079	41	64	98	230	2,646		V	
	-   <del>  </del>	<del></del>							j i	
AT I DEPLETABLE OF THE PROPERTY OF THE PROPERT		712	91		130	218	171	78, 743		40
	-	i		16	53	. 98 49	130	7 745		41 42
43 Females	191 17 10 35 62	191	7	6	18	49	111	· i	1	43
44     Colored     40,014     6,841     1,882     793     441     339     10,296     924     832     1,687     2,479       45     Males     21,477     3,712     981     408     220     162     5,483     464     365     751     1,229	-	<del></del>					<del></del>			
46 Fernales			177	221	ì	901	3,129	į.		
47 Negro. (M. 19,431 3,497 924 383 195 149 5,148 424 326 700 1,108 F. 17,630 2,929 852 357 199 160 4,497 427 428 885 1,185 48 Tradien (M. 698 107 45 16 18 9 195 33 35 43 49	5,148 424 326 700 1,108 4,497 427 428 885 1,185 195 33 35 43	4,497	160	195 199	383 357	924 852	2,929	17,630		
***	199   29   39   48   42   38   5   1   5   25	199	15	17	18	39	110 26	867	8 Indian F.	
49 Chimese.   F   85   21   3   3   2   29   2   3   3   47   50   Japanese.   F   165   69   7   7   3   2   88   4   1   18	102   2   3   3   47	102	3 2	3 !	3 4 7	10	82	481	[# ]	

<sup>&</sup>lt;sup>1</sup> Including District of Columbia.

					•	DEAT	HS AT AGE	or—							Deaths	Γ
30 to 34 years.	35 to 39 years.	40 to 44 years.	45 to 49 years.	50 to 54 years.	55 to 59 years.	60 to 64 years.	65 to 69 years.	70 to 74 years.	75 to 79 years.	80 to 84 years.	85 to 89 years.	90 to 94 years.	95 to 99 years.	100 years and over.	at un- known age.	
34,416	<b>3</b> 8,570	37,522	39,457	44,130	44, 023	49,651	54,306	54,898	49,019	36,108	19,564	6,761	1,518	405	1,296	1
19,315 15,101	22,197 16,373	22,096 15,426	23,425 16,032	25,816 18,314	25,296 18,727	27,721 21,930	29,279 25,027	28,643 26,255	24,816 24,203	17,556 18,552	8,971 10,593	2,848 3,913	570 948	133 272	881 415	2 3
30,695	34,437	33,939	36,031	40,626	41,237	46,982	52,200	53,007	47,799	35,234	19,034	6,441	1,345	242	1,006	4
17,266 13,429	19,878 14,559	20,089 13,850	21,501 14,530	23,859 16,767	23,764 17,473	26,256 20,726	28,102 24,098	27,597 25,410	24,199 23,600	17,154 18,080	8,752 10,282	2,729 3,712	505 840	83 159	704 302	5 6
20,970	22,864	21,226	21,354	25,018	25,428	27,138	30,007	31,144	28,763	21,312	11,646	4,020	813	120	377	7
11,168 9,802	12,465 10,399	11,848 9,378	11,928 9,426	13,961 11,057	14,285 11,143	14,889 12,249	15,983 14,024	16,112 15,032	14,453 14,310	10,208 11,104	5,199 6,447	1,643 2,377	273 540	40 80	190 187	9
5,244 5,209 4,658 3,638 1,266 955	5,287 5,172 5,669 4,058 1,509 1,169	4,954 4,639 5,216 3,560 1,678 1,179	5,010 4,568 5,059 3,641 1,859 1,217	6,245 5,594 5,226 3,891 2,490 1,572	7,320 6,156 4,256 3,289 2,709 1,698	8,723 7,488 2,913 2,533 3,253 2,228	9,638 8,956 2,475 2,242 3,870 2,826	10,104 9,861 1,885 1,907 4,123 3,264	9,078 9,543 1,363 1,430 4,012 3,337	6,314 7,341 787 994 3,107 2,769	3,239 4,287 435 535 1,525 1,625	991 1,518 138- 171 514 688	141 339 24 48 108 153	19 43 7 5 14 32	94\ 109} 20\ 14} 76\ 64}	10 11 12
9,039	10,648	11,754	13,721	14,508	15,068	19,027	21,436	21,151	18,526	13,486	7,181	2,347	510	119	125	13
5,522 3,517	6,614 4,034	7,407 4,347	8,754 4,967	8,950 5,558	8,875 6,193	10,713 8,314	11,573 9,863	11,006 10,145	9,433 9,093	6,715 6,771	3,454 3,727	1,038 1,309	222 288	42 77	90 35	14 15
686	925	959	956	1,100	741	817	757	712	510	436	207	74	22	3	504	16
576 110	799 126	834 125	819 137	948 152	604 137	654 163	546 211	479 233	313 197	231 205	99 108	48 26	10 12	1 2	424 80	17 18
3,721	4,133	3,583	3,426	3,504	2,786	2,669	2,106	1,891	1,220	874	530	320	173	163	290	19
2,049 1,672	2,319 1,814	2,007 1,576	1,924 1,502	1,957 1,547	1,532 1,254	1,465 1,204	1,177 929	1,046 845	617 603	402 472	·219 311	119 201	65 108	50 113	177 113	20 21
1,905 1,633 24 20 34	2,181 1,782 27 13 47	1,835 1,540 37 26 86	1,761 1,473 20 23 111	1,766 1,524 24 16 155	1,369 1,233 23 14 133	1,282 1,178 28 22 154	1,098 902 17 24 61	975 813 29 30 42	583 587 14 14 20	379 454 16 18 7	206 300 10 11 3	111 187 7 14 1	61 102 4 6	42 107 - 8 6	149\ 93/ 25\ 20/ 2\	22 23 24
86 15	. 64 . 12	7 49 3	32	12 1	77	3 1. 1	2 1 1	2	2						i	25
30,066	33,687	32,851	34,595	39,001	39,651	45,208	50,261	51,458	46,042	34,081	18,576	6,434	1,410	341	1,240	26
16,844 13,222	19,290 14,397	19,282 13,569	20,478 14,117	22,645 16,356	22,655 16,996	25,207 20,001	27,056 23,205	26,872 24,586	23,397 22,645	16,620 17,461	8,562 10,014	2,730 3,704	529 881	122 219	838 402	27 28
27,724	31,054	30,540	32,433	36,729	37,722	43,401	48,702	50,006	45, 111	33,410	18,170	6,176	1,280	226	974	29
15,525 12,199	17,800 13,254	17,944 12,596	19,241 13,192	21,357 15,372	21,556 16,166	24,199 19,202	26, 161 22, 541	26,053 23,953	22,932 22,179	16,307 17,103	8,391 9,779	2,630 3,546	482 798	79 147	676 298	30 31
19,023	20,709	19,221	19,446	22,906	23,569	25,399	28,427	29,783	27,577	20,483	11,265	3,914	792	117	370	32
10,071 8,952	11,222 9,487	10,666 8,555	10,783 8,663	12,671 10,235	13,148 10,421	13,905 11,494	15,139 13,288	15, 431 14, 352	13,897 13,680	9,834 10,649	5,042 6,223	1,607 2,307	266 526	39 78	186 184	33 34
4,830 4,795 4,196 3,353 1,045 804	4,833 4,779 5,141 3,712 1,248 996	4,541 4,298 4,702 3,252 1,423 1,005	4,646 4,242 4,595 3,363 1,542 1,058	5,769 5,258 4,772 3,601 2,130 1,376	6,812 5,829 3,941 3,076 2,395 1,516	8,282 7,111 2,704 2,367 2,919 2,016	9,261 8,569 2,329 2,119 3,549 2,600	9,752 9,508 1,802 1,820 3,877 3,024	8,808 9,191 1,295 1,375 3,794 3,114	6,142 7,114 766 951 2,926 2,584	3,154 4,175 423 503 1,465 1,545	975 1,485 138 164 494 658	138 331 24 45 104 150	18 43 7 5 14 30	91\ 109/ 20\ 14/ 75\ 61/	35 36 37
8,083	9,518	10,456	12,131	12,824	13,488	17,258	19,574	19,565	17,057	12,517	6,704	2,192	469	106	123	38
4,935 3,148	5,867 3,651	6,532 3,924	7,725 4,406	7,830 4,994	7,867 5,621	·9,696 7,562	10,515 9,059	10,185 9,380	8,742 8,315	6,257 6,260	3,252 3,452	978 1,214	208 261	39 67	88 35	39 40
618	827	863	856	999	665	744	701	658	477	410	201	70	19	3	481	41
519 99	711 116	746 117	733 123	856 143	541 124	598 146	507 194	437 221	293 184	216 194	97 104	45 25	8 11	1 2	402 79	42 43
2,342	2,633	2,311	2,162	2,272	1,929	1,807	1,559	1,452	931	671	406	258	130	115	266	44
1,319 1,023	1,490 1,143	- 1,338 - 973	1,237 925	1,288 984	1,099 830	1,008 799	895 664	819 633	465 466	313 358	171 235	100 158	* 47 83	43 72	162 104	45 46
1,184 984 24 20 28	1,364 1,112 27 13 . 37 6	1,186 937 37 26 69	1,078 896 20 23 107	1,120 961 24 16 132	944 809 23 .14 125	843 773 28 22 136	819 637 17 24 58 2	752 601 29 30 38 2	432 450 13 14 20 2	291 340 16 18 6	159 224 10 11 2	92 144 7 14 1	43 77 4 6	35 66 8 - 6	135\ 84\ 24\ 20\ 2\	73
83 15	62	46 3	32	12 1	7	1	1 1		l	l:		1	l	J	1	50

Table 2.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA, ITS MAIN SUBDIVISIONS, EACH GENERAL NATIVITY, AND PARENT

=							DE	ATHS AT AG	E OF-	<del></del>			<del></del>
	AREA AND SEX, COLOR, AND NATIVITY.	All deaths.	Under 1 year.	1 year.	2 years.	3 years.	4 years.	Under 5 years.	5 to 9 years.	10 to 14 years.	15 to 19 years.	20 to 24 years.	25 to 29 years.
	CITIES IN REGISTRATION	•											
1	STATES.1 Total	413, 920	77, 419	16,468	6,953	4, 525	3,280	108,645	8, 939	5, 596	9,655	15,909	17,674
2 3	MalesFemales	225, 332 188, 588	43,270 34,149	8,635 7,833	3,701 3,252	2,349 2,176	1,694 1,586	59, 649 48, 996	4, 725 4, 214	2,923 2,673	5,025 4,630	8, 461 7, 448	9,694 7,980
4	White	389, 554	73, 293	15,384	6,509	4,274	3,086	102, 546	8,449	5, 190	8,773	14,390	15, 963
5 6	MalesFemales	212, 163 177, 391	41,032 32,261	8,068 7,316	3, 469 3, 040	2,222 2,052	1,606 1,480	56,397 46,149	4, 483 3, 966	2,734 2,456	4,625 4,148	7,705 6,685	8,753 7,210
7	Native	263, 705	72,806	14,954	6,244	4,080	2,931	101,015	7,863	4,655	7,119	10, 161	10,429
8 9	MalesFemales	142,009 121,696	40,750 32,056	7,839 7,115	3, 323 2, 921	2,117 1,963	1,531 1,400	55, 560 45, 455	4, 138 3, 725	2,449 2,206	3,686 3,433	5,222 4,939	5,533 4,896
10	Both parents native ${F}^{M}$	60, 578 55, 266	15,562 12,104	2,558 2,415	1,270 1,044	829 818	•666 555	20,885 16,936	1,933 1,736	1, 153 1, 013	1,750 1,598	2,454 2,445	2,451
11	One or both parents foreign. $\left\{egin{smallmatrix}\mathbf{M}\\\mathbf{F}\end{matrix} ight.$	66, 532 54, 467	22,716 17,852	5, 123 4, 558	1,976 1,831 77	1,247 1,108	841 825	31, 903 26, 174	2,140 1,928	1,231 1,139	1,793 1,700	2,453 2,453 2,196	2,305 2,667 2,194
12	Parentage unknown $\cdots \qquad \stackrel{M}{\underset{F}{\cdots}}$	14,899 11,963	2,472 2,100	158 142	77 46	41 37	24 20	2,772 2,345	65 61	65 54	143 135	315 298	415 397
13	Foreign	120,891	298	353	218	185	150	1,204	567	521	1,605	4,054	5, 272
14 15	MalesFemales	66, 268 54, 623	181 117	191 162	114 104	100 85	72 78	658 546	336 231	276 245	909 696	2,348 1,706	3,006 2,268
16	Unknown	4,958	189	77	47	9	5	327	19	14	49	175	262
17 18	MalesFemales	3,886 1,072	101 88	38 39	32 15	5 4	3 2	179 148	9 10	9 5	30 19	135 40	214 48
19	Colored	24, 366	4,126	1,084	444	251	194	6,099	490	406	882	1,519	1,711
20 21	MalesFemales	13, 169 11, 197	2,238 1,888	567 517	232 212	127 124	88 106	3,252 2,847	242 248	189 217	400 482	756 763	941 770
22	Negro $\left\{egin{array}{c} \mathbf{M} \ldots \\ \mathbf{F} \end{array}\right.$	12,195 11,006	2,173 1,839	560 508	225 206	122 121	86 105	3,166 2,779	234 242	184 215	390 477	700 743	852 753
23	Indian	59 35 645	7 4 22	2	1 5	3	i	8	2 4 5	$egin{array}{c} 2 \\ 2 \\ 1 \end{array}$	3	7 3 20	753 8 1 30
24 25	$\begin{array}{ccc} \text{Chinese.} & & \left\{ \begin{matrix} M \\ F \end{matrix} \right. \\ \text{Japanese.} & \left\{ \begin{matrix} M \\ F \end{matrix} \right. \\ \end{array}$	67 270	15 36	3 5	3 1	2 2	·····i	33 23 45	i	2	4 1 2	5 29	4 51
	RURAL PART OF REGISTRATION	89	30	6	3	1	1	41	2	• • • • • • • • • •	1	12	12
26	STATES. Total	342,857	57,530	11,465	5,050	3,350	2,319	79, 714	7, 199	5, 424	8,991	12,109	12,020
27 28	MalesFemales	186, 161	32,172 25,358	6,029	2,619 2,431	1,767	1,246	43,833	3, 733	2,867	4,664	6,419	6,373
29	White.	156, 696 327, 209	54,815	5, 436 10, 667	4,701	1,583 3,160	2,174	35, 881 75, 517	3,466 6,765	2,557 4,998	4,327 8,186	5,690 11,149	5,647 11,179
30 31	MalesFemales	177,853	30, 698 24, 117	5,615	2,443	1,674 1,486	1,172	41,602	3,511	2,691 2,307	4,313	5,946	5, 923
32	Native	149, 356 262, 437	54,647	5,052 10,531	2, 258 4, 621	1,486 3,108	1,002 2,131	33, 915 75, 038	3, 254 6, 555	2,307 4,803	3,873 7,531	5,203 9,238	5,256 8,734
33 34	MalesFemales	138, 407 124, 030	30,607 24,040	5, 545 4, 986	2,392 2,229	1, 641 1, 467	1,147 984	41,332 33,706	3,409 3,146	2,567 2,236	3,857 3,674	4,561	4, 195
35	Both parents native $M$ .	88,330	20,368	3,769	1,698	1,109	812	27,756	2,417	1,819	2,611	4,677 2,994	2,633
36	One or both parents foreign. $\begin{cases} \mathbf{M} \\ \mathbf{F} \end{cases}$	83,075 30,178 25,362	15,976 9,535 7,518	3,415 1,677 1,483	1,546 651 631	1,039 502 401	682 316 281	22,658 12,681 10,314	2,224 921 846	1,576 668 579	2,608 1,044 907	3,343 1,214 1,027	3,062 1,140 1,105
37	Parentage unknown $\left\{egin{array}{c} \hat{M} \\ F \end{array}\right\}$	25, 362 19, 899 15, 593	704 546	99 88	43 52	30 27	19 21	895 734	71 76	80 81	202 159	353 307	422 372
38	Foreign	59,707	116	115	74	45	36	386	196	174	590	1,757	2,207
39 40	MalesFemales	35, 587 24, 120	62 54	59 56	48 26	28 17	23 13	220 166	95 101	108 66	407 183	1,253 504	1,523 684
41	Unknown	5,065	52	21	6	7	7	93	14	21	65	154	238
42 43	Males Females	3,859 1,206	29 23	11 10	3 3	5 2	2 5	50 43	7 7	16 5	49 16	132 22	205 33
44	Colored	15,648	2,715	798	349	190	145	4, 197	434	426	805	960	841
45 46	Males Females	8,308 7,340	1,474 1,241	414 384	176 173	93 97	74 71	2,231 1,966	222 212	176 250	351 454	473 487	450 391
47	Negro $\left\{egin{array}{c} \mathbf{M} \\ \mathbf{F} \end{array}\right.$	7,236 6,624	1,324 1,090	364 344	158 151	73 78	63 55	1,982 1,718	190 185	142 213	310 408	408 442	396 360
48	Indian $\left\{egin{matrix} \mathbf{M} & \cdots \\ \mathbf{F} & \cdots \end{aligned}\right\}$	639 622	100 106	45 39	15 18	18 17	9 15	187 195	31 25	33 37	39 45	42 39	24 22
49	Chinese. $\begin{cases} \mathbf{M} \\ \mathbf{F} \end{cases}$	222 18 211	. 46	5	3	1	2	5 6 57	i	1	1 1 1	5 18	28
50	Japanese	76	39	1	4	2	1 1	47	2			10 6	28 9

<sup>&</sup>lt;sup>1</sup> Including District of Columbia. The term "cities" includes all municipalities of 10,000 population or over in 1910.

Deaths							of—	ES AT AGE	DEAT						
at un- known age.	100 years and over.	95 to 99 years.	90 to 94 years.	85 to 89 years.	80 to 84 years.	75 to 79 years.	70 to 74 years.	65 to 69 years.	60 to 64 years.	55 to 59 years.	50 to 54 years.	45 to 49 years.	40 to 44 years.	35 to 39 years.	30 to 34 years.
186	118	490	2,304	6,870	13,279	19, 134	23,742	25,559	25,140	23,243	24,031	22,126	21,067	21,466	18,747
· 129	33 85	166 324	891 1,413	2,897 3,973	5,890 7,389	9,012 10,122	11,886 11,856	13,478 12,081	13,763 11,377	13, 191 10, 052	14,072 9,959	13,345 8,781	12,654 8,413	12,607 8,859	10,841
146	77	447	2,211	6,711	12,999	18,721	22,991	24,714	24,011	21,964	22,463	20,614	19,446	19,603	7,906 17,125
106	24 53	150 297	860 1,351	2,839 3,872	5,776 7,223	8,826 9,895	11,489 11,502	12,998 11,716	13,142 10,869	12,476 9,488	13,175 9,288	12,455 8,159	11,696 7,750	11,554 8,049	9,900 7,225
27	26	230	1,147	3,346	6,349	8,870	10,505	11,318	11,272	11,696	12,440	11,084	11,128	12,153	10,872
18 14	9 17	68 162	429 718	:1,347 1,999	2,706 3,643	4,117 4,753	5,237 5,268	5,964 5,354	6,127 5,145	6,528 5,168	7,033 5,407	6,368 4,716	6,484 4,644	6,943 5,210	6,048 4,824
3	3 9	44 108	258 458	855 1,366	1,688 2,398	2,521 3,144	3,152 3,334	3,400 3,115	3,250 2,776	2,870 2,415	2,640 2,244	2,207 1,817	2,198 1,856	2,458 2,076	2,405 2,110
7 4 3	3	6 13	46 73	137 192	279 427	516 635	852 917	1,274 1,234 1,290	1,639 1,527	2,576 2,042 1,082	3,315 2,465	$3,325 \\ 2,374$	3,493 2,298	3,810 2,624	3,073 2,309
6 4	5	18 41	125 187	355 441	739 818	1,080 974	1,233 1,017	1,290 1,005	1,238 842	1,082 711	1,078 698	836 525	793 490	675 510	570 405
37	51	216	1,039	3,313	6,558	9,696	12,238	13,082	12,362	9,893	9,450	9,032	7,801	6,976	5,924
22 18	15	81 135	· 416 623	1,466 1,847	3,027 3,531	4,617 5,079	6,084 6,154	6,805 6,277	6,707 5,655	5,636 4,257	5,648 3,802	5,658 3,374	4,767 3,034	4,213 2,763	3,573 2,351
71		1	25 15	52 26	92	155 92	248 168	314 229	377	375 312	· 573	498	517 445	474 398	329 279
11			10	. 26	49	63	80	85 •	69	63	79	69	72	76	50
29	9	16	93	159 58	280 114	186	751 397	845 480	1,129	715	1,568	1,512 890	1,621 958	1,863 1,053	941
23 17	32	27	62	101	166	227.	354	365	508	564	671	622	663	810	681
22 17	8 32 1	16 27	30 61 1	58 98	113 166	179 225	374 349 5	447 361 1	523 504 3	619 560	777 662 3	784 616	875 652 6	. 985 798 3	859 669 4
			1	3	1	7	3 18	1 32	95 95	1 93	108	89 89	3 52	1 32	25
·····i							2	2 1	2 1	3 2	6 9 1	17	6 25 2	33 7	- 53 9
															•
1,054	223	920	4, 130	11,706	20,802	26,908	27,716	24,702	20,068	16,408	14,970	12,469	11,784	12,221	11,319
709 345	89 134	363 557	1,839 2,291	5,665 6,041	10,730 10,072	14,385 12,523	14,986 12,730	13,578 11,124	11,444 8,624	9,464 6,944	8,573 6,397	7,133 5,336	6,628 5,156	6,683 5,538	6,003 5,316
828	149	833	3,965	11,459	20,411	26,390	27,015	23,988	19,390	15,758	14,266	11,819	11,094	11,451	10,599
570 258	55 94	332 501	1,770 2,195	5,552 5,907	10,531 9,880	14, 106 12, 284	14, 564 12, 451	13, 163 10, 825	11,057 8,333	9,080 6,678	8, 182 6, 084	6,786 5,033	6,248 4,846	6,246 5,205	.5,625 4,974
343	91	562	2,767	7,919	14,134	18,707	19,278	17, 109	14, 127	11,873	10,466	8,362	8,093	8,556	8, 151
173 170	30 61	198 364	1,178 1,589	3,695 4,224	7,128 7,006	9,780 8,927	10,194 9, <b>0</b> 84	9,175 7,934	7,778 6,349	6,620 5,253	5,638 4,828	4,415 3,947	4,182 3,911	4,279 4,277	4,023 4,128
88 102	15 34 7	94 223	717 1,027	2,299 2,809 286 311 1,110 1,104	4,454 4,716	6,287 6,047	6,600 6,174 950 903	5,861 5,454	5,032 4,335	3,942 3,414 1,365 1,034 1,313	3, 129 3, 014 1, 457 1, 136 1, 052 678	2,439 2,425 1,270	2,343 2,442 1,209 954	2,375 2,703 1,331 1,088 573	2,425 2,685 1,123 1,044
16 13 69	7 2 8	223 18 32 86	92 91 369	286 311 1,110	487 524 2, 187	779 740	950 903 2,644	1,055 885 2,259 1,595	1,065 840 1,681 1,174	1,365 1,034 1.313	1,457 1,136 1.052	989	1,209 954 630	1,331 1,088 573	1,123 1,044 475
57	25	109	369 471		2,187 1,766	2,714 2,140	2,644 2,007			809		706 533	515	480	399
	55 24 31	253 127	1,153 562 591	3,391	5,959 3,230	7,361 4,125	7,327 4,101	6,492 3,710	4,896 2,989	3,595 2,231	3,374 2,182	3,099 2,067	2,655 1,765	2,542 1,654 888	2, 159 1, 362
20 <b>3</b> 99	1	126 · 18	591 45	1,786 1,605 149	3,230 2,729	4, 125 3, 236 322	4,101 3,226 410	2,782	1,907 367	1,364 290	2, 182 1, 192 426	2,067 1,032 358	890 346	888	1,362 797 289
331	3	7	30	71	318 173	201 121	269 141	278	290	229	362	304	301	313	240
68 226	2 74	11 87	15 165	78 247	145 391	121 518	141 701	109 714	77 678	61 650	64 704	54 650	45 690	40 770	49 720
139	34	31	_ 69	113 134	199 192	279	422 279	415	387 291	384	391 313	· 347	380 310	437	378
87 113	40 27	56	96 62	134 101		239		299		266	i	303	3	333	342
67 24	34 7	27 50 4	- 83 6	· 126	178 174 16	253 225 13	· 378 252 24	372 276 16	320 269 25 21 41	325 249 22 13	343 299 21	294 280 20 21 18	311 285 31 23 17	379 314 24 12 5	325 315 20 20
20 2	6	6	13 1	8 2	18 5	14 13	27 20	23 26	21 41 1	13 32 4	14 24	21 18 2	23 17 1	21	· 20 1
								·····i	i	5	3	2 15	21 1	29 5	30

TABLE 2.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA, ITS MAIN SUBDIVISIONS, EACH GENERAL NATIVITY, AND PARENT

							DE	ATHS AT AC	E OF—				
	AREA AND SEX, COLOR, AND NATIVITY.	All deaths.	Under 1 year.	1 year.	2 years.	3 years.	4 years.	Under 5 years.	5 to 9 years.	10 to 14 years.	15 to 19 years.	20 to 24 years.	25 to 29 years.
	REGISTRATION CITIES IN OTHER STATES.												
1	Total	82,507	14,373	3,429	1,577	1,053	691	21,123	1,974	1,317	2,508	4,288	4,555
2 3	Males Females	45,815 36,692	8,109 6,264	1,814 1,615	858 719	561 492	378 313	11,720 9,403	1,025 949	691 626	1,238 1,270	2,258 2,030	2,447 2,108
4	White	63,007	11,321	2,654	1,176	811	545	16,507	1,575	927	1,632	2,789	2,980
5 6	MalesFemales	35, 735 27, 272	6,505 4,816	1,429 1,225	655 521	441 370	291 254	9,321 7,186	812 763	502 425	862 770	1,513 1,276	1,620 1,360
7	Native	43, 283	11,243	2,593	1,138	787	521	16,282	1,469	859	1,385	2,024	2,065
8 9	Males Females	23,964 19,319	6,457 4,786	1,398 1,195	626 512	426 361	282 239	9,189 7,093	752 717	465 394	724 661	1,039 985	1,057 1,008
10	Both parents native $\{ \mathbf{F} : \mathbf{F} : \mathbf{F} \}$	10,147 8,796	2,768 2,026	600 503	280 221	190 146	124 101	3,962 2,997	351 340	209 191	356 312	450 477	470 493
11	One or both parents foreign. $\begin{cases} \mathbf{M} \\ \mathbf{F} \end{cases}$	9,655 7,434 4,162	3,184 2,399 505	748 660 50	321 275 25 16	216 197 20	149 129 9	4,618 3,660 609	373 349 28	229 178 27 25	320 283 48	435 368 154	404 360 183 155
12	Parentage unknown $\left\{ egin{array}{l} M_{-} \\ F_{-} \end{array} \right\}$	3,089	361 57	32 54	16 36	18 24	9 23	436 194	28 28 104	25 67	66	140 720	155 854
13 14	Foreign	18,748	39	28 26	27	15	8	117	58	37	127	441	517
15 16	Females Unknown	1 1	18 21	26 7	9 2	9	15 1	77 31	46	30 1	101	279 45	337 61
17	Males. Females		9	3	2		1	15	2	i	11	33 12	46 15
18 19	Females	194	12 3,052	775	401	242	146	16 4,616	399	390	8 876	1,499	1,575
20	Males	10,080	1,604	385	203	120	87	2,399 2,217	213	189 201	376	745 754	827 748
21 22	Females	9,420 9,955	1,448	390 385	198 201	122 120	59 87	2,392	186 212	189	500 374	740 754	822 748
23	$egin{array}{cccc}  ext{Negro} & & & & & & & & & & & & & & & & & & &$	9,415 4	1,445	390	198	122	59	2,214	185 1	201	500 1	704	748
24	Chinese $\left\{egin{array}{c} \mathbf{M} & \mathbf{K} \\ \mathbf{F} & \mathbf{K} \end{array}\right\}$	106 2	3		1			4	1		1	3	3
25	Japanese $\left\{egin{array}{cccc} M & . & . & . & . \\ F & . & . & . & . \end{array} ight.$	15 3	3		1			3				2	2
	ALL REGISTRATION CITIES.1												
26 27	Total	496,427 271,147	91,792 51,379	19,897	8,530 4,559	2,910	3,971	129,768 71,369	10,913 5,750	6,913 3,614	12,163	20,197	22,229 12,141
28	MalesFemales	225, 280	40,413	9,448	3,971	2,668	1,899	58,399	5,163	3,299	5,900	9,478	10,088
29 30	White	452,561 247,898	84,614 47,537	18,038 9,497	7,685 4,124	2,663	3,631 1,897	119,053 65,718	10,024 5,295	6,117 3,236	10,405 5,487	9,218	18,943
31	Females	204,663	37,077	8,541	3,561	2,663 2,422	1,734	53,335	4,729 9,332	3,236 2,881 5,514	4,918	7,961 12,185	8,570 12,494
33	Native	306, 988 165, 973	84,049 47,207	9,237	7,382 3,949	2,543	3,452 1,813	64,749	4.890	2,914	4,410	6,261	6,590
34	Females	141,015 70,725	36,842 18,330	8,310 3,158	3,433 1,550	2,324 1,019	1,639 790	52, 548 24, 847	4,442 2,284	2,600 1,362	4,094 2,106	5,924 2,904	5,904 2,921
35 36	Both parents native $\begin{cases} M \\ F \end{cases}$ .  One or both parents foreign. $\begin{cases} M \\ M \end{cases}$ .	64,062 76,187	14,130 25,900 20,251	2,918 5,871	1,265 2,297	964 1,463	656 990	19,933 36,521	2,076 2,513	1,204 1,460	1,910 2,113	2,904 2,922 2,888 2,564	2,798 3,071
37	Parentage unknown	61,901 19,061 15,052	20,251 2,977 2,461	5,218 208 174	2,106 102 62	1,305 61 55	954 33 29	29,834 3,381 2,781	2,277 93 89	1,317 92 79	1,983 191 201	2,504 469 438	2,921 2,798 3,071 2,554 598 552
38	Foreign	139,639	355	407	254	209	173	1,398	671	588	1,833	4,774	6,126
39 40	MalesFemales	77,257 62,382	220 135	219 188	141 113	115 94	80 93	775 623	394 277	313 275	1,036 797	2,789 1,985	3,523 2,603
41	Unknown	5,934	210	84	49	9	6	358	21	15	68	220	323
42 43	MalesFemales	4,668 1,266	110 100	41 43	34 15	5 4	4 2	194 164	11 10	9 6	41 27	168 52	260 63
44	Colored	43,866	7,178	1,859	845	493	340	10,715	889	796	1,758	3,018	. 3,286
45 46	MalesFemales	23,249 20,617	3,842 3,336	952 907	435 410	247 246	175 165	5,651 5,064	455 434	378 418	776 982	1,501 1,517	1,768 1,518
47	Negro $\left\{ egin{array}{c} \mathbf{M} \\ \mathbf{F} \end{array} \right.$	22,150 20,421	3,772 3,284	945 898	426 404	242 243	173 164	5,558 4,993	446 427	373 416	764 977	1,440 1,49 <u>7</u>	1,674 1,501
48	Indian $\left\{egin{matrix}\mathbf{M}_{-}\\\mathbf{F}_{-}\end{aligned}\right\}$	63 35	7 4		1			8	3 4	2 2 1	5 3 5	7 3	8 1 33
49	Chinese	751 69 285	25 15 38	2 3 5	6 3 2	3 2 2	1 1	37 23 48	5 1 1	2	1	23 5 31	53 12
50	Japanese	92 1	33	6	3	1	1 1	44	1 2		1	12	l žį

<sup>&</sup>lt;sup>1</sup> Including District of Columbia. The term "cities" includes all municipalities of 10,000 population or over in 1910.

•						DEAT	HS AT AGI	e of—							Deaths	T
30 to 34 years.	35 to 39 years.	40 to 44 years.	45 to 49 years.	50 to 54 years.	55 to 59 years.	60 to 64 years.	65 to 69 years.	70 to 74 years.	75 to 79 years.	80 to 84 years.	85 to 89 years.	90 to 94 years.	95 to 99 years.	100 years and over.	at un- known age.	
4, 350	4, 883	4, 671	4,862	5, 129	4,372	4, 443	4,045	3,440	2,977	2,027	988	327	108	. 64	56	
2,471 1,879	2,907 1,976	2,814 1,857	2,947 1,915	3, 171 1, 958	2,641 1,731	2,514 1,929	2,223 1,822	1,771 1,669	1,419 1,558	936 1,091	409 579	118 209	41 67	11 53	43 13	٦.
2,971	3,383	3, 399	3,598	3,897	3, 515	3, 581	3,498	3,001	2,688	1,824	864	265	65	16	32	=1
1,741 1,230	2,078 1,305	2, 145 1, 254	2,260 1,338	2,502 1,395	2,208 1,307	2,057 1,524	1,941 1,557	1,544 1,457	1,267 1,421	847 977	361 503	99 166	23 42	12 12	28 4	
1,947	2, 155	2,005	1,908	2, 112	1,859	1,739	1,580	1,361	1,186	829	381	106	21	3	7	1
1,097 850	1,243 912	1, 182 823	1, 145 763	1,290 822	1, 137 722	984 755	844 736	681 680	556 630	374 455	157 224	36 70	7 14	1 2	4 3	
414 414	454 393	413 341	364 326 464 278	476 336	508 327	441 377	377 387	352 · 353	270 352	172 227 21	85 112	16 33	3 8	1.	3)	1
414 462 285 221 151	393 528 346 261	514 308 255	464 278 317	454 290 360	315 213 314	209 166 334	146 123 321	83 87 246	68 55 218	43	12 32 60 80	7	3			1:
,	261 173	174	159	196	182	212	226	240	223	181 185		. 20 30	4 3	2	1) 3)	12
956 587	1,130 747 383	1,298	1,590	1,684	1,580	1,769	1,862	1,586 821	1,469 691	969 458	477 202	155	41	13	2	13
369 68	383 98	875 423 96	561 100	1, 120 564	572	752	804	765	778	511	275	95	14 27	10		- 1
57	88		86	92	63 13	73 56 17	39 17	42	33 20	26 15	6	3	3 2		23	-  ^
11 1,379	1,500	1,272	14 1,264	1,232	13 857	17 862	17 547	12 439	13 289	11 203	4 124	3 1 62	1	40	1	Į į
730	829 671	669	687 577	669	433	457	282 265	227	152	89	48 76	19	18 25	48	24 15 9	-  ^'
649	817	603 649	577 683 577	563 646	424 425	405 439	265 279	212 223	137 151	114 88	76 47	.43 19	l	41	9	1-
649	670	603	577	563	424	405	265	212	137	114	76	43	18 25	41	9,	<u> </u>  2:
6	10 1	17	4	23	8	18	3	4		1	1					2
3	2	3														24
23,097	26,349	25,738	26, 988	29, 160	27, 615	29, 583	29,604	27, 182	22,111	15,306	7,858	2,631	598	182	242	20
13, 312 9, 785	15, 514 10, 835	15, 468 10, 270	16, 292 10, 696	17, 243 11, 917	15,832 11,783	16,277 13,306	15,701 13,903	13,657 13,525	10,431 11,680	6,826 8,480	3,306 4,552	1,009 1,622	207	44	172	22
20,096	22,986	22,845	24,212	26,360	25,479	27,592	28,212	25,992	21,409	14,823	7,575	2,476	391 512	138	70 178	=1
11,641 8,455	13,632 9,354	13,841 9,004	14,715 9,497	15, 677 10, 683	14, 684 10, 795	15, 199 12, 393	14, 939 13, 273	13,033 12,959	10,093 11,316	6,623 8,200	3,200 4,375	959 1,517	173 339	28 65	134 44	30
12,819	14,308	13, 133	12,992	14, 552	13, 555	13,011	12,898	11,866	10,056	7, 178	3,727	1,253	251	29	. 34	32
7,145 5,674	8, 186 6, 122	7,666 5,467	7,513 5,479	8,323 6,229	7,665 5,890	7,111 5,900	6,808 6,090	5,918 5,948	4,673 5,383	3,080 4,098	1,504 2,223	465 788	75 176	10 19	17 17	3
2,819 2,524 3,535 2,594	2,912 2,469	2,611 2,197 4,007	2,571 2,143	3, 116 2, 580	3,378 2,742	3,691 3,153	3,777 3,502	3,504 3,687	2,791 3,496	1,860 2,625	940 1,478 149	274 · 491	~ 47 116	4 9		1
3,535 2,594 791	4,338 2,970	4,007 2,606 1,048 664	2,571 2,143 3,789 2,652 1,153 684	3, 116 2, 580 3, 769 2, 755 1, 438 894	3,378 2,742 2,891 2,255 1,396	1,848 1,693 1,572 1,054	3,777 3,502 1,420 1,357	935	584 690	300 470	224	46 80	6 16	3	6) 7) 4) 3) 7)	36
556	· 936 683				090	1,572 1,054	1,611 1,231	1,004 1,479 1,257	1,298 1,197	920 1,003	415 521	145 217	22 44	6 7	7) 7)	37
6, 880 4, 160	8, 108 4, 960	9,099	10,622	11, 134	11,473	14, 131	14,944	13,824	11, 165	7,527	3,790	1,194	257	64	39	38
2,720	3, 146	5, 642 3, 457	6, 687 3, 935	6,768 4,366	6,644 4,829	7,724 6,407	7,863 7,081	6,905 6,919	5,308 5,857	3,485 4,042	1,668 2,122	476 718	95 162	18 46	24 15	39 40
397	572 486	613	598 515	674 586	451 375	450 364	370 268	302	188	118	58	29	4		105	41
61	486 86	533 80	515 83	88	76	86	102	92	112 76	58 60	28 30	18 11	3 1		93 12	42 43
3,001 1,671	3,363 1,882	2,893	2,776	2,800	2,136	1,991	762	1, 190 624	702 338	483 203	283	155 50	· 86	89	64	44
1,330	1,481	1,266	1,577 1,199	1,566 1,234	988	913	630	566	364	280	177	105	34 52	16 73	38 26	45 4€
1,580 1,318 4	1,802 1,468	1,524 1,255 6	1,467 1,193	1,423 1,225 3	1,044 984 1	962 909 3	726 626	597 561 5	330 362 1	201 280	105 174	49 104 1	34 52	15 73 1	36) 26) 1)	47
31	42 42	89 69	2 93 4	131 6	101	1 113	1 1 35	3 22	7	2	3 1	1	••••••			48
56	35	28	17	9	3 2	2	2	2	2			•••••		÷	····i{	1

Table 2.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA, ITS MAIN SUBDIVISIONS, EACH GENERAL NATIVITY, AND PARENT

=						· · · · · · · · · · · · · · · · · · ·	DE	ATHS AT AC	E OF-				,
	AREA AND SEX, COLOR, AND NATIVITY.	All deaths.	Under 1 year.	1 year.	2 years.	3 years.	4 years.	Under 5 years.	5 to 9 years.	10 to 14 years.	15 to 19 years.	20 to 24 years.	25 to 29 years.
	CALIFORNIA.												
1 2	Total	34,010 21,063	3,524	687	337 163	234	90	4,927 2,689	525 265	427 232	800 422	1,415	1,650
3	Females	12,947	1,553	350 337	174	119	55	2,238	260	195	378	561	652
4	White	32,205 19,726	3,307 1,859	649 330	308	108	134	2,532	509 255	405 218	761 401	786	909
5 6	MalesFemales	12,479	1,448	319	155	113	52	2,087	254	187	360	526	605
7	Native	20,972	3,287	632	301	213	124	4,557	482	377	654	985	976
9	MalesFemales	12,169 8,803	1,851 1,436	321 311	149 152	102 111	78 46	2,501 2,056	240 242	200 177	337 317	553 432	532 444
10	Both parents native $\dots \{ egin{array}{c} M \\ F \end{array} $	4,970 3,928	914 673	146 122 165	75 76	59 60	38 24	1,232 955	130 123	105 99	186 167	261 214 177	219 196
11	One or both parents foreign. $\{F : F : F : F : F : F : F : F : F : F :$	3,533 2,809 3,666	797 638 140	173 173	68 69	41 47 2	34 20 6	1,105 947 164	102 105 8	82 67 13	110 122 41	162 115	184 160 129
12	Parentage unknown ${ m f M.}$	2,066	125	16	6 7	4	2	154	8 14	11	28	56	88
13 14	Foreign	6,700	7		5	8	9	55 29	26	25 17	100	306 216	333
15	Females	3,578	9	8	3 2	ž	5	26	11	8	40	90	333 151
16 17	Unknown Males	955 857	1		1		1	7 2	1	3	7	17	54 44
18	Females	98	3		1		1	5	1	2	3	4	10
19 20	Colored	1,805	112	38 20	29	13	11	308	16	22 14	39	103	136
21	Females	468	105	18	19	6	8 3	151	6	8	18	35	89 47
22	Negro	275 182	17 18	6 5	2 6	1 i	3 1 1	29 30	1	3 4 7	6 8	15 9	19 20 3
23	Indian $\begin{cases} M \dots \\ F \dots \end{cases}$	83 82 641	17 24	6 5 2	1 4 5	$\begin{bmatrix} \frac{1}{2} \\ 4 \end{bmatrix}$	i	13 28 36	1 3 3 4	4	10 7 3 2	9 4 13	4 17
24 25	Chinese. $\left\{ egin{array}{c} \egin{array}{c} $	72 338	15 67	2 3 6	3 2	2 1	3	23 79	2	3	2	5 31	50 50
	COLORADO.	132	55	5	6	2	2	70	2	•••••	1	17	19
26	Total	10,740	1,818	372	143	106	64	2,503	248	199	264	591	715
27 28	Males Females	6,511 4,229	1,021 797	190 182	69 74	54 52	33 31	1,367 1,136	121 127	100 99	150 114	362 229	449 266
29	White	10, 427	1,782	368	139	104	63	2,456	245	192	257	579	678
30 31	MalesFemales	6,314 4,113	999 783	188 180	68 71	53 51	33 30	1,341 1,115	120 125	97 95	147 110	354 225	421 257
32	Native	7,883	1,765	360	129	101	62	2,417	235	183	217	451	503
33 34	Males Females	4,486 3,397	990 775	181 179	63 66	52 49	33 29	1,319 1,098	112 123	92 91	118 99	255 196	278 225
35	Both parents native $$	$\frac{2,279}{1.924}$	591 447	104 112	34 44	31 34	18 16	778 653	75 67	57 67	70 60	151 121	133 142
36	One or both parents foreign. $\left\{ \begin{matrix} \mathbf{M} \\ \mathbf{F} \end{matrix} \right\}$	1,924 1,159 913	328 287 71 41	68 66	44 27 21 2	19 13	13 12	455 399	34 52 3	29 21	36	63 53 41	86 46 59
37	Parentage unknown $\cdots \{ egin{array}{c} M \ldots \\ F \ldots \end{pmatrix}$	1,048 560	41	9 1.	1	2 2	$\begin{bmatrix} 2 \\ 1 \end{bmatrix}$	86 46	4	6 3	32 12 7	22 22	37
38	Foreign.	2,202	10	8	8	3	1	30	10	8	34	111	152
39 40	MalesFemales	1,541 661	5 5	7 1	5 3	1 2	i	18 12	8 2	5 3	24 10	83 28	121 31
41	Unknown	342	7		2			9		1	6	17	23
42 43	MalesFemales	287 55	4 3		2			4 5		1	5 1	16 1	22 1
44	Colored	313	36	4	4	2	1	47	3	7	7	12	37
45 46	Males Females	197 116	22 14	$\frac{2}{2}$	1 3	1 1	1	26 21	$\frac{1}{2}$	3 4	- 3 4	8 4	28 9
47	Negro $\left\{egin{matrix} M & \dots & \\ F & \dots & \\ \end{array}\right.$	176 112	21 14	$\frac{2}{2}$	1 3	1 1	1	25 21	1 1	3 4	3 4	7 4	25 9
48	Indian $\left\{egin{array}{ll} \mathbf{M} & \cdots \\ \mathbf{F} & \cdots \\ \mathbf{M} & \cdots \end{array}\right\}$	1							1				
49	Chinese. $\{M, \dots, M, \dots, M\}$	4 2 16	1					1				1	3
50	Japanese $\{F\}$	10	اا					l					

						DEAT	HS AT AGI	e of—	<del> </del>			<u> </u>			Deaths	Ī
30 to 84 years.	35 to 39 years.	40 to 44 years.	45 to 49 years.	50 to 54 years.	55 to 59 years.	60 to 64 years.	65 to 69 years.	70 to 74 years.	75 to 79 years.	80 to 84 years.	85 to 89 years.	90 to 94 years.	95 to 99 years.	100 years and over.	at un- known age.	
1,788	1,964	1,961	1,952	2,086	2,097	2,350	. 2,481	2,500	2,221	1,656	856	249	61	24	_ 20	,
1,190 598	1,306 658	1,296 665	1,331 621	1,383 703	1,406 691	1,531 819	1,522 959	1,536 964	1,367 854	1,021 635	512 344	141 108	33 28	10 14	18	3
1,671	1,831	1,827	1,817	1,945	1,949	2,202	2,406	2,425	2,188	1,643	846	236	58	22	19	_
1,098 573	1,206 625	1,188 639	·1,213 604	1,260 685	1,274 675	1,397 805	1,457 949	1,480 945	1,342 846	1,011 632	507 339	135 101	30 28	10 12	17 2	
1,092	1,138	1,111	1,049	1,104	1,054	1,108	1,266	1,262	1,181	930	480	128	28	7	3	<u> </u>
656 436	682 456	674 437	638 411	656 448	658 396	657 451	718 548	760 502	.746 435	573 . 357	286 194	83 45	13 15	5 2	1 2	
218 172 241 175	227 176	217 151	210 157	214 180	225 165	262 202	291 266	322 233	288 183 77 51	200 167	115 94	43 21	4 5	1	i	} 1
241 175 197	265 166 190	229 155 228	215 147 213	180 187 143 255 125	184 102 249	117 100 278	99 77 328 205	233 73 66 365 203	77 51	51 38 322 152	94 28 17 143	4 5	1 3 8	2 1 2		}]1
89	114	131	107	1	129	149	1	1	381 201	l	83	36 19	7		1	1
500 366	589 429	630 431 199	657 473	713	824 553	1,005	1,080	. 1,101	981 573	692 422	356 213	105 49	30	15 5	4	-1
134 79	160 104	199 86	184 111	227 128	271 71	655 350 89	393 60	434 62	408 26	422 270 21	143	56	13	10		- 1
76	95	83	102	118	63	85	52	53	23 3	16	10	3			12	-1
3 117	133	134	9 135	10 141	8 148	148	· 8. 75	75	33	. 5 13	10	13	3	·	1	111
92	100	108	118	123 18	132	134	65	56	25 8	10	5	6	3		1	2
25 19	33	26	23 13	13	16 17	14 18	10 11	19 16	8	3	5 2	7.	1	2		2
6 2 4	16 5	16 5 5	3	11 6	9 5 2	9 3 1	11 5 1 2	16 12 2 5	4	1 2 2	1 1	1 1	2			2
10 4 61	12 6	44 5	72 4	96 5	103 5	1112 3 1	52 2	38 2	19 2	2 5	1 2	3 1		2	i '	2
61 11	46 9	27	20	8 1	7	1	1									} 2
690	612	591	548	630	550	565	564	529	447	289	132	37	13	2	21	2
457 233	360 252	. 392 199	372 176	428 202	381 169	378 187	364 200	315 214	252 195	150 139	71 61	19 18	7 6	2	16 5	2 2
658	587	568	518	608	532	550	553	524	440	281	130	36	13	2	20	=
435 223	347 240	874 194	353 165	413 195	368 164	367 183	357 196	311 213	249 191	149 132	70 60	19 17	7 6	2	15 5	
457	420	<b>\$</b> 370	308	382	338	357	341	328	280	186	82	18	8	2	2	ł
278 179	222 198	227 143	185 121	245 137	229 109	226 131	210 131	183 145	157 123	94 92	43 39	9 9	4 4	2	2	- 33 34
128 112	96 96	- 93 78 59	84 56	107 67	94 54	102 67	86 69	81 75	76 63	37 45	24 24	4 7 2	- 3 1			38
112 69 36 81 31	96 62 57 64	59 38 75 27	51 35 50	58 34 80	49 27 86	35 21 89	25 19 99	75 21 18 81 52	63 8 13 73 47	45 12 7 45	24 5 2 14 13	2 2 3			i	36
31 171	64 45 141	1	30	36	28	43	43			40	1		3	2	i,	37
131	104	165	178	192	161 112	172	192	177	152 85	85 48	45	15 8	3		6	38
40 30	37 26	46 33	41 34	53 34	49	50 21	60	63	85 67	37	21	7	2		2	40
26	21 5	28	31	29	33 27	19	20 15 5	19 14	- 8 7	7	3	3			12 11	-
4 32	5 25	5 23	30	5 22	6	2 15	5 11	5 5	1 7	8	2	1			` 1	42
22	13	18	19	15	13 5	11	7	4	3	1	1	1			1	44
10 20	12 10	5 15	11 14	7	5 12	4 11	4 7	1 4	3	7 1	1	1				46
10 1	îĭ	5	îô	6	5	4	4	i	4	7	1 1	1				47
			i 1	1 1	i l											49
1	3 1	3 ]	4	î												50

TABLE 2.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA, ITS MAIN SUBDIVISIONS, EACH GENERAL NATIVITY, AND PARENT

							DE	ATHS AT AG	E OF—	<u></u>			
	AREA AND SEX, COLOR, AND NATIVITY.	All deaths.	Under 1 year.	1 year.	2 years.	3 years.	4 years.	Under 5 years.	5 to 9 years.	10 to 14 years.	15 to 19 years.	20 to 24 years.	25 to 29 years.
	CONNECTICUT.												
1	Total	17,552	3,243	630	274	171	121	4, 439	338	236	327	534	570
2 3	Males Females	9,341 8,211	1,832 1,411	310 320	140 134	85 86	67 54	2, 434 2, 005	170 168	135 101	182 145	289 245	313 257
4	White	17, 153	3, 167	613	268	160	121	4,329	330	226	318	517	549
5 6	Males Females	9, 127 8, 026	1,788 1,379	301 312	139 129	81 79	67 54	2,376 1,953	167 163	130 96	180 138	280 237	299 250
7	Native	11,859	3, 152	590	253	• 153	115	4, 263	306	202	246	338	308
8 9	Males Females	6, 262 5, 597	1,780 1,372	290 300	129 124	77 76	64 51	2,340 1,923	153 153	112 90	133 113	182 156	160 148
10	Both parents native $\cdots$ ${}^{\mathbf{M}}_{\mathbf{F}}$ .	2,510 2,421	471 398	63 65	35 25	24 18 51	19 20	612 526	60 41	36 28	58 34	70 55	46 54
11	One or both parents foreign. $\{^{ ext{M}}_{ ext{F}}$	2,927 2,414	1,274 948	224 233	92 98 2	51 58 2	43 31	1,684 1,368	88 106	36 28 69 53 7	34 68 73 7	101 88 11	46 54 102 78 12 16
12	Parentage unknown ${ m M.} { m .} { m .} { m .}$	825 762	35 26	3 2	1		2	44 29	5 6	9	6	13	
13	Foreign	5,063	7	23	15	7	6	62	23	22	69	178	230
14 15	MalesFemales	2,698 2,365	4	11 12	10 5	4 3	3	35 27	13 10	17 5	46 23	98 80	129 101
16	Unknown	231	4					4	1	2	3	1	11
17 18	Males	167 64	1 3					1 3		1	2	1	10 1
19	Colored	399	76	17	6	11		110	8	10	9	17	21
20 21	Males Females	214 185	44 32	9 8	1 5	4 7		58 52	3 5	5 5	2 7	9 8	14 7
22	Negro	207 185 3	43 32 1	9 8	1 5	4 7		57 52 1	3 5	5 5	2 7	9 8	14 7
23 <sup>1</sup> 24	$\begin{array}{ccc} \text{Indian} & \left\{\begin{matrix} \mathbf{M} & \\ \mathbf{F} & \end{matrix}\right. \\ \text{Chinese} & \left\{\begin{matrix} \mathbf{M} & \\ \mathbf{F} & \end{matrix}\right. \\ \end{array}$	3											
24 25	Japanese $F$ .	1										•••••	•••••
	INDIANA.			-									• • • • • • • • • • • •
<b>2</b> 6	Total		5,362	1,103	484	314	229	7,492	745	563	1,018	1, 425	1,302
27 28	Males Females	18, 717 16, 493	2,996 2,366	604 499	258 226	162 152	119 110	4,139 3,353	387 358	313 250	505 513	691 734	633 669
29	White	33,877	5, 181	1,062	460	305	222	7,230	721	539	965	1,342	1,232
30 31	Males Females	17,997 15,880	2,904 2,277	582 480	242 218	156 149	115 107	3,999 3,231	372 349	298 241	486 479	643 699	598 634
32	Native	29,797	5, 175	1,053	460	300	220	7,208	715	527	930	1,252	1,114
33 34	Males Females	15,596 14,201	2,902 2,273	575 478	242 218	153 147	115 105	3,987 3,221	367 348	292 235	462 468	583 669	522 592
35	Both parents native $\dots \{ F : \dots \}$	10,548 10,009 2,263 1,916	2,421 1,882 412	483 399 81 67	220 185 17 26 5	128 129	97 96	3,349 2,691 542	334 308 29 35	253 205	391 395 50 50 21 23	448 541	401 456 75 81 46 55
36	One or both parents foreign. $\{M, \dots, M\}$	2,263 1,916 2,785	354	81 67 11	17 26 5	15 18 10	96 17 7 1	542 472 96	29 35 4	31 23 8	50 50 21	541 92 83 43	75 81 46
37	Parentage unknown $\left\{ \begin{matrix} \mathbf{M} \\ \mathbf{F} \end{matrix} \right\}$	2,785 2,276	69 37	12	7		2	58	5	8 7	1	45	i (
38 39	Foreign Males	3,745 2,155	5	8		5 3	2	20	4	11 5	31 22	76	104
40	MalesFemales		3	2		2	2	9		6	9	29	40
41 42	Unknown	335 246	1	1				2	2	1	2	14	12
43	Males Females	89	1					1	1		2	1	2
44 45	Colored. Males	1,333	181 92	22	24	9	7	262 140	24 15	15	53 19	83 48	70 35
46	Females	613	89	19	8	3	3	122	9	9	34	35	35 35
47	Negro	716 610 2	92 89	22 19	16 8	6 3	3	140 122	15 9	15 9	19 34	48 35	34 35
48 49	F	3 2											1
49	Chimese(F	J	1			I	l	اا	1	اا	١	١	1

						DEAT	HS AT AGE	of—							Deaths at un-
30 to 84 years.	35 to 39 years.	40 to 44 years.	45 to 49 years.	50 to 54 years.	55 to 59 years.	60 to 64 years.	65 to 69 years.	70 to 74 years.	75 to 79 years.	80 to 84 years.	85 to 89 years.	90 to 94 years.	95 to 99 years.	100 years and over.	known age.
607	701	814	803	899	929	1,154	1,215	1,278	1,152	835	448	190	. 41	4	38
341 266	390 311	475 339	475 328	· 510	505 424	629 525	637 578	610 668	552 600	398 437	188 260	63 127	15 26	1 3	29 9
587	676	790	780	881	901	1,130	1,198	1,254	1,147	830	445	188	40	4	33
331 256	378 298	460 330	458 322	498 383	491 410	614 516	632 566	597 657	549 598	397 433	188 257	62 126	14 26	1 3	25 8
337	385	426	413	470	494	545	614	699	711	580	334	146 46	34	2	6
186 151	. 213 . 172	239 187	231 182	259 211	275 219	296 249	325 289	332 367	347 364	273 307	144 190	100	12 22	1	3
54 55 113 77 19 19	66 71 127 84	73 54 134 109 32	80 56 115 99 36 27	103 86 109 85 47	127 111 86 68 62 40	163 156 54 31 79 62	194 196 38 26 93 67	202 233 17 27 113 107	232 248 9 15 106 101	190 205 8 13 75 89	99 134 3 9	37 63 3	7 14	1 1	1) 2) 1) 1) 1)
	20 17	24		40							42 47	9 34	5 8		·
233	279 155	203	351	389	393	308 262	563 293 270	541 257	193 227	235 120 115	102 41 61	39	6 2	2	12 7 5
103 17	124 12	141	139 16	168 22	188 14	262 15	270 21	284 14	227 16	115 15	61 9	26 3	4	2	5 15
15 2	10 2	18 2	15	18	11 3	10	14 7	8	9 7	4 11	3 6	3			15
20	25	24	1 23	- 18	28	5 24	17	6 24	5	5	, 3	2	1		5
10 10	12 13	15 9	17 6	12 6	14 14	15 9	5 12	13 11	3 2	1 4	3	1 1	1		4 1
10 10	12 13	15 9	16 6	11 6	13 14	15 9	5 12	12 11	3 2	1 4	3	1 1	1		2\ 1
				1 									-,		······}
			1		1										1
273	1,414	1,363	1,338	1,683	1,902	2,176	2,644	2,870	2,633	1,894	1,037	328	71	12	27
646 627	729 685	718 645	735 603	887 796	1,080 822	1,221 955	1,427 1,217	1,536 1,334	1,410 1,223	989 905	477 560	139 189	29 42	5 7	21 6
188	1,305	1,279	1,276	1,599 840	1,826	2,110 1,190	2,566 1,378	2,799	2,601	1,865 972	1,018	316	68	8	24
599 589	629	607	695 581	759	786	920	1,188	1,494 1,305	1,394 1,207 2,005	893 1,368	466 552 754	182	29 39 46	-3 5	19 5 6
1,063 512	1,172	1,148	1,108 580	724	1,609	988	2,091	2,233 1,196 1,037	1,055 950	704	332 422	96 141	18 28	2 4	4 2
551 366	595 357	561 349	528 328	703 406	718 516	790 603	974 637	l	1	664 367			6	İ	1
366 404 91 93 55 54	357 407 144 117 76 71	349 369 165 108 73 84	328 346 154 111 98 - 71	406 443 174 146 144 114	516 459 154 118 221 141	603 504 132 94 253 192	637 610 130 108 350 256	663 608 113 105 420 324	560 562 97 74 398 314	367 386 49 46 288 232	167 237 28 36 137 149	46 64 9 11 41 66	13 2 5 10 10	1 1 3	11
54 104		84	148	114	141	192 304	256 444	324 541	314 571	232 480	149 246	77	t	2	3
71 33	84 31	73 43	99 49	92 49	122 63	177 127	241 203	284 257	321 250	259 221	127 119	38 39	11 11	1 1	2 1
21	18	15	20	31	32	28	31	257	250	17	18	2		ļ	15
16 5	15 3	12	16 4	24 7	27 5	25 3	20 11	14 11	18 7	9 8	7 11	2			13 2
85	109	84	62	84	76	66	78	71	32	29	. 19	12	3	4	3
47 38	53 56	46 38	40 22	47 37	40 36	31 35	49 29	42 29	16 18	17 12	11 8	5 7	3	2 2	2 1
. 46	53 56	46 38	39 22 1	46 37	40 35	31 34	49 29	42 28	. 16 16	17 12	11 8	5 7	3	2 2	2)
46 38 1	1														

Table 2.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA, ITS MAIN SUBDIVISIONS, EACH GENERAL NATIVITY, AND PARENT

-							DE.	ATHS AT AG	E OF-	····			
	AREA AND SEX, COLOR, AND NATIVITY.	All deaths.	Under 1 year.	1 year.	2 years.	8 years.	4 years.	Under 5 years.	5 to 9 years.	10 to 14 years.	15 to 19 years.	20 to 24 years.	25 to 29 years.
	KENTUCKY.				_							,	
1	Total	30, 407	5,373	1, 546	650	455	326	8,350	831	608	1,283	1,595	1,446
2 3	MalesFemales	15,620 14,787	2,923 2,450	803 743	329 321	226 229	164 162	4,445 3,905	422 409	298 310	556 727	759 836	679 767
4	White	24,580	4,554	1,280	534	393	267	7,028	669	469	908	1,183	1,078
5 6	Males Females	12,601 11,979	2,468 2,086	663 617	265 269	191 202	140 127	3,727 3,301	339 330	242 227	403 505	550 633	486 592
7	Native	22,914	4,546	1,276	534	391	267	7,014	663	467	893	1,149	1,054
8 9	MalesFemales	11,670 11,244	2,462 2,084	662 614	265 269	190 201	140 127	3,719 3,295	336 327	241 226	394 499	523 626	470 584
10	Both parents native $\{egin{array}{c} M \ \cdot \ \end{bmatrix}$	9,373 9,367	2,318 1,977	632 590	254 253	185 192	137 118	3,526 3,130	321 314	225 212	347 462	452 562	375 517
11	One or both parents foreign. $\{_{ m F}^{ m M}$	711 532	38 31	6 7	5 5	1 4	1 4	51 51	7 3	8 5	19	34	51 28 44
12	Parentage unknown $\left\{egin{array}{c} \mathbf{M} \dots \\ \mathbf{F} \dots \end{array}\right\}$	1,586 1,345	106 76	24 17	6 11	4 5	2 5	142 114	8 10	8	28 16	23 37 41	44 39
13	Foreign	1,220		3		1		4	1	1	3	12	12
14 15	MalesFemales	659 561		1 2		1		1 3	i	1	2 1	12	7 5
16	Unknown	446	8	1		1		10	5	1	12	22	12
17 18	MalesFemales	272 174	6 2	i		1		7 3	3 2	1	7 5	15 7	9
19	Colored	5, 827	819	266	116	62	59	1,322	162	139	375	412	368
20 21	MalesFemales	3,019 2,808	364	140 126	64 52	35. 27	· 24	- 718 - 604	83 79	56 83	153 222	··· 209 ··· 203	193 175
22	Negro $\left\{ egin{array}{ll} M \\ F \end{array} \right.$	3,019 2,808	455 364	140 126	64 52	· 35 27	24 35	718 604	83 79	56 83	153 222	209 203	193 175
	MAINE.	]											
23	Total	12,031	1,681	285	122	83	59	2,230	167	139	257	345	341
24 25	Males Females	6,310 5,721	985 696	150 135	72 50	47 36	. 34 25	1,288 942	83 84	82 57	141 116	186 159	162 179
26	White	12,014	1,678	284	122	83	59	2,226	167	139	257	344	341
27 28	Males Females	6,299 5,715	983 695	149 135	. 72 50	47 36	34 25	1,285 941	83 84	82 57	141 116	185 159	162 179
29	Native	10, 131	1,666	272	118	81	56	2, 193	149	118	226	270	269
30 31	Males Females	5,275 4,856	975 691	143 129	70 48	47 34	33 23	1,268 925	69 80	68 50	123 103	137 133	126 143
32	Both parents native $$ ${\mathbf{F} \choose \mathbf{F}}$	3,743 3,563	510 368	71 77	47 26	22 14	19 10	669 495	43 55	47 27	83	95 91	86 100
33	One or both parents foreign. $\left\{ egin{matrix} \mathbf{M} & \cdot \\ \mathbf{F} & \cdot \end{aligned} \right\}$	1,082 892	438 309	77 71 51	26 23 22	25 20	14 14 11	571 413	26 24	20 22	70 33 28 7	31 36	32 38 8
34	Parentage unknown $\left\{egin{array}{c} \mathbf{M} \\ \mathbf{F} \end{array}\right\}$	450 401	27 14	1			2	28 17	i	1	7 5	11	8 5
35	Foreign.	1,740	9	11	4	2	3	29	17	21	25	73	66
36 37	MalesFemales	927 813	5 4	5 6	2 2		1 2	13 16	13 4	14 7	13 12	47 26	30 36
38	Unknown	143	3	1				4	1		6	1	6
39 40	MalesFemales	97 46	3	1				4	1		5 1	1	6
41	Colored	17	3	1				4		<b></b>		1	
42 43	MalesFemales	11 6	2 1	1				3 1				1	
44	Negro. $\{_{ m F}^{ m M}$	8	2					2					
45	Indian $\left\{egin{array}{ll} F \dots \\ F \dots \end{array}\right\}$	5 2 1	1	1		•••••	· · · · · · · · · · · · · · · · · · ·	1 1				1	
46	Chinese $M \dots M \dots M$	i		•••••		• • • • • • • • • • • • • • • • • • • •					• • • • • • • • • • • • • • • • • • • •		

Deaths							or—	HS AT AGI	DEAT						
at un- known age.	100 years and over.	95 to 99 years.	90 to 94 years.	85 to 89 years.	80 to 84 years.	75 to 79 years.	70 to 74 years.	65 to 69 years.	60 to 64 years.	55 to 59 years.	50 to 54 years.	45 to 49 years.	40 to 44 years.	35 to 39 years.	80 to 84 years.
- 356	40	66	224	641	1,055	1,543	1,704	1,668	1,450	1,253	1,282	1,188	1,144	1,363	1,317
189 167	12 28	26 40	98 126	· 315	528 527	765 778	920 784	870 798	768 682	713 540	710 572	649 539	587 557	688 675	623 694
24:	15	37	176	559	940	1,380	1,500	1,427	1,226	997	981	875	869	1,022	997
119 125	74 11	16 21	78 98	282 277	470 470	689 691	797 703	751 676	660 566	569 428	553 428	491 384	435 434	480 542	460 537
160	13	31	150	471	793	1,146	1,253	1,216	1,056	896	910	820	826	964	969
72 88	3 10	13 18	67 83	240 231	404 389	572 574	663 590	637 579	567 489	502 394	501 . 409	456 364	407 419	441 .523	442 527
45 60	4	7 8	. 40 48	158 150	275 - 286	384 390 18	471 429	449 431	392 368 49	337 294	320 · 284 91	320 250	265 323	312 309	352 446
1	*	ĭ	4 1	l 10 i	10 13	17	429 25 21 167	22 30	36	52 41	91 52	65 58 71 56	265 323 65 41	399 73 44	352 446 55 36 35 45
26 27	3 6	5 10	23 34	10 72 71	119 90	170 167	167 140	166 118	126 85	113 59	52 90 73	71 56	77 55	44 56 80	35 45
. 6	· 	5	21	69	123	201	216	178	140	79	· 46	37	22	· 32	12
8		3 2	9 12	34 35	56 67	95 106	114 102	94 84	77 63	53 26	34 12	23 14	14 8	19 13	9
78	· 2	1	5	19	24	33	31	. 33	30	22	25	18	21	26	16
44 34	1 1	1	2 3	8 11	10 14	22 11	20 11	20 13	16 14	14 8	18 7	12 6	14 7	20 6	9 7
112	25	29	48	82	115	163	204	241	224	256	301-	313	275	. 841	320
- 70 42		10 19	··· ·· · · 20 · 28	33 49		. 76 87	- 123 - 81	· 119	108 116	144 112	. 157 144	158 155	152 123	208 133	163 157
70 42	8 17	10 19	20 28	33 49	58 57	76 87	123. 81	119 122	108 116	144 112	157 144	158 155	152 123	208 133	. 163 . 157
34	9	50	205	518	952	1,154	1,106	986	791	665	524	433	388	399	338
29	2 7	22 28	98 107	246 272	444 508	591 563	546 560	533 453	407 384	357 308	293 231	231 202	192 196	203 196	174 164
34	9	50	204	517	951	1,154	1,105	984	789	665	523	433	387	399	336
29	2 7	22 28	98 106	245 272	443 508	591 563	546 559	531 453	406 383	357 308	292 231	231 202	192 195	203 196	173 163
14	7	37	168	440	806	955	912	816	647	<b>538</b>	417	315	282	. 303	249
. 11	2 5	16 21	82 86	201 239	. 370 436	488 467	461 451	438 378	336 311	283 255	223 194	164 151	136 146	154 149	119 130
e	2 4	10 16	62 65	161 207	296 363	410 372	374 375	360 309	269 249	221 200	157 153	120 111	84 100	108 106	80
1	4	16	5 5	12	19 20	20	27 22	34	30	39	43	29 30	44 32	37	94 27 30 12 6
2	1	6	15 16	28 25	55 53	.38 58 57	27 22 60 54	25 44 44	30 37 32	34 23 21	24 23 17	15 10	8 14	33 9 10	12
4	2	10	32	68	138	186	175	159	135	121	99	112	99	86	83
1	2	6 4	13 ~ 19	40 28	68 70	98 88	77 98	89 70	64 71	71 50	64 35	63 49	51 48	40 46	50 33
16		3	4	9	7	13	18	9	7	6	7	6	6	10	4
18		3	3 1	4 5	5 2	5 8	8 10	4 5	6 1	3 3	5 2	4 2	5 1	9	4
·			1	1	1		1	2	2		1		1		2
			1	1	1			2	1 1		1		1		1
				1	· 1			2	1 1						1
			1				1		1	• • • • • • • • • • • • • • • • • • • •			1		•••••
			ļ												1

Table 2.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA, ITS MAIN SUBDIVISIONS, EACH GENERAL NATIVITY, AND PARENT

=							DE	ATHS AT AC	E OF-				
	AREA AND SEX, COLOR, AND NATIVITY.	All deaths.	Under 1 year.	1 year.	2 years.	3 years.	4 years.	Under 5 years.	5 to 9 years.	10 to 14 years.	15 to 19 years.	20 to 24 years.	25 to 29 years.
	MARYLAND.												
1	Total	20, 694	4,003	877	342	188	154	5,564	426	328	587	769	860
2 3	Males Females	10,911 9,783	2,165 1,838	468 409	187 155	98 90	87 67	3,005 2,559	222 204	176 152	286 301	391 378	462 398
4	White	15,147	2,797	589	214	124	104	3,828	278	204	342	454	538
5 6	Males Females	8,093 7,054	1,518 1,279	315 274	129 85	70 54	58 46	2,090 1,738	152 126	123 81	177 165	247 207	293 245
7	Native	12, 524	2,774	588	210	124	103	3,799	271	193	321	409	452
8 9	Males Females.	6,616 5,908	1,508 1,266	315 273	125 85	70 54	58 45	2,076 1,723	149 122	117 76	162 159	215 194	235 217
10	Both parents native $\prod_{F}^{M}$ .	4, 191 3, 886	1,073 877	228 191	98 67	53	38	1.490	123 101		119	145	150
11	One or both parents foreign. $\{\frac{M}{F}\}$	1,294 1,178	257 228	74 73	19 15	53 39 15 13 2	38 28 19 13	1,202 384 342	22 18	85 57 24 16	109 28 42	147 49 33	153 52 43
12	Parentage unknown ${f M \over F}$ .	1, 131 844	178 161	13 9	8	2 2	1 4	202 179	3	8	15 8	33 21 14	33 21
13	Foreign	2,397	6	1	2		1	10	. 6	9	19	41	76
14 15	Males Females	1,304 1,093	2 4	1	2		1	4 6	2 4	4 5	13 6	30 11	50 26
16	Unknown	226	17		2			19	1	2	2	4	10
17 18	Males Females	173 53	8 9		2			10 9	1	2	2	2 2	8 2
19	Colored	5,547	1,206	288	128	64	50	1,736	148	124	245	315	322
20 21	MalesFemales	2,818 2,729	647 559	153 135	58 70	28 36	29 21	915 821	70 78	53 71	109 136	144 171	169 153
22	Negro. $F$ .	2,814 2,727	647 559	153 135	58 70	28 36	29 21	915 821	- 70 - 77	53 71	109 136	144 170	169 153
23	Indian $\left\{egin{array}{c} \mathbf{M} & \mathbf{K} \\ \mathbf{F} & \mathbf{M} \end{array}\right\}$	2 2			••••••••••••••••••••••••••••••••••••••				i			1	
24 25	$\begin{array}{ccc} \text{Chinese.} & \left\{ \begin{matrix} M \\ F \end{matrix} \right. \\ \text{Japanese.} & \left\{ \begin{matrix} M \\ F \end{matrix} \right. \\ \end{array} \right.$	2											
20	MASSACHUSETTS.	••••••	••••										
26	Total	53,003	10,412	1,899	732	483	354	13,880	878	605	994	1,486	1,776
27 28	Males. Females	27, 515 25, 488	5,842 4,570	986 913	380 352	271 212	183 171	7,662 6,218	461 417	303 302	503 491	821 665	886 890
29	White	52, 122	10, 276	1,851	715	472	343	13,657	860	589	968	1,448	1,718
30 31	MalesFemales	27, 027 25, 095	5,770 4,506	959 892	367 348	266 206	176 167	7,538 6,119	451 409	295 294	490 478	800 648	848 870
32	· Native	34, 876	10, 214	1,792	680	438	318	13,442	801	516	747	903	984
33 34	MalesFemales	18, 249 16, 627	5, 739 4, 475	926 866	348 332	240 198	162 156	7, 415 6, 027	419 382	255 261	371 376	509	470
35	Both parents native ${M \choose F}$	7, 429	1, 403 1, 130	199		51	43	1 1	ļ	74 92		394 172	514 187
36	One or both parents foreign. ${K \choose F}$	7,432 9,162 7,524	4.060	199 708 654	71 85 271 242	59 186 135	46 119 108	1,767 1,519 5,344	111 112 302 267	92 176 164	143 123 219 249	172 148 324 234	194 265
37	Parentage unknown $\left\{\begin{matrix} M \\ F \end{matrix}\right\}$	1,658 1,671	3, 114 276 231	19 13	6 5	3 4	2	4, 253 304 255	6 3	5	9	13 12	187 194 265 295 18
38	Foreign	16, 828	48	54	34	33	23	192	58	71	219	537	717.
39 40	Males Females	8,477 8,351	23 25	30 24	18 16	25 8	13 10	109 83	32 26	38 33	117 102	284 253	365 352
41	Unknown	418	14	5	1	1	2	23	1	2	2	8	17
42 43	MalesFemales	301 117	8	3 2	1	1	1 1	14 9	·····i	2	2	7 1	13
44	Colored	881	136	48	17	11	11	223	18	16	26	38	58
45 46	MalesFemales	488 393	72 64	27 21	13 4	5 6	7	124 99	10 8	8 8	13 13	21 17	38 20
47	Negro	452 389	70 64	27 21	12 4	5 6	7 4	121 99	9	8 8	12 13	20 17	36 20
48	Indian $\left\{ egin{array}{ll} rac{M}{F} \end{array} \right\}$	10	2		î			3					
49	Chinese $\left\{ egin{array}{c} \mathbf{M} & \mathbf{H} \\ \mathbf{F} & \mathbf{H} \end{array} \right\}$	26							1		1	1	2

	-	MATTER TO				DEATI	IS AT AGE	OF—						·	Deaths	Ī
30 to 34 years.	35 to 39 years.	40 to 44 years.	45 to 49 years.	50 to 54 years.	55 to 59 years.	60 to 64 years.	65 to 69 years.	70 to 74 years.	75 to 79 years.	80 to 84 years.	85 to 89 years.	90 to 94 years.	95 to 99 years.	100 years and over.	at un- known age:	_
790	869	862	925	1,093	1,034	1,256	1,308	1,356	1,139	838	417	148	41	15	69	1
429 361	479 390	458 404	· 519 406	598 495	578 456	671 585	704 604	705 651	531 608	384 454	199 218	47 101	14 27	6 9	47 22	2 3
538	599	584	669	784	804	1,012	1,115	1,120	987	746	360	122	26	3	34	4
304 234	341 258	321 263	389 280	449 335	459 345	544 468	587 528	575 545	457 530	, 337 , 409	172 188	40 82	8 18	. 2	26 8	5 6
437	490	460	521	607	631	776	- 796	803	699	507	237	87	12	2	14	-1
240 197	- 271 219	240 220	288 233	327 280	358 273	416 360	427 369	415 388	316 383	221 286	103 134	28 59	3 9	1 1	8 6	8
145 134 66 50 29 13	142 136 78 41 51 42	119 114 73 67 48 39	139 118 101 82 48 33	154 140 96 88 77 52	194 149 80 78 84 46	246 235 81 72 89 53	250 243 56 52 121	277 232 45 74 93 82	190 273 24 36 102 74	139 203 18 24 64 59	67 97 9 13 27 24	13 32 4 5	1 6 2 2	1	3) 5) 1) 	11
13 87	90	106	131	158	161	220	74 301	305	• 274	230	121	22 33	1 14	1	4	Ι.
52	53 37	66	86 45	105	91 70	116 104	147 154	156 149	130 144	112 118	67 54	11 22	5 9	1	3 1	-1
35 14	. 19	40 18	17	53 19	12	104	18	12	144	9	2	22	9		16	1
12 2	17 2	15	15 2	17 2	10 2	12 4	13 5	4 8	11 3	4 5	2	1 1			15 1	_1
252	270	278	256	309	230	244	193	236	152	92	57	26	15	12	35	19
125 127	138 132	137 141	130 · 126	149 160	119 111	127 117	117 76	130 106	74 78	47 45	27 30	7 19	6 9	4 8	21 14	20 21
123 127	138 132	137 141	129 126	149 160	118 111	127 117	117 76	130 106	74 78	47 45	27 30	7 19	6 9	4 8	21\ 14	22
1					1										[	23
1			1													24
					,											1
1,852	2,236	2,350	2,417	2,745	2,914	3,518	3,813	3,728	3,248	2,518	1,363	524	103	18	37	26
991 861	1,243 993	1,292 1,058	1,318 1,099	1,499 1,246	1,513 1,401	1,841 1,677	1,962 1,851	1,837 1,891	1,516 1,732	1,068 1,450	543 820	190 334	27 76	8 10	31 6	27 28
1,803	2,173	2,300	2,361	2,688	2,865	3,465	3,779	3,694	3,227	2,498	1,353	522	100	18	36	29
970 833	1,202 971	1,265 1,035	1,289 1,072	1,462 1,226	. 1,490 1,375	1,812 1,653	1,944 1,835	1,815 1,879	1,505 1,722	1,060 1,438	538 815	· 188	27 73	8 10	30 6	30 31
969	1,146	1,098	1,087	1,363	1,498	1,696	1,812	1,932	1,849	1,665	924	367	66	. 8	3	32
527 442	623 523	568 530	585 502	758 605	805 693	915 -781	975 837	972 960	865 984	709 956	366 558	124 243	13 53	2 6	3	33
176	180 192 401	192 212	220 216	308 268	413 371	586 495	679 561	714 691	629 726 47	518 721	260 417	88 166	9 36	2 6	1)	35
176 166 325 250 26 26	401 283 42	342 278	220 216 318 235 47 51	308 268 371 269 79 68	413 371 285 230	586 495 201 155 128 131	679 561 120 130 176 146	714 691 78 84 180 185	67	518 721 26 45 165 190	260 417 13 23 93 118	1 4	i		1)	
26 26	42 48	34 40	51	79 68	· 92	128	1	1	189 191	190	118	12 32 65	16		1)	1
815	986	1,166	1,236	1,277	1,339	1,745	1,937	1,739	1,355	817	422	154	34	10	2	
429 386	}	666 500	675 561	667 610	667 672	878 867	952 985	829 910	628 727	342 475	167 255	64 90	14 20	6 4	2	1
19		36	38	48	28	24	30	23	23	16 9	5	1		1	31	41 42
14 5	1	31 5	29 9	37 11	18 10	19 5	17 13	9	12 11	7	2	1			. 4	43
49		50	56	37	49	53	34	34	.21	20 8	10	2 2	3		1	44 45
28	22	23	29 27	37 20	23 26	29 24	18 16	12	10	12	5		3			46
	36 22	26 23	22 27	33 20 1	21 26	25 23 1 1	17 15	20 12	11 9	· 8	5 4	2	3		1)	47
19 28	. 22	23	21	47	1	1	1	1 2	<b></b>				ļ		1	48

Table 2.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA, ITS MAIN SUBDIVISIONS, EACH GENERAL NATIVITY, AND PARENT

- 1	AREA AND SEX, COLOR, AND NATIVITY.	All					DE	ATHS AT AG	E OF—				1
2 3 4		deaths.	Under 1 year.	1 year.	2 years.	8 years.	4 years.	Under 5 years.	5 to 9 years.	10 to 14 years.	15 to 19 years.	20 to 24 years.	25 to 29 years.
2 3 4	MICHIGAN.	D# 000				0.11	050	0.007	200	201			
4	Total	37,993	7,065 4,072	1,142	518 273	341 169	259 139	9,325	838 450	348	899 504	1,343 671	1,378
	Males. Females.	20,855 17,138	2,993	539	245	172	120	4,069	388	276	395	672	703 675
5 [	WhiteMales	37,417	6,979 4,020	1,122	512 268	335	256 139	9,204 5,185	818 441	601 334	870 491	1,313 653	1,348
6	Females	20, 525 16, 892	2,959	531	244	168	117	4,019	377	267	379	660	686 662
8	Native	26,171	6,927 3,991	1,092 576	488 255	322 161	130	9,074 5,113	776 410	560 306	782 428	1,036	953 447
ĝ	MalesFemales	12, 189	2,936	516	233	161	115	3,961	366	254	354	550	506
10	Both parents native $$	7,033 6,240 5,165 4,472 1,784	2,015 1,521 1,849 1,307 127	281 229 292 284 3	130 118 124 114 1	74 80 86 79	65 55 65 59	2,565 2,003 2,416 1,843 132	227 185 177 178 6	160 113 143 134 3	191 179 227 163 10	199 252 268 268 19	197 215 224 259 26
12	Parentage unknown $\left\{egin{array}{l} M \\ F \end{array}\right\}$	1,477	108	3	1	2	1	115	3	7	12	30	32
13	Foreign	6,168	25	13	23	13	9	99 55	31	25	86 61	256 158	371 220
15	MalesFemales	4,585	11	14	10	Ž	2	44	10	13	25 2	108	151
16 17	Unknown Males	493 375	27 15	3 2	1			31	1	3	2	11	19
18	Females	118	15 12	1	1			14	1			2 30	19 5
	Colored	330		12	5	6	3	71	<u>20</u>	23	29 13 16	18	30 17 13
21	Females	246	34	8	1	4	3	50	11	9		12	1
22 23	M.   M.   M.   M.   M.   M.   M.   M.	240 159 90 86	35 18 17 15	8 3 4 5	2 1 3	1 2 1 2	1	46 25 25 24	3 7 6 4	3 1 · 11 8	9 7 4 9	13 4 5 8	10 9 7 4
24	Crimese(F	1	1	٠				1			***********		
25	MINNESOTA. Total	21,988	3,899	615	276	229	143	5,162	550	435	726	978	994
26 27	Males Females	12,578 9,410	2,210 1,689	343 272	149 127	127 102	80 63	2,909 2,253	297 253	223 212	· 386	544 434	570 424
28	White	21,662	3,849	595	273	221	142	5,080	542	427	710	958	975
29 30	Males Females	12,412 9,250	2,187 1,662	336 259	148 125	122 99	80 62	2,873 2,207	292 250	220 207	378 332	533 425	559 416
31	Native	12,460	3,833	585	270	214	135	5,037	514	407	650	694	662
32 33	MalesFemales	6,842 5,618	2, 179 1, 654	333 252	146 124	117 97	74 61	2,849 2,188	280 234	. 209 198	342 308	350 344	336 326
34 35 36	Both parents native ${M \choose F}$ .  One or both parents foreign ${M \choose F}$ .  Parentage unknown ${H \choose F}$ .	2,606 2,160 3 608 2,988 628 470	988 702 1,095 890 96 62	140 98 186 150 7 4	68 57 73 64 5	47 47 67 47 3	30 25 43 36 1	1,273 929 1,464 1,187 112 72	118 98 157 130 5	64 62 140 127 5	100 81 239 220 3 7	78 74 259 259 13 11	81 83 238 228 17 15
37	Foreign	8,820	10	9	3	5	7	34	28	19	59	244	285
38 39	MalesFemales	5,232 3,588	5 5	2 7	2	3 2	6	18 16	12 16	11 8	36 23	166 78	195 90
40	Unknown	382	6	1	<b></b>	2		9		1	1	20	28
41 42	MalesFernales	338 44	3 3	1		2		6 3		i	i	17 3	28
	Colored	326	50	20	3	8	1	82	8	8	16	20	19
44 45	MalesFemales	166 160	23 27	7 13	1 2	5 3	····i	36 46	5 3	3 5	8	11 9	11 8
46	Negro $\left\{ egin{array}{c} M \\ F \end{array} \right.$	73 57	8 7	1	1 1	2		11 9	1 1	i	1 1	5 4	7 5
47	$\begin{array}{cccccccccccccccccccccccccccccccccccc$	89 102	. 15 . 19	6 12	i	3 3	<u>í</u>	24 36	2	3 4	7 7	6 5	3
48 49	$\begin{array}{ccc} \text{Chinese.} & & \left\{ \begin{matrix} \mathbf{M} \\ \mathbf{F} \end{matrix} \right. \\ \text{Japanese.} & & \left\{ \begin{matrix} \mathbf{M} \\ \mathbf{F} \end{matrix} \right. \\ \end{array}$	3 1 1	1	1				1 1					

						DEAT	HS AT AGE	OF—							Deaths
30 to 34 years.	35 to 39 years.	40 to 44 years.	45 to 49 years.	50 to 54 years.	55 to 59 years.	60 to 64 years.	65 to 69 years.	70 to 74 years.	75 to 79 years.	80 to 84 years.	85 to 89 years.	90 to 94 years.	95 to 99 years.	100 years and over.	at un- known age.
1,273	1,294	1,259	1,523	1,821	1,890	2,262	2,696	3,031	2,768	2, 106	1,130	396	66	18	53
636 637	656 638	696 563	845 678	1,034 787	1,080 810	1,285 977	1,498 1,198	1,650 1,381	1,534 1,234	1, 133 973	594 536	203 193	31 35	5 13	43 10
1,247	1,260	1,230	1,487	1,788	1,858	2,244	2,661	3,001	2,760	2,093	1,120	387	64	. 13	50
62 <b>9</b> 627	637 623	679 551	825 662	1,014 774	1,060 798	1,272 972	1,479 1,182	1,628 1,373	1,530 1,230	1, 129 964	590 530	199 188	30 34	2 11	.41 9
861	845	748	846	1,038	1,088	1,222	1,435	1,628	1,424	1,069	559	190	- 27	5	5
402 459	393 <sup>-</sup> 452	385 363	414 432	563 475	604 484	667 555	808 627	860 768	.770 654	537 532	282 277	93 97	. 10 17	2 3	2 3
161 191	179 192	160 172	173 199	248 223	305 253	409 330	427 369 166	474 459	449 379	298 302 57	155 159	52 55	3 8 2	1	1 1
161 191 204 229 37 39	180 221 34 39	160 172 183 145	173 199 165 174	248 223 200 172 115	305 253 169 151 130	330 112 127 146	166 103 215	459 147 123 239 186	379 85 80	57 63	155 159 31 29 96 89	9	2 2		2 1
37 39	39	42 46	76 59	80	80	98	155 155	186	236 195	63 182 167	96 89	32 36	2 5 7	2 2	· I
375	390	456	605	693	746	972	1,183	1,332	1,304	1,000	547.	192	37	8	12
208 167	221 169	272 184	379 226	402 291	436 310	562 410	640 - 543	742 590	743 561	578 422	302 245	103 89	20 17	8	10 2
11	25	26	36	57	24	50	43	41	32	24	14	5			33
10 1	· 23	22 4	32 4	49 8	20 4	43 7	31 12	26 15	17 15	14 10	6 8	3 2			29 4
26	34	29	36	33	32	18	35	30	8	13	10	9	2	5	3
16 10	19 15	17 12	20 16	- 20 - 13	20 12	13 5	19 16	22 8	4	4 9	4 6	4 5	1	3 2	$\cdot$ $\cdot$ $^2_1$
13 9 3	17 14 2 1	12 10 5	18 15 2 1	17 11 3 2	18 9 2	12 5 1	18 10	18 5 4 3	2 3 2	3 6	2 5 2	3		$\begin{array}{c} 1 \\ 1 \\ 2 \end{array}$	2
3 1	1	5 2	1	3 2	3	1	$\frac{1}{6}$	3	1	1 3	1	- 1 2	1	$\frac{2}{1}$	·····i
	•••••				•••••	•••••	•••••								••••••
934	884	891	1,013	1, 111	1,056	1,130	1,307	1,314	1,419	1,099	643	236	. 36	14	56
552 382	509 375	521 370	606 407	679 432	660 396	680 450	779 528	. 774 540	767 652	613 486	335 308	116 120	13 23	6 8	39 17
. 923	864	867	996	1,099	1,050	1,121	1,295	1,310	1,415	1,093	639	232	35	11	20
544 379	499 365	509 358	596 400	673 426	656 394	674 447	773 522	771 539	766 649	610 483	333 306	115 117	13 22	5 6	20
545	485	406	400	448	397	316	343	315	363	275	140	53	6	- 1	3
294 251	251 234	231 175	229 171	258 190	241 156	177 139	186 157	169 146	186 177	151 124	72 68	26 27	2 4		3
65 67	60	45	59 50	78	82 73	75 67	88 86	97	107	80	40 37	15	1 1		
204	58 164 159	48 153 108	140 100	65 140 101	118 i	55	45	88 31 18	108 27 24	68 23 13	Q	16 2 1		1	i
168 25 16	159 27 17	108 33 19	140 100 30 21	101 40 24	65 41 18	39. 47 33	36 53 35	18 41 40	24 52 45	13 48 43	5 24 26	9 10	. 3		2
351	341	425	563	598	626	776	925	975	1,045	811	496	179	28	10	2
225 126	214 127	244 181	337 226	366 232	388 238	476 300	567 358	585 390	574 471	454 357	258 238	89 90	10 18	5 5	2
27	38	36	33	53	27	29	· 27	20	7	. 7	3		1		15
25 2	34 4	34 2	30 3	49 4	27	2 <u>1</u> 8	20 7	17 3	. 6 1	5 2	3		1		15
11	20	24	17	12	6	9	12	4	4	6	4	4	. 1	3	36
8 3	10 10	12 12	10 7	6 6	4 2	6	6	3	1 3	3	· 2	1 3	1	1 2	· 19
5	8 8	8	8 3 2	5 5	2	5 2	4 4	2	1 2	. 1	1				)
1 2 2	2 2	. 3	2 4	i	4	i	2 2	1 1		2 3	1 2	1 3	1	$\begin{vmatrix} 1 \\ 2 \end{vmatrix}$	19\ 17)
1		1		1			:		•••••						

Table 2.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA, ITS MAIN SUBDIVISIONS, EACH GENERAL NATIVITY, AND PARENT

=							DE	ATHS AT AC	E OF-				
	AREA AND SEX, COLOR, AND NATIVITY.	All deaths.	Under 1 year.	1 year.	2 years.	3 years.	4 years.	Under 5 years.	5 to 9 years.	10 to 14 years.	15 to 19 years.	20 to 24 years.	25 to 29 years.
1	MISSOURI.	43, 434	7, 150	1,761	845	548	382	10,686	1,059	736	1,307	1,835	1,851
2	Males Females	23,706 19,728	4,035 3,115	886 875	422 423	289 259	218 164	5, 850	554 505	393 343	643	903	926 925
4	White.	39,794	6,669	1,645	790	519	355	4,836 9,978	994	656	1,142	932	1,567
5 6	MalesFemales	21,743 18,051	3,758 2,911	830 815	399 391	273 246	201 154	5, 461 4, 517	525 469	359 297	567 575	780 815	773 794
7	Native	33,192	6,638	1,634	778	514	352	9, 916	977	642	1,093	1,492	1,423
8 9	Males Females	17,708 15,484	3,744 2,894	824 810	393 385	271 243	200 152	5, 432 4, 484	513 464	351 291	536 557	705 787	676 747
10	Both parents native $egin{cases} m{M} & \dots & \dots & m{M} & \dots & m{M} & \dots & m{M} & \dots & m{M} & \dots & m{M} & \dots & \dots & m{M} & \dots & m{M} & \dots & \dots & m{M} & \dots & \dots & m{M} & \dots & \dots & \dots & m{M} & \dots & \dots & \dots & m{M} & \dots & \dots & \dots & m{M} & \dots & \dots & \dots & \dots & \dots & \dots & \dots & \dots & \dots & $	11,589 10,465	3,110 2,389 428	704 683	337 317	224 213	169 127	4,544 3,729	423 401	281 239 57	401 420	499 562	436 489
11 12	One or both parents foreign.	3, 145 2, 404 2, 974	428 344 206	95 96 25	42 55 14	39 26 8	27 23 4	631 544 257	76 52 14	57 38 13	102 90 33 47	137 137 69	175 147 65
13	Parentage unknown $\left\{egin{array}{l} M \\ F \end{array}\right\}$	2,615	161	25 31	13	4	2	211	11	14		88	111
14	Foreign	3,379	9	8 5		5	2	32	15	11 5	40 25	79 55	71
15 16	Females Unknown	2,333 890	5 22	3	3 4	3	2 1	16	5 2	6	15	24	39
17	Males	656	10	1	1		1	30	2	3	9	24	34
18 19	Females	234 3,640	12 481	2 116	3 55	29	27	17 708	65	80	3 165	4 240	8 284
20 21	Males	1,963	277	56	23	16	17	389	29	34	76	123	153
22	Females	1,677 1,948	204 276	60 55	32 23	13 16	10 17	319 387	36 29	46 34	89 76	117 122	131 152
23	$egin{array}{cccc}  ext{Negro} & & & egin{array}{c}  ext{M} & & & & \\  ext{F} & & & & \\  ext{Indian} & & & & & \\  ext{F} & & & & \\  ext$	1,677 8	204 1	60 1	32	13	10	319	36	46	89	117	131
24	Chinese $\left\{ \begin{matrix} M \\ H \end{matrix} \right\}$	6										1	
25	Japanese $\left\{egin{array}{c} \mathbf{M} \\ \mathbf{F} \end{array}\right\}$	1	••••••										1
26	MONTANA. Total	4,009	717	118	66	55	35	991	111	87	113	192	241
27 28	MalesFemales	2,629 1,380	400	68	34 32	32	23	557	61	41	59	120	159
29	White	3,658	317 661	97	53	23		881	98	74	99	72 170	231
30 31	MalesFemales	2,437 1,221	369 292	53 44	26 27	24 18	19	491 390	53 45	36 38	54 45	107	155
32	Native	2,367	659	94	53	39	28	873	94	71	87	63 111	76 137
33 34	MalesFemales	1, 448 919	367 292	51 43	26 27	21 18	19	484 389	50 44	35 36	44 43	68 43	87 50
35	Both parents native $\{\frac{M}{F}\}$	634 422	215	27	15	10	8	275	27	14	21	25	39
36	One or both parents foreign $\left\{ \begin{matrix} \mathbf{M} \\ \mathbf{F} \end{matrix} \right\}$	544 377	144 143 140	22 22 20 2 1	14 11 11	11 9	3 11 5	192 198 185 11 12	19 22 24	16 18 19	24 22 16 1 3	21 35 16	26 32 17 16
37	Parentage unknown $\left\{egin{array}{c} \mathbf{M} & \mathbf{H} \\ \mathbf{F} & \mathbf{H} \end{array}\right\}$	270 120	9 8	1	2		i	11 12	1 1	3 1	1 3	8 6	16 7
38	Foreign	1,085	1	2		3		6	3	3	8	48	85
40	Males Females	802 283	1	1 1		3		5 1	2 1	1 2	6 2	31 17	60 25
41 42	Unknown	206	1	1				2	1		4	11	9
43	MalesFemales	187 19	1	1				2	1		4	8	8
44	Colored	351	56	21	13	13	7	110	13	13	14	22	10
46	Females.	159	31 25	15 6	8 5	5	3	66 44	8 5	8	5 9	13 9	6
47	Negro	32 17 138	3 1 28	1	1	8		5 1 61	1 8		1 2 4	ii	2 2 2
48	Chinage (M.	138 138 14	23	6	7 5	· 8 5	3	42	4	5 8	7	9	4
50	Japanese. $\{F.\}$	4 8	1					1		· · · · · · · · · · · · · · · · · · ·		····i	

						DEAT	HS AT AGE	of—					•	_	Deaths	T
30 to 34 years.	85 to 39 years.	40 to 44 years.	45 to 49 years.	50 to 54 years.	55 to 59 years.	60 to 64 years.	65 to 69 years.	70 to 74 years.	75 to 79 years.	80 to 84 years.	85 to 89 years.	90 to 94 years.	95 to 99 years.	100 years and over.	at un- known age.	
1,803	1,920	1,833	1,961	2,220	2,239	2,394	2,777	2,883	2,501	1,866	948	314	68	26	207	1
948 855	1,062 858	1,043 790	1, 154 807	1,328 892	1,333 906	1,386 1,008	1,538 1,239	1,563 1,320	1,368 1,133	948 918	448 500	135 179	30 38	11 15	142 65	
1,544	1,654	1,628	1,733	2,019	2,047	2,245	2,626	2,747	2,411	1,791	901	282	. 52	8	174	=!
804 740	- 910 744	922 706	1,019 714	1,209 810	1,221 826	1,306 939	1,450 1,176	1,498 1,249	1,328 1,083	915 876	425 476	122 160	22 30	3 5	124 50	5
1,348	1,436	1,345	1,348	1,578	1,563	1,619	1,814	1,875	1,658	1,168	581	193	38	6	79	7
679 669	766 670	72 <u>4</u> 621	742 606	900 678	915 648	909 710	971 843	1,015 860	898 760	575 593	260 321	82 111	15 23	2 4	42 37	8
388 433	381 415	356 356 245	337 305	445 347	490 360 196	483 401	549 474	576 509	511 452	- 296 329	127 152	39 56	6 12	1 1	20) 23)	10
388 433 216 141 75 95	271 164 114	152	267 181	445 347 253 204 202	196 129 229	152 115 274	110 106 312	87 66 352	73 55 314	56 39 223	26 30 107	13 11 30	1 9		23) 2) 2) 20	
	91	123 113	138 120	127	159	194	263	285	253	225	139	44	10	3	12)	12
136 84	165	211	329 233	358	420 255	555 340	742 427	815 444	697 397	579 320	309 157	84 36	12	2	11	13
52	64	62	96	239 119	165	215	315	371	300	259	152	48	7	. 1	9 2	14 15
60	53	72 49	56 44	83 70	64 51	71 57	70 52	57 39	33	- 20	11 8	5	2 2		73	16
19	10	49 23	12 228	13	13	14	18	18	33 23	24	8 3	1		10	73 11	17 18
259 144	266 152	205 121	135	201	192	149	151 88	136 65	90	75 33	23	32	16	18	33	19 20
115	114	84	. 93	82	80	69	63	71	50	42	24	19	8 8	10	18 15	20 21
143 115	149 114 3	119 84 2	134 93	119 82	111 80	79 69	86 63 1	65 71	40 50	33 42	23 24	13 19	8 8	8 10	18) 15/	22
i			i		i	i	ī			:						23 24
					•••••											25
															,,,,,	
234	267	251	260	246	209 145	181	156	166 120	144	98	36	15	2		9	26
165 69	182 85	193 58	209 51	190 56	64	129 52	95 61	46	99 45	61 37	27 9	9 6	1 1		7 2	27 28
219 156	256 175	234	241	226 178	198 140	161	143	148	137 94	90 57	33	13	1		5	29 30
63	81	181 53	41	48	58	118 43	89 54	36	43	57 33	6	4	<b> </b>		4 1	31
72	134 85	100	93	102	99	77 52	64 38	69 53	70	45	17	5			3	32
72 44	49	33	76 17	78 24	36	52 25	38 26	53 16	48 22	30 15	4	2			2	33 34
23 16 32	25 17 38	23 9 29	. 19 . 3	22 7 27	20 13 22	16 17 12	14 13 5	23 7 11	26 10 3 1	16 9 2	5 2 2 1	1			i	99
16 32 16 17 12	17 38 20 22 12	29 16 15	3 33 10 24	27 12 29 5	13 22 14 21 9	24 24	3 19 10	11 2 19 7	1 19 11	12 6	[ 6	Î			2)	36
12 80	12 98	109	4 127	5 100	9 86	4 70	10 64	7 75	63	6 37	1 16	1 6	1			38
63 17	69 29	91	104 23	78 22	64 22	55 15	37 27	55 20	42 21	20 17	14 2	4	1			39 40
17 23	29 24	18 25	23 21	22 24	22 13	15 14	27 15	20 4	21 4	17 8	2	2 2			2	40
21 2	21	23	20	22 2	13	11	14	4	4	7		2			2	42 43
2 15	3 11	2 17	1 19	2 20	11	3 20	1 13	18	7	1 8	3	2	1		4	43
9 6	7	12 5	. 9	12 8	5	11 9	6	8	5 2	4					3	45 46
. 3	4	i i	10 2		6	1	7 2	10 3	2	4	3	2	1		1 1)	ł
3 4 3	1 3 3	-3 1 5 3	2 2 2 8	3 1 6	. 2	9	$\frac{1}{2}$	5	5 2	3					] 2 2	47
í	ه	1 1	2	7 3	3 2 2	9 1	6 2	10	2	4 1	3	2	1			49
1		3	3					••••••					ļ		}	50

Table 2.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA, ITS MAIN SUBDIVISIONS, EACH GENERAL NATIVITY, AND PARENT

-	-						DE	ATHS AT AG	E OF				
	AREA AND SEX, COLOR, AND NATIVITY.	All deaths.	Under 1 year.	1 year.	2 years.	3 years.	4 years.	Under 5 years.	5 to 9 years.	10 to 14 years.	15 to 19 years.	20 to 24 years.	25 to 29 years.
	NEW HAMPSHIRE.												
1	Total	7,391	1,260	223	78	45	31	1,637	121	86	139	172	180
2	MalesFemales	3,821 3,570	678 582	108 115	39 39	20 25	16 15	861 776	63 58	43 43	· 75 64	91 81	· 78
4	White	7,380	1,257	223	78	45	31	1,634	120	86	139	170	179
5 6	Males Females	3, 814 3, 566	677 580	108 115	39 39	20	16	860 774	62 58	43	75	89	78 101
7	Native	5,784	1,238	211	67	25 39	15 26	1,581	101	43 78	106	81 113	113
8	Males Females	2,965 2,819	665 573	103 108	32 35	17 22	15 11	832 749	50 51	39 39	54 52	63 50	45 68
10	Both parents native $\left\{egin{array}{c} \mathbf{M} \\ \mathbf{F} \end{array}\right\}$	1,487 $1,442$	215 190 426	32 34	6 10	7 7	7 6	267 247	· 14	20 14	27 14	32 23	23 33
11	One or both parents foreign. ${\mathbb{F}}^{M}$ .	800 761	426 359 24	69 72	23 24 3	9 14	6 8 5	535 474	14 22 33 27 3	18 24	14 23 32	32 23 23 20 8	23 33 16 29 6 6
12	Parentage unknown $\left\{egin{array}{c} \mathbf{M} & \cdot \\ \mathbf{F} & \cdot \end{array}\right\}$	678 616	24 24	2 2	3 1	1		30 28	3 2	1	4 6	8 7	6 6
13	Foreign	1,365	17	10	10	5	4	46	15	7	31	54	59
14 15	Males Females	707 658	11 6	5 5	6 4	3 2	1 3	26 20	10 5	4 3	19 12	24 30	28 31
16	Unknown	231	2	2	1	1	1	7	4	1	2	3	7
17 18	MalesFemales	142 89	1 1	2	1	1	1	2 5	2 2	1	2	2	5 2
19	Colored.	11	3					3	1			2	1
$\frac{20}{21}$	Males Females	7 4	1 2					1 2	1			2	1
22	Negro $\left\{egin{array}{c} \mathbf{M} \\ \mathbf{F} \end{array}\right.$	7 4	1 2					1 2	1			2	1
	NEW JERSEY.												
23	Total,		7,678	1,658	671	433	341	10,781	882	501	812	1,350	1,434
24 25	Males Females	20,811 17,806	4,305 3,373	873 785	375 296	226 207	166 175	5,945 4,836	461 421	251 250	428 384	742 608	779 655
26	White	36,636	7,285	1,567	628	409	323	10, 212	832	461	742	1,251	1,318
27 28	Males Females	19, 760 16, 876	4,093 3,192	820 747	347 281	214 195	158 165	5,632 4,580	430 402	234 227	389 353	698 553	718 600
29	Native	25, 783	7,245	1,531	607	401	307	10,091	772	419	578	847	840
30 31	MalesFemales	13,756 12,027	4,068 3,177	801 730	333 274	211 190	149 158	5,562 4,529	395 377	207 212	295 283	452 395	457 383
32	Both parents native $\{rac{M}{F}\}$	6,647 6,304	1,606 1,241	236 244	133 100	77 86	62 78	2,114 1,749	187 168	103 93	129 125	227 205	208 196
33	One or both parents foreign. $\{_{ m F}^{ m M}$	6, 122 4, 988	2,368 1,859	558 474	197 167	131 103	62 78 85 77 2	3,339 2,680	168 202 201	98 114	125 156 145	227 205 205 172	227 171
34	Parentage unknown ${f M }$	987 735	94 77	7 12	3 7	3	2 3	109 100	6 8	6 5	10 13	20 18	22 16
35	Foreign	10, 478	30	34	20	8	16	108	60	41	158	394	461
36 37	MalesFemales	5,705 4,773	18 12	18 16	13 7	3 5	9 7	61 47	35 25	26 15	91 67	239 155	248 213
38	Unknown	375	10	2	1			13		1	6	10	17
39 40	Males Females	299 76	7 3	1 1	1			9		1	3 3	7 3	13 4
41	Colored	1,981	393	91	43	24	18	569	50	40	70	99	116
42 43	Males Females	1,051 930	212 181	53 38	28 15	12 12	8 10	313 256	31 19	17 23	39 31	44 55	. 61 55
44	Negro $\left\{egin{array}{ll} \mathbf{M} & . \\ \mathbf{F} & . \end{array}\right\}$	1,043 929	212 180	53 38	28 15	12 12	8 10	313 255	31 19	17 23	39 31	44 55	58 55
45	Indian $\left\{egin{matrix}M_{}\\F_{}\end{matrix}\right\}$	1											1
46	Chinese. $\left\{egin{array}{c} \mathbf{M} \\ \mathbf{F} \end{array}\right\}$	5	1		· · · · · · · · · · · · · · · · · · ·			·····i					1
47	Japanese $\left\{ egin{matrix} M & \cdot \\ F & \cdot \\ \end{array} \right\}$	2						:::::					1

***************************************		-				DE	ATHS AT A	GE OF—							Deaths
30 to 34 years.	35 to 39 years.	40 to 44 years.	45 to 49 years.	50 to 54 years.	55 to 59 years.	60 to 64 years.	65 to 69 years.	70 to 74 years.	75 to 79 years.	80 to 84 years.	85 to 89 years.	90 to 94 years.	95 to 99 years.	100 years and over.	at un- known age.
203	220	256	278	350	395	451	545	611	679	527	328	136	25	·. 6	46
102 101	122 98	120 136	136 142	184 166	221 174	250 201	289 256	316 295	355 324	271 256	153 175	50 86	9 16	1 5	31 18
203	219	256	278	349	395	450	545	611	679	527	327	136	25	6	46
102 101	121 98	120 136	136 142	184 165	221 174	249 201	289 256	316 295	355 324	271 256	152 175	50 86	9 16	1 5	31 15
129	132	171	171	239	286	319	374	479	548	410	282	` 116	19	5	12
64 65	66 66	78 93	77 94	125 114	157 129	174 145	201 173	244 235	289 259	216 · 194	134 148	44 72	7 12	1 4	5
37 32 21 18 6	27 43 25 17 14	44 53 16 23 18	48 53 15 13 14 28	72 66 17 25 36 23	98 74 20 12 39 43	104 83 11 15 59 47	123 114 7 5 71 54	143. 151. 4. 6. 97. 78	184 153 5 7 100	128 126 6 4 82 64	69 93 1 4 64 51	22 42 2 2 20 28	4 2 2 3	2	1 2 2 2 2 2 2 3
15 68	6 81	17 81	28 92	23 90	43 97	47 116	54 149	78 110	99	ĺ		1	8	1 2	
34	51 30	39	49	45	57	64	73 76	57	107 56	92. 39	37 18	17	5	1	10
34 6	30	42	. 43	45	40	52	f	53	51	39 53	18 19	11	4	1	3
4	<del> </del>	3	15	20	7	15	. 22	15	24	25	8	3	1		24
2	4 2 1	Ĭ	. 5	6	5	4	15 7	7	10 14	9	8	3	1		19
	1			1		1					1				
				1											
	1			1		1			••••••	••••••	1 				
1 500	1 007	1 505	# G00	*											
1,529 885	1,897 1,120 777	1,765	1,833	2,042	2,072 1,127	2,341	2,543	1,191	°2,005	1,413	695 282	241 105	53 10	8	11 9
644		699	1,080 753	1,181 861	945	1,272 1,069	· 1,311 1,232	1,191 1,218	1,048	806	413	136	43	2 6	2
1,424	1,766	1,661	1,733	1,914	1,972	2,232	2,454	2,353	1,959 935	1,379	674	230	51	. 7	11
823 601	1,055 711	1,006 655	1,028 705	1,110 804	901	1,212 1,020	1,268 1,186	1,162 1,191	1,024	. 593 786	276 398	100 130	9 42	2 5	9
894	1,091	927	898	1,024	1,052	1,109	1,279	1,280	1,175	861	441	154	42	6	3
509 385	633 458	533 394	505 393	560 464	570 482	603 506	653 626	632 648	567 608	368 493	180 _261	67 87	6 36	1 5	1 2
206 166 272 191 31 28	243 217 355 208 35,	208 196 268 172 57	203 176 250 182 52	256 226 231 197 73	316 298	401 342 116 108 86	460 459	469 496 63 86 100	435 484	284 376	145 227	47 71	6 31	3	
191 31	208 35	172 57	182 52	231 197 73	316 298 179 141 75 43	116 108	460 459 85 95 108	63   86   100	40 57	24 52 60	9 11 26 23	1 2	2	1	1) 1,
	33	26	35	41		56	i	66	92 67	65	23	19 14	3	2	1,
511	635 385	689	801	846	891	1,093	1,153	1,044	771	506	231	75	8	1	1
299 212	250	431 258	494 307	510 336	480 411	585 508	600 553	509 535	360 411	220 286	95 136	32 43	. 3	1	1
19	40	45	34	44	29	30	22	29	13	12	2	1	1		7
15 4	37	42 3	29 5	40 4	21 8	24 6	15 7	21 8	8 5	5 7	. 1	1	i		7
· 105	131	104	100	128	100	109	89	56	46	34	21	11	2	1	
62 43	65 66	60 44	52 48	71 57	56 44	· 60	43 46	29 27	22 24	14 20	15	5 6	1	1	
62 43	65 66	58 44	51 48	70 57	56 44	59 49	43 46	29 27	22 24	14 20	6 15	5 6	1		•••••••••••••••••••••••••••••••••••••••
							*********		## D#	<u> </u>	10	U		1	••••••
		1	1	1		1									
		1			· · · · · · · · · · · · · · · · · · ·										

12489°—13——13

TABLE 2.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA, ITS MAIN SUBDIVISIONS, EACH GENERAL NATIVITY, AND PARENT

							DEA	ATHS AT AG	e or—				
	AREA AND SEX, COLOR, AND NATIVITY.	All deaths.	Under 1 year.	1 year.	2 years.	3 years.	4 years.	Under 5 years.	5 to 9 years.	10 to 14 years.	15 to 19 years.	20 to 24 years.	25 to 29 years.
	NEW YORK.												
1	Total	145,654	25,407	5,623	2,471	1,515	1,038	36,054	2,939	1,809	3,079	4,833	5,439
2	MalesFemales	78,368 67,286	14,039 11,368	2,993 2,630	1,320 1,151	776 739	536 502	19,664 16,390	1,577 1,362	963 846	1,634 1,445	2,562 2,271	2,999 2,440
4	White	142,024	24,722	5,455	2,407	1,475	1,012	35,071	2,881	1,764	2,960	4,611	5,170
5 6	MalesFemales	76,486 65,538	13,671 11,051	2,901 2,554	1,284 1,123	754 721	526 486	19, 136 15, 935	1,552 1,329	949 815	1,577 1,383	2,462 2,149	2,851 2,319
7	Native	94,986	24,558	5,265	2,283	1,404	958	34,468	2,649	1,534	2,258	2,988	3,169
8 9	MalesFemales	51,022 43,964	13,575 10,983	2,796 2,469	1,215 1,068	717 687	495 463	18,798 15,670	1,420 1,229	837 697	1,215 1,043	1,551 1,437	1,716 1,453
10	Both parents $\left\{egin{array}{l} M_{} \\ F_{} \end{array}\right\}$	21,940 $20,411$	4,862 3,854 7,820	748 695	407 325	223 234	194 151	6,434 5,259	580 528	391 334	548 489	670 716	702 691
11	One or both parents foreign. $\left\{ egin{align*}{c} \mathbf{M} \\ \mathbf{F} \end{array} \right\}$	24,841 20,192	6,313	2,003 1,731	782 733	478 439	295 308 6	11,378 9,524 986	818 695 22	431 355 15	621 535 46	821 678 60	942 701 72
12	Parentage unknown ${ m M \atop F}$	4,241 3,361	893 816	45 43	26 10	16 14	4	887	6	8	19	43	61
13	Foreign	45,743	102	125	. 88	62	52	429	224	227	682	1,575	1,939
14 15	MalesFemales	24, 486 21, 257	61 41	72 53	42 46	32 30	29 23	236 193	129 95	110 117	348 334	873 702	1,083 856
16	Unknown	1,295	62	65	36	9	2	174	8	3	20	48	62
17 18	Males Females	978 317	35 27	33 32	27 9	5 4	2	102 72	3 5	$\frac{2}{1}$	14 6	38 10	. 52 10
19	Colored	3,630	685	168	64	40	26	983	58	45	119	222	269
20 21	MalesFemales	1,882 1,748	368 317	92 76	36 28	22 18	10 16	528 455	25 33	14 31	57 62	100 122	148 121
22	Negro $\left\{egin{array}{c} M \ldots \\ F_{-} \end{array}\right.$	1,742 1,705	355 309	92 71	35 28	22 16	9 14	513 438	24 33	14 30	54 58	90 121	132 120
23	Indian. $\begin{cases} M \\ M \end{cases}$	46	117	5	î	1 · · · · · · · · · · · · · · · · · · ·	1 2	13 15	1	1	3 4	1 1	2
24	Chinese $\begin{cases} M & \\ F & \end{cases}$	76 1	<u>i</u>					1 2				5	9
25	Japanese $\left\{egin{array}{ll} \mathbf{M}\\ \mathbf{F} \end{array}\right.$	18 4	2			i		í					
	NORTH CAROLINA.1									100	054	400	0000
26	Total	6,859	1,313	522	186	91	58	2,170	165 84	122 50	276 119	432 187	371
27 28	MalesFemales	3,360 3,499	702 611	253 269	88 98	43 48	29	1,055	81	72	157	245	188
29	White	3,519	656	260	73	46		1,057	75	50	112	181	167
30 <b>31</b>	Males Females	1,778 1,741	357 299	122 138	31 42	27 19	13 9	550 507	42 33	19 31	53 59	71 110	90 77
32	Native	3,381	653	259	73	46	22	1,053	75	49	111	174	162
33 34	MalesFemales	1,682 1,699	356 297	122 137	31 42	27 19	13 9	549 504	42 33	19 30	53 58	65	86 76
35	Both parents native $\left\{\begin{matrix} \mathbf{M} \\ \mathbf{F} \end{matrix}\right\}$	1,416 1,394	333 276	118 130	31 42	27 17	13 7	522 472	39 27	17 28	48 56	58 93 1	77 61
36	One or both parents foreign. $\begin{cases} M \\ F \end{cases}$	51 54	6 6	3		:i	-	10	$\begin{array}{c} 1 \\ 1 \\ 2 \end{array}$	2 2	3	4 6	77 61 1 2 8 13
37	Parentage unknown ${M \choose F}$	215 251	17 15	4		i	2	17 22	5	ļ	2		13
38	Foreign	75		1				. 1		1		. 2	5
39 <b>4</b> 0	MalesFemales	56 19		i				:  i		1		1	1
41	Unknown	. 63	3			-		. 3			1		
42 43	Males Females	40 23	1 2					1 2			i 1	. 5	
44	Colored	3,340	657	262	113	45	36	1,113	90	72	164	251	204
45 46	Males Females	1,582 1,758	345 312	131 131					42 48	31 41	66 98		93 111
47	Negro	1,581 1,758	345 312		57 56			565 548	42 48	31 41	66 98	116 135	93 111

 $<sup>^{\</sup>rm 1}$  Including only municipalities having a population of 1,000 or over in 1900.

# DEATHS, BY AGE, SEX, COLOR, AND NATIVITY.

						DEAT	HS AT AGE	OF-							Deaths
30 to 34 years.	35 to 39 years.	40 to 44 years.	45 to 49 years.	50 to 54 years.	55 to 59 years.	60 to 64 years.	65 to 69 years.	70 to 74 years.	75 to 79 years.	80 to 84 years.	85 to 89 years.	90 to 94 years.	95 to 99 years.	100 years and over.	at un- known age.
6,027	7,272	7,199	7,639	.8,262	8,200	9,273	9,511	. 9,428	8,111	5,940	3,205	1,140	238	46	10
3, 442 2, 585	4,217 3,055	4,342 2,857	4,527 3,112	4,790 3,472	4,599 3,601	4,977 4,296	4,836 4,675	4,679 4,749	3,863 4,248	2,717 3,223	1,386 1,819	487 653	84 154	18 28	5 5
5,764	6,968	6,937	7,456	8,054	8,044	9,121	9,397	9,307	8,045	5,894	3,177	1,124	229	40	10
3,306 2,458	4,056 2,912	4, 193 2, 744	4,428 3,028	4,672 3,382	4,525 3,519	4,895 4,226	4,774 4,623	4,617 4,690	3,834 4,211	2,697 3,197	1,376 1,801	483 641	82 147	16 24	5 5
3,539	4,135	3,769	3,915	4,395	4,289	4,350	4,536	4,669	4,344	3,276	1,851	699	136	14	3
2,000 1,539	2,343 1,792	2,239 1,530	2,204 1,711	2,471 1,924	2,398 .1,891	2,346 2,004	2,340 2,196	2,393 2,276	2,099 2,245	1,535 1,741	778 1,073	287 412	44 92	7 7	1 2
780 636 1,138 843 82 60	766 679 1,460 1,032 117 81	738 595 1,371 860 130 75	734 656 1,318 955 152 100	933 842 1,326 969 212 113	1,077 882 1,097 868 224 141	1,373 1,148 675 630 298 226	1,449 1,415 523 516 368 265	*1,565 1,548 417 412 411 316	1,413 1,613 254 302 432 330	1,054 1,244 147 189 334 308	514 755 69 98 195 220	184 313 27 21 76 78	29 64 7 7 8 21	5 4 1 1 3	2)
2,152	2,720	3,039	3,431	3,544	3,687	4,680	4,781	4,568	3,650	2,576	1,305	415	90	26	. 3
1,242 910	1,615 1,105	1,844 1,195	2, 133 1, 298	2,097 1,447	2,071 1,616	2, 480 2, 200	2,376 2,405	2,182 2,386	1,705 1,945	1,143 1,433	585 720	188 227	37 53	9 17	3
73	113	129	110	115	68	91	80	70	51	42	21	10	3		4
64 9	98 15	110 19	91 19	104 11	56 12	69 22	58 22	42 28	30 21	19 23	13 8	8 2	1 2		4
263	304	262	183	208	156	152	114	121	66	46	28	16	9	6	
136 127	161 143	149 113	99 84	118 90	74 82	82 70	, 62 , 52	62 59	29 37	20 26	10 18	12	2 7	2 4	
125 127 3	147 141 2	134 110 2 2	88 84 1	105 88 1 2	67 80 2	71 68 2	56 52 . 3	60 56 2	29 35 2	18 25 2 1	8 18 2	3 12 1	2 5	2 4	
7	10	10	7	11	2 5	9	3	♣ 3	2	1			2		
1	2 2	3 1	3	1											
310	349	293	259	297	316	317	325	293	242	154	69	38	18	11	32
160	162	140	116	144	165	160	166	155	128	66	20	14	6	3	17
150	187	153	143	153	151	157	159 211	138	114	98	49	12	12	8	15
87 73	9 <u>4</u> 93	83 77	55 60	79	90 76	103 83	103	97	89 80	48 50	14	3 9	1 3	1	6
149	179	150	102	83 154	161	180	196	94	151	94	29	11	4	1	6
78 71	89 90	. 76	48 54	75 79	86 75	99 81	91 105	89 89	75 76	44 50	12 28	, 2	1 3	1	2 5
66 54 2	72 72 8	61 59 6	42 41 2	46	65	70	69 71 3	68 63 1	55 56 1	28 31	9 20 1	2 3	2		23
4	1 4	8 4	2 4	46 67 3 2 26 10	65 55 4 2 17 18	70 60 4 2 25 19	3 5	1 4	1	I	1				3
10 13	9 14	9 11	9	26 10	17 18	25 19	5 19 29	20 22	19 19	2 16 17	7	6	1	1	2
4		7	. 7	5	·	4	9	8	9	2	.1	1			1
4	. 4	3	3	1	2	4	. 6	7	7 2	2	1	1			1
7	-	3	6	3	3	2	6	5	9	2	2	<u> </u>			. 4
5 2	1	3	3	3	2	2	6	1 4	7 2	2	1				3 1
150		133	144	135	150	131	114	102	73	56	26	26	14	10	20
73 77	68 94	57 76	61 83	65 70	75 75	57 74	63 51	58 44	39 34	18 38	6 20	11 15	5 9	8	11 9
73 77	68 94	57 76	61 83	65 70	75 75	56 74 1	63 51	58 44	39 34	18 38	6 20	11 15	5 9	2 8	11 9

TABLE 2.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA, ITS MAIN SUBDIVISIONS, EACH GENERAL NATIVITY, AND PARENT

							DE.	ATHS AT AG	E OF-				. ,
	AREA AND SEX, COLOR, AND NATIVITY.	All deaths.	Under 1 year.	1 year.	2 years.	3 years.	4 years.	Under 5 years.	5 to 9 years.	10 to 14 years.	15 to 19 years.	20 to 24 years.	25 to 29 years.
1	OHIO.	63,402	9,941	1,950	876	576	421	13,764	1,335	942	1,532	2,349	2,501
2	Males. Females		5,524 4,417	1,018 932	470 406	331 245	204 217	7,547 6,217	723 612	490 452	777 755	1,242 1,107	1,369 1,132
4	White	61,024	9,644	1,858	838	555	404	13,299	1,284	885	1,445	2, 183	2,347
5 6	MalesFemales	32,614 28,410	5,360 4,284	964 894	447 391	318 237	196 208	7,285 6,014	698 586	470 415	737 708	1,157 1,026	1,275 1,072
7	Native	48,685	9,603	1,834	823	539	389	13,188	1,228	847	1,331	1,874	1,884
8 9	MalesFemales	25,396 23,289	5,337 4,266	952 882	437 386	307 232	193 196	7,226 5,962	671 557	445 402	664 667	931 943	969 915
10	Both parents native $\left\{ \begin{matrix} \mathbf{M} \\ \mathbf{F} \end{matrix} \right\}$	15,505 14,986	3,440 2,778	589 593	291 244	207 156 99	133 124	4,660 3,895	470 393 191	329 292	462 495	646 693 222	618 629 268
11 12	One or both parents foreign. $\left\{ egin{align*} \frac{M}{R} \\ \end{array} \right.$ Parentage unknown $\left\{ egin{align*} \frac{M}{R} \\ \end{array} \right.$	6,675 5,484 3,216	1,706 1,334 191	346 277 17	135 142 11	67 1	59 69 1	2,345 1,889 221	155 10	103 91 13	175 143 27	198 63	218 83 68
13	Foreign	2,819 11,530	154 20	12 21	14	9 15	3 15	178 85	9 ] 54	19 37	29 108	52 285	68 431
14 15	Males Females	6,652 4,878	12 8	11 10	9 5	11 4	3 12	46	27 27	24 13	68 40	204 81	280 151
16	Unknown	809	21	3	1	1		26	2	1	6	24	32
17 18	MalesFemales	566 243	11 10	1 2	1	i		13 13	2	1	5 1	22 2	26 6
19	Colored	2,378	297	92	38	21	17	465	51	57	87	166	154
20 21	MalesFemales	1,366 1,012	164 133	54 38	23 15	13 8	8 9	262 203	25 26	20 37	40 47	85 81	94 60
22	Negro $\left\{egin{array}{c} M \ldots \\ F \ldots \end{array}\right.$	1,353 1,012	164 133	54 38	23 15	13 8	8 9	262 203	25 26	20 37	39 47	84 81	92 60
23 24	$ \begin{array}{ccc} \text{Indian.} & \left\{ \begin{matrix} \textbf{M} \\ \textbf{F} \end{matrix} \right. \\ \text{Chinese.} & \left\{ \begin{matrix} \textbf{M} \end{matrix} \right. \\ \end{array} $	3									·····i	i	1
25	$\begin{array}{cccccccccccccccccccccccccccccccccccc$	2											i
	PENNSYLVANIA.												
26	Total		24, 195	5,098	2,077	1,423	995	33,788	2,630	1,553	2,629	4,024	4,177
27 28	Males Females	60,588 50,704	13,625 10,570	2,690 2,408	1,091 986	752 671	518 477	18,676 15,112	1,340 1,290	835 718	1,461 1,168	2,170 1,854	2,344 1,833
29 30	White	107,220 58,386	23,343	4,868 2,582	2,005 1,059	1,370	956 500	32,542 18,017	2,525 1,282	1,472 796	2,489 1,393	3,796 2,072	3,944
31	Females	48,834	10, 192	2,286	946	645	456	14,525	1,243	676	1,096	1,724	2,227 1,717
32 33	Native	83,525	23,261 13,096	4,796 2,547	1,960	1,336 711	929	32,282 17,873	2,402 1,223	1,379 741	2,105	2,683 1,310	2,600 1,314 1,286
34	Females	39, 278 24, 753	10,165 6,432	2,249 1,069	927 483	625 345	443 274	14,409	1,179 732	638 483	988	1,373	778
35 36	Both parents native $\dots \qquad \begin{cases} \mathbf{F} \\ \mathbf{F} \end{cases}$ .  One or both parents foreign $\mathcal{F}$	23,034 15,693	4,907 6,335 4,978	984 1,444	417 535 494	317 358 300	220 204 219	6,845 8,876 7,232	721 475 440	417 246 210	632 374 322	932 414	832 444 369 92
37	Parentage unknown $\begin{cases} M \\ F \end{cases}$	13,048 3,801 3,196	329 280	1,241 34 24	15 16	8 8	8 4	394 332	16 18	12 11	23 34	386 48 55	92 85
<b>3</b> 8	Foreign	22,708	65	68	44	33	23	. 233	122	89	372	1,067	1,285
39 40	Males Females	13,380 9,328	45 20	33 35	26 18	13 20	13 10	130 103	58 64	52 37	269 103	724 343	863 422
41 42	Unknown	987	17	4	1	1	4	27	1	4	12	46	59 50
42 43	MalesFemales		10 7	2 2	i		3	14 13		3 1	5	38 8	9
44 45	Colored	4,072	852 474	230	72	53	39	1,246	105 58	81 39	140	228 98	233
46	MalesFemales		378 473	122	40 32	26	18	587 658	47 58	42 39	72 66	130	116 116
47 48	Negro.	1 2	378	108	40	26	21	587	47	42	72 2	129	116
49	Chinese $\begin{cases} \mathbf{M} \\ \mathbf{F} \end{cases}$	32										1	i
50	! /Ar	2	1					1	ļ			1	

						·DEAT	es at agi	of—							Deaths
30 to 34 years.	35 to 39 years.	40 to 44 years.	45 to 49 years.	50 to 54 years.	55 to 59 years.	60 to 64 years.	65 to 69 years.	70 to 74 years.	75 to 79 years.	80 to 84 years.	85 to 89 years.	90 to 94 years.	95 to 99 years.	100 years and over.	at un- known age.
2,430	2,663	2,583	2,733	3,204	3,359	3,796	4,555	4,945	4,614	3,380	1,888	609	146	24	50
1,340 1,090	1,494 1,169	1,518 1,065	1,602 1,131	1,811 1,393	1,858 1,501	2,102 1,694	2,442 2,113	2,564 2,381	2,264 2,350	1,644 1,736	844 1,044	247 362	58 88	9 15	38 18
2,287	2,482	2,410	2,603	3,039	3,232	3,687	4,451	4,858	4,534	3,340	1,861	595	138	17	47
1,253 1,034	1,379 1,103	1,418 992	1,513 1,090	1,712 1,327	1,784 1,448	2,040 1,647	2,371 2,080	2,517 2,341	2,222 2,312	1,619 1,721	830 1,031	241 354	54 84	6 11	33 14
1,795	1,931	1,845	1,929	2,271	2,409	2,609	3,058	3,425	3,112	2,194	1,236	387	96	11	25
928 867	1,020 911	1,022 823	1,049 880	1,201 1,070	1,260 1,149	1,383 1,226	1,600 1,458	1,745 1,680	1,499 1,613	1,030 1,164	545 691	153 234	36 60	4 7	15 10
549 583	530 531 384 273 106	484 498 397 236 141	478 509	607 601	680 682	846 773	982 939 282 249 336 270	1,109 1,092	949 1,040	646 722 102	351 436	82 133	15 38	3 5	9 7 2
549 583 292 214 87 70	273 106	236 141	478 509 421 280 150	387 319 207	680 682 349 302 231 165	255 244 282 209	282 249 336	236 256 400	181 185 369	102 129 282	58 69 136	82 133 20 25 51	· 8	1 1	
70 438	107	89 487	91 609	150 <b>694</b>	165 757			332	388	313	186	76	17 14	1	3
285 153	307	332 155	412	450 244	474 283	1,015	738 602	1,370 735	1,381 707	1,101 567 534	599 276	201	39 17 22	2	6
153 54	179 65	155 78	197 65	244 74	283 66	403 63	602 53	635 63	674 41	534 45	, 323 26	118 7	22 3	. 3 1	2 14
40 14	52 13	64 14	52 13	61 13	50 16	45 18	33 20	37 26	16 25	22 23	9	5 2	1 2	1	12
143	181	173	130	165	127	109	104	26 87	80	23 40	27	14	8	. 7	2
87 56	115 66	100 73	89 41	99 66	74 53	62 47	71 33	47 40	42 38	25 15	1 <u>4</u> 13	6 8	4	3 4	2
86 56	114 66	99 73	87 41 1	98 66	74 53	60 47	71 33	46 40 1	42 38	25 15	14 13	6	4 4	3 4	2 1
	1	i	1	1		2									
i								 							
															•
4,154	4,812	4,429	4,711	5,294	5,407	6,212	7,054	6,907	6,015	4,264	2,274	749	164	26	19
2,358 1,796	2,850 1,962	2,689 1,740	2,888 1,823	3,070 2,224	3,106 2,301	3,451 2,761	3,757 3,297	3,451 3,456	2,907 3,108	1,910 2,354	965 1,309	284 465	59 105	7 19	10 9
3,901	4,497	4,175	4,464	5,079	5,239 3,005	6,060	6,918 3,679	6,782	5,957	4,213	2,249	725	155	19	19
2,205 1,696	2,677 1,820	2,522 1,653	2,738 1,726	2,958 2,121	2,234	3,366 2,694	3,239	3,385 3,397	2,875 3,082	1,886 2,327	956 1,293	275 450	56 99	6 13	10 9
2,580	2,865	2,631	2,698	3,297	3,540	3,939	4,576	4,556	4,197	2,916	1,621	526	114	13	5
1,324 1,256	1,572 1,293	1,434 1,197	1,527 1,171	1,790 1,507	1,957 1,583	2,129 1,810	2,425 2,151	2,254 2,302	2,013 2,184	1,313 1,603	684 937	203 323	38 76	9	2 3
755 769 460 400	795 747 640	735 697 538	779 695 565	959 902 604	1,147 1,000 530	1,385 1,200 396	1,627 1,443 390	1,532 1,617 292 306	1,388 1,552 228	1,096 114	453 662 79 111	130 216 23 39 50	- 19 - 52 - 4	3 5	2 1
109	447 137	538 383 161	565 353 183	436 227	406 280	369 348	385 408 323	306 430 379	257 397 375	187 317 320	111 152 164	39 50	8 15	2 1 2	 11
87 1,257	99 1, <i>5</i> 36	117 1,448	123 1,674	169 1,681	177 `1,644	241 2,048	323 2,271	379 2,156	375 1,721	320 1,252	164 609	68 195	16 40	6	ī) 2
825 432	1,026 510	1,002 446	1,132 542	1,085 596	1,002 642	1,180 868	1,202 1,069	1,086 1,070	836 885	553 699	265 344	69 126	17 23	2 4	2
64	96	96	92	101	55	73	71	70	39	45	19	4	1	#	12
56 8	79 17	86 10	79 13	83 18	46 9	57 16	52 19	45 25	· 26	20 25	7 12	3	1		6
253	315	254	247	215	168	152	136	125	, 58	51	25	24	9	7	
153 100	173 142	167 87	150 97	112 103	101 67	85 67	78 58	66 59	32 26	24 27	9 16	9 15	3 6	1 6	
150 100	167 142	162 87	146 97	104 103	96 67	85 67	78 58	66 58	32 26	23 27	9 16	9 15	3 6	1	
3	6	5	4	8	5			1							

TABLE 2.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA, ITS MAIN SUBDIVISIONS, EACH GENERAL NATIVITY, AND PARENT

-							DEA	THS AT AGI	e of—				
	AREA AND SEX, COLOR, AND NATIVITY.	All deaths.	Under 1 year.	1 year.	2 years.	3 years.	4 years.	Under 5 years.	5 to 9 years.	10 to 14 years.	15 to 19 years.	20 to 24 years.	25 to 29 years.
	RHODE ISLAND.												
1	Total	8,671	1,675	302	129	104	63	2, 273	182	99	166	272	281
2 3	Males Females	4, 564 4, 107	951 724	161 141	66 63	53 51	32 31	1, 263 1, 010	107 75	47 52	82 84	144 128	151 130
4	White	8,422	1,634	294	123	100	61	2,212	175	96	159	257	267
5 6	MalesFemales	4,424 3,998	925 709	157 137	61 62	51 49	31 30	1, 225 987	104 71	46 50	81 78	136 121	143 124
7	Native	5, 491	1,625	286	120	96	59	2, 186	162	83	119	151	155
8	MalesFemales	2,918 2,573	917 708	152 134	60 60	48 48	30 29	1,207 979	96 66	41 42	58 61	80 71	90 65
10	Both parents native $\{_{\mathbf{F}}^{\mathbf{M}}$ .	1,274 1,184	236 172	36 30	18 12	12 12	8 5	310 231	30 20	9 12	17 17	29 30	36 16
11	One or both parents foreign. ${\mathbb{F}}$	1,501 1,295	654 513	115 103	42 48	35 36	22 23	868 723	65 45	31 30	33 42	30 45 39	53 47
12	Parentage unknown $\left\{ egin{array}{c} \mathbf{M} & \cdots \\ \mathbf{F} & \cdots \end{array} \right.$	143 94	27 23	1		1	1	29 25	1	1	8 2	6 2	1 2
13	Foreign	2,886	9	8	3	4	2	26	13	13	40	104	111
14 15	Males Females	1,466 1,420	8	5 3	1 2	3 1	1 1	18 8	8 5	5 8	23 17	55 49	52 59
16	Unknown	45				- 20						2	1
17 18	MalesFemales	40 5										1 1	1
19	Colored	249	41	8	6	4	2	61	7	3	7	15	14
$\frac{20}{21}$	Males Females	140 109	26 15	4 4	5 1	2 2	1	38 23	3 4	1 2	1 6	8 7	8 6
22	Negre $\left\{egin{array}{cccc} M \dots & \left\{egin{array}{c} M \dots & \left\{egin{array}{c} F \dots & \left\{egin{array}{c} M \dots & \left\{egin{array}{c$	137 109	26 15	4 4	5 1	2 2	1 1	38 23	3 4	1 2	1 6	8 7	8 6
23	Indian	3											
24	(F												
25	UTAH. Total	3,960	822	147	86	57	42	1, 154	132	94	114	146	199
26 27	Males Females	2, 250 1, 710	469 353	86 61	49 37	29 28	22 20	655 499	69	49 45	65 49	90 56	109 90
28	White	3,894	817	146	85	57	42	1,147	130	93	113	142	191
29 30	Males Females	2,200 1,694	.468 349	85 61	49	29 28	22 20	653 494	69 61	48 45	65 48	86 56	103 88
31	Native	.,,	816	144	83	55	41	1,139	127	89	101	107	129
32	Males	1,419	467	84	47	28	22	648	69	47	57	59	62
33	Females $M$ .  Both parents native $M$ .	1,144	349 343	60 62	36 36	27 17	19	491 472	58	42 35	44 29	48 27	67 25
34 35	One or both parents foreign. $\begin{Bmatrix} \mathbf{M} \\ \mathbf{F} \end{Bmatrix}$	630 435 442	248 118 98	36 22	22 11	18 11	11 7	335 169	29 26	22 12	18 26	20 29	29 27
36	Parentage unknown $\begin{cases} M \\ F \end{cases}$	161 72	98 6 3	24	14	9	8	169 153 7 3	27 1 2	18	26 2	29 27 3 1	27 35 10 3
37	Foreign	1,245	1	2	2	2	1	8	3	3	11	34	53
38 39	Males Females	704 541	1	1 1	2	1	1	5 3	3	1 2	7 4	26 8	34 19
40	Unknown	86								1	1	1	9
41 42	MalesFemales	77								i	1	1	7 2
43	Colored	66	5	1	1			7	2	1	1	4	8
44 45	Males Females	50 16	1 4	1	1			2 5	2	1	1	4	6 2
46	Nome (M.	. 17	1					1			ļ	1	1
47	Indian F.	8 9	3					3	1 i	1	i		2 1
48	Chinese	5 8 3	1		1			1					
49	Japanese $\left\{egin{array}{c} M \\ F \end{array}\right\}$	16		1	J			1				3	4

Deaths at un-		4				-	OF	HS AT AGE	DEAT						
known age.	100 years and over.	95 to 99 years.	90 to 94 years.	85 to 89 years.	80 to 84 years.	75 to 79 years.	70 to 74 years.	65 to 69 years.	60 to 64 years.	55 to 59 years.	50 to 54 years.	45 to 49 years.	40 to 44 years.	35 to 39 years.	30 to 34 years.
. 2	3	20	78	205	351	447	602	602	563	514	473	409	· 413	377	. 339
2	1 2	9	. 26	89 116	157 194	214 233	295 307	302 300	294 269	262 252	277 196	230 179	223 190	215 162	174
2	1	20	78	202	346	439	592	594	546	493	457	395	405	365	165 321
2	<u>1</u>	9 11	26 52	88 114	152 194	210 229	291 301	298 296	288 258	252 241	267 190	222 173	217 188	206 159	161 160
1	1	11	53	143	231	227	285	268	237	243	213	156	189	188	189
.1	i	3 8	15 38	58 85	96 135	107 120	146 139	139 129	131 106	128 115	127 86	82 74	103 86	118 70	92 97
}	1	2 8	14 33	. 51 . 78 2	84 123	. 96 . 101	117 121	106 95	92´ 78	72 64	59 47	43 33	38 24 60	· 41 23	28 29
1		1	. 2 1	2 1 5	3 5 9	12 7	13 14 16	23 28 10	92 <sup>7</sup> 78 26 21 13	46 46 10	60 37 8	43 33 36 38 3	60 60 5	23 73 44 4	28 29 59 61 5
}			3	6	7	7	4	6 322		5	2		2	. 3	1
1		. 9	24	28 29	113 55	210 101	305	155	306 154	244 119	238	138	208	173 84	132 69
		3	13 1	29	58 2	109	162 2	167 4	152 3	125 6	103	99	102 8	89 4	63
				2	1	2	2	4	. 3	5	5	2	8	4	
	2		.1	3	1 5	8	10	8	17	1 21	16	14	8	12	18
	1			1 2	5	4	4 6	4 4	6 11	10 11	10		6 2	9 3	13 5
)	1			1	- 5	4	4	4	6	10	9	8	5	8	13
}	1			2		4	6	4	11	11	6	6	2	3	5
}										•••••	1		1	1	
8	1	6	32	89	159	215	240	181	180	156	184	160	174	171	165
8	. 1	3 3	22 10	39 50	71 88	121 94	119 121	84 97	100 80	99 57	115 69	111 49	112 62	110 61	98 67
8	1	5	32	89	159	214	237	181	178	153	178	155	167	. 166	155
8	1	2 3	22 10	39 50	71 88	120 94	116 121	84 97	98 80	96 57	109 69	108 47	107 60	105 61	90 65
			6	14	34	66	68	58	69	80	93	87	95	102	99
			5 1	4 10	19 15	37 29	34 34	29 29	38 31	42 38	57 36	50 37	54 41	56 46	52 47
}			4	3 7	13 10	17 19	12 26	14 16	16 17	14 15	27 17	17 11	17 11	16 12	23 16
}			1 1	1 1 2	2 6	5 2 15	8 4 14	1 4 14	9 6 13	18 18 10	22 17 8	17 21 16	20 25 17 5	28 30 12 4	18 25 11 6
. 2	1	5	26	75	3 125	8 145	4 165	9 122	102	5 72	8 2 72	5 60	5 61	1	6
2	1	2	17	35 40	52 73	80 65	79	54 68	54	53 19	41	50	. 42	<u>-</u> j	, 33
6		3	9	40	73	65	86 4	68	48	19	31	10	19	Į.	16
6						3	3 1	1	6 1	1	11 2	8	11	13	5 2
		r				1	3		2	3	6.	5	7		10
		1				1	3		2	3	6	3 2	5 2	5	8 2
}		1					1		1		, 3	1	2	2	3
							2				1	1	$\frac{1}{2}$		1 2
}						1			1	3	2	Î	1		
·····}				l:::::::			·		l::::::::		l	11	1	3	]

Table 2.—Deaths (exclusive of stillbirths) in the registration area, its main subdivisions, each general nativity, and parent

=							DE.	ATHS AT AG	E OF—			<u></u>	110
	AREA AND SEX, COLOR, AND NATIVITY.	All deaths.	Under 1 year.	1 year.	2 years.	3 years.	4 years.	Under 5 years.	5 to 9 years.	10 to 14 years.	15 to 19 years.	20 to 24 years.	25 to 29 years.
	VERMONT.			. •									
1	Total	5,661	741	113	36	36	30	956	79	49	120	131	155
2	MalesFemales	2, 969 2, 692	398 343	66 47	20 16	18 18	12 18	514 442	47 32	26 23	57 63	68 63	80 75
4	White	5,631	740	112	36	35	30	953	77	49	118	128	151
5	MalesFemales	2,950 2,681	398 342	65 47	20 16	17 18	12 18	512 441	45 32	26 23	56 62	66 62	77 74
7	Native	4, 557	734	109	35	34	29	941	68	45	111	104	113
8 9	MalesFemales	2,362 2,195	396 338	63 46	19 16	17 17	12 17	507 434	40 28	25 20	53 58	50 54	52 61
10	Both parents native $\{M, \dots, M\}$	1, 436 1, 378	231 203	40 29	12 12	10 9	6 9	299 262	25 20	18 17	37 39	33 34	36 40
11	One or both parents foreign. $\{M_{\cdot}\}$	514 433	143 111	29 22 15	6 3	7 8	6 9 5 8	183 145	14	7	39 12 16	33 34 16 15	40 11 15 5 6
12	Parentage unknown $\mathbb{F}_{F}^{K}$	412 384	22 24	1 2	1		1	25 27	1 4		3	1 5	5 6
13	Foreign	1,007	5	3	1	1		10	8	4	6	21	37
14 15	Males Females	554 453	2 3	2 1	1	i		5 5	5 3	1 3	2 4	13 8	24 13
16	Unknown	67	1				1	2	1		1	3	1
17 18	MalesFemales	34 33	1				i	2	·····i		1	3	1
19	Colored	30	1	1		1		3	2		2	3	4
20 21	Males Females	19 11	1	1		1		2 1	2		1	2 1	3 1
22	Negro $\left\{ egin{array}{c} M \\ F \end{array} \right.$	18 11	·····i	1		1		$\frac{2}{1}$	2		1	2 1	3 1
23	Indian $\left\{egin{matrix} M & \dots \\ F & \dots \end{array}\right\}$	1											
	WASHINGTON.								ŀ			,	
24	Total	10,845	1,531	273	171	116	81	2,172	256	216	374	567	619
25 26	MalesFemales	6,543 4,302	872 659	135 138	87 84	65 51	50 31	1,209 963	135 121	108 108	201 173	336 231	365 254
27	White	10,323	1,459	254	158	105	72	2,049	233	198	353	532	587
28 29	MalesFemales	6,228 4,095	837 622	123 131	81 77	59 47	47 25	1,147 902	125 108	102 96	190 163	311 221	341 246
30	Native	7,041	1,453	245	153	98	69	2,018	219	183	311	391	355
31 32	MalesFemales	3,899 3,142	834 619	119 126	79 74	53 45	45 24	1, 130 888	117 102	93 90	161 150	197 194	168 187
33	Both parents native ${M \choose F}$	1,894 1,623	455 347	75 71	52 43 25 27	32 30 20	21 13 22	635 504	77 60	50 45 39	84 86 61	111 94	78 91 56
34	One or both parents foreign. $\left\{ \begin{matrix} \mathbf{M} \\ \mathbf{F} \end{matrix} \right\}$	1,083 924	316 233	39 52		12	11	422 335	36 39	40	55	62 64	65
35	Parentage unknown $\left\{egin{array}{cccccccccccccccccccccccccccccccccccc$	922 595	63 39	5 3	2 4	3	2	73 49	3	4 5	16 9	2 <u>4</u> 36	34 31
36	Foreign	2,753	5	9	- 5	8	3	30	14	11	39	125	182
37 38	MalesFemales	1,851 902	3	4 5	2 3	6 2	2 1	16 14	8 6	6 5	27 12	102 23	130 52
39	Unknown	529	1					1		4	3	16	50
40 41	MalesFemales	478 51	1		· • • · · · · · · · · ·			1		3 1	2 1	12 4	43 7
42	Colored	522	72	19	13	10	9	123	23	18	21	35	32
43 44	MalesFemales	315 207	35 37	12 7	6 7	6 4	3 6	62 61	10 13	6 12	11 10	25 10	24 8
45	Negro $\left\{egin{array}{c} M \\ F \end{array}\right.$	61 33	2	1	1			3 2	1	1	1	1	2 2 8 4
46	$\begin{array}{cccc} \text{Indian} & & \left\{ \begin{matrix} \mathbf{M} & \cdot \\ \mathbf{F} & \cdot \end{matrix} \right. \\ \text{Chinese} & & \left\{ \begin{matrix} \mathbf{M} & \cdot \\ \mathbf{F} & \cdot \end{matrix} \right. \\ \end{array}$	153 146 27	20 22 2	10 4	3 6	4 4	3 6	40 42 2	• 11	6 11	9 10	13 8 1	8 4
47 48	Chinese $\{F_{n}\}$ Japanese $\{F_{n}\}$	74 28	11	2 2	2	2		17 17	2		1	10 1	14 2

						DEAT	ens at agi	e of—			<b>,</b>				Deaths	Ī
30 to 34 years.	85 to 39 years.	40 to 44 years.	45 to 49 years.	50 to 54 years.	55 to 59 years.	60 to 64 years.	65 to 69 years.	70 to 74 years.	75 to 79 years.	80 to 84 years.	85 to 89 years.	90 to 94 years.	95 to 99 years.	100 years and over.	at un- known age.	
153	171	180	225	249	344	404	497	566	556	436	254	102	28	5	1	] 1
75 78	103 68	97 83	128 97	117 132	191 153	225 179	267 230	296 270	283 273	222 214	120 134	39 63	13 15	5	1	. 2
151	167	180	224	249	343	402	497	563	554	436	254	, 101	28	5	1	4
74 77	100 67	97 83	127 97	117 132	191 152	223 179	267 230	295 268	282 272	222 214	120 134	39 62	13 15	5	1	. 8
121	126	142	174	206	267	301	379	431	424	316	194	76	15	3		. :
55 66	72 54	76 66	94 80	92 114	145 122	169 132	204 175	225 206	· 213 211	165 151	94 100	25 51	6 9	3		
35 28 16 29	4 <u>1</u> 33	42 37	52 43	53 62	82 77	107 78	123 118	145 138 22 20 58 48	137 147	98 108	54 58	14 31	5 5	3	)	10
16 29 4	33 21 14 10	42 37 25 15 9	52 43 28 28 14	53 62 26 30 13 22	82 77 37 26 26 19	78 28 20 34 34	41 15 40 42	22 20	15 21 61 43	5 10	54 58 5 2 35	2 4	<u>i</u> 1			11
9	7	14	9				42		43	62 33	35 40	9 16	. 3		}	12
29	39	36	48	40	71	96	114	122	124	, 111	55	23	11	2		13
18 11	26 13	20 16	32 16	23 17	41 30	50 46	62 52	68 54	67 57	53 58	25 30	13 10	6 5	2		14
1	2	2	2	3	5	5	4	10	6	. 9	5	2	2		1	16
1	2	1 1	1	2 1	5	4 1	1 3	8	2 4	4 5	1 4	1	1		1	12
	4		1		1	2		3	2			1				1
1 1	3		1		1	2		1 2	1			1				2
1 1	3 1		1,		1	2		$\frac{1}{2}$	<u>-</u>			<u>1</u>				2
· · · · · · · · · · · · · · · · · · ·			•••••				•••••	••••••	1			 			)	23
														}		
585 351	569	555	624 407	678	568	610 405	602	658 390	522	359 214	181	55 27	7	9	59	24
234	350 219	372 183	217	458 220	375 193	205	353 249	268	324 198	145	103 78	28	5	7 2	. 51	2: 2:
542	530	517	594	659	553	590	587	646	515	351	175	50	6	2	. 54	-
322 220	320 210	346 171	389 205	442 217	364 189	391 199	346 241	384 262	322 193	211 140	99 76	24 26	2 4	2	48 6	25
300	302	282	323	363	307	353	330	365	301	211	83	30	5	1	8	30
149 151	149 153	173 109	182 141	215 148	191 116	216 137	179 151	201 164	187 114	128 83	41 42	15 15	2 3,	1	4 4	32
66 79 43 46	56 67 51	85 55 54	58 70 57	81 69 55	89 45 37	96 64	70 76 25	97 89 18	78 51 22	52 41 13	26 25	5 10	i 1			33
43 46	49	32	35	34	32	26 21	24	22	14	12	3	2			j	34
40 26	42 37	34 22	67 36	79 45	65 39	94 52	84 51	86 53	87 49	63 30	11 14	8 4	2 2	1	4) 2)	1
201	170	186	209	245	205	206	227	252	201	132	89	18	1	1	9	36
138 63	116 54	. 129 57	146 63	180 65	134 71	146 60	139 88	158 94	125 76	78 54	56 33	8 10	i	1	8 1	37
41	58	49	62	51	41	31	30	29	13	. 8	3	2			37	39
35 6	55 3	44 5	61 1	47 4	39 . 2	29 2	28 2	25 4	10 3	5 3	2	1 1			36 1	4( 41
43	39	38	30	19	15	20	15	. 12	7	8	6	5	1	7	5	42
29 14	30 9	26 12	18 12	16 3	11 4	1 <u>4</u> 6	7 8	6 6	2 5	3 5	4 2	3 2	1	5 2	3 2	42
9	10	. 7	4	9 2 3	535	4 1	3 2				' 1	<b></b>			1)	4
9 3 4 7 2	10 5 9 4 3	72883	4 7 8 7	3 1 2	1	4 5	4 6	1 6 5	1 2 4	2 3 3	. 3	3 2	i	1 5 1	2) 2) 2)	46
	3 8		7	2	1	6									:::::: <u>`</u> }	47
14 4	8	8 2		]											}	48

Table 2.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA, ITS MAIN SUBDIVISIONS, EACH GENERAL NATIVITY, AND PARENT

-		-					DE	ATHS AT AG	E OF—				
	AREA AND SEX, COLOR, AND NATIVITY.	All deaths.	Under 1 year.	1 year.	2 years.	3 years.	4 years.	Under 5 years.	5 to 9 years.	10 to 14 years.	15 to 19 years.	20 to 24 years.	25 to 29 years.
	WISCONSIN.												
1	Total	27,050	5, 184	780	358	236	203	6,761	608	479	685	948	941
3	MalesFemales	15,073 11,977	2,904 2,280	423 357	200 158	114 122	108 95	3,749 3,012	316 292	234 245	385 300	518 430	523 418
4	White	26,895	5,160	774	357	235	202	6,728	603	474	674	935	933
5 6	Males Females	14,987 11,908	2,892 2,268	419 355	200 157	113 122	108 94	3,732 2,996	314 289	232 242	379 295	513 422	520 413
7	Native	16,179	5,142	753	354	228	197	6,674	586	451	617	749	700
8 9	MalesFemales	8, 792 7, 387	2,880 2,262	408 345	200 154	110 118	107 90	3,705 2,969	305 281	218 233	340 277	393 356	373 327
10	Both parents native $\{M, \dots, M\}$	3,721 3,162	1,551 1,203	212 167	102 84	66 68	62 41	1,993 1,563	147 130	95 89	126 89	126 112	115
11	One or both parents foreign. ${\mathbb{A}}$	4,122 3,558	1,194 943	183 166	95 67	42 50	43	1,557 1,274	153 143	114 139	198 180	250 220	236 217
12	Parentage unknown $\left\{ egin{array}{c} M & . \\ F & . \end{array} \right.$	949 667	135 116	13 12	3	2	48 2 1	155 132	5 8	9 5	16 8	17 24	88 236 217 22 22
13	Foreign	10,308	9	16	2	7	5	39	17	22	54	170	214
14 15	MalesFemales	5,860 4,448	8 1	9 7	2	3 4	1 4	21 18	9 8	13 9	36 18	108 62	132 82
16	Unknown	408	9	5	1			15		1	3	16	19
17 18	MalesFemales	335 73	4 5	2 3	1			6 9		1	3	12 4	15 4
19	Colored	155	24	6	1	1	1	33	5	5	11	13	8
20 21	Males Females	86 69	12 12	4 2	····i	1	1	17 16	2 3	2 3	6 5	5 8	3 5
22	Negro $\begin{cases} M \\ F \end{cases}$	29 24	4 5	1				5 5	i		2 2	4 3	2
23	Indian $\left\{egin{array}{ll} \mathbf{M}_{\cdot\cdot\cdot} \\ \mathbf{F}_{\cdot\cdot\cdot} \end{array}\right.$	55 45	8 7	3 2	1	1	1	12 11	2 2	2 3	4 3	5	3 3
24	Chinese $\left\{ egin{array}{ll} \mathbf{M} \\ \mathbf{F} \end{array} \right.$	2										1	
	BIRMINGHAM, ALA.												
25 26	Total	l	229	91	35	30	23	693 386	63	24	95	187 95	100
27	Males Females	1,304 1,176	183	73	29	13	9	307	30	16	51	92	102
28	White	1,172	216	99	29	17	6	367	37	16	34	68	72
29 30	Males Females	615 557	124 92	55 44	18 11	9 8	3	209 158	20 17	11 5	19 15	34 34	29 43
31	Native	1,043	216	97	29	17	6	365	37	16	32	62	61
32 33	MalesFemales	542 501	124 92	55 42	18 11	9 8	3 3	209 156	20 17	11 5	18 14	30 32	22 39
34	Both parents native $\left\{ egin{array}{c} M \\ F \end{array} \right\}$	388 352	100 75	48 33	14 10	8 6	3 3	173 127	20 16	9	13 10	24 22	15 25
35	One or both parents foreign. $\left\{egin{array}{c} \mathbf{M} \\ \mathbf{F} \end{array}\right\}$	52 ·52	17 14	9	4	1 2		26 26	····i	2	3 3	1 2	5
36	Parentage unknown $\left\{egin{array}{c} M \ldots \\ F \ldots \end{array}\right\}$	102 97	7 3	3				10			$\frac{2}{1}$	5 8	5 9
37	Foreign	97		2				2			2	3	8
38 39	Males Females	54 43		2				2			1 1	2 1	6 2
40	Unknown							<u> </u>				3	3
41 42	MalesFemales	19 13										2 1	1 2
43	Colored	1,308	196	65	35	13	17	326	26	24	61	119	130
44 45	MalesFemales	689 619	105 91	· 36	17 18	8 5	11 6	177 149	13 13	13 11	25 36	61 58	71 59
46	OV	689	105	36	17	8	11	177	13	13	25	61	71
-20	, ~~{F	619	91	29	18	5	6	149	13	11	36	58	59

						DEĂTI	HS AT AGE	of—	• 1				•		Deaths
30 to 34 years.	35 to 39 years	40 to 44 years.	45 to 49 years.	50 to 54 years.	55 to 59 years.	60 to 64 years.	65 to 69 years.	70 to 74 years.	75 to 79 years.	80 to 84 years.	85 to 89 years.	90 to 94 years.	95 to 99 years.	100 years and over.	at un- known age.
959	893	940	1,056	1,261	1,240	1,429	1,753	1,889	1,924	1,681	1,098	343	74	14	74
517 442	520 373	524 416	633 423	751 510	724 516	832 597	1,049 704	1,042 847	1,051 873	907 774	556 · 542	154 189	27 47	4 10	57 17
954	891	926	1,052	1,254	1,235	1,417	1,747	1,881	1,919	1,676	1,097	341	73	14	71
513 441	519 372	517 409	631 421	748 506	720 515	823 594	1,045 702	1,036 845	1,047 872	905 771	555 542	154 187	26 47	4 10	54 17
658	576	548	545	649	558	534	502	498	512	437	270	88	16	3	8
335 323	330 246	297 251	296 249	373 276	297 261	300 234	278 224	256 242°	271 241	229 208	143 127	45 43	12 12	3	4
80 78 217 216 38 29	60 45 235 187 35	52 53 206 177 39 21	51 57 218 172 27 20	57 64 268 188 48 24	88 81 167 149 42 31	116 104 111 97 73 33	119 114 84 62 75 48	132 139 35 52 89 51	132 145 37 33 102 63	125 108 15 29 89 71	80 70 15 17 48 40	25 24 4 3 16 16	1 7 1 2 2 3	1	1 1 1 1 1 2 2
271	286	338	456	574	650	860	1,223	1,364	1,393	1,221	820	249	56	11	20
153 118	164 122	183 155	290 166	347 227	402 248	502 358	750 473	764 600	767 626	664 557	409 411	107 142	22 34	47	13 7
25	29	40	51	31	27	23	22	19	14	18	7	4.	1		43
25	25 4	37 3	45 6	28 3	21 6	21 2	17 5	16 3	9 5	12 6	3 4	2 2	1		37 6
5	2	14	4	.7	5	12	6	8	5	5	1	2	1		3
4 1	1	777	2 2	3 4	4 1	9	4 2	6 2	4	2 3	1	2	1		3
2 2 1	. 1	2 4 5 3	1 1 1	1 2 2 2	1 3 1	3 1 6 2	2 1 2 1	· 3 1 3 1	1 3 1	1 2 2	i	2	i		2) 1
			1												
162	192	. 116	119	135	78	113	88	66	51	50	17	8	. 1	. 4	
. 78 84	100 92	66 50	76 43	78 57	42 36	59 54	44 44	29 37	21 30	19 31	7 10	1 7	1	1 3	
59	77	48	43	59	44	62	62	45	37	30	9	3			
29 30	42 35	28 20	29 14	37 22	25 19	32 30	27 35	15 30	13 24	13 17	3 6	3			
51	66	39	34	47	35	49	45	36	31	26	9	2			
24 27	36 30	20 19	24 10	29 18	19 16	25 24	17 28	13 23	12 19	10 16	3 6	2			
14 18	25 20	13 14	1 <u>1</u> 8	11 8	11 8	15 15	10 18	9 14	9 13	4 8	2 3	<u>1</u>			
4 2 6 7	5 2 6 8	1 6 5	$\begin{array}{c} 2\\ 11\\ 2\end{array}$	5 3 13 7	2 8 6	9	3 7 7	1 4 8	1 3 5	6 8	1 3				
7	8	7	5	9	. 6	9	14	9	5	8 4		1			
	2 1	6	2 3	· 6	6	5	8	2 7	1 4	3					
3 1	8	1 2	3 4	3	2 1	5 3	6 3	7	1	1		1			
1	4	2	3	2 1	1	2 1	2 1								
103	4 115	68	. 76	1 76	1 34	1 51	1 26	21	1 14	20	8	5	1	4	
49 54	58 57	38 30	47	41	17 17	27	17	14	8 6	.6	4	1	1	1	
54 49 54	57 58 57		29 47 29	35 41 35	17 17 17	24 27 24	9 17 9	7 14 7		14 6 . 14	4 4	4 1 4	1	3 1 3	

Table 2.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA, ITS MAIN SUBDIVISIONS, EACH GENERAL NATIVITY, AND PARENT

_							DE.	ATHS AT AG	E OF				
	AREA AND SEX, COLOR, AND NATIVITY.	All deaths.	Under 1 year.	1 year.	2 years.	3 years.	4 years.	Under 5 years.	5 to 9 years.	10 to 14 years.	15 to 19 years.	20 to 24 years.	25 to 29 years.
	LOS ANGELES, CAL.												
1	Total	5,001	518	114	43	39	27	741	61	63	117	232	289
2 3	MalesFemales	2,923 2,078	300 218	55 59	21 22	19 20	15 12	410 331	24 37	40 23	64 53	132 100	170 119
4	White	4,745	490	106	39	39	25	699	59	60	111	214	269
5	MalesFemales	2,752 1,993	284 206	49 57	19 20	19 20	14 11	385 314	24 35	40 20	60 51	119 95	159 110
7	Native.	3,256	484	99	39	38	24	684	52	51	88	155	163
8	MalesFemales	1,772 1,484	283 201	47. 52	19 20	19 19	13 11	381 303	19 33	33 18	45 43	82 73	82 81
10	Both parents native $$	815	143	22	9	10	8	192	12 13	16		39	1
11	One or both parents foreign. $\begin{cases} M \\ F \end{cases}$	667 479	85 121	16 24	8 10 11	8	5 5 6	122 169	13 6 18	11	32 25 9 14	38 29 26	39 20
12	Parentage unknown $\left\{ egin{array}{ll} F \\ \end{array} \right\}$	412 478 405	101 19 15	32 1 4	11	9		159 20 22	1 2	15 5 2 2	14 4 4	14 9	44 39 20 23 18 19
13	Foreign	1,337	4	7		1	1	13	6	8	20	56	96
14 15	Males Females	853 484	1 3	2 5		i	1	4 9	5	7	13 7	34 22	68 28
16	Unknown	152	2					2	1	1	3	3	10
17 18	MalesFemales	127 25	2					2	i	1	2	3	9
19	Colored	256	28	8	4		2	42	2	3	6	18	20
20 21	MalesFemales	171 85	16 12	6 2	2 2		1 1	25 17		3	4 2	13 5	11 9
22	Negro	79	6	5	2		1	14			4	6	4
23	Indian. $ \begin{cases} F \\ M \\ F \end{cases} $	69	6	1	2		· · · · · · · · · · · · · · · · · · ·	9	1	3	2	3	8
24	Chinese $\left\{ egin{array}{ll} \mathbf{M} & \cdots \\ \mathbf{F} & \cdots \end{array} \right\}$	50 2	1 4					1 4				1	2
25	Japanese $\left\{ egin{array}{l} m{M} \\ m{F} \end{array} \right.$	42 13	6 5	1			1	7 7	1			6 2	5 1
	OAKLAND, CAL.		240										-
26 27	Total	1,984	134	51 31	30	17	8	349 191	35	19	20	81	81 47
28	Females	896	109	20	14	11	4	158	13	7	14	37	34
29 30	White <u>M</u> ales	1,861	233	50 31	26 16	14	.8	331	33	19	33	71 39	75
31	Females	855	105	19	10	10	4	183 148	20 13	7	14	32	43 32
32	Native	1,158	231	50	25	13	7	326	32	18	26	56	52
33 34	Males Females	610 548	127 104	31 19	15 10	4 9	3 4	180 146	19 13	11 7	18 8	28 28	29 23
35	Both parents native $\left\{ egin{matrix} M \\ F \end{array} \right\}$	239 220 265	61 41 · 60	8 4	3 4 12	2 7 2	2 1 1	76 57	8 7	4 4 7	8 2 10	17 11 11 15	11 5
36	One or both parents foreign. $\begin{cases} M \dots \\ F \dots \end{cases}$	265 227 106	60 60 6	23 15	6	2 2	2	57 98 85 6	11 6	3	5	15	14 14 4 4
37	Tarentage unknown\F	101	3				1	4			i	2	ł J
38 39	Foreign	679 372	2		1	1	1	5	1	1	7	15 11	13
40	Females	307	i			1		2			6	4	9
41 42	Unknown	24											1
43	Females	· · · · · · · ·											
44 45	Colored	123	10	1	4	3		18	2		1	10	6
46	Females	82 41	4	i	4	2 1	· · · · · · · · ·	8 10	2		1	5 5	4 2
47	Negro $\left\{egin{array}{c} \mathbf{M} \dots \\ \mathbf{F} \dots \end{array}\right\}$	30 22	3	i	2	1		3	1			1 2	2 1
48	Chinese	41 11 11	1 1 2		·····i	1 1		3 2 3 2	1		1	1 2 3	2
49	Japanese $\left\{egin{array}{c} \mathbf{M} \\ \mathbf{F} \end{array}\right\}$	8	3		1			4		[:::::]		1	ii

	•			·		DEATI	IS AT AGE	of—			•				Deaths
30 to 34 years.	85 to 39 years.	40 to 44 years.	45 to 49 years.	50 to 54 years.	55 to 59 years.	60 to 64 years.	65 to 69 years.	70 to 74 years.	75 to 79 years.	80 to 84 years.	85 to 89 years.	90 to 94 years.	95 to 99 years.	100 years and over.	at un- known age.
306	320	297	. 329	329	307	336	347	357	260	167	98	35	6	, 4	
208 98	212 108	193 104	202 127	199 130	183 124	186 150	195 152	199 158	140 120	95 72	47 51	20 15	3 3	1 3	
288	295	272	305	304	297	318	341	351	258	165	96	33	6	4	
193 95	196 99	176 96	183 122	180 124	175 122	174 144	191 150	195 156	139 119	93 72	47 49	19 14	3 3	1 3	
171	188	162	178	185	188	198	209	222	169	110	60	19	4		
109 62	113 75	94 68	95 83	98 87	99 89	94 104	104 105	117 105	- 100 69	58 52	33 27	14 5	2 2		
42 27	42 37	33 27	38 31	40 38	42 44	44 47	52 57	56 39	43 32 11	24 26	18 11 3 2	5 2 1	1		
42 27 40 15 27 20	42 37 38 19 33 19	33 27 27 20 34 21	38 31 25 23 32 29	38 19 20 39	42 44 25 15 32	44 47 15 20 35 37	52 57 14 10 38 38	9 14 52 52	11 4 46 33	24 26 3 3 31 23	3 2	1 1 8	1		
	ľ		1.	29	30		1	1	1	_	12 14	2			
102 70	88	92	74	103	102 69	110 71	123	116	85 36	53	32	14 5	2	1	
32	65 23	65 27	38	33	33	39	81 42	48	49	34 19	12 20	9	1	3	
15 14	-	18	15 14	16	7	10	9	13	3	2	2				
1	1	1	1	4		1	3	3	3 1	1	2				
18 15		25	19	25 19	10	18	6	6	1	2 2	2	1			
3	9	8	5	6	8 2	6	2	2	1		2	1			
4 2	11 8	. 10 8	7 5	6 5	4 2	3 6	1 1	2 2	1 1	1	2	1			
		4	10	ii	3	9	3 1	2		i					
11 1	5 1	3	2	1 2	1										
82	92	102	101	123	114	158	144	159	135	104	50	16	4	1	
60 22	50 42	58 44	64 37	68 55	59 55	76 82	75 69	82 77	73 62	51 53	27 23	6 10	3	1	
74	86	93	92	112	104	147	135	149	134	103	50	15	4	1	
52 22	46 40	51 42	56 36	64 48	52 52	67 80	67 68	76 73	72 62	51 52	27 23	6 9	3 1	i	
49	- <del> </del>	57	53	63	46	65	52	68	52	53	27	4	1		
· 32		33 24	29 24	30 33	21 25	25 40	22 30	39 29	25 27	20 33	17 10	3	1		
7 4 16 12 9 1	9	12	1 <u>1</u>	12 16	3 12	13 16	7 12	16 14	11 16 . 2	9 17	9	1			
16 12 0	4 9 17 16 7 5	12 4 15 10 6	11 8 13 10 5 6	12 16 10 13 8 4	3 12 10 7 . 8 6	13 16 5 13 7	7 12 7 7 8 11	16 14 10 6 13	. 2	9 17 6 5 5	3				
		1	l	1	i	1	;	ļ	12 11	1 .	5 4	1			
24 19		34	36	45	57 30	77	81	81	80 45	50 31	23	. 11	3	1	
19 5		16 18	24 12	30 15	30 27	37 40	43 38	37 44	1	31 19	10 13	3 8	Ĩ	1	
1		2	3	4	1	5	2 2		2 2						
8	·	9	9	11	10		9	10							
8	·	7 2	8 1		7 3	9	8 1	6	1	1		1			
••••••	2	1	1	7	1	9 2	1 2	4		1		1			
4 1	. 2	3 2 3	1 1 6	1 2 3 4	2 2 5	2 2 7	6	. 3	1	1		i			
3	.	1		. 4	1			Ĭ	ļ						

Table 2.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA, ITS MAIN SUBDIVISIONS, EACH GENERAL NATIVITY, AND PARENT

=						<u></u>	DE.	ATHS AT AC	E OF—				
	AREA AND SEX, COLOR, AND NATIVITY.	All deaths.	Under 1 year.	1 year.	2 years.	3 years.	4 years.	Under 5 years.	5 to 9 years.	10 to 14 years.	15 to 19 years.	20 to 24 years.	25 to 29 years.
	SAN FRANCISCO, CAL.												
1	Total	6,495	665	136	68	38	29	936	82	70	109	238	282
2 3	MalesFemales	4,071 2,424	382 283	74 62	34 34	23 15	20	533 403	51 31	34 36	53 56	154 84	169 113
4	White	6,142	642	127	60	35	26	890	78	• 68	104	226	254
5 6	MalesFemales	3,771 2,371	369 273	69 58	29 31	21 14	17 9	505 385	47 31	32 36	50 54	146 80	149 105
7	Native	3,207	640	127	56	35	23	881	73	63	87	161	147
8 9	MalesFemales	1,884 1,323	367 273	69 58	27 29	21 14	16	500 381	45 28	29 34	38 49	99 62	78 69
10	Both parents native $\prod_{F}^{M}$ .	599 431	147 101	31 20	13 9	8 7	4 4	203	18	7	16	36	} I
11	One or both parents foreign $\begin{pmatrix} M & \\ F & \end{pmatrix}$	891 670	165 119	35 35	14 18	13 7	12 3	141 239 182	14 27 14	10 21 23	20 19 <b>2</b> 6	26 48 30	21 18 42 39 15
12	Parentage unknown ${f M} \cdot .$	394 222	55 53	3	2			58 58		1	3 3	15 6	15 12
13	Foreign	2,753	1		2		2	5	5	5	17	63	102
14 15	Males Females	1,719 1,034	1		1 1		1	3 2	2 3	3 2	12 5	45 18	66 36
16	Unknown	182	1		2		1	4				2	5
17 18	Males. Females	168 14	1		1 1		1	2 2				2	5
19	Colored	353	23	9	8	3	3	46	4	2	5	. 12	28
20 21	MalesFemales	300 53	13 10	5 4	5 3	2	3	28 18	4	2	3 2	8 4	20 8
22	Negro $\left\{egin{array}{l} M \\ F \end{array}\right.$	26 16	3				1	1 3		1	i	2 1	3
23	Chinese. $\left\{egin{array}{c} \mathbf{M} \\ \mathbf{F} \end{array}\right\}$	232 28	13 6	$\frac{2}{2}$	5 2	2 1	1	23 11	3	i	2 1	3 2	10
24	Japanese $\left\{egin{array}{c} \mathbf{M} \ldots \\ \mathbf{F} \ldots \end{array}\right\}$	42 9	·····i	3 2	1		1	4	1		1	3 1	10 2
or	DENVER, COLO.												
25 26	Total	2,023	475 269	96	36 16	27	19	653	59	52	69	163	218
27	Females	1,418	206	47	20	14 13	14 5	362 291	25 34	28 24	34 35	85 78	126 92
28 29	White Males	3,305	460	95	34	27	18	634	58	50	66	156	198
30	Females	1,943 1,362	260 200	49 46	15 19	14 13	14 4	352 282	24 34	27 23	34 32	81 75	111 87
31 32	Native	2,402	452	93	. 34	25	18	622	55	46	61	128	159
33	Females	1,357 1,045	255 197	47 46	15 19	13 12	14	344 278	21 34	25 21	30 31	64 64	85 74
34	Both parents native $\left\{\begin{array}{c} M \\ F \end{array}\right\}$	597 516	121 100	22 26	9 14	7 6	8	167 147	11 13	11 14	18 14	38 34	37 46
35 36	One or both parents foreign. $\begin{cases} M \\ F \end{cases}$ Parentage unknown $\begin{cases} M \\ F \end{cases}$	396 327 364	87 72 47	21 20 4	6 5	6 2	5 3 1	123 106 54	10 20	10 7 4	14 8 14	16 22 10	33 17 15
37	Foreign Tarentage unknown Foreign	202	25					25	1	•••••	3	8	11
38	Males	815 527	1	2		1		5 4	3	3 2	5	27 16	34
39	Females	288				î		1		1	1	11	21 13
40	Unknown	88 59	7					7		1		1	5
42	Females	29	3					3		1		1	5
43 44	Colored	136	15	1	2 .		1	19	1	2	3	7	20
45	Females	56	6	1	1		1	10 9	1	1	3	3	15 5
46	Negro $\begin{cases} M \\ F \\ M \end{cases}$	74 54 3	9 6	···· 1	1		·····i	10 9	1	1 -	3	4 3	13 5
47 48	Tononoso (M	3											2
10	Japanese{F}							· · · · · · · · · · · · · · · · · · ·				:::::	<u> </u>

•						DEAT	ES AT AGE	OF-			,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,		<del></del>		Deaths
30 to 34 years.	35 to 39 years.	40 to 44 years.	45 to 49 years.	50 to 54 years.	55 to 59 years.	60 to 64 years.	65 to 69 years.	70 to 74 years.	75 to 79 years.	80 to 84 years.	85 to 89 years.	90 to 94 years.	95 to 99 years.	100 years and over.	at un- known age.
-															
380	404	318	486 347	501 347	445	497	442	390	364	245	118	34	7	1	
133	276 128	146	139	154	308 137	332 165	270 172	216 174	204 160	130 115	63 55	18 16	1 6	1	
361	381	436	445	455	400	469	430	379	361	245	118	34	7	1	
231 130	258 123	292 144	311 134	301 154	265 135	304 165	259 171	207 172	202 159	130 115	63 55	18 16	1 6	1	
220	204	232	209	210	149	130	124	98	99	75	35	8	2		
129 91	121 83	149 83	130 79	128 82	96 53	88 42	74 50	59 39	56 .43	44 31	18 17	3 5	2		
25 30	33 18 74 52	30 15	22 17	31 22	. 19 . 13	31 13	26 20	26 18	27 15	16 12	10 6	2 3			
25 30 76 50 28 11	74 52	15 82 58 37	22 17 79 53 29 9	31 22 57 45 40	19 13 48 26 29	31 13 27 22 30	26 20 22 17 26 13	26 18 10 8 23 13	27 15 10 13 19	8	2 5	1			
11	14 13	10	9	15	14	7	26 13	23 13	19 15	20 13	6	1 1	2		
127	158	176	206	214	240	315	299	278	261	169	82	25	5	1	
88 39	120 38	115 61	155 51	145 69	159 81	192 123	179 120	145 133	145 116	86 83	44 38	14 11	1 4	i	
14	19	28	30	31	11	24	7	3	1	1	1	1			
14	17 2	28	26 4	28 3	10 1	24	6 1	3	1	i	1	1			
19	23	28	41	46	45	28	12	11	3						
16 3	18 5	26 2	36 5	46	43 2	28	11	9 2	2 1						
	5	4	4 2		3	1	2 1	2	1						
7 2	7 3	^ 18 1	30 3	44	40 1	27	9	1 7 1	1					••••••	••••••
9 1	6	4	2	2											
244	219	224	213	212	206	209	207	176	152	96	50	13	5		1
172 72	117 102	144 80	136 77	137 75	142 64	131 78	131 76	95 81	74 78	44 52	28 22	9 4	3		1
229	212	213	201	202	201	203	· 203	173	146	92	49	13	5		1
163 66	114 98	136 77	131 70	129 73	138 63	126 77	129 74	93 80	72 74	43 49	28 21	9 4	2 3		1
165	156	153	117	123	113	113	118	91	89	53	31	6	3		
114 51	81 75	99 54	68 49	76 47	75 38	63 50	76 42	48 43	40 49	27 26	17 14	3 3	1 2		
40	34	39 26	23	29 19	31	23	26	21	24	15	8	2			
29 32 10 42 12	29 23 30 24 16	30 22 30 6	23 18 30 19 15 12	20 14	17 19 14	22 15 10	23 15 4 35	20 5 4	26 1	8 4 3	8 1 1	3 1			
42 12	24 16	30 6	15 12	20 14 · 27 14	19 14 25 7	15 10 25 18	35 15	22 19	10 15 13	8 15	8 5		1 2		
60	51	53	78	69	77	84	78	73	53	38	17	4	2		1
46 14	31 20	33 20	57 21	46 23	55 22	59 25	50 28	39 34	29 24	16 22	10 7	4	1 1		1
4	5	7	6	10	11	6	7	. 9	4	1	1	3			
3 1	2 3	4 3	6	7 3	8 3	4 2	3 4	6	3 1	i	. 1	. 2			
. 15	7	11	12	10	5	6	4	3	6	4	1				
9	3	8 3	5 7	8	4 1	5 1	2	2	2 4	1					
6 i 9	3	7		. 2	1 3	1 5	2 2	1 2		3 1	1				
	4	3	6	i	ĭ	ĭ	2	î	2 4	3	1				
6			1	i											•••••••

Table 2.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA, ITS MAIN SUBDIVISIONS, EACH GENERAL NATIVITY, AND PARENT

		4.77					DE.	ATHS AT AG	E OF—				
	AREA AND SEX, COLOR, AND NATIVITY.	All deaths.	Under 1 year.	1 year.	2 years.	3 years.	4 years.	Under 5 years.	5 to 9 years.	10 to 14 years.	15 to 19 years.	20 to 24 years.	25 to 29 years.
	BRIDGEPORT, CONN.												
1	Total	1,472	339	63	20	14	10	446	23	17	33	46	53
2 3	MalesFemales	787 685	191 148	31 32	16 4	8 6	4 6	250 196	8 15	9 8	18 15	20 26	26 27
4	White	1,437	332	59	20	14	10	435	23	15	32	45	51
5 6	Males Females	769 668	187 145	28 31	16 4	8 6	4 6	243 192	8 15	8 7	18 14	20 25	24 27
7	Native	942	328	57	17	13	9	424	19	14	25	31	30
8 9	Males Females	495 447	185 143	27 30	13 4	7 6	4 5	236 188	5 14	7 7	15 10	14 17	14 16
10	Both parents native $\prod_{F}^{M}$	142 166	30 40	3 3	3		i	36 47	1	1	4 2	4 7	. 6
11	One or both parents foreign. $\left\{egin{array}{c} M \\ F \end{array} ight.$	305 241	153 100	24 27	10 1	7 6	4 4	198 138	4 14	1 5 4	10 7	10	7 5 7
12	Parentage unknown $\left\{egin{array}{c} \mathbf{M} & \mathbf{K} \\ \mathbf{F} & \mathbf{K} \end{array}\right\}$	48 40	3					2 3		1 2	i	<u>-</u>	3 2
13	Foreign.	480	3	2	3	1	1	10	4	1	7	14	20
14 15	Males Females	263 217	2	1 1	3	1	1	7 3	3 1	1	3 4	6 8	9
16	Unknown	15	1					1					1
17 18	MalesFemales	11 4	i					1					1
19	Colored	35	7	4				11		2	1	1	2
20 21	MalesFemales	18 17	4 3	3				7 4		1	1	1	2
22	Negro	17	4	3				7		1			2
23	Indian $\begin{cases} \mathbf{F} \\ \mathbf{M} \\ \mathbf{F} \end{cases}$	17 1	3	1				4		1	1	1	
	NEW HAVEN, CONN.				••••••						**********		
24	Total	2;281	413	91	39	24	9	576	45	31	47	68	88
25 26	MalesFemales	1, 174 1, 107	216 197	46 45	21 18	10 14	5 4	298 278	25 20	22 9	28 19	30 38	51 37
27	White	2, 173	390	86	37	21	9	543	43	27	46	61	81
28 29	MalesFemales	1,118 1,055	202 188	44 42	20 17	8 13	5 4	279 264	25 18	19	. 27 19	25 36	. 46 35
30	Native	1,388	388	79	34	20	9	530	40	21	39	38	46
31 32	MalesFemales	722 666	201 187	41 38	17 17	8 12	5 4	272 258	25 15	13 8	23 16	14 24	23 23
33	Both parents native $$ ${rac{M}{F}}$	247 246	57 53	5 8	2 4	2 2	$\begin{smallmatrix}1\\2\\4\end{smallmatrix}$	67 69	7 3	3 3	10 6	7 3	4 7
34	One or both parents foreign. $\left\{egin{array}{c} \mathbf{M} \ldots \\ \mathbf{F} \ldots \end{array}\right\}$	405 352	141 131	36 30	15 13	6 10	$\begin{bmatrix} \tilde{4} \\ 2 \end{bmatrix}$	202 186	17 11	10	13 10	7 18	17 12
35	Parentage unknown $$	70 68	3 3					3 3	1			8	2 4
36	Foreign	763	1	7	3	1		12	3	5	7	23	34
37 38	MalesFemales	380 383	1	3 4	3	i		7 5	3	5	4 3	11 12	22 12
39	Unknown	22	1					1		1			1
40 41	MalesFemales	16 6	1					1		1			1
42	Colored	108	23	5	2	3		33	2	4	1	7	7
43 44	MalesFemales	56 52	14 9	2 3	1 1	2 1		19 14	2	3 1	1	5 2	5 2
45	Negro $\left\{egin{array}{ll} M & \dots & \left\{egin{array}{ll} M & \dots & \left\{egin{ar$	56 52	14 9	2 3	1 1	2		19 14	2	3 1	1	5 2	5 2

0 to 34 years.         35 to 39 years.         40 to 44 years.         45 to 49 years.         50 to 54 years.         55 to 59 years.         60 to 64 years.         65 to 69 years.         70 to 74 years.         75 to 79 years.         80 to 84 years.         85 to 89 years.         90 to 94 years.         100 years and over.           65         • 74         79         79         402         71         82         98         68         67         40         17         8         2		•	•	<del></del>											***	
66	80 to 34	25 to 29	40 to 44	45 to 49	50 to 54	55 to 59	1		ī	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 years	known
Section   Sect	years.	years.	years.	years.	years.	years.	years.	years.	years.	years.	years.	years.	years.	years.	and over.	age.
Section   Sect																
St		<u> </u>												2		2
28	· 34 31	40 34	52 27	1 53 26	58 44	38 33	45 37	51 47	26 42	24 43	. 19 . 21	11 6	4 4	2		, 1 1
37   30   32   39   44   39   32   42   29   33   25   11   5   1		69			102		78					17	8	2		2
10	34 30	39 30	51 27	53 25	58 44	38 32	42 36	50 46	25 41	- 23 - 43	19 21	11 6	4 4	2		1
7         4         5         5         6         5         7         9         8         13         15         14         10         6         9         15         9         9         12         15         13         14         12         12         9         2         15         13         14         12         1		30	32		44	39	32	42	29	33	25	11	5	1		
	16 21	19 11	19 13	27 12	20 24	23 16	16 16	21 21	8 21	13 20	13 12	7 4	2 3	i		
	7	4 5	6	5	7	. 9	8	13	. 5	8	10	6	2			
	9	13	9 9	15 6	9	1 9	2 2	5	1 1							
16	i	2	4 2	7	2	5	6 4	3 4	2 7	4 6	3 4	1				
2	25	39	45	38	57	31	46	50	36		14	5	2	1		2
1	16 9	20 19	. 31 14	25 13	37 20	15 16	26 20	27 23	16 20	i0 23	6 8	3 2	1 1	<sub>1</sub>		1 1
1 5 1 1 1 1 4 2 2 1 1	2		1	1	1			4	1		1	1	1			·
1         5         1         1         4         2         2         1	2		1	1	1			2 2	1		1	1	1			
103 118 115 113 117 139 173 167 147 102 73 37 15 6 1	1	5	1	1		1	4		2	1						
103 118 115 113 117 139 173 167 147 102 73 37 15 6 1		1 4	1				3	1	1	1						
103 118 115 113 117 139 173 167 147 102 73 37 15 6 1		1	1	ĺ			3	!	<b></b>	1						
103         118         115         113         117         139         173         167         147         102         73         37         15         6         1          60         63         52         69         84         88         68         43         34         8         5         3         1           60         63         52         69         84         88         68         43         34         8         5         3         1 <td>1</td> <td>4</td> <td></td> <td>1</td> <td></td> <td>1</td> <td>1</td> <td>1</td> <td>1</td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td>	1	4		1		1	1	1	1							
60 68 70 45 45 65 70 89 79 79 59 39 29 10 3 1	,		*********													
97 112 108 107 111 1 133 166 163 144 102 73 36 14 5 1	103	118	115	113	117	139	173	167	147	102	73	37	15	6	1	
97 112 108 107 111 1 133 166 163 144 102 73 36 14 5 1	60 43	68 50	70 45	68 45	52 65	69 70	84 89	88 79	68 79	43 59	34 39	8 29	5	3		
54     68     68     55     58     58     57     61     62     56     39     21     9     5        31     39     45     36     25     30     35     30     33     22     16     4     4     4     2       9     111     9     9     7     13     20     21     18     13     12     3     2     2       20     26     30     20     13     14     11     17     17     18     13     12     3     2     2       14     16     17     19     16     9     5     6     3     9     9     4     3     2     2       2     2     2     2     2     4     5     6     8     9     9     4     3     2     1       12     2     2     2     2     4     5     6     8     9     9     4     3     2     1       24     26     20     28     24     35     45     53     33     22     1     18     4     1     1     1     1     1     1     1     1<											<del></del>		-		<b></b>	
54     68     68     55     58     58     57     61     62     56     39     21     9     5        31     39     45     36     25     30     35     30     33     22     16     4     4     4     2       9     111     9     9     7     13     20     21     18     13     12     3     2     2       20     26     30     20     13     14     11     17     17     18     13     12     3     2     2       14     16     17     19     16     9     5     6     3     9     9     4     3     2     2       2     2     2     2     2     4     5     6     8     9     9     4     3     2     1       12     2     2     2     2     4     5     6     8     9     9     4     3     2     1       24     26     20     28     24     35     45     53     33     22     1     18     4     1     1     1     1     1     1     1     1<	56 41	66 48	67 41	66 41	50 61	67 66	80 86	87 76	66	43 59	34 39	8 28	5	2 3		
$\begin{array}{cccccccccccccccccccccccccccccccccccc$			l .	i	ĺ			1	i			1	i	!		
$\begin{array}{cccccccccccccccccccccccccccccccccccc$	31	39	45	36	25	30	35	30	33	22	16	4	4	2		
2     2     6     7     5     7     7     6     8     9     9     4     3     2     1				1		13	ł				1	ł	1	1		••••••
2     2     6     7     5     7     7     6     8     9     9     4     3     2     1	9 20	11 26	30	1 20	13 13	14	11 8	17 4	17 4	21 2	1 1	14	3	2		
42     42     38     47     52     73     109     96     80     45     34     15     5      1       24     28     22     28     24     35     45     53     32     21     18     4     1     4      1       1     2     2     2     1     2      6     2     1       1	2	2 2	6 2	7 2	5 4		7	5 8	11	7		3	2			
24     28     20     28     24     35     45     53     32     21     18     4     1	42		l .		1		1	İ	1		i	j	l	ļ	1	
1     2     2     1     2     1     2     1     2     1     1     1     2     1 <td>24 10</td> <td>28</td> <td>20</td> <td>28</td> <td>. 24</td> <td>35</td> <td>45</td> <td>53</td> <td>32</td> <td>21</td> <td><del></del></td> <td></td> <td></td> <td></td> <td></td> <td>,</td>	24 10	28	20	28	. 24	35	45	53	32	21	<del></del>					,
1     1     2     2     1     2     1 <td></td> <td>J</td> <td>1</td> <td>l</td> <td>1</td> <td> </td> <td>04</td> <td>Į</td> <td></td> <td></td> <td>10</td> <td>11</td> <td>4</td> <td></td> <td></td> <td></td>		J	1	l	1		04	Į			10	11	4			
6     6     7     4     3     1     1     1     1       4     2     3     2     2     2     4     1     2     1 <td></td> <td></td> <td>Í</td> <td>l</td> <td></td>			Í	l												
4     2     3     2     2     2     4     1     2       2     4     4     4     4     4     4     3     3     1       4     2     3     2     2     2     4     1     2       2     4     4     4     4     3     3     1	 д	i	7	ıa.	R	F	7	ł	'	1						
$egin{array}{c c c c c c c c c c c c c c c c c c c $												·	·			
,		i .	1	1	1		ì		1			i	1			•••••••
	2				4	. 4	3	3	2	[		1	<u>1</u> -	l <sup>1</sup>		

Table 2.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA, ITS MAIN SUBDIVISIONS, EACH GENERAL NATIVITY, AND PARENT

=	1.						DE	ATHS AT AG	E OF—		· · · · · · · · · · · · · · · · · · ·		
	AREA AND SEX, COLOR, AND NATIVITY.	All deaths.	Under 1 year.	1 year.	2 years.	3 years.	4 years.	Under 5 years.	5 to 9 years.	10 to 14 years.	15 to 19 years.	20 to 24 years.	25 to 29 years.
	WASHINGTON, D. C.												
1	Total	6,304	955	209	75	36	25	1,300	93	83	145	. 286	276
2 3	MalesFemales	3,410 2,894	523 432	97 112	39 36	14 22	10 15	683 617	43 50	50 33	68 77	139 147	147 126
4	White	3,739	491	85	34	22	11	643	48	39	58	138	119
5 6	Males Females	2,088 1,651	278 213	40 45	18 16	11 11	5 6	352 291	21 27	26 13	28 30	72 66	64 55
7	Native	3,021	489	84	33	22	11	639	46	38	56	128	108
8 9	MalesFemales	1,655 1,366	278 211	40 44	18 15	11 11	5 6	352 287	21 25	26 12	26 30	66 62	57 51
10	Both parents native ${M \choose F}$	1, 107 976	197 153	32	13 12	7	3	252	15 18	21	24	46	38
11	One or both parents foreign $\begin{cases} M \\ F \end{cases}$	280 231	46 33	30 3 9	4	9 3 1	1 1	208 57 45	18 5 3	9 3 3	22 2 5	48 9	36 10
12	Parentage unknown ${M \choose F}$	268 159	35 25	5 5	$\frac{1}{2}$	1 1	1 1	43 34	1 1	2	3	8 11 6	10 9 5
13	Foreign	657	1		1	_ 		2	1	1	1	9	10
14 15	MalesFemales	392 265	1		1			2	i	i	1	5 4	6
16	Unknown	61	1	1				2	1		1	1	1
17 18	MalesFemales	41		;							1	1	1
19	Colored	20 2,565	464	1 124	41	14	14	657	1 45	44	87	140	
20	Males	1,322 1,243	245	57	21	3	5	331	22	24	40	148	154
21	Females		219 245	67 57	20 21	11	9	326	23	20	47	81	83 71
22	Negro	1,318 1,241	219	67	20	3 11	5 9	331 326	22 23	24 20	40 47	67 81	82 71
23 24	$\begin{array}{cccc} \text{Indian} & & & \frac{M}{F} \\ \text{Chinese} & & & \frac{M}{F} \\ \end{array}$	2 4											
21	·	•••••											
25	ATLANTA, GA.	3,172	480	155	85	48	19	707	70	E1	120	007	900
26 27	MalesFemales		I	86	45	24	11	787 411	70 33	51 25	139	227 94	208
		1,530 1,642	245 235	69	40	24	8	376	37	26	83	133	122
28	White	1,677	268	79	38	20	13	418	36	19	54	87	85
29 30	Males Females	831 846	151 117	41 38	20 18	11 9	7 6	230 188	16 20	12 7	27 27	38 49	35 50
31	Native	1,574	266	79	38	20	12	415	35	19	51	80	80
32 33	Males Females	770 804	150 116	41 38	20 18	11 9	6	228 187	15 20	12 7	27 24	34 46	33 47
34	Both parents native $$	674 695	133 102	40 35	19 18	10 8	6	208 169	14 18	12	26 21	31 41	29 47
35	One or both parents foreign $ {f M}$	45 58	13 9	1 3	ĩ	1		16 13	1 2		1 3	2 3	2
36	Parentage unknown $\left\{egin{array}{c} \mathbf{M} \\ \mathbf{F} \end{array}\right\}$	51 51	4 5					4 5				1 2	2
37	Foreign	87					1	1			1	7	4
38 39	MalesFemales	51 36	:				1	1			1	4 3	1 3
40	Unknown	16	2		<u></u>		<u></u>	2	1		2		1
41 42	Males Females	10 6	1 1					1 1	1		2		1
43	Colored	1,495	212	76	47	28	6	369	34	32	85	140	123
44 45.	MalesFemales	699 796	94 118	45 31	25 22	13 15	4 2	181 188	17 17	13 19	29 56	56 84	51 72
46	Negro $\left\{egin{array}{c} M \\ F \end{array}\right.$	698 796	94 118	45 31	25 22	13 15	4 2	181 188	17 17	13 19	29 56	56 84	51 72
47	Chinese $\left\{egin{array}{c} \widetilde{\mathbf{M}}_{-} \\ \mathbf{F}_{-} \end{array}\right]$	î				10			11	15	30	01	

Deaths							of	HS AT AGI	DEAT						
at un- known age.	100 years and over.	95 to 99 years.	90 to 94 years.	85 to 89 years.	80 to 84 years.	75 to 79 years.	70 to 74 years.	65 to 69 years.	60 to 64 years.	55 to 59 years.	50 to 54 years.	45 to 49 years.	40 to 44 years.	35 to 39 years.	30 to 34 years.
3	6	13	45	121	211	343	445	478	405	342	367	307	357	370	313
•	3 3	1 12	17 28	50 71	97 114	178 165	262 183	271 207	213 192	177 165	208 159	176 131	216 141	220 150	190 123
		2	38	101	170	280	358	367	277	205	194	178	183	190	151
		2	14 24	43 58	82 88	147 133	213 145	209 158	151 126	112 93	118 76	107 71	120· 63	114 76	95 56
· · · · · · · · · · · · · · · · · · ·		1	26	71	111	179	240	263	202	172	156	142	152	164	127
		i	7 19	27 44	50 61	92 87	133 107	150 113	111 91	93 79	93 63	81 61	96 56	96 68	78 49
			6	21 34	1					60	57	1	61	ì	
		1	16	34 5 3	36 45 6 9 8 7	62 64 15 13 15 10	89 89 18 12 26	95 82 15 16 40 15	70 73 17 10 24 8	54 · 23 17	32 24 17 12 14	52 31 . 15 . 20 14 10	34 20 16 15	53 45 21 18 22 5	49 35 15 5 14 9
			1 1 2	1 7	8 7	15 10	26 6	40 15	24 8	10 8	12 14	14 10	15 6	22 5	14 9
· • • • • • • • • • • • • • • • • • • •		1	11	29	59	96	109	95	68	27	31	33	27	23	24
		·····í	6 5	15 14	32 27	52 44	73 36	54 41	35 33	15 12	20 11	24 9	21 6	16 7	17 7
			1	1		5	9	9	7	6	7	3	4	3	
			1	1		3 2	7 2	5 4	5 2	4 2	5 2	2	3 1	2	
1	6	11	. 7	20	41	63	87	111	128	137	173	129	174	180	162
1	3 3	10	3 4	7 13	15 26	31 32	49 38	62 49	62 66	65 72	90 83	69 60	· 96 78	106 74	95 · 67
1	3	1 10	3	7	15	31 32	49	62	62	64	90 83	68 60	95 78	106 74	95 67
	3	10	4	12 1	26	3Z	38	49	66	71 i		00	10		
										1		1	1		
1	5	1	6	28	58	94	128	151	151	148	193	165	163	206	192
i	.4	1	2 4	14 14	23 35	39 55	67 61	76 75	58 93	76 72	106 87	91 74	78 85	92	112
1			2	20	48	81	104	112	101	85	98	65	75	106	80
i			2	12 8	21 27	34 47	55 49	52 60	40 <b>61</b>	· 51 34	54 44	33 32	37 38	55 51	29 51
			2	18	39	72	91	105	93	81	92	61	69	98	73
			2	10 8	16 23	29 43	44 47	48 57	37 56	49 32	50 42	30 31	34 35	48 50	26 47
			i	8 7	9 17	26 36	35 37	40 45	32 52	42 26	43 30	28 27	26 32	43 42	22 40
				<u>1</u>	2 2 5	2 2 1 5	1 2 8 8	3 5 5 7	3 3 2 1	2 3 5 3	1 7 6 . 5		3 2 5 1	3 4 2 4	3 4 1
			····i	2	5 4	5	8 8	7	1	3	. 5	2 2 2	1	4	3
				2	9	9	11	7	8	3	6	4	3	7	
				2	5 4	5 4	9 2	3	3 5	1 2	2	3	1 2	6	. 3
1							2			1			3	1	2
·····i							2			1			2 1	1	1 1
<u></u>	5	1	4-	8	10	13	24	39	50	63	95	100	88	100	112
	1 4	1	2 2	2 6	2 8	5 8	12 12	24 15	18 32	25 38	52 43	58 42	41 47	59 41	51 61
	1 4		2 2	2	2 8	5 8	12 12	24 15	18 32	25 38	51 43 1	58 42	41 47	59 41	51 61
	4	1	2	6		8	Iz	19	02	00	1	42	41	***	0.1

Table 2.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA, ITS MAIN SUBDIVISIONS, EACH GENERAL NATIVITY, AND PARENT

***************************************							DEAT	HS AT AGE	of—				
	AREA AND SEX, COLOR, AND NATIVITY.	All deaths.	Under 1 year.	1 year.	2 years.	3 years.	4 years.	Under 5 years.	5 to 9 years.	10 to 14 years.	15 to 19 years.	20 to 24 years.	25 to 29 years.
	CHICAGO, ILL.	·											
1	'Total	32,531	6, 252	1,416	648	485	339	9,140	923	497	790	1,383	1,501
2 3	Males Females	18,947 13,584	3,657 2,595	762 654	355 293	258 227	183 156	5,215 3,925	487 436	265 232	433 357	779 604	860 641
4	White	31,478	6, 155	1,373	640	473	332	8,973	899	482	748	1,310	1,425
5 6	MalesFemales	18,344 13,134	3,600 2,555	738 635	352 288	257 216	182 150	5,129 3,844	474 425	257 225	410 338	740 570	818 607
7	Native	18,537	6,133	1,342	615	460	317	8,867	829	433	588	814	796
8 9	Males. Females.	10,623 7,914	3,583 2,550	724 618	333 282	247 213	176 141	5,063 3,804	435 394	227 206	322 266	451 363	436 360
10	Both parents native $\{M, F\}$	2,725 2,126	956 647	138 112	74 61	66 51	47 28	1,281 899	127 115	47 61	80 45	81	102
11	One or both parents foreign. $\left\{ egin{align*}{c} \mathbf{M} \\ \mathbf{F} \end{array} \right\}$	6,750 5,069	2,464 1,798	577 501	254 219	179 160	128 111	3,602 2,789	304 276	178 144	237 212	83 335 252	287 245
12	Parentage unknown $\left\{egin{array}{c} \mathbf{M} \ldots \\ \mathbf{F} \ldots \end{array}\right\}$	1,148 719	163 105	9 5	5 2	2 2	1 2	180 116	4 3	2	5 9	35 28	90 287 245 47 25
13	Foreign	12,665	19	28	24	13	14	98	70	48	155	484	609
14 15	MalesFemales	7,480 5,185	14 5	13 15	18 6	10 3	5 9	60 38	39 31	30 18	85 70	280 204	365 244
16	Unknown	276	3	3	1		1	8		1	5	12	20
17 18	MalesFemales	241 35	3	1 2	1		1	6 2		i	3 2	9	17 3
19	Colored	1,053	97	43	8	12	7	167	24	15	42	73	76
$\frac{20}{21}$	MalesFemales	603 450	57 40	24 19	3 5	1 11	1 6	86 81	13 11	8 7	23 19	39 34	42 34
22	Negro $\left\{egin{array}{ll} \mathbf{M} \dots \\ \mathbf{F} \dots \end{array}\right\}$	569	56	24	3	1	1	85	13	8	22	36	41
23	Chinese $\left\{ egin{array}{ll} M & \dots & \left\{ egin{array}{ll} M & \dots & \left\{ egin{array}{ll} F & \dots & \left\{ egin{array}{ll} M & \dots & \left\{ B & \dots & \left\{ $	450 32	40 1	19	5	11	6	81 1	11	7	19 1	34 2	34
24	Japanese $\left\{egin{array}{ll} \mathbf{M} & \mathbf{F} \\ \mathbf{F} & \mathbf{I} \end{array}\right\}$	2										i	1
	INDIANAPOLIS, IND.							ĺ					
25	Total	3,530	419	67	48	38	16	588	59	63	105	169	160
26 27	Males Females	1,911 1,619	235 184	35 32	33 15	21 17	12 4	336 252	37 22	31 32	43 62	82 87	80 80
28	White	3,029	359	54	34	32	14	493	48	53	84	140	137
29 30	MalesFemales	1,641 1,388	206 153	28 26	21 13	17 15	10 4	282 211	29 19	25 28	37 47	67 73	68 69
31	Native	2,489	359	54	34	31	14	492	46	50	79	133	121
32 33	MalesFemales	1,337 1,152	206 153	28 26	21 13	16 15	10	281 211	28 18	23 27	34 45	63 70	58 63
34	Both parents native $\left\{ egin{array}{c} M \\ F \end{array} \right\}$	854 784	172 132	23 24	16 10	11 13	7 4	229 183	21 17	17	26	52	44
35	One or both parents foreign. $\left\{egin{array}{c} \mathbf{F} \\ \mathbf{F} \end{array}\right\}$	287 212	27 18	5 2	2 3	3 2	3	l 40 l	6	19 5 6	37   7 7	57 11 7	45 12 14
36	Parentage unknown ${ m f M} \cdot .$	196 156	7 3		3	2		25 12 3	ī	1 2	i 1	6	14 2 4
37	Foreign	511				1		1		3	5	7	15
38 39	MalesFemales	285 226				1		1		2	3 2	4 3	9 6
40	Unknown	29							2				1
41 42	MalesFemales	19 10							1 1		• • • • • • • • • • • • • • • • • • • •		1
43	Colored	501	60	13	14	6	2	95	11	10	21	29	23
44 45	MalesFemales	270 231	29 31	7 6	12 2	4 2	2	54 41	8 3	6 4	6 15	15 14	12 11
46	Negro $\left\{egin{array}{ll} \mathbf{M} & \cdots \\ \mathbf{F} & \cdots \end{array}\right\}$	269 231	29 31	7 6	12 2	4 2	2	54 41	8 3	6	6	15 14	11
47	Chinese, $\left\{ egin{array}{c} \mathbf{M} & \mathbf{K} \\ \mathbf{F} & \mathbf{K} \end{array} \right\}$	ī											11

Deaths at un-							OF-	IS AT AGE	DEAT		<u>',                                    </u>		· · · · · ·		
known age.	100 years and over.	95 to 99 years.	90 to 94 years.	85 to 89 years.	80 to 84 years.	75 to 79 years.	70 to 74 years.	65 to 69 years.	60 to 64 years.	55 to 59 years.	50 to 54 years.	45 to 49 years.	40 to 44 years.	35 to 39 years.	30 to 34 years.
;	4	33	130	358	683	1, 135	1,286	1,635	1,729	1,811	2,140	2,047	1,887	1,843	1,574
	4	9 24	49 81	136 222	303 380	535 600	661 625	930 705	1,011 718	1,150 661	1,395 745	1,337 710	1,240 647	1,181 662	969 605
	3	32	126	350	676	1,126	1,270	1,608	1,690	1,746	2,060	1,958	1,789	1,735	1,470
	3	8 24	49 77	132 218	301 375	531 595	652 618	919 689	983 707	1,117 629	1,348 712	1, 276 682	1,182 607	1,105 630	911 559
	1	7	28	97	186	271	321	401	470	597	758	718	753	862	740
	1	- 6	9 19	31 66	80 106	124 147	158 163	229 172	276 194	392 205	489 269	456 262	473 280	516 346	455 285
		4	5 9	19 40	46 55	73 80 19	84 84	88 82	86 78	134 77	114 64	84 55	103 56	73 81 351	98 68
·		2 1	·····i	2 6	6	19 15 32	84 84 26 36	88 82 57 39 84 51	86 78 83 72 107	77 161 84 97	64 252 157 123	84 55 252 164 120	293 172	351 213	98 68 305 177 52 40
• • • • • • • • • • • • • • • • • • • •	1	1	. 49	10 20	28 38	32 52	48 43	84 51	107 44	97 44	123 48	43	77 52	213 92 52	40
	2	25	96	253	489	851	936	1,191	1,201	1,122	1,276	1,203	998	850	708
·	2	7 18	38 58	101 152	220 269	403 448	484 452	678 513	691 510	701 <sup>,</sup> 421	836 440	786 417	674 324	566 284	436 272
			2		.1	4	13	16	19	27	26	37	38	23	22
		• • • • • • • • • • • • • • • • • • • •	2		1	4	10 3	· 12	16 3	24 3	23 3	34 3	35 3	23	20 2
·	1	1	4	8	7	9	16	27	39	65	80	89	98	108	104
	1	1	4.	4	2 5	4 5	9 · 7	11 16	28 11	33 32	47 33	61 28	58 40	76 32	58 46
	i	1	4	4	2 5	4 5	8 7	10 16	27 11	31 32 2	41 33 6	59 28	51 40	71 32	55 46 3
							1	1	1	2	6	2	7	5	3
								••••••							
. ]	2	7	17	44	122	210	255	251	231	233	239	195	184	211	184
		2 5	7	15	59	89 121	139	147	138 93	· 124 109	140	121 74	100	116	105
	1	7	10	29	109	202	231	222	· 201	204	204	173	152	95	79 146
		2	7	14	50 59	84 118	125 106	128 94	123 78	114	118	106 67	83 69	97 69	82 64
	1	5 3	. 8	27 24	65	118	144	161	145	90 164	86 175	149	129	146	129
		1	4	5	26 39	53	80	· 91	89 56	90	102	89 60	72 57	81	67
	••••••	2	3 2	19	39 17	74 22	64	70 53	56 48	74 54	73 52	48	37	65 43	62 45
			2 1	3 10	28	46	44	38	37 17 9	36	47	36	32 i	30 I	40
		1	1,	4 2 5	3 2 6 9	8 4 23 24	13 8 26 12	14 13 24 19	24 10	20 20 16 18	31 16 19 10	29 17 12 7	21 15 14 10	32 28 6 7	17 15 5 7
	. 1	4	8	17	44	75	85	57	54	35	24	22	21	18	15
	1	1 3	3 5	9	. 24	· 31	45 40	34 23	32 22	20 15	12 12	16 6	11 10	15 3	13 2
							2	4	2	5	. 5	2	2	2	2
							2	3 1	2	4	4 1	1 1	2	1 1	2
1	1		2 .	3	13	8	24	29	30	29	35	22	32	45	38
	1			$\frac{1}{2}$ .	9	5 3	14 10	19 10	15 15	10 19	22 13	15 7	17 15	19 26	23 15
			2 .	1 .	9 .	5	14	19 10	15 15	10 19	22 13	15	17 15	19	23 15
ĺ	1		2 .	2	4	3	10	10	15	19	13	7	15	26	15

Table 2.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA, ITS MAIN SUBDIVISIONS, EACH GENERAL NATIVITY, AND PARENT

-							DE.	ATHS AT AG	E OF—				
	AREA AND SEX, COLOR, AND NATIVITY.	All deaths.	Under 1 year.	1 year.	2 years.	3 years.	4 years.	Under 5 years.	5 to 9 years.	10 to 14 years.	15 to 19 years.	20 to 24 years.	25 to 29 years.
	LOUISVILLE, KY.												
1	Total	3,661	441	123	51	50	28	693	69	51	122	172	191
2 3	Males Females	1,981 1,680	259 182	63 60	25 26	29 21	11 17	387 306	35 34	29 22	53 69	86 86	102 89
4	White	2,597	343	75	32	32	16	498	50	32	60	106	122
5 6	Males Females	1, 432 . 1, 165	202 141	36 39	15 17	19 13	9 7	281 217	25 25	19 13	30 30	54 52	69 53
7	Native	2,035	339	74	32	32	16	493	48	32	60	99	116
8 9	MalesFemales	1,120 915	199 140	35 39	15 17	19 13	9 7	277 216	25 23	19 13	30 30	47 52	66 50
10	Both parents native $\left\{ \begin{array}{ll} M \\ F \end{array} \right\}$	596 565	160 114	30 35	12 13	18 11	9 7	229 180	23 21	17 12	20 22	27 38	35 34
11	One or both parents foreign. $\left\{egin{array}{c} \mathbf{M} & \mathbf{F} \\ \mathbf{F} & \mathbf{F} \end{array}\right\}$	271 177	21 10	30 35 2 3 3	3 4	1		27 18	2	2	20 22 8 6	38 14 7	35 34 24 11 7 5
12	Parentage unknown $\dots \qquad \stackrel{M}{\underset{F}{\dots}}$	253 173	18 16	3 1		····i		· 21	i	••••••	2 2	6 7	7 5
13	Foreign	518		1				1	1			5	4
14 15	Males Females	278 240		1				1	i			5	2 2
16	Unknown	44	4					4	1			2	2
17 18	Males. Females.	34 10	3					3 1	i			2	1
19	Colored	1,064	98	48	19	18	12	195	19	19	62	66	69
20 21	Males Females	549 515	57 41	27 21	10 9	10 8	2 10	106 89	10 9	10 9	23 39	32 34	33 36
22	Negro $\left\{ egin{array}{c} M \\ F \end{array} \right.$	549 515	57 41	27 21	10 9	10 8	2 10	106 89	10 9	10 9	23 39	3 2 34	33 36
1	· NEW ORLEANS, LA.												
23	Total	7,055	1,071	251	112	55	44	1,533	123	104	206	372	398
24 25	MalesFemales	3,846 3,209	586 485	128 123	61 51	29 26	22 22	826 707	67 56	63 41	98 108	199 173	243 155
26	White	4, 208	662	163	68	31	23	947	65	46	82	146	189
27 28	MalesFemales	2,322 1,886	367 295	84 79	39 29	17 14	8 15	515 432	35 30	31 15	49 33	82 64	113 76
29	Native	3, 221	662	162	68	31	23	946	64	46	74	133	167
30 31	MalesFemales	1,808 1,413	367 295	83 79	39 29	17 14	8 15	514 432	34 30	31 15	45 29	71 62	99 68
32	Both parents native	1,091 870	312 249	71 70 12	34 20	12 10	7 13	436 362	30 24 4	27 11 4	36 25 9	58 51 11	73 46
33	One or both parents foreign (F.	651 494 66	52 45 3	9	5 9	5 4	1 2	75 69 3	6	4	3	10 2	73 46 21 19 5
34	Parentage unknown $\left\{ egin{matrix} M_{-} \\ F_{-} \end{array} \right\}$	49	1					1			1	1	3 22
35 36	Foreign	977 504		1				1	1		8	13	14
37	Females	504 473		ļ					<del>-</del> -		4	2	8
38 39	Unknown Males	10											
40	Females		100								404	900	900
41 42	Colored	2,847	219	88	22	12	21	586 311	58 32	58 32	124 49	226 117	209 130
43	Females	1,323	190	44	22	12	7	275	26	26	75	109	130 79
44 45	Negro. $\begin{cases} M \\ F \end{cases}$ Chinese. $\begin{cases} M \\ M \end{cases}$	1,511 1,323 13	218 190 1	44 44	22 22	12 12	14 7	310 275 1	32 26	32 26	49 75	117 109	129 79 <b>1</b>

						DEAT	HS AT AGE	of—				<u></u>		N-10-3	Deaths	T
30 to 34 years.	35 to 39 years.	40 to 44 years.	45 to 49 years.	50 to 54 years.	55 to 59 years.	60 to 64 years.	65 to 69 years.	70 to 74 years.	75 to 79 years.	80 to 84 years.	85 to 89 years.	90 to 94 years.	95 to 99 years.	100 years and over.	at un- known age.	
199	231	209	249	219	221	, 237	224	209	176	100	56	. 17	4		12	,
108 91	144 87	122 87	139 110	135 84	137 84	122 115	120 104	100 109	87 89	39 61	21 35	7 10	4		8 4	1 2
125	151	126	153	148	153	194	176	184	158	92	47	14	3		5	=
68 57	92 59	69 57	90 63	92	101 52	104 90	98 78	93 91	81 77	36 56	18 29	7 7	3		5	5
119	134	113	136	126	121	126	89	74	79	38	20	9	2		1	
63. 56	83 51	61 52	83 53	· 74 52	77 44	64 62	51 38	- 37 37	39 40	13 25	5 15	5 4	2		1	-1
	30	1		20 16		1	18 . 18	10	17	5 17	4 10	3	ļ		1	
31 33 24 14 8 9	25 37 15 16 11	19 25 23 20 19	29 19 28 22 26 12	16 26	30 15 18 13 29 16	28 33 16 16 20 13	19	23 6 2	22 4 5	17 2 1		2				11
8 9	16 11	19	26 12	26 18 28 18	29 16	20 13	4 24 16	21 12	18 13	$\frac{1}{6}$	3 1 2	1 2	2		••••••	12
4	16	. 9	15	17	30	65	83	107	78	52	25	5	1			13
3 1	8	5 4	6 9	14 3	· 23	, 37 28	44 39	53 54	41 37	22 30	12 13	2 3	1			14 15
2	1	4	2	5	2	3	4	3	1	2	2				4	١
2	1	3 1	1 1	4 1	1 1	3	3 1	3	1	1 1	1 1				4	-1
74	80	83	96	71	68	43	48	25	18	8	9	3	1		7	1
40 34	52 28	53 30	49 47	43 28	36 32	18 25	22 26	7 18	6 12	3 5	, 3 6	3			3	20 21
40	52	53 30	49	43	36	18	22	7	6	3 5	3	0	1		4 31	
34	28	30	47	28	32	25	26	18	12	5	6	3	1		4)	22
390	467	478	447	440	406	427	354	314	287	175	80	23	18	10	3	23
231 159	266 201	285 193	269 178	267 173	233 173	226 201	184 170	149 165	. 119 . 168	77 98	31 49	2 21	7	· 1	3	24 25
202	230	266	258	293	266	283	261	228	218	138	61	19	6	2	2	26
115 87	148 82	171 95	165 95	182 111	154 112	155 128	135 126	103 125	84 134	62 76	19 42	2 17	. 1	1 1	2	-1
183	204	241	214	226	194	160	135	84	89	38	16	5	. 2			29
100 83	130 74	· 151 90	131 83	138 88	116 78	90 70	63 72	40 44	37 52	16 22	2 14	5	2		••••••	30 31
60	69	58	44		51	37	19	20	14	8 12	2 5		•••••			32
60 51 40 31	46 59 28	40 91 48 2 2	44 36 83 43 4	49 37 86 47 3	22 57 56 8	25 44 38 9 7	29 33 35 11	20 17 17 22 3 5	29 15 17 8 6	12 2 7	5 7	2 3	1		{	33
1	2	2 2	4	3 4	8	9	11 8	3 5	8 6	6 3	. 2		·····i			34
19	25	24	43	65	72	121	126	144	128	100	45	14	4	2		35
15 4	17 8	19 5	31 12	42 23	38 . 34	63 58	. 72 54	63 81	46 82	46 54	17 28	2 12	1 3	1		36 37
	<u> </u>	1	1	2		2			. 1						2	
	1	1	1	2.		2			1						2	39 40
188	237	212	189	147	140	144	93	86	69	37	19	4	, 12	8	1	41
116 72	118 119	114 98	106 83	85 62	79 61	71 73	49 44	46 40	35 34	15 22	12 7	4	6 6	8	1	42 43
116 72	116 119 2	113 98 1	106 83	83 62 2	78 61 1	69 73 2	· 48	45 40	35 34	15 22	11 7 1	4	6	8	1)	1
	2	î j		. 2	1	2	ī	ĩ			i			[ <u>-</u>	}	45

Table 2.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA, ITS MAIN SUBDIVISIONS, EACH GENERAL NATIVITY, AND PARENT

=					,		DE.	ATHS AT AG	E OF—				
	AREA AND SEX, COLOR, AND NATIVITY.	All deaths.	Under 1 year.	1 year.	2 years.	3 years.	4 years.	Under 5 years.	5 to 9 years.	10 to 14 years.	15 to 19 years.	20 to 24 years.	25 to 29 years.
	BALTIMORE, MD.												,
1	Total	10,407	1,960	434	158	98	78	2,728	201	138	260	383	494
2 3	Males Females	5,495 4,912	1,044 916	237 197	85 73	53 45	45 33	1,464 1,264	110 91	79 59	113 147	201 182	278 216
4	White	7,757	1,433	311	113	71	53	1,981	143	92	161	229	290
5 6	Males. Females.	4, 138 3, 619	761 672	167 144	69 44	41 30	32 21	1,070 911	81 62	57 35	74 87	123 106	167 123
7	Native	5,925	1,420	316	109	71	52	1,962	138	84	150	196	235
8 9	MalesFemales	3, 153 2, 772	756 664	167 143	65 44	41 30	32 20	1,061 901	79 59	52 32	68 82	100 96	131 104
10	Both parents native $$	1,552 1,440	399 343	89 78	44 30	28 18	17 8	577 477	59 42 16	29 18	45 45 19	57 60	75 67
11	One or both parents foreign. $\{F, \dots, F\}$	919 832	196 172	67 57	13 12	12 10	14 9	302 260	15	17 12	32	30 24 13	32 24 24
12	Parentage unknown $\left\{ egin{align*} egin{align*} H \dots \\ F \dots \end{array} \right.$	682 500	161 149	11 8	8 2	$\frac{1}{2}$	3	182 164	4 2	6 2	4 5	12.	13
13	Foreign	1,738	6	1	2 2		1	10	1	$\frac{7}{4}$	11	31	53
14 15	Males Females	820	4	1	ļ		1	6	3	3	6 5	9	35 18
16	Unknown	94	7		2			9	1	1		2	2
17 18	Males Females	67 27	3 4		2			5 4	1	1		1	1 1
19	Colored	2,650	527	123	45	27	25	747	58	46	99	154	204
20 21	Males Females	1,357 1,293	283 244	70 53	16 29	12 15	13 12	394 353	29 29	22 24	39 60	78 76	111 93
22	Negro $\left\{egin{array}{c} M \dots \\ F \end{array}\right.$	1,353 1,291	283 244	70 53	16 29	12 15	13 12	394 353	29 28	22 24	39 60	78 75	111 93
23	Indian	2 2							1			1	
24 25	$\begin{array}{ccc} \text{Chinese.} & \left\{\begin{matrix} M \\ F \end{matrix}\right. \\ \text{Japanese.} & \left\{\begin{matrix} M \\ M \end{matrix}\right. \\ \end{array}\right.$	2											
20	BOSTON, MASS.	• • • • • • • • • • • • • • • • • • • •							•••••				
26	Total.	11,765	2,246	475	179	127	93	3,120	217	120	220	325	489
27	Males	6, 234 5, 531	1,266	254	87	75	57	1,739	114	59	106	178 • 147	248 241
28 29	Females	11,393	2,188	221 452	92	124	36 90	3,025	103	112	208	309	460
30	Males	6,039 5,354	1,235	241	81	73	54	1,684	109	55	102	170	230
31 32	Females Native	5,354 6,857	953 2,176	211 439	90 162	51 115	36 83	1,341 2,975	99 196	57 91	106 146	139 181	230 251
33	Males.	3,687	1,228	232	77	66	50	1,653	103	46	65	105	119
34	Females	3,170	948	207	85	49	33	1,322	93	45	81	76	132
35	Both parents native $\begin{bmatrix} M \\ F \end{bmatrix}$	1,204 1,134 2,157	291 245 823 608	42 49 182 152	11 20 64	12 18 54	. 12 15 . 38 18	368 347 1,161	23 24 79 68	16 12 30	26 25 39 54	34 25 68 50	43 75
36 37	One or both parents foreign. $\left\{egin{array}{l} M \\ F \end{array}\right.$ Parentage unknown $\left\{egin{array}{l} M \\ F \end{array}\right.$	2,157 1,731 326	114	8	64	31	18	873 124	1	32	<b></b>	3	41 43 75 85 3 4
38	Foreign	305 4,372	95	6 13	9	9	7	102 43	1 11	21	62	1 125	200
39	Males Females	2, 233 2, 139	3	9	4 5	7	4	27	6	9	37	63	104
40 41	FemalesUnknown	2,139 164	7	4	5	2	3	16 7	5 1	12	25	62	96 9
42	Males. Females	119	4					· 4				2	7 2
43	Females	45 372	3 58	23	8	3	3	3 95	9	8	12	1 16	2 29
44	Males	195	31	13	6	2	3	55	. 5	4	4	8	18
46	Females	177	27	10	2	1		40	4	4	8	8	1 1
47 48	Negro. $\begin{cases} M & \\ F & \\ \end{cases}$ Indian. $\begin{cases} M & \\ M & \\ \end{cases}$	178 177 1	31 27	13 10	6 2	2 1	3	55 40	4 4	4 4	3 8	7 8	17 11
48	$\begin{array}{ccc} \text{Indian.} & & & \\ \text{F} & & \\ \text{Chinese.} & & \\ \text{F} & & \\ \end{array}$	16							i		i	·····i	1

						DEAT	HS AT AGE	of—	•						Deaths
30 to 34 years.	85 to 89 years.	40 to 44 years.	45 to 49 years.	50 to 54 years.	55 to 59 years.	60 to 64 years.	65 to 69 years.	70 to 74 years.	75 to 79 years.	80 to 84 years.	85 to 89 years.	90 to 94 years.	95 to 99 years.	100 years and over.	at un- known age.
	1							27.0		074	150		10		,
461 261	270	531 289	538 312	394 303	580 317	619 337	627 317	618 309	468 199	354 149	158 79	57 11	16 4	5 2	
261 200 316	204 303	289 242 354	392	303 506	263 446	282 511	310 553	309 530	269 419	205 327	79 140	46 49	12	. 2	
185 131	180 123	200 154	233 159	297	246	286 225	275 278	261	182	138 189	68 72	11 38	3 10	1 1	
131 247	123 230	154 257	159 288	209 363	200 315	225	325	269 307	237 229	166	. 59	28	3	1	
146 101	139	139 118	165 123	202 161	174 141	197 145	169 156	149 158	93 136	64 102	21 38	4 24	3	i	
	60	1	1	64	73	85			ł		!	1 8	1		
73 55 52 38 21 8	44 49 24 30 23	47 46 56 50 36 22	52 38 78 65 35	58 77 70	60 54 55 47	71 56 49 56	74 86 34 33 61 37	85 83 24 40	45 87 13 16 35 33	38 69 · 13 18 20	13 25 2 6	5	1		
21 8	30 23	36 22	. 35 20	61 33	47 26	56 25	61 37	40 35	35 33		. 6	3 11	1	i	,
63	66	87	98	128	123	164	219	217 110	186 86	159	81 47	20	10	1	
35 28	35 31	54 33	63 35	81 47	64 59	86 78	101 118	107	100	73 86	34	13	3 7	ļ	
6	6	10	5	15	8	5 3	5	6 2	3	1		1			
2	6 1	3	146	1		108	4 74	4 88	3 1 49	1 1 27	18	1 8	3	3	
145 76	90 81	177 89 88	79 67	191 97	71 63	51 57	42 32	48	17	11 16	11		1 2	1	
69 74	81 90		ì	94	63	57 51	42	40 48	32 17	11 11 16	7 11	8	1	1	
69	81	89 88	78 67	94	63	57	32	40	32	16	7	8	2	2	
i					1										
1			1	,											
505	649	685	678	743	686	811	769	665	483	356	161	68	14	1	
305 200	377 272	418 267	380 298	420 323	359 327	400 411	377 392	328 337	211 272	126 230	60 101	26 42	2 12	1	
486	622	658	649	718	665	794	757	653	476	351	160	68	13	1	
295 191	362 260	405 253	366 283	404 314	351 314	393 401	371 386	321 332	207 269	126 225	59 101	26 42	11	1	
242	290	282	253	320	290	304	301	238	192	179	82	35 14	9		
152 90	169 121	162 120	133 120	180 140	164 126	171 133	153 148	117 121	88 104	63 116	29 53	21	8		
46 25 102 58 4 7	44 29 113 85 12 7	45 30 107 79 10	45 35 77	62 47 104 76 14 17	62 50 77	81 72 63 40 27 21	99 82 28	79 72 19 24 19	60 83 9 7	82 5	18 34	10 13 1 2	4		
58 4	85 12	79 10	45 35 77 75 11 10	76 14	62 50 77 60 25 16	40 27	99 82 28 45 26 21	24 19	7 19 14	144 82 5 14 14 20	3 11 16	2 3 6	3		
. 7 230			375	376	368	480	445	25 . 411	281	169	76	33	4	1	
134 96			219 156	207 169	·	214 266	211 234	200 211	116 165	62 107	28 48	12 21	1 3	1	
14	1	20	,	22	7	10	11	4	1	3	2				
9 5		16 4	14 7	17 5	6 1	8 2	7	4	. 3	. 1	2				
19	27	27	29	2,5	21	17	12	12	.   <del> </del>	5	1		. 1		
10 9		13 14	14 15	16 9	8 13	7 10	6 6	7 5	4 3	5	1		i	-	
8	13 12	1	11 15	14 9	6 13	6 10	6	7 5	4 3	5	. 1			-	
			-		1	• • • • • • • • • • • • • • • • • • • •			-					-	
2	2	1	3	2	1	1				.)	1	1	1	]	

Table 2.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA, ITS MAIN SUBDIVISIONS, EACH GENERAL NATIVITY, AND PARENT

=						·	DE	ATHS AT AG	E OF—				
	AREA AND SEX, COLOR, AND NATIVITY.	All deaths.	Under 1 year.	1 year.	2 years.	3 years.	4 years.	Under 5 years.	5 to 9 years.	10 to 14 years.	15 to 19 years.	20 to 24 years.	25 to 29 years.
	CAMBRIDGE, MASS.												
1	Total	1,617	297	54	36	25	18	430	41	32	42	40	51
2 3	MalesFemales	812 805	185 112	30 24	22 14	15 10	6 12	258 172	26 15	13 19	19 23	13 27	27 24
4	White	1,518	280	50	32	21	18	401	40	31	39	37	47
5 6	Males Females	758 760	173 107	28 22	18 14	14 7	6 12	239 162	25 15	12 19	17 22	12 25	25 22
7	Native	972	279	48	29	19	16	391	37	28	33	28	32
8 9	MalesFemales	509 463	172 107	27 21	15 14	12 7	6 10	232 159	23 14	11 17	14 19	10 18	17 15
10	Both parents native $$	157 168	37 23	4	3 3	1 1	3	48 34	2 3	3 4	2 5	5	5 6 11
11	One or both parents foreign. $\left\{ \begin{matrix} \mathbf{M} \\ \mathbf{F} \end{matrix} \right\}$	317 264	131 80	$\begin{array}{ccc}  & \frac{3}{4} \\  & 21 \\  & 17 \end{array}$	11 11	1Î 6	3 3 7	177 121	21 11	8 12	12 14	4 5 14	11 9 1
12	Parentage unknown $\left\{ egin{array}{c} M_{-} \\ F_{-} \end{array} \right\}$	35 31	4	2	1			7 4		i			1
13	Foreign	536	1	2	2	2	2	9	3	3	6	9	15
14 15	Males Females	240 296	1	1	2	2	2	6 3	2 1	1 2	3	2 7	8 7
16	Unknown	10			1			1,					
17 18	MalesFemales	9 1			1			1					
19	Colored	99	17	4	4	4		29	1	1	3	3	4
20 21	MalesFemales	54 45	12 5	2 2	4	1 3		19 10	1	1	2 1	1 2	2 2
22	Negro $\left\{ egin{matrix} M & \dots & \dots \\ F & \dots & \dots \end{array} \right.$	54 45	12 5	2 2	4	. 1		19 10	1	1	2 1	$\frac{1}{2}$	2 2
	FALL RIVER, MASS.												
23	Total	2, 134	810	160	55	24	16	1,065	36	28	34	57	47
24 25	MalesFemales	1, 103 1, 031	462 348	72 88	29 26	12 12	5 11	580 485	24 12	12 16	16 18	26 31	19 28
26	White	2, 131	809	160	55	24	16	1,064	36	28	34	57	46
27 28	Males Females	1, 101 1, 030	461 348	72 88	29 26	12 12	5 11	579 485	24 12	12 16	16 18	. 26 31	18 28
29	Native	1,388	802	154	51	20	16	1,043	31	24	25	31	18
30 31	MalesFemales	755 633	455 347	69 85	27 24	9 11	5 11	565 478	22 9	11 13	12 13	14 17	8 10
32	Both parents native $$	115 104	46 41	8 11	2 3 25	2 2 7	1	59 58	1	1 1 10	1 1	2 2 12 15	2 1
33	One or both parents foreign. $\begin{Bmatrix} \mathbf{M} \\ \mathbf{F} \end{Bmatrix}$	616 514	394 298	60 73 1	25 20	7 9	4 9	490 409	20 9	10 12	1 11 12	12 15	6 9
34	Parentage unknown ${M \choose F}$ .	24 15	15 8	1	i		i	16 11	1	• • • • • • • • • • • • • • • • • • • •		• • • • • • • • • • • • • • • • • • • •	
35	Foreign	739	6	6	4	4		20	5	4	9	26	28
36 37	MalesFemales	342 397	5 1	3 3	$\begin{bmatrix} 2\\2 \end{bmatrix}$	3 1		13 7	2 3	3	5	12 14	10 18
38	Unknown	4	1					1					
39 40	Males Females	4	1	,				1				· · · · · · · · · · · · · · · · · · ·	
41	Colored	3	1			·····		1					1
42 43	Males Females	2 1	1					1					1
44	Negro $\left\{ egin{matrix} M & \dots \\ F & \dots \end{array} \right\}$	2 1	1					1					1

		•				DEAT	HS AT AGE	OF-							Deaths at un-
BO to 84 years.	85 to 39 years.	40 to 44 years.	45 to 49 years.	50 to 54 years.	55 to 59 years.	60 to 64 years.	65 to 69 years.	70 to 74 years.	75 to 79 years.	80 to 84 years.	85 to 89 years.	90 to 94 years.	95 to 99 years.	100 years and over.	known age.
57	76	68	77	94	96	91	112	100	87	72	35	12	2	2	
23 34	· 47 29	32 36	35 . 42	49 45	52 44	39 52	57 55	44 56	38 49	28 44	6 29	4 8	2	2	
53	71	62	67	83	91	83	110	96	86	71	34	12	2	2	
$\frac{22}{31}$	44 27	29 33	30 37	43 40	50 41	' 35 48	56 54	42 54	• 38 48	28 43	5 29	4 8	2	2	
30	37	27	28	43	42	30	42	35	45	36	- 23	. 4	1		
11 19	24 13	16 11	10 18	21 22	27 15	13 17	25 17	- 18 17	18 27	14 22	4 19	1 3	1		
4 7 7	5 3 17	4 2 12	3 9 6• 8	7 6	12 7 11	7 9 5 5	16 11	7 8	12 16	13 17	1 15	1 1	1		
12	8 2	9.	1	14 16	· 4	5	- 6 2	7 8 7 6 4 3	1 7 5	1 1 4	3 4	1			
23	2     34	34	37	39	46	52 52	68	61	. 41	34	11	1 8	1	2	
11 12	20 14	12 22	18 19	· 21 · 18	21 25	21 31	31 37	24 37	20 21	13 21	1 10	3 5	1	2	
	14	1	2	1	3	1				1,					
		1	2	1	2 1	1				1					
4	5	6	10	11	5	8	2	4	1	1	1				
1 3	3 2	3 3	5 5	6 5	2 3	4 4	1	2 2	i	1	1				
1 3	3 2	3 3	5 5	6 5	2 3	4 4	• 1	2 2	i	1	1				
62	75	82	64	75	. 100	95	111	80	57	42	16	6	1	1	
32 30	36 39	41 41	35 29	26 49	47 53	59 36	57 54	37 43	· 24	·20 22	7 9	4 2	1	i	
62	75	82	64	. 75	99	95	111	-80	57	42	16	6	1	1	
· 32	36 39	41 41	35 29	26 49	47 52	59 36	57 54	37 43	24 33	20 22	7 9	4 2	1	i	
26	28	20	16	15	24	17	15	15	17	17	4	1		1	
15 11	12 16	12 8	11 5	8	16 8	10 7	. 7	11.	10 7	7 10	3 1	1		1	
1 1 14 10	1 3 11 13	3 2 9	4 1 7 3	2 2 5	. 5 1 11	1 5 5	6 7 1	10 3	7 5 3 1	5 9 1	3 1	1		1	
70	10	6	°	6	7	. 4 2	1	1 1	<u>1</u>	1					
36	47	62	47	58	75	78	96	65	40	25	12	5	1		
17 19	24 23	29 33	23 24	17 41	31 44	49 29	49 47	. 26 39	14 26	13 12	4 8	3 2	1		
			1	2											
	<del>-</del>		1	2											
		<u> </u>			1										
					1										

Table 2.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA, ITS MAIN SUBDIVISIONS, EACH GENERAL NATIVITY, AND PARENT

-							DE	ATHS AT A	E OF—				
	AREA AND SEX, COLOR, AND NATIVITY.	All deaths.	Under 1 year.	1 year.	2 years.	3 years.	4 years.	Under 5 years.	5 to 9 years.	10 to 14 years.	15 to 19 years.	20 to 24 years.	25 to 29 years.
	LOWELL, MASS.												
1	Total.	1,925	486	97	35	21	10	649	32	18	36	55	72
$\frac{2}{3}$	Males Females	985 940	272 214	39 58	24 11	16 5	6 4	357 292	16 16	14 4	20 16	· 31	34 38
4	White	1,921	486	97	35	21	10	649	32	18	36	55	72
5 6	MalesFemales	982 939	272 214	39	24 11	16 5	,6 4	357 292	16 16	14 4	20 16	31 24	34 38
7	Native	1,169	485	92	34	19	9	639	31	16	22	31	35
8 9	Males. Females.	624 545	271 214	38 54	24 10	14 5	5 4	352 287	16 15	13	14 8	22 9	14 21
10	Both parents native. $\binom{M}{F}$ .	140 150	44 32	3 4	3 1	3	1	53 38	1 4	2	i	4 2	2
11	One or both parents foreign. $\left\{egin{array}{c} \mathbf{M} \ldots \mathbf{F} \end{array}\right\}$	435 360	215 178	33 50 2	21 9	11 5	. 5	285 245	15 11	11 3	13 7 1	18 6	2 8 12 12
12	Parentage unknown $\cdots egin{cases} M & \cdots \\ F & \cdots \end{cases}$	49 35	12 4	2	· · · · · · · · · · · · · · · · · · ·	· · · · · · · · · · · · · · · · · · ·		14 4			1	i	1
13	Foreign	745	1	5	1	2	1	10	1	2	14	24	36
14 15	Males Females	355 390	1	1 4	i	2	1	5 5	1	1 1	6 8	9 15	20 16
16	Unknown	7											1
17 18	Males Females	3 4											·····i
19	Colored	4											
20 21	Males. Females	3											
22	Negro $\left\{ egin{array}{ll} M \\ F \end{array} \right.$	3 1											
	WORCESTER, MASS.												
23	Total	2,362	447	68	25	25	16	581	45	37	43	73	84
24 25	Males Females	1,269 1,093	261 186	28 40	13 12	13 12	10 6	325 256	18 27	18 19	25 18	39 34	43 41
26	White	2,343	445	67	25	25	15	577	44	36	43	73	84
27 28	Males Females	1,257 1,086	259 186	27 40	13 12	13 12	9 6	321 256	18 26	18 18	25 18	39 34	43 41
29	Native	1,437	443	64	22	23	15	567	41	32	31	44	42
30 31	Males Females	772 665	259 184	25 39	11 11	12 11	9 6	316 251	16 25	15 17	17 14	23 21	20 22
32	Both parents native $\left\{ egin{matrix} \mathbf{M} & \mathbf{H} \\ \mathbf{F} & \mathbf{H} \end{array} \right\}$	267 266	68 50	4 11	4 3	1	1 2	77 67	7 9	6 6	4 2	5	9
33	One or both parents foreign. $\begin{cases} M \\ F \end{cases}$	423 322	182 128	21 28	7 8	12 9	8 4	230 177	9 15	9 11	$\begin{array}{c} 2\\12\\12\\12\end{array}$	8 17 12	11 15
34	Parentage unknown $\left\{ egin{array}{c} M \\ F \end{array} \right\}$	82 77	9 6			1	· · · · · · · · · · · · · · · · · · ·	9 7	1		1	1	4
35	Foreign	889	1	3	3	2		9	3	3	12	28	42
36 37	Males Females	475 414	1	1	2 1	1 1		5 4	$\begin{bmatrix} 2\\1 \end{bmatrix}$	2 1	8 4	15 13	23 19
38	Unknown	17	1					1		1		1	
39 40	MalesFemales	10 7	·····i					1		1		1	
41	Colored	19	2	1			1	4	1	1			
42 43	MalesFemales	12 7	2	1			1	4	1	1			
44	Negro $\left\{ egin{array}{ll} M \\ F \end{array} \right]$	12 7	2	1			' 1	4	i				

						DEAT	HS AT AGE	OF-				•			Deaths	Ī
30 to 34 years.	35 to 39 years.	40 to 44 years.	45 to 49 years.	50 to 54 years.	55 to 59 years.	60 to 64 years.	65 to 69 years.	70 to 74 years.	75 to 79 years.	80 to 84 years.	85 to 89 years.	90 to 94 years.	95 to 99 years.	100 years and over.	at un- known age.	
•																1
63	90	80	81	100	104	111	126	119	78	51	47	11	, 2			-
37 26	55 35	39 41	42 39	48 52	45 59,	52 59	71 55	50 69	36 42	· 20	15 32	3 8	2			-
63	90	80	81	99	104	109	126	119	77	51	47	11	2			-
37 26	55 35	· 39	42 39	47 52	45 59	51 58	71 55	50 69	35 42	20 31	15 32	3 8	2			-
28	37	27	27	31	44	23	38	38	39	24	31	• 7	1			-
17 11	19 18	12 15	16 11	16 15	26 18	10 13	20 18	22 16	14 25	7 17	12 19	2 5	····;···· <sub>i</sub> ·			-
1	1 3	3	4 2	5	11	8 4	10 9	14 11	9	4 14	. 9	2 3	i			} 1
15 7 1	17 15	3 12 11	10 7 2 2	4 8 7 3	9 8 9 7	. 1 . 6	4	14 11 2 3 6	16 2 3 3	1 2	1 2					<b> </b>
1	1	i	2 2	4	7	3	6 5	6 2	. 6	1	3	2				) 1
35	53	53	54	67	58	86	87	80	38	27	15	4	1			.   ı
20 15	36 17	27 26	26 28	30 37	19 39	41 45	50 37	27 53	21 17	· 13	3 12	1 3	i			: ;
•••••				1	2		1	1			. 1	,				. 1
				1	2		1	1			1				,	
				1		2			1							. :
				1		1 1			1							-   2
				1		<u> </u>			1							ا
						1 1									,	<u>'</u> ا'
81	107	119	123	124	130	159	171	165	153	99	49	10	8		_ 1	,
48 33	71 36	61 58	66 57	. 69 55	75 55	96 63	76 95	83 82	76 77	52 47	19 30	7 3	. 6		1	- 2
80	105	118	123	123	130	156	170	164	152	98	49	10	7		1	1/2
47 33	70 35	61 57	66 57	69 54	75 55	93 63	76 94	82 82	- 75 - 77	51 47	19 30	7 3	2 5		i	- 2
39	56	55	49	60	64	56	76	68	65	59	25	6	2			-
24 15	40 16	26 29	29 20	33 27	38 26	29 27	37 39	30 38	30 35	33 26	12 13	4 2	2			
	1			9	17	13		15	į.	25 19	8	3 1				<u>ا</u> ر
6 5 17	6 6 28 7 6	14 18	197	7 22 14	13 12 11 9	17 8 4 8	22 4 8	29 4 3	19 22 2 2 2 9	19 1 1 7	7	1	1			{  a
10 1	6 3	5 14 18 13 3 2	8 8 19 7 2 5	22 14 2 6	9 2	8 6	25 22 4 8 8	11 6	9 11	7	4 6	1 1	1			<b>}</b>  {
41	46	59	73	62	65	100	92	95	87	39	24	4	5			
23 18	27 19	32 27	36 37	35 27	37 28	. 36	39 53	52 43	45 42	18 21	7 17	3 1	2 3			- 3
	3	. 4	1	1	1		2	1	122	21					1	1
• • • • • • • • • • • • • • • • • • • •	3	3	1	1			2	1								- 2
1	2	1 1		1		3	1	1	1	1			1			
1						3		1	1							
· · · · · · · · · · · · · · · · · · ·	1	1		1	•	3	1						1			
1	1 1	<u>1</u> -		<u>i</u> -		1	·····i	1	1	1	1		i		J	}

TABLE 2.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA, ITS MAIN SUBDIVISIONS, EACH GENERAL NATIVITY, AND PARENT

							DE	ATHS AT AG	E OF—			<del></del>	<del></del>
	AREA AND SEX, COLOR, AND NATIVITY.	All deaths.	Under 1 year.	1 year.	2 years.	3 years.	4 years.	Under 5 years.	5 to 9 years.	10 to 14 years.	15 to 19 years.	20 to 24 years.	25 to 29 years.
	DETROIT, MICH.												,
1	Total	7, 110	1,869	313	117	97	66	2, 462	194	100	165	311	329
2	MalesFemales	3,861 3,249	1,052 817	159 154	67 50	51 46	27 39	1,356 1,106	104 90	54 46	97 68	160 151	168 161
4	White	6,972	1,848	309	116	95	65	2,433	190	100	160	304	322
5 6	MalesFemales	3,777 3,195	1,037 811	156 153	67 49	50 45	27 38	1,337 1,096	103 87	54 46	94 66	155 149	164 158
7	Native	4, 457	1,818	298	108	86	61	2,371	173	87	126	205	191
8 9	MalesFemales	2,360 2,097	1,019 799	148 150	63 45	45 41	24 37	1,299 1,072	90 83	47 40	73 53	101 104	96 95
10	Both parents native $\left\{egin{matrix} \mathbf{M} \dots \\ \mathbf{F} \end{array}\right\}$	760 692	332 253	35 30	18 11	12	8	405 319	37 21	15 7	22	23	25
11	One or both parents foreign. $\begin{cases} M \\ F \end{cases}$	1,384 1,228	616 476	113 120	44 34	13 33 27	12 16 25	822 682	31 52 51	31 31	22 48 30	23 24 72 72 72 6	25 30 65 56
12	Parentage unknown $\left\{ egin{array}{l} M \\ F \\ \end{array} \right.$	216 177	616 476 71 70		1	1		72 71	1	1 2	3	6 8	6 9
13	Foreign	2, 405	9	10	8	9	4	40	16	12	33	96	· 121
14 15	MalesFemales	1,333 1,072	6 3	7 3	4 4	5 4	3	25 15	13 3	6 6	20 13	51 45	60 61
16	Unknown	110	21	1				22	1	1	1	3	10
17 18	MalesFemales	84 26	12 9	1				13 9	·····i	1	1	3	8 2
19	Colored	138	21	4	1	2	1	29	4		5	7	7
20 21	MalesFemales	84 54	15 6	3	i	1	1	19 10	1 3		3 2	5 2	3
22	Negro $\left\{egin{array}{c} \mathbf{M} \\ \mathbf{F} \end{array}\right\}$	83 54	15 6	3 1	<sub>i</sub> .	1	i	19 10	3		3 2	5 2	4 3
23	Indian $\left\{egin{array}{c} \mathbf{M} \dots \\ \mathbf{F} \dots \end{array}\right\}$	1 							1				
	GRAND RAPIDS, MICH.							ļ					ļ
24	Total	1,580	270	59	23	12	12	376	34	25	27	59	62
25 26	Males Females	834 746	155 115	31 28	8 15	6	10 2	210 166	17 17	13 12	15 12	23 36	28 34
27	White	1,558	265	59	23	12	12	371	34	25	25	59	61
28 29	MalesFemales	823 735	152 113	31 28	8 15	6	10 2	207 164	17 17	13 12	14 11	23 36	28 33
30	Native	1,076	264	58	22	12	12	368	31	23	23	50	48
31 32	MalesFemales	559 517	151 113	31 27	7 15	6	10 2	205 163	15 16	12 11	12 11	15 35	22 26
33	Both parents native $\{ egin{array}{c} M \\ F \end{array} \}$	276 250	74 44	13 11	3 5	3 2 3	4 2	97 64	10 5	5 2	6	6 17	7 15 15
34	One or both parents foreign. $\begin{cases} M \\ F \end{cases}$ .	227 226	69 65	17 16	10 10	3 4	6	99 95	5 10	7 9	6 7	9 17	15 10
35	Parer tage unknown $\{F\}$	56 41	8	1				4	1		i	1	i
36	Foreign	481	1	1	1			3	3	2	2	9	12
37 38	MalesFemales	263 218	1	i	1			2 1	2	1 1	2	8 1	5 7
39	Unknown	1										<u></u>	1
40 41	Males Females	1											1
42	Colored	22	5					5			2		1
43 44	MalesFemales	11 11	3 2					*3			1 1		i
45	Negro $\left\{egin{array}{c} M_{} \\ F_{} \end{array}\right\}$	11 10	3 1					3 1			1 1		i
46	Chinese $\left\{egin{array}{c} \mathbf{M} \\ \mathbf{F} \end{array}\right\}$	i	[ <sub>i</sub> -				<u>-</u>	<u>i</u> -					

						DEAT									Deaths
30 to 34 years.	35 to 39 years.	40 to 44 years.	45 to 49 years.	50 to 54 years.	55 to 59 years.	60 to 64 years.	65 to 69 years.	70 to 74 years.	75 to 79 years.	80 to 84 years.	85 to 89 years.	90 to 94 years.	95 to 99 years.	100 years and over.	at un- known age.
293	290	257	341	374	318	332	382	318	289	204	105	39	4	1	2
. 154 . 139	169 121	155 102	218 123	210 164	162 156	182 150	200 182	157 161	149 140	93 111	51 54	19 20	1 3	i	2
283	277	251	327	358	309	327	375	314	289	203	105	38	4	1	2
. 146 - 137	162 115	152 99	209 118	199 159	158 151	178 149	197 178	154 160	149 140	93 110	51 54	19 19	1 3	1	2
161	155	108	132	154	130	98	110	89	79	50	29	9			
77 84	82 73	65 43	72 60	84 70	61 69	47 51	59 51	42 47	37 42	12 38	12 17	4 5			
17 27	27 20	18 13	21 22	26 17	23 27	23	29 24	18	15	6	8	2 3			
17 27 53 52 7 5	27 20 44 48 11	41 24	21 22 37 33 14	26 17 39 45	23 27 26 35 12	23 22 15 22 9 7	29 24 15 15 15 12	18 22 13 12 11 - 13	15 23 6 13 16	6 28 1 3 5	8 11 3 3 1 1	Ĭ			
7 5	11 5	6	14 5	19 8	12 7	9 7	15 12	- 11 13	16 6	5 7	1 3	1			
117	115	137	186	192	175	219	260	219	205	152	76	29	4	1	
64 53	74 41	81 56	128 58	105 87	94 81	122 97	136 124	109 110	109 96	81 71	39 37	15 14	1 3	1	
5	7	6	9	12	40	10	. 5	6	. 5	1					2
5	6	6	9	10 2	3 1	9	2 3	3 3	3 2	1					2
10	13	6	14	16	9	5	7	4		1		1			
8 2	7 6	3 3	9 5	11 5	4 5	4	3 4	-3		<u>1</u>		1			
8	7	3	9	11	4 5	4	3	. 3							
2	6	3	5	5	5	1	4	1		1		1			
					•••••							********			••••••
61	55	59	67	86	90	107	95	135	100	. 87	43	- 9	2	1	
26 35	27 28	36 23	37 30	48 38	44 46	57 50	50 45	77 58	50 50	45 42	23 20	6 3	1 1	1	
61	54	59	65	85	89	105	92	134	100	87	40	9	2	1	
26 35	· 27	36 23	36 29	47 38	44 45	56 49	48 44	76 58	50 50	45 42	22 18	6 3	. 1	1	
50	43	40	38	52	55	52	46	68	33	33	16	5	1	1	
21 29	20 23	26 14	21 17	30 22	· 28 27	24 28	24 22	41 27	15 18	, 14 19	8 8	5	i	1	
	1			1 1	18 14	1		26 17	11		6	3			
8 11 13 17	8 12 12 9	10 5 13 8	10 8 8 8	15 10 11 7	14 6 11	15 18 5 8	12 15 7 1	17 7 4	13 3	3 13 2 1	7 1 1	1	1		
i	2	3	3	4 5	4 2	4 2	. 6	8 6	4 2	9 5	i	1		1	· · · · · · · · · · · · · · · · · · ·
11	11	19	27	33	34	53	46	66	67	54	. 24	4	1	· · · · · · · · · · · · · · · ·	
5 6	7	10 9	15 12	17 16	16 18	32 21	24 22	35 31	35 32	31 23	14 10	1 3	1		
	]														
							••••••			•••••••					
	1		2	1	1	2	3	1			3				••••••••••
			1	• 1		1	2	1			1				
	1		1		1 1	1	1		•••••	•••••	2				·······
• • • • • • • •	1		$\frac{1}{1}$	1	·····i	1	2 1	1			1 2				· · · · · · · · · · · · · · · · · · ·

Table 2.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA, ITS MAIN SUBDIVISIONS, EACH GENERAL NATIVITY, AND PARENT

							DE	ATHS AT AC	E OF—				
	AREA AND SEX, COLOR, AND NATIVITY.	All deaths.	Under 1 year.	1 year.	2 years.	3 years.	4 years.	Under 5 years.	5 to 9 years.	10 to 14 years.	15 to 19 years.	20 to 24 years.	25 to 29 years.
	MINNEAPOLIS, MINN.												
1	Total	3,572	601	89	49	42	24	805	75	48	124	183	179
2	MalesFemales	1,992 1,580	339 262	41 48	30 19	20 22	16	446 359	40 35	24 24	77 47	82 101	101 78
4	White	3,509	592	88	48	42	24	794	74	47	124	180	173
5 6	MalesFemales	1,959 1,550	335 257	41 47	30 18	20 22	16 8	442 352	40 34	24 23	77 47	81 99	97 76
7	Native	2, 199	585	85	48	40	23	781	68	43	115	126	106
8	MalesFemales	1,173 1,026	332 253	41 44	30 18	19 21	15 8	437 344	38 30	22 21	72 43	47 79	51 55
10 11 12	Both parents native ${M \choose F}$ .  One or both parents foreign . ${M \choose F}$ .  Parentage unknown ${M \choose F}$ .	453 395 576 502 144 129	134 106 178 130 20 17	17 18 22 26 2	13 8 15 10 2	8 8 10 13 1	4 5 10 3 1	176 145 235 182 26 17	15 10 21 18 2 2	7 8 14 12 1	27 16 43 25 2 2	17 13 28 63 2	17 12 31 38 3 3
13	Foreign	1,185	2	3		2	1	8	6	4	8	46	56
14 15	MalesFemales	677 508	1 1	3		1 1	1	3 5	2 4	2 2	5 3	28 18	35 21
16	Unknown	125	5					5			1	8	11
17 18	MalesFemales	109 16	2 3					2 3			i	6 2	11
19	Colored	63	9	1	1			11	1	1		3	6
20 21	Males Females	33 30	4 5	·····i	i			4 7	1	1		1 2	4 2
22	Negro	32 29 1	4 4	·····i				4 6	î	ii		1 2	4 2
23	Chinese	î	1					i					
•	ST. PAUL, MINN. Total	0.000											
24 25	Males	1,362	258	58 37	24	19	13	587 341	33	36 16	66 29	115 66	130
25 26	Females	1,362 1,024	191	21	10	15	9	246	27	20	37	49	53
27	White	2,335	443	58	23	32	22	578	60	36	65	111	126
28 29	Males Females	1,336 999	255 188	37 21	13 10	17 15	13 9	335 243	33 27	16 20	28 37	64 47	76 50
30	Native	1,417	441	55	21	30	19	566	56	33	58	95	93
31 32	Males Females	795 622	255 186	35 20	12 9	16 14	11 8	329 237	31 25	16 17	25 33	55 40	52 41
33 34 35	Both parents native $\binom{M}{F}$ .  One or both parents foreign. $\binom{M}{F}$ .  Parentage unknown $\binom{M}{F}$ .	291 237 421 328 83 57	112 84 99 84 44	11 8 21 11 3 1	4 3 8 5	4 6 11 8	6 5 5 3	137 106 144 111 48	11 7 18 17 2	8 1 8 12	5 7 20 25	8 10 45 29 2	12 16 36 25 4
36	Foreign	899	18 2	3	2	2	3	20 12	1 4	4 2	7	15	29
37 38	MalesFemales	525 374		2		1 1	- 2 1	6 6	. 2		3 4	- 13 8 7	20
39	Unknown	19						]		. 1		. 1	4
40 41	Males Females	16 3*								i		1	4
42	Colored	51	6		1	2		9			1	4	4
43 44	Males Females	26 25	3 3		1	2		6 3			1	2 2	1 3
45 46	$\begin{array}{cccccccccccccccccccccccccccccccccccc$	25 25 1	3 3		1	2		6 3			1	2 2	3 1

aths	Deat at u							of—	HS AT AGI	DEAT						
own	1 7	100 years and over.	95 to 99 years.	90 to 94 years.	85 to 89 years.	80 to 84 years.	75 to 79 years.	70 to 74 years.	65 to 69 years.	60 to 64 years.	55 to 59 years.	50 to 54 years.	45 to 49 years.	40 to 44 years.	35 to 39 years.	30 to 34 years.
			3	22	75	115	199	. 177	174	188	207	· 221	214	199	176	. 188
		,	2	11 11	. 35 40	56 59	101 98	103 74	110 64	118 70	· 131	126 95	120 94	117 82	90 86	102 86
			3	22	74	114	197	175	172	184	206	219	209	190	167	185
			2 1	11 11	34 40	55 59	100 97	101 74	109 63	116 68	131 75	125 94	116 93	112 78	87 80	99 86
				14	25	57	82	66	66	75	86	94	88	95	99	113
				. 5	12 13	26 31	46 36	29 37	33 33	46 29	50 36	53 41	48 40	56 39	; 44 55	54 59
			*	6 1	6 8 1	12 14 3	25 24	19 . 19 3	17 19 7	25 14 9	16 19	23 15 21 20	13 13 29 18 6	11 7 34	8 16	13 22 37 31 4
				2	5 5	2 11 15	7 .5 14	6 7	995	6 12	16 19 23 10 11	9	18 6	26 11	29 31 7 8	31 4
			2	8	47	15 57	7 113	12 100	. 5 95	9 100	7 105	6 113	9	6 83	60	6 63
			1	2 6	20 27	29 28	53 60	64 36	66 29	62 38	. 66 . 39	61 52	60 51	45 38	37, 23	36
			1	D	27	28	2	30 9	11	9	15	12	10	12	8	27 9
			1		2		1 1	. 8	10 1	· 8	15	11 1	8 2	11	6 2	9
					1	1	2	2	2	. 4	1	2	5	9	9	<del></del> 3
					1	1	1	2	1 1	2 2	1	1 1	4	5 4	3 6	3
]					1	1	1	2	1	2	1	1	4	5 4	3	2
							1			2		1	1	4	6	1
	,															
1		2	2	18	32	72	109	115	156	117	136	152	132	122	115	111
1		1	2	8 10	15 17	42 30	50 59	63 52	90 66	69 48	82 54	85 67	83 49	73 49	65 50	73 38
1		2	2	18	32	72	108	115	151	116	135	145	128	117	110	107
1		1	2	8 10	15 17	42 30	50 58	63 52	88 63	68 48	82 53	82 63	81 47	71 46	62 48	70 37
			1	1	3	18	29	31	39	27	58	56	57	61	68	67
			1	1	2 1	7 11	14 15	17 14	22 17	16 11	32 26	35 21	29 28	36 25	35 33	42 25
]			1	i	1 1	67	12 8	10 11	10 8 6	7 6	14 11 15	10 5	10 6	8 7	12 12 21 20	11 6
\ \			• • • • • • • • • • • • • • • • • • • •		1	1 3	1 2 1	6 1 1	2	5 5 4	10	22 13 3	16 19 3	26 15 2	21 20 2	30 19 1
			_			1	5	2	6 7		3 5	3	3 3	3	2	<i>-</i> :
		1	1	17	29	· 54	79 36	83 45	111	50 50	77 50	87 46	67 48	56 35	26 15	39 27 12
		1	1	ğ	13 16	19	. 43	38	45 1	37 2	27	41 2	19 4	21	1	. <sup>12</sup>
1								1		2		1	4		1	1
						•••••			1 5	1	· 1	1 7	4	5	r	4
									2 3	1		3	2 2	2 3	5 3	3 1
						•••••	1		3 2	1	1	3	2 2	3 2	3 2 3	
							1		<u>ź</u>		1	4	2	3	2	3 1
····}		 O							'		!	۱	' K	'' 131	12489°	•••••

Table 2.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA, ITS MAIN SUBDIVISIONS, EACH GENERAL NATIVITY, AND PARENT

K   Tota   2   3   4   White     5   6   7   Native   8   9   10   Bo   11   Or   12   Pa   13   Foreig   14   15   16   Unknown   17   18   19   Colored     20   21   22   Negro   21   22   Negro   23   Indian   Chines   Japane   25   Japane   26   Tota   27   28   29   White     30   31   32   Native   33   34   35   Bo   36   Or   7   78   38   Foreig   38   F	AND SEX, COLOR, AND NATIVITY.	All							e of—				
1 Tota 2 3 4 White 5 6 6 7 Native 8 9 9 10 Bo 11 Or 12 Pa 13 Foreig 14 15 16 Unkno 17 18 19 Colored 20 21 22 Negro 21 Indian 22 Indian 24 Chines 25 Japane 26 Tota 27 28 29 White 30 31 Native 33 34 35 Bo 36 Or 37 Pa 38 Foreig		deaths.	Under 1 year.	1 year.	2 years.	3 years.	4 years.	Under 5 years.	5 to 9 years.	10 to 14 years.	15 to 19 years.	20 to 24 years.	25 to 29 years.
2 White 5 6 7 Native 8 9 9 10 Bo 11 Or 12 Pa 13 Foreig 14 15 16 Unkno 17 18 20 21 21 22 Negro 23 Indian 24 Chines 25 Japane 26 Tota 27 28 29 White 30 31 32 Native 33 34 35 Bo 36 Or 37 Pa 38 Foreig	KANSAS CITY, MO.												
8 4 White 5 6 7 Native 8 9 10 Bo 11 Or 12 Pa 13 Foreig 14 15 16 Unknow 17 18 19 Colored 20 21 22 Negro 23 Indian 24 Chines Japane 25 Japane 26 Tota 27 28 29 White 30 31 32 Native 33 34 35 Bo 36 Or 37 Pa 38 Foreig	otal	3,961	587	87	36	33	16	759	68	49	114	209	251
5 6 7 Native 8 9 10 Bc 11 Or 12 Pa 13 Foreig 14 15	MalesFemales	2,203 1,758	326 261	36 51	12 24	18 15	11 5	403 356	40 28	31 18	57 57	102 107	144 107
6   Native   8   9   10   Bo   11   Or   12   Pa   13   Foreig   14   15   16   Unknown   17   18   19   Colored   1.   22   Negro   23   Indian   24   Chines   Japane   25   Japane   26   Tota   27   28   29   White     30   31   32   Native   33   34   35   Bo   36   Or   37   Pa   38   Foreig   38   Foreig   38   Foreig   38   Tota	•••••	3,340	513	72	32	29	15	661	59	44	85	148	186
8 9 10 Bo 11 Or 12 Pa 13 Foreig 14 15	MalesFemales	1,851 1,489	290 223	31 41	11 21	15 14	10 5	357 304	35 24	28 16	43 42	70 78	107 79
9   10   Bc   11   Or   12   Pa   13   Foreig   14   15   16   Unknot   17   18   19   Colored   20   21   22   Negro   23   Indian   24   Chines   Japane   26   Tota   27   28   29   White   30   31   32   Native   33   34   35   Bc   36   Or   37   Pa   38   Foreig   38   Foreig   30   31   32   33   34   35   Bc   36   Or   37   Pa   38   Foreig   38   Foreig   30   30   30   30   30   30   30   3	dve	2,671	504	71.	31	27	15	648	56	42	79	132	161
11 Or 12 Pa 13 Foreig 14 15	MalesFemales	1,402 1,269	285 219	31 40	11 20	15 12	10 5	352 296	33 23	27 15	38 41	59 73	87 74
12 Pa 13 Foreig 14 15	Both parents native $\left\{ \begin{array}{ll} M \\ F \end{array} \right\}$	857 779	172 133	24 27	8 11	7 10	6 5	217 186	24 13	18 13	26 24	43 51 11 12	57 44
13 Foreig  14 15 16 Unkno  17 18 19 Colored  20 21 22 Negro  23 Indian  24 Chines  25 Japane  26 Tota  27 28 29 White  30 31 32 Native  33 34 35 Bo 36 Or 37 Pa 38 Foreig	One or both parents foreign. $\begin{cases} M \\ F \end{cases}$	286 283 259	60 55 53	6 12 1	8	7 2 1	3 1	79 77 56	8 9 1	8 2 1	8 14 4	11 12 5	44 20 16 10 14
14 15 16 Unknot 17 18 19 Colored 20 21 22 Negro 23 Indian 24 Chines 25 Japane 26 Tota 27 28 29 White 30 31 32 Native 33 34 35 Bo 36 Or 37 Pa 38 Foreig	Parentage unknown $\left\{ egin{matrix} M \\ F \end{array} \right\}$	207	31	i	i		<u>-</u> -	33	1		3	10	
15 Unknot 17 18 Unknot 17 18 19 Colored 20 21 22 Negro 23 Indian 24 Chines Japane 26 Tota 27 28 White 33 34 35 Bo 36 Or 78 8 Foreig	eign	572	1	1	1	2		5		2	6	13	19
17 18 19 Colored 20 21 22 Negro 23 Indian 24 Chines 25 Japane 26 Tota 27 28 29 White 30 31 32 Native 33 34 35 Bo 36 Or 37 Pa 38 Foreig	MalesFemales	368 204	i	1	i	2		5	1 1	1 1	5 1	10 3	15 4
18 19 Colored 20 21 22 Negro. 23 Indian 24 Chines 25 Japane 26 Tota 27 28 29 White 30 31 32 Native 33 34 35 Bo 36 Or 37 Pa 38 Foreig	known	97	8					8	1			3	6
20 21 22 Negro 23 Indian 24 Chines 25 Japane 26 Tota 27 28 29 White 33 34 35 Bc 36 Or 37 Pa 38 Foreig	Males Females	81 16	5 3					5 3	1		• • • • • • • • • • • • • • • • • • • •	1 2	5 1
21   22   Negro   23   Indian   24   Chines   25   Japane   26   Tota   27   28   29   White	•••••	621	74	15	4	4	1	98	9	5	29	61	65
23 Indian 24 Chines 25 Japane 26 Tota 27 28 29 White 30 31 32 Native 33 34 35 Bo 36 On 37 Pa 38 Foreign	Males	352 269	36 38	5 10	1 3	3 1	1	46 52	5 4	3 2	14 15	32 29	37 28
24 Chines 25 Japane 26 Tota 27 28 29 White 30 31 32 Native 33 34 35 Bo 36 On 37 Pa 38 Foreig	ro{M	348 269	35 38	5 10	1 3	3 1	1	45 52	5 4	$\frac{3}{2}$	14 15	32 29	36 28
25 Japane 26 Tota 27 28 29 White 30 31 32 Native 33 34 35 Bo 36 On 37 Pa 38 Foreig	ian $\left\{egin{array}{c} M \ F \end{array} ight.$	2	1					1					
26 Tota 27 28 29 White 30 31 32 Native 33 34 35 Bo 36 On 37 Pa 38 Foreig	nese $\left\{egin{array}{l} M_{-} \\ F_{-} \end{array}\right.$	1									••••••		1
27 28 29 White 30 31 32 Native 33 34 35 B0 36 On 37 Pa 38 Foreig	anese $\left\{egin{array}{ll} egin{array}{ll}												
27 28 29 White 30 31 32 Native 33 34 35 Bo 36 Or 37 Pa 38 Foreig	ST. LOUIS, MO.	10,765	1,573	358	181	128	110	2,350	256	154	270	456	500
29 White 30 31 32 Native 33 34 35 Bc 36 Or 37 Pa 38 Foreig		<u> </u>	893	174	96	76	62	1,301 1,049	137	79	143	246	278 222
30 31 32 Native 33 34 35 Bo 36 Or 37 Pa 38 Foreig	Males Females	6,172 4,593	680	184	85	52	48		119	75	232	385	401
31   Native 33   34   35   Bc 36   Or 37   Pa 38   Foreig	Males	9,591	1,432	318 153	164	116	101	2,131	230	128	123	205	225
33 34 35 Bc 36 Or 37 Pa 38 Foreig	Females	4,054	612	165	74	48	42	941	107	62	109	180	176
34 35 Bc 36 Or 37 Pa 38 Foreig	Males	6,404 3,671	1,419	311 150	155 85	114	98 58	2,097 1,174	217 114	63	208 110	331 169	331 178
36 Or 37 Pa 38 Foreig	Females	2,733	604	161	70	48	40	923	103	59	98	162	153
37 Pa 38 Foreig	Both parents native $\left\{ \begin{array}{ll} M \\ F \end{array} \right\}$	1,592 1,266	504 350	79 93	47 34	44 30 20	36 22	710 529 398 330	67 74	31 35 31 23	51 48	82 87 74 66 13	62 60 103 77 13 16
38 Foreig	One or both parents foreign. $\begin{cases} M \\ F \end{cases}$	1,667 1,177 412	258 198 53	65 62 6	35 34 3	18 2	20 18 2	330 66	74 43 28	23 1	48 54 47 5	66 13	77
	Parentage unknown $\left\{ egin{array}{c} M_{\bullet,\bullet} \\ F_{\bullet,\bullet} \end{array} \right\}$	290	56	6	2			64	4 1	1	5 3		l . :
	eign	3,063	3	5	6	2	2	18	12	3	24	50 34	64
39 40	Males Females	1,771 1,292	3	3 2	4 2	2	2	6	8 4	3	13 11	16	22
	mown	124	10	2	3		1	16	1			4	6
42 43	Males Females	95 29	2 8	2	1 2		1	4 12	1			2 2	5 1
44 Colored	•••••	1,174	141	40	17	12	9	219	26	26	38	71	99
45 46	MalesFemales	635 539	73 68	21 19	6 11	8 4	3 6	111 108	$\begin{array}{c} 14 \\ 12 \end{array}$	13 13	20 18	41 30	53 46
47 Negro.		631	73 68	21 19	6	8	3 6	111 108	14 12	13 13	20 18	40 30	53 46

	1					DEAT	HS AT AGE	of—		•					Deaths	T
30 to 34 years.	35 to 39 years.	40 to 44 years.	45 to 49 years.	50 to 54 years.	55 to 59 years.	60 to 64 years.	65 to 69 • years.	70 to 74 years.	75 to 79 years.	80 to 84 years.	85 to 89 years.	90 to 94 years.	95 to 99 years.	100 years and over.	at un- known age.	
212	257	264	242	248	253	233	241	187	169	126	54	20	4	1		1
113 99	154 103	157 107	142 100	144 104	160 93	147 86	133 108	97 90	93 76	54 72	20 34	12 8	4	1		2 3
156	204	213	200	217	218	205	221	171	160	119	51	18	4			4
81 75	119 85	122 91	116 84	126 91	137 81	127 78	122 99	92 79	90 70	50 69	19 32	10 8	4			5 6
125	170	164	150	163	157	138	151	117	103	70	29	14	2			7
57 68	96 74	86 78	81 69	85 78	86 71	81 57	78 73	59 58	- 53 50	24 46	11 18	. 9 5	2			8
37	55 45	50 50	45 38	50 34	49 45	46	44 46	39	31	12	9 13	5 3				10
37 38 15 17 5 13	45 23 19	19 18 17	45 38 17 19 19	34 20 26	14 15 23 11	46 33 14 15 21 9	46 9 9	39 38 8 3 12	31 34 9 5	29 3 4 9		1	2			11
13	18 10	17 10	19 12	26 15 18	23 11	21 9	25 18	12 17	13 11	13	2 2 3	1 3 1				12
24	23	35	44	42	51	57	66	53	54	48	22	4	2			13
20 4	13 10	25 10	29 15	29 13	41 10	37 20	40 26	32 21	35 19	26 22	8 14	3	2			14 15
7	11	14	6	12	10	10	4	1	3	1						16
3	10 1	11 3	6	12	10	9 1	4	1	2 1	1						. 17 18
56	53	51	42	31	35	28	20	16	9	7	3	2		. 1		. 19
· 32	35 18	35 16	26 16	18 13	23 12	20 8	11 9	5 11	3 6	3	1 2	2		1		20 21
32 24	35 18	34 16	26 16	18 13	22 12	20 8	11 9	5 11	3 6	4 3	$\frac{1}{2}$	2		<u>i</u>		22
		1			i				· · · · · · · · · · · · · · · · · · ·							23
																24 25
																20
577	572	586	720	741	610	671	644	625	454	337	181	48	9	3	1	26
350 227	355 217	382 204	477 243	461 280	369 241	403 268	363 281	331 294	223 231	170 167	78 103	22 26	2 7	1 2	1	27 28
460	466	510	624	659	546	623	612	597	441	324	172	43	.6		1	29
281 179	298 168	337 173	419 205	415 244	334 212	381 242	343 269	320 277	217 224	167 157	71 101	20 23	1 5		1	30 31
372	. 358	363	403	411	289	264	194	182	121	87	45	8	1			32
227° 145	232 126	233 130	251 152	245 166	187 102	160 104	107 87	99 83	59 62	39 48	20 25	4 4	1			33 34
75 50	49	62 37	66	68	57	54 27	49	48	l	21	.9	_ 2				35
75 59 134 72 18 14	37 159 82 24 7	140 76 31 17	66 39 157 92 28 21	68 42 141 100 36 24	57 32 98 53 32 17	54 37 65 44 41 23	49 30 30 34 28 23	48 39 24 23 27 21	29 33 7 13 23 16	21 31 7 10 11 7	9 15 2 5	2 2				36
18 14	24 7	31 17	28 21	36 24	32 17	41 23	28 23	27 21	23 16	11 7	9 5	2	1			37
75	104	134	210	232	250	346	410	410	317	235	127	34	5			38
45 - 30	62 42	93 41	158 52	155 77	140 110	209 137	229 181	217 193	157 160	127 108	51 76	15 ~ 19	1 4			39 40
13	4	13	11	16	7	13	8	5	3	2		1			. 1	41
9 4	4	. 11	10 1	15 1	7	12 1	7 1	4 1	1 2	1 1		1.			1	42 43
117	106	76	96	82	64	48	32	28	13	13	9	5	3	3		44
69 48	57 49	45 31	58 38	46 36	35 29	22 26	20 12	11 17	6 7	3 10	7 2	2 3	1 2	1 2		45 46
68 48 1	57 49	45 31	57 38 1	46 36	35 29	22 26	19 12 1	11 17	6 7	3 10	7 2	2 3	. 1	1 2	}	47
Ĩ			Ĩ				ī		<u> </u>							48

Table 2.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA, ITS MAIN SUBDIVISIONS, EACH GENERAL NATIVITY, AND PARENT

=		4 77					DEA	ATHS AT AG	E OF-				
	AREA AND SEX, COLOR, AND NATIVITY.	All deaths.	Under 1 year.	1 year.	2 years.	3 years.	4 years.	Under 5 years.	5 to 9 years.	10 to 14 years.	15 to 19 years.	20 to 24 years.	25 to 29 years.
	OMAHA, NEBR.												
1	Total.	1,812	221	26	26	18	11	302	42	40	56	94	112
2 3	MalesFemales	$1,071 \\ 741$	140 81	14 12	14 12	11 7	8	187 115	18 24	23 17	31 25	64 30	55 57
4	White	1,699	212	26	24	16	11	289	40	39	52	89	93
5 6	Males Females	1,004 695	134 78	14 12	13 11	10 6	8.3	179 110	17 23	22 17	28 24	61 28	44 49
7	Native	1,110	211	. 26	23	16	11	287	39	36	50	65	57
8 9	Males Females	635 475	134 77	14 12	12 11	10 6	8 3	178 109	17 22	21 15	27 23	40 25	20 37
10	Both parents native $\cdots $ $\left\{ egin{array}{l} M \ldots \\ F \end{array} \right.$	276 212	65 30	5 6	10 8	7	6 1	93 48	12	10 7	16 10	· 14	6 14
11	One or both parents foreign. $\{F, \dots\}$	169 152	35 32	6 7 6	2 3	7 3 2 2 1	1 1	48 47 44 38	12 13 3 9 2	7 7 7	10 7	11 13 11 13	8 16
12	Parentage unknown ${}^{M}_{F}$	190 111	34 15	2	· · · · · · · · · · · · · · · · · · ·	1	1 1	38 17	2	4 1	1 6	13 3	6 7
13	Foreign	545			1			1	1	3	2	24	31
14 15	MalesFemales	335 210			1			1	1	1 2	1 1	21 3	22 9
16	Unknown	44	1					1					5
17 18	Males Femåles	34 10	i					i					2 3
19	Colored	113	9		2	2		13	2	1	4	5	19
20 21	Males Females	67 46	6		1 1	1 1		8 5	1	1	3 1	3 2	11 8
22	Negro $\left\{ egin{array}{c} \mathbf{M} & \cdots \\ \mathbf{F} & \cdots \end{array} \right.$	67 46	6 3		1 1	1 1		8 5	1 1	1	3 1	3 2	11 8
f	JERSEY CITY, N. J.												
23	Total	4,381	923	241	97	52	42	1,355	111	64	95	158	208
24 25	MalesFemales	2, 454 1, 927	529 394	123 118	54 43	25 27	18 24	749 606	65 46	31 33	47 48	86 72	116 92
<b>26</b>	White	4, 249	901	230	92	52	40	1,315	107	61	93	154	199
27 28	Males Females	2,381 1,868	518 383	116 114	50 42	25 27	16 24	725 590	63 44	30 31	45 48	84 70	111 88
29	Native	2,727	897	224	91	<b>2</b> 50	40	1,302	100	52	80	99	130
30 31	Males Females	1,544 1,183	516 381	114 110	50 41	24 26	16 24	720 582	60 40	25 27	39 41	57 42	78 52
32	Both parents native $\left\{ egin{matrix} M \\ F \end{array} \right\}$	522 421	184 143	29 39	19 11	4 11	5 13	241 217	25 14	12 9	11 10	24 16	25 17 51
33	One or both parents foreign. $\{F, \dots\}_{F}^{M}$	947 712	315 225 17	85 70	31 28	19 15	11 10	461 348	34 26	13 18	28 29	32 25	35
34	Parentage unknown $(F \cdot )$	75 50	17	1	. 2	1	·····i	18 17	1	••••••	2	1	2
35	Foreign	1,458	2	5	1	2		10	7	9	13	55	67
36 37	MalesFemales	783 675	1 1	2 3	i	1		4 6	3 4	5 4	6 7	27 28	32 35
38	Unknown	64	2	1				3					2
39 40	MalesFemales	54 10	1 1	i				1 2					1
41	Colored	132	22	11	5		2	40	4	3	2	4	9
42 43	MalesFemales	73 59	11 11	7 4	4 1		2	24 16	2 2	1 2	2	2 2	5 4
44	Negro	. 59	11 11	. 4	4 1		2	24 16	2 2	1	2	2 2	5 4

						DEAT	HS AT AGE	of—							Deaths
30 to 34 years.	35 to 39 years.	40 to 44 years.	45 to 49 years.	50 to 54 years.	55 to 59 years.	60 to 64 years.	65 to 69 years.	70 to 74 years.	75 to 79 years.	80 to 84 years.	85 to 89 years.	90 to 94 years.	95 to 99 years.	100 years and over.	at un- known age.
102	103	109	114	127	128	101	108	92	86	53	36	e		1	
51 51	63 40	53 56	67 47	85 42	87 41	66 35	74 34	55 37	46 40	27 26	15 21	3 3		1	
93	91	104	104	113	123	98	105	90	81	53	35	6		1	
48 45	57 34	48 56	60 44	77 36	84 39	64 34	71 34	54 36	44 37	27 26	. 15 20	3 3		1	
67	59	63	59	60	64	. 50	38	43	32	22	16	3			
4 33	33 26	25 38	34 25	· 42	39 25	37 13	25 13	25 18	17 15	12 10	6 10	3			
11 17	11 11	7 15	7	: . 15 8	16 11 13	· 21 5	9 7	9	11 7	4	2 5	2			
17 9 7	10 10	7 13	10 13 6	. 10	7	6	4	4	$^{2}_{1}$	5 1	. 2		*		
14 9	12 5	11 10	14 9	17 2	10 7	10 8	12 6	12 6	· 4	7 5	2 3	1			
22	27	37	38	48	53	46	66	46	48	29	19	3		1	
10 12	20 7	19 18	20 18	31 17	40 13	26 20	45 21	28 ' 18	27 21	13 16	. 9 10	8		1	
4	5	4	7	5	6	2	1	1	1	· 2					
4	. 1	4	6 1	4	5 1	1	1	1	<u>1</u>	2					
9	12	5	10	• 14	5	3	3	2	. 5		1				
3 6	6 6	5	7 3	8 6	3 2	2 1	3	1 1	2 3		i				
3 6	6	5	7 3	8	3 2	2 1	3	1 1	2 3		1				
		•			_	_		*	J		•				
235	262	227	231	271	259	233	207	196	136	83	35	11	2,		5
146 89	161 101	149 78	147 84	160 111	139 120	127 106	123 •84	96 100	· 76	35 48	10 25	5 6	2		
232	250	215	224	261	252	225	202	192	135	82	35	11	2		2
143 89	156 94	142 73	142 82	155 106	136 116	122 103	120 82	95 97	60 75	35 47	10 25	5 6	2		5
134	155	100	110	115	104	68	. 53	51	40	23	6	4	1		
82 52	95 60	65 35	72 38	67 48	56 48	43 25	30 23	25 26	17 23	10 13	1 5	2 2	1		
16 14	18 14	18 6	23 8	15 11	· 20	17 10	. 18 . 10	16 18	12 15	8 10	1 3	2 1	<u>.</u>		ļ
16 14 60 36 6	73 42	6 38 26 9	23 8 45 29 4 1	15   11 42 34 10	· 20 17 31 28 5	17 10 22 11	. 18 10 10 9	6 5	1 6	3	2				
2	4	3	1	10	3	4	4	3	4 2	2		1	••••••		
93	85	105	110	135	144	152	147	• 136	94	59	29	. 7	1		
57 36	52 33	67 38	66 44	77 58	77 67	76 76	88 59	67 69	42 52	25 34	* 9 20	3 4	1		
5	10	10	4	11	4	5	2	5	1						. 2
1	9 1	10	4	11	3 1	3 2	2	3 2	1						2
3	12	12	7	10	7	8	5	4	1	1					
3	5 7	· 7	5 2	5 5	3 4.	5 3	3 2	3	1	1					
3	5 7	7 5	5 2	5	3 4	5 3	3 2	1 3	<u>ı</u>	i					

· --

Table 2.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA, ITS MAIN SUBDIVISIONS, EACH GENERAL NATIVITY, AND PARENT

_		433			•		DE	ATHS AT AG	e of—				1
	AREA AND SEX, COLOR, AND NATIVITY.	All deaths.	Under 1 year.	1 year.	2 years.	3 years.	4 years.	Under 5 years.	5 to 9 years.	10 to 14 years.	15 to 19 years.	20 to 24 years.	25 to 29 years.
	NEWARK, N. J.												
1	Total	5,395	1,091	272	85	53	56	1,557	120	51	119	184	207
2 3	MalesFemales	2,977 2,418	628 463	153 119	48 37	24 29	24 32	877 680	64 56	31 20	60 59	89 95	118 89
4	White	5,083	1,014	256	79	47	52	1,448	112	50	110	164	189
5 6	Males Females	2,810 2,273	581 433	144 112	47 32	21 26	23 29	816 632	59 53	30 20	56 54	83 81	110 79
7	Native	3,214	1,008	253	76	46	50	1,433	102	45	79	. 97	112
8 9	MalesFemales	1,783 1,431	578 430	142 111	46 30	20 26	23 27	809 624	52 50	27 18	41 38	50 47	67 45
10	Both parents native $\cdots \qquad \stackrel{M}{F} \cdots$	640 574	199 150	40 23	18 9	6 13	6 9	269 204	20 22	11 5	10 11	23 21	23 18
11	One or both parents foreign. ${\mathbb{F}}^{M}$	983 743	362 259 17	102 88	28 21	14 13	17 18	523 399	31 28	* 15 13	11 28 23	23 21 25 23 2	38   22
12	Parentage unknown $\left\{egin{array}{c} M \ldots \\ F \ldots \end{array}\right.$	160 114	21					17 21	1	1	. 3	3	6 5
13	Foreign	1,826	6	3	3	1	2	15	10	5	31	67	76
14 15	MalesFemales	990 836	3 3	$_{1}^{2}$	1 2	1	2	7 8	7 3	3 2	15 16	33 34	42 34
16	Unknown	43		······									1
17 18	MalesFemales	37 6											1
19	Colored	312	77	16	6	6	4	109	8.	1	9	20	18
$\frac{20}{21}$	Males Females	167 145	47 30	9 7	1 5	3 3	1 3	61 48	5 3	1	4 5	6 14	8 10
22	Negro $M$ $F$	165 145	47 30	9 7	1 5	3	1 3	61 48	5 3	1	4 5	6 14	8 10
23	Chinese $\left\{egin{array}{ccc} M \\ F \end{array}\right.$	2										•••••••	
24	PATERSON, N. J.			_				[ ]					
24 25	Total <u>M</u> ales	1,890	313 164	60 30	26 11	12	19	438 230	55	36	22	68	65
25 26	Females	863	149	30	15	- 8	6	208	30 25	15 21	18	31	32 33
27	White	1,839	303	59	24	20	19	425	55	35	38	65	62
28 29	Males. Females.	1,000 839	161 142	29 30	10 14	12 8	13 6	225 200	30 25	15 20	20 18	36 29	31 31
30	Native	1,078	300	56	23	20	18	417	51	33	26	46	39
31 32	MalesFemales	583 495	159 141	28 28	10 13	12 8	12 6	221 196	28 23	13 20	16 10	24 22	21 18
33	Both parents native $\left\{ egin{array}{c} \mathbf{M} \\ \mathbf{F} \end{array} \right\}$	198 186	53 40	6 9	2 4	5 4 7	6	72 58	11 8 17	2 7	6	9	6 9
34	One or both parents foreign. $\left\{ egin{align*}{c} \mathbf{M} \\ \mathbf{M} \end{array} \right\}$	342 274 43	103 96 3	21 18 1	8 9	7 4	6 5	145 132	17 14	10 13 1	10 9	13 13 2	15 9
35	Parentage unknown $\{M\}$	43 35	5	1		•••••		4 6	i			ĩ	
- 36 37	Foreign	408	1	3	1		<u>1</u>	6		2 2	12	19	9
<b>3</b> 8	Females	339		2	1			3 3	2	4	8	12 7	13
<b>3</b> 9	Unknown	14	2					2					1
40 41	MalesFemales	9 5	1 1					1					1
42	Colored	51	10	1	. 2	·····		13		1	2	3	3
43 44	Males Females	27 24	3 7	1	1 1			5 8		·····i	2	$\frac{1}{2}$	1 2
45	Negro $\left\{ egin{matrix} M \dots \\ F \dots \end{array} \right\}$	27 24	3 7	1	1 1			5 8		i	2	1 2	1 2

٠						DEAT	HS AT AGE	·of—	· · · · · · · · · · · · · · · · · · ·						Deaths
30 to 34 years.	35 to 39 years.	40 to 44 years.	45 to 49 years.	50 to 54 years.	55 to 59 years.	60 to 64 years.	65 to 69 years.	70 to 74 years.	75 to 79 years.	80 to 84 years.	85 to 89 years.	90 to 94 years.	95 to 99 years.	100 years and over.	at un- known age.
220	317	296	295	323	333	327	318	294	218	134	59	18	- 5		
136 84	194 123	183 113	191 104	192 131	185 148	189 138	158 160	133 161	102 116	47 · 87	23 36	5 13	5		
204	291	281	280	302	317	312	310	289	214	130	58	17	5		
124 80	178 113	174 107	.· 182	182 120	175 142	181 131	156 154	129 160	100 114	47 83	23 35	5 12	5		
121	171	152	123	139	140	115	106	96	86	55	28	10	4		
74 47	104 67	93 59	75 48	78 61	82 58	68 47	55 51	40 56	41 45	17 38	8 20	. 2	· 4		
	i							32 33	ļ	i	7 17	1			
22 14 45 28 7	31 30 61 32 12	24 23 55 32 14	17 14 46 29 12	23 19 44 36 11	29 28 35 22 18 8	33 22 15 19 20	29 33 13 15 13 3	33 4 8	25 33 4 5 12 7	11 21 1 7		2 1	4		
7 5	12 5	14 4	12 5	11 6	18 8	20 6	13	15	12 7	5 10	1 1 2	Î 5			
80	. 116	125	152	159	170	194	202	187	126	74	29	7	1		~
47 33	70 46	78 47	103 49	100 59	88 82	111 83	99 103	84 103	57 69	29 45	14 15	3 4	······i		
3	4	4	5	4	7	3	2	6	2	1	1				
3	4	3 1	4 1	4	5 2	2 1	2	5 1	2	. 1	1				
16	26	15	15	21	16	15	8	5	4	4	1	1			
.12	16 10	9	9	10 11	10	8 7	2 6	4 1	2 2	4	i				
12	16	9	9	9	6 10	7	2		2	*		. 1			
4	10	6	6	11 1	6	7	. 6	4	2	4	1	1			
	•••••	********	•••••		••••••		•••••				• • • • • • • • • • • • • • • • • • • •				,
91	104	98	106	113	126	138	127	118	91	46	18	9	2	1	
56 35	55 49	62 36	70 36	63 50	72 54	78 60	61 66	65 53	51 40	19 27	7 11	2 7	2		
88	99	96	101	109	125	137	121	117	90	46	18	9	2	1	
54	.52	60	67	60	72	77	58	65	50	19 27	7 11	2 7			
34 60	47 63	36 45	34´ 37	49 41	53 54	60 44	63 32	52 38	40 - 31	27 12	6	7	. 2	1 1	
35 25	35	28 17	26	24 17	31	24 20	12	22 16	15	6	2				
I	28 7	i	11 5	i	23		20		16 9	6 4	4		. 2	1	
11 8 24 13	9 26	9 7 19	4 20	7 7 13	14 6 9 12	10 10 6	8 14 3	8 8 5	14 3	3	3 1		2		-,
	18 2	9	6 1	8 4 2	12 8 5	8 8 2	4 1	5 6 3	1 3 1	2	1				
26	33	1 50	• 1 64	67	69	93	2 88	· 79	59	3 33	1 12	9		1	<u>-</u>
18	15	31.	41	36	40	53 40	45	43	35	12	5 7	2			
8 2	18   3	19	23	31	. 29	40	43 1	36	24	21 1	7	. 7			
1	2 1	1			1		1			1					
1				1	1										
3 2	3	2 2	5	3	1	1		1	1						
1	2		3 2	1	1		3	1							
2	3 2	2	3 2	3	····· <sub>i</sub> -	1	3 3	<u>i</u>	1					<u> </u>	

Table 2.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA, ITS MAIN SUBDIVISIONS, EACH GENERAL NATIVITY, AND PARENT

							DE	ATHS AT A	GE OF—			**********	
	AREA AND SEX, COLOR, AND NATIVITY.	All deaths.	Under 1 year.	1 year.	2 years.	3 years.	4 years.	Under 5 years.	5 to 9 years.	10 to 14 years.	15 to 19 years.	20 to 24 years.	25 to 29 years.
	ALBANY, N. Y.						•						
1	Total	2,063	251	31	17	16	4	319	46	20	43	59	80
2 3	MalesFomales	1,095 968	138 113	14 17	10 7	10 6	2 2	174 145	20 26	12 8	25 18	34 25	45 35
4	White	2,039	248	31	16	16	4	315	45	20	43	59	78
5 6	MalesFemales	1,080 959	136 112	14 17	10 6	10 6	. 2	172 143	20 25	12 8	25 18	34 25	· 44 34
7	Native	1,397	247	31	16	16	4	314	45	19	39	48	62
8 9	MalesFemales	754 643	135 112	14 17	10 6	10 6	2 2	171 143	20 25	11 8	21 18	26 22	33 29
10	Both parents native ${\mathbf{F}}$	339 324	72 67	5 9	6 4	5	2	88 85	13 21	4 6	10 12	18 14	20
11	One or both parents foreign $\left\{ egin{matrix} M & \cdots \\ F & \cdots \end{matrix} \right\}$	341 263	54 32	8 8	3 2	3 5 3	ĩ	- 85 71 45	6 4	7	10	8 8	20 15 12 11
12	Parentage unknown $\cdots \{_{\mathbf{F}}^{\mathbf{M}} \cdots \}$	74 56	9 13	1	1		1	45 12 13	1	i	1		1 3
13	Foreign	618		•••••			<u></u>			1	4	8	14
14 15	MalesFemales	310 308								1	4	7	9 5
16	Unknown	24	1					1				3	2
17 18	Males. Females	16 8	1					1				1 2	2
19	Colored	24	3		1			4	1			_ 	2
20 21	MalesFemales	15 9	2 1		1			2 2	1				1 1
22	Negro $\left\{egin{array}{cccc} \mathbf{M} & \dots & \mathbf{M} \\ \mathbf{F} & \dots & \mathbf{M} \end{array}\right.$	15 9	$\frac{2}{1}$		•1			2 2	i				1
	BUFFALO, N. Y.							_	_				-
23	Total	6,294	1,297	214	90	60	42	1,703	117	99	165	244	228
24 25	Males Females	3,471 2,823	744 553	106 108	52 38	36 24	20 22	958 745	63 54	59 40	97 68	136 108	144 ' 84
26	White	6,234	1,291	212	90	60	42	1,695	117	98	162	242	224
27 28	MalesFemales	$\begin{bmatrix} 3,442 \\ 2,792 \end{bmatrix}$	742 549	104 108	52 38	36 24	20 22	954 741	63 54	59 39	94 68	135 107	144 80
29	Native	3,886	1,286	206	90	57	38	1,677	108	92	142	163	142
30 31	Males Females	2,191 1,695	738 548	102 104	52 38	33 24	19 19	944 733	56 52	57 35	84 58	90 73	88 54
32	Both parents native $\left\{egin{matrix} \mathbf{M} \\ \mathbf{F} \end{array}\right\}$	753 617	256 181	32	11 9	8	7 12	314	21	20	27	39	26 20 61
33	One or both parents foreign. $\left\{ \begin{matrix} M \\ F \end{matrix} \right\}$	1,357 1,007	444 326	32 30 69 73	41 29	24 18	12 7	238 590 453	18 35 34	15 37 20	20 54 38	29 49 44	61 33
34	Parentage unknown $\left\{ egin{aligned} \mathbf{M} & \cdot \\ \mathbf{F} & \cdot \end{aligned} \right\}$	81 71	38 41	1 1		ĩ		40 42			3	2	1 1
35	Foreign.	2,323	3	6		3	4	16	9	6	20	78	82
36 37	MalesFemales	1,229 1,094	3	2 4		3	1 3	9 7	7 2	2 4	10 10	44 34	56 26
38	Unknown	25	2					2				1	
39 40	Males Females	· 22	1 1			9		1 1	••			1	
41	Colored	60	6	2		<u> </u>	<u></u> .	8	<u></u>	1	3	2	4
42 43	MalesFemales	29 31	2 4	2				4 4		1 .	3	1 1	4
44	Negro $\left\{ egin{array}{ll} M_{} \\ F_{} \end{array} \right]$	23 27	1 3	2				3 3			3		
45	Indian $\left\{ egin{matrix} \mathbf{M} \dots \\ \mathbf{F} \dots \end{array} \right\}$	5 4	1 1					1 1		1		1	4
46	Chinese $\left\{ egin{array}{c} M & -1 \\ F & -1 \end{array} \right\}$	î 🏻											

						DEAT	es at age	of—							Deaths	
30 to 34 years.	35 to 39 years.	40 to 44 years.	45 to 49 years.	50 to 54 years.	55 to 59 years.	60 to 64 years.	65 to 69 years.	70 to 74 years.	75 to 79 years.	80 to 84 years.	85 to 89 years.	90 to 94 years.	95 to 99 years.	100 years and over.	at un- known age.	
112	110	124	127	141	153	170	151	145	116	-74	52	18	2		1	
63 49	68 42	66 58	79 48	70 71	97 56	77 93	89 62	71 74	49 67	32 42	18 34	· 4	`1 1		1	]
111	108	123	127	138	150	168	149	144	115	74	51	18	2		1	_
62 49	66 42	65 58	79 48	68 70	94 56	76 92	88 61	70 74	. 49 66	32 42	18 33	4 14	1 1		1	
91	84	94	88	101	87	88	67	72	42	24	.21	9	2			
52 39	50 34	51 43	55 33	52 49	54 33	42 46	44 23	34 38	18 24	10 14	6 15	3 6	1 1			-
25 14	15	19 16 32	10	13	17 9	19	22 12	22	10	8	2 14	3 5	1 1		,	} 10
25 14 25 19 2 6	7 29 23	32 26	10 12 38 20 7	13 14 28 30 11	32 20	19 21 14 21	22 13 18 7 4	22 23 7 12 5	10 14 2 6 6	8 8 1 4	1					1
2 6	6 4.	i	7	11 5	5 4	9 4	4 3	5 3	6 4	4 1 2	. 3	i				1:
19	22	29	37	35	57	. 78	82	71	73	49	- 30	9				13
9 10	16 6	14 15	22 15	16 19	34 23	33 45	44 38	35 · 36	31 42	22 27	12 18	1 8				14
· 1	2		2	2	6	2		1		1					1	1
1	2		2	2	6	1 1	:	1		·····i					1	1
1	2	1		3	3	2	2	1	1		1					1
1	. 2	1		2 1	3	1	1	1	i		<u>1</u>					2
1	2	1		2	3	1	1	1								) 2
				1	•••••	1	1		1		. 1					1
264	321	308	363	398	389	380	356	327	269	193	125	35	7	3		. 2
144 120	189 132	182 126	223 140	239 159	241 148	216 164	161 195	156 171	112 157	83 110	50 75	13	·3 4	2		2
259	316	305	357	395	389	372	354	323	267	190	124	35	7	3		2
141 118	186 130	180 125	221 136	238 157	241 148	212 160	160 194	154 169	111 156	82 108	49 75	13 22	3 4	2		2
156	195	159	174	. 209	173	129	110	91	74	52	28	9	2	1		2
. 85 . 71	110 85	91 68	107 67	126	107	77 52	49 61	53 38	24 50	26 26	12	2 7	2	1		30
				83 30	66 27						16 7	1	2	1		
20 52	38 28 68 54	18 64	27 13 77 50 3	. 93 . 93	27 19 76 47	24 38	29 25	24 23 24 15	33 5	18 19 4	14 4	•6 1				33
31 20 52 50 2 1	54 4 3	25 18 64 47 2 3	50 3 4	30 31 93 50 3	47 4	35 24 38 25 4 3	22 29 25 30 2 2	15 5	18 33 5 11 1 6	4 5 4 2	1					34
102	116	144	179	184	214	238	243	232	193	138	1 96	1 26	5	2		3
55 47	71 45	88 56	110 69	110 74	133	130 108	110 133	101 131	87 106	56 82	37 59	11 15	1	1		30
1	45 5	2	4	2	2	108	133	191	100	82	99	19	4,	1		3
1	5	1	4	2	1	- 5	1									39
5	5	1 3	6	3	1	8	2	4	2	3	1					41
3 2	3 2		2 4	1		4	1 1	2 2	1 1	1 2	1					42
		1 2	4 1	2	••••••	4 3			1		1					
2 2 1	3 2		4	2		3 1	1 1	1 2 1	i	1 2						45
		1				ĩ										46

Table 2.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA, ITS MAIN SUBDIVISIONS, EACH GENERAL NATIVITY, AND PARENT

=							DE	ATHS AT AG	E OF-				·
	AREA AND SEX, COLOR, AND NATIVITY.	All deaths.	Under 1 year.	1 year.	2 years.	3 years.	4 years.	Under 5 years.	5 to 9 years.	10 to 14 years.	15 to 19 years.	20 to 24 years.	25 to 29 years.
,	NEW YORK, N. Y.	75 200	15 000	2 986	1 600	1.005	679	90, 900	1 575	000	1 070	0.010	0.144
1 2 3	Total	75,329 41,118 34,211	8,182 6,846	2,093 1,775	1,628 861 767	1,005 492 513	673 346 327	22,202 11,974 10,228	933 822	938 474 464	1,659 872 787	2,646 1,326 1,320	3,144 1,734 1,410
4	White	72,799	14,515	3,741	1,578	972	654	21,460	1,718	907	1,581	2,494	2,943
5. 6	MalesFemales	39,789 33,010	7,912	2,017	832 746	474 498	338 316	11,573	918	462	834	1,259 1,235	1,621 1,322
7	Native	43,265	6,603 14,418	1,724 3,591	1,479	920	624	9,887 21,032	1,550	445 732	747 1,091	1,235	1,322
8 9	Males Females	23,857 19,408	7,853 6,565	1,933 1,658	775 704	450 470	318 306	11,329 9,703	826 724	378 354	598 493	726 694	892 684
10	Both parents native $$	7,042 5,923	1,950 1,592	365 308	187 152	102 125	98 70	2,702 2,247 7,836	247 235 572	128 106	200 174	229 270	271 241
11	One or both parents foreign. $\begin{cases} M \\ F \end{cases}$	15,712 12,637	5,233 4,346	1,538 1,322 30	572 546	336 333	217 232	6,779	572 487	245 246	388 316	487 414	601 432 20 11
12	Parentage unknown $\left\{egin{array}{c} M \ldots \\ F \ldots \end{array}\right.$	1,103 848	670 627	28	16 6	12 12	3 4	731 677	2	5 2	10 3	10 10	11
13	Foreign	29,008	56	86	66	43	28	279	163	175	486	1,063	1,347
14 15	Males Females	15,530 13,478	34 22	51 35	, 33 , 33	19 24	18 10	155 124	89 74	84 91	235 251	526 537	712 635
16	Unknown	526	41	64	33	9	2	149	5		4	11	20
17 18	MalesFemales	402 124	25 16	33 31	24 9	5 4	2	89 60	3 2		1 3	7 4	17
19	Colored	2,530	513	127	50	33	19	742	37	31	78	152	201
20 21	MalesFemales	1,329 1,201	270 243	76 51	29 21	18 15	8 11	401 341	15 22	12 19	38 40	67 85	113 88
22	Negro $\left\{egin{array}{c} \mathbf{M} \\ \mathbf{F} \end{array}\right.$	1,236 1,196	267 242	76 51	29 21	18 14	8 11	398 339	' 15 22	12 19	38 40	61 85	99 88
23	Indian	1 1 74	1	•••••				1				5	9
24 25	Crimese	18	1 2					1 2				i	5
20	Japanese	3				1		1	••••••				
26	Total	6,251	1,134	265	130	98	46	1,673	169	94	160	230	283
27 28	Males Females	3,334 2,917	615 519	147 118	69 61	56 42	22 24	909 764	87 82	47 47	88 72	102 128	145 138
29	White	6,153	1,121	263	128	95	45	1,652	166	93	156	. 227	276
30 31	MalesFemales	3, 280 2, 873	606 515	145 118	67 61	54 41	22 23	894 758	85 81	46 47	87 69	101 126	144 132
32	Native	3,662	1,114	259	126	93	45	1,637	157	79	122	147	145
33 34	MalesFemales	1,965 1,697	600 514	142 117	65 61	53 40	22 23	882 755	79 78	40 39	65 57	65 82	86 59
35	Both parents native $\{M, \dots, M\}$	633 530	199 184	40 27	19 13	19 8	7 9	284 241	22 28 55	19 12	19 18 45	15 24 50	22 22 62
36	One or both parents foreign. $\left\{ \begin{matrix} \mathbf{M} \\ \mathbf{F} \end{matrix} \right\}$	1,287 1,135	389 317	100 89 2	46 47	8 33 32	15 14	583 499	50	19 12 19 25 2	39	50 58	62 37 2
37	Parentage unknown $\cdots \{ egin{matrix} M \\ F \end{array} \}$	45 32	12 13	1	1	1		15 15	2	2 2	1		2
38	Foreign	2,473	5	3	2	2		12	9	14	33	. 80	130
39 40	MalesFemales	1,297 1,176	4	1	2	1 1		9	6 3	6 8	21 12	36 44	57 73
41	Unknown	18	2	<u>1</u>				3			1		1
43	Males Females		••••	•••••									•••••
44	Colored	98	13	. 2	2	3	1	21	3	1	4	3	7
45 46	MalesFemales	54 44 53 44	9 4 9	2	2	2 1 2	i	15 6 15	2 1 2	1 1	1 3 1	$\begin{bmatrix} 1 \\ 2 \\ 1 \end{bmatrix}$	1 6 1
47 48	$\begin{array}{cccccccccccccccccccccccccccccccccccc$	44 1	4			- î	1	6	ĩ		3	2	6

Deati	**************************************					<del></del>	OF—	HS AT AGE	DEAT						
rs know age	100 years and over.	95 to 99 years.	90 to 94 · years.	85 to 89 years.	80 to 84 years.	75 to 79 years.	70 to 74 years.	65 to 69 years.	60 to 64 years.	55 to 59 years.	50 to 54 years.	45 to 49 years.	40 to 44 years.	35 to 39 years.	30 to 34 years.
6	16	54	236	738	1,605	2, 431	3, 504	4, 122	4, 445	4, 265	4, 553	4, 498	4, 445	4, 439	3, 629
5	5 11	16 38	85 151	302 436	654 951	1,092 1,339	1,689 1,815	2,111 2,011	2, 415 2, 030	2, 425 1, 840	2,732 1,821	2, 765 1, 733	2,744 1,701	2,646 1,793	2,124 1,505
	15	52	227	730	1,586	2,403	3, 440	4, 055	4,352	4, 161	4, 405	4,364	4,255	4,215	3, 431
5	5 10	14 38	83 144	300 430	646 940	· 1,077 1,326	1,660 1,780	2,076 1,979	2,365 1,987	2,382 1,779	2,645 1,760	2,689 1,675	2,633 1,622	2,528 1,687	2,019 1,412
1 -	1	21	84	229	462	675	888	1,154	1,224	1,556	1,836	1,816	1,909	2,166	1,841
1	1	6 15	25 59	80 149	189 273	304 371	469 419	-635 - 519	676 548	920 636	1,096 740	1,100 716	1,205 704	1,312 854	1,091 750
1	1	5 13 1 2	19 52 4 7 2	65 115 13 29 2	139 196 43 68 7	209 271 74 89 21 11	286 271 155 138 28 10	372 280 237 223 26	338 246 311 288 27	292 203 590 418 38 15	319 219 736 510 41 11	283 163 785 538 32 15	298 187 868 501 39 16	311 208 971 634 30 12	329 225 735 516 27 9
4	- 14	31	143	501	1,122	1,724	2,543	2,883	3, 103	2, 584	2,516	2, 493	2,284	1,993	1,558
	5 9	. 8	58 85	220 281	456 666	771 953	1,185 1,358	1, 426 1, 457	1,669 1,434	1,444 1,140	1,502 1,014	1,544 949	1,373 911	1,169 824	899 659
					2	4	9	18	25	21	53	55	62	56	32
					1 1	2 2	6 3	15 · 3	20 5	18 3	47 6	45 10	55 7	47 9	29 3
1	1	2	9	8	19	28	64	67	93	104	148	134	190	224	198
i	1	2	2 7	2 6	8 11	15 13	29 35	35 32	50 43	43 61	87 61	76 58	111 79	118 106	105 93
	i	2	2 7	2 6	8 11	15 13	29 35	32 32	41 43	38 61	76 60	67 58	98 78	106 105	97 93
											1		10		7
:- :								3	9	5	10 . 1	6 3	10	10	í
												•••••	1	2 1	-:
						100	210	970	382	364	368	403	355	353	308
_	1	1	22	59 23	137 59	196	310 148	379 178	196 186	207	221	238 165	221	195	171
	1	1	16	36 59	137	103	162 304	201 377	186 379	157 357	147 359	165 395	134 349	158 343	303
	1	1	6	23	59	93	145	176	194 185	203	214	233 162	217	192 151	168
	1	1	14	36 12	78 32	102 52	159 59	201 107	185 89	154 134	145 164	162 178	132 159	151	135 192
		1	2	4	16	25	28	53	48	66	97	107	96	103	103
		1	•3 2	8	16	27 15	31 16	54 28	41 25	68 22	67 30	71 22	63 29	86 18.	89 32
	••••••	1	2	3 7 1	10 8 4	15 18 6 7	16 22 8 8	28 21 24 30	25 17 23 23	22 12 41 54 3	30 10 65 56 2 1	22 12 83 59	29 14 66 49	18, 19 83 67	32 22 69 65 2
·-  	••••••		1	······································	6 2 2	7 4 2	8 4 1	30 1 3	1	54 3 2	2	59 2	1	2	2 2
	1		15	47	105	143	245	269	287	222	194	217	187	152	109
,	1		4 11	19 28	43 62	68 75	117 128	122 147	143 144	136 86	116 78	126 91	118 69	87 65	63 46
				20				1	3	1	1		3	2	2
								1	3	1	1		3	2	2
			2			1	6	2	3	7	9	8	6	10	5
-			2				3 3	2	2	4 3	7 2	5	4 2	3 7	3 2
							3 3	2	2	4 3	6	5	4 2	3 7	3 2
-	• • • • • • • • • • • • • • • • • • • •		2		••••••	1	3	• • • • • • • • • • • • • • • • • • • •	1	3	$^2_1$	ō	<i>z</i>		

Table 2.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA, ITS MAIN SUBDIVISIONS, EACH GENERAL NATIVITY, AND PARENT

=	· · · · · · · · · · · · · · · · · · ·						DE	ATES AT A	E OF-				
	AREA AND SEX, COLOR, AND NATIVITY.	All deaths.	Under 1 year.	1 year.	2 years.	8 years.	4 years.	Under 5 years.	5 to 9 years.	10 to 14 years.	15 to 19 years.	20 to 24 years.	25 to 29 years.
	NEW YORK, N. Y. (BROOKLYN BOROUGH).												
1	Total	25, 174	4,701	1,257	513	326	252	7,049	649	355	541	826	1,075
2 3	MalesFemales	13,491 11,683	2,591 2,110	686 571	273 240	168 158	129 123	3,847 3,202	347 302	176 179	292 249	413 413	579 496
4	White	24, 528	4,582	1,226	501	317	248	6,874	636	345	523	790	1,016
5 6	MalesFemales	13, 185 11, 343	2,528 2,054	669 557	267 234	162 155	127 121	3,753 3,121	342 294	175 170	282 241	396 394	547 469
7	Native	15,330	4,569	1,204	483	311	238	6,805	587	296	407	505	630
8 9	Males Females	8,370 6,960	2,521 2,048	656 548	257 226	161 150	121 117	3,716 3,089	316 271	156 140	223 184	258 247	341 289
10	Both parents native $\{ F : \}$	2,821 2,554	804 656	153 139	86 71	46 56	44 33 77	1,133 955	106 109	60 51	74 72	85 119	123 100
11	One or both parents foreign. $\begin{Bmatrix} M \\ F \end{bmatrix}$	5,447 4,327 102	1,701 1,370 16	500 406 3	171 155	115 94	77 84	2,564 2,109 19	209 161 1	95 89 1	148 112 1	171 127 2	214 183
12	Farentage diffinowit	79	22	3				25	1			1	6
13 14	Foreign	9,115	13	13	18	6 1 5	10	37	24	19	116 59	283 136	384
15 16	FemalesUnknown	4,367 83	6	9	8	5	4	32	23	30	57	147	180
17	Males	67							2			2	2
18 19	FemalesColored	16 646	119	31	12	9	4	175	13	10	18	36	59
20	Males	306	63 56	17	6	6	2	94	5	1	10	17	32 27
21 22	Females. ${M \over F}$	340 299	63	14 17	6	3 6	2 2	81 94	8 5	9	8 10	19 17	
23	Indian $\begin{cases} F \\ F \end{cases}$	339	56	14	6	3	2	81	8	9	8	19	28 27
24	Chinese $\left\{egin{array}{c} M \\ F \end{array}\right\}$	3											3
25	Japanese $\{ egin{array}{cccccccccccccccccccccccccccccccccccc$	4											1
•	NEW YORK, N. Y. (MANHATTAN BOROUGH).											:	
26	Total	38,236	8,083	2,163	893	502	318	11,959	, 804	401	832	1,387	1,580
27 28	MalesFemales	21, 180 17, 056	4,377 3,706	1,164 999	471 422	227 275	169 149	6, 408 5, 551	430 374	206 195	423 409	702 685	889 691
29 30	White	20,279	7,737	2,077 1,112	858 451	482 218	305 164	11,459	785	381	783	1,280	. 1,448
30 31	Females	16,309	4, 198 3, 539	965	407	264	141	6,143 5,316	423 362	196 185	398 385	656 624	810 638
32 33	Native Males Males	20,793	7,662 4,154	1,957	780 407	198	285 150	11, 124 5, 955	676 363	139	258	619 327	679 396
34	Females	9, 170	3,508	911	373	242	135	5,169	313	134	206	292	283
35 36	Both parents native	2,810 2,206 7,916	688 550 2,828	135 113 887	63 51 331	28 47 166	37 18 113	951 779 4,325	83 78 277	30 24 107	85 64 165 139	105 92 216 193	101 104 282 174
37	One or both parents foreign. $\begin{cases} M \\ F \end{cases}$ Parentage unknown $\begin{cases} M \\ F \end{cases}$	6,268 897	2,372 638	775   24	331 318 13	166 191 4	116	4,325 3,772 679	234 3	110	8	6	13 [
38	Foreign	696 15 <b>,*</b> 384	586 36	23 57	4 45	4 33	1 18	618 189	106	108	3 316	7 652	5 752
39 40	Males Females	8,353 7,031	21 15	34 23	20 25	15 18	12 6	102	59 47	57 51	140 176	324 328	400 352
41	Unknown	411	39	63	33	9	2	146	3	91	3	9	17
42 43	MalesFemales	303 108	23 16	32 31	24 9	5 4	2	86 60	1 2		3	5 4	14 3
44	Colôred	1,648	346	86	35	20	13	500	19	20	49	107	132
45 46	MalesFemales	901 747	179 167	52 34	20 15	9 11	5 8	265 235	7 12	10 10	25 24	46 61	79 53
47	Negro	817 · 744	176 166	· 52	20 15	9 10	5 8	262 233	7 12	10 10	25 24	40 61	69 53
48	Indian $M$ .	1	1		1.0			233 I		10	4 <del>4</del>		
49 50	Chinese M	69 1 14	1 2					1 2				- 5 1	6
50	Japanese $\left\{ egin{array}{ll} \mathbf{F}_{-} \end{array} \right]$	2.				····i		1					4

						DEAT	ES AT AGE	of—							Deaths
30 to 34 years.	35 to 39 years.	40 to 44 years.	45 to 49 years.	50 to 54 years.	55 to 59 years.	60 to 64 years.	65 to 69 years.	70 to 74 years.	75 to 79 years.	80 to 84 years.	85 to 89 years.	90 to 94 years.	95 to 99 years.	100 years and over.	at un- known age.
1,206	1,390	1,433	1,469	1,477	1,434	1,564	1,436	1,278	945	640	284	95	23	5	
689 517	803 587	863 570	869 600	858 619	774 660	792 772	753 683	619 659	411 534	247 393	123 161	29 66	5 18	2 3	
1,155	1,331	1,392	1,442	1,439	1,406	1,534	1,418	1,256	938	633	281	93	22	4	
669 486	775 556	838 554	857 585	838 601	765 641	778 756	746 672	614 642	407 531	246 387	122 159	29 64	4 18	2 2	
697	780	730	680	677	591	492	457	354	. 295	200	95	40	11	1	
405 292	463 317	460 270	403 277	368 309	329 262	253 239	259 198	183 171	123 172	73 127	33 62	6 34	2 9	1	
121	120 85	109 73	99 59	111 91	98 92	126 112	161 116	119 117	85 121	57 98	29 49	4 30	1 9	i	
95 271 193 13. 4	339 230	343 190	297 213	248 214	223 166	122 122	116 89 78 9	119 117 56 51 8	36 47	16 26	4 12	1	ľ		
13. 4	2	8 7	7 5	9	8 4	5 5	4	8	2 4	3	1	î		••••••	
454	534	652	753	752	807	1,036	956	898	640	432	186	53	11	3	• • • • • • • • • • • • • • • • • • • •
260 194	300 234	369 283	447 306	461 291	429 378	520 516	483 473	429 469	282 358	173 259	89 97	23 30	· 2 9	2 1	••••••
4	17	10	9	10	8	6	5	4	3	1					<del></del>
4	12 5	9 1	7 2	9	7 1	5 1	4 1	2 2	2 1	1				•••••	
51	59	41	27	38	28	30	18	22	. 7	7	3	2	1	1	
20 31	28 31	25 16	. 12 . 15	20 18	, 9 19	14 16	7 11	5 17	4 2	1 6	·1 2	2	1	i	
20 31	27 31	23 16	12 15	. 20 17	9 19	14 16	7 11	5 17	4 3	1 6	1 2	2	1	i	
				i	•••••		••••••				· · · · · · · · · · · · · · · · · · ·		 		
*********	· · · · · · · · · · · · · · · · · · ·	······2			••••••										
						•••••	• • • • • • • • • • • • • • • • • • • •			••••••					
1,883	2,380	2,309	2,289	2,366	2, 136	2, 183	1,960	1,583	1,056	679	322	94	23	9	1
1, 131 752	1,477 903	1,433 876	1,430 859	1,448 918	1,267 869	1,253 930	1,007 953	747 836	488 568	272 407	124 198	37 57	6 17	2 7	·····i
1,751	2,234	2,172	2,200	2,272	2,070	2, 131	1,918	1,555	1,038	670	319	90	· 22	9	1
1,054 697	1,392 842	1,354 818	1,378 822	1,391 881	1,238 832	1,222 909	983 935	730 825	478 560	267 403	124 195	35 55	5 17	2 7	·····i
815	1,026	835	789	846	686	538	483	372	259	180	95	28	6		
504 311	651 375	535 300	480 309	543 303	445 241	316 222	269 214	199 173	125 134	72 108	32 63	12 16	2 4		
151	149	131	138	158	145	153 96	146 117	115 97	86 101	47 76	25 45	. 9 . 14	2 2		<b>-</b>
151 87 341 221 12 3	149 90 482 276 20 9	131 82 379 211 25 7	138 794 322 222 20 8	158 100 355 197 30 6	145 79 279 155 21 7	153 96 144 123 19	146 117 111 89 12 8	115 97 74 71 10 5	86 101 26 31 13 2	47 76 22 31 3 1	25 45 6 15 1	3 2	2		
12 3	20	25 7	20 8	30 6	7	19 3	8.	1	13	1	3				
.911	1,173	1,291	1,367	1,389	1,372	1,578	1,423	1,178	778	489	224	62	16	. 9	1
528 383	710 463	779 512	862 505	816 573	783 589	895 683	704 719	527 651	353 425	194 295	. 92 132	23 39	3 13	2 7	i
25	35	46	44	37	12	15	12	5	1	1					
22 3	31 4	40 6	36 8	32 5	10 2	11 4	10 2	4 1	i	1					
132	146	137	89	. 94	66	52	42	28	18	. 9	3	4	1		
77 · 55	· 85	79 58	52 37	57 37	29 37	31 21	24 18	17 11	10 8	5 4	3	2 2	1		
70 55	74 61	68 57	43 37	47 37	24 37	22 21	21 18	17 11	10 8	5 4	3	2 2	1		
6	10	10	6	9	5	9	3								
3	1	1 1	l	1		1		l	l	l	<b></b>	1	1	1	l <b></b>

Table 2.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA, ITS MAIN SUBDIVISIONS, EACH GENERAL NATIVITY, AND PARENT

=					-		DE	ATHS AT AG	E OF—				<del></del>
	AREA AND SEX, COLOR, AND NATIVITY.	All deaths.	Under 1 year.	1 year.	2 years.	3 years.	4 years.	Under 5 years.	5 to 9 years.	10 to 14 years.	15 to 19 years.	20 to 24 years.	25 to 29 years.
	NEW YORK, N. Y. (QUEENS BOROUGH).												
1	Total	4,182	853	133	78	47	39	1,150	96	71	95	154	162
2 3	Males Females	2,258 1,924	462 391	73 60	40 38	27 20	19 20	621 529	50 46	37 34	51 44	82 72	93 69
4	White	4,076	823	127	77	46	38	1,111	94	71	90	150	160
5 6	Males Females	2,207 1,869	445 378	69 58	39 38	26 20	18 20	597 514	49 45	37 34	50 40	80 70	92 68
7	Native	2,535	822	123	77	46	38	1,106	93	68	75	113	99
8 9	Males Females	1,369 1,166	444 378	67 56	39 38	26 20	18 20	594 512	49 44	35 33	40 35	58 55	57 42
10	Both parents native $\prod_{F}^{M}$	542 441	203 157	27 18	18 14	9	8 7	265 204	28 15	14 13	16 15	17 25	21 12
11	One or both parents foreign. $\left\{egin{array}{c} \mathbf{M} & \mathbf{H} \\ \mathbf{F} & \mathbf{H} \end{array}\right\}$	815 701	240 216	40 37	21 24	17 11	10 13	328 301	21 29	21 20	24 20	25 40 28	36 30
12	Parentage unknown $\binom{M}{F}$	12 24	1 5	1		1		7				$\frac{1}{2}$	
13	Foreign	1,529	1	4				5	1	3	15	37	61
14 15	MalesFemales	826 703	1	2 2				3 2	<u>î</u>	2 1	10 5	22 15	35 26
16	Unknown	12											
17 18	Males. Females.	12											
19	Colored	106	30	6	1	· 1	1	39	2		_ 5	4	2
20 21	Males	51 55	17 13	4 2	1	1	1	24 15	1 1		1 4	2 2	1 1
22	Negro	51 55	17 13	4 2	1	1	1	24 15	1 1		1 4	2 2	1
	NEW YORK, N. Y. (RICHMOND BOROUGH),				٠							_	_
23	Total	1,486	257	50	14	32	18	371	37	17	31	49	44
24 25	MalesFemales	855 631	137 120	23 27	8 6	14 18	7 11	189 182	19 18	8 9	18 13	27 22	28 16
26	White	1,454	252	48	14	32	18	364	37	17	29	47	43
27 28	MalesFemales	838 616	135 117	22 26	8 6	14 18	7 11	186 178	19 18	8	17 12	26 21	28 15
29	Native	945	251	48	13	30	18	360	37	16	23	36	23
30 31	Males Females	530 415	134 117	22 26	7 6	12 18	7 11	182 178	19 18	8	12 11	18 18	12 11
32	Both parents native $$ ${M \choose F}$	236 192	56 45	10 11	1 3	6	2 3	69 68	8 5	5 6	6 5	7 10	4 3 7
33	One or both parents foreign. $\left\{egin{array}{c} \mathbf{M} - \mathbf{F} \\ \mathbf{F} \end{array}\right\}$	247 206	75 71	11 15	3 2	5 5	3 2 5	96 98	10 13	3 2	6 6	10 10 8	8
34	Parentage unknown $\{F_{\cdot,\cdot}^{M}\}$	47 17	3 1	1	3 1	7 7	3	17 12	1			1	1
35	Foreign	507	1		1	2		4		• 1	6	11	20
36 37	MalesFemales	306 201	1		1	2		4		1	5 1	8 3	16 4
. 38	Unknown	2											
39 40	Males Females	2											
41	Colored	32	5	2	<u></u>			7			2	2	1
42 43	MalesFemales	17 15	$\frac{2}{3}$	1 1				3 4			1 1	1 1	1
44	Negro $\left\{egin{matrix} M & \dots & \\ F & \dots & \end{array}\right.$	16 14	2 3	1 1				3 4			1	1 1	i
45	Chinese $\left\{ egin{array}{ll} \mathbf{M} & \cdots \\ \mathbf{F} & \cdots \end{array} \right.$	î											
46	Japanese $\left\{ egin{array}{ll} M \\ F \end{array} \right.$ .	i						ļ)					

	Deaths							of—	HS AT AGE	DEAT						
n	at un- known age.	100 years and over.	95 to 99 years.	90 to 94 years.	85 to 89 years.	80 to 84 years.	75 to 79 years.	70 to 74 years.	65 to 69 years.	60 to 64 years.	55 to 59 years.	50 to 54 years.	45 to 49 years.	40 to 44 years.	35 to 39 years.	0 to 34 years.
-	-	•										·				
		1	4	12	51	99	. 166	205	241	221	258	257	252	273	244	170
		1	. 2	8 4	16 35	49 50	65 101	96 109	110 131	- 120 101	142 116	148 109	167 85	175 98	128 116	97 73
		1	4	11	49	99	164	198	- 238	215	255	252	245.	270	236	163
		1	2 2	8 3	15 34	49 50	64 100	93 105	109 129	118 97	141 114	146 106	162 83	174 96	126 110	94 69
		- <i>:</i>	1	1	14	28	46	53	58	56	105	112	121	142	137	107
			1	1	3· 11	13 15	21 25	25 28	24 34	31 25	60 45	61 51	77 44	85 57	72 65	63 44
			1	1	3 10	12 -8	16 21	12 21 12	16 16	15 10	20 10	12 13	17 8	19 15	18 12 52	20 12
					i	1 5	4 3	12 6	16 7 17	16 11	38	49 38.	60 35	63 40	52 52	20 12 43 32
••						2	1	1	1	4	2 2		i	3 2	2	
		1	3	10	35	71	118	145	180	158	150	135	122	126	97	56
- ::		1	2	7 3	12 23	36 35	43 75	· 68	85 95	86 72	81 69	80 55	83 39	87 39	52 45	31 25
										1		5	2	2	2	
										1		5	2	2	2	
				1	2	·	2	7	3	6	3	5	7	3	8	7
				1	1 1		1	3 4	1 2	2 4	1 2	2 3	5 2	1 2	2 6	3 4
				i	1		1	3 4	1 2	2 4	1 2	2 3	5 2	1 2	2 6	3 4
								•	•			•	٠			
_			3	13	22	50	68	128	106	95	73	85 57	85	75	72	62
				8	16 6	27 23	35 33	79 49	63 43	54 41	35 38	28	61 24	52 23	43 29	36 26
			3	13	22	- 47	68	127	104	93	73	83	82	72	71	59
			3	· 8	16 6	25 22	35 33	78 49	62 42	53 40	35 38	56 27	59 23	50 22	43 28	34 25
			2	10	13	22	23	ქ0	49	49	40	37	48	43	- 34	30
			2	4 6	8 5	15 7	10 13	34 16	30 19	28 21	20 20	27 10	33 15	29 14	23 11	16 14
			. 2	. 6	5 4 2	13 6	7 10	24 14	21 10 6	19 11 6	7 10	8 5	7 5	10 3 17	6 2	5 9
					1		2 1	14 5 2	9	9	9 10	5 19 5	5 23 9	11 (	15 9	9 11 5
				1	1	2 1	1 2	5	3	3 1	4		3 1	2	2	
••			1	3	9	25	45	77	55	44	33	46	34	28	37	28
			1	1 2	8 1	10 15	25 20	44 33	32 23	25 19	15 18	29 17	26 8	20 8	20 17	. 17 11
							••••••							1		1
-		:							• • • • • • • • • • • • • • • • • • • •					1		1
	  - <b>,</b>					3		1	2	2		2	3	3	1	3
-						2		1	ı I	1		1	2	2		- 2
								1	1	1		1	1 2	1 2	1	1
-						$\begin{smallmatrix}2\\1\end{smallmatrix}$			î	î		i	ĩ	ĩ		. 1
		:				•••••	:									·····

Table 2.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA, ITS MAIN SUBDIVISIONS, EACH GENERAL NATIVITY, AND PARENT

		4.17					DE	CATHS AT AC	E OF—				
	AREA AND SEX, COLOR, AND NATIVITY.	All deaths.	Under 1 year.	1 year.	2 years.	3 years.	4 years.	Under 5 years.	5 to 9 years.	10 to 14 years.	15 to 19 years.	20 to 24 years.	25 to 29 years.
	ROCHESTER, N. Y.									,			
1	Total	3,271	443	121	57	42	33	696	75	48	65	116	115
2 3	Males Females.	1,714 1,557	269 174	59 62	30 27	25 17	14 19	397 299	43 32	27 21	33 32	57 - 59	63 52
4	White	3,253	441	121	57	41	33	693	75	48	65	114	113
5	MalesFemales.	1,703 1,550	267 174	59 62	30 27	25 16	14 19	395 298	43 32	27 21	33 32	56	63 50
7	Native	2,089	436	118	56	39	30	679	66	39	40	58 78	70
8	Males	1,101	264	58 60	30	24	14	390	37	22	17	39	34
- 1	Females	469	172 109		26	15 7	16 9	289 152	29 21	17 11	23 9	39 15	36 17
10 11	Both parents native	428 553	66 144	15 19 42	12 12 17	8 17	4 5	109 225	13 16	10 11	9 8	16	13 16
12	One or both parents foreign $igg\{ egin{array}{ll} M & \dots & M \\ F & \dots & \dots & M \\ \dots & \dots & \dots & \dots \\ F & \dots & \dots & \dots \\ M & \dots & \dots \\ M & \dots \\ M & \dots \\ M & \dots$	491 79	101 11	40 1	14 1	7	12	174 13	16	7	14	23 23 1	22 1
	<b>\</b>	69	5	1	••••••			6					1
13 14	Foreign Males.	1, 146 591	3	3	1	2	3	14 5	9	5	23	35	29
15	Females.	555	2	$\tilde{2}$	1	1 1	3	ğ	3	4	9	18	14
16	Unknown	18									<u>2</u>	1	
17 18	Males Females	11 7		· · · · · · · · · · · · · · · ·	· · · · · · · · · · · · · · · · · · ·						z	i	
19	Colored	18	2			1	· · · · · · · · ·	3				2	2
20 21	Males Females	11 7	2		· · · · · · · · · · · ·	·····i	· · · · · · · · · · · ·	2 1				1	2
22	Negro $\left\{egin{array}{cccc} \mathbf{M} & \cdots & \mathbf{K} \\ \mathbf{F} & \cdots & \mathbf{K} \end{array}\right\}$	11 7	2			1		2				1 1	2
	SYRACUSE, N. Y.				6					ĺ			
23	Total	2,027	386	66	35	20	9	516	41	30	31	57	93
24 25	Males Females	1,078 949	246 140	30 36	20 15	10 10	6 3	312 204	18 23	14 16	15 16	31 26	55 38
26	White	2,000	381	65	34	20	9	509	41	29	29	55	93
27 28	MalesFemales	1,064 936	243 138	30 35	19 15	10 10	6	308 201	18 23	14 15	14 15	30 25	55 38
29	Native	1,423	378	62	33	20	9	502	39	28	25	38	64
30 31	MalesFemales	756 667	241 137	27 35	19 14	10 10	6	303 199	17 22	14 14	14 11	19 19	36 28
32	Both parents native $\left\{ \begin{matrix} \mathbf{M} \\ \mathbf{F} \end{matrix} \right\}$ .	355 330	112	4 11	9 8	5	1	. 131 74	8 11	8	6 5	9 10	20 16
33	One or both parents foreign. $\left\{ \begin{matrix} \mathbf{M} \\ \mathbf{F} \end{matrix} \right]$	326 282 75	49 99 69	21 24	10	5 4	5 3	140 106	9	6 7	8	ĨŎ 9	15 11
34	Parentage unknown $\left\{ egin{aligned} \mathbf{M} \\ \mathbf{F} \end{aligned} \right\}$	75 55	30 19	<u>2</u>				32 19		·····i			1
35	Foreign.	564	3	3	1			7	2	1	4	17	27
36 37	MalesFemales	296 268	2 1	3	1			5 2	1	1	4	11 6	17 10
38	Unknown	13											2
39 40	MalesFemales	12											2
41	Colored.	27	5	1	1			7		1	2	2	
42 43	Males. Females	14 13	3 2	1	1			4 3		·····i	. 1	1 1	
44	Negro.	12 13 2	2 2 1	i	·····i			2 3 2		····i	1 1	1 1	

hs	Death							of—	HS AT AGI	DEAT						
γn	at un- known age.	100 years and over.	95 to 99 years.	90 to 94 years.	85 to 89 years.	80 to 84 years.	75 to 79 years.	70 to 74 years.	65 to 69 years.	60 to 64 years.	55 to 59 years.	50 to 54 years.	45 to 49 years.	40 to 44 years.	35 to 39 years.	30 to 34 · years.
		1	. 3	26	78	159	196	250	230	200	195	212	189	152	138	127
		·····i	1	15 11	- 28 - 50	77 82	93 103	104 146	116 114	102 98	97 98	127 85	111 78	92 60	· 59	72 55
		1	3	26	78	159	196	249	229	197	194	212	188	150	137	126
		1	1 2	15 11	28 50	77 82	93 103	103 146	115 114	101 96	96 98	127 85	111 77	90 60	· 58 79	71 55
		1	2	9	25	56	72	110	89	. 106	126	123	118	99	93	88
		<u>1</u>		4 5	· 10	. 30 26	31 41	43 67	45 44	46 60	58 68	77 46	68 50	- 60 - 39	43 50	47 41
			2	2 5 1	8 7 2	19 19 5	. 22 26 4 10	26 40 12 20 5	29 24 9	24 29 17 24 5	23 21 25 38 10	23 12 45 29 9	22 21 40 22 6	18 16 35 21 7	12 20 28 28 28 3	16 15 31 22
			•••••	1	3 5	2 6 5	. 5 5	20 5 7	16 7 4	24 5 7	38 10 9	29 9 5	22 6 7	7 2	3 3 2	22 4
			1	. 17	53	103	124	137	139	91	66	* 87	68	47	44	36
			1	11 6	18 35	47 56	62 62	60 77	69 70	55 36	38 28	48 39	41 27	27 20	15 29	23 13
						•••••		2	1		2	2 2	2	3		1
						•		2			2			. 1		. 1
					4			1	1	3	1		1	2	1	1
									• • • • • • • • • • • • • • • • • • • •	2			1			• • • • • • • • • • • • • • • • • • • •
								1	1	1 2	1		1	2	1	1
. <u>.</u> .	 		2	14	54	85	105	135	133	136	118	123	97	90	100	67
			· 1	4 10	23 31	37 48	49 56	59 76	63 70	78 58	51 67	73 50	50 47	54 36	54 46	37 30
<u>~</u>			2	13	54	85	103	134	131	136	118	121	94	86	100	· 67
			1 1	4 9	23 31	37 48	48 55	58 76	63 68	78 58	51 67	72 49	47 47	52 34	54 46	37 30
	·		2	8	30	32	58	68	64	69	71	85	63	62	72	43
			1	2 6	13 17	14 18	24 34	29 39	28 36	42 27	30 41	45 40	29 34	37 25	38 34	21 22
			1	1 4 1	9 12 1 1	8 13 2 3	14 24 4 5	20 29 4 9 5	22 24 5 9	20 13 15 13 7	17 20 11	20 20 21	10 14 16	11 10 25	13 15 20 15 5	7 10 13
			1	1	3	3 4 2	5 6 5	9	9 1 3	13 7	17 2 4	20 21 18 4 2	16 3 4	25 13 1 2	15 5 4	10 13 11 1
				5	4 24	53	45	66	66	66	46	32	30	23	28	22
-				2 3	10 14	23 30	24 21	29 37	35 31	, 32 31	20 26	23 9	17 13	14 9	16 12	14 8
									1	1	1	.4	1	1		2
									i	. 1	1	4	1	1		2
				1			2	1	2			2	3	4		· <u>···</u> ····
				1			1	1				1 1	3	2 2		
• • •							1	1				1	3	2		
				• 1			1		2			1		2		

Table 2.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA, ITS MAIN SUBDIVISIONS, EACH GENERAL NATIVITY, AND PARENT

=							DE	ATHS AT AG	E OF-				
	AREA AND SEX, COLOR, AND NATIVITY.	All deaths.	Under 1 year.	1 year.	2 years.	3 years.	4 years.	Under 5 years.	5 to 9 years.	10 to 14 years.	15 to 19 years.	20 to 24 years.	25 to 29 years.
	CINCINNATI, OHIO.												
1	Total	6, 225	721	177	93	58	34	1,083	128	72	154	310	311
2	Males. Females.	3,535 2,690	401 320	85 92	51 42	34 24	18 16	589 494	70 58	42 30	82 72	178 132	196 115
4	White	5,627	665	154	79	52	33	983	11/9	61	131	243	262
5 6	Males. Females.	3, 163 2, 464	367 298	71 83	41 38	29 23	18 15	526 457	67 52	36 25	70 61	137 106	160 102
7	Native	3,911	658	151	77	49	33	968	112	59	118	220	224
8	MalesFemales.	2,213 1,698	363 295	70 81	40 37	27 22	18 15	518 450	63 49	34 25	63 55	120 100	140 84
10	Both parents native ${\mathbf{F}}^{\mathbf{M}}$ .	1,046 899	243	50	33	17	13	356	47	25	42	76 67	İ
11	One or both parents foreign. ${M \choose F}$	977 642	202 98 65	61 19 19	31 7 6	14 10	12 5 3	320 139 100	34 16 15	17 9	37 21 17	67 40 26	78 51 56 28
12	Parentage unknown	190 157	22 28	1 1		1		23 30		<u>'</u>	······································	4 7	6 5
13	Foreign	1,649	2	<b>3</b>	2	3		10	7	2	13	23	35
14 15	Males. Females.	902 747	2	1 2	1 1	2 1		6 4	4 3	2	7 6	17 6	17 18
16	Unknown	67	5					5					3
17 18	Males. Females.	48 19	2 3					2 3					3
19	Colored	598	56	23	14	6	1	100	9	11	23	67	49
20 21	Males Females	372 226	34 22	14 9	10 4	5 1	i	63 37	3 6	6 <b>5</b>	12 11	41 26	36 13
22	Negro $\left\{ egin{array}{c} M \\ F \end{array} \right.$	370 226	34 22	14 9	10 4	5 1	i	63 37	3 6	6 5	11 11	41 26	35 13
23	Indian	1							<b></b>				1
24	Crimese(F		•••••								1		
	CLEVELAND, OHIO.	7 000											
25 26	Total Males	7,999 4,481	1,766	384	162 86	122	37	2,506 1,382	236 119	115 56	176 99	295 161	358 208
27	Females	3,518	984 782	177	76	54	35	1, 124	117	59	77	134	150
28	White	7,784	1,738	373	155	121	71	2,458	231	113	172	282	342
29 30	Males. Females.	4,361 3,423	968 770	202 171	\$3 72	67 54	37 34	1,357 1,101	119 112	55 58	97 75	158 124	201 141
31	Native	4,862	1,722	363	148	115	65	2,413	208	96	137	186	177
32 33	Males Females	2,661 2,201	958 764	196 167	80 68	62 53	35 30	1,331 1,082	108 100	46 50	77 60	98 88	96 81
34	Both parents native $\begin{cases} M \\ F \end{cases}$	866 730 1,604	247 190	32 39	21 13 56	20 15	12 5	332 262	41 32	14 19	23 16	32 24 61	36 26
35	One or both parents foreign. (F	1,315 191	190 657 523 54 51	159 123 5	55 55 3	36 1	23 25	936 762 63	65 68 2	30 30 2	53 44 1	61 61 5	26 55 47 5
36	, (£	156		5 5		2		58		1	•••••	3	8
37 38	Foreign	2,804	9	10	6	5	6	37	22 11	17	35 20	94 58	160
39 40	Females Unknown	1, 196 118	3 7	4	4 1	1	4	) 16 8	11	8	15	36	60
41	Males.	92 26	4		1			5	1			2 2	5
42	Females	1	3					3	1				
43 44	Colored	215 120	28 16	11 5	3	1	1	48	5	$\frac{2}{1}$	4	13	16 7
45	Females	95	12	6	4		1	25 23	. 5	1	2	10	9
46 47	$\begin{array}{cccc} \text{Negro} & & \begin{cases} M & \dots \\ F & \dots \\ \end{cases} \\ \text{Chinese} & & \begin{cases} M & \dots \\ M & \dots \\ \end{cases} \\ \end{array}$	115 95 4	16 12	5 6	3 4		i	25 23	5	1 1	2 2	3 10	7 9
47 48	Japanese $F$ .	i											

						DEAT	HS AT AGE	OF—							Deaths
30 to 34 years.	35 to 39 years.	40 to 44 years.	45 to 49 years.	50 to 54 years.	55 to 59 years.	60 to 64 years.	65 to 69 years.	70 to 74 years.	75 to 79 years.	80 to 84 years.	85 to 89 years.	90 to 94 years.	95 to 99 years.	100 years and over.	at un- known age.
316	363	390	451	417	399	384	373	369	336	203	· 119	29	11	2	5
197 119	222 141	270 120	293 158	255 162	230 169	216 168	216 157	190 179	137 199	85 118	51 68	9 20	5 6	2	2 3
277	308	344	400	379	362	359	359	356	325	198	117	28	11	1	4
173 104	187 121	236 108	257 143	231 148	207 155	204 155	207 152	186 170	133 192	82 116	49 68	8 20	5 6	·····i	2 2
234	273	291	300	262	209	198	143	123	95	49	25	. 4	2		2
140 94	163 110	195 96	182 118	156 106	110 99	112 86	76 67	72 51	37 58	22 27	10 15	4	2		2
62 48 70 37 8 9	46 43 108	55 35 119 51	34 39 127	42 39 94 55	27 36 61 55 22 8	44 25 55 46 13 15	31 27 28 35 17	41 21 18 17 13 13	21 32 11	13 13 5	6 9	2	2		2
	60 9 7	. 21 10	66 21 13	20 12	1	ì	5	ì	. 17 5 9	8 4 6	2 4 4	2			
27	30	34	90 66	73	92	158 91	214 130	229	225 94	149	92	24 8	. 5	1	
9	11	10	· 24	73 39	54	67	84	118	131	89	53	16	4	i	
7	5	7	10	. 5	5	3	1 1	3	5						2
. 39	55	7 2 46	1 51	38	37	2 25	1 14	1 13	3	5					
· 24	35 20	34	36	24	23	12 13	9	4	·	3	2 2	- 1 1		1	1
15 24	20 35	12 34	15 36	14	14	13 12	5 9	9 4	7	3	2	. 1		1	j
15 	20	12	15	14	23 14	13	ž	ĝ	4 7	2				i	j
•••••••		•••••													
,															•••••
384	461	409	398	432	420	415	435	339	301	168	112	31	5	. 2	
228 156	269 192	263 146	257 141	268 164	242 178	234 181	233 202	166 173	148 153	81 87	. 57 55	8 23	1 4	1	······
363	440	388	388	418	413	408	429	330	295	166	110	31	5	1	3
211 152	255 185.	247 141	249 139	258 160	240 173	231 177	228 201	162 168	145 150	81 85	57 53	8 23	1 4	1	
191	219	201	155	174	176	129	117	104	96	43	33	5	1	1	
107 84	126 93	124 77	97 58	93 81	98 78	56 73	70 47	46 58	46 50	21 22	19 14	1 4.	1	1	
40 38	· 47	37 32	28 20	32 34	41 30	33 37	43 27	25 33	31 32	16 15	13 11	1 2	1	1	
59 40 8 6	71 . 44 . 8 10	77 42 10 3	52 34 17	47 39 14 8	49 38 8 10	10 24 13 12	15 13 12 7	13 15 8 10	7 10 8 8	3 2 2 5	1 1 5	1			
	1 '		4	<b>{</b>	i '	Í	!	1	l .		2	1			
162 99	206	174	217 139	225 148	230	273 169	306 152	222	196 97	122 59	75 36	26	4		
99 63	122 84	111 63	139 78	148 77	136 94	169 104	152 154	113 109	97 99	59 63	36 39	7 19	3		·j
10 5	15 7	13	16 13 3	19	7	6	6	.3	3 2	1	2 2				
5 21	7 8 21	12 1		17 2	6 1			, 3 1	l .		····				
17	14 7	21 16 5	10 8 2	14	7 2 5	3	5	9	6 3	2	2			1	
· 4	1	5 15	2	4 9		3 4 1	1 5	4 5 4	3 3 3	2	2			1	
4	14 7	5 1	2	4	2 5	1 4 2	1	4 5	3	2	2			1	
····i		•••••												l	

Table 2.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA, ITS MAIN SUBDIVISIONS, EACH GENERAL NATIVITY, AND PARENT

		4.33					DE	ATHS AT AG	e of—				ı
	AREA AND SEX, COLOR, AND NATIVITY.	All deaths.	Under 1 year.	1 year.	2 years.	3 years.	4 years.	Under 5 years.	5 to 9 years.	10 to 14 years.	15 to 19 years.	20 to 24 years.	25 to 29 years.
	COLUMBUS, OHIO.								V-1 -1				
1	Total	2,671	356	64	21	14	8	463	61	49	89	117	136
2	MalesFemales	1,411 1,260	198 158	38 26	14 7	7 7	1 7	258 205	34 27	27 22	46 43	60 57	75 61
4	White	2,415	317	54	18	13	6	408	53	42	79	105	113
5	MalesFemales	1,266 1,149	175 142	29 25	12 6	6 7	1 5	223 185	28 25	25 17	44 35	53 52	. 60
7	Native	2,019	314	54	17	13	6	404	52	42	75	94	105
8 9	MalesFemales	1,042 977	173 141	29 25	11 6	6 7	1 5	220 184	28 24	25 17	41 34	46 48	59 46
10	Both parents native ${M \choose F}$	616 636	118	23 19	8 2	4 7	1 4	154 135	23 17	18 15	29 26	. 27	37
11	One or both parents foreign $\begin{bmatrix} M \\ F \end{bmatrix}$	207 192	118 103 33 27 22 11	5 6	2 4	2	<u>*</u>	42 38	4 5	5	5 6	4 11	32 12 9
12	Parentage unknown $\left\{egin{array}{l} M \ldots \\ F \ldots \end{array}\right\}$	219 149	22 11	ř	î			24 11	1 2	$\frac{\tilde{2}}{1}$	7 2	15 2	9 10 5
13	Foreign	370	1		1			2	1		4	8	7
14 15	MalesFemales	205 165	1		1			2	i		3 1	4 4	1 6
16	Unknown	26	2		ļ			2				3	1
17 18	Males Females	19 7	1 1					1				3	1
19	Colored	256	39	10	3	1	2	55	8	7	10	12	23
20 21	Males	145 111	23 16	9	2 1	1	2	35 20	6 2	2 5	2 8	7 5	15
22	Negro $\left\{egin{array}{cccc} \mathbf{M} & \\ \mathbf{F} & \end{array}\right.$	144 111	23 16	9	2 1	1	2	35 20	6 2	2 5	2 8	7 5	15 8
23	Chinese $\left\{egin{array}{ll} M \dots \\ F \dots \end{array}\right\}$	1											
	DAYTON, OHIO.												
24	Total	1,624	266	30	13	12	11	332	21	16	53	71	63
25 26	Males Females	860 764	138 128	18 12	6 7	5 7	3 8	170 162	11 10	11 5	33 20	37 34	31 32
27	White	1, 523	246	29	12	10	10	307	18	14	47	64	57
28 29	MalesFemales	797 726	127 119	18 11	6 6	4 6	2 8	157 150	10 8	10 4	28 19	34 30	27 30
30	Native	1,206	245	28	12	10	8	303	18	13	43	59	50
31 32	Males Females	616 590	127 118	18 10	6 6	4 6	6	157 146	10 8	9 4	25 18	30 29	22 28
33	Both parents native $$	400 362	100 82	11 8	2 2 3	2 4	1 5	116 101	9 8	7 3 2	19 7	25 25	18 22
34	One or both parents foreign $\begin{cases} M & \text{odd} \\ F & \text{odd} \end{cases}$	148 151	24 31	6 2	3 4	2 2	1	36 40	1	2 1	10	4	22 3 5
35	Parentage unknown	• 68 77	5					5			í		i
36	Foreign	308		1			2	3		1	4	5	7
37 38	Males Females	173 135		·····i			2	3		1	3 1	1	. 5
39	Unknown	9	1					1					
40 41	MalesFemales	8 1	i					i	<b></b>			<b>-</b>	
42	Colored	101	20	1	1	2	1	25	3	2	6	7	6
43 44	Males Females	63 38	11 9	1	·····i	1 1	1	13 12	1 2	1	5 1	3 4	4 2
45	Negro $\left\{egin{array}{cccc} \mathbf{M} & \cdots & \mathbf{K} \\ \mathbf{F} & \cdots & \mathbf{K} \end{array}\right\}$	62 38	11 9	i	1	1 1	1	13 12	1 2	1 1	5 1	2 4	4 2
46	Chinese $\left\{egin{array}{ll} \mathbf{M} \dots \\ \mathbf{F} \dots \end{array}\right.$	1	1		<u> </u>	<u> </u>	l:					1	

Deaths							OF-	ES AT AGI	DEAT						
at un- known age.	100 years and over.	95 to 99 years.	90 to 94 years.	85 to 89 years.	80 to 84 years.	75 to 79 years.	70 to 74 years.	65 to 69 years.	60 to 64 years.	55 to 59 years.	50 to 54 years.	45 to 49 years.	40 to 44 years.	35 tổ 39 years.	0 to 34 years.
		. •						·							
		2	12	33	77	134	185	184	170	160	185	153	163	150 79	. 79
		2	6 6	14 19	34 43	67 67	99 86	85 99	91 79	84 76	97 88	. 82 . 71	93 70	71	67
		2	11	32	73	130	178	172	157	146	164	140	146	128	135
		2	6 5	14 18	31 42	66 64	96 82	77 95	83 74	77 69	87 77	75 65	84 <b>-</b> 62	65 63	. 72 63
		2	6	23	39	86	130	119	115	115.	140	120	119	112	121
		2	4 2	9 14	16 23	40 46	71 59	46 73	61 54	60 55	70 70	62 58	67 52	55 57	62 59
			2	3 7	9	22 30	39 40	27	31 26	34 34	27 41	33 38	31 30	33 31	37 39
		1	1	2	18 2 1 5 4	7 5	6 9	41 7 14	26 13 10 17 18	34 34 15 12	41 21 16 22 13	33 38 17 12 12	30 20 14	9 13 13 13	37 39 16 13 9
			2	2 4 5	5	11 11	26 10	14 12 18	17 18	. 9	22 13	12 8	16 8	13 13	9 7
]		, –	5	9	34	. 42	48	52	41	29	20	20	21	12	14
			2 3	5 4	15 19	26 16	25 23	31 21	21 20	15 14	13 7	13 7	11 10	8	10 4
						2		1	1	2	4		6	4	
								1	1	2	4		٠ 6	2 2	
· · · · · · · · · · · · · · · · · · ·		•••••	1	1	4	. 2	7	12	13	14	21	13	17	22	11
					3	1	3	8	8	7	10	7 6	9	14	7
•••••			1	1	1	3	4	4	5	7	11	6 7	8 9	8	4 7
			i	1	· 3	3	3 4	8 4	8 5	7	10 11	6	8	8	4
			10	01	85	105	. 106	110	112	97	104	92	64	94	64
		2	12 6	. 21	39	50	57	60	55	52	58	49	37 27	59	36
			6	14	46	55	49	105	108	45 • 92	93	90	27 57	35 86	28 58
		2	12 6	7	8 <u>4</u> 39	104	105 56	56		47	50 43	47	34 23	54	31
			6	13	45	55	49	49	53 55	45	ľ	43	1	32	27
		1 .	7	9	38-	67	66	65	77 37	72	75 37	78 39	50 30	67	48
		1	3 4	2 7	13 25	31 36	34 32	35 30	40	* 37	38	39	20	26	25 23
. <b></b>		1	3 1	1 5	10 16	17 19	19 18 6	24 16	24 28 6	18 22 13	14 16 17	15 19	14 7 9	28 11 11	18 18 6
. <u>`</u>			·i-		$\begin{bmatrix} 1 \\ 2 \\ 2 \end{bmatrix}$	6   4   8	8	16 3 5	8 7	9 4	13 6	19 20 17	9 7	11 2	4
			2	2	7	13	6	ĝ	4	6	9	3	4	4	ī
		1 .	5	11	46	37	37	40	31	18	17	12	6	17	10
 		1	$\begin{bmatrix} 3 \\ 2 \end{bmatrix}$	5 6	26 20	18 19	20 17	21 19	16 15	10 8	12 5	8 4	3 3	11 6	4
· <del>····</del>			······				2			2	1		1	2	
							2			2	1		1	2	
				1	1	1	1	5	4	5	11	2	7	8	6
				i	i	1 .	1	4 1	2 2	5	8 3 .	2	3 4	5 3	5
					-	1 .	1	1	2	5	8	2	3	5 3	5
				1	i			1	2		3 .		4	3	1

Table 2.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA, ITS MAIN SUBDIVISIONS, EACH GENERAL NATIVITY, AND PARENT

-							DE	ATHS AT AG	e of—				
	AREA AND SEX, COLOR, AND NATIVITY.	All deaths.	Under 1 year.	1 year.	2 years.	3 years.	4 years.	Under 5 years.	5 to 9 years.	10 to 14 years.	15 to 19 years.	20 to 24 years.	25 to 29 years.
	TOLEDO, OHIO.												
1	Total	2,578	394	66	31	17	24	532	60	43	58	92	125
2 3	MalesFemales	1,463 1,115	223 171	37 29	18 13	8 9	17	303 229	38 22	22 21	31 27	· 54	68 57
4	White	2,532	392	63	31	17	24	527	58	42	57	89	120
5 6	MalesFemales	1,436 1,096	222 170	36 27	18 13	8 9	17 7	301 226	36 22	22 20	. 30 27	53 36	63 57
7	Native	1,784	392	62	30	17	23	524	56	42	50	72	91
8	MalesFemales	993 791	222 170	36 26	17 13	8 9	16 7	299 225	34 22	22 20	25 25	40 32	49 42
10	Both parents native $\left\{ \begin{array}{ll} M \\ F \end{array} \right\}$	474	115	20	7 7	8 2	7	157 120	14	12 13	13	19 10	27
11	One or both parents foreign. $\begin{cases} M \\ F \end{cases}$	429 395 278	95 97 71	12 16 14	10		9 3	132 100	14 20 8	10 7	16 12 7	18 20 3	23 19 15
12	Parentage unknown	124 84	10			<u>.</u>		10 5			2	3 2	3 4
13	Foreign	655		1	1	 	1	3	2		6	15	25
14 15	Males Females	387 268		1	1		1	2	2		4 2	11 4	12 13
16	Unknown	93									1	2	4
17	Males Females	56 37									1	2	2 2
18 19	Colored	46	2	3				5	2	1	1	3	5
20	Males	27	1	1				2	2		1	1	5
21	Females	19 26	1	2				3 2	2	1	1	2	4
22	Negro $\left\{egin{array}{ll} M & \dots & \left\{egin{array}{ll} M & \dots & \left\{egin{arr$	19 1	i	2				3		1		2	i
23	Japanese $\left\{ egin{array}{c} \egin{array}{c}												
24	PORTLAND, OREG.	2,390	334	37	35	18	12	436	59	18	68	107	141
25	Males	1,457	203	23	17	10	8 4	261	28 31	8	32	68	77
26	Females	933	131	37	32	8	12	175	31 57	10	36 68	104	135.
27 28	White	2,300 1,381	328	23	14	10	8	255	27	8	32	66	72
28 29	Females	919	128	14	18	8	4	172	30	9	36	38	63
30 31	Native	1,572	324 196	37 23	31	17	12	421 251	.25	17	59 26	75 41	103
32	Females	700	128	14	17	7	4	170	25	8 9	33	34	56
33	Both parents native $$	349 323	101 68	11 9	5 1 <u>1</u>	7 4 3	3	127 95	14 15	4 5 3	15 15 10	17	18 26
34	One or both parents foreign. $(F)$	258 198 265	67 51 28	12 5	7 5 2	3	1 1	.93 65 31	11 10	3 1	.14 .14	14 13	14 14 15
35	Parentage unknown ${ m f M}_{ m F}$	179	, 29		ĩ			10		î	4	10 7	15 16
36 ar	Foreign	669	4		1	1		6	7		5	27	31
37 38	Males Females	456 213	4		1	1		2	2 5		2	24 3	24 7
39	Unknown	59 -									2	2	1
40 41	Males Females	53 6									1 1	1	1
<b>4</b> 2	Colored	90	6		3			9	2	1		3	6
43 44	Males. Females	76 14	3 3		3			6 3	1 1	i		2 1	5 1
45	Negro $\left\{egin{array}{c} M_{-} \\ F_{-} \end{array}\right.$	17 9	1		1			2	1			1	2 1
46	Indian ${M \atop F}$	2							i				
47	Chinese	48 2	1		1			2		i		i	2
48	i ar	9 3	1 3		1	J		2 3			]	ļ	1

						DEAT	HS AT AGE	e of—		•					Deaths
30 to 34 years.	35 to 39 years.	40 to 44 years.	45 to 49 years.	50 to 54 years.	55 to 59 years.	60 to 64 years.	65 to 69 years.	70 to 74 years.	75 to 79 years.	80 to 84 years.	85 to 89 years.	90 to 94 years.	95 to 99 years.	100 years and over.	at un- known age.
138	122	157	137	145	176	163	179	160	128	76	64	18	3	2	
84 54	70 52	96 61	94 43	80 65	107 69	86 77	103 76	92 68	64 64	38	25 39	5 13	2 1	1 1	
133	116	153	134	140	174	161	178	160	128	75	64	18	3	2	
82 51	64 52	95 58	92 42	77 63	107. 67	85 76	102 76	92 68	64 64	38 37	25 39	5 13	2	1 1	
92	81	105	93	87	109	89	94	64	59	35	29	9	3		
·52 40	41 40	65 40	60 33	44 43	68 41	44 45	53 41	38 26	31 28	17 18	7 22	2 7	2		
		ļ	ì	l	ſ		ſ	14	1	١٩	2				
23 21 25 15	15 15 20 19	20 25 36 12 9	29 15 22 12 9	19 19 16 15 9	34 21 21 13 13	21 25 8 12 15 8	31 25 12 12 10	19 9 3	15 19 9 1 7	10 2 3	16 3 1	3	1		
4	6	9	9 6	9	13 7	15 8	10 4	15 4	7 8	6 5	5	2	. 1		
34	27	34	37	44	54	61	77	89	65	39	34	7		. 2	
'26 8	. 16 . 11	23 11	29 8	26 18	32 22	34 27	45 32	51 38	32 33	21 18	18 16	2 5		1 1	
7	8	14	4	9	11	11	7	7	4	1	1	2			
4 3	7	7	3 1	7 2	7 4	7 4	4 3	3 4	1 3	1	1	1 1			
5	6	4	3	5	2	2	1			1					
2 3	6	1 3	2 1	3 2	2	1 1	1			1					
2 3	6	1 3	2 1	3 2	2	1	1			1					
145	124	147	131	149	151	166	148	146	115	87	36	7	2		3
89 56	76 48	45	40	35	101 50	53	86 62	82 64	54 61	45 42	19 17	4	1		3
139	71	137	126	137	144	150	147	144	114	87	3,5	11 7	2		2
84 55	· 46	92 45	87 39	102 35	95 49	97 53	85 62	,80 64	54 60	45 42	19 16	4	1		2
88	84	85	67	81	77	77	78	± 69	63	49	21	7	1		
47 41	47 37	52 33	48 19	55 26	· 47	45 32 .	42 36	30 39	23 40	20 29	13 8	5 2	1		
12 19 13 10	18 14	16 13 21 12	11 8 14	21 6 9	17 12 7	15 10 12	14 18 9	12 15	8 20 5	14 14	5 2	1 2			
10 22	14 11 15	12 12 15	6	11	6	12 8 18	6 19	6 3 12	1 10	4	2 2 1 6				
22 12	12	8	23 5	25 9	23 12	14	12	21	19	15 11	5	4	1		
48 34	27	26	34	50 41	66	68	66	69 45	50	37	13	2	1		
14	9	12	20	.9	48 18	48 20	40 26	24	31 19	24 13	8	2			
3	6	14	5	6	1	5	3	5	1	1	1				2
•••••		•••••			1	1	3	1	1		1				2
5	5	. 10 10		12	7	16	1	2	1		1				1
1	2	••••••	1	• • • • • • • • • • • • • • • • • • • •	6 1	16	1	2	1		1				1
1	1 1	2	2 1	1	2 1	3			i		i				)
2	2	6	2	11	4	13	i	9							
2	` 2 1 2	2				10		4							
												l			

Table 2.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA, ITS MAIN SUBDIVISIONS, EACH GENERAL NATIVITY, AND PARENT

				· · · · · · · · · · · · · · · · · · ·			DE	ATES AT AG	E OF—				
	AREA AND SEX, COLOR, AND NATIVITY.	All deaths.	Under 1 year.	1 year.	2 years.	3 years.	4 years.	Under 5 years.	5 to 9 years.	10 to 14 years.	15 to 19 years.	20 to 24 years.	25 to 29 years.
	PHILADELPHIA, PA.										<del></del>		
1	Total	26, 276	4,769	1,151	530	357	273	7,080	592	298	534	960	994
2 3	Males Females	13,895 12,381	2,650 2,119	610 541	298 232	177 180	143 130	3,878 3,202	312 280	156 142	294 240	466 494	517 477
4	White	24, 251	4,312	1,038	493	333	253	6,429	547	262	485	846	863
5	Males Females	12,827 11,424	2,397 1,915	558 480	281 212	167 166	133 120	3,536 2,893	291 256	136 126	270 215	416 430	455 408
7	Native	16,875	4,290	1,018	481	318	245	6,352	516	238	401	633	609
8 9	MalesFemales	9,041 7,834	2,382 1,908	549 469	275 206	163 155	131 114	3,500 2,852	272 244	123 115	218 183	311 322	321 288
10 11 12	Both parents native. $\begin{cases} M. \\ F. \end{cases}$ One or both parents foreign. $\begin{cases} M. \\ F. \end{cases}$ Parentage unknown. $\begin{cases} M. \\ F. \end{cases}$	4, 156 3, 704 3, 901 3, 363 984 767	1,173 866 1,072 928 137 114	200 188 337 269 12 12	99 79 166 119 10 8	75 67 87 86 1 2	62 48 66 64 3 2	1,609 1,248 1,728 1,466 163 138	147 127 123 111 2 6	58 52 61 61 4 2	114 77 100 97 4 9	160 174 136 135 15 13	140 134 153 119 28 35
13	Foreign	7,131	20	18	11	15	8	72	31	23	83	206	242
14 15	MalesFemales	3,609 3,522	13 7	8 10	6 5	4 11	2 6	33 39	19 12	13 10	51 32	100 106	126 116
16	Unknown	245	2	2	1			5		1	1	7	12
17 18	MalesFemales	177 68	2	1 1	1			3 2		1	1	5 2	8 4
19	Colored	2,025	457	113	37	24	20	651	45	36	49	114	131
20 21	MalesFemales	1,068 957	253 204	52 61	17 20	10 14	10 10	342 309	21 24	20 16	24 25	50 64	62 69
22	Negro $\left\{egin{array}{c} M_{-} \\ F_{-} \end{array}\right.$	1,049 956	252 204	52 61	17 20	10 14	10 10	341 309	21 24	20 16	24 25	49 64	62 69
23	Indian $\left\{egin{array}{ll} m{M}_{-} & & \\ m{F}_{-} & & \\ & & \end{array}\right.$	<u>i</u>											
24	Chinese $\begin{cases} M \\ F \\ M \end{cases}$	17 2	······i					i				i	
25	Tapanese	<u>.</u>											
26	PITTSBURGH, PA. Total	8,099	1,812	453	168	100	76	2,609	216	113	192	349	355
27	Males.	4,520 3,579	1,004	231	96	57 43	29	1,417 1,192	117	56	110	196 153	202
28 29	Females	7,656	1,730	422	72 158	92	71	2,473	198	105	175	323	337
30	Males	4,268	954	213	92	53	27	1,339	106	52	98	188	190
31 32	Females	3,388 5,240	776 1,718	209 416	66 154	39 90	44 70	1,134 2,448	92 186	53 101	77 135	135 206	147 205
33 34	MalesFemales	2,844 2,396	949 769	211 205	89 65	52 38	27 43	1,328 1,120	98 88	48 53	68 67	106 100	107 98
35	Beth mounts noting (M.	1.098	351	1		17	1	477	41 35	25 97	33	44 51	45
36	One or both parents foreign. $\begin{cases} F \\ F \end{cases}$	981 1,568 1,273	302 560 430	59 59 150 145	20 51 45	17 34 20	13 16 13 27	414 808 667	57 51	25 27 23 25	33 31 34 34	59 41	45 41 59 49 3
37	Parentage unknown $\begin{cases} M \\ F \end{cases}$	178 142	38 37	2	1	1 1	i	43 39	2	1	1 2	3	3 8
38	Foreign	2,333	5	6	4	2		17	11	4	38	109	128
39 40	MalesFemales	1,355 978	2 3	2 4				8 9	7 4	4	28 10	75 34	79 49
41	Unknown	. 83	7		<u> </u>		1	8	1		2	8	4
42 43	MalesFemales	69 14	3 4				1	3 5	1		2	7	4
44	Colored	443	82	31	10	8	5	136	18	8	17	26	18
45 46	MalesFemales	252 191	50 32	18 13	4 6	4 4	2 3	78 58	11 7	4 4	12 5	8 18	12 6
47	Negro	241 191	50 32	18 13	4 6	4 4	2 3	78 58	11 7	4 4	12 5	8 18	11 6
48	)	iî			·			<b> </b>	<b> </b>		<u> </u>		1

			<del></del>			DEAT	HS AT AGE	of—							Deaths	Γ
30 to 34 years.	35 to 39 years.	40 to 44 years.	45 to 49 years.	50 to 54 years.	55 to 59 years.	60 to 64 years.	65 to 69 years.	70 to 74 years.	75 to 79 years.	80 to 84 years.	85 to 89 years.	90 to 94 years.	95 to 99 years.	100 years and over.	at un- known age.	
1,138	1,441	1,271	1,398	1,594	1,484	1, 651	1,680	1,483	1,218	821	450	147	35	6	1	1
614 524	825 616	752 519	838 560	914 680	851 633	862 789	842 838	702 781	527 691	315 506	175 275	46 101	8 27	6	1	3
987	1, 274	1, 141	1,261	1,488	1,412	1,584	1,619	1,433	1, 197	805	441	140	32	4	1	4
529 458	736 538	671 470	747. 514	865 623	808 604	828 756	808 811	676 757	516 681	312 493	174 267	44 96	8 24	4	1	5 6
657	816	678	713	875	795	810	792	665	599	389	237	78	19	· 3		7
350 307	471 345	397 281	422 291	514 361	457 338	435 375	. 405 387	317 348	254 345	155 234	90 147	24 54	5 14	3		8 9
146	180 139	159 120	148 125	188 143	199 146	· 214 · 178	215 206 106	189 199	144 228	77 135	51 98	13 27	5 9	i		10
146 138 168 149	240 173 51	159 120 182 128 56 33	148 125 210 125 64 41	188 143 241 175 85	177 140	127 139	106 110	199 56 87	228 48 63 62 54	77 135 24 47 54 52	51 98 16 22 23 27	13 27 5 14	1	i		11
36 20	51 33	56 33	64 41	85 43	81 52	94 58	110 84 71	72 62	62 54	54 52	23 27	6 13	4	i	)	12
320	434	446	522	576	601	743	798	753	589	414	201	62	13	1	1	13
170 150	249 185	260 186	305 217	324 252	337 264	371 372	384 414	347 406	256 333	. 156 258	84 117	20 42	3 10	1	1	14 15
10	24	17	26	37	16	31	29	15	9	2	3					16
9	16 8	14 3	20 6	27 10	14 2	22 9	19 10	12 3	6 3	1	3					17 18
151	167	130	137	106	72	67	61	50	21	16	9	7	3	2		19
85 66	· 89	81 49	91 46	49 57	43 29	34 33	34 27	26 24	11 10	13·	1 8	2 5	3	2		20 21
83 66	87 78	80 49	88 46	44 57	39 29	34 33	34 27	26 23	11 10	3 13	1 8	2 5	3	2	)	22
2	2	i	3	5	4			1								23
	2				*											24
·····		•••••														25
376	· 425	394	409	454	410	423	427	410	265	167	81	22	1.	1		26
230 146	· 263	. 263 131	260 149	287 167	241 169	224 199	234 193	193 217	118 147	72 95	34 47	3 19	i	i		27 28
359	383	369	382	422	389	403	415	396	261	166	79	20	, 1			29
218 141	240 143	244 125	246 136	271 151	228 161	216 187	226 189	183 213	115 146	72 94	33 46	3 17	.•1			30
216	219	213	193	209	210	165	178	155	104	54	34	8	1			32
115 101	138 81	131 82	124 69	127 82	127 83	83 82	88 90	74 81	47 57	17 37	16 18	2 6	1			33
1	[								ĺ	ĺ	8 12				)	35
43 36 63 56 9	57 39 70 36 11 6	43 27 80 47	44 22 66 38 14	52 41 60 37 15	45 33 70 44 12	41 36 · 29 42 13	35 35 42 44 11	41 48 21 22 . 12 .	14 32 21 17 12	10 18 2 14 5 5	4 6	2	1			36
9	11 6	8	14 9	15 4	12 6	13 4	11 11	12 11	12 8	5 5	4	2 1				37
138	158	144	184	203	171	234	232	239	156	111	44	12				38
. 98 40	98 60	101 43	117 67	135 68	94 77	129 105	134 98	107 132	68 88	55 56	17 27	1 11				39 40
5	6	12	5	10	8	4	5	2	1	1	1			ļ		41
5	4 2	12	5	9	7	4	4	2	i	<u>1</u>	1					42 43
17	42	25	27	32	21	20	12	14	4	ì	2	2		1		44
12 5	23 19	19 6	14 13	16 16	13 8	8 12	8 4	10 4	3 1	1	1 1	2		·····i		45 46
12	20 19 3	16	13 13 1	13 16	13	8	8	· 10	3		1	2			}	47
	3	6 3	1 13	3	8	12	4	4		1	<u></u>			1		48

TABLE 2.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA, ITS MAIN SUBDIVISIONS, EACH GENERAL NATIVITY, AND PARENT

							DE	ATHS AT AG	E OF—				
	AREA AND SEX, COLOR, AND NATIVITY.	All deaths.	Under 1 year.	1 year.	2 years.	3 years.	4 years.	Under 5 years.	5 to 9 years.	10 to 14 years.	15 to 19 years.	20 to 24 years.	25 to 29 years.
ľ	SCRANTON, PA.						,					,	
1	Total	1,974	367	87	33	31	17	555	37	34	63	86	96
3	MalesFemales	1,126 848	225 162	42 45	10 23	13 18	11 6	301 254	21 16	13 21	47 16	51 35	61 35
4	White	1,961	386	87	33	30	17	553	37	34	63	84	95
5 6	MalesFemales	·1,117 844	224 162	42 45	10 23	12 18	11 6	299 254	21 16	13 21	47 16	51 33	60 35
7	Native	1,192	386	86	32	28	16	548	31	31	51	52	53
8 9	MalesFemales	653 539	224 162	41 45	10 22	11 17	10 6	296 252	17 14	12 19	38 13	28 24	33 20
10 11	Both parents native $\dots \begin{cases} M \\ F \end{cases}$ . One or both parents foreign. $\begin{cases} M \\ F \end{cases}$	225 185 406 334	65 47 157 114	14 12 27 33	2 8 8 14	4 8 7 9	3 4 7 2	88 79 206 172	11 7 6 7	3593 593	13 5 24	9 9 19 14	9 7 23 13
12	Parentage unknown $\left\{ egin{array}{c} \mathbf{M} \\ \mathbf{F} \end{array} \right\}$	22 20	2					1 2 1		1	8 1	1	1
13	Foreign	747		1	1	2	1	5	6	3	9	30	40
14 15	MalesFemales	443 304		1	1	1 1	1	3 2	4 2	1 2	7 2	21 9	25 15
16	Unknown	22									3	2	2
17 18	MalesFemales	21 1									2 1	2	2
19	Colored	13	1			1		2				2	1
20 21	MalesFemales	,9 4	1			1		2				2	1
22	Negro $\left\{ egin{array}{ll} M & \dots \\ F & \dots \end{array} \right.$	9 4	1			1		2				2	1
•	PROVIDENCE, R. I.	0 500	954	***			0.5	010				107	
23 24	Total	3,599 1,911	403	119	63	19	25 15	538	74	38	71 32	127 75	131
25	Females	1,688	271	53	28	19	10	381	30	19	39	52	62
26 27	White	3,456	647	115	58 31	36	24	514	70	37	69	70	123
28	Females	1,833 1,623	388 259	63 52	27	18	10	366	42 28	19	32 37	47	65 58
29 30	Native	2, 202 1, 201	385	113 62	57 31	35	13	871 509	66	31	46	67	76 42
31	Females	1,001	259	51	26	17	9	362	39 27	14	25	25	34
32	Both parents native $\left\{ \begin{array}{ll} M \\ F \end{array} \right\}$	451 423 693	99 57 267	14 10 48	8 7 23	4 5 14	4 2 9	129 81 361	11 8 27	2 15	5 8 16	15 8 25 16	15 11 27
33 34	One or both parents foreign. $\begin{cases} \mathbf{M} \\ \mathbf{F} \end{cases}$ .  Parentage unknown $\begin{cases} \mathbf{M} \\ \mathbf{F} \end{cases}$ .	530 57	185 19	40	19	12	6	262 19	18	14	16	2	22
35	Foreign\F	48 1,240	17 3	1 2	1	1	1 2	19 9	1 4	6	1 23	1 49	47
36	Males	619	3	1			1	5	3	1	11	27	23
37 38	Females	621 14		1	1	1	1	4	1	5	12	22	24
39	Males	13 1										1	
40 41	Females	143	27	4	5	2	1	39	4	1	2	10	8
42	Males	78 65	15 12	3	4	1 1	1	24	2	1		5 5	4 4
43	Females	65 77	12 15	1 3	1 4	1 1	1	15 24	. 2	1	2	5	4
44 45	Negro $\begin{cases} M \\ F \end{cases}$ Chinese $\begin{cases} M \\ F \end{cases}$	65	12	i  i	1	1		15	2		2	5	. 4

						DEAŤ	HS AT AGE	OF—			<u> </u>				Deaths at un-
80 to 84 years.	85 to 89 years.	40 to 44 years.	45 to 49 years.	50 to 54 years.	55 to 59 years.	60 to 64 years.	65 to 69 years.	70 to 74 years.	75 to 79 years.	80 to 84 years.	85 to 89 years.	90 to 94 years.	95 to 99 years.	100 years and over.	known age.
94	101	118	121	109	118	104	119	90	56	50	16	5.	2		
59 35	66 35	71 47	71 50	69 40	75 43	65 39	58 61	49 41	21 35	20 30	5 11	3 2	2		
93	100	116	120	107	118	104	118	90	56	50	16	5	2		
58 35	. 66 . 34	69 47	70 50	68 39	75 43	65 39	57 61	49 41	21 35	20 30	5 11	3 2	2		
41	52	54	59	47	38	35	29	23	22	21	3	1	1		
22 19	28 24	25 29	37 22	28 19	23 15	18 17	15 14	10 13	11 11	10 11	1 2	1	1		
9	, 6 1	11,	7	10	10	10	7 7	4	9 10	8 5		1			
9 8 13 10	22 23	11 7 12 21	7 5 27 17	10 5 16 11 2 3	6 11 8 2 1	9 6 6	8 6	4 8 3 1 3 4			1 1		1		
i		2 1	3	3	2 1	2 2	1	3 4	2 1	3					
49	44	60	59	58	80	69	87	67	34	29	13	4	1		
33 16	34 10	42 18	31 28	38 20	52 28	47 22	40 47	39 28	10 24	10 19	4 9	2 2	1		
3	4	2	2	2			2								
3	4	2	2	2			2								
1	1	· 2	1	2			1								
1	i	2	1	1			1								
1	<u>1</u>	. 2	1	. 1	•••••		1								
	_			_	;										
162	171	205	193	214	238	228	257	213	146	124	53	28	5	2	
94 68	99 72	108 97	107 86	126 88	124 114	112 116	128 129	90 123	62 84	53 71	20 33	9 19	1 4	1 1	
147	166	200	. 183	209	226	217	251	208	145	123	52	28	5		
83 64	96 70	105 95	101 82	123 86	119 107	107 110	126 125	88 120	62 83	52 71	20 32	9	1 4		
81	. 88	101	73	103	109	84	114	93	67	76	31	21	. 4		
47 34	56 32	57 44	38 35	64 39	58 51	45 39	61 53	38 55	21 46	31 45	10 21	4 17	, 3		
13 7	22 8 34	19	16 16	2 <u>1</u>	24	29	42	29 45	19 38	26 39	9 17	4 16	1 3		
13 7 33 23 1 4	34 22	19 7 36 36	16 16 21 19 1	21 14 39 24	24 27 30 22	29 29 11 9 5	42 41 13 10	. 8		1 2 4	i				
1 4	2	2 1	1	1	4 2	5 1	6 2	5 2	6 2 2	4 4	1 3	i			
66	76	98	110	104	114	132	137	113	77	47	20	7	1		
36 30	38 38	47 51	63 47	57 47	59 55	61 71	65 72	48 65	40 37	21 26	9 11	5 2	1		
	2	i		2	3	1		2	1		1				
	2	1		2	2 1	1		2	1		1				
15	5	, 5	10	5	12	11	6	5	1	1	1			2	
11	3 2	3 2	6 4	3 2	5 7	5 6	2 4	2 3	i	1	1			1 1	
11 4	3 2	2 2 1	6 4	3 2	5 7	5 6	2 4	2 3	1	1				1	
		í									1			<u>.</u>	

Table 2.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA, ITS MAIN SUBDIVISIONS, EACH GENERAL NATIVITY, AND PARENT

							DE.	ATHS AT AG	E OF—		<del></del>		
	AREA AND SEX, COLOR, AND NATIVITY.	All deaths.	Under 1 year.	1 year.	2 years.	3 years.	4 years.	Under 5 years.	5 to 9 years.	10 to 14 years.	15 to 19 years.	20 to 24 years.	25 to 29 years.
	MEMPHIS, TENN.	_											
1	Total	2,836	348	85	47	33	21	534	70	45	117	231	235
2 3	Males. Females.	1,557 1,279	185 163	46 39	28 19	18 15	9 12	286 248	37 33	19 26	53 64	115 116	128 107
4	White	1,330	182	47	22	15	7	273	35	21	42	73	79
5 6	Males. Females.	756 574	95 87	28 19	13 9	7 8	2 5	145 128	19 16	9 12	20 22	39 34	45 34
7	Native	1,089	177	47	21	15	7	267	34	21	38	64	69
8	MalesFemales	600 489	94 83	28 19	12 9	7 8	2 5	143 124	18 16	9 12	18 20	31 33	39 30
10	Both parents native. $\binom{M}{F}$	363 333	50 51	21 15	7 8	5 5	2 4	85 83	16 13	8 10	13 17	22 24	26 22
11	One or both parents foreign. $\left\{egin{array}{c} \mathbf{M} \\ \mathbf{F} \end{array}\right\}$	90 57	19 10	5 4	5 1	2 3	1	31 19	3	10	2 1	3 4	5 3
12	Parentage unknown $\left\{egin{array}{c} \mathbf{M} \\ \mathbf{F} \end{array}\right.$	147 99	25 22	2				27 22	2	1 1	3 2	6 5	8 5
13	Foreign	154									1	5	6
14 15	Males. Females.	89 65								•••••	<u>1</u>	1	3 3
16	Unknown	87	5		1			6	1		3	4	4
17 18	Males Females	67 20	1 4		1			2 4	1		2 1	4	3 1
19	Colored	1,506	166	38	25	18	14	261	35	24	75	158	156
20 21	Males. Females.	801 705	90 76	18 20	15 10	11 7	7 7	141 120	18 17	10 14	33 42	76 82	83 73
22	Negro $\left\{ egin{matrix} M \\ F \end{array} \right.$	801 705	90 76	18 20	15 10	11 7	7 7	141 120	· 18	10 14	33 42	76 82	83 73
	NASHVILLE, TENN.		:										
23	Total	2,285	342	134	58	31	27	592	48	45	88	134	142
$\frac{24}{25}$	Males Females	1,136 1,149	170 172	81 53	28 30	14 17	19 8	312 280	27 21	20 25	40 48	67 67	66 76
26	White	1, 193	204	78	32	16	17	347	24	17	38	50	46
27 28	Males. Females.	611 582	101 103	48 30	17 15	7 9	10 7	183 164	12 12	10 7	21 17	30 20	23 23
29	Native	1,105	202	78	32	16	17	345	23	17	38	48	44
$\frac{30}{31}$	Males Females	568 537	100 102	48 30	17 15	7 9	10 7	182 163	11 12	10 7	21 17	29 19	22 22
32	Both parents native ${M \choose F}$	407 397	88 82	43 29	14 14	6 8	8 6	159 139	10 10	10 7	18 13	22 17	20 16
33	One or both parents foreign $\left\{ egin{array}{l} \mathbf{M} \\ \mathbf{F} \end{array} \right\}$	41 37	2 6	3	2		2	9 6			2 1	2	1
34	Parentage unknown $\left\{ egin{array}{c} M \\ F \end{array} \right]$	120 103	10 14	2 1	1	1	1	14	1 2		3	5 2	5
35	Foreign	74					<u> </u>		1			2	1
36 37	Males. Females.	32 42							1			1	1
138	Unknown	14	2					2					1
39 40	Males Females	11 3	1 1					1 1					1
41	Colored	1,092	138	56	26	15	10	245	24	28	50	84	96
42 43	MalesFemales	525 567	69 69	33 23	11 15	7 8	9	129 116	15 9	10 18	19 31	37 47	43 53
44	Negro $\left\{egin{array}{ll} M & \dots & \dots & \dots & \dots & \dots & \dots & \dots & \dots & \dots &$	525 567	69 69	33 23	11 15	7 8	9 1	129 116	15 9	10 18	19 31	37 47	43 53

						DEAT	HS AT AGI	of—							Deaths
30 to 34 years.	35 to 89 years.	40 to 44 years.	45 to 49 years.	50 to 54 years.	55 to 59 years.	60 to 64 years.	65 to 69 years.	70 to 74 years.	75 to 79 years.	80 to 84 years.	85 to 89 years.	90 to 94 years.	95 to 99 years.	100 years and over.	at un- known age.
202	214	187	163	183	132	161	102	90	78	57	13	8	4	3	7
123 79	125 89	113 74	· 73	125 58	75 57	80 81	54 48	43 47	41 37	30 27	10 3	3 . 5	1 3	1 2	5
75	88	88	79	102	65	84	57	55	54	41	9	5	1		4
48 27	51 37	60 28	47 32	72 30	43 22	46 38	30 27	25 30	26 28	20 21	7 2	5	1		4
63	70	76	62	78	43	58	34	42	31	28	. 7	3			1
39 24	37 33	49 27	34 28	52 26	26 17	· 35 · 23	20 14	19 23	14 17	11 17	5 2	3			1
21 17 7 3	18 21 5 6	26 19 10 2	18 18 7 4 9 6	29 17 11 2 12 7	17 8 2	17 16 3	10 8 2	15 13	8 15 1	8 10 1	5	1			1
• 11 4	14	. 13	9 6	12 7	8 2 3 7 6	3 2 15 5	1 8 5	4 10	1 5 1	2 7	1	1 1			
. 6	8	9	- 15	13	10	15	18	12	19	12	2	2	1		
4 2	4 4	8 1	11 4	11 2	`6 4	5 10	8 10	5 7	10 9	8 4	2	2	1		
6	10	3	2	11	12	11	5	1	4	1					3
5 1	10	3	2	9 2	11 1	6 5	. 2	1	2 2	1					3
127	126	99	84	81	67	77	45	35	24	16	4	3	3	3	3
75 52	74 52	53 46	43 41	53 28	32 35	34 43	24 21	18 17	15 9	10 6	3 1	3	1 2	1 2	1 2
75 52	74 52	53 46	43 41	- 53 28	32 35	34 43	24 21	18 17	15 9	10 6	3 1	3	1 2	1 2	1 2
123	122	103	128	129	114	111	113	114	90	45	27	7	. 5	4	1
57 66	65 57	40 63	62 66	68 61	. 50	55 56	57 56	52 62	44 46	19 26	12 15	3 4	3 2	2 2	1
43	60	49	60	59	60	60	78	76	69	36	18	2		i	1
19 24	36 24	21 28	25 35	29 30	36 24	· 29	41 37	38 38	. 33 36	15 21	9	2			1
43	59	48	54	56	50	53	61	66	56	29	14	1			
19 24	35 24	20 28	23 31	27 29	30 20	26 27	33 28	33 33	26 30	13 16	8 6	1			
11 21	24 15 5	13 21 3	17 20	15 17	19 15	17 21	16 17	17 19	9 16	6 10	4 2	i			
11 21 3 2 5	5 6 6	3 4 4	20 3 2 3	15 17 5 3 7	15 2 1	17 21 2 2 2 7	17 1 4	1 3 15	1 16	·····i	1				
1	3	3	ğ	9	9 4	4	16 7	11	16	7 5	3 3	,			• • • • • • • • • • • • • • • • • • • •
		1	5	2	7	6	15	10	13	6	4	1			
		1	1 4	1	3 4	2 4	7 8	. 5 5	7 6	2 4	1 3	1			
	1		1	1	3	1	2		·····	1					1
	1		1	1	3	1	·1 1			1					1
80	62	54	68	70	54	51	35	38	21	9	9	5	5	4	
38 42	29 33	19 35	37 31	39 31	28 26	26 25	16 19	14 24	11 10	4 5	3 6	3 2	3 2	2 2	
38 42	29	19 35	37 31	39 31	28 26	26 25	16 19	14 24	11 10	4 5	3	3 2	3 2	2 2	

Table 2.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA, ITS MAIN SUBDIVISIONS, EACH GENERAL NATIVITY, AND PARENT

_							DE	ATHS AT AC	GE OF-			·	
	AREA AND SEX, COLOR, AND NATIVITY.	All deaths:	Under 1 year.	1 year.	2 years.	3 years.	4 years.	Under 5 years.	5 to 9 years.	10 to 14 years.	15 to 19 years.	20 to 24 years.	25 to 29 years.
	RICHMOND, VA.												
1	Total	2,718	539	96	46	33	10	724	43	29	91	145	160
2	MalesFemales	1,412 1,306	295 244	51 45	24 22	19 14	3 7	392 332	19 24	14 15	41 50	71 74	86 74
4	White	1,372	242	48	18	15	3	326	27	13	33	62	. 74
5 6	MalesFemales	746	141	26	10	10	1	188	12	7	17	37	28 26
7	Native	626 1,248	101 241	22	8 18	5 15	2 3	138 325	15 26	6 12	16 32	25 56	26 51
8	Males	668	140	26	10	10	1	187	11	7	16		26
9	Females	580	101	22	8	5	2	138	15	5	16	32 24	25
10	Both parents native	454 413 39	110 79 6	23 18 3	8 8 1	9	$\frac{1}{2}$	151 110 10	11 14	6 4 1	13 15 1	27 17	20 20
11 12	One or both parents foreign. $\left\{ egin{aligned} M & \cdots & M \\ F & \cdots & M \\ \end{array} \right\}$	31 175	4 24	3	1	1 1		8 26			1 2	3 1 2	4
		136	18	1		Ĩ		20	1	1		6	5
13 14	Foreign Males	101							1	1		5	2
15	Females	38							1	1		4 1	1 1
16	Unknown	23	1					1			1	1	1
17 18	Males. Females	15 8	1					1			1	1	1
19	Colored	1,346	297	48	28	18	7	398	16	16	58	83	106
20 21	MalesFemales	666 680	154 143	25 23	14 14	9	2 5	204 194	7 9	7 9	24 34	34 49	58 48
. 22	Negro $\{ egin{matrix}  ext{M} \dots &  ext{F} \  ext{F} \  ext{.} \end{cases}$	666	154	25	14	9	2	204	7	7	24	34	58
•	SEATTLE, WASH.	- 680	143	23	14	9	5	194	9	9	34	49	48
23	Total	2,234	293	50	33	22	13	411	41	29	63	114	146
24	Males	1,395	189	28	19	13	11	260	20	13	23	63	85
25 26	Females	839	104	22	14	9	2	151.	21	16	40	51	61
27	Males.	2,142 1,333	279 181	49	33	22	13	396 252	20	28	63	108	136
28	Females	809	98	21	14	13 9	2	144	20	15	40	58 50	77 59
29 30	Native	1,374	278	48	33	19	13	391	34	24	51	70	76
31	MalesFemales	768 606	180 98	27 21	19 14	11 8	11 2	248 143	18 16	11 13	16 35	33 37	32 44
32	Both parents native $$ ${M \choose F.}$	350 283	69 49	14 10	11 8	6 5	3	103 72	14 7	7 7	16	13 16	15 14
33	One or both parents foreign. $\left\{ \begin{matrix} \mathbf{M} \\ \mathbf{F} \end{matrix} \right\}$	271 208	98 40	11 11	8 7 4	5	7 2	128 58 17	4 8	4	8 16 7 17	13 16 16 13	14 12 23 5
34	Parentage unknown $\dots \{ egin{array}{c} \mathbf{M} \cdots \\ \mathbf{F} \cdots \end{array} \}$	147 115	13 9	2	$\frac{1}{2}$	2	1	17 13	1		1 2	4 8	5 7
35	Foreign	655		1		3		4	6	3	11	31	45
36 37	Males Females	467 188		1		2 1		3	2 4	2	6 5	21 10	34 11
38	Unknown	113	1					1		1	1	7	15
39 40	Males Females	98	1		·			• 1			1	4	11
41	Colored	15 92	14	1				15	1	1		3 6	10
42	Males	62	8					8		1		5	8
43	Females	30	6	1				7	1	1		ĭ	2
44	Negro $\left\{egin{array}{ll} \mathbf{M} & \mathbf{K} \\ \mathbf{F} & \mathbf{M} \end{array}\right\}$	15 18 1								1			1 2
45 46	Chinasa (M.	17	2					2				1	•••••
47	Tananasa (M	29 12	6									4	7
]	7F	12	6 1	1 1				6	1			î١	

,						DEAT	HS AT AGE	OF—							Deaths
30 to 34 years.	35 to 39 years.	40 to 44 years.	45 to 49 years.	50 to 54 years.	55 to 59 years.	60 to 64 years.	65 to 69 years.	70 to 74 years.	75 to 79 years.	80 to 84 years.	85 to 89 years.	90 to 94 years.	95 to 99 years.	100 years and over.	at un- known age.
130	148	151	148	172	146	186	140	121	88	57	. 34	4		1	
65 65	77 71	78 73	72 76	82 90	79 67	106 80	73 67	67 54	47 41	26 31	14 20	3 1		1	
57	51	51	63	83	74	114	106	.94	80	51	30	3		====	
27 30	24 27	27 24	39 24	45 38	40 34	63 51	. 58 48	53 41	41 39	25 26	13 17	. 2			
56	48	44	60	79	63	102	88	79	62	. 39	23	3			
27 29	22 26	,20 24	36 24	41 38	33 30	56 46	49 39	44 35	32 30	18 21	9 14	2 1			
23 24	18 22	15 17	23 17	24 19	23 20	42 24	22 30	13 22	11 21	6 9	6 8				
1	18 22 2 1 2 3	15 17 2 3	23 17 3 2 10	4 3	2	4 14	22 30 2 2 2 25 7	13 22 3 3	21 1 1	<sub>1</sub> -					
3 5	3	3 4	10 5	13 16	8 9	14 18	25 7	28 10	20 8	12 11	3 6	1			
1	3	5	2	4	9	8	15	11	16	11	7				
·····i	1	5	2	4	6 3	6 2	8 7	6 5	8 8	. 6	3				
		· 2	1	<u></u>	2	4	3	4	2	1					
		2	1		1	1 3	- 1	3 1	1	1					
73	97	100	85	89	72	72	34	27	8	6	4	. 1		1	
38 35	53 44	, 51 , 49	33 52	37 52	39 33	43 29	15 ·19	14 13	6 2	' 1 5	1 3	1		<u>1</u>	
38 35	53 44	51 49	33 52	37 52	39. 33	· 43	15 19	14 13	6 2	1 5	1 3	1		i	
							,					۵			
147	153	126	162	155	129	135	122	118	90	49	32	10	1	1	•••••
85 62	103 50	91 35	113 49	110 45	100 29	84 51	70 52	72 46	55 35	24 25	20 12	4 6	i	i	
132	140	121	157	149	126	130	119	118	89	48	32	9	1		
75 57	93 47	87 34	109 48	105 44	98 <b>2</b> 8	80 50	69 50	72 46	55 34	24 24	20 12	3 6	` <u>i</u> -		
68	73	58	79	88	65	75	. 61	55	49	35	15	6	1		
31 37	40 33	38 20	48 31	57 31	· 47	39 36	29 32	27 28	30 19	15 20	.9	3 3	<u>i</u>		
12 18	15 14 16 14	19 11	17 14	23 13	25 5	18 16 5	17 17	15 14 4	13 7	10 13 2	5 7	. 1			
12 18 11 16 8 3	16 14	19 11 12 5 7	17 14 14 7 17	23 13 17 8 17 10	25 5 10 7	5 8 16	17 17 2 7 10	1 6	6 3 11	2	ļ	1			
3	9 5	, 4	10	10	12 6	16 12	10 8	8	9	. 3 5	1 2	1	i		•••••
57	49	52	63	46	54	49	54	61	38	12	17	3			
40 17	36 13	38 14	46. 17	34 12	45 9	35 14	37 17	43 18	23 15	8 4	14 3	3			
7	18	11	15	15	7	6	4	2	2	1					
. 3	17	11	15	14 1	6 1	6	3	2	2	1					
15	13	5	5	6	3	5	3		1	. 1		1		1	
10 5	10	1	· 1	5 1	2 1	4 1	1 2		i	i		1		····i	
2 2	4 3	1 1	1 1	2	2 1	1 1	1 2		ı	i				i	
······································	<u>2</u>	<u>2</u>	3									1			••••••
		1		2 1		3				-1					
6 <b>3</b>	J		l	اا			l	l			·		1		

Table 2.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA, ITS MAIN SUBDIVISIONS, EACH GENERAL NATIVITY, AND PARENT

							DE	ATHS AT AG	e of—				
	AREA AND SEX, COLOR, AND NATIVITY.	All deaths.	Under 1 year.	1 year.	2 years.	3 years.	4 years.	Under 5 years.	5 to 9 years.	10 to 14 years.	15 to 19 years.	20 to 24 years.	25 to 29 years.
	SPOKANE, WASH.									•			
1	Total	1,299	217	30	13	11	9	280	20	27	33	85	77
2 3	Males Females	713 586	118 99	13 17	8 5	5 6	6 3	150 130	12 8	15 12	18 15	. 48 . 37	41 36
4	White	1,280	217	30	13	11	9	280	19	27	. 33	85	75
5 6	MalesFemales	698 582	118 99	13 17	8 5	5 6	. 6	150 130	11 8	15 12	18 15	48 37	39
7	Native	889	217	28	12	11	9	277	18	23	27	58	36 46
8	Males	438	118	12	8	5	6	149	11	12	13	24	21 25
9	Females	451 195	99 59	16 9	4	6	3	128 78	5	11 5	14 5	34 15	ļ
10	F	221 125	49 38	12	2	2 5 2	2 2	70 48	4 5	6	6	16 7	5 11 10 7
11 12	M.	128 118	37 21	3	3 2 1	1	1	44 23	2	5 1	7 4	8 2	6
13	Foreign Foreign	102 330	13	1 2	1			14	1 1	3	6	10 24	7 25
14	Males	211		1	1			1		2	5	21	16
15	Females	119		1	1	;		2	1	1	1	3	9
16 17	Unknown	49								1		3	2
18	Males Females	12											2
19	Colored	19							1				2
20 21	Males Females	15 4							1				2
22	Negro $\left\{egin{array}{ll} \mathbf{M} \ldots \\ \mathbf{F} \end{array}\right.$	10 3							1				1.
23	Indian	i											
24	Chinese $\left\{egin{array}{c} \mathbf{M} \\ \mathbf{F} \end{array}\right\}$	1											
25	Japanese $\left\{egin{array}{l} \mathbf{M} \\ \mathbf{F} \end{array}\right.$	3											1
	MILWAUKEE, WIS.		1		,								
26	Total	4,727	1,208	172	73	48	57	1,558	107	75	102	199	213
27 28	Males Females	2, 617 2, 110	683 525	96 76	48 25	28 20	26 31	881 677	51 56	41 34	57 45	112 87	117 96
29	White	4,712	1,205	172	73	48	57	1,555	107	75	101	198	212
30 31	Males. Females.	2,610 2,102	682 523	96 76	48 25	28 20	26 31	880 675	51 56	41 34	57 44	112 86	117 95
32	Native	2,860	1,198	166	71	44	54	1,533	100	69	86	152	150
33 34	Males Females	1,590 1,270	676 522	91 75	48 23	27 17	26 28	868 665	48 52	36 33	48 38	85 67	81 69
35	Both parents native ${M \choose F}$	471 391	245 192	23	17 10	15 6	8	308	16	12 10	14 9	22	17
36	One or both parents foreign $\left\{ \begin{matrix} \mathbf{F} \\ \mathbf{F} \end{matrix} \right\}$	1,036 791	402 305	23 18 66 55	31 12	12 11	8 7 17 21	308 233 528 404 32	16 25 31 24	24 22	34 28	22 15 61 48 2	17 12 61 51 3 6
37	Parentage unknown $\left\{egin{array}{l} M_{} \\ F_{} \end{array}\right.$	83 88	29 25	2 2	1		1	32 28	1 3	i	i	2 4	3 6
<b>3</b> 8	Foreign	1,797	7	6	1	4	3	21	7	6	15	44	61
39 40	MalesFemales	972 825	6	5 1	i	1 3	3	12	3 4	5 1	9	26 18	. 35 26
41	Unknown.	55	ļ		1			1				2	1
42	Males	48										1 1	1
43 44	FemalesColored	7 15	3		1			3			1	1	1
45	Males	7	1					1					
<b>4</b> 6	Females	8	2					2			1	1	1
47	Negro $\begin{cases} M \\ F \end{cases}$	6 7	1 2	• • • • • • • • • •				1 2			1	1	1
48 49	Thirtee (M.	1 1											
<b>49</b>	Crimese{F			•••••	<b>-</b>								

	. apt a sec		<del></del>		· · · · · · · · · · · · · · · · · · ·	DEAT	HS AT AGE	or—		•					Deaths	Ī
30 to 34 years.	35 to 39 years.	40 to 44 years.	45 to 49 years.	50 to 54 years.	55 to 59 years.	60 to 64 years.	65 to 69 years.	70 to 74 years.	75 to 79 years.	80 to 84 years.	85 to 89 years.	90 to 94 years.	95 to 99 years.	100 years and over.	at un- known age.	
. 87	53	83	82	80	68	77	65	75	. 44	37	14	9	1		2	
51 36	18 35	50 33	56 26	56 24	31 37	46 31	39 26	32 43	25 19	12 25	7 7	4 5	·····i		2	-
84	52	77	80	79	67	76	65	74	44	37	14	9	1		2	==
49 35	17 35	46 31	55 25	55 24	30 37	45 31	39 26	31 43	25 19	12 25	7 7.	4 5	i		2	
49	37	40	42	45	41	47	35	47	25	21	6	4	1			٠
21 28	8 29	22 18	23 19	·26 19	20 21	25 22	21 14	17 30	16 9	6 15	2 4	. 3	i			-   1
. 1 <u>6</u>	2 13	8	7 10	13 5 7 8 6	7 5	13 9	8 7	9 18 2	4	1 10	· 2	3				} 1
. 16 5 5 8 7	2 13 1 9 5	8 6 6 8	7 10 6 7 10 2	8 6	7 5 7 9 6 7	13 9 2 5 10 8	875 285	4 6	9 5	1 4		1				1 1
7 30	7	6 31	28	6 28	7 20	. 27	5 25	8 23	5 18	5 15	2	4	1			
23 7	. 7	20 11	22	24 4	5 15	18 9	13 12	11 12	9 9	6 9	5 3	3 1				
5	4	. 6	· 6	6	6	2	5	4	1	1		1			2	-
5	2 2	. 4	10	5 1	5 1	2	5	3 1	i	i		<u>i</u>			2	1
3	1	6	2	1	1	1		1								. 1
2 1	1	4 2	1 1	1	1	1		1								. 2
. 1	1	3 1	1 1	1	1											} 2
						1		1								} 2
1		1														$\begin{cases} 2 \\ 2 \end{cases}$
		1	;									4				ή:
184	192	166	201	245	235	244	233	261	217	160	99	27	7	2		_ 2
109 <sup>-</sup> 75	129 63	102 64	122 79	142 103	136 99	131 113	141 92	· 135 126	85 132	74 86	45 54	7 20	7	2		. 2
183	192	164	200	243	234	242	233	261	217	160	99	27	7	2		2
108 75	129 63	101 63	121 79	141 102	135 99	130 112	141 92	135 126	85 132	74 86	45 54	. 20	7	. 2		1
113	74	76	85	98 54	85	60	36	33	26	28	13	1	1			- 3 - 3
64 49	40	50 26	47 38	44	49 36	31 29	20 16	12 21	8 18	11 17	3 10	1	1			. 3
11 13 42 31 11 5	12 4 59 34 3 2	3 1 45 23 2 2	6 3 38 33 3 2	8 43 32	9 8 34 25 6 3	9 7 15 18 7	6 5 12 7 2	5 12 6 5	5 8 1 3 2 7	7 8 1	9		1			} 3 } 3
31 11 5	34 3 2	23 2 2	33 3 2	32 4 4	25 6 3	18 7 4	7 2 4	5 1 4	3 2 7	3 3 6	1	i				{ 3
67	66	79	105	140	145	179	194	228	191	130	86	25	6	2		. 3
41 26	45 21	42 37	64 41	82 58	83 62	96 83	119 75	123 105	77 114	.62 68	42 44	6 19	6	2		3
3	12	9	10	5	4	3	3			2						- 4
3	10 2	9	10	5	3 1	3	2 1			1						4
1		2	1	2	1	2					<u></u>					. 4
·1		1	1	1 1	1	1										- 4
1		1 1		1	1	1										} 4
			1	1												}  4
l			l		1				l				l	1		λi³

12489°—13——17

Table 3.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA AND ITS

[Figures for white and colored are shown separately for minor subdivisions (except as indicated in the footnotes) only when the colored population of the subdivision formed causes of death correspond to those of the

=								· · · · · · · · · · · · · · · · · · ·			causes	or death o	correspon	id to tho	se of the
							I	EATHS FI	ком—						
	AREA AND COLOR.	All causes.	Typhoid fever.	ria.	Small- pox.	Measles.	Scarlet fever.	Whoop- ing cough,	Diph- theria and croup.	In- flu- enza.	Ery- sipelas.	Tuber- culosis of the lungs.	culous men- ingitis.	Other forms of tuberculosis.	Rheu- ma- tism.
			1	8	4	5	6	7	8	9	(12)	18	14	15	(37)
1 2 3	SUMMARY. The registration area (total). White Colored.	839, 284 779, 770 59, 514	12,451 11,324 1,127	1,802 1,305 497	130 115 15	5,922 5,643 279	5, 243 5, 204 39	6,682 5,891 791	11,174 10,929 245	9,294 8,693 601	2,510 2,437 73	81,796 71,614 10,182	5,237 4,849 388	7,172 6,416 756	4,326 4,063 263
<b>4</b> 5 6	Registration states ¹ (total)	756, 777 716, 763 40, 014	11,096 10,351 745	1,322 1,154 168	95 88 7	5,395 5,211 184	4,646 4,615 31	6,102 5,560 542	9,958 9,782 176	8,595 8,210 385	2, 298 2, 247 51	73,237 65,716 7,521	4,858 4,525 333	6,529 5,931 598	3,945 3,747 198
7 8 9	Cities in registration states <sup>1</sup> (total)	413,920 389,554 24,366	5,122 4,810 312	328 258 70	46 42 4	2,776 2,673 103	3,024 3,000 24	2,939 2,674 265	5,883 5,774 109	2,854 2,664 190	1,322 1,288 34	41,300 36,912 4,388	3,315 3,086 229	3,419 3,052 367	2,041 1,928 113
10 11 12	Rural part of registration states (total) White Colored	342,857 327,209 15 648	5,974 5,541 433	994 896 98	49 46 3	2,619 2,538 81	1,622 1,615 7	3, 163 2, 886 277	4,075 4,008 67	5,741 5,546 195	976 959 17	31,937 28,804 3,133	1,543 1,439 104	3,110 2,879 231	1,904 1,819 85
13 14 15	Registration cities in other states (total)	82,507 63,007 19,500	1,355 973 382	480 151 329	35 27 8	527 432 95	597 589 8	580 331 249	1,216 1,147 69	699 483 216	212 190 22	8,559 5,898 2,661	379 324 55	643 485 158	381 316 65
16 17 18	All registration cities (total) White. Colored.	496, 427 452, 561 43, 866	6,477 5,783 694	808 409 399	81 69 12	3,303 3,105 198	3,621 3,589 32	3,519 3,005 514	7,099 6,921 178	3,553 3,147 406	1,534 1,478 56	49,859 42,810 7,049	3,694 3,410 284	4,062 3,537 525	2,422 2,244 178
19 20 21	REGISTRATION STATES.  California (total)	34,010 32,205 1,805	430 394 36	100 91 9	9 7 2	80 75 5	89 89	159 152 7	162 160 2	210 205 5	66 64 2	4,496 4,100 396	256 236 20	390 355 35	162 148 14
22 23 24	Colorado (total). White Colored.	10,740 10,427 313	252 244 8	3 3		125 125	82 81 1	56 53 3	98 97 1	102 102	25 25	1,684 1,606	57 55 2	70 68 2	66 66
25 26 27	Connecticut (total)	17,552 17,153 399	154 150 4	22 22		94 93 1	103 103	160 153 7	250 244 6	268 262 6	58 58	1,456 1,392 64	125 115 10	123 118 5	84 79 5
28 29 30	Indiana (total). White Colored.	35,210 33,877 1,333	728 712 16	110 105 5	3 3	262 259 3	179 178 1	272 256 16	385 374 11	499 484 15	115 113 2	3,578 3,334 244	216 204 12	427 399 28	190 181 9
31 32 33	Kentucky (total)	30, 407 24, 580 5, 827	1,069 893 176	237 182 55	4 4	455 406 49	86 84 2	438 352 86	572 548 24	410 327 83	75 70 5	4,625 3,486 1,139	222 186 36	446 348 98	173 136 37
34 35 36	Maine (total)	12,031 12,014 17	135 135	3 3		31 31	16 16	73 73	75 75	189 189	28 28	872 871 1	72 72	119 118 1	53 53
37 38 39	Maryland (total). White. Colored.	20,694 15,147 5,547	491 361 130	14 6 8		130 107 23	66 63 3	192 108 84	168 140 28	217 150 67	50 44 6	2,339 1,422 917	115 85 30	206 127 79	82 64 18
40 41 42	Massachusetts (total)	53,003 52,122 881	311 308 3	15 15	3 3	306 306	197 197	506 486 20	581 579 2	345 343 2	169 167 2	4,466 4,319 147	452 433 19	373 357 16	211 207 4
43 44 45	Michigan (total)	37,993 37,417 576	547 536 11	29 27 2	6 6	199 194 5	205 205	244 241 3	472 469 3	524 521 3	144 141 3	2,330 2,224 106	113 111 2	314 304 10	206 201 5
46 47 48	Minnesota (total)	21,988 21,662 326	283 283	2 2	6 6	111 111	189 189	172 166 6	315 315	178 176 2	96 96	2,107 2,017 90	162 155 7	253 250 3	124 122 2
49 50 51	Missouri (total). White. Colored.	43, 434 39, 794 3, 640	1,059 985 74	508 480 28	31 27 4	621 613 8	322 315 7	430 404 26	678 666 12	859 808 51	155 150 5	4,558 3,814 744	175 158 17	381 321 60	253 227 26
52 53 54	Montana (total). White. Colored.	4,009 3,658 351	80 75 5			49 38 11	37 37	27 24 3	30 30	15 15	12 11 1	358 260 98	20 13 7	42 37 5	26 24 2
55 56 57	New Hampshire (total)	7,391 7,380 11	63 63	•••••		40 40	16 16	53 53	68 68	115 114 1	13 13	453 451 2	29 29	44 44	32 32
58 59 60	New Jersey (total). White. Colored.	38,617 36,636 1,981	315 294 21	26 24 2	1 1	283 272 11	221 217 4	331 311 20	571 560 11	296 283 13	125 124 1	3,989 3,658 331	297 276 21	301 267 34	242 231 11
61 62 63	Colored	145,654 142,024 3,630	1,320 1,292 28	62 59 3	5 5	989 980 9	1,181 1,176 5	791 770 21	1,960 1,936 24	1,354 1,335 19	509 500 9	14,523 13,746 777	1,196 1,158 38	936 891 45	722 712 10
64 65 <b>6</b> 6	North Carolina 2 (total). White. Colored.	6,859 3,519 3,340	262 163 99	87 39 48	4 3 1	58 35 23	8 7 1	173 53 120	39 26 13	91 53 38	10 7 3	859 396 463	28 16 12	74 33 41	30 14 16

<sup>1</sup> Includes District of Columbia.

at least 10 per cent of the total, or numbered 10,000 or over in 1910. The term "cities" indicates municipalities of 10,000 inhabitants or over in 1910. Numbers under abridged International List (see p. 29).]

		-	List (see p						DEATHS :	FEOM—	=	<del></del>	=						<del></del>	F
Can- cer.	Dia- betes.	Menin- gitis.	Cerebral hemor- rhage and softening.	Organic diseases of the heart.	Bron- chitis.	Pneu- monia (all forms).	Other respira- tory dis- eases.	Diarrhea and enteritis (under 2 years).	Appen- dicitis.	Hernia, intes- tinal obstruc- tion.	Cir- rhosis of the liver.	Ne- phritis, Bright's disease.	Puer- peral fever.	Other puer-, peral affections.	Congenital debility and malformations.	Violent deaths (ex- cluding sui- cide).	Sui- cide.	All other causes.	III- defined and un- known.	
16	(37)	17	18	19	20,21	22,(23)	(23)	25	26	27	28	29	81	32	88	35	36	(37)	88	
44,024	8,805	7, 285	45,309	83,525	11,559	79, 233	8,858	45, 868	6,896	7,061	8,310	57, 803	4,376	5,080	46, 899	54, 028	9, 622	143,791	7,213	1
42,593	8,628	6, 835	43,193.	78,203	10,715	72, 898	8,140	43, 080	6,597	6,643	7,968	53, 521	4,038	4,745	44, 180	50, 359	9, 363	133,773	5,815	2
1,431	177	450	2,116	5,322	844	6, 335	718	2, 788	299	418	342	4, 282	338	335	2, 719	3, 669	259	10,018	1,398	3
40,229	8,173	6,514	42,293	76,413	10,838	70, 481	8,009	40,018	6,018	6,291	7,392	51, 162	3,880	4,589	43, 081	48,841	8,635	129, 532	6,312	4
39,183	8,048	6,234	40,854	72,718	10,254	66, 145	7,565	38,190	5,834	6,030	7,171	48, 571	3,670	4,363	41, 214	46,398	8,415	123, 293	5,476	5
1,046	125	280	1,439	3,695	584	4, 336	444	1,828	184	261	221	2, 591	210	226	1, 867	2,443	220	6, 239	836	6
22,515	4, 674	3,550	20,651	40,772	6,095	42, 238	4, 246	25,002	4,025	3,628	4,564	30,974	2,202	2,341	23,781	25,807	5,256	65,643	1,587	7
21,828	4, 590	3,403	19,766	38,268	5,686	39, 343	3, 943	23,863	3,890	3,463	4,427	29,203	2,087	2,210	22,541	24,426	5,116	61,962	1,378	8
687	84	147	885	2,504	409	2, 895	303	1,139	135	165	137	1,771	115	131	1,240	1,381	140	3,681	209	9
17,714	3,499	2,964	21,642	35,641	4,743	28, 243	3,763	15,016	1,993	2,663	2,828	20,188	1,678	2,248	19,300	23,034	3,379	63, 889	4,725	10
17,355	3,458	2,831	21,088	34,450	4,568	26, 802	3,622	14,327	1,944	2,567	2,744	19,368	1,583	2,153	18,673	21,972	3,299	61, 331	4,098	11
359	41	133	554	1,191	175	1, 441	141	689	49	96	84	820	95	95	627	1,062	80	2, 558	627	12
3,795	632	771	3,016	7,112	721	8,752	849	5,850	878	770	918	6,641	496	491	3, 818	5,187	987	14,259	901	13
3,410	580	601	2,339	5,485	461	6,753	575	4,890	763	613	797	4,950	368	382	2, 966	3,961	948	10,480	339	14
385	52	170	677	1,627	260	1,999	274	960	115	157	121	1,691	128	109	852	1,226	39	3,779	562	15
26,310	5,306	4,321	23,667	47,884	6,816	50,990	5,095	30,852	4,903	4,398	5, 482	37, 615	2,698	2,832	27,599	30, 994	6,243	79,902	2,488	16
25,238	5,170	4,004	22,105	43,753	6,147	46,096	4,518	28,753	4,653	4,076	5, 224	34, 153	2,455	2,592	25,507	28, 387	6,064	72,442	1,717	17
1,072	136	317	1,562	4,131	669	4,894	577	2,099	250	322	258	3, 462	243	240	2,092	2, 607	179	7,460	771	18
2,053	409	333	1,802	4,443	323	2,524	368	904	279	313	504	2,291	143	188	1,176	2,747	749	5,794	58	19
1,993	401	301	1,751	4,271	311	2,382	344	848	268	291	484	2,198	136	175	1,122	2,578	702	5,520	53	20
60	8	32	51	172	12	142	24	56	11	22	20	93	7	13	54	169	47	274	5	21
459 452 7	112 111 1	117 115 2	376 369 7	743 719 24	104 101 3	1; 130 1, 107 23	137 132 5	470 466 4	130 127 3	81 80 1	92 90 2	664 631 33	73 70 3	74 72 2	666 648 18	849 818 31	180 177 3	1,633 1,587 46	30 30	22 23 24
895	197	229	1,206	1,819	273	1,750	187	902	104	163	165	1,340	57	72	1,080	1,046	207	2,857	106	25
880	194	224	1,190	1,784	265	1,713	181	888	101	159	163	1,314	56	71	1,055	1,029	204	2,793	100	26
15	3	5	16	35	8	37	6	14	3	4	2	26	1	1	25	17	3	64	6	27
1,943	396	241	2,193	3,901	415	2,714	241	1,676	285	334	343	2,303	296	185	1,782	2,200	455	6,296	47	28
1,902	389	235	2,125	3,721	400	2,573	230	1,615	274	323	328	2,214	287	181	1,741	2,125	448	6,118	46	29
41	7	6	68	180	15	141	11	61	11	11	15	89	9	4	41	75	7	178	1	30
986	158	509	952	1,995	361	2,282	346	1,157	166	229	200	1,521	174	233	1,803	1,793	201	5,382	1,147	31
859	145	444	778	1,522	273	1,748	264	1,008	145	191	169	1,252	131	200	1,593	1,356	191	4,368	921	32
127	13	65	174	473	88	534	82	149	21	38	31	269	43	33	210	437	10	1,014	226	33
738 737 1	178 178	100 100	908 908	1,345 1,340 5	188 187 1	1,060 1,059 1	144 144	473 473	101 101	92 92	40 · 40	854 853 1	29 29	71 71	557 556 1	588 587 1	101 101	2,610 - 2,606 4	188 188	34 35 - 36
955	167	180	1,048	1,868	296	1,921	264	1,288	107	157	165	1,675	71	111	1,290	1,002	149	3,538	372	
838	154	142	832	1,369	212	1,285	202	977	83	121	148	1,254	53	74	951	770	139	2,652	214	
117	13	38	216	499	84	636	62	311	24	36	17	421	18	37	339	232	10	886	158	
3,262	685	503	3,438	6,338	839	5,313	439	3,564	378	420	339	2,996	210	300	3,036	3,195	449	9,108	256	40
3,230	678	495	3,396	6,263	827	5,210	431	3,526	371	414	335	2,922	208	292	3,000	3,143	444	8,970	247	41
32	7	8	42	75	12	103	8	38	7	6	4	74	2	8	36	52	5	138	9	42
2,137	413	352	2,145	4, 215	728	2,593	504	1,634	339	378	338	1,926	244	259	2,658	2,408	420	8,571	398	43
2,123	412	350	2,123	4, 148	720	2,541	493	1,605	336	372	335	1,905	243	256	2,627	2,378	413	8,470	387	44
14	1	2	22	67	8	52	11	29	3	6	3	21	1	3	31	30	7	101	11	45
1,423 1,414 9	258 257 1	178 176 2	1,009 1,002 7	1,891 1,872 19	275 275	2,018 1,985 33	214 213 1	841 831 10	343 342 1	209 205 4	179 178 1	1,330 1,313 17	153 153	147 145 2	1,322 1,316 6	1,483 1,464 19	302 298 4	4,103 4,055 48	312 280 32	46 47 48
1,974	413	453	1,789	3,402	644	3,975	445	2,020	371	360	465	2,828	278	287	2,277	2,476	599	7,588	760	49
1,892	406	437	1,669	3,055	585	3,580	413	1,899	356	343	431	2,580	262	269	2,152	2,217	584	7,020	676	50
82	7	16	120	347	59	395	32	121	15	17	34	248	16	18	125	259	15	568	84	51
157 152 5	41 40 1	32 31 1	127 121 6	317 305 12	31 31	354 314 40	48 44 4	142 137 5	74 72 2	42 40 2	44 42 2	204 197 7	38 38	40 35 5	283 277 6	498 474 24	109 102 7	661 598 63	71 44 27	52 53 54
419 419	102 102	94 94	510 510	853 851 2	149 149	630 630	97 97	38 <u>4</u> 384	47 47	57 57	51 51	480 478 2	18 18	41 41	431 430 1	405 405	56 55 1	1,590 1,588 2	51 51	55 56 57
1,966	350	364	2, 330	3,775	485	3, 989	454	2,627	238	246	398	3,069	202	222	2,289	2,465	415	5,588	147	58
1,889	342	353	2, 244	3,596	462	3, 764	420	2,514	228	230	392	2,920	188	211	2,176	2,355	407	5,289	138	59
77	8	11	86	179	23	225	34	113	10	16	6	149	14	11	113	110	8	299	9	60
8,091	1,784	1,025	8,067	15,533	2,141	16, 669	1,247	7,671	1,113	1,184	1,689	12,375	622	783	7,724	8,568	1,537	22,109	174	63
7,988	1,771	1,012	7,950	15,204	2,077	16, 153	1,222	7,491	1,093	1,163	1,670	12,081	595	766	7,515	8,406	1,518	21,623	166	
103	13	13	117	329	64	516	25	180	20	21	19	294	27	17	209	162	19	486	8	
205	22	73	267	509	74	564	54	562	62	40	31	344	32	64	338	341	23	1,286	245	64
144	18	48	156	233	27	205	33	317	50	24	17	181	10	34	209	162	21	707	78	65
61	4	25	111	276	47	359	21	245	12	16	14	163	22	30	129	179	2	579	167	66

 $^{2}$  Includes only municipalities having a population of 1,000 or over in 1900.

#### TABLE 3.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA AND ITS

							]	DEATHS FI	гом—						
	AREA AND COLOR.	All causes.	Typhoid fever.	Mala- ria.	Small- pox.	Measles.	Scarlet fever.	Whoop- ing cough.	Diph- theria and croup.	In- flu- enza.	Ery- sipelas.	Tuber- culosis of the lungs.	Tuber- culous men- ingitis.	Other forms of tuberculosis.	Rheu- ma- tism.
			1	3	4	5		7	8	9	(12)	13	14	15	(37)
1 2 3	REGISTRATION STATES—Continued. Ohio (total). White. Colored.	63,402 61,024 2,378	1,101 1,068 33	44 41 3	4 4	312 307 5	500 498 2	552 519 33	728 715 13	1,057 1,031 26	188 184 4	6,169 5,642 527	353 325 28	637 603 34	334 323 11
4 5 6	Pennsylvania (total) White Colored	111, 292 107, 220 4, 072	1,716 1,667 49	37 36 1	5 5	804 781 23	749 746 3	998 941 57	2,111 2,093 18	1, 149 1, 125 24	287 282 5	9, 233 8, 472 761	567 524 43	804 744 60	569 555 14
7 8 9	Rhode Island (total)	8,671 8,422 249	53 52 1	6		23 23	58 57 1	121 111 10	143 143	53 53	16 15 1	810 758 52	74 72 2	70 64 6	36 34 2
10 11 12	Utah (total). White. Colored.	3,960 3,894 66	74 73 1		9	42 42	56 55 1	26 26	85 85	25 24 1	12 12	146 136 10	6 6	28 28	40 40
13 14 15	Vermont (total)	5,661 5,631 30	44 44	5 5		38 38	5 5	27 27	24 24	157 157	13 13	347 343 4	31 31	46 45 1	26 26
16 17 18	Washington (total) White Colored	10,845 10,323 522	223 203 20	3 3	3 3	68 67 1	56 56	70 63 7	104 100 4	110 107 3	31 31	1,027 898 129	· 122 · 113 9	150 141 9	58 57 1
19 20 21	Wisconsin (total)	27,050 26,895 155	311 309 2	5 5	2 2	253 252 1	221 221	206 205 1	320 319 1	304 304	93 92 1	2,076 2,045 31	128 126 2	245 240 5	205 203 2
	REGISTRATION CITIES.														
22 23 24	Registration cities (total)	4,711 2,045 2,666	172 88 84	103 25 78	1 1	55 30 25	4 4	44 28 16	22 13 9	33 11 22	4 2 2	550 160 390	8 5 3	12 5 7	3
25 26 27 28 29 30 31 32 33	Birmingham (total) White Colored Mobile (total) White Colored Montgomery (total) White Colored Colored	2,480 1,172 1,308 1,267	62 35 27 97 45 52 13 8 5	32 9 23 41 10 31 30 6 24		5	2 2 2	28 20 8 11 6 5 5 2 3	13 9 4 6 3 3 3 1 2	12 4 8 11 5 6 10 2 8	2 1 1 1 1 1	306 89 217 168 49 119 76 22 54	7 4 3 1 1	3 1 2 3 2 1 6 2 4	1 1 1 1 2 2
34 35 36	CALIFORNIA.  Registration cities (total)	19,627 18,538 1,089	223 200 23	18 14 4	7 6 1	66 63 3	38 38	72 69 3	89 89	79 76 3	36 34 2	2,545 2,294 251	163 147 16	238 215 23	112 102 10
37 38 39 40 41	Alameda. Bakersfield. Berkeley. Eureka. Fresno.	265 307 375 211 354	2 9 4 4 11	1 3		1	1	1 2	2 1 1 11	2 3	1 1 1	20 47 23 26 45	1 1 2	4 4 5 5 7	32
42 43 44 45 46 47	Long Beach Los Angeles (total) White Colored Oakland Pasadena	301 5,001 4,745 256 1,984 429	3 40 35 5 22 2	2 4 3 1 2	6 5 1	1 8 8 18	1 9 9	2 19 17 2 6 1	2 22 22 22 11 4	22 21 1 6 4	4 4 9	31 853 789 64 164 85	1 35 32 3 21 1	3 66 60 6 23 5	35 31 4 9
48 49 50 51 52 53	Pomona. Redlands. Riverside (total) White Colored. Sacramento	152 152 260 238 - 22 828	2 1 10 8 2 19	1		1 2	3 1 -1	3 3	1 1 4	3 2 1 1 1	1 1	15 46 56 50 6 89	2 1 3 2 1 11	2 3 2 1 1 14	
54 55 56 57 58	San Bernardino San Diego San Francisco (total) White Colored.	266 817 6,495 6,142 353	11 7 65 55 10	5 2 3	1	1 33 30 3	1 2 15 15	29 28 1	1 4 22 22 22	2 10 12 11 1	15 13 2	66 116 675 591 84	4 72 65 7	5 10 62 58 4	37 37 38
59 60 61 62 63	San Jose. Santa Barbara. Santa Cruz. Stockton.	413 215 178 488 136	1 3 1 5				1 1 1	3 2	2	1 1 2 3	1	50 29 16 80 13	2 1 1 2	7 3 1 5 2	2

<sup>&</sup>lt;sup>1</sup> Nonregistration state; cities shown below only those with effective local ordinances.

					-				DEATHS	from—					*	<u> </u>	<del></del>			Ė
Can- cer.	Dia- betes.	Menin- gitis.	Cerebral hemor- rhage and softening.	heart.	Bron- chitis.	Pneu- monia (all forms).	Other respira- tory dis- eases.	Diarrhea and enteritis (under 2 years).	Appendicitis.	Hernia, intes- tinal obstruc- tion.	Cir- rhosis of the liver.	Ne- phritis, Bright's disease.	Puer- peral fever.	Other puer-peral affections.	Congenital debility and malformations.	Violent deaths (ex- cluding sui- cide).	Sui- cide.	All other causes.	III- defined and un- known	
16	(87)	17	18	19	20,21	22,(23)	(23)	25	26	27	28		31 ———	82	83	85	36	- (37)	38	
3,699 3,624 75	698 679 19	476 460 16	4,314 4,199 115	7,062 6,781 281	924 . 881 43	4,930 4,719 211	495 485 10	2,896 2,824 72	483 473 10	515 507 8	722 705 17	3,750 3,616 134	365 354 11	353 343 10	3,162 3,085 77	4,389 4,224 165	779 753 26	11,115 10,771 344	296 281 15	1 2 3
5,197 5,083 114	1,036 1,024 12	707 691 16	6,236 6,120 116	10,103 9,739 364	1,667 1,593 74	10,962 10,478 484	1,581 1,519 62	8,156 7,893 263	684 666 18	855 822 33	1,070 1,044 26	7,195 6,889 306	573 554 19	723 704 19	7,287 7,050 237	8,318 8,072 246	1,033 1,022 11	17,799 17,235 564	1,081 1,051 30	4 5 6
491 478 13	120 119 1	73 72 1	534 525 9	882 855 27	154 151 3	849 828 21	80 77 3	493 487 6	73 71 2	69 <b>6</b> 9	. 83 81 2	693 678 15	29 28 1	60 60	499 489 10	477 460 17	65 62 3	1,425 1,389 36	59 55 4	7 8 9
200 199 1	43 43	39 38 1	. 144 143 1	319 313 6	71 70 1	426 420 6	64 64	144 143 1	63 62 1	53 53	21 21	· 230 227 3	20 19 1	40 40	298 297 1	330 314 16	70 66 4	768 760 8	68 66 2	10 11 12
361 359 2	72 72	30 30	474 473 1	757 754 3	103 102 1	461 459 2	45 45	221 221	69 69	51 51	41 '41	378 378	16 16	33 33	278 278	307 298 9	72 69 3	1,107 1,103 4	22 22	13 14 15
562 554 8	123 122 1	54 51 3	605 597 8	1,009 988 21	82 77 5	789 731 58	92 88 4	310 302 8	154 153 1	113 113	73 71 2	670 648 22	62 57 5	115 114 1	635 631 4	1,170 1,088 82	252 241 11	1,786 1,720 66	164 135 29	16 17 18
1,763 1,754 9	342 342	316 312 4	1,404 1,398 6	2,610 2,600 10	441 441	2,023 2,008 15	353 352 1	1,210 1,204 6	319 318 1	279 278 1	293 293	1,515 1,508 7	150 147 3	156 156	1,785 1,775 10	1,517 1,507 10	324 322 2	5,640 5,617 23	241 240 1	19 20 21
154	21	30	203 96	345	23	316	40	26 <del>4</del>	73	65	33 16	407	26	29	248 130	321 122	27	849 371	225 45 180	22
98 56	14 7	30 14 16	107	345 133 212	19	219	. 16 24 16	157 107	56 17 47	65 42 23	17	189 218 141	14 12	29 16 13	118	199	24 3	478		22 23 24 25
93 57 36 41 28 13 20 13	13 94 54 13 12	8 10 6 3 3 6 3 3 6 3 3	54 66 53 26 27 30 16 14	180 70 110 90 41 49 75 22 53	9 2 7 14 2 12	84 135 41 21 20 56 8 48	9 7 15 5 10 9 2	185 109 76 36 26 10 43 22 21	36 11 15 10 5 11 10	34 24 10 17 13 4 14 5	1899835743	77 64 166 69 97 100 43 57	18 11 7 5 1 4 3 2 1	22 13 9 3 2 1 4 1 3	90 54 58 19 39 46 21 25	207 85 122 57 19 38 57 18	16 17 52 33	343 180 163 261 124 137 245 67 178	146 36 110 27 3 24 52 6 46	25 26 27 28 29 30 31 32 33
·1,328 1,287 41	277 271 6	189 174 15	1,038 1,005 33	2,643 2,522 121	197 188 9	1,473 1,386 87	210 194 16	516 494 22	7 189 179 10	178 166 12	328 314 14	1,419 1,346 73	84 80 4	104 96 8	721 692 29	1,320 1,244 76	468 445 23	3,252 3,102 150	7 6 1	3 <u>4</u> 35 36
14 8 36 16 11	3 2 9	2 4 1 1	15 16 30 17 18	41 22 50 18 34	3 1 1	14 33 36 8 21	2 2 4 3 6	4 19 6 2 23	4 8 5 4 7	51715	2 4 4 2 6	26 17 20 13 14	2 4 1 1 4	2 2 4 2 3	8 15 15 11 22	31 34 32 24 20	3 9 9 6 7	50 43 62 37 60	1	37 38 39 40 41
23 328 323 5 165 38	26 1	4 60 57 3 25	19 213 208 5 130 26	41 630 593 37 304 52	3 45 44 1 21 . 3	17 337 319 18 168 26	.3 54 47 7 29 7	4 118 115 3 55 4	37 33 4 15 5	3 43 42 1 24 4	3 64 64 26 9	39 321 308 13 129 40	1 25 23 2 7	2 31 30 1 8	12 201 189 12 95	19 320 304 16 126 18	5 128 128 55 1	48 855 814 41 283 81	2 2	42 43 44 45 46 47
9 7 11 11 43	2 1 6 6	1 6 6	8 11 14 12 2 45	17 15 26 25 1 65	1 1 1	14 3 7 6 1 63	4 1 1 1 15	2 5 14 12 2 40	3 1 2 2	1 8	1 1 	7 5 17 16 1 63	1 1 2	2 1 1	10 11 11 11 11	15 12 13 12 12 70	2 1 1 18	29 20 48 45 3 181	1	48 49 50 51 52 53
13 48 471 454 17	1 18 113 110 3	3 8 50 46 4	9 47 304 298 6	31 91 971 928 43	9 2 5 9 8 5 8 5 8 5	20 41 566 539 27	2 18 52 49	11 19 162 158 4	5 2 9 75 74 1	4 6 60 58 2	2 6 173 163	14 72 523 492 31	3 30 30	3 3 31 30 1	10 22 208 203 5	18 52 407 384 23	18 24 168 160 8	25 164 996 953 43	1 i 1	54 55 56 57 58
33 15 11 23 5	8 5 1 2 1	3 3 4 1	27 24 13 40 12	82 36 33 53 31	3 1 5	33 15 7 31 13	4 1 1		. 2 2 2 1	1 1 3 1	5 2 5 1	32 15 12 29 11	1	4 1 2 1	18 3 5 3	17 15 13 42 22	6 4 2 8 3	58 28 45 126 13	1 1	59 60 61 62 63

#### TABLE 3.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA AND ITS

=	1	í			<del>-</del>	<u> </u>						oi death c			7
							г	EATHS FE	юм—						· · ]
	AREA AND COLOR.	All causes.	Typhoid fever.	Mala- ria.	Small-pox.	Measles.	Scarlet fever.	Whoop- ing cough.	Diph- theria and croup.	In- flu- enza.	Ery- sipelas.	Tuber- culosis of the lungs.	Tuber- culous men- ingitis.	Other forms of tuberculosis.	Rheu- ma- tism.
	REGISTRATION CITIES—Continued.														<u>-</u>
	COLORADO.	'													
1 2 3	Registration cities (total) White Colored.	4,452	59 58 1	3 3		56 56	21 20 1	25 22 3	49 48 <u>1</u>	30 30	11 11	865 805 60	39 37 2	38 38	27 27
4 5 6 7	Colorado Springs Denver Pueblo Trinidad CONNECTICUT.	483 3,441 602 126	4 40 13 2	1 1 1		47 7 2	3 11 7	1 12 11 1	2 37 9 1	6 16 5 3	11	167 600 82 16	24 10 1	5 26 6 1	3 18 6
8 9 10	Registration cities (total). White Colored.	12,024 11,706 318	131 127 4	16 16		75 74 1	72 72	117 112 5	177 171 6	153 148 5	41 41	994 944 50	89 79 10	82 77 5	46 42 4
11 12 13 14 15	Ansonia Bridgeport Bristol Danbury town Greenwich town	211 1,472 180 336 258	4 2 2 1	1			3 1 3	8 5 2 4	2 15 2 4 2	2 13 2 5 5	3	19 115 13 30 17	9 2 1 3	7 2 5 1	4 1 1
16 17 18 19	Hartford. Manchester town. Meriden town. Middletown town.	1,849 165 535 476	20 3 1 9	2 1		3 3 4	23 1 2	17 2 7 2	43 6 7 9	12 2 14 3	10 1 2 5	119 16 131 37	9 7 3	12 1 1 3	6 1 2 1
20 21 22 23	Naugatuck. New Britain. New Haven New London.	593	5 34 2	2 4		3	2 14 1	1 21 18 2	20 26 2	2 7 29 5	9	7 41 169 31	4 23 3	6 18 3	2 11
24 25 26 27	Norwalk town. Norwich town. Orange town. Stamford town.	383 484 141 508	3 3 1				4	6 7 2	2 1 6	13 18 2 5	1 2	25 32 11 41	1 2 1 5	3 3 3 2	2 2 1 3
28 29 30 31	Torrington town. Wallingford town. Waterbury. Windham town.		16 1 18 6	2		3 5 14 10	17 1	12	$\begin{array}{c} 4 \\ 4 \\ 20 \\ 2 \end{array}$	4 6 4	2 3 2	20 9 86 25	2 10 4	1 9 2	1 1 6 1
32 33 34	DELAWARE. <sup>1</sup> Wilmington (total)	1,446 1,217 229	25 16 9			12 11 1	7 6 1	8 7 1	20 16 4	9 8 1	4 4	120 91 29	6 4 2	13 11 2	12 9 3
35 36 37	DISTRICT OF COLUMBIA.  Washington (total)	6,304 3,739 2,565	75 47 28	4		22 16 6	4 4	25 13 12	19 16 3	68 42 26	8 7 1	736 326 410	42 26 16	50 29 21	21 12 9
38 39 40	FLORIDA. <sup>1</sup> Registration cities (total) White Colored	1,819 803 1,016	56 38 18	38 6 32		17 13 4	5 5	26 9 17	7 5 2	18 6 12	2 1 1	199 71 128	4 3 1	18 8 10	2 2
41 42 43 44 45 46	Jacksonville (total) White Colored Key West (total) White Colored.	1,367 524 843 452 279 173	43 28 15 13 10 3	38 6 32		15 11 4 2 2	5 5	3 3 3 23 6 17	5 3 2 2 2 2	16 4 12 2 2	1 1	151 48 103 48 23 25	3 3 1	11 6 5 7 2 5	2 2
47 48 49	GEORGIA. <sup>1</sup> Registration cities (total) White	5,091 2,296 2,795	134 81 53	12		47 33 14	7 6 1	77 31 46	34 25 9	41 12 29	9 3 6	425 155 270	14 8 6	30 13 17	12 8 4
50 51 52 53 54 55	Atlanta (total) White Colored. Savannah (total) White Colored.	3,172 1,677 1,495 1,919 619 1,300	106 62 44 28 19	9 2 7 55 10		40 27 13 7 6 1	7 6 1	39 18 21 38 13 25	24 17 7 10 8 2	19 4 15 22 8 14	8 3 5 1	277 117 160 148 38 110	10 6 4 4 2 2	23 11 12 7 2 5	10 6 4 2 2
56 57 58	ILLINOIS.¹ Registration cities (total)	35,852 34,605 1,247	298 288 10	14 13 1	3 2 1	148 142 6	507 503 4	68 62 6	915 904 11	206 199 7	120 118 2	3,593 3,333 260	211 200 11	268 254 14	210 206 4

<sup>&</sup>lt;sup>1</sup> Nonregistration state; cities shown below only those with effective local ordinances.

,	Wales P	<del> 2'</del>							DEATHS	FROM-				<del>-</del>				<u></u>		T
Can- cer.	Dia- botes.	Menin- gitis.	Cerebral hemor- rhage and softening.	Organic diseases of the heart.	Bron-chitis.	Pneu- monia (all forms).	Other respira- tory dis- eases.	Diarrhea and enteritis (under 2 years).	Appen- dicitis.	Hernia, intes- tinal obstruc- tion.	Cir- rhosis of the liver.	Ne- phritis, Bright's disease.	Puer- peral fever.	Other puer-peral affections.	Congenital debility and malformations.	Violent deaths (ex- cluding sui- cide).	Sui- cide.	All other causes.	III- defined and un- known	
16	(37)	17	18	19	20,21	22,(23)	(23)	25	26	27	28	29	31	32	33	85 ^	36	(37)	38	
221 217 4	57 56 1	58 56 2	178 175 3	338 319 19	49 48 1	451 443 8	51 49 2	173 170 . 3	61 59 2	31 31	52 50 2	345 319 26	26 24 2	27 25 2	250 236 14	244 233 11	88 86 2	726 698 28	3 3	123
20 171 24 6	43 7 3	50 7	. 15 137 18 8	35 270 28 5	1 42 5 1	33 337 69 12	1 47 2 1	7 92 54 20	9 46 6	3 25 1 2	42 42 6	36 271 34 4	4 18 3 1	2 18 7	26 172 44 8	24 177 35 8	2 79 6 1	60 559 88 19	2 1	- 4 5 6 7
591 577 14	133 132 1	166 162 4	712 698 14	1,147 1,120 27	181 174 7	1,271 1,241 30	138 133 5	691 677 14	87 85 2	129 126 3	116 115 1	921 904 17	48 48	57 56 1	783 765 18	720 707 13	146 145 1	1,919 1,868 51	75 70 5	8 9 10
72 10 11 13	16 4 3 1	15 14 4 8 5	13 53 10 26 14	18 128 12 58 16	3 20 7 1	9 152 27 20 26	2 21 1 2 3	39 131 16 11 16	11 2 2	15 1 2 2	2 22 2 3 3	2 146 8 18 23	8 1 3	6 2 1 1	20 95 13 21 22	13 95 11 21 22	1 24 2 6 2	37 238 · 26 62 43	8 4 2 1 1	-1
97 10 17 25	19 3 6 4	16 4 4	99 7 30 42	179 13 48 91	18 1 9 6	243 14 44 43	17 2 11 6	69 12 22 14	22 1 1	19 2 2 6	16 1 5 1	146 7 20 18	11 2 2	6 1 2	112 10 15 16	139 10 24 25	33 3 6 3	311 30 88 91	3	. 17 . 18
2 24 125 24	31 1	1 8 28 2	8 34 124 31	9 31 225 35	2 9 36 5	21 49 290 30	1 12 20 5	16 49 96 19	3 26 3	1 13 33 3	7 22 5	13 34 184 37	2 5 2	6 12 2	7 74 150 17	38 123 16	6 23 1	18 77 338 50	1 5 32	20 21 22 23
28 31 9 20	8 10 7 5	8 11 2 4	41 35 10 30	40 51 16 45	6 11 5	29 31 13 68	11 5	5 25 4 26	2 5	8	4 3 3	41 36 10 60	2 1	3 2 4	22 29 3 38	24 25 6 29	2 1 6 7	55 89 28 80	1 .2 4 1	1
11 6 46. 8	2 6 3	2 18 8	12 13 66 14	14 13 82 23	3 4 25 10	14 16 107 25	1 1 14 2	5 9 92 15	8 1	2 12 1	2 1 9 2	6 5 90 17	8 1	1 7 1	17 6 83 13	6 8 67 14	5 4 8 3	21 13 176 48	7	28 29
63 59 <b>4</b>	777	29 25 4	78 70 8	121 101 20	16 12 4	193 158 35	19 18 1	65 58 7	5 4 1	12 9 3	7 7	104 91 13	3 2 1	5 4 1	126 103 23	68 59 9	14 13 1	254 214 40	21 20 1	32 33 34
293 220 73	54 49 5	36 23 13	415 275 140	724 435 289	70 37 33	555 253 302	110 72 38	273 137 136	36 28 8	51 32 19	46 42 4	531 334 197	25 18 7	32 20 12	425 241 184	269 168 101	88 76 12	1,178 734 444	19 7 12	35 36 37
39 27 12	5 3 2	19 13 6	45 18 27	111 54 57	9 6 3	109 51 58	22 10 12	170 94 76	10 5 5	16 11 5	13 10 3	149 57 92	10 5 5	18 12 6	76 26 50	127 54 73	15 13 2	376 152 224	88 15 73	38 39 40
32 20 12 7 7	4 2 2 1 1	15 10 5 4 3 1	33 11 22 12 7 5	83 36 47 28 18 10	7 5 2 2 1 1	83 32 51 26 19 7	20 8 12 2 2	74 26 48 96 68 28	10 5 5	15 10 5 1 1	10 9 1 3 . 1 2	116 39 77 33 18 15	. 2 2 2	13 9 4 5 3 2	64 20 44 12 6 6	114 45 69 13 9	12 11 1 3 2 1	273 88 185 103 64 39	88 15 73	41 42 43 44 45 46
141 102 39	27 21 6	72 27 45	195 102 93	262 131 131	43 13 30	562 183 379	77 28 49	249 123 126	49 31 18	46 25 21	23 11 12	465 248 217	33 14 19	41 22 19	236 123 113	271 119 152	28 27 1	1,257 528 729	120 31 89	47 48 49
98 73 25 43 29 14	13 13 14 8 6	19 11 8 53 16 37	127 80 47 68 22 46	163 86 77 99 45 54	27 9 18 16 4 12	365 144 221 197 39 158	37 17 20 40 11 29	163 90 73 86 33 53	40 25 15 9 6	31 19 12 15 6 9	13 8 5 10 3 ,7	317 192 125 148 56 92	24 12 12 9 2 7	31 16 15 10 6 4	145 83 62 91 40 51	185 92 93 86 27 59	21 20 1 7 7	737 387 350 520 141 379	44 21 23 76 10 66	50 51 52 53 54 55
2,005 1,965 40.	335 326 9	273 263 10	1,128 1,092 36	3 424 3,280 144	220 213 7	4,765 4,581 184	281 274 7	3,087 3,051 36	410 397 13	305 295 10	513 502 11	2,731 2,645 86	222 210 12	158 155 3	1,448 1,423 25	2,313 2,247 66	534 522 12	5,096 4,901 195	43 39 4	56 57 58

## TABLE 3.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA AND ITS

T							r	EATHS FF	юм—			-:	orrespon		
	AREA AND COLOR.	All causes.	Typhoid fever.	Mala- ria.	Small- pox.	Measles. 5	Scarlet fever.	Whooping cough.	Diph- theria and croup.	In- flu- enza.	Ery- sipelas. (12)	Tuber- culosis of the lungs.	Tuber- culous men- ingitis.	Other forms of tuberculosis.	Rheu- ma- tism.
	REGISTRATION CITIES—Continued.														
12345	Aurora Belleville. Chicago (total). White. Colored.	413 310 32,531 31,478 1,053	7 6 245 241 4	2 8 7 1	3 2 1	1 130 126 4	1 2 492 488 4	2 52 47 5	7 1 860 850 10	3 4 179 174 5	2 99 97 2	26 27 3,313 3,095 218	4 1 201 190 11	2 6 238 226 12	5 1 189 186 3
6 7 8 9 10	Decatur Evanston. Jacksonville Quincy Springfield	400 281 380 660 • 877	3 · 7 4 11 15	2 2		6 2 9	4 2 6	4 1 2 1 6	12 8 1 14 12	4 5 7 4	3 1 7 7	27 15 36 60 89	2 1 1 1	3 2 2 5 10	5 2 1 6 1
11 12 13	INDIANA.  Registration cities (total) White	11,838 10,911 927	229 218 11	29 25 4	1 1	56 53 3	71 70 1	87 73 14	157 146 11	101 91 10	34 34	1,181 1,021 160	79 74 5	157 134 23	60 52 8
14 15 16 17 18	Anderson. East Chicago. Eikhart. Elwood. Evansville	306 294 208 106 1,087	4 6 3 5 15				4 6 3 2 1	5 1 3	3 2 1 5 9	8 2 1 11	1 1 4	33 23 14 9 122	7 2 4	5 2 13	1 2 4 1 5
19 20 21 22	Fort Wayne. Gary . Hammond . Huntington .	815 290 275 126	9 4 8 2				6 2 2	4 4 1 1	12 12 5 3	6 1 1	3 1	64 9 23 12	7 1 1	10 2 2 2 2	$\begin{bmatrix} \frac{4}{2} \\ 1 \end{bmatrix}$
23 24 25 26 27 28	Indianapolis (total) White. Colored. Jeffersonville (total) White Colored.	3,530 3,029 501 186 156 30	62 55 7 2 2	7 7 1 1		3 3		18 12 6 4 4	41 33 8 2 2	23 19 4 3 3	99	370 284 86 28 18 10	20 16 4	63 48 15 4 3	13 10 3 1
29 30 31 32 33	Kokomo Lafayette Laporte Logansport Marion	210 330 169 249 254	5 4 1 1 7	2 2 1	1		2 1 1 2	3 1 6	4 1 2 4 5	2 7 1 4 4	1	26 36 12 24 21	3 1 2	4 2 2 3 4	1 2
34 35 36 37 38	Michigan City Mishawaka Muncie New Albany Peru	251 157 314 317 151	10 6 7 19	3			9 4 1 1	10 3	1 2 8 1	2 2 4 1	1 2 1	31 8 29 38 13	2 1 3 3 1	3 5 4 2	2 2 3
39 40 41 42	Richmond. South Bend Terre Haute. Vincennes. KANSAS. <sup>1</sup>	285 758 913 257	3 20 18 4	4		.	1 8 5 1	3 1 6	6 15 8 5	5 2 7 4	1 2 5 1	29 77 92 38	. 3 9 6 3	7 4 13 1	9
43 44 45	Registration cities (total)	2,393 2,008 385	79 67 12	6 5 1	3 2 1	9	6	24 21 3	22 18 4	31 23 8	11 11	211 155 56	6	39 25 14	11
46 47 48 49 50 51 52	Kansas City (total)	260 315	51 42 9 8 7 1 20	2 1 1 4 4	1 1 1	4			9 6 3 1 1 12	12 4 9 5 4	1 1 1	108 41 23 16	5 5	25 15 10 2 1 1 12	1 1
53 54 55	Registration cities (total)	6,934 4,937 1,997	139 99 40			. 98 . 73 . 25	19 19	28 17 11	49 44 5	71 40 31	21 19 2	924 612 312	36 27 9	80 50 30	40 26 14
56 57 58 59 60	Covington (total). White Colored 2. Frankfort (total). White Colored.	809 716 93 206 138	15 1 9 7	1			6	. 6	8	4 4	·	116	i	1 1 1	6 4 1
62 63 64 65 66 67	Henderson (total) White. Colored Lexington (total). White Colored	229 133 96	7 3 19 12	3 2			1	1	. 1	2 8	3	37 15 22 95 43 52	8	1 13	4 3 1 6 3 3

<sup>&</sup>lt;sup>1</sup> Nonregistration state; cities shown below only those with effective local ordinances.

at least 10 per cent of the total, or numbered 10,000 or over in 1910. The term "cities" indicates municipalities of 10,000 inhabitants or over in 1910. Numbers under abridged International List (see p. 29).]

pridged	THEOLI	arionai	List (sée p	. 29).]									====							T
							<del>,</del>	;	DEATHS	FROM—		<del></del>					,		·	
Can- cer.	Dia- betes.	Menin- gitis.	Cerebral hemor- rhage and softening.	Organic diseases of the heart.	Bron- chitis.	Pneu- monia (all forms).	Other respira- tory dis- eases.	Diarrhea and enteritis (under 2 years).	Appen- dicitis.	Hernia, intes- tinal obstruc- tion.	Cir- rhosis of the liver.	Ne- phritis, Bright's disease.	Puer- peral fever.	Other puer- peral affec- tions.	Con- genital debility and mal- forma- tions.	Violent deaths (ex- cluding sui- cide).	Sui- cide.	All other causes.	Ill- defined and un- known	
16	(37)	17	18	19	20,21	22,(23)	(23)	25	26	27	28	29	81	32	38	85	36	(37)	38	
28 14 1,799 1,767 32	3 1 314 305 9	7 7 227 220 7	27 19 954 922 32	20 20 3,156 3,030 126	3 7 177 172 5	32 14 4,515 4,350 165	· 7 5 239 235 4	15 15 2,983 2,950 33	1 3 368 357 11	4 4 262 252 10	4 5 467 457 10	50 18 2,460 2,388 72	1 1 204 194 10	2 148 146 2	31 24 1,280 1,260 20	28 14 2,125 2,068 57	3 10 479 471 8	92 72 4,355 4,196 . 159	2 10 9	1234
28 19 26 39 52	2 3 3 6	4 3 6 19	18 19 27 36 28	15 33 40 77 63	8 1 13 11	14 31 23 60 76	2 3 7 8 10		. 7 4 5 9 13	6 9 5 6 9	5 2 14 16	38 14 29 44 78	4 2 3 3 4	1 1 3 2	25 18 5 21 44	35 18 • 11 19 63	13 3 8 18	89 43 132 138 175	9 1 2 9 10	10
668 638 30	142 136 6	81 75 6	636 590 46	1,218 1,095 123	123 111 12	922 812 110	89 79 10	680 634 46	144 136 8	141 130 11	130 119 11	792 737 55	106 100 6	61 58 3	611 588 23	794 743 51	205 199 6	2,034 1,921 113	19 18 1	111111111111111111111111111111111111111
13 5 13 4 70	5 2 10	3 1 15	22 5 17 8 31	28 10 32 11 90	3 1 1 1 19	29 · 52 21 6 104	1 2 1 13	8 85 5 6 81	6 1 11	3 5 2 1 9	1 4 1 9	19 5 9 7 78	2 1 3 1 9	1 3 5	19 27 8 12 54	15 17 16 4 61	8 1 2 2 8	48 29 33 14 185	1	14 11 10 11 11 11
60 7 8 10	12 1 2 7	4 1 3	48 4 6 10	76 11 15 13	11 3 3 1	68 26 20 4	8 3	14 64 28 1	21 5 4 2	10 2 3 1	8 1 6 1	67 7 16 9	9 3 5 3	5 3 2 1	36 23 26 5	62 55 34 8	16 8 10 2	154 30 35 26		19 20 21 22
198 184 14 10 9	45 39 6 1	28 26 2	232 201 31 12 8 4	422 349 73 20 16 4	31 24 7 5 . 4	264 203 61 5 4	27 24 3 2 2	136 112 24 16 15	33 29 4	62 54 8 1 1	55 48 7 2 2	221 198 23 20 18 2	19 18 1 1 1	11 10 1 1 1	170 156 14 9 8	201 177 24 9 8	70 69 1 2 2	665 601 64 24 22 2	2 2 1 1	2 2 2
16 20 18 22 12		1 5 1 4	12 17 12 22	22 43 22 16 32	3 5 1 1 3	12 16 18 13 14	1 2 1	9 4 10	2 6 1 .6 4	2 1 3 1	1 4 1 2 4	12 23 7 24 10	2 1 1 2 3	1 2 1 3	16 9 9 11 11	17 34 9 18 13	1 1 5 2	35 70 30 44 43	1 3	3
6 2 22 19 7	i i		23	29 18 25 43 18	1 3 9 3	22 13 28 17 7	3 3	15	2 1 4 3	5 4 1 2 2	1 5 1 1	16 14 22 25 11	1 1 4 2 2	1 1 3 1	6 10 21 7 7	22 9 22 20 14	5 3 4 7 2	42 28 54 47 23	4	- 3 - 3
22 40 49 15	4 8 10 2	2 2 2 3	19 27 39 . 10	34 79 85 24	3 7 5	15 45 76 27	10 3	. 10 76 38 8	9 18 5	1 7 6 7	3 9 7 3	25 55 80 10	11. 16 4	1 9 6	12 48 48 7	17 44 57 16	8 12 22 4	50 121 161 43	5 1	3 4 4 4
136 130 6		,		189 148 41	20 14 6	214 186 28	26 24 2		19 18 . 1	25 21 4	11 7 4	149 115 34	13 11 2	7 7	137 119 18	201 173 28	36 35 1	459 390 69	19 17 2	444
71 68 3 18 15 3 47	14 13 1 3 3			108 77 31 32 24 8 49	17 12 5 2 1 1	136 116 20 37 32 5 41	11 9 2 6 6		8 7 1	11 9 2 4 2 2 2 10	7 3 4 1 1	86 64 22 19 11 8 44	8 7 1 5	66	84 74 10 11 8 3 42	123 102 21 24 21 3 54	20 20 4 4 12	227 186 41 69 48 21 163	6 6 3 3	- 49 49 50
288 244 44	- 59 53 6	102 81 21	30 <u>4</u> 226 78	627 415 212	120 71 49	536 338 198	128 85 43	187 140 47	53 48 5	62 44 18	82 71 11	503 400 103	25 18 7	26 16 10	375 309 66	463 308 155	66 62 4	1,309 923 386	75 44 31	
32 31 1 5 4 1	77	8 8 2 2	1 2	103 94 9 13 8 5	11 11 4 3 1	66 49 17 11 7 4	8 7 1 3 3	19 16 3 5 4	8 8 8 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	5 5 2 2 2	11 11 1 1 1	85 77 8 15 13 2	6 5 1	33	51 50 1 7 7	50 37 13 19 13 6	7 7 2 2	112 98 14 43 28 15	6 5 1 8 6 2	5 5 5 5 6
7 5 2 32 23 9	2 2	7 7 9 8 1	.1 2	12 6 6 81 41 40	3 1 2 8 2 6	19 14 5 62 32 30	10 4 6		3 2 1 6 6	2 2 9 5 4	2 1 1 6 3	12 3 9 40 24 16	2 1 1	1 1 4 1 3	17 12 5 28 11 17	12 9 3 70 39 31	2 2 7 6 1	40 21 19 204 131 73	6 2 4 11 3 3 8	666666

<sup>2</sup> Colored population less than 10 per cent of total.

#### TABLE 3.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA AND ITS

[Figures for white and colored are shown separately for minor subdivisions (except as indicated in the footnotes) only when the colored population of the subdivision formed causes of death correspond to those of the

_			·							······································	causes (	or death (	correspon	ia to tho	se of the
							1	EATHS FI	гом—						
	AREA AND COLOR.	All causes.	Typhoid fever.	Mala- ia.	Small- pox.	Measles.	Scarlet fever.	Whooping cough.	Diph- theria and eroup.	In- flu- enza.	Ery- sipelas.	Tuber- culosis of the lungs.	Tuber- culous men- ingitis.	Other forms of tuberculosis.	Rheu- ma- tism.
	REGISTRATION CITIES—Continued.					<u> </u>							<u> </u>		
	KENTUCKY—continued.														
1 2 3 4 5 6	Louisville (total).  White. Colored Newport (total).  White Colored <sup>1</sup> .	3,661 2,597 1,064 383 364 19	54 33 21 11 10 1	7		23	8 8 1 1	17 9 8 1	27 25 2 5 5	30 17 13 3 2 1	8 6 2 3 3	479 326 153 58 55 3	15 13 2	43 30 13 5 5	13 8 5 2 2
7 8 9 10 11 12	Owensboro (total) White Colored Paducah (total) White Colored	352 260 92 467 270 197	6 4 2 14 11 3	1			1 1 1	1	1 3 2 1	16 10 6 5 3 2	2 2 2 2	43 28 15 57 25 32	3 3 3 3	2 2 9 3 6	3 1 2 1 1
13 14 15	LOUISIANA. <sup>2</sup> New Orleans (total) White Colored	7,055 4,208 2,847	107 59 48	37 17 20	2	39 35 4	4 4	97 73 24	25 17 8	92 60 32	8 7 1	835 404 431	18 13 5	47 23 24	34 11 23
16	MAINE.  Registration cities (total)	3, 114	52	1		18	4	19	22	23	9	240	22	34	10
17 18	Registration cities (total) White Colored	3, 103 11	52	î		18		19	22	23	9	240	22	33 1	iŏ
19 20 21 22 23 24 25	Auburn Augusta Angusta Bangor Biddeford Lewiston Portland Waterville	203 342 519 317 508 1,062 163	1 3 21 2 3 21 1			2 2 1 2 1 6 4	4	1 2 5 4 7	4 2 4 5 7	5 1 2 5 5 4 1	1 2 2 3 1	13 29 39 31 35 75	1 4 2 1 12 2	3 4 6 8 13	1 2 1 6
26 27 28	MARYLAND. Registration cities (total). White Colored	11,355 8,567 2,788	188 153 35	3 3		85 70 15	44 41 3	54 35 19	76 70 6	83 58 25	31 26 5	1,271 804 467	84 62 22	123 76 47	51 38 13
29 30 31 32 33 34	Baltimore (total) White Colored Cumberland (total). White Colored Colored Colored	10, 407 7, 757 2, 650 416 375 41	156 124 32 23 21 2			14	44 41 3	46 28 18 2 2	68 63 5 3 3	73 49 24 5 5	29 24 5 1	1, 198 749 449 23 20 3	81 59 22 2 2	115 71 44 2 1	48 36 12 1 1
35 36 37 38 39 40	Frederick (total).  White. Colored.  Hagerstown (total).  White. Colored1.	219 168 51 313 267 46	5 4 1 4 4					2 2 4 3 1	2 2 3 2 1	2 1 1 3 3	1 1		1 1	4 2 2 2 2	2 1 1
41 42 43	MASSACHUSETTS. Registration cities (total)	41,010 40,293 717	259 256 3	9 9	3 3	259 259	173 173	400 384 16	490 488 2	192 192	141 140 1	3,282 3,176 106	384 367 17	285 273 12	157 153 4
44 45 46 47	Adams town Arlington town Attleborough town Beverly	186 147 187 262	2 1 7			3 1 1	1 1 3	3 3	3 1	1 3 2	1	6 14 13 19	2 1 3 2	1 4 2	1
48 49 50 51 52	Boston (total)	11,765 11,393 372 640 342	60 58 2 1 2	3 3	1 1	71 71	77 77 3	102 96 6 5 2	136 135 1 5 2	32 32 13	52 51 1 1	1,051 997 54 48 13	134 124 10 7 1	71 66 5 7 2	32 30 2 7
53 54 55 56 57	Cambridge Chelsea Chicopee Clinton town Everett.	1,617 622 389 183 377	3 4 1 1 2	1		10 1 2	3 6 1	24 5 7 4	42 4 5 3 7	8 1 2 2 2	4 5 1 1	178 43 27 17 33	15 1 2 3 2	14 5 1 4	9
58 59 60 61 62	Fall River. Fitchburg Framingham town Gardner town Gloucester.	2, 134 498 185 193 347	18 3 4 1 2	i		46 1 3	2 1 1	22 16 3 4 4	27 16 1 2 4	2 1 1	5	167 32 10 14 32	7 2 1 1	11 4 1 3 2	7 4
63 64 65 66 67	Greenfield town Haverhill Holyoke Hyde Park town Lewrence	155 653 902 191 1,405	2 3 5 1 11	1		4 7 24	10 4	2 5 2 14	1 6 11 1 18	2 5 7	3 2 3	7 45 67 11 125	8 9 1 11	1 6 5 1 17	1 2 5

<sup>1</sup> Colored population less than 10 per cent of total.

bridged	. шееп	anonai	List (see p	. 29).]		- <del>N</del>	· · · · · · · · · · · · · · · · · · ·		DEATHS	FROW—							<del></del>			F
Can- cer.	Dia- betes.	Menin- gitis.	Cerebral hemor- rhage and softening.	Organic diseases of the	Bron- chitis.	Pneu- monia (all	Other respira- tory dis-	Diar- rhea and ente- ritis	Appen-	Hernia, intes- tinal obstruc-	Cir- rhosis of the	Ne- phritis, Bright's disease.	Puer- peral fever.	Other puer- peral affec-	Con- genital debility and mal-	Violent deaths (ex- cluding sui-	Sui-	All other causes.	III- defined and un-	
16	(87)	17	soitening.	heart.	20,21	forms).	eases. (23)	(under 2 years). 25	26	tion.	liver.	qisease.	31	tions.	forma- tions.	cide).	36	(37)	known.	
173 144 29 18 18	37 32 5 7 7	50 35 15 10 10	152 121 31 21 21	343 215 128 36 35	61 38 23 10 10	285 166 119 29 27 2	90 57 33 4 4	85 64 21 13 12 1	25 21 4 3 3	37 27 10 3 3	41 36 5 9	278 222 56 28 28	13 9 4 2 1 1	13 8 5 1 1	190 159 31 22 22	243 165 78 21 14 7	38 37 1 7 7	725 511 214 47 46 1	18 15 3 3 3	1 2 3 4 5 6
9 8 1 12 11 1	2 2 4 3 1	7 6 1 9 5 4	12 9 3 9 7 2	19 9 10 20 7 13	4 1 3 19 5 14	19 13 6 45 30 15	1 1 10 7 3	24 17 7 17 9 8	3 3 4 4 4	2 1 1 2 1 1	5 3 2 7 7	22 18 4 23 15 8	2 2	2 1 1 2 1	33 28 5 27 20 7	9 7 2 39 24 15	33	62 44 18 76 44 32	4 4 19 6 13	7 8 9 10 11 12
274 208 66	47 38 9	52 34 18	290 212 78	700 419 281	92 50 42	559 260 299	48 29 19	473 327 146	49 37 12	63 46 17	120 85 35	840 484 356	44 22 22 22	53 35 18	212 141 71	396 213 183	47 46 1	1,350 799 551	1	13 14 15
161 161	41 41	34 34	201 201	329 324 5	35 35	298 298	38 38	145 145	48 48	22 22	8 8	242 242	12 12	12 12	152 151 1	166 165 1	23 23	661 658 3	32 32	16 17 18
12 9 32 12 28 64 4	4 5 7 3 8 13 1	4 2 6 6 7 8 1	19 24 20 18 30 75 15	21 57 60 24 38 117 12	4 3 2 3 6 13 4	15 27 42 43 50 98 23	1 8 4 2 8 11 4	11 14 8 20 45 34 13	5 13 2 9 17 2	1 .5 4 10 2	1 3 2 2	21 22 29 20 43 99 8	1 5 4 1	2 1 5 2 1	6 9 29 18 22 57 11	10 14 27 16 31 62 6	1 4 3 1 5 7 2	43 90 133 62 95 214 24	1 4 14 1 3 6	19 20 21 22 23 24 25
569 512 57	103 98 5	108 90 18	586 472 114	1,035 759 276	175 126 49	1,197 797 400	141 109 32	632 512 120	89 70 19	90 72 18	114 103 11	999 767 232	45 35 10	57 40 17	782 593 189	525 409 116	109 102 7	1,777 1,367 410	129 98 31	26 27 28
530 473 57 19 19	96 91 5 4 4	102 84 18 2 2	541 429 112 20 19	947 681 266 28 26 26	163 116 47 5 4	1,120 740 380 37 28 9	127 96 31 8 8	588 469 119 24 24	79 61 18 3 3	83 66 17 4 4	102 91 11 7 7	915 705 210 34 23 11	38 30 8 4 4	51 35 16 1	711 534 177 27 24 3	450 341 109 53 51 2	101 94 7 2 2	1,604 1,219 385 71 66 5	117 88 29 1	29 30 31 32 33 34
8 8 12 12	1 1 2 2 2	4 4	17 16 1 8 8	22 18 4 38 34 4	4 4 3 2 1	16 10 6 24 19 5	1 1 5 4 1	8 7 1 12 12	2 2 5 4 1	2 1 1 1 1	2 2 3 3	20 16 4 30 23 7	2 2 1 1	2 2 3 2 1	18 16 2 26 19 7	7 3 4 15 14 1	4 4 2 2	43 32 11 59 50 9	1	35 36 37 38 39 40
2,475 2,446 29	522 515 7	409 403 6	2, 463 2, 435 28	4,695 4,637 58	649 637 12	4,286 4,199 87	337 330 7	3,084 3,050 34	346 339 7	346 340 6	261 258 3	2,328 2,262 66	193 191 2	241 234 7	2,454 2,423 31	2,535 2,494 41	351 346 5	6,806 6,693 113	195 188 7	41 42 43
11 11 7 23	1 3 1 3	1 1 2	10 12 10 19	20 25 23 45	3 4 3• 3	9 15 13 16	4 1 3 1	30 6 11 10	1 1 4	3 1 3 2	2 5 1	9 14 11 19		2 4	16 3 14 18	10 9 13 25	1 1 3	27 21 35 31	1	44 45 46 47
766 746 20 44 49	146 141 5 6	84 84 6 1	626 614 12 41 34	1,308 1,281 27 75 62	140 135 5 9 6	1,427 1,379 48 54 20	80 76 4 6	733 714 19 33 4	104 99 5 1 4	114 110 4 5	88 86 2 4 2	681 641 40 33 16	65 63 2 5	68 66 2 11 1	592 580 12 38 16	863 840 23 30 15	128 125 3 7	1,890 1,833 57 129 70	40 39 1 6	48 49 50 51 52
111 46 16 16 33	15 8 6		91 41 14 16 31	184 99 30 18 72	26 12 6 4 7	163 58 44 15 30	13 3 3 2	92 38 69 8 12	6 4 1	12 5 1 3	4 3 2 1	94 37 25 9 16	8 8 2 1	11 6 1 1 2	84 23 36 9 22	94 37 20 17 15	6 5 2 1	284 94 44 24 60	1 9 1 5	53 54 55 56 57
91 29 15 10 13	18 9 3 3 7		77 24 8 10 33	169 61 25 20 46	65 8 2 4 6	237 54 22 16 34	8 7 2 2 1	391 28 1 13 17	14 3 3 1 6	16 6 2 1 2	13 1 3 2 6	115 21 17 18 14	5 3 3	18 6 1 2 1	163 39 14 22 17	57 31 15 11 21	22 6 2 1 3	303 66 26 27 62	16 4	58 59 60 61 62
10 47 37 20 57	2 6 7 2 8	2 3 22 23	8 50 40 7 63	18 85 75 26 100	2 5 14 2 20	12 74 114 19 177	3 6 7 1 13	12 22 110 7 193	13 12 13 13	1 5 7 7 13	4 4 5 7	6 38 63 14 52	1 5	4 2 1 5	6 30 73 9 88	11 40 41 19 101	7 4 2 11	34 127 143 33 182	10 1 . 5 30	63 64 65 66 67

<sup>&</sup>lt;sup>2</sup> Nonregistration state; cities shown below only those with effective local ordinances.

## TABLE 3.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA AND ITS

=											causes (	or death	correspor	ia to tho	se of the
								DEATHS F	вом—		-				
	AREA AND COLOR.	All causes.	Typhoid fever.	Mala-ria.	Small- pox.	Measles.	Scarlet fever.	Whooping cough.	Diphtheria and croup.	In- flu- enza.	Ery- sipelas.	Tuber- culosis of the lungs.	Tuber- culous men- ingitis.	Other forms of tuberculosis.	Rheu- ma- tism.
	REGISTRATION CITIES—Continued.														
	MASSACHUSETTS—continued.									i					
1 2 3 4 5	Leominster town. Lowell Lynn. Malden. Marlborough.	220 1,925 1,152 551 223	3 8 9 5 1			13 4 3	5 5 5	17 19	17 13 9 3	2 4 5 3 5	6 5 2 4	11 125 88 39 22	2 30 13 4	12 5 4 1	12 6 2 2
6 7 8 9 10	Medford Melrose. Methuen town. Milford town New Bedford	178 141 214 1,741				12	1 1 1	1 5 33	6 1 1 10	2 1 2 7	1 1 4	21 10 14 17 137	1 1 1 23	3 1 2 10	1 2 10
11 12 13 14 15	Newburyport. Newton North Adams Northampton Peabody lown.	463 317 375 227	5 1 4 3 1			4 1	1	6 3 2 1 5	2 2 3 7	3 2 5 3	1 1 3	19 18 20 28 19	4 7 1 2 1	1 5 3	4
16 17 18 19 20	Pittsfield. Plymouth town. Quincy. Revere town. Salem.	552 204 395 192 745	5 2 3 3			10 3 5	1 7 1 2	4 7 2 2 11	7 1 6 1 12	5 1 5	2	33 18 33 14 53	3 3 4 1 7	5 1 2 4	3
21 22 23 24 25	Somerville. Southbridge town Springfield Taunton Wakefield town	1,031 131 1,417 715 144	6 1 17 5 2	2	1	12	3	11 2 11 9 4	18 2 9 6 1	7 9 5	5 1 5 5	80 4 81 58 15	15 5 2 2	7 19 2 4	4 2 8 9
26 27 28 29	Waltham. Watertown town Webster town. Westfield town.	389 137 156 284	2 2 1			5 1 1		1	3 4 7	5 4	2 1	21 6 16 83	i		
30 31 32 33.	Weymouth town Winthrop town Woburn Worcester	187 114 193 2,362	1 1 9			1 5	1 13	2 11	3 2 3 36	2 2 5 9	8	16 4 14 173	1 29	3 2 9	12
34 35 36	MICHIGAN.  Registration cities (total)  White Colored.	15, 355 15, 108 247	249 244 5	13 12 1	3 3	84 83 1	100 100	90 89 1	258 255 3	84 84	67 65 2	1,016 978 38	67 66 1	129 125 4	82 . 78 4
37 38 39 40 41	Adrian Alpena Ann Arbor Battle Creek Bay City	152 215 338 399 563	3 12 3 4 19	1	3	1 2 2 2 1	1	3 1 1 2	5 1 1 4 7	5 1 2 10	1 1 2	6 16 17 19 37	2 1 3	2	4 4
42 43 44 45 46	Detroit. Escanaba. Flint Grand Rapids. Holland.	7,110 182 401 1,580 115	78 6 8 31 2	3 2 1		46 18	64 2 2 2 6	27 2 4 6 1	167 5 5 12 1	20 1 5 1	29 1 3 6	487 11 23 101 8	32 4 9 1	43 1 4 18	44 2 3 11
47 48 49 50 51	Ironwood. Ishpeming Jackson Kalamazoo Lansing	113 124 410 719 343	1 1 9 4 5	1 .		5 3	1 1 2 2 2 2	2 2 1 5 4	1 6 5 2 1	1 7 8 6	2 5 2	8 5 28 47 18	1 1 1 1 1	2 1 3 7 5	1 1 1
52 53 54 55 56	Manistee. Marquette. Menominee. Muskegon. Pontiac.	158 201 136 365 316	1 11 7 5 7	1		2	5 4 1	12	2 3 2 1 3	2 5 5	1 2 9	17 16 6 29 15	1 2 1 2	1 2 3	2 2 2
57 58 59 60	Port Huron. Saginaw. Sault Ste. Marie Traverse City.	300 704 162 249	. 9 12 7 4			4	3	3	2 18 4	3 1 1	3	18 43 20 21	1	, 4 8	3 1 1
61	MINNESOTA.  Registration cities (total)	7,732	91	2	3	7	68	80	164	29	38	0.47	50	04	
62 63	White Colored.	7,611 121	91	2	3	7	68	79	164	28 1	38	847 813 34	58 56 2	94 93 1	35 35
64 65 66 67	Duluth Mankato Minneapolis St. Cloud	960 155 3,572 136	19 4 37 2	1	i	1 4 2	6 1 19	1 48	14 1 74 2	5 1 7 1	7 1 14 1	117 9 416 12	8 1 24 2	. 15 2 40 2	14
68 69 70 71	St. Paul Stillwater. Virginia. Winona.	2,386 123 154 246	23 3 2 1		2		35	22 2 2 5	72	$\begin{bmatrix} 12 \\ 1 \\ \\ 2 \end{bmatrix}$	14	245 16 11 21	21 1	29 3 1 2	10

								·	DEATHS :	FROM—									
Can- cer.	Dia- betes.	Menin- gitis.	Cerebral hemor- rhage and softening.	Organic diseases of the heart.	Bron- chitis.	Pneu- monia (all forms).	Other respira- tory dis- eases.	Diar- rhea and ente- ritis (under 2 years).	Appen- dicitis.	Hernia, intes- tinal obstruc- tion.	Cir- rhosis of the liver.	Ne- phritis, Bright's disease.	Puer- peral fever.	Other puer- peral affec- tions.	Con- genital debility and mal- forma- tions.	Violent deaths (ex- cluding sui- cide).	Sui- cide.	All other causes.	TII- defined and un- known
16	(87)	17	18	19	20,21	22,(23)	(23)	25	26	27	28	29	81	32	33	85	36	(37)	38
11 82 77 48 18	6 21 12 14 7	1 26 13 3 4	18 100 82 38 26	22 198 146 98 32	4 61 17 3 1	30 161 102 42 18	1 25 6 2 3	5 220 60 20 . 8	1 16 5 6 4	1 21 13 2 2	5 13 7 1	24 90 67 34 11	1 10 8	1 11 9 4	15 136 62 30 7	16 127 78 42 10	22 8 5	38 333 200 83 33	2 3 8
28 12 7 14 67	5 3 4 1 17	2 26	22 22 12 19 83	47 29 14 12 143	3 2 4 2 47	26 10 15 34 184	3 4 1 2 22	5 9 7 3 263	3 3 2 9	3	2 1 2 11	18 17 7 20 64	i 11	1 1 7	12 3 10 17 126	13 5 8 17 62	2 1 19	55 42 26 31 274	2 27
23 33 22 19 10	4 6 5 5 1	2 2 4 3 3	24 39 29 33 21	35 70 31 41 31	6 2 9 5 5	18 42 27 22 21	8 2 3 5 2	13 18 16 12 12	3 7 8 2 2	3 7 1 2 4	1 4 1 1	16 24 15 22 13	1 1 1	2 3 1	10 37 22 18 11	15 30 23 26 17	7 1 . 4	56 88 54 102 40	1 1 1 1
22 17 24 18 45	12 6 4 4 10	11 3 2 6	39 10 22 13 50	70 25 43 27 103	5 2 6 1 12	40 12 24 26 70	7 1 6	36 16 30 15 58	6 3 5	6 1 3 10	7 2 1 3	38 10 22 12 47	1 2 1 5	5 4 3 1 5	. 31 16 25 9 69	44 11 27 15 33	3 3 4 3	96 25 76 24 97	4 1
71 8 84 29 5	18 6 23 10 1	4 10 6 5	102 <sup>-</sup> 8 92 49 27	160 13 139 66 12	15 11 13 3	96 12 145 89 15	· 6 2 7 7 1	38 13 84 69 7	7 . 14 . 7	5 1 11 5 1	3 2 15 2	49 2 149 30 4	3 11 · 2	11 1 6 3	49 16 100 37 2	51 12 91 29 7	2 1 13 8	181 18 231 150 25	3 1
34 12 4 13	6 3 3	5 1 1 1 4	29 9 14 13	36 26 7 30 29	4 1 2 5	33 16 17 21	1 1 1 2	18 10 15 25	4	$\frac{2}{2}$	$\begin{array}{c}1\\2\\2\\1\end{array}$	19 6 12 19	3	1 1 1	20 11 16 9	31 4 11 13	3 1 1 1	80 27 23 28 29	1 .1 .1
13 11 13 119	1 3 2 28	4 1 2 13	16' 14 11 112	29 12 18 344	2 43	17 9 22 247	2 3 1 27	11 120	5 2 24	1 2 2 21	1 1 2 11	12 109	9	10	7 4 12 173	10 8 15 139	1 1 2 20	29 21 36 472	7
831 824 7	147 146 1	184 184	722 715 7	1,380 1,351 29	273 269 4	1,270 1,248 22	206 201 5	771 764 7	178 176 2	168 165 3	142 140 2	751 738 13	104 103 1	99 98 1	1,243 1,225 18	901 890 11	199 194 5	3,439 3,391 48	105 ·104 1
11 12 30 25 35	2 1 6 11 5	4 2 5 7	6 11 16 21 19	21 12 29 52 52	2 9 3 4 6	12 11 14 11 44	3 4 7 9	1 15 5 9 22	4 1 5 5 11	2 2 9 6 9	1 5 6 3	4 1 14 27 16	3 1 2 2	2 2 2 2 2	5 26 18 27 43	6 7 16 26 37	2 3 5 4 6	38 54 112 101 145	3 2 2 1
321 9 23 99 8	51 4 6 20 2	109 1 13 2	259 10 22 101 7	,559 21 19 142 13	143 2 8 30 5	694 12 36 136 5	98 2 3 21 2	486 14 15 72 3	71 2 4 17 1	68 3 1 23 1	76 3 13 2	321 12 18 91 3		49 3 12	692 12 46 110 12	435 10 29 63 6	100 3 4 25 2	1,440 28 99 345 26	42 4 4 10
6 9 26 40 24	1 7 3 4	1 3 5 1	2 11 27 64 17	3 13 42 90 55	4 4 6 4 5	8 12 20 47 15	2 7 7 6	8 8 11 17 12	2 6, 7 5	1 2 10 1	2 5 3	3 42 41 14	3 1 5 1	1 1 4 2 5	9 8 26 25 18	16 10 16 35 24	3 1 5 9 3	26 16 99 213 74	3 1 3 3 8
16 11 6 22 10	1 1 4 3	1 2 8 1	5 9 8 24 12	21 8 8 32 32	1 5 1 3	7 18 12 32 15	1 5 2 2 7	5 13 8 12 7	3 3 4 6 4	1 3 3 1	4 3 2 1	13 10 5 18 20	2 3 2	1 1 3 1	7 14 14 24 15	11 10 7 21 14	32155	26 39 29 76 116	6 1
17 51 3 17	2 8 3 2	1 8 4 1	15 35 2 19	35 73 13 35	6 13 4 4	20 62 16 11	10 10	11 7 7 3	2 11 2 2	11 2 2 2	3 5 1	27 · 28 7 13	1 4 3 2	4 1 2	27 50 10 5	23 56 14 9	1 6 1	65 157 36 79	1 6
521 516 5	86 86	71 70 1	325 323 2	662 647 15	80 80	703 692 11	54 53 1	316 312 4	147 146 1	78 <sup>.</sup> 77 1	81 80 1	482 471 11	51 51	45 44 1	502 498 4	498 492 6	126 125 1	1,377 1,360 17	11 11
52 17 242 9	5 3 33 2	13 2 24 1	29 11 138 3	62 16 296 25	33 1	89 13 353 9	5 2 26	53 1 137 4	14 10 71 3	11 2 38 2	14 1 44 1	65 14 239 7	9 21 1	8 25	70 3 211 12	74 13 214 2	16 2 63 4	156 25 668 22	1 1 4
165 10 2 24	35 2 1 5	28	106 9 5 24	222 11 11 11 19	33 1 3 3	203 6 14 16	19 2	96 1 19 5	46 2 1	21 1 1 2	18 2	136 8 3 10	18 1	12	172 4 16 14	127 5 38 25	35 4 2	406 34 15 51	3 2

#### TABLE 3.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA AND ITS

-		<u> </u>			<del></del>			DEATHS FI	вом				correspon		Ī
	AREA AND COLOR.	All causes.	Typhoid fever.	Mala-ria.	Small-pox.	Measles.	Scarlet fever.	Whooping cough.	Diph- theria and croup.	In- flu- enza. 9	Ery-sipelas.	Tuber- culosis of the lungs.	Tuber- culous men- ingitis.	Other forms of tu- bercu- losis.	Rheu- ma- tism.
	REGISTRATION CITIES—Continued.														
	Missouri.														
1 2 3	Registration cities (total)	17,874 15,775 2,099	301 266 35	57 46 11	10 7 3	142 139 3	218 213 5	83 79 4	206 196 10	218 197 21	60 57 3	1,676 1,302 374	97 84 13	149 109 40	92 83 9
4 5 6 7 8 9	Hannibal Jefferson City Joplin Kansas City (total) White Colored Moberly	263 158 465 3,961 3,340 621 148	4 8 12 77 67 10 4	2 4 1 3	8 5 3	1 1 1 8 8	1 14 13 1	8 26 25 1 2	1 8 32 29 3 3	6 9 58 47 11 2	21 21	28 23 68 386 256 130 24	13 10 3	2 3 8 34 22 12	2 15 13 2 2
11 12 13 14 15 16 17	St. Joseph St. Louis (total) White Colored Sedalia Springfield Webb	1,001 10,765 9,591 1,174 306 619 188	25 113 104 9 15 40 3	35	1 1	1 114 111 3 14 2	5 194 190 4 1 2 1	7 28 27 1 1 6 3	7 123 119 4 5 22 5	14 113 107 6 6 8 2	29 27 2 1 4	71 955 754 201 30 63 28	3 72 62 10 1 4	13 80 59 21 4 2 3	6 59 53 6 3 1
18 19 20	MONTANA.  Registration cities (total)	1,470 1,417 53	29 27 2	<b>-</b>		10 10	16 16	16 13 3	6 6	4 4	7 7	133 123 10	8 7 1	18 18	8 8
21 22 23 24 25 26	Anaconda Billings Butte Great Falls Helena Missoula	124 149 635 211 184 167	89534				1 7 3 4 1	5 2 4 1 1 3	3 1 2	1 2	1 1 4	4 10 88 7 15 9	1 2 1 2 2 2	2 5 5 4 2	3 1
27 28 29	Registration cities (total)	2,425 2,301 124	33 33	<b>.</b>		17 17	9 9	3	22 22	15 15	12 12	145 111 34	10 9 1	20 18 2	17 17
30 31	Lincoln. Omaha.	613 1,812	10 23			12 5	1 8	2 1	3 19	5 10	5 7	· 21 124	2 8	4 16	4 13
32 33 34	NEW HAMPSHIRE. Registration cities (total)	3,156 3,151 5	28 28			16 16	4 4	27 27	38 38	27 27	7 7	205 205	. 19 19	19 19	14 14
35 36 37 38	Berlin. Concord Dover Keene.	187 436 248 181	6 3 3 2	<b>-</b>		1 4 1	1	4 1 1	11 2 4	1 4 1 4	i	7 30 26 7	1 1 3	2 2	4
39 40 41 42	Laconia. Manchester. Nashua. Portsmouth	154 1,302 428 220	1 7 3 3			2 5 3	3	16 2 1	1 10 5 5	$\begin{array}{c} 1\\1\\1\\2\\3\end{array}$	2 3 1	14 81 29 11	10 1 1	13 1 1 1	1 7 2
43 44 45	NEW JERSEY. Registration cities (total)	25, 821 24, 477 1, 344	205 194 11	19 18 1		203 196 7	160 157 3	244 232 12	385 378 7	144 136 8	96 95 1	2,665 2,440 225	214 201 13	213 186 27	160 154 6
46 47 48 49 50 51	Asbury Park (total) White Colored Atlantic City (total) White Colored	146 112 34 796 630 166	2 2 8 8	1		1 1	2 2 2 2	8 6 2	1 1 10 6 4	1 1	2 2	15 8 7 62 44 18	1 1	7 3 4	2 1 1 4 3 1
52 53 54 55 56	Bayonne. Bioomfield Bridgeton Camden East Orange.	815 146 247 1,626 332	5 1 4 9	1		10 1 13	11 1 1 4 3	8 2 1 14 4	15 2 3 37 37	2 2 3 6 5	5 3	57 7 32 173 34	8 1 7 7	2 2 4 15 3	6 3 2 12
57 58 59 60 61	Elizabeth Garfield Hackensack Harrison Hoboken	1,202 136 217 194 1,266	6 2 13	1		7 12 2 28	14 8 1	12 8 7	16 3 3 5 25	1 1 3 1	2 1 1 9	98 11 24 32 147	10 2 2 1 16	5 1 15	9 3 9
62 63	Irvington Jersey City Kearny Long Branch Millyille	159 4,381 266 284 166	1 20 9 1	3 3 1		42	1 32 1 1 2	1 31 7 2	58 3	16 3 1	24 1	23 460 21 20 17	2 31 4 1	3 33 2 3 2	2 22 2

<sup>&</sup>lt;sup>1</sup> Nonregistration state; cities shown below only those with effective local ordinances.

									DEATHS	from—					···-					T
Can- cer.	Dia- betes.	Menin- gitis.	Cerebral hemor- rhage and softening.	Organic diseases of the heart.	Bron- chitis.	Pneu- monia (all forms).	Other respira- tory dis- eases.	Diarrhea and enteritis (under 2 years).	Appendicitis.	Hernia, intes- tinal obstruc- tion.	rhosis of the	Ne- phritis, Bright's disease.	Puer- peral fever.	Other puer- peral affec- tions.	Congenital debility and malformations.	Violent deaths (ex- cluding sui- cide).	Sui- cide.	All other causes.	Ill- defined and un- known.	
16	(37)	17	18	19	20,21	22,(23)	(23)	25	26	27	28	29	31	32	88	85	36	(37)	38	
									,					-						
967 917 50	189 184 5	145 140 5	727 659 68	1, 634 1, 401 233	297 261 36	1,679 1,433 246	191 169 22	889 820 69	208 200 8	154 149 5	271 249 22	1, 474 1, 299 175	109 101 8	79 70 9	859 784 75	1,205 1,033 172	387 377 10	3,040 2,702 338	61 49 12	1 2 3
14 7 18	5 4	2 3 9	10 7 15 171	24 12 38 345 289 56	1 4 2 47 41 6	17 13 39	3 2 3 39 33 6	7 7 34	4 3 3	2 2	2 5 5	14 9 14	1 5	7	28 1 23 218	22 17 30	2 11	46 29 82	10 1 1	4 5 6
18 236 223 13	37 37 2	39 3 1	171 152 19 12	345 289 56 6	47 41 6 2	383 305 78 12	39 33 6 1	144 128 16 7	3 53 50 3 3	2 2 36 33 3 1	32 26 6 2	261 213 48 5	35 32 3	24 21 3 1	218 196 22 7	320 266 54 11	81 77 4 2	737 643 94 23	10 1 24 19 5	4 5 6 7 8 9
53 592 560	11 125 121	4 67 65	61 412 372	95 1,027 879	12 219 194	78 1,039 907	8 117 104	29 611 562	34 94 89 5	12 96 94 2	8 212 198	76 1,031 918	6 56 52	8 30 24 6	39 456 418	55 683 588	18 264 260	227 1,708 1,530	4 8 8	11 12 13
592 560 32 11 26	4 2 2 1	67 65 2 6 6 5	412 372 40 12 21 6	879 148 32 46	25 1 8 1	132 31 56 11	13 4 7 7	49 7 26 17	5 3 9 2	2 1 2 2	14 3 2	113 24 31 9	52 4 2 2 2	6 4 2 2	38 24 46 17	95 15 34 18	4 2 · 6 1	178 50 113 25	4 3 1	11 12 13 14 15 16
77	21	16	46	122	9	130	19	54	44	19	17	91	18	10	92	128	50	239		
72 5	21	16	44 2	119	9	123	17 2	54	44	19	16 1	89 2	18	10	92	122	45 5	235 4	13 13	18 19 20
1 36 13 10 13	1 1 11 3	11 1	6 3 17 4	7 13 50 16	3 2 4	20 8 59 18 11	3 4 5 2 2 3	3 8 23 7 7	5 9 16 4	1 8 3 2 5	2 9 2 1	10 10 35 16 10	1 3 11 1	6 2	. 33 . 32 13 3	6 15 55 18 17 17	2 6 27 4	24 29 91 39	9 1 2 1	21 22 23 24 25 26
10 13	3 3 2	3	9 7	21 15		11 14	3	7 6	4 1 9	2 5	1	10 10	2	2	13 3	17 17	4 4 7	30 26	1	25 26
152 145 7	32 31 1	36 35 1	101 96 5	237 221 16	16 15 1	295 276 19	22 22	88 85 3	59 59	39 38 1	27 27	150 145 5	23 20 3	23 22 1	115 110 5	152 149 3	48 47 1	484 470 14	23 22 1	27 28 29
40 112	6 26	.30	24 77	52 185	15	77 218	11 11	27 61	14 45	10 29	2 25	32 118	23	4 19	46 69	36 116	8 40	130 354	18 5	30 31
149 149	43 43	49 49	169 169	335 334 1	65 65	274 274	47 47	259 259	29 29	27 27	16 16	184 184	11 11	16 16	242 241 1	195 195	22 21 1	600 598 2	20 20	32 33 34
2 25 13 16	, 1 5 5	5 1 2 2	6 27 12 17	9 77 27 18	2 8 1	24 31 24 13	6 7 1 2	35 5 22 3	1 3 3	1 4	1 4	3 36 19	1.2	4	21 12 6	11 23 22 7	2 1 1 4	24 115 43 36	2 4 1 1	-1
	4 2 16	,		<b>!</b>	2			Į	1 13		1	18	7	2 	14	i				1
10 47 23 13	4 6	33 5	9 64 22 12	12 111 46 35	2 42 8 1	7 125 38 12	17 12 1	6 153 26 9	4 2	13 7 2	5 3 2	14 51 24 19	·····í	3 6 1	8 135 31 15	70 37 18	4 8 1 1	45 220 76 41	3 7 2	39 40 41 42
1,267 1,217 50	234 230 4	287 281 6	1,301 1,247 54	2,377 2,266 111	331 314 17	2,871 2,709 162	292 266 26	1,941 1,855 86	191 183 8	177 164 13	294 288 6	2,082 1,984 98	166 - 156 10	164 156 8	1,610 1,529 81	1,644 1,566 78	290 284 6	3,505 3,310 195	89 85 4	43 44 45
651	2 2		13 13	20 16 4 89 73 16	4 3 1 12 12	8 7 1 51 34 17	3 2 1 7 5	6 3 3	1 1		2 2	14 9 5			4 3 1 48 40 8	9 6 3 48 41 7	1	29 23 6	1 1	46 47 48 49 50 51
40 35 5	16 16	2 2	42 39 3	1 1				3 42 32 10	6 4 2	13 10 3	6 6	80 64 16	-8 7 1	3 2 1	ł	l	16 14 2	159 116 43	2 1 1	
24 6 14 77 28	6 2 1 9 4	12 3 3 8 2	36 16 24 101 26	48 12 34 148 49	14 2 3 9 2	94 16 12 186 27	16 1 3 22 8	107 8 14 99 7	6 1 8	5 2 9 1	4 3 1 13 6	54 11 24 140 38	13	7 2 10 2	74 6 9 113 16	63 11 12 113 8	12 2 2 20 5	101 25 33 228 43	3 1 1 6	52 53 54 55 56
57 4 14 8 59	12 2 1	12 1	64 4 •11 6 57	101 7 20 9	g	138 19 21 15 189	25 1 4 2 18	112	7	6	13	61	9	14 1 1 2	89 15 12 14 53	99 6 10 16 74	16 1 3 2 20	169 15. 26 20 133	8 2 2	1
	1 14	1 22		112	2 1 3 29	•		25 17 21 62	6	4	1 4 22	22 13 103	1 1 5	2 4					î	1
12 181 18 22 11	28 6 3 1	63 4 3	15 204 14 21 6	24 403 19 20 20	62 7 2	550 35 24 12	2 35 3 4 4	303 7 14 9	1 41 2 1	35 1 5	64 3 2 1	14 359 16 24 18	32 1 1 2	28 2 2	266 15 8 13	312 10 23 7	36 2 1 1	15 595 57 63 26	12 1	62 63 64 65 66

## TABLE 3.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA AND ITS

-	- Walter - William - Walter -		-								Causes 0		orrespon	<u> </u>	1
							I	EATHS FI	вом—						
	AREA AND COLOR.	All causes.	Typhoid fever.	ria.	Small- pox.	Measles.	Scarlet fever.	Whoop- ing cough.	Diph- theria and croup.	In- flu- enza.	Ery- sipelas.	Tuber- culosis of the lungs.	Tuber- culous men- ingitis.	Other forms of tuberculosis.	Rheu- ma- tism.
			1	3	4	5	6	7	8	9 .	(12)		14	15 	(37)
1 2 3 4 5	REGISTRATION CITIES—Continued.  NEW JERSEY—continued.  Montclair (total).  White. Colored. Morristown. New Brunswick.	314 270 44 293 475	3 3 4 4	1		1	့ ့ ့ က က	7 6 1 5 8	1 1 7 2	5 4 1 5 1	1	24 17 7 21 38	2 2 5 1	2 2 2 5 3	2 2 2 2
6 7 8 9	Newark Orange Passaic Paterson	5,395 535 830 1,890	38 4 4 9	2 1 1 1		25 1 12 2	24 1 13	44 4 4 16	57 7 14 21	33 5 4 13	25 3 1 5	653 45 62 218	45 18 11 9	54 8 10 9	29 2 8 12
10 11 12 13	Perth Amboy Phillipsburg Plainfield Trenton	468 183 297 1,843	4 5 44	2 1		10 31	6 1 7	8 5 1 21	20 2 2 27	3 6 7 11	2 5	30 8 28 192	2 1 3 17	2 1 3 15	1 3 3 11
14 15 16 17	Union. West Hoboken. West New York. West Orange.	233 404 176 106	1111				7 2	4 9 2 1	11 -12 4 1	2 4	2 3 1	30 49 20 14	2 3 1	1 2 1	1 3 2 1
18 19 20	NEW YORK.  Registration cities (total)  White	108, 488 105, 442 3, 046	1,011 991 20	40 38 2	5 5	809 801 8	1,026 1,021 5	607 589 18	1,766 1,744 22	604 592 12	414 405 9	11,607 10,948 659	1,091 1,056 35	658 618 40	516 510 6
21 22 23 24 25	Albany. Amstexdam Auburu Batavia Binghamtou	2,063 437 633 205 939	19 3 2 4 2	2		2 1 5	1 9 2 1 1	4 5 7 7	25 2 5 10 8	26 3 2 5 11	8 1 2 2	242 35 38 12 60	19 1 3 2	11. 2 7 2 4	7 1 1 1 3
26 27 28 29 30	Buffalo. Cohoes. Corning. Cortiand. Dunkirk.	6,294 481 186 206 268	109 28 3 5 3			8 1 1 1	78 3 1 11	39 9 6 3 6	109 4 1 1 4	24 1 1 4	13	530 41 8 4 18	43 3 2	44 5 3 3	34 2 2 2 1
31 32 33 34 35	Elmira. Fulton. Geneva. Glens Falls. Gloversville.	173 161 295	5 4 4 1 1				1 1	2 4 1 1 2	6 1 4	5 3 1	1 1 1	21 7 12 22 23	2 2 2 2	6 2 4 1	1 1 1 3
36 37 38 39	Hornell. Hudson Ithaca Jamestown	220	2 4 13	i		3	1 1	5 1 5	7 1 1 2	3 6 2	2	10 20 14 25	1 3 1 2	2 1	2 1 1
40 41 42 43	Johnstown Kingston Lackawarina Little Falls	502 380 210	· 7 · 1 4	2		5 3 1	1 1	3	10-	12 1 4	2 1 2	21 58 14 20	1 4	1 11 2 1	2 2
44 45 46 47	Lockport. Middletown Mount Vernon. New Rochelle	388 416 337	4 9 6 2			1 2 2	1 3 3	1	5 2 8 7	8 3 5 5	2 1 2	13 39 21 27	1 2 4 2	3 6 7	1 2 1 2
48 49 50 51 52 53	New York (total) Bronx Borough Brooklyn Borough Manhattan Borough Queens Borough Richmond Borough	25,174 38,236	538 37 219 246 27 9	33 2 16 12 3	5 1 1 2 1	655 54 129 436 11 25	747 59 291 354 32 11	372 37 86 204 25 20	1,270 120 391 673 65 21	343 32 153 127 18 13	321 27 81 201 9 3	8,967 793 2,724 4,859 437 154	877 79 241 514 30 13	421 35 160 199 21 6	381 33 160 162 18 8
54 55 56 57 58 59	White Bronx Borough Brooklyn Borough Manhattan Borough. Queens Borough. Richmond Borough	24,528 36,588	530 37 216 241 27 9	32 2 15 12 3	5 1 1 2 1	647 53 128 431 11 24	742 58 289 352 32 11	360 36 85 196 23 20	1,251 120 386 660 65 20	332 32 148 121 13 13	313 27 81 193 9 3	8,396 776 2,605 4,451 416 148	848 78 238 492 27 13	388 33 147 182 20 6	376 33 157 160 18 8
60 61 62 63 64 65	Colored. Bronx Borough. Brooklyn Borough. Manhattan Borough. Queens Borough. Richmond Borough.	2,530 98 646 1,648 106 32	8 3 5	1		8 1 1 5	5 1 2 2 2	12 1 1 8 2	19 5 13	11 5 6	8	571 17 119 408 21 6	29 1 3 22 3	33 2 13 17 1	3 2
66 67	[Hoffman Island <sup>1</sup> ] [Swinburne Island <sup>1</sup> ]		i		i	. 25 1	14 2		16	<u> </u>		5 5	<u>i</u>	2	

<sup>1</sup> These deaths are chiefly of immigrants sent from quarantine who had not entered the United States; they are not included in any total.

				- · <u>//</u>	•	·			DEATHS	FROM—	• • •		+		<del></del>		•			Ī
Can- cer.	Dia- betes.	Menin- gitis.	Cerebral hemor- rhage and softening.	Organic diseases of the heart.	Bron- chitis.	Pneu- monia (all forms).	Other respiratory disteases.	Diarrhea and enteritis (under 2 years).	Appendicitis.	Hernia, intes- tinal obstruc- tion.	Cir- rhosis of the liver.	Ne- phritis, Bright's disease.	Puer- peral fever.	Other puer- peral affec- tions.	Con- genital debility and mal- forma- tions.	Violent deaths (ex- cluding sui- cide).	Sui- cide.	All other causes.	III- defined and un- known.	
16	(37)	17	18 .	19	20,21	22,(23)	(23)	25	26	27	28	29	81	32	33	35	36	(37)	38	
16 15 1 20 19	22 4	2 2 1 6	25 22 3 9 25	28 28 26 51	1 1 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2	26 23 3 33 46	53222	14 9 5 11 75	87127	4 4 3 1	5 5 2 7	23 21 2 15 33	2 1 1	4 3 1 6	21 18 3 29 26	20 17 3 23 30	4 4	56 47 9 44 73	1 1 2 2	
284 29 25 113	60 6 5 13	45 5 13 31	. 299 24 13 83	479 48 52 249	85 7 10 18	565 68 135 177	59 3 4 23	428 42 131 91	46 7 10 13	31 5 8 14	60 10 4 18	492 41 29 170	36 5 12 14	35 5 7 10	327 36 70 98	329 31 52 124	72 4 8 23	621 59 107 270	13 1 4 10	2
20 7 31 73	2 3 4 16	8 2 1 13	8 12 20 77	24 17 25 156	7 1 12	30 27 20 217	5 1 23	81 14 14 131	1 3 10	2 1 1 16	4 1 1 17	24 11 24 149	2 1 1 16	4 6 5	50 10 21 113	44 9 18 112	1 3 2 11	62 25 50 292	7 1 2 3	1( 1) 1) 1)
16 18 10 5	1 6 2	12 5 3	13 16 8 9	18 34 23 12	4 8 6	37 46 23 17	2 3 2	7 23 10 9		2 4 1 2	5 5 6	20 41 5 8	· 2 1	2 2	6 25 9 6	9 5 9 4	4 4 3 3	30 52 19 8	1 2	14 15 16 17
5,881 5,789 92	1,326 1,314 12	760 751 9	4,863 4,778 85	10,596 10,316 280	1,559 1,509 50	13,539 13,093 446	915 895 20	6,629 6,469 160	954 936 18	899 883 16	1,354 1,341 13	9,598 9,346 252	502 480 22	587 571 16	6,013 5,830 183	6,196 6,078 118	1,180 1,164 16	14,869 14,473 396		18 19 20
124 24 38 16 54	31 3 9 4 12	18 4 3 2 8	113 28 54 14 62	240 47 85 15 120	11 14 8	143 41 52 15 93	, 23 1 4 3 11	52 42 62 10 37	19 5 5 2 9	20 2 9 1	41 4 5	196 33 41 14 98	3 5 3 1 6	21 1 4	100 18 38 6 31	133 29 19 23 60	22 4 12 1 10	390 71 113 35 184	5 3	21 22 23 24 25
416 10 16 15 8	75 3 1 2	25 6 3	289 28 11 21 8	739 44 17 19 23	72 5 3 3	642 61 22 15 21	55 13 1 1	473 52 6 6 7	77 2 3 2 2	73 2 1 3 4	74 5 3	413 31 20 24 22	20 1 1 1	24 1 3 3	327 27 14 12 27	381 19 13 10 22	50 5 3 4	1,034 70 31 42 60		26 27 28 29 30
40 11 13 26 20	3 2 6 8	1 4 5 4 5	31 11 14 33 23	80 24 14 23 47	3 4 3 3 4	46 11 23 28 33	3 1 1 5 3	16 13 3 14 11	9 1 2 8 3	4 2 2 3 5	5 1 1 3 4	84 7 13 14 18	4 2 1	2 1 3 2	18 12 7 16 11	37 7 8 9 22	15 1 5 5	101 45 21 46 76	1	31 32 33 34 35
17 12 23 31	1 4 2 5	3 2 3 9	8 14 38 26	29 28 31 36	4 6 2 7	18 16 19 27	1 2 7 5	6 16 3 21	1 6 9	3 1 1 3	2 4 5	18 21 35 29	1 1 1	1 2 4	5 15 8 32	10 11 16 35	2 2 4 12	57 41 42 66	1	36 37 38 39
13 37 1 4	3 6 1 1	2 7 5 2	11 39 3 10	14 59 10 23	1 4 11	12 29 24 21	1 5 2	3 15 111 16	1 4 3	1 9 1 5	1 7 1 5	13 29 35 11	3	1 1 1 2	12 24 42 20	38 16 25	6 3 3	28 77 78 21	1	40 41 42 43
30 20 19 16	6 3 9 3	2 2 1 1	19 32 29 18	44 45 40 29	4 3 4 3	29 41 39 27	4 3 5 4	4 6 27 26	3 4 3 3	- 6 8 4 4	1 8 8 3	12 25 32 30	1 3 1	3	17 9 39 20	27 25 27 23	4 3 4 4	58 84 60 70	1	44 45 46 47
3,927 369 1,291 1,960 217 90	924 107 273 464 60 20	474 45 123 264 27 15	2,809 271 1,046 1,224 210 58	6,946 649 2,752 3,047 391 107	1,141 61 583 431 61 5	10,390 743 3,503 5,494 472 178	593 28 209 303 42 11	4,590 352 1,685 2,166 299 88	615 45 218 294 44 14	549 57 161 287 34 10	969 74 327 461 79 28	7,079 575 2,337 3,544 426 197	375 40 127 177 18 13	404 47 142 176 32 7	4,305 389 1,122 2,456 265 63	4,177 334 1,225 2,320 217 81	833 67 252 443 61 10	9,228 681 3,138 4,679 526 204	71 8 8 47 4 4	48 49 50 51 52 53
3,852 365 1,270 1,914 214 89	915 107 271 458 60 19	467 45 122 259 26 15	2,751 270 1,022 1,193 208 58	6,726 636 2,687 2,918 383 102	1,099 61 563 411 59 5	10,002 724 3,419 5,229 460 170	577 27 204 294 41 11	4,456 346 1,644 2,094 284 88	603 45 212 288 44 14	537 57 156 282 32 10	961 74 326 454 79 28	6,864 562 2,284 3,407 416 195	356 40 125 163 18 10	392 46 137 171 31 7	4,144 386 1,084 2,357 255 62	4,081 329 1,199 2,256 217 80	819 67 251 430 61 10	8,911 672 3,048 4,475 514 202	66 8 8 42 4 4	54 55 56 57 58 59
75 4 21 46 3 1	9 2 6	7 1 5 1	58 1 24 31 2	220 13 65 129 8 5	20 - 20 2 2	388 19 84 265 12 8	16 1 5 9 1	134 6 41 72 15	12 6 6	12 5 5 2	8 1 7	215 13 53 137 10 2	19 2 14 3	12 1 5 5 1	161 3 38 109 10	96 5 26 64	14 1 13	317 9 90 204 12 2	5 5	60 61 62 63 64 65
i		26 89°—1	318	1		1 6		3	<sub>i</sub>									1 13		66 67

#### TABLE 3.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA AND ITS

							I	EATHS FI	вом—		<del></del>		•		
	AREA AND COLOR.	All causes.	Typhoid fever.	Mala- ria.	Small- pox.	Measles.	Scarlet fever.	Whoop- ing cough.	Diph- theria and croup.	In- flu- enza.	Ery- sipelas.	Tuber- culosis of the lungs.	Tuber- culous men- ingitis.	Other forms of tu- bercu- losis.	Rheu- ma- tism.
	•		1	8	4	5	6	7	8	9	(12)	13	14	15	(87)
	REGISTRATION CITTES—Continued.								,				_		
	NEW YORK—continued.						*								
1 2 3 4 5	Newburgh. Niagara Falls. North Tonawanda. Ogdensburg. Olean.	549 590 156 399 209	12 61 12 5 2	1		3 7	5 3 1	3 11 3	9 8 2 12 3	4 2 1 6 2	4 1	43 28 12 46 9	2 2 2 2	2 6 2 4	1 4 1
6 7 8 9 <b>1</b> 0	Ossming. Oswego. Peekskill Plattsburg. Port Chester	193 359 259 182 204	1 3 3 3			4 1 4	1 2 2	2 5	3 5 1 1 3	2 2 2 2 4	4	12 26 30 17 13	3 2 2	2 1 3 4 1	3 2 2
11 12 13 14 15	Poughkeepsie. Rensselaer. Rochester Rome. Saratoga Springs	562 149 3,271 493 270	4 2 24 1 6			5 13 13	3 50 2	4 1 20	2 4 93 16	6 2 13 4 6	1 1 13 1	41 6 253 68 33	3 22 2 3	1 24 2 2	2 10 1
16 17 18 19	Schenectady Syracuse Troy Utica	946 2,027 1,621 1,442	23 21 9			1 16 2 28	3 37 23 1	9 17 17 4	7 36 14 24	14 6 15 8	1 6 5 6	69 136 179 96	7 16 4 15	6 9 8 17	6 5 13
20 21 22 23	Watertown. Watervliet. White Plains. Yonkers.	451 263 290 1,204	9 11 4 8			7	2 3 1 18	1 4 7 11	4 8 18	2 7 1 3	4 5	29 23 18 98	1 1 5 14	5 1 3 6	2 . 2 5
24 25 26	NORTH CAROLINA.  Registration cities (total)	3, 246 1, 585 1, 661	100 65 35	32 15 17	3 3	20 13 7	3 2 1	97 25 72	18 11 7	51 28 23	4 3 1	433 215 218	17 10 7	30 11 19	14 8 6
27 28 29 30 31 32	Asheville (total) White Colored Charlotte (total) White Colored Charlotte (total)	338 233 105 517 273 244	4 3 1 16 12 4	4 1 3		2 2	1 1	9 5 4	1 1 3 3	11 7 4 22 11 11		117 95 22 47 14 33	6 4 2 3 3	3 3 6	5 3 2
33 34 35 36 37 38	Durham (total).  White. Colored.  Greensboro (total).  White.  Colored.	351 155 196 297 157 140	10 5 5 10 8 2	3 1 1 1	1	1 1	1	4 1 3	3 2 1	4 2 2 3 2 1	1	58 25 33 44 24 20	1 1 1	7 · 8 · 4 1	2 2 3 3
39 40 41 42 43 44	Raleigh (total) White. Colored. Wilmington (total) White Colored.	606 328 278 778 306 472	11 8 3 33 20 13	8 5 3 15 6	2 2	6 3 11 8 3	1 1	15 3 12 63 11 52	4 3 1 5 3 2	2 2 7 2 5	1 1 2 2 2	49 23 26 56 19 37	2 1 3 3	6 3 5 1 4	3 2 1
45 46 47	Winston (total) White Colored. OHIO.	359 133 226	16 9 7	•••••				6 5 1	2 2	2 2		62 15 47	1 1	2 1 1	1 1
48 49 50	Registration cities (total)	31,293 29,713 1,580	506 486 20	18 17 1	3 3	124 121 3	364 363 1	277 . 254 . 23	432 421 11	311 302 9	88 85 3	3, 283 2, 916 367	209 192 17	318 298 - 20	157 150 7
51 52 53 54 55	Akron. Alliance. Ashtabula. Bellaire. Cambridge.	958 163 242 165 132	31 6 1 3 3	2		1 2	27 1	15 1 2 2 1	32 2 5 6	4 2 1 1 2	5	67 12 16 11 12	7 1 1 2 2	7 2 1 2 3	2 1
56 57 58 59 60	Canton. Chillicothe. Cincinnati (total). White. Colored.	569 229 6,225 5,627 598	7 6 43 41 2	2 2 2	1 1	1 2 13 12 1	2 79 78 1	1 19 16 3	9 5 46 44 2	5 1 55 53 2	2 16 15 1	* 60 30 896 736 160	3 43 35 8	5 64 57 7	21 17 4
61 62 63 64 65	Cleveland Columbus (total) White Colored Dayton.	7,999 2,671 2,415 256 1,624	82 26 25 1 22	3 2 2		40 21 21 21	191 8 8 1	85 22 16 6 11	129 24 21 3 11	62 27 26 1 17	28 4 4 4	751 298 250 48 170	46 19 18 1 12	57 39 34 5 20	57 9 8 1 12
66 67 68 69 70	East Liverpool Elyria. Findlay. Hamilton. Ironton.	309 163 229 468 230	20 3 8 7 13	1	1	3 2 1	1 1 2 1	3 2 13 4	6 1 4 3	1 4 5 3	3 2 3	32 9 22 51 26	3 1 9 1	6 1 3 4 1	2 2 2 4

									DEATHS	FROM-	,							•	- +	F
<u> </u>			· !	<u> </u>	1	· 「	<u> </u>	1	LEAIRS	-EUM-	<u> </u>	I	<u> </u>	i .	1		1	· · · · · · · · · · · · · · · · · · ·	T	
Can- cer.	Dia- betes.	Menin- gitis.	Cerebral hemor- rhage and softening.	Organic diseases of the heart.	Bron- chitis.	Pneu- monia (all forms).	Other respira- tory dis- eases.	Diarrhea and enteritis (under 2 years).	Appen- dicitis.	Hernia, intes- tinal obstruc- tion.	Cir- rhosis of the liver.	Ne- phritis, Bright's disease.	Puer- peral fever.	Other puer- peral affec- tions.	Congenital debility and malformations.	Violent deaths (ex- cluding sui- cide).	Sui- cide.	All other causes.	Ill- defined and un- known.	
. 16	(37)	17	18	19	20,21	22,(23)	(23)	25	26	27	28	29	31	<b>32</b> ·	33	35	36	(37)	38	
37 22 12 25 7	13122	12 10 1 6	40 18 4	72 32 15 28	7 3 1 1	60 51 18 51	. 72253	17 72 13 12	5 4	3 6 2	7 5	44 26 5 23 11	2 4	2 4 2 1	26 43 7 18	36 44 8 16	5 11	81 87 30	7	1 2 3 4 5
i :	2	4	27 17 8	24 14	1	29	3	12	5 4	3	3 2		2 1	2	13	18	2	98 35		
6 23 12 8 9	10 1 6 2	ຄຸ້ສຸສສຸຄຸ	38 19 15 10	45 19 19 14	3 7 4 9	19 23 12 21	6 2 1 1	7 7 12 5 24	1 1 3 4	1 3 3 1	1 5 4 1 1	25 27 16 9 13	1 1 1 1	3 3 1 1	9 27 15 15 15	25 27 20 12 17	2 3 1 2 3	34 64 41 29 26	2 2	6 7 8 9 10
31 9 210 21 15	12 3 48 6 5	2 13 5 1	51 13 247 23 20	61 17 386 58 17	11 54 9 3	69 15 264 33 36	6 5 34 2 2	29 6 211 20 4	9 32 3 8	2 33 33 3	6 2 44 5 4	41 8 267 48 39	5 20 1	3 2 17 2	34 8 51 15 7	24 6 198 34 12	3 1 54 4 2	91 33 553 89 40	3	11 12 13 14 15
43 117 110 62	10 26 22 16	7 19 25 19	71 136 94 93	95 238 187 146	13 39 16 18	124 170 182 159	11 15 16 19	69 113 63 75	5 20 12 17	. 22 . 19 20	10 17 32 15	66 138 134 102	4 3 6 3	4 7 12 9	62 138 75 111	51 127 81 68	11 29 9 7	154 344 222 269	1	16 17 18 19
33 12 14 62	3 5 1 9	. 4 2 10	29 22 12 60	65 24 26 123	5 7 3 12	29 45 28 139	2 5 4 8	21 14 24 151	7 1 5 7	9 3 13	4 2 13	19 15 17 108	1 2 6	2 1 3 7	20 11 19 62	30 10 32 74	5 3 6	107 30 43 140	1 1	20 21 22 23
87 62 25	8 4 4	28 15 13	115 64 51	262 107 155	.13 .27	281 93 188	26 15 11°	233 114 119	33 24 9	21 14 7	10 7 3	176 83 93	15 3 12	21 9 12	151 79 72	177 87 90	11 · 11	. 637 352 285	92 20 72	24 25 26
13 10 3 13 13	i 1	2 2 3 1 2	10 9 1 - 11 9 2	17 11 6 42 17 25	7 3 4 10 1 9	28 9 19 46 16 30	3 1 2 4 3 1	15 7 8 30 24 6	5 4 1 5 4 1	1 1 1	1 1	16 9 7 25 12 13	1	1 1 2	6 6 25 23 2	13 10 3 30 14 16	1 1 3 3	47 34 13 128 74 54	8 2 6 21 3 18	27 28 29 30 31 32
11 8 3 18 12 6	1 1 1	3 3 5 3 2	9 · 8 1 8 4	25 11 14 23 7 16	2 2 1 1	34 9 25 19 8 11	2 1 1 1 1	20 13 7 16 6 10	1 4 3 1	7 5 2	3 3	16 8 8 23 12.	5 1 1	3 1 2 1	13 6 7 18 8	10 4 6 12 7	*2 2 1 1	82 36 46 58 31 27	17 2 15 12 3 9	33 34 35 36 37 38
9 6 3 16 9 7	3	4 3 1 5 1 4	28 21 7 43 11 32	56 28 28 67 23	11 5 6 6 3 3	35 17 18 71 22 49	6 4 2 6 5	44 16 28 77 32 45	8 5 3 7 6	63 3 64 2	3 2 1 3 1 2	36 24 12 45 14 31	· 5 1 4 3 1 2	6 4 2 5 3 2	27 14 13 41 14 27	46 23 23 49 18	2 2 1 1	153 94 59 120 63 57	9 1 8 6	39 40 41 42 43 44
7 4 3	2 1 1	6 2 4	6 2 4	32 10 22	3	48 12 36	4	31 16 15	3 2 1			15 4 11		3	21 8 13	. 17 11 6	1	49 20 29	19 7 12	
1,767 1,719 48	317 307 10	252 240 12	1,739 1,671 68	3,065 2,868 197	548 517 31	2,484 2,331 153	215 209 6	1,801 1,752 49	315 307 8	266 259 7	373 362 11	1,999 1,921 78	199 193 6	172 165 7	1,609 1,558 51	2,293 2,178 115	449 432 17	5,278 5,061 217		48 49 50
45 9 16 10 6	10 2 3 1 3	7 1 6 3	42 13 11 11 8	84 13 26 26 7	10 1 1	89 14 22 20 7	6 1 2	59 2 13 9 7	13 1 3 1 4	4 2 4·	2 2 3 2	52 9 6 2 11	19 4 1	7 1 2	64 11 13 11 9	78 17 36 16 7	11 3 1 3 3	156 32 45 23 25	1 2	51 52 53 54 55
32 13 370 350 20	7 2 56 53 3	5 1 40 38 2	49 14 321 302 19	61 30 702 622 80	2 3 141 122 19	50 11 476 421 55	7 2 39 37 2	35 5 243 222 21	4 49 47 2	7 1 54 53 1	101 99 2	21 24 548 511 37	4 2 32 32 32	2 25 23 2	28 10 230 212 18	49 14 427 379 48	10 2 77 74 3	98 33 986 914 72	10 9 1	56 57 58 59 60
425 163 158 5 111	82 29 28 1 16	51 35 29 6 15	373 175 161 14 100	685 274 234 40 199	221 22 21 1 15	556 227 205 22 144	56 16 16 7	772 70 62 8 66	76 31 30 1 19	61 23 21 2 16	93 30 26 4 27	542 146 139 7 84	46 26 24 2 9	28 17 15 2 16	417 138 127 11 97	531 187 165 22 99	118 45 39 6 33	1,324 508 474 34 270		61 62 63 64 65
14 9 25 29 11	3 2 4 3 2	7 2 4 10 2	3 8 19 24 12	27 34 20 37 22	2 2 1 2 1	28 13 14 29 34	1 6 2 1	.17 6 4 17 9	2 4 1 2 4	2 4 4 1	4 2 3 7 2	11 5 7 41 8	2 1 3 1	3 2 5 1	16 9 11 31 13	25 18 15 40 14	2 3 2 5 2	53 23 43 74 36	2 1 1	

#### TABLE 3.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA AND ITS

			<del></del>				-								<u> </u>
						·		DEATHS FI	ROM—						
	AREA AND COLOR.	All causes.	Typhoid fever.	Mala- ria.	Small-pox.	Measles.	Scarlet fever.	Whooping cough.	Diphtheria and croup.	In- fiu- enza.	Ery- sipelas. (12)	Tuber- culosis of the lungs.	Tuber- culous men- ingitis.	Other forms of tuberculosis.	Rheu- ma- tism.
	REGISTRATION CITIES—Continued.														
	offio—continued.														
1 2 3 4 5	Lakewood Lancaster Lima Lorain Mansfield	190 149 388 337 258	8				1 6 1	6 6 4 2	1 1 2 7	2 2 5 4 3	1 1	16 19 47 17 20	2 1 3 2 1	1 1 8 6 3	2 1 2 2
6 7 8 9	Marietta. Marion Massillon Middletown	187 230 137 175	6 3 1 3	i			6 1 1 1	4 1 1 6	2 2 2 1	10 7 3 4	1	12 18 6 10	1 1 3	1 5 2 5	1 1 1
10 11 12 13	Newark	311 157 165 404	7 1 2 19				2	2 2 2 10	8 1 11	12 2 6	1	18 19 20 45	9	4 1 2 7	2 2 1 1
14 15 16 17 18	Sandusky Springfield (total) White Colored Steubenville	289 620 541 79 325	14 9 8 1 9				7 7 3	4 2 2	11 11 11 7	1 11 11 2	1 1 1	23 63 46 17 25	2 4 3 1 2	· 2 5 3 2 1	4
19 20 21 22 23	Tiffin. Toledo. Warren. Youngstown. Zanesville.	157 2,578 150 1,206 504	40 3 37 45	1		1 6 6	1 9 2 4	26 2 16	43 40 8	8 25 8 6	8 5	17 286 12 85 42	13 - 2 - 8 1	24 12 8	3 10 6 3
	OREGON,1														
24 25 26	Portland (total)	2,390 2,300 90	42 39 3				13 13	6 6	27 27	19 19	7 7	187 162 25	19 17 2	29 27 2	7 6 1
27 28 29	PENNSYLVANIA.  Registration cities (total)  White Colored	57, 909 54, 769 3, 140	891 859 32	16 15 1	4 4	473 452 21	424 421 3	380 344 36	1, 127 1, 112 15	417 402 15	139 135 4	5, 262 4, 698 564	392 356 36	447 402 45	286 276 10
30 31 32 33	Allentown Altoona. Beaver Falls. Bethlehem	824 621 166 181	25 15 9 11			3 6	3		25 4 5	3 7	1 2	63 44 10 12	6 3 2 1	9 5 1	10 3 1
34 35 36 37	Braddoek. Bradford Butler. Carbondale.	352 212 241 294	2 3 8 4			15		3	9 6 1	3 1 7	1	21 14 20 12	1 2 1	1 2 4 1	1 1 2
38 39 40 41 42	Carlisle (total)	171 143 28 92 195	1 13					1 1		3 3 1 4	······i	16 12 4 6 20	1 1 1	$\frac{2}{2}$	1 1
43 44 45 46 47 48	Chester (total).  W hite. Colored. Coatesville (total).  W hite Colored.	603 511 92 127 104 23	7 4 3					1 1	6 5 1 3 3	6 4 2 1 1	2 1 1	83 77 6 18 14 4	2 1 1	5 5 3 3	
49 50 51 52 53	Columbia Connellsville	144 189 133 319 181	2 7 6			1 6 1	2	1	43284	2	1 1 2 1	10 8 9 15 18	3 5	4 1 1 1	
54 55 56 57 58	Easton. Erie Greensburg. Harrisburg. Hazleton	486 1,102 208 990 337	10 130 12 11 1				1 2 3	2 5 1 4 2	6 11 18 7	2 8 1 11	2 4 1 1	29 81 9 86 16	2 8 5 1	7 4 1 7 2	5 2 6 3
59 60 61 62 63	Homestead Johnstown Laneaster Lebanon McKees Rocks	230 830 694 307 165	14 9 5 1			9 6 1 4	13 3	6 17 2 2	19 13 26 17 2	2 1 7 3 2	2 2 1	19 65 57 18 8	2 9 6 1	2 10 8 2 1	2 3
64 65 66 67 68	McKeesport	634 278 174 139 191	14 1 7 1 1		i	3 8 6	8	4 8 3 2 5	5 12 7 3	2 2 2	3 1	40 8 11 7 4	3 2	5 1	4 3 2

<sup>&</sup>lt;sup>1</sup> Nonregistration state; cities shown below only those with effective local ordinances.

at least 10 per cent of the total, or numbered 10,000 or over in 1910. The term "cities" indicates municipalities of 10,000 inhabitants or over in 1910. Numbers under abridged International List (see p. 29).]

D-14660	. 11100111		List (sée p	. 40].]	<u>.</u>															_
				T		i	<del></del>	,	DEATHS	FROM—	<del></del>	r	1	i				i	т	1
Can- cer.	Dia- betes.	Menin- gitis.	Cerebral hemor- rhage and softening.	Organic diseases of the heart.	Bron- chitis.	Pneu- monia (all forms).	Other respira- tory dis- eases.	Diarrhea and enteritis (under 2 years).	Appen- dicitis.	Hernia, intes- tinal obstruc- tion.	Cir- rhosis of the liver.	Ne- phritis, Bright's disease.	Puer- peral fever.	Other puer- peral affec- tions.	Congenital debility and malformations.	Violent deaths (ex- cluding sui- cide).	Sui- cide.	All other causes.	Til- defined and un- known	
16	(37)	17	18	.19	20,21	22,(28)	(23)	25	26 	27	28	29	81	82	33	35	36 	(87)	38	_
11 12 24 16 18	25422	1 5 2 1	12 15 19 11 28	20 15 32 17 30 19	22414	13 10 21 30 21	3 2 4 1 2	13 5 15 43 8	1 7 6 1	1 1 6 1 5	4 4 1 3	11 7 21 16 19	1 5 2	1 4 2	15 10 22 27 13	17 6 35 38 21	20554 2	28 24 68 55 36	2 1	:   1
15 8 12 6	4 3 1	<u>2</u> 3	17 14 8 7	26 18 9	2 2 4 1	8 14 9 18	2 1	7 8 1 17	2 3 1	4 1	2 1	11 15 12 14	2 1 1	- 1 1	11 15 12 17	12 20 10 16	2 2 2 2	29 46 23 23	1	-   ;
14 15 17 17	1 4 1 2	3 1 5	31 14 17 18	28 19 19 46	10 1 1 7	9 9 9 28	4 1 2 2	10 9 7 23	3 1 1 2	4 1 2	2 2 2	19 15 12 13	2 1	5 1 3	19 13 11 24	19 5 8 29	8 3 2 4	56 18 23 60	4	11111
20 22 22 22	2 8 7 1 3	. 7 . 7	22 58 54 4 11	50 76 67 9 15	4 7 6 1 3	14 49 40 9 44	3 4 4	3 29 25 4 23	1 6 6	3 6 6	5 5 3 2 3	15 40 36 4 15	1 5 3 2 3	1 3 3 2	14 35 34 1 28	31 32 28 4 38	2 ,8 6 2 9	45 103 89 14 51	1 3 2 1 1	111111111111111111111111111111111111111
11 153 10 37 26	3 33	11 11 11 2	13 151 7 53 30	28 217 15 74 45	4 41 2 19 3	15 197 18 190 24	23 2 2 2 5	5 118 4 101	3 30 6 10	1 26 1 7	2 30 1 23 3	4 154 10 32 27	14 2 7 2	- 12 - 3 12	6 116	5 178 7 149 44	43 1 17 5	26 546 30 160 99		1 2
26 26	9 3	2	30	74 45	19	190 24	5	101 18	10	4	23 3	32 27	2	12 6	7 62 24	149 44	17 5	99	1 4 4	2
167 165 2	34 32 2	18 18	132 132	260 249 11	21 20 1	169 164 5	33 33	62 62	34 32 2	32 32	20 19 1	132 124 8	11	22 22	159 155 4	182 180 2	76 73 3	447 431 16	4	222
2,845 2,753 92	602 593 9	338 · 327 11	2,818 2,742 76	5,344 5,036 308	943 878 65	6,005 5,614 391	775 723 52	4,428 4,214 214	492 475 17	504 478 26	620 602 18	4,413 4,168 245	338 322 16	361 344 17	3,404 3,219 185	3,955 3,778 177	582 575 7	8,584 8,166 418	300 286 14	222
38 29 4 6	13 12 2	9 2	82 35 5 21	56 60 10 16	6 1 1 5	62 69 13 10	12 12 2	60 20 11 12	9 6	6 4	7 8 6 3	61 51 9 16	3 6 2 1	1 5 3	78 50 16 11	45 43 20 5	3 3 5	115 114 26 38	18 1 3	3333
7 16 9 9	2 6 2 3	2 2 2 1	6 17 7 23	13 27 18 17	2 6	76 21 22 49	3 2 4 9	61 5 20 18	, 1 3 2	3 1 4 4	2 4 1 7	14 15 21 16	7 1 3 2	4 2 6	28 8 18 16	27 19 19 36	2 5 1 2	36 42 34 34	5 1	3333
14 12 2	1 1 4 1	4 4 1	14 13 1 3 12	16 11 5 6 20	2 2	16 13 3 10 20	4 4	8 6 2 18 4	1	2 1 1	1 1 2	16 13 3 5 20	1 1	1	5 5 14 10	7 5 2 5 6	1 1 2	34 29 5 10 42	.1	4
28 25 3 5 4	6 6 2 2	3 3	24 22 2 3 3	64 48 16 20 12 8	9 7 2 1 1	72 57 15 6 6	6 5 1 2 2	47 42 5 11 10	44	3 3	4	33 29 4 12 11	1 1	5 4 1 1	46 39 7 14 11 3	36 32 4 8 7	5 5	89 71 18 17 . 13	5 5	1
9 11 5 13 7	1 1 1 2 1	1 1 1 1	5 6 5 14 3	20 7 9 18 7	2 2 1 14 2	13 12 11 47 30	1 1 2 3	1 3 8 45 29	1 4 1 1	2 1 2 1 1	2 3 1 1 2	9 5 14 5	2 2 2	1 1 1 1	17 19 14 25 23	10 42 14 16 11	4 1 3	22 28 30 62 22	2 4 1 2	4: 5: 5:
29 64 9 55 20	6. 14 1 11 3	3 8 2 6 1	46 56 11 62 17	49 112 8 106 25	6 11 2 10 12	44 91 20 76 29	5 7 1 17 6	18 86 2 41 24	9 13 7 8 7	3 12 4 10 5	19 19 11 2	34 63 7 80 26	5 4 1 4 2	3 6 3 5 4	27 61 10 70 25	49 59 46 77 34	12 8 3 12 2	58 152 29 169 60	2 1 11 7	
2 34 44 17 4	6 9 2 1	2 2 8 1 3	. 1 26 57 32 3	11 42 91 20 7	4 4 8 3 2	26 108 40 18 27	4 10 4 7	44 78 24 12 32	1 7 3 2	6 6 4 1	3 9 3 1 3	10 36 66 20 1	2 3 5	1 3 3 1	16 70 36 19 21	6 73 37 22 13	2 4 6 3	32 146 119 63 25	4 10 1 10 2	59
27 8 8	5 2	2 1 1 1	22 5 14 3 7		14 6 4	85 36 15 14 20	5 18 2 2 2 5	50	6 1 3	15 1 2	7 1 1	32 6 8	5 2 2	3 2 1	49 18 10 13 13	69 15 12 11 22	10 4 3	102 57 36 14 29		64 65 66 67 68

<sup>2</sup> Colored population less than 10 per cent of total.

TABLE 3.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA AND ITS

=							r	DEATHS PI	вом—	<del></del>					
•	AREA AND COLOR.	All causes.	Typhoid fever.	Mala- ria.	Small-pox.	Measies.	Scarlet fever.	Whooping cough.	Diph- theria and croup.	In- flu- enza.	Ery- sipelas.	Tuber- culosis of the lungs.	Tuber- culous men- ingitis.	Other forms of tuberculosis.	Rheu- ma- tism.
	DECIGED AGYON CITTED C. //w.1			ļ											
İ	REGISTRATION CITIES—Continued.  PENNSYLVANIA—continued.														
1 2 3 4 5	Nanticoke New Castle Norristown North Braddock Oil City	286 534 624 142 213	1 18 11 3 3			1 1 2 4	1 5 4 2	1 15 4 1 6	8 24 9 5 1	4 12	2	15 30 59 16 9	1 1 2	1 6 3 1 2	1 5 4 1
6 7 8 9	Old Forge Philadelphia (total). White Colored.	167 26, 276 24, 251 2, 025	230 218 12	11 10 1	2 2	1 289 274 15	3 195 192 3	109 93 16	8 491 480 11	183 173 10	62 59 3	3,058 2,642 416	2 221 199 22	1 184 160 24	1 127 122 5
10 11 12 13	Phoenixville. Pittsburgh (total). White. Colored.	192 8,099 7,656 443	139 133 6			1 51 46 5	1 58 58	1 102 89 13	5 127 126 1	64 63 1	25 25	15 575 513 62	1 49 42 7	3 86 76 10	2 36 34 2
14 15 16 17 18	Pittston. Plymouth Pottstown. Pottsville. Reading.	280 252 211 387 1,408	1 2 2 4 23	1		3 2 14	1 2 7 15	3 3 8	14 10 2 19 38	5 2 1 1 8	1 1 1 1	9 14 18 25 101	1 4 7	1 2 4 4 12	3 6 1 7
19 20 21 22 23	Scranton Shamokin Sharon Shenandoah South Bethlehem	1,974 - 251 190 506 308	19 8 3 1 8	<u>i</u>			9 6 58 1	6 2 2 1	17 9 3 29 8	15 2 1 1	3 1 1 2	133 15 12 17 23	10 1	2	13 2 1 4 2
24 25 26 27 28	South Sharon Steelton Sunbury Uniontown Warren	112 188 181 217 102	2 4 20 2				1 2 1 1	1 2 1 1	2 24 3 2 3	1 1 3	1	7 19 16 11 3	1 2 1	1 1 1	1
29 30 31 32	Washington West Chester (total) White Colored	260 237 192 45	13 6 3 3	- <b>-</b>		1	1	8 2 2	4 2 2	4 2 2	1	· 12 10 2	1 1	3 3 2 1	1 2 2
33 34 35 36	Wilkes-Barre Wilkinsburg Williamsport York	1,072 252 519 659	8 8 15 11		1		2 1 1	6 7	14 1 3 14	8 5 6 4	2 , 1 , 4	58 16 35 54	3 3 3	5 3 5 12	7 2 3 4
	RHODE ISLAND.	,												,	
37 38 39	Registration cities (total)	7,052 6,832 220	48 47 1			13 13	42 41 1	95 85 10	118 118	39 39	13 13	701 654 47	59 58 1	60 54 6	29 28 1
40 41 42 43 44	Central Falls Cranston State institutions. Cumberland town East Providence town	328 220 317 138 206	2 1 3 1	1		1	1	5 1 3 6	3 2 1 5	1 1 1 2	1 2 2	30 12 74 13 18	2 3 2 2	3 1 5 1 4	1 2 2
45 46 47 48 49	Newport. Pawtucket Providence Warwick town Woonsocket	364 830 3,599 475 575	4 2 28 2 4	1		10 1 1	3 31 4 1	2 13 45 7 13	2 20 57 3 25	4 11 17 2	4 2 2	26 69 304 104 51	3 9 22 4 12	5 7 29 3	7 10 5
	SOUTH CAROLINA.1														
50 51 52	Charleston (total)	1,770 518 1,252	24 10 14	19 5 14				10 1 9	5 4 1	16 4 12	3 1 2	185 35 150	1 1	4 1 3	1 1
53	TENNESSEE. <sup>1</sup> Registration cities (total)	5,787	164	127	1	104	7	64	35	80	14	597	28	57	18
54 55	White	2, 963 2, 824	94 70	31 96	1	72 32	6	35 29	24 11	26 54	5	247 350	28 16 12	57 29 28	9
56 57 58 59 60 61 62 63 64	Knoxville (total) White Colored. Memphis (total) White Colored. Nashville (total) White Colored.	666 440 226 2,836 1,330 1,506 2,285 1,193 1,092	17 13 4 87 43 44 60 38 22	112 26 86 15 5	1	8 6 2 37 23 14 59 43 16	3 3 4 3 1	6 4 2 21 10 11 37 21 16	4 3 1 22 13 9 9 8	5 3 2 35 3 32 40 20	2 2 6 3 6 4 2	78 43 35 293 103 190 226 101 125	5 3 2 8 6 2 15 7 8	9 6 3 20 8 12 28 15	1 1 2 2 13 6 7

<sup>1</sup> Nonregistration state; cities shown below only those with effective local ordinances.

<del></del> -						<del></del>			DEATHS	FROM-					•				,	T
Can- cer.	Dia- betes.	Menin- gitis.	Cerebral hemor- rhage and softening.	Organic diseases of the heart.	Bron- chitis.	Pneu- monia (all forms).	Other respira- tory dis- eases.	Diarrhea and enteritis (under 2 years).	Appen- dicitis.	Hernia, intes- tinal obstruc- tion.	Cir- rhosis of the liver.	Ne- phritis, Bright's disease.	Puer- peral fever.	Other puer- peral affec- tions.	Con- genital debility and mal- forma- tions.	Violent deaths (ex- cluding sui- cide).	Sui- cide.	All other causes.	III- defined and un- known	
16	(87)	17	18	19	20,21	22,(23)	(23)	25	26	27	28	29	31	32	88	35	36	(37)	38	
10		,	9		10	40	,	•									•			
12 28 25 1 14	2 4 4 5	1 ·6 7 2 12	25 26 5 13	8 31 73 3 18	10 6 5 3 1	46 54 74 26 19	4 5 4 1 1	39 18 17 19 8	3 9 5	8 4 1 4	2 2 4 1 3	20 18 51 6 16	6 3 2	2 5 2 1	21 40 21 9 14	37 34 35 13 13	5 2 2	33 99 151 12 43	2 23 1 4	. 3
6 1,379 1,315 64	282 277 5	3 102 95 7	1, 155 1, 113 42	2,862 2,677 185	414 368 46	26 2,512 2,272 240	348 311 37	17 1,864 1,707 157	199 186 13	218 198 20	264 252 12	2,599 2,427 172	2 128 116 12	1 147 135 12	15 1,274 1,167 107	22 1,410 1,318 92	275 271 4	24 3,635 3,380 255	1 47 42 5	8 9
8 371 361 10	2 51 51	52 50 2	9 332 318 14	20 641 608 33	197 190 7	1,124 1,047 77	3 125 118 7	14 707 677 ,30	73 71 2	57 55 2	1 131 128 3	7 400 371 29	56 56	2 48 46 2	16 548 523 25	13 578 543 35	103 100 3	32 1,175 1,121 54	18 17 1	10 11 12 13
7 9 12 11 77	1 2 2 33	3 2 2 13	6 8 23 30 122	11 13 22 37 125	9 3 3 1 19	42 21 28 31 75	3 7 1 2 17	19 52 7 28 93	2 1 9 12	2 1 3 5 18	2 4 2 8 14	10 4 9 38 88	1 3 8 7	3 1 5 10	20 23 20 15 82	57 20 9 29 85	2 1 1 28	36 32 32 60 222	10 3 1	14 15 16 17 18
94 5 7 8	· 33 5 5 6	15 3 2 5 3	113 15 11 18 12	125 27 15 9 16	48 2 4 11 2	267 24 20 44 19	25 6 4 11 4	231 13 7 78 63	19 3	22 1 2 5	24 3 3 3	99 12 8 12 15	19 2 1 3	14 1 1 1 3	42 18 17 44 37	236 14 23 54 12	12 2 3 3	298 50 29 68 53	3 5 2 10	19 20 21 22 23
7 4 6 2 7	1 2 3	2 1 2 2 2 2	2 6 20 2 5	2 18 21 13 14	2 1 1	12 15 5 20 3	1 2 2 3 3	18 31 10 8 2	4 5	2 3 3	1 2 2 2	6 2 14 13 4	2 2 2 1	1 2 7	14 27 12 19	5 8 12 39 8	*2 1 1 3	18 19 33 30 26	2 1 1	24 25 26 27 28
25 19 16 3	5 2 2	1 1 1	5 16 14 2	18 24 21 3	3 2 2	27 16 11 5	1 4 3 1	. 10 4 4	3 3 3	1 4 4		12 22 19	2 3 1 2	1 2 2	16 14 9 5	24 23 20 3	. 1 3 4 4	45 42 31 11	1 1 1	29 30 31 32
44 27 27 42	10 4 5 13	8 3 2 4	53 20 48 59	68 27 49 57	24 1 9 12	108 26 53 43	18 2 5 4	91 9 17 37	22 1 9 4	13 6 5	9 3 4 8	82 11 38 . 58	10 2 5 1	10 4 6 9	63 16 24 46	143 15 36 34	3 4 3 4	165 35 96 105	11 3 2	33 34 35 36
395 382 13	98 97 1	63 62 1	407 400 7	709 686 23	121 118 3	682 661 21	67 64 3	393 390 3	67 65 2	63 63	66 64 2	564 550 14	22 21 1	50 50	410 400 10	393 382 11	53 50 3	1,164 1,132 32	45 42 3	37 38 39
15 27 13 9 12	. 4 1 1 5	15 1 3 2	20 15 12 10 9	25 28 30 19 31	12 2 2 1 4	34 23 13 13 17	3 2 2	33 13 1 5 11	2 1 1	2 1 1 1	2 2 1	25 . 14 13 7 15		2 1 1	30 14 3 11 14	11 10 5 5	2 1	40 34 132 25 33	. 2 2 3	40 41 42 43 44
19 36 220 16 28	9 9 45 3 17	4 7 21 8 2	34 65 193 29 20	39 88 358 44 47	7 21 55 5 12	35 74 383 26 64	5 6 39 7 3	11 39 179 40 61	3 7 44 1 8	4 5 43 1 5	5 9 33 3 10	28 74 317 29 42	3 2 16	2 2 35 3 4	18 59 200 26 35	17 54 228 31 25	1 5 35 1 5	72 123 569 62 74		45 46 47 48 49
48 24 24	5 5	18 3 15	94 33 61	208 49 159	. 11 6 5	123 27 96	17 6 11	91 24 67	8 7 1	14 3 11	9 4 5	211 66 145	. 4 1 3	19 9 10	160 30. 130	68 23 45	3 3	360 129 231	31 3 28	50 51 52
188 135 53	23 19 4	71. 41 30	. 171 . 104 67	453 204 249	71 22 49	562 229 333	85 28 57	277 185 92	79 . 51 . 28	61 32 29	36 25 11	340 194 146	52 19 33	36 16 20	235 145 90	437 189 248	46 38 8	1,145 644 501	123 45 78	53 54 55
35 29 6 69 42 27 84 64 20	5 5 13 10 3 5 4 1	43 22 21 22 13 9	24 18 6 72 45 27 75 41 34	39 25 14 168 79 89 246 100 146	15 4 11 37 12 25 19 6 13	51 31 20 263 102 161 248 96 152	9 5 4 43 14 29 33 9 24	19 11 8 120 88 32 138 86 52	12 11 42 25 17 25 15 10	7 5 2 28 12 16 26 15	9 7 2 16 12 4 11 6 5	41 31 10 209 112 97 90 51	8 5 3 22 9 13 22 5 ,17	7 2 5 13 7 6 16 7	24 17 7 95 58 37 116 70 46	46 33 13 255 95 160 136 61 75	6 4 2 26 22 4 14 12 2	156 102 54 551 288 263 438 254 184	12 · 5 7 102 33 69 9 7 2	56 57 58 59 60 61 62 63 64

# TABLE 3.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA AND ITS

	<u> </u>						3	DEATES F	вом—			•	,	·	
	AREA AND COLOR.	All causes.	Typhoid fever.	Mala-ria.	Small-pox.	Measles.	Scarlet fever.	Whooping cough.	Diphtheria and croup.	In- flu- enza.	Ery-sipelas.	Tuber- culosis of the lungs.	Tuber- culous men- ingitis.	Other forms of tuberculosis.	Rheu- ma- tism.
	REGISTRATION CITIES—Continued.										(12)			19	(61)
1 2 3	TEXAS.¹ Registration cities (total)	4,097 3,600 497	79 67 12	31 24 7	25 22 3	29 28 1	10 10	9 8 1	20 20	61 58 3	9 8 1	711 633 78	12 12	28 25 3	13 12 1
4 5 6 7	El Paso. Galveston (total). White Colored.	1, 248 704 509 195	18 7 7	5 8 5 3	24	5 4 3 1	8 1 1	2 4 3 1	7 5 5	8 3 3	4 1 1	262 59 31 28	7	4 2 2	5 2 1 1
8 9 10	San Antonio (total):	2, 145 1, 897 248	54 43 11	18 14 4	1	20 20	1 1	3 3	8 8	50 47 3	4 4	390 351 39	5 5	22 21 1	6
11 12 13	UTAH. Registration cities (total)	1,461 1,424 37	28 27 1		2 2	27 27	28 28	9	29 29	9	2 2	72 69 3	5 5	18 18	16 16
14 15	OgdenSalt Lake CityVERMONT.	316 1,145	5 23		2	1 26	16 12	3 6	3 26	1 8	2	7 65	2 3	5 13	3 13
16 17 18	Registration cities (total)	813 808 5	9	1 1		4 4	1 1	4 4	. 7 . 7	10 10	2 2	72 71 1	5 5	6 6	6 6
20	Barre. Burlington. Rutland.	158 426 229	5 3 1	1		2 2	1	2	3 4	7 3	2	35 18 19	2 3		2 2 2 2
22	VIRGINIA. <sup>1</sup> Registration cities (total)	6,934	127	41		24	15	137	50	er.	9	פל	20	74	22
22 23 24	White Colored	3, 429 3, 505	79 48	13 28		16 8	14 14	40 97	40 10	65 29 36	7 2	736 283 453	38 26 12	74 42 32	33 15 18
25 26 27	Alexandria (total) White Colored	309 178 131	3 3	1		2 2		2 2	2 1 1	5 2 3		41 26 15		4 2 2	1 1
20	Danville (total).  White. Colored. Lynchburg (total).  White. Colored.	395 238 157 567 307 260	11 4 7 12 8 4	5 1 4 2 1 1		1	10 10	20 5 15 6 4 2	3 2 1 9 7 2	5 3 2 2 1 1	1 1 2 2	36 22 14 68 29 39	2 1 1	4 3 1 8 7 1	1 1 1 1
36 1	Norfolk (total) White Colored Petersburg (total) White Colored	1,756 721 1,035 628 274 354	44 25 19 13 10 3	23 5 18 6 3		6 5 1 1		43 7 36 19 2 17	6 5 1 4 3 1	13 8 5 12 2 10	3 3	189 48 141 66 32 34	7 7 2 2 2	17 11 6 4 3	8 3 5 2
41 42	Richmond (total) White. Colored. Roanoke (total) White. Colored.	2,718 1,372 1,346 561 339 222	23 16 7 21 13 8	2 1 1 2 2		11 7 4 3 2 1	3 2 1 2 2	41 16 25 6 4 2	13 12 1 13 10 3	23 11 12 5 2 3	3 2 1	272 107 165 64 19 45	23 15 8 4 1	29 11 18 8 5	15 9 6 5 1 4
46	WASHINGTON. Registration cities (total)	5, 451	110	3	2	29	30	43	43	44	17	±00	70	97	22
47 48	White	5, 293 158	106	š	ž	29	30	42 1	43	43 1	17	508 482 26	79 73 6	87 85 2	33 32 1
50 l	Aberdeen. Bellingham. Everett. North Yakima	114 239 240 212	1 6 5 9	i		1 1 5	5 1 1	4 2 4	1 1	1 4 1 1	2	11 7 24 20	1 3 2 2	10 3	2
54 55	Seattle. Spokane. Tacoma. Walla Walla.	2,234 1,299 893 220	26 40 15 8	1 1	1 1	13 6 3	7 7 8 1	19 8 4 2	22 9 9 1	17 10 9 1	4 6 5	233 96 100 17	33 10 25 3	40 17 6 7	12 11 3 1
57 58 59	WEST VIRGINIA. <sup>1</sup> Wheeling (total)	737 714 23	15 14 1			7 7	3 3	7 7	12 12	13 13		65 58	4 4	4 4	6

<sup>&</sup>lt;sup>1</sup> Nonregistration state; cities shown below only those with effective local ordinances.

			Last (see p	. 20/-1			<del></del>					•						•	•	一
			<del></del>						DEATHS :	FROM—		<del></del>		l I	<u>.</u>	1			<del>,</del>	
Can- cer.	Dia- betes.	Menin- gitis.	Cerebral hemor- rhage and softening.	Organic diseases of the heart.	Bron- chitis.	Pneu- monia (all forms).	Other respira- tory dis- eases.	Diar- rhea and ente- ritis (under 2 years).	Appen- dicitis.	Hernia, intes- tinal obstruc- tion.	Cir- rhosis of the liver.	Ne- phritis, Bnght's disease.	Puer- peral fever.	Other puer- peral affec- tions.	Congenital debility and malformations.	Violent deaths (ex- cluding sui- cide).	Sui- cide.	All other causes.	III- defined and un- known.	
16	(37)	17	18	19	20,21	22,(23)	(23)	25	26	27	28	29	31	32	33	35	36	(37)	38	
135 125 10	. 22 . 21 1	49 47 2	89 76 13	184 150 34	52 48 4	293 260 33	39 33 6	381 361 20	26 26	20 17 3	49 43 6	296 229 67	17 16 1	21 20 1	237 221 16	. 221 184 37	53 52 1	805 688 117	71 56 15	1 2 3
32 23 18 5	1 5 5	18 13 12 1	19 · 18 12	26 56 37	19 5 3	141 57 44 13	10 12 8 4	128 29 23 6	3 2 2	3 6 4	- 15 10 9 1	44 105 73	.8	5 6 6	59 29 26 3	76 50 40	12 10 10	253 158 110	17 14 7 7	4 5 6 7
5 80 76 4	16 15 1	1 18 18	52 46 6	19 102 91 11	28 26 2	13 95 79 16	17 15 2	224 211 13	21 21	11 10 1	24 20 4	32 147 118 29	9 8 1	10 9 1	149 137 12	95 75 20	31 31	48 394 335 59	40 33 7	8 9 10
90 89	12 12	14 13	63 63	122 119	16 15	135 131	23 . 23	57 57	29 29	19 19	12 12	99 97	8 8	12 12	56 55 1	106 98 8	*42 39 3	276 269 7	25 23 2	11 12 13
12 78	4 8	2 5 9.	17 46	35 87	3 13	35 100	5 18	9 48	4 25	7 12	1 11	17 82	8	5 7	14 42	25 81	9 33	61 215	25	14 15
49 49	9	<u>4</u> 4	. 63 62 1	88 87	10 10	49 48	10 10	70 70	29 29	5 5	6 6	53 53	3	5 5	43 43	38 37 1	10 10	139 139	3 3	16 17
7 28 14	5 4	3 1	6 33 24	13 37 38	2 8	10 25 14	1 7 2	2 62 6	3 20 6	2 3	2 3 1	10 26 17	. 1	1 3 1	8 26 9	9 15 14	3 3 4	27 73 39	1 1 1	18 19 20 21
246 180 66	44 36 8	59 42 17	365 196 . 169	565 294 271	118 29 89	508 183 325	127 41 86	495 233 262	49 32 17	65 35 30	48 33 15	622 320 302	33 18 15	50 33 17	393 206 187	363 185 178	49 44 5	1,254 643 611	132 42 90	22 23 24
13 11 2	3 3	2 1 1	14 5 9	26 16 10	11 3 8	23 12 11	8 4 4	16 9 7	1 1	1 1	2 2	32 17 15			12 7 5	18 13 ,5		57 31 26	9 4 5	25
13 10 3 10 5	1 1 7 7	14 13 1 3 2	14 8 6 33 21 12	34 24 10 49 24 25	8 4 4 10 2 8	37 18 19 32 17	3 1 2 4 1 3	24 18 6 33 18 15	3 3 1 1	9 8 1	. 1	20 11 9 38 18 20	1 1 2 2	4 4 1 1	19 15 . 4 24 14 10	17 10 7 27 16	3 3 3 3	85 51 34 109 60 49	7 4 3 47 16 31	i i
55 41 14 17 9	4 4 2 2	11 8 3 7 3 4	66 36 30 39 21 18	164 70 94 42 19 23	39 7 32 6 2 4	128 34 94 42 10	42 11 31 9 4 5	111 34 77 50 22 28	13 6 7 3 2 1	23 5 18 5 2	20 12 8 5 2 3	138 60 78 111 - 47 64	13 5 8 1	15 12 3 5 4 1	106 42 64 36 18	87 38 49 20 9	9 8 1 4 3 1	343 159 184 88 37 51	10 2 8 7 . 2	34 35 36 37
113 80 33 25 24	23 17 6 4 4	14 8 6 8 7	191 100 91 8 5 3	221 126 95 29 15 14	41 10 31 3 1 2	205 74 131 41 18 23	56 19 37 5 1 4	205 95 110 56 37 19	18 12 6 10 10	22 14 8 5 5	15 13 2 4 3 1	1	13 8 5 1 1	1	166 88 78 30 22 8	148 68 80 46 31 15	25 22 3 5 5	. 478 249 229 94 56 38	32 7 25 20 7	i
347 342 5	65 64 1	28 26 2	293 287 6	515 504 11	31 28 3	402 384 18	45 43 2	158 154 4	92 91 1	56 56	43 42 1	397 381 16	33 32 1	59 59	331 329 2	439 419 20	163 · 158 5	881 862 19	45 45	46 47 48
6 21 20 5	1 2 2 1	3	6 14 13 6	10 28 23 15	4 1 2	9 12 10 19	4 2	7 3 9 8	4 3 4	2 5 3 6	5 2 4	5 24 18 20	1	1 1	7 12 19 14	16 13 22 17	5 3 6	19 50 37 34	1 1 5	49 50 51 52
145 76 63 11	32 15 11 1	11 7 5 2	127 62 43 22		12 5 6 1	134 139 68 11	21 12 5 1	60 46 20 5	31 31 10 9	18 . 12 6 4	14 11 5 2	160 91 62 17	18 6 7 1	1	133 88 48 10	I	· 76 33 35 5	349 219 137 36	3 9 21 5	
47 47	5 5	11 10 1	23 23	53 52 1	9 9	84 82 2	13 13	36 36	8 8	7 7	9 8 1	45 43 2	5 5	9	36 34 2			123 120 3		57 58 59

 $<sup>^{\</sup>rm 2}$  Colored population less than 10 per cent of the total.

#### TABLE 3.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA AND ITS

[Figures for white and colored are shown separately for minor subdivisions (except as indicated in the footnotes) only when the colored population of the subdivision formed of death correspond to those of the

=						· · · · · · · · · · · · · · · · · · ·	D	EATHS FE	юм			•		•	
	AREA AND COLOR.	All causes.	Typhoid fever.	Mala- ria.	Small-pox.	Measles.	Scarlet fever.	Whooping cough.	Diph- theria and croup.	In- flu- enza.	Ery- sipelas. (12)	Tuber- culosis of the lungs.	Tuber- culous men- ingitis.	Other forms of tuberculosis.	Rheu- ma- tism.
	REGISTRATION CITIES—Continued. WISCONSIN.														
1 2 3	Registration cities (total)	9,941 9,903 38	161 160 1	2 2		80 80	94 94	60 59 1	158 158	63 63	36 36	782 776 6	57 57	86 85 1	69 68 1
4 5 6 7 8	Appleton. Ashland Beloit. Ban Claire Fond du Lac	216 209 164 283 273	2 9 2 2			3 1	1	1	1 4 9	2 1 2 4 2	1 2 1	20 23 15 26 16	2 1 2	4 3 1 4 4	4 2 3 1 2
9 10 11 12 13	Green Bay Janesville Kenosha La Crosse Madison	219 301 419 305	5 1 11 4 1			6	3 5 2	5 4 5 8 2	7 3 2 10	4 2 2 6 7	1 1 1 1 2	25 17 18 34 17	8 1 4 2 5	2 3 1 7 4	1 2 1 1 3
14 15 16 17	Manitowoc Marinette Milwaukee Oshkosh	155 194 4,727 462	3 10 75 5			28	1 62 3	1 6 9 3	1 80 4	13 1	2 15 4	14 16 384 30	2 3 11 1	4 2 26 4	2 1 28 4
18 19 20 21	Racine Sheboygan Superior Wausau RURAL PART OF REGISTRATION	459 308 472 251	10 3 14 4	1		1 3 1 6	4 1 2 8	1 9 6	8 2 17 10	11 1 2 3	1 3 1	48 30 34 15	5 3 5 1	3 4 8 2	6 3 5
	RURAL PART OF REGISTRATION STATES.1 CALIFORNIA.								,						
22 23 24	Total	14,383' 13,667 716	207 194 13	82 77 5	2 1 1	14 12 2	51 51	87 83 4	73 71 2	131 129 2	30 30	1,951 1,806 145	93 89 4	152 140 12	50 46 4
25 26 27 28 29	Alameda County Alpine County Amador County Butte County Calaveras County	629 3 153 399 95	9 2 3 1	7		1		2	5	3 2 5 1	1	107 32 32 9	6 1 3	3 3 4	1 2 1
30 31 32 33 34	Colusa County. Contra Costa County Del Norte County Eldorado County Fresno County.	107 326 18 132 595	3 5 16	i		1 1	9	1 5 1	3 1 9	6 3 8 1	1 2	6 37 3 7 77	2 9	1 1 10	2
35 36 37 38 39	Glenn County Humboldt County Imperial County Inyo County Kern County	69 174 142 27 195	1 10 2	1 1		1		1	1 1 1	1 3 1	1	8 18 22 14	2 1	1 3 3	
40 41 42 43 44	Kings County Lake County Lassen County Los Angeles County Madera County	183 82 22 1,869 72	6 2 2 13	7 1 2		1 1	1 1 9	11 2	12	1 1 9	1 2	15 13 1 419 6	1 13	5 2 16 1	1 1 3
45 46 47 48 49	Marin County Mariposa County Mendocino County Mendoc County Modoc County	234 28 330 130 37	3 6 2	<b>-</b>		3	1 1 2 1	2 4	2	2 1 2 1	1 1	44 5 35 17 2	1	1 2 1 1	2
50 51 52 53 54	Mono County Monterey County Napa County Nevada County Orange County	11 270 547 226 466	2 4 1 1			1	1 1 1	2 3 3	1	3 1 1 8	1 2 2	30 57 32 40	3	3 5 2 11	1 1 2 1
55 56 57 58 59	Placer County Plumas County Riverside County Sacramento County San Benito County	271 52 213 337 94	4 3 8	7	1		3 1	2 1	2 3 3	3 2 2	1	32 50 47 12	1 1 1 2	2 3 5	3
60 61 62 63 64	San Bernardino County San Diego County San Joaquin County San Juis Obispo County San Luis Obispo County San Mateo County	507 249 485 204 258	8 1 10 4 2	2	1	1	1 1 1	3 3	1 1 4 1 1	3 1 4 2	1 1	87 31 64 36 40	7 1 2 5	6 4 4 2 1	1 1 3 1

<sup>1</sup> Exclusive of municipalities having a population of 10,000 or over in 1910.

							····	1	EATHS F	ROM—			· · · · · · · · · · · · · · · · · · ·						
								Diar-					]	<u> </u>		<u> </u>		<u> </u>	
Can- cer.	Dia- betes.	Menin- gitis.	Cerebral hemor- rhage and softening.	Organic diseases of the heart.	Bron- chitis.	Pneu- monia (all forms).	Other respira- tory dis- eases.	rhea and enter- itis (under 2 years).	Appen- dicitis.	Hernia, intes- tinal obstruc- tion.	Cir- rhosis of the liver.	Ne- phritis, Bright's disease.	Puer- peral fever.	Other puer- peral affec- tions.	Congenital debility and malformations.	Violent deaths (ex- cluding sui- cide).	l '	All other causes.	III- defined and un- known.
16	(87)	17	18	19	20, 21	22,(23)	(28)	25	26	27	28	29	31	32	.83		36	(37)	38
		•																	
648 646 2	129 129	128 127 1	467 465 2	805 801 4	173 173	745 742 3	119 119	622 620 2	164 164	122 122	122 122	531 528 3	59 59	44 44	663 661 2	603 600 3	148 147 1	1,953 1,948 5	48 48
18 10 12 23 18	3- 2- 2- 4- 4-	· 2 7 1 1 2	17 12 13 12 17	25 18 12 34 24	1 3 1 1 3	10 16 9 19 17	2 5 3	7 6 6 4 12	4 2 6 15	. 2 4 1 5 5	3 2 1 1	8 5 11 20 13	1 2 1 1 2	1 1 1	9 13 11 10 10	11 21 3 21 21	1 3 2	48 41 45 68 61	6 1 8 3
27 17 13 39 29	7 3 2 9 4	11 1 7 4 5	19 11 11 14 18	23 27 20 35 25	. 4 2 2 . 2	63 18 12 23 16	7 3 3 6	44 4 34 6	22 1 2 14	8 2 2 17	2 12 8	29 12 10 13	6 1 5	2 1	50 8 25 18 23	28 20 26 26 29	5 4 6 7	96 45 61 88	5 1 1 2 1 2 1 1 1
29 13 13 294 41	4 2 4 62 2	5 1 1 53	8 5	25 13 15 378	3 2	7	4	7 2 9	6	5 1 3	1 1	19 9 16	2 2	<u>-</u> -	· ·	29 10 9	4	61	
1		4	209 23 22	39	116 3 11 8	13 373 31 42	1 42 12	391 12 27 18	54 11 8	49 7 3	69 8	262 27	23 1 5	29 2 3	17 341 33	249 14	2 75 9	40 38 919 105	3 1 2 1 8 1 2 1 2 1
27 31 13 10	5 5 3 6	3 10 6	22 20 21 15	35 22 43 17	. 3	42 14 38 24	11 3 7 3	18 24 9	5 8 4	1 5 2	4 5 1	16 23 24 14	1 3 2	3	22 22 33 14	24 21 50 20	5 9 4	75 42 77 43	$\begin{array}{c c} 2 & 1 \\ 1 & 2 \\ 2 & 2 \end{array}$
									,	•									
725 706 19	132 130 2	144 127 17	764 746 18	1,800 1,749 51	126 123 3	1,051 996 55	158 150 8	388 354 34	90 89 1	735 125 10	176 170 6	872° 852 20	59 56 3	84 79 5	455 430 25	1,427 1,334 93	281 257 24	2,542 2,418 124	51 2 47 2 4 2
40 5 25 2	5 1 7 2	6 4	33 8 15 4	72 11 36 10	1 2	79 11 34 8	14 3 6 1	,16 4 16 4	4 5	3 7 1	5 1 3 1	72 21 20 8	2 1 1	5 1 1	16 3 12 2	34 3 15 45 14	6 2 10	76 20 92 21	2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2
8 10 2 6	2 1	 2 1	5 18	9 31 2 32	2 1 2	· 8 32 · 1 6	2 3		3	1 2	2 4	3 18 1 1	2	1 3	2 17	14 47 4 8	2 9	26 42 4	1 3 1 3 3 3 3 3
26	5 1 2	6	26 3 14	75 8 24	5	52 6	6 1 1 2	26 2 3 10	1 3 1	7 1 1	· 10	32	1 4	5	1 34 2	66 9	12 2 2	31 65 8	
3 5 3 2 1	1 1 1	1 2	8 10	7 1 16	1	17 4 3 20	$\frac{2}{1}$	10 1 7	1	2 1 3		6 8 3 2 3	1 2 1	2	11 2 1 10	29 33 2 58	2 3 5 2 11	31 15 8 23	2 3 2 3 3 3
102 4	1 1 18 18	2 1 16	11 99 5	13 8 2 256 8	2, 1 18	15 5 4 105 3	1 2 10	11 2 1 61 2	1 5	13	3 3 21 4	11 7 1 118 3	1 5 1	1 8	17 3 1 75 3	17 5 2 99 12	3 1 35	26 16 3 295 14	1 4 4 2 4 4 4
17 1 5 6	2 2 2	2 3 1	11 1 15 8 3	40 4 38 17	2 6	18 27 6	2 2 2	3 5 2 2	2	3	<u>4</u>	16 2 23 6 3	3 1	1 5 1	9 6 4	18 7 41 25 2	1 2 6 4	23 4 83 15	1 4 2 4 4
5			1	6	2 2 2 3	3			1 2 1	3	1 5		1			a		4	1
19 33 14 27	8 6 1 4	2 7 1 3	17 31 18 26	33 83 27 51	3 6 1	14 34 13 37	4 5 6 2	6 5 3 22 2	2 6	3 6 3 4	5 12 3 8	14 30 18 15	1 1	2 4 4 4 2	3 4 6 17	23 29 23 35	9 8 1 12	57 176 37 88	1 5 5 5 2 5
5 14 7	1 1	7 4 1	12 3 7 15 5	28 8 11 27 14	1 2 1	23 5 13 22 4	11 11 1	6 9 5	1 1	3 2	2 8 4	12 1 14 27 6	i 1		7 1 8 12 4	50 22 1 28 40 3	3 1 2 6 3	56 7 32 65 17	4 5 3 5 5 1 5
13 12 34 11 16	2 5 1 1	4 3 4	19 19 15 10 12	75 41 61 27 36	5 4 2 3 2	30 16 34 11 20	5 2 2	24 2 4 3 5	3 2 6 2 3	5 1 4 2 3	2 2 7 3	23 17 59 9 6	2 2 5 1 2	2 1 5	16 7 11 4 11	55 28 46 22 29	8 2 12 4 6	98 44 71 39 41	2 66 2 66 1 66 1 66

TABLE 3.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA AND ITS

							E	EATHS FI	гом—						4.
	AREA AND COLOR.	All causes.	Typhoid fever.	ria.	Small-pox.	Measles.	Scarlet fever.	cough.	Diph- theria and croup.	In- flu- enza.	Ery- sipelas.	Tuber- culosis of the lungs.	culous men- ingitis.	Other forms of tu- bercu- losis.	Rheu ma- tism.
	DITE A DADO ON DEGREE ANTON		1	8	4	5	6	7	8	9	(12)	13	14	15	(37)
	RURAL PART OF REGISTRATION STATES 1—Continued.														
1 2 3 4 5	Santa Barbara County Santa Clara County Santa Cruz County Shasta County Sierra County	115 904 179 223 42	4 1 5	1 11		1	2 1	3 2	1 1	2 4 1 5 2	2	14 124 17 19	1 3 2	12 4 2 1	3
6 7 8 9	Siskiyou County	166 179 692 242	2 9 6	3 1 3			1 1 1	2 3 3 1	2 1 1 2	2 1 6 1	1 2	14 14 85 27	1 4 3	1 9 2	3
0 1 2 3	Sutter County. Tehama County. Trinity County. Tulare County.	67 145 52 349	2 6 12	2 4			1 2	1 1 3	5	1 4 1 5	1	5 16 3 41	1	5	2 1
.4 .5 .6 .7	Tuolumne County. Ventura County. Yolo County. Yuba County. COLORADO.	140 265 204 178	3	1 1 2 6		1		9 1 1	1	6 2 7	1 1	13 39 17 16	2	4 2 4	1
8 9	Total. White. Colored.	6, 088 5, 975 113	193 186 7			69 69	61 61	31 31	49 49	72° 72	14 14	819 801 18	18 18	32 30 2	39 39
1 2 3 4 5	Adams County	65 131 30 25 85	1 3 1 2 2			3	1	1	1 2	1 1	1	19 49 2 29		i	
6 7 8 9	Boulder County Chaffee County Cheyenne County Clear Creek County Conejos County	340 111 21 67 64	8 6 1			5 1 2	, 1 , 1	2	1	4 2 2 1	1 2	58 6 3 8	4 1	3	
1 2 3 4 5	Costilla County Crowley County <sup>2</sup> Custer County Delta County Dolores County	12 21 23 110 6	1 4 9			1 1	1		1	1 3		1 1 1	3		
6 7 8 9	Douglas County Eagle County El Paso County Elbert County Fremont County	32 33 253 37 253	3 2 2 2 6			1	2		1	1 1 1 1	1 1	4 1 91 1 32		1 1 2	
1 2 3 4 5	Garfield County. Gilpin County. Grand County. Gunnison County. Hinsdale County.	120 50 4 52 6	9			1	2					6 4 3 1	1	1	
57890	Huerfano County Jackson County Jefferson County Kiowa County Kit Carson County	203 6 281 19 43	2			2	4	1	2 1	2 2	1	12 139 2 2		1 3 1	
1 2 3 4 5	La Plata County Lake County Larimer County Las Animas County Lincoln County	138 219 238 365 33	2 1 8 15			8 1 3	1 5 5	3 4 1	1 1 10	1 5 5 1 1	1 1	8 5 26 19 6	2	1 1 3	
8	Logan County Mesa County Mineral County Moffat County Montat County Montezuma County	99 215 13 12 25	7 10			4 1	2 3	2	1 3	2 3 1	1	6 24 1		1	
1 2 3 4 5	Montrose County Morgan County Otero County Ouray County Park County	90 89 343 38 30	5 3 24			5 12 2	4 6	2	1 3	1 4		9 20 58 2 2	2	1 1 1	
6 7 8	Park County Phillips County Pitkin County Prowers County Pueblo County	18 49 139 354	18			2 5	8	1 4	1 6 1	1 2 5	1	1 14 48	2 1	1	

<sup>&</sup>lt;sup>1</sup>Exclusive of municipalities having a population of 10,000 or over in 1910.

<sup>&</sup>lt;sup>2</sup> Organized from part of Otero County, May 29, 1911.

								3	DEATHS I	том—				<del> </del>			1 10 2 10 10 10 10 10 10 10 10 10 10 10 10 10			T
Can- cer.	Dia- betes.	Menin- gitis.	Cerebral hemor- rhage and softening.	Organic diseases of the heart.	Bron-chitis.	Pneu- monia (all forms):	Other respira- tory dis- eases.	Diarrhea and enteritis (under 2 years).	Appen- dicitis.	Hernia, intes- tinal obstruc- tion.	Cir- rhosis of the liver.	Ne- phritis, Bright's disease.	Puer- peral fever.	Other puer- peral affec- tions.	Congenital debility and malformations.	Violent deaths (ex- cluding sui- cide).	1	All other causes.	III- defined and un- known	
16	(37)	17	18	19	20, 21	22,(23)	(23)	25	26	27	28	29	31	32	38		36	(37)	38	
62 13 11 2	3 15 1	1 13 4 2	4 60 7 7 2	12 128 20 27 4	10 3 2 1	9 63 17 11 5	2 9 4	6 17 3 7	5 1 3	14 1 3	3822	5 62 13 8 2	3 2 1	2 4 2 3	6 23 6 5	10 61 16 38 7	3 17 2 5	21 173 40 39 12	 1 1 1	
9 7 30 14	1 2 6 3	2 2 11 7	7 17 60 15	10 23 102 28	1 2 11 1	14 17 47 18	1 12 8	· 5 8 12 7	1 1 7 4	3 3 1	5 1 15 4	8 10 34 12	2 4 1	1 3 1	6 3 22 7	22 15 44 20	9 8 16 3	33 33 131 39	3 1 1 1	
4 8 3 19	1 1	2 6	3 2 3 21	10 33 7 44	3 1 1 3	5 8 1 24	1 2 5	1 1 11	5	2 1 1	1 5	1 5 3 18		1 3	1 2 1 17	9 12 10 33	1 2 5 2	15 25 10 53	1 1 1	111111111111111111111111111111111111111
6 11 13 7	1 1 5 2	2 1 1 1	4 21 10 9	11 34 28 30	1 6	28 18 7 16	5 1 2 1	1 14 5 3	1 2 1	2 5 3 2	1 2	6 17 13 5	2 1	1 2 1	1 6 4 3	5 22 28 24	5 2 3 3	27 38 46 34	1 1 2 2	11111
238 235 3	55 55	59 59	198 194 4	405 400 5	55 53 2	679 664 15	86 83 3	297 296 1	69 68 1	50 49 1	40 40	319 312 7	47 46 1	47 47	416 412 4	605 585 20	92 91 1	907 889 18	. 27 27	112
4 6 2	1	1 1	5 3 1 3	4 4 1 1 5	2	5 14 5 6 12	1	1 2 2	i	1	<u> </u>	4 6 1	1 1	1	1 5 2 4 5	5 8 6 4 3	3 4 1	6 20 5 · 4 5		2 2 2 2 2 2
17 9 3 2	5 2	2 2	21 1 1 2 1	28 6 7	3	19 16 3 13 13	2 1 6 1	14 4 3 1 3	5 3 1	2 1	3 1	23 9 4 6	2	1 1 1	21 8 1 6	26 12 6	4 5	53 14 4 7	1	2 2 2 2
2 1 1 7	3 1	1 2	2 7	1 1 2 13	i 1	13 3 1 5 8	1	3 4 7	1 1 1	1	······i	1	1	i	5 · · · · · · · · · · · · · · · · · · ·	5 1	4 2	8 1 6 4 18		3 3 3 3
••••••		1 2	1 11 17	2 4 16	4	3 3 18 3 32	1	1 8 2	i	1	1	1 3 3			4 1 1 13	6 2 7 7 27	1 3 3 2 3	1 4 4 24 5	1	. 3
9 2 13 6 1	3 2 1	2	1 7 4	15 12 7	1 2 1	3 32 8 4	2 2 4	13 4 1	······i	2 1	4 2	13 1 15 11 8	2	3 3 2 1	1 13 2 19 11 2	27 9 26 14 7	2 3 1 1	39 17 5	3	3 4 4 4
5	1 2	2	2	3 8	1	6 1 30	1	1 26	1	1 1		6 1 11	1 5		3 26	1 7 1 31	1	12 1 24		4
9 1 1	3		11 1 3	13 1 3	2 · 1	30 1 15 2 2	6	5	1	1	2	11 1 14 1	·····ż	1	1 15 3 6	11 2	1 3	22 5 9	1 1	4445
10 6 11 11 2	1 2 3 2	2 2 1 8 1	2 8 9 5	14 15 15 8 1	10 2 2 2	19 37 23 42 3	10 2 1	3 5 12 36 1	6 1 5 2	3 3 6 4	, 1 3 2	10 16 10 13 1	2 2 3 1	1 3 2 4 1	16 15 25 3	13 24 16 80 6	2 3 1 3	22 32 43 49 3	3 4	5 5 5 5 5
9 12	2 5	1 2	9	5 30 1 3	3 1	15 11 4	1 2 1	7 5	· 1 8	3	3	3 7 1 1	1		7 24 1	6 13 3 1 6	1 2 1	17 29 2 4 6	1	5 5 5 5 6
1 7 5 2 1	1 3	2 4	3 3 11	8 4 14	1 1	8 8 29 6	1 1 2 4 1	2 2 25 25	2 5 1	1 1 1	1 2 1	6 3 16	3 2 1 1	2 6	11 9 23 2	5 6 25 3	1 1 6 3	8 14 48 6	4	6 6 6
1 4 4 6	2 1 1	1 2 6	2 8 9	3 6 12 19	1 3 1	2 9 12 30	3	1 2 9 14	3 3	3	2 1	4 1 9	1 1	1 1 4 1	2 3 9 15	. 2 2 3 7 41	1 2 1 5	2 6 6 15 104		6 6 6 6

<sup>&</sup>lt;sup>3</sup> Organized from part of Routt County, Mar. 27, 1911.

<sup>&</sup>lt;sup>4</sup> Part taken to form Crowley County, May 29, 1911.

## TABLE 3.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA AND ITS

[Figures for white and colored are shown separately for minor subdivisions (except as indicated in the footnotes) only when the colored population of the subdivision formed of death correspond to those of the

-							n	EATHS FF	пом—				orrespon		7
	AREA AND COLOR.	All causes.	Typhoid iever.	Mala- ria.	Small-pox.	Measles.	Scarlet fever.	Whooping cough.	Diph- theria and croup.	In- flu- enza.	Ery- sipelas.	Tuber- eulosis of the lungs.	Tuber- culous men- ingitis.	Other forms of tu- bercu- losis.	Rheu- ma- tism.
			1	3	4	5	6	7	8	9	(12)	18	14	15	(37)
	RURAL PART OF REGISTRATION STATES 1—Continued.														
1 2 3 4	COLORADO—continued.  Rio Bianco County. Rio Grande County . Routt County 2. Saguache County .	23 113 53 56	1 2				1	2 1			i	1 8 5 2		i	2 2
5 6 7 8	San Juan County San Miguel County Sedgwick County Summit County	54 69 19 16	1 1					2			1 1	5 5			1
9 10 11 12	Teller County. Washington County Weld County. Yuma County.	219 33 362 61	2 2 14			3 4	· 7	4	4	1 1 4 1		8 4 45 2	1	1 1 2 2	6
13 14 15	CONNECTICUT. Total. White Colored.	5,528 5,447 81	23 23	6 6		19 19	31 31	43 41 2	73 73	115 114 1	17 17	462 448 14	36 36	41 41	38 37 1
16 17 18 19	Fairfield County	825 1,158 828 340	2 1 6 1	1 1 1		1 7 6	2 9 3 2	3 6 13	5 22 6 7	11 18 17 10	2 3 1 2	116 108 55 22	6 10 6 3	6 10 10 3	7 7 7 1
20 21 22 23	New Haven County New London County Tolland County Windham County	727 739 373 538	6 4 3	2 1		1 2 1 1	10 1 2	6 8 1 6	8 7 15 3	23 10 14 12	1 5 1 2	44 60 18 39	6 · 2 1 2	4 4 3 1	6 3 3 4
24 25 26	Total. White. Colored.	23,372 22,966 406	499 494 5	81 80 1	2 2	206 206	108 108	185 183 2	228 228	398 393 5	81 79 2	2,397 2,313 84	137 130 7	270 265 5	130 129 1
27 28 29 30 31	Adams County Allen County Bartholomew County Benton County Blackford County	183 298 336 112 195					1 1	2 1 1	1 2 8	5 2 2	1 2 2 2 3	19 35 46 6 16	1 2 4	3 5 1	2 4 5
32 33 34 35 36	Boone County Brown County Carroll County Cass County Clark County	281 76 186 261 259	4 3 5 4 3	1 1		1 1	2 9 1	4 3 1	3 2 1	9 3 1 3 8	1 1 1 1	36 12 17 30 32	1 2	5 1 5 5 2	5 1 2
37 38 39 40 41	Clay County Clinton County Crawford County Daviess County Dearborn County	423 297 156 329 270	4 3 5 11 2	3 2 3		7 3 1 1	1 3 5	3 1 5 4	9 4 1 3 2	6 9 4 6 3	4 1 2	46 30 27 43 25	2 2 2 3	5 4 1 2 1	2 1 1
42 43 44 45 46	Decatur County Dekalb County Delaware County Dubois County Elkhart County	262 270 298 233 371	8 2 10 6 6	2 1 1		3 3 2 11	2 3 6	1 1 5 3	4 3 1 6 3	5 5 3 3	2	27 23 33 27 23	2 2 1 1	5 4 3 4 3	1 1 2 1 3
47 48 49 50 51	Fayette County Floyd County Fountain County Franklin County Fulton County.	208 126 250 197 202	3 2 3 5	1 2 1 2	1	10 3 6	1 2 2 2 2 1	7	i	2 4 6 3	1	21 13 23 23 19	1 1 1 3	2 1 4 2 2	2 1 1 1
52 53 54 55 56	Gibson County Grant County Greene County Hamilton County Hancock County	399 519 437 339 251	9 9 13 6 6	5 3 1		4 3 3 2	1 3 1 1	4 3 2 5 4	6 2 7 1 1	11 3 7 7 5	2 1 1 2	56 43 46 41 23	2 4 2 2 2 2	5 2 4 2 6	2 1 1
57 58 59 60 61	Harrison County. Hendricks County. Henry County Howard County Howard County Huntington County.	199 233 404 175 192	6 4 7 1 4	1			1 3 1 2	7 3 4	4 1	2 5 5 1 2	1 1 1 3	23 27 39 19 21	1 2	2 4 3 2	1 1
62 63 64 65 66	Jackson County Jasper County Jay County Jefferson County Jennings County	311 135 311 348 182	8 4 9 7 10	2 3 1		5 1 1 1	1	1 3 4 1	3 1 1	1 7 3 2	1	32 11 27 52 21	2 2 2 2 1	4 1 8 2	1 2 4 1

<sup>1</sup> Exclusive of municipalities having a population of 10,000 or over in 1910.

						•		•	DEATHS	FROM-					•				
Can- cer.	Dia- betes.	Meningitis.	Cerebral hemor- rhage and softening	Organic diseases of the heart.	Bron-chitis.	Pneu- monia (all forms).	Other respira- tory dis- eases.	Diarrhea and enterrits (under 2 years).	Appendicitis.	Hernia, intes- tinal obstruc- tion.	Cir- rhosis of the liver.	Ne- phritis, Bright's disease.	Puer- peral fever.	Other puer- peral affec- tions.	Congenital debility and malformations.	Violent deaths (ex- cluding sui- cide).	i	All other causes.	III- defined and un- known
16	(87)	17	18	19	20, 21	22,(23)	(23)	25	26	27 .	28	29	81	32	38	35	86	(37)	38
1 10 2 2 2		1	1 5 1	. 2 9 4 5	2 2 2	7 15 8 22	3	1 6 1 3	1 4 1	1	1 2	7 3 1	1 1	1	1 .4 .4	1 3 9 4 12	1	5 25 9 6	2'
1 2	1		1 2 2	6 1		6 19 1 2	1 2	1 		1		3 2 4	1	1	. 1.	16 3 3	1 1	4 5 1	
18 3	3 2	1 4 1	15 2	13 26 4	3 1	• 41 • 3 34 6	8 2 4	15 3 28 3	6 2	1 3 2	1 2	11 3 21 7	3 5	1 3	17 2 30 6	28 2 23 5	3 1 3	27 8 51 13	, 1 1 i
304 303 1	· 62 2	63 62 1	494 492 2	.672 664 8	92 91 1	479 472 7	49 48 1	211 211	17 16 1	34 33 1	.49 48 1	419 410 9	9 8 1	15 15	297 290 7	326 322 4	61 59 2	938 925 13	31 30 1
48 66 45 26	10 11 10 2	10 13 8 2	72 92 73 32	106 140 90 36	10 23 10 6	58 106 72 30	4 6 7 6	25 67 25 10	3 5 3	5 7 4 2	13 7 6 4	62 69 86 28	1 2 2 1	1 2 2 2	43 76 38 . 15	41 72 39 22	11 9 9 5	139 176 158 58	1 7 10 2°
35 35 21 28	12 7 3 9	· 5 3 5 17	87 63 29 46	57 125 53 65	12 12 12 7	73 64 32 44	7 7 5 7	32 18 13 21	4 1 1	5 8 1 2	6 2 8 3	58 59 21 36	1	2 2 1 3	43 32 21 29	57 39 20 36	7 4 12 4	111 142 54 100	4 1 3 3
1,275 1,264 11	254 253 1	160 160	1,557 1,535	2,683 2,626 57	292 289 3	1,792 1,761 31	152 151 1	996 981 15	141 138 3	193 193	213 209 4	1,511 1,477 34	190 187 3	124 123 1	1,171 1,153 18	1,406 1,382 24	250 249 1	4,262 4,197 65	28 28
11 18 17 8 8	3 5 3 1	1 3 2 1 1	20 22 19 7 12	20 26 40 11 27	2 4 1	13 38 25 11 17	2 5	8 14 10 2 9	1 3 1	1 3 3 3	2 3 2 1	9 26 12 6	2 4 2 4	5 · 1 2	15 15 13 5	14 22 14 8 12	1 3 5 2 2	25 35 72 28 37	
13 10 18 18	3 1 2	2 2 4 1	14 1 21 21 11	39 11 16 30 23	5 2 4	16 3 14 15 19	1 2	5 4 2 7 11	1 2 5	1 1 3 1	4 3 2 3	19 3 14 15 26	2 2	1 1 3	17 2 14 11 21	13 1 7 13 25	1 2 3	56 20 36 57 34	1 1 1
17 24 11 9 22	2 3 5 5	3 3 2 5	13 32 4 22 26	44 32 18 40 38	2 5 1 6 3	27 25 12 26 26	6 1 1 7 3	34 8 7 16 4	3 1 2 3	2 2 2 5 3	4 1 1 4	33 16 7 21 12	9 5 1	3 3 1 4	19 15 4 19 8	29 17 7 19 14	5 4 1 2 6	79 44 22 45 50	
14 22 8 4 23	7 1 3 2 8	4 2	20 18 29 12 40	39 30 28 27 51	7 6 3 3	18 13 22 26 14	5 4 3 3 3	1 8 12 13 10	1 1 1 3	1 3 1 4 1	4 2 3 1 2	13 17 18 14 25	1 2 3 4 5	1 2 2 2 2 2	9 7 19 12 15	9 17 14 12 26	2 3 5	55 65 58 38 77	
16 8 12 9 12	1 7 2 2	3 1 2	7 2 18 15 12	32 28 33 18 25	2 3 2 1	7 7 15 17 13	2 1 2 1	7 5 13 6 9	1 3 1 4	1 2 5 2 2 3	2 1 3 1 2	19 3 15 10 11	1 3	i	6 7 10 9 10	9 3 16 13 10	2 4 4 1 4	51 23 44 39 46	1
20 29 16 23 11	5333	1 1 4 2	31 44 16 30 12	25 92 26 35 20	6 6 5 8 6	31 25 53 27 19	3 2 1 2	25 16 41 10 10	· 1	5 5 4 1 3	2 6 5 2 5	24 47 15 21 21	5 1 12 2 2 2	2 1 3 4 3	22 18 32 18 18	23 21 30 15 16	3 3 12 3 1	64	
11 11 21 11 9	2 5 3 4 3	3 3 2 1	9 15 29 15 19	34 23 44 32 32	1 6 7 2 1	18 20 29 8 13	1 2 2 1 1	8 4 16 5 3	2 3 4 3 3	3	4 1 4 2 2	12 19 22 13 14	1 2 2	2 1	11 7 22 11 9	6 16 32 8 11	2 2 4	26 43 88 30 32	
13 16 24 26 14	3 1 5 6 3	3 1	10 8 25 15	37 14 38 52 13	4 1 2 3 1	27 11 18 34 22	2 1 2 1	13 5 11 8 7	1 2 2 1	2 6 1 1	5 1 2 2 3	22 12 19 19 21	1 3 1 1	3	21 11 15 7	20 5 16 12 11	4 · 3 5	62 25 55 75 24	2 1 2

<sup>&</sup>lt;sup>2</sup> Part taken to form Moffat County, Mar. 27, 1911.

#### TABLE 3.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA AND ITS

=							- D	EATHS FR	ом				orrespon		
	AREA AND COLOR.	All causes.	Typhoid fever.	Mala- ria.	Small-pox.	Measles. 5	Scarlet fever.	Whooping cough.	Diph- theria and croup.	In- fiu- enza.	Ery- sipelas. (12)	Tuber- culosis of the lungs.	Tuber- culous men- ingitis.	Other forms of tuberculosis.	Rheu- ma- tism.
	RURAL PART OF REGISTRATION STATES.1—Continued.								,						
	indiana—continued.														
1 2 3 4 5	Johnson County Knox County  Knox County  Lagrange County  Lake County	244 280 365 194 - 309	12 1 1 1 6	1 2		6 5 3 1	1 1 1 1	4 3 2 2	4 6 3 2	3 7 6 4 4	1 1 1	30 22 35 17 33	4 1 1	4 2 2 2 4	3 2 2 4 1
6 7 8 9 10	Laporte County Lawrence County Madison County Marion County Marshall County	209 445 378 364 282	1 21 5 4 7	4 1		1 7 1 5	3 2	1 9 2 7 4	4 6 8 2 3	13 3 1 11	1 4 1 2 1	12 48 49 27 22	7 3	1 7 5 8 2	3 1 4 1 2
11 12 13 14 15	Martin County Miami County Monroe County Montgomery County Morgan County	143 220 287 352 277	7 12 3 6 6	1		1 1	1	1	1 2 4	8 7 5 7 5	4	17 19 40 25 26	1 2 1 4 8	4	2 2 2 2 2
16 17 18 19 20	Newton County Noble County Ohio County Orange County Owen County	90 266 53 221 167	3 1 4 3	3		1 14 2	1 1	3	$\begin{bmatrix} 1\\1\\5\\2 \end{bmatrix}$	1 7 1 3 4	1	11 15 6 23 18	1 1 1	1 4 1 10 2	1
21 22 23 24 25	Parke County Perry County Pike County Porter County Posey County	260 231 249 230 289	9 11 6 6 4	1 1 3		6 1 1 3	3	2 2 3 2 5	5 14 11 2 3	3 5 8	1 1 1	22 24 34 14 39	5	6 3 5 1 2	2 2 1 4
26 27 28 29 30	Pulaski County Putnam County Randolph County Ripley County Rush County	148 250 326 285 232	5 6 3 14 5	4 2		1	1 4 1	2 1	4 1 4 3	1 4 2 8 2	1 1 1	10 27 35 36 17	4 3 1	2 4 7 2	1 4 3 3
31 32 33 34 35	St. Joseph County. Scott County. Shelby County. Spencer County. Starke County.	216 120 352 267 125	2 7 8 3	1 3 1		3 3 12	1 1 1	2 4 5 3	3 2 3 1	3 1 7 2	1 3 1	20 19 55 27 9	3 1 3	1 3 1 5	2 1 1 1
36 37 38 39 40	Steuben County. Sullivan County. Switzerland County Tippecanoe County Tipton County.	182 410 123 279 196	2 8 2 2 1			2 1 1	3	8	9	6 6 7 2	1 4 1 1 2	8 50 13 26 22	1 2 2	4 2 2 1 2	3 1 1
41 42 43 44	Union County Vanderburg County Vermilion County Vigo County	79 234 279 412	1 3 2 20	2 3 3	i i	7	1 2	3 6	2 6	3 3 9 7	1 3 1	5 31 22 40	1 1 3	1 2 6 3	1 3 1
45 46 47 48	Wabash County Warren County Warrick County Washington County	320 131 293 214	4 5 13 10	<b>-</b>		2 2 11 7	1 1	3 2 2	6 3	6 3 8 5	1	29 8 30 20	1 3 6 1	2 1 6 4	1
50 51 52	Wayne County Wells County White County Whitley County  KENTUCKY.	355 240 211 204	2 7 3 4	2		1 2 4	1 7	3 1 1	2	2 3 2	1 1	20 20 22 15	1 2 1	3 2 3	1.
53 54 55	Total White Colored	23, 473 19, 643 3, 830	930 794 136	198 167 31	4 4	357 333 24	67 65 2	410 335 75	523 504 19	339 287 52	54 51 3	3,701 2,874 827	186 159 27	366 298 68	133 110 23
56 57 58 59 60 61	Adair County (total) White Colored 2 Allen County (total) White Colored 2	213 179 34 209 181 28	11 9 2 6 4 2	1 1 1		3 3	1 1	5 5 1 1	12 10 2 2 1 1	4 4 7 7		42 34 8 38 28 10	1	5 4 1 6 5 1	1 1 1 1
62 63 64 65 66 67	Anderson County (total)  White Colored 2  Ballard County (total) White Colored	114 96 18 133 118 15	2 2 4 4	1 6 6		1 1 7 7	1 1	3 1 2 6 5 1	1 1 4 3 1	2 2 4 3 1	1	* 19 14 5 18 16 2	3 3	2 1 1 2 2	1

 $<sup>^{\</sup>rm 1}$  Exclusive of municipalities having a population of 10,000 or over in 1910.

at least 10 per cent of the total, or numbered 10,000 or over in 1910. The term "cities" indicates municipalities of 10,000 inhabitants or over in 1910. Numbers under causes abridged International List (see p. 29).]

						•			DEATHS	FROM-		· .			•				
Can- cer.	Dia- betes.	Menin- gitis.	Cerebral hemor- rhageand softening	Organic diseases of the heart.	Bron- chitis.	Pneu- monia (all forms).	Other respira- tory dis- eases.	Diar- rhea and enter- itis (under 2 years).	Appen- dicitis.	Hernia, intes- tinal obstruc- tion.	Cir- rhosis of the liver.	Ne- phritis, Bright's disease.	Puer- peral fever.	Other puer- peral affec- tions.	Con- genital debility and mal- forma- tions.	Violent deaths (ex- cluding sui- cide).		All other causes.	Ill- define and un- known
16 -	(87)	17	18	19	20, 21	22, (23)	(23)	25	26	27	28	29	31	32	*33	35	36	(37)	38
15 8 24 11 11	2 3 4 3 4	2 3 1 2 2	11 20 33 10 9	18 25 57 28 29	4 4 4 3 4	25 30 28 13 27	2 3 3 1 2	10 19 8 6 40	2 2 3 2	1 6 2 2 4	4 2 4 2	12 6 25 13 26	1 2 4 3	21223	14 19 12 14 12	10 20 26 7 29	8 3 2	43 40 68 38 46	1
16 11 18 25 14	4 2 3 4 1	2 4 7 1 1	· 16 19 21 13 22	24 45 39 38 28	3 4 8 3 3	24 44 26 34 15	2 4 3 2	13 28 14 9 11	$\frac{1}{1}$	3 2 2 2 5	2 2 1 1 5	15 22 25 30 23	1 9 6 4 1	1 2 2 4	5 23 16 18 13	13 40 21 30 16	1 5 5 2	35 63 71 87 56	i
10 10 9 22 10	1 4 2 2	1 1 2 3 1	9 18 24 32 17	16 21 32 53 38	2 6 1 5	7 12 21 27 · 27	3 2 1	5 10 21 10 18	1 3 4 2	1 1 1 3 2	1 1 3 6 2	6 20 16 14 21	3 1 7 2 1	2 1 5	12 6 15 13 18	10 19 27 19 13	1 4 2	19 40 40 81 41	2
5 22 · 5 8 16	1 5 2	1 1 1	6 36 5 9 11	48 9 33 20	2 4 1 3 3	6 9 7 11 20	1 2 1 3	6 4 10 6	2 1	3 3	1 1 2	7 14 2 13 6	2	1 1 3	6 6 2 18 4	6 23 1 9 5	2 3 1 2	18 50 7 30 27	1
13 12 7 21 16	2 2 2	4 2 4 1	18 14 12 20 16	24 12 22 38 22	1 2 8	24 26 15 17 28	3 i	12 15 18 12 23	2 1 2 2	1 4 2 2 2	5 3 4 2 2	10 16 9 21 17	3 1 3	1 1 3	22 13 15 7 10	16 9 14 21 15	2 2 3 5	43 36 32 26 54	1 2 1
9 13 22 19 15	3 1 5 3 2	1 4 6 1	9 16 34 19 20	10 25 43 36 15	4 5 3 5 8	19 30 14 19 22	1 1 1 2	3 5 6 11 5	3 1 4 1 1	1 4 2	2 3 4	8 25 17 20 21	3 1 1 2 2	3 1	6 7 24 13 22	10 18 14 7 13	2 2 7 4 7	28 38 59 46 42	1 1
12 11 17 10 7	2 6 3 1	3 1	16 4 28 6 8	43 12 37 15 12	3 8 5	12 8 23 24 8	1 1 2 1 1	8 4 7 16 5	2 1 1 1	3 2 4 3 1	1 2 4 1 2	13 9 22 20 8	2 1 2 3 1	2 1 2 1 2	2. 5 11 10 12	10 1 27 18 4	5 3 6 2	41 23 65 54 32	1
15 14 12 22 9	4 1 10 2	2 3 2 2 3	22 16 6 25 9	31 26 32 41 23	5 1 5 3	8 31 9 19 7	2 3 2 2	2 37 2 8 11	2 4 1 2	1 3 4 3	1 4 1 1 2	8 27 5 12 13	2 5 1	1 2 2	12 35 7 8 9	10 38 3 19 13	2 4 ·2 2 2	36 53 15 59 42	1
8 7 12 19	3 3	1 2	10 7 15 15	14 24 24 39	1 1 7 4	1 21 27 23	1 2 2 1	2 13 20 31	·····i	. 1 1	4 1 6	1 8 19 21	1 2 3	2 1 1	6 11 23 29	7 16 22 33	3 4 6	11 62 41 73	3
22 4 15 7	6 3 4 1	2 1 4 1	23 12 11 12	41 15 26 27	3 1 5 1	23 9 19 13	1 2 1	9 3 20 6	2 2 3 3	3 2	3 3 2 3	22 5 21 19	3 2 3 1	2	16 3 5 14	25 15 18 8	6 1	60 28 42 40	1 1
16 6 9 17	5 2 3 1	3 1	41 14 19 13	42 21 22 21	1 4 2	21 23 15 27	1 1 1	10 7 8 2	4 1	5 2 2 2	1 3 1 2	33 29 17 20	2 2	1	14 8 15 5	21 12 10 9	3	101 39 42 41	i
698 615 83	99 92 7	407 363 44	648 552 96	1,368 1,107 261	241 202 39	1,746 1,410 336	218 179 39	970. 868 <b>10</b> 2	113 97 16	167 147 20	118 98 20	1,018 852 166	149 113 36	207 184 23	1,428 1,284 144	1,330 1,048 282	135 129 6	4,073 3,445 628	1,072 877 195
6 5 1 3		4 4 4 4	3 3 7 7	12 11 1 9 9	1 1 4 4	12 11 1 26 24 2	1	8 8 10 8 2	1	1 1	1 1	3 3 10 8 2	4 3 1 1 1	6 5 1 4 4	4 3 1 12 12 12	7 6 1 3 3	2 2	33 27 6 37 32 5	25 19 6 10 7
4 3 1 4 4	2 2	1	4 3 1 4	5 5 2	1 1	11 10 1 9 8		2 2 5 5	1 1 1	1	1 1	5 4 1 8 8	1	1 1 4 4	6 6 13 13	8 5 3 3 2 • 1	1 1 1	25 23 2 17 15 2	2 2 6 5 1

#### TABLE 3.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA AND ITS

=	- 1				<del></del>				<del></del>	<del></del>	-				e or the
								EATHS FR	ом	<del>,</del>					
	AREA AND COLOR.	All causes.	Typhoid fever.	Mala- ria.	Small- pox.	Measles.	Scarlet fever.	Whoop- ing cough.	Diph- theria and croup.	In- flu- enza.	Ery- sipelas.	Tuber- culosis of the lungs.	Tuber- culous men- ingitis.	Other forms of tuberculosis.	Rheu- ma- tism.
	RURAL PART OF REGISTRATION STATES.1—Continued.														
	KENTUCKY—continued.														
1 2 3 4 5 6	Barren County (total).  White. Colored.  Bath County (total).  White Colored 2.	347 277 70 173 143 30	10 7 3 7 6	3 1			2 2 1 1	5 5 1 1	4 4 3 3	10 9 1	1	55 38 17 34 28 6	3 2 1	8 7 1 3 3	3 2 1 1
7 8 9 10 11 12	Bell County (total). White. Colored. Boone County (total). White. Colored 2.	290 241 49 129 121 8	20 19 1 2 2			3 3 1 1		1 1	8 8 1 1	4 4 2 2	1 1	27 19 8 23 22 1	1 1 1	1 1 2 2	1
13 14 15 16 17 18	Bourbon County (total) White Colored Boyd County (total) White Colored 2	283 158 125 373 356 17	11 9 2 17 16 1			1 1 5 5	1 1	4 1 3 23 21 21	1 1 9 9	<u>i</u> ·		40 18 22 48 46 2	3 3	2 1 1 4 3 1	2 2
19 20 21 22 23 24	Boyle County (total)	205 125 80 149 144 5	8 5 3 1 1					1 1	3 3	3 3 6 5 1		20 10 10 25 23 2	2 2 2 2	1	
25 26 27 28 29 30	Breathitt County (total).  White Colored 2 Breckinridge County (total).  White Colored 2	124 124 258 227 31	8 8 7 1	·····i		5	1 1	3 3 1 1	2 2 3 3	1 1 1		12 12 48 41 7	1	4 4 3 1	1 1
31 32 33 34 35 36	Bullitt County (total) White Colored 2 Butler County (total). White Colored 2	170 151 19 135 126 9	3 3 3 3	4 4 2 2		2 2 1 1	1 1	8 6 2 1 1	2 2	2 2 3 2 1		26 25 1 27 24 3	2 1 1	2 1 1 2 2	
37 38 39 40 41 42	Caldwell County (total) White Colored Calloway County (total) White Colored 2	170 123 47 258 242 16	5 3 2 9 7 2	2 2 7 5 2		9	1 1	5 4 1 4 4	2 2 4 4	3 3 4 4	1	28 16 12 40 37	2 3 3	3 1 2 6 6	1 1 1 1
43 44 45 46 47 48	Campbell County (total).  White. Colored <sup>2</sup> Carlisle County (total).  White. Colored <sup>2</sup>	382 373 9 104 100	9 9 1 1	2 2		777	3 3	5 5 3 2 1	5 5 6 6	5 5 2 2	1 1 1 1	53 52 1 14 14	1	7 7	1 1
49 50 51 52	Carroll County (total).  White. Colored <sup>2</sup> Carter County (total).  White.	126 119 7 202 199	2 2 6 6			5 5 6 6	1 1	1 1	3 3 10 10	3 3 3	1	28 27 1 35 33	2 2 1 1	2 2 2 2 2	1 1 2 2
53 54 55 56 57 58 59	Colored 2  Casey County (total).  White. Colored 2	176 173 3	6 5 1	1 1		4 4	1 1	2 2	6 6	4 4		2 27 27	1 1	2 2	1 1
58 59 60	Christian County (total). White. Colored Clark County (total).	733 385 348	27 11 16 9	3 2 1		14 13 1		9 4 5	3 2 1	10 7 3	3	157 81 76 45	5 1 4	11 6 5	3 2 1 2
62 63 64 65 66	White. Colored Clay County (total) White Colored 2	80 166 164	7 2 11 11	1 2		1 1		1 4	13 13	2 1 1 1		29 16 24 24	2 2 1 1	2 6 6	2
67 68 69 70 71 72	Clinton County (total).  White. Colored 2 Crittenden County (total).  White. Colored 2	.1 78	5 5 8 8	3						·		16	2 2 1 1	2 2 4 4	2 2

<sup>&</sup>lt;sup>1</sup> Exclusive of municipalities having a population of 10,000 or over in 1910.

						,		1	EATHS I	FROM—					•				
Can- cer.	Dia- betes.	Menin- gitis.	Cerebral hemor- rhage and softening	Organic diseases of the heart.	Bron- chitis.	Pneu- monia (all forms).	Other respira- tory dis- eases.	Diarrhea and enteritis (under 2 years).	Appen- dicitis.	Hernia, intes- tinal obstruc- tion.	Cir- rhosis of the liver.	Ne- phritis, Bright's disease.	Puer- peral fever.	Other puer- peral affec- tions.	Con- genital debility and mal- forma- tions.	Violent deaths (ex- cluding sui- cide).	Sui-	All other causes.	Ill- define and un- known
16	(37)	17	18	19	20, 21	22, (28)	(23)	25	26	27	28	29	31	32	83	85	36	(87)	38
																		*	
10 8 2		10	10 10	16 15	. 6	21 17	2 2	17 15	1	1	1	13 10	5 4	4 4	20 20	9 7		69 52	18 14
7 7 	2 2	2 5 5	- 3 2 1	1 11 8 3	3	15 12 3		2 7 5 2	1 1 1	2 2	1	13 10 3 9 8	4 1 3 2 1	1 1	9 9	. 9 8 1		69 52 17 35 27 8	18 14 4 4 1 3
5 4 1		1	3 3	8 6 2	2 2	15 12 3	3 3	13 12 1 7	2 1 1 1 1	1	2 2	<u>ń</u> 11	1 1	7 7	23 20 3 7 7	48 33 15	2 2		19 17 2 5
7 7	1		10 10	10 8 2	1 1	6 6	1	7 7	1 1	3	5 5	6 6			7 7	3 1	2 2	57 47 10 21 19	5 4 1
9 6 3 14	3 3	7 5 2	7 5 2 8	29 9 20	3, 3 3	25 12 13 24 24		11 7 4	1 1 3 3		1 1	24 15 9		2 2	14 11 3 16 15	20 14 6	4 4	62 35 27 68 66 2	2 2
14		3 3	8	32 29 3	2 1		3	15 14 1		6		6	4 2 2	3 3	1	34 34	3 2 1		2 15 15
11 9 2 5	i	1	10 6 4 6	19 9 10 13	3 1 2	24 12 12 18	2 1 1	6 5 1 7	1	1 1 1	- 2	15 11 4 4 4	· 3 2	1	17 11 6 9	23 19 4 . 9	2 1 1	23 13 10 29 28 1	5 3 2
5	1	3	6	13	1	18 9	1	7	1	1	2	4	2	1	9	1	5		10
11 10	3 3	3 1	7 7	3 9 8	1 3 3	9 19 17	1 1 3 3	3 3 13 13	1 1 1	1 2 2	1 1	17 14	1 1 1	1 1 5 5	7 7 21 18 3	19 19 12 9 3	1	25 25 51 44	19 19 4 4
1 3 3		. 3		1 - 14 11		12 6	3 2 1	3 2		3 3	4 4	3 6 6	1 1	2 2	3 7 7	3 13 12	4	7	4 4
5 5		.1 1	4 4	3 8 8	1 1	6 8 7 1	1 4 4	. 2		3 3 3	1 1	9	1 1	1 1	13 13	1 8 7		33 31 2 22 20 2	4 3 1
4 2 2		6 4 2	3 3	6 4		16 7	1 1	9 7 2 9	1 1	3 2		7 4	2 2	4 3 1	8 7	1 6 5			1 7 5
4 4	4 4	6 5 1	6 6	2 8 8	5 5	9 32 29 3	3 3	2 9 9	3 3	1 1 1	1 1	3 7 7	2 1 1	$egin{array}{c} 1 \\ 2 \\ 2 \end{array}$	1 20 20	1 7 4 3		34 32 2 43 42 1	2 7 7
28 28	2 2	- 8 8	17 17	31 31	. 5 5	31 30 1	, 3 3	11 11	6 6	1 1	5 5	22 22	1	1	24 24	26 20	5 5	60 59	6 6
1 1	1	2 2	7 7	4 3 1		14 12 2		6 6		3 3		· 8 8			8 8	6 2 2		10 10	i 1
1 1 5	1	1 1 6	8 8	10 8 2	3 3	8 6 2		4 4	2 2	1 1	2 2		2 2		7 6 1 10	3 3	1 1	22 21 1 41 41	3 3 7 7
4 1		6 6	1	13 13	1	8 8	1	13 13	2 2	2 2	1	8 8	2 2	3 3	•	10 10	1		
3 2 1 16	4	4 4 5 5	2 2 22	10 10 41	1 1 5 2	. 9 9 39	1 1 7	7 7 27	3	i	3	8 8 42	1 1 3	2 2	15 14 1 31 18 13	11 11 37	1 1	29 29 165	17 17
16 10 6	4 3 1 2 1	3	22 13 9 7	16 25 16	2 3	39 13 26 32	7 3 4 2 2	27 15 12 8	3	1 3	3 2 1	42 21 21 13	3 2 1 2	2 1 1 2		37 21 16	1	165 95 70	31 6 25
15 13 2 4 4	1	· 3	6 1	8 5 5	3 3	32 21 11 8 7	2 2 2	8 7 1 10 10	2 2	. 2	2 2	13 11 2 2 2	1 1	2 1 1	22 17 5 8 8	13 8 5 12 11	1 1	41 26 15 20 20	4 2 2 21 21
 1 1	1 1	2 2		5 5		i 5		2 2	1	1		3 .		1 1	6 6	1 2		12 12	
3		2 2	10 9 1	4 4	2 2	9 9	1 1	3 2 1		1 1	1 1	3 . 4 4	2	1	14 12 2	2 - 6 - 5 -		33 30 3	4 4 6 5 1

#### TABLE 3.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA AND ITS

7	1							· · · · · · · · · · · · · · · · · · ·				•		•	
							Œ	EATHS FR	ом—		,	·	,	<del></del>	
	AREA AND COLOR.	All causes.	Typhoid fever.	Mala- ria.	Small- pox.	Measles.	Scarlet fever.	Whooping cough.	Diph- theria and croup.	In- flu- enza.	Ery-sipelas.	Tuber- culosis of the lungs.	Tuber- culous men- ingitis.	Other forms of tuberculosis.	Rheu- ma- tism.
-								·							
	RURAL PART OF REGISTRATION STATES 1—Continued.					,									
	KENTUCKY—continued.		_												١.
$\begin{bmatrix} 1\\2\\3 \end{bmatrix}$	Cumberland County (total)	104 83 21	6 5 1	1 1				1' 1'	9	$\frac{2}{2}$	$\frac{2}{2}$	15 10 5	1	1 1	1 <u>i</u>
5	Colored. Daviess County (total). White.	282 264	10 9	6 6		17	1		2 2	4	1	44 40	3	2 1	
6	Colored 2 Edmonson County (total)	18 92	1 5	3				3	8	2		12		1	
é	White	92 73 19	4	3				3	6 2	2		11 1 14			ļ
10 11 12	Colored 2. Elliott County (total). White. Colored 2.	122 122	8 8			9	2 2	7	5 5	3		14	1	1	
13	Estill County (total)	103	8				1 1	1 1	1.	1 1	<b></b>	14 14	3 3	3 3	1 1
14 15 16	White	100 3 159	8			5	1		2	5		19		<u>î</u>	
17 18	White Colored	93 66	1 2			5			2	2 3		10 9	i	1	
19 20	Fleming County (total)	220 200	6			1		3 3	4 4	5 5	1	29 27	2 2	4 4	
20 21 22 23	Colored <sup>2</sup> . Floyd County (total). White	20 126	7				1	3	<u>5</u>	4	1 1	2 21		2 2	
$\frac{23}{24}$	Colored 2	125 1	7				1	3	5	4		20		2	
25 26	Franklin County (total)	101 84	3			4 4			3 3	1 		21 14 7	1 1	1	1
25 26 27 28 29	Colored 2 Fulton County (total)	17 233 166	9 7	18 13		11 10		3 2	2 1	3 3		35 21	1		1
30	Colored	67	2			1		1	. 1			14			
31 32 33 34	Gallatin County (total)	51 50 1	4 4						1 1			8 8		i	]
35	Garrard County (total)	140	5 4	3					7	1	1	28 14		3	. 1
36   37	Grant County (total)	50 122	1 3	1		2		1		1		14 26	3	3	2
38 39	White	120	3	1		2		1		1		26	3	3	2
40 41 42	Colored 2 Graves County (total). White Colored 2	487 421 66	25 20 5	6 6			1	12 7 5	14 14	14 14	$\frac{2}{2}$	80 64 16	3	10 6 4	]
43	Gravean County (total)	959	17	1		2	1	3	14	2		44	1 1	6 5	ļ
44 45 46	White Colered 2 Green County (total) White Colored.	247 6 157	17	1 2		2		3	14	1 6		26	5	1 3	
47 48	White	128 29	8	2		1		3 4	1	5 1		. 25 . 1	5	2	
49 50	Greenup County (total)	255	13 13			4 4		5 5	5 5	1 1		32 32	1	3 3	2
51 52	Colored <sup>2</sup> Hancock County (total) White	107	8 8				. 1	1 1	2 2			22 20	1		
53 54	Colored 2	5	8						2			. 2			·
55 56	Hardin County (total)	278	14 13	3 1 2		4	3 3	7 7	8 8	5 3 2	1 1	38 30 8	2 2	6 5 1	
56 57 58 59 60	Harlan County (total). White Colored 2	70	1 5 5	2 2	2 2			1	1 1	2 2				i	
60 61	Colored 2  Harrison County (total)		4	1				. 5	14	1		42	3	4	·
62	White	208	1 3	1				. 4	12 2	i		30	3	4	
64 65 66	Hart County (total)	236 192	10 7			4	1 1	2 2	8 8	2 1 1		- 45	3	2	1 :
67	Henderson County (total)	218	5	8		1		. 5	2	7		. 29	1	6	
68 69 70 71 72	White Colored Henry County (total)	152 66		7				4 1 4		5 2 3		. 20 9 31	3	. 2	
70	White	138 138 44	7			:  i		2 2	2	2 1	1	. 19	2	1 1	1 :

<sup>&</sup>lt;sup>1</sup> Exclusive of municipalities having a population of 10,000 or over in 1910.

					•	<del></del>			DEATHS :	FROM—		·		,					
Can- cer.	Dia- betes.	Menin- gitis.	Cerebral hemor- rhage and softening.	Organic diseases of the heart.	Bron- chitis.	Pneu- monia (all forms).	Other respira- tory dis- eases.	Diarrhea and enteritis (under 2 years).	Appen- dicitis.	Hernia, intes- tinal obstruc- tion.	Cir- rhosis of the liver.	Ne- phritis, Bright's disease.	Puer- peral fever.	Other puer- peral affec- tions.	Con- genital debility and mal- forma- tions.	Violent deaths (ex- cluding sui- cide).	Į	All other causes.	Ill- defined and un- known.
16	(37)	17	18	19	20, 21	22,(23)	(23)	25	26	27	28	29	81	82	38	85	36	(37)	38
5 4 1 12	1 1	3 3	2 2 2	5 5	1 1 3	3 2 1 26 23	2 1 1 2	4 4 23	1	2 2 2	2 1 1 2 1	4 3 1 9	2		8 8	3 3		18 14 4	1 1
12 10 2		6	7 7	9	š	23	<u>2</u>	23		2	1	ğ	1 1	1	22 20 2	5 5	1	50 48 2	9 9
3 3	1 1	2 2 3 3	2 2 3 3	6 3 4 4	4 4	. 3 . 3 8 8	1 1	4 3 1 2 2	1	1 1		2 2 8 8		2 1 1 2 2	5 5 6 6	3 2 1 8 8		15 11 4 10 10	12 7 5 10 10
2 2		7 7	6 6	4 4		6 3 3	1 1	5 5	.1	1		6 6			7 7	2 2		17 17	· 4
4 2 2	4 3 1	2 1 1	10 4 6	12 7 5	1	19 8 8 11	2 1 1	3 3			1	8 6 2	1 i		6 6	11 8 3	1 1	37 21 16	, 1 1
9		2 2 3 3	11 8 3	18 14 4 2 2	1 1 2 2	16 14 2 7 7		5 4 1 4 4	. 2 2 1 1	1 1 1		15 14 1 3 3		2 2 2 2	13 12 1 9 9	5 4 1 8 8	2 2	53 49 4 29 29	10 9 1 11 11
2 2		1 1 4 4	1 1 6 5	7 6 1 11 7 4	1 1 2 2	7 5 2 20 15 5	1 1	5 4 1 12 8 4		3 3	1 1	7 7 4 4		523	1 1 12 11 1	3 2 1 18 10 8	1 1 2 1 1	22 20 2 37 31 6	8 8 11 2 9
2 2		· 1	3 3	6 5 1	2 2		1 1	1 1			•	2 2			1 1	6 6		10 10	1
3 3	i	2 2	8 7 1	14 11 3		17 10 7	1 1	4 4	$\begin{smallmatrix}2\\1\\1\\1\end{smallmatrix}$	4		11 10 1	3 2 1	2 2	9 7 2	20 16 4	2 2	31 26 5	7 4 3
12 12		1 1	. 6	13 12		4		1 1	1	1		3 3			3 3	10 9	2 2	20 20	3 3
17 · 15 2	2 2	8 8	10 9 1	1 16 14 2	4 4	61 54 7	( 3	27 24 3	1 1	5 4 1	2 2	21 19 2	1 1	5 4 1	39 36 3	1 15 13 2	1 1	66 57 9	6 4 2
8 7	2 2	4 4	7 7	12 12	2 2	18 18	2 2	18 18				12 12	2 2	6	14 14	5 4	2 2	40 39	8 8
1 6 6		2 2	2 2	13 10 3	2 2	9 8 1	2 1 1	1 1	•••••	1 1		5 4 1	3 1 2	$egin{array}{c} 2 \\ 1 \\ 1 \end{array}$	4 3 1	1 4 3 1	1	1 34 29 5	6 2 4
9 9		7 7	6	13 13	1	17 17	3 3	21 21		3 3		8 8	3 3	3 3	21 21	19 19	1		
3 2 1	3 3	<u>1</u>	3 3	4 4	1 3 3	3	1 1	6 6	1 1		3 3	2 2		1 1	8 7 1	1 1		39 37 2 25 24 1	18 18 3 3
6 6	3 3 1 1	2 2 3 2 1	16 15 1	20 17 3 3 3	6 6	16 14 2 2 2 2	4 2 2 2	. 17 16 1 4 4	I I	1 1 1	2 2	27 19 8 2 2	7 5 2 1 1	1 1 1	15 14 1	20 15 5 16 14 2	2 2	62 52 10 7	9 8 1 9 7 2
14 12 2 7 5	2 2	1 1 8 5	10 5 5 8 7	20 16 4 14 13 1	6 6 2 2	15 11 4 19 15 4	2 1 1 3 3	10 10 5 5	1 1 2 2	1	2 2	17 13 4 15 12 3	1 1 1	2 2 1 1	9 9 11 10 1	16 15 1 14 11	4 3 1 1 1	45 36 9 35 29 6	6 5 1 8 5 3
4 3 1 8 8		1 1 4 4	3 2 1 7 6	10 8 2 16 11	1 1 2 2	17 11 6 7 6	3 2 1 3 1 2	8 7 1 1	1 1 1 1	4 3 1 3 3	1 3 1 1	7 5 2 11 8	1 1	4 2 2	23 16 7 5 5	11 5 6 11 9	1	39 30 9 40 30	10 4 6 4 3

<sup>&</sup>lt;sup>2</sup> Colored population less than 19 per cent of total.

#### TABLE 3.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA AND ITS

=							D	EATHS FR	юм						<del>2 - 3</del>
	AREA AND COLOR.	All causes.	Typhoid fever.	Mala- ria.	Small- pox.	Measles.	Scarlet fever.	Whooping cough.	Diph- theria and eroup.	In- flu- enza.	Ery- sipelas. (12)	Tuber- culosis of the lungs.	Tuber-culous men-ingitis.	Other forms of tuberculosis.	Rheu- ma- tism.
	RURAL PART OF REGISTRATION STATES 1—Continued.														
,	KENTUCKY—continued.														
1 2 3 4 5 6	Hickman County (total)	174 136 38 491 354 137	8 7 1 17 13 4	9 9 4 3 1		7 6 1 5 5	2 2	4 3 1 7 2 5	11 10 1 6 6	3 3 6 3 3	1 1	27 16 11 87 54 33	1 1 3 3	3 2 1 8 7	3 1 2 2 1 1
7 8	Jackson County (total)	77 77	5 5						5 5			16 16		3	2 2
9 10 11 12	Colored 2 Jefferson County (total). White Colored.	539 432 107	12 9 3	 2 2		4 4		3 3	3 3	2 2	2 2	100		4 4	6 6
13 14	Jessamine County (total)	167 107	4 2			1 1	2 2	1 1	4 4	1 1		26 10		4 2	1
15 16 17 18	Colored. Johnson County (total). White Colored <sup>2</sup>	60 237 236 1	21			2 2	1 . 1	15 15	5 5	1 1	1 1	16 19 19	4 4	2 5 5	1 1 1
19 20 21	Kenton County (total)	182 178 4	II <u></u>	<b>-</b>			4 4	4 4	2 2	1	1 1			3	2 2
22 23 24	Knott County (total). White Colored 2.	74 71 3	7 6 1					2 2	5 5			14 14		<b></b> -	
25 26 27 28 29	Knox County (total)	291 270 21 134 119	18 15 3 5 5			7	1	10 10 6 6	8 8 4 4	5		40 36 4 21 16	1 1 1	5 4 1 2 2	2 1 1 2 2
30°	Colored 2  Laurel County (total)	15 129	3			2	<u>1</u>	5	1	1		5 12		2	2
32 33 34 35 36	White Colored <sup>2</sup> Lawrence County (total). White	123 6 190 186	3 6 6				1 2 2	3 2 7 5	1 5 5	2		11 1 36 36 36	1 1	3 3	2 2 2
37 38	Colored <sup>2</sup> .  Lee County (total).  White.	70 68	1	1 1		2 2	1	2 2 2	2 2			13 13		1 1	
39 40 41 42	Colored <sup>2</sup> Leslie County (total).  White Colored <sup>2</sup>	2 63 62 1	5 5					1 1	11 11	1 1		3 3		$\frac{2}{2}$	
43 44	Letcher County (total)	85 75	10 9					4 4	6 6	, 1 , 1		10 6			
45 46 47 48	Colored 2 Lewis County (total) White Colored 2	10 260 253 7	4 4			1 1		4 4	7 7			4 42 42	5 5	4 4	9 9
49 50 51	Lincoln County (total). White Colored	260 198 62	13 10 3					3 3	3 3	2 1 1	1 1	44 28	3 2 1	6 4 2	4 4
52 53 54	Livingston County (total)	152 135 17	3 5 5	8 7			1 1	4 4	3 3	2 1		28 16 21 19 2	2 2	î	
55 56. 57 58 59	Logan County (total).  White. Colored. Lyon County (total).  White.	344 239 105 122 78	15 8 7 3 3	5 3 2		8			3 2 1 2 2	3 2 1 3 2	1 1	54 35 19 20	3 3	4 2 2 5 3	1
60 61 62	Colored	149 122	6	1 9 7		2 2			3 3	1 3 3		16 30 22	1 1	2	
63 64 65 66	Colored McLean County (total). White Colored <sup>2</sup>	27 197 183 14	4 4	2 4 4		3		1 1	1 1	3 3	2 2	22 8 25 21 4	2 2	11 11	1 1
67 68	Madison County (total)	310 207	9 8				1 1	1 1	4 4			69 37	4 4	$^2_2$	1
69 70 71 72	Colored. Magoffin County (total). White Colored <sup>2</sup>	103 186 183 3	11			••••••		9 8 1	17 17	4		32 16 15 1		4 4	1

<sup>&</sup>lt;sup>1</sup> Exclusive of municipalities having a population of 10,000 or over in 1910.

# DEATHS FROM PRINCIPAL CAUSES.

SUBDIVISIONS, BY COLOR OF DECEDENT AND CAUSE OF DEATH: 1911—Continued.

								r	EATHS F	ROM—									
Can- cer.	Dia- betes.	Menin- gitis.	Cerebral hemor- rhage and softening.	of the	Bron- chitis.	Pneu- monia (all forms).	Other respira- tory dis- eases.	Diarrhea and enteritis (under 2 years).	Appen- dicitis.	Hernia, intes- tinal obstruc- tion.	Cir- rhosis of the liver.	Ne- phritis, Bright's disease.	Puer- peral fever.	Other puer- peral affec- tions.	Con- genital debility and mal- forma- tions.	Violent deaths (excluding suicide).	Sui- cide.	All other causes.	III- defined and un- known.
16	(87)	17	18	19	20, 21	22, (23)	(23)	25	26	27	28	29	31	32	33	35	36	(37)	38
3 3		2	4	. 9	1	.21	2		1	1	2	3	1		13	9	1	25	
3 14 11	i	7	17	3 32 24	1 5 2	17 4 35 26	1 1 8 . 8	20 14	1 7 5	1 1 1	2	2 1 17 14	3 1	6 6	13 32 27 5	31 15	1 4 4	20 5 81 62	22 14 8
3	1	5 2	14 3	8 5	3	9 2	1	6 2	2			3 2			9	16 3		19 11	9
1 1 19	3	1 8	26	5 38	10	2 46	1 7 6	2 16	2 2	7 7	6	2 42 33	1 1	3 1	9 22 16	20 15	2 2 2	11 116 99	9 7 5
18 1 9	1	6 2 3	19 7 4	30 8 13	9 1	46 35 11 15	3	15 1 5	2		6 5 1	9			6 7	5 14	2	17 32	2
8 1 6 6	2 2	3 2 2	3 1 1 1	10 3 12 12	4 3 1 2 2	8 7 21 21	1 2 1 1	4 1 17 16 1	1 1 1	1	2 2	3 3 5 5	1 1		4 3	9 5 23 23	2	22 10 28 28	3 1 2 7 7
8 8		3 3	14 14	18 18	1	23 22 1	2 2	· 4		3 3	2 2	. 3			10 10	15 13 2	2 2	33 33	3 3
1		1	1 1	1 1		3 2 1	2 2	1 1				1 1	3 3		4 4	3 3		13 13	12 11 1
2 2 2 4 4	1 1	7 7 2 2	6 4 2 3 3	13 12 1 12 11 11	5 4 1 1	19 18 1 8 6 2	. 2 2 1 1	14 14 3 3	1 1	3 3 2 1 1	1	- 6 6 12 12	1 1	2 2 1 1	28 24 4 9 8	25 25 5 5	$\begin{array}{c} 1\\1\\2\\2\end{array}$	50 47 3 14 11	16 16
3		5 5	2 2	9 9	2 2	13 13		4 4	2 2		1	8 8	1 1	4 4	9	4 4	2 2	22 20	9 8
4 4	1 1	5 5	4 4	10 10		13 13	2 2	12 12			2 2	8 8	2 2	1 1	12 11 1	7 7	1 1	22 20 2 28 27 1	1 14 14
1 1		4 4	3 3	3 2	3 3	7 7		4 3				3 3			4 4	2 2		11 11	2 2
2 2			1 1	1 5 5	1 1	1 1	1 1	1 2 2						1	2 2	4 4		14 14	6 6
1 1 4 4		$\begin{array}{c} 1\\1\\7\\7\end{array}$	10 10	5 4 1 23 23	2 2 3 3	7 6 1 15 14	1 1 1 3 3	5 5 13 13		2 2		15 15	1 1 2 2	2	3 3 15 15	6 4 2 18 12	1 1	11 10 1 35 35	9 9 10 10
14 14 3	1 1	5 4	3 3 4 4	22 14 8 4 4	4 3 1 1	1 21 16 5 18 15	1 1	10 1 11 10	1 1 1	3 3 3	1 1	12 11 1 8 8		6 6 2 2	8 7 1 12 12	19 11 8 6 5	1 1	38 28 10 18 17	7 7 6 1 5
13 11 2 2 2		1 4 3 1 1	14 12 2 2 2 2	16 14 2 5 4	3 2 1 1 1	25 18 7 7 6	6 5 1 1 1	10 7 3 2 2	3 3	6 5 1 2 1	4 3 1	11· 9 2 4 4	3 2 1 2 2	. 2	17 10 7 7 5	1 15 12 3 8 1 7	1 1 1	72 55 17 28 19 9	9 5 4 9 6 3
1 1 7 6	4	2	7 4 3 3 3 3	3 2 1 5 4	1 1 3 3	16 14 2 22 21 1	3 3 3 3	6 4 2 13 11 2	1	2 2		6 6 11 11	1 1	2 2	11 11 12 12	6 5 1 9 7 2	2 2 1 1	24 19 5 33 31 2	4 4 5 4 1
10 9 1 1		5 5	10 6 4 1	15 11	1	16 11 5 8 8	3 3	9 . 5 4 11 11	1 1 1	5 4 1	2 2 2 1 1	31 17 14 3 3	2 1 1	7 4 3 1 1	15 11 4 15 15	16 11 5 7 7	2 2	57 42 15 29 29	11 2 9 37 36 1

<sup>&</sup>lt;sup>2</sup> Colored population less than 10 per cent of total.

TABLE 3.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA AND ITS

=		<u> </u>										n deam (	correspon	10 100	se or the
							Ţ	EATHS F	ROM-						
	AREA AND COLOR.	All causes.	Typhoid fever.	Mala- ria.	Small- pox.	Measles.	Scarlet fever.	Whooping cough.	Diph- theria and croup.	In- flu- enza.	Ery-sipelas.	Tuber- culosis of the lungs.	Tuber- culous men- ingitis.	Other forms of tu- bercu- losis.	Rheu- ma- tism.
	RURAL PART OF REGISTRATION														
	STATES 1—Continued.  KENTUCKY—continued.														
1 2 3 4 5	Marion County (total) White Colored Marshall County (total) White Colored 2	235 174 61 193 192	10 9 1 3 3	11		17		3 3 1 1	3 3 7 7	2 2 4 4	2 2 	38 25 13 27 27	1 1	5 2 3 3 3	2 2
7 8 9	Martin County (total). White. Colored 2.	69 69	6 6					2 2	2 2	1		7 7			
10 11 12	Mason County (total). White. Colored.	318 250 68	7 6 1			5		1 1		11 8 3		34 25 9	2 1 1	2 2	1
13 14 15 16 17	Meade County (total).  White. Colored 2  Menifee County (total).  White. Colored 2.	112 101 11 34 33 1	8 8	2 2	. <b>.</b>		1 1 3 3	1 1	2 2	1 1 2 2	1	11 10 1 7 7		5 4 1 1	
19 20 21 22 23 24	Mercer County (total). White Colored Metcalie County (total). White Colored 2.	194 140 54 136 116 20	13 5 8 5 5	<u>2</u>		2	1	4 4	3 3 3 3	4 2 2 3 2 1		27 18 9 23 18	6 4 2	1 1 4 3 1	1 1 1
25 26 27 28 29 30	Monroe County (total)	183 170 13 164 98 66	5 5 2 1 1	· · · · · · · · · · · · · · · · · · ·		7 7		2 2	3 3 1 1	6 6 1 1	1	45 36 9 39 21 18	1 1 6 5	4 4 1 1	3 3
31 32 33 34	Morgan County (total). White. Colored 2. Muhlenberg County (total).	191 191 396 338	5 5 18	8		11	10 10	5 5	12 12 7	3 3 1	 1 1	27 27 64	2 2 2	6 6 10	2
35 36 37	White Colored Nelson County (total)	268 184	16 2 16	6 2 1		11 2		<u>4</u> 1	6	1 4		55 9 37	2	10 1	3
38 39 40 41 42	White Colored Nicholas County (total) White Colored <sup>2</sup>	84 146 121 25	13 3	· · · · · c		1	•	1 1 1	1 1	2 2 1 1	1 1	27 10 27 25 2	2 2 2	6 4 2	1 2 1 1
43 44 45 46 47	Ohio County (total). White. Colored 2 Oldham County (total). White.	351 329 22 111 91	20 18 2 4 4			14 14				5 5 2	  1 1	54 49 5 19	5 5 1 1	9 9	1 1
48 49 50	Colored.  Owen County (total)	20 149 131 18	6			2 2			3 3	2 3 3	2 1 1	6 27 21 6	2 2	5 4 1	
51 52 53 54	Owsley County (total)	68 66 2	2 2			••••••	• • • • • • • • • • • • • • • • • • • •	2 2		1 1	••••••	9		1	
55 56 57 58 59	Pendleton County (total)	158 146 12 121 105	3 3 6 5	1					1 1 9 9	7 6 1 3		34 32 2 5	1 1		1
60 61 62	Colored <sup>2</sup> .  Pike County (total)  White Colored <sup>2</sup>	16 355 346	1 17 15			5 5	2 2	21 21	19		1	1 45			1
63 64 65 66	Colored <sup>2</sup>	9 40 36 4	2 1 1	· · · · · · · · · · · · · · · · · · ·				•••••	1	2 2		7 6		2 2	
67 68 69 70	Pulaski County (total)	413 390 23 59		1		2		6 6	13 12 1 1	8 7 1	2 2 2	60 53 7	6 6	6 6	5 5
71 72	WhiteColored 2	57 2	1	::::::				1 000 or orro	1	1	î			1	1

 $<sup>^{\</sup>rm 1}$  Exclusive of municipalities having a population of 10,000 or over in 1910.

			,						DEATHS	FROM—					,				
Can- cer.	Dia- betes.	Menin- gitis.	Cerebral hemor- rhage and softening.	ldiseases	Bron- chitis.	Pneu- monia (all forms).	Other respira- tory dis- eases.	Diarrhes and enteritis (under 2 years).	Appen- dicitis.	Hernia, intes- tinal obstruc- tion.	Cir- rhosis of the liver.	Ne- phritis, Bright's disease.	Puer- peral fever.	Other puer- peral affec- tions.	Con- genital debility and mal- forma- tions.	Violent deaths (ex- cluding sui- cide).	Sui-	All other causes.	III- defined and un- known.
16	(37)	17	18	19	20, 21	22,(23)	(23)	25	26	27	28	29	81	32	38	35	36	` (37)	38
7 5 2 5 5	2 2	5 5 3	11 10 1 4 4	17 11 6 5	6 5 1 2 2	19 13 6 21 21	2 2 2 1 1	7 6 1 14 14	1 1	2 2		75266	1 1	3 2 1 5 5	17 13 4 11 11	75288	2 2 1 1	45 31 14 29 29	7 4 3 4 4
2 2		3		6	1 1	3 3		6	1			1 1			4	5		15 15	4
12 12	3 3	2 1 1	10 9 1	45 38 7	4 4	29 17 12	2 2	7 7	2 1 1	3 3		19 14 5	2 2	• 2 • 1 1	13 11 2	22 14 8	1 1	58 51 7	19 10 9
3 3	1 1 1	1 1 3 3	2 1 1	7 6 1	2 2	13 11 2 1	2 2	6 6		1		6 6 1 1		1	7 6 1 2 2	3 1 2 1	1 1	25 25 5 5	1 1 4 4
10 9 1 6 6	2 2	2 1 1 1 1	7 6 1 4 4	16 11 5 7 6	5 3 2 1 1	8 8 12 11 1	4 4	4 1 3 4 4	1 1 1	3 3 1 1	2 2 1 1	12 . 10 . 2 6 6	1 1		11 8 3 7 5 2	11 8 3 6 5	· 1	32 22 10 20 19	6 5 11 11 6 5
4 3 1 5 3 2	3 3 1 1	1 1 3 3	1 1 3 2 1	6 6 2 4	1 1 1	21 12 9	1 1 2 2	6 6 5 1 4	2	2 1 1	1 1 2	7 7 12 8 4	1 1 3 2 1	1	16 16 4 3 1	5 4 1 7 5 2		35 34 1 29 21 8	8 7 1 6 1 5
3 3		7 7		8 3		12 12	2 2	9 9			<b>-</b>	2 2	2 2	1 1	$\frac{12}{12}$	· 11	·····	35 35	20 20
11 8 3	3 2 1	4 4	3 3	16 11 5	6 5 1	31 25 6	3 3	21 17 4	1 1	$\frac{2}{2}$	$\frac{4}{2}$	25 22 3	1	5 4 1	30 27 3	24 18 6	5 4 1	60 55 5	13 11 2
9 7 2 3 3	1 1 3 3	4 3 1 5 5	9 5 4 10 7 3	21 16 5 9 7 2	3 3 4 3 1	26 17 9 12 7 5	7 4 3	8 6 2 3 3		2 2	6 3 3 1 1	13 8 5 12 11 1	2 2 2	1 1	19 16 3 8 8	13 6 7 8 7	2 2	48 32 16 22 16 6	12 6 6 2 2
7 7 6 5	2 2	7 6 1 2 1	7 6 1 4 4	17 14 3 13 11 2	3 3 1 1	22 20 2 9 9	3 2 1 1	28 26 2 3 3	2 2	1 1 1	4	8 8 9 8	2 2	4 4 1	20 20 6 5	11 9 2 3 2 1	1 1 2 2	64 63 1 22 18 4	13 13 1
8 8	2 2	3 2 1	6 4 2	15 15	1 1	6 5 1	2 2	6 6	1 1	2 1 1		4	, 3 3		9 7 2	4 4		22 20 2	5 4 1 4 4
			3 3	4 4	$\frac{2}{2}$	2 2	` 3 3	3 3		1				1 1	7 7	5 5		18 18	4
		7 5 2 2 2 2	9 9	18 16 2	1	8 7 1 10 10	2 2	5 4 1 3 3		2 2 1 1	2 1 1	` 7 7			10 10 3 3	9 8 1 24 13 11	. 1 1 1	26 25 1 20 17 3	1 1 25 25
4 3 1 2 2		6 6 3 3	4 4	15 14 1 3 2 1	3 3	22 22 22 2	1	31 31 2 2		2 2		3 3 2 2	2 2 1	4 4 1 1	17 17 1	26 23 3 2 2	2 2 1 1	53 51 2 6 5	45 45 1 1
14 14 2 2		5 5	88 5	28 27 1 4 4	3 3	26 25 1 7 7	5 4 1 1	17 16 1 3 3	2 1 1	2 2 1 1	1 1	14 13 1 2 2	1 1	6	33 32 1 1	33 29 4 2	3 3 1 1	55 52 3 5	31 31 4 4

<sup>&</sup>lt;sup>2</sup> Colored population less than 10 per cent of total.

TABLE 3.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA AND ITS

							D	EATHS FR	ом—				,		
	, AREA AND COLOR.	All causes.	Typhoid fever.	Mala- ria.	Small- pox.	Measles.	Scarlet fever.	Whooping cough.	Diph- theria and croup.	In- flu- enza.	Ery- sipelas.	Tuber- culosis of the lungs.	Tuber- culous men- ingitis.	Other forms of tuberculosis.	Rheu- ma- tism.
	RURAL PART OF REGISTRATION														
	STATES — Continued.  KENTUCKY—continued.											ĺ			
1 2 3	Rockcastle County (total)	169 168 1	8 8	2 2		6 6		12 12	1 1			25 25	3 3		
4 5 6	Rowan County (total)	122 120 2	3 3	1		2 2	1	2 2	3 3			20 20	2 2	1 1	
7 8 9	Russell County (total)	143 139 4	5 5	1 1		2 2		3 3	5 5	- 2 2		25 23 2	2 2	3 3	1
10 11 12	Scott County (total).  White Colored	221 153 68	13 8 5			1 1	1 1	7 1 6	1 1	5 3 2	1	49 38 11	3 2 1	1 1	1
13 14 15	Shelby County (total)	261 176 85	9 7 2			1 1		17 9 8	3	8 6 2 2		39 23 16 23	2 1 1	3 2 1 4	1 1 3
16 17 18	Simpson County (total)	149 102 47	11 5 6			6		1		1		8 15		. 1	
19 20 21 22 23 24	Spencer County (total) White Colored Taylor County (total)	94 86 8 150	1 1				i	1	5 5			13 12 1 32	2 2 3		1 1
(	White Colored	118 32	3			5	1	i,				21 11 35	1 2	4	1 2
25 26 27 28 29 30	Todd County (total)	256 167 89 84	5 4 1 5			3 3 2		2	7 5 2	1 1 1		15 20 19	2	2 2 1	2
1	WhiteColored	55 29	1 2			<u>2</u>				1	. 1	8 11 12		1	-1
31 32 33 34	Trimble County (total) White Colored <sup>2</sup> Union County (total)	78 73 5 258	<u>2</u>	9		14 13		1 5		1 5 3	1	10 2 40		3	1 2 1
35 36 37	White Colored Warren County (total)	209 49 437	13 3 20	7 2 1		1 8		1	8	2 2	4	80	6	1 4	1 2
38 39 40 41	White Colored Washington County (total)	319 118 170 131	16 4 5 3			6 2 2 2		1	7 1 4 4	2	1 1	. 33	5 1 3 2	2 2 3 1	2
42 43	White Colored Wayne County (total)	39 175	2	1					7	2	1	. 5	1	2 2 2	
44 45 46 47	White	154 21 256 217	3 1 14 13	1 4 3		11 11		3	7 4 4	2 2 2 2	1	. 7 . 43 . 30	4 4	8 8	
48	Colored	39 285 271	20 20 20	1		6 6		11	10 10	3 3	1 1	. 13	1 1	5 5	
49 50 51 52 53	White	14 85 84	3 3			, 1			3 3	1 1		. 1		1 1	
54 55 56 57	Colored 2  Woodford County (total)  White	1 183 106	4 3			2 1		5 5	3 1 2	3 2 1		14	2 2	1	
58	ColoredMAINE. Total	77 8,917	83	2		13	12	54	53	166	19	632	50	85	43
59 60 61	White	8,911 6 261	83			13	12	54	53	166	19	21	1	3	
62 63 64	Androscoggin County Aroostook County Cumberland County Franklin County	913 834 261	13 5 2				2 1	20 1 1	15 5 1	12 14 2	2	69 63 15	3	9	9
65 66 67	Hancock County Kennebec County Knox County Lincoln County	· 551 623 561	2 3 4 5			i	4	1 2 5	2 2	20 7 9 14	1	41 43 58 23	3	9	2

<sup>&</sup>lt;sup>1</sup> Exclusive of municipalities having a population of 10,000 or over in 1910.

				. 29).]				I	EATHS E	тком—					•		<del></del>			<del>-</del>
Can- cer.	Dia- betes.		rhage and softening.	heart.	Bron- chitis.	Pneu- monia (all forms).	Other respira- tory dis- eases.	Diarrhea and enteritis (under 2 years).	Appen- dicitis.	tion.	Cir- rhosis of the liver.	Ne- phritis, Bright's disease.	Puer- peral fever.	Other puer- peral affec- tions.	Congenital debility and malformations.	Violent deaths (ex- cluding sui- cide.)	Sui- cide.	All other causes.	Ill- defined and un- known.	1
16	(87)	17	18	19	20, 21	22,(23)	(23)	25	26	27	28	29	31	32	33	35	36	(37)	38	-
5 5		1		11 11	1 1	7 7	1 1	11 10	1 1	1 1		7 7	1		13 13	13 13		23 23	12 12	1 2
4 4		3 3	1 1	4 4		8 8		1 5 5	1	1 1	1 1	5 4 1	4 4		10 10	4 4		24 23 1	12 12	1 2 3 4 5 6
5 5		6 6	2 2	3 3	3 3	12 12		5 5			1 1			2 2	13 12	5 5		30 29	7 7	1
2 2 2	$\frac{2}{2}$	7 7	7 5 2	20 13 7	1 1	17 9 8	2	11 8 3	3 2 1			10 10		1	1 6 3 3	8 5 3	3 3	1 34 23 11	4 3 1	7 8 9 10 11 12
15 10 5	2 1 1	8 7 1	14 10	15 9	2 1 1	19 11 8	5 4	7 4	3 1 2	4 4	2 1 1	13 11	4 2		6 4	14 10	3	32 25	6 4	13 14 15 16
4			4 3 3	6 12 9 3	1 1	10 5 5	1 1	3 6 6	2 2 2	1	1 1	2 10 8 2	1 1	1 1	2 7 5 2	4 9 7	1 1	7 30 22 8	2	16 17 18
6 6		2 2	1 1	3 3	1	11 11		1 1		1	. 1	3 2 1	. 1 1	2 1 1	4	2 1 1	1 1	20 18 2	5 5	19 20 21
3 3 		2 1 1	4 2 2	8 8	3 3	11 7 4		4 4	1 1	2 2		8 6 2			10 9 1	12 11 1		27 21 6	9 7 2	19 20 21 22 23 24
7 5 2	3 2 1	6 3 3	15 11 4 3	14 11 3	2 2	19 13 6	2 2	12 11 1	3 2 1	2 1 . 1	2 2	12 8 4	3 1 2		19 15 4	14 10 4		48 31 17	11 4 7	25 26 27
			.3 .3	7 6 1	1	2 2	1 1	3 2 1				3		3 3	1 1	4 2 2	1 1	14 10 4	11 6 5	25 26 27 28 29 30
4		1	$\frac{2}{2}$	7 6 1	1 1	6 6	1 1	2 2			1 1	2 2			10 10	8 7 1		11 11	4 3 1	31 32 33 34 35 36
6 3 3	1 1	5 3 2	1	12 10 2	1	16 13 3	. 2	10 10	2 2	1 1	1 1	. 3 2 1	2 1 1	2 2	22 19 3	19 12 7	2 2	40 35 5	8 5 3	34 35 36
17 11 6 9 7		7 5 2	11 9 2 2	31 21 10	6 5 1	25 17 8	3 3	18 15 3	2 2	2 1 1		30 22 8	2 1 1 1	3 3	33 27 6	23 21 2		80 61 19	8 3 5	37 38 39 40 41 42
9 7 2	1	1 1	2 2	11	2 1 1	16 10 6	3 1 2	4 3 1	1 1			6 6	1 1	1 1	12 12	9 5 4		34 23 11	9 8 1	40 41 42
5 5	2 2	5 5	1 1	8 8	1 1	7 5 2	2 2	6 6	••••••		1	5 3 2		1 1	11 11	9 8 1		29 23 6	25 24 1	43 44 45
2 1 1	1	4	7 7	9 7 2	3 3	24 23 1	3 1 2	14 13 1	2 2		4 3 1	4 3 1	3 3	2 2	21 19 2	1 12 7 5	5 5	35 29 6	1 8 6 2	45 46 47 48
5 4 1	2 2	8 7 1 3	3 3	9	1 1	24 22 2 5	. 5 5	14 12 2 3	1 1	1		6 5 1 3	2 2	5 5	16 15 1 7 7	- 29 24 5		44 44	22 22	49 50 51 52 53 54
3 3		3	1	4	1 1	5	1 1	3	••••••		1	3	3	3 3		4 4		12 12	13 13	1
8 4 4		1	10 6 4	12 4 8	3	10 7 3	3	9 7 2	1 1	$\begin{bmatrix} 2\\1\\1 \end{bmatrix}$		14 7 7	1 1	1	10 8 2	9 7 2	2 2	36 18 18	2 1 1	55 56 57
577 576 1	137 137	66 66	707 707	1,016 1,016	153 152 1	762 761 1	106 106	328 328	53 53	70 70	32 32	612 611 1	17 17	59 59	405 405	422 422	78 78	1,949 1,948 1	156 156	58 59 60
14 27 65 14	3 8 18 2	2 4 7 2	28 37 83 24	33 52 109 21	3 14 16 7	33 63 64 29	1 12 7 2	7 160 18 8	3 9 5	4 9 5	3 2 1 3	18 45 59 24	2 1	9 6 1	8 59 28 19	10 37 33 16	2 5 5 2	57 151 191 48		61 62 63 64
41 46 40 36	8 10 9 11	1 9 1 2	38 55 51 41	68 91 79 38	13 16 6 5	55 46 44 17	4 5 5 3	11 15 3	3 6	4 5 5 2	2 2 2 1	47 33 37 37	2 1	2 3 2 2	25 22 14 5	23 28 29 5	. 6 8 7 4	117 150 125 85	7	65 66 67 68

 $<sup>^{2}</sup>$  Colored population less than 10 per cent of total.

#### TABLE 3.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA AND ITS

_											0:	f death c	orrespon	d to tho:	se of the
							D	EATHS FR	гом—						
	AREA AND COLOR.	All causes.	Typhoid fever.	Mala- ria.	Small-pox.	Measles.	Scarlet fever.	Whooping cough.	Diphtheria and croup.	In- flu- enza.	Ery- sipelas. (12)	Tuber- culosis of the lungs.	Tuber- culous men- ingitis.	Other forms of tuberculosis.	Rheu- ma- tism.
	RURAL PART OF REGISTRATION STATES 1—Continued.														
	STATES 1—Continued.  MAINE—continued.														٠
1 2 3 4	Oxford County. Penobscot County. Piscataquis County. Sagadahoc County.	606 952 275 299	6 5 6 3				2 1	3 6 3	3 7 4	15 17 5 8	1 3 1	28 59 17 16	5 7 6	7 13 6 1	4 6 2 2
5 6 7 8	Somerset County Waldo County Washington County York County	539 438 621 838	6 1 7 14	i		5	1	1 2 3 5	1 8 8	11 8 10 12	2 2	31 31 63 54	4 1 7 4	4 7 6 5	1 1 6
9 10 11	MARYLAND. Total	9,339 6,580 2,759	303 208 95	11 3 8		45 37 8	22 22	138 73 65	92 70 22	134 92 42	19 18 1	1,068 618 450	31 23 8	83 51 32	31 26 5
12 13 14 15 16 17	Allegany County (total). White Colored 2 Anne Arundel County (total). White Colored.	311 299 .12 723 387 336	11 11 21 13 8	2		4 4	1 1 3 3	15 13 2 7 2 5	3 3 10 8 2	9 9 7 3 4	1	19 16 3 76 31 45	3 1 2	1 1 10 5 5	3 3
18 19 20 21 22 23	Baltimore County (total).  White Colored. Calvert County (total).  White Colored.	1,836 1,617 219 145 50 95	36 34 2 4	1 2 1 1		19 19	8 8	7 4 3	18 16 2 1 1	21 20 1 3	4 4 1	205 181 24 15 2 13	7 6 1	18 16 2	5 5
24 25 26 27 28 29	Caroline County (total).  White. Colored. Carroll County (total).  White. Colored 2.	277 176 101 485 436 49	14 10 4 10 10	· · · · · · ·			1 1 2 2	4 2 2 6 5 1	1 3 3	7 5 2 8 8	1 1 3 3	45 16 29 37 34 3	3 3 2 1	6 2 4 3 3	2 2 2
30 31 32 33 34 35	Cecil County (total).  White Colored. Charles County (total).  White Colored.	336 269 67 282 101 181	6 5 1 10 3 7	1		1 1 1	1 1	6	2 2 7 4 3	7 7 9 4 5	1	39 19 20 32 7 25	3 2 1	4 2 2 1	1 1 1
36 37 38 39 40 41	Dorchester County (total). White . Colored . Frederick County (total). White . Colored .	491 255 236 483 416 67	30 22 8 18 16 2			1 1	2 2 1 1	15 5 10 5 5	2 1 1 8 8	5 1 4 7 6 1	1 1	59 23 36 45 36 9	1	4 1 3 2 2	2 2
42 43 44	Garrett County (total)	144 144	3 3			1		5 5	3 3	3 3	2 2	11 11		1 1	3 3
45 46 47	Harford County (total)	356 266 90	8 7 1			1 1		4 3 1	3 1 2	1 1	1 1	45 27 18	3 2 1	$\begin{array}{c} 2\\1\\1\end{array}$	2 1 1
48 49 50	Howard County (total). White. Colored. Kent County (total).	216 155 61 287	11 9 2			3	1	1 1	1	6 4 2	1 1	19 6 13 39		3 1 2	1 1
51 52 53	White. Colored	147 140	14 6 8			3 2 1	i	1 1	1	4 2 2	2 2	39 14 25		$\frac{2}{1}$	
54 55 56 57 58 59	Montgomery County (total). White. Colored. Prince Georges County (total). White. Colored.	332 204 128 507 299 208	13 3 10 11 5 6			2 1 1	1 1	10 4 6 7 3 4	3 2 1 9 7 2	4 6		53 30 23 69 29 40	2	3 1 2 6 2 4	4 3 1
60 61 62 63 64 65	Queen Annes County (total). White. Colored. St. Marys County (total). White. Colored.	305 143 162 115 66 49	9 5 4 1 3	2 1 1 1		3		15 3 12	6 3 3	3 1		46 20 26 18 10 8		2 1 1	2 1 1
66 67 68 69 70 71	Somerset County (total)	336 177 159 342 175 167	16 9 7 13 4 9	1				6 9 9	7 3 4 1 1	<b>-</b>		43 16 27 36 10 26	1 1	2 2 6 3 3	1 1 2 2

<sup>&</sup>lt;sup>1</sup> Exclusive of municipalities having a population of 10,000 or over in 1910.

# DEATHS FROM PRINCIPAL CAUSES.

SUBDIVISIONS, BY COLOR OF DECEDENT AND CAUSE OF DEATH: 1911—Continued.

at least 10 per cent of the total, or numbered 10,000 or over in 1910. The term "cities" indicates municipalities of 10,000 inhabitants or over in 1910. Numbers under causes abridged international List (see p. 29).]

abridged		ational	List (see p		···		<del></del>		DEATHS 1	ROM-		****	<del></del>		<u></u>	•				=
			t .				1		I CHIAGO	ILOM-							<u> </u>			
Can- cer.	Dia- betes.	Menin- gitis.	Cerebral hemor- rhage and softening.	Organic diseases of the heart.	Bron- chitis.	Pneu- monia (all forms).	Other respiratory discesses.	Diarrhea and enteritis (under 2 years).	Appen- dicitis.	Hernia, intes- tinal obstruc- tion.	Cir- rhosis of the liver.	Ne- phritis, Bright's disease.	Puer- peral fever.	Other puer- peral affec- tions.	Congenital debility and malformations.	Violent deaths (ex- cluding sui- cide.)	Sui- cide.	All other causes.	Ill- defined and un- known.	
16	(37)	17	18	19	20, 21	22, (23)	(23)	25	26	27	28	29	81	32	33	35	36	(37)	38	:
į.																		,		
37 64 17 17	11 13 4 3	4 6 1 2	40 64 24 29	73 96 24 49	5 20 1 5	60 76 23 30	6 17 2 2	20 30 5 1	9 1 2	3 9 3 3	<u>4</u> <u>2</u>	46 57 13 19	1 2 1 1	5 7 2 2	38 47 22 9	36 57 14 19	7 12 3 1	134 226 60 64	5 12 2 5	1 2 3 4
31 30 33 65	6 14 3 14	8 5 6 6	41 29 47 76	61 57 69 96	· 6 10 18	52 37 68 65	12 6 6 16	13 3 24 10	6 1 3	6 3 4 5	4 2 3 3	18 42 42 75	2 1 2 1	8 3 3 4	16 13 39 41	35 17 18 45	6 2 1 7	134 110 129 168	11 6 8 10	5 6 7 8
386 326 60	64 56 8	72 52 20	462 360 102	833 610 223	121 86 35	724 488 236	123 93 30	656 465 191	18 13 5	67 49 18	51 45 6	676 487 189	26 18 8	54 34 20	508 358 150	477 361 116	40 37 3	1,761 1,285 476	243 116 127	9 10 11
18 17 1 22 15 7	2 2 4	. 3	14 14 52	24 24	11 11 11	20 19 1	4	21 21 69	1	1	· 1 1 1	20 19 1 65	4 4	2 2 6	19 19 44	35 32 3 51	1 1 7	42 42 107	3 3	12 13 14 15 16 17
1	4	6 3 3	33 19	46 18 28	4 7	55 33 22	9 7 2	41 28	i	3 1		65 39 26		2 4	22 22	37 14	6 1	44 63	20 5 15	1
100 96 4 8 3 5	24 24	19 15 4	81 - 74 - 7 5 - 1	172 153 19 9 4 5	36 31 5 3 1 2	160 139 21 11 4 7	25 20 5 2 1	107 87 20 15 8 7	2 2	21 18 3	19 17 2 1	139 125 14 7 3	5 2 3 1	10 9 1 1 1	100 88 12 12 5 7	103 86 17 11 4 7	12 11 1	336 293 43 27 10 17	16 14 2 6 1 5	18 19 20 21 22 23
11 10 1 18 16 2	1 1 6	4	8	20 10 10 61	2 2 2 4	16 10 6 31 25	2 7 7	27 22 5 16 14	1	3 2 1 6	5	21 15 6 30	2 2 2	2 2 2	15 11 4 24 19	8 2 6 21 19	33	49 39 10 126 115	10 4 6 8 6 2	1
1	6 5	2 2	31 29 2 2 22 18	55 6 31 24 7	3 1 3 3	6	2 2	13 11 2	1 1	2 2	3 3 3	27 3 33 31 2		3 3	20 17	19 2 16 13 3 15	2 1 1 1		i	t
21 20 1 5 4	1 2 1 1	3 1 2	16 8 8	24 9 15	2	22 15 7 24 7 17	4 2 2	30 12 18	2	1	1	15 5 10		1	3 21 7 14	10		58 48 10 42 16 26	5 4 1 13 4 9	30 31 32 33 34 35
17 12 5 19 18 1	3 1 2 1 1	1 1 4 3 1	14 11 3 35 30 5	41 21 20 44 36 8	3 1 2 5 4 1	33 10 23 33 28 5	5 4 1	48 26 22 22 21 1	1 1	7 5 2 2 2 2	1 1 3 3	28 15 13 43 38 5	2 2	4 1 3 1 1	38 21 17 30 25 5	19 9 10 26 22 4	$\begin{array}{c} 1\\1\\2\\2\end{array}$	94 53 41 103 88 15	17 6 11 12 9 3	36 37 38 39 40 41
6 6	2 2		. 5 5	7 7	1 1	15 15	2 2	8 8		11		5 5			. 8 8	9 9		33 33	10 10	42 43 44
16 13 3	1	4 4	19 19	41 30 11	5 3 2	23 17 6	5 4 1	19 15 4		3 2 1		28 23 5			17 9 8	13 12 1	2 2	85 65 20	4 2 2	44 45 46 47
16 11 5 7 4 3	3 1	5 4 1	13 12 1 11 3 8	27 23 4 23 14 9	3 1 3 1 2	11 7 4 25 10 15	7 5 2 8 6 2	12 6 6 15 9 6		2 1 1 2 1 1	2 2	14 10 4 26 11 15	1 1	1 1 1 1	15 9 6 15 9	9 8 1 9 7 2	2 2	34 29 5 55 32 23	1 1 12 3 9	48 49 50 51 52 53
14 11 3 8 6	1 1 1 1	4 4 1	15 10 5 25	30 20 10 55 39	6 5 1 1	38 23 15 47 22	8 4 4	16			3 3	23 11 12 33 21 12	1 1 1	1 3	6 3 3 27	14 9 5 17 12 5	5 5	60 41 19 89 56 33	6 5 1 15 1 14	54
13 10 3 2 2		3 1 1	9 9 6 3 3 3	2	1 4 2	26	4 2 2 1	25 14 11 15 9		3 1 2	2 2	14 6 8 10 4	1	4	19 8 11 7	7 6 1 10 4	1	48 21 27 28 16	16 3 13	į.
11 7 4 10 6 4	3 2 1 1	2 2 3	17 7 10 19 14 5	27 17 10 42 26 16	2 2 2 5 2	19 9 10 33 18 15	5 2 3 4 3 1	31 22 9 28 16 12	1 1 1	2 2 3 1 2	1 1	30 16 14 21 12 9	2 1 1	2	17	14 10 4 15 11 4		12 61 32 29 59 33 26	15 6 9 10 3 7	66 67 68 69 70 71

<sup>2</sup> Colored population less than 10 per cent of total.

## TABLE 3.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA AND ITS

=							D	EATHS FE	гом—		<del></del>				Ī
	AREA AND COLOR.	All causes.	Typhoid fever.	Mala-ria.	Small-pox.	Measles.	Scarlet fever.	Whooping cough.	Diph- theria and croup.	In- flu- enza.	Ery-sipelas.	Tuber- culosis of the lungs.	Tuber- culous men- ingitis.	Other forms of tuberculosis.	Rheu- ma- tism.
	RURAL PART OF REGISTRATION STATES 1—Continued.														
	MARYLAND—continued.														
1 2 3	Washington County (total)	388 371 17	13 13			3 3		10 10		5 5		36 34 2	2 2	1 1	1
4 5 6	Wicomico County (total)	346 267 79	22 17 5			2		1 1	1 1	5 4 1		40 29 11	1	4 3 1	
7 8 9	Worcester County (total)	296 160 136	6 2 4				1 1	4 1 3	2 1 1	6	1 1	41 17 24	2 2	2 2	1 1
10 11 12	MASSACHUSETTS. Total White Colored.	11, 993 11, 829 164	52 52	6 6		47 47	. 24 . 24	106 102 4	91 91	153 151 2	28 27 1	1, 184 1, 143 41	68 66 2	88 84 4	54 54
13 14 15 16 17	Barnstable County Berkshire County Bristol County Dukes County Essex County	516	2 4 4 2 3	2		8 6	3 6	7 7 7 11 1 16	2 7 6	12 10 11 1 1 13	1 2 1 1	27 37 49 2 90	2 2 2 4 1 . 8	4 3 7 1 15	1 8
18 19 20 21	Franklin County Hampden County Hampshire County Middlesex County		3 3 3 8	1		9 3	2 2 1	4 4 4 13	9 9 6 14	7 2 14 19	1 1 8	21 37 36 415	5 4 21	4 1 11	3 1 6 10
22 23 24 25	Nantucket County Norfolk County Plymouth County Worcester County	52 1,349 1,205 2,181	5 7 8			4 3 7	$\begin{smallmatrix} 4\\1\\2\end{smallmatrix}$	1 13 6 23	5 2 25	1 22 19 22	7 2 4	1 98 146 225	6 4 11	18 7 17	2 6 12
26 27 28	MICHIGAN. Total White Colored	22,638 22,309 329	298 292 6	16 15 1	3 3	115 111 4	105 105	154 152 2	214 214	440 437 3	77 76 1	1,314 1,246 68	46 45 1	185 179 6	124 123 1
29 30 31 32 33	Alcona County Alger County Allegan County Alpena County Antrim County	63 68 509 70 204	1 1 3 5 3			1 3 ?	1	1 4	1 3	6 10 1 5	2	1 4 30 5 12	1	1 2 3	1 2 1
34 35 36 37 38	Arenac County Baraga County Barry County Bay County Benzie County	104 67 296 250 143	1 2 3 5 3			2 1 3 1	3 9 2	1 1 1 1 2	1 5	1 10 1 1	3		1	2 4 3 3	1 1 1
39 40 41 42 43	Berrien County Branch County Calhoun County Cass County Charlevoix County	679 353 446 309 238	8 2 6 2 3			6 4 2 2 2	7 2 2 2 5	4 2 1 1	3 5 1 4	13 8 13 7 4	1 2 1	46 16 15 13 15	1 1	8 1 2 6 2	5 1 3 1
44 45 46 47 48	Cheboygan County Chippewa County Clare County Clinton County Crawford County	215 99 97 300 48	1 1			1		2 1	1 4 1 1	1 3 1 5	2 1 1	12 3 3 17 4	1	1 2 1 1 1	1
49 50 51 52 53	Delta County Dickinson County Eaton County Emmet County Genesee County	167 206 441 216 399	2 1 7 1 4			1 1 1	1	5 3 1 2 2	4 7 1 1	5 14 2 8	3 1 1 3	19 15 18 19 13	1 3 1 1 2	1 1 3 3 2	2 5 3 4
54 55 56 57 58	Gladwin County Gogebic County Grand Traverse County. Gratiot County. Hillsdale County.	91 130 121 320 441	2 2 6 12 13	. 1 2 1	1	1 3 2	3	2	2 1 1	1 1 8 14	1 2 1	5 12 10 19 18		3 5 1	1 2 4
59 60 61 62 63	Houghton County. Huron County. Ingham County. Ionia County. Iosco County.	1,001 384 295 430 89	9 1 7 4	1		8 5 1	5 1	26 4 2 7 2	33 4 1	2 6 10 15 2	3 2 1	70 20 14 27 4	11 1	8 3 4 1	3 2 1 4 2
64 65 66 67 68	Iron County. Isabella County. Jackson County Kalamazoo County Kalakska County	187 215 307 249 94	3 4 2 2 1			1 1 2	3 1	2 1 1 1	1 2 1	1 4 8 6 2	1	8 12 16 18 4	3	2 1 1 2	1 2

<sup>&</sup>lt;sup>1</sup> Exclusive of municipalities having a population of 10,000 or over in 1910.

at least 10 per cent of the total, or numbered 10,000 or over in 1910. The term "cities" indicates municipalities of 10,000 inhabitants or over in 1910. Numbers under causes abridged International List (see p. 29).]

	•		List (see p		•				DEATHS	FROM-		<del> </del>							
Can- cer.	Dia- betes.	Menin- gitis.	Cerebral hemor- rhage and softening.	Organic diseases of the heart.	Bron- chitis.	Pneu- monia (all forms).	Other respira- tory dis- eases.	Diarrhea and enteritis (under 2 years).	Appen- dicitis.	Hernia, intes- tinal obstruc- tion.	Cir- rhosis of the liver.	Ne- phritis, Bright's disease.	Puer- peral fever.	Other puer- peral affec- tions.	Con- genital debility and mal- forma- tions.	Violent deaths (ex- cluding sui- cide).	Sui- cide.	All other causes.	III- defined and un- known.
16	(37)	17	18	19	20, 21	22, (28)	(23)	25	26	27	28	29	31	32	88	35	36	(37)	38
14	,	4	19	41	5	19	10 10	18	1 1	1	. 4	27	3	2	24	26	1	88	10
14 14 14	1	3 2 1	19 18 1 11 10	36 5 28 25	5	19 28 21	10 3 2 1	18 15 3 28 24 4	1 7 5	1 1 2 1	4 1 1	27 26 1 23 13 10	3 1	2 2 3 3	24 23 1 10	26 19	1	88 85 3 82 62 20	10 9 1 6
16 11	1	ī	18 11	3 16 7	3	7		· 17	ž	1			1 2 2		8 2 11	12 7 10			5 1 28
5	1		7	9	3 1 2	29 17 12	2 1 1	12 5		1		21 12 9	2		8	6 4		55 32 23	28 12 16
787 784 3	163 163	94 92 2	975 961 14	1,643 1,626 17	190 190	1,027 1,011 16	102 101 1	480 476 4	32 32	74 74	78 77 1	668 660 8	17 17	59 58 1	582 577 5	660 649 11	98 98	2,302 2,277 25	61 59 2
29 26 61 6 105	. 10 10 2 20	3 4 7 1 11	47 42 49 7 136	91 93 97 14 221	10 3 16	36 37 60 2 136	2 11 2 1 9	11 22 65 1 52	2 1 1 1 3	3 4 2 8	. 3 7 5 1 6	37 33 40 3 64	2	3 5 8	17 22 36 2 45	43 34 46 7 77	1 5 5 15	105 93 118 26 286	4 5 6
36 29 25 150	9 4 · 5 22	7 3 9 7	48 38 46 146	68 50 66 258	9 7 17 26	47 69 51 197	6 5 10 17	18 63 40 59	7 2 3	3 2 6 10	4 7 4 8	25 30 38 124	2 3 2	3 1 9	23 56 39 110	24 44 27 115	5 3 2 18	81 149 122 416	4 1 8
3 93 90 134	24 17 31	16 6 20	118 112 178	213 191 274	26 33 31	109 84 195	10 15 14	2 35 29 83	2 2 8	1 15 6 14	2 8 8 15	75 68 127	1 3 2	10 4 10	3 66 38 125	7 72 59 105	12 11 21	257 213 428	2 13 10
1,306 1,299 7	266 266	168 166 2	1,423 1,408 15	2,835 2,797 38	455 451 4	1,323 1,293 30	298 292 6	963 8 <sub>4</sub> 1 22	161 160 1	210 207 3	196 195 1	1,175 1,167 8	140 140	160 158 2	1,415 1,402 13	1,507 1,488 19	221 219 2	5,132 5,079 53	293 283 10
40 2 7	1 8	2	2 1 34 2 8	8 1 73 7 27	4 19 6 6	5 4 38 6 11	2 3 9	4 11 15 1 8	4	4 5 4	1 5	2 23 2 15	1 6 3	2 1 1 3	12 30 4 10	7 4 32 2 14	6	8 11 92 20 39	4 3 7 4 3 4 3
5 15 12 5	5 2 2	2 3	4 2 28 7 5	19 2 49 23 12	2 2 7 2 4	8 2 18 18 10	1 2 1 5	4 1 9 15 7	1 2 2 2	5 3 3	1 3 1 1	2 14 10 13	1 2	2 2 2	10 2 15 22 10	6 6 12 25 3	2 3	23 18 71 51 34	2 3 7 3 9 3
37 32 41 17 8	11 6 11 3 5	5 3 1 1	47 32 41 29 7	94 70 66 50 24	10 5 9 6 8	33 13 23 24 14	65835	22 7 4 14 13	3 2 3 1 1	7 2 3 1	6 2 4 2 2	41 20 12 7 9	8 3 1 2 1	2 3 5 1 2	29 12 36 19 16	54 18 22 13 11	8 1 2 2 2	151 77 102 73 66	2 3 4 4 5 4 4 5 5 4 4
7 4 6 17 2	9	2	10 3 4 14	26 11 12 74 6	4 2 3 2	16 5 2 14 3	4 5 1 2	13 8 3 5 4	2 1 6 1	1 2 1	2 2 7	7 4 4 20 3	1 1	2 4 3 3	17 10 8 8 8	20 9 9 8 7	1 3	54 13 28 74 10	5 4 2 4 4 4 2 1
7 7 34 9 24	1 2 4 2 9	2 7 1 2	5 5 35 9 28	6 19 91 28 38	2 1 6 4 11	12 11 23 9 13	2 3 7 5 7	17 26 6 6 12	1 1 2 1	1 4 8 3 6	2 3 5	5 7 28 11 22	1 4 1 4	1 3 5 3	11 24 19 15 29	7 14 26 11 21	4 3 5	40 35 78 46 116	7 8 5 5 6 5 6 5 5
3 1 27 22	2 1 2 5 7	2 2 2 2 4	6 1 10 21 30	13 5 15 .42 .73	4 2 5 8 5	10 15 9 13 27	1 1 1 1 6	1 11 5 9 4	1 3 4	2 3 2	1 1 2 7	3 4 11 21 20	1 4	1 2 2 3	9 17 8 21 21	4 22 7 16 28	2 5 10	17 17 15 61 115	3 5 4 5 1 5 5 1 5 5
50 14 15 18 5	6 3 4 8 3	10 5 2 4 1	49 14 27 37 5	77 38 51 66 8	27 10 9 8	69. 24. 14. 18. 6.	11 3 3 4	78 22 3 12 7	13 3 3 1	5 1 2 3	5 2 1 6	30 32 10 21 5	8 1 1	9 2 2 3 2	. 32 16 17 6	105 30 16 23 13	4 3 4 7	171 93 70 104 16	10 5 3 6 4 6 7 6 1 6
6 15 19 20 6	1 3 3 2	1 2 2 2 2	5 19 30 19 3	12 29 39 34 6	11 2 4 4 5	9 3 12 14 5	1 2 5 2 1	18 12 3 7 6	1 4 5 1	1 1 3 2	1 2 1 2	5 12 26 13 11	2 1 4 1	.3 2 2	24 23 17 5 10	42 12 25 20 7	2 3 2 1	21 40 72 58 21	$egin{array}{c} 2 & 6 \\ 4 & 6 \\ 3 & 6 \\ 2 & 6 \\ 1 & 6 \end{array}$

<sup>2</sup> Colored population less than 10 per cent of total.

#### TABLE 3.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA AND ITS

[Figures for white and colored are shown separately for minor subdivisions (except as indicated in the footnotes) only when the colored population of the subdivision formed of death correspond to those of the

_					-		D	eaths fr	ом—						
	AREA AND COLOR.	All causes.	Typhoid fever.	Mala- ria.	Small- pox.	Measles.	Scarlet fever.	Whooping cough.	Diph- theria and croup.	In- flu- enza.	Ery- sipelas.	Tuber- culosis of the lungs.	Tuber- culous men- ingitis.	Other forms of tuberculosis.	Rheu- ma- tism.
	RURAL PART OF REGISTRATION														
	STATES Continued.  MICHIGAN—continued.						,								
1 2 3 4 5	Kent County Keweenaw County Lake County Lepeer County Lepeer County Leelanau County	820 99 60 378 144	5 2 1		i	11	7	5	6 6 2 1	14 1 4 6 1	5	55 7 2 10 9		6 2 2 1	2
6 7 8 9	Lenawee County Livingston County Luce County Mackinac County Macomb County	473 242 84 99 484	6 5 3 1 11	 			i 3	2	1 1	17 12 2 3	i i	24 15 4 9 24	1 1	3 3 1	3
11 12 13 14 15	Manistee County Marquette County Mason County Mason County Mecosta County Menominee County	172	4 5 4 5 1			1	1 4 4 1 1	1 7 1 1	3 8 5	5 1 8 4 4	2 1 2	14 23 19 9 8	2 2 1 1	1 6 1 2	1 1 2 4 1
16 17 18 19 20	Midland County. Missaukee County. Monroe County. Montcalm County. Montmorency County.	167 88 452 448 35	9 5	1			2 1 1	1 1 1	2 1 6 7	3 3 5 17 1	2 3	14 7 30 13 1	1	9 4	1 1 2 4
21 22 23 24 25	Muskegon County Newaygo County Oakland County Oceana County Ogemaw County	194 222 490 204 91	2 5 2 1	1		1	4 2 1	3 1 2 1	1 12	3 5 14 6	3 1 2	10 13 26 8 3	1 1 1	1 1 1 1	1 2 2 2
26 27 28 29 30	Ontonagon County Osceola County Oscoda County Otsego County Ottawa County		1 4 3 7			<u> </u>	2	2	2 1 3 2	1 2 2 2 2 9	2	3 13 1 4 34	1	1 1 3	2 2 3
31 32 33 34 35	Presque Isle County Roscommon County Saginaw County St. Clair County St. Joseph County	134 21 429 388 379	1 4 7				4 1 1	1 3 3 1	2 4 3	2 6 12	2 1	3 6 24 16 14	1 1	3 2 2	2 3 2
36 37 38 39	Sanilac County Schoolcraft County Shiawassee County Tuscola County	384 73 421 438	6 4 4	1			1 2 2 2	1 1 4 7	3 1 3 4	10 1 8 21	3 2	16 8 16 24		3 2 2 3	3 1
40 41 42 43	Van Buren County Washtenaw County Wayne County Wexford County.	485 363 1, 280 269	11 5 21 6	1		5 5 5	5 1	1 1 1 2	17	4 6 10 6	6 1	24 20 137 6	2	7 5 8 4	1 7
44 45 46	MINNESOTA.  Total.  White. Colored.	14, 256 14, 051 205	192 192		3 3	104 104	121 121	92 87 5	151	149 148 1	58 58	1,260 1,204 56	104 99 5	159 157 2	89 87 2
47 48 49 50 51	Aitkin County Anoka County Becker County Beltrami County Benton County	162	1 6 7 6 1			1 1 1 1	3 1 3	3 5	2 1	3	1 1		1 1 4 1	2 2 2 3	1 1
52 53 54 55 56	Big Stone County. Bine Earth County. Brown County. Carlton County. Carver County.	112 199 234 158 150	3 1 2 1 2			1 3	1 6	1 1 1	1 1 6 1	3 1	1	5 19 16 16 8	1	4 5 2 1	
57 58 59 60 <b>61</b>	Cass County Chippewa County Chisago County Clay County Clay County Clearwater County	87 132 161 174 64	2 2 2 2 8 1		1	1	1 1	2	1	2 1 1 1	i	12		1 1 1 4 2	1 2
62 63 64 65 66	Cook County Cottonwood County Crow Wing County Dakota County Dodge County	197 272 136	8				3 1	1	1 6 1 2	. 1	1	. 13	1	1 2	
67 68 69 70 71	Douglas County Faribault County Fillmore County Freeborn County Goodhue County	278	1 3 4			1 3 3 1	2 7 1 4	$\frac{1}{2}$	$\frac{3}{2}$	. 2	3 i	. 9 16	1	3 2 3 4	1

<sup>1</sup> Exclusive of municipalities having a population of 10,000 or over in 1910.

# DEATHS FROM PRINCIPAL CAUSES.

SUBDIVISIONS, BY COLOR OF DECEDENT AND CAUSE OF DEATH: 1911—Continued.

12489°—13——20

DINGGO			List (śee p	. 20).]		•			DEATHS	FROM-									***************************************	Ē
Can- cer.	Dia- betes.	Menin- gitis.	Cerebral hemor- rhage and softening.	Organic diseases of the heart.	Bron- chitis.	Pneu- monia (all forms).	Other respira- tory dis- eases.	Diarrhea and enteritis (under 2 years).	Appendicitis.	Hernia, intes- tinal obstruc- tion.	Cir- rhosis of the liver.	Ne- phritis, Bright's disease.	Puer- peral fever.	Other puer- peral affec- tions.	Con- genital debility and mal- forma- tions.	Violent deaths (ex- cluding sui- cide).	Sui- cide.	All other causes.	III- defined and un- known.	
16	(87)	17	18	19	20, 21	22,(28)	(28)	25	26	27	28	29	81	32	33	35	36	(37)	38	
48 4 2 19 6	9 35 4 53	6 2 1 4 1	61 1 18 6 43 17	147 3 11 52 7 · 64 30	19 6 1 5 3 7 2	44 5 3 33 6 32 11	14 1 1 7 2 3 5	15 5 2 6 5 13	4 3 6 2 6	6 2 5 4 1	.9 6 1	63 2 7 22 8 32 7	3 2 1 1 1	2 1 2 2 2 2	33 11 2 14 10 22 12 12 4 7	37 11 7 16 9 21 12 5	91 22 33 4	170 23 9 128 47 108 70 30	3 2 1 3 3 4	1 2 3 4 5 6 7 8 9 10
6 1 32 7 10 16 20 6	6 3 1 3 2 1	1 5 1 3 6	43 17 5 4 27 13 5 17 25 4	5 8 51 17 21 23 25 9	72338 175444	32 11 6 8 34 16 15 10 13 5	3 5 2 1 6 1 2 4 4 4 4	3 5 17 6 18 5 8	2 5 4 5 1	1 7 2 1 2 3 2	1 2 1	2 48 8 12 12 15 2	1 3 1	3 2 1 1 3 1 2	7 22 13 26 11 8 15	9 18 9 62 19 19	1 1 7 2 2 3 2	20 114 35 52 48 55 28	5 4 1 9 4 2 5	11 12 13 14 15
9 7 35 34 2	1 2 . 10	2 4 5 2	15 4 25 22 3	14 5 44 74 1	1 7 8	19 6 33 19 4	· 4 7 8	8 3 18 8 1	1 1 3 3	2 1 9 3	3 1 4 2	6 4 19 16 3	4 2 3	2 2 4	7 5 32 29 3	8 5 24 26 3	3 1 6 3	38 18 106 112 9	. 4 4 4 1	16 17 18 19 20
17 19 30 12 4	1 2 4 3 1	1	19 12 43 11 6	21 25 58 23 7	5. 4 14 5	9 15 30 11 7	2 2 5 3 1	5 6 8 10	5 3	3 5 2 1	1 2 7 2 1	9 7 26 9 3	3 1 4 1 2	3 4	11 12 15 16 11	7 14 34 13 4	2 5 12	50 59 118 58 29	3 3 5 4	21 22 23 24 25
5 10 4 3 35	1 1 7	2 1 4	13 141	28 28 13 48	7 6 10	6 11 9 18	1 2 6	9 5 1 3 11	2	1 4	2 2 4	5 15 8 29	·2 2 1 1 3	1 1 5	6 15 1 22	15 12 1 10 33	1	14 39 4 20 81	4 1 4 . 6	26 27 28 29 30
5 2 31 23 26	1 4 3 5	1 3 1 2	2 1 21 21 41	12 5 60 55 53	1 14 6 5	9 1 30 26 35	1 8 6 8	18 1 15 10 7	1 2 3	3 6 3 2	2 5 1 5	3 1 23 26 22	2 2 3 1	2 1 4 2	14 42 23 19	12 23 21 19	2 2 1 4	27 3 90 104 82	8 2 5 3	3: 3: 3: 3: 3: 3: 3: 3: 3: 3: 3: 3: 3: 3
20 3 25 32	3 1 6 2	4 2 5	27 3 26 26	49 6 71 50	8 3 7 8	28 1 22 28	2 2 3 5	15 2 10 12	5 2 2	3 3 4	4 1 4 2	18 4 19 20	1 1 1 2	3 .1 1 2	26 6 30 23	18 8 33 12	1 7 4	102 17 104 126	1 2 6	36
. 34 14 49 17	7 6 10 4	4 1 12 3	30 41 57 26	76 69 120 27	6 2 19 2	25 13 70 14	6 6 18 2	6 3 96 17	2 2 2 3	4 3 16 4	4 3 12 1	36 25 59 •14	2 2 5 4	2 9 2	27 12 90 22	27 28 78 22	4 3 16 2	124 77 310 53	1 6, 12 2,	40 43 43 43
902 898 4	172 171 1	107 106 1	684 679 5	1,229 1,225 4	195 195	1,315 1,293 22	160 160	525 519 6	196 196	131 128 3	98 98	848 842 · 6	102 102	102 101 1	820 818 2	985 972 13	176 173 3	2,726 2,695 31	301 269 32	4:4:4:4:4:
6 12 11 8 8	3 2	1 2 3	13 4 5 3	3 18 11 15 9	4	3 9 16 15 17	3	1 3 7 11 6	1 1 5 2	1 1 3 1	1 4 3 1	6 16 10 5 2	2 1 3	1 2 3 1	9 10 11 8	10 11 15 46 7	1 1 3 5 2	12 22 40 . 36 18	4 1 10 20 2	48 48 50 50
5 17 12 8 9	3 5 2	•1 1 4 5	3 7 18 9 17	6 17 19 12 19	1 4 3	12 15 25 14 15	2 1 3 1	8 3 8 9 3		1 3 2 1 2	1	4 19 18 18 3	1 1 1 2 1	1 4 3 1	9 1 <u>4</u> 11 9 8	16 11 14 13 13	1 4 5 1	22 40 45 21 23	1 1 4 9 2	52 53 54 55 56
1 12 16 12 4	4 3 1	. 1 1	2 3 3 . 8 3	ł	1 2 1	12 16 22 12 7	1 1 2	3 9 8 7 2	1	1	1 1 2	5 5 8 3	1 2 1	2 1 2	5	9 13 8 18 3	2 3 1 2	10 16 42 34 8	9 2 1 3 3	55 55 60 60
1 8 9 17 8	3 3 1	2 2 2 2 1	3 17 5 17	6 19 34 18	6	19 16 27 13	1 6	11 5 8 2	1 4 2 2	2 2 4 1	1 1 3	6 11 17 9	2 1 2 1	2 3	2 8 17 14 7	1 8 19 28 4	3 2 5	3 30 27 46 27	4 2 6 4	66 66 66 66
13 16 16 12 28	3 6 4 3 5	1 2	5 12 16 12 24	22 14 38 15 47	3 6 8 3 6	}	3 3 6 1 7	4 6 4 9 6	3 3 2	4 3 1 1 4	- 2 1 1 4 3	9 6 23 11 35	5 1 3 2	. 3 1 2 1 1	8 6 18 12 15	6 8 10 16 20	3 1 1 4	26 47 61 45 76	4 5 3 6 3	68 68 70 71

## TABLE 3.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA AND ITS

			<del></del>		<del></del>		ď	EATHS FR	.ом—				orrespon		
	AREA AND COLOR.	All causes.	Typhoid fever.	Malaria.	Small-pox.	Measles.	Scarlet fever.	Whooping cough.	Diph- theria and croup.	In- flu- enza.	Ery- sipelas.	Tuber- culosis of the lungs.	Tuber- culous men- ingitis.	Other forms of tuberculosis.	Rheu- ma- tism.
	RURAL PART OF REGISTRATION														
	STATES1—Continued.  MINNESOTA—continued.														
1 2 3 4 5	Grant County	85 274 127 85 128	2 2 1			i 1	1 2 1	9	1 4 2	1	1	11 13 11 7 17	1 2 1 1	2 1 2 3 1	1 4 2
6 7 8 9 10	Itasca County Jackson County Kanabee County Kandipohi County Kitson County	183 147 61 191 85	5			4 5	1 3 1	3 1 4 1	4 4 1	3	1 2	15 14 3 17 5	1 1 1	2 2 1	2 1 4 1
11 12 13 14 15	Koochiching County Lac qui Parle County Lake County Le Sueur County Lincoln County	77 147 95 171 61	7 4 7			1 1 1	3 5	2	1 1 1	1 2 4	1 2	1 12 9 8 2	2	1	1 2
16 17 18 19 20	Lyon County McLeod County Mahnomen County Marshall County Marshall County	165 170 38 155 144	7 1 3 1		1	3 1 3	2	6 1 1	1 2 4	2 5 2 1	1 3 1	5 11 8 21 6	1	1 1 2 4	1
21 22 23 24 25	Meeker County Mille Lacs County Morrison County Mower County Murray County	185 100 203 228 88	2 1 4 3 4			1 1 3 3	1 2 2 3 2	3 1 1	1 2	2 1 2 6 2		25 11 21 20 4	3 1 3 1	2 1 4	1 1 3
26 27 28 29 30	Nicollet County Nobles County Norman County Olmsted County Otter Tail County	209 146 103 514 587	2 1 1 1 9			12 1 3	3 1 9	3 1 2 1	1 2 6 8	3 4 3 13	1 1 4 3	31 3 14 36 72	2 1 1 1 2	10 13	, 2 3
31 32 33 34 35	Pennington County Pine County Pipestone County Polk County Polk County Pope County	88 159 74 277 123	2 2 7			1 1 1	1 3 1	2 1 1	4 5 2 3	2 2	1 1	10 18 4 44 10	3 2	1 1 3 3	2 1 1 2
36 37 38 39 40	Ramsey County Red Lake County Redwood County Renville County Rice County	100 46 147 189 343	2 3 1 3			2 1 2 12	3	2	3 7 7 2 1	1 5 3	1 1 2	8 5 7 15 54	1 1 4	7	1 2
41 42 43 44 45	Rock County Roseau County St. Louis County Scott County Sherburne County	97 102 769 143 85	2 2 11				2 3 5 1	2 1 1	1 8 1 2	1 2 1	1 2 2	6 17 54 6 6	1 12 2	1 7 4	5 1
46 47 48 49	Sibley County Stearns County Steele County Steevens County	147 313 170 66	1				4 2 3	1	2 3 2 2	1 1 2 4	1 1 1 1	9 16 12 3	2 3	1 4 2	1 2 2 1
50 51 52 53	Swift County Todd County Traverse County Wabasha County	127 198 47 201					1 1 4	2 1 2	2 2	5 2 4	$ \begin{array}{c} 1\\2\\\dots\\1 \end{array} $	14 15 5 15	1 1	1 2 3	1
54 55 56 57	Wadena County Waseca County Washington County Watonwan County	67 108 172 92	1		i			1 1 2	3 1	2 1	1 1 1	7 9 12 6	1 1 2	1 2 3 3	2 1 2
58 59 60 61	Wilkin County Winona County Wright County Yellow Medicine County	65 148 265 118	6 2 2 1			4 2	1 1	1 2	1 2 1	1 2 3	2 1	2 5 17 11	2 2	2 1 2 1	2 2 1
62 63 64	MISSOURI. Total. White Colored.	25,560 24,019 1,541	758 719 39	451 434 17	21 20 1	479 474 5	104 102 2	347 325 22	472 470 2	641 611 30	95 93 2	2,882 2,512 370	78 74 4	232 212 20	161 144 17
65 66 67 68 69	Adair County Andrew County Atchison County Audrain County Rarry County	265 165 107 193 259	6 6 1 3	1 1 •		9	2	1 3 1 2	4 4 2 5 14	5 3 3 8 4	2	24 17 9 23 22		6	2 2

<sup>&</sup>lt;sup>1</sup> Exclusive of municipalities having a population of 10,000 or over in 1910.

				·			· · · · · · · · · · · · · · · · · · ·		DEATHS	FROM—							-	<u> </u>	
Can- cer.	Dia- betes.	Meningitis.	Cerebral hemor- rhage and softening.	Organic diseases of the heart.	Bron- chitis.	Pneu- monia (all forms).	Other respira- tory dis- eases.	Diarrhea and enteritis (under 2 years).	Appen- dicitis.	Hernia, intes- tinal obstruc- tion.	Cir- rhosis of the liver.	Ne- phritis, Bright's disease.	Puer- peral fever,	Other puer- peral affec- tions.	Congenital debility and malformations.	Violen deaths . (ex- cluding sui- cide).	Sui-	All other causes.	Ill- defined and un- known.
16	(37)	17	18	19	20, 21	22,(23)	(23)	25	26	27	28	29	31	32	33	35	36	(37)	38
681277 5822100 28453 1211282 102325 1297832 678148 7321819 6691113 57314 68842 55555 188	22 51 1 3131 21 12 3 273 43134 11155 21155 122 3 38 32 3 3111 1	1 1 1 1 4 2 2 1 1 1 1 3 3 1 1 1 3 3 2 2 2 2 1 1 2	2 19 7 5 9 4 5 2 2 17 5 8 2 2 9 1 11 6 1 6 5 10 3 7 17 2 10 4 9 2 19 5 1 1 6 1 12 3 4 9 17 14 5 6 6 6 3 6 5 8 5 8 18 3	7915101 12 86663 9722188 4181135 11007300 121563745 6663719 10 11494 8729157 163002 14442 39710 6822 1442 1424 39710 6822	11 13 3 3 1 1 1 2 4 4 3 2 4 4 3 2 2 4 4 3 2 2 4 1 2 1 2 3 1 2 5 6 6 1 7 7 4 1 4 1 1 1 2 1 3 5 6 3 1 1 2 1 2 1 3 1 2 5 6 6 3 1 1 2 1 2 1 3 1 2 1 2 1 3 1 2 1 2 1 3 1 2 1 2	9 25 1 7 5 1 1 2 1 2 8 6 9 4 2 2 4 1 1 3 3 1 7 4 1 9 9 2 5 1 1 2 3 2 1 1 1 1 1 2 5 4 4 6 6 6 5 1 7 8 2 1 6 3 2 2 6 3 1 3 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	11111 2 2222 35 32 3 5 1 23285 116 2 221 11312 432 3 11 124	13467 772124 48843 33566 96721 233346 24262 311108 41703 9912 2813 55	1 3 2 17 23 3 2 5 2 4 4 4 1 4 1 2 1 4 4 1 5 5 1 1 4 4 1 5 5 1 1 4 4 1 5 5 1 1 4 4 1 5 5 1 1 4 1 5 5 1 1 4 1 5 5 1 1 4 1 5 5 1 1 1 1	2 13 2 1 2 1 3 3 3 3 3 1 2 1 2 1 3 6 10 12 6 11 11 11 11 11 11	2 4 11 11 1 1 1 1 1 1 1 1 1 1	691453 5124122 177482 1214179 10 12126 6574374 173114 54663 458872 91472 212320 5451 43	1 2 5 2 2 2 2 2 2 2 2 1 1 1 1 2 2 1 1 1 1	1 2 2 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	8 13 3 4 8 12 4 4 16 16 7 6 9 2 2 7 7 16 12 13 8 3 17 10 8 9 13 4 12 2 4 9 13 8 6 4 9 2 4 11 16 8 7 7 0 4 15 2 4 9 6 10 6 1 1 7 6 6 5 5 8 5 3	840266 3894883 11623113. 91121011 65792 4911617 2171133 1115132 6533211 51895 67820 32156 55	111334 4 21 2 36 2 141 2 5 1133 11123 5 32 1112 3	13 55 54 13 111 22 2 35 111 22 35 34 35 35 34 25 35 114 15 15 15 19 90 40 26 24 22 38 8 34 78 32 14 15 15 19 10 10 10 10 10 10 10 10 10 10 10 10 10	11311 71521 21111 32391 316 3 6214 57495 12 13 132645 8 1 4313 1 11 75
1,007 975 32	224 222 2	308 297 11	1,062 1,010 52	1,768 1,654 114	7 2 347 324 23	2,296 2,147 149	254 244 10	7 9 1,131 1,079 52	1 163 156 7	206 194 12	194 182 12	18 13 1,354 1,281 73	169 161	208 199	9 6 1,418 1,368 50	1,271 1,184 87	1 1 212 207	4, 548 4, 318 4, 230	699 6 627 6 72 6
22 12 10 9 12	2 4 2 3 1	9 3 3 4	14 15 6 15 9	114 12 16 7 18 14	23   4   2   1   1	18 11 6 8 27	5 2 2 1 2	52 4 4 6 4 9	7 2 1 1 2	12 2 1 1 1	3 3 2	73 14 15 9 12 8	8 3 1	6 1 5 4	20 5 3 11 12	87 13 12 10 8 13	5 2 3 4 2	50 21 22 39 43	72 6 4 6 6 4 6 6

#### TABLE 3.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA AND ITS

=			<del></del>					TA MITTO TO	.016			f death c			
			1		1		ъ	EATHS FR	- IOM-						l
	AREA AND COLOR.	All causes.	Typhoid fever.	Mala- ria.	Small-pox.	Measles.	Scarlet fever.	Whooping cough.	Diph- theria and croup.	In- flu- enza.	Ery- sipelas. (12)	Tuber- culosis of the lungs.	Tuber- culous men- ingitis.	Other forms of tuberculosis.	Rheu- ma- tism.
	RURAL PART OF REGISTRATION			<u> </u>											
	STATES 1—Continued.  MISSOURI—continued.												'		
1 2 3 4 5	Barton County Bates County Benton County Bollinger County Boone County	139 291 188 127 344	4 10 10 9 9	4 3 7 3		1 1 2 1	$egin{array}{c} & & & & \\ & & & 2 \\ & & 1 \\ & & & 2 \\ \end{array}$	1 2 3 5	7 3 1 8	9 6 17 2 10	1 2 1 1	18 28 22 12 47	1 1 1	2 5 2 1 2	1 4 2
6 7 8 9 10	Buchanan County Butler County Caldwell County Callaway County Camden County	169 475 155 379 89	3 14 4 9 1	2 48 2 2		35	1	20	8 14 4 2	7 2 15 4	1 1 3 1	17 36 17 59 12	2 2 1	1 6 2 2	2 4
11 12 13 14 15	Cape Girardeau County	416 287 60 265 161	19 3 4 3	4 1 4 2	2	11 1 2 3	1 2	12 1 1 4	7 3 1 2 3	7 10 1 8 8	1 2 2	36 24 6 18 20	3 1 1 1	3 1 1	6 2 1 1
16 17 18 19 20	Chariton County. Christian County Clark County Clark County. Clay County. Clinton County.	249 170 150 361 181	3 10 4 10 3	1 2		3 3 2	1 1	5 3 2 4 2	2 2 3	9 1 2 6 3	2 1	33 19 21 22 14	i i	4 1 2 2 4	1 5
21 22 23 24 25	Cole County Cooper County Crawford County Dade County Dallas County	90 212 142 141 89	2 5 8 10 6	1 1 2	2 1	6	2	1 1	1 5 7 5	2 2 4 8 1	1 1 1 1	8 27 13 13 8	i	1 2 2 1	*i
26 27 28 29 30	Daviess County Dekalb County Dent County Donglas County Donglas County Dunklin County	179 112 125 93 721	5 1 4 5 14	2 3 105	1	7 1 43	32	2 72	2 · 2 · 3 · 8 · 8	5 5 8 1 8	i	21 7 17 5 61	3	3 1	1 1 1 4
31 32 33 34 35	Franklin County Gasconade County. Gentry County Greene County Greene County. Grundy County.	353 158 159 267 181	9 3 6 9 5	1 1 4 1	1	2 3 2 6	i	6 1 6 5	14 2 9	7 6 7 5 12	2	37 10 11 21 12	i 1	3 3 1 7 2	3 1 1
36 37 38 39 40	Harrison County Henry County Hickory County Holt County Howard County	229 318 77 158 204	6 6 3 5 3	3		17 1	i	1 4 1 1	3 1 2	4 9 2 5 2	2 2 i	25 27 9 14 34	1	1 1 4 1	2
41 42 43 44 45	Howell County Iron County Jackson County Jasper County Jefferson County	251 128 433 576 373	14 6 8 28 10	3 2 9 3	1 1 1	4 3 1 1 2	2 1 5 2 1	1 5 10 7	8 6 3 11 7	8 5 14 22 6	1 2 3	28 14 24 68 41	1 3 4	5 4 4 3	3 7 4
46 47 48 49 50	Johnson County	287 133 152 379 310	4 5 7 10 15	2 1 1 1		3 2 6	1 2 1	3 2 5 4	2 1 6 3 9	8 1 1 12 9	1	19 12 18 39 39	3	2 2 1 4 2	4 2 2 3 1
51 52 53 54 55	Lewis County Lincoln County Linn County Livingston County McDonald County	202 174 277 223 96	3 2 4 4 4	2 2 2		6 1 7	1 1 2	1 1	4 3 6 1 8	7 11 2 . 6	1	21 23 31 28 9	1	3 4 4 2	3 1 3 2
56 57 58 59 60	Macon County Madison County Maries County Marion County Merion County Mercer County	338 158 109 176 123	14 9 8 5 2	1 5		7 2 1	2 1 1 2		6 5 10 2	14 10 3 5 4	4	30 23 13 19 14	1	3 2 1 1	2 2 1 1 1
61 62 63 64 65	Miller County Mississippi County Moniteau County Monroe County Monroe County Montgomery County	185 233 161 184 166	6 12 2 4 7	7 1 1	1	1 2	6	5	10 5 2 1	8 3 2 4 4	2 1 1	16 23 13 16 16	1 1 3	1 2	1 1 1
66 67 68 69 70	Morgan County New Madrid County Newton County Nodaway County Oregon County	337	6 3 8 5 7	31 3 3	1	23 2 5 3	3 1 1 1	1 5 4 3 1	3 6 10 2 2	7 3 4 11 2	1	13 21 42 31 13	1 11	2 4 5 2	2 2 2 1

<sup>&</sup>lt;sup>1</sup> Exclusive of municipalities having a population of 10,000 or over in 1910.

	-								DEATHS I	FROM-			*****				<del></del>			F
Can- cer.	Dia- betes.	Menin- gitis.	Cerebral hemor- rhage and softening.	diseases	Bron- chitis.	Pneu- monia (all forms).	Other respira- tory dis- eases.	Diarrhea and enteritis (under 2 years).	Appen- dicitis.	Hernia, intes- tinal obstruc- tion.	Cir- rhosis of the liver.	Ne- phritis, Bright's disease.	Puer- peral fever.	Other puer- peral affec- tions.	Con- genital debility and mal- forma- tions.	Violent deaths (ex- cluding sui- cide).		All other causes.	Ill- defined and un- known.	
16	(37)	17	18	19	20, 21	22,(28)	(28)	25	26	27	28	29	31	32	88	35	36	(37)	38	
																,		-		
8 - 12 7 3 15	1 5 1 4	1 4 1 6 3	7 21 4 2 13	17 30 6' 6 33	1 4 3 1 8	12 20 17 9 28	1 4 1 2 3	10 6 6 20	2 1 2	3 3 2 2 3	1 2 3	6 12 5 2 18	1 3 3	1 3 2 2	4 15 13 7 15	9 14 9 5 19	2	17 60 32 22 64	2 3 9 3 7	1 2 3 4 5
9 8 11 14 4	4 1 3 8 2	3 3 1 3	9 12 12 10 4	17 9 16 18 1	2 2 1 7 1	21 48 15 19 9	7 1 1	6 30 3 6	1 2 3 1	1 3 1 1	9	16 18 8 20 12	1 1 3 2	1 4 2 2	7 17 6 12 3	19 38 7 16 5	1 1 1 6 1	20 58 33 110 16	31 3 9 3	6 7 8 9 10
13 15 1 8 6	2 2 5 2	11 2 1 6 1	11 12 2 15 9	23 27 2 23 16	6 1 2 1 1	40 32 5 30 15	1 1	21 13 7 11 4	2 1 1	6 2 1 1	3 4 3 4	23 21 4 21 12	5 3 1 4 1	2 3 1 2 2	36 14 4 16 11	16 18 15 4	2 1 1	66 62 6 53 30		11 12 13 14 15
19 6 12 13 13	6 1 4 5 5	2 1 1 4 3	12 4 9 23 12	24 7 16 47 19	1 1 3 2 3	18 31 15 35 5	1 3 3	7 3 3 11 6	5 2 3 3	4 2 2 1 2	1 5 1	12 7 4 36 14	2 2 2 2 2	5 3 2	17 15 6 14 17	15 9 6 22 7	2 1 1 5 3	37 24 24 67 32	3 10 6 4	16 17 18 19 20
1 15 11 5 4	1 1 3	2 1 2 2 2	6 14 8 4 2	8 17 10 12 8	4 2 2 1	7 11 15 14 3	4 1	5 7 5	6 1	1 1 3 1	1 2	4 14 4 4 4	2 2 2	2 1 3 1	10 9 11 4 2	9 8 4 7 1	1 1 1 1	16 47 22 22 19	1 6 2 10 . 7	21 22 23 24 25
7 3 1 6 7	4 1	2 2 1 14	10 7 3 4 22	3 13 7 5 12	1 : 1 9	17 11 14 9 78	1 1 1 9	6 4 5 4 58	2 2 2	3 5	1 1 1	12 4 3 5 7	2 1	1 1 2 11	11 8 14 1 40	7 3 3 6 21	1 1 2	39 31 19 13 67	5 8 5 5 32	26 27 28 29 30
19 7 11 4 17	.3 4 2 2	1 3 3 2	16 9 10 15 5	16 6 18 26 15	11 3 ,3 1	22 18 14 33 18	3 3 2	19 12 4 7 3	3 3 3 2	5 1 2 2 2	9 2 2 1	23 8 14 11 5	2 1 1 1	1 2 1	17 10 13 18 9	23 9 9 9 16	4 1 1 5	68 22 24 52 . 33	5 1 5 4	31 32 33 34 35
11 23 5 5 8	3 2 2 2	2 1 1	15 21 3 4 8	10 41 4 24 17	3 2 1 5 7	26 31 7 10 13	1 6 1 2	11 11 3 6 7	5	1 3 1	3 1	17 14 1 11 22	5 1 1	4 1 2	8 11 10 7 5	12 17 6 5 11	4 2 1 2 2	35 58 14 35 40	3 10 2 3	36 37 38 39 40
7 3 21 16 14	5 8 3	5 2 6 11 2	7 3 31 15 14	14 8 45 55 32	5 8 13 8	24 18 35 36 29	1 4 13 3	7 7 18 25 20	3 2 3	3 6 1 4	1 2 2 3 6	8 2 30 30 17	3 2 4 1	4 1 3	17 6 21 42 33	6 3 31 31 31	1 4 9 3	52 26 87 91 50	10 5 4 7	41 42 43 44 45
19 6 4 21 · 13	6 1 1 5 4	3   4   1	14 8 3 - 16 14	18 9 9 32 14	4 2 2 8 7	18 7 25 37 36	4 1 2 1	11 4 5 11 14	1 1 1 1	1 1 2 6 3	1 4 3 1	20 8 6 14 15	1 3	1 2 2 3 1	18 6 9 18 18	11 5 8 20 17	3 1 1 4	87 31 31 88 44		
5 13 9 3	1 3 1 3	2 2 2 4	10 7 19 11 2	13 9 34 15 11	4 2 4 4 4	19 13 18 14 7	3 1 1	6 5 10 6 3	3 1 4	2 1 5	3 1	20 15 22 16 4	1 1 2	2 1 1 1	9 11 13 7 10	7 5 11 13 3	1 2 6 1	42 35 54 58 15	6 5 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8	46 47 48 49 50 51 52 53 54
21 4 5 11 1	4 1 1 1 1	1 3 1	19 5 2 9	18 11 6 14 8	1 4 1 4	29 7 8 24 24	1 1 2 8 2	14 11 4 1 8	1 1 1 2	1 1 1 2	3 1 1 4	21 3 4 12 7	3 2 1 1	5 1 1	19 5 5 8 5	17 6 1 9 2	3 1	61 25 26 29 21		56 57 58 59
4 6 5 9 16	1 3 3 1	7 4 2 1 1	4 5 8 8	11 5 18 12 14	4 2 6 1 3	18 23 15 14 14	2 4 1 2	11 30 3 6 9	2 2 2	1 2 5 3	1 2 2 1	3 6 13 21 7	3 2 1 1 1	3 3 1 1 2	17 17 10 17 6	10 9 4 8 10	1 1 2	26 37 35 40 29	5 6 6 6 6 6 6 6 6 6	
$\begin{bmatrix} 7 \\ 2 \\ 12 \\ 21 \\ 1 \end{bmatrix}$	3	5 6 3 5	8 5 13 17 4	10 29 34 7	4 3 2 2	14 28 41 35 12	3 2 5 4 1	7 33 19 9 10	3 1 4 1	1 3 4 1	3 2 3 1	4 6 22 20 9	4	4 4 1 3	7 24 13 21 7	11 25 20 13 2	2 1 2 4	19 43 58 54 16	5 6 8 6 4 6 5 6 4 7	6 7 8 9

# Table 3.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA AND ITS

=	T	<del>.</del> .			. <u></u>					=		o death o			=====
								EATHS FI	гом—						
	AREA AND COLOR.	All causes.	Typhoid fever.	ria.	Small- pox.	Measles.	Scarlet fever.	Whooping cough.	Diph- theria and croup.	In- flu- enza.	Ery- sipelas.	culosis of the lungs.	Tuber- culous men- ingitis.	Other forms of tu- bercu- losis.	Rheu- ma- tism.
	,		1	3	4	5	6	7	8	9	(12)	13	14	15	(87)
	RURAL PART OF REGISTRATION STATES !—Continued.  Missouri—continued.									;			i		
1 2 3 4 5	Osage County Ozark County Pemiscot County Perry County Pettis County	367	10 3 4 8 2	3 26	1	5 28 3	1 1 1	5 2 11 8 1	6 1 7 2 2	7 3 1 3 9	1 4 3	10 13 31 13 7	1	1 1 2 2 2	1 4 1
6 7 8 9 10	Phelps County. Pike County. Platte County. Polk County. Polk County. Pulaski County.	323 139 250 139	7 8 5 11 9	2 6 2	2	1 5 3	2 1 2 1	1 1	3 1 1 11 7	1 5 4 4 4	1 1 1	21 31 13 29 12	1	3 5 1 2	2 2 2 5
11 12 13 14 15	Putnam County Ralls County Randolph County Ray County Reynolds County	134 175 252 79	1 2 3 9 4	1 1 4		6 1	1	3 4	1 2 3 2 4	3 4 5 2	1	12 9 16 28 7		3 1 1 6	1 1 4
16 17 18 19 20	Riploy County. St. Charles County St. Clair County. St. Francois County. St. Francois County. St. Louis County	318 153	6 4 5 12 20	13 1 2 3	2	11 9 3 15 15	1 3 8	1 1 6	13 2 8 9	3 6 3 6 19	1 3 1 5 2	21 18 15 61 472	$\begin{bmatrix} 1\\2\\ \cdots\\ 4\\2 \end{bmatrix}$	1 3 12 7	1 2 4 4
21 22 23 24 25	Ste. Genevieve County. Saline County Schuyler County. Scotland County. Scott County.	128 327 92 109 393	5 6 2 1 12	22	1	3 26	1	1 7	1 2 1 11	2 10 9 1 3	1 1	20 39 14 6 30	2 1 2 3	3 2	1 5 3
26 27 28 29 30	Shannon County Shelby County Stoddard County Stone County Stone County. Sullivan County.	94 179 554 69 192	6 2 16 5 8	39 1		36 2 9	4	29 1 1	14 5	1 6 9 4 5	2 1	2 22 48 6 21	2	4 1	1 1
31 32 33 34 35	Taney County Texas County Vernon County. Warren County. Washington County.	69 200 424 113 144	9 9 4 8	6 1 3 1 2	1	2	1	2 1 2 9	3 4 2 1 3	11 8 1 4	2 10	12 23 41 7 15	1 1 1	1 4 1 1	1 2 2
36 37 38 39	Wayne County Webster County. Worth County. Wright County.  MONTANA.	212 184 47 184	8 13 8	8 1		13 2 1 6		4 2 1	8 7 8	12 7 2 5	3	23 20 2 19	1	1 1 1	1
40 41 42	Total	2,539 2,241 298	48			39 28 11	21 21	11 11	24 24	11 11	5 4 1	225 137 88	12 6 6	24 19 5	18 16 2
43 44 45 46 47	Beaverhead County Broadwater County Carbon County Cascade County Chouteau County	58 35 133 93 121	$\begin{bmatrix} 5 \\ 2 \end{bmatrix}$			1 1	3	1	1 4 2 5	2 1		1 5 4 11		1	1 2
48 49 50 51 52	Custer County.  Dawson County  Deer Lodge County.  Fergus County <sup>2</sup> Flathead County.	110 100 97 112 142	2			4 1 2 5	2 1 4	1	3	1 1	1	4 4 9 9	1	2	1
53 54 55 56 57	Gallatin County Granite County Jefferson County Lewis and Clark County Lincoln County	131 22 44 58 33	2			2 2 1			.	1 .		10 1 3	1	4	2
58 59 60 61 62	Madison County. Meagher County 2. Missoulia County Musselshell County 3. Park County	85 31 112 40 92	3			3	i		1 .	1 .		7 1 18 2 3	4	1	1 1 1 1 1
63 64 65 66 67	Powell County. Ravalli County. Rosebud County. Sanders County. Silver Bow County.  1 Explusive of municipalities begins a second county.	47 98 114 24 238				3	1 1	2	1 2	2 1	1 1 2	1 7 30 3 41	1 1	1 4	2

<sup>&</sup>lt;sup>1</sup> Exclusive of municipalities having a population of 10,000 or over in 1910.

<sup>&</sup>lt;sup>2</sup> Part taken from part of Musselshell County, Mar. 1, 1911.

ibriagea	III GITI	ationar	List (see p	. 29).]					1								<u> </u>		
								1	DEATHS I	том—									
Can- cer.	Dia- betes.	Menin- gitis.	Cerebral hemor- rhage and softening.	Organic diseases of the heart.	Bron- chitis.	Pneu- monia (all forms).	Other respira- tory dis- eases.	Diarrhea and enteritis (under 2 years).	Appen- dicitis.	Hernia, intes- tinal obstruc- tion.	Cir- rhosis of the liver.	Ne- phritis, Bright's disease.	Puer- peral fever.	Other puer- peral affec- tions.	Con- genital debility and mal- forma- tions.	Violent deaths (ex- cluding sui- cide).	Sui- cide.	All other causes.	III- defined and un- known.
16	(87)	Ì7	18	19	20, 21	22, (23)	(23)	25	26	27	28	29	31	32	33	35	36	(37)	38
4 2		3 4 7 1	6 1 6 7	15 4 3 8 11	2 1 2 3 1	8 2 47 18 13	3 1 1 2	7 1 45 16	2 1 1	1 4	2 2 1	1 6 11	2 4 4 2	1 1 4 1 2	9 3 17 13 7	7 3 23 13 8	12311	27 7 55 32 26	4 10 25 1 6
6 5 23 4 7 3	1 1 2 1	1 6 5	7 7 16 5 8 4	11 14 31 19 17 7	1 4 5	13 8 24 8 25 14	2 5 2	10 11 1 1 9 3	1 2 1 1	4 2 4 1 1 4	1 2 2	10 19 20 11 18 5	3 1	1 3 1 1	7 11 18 8 15 9	8 5 11 7 13 4	1 2 2 2 1 3	26 31 61 36 52 35	6 17 1 5 5
5 9 9 10 2	1 1 2	1 4 6	7 12 8 12	13 13 15 21 2	1 2 1 2	12 14 8 23 10	2	2 6 5 6 4	1 1 1 2 3	1 1 1 2 1	1 2 2	8 16 19 10 2	3 1 1	1 1 4	7 8 8 17 4	6 4 15 15 3	1	28 26 40 45 10	8 2 4 10 3
13 10 11 33	3 3 1 10	8 5	1	6 36 12 13 75	1 5 3 7 26	12 23 15 50 82	2 5 3 4 12	7 13 · 6 41 42	1 2 2 2 5	3 2 3 6	1 7 1 3 8	21 6 42 59	2 6 4	5 1 1 3 6	14 24 8 35 41	6 25 4 36 65	1 6 1 3 23	27 67 26 86 160	8 3 1 16 3
1 12 3 11 7	1 4 1 2	3 1 1 1 4	3 15 3 6 3	6 36 7 14 8	5 3 1 2 11	15 24 11 6 54	2 4 1 1 1	8 10 2 32	1 3 3	2 5	6 2 3 8	8 5 3 3 12	3	2 2 1 3	5 20 4 5 34	8 16 3 9 20	1	20 92 16 29 49	1 9 3 5 14
1 9 4 1 11	1	1 9 1	1 3 16 2 7	21 9 2 18	1 5 1 2	3 14 83 7 13	1 2 7 2	15 1 48 2 7	2 3	1 4 1 3	1 1 1 1	6 13 12 1 9	1 2 2 2 3	3 1 9 1	10 13 33 3 17	, 15 3 8	2 2 1 2	12 40 69 11 35	6 8 21 7 5
10 16 9 8	1 2 5 3 2	2	2 11 27 5 2	1 4 31 7 8	2 3 10 1 2	10 14 35 9 11	1 13 3	3 14 5 6 8	2 1 3 2 1	3 1 2 1	3 2 1	3 7 28 11 6	2 5 2	1 2 2	2 8 19 3 8	3 9 17 10 2	1 3	6 41 113 17 23	8 6 3 2 13
5 6 3 6	3	4 3	3 4 4 5 5	12 14 4 12	1 3	18 24 2 20	1 4 1 4	16 2 2 4	1 1	1 1		6 11 5 16	1 1 2	3 2 2	7 4 · 4 6	6 8 1 5	2 3 1 1	28 32 12 32	10 5 2 · 5
80 80	20 19 1	16 15 1	81 77 4	195 186 9	22 22	224 191 33	29 27 2	88 83 5	30 28 2	23 21 2	27 26 1	113 108 5	20 20	30 25 5	191 185 6	370 352 18	59 57 2	422 363 59	58 31 27
5 1 4 4 4	1 1	i	4 3 2 1 1	8 4 11 7 11		6 2 16 12 15	2 1		i .	3	1	1 8 1 6	1	1 4 2	5 1 17 9 10	6 14 16 17 14	3 1 1 4 3	11 5 20 13 19	3 5
4 2 1 1 7		1 1 1	1 4 9 5 7	7 1 8 5 12	2 1	5 8 1 9 13	8	2 2	1 5 4	1	3 1 2 1	8 4 3 7 11	1	. 1 2 2	11 13 3 12 10	, 16 13 1 15 28	8 1 3 1	10 18 55 23 19	3 8 1 1
1 2 3 3	1 1 1			6 2 1 17 4	1	Z	3 2 2 2	3		1	1	2 2 2	1	2	. 8 4 2	17 1 13 10 8	1 1 4	21 5 5 9 4	1
3 1 3	5 1 1	1 1	3 1 4	11 4 5 1 7	1	8 3 10 1 8	1	3 3 5		1 1 2	3	6 2 3 1 5	1	1 1 1 2	9 4 7 5 9	3 7 24 14 17	2 4 2	8 7 14 3 12	8
2 7 1 5	2	1	7 4 2 3 2	8 10 7 4 17	1	8	1 1 1 2	1 1 12	1	2 3	1 1 7	3	2 3	5	3 8 2 12	8 9 9 4 41	1 1 1 4	19 28 5 21	1 7

 $<sup>^{\</sup>rm 3}$  Organized from  $\,$  part of Fergus, Meagher, and Yellowstone Counties, Mar. 1, 1911.

## TABLE 3.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA AND ITS

_									·····			death c			
					,		I	DEATHS FI	ком—						
	AREA AND COLOR.	All causes.	Typhoid fever.	Mala- ria.	Small-pox.	Measles.	Scarlet fever.	Whooping cough.	Diph- theria and croup.	In- flu- enza.	Ery• sipelas. (12)	Tuber- culosis of the lungs.	Tuber- culous men- ingitis.	Other forms of tuberculosis.	Rheu- ma- tism.
			<u> </u>					-						70	(31)
	RURAL PART OF REGISTRATION STATES —Continued.											ĺ			
	MONTANA—continued.														
1 2 3 4	Sweet Grass County Teton County Valley County. Yellowstone County <sup>2</sup> .	27 118 150 74	2 3 3			11 1		1 1 3	2 1			1 14 28 2	3	1 1	2 1 1
5	NEW HAMPSHIRE.	4,235	35			24	12	26	,,	88	6	040	10	or	,,,
6 7	Total. White Colored.	4,235 4,229 6	35			24	12	26	30 30	87 1	6	248 246 2	10	25 25	18 18
8 9 10 11	Belknap County. Carroll County Cheshire County Coos County.	171 297 281 267	2 3 2			2 1 1	i	5 1	1 2	5 4 7 3	1	7 11 10 14	3	3 3 2 1	2 3 1
12 13	Grafton County Hillsborough County	687 521	6			2	1	5	9	14 12	2	37	1	3 6	1 3
14 15 16 17	Merrimack County Rockingham County Strafford County Sullivan County	604 706 380 321	4 7 5 3			3 2 5 8	9	10 2 2 2 1	3 6 5	16 21 2 4	1 2	45 40 27 20	3 1 1	5 2	3 3 3 2
	NEW JERSEY.														
18 19 20	Total. White	12,796 12,159 637	110 100 10	7 6 1	1 1	80 76 4	61 60 1	87 79 8	186 182 4	152 147 5	29 29	1,324 1,218 106	83 75 8	88 81 7	82 77 5
21 22 23 24 25	Atlantic County. Bergen County Burlington County Camden County. Cape May County	417 1,299 1,043 655 255	6 7 10 8 1			2 13 10 7 1	1 4 7 3	5 21 5 2 1	6 16 9 5 4	6 11 10 7 1	3 3 1 1	35 127 92 86 14	15 5 3 1	12 13 3 5	2 6 8 7 3
26 27 28 29	Cumberland County. Essex County. Gloucester County. Hudson County.	481 698 540 909	3 3 13 8		1	2 12 3	26 2	7 6 4	4 34 8 16	3 6 2 3	2 2 2	41 95 59 228	4 11 2 1	5 6 5 2	3 15
30 31 32 33	Hunterdon County Mercer County. Middlesex County Monmouth County	508 333 779 1,027	1 3 5 16	1 1 1		6 2 2	2 1 7	1 1 5 3	3 5 11 16	6 6 7 13	1 2 2 3	51 30 59 87	1 1 6 7	4 2 3 7	3 1 6 4
34 35 36 37	Morris County Ooean County Passaic County Salem County	961 279 400 355	3 2 3 6			4 1 1 4	3 1 1	9 3 2	7 4 14 4	21 5 4 6	1 2 1	89 24 39 32	3 2 3	5 2 1 2	6 1 1 4
38 39 40 41	Somerset County Sussex County Union County Warren County	535 371 518 433	2 2	1		2 8	2	3 1 5 3	6 1 8 5	8 10 12 5	1 1 1	35 28 48 25	7 2 8 1	3 3	3 1 3 5
42 43 44	NEW YORK.  Total White Colored	37, 166 36, 582 584	309 301 8	22 21 1		180 179 1	155 155	184 181 3	194 192 2	750 743 7	95 95	2,916 2,798 118	105 102 3	278 273 5	206 202 4
45 46 47 48 49	Albany County. Allegany County Broome County. Cattaraugus County Cayuga County.	552 648 585 699 554	6 6 1 6 7			2 2 5 3 5	7 3 1 4 1	6 3 2 13 3	3 4 4 2	7 22 10 10 9	7 1	36 20 22 39 32	i	5 2 2 3 4	5 1 3 5 3
50 51 52 53 54	Chautauqua County Chemung County Chenango County Clinton County Columbia County	879 297 596 473 536	4 2 3 7			4 2 2	3 2 2 1	9 1 2 1	7 3 3 1 6	28 3 8 19 10	5 1 3 1	49 33 24 43 38	2 2 1	6 4 8 4 4	7 1 1 2
55 56 57 58 59	Cortland County Delaware County Dutchess County Erie County Essex County	298 662 1,236 1,224 517	1 8 12 14 8	I 1		7 1 7	1 9 11 2	4 1 11 4 3	2 1 5 8	9 30 20 20 8	2 2 2 4	9 38 160 82 51	1 5 1 2 1	3 5 12 9 5	2 7 6 6 4
60 61 62 63 64	Franklin County Fulton County Genesee County Greene County	792 233 310 515 57	11 2 3 8			1 2	1 4	5 2	2 3 2	12 5 16 9	2 1 1	194 22 15 50	1 1	9 2 2 3	3 1 2

<sup>&</sup>lt;sup>1</sup> Exclusive of municipalities having a population of 10,000 or over in 1910.

			***				,	1	DEATHS 1	FROM-									
Can- cer.	Dia- betes.	Menin- gitis.	Cerebral hemor- rhage and softening.	Organic diseases of the heart.	Bron- chitis.	Pneu- monia (all forms).	Other respira- tory dis- eases.	Diarrhea and enteritis (under 2 years).	Appen- dicitis.	Hernia, intes- tinal obstruc- tion.	Cir- rhosis of the liver.	Ne- phritis, Bright's disease.	Puer- peral fever.	Other puer- peral affec- tions.	Con- genital debility and mal- forma- tions.	Violent deaths (ex- cluding sui- cide).	Sui- cide.	All other causes.	III- define and un- known
16	(37)	17	18	19	20, 21	22, (23)	(23)	25	26	27	28	29	31	32	33	35	36	(37)	38
1 2 4 1	i	1 1	1 1 2 1	25 55 5	2 1	3 9 23 5	1	1 12 4	2 1 1	2 2	1	2 2 7	1 4	2 1	4599	4 15 10 16	1 6 1 4	6 25 24 9	8 6 2
270 270	59 59	45 45	341 341	518 517 1	84 84	356 356	50 50	125 125	18 18	30 30	35 35	296 294 2	7 7	25 25	189 189	210 210	34 34	990 990	31 31
12 19 38 9 39	3 5 2 11	2 4 6 7	14 16 24 13 53	27 47 25 48 55	4 3 7 9 8	14 26 27 24 57	1 1 6 5 10	1 3 7 6 19	2 3 4	1 5 4 6	2 1 1 3 8	13 19 23 21 42	1 1 1 1		2 12 15 18 23	• 5 19 12 8 44	3. 3 2 2 5	51 87 51 56 206	ļ
33 29 58 16 17	5 14 10 5 4	7 5 7 3 4	51 49 58 27 36	63 89 79 52 33	14 11 19 3 6	40 53 63 32 20	11 6 6 4	6 40 16 20 7	2 1 2 3 1	1 7 2 3 1	10 2 3 1	30 32 53 32 31	2	4 1 4 4 3	32 17 21 30 19	17 27 42 18 18	3 1 11 3 1	123 118 155 71 72	6 4 3 3 3 3
699 672 27	116 112 4	77 72 5	1,029 997 32	1,398 1,330 68	154 148 6	1,118 1,055 63	162 154 8	686 659 27	47 45 2	69 66 3	104 104	987 936 51	36 32 4	58 55 3	679 647 32	821 789 32	125 123 . 2	2,083 1,979 104	58 53 5
17 70 66 30 11	3 8 3 11 2	2 9 5 2 1	24 90 83 44 27	42 158 110 65 23	2 15 10 5 3	29 128 77 53 15	4 15 13 11 4	33 65 63 34 23	1 9 4 2	3 8 3 2	3 15 15 8 2	29 88 94 50 36	1 3 3 3 1	2 5 6 2 1	31 70 53 30 9	35 105 59 42 14	4 26 9 5 1	84 174 189 125 48	1 3 6 1
43 29 32 34	6 4 1 8	2 5 1 12	50 60 39 35	61 61 52 62	1 9 7 13	25 67 40 88	2 7 8 5	27 19 31 40	5 1 5	7 2 7 1	5 7 3 12	32 53 50 72	1 2 4	3 2 3 1	30 29 33 28	26 27 23 75	4 6 2 7	85 119 93 122	3
32 16 32 68	3 11 3 11	2 8 8	70 29 45 114	57 50 72 134	3 5 14 13	35 34 73 66	8 6 3 12	15 8 105 48	2 1 3 5	2 5 10	1 1 5 5	42 23 38 96	2 7	4 6 3	18 13 62 51	27 22 63 39	2 5 13 9	102 54 104 157	3 1 9 · 14
51 20 18 24	7 2 7 5	4 1 3 3	67 33 24 29	104 36 51 34	17 2 7 7	105 21 42 27	25 6 4 2	35 3 30 16	1 1 3 1	4 2 3 2	1 4 1 2	78 28 20 21	1 2	7 1 1	42 16 36 25	71 12 37 14	7 2 6 1	184 42 35 72	.3 2 4
32 24 35 15	7 2 7 5	1 2 5 1	33 35 54 44	65 43 66 52	8 6 4 3	53 48 49 43	7 5 7 8	29 17 30 15	1 1 1	2 1 3 2	2 9 1 2	41 23 46 27	1 3 2	4 2 3 1	29 17 34 23	30 29 28 43	5 1 5 5	110 58 44 82	3 1 2 2
2,210 2,199 11	458 457 1	265 261 4	3,204 3,172 32	4,937 4,888 49	582 568 14	3,130 3,060 70	332 327 5	1,042 1,022 20	159 157 2	285 280 5	335 329 6	2,777 2,735 42	120 115 5	196 195 1	1,711 1,685	2,372 2,328 44	357 354 3	7,240 7,150 90	60 58 2
33 49 41 44 47	5 7 6 11 11	9 2 10 2 3	43 48 69 56 55	71 108 81 120 68	4 9 11 8 13	60 51 49 48 36	4 7 5 8 6	16 9 14 14 6	2 6 5 6 3	· 6 4 7 3	6 4 8 7 5	52 46 47 42 38	5 2 4 3	2 5 3 4 2	23 25 25 25 25 25 25	53 38 33 48 29	3 9 3 8 19	79 148 120 144 -118	1
57 23 40 30 19	8 5 10 3 5	5 2 6 6	74 25 64 36 49	137 44 111 60 85	12 2 9 7 4	66 30 45 33 38	16 3 2 8 6	16 4 7 19 9	10 1 2 4	8 1 4 3 5	13 3 6 4 4	45 25 48 28 65	2 1 3 1 3	2 1 3 5 2	28 16 21 34 12	51 13 26 30 33	10 3 5 7	198 48 134 78 112	1 1 4 2
26 43 45 91 19	11 12 16 10	1 5 7 11 3	23 57 89 77 29	38 100 138 180 61	9 13 22 27 13	21 44 135 82 43	4 13 14 3	12 41 50 20	3 4 6 6	3 1 9 8 2	4 7 9 10 8	23 44 78 64 30	6 1 1 4	2 5 5 5 6	9 30 52 60 34	15 51 73 104 29	3 4 8 15 4	68 122 248 240 110	1 3 1
27 12 14 24 2	2 3 8 1	7 3 4 5 1	45 16 35 65 5	60 25 40 64 5	12 5 7 13	82 24 20 36 5	4 2 1	48 7 6 16	1 1 1	5 6 6	2 2 2 9	40 27 16 42 10	2 1 3	5 2 1 3	50 12 18 18	33 9 18 29 7	6 1 6 2	113 52 66 93 15	1 1

## TABLE 3.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA AND ITS

=								`				death c			1
			11		T	·	D.	EATHS FR	юм						
	AREA AND COLOR.	All causes.	Typhoid fever.	Mala- ria.	Small- pox.	Measles.	Scarlet fever.	Whoop- ing cough.	Diph- theria and eroup.	In- flu- enza.	Ery- sipelas.	Tuber- culosis of the lungs.		Other forms of tu- bercu- losis.	Rheu- ma- tism.
			1	8	4		6	7	8	9	(12)	18	14	15'	(37)
	RURAL PART OF REGISTRATION STATES 1—Continued.														
	NEW YORK—continued.														
1 2 3 4 5	Herkimer County Jefferson County Lewis County Livingston County Madison County	640 803 362 642 641	4 10 1 2 5	i		3 3 10	4 3	3 8 1 9	2 1 1 2 5	5 27 10 11 13	2 1 4	38 34 13 54 28	1	6 4 5 3	3 4
6 7 8 9 10	Monroe County Montgomery County Nassau County Niagara County Oneida County	935 418 1,122 424 866	1 3 13 7 9	3		4 1 13 5	11 3 14 1 1	2 1 9	13 1 8 2 4	8 7 14 11 11	1	95 41 76 24 55	3 4 4 1 2	1 3 11 5 5	11 3 3 3 8
11 12 13 14 15	Onondaga County Ontario County Orange County Orleans County Oswego County	964 663 1,158 466 645	6 5 12 5 3			15 7	4 7 1	7 1 2	10 1 9 5 2	13 13 26 5 7	4 1 1 2	75 37 109 28 37	2 3 8 1 2	11 4 7	4 3 4 5
16 17 18 19 20	Otsego County . Putnam County . Rensselaer County . Rockland County . St. Lawrence County .	796 243 518 669 1,011	6 2 4 3 19	1		2 1 12 1	3 11 3	1 6 4	3 10 2	22 7 14 9 31	3 3 3	37 14 28 57 72	1 2 2 6	9 9 9 7	3 2 6 3
21 22 23 24 25	Saratoga County Schenectady County Schoharie County Schuyler County Seneca County	788 186 388 266 578	4 1 3	1		9	1 1	3 4 1 3	10 2 1	16 1 16 6 5	2	59 21 20 11 57	2 1	6 3 1 4	6 3 2 1 2
26 27 28 29	Steuben County Suffolk County Sullivan County Tioga County	1,034 1,988 650 432	6 9 8 4	1 1		1 1	4 4 3 1	7 6 4 3	2 8 2 1	13 36 13 12	2 7 3 1	43 196 175 30	6 4 2	8 16 1 3	12 9 8 3
30 31 32 33	Tompkins County Ulster County Warren County Washington County	275 969 271 834	1 11 2 14	4		1 9 10 6	1 4 4	1 2 1 2	8	13 21 5 20	1 3 2	13 73 20 46	4 2 3	2 8 1 7	$\begin{array}{c} 2 \\ 6 \\ 1 \\ 4 \end{array}$
34 35 36 37	Wayne County Westchester County Wyoming County Yates County	736 1,399 446 277	4 5 4 1	1 1		8 5	3 5 2	7 7 1 1	5 11 1	17 12 14 11	4 6 3	41 165 22 13	4 11 1	6 12 4 1	3 13 1 2
38	NORTH CAROLINA. 2 Total	3,613	162	55	1	38	5	76	21	40	6	426	11	44	16
39 40	White Colored	1,934 1,679	98 61	24 31	1	22 16	5	28 48	15 6	25 15	4 2	181 245	6 5	22 22	10
41 42 43	OHIO. Total. White. Colored.	32, 109 31, 311 798	595 582 13	26 24 2	1 1	188 186 2	136 135 1	275 265 10	296 294 2	746 729 17	100 99 1	2,886 2,726 160	144 133 11	319 305 14	177 173 4
44 45 46 47 48	Adams County Allen County Ashland County Ashtabula County Athens County	253 316 291 571 700	5 7 7 8 11	1		2 1 18	3 1 2 1	3 2 14	4 2 1 3 9	10 5 16 23 5	1 2	37 44 15 51 79	2 2 1 3 3	5 3 6 6	1 3 2 3 2
49 50 51 52 53	Auglaize County Belmont County Brown County Butler County Carroll County	339 857 314 291 166	2 17 11 7	2 1		5 4 3 1 1	4 2	6	5 20 1 2 3	8 15 4 6	1 4 1	37 77 43 18 9	2 2 3 1 3	4 6 4 2	4 7 1 1
54 55 56 57 58	Champaign County. Clark County. Clermont County Clinton County. Columbiana County.	348 268 385 303 661	2			1 1	2 1 1	1 6 6 6	1 10 2 3 11	5 4 8 14 13	1 1 3 2	26 44 44 25 38	2 2 1 3	7 2 3 6 5	4 2 2 2 1
59 60 61 62 63	Coshocton County Crawford County Cuyahoga County Darke County Defiance County	339 416 808 456 293	17 6 6 5 6	1		10 3 1	$egin{array}{c} 1 \\ 1 \\ 10 \\ 2 \\ 2 \end{array}$	5 4 9 3	3 2 5 2 4	5 7 12 16 4	2 1 1	27 32 50 38 27	2 3 4 1 1	3 6 4 3	4 1 7 3
64 65 66 67 68	Delaware County Erie County Fairfield County Fayette County Franklin County	300 364 278 274 543	5 2			2 1 1	1 1 1	5 1 2 1 4	4 3 1	7 3 13 13 12	4	32 35 22 25 76	4 1 1	3 1 1 9	1 1 6

<sup>&</sup>lt;sup>1</sup> Exclusive of municipalities having a population of 10,000 or over in 1910.

oriaged	Intern	tional :	List (see p	. 29).]													•		-
		,		·					DEATHS	FROM-							:		
Can- cer.	Dia- betes.	Menin- gitis.	Cerebral hemor- rhage and softening.	Organic diseases of the heart.	Bron- chitis.	Pneu- monia (all forms).	Other respiratory diseases.	Diar- rhea and enter- itis (under 2 years).	Appen- dicitis.	Hernia, intes- tinal obstruc- tion.	Cir- rhosis of the liver.	Ne- phritis, Bright's disease.	Puer- peral fever.	Other puer- peral affec- tions.	Con- genital debility and mal- forma- tions.	Violent deaths (ex- cluding sui- cide).	Sui- cide.	All other causes.	III- defined and un- known.
16	(37)	17	18	19	20, 21	22, (23)	(23)	25	26	27	28	29	31	32	33	35	36	(37)	38
34 · 52 28 35 38	8 9 1 10 · 15	6 3 2 2 10	67 95 44 49 65	89 133 57 91 84	12 10 5 9 8	66 44 34 76 49	10 8 3 3 8	16 12 8 21 13	4 3 1 4 2	4 8 7 1 12	6 10 4 4 7	50 52 29 50 32	4 1 1	55 1 5 2	43 51 19 13 34	52 39 24 48 30	7 10 2 6 11	97 156 59 131 145	2 2 1
52 21 63 32 63	13 4 21 4 18	6 2 5 1 5	65 35 77 29 67	136 58 104 76 123	12 7 18 11 21	59 29 109 22 92	7 3 9 2 9	49 9 56 16 31	6 3 6 3 1	7 9 1 5	5 14 2 11	46 44 104 23 64	1 1 9 3 3	5 3 7 3 4	56 16 66 22 43	76 33 94 29 37	12 7 9 3 6	171 74 172 87 159	2 1 1
66 55 67 27 43	11 3 19 11 11	7 7 9 4 4	84 69 80 46 88	137 93 119 54 98	13 6 21 8 12	75 44 99 28 23	3 7 8 4 5	26 8 46 22 7	2 2 2 2 2 3	9 6 11 7 2	3 5 14 3 6	62 55 100 40 60	5 3 5 3	7 5 4 4 4	47 27 57 28 28	75 55 99 30 34	6 3 17 6 4	178 137 188 - 90 141	1 2 3
61 16 29 29 51	7 1 10 10 7	2 3 6 6 10	74 20 56 49 101	122 33 74 61 138	10 5 5 12 14	76 25 47 75 81	6 2 7 5 4	13 8 12 16 26	4 2 2 7	8 2 1 7 5	9 2 2 9 5	67 17 46 63 61	1 2 4 4	3 1 7 4	40 15 23 42 45	53 23 48 39 54	5 1 5 6 8 6	145 32 69 99 244	2 1 1 2
41 7 32 21 33	12 5 1 10	5 1 3 3	67 14 34 27 58	102 18 68 46 100	10 5 7 4 5	72 18 27 17 66	6 2 3 4 1	29 9 6 5 9	1 1 1 1	3 4 3 4	2 2 7 4 5	63 13 37 16 40 85	1 1 2 1	3 1 2	42 6 15 14 23 48	59 26 14 12 23	3	146 29 79 61 115	1 1 2
70 97 32 31	11 23 10 2	8 8 4 5	92 142 43 54	195 185 64 51 40	13 23 8 11	71 183 50 32	11 20 2 2 2	12 52 12 3	5 4 3 1	7 13 5 5	15 7	195 30 28 26	5 1	8 7 2 1	49 7 22	59 69 39 12	8 22 3 10	222 580 97 99 52	1 2 5 1
16 44 18 36	13 2 11	1 3 1 11	34 77 27 79	117 35 93	22 5 12	106 25 104	2 13 2 7	21 7 29	3	14 3 7	12 4 5	79 19 77	1 2 2	2 7 3 3	46 7 41	17 63 12 52	4 1 9	169 55 145	2 1 1
33 108 29 14	8 10 3 3	5 13 2	72 86 46 32	96 120 83 48	10 19 7 2	47 138 31 24	8 21 1 4	10 89 6 6	1 4 1 3	3 10 2 1	13 6 4 5	44 111 21 18	2 3 2 1	4 6 4 1	41 77 15 14	69 117 22 13	13 12 5 3	160 192 106 53	2 1 1
118 82 36	14 14	45 33 12	152 92 60	247 126 121	34 14 20	283 112 171	28 18 . 10	329 203 126	29 26 3	19 10 9	21 10 11	168 98 70	17 7 10	43 25 18	187 130 57	164 75 89	12 10 2	649 355 294	153 58 95
1,932 1,905 27	381 372 9	224 220 4	2,575 2,528 47	3,997 3,913 84	376 364 12	2,446 2,388 58	280 276 4	1,095 1,072 23	168 166 2	249 248 1	349 343 6	1,751 1,695 56	166 161 5	181 178 3	1,553 1,527 26	2,096 2,046 50	330 321 9	5,837 5,710 127	234 226 8
12 21 24 28 37	3 5 4 10 5	1 8 2 5 5	16 22: 28 52 58	22 32 33 57 69	2 9 3 8 4		4 1 1 1 7	7 13 7 14 34	2 2 2 6 1	2 5 1 9	3 3 1 10 6	12 18 22 22 22 30	1 1 2 1	1 2 4	16 9 8 32 46	13 19 22 55 61	1 4 8 2	33 54 58 103 129	ļ.
23 50 25 13 13	4 1 5 3 2	11 1 2 1	1	28 67 40 42 27	5 7 7 3 4	24 23 12	5 8 2 3 2	1	1	3 3 2 3 1	5 8 3 4 3	25 37 13 17 7	1 2 4 2	4 9 1 1	21 48 11 14 7	14 88 16 27 12	1 8 5 3 1	56 127 55 54 33	2 7 2
22 . 16 27 . 20 . 37	4 4 5 2 6	3 1	30 23 34 32 44	59 27 59 36 68	3 4 2 1 9		1 2 2 2 2 10	<b>{</b>	3 1 3	3 2 2 2 2 3	10 3 6	33 12 15 18 61	3 3 1 2 4	3 8	16 10 13 10 26	21 11 20 18 34	4 4 5 3 9	58 48 66 66 138	3 1 3 7
22 43 42 33 17	3 3 14 6 4	1	1	44 50 133 64 34	17 6 1		4 5 12 8 1		1	3 4 7 4 3	8 11 3 1	15 24 57 22 9	3 1 4 1	2 4 2 3	17 23 30 28 11	20 33 67 29 18	1 5 14 3 6	44 72 115 91 64	6 1 4 5 2
21 19 21 16 30	$\begin{bmatrix} 1\\2\\7\\7\\3 \end{bmatrix}$	1 3 1 4 3	38 49 24 17 41	33 86 45 38 60	8 2 3 2 3	23 17 18 18 18 34	5 3 3 1 3	13 21	2 1 4 1	3 3 3 4	3 1 3 2 5	14 13 12 22 36	3 1 1 2 1	2	14 3 17 19 20	14 28 8 9 37	3 6 2 3 10	50 70 48 47 99	2 2 2

<sup>&</sup>lt;sup>2</sup> Including only municipalities having a population of 1,000 or over in 1900, and less than 10,000 in 1910.

TABLE 3.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA AND ITS

-		1					<u> </u>					of death (			20 01 1116
	•		· · · · · ·				r	EATHS FI							`
	AREA AND COLOR.	All causes.	Typhoid fever.	Mala-ria.	Small-pox.	Measles.	Scarlet fever.	Whooping cough.	Diph- theria and croup.	In- flu- enza.	Ery- sipelas. (12)	Tuber- culosis of the lungs.	Tuber- culous men- ingitis.	Other forms of tuberculosis.	Rheu- ma- tism.
	RURAL PART OF REGISTRATION STATES1—Continued.														
	onio—continued.														
1 2 3 4 5	Fulton County Gallia County Geauga County Greene County Greensey County	274 442 213 394 407	2 11 1 7 9	1 1		2 5 3	2 1	2 2 2 4 11	3 4 1 2	7 11 11 14 8	$ \begin{array}{c} 1\\2\\ \dots\\1\\3 \end{array} $	23 51 10 45 31	1 3	5 2 2 8 8	3 2 2 3 1
6 7 8 9 10	Hamilton County Hancock County Hardin County Harrison County Henry County	893 194 369 239 280	13 2 6 5 5				6 1 3	14 7 1 1	2	14 4 11 8 3	$ \begin{array}{c} 2\\ 2\\ 1\\ 2 \end{array} $	86 20 51 14 22	12	15 4 2 1	2 1 3 2 1
11 12 13 14 15	Highland County Hocking County Holmes County Huron County Jackson County	364 267 215 449 403	9 5 4 7 9			2 14 2 11	1 2 1	16	1 2 1 6	5 7 5 14 11	1 1 5	48 22 13 32 45	2 2 1	5 4 3 4 6	2 2 1
16 17 18 19 20	Jefferson County. Knox County Lake County Lawrence County Licking County	510 364 364 372 345	19 7 13 13 5			3 2 5 2	4 2 5 1	15 2 1 6 4	4 5 1	8 10 11 6 4	3 2	36 28 28 41 31	1 1 3 1	8 1 9 1	3 2 1 2
21 22 23 24 25	Logan County. Lorain County. Lucas County Madison County. Mahoning County.	383 355 301 248 471	4 2 6 4 9			i i	5 2 1 3	8 2 2	1 2 6 1 23	11 9 3 4 4	1 1	42 20 27 28 34	3 2 1 2	8 2 2 2 2	3
26 27 28 29 30	Marion County Medina County Meigs County Mercer County Migner County Migner County	160 289 312 300 408	5 2 3 5 4			2 3 1 1	2 3 1	1 1 1 1	1 4 4	1 7 4 8 5	2 2 3	13 18 33 27 48	1 1 1 3 8	5 1 3 1 3	1 4 1 1 3
31 32 33 34 35	Monroe County Montgomery County Morgan County Morgan County Morrow County Muskingum County	259 683 191 202 364	8 7 6 4 4	1		1 1 3 6	3 1 1 1 3	4 2 1	2	7 13 7 4 25	2	16 74 18 14 25	2 1 2	5 4 3 5 4	1 5 1
36 37 38 39 40	Noble County Ottawa County Paulding County Perry County Pickaway County	168 267 221 342 366	3 5 9 10 4	2		3 - 2 6 1	1 1 1 2	3 3 1 2 1	5 2 3 5 4	4 2 7 10 13	2 1	18 18 18 38 40	1 4 3	3 2 6 4	2 3 1 5 1
41 42 43 44 45	Pike County. Portage County. Preble County. Putnam County. Richland County.	171 401 263 322 322	4 3 3 14 8		1	1 1	3	2 2	2 4 1	4 9 1 12 5	2	35 21 26 32 24	2 2 1	3 2 1 2 4	1 1 4 2
46 47 48 49 50	Ross County. Sandusky County Scioto County Seneca County. Shelby County.	334 380 308 365 279	8 13 10 5 6			18	5 5	1 13 3 3	3 7 21	9 12 7 8 8	1	53 30 39 29 21	3 1 2 1	1 4 4 5 3	2 2 4 1
51 52 53 54 55	Stark County. Summit County. Trumbull County. Tuscarawas County. Union County.	642 563 547 572 267	6 11 13 5 3	1		3 1 2	2 7 3	2 9 7 8 1	2 11 4 8 1	9 9 16 13 6	10 3 3 1	39 45 33 30 41	2 2 1 3 2	5 3 6 4	4 6 1 5
56 57 58 59	Van Wert County Vinton County Warren County Washington County	279 148 308 380	5 4 3 9			1 1 1	1 2	1 1 3	3 2	7 6 9 11	i	25 14 29 35	2 1 2	4 1 4 2	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1
60 61 62 63	Wayne County Williams County Wood County Wyandot County  PENNSYLVANIA.	465 285 488 238	10 9 14 7	1		1 1 1 1	2	1 1 7 3	7 2 3 1	11 8 10 6	2 1 3	24 16 31 17	1 2	1 2 4 2	3 1 2
64 65 66	Total. White. Colored.	53, 383 52, 451 932	825 808 17		1 1	331 329 2	325 325	618 597 21	984 981 3	732 723 9	148 147 1	3,971 3,774 197	175 168 7	357 342 15	283 279 4
67 68 69 70 71	Adams County Allegheny County Armstrong County Beaver County Bedford County	448 4,628 841 900 427	9 69 23 27 8		ا ـ ـ ـ ـ ـ ـ ـ ـ ـ ـ ـ ـ ـ ـ ـ ـ ـ ـ ـ	1 25 2 2 2 3	35 8 5	3 77 11 12 1	65 29 15 5	7 45 13 8 5	11 2 2 2 3	35 463 48 76 27	$\begin{bmatrix} 2 \\ 17 \\ 3 \\ 3 \\ 2 \end{bmatrix}$	6 34 5 15 2	1 22 5 4 2

<sup>&</sup>lt;sup>1</sup> Exclusive of municipalities having a population of 10,000 or over in 1910.

			List (see p			<u> </u>			DEATHS	FROM—				····				<u> '.</u>	VII. VII. VII. VII. VII. VII. VII. VII.	<del>-</del>
Can- cer.	Dia- betes.	Menin- gitis.	Cerebral hemor- rhage and softening.	Organic diseases of the heart.	Bron- chitis.	Pneu- monia (all forms).	Other respiratory diseases.	Diarrhea and enteritis (under 2 years).	Appen- dicitis.	Hernia, intes- tinal obstruc- tion.	Cir- rhosis of the liver.	Ne- phritis, Bright's disease.	Puer- peral fever.	Other puer- peral affec- tions.	Con- genital debility and mal- forma- tions.	Violent deaths (ex- cluding sui- cide).	Sui-	All other causes.	III- defined and un- known.	1
16	(37)	17	18	19	20, 21	22, (23)	(23)	25	26	27	28	29	31	.32	33	35	36	(37)	38	
18 22 18 28 25 66 18 17 14	7 4 2 3 2 10 1	15133 915	25 - 36 20 35 29 57 22 19 19	32 54 35 51 39 102 14 51 34	3 3 2 5 3 31	30 54 24 21 27 57 17 28 19	2 1 1 2 5	4 20 9 6 29 30 7 7 7 8	112233 32411	1 2 1 2 4 2 3 2 4	4 3 3 5 13 3 5 3	13 7 12 19 18 62 13 26 11	1 1 2 4 2 1 6	3 4 4 1 1	14 4 5 14 23 41 10	22 25 10 21 34 63 11 19 20	7 2 12 1 2 4 2	49 102 39 81 64 134	1 3 1 6 9	1
	6	1 2	ł	. 29	3	1	5		1		4 6	7	2 2 3	1 5	10 17 13 16 15 19	l .	l l	35 58 48 54 84	7 5 2	1
17 14 12 31 23	3 4 10 3	3 5	29 14 16 33 17	53 32 33 75 41	4 3 2 5 3	15 17 14 25 28	1 3 2 4 3	11 16 10 5 23	2 1 4 2 3	3 1 2 3 3	1 4 7 3	13 13 31 15	1 1	2 2 2 2 2	19 25	13 22 10 35 · 25	3 1 1 4	84 33 44 88 63	1 2 2 4 6	1
12 24 22 17 23	3 3 9 5	1 4 3 4	19 38 26 19 27	33 62 33 26 61	2 2 7 2	62 41 44 36 21	7 6 5 2	61 11 8 20 9	4 2 2 2	6 6 3 3	4 1 4 3 4	16 10 16 14 18	3 2 2 6 2	7 1 3 4 1	31 13 10 20 15	55 18 38 19 26	3 1 5	78 64 62 64 66	12 2 2 12 2	111112
32 25 11 28 22	13 5 4 4	1 3 3 7	25 40 22 15 30	54 46 33 33 47	3 3 6 1 1	9 25 35 17 55	6 2 5 3 2	8 10 8 12 34	3 1	2 2 3 4 4	2 3 3 1 8	27 27 13 10 23	3 1 2 2 3	4 2 3 1	25 15 18 11 36	17 30 27 19 31	3 4 2 6 8	70 68 50 34 57	1 1 2	2222
10 12 10 17 32	2 5 4 6	1 2 2 3 2	14 36 28 24 32	16 - 52 40 30 56	2 3 7 1 5	18 21 19 18 23	2 3 6 4	4 5 9 10 10	3 4	7 1 3 3 3	4 1 3 5 7	7 19 11 20 19	2 2 3	1 3 2 2	10 9 16 23 24	8 17 19 16 30	2 3 5 1 7	27 54 76 53 64	1 3 2 1	22223
11 32 14 16 20	2 4 3 2 4	2 1	17 63 20 28 33	32 103 28 28 28 39	4 3 1	23 52 12 12 28	3 1 1 1 5	10 14 3 3 5	4 1 2	3 4 1 1 2	3 6 2 4 1	. 9 69 5 11 28	1 1 1	1 4 1	. 16 28 8 9 15	9 34 10 10 18	3 11 5 1 3	50 143 35 42 72	7 1 2 3	33333
10 10 10 22 24	1 4 5	1 3 3 3 1	8 8 12 22 23	25 34 20 29 35	1 6 3 4 1	11 16 20 23 20	1 3 2 2 2	7 4 7 12 15	1 1 1 1 4	2 4 1 3 4	1 2 4 4 1	11 14 17 11 22	2 3 2 3	4 1 4 1	11 20 13 23 24	. 36 . 13 18 35	3 7 1 5 3	23 52 40 60 67	2 2 2 4 5	3 3 3 4
4 19 11 15 30	1 5 7 8 2	5 9 2	17 40 31 25 23	24 59 37 23 51	3 8 3 4 1	13 35 14 24 31	2 4 5	6 9 4 10 4	5 2	2 3 2 4 1	1 5 6 2	8 27 21 17 21	1 2 1	1 2 3	9 21 12 24 11	6 25 9 20 19	3 2 2 1	21 82 61 52 64	1 6 2 1 1	4444
22 25 14 18 14	2 2 5 5	. 2 6 3 1	28 36 12 35 23	45 57 23 66 36	7 6 5 1 3	22 22 22 27 27 22	2 4 2 3 3	14 5 22 6 7	1 2 3 2	1 4 1 1	1 3 5	23 17 8 25 21	2 2 4 2	2 3 1 2	10 18 15 23 14	13 24 17 31 17	4 5 3 2	39 74 30 56 49	5 1 1	4445
26 24 34 38 20	6 1 10 10 1	6. 2 2 2 2 2	75 43 45 46 20	92 75 62 70 32	5 6 9 7 1	44 44 48 35 19	4 8 2 7 2	12 27 25 12 8	2 2 2 5 1	6 3 3 9 1	8 7 6 12 1	31 37 22 33 18	6 1 3 1	2 4 3	14 27 34 32 10	31 37 36 38 12	7 2 11 5	178 97 102 125 57	3 4 4 2 1	5 5 5 5 5
12 11 30 30	2 3 7 8	1 3	22 11 28 21	32 17 40 61	5 5 4	25 11 23 28	3 1 6	5 9 7 12	3 1 1	2 3 2	2 1	14 8 14 18	1 3 2	3 1 1 1	24 2 10 17	19 8 17 26	2 1 2 4	62 27 57 67	1 2 3 2	5555
31 18 34 12	6 2 10 6	3 2 4 1	44 17 39 17	53 37 51 31	8 1 5 4	36 16 40 12	2 3 4	11 3 22 5	· 6 1 3 1	4 2 6	9 4 11 5	35 14 17 10	3 2 4 1	4 4 3 2	21 17 21 12	21 18 35 17	7 4 4 7	92 76 95 49	3 2 3 2	6666
2,352 2,330 22	434 431 3	369 364 5	3,418 3,378 40	4,759 4,703 56	724 715 9	4,957 4,864 93	806 796 10	3,728 3,679 49	192 191 1	351 344 7	450 442 8	2,782 2,721 61	235 232 3	362 360 2	3,883 3,831 52	4,363 4,294 69	451 447 4	9,215 9,069 146	781 765 16	666
27 163 28 42 25	7 17 4 5 2	3 34 3 9 1	73 196 52 47 31	56 313 79 79 45	4 76 10 12 4	33 542 76 84 36	3 76 16 9 7	26 443 42 49 16	13 2. 4 1	3 31 4 7 5	2 63 9 8' 4	26 192 37 29 23	2 21 3 4 4	2 24 9 6 3	22 342 81 84 34	15 363 72 88 17	34 4 • 9	78 801 145 150 99	2 21 16 6 12	6 6 6 7

TABLE 3.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA AND ITS

ī				. ***			D	EATHS FR	ом—	=				<u> </u>	
	AREA AND COLOR.	All causes.	Typhoid fever.	Mala-ria.	Small-pox.	Measles.	Scarlet fever.	Whooping cough.	Diphtheria and croup.	In- flu- enza.	Ery- sipelas. (12)	Tuber- culosis of the lungs.	Tuber- culous men- ingitis.	Other forms of tuberculosis.	Rheu- ma- tism.
	RURAL PART OF REGISTRATION														
$\left\{ \right.$	STATES1—Continued.  PENNSYLVANIA—continued.														
1 2 3 4 5	Berks County Blair County Bradford County Bucks County Butler County	1,213 687 877 1,060 560	19 7 24 18 13	i		8 3 11 6	9 1 2 2	5 8 8 4 11	39 8 5 10 10	13 10 33 22 6	2 1 1 2	105 33 32 95 36	3 1 2 4 2	5 7 3 12 5	11 4 5 . 6 . 2
6 7 8 9 10	Cambria County. Cameron County. Carbon County Center County. Chester County.	1,362 78 734 514 1,143	28 1 7 6 18	1 1		21 2 5	6 2 14 5 1	24 2 4 6 10	23 1 21 6 7	7 5 4 8 18	3 3 1 1	72 3 43 19 103	5 1 4	12 1 7 11	10 4 4 2
11 12 13 14 15	Clarion County Clearfield County Clinton County Columbia County Crawford County	408 846 394 576 664	12 10 5 4 9	1 1 1		2 3 2 2	1 4 2	12 2 6 3	4 13 2 8 4	10 8 2 9 15	1 3 1 1 5	26 36 26 32 32	2 4 3	6 10 3 1 7	6 2 2 2
16 17 18 19 20	Cumberland County Dauphin County Delaware County Elk County Erie County	591 800 1,016 403 686	6 6 5 4 10	2		1 5 6	3 2 1 1	6 7 15 5	10 28 16 3 7	13 13 8 12 15	1 6 2 4 4	45 99 112 19 48	1 2 9 1 1	3 5 13 1 6	2 6 5 1 5
21 22 23 24 25	Fayette County Forest County Franklin County Fulton County Greene County	1,952 74 868 171 306	11 4 3			53 1	3 2 1	35 4 4 8	52 13 3	10 2 7 1 14	4	110 1 290 14 30	5 2 2	. 8 . 1 1	3
26 27 28 29 30	Huntingdon County Indiana County Jefferson County Juniata County Lackawanna County	480 884 765	8 19 27 1 9	1		2 6 3 5 4	3 4 7 1 11	21 28 18 12	6 17 20 34	8 11 15 2 18	1 1 1 7	30 58 46 18 68	1 6 2 1 7	3 5 7	6 3 5 3 4
31 32 33 34 35	Lancaster County Lawrence County Lebanon County Lehigh County Luzerne County	1,375 369 497 1,001 2,875	14 6 10 19 16	1 1 1		4 1 3 7 21	6 2 3 11	10 3 3 7 27	12 10 12 28 92	26 3 5 12 27	$\begin{array}{c} \begin{array}{c} 4\\2\\ \\ \\ 1\\ \end{array}$	115 22 37 71 198	6 1 2 8	6 1 3 8 6	8 1 4 3 11
36 37 38 39 40	Lycoming County McKean County Mercer County Mifflin County Monroe County		11 7 16 6			9	1 11 2 2	1 6 14 1	10 2 6 4 6	10 6 13 4 3	2 4 1	31 21 36 25 20	1 1 1 1 1	2 4 4 3 1	6 2 2 2 2 4
41 42 43 44 45	Montgomery County	1,637 294	28 7 12 9 8		i		6 11 1	8 11 4	31 3 21 17 5	24 3 7 12 2	6 2 5 1	169 21 75 50 20	6 4 1	14 2 3 4 2	9 1 9 1 4
46 47 48 49	Pike County Potter County Schuylkill County Snyder County	110 419 2,229 207	8 17 5	i		4 21	3 77	1 3 30 4	5 57	12 19 1	1 8	12 10 111 18	2 6	12 12	1 10 1
50 51 52 53	Somerset County Sullivan County Susquehanna County Tioga County	923 140 543 530	20 1 12			3	2	7 . 5 2	19 1 1 2	13 1 16 20	2 2 1	30 8 32 19	3 1 1	8 1	1 6
54 55 56 57	Union County Venango County Warren County Washington County	462 414 1,859	2 10 5 33	1		9 1 19	1 1 1 8	1 2 25	1 55	2 12 8 26	1 1 2	14 54 24 128	1 10	3 8 12	2 9
58 59 60 61	Wayne County Westmoreland County Wyoming County York County	195	6 42 1 14	1 2		18	34 1	30 3 34	63 1 36	15 20 2 9	8 1 3	32 136 10 92	10 1 1	3 18 7	3 16 1 6
62 63 64	RHODE ISLAND. TotalWhite	1,619 1,590	5 5	3 3		10	16 16	26 26	25 25	14 14	3 2	109 104	15 14	10 10	7 6
	Colored	29		·····						3	1	5 26	1 6		1
65 66 67 68 69	Bristol County Kent County Newport County Providence County Washington County	301 153 197 600 368	$ \begin{vmatrix} & 1\\ 2\\ & & 1\\ & & 1 \end{vmatrix} $	1 2		1 1 6 2	5 4 2 5	5 4 3 14	6 3 2 13 1	6	ii	8 7 42	1 1 4	1 1 1 4 3	1 4 2

 $<sup>^{1}\,\</sup>mathrm{Exclusive}$  of municipalities having a population of 10,000 or over in 1910.

			nise (see h						DEATHS	FROM—	····	<del>''''</del>			* -		-	<del></del>		=
Can- cer.	Dia- betes.	Menin- gitis.	Cerebral hemor- rhage and softening.	Organic diseases of the heart.	Bron-chitis.	Pneu- monia (all forms).	Other respira- tory dis- eases.	Diarrhea and enteritis (under 2 years).	Appen- dicitis.	Hernia, intes- tinal obstruc- tion.	Cir- rhosis of the liver.	No- phritis, Bright's disease.	Puer- peral fever.	Other puer- peral affec- tions.	Congenital debility and malformations.	Violent deaths (ex- cluding sui- cide).	Sui- cide.	All other causes.	III- define and un- known	
16	(37)	.17	18	19	20, 21	22,(23)	(23)	25	26	27	28	29	31	32	33	85	36	(37)	38	
										•			-							
59 31 60 65 33	15 8 10 17 4	11 5 6 7 2	116 59 80 95 42	103 53 102 119 59	18 6 14 10 10	83 55 76 57 46	20 8 15 19 7	59 39 26 42 24	3 4 6 4 2	. 10 3 8 5 3	8 5 8 10 4	59 53 65 94 16	7 2 4 7 1	6 5 7 2 3	72 64 39 62 35	49 49 52 67 36	27 6 10 16 4	232 141 156 179 114	37 9 9 8 20	1 2 3 4 5
47 4 28 34 54	5 3 9	7 7 8 8	36 4 43 44 94	75 9 46 64 141	10 13 7 15	161 7 79 36 90	20 17 6 18	154 3 71 7 69	6 2 6 2	11 1 5 4 6	14 1 11 7 5	56 6 32 24 89	6 5 2 3	12 6 4 6	170 4 65 37 73	129 10 65 42 71	13 4 2 7	194 11 115 107 193	23 4 9 6	8
23 33 30 24 39	5 12 6 7 7	2 9 4 7 5	30 46 35 57 55	57 78 47 79 102	9 7 4 3 9	28 86 29 55 56	3 20 3 9 6	14 62 14 30 12	4 4 4 1 4	1 7 5 5 5	5 1 2 5 8	25 47 25 32 43	1 3 3 3 10	3 10 1 4 4	32 82 26 49 26	26 - 58 31 30 32	3 7 1 5 10	68 155 66 87 146	5 15 9 12 4	11 12 13 14 15
. 32 32 44 20 44	11 11 10 3 7	5 1 2 7 3	57 62 77 28 62	68 79 112 28 94	6 5 5 8	51 51 95 43 55	8 9 12 7 8	23 47 50 28 14	3 4 2	3 7 7 1 13	4 4 8 4 7	31 39 83 15 34	4 1 3 3	2 7 6 6 3	41 45 49 44 32	31 45 76 34 53	1 6 10	123 162 176 55 116	8 11 6 1 9	16 17 18 19 20
57 3 44 10 22	6 7 1 2	19 5 2	52 7 61 10 18	76 8 56 16 25	17 2 10 2 6	258 5 46 18 31	. 20 1 12	273 2 30 9 8	8 1 1 1	7 1 3	10 1 2 2 3	60 5 46 8 17	10 2	12 2 4 1 3	187 7 51 16 20	178 3 32 6 11	11 1 1 1 1 2	303 22 98 46 62	45 1 12 2 5	21 22 23 24 25
27 28 37 6 24	2 5 3 2 11	1 6 6 1 9	43 34 29 15 67	42 51 66 35 80	3 18 10 2 27	45 95 54 18 169	2 10 7 4 26	30 74 52 · 5 179	2 6 4	2 7 6 1	2 9 4 4 14	30 43 39 9 61	3 3 5 1 7	3 11 7 2 6	31 77 56 14 90	24 82 90 13 224	1 8 5 1 5	94 145. 129 31 196	4 13 5 2 5	26 27 28 29 30
76 17 24 35 89	15 3 3 10 17	10 1 2 6 16	123 7 48 102 113	197 28 41 64 184	13 7 5 19 51	92 32 28 87 390	26 5 12 20 75	52 33 24 60 313	3 2 1 6 7	7 3 5 9 21	8 4 8 5 24	83 27 31 47 130	2 3 2 9	10 5 3 2 31	75 24 42 80 240	55 36 24 85 277	11 5 2 17 11	301 62 101 172 391	5 14 . 13 12 55	31 32 33 34 35
30 15 51 28 20	9 3 10 1 6	7 3 4 1 1	50 19 41 32 31	58 38 70 47 31	11 5 7 3 3	37 31 74 30 28	8 7 8 4 3	9 10 16 16	1 3 8 2 2	4 1 1 3 2	2 3 11 6 1	35 20 44 21 19	5 3 2 2 1	7 2 3 2 4	31 30 33 19	33 42 34 26 28	3 7 6 4 6	105 80 118 60 61	3 1 9 1 4	36 37 38 39 40
87 19 31 22 13	10 6 8 5 1	14 10 4 1	129 25 83 52 23	193 29 90 79 52	22 4 19 7	122 23 106 78 19	21 6 9 16 7	91 9 69 45 7	4	11 2 4 4 1	13 6 7 8 1	115 11 57 41 27	5 1 3 3	10 1 2 5 2	95 10 89 58 16	98 13 58 45 21	15 2 11 10 4	271 82 157 130 58	9 6 9 3	41 42 43 44 45
3 19' 69 12	1 6 20 4	3 13 2	12 20 120 38	14 35 160 22	2 5 34 2	8 33 186 17	2 5 53 2	1 9 206 8	2 15	16	3 21 4	16 19 113 13	5 13	1 6 13 2	5 17 182 5	12 93 278 6	5 16 1	11 76 305 33	1 10 27 6	46 47 48 49
35 5 22 34	1 2 7 4	9 8 3	36 8 47 39	53 13 76 72	8 4 17 10	79 24 38 34	7 1 7 8	104 7 14 9	4 1 7	4 5	3 3	35 6 36 32	6 1 3	11 1 4 1	78 17 28 22	128 13 45 30	10 1 5 7	182 23 115 139		50 51 52 53
15 29 19 62	4 5 6 9	10	16 37 27 52	39 52 36 130	4 8 5 37	12 40 26 188	2 1 3 27	2 11 4 198	1 2	4 2 11	3 4 2 10	15 21 40 56	1 1 8	1 4 1 9	15 20 19 148	6 20 29 278	1 3 7 12	41 97 136 260		54 55 56 57
27 100 18 49	13 3 7	18 1 8	29 95 12 95	48 120 29 117	30 1 8	34 219 15 83	32 7 11	7 308 2 49	1 10 1 4	5 11 6 4	5 17 1 5	31 78 10 60	16	3. 15	6 211 6 84	16 273 13 44	3 22 1 13	71 348 47 187	139 2 2 2	58 59 60 61
96 96	22 22	10 10	127 125 2	173 169 4	33 33	167 167	13	100 97 3	6	6 6	17 17	129 128 1	7 7	10 10	89 89	84 78 6	12 12	261 257 4		62 63 64
21 7 9 36 23	5 3 4 4 6	1 2 1 6	19 14 17 45 32	15 18 26 62 52	8 3 1 14 7	31 15 17 78 26	1 2 2 3 5	30 9 13 34 14	1 1 2 2	1 4 1	2 2 1 6 6	26 18 9 42 34	1 3 1 2	3 4 3	20 4 13 39 13	13 5 15 27 24	1 7 4	49 20 46 83 63	1 1 6 5	65 66 67 68 69

# TABLE 3.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA AND ITS

Ī							D	EATHS FRO	ом—		<u> </u>		orrespon		
	AREA AND COLOR.	All causes.	Typhoid fever.	Mala-ria.	Small-pox.	Measles.	Scarlet fever.	Whooping cough.	Diphtheria and croup.	In- flu- enza.	Ery-sipelas.	Tuber- culosis of the lungs.	Tuber- culous men- ingitis.	Other forms of tuberculosis.	Rheu- ma- tism.
	RURAL PART OF REGISTRATION STATES 1—Continued.														
1 2 3	UTAH. Total	2, 499 2, 470 29	46 46		7 7	15 15	28 27 1	17 17	56 56	16 15 1	10 10	74 67 7	1 1	10 10	24 24
4 5 6 7 8	Beaver County Boxelder County Cache County Carbon County Davis County	42 107 201 99 97	2 3 4		1 1 2	1 1	4 4 3	1 3 1 5	1 3 5 2	3 1	1	3 3 1 4 3		1	1 2
9 10 11 12 13	Emery County Garfield County Grand County Iron County Juab County	68 26 15 45 88	2		1		1		1 1 1 1	1 1	1	3 1 2 5		i	2
14 15 16 17 18	Kane County. Millard County. Morgan County. Pinte County. Rich County.	10 51 20 18 21	1			i		1	2 1 3	i		2			
19 20 21 22	Salt Lake County San Juan County Sanpete County Sevier County	386 6 158 109	4 1 4 3		i	3	5 2 3	2	16 3 1	1 1 1	1	15		1	
23 24 25 26	Summit County. Tooele County. Uinta County Utah County	106 82 66 405	2 6 2 6		i	5	2	1	3 3	i	2	6 4 7 8	i	3	
27 28 29 30	Wasatch County Washington County Wayne County Weber County	99 55 13 106	1 2	-		4	1 3	.}	3	1	2	. 2		i	. 2
31 32	VERMONT. Total White Colored.		35 35	4 4		34 34	4 4	23	17 17	147 147	11 11			40 39 1	20
33 34 35 36 37 38	Addison County Bennington County Caledonia County Chittenden County Essex County	264 333 425 355	4 4 5 1	i		4 1	1 1	. 1	2	7 13 7 8 2	2	12 11 27	3 1	3 3 3	1 4 1
39 40 41 42 43	Franklin County Grand Isle County Lamoille County Orange County Orleans County	41 179	3 2			. 14 . i		3	1 1	11 1 10 13 14	1	14 14 17	i	. 3	3
44 45 46 47	Rutland County Washington County Windham County Windsor County	.  458	5 2 4 1	1				. 6	1	11 12	i	33	6 2 8 8	6	6
48 49 50	WASHINGTON. Total. White. Colored.	5,394 5,030 364	97		. 1	38	26		57	66 64 2	14	416	3	56 7	25
51 52 53 54 55	Adams County Asotin County Benton County Chehalis County Chelan County	53	1 5 5			2	ii	i	1		i	. 7	1 1 5		i 2 i
56 57 58 59 60	Clallam County Clarke County Columbia County Cowitz County Douglas County.	. 254	1					5	2	. 1		. 4	2		
61 62 63 64 65	Ferry County Franklin County Garfield County Grant County Island County	. 25	2	3						2		11	3	· · · · · · · · · · · · · · · · · · ·	1 2
66 67 68 69	Jefferson County King County Kitsap County Kitstas County Kittitas County Klickitat County	385	3 7	3	. 1	2	:[ ]	1 3 4 1 2 1	4 4 2 1 1	·  i		10 2 38 11 11 10	3 2 1 1 7 6		3 1 2 2 1 1

<sup>&</sup>lt;sup>1</sup> Exclusive of municipalities having a population of 10,000 or over in 1910.

at least 10 per cent of the total, or numbered 10,000 or over in 1910. The term "cities" indicates municipalities of 10,000 inhabitants or over in 1910. Numbers under causes abridged International List (see p. 29).]

				<u> </u>				D	EATHS F	вом—				•					
Can- cer.	Dia- betes.	Menin- gitis.	Cerebral hemor- rhage and softening.	Organic diseases of the heart.	Bron- chitis.	Pneu- monia (all forms).	Other respira- tory dis- eases.	Diarrhea and enteritis (under 2 years).	Appen- dicitis.	Hernia, intes- tinal obstruc- tion.	Cir- rhosis of the liver.	Ne- phritis, Bright's disease.	Puer- peral fever.	Other puer-peral affections.	Con- genital debility and mal- forma- tions.	Violent deaths (ex- cluding sui- cide).	Sui- cide.	All other causes.	Ill- defined and un- known.
16	(37)	17	18	19	20, 21	22, (23)	(23)	25	26	27	28	29	31	32	33	35	36	(37)	38
j				٠															
110 110	31 31	25 25	81 80 1	197 194 3	55 55	291 289 2	41 41	87 86 1	34 33 1	34 34	9 9	131 130 1	12 11 1	28 28	242 242	22 <u>4</u> 216 8	28 27 · 1	492 491 1	43 43
12 12 8	1 4 3	3 1 3	1 2 3 2 3	4 9 15 7 9	1 2	· 10 21 9 14	1 1	2 6 11 4 3	1 4 1 3	1 3 4 2 2	1	3 13 3 4	1 1	2 2 1	3 9 19 13 9	7 8 10 22 8	1 3 3 1	10 24 50 13 12	4 3 1
3 1 1	····i	2 1	1	3 4	. 5	14 1 8		1	i i	1	1	3 1 1 2		3 1 3	8 6 3	4 2 5 7	2	16 3 3 6	1
2 1 2	1 1 1	i	6	1 2 2 5	3 2 2	19 11	1 1	1 1 2	2	1	1 1	3 1 5		3 1 1	14 1 3	12 1- 3		9 4 5 4	3 1
21	5	4	1 1 8	37	1 12	2 2 4 39	8	23	1 2 2	2	1	2 21	1	2	1 3 24	2 2 47	8	4 6 60	1 1
16 5	3 1	2	3 3 4	16 12 6	2 4 1	1 19 15	1 2 3 9	2 3 3	3 1	1 1	2	9 6	1 1	2 1	19 13 4	2 8 10		31 16 19	· 6 1 5 2 1
1 2 20	6	3	4 1 24	. 5 2 39	1 1 1 10	23 2 12 27	1 5 1	1 2 11	1 8	1 4 4	1 1	4 4 18	2 4	2 3 2	12 6 37	11 13 3 24	2 2 3	16 12 112	1 2 1 6
. 4 1 4	1	1 1 2	7 1 4	12	1 2	17 5 1 10	A, 3	3	1	1 1		3 1 16	1	2	17 3 5 10	10	- 1 - 1	14 21 4 18	3 1
312 310 2	63 63	26 26	411 411	669 667 2	93 92 1	412 411 1	35 35	· 151 151	40 40	46 46	35 35	325 325	13 13	28 28	235 235	269 261 8	62 59 3	968 964 · 4	19 19
12 22 25 18 8	7 5 2 1	2 2 2 2 1	28 47 28 19 11	64 47 51 47 7	8 5 7 8	14 19 36 37 4	4 4 5 2 1	10 7 12 16 10	1 3 4 1	2 1 3 4	2 1 2 2 1	21 22 37 22 5	1 2 2 2 1	2 2 3 2	10 25 14 24 6	11 15 24 26 5	3 2 4 9	44 60 98 65 25	4 1 1
26 2 14 28	5 - 4 - 8	8	31 . 5 13 33	66 4 25 40	5 1 12 2	35 5 29 23	5 1 2	24 5 2	5 1 2	4 2 6	1 1 2	30 1 13 15	$\frac{1}{2}$	3	39 1 6 9	28 4 7	1 3	78 8 29 60	2 1 1
23 31 40 29 34	5 5 9 9	1 3 3 1	34 45 38 42 37	36 62 74 61 85	6 7 6 9 17	32 47 52 33 46	2 5 1 3	9 22 16 9 9	5 2 4 10	5 4 5 3 7	5 6 5	29 35 38	2	2 4 5 1 2	26 16 23 12 24	33 27 27 27 34	3 2 12 11 8	73 104 131 92 101	1 2 2 1 3
215 212 3	58 58	26 25 1	312 310 2	<b> </b> .	51 49 2	387 347 40	47 45 2	152 148 4	62 62	57 57	30 29 1	· 273 267 6	29 25 4	56 55 1	304 302 2	731 669 62	89 83 6	905 858 47	119 90 29
3 4 9 5	2 -2 1	<u> </u>	2 5 3 7 5	-l	1	1 1 2 18 4	1 1 1 1 2	4	2 1 3 4	4	1 2	7 4 1 6 6	1 1 2	1 1 1 1	11 6 7 7	9 3 7 31	2 3 1	8 9 15 38 41	3 2 5 5
4 15 2 2	4 2 1	1 1	3 18 5 6		2	. 3 17 4 9	2 1 2	3 11	2	2	2	1 11 2 1 3	1	2 1	3 . 12 7 5	16 8 31 3 25 2	1 4 3 1	10 47 8 8 10	13 4 1
3 1 2 2	1 1 1	1	2	1 4		9 4 2 3 2		1 1	. 1					2	1 1 1 4	2 7 2 5 5	i	10 4 3 4 9 2	2 2 5 1 2 1 1
3		2	. 3 2 . 5 20		1		2 2	13	1 2 1		3	1 2 1 7 18	3	2 1 4	2	1	3 12 5	13	
13 8 8 2		2 2 4 2489°–	.1 3	10 42 26 19 8	1 2	25 5 12 6	1 2	13 4 15 3	3 2 3	$\begin{bmatrix} 4\\3\\1\\2 \end{bmatrix}$	3 4 1 1	7 18 14 5 , 4	3	1 4 1 3	6 25 8 13 3	12 76 20 34 6		46 34 24 11	3 1 3 1

12489°—13——21

TABLE 3.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA AND ITS

Ξ												n death c			
		i	1 1				D	EATHS FF			1	1	1		
	AREA AND COLOR.	All causes.	Typhoid fever.	Mala- ria.	Small-pox.	Measles.	Scarlet fever.	Whoop- ing cough.	Diph- theria and croup.	In- flu- enza. 9	Ery- sipelas.	Tuber- culosis of the lungs.		Other forms of tuberculosis.	Rheu- ma- tism.
	RURAL PART OF REGISTRATION STATES 1—Continued.												<del> </del>		
	WASHINGTON—continued.														
1 2 3 4 5	Lewis County Lincoln County Mason County Okanogan County Pacific County	321 139 60 116 97	8 3 2			1	1 3	1	10 5 2	2 1 2 1	2	26 5 14 25 8	3	4 3 1	3 3 1
6 7 8 9	Pend Oreille County <sup>2</sup> . Pierce County San Juan County Skagit County. Skagit County.	15 486 26 258	1 4				2	1	1 2	<sub>7</sub>	1	1 42 3 36	2	8 1 7	1 1
10 11 12 13	Snohomish County Spokane County	259 350 154	9 3 5			3 1 1	1 1	1	2 9 1	5 2 7	1 1	25 40 9	2 2	3 6	1
14 15	Thurston County Wahkiakum County	171 2	3			1	1	î î	1	3 	2 	16	1		
.16 17 18 19	Walla Walla County Whatcom County Whitman County Yakima County	68 193 245 306	2 1 7 20			4 3	1	2 11	1 3 8	4 6 4	i	7 14 18 40	2 1 2	2 2 3 2	1
	WISCONSIN.					İ									
20 21 22	Total White Colored.	17,109 16,992 117	150 149 1	3		173 172 1	127 127	146 146	162 161 1	241 241	57 56 1	1,294 1,269 25	71 69 2	159 155 4	136 135 1
23 24 25 26 27	Adams County Ashland County Barron County Bayfield County Brown County	92 91 276 140 284	1 3 2 1 1			1 1 1 3 6	2 1 1 3	2 1 5 *2	2 4 4 4 5	5 7 4	1 2 1	8 8 12 15 18	1 5	1 2 2	1 3 2
28 29 30 31 32	Buffalo County Burnett County Calumet County Chippewa County Clark County	151 86 161 392 236	2 3 5 3			1 3 1 4	1 2 4 5	2 2 1 4	2 4 10 4	6 2 1 5 2	1 1	9 10 3 43 7	2	23343	2 1
33 34 35 36 37	Columbia County. Crawford County Dane County Dodge County. Door County.	357 166 600 530 203	2 1 3 1			6	4 1 7 2 2	1 3 1 2	2 3 1	14 4 7 5 2	3 1 3 2	20 11 60 26 21	3 2 1	3 1 8 1 2	1 4 4 2
38 39 40 41 42	Douglas County Dunn County Eau Claire County Florence County Fond du Lac County	98	1						2 2 1	4 1 7		5 21 5 29	i 1	2 1 1	1 2 1 1 3
43 44 45 46 47	Forest County. Grant County Green County. Green Lake County. Iowa County.	250 163	2 6 1 2			5 1 3 1	1 1 2	6 5 1 1 2	1 2 2	5 3 4 3	2 1 1	7 23 19 12 18	3	2 5 3 1 1	, 2 1 2
48 49 50 51 52	Iron County. Jackson County. Jefferson County. Juneau County Kenosha County.	383 198	7 2 1		1	1 2 6 4 3	4	2 1 1	1 2	1 7 5	i	8 15 30 20 8	1 1 1 1	2 1 6 2	4 1
53 54 55 56 57	Kewanee County La Crosse County Lafayette County Langlade County Lincoln County	201 164	1 5				6 1 1 4	2 1	1 1 1 3	3 1 3 1	2	16 19 18 6 9	1 1	1 2 2	2 2 2
58 59 60 61 62	Manitowoe County Marathon County Marinette County Marquette County Milwaukee County	304 374 130 121 1,236	4 4 1 2 26			6 1,	2 6 4	4 7 2 3 9	1 5 2 2 2 15	2 1 7 3	3 1 7	28 21 8 11 152	1 2 1 10	4 2 2 1 20	3 1 2 6
63 64 65 66 67	Monroe County Coonto County Oneida County Outagamie County Ozaukee County	118 324 158	• •			3	3 3 4 1	4 7 1 4	5 1 1 2	2 5 1	2 1	28 20 10 31 14	2	2 2 1 4 2	5 3 1 2 1

 $<sup>^{\</sup>rm 1}$  Exclusive of municipalities having a population of 10,000 or over in 1910.

<sup>&</sup>lt;sup>2</sup> Organized from part of Stevens County, June 10, 1911.

# DEATHS FROM PRINCIPAL CAUSES.

SUBDIVISIONS, BY COLOR OF DECEDENT AND CAUSE OF DEATH: 1911-Continued.

			List (see p		•				EATHS F	вом—										=
Can- cer.	Dia- betes.	Menin- gitis.	Cerebral hemor- rhage and softening.	Organic diseases of the heart.	Bron- chitis.	Pneu- monia (all forms).	Other respira- tory dis- eases.	Diarrhea and enteritis (under 2 years).	Appen- dicitis.	Hernia, intes- tinal obstruc- tion.	Cir- rhosis of the liver.	Ne- phritis, Bright's disease.	Puer- peral fever.	Other puer- peral affec- tions.	Con- genital debility and mal- forma- tions.	Violent deaths (ex- cluding sui- cide).	Sui- cide.	All other causes.	Ill- defined and un- known.	
16	(87)	17	18	19	20, 21	22,(23)	(23)	25	26	27	28	29	31	82	83 ·	85	86	(37)	38	
•	•																•		-	
14 11 1 1 3	6 4 2 1 1	1 2 1	17 7 64 5 3	24 13 4 4 8	1 1	22 10 14 7	3 1 1 3	9 2 1 5 3	8 2 2	3 2 3 1	2. 1	17 8 3 2 6	1	5 1 1	19 10 4 2 7	49 16 15 19 20	6 5 1 1	51 20 4 17 9	3 4 1 8 1	1 2 3 4 5
2 14 15	4 1 3	1 2	, 3 46 14	1 40 2 17 1	4 1 5	2 38 1 16 1	5 3	1 4 1 10	5 1	6 1 4	1 2	33 5 - 11	1	7	2 14 22 1	2 38 4 43 6	9	1 145 6 22 3	12 5 1	6 7 8 9
15 12 5 9	4 2 1	1 2 2	16 22 10 19	20 35 15 16	5 3 3	19 33 10 13 1	4 3 4	9 5 2 2	1 2 1 3	4. 2 4 4	1 2 3 2	9 25 11 10	1 3 1	4 1 1 2	14 15 10 , 5	44 34 20 16	7 5 2	37 73 25 28	1 6 2	11 12 13 14 15
11 6 5	1 3 3	1 1	15 16 8	4 18 24 32	2 5	3 22 10 31	1 2	3 13 11	1 5 5 2	1 2 1 1	3 1	3 7 11 15	2 2 4	2 5 5 2	3 11 28 13	10 29 25 37	1 4 2 6	18 26 36 40		16 17 18 19
1,115 1,108 7	213 213	188 185 3	. 937 933 4	1,805 1,799 6	268 268	1,278 1,266 12	234 233 1	588 584 4	155 154 1	157 156 1	171 171	984 980 4	91 88 3	112 112	1,122 1,114 8	914 907 7	176 175 1	3,687 3,669 18		20 21 22
1 2 14 4 25	1 1 5 3	1 2 1 3 4	1 4 14 3 16	13 9 29 6 21	3 1 6	8 8 25 15 21	1 2 7 4	6 4 12 10 13	6	3	6	1 1 15 3 17	1 7	3 6 1	26 12 20	5 14 16 15 3	3 2 1 1	22 10 48 33 64	1 5 5 5 5	23 24 25 26 27
14 8 16 27 14	2 1 1 6 4	1 6 5	10 5 9 13 12	14 4 22 48 29	8 1 2 3 3	14 3 14 29 25	1 2 6 4	3 2 11 4	2 4 10 1	2 3 2 1 1	2 2 5 2	9 5 15 12 10	1 2 1	1 1 1 2	9 10 8 27 21	6 6 11 18 11	3 3 3	32 11 27 85 53	5 1	28 29 30 31 32
21 15 47 50 16	7 8 12 4	4 2 7 10 1	28 10 31 37 9	41 24 62 65 11	2 5 8 13 3	26 4 48 23 16	5 3 12 12 5	4 3 13 15 8	5 1 12 3 2	2 2 3 7 1	8 3 6 7 3	17 13 32 37 18	3 1 3 1 1	1 1 8 1	22 11 41 31 6	26 3 21 17 10	2 1 4 7	73 37 128 122 47	2 3 2 4 2	33 34 35 36 37
1 18 9 3 30	3 3	5	1 6 4 1 24	3 37 8 6 43	1 8	26 11 3 30	2 1	1 8 3 1 14	6 1 5	2	3	2 15 8 21	4	1	16 6 1 22	5 9 8 3 17	2 1	5 54 22 5 89	1 3 1	38 39 40 41 42
1 23 22 14 16	10 2 1 3	2 4 6 1 2	21 14 11 17	5 68 25 14 17	1 9 2 2	10 34 14 13 22	1 6 3 5	. 2 8 6 8 4		1 3 1 1 3	3 7 1	1 16 16 6 10	4 1	3 4 1	3 28 8 10 6	8 20 10 8 9	2 5 6 1 1	13 96 68 42 47	7 1 4	43 44 45 46 47
2 10 32 15 6	1 2 3 1 2	5 3	2 15 25 9 6	7 25 41 17 12	1 8 16 1	5 11 19 14 6	1 5 5 4 2	6	2 2	2 4 7	1 6 1 3	3 5 21 9 4	1 1 3	1 2 1	10 11 20 15 6	7 8 17 14 15	1 2 3 1 3	16 31 74 43 21	1 2 3 6 2	48 49 50 51 52
17 9 16 8 9	3 3 2 4 1	1 1 3 3 2	5 8 12 9 16	11 20 19 15	3 5 1 2 1	21 11 15 15 14	3 2 2 2 3	21 1 5 10 13	3 5	2 2 1 1 1	2 2 2 2 4	15	1 1 3	1 1 1	8 2 8	7 9 5 10 14	2 2 5 1	• 48 •41 55 42 28	5 1 2 1 2	53 54 55 56 57
13 14 4 3 64	3 2 2 2 7			33 31 14 10 103	6 4 2 4 15	19 4 12 102	3 2 5 15	10 31 14 60	7	. 2	2 5 1 26	27 23 5 6 94	1		16 36 19 12 81	9 26 7 4 51	2 6 2 9	69 77 29 27 271		58 59 60 61 62
25 11 1 19 11	8 1 1 5 2	3 2 5 6	16 14 3 12 11			31 5 10 31 8				ſ	1 2 1	10 7 4 17 10	1	1	27 39 8 24 11			J		63 64 65 66 67

<sup>&</sup>lt;sup>3</sup> Part taken to form Pend Oreille County, June 10, 1911.

## TABLE 3.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA AND ITS

							D	EATHS FR	ом—						
	AREA AND COLOR.	All causes.	Typhoid fever.	Mala- ria. 3	Small- pox.	Measles. 5	Scarlet fever.	Whooping cough.	Diph- theria and croup.	In- flu- enza.	Ery- sipelas. (12)	Tuber- culosis of the lungs.	Tuber- culous men- ingitis.	Other forms of tuberculosis.	Rheu- ma- tism.
	RURAL PART OF REGISTRATION STATES1—Continued.													۵ ,	•
	wisconsin-continued.														1
1 2 3 4 5	Pepin County Pierce County Polk County Portage County Price County	83 253 206 349 110	1 2 2 3			1 3	1 2 3 6	2 9	1 8	5 4 1 3 1	1 2 2	13 20 39 12	1 1 1 4 2	1 3 1 4 1	1 7 2 7
6 7 8 9 10	Racine County	224 198 303 94 279	1 5 1	1		1 4 10 3	1 2 1 1	6 1	$\begin{bmatrix} 2\\3\\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \\ $	3 4 3 2 6	1 2 1	13 14 18 3 19	1 2	2 2 2 3	1 1 2
11 12 13 14	Sauk County Sawyer County Shawano County Sheboygan County	376 62 297 315	3 1 1 2			1	3 5	1 1 6 5	2 1 4 1	7 1 4	1 2	13 9 24 16	2 1	7 1 3	3 1 2
15 416 17 18	Taylor County. Trempealeau County Vernon County Vilas County	102 229 291 54	1 2 3			8 2	1 2	3 1	1 i	10 9	i	18 19 1	3	2 5 1	3 1 2 1
19 20 21 22	Walworth County Washburn County Washington County Wankesha County	371 72 228 524	1 2 1			4 2	1 3 4	1 2	2 4 2 3	15 1 2 9	3 1 1 1	14 6 6 47	1 6	6 1 2 1	7 1 5 8
23 24 25 26	Waupaca County. Waushara County. Winnebago County. Wood County.	392 154 390 287	2 4 4	1	i	7 2 1 2	7	7 6 2	5 1 11 1	9 3 3	1	25 14 22 18	2	1 2 1	5 2 2

<sup>1</sup> Exclusive of municipalities having a population of 10,000 or over in 1910.

# DEATHS FROM PRINCIPAL CAUSES.

SUBDIVISIONS, BY COLOR OF DECEDENT AND CAUSE OF DEATH: 1911—Continued.

						·		]	DEATHS I	том—							:		
Can- cer.	Dia- betes.	Menin- gitis.	Cerebral hemor- rhage and softening.	diseases of the	Bron- chitis.	Pneu- monia (all forms).	Other respira- tory dis- eases.	Diarrhea and enteritis (under 2 years).	Appen-	Hernia, intes- tinal obstruc- tion.	Cir- rhosis of the liver.	Ne- phritis, Bright's disease.	Puer- peral fever.	Other puer- peral affec- tions.	Con- genital debility and mal- forma- tions.	Violent deaths (ex- cluding sui- cide).	i i	All other causes.	III- defined and un- known.
16	(37)	17	18	19	20, 21	22,(23)	(23)	25	26	27	28	29	81	32	33	35	36	(37)	38
6 26 9 13	7 2	3	7 17 12 18	6 36 32	7 4 2 6	9, 21 11	4 2 3	1 9 6	5	1 2 2	2 1	6 18 17	2 3	თთა	1 14 11	2 5 16	1 4 2	23 44 36	
13	3	6	18 2	36 32 32 12	6 1	20 11	3 1	17 5	2 2	4	1 4 1	17 2	ž	5	24 17	14 9	3	65 15	7
14 13 29 4 19	4 3 10 1 4	3	12 9 25 3 19	17 21- 27 4 28	· 1 2 4	20 16 25 7 36	4 3 5 4 1	3 5 4 2 4	1 2 1	1 2 1 5 5	3 1 2 2 3	20 9 13 3 18	1 1 1 1 3	1 1 3 2 3	21 16 19 8 15	16 7 21 13 13	6 3 4 5 2	54 41 54 14 57	1 7 1 3
33 6 14 28	6 2 3	4 3 3	27 .1 16 20	53 2 21 41	5 1 10 10	20 5 26 21	5 1 5	15 3 11 10	7	2 1 8 4	. 3 3 2	25 1 20 12	3 1	1 2	19 3 22 12	18 12 14 16	2 3 5	. 88 11 75 73	5 1 2 1 1 1 3 1
5 13 20 1	4 2	1 4 3	6 12 20	7 35 37 7	2 7 3	10 22 12	2 5	9 5 6 2	2	1 4	1 1	6 7 16 2	$\begin{bmatrix} 1\\2\\1 \end{bmatrix}$	3 1 2	16 19 16 5	7 13 12 · •4	1 2 5 1	18 53 65 6	4 1 1 1 1 1
21 3 19 35	3 3 11	1 2 4	17 4 14 34	51 7 27 70	5 3 6	28 6 20 20	. 5 4 4 3	6 3 4 15	2 4	5 1 5 3	2 5 7	26 4 20 32	2 2 1 6	2 1 1 6	12 9 13 24	25 4 8 44	- 5 2 8	91 8 46 111	8 1 3 2 3 2
28 7 27 16	3 3 6 1	6 6 2	31 5 34 12	* 40 17 33 29	6 1 3 5	26 11 28 21	6 2 7 4	6 8 8 6	1 3 8	2 2 3 5	3 6	35 14 17 19	3	.8	15 18 11 26	20 4 31 18	6 1 4 2	86 34 118 54	2 2 2 3 7 2

 $\textbf{Table 4.--DEATHS} \textbf{ (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA, ITS MAIN SUBDIVISIONS, \textbf{AND IN} \\$ 

[The term "cities" as here used is restricted to municipalities having 10,000 or

<u>د</u>	1	1	1			<del></del>	11	10		(i		<u> </u>				
. List			REGIST	RATION :	STATES.	Reg- istra-		CALIF	ORNIA.	coro	RADO.	CONNE	CTICUT.	DIST	· corum	BIA.
Detailed Int.	CAUSE OF DEATH.	Registration area.	Total.1	Cities.1	Rural dis- tricts.	tion cities in other states.	All regis- tration cities.1	Cities.	Rural dis- tricts.	Cities.	Rural dis- triets.	Cities.	Rural dis- tricts.	Total.	White.	Col- ored.
	All causes	839, 284	756,777	413, 920	342,857	82,507	496, 427	19,627	14, 383	4,652	6,088	12,024	5, 528	6,304	3,739	2,565
	I.—General diseases		205, 498	111,924	93, 574	23, 104	135,028	5,859	4,238	1,646	1,840	2,993	1,390	1,593	905	688
1 2 3 4 5	Typhoid fever Typhus fever Relapsing fever Malaria Smallpox	12,451 5 2 1,802	11,096 2 1,322	5,122	5,974 2 994	1,355 5 480	6,477 5	223	207	59 3	193	131	· 23	75 4	47	28
5 6			95	46	49	35	81	18 7	2							
7 8 9 10	Measles . Scarlet fever . Whooping cough Diphtheria and croup Influenza .		5,395 4,646 6,102 9,958 8,595	2,776 3,024 2,939 5,883 2,854	2,619 1,622 3,163 4,075 5,741	527 597 580 1,216 699	3,303 3,621 3,519 7,099 3,553	66 38 72 89 79	14 51 87 73 131	56 21 25 49 30	69 61 31 49 72	75 72 117 177 153	19 31 43 73 115	22 4 25 19 68	16 4 13 16 42	12 3 26
11 12 13 14 15	Miliary fever Asiatic cholera Cholera nostras Dysantery Plague	350 3,062 1	2 321 2,650 1	2 117 893	204 1,757	29 412	2 146 1,305	50	5 55 1	2 6	1 18	4 32	20	2 13	7	2 6
16 17 18 19	Yellow fever. Leprosy Erysipelas. Other epidemic diseases		2, 298 179	3 1,322 76	976 103	212 14	3 1,534 90	1 36 1	3 30 1	11	14 3	41	17	8	7	1
20 21 22 23	Purulent infection and septicemia. Glanders Anthrax Rabies	1 013	1,678 11 11	897 7 6	781 4 5	235	1,132 7 9	38 1	27	16	19	34 1 1	10	5	3	2
24 25 26 27	Tetanus. Mycoses Pellagra. Beriberi	1,336 37 659	1,001 30 322 5	45 544 17 163 3	24 457 13 159 2	335 7 337 2	59 879 24 500	29 29 5	32 1 7	5	9 2 3	18	7 1	1 15 1	5	10
28 29 30 31 32 33 34 35	Tuberculosis (total).  Tuberculosis of the lungs. Acute miliary tuberculosis Tuberculous meningitis Abdominal tuberculosis Pott's disease White swellings. Tuberculosis of other organs Disseminated tuberculosis	94, 205 78, 514 3, 282 5, 237 3, 680	84,624 70,273 2,964 4,858 3,306 798 401 1,203 821	48,034 39,463 1,837 3,315 1,714 427 231 645 402	36,590 30,810 1,127 1,543 1,592 371 170 558 419	9, 581 8, 241 318 379 374 55 37 105	57,615 47,704 2,155 3,694 2,088 482 268 750 474	2,946 2,466 79 163 121 32 12 47 26	2, 196 1, 891 60 93 85 16 6 22 23	942 861 4 39 15 6 2 7	869 808 11 18 15 3	1,165 938 56 89 41 11 6 16	539 440 22 36 22 5 2 4	828 693 43 42 23 8 8 12 4	381 315 11 26 13 5 1 8	447 378 32 16 10 3 2 4
36 37 38	Rickets Syphilis Gonococcus infection	508 3,821 222	3, 153 192	286 2,219 135	166 934 57	56 668 30	342 2,887 165	8 136 7	7 69 4	3 34 1	27 1	3 32 4	6 7 1	7 43 5	2 21 2	5 22 3
39 40 41 42 43 44 45	Cancer and other malignant tumors (total). Of the buccal cavity Of the stomach, liver Of the peritoneum, intestines, rectum. Of the female genital organs. Of the breast. Of the skin. Of other organs or of organs not specified.	44,024 1,727 17,365 5,824 6,707 4,264 1,619 6,518	40, 229 1, 576 15, 896 5, 385 5, 997 3, 923 1, 496 5, 956	22, 515 803 8, 557 3, 233 3, 701 2, 139 557 3, 525	17, 714 773 7, 339 2, 152 2, 296 1, 784 939 2, 431	3,795 151 1,469 439 710 341 123 562	26, 310 954 10, 026 3, 672 4, 411 2, 480 680 4, 087	1,328 51 553 192 174 131 42 185	725 33 321 81 92 56 39 103	221 8 84 34 30 25 5 35	238 5 110 27 34 17 15 30	591 39 182 81 108 71 16 94	304 7 103 48 44 42 15 45	293 11 98 33 56 37 16 42	220 9 74 26 36 30 14 31	73 24 7 20 7 21
46 47 48 49 50	Other tumors (tumors of the female genital organs excepted). Acute articular rheumatism. Chronic rheumatism and gout. Scurvy. Diabetes.	455 3,545 781 56 8,805	395 3,210 735 54 8,173	189 1,723 318 43 4,674	206 1,487 417 11 3,499	60 335 46 2 632	249 2,058 364 45 5,306	11 90 22 2 2 277	6 38 12	1 22 5 1 57	2 30 9 1 55	8 39 7 3 133	5 30 8 1 64	1 13 8	7 5	6 3
51 52 53 54 55	Exophthalmic goiter Addison's disease Leukemia. Anemia, chlorosis Other general diseases.	787 235 933 2,813 1,182	701 220 859 2,590 1,075	365 123 495 1,365 537	336 97 364 1,225 538	86 15 74 223 107	451 138 569 1,588 644	23 3 28 69 29	9 5 20 39 28	2 2 7 14 6	5 1 13 7	7 2 17 36 12	1 5 20 7	5 2 8 19	49 3 2 8 14 5	5 4
56 57 58 59	Alcoholism (acute or chronic) Chronic lead poisoning Other chronic occupation poisonings Other chronic poisonings	2,875 145 11 309	2,625 133 11 271	1,595 94 9 138	1,030 39 2 133	250 12 38	1,845 106 9 176	96 3	120 1 14	38 2	36	54 5	22 1	34 1	24 1	10
	<ol> <li>Diseases of the nervous system and of the organs of special sense.</li> </ol>	81,428	75,333	36, 336	38,997	6,095	42, 431	1,792	1,478	362	447	1,244	747	659	426	233
- 1	Encephalitis Meningitis (total) Simple meningitis. Cerebrospinal meningitis (undefined) Cerebrospinal fever	792 7, 285 4, 690 2, 055 540	696 6,514 4,251 1,835 428	336 3,550 2,319 1,014 217	360 2,964 1,932 821 211	96 771 439 220 112	432 4,321 2,758 1,234 329	24 189 132 48 9	21 144 91 45 8	3 58 35 21 2	2 59 39 12 8	7 166 114 47 5	63 57 4 2	2 36 22 11 3	23 13 7 3	2 13 9 4
62 63 64	Locomotor ataxia Other diseases of the spinal cord (total) Acute anterior poliomyelitis Other diseases of the spinal cord <sup>2</sup> Cerebral hemorrhage, apoplexy	1,624 3,932 1,060 2,872 44,274	1,471 3,704 1,005 2,699 41,336	808 1,767 476 1,291 20,310	1,937 529 1,408 21,026.	153 • 228 • 55 173 2,938	961 1,995 531 1,464 23,248	61 109 15 94 1,013	40 68 16 52 734	16 19 3 16 171	5 12 3 9 196	20 47 10 37 702	10 29 5 24 482	14 20 5 15 411	9 13 13 272	5 7 5 2 139

<sup>&</sup>lt;sup>1</sup> Includes District of Columbia.

CITIES AND RURAL DISTRICTS OF EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES: 1911. \*more inhabitants in 1910, smaller places being included with the "rural districts."]

INDL	ANA.			KENT	UCKY.			MAI	NE.			MARYI	LAND.		•	MASSACE	USETTS.	List
Cities.	Rural dis-		Cities.		Ru	ral district	ts.	Cities.	Rural dis-		Cities.		Ru	ral distri	ets.	Cities.	Rural dis-	Detailed Int. No.
Cities.	tricts.	Total.	White.	Col- ored:	Total.	White.	Col- ored.	Oldios.	tricts.	Total.	White.	Col- ored.	Total.	White.	Col- ored.		tricts.	Detail
11,838	23,372	6,934	4,937	1,997	23,473	19,643	3,830	3,114	8,917	11,355	8,567	2,788	9,339	6,580	2,759	41,010	11,993	
3,407	6,901	2,095	1,476	619	8,819	7,295	1,524	738	2,096	3,059	2,272	787	2,670	1,787	883	10,052	3,122	ļ.,
229	499	139*	99	40	930	794	136	52	83	188	153	35	303	208	95	259	52	34
29 1	81 2	39	15	24	198 4	167 4	31	i	2	3	3		11	3	8	9 3	6	4
56	206 108	98 19 28 49	73 19 17	. 25	357 67	333 65	24 2	18 4	13 12	85 44	70 41	15 3	45 22	37 22	8	259 173	47 24	7
71 87 157 101	108 185 228 398	28 49 71	17 44 40	11 5 31	410 523 339	333 65 335 504 287	75 19 52	19 22 23	54 53 166	54 76 83	35 70 58	19 6 25	138 92 134	22 73 70 92	65 22 42	400 490 192	106 91 153	10
							•••••											1
3 58	8 163	1 46	31	1 15	29 298	26 261	3 37	1 12	2 25	$\begin{array}{c} 4 \\ 24 \end{array}$	21	3	10 59	7 43	3 16	1 23 90	1 41	11 12 13 14
																		15
34 3	81 13	21	19	2	54 6	51 6	3	9	19 1	31 2	26 1	5 1	19 5	18 5	1	141 10	28 2	17 18 19
18	51	18	11	7	60	50	10	6	17	19	15	4	22	14	8	105	21	1
3	1 1				i	1				2	2		1	1		1	1	20 21 22 22
35 2	51 1 1	15 1	10 1	5	35 1	30 1	5	3	7	27	18	9	21	13	8	42 2	5 1	
<u>2</u>	1	19	17	2	46	41	5		i	3	2	1	8	6	2	ĩ		24 25 26 27
1,417 1,113	2,804 2,314	1,040 879	689 591	351 288 24	.4,253 3,597 104	3,331 2,799	922 798	296 234 6	767 612	1,478 1,214	942 774	536 440	1,182 1,026 42	692 597	490 429	3,951 3,129 153 384 131 35 16 59	1,340 1,147 37 68 28 13 6 13 28	28
68 79	83 137	45 36	689 591 21 27 30 3	24 9 14	104 186	75 159	798 29 27	6 22	20 50 40	57 84 64	30 62	440 27 22 29	42 31 50	597 21 23 29	429 21 8 21	153 384 131	37 68	25 29 30 31 32 33
92 15 6	17 17 13	44 7 7	30 3 3	4 4	186 227 45 19	3,331 2,799 75 159 182 43 14	45 2 5	22 18 1 1 7 7	7	15 6	35 11 5	1	4 5	1	4	35 16	13	32
1,417 1,113 68 79 92 15 6 26 18	2,804 2,314 83 137 158 17 13 56 26	12 10	6 8	6 2	51 24	41 18	10 6	7 7	17 20	18 20	12 13	6 7	17 7	13 4	3	59 44	13 28	34
68 2	12 91 3	7 33	2 15	5 18	12 107 4	9 51 3	3 56 1	4 7 3	4 14 1	106 3	2 69 3	2 37	4 31	1 6	3 25	33 130 17	7 23 2	33
	۱ I	288 8	244	44	698 27	615 24	83	161 3	577	569 25	512 18	57	386 14	326	60 3	2,475 93	i	1
668 27 245 86 153 50 25 82	1,275 61 533 142 175 140	89 47 56 31	8 76 39	13 8 11	230	210 49	20 10	58 23	22 231 82	234 65	213	57 7 21 2	154 34	326 11 136 31 45 35	18	845 402	787 30 254 146 104 87	3 4 4 4 4
153 50	175 140	56 31	39 45 24 11 41	11 7	141 68 58	116 55 57	20 10 25 13 1	58 23 38 11 3 25	83 56 20	78 58 13	63 64 50 12 92	14 8	154 34 69 38 15 62	45 35	24 3 1,	398 272 56	104 87 43	4.4
82 82	86 138	11 46	41	5	115	104	11	25	83	96	92	1 4	62	54	. 8	409	123	4.
6	12	6.	4	2	13	10	3	2	11	10	9	1	5	4	. 1	18	7	
46 14	104 26 2	35 5 1	22 4 · 1 53	13 1	102 31 1	81 29	21 2 1 7	4 6	26 17	40 11 1	30 8 1	10 3	29 2 1	24 2 1	5	125 32 2	43 11 1 163	4' 4' 4' 5'
142	254	59	1	6	99	92	į	2 41	137	103	98	5	64	56	8	522	i	1
19 2 13 48 15	42 9	4	4	1	7 2 16 31 40	6 2 14	1	2 2 1	4 2 11	5 2 9	5 2 7		3 3 8 23 8	1 3 8 21 6	2	26 14 46	14 9 8 68 11	5: 5: 5: 5: 5:
48 15	26 55 33	6 23 10	5 15 10	8	31 40	2 14 26 32	2 5 8	14 7	46 6	34 7	30 6	2 4 1	23 8	21 6	2 2	46 193 60	68 11	5
41 5	56 2	13 1	11 1	2	34 2	27 2	7	15	16 2	28 2	25 2	3	25 1	21 1	. 4	177 13 1 15	45 3	50 50 50 50
6	17				9	. 9		1		2	2	•••••	5	2	3	II	ī	1
1,092	2,592	712	. 533	179	1,991	1,694	297	364	1,130	1,082	845	237	1,054	808	246	4,000	1,588	
12 81	27 160	10 102	9 81	1 21 18 - 18	35 407	35 363	44	3 34 26 8	12 66	5 108	4 90	1 18	6 72	3 52	3 20	46 409.	9 94	60
12 81 49 28 4	27 160 85 49 26	10 102 84 16 2	9 81 66 13 2,	. 18 3	35 407 241 124 42	35 363 214 111 38	44 27 13 4	26 8	12 66 43 22 1	5 108 64 36 8	90 56 28 6	1 18 8 8 2	6 72 48 17 7	3 52 32 14 6	3 20 16 3 1	46 409. 315 74 20	9 94 71 22 1	
27 60 15 45 623	57 192 54 138 1,512		114	3 5	32 112 48 64 602	11	2 21 9	2 12	24 64 11	20 42 13 29 577	19 38 13 25 464	1 4	10 48 21 27 447	. 10 37 12 25 347	<u>i</u> .	84	33 70 15 55 950	62
15 45	138 1 512	17 31 13 18 285	26 13 13 211	5 74	48 64 602	30 91 39 52 510	9 12 92	12 2 10 198	53 679	13 29 577	13 25	113	21 27	12 25 247	11 9 2 100	40 145 2,436	15 55 950	6

Table 4.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA, ITS MAIN SUBDIVISIONS, AND CAUSES:

[The term "cities" as here used is restricted to municipalities having 10,000 or

List			ристан	RATION S	TATE!			CALIFO	)PNT /	COTO	RADO.	CONST	CTICUT.	Dram	. COLUM	PTA
		Regis-	ALECTST.	I I		Reg- istra- tion	ЫĀ					COMME				
Detailed Int. No.	CAUSE OF DEATH.	tration area.	Total.1	Cities.1	Rural dis- tricts.	cities in other states.	regis- tration cities.1	Cities.	Rural dis- tricts.	Cities.	Rural dis- tricts.	Cities.	Rural dis- tricts.	Total.	White.	Col- ored.
	II.—Diseases of the nervous system and of the organs of special sense—Continued.												•			
65 66 67 68	Softening of the brain. Paralysis without specified cause. General paralysis of the insane. Other forms of mental alienation.	1,035 6,359 3,988 1,371	957 5,747 3,691 1,290	341 1,941 1,792 488	616 3,806 1,899 802	78 612 297 81	2,553 2,089 569	25 111 81 20	30 125 104 59	7 19 17 7	. 56 35 21	10 35 54 19	12 37 26 10	34 55 7	3 23 40 6	1 11 15 1
69 70 71 72	Epilepsy Convulsions (nonpuerperal) Convulsions of infants. Chorea.	2,329 186 4,231 116	2,176 160 3,902 106	806 67 2,048 55	1,370 93 1,854 51	153 26 329 10	959 93 2,377 65	36 3 23 1	58 26 1	11 5 2	23 12 1	29 4 78	19 1 26 1	19 18	7	12 16
73 74 75 76	Neuralgia and neuritis Other diseases of the nervous system Diseases of the eyes and their annexa. Diseases of the ears	2,273 55 1,138	408 2,074 49 1,052	216 1,140 31 640	192 934 18 412	32 199 6 86	248 1,339 37 726	67 25	9 51 8	5 13 9	2 9 12	7 43 1 22	5 16 1 9	31 31 5	3 22 3	9
	III.—Diseases of the circulatory system.	109,830	100,220	54,572	45,648	9,610	64,182	3,386	2,173	488	520	1,546	857	927	593	334
77 78 79 80 81	Pericarditis. Acute endocarditis Organic diseases of the heart Angina pectoris Diseases of the arteries, atheroma, aneur-	747 4,489 83,525 4,212 13,789	672 3,850 76,413 3,931 12,587	342 2,884 40,772 1,816 7,150	330 966 35,641 2,115 5,437	75 639 7,112 281 1,202	417 3,523 47,884 2,097 8,352	20 149 2,643 92 387	8 57 1,800 58 199	2 13 338 35 63	5 18 405 26 41	5 91 1,147 74 168	2 25 672 41 94	2 34 724 26 108	2 23 435 22 88	11 289 4 20
82 83	ism, etc. Embolism and thrombosis Diseases of the veins (varices, hemorrhoids,	2,016 352	1,820 314	1,065 195	755 119	196 38	1,261 233	71 6	36 5	28 2	16 4	. 51	18 2	23 5	17 4	6 1
84	phlebitis, etc.). Diseases of the lymphatic system (lymphangitis, etc.).	326	295	202	93	31	233	10	3	2	3	3	1	2		2
85	Hemorrhage; other diseases of the circulatory system.	374	338	146	192	36	182	8	7	5	2	5	2	3	2	1
	IV.—Diseases of the respiratory system,	99,650	89,328	52,579	36,749	10,322	62,901	1,880	1,335	551	820	1,590	620	735	362	373
86 87 88 89 90	Diseases of the nasal fossae. Diseases of the larynx. Diseases of the thyroid body. Acute bronchitis. Chronic bronchitis.	133 824 266 6,482 5,077	124 770 231 6, 129 4, 709	52 340 120 3,620 2,475	72 430 111 2,509 2,234	9 54 35 353 368	61 394 155 3,973 2,843	1 13 10 74 123	2 10 3 52 74	34 15	30 25	13 2 85 96	5 56 36	1 5 3 45 25	1 4 3 17 20	1 28 5
91 92 93	Bronchopneumonia. Pneumonia (total) Lobar pneumonia. Pneumonia (undefined). Pleurisy	26,365 52,868 28,553 24,315 2,160	23, 717 46, 764 25, 903 20, 861 1, 936	15, 410 26, 828 17, 122 9, 706 1, 243	8,307 19,936 8,781 11,155 693	2,648 6,104 2,650 3,454 224	18,058 32,932 19,772 13,160 1,467	398 1,075 678 397 59	241 810 378 432 31	104 347 175 172 9	175 504 240 264 13	296 975 370 605 39	99 380 108 272 13	168 387 182 205 15	84 169 88 81 8	84 218 94 124 7
94	Pulmonary congestion, pulmonary apo-	2,341	2,133	1,107	1,026	208	1,315	57	59	6	10	47	18	46	31	15
95 96 97 98	Gangrene of the lung. Asthma. Pulmonary emphysema. Other diseases of the respiratory system (tuberculosis excepted).	187 1,578 163 1,206	166 1,412 155 1,082	111 690 87 496	55 722 68 586	21 166 8 124	132 856 95 620	6 41 4 19	3 28 1 21	21 12	16 2 41	5 17 3 12	10	3 15 	12 11	11
	V.—Diseases of the digestive system.		86,910	50, 471		11,691		1,811	1,286	445	644	1,394	509	678	395	283
99 100 101 102 103	Diseases of the mouth and annexa.  Diseases of the pharynx.  Diseases of the esophagus.  Ulcer of the stomach.  Other diseases of the stomach (cancer excepted).	366 952 142 2,143 8,774	331 879 128 1,902 7,932	164 420 72 1,148 3,393	167 459 56 754 4,539	35 73 14 241 842	199 493 86 1,389 4,235	76 117	5 10 3 52 108	7 1 20 22	10 20 46	8 12 2 34 115	* 3 7 1 7 79	17 113	1 11 54	2 3 6 59
104 105 106 107 108	Diarrhea and enteritis (under 2 years) Diarrhea and enteritis (2 years and over). Ankylostomiasis. Intestinal parasites. Appendicitis and typhlitis.	15	40,018 7,145 15 82 6,018	25,002 3,508 2 16 4,025	15,016 3,637 13 66 1,993	5,850 963 8 8	30,852 4,471 2 24 4,903	516 146 3 189	388 135 1 2 90	173 34 61	297 40 	691 86 87	211 48  17	273 64 36	137 45 	136 19 8
109 110	Hernia, intestinal obstruction (total)	4,692	6,291 2,090 4,201 1,634	3,628 1,349 2,279 799	2,663 741 1,922 835	770 279 491 151	4,398 1,628 2,770 950	178 68 110 38	135 26 109 35	31 8 23 - 3	50 13 37 12	129 46 83 16	34 8 26 17	51 20 31 12	32 12 20 7	19 8 11 5
111 112 113 114	Acute yellow atrophy of the liver. Hydatid tumor of the liver. Cirrhosis of the liver. Biliary calculi		273 21 7,392 1,576	128 15 4,564 941	145 6 2,828 635	29 3 918 173	157 18 5,482 1,114	328 37	3 176 22	1 - 52 11	2 40 19	1 116 23	3 49 5	3 46 12	2 42 10	1 4 2
115 116 117 118	Other diseases of the liver. Diseases of the spleen. Simple peritonitis (nonpuerperal).	3,076 124 2,349 467	2,728 113 2,002 430	1,383 58 920 285	1,345 55 1,082 145	348 11 347 37	1,731 69 1,267 322	87 1 46 13	56 2 52 11	11 16 2	`23 11 5	38 2 27 7	16 1 11	22 1 21 1	16 1 9	6 12 1

<sup>&</sup>lt;sup>1</sup> Includes District of Columbia.

IN CITIES AND RURAL DISTRICTS OF EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF 1911—Continued.

more inhabitants in 1910, smaller places being included with the "rural districts."]

INDI	ANA.			KEN	TUCKY.			ма	INE.		151.	MARY	LAND.	<del> </del>	· · · · · · · · · · · · · · · · · · ·	MASSAC	HUSEITS.	List
Cities.	Rural dis-		Cities.	1 0:	Ru	ral distric	ī ——	Cities.	Rural dis-		Cities.		Ru	ral distri	1	Cities.	Rural dis-	Detailed Int.
	tricts.	Total.	White.	Col- ored.	Total.	White.	Col- ored.		tricts.	Total.	White.	Col- ored.	Total.	White.	Col- ored.		tricts.	Detail
																,		
13 66 62 17	45 227 101 52	19 113 21 17	15 72 19 15	4 41 2 2	46 348 69 45	42 281 64 37	67 5 8	30 36 16	28 105 36 16	9 133 35 7	8 91 28 4	1 42 7 3	15 223 58 21	13 167 54 17	2 56 4 4	27 181 150 · 33	25 84 109 35	65 66 67 68
49 17 3	83 1 18 2	23 5 35 3	16 5 21 2	7 14 1	77 5 90 6	60 4 68 6	17 1 22	10 6 1	26 3 26 2	18 4 65 1	.7 . 36 1	<b>1</b> 11 29	36 1 80 3	28 50 3	8 1 30	64 15 122 3	87 3 31 I	69 70 71 72
28 2 28 28	3 60 2 50	24 24 3	20 3	4	11 75 3 28	9 64 3 27	2 11 1	4 7 2	15 24 1 3	5 38 1 14	5 33 1 12	5 2	5 22 1 6	5 17 1 4	5	34 127 4 80	3 39 1 14	73 74 75 76
1,587	3,412	828	573	255	1,679	1,375	304	466	1,374	1,342	1,000	342	1,034	779	255	6,560	2,283	
10 63 1,218 56 207	29 40 2,683 193 412	7 33 627 37 96	1 24 415 32 82	6 9 212 5 14	27 25 1,368 84 137	21 23 1,107 72 118	6 2 261 12 19	1 18 329 28 72	7 19 1,016 93 192	48 1,035 53 158	32 759 48 122	2 16 276 5 36	10 26 833 38 102	8 19 610 33 90	2 7 223 5 12	22 281 4,695 217 1,140	8 47 1,643 100 443	77 78 79 80 81
22 9 2	39 4 6	15 3	11 3	4	18 9	17 8	1	13 2	38 1	26 4	22 3	4 1	11 3	8	3	103 31	33 3	82 83
4,	6	3 7	. 3	1	3 8	3 6	2	3	1 7	8	.6	2	3 8	3 5	3	53 18	3. 3	84 85
1,134	2,236	784	494	. 290	2,205	1,791	414	371	1,021	1,513	1,032	481	968	667	301	5,272	1,319	
3 12 4 57 66	26 12 142 150	9 2 32 88	7 1 15 56	2 1 17 32	11 31 6 126 115	10 31 6 104 98	1 22 17	. 2 18 18 17	.1 5 5 95 58	2 4 4 90 85	2 · 4 3 58 68	1 32 17	1 14 1 61 60	1 10 1 40 46	21 14	4 40 8 375 274	11 4 96 94	86 87 88 89 90
335 587 383 204 28	553 1,239 647 592 36	112 424 128 296 23	74 264 84 180 11	38 160 44 116 12	484 1,262 508 754 21	398 1,012 415 597 17	86 250 93 157 4	77 221 49 172	159 603 90 513 18	41.5 782 400 382 39	277 520 288 232 28	138 262 112 150 11	216 508 231 277 19	139 349 179 170 15	77 159 52 107 4	1,273 3,013 1,557 1,456 101	284 743 381 362 28	91 92 93
11	18	30	30		33 4	25 3	8	21	36 1	47 1	42 1	5	·43 2	36 2	7	94	31	94
. 23	36 3 14	43 3 18	21 3 12	22 6	62 5 45	46 5 36	16 9	4 1 3	19 2 19	25 19	21 8	4 11	20 1 22	11 1 16	9	16 37 6 31	12 13	95 96 97 98
1,573	2,618	711	507	204	2,504	2,211	293	348	879	1,283	1,030	253	1,160	822	338	5,217	998	00
10 2 36 101	31 64 329	8 1 18 87	4 1 9 48	9 39	44 2 53 353	42 2 45 307	2 8 46	2 1 6 44	9 1 21 176	10 2 18 127	8 2 16 81	2 2 46	11 2 10 164	2 6 2 5 111	11 5 5 53	43 14 90 277	4 3 26 104	99 100 101 102 103
680 130	996 281 1 3	187 88	140 60	47 28	970 335 6 17	868 303 6 14	102 32 3	145 28	328 82 4	632 82	512 69	120 13	656 97	465 71 3	191 26	3,084 318	· 480 93	104 105 106 107 108
144 141 37 104	141 193 58 135 83	53 62 23	48 44 14 30	2 5 18 9 9	17 113 167	97	16 20 6	48 22 6	53	89 90	70 72	19 18 6	18	13 49	3 5 18	346 346	32 74	107 108 109
104 30 11	135 83 17	62 23 39 21	30 15 1	9 6	33 134 59	147 27 120 48	14 11	22 6 16 2	70 16 54 18	29 61 25	72 23 49 21	12	67 19 48 17	9 40 14	18 10 8 3	- 114 232 56	74 25 49 20	110
130 45	213 70	82 17	71 14	11 3	118 45	98 42	20		32 8	114 29	1 103 27	1 11 2	51 10	45 10	6	6 1 261 93	1 78 19	111 112 113 114
60 1 43 7	107 7 58 8	43 35 3	26 21 3	17	100 3 89 4	88 3 73	12	14 1 10 4	42 1 20 8	35 16 7	27 12 7	8	· 15	13 10 1	2	110 2 116 42	29 2 26 3	115 116 117 118

Table 4.—Deaths (exclusive of stillbirths) in the registration area, its main subdivisions, and causes:

[The term "cities" as here used is restricted to municipalities having 10,000 or

		1	1			1	· 1	-		T				<u> </u>		1
List			REGIST	RATION S	TATES.	Reg- istra-		CALIF	ORNIA.	COLO	RADO.	CONNE	CTICUT.	DIST	. COLUM	BIA.
Detailed Int. No.	CAUSE OF DEATH.	Registration area.	Total.1	Cities.1	Rural dis- tricts.	tion cities in other states.	All regis- tration cities. <sup>1</sup>	Cities.	Rural dis- tricts.	Cities.	Rural dis- tricts.	Cities.	Rural dis- tricts.	Total.	, White,	Col- ored.
	VI.—Nonvenereal diseases of the gen- ito-urinary system and annexa.	67,348	59,676	35,923	23,753	7,672	43,595	1,707	1,051	395	363	1,012	468	615	380	235
119 120	Acute nephritis Bright's disease Chyluria Other diseases of the kidneys and annexa.	5,956 51,847	5,200 45,962	3,318 27,656	1,882 18,306	756 5,885	4,074 33,541	123 1,296	64 808	45 300	44 275	110 811	45 374	78 453	37 297	41 156
120 121 122 123	Chyluria. Other diseases of the kidneys and annexa Calculi of the urinary passages	1,343 361	1,215 328	668 200	547 128	128 33	796 233	39 9	21 7	4 2	8 1	12 3	7 3	13 6	10 6	3
124 125 126 127	Diseases of the bladder Diseases of the urethra, urinary abscess, etc. Diseases of the prostate Nonvenereal diseases of the male genital organs.	1, \$82 285 2,175 49	1,429 227 2,007 45	549 169 988 30	880 58 1,019 15	103 58 168 4	652 227 1,156 34	35 10 57 3	43 56	3 3 7	6 3 6	12 3 18	18 13	6 7 17	4 1 11	2 6 6
128	Uterine hemorrhage (nonpuerperal)	76	66	34	32	10	44	1			• • • • • • •	5	1	1	1	
129 130 131 132 133	Uterine tumor (noncancerous) Other diseases of the uterus Cysts and other tumors of the ovary Salpingitis and other diseases of the female genital organs. Nonpuerperal diseases of the breast (cancer excepted).	892 770 628 1,401	774 664 564 1,165	557 436 367 930	217 228 197 235 9	118 106 64 236	675 542 431 1,166	28 29 18 59	14 12 4 22	7 4 4 15	1 3 7 9	9 7 9 11 2	4 1 1	9 7 5 13	4 6 1 2	5 1 4 11
	VII.—The puerperal state	9,456	8,469	4,543	3,926	987	5,530	188	143	53	94	105	24	57	38	19
134 135 136 137	Accidents of pregnancy Puerperal hemorrhage Other accidents of labor Puerperal septicemia	908 851 911 4,376	829 773 829 3,880	442 370 391 2,202	387 403 438 1,678	79 78 82 496	521 448 473 2,698	22 15 15 84	14 8 13 59	4 7 4 26	6 7 4 47	9 14 5 48	3 4 1 9	2 6 3 25	3 1 18	2 3 2 7
138 139	Puerperal albuminuria and convulsions Puerperal phlegmasia alba dolens, embo- lus, sudden death.	2,094 266	1,860 251	980 140	880 111	234 15	1,214 155	42 7	40 5	12	26 4	27 2	6 1	20 1	15 1	5
140	Following childbirth (not otherwise defined).	48	45	16	29	3	19	3	4			·····		ļ <b>-</b>		
141	Puerperal diseases of the breast VIII.—Diseases of the skin and of	2 010	2	2	1 444	012	1 500		48	5	8	48	15	17	8	9
	the cellular tissue.	3,010	,797	1,353	1,444	213	1,566	58	40				10			
142 143 144 145	Gangrene Furuncle Acute abscess Other diseases of the skin and annexa	1,656 285 456 613	1,545 266 423 563	635 159 271 288	910 107 152 275	111 19 33 50	746 178 304 338	31 12 5 10	37 6 3 2	4 i	6 2	29 1 10 8	9 2 4	11 5 1	6 2	5 3 1
	IX.—Diseases of the bones and of the organs of locomotion.	1,365	1,246	854	392	119	973	29	21	8	6	10	6	9	6	3
146	Diseases of the bones (tuberculosis excepted).	1,187	1,079	755	324	108	863	26	15	8	5	8	5	8	5	3
147	Diseases of the joints (tuberculosis and rheumatism excepted).	121	114	75	39	7	82	1	4	ļ	1	2		1	1	
148 149	Amputations. Other diseases of the organs of locomotion.	5 52	5 48	5 19	29	4	5 23	····· <u>2</u>	2				·····i			
	X.—Malformations	8,465	7,866	4,083	3,783	599	4,682	173	119	45	72	109	55	27	20	7
150	Congenital malformations (stillbirths not included) (total).	8,465	7,866	4,083	3,783	599	4,682	173	119	45	72	109	55	27	20	7
	Hydrocephalus Congenital malformations of the heart Other congenital malformations	736 5,069 2,660	667 4,736 2,463	368 2,488 1,227	299 2,248 1,236	69 333 197	437 2,821 1,424	18 106 49	8 71 40	38 6	3 46 23	12 62 35	35 16	5 14 8	12 5	2 2 3
	XI.—Early infancy	46,692	42,692	24,173	18,519	4,000	28,173	678	426	237	406	848	308	447	254	193
151	Congenital debility, icterus, and sclerema (total).	38, 434	35,215	19,698	15,517	3,219	22,917	548	336	205	344	674	242	398	221	177
	Premature birth. Congenital debility, "atrophy," "ma- rasmus," etc.	23,539 14,895	21,639 13,576	12,009 7,689	9,630 5,887	1,900 1,319	13,909 9,008	407 141	239 97	127 78	219 125	366 308	135 107	229 169	121 100	108 69
152	Other causes peculiar to early infancy (total).	8,087	7,324	4,417	2,907	763	5,180	128	87	32	62	170	65	49	33	16
153	Injuries at birth. Other causes peculiar to early infancy <sup>2</sup> . Lack of care	4,573 3,514 · 171	4,176 3,148 153	2,566 1,851 58	1,610 1,297 95	397 366 18	2,963 2,217 76	77 51 2	47 40 3	14 18	27 35	107 63 4	39 26 1	26 23	20 13	6 10
	XII.—Old age	13,974	12,954	4, 459	8,495	1,020	5, 479	271	306	82	144	184	111	164	101	63
154	Senility	13,974	12,954	4, 459	8, 495	1,020	5,479	271	306	82	144	184	111	164	101	63
	XIII.—External causes	63,650	57,476	31,063	26,413	6,174	37,237	1,788	1,708	332	697	866	387	357	244	113
155 156 157 158 159 160 161 162 163	Suicide (total).  By poison By asphyxia. By hanging or strangulation. By drowning By firearms By cutting or piercing instruments. By jumping from high places By crushing Other suicides.	9,622 2,927 1,013 1,373 536 2,859 623 146 70 75	8, 635 2, 576 859 1, 291 502 2, 566 570 131 68 72	5,256 1,685 798 559 262 1,451 336 109 29 27	3,379 891 61 732 240 1,115 234 22 39 45	987 351 154 82 34 293 53 15 2	6,243 2,036 952 641 296 1,744 389 124 31	468 96 72 37 16 199 38 7	281 51 5 35 14 123 38 5 6 4	88 38 1 3 1 38 5 2	92 30 2 5 6 39 6	146 63 20 20 8 24 8 2	13 8 12 3 2 1	88 25 22 2 6 27 6	76 20 22 1 4 23 6	12 5 1 2 4

<sup>&</sup>lt;sup>1</sup> Includes District of Columbia.

IN CITIES AND RURAL DISTRICTS OF EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF 1911—Continued.

INDI	viv			KEN	TUCKY.			МА	INE.		- · <del>·</del>	MARY	LAND.	<del>Lini</del>		MASSACI	HUSETTS.	List
	Rural		Cities.		Ru	ıral distric	ts.		Rural		Cities.	•	Ru	ral distri	cts.		P	
Cities.	dis- tricts.	Total.	White.	Col- ored.	Total.	White.	Col- ored.	Cities.	dis- tricts.	Total.	White.	Col- ored.	Total.	White.	Col- ored.	Cities.	Rural dis- tricts.	Detailed Int. No.
989	1,806	585	451	134	1,263	1,055	208	287	699	1,100	839	261	737	532	205	2,787	766	
105 687	125 1,386	43 460	24 376	19 84	97 921	78 774	19 147	34 208	47 565	132 867	83 684	49 183	68 608	45 442	23 166	202 2,126	47 621	119 120 121 122 123
24 7	55 12	17 2	10 2	7	58 7	48 6	10 1	6	10 9	14 2	12 2	2	8 3	5 2	3 1	67 20	15 2	122 123
15 5 34 2	54 4 84	11 6 7 1	8 1 6 1	3 5 1	43 5 60 1	37 2 53	6 3 7 1	6 11 1	20 26	13 7 16 1	9 5 14 1	4 2 2	12 20	10 14	2 6	50 16 107 4	27 1 32 1	124 125 126 127
1	2	1	1	•••••	6	5	1		1	1	1		1	1		4	1	128
19 15 19 55	26 12 17 28	9 9 6 13	2 6 5 9	7 3 1 4	10 29 16 9	8 24 13 6	2 5 3 3	12 5	3 7 5 6	13 11 5 18	5 10 3 10	8 1 2 8	6 4 4 3	4 4 1	2	46 37 37 69	2 7 4 5	129 130 131 132
1	1				1	1	•••••									2	1	133
167	314	51	34	17	356	297	59	24	76	· 102	75	27	80	52	28	434	76	
12 5 9 106	26 17 17 190	1 2 6 25	1 2 3 18	3 7	45 37 38 149	38 34 34 113	7 3 4 . 36	4 3 12	9 12 12 17	9 10 11 45	6 8 6 . 35	3 2 5 10	10 10 7 26	8 7 2 18	2 3 5 8	43 26 48 193	5 9 15 17	134 135 136 137
32 3	52 8	14 1	8	6 1	79 5	70 5	9	5	23 2	22 5	18 2	4 3	24 2	15 2	9	104 19	21. 6	138 139
	4	. 2	2		3	3	•••••		1				1		1	1	3	140
39	98	21	13	8	80	. 72	8	24	62	33	26	7	. 38	25	13	162	40	141
23 4 6 6	63 12	12	6	6	32 6	28 6	4	16 2 1	47 3 5	17 2 6 8	12 2	5	26 1	16 1	10	66 19	25 3 4 8	142 143 144
l i	17	4 5	3	2	38 38	34 34	4	5	7	6 8	5 7	1	6 5	5 3	$\frac{1}{2}$	35 42	4 8	144 145
9.	27	8	6	2	22	22		4	7	24	18	6	10	6	4	86	13	-
8	23 2	6	4	2	21	21		4	4 2	. 23	17 1	6	5 3	2 2	3	65	11	146
1	2	2	2												1	17	. 2	147 148
169	324	28	27	1	1 215	206	9	12	43	86	78	8	2 72	62	10	4 459	100	149
169	324	28	27	1	215	206	9	12	43	86	78	8	72	62	10	459	. 100	150
10 112 47	25 200 99	18 7	3 17 7	1	12 99 104	12 94 100	5 4	2 6 4	5 24 14	5 60 21	5 54 19	6 2	49 19	3 44 15	1 5 4	52 271 136	5 65 30	
560	1,103	380	308	72	1,404	1,250	154	184	412	793	590	203	504	338	166	2,555	579	
442 373 69	847 681	347 163 • 184	282 140 142	65 23	1,213 806	1,078 725	135 81	140 71	362 202	696 297	515 218	181 79	436 204	296 157	140	1,995	482 289	151
69 116	166 251	* 184 29	142 26	23 42 3	806 407 184	725 353 165	81 54 19	69 44	160 50	399 95	218 297 73	102 22	204 232 61	157 139 41	47 93 20	1,298 697 555	289 193 93	152
79 37 2	130 121 5	7 22 4	5 21	2	100 84 7	91 74 7	9	13 31	23 27	59 36	54 19	5 17	34 27 7	28 13 1	6	358 197	49 44	102
2 94	257	127	101	4 26	7 398	321	77	71	462	2 175	153	22	7 252	1 188	14 · 6	5	4	153
94	257 1,656	127 529	101 370	26 159	398 1,465	321 1,177	77 288	71	462 500	175 175 634	153 511	22 123	252 252 517	188	64 64 119	345 345 2,886	290 290 758	154
				4 3	135	129 46	6 3					$-\frac{125}{7}$		37 4 1	3			155
205 95 10 25 19 41 10 2 1	250 80 3 53 20 72 12 2 5 3	66 27 2 12 4 15 4	62 24 2 12 4 14 4 1	1	15 8 45 13 1 1	15 7 44 12 1 1 1	1 1 1	23 2 3 6 5 5	78 14 2 20 7 25 8	109 39 18 7 1 30 6	102 37 17 6 1 28	1 1 2 1	40 4 1 13 5 12 1	1 12 4 11 1	1 1 1	351 65 74 42 41 83 36 5	98 16 4 19 17 28 10	155 156 157 158 159 160 161 162 163
$\begin{bmatrix} 2\\1\\2 \end{bmatrix}$	5 3	1 1	<u>i</u>		1 1 3	1   3   .			1	7	7		3 1	3 1		5 2 3	1 3	161 162 163

<sup>2</sup> Exclusive of injuries at birth.

Table 4.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA, ITS MAIN SUBDIVISIONS, AND CAUSES:

[The term "cities" as here used is restricted to municipalities having 10,000 or

							,								<del></del>	
. Lìst			REGIST	RATION S	STATES.	Reg-		CALIF	RNIA.	COLO	RADO.	CONNE	CTICUT.	DIST	· colum	BIA.
Detailed Int.	CAUSE OF DEATH.	Regis- tration area.	Total.1	Cities.1	Rural dis- triets.	tion cities in other states.	All regis- tration cities.1	Cities.	Rural dis- tricts.	Cities.	Rural dis- tricts.	Cities.	Rural dis- tricts.	Total.	White.	Col- ored.
	XIII.—External causes—Continued.															
164 165 166 167	Accidental or undefined (total) Poisoning by food. Other acute poisonings Conflagration Burns (conflagration excepted).	50, 121 481 1, 399 869 4, 567	45,802 424 1,266 825 4,114	24,008 196 633 432 2,431	21,794 228 633 393 1,683	4,319 57 133 44 453	28, 327 253 766 476 2, 884	1,175 21 41 23 84	1,319 23 29 39 74	201 4 15 1 18	542 9 18 10 36	690 8 17 5 87	313 3 9 2 22	238 2 4 2 35	155 1 4 2 16	83 1 19
168	Absorption of deleterious gases (con- flagration excepted).	2,143	1,859	1,329	530	284	1,613	94	28	13	13	49	5	36	23	13
169 170 171	Accidental drowning. Accidental drowning. Traumatism by firearms. Traumatism by cutting or piercing instruments.	5,571 1,327 122	5,203 1,169 113	2,219 334 56	2,984 835 57	368 158 9	2,587 492 65	142 27 1	204 57 3	4 4 1	47 26 2	52 9 3	70 8 2	34 3	21 3	13
172	Traumatism by fall	8,905	8,203	4,814	3,389	702	5,516	225	144	51	42	135	56	37	33	4
173	Traumatism in mines and quarries (total).	2,372	2,338	591	1,747	34	625	3	63	7	138	2				
174	Traumatism in mines	2,256 116 1,239	2,224 114 1,104	560 31 646	1,664 83 458	32 2 135	592 33 781	2 1 35	55 8 47	6 1 9	136 2 13	2 15	3	5	3	2
175	Traumatism by other crushing (total). Railroad accidents and injuries Street-car accidents and injuries Automobile accidents and injuries. Injuries by other vehicles. Landslide, other crushing	13,572 7,696 1,883 1,291 2,237 465	12,249 7,068 1,590 1,150 2,048 393	6,528 3,180 1,235 844 1,096 173	5,721 3,888 355 306 952 220	1, 323 628 293 141 189 72	7,851 3,808 1,528 985 1,285 245	385 138 100 69 71 7	424 208 29 44 113 30	62 25 9 11 15 2	134 79 1 7 43 4	203 101 55 15 29	83 53 14 7 6 3	46 5 22 7 9 3	31 4 14 3 7 3	15 1 8 4 2
176 177 178 179 180 181 185 186	Injuries by animals. Starvation Excessive cold. Effects of heat Lightning. Electricity (lightning excepted). Fractures (cause not specified). Other external violence.	520 94 188 3, 165 240 513 363 2, 471	497 80 180 2,892 235 450 330 2,271	162 36 44 2,082 26 254 220 975	335 44 136 810 209 196 110 1,296	23 14 8 273 5 63 33 200	185 50 52 2,355 31 317 253 1,175	8 8 15 13 50	20 7 4 25 1 19 4	5 2 2 2	9 2 10 13 3 1 16	4 3 4 54 1 6 10 23	2 28 28 2 3 13	3 2 18 1 1 1 9	11 5	1 2 7 1 1 4
182 183 184	Homicide (total).  By firearms. By cutting or piercing instruments By other means.	3,907 2,347 638 922	3,039 1,788 487 764	1,799 991 323 485	1,240 797 164 279	868 559 151 158	2,667 1,550 474 643	145 103 22 20	108 76 20 12	43 27 10 6	63 43 10 10	30 14 5 11	13 7 3 3	31 13 6 12	13 6 1 6	18 7 5 6
ĺ	XIV.—Ill-defined diseases	7,213	6,312	1,587	4,725	901	2,488	7	51	3	27	75	31	19	7	12
187 188 189	Ill-defined organic disease. Sudden death. Not specified or ill-defined (total) Ill-defined. Not specified or unknown	611 377 6,225 3,512 2,713	517 349 5,446 3,078 2,368	104 78 1,405 1,127 278	413 271 4,041 1,951 2,090	94 28 779 434 345	198 106 2,184 1,561 623	1 2 4 4 4	43 29 14	3 3	3 24 19 5	2 7 66 51 15	1 26 11 15	18 17 1	1 6 5 1	12 12

<sup>&</sup>lt;sup>1</sup>Includes District of Columbia.

IN CITIES AND RURAL DISTRICTS OF EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF 1911—Continued.

more inhabitants in 1910, smaller places being included with the "rural districts."]

Ī	INDIA	ANA.			KENT	UCKY.			МАІ	NE.			MARYI	AND.			MASSACE	USETTS.	List
		Rural		Cities.		Ru	ral district	ts		Rural		Cities.		Ru	ral distri	ets.		Rural	d Int.
	Cities.	dis- tricts.	Total.	White.	Col- ored.	Total.	White.	Col- ored.	Cities.	dis- tricts.	Total.	White.	Col- ored.	Total.	White.	Col- ored.	Cities.	dis- tricts.	Detailed Int.
	731 7 28 2 81	1,345 17 42 10 127	383 4 10 2 47	282 2 7 2 34	101 2 3 13	1,095 16 39 23 174	897 13 36 18 144	198 3 3 5 30	162 5 2 14	408 5 10 14 31	493 2 10 4 75	389 2 9 2 51	104 1 2 24	457 7 14 8 46	349 6 7 3 28	108 1 7 5 18	2,449 19 50 36 230	645 4 10 17 45	164 165 166 167
	31 54 17	53 125 43	9 38 24	5 28 14	10 10	30 79 118	23 60 82	7 19 36	7 28 3 1	9 103 21	24 46 10	19 32 9 1	5 14 1	15 91 18 1	10 67 10 1	5 24 8	114 193 18	18 111 14 2	168 169 170 171
	2 133 11	284 39	63 2	48 2	1 15	131 51	7 121 41	10 10	23	1 74 2	105 2	91 2	14	41	36 11	5	532	123 2	172
	11	38 1 21	2 5	2 3	2	48 3 19	38 3 16	10 3	4	2 11	1 1 15	1 1 9	6	10 1 . 5	10 1 5		1 2 48	2 9	174
	265 158 48 16 31 12	374 250 34 15 62 13	103 59 26 9 4 5	77 44 18 8 3 4	26 15 8 1 1	244 190 7 6 38 3	202 154 6 4 35 3	42 36 1 2 3	34 23 6 2 3	67 35 5 1 20 6	120 67 20 6 22 5	100 56 17 6 17 4	20 11 3 5	104 63 9 6 19 7	90 56 6 6 15 7	14 7 3	495 228 79 88 93 7	141 76 25 18 18 4	175
	5 1 3 21 16 5 26	46 2 9 40 20 21 2 62	3 15 1 2 22 30	1 13 1 2 20 223	1 2 2 2 2 8	11 2 2 21 20 1 17 89	9 1 16 19 1 17 71	2 1 2 5 1	19 2 3 16	4 18 1 4 5 24	3 2 53 2 1 3 15	1 2 44 1 1 2 11	9 1	6 2 4 27 3 4 22 28	4 1 2 21 3 4 20 20	2 1 2 6 2 8	3 10 3 554 1 18 22 91	1 2 6 100 2 13 5 20	170
	63 45 6 12	61 47 6 8	80 51 22 7	26 18 5 3	54 33 17 4	235 180 18 37	151 118 11 22	84 62 7 15	4 2 1 1	14 7 3 4	32 14 12 6	20 9 6 5	12 5 6 1	20 15 1 4	12 8 1 3	8 7 1	86 33 14 39	15 3 6 6	182 183 184
	19	28	75	44	31	1,072	877	195	32	156	129	98	31	243	116	127	195	61	_
	- 1 2 16 5 11	2 1 25 13 12	67 54 13	2 42 32 10	25 · 22 · 3	104 39 929 247 682	87 25 765 209 556	17 14 164 38 126	9 23 18 5	16 11 129 63 66	6 2 121 116 5	4 2 92 89 3	29 27 27 2	2 11 230 122 108	2 6 108 64 44	5 122 58 64	13 178 154 24	2 5 54 48 6	187 188 189

Table 4.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA, ITS MAIN SUBDIVISIONS, AND CAUSES:

[The term "cities" as here used is restricted to municipalities having 10,000 or

=	1					n .				7 4504 15	103011010	u co mui	пстраны	s naving	10,000 or
ıt. List		місн	IGAN.	MINN	ESOTA.	MISS	OURI.	MON	TANA.		EW PSHIRE.	NEW 3	JERSEY.	NEW	YORK.
Detailed Int.	CAUSE OF DEATH.	Cities.	Rural dis- tricts.	Cities.	Rural dis- tricts.	Cities.	Rural dis- tricts.	Cities.	Rural dis- tricts.	Cities.	Rural dis- tricts.	Cities.	Rural dis- tricts.	Cities.	Rural dis- tricts.
	All causes.	15,355	22,638	7,732	14, 256	17,874	25, 560	1,470	2,539	3,156	4,235	25,821	12,796	108,488	37,166
	I.—General diseases	3,729	5,297	2,355	3,928	4,997	8,664	409	608	672	966	6,733	3,337	29,671	8,870
1 2	Typhoid fever. Typhus fever Relapsing fever Malaria Smallpox	249	298	91	192	301	758	29	51	28	35	205	110	1,011	309
3 4	Relapsing fever Malaria	13	16	2		57	1 451						   <u>-</u> -		
5	l .		3	3	3	10	21					19	7	40 5	-,
6 7 8 9 10	Measles Scarlet fever. Whooping cough Diphtheria and croup Influenza.	84 100 90 258 84	115 105 154 214 440	68 80 164 29	104 121 92 151 149	142 218 83 206 218	479 104 347 472 641	10 16 16 6 4	39 21 11 24 11	16 4 27 38 27	24 12 26 30 88	203 160 244 385 144	80 61 87 186 152	809 1,026 607 1,766 604	180 155 184 194 750
11 12 13 14	Miliary fever								· · · · · · · ·						
15	Cholera nostras Dysentery Plague	6 34	10 56	3 6	11 47	3 49	16 288	2	1 10	1 10	3 15	8 56	3 49	1 18 148	26 119
16 17 18 19	Yellow fever Leprosy.			·····i	i									i	
19	Leprosy. Erysipelas Other epidemic diseases.		,77 4	38 3	58 5	60 4	95 8	7 2	5 6	7	6 1	96 5	29 2	414 19	95 3
20 21 22	Purulent infection and septicemia. Glanders Anthrax Rabies	65	68	32	36	48	74	2	3	9	14	35	11	1.65	63
22 23	Anthrax Rabies	2	i			3	3				<u>1</u>	9	4	5 11	1 2
24	Tetanus	20	18	10	22	30	41	1		3	4	36	16	80	36
25 26 27	Mycoses Pellagra Beriberi	1 1	2	2 	1	8	10	•••••				i	1	3 1	1
28 29 30 31 32 33 34	Tuberculosis (total) Tuberculosis of the lungs Acute miliary tuberculosis. Tuberculous meningitis. Abdominal tuberculosis. Pott's disease. White swellings Tuberculosis of other organs. Disseminated tuberculosis.	1,212 977 39 67 67 14 8	1,545 1,268 46 46 91 39 7	999 800 47 58 50 11	1,523 1,192 68 104 67 27 15	1,922 1,617 59 97 91 16	3,192 2,796 86 78 128 29	159 127 6 8 9	261 221 4 12 8 1	243 192 13 19 8 4 1	283 240 8 10 10 5 2	3,092 2,481 184 214 107 27 20	1,495 1,262 62 83 45	13,356 11,085 522 1,091 291 116	3, 299 2, 795 121 105 133 31 19 42 53
34 35	Tuberculosis of other organs Disseminated tuberculosis.	20 20	31 17	16 10	32 18	20 13	38 26	1 4	6	3 3	5 3	34 25	.6 14 13	60 130 61	19 42
36 37 38	Rickets. Syphilis Gonococcus infection.	14 84 5	16 45 3	8 51 11	5 25 4	9 188 5	9 59 8	1 10	2 6 1	2 3	2 8	19 77 11	12 39	73 598 31	12 70 4
39 40 41 42 43 44 45	Cancer and other malignant tumors (total). Of the buccal cavity. Of the stomach, liver. Of the peritoneum, intestines, rectum. Of the bemale genital organs. Of the breast. Of the skin. Of other organs or of organs not specified.	831 27 343 110 126 72 30 123	1,306 66 554 151 152 124 78 181	521 15 195 76 87 59 14 75	902 48 439 117 74 55 25 144	967 47 335 123 171 69 41 181	1,007 54 386 92 139 122 80 134	77 3 31 16 7 8	80 5 39 5 8 6 4 13	149 5 49 21 22 22 6 24	270 10 93 48 44 23 15 37	1,267 35 480 188 217 122 27 198	699 300 300 95 83 81 24 86	5,881 194 2,272 890 887 558 111 969	2, 210 107 845 298 319 256 114 271
46	Other tumors (tumors of the female genital organs excepted).	21	25	5	4	14	20		1	1	4	3	8	39	25
47 48 49 50	Acute articular rheumatism Chronic rheumatism and gout Scurvy Diabetes	68 14	96 28	29 6	63 26 1	83 9 2	131 30	6 2	15 3		15 3	146 14 3	66 16 1	449 67 10	154 52 1
51	Exophthalmic goiter	147 25	266 29	86	172 23	189	224	21	20	43	59	234	116	1,326	458
52 53	Addison's disease	9	13 35	2 6	6 24	25 5 14	15 5 28	2	$\begin{bmatrix} 2 \\ 1 \end{bmatrix}$	4 1 2	3 1	13	3 2 9	84 37	35 14
54 55	Anemia, chlorosis. Other general diseases.	112 40	176 69	40 10	63 32	39	34 39	4 5	2 6	27 5	8 33 3	23 65 38	22 11	154 261 116	35 175 41
56 57	Alcoholism (acute or chronic) Chronic lead poisoning.	43	49	32	61	41	37	19	21	7	13	104	37	408	124
58 59	Other chronic occupation poisonings Other chronic poisonings		1 14	1 2	1	9	3		1		i	6 2 5	1	21 5	3
	II.—Diseases of the nervous system and of the organs of special	1,626	2,752	618	1,333	1,412	2,376	89	200	366	ge,		1 400	20	17
1	sense.	,	,		_,	-,	2,510	33	200	200	554	2,288	1,698	8,168	5,026
	Encephalitis Meningitis (total) Simple meningitis Cerebrospinal meningitis (undefined) Cerebrospinal fever.	22 184 121 55 8	29 168 118 47 3	8 71 46 21 4	11 107 43 29 35	12 145 86 37 22	35 308 192 89 27	1 16 7 9	3 16 7 6 3	7 49 37 12	6 45 32 13	23 287 177 86 24	12 77 55 21	41 760 400 315 45	31 265 188 71 6
	Locomotor ataxia  Other diseases of the spinal cord (total)  Acute anterior polinomyelitis  Other diseases of the spinal cord <sup>3</sup> Cerebral hemorrhage, apoplexy	29 68 19 49 711	46 133 27 106 1,390	15 50 18 32 316	16 82 41 41 671	52 62 10 52 693	42 145 50 95 1,015	2 5 5 46	2 10 5 5 80	6 13 4 9 166	16 22 7 15 330	44 108 31 77 1,286	33 69 15 54 996	188 424 130 294 4,816	77 195 36 159 3,124
	<sup>1</sup> Includes only	municin	olitian ho	wine o n	omiilatia	n of 1 000			,	1	11	,=55 /	555 [	-, 020 1	-, 1

<sup>&</sup>lt;sup>1</sup> Includes only municipalities having a population of 1,000 or over in 1900.
<sup>2</sup> Includes only municipalities having a population of 1,000 or over in 1900, and less than 10,000 in 1910.

IN CITIES AND RURAL DISTRICTS OF EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF 1911—Continued.

more inhabitants in 1910, smaller places being included with the "rural districts."]

		NORTH (	CAROLINA	.,1	······································	ОВ	по.	PENNSY	LVANIA.	RHODE:	ISLAND.	עט	AH.	VERA	iont.	WASHI	NGTON.	wisc	onsin.	List
	Cities.		Ru	ral distric	ots.2		Rural		Rural		Rural		Rural		Rural		Rural		Rural	Detailed Int. No.
Total.	White.	Col- ored.	Total.	White.	Col- ored.	Cities.	dis- tricts.	Cities.	dis- tricts.	Cities.	dis- tricts.	Cities.	dis- tricts.	Cities.	dis- tricts.	Cities.	dis- tricts.	Cities.	dis- tricts.	Detaile
3,246	1,585	1,661	3,613	1,934	1,679	31,293	32,109	57,909	53, 383	7,052	1,619	1,461	2,499	813	4,848	5, 451	5,394	9,941	17,109	
1,145	. 605	540	1,232	633	599	9,085	9,046	14,873	12,622	1,898	393	401	501	206	1,128	1,594	1,398	2,714	4,508	
100	65	35	162	98	64	506	595	891	825	48	5	28	46	9	35	110	113	161	150	1 2
32	15 3	17	55 1	24	31 1	18 3	26 1	16 4	21 1	3	3	<u>2</u>	7	i	4	3 2	1	2	3 2	1 2 3 4 5
1	13 2	7 1	38 5	22 5	16	124 364	188 136	473 424	331 325	13 42 95	10 16	27 28 9	15 28	4	34 4	29 30	39 26	80 94	173 127 146	6 7
20 3 97 18 51	13 2 25 11 28	72 7	76 21 40	28 15 25	48 6	364 277 432 311	136 275 296 746	380 1,127 417	331 325 618 984 732	95 118 39	10 16 26 25	9 29 9	28 17 56 16	1 4 7	23 17	29 30 43 43 44	26 27 61	80 94 60 158 63	146 162 241	6 7 8 9
51	28	23	40	25	15	311	746	417	732	39	14	9	16	10	147	44	66	63	241	10
1 43	1 29	14	2 51	1 28	1 23	8 68	14 168	23 93	45 186	3 21	2 5	2 4	1 7	2	1 10	<u>-</u>	1 14	1 25	12 53	11 12 13 14 15
				28					100									25		1
4	3	1	6	4	2	88	100	139	148	13 3	3	2	10	2	11	17	14	36	57	16 17 18 19
9	2	7	8	4	1	78	9 69	12 112	19 111	16	1	8	1 11	2	9	20	17	37	10 59	•
		•••••	1	1		1 4	1 4	2 6	-1						<u>î</u>			2		20 21 22 23
16	3	13	18	1	17	56	45	74	63	7		2		1	5	1	2	18	20 3	1
105	68	37	72	45	27		1 2	2 4	1 1	7						1		2 2	3 3	24 25 26 27
480 419	236 207	244 212 6 7	481 409	209 177	272 232 13 5 12	3,810 3,165 118	3,349 2,795	6,101 5,012 250 392 234 42 35 95	4,503 3,820 151 175 179	820 670	134 106	95 62 10 5	85 70	83 69	341 261	674 498	625 506	925 762	1,524 1,234 60 71 64 17	28
419 14 17 18	8 10 8	7 10	409 17 11 30	4 6 18	13 5 12	209 161	91 144 157	392 234	175 175 179	820 670 31 59 31 10 5	134 106 3 15 3	5 5	4 1 7	83 69 3 5	341 261 14 26 15 4	674 498 10 79 46 12 3 20	625 506 13 43 30 5	925 762 20 57 44 4 5 18	71 64	28 29 30 31 32 33 34 35
1 2 6	i	1	6	2	4	28 15 64	37 17	42 35	44 25 76	10	3	7	3	1	4	12	5	4 5	17 9	32 33
. 3	2	3	5 3	1	2	50	67 41	#1	33	9 5	3	1		1	6 11	6	8	il .	37 37	
24 2	9	$\begin{array}{c} 1\\15\\2\end{array}$	23 2	1 5	$\begin{array}{c} 2\\18\\2\end{array}$	13 247 9	15 115 6	49 233 11	20 127 9	6 39 4	1 4	11 11 1	2 1 1	4	4 8 2	3 28 2	12 	12 33 1	9 23 1	36 37 38
87 4	62 3 20 11 11 5	25 1 6 2 9 3 1	118	82 7	36 1	1,767 63	1,932 79	2,845 92	2,352	395 21	96 2 38	90 5	110 6	49 3	312 17	347 10	215 8	648 14	1,115 34 587 134 70 80 41	39
26 13 20 8 4 12	20 11 11	2 9	32 8 31 15 2 22	23 6 18	9 2 13 6	694 231 334	804 220 216 213	92 1,090 400 520 244	1,023 278 313	395 21 133 57 70 46 15 53	8 1	5 33 6 18 7	61 12 7 7	16 6 3	312 17 114 41 51 30 14 45	347 10 158 40 53 23 7 56	8 88 26 25 24 9	314 93 75 43 10	587 134 70	39 40 41 42 43 44 45
8 4	5 3	3 1	15 2	9 2 17		231 334 164 36	119	0—4⊥	236 117	46 15	22 8 2	7 4 17	4	3 8 1	30 14	23	24 9	43 10	80 41	43 44
	9	3			5	245	281	435	285		16	17	13	12			35	99	109	
14	8	3 6	1 15	1 6	9	6 135	130	_ 21 238	15 225	19	7	15	. 2 20	6	5 17	5 31	22	5 61	13 109	46 47
8	4	4	15 1 14	14	1	135 22 1 317	47 381	238 48 12 602	225 58 1 434	19 10 98	22	1 12	<del>4</del> 31	1 9	3 63	2 65	22 3 58	61 8 2 129	109 27 	47 48 49 50
1.1	1 1		1 1	1		l 1		II 1		[	1		2	1		1		1 1	1	
1 1 1 5 8	1 3 7	1 2 1	1 1 4 5	1 1 4		50 8 45 101 33	60 10 43 105 56	32 16 67 164 58	35 9 35 164 79	1 3 2 27	4	3 1 7 3	3 6	1 5 1	8 1 7 29 8	6 3 15 16 6	3 1 8 19 9	18 3 13 42 22	31 4 32 94 34	51 52 53 54 55
8 5	7 3	1 2	5 4	. 3	2 1	1 1		II i	79 120	13 31	··	. 8	6 12	3			9 37	22 47		
1	ĭ	2	*			154 6	81 5 1 13	157 11 1 8	8	91	13				14 1	40 1		3	53 3	56 57 58 59
1	1100	700	1	1	100	17	1	1	12		1	2	1	••••	3	6	1		2	59
241	139	102	329	201	128	2,993	4,021	4,882	6,182	690	170	120	193	85	605	452	562	999	1,969	
2 28	2 15	13	5 45	4 33	1 12	21 252	33 224	60 338	55 369	7 63	10	, 3 '14	2 25	4	3 26 19 7	5 28	1 26	12 128	22 188	60 61
2 28 17 9 2	2 15 9 5 1	13 8 4 1	5 45 19 20 6	33 12 16 5	1 12 7 4 1	21 252 150 65 37	33 224 115 88 21	60 338 280 43 15	55 369 296 66 7	7 63 37 23 3	10 9 1	3 '14 10 2 2	2 25 13 - 9 3	4 1 3	19 7	5 28 12 15 1	26 7 17 2	12 128 97 30 1	22 188 144 42 2	
		- 1	1	1 }								2	l	3	6	1 1	1			62 63
1 14 6 8 109	11 5 6 60	1 1 2 49	5 17 9 8 148	3 12 6 6 88	2 5 3 2 60	68 187 76 111 1,708	73 267 61 206 2,483	95 201 34 167 2,762	95 227 59 168 3,346	15 34 11 23 404	7 3 4 126	4 63	12 3 9 81	. 4 2 2 61	6 42 9 33 401	13 26 9 17 293	11 22 10 12 312	14 42 10 32 460	30 92 21 71 921	63
109	l 6ŏ	49	148	l 88 l	60 J	1,708	2,483	2,762	3,346	404	126	63	81	61	401	293	312	460	921	64

 $<sup>{}^{\</sup>mathtt{S}}$  Exclusive of acute anterior poliomyelitis (infantile paralysis).

Table 4.—Deaths (exclusive of stillbirths) in the registration area, its main subdivisions and causes:

[The term "cities" as here used is restricted to municipalities having 10,000 or

. List		місні	GAN.	MINNE	SOTA.	MISSO	OURI.	MON	ANA.	NE HAMPS		NEW J	ersey.	NEW :	ORK.
Detailed Int. No.	CAUSE OF DEATH.	Cities.	Rural dis- triets.	Cities.	Rural dis- tricts.	Cities.	Rural dis- tricts.	Cities.	Rural dis- tricts.	Cities.	Rural dis- tricts.	Cities.	Rural dis- tricts.	Cities.	Rural dis- tricts.
	II.—Diseases of the nervous system and of the organs of special sense—Continued.											,		Ī	
65 66 67 68	Softening of the brain. Paralysis without specified cause. General paralysis of the insane. Other forms of mental alienation	11 155 108 28	33 427 113 32	9 23 11 13	13 93 36 33	34 105 117 29	47 355 82 44	4 2	1 16 27 10	3 48 20 6	11 61 12 6	15 106 67 16	33 162 101 56	47 269 403 82	80 361 409 60
69 70 71 72	Epilepsy Convilsions (nonpuerperal) Convilsions of infants Chorea	43 5 171 2	85 12 170 3	13 3 27 1	60 4 127 1	34 3 40 4	100 12 74	1 3	14 1 8 1	13 2 20 1	10 18	46 1 186 8	53 61	199 2 485 6	172 4 112 5
73 74 75 76	Neuralgia and neuritis Other diseases of the nervous system. Diseases of the eyes and their annexa. Diseases of the ears.	11 61 3 14	13 64 2 32	36 1 17	6 48 1 24	7 47 28	16 64 1 36	1 3 5	7	1 6 5	10 3	14 51 30	37 7	54 223 4 165	27 82 1 21
	III.—Diseases of the circulatory system.	1,861	3,519	931	1,566	2,289	2,281	162	273	437	697	3,068	1,772	14, 283	6,555
77 78 79 80 81	Pericarditis. Acute endocarditis Organic diseases of the heart. Angina pectoris. Diseases of the arteries, atheroma, aneurism, etc.	17 60 1,380 83 250	34 73 2,835 151 328	4 79 662 35 116	11 62 1,229 38 174	55 128 1,634 61 362	31 63 1,768 96 251	2 17 122 5 11	2 18 195 7 33	3 13 335 16 56	3 12 518 36 104	20 221 2,377 78 278	6 64 1,398 66 183	61 940 10,596 414 1,908	34 104 4,937 329 983
82 83	Embolism and thrombosis. Diseases of the veins (varices, hemorrhoids,	56 2	57 4	24 4	31 8	38	45 8	3 2	5 1	13 1	17 2	60 13	41 4	233 50	119 18
84 85	phlebitis, etc.). Diseases of the lymphatic system (lymphangitis, etc.). Hemorrhage; other diseases of the circulatory system.	3 10	12 25	2 5	5 8	3 1	6 13		3 9		5	11 10	3 7	56 25	12
	IV.—Diseases of the respiratory system.	1,749	2,076	837	1,670	2,167	2,897	158	275	386	490	3,494	1,434	16,013	4,044
86 87 88 89 90	Diseases of the nasal fossae. Diseases of the larynx. Diseases of the thyroid body. Acute bronchitis. Chronic bronchitis.	2 25 7 167 106	7 28 14 267 188	5 3 44 36	4 11 10 92 103	5 15 9 157 140	38 7 134 213	1 3 6	13 9	4 1 45 20	6 1 35 49	26 7 196 135	2 16 79 75	10 59 24 1,058 501	1 38 6 319 263
91 92 93	Bronchopneumonia. Pneumonia (total). Lobar pneumonia. Pneumonia (undefined). Pleurisy	460 810 454 356 43	299 1,024 222 802 63	290 413 343 70 21	564 751 629 122 33	476 1,203 943 260 50	520 1,776 761 1,015 34	39 91 64 27 5	55 169 63 106 4	76 198 37 161 14	54 302 29 273 7	1,013 1,858 945 913 78	271 847 361 486 34	5,798 7,741 6,218 1,523 369	921 2,209 1,016 1,193 91
94	Pulmonary congestion, pulmonary apoplexy.	55	76	11	29	31	52	4	14	18	23	89	64	196	122
95 96 97 98	Gangrene of the lung. Asthma. Pulmonary emphysema. Other diseases of the respiratory system (tuberculosis excepted).	7 35 2 30	3 54 7 46	1 9 1 3	5 46 4 18	38 12 23	56 3 55	1 4 4	3 6	5	5 2 6	9 42 3 34	1 18 1 26	26 122 21 88	5 37 7 25
	V.—Diseases of the digestive system.	1,986	2,493	858	1,448	2,213	2,894	194	233	451	361	3,303	1,309	l	3,274
99 100 101 102 103	Diseases of the mouth and annexa.  Diseases of the pharynx  Diseases of the esophagus.  Uicer of the stomach  Other diseases of the stomach (cancer excepted).	16 27 8 48 244	5 32 3 52 318	11 2 33 46	8 29 1 34 123	8 17 4 56 136	21 49 5 54 358	1 3 1 7 7	9 16	1 2 2 8 8	6 1 7 62	6 21 2 60 190	$\begin{array}{c} 4 \\ 12 \\ 1 \\ 24 \\ 137 \end{array}$	32 88 13 288 478	14 38 9 91 462
104 105 106 107	Diarrhea and enteritis (under 2 years) Diarrhea and enteritis (2 years and over) Ankylostomiasis. Intestinal parasites Appendicitis and typhlitis.	771 119	863 275 2	316 40	525 107	889 204	1,131 316	54 13	88 11	259 25	125 33	1,941 210 1	686 128	6,629 865	1,042 430
108 109	Hernia, intestinal obstruction (total)	178 168	161 210	147 78	196 131	208 154	163 206	19	30 23	29 27	18 30	191 177	47 69	954 899	159 285
110	Hernia. Intestinal obstruction. Other diseases of the intestines	49 119 43	47 163 73	33 45 16	47 84 46	47 107 47	61 145 78	3 16 6	10 13 4	10 17 8	12 18	97 80 51	34 35 27	379 520 173	285 79 206 56
111 112 113 114	Acute yellow atrophy of the liver. Hydatid tumor of the liver. Cirrhosis of the liver. Biliary calculi.	11 1 142 42	10 1 196 39	2 81 22	6 98 38	11 1 271 46	15 194 56	1 17 4	27 2	16 2	35 7	8 2 294 38	4 1 104 18	23 5 1,354 201	11 1 335 47
115 116 117 118	Other diseases of the liver. Diseases of the spleen. Simple peritonitis (nonpuerperal). Other diseases of the digestive system (cancer and tuberculosis excepted).	79	108 4 121 16	37 2 13 7	62 4 29 11	95 4 49 12	108 5 123 7	7 1 7 2	7 15 1	11 1 23 2	10 18 1	62 5 28 16	23 2 15 6	259 12 138 67	133 10 140 11

<sup>&</sup>lt;sup>1</sup> Includes only municipalities having a population of 1,000 or over in 1900.
<sup>2</sup> Includes only municipalities having a population of 1,000 or over in 1900, and less than 10,000 in 1910.

IN CITIES AND RURAL DISTRICTS OF EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF 1911—Continued.

more inhabitants in 1910, smaller places being included with the "rural districts."]

	)	NORTH (	CAROLINA	,1		ОВ	IIO.	PENNSY	LVANIA.	RHODE	SLAND.	UT.	ΔΗ.	VER	MONT.	WASHI	ngton.	wisc	onsin.	List
Total.	Cities.	Col- ored.	Ru Total.	ral distric	Col- ored.	Cities.	Rural dis- tricts.	Cities.	Rural dis- tricts.	Cities.	Rural dis- tricts.	Cities.	Rural dis- tricts.	Cities.	Rural dis- tricts.	Cities.	Rural dis- tricts.	Cities.	Rural dis- tricts.	Detailed Int.
																				A
6 38 11 9	4 16 10 8	2 22 1 1	4 54 6 5	4 25 6	29 4	31 92 244 74	92 256 144 48	56 260 217 64	72 550 274 133	3 25 52 6	1 7 4 1	10 2 2	14 10 8	2 1 1	10 22 21 20	19 7 5	45 54 29	7 64 19 11	16 178 68 58	65 66 67 68
5 1 7	4 1	1 1 6	9 3 8	6 1 5	3 2 3	55 3 84 6	156 3 69 6	96 12 423 8	182 23 639 12	13 1 35 1	2 1 5	3 1	7 2 16 2	3	17 13 1	6 16 1	20 3 13 1	16 3 176 2	74 11 212 2	69 70 71 72
1 8	1 6 1	2	$\frac{1}{12}$	9	1 3 3	13 99 3 53	29 95 2 41	28 158 10 94	22 122 1 60	3 23 5	1 3 2	1 7 4	2 6 1 5	* 1 1 1	6 10 7	4 13 1 15	3 9 13	26 15	8 69 20	73 74 75 76
334	155	179	276	145	131	4,116	5,071	6,990	5,999	958	224	158	238	118	917	622	606	1,115	2,322	
5 9 262 17 32	2 7 107 10 22	3 2 155 7 10	3 247 3 15	1 126 2 10	2 121 1 5	31 210 3,065 158 547	39 58 3,997 240 615	343 5,344 232 808	43 144 4,759 323 590	9 45 709 28 140	2 6 173 8 31	8 122 10 14	14 197 11 11	1 2 88 9 14	6 14 669 66 146	2 17 515 19 56	5 18 494 35 42	8 62 805 33 159	18 56 1,805 73 311	77 78 79 80 81
6	5	1	6 1	5	1	65 14	77 18	148 31	83 14	21 1	3	1	2 1	4	13	7 2	7 1	34 4	40 8	82 83
1 2	1	1	1	1		15 11	6 21	18 17	16 27	3 2	1	2 1	1 1		1 2	3 1	4	6 4	4 7	84 85
347	121	226	345	144	201	3,247	3,102	7,723	6,487	870	213	174	387	69	540	478	485	1,037	1,780	
3	2	1	3 4	1 2	2 2	3 21 7	8 30 10	8 59 16	22 110 19	· 1 8 1	1 2 1	1 1	1 7 1	1		4 4 6	5 4	1 8 3 89	1 27 7	86 87 88 89 90
17 23 71	2 11 33	15 12 38	19 15 66	5 9 22	14 6 44	316 232 1,006	177 199 978	614 329 2 431	440 284	71 50 194	26 7	7 9	43 12 , 70	9 1 8	53 40 104	17 14	24 27 151	84	130 138	ł
71 210 112 98 4	33 60 33 27 2	150 79 71 2	217 103 114 4	22 90 39 51 4	44 127 64 63	1,478 1,308 170 67	1,468 1,198 270 45	2,431 3,574 2,093 1,481 213	1,712 3,245 1,153 2,092 121	488 216 272 13	48 119 29 90	37 98 69 29 10	221 49 172 10	41 8 33 1	308 81 227 10	143 259 256 3 14	236 218 18 12	190 555 134 421 25	283 995 286 709 44	91 92 93
10	. 8	2	6	3	3	32 5	71. 5	244 12	224 10	18	6	3	3	3	6	4	8	30 7	74 4	94 95
5 4	2	4 2	5 2 4	2 2 4	.3	41 11 28	66 10 35	119 8 96	159 11 130	13 3 10	1	1 2	3 16	2 1 1	8 1 10	2 5 2 4	15 1 2	20 3 22	4 43 5 29	95 96 97 98
440	226	214	567	354	213	3,866	3,188	8,150	7,018	793	182	170	246	134	454	558	479		1,695	
3 6 4 50	1 5 2 16	2 1 2 34	2 3 2 55	1 1 2 34	1 2 21	21 39 5 108 284	13 55 7 73 397	25 55 7 150 697	32 63 13 86 928	2 4 19 54	2 4 24	2 2 4 8	4 7 25	1 3 8	2 1 14 53	12 20 32	2 8 1 14 46	6 14 1 25 123	30 2 30 30 176	99 100 101 102 103
233	114 25	119 14 1	329 61 2	203 33 2	126 28	1,801 262	1,095 324	4, 428 560	3,728 545	393 55	100	57 10	87 16	70 1	151 58	158 53	152 49	622 76	588 163	
33	24	9	29	26 26	3	315	10 168	2 492	9 192	67	. 6	29	34	29	40	92	1 62	1 164	105 4 155	104 105 106 107 108
21 10 11 8	14 6 8 3	7 4 3 5	19 5 14 8	10 1 9 5	9 4 5 3	266 93 173 66	249 68 181 76	504 187 317 112	351 94 257 104	63 29 34 13	6 6 2	19 4 15 5	34 4 30 3	5 1 4 2	46 18 28 15	56 16 40 29	57 15 42 14	122 40 82 17	157 49 108 64	109 110
2	7 2	1 3	21 6	10	ii	18 1 373 98	20 349	15 1 620	29	1 1 66 15	2 17 2		9		3	1	1 30	4	6	111 112 113 114
2		6	6 17	6   -	4		98	130	450 78 219 5	T I	2	12 3 7 1	. 3	6 6 1	35 8 19	. 24 22	5	122 29 55	171 30 58	
11 1 15 1	5 1 5	10	11 2	6 2 .	5	119 5 71 12	151 7 84 12	9 117 43	159 27	22 1 13 4	3	10	11 1	2	9	8 8	26 1 7 3	55 2 18 13	58 1 50 7	115 116 117 118

12489°-13---22

Table 4.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA, ITS MAIN SUBDIVISIONS, AND CAUSES:

[The term "cities" as here used is restricted to municipalities having 10,000 or

<u>=</u>		ĺ		1		1		1				1			1
t. List	٠	MICE	IIGAN.	MINN	ESOTA.	MISS	OURI.	MON	TANA.	HAMP	ew shire.	NEW J	ersey.	NEW	YORK.
Detailed Int. No.	· CAUSE OF DEATH.	Cities.	Rural dis- tricts.	Cities.	Rural dis- tricts.	Cities.	Rural dis- tricts.	Cities.	Rural dis- tricts.	Cities.	Rural dis- tricts.	Cities.	Rural dis- tricts.	Cities.	Rural dis- tricts.
	VI.—Nonvenereal diseases of the genito-urinary system and annexa.	1,020	1,434	643	1,031	1,785	1,625	110	131	213	356	2,340	1,083	10,655	3,208
119 120 121 122	Acute nephritis Bright's disease Chyluria Other diseases of the kidneys and annexa.	111 640 1 39	106 1,069	44 438 21	61 787 39	110 1,364 41	104 1,250 51	8 83 2	19 94 1	19 165 6	17 279	262 1,820 42	109 878	939 8,659	292 2,485
123 124 125 126 127	Calculi of the urinary passages.  Diseases of the bladder.  Diseases of the urethra, urinary abscess, etc. Diseases of the prostate.  Nonvenereal diseases of the male genital	13 37 8 70 1	76 6 58 1	10 21 2 38	6 24 2 79 1	38 13 56 1	9 69 4 72	1 4	1 2 6	2 2 7	28 2 12	8 36 10 37 1	8 15 2 25	52 83 42 190 8	10 131 4 112 2
128 129 130 131 132	organs. Uterine hemorrhage (nonpuerperal) Uterine tumor (noncancerous) Other diseases of the uterus. Cysts and other tumors of the ovary Salpingitis and other diseases of the female	17 24 18 36	2 14 21 18 15	3 17 17 9 23	2 5 12 7 6	1 29 35 28 59	1 11 21 13 19	1 1 2 1 7	2 1 4 1	3 4 2 3	2 5 4 1 3	34 25 20 42	9 5 8 12	151 77 73 215	46 21 27 15
133	genital organs.  Nonpuerperal diseases of the breast (cancer excepted).  VII.—The puerperal state	1 203	300	96	204	188	377	28	50	27	32	330	94	5 1,089	2 316
134 135 136 137	Accidents of pregnancy. Puerperal hemorrhage. Other accidents of labor Puerperal septicemia.	23 16 19 104	31 23 46 140	6 6 5 51	16 23 18 102	17 13 9 109	41 43 40 169	5 1 18	4 6 5 20	1 1 1 1 11	12 3 2 7	23 34 26 166	8 11 9 36	117 98 117 502	24 34 27 120
138 139 140	Puerperal albuminuria and convulsions Puerperal phlegmasia alba dolens, embolus, sudden death. Following childbirth (not otherwise de-	35 5	50 8 2	20 6 1	37 6 2	30 8 2	71 ·11 2	2 1 1	10 4 1	10 3	8	70 11	26 2 2	214 39	100 11
141	fined). Puerperal diseases of the breast VIII.—Diseases of the skin and of of the cellular tissue.	68	143	1 39	52	53	86	6	4	12	30	86	47	1 298	152
142 143 144 145	Gangrene. Furuncle. Acute abscess. Other diseases of the skin and annexa.	39 3 12 14	99 8 14 22	10 6 9 14	31 '3 10 8	27 10 5 11	55 3 10 18	4 1 1	2 2	5 2 3 2	19 3 1 7	42 2 20 20 22	32 2 5 8	120 46 74 58	106 8 15 23
	IX.—Diseases of the bones and of the organs of locomotion.	31	40	25	28	26	28	3	3	3	2	51	14	285	47
146 147 148	Diseases of the bones (tuberculosis excepted). Diseases of the joints (tuberculosis and rheumatism excepted). Amputations	26 5	36 4	25	25 2	21 3 1 1	22 4 2	2	3	3	2 	42 6	11 1 2	264 20	35 6
149	X.—Malformations	177	301	106	177	155	231	18	40	25	24	289	162	1,044	328
150	Congenital malformations (stillbirths not included) (total).  Hydrocephalus.  Congenital malformations of the heart.  Other congenital malformations.	177 15 113 49	301 30 161 110	106 10 60 36	177 19 93 65	155 10 109 36	231 22 124 85	18 14 4	40 31 9	25 4 13 8	24 2 12 10	289 17 161 111	162 10 109 43	1,044 106 612 326	328 29 191 108
151	XI.—Early infancy	1,218	1,325	463 396	771 643	835 704	1,439 1,187	95 74	182 151	247	195	1,612 1,321	630 517	6,303 4,969	1,639
101	(total). Premature birth Congenital debility, "atrophy," "ma-	543 523	665 449	289 107	391 252	464 240	852 335	54 20	98 53	114 103	87 78	771 550	269 248	2,931 -2,038	839 544
152	rasmus," etc. Other causes peculiar to early infancy (total). Injuries at birth. Other causes peculiar to early infancy *. Lack of care.	148 73 75 4	210 107 103 1	67 38 29	123 78 45 5	128 76 52	246 111 135 6	21 12 9	30 11 19 1	29 11 18 1	30 12 18	287 183 104 4	111 66 45 2	1,324 707 617 10	245 163 82 11
	XII.—Old age	482	937	126	586	101	480	7	53	80	253	204	212	709	918
154	Senility :	482 1,100	937 1,728	126 624	586 1, 161	101 1,592	480 1,483	7 178	53 429	80 217	253 244	204 1,934	212 946	709 7,376	918 2, 729
155 156 157 158 159 160 161 162 163	Suicide (total)  By poison  By asphyxia.  By hanging or strangulation  By drowning  By frearms  By cutting or piercing instruments  By jumping from high places  By crushing  Other suicides	199 89 12 23 10 51 10 2	221 74 5 54 10 58 16	126 29 14 18 8 38 12 5 1	176 36 52 12 63 6 1 2 4	387 217 22 19 10 96 13 5 3 2	212 81 30 12 76 13	50 20 4 19 7	59 9 3 5 37 3 1	22 3 1 5 2 6 4	34 6 9 6 9 4	290 87 64 45 9 67 12 3	125 15 12 29 13 44 9	1, 180 267 319 120 44 295 75 47 8	357 104 9 100 25 91 19 2 3

<sup>1</sup> Includes only municipalities having a population of 1,000 or over in 1900. <sup>2</sup> Includes only municipalities having a population of 1,000 or over in 1900, and less than 10,000 in 1910. IN CITIES AND RURAL DISTRICTS OF EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF 1911—Continued.

more inhabitants in 1910, smaller places being included with the "rural districts."]

	N	ORTH C	AROLINA.	.1		ОВ	10.	PENNSY	LVANIA.	RHODE	SLAND.	UT	AH.	VER	IONT.	WASEE	NGTON.	WISCO	ONSIN.	List
	Cities.		Ru	ral distric	ts.2 _		Rural		Rural		Rural		Rurai		Rural		Rural		Rural	No.
Total.	White.	Col- ored.	Total.	White.	Col- ored.	Cities.	Rural dis- tricts.	Cities.	Rural dis- tricts.	Cities.	Rural dis- tricts.	Cities.	Rural dis- tricts.	Cities.	Rural dis- tricts.	Cities.	Rural dis- tricts.	Cities.	Rural dis- tricts.	Detailed Int. No.
224	103	121	206	121	85	2,413	2,120	5,050	3,242	646	140	129	161	73	371	488	329	657	1,163	<del></del>
22 154	8 75	14 79	12 156	7 91	5 65	314 1,685	180 1,571	489 3,924	309 2,473	42 522	11 118	10 89	16 115	6 47	24 301	13 .384	5 268	57 474	80 904	119 120 121 122 123
8 5	3	7 2	5 3	4 2	· 1	38 16	45 16	83 24	64 13	13 4	2	2 1	4 2	3	3 1	8 3	5 2	11 3	36 3	122 123
5 2 5	4 1 3	1 1 2	4 2 9	2 1 7	2 1 2	39 11 100 4	93 4 127 5	96 11 118 3	114 11 135 3	9 6 25	3_ 1 4	3	8 2 3 1	1 4	14 2 14	9 3 19	16 14	19 1 32	60 3 52	124 125 126 127
						1	2	2	4	1				1			1		•••••	128
4 6 1 12	2 3 3	2 3 1 9	7 4 2 2	2 2 1 2	5 2 1	52 24 32 96	19 19 17 21	75 44 56 121	22 22 28 42	3 4 8 9	1	, 8 4 3	3 5 2	1 1 2 7	3 3 4 2	8 15 4 22	3 5 3 7	10 23 10 17	3 11 6 5	129 130 131 132
	<b></b>					1	1	4	2											133.
36	12	24	60	32	28	371	347	699	597	72	17	20	40	8	41	92	85	103	203	
7 1 2 15	3 1 1 3	1 12	. 6 . 4 . 12 . 17	4 2 6 7	. 6 10	47 24 25 199	41 32 34 166	53 59 60 338	44 83 74 235	8 10. 2 22	1 2 2 7	1 2 1 8	5 1 9 12	1 1 1 3	6 2 3 13	24 6 11 33	15 8 14 29	7 9 8 59	15 24 36 91	134 135 136 137
10 1	3 1	7	21	13	8	68 6	67 6	173 15	147 13	* 28 •2	5	5 2	9 4	2	14 2	18	18 1	17	26 10	138 139
					-:	2	1	1	1	ļ		1			1		المنهمة		1	140
8	4	4	4	1	3	106	144	193	279	17	2	4	7	3	ميھلسسر	20	16	33	75	141
6 1 1	3 1	3	1 1 1	i	1 1	48 14 17 27	93 14 7 30	100 25 41 27	161 19 44 55	4 1 8 4	2	3, 1	5 1	2	11 1 2	5 4 3 8	6 4 4 2	11 5 4 13	44 5 11 15	142 143 144 145
5	4	1				64	29	121	55	14	3	4	4	2	10	15	4	. 18	13	145
-3	3					60	24	108	47	8	2	4	4		8	15	4	18	12	146
		ļ				2	1	11	5	5				1	2	<b>  </b>				147
2	1	1				1	4	2	3	····i	i			1					i	148 149
22	18	4	19	15 15	4	343 7 343	402	584 584	761 761	69	20	10	44	5	51 · 51	54 54	67	74 74	156 156	150
3 12 7	3 9 6	3	2 7	1 7 7	سلير	24 191 128	28 252 122	49 392 143	62 489 210	6 39 24	1 11 8		1 29 14	1	2	3 41 10	6 42 19	13 33 28	19 75 62	150
143	6 65	78	10 192	1)	72	1,657	1,443	143 3,325	210 3,621	24 455	91	8 2	237	3 2	33 16	11	1	n	1	
129	61	68	168	120- /115	53	1,266	1,151	2,820	3,122	341	69	61 46	198	45 38	217 184	330 277	278	702 589	1,117 966	151
79 50	42 19	37 31	79 89	63 52	16 37	1,018 248	792 359	1,660 1,160	1,737 1,385	189 152	38 31	34 12	159 39	34 4	140 44	171 106	150 87	327 262	559 407	
13	4	. 9	, ź3	5	18	385	279	502	477	110	22	15	37	7	32	52	41	111	148	152
11 2 1	3 1	8 1 1	/ 6 17 / 1	3	14 14 1	236 149 6	173 106 13	284 218 3	268 209 22	85 25 4	16 6	9 6	19 18 2	6 1	24 8 1	26 26 1	22 19	69 42 2	85 63 3	153
21	15 15	6 6)	54	25 25	29 29	228	536 536	482	925 925	79	54 54	37	146 146	14	150	101	146	275	825	
188	98	90	176	85	91	2,742	2,426	4, 537	4,814	446	96	148	252	14 48	150 331	101 602	146 820	275 751	825 1,090	154
11 5 5	11 5 5		12 4 3 2	10 4 3 2	2	449 202 11 55 28 121 24 4 3		582 206 96 58 23 146 37 10 3		53 6 18 6 4 15 4	12 1 3 4 3 . 1	42 12 3 3 22 3 2	28 9 7 1 11	10 2 1 2 2 2 1 2	62 17 2 17 5 18 3	163 50 10 13 6 68 12 2 1	89 23 2 17 6 31 8	148 40 5 37 15 39 5		

<sup>&</sup>lt;sup>8</sup> Exclusive of injuries at birth.

Table 4.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA, ITS MAIN SUBDIVISIONS, AND CAUSES:

[The term "cities" as here used is restricted to municipalities having 10,000 or

List										NI NI	ew	1			
		місн	IGAN.	MINNI	ESOTA.	MISSO	OURI.	MONT	ANA.	HAMP		NEW J	ERSEY.	NEW	rork.
Detailed Int.	CAUSE OF DEATH.	Cities.	Rural dis- tricts.	Cities.	Rural dis- tricts.	Cities.	Rural dis- tricts.	Cities.	Rural dis- tricts.	Cities.	Rural dis- tricts.	Cities.	Rural dis- tricts.	Cities.	Rural dis- tricts.
-	XIII.—External causes—Continued.		,		*										
164 165 166 167	Accidental or undefined (total) Poisoning by food Other acute poisonings. Conflagration. Burns (conflagration excepted)	871 5 30 17 80	1,467 7 66 23 105	468 11 13 6 30	933 7 26 32 60	1,011 10 37 10 93	1, 160 22 56 20 133	111 1 7 3 3	336 3 9 8 10	192 1 2 4 24	206 2 6 6 8	1,570 16 42 15 182	797 12 16 17 70	5, 783 44 138 193 604	2,285 19 64 37 111
168	Absorption of deleterious gases (con- flagration excepted).	42	32	46	31	45	32	2	9	8	2	108	30	382	44
169 170 171	Accidental drowning. Accidental drowning. Traumatism by firearms. Traumatism by cutting or piercing instruments.	91 15 <b>2</b>	261 55 1	35 11	128 46 5	54 19 2	121 71 6	4 3	51 14 2	21 3	38 2	174 14 1	162 12	642 32 10	400 47 3
172	Traumatism by fall	148	216	66	107	184	180	5	16	35	41	280	111	1,357	492
173	Traumatism in mines and quarries (total).	10	130	25	62	24	32	28	46	1		1	11	6	11
174	Traumatism in mines Traumatism in quarries Traumatism by machines	10 27	129 1 27	25 21	60 2 20	21 3 28	2 30 2 24	28	46 3	1 6	8	1 29	10 1 17	4 2 128	6 5 43
175	Traumatism by other crushing (total). Railroad accidents and injuries. Street-car accidents and injuries. Automobile accidents and injuries. Injuries by other vehicles Landslide, other crushing.	258 100 79 38 38 3	290 180 33 10 55 12	142 83 20 14 21 4	257 168 4 12 62 11	330 156 77 36 52 9	279 190 1 4 72 12	34 20 4 2 8	118 83 1 29 5	35 19 1 7 7 1	44 22 1 4 16	419 257 48 57 55 2	215 141 25 18 26 5	1,391 484 265 224 370 48	737 542 28 58 58 89 20
176 177 178 179 180 181 185 186	Injuries by animals Starvation Excessive cold Effects of heat Lightning Electricity (lightning excepted) Fractures (cause not specified) Other external violence	44 2 19 21 52	34 11 40 15 15 12 127	5 1 6 6 1 10 9 24	22 1 15 14 11 8 9 72	12 5 1 95 3 10 15 34	35 3 9 45 8 3 5 76	2 2 2 2	8 1 8 1 21	39 1 2 7	1 33 33	8 3 5 193 2 17 7 54	8 2 2 71 3 7 3 28	24 3 3 514 5 53 56 198	26 4 11 74 26 31 1 104
182 183 184	Homicide (total)  By firearms  By cutting or piercing instruments  By other means.	30 14 5 11	40 19 8 13	30 18 2 10	52 28 3 21	194 108 44 42	111 74 14 23	17 12 3 2	34 21 3 10	3 1 2	4 4	74 37 10 27	24 16 8	413 206 77 130	87 52 14 21
	XIV.—III-defined diseases	105	293		301	61	699	13	58	20	31	89	58	114	60
187 188 189	Ill-defined organic disease. Sudden death. Not specified or ill-defined (total). Ill-defined. Not specified or unknown.	23 5 77 70 7	55 15 223 121 102	1 10 4 6	12 19 270 72 198	11 2 48 24 24 24	44 39 616 187 429	13 11 2	4 54 26 28	1 15 13 2	8 3 20 20	4 2 83 77 6	58 57 1	108 102 6	5 4 51 47 4

<sup>&</sup>lt;sup>1</sup> Includes only municipalities having a population of 1,000 or over in 1900.

IN CITIES AND RURAL DISTRICTS OF EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF 1911—Continued.

more inhabitants in 1910, smaller places being included with the "rural districts."]

	N	ORTH C	AROLINA.	,1		ОН	10.	PENNSY	LVANIA.	RHODE	SLAND.	υr	AH.	VER	ONT.	WASHI	NGTON.	wisc	ONSIN.	List
	Cities.		Ru	ral distric	ets.º		Rural		Rural		Rural		Rural		Rural		Rural		Rural	No.
Total.	White.	Col- ored.	Total.	White.	Col- ored.	Cities.	dis- tricts.	Cities.	dis- tricts.	Cities.	dis- tricts.	Cities.	dis- tricts.	Cities.	dis- tricts.	Cities.	dis- tricts.	Cities.	dis- tricts.	Detailed Int.
143 2 4 3 15	78 2 2 3 11	65 2 4	.137 4 9 5 28	68 4 6 10	69 3 5 18	2,093 19 57 42 184	2,031 21 63 25 133	3,770 9 76 35 433	4,201 25 96 61 351	374 9 7 47	83 2 2 4 4	92 1 5	211 1 3	36 1 3 1 4	252 3 7 1 17	398 7 15 7 24	684 3 23 18 35	574 2 15 12 32	887 13 16 13 52	164 165 166 167
6	5 5	1 8	7	4 5	3 6	76 193	52 174	150 211	81 455	37 49	20	2 5	4 24	2	5	30 53	15 134	16	15	168
ii		11	11	ĭ	10 	34 4	68	47 13	91	42 3 1	1	4	13	5 1	31 11 1	9 2	29	85 13 2	144 59 1	169 170 171
16	14	2	8	. 8		419	437	731	556	76	22	12	21	6	68	60	52	115	167	172
						19 14	100 97	432 421	961 920		5	8	48 47		9	5 5	22 22	1	4	173
3	i	2	7	2	5	5 77	3 36	11 121	. 91 . 91	6	2		1 4		9 12	20	18	1 22	1 18	174
37 22 5 3 4 3	19 10 3 3 1 2	18 12 2 3 1	29 23 2 2 2	19 14 2 2 1	10 9	721 420 130 79 69 23	629 463 51 25 74 16	1,004 590 164 101 136 13	994 775 64 41 98 16	83 22 23 22 16	12 4 5 3	39 28 5 4 2	57 24 2 5 19 7	11 6 2 1 1	47 26 4 15 2	119 58 19 18 12 12	195 113 8 6 35 33	192 111 28 15 28 10	247 180 7 9 41 10	175
1 4 22	3 2 10	1 1 1 2 12	3 1 2 4 1	3 1 4	2 1 2 1	23 3 3 - 86 25 16 92	35 7 81 17 10 16 117	17 3 293 5 40 8 142	28 8 10 140 35 30 1 184	53 1 9	6 1	2 2 1 6	2 1 1 5 1 13	1	4 2 2 15 2 4	10 2 1 5 3 26	10 2 7 1 1 8 110	12 1 4 13 6	20 1 9 28 17 3 3 57	176 177 178 179 180 181 185 186
34 28 3 3	9 7 2	25 21 1 3	27 17 6 4	7 5 1 1	20 12 5 3	200 116 29 55	65 31 11 23	185 · 94 32 59	162 86 28 48	19 8 4 7	, 1	14 9 2 3	13 11 2	2 2 	17 11 1 5	41 28 5 8	47 32 5 10	29 9 8 12	27 16 4 7	182 183 184
92	20	72	153 7	58 2	95	62	234	300	781	45	14	25	43	3	19	45	119	48	193	107
2 4 86 26 60	1 19 12 7	2 3 67 14 53	3 143 59 84	55 22 33	5 2 88 37 51	7 55 30 25	19 14 201 88 113	24 8 268 235 33	66 87 628 513 115	7 38 23 15	1 13 8 5	25 24 1	2 1 40 21 19	3 1 2	1 17 6 11	3 2 40 28 12	5 9 105 45 60	6 2 40 37 3	47 4 142 129 13	187 188 189

 $<sup>^2</sup>$ Includes only municipalities having a population of 1,000 or over in 1900, and less than 10,000 in 1910.

TABLE 5.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA,

							DEAT	HS AT AGE	of—				
-	CAUSE OF DEATH AND SEX.	All deaths.	Under 1 year.	1 year.	2 years.	3 years.	4 years.	Under 5 years.	5 to 9 years.	10 to 14 years.	15 to 19 years.	20 to 24 years.	25 to 29 years.
1	All causes	839, 284	149, 322	31, 362	13, 580	8,928	6,290	209, 482	18, 112	12,337	21, 154	32,306	34, 249
	Males Females.	457, 308	83, 551	16, 478	7,178	4,677	3,318 2,972	115, 202 94, 280	9, 483 8, 629	6, 481 5, 856	10,927 10,227	17, 138 15, 168	18, 514 15, 735
1	FemalesI.—General diseases	381, 976 228, 602	65,771	14, 884 8, 923	6, 402 5, 725	4,251	3, 127	36,881	8,789	5,433	10, 227	16,037	16,096
	1.—General diseases Males	117, 533	7,880	<u>.</u>			1,596	19,294	·	2,436	4,672	<u> </u>	
	Females.	111,069	6,911	4, 590 4, 333	2,954 2,771	2,274 2,041	1,531	17,587	4,380 4,409	2,997	5,633	8,111 7,926	8,449 7,647
	Typhoid fever $\left\{ egin{array}{ll} \mathbf{M} & \mathbf{M} \\ \mathbf{F} & \mathbf{I} \end{array} \right.$	7,414 5,037	45 40	62 65	79 80	71 65	81 87	338 337	337 410	420 512	885 734	1, 184 732	1,052 534
	Typhus fever $\left\{egin{array}{ll} M_{-} & F_{-} \\ \end{array}\right.$	3 2		i				i		 		1	1
	Relapsing fever $\{F_{-}\}$	1						010		1			
	Malaria	890 912	76 76	53 66 2 3	44 40	26 27 2	19 18 2	218 227 21	51 53 2	39 38 2 5	38 51	49 67 6	52 49
1	Smallpox	71 59	14 17 728	3	1 4	232	118	24 2,399	253	5 69	3 3 90	60	5 5 29
	Measles	2,918	591	913 848	408 399 414	208	119	2, 165 1, 508	248 753	75 197	80 79	59	47
	Scarlet fever	3,004 2,918 2,691 2,552 3,112 3,570	134 109	269 269	346 254	373 329	288 236 69	1, 289 2, 978	732 104	236 12	86 101 2	· 59	32 55
	Whooping cough $\left\{ egin{array}{ll} \mathbb{R} \\ \mathbb{F} \\ \mathbb{M} \end{array} \right.$	3,570	1,796 1,891	885 076	944	133 184 822	90	3,394 3,802	139 1,364	7 310	11 100	4 5 51	1 1 41
۱	Diphtheria and croup $\left\{\begin{matrix} \mathbf{M} \\ \mathbf{F} \end{matrix}\right\}$	5,784 5,390	495 392 373	848 299 269 726 885 976 793 106	897 785 58 51	699 32	584 17	3, 253 586	1,414	356 45	117	67 82	45 75
l	Influenza	4, 165 5, 129	287	88	51	33	26	485	60	44	64	84	103
١	minary lever	1									i		
	Asiatic cholera $\left\{ egin{align*} M \\ F \\ \end{array} \right.$	193	43	6	3	1	2	55	9		l	3	4
1	Cholera nostras $\left\{ egin{array}{l} M \\ F \\ M \end{array} \right.$	157 1,527	33 341	8 195	3 5 73	39	3 22	52 670	9 2 34	2 1 4	2 1 5	3 8 12	4 17
1	Dysentery{F	1,535	285	137	65	28	14	529	21	5	9	16	23
	Plague $M$ . $M$ . $M$ .												
1	Yellow lever	7									i		2
1	Leprosy		346	18	5	6		375	12	12	17	39	37
1	Erysipelas $ \begin{pmatrix} M \\ F \\ M \end{pmatrix} $	1,398 1,112 102	398	31	10	8 2	2 4	449 65	8 15 11 55	10 4	17 15 4 2	39 24 3 3	24
1	Other epidemic diseases $\left\{ egin{matrix} M \\ F \\ M \end{array} \right\}$	91 1, 189	36 23 144	15 20 24	8 7 14	5 17 11	13	57 212	11 55	8 46	2 44 37	3 59	53 53
1	Purulent infection and septicemia $\left\{\begin{matrix} \mathbf{M} \\ \mathbf{F} \end{matrix}\right\}$	724	100	24	14	11	5	154	37	19	37	60	53
1	GlandersF.	1 12		1				1					i
1	Anthrax	2 62			2 2	i	3 1	6	18	8	7	2	4
1	Kables	21 940	219	9	2 10	1 4 14		7 268	118	117	64	61	53 12
	Tetanus	396 27	179	5	4	1	7	196	33	24	6 2	12	12 I
1	Mycoses F	. 10 195	1		1 1		ii	3 7	4	1 3	3	1 2 13 36	10
	Peliagra F. M.	464	2	4	1			7	7	3	15	. 36	44
'	Beriberi. $F$ Tuberculosis (total) $M$ $F$	52,607	1,425 1,175	954	560	379	241	3,559	787	725	2,789	5,799	6, 157 5, 810
	Tuberculosis (total) $F$ .  Tuberculosis of the lungs $F$ .	41,598 44,411	474	859 266	485 163	379 346 104	241 256 59	3,559 3,121 1,066 928 166	826 238	1,234 358	2,789 3,931 2,299	5,799 6,089 5,134	5,810
3	Acute miliary tuberculosis	34, 103 1, 706	391 64 52	238 45 38	135 29 28	95 15	69	928 166	341 47	855 47	3,303 153	5,381	5, 502 5, 202 229
,	(M.	. 2,810	640	506	28 285 260	16 196	125	11 100	312	139	2,299 3,303 153 258 104 114	104	202 104
	Abdominal tuberculosis $F$ .	2,427 1,660	526 121	470 73	260 45	173 28 23 14 19	16 125 129 25 21	1,752 1,558 292 240	787 826 238 341 47 59 312 294 58 84 58 37 30 24 20 30 11 15 13	725 1, 234 358 855 477 86 139 133 133 134 29 25 16 38 18 17 26	96 140		140 201
2	Pott's disease	2,020 487	104 18	63 12 13	45 29 13 11	23 14	21 9 7	240 66	37	43	149 34 22 24 9	53	47
3	M.	366 269	18 22 4	13	8	3	7 4 7	66 72 22 19	24 24	25	22 24	26	24 24 23 15
, 1	Mark annual and address arrange (M.	. 768	3 67	3 3 32 21	10	12 11	4	125	30	38	43	49	5
*	. (M.	540 496	53 37	21 17	8 7	11 7	6 2	99 70	11 15	18	43 39 36 37 2	41	5: 5: 6: 5:
, ;	M.	. 284	24 174	17 13 52	7 12 22 18 15 15	7 5 15	2 1 5 5 6 4	55 268 197	13 5	1 1	2 2	1	
	Syphilis. $F$ .	. 224 2,387	115 1,014	51 44 60	15	10 5	6	1,089 857	11 17	8 5	19 29 3	79 64	133
3	Gonococcus infection $M$	1,434 106	773 45	44 60 3	1 1			49 47	2	. 1	3 10	16 16	8
	Cancer and other malignant tumors (total) ${\rm T}_{\rm F}^{\rm M}$	. 116 17,525 26,499	43 22 21 1	3 20 16	23	,23 14		100	47	27 42	.84	130	20 - 31
,	Of the buccal cavity	1,402 325	1	1			-	4 2	. 3	2	58 3 3	5	
0	Of the stomach, liver. $M$	- 8,698	7 5	8	3 5	2 2	$\frac{2}{3}$	22 15	7 2		13	25 20	5 5 . 5
1	Of the peritoneum, intestines, rectum. $\frac{M}{F}$	8,667 2,464 3,360	1 2			3 2	3	10	6 4	6	10	28	5 4
2	Of the female genital organs	6,707	<sup>2</sup>	. i	3			.   4	3 1	2	11 10 2	35 # 2	10
3	Of the breast	74 4,190 1,011		-	1	i	-	4	. i		1 7	6	3
4	Of the skin	., 1,UIL	1 12 12	1 7 13	17 17 15	1 4		1 4	11 3	1 6		64 38	1 :

FROM EACH CAUSE AND CLASS OF CAUSES, BY SEX AND AGE OF DECEDENT: 1911.

			•	-	<u> </u>	DEATE	IS AT AGE	of—						7-1	Deaths	Int.
30 to 34 years.	35 to 39 years.	40 to 44 years.	45 to 49 years.	50 to 54 years.	55 to 59 years.	60 to 64 years.	65 to 69 years.	70 to 74 years.	75 to 79 years.	80 to 84 years.	85 to 89 years.	90 to 94 years.	95 to 99 years.	100 years and over.	at un- known age.	Detailed Int. List No.
34, 416	38, 570	37, 522	39, 457	44, 130	44,023	49,651	54, 306	54,898	49,019	36,108	19, 564	6,761	1,518	405	1,296	-
19, 315 15, 101	22, 197 16, 373	22, 096 15, 426	23, 425 16, 032	25, 816 18, 314	25, 296 18, 727	27, 721 21, 930	29, 279 25, 027	28, 643 26, 255	24, 816 24, 203	17, 556 18, 552	8, 971 10, 593	2,848 3,913	570 948	133 272	881 415	
15, 142	15,687	13, 995	13, 665	14, 013	12,953	12,812	11,956	10,053	7, 467	4,269	1,956	597	139	29	328	
8,330 6,812	8, 806 6, 831	7,817 6,178	7, 439 6, 226	7,363 6,650	6, 759 6, 194	6, 565 6, 247	5, 795 6, 161	4, 738 5, 315	3, 436 4, 031	1,818 2,451	1,099	230 367	49 90	14 15	175 153	
795 349	650 354	482 227	342 194	304	205 140	170 108	113 95	76 62	32 33	6 14	2 7	2			21 13	} 1
				1				·····i								} 2 } 3
46 43	48 57	45 29	56 46	34 33	51 37	31 33	38 52	32 33	32 35	13 22 1	6 3	1	1		9 4	} 4
5 20	7 3 15 48 11	29 5 2 11	2 1 17 38 3 2-	9 8	2 11	31 33 2 2 11	4 2 5	2 5	7	1 ·1	2				1	} 5
20 51 26 33 1	48 11 24	36 9 3	38 3 2-	8 3 1	14 2 1	10 2 1	15	12 1	5	4	2				2 1	$\left.  ight\} \left. egin{array}{l} \epsilon \\ 7 \end{array}  ight.$
2	39	1 18	12	1 8	1 4	. 1 2 1 6	1	1 2 1	2 2	1	2	1			1333	} 8
25 41 78 79	32 31 102 97	1 18 22 141 117	12 10 146 161	8 172 218	6 200 266	7 279 310	1 363 460	429 639	3 510. 709	1 432 664	273 363	108 146	20 49	4	4 2	}
		111	101	210	200	910	400	009	709	004		140	49	5	6	11
7	<u>2</u>	1 13	5	9	6	9	14	16	14	10	11		1		.1	12
22 21	2 3 21 25	1 25 22	2 33 31	7 41 45	9 58 49	9 5 73 89	12 86 104	16 18 110 141	9 122 150	13 105 140	6 60 82	3 18 23	1 4 6	2 2	5 2	} 13 } 1
												20				} 1:
	2	2				••••••			••••••							10
48 39	66 36	112 42	83 · 38 1	95 48	82 56	77 70	82 56	101 65	59 55	58 34	31 31	7 11	1	1	3	} 17 } 18
39 5 3 46	2 1 79	1 ( 85	1 1 82	2 86	69	69	2 62	50	48	23	10	1 3	2	1	5	} 19
35 1	43	31 1	26	34 3	69 30	33 1	32	34	. 28	2 <u>2</u>	8	5	ĩ	i	ĭ	} 2
i	4	1	1	1	<del>-</del> -	1		1	1		••••••		1			} 2
$\begin{array}{c} 6 \\ 1 \\ 29 \end{array}$	/ 3 43	2 29	2 43	. 1 26	1 31	$\frac{1}{24}$	1 2 14	8	1 5	1 3	1	1			2	} 2 } 2
21 3 1	19 3	· 1 1	20 4	7 2 1	9 2	5 2 1	8 5	$\begin{array}{c} 2 \\ 1 \\ 1 \end{array}$	1	1					1	$\begin{cases} 2\\ 2 \end{cases}$
13 61 1	14 64 1	20 55	21 43	1 23 41	19 25	· 27	11 10	9 16	3 6	2 2	1 1				· 1	2
7		5,007	4,130	3, 422 1, 689 3, 141	2,644	2,051	1,492	963	540	168	71	8 11	3	1	67	} 2
6,093 4,788 5,550 4,338 197 141	6, 131 4, 119 5, 626 3, 643 169	5,007 2,853 4,602 2,535 135 76	4,130 2,053 3,775 1,782 113	7.446 1	2,644 1,322 2,368 1,113	2,051 1,107 1,815 942 40 25 13	1,492 1,039 1,334 909	963 792 853 681 10 8	488 482 410	172 140 153	71 68 57 54	7 9.	3 6 3 5	1 2 1 2	67 78 60 .71 2	} 2
197 141 61	137	135 76 52	113 47 41	72 45 28	54 32 18	40 25 13	10 8 6	4	. 6 7 5	140 153 2 1	2				$\begin{smallmatrix}2\\1\\1\\1\end{smallmatrix}$	} 2
61 39 121 168 43 20 20 9 56 40 45 33	65 39 115 189 31 21 16 11 63 46 46	52 33 95 124 27 22 8 8 55 37 33 18	47 41 22 101 114 18 21 21 8 49 35 22 24	28 20 79 111 22 17 14 .8 .8 .25 .25 31 17	32 18 117 18 14 15 8 49 19 24 8	.7 90 80	10 8 6 2 75 715 14 8 6 31 33 11 1 1 3	7 40 53	21 36		5 4	1	<u>1</u>		3	} 3:
43 20	31 21	27 22	18 21	22 17	18 14	90 80 17 15 17 2 41 20 18 16	15 14	40 53 5 13 11 7	21 36 5 7	NAW WHATPOCK					ž	35
9 56	11 63	8 55	8	,8 ,35	8 49	2 41	6 31	7 26	. 4 . 15 18	1 4	35	1			1 1	} 3; } 3;
40 45 33	46 46 33	37 33 18	35 22 24	$     \begin{pmatrix}       25 \\       31 \\       17     \end{pmatrix} $	19 24 8	20 18 16	18 13 11	26 20 14 3	6	75.7	/3 1	1			2 1	3:
	3		4	<i> </i>	1 94	2 91 -17	1 3 43		1 1 11	7	5				1	} 30
134 62 9	188 75	170 55 2 3 764 2,062 54 15	142 61 2 5 1,355 2,727 104 715 728 200 259. 1,010 8 533 39 20 289 222	130 46 1	29 4	-17 4	9	2 34 10 2	9	$\begin{pmatrix} 2\\5\\2 \end{pmatrix}$					2 4	} 37 } 38
286 667_	502 1,320 26 6	764 2,062	1,355 2,787	1,920 3,308	2,215 3,180	2,515 3,302. 198 35_	2,537 3,119	2,121 2,589	1,555 1,889	766 1,033	303 403	62 126	10 19	2	.17 24_	, 
13 7.	26° 6_ 221	54 15 399	104 15 715	181 29 1,558 974 250 378 1,060 7 544 68 28 356 295	168 23 1,229 1,149 301 373 808 499 94 35 417 293	198 35 1,319	181 40 1,333 1,281 343 454 575 16 428 124 74 540 267	2,121 2,589 159 44 1,059 1,083 295 427 391	155 39 701 762 183 296 268	766 1,033 85 29 317 373 88 129 120	47 16 88 118 26 46 33 1 78 70 69 71	8 6 15 31 2 13 9	3 2 2	2	3	} 3:
108 129 74 72 268 1 98 2 4 88	221 232 92 147 499 2 274 16	399 447 109 216 750 - 2 42S 25 16 175 190	728 200 259	974 250 378	1,149 301 373	1,319 1,249 377 452 747	1,281 343 454	1,083 295 427	762 188 296	373 88 129	118 26 46	31 2 13	2 3		i i	
268 1	499	750 2	1,010	1,060	808 6	747	575 16	391	268 6	1 1	33		1			
98 2 4	16 7	25 16	39 20	68 28	94 35	451 105 58 508 310	124 74	342 141 68 461 234	270 167 86 338 168	171 107 92 165 119	70 69	22 16 26 21 19	·			
88 89 .	145 155	175 190	289 222	356 295	417 293	508 310	540 267	461 234	338 168	165 119	71 43	21 19	•••••			

## TABLE 5.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA, FROM

Int.							DEAT	HS AT AGE	of—				
Detailed In List No.	CAUSE OF DEATH AND SEX.	All deaths.	Under 1 year.	1 year.	2 years.	3 years.	4 years.	Under 5 years.	5 to 9 years.	10 to 14 years.	15 to 19 years.	20 to 24 years.	25 to 29 years.
	I.—General diseases—Continued.												
46	Other tumors (tumors of the female geni-	116 339	11 9	4	2 1	3 3	1	21 14	2	1 3	4 2 121	1 2	10
47	$tal \ organs \ excepted).$ Acute articular rheumatism. $F.$ $F.$	1.717	19 11	17 9	14 19	18 22	26 21	94 82 3	205 214	194 183	121 129	86 97	10 65 90 11 8
48	Chronic rheumatism and gout $\left\{ egin{aligned} M \\ F \end{aligned} \right\}$	1,828 291 490		•••••	2	1		3	3	1 2	3 5	9 3	11
49	Scurvy M	27	16 19	2 5	2	1		21 24		1	1	1	
50			16 19 17 7	5 9	12 13	20 8	12 9	66 46	80	119 116	124 105	149 94 5	144 114
51	Diabetes	702							$\frac{2}{2}$	1 5	32	5 61 5	3 59 4 10 42 24 31 62 16 17 130 24
52	Addison's disease $\left\{ egin{align*}{c} \mathbf{M} \\ \mathbf{F} \end{array} \right.$	108 127							7	2	5	3	10
53	Leukemia. M. F. Anemia, chlorosis. M. F. Other general diseases. M. F.	548 385	14 7	13 7	3 _6_	7 -7 6	7 5_	44 32	24 17 14 15 30 21	33 13	35 20	3 39 26	42 24
54	Anemia, chlorosis $\left\{egin{array}{c} M_{-} \\ F_{-} \end{array}\right.$	1,211 1,602	103 85 229	34 36	6 13 7	4	5 7 5 12 17	163 137 313 313	14 15	16 30	20 25 35 22 23 10	26 55 20 12 45	62 62
55	Other general diseases $\{ egin{aligned} M \ . \ \end{bmatrix}$	593 589 2,579	229 223	38 30	14 24	20 19	12 17	313 313	30 21	16 16	22	20	16
56	Other general diseases.   Alcoholism (acute or chronic)   F.  Chronic lead poisoning   M.	296							1		10	45	130 24
57	Chronic lead poisoning	138									2	1	10 2
58	Other chrome occupation poisonings]F	10											1
59	Other chronic poisonings $F$ .	155 154									1	5 6	8
	II.—Diseases of the nervous system and of the organs of special sense.	81,428	7,334	2,002	1,013	630	435	11,414	1,272	781	959	1, 123	1,156
1	Males Females	43,520 37,908	4,188 3,146	1,073 929	545 468	333 297	227 208	6,366 5,048	691 581	394 387	553 406	664 459	656 500
60	Encephalitis. $\{M, F\}$	458 334	75 64	23 16	10 11	14 10	12 8	134 109	29 13	11 16	28 16	26 20 162	30 13
61	Meningitis (total)	4,066 3,219	1,259	569 481 343	324 257	187 170	119 111	2,458 2,017 1,600	365 309	161 156	158 116	90	114
	Simple meningitis $egin{pmatrix} \mathbf{M} & \mathbf{F} \\ \mathbf{F} & \mathbf{I} \end{bmatrix}$	2,587 2,103	868 693 320	298	212 151	109 104	68 70 39 35 12	1,600 1,316	202 166	82 91	68 61	86 58	64 62 45 38 18 14
	Cerebrospinal meningitis (undefined) ${f M}$	1, 152 903	320 246 71	192 159	151 92 84 20	61 48 17	39 35	704 572	126 114	56 50	65 46	58 43 22	38 18
	Cerebrospinal fever $\left\{egin{array}{l} \mathbf{M} \\ \mathbf{F} \end{array}\right.$	327 213	71 59	$\frac{34}{24}$	20 22	17 18	12 6	154 129	37 29 1 1	23 15	25 9	33 10	1
62	Locomotor ataxia $\left\{egin{array}{cccccccccccccccccccccccccccccccccccc$	1,271 353							1	1	1	2	4 6 32 27 4 6 28 21 129 120
63	Other diseases of the spinal cord (total) ${ m M}$	2,087 1,845	138 117	113 124	72 70 63 66 9	60 50 49 49 11 1	37 27 35 22 2 5	420 388	89 83 72 76 17 7 25 22 3	40 53 17	53 32	49 24	32 27
i	Acute anterior poliomyelitis $\left\{egin{array}{c} \mathbf{M} \\ \mathbf{F}_{-} \end{array} ight.$	532 528	109 101	103 112	63 66	49 49	35 22	388 359 350	72 76	⊿∩.	- 32 - 13	14	6
i	Other diseases of the spinal cord $^1$ $^{M}_{\mathrm{F}}$ .	1,555 1,317	29 16	10 12	l 4	11	5	61 38	17	23 13 29	21 19	35 14	28
64	Cerebral hemorrhage, apoplexy $\left\{ egin{matrix} M \\ F \\ \end{array} \right\}$	22,711 21,563	267 194	35 34	21 13	12	8 14	38 343 268 1	25 22	29 28 2	59 39	105 76	120
65	Softening of the brain $\left\{ egin{array}{ll} \mathbf{M} & \mathbf{K} \\ \mathbf{F} & \mathbf{K} \end{array} \right\}$	542 493			1		1 1	2	2		2 11	3	3
66	Paralysis without specified cause $\left\{ egin{array}{c} \mathbf{M} \\ \mathbf{F} \end{array} \right\}$	3,007 3,352	26 18	11 6	5 5	3	2 4	51 36	13 7 1	5 6 2	13 2	3 18 11-	3 21 23 47 17- 45
67	General paralysis of the insane. $\left\{ egin{aligned} \mathbf{M} & \mathbf{F} \\ \mathbf{F} & \mathbf{F} \end{aligned} \right.$	2,819 1,169								2	2 13	10 12 29	17-
68	Other forms of mental alienation $\mathbb{F}_{\mathbf{F}}$	637 734 1,336			1 9			1 70	1	2	8	25 155	42
69	Epilopsy\{\bar{M}\\F.	993	34 29	14 14	9	7 5	6 7	64	50 32 14	2 65 53 2	8 123 78 3 15	92	42 120 83 1
70	Convulsions (nonpuerperal) $\left\{\begin{matrix} M \\ F \end{matrix}\right\}$	49 137	0.104						23	6	15	26	17
71	Convulsions of infants M.	2,440 1,791	2,184 1,509 2	208 183 1	57 60 2	26 22	15 17	2, 440. 1, 791					
72	Chores	40 76	4	2	1			7 2	5 5 3	13	18	5	1 9
73	F.	183 257 1,201	1 106	31	14	6	1 16	173	43	1 2 33	5 60	6 56	12 55 47
74	Other diseases of the nervous system	1,072	83	29	14 8 3	9	8	137 12	37 2	17	35	41	47
75	Diseases of the eyes and their annexa	26 644	9 137	2 67	2	2	2 11	17 257		37	35		1 36
76	Diseases of the ears $\{\mathbb{E}_{\mathbb{E}_{-1}}\}$	494		38	28 30	14 13	8	1) 209	47 47	34	35 26	26	36 24

EACH CAUSE AND CLASS OF CAUSES, BY SEX AND AGE OF DECEDENT: 1911—Continued.

3 10 90 74 8 14	35 to 39 years.	40 to 44 years.	45 to 49												Deaths
3 10 90			years.	50 to 54 years.	55 to 59 years.	60 to 64 years.	65 to 69 years.	70 to 74 years.	75 to 79 years.	80 to 84 years.	85 to 89 years.	90 to 94 years.	95 to 99 years.	100 years and over.	at un- known age.
	4 29 89 78 12 5	8 27 83 78 8 18 18	7 39 93 87 17 21	8 29 92 100 22 36	10 25 94 91 · 23 51	8 22 95 119 27 52	28 89 108 35 65	15 32 85 99 50 66	7 28 74 103 31 72	3 18 44 53 17 42	2 9 15 27 10 20	3 6 11 1 7	2 1 2	2	1 2 3
1 145 128 7 68 8 15 30 35 36 80 17 15 264 55	189 144 10 74 14 9 29 27 54 90 14 20 426 57 20	2 201 186 15 68 15 17 39 33	252 235 8 73 10 20 42 32	370 431 7 81 14 18 41 35 138 189 17 15 326 21	460 534 14 68 9 11 39 23 116 158 17 24 246	1 594 655 3 35 11 9 47 22	497 676 5 35 10 5 31 19 120 172 13 14 85 9	418 520 1 18 5 4 25 17	264 300 3 12 1 1 5	114 154 8	37 40 2	9 10 1	2 1	3	1
36 80 17 15 264 55 9		8 27 28 83 88 18 12 201 186 15 15 39 33 369 95 113 382 41 17 2 1	252 235 8 73 100 20 42 32 105 125 17 372 372 373 17	138 189 17 15 326 21 15 1	116 158 17 246 246 17 17	3 35 11 9 47 22 132 149 11 17 168 14 12 12	120 172 13 14 85 9 12	18 5 4 25 17 78 97 20 19 67 6 2	7 56 61 14 13 31 1	21 27 14 7 5 3	1 6 18 6 7 2 1	3 5 2 1	3		3 19 1
17 6 1,670	1 11 17 2,393	21 9 2,941	17 15 3,873	17 14 5,016	12 16 5,743	12 21 7,236	12 9 8,720	9 13 9,127	6 9 8,346	4 8 5,830	2,822	1 720	147	37	102
995 675	1,460 933	1,750 1,191	2,193 1,680	2,761 2,255	3,155 2,588	3,987 3,249	4,586 4,134	4,782 4,345	4,131 4,215	2,77\$ 3,055	1,214 1,608	277 443	53 94	9 28	68 34
28 14 158 63 82 15 8 5 28 13 14 43 3 4 4 4 4 28 4 19 7 19 1 19 1 19 1 19 1 19 1 19 1 19	23 9 101 78 67 58 26 17 8 3 58	36 19 94 44 76 33 13 10 5	23 19 92 65 64 53 21 9 7 3 128 36 82 82 82 82	27 15 67 43 49 35 10 7 8	8 16 50 49 36 38 12 7	17 16 48 30 45 24 1 3 2 3 191	16 9 40 40 36 34 3 6	. 12 11 24 27 22 22 23 2	7 10 18 17 17 15 1 2	2 6 9 12 8 11 1 1	2 2 2 2 2 2 2 2	3 1		1	1 1 2 1 1 1
5 28 13 41 48 3	3 58 12 66 56 3 2 63 54	1 116 29 73 80 1	3 128 36 82 81 4	1 187 48 - 130 129 5 4	206 51 134 98 6	3 191 . 43 184 172 2 7	137 .49 213 189	117 28 217 163 4	66 20 155 114 1	21 9 75 72	3 3 31 24	2 2 10	1	1	1 1 1
4 38 44 284 197 6 32 32 188 58 48	488 351 12 9 52 47	116 29 73 80 1 5 72 75 666 579 10 3 74 72 385	4 78 77 1,044 975 18 14 112 128 437 98	4 125 125 1,568 1,486 32 20 154 155 358 104	1 128 97 2,035 1,788 29 30 195 213 258 106	7 182 165 2,779 2,313 60 48 288 320 196	3 209 186 3,356 3,066 3,066 71 52 410 427 155 106	213 163 3,484 3,271 85 68 497 503	1 154 113 3,057 3,103 105 99 456 581 129	1 75 71 2,057 2,294 61 70 379 407 88 80 19	1 31 23 908 1,168 31 47 176 265 23 49	2 10 202 321 9 14 41 75 12	1 39 70 1 1 12 17	8 15 1 9	1 36 13 9 5 7
188 58 48 37 136 95 3	358 93 46 68 116 88 8 10	385 104 55 75 106 69 5	437 98 55 65 75 65 4 3	358 104 57 83 55 59	258 106 60 69 69 53 1	196 93 57 71 55 42	155 106 52 50 38 45 4	497 503 163 108 47 48 41 30 1	129 120 39 41 34 24 1 4	88 80 19 24 18 14 1 2	23 49 10 15 5 3	. 12 . 10 1 5	4	1	7 4 3 5 5 2
1 7 15 74 66	1 15 23 90 75	3 12 18 101 79 2 15	3 15 19 82 95 1 1 25	4 1 12 18 84 78	1 3 25 23 65 70 19 18	2 2 21 16 69 66 2	2 2 15 23 60 62 2 4 15 9	3 21 24 61 54 2 12	1 4 9 21 42 48 2 1 10 8	1 4 9 20 34 37 1	2 8 15 22 1	1 2 1 4 2	1 1	i	1 2 1 1

## Table 5.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA, FROM

Int.				•			DEAT	HS AT AGE	OF—	****	<del>*************************************</del>		
Detailed In List No.	CAUSE OF DEATH AND SEX.	All deaths.	Under 1 year.	1 year.	2 years.	3 years.	4 years.	Under 5 years.	5 to 9 years.	10 to 14 years.	15 to 19 years.	20 to 24 years.	25 to 29 years.
	III.—Diseases of the circulatory system.	109,830	1,407	200	141	145	157	2,050	1,116	1, 313	1,471	1,785	2,121
	MalesFemales	58,910 50,920	827 580	96 104	77 64	66 79	74 83	1,140 910	507 609	596 717	732 739	829 956	1,055 1,066
77	Pericarditis. $\left\{ egin{array}{ll} M_{-} & \\ F_{-} & \end{array} \right.$	425	6	1	2		6	15	17	13	21	14	'
78	Acute endocarditis. $\begin{cases} \mathbf{F} \\ \mathbf{F} \end{cases}$	322 2,403	107	7 17	1 18	4 22	5 17	23 181	14 89	15 100	101	12 99	20 14 144
79	Organic diseases of the heart $\begin{cases} M \\ F \end{cases}$	2,086 43,886 39,639	71 486 367	13 57 62	16 43 38	17 40 48	22 39 51	139 665 566	125 376 454	103 460 577	109 569	128 645	130 773 819
80	Angina pectoris $\left\{egin{array}{ll} M_{\cdot\cdot\cdot} \\ F_{\cdot\cdot\cdot} \end{array}\right\}$	2,575 $1,637$	2 2	1	i	1 1		4 4	2 2	9	585 10 6	721 22 19 11	29 24 31
81	Diseases of the arteries, atheroma, aneu-M	8,122 5,667	11 5				1	12 5	1 1	3	8 7	1 8	14 1
82 83	Embolism and thrombosis $\left\{ \begin{array}{l} M \\ F \end{array} \right]$ Diseases of the veins (varices, hemor- $M$	935 1,081 151	30 12 1	$\frac{4}{2}$	3	I	5 2	41 20	5 5	11 5	12 10	19 51	38 53
84	rhoids, phlebitis, etc.). F. Diseases of the lymphatic system (lym-[M.]	201 205	100	17	1 11	3	5	1 5 136	$\frac{2}{10}$	1 6	2 3 7	.4 11 6	7 7 3
85	phangitis, etc.). F Hemorrhage; other diseases of the circula-{M tory system.	121 208 166	52 84 61	15 4	5	7	3 1	82 85 66	4 5 4	2 2 2 2	7 2 5	9 4	10 5
	IV.—Diseases of the respiratory system.	99,650	22, 629	8,419	3, 193	1,626	977	36, 844	2,038	994	1,599	2, 191	2,452
	Males. Females	54,379 45,271	12,767 9,862	4,463 3,956	1,700 1,493	837 789	516 461	20, 283 16, 561	1,042 996	475 519	938 661	1,363 828	1,512 940
86	Diseases of the nasal fossae $\left\{ egin{matrix} M \dots \\ F \dots \end{array} \right\}$	72 61	30 20	G 5	3 4	2	1	42	7	2	1	2	2
87	Diseases of the larynx $\left\{ egin{array}{l} M \\ F \end{array} \right]$	488 336	123 86	73 47	50 39	37 33	25 15	30 308 220	8 47 38	2 10 10	8	2 5 5	8 5
88	Diseases of the thyroid body ${M \choose F}$	* 206	10	1			1	12	1 2	3 4	4 6 3	5 10	3 9
89	Acute bronchitis	3,310 3,172	2,018 1,571	397 385	148 143	46 55	36 41	2,645 2,195	1 44	14 7	9 11	3 11	6 1
90	Chronic bronchitis	2,329 2,748	56 39	12 23 2,230	6 15	5 2	2 2	81 81	44 19 23 305 317	9 12	18 10	30 37	13 25 43
91	Bronchopneumonia	13,609 12,756 30,167	5,970 4,682	2,230 1,970 1,633	729 662	343 328 376	192 162	9,464 7,804	305 317	80 88	82 86	103 89	113 87
92	Pneumonia (total) M	22, 701 16, 990	4,163 3,148 1,425	1, 655 1, 435 718	680 593 328	337 172	235 217 117	7,087 5,730 2,760	571 512 294	324 362 185	738 485 438	1,093 581 718	1,193 687 789
	$ \begin{array}{cccccccccccccccccccccccccccccccccccc$	11,563 13,177	1,040 2,738	614 915	272 352	159 204	109	2,194 4,327	236 277 276	120	259 300	336 375	417 404
93	Plannier JM	11,138 1,280	2, 108 58	821 60	321 49	178 18	108 12	3,536 197	276 19	139 173 20 17	226 43	245	270
94	Pulmonary congestion, pulmonary apo-M.	880 1,190	263 263	51 35	22 20	19 4	108 12 13 5 7	146 327 263	19 35 15	7	29 9	72 36 12	68 45 21 11 15
95	plexy. $\fill \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ $	1,151 139 48	220 1 1	24 2	6 1 1	6 2 2	7 2	263	2	9	9 5	18 4	11 15
96	Asthma $\left\{ egin{array}{c} M \\ F \end{array} \right\}$	837 741	16	5 6	6 3	1 6	2	28 23	1 5 4	1 1	3 1 2	5 3 9	2 8 12
97	Pulmonary emphysema ${M \choose F}$ .	98 65	3 3	2	2 1		1	8 5	2 2 5	1 1	2 1	4	2 1
98	Other diseases of the respiratory system M (tuberculosis excepted).	800 406	56 43•	7 10	6 3	3	4 1	76 57	5	1 2 6	16 17	27 25	48 24
	V.—Diseases of the digestive system	98,601	42,711	9;051	1,851	865	597	55,075	1,652	1,208	1,485	1,883	2, 104
,	Males Females	52,990 45,611	23,766 18,945	4,751 4,300	981 870	451 414	339 258	30, 288 24, 787	829 823	681 527	805 680	918 965	1,008 1,096
99	Diseases of the mouth and annexa $\left\{ egin{matrix} M \\ F \end{matrix} \right\}$	191 175	120 104	18 18	5	2	$\frac{1}{2}$	146 129	6 10	2 3	2 3	2	3 3
100	Diseases of the pharynx $\left\{ egin{matrix} M \\ F \\ \end{array} \right.$	539 413	82 42	18 18 45 19	32	28 32 1 2	1 2 27 15 2	146 129 214 124	70 72	2 3 33 29	21 19	28 23	25 27
101	Diseases of the esophagus	81 61	5 7	2	16 5 4 1 2			17 15 12	70 72 2 2 3	1	2 11	2	1 2
102 103	Ulcer of the stomach $\begin{cases} M & \\ F & \\ \end{cases}$ Other diseases of the stomach (cancer ex- $(M - )$	1,222 921 4,431	6 10 1,624	2 2	2	3	3 2	19	4	3 9 31	11 26 30	31 66 40	25 27 1 2 63 71 81
104	cepted). F	4,343 25,140	1,268 20,797	160 175 4,343	62 61	32 34	27 24	1,905 1,562 25,140	67 54	15	49	40 69	89
105	Diarrhea and enteritis (under 2 years) $\{F\}$	20,728 3,810	16,782	3,946	759	263	164	20,728 1,186 1,046	190	47	37	57	86
106	Ankylostomiasis. $\begin{cases} F \\ M \end{cases}$	4,298			664	248 1	134	1,046 1	190 223 1 3	40 1 2	55	104	84
107	Intestinal parasites $\begin{cases} H & \cdot \\ H & \cdot \\ F & \cdot \end{cases}$	7 39 51	5 9	6 9	5 12		5	29	3 4 3		1	2	
108	Appendicitis and typhlitis $\left\{\begin{matrix} H \\ H \end{matrix}\right\}$	4,049 2,847	15 17	74	12 19 12	39 26 41	48 36	39 135	297 201	2 407	483 207	462	391
109	Hernia, intestinal obstruction (total) $\left\{\begin{matrix} M \\ F \end{matrix}\right\}$ .	3, 629 3, 432	666 355	13 88 50	19 12 50 39 7	33	32 20	104 877 497 165	297 291 92 58 8	314 57 32	483 327 85 36	310 130 96 28 14 102 82 23 32 6 16	391 307 103 128 35 20 68 108 25 45 8 22 1 295 45 6
	Hernia $\left\{egin{array}{c} \mathbf{M}_{-} \\ \mathbf{F}_{-} \end{array}\right]$	1,265 1,104	133 45	16	7	в	3	165 47	<b></b>	4	36 18 2 67 34 18 14 2 5	28 14	35 20
	Intestinal obstruction $\left\{ egin{array}{c} \mathbf{M} & \mathbf{F} \\ \mathbf{F} & \mathbf{G} \end{array} \right\}$	2,364 2,328	533 310	72 49	43 38 8 14	35 33 7 3	29 20	47 712 450 260	84 58	53 32 10	67 34	102 82	68 108
110	Other diseases of the intestines $\left\{ \begin{matrix} \mathbf{M} \\ \mathbf{F} \end{matrix} \right\}$	834 951 134	215 209 16	23 25	14	3	6	257	14 15	10	18 14	23 32	25 45
111	Acute yellow atrophy of the liver $F$ .  Hyderid tumor of the liver $M$ .	168 11	10	1	1		1	20 12	. 2	7 1 2	2 5	6 16	22
113	Cirrhosis of the liver	13	9	8	3	5	2 1	2 26	11	1 9	10	30	2
114	Biliary calculi $F$ .	2,658 510	12	8 3	3 7	5 2	î	25	12	1 <u>1</u>	19 13 2 1	30 24 4	45
1	``````````````````````````````````````	1,239			. <b></b>	. <b></b>					īi	$\frac{4}{12}$	24

EACH CAUSE AND CLASS OF CAUSES, BY SEX AND AGE OF DECEDENT: 1911—Continued.

			1			DEATI	IS AT AGE	OF-							Decths	Int.
30 to 34 years.	35 to 39 - years.	40 to 44 years.	45 to 49 years.	50 to 54 years.	55 to 59 years.	60 to 64 years.	65 to 69 years.	70 to 74 years.	75 to 79 years.	80 to 84 years.	85 to 89 years.	90 to 94 years.	95 to 99 years.	100 years and over.	at un-	Detailed Int. List No.
2,752	3,642	4,496	5,478	7,158	8,398	11,004	13,542	14,450	13,101	.9,397	4,686	1,424	281	58	107	
1,439 1,313	1,886 1,756	2,439 2,057	3,092 2,386	4,093 3,065	4,793 3,605	6,161 4,843	7,505 6,037	7,738 6,712	7,017 6,084	4,788 4,609	2,288 2,398	626 798	.107 174	22 36	57 50	
25 13	18 12	22 18	18 18	33 26	30 19	43 27	29 25	49 30	35 17	15 19	5 11	1 2			2	77
25 135 135 1,088 1,014 30 66 15 39 67 4 9 5 3 3 5 7	192 182 1,439 1,378 52	226 168 1,874 1,666	272 228 2,360 1,867	335 238 3,034 2,421 241	344 266 3,559	37 30 4,889	43 29 5, 913	26 23 5,916 5,371	26 29 5,095 4,692	3,277 3,312	4 8 1,474	1 358·	1 64	10	2 1 48	} 78 } 79
1,014 32 50	1,378 52 54	1,666 85 63	144		3,559 2,836 305 145	4,889 4,072 402 204	5,913 4,987 395 217	5,371 362 270	4,692 270 186	3,312 149 126	1,474 1,642 53 53	483 15 8	107 1 1	25 1	48 44 2 1	80
66 15	125 41	162 53 49	82 216 86	343 158 82 84	451 244 87 76 11	678 386 89 101 11	990 660 103	1,262 875	1,490 1,067 73	1,269 1,052	706 637 32 34	244` 284 6	38	12 8	3 3	81
67 4	42 57 8	72 12 11	86 59 78 17	84 18 17	76 11	101 11	99 15	95 115 12 20	71 10	49 62 13 14	34 4 6	14	4	2	1	82
5	8 23 2 3	4 3	23 2 1	17 1 7	9 2 2	. 15 4 3	10 5 3	2	13 4 1	5 4	1	3 1	1`	·		84
	8	3	4 3	• 8	4 8	8 5	12 7	14 8	14 8	4 7	9 7	1 3	••••••			85
2,759	2,260	2,276	2,544	4,332	4,389 2,613	4,969 2,701	2,931	6, 109 2, 831	2, 524	4,690 2,053	2,615	899 351	208	12	95 48	
1,753 1,006	2,260 1,176	1,251	2,544 1,339	2,717 1,615	2,613 1,776	2,701 2,268	2,931 2,893 1	2,831 3,278 2	2,524 3,229 2	2,053 2,637 3	1,083 1,532	548	139	12 32*	48 47	
12	1 10	12	8 5	7	10	6	1 5	3 12	8	6 5	3	2 1	î		3	} 86 } 87
4 2 9 112 127 336 1,383 1,383 267 589 217 7 2 20 18	7 2 15	2 22 17	5	4 20 22 23 96 78 237 202 2,027 1,112	4 2 18	4 5 17	4 5 16	1 1 12	5 1 10 91 160 349	4 1 5	4 2 5	<u>i</u>				88
12 14 27	15 13 18 39 39	10 52	25 19 19 73 51	22 23 96	18 34 31 150	17 38 54 168 175 314	16 47 82 236 288 413 523 1,889 1,713 1,127 970 762 743 81	12 72 119 315	91 160 349	118 164 344	72 117 204 287 224 337 445 613 190 244 255 369	30 50 76 119 50 122 147 184	2 24 13 30 16 29 28 44	2 5 3	1 2 1	80
34 136	39 147 101	54 166 131 1,774 889 1,196	51 215	78 237		175 314	288 413	.399 454 645	435 439 699	344 447 391	287 224	119 50	30 16	6 2 5		} 90 } 91
1,383 745	, 1,865 892 1,254 554	1,774	215 147 1,946 956 1,295	2,027 1,112	1,855 1,170	1,863 1,407	1,889 1,713	1,635 1,806 915	1,311 1,569 645	563 953 1,194	445 613	147 184		4 12	2 6 36 38 10 12	92
482 432	611	560 578 329	651	1,342 684 685	256 281 1,855 1,170 1,203 700 652	822 696	970 762	967 720	738 666	443 508 510	244 255	61 74 86	7 12 21	6 4	26	
263 67 -56	338 81 41	329 89 38 29	357 102 51	428 105 62	85 61	1,863 1,407 1,167 822 696 585 69 50 636 46 17	743 81 50	839 76 50	738 666 831 59 51 115	686 34 35	1 8	110 2 4	32 3 2 5	6	26	93
29 21 7	24 17 4	29 30 10	38 27 15	30 31 12	55 37 13	63 46 17	50 68 70 13	106 106 6	115 139 5	116 143	20 82 110	35 51	5 8	1	3	94
2 20	3 16 20	6 48 37	. 1 43 30	1 81 58	4 67 50	86 61	2 113 109	1 104 103	3 106 112	1 1 63 56	1 37 24	1 7 10		2	i	95 96
2 !	7 4	4 3	4 3	3 1	7 5 78 15	11 7	13 7	10 5	10 13	7	3	1 1				97
54 20	52 18	73 27	75 24	94 23		. 30	47 28	38 25	28 33	17 16	6 8	1 3	i		2	98
2,219	2,755 1,457	2,907	3,193 1,865	2,011	3,327 1,871	3,557 1,918	3,572 1,869	3,566 1,749	3,001 1,389	928	1,062 457	358 137	75 24	18	53 30	
1,042 2	1,298 2 1	1,333 2	1,328 1 3	1,465 3	1,456 4	1,639 4	1,703 2	1,817 2	1,612 3	1,127 2 1	605 2	221	51	13	23	} 99
1 17 14	15 12 2 3	2 12 13 , 2 , 3 129 69 150	. 15	20 10	2 15 6	4 4 8 9	2 4 9 10	2 4 11 8	2 9 7	1 10 14	2 5 6	$\begin{array}{c} 1 \\ 2 \\ 2 \end{array}$	······i		1	100
1 1 65	2 3 102	2 3 129	7	4	6 4 5 132 56 171	6	10 13 3	7 7 88	7 5 57	5	3	·····i				101
2 1 17 14 1 65 68 76 98	88 104 113	69 150 118	134 66 143 146	123 66 172 136	56 171 170	122 73 232 223	108 72 253 247	8 7 7 88 , 78 268 329	3 2 9 7 7 5 57 46 281 364	22 31 243 286	14 8 122 181	1 4 44 75	3 15	2 2	1 13 2	} 102 } 103
																104
99 84	113 119 2	116 134	138 121 1	136 152	188 159 1	186 233	225 303 1	285 403	292 400	235 325	132 207	47 77	11- 15	1 8	3 6	105
i	i	6 1	1	ż	' 1		1									} 106 } 107
366 204	345 212 150	9 1 295 175 157		219 124 229	143 102 217	115 79	76 58 276 314 130 150 146	47 45 259	26 26 203	15 15 141	3 2 79	1	2 2	1	5 2 5 2	108
140	177 49	198 59 67	219 146 180 190 71 88	124 229 242 96	217 259 86 125 131	271 119	314 130	292 124	203 256 104	143 70	70 49	20 8	10 1	1	2 4	} 109
22 77 118	54 101 123	98   131	109	121 133 121	134 1	117 133 154	150 146 164	119 135 173 46 60	83	48 71 95	20 30 50	21 20 8 3 13	4 1 6	1	1 2	
366 204 114 140 37 22 77 118 29 42 3 13	31 61 4	38 46 8 11	37 40 10	39 41 14	46 36 8 10	115 79 252 271 119 117 133 154 52 51	164 49 45 15 7	46 60 10	173 53 62 7	143 70 48 71 95 34 52 3	70 49 20 30 50 21 28	6 13 1	3 2		2	
13 2	177 49 54 101 123 31 61 4 13 3 3 1 1 381 187 29	11 1 2	10	77 1	10	16	7	8 2 1	4	2	2					} 111 } 112
230 100 11 53	381 187	466 238 32	720 249 54 108	767 295 62 150	705 263 55	669 276 65 180	1 593 302 59 133	495 254 57	274 198 43 85	115 115 21 39	38 33 8 10	7 10	3	1	2 4	113
11 53	29 74	32   94	54 108	62   150	55° ) 160	65 180	59 133	57 110	43   85	21 39	8 10	2 5			····i	114

# TABLE 5.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA, FROM

Int.	,				· · · · · · · · · · · · · · · · · · ·		DEAT	HS AT AGE	or—				
Detailed List No.	CAUSE OF DEATH AND SEX.	All deaths.	Under 1 year.	1 year.	2 years.	3 years.	4 years.	Under 5 years.	5 to 9 years.	10 to 14 years.	15 to 19 years.	20 to 24 years.	25 to 29 years.
	V.—Diseases of the digestive system—Continued.												
115 116	Other diseases of the liver $\left\{ egin{array}{ll} M & & \\ F & & \\ Diseases of the spleen & & \\ K & & \\ \end{array} \right.$	$1,459 \\ 1,617 \\ 56$	98 52 1	13 9 1	9 11 1	9 6 1	7 2	136 80 4	16 13	19 12	26 22 2	43 50 3	50 59.
117 118	Simple peritonitis (nonpuerperal) $\begin{cases} M. \\ F. \end{cases}$ Other diseases of the digestive system $\begin{cases} M. \\ F. \end{cases}$ (cancer and tuberculosis excepted).	68 952 1,397 243 224	100 62 7 4	24 28 1	19 20 2	,1 11 18 2 . 1	11 10 3	5 165 138 15 5	52 56 2 3	1 58 43 2 4	58 95 9	4 47 150 7 9	54 174 12 10
	VI.—Nonvenereal diseases of the genito- urinary system and annexa.	67,348	954	273	220	165	131	1,743	507	430	785	1,508	2, 115
	MalesFemales	37,362 29,986	569 385	131 142	128 92	84 81	83 48	995 748	259 248	196 234	303 482	550 958	850 1,265
119 120 121	$ \begin{array}{cccccccccccccccccccccccccccccccccccc$	3,176 2,780 29,444 22,403	242 182 206 126	74 73 46 56	73 55 48 35	. 48 45 32 33	41 28 38 18	478 383 370 268	125 128 126 113	55 70 132 145	85 110 203 227	131 159 370 385	186 175 594 564
122	Other diseases of the kidneys and annexa.	771 572	75 48		5 1	2 2	3 1	93 62	3 6	6 4	5 11	21 15	1 31 25
123 124 125	Calculi of the urinary passages $M$ . $F$ . Diseases of the bladder $M$ . $F$ . Diseases of the urethra, urinary abscess, $M$ .	260 101 1,233 299 250	2 1 19 14 3	1 1 2	î 1	1 1	î 1	5 2 21 16 5	1 	3 1	5 1 3	826382	7 3 11
126 127	fetc. F Diseases of the prostate. M Nonvenereal diseases of the male genital M organs.	35 2, 175 49	20			1		21	1		ĩ	2 4 2	7 13 2 6 2
128 129 130 131 132	Uterine hemorrhage (nonpuerperal) F. Uterine tumor (noncancerous) F. Other diseases of the uterus F. Cysts and other tumors of the ovary F. Salpingitis and other diseases of the female F. ganifal organs	76 892 770 628 1,401	3	1	1		<i></i>	1 1 1 4		5 2 6	4 1 41 7 77	5 14 89 35 248	8 38 92 46 302
133	Nonpuerperal diseases of the breast (cancer excepted).  VII.—The puerperal state.	28 9,456	9							13	772	2,031	2,285
134 135 136 137 138 139	Accidents of pregnancy F Puerperal hemorrhage F Other accidents of labor F Puerperal septicemia F Puerperal albumizuria and convulsions F Puerperal phlegmasia alba dolens, em F	908 851 911 4,376 2,094								1 5 7	32 36 39 397 256	144 111 151 1,045 518	236 187 224 1,098 463
140 141	bolus, sudden death.  Following childbirth (not otherwise de-F fined).  Puerperal diseases of the breast	266 48 2			•••••						10 1 1	50 12	65 11 1
	VIII.—Diseases of the skin and of the cellular tissue.	3,010	548	59	21	15	11	654	30	23	28	42	38
	MalesFemales	1,691 1,319	311 237	29 30	12 9	6 9	5 6	363 291	12 18	11 12	16 12	30 12	22 16
· 142 143 144 145	$ \begin{array}{cccccccccccccccccccccccccccccccccccc$	916 740 195 90 272 184 308 305	23 26 35 29 94 63 159	6 5 3 13 12 7 10	4 2 3 2 2	2 3 1 1 2 3 1 2	2 5 1 1 2	37 43 41 33 114 82 171 133	6 7 2 6 6 6 3	1 1 1 5 5 4 5	3 1 3 2 9 7 1	11 2 6 3 11 5 2	8 4 7 2 4 6 5
	IX.—Diseases of the bones and of the organs of locomotion.	1,365	128	57	47	29	19	280	126	121	84	63	70
	MalesFemales	817 548	71 57	35 22	22 25	14 15	10 9	152 128	60 66	72 49	67 17	44 19	42 28
147	Diseases of the bones (tuberculosis ex-{Mcepted). Fbiseases of the joints (tuberculosis and Mrheumatisn excepted).	725 462 60 61	66 52 5 4	34 22 1	22 21 4	13 15 1	10 8 1	145 118 7 9	55 63 4 3	70 49 1	64 17 3	38 16 6 2	37 26 4 2
}	Amputations	1 28 24	1					1	1	1		1	i
	X.—Malformations	8,465	7,879	239	65	45	27	8,-255	77	48	34	18	12
	Males. Females.	4,708 3,757	4,387 3,492	132 107	34 31	27 18	17 10	4,597 3,658	37 40	34 14	16 18	9	5 7
<b>√</b> 250 √		4,708 3,757 397 339 2,908	4,387 3,492 287 261 2,764	132 107 47 43 53	34 31 9 8 13	27 18 10 3	17 10 9 5	4,597 3,658 362 320 2,845	37 40 17 10 17	34 14 12 3 19	16 18 2 4 13	9 9 1 2 5	5 7 2
	Other congenital malformations $\cdots \left\{ egin{array}{c} F_{\cdot} \\ F_{\cdot} \end{array} \right]$	2,161 1,403 1,257	2,037 1,336 1,194	41 32 23	14 12 9	9 7 6	3   3	2,104 1,390 1,234	23 3 7	7 3 4	13 11 1 3	54 3 3	2 5 1 2

EACH CAUSE AND CLASS OF CAUSES, BY SEX AND AGE OF DECEDENT: 1911—Continued.

						DEATI	AS AT AGE	OF-							Deaths	Int.
80 to 84 years.	35 to 39 years.	40 to 44 years.	45 to 49 years.	50 to 54 years.	55 to 59 years.	60 to 64 years.	65 to 69 years.	70 to 74 years.	75 to 79 years.	80 to 84 years.	85 to 89 years.	90 to 94 years.	95 to 99 years.	100 years and over.	at un-	Detailed Int.
80 60	87 91 4 9	95 115	122 127	134 139 9	102 161	118 145 6	126 143 5	128 159 3	83 113	61 78	26 38	5 9	- 2 2		<u>i</u>	11
80 60 2 2 64 145 15	J 56	95 115 2 6 41 84 28 24	5 7 58 81	1 4	4 3 54 46	55 55	۱ ۵	33 39 8 16	2 1 39 33	61 78 1 2 16 19	3 6 10	1 3	1 1	1	2	}11 }11
	118 26 19	1	58 81 21 25	49 63 28 25	46 22 17	56 17 18	42 43 17 8	i	39 33 10 10	4 3	2				1	11
2,485	3,418	3,880	4,653	5,534	5,675	6,609	7,289	7,441	6,416	4,109	1,973	572	111	25	70	
1,027 1,458	1,564 1,854	1,892 1,988	2,410 2,243	3,110 2,424	3,327 2,348	3,853 2,756	4,388 2,901	4,527 2,914	3,938 2,478	2,529 1,580	1,198 775	335 237	54 57	11 14	46 24	
187- 172 776 738	236 206 1,231 1,037	226 182 1,558 1,250	248 181 2,033 1,556	235 204 2,686 1,886	194 174 2,911 1,963	194 155 3,317 2,423	164 138 3,660 2,614	171 145 3,561 2,606	134 89 2,980 2,254	83 58 1,800 1,421	33 36 820 671	8 11 229 200	2 2 39 50	1 8 12	1 1 40 20	}11 }12 }12
32 25	40 38	38 42	40 46	44 58	48 34	60 43 25 6	7 <u>4</u> 34	71 37	73 35 22 8	59 25 12	24 22 5 1	7 10	2			12
32 25 11 8 8 11 11 3	40 38 10 11 18 4 21 4 7	38 42 17 7 17 8 21	40 46 18 9 15 11 35 4 18	44 58 25 8 48 12 17 4 54	48 34 23 11 42 18 26 2 81	1 60	34 30 9 128	71 37 29 10 207 39 18	22 8 242	12 4 220 44	5 1 138	39 13	6	2 1	i	}12 }12
	21 4	16	35 4	17 17	18 26 2	14 25	128 13 17 1	39 18 1	242 44 19	5 1	138 36 7		4			$  _{12}$
2	1 -	12 3			81	170 2	313	466 4	464 3	350	170	50 1	5	1	4	12 12
15 70 101 65 249	8 131 106 70	18 164 101	6 181 91 70	3 105 64 55	50 31 52 12	1 44 19 45	36 6 .41	1 29 7 34	2 14 8 20	12 4 10	1 2 5	1 2	1		2	12 12 13 13
249	70 236	68 142	86	. 24	ľ	5	3	4	2	10	. 1					13
1 1,949	3 1,644	661	. 2 80	1 9	. 1 1	1	2	1	1 1	1					12	18
		57 101		1						-,					<del></del>	13 13 13 13
212 212 184 873 398 56	222 192 209 664 302 52	57 101 88 252 127 30	3 11 13 31 19	1 6											. 2 5 4	18
14	. 3	. 30	3	1	•••••											13
50	59	66	90	127	139	157	251	289	341	308	197	94	19	2	6	14
37 13	31 28	44 22		72 55	80 59	85 72		167	194		97	43	-			-
12	6	17	55 ,35 20	33			139 112 90	122	147	179 129 153	100	. 51	8 11 8	1 1	5 1 4	1.1
3 10 2	7 4 5	8 13 3 7	13 10 4 17 8 8	30 22 5 10 7 7	34 34 17 5 20 6 9	52 47 14 5 10 8 9	90 83 16 7 16 12 17	133 98 12 2 10 4 12 18	168 118 10 3 3 4 13 22	153 106 6 3 4	82 2 1	40 1 2	11	1	1	14
2 12 4 3 4	10 7 11 9	3 7 8	8 8	7 7 7	20 6 9	10 8 9	16 12 17	10 4 12	3 4 13	4 5 16 15	1 4 6 13	. 3			1	}14 }14
64	60	71	63	83	46	53	59	49	37	20	9	5			2	,
40 24	4 <u>1</u> 19	51 20	42 21	52 31	28 -18	27 26	37 22	27 22	20 17	10 10	2 7	1 4			2	
. 35 21 3	- 40 13	44 16	38 16	43 26 8 3	26 14 1 3	20 17 2 6	28 16 4 3	. 19 12 4 4	l :	7 3	4 1	2			2	}14
2 	6	6 3 1	3.0	3	3	2 6 1	. 3	4	14 11 1 4 1	4	1 2	$\frac{1}{2}$				}14 }14
, 2 , 1		·····i		1 2	1 1	1 4 2	5 3	4 6	4 2	. 3 . 3	1 1					14
5	42	0. 2	62 6 55 11 87 9 22 1 35	1	•	2									2	
5 * 2 5	181 43 14 3	12 15 98 10 99 12 39 1	11 87 9	1	- Apple 7	. 2						•••••			2	
ž	29 8	19 12 39	$\begin{vmatrix} 22 \\ 1 \\ 35 \end{vmatrix}$	1		2									2	}15
4 1 1 1	2	1	i 3	1		2									2	
1	i		3	<b>\\</b>												l

TABLE 5.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA, FROM

ا و							DEAT	HS AT AGE	OF—				
List No.	CAUSE OF DEATH AND SEX.	All deaths.	Under 1 year.	1 year.	2 years.	3 years.	4 years.	Under 5 years.	5 to 9 years.	10 to 14 years.	15 to 19 years.	20 to 24, years.	25 to 29 years.
	XI.—Early infancy.	46,692	46,692					46,692					
	Males	26,427	26,427					26, 427					
أ	Females	20, 265	20, 265					20, 265					
1	Congenital debility, icterus, and sclerema $\{M\}$ (total).	21,485 16,949	21,485 16,949					21,485 16,949					
	Premature birth $$	13,148 10,391	13,148 10,391					13,148 10,391					
	Congenital debility, "atrophy," "ma-{M rasmus," etc. F	8,337 6,558	8,337 6,558					8,337 6,558					
2	Other causes peculiar to early infancy M. (total).	4,848 3,239	4,848 3,239					4,848 3,239					
	Injuries at birth $F$	2,790 1,783 2,058	2,790 1,783					2,790 1,783					
İ	Other causes peculiar to early infancy $\{F\}$	1,456	2,058 1,456					2,058 1,456					
3	Lack of care ${M \over F}$	94 77	94 77					94 77					
	XII.—Old age	13,974									<b>.</b>		
	Males	6, 125											
	Females	7,849		,		•••••							
4	Senility $\left\{egin{array}{ll} rac{M}{F} & \end{array} ight.$	6,125 7,849											
	XIII.—External causes	63,650	1,935	1,413	1,139	1,028	771	6,286	2, 415	1,925	3,553	5,510	5,658
İ	Males Females	48,849 14,801	1,046 889	812 601	638 501	557 471	427 344	3,480 2,806	1,626 789	1,560 365	2,787 766	4,569 941	4,830 82
-	(							,		12	168	579	676
	Suicide (total)	7,389 2,233 1,833								11 2 3	207 46	327 180	l 30.
5	By poison	1,094 682									128 10 21	227 41	18 17-
6	By aspnyxia	331 1,148								1 4	21 24	34 52 6	3 7
7	by manging of strangulation	225 355								1	4	6 21	3
8	By drowning	181 2,620								3 5	14 76 35	21 15 258 34 18	26 26
9	by mearms.	239								4	35 3	34 18	39 48
0	By cutting or piercing instruments. \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\	548 75 103				e.					i	5	66 36 77 16 33 20 266 39 48
1	By jumping from high places	43 55									1 2	3	. ]
2	By crushing $\left\{egin{array}{ll} rac{M}{F}. & \left\{rac{M}{F}. & \left(rac{M}{F}. &$	15 45									4 2	1	8
3	Other suicides	30 38,335	976	803	633	553	417	3,382	1,608	1,500	2,447	3,510 483 13	3,578 399
		11,786 262	824 34	597 13	496 13	466 19	340	2,723	1,608 776 23	345 13 9	466	483 13	14
4	Poisoning by food $\left\{ egin{array}{l} M \ F \end{array} \right.$ Other acute poisonings $\left\{ egin{array}{l} M \ F \end{array} \right.$	219 789	34 38 58 38 17	18 117	12 69	10 32	9 26	87 302 251	23 21 32 19 28 30	9 7	13 11 17 29 16 72 46	6	14 45
5	ise	610 486	38 17	105 14	57 18	34 16	17 20	251 85	19 28	7 1	29 16	44 56 34 52 61	49 18
3	Commagnation	383 1,891	16 92	15 304	9 283	16 245	. 9	65 1,053	30 117	16 14 36		52 61	49 18 18 6'
7 8	Burns (conflagration excepted) ${M \choose F}$ Absorption of deleterious gases (con- $M$	2,676 1,472	85	226	275 7	285 8	204	1,075 298	324	81	98 60	100 87	102
	flagration excepted). $\$ $\$ $\$ $\$ $\$ $\$ $\$ $\$ $\$ $\$	671 4,972	267 239 20 17	14 7 96	4	3 51	2 2 55	255 280	12 408	23 15 444	25 640	87 34 634 61	3. 460
9	Accidental drowning\F	599 1,166	17 2	96 68 6	58 21 12	19 11	55 13 14	138	62 78	62 206	60 25 640 78 231	61 157	118 38 460 29 103
0	Traumatism by firearms	161 98	$\frac{7}{4}$	5 4	10	4 3	4 2	45 27 11	25 12 408 62 78 23	29	28 8	12 8	i
	instruments.	5, 603	69	102	2 64	1 58	1 40	8 333	4	1 119	1 169	278	334
2	Traumatism by fall $\{F_i\}$ Traumatism in mines and quarries $\{M_i\}$	3,302 2,368	62	54	29	30	21	196	166 89 4	34 15	$\frac{25}{174}$	29 383	47 416
	(total). \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\	2,252							1	15	162	1 361	397
	Traumatism in innes	116							1		12	1 · 22	19
	Tradinavishi in quarries\F.			i	ø	1	1	3	···· 🖺 .	29	134	171	152
4	Traumatism by machines $\begin{cases} M \\ M \end{cases}$ Traumatism by other crushing $M$ .	1,200 39 12,185	23	42	2 59	81	1 1 100	3 3 305		412	6 695	1,244	1,359
5	(total).	1,387	23 20 5	25 15	59 37 13	45 8 3	35 15	162	\ \[ \]	65 145	57 469	93 918	970 970
	resinuad accidents and injuries\F.	7,217 479 1,570	4	10	5 18 8	3 16	5 16	27 56	1.1	65 145 28 69	30	ا 43 - سب	
	Screen accidents and injuries. E.	313 1,026	*# 22* 2	. 2	8	18 15	8 16	40	2	4		106 18 68 20	14
	Automobile accidents and injuries $\binom{M}{F}$ .	265 1,918	2	4 2 17	4 5 24	3 40	52	16	1	1 3	2	20 101	70 17 129
	Injuries by other vehicles $\left\{ \begin{matrix} \mathbf{M} \\ \mathbf{F} \end{matrix} \right\}$	319 454	15 10 1	17 11	18	20 20 2	18 1	77	1 1	1			129
	Landslide (other crushing) ${M \choose F}$	11 486	1	3	1 10	1.	······ <sub>7</sub> ·	2 2	1-1	3		36	50 38
6	Injuries by animals	34 61	· 1 2 22	3 1	3 2		2	56 27 56 40 41 16 148 77 4 2 24 7 25 20	A			1	
7	F.	33 170	17	2	1		1	20				1 7	
3	Excessive cold $\left\{ egin{array}{ll} \mathbf{M} & \cdots \\ \mathbf{F} & \cdots \end{array} \right\}$	18						*	l. 17***i	1	'	· i	Ì

EACH CAUSE AND CLASS OF CAUSES, BY SEX AND AGE OF DECEDENT: 1911—Continued.

						DEATE	IS AT AGE	OF						·	Deaths	
80 to 84 years.	35 to 39 years.	40 to 44 years.	45 to 49 years.	50 to 54 years.	55 to 59 years.	60 to 64 years.	65 to 69 years.	70 to 74 years.	75 to 79 years.	80 to 84 years.	85 to 89 years.	90 to 94 years.	95 to 99 years.	100 years and over.	at m-	1.
																-
																-
												 				-
																-
																-
																-
																-
•••••																-
2	1	1	2	26	46	200	457	1,473	2,554	3,754	3,183	1,653	441	163	18	
2	1	·····i	2	9 17	18 28	88 112	208 249	655 818	1, 132 1, 422	1,705 2,049	1,365 1,818	705 948	175 266	54 109	10 8	
<u>2</u>	1,	i	2	9 17	18 28	88 112	208 249	655 818	1,132 1,422	1,705 2,049	1,365 1,818	705 948	175 266	54 109	10 8	
5, 163	5,287	4,728	4,237	4,086	3,009	2, 664	2, 192	1,993	1,694	1,434	919	387	80	17	413	١
4,436 727	4,584 703	4,113 615	3,633 604	3,447 639	2,470 539	2,099 565	1,573 619	1,248 745	- 871 823	643 791	345 574	124 263	23 57	- 2 15	380 33	1
753 255	820 248	807 178	1 788 192	801 151	631 114	491 85	359 78	-224 42	135 26 · 19	79 10 11	20 5 1	5 1 3	2		39 2 7	
199 135	226 111	196 65	191 87	182 47	155 39	117 28	- 27	46 12	10	İ	1	3			7	-
753 255 199 135 56 32 26 225 26 295 26 60 8 14 67 7	820 248 226 1111 73 42 86 20 33 17 309 34 66 10 19 5	81 36 137 26 41 16 259 19 67 6 15	* 788 1922 1911 877 76 366 1000 211 355 169 13 14 4 7 7 22 2,638 16 16 16 16 16 16 16 16 16 16 16 16 16	801 151 182 47 86 29 135 23 44 23 278 16 59 9	155 39 71 24 120 24 98 14 203 6 45 2	491 85 117 28 51 16 103 17 33 8	359 78 69 - 27 445 114 866 17 23 111 26 3	224 42 46 12 17 6 70 10 11 7	6 2	9	2 6					-
92 26	20	137 26	100 21	135 23	120 24	103 17	17	10	2 30 9 15 2 41	19 6	6 1 2	1	2		9 1 3 1 13	
19 295	17	16	10 287	23	14 203	8 137	11	. 60	2 41	6 3 1 29					13	
26 60	34 66	19	18 69	16 59	45		1 26	2 18 3	1	6	5 1 5				2	1
8 14	10 14	15	13 27	97	2 1	39 7 9	3 6	1	17 1 2	1 2 2	i					-
6 7	6 9	37	7	2 7	3	1	4	1	2 1	2		1			3	-
5	4	<u>-</u> -	7	3	4	. 1	5	į	3						2	-
2 3, 222 380 9 13 37 40 28 14 82 7	3,371	3,029 379 15 7 55 23 29 11 62 84 117	2,638 385	3 2 2, 482 465 12 7 50 17 28 9 55 96 103	1,771 401	1,557 473 6	5 1 1,185 537	1 1,008 698	726	562 780 3	323 569	119 262	21 57	2 15	294 28 1	-
9 13	371 17 8 57 37 32 10 70 78 122	15	16	12	6	6	4 6	, 0	726 794 5 5	3 2	. 2	202			1	
37 40	57 37	55 23	36 16	50 17	31 23 26 10 31 78 97	3 34 12 29 10 32 68 71	17 8	5 15 8 15 18 26 71 46	6 9	2 2 1 9 13 18 35	2				3 4	
28 14	32 10	29 11	42 12	28 9	26 10	29 10	17 8 19 11 30 92 53	15 18	6 9 14 9 26 72 37	9	3	1		1	3 4 12 2 2 6 4	-
83 2	70 78	62 84	69 91	55 96	31 78	32 68	30 92	26 71	26 72	18 35	23 6	1 5	1 2	1 4	6	
0 85	. 31	19	78 33	31	97 14 166	71 30 96	53 26 70	46 33	37 21	31 24 13	6	2 4				_
0 65 35 72 8	31 384 21 78 7	19 328 28 59 6	33 278 25 40 2 6	31 260 15 33 6	1 7	90	6 16	33 43 7 3	21 14 3 3	13	9				80 9 9	
8 9	7 9	6 9	2 6	6	3	1 4	2	2 2								.[
, 1	1 7	2 419	423	8 1 459 97	24 3 2 2 312	1 361	310		1 269	301	187	1 91	13		9	:
333 44 357 1 342 1 15	397 58 317	2 419 62 252 1 243	66 195	97 113	102 72	162 31	214 23	320 356 8	501 4	550	187 437	9 <u>1</u> 200	13 45	8	9 1 4	
342	307	243 243	185	106	70	28	<u>:</u> - 21	6	3						3	.I
15	10	9	, 10	7	2	3	2	2	i						<u>i</u>	
159	134	108	97 2	73	49	33	25	13 1	3						4	•
4,208	1,263	1,066	800°	863 100	634 81	569 97	365 74	293	202	78	40	5	3		124	
841	847	682	543	480	316 31	293 34	159	115	100	78 20 36 7 14	15	5 3	1		124 2 115 1 1	
133	135 14	108 3 1,066 77 682 29 142 13	116 19	131	110	94	69 22	49 18	202 35 100 14 31 8		13	2				
159 4 1,208 69 841 133 10 79 10 103 15 52	134 2 1, 263 847 27 135 14 73 16 153 14 55	10	543 2543 116 19 76 19 128 8	863 109 480 28 131 60 24 150 22 42	110 22 55 13	94 23 51 18 115 22 16	29 69 22 39 8 89 15	293 68 115 30 49 16 35 10 91 12 3	14	5 3	40 8 15 3 13 2 5 1	1			1	
103 15	153	128 19	128 8	150 22	126 15	115 22	89 15	91 12	55 8 2 1	22 6	7 2	2	2		5 1 2	
,	I	53	90	1	27		l	1 .	2	i	<del>-</del>					-1
25 1 2 1	28 1 2 2 11	·28	33 1 2	27	37	22 1	25 1	30 5 5	17	8 1		2			3	- 1
2 1	2 2	2 2 1	l	, 2 5 1	3	3 2 19	6			1 2 4 1	, 2				1	Ų
9	111	16 1	13 1	19	13 1	19	18 4	. 10 2	3 5 2	4	5 1	1			6	Ì

#### Table 5.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA, FROM

Int.						· · · · · ·	DEAT	HS AT AGE	of—				
Detailed Int. List No.	CAUSE OF DEATH AND SEX.	All deaths.	Under 1 year.	1 year.	2 years.	3 years.	4 years.	Under 5 years.	5 to 9 years.	10 to 14 years.	15 to 19 years.	20 to 24 years.	25 to 29 years.
179 180 181 185 186 182 183	$ \begin{array}{c ccccccccccccccccccccccccccccccccccc$	2, 101 1, 064 198 42 500 13 235 128 2, 092 379 3, 125 782 1, 928 419 526 112 671 251	250 198 1 1 116 86 70 65 3 1 2 3 65 65	42 28 2 2 44 38 9 4 1 2	6 15 1 30 20 5 5 2	1 16 17 4 5 3 1	35 5 1 15 14 10 4 4 2 3 1	309 248 1 1 2 5 3 221 175 98 83 83 9 4 4 4 4 86	15 9 10 3 13 12 2 2 1 1 12 9	6633185252525251334889923338	17 9 24 45 1 6 	52 16 12 2 97 1 16 175 175 131 334 75 92 22 54 34	88 12 31 4 99 2 2 13 215 11 552 122 399 72 210 227 328
	XIV.—Ill-defined diseases	7,213	2,314	726	165	65	38	3,308	90	48	79	115	1,42
	MalesFemales	3, 997 3, 216	1,312 1,002	366 360	87 78	28 37	24 14	1,817 1,491	40 50	26 22	38 41	51 64	79 63
187 188 189	$ \begin{array}{c} \text{Ill-defined organic diseases.} & \left\{ \begin{matrix} M \\ F \end{matrix} \right. \\ \text{Sudden death.} & \left\{ \begin{matrix} M \\ F \end{matrix} \right. \\ \text{Not specified or ill-defined (total)} & \left\{ \begin{matrix} M \\ F \end{matrix} \right. \\ \text{Ill-defined.} & \left\{ \begin{matrix} M \\ F \end{matrix} \right. \\ \text{Not specified or unknown.} & \left\{ \begin{matrix} M \\ F \end{matrix} \right. \\ \text{Not specified or unknown.} & \left\{ \begin{matrix} M \\ F \end{matrix} \right. \\ \end{array} $	291 320 225 152 3,481 2,744 1,968 1,544 1,513 1,200	3 7 46 43 1,263 952 377 272 886 680	2 2 5 1 359 357 317 295 42 62	42 4 2 79 74 55 55 5 2 19	27 35 24 24 24 3 11	21 14 11 9 10 5	12 13 56 48 1,749 1,432 783 655 966 777	3 3 3 5 36 42 21 21 15 21	3 3 1 1 22 18 14 13 8 5	7 6 31 35 18 19 13 16	2 8 6 43 56 19 35 24 21	5 8 6 66 · 49 44 30 22 19

EACH CAUSE AND CLASS OF CAUSES, BY SEX AND AGE OF DECEDENT: 1911—Continued.

						DEATE	IS AT AGE	OF-							Deaths	i i
80 to 84 years.	35 to 39 years.	40 to 44 years.	45 to 49 years.	50 to 54 years.	55 to 59 years.	60 to 64 years.	65 to 69 years.	70 to 74 years.	75 to 79 years.	80 to 84 years.	85 to 89 years.	90 to 94 years.	95 to 99 years.	100 years and over.	Deaths at un- known age.	Detailed In
121 29 10 1 85	165 29 16 7 42	224 29 15 5 39	204 33 18 2 20	180 56 15 1	144 53 12 2 4	132 61 3 1 8	121 80 3 1	111 - 96 4 1 2	83 95	67 95 2 1	43 64 1	11 33	3 8	2	5 4 5	}179 }189 }181
18 1 195 7 461 92 296 57 85 12 80 23	23 1 204 7 393 84 246 49 75 15	26 5 160 13 277 58 163 38 39 10	1 16 3 153 15 207 27 126 19 28 3 53	19 2 142 13 3 . 164 23 98 14 12 4 54	1 14 5 91 13 68 24 39 13 6 4 23	1 15 5 81 9 51 7 28 4 8 1	10 · 7 68 7 29 4 14 1 5 1	14. 20 42 5 16 5 8	1, 8 20 28 16 10 3 3 1 2 1	7 28 18 3 2 1 2	7 16 11 5 2	3	1	1	19 47 3 24 2 9	}18: }18: }18: }18: }18:
23 154	20 186	· 10	237	5 269	298	2 388	2 444	348	309	1 242	142	52	17	12	1 88	1/=.
76 78	106 80	139 106	151 86	181 88	182 116	237 151	248 196	181 167	164 145	128 114	65 77			3 3	58	3
3 6 6 8 67 64 46 36 21 28	. 5 15 9 5 92 60 55 42 37	13 18 7 8 119 80 72 57 47 23	16 16 15 6 120 64 84 51 36	17 9 20 5 144 74 104 47 40 27	20 11 15 5/ 100 115, 37 2 37 1	21 30 196 114 151 88 454	26 25 20 12 202 159 166 131 36	36 50 18 13 127 104 50 70 36 34	39	33 25 3	20 18 1 1 30 28 10	222	7 9 1 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2	33 33 53 63 13 23 23 43	55 22 11	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1

12489°--13----23

Table 6.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA, ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE OF DECEDENT: 1911.

=== ti								··	DE	ATHS A	T AGE	of—				•			
Detailed Int. List No.	CAUSE OF DEATH.	All deaths.	Under 1 year.		2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	39	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	89	90 to 99 years	100 years and over.	Deaths: at un- known age.
	•			TH	e re	GIS	TRA'	rion	TAR	EA.						·			
	All causes	839, 284	149,322											103,957	<u> </u>		<u> </u>	405	1,296
1	I.—General diseases  Typhoid fever	228,602 12,451	14,791	8,923	5, 725 159		<del></del>	8,789 747	2, 551	<u> </u>	30,829 2,148		26,966 829	24,768 486	17,520 203		<u> </u>		328 34
2 3 4 5	Typhoid fever Typhus fever Relapsing fever Malaria Smallpox	1,802 130	152 31	1	84 5		37	104 6	i	217	194	1 176	1 155	154 10	1 132 3		2		13
6 7 8 9	Measles Scarlet fever Whooping cough Diphtheria and croup Influenza	5,922 5,243 6,682 11,174 9,294	1,319 243 3,687 887 660	568 1,611 1,769	807 760 598 1,682 109	702 317 1,521	524 159 1,196	501 1,485 243 2,778 99	303 620 32 883 232	195 218 11 204 344	94 3 129	102 17 1 62 565	42 7 2 26 856	41 3 4 18 1,412	29 1 5 10 2,287	<sub>2</sub>	1 323	9	3 1 6 7 8
11 12	Miliary fever Asiatic cholera Cholera nostras						<u>-</u>		1 6			1							
13 14 15.	Cholera nostras Dysentery Piague		626 25	882 -882	138	67 	36 	55 1	23		12 89	21 111	31 193	352	57 523	40 387		4	7
16	Yellow tever				135/	67 	30	:: :::::::::::::::::::::::::::::::::::	54	124	2	2							<u>-</u>
19	Erysipelas Other epidemic diseases	2,510 193	744 59	4935	10/15	$\frac{14}{13}$	/6	/20 26	146	225 225	~1.89 1 20%	275 3	281 2	285 2	280	154	1	1	3
21	Purulent infection and septicemia	1, 913 11 14 83	1	1	4	28	2 18	0 92 61 - 1 25		2 1 7 7	10 10	.224 1 3 4	219 3 1 2	196 1 1 4	160 2 1	63 1	11	2	6
26	Tetanus	1,336 37 659 7	398	14	2	15	23	151	211 3 24	138	152 152 3	112 6 139		51 8 70	15 3 34	5 1 6	1		2
28 29 30 31 32 33 34 35	Tuberculosis (total) Tuberculosis of the lungs. Acute miliary tuberculosis Tuberculosis meningitis Abdominal tuberculosis Pott's disease White swellings. Tuberculosis of other organs Disseminated tuberculosis	94, 205 78, 514 3, 282 5, 237 3, 680 853 438 1, 308 893	116 1,166 225 40 7 120 61	1,813 504 83 976 136 25 6 53 30	1,045 298 57 545 74 24 10 18	725 199 31 369 51 33 7 23	128 29 254 46 16 11 10	1,613 579 106 606 142 67 44 41 28	8,679 6,815 544 490 374 128 74 138 116	23, 855 2 21, 219 1 976 356 695 146 78 189 196	1, 131 9, 157 644 204 593 115 56 205 157	14, 043 27, 694 37,1 148 434 88 35 176 97	80	5, 639 5, 000 83 25 517 61 33 110 58	2,783 2,426 81 16 150 30 24 70 27	479 404 5 1 34 7 13	2	3 3	145 131 3 1 3 2 1 3 1 6
36 37 38	Rickets	508 3,821 222	289 1,787 88	103 104 6	40 30 2	23 15	10 10	28 28	61 14	358 53	459 29	428 12	299 8	160 5	64 3	12	·	5	
39 40 41 42 43 44 45	Cancer and other malignant tumors (total) Of the buccal cavity. Of the stomach, liver. Of the peritoneum, intestines, rectum Of the female genital organs. Of the skin Of other organs or of organs not specified.	44,024 1,727 17,365 5,824 6,707 4,264 1,619 6,518	43 2 12 3 3 2 2	36 3 8 2 1	48 8 2 3 3 32	37 4 5	26 1 5 4	80 4 9 10 3 2 5	211 8 31 31 12 3 11 115	782 17 151 157 144 45 20 248	2,775 52 690 385 767 375 29 477	1,760	10,623 401 4,410 1,302 1,868 1,056 225 1,361	11,473 454 5,182 1,626 1,322 903 361 1,625	8,154 397 3,605 1,206 659 624 462 1,201	2,505 177 896 289 153 254 338 398		1 2	41 4 12 2 5 5 5 8
46 47 48 49 50	Other tumors (tumors of the female genital organs excepted)	455 3,545 781 56 8,805	20 30 35 24	26 7 14	3 33 2 2 2 25	6 40 1 1 28	2 47 21	419 3 153	10 627 11 3 464	23 338 31 1 501	46 331 39 2 606	81 341 64 3 874	72 377 132 1 1,795	66 411 179 1 2,422	\$2 361 219 1,502	32 139 89 345	1 1 22	3	1 5 1 6
51 52 53 54 55	Exophthalmic golter Addison's disease. Leukemia. Anemia, chlorosis. Other general diseases.	787 235 933 2,813 1,182	21 188 452	20 70 68	9 20 38	14 10 39	12 12 29	41 29 51	39 7 101 106 77	128 22 131 174 65	159 46 121 260 66	164 62 146 394 60	170 52 138 601 73	78 35 119 573 55	34 11 54 292 66	- 10 5 72 34	10		1 2 3 20
56 57 58 59	Alcoholism (acute or chronic)	2,875 145 11 309						1	11 2 5	206 16 2 26	802 29 2 51	833 37 2 62	610 33 2 59	276 25 3 54	105 3 37	11	i		20 2
	II.—Diseases of the nervous sys- tem and of the organs of special sense	81, 428	7,334	2,002	1,013	630	435	1,272	1,740	2,279	4,063	6,814	10,759	15, 956	17,473			3	102
60 61	Encephalitis Meningitis (total) Simple meningitis Cerebrospinal neningitis (undefined) Cerebrospinal fever	792 7, 285 4, 690 2, 055 540	139 2,257 1,561 566 130	39 1,050 641 351 58	21 581 363 176 42	24 357 213 109 35	230 138 74	42 674 368 240 66	71 591 302 217 72	89 430 251 121 58	69 337 226 87 24	97 295 226 53 16	66 209 158 36 15	58 158 139 13 6	40 86 77 9	12 25 23 2	1	1 1	2 3 2 1
62 63 64	Locomotor ataxia	44,274	255 210 45 461 Exclusi	237 215 22 69			57 7 22			34 98 440	211 12 199 1,320	302 3,264	16 475	420 758 16 742 11,514	643	2 200	13	3	2 1 1 49

Table 6.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA, ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE OF DECEDENT: 1911—Continued.

CACHE OF BEATH.  All  Under 1 2 7 4 500 10 10 10 10 10 10 10 10 10 10 10 10 1
LI — Diseases of the inervoirs ery to men and of the organizary great success. Confidence in the confi
Lamber   Disease of the mervous system and of the organized him is of the Penning of the Penni
Seem and of the Corporation of Agreement of Seeman of Se
Section Communication
gla and neurits
30 and used sets of the circulatory 100,800
abilic memocarditist.  4. 469 173 0 54 89 30 214 155 54 50 88 70 106 124 131 150 3 3 2 3 2 3 2 4 2 1 1 1 1 2 2 6 6 2 1 1 1 1 1 2 2 6 6 2 1 1 1 1
set of the arteries, atheroune, au- m, etc.    1, 789
Second Expression   Seco
The specific problem of the circular system.    1
system [99,650] 22,620] 8,410] 8,102] 1,203 8,77 2,638 2,830 4,438 6,77 3 1 2 3 2 7 12 5 5 2 5 5 5 5 6 14 1 2 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1
Browniffs (1998)   6,452   3,559   72   201   101   77   88   44   42   49   45   135   139   242   427   106   7   1   106   1
Comparison, pulmonary apolate of the lung.  1. 157 2. 241 2. 2 2 2 4 2 3 11 26 16 32 30 35 15 31 17 2 11 187 2. 158 2. 15
7. — Interstinal obstruction (total) — 2, 341
diseases of the respiratory system  1, 206 99 17 9 3 5 11 41 124 144 199 210 166 124 47 5 2 2 2 3 7 — Diseases of the digestive system  1, 206 99 17 9 3 5 11 41 124 144 199 210 166 124 47 5 2 2 3 3 18 53 35 51 11 41 124 144 199 210 166 124 47 5 3 11 433 18 53 35 51 11 43 31 53 35 51 11 43 31 53 35 51 11 43 31 53 35 51 11 43 31 53 35 51 11 43 31 53 35 55 11 43 31 53 35 55 11 43 31 53 35 55 11 43 31 53 35 55 11 43 31 53 35 55 11 43 31 53 35 35 55 11 43 31 53 35 35 55 11 43 31 35 35 35 35 35 35 35 35 35 35 35 35 35
so fithe mouth and annexa.
18eases of the stomach (cancer ex.   40   2, 892   335   123   66   51   121   125   279   391   557   649   955   1, 242   832   137   4   15
dictisand typhilitis. 6,896 32 27 31 65 84 588 1,531 1,470 1,127 835 588 328 144 35 3 1 7, intestinal obstruction (total). 7,061 1,021 138 89 74 52 150 210 457 581 725 947 1,113 1,010 433 53 1 7, intestinal obstruction. 4,692 17,88 6 3 8 24 97 162 285 428 516 430 187 16. 4 4, intestinal obstruction. 4,692 843 121 81 68 49 142 186 360 419 440 519 597 580 246 37 1 3 diseases of the intestines. 1,785 424 48 22 10 13 29 49 125 163 161 162 197 221 135 24 2 yellow atrophy of the liver. 302 26 2 2 1 1 6 10 52 33 39 43 49 29 8 1 distribution. 8,310 21 11 10 7 2 23 52 194 898 1,673 2,030 1,840 1,221 301 20 1 6 calculi. 1,749 3 3 46 167 288 427 437 295 78 7 1 diseases of the liver. 3,076 150 22 20 15 9 29 79 202 318 459 536 532 483 203 18 1 2 peritonitis (nonpuerperal). 2,349 162 52 39 29 21 108 254 425 383 264 212 196 144 51 6 1 2 diseases of the disease diseases of the dise
dictisand typhilitis. 6,896 32 27 31 65 84 588 1,531 1,470 1,127 835 588 328 144 35 3 1 7, intestinal obstruction (total). 7,061 1,021 138 89 74 52 150 210 457 581 725 947 1,113 1,010 433 53 1 7, intestinal obstruction. 4,692 17,88 6 3 8 24 97 162 285 428 516 430 187 16. 4 4, intestinal obstruction. 4,692 843 121 81 68 49 142 186 360 419 440 519 597 580 246 37 1 3 diseases of the intestines. 1,785 424 48 22 10 13 29 49 125 163 161 162 197 221 135 24 2 yellow atrophy of the liver. 302 26 2 2 1 1 6 10 52 33 39 43 49 29 8 1 distribution. 8,310 21 11 10 7 2 23 52 194 898 1,673 2,030 1,840 1,221 301 20 1 6 calculi. 1,749 3 3 46 167 288 427 437 295 78 7 1 diseases of the liver. 3,076 150 22 20 15 9 29 79 202 318 459 536 532 483 203 18 1 2 peritonitis (nonpuerperal). 2,349 162 52 39 29 21 108 254 425 383 264 212 196 144 51 6 1 2 diseases of the disease diseases of the dise
diseases of the intestines
is of the liver
es of the spiech
ito-urinary system and xa
$\begin{array}{c ccccccccccccccccccccccccccccccccccc$

Table 6.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA, ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE OF DECEDENT: 1911—Continued.

ان		<del> </del>	>						DEA:	THS A	r AGE	or—			<del>,</del>	<del></del>			Deaths
List No.	CAUSE	All deaths.	Under 1 year.	1 year.	2 years.	years.	1 Fears.	7007	19	29	30 to 39 years.	49	59	60 to 69 years.	70 to 79 years.	89	90 to 99 years.	years over.	at un-
		<u> </u>	THI	e RE	GIST	TRAT	NOI	AR	EA(	— <u>~</u> ™tin	ued.	-			<u> </u>	<u> </u>	1	<u></u>	<u> </u>
	VI.—Nonvenereal diseases of the genito-urinary system and amexa—Continued.									 ·									
124 125	Diseases of the bladder. Diseases of the urethra, urinary abscess, etc.	1,532 285	33 5	2	1		1	1	4	27 25			[	l	1	1	1	2 8	3
126 127	Diseases of the prostate	2,175		· · · · · ·		1		······]	<i></i>	10	7		135	483	936	52	0 5	5 1	ا
128	organs. Uterine hemorrhage (nonpuerperal)	76	20						4	13	23	1	1	1	Į	3			-
129 130 131 132 133	Uterine tumor (noncancerous) Other diseases of the uterus. Cysts and other tumors of the ovary. Salpingitis and other diseases of the female genital organs. Nonpuerperal diseases of the breast (cancer excepted).	628	3	1	1				1 46 9 83	52 181 81 550	135	22	8 107	25 86 8	5 1 5 5	3 1 5 1 6 3	6 :	1	
	VII.—The puerperal state				7				785	4,316		-	_		<u> </u>	<u>- </u>			
134 135 136 137	Accidents of pregnancy Puerperal hemorrhage Other accidents of labor Puerperal septicemia.	. 911			7				33 36 39 402	298 378	39	11	2	3				-	
138 139	Puerperal albuminuria and convulsions Puerperal phlegmasia alba dolens, em-	2,094 266		ļ;				• • • • •	263	98	1		6		-	-	-		1
140	bolus, sudden death. Following childbirth (not otherwise defined).	. 48		/-					10 1 1	11.	3 1		6	1					
141	Puerperal diseases of the breast VIII.—Diseases of the skin and of	- 2							1		1				-				-
	the cellular tissue	3,010	∞~بـــــــاا.		<u> </u>	15		30	l	.	[		56 26 58 13	-			05 11 29 9	3	2
142 143 144 145	Gangrene Furuncle Acute abscess Other diseases of the skin and annexa	613	31 / 125	25	8 2 7 4	5 2 5 3	7 2 2	13 2 12 3	26 12	1 1	8 2 3 3 2	1 3	30 4 35 4 33 4	9 4 3 4	22 51 12 2 16 2 18 0	27 1 21 1 35 4	L2 L4	3 4 4	
	IX.—Diseases of the bones and of the organs of locomotion	1,365	128	57	7 47	29	19	126	205	13	3 12	4 1:	34 12	9 11	12 8	36	29	5	
146	Diseases of the bones (tuberculosis excepted)	1, 187	118	56	43	28	18	118	200	11	7 10	9 1	16 10	19 8	31	56	14	2	
147 148	Diseases of the joints (tuberculosis and rheumatism excepted)	. 121		1	1 4		1		, ,	1	.4 1	.2	15 1 2	.5	15	13	7	3	
149	Other diseases of the organs of locomotion.	52	1					1		1	2	3	1	5 1	14	16	8		
	X.—Malyormations	. 8,465	7,879	23	9 65	45	27	77	8:	2 3	10	9	7	1	2				
150	Congenita malformations (stillbirths not included) (total)  Tydrocephalus	736	7,879	23	9 65 0 17	45 13			8:		50	9	7	1	2				
سيود	ongenital malformations of the heart. Other congenital malformations		4,80	1 9	4 27		8		5	0	16	6	3	1	2		-		
	Other congenital malformations  XI.—Early infancy		1		5 23	13				<u>.</u>		]							
151	Congenital debility, icterus, and selerema	, <del> </del>																	
	(total) Premature birth Congenital debility, "atrophy," "marasmus," etc	23,539	23,53	9					· ····										
152	Other causes peculiar to early infancy (total)											- 1	1						
	Other causes peculiar to early in-	4,57	4,57													- 1			
153	fancy 1Lack of care		17	1					-				- !		57 4,0		37 2,0	94 1	.63
77.	XII.—Old age		-		· · · · · ·							3		_	57 4,0			_	.63
154	XIII.—External causes		ll .	5 1,41	3 1, 13	9 1,028	77	1 2,41	5,47	8 11, 1	68 10, 4	50 8,9	65 7,0	95 4,8	56 3,€	2,3	53 4	67	17
155 156 157 158	By hanging or strangulation	2,92 1,01 1,37	7 3 3 6		::::::::				. 3	$\begin{array}{c c} 9 & 7 \\ 2 & 1 \\ 2 & 1 \end{array}$	$\begin{array}{c ccccccccccccccccccccccccccccccccccc$	71 03 24	539 4 228 2 284 3 102 1	23 2 10 1 02 2 09	26	87 31 19	14 13 11 32 6 35	8 3 3 1	
159 160 161 162 163	By cutting or piercing instruments. By jumping from high places By crushing	62	3 6  0				-			2 6 2	78 1 23 7	40 22 14	155 1 39 15 20	15 13 11	20 2	3 4 6	12 5	1	
164 165 166	Accidental or undefined (total) Poisoning by food Other acute poisonings	1,39	1 1,80 1 7 9 9		22 12 29 2	7 3	6 4	3 5 9 5	1 (	16 30 1 18 1	91 122	84	130 1 94	34 21	752 3,1 19 71 69	226 2, 21 38 56	234		

Table 6.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA, ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE OF DECEDENT: 1911—Continued.

ut.	·					**			DE/	THS A	T AGE	of—	•		DEN'				<del></del>
Detailed Int. List No.	CAUSE OF DEATH.	All deaths.	Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	59	60 to 69 years.	70 to 79 years.	80 to 89 years.	99	100 years and over	Deaths at un- known age.
			THI	RE	GIS.	rra'	CION	AR:	EA(	Contin	ued.	<b></b>	·					·	·
	XIII.—External causes—Contd.																		
168	Accidental or undefined—Contd.  Absorption of deleterious gases (con-	0.140		-															ı
169 170	flagration excepted)	2,143 5,571 1,327	506 37 6	21 164 11	11 79 22	11 70 15	68 18	37 470 101	123 1,224 494	271 1,184 279	270 805 165	247 659 107	245 448 66	180 181 25	67	70 26 1	6		89 9
171 172	Traumatism by cutting or piercing instruments. Traumatism by fall.	122 8,905	2 131	8 156	2 93	4 88	3	9	18 347	14	20	17	13	7	4		1		
173	Traumatism in mines and quarries		191	190	98	88	97	234		688	832	970	970	1,047	1,446	1,475	349	, 8	10
	(total)Traumatism in mines Traumatism in quarries	2,372 2,256 116					•••••	5 4 1 18	189 177	800 759 41	650	448 429	185 176		9				9 3 1 4
174	Traumatism by machines	1, 239		i	2	1	2	18	12 173	331	299	19 210	9 123	5 58	3 17				4
175	Traumatism by other crushing (total)	13,572 7,696	43 9	67 25	96 18 26	126 11	135 20 24	713 142	1,229 672	2,761 1,957	2,611 1,749	2,116 1,282	1,687 855	1, 105 515	598 259	146 61	13		126 116
	Street-car accidents and injuries. Automobile accidents and in-	1,883	4	8		34		141	146	272	292	290	297	208	104	33	3		1
	juries Injuries by other vehicles Landslide, other crushing	1,291 2,237 465	25 1	28 	$^{9}_{42}$	18 60 3	20 70 1	189 224 17	173 204 34	175 249 108	285	172 283 89	152 313 70	116 241 25	63 166 6		1 4		1 6 2
176 177	Injuries by animalsStarvation	520 94	3 39	3	13 2	3	9	37	75	76	55	64 5	66	49 11	53	9	2		3
178 179	Excessive cold Effects of heat	188 3, 165	448	<del>7</del> 0	1 21	10	·····8	$\frac{2}{24}$	2 3 35	17 17 168	20 344	31 490	34	. 41 394	8 19 385	11 269	3 55	2	1 6 9
180 181 185 186	Lightning Electricity (lightning excepted)	240 513	1			i	<u>2</u>	13 14	51 73 14 223	49 199	34 127	40 60	30 23 40	8	5 4	4			5 1
185 186	Electricity (lightning excepted) Fractures (cause not specified) Other external violence	363 2,471	202	2 82	1 50	33	2 1 29	111	14 223	30 412	34 127 43 413	50 341	40 259	37 165	62 91	. 58 37	16 4	i	2 19
182	Homicide (total)By firearms	3,907 2,347	135 4 5	13 3	10 2	9 3	14 5	31 7 3	322 197	1,315 880 246	1,030 648	569 346	279 164 26 89	91 <b>4</b> 7	34 12 8	- 5 3			50 26
182 183 184	By cutting or piercing instruments By other means	638 922	126	10	2 1 7	1 5	1	3 21	56 69	246 189	1,030 648 187 195	346 80 143	26 89	15 29	8 14	2			26 9 15
107	XIV.—III-defined diseases	7,213	2,314	726	165	65	38	90	127	257	340	482	567	832	657	384	69	12	88
187 188 189	Ill-defined organic disease Sudden death Not specified or ill-defined (total) Ill-defined Not specified or unknown	611 377 6,225 3,512 2,713	10 89 2, 215 649 1, 566	4 6 716 612 104	6 153 109 44	2 62 48 14	35 20 15	6 78 42 36	19 106 64 42	23 20 214 128 86	29 28 283 179 104	63 36 383 264 119	57 45 465 349 116	102 59 671 536 135	444		22 3 44 21 23	2 3 7 2 5	4 2 82 18 64
				RE	GIS'	TRA	TIOI	T ST	ATE	S.1		<u> </u>	I	·		<u>'                                    </u>	<u></u>		
	All causes	756, 777	134, 949	27, 933	12, 003	7,875	5, 599	16 <b>, 1</b> 38	29, 666	57, 712	63, 753	67,446	78, 652	95, 469	97, 500	52, 657	7,844	341	. 1, 240
	I.—General diseases	205, 498		8,069	5,087	3,815	2,787	7,854			27,278	24,427	24,345	22,875	16, 559	5,905	696	29	316
1 2 3	Typhoid fever	11,096	71	109	147	118	149	659	2,253	3,081	1,923	1,116	757	457	192	28	2		34
4 5	Relapsing fever	1,322 95	135 27	98 4	61 4	40 2	28 2	84 4	120 7	120 8	120 9	115	114 5	124 10	114 2	34	2		13
6	Measles	5,395 4,646	1,224 222	1,592 502	722 685	397 610	213	449	282	178 188	123	95	40 7 2	40	29	8			3
7 8 9	Scarlet fever Whooping cough Diphtheria and croup Influenza	6,102 9,958	3,393 803	1,486 1,559 179	510 1,485	284 1,331 59	460 144 1,066	1,323 221 2,491	282 546 31 814	185 300	85 3 115	13 1 56	21	4 15	1 5 8	2 2	1		3 1 6 7
11	Miliary fever Asiatic cholera	8, 595	603	179	91	59	41	88	207	300	321	474	762	1,315	2,176	1,656	308	9	6
12 13 14	Cholera nostras	321 2,650	71 545	14 292	6 122	4	4	10	1 6	18	9	1 15	29	38	53 476	39	4		·····i
15	Dysentery Piague	2,000		292		62	28	47 1	15	49	68	78	149	298	476	363	47		7
16 17 18	Yellow feverLeprosyErysipelas	2,298	703	46	14	10		10	1 49	<u>2</u> 111	2 161	2 248		261	0.00				
19	Erysipelas Other epidemic diseases	179	52	33	15	7	6	19 23	17	8	11	3	255 2	1	258	142	17 1		<u>·</u>
20 21 22	Purulent infection and septicemiaGlanders. Anthrax.	1,678 11 11	218	46 1	26	22	15	90	126	181 2	174 3 4	182 1 - 2 4	192 3 1 2	171 1 1 4	157	60	10	2	6
23	Rabies Tetanus	69 1,001	239	11	3 11	4 11	2 21	20	14	6	8	- 1	- 1	- 1	1	ij.			
25 26 27	Mycoses Pellagra Beriberi	30 322	239	4	2	11	21	115 7	168 3 11	113 3 41 3	86 6 76	96 5 68	62 4 49	45 5 40	15 3 16	5 1 4	1		2
		5 84,624	2,443	1,696	961	665	456	1,457	7,704	-1	18,882	12, 490	8, 257	5,275	2,659	452	28		141
28 29 30 31 32 33 34 85	Tuberculosis (total) Tuberculosis of the lungs Acute miliary tuberculosis Tuberculous meningitis. Abdominal tuberculosis. Potit's disease	84,624 70,273 2,964 4,858	2,443 808 114	455 81	270 50	665 179 27 344 46 31 7 19	456 118 27 234 40 16	513 92	6,013 489	8, 695 868	18,882 17,105 574 185 530 107	11,290 338	8,257 7,325 189 71	4,637	2,325	386 5	24	3	127
31 32	Abdominal tuberculosis Pott's disease	4 001	1,099 214 40 7	126 25	507 68 21	46 31	40 16	557 127 65	338 121	611 132	530 107	374 80	368 67	25 292 57	14 137 28	30 6.	2		1 3 2
33 34 35	White swellings. Tuberculosis of other organs. Disseminated tuberculosis	401 1,203 821	7 105 56	455 81 923 126 25 6 51 29	68 21 10 16 19	7 19	10 9 2	41 39 23	65 125 107	68 174 181	52 191 138	80 33 161 89	43 120	30 103 55	28 22 75 27	6 - 10	2		3 1 3 2 1 3
1	}	زادمن	OUJ	40]	,			et of C		•	±00]	99[	74	99[	. 27]	8].	-	•••••	1

TABLE 6.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA, ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE OF DECEDENT: 1911—Continued.

<u></u>									DEA	THS A	T AGE	of—				<del></del>			
Detailed Int. List No.	CAUSE OF DEATH.	All deaths.	Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	19	20 to 29 years.	39	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 years and over.	Deaths at un- known age.
		<u>'                                    </u>	RE	GIS	TRA	TION	r st	ATES	3 1—Co	ntinu	ed.					1			
	I.—General diseases—Continued.																		
36 37 38	Rickets Syphilis. Gonococcus infection	452 3, 153 192	255 1,542 77	92 91 5	34 25 2	20 13	9 7	$\begin{array}{c} 7 \\ 21 \\ 2 \end{array}$		269 43	4 343 27	336 9	2 250 6	6 138 5	58 3	10 			1 5
39 40 41 42 43 44 45	Cancer and other malignant tumors (total)	40,229 1,576 15,896 5,385 5,997 3,923 1,496 5,956	35 2 7 2 2 22	31 2 7 2 1 2 1		3 3	24 1 5 4  14	72 4 8 8 3 2 4	183 7 26 28 8 2 10	125 134 119 36 19	2, 433 46 602 344 654 340 24 423	160	9,604 352 3,985 1,197 1,680 965 198		7,701 873 3,417 1,155 623 580 427 1,126	853 278 147 242 320	51 14 9 24 50	<sub>2</sub> i	1 4 5
46 47 48 49 50	Other tumors (tumors of the female gen- ital organs excepted)	395 3,210 735 54 8,173	19 27 34 23	4 25 6 12	$\frac{1}{2}$	1	41  18	377 3 144	10 572 11 3 438	1	29 294 34 2 550	66 304 56 3 800	65 331 122 1 1,658	61 381 169 1 2,252	77 342 214 1,424	128 84	10		1 5 1
51 52 53 54 55	Exophthalmic goiter	701 220 859 2,590 1,075	17 178 412	18 60 53	8 18 33	9		40 26 49	37 5 93 91 75	58	58	148 58 136 355 53	547 66	70 35 111 544 51	50 273 64	71 33	9		1 2 2
56 57 58 59	Alcoholism (acute or chronic) Chronic lead poisoning Other chronic occupation poisonings Other chronic poisonings	2, 625 133 11 271					•••••		2 4		714 25 2 36	770 36 2 53	2	259 23 3 50	101 3 35		1		20
	II.—Diseases of the nervous sys- tem and of the organs of special sense	75,333	6,755	1,845	920	570	394	1,142	1,560	1,986	3,603	6,067	9,773	14,850	16,607	8,304	829	29	99
60 61	Encephalitis Meningitis (total) Simple meningitis Cerebrospinal meningitis(undefined) Cerebrospinal fever	696 6,514 4,251 1,835 428	129 2,052 1,426 510 116	35 957 589 319 49		102	17 213 129 67 17	35 597 329 220 48	63 509 265 191 53	215 104	54 281 197 68 16	80 254 197 46 11	59 190 147 32 11	52 152 133 13 6	37 82 73 9	23	1		2 3 2 1
62 63	Locomotor ataxia.  Other diseases of the spinal cord (total).  Acute anterior poliomyelitis.  Other diseases of the spinal cord 2	1,471 3,704 1,005 2,699	241 197 44	222 202 20 20	135 123 12	93	61 55 6	159 138 21	4 166 98 68	33	98 202 12 190	272 288 14 274	435 455 15 440	391 718 16 702	219 622 6 616	193 2			2 1 1
64 65 66 67 68	Cerebral hemorrhage, apoplexy Softening of the brain Paralysis without specified cause General paralysis of the insane Other forms of mental alienation	41,336 957 5,747 3,691 1,290	430 41	67 15	32 1 6	9	19 2 5	41 5 18	135 4 33 4 21	59 76	1, 165 28 122 639 178	2,912 40 303 934 236	6,260 92 610 765 260	10,737 214 1,294 510 220	12,289 338 1,910 498 168	1,168 229	23 134 24	19 7 1	13 11 8
69 70 71 72	Epilepsy Convulsions (nonpuerperal) Convulsions of infants Chorea	2, 176 160 3, 902 106	59 3,368 6	26 361 3	17 104 3	11 43	12 26	82 32 9		40	401 31 2	295 13	215 5 8	173 5 6	124 10 8	4			6 1 i
73 74 75 76	Neuralgia and neuritis. Other diseases of the nervous system. Diseases of the eyes and their annexa. Diseases of the ears.	408 2,074 49 1,052	2 172 16 239	1 58 2 98	21 5 52	15 1 23	21 21 1 16	2 71 2 87	7 137 	24 168 2 111	55 271 76	57 314 3 60	75 274 70	71 243 8 56	71 197 5 29	102	3 6 2	1	3
	III.—Diseases of the circulatory system	100, 220	1,310	180	126	123	133	986	2,479	3,334	5, 432	8, 614	13,847	22, 707	25, 878	13, 324	1,592	49	106
77 78 79 80 81	Pericarditis Acute endocarditis Organic diseases of the heart Angina pectoris Diseases of the arteries, atheroma, aneur- ism, etc	672 3,850 76,413 3,931	11 167 796 4	7 27 107 1	3 30 74 1	79	74	26 182 746 3	1,950 23	2,547 82	57 571 4,184 168	6, 701		1,100	124 86 19,868 1,031 4,337	002	20	1	
82 83	Embolism and thrombosis	1,820 314	36 5	6	4	1	6	8	36 4		181 39	224 54	293 49	357 44	328 53			1	1
84 85	Diseases of the lymphatic system (lymphangitis, etc.). Hemorrhage; other diseases of the circulatory system.	295 338	144 133	28 4	13	8	7	10 7	17 10	9	12 21	10 14	4 24	15 29	7 44	10	1		
	IV.—Diseases of the respiratory system	89,328	20, 457	7,525	2,792	1,411	847	1,772	2,228	3,826	5,307	6, 441	7,724	9,855	11,092			38	91
86 87 88 89 90	Diseases of the nasal fossae. Diseases of the larynx. Diseases of the thyroid body. Acute bronchitis. Chronic bronchitis.  1 Including District of	124 770 231 6, 129 4, 709		1	262	97	4.	15 77 3 82 38 clusive	13 33 39	19 26 95	110	1 25 48 56 198 oliomy		2 18 40 203 808 infantil	•	1,225	5 2 1 106 230		3 1 3

<sup>&</sup>lt;sup>1</sup> Including District of Columbia

<sup>&</sup>lt;sup>2</sup> Exclusive of acute anterior poliomyelitis (infantile paralysis)

Table 6.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA, ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE OF DECEDENT: 1911—Continued.

# <u>:</u>							······································		DE	THS A	T AGE	of—	<del>~~</del>				·		
Detailed Int. List No.	CAUSE OF DEATH.	AII deaths.	Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	29	30 to 39 years.	40 to 49 years.	59	60 to 69 years.	70 to 79 years.	80 to 89 years	99	100 years and over.	Deaths at un- known age.
		:	RI	EGIS	TRA	TIOI	i NST	ATE	S 1—C	ntinu	ed.	1		<u> </u>	<u> </u>	ļ	<u> </u>		
	IV.—Diseases of the respiratory system—Continued.																		
91 92	Bronchopneumonia	23, 717 46, 764	9,554 6,490	3,764 2,699	1,215 1,095	577 607	302 387	534 933	287 1,637	323 2, 950	410 4.181	596 4, 809	877 5. 437	1,536	2,104 5,868 3,082	1,417 2,982 1,291	206 370	7 12	8
93	Lobar pneumonia. Pneumonia (undefined) Pleurisy.	23,717 46,764 25,903 20,861 1,936	2,294 4,196 92	3,764 2,699 1,233 1,466 95	558 537 66	607 298 309 34	387 207 180 23	534 933 480 453 49	287 1,637 959 678 102	323 2,950 1,950 1,000 187	410 4, 181 2, 844 1, 337 215	4,809 3,253 1,556 244	5,437 3,530 1,907 276	2,485	2,786	1.691	223	4 8 1	8 71 22 49
94	Pulmonary congestion, pulmonary apo-	2,133 166	441 2	54	23						١.					428		2	2
95 96 97 98	Gangrene of the lung Asthma Pulmonary emphysema. Other diseases of the respiratory system (tuberculosis excepted).	1,412 1,55 1,082	2 21 6 89	11 2	3	4 7 1	10 2 2 1 5	18 3 7 4 9		24 7	•		130 24 223 15 201	į	388 37	166 12	15 2	2	i
	V.—Diseases of the digestive system	86, 910	37,657	7,826	1,590	759	535	1,448	2,355	3,318	4,167	5,200	5,937	6,510	6,176	2,955	415	13	49
99 100 101 102 103	Diseases of the mouth and annexa. Diseases of the pharynx. Diseases of the sophagus. Ulcer of the stomach. Other diseases of the stomach (cancer excepted).	331 879 128 1,902 7,932	205 112 11 14 2,724	30 59 5 4 300	9 43 8 3	58 2 3 55		14 132 3 7	9 97 1 40 103	5	280	344	8 51 19 331 553	1	248	ļ	1 4 1 6	1	1 1 1
104 105 106 107 108	Diarrhea and enteritis (under 2 years) Diarrhea and enteritis (2 years and over). Ankylostomiasis. Intestinal parasites Appendicitis and typhlitis	40,018 7,145 15 82 6,018	32,877 13 32	7,141  14 27	1,207 17 30	443 1 12 56	9	348 4 6 519	152 4 4 1,358	274 2 1,251	344 2 1 963	432 1 1 717	552 2 2 513		1,290	842 33	144	7	8
109 110	Hernia, intestinal obstruction (total) Hernia. Intestinal obstruction Other diseases of the intestines.	6,291 2,090 4,201 1,634	927	124 15 109 43	83 8 75 19	63 4 59 9	44 2 42	131 7 124 29	182 23 159 45	371 75 296 113	478 128 350	623 242 381 139	824 366 458 144	1,025 467 558 182	945 397	411 177 234 132	52 15 37 24	1	7 4 3 1
111 112 113 114	Acute yellow atrophy of the liver. Hydatid tumor of the liver. Cirrhosis of the liver. Biliary calculi.	273 21 7,392 1,576	25 18	2 11	2 7	7	1 2 2	6 22	9 1 46 3	45 4 157 39	28 6 756 147	37 2 1,442 257	34 1 1,775 376	48 2 1,686 397		7 282 74	1 19 7		6 1
115 116 117 118	Other diseases of the liver Diseases of the spleen. Simple peritonitis (nonpuerperal). Other diseases of the digestive system (cancer and tuberculosis excepted)	2,728 113 2,002 430	139 2 156 11	20 1 44 1	16 3 34 2	14 2 28 3	9 18 3	22 92 4	65 4 210 22	170 12 343 36	256 16 304 65	381 16 210 89	467 18 183 - 84		10 139	195 6 . 51	1	i	1 2 1
	VI.—Nonvenereal diseases of the genito-urinary system and annexa.	59,676	875	233	179	140	109	436	1,070	3,049	4,984	7,300	9,715	12,430	12,751	5,675	643	20	67
119 120 121 122 123	Acute nephritis	5,200 45,962 1 1,215	388 308 111 2	125 84 18	103 67 6	85 49	55	221 203 8 2	285 627	549 1,627 1 76 17	671 3,217	699 5, 462	707	583	509 10,446 203	195	23	16	2 57
124 125	Diseases of the bladder	1,429	28	2	1		1	1	3	21	35	46	101	201	499	424	62	3	1
126 127	etc Diseases of the prostate Nonvenereal diseases of the male genital	227 2,007	5	2				1	2	19 7	24 6	52 25	34 119	39 421	871	13 499		i	4
128	organs. Uterine hemorrhage (nonpuerperal)	45 66				1			2	11	3 22	20 20	3	2 4			1		i
129 130 131 132 133	Uterine tumor (noncancerous). Other diseases of the uterus. Cysts and other tumors of the ovary. Salpingitis and other diseases of the female genital organs. Nonpuerperal diseases of the breast	774 664 564 1,165	3	1					41 9 65	43 154 68 449	169 170 117 396	295 169 123 204	140 84 100 33	74 22 78 8		12 6 15	1		<u>2</u>
	(cancer excepted)	29 8,469	11		- 1	- 1		- 1	2 672	3,854	4 3,241	1 684	1	3	3	J		- 1	12
134 135 136 137	Accidents of pregnancy Puerperal hemorrhage Other accidents of labor. Puerperal septicemia.	829 773							32 29 32 344	345 268 344	393 373 355	58 102 95 264	1						1 2 5
138 139 140	Puerperal albuminuria and convulsions. Puerperal phlegmasia alba dolens, embolus, sudden death Following childbirth (not otherwise defined).	1,860 251 45		•				1	223 10 1	· 875 106 21	631 103 16	127 32 6			•••••			1	4
141	Puerperal diseases of the breast  VIII.—Diseases of the skin and of	2		1		1	İ		1	1									
142	the cellular tissue  Gangrene	2,797 1,545	510 43 60	54 10	7	15 5	8 4	23 9	46 5 7	69 18	90 21	144 54	237 116	375 250	603 493	487 416	108	2	<u>6</u>
143 144 145	Furuncle Acute abscess Other diseases of the skin and annexa	1,545 266 423 563	60 150 257	10 6 23 15	7 2 7 4	2 5 3	2 2	10 2	7 25 9	18 17 23 11	20 26 23	27 31 32	43 39 39	40 43 42	27 21 62	10 14 47	3 4 14		1
	•			1	Includ	ing Di	istrict	of Colu	mbia.										_

Table 6.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA, ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE OF DECEDENT: 1911—Continued.

<u></u>	EACH REGISTRATION STATE,	I ILOM	I EAU	L UA	بترون	тил	ODA	.DO U.	L OA.	OBER	э, <b>Б</b> І	AGE	J OF	DECE	אידורוי.	1: 19.	11O	ontin	ued.
Int.						<del>,</del>	<del></del>		DE	ATHS A	T AGE	of—							Deaths
Detailed Int. List No.	CAUSE OF DEATH.	All deaths.	Under 1 year.	Į į	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	29	39	49	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 years and over.	at un- known age.
			R	EGIS	TRA	TIO	n s:	FATI	es 1—	Contin	ued.				<del>/</del>	•			
	IX.—Diseases of the bones and of the organs of locomotion	1,246	119	52	44	27	17	118	181	118	115	118	119	102	81	28	5		2
146	Diseases of the bones (tuberculosis excepted).	1,079	110	51	40	26	16	110	176	103	100	102	101	75	52	13	2		2
147 148	Diseases of the joints (tuberculosis and rheumatism excepted). Amputations.	114	8	1	4	1	1	7	4	13	12	13 2 1	13	15 2	12	7	3		
149	Other diseases of the organs of locomotion  X.—Malformations.	48 7,866	7 204	222			27	70	1 77	2	3 9		5	10	16 16	8			
150	Congenital malformations (stillbirths not included) (total)	7,866	7,324	222	56 56	41 41	27	70	77	29 29	9	$\frac{7}{7}$		2					2
	Hydrocephalus. Congenital malformations of the heart Other congenital malformations.	4,736	7,324 496 4,482 2,346	84 86 52	15 26 15	11 18 12	14 8 5	22 39 9	19 48 10	5 16 8	6 3	3 3		<u>-</u> -					2
	XI.—Early infancy	42,692	42,692																
<b>1</b> 51	Congenital debility, icterus, and sclerema (total)	35,215 21,639	35, 215 21, 639																
152	Congenital debility, "atrophy," "marasmus," etc Other causes peculiar to early infancy	13,576	13,576																
	(total)	7,324 4,176	7,324 4,176																••••••
153	fancy <sup>2</sup> Lack of care	3,148 153	3,148 153																
154	XII.—Old age	12,954									3	3	60	569 569	3,673 3,673	6,508 6,508	1,985 1,985	135 135	18
201	XIII.—External causes	57,476	1,767	1,310	1,055	929	711	2,209	4,921	9,825	-		6,418	4,441	3,470	2,227	455	15	18 389
155	Suicide (total)	8,635 2,576							354 156	1,640 651	1,842 582	1,763 484	1,543 380	942 223	397 78 27	106 12 9	7 3		41 7
156 157 158 159	By asphyxia By hanging or strangulation By drowning	502							25 29 22	141 137 80	168 215 90	200 258 91	183 282 105	106 212 69	113 34	32 6	- 1		10 4
160 161	By firearms By cutting or piercing instruments. By jumping from high places	2,566 570 131	······						110 3 2 5	528 67 21	584 131 37	525 140 30	451 107 13	228 73 20	113 34 97 35 3	30 12 5			13 2
162 163	Other suicides	68 72					•••••		5 2	7 8	21 14	15 20	11 11	9	4 6				3 2
164 165	Accidental or undefined (total)	45,802 424 1,266	1,656 66 84	1,300 29 206	1,045 21 118	921 25 63	698 9 39	2,180 39 47	4,324 42 55	7,225 38 171	6,643 40 150	5,828 43 121	4,638 29 107	3,420 18 59	3,044 19 34	2,116 5 6	448	15	301 1 6
166 167	Conflagration Burns (conflagration excepted)	825 4,114	31 165	29 484	26 509	29 475	29 300	55 395	114 233	116 289	82 282	87 273	67 236	64 197	53 183	28 74	1 7	1 4	13 8
168 169	Absorption of deleterious gases (con- flagration excepted) Accidental drowning	1,859	457 36	20 162	9	9 66	4 68	34 441	100 1,134	221 1,111	228 746	212 598	213 424	152	126	64			4
170 171	Traumatism by firearms	5,203 1,169	6	10 8	78 21	12	17	90	451	241	127	96	59	170 23	64 8	24 1			81 7
172	Traumatism by fall	113 8,203	124	142	88 88	85	3 58	220	311	13 611	19 734	15 848	873	964	1,374	1,411	343	8	9
173	Traumatism in mines and quarries (total).  Traumatism in mines	2,338 2,224 114						5 4	188 176	787 747	665 640	442 423	182 173	54 49	11 9				4 3
174	Traumatism in quarries Traumatism by machines	1,104		····i	2	i	2	1 16	12 154	40 289	25 274	19 190	9 104	5 50	$\frac{2}{17}$				1 4
175-	Traumatism by other crushing (total) Railroad accidents and injuries. Street-car accidents and injuries.	12,249 7,068 1,590	41 9 4	63 24 8	90 18 24	107 8 28	124 19 19	638 137 115	1,088 604 119	2,488 1,781 240	2,364 1,598 256	1,917 1,181 249	1,514 794 241	999 477 174	557 246 87	128 59 22	12 4 3		119 109 1
	Automobile accidents and in- juries	1,150 2,048	3 24	4 27	7 40	16 52	19 67	174 197	152 186 27	158 219	161 259 90	153 259	129 290	101 224	58 160	13 34	1		1 6
176	Landslide, other crushing  Injuries by animals	393 497	1 2	•	1 12	3	8	15 34	27 72	90 72	90 50	75 63	60 62	23 49	6 53	9	2		ž · 3
177 178 179	Starvation  Excessive cold  Effects of heat	80	31 416	3 2 65	1 20	9	<sub>7</sub>	2 22	1 3 30	17 17 137	5 20 303	5 30 443	8 33 394	11 36 363	8 19 361	10 258	3 54	1	- 6 9
180 181		235 450	1					13	51	49	32	39	1		5	4			5
185 186	Lightning Electricity (lightning excepted) Fractures (cause not specified) Other external violence	330 2,271	191	2 74	46	$\frac{1}{32}$	2 1 26	14 2 104	60 12 211	183 28 363	105 37 380	52 44 310	29 20 36 236	7 8 35 154	4 58 86	54 36	15 4	i	1 2 18
182	Homicide (total)	3,039 1,788	111 4	10 3	10 2 1	8 3 1	13 5	29 7	243 149	960 630	795 487	463 281	237 137	79 42	29 9	5 3			47 26
182 183 184	By cutting or piercing instruments By other means	487 764	103	7	7	4	7	3 19	40 54	176 154	148 160	61 121	23 77	13 24	7 13	2			9 12
187	XIV.—Ill-defined diseases  Ill-defined organic disease	6,312 517	2,113	617	134	45	31	80	104	191	244	387	471 42	753 92	610	371 92	67 21	11 2	83
188 189	Not specified or ill-defined (total)	349 5.446	83 2,021 593	6 608 516	122	2 1 42 29	29	6 68 37	2 85 51	15 164 108	21 24 199 132	31 313	41 388 305	92 57 604 491	48 418 292	21 258 158	3 43 20	2 3 6	3 2 78 18 60
	Ill-defined Not specified or unknown	2,368	1,428	92	84 38	13	19 10	31	34	56	67	224 89	83	113	126	100	23	5	60

<sup>&</sup>lt;sup>1</sup> Including District of Columbia.

Table 6.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA, ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE OF DECEDENT: 1911—Continued.

=	-								DE	ATES A	T AGE	OF							1
Detailed Int. List No.	CAUSE OF DEATH.	All deaths.	Under 1 year.		2 years.	3 years.	4 years.	5 to 9 years.	19	20 to 29 years.	30 to 89 years.	49.	50 to 59 years.	60 to 69 years.	70 to 79 years.	89	90 to 99 years.	100 years and over.	Deaths at un- known age.
						CALI	FOR	NIA.				4							
	All causes	34, 010	3,524	687	337	234	145	525	1,227	<del></del>		<u> </u>	4, 183	4,831	4,721	2,512	310	24	20
į	I.—General diseases Typhoid fever	10,097 430	443	220	134	100	55 4	250 31	616	1,493	1,667 83	1,427 42	1,379 32	1,232	763	287	28	2	1
1 2 3 4 5	Typhoid fever. Typhus fever. Relapsing fever Malaria. Smallpox	100	8	1 2	3 1	5		8	7	7 2	8 1	9	9	17 1	13 1	5			
6 7 8 9 10	Measles . Scarlet fever. Whooping cough Diphtheria and croup. Influenza.	80 89 159 162 210	11 2 96 13 18	35 7 31 20 2	16 13 12 18 2	.4 6 10 20	1 6 2 11 1	7 27 8 55 1	20 18 7	2 6 3 7	1 2 5	2 4	1 17	24	56	53	13		
11 12 13 14 15	Miliary fever. Asiatic cholera. Cholera nostras. Dysentery. Piague	5 105 1	1 29	1 14	1 3	1	1	1 2 1	ī	3	6	3	6	10	ii	14	1	1	
16 17 18 19	Yellow fever. Leprosy. Erysipelas. Other epidemic diseases.	4 66 2	17 1	1					1 2	1 3	1 1	1 6 1	7	13	10	6			
20 21 22 23	Purulent infection and septicemia	65 2 3	4	1	1	i		2	6	7	9 1 1	11 1	8	8	5	3			
24 25 26 27	Tetanus. Mycosas. Pellagra. Beriberi	61 3 12 3	5	1		1	1	9	7 1 2	12	6 1 4 1	8 2	1	5 1 3	1	1			
28 29 30 31 32 33 34 35	Tuberculosis (total) Tuberculosis of the lungs, Acute miliary tuberculosis Tuberculous meningitis, Abdominal tuberculosis, Pott's disease. White swellings, Tuberculosis of other organs, Disseminated tuberculosis.	5,142 4,357 139 256 206 48 18 69 49	136 61 4 49 11 5 6	81 19 5 44 8 2	46 7 3 29 4 1	40 6 1 27 4 1	23 6 3 10 3	77 20 4 35 12 4	393 307 30 12 22 9 4 5 4	1,176 1,034 38 19 36 13 3 18	1,259 1,153 25 19 36 4 8	820 745 14 10 29 5 2 9	552 509 8 2 18 3 1	346 317 4 14 2 2 5	157 141 8 1 1 5 1	29 26 1 1	7 6		
36 37 38	Rickets Syphilis. Gonococcus infection.	15 205 11	8 61 3	3 9	1 1	2		2	 8 1	13 3	27 2	31	28	3 16	6 1	1			
39 40 41 42 43 44 45	Cancer and other malignant tumors (total).  Of the buccal cavity  Of the stomach, liver.  Of the peritoneum, intestines, rectum of the female genital organs.  Of the breast.  Of the skin.  Of other organs, or of organs not specified.	2,053 84 874 273 266 187 81	1 1		3 1 2			2	7 3 1 1	35 6 3 7 4 3 12	130 6 29 23 27 17	310 8 113 33 71 36 3 46	510 18 228 62 74 54 11	561 23 279 80 53 39 24	362 21 168 58 25 21 17	123 7 45 13 8 15 19	6 1 1 3	1	i
46 47 48 49 50	Other tumors (tumors of the female genital organs excepted). Acute articular rheumatism. Chronic rheumatism and gout. Scurvy. Diabetes.	17 128 34 2 409	2	3	3	1 1	2 1	10 1 1	25 22	1 11 1 30	1 14 2 27	4 11 4 	3 10 8 78	1 22 7	1 10 5 78	. 4 7 6			
51 52 53 54 55	Exophthalmic goifer Addison's disease. Leukemia. Anemia, chlorosis. Other general diseases.	32 8 48 108 57	2 18	1 1 1 1	1 1	2 1 1	······································	2 1 1	3 5 5 6	4 1 9 3 5	50050	7 1 6 25 · 6	5 1 11 20 4	4 1 5 31 1	3 1 3 10 5	3 4			
56 57 58 59	Alcoholism (acute or chronic)	216 4 37								10 3	45 2 8	57 1 11	54 1 9	32 3	17 2	1			
	II.—Diseases of the nervous sys- tem and of the organs of special sense.	3,270	147	60	43	18	16	51	68	110	183	329	450	661	736	368	26	4	<del>-</del>
60 61	Encephalitis Meningitis (total) Simple meningitis Cerebrospinal meningitis (undefined) Cerebrospinal fever	223	7 79 55 22 2	3 38 22 15 1	1 26 15 8	1 9 5 4	11 7 3 1	33 19 13 1	5 30 14 12 4	25 15 9	22 18 1 1	8 29 26 2 1	2 14 11 3	5 8 8	4 7 6 1	1 2 2			
62 63 64	Locomotor ataxia Other diseases of the spinal cord (total) Acute anterior pollomyelitis Other diseases of the spinal cord	1,747	4 3 1 11 Exclus	8 8 8	6 5 1 3	3 2 1 1	1 1	5 5 2	1 6 5 1 3	4 1 3 17	6 12 12 58	15 24 24 140	33 28 1 27 251	27 37 37 445	12 25 25 535	13 259	1 1 20	i	

Table 6.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA, ALL REGISTRATION STATES, AND-EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE OF DECEDENT: 1911—Continued.

<u></u>									DEA	THS A	T AGE	OF							
Detailed Int. List No.	CAUSE OF DEATH.	All deaths.	Under 1 year.		2 years.	3 years.	4 years.	5 to 9 years.	19	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 years and over.	Deaths at un- known age.
		!	11		CAL	IFOR	NIA	-Cont	inued.		<u> </u>	1			1	J	1	1	
	II.—Diseases of the nervous system and of the organs of special sense—Continued.																		
65 66 67 68	Softening of the brain Paralysis without specified cause. General paralysis of the insane. Other forms of mental alienation.	55 236 185 79		2	1	1			1 1	1 6 2 8	1 3 31 14	3 13 45 15	7 26 40 17	11 56 31 9	19 75 25 9	12 48 9 6	3 1	1 1	
69 70 71 72	Epilepsy Convulsions (nonpuerperal) Convulsions of infants. Chorea	94 3 49 2	40 1	1 5	1 2	1	i	5	11	23	15 2	16	7	8	5 1	1 1			
73 74 75 76	Neuralgia and neuritis. Other diseases of the nervous system. Diseases of the eyes and their annexa. Diseases of the ears.	13 118 33	4	<u>2</u>	1	1	2 <u>1</u>	4 2	3 7	10	2 13	2 16 3	3 19 3	20 3	5 13 1	10		1 	
	III.—Diseases of the circulatory system	5,559	39	9	5	5	1	23	89	160	316	534	827	1,294	1,449	717	83	6	2
77 78 79 80 81	Pericarditis Acute endocarditis Organic diseases of the heart Angina pectoris Diseases of the arteries, atheroma, aneurism, etc.	28 206 4,443 150 586	8 · 21	1 5	1 1	1 4	i	1 6 16	3 13 69	3 22 124 1 4	3 33 244 3	3 44 428 13	9 60 648 25	2 7 1,100 51	3 6 1,193 39	1 4 526 16	58 2 23	3	<u>2</u>
82 83 84 85	Embolism and thrombosis.  Diseases of the veins (varices, hemorrhoids, phlebitis, etc.)  Diseases of the lymphatic system (lymphangitis, etc.).  Hemorrhage; other diseases of the circu-	107 11 13	6 2	2	2				2	6	13	13	17 2	16 2	29 1	8 3 1			
	IV.—Diseases of the respiratory system	3,215	483	147	59	35	23	50	84	150	256	300	360	405	499	318	44	1	
86 87 88 89 90	Diseases of the nasal fossae	3 23 13 126 197	62 1	3 15 1	2 8	4	1 1	3 5		2	1 1 3 1 8	2 4 2 12	1 2 1 14	2 5 25	1 3 10 57	1 1 1 12 62	4 8		
91 92 93	Bronchopneumonia. Pneumonia (total) Lobar pneumonia. Pneumonia (undefined). Pleurisy.	639 1,885 1,056 829 90	218 185 72 113	65 62 24 38	16 32 18 14	12 16 10 6 1	8 14 10 4	10 30 13 17 1	10 60 34 26 3	10 112 69 43 16	16 203 145 58 10	26 227 144 83 13	28 274 168 106 13	54 268 167 101 12	89 264 126 138 15	67 125 53 72 5	9 12 3 9	1	i i
94 95 96 97 98	Pulmonary congestion, pulmonary apoplexy Gangrene of the lung. Asthma. Pulmonary emphysema. Other diseases of the respiratory system (tuberculosis excepted).	116 9 69 5	12		1	1		1	3	1 1 2 1 5	2 1 5	6 2 3 1	5 1 10 1	9 3 21	30 1 24 1	35 4 1 4			
	V.—Diseases of the digestive system	3,097	918	173	50	31	19	45	88	178	239	310	311	340	270	107	18		
99 100 101 102 103	Diseases of the mouth and annexa Diseases of the pharyux Diseases of the esophagus Ulcer of the stomach Other diseases of the stomach (cancer excepted)	11 32 7 128 225	5 1 1 92	2 2  10	1 1	3	2 1	5	5	9 11 3	1 1 21 10	1 3 1 15	1 3 33 14	1 19 19	1 20 31	6 25			
104 105 106 107 108	Diarrhea and enteritis (under 2 years) Diarrhea and enteritis (2 years and over). Ankylostomiasis. Intestinal parasites Appendicitis and typhlitis.	904 281 1 5 279	758 1 3	146 2 2 2	41	18	10 1 1	10	7 50	10 1 68	29	24 1 48	27	36	43 5	18	8		
109 110	Hernia, intestinal obstruction (total) Hernia Intestinal obstruction Other diseases of the intestines	313 94 219 73	40 6 34 8	3 3 3	3 3 1	3		5 1 4 2	9 9 4	22 3 19 8	26 8 18 10	34 9 25 4	36 15 21 7	63 22 41 12	42 19 23 7	25 11 14 4	2 2 3		
111 112 113 114	Acute yellow atrophy of the liver	504 59		1				1		3 13 2	1 46 3	1 113 7	118 14	121 13	70 17	17 3	4		
115 116 117 118	Other diseases of the liver Diseases of the spleen. Simple peritonitis (nonpuerperal). Other diseases of the digestive system (cancer and tuberculosis excepted)	143 3 98 24	3 1	1	2	1 1 1	2	1	10	10 1 14 3	18 1 14 5	25 1 16 4	18 13 4	35 8 2	21 10 3	7 2	1		

Table 6.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA, ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE OF DECEDENT: 1911—Continued.

int.									DEA	THS A	r AGE	or—							Deaths
Detailed Int. List No.	CAUSE OF DEATH.	All deaths.	Under 1 year.	1 year.	2 years.	3 years.	4 years.	0 00 0	10 to 19 years.	29	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 years and over.	at un- known age.
		· · · · · · · · · · · · · · · · · · ·			CAL	FOR	NIA	-Cont	inued.										
	VI.—Nonvenereal diseases of the genito-urinary system and annexa	2,758	36	4	6	4	3	10	49	138	241	401	417	555	595	266	33		
119 120 121	Acute nephritis Bright's disease Chyluria	187 2,104	13 19	4	4 2	2 2	3	6 3	. 4 37	21 70	30 144	38 294	24 351	17 478	18 487	5 190	1 24		
122 123	Other diseases of the kidneys and annexa. Calculi of the urinary passages	60 16	3					1		5	6 2	9 4	6	12	9 4	8 2	1		
124 · 125 126	Diseases of the bladder Diseases of the urethra, urinary abscess, etc Diseases of the prostate	78 10 113	1							1	2 1 2	2 4 1	6 2 3	16 1 23	19 1 50	27 31	<u>4</u> <u>3</u>		
127 128	Nonvenereal diseases of the male genital organs. Uterine hemorrhage (nonpuerperal)									1	1			******	1		•••••		
129 130 131	Uterine tumor (noncancerous) Other diseases of the uterus Cysts and other tumors of the ovary Cysts are the diseases of the fa-	.42 41 22							1 2 	3 4 4	9 11 4	16 13 6	6 9 4	1 1 2	6	1 2			
.132 133	Salpingitis and other diseases of the fe- male genital organs  Nonpuerperal diseases of the breast (can- cer excepted)	81							5	28	28	14	5	1					 
704	VII.—The puerperal state  Accidents of pregnancy								27 5	160 16	123	21 1					<u></u>		
134 135 136 137	Accidents of pregiments Puerperal hemorrhage Other accidents of labor. Puerperal septicemia	36 23 28 143							1 15	9 10 72	11 11 52	3 6 4							
138 139	Puerperal albuminuria and convulsions. Puerperal phiegmasia alba dolens, embolus, sudden death	82 12							5	43 7	28 5	6							
140 141	Following childbirth (not otherwise defined).  Puerperal diseases of the breast	7							1	3	2	1							
	VIII.—Diseases of the skin and of the cellular tissue	106	10			ļ			1	3	4	3	12	17	26	37	3		
142 143 144 145	Gangrene Furuncle Acute abscess Other diseases of the skin and annexa	68 18 8 12	1 5 1 3						i	1	1 2 1	1 1 1	7 3 1 1	.3 .3	22 3 1	25 1	2 1		
	IX.—Diseases of the bones and of the organs of locomotion	50	1	1		2		2	5	7	5	7	7	3	9				
146 147	Diseases of the bones (tuberculosis excepted)	41.	1	1		2		2	5	. 7	4	7	6 1	1 1	4 2	••••			. :
148 149	rheumatism excepted)	5 4												i	3				
150	X.—Malformations  Congenital malformations (stillbirths not	292	268	9	2	1	1	3	5	2	1								
	included) (total).  Hydrocephalus.  Congenital malformations of the heart.	292 26 177	268 16 167	9 3 3	1	1	1	3 2 1	5 3 2	1 1	1							l	1
	Other congenital malformations  XI,—Early infancy	89	85 1,104	. 3	ī							<b> </b>							
151	Congenital debility, icterus, and sclerema (total).	884 646	884 646																
152	Congenital debility, "atrophy," "marasmus," etc Other causes peculiar to early infancy (total)	238 215	238 215					1											
7 50	Injuries at birth. Other causes peculiar to early infancy 1 Lake of care.	124 91	91 5		J						i .		 						
153	XII.—Old age	1											1	30	163	314	57	10	2
.154	SenilityXIII.—External causes	1	66	62	38	38	27	91	195	662	712	577	1 412	30 284	163 201	314 100	57 18	10 1	12
155	Suicide (total)	749 147							14 4	132	172 31	181 43	121 18	74 14	37 2	15 2			
156 157 158 159 160	By asphyxia By hanging or strangulation By drowning By firearms By cutting or piercing instruments.	77 72 30 322 76							1	13 8 3 65 10	11 15 5 86 18 5	22 17 11 62 18 2 4	14 13 2 59 12 1	11 10 5 22 8	4 7 14 8	2 1 4 4 2			
161 162	By jumping from high places By crushing	12 7		l	J	١	J	les at b	irth.	1:::::	1 1	4	1	3	1 1	]	l		

Table 6.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA, ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE OF DECEDENT: 1911—Continued.

it.					<del></del>				DE2	ATHS A	T AGE	of—							
Detailed Int. List No.	CAUSE OF DEATH.	All deaths.	Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	59	60 to 69 years.	70 to 79 years.	89	90 to 99 years.	100 years and over.	Deaths at un- known age.
-					CAL	FOR	RNIA	—Cont	inued.				"						
	XIII.—External causes—Contd.																		
163	Other suicides	6							1			2	1	1	100				1 8
164 165 166 167	Accidental or undefined (total).  Poisoning by food. Other acute poisonings. Conflagration. Burns (conflagration excepted).	2,494 44 70 62 158	64 7 1 1 11	60 2 7 1 10	38 1 6 1 17	38 4 2 2 16	27 1 10	89 6 1 3 14	160 3 4 3 8	450 4 12 4 15	471 5 17 10 11	354 3 11 11 11	267 2 6 .7 .7	202 4 1 9 8	162 2 2 5 14	85 1 2 5	18 1 1	1	i
168 169 170	Absorption of deleterious gases (con- flagration excepted) Accidental drowning	122 346	17 1	2 21	1 6	1 5	4	3 16	5 40	21 67	19 64	13 45 2	14 45	14 20	7 4	5 3			<u>5</u>
171	Traumatism by firearms. Traumatism by cutting or piercing instruments. Traumatism by fall	84	 					7	26	22	18	2	5	4	1				
172 173	Traumatism in mines and quarries	369	4	8	2	2	3	6	15	42	48	42	42	31	59	51	13	1	
174	(total). Traumatism in mines Traumatism in quarries Traumatism by machines	66   57   9   82						1	2 2 12	17 12 5 24	20 19 1 32	16 15 1 11	5 5 2	6 6					
175	Traumatism by other crushing (to- tal).  Railroad accidents and injuries.  Street-oar accidents and injuries.  Automobile accidents and in-	809 346 129	3 1	5 2 1	2	5 •1	7 2 1	25 4 4	31 10 4	168 87 13	171 93 19	152 59 33	107 46 18	79 23 22	43 16 . 10	9 2 1	2 1 1		
	juries Injuries by other vehicles Landslide, other crushing	113 184 37	1 1	2	····i	1 3	3 	7 10	6 11	22 35 11	24 26 9	22 29 9	10 28 5	10 21 3	7 10	2 4.			
176 177 178 179	Injuries by animals. Starvation Excessive cold Effects of heat.	28 7 4 33	6		1			1 1	2		3 1 3	4 1 1 7	2 3 1 4	5 2 1 3	5 5	ii			1 î
180 181 185 186	Lightning Electricity (lightning excepted) Fractures (cause not specified) Other external violence	1 34 17 154	13	4	1	1	2	1 4	2 1 6	16 2 28	1 11 2 35	3 19	1 14	1 2 12	5 10	3 5	1		
182 183 184	Homicide (total) By firearms By cutting or piercing instruments By other means	253 179 42 32	2	2 1 1				2 2	21 10 6 5	80 58 12 10	69 50 14 5	42 32 5 5	24 18 3 3	8 5 2 1	2 2				1
	XIV.—Ill-defined diseases	58	9	2						2	5	4	7	10	10	8			1
187 188 189	III-defined organic disease Sudden death Not specified or iII-defined (total) III-defined Not specified or unknown	9 2 47 33 14	1 8 5 3	2 2						2	5 2 3	1 3 2 1	1. 6 4 2	10 10	3 1 6 4 2	4 4 4			i 1
<u>'</u>				'	,	COL	ORA	DO.	,	·	<u>'</u>								
	All causes	10,740	1,818	372	143	106	64	248	463	1,306	1,302	1, 139	1,180	1, 129	976	421	50	2	21
	I.—General diseases	3,486	185	99	63	47	33	126	200	708	674	458	392	267	174	49	6		5
1 2 3	Typhoid fever Typhus fever Relapsing fever	252	3	4	7	3	1	22	40	73	44	24	15	12	2	2			
4 5	Malaria Smallpox	3	1							1	1								
6 7 8 9	Measies	125 82 56 98 102	27 3 37 3 13	29 7 13 8 3	21 9 4 10 2	10 15 	6 10 9	15 24 2 31 1	7 10 21 4	4 4 2 5	3 2 5	2	1	19	22	11	3		
11 12 13 14 15	Miliary fever Asiatic cholera. Cholera nostras Dysentery. Plague	3 24	7	2 3				i		1 1			2	1	3	6			
16 17 18 19	Yellow fever Leprosy Erysipelas Other epidemic diseases		12 1	1			1		1		1 1	2	i	2	3	2	1		
20 21 22 23	Purulent infection and septicemia	35	7		1			2		4	3	5	5	1	5	1	1		
24 25 26 27	Tetanus. Myooses. Pellagra. Beriberi.	14 2 6		1				1	2	4	1 1 2	4 1	2	1					

Table 6.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA, ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE OF DECEDENT: 1911—Continued.

nt.									DEA	THS A	T AGE	OF—	~~~						
Detailed Int. List No.	CAUSE OF DEATH.	All deaths.	Under 1 year.	1 year.	2 years.	.3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	59	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 years and over.	Deaths at un- known age.
•			•		COI	LOR	DO-	Conti	nued.			·	<u>'</u>	<b>.</b>	, -,	×			
	I.—General causes—Continued.																		
28 29 30 31 32 33 34	Tuberculosis (total) Tuberculosis of the lungs. Acute miliary tuberculosis Tuberculous meningitis Abdominal tuberculosis. Patti disease.	57 30	30 11 1 15 1	25 6 1 16	7 6	5 3	3 1 1 1	12 5 1 3 1	86 75 3 5	571 546 2 4 7	525 506 2 2 2 8	294 285 2 2 2 3	157 148 1 3	68 59 2	21 21	4 3 			3 3
33 34 35	Pott's disease. White swellings. Tuberculosis of other organs. Disseminated tuberculosis.	13 16	2	<u>1</u>		1		2	1 1	3 6	1 1 4	2	<u>2</u> ,	·····i		1			
36 37 38	Rickets. Syphilis. Gonococcus infection.	3 61 2	1 29	1 1			1		1	10 1	6	3	7	3	1				
39 40 41 42 43 44 45	Cancer and other malignant tumors (total) Of the buccal cavity Of the stomach, liver Of the peritoneum, intestines, rectum Of the female genital organs Of the breast Of the skin Of other organs or of organs not specified	459 13 194 61 64 42 20							3 1 1	7 2 1 1 1	37 1 11 4 7 4 1	76 2 26 9 21 8 2	135 3 60 17 27 12 2	100 3 54 14 6 4 3	78 1 29 15 2 12 9	18 2 10 1 1			
46 47 48 49 50	Other tumors (tumors of the female genital organs excepted). Acute articular rheumatism. Chronic rheumatism and gout. Scurvy. Diabetes.	97. 3 52 14 2 112	1				1	8	9	1 3 8	1 5 1	1 3 211	14 4 3 · 20	16 6 3	9 5	3			
51 52 53 54 55	Exophthalmic goiter Addison's disease Leukemia Anemia, chlorosis Other general diseases	7 2 8 27 13	1 1 7	1	1 1	1 1	i	1	1 1	2 1 1	2 1 1 3	2 5 1	2 1 4	1 5 2	1 3 1				
56 57 58 59	Alcoholism (acute or chronic)	74 2 4							2	4	13 1 1	17 1	22  1	15 1	1				
	II.—Diseases of the nervous system and of the organs of special sense	809	78	22	7	3	2	19	28	33	58	92	115	141	154	49	5		3
60 61	Encephalitis Meningitis (total) Simple meningitis. Cerebrospinal meningitis (undefined) Cerebrospinal fever.		1 46 35 11	18 13 5	6 3 1 2	2	1 1	8	1 16 7 5 4	1 5 1 3	1 6 5 1	4 2 2	1 3 2 1	2 1 1					
62 63 64	Lecomotor ataxia.  Other diseases of the spinal cord (total).  Acute anterior poliomyeitiis.  Other diseases of the spinal cord <sup>1</sup> .  Cerebral hemorrhage, apoplexy	21 31 6 25 367	1 1 7	1				3 3	4	1 2 1- 1 4	1 4 1 3 14	8 5 5 35	5 7 7 60	4 5 5 94	2 4 105		1		
65 66 67 68	Softening of the brain.  Paralysis without specified cause.  General paralysis of the insane.  Other forms of mental alienation.							2		2 1 1	1 4 8 7	2 6 20 7	13 9 5	10 7 5	3 26 6 1	1 8			1 2
69 70 71 72	Epilepsy Convulsions (nonpuerperal) Convulsions of infants Chorea	34 17 3	15	1			1	1	2 3	10	10	1	1	8	1				
73 74 75 76	Neuralgia and neuritis Other diseases of the nervous system Diseases of the eyes and their annexa Diseases of the ears.		2 6	, 2	1	1		2	1 1	1 4 1	1 1	1 2 1	8	$\frac{1}{2}$	2 2 2				
77	. III.—Diseases of the circulatory system	1,008	18	6	2	3	3	16	41	55 2	72	122	160	218	216	70	5		1
78 79 80 81	Acute endocarditis. Organic diseases of the heart. Angina pectoris. Diseases of the arteries, atheroma, aneurism, etc.	31 743 61 104	1 12	2 3	2	1 2	2 1	14 14	3 36	5 39 4	3 53 4 1	98 6 6	3 116 16 11	1 169 17 21	3 147 13 44	48 1 18	2		i
82 83 84	Embolism and thrombosis.  Diseases of the veins (varices, hemorrhoids, phlebitis, etc.).  Diseases of the lymphatic system) (lymphangitis, etc.).	44 6 5	1	1				1	1	4	7	4 1	11 2	8	6 2 1	2			
85	Hemorrhage, other diseases of the circulatory system.	7	1 Exclu		acute	anteri	or poli	omyeh	tis (inf		2 paraly:			1	l <u></u>	1			

Table 6.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA, ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE OF DECEDENT: 1911—Continued.

=	<u> </u>	1	l.																<u> </u>
Et.			i						DE	ATHS A	T AGE	or—							/
Detailed Int. List No.	CAUSE OF DEATH.	All deaths.	Under 1 year.	1 year.	2 years	3 years	4 years	5 to 9 years.	10 to 19 years.	20 to 29 years.	39	49	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	years and over.	Deaths. at un- known age.
					co	LOR.	ADO.	- Conti	nued.	•	·			<del>'</del>	<b>,</b>	L	<u> </u>		1
	IV.—Discases of the respiratory system	1,371	339	90	32	24	10	28	37	85	96	131	151	167	119	56	5	]	ı
86 87	Diseases of the nasal fossae Diseases of the larynx	7		3		2		2											
88 89	Diseases of the thyroid body  Acute bronchitis	64	48	6	4		2							1	2	1			
90 91 92 93	Chronic bronchitis  Bronchopneumonia  Pneumonia (total)  Lobar pneumonia  Pneumonia (undefined)  Pleurisy	279 851	3 141 146 30 116	50 . 30 . 10 20	12 16 10 6	10 11 7 4 1	3 5 1 4	11 12 8 4 2	1 30 18 12 3	1 4 71 35 36 3	1 1 82 48 34 4	2 5 98 60 38 1	5 5 111 68 43 3	12 12 121 60 61	12 9 79 43 36 2	2 11 36 17 19	1 3 3		1
94 95	Pulmonary congestion, pulmonary apoplexy.	16	1			<b></b>		1		1	4	1	2	1	3	2			
96 97 98	apoplexy. Gangrene of the lung. Asthme. Pulmonary emphyseme. Other diseases of the respiratory system (tuberculosis excepted).	37 2 53								5	1 3	5	9	11 2 6	8 4	3			
	V.—Discase of the digestive system	1,089	408	124	19	9	7	18	41	61	71	79	95	77	49	27	4		
99 100 101 102 103	Diseases of the mouth and annexa.  Diseases of the pharynx.  Diseases of the esophagus.  Ulcer of the stomach.  Other diseases of the stomach (cancer	17	3	1	1	i	2	2	1	3	5	11	2 9	1	3	1 1			
104	excepted)	68	20 358	6 112	3					3	2	4	7	10	4	8	1		
105 106 107 108	Diarrhea and enteritis (2 years and over).  Ankylostomiasis Intestinal parasites.  Appendicitis and typhlitis.		3		13	5 1	1 1	6	3`  25	3 3 32	818	7  19	7	7 5	9	4 ,1	1		
109 110	Hernia, intestinal obstruction (total) Hernia. Intestinal obstruction. Other diseases of the intestines.		15 1 14 6	1 1 1	2 2	2	3	1	2 2 1	6 2 4 2	11 3 8	8 3 5	10 4 6	9 3 6 2	7 2 5 3	4 3 1			
111 112 113 114	Acute yellow atrophy of the liver	92 30	1					1	1	3	9 2	16 8	28 9	1 19 6	 12 2	4 2	i		
115 116 117 118	Other diseases of the liver	34 27 7	1						7	6	5 7 4	1 1	9	6 3	5	1 1			
	VI.—Nonvenereal diseases of the genito - urinary system and annexa	758	12	4	4	3	2	11	17	61	60	91	132	160	139	55	. 6		ľ
119 120 121 122 123	Acute nephtitis Bright's disease Chyluria Other diseasesof the kidneys and annexa Calculi of the urinary passages.	89 575 12 3	3 8	3 1	3 1	2 1	2	4 7		10 32 2	14 26 4	10 66 1 2	15 101 3 1	9 148	9 115	50 1	4		ř
124 125 126	Diseases of the bladder. Diseases of the uretha, urinary abscess, etc Diseases of the prostate.	9 6 13								,		1	1 2	2	3 3 8	1 1			
127 128	Nonvenereal diseases of the male genital organs. Uterine hemorrhage (nonpuerperal)																		
129 130 131	Uterine tumor (noncancerous) Other diseases of the uterus	8 7 11								1 3 4	1	2 3 1	1						
132	Salpingitis and other diseases of the female genital organs. Nonpuerperal diseases of the breast (cancer excepted).	24								9	11	4	1				i i		·····-
134	VII.—The puerperal state	147								69	59	8							
136 137	Accidents of pregnancy. Puerperal hemorrhage Other accidents of labor Puerperal septicemia. Puerperal albuminuria and convulsions. Puerperal phlegmasia alba dolens, embolus, sudden death.	14 8 73 38							3 3 5	4 4 6 35 18	5 7 2 31 12	4 3				,			
740 I	bolus, sudden death. Following childbirth (not otherwise defined). Puerperal diseases of the breast.	4			ı					2								1	
												•						•	_

Table 6.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA, ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE OF DECEDENT: 1911—Continued.

nt.						<del></del>			DEA	THS A	T AGE	or—		-			<del></del>		-
Detailed Int. List No.	CAUSE OF DEATH.	All deaths.	Under 1 year.	1 year.	2 years.	3 years	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	39	40 to 49 years.	59	60 to 69 years.	70 to 79 years.	89	99	100 years and over.	Deaths at un- known age.
					co	LOR	ADO.	—Cont	inued.		•						*-	•	
	VIII.—Diseases of the skin and of the cellular tissue	13	1							<u> </u>		1		3	4	3	1		
142 143 144	Gangrene. Furunele. Acute abscess.	10 2										1		2 1	4	3	1		
145	Other diseases of the skin and annexa  IX.—Diseases of the bones and of	1	1															••••	
146	the organs of locomotion  Diseases of the bones (tuberculosis ex-	14	1						5	2	2	1		2					
147	cepted). Diseases of the joints (tuberculosis and rheumatism excepted).	-13 1	1	•••••					5	2	2	1	1	2					
149	Amputations. Other diseases of the organs of locomotion X.—Malformations.																		
. 150	Congenital malformations (stillbirths not included) (total)	117	110	3	1		_1		2										
	Hydrocephalus	84	80	2	1		1		1 1							ļ			
	heart Other congenital malformations XI.—Early infancy.	29 643	28 643	1										•••••					
151	Congenital debility, icterus, and sclere- ma (total).	549 346	549 346												-				
152	Congenital debility, "atrophy," "marasmus," etc. Other causes peculiar to early infancy (total)	203 94	203 94																
153	Injuries at birth Other causes peculiar to early infancy 1 Lack of care	53	53																
154	XII.—Old age	226 226											1	16 16	90	101	17	1	
	XIII.—External causes	1,029	16	17	15	17	5	30	81	231	207	155	128	75	29	11	. 1	3	10
155 156 157 158 159 160 161 162	Suicide( total)  By poison  By asphyxia  By hanging or strangulation  By drowning  By firearms  By cutting or piercing instruments  By jumping from high places  By crushing	180 68 3 8 7 77 11 2 2							10 6 1 3	39 17 2  1 18 1	46 17 3 1 21 3 1	33 7 1 2 19	31 10 3 2 8 7	12 7	6 3 1 2	1 1			2
163 164 165 166 167	Other suicides.  Accidental or undefined (total). Poisoning by food. Other acute poisonings Conflagration Burns (conflagration excepted).	743 13 33 11 54	16 1 3	17 3 2	14 2 4	16 2 4 1 4	5	27 1	68 1 2 1 5	159 8 2 8	131 1 7	104 3 2 2 4	86 2 1 3	58 1 4 1 3	23	· 10	1	1	7
168 169 170 171 172	Absorption of deleterious gases (conflagration excepted) Accidental drowning Traumatism by firearms Traumatism by cutting or piercing instruments. Traumatism by fall	26 51 30 3 93	6 2	1 2	1 2	2	1	1 5 1	2 12 15	11 9	3 2 1	2 5 1	1 4 3	2 3	1	1			1
173	Traumatism in mines and quarries (total)	145 142 3		1	1		1	2	6   7 7	9 45 44	10 50 49	18 24 24	12 13 12	13 5 5	12 1 1	6			
174	Traumatism in quarries Traumatism by machines	3 22							2	1 9	7	2	ī	:::::	i				
175	Traumatism by other crushing (total).  Railroad accidents and injuries.  Street-car accidents and injuries.  Automobile accidents and injuries.	196 104 10	2	i i	1	1	1	8	12 3	39 29 1	37 23 2	29 20	35 14 2	19 7 4	5 3				4 4
	juries	18 58 6			i	1 i	i	6	2 6 1	5 3 1	4 7 1	3 5 1	1 17 1	1 6 1	1				
176 177 178 179	Injuries by animals Starvation Excessive cold Effects of heat	14 2 12			2		1		1	2	1	5 3	3	1 4	1		-	-	

Table 6.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA, ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE OF DECEDENT: 1911—Continued.

nt.					v		·····		DE.	ATHS A	T AGE	OF—		•			*,		
Detailed Int. List No.	CAUSE OF DEATH.	All deaths.	Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	29	30 to 39 years.	40 to 49 years.	59	60 to 69 years.	70 to 79 years.	80 to 89 years.	99	100 years and over.	Deaths at un- known age.
					COL	ORA	ДО-	Conti	ued.							<u> </u>			
180 181 185 186 182 183 184	XIII.—External causes—Contd. Accidental or undefined—Continued. Lightning. Electricity (lightning excepted) Fractures (cause not specified). Other external violence.  Homicide (total). By firearms. By cutting or piercing instruments. By other means.	13 5 1 19 106 70 20 16			1 1 1	2 1		1 2 3 2 1	1 3 2 1	4 3 3 21 9 3	3 1 1 1 1 20 5 5	3 18 11 1 6	1 1 . 5 11 10	2 5 4 1					1 1
187 188 189	XIV.—III-defined diseases	30 3 27 22 5	7 7 5 2	7 7 7	· · · · · · · · · · · · · · · · · · ·	ONN	1 1 1 1	icui		1 1 1	3 1 2 2	1 1 1	5 1 4 4 4	3 3 1 2	1 1				
	Ali causes.	17,552	3, 243	630	274	171	121	338	563	1, 104	1,308	1, 617	1, 828	2,369	2, 430	1, 283	231	4	38
	I.—General diseases	4,383	295	211	116	71	59	164	235	531	521	547	551	513	397	135	28		9
1 2 3 4 5	Typhoid fever Typhus fever Relapsing fever Malaria Smallpox	154 1 22	2	2 1	1	1	1	5 1	27	50	28	17 1	11 5	4	3	1			1
6 7 8 9 10	Measles Scarlet fever Whooping cough Diphtheria and croup Influenza.	94 103 160 250 268	25 8 94 25 12	39 5 41 52 9	14 19 10 38 4	2 13 9 23 2	2 12 2 24 2	5 30 3 61 1	2 8 1 15 4	3 5 7 6	2 3 2 9	2 12	1 33	42	69	48	15		
11 12 13 14 15	Miliary fever Asiatic cholera Cholera nostras Dysentery Plague	4 52	2 9	5	i						1	1	1 3	1 10	11	9	2		
16 17 18 19	Yellow fever Leprosy- Erysipelas Other epidemic diseases	58	21 I	i		1			i	īi	5	3	10	9.	۱ 7		1		
20 21 22 23	Purulent infection and septicemia	44 1 2	6	1		1		1	1	6	4	8	9 1 1	4	2	1			
24 25 26 27	Tetanus. Mycoses. Pellagra. Beriberi	25 1	3					3	i.	3	4	6	3	2	1				
28 29 30 31 32 33 34 35	Tuberculosis (total) Tuberculosis of the lungs. Acute miliary tuberculosis Tuberculous meningitis. Abdominal tuberculosis. Potr's disease. White swellings. Tuberculosis of other organs. Disseminated tuberculosis.	1,704 1,378 78 125 63 16 8 20 16	48 9 4 25 5 1 1 2	45 10 3 27 5	24 3 2 16 1 1	18 3 1 10 2 1 1	12 2 8 2	37 14 3 16 1 2	142 113 10 9 2 4 1 1	410 365 20 6 9 2 1 2 5	366 327 13 3 13 13	288 253 15 4 7 1 1 5	165 150 5 8	103 89 1 1 7 3	34 29 1 3	77			5 4 1
36 37 38	Rickets Syphilis. Gonococcus infection	9 39 5	4 17 3	3 1		1		i		6	1 5 2	3	4	2					
39 40 41 42 43 44 45	Cancer and other malignant tumors (total) Of the buccal cavity. Of the stomach, liver. Of the peritoneum, intestines, rectum Of the female genital organs. Of the breast. Of the skin. Of other organs or of organs not specified.	89 5 46 285 129 152 113 31		1					1 4	10 2 2 2 2 2	45 1 14 3 13 6	132 5 40 13 28 22	210 10 70 24 44 32 2	236 15 87 38 36 21 7	193 9 62 36 28 24 12	55 2 9 13 3 6 9	5 1 1 1		3 1 1
46 47 48 49 50	Other tumors (tumors of the female genital organs excepted). Acute articular rheumatism. Chronic rheumatism and gout. Seurvy. Diabetes.	13 69 15 4 197	2 1	i			2	10	2 10 1 8	3	1 4 13	1 13 2  18	3 8 1 39	1 9 5 54	4 5 7 46	4	1 1 2		

TABLE, 6.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA, ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE OF DECEDENT: 1911—Continued.

nt.							<del></del>	-	DE	ATHS A	<del> </del>								lueu.
Detailed Int. List No.	CAUSE OF DEATH.	All deaths.	Under 1 year.	1 year.	2 years	3 years	4 years	5 to 9 years	i Ta	29	39	49	59	60 to 69 years.	70 to 79 years.	89	90 to 99 years.	100 years and over.	Deaths at un- known age.
_		1	<u> </u>	(	ONI	TECT	LICU	TCo	ntinue	d.	1	!	<u> </u>	<u> </u>	1		<u> </u>	<u> </u>	l
	I.—General diseases—Continued.					Ī			[		1			<u> </u>	Ī			l	
51 52 53 54 55	Exophthalmic goiter Addison's disease Leukemia Anemia, chlorosis Other general diseases	2 22	1 9	1 1 2				1	2 2 2	1 6 1	2 1 1 2	1 1 6 6	2 1 7 12	2 16 2	2 8	4	i	,,	
56 57 58 59	Alcoholism (acute or chronic) Chronic lead poisoning Other chronic occupation poisonings Other chronic poisonings	76 6 2								5 1	19	24 2	20 1	8 3		1	,.		
	II.—Diseases of the nervous sys- tem and of the organs of special sense	1,991	192	52	27	22	11	34	46	45	76	142	216	407	457	233	28		3
60 61	Encephalitis. Meningitis (total) Simple meningitis. Cerebrospinal meningitis (undefined) Cerebrospinal fever.	7 229 171 51 7	77 66 8 3	23 15 8	17 10 6 1	19° 15 4	8 7 1	1 23 14 9	21 13 8	1 8 4 3 1	1 14 10 4	1 5 3	1 3 3	1 6 6	4 4	1 1			********
62 63 64	Locomotor ataxia	30 76 15 61 1,184	4 2 2 2 9	5 4 1	4 3 1 1	1 1	1 1	i 1	4 1 3	1 1 6	3 1 1 22	6 4 4 75	9 9 1 8	5 20 1 19	7 17 17 378	4	******	,,,,	
65 66 67 68	Softening of the brain. Paralysis without specified cause. General paralysis of the insane. Other forms of mental alienation.	22 72 80 29	2	2			<del></del>	1	2	1 3 4	12 1	75 3 28 5	156 2 4 10	316 5 14 11 7	378 9 25 7 2	189 4 19 9	25 2 1		3
69 70 71 72	Epilepsy Convulsions (nonpuerperal) Convulsions of infants Chorea	48 5 104 1	1 85	1 14	2	2	1	1 2	8	13 2	7	6	2 1	6	3		,		
73 74 75 76	Neuralgia and neuritis. Other diseases of the nervous system Diseases of the eyes and their annexa Diseases of the ear	12 59 2 31	4 9	2 4	1 1 1		1	1	1 4 6	2 3 1	1 11 3	1 7 1	2 9 1	3 10 2	1 3 1	1 3			
	III.—Diseases of the circulatory system	2,403	27	4	3	2	3	20	55	71	131	202	334	552	630	323	43		3
77 78 79 80 81	Pericarditis. Acute endocarditis Organic diseases of the heart Angina pectoris Diseases of the arteries, atheroma, aneurism, etc	7 116 1,819 115 262	4 16	1 3	2 1	2	1 2	7 13	10 43 1	10 52 3	1 17 96 2	1 20 156 9	31 246 20 27	3 6 464 32 35	5 473 38 101	1 2 223 8 78	1 26 2 12		3
82 83 84 85	Embolism and thrombosis Diseases of the veins (varices, hemor- rhoids, phlebitis, etc.) Diseases of the lymphatic system (lym- phangitis, etc). Hemorrhage; other diseases of the cir-	69 4 4	1 .							6	14	6	8	11	13	8 2 1	2		
	IV.—Diseases of the respiratory	7 2,210	447	163	63	34	18	34	44	72	145	190	211	- 300	306	156	23	1	
87 88 89	Diseases of the nasal fossae.  Diseases of the larynx.  Diseases of the thyroid body.  Acute bronchitis.  Chronic bronchitis.	18 2 141 132	5 83 3	19	2	4 2 1	1 1	1	3 1	1	2	5	1 1 11	1 7 29	1 8 41	1 7 29	1 3 5		
. 92	Broncho-pneumonia	395 1,355 478 877 52	147 181 26 155 2	69 70 19 51 2	21 28 7 21 4	8 17 6 11	5 11 2 9	9 21 8 13	33 14 19 2	5 56 25 31 5	6 127 55 72 1	9 157 64 93 9	4 171 75 96 10	46 203 88 115 4	40 185 63 122	19 84 24 60 2	3725	1	3
95 96 97	Pulmonary congestion, pulmonary apoplexy.  Gangrene of the lung Asthma.  Pulmonary emphysema.  Other diseases of the respiratory system (tuberculosis excepted).	65 5 27 3	21 1 4	2	1	1		1	1	2	1 1 2 .	4 1 3	5 1 5	4 4 2	10 10 1	12	4		1
٠	V.—Diseases of the digestive system	1,903	876	146	28	8	8	30	45	59	84	112	118	163	128	75	22		1
100 101 102	Diseases of the mouth and annexa Diseases of the pharynx. Diseases of the esophagus. Ulcer of the stomach. Other diseases of the stomach (cancer excepted).	11 19 3 41 194	8 3 47 xclusive	2	3	1	1	1 4	3 1 4	3 5 3	1 7 9	7	4	1 1 12 22	1 1 5 31	1 .	11		

Table 6.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA, ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE OF DECEDENT: 1911—Continued.

i.									DEA	A SHTA	T AGE	or—							Danil
Detailed Int. List No.	CAUSE OF DEATH.	All deaths.	Under 1 year.		2 years.	3 years.	4 years.	5 to 9 years.	19	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	89	90 to 99 years.	100 years and over.	Deaths at un- known age.
·'				C	ONN	ECT	ICUT	rCor	ntinue	i.									
	V.—Diseases of the digestive system—Continued.																		
104 105 106 107 108	Diarrhea and enteritis (under 2 years) Diarrhea and enteritis (2 years and over). Ankylostomiasis. Intestinal parasites Appendictis and typhlitis	902 134  104	776	126	20	3	2 4	8	3	4 26	7	10	12 11	10	26	24 1			
- 1	Hernia, intestinal obstruction (total) Hernia Intestinal obstruction Other diseases of the intestines	163 54 109 33	30 2 28 9	6 1 5 1	1 1	3 3		5 1 4	5 2 3 1	6 4 2 4	10 1 9 2	21 7 14 1	15 9 6 4	30 16 14 5	18 7 11 1	9 4 5 4	4 4 1		
113	Acute yellow atrophy of the liver. Hydatid tumor of the liver. Cirrhosis of the liver. Biliary calculi.	3 1 165 28						i		2 1	17 4	1 32 6	34 6	1 43 8	30	6 2			
115 116 117 118	Other diseases of the liver	54 3 38 7	1 2	<sup>2</sup>	1 1			1 2	1 6 1	1 4	4 1 9	11 1 2	6 1 4 3	14 5 3	9 1	3 1			
	VI.—Nonvenereal diseases of the genito-urinary system and annexa	1,480	22	4	4	4	6	9	27	76	124	193	229	306	~323	139	13		
119 120 121	Acute nephritis Bright's disease Chyluria	155 1,185	10 8	2 2	2 2	4	3 3	4 4	7 18	15 52	17 89	23 151	22 196	22 260	17 277	6 112	1 10		
122	Other diseases of the kidneys and annexa. Calculi of the urinary passages	19 6	3					1	1	1	1	1	1	2 2	1	2			
124 125	Diseases of the bladder	30										1	1 1	5	9	12	1		
126 127 128	Diseases of the prostate Nonvenereal diseases of the male genital organs Uterine hemorrhage (nonpuerperal)	31		•••••						i	3	1	1	9	13	6	1		
129 130 131 132	Uterine tumor (nonemerous) Other diseases of the uterus Cysts and other tumors of the ovary Salpingitis and other diseases of the fe- male genital organs Nonpurperal diseases of the breast (can-	13 8 10							1	7	2 5 4 3	5 1 3 1	3 2 1	3 2					
ļ	cer excepted)	2 129	1 						2	57	56	14							
134 135 136 137	Accidents of pregnancy Puerperal hemorrhage Other accidents of labor Puerperal septicemia.	12 18 6 57							1	5 5 4 28	10 1 23	2 3 1 5							
138 139 140	Puerperal albuminuria and convulsions. Puerperal phlegmasia alba dolens, em- bolus, sudden death. Following childbirth (not otherwise de-	33 3								14	17	1							
141	fined). Puerperal diseases of the breast VIII.—Diseases of the skin and of the cellular tissue	63	5	2	1	1			1	1		2	9	11	15	14	1		
142 143 144 145	Gangrene Furuncle Acute abscess Other diseases of the skin and annexa	38 3 10 12	1 1 3	1	1	i			i	1		1	1 2 6	8 1 1 1	11 1 3		1		
	IX.—Diseases of the bones and of the organs of locomotion	16	2			1		1	4			. 3	1	1	ļ	. 2	ļ		
146	Diseases of the bones (tuberculosis excepted). Diseases of the joints (tuberculosis and rheumatism excepted).	13	1			1		1	4			2	1	1		. 1			
148 149	Amputations. Other diseases of the organs of locomotion.  X.—Malformations.	164	152	4	1	4		3								1			
150	Congenital malformations (stillbirths not included) (total)	164	152 11	4 2	1	4 1		3 2											
	Congenital malformations of the heart. Other congenital malformations	97 51	90 51	2	1	3	<u> </u>	1	ļ		.]		<u> </u>				-	ļ	<u> </u>

TABLE 6.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA, ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE OF DECEDENT: 1911—Continued.

it.									DEA	THS A	T AGE	OF—	,		•		·	-x:	
Detailed Int. List No.	CAUSE OF DEATH.	All deaths.	Under 1 year.		2 years.	3 years.	· 4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	49	50 to 59 years.	69 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 years and over.	Deaths at un- known age.
			<u> </u>	<u>-</u>	ONN	ECT	ICU'	<u>г</u> —Сол	l ntinue	1.	J	J	<u> </u>		j	J	<u>!</u>	1	·
	XI.—Early infancy	1,156	1,156								-,								
<b>1</b> 51	Congenital debility, icterus, and sclerema (total).  Premature birth.  Congenital debility, "atrophy," "marasmus," etc.	916 501	916 501						`						,				
152	Other causes deculiar to early inlancy	415 235	415 235																
.	(total). Injuries at birth. Other causes peculiar to early infancy 1.	235 146 89	146 89												•••••				
153	Lack of care	5	5									·		40		140			
154	XII.—Old age	295 295											2	16	78 78	146	50 50	3	
	XIII.—External causes	1 1	38	29	29	24	15	43	100	187	163	203	152	89	87	58	21	•	15
155 156 157	Suicide (total).  By poison.  By asphyxia  By hanging or strangulation	207 85 20 33							7 1 1	37 19 1 3	40 17 2 7	59 22 7 11	31 12 8 4	19 9 2 3	10 4 2	1	1 1		2
158 159 160	By hanging or strangulation By drowning By frearms By greatms	16							3	3 9	5 4 4	12 6	1 4	3	1 3				
161 162	By firearms. By cutting or piercing instruments. By jumping from high places. By crushing	4 2							1	1 1	1		2						î
163	Other suicides	1,003	35	29	29	24	14	43	89	141	112	135	117	68	77	57	20		13
164 165 166 167	Poisoning by food Other acute poisonings. Conflagration Burns (conflagration excepted)	11 26 7 109	2 3	1 2 20	1 2 1 14	1 1 1 9	1 6	1 3 6	2 5	1 6 10	1 3 9	1 2 2 6	1 3 8	1 2 6	2 5	······2			
168 169 170 171	Absorption of deleterious gases (conflagration excepted) Accidental drowning Traumatism by firearms Traumatism by cutting or piercing	54 122 17	9	2	1 2 2	i	2 1	18	2 25 9	11 26	6 16 2	5 13 1	10 9	3 1 1	-4 1 1	2			1 5
172	instruments	191	i	3		3	i	3	9	1 12	13	19	25	18	27	40	17		
173	Traumatism in mines and quarries (total). Traumatism in mines Traumatism in quarries Traumatism by machines.	2 2 18							1 1 4	1 1 6	i	<u>-</u>	4		2				
175	Traumatism by other crushing		2		9	5	1	9	24		41		1	18	21				6
	(total)  Railroad accidents and injuries.  Street-car accidents and injuries.  Automobile accidents and injuries ries.	286 154 69 22	î		2 2	3 2	1	4	13 6	56 36 12	21 10 2	59 29 19	42 25 11	10 2 4	8 4 3			,	1
176	ries. Injuries by other vehicles. Landslide, other crushing. Injuries by animals.	35 6	1					í	4 1	3 3 2	8 1	3 2	5	2	6				1
176 177 178 179	Starvation Excessive cold Effects of heat	6 3 6 82	13	i	i	2			2	i	10		1 2 8	2 1 1 7	9	11	3		1
180 181 185 186	Lightning Electricity (lightning excepted) Fractures (cause not specified) Other external violence	1 8 13 36	1 2		 3		2	3	1 1 2	5 5	2 2 4	1 1 7	1 3	5 1	2 2 2	2			
182 183 184	Homicide (total)	43 21 8 14	3		•••••		1·		4 2 1	9 6 2 1	11 6 2 3	9 4 1 4	4 2 1	2 1 1					
184	By other meansXIV.—Ill-defined diseases	106	31	15	2		1		4	5	8	9	1 5	11	9	2	2		2
187 188 189	III-defined organic disease	6 8 92 62 30	1 3 27 13	1 14	2		1 1		4	1 4 4	2 6	<u>9</u>	1 4.	2 9 7	2  7 5	2	1		······································
	Ill-defined Not specified or unknown.	62 30	13	13 1	1		1		4	4	ž 4	7 2	3 1	7 2	2	2	1		2
						INI	DIAN	TA.											
. ]	All causes	35, 210		1, 103	484	314	229	745	1,581	<u> </u>	<u> </u>	<del>-</del>	3, 585	4, 820		2,931	399	12	27
,	I.—General diseases	10,308 728	609	319	214	162	113	404	800	1,425	1,224	1,074 62	1,151	1,313	1,081 25	367	46	2	4
1 2 3	Typhoid fever Typhus fever Relapsing fever Malaria			8	16	12	13	49	153	172	119		48	48		1			
5	Malaria. Smallpox.	110 3	7	6	5	3	1	7	9	7	15	9	9	13 1	14	5			

Table 6.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA, ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE OF DECEDENT: 1911—Continued.

<u> </u>						·····			DEA	THS A	T AGE	or-	<u>-</u>						
Detailed Int. List No.	CAUSE OF DEATH.	All deaths.	Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	39	40 to 49 years.	59	60 to 69 years.	70 to 79 years.	80 to 89 years.	99	100 years and over.	Deaths at un- known age.
,		·	······································		IN	DIA	VA—C	ontinu	ied.	<u> </u>	,	•				<u> </u>			
.	I.—General diseases—Continued.										]								
6 7 8 9 10	Measles Scarlet fever. Whooping cough Diphtheria and croup Influenza.	272 385	47 6 166 26 35	62 13 50 41 11	29 23 18 54 7	19 15 12 50 6	5 16 3 54 2	29 67 19 108 9	18 28 2 43 14	17 7 5 20	16 4 1 3 30	7  25	2	8 1 73	3 1 107	107	13		
11 12 13 14 15	Miliary fever Asiatic cholera Cholera nostras Dysentery Plague	11 221	39	1 22	10	3	1	i	1	1 4	3	4	2 12	2 28	2 55	2 33	6		
16 17 18 19	Yellow fever	115 16	19 4	5 3	<u>2</u>	<u>2</u>	1	2	4	4	13	14	10 1	18	16	10	1	i	
20 21 22 23	Purulent infection and septicemia	1	5	1	·····i	2	1	3 <u>1</u>	5	5	5	4	8	8 1 1	14	7	1		
24 25 26 27	Tetanus. Mycoses. Pellagra. Beriberi.	86 3 3	20		3	1	1	10	14	10 1	7 2	8	2	7	3 1				
28 29 30 31 32 33 34 35	Tuberculosis (total) Tuberculosis of the lungs Acute miliary tuberculosis Tuberculous miningitis Abdominal tuberculosis Pott's disease White swellings Tuberculosis of other organs Disseminated tuberculosis	216 250 32 19 82	132 47 4 53 15 3	77 24 1 38 8 1 1 2	34 14 18 1 1	26 6 15 1 1 1 2	11 4 3 2	67 25 9 23 6 2 1	423 331 27 25 20 5 3 8 4	1,061 937 45 14 42 5 2 9	775 677 22 10 35 2 2 21 6	529 439 19 9 38 6 3 10 5	431 353 16 7 30 4 1 10 10	359 311 3 32 2 3 6 2	246 217 5 1 16	46 38 4 1 1 2	3 3	1	
36 37 38	Rickets Syphilis. Gonococcus infection	18 159 5	8 64 1	3 3	3	3		1 2	1 3 1	1 14 1	11	20 1	18	14 1	7	1			
39 40 41 42 43 44 45	Cancer, and other malignant tumors (total).  Of the buccal cavity.  Of the stomach, liver.  Of the peritoneum, intestines, rectum.  Of the female genital organs.  Of the breast.  Of other organs or of organs not specified.	1,943 88 778 228 328 190 111	1	3 1 1	1	1	1		10 3 2 1	33 7 6 8	110 1 19 15 36 22 2	276 4 83 22 87 49 5	416 19 159 34 96 44 21	527 24 260 73 62 35 20	428 28 204 59 31 30 28	117 11 35 16 4 7 27	14 5 2 5		1 2 1
46 47 48 49 50 51 52	Other tumors (tumors of the female geni- tal organs excepted). Acute articular rheumatism. Chronic rheumatism and gout. Scurvy. Diabetes. Exophthalmic goiter. Addison's disease.	18 150 40 2 396 61	2	1 2 1 2	3	3	1	15	1 31 1 23	7 3 22 12 1 6	2 15 3 28 8 1	3 11 3 	3 9 6 66	4 20 9 1 108 13	3 19 11 88	1 11 3 13	2 1		
53 54 55 56 57 58 59	Leukemia. Anemia, chlorosis. Other general diseases. Alcoholism (acute or chronic) Chronic lead poisoning. Other chronic occupation poisonings Other chronic poisonings.	103 48 97 7	1 9 15	1 2 1	3		2	4 2 2	3. 3 2 2 1	6 4 1 5	30 13 30 1	10 13 1 23 1	22 1 22 1	6 14 4 8 3	1 17 7 7	4 4	2		
1	II.—Diseases of the nervous system and of the organs of special sense	3,684	159	66	36	29	15	49	70	94	179	264	484	795	925	475	42		2
60 61	Encephalitis Meningitis (total). Simple meningitis. Cerebrospinal meningitis (undefined) Cerebrospinal fever.	1 77 1	· 8 66 31 25 10	1 36 17 19	2 14 12 1 1	3 15 7 7	7 3 2 2	3 20 8 7 5	4 17 6 4 7	5 13 8 4 1	4 14 11 3	1 10 9	4 11 9 1	1 13 11 1 1	2 5 2 3	1			
62 63 64	Locomotor ataxia Other diseases of the spinal cord (total) Acute anterior poliomyelitis Other diseases of the spinal cord <sup>1</sup> Cerebral hemorrhage, apoplexy	84 252 69 183	16 13 3 7	19 17 2 2	7 7	8 8 8	3 3	13 12 1 1	12 7 5 5	4 25	4 14 1 13 48	9 11 11 119	27 22 1 21 317	27 47 47 578	16 49 49 661	1 26 26 334	1 1 34		
65 66 67 68	Softening of the brain Paralysis without specified cause. General paralysis of the insane. Other forms of mental alienation.	163 69	3 Exclusi						2	1 2 3 5	1 10 26 9	1 14 31 22	4 29 32 7	12 55 23 6	23 101 35 16	16 72 13			

TABLE 6.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA, ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE OF DECEDENT: 1911—Continued.

nt.									DE.	ATHS A	T AGE	OF			<del></del>				
Detailed Int. List No.	CAUSE OF DEATH.	All deaths.	Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	39	49	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	99	100, years and over.	Deaths at un- known age.
	,	1	,,	,	IN	DIAI	VA-C	ontinu	ed.	! <u>*</u>	1		•	•	1	<u> </u>	<u> </u>	1	
	II.—Diseases of the nervous sys- tem and of the organs of special sense—Continued.							•	-										
69 70 71 72	Epilepsy. Convulsions (nonpuerperal). Convulsions of infants. Chorea.	132 1 35 5	3 34	i	4		3	3	13	24	26 1	26	11	13	3	2			i
73 74 75 76	Neuralgia and neuritis Other diseases of the nervous system Diseases of the eyes and their annexa Diseases of the ears.	7 88 4 78	5 17	1 1 5	7	I I	1	9	6 9	3 <sub>7</sub>	12 12 8	17 1 2	3 12 5	1 13 2 4	11 3	1 5	2		
	III.—Diseases of the circulatory system.	4,999	45	8	6	2	4	31	92	124	192	314	666	1,157	1,471	798	84	3	- 2
77 78 79 80 81	Pericarditis Acute endocarditis Organic diseases of the heart Angina pectoris Diseases of the arteries, atheroma, aneurism, eto	39 103 3,901 249 619	1 2 36 1	7	1 4	2	2	3 27	4 12 71 2	3 11 98 3	6 11 159 5	22 256 16	6 29 527 52 42	8 5 946 71	6 6 1,149 71 229	3 1 562 26 193	1 52 2 28	2	<u>i</u>
82 83 84	Embolism and thrombosis.  Diseases of the veins (varices, hemorrhoids, phlebitis, etc.).  Diseases of the lymphatic system (lymphangitis, etc.).	61 13 8	1 3		1		1	1	2	4	· 4	8	7	14 4	9	10 2	1		,
85	Hemorrhage; other diseases of the circulatory system.	6	1				:		1	2			1			1			
86	IV.—Diseases of the respiratory system  Diseases of the nasal fossae	3,370	711	196	84	47	40	65	102	128	159	198	276	360	540	402	58	3	1
87 88 89 90	Diseases of the larynx Diseases of the thyroid body Acute bronchitis Chronic bronchitis	38 16 199 216	2 6 105 2	1 7 	1 7 1	5 2 . 1	4	2 2 2	4 1	1 3 2 1 3	1 2 3	1 2 4 6	2 1 8	.5 .5 33	1 1 14 63	1 2 29 79	6 15	2	
91 92 93	Bronchopneumonia Pneumonia (total) Lobar pneumonia Pneumonia (undefined) Pleurisy	888 1,826 1,030 796 64	337 248 100 148 3	87 81 35 46	41 31 20 11 2	20 19 14 5	10 19 13 6 1	26 32 17 15	15 80 49 31 1	12 96 57 39	20 114 77 37 14	19 146 100 46	35 209 126 83 10	51 - 236 152 84 10	120 309 176 133 4	86 181 82 99 3	9 23 10 13	i 1	1 1
94 95 96 97 98	Pulmonary congestion, pulmonary apoplexy. Gangrene of the lung. Asthma. Pulmonary emphysema. Other diseases of the respiratory system (tuberculosis excepted).	29 3 59 5 20	6		1		1	1	1	1	3	1 6	1 5 2	16	5 17 1	10 8 2	5		
	V.—Diseases of the digestive system	4, 191	1,552	427	88	28	26	87	112	145	194	252	319	354	379	204	23	1	
99 100 101 102 103	Diseases of the mouth and annexa Diseases of the pharynx. Diseases of the esophagus. Ulcer of the stomach. Other diseases of the stomach (cancer ex-	18 41 2 100	13 3 3	2 1		3	3	3 7	7	5 8	2 1 11	2	2	2 22	21	3 3		1	
104 105 106	cepted) Diarrhea and enteritis (under 2 years) Diarrhea and enteritis (2 years and over). Ankylostomiasis.	430 1,676 411 1 3	165 1,274	9 402	8 70	3	3 14	3 21	3	9 14	17  21 1	18	31 31	40 58	62 76	54 59	5 - 9		
107 108 109	Appendicitis and typhlitis	285		1	····i	· · · · · · · · · · · · · · · · · · ·	3	2 33	67	56	43	29	28	15	5	3			
110	Hernia, intestinal obstruction (total) Hernia. Intestinal obstruction. Other diseases of the intestines	334 95 239 113	46 11 35 26	7	4 2	6 1	1 1 1	11 1 10 2	18 1 17 3	16 2 14 6	23 6 17 4	31 -8 23 9	39 12 27 12	49 18 . 31 11	55 24 . 31 14	23 11 12 19	5 1 4 3		
111 112 113 114	Acute yellow atrophy of the liver Hydatid tumor of the liver Cirrhosis of the liver Biliary calculi	28 343 115	2	1 2		1		2	2 1	2 7 3	3 25 10	53 15	3 74 31	3 89 27	8 71 22	16 7	····i	-	
115 116 117 118	Other diseases of the liver	167 8 101 15	12	2	3			1 1 1	1 7	6 1 12	.16 17	26 1 19	39 2 9	26 9 3	30 3 11	10			
	VI.—Nonvenereal diseases of the genito-urinary system and annexa.	2, 795	39	12	9	5	2	. 8	49	118	192	236	388	582	751	361	39	2	2
119 120 121 122 123	Acute nephritis Bright's disease Chyluria Other diseases of the kidneys and annexa. Calculi of the urinary passages	230 2,073 79 19	13 6 14	6 4 1	4 3 2	3 2	2	2 6	14 24 1	20 50 3	24 109 5 3	27 147	33 309 8 2	23 490 13 5	28 624 16 2	27 270 6 2	4 25 3	2	2

Table 6.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA, ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE OF DECEDENT: 1911—Continued.

Int.				=					DEA	ATHS A	T AGÉ	or—				=	<del></del>		
Detailed Int. List No.	CAUSE OF DEATH.	All deaths.	Under 1 year.	( 1	2 years	g years	4 years	5 to 9 years.	i Ta	29	30 to 39 years.	49	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 years and over.	Deaths at un- known age.
	. ,	<u>'</u>		<u>'</u>	IN	DIA	NA(	Contin	ued.		<u></u>		J.,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	1	<u> </u>	<u> </u>	<u> </u>	l	•
	VI.—Nonvenereal diseases of the genito-urinary system and annexa—Continued.																		
124 125	Diseases of the bladder. Diseases of the urethra, urinary abscess,	69 9	4	1				·	·		2	3	5	7	22	22	3	ļ	
126 127	etc. Diseases of the prostate. Nonvenereal diseases of the male genital	118								1	1	3 2	9	2 23	2 46	33	4		
128	organs. Uterine hemorrhage (nonpuerperal)	3	2								1	2							
129 130 131 132	Uterine tumor (noncancerous)	45 27 36							3	1 6 5	9 6 5	13 6 6	9 2 7	8 2 9	5 1 4	i			
133	male genital organs Nonpuerperal diseases of the breast (can- cer excepted)	83 2							5	29	27	17	4		1				
104	VII.—The puerperal state	481							54	235	159	33	<u></u>		<u> </u>				
134 135 136 137	Accidents of pregnancy Puerperal hemorrhage Other accidents of labor Puerperal septicemia	38 22 26 296							1 2 35	9 8 18 145	25 9 5 95	2 4 1 21							
138 139	Puerperal albuminuria and convulsions Puerperal phlegmasia alba dolens, embo-	84	ļ						13	44	25	2							
140	lus, sudden death Following childbirth (not otherwise de- fined) Puerperal diseases of the breast	11 4							1	8		1							
141	VIII.—Diseases of the skin and of															}			
142	the cellular tissue Gangrene	137 86	$\frac{12}{2}$	3 1	1			-2	3	2	2	3	16	12	32	22	3		
143 144 145	Furuncie Acute abscess Other diseases of the skin and annexa	16 12 23	1 2 7	 1 1	·····i			1	2 1	2	1 1	1 1 2	3 2	2 2 4	5 1 3	2	i		••••••
	IX.—Diseases of the bones and of the organs of locomotion	<b>3</b> 6	1	3		ļ	ļ	5	6	2	4	1	4	4	5	1			
· 146	Diseases of the bones (tuberculosis excepted) Diseases of the joints (tuberculosis and	31	1	3				5	6	2	4	1	3	3	3				•••••
148 149	rheumatism excepted) Amputations Other diseases of the organs of locomotion	3											1	1	2	1			
	X.—Malformations.	493	470	8	2	3	3	3	4										
150	Congenital malformations (stillbirths not included) (total)	493 35	470 27	8	2	3	3	3 2	4 2										
	heartOther congenital malformations	312 146	304 139	2 3	1	2	3	1	2									<b></b> -	
<b>1</b> 51	XI.—Early infancy	1,663	1,663																
	rema (total)	1,289 1,054	1,289 1,054				• • • • • • •												
152	Congenital debility, "atrophy," "marasmus," etc. Other causes peculiar to early infancy (total)	235 367	235 367					•••••				,	J		j	}	J	, ,	
	Injuries at birth. Other causes peculiar to early infancy 1.	209 158	209 158					••••			1		- [		i				
153	Lack of care.  XII.—Old age	351	7		•••••		•••••		•••••								72		
154	Senility	351											1	14	89	173	72	1	1
	XIII.—External causes	2,655	83	53	43	38	26	91	289	453	380	319	278	217	216	126	30		13
155 156	Suicide (total)	455 175 13							25 11 2 2	98 50 2 9	76 34 4	94 32 1 17	79 28 3	53 11 1	20 8	8			2
157 158 159	By hanging or strangulation By drowning By firearms	39 113			· · · · · · ·	· · · · · · · · ·	· · · · · · ·		2 1 9	24	8 5 18	17 6 29 5 2	18 7 16	17 8 - 10	3 .				<u>1</u>
160 161 162	By cutting or piercing instruments.  By jumping from high places.  By crushing.	22 4 6						:		3	$\begin{bmatrix} 2 \\ \vdots \\ 2 \end{bmatrix}$	5 2	5 1 1	6	ž	····i			
163	Other suicides						اا			ا.تا	3	2							*******

Table 6.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA, ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE OF DECEDENT: 1911—Continued.

ıt.									DE	ATHS A	T AGE	OF		<del></del>					·
Detailed Int. List No.	CAUSE OF DEATH.	All deaths.	Under 1 year.	; I	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	29	30 to 39 years.	49	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 years and over.	Deaths at un- known age.
					IN:	DIAN	TA—C	ontinu	ied.	•	•								
	XIII.—External causes—Contd.																		
164 165 166 167	Accidental or undefined (total). Poisoning by food. Other acute poisonings. Conflagration. Burns (conflagration excepted).	2,076 24 70 12 208	83 2 8	53 14 13	43 5 21	37 3 1 21	25 1 2 4 12	91 2 2 1 16	251 6 21	322 1 7 1 15	268 3 7 	200 5 5 1 20	.190 2 9 4 10	159 6 13	195 2 2 2 14	118	30		11
168 169 170 171	Absorption of deleterious gases (confingration excepted) Accidental drowning Traumatism by firearms Traumatism by cutting or piercing instruments.	84 179 60	37 1	1 5 3		2	i	10 1 1	4 60 34	7 44 11 1 20	7 26 5 2 31	2 7 3	6 9 2 2	8 6	6 1	4			2
172 173 174	Traumatism by fall.  Traumatism in mines and quarries (total).  Traumatism in mines.  Traumatism in quarries.  Traumatism by machines.	50 49 1 43	7	8	2	3	1	14	17 1 1 7	16 16 10	13 13 	26 8 8	33 7 6 1 6	40 4 4 2	102	87	26		
175	Traumatism by other crushing (total). Railroad accidents and injuries. Street car accidents and injuries. Automobile accidents and in-	639 408 82	3	2 1	6 2 1	3	1	27 8 4	65 33 9	148 121 8	113 81 15	77 52 10	77 50 13	54 32 10	41 15 7	13 6 3	2 1		7 6
	juries Injuries by other vehicles Landslide, other crushing	31 93 25	1 1	1	<u>2</u> 1	1 1	1 1	5 9 1	15 4 4	3 10 6	5 8 4	5 6 4	1 11 2	3 8 1	15 	4	1		i
176 177 178 179	Injuries by animals Starvation Excessive cold Effects of heat	51 3 12 61	i	2	1	2	2	8	12	· 4	3 3 8	5. 1 8	3 4 4	6 1 .3 .6	3 1 17	2 7	2		i
180 181 185 186	Lightning Electricity (lightning excepted) Fractures (cause not specified). Other external violence.	21 37 7 88	14	5	2	2	1	2 5	5 8 8	13 2 14	2 10 10	6 3 1 9	3 1 8	1 1 7	2 3				i
182 183 184	Homicide (total). By firearms. By cutting or piercing instruments. By other means.	124 92 12 20				1 1	1		13 9 2 2	33 26 2 5	36 26 3 7	25 18 1 6	9 5 4	5 5	1 1				
187 188 189	XIV.—III-defined diseases	3 3 41 18 23	18 2 16 4 12	8 8 7 1	1 1 1					1 1		3 1 1 1 1 1	2 2 2	4 3 1	3 2 1	2 2 1 1	1		2 2
			,	:	KEN	TUC	KY (	TOT	AL).	,		r					<del>,</del>		
	All causes	30, 407	<u> </u>	1,546	650	455	326			==	<u> </u>	<u> </u>	2, 535	3, 118	<del></del>	1,696	290	40	356
1 2	I.—General diseases  Typhoid fever  Typhus fever	1,069	812	10	299	14	22	450 95	260	1,876 261	146	99	941	888 35	694 13	250 3	34	4	106 12
3 4 5	Typhoid fever Typhus fever Relapsing fever Malaria Smallpox	237	30 2	15	8	8	6	9	28	23	24 1	25	19 1	23	13	5			1
6 7 8 9 10	Measles Scarlet fever Whooping cough Diphtheria and croup Influenza	455 86 438 572 410	78 6. 219 93 14	81 11 118 94 10	48 11 29 84 7	31 12 22 79 3	17 9 16 65 4	49 24 21 111 1	36 10 8 30 13	32 1 1 4 16	21 3 16	25 2 1 23	16 1 40	6 i 60	12 1 1 108	3  82	11	1	3 5 1
11 12 13 14 15	Miliary fever Asiatic cholera Cholera nostras Dysentery Plague	30 344	5 54	49	2 19	6	2	2 9	3	4 6	3 8	2 17	2 23	3 54	7 47	35	8	`i	3
16 17 18 19	Yellow fever. Leprosy. Erysipelas. Other epidemic diseases.	75 6	21 2	2 1				1 1	5 1	4 1	7	5	9	13	5	3			
20 21 22 23	Purulent infection and septicemia	78	9	3	2	2	1	3	8	10	6	8	9	5	7	5			
24 25 26 27	Tetanus Mycoses Pellagra Beriberi	50 2 65	17	3	1			6	6	6 9	22	13	3 1 7	4	$\begin{smallmatrix}2\\1\\2\end{smallmatrix}$				

Table 6.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA, ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE OF DECEDENT: 1911—Continued.

<u>==</u>									DE.	ATHS A	T AGE	of-						•	,
Detailed Int. List No.	CAUSE OF DEATH.	All deaths.	Under 1 year.	1 1	2 years.	3 years.	4 years.	5 to 9 years.	19	20 to 29 years.	30 to 39 years.	40 to 49 years.	59	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 years and over.	Deaths at un- known age.
•		<u>!</u>	11	KEN	TU(	CKY	(TO3	· ·AL)-	Conti	inued.	5	<u> </u>	I	1	ı	1	<u> </u>		<u> </u>
	I.—General diseases—Continued.																		
28 29 30 31 32 33 34 35	Tuberculosis (total). Tuberculosis of the lungs. Acute miliary tuberculosis. Tuberculous meningits. Abdominal tuberculosis. Pott's disease. White swellings. Tuberculosis of other organs. Disseminated tuberculosis.	149 222 271 52 26 63	185 89 8 52 12 14	142 71 2 49 7 4	58 23 5 20 4 2 2 1	34 20 2 6 2	32 13 3 13 1 1	107 68 4 19 9 3 3	652 549 30 24 25 4 5 10	1, 424 1, 281 45 20 58 6 2 8	985 881 26 10 44 10 3 5	602 549 12 2 23 1 10 4	435 377 7 1 41 3 4 2	326 282 2 4 26 2 1	217 195• 2 1 11 1 3 3	30 24 5	3 3	1	60 50 1 1 3 2 1 2
36 37 38	Rickets. Syphilis. Gonococcus infection.	19 140 4	10 26 2	3 4	3	1 1	1	1	6	20	25 1	23	10	14	1 4 1	2			4
39 40 41 42 43 44 45	Cancer and other malignant tumors (total).  Of the buccal cavity.  Of the stomach, liver.  Of the peritoneum, intestines, rectum of the female genital organs.  Of the breast.  Of the skin.  Of other organs or of organs not specified.	986 35 319 106 197 99 69	1	1				2 1	8 1 1 2 1	13 1 1 5 1 1 4	68 20 6 28 6 1	176 3 50 19 51 27 7	219 3 76 21 55 28 6	239 16 85 28 37 15 14	180 63 222 166 11 24	60 3 16 7 3 8 13	8 3 1 2		10 2 4 1 2 1
46 47 48 49 50	Other tumors (tumors of the female genital organs excepted). Acute articular rheumatism. Chronic rheumatism and gout. Scurvy. Diabetes.	19 137 36 2 158	2 3 1	1 1	1 1	3	i	23	1 14 1 7	12 1 1	1 10 2 17	3 16 3	2 16 1 1 26	6 31 8	2 19 13 27	1 6 5	2	i	······································
51 52 53 54 55	Exophthalmic goiter. Addison's disease. Leukemia. Anemia, chlorosis. Other general diseases.	11 2 22 54 50	1 10 13	1 3	2 1	1 4	1	1	1 3 5	2 3 2 6	5 3 5 3	2 4 8 3	6 8 3	2 6 2	3 4	1 3	1 1		i 1
56 57 58 59	Alcoholism (acute or chronic)	47 3 9							2	2 1	16	13 1	7 1	5 1 3	2 2	1			1
	II.—Diseases of the nervous system and of the organs of special seuse.	2,703	397	140	<b>5</b> 8	43	32	79	79	95	142	194	282	424	457	223	28	4	26
60 61	Encephalitis. Meningitis (total) Simple meningitis Cerebrospinal meningitis (undefined) Cerebrospinal fever.	45 509 325 140 44	15 204 127 52 25	2 97 63 28 6	3 33 22 10 1	26 16 7	2 18 7 11	2 46 32 12 2	3 21 12 6 3	4 19 13 4 2	2 11 7 4	3 10 5 3 2	3 7 6 1	1 8 7 1	1 5 4 1	2 2			, 2 2
62 63 64	Locomotor ataxia.  Other diseases of the spinal cord (total).  Acute anterior poliomyelitis.  Other diseases of the spinal cord <sup>1</sup> .  Cerebral hemorrhage, apoplexy.	49 143 61 82 887	24 22 2 2 21	15 14 1 5	10 8 2 3	5 4 1 2	3 3	1 9 7 2 4	3 1 2 13	2 1 1 13	5 7 1 6 47	8 5 1 4 75	7 8 8 131	13 21 21 226	11 26 26 227		9		i 1 11
65 66 67 68	Softening of the brain.  Paralysis without specified cause.  General paralysis of the insane.  Other forms of mental alienation.	65 461 90 62	2	1	1	2	3	1 4	1 5 1	1 12 2 11	2 17 4 8	2 38 14 9	8 61 17 17	16 90 15 8	21 121 21 5	11 83 12 2	2 14 1 1	3	4 4
69 70 71 72	Epilepsy. Convulsions (nonpuerperal). Convulsions of infants. Chorea.	100 10 125 9	5 110	8	4 1	2	i	1	13 3 3	13 3 2	22 3	11	10	6	5 1 2	2			3
73 74 75 76	Neuralgia and neuritis Other diseases of the nervous system Diseases of the eyes and their annexa Diseases of the ears	15 99 3 31	14	5	3		·····i	4 3	8 5	2 5 5	2 9 3	17 	2 9	3 13 4	1 10	3 4 2	1		i
	III.—Diseases of the circulatory system	2,507	27	7	2	6	1	24	59	95	179	257	347	542	609	289	33	2	28
77 78 79 80 81	Pericarditis. Acute endocarditis Organic diseases of the heart Angina pectoris Diseases of the arteries, atheroma, aneurism, etc.	34 58 1,995 121 233	1 3 18	1 1 5		5	i	20 20	3 7 44 1	1 88 2 1	17 132 16 5	13 207 13 12	4 11 287 17	6 440 35 48	6 1 486 30 79	213 6 60	25	1	1 23 1 2
82 83 84	Embolism and thrombosis. Diseases of the veins (varices, hemorrhoids, phlebitis, etc.) Diseases of the lymphatic system (lymphangitis, etc.).	33 12 6	3		1	1			1	1	3	3 2	9	9	3 2	1 3	1		1
85	Hemorrhage; other diseases of the circulatory system	15	2 . Exclusiv	ve of a	cute ar	nterior	polion	nyeliti	2 s (infar	1 ntile pa	1 ralysis	3 .		3	1	2			· · · · · · · ·

Table 6.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA, ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE OF DECEDENT: 1911—Continued.

<u></u>		<u> </u>							DE.	ATHS A	T AGE	OF—	·	•					
Detailed Int. List No.	CAUSE OF DEATH.	All deaths.	Under 1 year.	1 year.	2 years	3 . years	4 years	5 to 9	l Ta	20 to 29 years.	30 to 39 years.	40 to 49 years.	59	69	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 years and over.	Deaths at un- known age.
		<u> </u>	н	KEI	TUC	CKY	(TO3	CAL)	-Cont	inued.		1	1	<u> </u>	1	1	!	1	<u> </u>
	IV.—Diseases of the respiratory system.	2,989	556	234	97	58	39	78	120	151	165	177	245	346	404	241	41	3	34
86 87 88 89 90	Diseases of the nasal fossae Diseases of the larynx. Diseases of the thyroid body Acute bronchitis. Chronic bronchitis.	11 40 8	4 16 83 8	1 6 17 1	5 8 1	1 1	3 1 3 1	4 1	2 7	2 15	1 1 1 1 1	1 1 1 7	1 2 2 2 11	1 1 6 30	1 2 2 12 47	1 1 1 8 50	1 2 12		
91' 92 93	Bronchopneumonia Pneumonia (total). Lobar pneumonia. Pneumonia (undefined). Pleurisy.	1 202	196 237 59 178	91 108 36 72 1	34 48 11 37	17 31 9 22	11 19 4 15	20 48 11 37 1	9 93 41 52 4	9 104 43 61 4	12 121 58 63 7	13 121 56 65 7	26 165 77 88 3	36 219 101 118 9	66 221 77 144 6	45 107 37 70 2	5 17 5 12	1 1 1	5 26 10 16
. 94 95 96 97 98	Pulmonary congestion, pulmonary apoplexy. Gangrene of the lung. Asthma. Pulmonary emphysema. Other diseases of the respiratory system (tuberculosis excepted).	63 4 105 8 63	6 4	4 3 2	1	i	1		1 2 2	4 1 3 9	3 3 5	7 13 13 1	5 14 1 15	12 20 2 10	10 27 2 8	9 15 3	. 2 1	1	i 1
	V.—Diseases of the digestive system		933	477	105	54	30	79	116	143	168	164	214	287	279	120	22	3	21
99 100 101 102 103	Diseases of the mouth and annexa.  Diseases of the pharynx.  Diseases of the esophagus.  Ulcer of the stomach.  Other diseases of the stomach (cancer excepted).	22 52 3 71 440	16 2  112	3 5 26	1 1 8	7	2 1 6	1 12 1 1 8	2 5 3 11	3 2 6	12 31	4 1 6	3 9 27	3 21 58	1 9 64	1 1 30	1	1	1
104 105 106 107 108	Diarrhea and enteritis (under 2 years) Diarrhea and enteritis (2 years and over). Ankylostomiasis Intestinal parasites Appendicitis and typhlitis	1,157 423 6 20 166	729 3	428 4	81 1 3	24 5 2	11 2 2 2	16 1 2 18	13 3 2 39	· 17	18 17	18 1 26	38 1 13	59 1	71	44	8	1	4
109 110	Hernia, intestinal obstruction (total) Hernia Intestinal obstruction Other diseases of the intestines	229 56 173 80	30 4 26 16	5 5 4	6 6 1	7	4 1	7 1 6 3	15 1 14	15 2 13 6	20 3 17 6	15 6 9 9	27 6 21 4	27 10 17 13	25 11 14 12	18 8 10 3	4 3 1 2	1	3 1 2
111 112 113 114	Acute yellow atrophy of the liver. Hydatid tumor of the liver. Cirrhosis of the liver. Biliary calculi.	5 200 62	3		1 1			1	1 . 3 1	<u>4</u> 1	1 18 8	1 24 7	1 42 16	43 15	1 47 12	10 2			4
115 116 117 118	Other diseases of the liver	143 3 , 124 7	7 12 2	1 1	1	1 1 1	1	2 7	5 13	12 1 23	18 1 15 1	18 14	20 13	25 15 1	. 25 <sup>*</sup> 6	<u>8</u>	i		i
	VI.—Nonvenereal diseases of the genito-urinary system and annexa	1,848	24	11	9	12	6	25	43	94	125	170	253	378	444	197	30	1	26
119 120 121 122 123	Acute nephritis. Bright's disease Chyluria Other diseases of the kidneys and annexa Calculi of the urinary passages	140 1,381	8 9 5	3 8	4 5	4 7	3 2 1	13 12	6 24 5	12 43	12 85 5	18 116	10 207	21 324	20 348	146 	2 24	i	20
124 125 126 127	Diseases of the bladder. Diseases of the urethra, urinary abscess, etc. Diseases of the prostate Nonvenereal diseases of the male genital organs. Uterine hemorrhage (nonpuerperal)	9 54 11 67 2 7	2						2	5	î 1	3 4 1	3 3 1	8	2 14 1 36	16 2 17	3		1
129 130 131 132	Uterine tumor (noncancerous) Other diseases of the uterus. Cysts and other tumors of the ovary. Salpingitis and other diseases of the female genital organs. Nonpuerpail diseases of the breast (can-	19 38 22 22							1 2 1	2 4 9 1	3 9 4	3 6 12 2 2	2 2 2 8	1 2 3	2 2 2 2	1			2
	cer excepted)	1 407							1 59	178	135	31			•••••				4
135 136	Accidents of pregnancy Puerperal hemorrhage Other accidents of labor. Puerperal septicemia.	44							6 1 2 26	25 11 19 78	15 22 19 55	5 .						-	1 2
139 140	Puerperal albuminuria and convulsions. Puerperal phlegmasia alba dolens, embolus, sudden death. Following childbirth (not otherwise defined). Puerperal diseases of the breast.	93 6 5							24	42 1 2	19 4 1	7   . 1   . 2   .							1

Table 6.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA, ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE OF DECEDENT: 1911—Continued.

int.									DE/	ATHS A	T AGE	OF-		<u>=</u>		·			
Detailed In List No.	CAUSE OF DEATH.	All deaths.	Under I year.	1	2 years.	3 years.	4 years.	5 to 9 years.	19	29	30 to 39 years.	49	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	99	100 years and over.	Deaths at un- known age.
		·		KEN	TUC	KY	TOT)	' <b>А</b> L)-	-Conti	nued.	·								
	VIII.—Diseases of the skin and of the cellular tissue	101	35	2	1	1	1		5	4	1	6	5	9	12	13	4		2
142 143 144	Gangrene. Furuncle. Acute abcess.	44 6 8	2		1	1			1 1 2	2	1	5	2 1 1	7 1 1	9	10	3 1		1
145	Other diseases of the skin and annexa	43	31	2			1		ĩ	î		1	î	···•···	2	2			i
	IX.—Diseases of the bones and of the organs of locomotion	30	1	3	2	1	1	5	2	2	1	2	2	6	2				
146 147	Diseases of the bones (tuberculosis excepted).  Diseases of the joints (tuberculosis and rheumatism excepted).	27	1	3	2	1	1	5	2	2	1	2	2	4	1				•••••
148 149	Amputations Other diseases of the organs of locomotion	2 1												1 1	1				
į	X.—Malformations	243	222	7	5	4	1	1	1		1								1
150	Congenital malformations (stillbirths not included) (total).  Hydrocephalus.  Congenital malformations of the	243 15	222 11	7 1	5 2	4 1	1	1	1		1			<b>-</b>	<b>-</b>				1
	heartOther congenital malformations	117 111	109 102	3	3	2 1	1	i	1		<sub>1</sub>			<b>-</b>					1
	XI.—Early infancy	1,784	1,784												· · · · · · ·				
151	Congenital debility, icterus, and sclere- ma (total)	1,560 969	1,560 969											<b>-</b>	· · · · · · · ·				
152	(total)	591 213	591 213																
153	Injuries at birth. Other causes peculiar to early infancy! Lack of care.	107 106 11	107 106 11																
105	XII.—Old age	525										1	7	29	166	229	68	20	5
154	Senility	525										1	7	29	166	229	68	20	5
	XIII.—External causes		92	40	45	44	31	74	256	365	321	188	178	116	88	73	12	1	70
155 156 157 158	Suicide (total).  By poison.  By asphixia.  By hanging or strangulation.  By drowning.	201 76 2 27 12							11 6 1	33 13 2 1	47 18	29 11 3	41 15 8 6	19 4 1 7	15 7 4 1	2			4 2
159 160 161 162	By firearms  By cutting or piercing instruments  By jumping from high places.  By crushing	60 17 2 1							4	14 2 1	17 6	13 1	8 4	2 2 1	2 1	1			1
163	Other suicides	4 1,478	90	40	45	44	31	74	214	227	1 184	121	115	1 92	71	71	12	1	1 46
164 165 166 167	Poisoning by food. Other acute poisonings. Conflagration. Burns (conflagration excepted).	20 49 25 221	5 7 4 12	2 3 1 20	1 5 1 26	1 3 33	3 2 17	1 5 3 18	5 2 2 21	4 4 14	7 3 9	1 3 1 8	1 2 13	1 3 1 7	2 2 13	$egin{array}{c} 2 \\ \cdots \\ 1 \\ 3 \end{array}$	<u>2</u>		
168 169	Absorption of deleterious gases (con- flagration excepted) Accidental drowning Traumatism by firearms	39 117	28 1	4	3			10	1 40	2 23	2 12	3 4	2 6	3	1	2			9
170 171 172	Traumatism by firearms. Traumatism by cutting or piercing instruments. Traumatism by fall.	142 9 194	4	4	1 4	3	$\frac{2}{1}$	10 1 3	39 10	41 2 10	17 1 13	12 1 15	9	6 1 32	1 27	40	1 7	1	5
173	Traumatism in mines and quarries (total)	53		4					11	20	12	5	4				•		1
174	Traumatism in mines. Traumatism in quarries. Traumatism by machines.	50 3 24				•••••			11 9	17 3 4	12 4	5 5	<sup>4</sup>						1 1
175	Traumatism by other crushing (to- tal). Railroad accidents and injuries. Street-car accidents and injuries. Automobile accidents and inju-	347 249 33	3	2 1	1 1	1	2 1	9 3 2	48 35 5	77 60 9	70 52 9	38 27 4	36 21 1	22 17 3	14 8	6 4			18 18
	ries Injuries by other vehicles Landslide, other crushing	15 42 8	2	1		1	1	1 3 	2 6 	1 6 1	2 4 3	2 5 	2 9 3	1 1	2 3 1	2			
176 177 178 179	Injuries by animals Starvation Excessive cold Effects of heat	13 2 5 36	1 2 5	2			1	2	3 1	2 1 3	1 2 3	7	2 1 4	4	1 2	3			2
180 181 185 186	Lightning. Electricity (lightning excepted) Fractures (cause not specified) Other external violence.	21 3 39 119	18	2	3		1	1 10		5 2 2 11	3 2 23	3 3 12	2 3 10	1 5 6	7	1 12 1	2		1 4

1 Exclusive of injuries at birth.

Table 6.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA, ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE OF DECEDENT: 1911—Continued.

	ZACH REGISTRATION STATE,							······································			T AGE								
Detailed Int. List No.	CAUSE OF DEATH.	All deaths.	Under 1 year.	1 1	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29	30 to		50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 years and over.	Deaths at un- known age.
		1	<u>   </u>	KEN	TUC	KY (	тот	  AL)-	  -Conti	nued.	<u> </u>	l		<u> </u>	1	!	}		<u> </u>
182 183 184 187 188 189	XIII.—External causes—Contd.  Homicide (total). By firearms. By cutting or piercing instruments. By other means.  XIV.—Ill-defined diseases.  Ill-defined organic disease. Sudden death. Not specified or ill-defined (total). Ill-defined. Not specified or unknown.	1,147 112 39 996 301	2 490 13 477 70 407	71 1 70 35 35	27 4 23 7 16	12 2 1 9 5 4	7 1 6 2 4	16 4 1 11 2 9	31 22 5 4. 41 7 34 15	105 81 12 12 38 4 1 33 12 21	90 67 12 11 38 6 4 28 10 18	38 27 -5 6 47 12 2 33 22 11	22 15 2 5 61 6 3 52 28 24	93 15 2 7 44 - 32	92 25 5 62 30 32	61 16 3 42 13 29	18 6 1\11 11 10	2	20 13 .3 4 33 1 29 5
,——	100000000000000000000000000000000000000	1	10,		KEN		<u> </u>	1		21	10	11	24	32	32	29	10		
-	All causes	24,580	4,554	1,280	534	393	267	689		2,261	2,019	1,744	1,978	2,653	2,880	1,499	213	15	244
	I.—General diseases	1 1	677	464	249	187	148	351	781	1,426	1, 106	872	785	774	628	217	24	2	80
1 2 3	Typhoid fever Typhus fever Relapsing fever Malaria Smallpox	893	5	9	19	11	16	71	217	214	127	85	62	32.	12	2		•••••	11
4 5	Malaria. Smallpox	182 4	25 2	14	7	7	5	7	20	16	18 1	17	16 1	18	9	3			
6 7 8	Measles Scarlet fever Whooping cough	406 84 352	72 6 182	68 11 90	38 11 26 82	25 12 18 76	14 9 13	46 23 13	30 9 6	31 1 1 4	21	25 2	16	6	11 i	3			
9 10	Whooping cough Diphtheria and croup Influenza	548 327	182 83 11	93 8	82 4	76	65 4	106 1	29 7	10 10	2 11	12	1 25	1 51	1 1 95	76	9		4 1
11 12 13	Miliary fever	26	4		2			1						3					
14 15	Dysentery Plague	292	45	42	17	6	2	8	2	4 4	2 7	13	19 19	49	39 	30	5	i	
16 17 18	Yellow fever Leprosy Erysipeles	70	20	2															
19	Erysipelas Other epidemic diseases Purulent infection and septicemia	61	20 8	1 3	2	2		1	5 1	3 1	5	5	8	13	5	3			<del>-</del>
20 21 22 23	Glanders. Anthrax Rabies				z		1	2	7	8	3	7	6	3	6	3			
24 25	Tetanus	1 40	11	3				6	5	4	5	1	3		2 1				
26 27	Mycoses Pellagra Beriberi	2 58	-1	1	i			i	• • • • • • •	8	20	11	7	4	1 2	2			
28 29 30 31 32 33 34 35	Tuberculosis (total) Tuberculosis of the lungs Acute miliary tuberculosis Tuberculous meningitis. Abdominal tuberculosis. Potivs disease. White swellings. Tuberculosis of other organs Disseminated tuberculosis.	4,020 3,390 96 186 212 46 17 47 28	151 72 5 45 10 14	110 47 2 45 5 3	34 10 2 15 2 2 1	21 12 1 4 1	17 4 1 10 1	56 29 2 14 6 3 2	408 336 18 21 15 3 3	1,067 961 29 15 46 5 2 7	768 685 21 9 36 9	480 440 7 2 17 1 1 8	361. 318 3 1 33 2 2 2	282 244 2 4 24 1 1 3	197 178 2 9 1 3	4			43 35 1 1 2 2 1
36 37 38	Rickets Syphilis Conceptus infection	11 66 3	7 16 2	2	1				1	7	- 11	10	6	9	1 3				2
39 40 41 42 43 44 45	Gonococcus infection  Cancer and other malignant tumors (total).  Of the buccal cavity.  Of the stomach, liver.  Of the peritoneum, intestines, rectum.  Of the termale genital organs.  Of the breast.  Of the skin.  Of other organs or of organs not specified.	859 32 286 88 161 79 68	1		1			2 1	5	9 1 3 1 3	1 54 15 4 23 5 1	141 3 39 15 43 19 6	190 3 72 13 49 22 6	215 15 78 26 27 14 14	169 5 60 21 14 10 24	56 3 14 7 2 7 13	6 2		9 2 4
49	Other tumors (tumors of the female genital organs excepted).  Acute articular rheumatism.  Chronic rheumatism and gout.  Scurvy.  Diabetes.	14 103 33 1 145	2 3	i	1	3	1	2	111	8 1	8 2	1 12 3	2 10 1	21 8	2 18 11	1 2 5	-		2
51 52 53 54	Exophthalmic goiter Addison's disease Leukemis. Anemia, chlorosis Other general diseases.	10 2 19 41 42	1 4 12		2	1	1	1	6 1 3 5	10 2 3 2 6	15 4 2 4	18 2 4 7 3	24 4 7 2	39 2 5 1	25 3 4	1		1	i 1
58	Alcoholism (acute or chronic) Chronic lead poisoning Other chronic occupation poisonings Other chronic poisonings								2	1 .	14	10	6 1	4 1 3	2	1			i

Table 6.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA, ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE OF DECEDENT: 1911—Continued.

nt.									DEA	THS AT	r AGE	of—		<u></u>	<del></del>	•			
Detailed Int. List No.	CAUSE OF DEATH.	All deaths.	Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	19	29	30 to 39 years.	49	59	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 years and over.	Deaths at un- known age.
,				KEN	TUC	KY	(WHJ	<b>TE</b> )-	-Conti	nued.					<u>'</u>	•			-
	II.—Diseases of the nervous sys- tem and of the organs of special sense.	2, 227	333	116	51	41	31	66	67	75	106	144	204	356	410	196	17	2	12
60 61	Encephalitis Meningitis (total) Simple meningitis Cerebrospinal meningitis (undefined) Cerebrospinal fever.	44 444 280 124 40	15 178 110 45 23	2 87 56 25 6	3 29 18 10 1	24 15 6 3	17 7 10	2 38 26 10 2	3 16 8 6 2	4 15 10 3 2	10 6 4	2 9 5 3 1	3 7 6 1	1 6 5 1	1 4 4	2 2			2 2
62 63 64	Locomotor ataxia. Other diseases of the spinal cord (total). Acute anterior policomyelitis. Other diseases of the spinal cord <sup>1</sup> . Cerebral hemorrhage, apoplexy.	44 117 52 65 721	22 20 2 18	10 9 1 4	8 7 1 3	5 4 1 2	3 3 3	1 8 6 2 3	2 1 1 11	1 1 9	4 4 1 3 29	8 4 1 3 58	6 6 92	13 18 18 18 187	11 22 22 209	1 4 85	6		í
65 66 67 68	Softening of the brain. Paralysis without specified cause. General paralysis of the insane. Other forms of mental alienation	57 353 83 52	2	1	1	2	3	1 4	4 1	1 9 1 11	2 13 4 7	1 20 13 7	7 37 16 12	14 69 15 7	19 104 21 4	11 71 9 2	1 8 1	2 	3 4
69 70 71 72	Epilepsy. Convulsions (nonpuerperal). Convulsions of infants. Chorea.	76 9 89 8	5 79	1 4	3 1	2 2	i	2 1	$\begin{array}{c} 12 \\ 3 \\ \cdots \\ 2 \end{array}$	10 2 2	16 3	6	9	6	. 4 1 2	2			1
73 74 75 76	Neuralgia and neuritis.! Other diseases of the nervous system. Diseases of the eyes and their annexa. Diseases of the ears.	13 84 3 30	<u>i2</u>	4 3	3		i	3	8 5	1 4 5	2 8 2	2 14	1 6 2	3 13 4	1 7	3 4 2	1		i
	III.—Diseases of the circulatory system	1,948	23	7	2	5	1	22	46	60	112	141	244	446	541	255	24		19
77 78 79 80 81	Pericarditis Acute endocarditis Organic diseases of the heart Angina pectoris Diseases of the arteries, atheroma, aneurism, etc.	22 47 1,522 104	1 2 17	1 1 5		5	i	4 18	2 5 35 1	1 56 1	15 81 10 2	1 11 107 10 5	2 7 201 14	352 33	6 1 429 28	181 6	17		17 1
82 83 84 85	Embolism and thrombosis. Diseases of the veins (varices, hemorrhoids, phlebitis, etc.) Diseases of the lymphatic system (lymphangitis, etc.) Hemorrhage; other diseases of the circulatory system.	28 11 5	3		1				1	1	2 1 	3 2 2	7	9 1	72 3 1 1	58 1 3	6		
	IV.—Diseases of the respiratory system	2, 285	419	160	66	45	27	58	79	97	114	118	177	291	358	217	35	2	22
86 87 88 89 90	Diseases of the nasal fossae.  Diseases of the larynx.  Diseases of the thyroid body.  Acute bronchitis.  Chronic bronchitis	10 38 7 119 154	4 15 69 6	6	5 6 1	1 1 5	3 1 2 1	3 3 1	i	1 5	1 1 1 3	1 1 2	1 2 1 9	1 1 4 25	1 2 2 10 43	1 1 6 45	1 2 12		
91 92 93	Bronehopneumonia. Pneumonia (total) Lobar pneumonia. Pneumonia (undefined). Pleurisy	472 1,276 499 777 28	153 168 41 127	66 73 26 47	23 30 8 22	15 22 7 15	8 12 3 9	14 36 8 28	8 64 31 33 3	6 74 29 45 2	9 87 45 42 3	10 84 45 39 3	17 120 59 61 2	32 182 85 97 7	61 196 67 129 5	42 97 33 64 2	5 12 3 9	1	19 9 10
94 95 96 97 98	Pulmonary congestion, pulmonary apoplexy. Gangrene of the lung. Asthma. Pulmonary emphysema. Other diseases of the respiratory system (tuberculosis excepted).	55 3 67 8	2	4 1 2	1	i			2 1	4 1 4	3 1 5	7 1 6 1	4 7 1	11 17 2 9	8 21 2 7	9 12	2	i	1
	V.—Diseases of the digestive system	2, 718	802	421	93	49	26	67	93	100	124	127	174	249	258	104	16		15
99 100 101 102 103	Diseases of the mouth and annexa. Diseases of the pharynx. Diseases of the esophagus. Ulcer of the stomach. Other diseases of the stomach (cancer excepted).	19 46 3 54 355	13 2 90	3 5 24	7	 7  5	2 1 5	1 11 7	2 5 2 10	1 2 6 14	1 10 22	2 1 4	3. 5 23	3 15 44	1 8 60	1 1 25	1 2		i 4
104 105 106 107 108	Diarrhea and enteritis (under 2 years) Diarrhea and enteritis (2 years and over) Ankylostomiasis Intestinal parasites Appendictis and typhlitis	1,008 363 6 15 145	634	374 4	72 1 3	21 4 2	10	12 1 1 1 17	8 3 2 32	11	12	14	32 1	53 1	66	43	7		2 2
109	Hernia, intestinal obstruction (total) Hernia. Intestinal obstruction Other diseases of the intestines	191 41 150 63	26 3 23 13	5 5 4	5 5 1	7	4 4 1	6 2	13 1 12	11 1 10 3	14 1 13 4	12 4 8 6	20 3 17 4	24 9 15 12	24 10 14 9	15 6 9 2	3 3		2 2
111 112 113 114	Acute yellow atrophy of the liver	5 2 169 56	1 3		1 1			·····	1 2 1	2	1 11 7	1 21 7	1 35 14	41 14	1 44 11	5 2			

 $^{1}$  Exclusive of acute anterior poliomyelitis (infantile paralysis).

Table 6.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA, ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE OF DECEDENT: 1911—Continued.

nt.						<del> </del>			DE	ATHS A	T AGE	of—		···		<u></u> ,	-		
Detailed Int. List No.	CAUSE OF DEATH.	All deaths.	Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	19	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 years and over.	Deaths at un- known age.
-		<u> </u>		KEN	TUC	KY	(WH	ITE)-	-Conti	nued.	<u></u>	,	<u> </u>	<u>'</u>	<u> </u>	<u> </u>	<u> </u>	<u>.</u>	
	V.—Diseases of the digestive system—Continued.																		
115 116 117 118	Other diseases of the liver	114 3 94 7	7 9 2	1 i	1	1 1	i	6	3. 9	6 1 15	13 1 13	12 10	16 9	22 13 1	22 6 2	81	1		
	VI.—Nonvenereal diseases of the genito-urinary system and annexa.	1,506	18	10	9	10	6	20	35	70	89	122	192	316	390	177	22		20
119 120	Acute nephritis Bright's disease	102 1, 150	6 8	3 7	. 5	3 6	3 2	9 11	5 21	- 8 35	7 63	11 87	6 162	15 272	17 307	4- 131	17		16
120 121 122 123	Chyluria Other diseases of the kidneys and annexa. Calculi of the urinary passages	58 8	3			i	1		2 2	1 2	4	i	10 2	10	16 2	9	•••••		
124 125	Diseases of the bladder Diseases of the urethra, urinary abscess, etc	45 3				ļ	ļ			4	1	1	2	7	12	14	3	•••••	1
126 127	Diseases of the prostate Nonvenereal diseases of the male genital organs.	59 1	1									1	1	7	, 31	16	1		2
128 129	Uterine hemorrhage (nonpuerperal)	6							1	2	1	2 5	1	1 2	1				
130 · 131 132	Uterine tumor (noncancerous) Other diseases of the uterus Cysts and other tumors of the ovary Salpingitis and other diseases of the female genital organs	30 18 15							2 1	7 1 10	6 4 3	10 1 2	6	. 2	2 2	1			i
133	Nonpuerperal diseases of the breast (cancer excepted).	1				ļ	ļ		1				••••						
134 135	VII.—The puerperal state  Accidents of pregnancy Puerperal hemorrhage	331							41 5	146 21	113	27			<del>,</del>				4
136 137	Other accidents of labor Puerperal septicemia	39 36 37 131							1 17	11 15 61	20 17 42	5 3 9							, <u>1</u>
138 139 140	Puerperal albuminuria and convulsions. Puerperal phlegmasia alba dolens, embolus, sudden death. Following childbirth (not otherwise	78 5							18	35 1	17 3	7		· · · · · · · · · · · · · · · · · · ·					1
141	defined) Puerperal diseases of the breast	5								2	1	2			 				
440	VIII.—Diseases of the skin and of the cellular tissue	85	32	2	1	1	1		4	4	1	4	3	7	9	12	3		1
142 143 144 145	Gangrene Furuncle Acute abscess Other diseases of the skin and annexa	34 6 8 37	2 2 28	2	1	1	1		1 2 1	1 1	i	3 1	. 1 1 1	. 5 1 1	6 1 2	10 1 1	2 1 		1
	IX.—Diseases of the bones and of the organs of locomotion	28	1	3	2	1	1	5	2	1	1	2	1	6	2				
146 147	Diseases of the bones (tuberculosis ex- espted). Diseases of the joints (tuberculosis and rheumatism excepted).	25	1	3	2	1	1	5	2	1	1	2	1	4	1				
148 149	AmputationsOther diseases of the organs of locomotion	2											:	1	.:				
150	X.—Malformations.  Congenital malformations (stillbirths not included) (total).  Hydrocephalus.	233 233 15 111	213 213 11	7 1	4 2	4 1	1	1	1		1					,			1
	Congenital malformations of the heart Other congenital malformations	107	103 99	3	· · · 2	1	1	1	1		1								1
151	XI.—Early infancy  Congenital debility, icterus, and sclerema	1,558	1,558																
152	(total). Premature birth. Congenital debility, "atrophy," "marasmus," etc. Other causes peculiar to early infancy	1,360 865 495	1,360 865 495													<del>-</del>			
	(lotal)	191 96 95	191 96 95 7			•••••													
153	Lack of careXII.—Old age	7 422	7									1	4	23	132	202	49	8	3
154	Senility	422						es at b				1	4	23	132	202	49	8	3

Table 6.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA, ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE OF DECEDENT: 1911—Continued.

±:		1		···········			<del></del>		DE	ATHS A	T AGE	OF—			<del></del>				
Detailed Int. List No.	CAUSE OF DEATH.	All deaths.	Under 1 year.	, ,	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	49	50 to 59 years.	60 to 69 years.	70-to 79 years.	80 to 89 years.	90 to 99 years.	100 years and over.	Deaths at un- known age.
,				KEN	TUC	KY	(WH	ITE)-	Conti	inued.									
***************************************	XIII.—External causes	1,547	76	34	38	38	20	64	197	252	227	151	147	108	80	67	9		39
155	Suicide (total) By poison.	70							10 5	29 11	44 16	29 11	41 15	19 4	14 7	2			3 1
155 156 157 158 159	By asphyxia By hanging or strangulation By drowning	2 27 11							1	2 1	3 1	3	8 6	1 7 1	4 1	·····i	· · · · · ·		
160	By firearms By cutting or piercing instruments	11 58 16							4	12 2	17 6	13 1	8 4	2 2	2	<u>î</u>			
161 162 163	By jumping from high places By crushing Other suicides	2 1 4								1	i	1		1 1					1 1
164	Accidental or undefined (total)		74 4	34 1	38 1	38 1	20	64 1	169 4	174	134	97	88 1	84 1	64	65 1	9		27
165 166 167	Other acute poisonings Conflagration Burns (conflagration excepted)	43 20 178	6 3 12	$\begin{array}{c} \hat{2} \\ 1 \\ 17 \end{array}$	$\frac{\hat{5}}{20}$	3 27	2 1 10	5 3 15	2 2 20	2 4 13	7 2 6	3 1 5	î 8	3 1 6	2 2 11	3	1		4
168	Absorption of deleterious gases (con- flagration excepted)	28	22						1.		2	2			1				
.169 170 171	Accidental drowning	28 88 96	ī	4	3 1		1	7 9	29 27	18 26	2 8 9	4 9	5 7	3 6					6 1
172	instruments. Traumatism by fall.	7 169		·····4	4	3	$_{2}^{1}$	1 2	···· <sub>7</sub>	2 9	1 8	13	17	1 30	1 26	38	6		
173	Traumatism in mines and quarries (total)	43							9	19	8	4	2						1
174	Traumatism in mines Traumatism in quarries Traumatism by machines	40 3 19							9	16 3 2	<u>8</u>	4 ·····4	2						ī i
175	Traumatism by other crushing (total) Railroad accidents and injuries. Street-car accidents and injuries.	279 198 24	3 1	2 1	1 1	1	1 1	9 3 2	38 27 3	57 42 7	58 45 5	31 22 3	32 19 1	20 15 3	10 7	6 4			10
	Automobile accidents and in- juries Injuries by other vehicles	12 38 7	2	1				1 3	2 6	1 6 1	2 3 3	1 5	2 7 3	1	1 2				
176 177	Landslide, other crushing  Injuries by animals Starvation	10 1	1				1	2	2	2	1				1				
178 179	Excessive cold Effects of heat	1 29	4	·····2						1 3	2	6	4	3	2	3			
180 181	Lightning Electricity (lightning excepted)	20						1	5	$\frac{4}{2}$	3	3	2	1		1			1
185 186	Fractures (cause not specified) Other external violence	37 93	17	····i	3	3	1	9	12	8	$\frac{2}{14}$	10 10	3 6	5	7 1	12 1			<u>.</u>
182 183 184	Homicide (total)  By firearms  By cutting or piercing instruments.  By other means	177 136 16 25	2 2						18 14 2 2	49 40 5 4	49 38 4 7	25 19 2 4	18 11 2 5	5 4 1	2 2				9 8
	XIV.—Ill-defined diseases	921	402	56	19	12	5	15	31	30	25	35	47	77	72	52	14	1	28
187 188	Ill-defined organic disease	89 25 807	10	1	3	2	1	4	6	3	3 2	. 9	3	13	19 3	14 1		1	3
189	Not specified or ill defined (total) Ill defined Not specified or unknown	807 241 566	392 56 336	55 25 30	16 4 12	9 5 4	4	11 2 9	25 13 12	26 9 17	20 8 12	25 17 8	41 19 22	63 39 24	50 25 25	37 13 24			24 5 19
				K	ENT	UCK	Y (C	OLO	RED	).				_					
	All causes	5,827	819	266	116	62	59	162	514	780	661	588	557	465	367	197	77	25	112
	I.—General diseases		135	90	50	33	29	99	329	450	298	223	156	114	66	33	10	2	26
1 2 3	Typhoid fever Typhus fever Relapsing fever	176	2	1	2	3	6	21	43	47	19	14	9	3	1	1			1
4 5	Malaria. Smallpox.	55	5	1	1	1	ii	2	8	7	6	8	3	5	4	2			1
6	Measles	2	6	13	10	6	3	3	6	1		<b></b> -			1				<b>-</b>
8 9 10	Whooping cough Diphtheria and croup Influenza	24	37 10 3	28 1 2	3 2 3	4 3 1	3	8 5	2 1 6	6	1 5	 11	15	9	13	6	2	<sub>i</sub>	1
11 12	Miliary fever							l											
12 13 14 15	Asiatic entoiera Cholera nostras Dysentery Plague	52	1 9	7	2			1	i		1 1	1 4	4	5	8	5	3		
16 17	Yellow fever Leprosy Erysipelas																		
18 19	Erysipelas Other epidemic diseases	ō								1	2		1						

Table 6.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA, ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE OF DECEDENT: 1911—Continued.

Int.		·							DE	ATHS A	T AGE	of—					1.1		
Detailed In List No.	CAUSE OF DEATH.	All deaths.	Under 1 year.	1 1	2 years.	3 years.	4 years.	5 to 9 years.	19	20 to 29 years.	39	49	59	69	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 years and over.	Deaths at un- known age.
	•	<u>'</u>	ĸ	ENT	UCE	Y (C	OFO	RED	)—Con	tinued		<u>!</u>	š	1	<u>'</u>	1	<u> </u>		1
20	I.—General diseases—Continued. Purulent infection and septicemia	17	1					. 1	1	2	3	1	3	2	1	2			
21 22 23	Purulent infection and septicemia Glanders																		
24 25 26 27	Tetanus. Mycoses. Pellagra. Beriberi.	10 7	6						1 2	1	2	2							
28 29 30 31 32 33 34	Tuberculosis (total) Tuberculosis of the lungs. Acute miliary tuberculosis. Tuberculous meningitis. Abdominal tuberculosis Pott's disease. White swellings Tuberculosis of other organs. Disseminated tuberculosis.	1,273 1,086 53 36 59 6	34 17 3 7 2	32 24 4 2 1	24 13 - 3 - 5 2	13 8 1 2 1	15 9 2 3	51 39 2 5 8	244 213 12 3 10 1 2 2	357 320 16 5 12 1	217 196 5 1 8	122 109 5	74 59 4 8 1 2	44 38 2 1	20 17 1 2			 	17 15
35 36 37 38	Disseminated tuberculosis.  Rickets Syphilis Gonococcus infection	8	3 10	1 1 3	2	1 1	1	1 1 1	1 5	. 1 2	1 2 14	2 13	4	1 2 5	1 1	2			1 2
39 40 41 42 43 44 45	Cancer and other malignant tumors (total). Of the buccal cavity Of the stomach, liver Of the peritoneum, intestines, rectum of the female genital organs. Of the breast. Of the skin Of other organs or of organs not specified.	ļ							3 1 1	4 2 1	14 5 2 5 1	35 11 4 8 8 1	29 4 8 6 6	24 1 7 2 10 1	11 1 3 1 2 1	4 2 1 1	1		i
46 47 48 49 50	Other tumors (tumors of the female genital organs excepted).  Acute articular rheumatism. Chronic rheumatism and gout. Scurvy. Diabetes.	5 34 3 1 13		<i>-</i>						4 1	1 2 2	2 4	6 1 2	2 10 2	$\frac{1}{2}$				2
51 52 53 54 55	Exophthalmic goiter Addison's disease. Leukemia Anemia, chlorosis. Other general diseases.	8	6	1	1	1						1	2 1 1	1 1		1	····i		
57 58 59	Alcoholism (acute or chronic)									z	2 	3	1						
	II.—Diseases of the nervous system and of the organs of special sense.	476	64	24	7	2	1	13	12	20	36	50	78	68	47	27	11	2	14
60 61	Encephalitis Meningitis (total) Simple meningitis Cerebrospinal meningitis (undefined) Cerebrospinal fever	1 65 45 • 16 4	26 17 7	10 7 3	4 4	2 1 1	1	8 6 2	5 4	4 3 1	1 1	1 1		2 2	1				
62 63	Locomotor ataxia. Other diseases of the spinal cord (total). Acute anterior poliomyelitis. Other diseases of the spinal cord !	5 26 9 17	2 2	5 5	2 1 1			1 1	1 1	2	1 3	1 1	$\frac{1}{2}$	3	4	1 1			i
64 65 66 67 68	Cerebral hemorrhage, apoplexy	166 8 108 7 10	3	1				1	1 1	3 1	18 4 1	17 18 1 1 2	39 1 24 1 5	39 2 21	18 2 17	10 12 3	3 1 6 1	1	10 1
70 71	Epilepsy. Convulsions (nonpuerperal)	24 1 36 1	31	3	1			2	1	3 1	6	5			1				2
74 75	Neuralgia and neuritis Other diseases of the nervous system Diseases of the eyes and their annexa Diseases of the ears	15 15	2	1				i		1	i 1	3	1 3		3				
77	III.—Diseases of the circulatory system	559 12	4			1		2	13	35	67	116	103	96	68	34	9	· 2	9
79 80	Pericarditis. Acute endocarditis Organic diseases of the heart Angina pectoris Diseases of the arteries, atheroma, aneurism, etc.	12 11 473 17 33						2	1 2 9	32 1 1	4 2 51 6 3	3 2 100 3 7	2 4 86 3 6	88 2 4	57 2 7	32	8	1	1 6 1

TABLE 6.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA, ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE OF DECEDENT: 1911—Continued.

									DEA	THS A	T AGE	OF				<del>- ,</del> -			
Detailed Int. List No.	CAUSE OF DEATH.	All deaths.	Under 1 year.	1 year.	2 years.	3 years	4 years.	5 to 9 years.	19	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 years and o ver.	Deaths at un- known age.
		<u> </u>	K	ENT	UCK	Y (C	OLO:	RED)	Con	inued	•								•
	III.—Diseases of the circulatory system—Continued.																		
82 83 84	Embolism and thrombosis.  Diseases of the veins (varices, hemorrhoids, phlebitis, etc.).  Diseases of the lymphatic system (lymphangitis, etc.).	5 1 1			•••••	1				1	1		2		1				1
85	Hemorrhage; other diseases of the circulatory system	6	2					ļ	1			1		1	1				
	IV.—Diseases of the respiratory system	704	137	74	31	13	12	20	41	54	51	59	68	55	46	24	6	1	12
86 87 88 89 90	Diseases of the nasal fossae Diseases of the larynx Diseases of the thyroid body Acute bronchitis Chronic bronchitis	1 39 49	14 2	1 9 1	2	2	i	1 1	2 6	1 10	8	1 	1 2	2 5	2 4	2 5			1
91 92 93	Broncho-pneumonia Pneumonia (total) Lobar pneumonia Pneumonia (undefined).  Pleurisy	124 410 137 273 16	43 69 18 51	25 35 10 25 1	11 18 3 15	2 9 2 7	3 7 1 6	6 12 3 9	1 29 10 19 1	30 14 16 2	3 34 13 21 4	3 37 11 26 4	9 45 18 27 1	37 16 21 2	5 25 10 15 1	10 4 6	5 2 3	1 1	3 7 1 6
94 95 96 97 98	Pulmonary congestion, pulmonary apoplexy Gangrene of the lung Asthma Pulmonary emphysema. Other diseases of the respiratory system (tuberculosis excepted).	8 1 38	4	2					i 1	3 5	2	7	1 7 2	3	6	3	1		i
	V.—Diseases of the digestive system	497	131	56	12	5	4	12	23	43	44	37	40	38	21	16	6	3	. 6
99 100 101 102 103	Diseases of the mouth and annexa.  Diseases of the pharynx.  Diseases of the esophagus Ulcer of the stomach Other diseases of the stomach (cancer excepted).	3 6 17 85	3	2	i	1	1	i 1	i 1	2	1 2	2 2 7	4	6 14	i 4	5	4	1	2
104 105 106 107 108	Diarrhea and enteritis (under 2 years) Diarrhea and enteritis (2 years and over). Ankylostomiasis Intestinal parisites. Appendicitis and typhiltis	149 60 5	95 1	54	9	3	1 2	4 1 1	5	6	6	43	6	6	5	i 	1 	i	2
109	Hernia, intestinal obstruction (total) Hernia Intestinal obstruction. Other diseases of the intestines.	38	4 1 3 3		1			1 1 i	2	4 1 3 3	6 2 4 2	3 2 1 3	7 3 4	3 1 2 1	1 1 3	3 2 1 1	1	1	1 1
111 112 113 114	Acute yellow atrophy of the liver. Hydatid tumor of the liver. Cirrhosis of the liver. Biliary calculi.	31						i	i	 2 1	7 1	3	7 2	2 1	3 1	 5			
115 116 117 118	Other diseases of the liver	30	3					1	2 4	6 8	5 2	6 4	4	3 2	3				i
	VI.—Nonvenereal diseases of the genito-urinary system and annexa.	342	6	1		2		5	8	24	36	48	61	62	54	20	8	1	6
119 120 121 122 123	Acute nephritis. Bright's disease. Chyluria Other diseases of the kidneys and annexa. Calculi of the urinary passages.	231	2 1 2						1 3 3	4 8 1	5 22 1	7 29 2	4 45 5	6 52 1	3 41 1	15 2	1 7	1	4
124 125	Diseases of the bladder	9			l		1			1	ļ <u>.</u>	2	1	1	2	2			
126 127 128	etc. Diseases of the prostate Nonvenereal diseases of the male genital organs Uterine hemorrhage (nonpuerperal)	8 8 1 1			• • • • • •						1	3 1	3	i					i
129 130 131 132	Uterine tumor (noncancerous). Other diseases of the uterus. Cysts and other tumors of the ovary. Salpingitis and other diseases of the female genital organs.									1	2 3	1 2 1	1 2	t					i
133	Nonpuerperal diseases of the breast (can- cer excepted).								ļ <u>.</u>	<del>*</del>	•			 					
194	VII.—The puerperal state	76	<u></u>						18	32	22	4							
134 135 136 137	Accidents of pregnancy Puerperal hemorrhage Other accidents of labor Puerperal septicemia.	3 7		<b>-</b>					1 1 1 9	4 17	2 2								

TABLE 6.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA, ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE OF DECEDENT: 1911—Continued.

台									DEA	THS A	T AGE	<b>of</b> —							Death
Detailed Int. List No.	CAUSE OF DEATH.	All deaths.	Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	19	29	30 to 39 years.	49	50 to 59 years.	60 to 69 years.	70 to 79 years	89	90 to 99 years.	100 years and over.	at un- knowi age.
'			1	CEN'	ruci	<b>CY</b> (	COL	ORE	<b>)</b> )—Co	ntinu	ed.								
	VII.—The puerperal state—Con.																		
138 139	Puerperal albuminuria and convulsions. Puerperal phiegmasia alba doleus, embo-	15							6	7	2							·····	
	lus, sudden death. Following childbirth (not otherwise de-	1								-:	1				••••				
141	fined)																		
	VIII.—Diseases of the skin and of the cellular tissue	16	3						1			2	2	2	3	1	1		
142	Gangrene	10							1			2	1	2	3		1		
143 144	Furtincle Acute abscess								 				<u>-</u>			i			
145	Other diseases of the skin and annexa  IX.—Diseases of the bones and of	6	3			ļ							1					· · · · · ·	
-	the organs of locomotion	2							·	1			1						
146	Diseases of the bones (tuberculosis excepted)	. 2				ļ		.		1		ļ	1					<b></b> .	
147	Diseases of the joints (tuberculosis and rheumatism excepted)			 								ļ					<b> </b> -	ļ	
148 149	Amputations. Other diseases of the organs of locomotion																		
	X.—Malformations	10	9		1														
150	Congenital malformations (stillbirths not included) (total)	10	9		1	<b> </b>		.											
ļ	Hydrocephalus.  Congenital malformations of the	6	6																
	heartOther congenital malformations	1	3		1														<i></i>
	XI.—Early infancy	226	226																
151	Congenital debility, icterus, and sele- rema (total)	200 104	200 104				.	.			.		<i>-</i>		ļ				
}	Congenital debility, "atrophy,"	96	96																
152	Other causes peculiar to early infancy (total)	. 22	22								.					l			
	Injuries at birth	11	11					-											
153	fancy 1 Lack of care		4								-								
	XII.—Old age										<u></u>		3	6	34	27	19	12	
154	Senility		10			6	11	10	59	113	94	37	31	8	34	27	19	12	}
	XIII.—External causes  Suicide (total)	10	16	6	7	- <del>'</del>	- 11	10	1	4		- 31	- 31	<u> </u>	1	-	-		<u>                                     </u>
155 156	By poison	6							i		2								
157 158	By hanging or strangulation By drowning	1					:				1								
159 160 161	By firearms By cutting or piercing instruments By jumping from high places. By crushing	1 1								. z		.	.]		i			-	
162 163	By crushing	-									-						.		
	Other suicides Accidental or undefined (total) Poisoning by food.	- - 5	16 1	6		6	.]	-]	45 1	53	. ]	24		8	7	. 6	3		
164 165 168	Other acute poisonings. Conflagration	6 5 43	1 1	13	. 1	6	$\begin{array}{c c} & \frac{1}{7} \\ & \frac{7}{7} \end{array}$		i	2 1	. 1	3	1 5	1	2	i			
167 168	Configration Burns (configration excepted). Absorption of deleterious gases (configration excepted) Accidental drowning. Traumetism by freerms	11	6	1		1				. 2		1	}						<u>]</u>
169 170	Accidental drowning Traumatism by firearms Traumatism by cutting or piercing	- 29 - 46						3	11 12	5	4	3	1 2			. 2			
171	Traumatism by cutting or piercing instruments.  Traumatism by fall	. 2	ļ				-	. i	3	<sub>i</sub>	5	. 1	2		i		. 1	·i	.
172 173	Traumatism in mines and duarries	1	II .	1	1	1	1	1	1		1	1	1				1		
	(total) Traumatism in mines Traumatism in quarries	iŏ							2	1	4	1	2				-)		.
174 175	Traumatism in quarries. Traumatism by machines Traumatism by other crushing (to-	. 5	11						1	- 2	1	}.				4			
	tal)	51					1		10 8	18	7	5	2	2 2	1			.	- [
	Automobile accidents and in-	. "					. 1					. 1	<u> </u>		1			-	<u> </u>
	juries. Injuries by other vehicles Landslide, other crushing. Injuries by animals.	4		.]		:	-	-					2		. 1		-		
176 177	Injuries by animals	3	i				.			-			2			-			
178 179 180	Effects of heat	. 7	i				-	. i		i	. 1	i							
181 185	Lightning. Electricity (lightning excepted). Fractures (cause not specified). Other external violence.					·	-					1							
186	Other external violence.	26	i	1 1	1			i	3	3	9	$\frac{1}{2}$	4	1		.1	.1	J	_

Table 6.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA, ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS-OF CAUSES, BY AGE OF DECEDENT: 1911—Continued.

42									DE	ATHS A	T AGE	OF			····				
Detailed Int. List No.	CAUSE OF DEATH.	All deaths.	Under 1 year.	, I	2 years.	3 years.	4 years.	5 to 9 years.	19	29	30 to 39 years.	49	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	99	100 years and over.	Deaths at un- known age.
		, , , ,	K	ENT	UCK	Y (C	oro	RED	)—Cor	tinue	1.				!	<u> </u>	<u>!</u>		<del></del>
182 183 184	XIII.—External causes—Contd.  Homicide (total) By firearms By cutting or piercing instruments. By other means  XIV.—Ill-defined diseases  Ill-defined organic disease	138 95 24 19 226 23 14	88	15	8		2	1	13 8 3 2 10	56 41 7 8 8	41 29 8 4 13	13 8 3 2 12	14	16	20	9	4	1	11 <sup>1</sup> 5 3 3 5
188 189	Sudden death Not specified or ill-defined (total) Ill-defined Not specified or unknown	189 60 129	85 14 71	15 10 5	7 3 4		2 2	1	9 2 7	7 3 4	3 2 8 2 6	1 8 5 3	11 9 2	1 13 5 8	12 5 7	2 5 5	$\frac{1}{2}$ $\dots$	1	5
						м	AIN	E.	<u> </u>			ا "	_		•	<u> </u>			<u> </u>
	All causes	12, 031	1,681	285	122	83	59	167	396	686	737	821	1, 189	1,777	2,260	1,470	255	. 9	34
	I.—General diseases		142	78	41	28	31	61	172	339	326	291	363	406	395	142	14		5
1 2 3	Typhoid fever. Typhus fever. Refapsing fever.	1 1		1	1	2	1	7	19	42	29	8	12	9	3				1
4 5	Malaria Smallpox	3										1			i	1			
6 7 8 9	Measles. Scarlet fever Whooping cough Diphtheria and croup Influenza	31 16 73 75 189	6 1 45 6 14	13 20 9 4	2 2 5 8 2	2 2 2 9	1 2 8 1	1 5 1 20	3 1 11 11	1 5	1 2 2 6	1 8	10	1 21	1 1 64	42	11		
11 12 13 14 15	Miliary fever Asiatic cholera Cholera nostras. Dysentery.	3 37	1 9	3	3	3	3	3	i		1	i	2	3	3	2 2			
16 17 18 19	Yellow fever Leprosy Erysipelas Other epidemic diseases	28 1	4				i			2	1	2	4	6	6	3			
20 21 22 23	Purulent infection and septicemia	23				1		2	2	3	2	1	4	3	2	2	1		
24 25 26 27	Tetanus. Mycoses. Pellagra. Beriberi.	10 1				1		2	2	2	1		2 1						
28 29 30 31	Tuberculosis (total).  Tuberculosis of the lungs.  Acute miliary tuberculosis.  Tuberculous meningitis.  Abdominal tuberculosis.		33 10 14 6	18 4  10 2	17 4 2 10 1	5 2 2	9 3 5 1	12 2 1 7	108 78 6 8 7	250 209 7 7 12	221 195 5 2 7	139 117 3 5 7	107 93 2 1 8	80 73 1 3					2 2
31 32 33 34 35	Pott's disease. White swellings Tuberculosis of other organs Disseminated tuberculosis. Rickets	27	2 1	1 1				1	1 1 4	3 8	6 5	3 4	1 2	3	$\begin{array}{c} 1 \\ 2 \\ 1 \end{array}$				· · · · · · · · · · · · · · · · · · ·
37 38	Syphilis. Gonococcus infection.	21	10 3	4 		 		1		2	4 1	2		2		ļ			
39 40 41 42 43 44 45	Cancer and other malignant tumors (total). Of the buccal cavity. Of the stomach, liver. Of the peritoneum, intestines, rectum Of the female genital organs. Of the breast. Of the skin. Of other organs or of organs not specified.	25 289 105 121 67 23								7 2 1 1	32 6 4 12 6	89 2 22 13 29 13 2	150 3 62 19 32 14 3	204 5 89 26 29 15 6	197 10 85 38 16 10 7	53 5 21 4 2 9 4	i		
46 47 48 49 50	Other tumors (tumors of the female genital organs excepted)	13 30 23 2					ļ		5	3 2 1 11	19	3 3 1 17	4 2 3	1 2 5	3 9 8 36	2 3 2 14			
51 52 53 54 55	Exophthalmic goiter	12 60	5 3	2 1			1 2	1	1 3 1	1 4	1 5	1 4 2 1	1 2 10 4	2 2 2 22	2 4 1	4			
56 57 58 59	Alcoholism (acute or chronic)	2		l <i></i>		1			1	3	7	4	11 2	1					1

Table 6.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA, ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE OF DECEDENT: 1911—Continued.

=== ti									DEA	LTHS A	T AGE	of—		··········					•
Detailed Int. List No.	CAUSE OF DEATH,	All deaths.	Under 1 year.	1 ±	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	89	90 to 99 years.	100 years and over.	Deaths at un- known age.
		·	·		М	AIN	ECo	atinue	1.	•		<u></u>	*		,	,	·		
	II.—Diseases of the nervous sys- tem and of the organs of special sense	1,494	69	25	12	11	4	17	16	34	52	89	188	317	415	218	21	2	
60 61	Encephalitis Meningitis (total) Simple meningitis. Cerebrospinal meningitis (undefined) Cerebrospinal fever.	15 100 69 30	28 22 6	14 11 3	10 5 5	1 5 4 1	3 1 2	1 10 3 6 1	1 4 4	4 5 4 1	1 6 3 3	1 4 2 2	1 5 5	1 1	2 4 3 1	2 1 1	1		***************************************
62 63 64	Locomotor ataxia.  Other diseases of the spinal cord (total).  Acute anterior poliomyelitis.  Other diseases of the spinal cord <sup>1</sup> Cerebral hemorrhage, apoplexy.	26 76 13 63 877	3 2 1	3 3		3 3	1 1	2 1 1	3	4 2 2 9	3 3 3 11	2 8 8 46	12 13 13 104	5 20 1 19 212	12 12 300	4 163	16		2
65 66 67 68	Softening of the brain. Paralysis without specified cause. General paralysis of the insane. Other forms of mental alienation.	31 135 72 32	2						1	2 1 2	1 1 9 5	6 10 3	3 15 10 8	7 33 19 8	11 48 14 4	9 24 7 2	2 2		i
69 70 71 72 73	Epilepsy Convulsions (nonpuerperal) Convulsions of infants. Chorea Neuralgia and neuritis.	10	23	1 5	2	2		1	5 1	5 1	6 1	1	8	3 1	1	1			
74 75 76	Other diseases of the nervous system.  Diseases of the eyes and their annexa.  Diseases of the ears.  III.—Diseases of the circulatory	31 1 5	2 1 2					2	1	i	1 3 1	1 7	5 4	5 3	4 6 1	2			1
77 78 79 80 81	system	1,840 8 37 1,345 121 264	18		3	1 1		6 1 5	24 6 17	34 4 19 3	53 7 39	109 2 7 88 7	200 2 7 153 14	2 319 43	2 2 425 35	352 2 241 19	18		5
82 83 84 85	Embolism and thrombosis. Diseases of the veins (varices, hemorrhoids, phlebitis, etc.). Diseases of the lymphatic system (lymphangitis, etc.). Hemorrhage; other diseases of the circu-	51 3 1	3						1	7	1 4	1	14 7 1	40 15 1	6	83	14		
	latory system	1,392	221	72	25	14	7	23	33	51	2 62	93	1 115	172	242	218	1 39	. 1	
86 87 88 89	Diseases of the nasal fossae.  Diseases of the larynx.  Diseases of the thyroid body. Acute bronchitis.  Chronic bronchitis.	2 8 7 113 75	2 1 39 2	1 1 7	2	· 1		1	1	1		4	3 1 6	1 1 7 13	1 19 21	28 24	1 6 4		
91 92 93	Bronchopneumonia. Pneumonia (total). Lobar pneumonia Pneumonia (undefined). Pleurisy.	236 824 139 685 21	59 106 12 94	22 38 2 36	6 11 2 9	2 9 3 6	2 5 1 4	5 13 2 11 1	2 26 11 15 2	5 37 9 28 3	52 13 39 2	6 69 10 59 1	12 78 18 60 6	20 114 22 92 2	47 133 19 114 3	39 108 13 95	5 22 2 20	1 1	2 2
94 95 96 97 98	Pulmonary congestion, pulmonary apo- plexy. Gangrone of the lung. Asthma. Pulmonary emphysema. Other diseases of the respiratory system (tuberculosis excepted).	· 57 1 23 3	8 2 2	3	2	1		1	 Į 1	2	2	5 5 3	3 1 5	2 7 5	11 1 2 1	15 3 1	1		2
	V.—Diseases of the digestive system	1,227	494	.86	23	9	10	21	52	46	47	54	74	108	140	52	11		
99 100 101 102 103	Diseases of the mouth and annexa Diseases of the pharynx Diseases of the esophagus Ulcer of the stomach Other diseases of the stomach (cancer excepted)	2 11 2 27 220	72	i 1	3	i		1	3	3 2 8	1 4 7	1 4 5	1 5 15	1 7 35	5 43	1 22	. 5		
104 105 106 107 108	Diarrhea and enteritis (under 2 years) Diarrhea and enteritis (2 years and over). Ankylostomiasis. Intestinal parasites. Appendicitis and typhlitis.	473 110 4 101	398	75 2 1	16	3	9	8	32	3 14	5 16	5 12		16	23	10	2		
109	Hernia, intestinal obstruction (total) Hernia. Intestinal obstruction. Other diseases of the intestines	92 22 70 20	8 3 5 7	2	1 1			1 1 1	4	4 1	4 2 2	6 1 5 1	17 3 14 1	15 4 11 2	20 7 13 6	8 2 6 1			
111 112 113 114	Acute yellow atrophy of the liver Hydatid tumor of the liver Cirrhosis of the liver Biliary calculi		1 Evelusi						1	1	3	5 5	2 8 3	1 <u>1</u>	1 13 4	i			••••••

1 Exclusive of acute anterior poliomyelitis (infantile paralysis).

Table 6.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA, ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE OF DECEDENT: 1911—Continued.

tt.			1						DE	ATHS A	T AGE	or—	· · · · ·		<del></del>				
Detailed Int. List No.	CAUSE OF DEATH.	All deaths.	Under 1 year.		2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	49	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 years and over.	Deaths at un- known age.
					M	IAIN	TECo	ntinue	d.		<del></del>				•	•			
	V.—Diseases of the digestive system—Continued.															"			
115 116 117 118	Other diseases of the liver	30 30	2	1 3					8	62	2 1 4	5 4	6 1	9	18	5 1	1 1		
	(cancer and tuberculosis excepted) VI.—Nonvenereal diseases of the gentto-urinary system and annexa	986	6	1	3	1	2	4	1 13	36	59	86	144	236	252	124	15		4
119 120	Acute nephritis Bright's disease Chyluria	81 773	2 2	1	2 1	1	1 1	3	6	7 15	7 45	14 55	11 121	8 206	13 209	4 96	1 11		1 3
121 122 123	Other diseases of the kidneys and annexa. Calculi of the urinary passages	16 9		• • • • • •					1	3	1	4 1	1	3	2 4	3 1			
124 125	Diseases of the bladder Diseases of the urethra, urinary abscess, etc	26				1	ŀ			1			2	2	8	12	2		
126 127 128	Diseases of the prostate  Nonvenereal diseases of the male genital organs  Cuterine hemorrhage (nonpuerperal).	37 1 1	[ ]			1	1	1	ſ	1	I :	ł	3	12	13	8	1		
129 130 131 132 133	Uterine tumor (noncancerous)	7 19 5								1	1 3	9	3 2 1	1 2 1	1 1 1				
	(cancer excepted)  VII.—The puerperal state	100					l	ŀ	6	50	36	8							
134 135 136 137	Accidents of pregnancy Puerperal hemorrhage Other accidents of labor Puerperal septicemia	9 16 15 29							1 1 1 1	7 4 5 18	1 9 8 7	2 1 3							
138 139 140	Puerperal albuminuria and convulsions Puerperal phlegmasia alba dolens, embo- lus, sudden death Following childbirth (not otherwise de- fined).	28 · 2 1							2	14 2	11	1	••••						
141	Puerperal diseases of the breast  VIII.—Diseases of the skin and of the cellular tissue	86	7							4	2	5	3	10	24	26	5		
142 143 144 145	Gangrene. Furuncle. Acute Abscess. Other diseases of the skin and annexa.	63 5 6 12	1 3 3							1 1 2	1 1	1 1 2 1	2 1	8 1 1	21	24 1	5	1	
146	IX.—Diseases of the bones and of the organs of locomotion Diseases of the bones (tuberculosis ex-	11	1	1					2	1	1		2	3					
147 148	cepted). Diseases of the joints (tuberculosis and rheumatism excepted). Amputations.	8 2	1	1 					1	1									
149	Other diseases of the organs of locomotion  X.—Malformations	1 55	48	3	1	1			2										
150	Congenital malformations (stillbirths not included) (total).  Hydrocephalus.  Congenital malformations of the heart.  Other congenital malformations.	55 7 30 18	48 4 28 16	3 3	1 1	1			2 1 1										
7,51	XI.—Early infancy	596	596																
	Congenital debility, icterus, and sclerema (total) Premature birth Congenital debility, "atrophy," "marsamus," etc. Other causes peculiar to early infancy	502 273 229	502 273 229 94														•••••		
153	(total). Injuries at birth. Other causes peculiar to early infancy <sup>1</sup> . Lack of care.	94 36 58																	
154	XII.—Old age	533			1 Exch							•	2	16	132	274	104	5	

TABLE 6.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA, ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE OF DECEDENT: 1911—Continued.

ıţ.								=====	, DE	ATHS A	T AGE	of—				<del></del>			
Detailed Int. List No.	CAUSE OF DEATH.	All deaths.	Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	29	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 years and over.	Deaths at un- known age.
	·				M	LAIN	ECo	ntinue	d.										
	XIII.—External causes	689	19	- 13	13	14	4	35	75	81	89	78	78	57	59	52	10		12
155 156 157 158 159 160 161 162	Suicide (total)  By poison.  By asphyxia.  By hanging or strangulation.  By drowning.  By firearms.  By cutting or piercing instruments.  By jumping from high places.  By crushing.	101 16 5 26 12 30 10							6 1 1 1 2	9 3 1 2 3	16 3 1 3 2 5 1	*19 3 9 3 2 2	19 3 6 2 7 1	20 2 4 2 7 5	10 1 2 2 2	1 1			
163 164 165 166 167	Other suicides  Accidental or undefined (total) Poisoning by food. Other acute poisonings. Conflagration. Burns (conflagration excepted).	570 5 15 16 45	18	13 3 1 2	11 1 2 5	14 1 4	4 1 1	33	1 67 2 1 1 6	70	67 1 1 2 1	57 2 1 5	58 2 1 4	37 3 3 3	49 1 1. 3 · 3	50 1 1	10		12 i
168 169 170 171 172	Absorption of deleterious gases (con- flagration excepted). Accidental drowning. Traumatism by firearms. Traumatism by cutting or piercing instruments. Traumatism by fall.	16 . 131 24 2 97	6 1 2	1 2		3 1	i	10 3 1 1	34 9	31 1	1 11 4 1 8	2 15 3	15 1 6	2 7 1	2 1 17	2 1 37			i
173 174 175	Traumatism in mines and quarries (total). Traumatism in mines. Traumatism in quarries. Traumatism by machines. Traumatism by other crushing (total) Railroad accidents and injuries.	2 15 101	1				1	9	4	2 17	1 1 5 20	2 9	2 16	. 1 1 6	10	2		ć	6
176	Street-car accidents and injuries. Automobile accidents and injuries Injuries by other vehicles. Landslide, other crushing. Injuries by animals.	11 3					1	1 3 4 1 2	1	14 1 2	16 2 1 1	7 1 1	6 3 1 5 1	1 4 1	6	1			6
177 178 179 180 181 185	Starvation Excessive cold Effects of heat Lightning Electricity (lightning excepted) Fractures (cause not specified) Other external violence	4 37 1 6 8	6	i i				1	1 1 1 1	2 1	1 4 2	1 1 2	4 2 5	5	6	5	3		
182 183 184	Homicide (total) By firearms. By cutting or piercing instruments By other means	18 9 4 5	1	2	. 3 2 2			2	2 2 2	8 2 2	6 3 3	7 2 2 	1 1	2			1	 	3
187 188 189	XIV.—III-defined diseases.  III-defined organic disease. Sudden death Not specified or ill-defined (total). III-defined Not specified or unknown.	188 16 20 152 81 71	1 59 12 47	6 6	1 1 1	3 3 2 1	1 1 1		1 1 1	10 3 7 4 3	2 8 5 3	7 4 3	7 13 11 2	7 3 22 16 6	21 3 3 15 9 6	12   5 	2 2 2 2	1	
		<u>'</u>			MAI	RYL	ND	(TO	ral).	·		<u>'</u>	<u> </u>		<u>.                                      </u>	<del></del>	!		
	All causes	20,694	4, 003	877	342	188	154	426	915	1, 629	1,659	1,787	2,127	2,564	2, 495	1,255	189	15	69
1 2 3 4 5	I.—General diseases. Typhoid fever. Typhus fever. Relapsing lever. Malaria. Smallpox.		2	6	3	3	62	206	120	907	777	633 48 2	690 33	608 16 3	390 9	137	16	1	10
6 7 8 9 10	Measles Scarlet fever Whooping cough Diphtheria and croup Influenza	130 66 192 168 217	31 3 89 27 21	44 10, 47 32 7	15 12 31 14 4	9 7 8 22 4	7 4 22 2	14 18 11 36 6	8 7 1 11 9	5 2 8	1 1 7	3 1 14	2 26	33	1 42	26	7		1
11 12 13 14 15	Miliary fever Asiatic cholera Cholera nostras Dysantary Plague Yellow fever	14 83	9	1 10	1					1 2	2	2 3	1 9	5 14	4 24	8	1		
17 18 19 20 21 22 23	Leprosy. Erysipelas. Other epidemic diseases. Purulent infection and septicemia. Glanders. Anthrax	50 7	15 4 6	1 1	2		I 1	2	1 5	7	2 4	6	5 4	9 1 3	5 2	3			

Table 6.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA, ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE OF DECEDENT: 1911—Continued.

it.									DEA	THS A	T AGE	of—				***********			
Detailed Int. List No.	CAUSE OF DEATH.	All deaths.	Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	19	20 to 29 years.	30 to 39 years.	49	59	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 years and over.	Deaths at un- known age.
			,	MAR	.YLA	ND	rot)	'AL)	-Conti	nued.	'	· · · · · · ·							
24 25 26 27	I.—General diseases—Continued. Tetanus	11	17		2			3	8	6	2 i	2	3	1 5					
28 29 30 31 32 33 34 35	Tuberculosis (total) Tuberculosis of the lungs. Acute miliary tuberculosis. Tuberculous meningitis. Abdominal tuberculosis. Pott's disease. White swellings Tuberculosis of other organs. Disseminated tuberculosis.	2,660 2,240 99 115 114 19 11 35 27	62 20 5 28 2 1 1 2	50 17 4 22 5	30 16 1 11 2	21 7 4 6 2		60 25 3 18 6 2 2 2	281 216 17 14 15 5 3 6 5	687 617 30 5 28 1 1 2	564 515 11 4 21 1 2 3 7	352 320 11 2 8 4 1 5	285 255 9 2 12 4 3	156 137 3 1 5 2	78 71 2 2 1				6
36 37 38	Rickets Syphilis Gonococcus infection	137 3	88 1	2 4 	2 1 			i	4	10 1	<u>12</u> 1	8	5	3					
39 40 41 42 43 44 45	Cancer and other malignant tumors (total).  Of the buccal cavity. Of the stomach, liver. Of the peritoneum, intestines, rectum. Of the female genital organs. Of the breast. Of the skin. Of other organs or of organs not specified.	955 39 388 99 147 96 28				1	1		1	18 1 7 5	63 3 20 5 16 9	141 5 49 12 46 14 1	232 9 111 24 31 23 1	251 14 105 26 29 29 7	166 4 76 16 13 13 12	65 4 23 6 7 6 6 7			1
46 47 48 49 50	Other tumors (tumors of the female genital organs excepted) Acute articular rheumatism Chronic rheumatism and gout Scurvy Diabetes	15 69 13 2 167	1 1	····i		<i></i>		6	14 2	7	1 5 1 7	3	3 6 3 36	1 12 5 58	5 11 4 27	2 1 10			
51 52 53 54 55	Exophthalmic goiter. Addison's disease. Leukemia. Anemia, chlorosis. Other general diseases.	8 5 17 57 15	1 3	3					1 5 1	1 2 2 1	2 2 5 1	1 5 1	2 3 3 14 1	1 2 6 15 2	1 6 1	1 1 1 1			
56 57 58 59	Alcoholism (acute or chronic)	53 3								5 1 1	14 1	17 1	12 1	2 1 3	2 1				1
	II.—Diseases of the nervous system and of the organs of special sense	2, 136	221	61	30	11	11	33	46	55	97	197	271	408	453	214	19	1	8
60 61	Encephalitis Meningitis (total) Simple meningitis Cerebrospinal meningitis (undefined) Cerebrospinal fever.	11 180 112 53 15	3 60 42 14 4	1 29 17 9 3	15 8 6 1	8 4 4	1 4 3	18 11 6 1	16 7 8 1	1 7 3 3	7 3 2 2	3 5 4 1	3 1	3 3	1 1 1	1 3 3			
62 63 64	Locomotor ataxia Other diseases of the spinal cord (total) Acute anterior poliomyelitis. Other diseases of the spinal cord 1 Cerebral hemorrhage, apoplexy.	30 90 34 56 1,024	14 14 14	5 5	7 7 7	i	2 2 2	4 3 1	1 8	4 14	2 5 5 33	4 7 1 6 98	12 12 167	5 16 1 15 267	8 10 1 9 275	3 3 128	1 1 1 12		2
65 66 67 68	Softening of the brain. Paralysis without specified cause. General paralysis of the insane. Other forms of mental alienation.	24 356 93 28	2	3				2	1	<u>4</u> <u>2</u>	7 17 1	30 17 5	1 41 19 8	6 79 15 5	13 114 20 3	63 5 2	6	i	3
69 70 71 72	Epilepsy. Convulsions (nonpuerperal). Convulsions of infants. Chorea.	54 5 145 4	1 117	18	5	<u>ż</u>	3	3	9 1 <sub>2</sub>	11	12	11 1	2 i	2	2	1			1
73 74 75 76	Neuralgia and neuritis. Other diseases of the nervous system. Diseases of the eyes and their annexa. Diseases of the ears.		1 2 5	4	1 1			3	3	1 8 3	13	13 	3 4 1	7 1 1	2 4	3 <u>1</u>			
	III.—Diseases of the circulatory system	<u> </u>	28	10	3	3	2	19	66	99	151	226	350	543	584	252	28	2	10
77 78 79 80 81	Pericarditis. Acute endocarditis Organic diseases of the heart Angina pectoris Diseases of the arteries, atheroma, aneurism, etc	1,868 91	1 19 1	1 8	1 2	3	i r	1 3 12 1	3 10 51	82 2 5	9 122 2 7	3 20 176 7 16	1 18 273 14 37	3 3 439 33 54	3 2 466 28 73	1 187 4 56	17	2	2 8
82 83 84 85	Embolism and thrombosis.  Diseases of the veins (varices, hemorrhoids, phlebitis, etc.).  Diseases of the lymphatic system (lymphangitis, etc.).  Hemorrhage; other diseases of the circulatory system.	37 7 7	3 4 1 Exclu	1 isive of	acute	anter	ior pol	1 1 iomyel	1 1 itis (in	2	6 23	4	6	1 4	7 1 2 2	2			

TABLE 6.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA, ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE OF DECEDENT: 1911—Continued.

<del></del>		1			·-···		<del></del>		DE	ATHS A	T AGE	OF-~						-,	<del></del>
Detailed Int. List No.	CAUSE OF DEATH.	All deaths.	Under 1 year	Į I	2 years	g years	4 years	5 to 9	10 to	20 to	30 to	40 to	50 to 59 years	69	79	80 to 89 years	90 to 99 years	100 years and over.	Deaths at un- known age.
		)	25	IAR	YLAI	ND (".	rot.	L)—	Contin	ued.	<u> </u>	<u> </u>	J	]	_l	<u> </u>	<u> </u>		<u>!</u>
	IV.—Diseases of the respiratory system.	2,481	570	252	113	50	36	59	70	109	151	159	179	265	285	150	27	1	
86 87 88 89 90	Diseases of the nasal fossae.  Diseases of the larynx. Diseases of the thyroid body. Acute bronchitis. Chronic bronchitis.	<u> </u>	1 5 75 2	3 28 2	. 3	3	1 2	3	1	1 1	1	3	1 2	4 6	12	1 5	i	1	
91 92	Bronchopneumonia. Pneumonia (total). Lobar pneumonia. Pneumonia (undefined).		238 215 60 155	118 93 33 60	48 49 22 27	30 17 9 8	12 18 7 11	13 36 18 18 2	11 52 25 27	7 97 49 48	8 112 74 38	15 20 97 53 44	15 122 79 43	35 167 95 72	51 140 79 61	22 62 24	4 3 8 3 5	1 	1 4 1
93 94 95 96 97	Pulmonary congestion, pulmonary apo- plexy.	58 90 3 45	25 	4			1	2	3	1	10 5 1	5	15 2 1	12	21 1	38 2 9	6		
97 98	Asthma. Pulmonary emphysema. Other diseases of the respiratory system (tuberculosis excepted).  V.—Diseases of the digestive sys-	41	4	2			1	1	1	2	6	4 1 8	11 6	10 5	9 4.	3	4		••••••
	tem	2,443	1,182	244	35	12		38	54	87	100	134	154	163	142	69	6		6
99 100 101 102 103	Diseases of the mouth and annexa.  Diseases of the pharynx.  Diseases of the esophagus.  Ulcer of the stomach.  Other diseases of the stomach (cancer excepted).	18 21 4 28	13 2 1	1	1 1		2	2 7 1	3 2	2 3	1 5	1 6	1 1 5	1 4	1 1	1 1			
104 105 106 107	Diarrhea and enteritis (under 2 years) Diarrhea and enteritis (2 years and over). Ankylostomiasis. Intestinal parasites. Appendicitis and typhlitis.	291 1,288 179	1,074	17 214	25 25	6 1	4	10	5 9	15 · 7	7	27 8	31	30 28	30	21 26	2		3 i
108 109 110	Appendicitis and typhlitis.  Hernia, intestinal obstruction (total)  Hernia.  Intestinal obstruction  Other diseases of the intestines.	107 157 48 109 42	16 5 11 5	1 1 4 2 2 2	1	2 2	2 2 2 1	6 2 2 1	18 8 1 7 2	26 11 2 9	19 16 1 15 6	13 23 9 14 4	9 20 8 12 4	6 . 25 12 13 5	4 20 5 15 4	2 4 1 3 5	1		2 2
111 112 113 114	Acute yellow atrophy of the liver. Hydatid tumor of the liver. Cirrhosis of the liver. Biliary calculi.	4 165 39	3						1	3 2	16 3	36 5	43 10	40 12	21 6	1 . 5 1			
115 116 117 118	Other diseases of the liver	50 36 8	3 1	3	i			5	2 3 1	5 9 2	7 6 1	9	10 2 2	9 1 2	4 2	<u>1</u>			
	VI.—Nonvenereal diseases of the genito-urinary system and annexa.	1,837	18	9	8	2	3	13	34	93	143	239	327	409	358	158	17		6
119 120 121 122 123	Acute nephritis. Bright's disease Chyluria Other diseases of the kidneys and annexa Calculi of the urinary passages.	200 1,475 22 5	7 8	9	3 4 1		2 1	9 4	17 14	21 58	21 100 4 3	31 179 3 1	37 275 2 1	27 353 353	14 314 4	142 2	16		1 5
126 127	Diseases of the bladder. Diseases of the urethra, urinary abscess, etc. Diseases of the prostate. Nonvenereal diseases of the male genital organs	25 7 36 1	•••••		- 1					2	1	2 1 2	1 1 2	4 1 11	11 14	5 1 6	1		
129	organs Uterine hemorrhage (nonpuerperal) Uterine tumor (noncancerous). Other diseases of the uterus. Cysts and other tumors of the ovary Salvinerits and other diseases of the	2 19 15							····i	2 2	1 3 1 2	8 6	1 1 5 1	4	1	1			
133	Cysts and other tumors of the ovary. Salpingitis and other diseases of the female genital organs. Nonpuerperal diseases of the breast (cancer excepted).  VII.—The puerperal state.	182							26	6 76	69	6		1					
134 135 136 137	Accidents of pregnancy. Puerperal hemorrhage. Other accidents of labor. Puerperal septicemia.	19							1 2 1 10	8 4 9 33	10 12 7 25								
140	Puerperal albuminuria and convulsions. Puerperal phiegmasia alba dolens, em- bolus, sudden death. Following childbirth (not otherwise defined). Puerperal diseases of the breast.	46 7 1							11	21	11 3 1	3 2							•••••

Table 6.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA, ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE OF DECEDENT: 1911—Continued.

Int.									DEA	THS A	T AGE	of—							
Detailed Int. List No.	CAUSE OF DEATH.	All deaths.	Under 1 year.	1 1	2 years.	3 years.	4 years.	5 to 9 years.	19	29	30 to 39 years.	49	59	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 years and over.	Deaths at un- known age.
!		1	I	MAI	RYL.	ND	(TOI	'AL)-	-Conti	nued.	l		l	J	J	1			
	VIII.—Diseases of the skin and of the cellular tissue	71	13	3				1	1		1	5	7	9	15	12	2		2
142 143 144	Gangrene Furuncle Acute abscess	12	2 2 4	11				i	i		<u>1</u>	1	5	63	13	11	2		2
145	Other diseases of the skin and annexa  IX.—Diseases of the bones and of	13	5	1								3	1		2	1			
146	the organs of locomotion  Diseases of the bones (tuberculosis excepted)	28	3	2	5		1	4			1	5	5	2	3				
147 148	Diseases of the joints (tuberculosis and rheumatism excepted). Amputations. Other diseases of the organs of locomotion.	4	1										1	1	1				
149	Other diseases of the organs of locomotion.  X.—Malformations	2 158	148	4				3	2	1					1	1			
150	Congenital malformations (stillbirths not included) (total)	158	148	4				3	2	1									
	Congenital malformations of the heart Other congenital malformations	109	100 39	4				2 1	2	1		- · · · · · · · ·							
	XI.—Early infancy	1,297	1,297													<u></u>			······
151	Congenital debility, icterus, and sclerema (total).  Premature birth. Congenital debility "stronby"	1,132 501	1, 132 501																
152	Congenital debility, "atrophy," "marasmus," etc. Other causes peculiar to early infancy (total).	631 156	631 156																
153	Injuries at birth Other causes peculiar to early infancy <sup>1</sup> . Lack of care	93 63 9	93 63 9					••••				• • • • • • • • • • • • • • • • • • • •							
100	XII.—Old age	1	9										2	25	137	194	58	8	3
			11		1	I	1										1		
154	SenilityXIII — External causes	1	52	31	20		21	44	195	198	154	148	2	25	137	194	58 13	8	3
155	XIII.—External causes	1,151	52	31	20	22	21	44	125 7 3	188 35 12	154 31 9	148 32 8	103 21 6	74 14 4			58 13	8	3 14 2
155 156 157 158	XIII.—External causes	1, 151 149 43 19 20 6	52	31	20	22	21	44	7 3 1	188 35 12 6 4 3	31 9 5 2	32 8 4 6 1	103 21 6 1 4 1	74 14 4 2 1	137 93 5	194			_
155 156 157 158 159 160 161	XIII.—External causes	1,151 149 43 19 20 6 42 7 7	52	31	20	22	21	44	7 3	35 12 6 4	31 9 5 2 12 1	32 8 4 6	103 21 6 1 4 1 7	74 14 4 2 1	137 93 5	194 48			_
155 156 157 158 159 160	XIII.—External causes Suicide (total) By poison By asphyxia By hanging or strangulation By drowning. By frearms By cutting or piercing instruments. By jumping from high places. By crushing Other suicides	1,151 149 43 19 20 6 42 7 7 7 4							7 3 1 2 1	35 12 6 4 3 6 3	31 9 5 2 12 1 1	32 8 4 6 1 9 2 2	103 21 6 1 4 1 7 1	74 14 4 2 1 2	137 93 5 1 1 2 1	194 48 2	13	1	22
155 156 157 158 159 160 161 162 163	XIII.—External causes.  Suicide (total). By poison. By asphyxia. By hanging or strangulation By drowning. By firearms. By cutting or piercing instruments. By jumping from high places. By crushing. Other suicides.  Accidental or undefined (total). Poisoning by food. Other acute poisonings.	1,151 149 43 19 20 6 42 7 7 4 1 950 9 24 2	51 1 2	31	20	22	21	44 2 1 1	7 3 1 2 1 116 1 2 1	35 12 6 4 3 6 3 1 138 14	31 9 5 2  12 1 1 1 1 2 1 2	32 8 4 6 1 9 2 2 2	103 21 6 1 4 1 7 1 79 1 1	74 14 4 2 1 2 4 1 57	137 93 5 1 1 2 2 1 	194 48 2  2 46	13		_
155 156 157 158 159 160 161 162 163	XIII.—External causes  Suicide (total)  By poison  By asphyxia  By hanging or strangulation  By drowning.  By frearms  By cutting or piercing instruments.  By jumping from high places.  By crushing  Other suicides  Accidental or undefined (total).  Poisoning by food  Other acute poisonings  Conflagration  Burns (conflagration excepted).  Absorption of deleterious gases (con-	1,151 149 43 19 20 6 6 42 2 7 7 7 4 1 1 950 9 24 12 121	51 1 2 6	31	20	22	21	44 2 1 1	7 3 1 2 1 1166 12 16	35 126 6 4 3 6 3  1 138 14	31 9 5 2 12 1 1 1 2 1 12 1 2 1	32 8 4 6 1 9 2 2 2 105 1 2	103 21 6 1 4 1 7 1 1 7 1 1 2	74 14 4 21 2 4 1 57 1	137 93 5 1 1 1 2 1  87 1 1	194 48 2	13	1	2
155 156 157 158 159 160 161 162 163 164 165 166	XIII.—External causes.  Suicide (total).  By poison  By asphyxia.  By hanging or strangulation.  By drowning.  By frearms.  By crushing.  Other suicides.  Accidental or undefined (total).  Poisoning by food.  Other acute poisonings.  Conflagration.  Burns (conflagration excepted)  Absorption of deleterious gases (conflagration excepted).  Accidental drowning.  Traumatism by firearms.  Traumatism by cutting or piercing	1,151 149 43 19 20 6 42 7 7 7 4 4 1 950 9 24 12 121	51 1 2	31	20	22	21	44 2 1 1	7 3 1 2 1 116 1 2 1	35 12 6 4 3 6 3 1 138 14	108 112 11 11 11 112 113 114 115 115 115 115 115 115 115 115 115	32 8 4 6 1 9 2 2 2	103 21 6 1 4 1 7 1 79 1 1	74 14 4 2 1 2 4 1 57	137 93 5 1 1 2 2 1 	194 48 2  2 46	13	1	2
155 156 157 158 159 160 161 162 163 164 165 166 167 168 169 170 171	XIII.—External causes  Suicide (total)  By poison  By asphyxia  By hanging or strangulation  By drowning.  By frearms  By cutting or piercing instruments.  By cutting or piercing instruments.  By crushing  Other suicides  Accidental or undefined (total).  Poisoning by food.  Other acute poisonings  Conflagration  Burns (conflagration excepted).  Absorption of deleterious gases (conflagration excepted).  Accidental drowning.  Traumatism by frearms  Traumatism by cutting or piercing instruments.  Traumatism by fall	1,151 149 43 19 20 00 6 42 7 7 4 1 1 950 92 12 121 121	51 1 2 6	31 5 2 14	20	22 2 13	21 2 13	44 2 1 1 19	7 3 1 2 116 1 2 1 6 5 31	35 12 6 4 3 6 3 1 138 1 4	31 9 5 2 12 1 1 1 2 1 12 1 1 2 1 1 1 1 2 1	32 8 4 6 1 9 2 2 2 105 1 2 4	103 21 6 1 4 1 7 1 1 79 1 1 1 2	74 14 4 21 2 4 1 57 1	137 93 5 1 1 2 1 2 1 87 1 3 4	194 48 2  2 46	13	1	2 2 11
155 156 157 158 159 160 161 162 163 164 165 166 167 168 169 170	XIII.—External causes  Suicide (total)  By poison  By asphyxia  By hanging or strangulation  By drowning.  By firearms  By cutting or piercing instruments.  By jumping from high places.  By crushing  Other suicides  Accidental or undefined (total)  Poisoning by food.  Other acute poisonings  Conflagration  Burns (conflagration excepted).  Absorption of deleterious gases (conflagration excepted)  Accidental drowning.  Traumatism by firearms  Traumatism by cutting or piercing instruments.  Traumatism by fall  Traumatism in mines and quarries (total)  Traumatism in mines.	1,151 149 43 19 20 6 42 7 7 4 1 950 9 24 12 121 39 · 137 28 2 146	51 1 2 6 14 1	31 5 2 14	20	22 2 13	21 2 13	44 2 1 1 19 2 7	7 3 1 2  116 1 2 1 6 5 31 13	35 12 6 6 4 3 3 6 6 3 3 10 10 10 10 10 10 10 10 10 10 10 10 10	108 108 119 108 119 119 119 1191	32 8 4 6 1 9 2 2 2 105 1 2 2 1 22 1	103 21 6 1 4 1 7 1 1 79 1 1 1 2 13	74 14 4 2 1 2 2 57 1  6	137 93 5 1 1 2 1  87 1	194 48 2 2 46	13	1	14 2 2 11 11 6 6
165 156 157 159 160 161 162 163 164 165 166 167 168 169 170 171	XIII.—External causes  Suicide (total) By poison By asphyxia By hanging or strangulation By frearms By cutting or piercing instruments By cutting or piercing instruments By cutting or piercing instruments By cutting or piercing instruments By cutting or piercing instruments By cutting or piercing instruments By cutting or piercing instruments By cutting or piercing Other suicides  Accidental or undefined (total). Poisoning by food. Other acute poisonings Conflagration. Burns (conflagration excepted).  Absorption of deleterious gases (conflagration excepted). Accidental drowning. Traumatism by frearms Traumatism by cutting or piercing instruments. Traumatism by tall  Traumatism in mines and quarries (total). Traumatism in mines. Traumatism in quarries. Traumatism by machines	1,151 149 43 19 20 6 42 7 7 7 4 1 1 950 9 24 4 12 121 28 2 146	51 1 2 6 14 1	31 5 2 14	20	22 2 13	21 2 13	44 2 1 1 19 2 7	7 3 1 1 2 1 6 5 31 13 9 1	35 12 6 4 4 3 6 3 3 1 138 14 4 10 8 30 6	108 112 113 114 115 108 116 117 119 119 110	32 8 4 6 6 1 9 2 2 2 1 105 1 2 2 1 2 1 1 22 1	103 21 6 1 4 1 7 1 1 7 9 1 1 1 2 2 13	74 14 4 2 1 2 2 57 1  6	137 93 5 1 1 2 1  87 1	194 48 2 2 46	13	1	14 2 2 11 11 6
155 166 157 158 159 160 161 162 163 164 165 166 167 168 169 170 171 172 173	XIII.—External causes  Suicide (total)  By poison  By asphyxia  By hanging or strangulation  By drowning.  By firearms  By cutting or piercing instruments.  By running from high places.  By crushing  Other suicides  Accidental or undefined (total)  Poisoning by food  Poisoning by food  Conflagration  Burns (conflagration excepted)  Absorption of deleterious gases (conflagration excepted)  Accidental drowning  Traumatism by firearms  Traumatism by cutting or piercing instruments  Traumatism by fall.  Traumatism in mines and quarries (total)  Traumatism in mines  Traumatism in quarries.  Traumatism by machines.  Traumatism by other crushing (total)  Railroad accidents and injuries.  Street-car accidents and injuries.	1,151 149 43 19 20 6 42 7 7 7 4 1 1 950 9 24 4 12 121 28 2 146	51 1 2 6 14 1	31 5 2 14	20	22 2 13	21 2 13	44 2 1 1 19 2 7	7 3 1 1 2 1 1 6 5 5 3 1 1 3 3 9 1 1 1	35 12 6 4 3 6 6 3 3 1 138 1 4 4 10 6 6 11 1 5 5 5	31 9 55 2 2 11 1 1 1 108 1 12 1 1 10 1 10 10 10 10 10 10 10 10 10 10	32 8 4 6 6 1 9 2 2 2 2 1 1 2 2 1 1 8 8 2 2 2	103 21 6 1 1 1 7 1 1 1 2 2 13	74 14 4 2 1 2 2 57 1  6	137 93 5 1 1 2 1  87 1	194 48 2 2 46	13	1	14 2 2 11 11 6 6
155 166 157 158 159 160 161 162 163 164 165 166 167 168 169 170 171 172 173	XIII.—External causes  Suicide (total) By poison By asphyxia By hanging or strangulation By frearms By cutting or piercing instruments By cutting or piercing instruments By cutting or piercing instruments By cutting or piercing instruments By cutting or piercing instruments By cutting or piercing instruments By cutting or piercing instruments By cutting or piercing instruments By cutting or piercing instruments Conflagration excepted) Absorption of deleterious gases (conflagration excepted) Accidental drowning Traumatism by firearms Traumatism by cutting or piercing instruments Traumatism by fail  Traumatism in mines Traumatism in mines Traumatism by machines  Traumatism by other crushing (total) Railroad accidents and injuries.	1,151 149 43 19 20 6 42 7 7 4 1 950 9 24 12 121 39 - 137 28 2 146 13 13 11 2 20 29 121 1300 29	51 1 2 6 14 1	31 5 2 14 2 1 1 2	20 111	22 2 13 3 3	21 2 13 1	44 2 1 1 1 9 2 7 1	7 3 1 2 2 1 1 116 6 5 5 31 13 3 9 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	35 12 6 4 3 3 6 6 3 3 1 1 4 4 4 4 3 2 3 5 5 5 5 5 5 5 6 6 6 7 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	31 9 52 12 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	32 8 4 4 6 1 9 2 2 2 2 1 105 1 2 2 2 1 18 3 6 23 3 6 23	21 6 1 1 7 1 1 2 2 13 8 8	74 14 4 2 1  2 4 1  57 1  6 3 1 14  20 10	137 93 5 1 1 2 1 87 1 3 4 3 3 1	194 48 2 2 46 1 1 1 19	13	1	14 2 2 11 11 1
155 166 167 168 169 177 175 178 176 1778 178 178 178 178 178 178 178 178 17	XIII.—External causes  Suicide (total)  By poison  By asphyxia  By hanging or strangulation  By drowning.  By firearms  By cutting or piercing instruments.  By cutting or piercing instruments.  By cutting or piercing instruments.  By cutting or piercing instruments.  By cutting or piercing instruments.  By cutting or piercing instruments.  By crushing.  Other suicides.  Accidental or undefined (total).  Poisoning by food.  Other acute poisonings.  Conflagration  Burns (conflagration excepted).  Absorption of deleterious gases (conflagration excepted).  Accidental drowning.  Traumatism by firearms.  Traumatism by firearms.  Traumatism by firearms.  Traumatism by fall.  Traumatism in mines and quarries (total)  Traumatism in mines.  Traumatism by machines.  Traumatism by other crushing (total)  Railroad accidents and injuries.  Street-car accidents and injuries.  Automobile accidents and injuries.  Injuries by other vehicles.  Landslide, other crushing.  Injuries by animals  Starvation.	1,151 149 43 199 200 6 42 7 7 4 1 950 9 24 4 1 12 121 137 28 2 146 13 11 2 20 29 12 130 29 12 130 29 14 15 16 17 18 18 18 18 18 18 18 18 18 18	51 1 2 6 14 1	31 2 2 1 1 2	20 111 2 2 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3	22 2 13 3 3	21 2 13 13 2 2 1	44 2 2 1 1 1 1 2 7 7 1 2 2 6 4 4 1 1 1	7 3 1 1 2 2 1 6 5 31 1 3 3 2 9 13 3 2 3 10 1 1 3 3	35 12 6 4 3 6 6 3 1 138 1 4 4 10 6 6 1 1 5 5 5 4 4 2 2 1 2 2	31 9 5 2 11 1 108 1 12 1 1 109 1 1 100 4 3 3 4 1 3 5 5 2	32 8 4 6 1 9 2 2 2 2 1 105 1 2 2 1 2 2 1 2 1 2 2 1 3 3 6 6 6 1 1 2 1 2 1 1 2 1 1 1 1 1 1 1 1 1	21	74 14 4 2 1 1 57 1 6 3 1 14 20 10 4	137 93 5 1 1 2 1 87 1 3 4 3 3 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	194 48 2 2 46 1 1 1 19	13 13 13 13 13 13 13 15 16 16 16 16 16 16 16 16 16 16 16 16 16	1	14 2 2 11 11 1
155 156 157 158 159 160 161 162 163 164 165 166 170 171 172 173 174 175	XIII.—External causes  Suicide (total) By poison By asphyxia By hanging or strangulation By drowning. By firearms By cutting or piercing instruments. By running from high places. By crushing Other suicides  Accidental or undefined (total) Poisoning by food. Poisoning by food. Other acute poisonings Conflagration Burns (conflagration excepted).  Absorption of deleterious gases (conflagration excepted) Accidental drowning. Traumatism by firearms Traumatism by firearms Traumatism by firearms Traumatism by fail.  Traumatism by fail.  Traumatism in mines and quarries (total). Traumatism in mines. Traumatism by machines.  Traumatism by other crushing (total). Railroad accidents and injuries. Street-car accidents and injuries. Automobile accidents and injuries. Injuries by other vehicles Landslide, other crushing Injuries by animals	1,151 149 43 19 20 0 6 42 7 7 4 1 950 9 24 12 121 121 121 121 122 146 133 111 20 20 124 130 29 12 411 12 6 80 5 5	51 12 66 14 1	31 5 2 14 2 1 1 2	20 21 11 2 2 3 3	22 2 13 3 3	21 2 13 13 2 2 1	44 2 1 1 19 2 7 1	7 3 1 1 2 2 1 1 6 5 31 1 3 3 2 2 9 13 3 2 2 3 3 10 1 1	35 12 6 4 3 6 3 1 1 1 3 8 1 1 4 1 1 0 1 1 1 5 5 5 4 4 2 2 1 1	108 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	32 8 4 6 1 9 2 2 2 105 1 2 1 2 1 2 1 3 3 6 6 1 1 2 2 1 2 1 2 1 2 1 3 1 3 6 6 6 6 6 6 7 8 7 8 8 7 8 8 7 8 8 8 8 8	21 6 1 4 4 1 7 7 1 1 1 1 2 2 13 3 3 19 6 6 2 2 4 4 2 2	74 14 4 2 1 1 2 3 1 6 3 1 14	137 93 5 1 1 2 1 87 1 3 4 3 3 1	194 48 2 2 46 1 1 1 19	13	1	14 2 2 11 11 1

<sup>1</sup> Exclusive of injuries at birth.

Table 6.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA, ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE OF DECEDENT: 1911—Continued.

	ACH REGISTRATION STATE,			- O.IX							······								
o. I.t.								,	DEA	THS A	r AGE	OF—			1				Deaths
Detailed List No	CAUSE OF DEATH,	All deaths.	Under 1 year.		2 years.	3 years.	4 years.	5 to 9 years.	19	29	30 to 39 years.	49	59	60 to 69 years.	70 to 79 years.	80 to 89 years.	99.	100 years and over.	at un- known age.
		<u>'</u>		MAT	RYLA	ND	(TOI	CAL)	-Conti	nued.	•			-	,	•			
	XIII.—External causes—Contd.							1											-
182	Homicide (total)	52 29 -13 -10	1						` · 2	15 10	15 10 3 2	11 .4 4	3 1 1	3	1				1
182 183 184	By cutting or piercing instruments By other means	l 1	1							3 2		3		1	1				
187	XIV.—III-defined diseases  Ill-defined organic disease	372 8 13	85	39	8	8	1	6	$\frac{7}{1}$	14	15	30	39	57 2	35	19	3	1	5
188 189	Sudden death Not specified or ill-defined (total) Ill-defined Not specified or unknown	13 351 238 113	1 84 25 59	39 32 7	8 3 5	8 7 1	1	6 6	6 4 2	14 10 4	15 14 1	28 25 3	2 37 32 5	5 50 43 7	3 29 24 5	17 7 10	3 3	1 1	5 1 4
		1 1	1	·:	MAR	YLA	ND (	(WHI	TE).		1				1	I		, ,	
	All causes	15,147	2,797	589	214	124	104	278	546	992	1,137	1,253	1,588	2,127	2,107	1,106	148	3	34
	T.—General diseases	4,059	243	149	74	57	44	142	248	549	529	473	547	529	339	117	14		5
1 2 3	Typhoid fever Typhus fever Relapsing fever Malaria Smallpox	361	2	4	1	2	3	16	76	107	62	41	25	13	7	1			!1
4 5	Malaria Smallpox	6			1			1				2		1		1			
6	Measles Scarlet fever	107 63 108	25 3 55	35 10 26	13 11 14	9 7 5	6 1	11 17 7	7 7	4	1 1	. 1		<b>-</b>					
8 9 10	Whooping cough Diphtheria and croup Influenza	140 150	16 12	28 3	11 2	18 1	22 1	34 4	8 6	2 3	4	8	1 16	29	33	22	5		1
11 12	Miliary fever				 														
13 14 15	Cholera nostras	11 64	3	7 	ï						2	1 2	1 5	13	23	7	i		
16 17	Yellow feverLeprosy				ļ <u>.</u>									<b>.</b>					
18 19	Erysipelas Other epidemic diseases	44 6	12 3	1 1			1		1	2	1	6	5 	8	4	3	1		
20 21 22	Purulent infection and septicemia Glanders Anthrax	29	4	1	2	-,	1	1	4	5	3 	1 	2	2	2	1			
23	Rabies	3 31	8		2	i	1	1 3	1	6	2	2	2						
24 25 26	Mycoses	8			2			<u>i</u>					<u>î</u> .	4					
27	Tuberculosis (total	1,634	35	24	13	9	6	29	111	384	366	251	207	126	62	8	1		2
28 29 30	Tuberculòsis of the lungs	1,371 51 85	8 21	18	<u>3</u>	1 2	2 1 2	5 2 13	85 5 9	343 17 4	336 7 3	225 9 1	183 7 2	111 1 1	56 2	6			2
29 30 31 32 33 34 35	Abdominal tuberculosis	64 15	1	i	1	2 2		3 2 1	4 3 1	15 1	3 11 1 1	1 6 3 1	11	5 2	2 1				
34 35	Tuberculosis of other organs  Disseminated tuberculosis	25 17	1 3	1		2		1	3 1	2 2	2 5	5 1	3 1	5 1	1				
36 37	RicketsSyphilis	75	2 56	1 2	i					2	3	<u>:</u> . 5	<u>4</u>	<u>2</u>					
38	Gonococcus infection. Cancer and other malignant tumors (total)	838	1 1		1	2	1	3	4	1 14	1 54	108	207	229	149	59	6		
39 40 41	Of the buccal cavity Of the stomach, liver Of the peritoneum, intestines, rec-	349	•••••			i				1	19 19	39	101	99	68	3 19	2		
42 43	tum Of the female genital organs Of the breast	109					1	1.	1	6 3	5 11 9	11 28 12	22 25 21	26 26 24	15 9 11	6 7 6	2		
44 45	Of the skin. Of other organs or of organs not spec- ified	26	1		1	1		2	3	4	8	1 13	31	6 39	12 30	6 12	1		
46	Other tumors (tumors of the female gen- ital organs excepted)	13			<u>                                     </u>	1		1	<b></b>		1	 	2	. 1	5	1			
47 48 49	Acute articular rheumatism. Chronic rheumatism and gout. Scurvy.	54 10	i			2		5	12	4	-3	3	2 3 2	11 4	10 4	1			
49 50	Diabetes	154	i					5	2	2 1	6	17	33 2	52 1	26	10			
51 52 53	Exophthalmic goiter Addison's disease Leukemia	5 15						2	1	2	i		2 3 2 13	2 6	1				
54_ 55	Anemia, chlorosis. Other general diseases.	1	I	3	1		ł		3 1	2 1	4	1	1	14 1	6 1	1 1			l .
56 57 58 59	Alcoholism (acute or chronic)	3									11	15 1	10	2 1	2				1
59	Other chronic poisonings	1 4							١	1	1.	J	٠	2 .	٠	'	١		1

Table 6.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA, ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE OF DECEDENT: 1911—Continued.

n tr									DEA	тнѕ л	T AGE	of-				•			
Detailed Int. List No.	CAUSE OF DEATH.	All deaths.	Under 1 year.	1	2 years.	g years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	49	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 years and over.	Deaths at un- known age.
				MAI	RYLA	ND	(WH	(TE)-	-Conti	nued.				-				·	
	II.—Diseases of the nervous sys- tem and of the organs of special sense	1,653	150	41	24	7	3	24	38	41	66	135	196	329	389	190	15		5
60 61	Encephalitis Meningitis (total) Simple meningitis. Cerebrospinal meningitis (undefined) Cerebrospinal fever.	7 142 88 42 12	2 52 36 13 3	20 10 8 2	11 6 4 1	6 2 4	2 1 1	12 9 2 1	12 5 7	5 3 1 1	7 3 2 2	·3 5 4 1	3 2 1	3 3	1 1 1	1 3 3			
62 63 64	Locomotor ataxia Other diseases of the spinal cord (total). Acute anterior poliomyelitis. Other diseases of the spinal cord <sup>1</sup> Cerebral hemorrhage, apoplexy.	29 75 25 50 811	9 9 9	5 5	6 6 1			3 1	1 6	3 3 12	2 4 4 18	4 4 4 67	7 10  10 124	5 16 1 15 211	8 10 1 9 237	2 3 3 114	1 1 9		2
65 66 67 68	Softening of the brain.  Paralysis without specified cause  General paralysis of the insane  Other forms of mental alienation	21 258 82 21	1	2				1	1 1	3	4 14	1 13 15 3	21 15 7	5 60 15 3	12 91 18 3	2 54 5 2	 5		2 1
69 70 71 72	Epilepsy Convulsions (nonpuerperal) Convulsions of infants. Chorea	35 4 86 4	69	ii	4	1	ii	2 3 	9 2	6	6	6 1	1 1	1 1 1	2	1			
73 74 75 76	Neuralgia and neuritis Other diseases of the nervous system Diseases of the eyes and their annexa Diseases of the ears	10 50 2 16	1 5	3	1 1			1 1	3	1 7 2	11	2 11	3 3 1	7 1 1	2 4 	3			
	III.—Diseases of the circulatory system	1,779	17	7	2	2	1	17	53	53	96	118	242	442	489	217	19		4
77 78 79 80 81	Pericarditis. Acute endocarditis. Organic diseases of the heart Angina pectoris. Diseases of the arteries, atheroma, aneurism, etc.	12 51 1,369 81 212	9 1	1 5	1 1	2	1	1 3 12 1	3 7 42	43 43	7 77 77	3 11 87 6	10 189 13	2 3 353 30 43	2 2 381 27 67	155 4 54	10		1 3
82 83 84 85	Embolism and thrombosis. Diseases of the veins (varices, hemornhoids, phlebitis, etc.). Diseases of the lymphatic system (lymphangitis, etc.). Hemorrhage; other diseases of the circutory system.	30 6 7 11	3 3	1					1	3 2	4 2 1	3	6	6 1 4	6 1 2 1	2  2			
	IVDiseases of the respiratory system	1,699	355	159	66	34	21	27	34	49	86	104	131	231	237	139	22	1	3
86 87 88 89 90	Diseases of the nasal fossae.  Diseases of the larynx  Diseases of the thyroid body  Acute bronchitis  Chronic bronchitis	3 14 4 98 114	1 4 50	2 14 1	3 7	3	1	1 2	2	1	1 3	2 6	1 1 3	3 5 18	10 37	1 5 40	1 4	•	
91 92 93	Bronchopneumonia Pneumonia (totai) Lobar pneumonia Pneumonia (undefined) Pleurisy	416 869 467 402 43	143 129 43 86 4	79 59 26 33 1	28 26 15 11 2	21 10 6 4	7 11 6 5	5 17 8 9 1	6 24 16 8 2	2 44 24 20 1	4 64 47 17 6	15 66 41 25 2	10 88 61 27 14	31 148 86 62 4	42 115 64 51 3	20 59 22 37 2	3 5 2 3 1	1	3
94 95 96 97 98	Pulmonary congestion, pulmonary apoplexy. Gangrene of the lung. Asthma. Pulmonary emphysema Other diseases of the respiratory system (tuberculosis excepted).	78 3 32 1	20	1			1 ?* 1			1 	4 1 3	5 2 1	2 1 8	11 7 4	20 1 8	8 3 1	2		
	V.—Diseases of the digestive system	1,852	870	191	27	9	13	23	38	53	69	104	117	143	124	62			3
99 100 101 102 103	Diseases of the mouth and annexa. Diseases of the pharyux. Diseases of the esophagus. Ulcer of the stomach Other diseases of the stomach (cancer	4 14 4 21	2 2 1	1	1 1		2	1 4 1	2	1 2	4	4	4	1 3	1 1	1			
104 105 106 107 108	excepted).  Diarrhea and enteritis (under 2 years).  Diarrhea and enteritis (2 years and over).  Ankylostomiasis.  Intestinal parasites.  Appendicitis and typhlitis.	192 977 140 3 83	807 807	11 170	19 2 1·	5	4 4 2	7 3	6	7 6 19	3 5 14	17 5 9	17 11 9	25 23 6	39 26	20 21 22	2		2
109	Hernia, intestinal obstruction (total) Hernia. Intestinal obstruction Other diseases of the intestines	121 32 89 35	11 1 10 3 Exclusi	2 2 2 ve of a	1 1 1	2 2	1 1	2 2 1	6 2	3 3 2	12 12 5	20 9 11 3	15 6 9 4	23 10 13 4	17 4 13 4	4 1 3 4	1 1		1 1

TABLE 6.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA, ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE OF DECEDENT: 1911—Continued.

:==								· ·	DE/	ATHS A	T AGE	OF	<del></del>						,
Detailed Int. List No.	CAUSE OF DEATH.	All deaths.	Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 years and over.	Deaths at un- known age.
		·		MAI	RYL/	ND	(WH	(TE)-	-Conti	nued.									
	V.—Diseases of the digestive system—Continued.							1					,						
111 112 113	Acute yellow atrophy of the liever. Hydatid tumor of the liver. Cirrhosis of the liver Biliary calculi.	3 148	2						1	2	13	31	40	35	21	1 5			
114 115	Other diseases of the liver	37 40	2						1	3	6	5 9	9 6	12 8	6 4	1			
116 117 118	Diseases of the spleen. Simple peritonitis (nonpuerperal). Other diseases of the digestive system (cancer and tuberculosis excepted)	22	i	3	i			3	3 1	4 2	3 1.	1	2	1 2	ii	1			
	VI.—Nonvenereal diseases of the genito-urinary system and annexa	1,371	14	7	5	2	2	6	22	53	96	159	237	314	301	138	13		2
119 120 121	Acute nephritis Bright's disease Chyluria		7 4	7	1 4	2	1	5 1	11	9 36	12 67	19 125	20 203	22 270	13 265	1 123	12		2
122 123	Other diseases of the kidneys and annexa. Calculi of the urinary passages	,	1							2	2	2 1	1	2	2	2			
124 125 126 127	Diseases of the bladder. Diseases of the urethra, urinary abscess, etc Diseases of the prostate. Nonvenereal diseases of the male genital	28	1								i	1	1 1 2	3 1 9	9 11	1 5	1		
128	organs. Uterine hemorrhage (nonpuerperal)	2 9	ļ								1 2	3	i	3	1				
129 130 131 132	Uterine tumor (noncancerous). Other diseases of the uterus. Cysts and other tumors of the ovary. Salpingitis and other diseases of the female genital organs.	14 7 11								4	1 1 5	62	5 1	4		1			
133	Nonpuerperal diseases of the breast (can- cer excepted)									ļ						ļ			
134	VII.—The puerperal state  Accidents of pregnancy	127							14	49	55 9	9							
135 136 137 138 139	Accidents of pregnancy Puerperal hemorrhage Other accidents of labor Puerperal septicemia. Puerperal albuminuria and convulsions. Puerperal pidegmasia alba dolens, em-	53 33							5 7	3 5 24 13	10 2 21 11	2 1 3 2							
140 141	bolus, sudden death. Following childbirth (not otherwise defined). Puerperal diseases of the breast.	4													,				
	VIII.—Diseases of the skin and of the cellular tissue	51	13	2				1			. 1	4	2	7	10	9	2		
142 143 144 145	Gangrene. Furuncle. Acute abscess. Other diseases of the skin and annexa.	28 3 10 10	2 2 4 5	1				1			1	1 3	2	3	8	9	2		
	IX.—Diseases of the bones and of the organs of locomotion	24	3		3		1	4			. 1	3	3	3	1	2			
146 147	Diseases of the bones (tuberculosis excepted) Diseases of the joints (tuberculosis and rheumatism excepted)	19	2		3		1	4			. 1	3	2	2 1	`.	1			
148 149	Amputations Other diseases of the organs of locomotion														1	1			
150	X.—Malformations.  Congenital malformations (stillbirths not		132	4				3,	,	1	<u> </u>	'							
	included) (total). Hydrocephalus Congenital malformations of the heart Other congenital malformations.	140 8 98 34	132 8 91 33	4				3 2 1		1	.								
9 24	XI.—Early infancy		928							ļ								<u></u>	
151	Congenital debility, icterus, and sclerema (total)  Premature birth.  Congenital debility, "atrophy," "marasmus," etc.  Other causes peculiar to early infancy	811	811 375 436																
152	Other causes peculiar to early infancy (total)	114	114 82																
153	Other causes peculiar to early infancy Lack of care	3	32 3											20	109	168	42	1	
154	XII.—Old age	341	l <del></del>			-			ļ				1			168	42	ļ	
	•	•			1 Exc	lusive	of inju	ries at	birth.					-					

TABLE 6.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA, ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE OF DECEDENT: 1911—Continued.

it									DE	ATHS A	T AGE	of—							
Detailed Int. List No.	CAUSE OF DEATH.	All deaths.	Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	29	80 to 39 years.	49	59	60 to 69 years.	70 to 79 years.	89	90 to 99 years.	100 years and over.	Deaths at un- known age.
				MAI	RYL	AND	(WH	ITE)-	-Cont	inued.		,							
	XIII.—External causes	909	36	16	11	11	18	30	96	137	126	125	81	70	82	48	12		10
155	Suicide (total)	139 41							7 3	31 11	28 8 5	31 8	19 6	14 4	5 1	2			
156 157	By asphyxia  By hanging or strangulation	18 18 5			- ,				1	6 3 2	1	8	1 4	2 1	$\frac{1}{2}$				
158 159 160	By drowning By firearms By cutting or piercing instruments. By jumping from high places	39 6		[		[ <b></b> .			2	6 2	11	9 2	1 5 1	2	1	2			
161 162	By crushing	7 4							i		1 1	2 	i	4 1		,			
163	Other suicides	738	35	16	11	11	18	30	88	97	90	87	60	54	76	46	12		7
164 165	Poisoning by foodOther acute poisonings	8 16	1 2	i		····i	1	1	1	1 4	····i	1 2	ı 1	i	1				
166 167	Conflagration	5 79	6	8	1 6	6	11	10	4	4	11	4	····i	5	2 2	1			
168	Absorption of deleterious gases (con- flagration excepted)	29 99	7					1	4	7 17	1	1	2	3	3				
169 170	Accidental drowning Traumatism by firearms	99 19	1 	2 1	1	1	2	7	25 10	17 3	12	17 1	11	Ĭ	1				4
171	Traumatism by cutting or piercing instruments	2 127	5	1		<u>.</u>	<sub>i</sub> .	2	9	7	1 9	13	7	14	34	19	6		
173	Traumatism in mines and quarries					1		_				!		1	"				
	(total)	13 11 2							1	5	3	2 2					· · · · · · · ·		
174	Traumatism in quarries Traumatism by machines	14			- <b>-</b>				2	2	7	3							
175	Traumatism by other crushing (total) Railroad accidents and injuries. Street-car accidents and injuries. Automobile accidents and inju-	190 112 23				2 1	2	5 3 	22 12	35 26 4	31 20 2	33 22 5	27 14 6	19 10 4	7 1 1				
}	ries Injuries by other vehicles Landslide, other crushing	12 32 11			<u>2</u>	1	2	1 1	3 6 1	1	1 3 5	5 1	2 3 2	5	1 3 1				
176 177 178 179	Injuries by animals. Starvation Excessive cold Effects of heat.	5 1 4 65	10					1	1 2	5	22	1 5	1 5	1 5	12	15			
180 181 185 186	Lightning. Electricity (lightning excepted) Fractures (cause not specified) Other external violence	4 5 22 31	2	1					1 1 4	2 1 2	1 7	4	 1 3	3 2	1 10 2	1 4 2			
182 183 184	Homicide (total).  By firearms.  By cutting or piercing instruments.	32 17 7	1						1	9 6 1 2	8 5 2	7 3 2 2	2 1 1	2 1	<u>1</u>				1
104	By other means	8 214	1 36	13	2	2	1	1	3	7	1 12	19	31	39	26	16	3	1	2
187	Ill-defined organic disease	6							1				;		3	2			
188 189	Sudden death Not specified or ill-defined (total) Ill-defined. Not specified or unknown	200 153 47	35 13 22	13 11 2	2 2	2 2	1 1	1 1	2 2	7 6 1	12 12	18 18 16 2	30 26 4	35 30 5	1 22 19 3	14 7 7	3	1 1	2 1 1
		·		M	ARY	LANI	D (C	OLO]	RED)	•									
	All causes	5,547-	1, 206	288	128	64	50	148	369	637	522	534	539	437	388	149	41	12	35
	I.—General diseases	1,670	143	73	46	23	18	64	236	358	248	160	143	79	51	20	2	1	5
1 2	Typhoid fever	130		2	2	1	3	15	44	27	16	7	8	3	2				
3 4 5	Relapsing fever. Malaria. Smallpox.	8			•••••			i	1	2				2	1	i			
6	Measles.	23	6	9	2 1			3	1	1		1							
7 8 9	Scarlet fever	84 28	34 11	21 4	1 17 3 2	3 4	$\frac{1}{3}$	1 - 4 - 2 2	1 3				·····i		1				
10	Influenza	67	9	4	2	ŝ	1	Ž	3	5	3	6	10	4	9	4	2		
11 12 13	Miliary fever Asiatic cholera Cholera nostras	3								····i		i		i		· · · · · ·			
14 15	Dysentery Plague.	19	6	3						2		i	4	i	i	1			
16 17	Yellow fever			ļ		<b></b>	ļ	<b> </b>			<b> </b>	ļ							
18 19	Leprosy Erysipelas Other epidemic diseases	6 1	3						l <i>.</i>			ļ <u>.</u>		1	i				

Table 6.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA, ALL REGISTRATION STATES, AND EACH REGISTRATION STATE; FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE OF DECEDENT: 1911—Continued.

.,		1		<del></del>			<del></del>		DF	ATTO A	T AGE	OF-					•		<del></del> [
Detailed Int. List No.	CAUSE OF DEATH.	All deaths.	Under 1	1 1	2	8	4	5 to 9	10 to	1	30 to	<u> </u>	50 to	60 to	70 to	80 to	90 to	100 years	Deaths at un- known
De	,		year.	year.	years.	. years	. years	years			years.	years.	years	years.	years.		years.	and over.	age.
			D	IAR	YLAI	ND. (	COLO	REI	•)—Co	ntinue	d.	<del>'</del>	•	· <u></u>					•
	I.—General diseases—Continued.														]	T	Ī		•
20 21 22 23	Purulent infection and septicemia	12	2					1	1	2	1	2	2	1					
	Rabies																		•••••
24 25 26 27	Tetanus Mycoses Pellagra	17 3	9				2	1	4		i		1	1					
	Tuberculosis (total) Tuberculosis of the lungs. Acute miliary tuberculosis Tuberculous meningitis Abdominal tuberculosis. Pattly disease	1,026 869	27 12	26 13	17 13	12	8 4	31 20	170	303 274	198 179	101 95	78 72	30	16	5			
28 29 30 31 32 33 34	Acute miliary tuberculosis. Tuberculous meningitis	48 30	12 5 7	4	1 2	2	2 2	1 5	131 12 5 11	13 1	4	2	2	26 2	15				
32 33	Pott's disease. White swellings.	50 4 5	1	4	1	4		3	2 2	13 1	10	2 1	1						••••••
34 35	White swellings Tuberculosis of other organs Disseminated tuberculosis	10 10	1	1				1	3 4	1	1 2		1 2	1	1				
36 37 38	Rickets. Syphilis Gonococcus infection.	5 62	32 32	$\frac{1}{2}$				····i	4	8	9	3	<sub>i</sub> .	i		<sub>i</sub> -			·····i
30	Cancer and other malignant tumors (total)	117								4	9	33	25 2	22	17	6			1
40 41 42	Of the buccal cavity Of the stomach, liver Of the peritoneum, intestines, rectum	10 39 5								1	1	10 10	10 2	5 6	8 1	1 4			
43 44	Of the Iemale genital organs. Of the breast Of the sRin. Of other organs or of organs not speci-	38 11 2								2	5	18 22	6 2 1	3 5 1	2	•••••			
45	Of other organs or of organs not speci- fied:	12					<b></b>			1	3	1	2	2	2	1			1
46 47	Other tumors (tumors of the female genital organs excepted). Acute articular rheumatism	2 15								3			13	<u>.</u>		1			
48 49	scurvy	3		1				1	2 		2 1		1	1	1			1	••••••
50 51	Diabetes	13		•••••				1			1	1	3		1	······		ļ	
52 53 54	Addison's disease. Leukemia. Anemia, chlorosis. Other general diseases.	2 6							 2		1 1	i	1 1						••••••
55 56	Alcoholism (sente or chronic)										î	•••••		1	- ;	-			
57 58 59	Chronic lead poisoning. Other chronic occupation poisonings. Other chronic poisonings.											2	2						· · · · · · · · · · · · · · · · · · ·
59	II —Diseases of the nervous system	3						•••••	•••••		· <del>*</del>	•••••	1	1	1	•••••			• • • • • • • • • • • • • • • • • • • •
	and of the organs of special sense	483	71	20	6	4	8	9	8	• 14	31	62	75	79	64	24	4	1	3
60 61	Encephalitis Meningitis (total) Simple meningitis	4 38 24	1 8 6	1 9 7	4 2	<u>2</u>	1 2 2	6 2	4 2	1 2			 1 1						
	Cerebrospinal meningitis (undefined) Cerebrospinal fever	11 3	1	i	2			4	1	2									
62 63	Locomotor ataxia. Other diseases of the spinal cord (total).	1 15	5		i		2			i	<u>;</u> -	3	1 2						
64	Acute anterior poliomyelitis Other diseases of the spinal cord <sup>1</sup> Cerebral hemorrhage, apoplexy	9 6 213	5	1	1	i	2 1		<u>2</u>	1 2	1 15	1 2 31	2 43	56	38	14	3		
65 66	Softening of the brain	3 98		i				i			3	17	1 20	1 19	1 23	9	i	<sub>i</sub> -	i
67 68	General paralysis of the insane Other forms of mental alienation	11 7									3	2 2	4 1	2	2				·····i
69 70	Epilepsy	19 1 . 59							i	5	6	5	1	1					1
71 72 73 74	Convusions of infants Chorea Neuralgia and neuritis Other diseases of the nervous system		48	7	1	1	2												
75	Other diseases of the nervous system  Diseases of the eyes and their annexa  Diseases of the ears	10	2	1				2		1 1	2	2	1`			i			
-	III.—Diseases of the circulatory system.	597	11	3	1	1	1	2	13	46	55	108	108	101	95	35	9	2	6
78	Pericarditis	4 23							3		2	9	1 8	1	1	1 .			
80	Organic diseases of the heart	499 10	10	3	i	i	1		9	39 2	45 2	89 1	84	86 3	85 1	32	7	2	5
OI	rism, etc	48 II.	I Evelue	ive of	aouto :	antoni	or noli	mwais	tie (int	4	2 Paraly	8   gie)	13	11	6	2.	2 .	J.	
•			<sup>1</sup> Exclus	24 A O OI	acute :	ацісті	ar form	myen	us (IIII	аптие ј	parary.	sis).							

Table 6.—Deaths (exclusive of stillbirths) in the registration area, all registration states, and each registration state, from each cause and class of causes, by age of decedent: 1911—Continued.

						<del></del>			DEA	THS A	T AGE	OF		***************************************					
Detailed Int. List No.	CAUSE OF DEATH.	All deaths.	Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	19	20 to 29 years.	39	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 years and over.	Deaths at un- known age.
			M	IARY	LAN	TD (C	COLC	RED	)Co	atinue	đ.								-
	III.—Diseases of the circulatory system—Continued.																		
82 83	Embolism and thrombosis	7						1	1	1	2	1		ļ	1				
84	rhoids, phlebitis, etc.)	1										•••••	1	• • • • • • • • • • • • • • • • • • • •					
85	phangitis, etc.). Hemorrhage; other diseases of the circulatory system.	5	1					1			2				1				
	IV.—Diseases of the respiratory system	782	215	93	47	16	15	32	36	60	65	. 55	48	34	48	11	5	<u></u>	2
86 87	Diseases of the nasal fossae	4	····i	<u>i</u>				<sub>i</sub> .	i					i					
88 89 90	Diseases of the larynx. Diseases of the thyroid body. Acute bronchitis. Chronic bronchitis.	53 31	25 2	14 1	3 1		2	2 1		i	1 4	1 9	1	1 3	2 6	2			i
91 92	BronchopneumoniaPneumonia (total)	215 421	95 86	39 34	20 23	9 7	5 7 1	8 19	5 28	5 53	4 48	5 31	5 34	4 19 9	9 25 15	2 3	3		i
93	Lobar pneumonia. Pneumonia (undefined). Pleurisy.	164 257 15	17 69 1	7 27	7 16	3 4	1 6 1	10 9 1	19 1	53 25 28	48 27 21 4	12 19 4	18 16 1	10 1	10	2 1	1 2		1
94	Pulmonary congestion, pulmonary apo-	12	5	3					·		1			1	1	1			
95 96 97	plexy Gangrene of the lung Asthma Pulmonary emphysema.	13								i		2	3	3	····i	i	2		
98	Other diseases of the respiratory system (tuberculosis excepted)	17		1					1		3	3	3	1	3	2			
	V.—Diseases of the disgestive system	591	312	53	8	3	4	15	16	34	31	30	37	20	18	7			3
99 100 101	Diseases of the mouth and annexa.  Diseases of the pharynx.  Diseases of the esophagus.	14 7	11	i				1 3	····i	i		1	1 1						
102 103	Ulcer of the stomach. Other diseases of the stomach (cancer excepted).	7 99	25	6	2	1		3	3	8	1 10	10	1 14	1 5	10	1			1
104 105	Diarrhea and enteritis (under 2 years) Diarrhea and enteritis (2 years and over).	311 39	267	44		<u>i</u> .		3	3	i	2		5	5	4	. 5			. i
106 107 108	Ankylostomiasis. Intestinal parasites. Appendicitis and typhlitis.	3 24				<u>î</u> .	2	3	5	<del>-</del> -	5	4							
109	Hernia, intestinal obstruction (total) Hernia	36 16	5 4	2 2			1	ļ	2 1	8 2	4 1	3	5 2	2 2	3				1
110	Intestinal obstruction Other diseases of the intestines	20 7	1 2				1 1		î	6 	3 1	3 1	3 	····i	<u>2</u>	i			
111 112	Acute yellow atrophy of the liver Hydatid tumor of the liver	1	1							<u>-</u>	3	5	3	5					
113 114	Cirrhosis of the liver	2								2	1		1 4	1					
115 116 117	Other diseases of the liver. Diseases of the splean Simple peritonitis (nonpuerperal). Other diseases of the digestive system	10 14	1						1	<del>2</del> 5	3	1	2		1				
118	(cancer and tuberculosis excepted)				<b></b>		ļ			<b></b>			ļ	ļ					
	VI.—Nonvenereal diseases of the genito-urinary system and annexa	466	4	2	3	 	1	7	12	40	47	80	90	95	57	20	4		. 4
119 . 120	Acute nephritis Bright's disease	72 349	4	2	2		1	4 3	6 3	12 22	9 33	12 54	17 72	5 83	1 49	19	4		1 3
121 122 123	Chyluria. Other diseases of the kidneys and annexa. Calculi of the urinary passages.	5			i						1	i		i	2				
124 125	Diseases of the bladder	6		····	ļ		ļ				. 1	2		1	2				
126 127	etc Diseases of the prostate Nonvenereal diseases of the male genital	8								2		2		2	3	····i			
128	organs. Uterine hemorrhage (nonpuerperal)	ļ																	
129 130	Uterine tumor (noncancerous) Other diseases of the uterus Cysts and other tumors of the ovary	10 1 2							i	2	1 1	5	1	1 1					
131 132	Salpingitis and other diseases of the fe- male genital organs	10							2	2	1	4		1					
133	Nonpuerperal diseases of the breast (cancer excepted)			ļ					12	27	14	2							
134	VII.—The puerperal state  Accidents of pregnancy Puerperal hemorrhage								<u> </u>										
135 136 137	Puerperal hemorrhage. Other accidents of labor. Puerperal septicemia.	.  10						1	2 1 5	1 1 4 9	2 5 4								

Table 6.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA, ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE OF DECEDENT: 1911—Continued.

									DEA	ATHS A	T AGE	of—						-	
Detailed Int.	CAUSE OF DEATH.	AII deaths.	Under 1 year.	L	2 years.	8 years.	4 years.	5 to 9 years.	19	20 to 29 years.	30 to 39 years.	40 to 49 years.	59	60 to 69 years.	70 to 79 years.	80 to 89 years.	99	100 years and over.	Deaths at un- known age.
			3	MAR	YLA	ND (	COL	ORE	<b>D)—</b> Co	ontinu	ed. •				•				
	VII.—The puerperal state—Con.															<u> </u>			
138	Puerperal albuminuria and convulsions.	13						ļ	4	8		1		ļ					
139	Puerperal phlegmasia alba dolens, em- bolus, sudden death.	3		·				 		1	1	1							 
140 141	Following childbirth (not otherwise defined)  Puerperal diseases of the breast	1								<b></b>	1			<b></b>					
771	VIII.—Diseases of the skin and of	•••••																	
	the cellular tissue	20		1					1			1	5	2	5	3			2
142 143	Gangrene Furuncle	15										1	3	2	5	2			2
144 145	Acute abscess Other diseases of the skin and annexa	2 3		<sub>i</sub> .					1				1			1			
	IX.—Diseases of the bones and of																		
	the organs of locomotion	10		2	2		•••••					2	. 2		2				
146	Diseases of the bones (tuberculosis ex- cepted)  Diseases of the joints (tuberculosis and	9		2	2							2	2		1				
147	rheumatism excepted)	1			<b> </b>						ļ		<b> </b>		1	<b></b>			
148 149	Amputations Other diseases of the organs of locomotion																		
	X.—Malformations	18	16						2										
150	Congenital malformations (stillbirths not																		
	included) (total)	18 1	16 1		•••••				2 										
	Congenital malformations of the heartOther congenital malformations	. 11	9			<b></b>			2										
		6	6									• • • • • • • • • • • • • • • • • • • •							
	XI.—Early infancy	₹ 369	369																
151	Congenital debility, icterus, and scle- rema (total)	321	321 126																
	Congenital debility, "atrophy," "marasmus," etc	126	i i										• • • • • •		<b>-</b>				
152		195	195	• • • • • •			••					:							
	(total)	42 11	42 11																
1.0	fancy 1	31	31												<b> </b>				
153		6	6													••••			
	XII.—Old age	86			•••••								1		28	26	16	7	3
154	SenilityXIII.—External causes	86											1	5	28	26	16	7	3
i		242	. 16	15	9	11	3	14	. 29	51	28			4	11		1	1	4
155	Suicide (total) By poison	10 2 1								1	3 1	1	2						
156 157	By asphyxia.  By hanging or strangulation	2 1								i	····i	1							
157 158 150 160 161	By drowning By firearms	3								1	····i		2						
161	By firearms By cutting or piercing instruments By jumping from high places By crushing By crushing	1								1									
162 163	Other suicides																		
104	Accidental or undefined (total)	212	16	15	9	11	3	14	28	41	18	18	19	3	11		1	1	4
164 165 166	Poisoning by food. Other acute poisonings. Conflagration.	1 8 7		4		i	1	 	1		1								
167	Burns (conflagration excepted)	42		2 6	5	7	2	9	1 2.	6	····i		1	1	$\frac{1}{2}$			1	
168	Absorption of deleterious gases (con-	70	_																
169	flagration excepted)	10 38	7			ĭ		1 ;-	6	13	7	5	2		····· <u>2</u> -				2
170 171	Traumatism by firearms.  Traumatism by cutting or piercing	9			1			1	3	3	1		•••••						
172	instruments Traumatism by fall	19	i	2		2				4	1	5	1		3				
173	Traumatism in mines and quarries														,			1	
	(total) Traumatism in mines						•••••												
174	Traumatism in quarries Traumatism by machines	6							1	3			2						
	Traumatism by other crushing (to- tal)	34			4			,	,,		_			,					
175	Railroad accidents and injuries. Street-car accidents and injuries.	18			1			1	7 1 2	9 6	5 3 2	3	6 5	т					1
175		. 0							2	1	2	1							
175	Automobile accidents and in-	1	[									اء ا					I	I	
175	Automobile accidents and injuries Injuries by other vehicles. Landslide, other crushing.	9 1			<u>1</u>				· 4	 1 1		i	i	1					: :

Table 6.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA, ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE OF DECEDENT: 1911—Continued.

ţ.									DEA	THS A	T AGE	of—				*******			
Detailed Int. List No.	CAUSE OF DEATH.	All deaths.	Under 1 year.	1 year.	2 years.	g years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	99	100 years and over.	Deaths at un- known age.
	·		•	MAR	YLA	ND (	COL	ORE	<b>D</b> )—Co	ntinu	ed.								
176 177 178 179 180 181 185 186 182 183 184	XIII.—External causes—Contd.  Accidental or undefined—Continued. Injuries by animals. Starvation Excessive cold. Effects of heat. Lightning. Electricity (lightning excepted). Fractures (cause not specified). Other external violence.  Homicide (total). By firearms. By cutting or piercing instruments. By other means.  XIV.—Ill-defined diseases.  Ill-defined organic disease. Sudden death. Not specified or ill-defined (total).	1 1 2 1 5 1 1 2 1 2 1 2 1 2 1 2 1 2 1 5 8 2 2 1 1 5 8 1 5 1 5 1 5 1 5 1 5 1 5 1 5 1 5	3 3 49	26	6	6		5	1 3 1 1 4 4	1 1 6 4 2 7	1 7 5 1 1 3	2 1 2 4 1 2 1 11	3 1 1 1 1 1 1 7 6	1 1 1 18 2 1 15	9	3	1		3
	Il-defined Not specified or unknown	85 66	12 37	21 5	5	5 1		5	2 2	3	1	9 1	1	13 2	2	3			
		1	1	1	MA	SSA	CHU	SETT	rs.	,	<del>,</del>					1			
	All causes	53, 003 13, 174	10,412	1,899 588	732 309	483 239	354 151	878 385	1, 599 686			4,767 1,724	5,659 1,675	7,331 1,614	6,976	3,881 404	627	18	37
1 2 3 4 5	Typhoid fever Typhus fever Relapsing fever Malaria Smallpox	311	21	1	2	2	4	82	47	101	57	49	19	17	2	1	****		
6 7 8 9 10	Measles Scarlet fever Whooping cough Diphtheria and croup Influenza	306 197 506 581 345	87 12 288 59 21	113 22 127 98 9	46 27 42 83 1	19 35 21 83 1	13 20 13 51 3	13 51 11 144 3	24 24 38 3	5 9 6	3 1 1 5 10	4 9 17	1 1 2 31	1 1 67	98	1 	20		
11 12 13 14 15	Miliary fever. Asiatic cholera Cholera nostras. Dysentery Plague.	24	9 40	10	2	1 2	1	1		1 3	1 6	1 1 8	1 4	1 14	8 18	1 20	······2		
16 17 18 19	Yellow fever Leprosy. Erysipelas Other epidemic diseases.		56 3	2 3	1 1	1		2 2 2	3 1	10	7 2	24	18	18	16	9	2		
20 21 22 23	Purulent infection and septicemia. Glanders. Anthrax. Rabies.	1 1 1	21	3	3	2	2	4	1	14 1	16 1	11	18	13	10	5			
24 25 26 27	Tetanus Mycoses. Pellagra. Beriberi	1	12					6	6	6 1	4 1 1	8	2	2		1 			
28 29 30 31 32 33 34 35	Tuberculosis (total). Tuberculosis of the lungs. Acute miliary tuberculosis. Tuberculous meningitis. Abdominal tuberculosis. Pott's disease. White swellings. Tuberculosis of other organs. Disseminated tuberculosis.	190 452 159 48 22 72	223 56 11 130 13 7 6	172 27 9 102 21 1	92 14 4 58 7 3 1 1	58 15 2 26 6 2	31 9 15 4 2 1	89 19 2 47 9 6 2 1	456 350 31 26 19 10 6 6	1, 211 1, 067 62 28 17 5 3 12 17	1,173 1,077 33 9 26 5 8 15	854 793 19 5 14 6 1 12 4	478 436 12 3 12 4 4 4 3	307 281 4 2 9	120 109 109 1 4 2 2 2	25 22 1 1	1		1
36 37 •38	Rickets. Syphilis. Gonococcus infection.	40 153 19	27 93 11	6 11	3 1		2	1 1	1 1 2	1 9 2	13 2	1 12 1	<del>7</del>	2 1	1				
39 40 41 42 43 44 45	Cancer and other malignant tumors (total).  Of the buccal cavity. Of the stomach, liver. Of the peritoneum, intestines, rectum of the female genital organs. Of the breast. Of the skin. Of other organs or of organs not specified.	123 1,099 548 502 359 99	5 1 1 1 3	3	3 1 1 1	2	1	4	5 1,	50 8 8 15 1	175 2 44 22 48 27 3	477 12 138 61 117 82 2	774 27 263 114 158 81 15	841 41 323 158 80 75 21	682 29 255 141 67 59 27	225 9 62 41 17 31 29	14 2 4 2 3	1 1	
46 47 48 49 50	Other tumors (tumors of the female genital organs excepted). Acute articular rheumatism Chronic rheumatism and gout. Scurvy. Diabetes	43	3 3			3	6	19	33 33 38	1 16 3 38	30 1 32	6 12 1	5 23 8	5 11 12 209	10 9 101	1 3 9 35	1		

Table 6.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA, ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE OF DECEDENT: 1911—Continued.

				<del>,</del>					DEA	THS A	r age	OF		······································		<del></del>	<del></del>		
Detailed Int. List No.	CAUSE OF DEATH.	All deaths.	Under 1 year.	1 7	2 years.	3 years.	4 years.	5 to 9 years.	19	29	30 to 39 years.	49	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 years and over.	Deaths at un- known age.
	O,		•	MA	SSA	CHU	SET	TS—(	Continu	ied.				•			-	,	
51 52 53 54 55	I.—General causes—Continued.  Exophthalmic goiter. Addison's disease. Leukemia. Anemia, chlorosis. Other general diseases.  Alcoholism (acute or chronic). Chronic lead poisoning.	40 23 54 261 71 222	12 38	3 4	1	1 1 3	2 1	1 2 1 3	3 6 6 2	6 2 11 15 3	7 5 7 22 4 61	13 6 12 47 3	7 6 5 63 2 37	1 1 6 49 1	2 3 2 30 3	8 4	2		2
56 57 58 59	Chronic lead poisoning Other chronic occupation poisonings Other chronic poisonings	16 1 16								1	4 1 3	6 4	3 4	2 2	1		1		••••••
	II.—Diseases of the nervous sys- tem and of the organs of spe- cial sense	5,588	412	147	63	23	36	<b>≫</b> 66	112	140	284	469	734	1,181	1,216	638	63		. 4
60 61	Encephalitis Meningitis (total). Simple meningitis. Cerebrospinal meningitis (undefined) Cerebrospinal fever.	55 503 386 96 21	11 180 152 24 4	3 77 60 14 3	38 30 7 1	2 17 13 4	21 14 6 1	1 36 27 7 2	38 20 13 5	5 23 11 11 1	3 20 12 4 4	9 24 21 3	5 11 9 2	3 16 15 1	3 2 2	2	1		
62 63 64	Locomotor ataxia.  Other diseases of the spinal cord (total).  Acute anterior poliomyelitis.  Other diseases of the spinal cord <sup>1</sup> Cerebral hemorrhage, apoplexy.	117 255 55 200 3,386	11 10 1 34	13 11 2 5	11 10 1 2	1 1	4 3 1 4	5 5	13 7 6 3	9 4 5 29	8 16 1 15 105	24 23 23 23 235	28 35 1 34 491	33 52 1 51 908	21 47 1 46 976	15 15 538	53		3
65 66 67 68	Softening of the brain Paralysis without specified cause. General paralysis of the insane Other forms of mental alienation	52 265 259 68	3					1	4	2 1 6 3	3 49 9	1 22 81 4	5 32 57 17	12 68 29 19	19 82 23 11	11 -43 12 5			i
69 70 71 72	Epilepsy. Convulsions (nonpuerperal). Convulsions of infants. Chorea.	1	123 1	23	6	i		5 1 1	25 1	30 11	27 6	13	15	13	11	2			
73 74 75 76	Neuralgia and neuritis. Other diseases of the nervous system Diseases of the eyes and their annexa Diseases of the ears	37 166 5 94	17 3 25	7 1 14	3	i i	4	10	10	.15 .15	8 24 5	6 23 4	9 24 5	7 13 1 7	13 4	5			
77	III.—Diseases of the circulatory system	. 8,843	124	18	18	8	11 2	72	.195 4	239 2	410	686 2	1,152	2,128	2,313	1,281 2	181	5	2
77 78 79 80 81	Acute endocarditis Organic diseases of the heart Angina pectoris Diseases of the arteries, atheroma, aneurism, etc	328 6,338 317	13 61	13 	10 10	3 5	6 	14 51	28 150 2 2	35 179 1	46 321 12 12	72 522 20 33	92 865 51 119	1,639 91 342	1,643 99 542	792 40 429	7S 1 99	1	2
82 83 84 85	Embolism and thrombosis Diseases of the veins (varices, hemorrhoids, phlebitis, etc.) Diseases of the lymphatic system (lymphangitis, etc.) Hemorrhage; other diseases of the circulatory system.	136 34 56 21	30 14	3	4		1	3	6	16 2 2	7 5 3	28 8 1	18 3	27 7 2 1	20 5	10 4 1 3	3		
~	IV.—Diseases of the respiratory system	6,591	1,451	564	188	82	64	92	131	244	411	534	649	800	779	500	99	3	
86 87 88 89 90	Diseases of the nasal fossae Diseases of the larynx Diseases of the thyroid body Acute bronchitis Chronic bronchitis	51 12 471 368	15 270 8	6 67 8.	1 3 19 2	1 5	6	6 4 1	3 2 2	3 1 4	1 1 2 10	4 6 17	5 1 11 35	1 2 13 67	2 27 121	2 2 32 73	6 19	1	
91 92 93	Bronehopneumonia Pneumonia (total) Lobar pneumonia Pneumonia (undefined) Pieurisy	1,557 3,756 1,938 1,818 129	635 499 140 359 4	233 235 91 144 6	61 100 51 49 1	33 42 11 31 1	22 27 18 - 9 2	16 62 27 35 2	13 100 59 41 4	. 19 192 120 72 12	25 340 191 149 15	51 415 262 153 25	65 483 304 179 22	114 552 325 227 13	148 419 230 189 16	103 244 96 148 5	17 46 13 33 1	2	
94 95 96 97 98	Pulmonary congestion, pulmonary apoplexy. Gangrene of the lung. Asthma. Pulmonary emphysema Other diseases of the respiratory system (tuberculosis excepted).	125 19 49 6	16 1 3	4 1 1 2	1		1	1	3 2	3 2 8	4 2 4 7	5 3 5	13 2 5 1 6	15 4 8 2	21 2 18 1	30 7 1	10		
	V.—Diseases of the digestive sys-	6,215	3,428	439	76	53	27	80	126	185	233	305	346	374	343	- 164	. 35	1	
99 100 101 102 103	Diseases of the mouth and annexa.  Diseases of the pharyux  Diseases of the esophagus  Uicer of the stomach.  Other diseases of the stomach (cancer excepted).	16 47 17 116 381	11 5 1 1 156	1 3 1	2 2 3	3 1 1 2	$\begin{bmatrix} \frac{1}{1} \\ \cdots \\ \frac{1}{2} \end{bmatrix}$	1 6 3	3 1 2 3	5 	4 3 11 15	1 1 19 25	8 	2 4 20 34	2 5 1 14 50	1	i 12		

Table 6.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA, ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE OF DECEDENT: 1911—Continued.

nt.	- 2000 CM 02 1 1								DEA	THS A	T AGE	of—							
Detailed Int. List No.	CAUSE OF DEATH.	All deaths.	Under 1 year.	1 year.	2 years.	8 years.	4 years.	5 to 9 years.	19	29	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	99	100 years and over.	Deaths at un- known age.
	-			MA	.SSA	CHU	SET	rs–(	Continu	1ed.						,			
	V.—Diseases of the digestive system—Continued.															-			
104 105 106 107 108	Diarrhea and enteritis (under 2 years) Diarrhea and enteritis (2 years and over). Ankylostomiasis Intestinal parasites Appendicitis and typhlitis	3,564 411 378	3,155	409	55 1	28	13	16 39	7	19  71	21  64	26 	44	49	73 16	48	11 	1	
109	Hernia, intestinal obstruction (total) Hernia. Intestinal obstruction Other diseases of the intestines.	420 139 281 76	67 13 54 13	5 5 1	5 1 4	4 1 3 1	2 2 2 2	6 2 4	9 2 7 3	20 3 17 7	31 9 22 8	34 13 21 9	61 21 40 7	73 37 36 6	67 20 47 10	33 15 18 7	3 2 1 2		
111 112 113 114	Acute yellow atrophy of the liver. Hydatid tumor of the liver. Cirrhosis of the liver Biliary calculi.	6 2 339 112	1 1	1	1 1	1 <b>#</b> 1	1	1	1	1 1 4 2	33 8	74 19	73 33	2 1 84 30	50 18	11 2			
115 116 117 118	Other diseases of the liver Diseases of the spleen Simple peritonitis (nonpuerperal) Other diseases of the digestive system (cancer and tuberculosis excepted)	139 4 142 45	5 11 1	5	5	6		7	9 13 1	20 2	12 1 14 8	24 1 19 11	22 1 13	21 1 14 10	22 11 3	10 4	2		
	VI.—Nonvenereal diseases of the genito-urinary system and annexa	3,553	50	16	9	5	6	19	64	188	324	471	611	756	712	295	25	1	
119 120 121	Acute nephritis Bright's disease Chyluria	249 2,747	25 17	8 6	6 2	2	3	6 12	18 39	32 96	37 216	28 356	40 518	23 655	17 590	223 	1 13		
122 123 124	Other diseases of the kidneys and annexa. Calculi of the urinary passages.  Diseases of the bladder.	82 22 77	5	2	1	3	1	1	1	9 2 1	1 4 3	11 3 1	10 6 6	15 4 10	14 1 31	7 2 21	4		
125 126	Diseases of the urethra, urinary abscess, etc.  Diseases of the prostate	17 139								2	5	2 2	2 9	3 35	3 51	36	5	·····i	
127 128	Nonveneral diseases of the male genital organs. Uterine hemorrhage (nonpuerperal)	5 5	2							i	3	2		<u>i</u>	1				
129 130 131 132	Uterine tumor (noncancerous)	48 44 41							2	2 7 5	11 11 9	27 12 14	4 6 8	3 3 2	2 2	1 1	1		
133	female genital organs  Nonpuerperal diseases of the breast (cancer excepted)  VII.—The puerperal state.	74 3 510	1					•••••	4  26	31  235	24  213	12 1 35	2 1	2					
134 135 136 137	Accidents of pregnancy Puerperal hemorrhage Other accidents of labor Puerperal septicemia.	48 35 63 210							1 3 15	19 16 25 109	26 13 27 78	3 5 8 8							
138 139 140	Puerperal albuminuria and convulsions. Puerperal phlegmasia alba dolens, embolus, sudden death. Following childbirth (not otherwise de-	125 25		••••		•••••			7	54 10	54 14	10 1							
141	fined). Puerperal diseases of the breast VIII.—Diseases of the skin and of the cellular tissue	202	. 50	3	2	1			3	2 7	11	13	10	31	35	28	8		
142 143 144 145	Gangrene. Furuncle. Acute abscess. Other diseases of the skin and annexa. IX.—Diseases of the bones and of	91 22 39 50	4 5 14 27	3	1 1	i			1 2	5 1 1	1 2 6 2	4 3 4 2	3133	22 4 3 2	26 2 7	24 1 1 2	3		
146 147	the organs of locomotion  Diseases of the bones (tuberculosis excepted).  Diseases of the joints (tuberculosis and	99 76	16	4	5 4	1	2	3	13	7	6	6	6 5		<u>6</u> 3		2		
148 149	rheumatism excepted). Amputations. Other diseases of the organs of locomotion X.—Malformations.	19 4 559	1 1 521	18	1	2	1	3 7	6	2 1	3	3	1	3	3		1		
150	Congenital malformations (stillbirths not included) (total)	559 57 336	521 47 317 157	18 5 8 5	1 1	2 1 1	1	7 1 5 1	6 2 3	1	2								

TABLE 6.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA, ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE OF DECEDENT: 1911—Continued.

·				-					DEA	THS A	T AGE	OF		- 711		=			
Detailed Int. List No.	CAUSE OF DEATH.	All deaths.	Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	19	29 -		49	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	99	100 years and over.	Deaths at un- known age.
<del></del> '				MA	SSA	CHU	SET.	rs-c	ontinu	ied.							•		
	XI.—Early infancy	3, 134	3, 134																
151	Congenital debility, icterus, and sclerema (total)	2,477	2,477																
	rema (total)	2,477 1,587	1,587		• • • • • •												•••••		
152	Congenital debility, "atrophy," "marasmus," etc. Other causes peculiar to early infancy (total).	890 648	890 648															•••••	
	(total) Injuries at birth Other causes peculiar to early in-	407	407	•••••		•••••							<b></b>			•••••	•••••		
153	fancy <sup>1</sup>	241 9	241																••••••
,,,	XII.—Old age	635										<u></u>	4	33	141	340	110	6	
154	Semility XIII.—External causes	635 3,644	124	82	57	66	55	150	236	466	516	496	448	33 364	283	340 221	110 58	6	1 22
	Suicide (total)	449							10	87	103	76	76	58	28	8			3
155 156 157 158 159 160 161 162	By poison.  By asphyxia.  By hanging or strangulation.	81 78 61							1 1 3	20 13 9	24 14 7 13 27	12, 15 10	14 16 9	6 13 12 6	3 4 6	2			1
158 159	By hanging or strangulation By drowning By firearms	58 111							3	17 20	13 27	6 18	11 20	13	3 8	2			
160 161	By cutting or piercing instruments. By jumping from high places	46 6 5								7	16 1	11 2 2	5 1	4 1 1	3				
163	By crushing Other suicides	3									1		<b> </b> -	2					
164	Accidental or undefined (total)	3,094 23 60	115 4 3	80 3 11	56 1	65 5	55 1 3	146 3 5 2	212 1	351 2 7	395	409 4 6	363 2 3	303 1 2	254 3	213	58	•••••	19
164 165 166 167	Other acute poisonings Conflagration Burns (conflagration excepted)	53 275	2 8	1 29	31	31	2 28	2 27	3 5	4 15	12 7 15	18	5 23	6 25	8	4 6	····i		
168	Absorption of deleterious gases (con- flagration excepted)	132	27	2					8	11				10	12	5			
169 170	Accidental drowning  Traumatism by firearms	304 32	1	2	1 3 1	8	6	33 3	75 13	61	12 48 3	16 30 3	25 23 2	13 4	12	2			8
171	Traumatism by cutting or piercing instruments. Traumatism by fall.	11	2						1	1		2	3	2					
172 173	Traumatism by fall	655	2	12	6	7	4	9	21	48	56	77	76	94	90	117	36		
210	(total)Traumatism in mines	5 3								1	2 2	1	1						
174	Traumatism in quarries Traumatism by machines	2 57						i	····- <del>7</del> ·	15	9	10	1 4	7	4		•••••	•••••	
175	Traumatism by other crushing (total)	636	,	3 1	7	11	9	50	59	122	124	98	69	46	26	5	,	`	7
	Railroad accidents and injuries Street-car accidents and injuries. Automobile accidents and inju-	304 104		1	2	4	3 1	11 5	28 8	77 19	60 18	57 14	30 20	18 9	8 4	2	•••••	•••••	7
	ries Injuries by other vehicles	106 111		<u>i</u> -	5	1 6	3 2	19 15	15 8	17 9	17 25	13 11	6 10	9	5 9	1			
178	Landslide, other crushing Injuries by animals	11			1	•••••		•••••			4	3	3	1					
176 177 178	Starvation Excessive cold.	12 9	5	1				i			i		3 1 1	1 3	2 1	2			2
179	Effects of heatLightning.	654	51	13	3	3	1	4	6	27	80	104	107	89	81	63	21	•	1
180 181 185 186	Electricity (lightning excepted) Fractures (cause not specified)	31 27 111						1	· 4	13 5	6 3 17	4 5	2 2 11	1	1 5	5			
186	Other external violence	111	10	3	2	1	1	7	9	11	17	21	1	8	6	4	  -		1
182 183 184	Homicide (total)  By firearms  By cutting or piercing instruments.	36 20		2	1	i	•••••	4 1 1	14 6 3 5	28 13 8	5 6 7	11 5 1	9 5 1		1	•••••	•••••		
, 184	By other means.	45	9	2	1			2	1	7	1	5	3	3	1				
187	XIV.—III-defined diseases  III-defined organic disease	6	74	20	4	3		1	1	8.	18	25	23	40	21	10	2	1	4
188 189	Not specified or ill-defined (total)	18 232	4 70	20	4 3	3	1 1	1	1	8	2 16	3 22 19	6 15	2 2 36	1 20	9	2 2		4
	III-defined. Not specified or unknown.	202 30	70 51 ,19	19 1	3	2 1	1	i	1	- 7 - 1	16	19 3	15	36	20	9	2		3
		<u> </u>	·	·	<u>.</u>	IICH	IGA	N.	•		·	•		•	<del>'</del>	<u>'</u>		·	*
	All causes	37, 993	7,065	1,142	518	341	259	838	1, 523	2,721	2, 567	2,782	3,711	4,958	5, 799	3, 236	462	18	53
	I.—General diseases	1	566	259	181	140	118	400	652	1,179	987	928	1,125	1,146	963	323	44	3	12
.2	Typhoid fever Typhus fever Relapsing fever Malaria	547	4	6	9	3	13	26	100	148	- 95	47	58	27	9	1			1
·2 3 4 5	Relapsing fever Malaria Smallpox	29 6	1 1		1	1			1	2 1	1 2	7	6	5	4				
ð	Dimmipux	, 0	11 1		1 Exc	lusive	ofinju	ries at	birth.		, 4	, 1	ı <b></b>	) I	*******				

Table 6.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA, ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE OF DECEDENT: 1911—Continued.

ا									DEA	THS A	T AGE	OF							Deatl
List No.	CAUSE OF DEATH.	All deaths.	Under 1 year.	1	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	39	40 to 49 years.	59	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 years and over.	at un know age.
		··········			MIC	сніс	AN-	-Conti	nued.									,	
	I.—General diseases—Continued.																		
6 7 8 9 0	Measles Scarlet fever Whooping cough Diphtheria and croup Influenza	199 205 244 472 524	49 10 171 12 38	59 22 37 43 13	19 31 16 57 4	13 34 7 55 1	9 19 2 48 2	24 54 7 170 3	12 22 2 63 24	5 6 1 15 14	4 6 4 14	1 1 4 30	1 1 38	1 1 57	154	104	27	1	
1 2 3 4 5	Miliary fever Asiatic cholera Cholera nostras Dysentery Plague	16 90	7 16	8	5	1 1	1	1		i	3	1 6	2 4	9	3 21	2 12	2		
6 7 8 9	Yellow fever Leprosy Erysipelas. Other epidemic diseases	144 7	39 4	1 				i	4 1	3 1	13	10	22	18	20	13	i		
0 1 2 3	Purulent infection and septicemiaGlanders. Anthrax. Rabies.		19	3	·····i	2	1	8	11  2	18	18	14	15	9	13		1		
4 5 6 7	Tetanus. Mycoses. Pellagra. Beriberi.	38 1 3	10					6	5 1	5	3	32	3	1		1			
88 99 10 12 13 14 15	Tuberculosis (total) Tuberculosis of the lungs. Acute miliary tuberculosis. Tuberculous meningitis. Abdominal tuberculosis. Pott's disease. White swellings. Tuberculosis of other organs. Disseminated tuberculosis.	2,757 2,245 85 113 158 53 15 51	53 22 - 3 17 - 4 - 1 4 - 2	39 7 5 18 1 2 4 2	24 11 1 9 2	15 3 1 11	8 3 4	48 14 2 22 6 1 2	319 255 13 17 15 6 2 6 5	808 721 23 8 32 4 3 5 12	577 504 14 5 25 12 3 9	332 282 10 1 24 6 1 4	254 202 9 1 24 7	174 139 2 17 7 2 6	89 68 2 7 5 1 5	14 11 1 2			
6 7 8	Rickets. Syphilis. Gonococcus infection.	30 129 8	12 62 3	7 1 1	4		1	1	1 1	2 7 2	15 2	21	9	1 6	6				
19 10 11 12 13 14 15	Cancer and other malignant tumors (total).  Of the buccal cavity.  Of the stomach, liver.  Of the peritoneum, intestines, rectum.  Of the female genital organs.  Of the skin.  Of other organs or of organs not specified.	93 897 261 278 196 108	2	2		1	1	6 1 1 1 1	5 3 1	35 8 8 2 2 2 2	88 2 20 12 22 15 1	294 4 108 30 69 40 8	490 34 208 62 67 50 13	601 19 281 76 72 49 24 80	466 19 214 60 40 30 35 68	133 14 49 12 5 9 18	7 1 2 1	1	
6 17 18 19	Other tumors (tumors of the female genital organs excepted). Acute articular rheumatism. Chronic rheumatism and gout. Scurvy. Diabetes.	46 164 42 413	1		1 3		2	25 9	23	4 12 2 31	4 14 1 42	11 17 3	6 13 8	6 16 16	12 28 8 73	2 11 4	1 3 1	1	
12345	Exophthalmic goiter Addison's disease. Leukemia Anemia, chlorosis Other general diseases.	22 51 288	1 14 37	7 10	1 4	1 2 2	1 2 7	3 1 6	1 5 9 5	6 2 8 24 3	12 4 8 30 4	13 7 5 36 3	13 3 10 54 5	8 4 5 68 10	1 1 4 35 6	1 4 6	1		
6 7 8 9	Alcoholism (acute or chronic)	3 1								11 1 1	20 1	25 1 1	20	10	5	3			
	II.—Diseases of the nervous system and of the organs of special sense.		490	90	45	41	16	69	93	111	182	302	517	857		514	44	1	
ì	Encephalitis. Meningitis (total) Simple meningitis. Cerebrospinal meningitis (undefined). Cerebrospinal fever.	51 352 239 102	9 108 75 32 1	2 48 28 18 2	25 14 10	23 13 8	11 8 2 1	4 39 23 14 2	5 28 22 6	8 16 12 4	4 16 13 2 • 1	7 15 12 3	4 13 13	4 5 2 2 1	2 4 3	1 1			
2	Locomotor ataxia  Acute anterior pollomyelitis.  Other diseases of the spinal cord (total)  Acute anterior pollomyelitis.  Other diseases of the spinal cord <sup>1</sup> .  Cerebral hemorrhage, apoplexy	75 201 46 155	12 8 4 26		6 5	8 7	1 1	7 7 3	10 6 4 13	11 2 9 18	4 8 2 6 54	14 14 1 13 119	22 21 21 293	24 42 42 560	9 41 1 40 653	2 11 11 327	1 1 27	1	
5	Softening of the brain. Paralysis without specified cause. General paralysis of the Insane Other forms of mental alienation.	44 582 221	3		.	1			2	6 5	1 11 31 7	31 51 15	52 48 11	12 133 39	15 193 38 7	10 137 8	2 11		ļ

TABLE 6.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA, ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE OF DECEDENT: 1911—Continued.

# <u></u>		l			<u>.</u>				DEA	ATHS A	T AGE	OF—		77		<del></del> -			
Detailed Int. List No.	CAUSE OF DEATH.	All deaths.	Under 1 year.	1 year.	2 years	3 years	4 years	5 to 9 years	l Ta	20 to 29 years.	30 to 39 years.	49	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 years and over.	Deaths at un- known age.
			<u> </u>		MIC	CHIC	AN-	-Conti	nued.	<del></del>	I <u> </u>	1	<u> </u>	ł	1	ــــــــــــــــــــــــــــــــــــــ	!	1 .	
,	II.—Diseases of the nervous sys- tem and of the organs of special sense—Continued.																		•
69 70 71 72	Epilepsy. Convulsions (nonpuerperal). Convulsions of infants. Chorea.	128 17 341 5	308	1 22	2 4	4	*3	6 4	18 2 1	19 6	23	14 1	21 2	7 2	9 1	1 1			1
73 74 75 76	Neuralgia and neuritis Other diseases of the nervous system. Diseases of the eyes and their annexa. Diseases of the ears	24 125 5 46	12 9	4 5	2 1	4	1	3	1 7 5	2 9 6	4 14 5	2 15 1 3	19 19	1 16 1	4 19 2 3	4 4	1		
	III.—Diseases of the circulatory system.	5,380	102	9	6	3	. 7	36	109	163	210	. 380	709	1,307	1,570	701	63	1	4
. 77 78 79 80 81	Pericarditis. Acute endocarditis. Organic diseases of the heart. Angina pectoris. Diseases of the arteries, atheroma, aneurism, etc.	51 133 4,215 234 578	1 3 67 1	1 1 4	3 2	2	1 2 4	2 9 23	1 21 80 2	3 13 127 6	1 17 167 10	1 15 300 26 16	7 34 572 39	10 9 1,073 59	19 5 1,219 79	531 10 145	1 40 1	1	3 1
82 83 84 85	Embolism and thrombosis.  Diseases of the veins (varices, hemorrhoids, phlebitis, etc.).  Diseases of the lymphatic system (lymphangitis, etc.).  Hemorrhage; other diseases of the cir-	113 6 15	5 8	3	1	1		1	3	10 1	8 1	20 1	15 1	19 · 2 2	19 1	10	1 <sup>'</sup>		
φ.	latory system	35	17						1	3	1	1		5	4	1			•••••
86 87 88 89 90	Diseases of the nasal fossae Diseases of the larynx Diseases of the thyroid body Acute bronchitis Chronic bronchitis	3,825 9 53 21 434 294	934 4 16 233	289 1 9 	106 1 2 30 1	54 2 1	38 6 1	74	100 4 1	173 1 1 1 8	195 3 3 8 7	235 3 6 2 12	311 	2 - 3 14 53	2 4 35 91	328 1 1 1 34 86	37 6 10	1	1
91 92 93	Bronchopneumonia Pneumonia (total). Lobar pneumonia. Pneumonia (undefined). Pleurisy.	759 1,884 676 1,158 106	329 304 68 236	118 110 31 79 2	38 30 10 20 2	21 13 3 10 3	11 15 6 9 4	18 44 10 34 2	15 66 24 42 4	7 131 74 57 8	15 131 67 64 9	14 170 83 87 7	26 211 94 117 14	43 225 91 134 15	61 263 90 173 24	42 108 22 86 10	1 12 3 9	1	i
94 95 96 97 98	Pulmonary congestion, pulmonary apoplexy. Gangrene of the lung. Asthma. Pulmonary emphysema. Other diseases of the respiratory system (tuberculosis excepted).	131 10 89 9	36 5	4 1 1	2		ì		2	3 3 1	4 2 3 1	4 1 8	8 6 1	12 3 22 2	26 28 2 6	24 1 13 2	5 · 2 · 1		:1
	V.—Diseases of the digestive system	4, 479	1,690	354	98	53	29	110	158	240	230	270	297	356	394	175	24		1
99 100 101 102 103	Diseases of the mouth and annexa.  Diseases of the pharynx.  Diseases of the esophagus.  Ulcer of the stomach.  Other diseases of the stomach (cancer	21 59 11 100	8 6 3 2	3 2	1 4	4	3 1	1 12 1	* 1 7	2 7	2 5 18	2 1 12	1 2 1 21	2 2 17	1 1 2 13	1 2 6	1		
104 105 106 107	excepted)  Diarrhea and enteritis (under 2 years)  Diarrhea and enteritis (2 years and over)  Ankylostomiasis  Intestinal parasites	562 1,634 394 2 5	237 1,317	22 317 1	72 2	4 27	3 13	28 2	13	16	16 15	36 23	36 30	47	82 62	44 45	10 6		
108 109 110	Appendicitis and typhlitis  Hernia, intestinal obstruction (total)  Hernia.  Intestinal obstruction  Other diseases of the intestines.	339 378 96 282	1 60 9 51	5 1 4	7 1 6	2 3 4 3	1 2 2	. 39 9	93 8 2 6	83 24 2 2 22 11	47 22 4 18 12	32 37 12 25 15	18 52 20 32 11	17 65 19 46 10	5 61 20 41 13	20 5 15	1 ].		••••••
111 112 113 114	Acute yellow atrophy of the liver	116 21 2 338 81	28 2		1	3 1	1 1	3	2	11 6 6 5	12 3 23 8	15 3 54 11	11 2 66 12	10 3 86 20	13 1 1 74 20	22 5	1		
115 116 117 118	Other diseases of the liver	180 10 199 27	5 19	3	1 1 3	1 1 3	1 2 1	2 . 7 . 1	5 18 3	19 41 3	21 37	14 2 24 4	21 2 17 5	31 1 8	38 1 14 5	17 2 3			1
	VI.—Nonvenereal diseases of the genito-urinary system and annexa	2,454	50	12	9	2	7	24	46	131	191	253	370	495	587	246	30	1	
119 120 121 122 123	Acute nephritis Bright's disease Chyluria Other diseases of the kidneys and annexa. Calculi of the urinary passages.	217 1,709 1 77 23	19 19 6	5 7	5 3	2	4 3	8 15	14 28 2	18 58 1 5	30 90 8 2	31 164 12 3	19 294 13 7	25 393 15 4	31 444 11 3	5 168 4	1 22	1	

Table 6.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA, ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE OF DECEDENT: 1911—Continued.

- <u>-</u>									DEA	THS A	T AGE	of—			•				
Detailed Int. List No.	CAUSE OF DEATH.	All deaths.	Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	29	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	99	100 years and over.	Deaths at un- known age.
		<u>, , , , , , , , , , , , , , , , , , , </u>			MIC	HIG	AN-	Contin	ued.	, , , ,	,			<u>'</u>					
	VI.—Nonvenereal diseases of the genito-urinary system and amnexa—Continued.												·						-
124 125	Diseases of the bladder	113 14	5					. 1		1 3	4	3	7 1	15 3	33 2	38 1	6		
126 127	Diseases of the prostate	128								<u>.</u>	i		11	34	53 1	29			
128	organs Uterine hemorrhage (nonpuerperal)	2 6								2	2	2		•••••					
129 130 131	Uterine tumor (noncancerous)	31 45 36							1	13 4	10 16 10	10 8 9	6 3 6	3 3	$\begin{array}{c} 1\\3\\4 \end{array}$	1		•••••	
132	Salpingitis and other diseases of the female genital organs	51							1	21	18	7	3		1				
133	Nonpuerperal diseases of the breast (cancer excepted)	1						<b> </b>	<b> </b>	1					<b>-</b>				
134	VII.—The puerperal state  Accidents of pregnancy	503 54							37	235	187	43							1
135 136	Puerperal hemorrhage Other accidents of labor	39 65 244							2 3 2 20	23 10 31 121	18 25 83	8 6 20							i
137 138	Puerperal septicemia	85							8	42	32	3							
139 140	Puerperal phlegmasia alba dolens, em- bolus, sudden death	13		•••••			·····	ļ	2	6	4	1		<b></b> -			ļ		
141	fined)Puerperal diseases of the breast	3								2	1								
	VIII.—Diseases of the skin and of the cellular tissue	211	31		ļ	1			7	4	8	7	23	24	44	51	11		
142 143	Gangrene Furuncle.	138 11	2						1 5	2	1 1	6	13 4 3	17 2	40 1	48	9		
144 145	Acute abscessOther diseases of the skin and annexa	26 36	10 19			1			5	1	2 4	1	3	1 4	3	2 1	1		
	IX.—Diseases of the bones and of the organs of locomotion	71	11	   <u>-</u> -	3	1	3	4	7	5	4	7	4	11	10	1			
146 147	Diseases of the bones (tuberculosis excepted)	62	10		3	1	3	4	7	3	3	7	3	8	. 9	1	<b></b>		
148	rheumatism excepted)	9	1							2	1		1	3	1				
149	Other diseases of the organs of locomotion  X.—Malformations	478	446	8	4	3	4	2	6	4		1							
150	Congenital malformations (stillbirths not included) (total)	478	446	8	4	3	4 3	2	6	4 1		1							
	Hydrocephalus. Congenital malformations of the heart.	45 274	35 260	3 4	3	1	3	1	1 4	1 1									
	Other congenital malformations	159	151	î	1	2			. 1	2		1			i	į .			
151	XI.—Early infancy.  Congenital debility, icterus, and sclere-	<u> </u>	2,543				ļ	<del> </del>	-		-		i	-			ļ —		
	ma (total).  Premature birth Congenital debility, "atrophy,"	2,180 1,208	2,180 1,208																
152	Other causes peculiar to early infancy	972 358	972 358																
	(total)	180	180																
153	fancy 1Lack of care	178 5	178 5										1		1	1	1	i	
154	XII.—Old age	<u> </u>					·						3	60	431	726 726	188	10	1
154	Semility	1	92	85	61	ļ	35	1	299	467	357	332	314	236	216	142	16	1	22
155	Suicide (total)	163							. 9	74 42	69 27	84 21	79 32	61 21	27 9	8			2
155 156 157 158	By asphyxia By hanging or strangulation By drowning	17 77							i	5 5 4	10	18 4	5 14 6	1 19 1	6 1	1 2 1			2
159 160	By firearms. By cutting or piercing instruments	109 26							3	16	22	29	17 4		1 7 3				
161 162 163	By jumping from high places	2						.		11		2	ii	1					
200		,							birth										

Table 6.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA, ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE OF DECEDENT: 1911—Continued.

1t.									DEA	LTHS A	T AGE	of—					,		
Detailed Int. List No.	CAUSE OF DEATH.	All deaths.	Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	99	100 years and over.	Deaths at un- known age.
					M	CHI	GAN	-Cont	inued	•	·		,	'	•		•	<del>'</del>	
•	XIII.—External causes—Contd.																		
164 165 166 167	Accidental or undefined (total) Poisoning by food. Other acute poisonings. Conflagration Burns (conflagration excepted).	2,338 12 96 40 185	89 6 8	20 1 29	61 1 10 2 30	42 1 7 2 11	33 	111 1 3 9	278 6 3 9	375 8 2 20	272 1 8 2 10	234 6 3 12	230 1 12 6 12	173 6 6 10	· 186 1 3 2 11	134 1 3 7	15	1	19 1 1
168 169 170 171	Absorption of deleterious gases (con- flagration excepted). Accidental drowning. Traumatism by firearms. Traumatism by cutting or plercing instruments. Traumatism by fall.	74 352 70	31 3	2 16	8	1 7 1 . 1	2 5 1	3 35 6	1 112 34 1	6 73 14	7 29 7	3 22 3	5 17 2	3 10	6 5 2	4 3			7
172 173	Traumatism by fall	364	4	7	. 3	2	3	9	13	27	21	28	34	41	77	83	11	1	
174	(total). Traumatism in mines Traumatism in quarries. Traumatism by machines	140 139 1 54						····i	7 7 ——————————————————————————————————	63 62 1 11	37 37 14	23 23 7	6 6	4 4 3	1				
175	Traumatism by other crushing (total).  Railroad accidents and injuries.  Street-car accidents and injuries. Automobile accidents and in-	548 280 112	2	5 1	2	4 	5 2	27 6 5	52 27 8	96 56 24	87 59 15	75 45 13	89 34 25	49 27 9	41 15 8	8 4 3			6 5
-	juries. Injuries by other vehicles. Landslide, other crushing	48 93 15	2	3	1	3 1	3	6 9 1	11 5 · 1	3 9 4	4 5 4	8 8 1	8 19 3	2 11	5 13	1			1
176 177 178 179	Injuries by animals Starvation Excessive cold Effects of heat	42 11 84	15	1	1 1	 1		4	6	5	3 2 8	4 3 13	6 1 7	6 1 9	4 1 15	2 11	1		1 1
180 181 185 186	Lightning Electricity (lightning excepted) Fractures (cause not specified) Other external violence	17 34 33 179	1	3	3	4	3	2 1 10	2 3 1 17	2 14 1 30	2 6 2 25	3 4 7 18	3 1 3 19	1 3 2 19	1 2 3 11	10 2	3		1
182 183 184	Homicide (total) By firearms By cutting or piercing instruments By other means	70 33 13 24	3 1 2				2 1 1		6 3 2 1	18 12 2 4	16 7 3 6	14 5 4 5	5 4 1	2 1 1	3				1
	XIV.—III-defined diseases	398	110	36	5	1	2.	8	9	9	16	24	38	59	42	29	5		5
187 188 189	Ill-defined organic disease. Sudden death Not specified or ill-defined (total) Ill-defined. Not specified or unknown	78 20 300 191 109	1 4 105 30 75	36 34 2	5 4 1	1 1	2 2 2	8 6 2	5 4 4	8 8	2 1 13 6 7	8 2 14 10 4	9 5 24 19 5	13 5 41 39 2	24 2 16 15 1	12 <sup>-</sup> 1 16 10 6	3 2 2		5 1 4
				•	M	INNE	SOT	'Α.											
	All causes	21, 988	3,899	615	276	229	143	550	1, 161	1,972	1,818	1,904	2, 167	2,437	2,733	1,742	272	14	56
١	I.—General diseases  Typhoid fever	6,283	409	168	107	118	73	261		1,001	770	700	745	666	488	178	11	3	18
1 2 3 4 5	Typhus fever. Typhus fever. Relapsing fever Malaria Smallpox	283 2 6	2	2	1	1.	4	13	46	94	. 50 1	36	19 	9	5				
6 7 8 9 10	Measles . Scarlet fever . Whooping cough . Diphtheria and croup . Influenza .	111 189 172 315 178	30 6 7111 21 18	19 15 37 30 4	9 21 1 31 3	8 26 9 34 2*	5 13 4 28 1	11 52 8 87 4	15 39 1 58 6	7 12 20 5	6 3 5 3	1 1 1 10	11	1 28	42	37	3	1	i
11 12 13 14 .15	Miliary fever	14 53	6 11	1 9	4	5		1	1	1	2	1 1	1 2	1	1 9	3 5	2		
16 17 18 19	Yellow fever Leprosy Erysipelas Other epidemic diseases	2 96 8	33	1		i	1	1 1	1 1	8 1	1 5	1 11	9	8	ii	7	1		
20 21 22 23	Purulent infection and septicemia. Glanders. Anthrax	68	6	1			1	2	6	12	8	, 9						1	
24 25 26 27	Tetanus. Mycoses. Pellagra. Beriberi.	32 3				1		4	7	4	3	3 3	3						

Table 6,—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA, ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE OF DECEDENT: 1911—Continued.

nt.									DEA	ATHS A	T AGE	of—							
Detailed Int. List No.	CAUSE OF DEATH.	All deaths.	Under 1 year.	1 year.	2 years.	3 years.	4-years.	5 to 9 years.	19	<b>-29</b>	39	49	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	99	100 years and over.	Deaths at un- known age.
		11			MIN	NES	OTA-	-Cont	inued.	ı								,	<del>'</del>
	I.—General diseases—Continued.																		
28 29 30 31 32 33 34 35	Tuberculosis (total) Tuberculosis of the lungs Acute miliary tuberculosis Tuberculous meningitis Abdominal tuberculosis Pott's disease White swellings Tuberculosis of other organs Disseminated tuberculosis	115 162 117 38 22 48	68 21 2 36 4 1	41 13 2 21 4	30 12 3 14 1	22 2 16 1 2	12 2 8 1 1	47 19 3 14 2 1 4 3	313 228 23 22 23 8 2 5 2	749 634 40 13 32 5 4 14 7	512 446 18 7 16 9 2 7	296 250 10 5 14 3 4 7	221 187 6 3 13 3 2 4 3	127 109 7 1 4 2 1 1	62 49 1 2 3 2 1 3	10 8			
36 37 38	Rickets. Syphilis. Gonococcus infection.	13 76 15	10 36 6	$\begin{array}{c} 1 \\ 2 \\ 1 \end{array}$	1	1			<u>1</u>	1 4 4	10 1	9 1	6	4 1	2				]
39 40 41	Cancer and other malignant tumors (total) Of the buccal cavity Of the stomach, liver Of the peritoneum, intestines, rectum Of the female genital organs	1,423 63 634 193 161	1	i	2	2	1	2	7 1 1	31 6 7 5	83 1 19 11 20	219 7 82 29 40	342 13 164 48 47	369 15 175 59 28 18	273 17 148 24 16	83 8 38 12 4	5 1 2	1	]
43 44 45	Of the breast. Of the skin. Of other organs or of organs not specified.	114 39 219	1	· · · · · · · · · · · · · · · · · · ·	2	1 1	1	2	5	2 1 10	17 15	29 4 28	28 3 39	18 8 66	16 14 38	10	1		
46 47 48 49 50	Other tumors (tumors of the female genital organs excepted)	9 92 32 1 258	1 1 4		1	1  i	1 	9	19 1 1 33	9 17	1 14 1 1	3 7 2 	2 8 7	2 8 3	1 11 10 37	4 6 12			
51 52 53 54 55	Exophthalmic goiter. Addison's disease. Leukemis. Anemia, chlorosis. Other general diseases.	30 8 30	2 8 16	3	1	4	i	3 3 5	1 4 3 3	6 1 2 6 1	3 1 4 12 2	7 2 4 12 1	7 1 4 21 1	5 1 3 21 1	1 2 1 11 3	1 5 2			
56 57 58 59	Alcoholism (acute or chronic) Chronic lead poisoning Other chronic occupation poisonings Other chronic poisonings	93 2 2								4 2	22	31	23 2	7	6				
	II.—Diseases of the nervous system and of the organs of special sense	1,951	230	48	26	10	14	43	76	63	94	148	223	333	399	225	17		:
60 61	Encephalitis  Meningitis (total)  Simple meningitis Cerebrospinal meningitis(undefined) Cerebrospinal fever.	19 178 89 50 39	56 26 19 11	1 16 11 3 2	18 8 6 4	3 1 2	7 3 3 1	1 19 4 6 9	5 15 5 3 7	16 10 4 • 2	7 7	1 7 4 2 1	3 8 6 1 1	1 4 2 1 1	1 1	1 1			
62 63 64	Locomotor ataxia.  Other diseases of the spinal cord (total).  Acute anterior poliomyelitis.  Other diseases of the spinal cord <sup>1</sup> .  Cerebral hemorrhage, apoplexy.	31 132 59 73 987	8 8	13 13 1	3 2 1 1	3 3 1	3 3 1	10 10	16 11 5 3	1 4 2 2 6	3 7 3 4 28	8 12 3 9 74	9 18 1 17 135	7 11 11 250	3 16 16 297	7 170	1 1 12		
65 66 67 68	Softening of the brain.  Paralysis without specified cause.  General paralysis of the insane.  Other forms of mental alienation.	22 116 47 46	2			i			2 1	3	1 2 9 8	3 3 14 8	2 10 2 9	2 22 6 8	10 38 11 7	33 4 2	3 1		
69 70 71 72	Epilepsy Convulsions (nonpuerperal) Convulsions of infants Chorea	73 7 154 2	141	1 10	1 i	i	i	1 1	15 2	17 1 1	8 2 	4 1	9	4	5				
73 74 75 76	Neuralgia and neuritis. Other diseases of the nervous system. Diseases of the eyes and their annexa. Diseases of the ears.	10 84 2 41	5	1 5	2	i	2	1 1 4	8 9	7	3 11 4	2 10 1	14 4	1 15 2	3 7 1	1 3			
	III.—Diseases of the circulatory system	2,497	35	3	2	2	2	40	79	123	134	212	339	492	650	346	35		
77 78 79 80 81	Pericarditis Acute endocarditis Organic diseases of the heart Angina pectoris Diseases of the arteries, atheroma, aneurism, etc.	15 141 1,891 73	1 22	1 1	1 1	2	1 1	8 30	11 64 1	28 87 1	2 17 96 2 7	32 148 7	1 36 244 19 21	4 4 413 18	5 2 523 18 94	2 232 7 95	24		,
84	Embolism and thrombosis.  Diseases of the veins (varices, hemorrhoids, phlebitis, etc.).  Diseases of the lymphatic system (lymphanitis, etc.).	55 12	1	1				2	1	5	10	8 2	12 5	4	8	4 4 2			
85	Hemorrhage; other diseases of the circulatory system	13	6	lusive	•••••				1			4	1	1					

Table 6.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA, ALL REGISTRATION STATES, AND EACH REGISTRATION STATE; FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE OF DECEDENT: 1911—Continued.

it.				- 1.11					· DEA	THS A	T AGE	OF-						:	
Detailed Int. List No.	CAUSE OF DEATH.	All deaths.	Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	99	100 years and over.	Deaths at un- known age.
		<u> </u>	2	<u></u>	MIN	NES	OTA-	-Cont	inued.	<u></u>		•							
	· IV.—Diseases of the respiratory system	2,507	620	151	67	37	. 19	52	95	98	115	186	207	245	346	231	30	1	7
86 87 88 89 90	Diseases of the nasal fossae.  Diseases of the larynx.  Diseases of the thyroid body.  Acute bronchitis.  Chronic bronchitis.	4 16 13 136 139	78 2	1 4 10	4 5 1	1 2	i	2	2 1	1 1	1 1 3 2	3	1 9	3 1 22	1 1 20 47	2 9 46	3 4		
91 92	Bronchopneumonia	854 1,164 972 192	396 123 73 50	98 34 29 5	32 23 18 5	, 20 , 14 13 1	10 6 4 2	23 24 21 3	13 73 66 7	9 81 68 13	8 94 85 9*	21 140 127 13	34 144 135 9	45 147 129 18	87 148 124 24	47 98 74 24	10 9 6 3		6
93 94 95 96 97 98	Pleurisy Pulmonary congestion, pulmonary apoplexy. Gangrene of the lung Asthma. Pulmonary emphysema. Other diseases of the respiratory system	54 40 6 55 5	3 7 1	4	1		1	1	1 1 2 1	1	1	6 2 2 2 2 2 2	12 4 1	7 3 1 11 2 3	3 10 1 25	13 9	2	1	
٠	(tuberculosis excepted)	2,306	852	167	32	27	21	62	127	133	149	148	173	182	141	78	14		
99 100 101 102 103	Diseases of the mouth and annexa.  Diseases of the pharynx.  Diseases of the esophagus.  Ulcer of the stomach.  Other diseases of the stomach (cancer excepted).	12 40 3 67	5 6 	3 4 1 12	2 1 1	3	23	82	7	1 4 	1 10 4	1 1 9 2	1 1 1 11 11	13 11	1 1 8 24	1 2 17	4		
104 105 106 107	Diarrhea and enteritis (under 2 years) Diarrhea and enteritis (2 years and over). Ankylostomiasis. Intestinal parasites.	841 147 1 343	705	136	26 i	14 2	6		2	5 78	8 50	13  29	10 1 24	14 21	18 9	.17	6		
108 109 110	Appendicitis and typhlitis  Hernia, intestinal obstruction (total)  Hernia.  Intestinal obstruction  Other diseases of the intestines	209 80 129 62	31 5 26 17	3 3 3		2 2 1	3	33	11 2 9 8	11 3 8 4	23 4 19 7	27 8 19 3	26 16 10 4	25 16 9 4	28 19 9 5	13 5 8 6	3 2 1		
111 112 113 114	Acute yellow atrophy of the liver Hydatid tumor of the liver. Cirrhosis of the liver. Biliary calculi.	179 60				i		1 1	1 1	1 4 1	18 6	30 9	1 47 14	2 44 18	1 26 7	7 5			
115 116 117 118	Other diseases of the liver	99 6 42 18	5 3 1	2 1	1	1	1 1	1 6	1 3 2	4. 6 3	13 2 5 2	15 1 4 3	14 2 6	20 1 4 5	12 1	1 	1		
	VI.—Nonvenereal diseases of the genito-urinary system and annexa	1,674	39	6	3	4	1	13	32	83	123	179	233	332	381	215	25	1	4.
119 120 121 122 123	Acute nephritis.  Bright's disease. Chyluria. Other diseases of the kidneys and annexa. Calculi of the urinary passages.	105 1,225 60 16	11 16 7 1	3 3	3			8 5	10 17	8 45 3	11 82 5 2	11 127 9 2	11 180 11 3	15 279 7 3	298 	147 8 3	20		3
124 125 126 127	Diseases of the bladder. Diseases of the urethra, urinary abscess, etc. Diseases of the prostate. Nonvenereal diseases of the male genital organs.	45 117 1 5	2						1	2	l	1 1 2	6 9	1 20	11 1 49	17 36	2 2 1		
128 129 130 131 132	Uterine hemorrhage (nonpuerperal) Uterine tumor (noncancerous) Other diseases of the uterus. Cysts and other tumors of the ovary Salpingitis and other diseases of the female genital organs	22 29 16 29							3		6 5 4 5	8 8 4 6	3 5 3	4 3	2				-
133	Nonpuerperal diseases of the breast (cancer excepted)	300		l	į .	1	1		 15	130	127	 28							
134 135 136 137	Accidents of pregnancy Puerperal hemorrhage Other accidents of labor Puerperal septicemia	22 29 23 153							<u>2</u>	12 9 11 63	8 15 8 65	2 3 4 16							
138 139 140 141	Puerperal albuminuria and convulsions. Puerperal phlegmasia alba dolens, embolus, sudden death. Following childbirth (not otherwise defined) Puerperal diseases of the breast.	57 12 3 1								29 4 1 1	22 7 2	2 1				4		 	

TABLE 6.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA, ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE OF DECEDENT: 1911—Continued.

1t.								-	DEA	THS A	r age	of—							
Detailed Int. List No.	CAUSE OF DEATH,	All deaths.	Under 1 year.	1 year.	2 years.	8 years.	4 years.	5 to 9 years.	19	20 to 29 years.	39	49	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 years and over.	Deaths at un- known age.
					MIN	NES	OTA-	Conti	inued.		-	•			J			·	<u>'                                    </u>
	VIII.—Diseases of the skin and of the cellular tissue	91	19	1		1			2					Ī					
142 143	Gangrene	· 41				1			1	2		8	6	11	24	9	3.		
144 145	Acute abscess. Other diseases of the skin and annexa	19	2 8 9	i					1	1		2 1 3	2 2 1	1 4 2	1 1 2	5			
	IX.—Diseases of the bones and of the organs of locomotion	53		2		3		13	12	5	6	3	5	2		2			
146	Diseases of the bones (tuberculosis excepted)	50		2		3		12	11	5	6	3	5	2		1			
147 148	rheumatism excepted)	2						1	1	ļ									
149	Amputations. Other diseases of the organs of locomotion X.—Malformations.	1 283	045	14										••••		i			
150	Congenital malformations (stillbirths	<u> </u>	245	14	3		1	4	6	3	3	3							
	not included) (total)  Hydrocephalus  Congenital malformations of the	283 29	245 21	14 6	3 2	1	1	4	6	3	3	3							
	heart Other congenital malformations		135 89	2 6	1	1	1	4	5 1	1	3	1 2							
151	XI.—Early infancy		1,234																
	Premature hirth	1,039 680	1,039 680																
152	Congenital debility, "atrophy," "marasmus," etc. Other causes peculiar to early infancy (total)	359 190	359 190																• • • • • • • • • • • • • • • • • • • •
	Injuries at birth Other causes peculiar to early in-	116	116										• • • • • • • • • • • • • • • • • • • •		••••				
153	fancy 1. Lack of care		74																
154	XII.—Old age						<u></u>						1	21 21	181	382 382	118	9	·····
	XIII.—External causes		43	40	34	25	12	59	144	318	291	285	223	132	90	56	16		17
155 156	Suicide (total) By poison. By asphixia	65							5 1	50 13	64 16	78 15	58 9	32 7	11 2	2			2 1
157 158 159	By hanging or strangulation By drowning	70 20							1	2 7	15 3	17 6	2 16 6	1 7 5	6	i			
160 161	By firearms By cutting or piercing instruments By jumping from high places	121							3	23 3 1	20 3 2	27 4 1	18 6	6 2 2	3				1
162 163	By jumping from high places									i	ī	1	i	2					
164 165	Accidental or undefined (total)	1,401 18 39	42 7	40 7	34	24 1 3	<u>11</u> <u>1</u>	56 3	133	254	207 2	192 2 2	154	. 94 1 1	78 1	54			12
166 167	Conflagration	38 90	1 3	4 13	7 3 12	3 7	1 6	1 4 10	4 1 4	4 4 6	5 1 4	4 8	3 3 5	3 6	2 1				1 4
168 169	Absorption of deleterious gases (con- flagration excepted) Accidental drowning	77	12	1					9	10	10	3	12	7	6	6			1
170 171	Traumatism by hrearms	163 57	2	7	4	3	1	12 7	26 20	47 13	27 3	16 8	7 3	3	1				1
172	instruments. Traumatism by fall.	5 173	1	1	1	i		2	5	13 13	10 10	19	26	19	33	29	13		
173	Traumatism in mines and quarries (total)	87 85		 					2 2	32 32	29 29	16 16	6 5		2 1				
174	Traumatism in quarries Traumatism by machines	2 41						i	4	<sub>ii</sub>	7	9-	1 4	3	1 .	. <b></b> .   .			
175	Traumatism by other crushing (total)	399 251	1	$\frac{2}{2}$	3 2	2	1	10	33 21	81	78	72	61	34	13	2	1 .		5
	Automobile accidents and injuries.	24	1	2	1			2	4	60	57 4	44 7	31	16 1	9		-		5
	juries	26 83 15				1	1	6	2 5 1	11 5	2 11 4	15 2	7 20	12 13	$\begin{bmatrix} 1 \\ 2 \end{bmatrix}$				
176 177	Injuries by animals. Starvation. Excessive cold.	27			1	1		2	4	5	1 2	3	6	1	2	1 .			
178	Effects of heat	21 20				.			1	2	4 2	3	2 1	3 5	3 3	2 .		-	
180 181 185	Lightning Electricity (lightning excepted) Fractures (cause not specified) Other external violence	12 18 18	1					1	5 3	1 8	1 3	1 2	3 2						
186	Other external violence	96		4	3	1].	niuries	$\frac{1}{2}$ at birt	10   h	12	$\begin{bmatrix} 2\\14 \end{bmatrix}$	3 18	10	6	2	3	2	:::: :	•••••
				* F	aciusl	Y E QI 11	rlantes	ai Dirt	ul.										

TABLE 6.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA, ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE OF DECEDENT: 1911—Continued:

							~				T AGE							OHLL	
Detailed Int. List No.	CAUSE OF DEATH.	All deaths.	Under 1 year.		2 years.	3 years.	4 years.	5 to 9 years.	10 to 19	20 to	30 to 39 years.	40 to	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 years and over.	Deaths at un- known age.
_	<u> </u>		l		MIN	NES	ота-	_Cont	inued.	<u> </u>					<u> </u>	<u> </u>	1	<u> </u>	<u> </u>
`	XIII. External causes—Contd.																		<u> </u>
182 183 184	Homicide (total)  By firearms  By cutting or piercing instruments.  By other means.	31 31	1			1	1	3	6 4 2	14 10 1 3	20 10 2 8	15 10 5	11 7 1 3	6 4 2	1				3
187 188 189	XIV.—III-defined diseases	12 20 280 76	173 5 168 19 149	15 15 4 11	2 2 1	1 1 1		3 1 2	6 6 2	13 1 12 7	6 3	1 3	12 1 1 10 7 3	21 2 5 14 10	33 5 5 23 15	15 3 3 9 6	3		5
_	Not specified or unknown	204	149	11	1	'MIS		}	4	. 5	3	3	3	4	8	3	3		5
_	All causes	43, 434	F 150			1	ī	·		la 200				2 4 4 4 4	l	<u> </u>		·	
	I.—General diseases		7, <b>150</b> 956	1, 761 635	845 449	318	382 222	1,059 594	2,043 1,033	3,686 1,853	3, 723 1, 655	3, 794 1, 448	4, 459 1, 475	5,171 1,381	5, 384 1, 113	2,814 409	382 49	26 3	207 68
1 2 3	Typhoid fever Typhus fever Relapsing fever	1,059	16	11	23	19	16	79	268	244	149	84	57 <b>6</b> .	56	21	7			9
4 5	Malaria Smallpox	508 31	57 13	59	29	17	13	41	56 2	42	42 2	29 4	35 1	36 3	1 34 1	6 2	i		····ii
6 7 8 9 10	Measles Scarlet fever Whooping cough Diphtheria and croup. Influenza.	621 322 430 678 859	105 12 219 59 56	123 36 108 118	88 55 45 114 7	57 38 22 108	29 35 13 78	62 106 19 151 10	54 32 2 35 18	38 7 1 4 42	26 5 35	19 3 48	5 5 85	7 3 132	3 234	2  148	24	1	. 3 1 1
11 12 13 14	Miliary fever Asiatic cholera Cholera nostras Dysentery Plague Plague		2 69	61	22	6	4	1 8	2	5	8	5	4 23	2 21	201 2 62	5 35	2 2 3	·····i	1 2
15 16 17	Yellow feverLeprosy											•••••							
18 19	Erysipelas. Other epidemic diseases.	l	35 3	3	1	2	1	3 2	3	8	11 1	15	26	17	22	7	1		2
20 21 22 23	Purulent infection and septicemia	122	6	2	5	1	1	4 1	16 2	17	9	15  1	10	19 1	12	2	2		1
24 25 26 27	Tetanus. Mycoses. Pellagra. Beriberi.		25		1			5	12	6	5	5 8	3	6	1	1	1		1 i
28 29 30 31 32 33 34	Tuberculosis (total).  Tuberculosis of the lungs. Acute miliary tuberculosis. Tuberculous meningitis. Abdominal tuberculosis. Pott's disease.	145 175 219	112 57 37 5 3	86 34 7 32 7 2	45 17 3 18 2	27 9 4 9 1 3	20 11 5 2	58 26 3 15 6	448 365 21 22 17 5 4	1,292 1,172 43 13 40 6 5 8	1,092 994 31 12 34 9 1	737 667 19 6 30 4 2	551 483 8 3 38 38	379 332 4 2 28 4	207 190 1 1 8	36 33 1		1	23 22
35	White swellings. Tuberculosis of other organs. Disseminated tuberculosis	39	5 5	2 2	2 1	i		15 6 3 2 2 1	4 9 5	585	1 4 7	2 8 1	4 6 6	. 4 4	1 4 2	2			i
36 37 38	Rickets Syphilis Gonococcus infection	18 247 13	13 108 4	2 5	1 4	2 3	2	4 1	3 	25 6	32	30 1	22	5 1	4				••••••
39 40 41 42 43 44 45	Cancer and other malignant tumors (total).  Of the buccal cavity  Of the stomach, liver.  Of the peritoneum, intestines, rectum  Of the female genital organs.  Of the breast.  Of the skin.  Other organs or of organs not specified.	1,974 101 721 215 310 191 121	2 · 1 1	4 1 1 2	2	1	2 1 1	5 2 1	13 2 1	33 1 6 7 1 3 9	119 2 21 19 35 18 2	316 9 84 29 82 47 5	478 25 185 51 89 47 17	492 19 219 46 65 43 28	366 22 167 47 26 22 32 50	125 16 33 14 5 9 30	10 1 2 1 2 2 2		6 i
46 47 48 49 50	Other tumors (tumors of the female genital organs excepted)	34 214 39 2 413	- 1 2	2	3	<u>2</u> <u>1</u>	2	21 9	35 15	1 14 35	5 18 3 1 32	20 2 47	7 30 8	8 33 7	8 25 14	1 8 4	1 1		1 
51 52 53 54 55	Exophthalmic goiter Addison's disease Leukemia Anemia, chlorosis Other general diseases.	40 10 42	1 12 20	2 5	3	1 · 4	1	 1 3	3 5 3 4	7 1 4 2 6	9 3 7 10 2	11 3 8 8	8 1 4 12 8	103 2 1 8 19	1 4 2 3	1			
56 57 58 59	Alcoholism (acute or chronic). Chronic lead poisoning. Other chronic occupation poisonings. Other chronic poisonings.	78 12 26							····i	4 3 1	22 2 3	18 3	19 3	8 1 7	6				, 1

Table 6.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA, ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE OF DECEDENT: 1911—Continued.

1t.	1								DEA	ATHS A	T AGE	of—							
Detailed Int. List No.	CAUSE OF DEATH.	· All deaths.	Under 1 year.	1 year.	2 years.	8 years.	4 years.	5 to 9 years.	19	29	30 to 39 years.	<b>40</b> to <b>49</b> years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	99	100 years and over.	Deaths at un- known age.
					MIS	ssot	JRI-	Contin	ued.									<u></u>	
	II.—Diseases of the nervous system and of the organs of special sense	3, 788	350	108	5 <del>4</del>	36	24	73	115	125	207	325	529	668	782	337	39	2	14
60 61	Encephalitis. Meningitis (total). Simple meningitis. Cerebrospinal meningitis (undefined) Cerebrospinal fever.	47 453 278 126 49	14 140 99 27 14	5 62 29 27 6	37 23 11 3	1 19 8 6 5	13 8 3 2	2 37 18 13 6	5 46 19 21 6	1 28 17 6 5	3 21 15 6	7 17 16 1	3 16 11 3 2	4 8 7 1	2 7 7	2 1 1			
62 63 64	Locomotor ataxia Other diseases of the spinal cord (total) Acute anterior poliomyelutis Other diseases of the spinal cord <sup>1</sup> Cerebral hemorrhage, apoplexy	60 147	17 14 3 44	14 14 7	11 10 1 2	9 7 2 2	3 3 3	1 10 8 2 1	6 2 4 13	1 5 1 4 22	6 9 9 66	23 12  12 148	26 27 1 26 285	23 32 32 410	12 44 44 474	2 7 7 201	1 1 25	1	6
65 66 67 68	Softening of the brain.  Paralysis without specified cause.  General paralysis of the insane.  Other forms of mental alienation.	81 460 199 73	3	1	i	1		1 2	1 2	2 5 8 7	6 6 29 16	9 17 49 7	9 51 56 16	16 118 22 8	25 159 23 11	11 81 10 4	1 11	1 	3 2 2
69 70 71 72	Epilepsy Convulsions (nonpuerperal) Convulsions of infants Chorea	134 15 114 4	5 98	2 11	1	2 1	3	2 3	21 1 2	22 4 1	27 2	16 2 1	13	9	10 1	5 1	•••••		i
73 74 75 76	Neuralgia and neuritis. Other diseases of the nervous system Diseases of the eyes and their annexa Diseases of the ears	23 111 1 64	14 1 1 14	2 4	1	i	4	1 4 9	1 10 7	1 9 9	3 8 5	1 15	17 6	6 8 4	1 13	4 9	1		
	III.—Diseases of the circulatory system	4,570	47	8	7	6	8	42	129	188	293	431	677	986	1,080	579	68	4	17
77 78 79 80 81	Pericarditis Acute endocarditis Organic diseases of the heart Angina pectoris Diseases of the arteries, atheroma, aneurism, etc	86 191 3,402 157 613	7 32 1	1 2 4	1 5	2 4	3 4	2 8 31	4 20 95	7 23 142 2 6	9 29 218 6	20 32 309 19	12 54 500 29 63	10 5 786 46	17 5 831 39	379 15 171	44	3 1	1 15
82 83 84 85	Embolism and thrombosis.  Diseases of the veins (varices, hemorrhoids, phlebitis, etc.) Diseases of the lymphatic system (lymphangitis, etc.) Hemorrhage; other diseases of the circulatory system.	83 15 9	3 3	1	1		1	1	2	6 11	5 2 2	12	13 3 2	16	16 1	9			
	IV.—Diseases of the respiratory system	5,064	866	302	141	64	57	113	177	284	309	388	481	671	752	392	45	5	17
86 87 88 89 90	Diseases of the nasal fossae. Diseases of the larynx Diseases of the thyroid body Acute bronchitis. Chronic bronchitis	8 53 16 291 353	4 5 1 153 8	2 9 32 2	10 15 2	2 3 1	4 5	7 4 3	1 1 3 6	3 8	1 2 6 7	2 6 3 11	5 3 5 29	1 1 7 63	1 3 1 28 116	2 21 86	1 1 1 10	1	i
91 92 93	Bronchopneumonia Pneumonia (total) Lobar pneumonia. Pneumonia (undefined) Pleurisy	996 2,979 1,704 1,275 84	333 330 119 211 3	130 123 58 65	50 55 30 25 4	26 31 13 18	22 22 10 12 1	26 69 40 29	21 136 67 69 3	20 224 151 73 12	20 245 156 89 7	35 285 194 91 14	45 350 234 116 11	85 455 273 182 10	110 426 253 173 9	60 192 91 101 7	11 20 11 9 1	2 2 2	14 4 10
94 95 96 97 98	Pulmonary congestion, pulmonary apoplexy Gangrene of the lung. Asthma. Pulmonary emphysema Other diseases of the respiratory system (tuberculosis excepted)	83 14 94 15	21 1 7	2	3	1	1 1 1	1 1 1	1 1 3	2 2 2 2	3 1 1 2	8 2 8	9 2 11 1	8 4 29 2	13 1 32 6	12 10 2	1		
	V.—Diseases of the digestive system	5,107	1,769	580	109	56	27	96	164	245	276	311	363	441	414	217	28	1	10
99 100 101 102 103	Diseases of the mouth and annexa Diseases of the pharyux Diseases of the esophagus Ulcer of the stomach Other diseases of the stomach (cancer excepted)	29 66 9 110 494	20 5 1	2 6 25	1 5 10	1 8 1	3 1 1	2 13 8	7 2 9	5 1 12 11	1 3 16 23	2 19 20	3 1 21 40	1 3 2 17	1 1 18 72	1 2 2 2 2	1 10		1 3
104 105 106 107 108	Diarrhea and enteritis (under 2 years). Diarrhea and enteritis (2 years and over). Ankylostomiasis. Intestinal parasites. Appendicitis and typhlitis.	2,020 520 6 371	1,491 1 1 2	529 1	81 2	23 2 2 2	12	21	12	25 82	31	33	32	57 25	114	68	10		i
109	Hernia, intestinal obstruction (total) Hernia. Intestinal obstruction Other diseases of the intestines.	360 108 252 125	44 8 36 25 Exclusi	9 1 8 2	4 2 2 3	9 1 8	5 5 1	10 10 1	9 2 7 3	26 5 21 9	30 3 27 13	31 12 19 10	44 10 34 11	67 31 36 10	42 19 23 25	29 14 15 11	1 1 1		

<sup>&</sup>lt;sup>1</sup> Exclusive of acute anterior poliomyelitis (infantile paralysis).

TABLE 6.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA, ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE OF DECEDENT: 1911—Continued.

<u></u>							<del></del>		DEA	THS AT	AGE (	OF	<del></del>		-				
Detailed Int. List No.	CAUSE OF DEATH.	All deaths.	Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	29	30 to 39 years.	49	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	99	100 years and over.	Deaths at un- known age.
			<del></del>	·	MIS	ssot	TRI—	Contin	ueđ.			·		<u></u>		ı	'		
	V.—Diseases of the digestive system—Continued.													, ,					
111 112 113	Acute yellow atrophy of the liver Hydatid tumor of the liver Cirrhosis of the liver	26 1 465	i		<u>1</u>			2	6	4 14	2 1 48	7 81	109	5 113	3 74	1 18	1		
114 115	Other discours of the liver	102	11		1	4	1	3	1 6	12	48 7 19	16 34	21 29	34	13	6 15	1 2		1
116 117 118	Diseases of the spleen Simple peritonitis (nonpuerperal) Other diseases of the digestive system (cancer and tuberculosis excepted)	172 19	14	4	1	i		5 1	1. 17 1	- 3 37 2	1 23 2	1 17 2	1 17 6	2 23 4	8	3		1	1
••	VI.—Nonvenereal diseases of the genito-urinary system and annexa	3,410	52	5	12	7	7	17	66.	190	284	362	506	691	776	380	37	4	14
119 120 121	Acute nephritis Bright's disease Chyluria	214 2,614	13 26	· 2	5 7	4 3	3 4	5 10	12 40	28 96	22 177	29 265	24 432	24 595	31 619	9 297	3 24	3	14
122 123	Other diseases of the kidneys and annexa. Calculi of the urinary passages		7	1				2	1	· 4	11 1	12 4	7 4	16 2	13 4	· 16	2		
124 125	Diseases of the bladder. Diseases of the urethra, urinary abscess, etc.	107	5							2	2	3 8 1	11 2	14 1	35 2	26 2	5	1	
126 127 128	Diseases of the prostate  Nonvenereal diseases of the male genital organs  Uterine hemorrhage (nonpuerperal)	128 1 2	1							,	1	1	6	26	66	26	3		
129 130	Uterine tumor (noncancerous)	40 56							9	2 13	13 16	12 11	9 5	3 1	1	1 1		•••••	<del>-</del>
131 132 133	Cysts and other tumors of the ovary Salpingitis and other diseases of the female genital organs. Nonpuerperal diseases of the breast (can-	41 78							4	8 35	10 26	8 9	2	8 1	3 1				
	cer excepted) VII.—The puerperal state	1 565							70	244	195	51			1				5
134 135 136 137	Accidents of pregnancy Puerperal hemorrhage Other accidents of labor Puerperal septicemia	58 56 49 278							4 1 4 38	16 26 21 128	34 21 20 81	4 7 4 29							i
138 139 140	Puerperal albuminuria and convulsions. Puerperal phlegmasia alba dolens, embolus, sudden death. Following childbirth (not otherwise de-	101 19							22 1	·46 5	28 10	3							, <b>2</b>
141	fined)  Puerperal diseases of the breast	4								2	1	1							
	VIII.—Diseases of the skin and of the cellular tissue	139	29	4	2	1	2		1	2	6	3	16	18	27	19	8		1
142 143 144 145	Gangrene. Furuncle. Acute abseess Other diseases of the skin and annexa	82 13 15 29	4 3 7 15	3 1	2	1	1		i	1 1	2 1 1 2	3	9 4 2 1	13 2 1 2	21 1 5	14 2 1 2	7 1		1
	IX.—Diseases of the bones and of the organs of locomotion	54	5	1				5		2	6	5	9	8	7				
146 147	Diseases of the bones (tuberculosis excepted).  Diseases of the joints (tuberculosis and rheumatism excepted).	43 7	5	1				5	6	1	. 5 1	2 2	8	4	6 1				
148 149	Amputations Other diseases of the organs of locomotion	1								····i		1		<u>2</u>		•••••	••••		
150	X.—Malformations.  Congenital malformations (stillbirths not included) (total).	386	351	13	3	3	1	5 5	5 5	3		1		· · · · · · · ·					1
	Hydrocephalus. Congenital malformations of the heart. Other congenital malformations.	32 233 121	22 214 115	6 3 4	3	3	i 	4	4 1	3 2 1		î							1
	XI.—Early infancy	2,274	2,274					<u></u>											
<b>1</b> 51.	Congenital debility, icterus, and sclere- ma (total). Premature birth. Congenitaldebility,"atrophy,""ma-	1,891 1,316	1,891 1,316										- 1						····;··;
152	Congenitaldebility, "atrophy," marasmus," etc. Other causes peculiar to early infancy (total) Injuries at birth.	575 374 187	575 374 187						•••••										
153	Other causes peculiar to early infan- cy <sup>1</sup> Lack of care	187 9	187	1	Exele	sive of	iniumic	s at bi											

Table 6.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA, ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE OF DECEDENT: 1911—Continued.

اہ									DEA	THS A	AGE	of—							Deat
List No.	CAUSE OF DEATH.	All deaths.	Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	29	80 to 89 years.	49	59	60 to 69 years.	70 to 79 years.	89	90 to 99 years.	100 years and over.	at ur
			!!	L	MI	ssoı	URI-	-Contin	ued.	1	<u> </u>	!	1	1	<u> </u>	<u> </u>	<u>I</u>	1	1
	XII,—Old age.	581									ļ		2	15	172	297	87	4	
4	Senility	581											2	15	172	297	87	4	
	XIII.—External causes		101	77	53	52	30	106	264	530	464	432	359	220	188	132	17	1	ļ
5	Suicide (total).  By poison.  By asphyxia.	599 298 22							25 13 1	130 84	108 56 4	129 65 6	108 41 4	64 26 3	21 10	6	1		
7 8	By drawning	49 22							î	4 3	9	9	11 6	13 4	4	i			
9	By firearms.  By cutting or piercing instruments	172 26							10	35 1	34 1	34 8	36 9	15 2	4 2	3 1			
1 2 3	By jumping from high places By crushing. Other suicides.	5 3 2								2 1		2 1 1	i	1			· · · · · · ·		
	Accidental or undefined (total)	2, 171	96	76	53	52	29	103	223	285	273	262	232	151	164	124	16	1	
4 5	Poisoning by foodOther acute poisonings	32 93	6	1 17	1 9	3 2 2		5 4	5 3	15	2 9	2 8 2	5 9	1 5	1 7				
6	Conflagration	30 226	3 10	1 26	26	28	11	5 22	1 10	1 13	$\frac{5}{22}$	9	3 18	13	3 10	3 6		····i	
8	Absorption of deleterious gases (con- flagration excepted)	77	37	1	1	1		2	2	4	6	5	8	6	3		1		
9 0 1	Accidental drowning Traumatism by firearms Traumatism by cutting or piercing	175 90	· · · · · · · ·	10 2		3	2 2	15°	60 26	23 20	19 11	18 14	14 6	5 1		1		• • • • • • • • • • • • • • • • • • • •	
2	instruments	8 364	8	1 8	5	1 3	4	9	16	1 25	1 38	2 37	2 25	31	64	76	13		
3	Traumatism in mines and quarries	56							-	00	10	0							
	(total) Traumatism in mines Traumatism in quarries	51 5							5 5	20 17 3	16 15 1	9 8 1	4						
4	Traumatism by machines	52						2	4	15	14	7	8		2			•••••	ļ
5	Traumatism by other crushing (to- tal).	609	2	2	4	8	7	20	73	109	100	90	86	50	38	6			
	Railroad accidents and injuries Street-car accidents and injuries . Automobile accidents and inju-	346 78	1		1	2	2	3	47 5	78 13	71 15	53 14	40 15	22 3	16 6			• • • • • •	
	ries Injuries by other vehicles	40 124	i	1 1	1 2	2 3	3	12	3 18	12 12	6 4	2 14	8 18	6 17	1 15	1 4			
6	Landslide, other crushing Injuries by animals	21 47		1	1	1	2	5	 5	10	4	7	5 3	2 2	9	1	••••	•••••	
6 7 8	Starvation. Excessive cold.	8 10	4		<sub>1</sub> .				ĭ		1	i	2	····· <u>2</u>	1 2	î 1			
9	Effects of heat	140	14					1 2		7	3	28	24	22	15	23	1	•••••	
1 5	Lightning. Electricity (lightning excepted) Fractures (cause not specified) Other external violence.	11 13 20			• • • • • •			2	1	3 6 1	$\frac{4}{2}$	1 4 2	1 3	4		3			
6			7	6	2	i	1	5	10	12	16	19	11	9	5	3	i		
2	Homicide (total)	305 182 58	5	1			1	3	16 8 5	115 78 22	83 54 12	41 23	19 8 4	5	3 1	2 2			
4	By other means	65	5	•••••			i	3	3	15	17	6 12	7	1	1				
_	XIV.—Ill-defined diseases	760	350	28	15	5	4	8	13		28	37	42	72	73	52	4	2	<u> </u>
7 8 9	Ill-defined organic disease	55 41 664	8 342	2	2 13	5	4	1	3 1 9	3 2 15	3 1 24	6 5 26	6 5 31	6 5 61	12 6	11 5 36	2 2	 2	
	Ill-defined  Not specified or unknown	211 453	48, 294,	26 13 13	9	3 2	1 3	7 3 4	4 5	9	14 10	10 16	19 12	40 21	6 55 20 35	16 20	1	2	
1		1	1 1	-		MO:	NTA)	NA.						<u> </u>	!		<u>l i</u>		
	All causes	4, 009	717	118	66	55	35	111	200	433	501	511	455	337	310	134	17		
	I.—General diseases	1,017	64	· 35	27	31	17	52	72	132	137	158	133	78	62	13	2		
	Typhoid fever Typhus fever	80					1	6	12	29	14	9	6	3					
3	Relapsing fever Malaria Smallpox																		
3	Measles	49	ł !	9		6	2	8	6	2	1	1							 
7	Scarlet fever	37 27	8 2 17	4	6 2 2	7 1	3 1	8 2	6	3	2								
9	Diphtheria and croup Influenza	30 15	2	3 1			ī	7	6	1	i		i	4	5	3			
2	Miliary fever																		ļ <b></b>
	Cholera nostras	i													1				

Table 6.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA, ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE OF DECEDENT: 1911—Continued.

nt.									DE	ATHS A	T AGE	or—							
Detailed Int. List No.	CAUSE OF DEATH.	All deaths.	Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	89	49	50 to 59 years.	60 to 69 years.	70 to 79 years.	89	90 to 99 years.	100 years and over.	Deaths at un- known age.
		-	·	•	мо	NTA	NA-	-Conti	aned.				•	•	•	<del>'</del>		•	·
-	I.—General diseases—Continued.				1														
16 17 18 19	Yellow fever Leprosy Erysipelas Other epidemic diseases		2	·····i	1			3				2	· 1 1	3	2	1			
20 21 22 23	Purulent infection and septicemia		1									3							
24 25 26 27	Tetanus. Mycoses. Pellagra. Beriberi.		1																
ı	Tuberculosis (total) Tuberculosis of the lungs Acute miliary tuberculosis Tuberculous meningitis Abdominal tuberculosis	10 20	18 12 5	11 8 2	14 8 5	8 5	6 4	9 3 · 3	36 29 1 2	75 63 4 1	78 69 1	82 75 1	46 38 3	21 20	12 10	2 2	1 1		1 1
28 29 30 31 32 33 34 35	Abdominal tuberculosis. Pott's disease. White swellings. Tuberculosis of other organs. Disseminated tuberculosis.	17 5 7 13	1	2 1	1	1	1	1 i i	3 1	3	2 3 3	2 2 2 2	2 2 2	1	1				
36 37 38	Rickets. Syphilis. Gonococcus infection.	3 16 1	2 2 1	1			1			1	5	3	2	1	1				
39 40 41 42 43 44 45	Cancer and other malignant tumors (total).  Of the buccal cavity  Of the stomach, liver  Of the peritoneum, intestines, rectum of the female genital organs  Of the breast  Of the skin  Of other organs or of organs not specified	157 8 70 21 15 14 4								3 1	12 3 2 3 2 1	30 3 9 4 7 3	47 4 23 5 2 6	35 20 4 1 2 1	25 13 6 1 1 2	4 2 1			
46 47 48 49 50	Other tumors (tumors of the female genital organs excepted). Acute articular rheumatism. Chronic rheumatism and gout. Scurvy. Diabetes.	1 21 5						3 4	5	4 5	1 2	1 2 4	4 2	1	1 1	1			
51 52 53 54 55	Exophthalmic goiter	4 1 6 11	2		······i					1	1 2 1	1 2 2	2 1	1	1		1		
56 57 58 59	Alcoholism (acute or chronic). Chronic lead poisoning. Other chronic occupation poisonings. Other chronic poisonings.	40 1 12							•••••	4 2	8	11 4	11 1	3	1 1 1	1			1 i
	II.—Diseases of the nervous sys- tem and of the organs of spe- cial sense	289	23	12	6	2	3	6	10	12	22	40	45	47	48	11	1		1
60	Encephalitis. Meningitis (total). Simple meningitis. Cerebrospinal meningitis (undefined) Cerebrospinal fever.	32 14 15 3	1 6 4 1 1	1 7 2 5	4 1 1 2	1 1	2 1 1	4 1 3	1 4 2 2		2 1 1	1	1 1	1					
62 63 64	Locomotor ataxia Other diseases of the spinal cord (total). Acute anterior poliomyelitis. Other diseases of the spinal cord <sup>1</sup> Cerebral hemorrhage, apoplexy	4 15 5 10 126	2 1 1 2	1 1	2 2	1 1		1 1	2 2	4	9	2  17	.1 .1 21	3 3 30	2 2 35	6	1		i
65 66 67 68	Softening of the brain.  Paralysis without specified cause.  General paralysis of the insane.  Other forms of mental alienation.	1 20 29 10								2	1 7 1	1 9 2	1 4 8 3	4 3 2	7 1	3 1			
69 70 71 72	Epilepsy Convulsions (nonpuerperal) Convulsions of infants Chorea	15 1 11 1	9	i			1	1	2	4	1	4	2	2		1			
73 74 75 76	Neuralgia and neuritis. Other diseases of the nervous system Diseases of the eyes and their annexa Diseases of the ears	1 10 9	1 2 Exclusiv	i					1	1	i		2	1	1 2				·

Table 6.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA, ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE OF DECEDENT: 1911—Continued.

:t						· · · · ·			DEA	THS A	r AGE	of—					<del></del>		
Detailed Int. List No.	CAUSE OF DEATH.	All deaths.	Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	29	30 to 39 years.	49	59	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 years and over.	Deaths at un- known age.
<u>,</u>		·			мо	NTA	NA-	Contin	ued.		,	<u> </u>				·	,		
	III.—Diseases of the circulatory system	435	12		2	1	3	10	19	34	43	52	81	83	67	24	4		
77 78 79 80 81	Pericarditis. Acute endocarditis. Organic diseases of the heart Angina pectoris. Diseases of the arteries, atheroma, aneurism, etc.	4 35 317 12 44	2 6		1	1	3	1 2 6	2 3 11 1	1 6 22 2	6 29 2	5 39 2	11 58 3	72 3 6	54	14	1 3		
82 83 84 85	Embolism and thrombosis	8 3 3	2 2		1			1	1	2	1 1 2	1 1	2	2		1			
	IV.—Diseases of the respiratory system	433	100	23	7	6	2	7	16	22	44	54	50	37	41	22	2		
86 87 88 89 90	Diseases of the nasal fossae. Diseases of the larynx. Diseases of the thyroid body. Acute bronchitis. Chronic bronchitis.	2	6	1 2	2	1		1		1	1 1	2	2	3	1 4	3 3			
91 92 93	Bronchopneumonia. Pneumonia (total). Lobar pneumonia. Pneumonia (undefined). Pleurisy.	94 260 127 133 9	51 41 8 33	11 8 2 6 1	3 1 1	3	2 1 1	6 2 4	13 7 6 1	21 14 7	3 33 28 5 1	5 38 23 15 3	36 20 16 2	5 26 16 10	6 21 6 15 1	10 10	1		
94 95 96 97 98	Pulmonary congestion, pulmonary apoplexy. Gangrene of the lung. Asthma. Pulmonary emphysema. Other diseases of the respiratory system (tuberculosis excepted).	18 1 7 10	1								1 1 1 2	3	4	1	6	3	1		
	V.—Diseases of the digestive system	427	138	31	11	6	5	12	27	33	40	51	25	20	23	4	1		
99 100 101 102 103	Diseases of the mouth and annexa Diseases of the pharynx. Diseases of the esophagus Ulcer of the stomach Other diseases of the stomach (cancer excepted). Diarrhea and enteritis (under 2 years)	1 16 23 142	1 6 114	1 28	1				1	2	1 3 2	9 1		1 6	1 1 1	2	1		
105 106 107 108	Diarrhea and enteritis (2 years and over). Ankylostomiasis. Intestinal parasites. Appendicitis and typhlitis.				10	1 2	2 2	9	17	18	10	9	5	4	5 2				
109 110	Hernia, intestinal obstruction (total) Hernia. Intestinal obstruction. Other diseases of the intestines	42 13 29 10	9 2 7 7	22		1	1	1	4	3 2 1	4 2	6 3 3	6 3 3	3 2 1	2 1 1 1				
111 112 113 114	Acute yellow atrophy of the liver. Hydatid tumor of the liver. Cirrhosis of the liver. Biliary calculi.	1 44 6								1	8 1	15 1	9 2	4 1	6	1 1			•
115 116 117 118	Other diseases of the liver.  Diseases of the spleen.  Simple peritonitis (nonpuerperal).  Other diseases of the digestive system (cancer and tuberculosis excepted)	14 1 22 3	1			2		1	4	5	3 1 4	6 1 2	1	1	3				
	VI.—Nonvenereal diseases of the genito-urinary system and annexa	241	5	2	1		1	7	9	28	18	38	47	30	35	17	2		1
119 120 121 122 123	Acute nephritis Bright's disease Chyluria Other diseases of the kidneys and annexa. Calculi of the urinary passages.	177	3 2	1 1	i			3	3 4 1	17 	3 11	6 27	2 42 2	2 24 	30	11	2		1
124 125 126 127	Diseases of the bladder. Diseases of the urethra, urinary abscess, etc. Diseases of the prostate Nonvenereal diseases of the male genital	1 10						l				1		3	3	1			
128 129 130	organs Uterine hemorrhage (nonpuerperal) Uterine tumor (noncancerous) Other diseases of the uterus.	3 2 2								1 1 2 2		1							
131 132 133	Cysts and other tumors of the ovary Salpingitis and other diseases of the fe- male genital organs Nonpuerperal-diseases of the breast (can- cer excepted)	8		ł		1	1	1		3	3	1	1			1			

Table 6.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA, ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE OF DECEDENT: 1911—Continued.

<del>.</del>						**			DEA	THS A	r age	OF							
Detailed Int. List No.	CAUSE OF DEATH.	All deaths.	Under 1 year.		2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to	30 to	40 to	50 to 59 years.	60 to 69 years.	70 to 79 years.	89	90 to 99 years.	100 years and over.	Deaths at un- known age.
!		1	_		мо	NTA	NA-	Contin	ued.	·	l <u></u>	,	<u> </u>	1	1	1	!		<u> </u>
	VII.—The puerperal state	78					ļ		5	31	40	2							
134 135	Accidents of pregnancy	9 7							1	3 1	5 5	····i							
136 137	Other accidents of labor Puerperal septicemia	38							1	3 18	18	ï							
138 139	Puerperal albuminuria and convulsions. Puerperal phlegmasia alba dolens, embolus, sudden death	i .							2	3	7				<b>-</b>				
140	Following childbirth (not otherwise de- fined)	. 2							1	1	1								
141	Puerperal diseases of the breast VIII.—Diseases of the skin and of	ļ				<b></b>												•••••	
	the cellular tissue	10	3							1			2		1	3			
142 143 144	Gangrene Furuncie. Acute abscess	3							•••••	i			1 <u>i</u>		1	2			
145	Acute abscess. Other diseases of the skin and annexa IX.—Diseases of the bones and of	3	2							ļ <u>.</u>						1			
	the organs of locomotion	6				1		1		1		1		2					
146 147	Diseases of the bones (tuberculosis excepted)	5				1	<b> </b> -	1		1		ì		1	 				
148	rheumatism excepted)					ļ													
149	X.—Malformations	58	54	····		1		1	1		1			1				•	
150	Congenital malformations (stillbirths not included) (total)	58	54			<b>-</b>													
	Hydrocephalus					1		1	1		1								
	heart. Other congenital malformations	45 13	42 12			:1		1	1		i					•••••			
	XI.—Early infancy	277	277				<u></u>												
151	Congenital debility, icterus, and selerema (total)	225 152	225 152					<b> </b> -		<b></b>			••••						*
152	Premature birth Congenital debility, "atrophy," "marasmus," etc. Other causes peculiar to early infancy	73	73																
102		51 23	51 23										·						
153	Injuries at birth Other causes peculiar to early infancy 1 Lack of care.	28 1	28 1		ļ	••••													
100	XII.—Old age	60										1	2	5	25	23	4		
154	Senility	60										1	2	5	25	23	4		
	XIII.—External causes Suicide (total)	607 109	14	10	11	7	3	14	40	135	153	107	64	29	7	10	1		2
155 156	By poison By asphyxia	29							3 2	21 7	31 7	28 9	15 2	8 1	1	1	1		
155 156 157 158 159 160 161 162	By hanging or strangulation By drowning By firearms	7 5 56 10	••••••						i	2 1 8	1 1 20	2 1 13	2 <sub>10</sub>	2 2	······i	1			· · · · · · · · · · · · · · · · · · ·
160 161	By firearms By cutting or piercing instruments. By jumping from high places	10 1								1	2	3	1	3					••••••
163	Other suicides	1							•••••	1			•••••	•••••					
164 165	Accidental or undefined (total) Poisoning by food Other acute poisonings	447 4 16	12 1	9	11	7 1	3	14 1	36	97	108	70	45	19 1	6	8			2
166 167	Conflagration Burns (conflagration excepted)	11 13		3	2	4	•••••	<u>i</u>	<u>1</u>	4 1 1	2 	1 2 3	1 2 1	3					i
<b>1</b> 68	Absorption of deleterious gases (conflagration excepted)	11	5								5								
169 170	Accidental drowning Traumatism by firearms	.55 17	1	2	5 2	2	1	1	1 <u>4</u> 5	15 2	4	4 1	4 2	1	1				
171 172	Traumatism by cutting or piercing instruments.  Traumatism by fall	2 21		<sub>1</sub>				1	<sub>i</sub> .	1 4	4	4	2			5			
173	Traumatism in mines and quarries													•••••					
	(total)	74 74							4	24 24	23 23	15 15	8 8						
174 175	Traumatism by machines Traumatism by other crushing	3 152				• • • • • •					2	1							
	(total)	103 . 4		1	· · · · · · · · · · · · · · · · · · ·		1	6 1 1	7 5	35 28	40 29	27 22	21 10 1	9 5 2	$\frac{3}{2}$	2 1			
	Automobile accidents and injuries Injuries by other vehicles	3 37		<u>-</u>			1	4	2	2 5	11		1 7		1				
.	Landslide, other crushing	5		•••••	Exclus		ا			l		1	2	2	l				

<sup>1</sup> Exclusive of injuries at birth.

TABLE 6.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA, ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE OF DECEDENT: 1911—Continued.

rt.									DE.	ATHS A	T AGE	OF-							Do-41-
Detailed Int. List.No.	CAUSE OF DEATH.	All deaths.	Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	39	49	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	99	100 years and over.	Deaths at un- known age.
					мо	NTA	NA-	-Contin	nued.	·				-					
	XIII.—External causes—Contd.																		
176 177 178	Accidental or undefined—Continued. Injuries by animals. Starvation. Excessive cold.	10 3 8	1			,				2	5 1	2 2 3		<u>1</u>	1	i			
179 180 181	Effects of heat.  Lightning. Electricity (lightning excepted). Fractures (cause not specified). Other external violence.	8 3						2		2	1 3		2						
185 186	Homicide (total)	51	4 2	<sub>2</sub>			1	1	3	6	10 14	5 9	2 4	2		1			
182 183 184	By firearms By cutting or piercing instruments. By other means	33 6 12	1 1	1					i	11 4 2	10	9 5 2 2	3	2		····i			
187	XIV.—Ill-defined diseases Ill-defined organic disease	71	27	5	1		1	1	1	4	3	7	6	6	1	7		 	
188 189	Sudden death Not specified or ill-defined (total) Ill-defined Not specified or unknown	67 37 30	27 12 15	5 3 2	1 1		1 1	i 1	1 1	3 1	3 1 2	1 6 4 2	6 4 2	5 3 2	1 1	2 5 3 2			
	303.1000	,			NE	w H	AMP	SHII	RE.	<u>'</u>	· <del>'</del>	•	<u> </u>		<u> </u>		<u> </u>		
	All causes	7,391	1,260	223	78	45	31	121	225	352	423	534	745	996	1,290	855	161	6	4
1	f.—General diseases		98	61	26	22	14	57 5	88	164 15	176 15	200	219 6	215	201	79	10		
2 3 4 5	Typhus fever Relapsing fever Malaria Smallpox																		
6	Measles Scarlet fever	40	10	12 3	4 2	2	2	4	1 3	1	i	1	1	2					
8 9 10	Whooping cough Diphtheria and croup Influenza	53 68	28 6 6	21 4 3	12 	9	9	4 1 20 1	5 2	1	.	7	10	1 15	35	24	4		
11 12 13 14	Miliary fever Asiatic cholera Cholera nostras Dysentery	4 25	1 6	ii	2	·····i		2				1	i	3	5	2 3			
15 16	Plague Yellow fever																		
17 18 19	Leprosy Erysipelas Other epidemic diseases	13	i						i	1	i	2	i	1	4	2			
20 21 22 23	Purulent infection and septicemiaGlanders. Anthrax. Rabies.	1	2					2	2		4								
24 25 26	Tetapus Mycoses Pellagra			1	1			1	1			1							
27 28	Beriberi. Tuberculosis (total). Tuberculosis of the lungs	526 432	16 5	11 2	3 2	4	1	9	54 46	112	116 105	71 63	52 39	40 33	15	4 3			
28 29 30 31 32	Acute miliary tuberculosis. Tuberculous meningitis. Abdominal tuberculosis. Pott's disease.	29 18 9	10			1		1		. 3	1	3 2	4 2	3		ii			
33 34 35	White swellingsTuberculosis of other organsDisseminated tuberculosis	8	1	1			1		ļ	1	1	1 2	1 2 1	1					
36 37 38	Rickets. Syphilis. Gonococcus infection.	. 11	4							.]	3	i	3						
39 40 41	Cancer and other malignant tumors (total).  Of the buccal cavity.  Of the stomach, liver.  Of the peritoneum, intestines, rectum	419 15 142	1								10	69 2 20 9	82 3 28 11 12	104 5 49	101 4 31	36 1 6 4	3		.1
40 41 42 43 44 45	Of the female genital organs. Of the breast. Of the skin Of other organs or of organs not speci-	66 45 21					-			1	4	22 7 1	2	22 9 6 4	23 12 10 7	6	i		
46	fied  Other tumors (tumors of the female genital organs excepted)	61	1			1			. 1	2	1	8	15	9	14	8			
47 48	Acute articular rheumatism Chronic rheumatism and gout Scurvy	24						. 3	3		. 4	Î	4	4 1	3 4				

TABLE 6.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA, ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE OF DECEDENT: 1911—Continued.

_				•					DE	ATHS A	T ACT	075							
Detailed Int. List No.	CAUSE OF DEATH.	All deaths.	Under 1 year.	1 year.	2 years.	8 years.	4 years.	5 to 9 years.	10 to	1	30 to 39	40 to	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 years and over.	Deaths at un- known age.
<u> l</u>		<u>                                     </u>		NE	w e	AMP	SHI	 RE—(	Contin	led.	]		l	<u> </u>	<u> </u>	<u> </u>	<u> </u>		
	I.—General diseases—Continued.		[	{			[								· ·				
51 52 53 54 55	Exophthalmic goiter Addison's disease Leukemia. Anemia, chlorosis. Other general diseases.	1 . 10	10 3	4				2	1 3 1	1 2 1	2 1	2  11 1	1 2 2 15	2 6	2 1 6 1	2	1		
56 57 58 59	Alcoholism (acute or chronic) Chronic lead poisoning Other chronic occupation poisonings Other chronic poisonings	20 1 1								2	5	4 1	7	1		1			1
	II.—Diseases of the nervous system and of the organs of special sense	920	62	19	10	9	2	14	33	13	25	54	125	165	236	132	18		3
60 61	Encephalitis  Meningitis (total)  Simple meningitis  Cerebrospinal meningitis (undefined).  Cerebrospinal fever	13 94 69 25	3 23 21 2	11 9 2	6 4 2	7 5 2		1 12 8 4	18 9 9	4 2 2	3 3	4 3 1 2	4 2 2	3 3	1 1 1	1 1			
62 63 64	Locomotor ataxia.  Other diseases of the spinal cord (total).  Acute anterior poliomyelitis  Other diseases of the spinal cord <sup>1</sup> .  Cerebral hemorrhage, apoplexy	22 35 11 24 496	2 1 1 2	1 1	1 1	1 1			8 7 1	1 1	2 1	2 3 3	6 4 	6 6	4 6	1 1			
65 66 67 68	Softening of the brain		2	1			1		1 1 1	2	9	24 1 4 5	82 7 8 4	110 4 21 2 4	167 5 40 8	83 30 6 2	6		3
69 70 71 72	Epilepsy. Convusions (nonpuerperal). Convulsions of infants. Chorea.	23 2 38 1	1 29	6	2	1	1	1	1 1	3	3 1	4 1	4	3	1	1			
73 74 75 76	Neuralgia and neuritis. Other diseases of the nervous system. Diseases of the eyes and their annexa. Diseases of the ears.	5 16 8	i		1				:	1 1	3	2	1 2 1	2 4	1 1 1	1 2 1			
	III.—Diseases of the circulatory system.	1,134	12	1		1	2	5	10	26	54	62	123	263	359	189	21	1	5
77 78 79 80 81	Pericarditis. Acute endocarditis. Organic diseases of the heart. Angina pectoris. Diseases of the arteries, atheroma, aneurism, etc.	6 25 853 52 160	2 5	1		i	i	5	4 5 1	2 19 1	1 2 45 2	5 52 4	1 7 96 7	1 206 21 26	2 271 11 68	1 133 7 42	10 1 1	1	1 4
82 83 84 85	Embolism and thrombosis. Diseases of the veins (varices, hemorrhoids, phlebitis, etc.). Diseases of the lymphatic system (lymphangitis, etc.). Hemorrhage; other diseases of the cir-	30 3	1				1			3	3 1	1	3	8	6 1	1			
00	culatory system	5 876	4 168	67	28				اا				. 1						,
86 87 88 89 90	Diseases of the nasal fossae.  Diseases of the larynx Diseases of the thyroid body Acute bronchitis Chronic bronchitis	10 2 80 69	2 46	9	2	5	1 1	11	19	22	. 1	43 1 1	70 2 5	130 1 1 4 12	134 	122    11 28	12		2
91 92 93	Bronchopneumonia Pneumonia (total) Lobar pneumonia. Pneumonia (undefined). Pleurisy	130 500 66 434 21	50 63 8 55	22 34 6 28 1	13 9 1 8 1	1 3 1 2 1	1 1	1 8 8	1 14 1 13 2	19 3 16 1	2 23 1 22 5	2 30 7 23 4	2 52 13 39 3	8 95 10 85	10 91 13 - 78	17 48 2 46 1	6		4
94 95 96 97 98	Pulmonary congestion, pulmonary apoplexy Gangrene of the lung. Asthma. Pulmonary emphysema. Other diseases of the respiratory system (tuberculosis excepted).	41 10 2 11	5 1 1	1					1	1	1	2	3 2	3	7 2 2	13 1 2	3		
	V.—Diseases of the digestive system	812	388	55	10	4	4	10	22	29	28	44	50	57	67	36	5	1	1
99 100 101 102 103	Diseases of the mouth and annexa.  Diseases of the pharynx.  Diseases of the sophagus.  Ulcer of the stomach.  Other diseases of the stomach (cancer excepted).	1 8 3 15 95	1 2 39	3	1	toric	noliom		1	2 2	1 6	1 1 2 3	4 5	2 1 3 7	1 4 15	10	3 .		1

TABLE 6.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA, ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE OF DECEDENT: 1911—Continued.

o Et									DEAT	HS AT	AGE O	F—							Deaths
Detailed Int. List No.	CAUSE OF DEATH.	All deaths.	Under 1 year.	1 year.	2 years.	8 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	99	100 years and over.	at un- known age.
			·	NE	w e.	AMP	SHII	RÆ,—C	ontinu	ied.	·						•		
	V.—Diseases of the digestive system—Continued.																		,
104 105 106	Diarrhea and enteritis (under 2 years) Diarrhea and enteritis (2 years and over). Ankylostomiasis.	384 58	332	52	8	4	2	4	1	3	1	2	7	6	ii	8		i	
107 108	Intestinal parasites	47					i	2	12	9	7	7	6	3	· · · · · · · ·				
109	Hernia, intestinal obstruction (total) Hernia	22	9 2				1	2	1	2		7 2	9 4	5	13 6	7	1 1		
110	Intestinal obstruction Other diseases of the intestines	35 12	7 4				1	2	1	2		5 3	5	2 1	7 3	3			
111 112	Acute yellow atrophy of the liver	5	1						1	1				1		1			
113 114	Cirrhosis of the liver	51 9									4	9 2	9 1	13 4	12	3			
115 116	Other diseases of the liver	1								1	3	2	1	7	2	4	1		
117 118	Simple peritonitis (nonpuerperal) Other diseases of the digestive system (cancer and tuberculosis excepted)	41						2	6	9	5	3 2	7	4	4	1			
.	VI.—Nonvenereal diseases of the genito-urinary system and															•			
	annexa		4	1				4	8	14	38	66	91	`105	147	81	9		:
119 120 121	Acute nephritis Bright's disease Chyluria	36 444	3	i				3 1	3 4	6	11 19	5 49	82 82	92	116	67	6		
122	Other diseases of the kidneys and annexa	9	1								1	1		1	4	1			
123 124	Calculi of the urinary passages  Diseases of the bladder	30										1	3	4	13	8	,		
125	Diseases of the urethra, urinary abscess, etc	4									1		1	2		ļ			
126 127	Diseases of the prostate Nonvenereal diseases of the male genital	19	ļ											3	11	3	2		
128	organs	1									l	2							
129 130 131	Uterine tumor (noncancerous) Other diseases of the uterus Cysts and other tumors of the ovary	.  8								1	1 3 2	2	1 1 1	2	i				
132	Salpingitis and other diseases of the fe- male genital organs								1	3		2							
133	Nonpuerperal diseases of the breast (can- cer excepted)	1		<b> </b>	ļ							ļ							
	VII.—The puerperal state								5	28	21	5							
134 135 136	Accidents of pregnancy Puerperal hemorrhage Other accidents of labor	.  4							1	8	2 2 2 6	3 1							
137	Puerperal septicemia	18							1	10	l _	1							<b> </b>
138 139	Puerperal albuminuria and convulsions Puerperal phlegmasia alba dolens, em- bolus, sudden death	i	<b> </b>						3	2	1								
140 141	Following childbirth (not otherwise defined)												ļ	<b></b>	ļ				
7.27	VIII.—Diseases of the skin and of																		
142	the cellular tissue		$\frac{4}{1}$	2								2	2	7	10	7	2		
143 144	Furuncle	5 4	1	····i								1		1 1	2	1			
145	Other diseases of the skin and annexa  EX.—Diseases of the bones and of	9	2	1					ļ					3	2	1		;	
	the organs of locomotion	. 5	1	<u> </u>				ļ	<u></u>	1		1	1	<u></u>	1				
146 147	Diseases of the bones (tuberculosis excepted)  Diseases of the joints (tuberculosis and	. 5	1	ļ			ļ	ļ	ļ	1		1	1		1				ļ
148	rheumatism excepted)	.}																	
149	Other diseases of the organs of locomotion  X.—Malformations	1	48				1												
<b>1</b> 50	Congenital malformations (stillbirths not								-				<u> </u>			-	ļ		
	included) (total)	. 6	48 5				1												
	heartOther congenital malformations	.  25	25 18	ļ		ļ		ļ	ļ	ļ	ļ	<u> </u>	ļ <u>.</u>	<u> </u>	<u> </u>	<u> </u>		}	<u>                                     </u>

TABLE 6.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA, ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE OF DECEDENT: 1911—Continued.

=		1	1																
Int.					,			,	DEA	THS A	T AGE	OF							Deaths
Detailed Int. List No.	CAUSE OF DEATH.	All deaths.	Under 1 year.	j year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	39	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	89	99	100 years and over.	at un- known age.
	·			NI	ew i	IAM	?SHI	RE-	Contin	ued.									
	XI.—Early infancy	442	442											•••••					
151	Congenital debility, icterus, and sclerems (total)	382	382																
	rema (total) Premature birth Congenital debility, "atrophy," "marasmus," etc Other causes peculiar to early infancy	201 181	201											••••	ŀ	1			<b>:</b>
152	(total)	59	59											••••					
	Injuries at birth Other causes peculiar to early infancy:	23 36	23 36			ļ		• • • • • • • • • • • • • • • • • • • •			•••••			•••••	•			•••••	
153	Lack of care	1	ĭ																
154	XII.—Old age	333												6	87 87	162	75 75	3	
-0.	XIII.—External causes	461	27	13	4	3	3	19	39	53	47	50	57	38	37	44	9	1	17
155	Suicide (total) By poison By asphyxia	56 9							1	10 5	7	8	15 2	6	4	3			2
155 156 157 158 159 160 161	By hanging or strangulation	14								2 2	····i	2	1 7	1		1			<u>.</u>
159 160	By drowning	8 15 8							1	í	1 2 2	2 1 3 1	1 3 1	2 2	1 2 1	1 1			i
161 162 163	By cutting or piercing instruments. By jumping from high places By crushing. Other suicides	i										i			•••••				
	Accidental or undefined (total)	398	27	13	4	3	3	19	38	41	40	39	42	32	33	41	. 9	1	. 13
164 165 166	Poisoning by food. Other acute poisonings. Conflagration.	3 8 10		1 2	1 1			i			1 1	1 2	3 2		1 1	·····i			1
167	Burns (conflagration excepted)	32		2	ĩ	1		4	4	2	2	4	4	2	3.	3			·
168 169	Absorption of deleterious gases (con- flagration excepted)	10 59	5	<sub>i</sub> .		i		10	16	1 12	1 7	1 4	3		1 2				1 3
170 171	Traumatism by firearms.  Traumatism by cutting or piercing	5							1	1	2	1			•		····-		
172	instruments. Traumatism by fall.	76	4	3	i	i		ï	1	4	6	3	5	8	11	23	5		
173	Traumatism in mines and quarries (total)	1								<u>`</u>		ļ	1		•				
174	Traumatism in quarries Traumatism by machines	1 14							<u>i</u>	4	2	<u>i</u>	1 3	3					
175	Traumatism by other crushing (to-	79		1			3	2	9	10	10	10	12	9	5	3			5
	tal). Railroad accidents and injuries. Street-car accidents and injuries. Automobile accidents and inju-	41 2					1	1	5 1	8	5	7	3	5	1	1			4
	Ties	11 23		<u>i</u>			1	1	2 1	2	1 3	1 1	2 7	2 2	1 3	2		ļ	i
176	Landslide, other crushing Injuries by animals	3	ļ				·····		1	1	1	1	1		·····				
177 178	Excessive cold.	1 1												:	1	i			
179 180	Effects of heatLightning	72	17	3				. 1	1	1 1	4	8	6	8	8	9.	. 4	1	1
181 185	Fractures (cause not specified)	5							i	2	2		ļ <u>.</u>	<u>-</u>					
186	Other external violence  Homicide (total)	18	1						3	2 2	2	3	2	2		1			2
182 183 184	By firearms  By cutting or piercing instruments.  By other means	1 1 2								. 1		2							1
104	XIV.—Ill-defined diseases	51	6	4		1	1	, 1	1	2		7	7	10	7	1			1 3
187 188	Ill-defined organic disease	12	i				1		1			i	2	2 2	5	1		<u> </u>	
188 189	Not specified or ill-defined (total) Ill-defined	35 33 2	1 5 4	4 4		1		1 1		2 2		6 5	5 5	6	2 2				3 3
	Not specified or unknown	2	1	<u> </u>				<u> </u>			<u> </u>	1							
			<u> </u>	,		NEW	JER	SEY		,	,	,	T			,	7		
	All causes	38, 617	7,678	1, 658	671	433	341	882	1,313	2,784		<u> </u>	4, 114	4,884	4,414	<u> </u>	294	8	11
1	I.—General diseases Typhoid fever		713	1444	280	204	158	405 10	575 67	1,349	1,495 58	1,246	1,203 27	1,087	677	213	20		1
1 2 3	Typhus fever																		
4 5	Malaria Smallpox	26 1	2	3			1	1		3	2 1	3	3	2	6		ļ:		

<sup>1</sup> Exclusive of injuries at birth.

Table 6.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA, ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE OF DECEDENT: 1911—Continued.

. E									DEA	THS A	T AGE	of—							Deaths
Detailed Int. List No.	CAUSE OF DEATH.	All deaths.	Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	19	29	30 to 39 years.	49	59	60 to 69 years.	70 to 79 years.	89	90 to 99 years.	100 years and over.	at un- known age.
			<u>'</u>		NEW	JEF	SEY	Con	tinued		,								
	I—General diseases—Continued.																		
6 7 8 9 10	Measles Searlet fever Whooping cough Diphtheria and croup Influenza	283 221 331 571 296	77 15 169 44 16	108 23 95 97 4	36 35 31 85 5	25 23 17 81 1	7 28 9 67 1	17 64 7 142 2	6 20 1 29 4	3 9 	1 2 8 16	1 1 3 19	2 1 3 25	1 53	2 65	58	ii		
11 12 13 14 15	Miliary fever Asiatic cholera Cholera nostras Dysentery Plague		32 32	1 9	6	3	1 1	1	2	2	3	2 2 2	3	1 18	15	8	2		
i	Yellow fever Leprosy Erysipelas Other epidemic diseases	125 7	45 1	1 3	2 1	1		1	i	8	12	18	16	10	7	3			
20 21 22 23 24	Purulent infection and septicemia. Glanders. Anthrax Rabies. Tetanus.	13	12	2	1			5 7 12	1 10	2 2 5	3	1	7	1	1	1			
24 25 26 27	Mycoses. Pellagra. Beriberi.	2			60	44	37		358			701	460	236	110		1		
28 29 30 31 32 33 34 35	Tuberculosis (total) Tuberculosis of the lungs. Acute miliary tuberculosis. Tuberculosus meningitis. Abdominal tuberculosis. Pott's disease. White swellings. Tuberculosis of other organs. Disseminated tuberculosis.	1 5/	159 45 9 77 16	75 19 4 46 4 1	33 6 1	11 2 24 2 3 1	5 20 5 2 1	7 39 4 6 5	268 34 19 17 5 2 6	1,095 956 81 13 20 5 5	1,031 65 13 23 5 4 10	647 18 6 19 3 1 3	416 11 6 13 4 1 4	200 6 19 2 3 3 3	96 3 1 4 2 1 3				
36 37 38	Rickets. Syphilis. Gonococcus infection.	1	22 63 5	4 2	1 1 1	3	1	. 1		6 1		13 1	9	5	1 6	1			
39 40 41 42 43 44 45	Cancer and other malignant tumors (total) Of the buccal cavity Of the stomach, liver Of the peritoneum, intestines, rectum Of the female genital organs. Of the breast Of the skin Of other organs or of organs not specified	65 780 283 300 203 51	3		3 1 1		1	1	9 1 1 1 6	29 2 9 3 5 2	15 38 16	313 4 108 36 83 48 6	485 15 211 58 79 49 9	551 24 233 86 65 46 10	340 16 147 66 22 29 13	107 2 35 18 7 13 8	6 1 1 1 3		
46 47 48 49 50	Other tumors (tumors of the female genital organs excepted)	30	2			1 2		35	1 43 8	18 1 1 15	2	13 2 1 1 32	1 21 4 70	27 7	3 18 10 72	2 3 4			
51 52 53 54 55	Exophthalmic goiter Addison's disease Leukemia Anemia, chlorosis Other general diseases.	16 7 32	7 23	4 5	2	2		1 2	1 1 3	3 1	7 4	3 3 8 13 1	3 1 2 22 22 3	2 1 5 18 3		2			
56 57 58 59	Alcoholism (acute or chronic). Chronic lead poisoning Other chronic occupation poisonings. Other chronic poisonings.	7 2								12 2		45 1 1	. 1	15 1 1		i			
,	II.—Diseases of the nervous system and of the organs of special sense	1	374	104	53	33	26	64	64	79	172	299	555	865	854	405	38		-
60 61	Encephalitis. Meningitis (total) Simple meningitis. Cerebrospinal meningitis (undefined Cerebrospinal fever.	. 364 . 232 ) 107	5 101 66 29 6	36 23	6	3 18 12 4 2	18 12 5	40 24 14	19 11 8	21	11	9	7	3 4 4	6	1 3 3			
62 63	Locomotor ataxia.  Other diseases of the spinal cord (total).  Acute anterior pollomyelitis.  Other diseases of the spinal cord 1.  Cerebral hemorrhage, apoplexy.	- 46 - 131	14 9 5 14	10	. 4	5 5	2	. 2	6	4		12 15 1 14 154	21 20 20 404	22 43 3 40 629	21	5	i	-	
65 66 67 68	Softening of the brain	. 168	2		i		. i	1			26	13 41 19	28	34 14	21 9	50 17 3	1 4 1 1		
69 70 71 72	Epilepsy. Convulsions (nonpuerperal). Convulsions of infants. Chorea.	247	221 3	1 18 1	6	1 1	.		13 i		. 20 1		14	8	10 i	<sub>i</sub>			

 $<sup>\</sup>ensuremath{^{1}}$  Exclusive of acute anterior poliomyelitis (infantile paralysis).

Table 6.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA, ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE OF DECEDENT: 1911—Continued.

=	-	<u> </u>	<u> </u>	<del></del>															
I Int. No.	•			1		.,		1	DEA	THS AT	AGE	OF—		1	1		1 1		Deaths
Defailed List N	CAUSE OF DEATH,	All deaths.	Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	49	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 years and over.	at un- known age.
	,			ı	ŒW	JER:	SEY-	-Conti	nued.										
	II.—Diseases of the nervous system and of the organs of special sense—Continued.			,							•								
73 74 75 76	Neuralgia and neuritis. Other diseases of the nervous system. Diseases of the eyes and their annexa. Diseases of the ears.	15 88 37	6	<sub>2</sub>	4	<u>2</u>	i	4	4	1 4 5	5 12 2	2 7 1	3 13	1 9 3	3 16	8 3			••••••
	III.—Diseases of the circulatory system.	4,840	60	7	2	2	11	81	154	183	309	478	713	1,075	1,128	567	68	2	
77 78 79 80 81	Pericarditis. Acute endocarditis. Organic diseases of the heart Angina pectoris Diseases of the arteries, atheroma, aneurism, etc.	26 285 3,775 144 461	14 33 1	1 6	1 1	2	3 2 5	1 16 60	2 31 116 1	4 34 128 3 5	5 37 228 13	3 63 365 18	.1 69 547 30	4 10 916 34 83	4 921 28 146	2 3 407 14 131	39 2 23	1	
82 83 84 85	Embolism and thrombosis	101 17 14 17	3 5 4				1	2	2 1	4 1 4	9 1 2	8 1 1	19 6 2	22 3 1 2	22 4 1	8 1 1	2		
	IV.—Diseases of the respiratory system		1,258	500	207	85	53	97	107	205	297	337	405	528	. 515	284	48	2	••••••
86 87 88 89 90	Diseases of the nasal fossae.  Diseases of the laryux. Diseases of the thyroid body. Acute bronchitis. Chronic bronchitis.	6 42	1 13 1 174 5	1 3 1 26 1	5 12 3	3	2	3 6 4 1	1 1 1	1 2	1 2 3	1 3 10	2 1 5 14	1 10 33	3 11 72	1 13 48	1 6 15		
91 92 93	Bronchopneumonia. Pneumonia (total). Lobar pneumonia. Pneumonia (undefined). Pleurisy.	1,284 2,705 1,306 1,399 112	566 460 134 326 6	245 207 73 134 10	78 94 32 62 10	29 44 15 29 1	16 29 15 14 3	32 47 23 24 1	11 80 35 45 5	14 165 115 50 7	24 238 134 104 11	30 260 177 83 11	37 302 179 123 10	64 354 189 165 15	75 281 126 155 14	59 127 54 73 7	4 17 5 12 1		
94 95 96 97 98	Pulmonary congestion, pulmonary apoplexy. Gangrene of the lung. Asthma Pulmonary emphysema Other diseases of the respiratory system (tuberculosis excepted).	153 10 60 4 60	24 1 7	6	. 4 1	1	1	1 2	2 1 .1 .3	4 1 2	6 4 8	5 3 5	10 3 7 1	24 2 14 · 1	39 17 1 2	23 5	3	1	
,	V.—Diseases of the digestive system	4,612	2,387	443	61	39	34	58	86	125	185	263	254	280	. 266	114	17		
99 100 101 102 103	Diseases of the mouth and annexa. Diseases of the pharynx. Diseases of the esophagus. Ulcer of the stomach. Other diseases of the stomach (cancer excepted).	10 33 3 84 327	7 6	1	13	2	2 1	5	3 2 7	1 3 8 8	2 9 15	1 1 21 31	1 15 23	14	1 4 2 10	3 4 30	2		
104 105 106 107 108	Diarrhea and enteritis (under 2 years). Diarrhea and enteritis (2 years and over). Ankylostomiasis. Intestinal parasites. Appendicitis and typhlitis.	2,627 338 1 1 238	2,204	423	47 1	29 4	20 1 4	16  19	9	15 49	13 1 1	25 32.	25 20	38 10	63 6	33	5		
109 110 111 112 113 114	Hernia, intestinal obstruction (total).  Hernia. Intestinal obstruction. Other diseases of the intestines. Acute yellow atrophy of the liver. Hydatid tumor of the liver. Cirrhosis of the liver. Biliary calculi.	246 131 115 78 12 3 398 56	38 5 33 13 1	3 1 2 3	3 3 2	2 1 1 2	3	8 8 2	4 2 2 3	11 5 6 4 2 1 11	22 13 9 7 1 46 5	25 17 8 5 5 4 85 8	31 21 10 6 97 14	40 31 9 10 3 90 14	43 26 17 10 53 12	12 8 4 9	1 1 2		
115 116 117 118	Other diseases of the liver Diseases of the spleen. Simple peritonitis (nonpuerperal). Other diseases of the digestive system (cancer and tuberculosis excepted)	77	7	2	2 1 1		1 1	i	3 1 3	.3 1 5 2	11 1 5 5	9 1 7 6	16 2 4	14 1 3	13 5	5 1 2			
	VI.—Nonvenereal diseases of the genito-urinary system and annexa	3,423	48	7	12	15	7	28	50	175	338	491	596	745	640	250	20		1
119 120 121 122 123	Acute nephritis. Bright's disease Chyluria. Other diseases of the kidneys and annexa Calculi of the urinary passages.	371 2,698	27 16	5 1	7 4	13 1 1	6 1	19 8	13 31 1	39 96 5	55 236 6 2	56 368 7	52 509 9	32 669 9 7	38 537 5 2	8 205 7 1	1 15		i
124 125	Diseases of the bladder. Diseases of the urethra, urinary abscess, etc.	· 51						;		2	2	3	5 1	8	18 3	13			
126 127 128	Diseases of the prostate Nonveneral diseases of the male genital organs	62	1			•••••						1	6	9	27	16			

Table 6.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA, ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE OF DECEDENT: 1911—Continued.

<u></u>					-				DEA	THS A	T AGE	of⊸							Pa. !!
Detailed Int. List No.	CAUSE OF DEATH.	All deaths.	Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	29	80 to 89 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	99	100 years and over.	Deaths at un- known age.
		)	<u>                                     </u>	N	ew j	ERS	EY—	Contin	ued.	l	1	<u> </u>			I	1	1		·
	VI.—Nonvenereal diseases of the genito-urinary system and annexa—Continued.	,												_				-	
129 130 131 132	Uterine tumor (noncancerous). Other diseases of the uterus. Cysts and other tumors of the ovary. Salpingitis and other diseases of the female genital organs.	43 30 28 54			1				4	1 5 3 23	8 9 5	28 9 2 13	3 3 8	2 3 2	1 1 8		• • • • • • • • • • • • • • • • • • •		
133	Nonpuerperal diseases of the breast (cancer excepted)	3 424	1		<b></b>				31	208	2 156	29			ļ			•••••	<b></b>
134 135 136 137	VII.—The puerperal state	31 45 35 202							1 3 2 17	13 21 12 105	11 18 18 18 70	6 3 3 10							
138 139 140	Puerperal albuminuria and convulsions. Puerperal phlegmasia alba dolens, em- bolus, sudden death. Following childbirth (not otherwise de- fined). Puerperal diseases of the breast.	96 13 2							6 2	50 7	34 3 2	6 1		•					
141	VIII.—Diseases of the skin and of the cellular tissue.	133	24	4	1			3	3	2	3	10	9	18	32	19	5		
142 143 144 145	Gangrene. Furuncle. Acute abscess. Other diseases of the skin and annexa	74 4 25 30	2 9 13	1 2 1	i			2 i	1 2	2	<u>1</u>	4 2 1 3	5 1 3	12 1 3 2	26 1 5	16 1 1 1	5		
	IX.—Diseases of the bones and of the organs of locomotion	65	4	2	3	1	1	3	11	10	6	6	5	6	4	3	<u></u>		
146 147	Diseases of the bones (tuberculosis excepted). Diseases of the joints (tuberculosis and rheumatism excepted).	53	3	2	2	1	1	3	9	8	6	4	5	4	3	2			·····
148 149	rheumatism excepted)	7 5	1		1				1 1	2		<u>1</u>		····· <u>2</u>	·····i	1			
150	X.—Malformations	451	421	15	3	2	1	4	2	3	<u></u>								ļ
130	included (total). Hydrocephalus. Congenital malformations of the heart. Other congenital malformations.	451 27 · 270 154	421 19 258 144	15 6 6 3	3 1 2	2 2 2	1	4 2 1 1	2 2	3 1 2			•						
151	XI.—Early infancy	1,838 1,040	1,838 1,040																
152	"marasmus," etc. Other causes peculiar to early infancy (total). Injuries at birth. Other causes peculiar to early in-	798 398 249	798 398 249	l															
1.53	fancy <sup>1</sup> Lack of care . • • XII.—Old age		149					1					3	32	149	167	62	3	
154	Senility	416											3	32	149	167	62	3	
	XIII.—External causes Suicide (total)	415	127			52		137	230	63	463 91	433 82	355 91	232 46	142	80	15	1	1
155 156 157 158 159 160 161 162 163	By poison. By asphyxia By hanging or strangulation. By drowning. By firearms. By cutting or piercing instruments. By jumping from high places. By crushing. Other suicides.	76 74 22 111 21 3 4							5 1 6	22 4 5 4 24 2 2	22 17 12 7 24 6 1 2	17 17 20 2 19 3 2	15 22 16 5 26 7	10 12 12 1 1 8 3	3 2 3				i
164 165 166 167	Accidental or undefined (total) Poisoning by food. Other acute poisonings Conflagration Burns (conflagration excepted).	2,367 28 58	120 2 3 3 10	73 4 4 4	40	52 2 3 2 28	48 2 4 1 21	137 2 4 2 36	194 3 4 2 13	353 4 8 6 11	344 2 11 3 15	336 4 6 3 15	257 1 4 2 17	185 1 4 5 8	128 1 3 7	78 1 1 3			
168 169 170 171	Absorption of deleterious gases (conflagration excepted). Accidental drowning. Traumatism by firearms. Traumatism by cutting or piercing	138 336 26	27 3 1	7		3 1	4	2 31 2	8 60 11	19 73 7	14 51 2	25 61 1	18 27 1	15 10	5 2	5			2
172	instruments. Traumatism by fall.	391	8	4					ii at birtl		39	1 47	58	45	49	51	fo		

TABLE 6.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA, ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE OF DECEDENT: 1911—Continued.

1t.				<del>17 11 11</del>					DEA	.THS A	r age	of—							
Detailed Int. List No.	CAUSE OF DEATH.	All deaths.	Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 years and over.	Deaths at un- known age.
				,	NEW	JER	SEY	Con	tinued						•		~		•
-	XIII.—External causes—Contd.																		
173	Accidental or undefined—Continued. Traumatism in mines and quarries (total).	12								4	7		1						
174	Traumatism in mines Traumatism in quarries Traumatism by machines	10 2 46					····i	2	9	3 1 9	6 1 12	7	1						
175	Traumatism by other crushing(total). Railroad accidents and injuries.	634 398	3	5 2	3 1	3	7	40 10	59	118	131	111	72 44	51 30	27 12	2			2 2
	Street-car accidents and injuries. Automobile accidents and in-	73		í		1	1	8	41 5	91 11	99 15	65 12	9	9	1				
	juries Injuries by other vehicles Landslide, other crushing	75 81 7	3	2	2	i	3 3	11 10 1	7 4 2	8 8	5 9 3	17 17	9 10	6 6	5 8 1				
176 177	Injuries by animals	16 5 7	2		1			1	2	2 1		2	3	3 1	2	<u>i</u>			
178 179	Excessive cold Effects of heat	264	52	4	2		i	4	5	27	25	40	31 31	29 29	2 26	13	5		
180 181 185 186	Lightning Electricity (lightning excepted) Fractures (cause not specified)	5 24 10 82							1 2	9	1 8 2	4	1 3	3	1			1	
	Other external violence	98	6 7	2	1		1 1		11	16 27	21 28 18	8 15	10	7	3	1			2
182 183 184	By firearms. By cutting or piercing instruments. By other means.	53 10 35	7		1		1		6 1 4	14 6 7	18 2 8	9 1 5	3 4	1					
	XIV.—Ill-defined diseases	<u> </u>	20	59	8		1	2		2	2	6	16	16	7	6	1		1
187 188 189	Ill-defined organic disease Sudden death Not specified or ill-defined (total) Ill-defined Not specified or unknown	134	1 18 14 4	59 59	8 7 1		1 . 1	2 2		2 1 1	2 2	5 5	16 16	1 15 15	1 6 5 1	5 5	1° 1		· 1
		<u> </u>	il	<u> </u>	1	1	<u> </u>	1	1	1	1	1	<u> </u>	1	1 -	1	!	<u> </u>	<u> </u>
						NEV	7 YO	RK.											
	All causes	145, 654	25, 407	5, 623	2, 471	NEV	1,038	RK. 2,939	4, 888	10; 272	13, 299	14, 838	16, 462	18,784	17, 539	9, 145	1,378	46	10
_	I.—General diseases	38, 541	2,383	1,690	1,038	1,515 714	1,038	2,939 1,329	2,167	4,844	5,674	5,262	4,947	4,226	2, 751	896	1,378	46	10
123	I.—General diseases	38, 541	2,383	1,690	1,038 7	1,515	1,038 502 11	2,939 1,329 52	2,167	381	<u> </u>	<u> </u>		4,226		896	<u> </u>		
1 2 3 4 5	I.—General diseases Typhoid fever Typhus fever Relapsing fever Malaria. Smallpox	38, 541 1, 320 62 5	2,383	1,690	1,038	1,515 714	1,038	2,939 1,329 52 4	2,167	381	5,674	5,262 165 5	4,947	4,226	2, 751	896	<u> </u>		
2345 678	I.—General diseases Typhoid fever Typhus fever Relapsing fever Malaria. Smallpox	38, 541 1, 320 62 5	2,383 7 6 1 241 51 438	1,690 10 6 365 141 194	1,038 7 1 145 195 74	1,515 714 12 1 65 150 32	1, 038 502 11 2 1 37 121	2,939 1,329 52 4	2, 167 244 3 1 26 114	381	5,674 266	5,262 165 5	4,947 90 5 1 5 2	4,226 54 	2,751 18 8	896	<u> </u>	1	
2 3 4 5 6 7	I.—General diseases Typhoid fever Typhus fover Relapsing fever Malaria Smallpox Measles Scarlet fever Whooping cough Diphicheria and croup Influenza	38, 541 1, 320 62 5	2,383 7 6 1 241 51	1,690 10 6 365 141	1,038 7	1,515 714 12 1 65	1, 038 502 11 2 1 37	2,939 1,329 52	2,167 244 3 1 26	381	5, 674 266 3	5,262 165	4,947 90 5 1	4,226 54 8	2,751	896	<u> </u>	1	1
2 3 4 5 6 7 8 9 10 11 12	I.—General diseases Typhoid fever Typhus fover Relapsing fever Malaria Smallpox Measles Scarlet fever Whooping cough Diphicheria and croup Influenza Miliary fever Asiatic cholera Cholera nostras	38,541 1,320 62 5 989 1,181 1,960 1,354	2,383 7 6 1 241 51 438 204 85	1,690 10 6 365 141 194 431 25	1,038 7 1 145 195 74 313 11	1,515 714 12 1 65 150 32 250 10	1, 038 502 11 2 1 37 121 22 182 5	2,939 1,329 52 4  4  55 325 23 389 10	2,167 244 3 1 26 114 3 99 26	4,844 381 8 	5,674 266 3 17 23 39 54	5,262 165 5 10 2 1 11 88	90 5 1 5 2 1 132	8 - 7 1 1 4 229	2,751 18 8 2 1 2 334	896 3 3 2	116	1	1
2 3 4 5 7 8 9 10	I.—General diseases. Typhoid fever. Typhus fever. Relapsing fever. Malaria. Smallpox. Measles. Scarlet fever. Whooping cough. Diphicheria and croup. Influenza. Miliary fever.	38,541 1,320 62 5 989 1,181 1,960 1,354	2,383 7 6 1 241 51 438 204	1,690 10 6 365 141 194 431	1,038 7 	1,515 714 12 1 65 150 32 250	1, 038 502 11 2 1 37 121 22 182	2,939 1,329 52 4 4 55 325 23 389	2,167 244 3 1 26 114 3 99	4,844 381 	5, 674 266 3 17 23	5,262 165 5 10 2 1	4,947 90 5 1 5 2 1	4,226 54 8 . 7 1 1	2,751 18 8 2	896 3 3 2	116	1	1
2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17	I.—General diseases Typhoid fever Typhus fever Relapsing fever Malaria Smallpox Measles Scarlet fever Whooping cough Diphaheria and croup Influenza Miliary fever Asiatic cholera Cholera nostras Dysentery Plague Yellow fever Leprosy	38, 541 1, 320 62 5 989 1, 181 791 1, 960 1, 354 267	2,383 7 6 1 241 51 438 204 85 51	1,690 10 6 365 141 194 431 25 	1,038 7 1 145 195 74 313 11 1 5	1,515 714 12 	1, 038 502 11  2 1 37 121 22 182 5  1 4	2,939 1,329 52 4 55 325 23 389 10 11 10	2, 167 244 3 1 26 114 3 99 26 1 1	4,844 381 8 12 56 1 34 47	5,674 266 3 17 23 39 54	5,262 165 	4,947 90 5 1 5 2 1 1 132 5 17	4, 226 54 8 7 1 1 4 229 6 36	2,751 18 8 2 1 2 334	896 3 3 2 249 7 41	116	1	1
234 45 678 90 1112 123 134 15 167 181 191	I.—General diseases Typhoid fever Typhus fever Relapsing fever Malaria Smallpox  Measles Scarlet fever Whooping cough Diphicheria and croup Influenza Miliary fever Asiatic cholera Cholera nostras Dysentery Plague Yellow fever Leprosy. Erysipelas Other epidemic diseases.	38,541 1,320 62 5 989 1,81 791 1,960 1,354 1 44 267	2,383 7 6 1 241 51 438 204 85 5 51	1,690 10 6 365 141 194 431 25 114 14	1,038 7 1 145 195 74 313 11 1 5	1,515 714 12 1 65 150 32 250 10	1, 038 502 11 2 1 37 121 22 182 5 1 4	2,939 1,329 52 4 555 325 23 389 10	2,167 244 3 1 26 114 3 99 26 11 1 1 1	12 56 134 47 27 7	5,674 266 3 17 23 39 54 2 9	5, 262 165 10 2 1 11 88 	4,947 90 5 1 5 2 1 1 132 5 17	4,226 54 8 7 1 1 4 229 6 36	2,751 18 8 2 12 334 9 58	896 3 2 249 7 41	116 	1	1
234556789101121341515161718	I.—General diseases Typhoid fever Typhus fever Relapsing fever Malaria. Smallpox  Measles Scarlet fever Whooping cough. Diphicheria and croup Influenza. Miliary fever Asiatic cholera Cholera nostras Dysentery Plague.  Yellow fever Leprosy. Erystypelas Other epidemic diseases. Purulent infection and septicemia Glanders Anthrax	38,541 1,320 62 5 989 1,181 791 1,960 1,354 1,44 267 1,509 22 228 5 1	2,383 7 6 1 241 51 438 204 85 51 190 5 42	1,690 10 6 365 141 194 431 25 	1,038 7 1 145 195 74 313 11 5 6 5 2	1,515 714 12 1 65 150 32 250 10	1, 038 502 111 22 1 37 121 1 22 182 5 2 2 2	2,939 1,329 52 4  55 325 23 389 10  1 10	2,167 244 3 1 1 26 114 3 99 26 1 1 1 1 10 1 9	12 56 14 47 12 7	5,674 266 3 17 23 39 54 2 9	5, 262 165  5 10 2 11 11 88  7  55  26 1	4,947 90 5 1 5 2 1 1 132 5 17	4,226 54 8 . 7 1 1 4 229 6 36 41	2,751 18 8 2 1 2 334	896 3 3 2 249 7 41	116 	1	1
23 44 5 6 7 8 9 10 11 12 13 144 15 16 17 18 19 20 12 22 23 24	I.—General diseases Typhoid fever Typhus fever Relapsing fever Malaria. Smallpox  Measles Scarlet fever Whooping cough Diphtheria and croup Influenza  Miliary fever Asiatic cholera Cholera nostras Dysentery Plague Yellow fever Leprosy. Erysipelas Other epidemic diseases Purulent infection and septicemia Glanders Anthrax Rabies Tetanus.	38, 541 1, 320 62 5 989 1, 181 791 1, 960 1, 354 267 1 50 22 228 5 1 13 14 15 10 10 10 10 10 10 10 10 10 10	2,383 7 6 1 241 51 438 204 85 55 51 190 5 42	1,690 10 6 365 141 194 431 25 114 14	1,038 7 145 195 74 313 11 5 6 5	1,515 714 12 1 65 150 32 250 10	1, 038 502 11 2 1 37 121 22 182 5 1 4	2,939 1,329 52 4 555 325 23 389 10	2,167 244 3 1 26 114 3 99 26 11 1 1 1	4,844 381 8 8 12,56 61 134 47 7 11 21 22 11	5,674 266 3 17 23 54 2 9 44 1 1 31 2	5, 262 165 10 2 1 11 88 	4,947 90 5 1 1 132 5 17 61 30 2	4,226 54 8 7 1 1 4 229 6 36	2,751 18 8 2 334 9 58 36	896 3 2 249 7 41	116 	1	1
23 34 5 67 89 10 11 112 113 114 115 117 119 20 21 22 23	I.—General diseases Typhoid fever Typhus fever Relapsing fever Malaria Smallpox  Measles Scarlet fever Whooping cough Diphicheria and croup Influenza Miliary fever Asiatic cholera Cholera nostras Dysentery Plague  Yellow fever Leprosy Erysipelas Other epidemic diseases.  Purulent infection and septicemia Glanders Anthrax Rabies	38,541 1,320 62 5 989 1,881 791 1,960 1,354 267 1 44 267 228 5 1 13	2,383 7 6 1 241 51 438 204 85 51 190 5 42	1,690 10 6 365 141 194 431 25 1 14 14 18 7 8	1,038 7 1 145 195 74 313 11 5	1, 515 714 12 1 65 1500 32 2500 10 5 5	1, 038 502 111 22 1 37 1211 222 1822 5 5 2 1 1	2,939 1,329 52 4 55 325 23 389 10  1 10  2 7	2,167 244 3 1 26 114 3 99 26 1 1 1 1 1 9	4,844 381 8 8 12,56 61 134 47 7 11 21 11 11 11	5,674 266 3 17 23 39 54 2 9	5,262 165 5 10 2 1 11 83 	4,947 90 5 1 1 5 2 1 1 1 132 5 17	4,226 54 8 - 7 1 4 229 6 36 - 41 20	2,751 18 8 2 1 2 334 9 58 36 13	896 3 2 249 7 41	116 	1	1
2 3 4 4 5 6 7 8 9 9 10 112 133 144 15 16 177 183 22 23 24 255 22 27	I.—General diseases. Typhoid fever. Typhus fever Relapsing fever Malaria. Smallpox  Measles Scarlet fever Whooping cough. Diphicheria and croup Influenza.  Miliary fever. Asiatic cholera Cholera nostras. Dysentery Plague.  Yellow fever Leprosy. Erysipelas Other epidemic diseases. Purulent infection and septicemia. Glanders. Anthrax Rabies  Tetanus. Mycoses. Pellagra. Beriberi.  Tuberculosis (total) Tuberculosis of the lungs.	38, 541 1, 320 62 5 989 1, 181 791 1, 960 1, 354 267 1 509 22 228 5 1 13 116 4 4 2 1	2,383 7 6 1 241 51 438 204 85 51 190 5 42 26	1,690 10 6 365 141 194 431 25 -1 14 13 7 8	1,088 7 11 145 195 74 313 11 5 6 5 2	1,515 714 12 1 65 150 32 250 10 5 6	1, 038 502 111 22 1 37 121 122 182 5 1 4 4 2 2 2 8 4 17 7	2,939 1,329 52 4 55 325 23 389 10  1 10  2 7	2,167 244 3 1 26 114 3 99 26 1 1 1 1 1 9	4,844 381 8 8 12,56 61 134 47 7 11 21 11 11 11	5,674 266 3 17 23 39 54 2 9	5,262 165 10 2 1 11 88 26 1 2 17	4,947 90 5 1 1 132 5 2 1 132 5 17 61  30 2 2 1 11 2	4,226  8  7 11 4 229  6 36 36	2,751 18 8 2 1 2 334 9 58 13 1 1	896 3 3 2 1 249 7 41 6	116 	1	1
2 3 4 4 5 6 7 8 9 9 10 112 133 144 15 16 177 183 22 23 24 255 22 27	I.—General diseases. Typhoid fever. Typhus fever. Relapsing fever. Malaria. Smallpox  Measles Scarlet fever. Whooping cough. Dipheheria and croup. Influenza. Miliary fever Asiatic cholera. Cholera nostras. Dysentery. Plague.  Yellow fever Leprosy. Erysipelas. Other epidemic diseases.  Purulent infection and septicemia. Glanders. Anthrax. Rabies.  Tetanus. Mycoses. Pellagra. Beriberi.  Tuberculosis of the lungs. Acute miliary tuberculosis. Tuberculosis of the lungs. Acute miliary tuberculosis. Tuberculosis of the lungs. Acute miliary tuberculosis.	38, 541 1, 320 62 5 989 1, 181 791 1, 960 1, 354 267 1 509 22 228 5 1 13 116 4 4 2 1 1 1 16, 655 13, 8643 1, 196	2,383 7 6 1 241 51 438 204 85 51 190 5 42 26	1,690 10 6 365 141 194 431 25 -1 14 13 7 8	1,088 7 11 145 195 74 313 11 5 6 5 2	1,515 714 12 1 65 150 32 250 10 5 6	1, 038 502 111 22 1 37 121 122 182 5 1 4 4 2 2 2 8 4 17 7	2,939 1,329 52 4 55 325 23 389 10  1 10  2 7	2,167 244 3 1 26 114 3 99 26 1 1 1 1 1 9	4,844 381 8 8 12,56 61 134 47 7 11 21 11 11 11	5,674 266 3 17 23 39 54 2 9	5,262 165 10 2 1 11 88 26 1 2 17	4,947 90 5 1 1 132 5 2 1 132 5 17 61  30 2 2 1 11 2	4,226  8  7 11 4 229  6 36 36	2,751 18 8 2 1 2 334 9 58 13 1 1 2 1 1 2 3 3 1 2 3 3 4	896 3 3 2 249 7 41 244 6	116 	1	1
2 3 4 4 5 6 7 8 9 9 10 112 133 144 15 16 177 183 22 23 24 255 22 27	I.—General diseases. Typhoid fever. Typhus fever. Relapsing fever. Malaria. Smallpox.  Measles Scarlet fever. Whooping cough. Dipheheria and croup. Influenza. Miliary fever. Asiatic cholera. Cholera nostras. Dysentery. Plague.  Yellow fever. Leprosy. Erysipelas. Other epidemic diseases. Purulent infection and septicemia. Glanders. Anthrax. Rabies. Tetanus. Mycoses. Pellagra. Beriberi.  Tuberculosis (total). Tuberculosis (total). Tuberculosis of the lungs. Acute miliary tuberculosis. Tuberculosis. Pott's disease. White swellings.	38,541 1,320 62 5 989 1,181 791 1,960 1,354 267 228 5 1 13 116 42 1 1 16,655 13,880 1,196 424 147 1963 1,196	2,383 7 6 1 241 51 438 204 85 55 51 190 5 42 26 463 91 30 268 47 8 2 114	1,690 10 6 365 141 194 431 25 14 13 7 8 8 2 2 2 385 54 421 276 20 5	1,088 7 11 145 195 74 313 11 1 5 6 6 5 2 2 1 1 2 31 44 40 143 188 4 4 198 198 198 198 198 198 198 198	1,515 714 12 1 655 1500 32 2 2500 10 5 5 2 1	1, 038 502 111 22 1 37 121 32 182 5 1 4 2 2 1 2 2 1 2 2 1 3 2 1 3 2 1	2,939 1,329 52 4 55 325 23 389 10  1 10  2 7	2,167 244 3 1 26 114 3 99 26 1 1 1 1 1 9	4,844 381 8 8 12,56 61 134 47 7 121 11 122 22 11 11	5,674 266 3 17 23 39 54 2 9	5,262 165 10 2 1 11 88 26 17 1 2,860 2,633 85 33 34 15 9	4,947 90 5 1 1 132 5 17 61 1,682 1,560 12 2 1,562 1	4,226 54 8 8 7 1 1 4 229 6 36 36 41 20 1 6 878 793 14 3 28 11 6 12	2,751 18 8 2 334 9 58 36 13 1 2 1 1 386 339 9 21 1 3 11	896 3 3 2 1 249 7 41 47 41 1	116 48 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	1 i	1
2 3 4 5 6 7 8 9 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 24 25 26	I.—General diseases Typhoid fever Typhus fever Relapsing fever Relapsing fever Malaria Smallpox Measles Scarlet fever Whooping cough Diphicheria and croup Influenza Miliary fever Asiatic cholera Cholera nostras Dysentery Plague Yellow fever Leprosy Erysipelas Other epidemic diseases Purulent infection and septicemia Glanders Anthrax Rabies Tetanus Mycoses Pellagra Beriberi Tuberculosis (total) Tuberculosis (total) Tuberculosis of the lungs Acute miliary tuberculosis Tuberculosis of the lungs Acute miliary tuberculosis Tuberculosis of the lungs Acute miliary tuberculosis Abdominal tuberculosis Poti's disease	38,541 1,320 62 5 989 1,181 1,960 1,354 267 21 228 5 1 13 144 267 21 13,880 116,655 13,880 116,643 1,196 424 177 79 172 183 184 185 185 185 185 185 185 185 185	2,383 7 6 1 241 51 438 204 85 51 190 5 42 26	1,690 10 6 365 141 194 431 25 -1 14 13 7 8	1,088 7 11 145 195 74 313 11 1 5 6 6 5 2 2 1 1 2 31 44 40 143 188 4 4 198 198 198 198 198 198 198 198	1,515 714 12 1 65 1500 2 250 10 5 2 2 1 1 1466 28 8 8 8 8 8 8 8 8 8 8 8 8	1, 038	2,939 1,329 52 4 55 325 23 389 10  1 10  2 7	2,167 244 3 1 26 114 3 99 26 1 1 1 1 1 9	4,844 381 8 8 12,56 61 134 47 7 121 11 122 22 11 11	5,674 266 3 3 39 54 2 9 9	5,262 165 10 2 1 11 88 26 1 2 17	4,947 90 5 1 1 132 5 17 61 30 2	4,226  8  7 11 4 229  6 36 36  41  20  878 793 14 3 28 11	2,751 18 8 2 12 334 9 58 13 1 1 386 339 9 21 13	896 3 3 2 249 7 41 24 6 6	116 	1	1

Table 6.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA, ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE OF DECEDENT: 1911—Continued.

. it									DE.	ATHS A	T AGE	or—		=					
Detailed Int. List No.	CAUSE OF DEATH.	All deaths.	Under 1 year.	, .	2 years	8 years	4 years	5 to 9 years.	19	20 to 29 years	30 to 39 years	49	59	69	70 to 79 years.	80 to 89 years	90 to 99 years.	100 years and over.	Deaths at un- known age.
					NE	W Y	ORK-	-Conti	aued.	<del>'</del>	. <del>.</del>		•	<del>-1</del> -		<u>'                                     </u>			<u> </u>
39 40 41 42	I.—General diseases—Continued.  Cancer and other malignant tumors (total).  Of the buccal cavity.  Of the stomach, liver.  Of the peritoneum, intestines, rectum of the female genital organs.	8,091 301 3,117 1,188 1,206	7	5	4		. 1	11	40 1 1 10 2 1	135 1 22 32 18 7 5	550 11 136 80 139 75	1,347 42 458 159	2,052 69 852 298 345	2,082 81 897 318	1,399 64 597 242	403 30 142 40	44 2 6 6 2		1 1
41 42 43 44 45	Of the breast. Of the skin. Of other organs or of organs not specified.	1,240	5		3			2 8	1 2 23	7 5 50	75 5 104	305 179 11 193	191 34 263	254 191 54 287	110 113 58 215	31 49 44 67	8 10 10		
46 47 48 49 50	Other tumors (tumors of the female genital organs excepted). Acute articular rheumatism. Chronic rheumatism and gout. Scurvy. Diabetes.	64 603 119 11 1,784	9 3 8 4	5 2	1 9 3	2 7 1	8	78 2	1 111 3 	5 59 6 74	52 6 1 102	9 72 4 	12 59 17 	8 69 29 537	11 51 36 290	3 18 14 59	1 2 1 5		
51 52 53 54 55	Exophthalmic goiter Addison's disease Leukemia. Anemia, chlorosis Other general diseases.	119 51 189 436 157	5 27 67	5 15 6	1 5 5	4 2 2	1 1 4	8 2 8	6 1 25 14 13	18 5 27 24 5	29 11 26 53 14	22 14 26 62 3	25 12 26 87 12	12 7 24 90 6	7 1 11 43 5	9 4	2 3		
56 57 58 59	Alcoholism (acute or chronic)	532 24 5 37						1		40 1 5	164 7 4	168 7 1 11	105 5 1 9	40 4 2 3	13 1 4	1 1			
	II.—Diseases of the nervous system and of the organs of special sense	13, 194	996	288	147	88	66	182	237	325	677	1, 161	1,900	2,696	2,855	1, 424	149	2	1
60 61	Encephalitis Meningitis (total) Simple meningitis. Cerebrospinal meningitis (undefined) Cerebrospinal fever.	72 1,025 588 386 51	8 289 181 99 9	1 144 81 58 5	1 83 47 30 6	1 48 19 24 5	33 14 17 2	1 103 47 54 2	6 80 31 42 7	10 62 36 19 7	8 53 29 22 2	11 43 31 10 2	6 32 21 8 3	8 32 29 2 1	6 19 18 1	1 3 3	1 1		
62 63 64	Locomotor ataxia. Other diseases of the spinal cord (total) Acute anterior poliomyelitis Other diseases of the spinal cord \( \). Cerebral hemorrhage, apoplexy	265 619 166 453 7,940	33 26 7 68	38 30 8 7	21 20 1 1	21 19 2 2 2	12 11 1 1	30 25 5 3	26 15 11 18	1 27 9 18 56	19 36 36 220	58 59 2 57 590	73 83 3 80 1,308	76 122 6 116 2,101	35 95 95 2,298	16 16 16 1, 151	113	2	i
65 66 67 68	Softening of the brain.  Paralysis without specified cause.  General paralysis of the insane Other forms of mental alienation.	127 630 812 142	4	2				3	2 2 2 3	1 3 23 23	2 13 153 23	2 21 217 27	11 69 191 34	24 133 96 19	53 201 80 12	28 161 41 1	6 18 9		
69 70 71 72	Epilepsy. Convulsions (nonpuerperal). Convulsions of infants. Chorea.	371 6 597 11	13 510	3 59 1	22	4	2 	16 2	49 1 6	70 2	75 1	53 1	33	22	22 1 1	8	1		
73 74 75 76	Neuralgia and neuritis. Other diseases of the nervous system Diseases of the eyes and their annexa Diseases of the ears	81 305 5 186	1 26 2 42	14	5 1 11	6	1 6 3	11	1 27 15	24 20	15 47 12	13 51 	12 33 15	17 35 1 10	13 13 1 5	4 7 1			
77	System	20,838	236	43	31	24	32	235	556	701	1, 189	1,977	2,913	4,693	5,089	2,769	341	8	1
78 79 80 81	Acute endocarditis Organic diseases of the heart Angina pectoris Diseases of the arteries, atheroma, ancurism, etc.	1,044 15,533 743 2,891	57 102 5	10 17	12 15	8 15	10 19	39 188	9 87 449 1	109 527 10	150 920 22 42	1, 499 75	280 2,149 164 236	28 3,745 219 595	3,811 181 976	1,860 67 794	1 211 4 118	5	i
- 1	Embolism and thrombosis Diseases of the veins (varices, hemorrhoids, phlebitis, etc.) Diseases of the lymphatic system (lymphangitis, etc.). Hemorrhage; other diseases of the circu-	352 68 68	5 1 41	3	2	1	1	1 2 2	2	29 6	32 9 3	42 17 1	60 7 1	69 7 3	67 16	32 2 1	6		
	latory system	44	24	1		•••••		1	2	1	_1		4	4	6				
87 88 89	system	20,057 11 97 30 1,377 764	4,835 2 30 3 832 6	1 9 153 5	5 5 52	8 19 3	164 2 10	366 9 1 14 6	428 1 3 8 3	2 4 5 6 12	7 1 10 16	1,604 7 9 10 34	1 2 5 26 86	2, 103 6 4 50 123	2,055 1 3 2 75 237	2 85 186	195 25 40	8 2 4	1
92	Bronchopneumonia. Pneumonia (total). Lobar pneumonia. Pneumonia (undefined). Pleurisy	9,950 7,234 2,716 460	2,809 1,054 625 429 36	1,243 600 434 166 49	373 247 180 67 15	161 145 104 41 9	69 76 59 17 5	145 170 115 55 15	66 317 242 75 20	514 114 40	114 1, 142 946 196 45	175 1,246 1,015 231 55	242 1,271 1,016 255 60	1,334 984 350 54	470 1,098 700 398 40	286 554 269 285 17	42 66 29 37	2 2	·····

<sup>&</sup>lt;sup>1</sup> Exclusive of acute anterior poliomyelitis (infantile paralysis).

TABLE 6.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA, ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE OF DECEDENT: 1911—Continued.

j.			1						DEA	THS A	r age	of—					,		
Detailed int. List No.	CAUSE OF DEATH.	All deaths.	Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	19	29	39	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 years and over.	Deaths at un- known age.
			, ,		NEV	v <b>Y</b> O	RK-	Contin	ued.		<u>'</u>	······································			<u>'</u>	•	,		
	IV.—Diseases of the respiratory system—Continued.						:												
94 95 96 97 98	Pulmonary congestion, pulmonary apoplexy. Gangrene of the lung. Asthma. Pulmonary emphysema. Other diseases of the respiratory system (tuberculosis excepted).	318 31 159 28 113	44 1 2 14	5 2 1 4	1 1 2	1 1	2	1 2 3	5 1 1 3	. 10 5 4 1	8 5 6 2 11	13 5 20 3	14 5 41 1 22	36 7 30 9	83 31 7 8	78 1 17 1	20		
	V.—Diseases of the digestive system	15,754	7,179	1, 145	274	119	82	229	357	565	807	1,115	1, 174	1,137	1,025	482	62	2	
99 100 101 102 103	Diseases of the mouth and annexa. Diseases of the pharynx. Diseases of the esophagus. Ulcer of the stomach. Other diseases of the stomach (cancer excepted).	940	26 28 1 2 267	5 8 1 2 16	3 8 2 1	6	1 4 1 2	13 1 1 14	2 10 9 9	11 46 22	2 9 2 62 37	2 6 6 89 65	1 9 3 60 70	1 6 2 56 111	6 4 37 160	2 2 	1 20	1	
104 105 106 107 108	Diarrhea and enteritis (under 2 years) Diarrhea and enteritis (2 years and over). Ankylostomiasis Intestinal parasites Appendicitis and typhlitis	1,113	6,591	1,080  4	215 9	86 9	46 1 19	57 92	24 1 226	58 	67 181	87 142	97 98	141 70	255 30	137 7	24	1	
109	Hernia, intestinal obstruction (total) Hernia. Intestinal obstruction. Other diseases of the intestines	1, 184 458 726 229	171 25 146 45	16 3 13 6	15 15 2	3 1 2	3 3 1	25 25 3	27 3 24 3	70 16 54 11	82 30 52 28	141 70 71 21	169 99 70 31	211 102 109 25	170 78 92 33	75 29 46 17	6 2 4 3		
111 112 113 114	Acute yellow atrophy of the liver. Hydatid tumor of the liver. Cirrhosis of the liver. Biliary calculi	34 . 6 1,689 248	2 2		1	i		3	8 1	7 1 38 7	7 2 205 28	391 47	5 1 447 65	8 343 55	1 -2 197 35	1 49 9	5 1		
115 116 117 118	Other diseases of the liver. Diseases of the spleen. Simple peritoritis (nonpuerperal). Other diseases of the digestive system (cancer and tuberculosis excepted)	392 22 278 78	15 1 19 2	1 1 4	3 5	7	3	19 19	13 1 20 3	26 2 40 7	31 2 46 16	68 3 23 22	74 3 29 12	75 7 17 9	57 1 32 5	26 1 13	1		
	VI.—Nonvenereal diseases of the genito-urinary system and annexa	13,863	169	53	30	21	15	87	207	707	1,288	1,992	2,497	2,943	2,627	1,079	142	5	1
119 120 121 122 123	Acute nephritis. Bright's disease. Chyluria. Other diseases of the kidneys and annexa. Calculi of the urinary passages.	1,231 11,144 212 62	90 53 16	32 13 7	16 13	13 8	9 5	45 39 3	50 130 5 2	147 407 17 1	187 864 27 5	177 1,582 35 10	187 2, 159 27 18	2,618 33 10	95 2,252 25 16	40 883 13	6 112 4	5	1
124 125	Diseases of the bladder	214	4		1		1		1	4	4	7	9	34	74	66	9	ļ	
126 127	etc. Diseases of the prostate. Nonvenereal diseases of the male genital organs.	46 302 10	2						i	3 2 1	5 1 2	10 3 2 4	8 16 2 1	10 74 1	, 129	66	ii		
128 129 130 131 132	Uterine hemorrhage (nonpuerperal) Uterine tumor (noncancerous) Other diseases of the uterus Cysts and other tumors of the ovary Salpingitis and other diseases of the female genital organs Nonpuerperal diseases of the breast (can-	10 197 98 100 230	4	1.					6 3 9	10 19 15 76	43 35 19 95	76 23 20 43	39 9 16 6	14 4 7	9 2 15 1	5			-
	vii.—The puerperal state	1,405	*						79	660	564	101	1						
134 135 136 137	Accidents of pregnancy Puerperal hemorrhage Other accidents of labor Puerperal septicemia	141 132 144 622							3 2 3 42	60 44 57 330	71 72 68 213	7 14 15 37	i						
138 139 140 141	Puerperal albuminuria and convulsions. Puerperal phlegmasia alba dolens, embo- lus, sudden death Following childbirth (not otherwise de- fined). Puerperal diseases of the breast.	314 50 1							27 1	151 18	116 23 1	20 8							
	VIII.—Diseases of the skin and of the cellular tissue	450	84	9	8	7	1	2	3	17	19	26	43	59.	. 89 70	69	12	2	
142 143 144 145		89	13 33 32	1 3 2 3	3 2 2 1	1 1 3 2	1	1	1 2	5 7 3	5 6 5 3	6 4 10 6	19 13 6 5	42 4 7 6	2 8	55 4 10	12	2	

Table 6.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA, ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE OF DECEDENT: 1911—Continued.

nt.									DEA	ATHS A	T AGE	or—			<del></del>		·		
Detailed Int. List No.	CAUSE OF DEATH.	All deaths.	Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	19	20 to 29 years.	30 to 39 years.	49	50 to 59 years.	60 to 69 years.	70 to 79 years.	89	90 to 99 years.	100 years and over.	Deaths at un- known age.
	•				NEV	V YO	RK-	-Conti	nued.										
	IX.—Diseases of the bones and of the organs of locomotion	332	40	17	12	7	5	33	47	34	33	41	25	15	13	8	2		
146	Diseases of the bones (tuberculosis excepted)	299	38	16	10	7	5	32	47	32	31	37	22	12	6	4			
147 148	Diseases of the joints (tuberculosis and rheumatism excepted)	26	2	1	2	ļ		1		2	2	4	2	1	4	3	2		
149	Amputations Other diseases of the organs of locomotion	7											1	2	3	1			
	X.—Malformations	1,372	1,274	43	12	9	2	12	10	5	1	2		2					
150	Congenital malformations (stillbirths not included) (total)	1,372 135	1,274 100	43 16	12 5	9	2 1	12 6	10	5 1	1	2		2					
	heartOther congenital malformations	803 434	765 409	16 11	3	2 4	1	5 1	3 4	4	····i	2		2					
151	XI.—Early infancy	7,942	7,942										<u></u>						
101	Congenital debility, icterus, and selerema (total)	6,352 3,770 2,582	6,352 3,770									}							
152	"marasmus," etc Other causes peculiar to early infancy (total) Injuries at birth	1,569 870	1,569 870									ļ		ļ					
153	Other causes peculiar to early infancy 1	699 21	699 21									ļ							
	XII.—Old age	1,627									1		4	64	423	833	286	16	
154	SenilityXIII.—External causes	1,627	245	197	208	178	169	460	795	1,601	1,674	1,546	1,176	64 828	423 602	833	286 72	16 2	` 5
155 156 157 158 159 160 161 162 163	Suicide (total).  By poison. By asphyxia. By hanging or strangulation. By drowning. By firearms. By cutting or piercing instruments. By gruping from high places. By crushing. Other suicides.	69 386							59 22 11 5 3 13 1 2 2	278 84 57 27 11 71 15 11 2	347 91 65 37 14 96 21 17 4	317 69 84 42 13 72 24 11	287 57 66 46 19 75 16 3 2	167 40 36 34 6 39 8 2	67 7 8 26 3 16 6	15 1 1 3 3 4 3 3			
164 165 166 167	Accidental or undefined (total)	8,068 63 202 230 715	207 2 11 2 22	196 2 27 1 80	204 6 20 3 91	177 2 10 1 85	166 3 5 4 66	456 7 5 6 73	686 4 5 74 28	1,159 9 30 67 43	1,206 13 22 21 63	1,162 8 27 17 48	856 2 19 12 42	654 2 11 9 38	530 3 9 8 31	332 1 4 4	72	2	3 1
168 169 170 171	Absorption of deleterious gases (con- flagration excepted). Accidental drowning Traumatism by firearms Traumatism by cutting or piercing	426 1,042 79	45 3	2 7 2	2 14 3	1 9	1 14 1	5 89 7	34 165 33	57 214 13	62 189 8	75 160 7	49 109 2	42 47 3	32 17	17 4	2		i
172	instruments Traumatism by fall	1,849	19	2 35	34	34	21	76	68	148	221	2 232	201	211	250	236	61	2	
173 174	Traumatism in mines and quarries (total). Traumatism in mines. Traumatism in quarries. Traumatism by machines.	17 10 7 171			i		1	3	1 1 23	6 2 4 48	6 5 1 39	3 2 1 30	1 1 15	9	2				
175	Traumatism by other crushing (total).  Railroad accidents and injuries. Street-car accidents and injuries. Automobile accidents and in-	2,128 1,026 293	3	15 6 4	24 3 4	31 2 3	43 2 7	162 21 23	200 94 27	390 250 43	387 238 48	341 175 46	244 115 37	180 72 31	84 37 15	22 11 4	2 1		, 
	juries. Injuries by other vehicles. Landslide, other crushing.	282 459 68	3	5	3 14	3 23	1 33	54 63 1	44 33 2	32 47 18	34 51 16	40 63 17	36 46 10	23 51 3	9 22 1	3 4 	i		
176 177 178 179	Injuries by animals. Starvation. Excessive cold. Effects of heat.	50 7 14 588	5 69	14	4		1	2 3	4	5 1 17	9 1 79	7 4 120	13 2 4 89	2 1 79	5 2 69	2 1 34			
180 181 185 186	Lightning Electricity (lightning excepted) Fractures (cause not specified) Other external violence	31 84 57 302	26	9	2	4	5	2 16	8 13 2 18	7 35 9 58	2 18 11 52	4 9 11 57	4 6 9 31	1 1 5 13	3 6 9	1 4 2			1
182 183 184	Homicide (total) By firearms. By cutting or piercing instruments By other means	500 258 91 151	38 2 36	1 1	4 1 3	1	3 1 2	4 1 3 at birt!	50 30 7 13	164 99 39 26	121 69 28 24	67 40 12 15	33 12 1 20	7 3 4	5 1 1 3				2 1 1

Table 6.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA, ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE OF DECEDENT: 1911—Continued.

nt.									DEA	THS A	T AGE	or—							
Detailed Int. List No.	CAUSE OF DEATH.	All deaths.	Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	39	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	99	100 years and over.	Deaths at un- known age.
	ı				NEV	v yo	RK-	Contin	ued.										
	XIV.—Ill-defined diseases	174	24	66	12	1	•	4	2	4	5	11	6	18	10	10	1	• • • • • •	
187 188 189	Ill-defined organic disease Sudden death Not specified or ill-defined (total) Ill-defined Not specified or unknown	9 6 159 149 10	1 23 18 5	66 66	12 12	1 1		4 4	2 1 1	4 2 2	5 5	1 10 9 1	2 4 4	1 2 15 14 1	1 1 8 8	4 1 5 5	1		
'	-	<del>'</del> '	<u>'</u> -	NOR	TH	CAR	OLIN	[A]	тот	AL).	·	<u>'</u>	•	·	<del> </del>	•			
	All causes	6, 859	1,313	522	186	91	58	165	398	803	659	552	613	642	535	223	56	11	32
	I.—General diseases	2,377	198	141	94	47	32	77	228	451	341	232	191	180	111	31	6	2	15
1 2 3 4 5	Typhoid fever Typhus fever Relapsing fever Malaria Smallpox	262 87	3 12	7	9	9 5	32	24	52 6	72  1 <u>1</u>	38	20	10 7 1	10	<sub>7</sub>	4 1			3
5 6 7 8	Measles Scarlet fever	58 8	10 1 61	13 2 52	11	4 1 11	4	4 3 5 7	6	1 3 1 2	,1 	1	1	1		1			
9 10 11	Whooping cough Diphtheria and croup Influenza Miliary fever	91	4 6	9 3	9	4 2	3	7	4	6	7	1 6	2 13	14	18	6	3	i	i
12 13 14 15	Asiatic cholera Cholera nostras Dysentery Piague		1 22	17	8	3	2	1		2	\ \ \	1	i	12	1 12	7	3	1	2
16 17 18 19	Yellow fever. Leprosy. Erysipelas Other epidemic diseases.	io	3 1						2		i		2	2				•••••	
20 21 22 23	Purulent infection and septicemia	1				1	1	3	1	2 1	1	3	1	1	2				1
24 25 26 27	Tetanus. Mycoses. Pellagra Beriberi	34 	25 1	3	i			3	1 6	2 28	1 40	2 31	1 26	22	13	2			i
28 29 30 31 32 33 34	Tuberculosis (total) Tuberculosis of the lungs. Accute miliary tuberculosis Tuberculous meningitis. Abdominal tuberculosis. Poti's disease. White swellings. Tuberculosis of other organs Disseminated tuberculosis.	48 7	29 17 3 5 2 1	22 14 7	13 10 1 2	4 2 1 1	6 3 2 1	16 10 3 1 2	137 116 6 4 4 3	294 266 13 2 9	202 183 3 3 8 3 1	108 96 2 1 6	56 48 1 1 5	45 37 6	20 17 2	4 4			5 5
36 37 38	Rickets. Syphilis. Gonococcus infection.	47	12 3	2 2	1 5		i	1	i	 11 1	7	4	2	2					
39 40 41 42 43 44 45	Cancer and other malignant tumors (total). Of the buccal cavity. Of the stomach, liver. Of the peritoneum, intestines, rectum. Of the female genital organs. Of the beast. Of the skin. Of other organs or of organs not spec	58 21 51 23 6				1		1	3	5 2 2 1	19 3 2 10	43 2 6 2 20 9	54 3 20 7 8 7 2	44 4 14 3 8 5	27 2 7 5 4 2 2	i 1			
46 47 48 49 50	cified  Other tumors (tumors of the female genital organs excepted). Acute articular rheumatism. Chronic rheumatism and gout. Scurvy. Diabetes.	5 29 1				1		1	6	2	1 5 2	1	7 1 6	6 1	3 3 3	2			`,
51 52 53 54 55	Exophthalmic goiter. Addison's disease Leukemia. Anemia chlorosis. Other general diseases.	2 2 9 13	1 3	1 1	2	1		1	1	1 1 1 1	1 1 3 1	12	i	2	1				
56 57 58 59	Alcoholism (acute or chronic) Chronic lead poisoning Other chronic occupation poisonings Other chronic poisonings					ties ha	ing a	popula	tion of	1,000 c	or over		1 1 	1 1					1

Table 6.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA, ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE OF DECEDENT: 1911—Continued.

it.									DEA	THS A	T AGE	OF-						•	
Detailed Int. List No.	CAUSE OF DEATH.	All deaths.	Under 1 year.		2 years.	g years.	4 years.	5 to 9 years.	19	29	30 to 39 years.	40 to 49 years.	59	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 years and over.	Deaths at un- known age.
			NOF	TH	CAR	OLI	7A1, (	тот	<b>AL</b> )—	-Conti	nued.								
	II.—Diseases of the nervous sys- tem and of the organs of special sense	570	51	20	7	7	3	15	22 .	- 20	33	44	99	102	100	38	7	1	1
60 61	Encephalitis Meningitis (total) Simple meningitis. Cerebrospinal meningitis (undefined) Cerebrospinal fever.	7 73 36 29 8	26 8 13 5	14 8 3 3	4 3 1	4 3 1	1 1	2 7 4 3	2 6 2 4	1 6 4 2	1 1 1	2 1 1	2 2		1				
62 63 64	Locomotor ataxia. Other diseases of the spinal cord (total) Acute anterior poliomyelitis Other diseases of the spinal cord <sup>2</sup> Cerebral hemorrhage, apoplexy	6 31 15 16 257	5 5 5	3 3		2 2	i 1 i	3 2 1	1 1 5	5	2 2 2 10	1 1 1 23	1 4 4 59	1 2 2 68	4 61	3 3 18	2	1	i
65 66 67 68	Softening of the brain.  Paralysis without specified cause.  General paralysis of the insane Other forms of mental alienation.	10 92 17 14		i					1	1	1 3 2 2	2 7 1	3 17 4 4	2 20 4 2	1 25 6 2	17	1 1 2		
69 70 71 72	Epilepsy Convulsions (nonpuerperal) Convulsions of infants Chorea	14 4 15	13		1	1		1	3 1	2 1	5	2	1	1					
73 74 75 76	Neuralgia and neuritis. Other diseases of the nervous system. Diseases of the eyes and their annexa. Diseases of the ears.	2 20 8	3	2	i i			i	2 1	1 2	1 3	4 1	3	2			i		
	III.—Diseases of the circulatory system	_610	11	3	1	1		6	14	29	51	74	117	127	112	45	15	2	2:
77 78 79 80 81	Pericarditis. Acute endocarditis. Organic diseases of the heart Angina pectoris. Diseases of the arteries, atheroma, aneurism, etc.	5 12 509 20 47	1 9 1	1 1	i	i		1 2 1 1	1 13	2 25 1	4 40 1	2 65 2	1 100 7 6	109 3	89 5	38 6	13	2	2
82 83 84	Embolism and thrombosis.  Diseases of the veins (varices, hemorrhoids, phlebitis, etc.)  Diseases of the lymphatic system (lymphanicis etc.)	12 1 1		1 1		 				1	2	3 1	1	1	1	1	1		
85	phangitis, etc.).  Hemorrhage, other diseases of the circulatory system.  IV.—Diseases of the respiratory system.	3 692	151	70	21	22	10	1 24	32	77	1 54	50	1 54	58	37	24	5	1	2.
86 87 88 89 90	Diseases of the nasal fossae.  Diseases of the larynx Diseases of the thyroid body Acute bronchitis Chronic bronchitis	3	3 2 16	1 12 1	4	3	i 1		i	11	1	3	1 5	5	5	4	1	1	
91 92 93	Bronchopneumonia. Pneumonia (total). Lobar pneumonia. Pneumonia (undefined). Pleurisy.	137 427 215 212 8	56 71 25 46	26 30 12 18	8 9 4 5	9 8 1 7	3 5 2 3	17 10 7	27 13 14 2	2 59 32 27 1	3 46 25 21 1	2 43 26 17	4 34 14 20	4 45 29 16	7 18 12 6	8 10 7 3 1	1 3 1 2		2 2:
94 95 96 97 98	Pulmonary congestion, pulmonary apo- plexy. Gangrene of the lung. Astima. Pulmonary emphysema. Other diseases of the respiratory system (tuberculosis excepted).	16 10 2 8	2			1		1 i	2	3	11	1	2 1	3	2	1			
	V.—Diseases of the digestive system	1,007	390	238	36	7	3	17	29	42	48	52	38	43	43	16 '	2	1	2:
99 100 101 102 103	Diseases of the mouth and annexa Diseases of the pharynx. Diseases of the esophagus. Ulcor of the stomach. Other diseases of the stomach (cancer ex-	5 9 6	2 1	2	1 1	i			1 1	i	2		2	1	i				
104 105 106 107	cepted).  Diarrhea and enteritis (under 2 years).  Diarrhea and enteritis (2 years and over).  Ankylostomiasis.  Intestinal parasites.	105 562 100 3	34 337	225	3 28	1 5	3	2 4 1	4 2 1	7 2	2 5	8	8 7 1	9	14	4 9	1	i	ľ
108	Appendicitis and typhlitis  Hernia, intestinal obstruction (total)  Hernia  Intestinal obstruction Other diseases of the intestines	62 40 15 25 16	6 2 4 9	2	2			6 2 2	17	16 3 1 2 1	12 6 1 5 1	8 4 2 2	2 5 3 2	1 5 2 3	5 3 2 2	1 1 1	1		
111 112 113 114	Acute yellow atrophy of the liver.  Hydatid tumor of the liver.  Cirrhosis of the liver.	2 31 8		1				i		3 1	1 2 2	. 1 8 1	5 1	6 2 oliomye	4 1	1			

 $<sup>{}^{\</sup>rm I}$  Including only municipalities having a population of 1,000 or over in 1900.

 $<sup>^{2}</sup>$  Exclusive of acute anterior poliomyelitis (infantile paralysis).

Table 6.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA, ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE OF DECEDENT: 1911—Continued.

•			<u>·</u>						T-7-	unte ;	T AGE	OF							
d Int. No.		All		1	1	I	<u>.                                    </u>	ı	DE2	I I	i AGE	<u> </u>	<u> </u>		1	I	-	i	Deaths at un-
Detailed Int. List No.	GAUSE OF DEATH.	deaths.	Under 1 year.	L	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	29	30 to 39 years.	49	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	years and over.	known age.
	;	·	NO	RTH	CAI	ROLI	NA1	(TOT	'A.L)-	-Conti	nued.	•			·	<u> </u>		•	
	V.—Diseases of the digestive system—Continued.																		
115 116 117 118	Other diseases of the liver. Diseases of the spleen. Simple peritonitis (nonpuerperal). Other diseases of the digestive system (cancer and tuberculosis excepted).	28 1 26	1		i			i	4	8	5 1 5	7 6 1	5 1	5	5				; 
	VI.—Nonvenereal diseases of the genito-urinary system and annexa	430	4	5	2		2	4	15	35	51	49	75	. 88	77	18	4		1
119 120 121	Acute nephritis Bright's disease Chyluria	34 310	1 3	2 3	2		1 1	3	3 11	5 18	4 28	3 35	6 61	5 69	3 58	1 13	4		i
122 123	Other diseases of the kidneys and an- nexa Calculi of the urinary passages	13 8						<u>i</u>	· · · i		2 2	1	1	6 3	3	1			
124 125	Diseases of the bladder Diseases of the urethra, urinary abscess, etc.	9								1	1 2	1	1	2	4				
126 127,	Diseases of the prostate. Nonvenereal diseases of the male genital organs. Uterine hemorrhage (nonpuerperal)	14											4		7	3			
128 129 130	Uterine tumor (noncancerous) Other diseases of the uterus	11 10								2 3	6 2	1 3	1 1	1 	1				
131 132 133	Cysts and other tumors of the ovary Salpingitis and other diseases of the fe- male genital organs. Nonpuerperal diseases of the breast (can-	3 14						•••••	•••••	6	4	3		1	1		•••••		<u>-</u>
	cer excepted)VII.—The puerperal state	96							14	53	22	5	1	•••••					1
134 135 136 137	Accidents of pregnancy Puerperal hemorrhage Other accidents of labor Puerperal septicemia.	13 5 14 32							1 1 2 2	7 3 8 20	3 3 10	· 1 1 1	1						
138 139	Puerperal albuminuria and convulsions. Puerperal phlegmasia alba dolens, embolus, sudden death.	31							8	15	6	1							1
140 141	Following childbirth (not otherwise defined).  Puerperal diseases of the breast							•••••	•••••										
	VIII.—Diseases of the skin and of the cellular tissue	. 12						1		1		4	1	3		2			
142 143 144 145	Gangrene. Furuncle Acute abscess Other diseases of the skin and annexa	7 2 2 1						1		i		2 1 1	1	3		1 1			
	IX.—Diseases of the bones and of the organs of locomotion	5							1	1		1		1	1				
146 147	Diseases of the bones (tuberculosis excepted)  Diseases of the joints (tuberculosis and	3							1			1		1					
148 149	rheumatism excepted) Amputations Other diseases of the organs of locomotion X.—Malformations	2								i					· · · · · · · · · · · · · · · · · · ·	 			
150	Congenital malformations (stillbirths not included) (total)	41 41 5	36	<u>4</u>				1											
	Hydrocephalus Congenital malformations of the heart. Other congenital malformations	5 19 17	5 16 15	2 2 2				1			•••••							•••••	
	XI.—Early infancy	335	335																
151	Congenital debility, icterus, and sele- rema (total). Premature birth Congenital debility, "atrophy,"	297 158	297 158		•••••														
152	"marasmus," etc. Other causes peculiar to early infancy (total). Injuries at birth.	139 36 17	139 36 17						•••••				i			1 1			
153	Other causes peculiar to early infancy 2.  Lack of care.	19 2	19 2															 	••••••
154	XII.—Old age	75 75												1	24	36 36	11	3	
	<sup>1</sup> Including only municip	-	ming o	าการเรือ	tion of	1 000 4	or ower	in 100	' ì			2 Tr	roluci:	ve of ini			11 1	٠.	

<sup>&</sup>lt;sup>1</sup> Including only municipalities having a population of 1,000 or over in 1900.

<sup>&</sup>lt;sup>2</sup> Exclusive of injuries at birth.

Table 6.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA, ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE OF DECEDENT: 1911—Continued.

. H	,								DE?	THS A	T AGE	or—							Deaths
Detailed int. List No.	CAUSE OF DEATH.	All deaths.	Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years	20 to 29 years.	39	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	99	100 years and over.	at un- known age.
			NO	RTH	CAI	ROLI	NA¹ (	тот	<b>AL</b> )-	-Conti	nued.								
	XIII.—External causes	364	22	17	14	7	6	14	43	8,4	51	24	25	24	16	8	2		
155 156	Suicide (total)	23								$\frac{4}{2}$	7 3	2	4	5 3					
157 I	By asphyxia  By hanging or strangulation						· · · · · ·							<u>-</u> -					
58 59 60	By drowning By firearms By contting or piercing instruments	3 7 1						•••••		i	3		2 1	1					
61 62	By cutting or piercing instruments. By jumping from high places. By crushing							•••••											
63	Other suicides	3								1		2							
64	Accidental or undefined (total)	280 6	21 1	16 1	14 1	7	6	14	32	54	35	17	18 1	17 1	14	8	2		
65 66	Other acute poisonings Conflagration Burns (conflagration excepted)	13 8	2	4	2 1	· · · · i	1	1 5	<sub>1</sub>	2		1 3		1					
67 68		43	4	6	8	2	3	5	3	2	3		4	1		2			
69	Absorption of deleterious gases (con- flagration excepted)	13 24	9	1	 		1	2		1 6	1 4	   <u>;</u> -	<u>.</u>				ļ		ļ
70 71	Traumatism by firearms	22		2		2	i	2	7 5	8	1	1	2						
172	instruments Traumatism by fall	<u>24</u>	<u>i</u> -		i						3	2		2	6	6	1		
.73	Traumatism in mines and quar-																		
	ries (total)													•••••					
174	Traumatism in quarries Traumatism by machines	10							2	3.	3		1						
75	Traumatism by other crushing (total)	66	1	1		1		4	9	19	14	1	3	6	2			ł	
	Railroad accidents and injuries. Street-car accidents and injuries.	45		i		î		i	6	17	11 2	1 1	1	3	ī				ĺ
	Automobile accidents and in- juries	5						3		2			_						
	Injuries by other vehicles Landslide, other crushing	6	1						1		····i	1	1	2					 
76	Injuries by animals	5							2	ļ	<b> </b>		1	1	1			ļ	
77 78 79	Starvation Excessive cold Effects of heat	2 6										i					i		
.80	Lightning.	4	1						1	1		3	1		3				
181 185	Fractures (cause not specified)	1 4							ī 1					i	2				
86	Other external violence	29	2	1	1					9	6	2	3	4					İ
182 183 184	Homicide (total)  By firearms	61 45	1	1					11 8 2	26 20	8	5 5	3 2	2	2				}
84	By cutting or piercing instruments By other means	9 7	i	1					1	3 3	1		i	1	2				
İ	XIV.—Ill-defined diseases	245	115	24	11		2	6		10	8	17	12	15	14	5	4	1	
187 188	Ill-defined organic disease Sudden death	9 7	2		1		<b>-</b>	1			1	<u>i</u> -		2 3 10	2	2			
L89	Not specified or ill-defined (total) Ill-defined	229	113 21	24 16	9		2	5 1 4		10	7 4 3	16 9 7	12 6	10 7 3	12 8 4	3 2 1	4	1	
	Not specified or unknown	144	92	8	5		2	4	••••	4	3	7	6	3	4	1	4	1	
				NOF	HTS	CAR	OLIN	( <b>A</b> 1	WHI	TE).									
	All causes	3, 519	656	260	73	46	22	75	162	348	347	275	328	397	360	141	16	. 1	1
	I.—General diseases	1,238	76	66	40	24	13	30	83	221	191	136	125	123	80	19	2	1	
1 2	Typhoid fever	163	2	3	5	3	2	10	25	53	28	17	4	8	1				
3 4 5	Relapsing fever	39	4	3	2	2	2	····i	i	4	4		4 1	3	6	2			
- 1	Smallpox	3								1						1			
6	Measles Scarlet fever Wheeping courb	35 7	5	9 2	7	1 1	3	2 2	3 ;-		1	1	1	······					
8 9 10	Whooping cough Diphtheria and croup Influenza	35 7 53 26 53	22 2 5	14 7 2	6	5 4	2	4 1	$\frac{1}{2}$	$\begin{vmatrix} 1 \\ \cdots \\ \frac{4}{4} \end{vmatrix}$	2	······ 2	1 9	7	13	3	2	1	
	Miliary fever																ļ	ļ <u>.</u>	
11 12 13	Asiatic cholera	2 57	1					···· <sub>1</sub>								ļ			
14 15	DystenteryPlague	57	12	13	4	3	1			1			1	8	8	5			
16 17	Yellow fever									ļ							<b> </b>		
1.4	Leprosy	7	i						2		····i		2	•••••					
18 19	ErysipelasOther epidemic diseases								-										

 $<sup>^{\</sup>rm 1}$  Including only municipalities having a population of 1,000 or over in 1900.

Table 6.—Deaths (exclusive of stillbirths) in the registration area, all registration states, and each registration state, from each cause and class of causes, by age of decedent: 1911—Continued.

NORTH CAROLINA  (WHTPH)	nt.								<del></del>	DEA	ATHS A	T AGE	of—							
T.   General diseases   Continued   Cont	Detailed Int. List No.	, CAUSE OF DEATH.		1	, I					19	29	89	49	59	69	79	89	99 -	years and	known
Part   Part				NOI	RTH	CAR	OLI	7 <b>A</b> ¹ (	WHI	TE)-	-Contin	ued.		<u> </u>	·		·	·		1
April		I.—General diseases—Continued.			ľ		Ì										İ			
April	20 21	Glanders	1					1	2		<sub>i</sub> .				1					
Tuberminist (interval)  Tuberminist (polish)	22 23	AnthraxRabies																	•••••	
20	24 25 26 27	Tetanus. Mycoses. Pellagra. Beriberi	113	2	3	····i			i	2	15			1 20	15	8	i			
Write reveilings			445 384 12	6			2	2	4 1 1	35	116	100	51	34 32	30 22	14 12	2 2			3
Write reveilings	30 31	Tuberculosis meningitis. Abdominal tuberculosis.	16 26		4	1	1 1	1 1	Ĩ	1 2		ž	1 3	2	6	2				
Second companies   14   5   1   1   2   3   4   11   24   30   37   23   6	32 33									1		1								
Section   Sect	34 35	Tuberculosis of other organs	3												1					
Contain   District Section   Contain   Conta	37	RicketsSyphilis	1 14	3	1	1					3	4		2	1					
Of the stomach, invertises, rectum 177	39	(total) Of the buccal cavity	10							3	4		24 1	36 2	4.	23 2				
Of the breast.	41	Of the stomach, liver. Of the peritoneum, intestines, rectum	43 17							3	1 2	2. 1	4 1	13 5	13 3		1,		•••••	
Of other organs or of organs not specified.   1	42 43	Of the breast	14								1	6		5	6 2	2				
State   Stat	45	Of other organs or of organs not	1 :				1					2	3	_	9					
Diabetes		ital argans avoanted)	2		<b></b>			<b> </b>												
Diabetes	48	Chronic rheumatism and gout.	14							3	1	2		4*	3	1				
Addison's disease.   2	50	Diabetes	18						i		2	2		4	7	2				
Cerebrosphal melnigitis (undefined)   21   10   2   11   1   1   1   1   1   1   1	51 52	Exophthalmic goiter	2 2								1	1				<b></b>				
55   Other general diseases   10   3   1   1   1   1   2	54	Leukemia	$\begin{bmatrix} & \overline{1} \\ 7 \end{bmatrix}$	i		l					1									
Chronic lead poisonings   1	- 1		10	3	ī	1			1	1		ĩ	2			····				
Other chronic poisonings.   2	57	Chronic lead poisoning	6										4	i						1
and of the organs of special senses	58 59	Other chronic occupation poisonings	2										···i					•••••		
Sense		and of the organs of special																		
Simple menigitis (undefined   21   10   2   1   1   2   3   1   1   1   1   1   1   1   1   1		sense		35	16	4	7			14	9	. 14	25	51	64	70	22	2		
Simple menigitis (undefined   21   10   2   1   1   2   3   1   1   1   1   1   1   1   1   1	60 61	Encephalitis Menigrtis (total)	1 40 1	20	····ii	3	4		3		····i		i	····i		1				
Cerebrospinal lever		Simple menigitis Cerebrospinal meningitis (undefined)	21 21	10	2	2 1			1	1 3				1	1					
Softening of the brain	69			3	3											<i>-</i>		•••••		
Softening of the brain		Other diseases of the spinal cord (total).	23							ī	1			1 2	$\begin{vmatrix} 1\\2 \end{vmatrix}$	3	3			
Softening of the brain	64	Other diseases of the spinal cord 2	7 12		2		2		i											
Paralysis without specified cause   41		Softening of the broin	148	2						1	2	2					12		•••••	
Epilepsy	66 67	Paralysis without specified cause General paralysis of the insane	41 16								1	2	1	9	8 4	14	7	1		
Convisions of infants	68		ğ							1	1					<b> </b>		1		
Convisions of infants	70	Epilepsy	1 1								1	4	2							
74 Other diseases of the nervous system 15 2 1 1 2 1 1 3 3 2	71	Convulsions of infants		5			i													
TII.—Diseases of the circulatory   System	74 75	Other diseases of the nervous system Diseases of the eyes and their annexa			2	1	::7.:			2	1 1	1	3		2					
77 Pericarditis. 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2	76	III.—Diseases of the circulatory					•													
78 Acute endocarditis. 8 1 1 1 1 1 1 2 1 2 7 7 7 9 Organic diseases of the heart 233 8 1 1 5 4 14 21 40 54 57 25 3 1	,,,			10	3		1		3	6	5	19	26	48		74	32	3		1
	78 79 80	Acute endocarditis Organic diseases of the heart Angina pectoris	233	8	1		1		1 	1 5			2 21		1 54		.25	3		i

 $<sup>^{1}\</sup>mathrm{Including}$  only municipalities having a population of 1,000 or over in 1900.

<sup>&</sup>lt;sup>2</sup> Exclusive of acute anterior poliomyelitis (infantile paralysis).

Table 6.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA, ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE OF DECEDENT: 1911—Continued.

nt.									DEA	ATHS A	T AGE	of—					-		
Detailed Int. List No.	CAUSE OF DEATH.	All deaths.	Under 1 year.	L	2 years.	3 years.	4 years.	5 to 9 years.	19	29	30 to 39 years.	49	59	60 to 69 years.	70 to 79 years.	89	90 to 99 years.	100 years and over.	Deaths at un- known age.
			NOI	RTH.	CAR	OLI	₹ <b>A</b> ¹ (	WHI'	TE)	Contin	ued.								
	III.—Diseases of the circulatory system—Continued.														·				
82 83	Embolism and thrombosis.  Diseases of the veins (varices, hemorphoids phlobitis ata)	10		1						1	2	3		1	1	1			
84 85	rhoids, phlebitis, etc.). Diseases of the lymphatic system (lymphangitis, etc.). Hemorrhage; other diseases of the circu-	1		1															
85	latory system	2	ļ			•••••		1			1			<b>-</b>		 			
86	system	265	50	23	3	8.	4	12	13	13	24	18	23	32	27	13	2		
86 87 88 89 90	Diseases of the larynx	1 4 7	12	1 <sub>2</sub>		1 1	1 1						i						
91	Acute bronchitis Chronic bronchitis Bronchopneumonia	55	20	9	 2	3	2				2	2	1 3 2	5 3	4 5	3	.1 1		
92	Pneumonia (total)	150 72 78	23 7 16	10 3 7	. 1	<u>3</u> 3		3 7 2 5	10 4 6	10 6 4	19 10 9	16 10 6	11 4 7	21 11 10	14 11 3	5 3 2			
93 94	Pleurisy Pulmonary congestion, pulmonary apo-	6		•••••					2		1				2				
95 96 97 98	plexy. Gangrene of the lung	11 3 2	2					1 ;	1	1	1	•••••	$egin{array}{c} 2 \ \dots \ 1 \ 1 \end{array}$	$\frac{1}{2}$	1				
98	Asthma. Pulmonary emphysema. Other diseases of the respiratory system (tuberculosis excepted).	6	1					1		2	1		1		1				
	V.—Diseases of the digestive system	580	216	133	15	3	1	10	19	22	28	28	20	34	36	13	1		]
99 100 101	Diseases of the mouth and annexa Diseases of the pharynx Diseases of the esophagus	2 6		1	1	1			1		2		i		·····i				
102 103	Ulcer of the stomach	4 50	16	4	1			1	1	1 2		2	1 3	1 5	1 12	3			
104 105	Diarrhea and enteritis (under 2 years) Diarrhea and enteritis (2 years and over). Ankylostomiasis.		189	128	12	2	<u>i</u>		i	<u>i</u>	3	5	<u>.</u>	12	9	7			
106 107 108	Ankylostomiasis Intestinal parasites Appendicitis and typhlitis	2 50						1	1 <u>13</u>	13	 11	4	<u>2</u>	1					
109	Intestinal parasites. Appendicitis and typhlitis. Hernia, intestinal obstruction (total) Hernia. Intestinal obstruction.	24   7 17	4		<u>1</u>			<u>2</u>		1 1	2 <sub>2</sub>	4 2 2		4 2 2	4 2 2	1	<u>1</u>		
110	Other diseases of the intestines  Acute yellow atrophy of the liver Hydatid tumor of the liver	8									1				1	1 			
112 113 114	Cirrhosis of the liver.  Biliary calculi.	17 8								1 1	1 2	3 1	4 1	4 2	3 1	1 1		<b>-</b> -	
115 116 117	Other diseases of the liver	18 1 11	1						2	2	1 1 2	4	3 1	5	4				
118	Simple peritonitis (nonpuerperal) Other diseases of the digestive system (cancer and tuberculosis excepted)	3									2	1							
	VI.—Nonvenereal diseases of the genito-urinary system and annexa.	224	3	1	1			2	5	18	28	19	39	52	46	9	1		
119 120	Acute nephritis Bright's disease	15 166	3	1	i			<u>i</u>	1 3	3 9	2 16	1 14	333	3 42	2 36	6	<u>1</u>		
121 122 123	Chyluria Other diseases of the kidneys and annexa. Calculi of the urinary passages	5 5						1	····i		1 2	1		3					
124 125	Diseases of the bladder Diseases of the urethra, urinary abscess, etc	6 2								1	1		1	1 1•	3	ļ			
126 127	Oiseases of the prostate.  Nonvenereal diseases of the male genital organs.	10											2	16	5	3			
128 129	Uterine hemorrhage (nonpuerperal)  Uterine tumor (noncancerous)	4								1	2	1							
130 131 132	Other diseases of the uterus	5 1								1	2	<u>2</u>		i					
133	female genital organs  Nonpuerperal diseases of the breast (cancer excepted).	5								3	2								
	VII.—The puerperal state				<u></u>				6	23	10	4	1		<u> </u>				
134 135 136	Accidents of pregnancy Puerperal hemorrhage. Other accidents of labor	7 3 7				····· ······			<u>1</u>	3 2 3 7	1 2	1 1							
137	Puerperal septicemia	10   ¹ Includ	ing only	muni	icipalit	ies ha	ving a	popula	tion o			 r in 190		1	l		.	`	1

Table 6.—Deaths (exclusive of stillbirths) in the registration area, all registration states, and each registration state, from each cause and class of causes, by age of decedent: 1911—Continued.

						<del></del>			DE	ATHS A	T AGE	of—							
Detailed Int. List No.	CAUSE OF DEATH.	All deaths.	Under 1 year.		2 years.	8 years.	4 years.	5 to 9 years.	10 to 19 years.	29	30 to 39 years.	49	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	99	100 years and over.	Deaths at un- known age.
<u> </u>		!	NOE	TH	CAR	OLI	NA!	(W)80	ŢE)-	-Conti	nued.	1	<u> </u>		<u> </u>	!	l	<u> </u>	
	VII.—The puerperal state—Con.	1.							İ										
138 139	Puerperal albuminuria and convulsions. Puerperal phlegmasia alba dolens, embo-	16						ļ	3	8	4	1			ļ				
140	lus, sudden death	1										1							
141	fined) Puerperal diseases of the breast					•••••													
	VIII.—Diseases of the skin and of the cellular tissue	5		<b></b>				1	<u> </u>	1		1		1		1			
142	GangreneFuruncle	3						1				1		1					
143 144 145	Acute abscess Other diseases of the skin and annexa	1 1								i						1			
130	IX.—Diseases of the bones and of the organs of locomotion																•••••		*******
	<del>-</del>	4							11	1		1		1	<u> </u>				
146 147	Diseases of the bones (tuberculosis excepted).  Diseases of the joints (tuberculosis and	3		ļ					1			1		1		ļ	•••••		
148	rheumatism excepted)																		
149	Amputations. Other diseases of the organs of locomotion.	1								1		•••••							
150	X.—Malformations	33	30	3															
100	not included) (total)	33	30 4	3															
	Congenital malformations of the heart. Other congenital malformations		15	1			 		ļ						ļ				
		13 185	11 185	2			•••••					•••••					•••••		•••••
151	XI.—Early infancy Congenital debility, icterus, and scle-	180	160		•••••														
	rema (total)	176 105	176 105																
	Congenital debility, "atrophy," "marasmus," etc. Other causes peculiar to early infancy	71	71				ļ								<u>.</u>				
152	(IOIAI)	9 5	9 5																
	Other causes peculiar to early infancy 2	4	4																
153	Lack of care			ļ						ļ					10	23			
154	XII.—Old age	40												1	12	23	4		
103	XIII.—External causes	183	15.	10	7	3	3	. 7	15	31	29	12	15	17	10	6	1		2
	Suicide (total)	21								3	7	1	4	5					1
155 156 157	By poison.  By asphyxia  By hanging or strangulation	9				 				2	3		1	3					
158 159 160	By hanging or strangulation By drowning By firearms	3 7								i	1 3		2	1 1					i
161	By cutting or piercing instruments By jumping from high places	1		<u> </u>							<u> </u>		1		] <u></u>				
162 163	By crushing Other suicides	1										1						•••••	
164	Accidental or undefined (total).*	146	15	10 1	7	3 1	3	7	14	23	18	9	9	11 1	9	.6			. 1
164 165 166 167	Poisoning by food. Other acute poisonings Conflagration Burns (conflagration excepted).	6 8 3	1 2	2	1 1					1 1		$\frac{1}{2}$		1					
}		21	3	3	3	1	2	1	2	2	1		2	,1				• • • • • •	
168 169	Absorption of deleterious gases (con- flagration excepted)	9 10	6	1 1			1	<u>i</u>	3	1 2	2		<u>ı</u>						••••••
170 171	Accidental drowning Traumatism by firearms. Traumatism by cutting or piercing	1		····				î		ļ	····-								
172	instruments Traumatism by fall.	22	····i		····i					····i	3	····2	•••••	·····2	5	6	1		
173	Traumatism in mines and quarries (total)																		
	Traumatism in mines Traumatism in quarries																		
174	Traumatism by machines	3				<u>-</u> -			2	1									
175	Traumatism by other crushing (total)	38 24	1	1		1		4	5 3	12 10	9' 7	1	1	2 1	1				
ļ	Street-car accidents and injuries. Automobile accidents and	5				ļ <u>.</u>			ı		í	1		i	ì				
	injuries	5 2	<u>i</u>					3	<u>-</u>	2			<u>-</u> 1						
ì	Landslide, other crushing  1 Including only municip			ากซนไล เ	tion of	1.000 c	r over	in 190		1	1 1.	ا۔۔۔۔۔ 2 <u>آ</u>	Exclusi	ive of in	juries a				• • • • • • • • • • • • • • • • • • • •

<sup>&</sup>lt;sup>1</sup> Including only municipalities having a population of 1,000 or over in 1900.

<sup>&</sup>lt;sup>2</sup> Exclusive of injuries at birth.

Table 6.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA, ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE OF DECEDENT: 1911—Continued.

<u>;</u>									DEA	THS A	T AGE	OF—						-	
Detailed Int. List No.	CAUSE OF DEATH.	All deaths.	Under 1 year.	L L	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	89	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	99	100 years and over.	Deaths at un- known age.
	,		NOI	RTH	CAF	OLI	NA1	(WE)	( <b>TE</b> )-	-Conti	nued.								
	XIII.—External causes—Contd.																		
176 177	Accidental or undefined—Continued. Injuries by animals	2					ļ			 			1	1	<u> </u>				 
177 178 179	Starvation. Excessive cold. Effects of heat.		i				[	[					·····i						
180	Lightning	3	ļ						1			2							
181 185 186	Electricity (lightning excepted) Fractures (cause not specified) Other external violence.	1 2 14		i					1	<u>2</u>	3	····i	<u>2</u>	3	2				1
	Homicide (total)	16		 					1	5	4	2 2	2 1	1	1				
182 183 184	By firearms  By cutting or piercing instruments.  By other means.	1 3							1	4 1	4	2			1				
[	XIV.—Ili-defined diseases	1	36	5	3	[	1	3		4	4	5	6	3	5	3			· · · · · · · · · · · · · · · · · · ·
187 188	Ill-defined organic disease Sudden death Not specified or ill-defined (total)	2 2	2					1								1			
189	Not specified or ill-defined (total) Ill-defined Not specified or unknown	74 34 40	34 8 26	5 4 1	3 2 1		1 1	$\frac{2}{2}$		3	4 2 2	5 3 2	6 4 2	3 3	5 4 1	1 1 1			
*****		·	N	ORT	TH C	ARO	LINA	<b>L</b> 1 (C	OLO	RED)	•	A. 11.							
	All causes	3,340	657	262	113	45	36	90	236	455	312	277	285	245	175	82	40	10	20
	I.—General diseases		122	75	54	23	19	47	145	230	150	96	66	57	31	12	4	1	7
1 2 3	Typhoid fever Typhus fever Relapsing fever	99	1	4	4	6	1	14	27	19	10	3	6	2	1				1
4 5	MalariaSmallpox	48 1	8	3	2	3		4	5	7	4	2	3	4	1	2			
6 7	MeaslesScarlet fever	23	5	4	4	2	1	2	3	2	ļ		ļ	ļ		ļ			٠
8 9 10	Whooping cough Diphtheria and croup Influenza	120 13 . 38	39 2 1	38 2 1	21 3	6	10 1	5 3	2	1 2	5	1 4	1 4	7	5	3	i		i
11 12	Miliary fever															ļ			ļ
13 14 15	Cholera nostras Dysentery Plague	1	10	4	4		i			i	1	i		4	1 4	2	3	i	fryker I
16 17	Yellow feverLeprosy																		
18 19	Erysipelas Other epidemic diseases	3 1	2 1											1					
20 21	Purulent infection and septicemiaGlanders.	11						1	1	2	1	3	1		1				1
22 23	Anthrax																		
24 25	Tetanus Mycoses	1	23	1				1	1	2		2				<u>-</u> -		<b>-</b>	
26 27	Pellagra Beriberi		11					2	4		17	7	6	7	5	1			1
28	Tuberculosis (total) Tuberculosis of the lungs Acute miliary tuberculosis Tuberculous meningitis Abdominal tuberculosis.	516 444 10	17 11 2	15 11	10 9	2 2	3	12 9 2	97 81 5	168 150 9	96 83	48 45	22 16 1	15 15	6 5	2 2			2 2
30 31	Tuberculous meningitis. Abdominal tuberculosis.	19 12 22	1 1	3	1		i	·i·	3 2	2 3	1 8	3	1 3						
28 29 30 31 32 33 34	Pott's disease White swellings Tuberculosis of other organs Disseminated tuberculosis		1	·····i					2 3		2		i		i				
35			i						1	2 2	i				<b>.</b>				
36 37 38	Rickets. Syphilis Gonococcus infection.	3 33 4	9	1 2 	1 4		ii	1	1	8 1	3	4		i		[ <i></i>	[		
	Cancer and other malignant tumors (total)	61	<b>  </b>				<u> </u>	1	1	1	8	19	18	7	4	2			
39 40 41	(total) Of the buccal cavity Of the stomach, liver Of the peritoneum, intestines, rectum	2 15 4		<b></b>					•••••	i	1 1	1 2 1	1 7 2	1	1	2	[		
39 40 41 42 43 44 45	Of the breast	9									4	10 4	2	3	2				
44 45	Of the skin Of other organs or of organs not speci- fied	8							1		1	1	2	1	1	·····		l	
,	<u></u>		ding onl	v mun	icipalit							•		-					<b></b>

Table 6.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA, ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE OF DECEDENT: 1911—Continued.

ıt.						<del></del>			DEA	THS A	T AGE	OF—							
Detailed Int. List No.	CAUSE OF DEATH.	All deaths.	Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	19	20 to 29 years.	80 to 39 years.	49	50 to 59 years.	60 to 69 years.	70 to 79 years.	89	90 to 99 years.	100 years and over.	Deaths: at un- known age.
			NORT	CHI C	ARO	LINA	, (С	ого	RED	—Con	tinued	•	·		·	·		<u>'</u>	
	I.—General diseases—Continued.																		
46 47 48 49 50	Other tumors (tumors of the female genital organs excepted). Acute articular rheumatism. Chronic rheumatism and gout. Scurry. Diabetes.	3 15 1							3	1 i	3	1	1 2	3 1 2	1 2				
51 52 53 54 55	Exophthalmic goiter. Addison's disease. Leukemia Anemia, chlorosis Other general diseases.	1 2				ī					1		1	1					
56 57 58 59	Alcoholism (acute or chronic) Chronic lead poisoning Other chronic occupation poisonings Other chronic poisonings.											1	1	1					
	II.—Diseases of the nervous sys- tem and of the organs of special sense.	230	16	4	3		3	8	8	11	19	19	48	38	30	16	5	1	1
60 61	Encephalitis Meningitis (total) Simple meningitis. Cerebrospinal meningitis (undefined) Cerebrospinal fever.	25 15 8	6 1 3 2	3 2 1	1 1		i i	4 3 1	2 1 1	1 5 4 1	1	1 1	1 1						
62 63 64	Locomotor ataxia Other diseases of the spinal cord (total). Acute anterior poliomyelitis. Other diseases of the spinal cord <sup>2</sup> . Cerebral hemorrhage, apoplexy	8 2 3 8 4 4 109	2	1 1			1 1 1	2 2	4	3	1 1 1 8	1	2 2 33	24	1 1 16	6	2	1	i
65 66 67 68	Softening of the brain. Paralysis without specified cause. General paralysis of the insane. Other forms of mental alienation.	1									1 3	6	1 8 1	12 1	11	10	1 1		
69 70 71 72	Epilepsy Convulsions (nonpuerperal) Convulsions of infants. Chorea	1	8					1	1	1	1		1	1					
73 74 75 76	Neuralgia and neuritis Other diseases of the nervous system Diseases of the eyes and their annexa. Diseases of the ears	1 5							i	1	1 2	1 1					1		
	III.—Diseases of the circulatory system	310	1		1			3	8	24	32	48	69	58	38	13	12	2	1
77 78 79 80 81	Pericarditis Acute endocarditis Organic diseases of the heart Angina pectoris Diseases of the arteries, atheroma, aneurism, etc.	3 4 276 8	i		1			2 1	8	2 21 1	3 26 1	44 2 1	1 1 60 3	55	32 1 5	13	10	2	i
82 83 84	Embolism and thrombosis.  Diseases of the veins (varices, hemornhoids, phlebitis, etc.).  Diseases of the lymphatic system (lymphangitis, etc.).  Hemorrhage, other diseases of the circu-	2										1	1				1		
85	latory system	1						ļ			ļ	<b></b>	1					ļ	
86	IV.—Diseases of the respiratory system	427	101	47	18	14	6	12	19	64	30	32	31	26	10	11	3	1	2
87 88 89	Diseases of the larynx Diseases of the thyroid body Acute bronchitis	2 3 29	1 14	10	4	2					1								
90 91 92 93	Chronic bronchitis.  Bronchopneumonia. Pneumonia (total).  Lobar pneumonia. Pneumonia (undefined). Pleurisy.	18 82 277 143 134 2	36 48 18 30	17 20 9 11	6 8 3 5	6 5 1 4	1 5 2 3	1 10 8 2	17 9 8	2 49 26 23 1	1 27 15 12	1 2 27 16 11	2 23 10 13	1 24 18 6	1 2 4 1 3	5 5 4 1	3 1 2	1	2 2
94 95 96 97 98	Pulmonary congestion, pulmonary apoplexy.  Gangrene of the lung. Asthma.  Pulmonary emphysema.  Other diseases of the respiratory system (tuberculosis excepted).	5 7 2				1			1	1	1	1	2 1	1	1 2				

Table 6.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA, ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE OF DECEDENT: 1911—Continued.

Int.									DE	ATHS A	AT AGE	of—			-				
Detailed Int. List No.	CAUSE OF DEATH.	All deaths.	Under 1 year.	1 year.	2 years	3 years	4 years	5 to 9 years	19	29	30 to 39 years.	40 to 49 years.	50 to 59 years	69	79	80 to 89 years	90 to 99 years.	100 years and over.	Deaths at un- known age.
.—		J.	NOR	LH C	ARC	LIN.	A.1 (C	OLO	RED	)—Cor	tinued		<u>.</u>		1	<u> </u>	<u> </u>	<u> </u>	·
	V.—Diseases of the digestive system	427	174	105	21	4	2	7	10	20	20	24	18	9	7	3	1	1	
99 100	Diseases of the mouth and annexa Diseases of the pharynx	3 3	2 1	1	<u>i</u> -								<u>i</u>						
101 102 103	Diseases of the esophagus. Ulcer of the stomach Other diseases of the stomach (cancer	2									2								
104	excepted)  Diarrhea and enteritis (under 2 years)	55 245	18 148	97	2	1		. 1	3	5	2	6	5	4	2	1			
105 106	Diarrhea and enteritis (2 years and over). Ankylostomiasis	42		•••••	16	3	2	4	1	1	2	3	3 1	2	1	2	1	1	
107 108	Intestinal parasites	12		• • • • • •	 		ļ		4	3	i	4							
109	Hernia, intestinal obstruction (total) Hernia	16 8	2 2		1					2 1	1		5 3	1	1 1				
110	Intestinal obstructionOther diseases of the intestines	8 8	3	2	1					1	3 1		2	1	1				
111 112 113	Acute yellow atrophy of the liver Hydatid tumor of the liver Cirrhosis of the liver			i				····i		<u>2</u>	i	1 <sub>5</sub>	1	<u>2</u>	i				
114	Biliary calculi			•••••								•			ļ				
115 116 117 118	Other diseases of the liver Diseases of the spleen Simple peritonitis (nonpuerperal) Other diseases of the digestive system (cancer and tuberculosis excepted)	10 15		•••••	i			1	2	6	3	32	2		1				
	VI.—Nonvenereal diseases of the genito-urinary system and annexa.	206	1	4	1		2	2	10	17	23	30	36	36	31	9	3		1
119 120	Acute nephritis	19 144	1	2 2	1		1	2	2 8	2 9	12 12	2 21	3 28	2 27	$\frac{1}{22}$	1 7	3		j
121 122	Chyluria. Other diseases of the kidneys and annexa.	8									1	••••••	1	3	3				
123	Calculi of the urinary passages	3			••••							•••••		2		1			
124 125	Diseases of the bladder. Diseases of the urethra, urinary abscess, etc.	2									2			1	1				 
126 127	Diseases of the prostate	4		• • • • • • • • • • • • • • • • • • • •		••••		•••••					2		2	•••••	ļ		
128	organs. Uterine hemorrhage (nonpuerperal)			•••••												•••••			
129 130 131	Uterine tumor (noncancerous)	7 5 2								1 2	4	 1 2	1	1	i				
132	Salpingitis and other diseases of the fe- male genital organs. Nonpuerperal diseases of the breast (can- cer excepted).	9								3	2	3			1				
-	VII.—The puerperal state	52							8	30	12	1							1
134 135	Accidents of pregnancy. Puerperal hemorrhage.	6 2 7							····i	1	2								
136 137	Other accidents of labor	22							2	5 13	1 7	1							
138 139	Puerperal albuminuria and convulsions. Puerperal phlegmasia alba dolens, em- bolus, sudden death.	15					•••••	·····	5	7	2	•••••							1
140	Following childbirth (not otherwise defined).  Puerperal diseases of the breast.																		
141	Puerperal diseases of the breast VIII.—Diseases of the skin and of	•••••				• • • • • •			 				• • • • • •						
	the cellular tissue	7				<u></u>						3	1	2		1	<u></u>		
142 143 144 145	Gangrene Furuncle Acute abscess Other diseases of the skin and annexa	4 1 1 1										1 1 1	i	2		1			
	IX.—Diseases of the bones and of the organs of locomotion	1													1				
146	Diseases of the bones (tuberculosis ex-																		
147	cepted)																		
148	Amputations Other diseases of the organs of locomotion							<b> </b>							<sub>i</sub> -				

<sup>1</sup> Including only municipalities having a population of 1,000 or over in 1900.

Table 6.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA, ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE OF DECEDENT: 1911—Continued.

Int.				<del></del>					DE	ATHS A	T AGE	OF	•						
Detailed List No.	CAUSE OF DEATH.	All deaths.	Under 1 year.	1 year.	2 years	3 years	4 years	5 to 9 years.	עג ן	29	30 to 39 years	40 to 49 years.	59	69	70 to 79 years.	. 89	90 to 99 years.	100 years and over.	Deaths at un- known age.
		•	NOR'	TH (	CAR	OLIN	'A¹ (C	COLO	RED	)—Co	ntinue	đ.		.1	•	1	1	1	<u> </u>
-	X.—Malformations	8	6	1				1		ļ			ĺ					<u> </u>	
150	Congenital malformations (stillbirths not included) (total)	8	. 6					1							<b> </b>			· · ·	
	Hydrocephalus	ı	1	1															
	heartOther congenital malformations	3 4	1 4	1				1											
	XI.—Early infancy	150	150																
151	Congenital debility, icterus, and scle-						-							ļ	<del> </del>	<del>                                     </del>			
	rema (total).  Premature birth.  Congenital debility (formula 2)	121 53	121 53										· · · · · ·		:::::::				
152	Congenital debility, "atrophy," "marasmus," etc. Other causes peculiar to early infancy	68	68			.	.												
	Injuries at birth.	27 12	27 12														<b></b>		
	Other causes peculiar to early in- fancy 2	15	15																
153	Lack of care	2	2						····				•			······			
154	XII.—Old age Senility	35 35													12	13	7	3	
707	XIII.—External causes	181	7	7	7	4	3	7	28	53	22	12	10	7	12	13	7	3	
	Suicide (total)	2						<u> </u>		1		1			-				3
155 156	By poison By asphyxia			:::::															
157 158 159	By asphyxia By hanging or strangulation By drowning By freeymen			•••••		:::::						•••••	• • • • • •						
160 161	By cutting or piercing instruments.																		
162 163	By firearms By cutting or piercing instruments. By jumping from high places. By crushing Other suicides	2								····i		1							
	Accidental or undefined (total)		6	6	7	4	3	7	18	31	17	8	9	6	5	2	1		4
164 165	Other acute poisonings	5		<u>2</u>	<sub>1</sub>		<u>i</u>			i									
166 167	Conflagration Burns (conflagration excepted)	5 22	·····i	3	1 5	1	i	14	1 1		·····2	1	2			2			
168	Absorption of deleterious gases (con- flagration excepted)	4	3						}		1								
169 170	Accidental drowning	14 21		1		2	1	1	4 5	4 8	$\begin{array}{c c} \hat{2} \\ 1 \end{array}$	1	1 2						
171	Traumatism by cutting or piercing instruments. Traumatism by fall																		
172		2	•••••							1					1				
173	Traumatism in mines and quarries (total) Traumatism in mines				-,														
174	Traumatism in quarries Traumatism by machines	7								2	3		i						i
175	Tranmatism by other amehing/total)	28 21							4	7	5	3	2	4	1				2
	Railroad accidents and injuries. Street-car accidents and injuries. Automobile accidents and in-	21 2							3	7	1	1	1 1	2	1				2
	juries Injuries by other vehicles								<sub>1</sub>										
	Landslide, other crushing	1			•••••	• • • • • •						1		2					
176 177	Injuries by animals	3							2						1				
178 179	Excessive cold Effects of heat	2 3								····i		1					• 1		
180 181 185	Lightning. Electricity (lightning excepted) Fractures (cause not specified)	, 1										1							
185 186	Fractures (cause not specified)	2 15	2						1	 7	3	1	1	1 1			.	:	
	Homicide (total)	45	1	1					10	21	5	3	- 1	1	1				1
182 183	By firearms By cutting or piercing instruments By other means	33   6							8	16 2	4 1	3	1	····i			, .		1
184	By other means	6	1	1					1	3	:								
187	Ill-defined organic disease	167 7	79	19	8			3		6	1	12	6	12	9	2	4	1	1
188 189	Sudden death	5 155	79	19	1 6	• • • • • •	i	3		6	3	1 11	6	3 7	<sub>7</sub> -	1 .	4		i
	Ill-defined Not specified or unknown	51 104	79 13 66	12 7	انما		i	1 2		3 3	2	6 5	2	4 3	4	i.	4		, i
	1 Traducting only manufacture	11	<u> </u>		1	1		1					-						

<sup>&</sup>lt;sup>1</sup> Including only municipalities having a population of 1,000 or over in 1900.

<sup>&</sup>lt;sup>2</sup> Exclusive of injuries at birth.

Table 6.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA, ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE OF DECEDENT: 1911—Continued.

4.		<del></del>							DEA	LTHS A	T AGE	OF-			<del></del>	<u> </u>	<del></del>		
Detailed Int. List No.	CAUSE OF DEATH.	All deaths.	Under 1 year.	, I	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	29	30 to 39 years.	49	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 years and over.	Deaths at un- known age.
						o	но	•											
-	All causes	63,402		1,950	876	576	421	1,335	2,474	4,850	5, 093	<u> </u>	6, 563	8,351	9,559	5,268	755	24	50
1	I.—General diseases	Í	1,094	523	16	279 12	212	697	254	2,459	2,264 168	2,059 100	2,163	2,122	1,785 32	710	78	4	8
2 3	Typhoid fever Typhus fever Relapsing fever								201	201		100							
5	Malaria Smallpox	44	2 2	1	3	1		1	6	4	7	5 1	4	5	5				
6 7 8 9 10	Measles Scarlet fever Whooping cough Diphtheria and croup Influenza	312 500 552 728 1,057	65 16 305 38 77	75 44 132 72 28	44 59 51 110 14	20 58 25 96 7	910 37 13 87 6	34 177 20 211 10	23 78 1 86 23	25 15 3 14 32	5 14 1 8 39	3 42	4  84	2 155	1 1 266	236	35	2	1 1
11 12	Miliary fever			 						ļ									
12 13 14 15	Cholera nostras.  Dysentery.  Plague	22	7 36	17	1 8	6		4	1	1	1 4	6	2 15	3 22	3 59	2 51	6		
16 17 18 19	Yellow fever. Leprosy. Erysipelas. Other epidemic diseases.	188	38	4	1 2			2 3	2 1	8	12 2	26	17	32	26	18	2		
20	•		13	3	2	2		8	13	16	8	1 14	19	21	20	8	1	1	
21 22 23	Purulent infection and septicemia	1 1 8		1				3	i	······ 2	1	1							
24 25 26 27	Tetanus. Mycoses. Pellagra. Beriberi.	101 1 2	17		1	3	3	11	20	15	7 1 1	8	8	7		1			
28 29 30 31 32 33 34 35	Tuberculosis (total) Tuberculosis of the lungs. Acute miliary tuberculosis Tuberculous meningitis. Abdominal tuberculosis. Pott's disease. White swellings. Tuberculosis of other organs. Disseminated tuberculosis.	353 318 65 32	195 64 5 73 32 2 2	109 39 4 49 9 2 2 3	67 26 3 28 4 2 1 2	38 14 1 20 2 1	31 3 4 17 5 1	94 39 5 39 3	630 479 38 35 32 14 3 11 18	1,806 1,592 63 36 58 15 6 19	1,515 1,352 38 21 56 4 8 24 12	1,010 897 18 17 42 5 1 19	728 635 15 10 30 10 5 12	533 474 7 3 23 6 2 9	333 289 4 5 16 2 1 12 4	64 52 4 5 1 2	3 2		3 3
36 37 38	Rickets. Syphilis. Gonoccccus infection.	28 362 15	17 206 2	5 5	2 2	i	1		3 4	25 3	36 3	36	1 27 2	11 1	1 7	3			
39 40 41 42 43 44 45	Cancer and other malignant tumors (total).  Of the buccal cavity.  Of the stomach, liver.  Of the peritoneum, intestines, rectum of the female genital organs.  Of the breast.  Of the stomach of organs not specified.	3,699 142 1,498 451 550 377 155 526	3	3 1 1	7	2	1	6	17 2 3 1 2	76 2 20 18 13 2 1	213 7 59 33 57 26	556 12 187 60 139 80 14 64	824 24 337 96 142 92 19	945 37 434 137 116 80 28	788 42 363 83 63 65 44	236 16 91 19 14 32 37 27	21 		
46	Other tumors (tumors of the female genital organs excepted)	27						·			2	3	2	8	5	7			
47 48 49 50	Acute articular rheumatism Chronic rheumatism and gout. Scurvy. Diabetes.	265 69 1	2 1 1	i i	5	5	4	22 11	35	29 40	21 4 	28 8 62	29 12 138	24 14 192	32 17 	16 11 35	3	i	
51 52 53 54 55	Exophthalmic goiter Addison's disease Leukemia, Anemia, chlorosis Other general diseases	18 88	1 13 29	2 3 2	1 1 1 3	2	3 1 1	1 5 4	5 1 5 7 10	17 1 13 6 4	26 1 8 19 3	24 6 13 18 6	24 6 18 49 7	8 2 11 46 6	3 1 7 31 9	2 1 11 3			
56 57 58 59	Alcoholism (acute or chronic). Chronic lead poisoning of the chronic occupation poisonings. Other chronic poisonings	235 11 1								17 2 3	80	69 3 1	43 3	16 3 5	6	2			2
	II.—Diseases of the nervous sys- tem and of the organs of special sense.		419	149	85	69	31	83	111	169	342	581	860	1,381		932	93	3	6
60 61	Encephalitis.  Meningitis (total).  Simple meningitis. Cerebrospinal meningitis (undefined) Cerebrospinal fever.	476 265 153	10 145 86 46 13	3 82 34 37 11	4 46 26 14 6	2 35 19 12 4	2 17 10 4 3	3 33 17 10 6	30 21 7 2	26 11 7 8	5 19 14 3 2	6 18 12 5 1	6 10 4 5	2 10 7 2 1	2 5 4 1		<b> </b>		
62 63 64	Locomotor ataxia.  Other diseases of the spinal cord (total) Acute anterior poliomyelitis Other diseases of the spinal cord <sup>1</sup> Cerebral hemorrhage, apoplexy	4, 191	38 33 5 46	28 28 29	19 19	18 15 3 4			15 8 7 8	1 12 3 9 44		18 22 1 21 285	44 39 2 37 564	91 1 90 1,020	17 82 1 81 1,298	38 1 37 718	1 4 64	3	5

 $^{\rm 1}$  Exclusive of acute anterior poliomyelitis (infantile paralysis).

TABLE 6.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA, ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE OF DECEDENT: 1911—Continued.

									DEA	THS A	r age	of—							
Detailed Int. List No.	CAUSE OF DEATH.	All deaths.	Under 1 year.	ļ Ł	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	89	90 to 99 years.	100 years and over.	Deaths at un- known age.
						жіо	Con	tinued	•					-				,	
	II.—Diseases of the nervous system and of the organs of special sense—Continued.										•				•				
65 66 67 68	Softening of the brain Paralysis without specified cause General paralysis of the insane Other forms of mental alienation.	123 348 388 122	3-			3 	1		3 1	1 3 5 8	2 4 84 22	14 105 21	9 21 84 21	28 57 43 27	45 135 42 17	29 89 24 5			1
69 70 71 72	Epilepsy Convulsions (nonpuerperal) Convulsions of infants. Chorea	211 6 153 12	130	2 16	6	2 1		7 1 1	30 4	38	33	39 2	17 1 1	21 1 1	13 3 2	2 1			
73 74 75 76	Neuralgia and neuritis Other diseases of the nervous system Diseases of the eyes and their annexa. Diseases of the ears.	42 194 5 94	13 2 26	1 2 6	1 1 2	1 3	1 1	7 6	1 7 8	2 15 10	26 6	7 32 8	9 25 9	6 22 1 6	9 27 3	7 13	2 1		
	III.—Diseases of the circulatory system	9,187	91	14	6	8	8	76	156	259	408	679	1,207	2,071	<u> </u>	1,344	169	4	11
77 78 79 80 81	Pericarditis Acute endocarditis Organic diseases of the heart Angina pectoris Diseases of the arteries, atheroma, aneurism, etc.	70 268 7,062 398 1,162	1 5 65	2 8	4	1 1 6	1 1 4	5 10 58	2 22 127 3	26 195 14	53 303 19	2 62 534 29	10 67 939 78	15 11 1,678 110	16 5 2,084 103 415	939 39 39	195 3 56	3	10
82 83 84	Embolism and thrombosis. Diseases of the veins (varices, hemorrhoids, phlebitis, etc.) Diseases of the lymphatic system (lymphangitis, etc.)	1,102 142 32 21	1 2 8	1			2	2	1	8 5 2	13 2	15 6	21 3	27 4 2	39 4 2	13	3 1		
85	Hemorrhage; other diseases of the circulatory system.  IV.—Diseases of the respiratory	32	9	1	•••••			1		3	1		1	2	8	5	` 1		
86	system	6,349	1,373	421	153	85	58	138	147	254	286	351	507 1	725	1,039	690 1	117		5
87 88 89 90	Diseases of the larynx Diseases of the thyroid body Acute bronchitis Chronic bronchitis	11 51 17 493 431	11 1 232 8	7 44 3	2 3 ,14 1	5 8	4 6	1 7 19 2	1 3 2 2 3	2 1 3 3	2 2 5 10	4 3 11 10	1 1 11 28	1 3 13 75	1 3 54 143	1 61 117	10 28		
91 92 , 93	Bronchopneumonia Pneumonia (total) Lobar pneumonia Pneumonia (undefined) Pleurisy	1,984 2,946 2,506 440 112	723 346 283 63 6	230 126 105 21 5	86 44 36 8 1	32 34 30 4 5	24 23 21 2 1	34 71 56 15 1	20 102 85 17	30 193 170 23 14	28 221 195 26 8	242 215 27 16	88 327 284 43 14	129 433 373 60 16	267 492 403 89 14	215 248 215 33 3	34 39 32 7		5 3 2
94 95 96 97 98	Pulmonary congestion, pulmonary apoplexy. Gangrene of the lung. Asthma. Pulmonary emphysema. Other diseases of the respiratory system (tuberculosis excepted).	103 10 107 21 63	36 1 5	5 1	1	1		1 1 1		1 1 4 1	2 1 1 5	2 1 7 2	7 4 11 2 12	8 2 30 4	15 32 5 12	17 1 20 2	5		
	V.—Discases of the digestive system	7,054	2,729	667	131	55	45	99	191	277	364	383	523	624	625	309	31	•	1
99 100 101 102 103	Diseases of the mouth and annexa	34 94 12 181 681	21 12 1 251	6 5 30	4 8	3 1 5	2	11 1 1 1	1 17 4 4	12 20 14	7 23 23	1 4 27 33	5 2 33 34	2 1 3 35	2 2 4 30	1 9 1 6	1 8		
104 105 106 107	Diarrhea and enteritis (under 2 years) Diarrhea and enteritis (2 years and over). Ankylostomiasis Intestinal parasites Appendicitis and typhilitis	2,896 586	2,302 4	594 2	102 3 2	35 2	17	21 1	11	15	22	26	48	80	117	81	11		
108 109 110	Appendicitis and typhiltis  Hernia, intestinal obstruction (total)  Hernia. Intestinal obstruction  Other diseases of the intestines.	483 515 161 354 142	70 10 60 39	15 2 13 2	7 2 5 2	3 5 5	7 9 1 8 3	37 10 1 9 2	99 10 1 9 6	104 29 3 26 8	90 30 11 19 12	55 36 11 25 11	50 72 31 41 11	13 78 34 44 14	12 102 38 64 20	38 16 22 10	3 3 2		1 
111 112 113 114	Acute yellow atrophy of the liver	38 1 722 196	4	1				1 2	9	5 18 2	3 86 17	7 117 26	154 40	8 1 167 53	131 44	36 12	1 2		
115 116 117 118	Other diseases of the liver. Diseases of the spleen Simple peritonitis (nonpuerperal) Other diseases of the digestive system (cancer and tuberculosis excepted)	270 12 155 24	12 9 1	3 4	1 2	1	2 1 1	5	23 1	20 27 3	23 2 26	24 2 11 3	50 1 14 5	58 4 22 4	42 2 7 5	25 1 3	1		

Table 6.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA, ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE OF DECEDENT: 1911—Continued.

int.						·			DE A	ATHS A	T AGE	of—				<del>-</del>	- ** =		
Detailed Int. List No.	CAUSE OF DEATH.	All deaths.	Under 1 year.	1 year.	2 years.	g years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	99 to 99 years.	100 years and over.	Deaths at un- known age.
			,		C	ню	Con	inued		1			<u>'</u>	!	,	I	1	<u> </u>	1
	VI.—Nonvenereal diseases of the genito-urinary system and	4,533	82	20		10		0.5		105	240	401	001	000	1 100	750	-		
119 120 121	Acute nephritis Bright's disease	4,333 494 3,256	45 23	11 8	5 1	9 3	9 5 3	27 8	69 26 31	185 44 81	349 54 194	491 60 339	57 532	903 55 747	1,103 62 847	33 402	51 1 35	32	
122 123	Chyluria. Other diseases of the kidneys and annexa Calculi of the urinary passages.	83 32	10				i		2	4 2	6 3	9 5	9 6	11 8	16 5	12 3	3		
124 125	Diseases of the bladder. Diseases of the urethra, urinary abscess, etc	132 15	1	1					1	1 1 2	1	5 4	10 3	21 3	52 1	31 1	8	1	
126 127 128	Diseases of the prostate. Nonvenereal diseases of the male genital organs. Uterine hemorrhage (nonpuerperal)	227 9 3	2			1				2 1	1 1	5 2	11	35 1	105 1 1	65 1	3		1
129 130 131	Uterine tumor (noncancerous) Other diseases of the uterus. Cysts and other tumors of the ovary	71 43 49							2	2 9 4	17 11 12	24 9 8	13 8 7	9 3 9	4 1 6	2			
132	Salpingitis and other diseases of the female genital organs	117							7	34	48	21	5	1	1		1		
,	(cancer excepted)	718	1						60	319	277	59	2		1				1
134 135 136 137	Accidents of pregnancy Puerperal hemorrhage Other accidents of labor Puerperal septicemia.	88 56 59 365				•••••			3 1 4 35	30 19 22 173	47 30 28 128	8 6 5 26	2						
138 139	Puerperal albuminuria and convulsions. Puerperal phlegmasia alba dolens, em- bolus, sudden death.	135 12							17	68	38	12							
140 141	Following childbirth (not otherwise defined).  Puerperal diseases of the breast	3								5 2	5 1	2				· · · · · · ·			· · · · · · · · · · · · · · · · · · ·
	VIII.—Diseases of the skin and of the cellular tissue	250	41	3	1	1	1	3	5	3	5	11	16	31	65	47	17		
142 143 144 145	Gangrene Furuncle Acute abscess Other diseases of the skin and annexa	141 28 24 57	4 7 8 22	2 1	1	1	1	2 1	1 3 1	1 1 1	1 1 3	5 4 2	8 4 2 2	21 6 1 3	49 3 3 10	40 7	9 2 6		
	J.X.—Diseases of the bones and of the organs of locomotion	93	6	6	1	4	1	5	16	8	6	9	13	8	6	4			
146 147	Diseases of the bones (tuberculosis excepted)	84	6	6	1	4	1	5	16	7	6	9	11	7	3 1	2			
148 149	Amputations. Other diseases of the organs of locomotion X.—Malformations.	1 5 745	712	18	1	1	1	6	 5	 1		•••••	2	1	2	1			
150	Congenital malformations (stillbirths not included) (total). Hydrocephalus	745 52	712	18 9	1	1 1	1	6 4		1									
	Congenital malformations of the heart. Other congenital malformations	443 250	429 246	6	1		1	1 1	4	1						1			
151	XI.—Early infancy	3, 100	3,100																
	rema (total). Premature birth Congenital debility, "atrophy," "marasmus," etc. Other causes peculiar to early infancy	2,417 1,810 607	2,417 1,810 607																
152	Injuries at birth	664 409	664 409																· · · · · · · · · · · · · · · · · · ·
153	Other causes peculiar to early infancy Lack of careXII.—Old age	255 19 764	255 19											28		398	141	8	1
154	Senility	764 5, 168	177	111	86	61	 54	192	437	906	782	1 675	3 593	28 415	184	398 258	141	8	1
155 156 157 158 159 160	Suicide (total) By poison By asphyxia. By hanging or strangulation By drowning By firearms By cutting or piercing instruments.	779 313 12 119 51 226			,				38 21 1 3 13	168 85 4 14 7 55 2	172 76 3 20 7 52 7	140 52 2 19 12 42 9	134 52 3 22 7 36 11	86 22 23 10 21 7	30 4 13 4 5	8 1 5	2 1 1		1 i
161 162 163	By jumping from high places	39 7 5 7							birth.	1	3 2 2	3	1 2	1					

Table 6.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA, ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE OF DECEDENT: 1911—Continued.

									DEA	THS A	T AGE	of—							
Detailed Int. List No.	CAUSE OF DEATH.	All deaths.	Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	19	29	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 years and over.	Deaths at un- known age.
<del>, '</del>	•				. •	оні	<b>)</b> Co:	ntinue	i.			·'		·'	·				
	XIII.—External causes—Contd.																		
164 165 166 167	Accidental or undefined (total)	4, 124 40 120 67 317	164 11 8 7	110 2 19 5 39	86 6 15 3 32	61 1 2 5 35	54 1 4 3 17	190 4 6 27	382 2 6 4 28	648 6 22 7 28	547 2 10 5 18	492 4 11 8 23	437 2 9 7 20	321 1 6 4 13	319 2 3 2 15	249  1 1 10	52 1	2 1	10
168 169 170 171 172	Absorption of deleterious gases (conflagration excepted) Accidental drowning Traumatism by firearms Traumatism by cutting or piercing instruments. Traumatism by fall	128 367 102 11 856	47 3 1	1 15 1 7	5 2 1 10	2 2 1	8 1 3	1 35 9 . 1 . 18	3 88 46 3 · 33	19 83 18 1 57	13 47 8	16 36 10	14 31 5 1 78	5 6 1 1 93	4 4 1 1 172	3  179	46	i	<u>4</u> i
173 174	Traumatism in mines and quarries (total) Traumatism in mines Traumatism in quarries Traumatism by machines	119 111 8 113						1 1 2	9 9 	36 34 2 29	27 27 	26 23 3 21	14 13 1 16	. 4 . 4	2 1 1				
175	Traumatism by other crushing (total Railroad accidents and injuries. Street-caraccidents and injuries. Automobile accidents and injuries. Injuries by other vehicles.	1,350 883 181 104 143	3 1 2	6 1 1 4	6 2 2 1 1	4 3	8 2 1 1 4	71 17 14 22 14	101 63 8 14 13	290 227 26 11 16	271 217 16 15 15	200 148 19 7 20	168 96 40 12 14	135 70 33 13 18	60 25 14 4 16	23 11 5 3 4	1 i		3
176 177 178	Landslide, other crushing  Injuries by animals  Starvation  Excessive cold	58 6 10	2	-	1 1		1	2	3 12 1	10 8	5 1 1	6 9 2	6 5	6 1 3	7 1	1 1	1 2		1
179 180 181 185 186	Effects of heat	167 17 35 32 209	24	1  14	1 3	3	1 	3 8	3 4 4 1 21	3 11 2 26	15 1 9 4 20	23 4 5 7 23	27 2 1 2 34	19 1 1 1 14	30 5 10	15 1 9 5	1		1
182 183 184	Homicide (total)	265 147 40 78	13 1 12	1 1				2 1	17 11 3 3	90 61 20 9	63 35 10 18	43 26 4 13	22 10 , 12	8 2 1 5	3 1 2	1			2 1 1
187 188 189	XIV.—Ill-defined diseases	296 19 21 256 118 138	3 114 30 84	18 1 17 15 2	1 5 4 1		1 1 1	1 1	3 3 1 2	10 1 2 7 6 1	10 1 9 4 5	17 1 16 9 7	15 2 3 10 6 4	3 6 . 34 22 12	24 2 3 19 12 7	7 1 16 8 8	3 1 1		3 3 3
					P	ENN	SYL	VAN:	ſΑ.									,	
	All causes	111,292	24, 195	5,098	2,077	1, 423	995	2, 630	4, 182	8,201	8,966	9, 140	10, 701	13, 266	12,922	6,538	913	26	19
	I.—General diseases	27,495	2,008	1,315	856	683	528	1,303	1,821	3,635	3,460	3,056	3,067	2,966	2,004	711	81		1
1 2 3 4 5	Typhoid fever Typhus fever Relapsing fever Malaria Smallpox	1,716 37 5	3 2	14	9	15	24 . 2 . 1	92	315	526 4	331 4	189	113	56 3	25 2	3			
6 7 8 9	Measles Scarlet fever. Whooping cough Diphtheria and croup. Influenza.	804 749	202 46 567 122 96	273 103 259 325 23	117 113 75 360 10	71 113 42 301 3	41 85 17 238 6	54 169 34 558 19	25 71 3 142 24	10 33 32 38	6 11 17 33	4 2 7 73	3 7 104	175	1 2 295	1 210	40		
11 12 13 14 15	Miliary fever Asiatic cholera Cholera nostras Dysentery Plague	68	13 68	5 35	1 1 10	12	4	1 1	1 2	4 4	1 8	3 6	6 13	13 25.	11 39	9 47	5		
16 17 18 19	Yellow fever Leprosy Erysipelas Other epidemic diseases		109 12	10 6	2 1	1	i	2 4	8 3	11 1	15 3	30	23	26	34	15	1		
20 21 22 23	Purulent infection and septicemia. Glanders. Anthrax Rabies	223 1 2	37	11	1	3	2 1	15 3	18	17	22 1 2 1	20	16	19	29	9	1		
24 25 26 27	Tetanus. Mycoses. Pellagra. Beriberi.	. 3	26		1	3	9	21	33	8	15	9	5 1	6 1	1				

Table 6.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA, ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE OF DECEDENT: 1911—Continued.

	JAOH REGISTRATION STATE,	Ī	]																
I Int.	•			1		1		<del></del>	DEA	ATHS A	T AGE	OF—		1	î		+	,	Deaths:
Detailed Int. List No.	CAUSE OF DEATH.	All deaths.	Under 1 year.	1	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	29	39	40 to 49 years.	59	60 to 69 years.	70 to 79 years.	80 to 89 years	90 to 99 years.	100 years and over.	at un- known age.
			и	P	ENN	SYLV	ANI	<b>A</b> —Co	ntinue	d.		1	<u>'</u>	1			<u> </u>		!
	I.—General diseases—Continued.																		
28 29 30 31 32 33 34 35	Tuberculosis (total) Tuberculosis of the lungs. Acute miliary tuberculosis Tuberculous mening tis. Abdominal tuberculosis Poti's disease White swellings. Tuberculosis of other organs Disseminated tuberculosis.	567 413 86	352 139 20 129 31 3 1 21	201 59 7 103 14 1 2 12 3	109 37 6 51 8 1 3	86 32 3 38 6 4 1	73 16 5 38 5 3 1 3	211 78 17 66 22 13 7 8	944 736 70 60 42 8 7 12 9	2,602 2,313 111 37 76 20 14 17	2,319 2,092 84 23 64 9 6 25 16	1,531 1,404 45 12 33 7 3 18	1,043 922 27 7 48 7 7 23 2	732 651 5 3 39 7 5 18 4	333 292 1 21 2 3 11 3	64 57 4 1	4 4		
36 37 38	Rickets Syphilis. Gonococcus infection.	69 360 20	38 189 10	15 9	4 2	4 2	2	1	2 4 1	37 5	1 48 2	2 28 1	23 1	15	2	1			
39 40 41 42 43 44 45	Cancer and other malignant tumors (total). Of the buccal cavity. Of the stomach, liver. Of the peritonæum, intestines, rectum. Of the female genital organs. Of the skin. Of other organs or of organs not specified.	833 480 181	1	6 2 1	10 2 1 1 6	3	6 1 1	13 1 3 1 1	26 5 2 1	96 4 20 22 16 8 1	351 5 87 64 87 39 5	785 17 253 107 207 113 14 74	1,250 37 539 141 246 119 21	1,419 54 649 192 171 105 52	918 48 439 111 84 71 44	285 21 105 31 19 24 36 49	22 4 8 1 1 1 5		
46 47 48 49 50	Other tumors (tumors of the female genital organs excepted)	36 463 106 13 1,036	2 6 8 1	3 1 2	1 4 1 9	1 6 1 3	1 7	72	2 85 4 1 60	1 49 4	4 41 3 73	3 45 11 1 106	7 41 17 	4 44 23 	6 47 33 168	3 10 10 10 34	1 2 1		ı
51 52 53 54 55	Exophthalmic goiter Addison's disease Leukemia. Anemia, chlorosis Other general diseases.	67 25 102 328 137	30 59	3 8 2	5 6	1 2 4	2 3 2	2 8 8	12 17 9	11 2 18 24 8	8 5 16 28 10	18 6 15 41 7	14 7 16 69 8	7 5 8 59 4	7 5 27 9	6 1	····i		
56 57 58 59	Alcoholism (acute or chronic). Chronic lead poisoning Other chronic occupation poisonings. Other chronic poisonings.	277 19 1 20							1 1 1	25 2 1	75 3 1	89 8 4	56 3 5	24 2 4	6	1 1			
	II.—Diseases of the nervous sys- tem and of the organs of special sense	11,064	1,357	283	132	80	49	136	181	263	463	777	1,339	2,197	2,520	1,155	124	6	2
60 61	Encephalitis.  Meningitis (total) Simple meningitis. Cerebrospinal meningitis (undefined). Cerebrospinal fever.	115 707 576 109 22	21 249 213 32 4	9 107 85 21 1	5 64 51 10 3	5 42 33 7 2	2 19 15 3 1	12 49 33 12 4	11 49 32 12 5	7 36 31 5	8 25 22 2 1	23 22 1	9 21 19 2	10 17 15	8 4 4	2 2 1 1			
62 63 64	Locomotor ataxia Other diseases of the spinal cord (total) Acute anterior poliomyelitis. Other diseases of the spinal cord 1 Cerebral hemorrhage, apoplexy.	190 428 93 335 6,108	20 15 5 69	24 22 2 17	10 9 1 6	9 7 2 3	11 8 3 3	16 12 4 13	1 16 9 7 14	3 18 3 15 40	9 27 2 25 147	36 33 1 32 370	64 59 3 56 894	42 89 89 1,623	31 75 1 74 1,897	20 1 19 900	1 1 105	5	2:
65 66 67 68	Softening of the brain Paralysis without specified cause. General paralysis of the insane. Other forms of mental alienation.	128 810 491 197	3	2	2 1		i	. 2	1 3 1 4	1 3 13 22	5 27 82 19	8 29 126 38	12 89 80 30	29 206 73 37	40 300 81 35	30 130 30 11	1 12 5	i	
69 70 71 72	Epilepsy Convulsions (nonpuerperal). Convulsions of infants. Chorea	278 35 1,062 20	908 1	2 100 1	30 1	1 16	2 8	11 7 1	27 3 9	72 6	45 9 1	38 6 1	29 1 3	25 1 1	13 2	7			
73 74 75 76	Neuralgia and neuritis. Other diseases of the nervous system Diseases of the eyes and their annexa Diseases of the ears	50 280 11 154	30 7 45	6	3	1 3	2	9 15	2 18	5 24 2 11	5 42 14	 9	12 33 3	8 30 1 5	7 24 1 2	3 14 1			
	III.—Diseases of the circulatory system	12,989	256	22	16	30	24	158	416	479	796	1,149	1,827	2,979	3,143	1,514	174	4	2
77 78 79 80 81	Pericarditis Acute endocarditis Organic diseases of the heart Angina pectoris Diseases of the arteries, atheroma, aneurism, etc.	92 487 10,103 555	1 28 183 1	1 1 17	2 12 1	2 8 16 1	1 6 14	27 125 1	9 51 337 6	6 52 379 19	5 75 621 33	9 78 922 46 58	14 134 1,417 94 115	16 10 2,429 166	19 10 2,432 141 488	. 5 5 1,099 41 328	97 5 69	1· 2	2
82 83 84	Embolism and thrombosis.  Diseases of the veins (varices, hemorrhoids, phlebitis, etc.)  Diseases of the lymphatic system (lymphantits, etc.)	231 45 34	1	2	1	3	1	1	7 1 3	14 2 1	29 27 4	19 13	42	51 . 4	488 36 8	26 4	3	12	
85	Hemorrhage; other diseases of the circulatory system	44	20 xclusive	1		].			1	1	1	1	3	1	9	6			
		- 12		or act	LUI DUL	cornor D	OTIVITE!	omus (		ro hat	ury SIS).	•							

Table 6.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA, ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE OF DECEDENT: 1911—Continued.

,=== ;±		]							DE.	ATHS A	T 'AGE	OF							
Betailed fnt. List No.	CAUSE OF DEATH.	All deaths.	Under 1 year.	1 year.	2 years	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 years and over.	Deaths at un- known age.
				IP:	ENN	SYL	VAN:	IA-C	ontinu	ed.		•	,	•	•	•			<del>'</del>
	IV.—Diseases of the respiratory system	14,210	3,891	1,412	509	284	147	327	319	573	795	950	1,107	1,400	1,498	862	133	3	
-86 -87 -88 -89 -90	Diseases of the nasal fossae. Diseases of the larynx. Diseases of the thyroid body. Acute bronchitis. Chronic bronchitis.	30 169 35 1,054 613	11 39 604 24	1 26 155 3	29 1 36 1	16 20	7 12 1	18 1 18 18 11	7 1 6 5	2 5 3 5 14	6 6 7 17	3 5 8 26	1 6 20 60	2 5 28 118	1 7 5 60 171	7 2 2 64 133	2 1  11 28	1	
·91 ·92 ·93	Bronchopneumonia Pneumonia (total) Lobar pneumonia Pneumonia (undefined) Pleurisy	4,143 6,819 3,246 3,573 334	1,764 1,275 314 961 21	700 505 178 327 7	220 195 76 119 16	110 120 38 82 10	61 60 24 36 3	104 149 64 85 12	58 209 112 97 20	67 419 270 149 29	79 567 369 198 44	94 673 435 238 39	154 690 423 267 39	244 801 444 357 39	275 767 350 417 33	177 352 132 220 16	36 36 - 17 19 6	1 1	
94 95 96 97 98	Pulmonary congestion, pulmonary apoplexy. Gangrene of the lung. Asthma. Pulmonary emphysema. Other diseases of the respiratory system (tuberculosis excepted).	468 22 278 19 226	130 1 2 2 2	12 1 2	7	4 1 3	3	8 1 1	5 1 1 6	12 2 2 2	24 17 3 25	18 6 36 3	29 4 58 1 45	48 4 71 5	82 4 59 3	75 23 11	10 2 1	1	
	V.—Diseases of the digestive system	15, 168	7,612	1,567	278	133	95	205	294	436	557	704	879	993	939	421	52	3	
99 100 101 102 103	Diseases of the mouth and annexa	57 118 20 236 1,625	37 20 2 5 5	3 10 	1 5 2 	13 1 1	1 7 	2 12 2 32	2 9 4 30	1 8 2 28 39	7 37 57	1 7 43 85	2 5 4 34 113	4 6 4 40 194	2 3 5 29 242	6 1 13	1	1	
104 105 106 107 108	Diarrhea and enteritis (under 2 years) Diarrhea and enteritis (2 years and over). Ankylostomiasis Intestinal parasites Appendicitis and typhlitis	8,156 1,105 11 684	6,710 2 4	1,446 1 4	204 6 4	80	51 1 8	58 59	20 1 155	40	42 	61 	86 67	121  37	193 11	128	19	2	
109 110	Hernia, intestinal obstruction (total) Hernia. Intestinal obstruction. Other diseases of the intestines	855 281 574 216	134 30 104 62	19 4 15 6	12 2 10 3	5 5 1	4 1 3 2	8 8 5	21 2 19 3	61 16 45 20	75 22 53 14	85 34 51 18	108 44 64 17	143 63 80 22	122 39 83 26	53 23 30 13	5 1 4 4		
111 112 113 114	Acute yellow atrophy of the liver Hydatid tumor of the liver Cirrhosis of the liver Biliary calculi.	44 1 1,070 208	4	2	2	1	1 1	7	2 5	8 18 5	6 106 23	204 37	7 258 56	255 45	5 168 35	1 36 7	3		
115 116 117 .118	Other diseases of the liver	402 14 276 70	·30 1 31 1	6 5	2 1 7	3 8 1	1 5	5 12 1	9 31 2	17 2 46 5	33 1 37 8	40 1 24 16	82 3 24 13	78 3 27 8	73 2 14 9	23 4 5	1		
:	VI.—Nonvenereal diseases of the genito-urinary system and annexa	8,292	143	35	37	30	21	84	169	449	649	970	1,388	1,789	1,706	738	82	1	1
119 120 121	Acute nephritis Bright's disease Chyluria	798 6,397	72 43	19 14	29 6	19 11	13 8	42 41	43 104	84 240	91 439		110 1,156	94 1,541	63 1,403	28 569	1 66	i	i
122 123 124	Other diseases of the kidneys and annexa Calculi of the urinary passages	147 37 210	14	2	1	•••••			<sub>2</sub>	8	18 3	10 3	24	22 8	28 12	18	2		********
125 126 127	Diseases of the bladder. Diseases of the urethra, urinary abscess, etc. Diseases of the prostate Nonvenereal diseases of the male genital	22 253	1		•••••		•••••	1		2 2 1	5 2 2	5 2 3	18 3 16	34 - 6 59	84 3 101	52 2 63	4 8		
128 129	organs. Uterine hemorrhage (nonpuerperal) Uterine tumor (noncancerous)	6 6 97	4				•••••		•••••	2 4	2 14	1 39	22	10	2 1 5	2	1		
130 131 132 133	Other diseases of the uterus. Cysts and other tumors of the ovary. Salpingitis and other diseases of the female genital organs. Nonpuerperal diseases of the breast (cancer excepted).	66 84 163	1 4		•••••	•••••		•••••	4 2 12	21 8 74	9 14 49 1	23 25	14 19 2	13	4	.1			
	VII.—The puerperal state	1,296	*						98	553	526	119							
134 135 136 137	Accidents of pregnancy Puerperal hemorrhage Other accidents of labor Puerperal septicemia	97 142 134 573							5 5 46	41 48 45 261	51 68 61 227	5 21 23 39							
138 139 140	Puerperal albuminuria and convulsions. Puerperal phlegmasia alba dolens, em- bolus, sudden death	320 28 2							42	144 12	107 12	27 4							
141	fined)	2	······							2	······								

Table 6.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA, ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE OF DECEDENT: 1911—Continued.

j.	-	[							DEA	THS A	T AGE	OF	·	····					
Detailed Int. List No.	CAUSE OF DEATH.	All deaths.	Under 1 year.	1	2 years.	3 years.	4 years.	5 to 9 years.	19	20 to 29 years.	39	49	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	99	100 years and over.	Deaths at un- known age.
				P	ENN	SYL	7ANI	. <b>A.</b> —Co	ntinu	ed.	<u> </u>	•	<b>.</b>		,	<u>'                                     </u>	,	·	
-	VIII.—Diseases of the skin and of the cellular tissue	472	102	13	2		3	9	10	9	19	21	34	62	91	85	12		
142 143 144 145	Gangrene Furuncie. Acute abscess Other diseases of the skin and annexa	261 44 85 82	11 16 35 40	26 5	2		1 1 1	3 1 5	1 1 5 3	5 1 2 1	6 3 6 4	6 3 5 7	18 5 7 4	44 8 5 5	83 3 1 4	73 2 4 6	8 1 1 2		
	IX.—Diseases of the bones and of the organs of locomotion	176	19	7	8	3	3	22	29	22	16	8	16	10	12	1			
146 147 148 149	Diseases of the bones (tuberculosis excepted) Diseases of the joints (tuberculosis and rheumatism excepted)	155 16 5	18	7	8	3	3	21	28	18	14	7	11 3 2	3	10 2	1			
150	X.—Malformations	1,345	1,261	37	11	3	7	12	10	4							<u> </u>		
	included) (total).  Hydrocephalus.  Congenital malformations of the heart.  Other congenital malformations.	1,345 111 881 353	1,261 84 833 344	37 14 19 4	11 3 6 2	3 1 2	7 5 2	12 1 10 1	10 3 6 1	4 3 1									
151	XI.—Early infancy	6,946	6,946							<u></u>									
152	rema (total).  Fremature birth. Congenital debility, "atrophy," "marasmus," etc. Other causes peculiar to early infancy (total).	5,942 3,397 2,545	5,942 3,397 2,545 979																
153	Injuries at birth. Other causes peculiar to early infancy 1 Lack of care.	552 427 25	552 427 25																
154	XII.—Old age	$\frac{1,407}{1,407}$											10	85 85	420 420	704	181	7	
	XIII.—External causes	9,351	308	251	203	172	114	356	830	1,756	1,649	1,307	939	634	479	280	59	1	13
155 156 157 158 159 160 161 162 163	Suicide (total).  By poison.  By asphyxia  By hanging or strangulation.  By drowning.  By firearms.  By cutting or piercing instruments.  By jumping from high places  By crushing.  Other suicides.	1,033 311 107 178 42 300 68 13 8				• • • • • •			57 28 3 4 4 16 1	196 78 15 16 9 63 12 1	249 86 25 37 11 64 17 1	187 54 21 34 4 53 17 4	191 41 26 51 6 56 8 2 1	97 19 11 18 6 33 7 3	45 5 4 15 2 13 3 1	10 2 2 2 3 1			
164 165 166 167	Accidental or undefined (total)	7,971 34 172 96 784	290 8 17 5 35	251 4 37 6 105	202 20 3 123	171 2 7 4 111	113 12 4 54	353 2 8 14 75	756 2 7 15 38	1,447 5 15 6 58	1,295 1 15 8 49	1,067 2 16 11 53	720 6 10 4 27	532 1 6 10 24	432 1 1 3 27	270 1 3 5	58	1	13
168 169 170 171 172	Absorption of deleterious gases (conflagration excepted). Accidental drowning. Traumatism by firearms. Traumatism by cutting or piercing instruments. Traumatism by fall.	231 666 138 16 1,287	57 9 19	28 1 29	1 9 4 1 12	8 2	11 4 1 3	6 54 15 2 33	14 157 52 3 52	23 146 23	31 80 15 3 93	22 67 10 1 123	29 50 6 2 159	19 24 5 1 185	17 10 1 1 233	6 3 1	2		10· i
173 174 175	Traumatism in mines and quarries (total). Traumatism in mines Traumatism in quarries. Traumatism by machines Traumatism by other crushing	1,393 1,341 52 212		i				3 3 1	133 125 8 26	458 442 16 54	389 375 14 57	271 263 8 47	105 103 2 14	29 25 4 8	5 5				······································
176 177 178	(total).  Railroad accidents and injuries.  Street-car accidents and injuries. Automobile accidents and injuries. Injuries by other vehicles. Landslide, other crushing. Injuries by animals. Starvation. Excessive cold	1,998 1,365 228 142 234 29 45 11 10	6 1 1 2 2 2	9 6 3	14 2 6 6	23 1 9 5 8	17 4 4 5	112 32 37 25 17 1	186 120 14 19 30 3 5	446 366 31 19 19 11 6	422 311 39 24 43 5 7	333 254 32 15 26 6 7	213 144 21 14 32 2 6 1	132 73 22 9 27 1 9 2 4	69 42 8 6 13	11 5 3 3			2 2
179 180 181 185 186	Effects of heat.  Lightning. Electricity (lightning excepted). Fractures (cause not specified). Other external violence.	433		7	5 9 Excl	1 5 Isive o	2 4 f injur	3 2 21 les at b	12 13 37 oirth.	27 5 27 2 57	7 16 57	47 9 7 3 37	49 43 3 3 27	47 1 25	1 1 12	34 			

Table 6.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA, ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE OF DECEDENT: 1911—Continued.

f.				<b>10</b> 1					DEA	THS A	T AGE	of—	<del></del>		<u></u>				<del></del>
Detailed Int. List No.	CAUSE OF DEATH.	All deaths.	Under 1 year.		2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	89	90 to 99 years.	100 years and over.	Deaths at un- known age.
		· · · ·		P	ENN	SYL	ANI	A-Co	ntinue	ed.		·	<u> </u>	•		·			
182 183 184	XIII.—External causes—Contd.  Homicide (total).  By firearms.  By cutting or piercing instruments  By other means	107	18 2 16		1	1	1	3 1 2	17 10 1 6	113 64 18 31	105 53 33 19	53 30 6 17	28 18 1 9	5 3 2	2				
187 188 189	XIV.—Ill-defined diseases Ill-defined organic disease Sudden death. Not specified or ill-defined (total) Ill-defined Not specified or unknown	90 95 896 748	292 3 28 261 172 89	156 4 152 149 3	25 1 2 22 21 1	5 5 5	4 4	18 4 14 10 4	5 5 5	22 4 16 14 2	36 9 21 19 2	79 7 65 55 10	95 8 6 81 76 5	151 18 12 121 112 9	25 13 72 62 10	13 5 49 38 11	15 6 1 8 6 2	1	
			•		R	HOD	E IS	LAN	D.								<u> </u>		
	All causes		1,675	302	129	104	63	182	265	553	716	822	987	1,165	1,049	556	98	3	2
1	I.—General diseases  Typhoid fever		189	87	58	65	34	81	120	263 11	326 12	311	291	3	164	56	4		1
2 3 4 5	Typhoid fever. Typhus fever Relapsing fever. Malaria Smallpox		2					1		1			1	1					
. 1	Measles. Scarlet fever. Whooping cough Diphtheris and croup. Influenza.	23 58 121 143 53	7 2 67 12 3	6 3 31 20	4 7 6 26	7 11 26 2	2 6 2 14	1 15 3 34	9 1 5 1	5 2	3 2 6	1 1 2	1 4	12	10	1 11	2		
11 12 13 14 15	Miliary fever Asiatic cholera Cholera nostras Dysentery Plague	5 26	1 4		2	1 		1		5		1 3	2	4	1 3	3			
16 17 18 19	Yellow fever. Leprosy. Erysipelas Other epidemic diseases.	16 3	5			1	1			1 1	 1	2	2	1		4			
20 21 22 23	Purulent infection and septicemiaGlandersRahiersRabies.	17	2					2	1	1	3	2	3	3			******		
24 25 26 27	Tetanus. Myooses. Pellagra. Beriberi.	7	1					1	1	1	1 1	1	3	2	1				
28 29 30 31 32 33 34 35	Tuberculosis (total). Tuberculosis of the lungs	13 5 10	36 9 3 21 2	23 2 2 13 4 1	13 1 1 8 1 1	14 3 9 1 1	9 1 8	14 7 1 3 1 2	79 55 55 43 113	215 195 9 3 4 2 1	224 208 6 6	157 145 3 4 1	97 89 2 2 1	36 32 3 1	32 24 1 1 1 1 1 1 3				
36 37 38	Rickets. Syphilis. Gonococcus infection.	43	6 25 3	1 1					1	2	7	3	2 1	2					
39 40 41 42 43 44 45	Cancer and other malignant tumors (total).  Of the buccal cavity.  Of the stomach, liver.  Of the peritoneum, intestines, rectum  Of the female genital organs.  Of the breast.  Of the skin.  Of other organs or of organs not specified.	92 54 17								2.	38 8 3 12 8	95 6 28 11 21 17 1	127 7 47 15 28 13 2	124 4 52 21 19 9 3	73 22 28 11 8 6 6	25 3 7 1 4 5	1		1
46 47 48 49 50	Other tumors (tumors of the female genital organs excepted)	. 2 26 10						4	4	3 1	27	2	1 2 2 23	3 6 31	6 1 30				
51 52 53 54 55	Exophthalmic goiter Addison's disease Leukemia, Anemia, chlorosis Other general diseases	3 2	5 5					1	1	2 1	1 5	1 1 2 4	2 6	1 5 1	2				

Table 6.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA, ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE OF DECEDENT: 1911—Continued.

ا نِيا									DEA	TES A	T AGE	of—							
Detailed Int. List No.	CAUSE OF DEATH.	All deaths.	Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	29	30 to 39 years.	40 to 49 years.	59	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 years and over.	Deaths at un- known age.
				R	HOD	E IS	LAN	<b>D</b> —Co	ntinu	ed.	·								,
	I.—General diseases—Continued.																		
56 57 58 59	Alcoholism (acute or chronic). Chronic lead poisoning. Other chronic occupation poisonings. Other chronic poisonings.	44 1								4	13	10	9	4 i	3	1			
·	II.—Diseases of the nervous system and of the organs of special sense	860	71	17	13	4	5	13	20	19	45	77	114	201	171	79	9	1	
60 61	Encephalitis Meningitis (total) Simple meningitis. Cerebrospinal meningitis (undefined) Cerebrospinal fever.	7 73 46 24 3	30 20 10	10 7 3	1 5 3 2	1 1 1	2 2 1 1	6 2 3 1	2 6 3 3	2 2	5 3 2	1 3 3		2 2	1 1				
62 63	Locomotor ataxia Other diseases of the spinal cord (total). Acute anterior poliomyelitis. Other diseases of the spinal cord 1	27	1 1	2 2	3 3	1 1		4 4	2 2	9	1 3 3 14	4 4 4 42	7 5 5 73	1 9 9 166	6 142	72	7	1	
64 65 66 67 68	Cerebral hemorrhage, apoplexy	530 4 32 56 7	1 1		1	1			1	1	13	14 1	1 6 13	2 9 8	11 6 1	4 1	1 1		
69 70 71 72	Epilepsy. Convulsions (nonpuerperal). Convulsions of infants. Chorea	15 2 40 1	1 35	3	2			1	4 1 1	2	2	2	2	1	1				
73 74 75 76	Neuralgia and neuritis. Other diseases of the nervous system Diseases of the eyes and their annexa. Diseases of the ears.	26 7	i	1 1	1		i	2	i 1	5	4	4 2	2	3	1	2			
	III.—Diseases of the circulatory system	1,182	16		1	3		11	24	32	70	103	185	274	272	160	30	1	ļ
77 78 79 80 81	Pericarditis Acute endorcarditis. Organic diseases of the heart Angina pectoris. Diseases of the arteries, atheroma, aneu-	11 51 882 36	5 9		1	1		4 7	6 18	2 4 24 1	1 5 61 	2 10 81 2	1 12 141 6 16	1 1 222 14 32	2 3 187 5	109 7 40	21 1 8	1	
82 83 84 85	rism, etc.  Embolism and thrombosis.  Diseases of the veins (variees, hemornhoids, phlebitis, etc.).  Diseases of the lymphatic system (lymphangitis, etc.).  Hemornhage; other diseases of the cir-	171 24 1 4	2			2				1	2	4	8	4	3	2			
•	IV.—Diseases of the respiratory system	1,083	240	100	37	17	9	19	24	46	64	75	102	133	130	75	12	,	
86 87 88 89 90	Diseases of the nasal fossae. Diseases of the larynx. Diseases of the thyroid body. Acute bronchitis. Chronic bronchitis.		1 2 59 1	4 14 1	1 1 2	3	2	3	1 1	4		1 1 1 5	7	8 15	5 8	4 11	1 2		
91 92 93	Bronchopneumonia. Pneumonia (total). Lobar pneumonia. Pneumonia (undefined). Pleurisy.	607 245 362	97 77 19 58	36 44 11 33 1	10	8 6 3 3	2 5 2 3	7 9 4 5	3 14 5 9 4	1 37 18 19 3	3 54 37 17 2	56 26 30 1	5 81 39 42 1	20 81 32 49 1	21 85 33 52 1	16 40 10 30			
94 95 96 97 98	Pulmonary congestion, pulmonary apo- plexy. Gangrene of the lung. Asthma. Pulmonary emphysema. Other diseases of the respiratory system (tuberculosis excepted).	14	3		. 1				1	1	1 2	3	6	3	3 4 2	4	3		
	V.—Diseases of the digestive system		475	75		3	6	13	24		37		67	78	57	26	6		
99 100 101 102 103	Diseases of the mouth and annexa Diseases of the pharynx. Diseases of the esophagus. Ulcer of the stomach. Other diseases of the stomach (cancer	23	28	3	1		2		1 1		3	5	1 4 9	1 5 12	1 1 8	6	2		
104 105 ,106 107	Ankylostomiasis	493 65	425		4	2	i	5	i	2	1	3	5	15	15	8			
108	Intestinal parasites Appendicitis and typhlitis		colsiuve		te ante	rior po						16	4	4	1	·			.•

Table 6.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA, ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE OF DECEDENT: 1911—Continued.

it.									DE/	ATHS A	T AGE	OF—		•			,		
Detailed Int. , List No.	CAUSE OF DEATH.	All deaths.	Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.		29	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 years and over.	Deaths at un- known age.
		······································	<del></del>	R	HOD	E IS	LAN	D—Co	ntinue	đ.				·	-				,
	V.—Diseases of the digestive system—Continued.																-		
109	Hernia, intestinal obstruction (total)	69 29	15 3		2		ļ	1	2	3	4 2	5 2	11 6	11 6	10 8	4 2	1		
110	Intestinal obstructionOther diseases of the intestines	40 15	12 4		2			1	2 1	3 2	1	3	5	5 2	2 1	2	1		
111 112 113 114	Acute yellow atrophy of the liver	3 1 83 17		2					1	1 5	7 3	16 2	2 19 3	19 4	12 4	1 2 1			
115 116 117 118	Other diseases of the liver. Diseases of the spleen. Simple peritoritis (nonpuerperal). Other diseases of the digestive system (cancer and tuberculosis excepted).	26 1 16 4	2	1				3	1 2 1	2 1	1 3 1	4 1 1	7 1 1	3 2	4	3 1			
	VI.—Nonvenereal diseases of the genito-urinary system and annexa.	786	10	3	1	2	1	7	13	37	65	102	146	161	162	66	10		
119 120 121	Acute nephritis Bright's disease	53 640	3 4	1	1	2	i	2 5	4 9	7 28	8 45	5 82	12 123	4 143	4 141	52	7		
121 122 123	Chyluria Other diseases of the kidneys and annexa. Calculi of the urinary passages	15 4	2	2				•••••		ï	1 1	. 3	,1	2 1	2		1		
124 125	Diseases of the bladder	12						• • • • • •		ļ			2	2	4	4			
126 127	etc	7 29						•••••			1	2 1	3 2	6	9	9	2		
128	organs. Uterine hemorrhage (nonpuerperal)	1									1						,		
129 130 131	Uterine tumor (noncancerous) Other diseases of the uterus Cysts and other tumors of the ovary	3 4 9								1	<u>2</u>	1 2 3	1 1	<u>1</u>	1	1			
132	Salpingitis and other diseases of the female genital organs.  Nonpuerperal diseases of the breast	9					·				6	2	1	· · · · · · · · · · · · · · · · · · ·		•		•••••	
	(cancer excepted)	89							6	41	32	10							
134 135	Accidents of pregnancy	12								5 5	4 7								
136 137	Other accidents of labor	4 29			·····				2	. 2 15	1 7	1 5							
138 139 140	Puerperal albuminuria and convulsions. Puerperal phlegmasia alba dolens, em- bolus, sudden death. Following childbirth (not otherwise de-	33 2							4	13	12	4						•••••	
141	fined)																		
	VIII.—Diseases of the skin and of the cellular tissue	19	3	1					1		1		2	5	4	2			
142 143 144 145	Gangrene. Furuncle Acute abscess Other diseases of the skin and annexa	6 1 8 4	3	1					1		1		2	. 3 1 1	2 2	1 1			
	IX.—Diseases of the bones and of the organs of locomotion	17	1					4	2		4		2	1	1	2			
146 147	Diseases of the bones (tuberculosis excepted).  Diseases of the joints (tuberculosis and rheumatism excepted).	10 5	. 1					2 - 1	2		2 2		1	1	1	1			
148 149	AmputationsOther diseases of the organs of locomotion	2						1								1			
	X.—Malformations	89	85	2	· 1	1											· 		
150	Congenital malformations (stillbirths not included) (total). Hydrocephalus. Congenital malformations of the	89 7	85 5	2 2	1	1													
	heartOther congenital malformations	50 32	49 31		1	1								· · · · · · · · · · · · · · · · · · ·					
151	XI.—Early infancy	546	546																
	rema (total)  Premature birth Congenital debility, "atrophy," "marasmus," etc	410 227 183	410 227 183	•••••					•••••									•••••	

Table 6.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA, ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE OF DECEDENT: 1911—Continued.

=		1									m 105							-	-
d Int. No.		All	<b></b>	<u> </u>		1	T	<u>.                                    </u>	DE2		T AGE	OF		1			1	<u> </u>	Deaths
Detailed Int. List No.	CAUSE OF DEATH.	deaths.	Under 1 year.	L T	2 years	3 years	4 years	5 to 9 years	19	20 to 29 years.	89	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	99	years and over.	at un- known age.
			<u>"</u>	R	нор	E IS	LAN	<b>D</b> Co	ntinue	d.	·		·	1		1	<u> </u>		<u></u> ,
	XI.—Early infancy—Continued.					1													
152	Other causes peculiar to early infancy	100	100					1											
	(total)	132 101	132 101																
153	fancy 1.  Lack of care.	31 4	31 4											ļ		ļ			· 
	XII.—Old age	133											2	4	42	66	19		
154	Senility	133									<u> </u>		2	4	42	66	19		
	XIII.—External causes	542	20	12	9	8	8	32	31	73	70	78	69	60	42	23	7		
155	Suicide (total)	65 7							3	11 3	9	16	15	7	3	1			
155 156 157 158	By asphyxia By hanging or strangulation	18 9	 	<u>-</u>	 		.		ļ <del>.</del>	3 1	$\begin{bmatrix} \hat{5} \\ 1 \end{bmatrix}$	5	1 3 4	3	1				
159	By drowning	8							2	1 6	1	2 4	2 3	2 1	ī	i			
160 161 162	By cutting or piercing instruments. By jumping from high places. By crushing. Other suicides.	5									1	2	2						
163	Other suicides														• • • • • • • • • • • • • • • • • • • •				• • • • • • • •
164	Accidental or undefined (total)	457 2	19	12	9	7	7	32	27	55	56 1	58	54	53	39	22			
165´ 166	Other acute poisonings	11	2	2 2		<u>i</u> .				2 1 1	2	1	2 2	1	1				
167	Conflagration Burns (conflagration excepted)	51	3	3	6	4	i	6	2	Ĩ.	5	5	2 5	5	3	i			
168	Absorption of deleterious gases (confla- gration excepted)	37	3			 		3		4	8	3	7 5	3	5		1		
169 170 171	Traumatism by prearms	62		1			1	11 1	8	12 1	11	8	5 1	4		1			
172	Traumatism by cutting or piercing instruments. Traumatism by fall.	1 98	2				<sub>1</sub> -	1 3	2				9						
173	Traumatism in mines and quarries	90	2	4			1		, z	7	.7	7	9	18	22	14	4		• • • • • • • • •
	(total)Traumatism in mines	5 5				<b></b>				1 1	2 2	1 1	1 1						
174	Traumatism in quarries. Traumatism by machines	8							3	2		<u>î</u> -	i	····i					
175	Traumatism by other crushing																	-	
	(total)	95 26			2	1	4	<sub>2</sub> .	10	20 6	7	20 9.	11	11 3					
ļ	Street-car accidents and injuries. Automobile accidents and injuries. ries	28 25		•••••	2	1	2	3	2 4	5 4	4 2	5 3	3	3					••••••
	Injuries by other vehicles Landslide, other crushing	16					í	2	i			3	í	i	1		1		<b></b>
176	· · · · · · · · · · · · · · · · · · ·	- 1	1 1	- !															
177 178 179	Injuries by animals Starvation Excessive cold	1																	
1	Effects of heat	ļ	9	1	1					3	8		9	10	5	6			
180 181 185	Lightning. Electricity (lightning excepted) Fractures (cause not specified)	1		•••••						•••••		1							
186	Other external violence	11		····ì						i	3	3	···i	•••••	2				• • • • • • • • • • • • • • • • • • • •
182	Homicide (total)	20 9	1			1	1		1 1	7 3 2	5	4 2							
183 184	By cutting or piercing instruments By other means.	4 7	i			i	1			2 2	1	1							
	XIV.—III-defined diseases	59	19	5	2	1		2		1	2	6	7	7	4	1	1	1	
187	Ill-defined organic disease	1 7						•••••			;-	;-			1				
188 189	Not specified or ill-defined (total) [ll-defined	51 31	3 16 8	5	2 2	1		1 1 1		1	1	1 5 2 3	7 4	1 6 4	3 3	i	1 1	i	
	Not specified or unknown	20	8			1		•••••		i	1	3	3	2				1	· · · · · · · · ·
						υ	ТАН	•					<del></del> .					·	
	All causes	3,960	822	147	86	57	42	132	208	345	336	334	340	361	455	248	38	1	8
	T.—General diseases	902	64	41	34	38	24	73	71	92	93	81	98	99	64	22	4	1	3
1 2	Typhoid fever	74		1	3		3	5	16	29	7	5	2	3					
3	Relapsing fever					•••••						•••••							
5	Smallpox	9	3					3					]				,)		· · · · · · · · · · · · ·
				1 <u>F</u>	sxelus	ive of i	injuries	at bir	th.										

Table 6. -DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA, ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE OF DECEDENT: 1911 -Continued.

it.	,		1					•	DE	ATHS A	T AGE	or—							
Detailed Int. List No.	CAUSE OF DEATH.	All deaths.	Under 1 year.	_ I	2 years.	3 years.	4 years.	5 to 9 years.	19	20 to 29 years.	39	49	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 years and over.	Deaths at un- known age.
_				<i>.</i>	τ	TAE	t—Con	tinued							·				
6 7	I.—General diseases—Continued.  Measles Sorlet fover	42 56	8 2	13	7 6	5 12	3 4	5 17	1 8	2					,				
7 8 9 10	Scarlet fever. Whooping cough Diphtheria and croup Influenza	25	8 2 14 3 5	13 5 5 11 2	4 9 1	12 	10	25 1	12 1	1 1	1 1	1 3				3		•••••	
12 13 14 15	Miliary fever Asiatic cholora Cholera nostras Dysentery Plague	3 11	1 4	1			i		,				2	1	2	1			
16 17 18 19	Yellow fever. Leprosy. Erysipelas Other epidemic diseases.	12								2		i			2				
20 21 22 23	Purulent infection and septicemia									3				1		1			1
24 25 26 27	Tetanus Mycoses Pellagra Beriberi										•••••								
28 29 30 31 32 33 34 35	Tuberculosis (total) Tuberculosis of the lungs. Acute miliary tuberculosis. Tuberculous meningitis. Abdominal tuberculosis. Pott's disease. White swellings. Tuberculosis of other organs. Disseminated tuberculosis.		1 1		2	3 1 1 1	1 1	3 1 1	9 3 2 1 1 1	36 25 2 1 4 3	52 48 3		3		1				
36 37 38	Rickets Syphilis. Gonococcus infection	3 12 2	1 5	2					 1 1	3	2	1							
39 40 41	Cancer and other malignant tumors (total).  Of the buccal cavity.  Of the stomach, liver.  Of the peritoneum, intestines,	200 11 94 18						1		4 1	16 1 •5	31 2 12	43 4 17	48 2 28	41 1 24	12			
42 43 44 45	rectum. Of the female genital organs. Of the breast. Of the skin Of other organs or of organs not speci- fied.	25 14 8 30						1		2	1 2 3 4	1 9 2	5 7 4 6	6 4 3 1	· 5 3 3 5	3	1		
46 47 48 49 50	Other tumors (tumors of the female genital organs excepted). Acute articular rheumatism. Chronic rheumatism and gout. Scurvy. Diabetes.	2 35 5	1		 1	1	i	6	12 4	3	1 1	1 4	2 2 2	1 5 1	3	1 1 1			3
51 52 53 54 55	Exophthalmic goiter Addison's disease Leukemia Anemia, chlorosis Other general diseases	5 1	1 4						1	2 1 1	2 1 1	2 2 1	1 2	1 1 6					
56 57 58 59	Alcoholism (acute or chronic)	20 3								2	3	3	4 2	5 1		1			2
	II.—Diseases of the nervous sys- tem and of the organs of special sense.		42	5	8	2	2	3	11	19	20	35	39	34	62	30			1
60 61	Encephalitis. Meningitis (total). Simple meningitis. Cerebrospinal meningitis(undefined) Cerebrospinal fever.	5 39 23 11 5	2 12 6 5 1	5 5	5 3 2		2 1 - 1	1 1	3 2 1	1 4 2 2	2 1 1	3 3	1 1 1	1 1· 1					
62 63 64	Locomotor ataxia Other diseases of the spinal cord (total) Acute anterior poliomyelitis. Other diseases of the spinal cord <sup>1</sup> Cerebral hemorrhage, apoplexy	2 16 3 13 144	2 2 2 5			i 1			1	1 1 1 1	1 1 10	1 1 20	6 19	1 1 18	3 3 42	27			i
65 66 67 68	Softening of the brain Paralysis without specified cause General paralysis of the insane Other forms of mental alienation	10 1	Exclusi							i i itile pa	1 1 tralysis	5 3 1	1 1 1	8 2 2	7 4 4	3			

Table 6.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA, ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE OF DECEDENT: 1911—Continued.

nt.	•						···		DEA	ATHS A	T AGE	OF-				7.00		<del></del>	
Detailed Int. List No.	CAUSE OF DEATH.	All deaths.	Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	39	40 to 49 years.	59	60 to 69 years.	70 to 79 years.	89	90 to 99 years.	100 years and over.	Deaths at un- known age.
					τ	TAE	<b>I</b> —Con	tinued										·	·
	II.—Diseases of the nervous system and of the organs of special sense—Continued.																		
69 70 71 72	Epilepsy. Convulsions (nonpuerperal). Convulsions of infants. Chorea.	11 2 19 3	19	· · · · · · · · · · · · · · · · · · ·				1	3 1	1 i	3		3 1 1		i				
73 74 75	Neuralgia and neuritis Other diseases of the nervous system Diseases of the eves and their annexa	3 13 1	1		1	i			·····2	1 3	2	i	1 2	1	i				
76	Diseases of the ears	9 396	6	2	1	1	3	19	30	3 33	. 33	40	50	62	87	27	2		
77 78 79 80 81	Pericarditis Acute endocarditis Organic diseases of the heart Angina pectoris Diseases of the arteries, atheroma, aneurism, etc	22 319 21 25	4	1 1	1	1	2 1	6 13	4 26	2 28 1	2 29 1	1 34 3	2 41 3	1 51 5	71 4 10	1 17 4 5	1		
82 83 84	Embolism and thrombosis.  Diseases of the veins (varices, hemorrhoids, phlebitis, etc.).  Diseases of the lymphatic system (lymphangitis, etc.).	3 1 3	2							1			2		1 1				
85	Hemorrhage; other diseases of the circulatory system  IV.—Diseases of the respiratory system.	.561	175	39	18	8	2	10	12	1 24	29	1 44	35	53	80	27	5		
86 87 88 89 90	Diseases of the nasal fossae	2 8 1 50 21	1 4 36	1 5	3	2		1 1	i		1	2	2	1 1	8	2 6	2		
91 92 93	Bronchopneumonia. Pneumonia (total). Lobar pneumonia. Pneumonia (undefined). Pleurisy.	107 319 118 201 20	53 80 13 67	17 14 5 9	2 10 3 7 2	3 3 1 2	1	8 1 7	1 9 4 5 1	2 18 9 9	2 20 10 10	31 18 13 4	3 23 10 13 3	2 46 27 19	18 46 14 32 3	3 10 3 7 1	1		
94 95 96 97 98	Pulmonary congestion, pulmonary apoplexy. Gangrene of the lung. Asthma. Pulmonary emphysems. Other diseases of the respiratory system (tuberculosis excepted).	6 1 7 1	1							2	1 4		1	1 1	1 4	1	2		
	V.—Diseases of the digestive system	416	148	39	9	4	3	12	27	27	25	23	32	24	26	16	1		
99 100 101 102	Diseases of the mouth and annexa.  Diseases of the esophagus.  Ulcer of the stomach.	2 6	1 2		1 1			1		2	2		1						
103	Other diseases of the stomach (cancer excepted)	33	13		1			1	1	1	2	3		2	8	3			
104 105 106 107 108	Diarrhea and enteritis (under 2 years). Diarrhea and enteritis (2 years and over). Ankylostomiasis. Intestinal parasite Appendicitis and typhlitis.	144 26	110	34	3	1 1	2	4 5	2 15	1  12	1  14	1 6	3 4	i i	2	5			
109	Hernia, intestinal obstruction (total) Hernia Intestinal obstruction. Other diseases of the intestines	53 8 45 8	13 13 4	4 4 1	1 1	1	1	1	4	3 1 2	1 1 1	22	5 1 4	6 3 3	8 3 5	2 2 1	1 1		
111 112 113 114	Acute yellow atrophy of the liver. Hydatid tumor of the liver. Cirrhosis of the liver. Biliary calculi.										1	5 2	7 1	6 2	2	1			
115 116 117 118	Other diseases of the liver	19 1 21 2	3		i	1			4 1	1 7	1 1 1	1 2	5 2	2 1 1	3	2			
	VI.—Nonvenereal diseases of the genito-urinary system and annexa.	290	8	5	5	1		2	10	19	26	33	46	54	57	22	6		
119 120	Acute nephritis	26 204	2 2	$\frac{3}{2}$	$\frac{3}{2}$	1		1 1	3 2	19	20 2 18	3 24	2 35	4 44	3 43	17			
121 122 123	Chyluria. Other diseases of the kidneys and annexa. Calculi of the urinary passages	6	2	 	 			<u>-</u> -	1 1		i		1	1	2				<b>-</b>

Table 6.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA, ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE OF DECEDENT: 1911—Continued.

<u>==</u>					<del> </del>				DE	ATHS	AT AG								
Detailed Int. List No.	CAUSE OF DEATH.	All deaths.	Under 1 year.	1	2 years	3 years	4 years	5 to 9	{ II	29	39	40 to 49 years	59	60 to 69 years	79	89	90 to	years	Deaths at un- known age.
		·	<u>"</u>	.,	•	UTA	EI—Co	ntinue	d.		.1	<u> ! </u>	<u> </u>	1		1		1	<u> </u>
	VI.—Nonvenereal diseases of the genito-urinary systems and annexa—Continued.																		
124 125	Diseases of the bladder	1	1	ļ			ļ					<b></b> -		. 1	3	5	1	ļ	
126 127	etc	12 12	1									<b> </b>	1 2	4	6				
128	OrgansUterine hemorrhage (nonpuerperal)	1								. 1		ļ							
129 130	.Uterine tumor (noncencerous)	11							3	2	1 3	3 3	5						
131 132	Cysts and other tumors of the ovary								ļ										
133	male genital organs.  Nonpuerperal diseases of the breast (cancer excepted)	5								4	1							:	
	VII.—The puerperal state	60							2	27	22	8	1						
134 135	Accidents of pregnancy Puerperal hemorrhage	6 3								2 2	3	1 1							
136 137	Other accidents of labor	10 20							<u>i</u>	4 9	5 7	1 2	1						
138 139	Puerperal albuminuria and convulsions. Puerperal phlegmasia alba dolens, em-	14								5	6	3							
140	bolus, sudden death Following childbirth (not otherwise	6							1	4	1	ļ		<b></b>	ļ;				
141	defined) Puerperal diseases of the breast	1								1									
	VIII.—Diseases of the skin and of the cellular tissue	11	1									2	1	4	1	1	1		,
142	Gangrene	8 1										2		. 3	1	1	- 1		
143 144 145	Furuncle	1 1 1	·i										····i	1					· · · · · · · · · · · · · · · · · · ·
220	IX.—Diseases of the bones and of the organs of locomotion	8	^					••••					•••••	•••••		••••			,
146	Diseases of the bones (tuberculosis ex-				1						2		3		<u></u>				
147	cepted)	8			1				2		2		3						
148 149	rheumatism excepted)																		
149	X.—Malformations	54	51	1		•••••	1	•••••	1									•••••	
150																			
	Congenital malformations (stillbirths not included) (total).  Hydrocephalus.  Congenital malformations of the heart Other congenital malformations	54 1 37	51	1			1 1		<u>1</u>										
		16	36 15	1					1					• • • • • • • • • • • • • • • • • • • •					
	XI.—Early infancy	298	298																
151	Congenital debility, icterus, and sclere- ma (total) Premature birth	244 193	244 193																
	Congenital debility, leterus, and scierema (total)  Premature birth  Congenital debility, "atrophy,"  "marasmus," etc.  Other causes peculiar to early infancy	51	51																
152	Other causes peculiar to early infancy (total)	52																	
:	Other causes peculiar to early infancy 1	28 24		- 1		· · · · · · · · · · · · · · · · · · ·		- 1	,				- 1						
153	Lack of care	2	2							,									
	XII.—Old age	183							···			<u> </u>		7	60	93	23	·	
154	Senility XIII.—External causes.	183 400	11	11	10									7	60	93	23		
	Suicide (total)	70 21				3	7	13	41 6	100	12	63 15	10	16	9	5			2
155 156	D-moigan	3 ∥							4	4 3	1	5	4	2	1				<b>:</b>
157 158 159	By asphyxia By hanging or strangulation By drowning By firearms By cutting or piercing instruments	. 1	• • • • • •   •							2	1	<u>i</u> -	2	2					
160 161		3		-					2	11	9	7 1	3 .	····i	1				:
162 163	By crushing Other suicides											1					.		
184	Accidental or undefined (total)	303	11	10	10	3	7	13	34	75	60	38	19		7		- 1		
164 165 166	Poisoning by food. Other acute poisonings. Conflagration.	8	····i†	3	i				1	1		1 .			7	1 .		1	
167	Burns (conflagration excepted)	16	i- -	2	4	···i	3		···i-	2			2						••••••
					Exclu	isive of	injuri	es at b	irth.						٠.				

TABLE 6.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA, ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE OF DECEDENT: 1911—Continued.

ا.					,				DEA	THS A	T AGE	or	<del>,</del>	,				<del>,</del>	Deat
List No.	CAUSE OF DEATH.	All deaths.	Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	29	30 to 39 years.	49	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 years and over.	at ui knov age
					<b>1</b>	TAI	<b>I</b> —Co1	atinued	l. 										
	XIII.—External causes—Contd.																		
8	Accidental or undefined—Continued. Absorption of deleterious gases (con-																		
9	flagration excepted)	29	4	5	i		<sub>i</sub> .	3		2 5	1 1	3	2		<u>i</u> -				
0	Traumatism by firearms	17	2			1		2	6	5	1								
2	instruments Traumatism by fall	33	2				i	3	3	4	4	5	2	2	4	3			
3	Traumatism in mines and quarries (total)	56							2	22	16	13	2	1					:.
	(total). Traumatism in mines. Traumatism in quarries. Traumatism by machines.	55 1							2	22	16	12 1	2	1					
1		1					1	9	9	25	27	1 11	9	1 5	2	2			
5	Traumatism by other crushing (total) Railroad accidents and injuries Street-car accidents and injuries	52			3				2 2	15	17	9	3	ĭ	ĩ	ĩ			
	Automobile accidents and injuries	9								5			1	1	1	1		<u> </u>	
	Injuries by other vehicles Landslide, other crushing	21 7					1	1	4 1	3 2	5 2	1	4	2 1					
3	Injuries by animals	4		<b> </b>	ļ	<b> </b>	<b> </b>	1	2	1		ļ							ļ
	Starvation Excessive cold Effects of heat	2									i			i					
	***	1								1	<b></b> .						<i>.</i>		
L ]	Lightning Electricity (lightning excepted) Fractures (cause not specified) Other external violence	7 2						1	1	1	3		į						
			1		1	1		1	1	5	8	10	1	1					
	Homicide (total)¹	20								4	5 2	9		i					
	By other means.			····i					1	1	1	1							
	XIV.—Ill-defined diseases		18	4					1	4	6	5	6	8	9	5			
	Ill-defined organic disease	2										1			1 1 7	5			
1	Not specified or ill-defined (total) Not specified or unknown	45	18 7 11	3 1					1	4	6 5 1	4 4	6	8 7 1	3 4	4			
	1100 opounou or ammo variantina				1	****		****		<u> </u>	ļ	<u> </u>		<u> </u>	<u> </u>		l	1	
							2MO												
_	All congog	5 661	7.11	113	36		30		369	286	324	405	593	901	1.122	690	130	5	
	All causes		741	113		36	30	79	169	286	324 126	<b>405</b>	593 186	901	1,122	690 98	130	5	-
	I.—General diseases.  Typhoid fever	1,334	<b>741</b> 59	113 34	36				169 65 8						<u> </u>			-	
	I.—General diseases. Typhoid fever. Typhus fever.	1,334		34		36	30	79 26	65	140	126	138	186	207	197			-	
	I.—General diseases.  Typhoid fever	1,334		34		36	30	79 26	65	140	126	138	186	207	197		13	-	
	I.—General diseases.  Typhoid fever.  Typhus fever.  Relapsing fever.  Malaria.  Smallpox.  Measles.  Scarlet faver	1,334	59	34	13	36	30	79 26 4	65	140	126	138	186	207	197		13	1	
	I.—General diseases. Typhoid fever. Typhus fever. Relapsing fever. Malaria. Smallpox. Measles Scarlet fever. Whopping cough. Diphtheria and croup.	1,334 44 5 5 5 5 27 24	7 1 18	34 1  13 1 4 2	13	36 17	30	79 26 4 3 1 1 1 3	65 8	140 12	126	138	3	3	197	98	13	1	
	I.—General diseases.  Typhoid fever.  Typhus fever.  Relapsing fever.  Malaria.  Smallpox.  Measles.  Scarlet fever  Whooping cough.  Diphtheria and croup.  Influenza.	1,334 44 5 38 5 27 24 157	59	34 1  13 1 4 2 1	13	36 17	30	79 26 4	65	140	126	138	33	3 3	197	98	13	1	
	I.—General diseases.  Typhoid fever.  Typhus fever.  Relapsing fever Malaria.  Smallpox.  Measles. Scarlet fever. Whooping cough. Diphtheria and croup Influenza.  Miliary fever Asiatic cholera.	1,334 44 5 5 5 27 24 157	7 1 18 8	34 1  13 1 4 2 1	13	36 17	30 14 2 2 25	79 26 4 	65 8	140 12  2 1	126	138	3	3 3	197	1 39	13	1	
	I.—General diseases.  Typhoid fever. Typhus fever. Relapsing fever. Malaria. Smallpox.  Measles. Scarlet fever. Whooping cough. Diphtheria and croup. Influenza. Miliary fever. Asiatic cholera. Cholera nostras.	1,334 44 5 38 5 27 24 157	7 1 18 8	34 1 	13	36 17 	30 14 2 2 5	79 26 4 3 1 1 3 1	65 8	140 12 2 1 2 3	128 5	138 4	3 3 13	3 3	197	1 39	13	1	
	I.—General diseases.  Typhoid fever. Typhus fever. Relapsing fever Malaria. Smallpox.  Measles. Scarlet fever. Whooping cough. Diphtheria and croup Influenza.  Miliary fever Asiatic cholera Cholera nostras. Dysentery Plague.  Yellow fever	1,334 44 5 5 38 5 27 24 157	7 1 18 8	13 14 2 1	1 5 1	36 17	30 14 2 2 25	79 26 4 3 1 1 3 1	65 8 1 3 4	140 12 2 1 2 3	3	138 4	186	3 3 200	197 4 1 1 1 46	98 1 39	6	1	
	I.—General diseases.  Typhoid fever. Typhus fever. Relapsing fever Melaria. Smallpox.  Measles. Scarlet fever. Whooping cough. Diphtheria and croup. Influenza.  Miliary fever Asiatic cholera. Cholera nostras. Dysentery. Plague.  Yellow fever Leprosy. Erysipelas.	1,334 44 5 38 5 27 24 157	7 1 18 8	13 13 1 4 2 1	13	36 17	30 14 2 2 2 5	79 26 4 3 1 1 3 1	65	140 12 2 1 2 3	126 5 3	138 4	186 3 3 1	3 3 200	197 4 1 1 1 46	39	6	1	
	I.—General diseases.  Typhoid fever. Typhus fever. Relapsing fever. Melaria. Smallpox.  Measles. Scarlet fever. Whooping cough. Diphtheria and croup. Influenza.  Millary fever. Asiatic cholera. Cholera nostras. Dysentery. Piague.  Yellow fever Leprosy. Erysipelas. Other epidemic diseases.	1,334 44 5 38 5 27 24 157	7 1 18 8	13 13 1 4 2 1	13	36 17	30 14 2 2 2 5	79 26 4	65	140 12 2 1 2 3	3	138 4 1 1 4 11	186 3 3 13	207 3 3 20 20	197 4 1 1 46 1	98 	6	1	
	I.—General diseases.  Typhoid fever. Typhus fever. Relapsing fever. Melaria. Smallpox.  Measles. Scarlet fever. Whooping cough. Diphtheria and croup. Influenza. Millary fever. Asiatic cholera. Cholera nostras. Dysentery. Plague.  Yellow fever. Leprosy. Erysipelas. Other epidemic diseases. Purulent infection and septicemia.	1,334 44 5 38 5 27 24 157 1 12	7 1 18 8 8 1 1 1 1 1 1	13 1 4 2 2 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	1 5 1	36 17  1 1 1 4 1 2	2 2 5 11	79 26 4 	1 3 4	140 12 2 1 2 3	3	138 4 1 1 11 3 3	186 3 3 13	207	197 4 1 1 46 1	98 1 1 1 39	6	1	
	I.—General diseases.  Typhoid fever. Typhus fever. Relapsing fever Malaria. Smallpox.  Measles. Scarlet fever. Whooping cough. Diphtheria and croup Influenza.  Miliary fever Asiatic cholera Cholera nostras. Dysentery Plague.  Yellow fever Leprosy. Erysipelas. Other epidemic diseases.  Purulent infection and septicemia. Glanders. Anthrax Rabies.	1,334 44 5 38 5 27 24 157 11 12	7 1 18 8	13 1 4 2 1 1	13	36 17  1 1 1 1 4 1 1 2	2 2 5 11	79 26 4 	1 3 4	140 12 2 1 2 3	3	138 4 1 1 11 3 11	186 3 3 13	207	197 4 1 1 46 1	98 1 1 1 39	6	1	
	I.—General diseases.  Typhoid fever. Typhus fever. Relapsing fever. Melaria. Smallpox.  Measles. Scarlet fever. Whooping cough. Diphtheria and croup. Influenza. Milliary fever. Asiatic cholera. Cholera nostras. Dysentery. Plague.  Yellow fever. Leprosy. Erysipelas. Other epidemic diseases. Purulent infection and septicemia. Glanders. Anthrax. Rabies. Tetanus. Mycoses.	1,334 44 5 38 5 27 24 157 11 12 11 11 6	7 1 18 8 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	13 1 4 4 2 1 1	13 5 1	36 17 11 1 1 1 1 4 4 1	2 2 5	79 26 4 3 1 1 3 1 1	1 3 4	140 12 2 1 2 3 3	126	138 4 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	186 3 3 13 13 4 2	207	197	39	6	1	
	I.—General diseases.  Typhoid fever. Typhus fever. Relapsing fever Malaria. Smallpox.  Measles. Scarlet fever. Whooping cough. Diphtheria and croup Influenza.  Miliary fever Asiatic cholera Cholera nostras. Dysentery Plague.  Yellow fever Leprosy. Erysipelas. Other epidemic diseases.  Purulent infection and septicemia. Glanders. Anthrax Rabies.	1,334 44 5 38 5 27 24 157 1 12	7 1 18 8 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	13 1 4 4 2 1 1	13 5 1 1	36 17 1 1 1 1 4 1 1 2	2 2 5 11	79 28 4 	1 3 4	140 12 2 1 2 3 1	3	138 4 1 1 11 3 3	186 3 3 13 14 4 2	207	197 4 1 1 46 1	39	66	1	
1 3 3 1 1 2 3 1 5 5 7	I.—General diseases.  Typhoid fever. Typhus fever. Relapsing fever Malaria. Smallpox.  Measles. Scarlet fever. Whooping cough. Diphtheria and croup Influenza.  Miliary fever Asiatic cholera Cholera nostras. Dysentery. Plague.  Yellow fever Leprosy. Erysipelas. Other epidemic diseases.  Purulent infection and septicemia. Glanders. Antihrax Rabies.  Tetanus. Mycoses. Pellagra. Beriberi.	1,334 44 5 38 5 27 24 157 11 12 13 11 11 6	7 1 18 8 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	13 1 1 4 4 2 2 1 1 1 1 1 1 1 1 1 1 1 1 1 1	13	36 17 1 1 1 1 4 1 1 2	2 2 5 5 1 1 3 3 3 3 3 3 3 3 5 6 6 6 6 6 6 6 6 6 6 6	79 28 4 	1 3 4	140 12 2 1 2 3 3 1 1	3 3 1 1 75 63	138 4 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	186 3 3 13 13 4 4 2	207 3 3 20 20	197 4 1 1 46 1 3 1	39 1 1 1 3 3 4 4 3 3 3 4 4 4 3 3 3 4 3 4 4 3 3 4 3 4 4 3 3 4 4 4 3 4 4 3 4 4 4 3 4 4 4 3 4 4 4 3 4 4 4 3 4 4 4 4 3 4 4 4 4 4 3 4	66	1	
1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	I.—General diseases.  Typhoid fever. Typhus fever. Relapsing fever. Malaria. Smallpox.  Measles. Scarlet fever. Whooping cough. Diphtheria and croup. Influenza. Miliary fever. Asiatic cholera. Cholera nostras. Dysentery. Plague.  Yellow fever. Leprosy. Erysipelas. Other epidemic diseases. Purulent infection and septicemia. Glanders. Anthrax. Rabies.  Tetanus. Mycoses. Pellagra. Beriberi.  Tuberculosis (total). Tuberculosis of the lungs. Acute miliary tuberculosis. Tuberculosis. Tuberculosis. Tuberculosis. Tuberculosis.	1,334 44 5 38 5 27 24 157 11 11 11 11 11 11 11 11 11 11 11 11 11	7 1 18 8 1 1 1 1 1 1 1 2 7 7	13 1 4 2 2 1 1 1 1 2 2 4 4 4 4 4 4 4 4 4 4	13 13 11 11 11 11 11 11 11 11 11 11 11 1	36 17 1 1 1 1 1 4 4 1 1 2 2	30 14 2 2 5 5	79 26 4 3 1 1 3 1 1	65 8 1 3 4 2 2 2 36 24 5 2	140 12 2 1 2 3 3 1 1 1 1 2 8 8 8 5 2 2 2 2	3 3 1 1 75 63	138 4 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	186 3 3 13 13 2 43 22 44	207 3 3 20 20 1	197 4 1 1 46 1 3 1 1 23 18	39 1 1 1 3 3 4 4 3	66	1	
2345 6739) L2345 6739 OL23 4567 89012345	I.—General diseases.  Typhoid fever. Typhus fever. Relapsing fever. Melaria. Smallpox.  Measles. Scarlet fever. Whooping cough. Diphtheria and croup. Influenza.  Miliary fever. Asiatic cholera. Cholera nostras. Dysentery. Piague.  Yellow fever. Leprosy. Erysipelas. Other epidemic diseases. Purulent infection and septicemia. Glanders. Anthrax Rabies. Tetanus. Mycoses. Pellagra. Beriberi. Tuberculosis (total). Tuberculosis of the lungs.	1,334 44 55 38 57 24 157 11 11 11 66 424 330 17 311 18 5	7 1 18 8 1 1 1 1 1 2 7 2 2	13 1 4 4 2 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	13	36 17 1 1 1 1 4 1 1 2 2	30 14 2 2 5 1 1 3 3	79 26 4 3 1 1 3 1 1 1 1 4 3	65 8 1 1 3 4 4 2 2 2 3 6 24 5 2 2 2 2	140 12 2 1 2 3 3 1 1 1 1 1 1 1 1 1 1 1 1 1	126 5 3 3 1 1 75 63 2 2 1 1 3 1	138 4 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	186 3 3 13 13 2 2 4 4 3 3 1	207 3 3 20 20 1	197 4 1 1 46 1 1 23 18 1 2 21 21 21	39 1 1 1 3 3 4 3	6	1	

Table 6.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA, ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE OF DECEDENT: 1911—Continued.

ا نب					<del></del> -				DEA	THS A	T AGE	of—							
Detailed Int. List No.	CAUSE OF DEATH.	All deaths.	Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	19	20 to 29 years.	39	49	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	99	100 years and over.	Deaths at un- known age.
					VE	RMO:	NT-	Contin	ued.										
	I.—General diseases—Continued.		4.																
36 37 38	Rickets. Syphilis. Gonococcus infection.	12 2	3	2		1				i	2 1	i	$\frac{1}{2}$	i	1				
39 40 41	Cancer and other malignant tumors (total) Of the buccal cavity Of the stomach, liver Of the peritoneum, intestines, rec-	361 20 130			1			1		1	i	30 1 10	76 2 27	99 7 37	90 6 34	34 3 15	2		
42 43 44 45	tum. Of the female genital organs Of the breast. Of the skin. Of other organs or of organs not speci- fied.	15								1 2 1	2 4 4 1 3	1 12 4 2	13 14 5 2	14 13 6 2 20	11 8 15 5	1 3 4 4	1	1	
46 47 48 49	Other tumors (tumors of the female genital organs excepted)	23 3 1	i						3 4	2 1	<u>2</u> <sub>7</sub>	2 1 1 5	3 	5 16	1 2 1 12				
50 51 52 53 54 55	Diabetes  Exophthalmic goiter  Addison's disease Leukemia.  Anemia, chlorosis  Other general diseases.	'9 1 8 34	i					. <b>.</b>	1 3	1	1  1 3	1 5 1	1 1 1 1 7	4 1 5	1 2 6	1			
56 57 58 59	Alcoholism (acute or chronic)	17									, 1	4	5	3 2	1				5
	II.—Diseases of the nervous sys- stem and of the organs of special sense	, 690	35	8	1	1	4	10	10	12	11	39	84	154	207	99	15		
60 61	Encephalitis Meningitis (total). Simple meningitis. Cerebrospinal meningitis (undefined). Cerebrospinal fever.	20	11 7 4	3 1 2	1 1		1 2 1	2 1 1	2 2		1	1 1 1	4 4	1 1 1	2 2				
62 63 64	Corebrashman (Vol.  Other diseases of the spinal cord (total).  Acute anterior poliomyelitis.  Other diseases of the spinal cord <sup>1</sup> Cerebral hemorrhage, apoplexy.	9 46 11 35	1 1 2			 1 1			3 3	1 1 4	1 1 3	2 3 3 17	3 5 5 55	3 12 12 114	1 10 1 9 166	3 3 87	1		
65 66 67 68	Softening of the brain									1 1	1 1 1	2 3 3	3 3 2 4	4 4 8 5	3 9 5 4	2 2 2 2 2			
69 70 71 72	Epilepsy Convulsions (nonpuerperal) Convulsions of infants Chorea	20 16 1	2 14	2				2	3	3	1	4	1	1	1		1		
73 74 75 76	Neuralgia and neuritis. Other diseases of the nervous system Diseases of the eyes and their annexa. Diseases of the ears.	1	1 2				1	1 1	1	i	1 1	2	1 3	1	4 1 1	1			
	III.—Diseases of the circulatory system	1,035	6	1		1		4	6	13	33	59	113	253	323	197	25	1	
77 78 79 80 81	Pericarditis. Acute endocarditis Organic diseases of the heart Angina pectoris. Diseases of the arteries, atheroma, an- eurism, etc.	16 757 75	1 5					1 3	1 4	12	1 28 4	4 40 7 4	1 6 79 15	1 191 27 27	1 248 16 53	133 6 54	13	1	
82 83 84	Embolism and thrombosis.  Diseases of the veins (varices, hemorrhoids, phlebitis, etc.) Diseases of the lymphatic system (lymphangitis, etc.).			1					1	1		4	1	7	1	1			
85	phangitis, etc.) Hemorrhage; other diseases of the circulatory system IV.—Diseases of the respiratory system	. 2	85	23	8	1 5	4	10	14	19	28	43	1 58	89	124	85	13	1	
86 87 88 89 90	Diseases of the nasal fossae.  Diseases of the larynx Diseases of the thyroid body Acute bronchitis.  Chronic bronchitis.	62	26 Exclusi	3 ve of a	1 cute a	i	polion	qveliti	i	1 atile pa	ralvsi	i 1	2 4	9 6	1 8 13	8 12	2 4	i	

Table 6.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA, ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE OF DECEDENT: 1911—Continued.

nt.									DEA	ATHS A	T AGE	OF				-	`		
Detailed Int. List No.	CAUSE OF DEATH.	All deaths.	Under 1 year.	, X	2 years.	3 years.	4 years.	5 to 9 years.	19	20 to 29 years.	39	49	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 years and over.	Deaths at un- known age.
			·		VE:	RMO	NT-	Contin	ued.	·	·			,		·		·	
	IV.—Diseases of the respiratory system—Continued.																		
91 92 93	Bronchopneumonia Pneumonia (total) Lobar pneumonia Pneumonia (undefined) Pleurisy	112 349 89 260 11	28 28 5 23	11 8 2 6	4 2 1 1	1 3 3	1 3 3	5 4 2 2 1	11 1 10 1	15 7 8 2	2 25 10 15 1	1 36 13 23 1	5 43 13 30 2	17 49 13 36	18 73 14 59 1	17 44 8 36 1	2 5 5		
94 95 96 97 98	Pulmonary congestion, pulmonary apoplexy Gangrene of the lung. Asthma Pulmonary emphysema Other diseases of the respiratory system	9 1 10 2	1		1					1		2 1	1	2 1	3 1 2 1	1 2			
	(tuberculosis excepted)	588	223	32	6	6	4	14	24	18	21	38	40	4 54	3 67	35	6		
99 100	Diseases of the mouth and annexa							i		1	<u>1</u>								
101 102 103	Diseases of the esophagus. Ulcer of the stomach. Other diseases of the stomach (cancer excepted).	1 17 61	23		1		1	2		····i	1 1	<u>4</u> 2	1 3 3	4 5	3 11	10	2		
104 105 106 107	Diarrhea and enteritis (under 2 years) . Diarrhea and enteritis (2 years and over). Ankylostomiasis . Intestinal parasites.		192	29	4	4	2	4	1	1 	3	5	3	9	13	7			
108 109	Appendicitis and typhitis  Hernia, intestinal obstruction (total)  Intestinal obstruction  Other diseases of the intestines	51 19 32 17	5 1 4	1 1 1	1	1		1 1 1 1	21	10 2 2	3 1 2	9 1 1 2	9 5 3 2 1	1 11 6 5 5	1 16 7 9	5 1 4 2			
111 112 113 114	Acute yellow atrophy of the liver	3		i						2	1	5 4	2 5 5	1 9 3	14 2	3			
115 116 117 118	Other diseases of the liver Diseases of the spleen Simple peritonitis (nonpuerperal) Other diseases of the digestive system (cancer and tuberculosis excepted).	20 11	1					 	2	1	1	2	3	4 2	3	5			
	VI.—Nonvenereal diseases of the genito-urinary system and annexa	444	5	1			1	3	7	10	26	35	62	103	121	59	· 11		
119 120 121 122 123	Acute nephritis. Bright's disease. Chyluria. Other diseases of the kidneys and annexa. Calculà of the urinary passages.	30 348 6 1	3 1				l	1 2	2 4	4	3 13	5 24	2 57	6 89 1 1	5 98 2	3 45 1	10		
124 125 126	Diseases of the bladder Diseases of the uretha, urinary abscess, etc. Diseases of the prostate	15 2 18		1							2	1	•••••	1	6	4 1 4	1		
127	Nonvenereal diseases of the male genital organs. Uterine hemorrhage (nonpuerperal)	i									i								
129 130 131	Uterine tumor (noncancerous) Other diseases of the uterus	4 4 6							 1	<u>2</u>	1 2 1	1 3	1	i		1			
132 133	Salpingitis and other diseases of the female genital organs.  Nonpuerperal diseases of the breast (cancer excepted).	9	1							3	3	1	1						
	VII.—The puerperal state							<u></u>	4	21	19	5							
134 135 136 137	Accidents of pregnancy. Puerperal hemorrhage. Other accidents of labor. Puerperal septicemia.	4							2	5 2 9	1 1 2 5	1 2							
138 139 140	Puerperal albuminuria and convulsions . Puerperal phiegmasia alba dolens, embolus, sudden death Following childbirth (not otherwise de-	16 2							2	1	8	2						•••••	
141	fined) Puerperal diseases of the breast VIII.—Diseases of the skin and of	1									1								
142	the cellular tissue  Gangrene	17	1	<u></u>	<u></u>				<u></u>	2		1 1		3	4	1	5 5		
143 144 145	Furuncle Acute abscess Other diseases of the skin and annexa	3	1							1 1				i				•••••	

Table 6.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA, ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE OF DECEDENT: 1911—Continued.

一	-	[	1	-	·					THS A							<del></del>		
Detailed Int. List No.	CAUSE OF DEATH.	All deaths.	Under 1 year.	L	2 years.	3 years.	4 years.	5 to 9 years.	10 to	20 to	30 to	40 to	50 to 59 years.	60 to 69 years.	70 to 79 years.	89	90 to 99 years.	100 years and over.	Deaths at un- known age.
!		J	i <u>l</u>	<u>                                     </u>	VE	RMO	NT-	Contin	ued.	<u> </u>	]	,	1	<u> </u>	<u> </u>		<u> </u>		<del></del>
_	IX.—Diseases of the bones and of		Ï		-						-								
	the organs of locomotion	12		1		1		2		<u></u>	2	1	3	1		1			
146 147	Diseases of the bones (tuberculosis excepted)	8		1	ļ	1		2		·	1		2	1					
148	rheumatism excepted) Amputations Other diseases of the organs of locomo-	3 1									1	<u>i</u> -	1			1			
149	Other diseases of the organs of locomotion			ļ	<b> </b>						<b></b> -		<b></b> -			••••			
	X.—Malformations	56	49	3	1				3										
150	Congenital malformations (stillbirths not included) (total)	56 2	49 2	3	1				3										
	Hydrocephalus Congenital malformations of the heart Other congenital malformations		30	2	1	i	l			1							l .		
	XI.—Early infancy	l	17 262													•••••			
151	Congenital debility, icterus, and sele- rema (total)		222																
	Premature birth	222 174	174		1		ļ	1	1	)		l l	i .	š		1	1	i	
152	Other causes peculiar to early inlancy	48 39	48 39	i	1	ı.	í	ł	1	i		i	1	J.		i	I	l .	
	(total). Injuries at birth. Other causes peculiar to early in-	1	30						ŀ	1	ŀ	1	1	ł					
153	fancy 1Lack of care	9	1																
	XII.—Old age							<u></u>						5	45	78	34	2	
154	Senility	1	7	9	7	5	3	10	36	51	57	44	46	5 30	45 30	78 36	34 8	2	
	Suicide (total)	72							5	11	15	15	11	8	4	3			
155 156 157	By poison By asphyxia By hanging or strangulation	. 3							1	3 4	5	3	5 1 3	2 1 3	i	12			
158 159 160	By hanging or strangulation By drowning By firearms	7 19							3	4	13	2 6 3	2	1	2				
161 162 163	By firearms By cutting or piercing instruments. By jumping from high places By crushing. Other suicides.										1				1				
163	Other suicides		7	9	7	5	3	9	28	34	38	29	30		96	22			
164 165	Poisoning by food	10		<u>i</u> -	1 2	2			<u>i</u> -		2	25	1 2						
166 167 168	Conflagration Burns (conflagration excepted) Absorption of deleterious gases (con-	2 21		2	i	1	i		3	2	1	3	1	2		4			
169	Accidental drowning	36	3	2	1 1		<u>-</u> -	4	12	6	1 3	1 2	1 3	2					
170 171	Traumatism by firearms.  Traumatism by cutting or piercing instruments.	12				1			7	3	1	1				~			
172	Traumatism by fall	74	1	1				3	1		3	3	5	7	18	26	6		
173	Traumatism in mines and quarries (total) Traumatism in mines	9								3	. 2	3	1						
174	Traumatism in quarries Traumatism by machines	9								3 3	2 1	3	. 3	2					
175	Traumatism by other crushing (total)	58		1				1	2	14	18	7	6	6	2	1	<b></b>		
	(total) Railroad accidents and injuries. Street-car accidents and injuries.	. 1 2						1	2	11	11	3	2	3		1			
	Automobile accidents and in- juries	5 16		1							2 4	1 3	4	2	2				
450	Landslide, other crushing	3		ļ						1	1		<b> </b>	1				•••••	
176 177 178	Injuries by animals Starvation Excessive cold	2 2	2						1	<u>i</u>		1	1	1	<u>i</u>		1		
178 179	Effects of heat	15		1								3	1	1	3	. 2	1		<del>-</del>
180 181 185 186	Lightning Electricity (lightning excepted) Fractures (cause not specified)	4						i		1	2		ļ <u>.</u>						
186	Other external violence  Homicide (total)	12	1	1	1		·····	1	1 3	6	3	2	<b>:</b>	1	2				
182 183 184	By firearms  By cutting or piercing instruments.	13							3	6	2		2 1						•••••
184	By other means	.  5	IJ <b></b>	J	ı Excl	usive o	i of inju	l 1 ries at	birth.	l	2	·	1 2	l	- -		i		J <b></b>
							•												

Table 6. —DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA, ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE OF DECEDENT: 1911 —Continued.

nt.									DE.	aths a	T AGE	OF-	:-:	-			<del></del>		
Detailed Int. List No.	CAUSE OF DEATH.	All deaths.	Under 1 year.	, x	2 years.	3 years.	4 years	5 to 9 years.	19	20 to 29 years.	39	49	59	60 to 69 years	70 to 79 years	89	90 to 99 years.	100 years and over.	Deaths at un- known age.
					VE	RMO	NT-	Contin	ued.										
	XIV.—Ill-defined diseases	22	9	1							1	2	1	2	4	1			]
187 188 189	Ill-defined organic diseaseSudden death.	1 1												1	····i				
189	Sudden death Not specified or III-defined (total) III-defined Not specified or unknown	20	9	1							1	2	1	1	$\begin{bmatrix} & \bar{3} \\ 1 & 1 \end{bmatrix}$	1			1
	Not specified or unknown	13	6									2	1	1	2		•		]
_					, <b>v</b>	VASI	IING	TON	Γ.		1		,	1	,		i ·	,	
	All causes	10,845	1,531	273	171	116	81	256	590	1, 186	1, 154		1,246	1,212	1, 180	540	62	9	59
1	I.—General diseases		154	88	60	57	34	121	262	497	416	387	349	309	177	62	6		13
3	Typhoid fever Typhus fever Relapsing fever	223	2	4	3	4	3	9	37	62	54	23	11	6	1	1			3
4 5	Malaria Smallpox	3	1		<sub>i</sub> .						1		1	1					
6	Measles	68		17		11	2	9	3	2	4								
7 8 9	Scarlet fever. Whooping cough. Diphtheria and croup.	56 70	18 3 37 10	5 18 12	8 10 3 7	6	2 4 2 8	10 4	11		2								
10	Influenza	104 110	7	2	4	7 3	1	32 2	21 6	8	5	5	8	17	23	17	2		
11 12	Miliary fever Asiatic cholera																		
12 13 14 15	Cholera nostras Dysentery Piague	1 15	3	1	2	1		1						····i	2	1 4			
16	Yellow fever																		
17 18 19	Leprosy Erysipelas Other epidemic diseases	31	10	2						5		2	<u>.</u>	5	3	····i	i		
19 20		1		······					1										•••••
21 22	Purulent infection and septicemia	37	2	1	1		1	3	4	4	3	6	5	5	2				
23	Rabies																		
24 25	Tetanus Mycoses	3								2			1						, (
25 26 27	Pellagra Beriberi	i					 				i								
28	Tuberculosis (total) Tuberculosis of the lungs	1,299 1,004	34	21 5	16 2	16 4	10 1	33 9	149	358 306	263 227	184 158	103 91	73 57	26 19	6 3	1	•••••	6
29 30	Acute miliary tuberculosis Tuberculous meningitis Abdominal tuberculosis	23 122	7 1 23	12	<sub>ii</sub> .	<u>.</u> .	5	1 15	108 2 24	9	3 5 17	5	i	2 1					
31 32	Pott's disease	76 17	1 1	3	2		2 1 1	5 2	24 6 2	18 3	17 1	8	6 1	4 2	3 2	1			
28 29 30 31 32 33 34 35	White swellings Tuberculosis of other organs Disseminated tuberculosis	6 37 14	i	<u>i</u>	1	i	1	1	<u>4</u> 3	4 7 2	8 2	5	<u>1</u>	6	2				
36	Rickets	5	2	1	1	1			3	2	2	1	3	1		2			
37 38	Syphilis Gonococcus infection	40 2	15							8	3 1	6 1	5	3					
39	Cancer and other malignant tumors (total) Of the buccal cavity	562	2	1	2			3	1	9	38	99	143	149 5	91	21	2		1
40 41	Of the stomach, liver. Of the peritoneum, intestines, rectum	18 246 66	i					i	····i	1 1	1 11	3 37 8	143 69 18 20 10	73 10	6 44 11	10 2			<b>-</b>
40 41 42 43 44 45	Of the female genital organs Of the breast	78 47								2	5 11 2	24 16	20 10	73 19 16 12	4 6	ĩ			
44 45	Of the skinOf other organs or of organs not	16			1					• • • • • •	1		5	2	4	3			
46	specifiedOther tumors (tumors of the female geni-	91	1	1	1			2	•••••	4	7	11	18	22	16	5	2		1
47	tal organs excepted)  Acute articular rheumatism	6 53		<sub>i</sub>			<u>i</u>	10	10	1 10		3 3	2 6	3		2			<b>-</b>
48 49	Seurvy	5										ĭ	2	2					
50	Diabetes	123	1			2	•••••	3	10	7	10	16	21	26	18	9			
51 52 53	Exophthalmic goiter	9 4							<u>.</u> .	2	2	5 2	1						
53 54 55	Anemia, chlorosis Other general diseases	23 35 15	2 5	1 1	2	····i	2	1 1	6 1 1	3 3 2	$\begin{bmatrix} 2\\2\\1 \end{bmatrix}$	5 10 1	$\begin{bmatrix} 1\\10\\2\end{bmatrix}$	3 1	2				•
56	Alcoholism (acute or chronic)	77								3	14	14	22	13	8				3
57 58	Other chronic occupation poisonings	1											1						
59	Other chronic poisonings	7 ]			J	J				2	2	1	2	ا۔۔۔۔۔ا		l		l	

Table 6.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA, ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE OF DECEDENT: 1911—Continued.

,=====================================									DEA	THS A	r AGE	of—	<del></del>						
Detailed Int. List No.	CAUSE OF DEATH.	All deaths.	Under 1 year.	, I	2 years.	3 years.	4 years.	5 to 9 years.	19	20 to 29 years.	39	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	99	100 years and over.	Deaths at un- known age.
		,	IJ	٠ ٦	VASI	HING	TOI	T—Con	tinued	! I.			•	!		1	<u> </u>	·	
	II.—Diseases of the nervous system and of the organs of special sense.	1,014	53	2,1	12	6	4	9	29	44	60	120	184	196	178	85	4	1	. 8
60 61	Encephalitis.  Meningitis (total).  Simple meningitis.  Cerebrospinal meningitis (undefined).  Cerebrospinal fever.	6 54 19 32 3	1 13 3 9 1	6 2 3 1	4 2 2	2 2	i 1	6 1 5	10 3 6 1	1 4 2 2	1 3 1 2	2 1 1	1 2 1 1		1	1			1 1
62 63 64	Locomotor ataxia Other diseases of the spinal cord (total) Acute anterior poliomyelitis Other diseases of the spinal cord Cerebral hemorrhage, apoplexy	24 48 19 29 605	1 1 8	5 5	4 4	3 3	1 1		2 1 1 6	1 1 10	24	2 9 2 7 61	8 8 1 7 129	9 9 1 8 155	2 3 3 138	1 2 2 67	3	1	3
65 66 67 68	Softening of the brain Paralysis without specified cause General paralysis of the insane Other forms of mental alienation	64 61 34	2	i					1	2 1 5	10 10	4 21 5	9 14 7	12 6 1	22 4 4	10 3	1		2 2
69 70 71 72	Epilepsy. Convulsions (nonpuerperal). Convulsions of infants. Chorea	26 3* 29 2	24	4 		1	1		3 <u>1</u>	8 1 1	6 1	5	1	1 1	1				
73 74 75 76	Neuralgia and neuritis Other diseases of the nervous system Diseases of the eyes and their annexa Diseases of the ears	7 22 1 28	2	<u></u> 2	1 1 2		i	1 2	1 , 5,	1 3 6	1 1 1	2 5 4	4 1	2	2 1	1			A
	III.—Diseases of the circulatory system	1,228	23	1	3	1.	1	14	41	65	87	143	193	241	302	105	5	2	1
77 78 79 80 81	Pericarditis. Acute endocarditis. Organic diseases of the heart. Angina pectoris. Diseases of the arteries, atheroma, aneurism, etc.	7 35 1,009 54	16	i	1 2	; i	1	1 13	1 39	1 9 50 2	1 7 66 3 7	9 121 8 2	2 6 155 12 15	2 1 209 14 14	253 15 30	75 2 24	. 5	1 1	i
82 83 84 85	Embolism and thrombosis.  Diseases of the veins (varices, hemorrhoids, phlebitis, etc.)  Diseases of the lymphatic system (lymphangitis, etc.)  Hemorrhage; other diseases of the circulatory system.	14 3 3 5	2 2						1	1	1	3	1	1	1	1 1			
	TV.—Diseases of the respiratory system	963	163	59	29	11	12	26	37	63	69	83	104	104	130	65	. 6	1	1
86 87 88 89 90	Diseases of the nasal fossae.  Diseases of the tarynx.  Diseases of the thyroid body.  Acute bronchitis.  Chronic bronchitis.	4 9 10 41 41	4 1 20	2 5	2	1	1 2	2	1 1	1	1 1 2	2	2 2 2 5	2 2 2 9	3 12	3 10	1 2		
91 92 93	Bronchopneumonia. Pneumonia (total) Lobar pneumonia Pneumonia (undefined) Pleurisy	294 495 474 21 26	92 40 35 5	36 13 11 2 1	17 8 7 1	5 4 4	3 4 3 1 1	9 13 11 2 1	7 25 24 1 3	8 47 47 47	9 50 50	7 65 64 1 6	24 65 64 1 2	21 67 66 1	34 64 61 3	22 26 24 2	2 2	i i	1 1
94 95 96 97 98	Pulmonary congestion, pulmonary apoplexy Gangrene of the lung	12 2 20 3 6	6	1	1	1	1			1 1	1 2	2	1 2 1	2	3 1 6 2	3	1		
	V.—Diseases of the digestive system	1,037	334	64	38	. 14	10	35	57	73	59	79	92	79	72	25	5		1
99 100 101 102 103	Diseases of the mouth and annexa.  Diseases of the pharynx.  Diseases of the esophagus.  Ulcer of the stomach.  Other diseases of the stomach (cancer excepted).	2 20 1 34 78	1 1 36	3	2	i	1	5 1 1	1	1 3 2	1 5 1	9	3 8 2	4	4	5	2		
104 105 106 107 108	Diarrhea and enteritis (under 2 years). Diarrhea and enteritis (2 years and over). Ankylostomiasis. Intestinal parasites. Appendictis and typhlitis.	310 102 1	256	54	28 i	10 1	4	5	2 42	635	6 	7	614	5	11 2	9 i	g		
109 110	Hernia, intestinal obstruction (total) Hernia. Intestinal obstruction. Other diseases of the intestines.	113 31 82 43	17 2 15 16 Exclusi	3 3 1	3 3 1	1 1 nterior	polior	5 1 nvelitis	5 1 4 1	11 11 4 tile pa	10 2 8 2	12 3 9 3	11 3 8 4	14 6 8 7	18 13 5 2	3 1 2 1			,

Table 6.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA, ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE OF DECEDENT: 1911—Continued.

. İt									DE	ATHS .	AT AGE	OF-							
Detailed Int. List No.	CAUSE OF DEATH.	All deaths.	Under 1 year.	Ł	2 years	g years	4 years	5 to 9 years	19	29	30 to 89 years	49	59	60 to 69 years.	79	89	90 to 99 years.	years and over.	Death at un- known age.
				V	VASI	HING	TON	—Con	tinued										-
	V.—Diseases of the digestive system—Continued.																		
111 112	Acute yellow atrophy of the liver Hydatid tumor of the liver	2			ļ				ļ	1			1			 	· · · · ·		
113 114	Cirrhosis of the liver	73 29	1		1				2	1	6 2	11 5	26 7	15 7	6 7	4			
115 116	Other diseases of the liver	48 1	2						2	5	4	6	7	13 1	6	2			
117 118	Other diseases of the liver Diseases of the spleen Simple peritonitis (nonpuerperal) Other diseases of the digestive system (cancer and tuberculosis excepted)	15 11	3	1					1	4	1 4	2 2	1 2	2 2	1				
	VI.—Nonvenereal diseases of the genito-urinary system and																		
119	annexa	817 18 652	11	5	4	3	2	3	18	50	83	107	139	160	171	58 1	3		
120 121 122	Bright's disease Chyluria Other diseases of the kidneys and annexa.	652	8	4	4	3	2	3	11	29	60	82	127	144	129	43	3		
123 124	Calculi of the urinary passages	5								1	2		2 2	2	3 1				
125	Diseases of the bladder Diseases of the urethra, urinary abscess, etc Diseases of the prostate Nonveneral diseases of the male genital	25 3						•••••			•••••	•••••	2	1 2	13	9			
126 127	Diseases of the prostate	33		1	1	1	ŀ	<b> </b>			•••••		1	2 5	22	5			
L28   L29	organs Uterine hemorrhage (nonpuerperal)	1									1		•••••						:
130 131	Uterine tumor (noncancerous) Other diseases of the uterus Cysts and other tumors of the ovary	11 20 7							1	6 1	6	4 6 2	i	2 1 1	1				•••••
l32 l33	Salpingitis and other diseases of the female genital organs	29							1	11	10	5		2					
	cer excepted)								•••••									•••••	
134	VII.—The puerperal state  Accidents of pregnancy	177							13 1	82	71								
135 136 137	Puerperal hemorrhage. Other accidents of labor Puerperal septicemia.	14 25 62							1	21 6 6	6 15	1 4 2							
138	Puerperal albuminuria and convulsions.	36							7 4	30 18	23 10	4		· · · · · · · · · · · ·					
l39 l40	Puerperal phlegmasia alba dolens, em- bolus, sudden death Following childbirth (not otherwise	1				ļ				1									
141	defined)																		
	VIII.—Diseases of the skin and of the cellular tissue	36	8	1		ļ				2	2	4	7	4	6	1	1		•••••
142 143	Gangrene	11 8	í							1		2	1 2	2	4 2	1	1		
l44 l45	Acute abscess	7 10	3 4	1						1	2	····i	1 3	1					
ļ	IX.—Diseases of the bones and of the organs of locomotion	19	3		1				3	2	1	2	4	2		1			
146 147	Diseases of the bones (tuberculosis excepted)	19	3		1				3	2	1	2	4	2		1			
48	rheumatism excepted)																		
149	Other diseases of the organs of locomotion  X.—Malformations	121	110	2		1	1	3	3	1			•••••	•••••		•••••	•••	•	
50	Congenital malformations (stillbirths not included) (total)																		
	Hydrocephalus	121 9 83 29	110 4 78	2 1 1		1	1 <sub>1</sub>	3 1 1	3 2 1	1 1				· • • · · · · · [					
	Other congenital malformations  XI.—Early infancy	29 608	28 608					1											
51	Congenital debility, icterus, and sclerema (total)																		
	Premature birth	514 321	514 321																· · · · · · · · · · · · · · · · · · ·
52	Other causes peculiar to early infancy (total)	193 93	193 93																
	Injuries at birth Other causes peculiar to early infancy 1.	48	48																· · · · · · · · ·
53	Lack of care	45 1	45 1																
54	XII.—Old age	247											4	12	85	113	29	4	
•		247 11		1	Exclus	sive of	injurie	s at bir	rth.	'			4 1	12 J	85 I	113	29 l	4 1.	<b>-</b>

Table 6.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA, ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE OF DECEDENT: 1911—Continued.

nt.		1		****			<del></del>	<del>****</del>	DE	ATHS A	T AGE	of—	<del></del>						
Detailed Int. List No.	CAUSE OF DEATH.	All deaths.	Under 1 year.	1 year.	2 years.	3 years	4 years.	5 to 9 years.	19	20 to 29 years.	39	40 to 49 years.	59	60 to 69 years.	70 to 79 years.	80 to 89 years.	99	100 years and over.	Deaths at un- known age.
				7	VASI	INC	TOI	T—Con	tinued	i.		·			,	•	·		<u> </u>
	XIII.—External causes	1,422	32	24	22	19	16	42	123	301	294	230	150	82	37	15	3		32
155 156 157 158 159 160 161 162 163	Suicide (total)  By poison  By asphyxia  By hanging or strangulation  By drowning  By firearms  By cutting or piercing instruments  By jumping from high places  By crushing  Other suicides	12							9 5 1 1 1 1	56 24 4 4 23 1	51 14 1 8 1 18 7 2	62 19 3 4 2 29 5	39 3 1 5 5 18 3 1 1 2	22 6 2 3 1 7 3	9 1 3 1 3 1				2 1
164 165 166 167	Accidental or undefined (total) Poisoning by food Other acute poisonings Conflagration Burns (conflagration excepted)	1,082 10 38 25 59	32 1 3 1 4	24 1 2 2 4	22 1 3 1 5	19 2 1 7	16 1 8	42 1 3 8	109 3 4 1 6	225 1 11 1 4	215 2 3 3 3	152 6 1 5	99 1 3 2	56 2 3	26 1	15 1	3		27 3 3
168 169 170 171	Absorption of deleterious gases (con- flagration excepted). Accidental drowning. Traumatism by firearms. Traumatism by cutting or piercing instruments. Traumatism by fall.		13 1 1	9	3	2 3 2	5		2 23 14	7 44 6	9 37 5 2 11	6 26 . 5 1 18	2 14 3	3 7 13	11	1			4
173 174	Traumatism in mines and quarries (total). Traumatism in mines. Traumatism in quarries. Traumatism by machines.	 27 27	9		i			1 1 1 1	2 2 2 4	10 10 10	7 7 7	6 6	1 1 3	2		10			2
175	Traumatism by other crushing (total)	314 171 27 24 47	2 1 1		3 3	1	1,	10 1 1 3 3	18 4 7 3	67 47 5 2 6	86 53 6 4 11	51 28 5 2 7	36 16 5	18 8 3 5	7 4 1 2	2 1 1			11 9 1
176 177 178 179	Landslide, other crushing  Injuries by animals  Starvation  Excessive cold  Effects of heat	45 20 2 9 1	1		1			. 2	4	7 7 2	12 3 1	9 1 1 1	8 2 2	1 1	1 2				•1
180 181 185 186	Lightning Electricity (lightning excepted) Fractures (cause not specified) Other external violence	1 1	3	4	3	1		3	1 20	1 8 1 35	1 1 29	2 1 17	1 9	6	4		1		1
182 183 184	Homicide (total) By firearms By cutting or piercing instruments By other means  XIV.—Ill-defined diseases	88 60 10 18	32	8	2	4	1	3	5 4 1 4	20 15 3 2	28 20 2 6	16 9 · 2 5	12 9 1 2	4 1 2 23	1 22	J0		1	1
187 188 189		8 11 145 73 72	1 31 5 26	8 4 4	2 1 1	4 1 3	1	3	1 3 2 1	1 5 5	1 11 8 3	1 1 11 6 5	2 2 16 10 6	1 21 26 5	3 ·3 16 12 4	1 9 2 7		i	3 1 2
,			·		•	wise	CONS	SIN.									,		
	All causes	27,050	5,184	780	358	236	203		_	<del></del>			2,501	3,182	3, 813	2,779	417	14	74
1	Typhoid fever	7,222	442	222	146	* 123	110	291	561	950	815	759 29	843 22	930	668	308	34	1	19
2 3 4 5	Typhoid fever Typhus fever Relapsing fever Malaria Small pox	2	2	1	i		4	11	73	85 1	65 1 1	29	1	9	5 1	1,	1		2
6 7 8 9 10	Measles. Scarlet fever Whooping cough Diptheria and croup Influenza.	253 221 206 320 304	70 14 124 14 33	63 18 39 26 7	29 33 16 35 2	15 23 12 35 1	13 22 3 42 1	24 71 9 82 2	22 25 2 63 8	5 7 8 9	5 6 6 6	5 1 8 17	17	1 1 · 43	66	82	1 9	1	i
11 12 13 14 15	Miliary fever Asiatic cholera Cholera nostras Dysentery Plague	13 78	5 20	4	8	1 2	2 1	i	1	2	1	3	1	17	12	2 15	2		
16 17 18 19	Yellow fever Leprosy Erysipelas Other epidemic diseases.	93 11	21 2	2 2	i	1		. 2	2 4	8	7	8	5	8	19	9	1		

Table 6.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA, ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE OF DECEDENT: 1911—Continued.

ا بنو								=	DE	ATHS A	T AGE	of—				•	-	=	
Detailed Int. List No.	CAUSE OF DEATH.	All deaths.	Under 1 year.	, i	2 years.	3 years.	4 years.	5 to 9 years.	19	29	30 to 39 years	49	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years	99	100 years and over.	Deaths at un- known age.
		·			wis	CON	SIN-	-Conti	nued.	·	.1		·		<u>,                                    </u>	1	,		<u>!</u> ,
	I.—General diseases—Continued.																		[
20 21 22	Purulent infection and septicemia Glanders Anthrax		16				1	6	9	9	12	7	10	9	8				1
23 24 25 26 27	Rabies Tetanus Mycoses Péllagra Beriberi	38 5 5			1		1	3	10 1	1 1	6 1	5 2 2	1 2 1	1 1 1					
28 29 30 31 32 33 34 35	Tuberculosis (total) Tuberculosis of the lungs Acute miliary tuberculosis Tuberculous meningitis Abdominal tuberculosis. Pott's disease White swellings Tuberculosis of other organs Disseminated tuberculosis		37 12 1 17 2 1	42 15 2 19 3 1	15 3 1 7 1 1 1			3	245 186 12 20 12 3 1	702 621 19 9 24 4 1 9	522 457 19 4 22 3 2 7	353 303 13 6 14 3 2	222 189 5 5 10 1 2 6	153 120 3 1 14 2 1 7	62 51 1 4 1 1				
36 37 38	Rickets. Syphilis. Gonococcus infection.	21 56 2	15 25	5		1	 		i i	9 2	6	4	7	3	i i				
39 40 41 42 43 44 45	Cancer and other malignant tumors (total).  Of the buccal cavity. Of the stomach, liver. Of the peritonenm, intestines, rectum Of the female genital organs. Of the skin. Of other organs or of organs not specified.	1,763 48 901 227 145 123 51	1					1	14 3 3 3	24 1 2 2 2 1	77 1 21 11 18* 10	203 3 78 25 32 29 3	391 12 201 49 43 35 5	513 8 303 61 29 24 15	365 14 201 55 15 13 16	149 7 83 19 4 9 10	17 2 6 1 1 2 1		1
46 47 48 49 50	Other tumors (tumors of the female genital organs excepted). Acute articular rheumatism. Chronic rheumatism and gout. Scurvy. Diabetes.	18 170 35 2 342	1	· · · · · · · ·		1 4	3 1	15 11	25 1 1 37	1 20 4 24	2 8 1 21	3 19 3	22 6 52	1 17 3	5 19 15	1 13 2 10			1 1 i
51 52 53 54 55	Exophthalmic goiter Addison's disease Leukemia. Anemia, chlorosis Other general diseases.	49 7 45 136 56	3 23	3	1 1		 4	2 2 2 3	5 7 2 3	8 4 7 2	9 4 4 12	5 7 19 1	16 6 36 4	2 3 7 36 5	1 2 18 2	1 1			
56 57 58 59	Alcoholism (acute or chronic)	100 6								7	32	26 2 1	20 2	7	4 1 1				4
	TI.—Diseases of the nervous sys- tem and of the organs of special sense	2,968	500	84	40	21	16	67	76	87	129	208	313	456	560	<b>3</b> 76	32	1	2
60 61	Encephalitis. Meningitis (total). Simple meningitis Cerebrospinal meningitis (undefined) Cerebrospinal fever.	34 316 241 72 3	8 95 77 17 1	39 28 11	28 19 9	15 12 2 1	11 10 1	40 26 14	27 16 11	23 17 5	8 11 10 1	2 8 7 1	3 6 6	6 6 6	4 4	3			
62 63 64	Locomotor ataxia.  Other diseases of the spinal cord (total).  Acute anterior poliomyelitis.  Other diseases of the spinal cord <sup>1</sup> .  Cerebral hemorrhage, apoplexy.	44 134 31 103 1,381	8 5 3 18	4 3 1 2	3 3	1 1	3 3	7 6 1 1	7 4 3 6	8 5 3 13	12 	7 9 9 96	18 19 19 187	10 21 1 20 310	24 24 414	1 8 8 274	20	i	i
65 66 67 68	Softening of the brain Paralysis without specified cause. General paralysis of the insane Other forms of mental alienation.	23 242 87 69	2					1	3	3	8 14 ( 7	18 17 18	4 22 20 15	6 52 8 10	7 78 11 3	5 48 14 7	8 3 1		
70   71	Epilepsy. Convulsions (nonpuerperal) Convulsions of infants. Chorea	90 14 388 4	1 350	2 29	7	1 2		3 6 2	15 2	18 4	17 1	11 1	8	6 1	4	i			
74 75	Neuralgia and neuritis Other diseases of the nervous system Diseases of the eyes and their annexa Diseases of the ears	12 95 35	8	3	2	i	<u>2</u>	3	10	8		17	9	6 12 2	4 5	2 8 1			i
	TII.—Diseases of the circulatory system	3,437	65	2	4	8	7	32	92	90	139	223	412	726	956	605	68	1	7
78 79 80	Pericarditis. Acute endocarditis Organic diseases of the heart Angina pectoris Diseases of the arteries, atheroma, aneurism, etc.	26 118 2,610 106 470	3 9 40	1 1	3	3 4	1 3	3 9 19	5 12 67 2	1 11 67 3	14 108 4	2 19 172 5	3 33 323 19	2 3 599 30 77	4 3 730 32 175	3 426 10 154	41 1 24	1	6

<sup>&</sup>lt;sup>1</sup> Exclusive of acute anterior poliomyelitis (infantile paralysis).

Table 6.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA, ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE OF DECEDENT: 1911—Continued.

ıt.									DE	ATHS A	T AGE	OF-			<del>====</del>	-			
Detailed Int. List No.	CAUSE OF DEATH.	All deaths.	Under 1 year.	) I	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	29	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	99	100 years and over.	Deaths at un- known age.
					wis	CON	SIN-	-Cont	inued.										
	III.—Diseases of the circulatory system—Continued.																		
82 83	Embolism and thrombosis	74	2		ļ		2		2	6	7	16	٠7	11	10	10	1		
84	rhoids, phlebitis, etc.) Diseases of the lymphatic system (lymphangitis, etc.) Hemorrhage; other diseases of the circu-	12 10	3		1	1			1	1	2	1	2	3 1	2	1	1		
85	latory system	11.	6				1	1		1	1		1	•••••					
	IV.—Diseases of the respiratory system.	2,817	712	190	73	29	28	55	56	121	117	155	197	274	411	352	45	1	1
86 87 88 89 90	Diseases of the nasal fossae. Diseases of the larynx. Diseases of the thyroid body. Acute bronchitis. Chronic bronchitis.	2 35 10 219 222	1 14 2 127 3	6 23 1	4 11	2	6	1 3 1 1	1	1 1 1 2	1 1 1 2	1 1 1, 5	2 1 11	2 5 37	1 14 64	1 20 84	8 13		
91 92	Bronchopneumonia Pneumonia (total)	473 1,550	197 334	63 96 16	25 27 7 20	13 12 2	. 16	11 32	1 46 13	7 92 29 63	97	10 118 55 63	9 140	26 158 47 111	56 210 55	43 157 30	6 13	i	i
93	Pneumonia (total) Lobar pneumonia Pneumonia (undefined) Pleurisy.	420 1,130 69	59 275 2	80	20 3	10	13	11 32 11 21 2	33 5	63 6	97 42 55 7	63 4	49 91 15	111	155 10	127 3	11 	1	. 1
94 95 96 97 98	Pulmonary congestion, pulmonary apoplexy. Gangrene of the lung. Asthma. Pulmonary emphysema. Other diseases of the respiratory system (tuberculosis excepted).	104 11 63 8	25	1	.1 1	i	2	1 1 1		4 2 1	1 1 1	9 2 1	2 9 1	5 1 17 3	25 21 1	27 13 1	4		
	(tuberculosis excepted)	51 	7		1			1	2	4	4	3	7	9	9	3	1		
99	tem	3,110 9	1,299	208	57	24	21	72	120	105	151	180	240	211	240	159	19		4
100 101 102	Diseases of the pharynx.  Diseases of the esophagus.  Ulcar of the stomach	44 3 55	1	4	2	1	1	1 7	5 2	3	2	1 1 7	3 1 10	2 9	$\begin{array}{c} 4\\2\\10\end{array}$	3	2		
103	Other diseases of the stomach (cancer excepted).	299	155	13	2	2		3	3	3	4	12	17	21	30	33	1		
104 105 106	Diarrhea and enteritis (under 2 years) Diarrhea and enteritis (2 years and over). Ankylostomiasis.	1,210 239	1,038	172	45	16	15	14	4	8	9	10	7	20	41	43	7		
107 108	Ankylostomiasis Intestinal parasites. Appendicitis and typhlitis	319	2	ī	1	3	3	1 32	90	1 50	57	33	1 29	1 9	5	3			i
109 110	Hernia, intestinal obstruction (total) Hernia. Intestinal obstruction. Other diseases of the intestines	279 89 190 81	50 11 39 22	10 10 5	3	2 2	•••••	7 7 1	3 3 3	8 2 6 3	18 1 17 3	23 8 15 6	37 18 19 8	39 15 24 14	48 20 28 6	24 12 12 9	6 1 5		1 1 1
111 112 113	Acute yellow atrophy of the liver	10 1 293	2 2						3	$\frac{1}{2}$	1 23	2 50	84	4 58	54	1 			
114 115 116	Other disasses of the liver	59 113	8	1	2				1	9	6	11	11 18 1	16 11	9 25	14	1		·········· 1
116 117 118	Diseases of the spleen Simple peritonitis (nonpuerperal) Other diseases of the digestive system (cancer and tuberculosis excepted)	3 68	6	2	1		2	6	5	10	12	19 1 2	7	7	4	3	1		
	(cancer and tuberculosis excepted)  VI.—Nonvenereal diseases of the genito-urinary system and annexe.	1,820	2 35	10	4	3	4	16	1 46	90	121	161	244	338	465	251	31		1
119 120	Acute nephritis Bright's disease	137 1,378	12 14	3 3	2 2	$\frac{3}{2}$	4	7 9	14 24	10 58	19 79	9 123	15 208	18 288	21 369	6 174	20		
121 122 123	Chyluria Other diseases of the kidneys and annexa. Calculi of the urinary passages	47	8	2					1	1	2	5 1	8 2	6	9	4	1		
124 125	Diseases of the bladder	79	1									3		7	30	33	5		
126 127	etc	4 84		1									3	1 13	33	30	5		
128	organs Uterine hemorrhage (nonpuerperal)																		
129 130 131 132	Uterine tumor (noncancerous)	13 34 16		<u>1</u>					<u>2</u> 1	11 11 1	10 3	5 6 5	3 4 1	1 3	1	<u>i</u>			
132 133	Cysts and other tumors of the ovary. Salpingitis and other diseases of the female genital organs.  Nonpuerperal diseases of the breast (cancer excepted).	22							4	8	6	4							

Table 6.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA, ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE OF DECEDENT: 1911—Continued.

. Int									DEA	THS A	T AGE	of—							Dandi
Detailed Int. List No.	CAUSE OF DEATH.	All deaths.	Under 1 year.	i year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	29	30 to 39 years.	40 to 49 years.	59	60 to 69 years.	70 to 79 years.	80 to 89 years.	99	100 years and over.	Deaths at un- known age.
			<u></u>		wis	CON	SIN-	-Conti	nued.		,	·	<u> </u>			•	•		
	VII.—The puerperal state	306							15	132	116	43							
134 135 136 137	Accidents of pregnancy Puerperal hemorrhage. Other accidents of labor Puerperal septicemia.	22 33 44 150							12	6 11 21 68	11 13 16 55	5 9 7 15							
138 139 140	Puerperal albuminuria and convulsions. Puerperal phlegmasia alba dolens, embolus, sudden death Following childbirth (not otherwise	43 13							3	21 5	16 4	3 4						<b>-</b> -	
141	defined)	1									1								
	VIII.—Diseases of the skin and of the cellular tissue	108	27	3	1	1		2		1	2	2	12	10	26	17	3		1
142 143 144 145	Gangrene. Furuncle. Acute abscess. Other diseases of the skin and annexa	55 10 15 28	1 4 5 17	1 1 1	1	1		2		i	1	2	8 1 3	6 2 2	21 2 1 2	14 3	3		]
146	IX.—Diseases of the bones and of the organs of locomotion Diseases of the bones (tuberculosis ex-	31	3	1	2			3	7	3	6	3	1	1	1				<u></u>
147 148	cepted). Diseases of the joints (tuberculosis and rheumatism excepted). Amputations.	30	3	1	2			3	7	3	5	3	1	1	1	 			
149	Other diseases of the organs of locomotion.  X.—Malformations.	1 230	217	6	3	1			2	1	1			_					
150	Congenital malformations (stillbirths not included) (total) Hydrocephalus.	230 32	217 26	6 4	3 1	1			2	1									
•	Congenital malformations of the heart. Other congenital malformations	108 90	104 87	1	2	1			1	1									
	XI.—Early infancy	1,819	1,819																
151	Congenital debility, icterus, and sclerema (total).  Premature birth.  Congenital debility, "atrophy,"	1,555 886	1,555 886																
152	Other causes peculiar to early infancy (total)	669 259 154	259 154																
153	Other causes peculiar to early infancy <sup>1</sup> Lack of care	105 5 1,100	105 5								2		3	25	294	596	172	8	
154	Senility XIII.—External causes	1,100 1,841	39	47	27	26	15	70	184	304	2 242	237	3 211	25 161	294	596 91	172	8	35
155 156 157 158 159 160 161 162 163	Suicide (total).  By poison. By asphyxia. By hanging or strangulation By drowning. By drearms. By cutting or piercing instruments. By impning from high places By crushing. Other suicides.	324							8 2 1	51 17 9 1 20 2	56 15 4 10 2 18 2 2 2	65 17 13 6 19 7	59 9 2 18 9 15 3 1	51 4 1 22 5 14 5	25 5 3 3 2 1	5			2
164 165 166 167	Accidental or undefined (total).  Poisoning by food. Other acute poisonings. Confiagration. Burns (conflagration excepted).	1,461 15 31 25 84	36 1 2 2 5	47 2 11 1 11	27 1 2 2 11	25 1 1 16	14 1 8	68 2 3 4	173 2 1 6	234 2 1 4 2	177 3 6 6	164 2 2 6	148 5 1 3	106 1 1 1	112 1 2 3	84 1 1 2 1	12	2 1	32 1
168 169 170 171	Absorption of deleterious gases (con- flagration excepted). Accidental drowning Traumatism by firearms. Traumatism by cutting or piercing instruments. Traumatism by fall	31 229 72	12 2 1	1 11 2	5 1	2	i	1 19 3	56 30	52 11	5 30 8	2 22 9	2 9 4	5 1	6 7				8 1
172 173	Traumatism in mines and quarries (total)	282 6	1		1			7	6	28	19	29	26	34	48		12		
174	Traumatism in mines. Traumatism in quarries Traumatism by machines.	4 2 40		•••••	1 77	lusive		  i	6	3 14	2 9	6	1 2			l			

Table 6.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA, ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE OF DECEDENT: 1911—Continued.

=		i T	<u> </u>																
Int.									DEA	THS A	T AGE	OF—							
Detailed Int. List No.	CAUSE OF DEATH.	All deaths.	Under 1 year.		2 years.	3 years.	4 years.	W0070	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	59	60 to 69 years.	70 to 79 years.	89	90 to 99 years.	100 years and over.	Deaths at un- known age.
		•			wis	CON	SIN-	-Conti	nued.		-				<u> </u>		•	•	<u>,                                     </u>
	XIII.—External causes—Contd.							•								Π	<u> </u>		<u> </u>
175	Accidental or undefined—Continued. Traumatism by other crushing (total) Railroad accidents and injuries. Street-car accidents and injuries. Automobile accidents and injuries. Injuries by other vehicles. Landslide, other crushing.	1 94	3 1 1	2	2	1	2 1	19 8 2 2 6	43 30 2 5 5	87 64 6 5	66 49 7 6 4	63 43 6	63 39 4 2 11	35 20 4 1 10	31 18 2	4 4			18 15 2
176 177 178 179	Injuries by animals Starvation Excessive cold Effects of heat	32	5		1			3 1	3	7 6 2 3	1 1 3	2 5 1 1 3	7 3 4 6	4 2 12	6 1 2 3	4			1
180 181 185 186	Lightning Electricity (lightning excepted) Fractures (cause not specified) Other external violence	17 9 3 87	2	4	1	4		2 3	4 1 1 14	3 6 9	3 1 13	2 2 9	2 1 16	8	1 1	2			1
182 183 184	Homicide (total) By firearms By cutting or piercing instruments. By other means	56 25 · 12 19	3 1 2			1 1	1 	2 2	3 3	19 9 5 5	9 3 2 4	8 2 3 3	4 3 1	4 3 1	1 1	1 1			
	XIV.—Ill-defined diseases	241	26	7	1		2		5	5	12	25	25	50	54	24	1		4
187 188 189	III-defined organic disease Sudden death Not specified or iII-defined (total) III-diffined Not specified or unknown	53 6 182 166 16	1 2 23 17 6	7 6 1	1 1		2 2		. 5 5	1 4 3 1	10 9 1	3 2 20 16 4	25 25 25	15 1 34 34	23 31 31	9 15 14 1	1 1		4 2 2

12489°—13——30

TABLE 7.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN EACH CITY OF 100,000 POPULATION OR OVER IN 1910, BY CAUSE OF DEATH (ABRIDGED INTERNATIONAL LIST), AND BY AGE OF DECEDENT: 1911.

it.									DEA	THS AT	AGE	of—							
Abridged Int. List No.	CAUSE OF DEATH.	All deaths.	Under 1 year.		2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.		80 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.		100 years and over.	Deaths at un- known age.
			В	IRM	ING	IAM	, AL	А. (Т	OTA	<b>L</b> ).			·				•		<u> </u>
	All causes	2,480	412	164	64	30	23	63	135	389	354	235	213	201	117	67	9	4	
1 2	Typhoid fever Typhus fever	62		1			3	3	11	23	12	7	1	1					
3	Malaria Smallpox	$\overset{32}{1}$	1	2	i i				2	11	7	3		1	3	i			
5 6	Measles Scarlet fever	30	5	7	6	2	1	3	4	4									
7 8	Whooping cough. Diphtheria and croup.	28 13	13 2	7	4 3	ī 1	1	2 4		····i									
9	Influenza Asiatic cholera	12		<u>-</u> -					1			2		2	4	3			
11 12	Cholera nostras	24	·····i	····							3	3	3	5	7	2			
13   14	Tuberculosis of the lungs Tuberculous meningitis	306 7	2 2	1	5	$\frac{1}{2}$	1	9 1	37	121	74	26	13	14 1	1	1			<b>-</b>
10 11 12 13 14 15 16 17 18 19 20 21	Other forms of tuberculosis	3 93 18	3	;		;.		2 2	;-	1 2	16	20 1	24 1	1 19	6	3	····i		
18	Meningitis	120 180	1	1	1	1	1 	<u>2</u>	1 5	5 3 19	1 3 32	14 39	33 33	31 31	23 14	9 5	2	2	
20 21	Acute bronchitis																		
22   23a	Pneumonia	140 79	10 36	9 19	1 8	2 7	2 2	5 3	11	23 2	18 1	16	14	15 1	7	6		1	
23b	Other diseases of the respiratory system. Diseases of the stomach	16 5 215	1	3   <u></u> -	1				1	1	2 2	1		3 2	2	1	····i	• • • • • • • • • • • • • • • • • • •	<b>:</b>
25(37) 26	Diarrhea and enteritis Appendicitis and typhlitis	215 .47 34	98	87	16 1	1	1	6 3	8	18	4 7	5	5	2 3					
26 27 28 29 30	Hernia, intestinal obstruction Cirrhosis of the liver Acute nephritis and Bright's disease	18 141	6	$\begin{vmatrix} 1 \\ \cdots \\ 1 \end{vmatrix}$	3		·····i	······ 2	3 4	6 1 8 2	4 18	4 4 17	4 2 24	4 31	2 20	1 12			
30 31	Diseases of the female genital organs Puerperal fever	18		ļ			<del>-</del> -		<u>.</u> .	2 5	6	1	<u></u> -						
31 32 33 34	Other puerperal affections. Congenital debility and malformations	$\frac{22}{144}$	143	i		• • • • • • • • • • • • • • • • • • •			3	11	6	2							
35	SenilityViolent deaths (excluding suicide)	36 207	·····5	<del>;</del> -	6	2	<u>-</u> -	10	22	62	53	22 1	1 8	1 5 2	12 3	17 1	4 1	1	<b>-</b>
36 (37) 38	Suicide Other defined diseases	17 260	36	14	2 5	6	3 2	4 3	13	8 39 13	54 25	30 16	8 2 28 14	18 8	9	4			
	Diseases ill-defined or unknown																		
		146	47	5			<u> </u>		<u> </u>	1		10	14	°	4	1			<u> </u>
-		,	<b>1</b> B	IRM	INGI		, AL	4. (W	 	ee).	1	]	<u> </u>			i			
	All causes	1,172	]	<u> </u>		17	<u> </u>	A. (W	7 <b>HIT</b>	E).	136	91	103	124	82	39	3		
1 2	All causes	1,172	216	IRM	INGI		, AL	4. (W	50 8	140	136	]	<u> </u>		82	39	3		
1 2 3 4	All causes Typhoid fever Typhus fever Malaria Smallpox	1,172 35 9 1	216 1	99	29 1		, AL	37 1	50 8	TE).	136	91	103	124		i	3		
1 2 3	All causes. Typhoid fever. Typhus fever. Malaria. Smallpox Measles. Scarlet fever.	1,172 35 9 1 20 2	216 1	99	29 1 1 5		6 6	A. (W	50 8	140	136	91	103	124	82	39	3		
12 33 45 67 89	All causes Typhoid fever Typhus fever Malaria Smallpox Measles Scarlet fever Whooping cough Diphtheria and croup Influenza	1,172 35 9 1 20	216 1	99	29 1	17	, AL	37 1 3	50 8	TE).	136	91	103	124	82	39	3		
1 2 3 4 5 6 7 7 8 9 10 11	All causes. Typhoid fever. Typhus fever. Malaria. Smallpox Measles. Scarlet fever. Whooping cough. Diphtheria and croup. Influenza. Asiatic cholera.	1,172 35 9 1 20 2 20 9	216 1 3	99 5	29 1 5 1 1 5 1 1	17	6 6	27 1 3	50 8	140 14 14 1	136	91	103	124	82	39	3		
1 2 3 4 5 6 7 8 9 9 10 11 12 13	All causes.  Typhoid fever. Typhus fever. Malaria. Smallpox. Measles. Scarlet fever. Whooping cough. Diphtheria and croup. Influenza. Asiatic cholera Cholera nostras, Other epidemic diseases. Tuberculosis of the lungs.	1,172 35 9 1 20 2 2 20 9 4	216 	99 5	29 1 5 1 1 5 1 1	17 2 1 1	6 6	37 1 3 2 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3	50 8	140 14 14 1	136	91	103	124	82	39	3		
1 2 3 4 5 6 7 8 9 10 11 12 13	All causes.  Typhoid fever. Typhus fever. Malaria. Smallpox. Measles. Scarlet fever. Whooping cough. Diphtheria and croup. Influenza. Asiatic cholera. Cholera nostras. Other epidemic diseases. Tuberculosis of the lungs. Tuberculous memingitis. Other forms of tuberculosis.	1,172 35 9 1 20 2 20 9 4 16 89 4 1	216 	99 5	29 1 5 1 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2	17 2 1 1	6	37 1 3 2 3 1	50 8 1	140 14 14 1 3	136 5	5	103	124 1 	82 3 3	1 1 2 1	3		
1 2 3 3 4 5 5 6 6 7 7 8 9 10 11 12 13 14 15 15 17 7	All causes Typhoid fever Typhus fever Malaria Smallpox Measles Scarlet fever Whooping cough Diphtheria and croup Influenza Asiatic cholera Cholera nostras Other epidemic diseases Tuberculosis of the lungs Tuberculous memingitis	1,172 35 9 1 20 2 20 9 4 4 1 57 8	216 	99 5	29 1 5 1 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2	17 2 1 1	6	37 1 3 2 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3	50 8 1	140 14 11 3 11 36	136 5 2 119	91 5	103	124 1 	82 3 3 1	1 1 2 1	3		
1 2 3 3 4 5 5 6 6 7 7 8 9 10 11 12 13 14 15 15 17 7	All causes.  Typhoid fever. Typhus fever Malaria. Smallpox Measles. Scarlet fever. Whooping cough Diphtheria and croup. Influenza. Asiatic cholera. Cholera nostras. Other epidemic diseases. Tuberculous meningitis. Other forms of tuberculosis. Cancer and other malignant tumors. Meningitis. Cerebral hemorrhage and softening. Organic diseases of the heart. Acute bronchitis.	1,172 35 9 1 20 20 9 4 4 1 57,7 8 89 4 1 70	216 	99 	29 1 5 1 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2	17 2 1 1	6	37 1 3 2 3 1	50 8 1	140 14 1 3 1	136 5 2 1 19	91 5	103 1 1 	124 1	82 3 3	1 1 2 1 3			
1 2 2 3 4 4 5 6 7 8 9 10 11 12 12 14 14 15 16 17 17 18 19 0 21 22	All causes.  Typhoid fever. Typhus fever Malaria. Smallpox Measles. Scarlet fever. Whooping cough Diphtheria and croup Influenza. Asiatic cholera Cholera nostras. Other epidemic diseases. Tuberculous meningitis. Other forms of tuberculosis. Cancer and other malignant tumors Meningitis. Cerebral hemorrhage and softening. Organic diseases of the heart. Acute bronchitis. Chronic bronchitis.	1,172 35 9 1 20 20 9 4 1.577 89 4 1.577 854 70	3 11 1 2 3 3 1 1 5 5	99 5 4 1 1	29 1 5 1 2 2 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3	17 2 1 1 1	6 6 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	37 1 3 3 3 1 2 3 3 1	50 8 1	140 14 1 3 	136 5 2 119	91 5 4 4	103 1 3 6 3 6	124 1 	82 3 3 1	1 1 2 1			
1 2 3 4 4 5 5 6 7 8 9 9 10 11 12 13 14 15 16 16 17 18 19 9 20 21 22 23 3 2 3 3 6	All causes.  Typhoid fever Typhus fever Malaria. Smallpox Measles. Scarlet fever Whooping cough. Diphtheria and croup. Influenza. Asiatic cholera. Cholera nostras. Other epidemic diseases. Tuberculosis of the lungs. Tuberculous memingitis. Other forms of tuberculosis. Cancer and other malignant tumors. Meningitis. Cerebral hemorrhage and softening. Organic diseases of the heart. Acute bronchitis. Chronic bronchitis. Pneumonia. Bronchopneumonia. Other diseases of the respiratory system.	1,172 35 9 1 20 20 9 4 1.577 89 4 1.577 854 70	216 	99 55 4 1 1	29 1 5 1 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2	17 2 1 1 1	6	37 1 3 2 3 1	50 8 1 1	140 14 1 1 3 3 1 36	136 5 2 2 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	91 5 4 15 1 5 10	103 1 1 3 6 14 10 14	124 1 1 	82 3 3 5 1 14 9	1	1		
1 2 2 3 4 5 5 6 6 7 7 8 9 10 11 12 13 14 15 16 16 17 18 20 22 23 23 23 23 24 25 (37)	All causes.  Typhoid fever. Typhus fever. Malaria. Smallpox Measles. Scarlet fever. Whooping cough. Diphtheria and croup. Influenza. Asiatic cholera. Cholera nostras. Other epidemic diseases. Tuberculosis of the lungs. Tuberculosis of the lungs. Tuberculosis of the lungs. Cancer and other malignant tumors. Meningitis. Cerebral hemorrhage and softening. Organic diseases of the heart. Acute bronchitis. Chronic bronchitis. Pneumonia. Bronchopneumonia. Other diseases of the respiratory system. Diseases of the stomach. Diarrhea and enteritis.	1,172 35 9 1 20 2 20 9 4 15,7 8 54 70 52 82 92 2124	3 11 1 2 3 1 1 1 2 1 5 1 4 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	99 5 4 1	29 1 5 5 1 2 2 3 3 3 1 1 7 7	17 2 1 1 1 1 1 2 2 2 2 2 3 3 3 3 3 3 3 3 3	6 6 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	3 3 1 2 2 3 1 1 5 5	50 8 1 1 6 6	140 14 1 3 3 1 1 3 3 1 5 1 5 1 1 1 1 5 1 1 1 1	136 5 2 1 19 6 6 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	91 5 4 15 1 1 5 10	3 6 6 14 10 14 6 6	124 1 5 7 7 113 19 17 6 6 1 2 1	33 3 3 3 3 14 9	1	1		
1 2 2 3 4 5 5 6 6 7 7 8 9 10 11 11 12 13 14 15 15 11 22 22 23 23 22 24 25(37)	All causes.  Typhoid fever Typhus fever Malaria Smallpox Measles. Scarlet fever Whooping cough. Diphtheria and croup. Influenza. Asiatic cholera. Cholera nostras, Other epidemic diseases. Tuberculous meningitis Other forms of tuberculosis. Cancer and other malignant tumors. Meningitis. Cerebral hemorrhage and softening. Organic diseases of the heart. Acute bronchitis. Chronic bronchitis. Pneumonia. Bronchopneumonia. Other diseases of the respiratory system. Diseases of the stomach. Diarrhea and enteritis. Appendictits and typhilitis. Hernia, intestinal obstruction.	1,172 35 1 20 20 9 4 157 8 54 70 52 32 22 22 20 9 4 12 13 16 16 16 16 16 16 16 16 16 16	3 11 1 2 2 3 11 1 2 3 1 1 1 2 1 1 1 1 1	999 5 4 1 1 1 7 8 1 1	29 1 5 5 1 1 2 2 3 3 1 1	17 2 1 1 1 1 1 1 3 3 3 3 3 3 3 3 3 3 3 3 3	1	37 1 3 3 3 1 2 3 1	50 8 1 1	140 14 14 1 3 3 1 1 5 1 1 1 3 1 1 1 3 1 1 1 3 1 1 1 3 1 1 1 3 1 1 1 3 1 1 1 3 1 1 1 1 3 1 1 1 1 3 1 1 1 1 3 1 1 1 1 3 1 1 1 1 1 3 1 1 1 1 1 3 1 1 1 1 1 3 1 1 1 1 1 3 1 1 1 1 1 3 1 1 1 1 1 3 1 1 1 1 1 1 3 1	136 5 2 2 1 19 6 6 1 11 1 1 1 1 1 1 1 1 1 1 1 1 1	91 55 4 4 155 10 4	103 1 3 6 14 10 14 6	124 1 1 	82 3 3 5 1 1 4 4 2	1 1 2 1 1 3 3 2 2 4 4 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	1		
1 2 2 3 4 4 5 5 6 7 7 8 9 10 11 12 12 13 14 15 16 17 18 19 20 21 22 23 6 24 25 (27 ) 26 26 27 28 29 9 29 29 29 29 29 29 29 29 29 29 29 2	All causes.  Typhoid fever. Typhus fever. Malaria. Smallpox Measles. Scarlet fever. Whooping cough. Diphtheria and croup. Influenza. Asiatic cholera cholera cholera nostras. Other epidemic diseases. Tuberculous meningitis. Tuberculous meningitis. Cother of the lungs. Tuberculous meningitis. Cancer and other malignant tumors. Meningitis. Carebral hemorrhage and softening. Organic diseases of the heart. Acute bronchitis. Chronic bronchitis. Pneumonia. Bronchopneumonia Other diseases of the respiratory system. Diseases of the stomach. Diarrhea and enteritis. Appendicitis and typhlitis. Hernia, intestinal obstruction Cirrhosis of the liver. Acute nephritis and Bright's disease. Diseases of the female genital orrans.	1,172 35 9 1 20 2 20 9 4 1 57 8 8 9 4 1 1 57 8 52 2 2 2 2 2 3 4 4 5 7 8 8 9 9 4 1 1 1 1 1 1 1 1 1 1 1 1 1	3 1 1 2 3 3 1 1 5 1 4 1 1 5 4	99 5 4 1 1 1 1 555	29 1 5 5 1 2 2 3 3 3 1 1 7 7	17 2 1 1 1 1 1 2 2 2 2 2 3 3 3 3 3 3 3 3 3	1	3 3 1 2 2 3 1 1 5 5	50 8 1 1 1 6 6 3	140 14 1 3 3 3 1 2 1 1 1 3 1 2 1 1 2 1 1	136 5 5 2 1 19 6 6 1 1 1 1 1 1 6 6 1 1 1 1 6 6 1 1 1 1 6 6 1 1 1 1 6 6 1 1 1 1 6 6 1 1 1 6 6 1 1 1 6 6 1 1 1 6 6 1 1 1 6 6 1 1 1 1 6 6 1	91 5 4 15 1 5 10 4 4	103 1 3 6 14 10 14 6	124 1 	82 3 3 3 5 1 14 9	39	1		
1 2 2 3 4 4 5 5 6 7 7 8 9 10 11 12 12 13 14 15 16 17 18 19 20 21 22 23 6 24 25 (27 ) 26 26 27 28 29 9 29 29 29 29 29 29 29 29 29 29 29 2	All causes.  Typhoid fever Typhus fever Malaria Smallpox Measles. Scarlet fever Whooping cough. Diphtheria and croup. Influenza. Asiatic cholera. Cholera nostras, Other epidemic diseases. Tuberculous in the lungs Tuberculous meningitis. Other forms of tuberculosis. Cancer and other malignant tumors. Meningitis. Cerebral hemorrhage and softening. Organic diseases of the heart. Acute bronchitis. Chronic bronchitis. Pneumonia. Bronchopneumonia. Other diseases of the respiratory system. Diseases of the stomach. Diarrhea and enteritis. Appendictits and typhilitis. Hemia, intestinal obstruction. Cirrhosis of the liver. Acute nephritis and Bright's disease. Diseases of the female genital organs. Puerperal fever. Other puerperal affections.	1,172 35 100 200 9 4 166 89 9 4 177 8 54 70 52 82 9 2 124 36 24 9 9 77 2 111 13	3 11 1 2 3 3 1 1 54 1 4 1 2 2	99	29 1 5 5 1 2 2 3 3 3 1 1 7 1	17 2 1 1 1 1 1 2 2 2 2 2 3 3 3 3 3 3 3 3 3	1	37 1 3 2 3 1 2 3 1 2	50 8 8 1 1 1 1 3 3 3 3 3 3 3 3 3 3 3 3 3 3	140 14 1 3 3 1 5 5 1 1 3 1 1 2 2	136 5 2 2 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	91 55 4 4 155 10 4	103 1 3 6 14 10 14 6	124 1 1 	82 3 3 5 1 1 4 4 2	1 1 2 1 1 3 3 2 2 4 4 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	1		
1 22 3 4 5 6 7 7 8 9 10 11 12 13 14 15 5 16 17 18 19 20 21 22 3 3 2 3 5 2 5 (3 7 ) 2 8 8 2 9 9 3 0 3 1 3 2 3 3 3 4	All causes.  Typhoid fever. Typhus fever Malaria. Smallpox. Measles. Scarlet fever. Whooping cough. Diphtheria and croup. Influenza. Asiatic cholera. Cholera nostras. Other epidemic diseases. Tuberculosis of the lungs. Tuberculous memingitis. Other forms of tuberculosis. Cancer and other malignant tumors. Meningitis. Cerebral hemorrhage and softening. Organic diseases of the heart. Acute bronchitis. Chronic bronchitis. Pneumonia. Bronchopneumonia. Other diseases of the respiratory system. Diseases of the stomach. Diarrhea and enteritis. Appendictis and typhlitis. Hernia, intestinal obstruction Cirrhosis of the liver. Acute nephritis and Bright's disease. Diseases of the female genital organs. Puerperal fever. Other puerperal affections.	1,172 35 9 1 20 20 9 4 4 1 57,7 8 54 70 52 32 9 2 124 336 6 24 9 77,7 2 11 13 90	3 11 1 2 3 14 1 1 54 2 89	99	29 1 5 5 1 1 2 2	17 2 1 1 1 1 1 2 2 2 2 2 3 3 3 3 3 3 3 3 3	1	37 1 3 2 2 3 1 1 5 3 1	50 8 8 1 1 3 6 6 3 1 1 2 1,1	140 14 1 3 3 1 5 5 1 1 2 1 2 7 7	136 5 2 2 1 1 1 1 1 1 1 1 1 1 1 1 5 3 3 5 1 6 6 1 5 3 3 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	91 5 	103 1 3 6 14 10 14 4 4 1 13 13	124 1 	82 3 3 3 14 9 4 2 2	39 1 1 2 1 3 3 2 1 7	i		
1 2 2 3 4 4 5 5 6 7 8 8 9 100 11 12 13 14 15 16 17 18 19 22 23 2 23 24 25 (37) 28 8 30 31 13 22 33 34 35 5 5 5	All causes.  Typhoid fever. Typhus fever Malaria. Smallpox Measles. Scarlet fever. Whooping cough. Diphtheria and croup. Influenza. Asiatic cholera Cholera nostras. Other epidemic diseases. Tuberculosis of the lungs. Tuberculous meningitis. Other forms of tuberculosis. Cancer and other malignant tumors. Meningitis. Cerebral hemorrhage and softening. Organic diseases of the heart. Acute bronchitis. Chronic bronchitis. Chronic bronchitis. Pneumonia. Bronchopneumonia Other diseases of the respiratory system. Diseases of the stomach. Diarrhea and enteritis. Appendictits and onteritis. Hernia, intestinal obstruction Cirrhosis of the liver Acute nephritis and Bright's disease. Diseases of the female genital organs. Puerperal fever. Other puerperal affections. Congenital debility and malformations. Senility. Violent deaths (excluding suicide).	1,172 35 9 1 20 2 20 9 4 4 1 57 88 54 70 52 32 9 2 124 36 24 9 77 2 113 90 19 10 10 10 10 10 10 10 10 10 10	3 1 1 2 2 3 1 1 54 1 2 2 89 3 3	99 4 1 1 555 1 1 1 2 2	29 1 5 5 1 1 2 2 3 3 1 1 7 7 1 1 2 2 2 2	17 2 1 1 1 1 3 3	1	37 1 3 2 3 1 2 3 1 1	50 8 8 1 1 6 6 3 1 2 1 8	140 144 1 1 3 3 1 5 5 1 1 1 2 2 7 7 1 1 1 6 7 7	136 5 2 2 1 1 1 1 1 1 1 1 1 1 1 5 3 3 2 2 7 4 4	91 5 	103 1 3 6 6 14 14 4 4 4 4 1 13 13	124 1 1 5 7 1 13 19 17 17 2 2 3 3 8 19 19	82 3 3 3 14 9 4 2 2	39 1 1 3 3 2 1 7	1		
1 2 2 3 4 4 5 6 6 7 7 8 9 10 11 11 12 13 11 15 16 6 17 18 19 20 21 22 23 6 24 (37) 27 2 29 30 31 32 33 34 35	Typhoid fever. Typhus fever Malaria. Smallpox Messles. Scarlet fever Whooping cough Diphtheria and croup Influenza. Asiatic cholera Cholera nostras. Other epidemic diseases. Tuberculosis of the lungs Tuberculous memingitis. Other forms of tuberculosis. Cancer and other malignant tumors Meningitis. Cerebral hemorrhage and softening. Organic diseases of the heart. Acute bronchitis. Chronic bronchitis. Chronic bronchitis. Pneumonia. Bronchopneumonia. Other diseases of the respiratory system. Diseases of the stomach. Diarrhea and enteritis. Appendicitis and typhlitis. Hernia, intestinal obstruction Cirrhosis of the liver. Acute nephritis and Bright's disease. Diseases of the female genital organs. Puerperal fever Other puerperal affections. Congenital debility and malformations Semility Violent deaths (excluding suicide).	1,172 35 9 1 20 2 20 9 4 4 1 57 89 4 4 1 57 8 54 70 52 32 9 2 2 1 36 2 2 1 36 37 37 38 38 38 38 38 38 38 38 38 38	3 11 1 2 3 14 1 1 54 2 89	99	29 1 5 5 1 1 2 2	17 2 1 1 1 1 1 2 2 2 2 2 3 3 3 3 3 3 3 3 3	1	37 1 3 2 2 3 1 1 5 3 1	50 8 8 1 1 3 6 6 3 1 1 2 1,1	140 14 1 3 3 1 5 5 11 2 2 7 11 16 16 16 16 16 16 16 16 16 16 16 16	136 5 2 119 6 111 11 11 5 3 5 1 6 6 1 5 1 1 1 2 2 2 3 3 5 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	91 5 4 15 1 5 10 4 4	103 1 3 6 114 10 114 113 11 116 117 118	124 1 	82 3 3 3 14 9 4 2 2	39 1 1 2 1 3 3 2 1 7	i		

Table 7.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN EACH CITY OF 100,000 POPULATION OR OVER IN 1910, BY CAUSE OF DEATH (ABRIDGED INTERNATIONAL LIST), AND BY AGE OF DECEDENT: 1911—Continued.

									DEA'	THS AT	AGE	OF—							-
Abridged Int. List No.	CAUSE OF DEATH.	All deaths.	Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.			100 years and over.	Deaths at un- known age.
		<u>'</u>	В	IRM	ING	HAM	, AL	A. (C	OLO	RED	).	<u></u>	·		<u></u>			<u></u>	
	All causes	1,308	196	65	35	13	17	26	85	249	218	144	110	77	35	28	6	4	
1 2	Typhoid fever	27		1			3	2	3	9	7	2							
2 3 4	Malaria Smallpox	23		2	1				1	10	5	3		1					
5	Measles	10	2	2	1		1		3	1									
6 7 8	Whooping cough Diphtheria and croup	8 4	2	3	3 1		····i	i											
9 10	Influenza Asiatic cholera	8							1			2		2	1	2			••••••
11 12 13	Cholera nostras. Other epidemic diseases. Tuberculosis of the lungs.	8 217	ļ		·····2			6	31	85	2 55	3 22	7		2				
14 15	Tuberculous meningitis Other forms of tuberculosis.	3		1 1		1								7					
16 17	Cancer and other malignant tumors Meningitis	36 10			1	1	1	2	····i	1 2	10	5	10 1	6	3		1		
18 19	Cerebral hemorrhage and softening Organic diseases of the heart	66 110						1	<del>4</del> -	2 14	21	. 29	23 19	12 14	9 5	6 3	1	2	
18 19 20 21 22	Chronic bronchitis		,									12		<u>9</u>		2			· · · · · · · · · · · · · · · · · · ·
23a	Pneumonia. Bronchopneumonia Other diseases of the respiratory system.	88 47 7	22 22	11 2	1 5	4	2	2 2	<u>8</u>	19	14		8	:	3 	1			
23 <i>b</i> 24 25(37)	Diseases of the stomach  Diarrhea and enteritis	3 91	44	32	9	2		i	<sub>i</sub> .		Î		2	1			i		
26 27	Appendicitis and typhlitis.  Hernia, intestinal obstruction.	11 10	4						2	7 3	$\frac{1}{2}$	1	1						
26 27 28 29 30 31 32	Cirrhosis of the liver	9 64	 		' <sub>i</sub> -		<u>i</u> -	i	3	6	3 12	- 1 3 9	1 11	1 12	3	5			
30 31	Diseases of the female genital organs Puerperal fever Other puerperal affections	7							3 2	3	1 1								
33	Congenital debility and malformations	9 54 17	54							4	3		····i		3	9	3		
33 34 35 36	Senility Violent deaths (excluding suicide)	122	2	1	4	2	4	5	14	46 1	26	13	2	ī	2				
(37) 38	Suicide. Other defined diseases. Diseases ill-defined or unknown.	124 110	18 40	3 4	1 5	2	2 1	3	5 2	24 10	31 18	17 12	15 9	5 4	1 2				
		1	13	<u>!</u>	os .	ANG	eles	, CA	I.	-	1	<u> </u>	<u></u>	<u> </u>	1	<u></u>	<u>,                                     </u>		1
	All causes	5,001	518	114	43	39	27	61	180	521	626	626	636	683	617	265	41	4	
1 2	Typhoid fever	40				1	1	2	5	14	11	4	1	1					
3	Typhus fever Malaria Smallpox	4 6			<u>i</u>					$\frac{1}{2}$	i			2					
4 5 6	Measles. Scarlet fever	8 9	i	4	2	i		1 3	$\begin{array}{c} 1 \\ 1 \\ 2 \end{array}$	<u>î</u> -									
7 8	Whoming cough	19 22	8 5	5 3	3 3	1 4	1	1 5				1							
9 10	Diphtheria and croup. Influenza Asiatic cholera	22	1						1				2	4	7	5	2		
11 12	Cholera nostras	18	4					ij		3	1	3	2		1 21	3	2		ļ
13 14	Tuberculosis of the lungs Tuberculous meningitis Other forms of tuberculosis	853 35 66	15 5	9 3	1 4 2	3	4 2	5 3	45 3 7 1 11	207 5 12 6 4 2	245 3 12	142 2 12 45 7 18 84	99	53	4	4	1		
14 15 16 17 18 19 20 21 22 23a 23b	Cancer and other malignant tumors  Meningitis	328 60	1 5	8	3	2	4	7	1	6 4	30 2 5	45	86	93 2 56 150	53 1	11	2		
18 19	Cerebral hemorrhage and softening Organic diseases of the heart	213 630	3					4	15	2 23	.55	18 84	35 88	56 150	71 149	23 49	3 8	i	
20 21	Acute bronchitis	17 28	10	1 2	2						i		6		10	49 2 5	1	}	
22 23 <i>a</i>	Pneumonia Bronchopneumonia	229 108 54	27 51 2	15 14	.5	4	3	1	11 2	16	18 2 7 3	29	21	5 30 3 6 5 3 1 11 16	10 33 8 7 10 7	15	2	 	
23b 24	Other diseases of the respiratory system.  Diseases of the stomach	49	II 9	1 3 22	2	2	1 2			2	3	8	6	5	10	$\begin{vmatrix} 6\\2\\1 \end{vmatrix}$			
25(37) 26	Diarrhea and enteritis.  Appendicitis and typhlitis.	157 37 43	96 1		2	3		2	1 5 2	9	10 10 5	8	2 5	11	1	3			
25(37) 26 27 28 29 30	Hernia, intestinal obstruction	64 321	5	<u>i</u>						16 2 9 2 2 9 1 2 18 6 13	6 24	29 2 5 8 3 8 3 10 56	21 5 9 6 2 2 5 19 57	75	10 57	1 19	6		
30 31	Diseases of the female genital organs Puerperal fever	34 25	<b> </b>	ļ <u>.</u>				<u> </u>	1 1 1 2	6	10	10	6	ĭ			ļ		
31 32 33 34	Puerperal fever Other puerperal affections Congenital debility and malformations	31	192	4		1			2 2	19 2	7	3							
34 35 36	Senility Violent deaths (excluding suicide)	201 78 320 128	8	9	7	6	5	11	23 2	65 24	56	36 33 101	27 18	18 18 18	27 30 7 94	35 17 3	6 2	2	
(37) 38	Suicide Other defined diseases Diseases ill-defined or unknown	742	66	8	4	3	3	7	35	51	23 69	101	129	117	94	50 1	4	1	
- 30		1 ~	)	1	1	1	1	]	1	1	1	1	1	1		1 -	1		1

TABLE 7.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN EACH CITY OF 100,000 POPULATION OR OVER IN 1910, BY CAUSE OF DEATH (ABRIDGED INTERNATIONAL LIST), AND BY AGE OF DECEDENT: 1911—Continued.

it.									DEAT	HS AT	AGE (	)F—							
Abridged Int. List No.	CAUSE OF DEATH.	All deaths.	Under 1 year.		2 years.	3 years.	4 years.	5 to 9 years.	to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 years and over.	Deaths at un- known age.
				'	OA	KLA	ND,	CAL.		<u></u>		<u>'</u>	!		·	<del></del>	·	<u></u>	
	All causes	1,984	243	51	30	17	8	35	53	162	174	203	237	302	294	154	20	1	
1 2	Typhoid fever. Typhus fever.	22			1			1	4	5	3	3	3	2					
$\frac{5}{4}$	Malaria Smellpox	2				<b>.</b>			i				1						<b>-</b>
5	Measles	18	3	6	7	 		1	1										
6 7	Scarlet fever Whooping cough	2 6	4					$\frac{1}{2}$	1										
8	Diphtheria and croup Influenza Asiatic cholera	11 6	1		1	2	2	1	1				····i	i	1		2		
10 11	Cholera nostras									- • • • • • • • • • • • • • • • • • • •									
12 13 14	Other epidemic diseases	15 164	3 4	2				3	8	57	1 44	1 22	1 9	1 9	2 5	3 1			
14 15	Tuberculous meningitisOther forms of tuberculosis	21 23	3 3	7 1	1	6		1 4	1 3	1 5	1 4		<sub>i</sub> -	i-	1				
15 16 17	Cancer and other malignant tumors.	165	1 6	2	1 5	2	ļ <del>.</del> .	i		3	6	27	48 1	42	31	5			
18 19 20	Meningitis. Cerebral hemorrhage and softening	25 130					1	1	1 3	3	3	4 7	17	33 76	35 35	28	3	i	
20	Organic diseases of the heart Acute bronchitis.	304 8	1 5	1 2						11	13	32	43		78	42	1		
21 22	Pneumonia	13 124	11	6	6	2		····i	4	9	10	16	12	23	3 19	7 5			
23a 23b	Bronchonneumonia	44	16 1	6		<u> </u>		1		1 2	2 4	$\begin{array}{c c} 1\\2\\1\end{array}$	2 1	5 9	4 5	5 3	1 1		
24 25(37)	Other diseases of the respiratory system. Diseases of the stomach Diarrhea and enteritis	15 67	3 45	10	····i		<u>i</u> -	ļ		1	····i	1	2 3	4 2	2	2 1	<u>i</u> .		
25(37) 26	Appendicitis and typhlitis Hernia, intestinal obstruction.	15 24	2					1 1	2	7	4 3	1	5	9	2	<u>î</u> .	<del>.</del> .		
28	Cirrhosis of the liver.  Acute nephritis and Bright's disease	26									4	3	. 8	7	3		1		
30	Diseases of the female genited organs	129 10	3		2			1	2	3	13 3	19 3	19	25	33 1	8	1		
27 28 29 30 31 32 33	Puerperal fever Other puerperal affections Congenital debility and malformations	7 8							3	4 4	3	i							
33 34	Congenital debility and malformations Senility	95 15	94		 						1				7	8			
35 36	Semility Violent deaths (excluding suicide) Suicide	126 55	1	3	2	<i>-</i>	1	7	9	20 12	16 10	20 13	15 10	14 6	11	5	2		
(37) 38	Suicide Other defined diseases. Diseases ill-defined or unknown	260	33	3	2	3	3	3	8	12	25	13 26	33	30	46	30	3		
			1	}									1					<u> </u>	
		ı	i	IS A	IN E	KAN	CISC	O, C	A.L.		<u></u>	ı	I .	1		1 .		1	
	All causes	6,495	665	136	68	38	29	82	179	520	784	950	946	939	754	363	41	1	
1 2	Typhoid fever Typhus fever		1	1				2	7	27	16	6	4	1					
$^3_4$	Malaria Smallpox	5			1						1	1	1	1					
5 6	Measlês Scarlet fever	33 15	5	13 1	6 2	$\frac{2}{1}$	1 3	4 5	···· <u>·</u>	2									
7 8	Whooping cough Diphtheria and croup	29 22	12 2	9 5	2 3 1	5 2	1	5	5										
9 10	Influenza. Asiatic cholera.	12	2		ļ						1		3	2	4				· · · · · · · · · · · · · · · · · · ·
11 12	Cholera nostras. Other epidemic diseases.	22		;															
13 14	Tuberculosis of the lungs	675 72	6 17	1 2	4	1	i	6	30	140 3	204	141 2	77	5 40	3 11	i			
15	Tuberculous meningitisOther forms of tuberculosis	62	12 5	16 3	13 4	7	$\frac{2}{2}$	10 3	30 3 6 2 4	12	201 8 28 5	10	2 5	4					
16 17 18 19	Cancer and other malignant tumors Meningitis.	471 50	10	5	5	$\begin{vmatrix} \cdots & \ddots \\ 2 \end{vmatrix}$	3	3	4	12 5 4	28 5	10 83 3	135 3 55	119 1	78 1	21 1			
18 19	Cerebral hemorrhage and softening Organic diseases of the heart	304 971	$\frac{2}{2}$	i	1	<u>i</u> -		<sub>2</sub> .	16	3 37	13 47	35 118 2	55 165	72 248	82 231 5	40 95	1 8		
20 21	Acute bronchitis. Chronic bronchitis	38 54	13	8	3	· • • • • • • • • • • • • • • • • • • •		1 3	1	<u>2</u>	3	2 5	5	2	5 19	3 11	2		
22 23a	Pneumonia Bronchopneumonia	395 171	27	12 20	6	1 3	3 5	6 2	7 3 4 1	26	63	67 14 6	79	53	36	9	2		
23b	Other diseases of the respiratory system.	52	50 1	20	5	1			4	26 3 4 5	3	6	6	7	18 15	11 3	2		
25(37) 26	Diseases of the stomach Diarrhea and enteritis	67 197	31 141	21	7	3	2	2			63 9 3 7 2 17	4 8 12 9	79 9 6 5 3 8 6	72 248 2 4 53 16 7 2 3 5	1	5 3	i		••••••••••••••••••••••••••••••••••••••
26 27	Appendicitis and typhlitis Hernia, intestinal obstruction	75 60	10 10	2 <u>1</u> 2 1			1	4 2	8 1	15 6	17 8 22	12 9	8	5 11	2 5	1			•••••
27 28 29 30	Cirrhosis of the liver	173 523	4					····i		6 23 11	55	53 106	41 104	36 107	11 79	3 27	1 4		••••••••••••••••••••••••••••••••••••••
30 31	Diseases of the female genital organs Puerperal fever	43 30							3	13	14 14	10	3		1	1			
31 32 33 34	Other puerperal affections.  Congenital debility and malformations.	31 208	206	1					13 3 3 1	12	13	3							
34 35	Senility Violent deaths (excluding suicide)	76 407	200	2	3		;.	9	 24					2 31	19 17	44 10	11 2		
36	Suicide	168				6	4		3	71 30	88 45	76 48 127	55 23	14	5				
(37) 38	Other defined diseases.  Diseases ill-defined or unknown	918 1	96	10	3	3	1	12	28	57	96	127 <b>P</b>	144	153	107	74	7		
		1	II.	J	l													, )	

Table 7.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN EACH CITY OF 100,000 POPULATION OR OVER IN 1910, BY CAUSE OF DEATH (ABRIDGED INTERNATIONAL LIST), AND BY AGE OF DECEDENT: 1911—Continued.

nt.									DEAT	THS AT	AGE (	)F—			~=			<del></del>	Ī
Abridged Int. List No.	CAUSE OF DEATH.	All deaths.	Under 1 year.		2 years.	8 years.	4 years.	5 to 9 years.	10 to 19 years.		30 to 89 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 years and over.	Deaths at un- known age.
					DE	NVE	R, C	olo.		•		·	•	•				,	<del>'</del>
	All causes	3,441	475	96	36	27	19	59	121	381	463	437	418	416	328	·146	18		1
1 2 3	Typhoid fever Typhus fever	40			1			1	7	8	14	5	3			1			
4 5	Malaria Smallpox Measies	47	12	10	8	4	2	4	 4	····i	1 1	i							
6 7 8	Scarlet fever. Whooping cough. Diphtheria and croup.	11 12 37	5	10 2 4 2	2 1 3	9	2 1 <sub>7</sub>	4 2 11	4	2 1									
9	Asiatic cholera	161			-,					2	1		1	5	5	2			
10 11 12 13 14 15 16 17 18 19 20 21	Cholera nostras Other epidemic diseases Tuberculosis of the lungs	14 600	6 3	2				3	23	168	206	2 120	50	2 18	1 5	2 1	····i		
14 15 16	Tuberculous meningitis Other forms of tuberculosis Cancer and other malignant tumors.	24 26 171	6	2 7 1	3 1	1	1	2	-ĭ	3 10	4 14	3	4 49	····i		<u>î</u>			
17 18	Meningitis Cerebral hemorrhage and softening	50 137	18 2	10	1	1		1	9	$\begin{array}{c} 2 \\ 1 \\ 1 \end{array}$	4 5	37 2 17	2 16	32 1 41	29 36	7 <u>17</u>			
· 20 21	Organic diseases of the heart Acute bronchitis Chronic bronchitis	270 30 12	22 22	1 3			i	7.	13 <u>1</u>	16 1	16	42 1	34	69 1 3	48 2 3	20   1 1			
22 23a 23b	Pneumonia Bronchopneumonia Other diseases of the respiratory system. Diseases of the stomach	262 75 47	39 32	12 13	4 4	3 3 2	1 1	$\begin{array}{c} 2\\ 3\\ 1 \end{array}$	<u>9</u> <u>1</u>	9	34	34	2 39 2 8 9 2 7 5	35 5	25 4	14 5	$\frac{2}{1}$		
24 25(37)	Diarrhea and enteritis	30 112	4 79	2 1 13	i			2		4 2 1	2 1 1	2 8 7 5	9 2	9 4 2	81.5	· 1	1		
26 27 28 29 30	Appendicitis and typhlitis. Hernia, intestinal obstruction. Cirrhosis of the liver. Acute nephritis and Bright's disease.	46 25 42	3				1	3	10 1	9 3	1 8 1 5	6 5 9	7 5 10	1 3 10	2 4	. 1	1		
29 30 31	Diseases of the female central organs,	271 23 18	5	1	3	1		3	6 ••••i	3 19 6 8	19 7 8	33 4 1	60. 5	62	44 1	13	·2		
32 33 34	Puerperal fever Other puerperal affections Congenital debility and malformations.	18 172	169	···i	1		1			10	7	i							
35   36	Senility Violent deaths (excluding suicide) Suicide	68 177 79	7	5	2	2		6	12 3	32 17	34 20 50	28 11	21 15	16 8	26 8 4	33 4 1	5		
(37) 38	Other defined diseases Diseases ill-defined or unknown	476 2	58	5	1	1	1 2	4	15	42 	50	53	73 1	84	67	17	4		
· <u>·</u>				в	RIDO	*EPC	DRT,	CON	īN.				!	·			·		
	All causes	1,472	839	63	20	14	10	23	50	99	139	158	173	180	135	57	10		2
1 2 3	Typhoid fever Typhus fever Malaria	4							1	2									1
5 6	Smallpox Measles	19	1 4	6	3	<u>2</u>	2	1	1										
6 7 8	Scarlet fever. Whooping cough. Diphtheria and croup.	3 8 15	1	6	1	1	i	2	<u>i</u>										
9 10 11	Influenza. Asiatic cholera.	13								2 1	ĭ		3′	3	2	3			
12 13	Cholera nostras Other epidemic diseases Tuberculosis of the lungs	5 115	2	1 2	····i			ī	11	27	1 30	1 25	14		····i	·····			
14 15 16 17 18 19	Tuberculous meningitis. Other forms of tuberculosis. Cancer and other malignant tumors	9 7 72	<b>3</b> 1	2		1		2	1 1 1	2 2 2	1 4	11	1 21	i					
17 18	Meningitis Cerebral hemorrhage and softening Organic diseases of the heart	14 53 128	2	i	2	2		2	4	1	· · · · · · ·	3	12	14 18 43	14 13 21	<del>-</del> 5	1		1
20 21 22	Acute bronchitis Chronic bronchitis	8 12	1 4 2 22 18	2 2 1			ī	3	3	3	8	2	20	7 1		10	1		
22 · 23a 23b	Pneumonia.  Bronchopneumonia.  Other diseases of the respiratory system.	117 35 21	18 4	9 6 1	1 2	1	3	2 2	3	3	13 1 1	2 15 1 2 3	1 15 5	19 2 1	10 2	1			
24	Diseases of the stomach Diarrhea and enteritis. Appendicitis and typhlitis.	35 21 15 138	119	12	. 2						5		1	2	2 2 2 1	4			
27	Hernia intestinal chetricach	11 15 22	4	1					i	5	1 2 16	37	2 2 1 7 25	3 4	1 2				
27 1	Cirrhosis of the liver Acute nephritis and Bright's disease Diseases of the female genital organs Puerperal fever	146 6 8		1	1 .				6	10 4	16 1 4	24 3	25 2	28	28	7			
32 33 34 35	Puerperal fever. Other puerperal affections. Congenital debility and malformations.	6 95	95							2	3	i							
36	Senility Violent deaths (excluding suicide) Suicide Other defined diseases	22 95 24 206	4	3	3	2	2	3	6 2	14 6 13	17	12 4	13 5	1 8 2	8 4	9 3	4 I		
(37) 38	Other defined diseases	206 4	46 1	3 1.	2 .		1	5	8	13	5 19	27	5 24	26	21 1	9	2		
- 1	Į.	11	,		- 1	1	ı		1	1	1				- 1.		.	} .	

Table 7.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN EACH CITY OF 100,000 POPULATION OR OVER IN 1910, BY CAUSE OF DEATH (ABRIDGED INTERNATIONAL LIST), AND BY AGE OF DECEDENT: 1911—Continued.

أبث									DEA1	THS AT	AGE (	)F							
Abridged Int. List No.	CAUSE OF DEATH.	All deaths.	Under 1 year.		2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 89 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 years and over.	Deaths at un- known age.
•				D	ŒW	HAV	EN,	CON	N.		·	•,			-		<u> </u>		
	All causes	2,281	413	91	39	24	9	45	78	156	221	228	256	340	249	110	21	1	
1 2	Typhoid fever	34	1					2	4	14	10	3							
3 4 5	Malaria. Smallpox	4	1							1			1	- <i></i>	1				
6 7	Measles Scarlet fever Whooping cough	3 14 18	2 1 9	1	3	3	i	3		1	ī								
8 9	Diphtheria and croup Influenza	26 29	3 2	8 4 3	1 5 2	3	2 1	9	·····i		i	ii	5	6	4	2	· · · i		
10 11	Asiatic cholera Cholera nostras																		
12 13 14	Other epidemic diseases. Tuberculosis of the lungs. Tuberculous meningitis.	16 169 23	4 2 4	1 3 7	2 4	1	····i	<sub>2</sub>	12	$\begin{array}{c} 1\\32\\2\end{array}$	49 1	33	3 16	13	2 4	1			
15 16	Other forms of tuberculosis	18 125	*			2			2 1 1	2	1 5 8	3 16	2 35	3 41	22	2			
17 18	Meningitis Cerebral hemorrhage and softening	28 124	7	2		3		4	1 4 1	3 6	2	11	2 16	40	1 33	13	5		
19 20 21	Organic diseases of the heart	225 16 20	11 1	3	<sub>1</sub>			3	8	6 1	21	20	42	61 1 6	40	19 3	1	<u>-</u>	
20 21 22 23 <i>a</i>	Pneumonia Bronchopneumonia	218 72	23 29	9 19	9	3		2	1 5 1	14 1	28 1	30 2	29	34	24	7 2	i		
23b 24	Other diseases of the respiratory system.  Diseases of the stomach.	20 33	1 4	1 1	1			$\frac{1}{2}$	2	i	3	2 4 2 3	1 4 5 1 2 5 5	8 2 4	1 5 4	2	i		
25(37) 26 27	Diarrhea and enteritis. Appendicitis and typhlitis Hernia, intestinal obstruction	112 26 33	82	14	• • • • • • • • • • • • • • • • • • •	1	····2	2 1 1	6	1 7 2	2 4	2 3 6	2	1 12	1	2			
28 29	Cirrhosis of the liver. Acute nephritis and Bright's disease	22 184	4	1	•••••	1		i	2	16	1 15	10 23	5 31	38	2 35	18			
30 31 32	Diseases of the female genital organs Puerperal fever	13 5							i	3 2-	5 1	3 1	2						
32 33 34	Other puerperal affections. Congenital debility and malformations Senility	12 150 29	149	1					1	6	4	1		i	10	12	5	i	· · · · · · · · · · · · · · · · · · ·
35 36	Violent deaths (excluding suicide) Suicide	123 23	4	2	2	4	1	6	13	17 6	19	17 6	9	9 4	10	9	ĭ		
(37)	Other defined diseases. Diseases ill-defined or unknown	282 32	51 7	7 3	2 1	2	····i	4	10 2	14 3	24 2	25 5	37	45 5	38 3	18	5		<del>-</del> -
			w	ASH	ING'	TON	ъ.	C. (1	ОТА	L).	'		·'						
1	All causes	6, 304	955	209	75	36	25	93	228	559	683	664	709	883	788	332	58	6	1
1 2	Typhoid fever Typhus fever	6,304 75	! [			36	25 1	93			683	6	709	883	788	332	58	6	1
2 3 4	Typhoid fever Typhus fever Majaria. Smallpox	75 4	955	209	75				228	559				1	788	332	58	6	1
2 3 4 5 6	Typhoid fever. Typhus fever. Malaria. Smallpox Measles. Scarlet fever.	75 4 22 4	955 1 5	209	75	4	1	3 1 1	228	559	12	6			788	332	58	6	1
2 3 4 5 6 7 8 9	Typhoid fever Typhus fever Malaria. Smallpox Measles. Scarlet fever Whooping cough Diphtheria and croup	75 4 22	955	209	75			3	228	<b>559</b>	12	6		1	788	332	58	6	1
2 3 4 5 6 7 8 9 10	Typhoid fever Typhus fever Malaria Smallpox Messles Scarlet fever Whooping cough Diphtheria and croup Influenza Asiatic cholera Cholera nostras	75 4 22 4 25 19 68	955 11 5 13	209 	75 2 3 2 3	4	1	3 1 1 7	228 13 1	35 35 1 2 5	12	6	9	1 1 1 19	15	5	58		1
2 3 4 5 6 7 8 9 10 11 12 13	Typhoid fever Typhus fever Malaria Smallpox Measles Scarlet fever Whooping cough Diphtheria and croup Influenza Asiatic cholera Cholera nostras Other epidemic diseases. Tubecrollosis of the lumes	75 4 22 4 25 19 68 2 21 736	955 1 5 13	8 2 3 2 1	75 2 3 2 3 1	4 2 2 2 2	3 2	3 1 1 7 7	228 13	35 35 1 2 5	12 1 4 1 1 1 213	6 2	9 1 2 50	1 1 1 19 3 42 1					1
2 3 4 5 6 7 8 9 10 11 12 13 14 15	Typhoid fever. Typhus fever Malaria. Smallpox Measles. Scarlet fever. Whooping cough Diphtheria and croup Influenza. Asiatic cholera. Cholera nostras. Other epidemic diseases. Tuberculosis of the lungs Tuberculosis of the lungs Tuberculosis of tuberculosis. Other forms of tuberculosis. Cancer and other malignant tumors	75 4 22 4 25 19 68 22 21 736 42 50 293	955 11 5 13 1 2 2 7	209 	75 2 3 2 3	4	3 2	1 1 7 10 6	228 13  1 1 74 4 10	35 35 1 2 5 207 211	12 1 1 4 1 1 213 1 8 24	6 2 6 1 105 6	9 1 2 50	1 1 19 3 42 1 2 74	15	5			
2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17	Typhoid fever. Typhus fever. Malaria. Smallpox. Measles. Scarlet fever. Whooping cough. Diphtheria and croup. Influenza. A siatic cholera. Cholera nostras. Other epidemic diseases. Tuberculous of the lungs. Tuberculous of the lungs. Cholera of tuberculosis. Cher forms of tuberculosis. Cancer and other malignant tumors. Meningitis. Cerebral hemorrhage and softening.	75 4 22 4 25 19 68 21 736 42 20 20 31 43 31 31 31 31 31 31 31 31 31 31 31 31 31	955 11 5 13 1 2 2 7	8 2 3 2 1 7 8 1	75 2 3 2 3 1 2 6	4 2 2 2 2	3 2	1 1 7 7 10 6 6	13 1 1 1 1 74 4 10 1 3	35 35 1 2 5 3 207 2 11 4 3 4	12 1 1 213 1 8 24 1 18	6 2 6 1 105 6 49 2 49	9 1 2 50	1 1 19 3 42 1 2 7 4 2 130	15 18 18 1 52	5 3 2 12	2		
2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18	Typhoid fever. Typhus fever. Malaria. Smallpox. Measles. Scarlet fever. Whooping cough Diphtheria and croup Influenza. Asiatic cholera. Cholera nostras. Other epidemic diseases. Tuberculous of the lungs. Tuberculous of the lungs. Cancer and other malignant tumors. Meningitis. Cerebral hemorrhage and softening. Organic diseases of the heart. Acute bronchitis.	75 4 22 4 25 19 68 211 736 42 50 293 36 415 724 45	955 1 1 5 13 1 2 2 7 8 2 3 1	8 2 3 2 1	75 2 3 3 1 2 6	4 2 2 2 2	3 2 3 4	1 1 7 10 6	228 13  1 1 74 4 10	35 35 1 2 5 3 207 2 11 4 3	12 1 	6 2 6 1 105 6 49 2 49 89	9 1 2 50 1 5 74 2 75 123	1 1 19 3 42 1 2 74 2 130 176	15 3 18 1 52 100 162 3 8	5 3 2	2		
2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 23	Typhoid fever. Typhus fever Malaria. Smallpox Measles. Scarlet fever Whooping cough Diphtheria and croup Influenza. Asiatic cholera. Cholera nostras. Other epidemic diseases. Tuberculosis of the lungs. Tuberculosis of the lungs. Tuberculosis of the malignant tumors Meningitis. Cerebral hemorrhage and softening. Organic diseases of the heart Acute bronchitis. Chronic bronchitis Pneumonia	75 4 22 4 25 19 68 21 736 42 50 293 36 415 724 45 55 387 168	955 1 5 13 1 2 2 7 8 2 3 1 47 39	209 8 2 3 2 1 7 8 1 8 1 8	75 2 3 3 2 3 1 2 6	2 2 2	3 2 3 4	3 1 1 1 7 10 6 6 6	228 13 1 1 1 1 74 4 10 1 1 18	35 35 1 2 5 3 207 2 11 4 3 4 3 4 1 1 36	12 1 1 213 1 1 18 24 1 188 59 1 2 4 4	6 2 6 1 105 6 49 2 49 89 1 46 3	9 1 2 50 1 5 74 2 75 123	1 1 19 3 42 1 2 2 130 176 1 1 3 40	15 3 18 52 100 162 3 8 8 35 19	55 32 112 342 44 111	2 6 9 2		
2 3 4 4 5 6 6 7 8 9 10 111 12 13 14 15 16 17 18 19 20 21 22 23 a 23 4 23 4	Typhoid fever. Typhus fever Malaria. Smallpox Measles. Scarlet fever. Whooping cough. Diphtheria and croup Influenza. Asiatic cholera. Cholera nostras. Other epidemic diseases. Tuberculosis of the lungs. Tuberculosis of the lungs. Tuberculosis of the lungs. Cancer and other malignant tumors Meningitis. Cerebral hemorrhage and softening. Organic diseases of the heart Acute bronchitis. Chronic bronchitis Pneumonia Bronchopneumonia Other diseases of the respiratory system. Diseases of the stomach	75 4 22 4 4 25 19 68 2 21 736 42 50 293 36 45 724 45 525 387 168 110	955 1 5 13 1 2 7 8 8 2 47 39 61	209 	75 2 3 3 3 2 3 3 1 2 6 6 1 1 1 2 4 4 1 1 1 2 2	2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2	3 2 3 4 1 1	1 1 1 7 10 6 6 5 5	228 13 1 1 1 1 74 4 10 1 3 18	35 35 1 2 5 207 207 211 4 34 34 1	12 1 1 213 1 1 8 24 1 1 18 59 1 2 44 4 4 4 8	6 2 1 105 6 49 2 49 89 1 46 31	9 1 2 50 1 5 74 2 75 123	1 1 19 2 130 176 16 223	15 3 18 152 100 162 3 8 35 19 19 16	30 42 4 4 11 11 115 9	2 6 9 2 3 1 2		
2 3 4 5 6 7 8 8 9 10 11 12 12 13 14 15 6 17 18 19 20 21 22 3a 23b 25 (37) 26 27	Typhoid fever. Typhus fever Malaria. Smallpox Measles. Scarlet fever. Whooping cough Diphtheria and croup Influenza. Asiatic cholera. Cholera nostras. Other epidemic diseases. Tuberculosis of the lungs. Tuberculosis of the lungs. Tuberculosis of the lungs. Cancer and other malignant tumors. Meningitis. Cerebral hemorrhage and softening. Organic diseases of the heart. Acute bronchitis. Chronic bronchitis. Pneumonia. Bronchopneumonia. Other diseases of the respiratory system. Diseases of the stomach. Diarrhea and enteritis. Appendicitis and typhilitis. Hernia, intestinal obstruction.	75  4  22  4  25  19  8  21  736  42  50  293  36  415  724  45  25  387  168	955 1 5 13 1 2 2 7 8 2 2 7 47 39 6	209 8 2 3 2 1 7 8 1 8 1 8	75 2 3 3 2 3 1 2 6	2 2 2	3 2 3 4	1 1 1 7 7 10 6 6 5 5	228 13 1 1 1 1 74 4 10 1 3 18	35 35 207 2 11 4 34 36 1 7 6	12 1 1 213 1 8 24 1 18 59 1 2 4 4 4 8 8 8 8	6 2 2 1 105 6 49 2 49 89 1 46 3 3 111 22 2 8 5 9	9 12 50 15 74 2 75 123 1 1 1 5 5 122 2 8	1 1 19 3 42 1 2 74 2 130 176 1 16 23 3 40 16 23 15 16 16 23 16 16 23 17 16 16 16 16 16 16 16 16 16 16 16 16 16	15 3 18 15 1000 162 3 8 8 35 19 19 19 19 19 19 3	33 2 30 42 4 4 11 11 15 9 11	2 6 9 2 3		
2 3 4 5 6 7 7 8 9 10 11 12 13 14 15 16 17 8 19 20 21 22 a 23 b 25 (37) 26 7 28 29	Typhoid fever. Typhus fever Malaria. Smallpox Measles. Scarlet fever. Whooping cough. Diphtheria and croup Influenza. Asiatic cholera. Cholera nostras. Other epidemic diseases. Tubecrollosis of the lungs. Tuberculous meningitis Other forms of tuberculosis. Cancer and other malignant tumors Meningitis. Cerebral hemorrhage and softening Organic diseases of the heart. Acute bronchitis. Chronic bronchitis. Pneumonia. Bronchopneumonia Other diseases of the respiratory system. Diseases of the stomach. Diarrhea and enteritis. Appendicitis and typhlitis. Hernia, intestinal obstruction Cirrhosis of the liver Acute nephritis and Bright's disease.	75  4  4  22  4  25  19  68  2  21  736  42  50  293  36  42  50  110  130  337  36  36  36  36  37  36  36  36  3	955 11 5 13 11 22 7 7 22 7 39 61 1281	209 8 8 2 2 1 1	75 2 3 3 3 2 3 3 1 2 6 6 1 1 1 2 4 4 1 1 1 2 2	2 2 2 4 4 2 4 4	3 2 3 4 1 1 2	3 1 1 1 7 7 10 6 6 5 5 1 1 3	228 13 1 1 1 1 74 4 10 1 3 18	359 35 1 2 5 3 3 207 2 2 11 4 3 3 4 4 3 1 1 7 6 6	12 1 1 213 1 1 1 8 8 24 1 1 2 2 4 4 4 8 8 8 7 7 7 5 5 5 7	6 6 2 1 105 6 49 2 2 49 89 1 4 6 8 8 5 5 9 9 8 6 8 6 8	9 1 2 50 1 5 4 2 2 75 123 1 1 5 5 5 122 23 6 6 2 8 8 104	1 1 19 3 42 1 1 2 130 176 1 16 16 23 23 23 9 5	15 3 18 152 100 162 3 3 3 35 19 19 16 9	3 2 2 30 42 4 11 11 15 9 11	2 6 9 2 3 1 2		
2 3 4 5 6 7 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 a 23 b 25 (37) 26 27 28 9 30 11	Typhoid fever Typhus fever Malaria. Smallpox Measles. Scarlet fever. Whooping cough Diphtheria and croup Influenza. Asiatic cholera. Cholera nostras. Other epidemic diseases. Tuberculosis of the lungs Truberculosis of the lungs Truberculosis of the bungs Cancer and other malignant tumors. Meningitis. Cerebral hemorrhage and softening Organic diseases of the heart Acute bronchitis. Chronic bronchitis. Pneumonia. Bronchopneumonia Other diseases of the respiratory system Diseases of the stomach. Diarrhea and enteritis. Appendicitis and typhlitis. Hernia, intestinal obstruction Cirrhosis of the liver Acute nephritis and Bright's disease Diseases of the emale genital organs	75  4  22  4  25  19  68  2  21  736  42  50  293  36  415  724  45  525  387  366  1100  1300  1307  367  361  361  361  361  363  365  365  355	955 13 1 1 2 2 7 7 8 2 2 7 39 6 11 281	209 8 8 2 2 1 1 8 8 1 2 1 4 4 2 1 1	75 2 2 3 3 2 3 3 1 2 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6	2 2 2 2 2 4 4 1	3 2 3 4 1 1 1 2 2 1 1 1	3 1 1 1 7 10 6 6 5 5 5 5	228 13 13 1 1 1 1 1 1 1 3 18 18 18 16 6 3 3 3 3 3 3 3 3	359 3559 11 2255 33207 22111 4344 11776 6444 1299 1229	12 1 1 4 4 1 1 213 1 1 8 24 4 4 4 8 8 8 7 7 7 5 5 7 8 8 8 8 8 8 8 8 8 8 8	6 2 2 105 6 49 2 2 49 89 11 122 8 5 9 8 8 68 8 8	9 1 2 50 1 5 7 4 2 7 5 123 1 1 1 5 5 5 1 2 2 7 5 1 2 2 3 5 1 2 2 3 3 3 3 6 4 3 6 2 3 3 3 3 3 3 3 4 3 3 3 3 3 3 3 3 3 3 3	1 1 1 19 1 1 1 19 1 2 2 7 4 2 2 7 4 130 176 1 13 2 3 2 3 9 5 5 11 8	15 3 18 1 52 100 162 3 8 35 35 19 19 16 9	3 2 3 2 12 30 42 4 4 11 11, 15 9 11	2 6 6 9 2 3 1 2 2	ī	
2 3 4 5 6 7 7 8 9 10 11 112 13 14 15 6 17 7 18 19 221 22 a 23 b 22 5 (37) 26 27 28 29 30 31 2 33 33 33 34	Typhoid fever. Typhus fever Malaria. Smallpox Measles. Scarlet fever Whooping cough Diphtheria and croup Influenza. Asiatic cholera. Cholera nostras. Other epidemic diseases. Tuberculosis of the lungs. Tuberculosis of the lungs. Tuberculosis of the lungs. Cancer and other malignant tumors. Meningitis. Cerebral hemorrhage and softening. Organic diseases of the heart. Acute bronchitis. Chronic bronchitis. Pneumonia Bronchopneumonia Other diseases of the respiratory system. Diseases of the stomach Disarrhea and enteritis. Appendicitis and typhitis. Hernia, intestinal obstruction Cirrhosis of the liver. Acute nephritis and Bright's disease. Diseases of the female genital organs. Puerperal fever. Other puerperal affections. Congenital debility and malformations.	75  4  4  22  4  25  19  68  21  736  42  50  293  36  415  45  45  387  367  367  367  367  367  367  367	955 1 5 13 1 2 7 8 2 3 1 4 2 47 39 6 6 1 281 3 3 423	209 8 8 2 2 1 7 8 1 8 8 2 2 1 4 3 3 4 3 4 3 2 1 4 2 2 1 4 2 2 1 1 2 2	75 2 2 3 3 2 3 3 1 1 2 6 6 1 1 1 2 4 4 1 1 1 1 1 1 1 1 1 1 1 1 1 1	2 2 2 2 4 2 2 3 3 3 3	3 2 2 3 4 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	3 1 1 7 10 6 6 5 5 5 5 1 1 3 2 2	228 13 13 1 1 1 1 1 1 3 18 18 1 1 6 6 3 3 3 4 1 1	359 35 1 2 5 3 207 2 2 11 4 3 4 3 4 1 1 7 6 6 4 1 1 20 12 16 14	12 1 4 1 1 1 213 1 1 8 24 1 1 1 2 2 4 4 4 4 8 8 3 7 7 5 5 7 8 8 8 1 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8	6 2 2 1 105 6 49 2 29 89 1 46 3 3 11 1 22 8 5 9 8 8 8 8 8 4	2 9 1 2 50 1 5 1 2 7 7 4 2 7 5 5 5 5 5 5 5 1 2 2 7 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5	1 1 1 1 1 1 1 1 1 1 1 2 2 7 4 2 2 1 3 3 4 2 1 1 3 3 4 2 1 3 3 4 3 4 3 1 3 4 3 4 3 4 3 1 3 4 3 1 3 1	15 3 18 15 52 1000 1622 3 8 8 8 35 5 19 19 10 162 9 104 104 105 105 105 105 105 105 105 105 105 105	3 3 2 2 3 3 3 4 4 4 11 11 11 15 5 9 11 1 4 4 2 3 6 6 3	2 6 9 2 3 1 1 1 6 6	ī	
2 3 4 5 6 7 7 8 9 9 10 111 123 144 115 166 177 18 129 22 23 a 23 b 25 (37) 26 27 28 8 29 30 1 32 33 33	Typhoid fever Typhus fever Malaria. Smallpox Measles. Scarlet fever Whooping cough Diphtheria and croup Influenza. Asiatic cholera. Cholera nostras. Other epidemic diseases. Tuberculosis of the lungs Tuberculosis of the lungs Tuberculosis of the lungs Cancer and other malignant tumors. Meningitis Cerebral hemorrhage and softening Organic diseases of the heart Acute bronchitis. Chronic bronchitis Pneumonia Bronchopneumonia Other diseases of the respiratory system Diseases of the stomach. Diarrhea and enteritis. Appendicitis and typhlitis Hernia, intestinal obstruction Cirrhosis of the liver Acute nephritis and Bright's disease. Diseases of the female genital organs Puerperal affections. Congenital debility and malformations.	75  4  22  4  25  19  68  2  21  736  736  736  736  736  737  738  745  757  758  758  758  758  758  75	955 1 5 13 1 2 2 7 8 8 2 47 39 6 11 281	209 8 8 2 2 1 7 8 1 8 8 2 14 8 1 2 14 2 14 2 2 1	75 2 2 3 3 2 3 3 2 4 4 10 10 12 2 2 9 9 1 1	2 2 2 2 2 2 4 4 2 2 1	3 2 3 4 1 1 1 2 2 1 1 1	3 1 1 1 7 10 6 6 5 5 5 5	228 13 13 1 1 1 1 1 1 1 3 1 1 1 1 2 1 1 1 1	359 35 35 307 22 111 4 34 34 117 76 6 4 4 1 129 129	12 1 1 4 4 1 1 213 1 1 8 24 4 4 4 8 8 8 7 7 7 5 5 7 8 8 8 8 8 8 8 8 8 8 8	6 2 2 105 6 49 2 2 49 89 11 122 8 5 9 8 8 68 8 8	2 9 1 1 2 50 1 1 5 5 7 4 2 7 5 5 1 2 2 7 5 5 1 2 2 7 5 5 1 2 2 3 3 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	15 3 18 1 52 1 100 1 162 3 3 8 8 35 1 19 1 16 9 104	3 2 3 2 30 42 4 4 11 11 15 9 11 1 1 1 1 42	2 6 9 2 3 1 2 2	1	

TABLE 7.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN EACH CITY OF 100,000 POPULATION OR OVER IN 1910, BY CAUSE OF DEATH (ABRIDGED INTERNATIONAL LIST), AND BY AGE OF DECEDENT: 1911—Continued.

,			1		1-1171				DEA	PHS AT	AGE	```							<u> </u>
Abridged Int. List No.	CAUSE OF DEATH.	All deaths.	Under 1 year.		2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29	30 to 39 years.	40 to 49		60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 years and over.	Deaths at un- known age.
		· .	W	ASH	ING:	ron,	, D.	C. (V	VIBILITI	Œ).	[		<u>!</u>	<u> </u>		<u> </u>	)	<u> </u>	<u> </u>
	All causes	3,739	491	85	34	22	11	48	97	257	341	361	390	644	638	271	40		
1 2	Typhoid fever Typhus fever Malaria	47					1	1	9	22	7	5	2						
.4 5	Smallpox																		
5 6	Measles Scarlet fever. Whooping cough.	16 4	4	5	3	3		····i		<u>i</u> -				. 1					
6 7 8 9	Diphtheria and croup	13 16 42	5	2 2 2 1	1 3	1 2 2	2	1 1 7	1 1	1 2		 5	4	1 10	12	·····			
	Asiatic cholera Cholera nostras																		
12 13	Other epidemic diseases Tuberculosis of the lungs Tuberculous meningitis	14 326 26 29	2 1 5	2 7	3	i	2	1 2 3	17	75	95 95	1 54	39	3 28 1 2	· 2	3			
10 11 12 13 14 15	Cancer and other malignant tumors	220 1					<u>-</u> -	3 	2 5	6 2	1 4 11	3 40	1 5 49	.1 2 58	1 46	12	1		
17   18	Meningitis Cerebral hemorrhage and softening	23 275	7 2	3			1	3	1	2 2 2	1 13	20 37	35 58 1	58 1 90 121		<u>26</u>	3		
20 21	Organic diseases of the heart Acute bronchitis Chronic bronchitis	435 17 20	3 2 2	1 3	2			3 	13	8	20 1 1	37	58. 1	121	132 2 7	31 4 4	7 1 2		
19 20 21 22 23 <i>a</i> 23 <i>b</i>	Pneumonia Bronchopneumonia	169 84	15 15	8 13	1 3	3	1	4 3	3	12	18 3	20 2 3 10	24	1 3 27 12 17 16	25 15 14	10 9	1 2		
23b 24 25(37)	Other diseases of the respiratory system.  Diseases of the stomach	23 275 435 17 20 169 84 72 65 182 28 32 42	3 4 113	2 24	1 6	3		<u>i</u> -	1	3 1	18 3 8 2 5	3 10	3 9 8 2 1 3 13	17 16 6	14 11 8	15 7 10			
26 27	Diarrhea and enteritis Appendicitis and typhlitis Hernia, intestinal obstruction	28 32	2	<u></u>		1	1	2	7	4 3	5	7 3 4	1 3	5 10	3	10			
26 27 28 29 30 31 32 33 34	Cirrhosis of the liver Acute nephritis and Bright's disease	334	2	···· <u>·</u>	····i	<sub>1</sub>	1	i	····i	14	5 26 2	7 33	55	7 69	9 87	1 36	5		
30 31 32	Diseases of the female genital organs	14 18 20							<u>i</u>	5 14 10	2 4 7	5 1	1						
33 34	Congenital debility and malformations Senility Violent deaths (excluding suicide)	241 101	239		1				1					13	34	42	12		
35 36 (37)	Violent deaths (excluding suicide) Suicide Other defined diseases	168 76 563	5 59	3 1	4 4	3 <sub>2</sub> .	•••••	9 <u>2</u>	15 5 11	25 20 25	22 19 58	20 11 68	15 8 59	17 8 115	21 3 108	8 2 46	1		••••••
38	Diseases ill-defined or unknown	7	1	3										2	100	40	5		
			WA	SHU	1GT	on,	D. C.	(C0	LOR	ED).						-			
	All causes	2, 565	464	124	41	14	14	45	131	302	342	303	310	239	150	61	18	6	1
2	Typhoid fever	28			2			2	4	13	5	1		1					
4	Malaria Smallpox Measles	<del>4</del>	1	3		 1					1	2							
6	Scarlet fever. Whooping cough. Diphtheria and croup.	12	8	i	1	1	1	1											
9	Influenza	3 26	1			· · · · · ·	2			1 3	4	1	5	9	3				
11 12	Asiatic cholera	27								3	1		1 1		i	•••••		•••••	••••••
13	Tuberculosis of the lungs	7 410 16	1 2	5 1	1 2 3	<u>i</u>	3 2	8 3 3	1 57 2 5	132	118	51	1î 	14	5	2			1
15 16 17	Other forms of tuberculosis	21 73 13	·i	1 5	i			<sub>2</sub>	5 1 2	5 2 1	13	3 9	25	16 1	6		···i	:	••••••
18 19	Cerebral hemorrhage and softening Organic diseases of the heart	140		····i	1			2	5	2 26	. 39	29 52	40 65	40 55	16 30	4 11	3 2		
21	Acute bronchitis	28	12	11	2					1		····i			1		1		
23a	Pneumonia Bronchopneumonia Other diseases of the respiratory system.	218   84   38	32 24 3 7	22 30	9 9 1	2 1 2	1	2	18 1 1	24 1 4 5	26 1 5	26 1	31 2 3	13 4 6	10 4 5	2		1	••••••
24	Diseases of the stomach Diarrhea and enteritis Appendicitis and typhlitis	65 155	118	1 18	3	i	i	1 2			10. 1 2	1 12 1 2 5	15 4	7 3	5	2	<sub>i</sub> -		
27	Hernia, intestinal obstruction	8 19 4	1						1 2 1	2 1 1 15	2 3	2 5	1 5			<u>i</u>	-		
30	Cirrhosis of the liver Acute nephritis and Bright's disease Diseases of the female genital organs	197 21	1			2		2	5 2	7 1	31 6	35 3	49 3	32	17	6	1	1	
31 32	Puerperal fever Other puerperal affections Congenital debility and malformations	7 12							3 2	2 4	3	3							 
33 34 35	Congenital debility and malformations Senility Violent deaths (excluding suicide)	184 63 101	184	3	i	3	3	7	8	18	19		3 8	7 3	21 5	21 1	7	4	
(37)	Other defined diseases	12 282	60	12 10	3		1	6	10	7 19	38	15 1 41	37	26	19	9	1		 
38	Diseases ill-defined or unknown	12		10	1								1						

TABLE 7.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN EACH CITY OF 100,000 POPULATION OR OVER IN 1910, BY CAUSE OF DEATH (ABRIDGED INTERNATIONAL LIST), AND BY AGE OF DECEDENT: 1911—Continued.

nt.									DEA'	THS AT	AGE (	of—							
Abridged Int. List No.	CAUSE OF DEATH.	All deaths.	Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.		90 to 99 years.	100 years and over.	Death at un- known age.
				AT	LAN'	TA,	GA.	(TOT	AL).			·			•	<u>.</u>		·	
•	All causes	3,172	480	155	85	48	19	70	190	435	398	328	341	302	222	86	7	5	1
, 1 2	Typhoid fever Typhus fever	106	4	3	1	3		13	18	32	15	7	6	2	2				
3 4	Typhus fever. Malaria. Smallpox.	9	1					1	1	3		2			<del>.</del> .	1			
- 5 6 7	Measles. Scarlet fever	40 7 39	6 1 19	12	9 1 7	3 3 2	3	3 2 1	2	1		1							
8	Whooping cough Diphtheria and croup. Influenza	24 19	4	4	5	2	2	4	2 1	1 2	2	3	4	1	2	3	1		
10 11	Asiatic cholera	2 55			<u>-</u> -						<u>-</u>			<u>1</u>	<u>1</u> 5		1		
12 13 14	Other epidemic diseases Tuberculosis of the lungs Tuberculous meningitis	277 10	8   4 2	9	5 1 1	$\begin{array}{c} 2 \\ 1 \\ 1 \end{array}$	$\begin{array}{c c} 2\\ 1\\ 1\end{array}$	1 2 1	50 2	103 1	53 1	32 32	18	6 9	1	3	1		
15 16	Other forms of tuberculosis	23 98	î	3					2 1 2 1 5	7 4 2	10	22	3 27	$\begin{array}{c} 1 \\ 21 \end{array}$	11	2			
17 18	Meningitis Cerebral hemorrhage and softening	19 127	4	2	3 1	1		2	1	4	15 15	17	31 32	29 30	16	9		i	
19 20 21	Organic diseases of the heart	163 8 19	5	1	1			2	1	14	20	18 4		1	30	6	1 1		
22 23a	Pneumonia Bronchonneumonia	315 50	68 18	21 5	13 4	6 2	4	14 2	19 · 3 2	31 3 7	40	25 1	24 5	25 2	17	8 4			
23b 24	Other diseases of the respiratory system.  Diseases of the stomach	37 123	3 10	1 3	5	2 7			3	15	1 7 18	5 19	6 23	3 15	7	3			i
25(37) 26	Diarrhea and enteritis. Appendicitis and typhlitis. Hernia, intestinal obstruction.	227 40 31	111 4	52 2	13 	<sub>i</sub> .		2 2 2	5 9	10 7	12 3	6 4 6	23 5 2 3 3	<u>8</u>	3 1 1		1	1	
28 29	Cirrhosis of the liver.  Acute nephritis and Bright's disease	13 317	4	2	2	<sub>î</sub> .	2	2	5	16	3 4 35	55	56	75	51	11			
30 31	Diseases of the female genital organs	25 24							7	13 10	7 7 9	<u>4</u>	1						
32 33	Other puerperal affections Congenital debility and malformations Senility	31 145 39	145						8	13			·····i	5	13	17	i	2	
26 27 28 29 30 31 32 33 34 35 36	Violent deaths (excluding suicide)	185 21	18	3	3	7		6	14 1	51 4	31 8 79	19 3 61	11 2 71	11 2	9	2			
(37) 38	Other defined diseases  Diseases ill-defined or unknown	460 44	25 7	11 10	6 2	2 2	4	7	23 1	67 3	79	61	3	48 4	43 5	12	1		
	1	<u> </u>	Ji	AT	LAN	TA,	GA.	(WH	(TE).	1	<u>'</u>	•					•	··	<u>,                                     </u>
	All causes	1,677	268	79	38	20	13	36	73	172	186	140	183	213	185	68	2		1
1 2	Typhoid fever	62	3	1				7	10	19	11	5	4		2				
3 4	MalariaSmallpox	2								1						1			
5 6	MeaslesScarlet fever	27 6	1	10	6	3	2	1		1							-		
7 8 9	Whooping cough   Diphtheria and croup   Influenza	17	9	5 3	2 4	1	2	1 4	2						i	2			
10 11	Asiatic cholera	1													1 5				
12 13	Other epidemic diseases. Tuberculosis of the lungs.	34 117 6	3 2 2	1	3	1	2 1 1	i	10	34	27	2 23	11	6 5	1	3			
14 15 16	Tuberculous meningitis	.) 11		i						1 3 3 1	1 3 6	13	2 21	1 18	10	2			
16 17 18	Meningitis Cerebral hemorrhage and softening	80	3 4	1	$\frac{2}{1}$			2		1	1 9	8	1 16	20	14	7			
19 20	Organic diseases of the heart	. 3	2		ī			1	2	5	10	2	12	20	25	5			
21 22 23a	Chronic bronchitis Pneumonia Bronchopneumonia	117	36	8 4	6 2	2		4	6 2	4	7	5	10	12	12	5 4			
23b 24	Other diseases of the respiratory system. Diseases of the stomach	. 43	8 2 3	1 2	····i	· · · · i			1 1	3	3	4	10	2 2 9 7	5	3			
25(37) 26	Diarrhea and enteritis	117	68	22	5	4		2 2 2	1 6	6 2	1 7 2	2 3 2	1 2		2 1				
27 28 29 30	Hernia, intestinal obstruction.  Cirrhosis of the liver.  Acute nephritis and Bright's disease	.18	4	1			1		1	6	16	23	34	2 1 55	44	9			
30 31 32	Diseases of the female genital organs Puerperal fever	12	<u>-</u> -						1	5 5	6	2							
32 33 34	Other puerperal affections	16 83	83						4	7	5			.4	12	13	i		
34 35 36	Senility	.  20	8	2	2	3		2	9		10 7	8 3 31	5 2	4 8 2 35 3	8 1	2			
(37) 38	Other defined diseases Diseases ill-defined or unknown	. 265	11• 5	7 4	2	1	4	4	. 13 1	32	45	. 31	38 1	35 3	34 4		-		
	1	J.	11	1	1	1	1	1	1	1	<u> </u>	ı	1	<u> </u>	1	1	<u> </u>	<u></u>	<u> </u>

TABLE 7.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN EACH CITY OF 100,000 POPULATION OR OVER IN 1910, BY CAUSE OF DEATH (ABRIDGED INTERNATIONAL LIST), AND BY AGE OF DECEDENT: 1911—Continued.

٠.				·—·			•	•	DEAT	THS AT	AGE	 OF							
Abridged Int. List No.	CAUSE OF DEATH.	All deaths.	Under 1 year.		2 years.	g years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.		40 to 49 years.		60 to 69 years.				100 years and over.	Deaths at un- known age.
				ATI	ANT	'A, C	A. (	COL	REI	<b>)</b> ).		•							
	All causes	1,495	212	76	47	28	6	34	117	263	212	188	158	89	37	18	5	5	
1 2	Typhoid fever	44	1	2	1	3		6	8	13	4	2	2	2	<b></b>				
3	Malaria Smallpox	7	Ī					1	1	2		2							
5	Measles	13	2	2	3	1	i	Ţ	2			1							
6 7	Scarlet fever Whooping cough	1 21	10	5	5	1		1											
8 9	Whooping cough Diphtheria and croup Influenza	7 15	3	1	1	1				1 2	2	3	4	1	1	····i	1		
10 11	Asiatic cholera Cholera nostras	1												1					
12 13 14	Other epidemic diseases Tuberculosis of the lungs	21 160	5 2	4	2	1		<u>i</u> -	2 40	69	3 26	1 9	3 7	4					
14	Tuberculous meningitis Other forms of tuberculosis	12	<u>i</u> -	2	1	1		ī		4		i	1						
15 16 17	Cancer and other malignant tumors Meningitis	25	<u>î</u> -	<u>i</u> -	1				1 2 1 2 1	1	1	9	6	3	1				
18 19	Cerebral hemorrhage and softening Organic diseases of the heart	8 47 77			····			1	1 2	3	6 10	9 16	15 20	9 10	2 5	2 1	1		
20	Acute bronchitis	5	3	1					3										
20 21 22 23 <i>a</i>	Chronic bronchitis Pneumonia	13 198	32	13	. 7	4	4	10	13	27	3 33	20 20	14	13	1 5	-3	1 	1	
234	Bronchopneumonia Other diseases of the respiratory system.	198 23 20 80	10 1	1	2 2	1		2	13 1 1 2 4	3 4	5	1 4	2 2	1					
24 25(37)	Diseases of the stomach	110	7 43	1 30	8	3			2 4	14 5	5 15 5 5	15 6	13 1	6	2	i	····i	····i	
26 27	Appendicitis and typhlitis	15 12		1		<u>i</u> -			3	4 5	5 1	2 3	1 1						
28 29	Cirrhosis of the liver. Acute nephritis and Bright's disease	5 125	2	i	2	i	····i	2	4	1 10	1 19	2 32	1 22	20	····-	<u>2</u> -			
30 31	Diseases of the female genital organs	16 12							6	8	5 1	2	1						
28 29 30 31 32 33	Puerperal feverOther puerperal affections	15 62	62				•••••		ă d	ĕ	4	1							
	Congenital debility and malformations. Senility. Violent deaths (excluding suicide)	9 93	10		1	4		;-		26	21	11	1 6	1 3	1	4		2	
35 36	Suicide Other defined diseases	1 195	14	1	[			3	<sub>10</sub>	35	1 34		33	13	9	• 4			
(37) 38	Diseases ill-defined or unknown	23	2	6	2	1 2		ĭ		2	2	30 2	2	1	ľ		1		
				CH	ICAC	÷0, 1	LL.	(TOT	'AL).		•	<u> </u>				•	•		<del>'</del> -
.	All causes	32, 531	6, 252	1, 416	648	485	339	923	1,287	2,884	3,417	3,934	3,951	3,364	2, 421	1,041	163	4	2
1	Typhoid fever	245	1	2		3	2	18	45	69	48	. 26	19	11	1				
3	Typhus fever Malaria	8	1								2		2	3				 	
5	Smallpox	3 130	29	50	17	10	7	9	2 2	4	1	i°	1						
6 7	Scarlet fever	492 52	19 24	57 12	61 5	75 6	54 1	134 4	59	23	6	4							
8	Whooping cough Diphtheria and croup Influenza	860 179	51 8	170 8	141	140	90	196 4	· 42	8 14	11 6	25 25	23	26	25	24	5		
10	Asiatic cholera	ii	4		i			····i			<sub>i</sub> .	4							
12 13	Cholera nostras Other epidemic diseases Tuberculosis of the lungs	147 3,313	47 26	~ 6 21	13	1 8 15	1 2	3 23	2 266 25 34 13	925	12 860	16 632	18 350	10 147	9 35	9 5	1		
14 15	Tuberculous meningitis	201	26 36 14	21 33 4	24 3	15 5	1 2 13 1 1 3	23 20 13	25 34	$\frac{17}{52}$	5 32	632 6 34	· 6.	15	1 9	3			
16 17	Other forms of tuberculosis	1,799 227	62	2 34	3 20	10	Î	28	13 20	45 15	164	391 14	491	433	191	52	5		
18 19	Meningitis Cerebral hemorrhage and softening Organic diseases of the heart	954 3,156	9 14	7	1 3	1 7		62	3 138	16 175	15 33 294	99 473	209 550	250 631	237 522	86 223	10 42		
20 1	Acute bronchitis	. 88	49	11	4		14 3	2 1			l	3	2	5	6	3			
21 22	Chronic bronchitis Pneumonia	89 3,016	362	182	85 88	45	29 33	64	98	223	349	432	2 12 414 47	13 352	26 247	14 117	17 17		
23a 23b	Pneumonia Bronchopneumonia Other diseases of the respiratory system.	1,499 239	679 20	260 15	6	43 3	33 4 1	44 8 1	12 9	23 23	19 15	29 35	35 30	68 30	86 28 22	59 7	9		
24 25(37)	Diseases of the stomach	3,245 368	26 2,566	1 417	72	43 3 2 24	16	23 29	1 98 12 9 6 8 62 12 2 37	23 23 20 12	5 349 19 15 27 19	10 432 29 35 37 14 58 29 118	30 16	68 30 28 17 19 34 72	22 26	6 11	2 4		
26	Diarrhea and enteritis Appendicitis and typhlitis Hernia, intestinal obstruction	262	42	<sub>2</sub>	i	5 1	4	29 7	62 12	81 25 15	68 36 75 234	58 29	16 38 45 137	19 34	26 3 23 31	$\cdot \frac{1}{3}$	1		
27 28 29	Cirrhosis of the liver Acute nephritis and Bright's disease	467 2,460	3 23	17	17	···ii	12	29	37	15 132	75 234	405	137 501	72 483	31 394	10 147	.18	1	
29 30 31	Diseases of the female genital organs	189 204							4 10	54 108	67 80	42	13	5	3	i			
32	Puerperal fever Other puerperal affections Congenital debility and malformations.	148	1,255	10	5	3		4	5	62	69	12							
32 33 34 35	Senilty	1,280 39	42	48	37	35	24		186	375	365	360	1 1 286	· 170	10	20 37	4	1	
36	Suicide	2,125 479				35	23	80 112	186 14 163	104 255	111	360 110	286 83 592	39 496	78 14 393	37 3 197	1 38		
(37) 38	Suicide Other defined diseases Diseases ill-defined or unknown	4,098 10	833 2	46 1	27	91	23	112	100	200	387 1	504 1	1		393	197		1	
		L	11	<u> </u>	1	·	1	•	٠	<u> </u>	<u> </u>	<u> </u>	1	<u> </u>			1 3		

TABLE 7.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN EACH CITY OF 100,000 POPULATION OR OVER IN 1910, BY CAUSE OF DEATH (ABRIDGED INTERNATIONAL LIST), AND BY AGE OF DECEDENT: 1911—Continued.

nt.									DEA:	THS AT	AGE (	)F—					•		
Abridged Int. List No.	CAUSE OF DEATH.	All deaths.	Under 1 year.		2 years.	8 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 years and over.	Deaths at un- known age.
				CH	ICAG	;O, 1	LL.	(WH	ITE).					•		-	<u></u>		<del>'</del>
	All causes	31,478	6, 155	1,373	640	473	332	899	1,230	2,735	3,205	3,747	3,806	3,298	2,396	1,026	158	3	2
2   7	Typhoid fever Typhus fever	241	1	2		3	2	17	44	68	48	26	18	11	1,				
4   8	Malaria Smallpox	2	1						····i		1		2	3					
6   8	Measlês Scarlet fever Whooping cough	126 488 47	28 19 23	57 10	17 61 5	10 74	53	132	59	23 23	6	1 4	1						
8   T	Wildoping cough Diphtheria and croup Influenza	850 174	51 8	168	141 4	139 1	89	191 4	42	8 12	11 5	3 25	4 22	3 26	25	24	<i>;</i> -		
10   A	Asiatic cholera Cholera nostras	10	4					i			<u>i</u> .	<u>-</u> -				24	4.		
12   0	Other epidemic diseases	144 3,095	47 25	6 19	4 12	7	1 2 13	3 20	238	7 864	11 800	16 591	18 336	10 141	9 35	9 5	i		
15 L	Tuberculous meningitis Other forms of tuberculosis. Cancer and other malignant tumors	190 226 1,767	35 14 4	32 3 2	23 3 3	14 5	1	19 13	238 23 31 13	16 46	32 150	32 32	19	15	9	3			
17 1	Meningitis  Derebral hemorrhage and softening	220 922	61	32	20	 8 1	3	27 27	20 3	44 15 16	158 14 31	383 14 94	479 5 198	430 1 242	189 231	52 86	5 10		
20   A	Organic diseases of the heartAcute bronchitis	3,030 85	14 49	7 10	1 3 4	6	13 2	61 2 1	138	166	264	441 3	522	619 5	517	217 2	41	1	
22   I	Chronic bronchitis Pneumonia Bronchopneumonia	2,896 1,454	350 660	173	2 84	43	29	63	$\begin{vmatrix} 1\\92 \end{vmatrix}$	208	322	9 408	11 402	13 343	26 245	14 117	17 17		
23b C	Other diseases of the respiratory system.  Diseases of the stomach	235	20 26	247 15	86 6	43 3 2	32 4 1	42 8 1	12 8 4	22 22 20	322 19 15	28 34 34	43 35 29	66 30 28 17	245 86 27 22 25 3	59 7 6	9 1 2	• • • • • •	
25(37) I	Diarrhea and enteritis Appendicitis and typhlitis Hernia, intestinal obstruction	3,204 357	2,537	413	2 72	$2\overline{4} \\ 5$	16 4	23 26	7 59	11 80	25 17 67	13 56	14 38 41	17 18 34	25 3	11	4		
28 I C	Cirrhosis of the liver	252 457	41 3	2	$\frac{1}{2}$	1 ;;-	1	6	12	24 15	34 72	28 116	134	71	23 31	3 10	1 1	1	
30 I	Acute nephritis and Bright's disease Diseases of the female genital organs Puerneral fever	2,388 177 194	23	17 	17	11 	12	29	36 3 9	126 53 102	225 61 77	382 38 6	486 13	473 5	389 3	144	18		
32 C	Puerperal fever Other puerperal affections Congenital debility and malformations	146 1,260	1,235	10	5	3		4	5 1	61	68	12	······· 1			•••••			
35 I V	Senility	2,068	41	47	36	35	24	79	182	362	349	349	283	167	10 78	19 34	4	1	2
(37) C	Suicide Other defined diseases Diseases ill-defined or unknown	3,959 9	823 2	44	26	30	21	110	14 163	97 242	110 353	110 480 1	83 560 1	39 486	390 1	196 3	35 35		
	, 1			CELC	AGO	TT.	T. (C	OTO	DEE	;									
	All causes	1,053	97	43	8	12	7	24	57	149	212	187	145	66	25	15	5	1	
1 2	Pyphoid fever	4						1	1	1			1						
3   1	Fyphus fever Malaria Smallpox	1 1				• • • • • •					····i								
5   A	Measles Scarlet fever	4 4	ï	3		1	1	2	1							•••••			••••••
7 V 8 I	Whooping cough Diphtheria and croup	5 10	1	2 2		2 1	···-i	5				i							
9 L	nfluenza Asiatic cholera	5				•••••				2	1		1				1	,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	
12 C 13 T	Cholera nostras	1 3 218	i	2	1			3	1 28	1 61	1 60	41	14	6		•••••			· · · · · · · · · · · · · · · · · · ·
14 T	Fuberculous meningitis	218 11 12	1	$egin{array}{c} 2 \\ 1 \\ 1 \end{array}$	1	ĩ		ĭ	3	1 6	2		1						
17 1	Cancer and other malignant tumors Meningitis Cerebral hemorrhage and softening	32 7	i	2	:	2		····i		1	6	2 8	12	3	2				
19 C	Organic diseases of the heart	32 126 3 2		1		···i	1 1	···i		9	30 30	32 32	11 28	8 12	5	6 1	i		• • • • • • • • • • • • • • • • • • • •
21 C 22 F	Chronic bronchitis	120	12	9	1 2	<u>2</u>		<sub>i</sub> -	6	15	27	1 24	1 12	9	2				
23b C	Bronchopneumonia Other diseases of the respiratory system	45 4 8	19	13	2		1	2	····į	1		1	4	2	i				· · · · · · · · · · · · · · · · · · ·
25(37) I	Diseases of the stomach. Diarrhea and enteritis. Appendicitis and typhlitis.	8 41 11	29	4				3	2 1 3	i 1	2 2 1	3 1	1 2		1				<b>-</b>
27 I T	Ternia, intestinal obstruction Dirrhosis of the liver	10 10	1					ı	····i	1	2 3	2 1 2	4 3	<u>1</u>					
29 A 30 I	Acute nephritis and Bright's disease	72 12							1	6 1 6	9 6	23 4	15	10	5	3			
32   C	Puerperal fever Other puerperal affections. Congenital debility and malformations	10 2 20	20						1	6	3								
00 I C		20	40			:								i-		····i			
35   V	Senility Violent deaths (excluding suicide)	57	1	1 1	1 1			7	4	13	36	11	3 1	3	- 1	2	1		
35 V 36 S (37) C	eninty Yolent deaths (excluding suicide). Suicide. Other defined diseases. Diseases ill-defined or unknown	57 8 139	10	2	<u>1</u>	1	2	$-\frac{1}{2}$	4	13 7 13	16 1 34 1	24	3 32	1 3 10	3	3	3	i	· · · · · · · · · · · · · · · · · · ·

TABLE 7.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN EACH CITY OF 100,000 POPULATION OR OVER IN 1910, BY CAUSE OF DEATH (ABRIDGED INTERNATIONAL LIST), AND BY AGE OF DECEDENT: 1911—Continued.

٠. ا							<del>''</del>		DEA!	THS AT	AGE (								
Abridged Int. List No.	CAUSE OF DEATH.	All deaths.	Under 1 year.		2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.		to 69 years.		80 to 89 years.		100 years and over.	Deaths at un- known age.
			KN	DIA	NAP	olis	, IN	D. (7	rot#	ui.).									
	All causes	3,530	419	67	48	38	16	59	168	329	395	379	472	482	465	166	24	2	1
1 2	Typhoid fever	62			1	1	1	4	14	13	14	. 5	4	2	3				
3   4	Malaria	7				1		1			2	3					 	 	
4 5 6	Measlês Scarlet fever	3	<u>i</u> 7	1		1	1	2	. 1	2									
7 8 9	Whooping coughDiphtheria and croup	18 41	4	2 2	8	3 6	1 7	2 6	7	1									
10 l	Influenza Asiatic cholera	23	3		 					3	1 	3		5	<u>4</u>	4			
11 12 13 14	Cholera nostras Other epidemic diseases.	21 370	2 2		<u>2</u>	1 2		1 6 1		1 1 112	1 84	2 55	4	4 27	3	2 3			
14	Tuberculosis of the lungs. Tuberculous meningitis. Other forms of tuberculosis	20 63	2 2 1	2 1 2	2	3	•••••	1 3	38 6 9	3 15	1 6	7	27  12	5	$\begin{vmatrix} 9\\1\\2 \end{vmatrix}$				
16	Cancer and other malignant tumors Meningitis.	198 28	5		1	4			1 2	4	18	40	51 3	44 2	3 <u>1</u>	7			i
15 16 17 18 19	Cerebral hemorrhage and softening Organic diseases of the heart	232 422			1		•••••	3	1 12	10 18	4 9 32	15 31	50 79	58 109	68	20 34	6	ii	
20 21	Acute bronchitis Chronic bronchitis	10 21	2 5 1		1	1		ĭ		1		1			68 95 1 9	1 3	2		
22 23α	Pneumonia Bronchopneumonia	157 107	20 28 1	5 8	5 8	6	1	. 4 3	9	9	20 7		24	15 7 3	26 18 3	5	ī		
$\frac{23b}{24}$	Other diseases of the respiratory system.  Diseases of the stomach	27 34	4	2						1 2 2 1 6	20 7 5 6 5 3 8	17 8 2 5 5 5 5	6 5 5 7 7	3 5	3 5	3 2	1		
25(37) 26	Diarrhea and enteritis	180 33 62	110	26	6			$\frac{2}{1}$	1 8	1 6	5 3	5 5	5 7	5 8 1	5 7 1 11	1 1			
24 25(37) 26 27 28 29 30 31 32 33 34	Hernia, intestinal obstruction Cirrhosis of the liver	55	6	i		1			3	4	8 9	5	11	13 14	7	4 1			
29 30	Acute nephritis and Bright's disease Diseases of the female genital organs	221 36	1	1 2				1	3 ·2 2	10 8 10	9 15 16	29 2	45 3	47 3	50 2	16	2		
31 32	Puerperal fever Other puerperal affections	19 11							1	10	5 4	2							
33 34	Congenital debility and mallormations.  Senility.	170 22 201	168	2							;:			1 20	5	ii.	5		
35 36	Violent dearns (excluding suicide)	1 201	4		2	4	4	9							18	4		i	
36 (27)	Suicide,	70 574		3					16 7	33 15	45 11	25 18	14 12	1 6		1			
(37) 38	Congenital debility and malformations Senility Violent deaths (excluding suicide) Stricide Other defined diseases Diseases ill-defined or unknown	70 574 2	42	3 1	8	3		7	7 22	15 36	11 64	18 82	12 97	80 1	85		7		
(37)	Suicide. Other defined diseases. Diseases ill-defined or unknown.	70 574 2	42	3 1	8	3		7	7	36	11 64	18 82	12 97	80		1	7		
(37)	Suicide. Other defined diseases. Diseases ill-defined or unknown.	70 574 2 3,029	42	3 1	8	3		7	22	36	312	18 82 325	12 97	80		1	22	1	
(37)	All causes	2	42 17	3 1	NAP	OLIS	5, IN	7 <b>D.</b> (1	7 22 WIELI	36 CE).	64	82	97	80	85	38		1	
(37) 38 1 2 3 4	All causes	3,029	42 17	3 1	8 NAP	32 32	5, IN	7 <b>D.</b> (1	7 22 WJHJ7 137	36 CE).	312	325	408	6 80 1 423	433	38		1	
(37) 38 1 2 3 4 5 6	All causes Typhoid fever Typhus fever Materia Smallpox Measles Scarlet fever.	3,029 55 7	359 11	3 1 VDIA	8 NAP 34 1	32 1 1	14 1	7 <b>D.</b> (1) 48 3 1	7 22 WJHJ7 137	36 CE).	312	325	408	6 80 1 423	433	38		1	
1 2 3 4 5 6 7 8	All causes.  Typhoid fever. Typhus fever. Malaria. Smallpox. Measles. Scarlet fever. Whooping cough. Diothberia and croup.	3,029 55 7 3 9 12 33	359 	3 1 VDIA 54	8 NAP	32 1	14 1	7 <b>D.</b> (1	137 10	277 12 21 2	312	325	408	6 80 1 423	433	150		1	
(37) 38 1 2 3 4 5 6	All causes Typhoid fever Malaria Smallpox Measles Scarlet fever Whooping cough Diphtheria and croup Influenza	3,029 55 7	359 	3 1 VDIA 54	34 1	32 1 1	14 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	7 <b>D.</b> (V	137 10	277 12	312	325	408	6 80 1 423	433	38		1	
1 2 3 4 5 6 7 8 9 10 . 11 12	All causes Typhoid fever Typhois fever Malaria. Smallpox Measles Scarlet fever Whooping cough Diphtheria and croup Influenza Asiatic cholera Cholera nostras Other enidemic diseases	3,029 55 7 3 9 12 33 19	359 	3 1 1 54 1 1 1 2	34 1	32 1 1	14 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	7	137 10 12 7	277 12 21 2	312 14 2	325 5 3 2 2	408	423	433 3	150			
1 2 3 4 5 6 7 8 9 10 11 12 13	All causes Typhoid fever Typhois fever Malaria Smallpox Measles Scarlet fever Whooping cough Diphtheria and croup Influenza Asiatic cholera Cholera nostras Other epidemic diseases Tuberculosis of the lungs Tuberculosis of the lungs Tuberculosis meningtis	3,029 55 7 7 12 33 19 18 284 16	359 	3 1 1 1 1 1 2	34 1	32 1 1 33 6	14 1	7	137 10 12 7	277 12 21 2	312 14 2 	325 5 3 3 	408	423	433	150		1	
1 2 3 4 5 6 7 8 9 10 11 11 12 13 14 15	All causes.  Typhoid fever. Typhus fever. Malaria. Smallpox Measles. Scarlet fever. Whooping cough Diphtheria and croup Influenza Astatic cholera. Cholera nostras Other epidemic diseases. Tuberculosis of the lungs Tuberculous meningitis Other forms of turberculosis.	3,029 55 7 3 9 12 33 19 184 284 16 48 184	359 	3 1 1 54 54 1 1 1 2	34 1	32 1 1 3 6	14 1	7 <b>D.</b> (V	137 10 12 7 29 3 6	277 12 21 2	312 14 2 1 62 62 1 46	325 5 3 3 	408	423 1 	433 3 	150		i	
1 2 3 4 5 6 7 8 9 10 11 11 12 13 14 15	All causes.  Typhoid fever. Typhus fever. Malaria. Smallpox Measles. Scarlet fever. Whooping cough Diphtheria and croup Influenza Astatic cholera. Cholera nostras Other epidemic diseases. Tuberculosis of the lungs Tuberculous meningitis Other forms of turberculosis.	3,029 55 7 3 9 12 33 19 	359 359 1 4 2 2 2 2 1 5	3 1 1 1 1 1 2	34 1 2 6	32 1 1 3 6	14 1	7 20 (7) 48 3 1 2 1 4	137 10 12 2 7 29 3 6 6 1 2 1	277 12 21 2	312 14 2 1 62 62 1 46	325 5 3 3 2 44 7 39 1	408 4 23 9 47 3 40	423 1 	433 3 3 4 1 8 1 31	150 150 	22	1	
1 2 3 4 5 6 7 8 9 10 11 11 12 13 14 15	All causes.  Typhoid fever. Typhus fever. Malaria. Smallpox Measles. Scarlet fever. Whooping cough Diphtheria and croup Influenza Astatic cholera. Cholera nostras Other epidemic diseases. Tuberculosis of the lungs Tuberculous meningitis Other forms of turberculosis.	3,029 55 7 7 12 33 19 18 284 16 48 48 19 20 20 349	11 42 2 2 2 2 1 1 5 5 2 4	3 1 NDIA 54 1 1 1 2	34 1 2 6	32 1 1 3 6	14 1	7 <b>D.</b> (V	137 10 12 7 29 3 6	277 12 2 2 1 2 2 3 1 1 8 8 1 15	312 14 2 1 1 62 1 4	325 5 3 3 	408	423 1 1 423 1 4 4 4 22 50 94	433 3 3 4 1 8 1 31	150 150 4 1 1 1 1 1 30 30 0 1	22	i	
1 2 3 4 5 6 7 8 9 10 11 11 12 13 14 15	All causes.  Typhoid fever. Typhus fever. Malaria. Smallpox Measles. Scarlet fever. Whooping cough Diphtheria and croup Influenza Astatic cholera. Cholera nostras Other epidemic diseases. Tuberculosis of the lungs Tuberculous meningitis Other forms of turberculosis.	3,029 55 7 7 12 33 19 18 284 16 48 48 19 20 20 349	11 42 2 2 2 1 1 5 5 2 4 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	54 54 1 1 1 1 2 2	34 1 1 2 6 6 1 1 1 1	32 1 1 1 3 6 6 1 1 3 3 1 1 1 1 1 1 1 1 1 1	14 1 1 1 1 1 1	7 (V) (V) (V) (V) (V) (V) (V) (V) (V) (V)	137 10 12 2 7 29 3 6 6 1 2 1	277 12 21 2	1 62 1 4 16 16 3 8 21 11 11	325 5 3 2 2 44 7 39 1 1 2 20	408 4 23 99 47 3 40 63	423 1 	433 3 3 4 4 1 8 1 1 1 6 2 8 5 1 9	150 	22	i	
1 2 3 4 5 6 7 8 9 10 11 11 12 13 14 15	All causes.  Typhoid fever. Typhus fever. Malaria. Smallpox Measles. Scarlet fever. Whooping cough Diphtheria and croup Influenza Astatic cholera. Cholera nostras Other epidemic diseases. Tuberculosis of the lungs Tuberculous meningitis Other forms of turberculosis.	3,029 55 7 7 12 33 19 18 284 16 48 48 19 20 20 349	11 42 2 2 2 1 1 5 5 2 4 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	3 1 1 54 54 54 1 1 1 1 1 1 1 1 2 2	34 1 1 2 6 6 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	32 1 1 1 3 6 6	14 1	7 (48 8 8 1 1 1 1 3 1 3 3 2 2 8 8 8	7   22     137   10     1   2     7     29   3   6   6   1   2   2   1   10     10	277 12 1 2 1 2 2 3 1 1 8 15 1 7 7	1 62 1 4 16 16 3 8 21 11 11	325 5 3 2 2 44 7 39 1 1 2 20	408 4 23 99 47 3 40 63	423 1 	433 3 3 4 4 1 8 1 1 1 6 2 8 5 1 9	150 150 4 4 1 1 1 1 3 2 2 5 2	22	i	
(37) 38 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 22 23 24 25 25 25 27 27 27 28 29 20 20 21 22 23 23 24 25 26 27 27 28 29 20 20 20 20 20 20 20 20 20 20	All causes.  Typhoid fever. Typhus fever. Malaria. Smallpox Measles Scarlet fever. Whooping cough. Diphtheria and croup. Influenza Astatic cholera Cholera nostras Other epidemic diseases. Tuberculous meningitis. Other forms of tuberculosis. Cancer and other malignant tumors Meningitis. Cerebral hemorrhage and softening. Organic diseases of the heart Acute bronchitis Chronic bronchitis Proumonia. Bronchopneumonia Other diseases of the respiratory system. Diseases of the stomach. Diarrhea and enteritis. Appendictis and typhitis.	3,029 55 7 3 9 12 23 33 19 18 284 16 20 20 21 349 7 17 17 17 19 24 30 19 20 20 20 20 20 20 20 20 20 20	11 42 22 2 1 1 5 5 2 4 1	54 54 1 1 1 2 2 2 6 6	34 1 1 2 6 6 1 1 1 1	32 1 1 1 3 6 6 1 1 3 3 1 1 1 1 1 1 1 1 1 1	14 1 1 1 1 1 1	7 D. (\( \frac{48}{3} \) \( \frac{1}{1} \) \( \frac{1}{4} \) \( \frac{1}{3} \) \( \frac{1}{1} \) \( \frac{1}{3} \) \( \frac{1} \) \( \frac{1}{3} \) \( \frac{1} \) \( \frac{1} \) \( \frac{1} \) \( \frac{1}{3} \)	7   22   137   10   1   2   7   7   10   1   2   1   10   1   2   1   10   10	277 12 2 1 2 2 1 2 3 1 2 3 1 2 3 1 5 1 5 7 7 2 2 2 2 2 3 3 1 5 7 7 2 2 2 2 3 3 3 3 3 3 3 3 3 3 3 3 3 3	1 62 1 4 16 16 3 8 21 11 11	325 5 3 2 2 44 7 39 1 1 2 20	408 4 23 99 47 3 40 63	423 1 423 1 4 4 422 2 4 41 2 5 94 2 1 5 8 8 1	433 3 3 4 4 1 8 1 1 1 6 2 8 5 1 9	150 150 150 11 1 1 1 1 1 1 2 5 5 2 2 2 2 2 4	6 1 1	1	
(37) 38 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 22 23 24 25 25 25 27 27 27 28 29 20 20 21 22 23 23 24 25 26 27 27 28 29 20 20 20 20 20 20 20 20 20 20	All causes Typhoid fever Typhnis fever Malaria. Smallpox Measles Scarlet fever Whooping cough Diphtheria and croup Influenza Astatic cholera Cholera nostras Other epidemic diseases Tuberculosis of the lungs Tuberculosis of the lungs Tuberculosis of the romain tumors Meningitis Other forms of tuberculosis. Cancer and other malignant tumors Meningitis Cerebral hemorrhage and softening Organic diseases of the heart Acute bronchitis Chronic bronchitis Pheumonia Bronchopneumonia Other diseases of the respiratory system Diseases of the stomach Diarrhea and enteritis Appendictis and typhilitis Flernia, intestinal obstruction Cirrhosis of the liver	3,029 55 7 7 3 9 12 33 33 19 18 284 26 48 26 201 349 77 1724 79 24 24 30 150 29 54 44 48	11 44 2 2 2 2 2 1 1 16 20 11 3 89 5 5	54 	34 1 1 1 1 1 5 4	32 1 1 1 3 6 6 1 1 3 3 1 1 1 1 1 1 1 1 1 1	14 1 1 5 1	7 (Value of the state of the st	7   22   137   10   1   2   7   7   10   1   2   1   10   1   2   1   10   10	277 12 2 2 1 2 8 7 3 3 1 1 8 1 5 1 7 2 2 2 6 6 3 3 1 1 7 7 1 2 2 1 1 2 1 1 1 1 1 1 1 1 1 1	1 1 62 1 1 4 1 1 6 6 2 1 1 3 3 4 6 6 5 5 2 6 6 7	325 5 3 2 2 44 4 4 4 4 10	408 4 4 23 4 23 40 63 211 4 5 2 2 4 6 7 9	423 1 423 1 4 4 422 2 4 41 2 5 94 2 1 5 8 8 1	433 3 3 1 1 8 1 1 1 2 8 5 1 9 2 3 1 7 7 1 1 1 1 1 1 1 1 1 1 1 1 1	150 4 	6 1 1	i	
(37) 38 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 23 24 25 25 25 27 27 27 27 27 27 27 27 27 27	All causes Typhoid fever Typhnis fever Malaria. Smallpox Measles Scarlet fever Whooping cough Diphtheria and croup Influenza Astatic cholera Cholera nostras Other epidemic diseases Tuberculosis of the lungs Tuberculosis of the lungs Tuberculosis of the romain tumors Meningitis Other forms of tuberculosis. Cancer and other malignant tumors Meningitis Cerebral hemorrhage and softening. Organic diseases of the heart Acute bronchitis Chronic bronchitis Pheumonia Bronchopneumonia Other diseases of the respiratory system Diseases of the stomach Diarrhea and enteritis. Appendicitis and typhilitis Flernia, intestinal obstruction Cirrhosis of the liver Acute nephritis and Bright's disease Diseases of the fewer and Bright's disease Diseases of the fewer acute organs	3,029 55 7 3 9 12 33 19 18 284 166 48 184 26 201 17 124 79 24 30 150 29 54 48 100 110 110 110 110 110 110 11	11 259 14 42 2 2 2 2 1 16 6 20 13 89	54 54 1 1 1 2 2 2 6 2 2 23	34 1 1 1 1 1 5 4	32 1 1 1 3 6 6 1 1 3 3 1 1 1 1 1 1 1 1 1 1	14 1 1 5 1	7 D. (\( \frac{48}{3} \) \( \frac{1}{1} \) \( \frac{1}{4} \) \( \frac{1}{3} \) \( \frac{1}{1} \) \( \frac{1}{3} \) \( \frac{1} \) \( \frac{1}{3} \) \( \frac{1} \) \( \frac{1} \) \( \frac{1} \) \( \frac{1}{3} \)	7   22   137   10   1   2   7   7   10   1   2   1   10   1   2   1   10   10	277 12 2 2 1 2 8 7 3 3 1 1 8 1 5 1 7 2 2 2 6 6 3 3 1 1 7 7 1 2 2 1 1 2 1 1 1 1 1 1 1 1 1 1	1 14 16 62 1 14 16 65 52 6 6 7 7 13 10 10	325 5 3 3 2 2 2 4 4 4 4 4 1 0 2 6 6 2 2	408 4 23 99 47 3 40 63	423 1 	433 3 3 4 4 1 8 1 1 1 6 2 8 5 1 9	150 4 	6 1 1	i	
(37) 38 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 22 23 24 25 25 25 27 27 27 28 29 20 20 21 22 23 23 24 25 26 27 27 28 29 20 20 20 20 20 20 20 20 20 20	All causes Typhoid fever Typhnis fever Malaria. Smallpox Measles Scarlet fever Whooping cough Diphtheria and croup Influenza Astatic cholera Cholera nostras Other epidemic diseases Tuberculosis of the lungs Tuberculosis of the lungs Tuberculosis of the romain tumors Meningitis Other forms of tuberculosis. Cancer and other malignant tumors Meningitis Cerebral hemorrhage and softening. Organic diseases of the heart Acute bronchitis Chronic bronchitis Pheumonia Bronchopneumonia Other diseases of the respiratory system Diseases of the stomach Diarrhea and enteritis. Appendicitis and typhilitis Flernia, intestinal obstruction Cirrhosis of the liver Acute nephritis and Bright's disease Diseases of the fewer and Bright's disease Diseases of the fewer acute organs	3,029  55  7  7  33 9 12 33 19 18 284 166 48 26 201 17 124 79 24 30 19 24 48 1988 188 188	1 42 2 2 2 2 1 1 5 5 2 4 1 16 20 0 1 1 3 89 5 5 1 1	3 1 1 1 1 1 2 2 2 6 2 2 2 3 1 2 2	34 1 1 1 1 1 5 4	32 1 1 1 3 6 6 1 1 3 3 1 1 1 1 1 1 1 1 1 1	14 1 1 1 1 1 1 1 1 1	7 (Value of the state of the st	7   22   137   10   1   2   7   7   10   1   2   1   10   1   2   1   10   10	277 12 2 1 2 2 1 2 3 1 2 3 1 2 3 1 5 1 5 7 7 2 2 2 2 2 3 3 1 5 7 7 2 2 2 2 3 3 3 3 3 3 3 3 3 3 3 3 3 3	1 1 62 1 1 4 1 1 6 6 2 1 1 3 3 4 6 6 5 5 2 6 6 7	325 5 3 2 2 44 4 4 4 4 10	408 4 4 23 9 47 3 0 63 211 4 5 5 2 2 4 6 7 9 9 9 39	423 1 423 1 4 4 422 2 4 41 2 5 94 2 1 5 8 8 1	433 3 3 1 1 1 62 85 5 1 7 1 11 7 4 4	150 4 	6	i	
(37) 38 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 22 23 24 25 25 25 27 27 27 28 29 20 20 21 22 23 23 24 25 26 27 27 28 29 20 20 20 20 20 20 20 20 20 20	All causes Typhoid fever. Typhois fever. Malaria Smallpox Measles Scarlet fever. Whooping cough Diphtheria and croup Influenza Asiatic cholera Cholera nostras Other epidemic diseases Tuberculosis of the lungs Tuberculosis of the lungs Tuberculosis of the lungs Tuberculosis of the lungs Cancer and ofter malignant tumors Meningitis Cerebral hemorrhage and softening Organic diseases of the heart Acute bronchitis Pneumonia Bronchopneumonia Other diseases of the respiratory system Diseases of the stomach Diseases of the stomach Diseases of the stomach Hernia, intestinal obstruction Cirrhosis of the liver Acute nephritis and Bright's disease Diseases of the female genital organs Puerperal fever Other puerperal affections Congenital debility and malformations	3,029  55  7  3  9  12  33  19  18  284  48  184  266  201  349  7  17  124  30  150  24  48  188  198  198	1 42 2 2 2 2 1 1 5 5 2 4 4 1 6 20 1 3 89 5 5 1 1 5 4	54	34 1 1 1 1 1 1 1 1 4 4 4 4 1 1 1 1 1 1 1	32 1 1 3 3 6 6 1 3 4	14 1 1 5 5 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	7 (1) (1) (2) (3) (4) (4) (4) (4) (4) (4) (4) (4) (4) (4	7 22 3 3 6 6 1 2 2 1 10 9 9 3 3 3 2 1 1 1	277 12 1 2 1 2 3 1 1 8 7 7 2 2 2 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	1 1 2 2 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	325 5 3 3 225 2 44 4 4 4 4 4 4 4 4 4 4 100 266 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2	408 4 4 23 9 47 3 40 63 5 2 2 4 6 6 7 9 9 9 2 2	423 1 1 4 422 4 41 2 20 94 2 12 5 2 5 8 8 1 11 1 33 4 42 3	433 3 3 4 4 1 8 1 1 1 2 2 3 1 7 1 1 1 1 1 1 1 1 1 1 1 1 1	150 150 150 111 133 255 222 44 14 113	6	i	
(37) 38 112 34 56 77 89 101 112 113 114 115 117 118 119 119 119 119 119 119 119	All causes Typhoid fever Typhois fever Malaria Smallpox Measles Scarlet fever Whooping cough Diphtheria and croup Influenza Asiatic cholera Cholera nostras Other epidemic diseases Tuberculosis of the lungs Tuberculosis of the lungs Tuberculosis of the lungs Tuberculosis meningitis Other forms of tuberculosis Cancer and other malignant tumors Meningitis Cerebral hemorrhage and softening Organic diseases of the heart Acute bronchitis Pneumonia Bronchopneumonia Other diseases of the respiratory system Diseases of the stomach Diarrhea and enteritis Appendictis and typhitis Fleenia, intestinal obstruction Cirrhosis of the liver Acute nephritis and Bright's disease Diseases of the female genital organs Puerperal fever Other puerperal affections Congenital debility and malformations Senility Violent deaths (excluding suicide)	3,029 55 7 7 3 9 12 33 31 16 48 184 26 201 349 77 124 30 150 29 48 198 48 198 48 198 198 198 198 198 198 198 19	1 42 359 359 3 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	3 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	34 1 1 1 1 1 4 4	32 1 1 1 3 6 6 6 6 7 1 1 5 5 5 6 6 7 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	14 1 1 1 1 1 1 1 1	7 D. (\( \begin{align*} 48 & \text{3} \\ \text{1} & \text{4} \\ \text{2} & \text{3} \\ \text{2} & \text{2} & \text{2} \\ \text{1} & \text{4} & \text{4} \\ \text{9} & \text{9} & \text{4} \\ \text{9} & \text{4} & \text{5} & \text{6} & \text{7} & \text{6} & \text{7} & \text{7} & \text{8} & \text{7} & \text{8} & \text{7} & \text{8} & \text{9} & \text{1} & \text{2} & \text{2} & \text{2} & \text{2} & \text{2} & \text{2} & \text{2}	29 3 6 6 1 2 1 10 9 9 3 3 3 2 2 1 1 1 15 6 6 6	277 12 1 2 1 2 3 1 1 8 7 7 2 2 2 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	1 1 2 2 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	325 5 3 3 225 2 44 4 4 4 4 4 4 4 4 4 4 100 266 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2	408 4 4 23 9 47 3 40 63 5 2 2 4 6 6 7 9 9 9 2 2	423 1 1 4423 4 4 422 2 2 12 2 5 8 8 1 1 11 13 3 3	433 3 3 4 4 1 1 85 5 1 1 9 23 117 3 5 7 7 1 111 7 46 2 2 4 18 18 19 19 19 19 19 19 19 19 19 19	150 44 11 13 30 13 32 25 22 44 11 41 13	6 1 1 1 2 2 4 4	i	
(37) 38 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 22 23 24 25 25 25 25 25 25 25 25 25 25	All causes Typhoid fever Typhois fever Malaria. Smallpox Measles Scarlet fever. Whooping cough Diphtheria and croup Influenza. Asiatic cholera Cholera nostras Other epidemic diseases Tuberculous meningitis Other forms of tuberculosis. Cancer and other malignant tumors Meningitis. Cerebral hemorrhage and softening. Organic diseases of the heart Acute bronchitis Pneumonia Bronchopneumonia Other diseases of the heart Acute bronchitis Pneumonia Bronchopneumonia Other diseases of the stempiratory system Diseases of the stomatis Appendictis and typhlitis. Hernia, intestinal obstruction Cirrhosis of the liver Acute nephritis and Bright's disease Diseases of the fengle gental organs. Puerperal fever Other puerperal affections. Congenital debility and malformations Senility Violent deaths (excluding suicide).	3,029  55  7  18  33  19  18  284  166  48  286  201  349  77  124  300  150  159  548  188  188  189  198  198  198  198  1	1 42 2 2 2 2 1 1 5 5 2 4 4 1 6 20 1 3 89 5 5 1 1 5 4	54	34 1 1 1 1 1 1 1 1 4 4 4 4 1 1 1 1 1 1 1	32 1 1 3 3 6 6 1 3 4	14 1 1 5 5 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	7 (1) (1) (2) (3) (4) (4) (4) (4) (4) (4) (4) (4) (4) (4	7 22 3 3 6 6 1 2 2 1 10 9 9 3 3 3 2 1 1 1	277 12 2 2 1 2 8 7 3 3 12 3 3 15 15 7 7 2 2 2 10 7 7 10 10 7 7 10 10 10 10 10 10 10 10 10 10 10 10 10	1 14 16 62 1 14 16 65 52 6 6 7 7 13 10 10	325 5 3 3 2 2 2 4 4 4 4 4 1 0 2 6 6 2 2	408 4 4 23 4 23 4 63 21 4 5 2 2 4 6 6 7 7 9 39 2 2	423 1 423 1 4 4 22 50 94 21 22 5 8 8 1 1 11 13 42 3	433 3 3 4 4 1 8 1 1 1 2 2 3 1 7 1 1 1 1 1 1 1 1 1 1 1 1 1	150 150 44 41 11 13 22 25 22 24 14 13 11 14	6 1 1 1 2 2 4 4	1	

TABLE 7.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN EACH CITY OF 100,000 POPULATION OR OVER IN 1910, BY CAUSE OF DEATH (ABRIDGED INTERNATIONAL LIST), AND BY AGE OF DECEDENT: 1911—Continued.

nt.							<del></del>		DEA	THS A	r age	of—	•						
Abridged Int. List No.	CAUSE OF DEATH.	All deaths.	Under 1 year.		2 years.	8 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	80 to 89 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 years and over.	Deaths at un- known age.
			INI	IAN	APO	LIS,	IND	. (CC	LOF	ED).					<u></u>	····	<u> </u>		<del>'</del>
	All causes	501	60	13	14	6	2	11	31	52	83	54	64	59	32	16	2	1	1
2 3 4 5 6 6 7 7 8 9 10 12 13 14 15 16 17 18 20 21 22	Smallpox Measles	6 8 4 1 3 86 4 15 14 2 31 73 3 4 4	3 2 1	1 1 1	1 1 1	2	2	1 2 3	9 3 3	1 1 25 3 1 2 3	22 2 2 1 1 11	11 3 11	4 3 4 10 16	1 5 3 8 15	2 1 2 10	1 2 2		1	1
212 223 22 23 22 23 23 23 25 25 (37) 26 27 28 29 30 0 31 32 23 34 35 36 (37) 38	Orionic broinchitis Praeumonia Bronchopneumonia Other diseases of the respiratory system. Diseases of the stomach Diarrhea and enteritis. Appendicitis and typhilitis Hernia, intestinal obstruction Cirrhosis of the liver Acute nephritis and Bright's disease. Diseases of the female genital organs. Puerperal fever Other puerperal affections. Congenital debility and malformatious. Senility Violent deaths (excluding suicide). Suicide. Other defined diseases. Diseases ill-defined or unknown	33 28 3 4 30 4 8 7 23 8 8 1 1 1 2 2 24 1 4 9	1 21 1 1 14	3 3 3	2	1		21	1 1 1 1 4	1 1 1 1 2 6	9 4 1 2 2 2 6 10	1 1 1 1 3 3	3 3 1 1 1 2 6 1	3 2 1 2 1 5 5	4	1	1		
-	-		:	LOU	isvi	LLE,	KY.	(ТО	TAL	)•	<del></del>	<u> </u>	1		<del></del>		ſ	<del></del>	·
1	All causes Typhoid fever	3,661	441	123	51	50	28	69 5	173	363	430 	458 10	440	461	385	156	21		12
2 3 4 5 6 6 7 7 8 9 10 112 13 14 15 6 17 7 18 19 20 21 22 22 23 5 24 25 25 23 33 34 34 5 35 36 (37.) 38	Typhus fever Malaria. Smallpox Measles. Scarlet fever. Whooping cough. Diphtheria and croup Influenza. Asiatic cholera. Cholera nostras. Other epidemic diseases. Tuberculous meningitis. Other forms of tuberculosis. Cancer and other malignant tumors. Meningitis. Cerebral hemorrhage and softening. Organic diseases of the heart. Acute bronchitis. Caronic bronchitis. Pneumonia. Other diseases of the respiratory system. Diseases of the stomach. Diarrhea and enteritis. Appendictis and typhiltis. Hernia, intestinal obstruction. Cirrhosis of the liver. Acute nephritis and Bright's disease. Diseases of the remale genital organs. Puerperal fever. Other puerperal affections. Congenital debility and malformations. Senility. Violent deaths (excluding suicide). Suicide. Other defined diseases. Diseases ill-defined or unknown.	12 58 8 17 27 479 15 433 173 500 152 343 133 48 228 527 57 41 278 25 133 190 655 243 388 556 18	1 14. 7 1 3 7 7 3 3 15 5 6 60 6 1 1 190 6 6 65	177 1 4 4 3 1 1 2 2 4 4 4 2 2 1 1 2 5 5 1 3 3 3 2 5 5 5 5 5	8 1 1 2 2 2 4 1 1 3 3 1 1 2 2 2 2 2 2 2 2 2 2 2 2 3 1 1 1 1	9 1 1 5 5 2 1 1 1 3 3 1 1 1 5 5 5 5 1 1	1 1 2 1 3 3 2 2 2 2 2 2 2 2 2 2 2 2 2 2	1 4 4 2 3 3 1 7 7 3 4 2 2 5 5 5	2 2 1 1 2 1 1 8 3 15 2 1 2 1 2 3 3 1 2 1 2 1 2 1 2 1 2 1 2 1	1 1 1 1 1 1 2 10 5 4 4 3 2 2 3 12 7 5 3 4 5 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	1 1 2 131 2 6 16 1 12 37 5 20 1 6 6 11 1 3 3 5 6 6 1 1 4 4 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9	4 4 71 2 2 33 1 23 60	1 3 3 3 49 3 3 100 6 6 2 2 8 14 4 4 5 2 8 7 6 3 3	55 8 18 2 241 39 78 6 28 8 2 2 17 9 8 8 6 9 6 6 1	2 6 1 28 24 60 1 12 26 8 9 4 7 3 5 5 6 0	1 10 16 20 12 5 1 9 5 4 16 16 7 7 27	1 1 1 1 1 2		2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2

ä						•			DEA	THS AT	AGE	of—				:			
Abridged Int. List No.	CAUSE OF DEATH.	All deaths.	Under 1 year.		2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	80 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 years and over.	Deaths at un- known age.
				LOU.	isvi	LLE,	KY.	(WE	HTE	)•			•	-			•		
	All causes	2,597	343	75	32	32	16	50	92	228	276	279	301	370	342	139	17		5
1 2	Typhoid fever Typhus fever	33						3	7	7	- 2	6	5	3					
3 4	Malaria Smallpox	5	1					1	1	1		1							
2 3 4 5 6 7 8	Measles Scarlet fever Whooping cough	35 8 9	11	11 1 1	$\frac{2}{1}$	5 1	2	3 4	1		1								
8 9	Whooping cough Diphtheria and croup Influenza	25 17		3	7	5	4	2 3	2		2	2	1 2	5	5		•••••		
9 10 11 12	Asiatic cholera Cholera nostras Other epidemic diseases																	•••••	
. 13 14	Other epidemic diseases Tuberculosis of the lungs Tuberculous meningitis Other forms of tuberculous		7	1 3 4	1 1 1	1		<u>i</u>	27	8 <u>1</u>	98 98	4 48	3 38	7 16	2 4	. 1		•••••	
15 16	Cancer and other malignant tumors	30 144	2	2		1		1 2 2 1	1 6	2 8 2 3	· 6	1 26	2 31	1 37	28	9		• • • • • •	
17	Meningitis Cerebral hemorrhage and softening	35 121	12	6 1	2 1	2	1	4	1	2	9	1 18	3 18 31	32	23	15	i	 	·····i
19 20 21	Organic diseases of the heart Acute bronchitis Chronic bronchitis	215 4 34	3	1		1		3	5	11 1 1	20 1	20	31	53	50 	18	;-		1
21 22 23α	Bronchopneumonia	120	17 8	8 7	3 5	5 1	1 1	$\begin{smallmatrix}2\\1\end{smallmatrix}$	5	5	11	2 13 17 23 5 25 28 2	11	21 2	22.	5	1		
23b 24 25(37)	Disagrant of the stampeh	57	3 5 49	2 <u>15</u>			····2	•••••	$\begin{array}{c c} 2\\ 1 \end{array}$	2	····· <u>7</u>	7 2	1 9 5	15 5	9 2	7 3	1		
25(37) 26 27	Diarrhea and enteritis Appendicitis and typhlitis Hernia, intestinal obstruction	21 27	4		1	3 1		1 5	2 1	1 4 3	1 2 3 3	5 2	5 2 5	7	5 3	4	i		<b>-</b>
28 29 30	Acute nephritis and Bright's disease	222			i	•••••	2	4	<u>2</u> -	1 9	12	5 28	14 32	7 54	5 59	1 15	<u>-</u> 1		3
31 32	Diseases of the female genital organs. Puerperal fever Other puerperal affections. Congenital debility and malformations.	15 9 8				•••••			ī	10 7 4	3	2 1 1							
31 32 33 34	Congenital debility and malformations Senility	159 57	159											4	26	19	8		
35 36 (37)	Violent deaths (excluding suicide) Suicide Other defined diseases	165 37 399	50	<u>2</u> 3	4	3	1	3	15 1 11	31 6	25 9	23	21 8	. 5	7 2	7	1		
38	Diseases ill-defined or unknown	15		4	1	2 1	1	5		24	43 1	49 2	48 3	67 2	71 1	21	3	•••••	· · · · · · · · · · · · · · · · · · ·
						•		•			•								
			L	ouis	VIL	GE, I	<b>TY.</b> (	COL	ORE	<b>D</b> ).									
	All causes	1,064	98	OUIS 48	19	LE, 1	12	COL 19	ORE 81	D).	. 154	179	- 139	91	43	17	4		7
1 2	Typhoid fever Typhus fever	21	1 1	1					81 5		2	4	- 139	91		17	4		7
1 2 3 4 5	Typhoid fever. Typhus fever. Malaria. Smallpox.	21	98	48	19	18	12	2	81	135				91	43	17	4		7
1 2 3 4 5 6	Typhoid fever. Typhus fever. Malaria. Smallpox Messles. Scarlet fever	21 7 23	98	1	19	18		19	81 5	135	2	4		91		17	4		7
6 7 8 9	Typhoid fever. Typhus fever. Malaria. Smallpox. Measles. Scarlet fever. Whooping cough Diphtheria and croup	21	98	48	19	18	12	2	81 5	135	2	4		91		17	4		7
6 7 8 9 10 11 12	Typhoid fever. Typhus fever. Malaria. Smallpox Measles. Scarlet fever. Whooping cough Diphtheria and croup Influenza. Asiatic cholera Cholera nostres.	21 7 23 8 2 13	98	6 3	19	18	12	2	81 5	135	1	3	3			17	4		7
6 7 8 9 10 11 12 13	Typhoid fever. Typhus fever. Malaria. Smallpox. Measles. Scarlet fever. Whooping cough Diphtheria and croup. Influenza. Asiatic cholera. Cholera nostras. Other epidemic diseases. Tuberculosis of the lungs. Tuberculous meninettis.	21 7 23 8 2 13 5 153 2	3 2 1	48 6 3	19	18 1 4 1	12	19 2	81 5 1 1 32	135	1	4 3 4 4 23	1 1 14	1 2		17	4		7
6 7 8 9 10 11 12 13	Typhoid fever. Typhus fever. Malaria. Smallpox Measles. Scarlet fever. Whooping cough. Diphtheria and croup. Influenza. Asiatic cholera. Cholera nostras. Other epidemic diseases. Tuberculosis of the lungs. Tuberculous meningitis. Other forms of fuberculosis. Cancer and other malignant tumors.	21 7 23 8 2 13 5 153 2 13 29	98 	48 6 3 1	6	18 1 1 1 1	12	19 2 1	81 5 1	135	1 1 33	3	3	1	2	17	4		7
6 7 8 9 10 11 12 13	Typhoid fever. Typhus fever. Malaria. Smallpox. Measles. Scarlet fever. Whooping cough Diphtheria and croup Influenza. Asiatic cholera. Cholera nostras. Other epidemic diseases. Tuberculosis of the lungs. Tuberculous meningitis. Other forms of fuberculosis Cancer and other malignant tumors. Meningitis. Cerebral hemorrhage and softening. Orranic diseases of the heart.	21 7 23 8 2 13 15 153 2 13 2 15 31 128	3 2 1 1	6 3	6	18 1 4 1	12	19 2	81 5 1 1 32	135 4 1 3 38 2 3 1 1 12	1 33	4 3 4 4 23	1 1 14	1 2	1 2 1	17	1		7
6 7 8 9 10 11 12 13	Typhoid fever. Typhus fever. Malaria. Smallpox Measles. Scarlet fever. Whooping cough. Diphtheria and croup. Influenza. Asiatic cholera. Cholera nostras. Other epidemic diseases. Tuberculosis of the lungs. Tuberculous meningitis. Other forms of fuberculosis. Cancer and other malignant tumors. Meningitis. Cerebral hemorrhage and softening. Organic diseases of the heart. Acute bronchitis.	21 7 23 8 2 13 153 29 15 31 128 9 14	3 2 1 1 3 2 2 1 2 2 2 2 2 2 2 2 2 2 2 2	48 6 3 1 1 1 4	19 6 1 1 1	18 1 1 1 1	12 	19 2 1 1 4 1 3	81 5 1  1  1  32  3	135 4 1 3 38 2 3 1 12 12 12	1 33 6 1 37	4 3 4 23 1 7 5 40	3 	1 2 1 4 7 25	2 1 1 10 10 12	1			2
6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23a 23b	Typhoid fever. Typhus fever. Malaria. Smallpox. Measles. Scarlet fever. Whooping cough Diphtheria and croup Influenza. Asiatic cholera. Cholera nostras. Other epidemic diseases. Tuberculosis of the lungs. Tuberculous meningitis. Other forms of fuberculosis. Cancer and other malignant tumors. Meningitis. Cerebral hemorrhage and softening. Organic diseases of the heart. Acute bronchitis. Chronic bronchitis. Pneumonia. Bronchopneumonia. Other diseases of the prespiratory system	21 7 23 8 23 13 15 15 128 128 128 14 14 14 19 19 19 19 19 19 19 19 19 19	3 2 1 1	48 6 3 1 1 1	6	18 1 1 1 1	2	19 2 1	81 5 1 1 32 32	135 4 1 1 3 38 2 3 1 1 1 2 7	1 1 33 6 1 3 17	23 17 5 40	1 1 14 3 8 12 18	1 2 4 4 7 25	2 1 1 1 10 10	1			2
6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 23 23 23 25 25 (37)	Typhoid fever. Typhus fever. Typhus fever. Malaria. Smallpox. Measles. Scarlet fever. Whooping cough. Diphtheria and croup Influenza. Asiatic cholera. Cholera nostras. Other epidemic diseases. Tuberculous meningitis. Other forms of tuberculosis. Tuberculous meningitis. Cancer and other malignant tumors. Meningitis. Cerebral hemorrhage and softening. Organic diseases of the heart. Acute bronchitis. Chronic bronchitis. Pneumonia. Bronchopneumonia Other diseases of the respiratory system. Diseases of the stomach	21 7 23 8 2 13 13 29 15 31 128 9 14 19 90 23 23 33 33 33 34 35 36 37 38 38 38 38 38 38 38 38 38 38	98 3 2 1 1 3 2 1 1 1 1 1 1 1 1 1 1 1 1 1	48 6 3 1 1 1 4 4 6 6	19 6 1 1 1	18 1 1 1 1	12 2 2 	19 2 1 4 3	81 5 1	135 4 1 3 38 2 3 1 12 12 12	1 33 17 4 9	4 3 4 23 1 7 5 40 1 10 4 3	3 	1 2 1 4 7 25	2 1 1 10 10 12	1			2
6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 23 23 23 25 25 (37)	Typhoid fever. Typhus fever. Malaria. Smallpox Measles. Scarlet fever. Whooping cough. Diphtheria and croup. Influenza. Asiatic cholera. Cholera nostras. Other epidemic diseases. Tuberculosis of the lungs. Tuberculosis of the lungs. Tuberculosis of the lungs. Tuberculosis of the malignant tumors. Maningitis. Cancer and other malignant tumors. Meningitis. Cerebral hemorrhage and softening. Organic diseases of the heart. Acute bronchitis. Chronic bronchitis. Pneumonia. Bronchopneumonia. Other diseases of the respiratory system. Diseases of the stomach. Disarhea and enteritis. Appendicitis and typhlitis.	21 7 23 8 2 13 15 153 2 139 15 15 159 14 99 99 14 99 20 23 33 29 14 99 20 20 20 20 20 20 20 20 20 20 20 20 20	98 3 2 1 1 3 3 2 1 1 1 1 1 1 1 1 1 1 1 1 1	48 6 3 1 1 1 4 4	19	18 1 1 1 1 1	12 2 2 	19 2 1 4 4 1 3 3	81 5 1 32 3 3 10	135 4 1 3 38 2 3 1 1 2 7 4	1 33 17 4 9	4 3 4 23 1 7 5 40 1 19 10 4	3 1 14 3 8 12 18 14	1 2 1 4 25 27 24 1 1 1	1 1 1 10 10 2 4	1 2 2			2
6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 23 23 23 25 25 (37)	Typhoid fever. Typhus fever. Malaria. Smallpox. Measles. Scarlet fever. Whooping cough Diphtheria and croup Influenza. Asiatic cholera. Cholera nostras. Other epidemic diseases. Tuberculosis of the lungs. Tuberculosis of the lungs. Tuberculosis of the lungs. Cancer and other malignant tumors. Meningitis. Carcer and other malignant tumors. Meningitis. Carcer and other malignant tumors. Meningitis. Carcer and other malignant tumors. Meningitis. Carcer and other malignant tumors. Meningitis. Carcer and other malignant tumors. Meningitis. Carcer and other malignant tumors. Meningitis. Carcer and other malignant tumors. Meningitis. Carcer and other malignant tumors. Meningitis. Carcer and other malignant tumors. Meningitis. Carcer and other malignant tumors. Meningitis. Appendictis and typhitis. Hernia, intestinal obstruction Cirrhosis of the liver Acute nephritis and Bright's disease. Diseases of the female genital organs	21 7 23 8 2 13 13 15 15 15 12 13 128 19 14 14 19 19 20 33 33 40 55 56 66 66 66 66 66 66 66 66	98 3 2 1 1 3 3 2 10 10 2 11	48 6 3 1 1 1 4 4	19	18 1 1 1 1 1	12 2 2 	19 2 1 4 4 1 3 3	81 5 1	135 4 1 3 38 38 11 12 11 12 7 5 4 2 2	1 1 33 33 37 4 9 6 4 4 2 1 1 2 3 3 1 1 3 3 1 1 3 3 3	4 3 4 23 1 7 5 40 1 10 4 3	3 1 14 3 8 12 18 14 4 5	1 2 1 4 7 25 2 7	1 1 1 10 10 2 4	1 2 2			2 2 1
6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 23 23 23 25 25 (37)	Typhoid fever. Typhus fever. Malaria. Smallpox Measles. Scarlet fever. Whooping cough. Diphtheria and croup Influenza. Asiatic cholera. Cholera nostras. Other epidemic diseases. Tuberculous diseases. Tuberculous of fuberculosis. Cancer and other malignant tumors. Maningitis. Cerebral hemorrhage and softening Organic diseases of the heart. Acute bronchitis. Chronic bronchitis. Pneumonia. Other diseases of the respiratory system. Diseases of the stomach Diarrhea and enteritis. Appendicitis and typhlitis. Hernia, intestinal obstruction Cirrhosis of the liver. Acute nephritis and Bright's disease Diseases of the female genital organs. Puerperal fever. Other puerperal affections.	21 7 23 8 2 13 15 15 15 15 128 9 14 199 20 33 38 4 10 56 10 4 5	98 3 2 1 1 3 2 10 10 2 11 11	48 6 3 1 1 1 4 4	19	18 1 1 1 1 1	12 2 2 	19 2 1 1 3 4 1 3 1	81 5 1	135 4 1 3 38 2 3 1 1 1 1 2 7 4 2 2	1 1 33 17 4 9	3 3 4 4 1 7 5 40 1 1 1 1 1 0 4 3 2 2 3	3 1 1 14 3 8 8 12 18 14 4 5 11	1 2 1 4 2 7 25 2 7 1 1 2 1 1 1 1 1 1 1 1 1	1 1 2 1 10 10 1 2 4	1 1 2 2 2 2	1		2
6 7 8 9 10 111 112 113 114 115 116 117 118 119 22 22 22 22 22 22 25 25 (37) 25 (37) 27 28 29 30 31 32 33 4	Typhoid fever. Typhus fever. Typhus fever. Malaria. Smallpox. Measles. Scarlet fever. Whooping cough Diphtheria and croup Influenza. Asiatic cholera Cholera nostras. Other epidemic diseases. Tuberculosis of the lungs. Tuberculosis of the lungs. Tuberculosis of the lungs. Tuberculosis of the lungs. Cancer and other malignant tumors. Meningitis. Carobral hemorrhage and softening Organic diseases of the heart. Acute bronchitis. Chronic bronchitis. Chronic bronchitis. Bronchopneumonia. Bronchopneumonia. Bronchopneumonia other diseases of the respiratory system. Diseases of the stomach Diarrhea and enteritis. Appendicitis and typhlitis. Hernia, intestinal obstruction Cirrhosis of the liver. Acute nephritis and Bright's disease. Diseases of the female genital organs. Puerperal fever Other puerperal affections.	21 7 23 8 2 13 153 2 13 129 15 128 9 14 99 14 99 33 29 33 40 56 10 40 56 10 10 10 10 10 10 10 10 10 10	98 3 2 1 1 3 2 10 10 2 11 2 11 3 3 3 3 3 3 3 3	48 6 3 1 1 1 4 4	19	18 1 1 1 1 1 1 5 5 1 1 1 1 1 1 1 1 1 1 1	12 2 2 	19 2 1 1 1 3 3 2 1 1	81 5 1 1 32 33 3 10 2 1	135 4 1 3 38 38 11 12 12 7 5 4 2 2 4 1 2 2	1 1 33 17 4 9 6 4 2 1 1 2 3 11 3 3 11	23 17 5 40 19 11 10 4 3 2 2	3 1 1 1 1 1 4 5 1 1 3 8 8 1 1 4 5 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	1 2 1 4 2 7 25 2 7 7 2 2 4 1 1 1 2 1 1 2 1 1 2 1 1 1 2 1 1 1 2 1 1 1 1 2 1 1 1 1 1 2 1	1 1 2 1 10 10 1 2 4	1 1 2 2 2 2	1		
6 7 8 9 10 111 12 13 14 15 16 17 18 19 20 22 22 22 23 25 26 27 28 29 30 31 32 33 34 35 36 36 37 37	Typhoid fever. Typhus fever. Malaria. Smallpox Measles. Scarlet fever. Whooping cough. Diphtheria and croup Influenza. Asiatic cholera. Cholera nostras. Other epidemic diseases. Tuberculous diseases. Tuberculous of fuberculosis. Cancer and other malignant tumors. Maningitis. Cerebral hemorrhage and softening Organic diseases of the heart. Acute bronchitis. Chronic bronchitis. Pneumonia. Other diseases of the respiratory system. Diseases of the stomach Diarrhea and enteritis. Appendicitis and typhlitis. Hernia, intestinal obstruction Cirrhosis of the liver. Acute nephritis and Bright's disease Diseases of the female genital organs. Puerperal fever. Other puerperal affections.	21 7 23 8 23 13 13 15 15 15 11 128 19 19 20 20 20 30 30 29 30 30 40 50 60 60 60 60 60 60 60 60 60 6	98 3 2 1 1 3 2 10 10 2 11 11	48 6 3 1 1 1 4 4	19	18 1 1 1 1 1	12 2 2 	19 2 1 1 3 4 1 3 1	81 5 1 1 32 33 10 21	135 4 1 3 38 38 1 1 1 2 7 5 4 2 2 4 4 1	1 1 33 33 17 4 9 6 4 4 2 1 1 2 2 3 11 3 1	3 3 4 4 1 7 5 40 1 1 1 1 1 0 4 3 2 2 3	3 1 1 14 3 8 8 12 18 14 4 5 11	1 2 1 4 2 7 25 2 7 1 1 2 1 1 1 1 1 1 1 1 1	2 1 1 1 10 1 1 2 4 2 2 1	1 1 2 2 2 1	1		2 2 1 1 1 1 1 1

Table 7.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN EACH CITY OF 100,000 POPULATION OR OVER IN 1910, BY CAUSE OF DEATH (ABRIDGED INTERNATIONAL LIST), AND BY AGE OF DECEDENT: 1911—Continued.

it.									DEA'	THS AT	AGE (	)F							
Abridged Int. List No.	CAUSE OF DEATH	All deaths.	Under I year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 years and over.	Deaths at un- known age.
	•		N	EW	ORL	EAN	s, L	А. (Т	ОТА	L).									
	All causes	7,055	1,071	251	112	55	44	123	310	770	857	925	846	781	601	255	41	10	3
1 2. 3	Typhoid fever Typhus fever	107		6	3	2	1	3	24	37	17	8	. 4	1	1				
4	Malaria Smallpox	37 2		2 ; <u>.</u> .		3		;-	5	4 1	7	7	3	4	2 1				
- 6	Measles. Scarlet fever. Whooping cough.	39 4 97	47	17 32	9 1 11	2 1 2	1 3	1	1		1								
7 8 9	Diphtheria and croup Influenza	25 92	1 2	3	6 2	4	2	. 6	1 6	2	5	2 19	13	12	19	8			
10 11	Asiatic cholera	4										2	i			i			
12 13	Other epidemic diseases.  Tuberculosis of the lungs.  Tuberculous meningitis.	59 835	3	3	····· <sub>1</sub> ·	2	1	2 4	67	269	6 198	6 173	15 77	7 28	7 13	3			
14 15 16	Other forms of tuberculosis	18 47 274	1 4	1	 1		$\begin{array}{c}2\\2\\1\end{array}$	3 2 2	67 2 6 4	10 10	1 11 28	6 50	2 79	2 2 49	$\begin{bmatrix} & 1 \\{39} \end{bmatrix}$	9			
17	Meningitis. Cerebral hemorrhage and softening	52 290	18 3	9	8	2	3	1 !	3	12 4 4	. 31	32		 81	67	19	2	2	
19 20 21	Organic diseases of the heart	700 55	22	11	5	2	1	1 1	10 2	25 1	21 75 3 1	91	58 107 1	172	146 2 6	64 1	6	2	
21 22 23a	Chronic bronchitis Pneumonia Pronchemoumonic	37 381 178	70	29 24	14	3	5	5	24	5 48	1 48 3	2 41	7 30	11 33 10	21	8	1	1	
23b 24	Bronchopneumonia. Other diseases of the respiratory system. Diseases of the stomach.	48 94	82 9 10	1	12 4	13 1 1	3	1 1 1	4 2 3 2 8 2 1	4 7 14	3 4 12	5 10 18	7 3 10	5 9	4 2 5	2 2 5	1 1 1		
25(37) 26	Diarrhea and enteritis Appendicitis and typhlitis	561 49	383	90	12	$\hat{\bar{5}}$	3	9	2 8	15 5	5 9	10	9	10 1	14 1	5			
27 28	Hernia, intestinal obstruction. Cirrhosis of the liver	63 120	6	1	1 1		2		1	6	6 23 114	14 32	11 34 185	7 16	5 7	3			
29 30 31	Acute nephritis and Bright's disease Diseases of the female genital organs Puerperal fever	840 46 44	4	3	5	· · · · · · ·	2	9	14 1 8	49 13 19	114 16 15	160 10 2	185 3	173 3	89	26 	6	1	
32 33	Other puerperal affections. Congenital debility and malformations.	53 212	209	1	1			i	8	21	19	5							
34 35	Violent deaths (excluding suicides)	103 396	5	5	6	9	4	26	57	89	76	48	29	3 17	43 13	42 10	12	3	2
(37)	SuicideOther defined diseases	1,045 1	187	9 1	9	2	7	28	1 41.	10 83	13 117	$\begin{array}{c} 11 \\ 152 \end{array}$	6 148	3 118	90 90	42	10	1	1
			N		ORL	E A N	S T.	4. (W	HITT	TC?)									
	All causes	4,208	662	163	68	31	23	65	128	335	432	524	559	544	446	199	25	2	
1	Typhoid fever	59		4	3	1	1		12	22	8	4	2	1	1	130	20		
2 3 4	Typhus fever	17		<sub>2</sub>		<u>2</u> -				2	4	3	2	···· <u>·</u>					
5 6	Smallpox Measles Scarlet fever	35 4	3	16	8 1	2 1	i	4	i		···i								
7 8	Whooping cough. Diphtheria and croup.	73 17	36 1	24 2	8	1 2	2	2 4				2							
9 10 11	Asiatic cholera.	60	1		1			2	1		2	13	7	11	15	7			
12 13	Cholera nostras. Other epidemic diseases. Tuberculosis of the lungs.	42 404	3	1 3		i	···i	2	2	1 101	4 94	3 100	12 55	4 19	6 11	3			
14 15	Tuberculous meningitis. Other forms of tuberculosis.	13 23	1 2	ĭ			1 1	2 2 3 1 2	2 18 2 4 3 2	2 2	1 6	4	2	2					
16 17	Cancer and other malignant tumors Meningitis.	208 34	14	7	5	i	ī	$\frac{1}{2}$	3 2	2 7 2 4 1	17 2 15	31	68	36	35	8			
18 19 20	Cerebral hemorrhage and softening Organic diseases of the heart	212 419 24	2	<u>-</u>		•••••		<u>i</u>	4	2 4	30	16 38	38 63	68 116	55 104	14 55	2 4		<b>-</b>
21	Acute bronchitis	26 170	8 31	4 14	2 8	1 1	4	3	6	1 2 13	<u>1</u> <u>18</u>	 17	1 5 12	2 10 18	2 4 18	$\begin{array}{c c} 1\\ 4\\ 7 \end{array}$	····i	•••••	
22 23a	Bronchopneumonia	90 29	38	14	6	4		3 2 1	1 2	1 5	2 3	2 5	6	18 7 4	4 2	2 2	1		
235	Other diseases of the respiratory system.		0		2 5	1 2	2	1 2	···· <sub>1</sub>	4 2 11	6 2	10	3 5	6 5	. 5	5 4	1		
23b 24	Other diseases of the respiratory system.  Diseases of the stomach  Diarrhea and enteritis	50 372	266	61								7		1	1				
23b) 24 25(37) 26 27	Other diseases of the respiratory system. Diseases of the stomach Diarrhea and enteritis. Appendictis and typhlitis. Hernia, intestinal obstruction.	50 372 37 46		61 1		•••••	i		6	4	8 3	10	9	5		3			
23b 24 25(37) 26 27 28 29	Other diseases of the respiratory system. Diseases of the stomach Diarrhea and enteritis. Appendicitis and typhitis. Hernia, intestinal obstruction. Cirrhosis of the liver. Acute nephritis and Bright's disease. Diseases of the female remital organs.	50 372 37 46 85 484 20	266		1 1	•••••	1 1	5		4 3 25	8 3 18 55	10 22 97	3 5 2 9 23 119	5 13 104	4 5 53	1 -	1		
23b 24 25(37) 26 27 28 29 30 31	Other diseases of the respiratory system Diseases of the stomach Diarrhea and enteritis Appendictis and typhlitis Hernia, intestinal obstruction Cirrhosis of the liver Acute nephritis and Bright's disease Diseases of the female genital organs Puerperal fever Other puerperal affections.	50 372 37 46 85 484 20	266 6	i	·····i					25 25 7 15	2 3 6 2 8 3 18 55 3 8	10 22 97 5 1 2	9 23 119 1	5 13	4 5	3	1		
23b 24 25(37) 26 27 28 29 30 31	Other diseases of the respiratory system. Diseases of the stomach Disarrhea and enteritis. Appendicitis and typhlitis. Hernia, intestinal obstruction. Cirrhosis of the liver. Acute nephritis and Bright's disease. Diseases of the female genital organs. Puerperal fever Other puerperal affections. Consenital debility and malformations.	50 372 37 46 85 484 20 22 35	266 6 1	1 1	1		1	5 1	5 1 6 1	4 3 25 8 7 15		10 22 97 5 1 2		13 104 2 2	4 5 53 	3 17 	1		
23b 24 25(37) 26 27 28 29 30	Other diseases of the respiratory system Diseases of the stomach Diarrhea and enteritis Appendictis and typhlitis Hernia, intestinal obstruction Cirrhosis of the liver Acute nephritis and Bright's disease Diseases of the female genital organs Puerperal fever Other puerperal affections.	50 372 37 46 85 484 20 22 35 141 68 213	266 6	1	1			5	5 1 6	4 3 25 8 7	8 3 18 55 3 8 17 31 13 60	10 22 97 5 1		13 104 2	4 5 53	3 17			2

4.						<del></del>		-	DEA	THS AT	r AGE	OF			<del></del>			· <del>·</del>	
Abridged Int. List No.	CAUSE OF DEATH.	All deaths.	Under 1 year.		2 years.	3 years.	4 years.	5 to 9 years.	10 to 19	20 to 29	30 to 39	40 to 49	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years	90 to 99 years.	100 years and over.	Deaths at un- known age.
			. NE	w o	RLE	ANS,	LA.	(CO	LOR	ED).		·			<u>*</u>		··		<u>'</u>
	All causes	2,847	409	88	44	24	21	58	182	435	425	401	287	237	155	56	16	. 8	1
1 2 3 4	Typhoid fever Typhus fever	48		2		1		3	12	15	9	4	2						
3 4 5	Malaria Smallpox Measles	72	2	1	·····i	1 			5	2 1	3	4	- 1	2	$\begin{array}{c} 2 \\ 1 \end{array}$				••••••
6 7	Scarlet fever Whooping cough Diphtheria and croup			8	3	<sub>1</sub>	<u>i</u>												,
8 9		8 32	·i	1		2	2 	2	1 5	2	3	6	6	····i	4	····i			
10 11 12	Asiatic cholera. Cholera nostras Other epidemic diseases.	2 17										<u>2</u> 3							
13 14	Tuberculosis of the lungs	431 5			1	1	····i	2 1	1 49	168 2	104	73	22 22	9 3.	2	• • • • • • •			•••••••
15 16 17	Cancer and other malignant tumors	24 66	2	1	<u>1</u>	:	1	2	2 1 1	8 5	5 11	2 19	11	1 13	4	····i			
18 19	Meningitis  Cerebral hemorrhage and softening  Organic diseases of the heart	18 78 281	1	2	3	1	3 1	1	6	2 2 21	6	16 53	20 44	13 56	12 42	5 9		2 2	
20 21	Acute bronchitis.	31 11	14	7	3	1			ž	3	45 2 1	2	2	2	2			2	
22 23a 23b	Pneumonia. Bronchopneumonia Other diseases of the respiratory system.	211 88 19	39 44 6	15 10•	6	2 9	3	2 2	18 3	35 3 2	30 1 1	24 3 5	18	15   3	3	1	1	1	
24 25(37)	Diseases of the stomach	44 189	117	29	$\frac{2}{7}$	3	1 1	7	3 1	10	6 3	8	3 7 4	1 3 5	5	·····	, 1		
26 27 28	Appendicitis and typhlitis	12 17			i		i	1	3 1 2 2 1 9	4	1 3	4 2 4	2 2	2 3	<sub>1</sub> -				
29 30	Cirrhosis of the liver. Acute nephritis and Bright's disease. Diseases of the female genital organs	35 356 26	3	3	. 4		····i	4	9	3 24 5	5 59 13	10 63 5	11 66 2	3 69 1	36	9	5	····i	••••••
31 32	Other puerperal affections	26 22 18							$\frac{2}{7}$	12 6	7 2	1 3							••••••
33 34 35	Congenital debility and malformations Senility	71 35 183	71	<u>2</u>	2			 12	27						13	15	4	<u>2</u>	
36 (37)	Other defined diseases	1 417	89	5	3	1	2	18	22	50 43	45  57	20 65	12 48	2 1 30	20	3 11	3		
38	Diseases ill-defined or unknown	1	·····	1		•••••			••••										•••••
-				BAL	TIMO	ORE,	MD.	(TO	TĄL	) <b>.</b> .									
	All causes		1,960	434	158	98	78	201	398	877	935	1,069	1,277	1,246	1,086	512	73	5	
1 2 3	Typhoid fever Typhus fever Malaria.	156		1	1	2	1	9	32	44	36	14	11	4	1				
4 5	SmallpoxMeasles	3 81	22	27	1	<del>7</del> -		1 	4	<u>2</u>		1							• • • • • • • • • • • • • • • • • • • •
6 7 8	Scarlet fever. Whooping cough. Diphtheria and croup.	44 46	$\frac{2}{21}$	27 7 15	8 7 8	4	6 1	13	4			1				• • • • • • •			
9 10	Influenza Asiatic cholera	68 73	7	18 2	6	10	10 2	13	2 5	3	2	7	11	13	14	9	2		
11	Cholera nostras Other epidemic diseases	4 55	12	2 5					1	2	3	6	5	2 7	2 14	2	<sub>1</sub>		
13 14 15	Tuberculosis of the lungs.  Tuberculous meningitis.  Other forms of tuberculosis.	1,198 81 115	12 12 21 3	20 20	5 10	3 1	7 3 1 1 1	15 10 8	96 8 20	2 341 2 25 14 4 9	287	200	5 144 2	54	25	4			
16 17	Cancer and other malignant tumors Meningitis	530 102	30		1 1 9	8 1 7	1	ii	4 10	14 4	18 33 5	8 84 2 58 117	13 158 1	129 2	73 1	28 2 56	3		
18 19 20 21 22 23a	Cerebral hemorrhage and softening Organic diseases of the heart Acute bronchitis	541 947 82	10 12 37 1	4 18		2		6	3 35	9 55 1	23 75 1	58 117	103 157 1 3	137 206 3 10	135 188 9	56 85 1	6 4 1	i	
21 22	Chronic bronchitis Pneumonia	81 728	1 1 103	18 1 55	6	9	ii	1 20	1 30		6 81	9 59	1 3 76	10 03	9 24	22 28 17		1	
23h	Other diseases of the respiratory system	392 127	103 137 11	77	22 31 1	21	7 1	10	2 5	4 2 12	5 17 9	14 17 14	76 11 18 21 11	93 19 19 13 10	24 73 34 20 15 13 5	17 8	1	.	
25(37) 26	Diseases of the stomach Diarrhea and enteritis. Appendicitis and typhlitis.	132 668 79	26 488	100	12	1	····-2 2	2 2 7 2	5 4 13	12 2 21	2	14	21 11		15 13	8 6 10	1		
27 28 29	Cirrhosis of the liver	83 102	8			1		1	4	10 2 51	13 10 9	10 15 30	7 12 32	5 14 19	5 8			-	
30 31	Acute nephritis and Bright's disease Diseases of the female genital organs Puerperal fever Other puerperal affections	915 42	3	3	3		1	1	15 2	51 8 17	80	140 14	201	201 6	157	51	8	.	
32 33	Other puerperal affections. Congenital debility and malformations.	38. 51 711	708					2	6 6 1	17 22	13 21	2 2							
34 35 36	Congenital debility and malformations. Senility. Violent deaths (excluding suicide) Stuicide. Other defined diseases.	154 450	18	13	9	10	12	18	41	70	40	64	2 44 11	10 33 11	48 48 3 161	71 27 1	21 3		
(37) 38	Other defined diseases Diseases ill-defined or unknown	101 1,310 117	260	24 12	15 1	5 2	8	33 2	33 2	21 64 5	24 100 9	25 135 15	11 192 25	11 198 22	161 10	73 4	9	1	
		<u> </u>	!																

TABLE 7.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN EACH CITY OF 100,000 POPULATION OR OVER IN 1910, BY CAUSE OF DEATH (ABRIDGED INTERNATIONAL LIST), AND BY AGE OF DECEDENT: 1911—Continued.

it.					•	•			DEA:	THS AT	AGE (	)F							
Abridged Int. List No.	CAUSE OF DEATH.	All deaths.	Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 years and over.	Deaths at un- known age.
				BAL/	TIM	ORE,	MD	(WE	HTE	:).			-	·					
	All causes	7,757	1,433	311	113	71	53	143	253	519	619	746	952	1,064	949	467	62	2	
$\frac{1}{2}$	Typhoid fever	124		1		2		7	23	38	30	13	6	4					
3 4	Typhus fever Malaria Smallpox	3			1			1				1							
5 6	Measles Scarlet fever	67 41	17 2	22 7	7 6	7	<u>5</u> -	8 12	4	2		····i							
7 8 9	Whooping cough Diphtheria and croup Influenza	28 63 49	14 7	9 15 1	4 6	9	10	1 13	2			2	1 7	·····ii		7	<u>-</u>		
10 11	Asiatic cholera Cholera nostras	4					1		4		1			2	13 2		2		
12 13	Other epidemic diseases  Tuberculosis of the lungs	46 749	8 4	2 1			3	6	39	1 192	183	6 143	5 113	6 42	12 21	2 2	1		
14 15 16	Tuberculous meningitisOther forms of tuberculosis	59 71	15 2	17	8	6	1	8 6	7	2 14	2 12	5	9	5	2				
17 18	Cancer and other malignant tumors Meningitis Cerebral hemorrhage and softening	473 84 429	27 6	13	7	6	1	9	8 3	11 2 7	28 5 10	67 2 43	141 76	119 2 114	70 1 116	26 2 49	3		
19	Organic diseases of the heart	681 51	5 24	3 8	5	2 2		6	31	31	45	43 55	104	168 2 9	158	71	1		
20 21 22 23 <i>a</i> 23 <i>b</i> 24	Chronic bronchitis Pneumonia	65 477	63	31 31	14	6	8	<u>ii</u> -	12	24	2 42	36 36	1 2 53	85 85	22 63 27	21 26	3 2	1	
23a 23b 24	Bronchopneumonia Other diseases of the respiratory system. Diseases of the stomach	263 96 86	88 9 14	49 3 4	18 1	14 i	4	1 1	12 2 2 3	1 2 5 2 15	3 10 5	36 11 10 10	53 8 14 13	85 18 15 11	17 12	15 7 6	5		
25(37) 26	Diarrhea and enteritis	536 61	384	85	9		$\frac{2}{2}$	5	10	2 15	2 8	3 7	7	8 5	13	9 2	î		
27 28	Hernia, intestinal obstruction Cirrhosis of the liver	66 91	7			1		1	3	3	5 2 8 7 8 48	14 26 99	8 30	14 16	5 8	3 2			
27 28 29 30 31	Acute nephritis and Bright's disease  Diseases of the female genital organs	705 23 30	2	3	3		1	1	13 4	28 5 12	48 6 12	6 2	145 3	167 3	141	47	7		
32 33	Puerperal fever	35 534	532					2	4	14	16	ĩ							
32 33 34 35	Semility Violent deaths (excluding suicide)	135 341	14	9	6	6	9	<sub>ii</sub> .	32	44	33	48	28 9	10 30	39 41	68	17 3		<b>-</b>
36 (37) 38	SuicideOther defined diseases Diseases ill-defined or unknown	1,009 88	186 2	18	14 1	4	5	28	23 1	19 41 3	22 69 8	48 24 95 12	136 21	11 169 18	145 8	69 4	7	i	
1		I	В	ALT]	(MOI	re, 1	MD.	(COL	ORE	( <b>D</b> ).		i	ı	1	}	1	1	1	<u> </u>
	All causes	2,650	527	123	45	27	25	58	145	358	316	323	325	182	137	45	11	3	
1 2	Typhoid fever Typhus fever	32			1		1	2	9	6	6	1	5		1				
3 4	Malaria Smallpox																		
5 6 7	Measles Scarlet fever	14 3	5 <u>:</u> -	5	1		····i	3- 1											
8	Whooping cough Diphtheria and croup Influenza	18 5 24	7 1	6 3 1	4	1 1	<u>1</u>	<sub>i</sub>	····i	3	i	<u>-</u> -	1 4	2	····i	2			
10 11	Asiatic cholera Cholera nostras Other epidemic diseases																		
12 13 14	Other epidemic diseases	9 449 22	4 8 6	4	5 2	3 1	<u>4</u>	9 2	57 4	149	104	57 1	31	12	2 4	2			
· 15	Other forms of tuberculosis	44 57	1	3 1	2	2		2	13	11 3	1 6 5	17 17	4 17	1 10	3	2			
17 1	Meningitis Cerebral hemorrhage and softening	18 112	3 4	4	2	1	1	2	2	2 2	13	15	1 27	23 38	19	7	i		
18 19 20 21	Organic diseases of the heart	266 31	*7 13 1	1 10	····i			<u>i</u>	4	24 1	30 1	62	53 1	38	30 2	14	2	1	
22 23a	Chronic bronchitis	16 251 129	40 49	24 28	8 13	3 7	3 3	9 6	18	40 3	39 2	5 23 3 7	23 3	1 1 8 1	10 7	1 2 2	i		
23b 24	Other diseases of the respiratory system.  Diseases of the stomach	31 46	$\frac{2}{12}$	28 1 3			ĭ i	1	2	7	7	7 4 1	8	4 2	3 3	ĩ			
25(37) 26	Diarrhea and enteritis.  Appendicitis and typhlitis.	132 18	104	15 	3	1		1	3		1 5 3	3	2	2		1			
27 28 29 30	Hernia, intestinal obstruction Cirrhosis of the liver Acute nephritis and Bright's disease	17 11 210	1 1							7 1 23 3	3 1 32	1 4 41	4 2 56	3 34	16	4	i		
31	Diseases of the female genital organs	19 8							2 2 2 2 1	5	1	8		3			ļ		
32 33	Other puerperal affections Congenital debility and malformations	16 177	176						2	8	5	1							
34 35 36	Senility   Violent deaths (excluding suicide)     Suicide	109	4	4	3.	4	3	7	9	26 2	7 2 31	16 1	16	3	9 7	3	4	2	
(37) 38	Suicide. Other defined diseases Diseases ill-defined or unknown.	301 29	74 4	6 4	i	1 2	3	5 2	10 1	23	31 1	40 3	56 4	29 4	16 2	4	2		
		1	11	1	1	ì	1	1	1		1	1	1	1	i i	1	1	1	1

TABLE 7.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN EACH CITY OF 100,000 POPULATION OR OVER IN 1910, BY CAUSE OF DEATH (ABRIDGED INTERNATIONAL LIST), AND BY, AGE OF DECEDENT: 1911—Continued.

		ī	11	•					риано						-				
Int.								•	DEA!	THS AT	AGE (	OF—							
Abridged Int. List No.	CAUSE OF DEATH.	All deaths.	Under	1	2	. 3	4	5 to 9	10 to 19	20 to 29	30 to 39	40 to 49	50 to 59	60 to 69	70 to 79	80 to 89	90 to 99	100 years	Deaths at un- known age.
ΑÞ			1 year.	year.	years.	years.	years.	years.	years.		years.	years.	years.	years.	years.	years.	years.	and over.	ago.
									la	1	<u> </u>	l	l		<u> </u>	!	<u> </u>		<u>.</u>
					во	STO	N, M	ASS.	•										
	All causes	11,765	2,246	475	179	127	93	217	340	814	1,154	1,363	1,429	1,580	1,148	517	82	1	
1 2	Typhoid fever Typhus fever	· 60			2				11	22	15	6	2	2					
3 4	Malaria	3 1						1 1		····i		ī							
5	Smallpox. Measies Scarlet fever	71 77	15	25 12	15 12	8 15	4	3 16	6		ī								
7 8	Scarlet fever Whooping cough Diphtheria and croup Influenza	102	51 27	34 25	8 15	3 12	4 14 2 9	28	6	6	2	4	2						
9 10	ASIRGE CHOICES	1	2				1				2 1	4 4 1	3	13	4	3	1		
10 11 12 13 14 15 16 17 18 19 20 21	Cholera nostras Other epidemic diseases	75	26	3					····i	6	<u>2</u> 272	11	9	8	2 5	3	1		
13 14 15	Tuberculosis of the lungs Tuberculous meningitis Other forms of tuberculosis	134	14 35 6	10 29	5 19	6 9	3 5	8 15	· 80 9 6 2	245	3	201	111	79 1	16	1   <u>-</u> -			
16 17	Cancer and other malignant tumors Meningitis	71 766 84	26	2	1 5	7 1 3	6	6	2 11	8 10 18 6	50	132	204	193	124	37	····i		
18 19	Cerebral hemorrhage and softening Organic diseases of the heart	626 1,308	8 5	29 5 2 14 1 3 14	3	<u>.</u>	2 1 1	5	37	7 46	50 3 38 94	3 74	110	175 336	144 288	63	5 13		
20 21	Acute bronchitis Chronic bronchitis	75 65	$\frac{41}{2}$		2	î	ī	12 1	2		4	74 148 2 5 126	203 2 10	1 10	5 16	118 3 14	2		
22 23a 23b	Pneumonia Bronchopneumonia	1,005 422	125 182	2 72 65 5	31 19 1	10 4	8 6	18 5	25 4	57 7	125 10	126 14	135 22 10	143	83 30	38 15	9 2		
24	Other diseases of the respiratory system.  Diseases of the stomach	80 76	7 10		2	4 1	i	18 5 1	25 4 2 1 2	57 7 5 10	125 10 11 5 4	14 13 11 7 14	6	37 11 14	6	38 15 5 5	2 2		
25(37) 26	Diarrhea and enteritis. Appendicitis and typhlitis	799 104	654	79	6	8 2	2	12 12	12	19	20	7 14	6 10	8 8 13	12 2 16	<u>2</u> 6	3		
27 28 29	Hernia, intestinal obstruction Cirrhosis of the liver Acute nephritis and Bright's disease	114 88	25 9			2	1	2	1 <u>:</u> -	7	12 13	7 20	18 21	25	6	2	2	•••••	
30 31		681 66 65 68	9	4	2		2	3	7 4 6	29. 14 35	70 16 21	112 20 3	147 12	152	109	32	3		
* 32 33	Puerparal fever Other puerperal affections Congenital debility and malformations	68 592	578	8		1		i	4	22 1	36 2	6							
34 35	Violent deaths (excluding suicide)	592 29 863	22	23	13	17	14	35	46	98	141	155	129	2 80	6 49	16 35	5		
36 (37)	Other defined diseases.	128 1,804	364	35	15	16	10	36	3 51	27 99	37 135	23 223	21 217	80 12 249	210	118	25	1	
38	Diseases ill-defined or unknown	40	7	4	1			1			3	8	9	6	1				
	·			c	AME	BRID	GE,	MAS	s.										
-	All causes	1,617	297	54	36	25	18	41	74	91	133	145	190	203	187	107	14	2	
1	Typhoid fever	3								1		1							
2 3	Typhus fever Malaria Smallpox Measles	·····i							····i										
4 5 6	Measles Scarlet fever	10	1	4	2		3												
7 8	Whooping cough. Diphtheria and croup.	3 - 24 42	13 2	5 5	3 5	3 8		1 10	2 :										
9 10	Influenza Asiatic cholera	8	ĩ				6		5	ī		1	1		3	. 1			
11 12	Cholera nostras Other epidemic diseases	6	1											i		3	1		
13 14 15 16 17 18 19	Tuberculosis of the lungs Tuberculous meningitis	178 15 14	1 1 1	<u>4</u>	2	3	i	· 1	26	37 1	53	33	18	1 7	2				
16	Other forms of tuberculosis.  Cancer and other malignant tumors	111		2	1				5	1	2	1 23	2 26	27	20	9	1		
18	Meningitis.: Cerebral hemorrhage and softening Organic diseases of the heart.	91	1 2	1	1					····i	2 9	1 5	15	33	18	14	••••2		
20 21	Acute bronchitis. Chronic bronchitis.	184 16 10	10	i	2 2	1		3	7	4	9	19 	28	47	43	17	3		
20 21 22 23 <i>a</i> 23 <i>b</i>	Pneumonia Bronchopneumonia	126 37	21 16	10 8 1	5 3	1 1	2 1		1 4 1	4	14	11	1 26	12 2 1	3	3			
23 <i>b</i> 24	Other diseases of the respiratory system.  Diseases of the stomach	13 18	3 7	1						2 1	<u>2</u>	1 1	1 2 2 1 1 2	1	3 2 1	1 1			
25(37)	Diarrhea and enteritis	101 6	83	9	1	1			1 2		ĩ	1 2	1	2	î				
26 27 28	Appendicitis and typhlitis. Hernia, intestinal obstruction. Cirrhosis of the liver. Acute nephritis and Bright's disease	12 4	1			ĩ			ĩ			1 2 1 2 1 1	2	3	3 1				
28 29 30	Diseases of the female genital organs	94 8	1		1			3	1	4	12 5 2	9	16 	18	19	9	1		••••••
31 32 33 34 35 36	Puerperal fever Other puerperal affections	8 11								, 6	2 4	····i							• • • • • • • • • • • • • • • • • • • •
34 25	Congenital debility and malformations. Senility. Violent deaths (excluding suicide)	84 12	82		;-	;-		1	1				1 8	1	2 7	<u>5</u>	····2	ĭ	
36 (37)	SuicideOther defined diseases	94 6 259	41	$egin{array}{c} 2 \\ \cdots \\ 1 \end{array}$	4 4	4	4 		7	6 2	8 1	9	2	• 13	1	7			
38	Diseases ill-defined or unknown	259	1	1	<del>4</del>	1	1	<del>7</del>	9	12	14	19	35	33	50	27	4	1	• • • • • • • • • • • • • • • • • • •
	79/809_1291	·	·		<u> </u>		<del></del>								!	1	1	1	·

nt.									DEAT	HS AT	AGE O	F—			=				
Abridged Int. List No.	CAUSE OF DEATH.	All deaths.	Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	to 19 years.		80 to 89 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.		100 years and over.	Deaths at un- known age.
	•	<u>.</u>	····	16	ALL	RIV	ER,	MAS	s.	<del></del>									
	All causes	2, 134	810	160	55	24	16	36	62	104	137	146	175	206	137	58	7	1	
1 2 3 4 5 6 7 8	Typhoid fever Typhus fever Malaria Smallpox Measles Scarlet fever Whooping cough Diphtheria and cough	46	16 9 2	17 17 1 7	7	3 1 2	2	1	1	4	2	3	2						
9 10 11 12 13 14	Asiatic cholera Cholera nostras Other epidemic diseases Tuberculosis of the lungs Tuberculous meningitis Other forms of tuberculosis.	5 7 167 7 ,11	5 3 1 1	2 1 1	1	1	3	5 1 4	1 1 18	44	39	28	17	1 1 1 12	1 1	1 3			
16 17 18 19 20 21 22 23a	Cancer and other malignant tumors. Meningitis Cerebral hemorrhage and softening Organic diseases of the heart Acute bronchitis Chronic bronchitis Pneumonia Bronchopneumonia	22 77 169 43 22 140	1 7 1 35 1 55 50	6 5 4 3 18 23	3 1 11 7	7 2	1 1 1 1	1	7	1 1 4 1 4	7 1 3 11 1 5	16 1 12 18 1 7	17 13 30 8 8	28 20 55 5 10	17 19 25 8 5	7 10 2 3 2	i 1	1	
23 b 24 25(37) 26 27 28 29 30	Other diseases of the respiratory system. Diseases of the stomach. Diarrhea and enteritis. Appendicitis and typhiltis. Hernia, intestinal obstruction. Cirrhosis of the liver. Acute nephritis and Bright's disease.	8 25 420 14 16 13 115	2 11 347 1	1 44 1	8	1 1 1	2	2 1 2 4	2	1 2	1 2 2 1 1 1 12	2 3 2 2	2 2 7 1 4 27	1 3 1 7 6 27	3 3 1 1 1	1 2 1 1 2	i		
31 32 33 34 35 36 (37)	Diseases of the female genital organs. Puerperal fever. Other puerperal affections. Congenital debility and malformations. Senility. Violent deaths (excluding suicide). Suicide. Other defined diseases.	57 22 246	162 6 84	5	6	2	1 2	1 5	2 2 1 13	2 8 5 4 10	10 3 17	1 5 6 22	7 1 32	3 4 18	6 4 2 23	8 1 1 8	2 1		
38	Diseases ill-defined or unknown	16	8	4	LO	WEL	L, M	ASS					2	2				<u> </u>	
	All causes	l	486	97	35	21	10	32	54	127	153	161	204	237	197	98	13		
1 2 3 4 5 6 7 8 9 10	Typhoid fever Typhus fever Malaria. Smallpox Measles Scarlet fever Whooping cough Diphtheria and croup Influenza Asiatic cholera Cholera nostras.	13 5 17 17 4	6 10 1	3 3 4 2	4	1 4	1 2	1 1 5	1	2	1	4		1		3			
12 13 14 15 16 17 18 19 20	Other epidemic diseases. Tuberculous meningitis. Other forms of tuberculosis. Cancer and other malignant tumors. Meningitis. Cerebral hemorrhage and softening Organic diseases of the heart. Acute broughtis.	125 30 12 82 26 100 198 39	1 14 2 9 1 26	5 4 5	3 3 2	2	2	1 2 1	11 2 1	1 46 2 3 1 1 1 7	32 1 1 6 1 4 12	18 18 1 8 24	25 16 40	16 16 1 31 55	2 1 14 32 38	2 6 15	1 3		
23 a 23 a 23 a 24 25 (37) 26 27 28 29 30	Pneumonia Bronchopneumonis. Other diseases of the respiratory system. Diseases of the stomach. Diarrhea and entertits. Appendicitis and typhlitis. Hernia, intestinal obstruction. Cirrhosis of the liver. Acute nephritis and Bright's disease. Diseases of the female genital organs.	118 43 25 11 243 16 21 13 90	14 19 2 5 187 4	33 2 33 2	2 4	3 1	i	5 1 1 2 1	3 1 5	1 1 3 1 5 4	14 2 2 2 3 2 2 6 3	13 1 3 1 2 2 3 11 3	15 2 4 1 5 5 16 2	16 5 1 1 5 2 2 18	11 1 4 1 3 1 17 17	24	1		
31 32 33 34 35 36 (37) 38	Puerperal fever Other puerperal affections. Congenital debility and malformations. Sen'ility Violent deaths (excluding suicide). Suicide. Other defined diseases. Diseases ill-defined or unknown.	11 136 38 127 22 274	136 7 39 1	3	2 5	3	1	6 4	7 1 9	7 6 21	18 3 25 1	16 6 23	18 4 36	2 19 2 47 1	6 12 42	25 8 17	5		

nt:									DEA	THS A	P AGE	of—					-:		
Abridged Int. List No.	CAUSE OF DEATH.	All deaths.	Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.		30 to 39 years.			60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 years and over.	Deaths at un- known age.
				٧	VOR	CEST	ER,	MAS	ss.	·	·		<u> </u>	<b>1</b>	<u> </u>		•		<u>.                                      </u>
	All causes	2,362	447	68	25	25	16	45	80	157	188	242	254	330	318	148	18		1
1 2 3 4 5 6 6 7 8 9 9 11 12 13 14 5 16 17 8 19 23 23 6 23 6 25 (37) 26 27 28 28 28 28 28 28 28 28 28 28 28 28 28	Typhoid fever. Typhus fever. Malaria. Smallpox. Measles. Scarlet fever. Whooping cough. Diphtheria and croup. Influenza. Asiatic cholera. Cholera nostras. Other epidemic diseases. Tuberculosis of the lungs. Tuberculosis of the lungs. Tuberculosis of the lungs. Tuberculosis of the lungs. Cother forms of tuberculcsis. Cancer and other malignant tumors. Meningitis. Cerebral hemorrhage and softening. Organic diseases of the heart. Acute bronchitis. Chronic bronchitis. Pneumonia. Bronchopneumonia. Other diseases of the respiratory system. Diseases of the stomach. Diarrhea and enteritis. Appendicitis and typhlitis Iternia, intestinal obstruction.	17 17 173 29 119 112 344 20 23 167 80 27 17 145	1 4 3 2 2 8 2 4 4 3 12 13 28 5 106	3 1 3 4 1 2 2	2 1 4 1 1 1 2	1 3 1 1 2	1 1 1	1 4 1 13 13 2 2 2 1 1 2 2 1 1	5 5 14 13 2 14 2 14	39 4 1 4 2 11 11 14	2 43 11 15 22 12 4	3 34 1 16 7 34 1 29 6 2 1 3	16 16 15 40 13 25 66 22 55	1 1 8 29 83 7 36 4 4 31 23	2 8 26 38 97 2 8 14 9 5 2 4 1	7 17 41 2 7 3 5 2 2	3		
27 28 29 30 31 32 33 34 35 36 (37) 38	Acute nephrifis and Bright's disease.  Diseases of the female genital organs.  Puerperal fever Other puerperal affections. Congenital debility and malformations. Senility.  Violent deaths (excluding suicide) Suicide. Other defined diseases. Diseases ill-defined or unknown.	24 21 11 109 12 9 10 173 18 139 20 431 7	169 5 63 1	3 2 5 1	i i DETI		<u>-</u>	1	1 10 11 11	2 4 4 5 5 5 20 6 24	3 1 2 11 2 1 4 4 19 3 44 2	11 5 3 11 5 3 1 23 22 55	15 160	24 1 1 15 4 66	3 10 3 57	1 13 12 5	1 2 4		1
7	All causes	7,110	1,869	313	117	97	66	194	265	640	583	598	692	714	607	309	43	1	2
1 2 3 4 5 6 6 7 8 9 9 0 111 113 114 115 116 117 118 119 2 21 22 23 25 24 27 228 23 33 34 33 6 7 38 25 25 27 28 29 29 20 30 31 22 25 25 27 28 29 20 30 31 22 25 25 27 28 29 20 30 31 25 25 25 27 28 29 20 30 31 25 25 25 25 25 25 25 25 25 25 25 25 25	Typhoid fever Typhus fever Malaria. Smallpox Measles. Scarlet fever. Whooping cough Diphtheria and croup Influenze. Asiatic cholera. Cholera nostras. Other epidemic diseases. Tuberculous meningitis. Tuberculous meningitis. Cancer and other malignant tumors Meningitis. Carebral hemorrhage and softening. Organic diseases of the heart Acute bronchitis Pneumonia Bronchopneumonia. Other diseases of the respiratory system Diseases of the stomach Diarrhea and enteritis. Appendicitis and typhitis. Hernia, intestinal obstruction Cirrhosis of the liver. Acute nephritis and Bright's disease. Diseases of the female genital organs. Puerperal fever Other puerperal affections. Congenital debility and malformations Senility Violent deaths (excluding suicide) Suicide. Other defined diseases	78  3  46  64  27  167  20  143  487  32  43  321  109  559  559  570  63  377  98  137  530  143  56  49  212  100  1,084  42	13 3 15 3 10 5 3 45 7 10 43 49 150 9 9 59 405	2 16 6 6 22 2 4 4 2 11 10 19 52 7 7 81 1 1 1 1 1 1 1 1 1 1 1 1 1	7 5 1 6 6	1 15 3 23 23 21 16 6 22 11 11 11 8 11	1 9 18 2 2 5 5 2 2 1 1 3 3	5 13 163 2 4 4 2 6 6 8 10 1 1 2 3 3 7 6	2 2 5 14 1 1	27 1 1 2 4 1 1 2 175 1 9 6 6 7 4 3 8 1 3 3 3 2 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	18 1 1 1 2 108 108 11 11 13 4 4 7 44 11 11 16 7 7 10 11 11 13 15 15 22 21 21 21 21 21 21 21 21 21	11 2 3 59 5 5 28 72 6 45 7 10 6 23 3 10 23 44 44 47 11 10 24	3 1 1 3 3 3 3 6 2 97 7 3 4 4 102 2 5 5 5 10 11 1 9 9 1 6 7 5 7 7 8 7 8 7 8 9 9 1 9 1 9 1 8 1 8 1 8 1 8 1 8 1 8 1	2 2 4 16 2 88 134 1 1 1 4 4 3 4 3 2 3 1 1 1 4 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	7 4 6 6 89 9 9 19 32 16 13 7 7 2 2 45 1 1	12 18 45 6 11 10 9 9 2 2 2 4 15 16 49	1 1 22 2 2 2	1	2

TABLE 7.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN EACH CITY OF 100,000 POPULATION OR OVER IN 1910, BY CAUSE OF DEATH (ABRIDGED INTERNATIONAL LIST), AND BY AGE OF DECEDENT: 1911—Continued.

÷.									DEAT	THS AT	AGE C	)F—		<u></u> .					
Abridged Int. List No.	CAUSE OF DEATH.	All deaths.	Under 1 year.	i year.	2 years.	3 years.	4 years.	5 to 9 years.	to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 years and over.	Deaths at un- known age.
			•	GR	AND	RA	PIDS	s, мі	CH.										
	All causes	1,580	270	59	23	12	12	34	52	121	116	126	176	202	235	130	11	1	
1 2 3 4 5 6 7	Typhoid fever Typhus fever Malaria Smallpox Measles Scarlet fever Whooping cough Djphtheria and croup	31 2 18 6 6 12	6	8 1 2	2 1 2	1	2	2 2 2	1	7	3	1	3	1	2				
9 10 11 12 13 14 15	Influenza. Asiatic cholera Cholera nostras. Other epidemic diseases. Tuberculosis of the lungs Tuberculous meningitis. Other forms of tuberculosis. Cancer and other malignant tumors. Meningitis.	8 101 9 18 99 13	1 1 2 2	1 1		1	1 1 1	3	10 1 1 1 1 3	40 1 2 1	2 24 1 6 7	1 11 11 14 1	5 1 24	1 7 2 16	2 4 2 2 29 1	1 5			
15 16 17 18 19 20 21 22 23a 23b 24	Cerebral hemorrhage and softening. Organic diseases of the heart. Acute bronchitis. Chronic bronchitis. Pneumonia. Bronchopneumonia Other diseases of the respiratory system. Diseases of the stomach.	101 142 17 13 96 40 21 41 83	14 17 2 13	5 9 9	1 2 2 3	1 1 1 1 1	3	2 2 2	1 1 4 1		3 4 9 5 2 1	8 15 1	9 35 1 2 9 1 2 5	32 29 2 14 3 5	35 42 2 2 12 12 3 1	13 18 2 6 5 3 3	1 1		
25(37) 26 27 28 29 30	Diarrhea and enteritis. Appendicitis and typhitis Hernia, intestinal obstruction Cirrhosis of the liver. Acute nephritis and Bright's disease. Diseases of the female genital organs. Puerperal fever. Other puerperal affections. Congenital debility and malformations.	17 23 13 91 20 12 12	57 3 5	15	3 1 1	2		1	3 1	4 4 7	1 4 2 7 6 4 5	1 2 3 1 14 4 1 2	1 4 4 17 3	3 3 24 2	1 1 1 4 15 1	3 1 4			
31 32 33 34 35 36 (37) 38	Congenital debility and malformations. Senility. Violent deaths (excluding suicide). Suicide. Other defined diseases Diseases ill-defined or unknown.	110 71 63 25 231 10	2 26	1 4 2	3	3	i	3	6 2 6 1	17	2 2 16	13 5 20 1	6 7 32 1	4 6 3 38 2	20 8 42	39 1 1 20 2	1	i	
		T	11		MIN	NEA	POL	IS, N	IINN	T•	1	1	T	1	J		<u>.                                    </u>	1	<del></del>
	All causes	3,572	601	89	49	42	-	_			364	413	428	362	376	190	25		
1 2 3 4 5 6 7 8 9	Typhoid fever. Typhus fever. Malaria. Smallpox. Measles. Scarlet fever. Whooping cough. Diphtheria and croup. Influenza. Asiatic cholera.	37 1 1 4 19 48 74 7	1 1 2 1 32 2			1 2 3 13	1	- 1 7 1		i	·····ż	i	1	i	1	ī			
11 12 13 14 15 16 17 18	Cholera nostras. Other epidemic diseases. Tuberculosis of the lungs. Tuberculous meningitis. Other forms of tuberculosis. Cancer and other malignant tumers. Meningitis. Cerebral hemorrhage and softening.	1 19 416 24 40 242 242 138	11 11	3	3 1	. 3	1 2	i	3	2 2		6 59 2	1 26	2 49 32	1 31 45	14	i		
19 20 21 22 236 237 24 25(37) 26 27 28 29	Organic diseases of the heart. Acute bronchitis. Chronic bronchitis. Pneumonia. Bronchopneumonia. Other diseases of the respiratory system Diseases of the stomach.	296 13 200 1899 164 26 38 159 71 38 44 239	15 74 3 8 119 1 8	15 2 1 18 2	3 7	1		1 1	9 1 1 11 2	) 19 1 3 1 3 1 17 2 1		27 7 1 3 2 9 5 6 6	1 34 6 3 4 2 5 10 11 40	5 26 11 2 5 3 6 4 9	2 5 18 19 2 10 3 2 2 4 52	7 14 8 3 1 3	2		
30 31 32 33 34 35 36 (37 38	Diseases of the female genital organs. Puerperal fever. Other puerperal affections. Congenital debility and malformations. Sentility Violent deaths (excluding suicide). Suicide.	211 25 211 51 214 63	204	7	6	.1		i 8		2 12 5 38 . 12	25 13	34 14	35 19	1 16 4	17 14 1	9	2		

TABLE 7.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN EACH CITY OF 100,000 POPULATION OR OVER IN 1910, BY CAUSE OF DEATH (ABRIDGED INTERNATIONAL LIST), AND BY AGE OF DECEDENT: 1911—Continued.

·		7	ues men								Ny Sta	·····							
nt.									DEA	tas at	AGE (	of—							
Abridged Int. List No.	CAUSE OF DEATH.	All deaths.	Under 1 year.	1 year.	2 years.	g years	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 89 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 years and over.	Deaths at un- known age.
				<del>'</del>	ST.	PAI	JL, N	INN		,		J	l .	J		<u> </u>	1	<u>.                                    </u>	,
	All causes	2,386	449	58	24	34	22	60	102	245	226	254	288	273	224	104	20	2	1
1	Typhoid fever Typhus fever	23			<u>_</u>					7	4	6	2	2	1				
2 3	Typhus fever Malaria				•••••														
4 5	Malaria Smallpox Measles	2	1											i					
6	Scarlet fever	35	1 9	1 7	6	5	5	6	5	3	2			i					
7 8	Scarlet fever. Whooping cough. Diphtheria and croup Influenza. Asiatic cholera.	35 22 72	9 7	7 10	4	1 10	2 7	2 19	5 1 12	3								:-	
9 10	Influenze	12	2						ĩ					4	4	i			••••••
10 11 12 13 14 15																			
13	Other epidemic diseases Tuberculosis of the lungs Tuberculous meningitis Other forms of fuberculosis	15 245	3 2		<u>i</u> -			···-i-	21	83	1 58	3 32	5 25	1 16	2 4	2			
14 15		245 21 29 165	2	3	3	3 1		1 1 2	21 3 4 1	4	ī	32 1							••••••
16 17	Cancer and other malignant tumors	165							ī	12 4 3	58 1 3 14 1	28	2 41	$\frac{42}{2}$	26	8		1	
18	Cerebral hemorrhage and softening Organic diseases of the heart	106	9	3	2	1		3	1		3	28 2 11	41 2 11	31	33	14	~i		
19 20 21		28 106 222 22 11 130 73 19 20 106 46	1 16		····i	1		1	6	14	18	23	53	40	40 2	21	1		
21 22	Chronic bronchitis. Pneumonia	11 130	16	3	<sub>i</sub> -	3		2-	•••••	12	14	20	1 18	1 4 21 5	3 16	2 3	· ī		
23a 23b	Pneumonia. Bronchopneumonia. Other diseases of the respiratory system.	73 10	39 1	10	$\frac{1}{2}$	3 1	1	2 1 1		2		20 2 3 1	4	5	,4	2			
24		20	6			<u>-</u> -			····i	1 1	2 3	1	3 1	4 1	3	3 1			<del>-</del>
25(37)	Diarrhea and enteritis Appendicitis and typhlitis Hernia, intestinal obstruction	46	88	8		1	1	4	11	2 12	6	1	1 4	2	1	2			
27 28	Cirriosis of the liver	21 18 136	5						1	1	6 2 2	4	4 3 5	2 2 5	3 1	2			
29 30	Acute nephritis and Bright's disease Diseases of the female genital organs	136	4			1			6	10	20	16	22	32	19	4	2		
31	Puerperal fever	14 18							i	7	1 8	4 2	•5						
33	Other puerperal affections. Congenital debility and malformations.	12 172	169	i				2	1	5	6								
22 23a 23b 24 25(37) 26 27 28 29 30 31 32 33 34 35	Senility Violent deaths (excluding suicide) Suicide	41 127	4		3-	····i	<u>i</u>	3	12	21	22-		14	1 10	19 2	15 3	5	1	
36 (37)	Other defined diseases	35 365	62			<u>4</u>	4	8	13	6 28	22 11 24	24 11 47	59	3 40	<del>4</del> 0	21			
38	Diseases ill-defined or unknown	3	ī			····								2		21	6		· · · · · · · · · · · · · · · · · · ·
	· · · · · · · · · · · · · · · · · · ·		K	ANS	AS C	ITY	, MO	). (T	OTAI					•		•	, ,	,	
<del></del> 1	All causes.	3,961	587	87	36	33	16	68	163	460	469	506	501	474	356	180	94	,	
1	Typhoid fever	77						4	14	27	14	9	301			190	24	1	
$\begin{bmatrix} \bar{2} \\ 3 \end{bmatrix}$	Typhus fever Malaria											9		4	1				
4 5	Smallpox.	8	i					1	····i	1	····i	3-	1	1 1					
6 !	Measlês. Scarlet fever	8 14	5	2	····i·	2	i	6	····i	···i	1								
7 8	Whooping cough. Diphtheria and croup	8 14 26 32	1 15 1	2 5 3	4 5	1 5	1 1 3	8	5										
9	Influenza Asiatic cholera	58	3	ĭ į.					ĭ	3	4	5	ii	8	ii	7	3	····i :	
11 12	Cholera nostras Other epidemic diseases																		
13	Tuberculosis of the lungs	28 386 13	4 2 2 1 1 7 2 3	1 5 1	1		i	1 3 2 1 1 3	33	121	2 78	78	42	18	5 4	1			
14 15	Tuberculous meningitis Other forms of tuberculosis.	34	$\begin{bmatrix} 2 \\ 1 \end{bmatrix}$ .	1	1	···· <u>·</u>		2	33 2 1 1 8	121 2 9	78 2 7 19 5 13 33	1 8	4	····i					
15 16 17 18 19	Cancer and other malignant tumors Meningitis	236 42	1 .	5	····i	···· <sub>2</sub> ·	1	1 3	1	10 6	19	49	67	49	27	11			
18	Cerebral hemorrhage and softening Organic diseases of the heart	171 345	<u> </u>						4	17	13	23	30 l	37	43	16	2		
20	Acute bronchitis	28 19	15	5	$\frac{1}{1}$ .	1	i	4 1	4	1	33	35	59	91	43 65 2 5	29	3		
22	Chronic bronchitis Pneumonia	211 1	1 29 27	10 10	4	7	· · · i	4	1 14	34	40	45	2 35	39	5 35	12	~ 1		
236	Bronchopneumonia. Other diseases of the respiratory system.	72 39 55	27	10	2 3	$\frac{2}{1}$		1	3	2	2 2 6	2	1 6	5	8 4 8	7	-	·  -	
24	Diseases of the stomach Diarrhea and enteritis	55 178	8 7 125	3 19	5	<u>i</u> -		i	3	2 2 2 1 17	6	58189123511452665766	35 1 6 8 2	39 5 7 7 5	8	4			
26	Appendicitis and typhlitis	53						3	12	17	3.	7	3	2 .	8	2	1		
28	Hernia, intestinal obstruction Cirrhosis of the liver	36 32	2	1		1		3 .	···i	6 2	9	6	8	4 5	1 4	1 .			
29 30	Acute nephritis and Bright's disease  Diseases of the female genital organs	261 50	3 -					. 1	1 5 3	2 20 17	21 13 14	39 12	53	57	42	18	2 .		
31	Puerperal fever Other puerperal affections	35 24							3	15	14 10	3							
33	Congenital debility and malformations	218	218						4	9									
34 35 36	Senility Violent deaths (excluding suicide)	39 320	9	77	4	6		9	16	59	61		1 43	23	12 14	18 12 1			
(37)	Other defined diseases	81 604	87	6	2			·11	21	24 49	18 74	16 79	43 15 90	3 23 5 90	12 14 1 56	33			
38	Diseases ill-defined or unknown	24	8	š	ĩ [.					ĭ	2	"ž	2	3 .		2			<del>-</del>
	• 1		<del></del>				<del>'</del>			<del>'</del>									

TABLE 7.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN EACH CITY OF 100,000 POPULATION OR OVER IN 1910, BY CAUSE OF DEATH (ABRIDGED INTERNATIONAL LIST), AND BY AGE OF DECEDENT: 1911—Continued.

it .							:		DEAT	THS AT	AGE (	)F—							
Abridged Int. List No.	CAUSE OF DEATH.	All deaths.	Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.		20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.		70 to 79 years.	80 to 89 years.	90 to 99 years.	100 years and over.	Deaths at un- known age.
			16	CANS	as ·	CITY	г, мо	). (W	HIT	E).									
	All causes	3,340	513	72	32	29	15	59	129	334	360	413	435	426	331	170	22	<u></u>	
1 2	Typhoid fever Typhus fever	67				1		3	11	26	11	7	3	4	1				
3 4	Malaria Smallpox	1 5						1		····i		3		<sub>i</sub> -					
5 6	Measles Scarlet fever	8	5 1	2	<u>i</u>	2		6	i		i	<b>.</b> -		ļ <del>.</del> .					
7 (	Whooping cough	13 25 29	15 1	2 4 3	4	1 5	1 1 3	8	4	····		····i							<b>-</b>
9 10	Diphtheria and croup Influenza Asiatic cholera	47	2	ĭ						2	2	4	8	8	11	6	3		
10 11 12 13	Cholera nostras Other epidemic diseases	28	4	i	i						2	5	4	4	5				
13 14	Tuberculosis of the lungs. Tuberculous meningitis.	256	$\frac{\hat{1}}{2}$	3	<u>i</u> -			2	18	71 1	51	57 1	34	16	3				
15 16	Other forms of tuberculosis	10 22 223 39	1 1		ļ <del>.</del> .	2	i	ļ <sub>1</sub> .	ĩ	10	2 3 17	7 45	3 63	1 46	27	11			
17 18	Meningitis Cerebral hemorrhage and softening	152	7 2	5	i	2	ļī.	3	2 1 1 7 2 4	6	8	17	4	34	42	16	2		<b>-</b>
10	Organic diseases of the heart	289 23 18	3 10	5	1	1	1	3	1 4	12 1	19	25 1	28 51	81	61	25	3		<b>-</b>
20 21 22 23 <i>a</i>	Chronic bronchitis	18 246	20	5	4	4	<u>i</u> .	l <del>.</del> .	13		<u>.</u>	1 1	20	4 35	2 5 33	4 12	$\frac{1}{2}$		
23a 23b	Bronchopneumonia. Other diseases of the respiratory system.	59 33	22	7	2 3	2	} <del>-</del>	1	1	22 2	1	35 1 4 5	29 1 4 6 2 3	4 7 6	8	17			
24 25(37)	Diseases of the stomach	45	6 112	3 16		<u>i</u> -		1	2	2 1	1 2 5 3 7 8 5	5 4	6	6 5	6 7	$\frac{4}{2}$	····i		
26 27	Appendicitis and typhlitis Hernia, intestinal obstruction	158 50 33	2	<u>i</u> -		<u>i</u> -		3	12	1 17 5	7	7 6	3	1 4	<u>;</u> .	i			
28	Cirrhosis of the liver	26 213	3	·				<u>.</u>	1 5 3	14	5 14	4	$\frac{7}{41}$	5 47	38	1 17	i		
28 29 30 31	Diseases of the female genital organs Puerperal fever	39 32							3	10 13	11 13	32 11 3	4						
32 33 34	Other puerperal affections	21 196	196						3	8	10								
34 35	Senility Violent deaths (excluding suicide)	32 266 77	6	7	4	6	4	8	13	43	49	43	1	2 18	9 11	16 11	$\frac{4}{2}$		
36 (37)	SuicideOther defined diseases	77 540	79	<u>.</u> 5	2	ļ	3	ii	1 19	21 39	18 62	43 15 67	1 41 15 79	5 85	53	33	3		
38	Diseases ill-defined or unknown	19	5	3							2	2	2	3		2			
			KA	.NSA	s ci	TY,	мо.	(CO:	LOR	ED).									•
	All causes	621	74	15	4	4	1	9	34	126	109	93	66	48	25	10	2	1	
1 2	Typhoid fever Typhus fever	10						1	3	1	3	2							
3	Malaria Smallpox	3 3	1						1	i	i		i	i					
4 5 6	Measles Scarlet fever	<u>i</u>				ii													
7	Whooping cough Diphtheria and croup	$\begin{bmatrix} \tilde{1} \\ \tilde{3} \end{bmatrix}$		1	i	·							• • • • • •	i-					
9	Influenza Asiatic cholera	11	i						1	i	2	i	3			i		i	
11 12	Cholera nostras Other epidemic diseases				<u>-</u>														
13	Tuberculous meningitis.	130	i	2			1	1 2	15	50 1	27	21	8	2	1	i			
15 16	Other forms of tuberculosis	12 13						ĩ		5	$\frac{4}{2}$	1 4	1 4	3					
17 18	Meningitis  Cerebral hemorrhage and softening	3 19							$\frac{1}{2}$		2 1 5	î 6		3	<sub>1</sub> -				
19	Organic diseases of the heart	56 5	5					1		5	14	10	2 8	10	4	4			
20 21 22	Chronic bronchitis. Pneumonia	1 65	9	5		3		2	····i	12	11	10	1 6	4	2				
23a 23 b	Bronchopneumonia Other diseases of the respiratory system.	13	5 2	3	<b>-</b>	l			2		î	1 2	2	Î	[ <del>-</del> -				
24	Diseases of the stomach Diarrhea and enteritis	10 20	1 13	3	2				i	i	1	1 1	2	1	2				
26 27	Appendicitis and typhlitis Hernia, intestinal obstruction	3 3			<u>.</u>					····i	2		····i	1					
28 29	Cirrhosis of the liver. Acute nephritis and Bright's disease	6 48								$\frac{1}{2}$	7	2 7	1 12	10	1 4	ì	i		
30 31	Diseases of the female genital organs Puerperal fever	11 3								$\begin{bmatrix} & 0 \\ 7 \\ 2 \end{bmatrix}$	2 1	í	1						
32 33	Other puerperal affections	3 22	22				•••••		····i	í		1							
34 35	Senility Violent deaths (excluding suicide)	7 54					•••••	i	3	16	12	Ω	2	1 5	3	<u>2</u>	····i	•••••	
36	Suicide	4	3	;-					2	3 10	12	8 1 12	···ii	5				••••	
(37) 38	Other defined diseases	64 5	8	1 	····i					10					3				
- 1			<u> </u>		l	<u> </u>		l	<u> </u>	<u> </u>	1		<u> </u>	1	<u> </u>	<u> </u>	]	<u> </u>	

	· -	[THe cr	ties men	idea ii	ımısı	able al	re arra	ngeot an	pnane	Jeany	by sta	res.1							
ıţ.									DEAT	tes at	AGE (	of—				•			
Abridged Int. List No.	CAUSE OF DEATH.	All deaths.	Under 1 year.		2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.		80 to 89 years.	90 to 99 years.	100 years and over.	Deaths at un- known age.
				st	. Lo	uis,	мо	. (TC	TAL	).									
-	All causes	10,765	1,573	358	181	128	110	256	424	956	1,149	1,306	1,351	1,315	1,079	518	57	3	. 1
1 2	Typhoid feverTyphus fever	113	1		1			7	31	34	26	6	4	1	2				
3 · 4	Malaria Smallpox Measies	38	3	2		1	i	2	2	5	6	6	5	3	2				
· 5	Scarlet fewer	114 194	20 5	31 21	17 33	19 25	8 26	14 66	15	2 3	2		1						
7 8 9	Whooping cough Diphtheria and croup Influenza. Asiatic cholera	28 123	11 9 5	14 20	33 1 17 2	$\begin{array}{c} 1\\22\\1\end{array}$	17	1 24	8	<u>3</u>	2			<u>i</u>					
10	Asiatic cholera	113	5				z	1	4		10	11	12	18	26	15			
12 13	Cholera nostras. Other epidemic diseases. Tuberculosis of the lungs. Tuberculous meningitis. Other forms of tuberculosis.	54 955	16	3 4	1	1 3	1 1	6	3 77	1 290	6 288	5 147	6 88	28 28	6 14	3			
14 15	Tuberculous meningitis Other forms of tuberculosis	72 80	12 3 1	10 4	10 2	1	2	6 5 4	8 9	7 18	12	4 10	1 9	2	1 2				
16 17	Meningitis	592 67	ll 15	2 11	4 1	3	2	6	6 5	9 7 8	43 4	117	165 3	154	67	27	1		
19 20	Cerebral hemorrhage and softening Organic diseases of the heart	1,027 115	9 7 58	1 ii	1 6	i	2 1	1 12	46 1	61	22 84 4	45 130	74 192 5	111 198 4	106 180	29 98 8	5 14	····i	
11 12 13 14 15 16 17 18 20 21 22 23a	Acute bronchitis Chronic bronchitis Pneumonia	104 698	1 47	25 55	18	6	l	1 1 21	1 21	1 2 61	1 66	1 5 103	13	110	13 35 83	24 29	1 1 2		
235	Bronchopneumonia. Other diseases of the respiratory system. Diseases of the stomach.	341 117	II 104	55 4 1	20 4	10	.5 10 2	8	6 2	9 12 6 6	10 8 10	23 19 12 9	21 16 15	23 19 11	83 25 20	16 7 6	1		
25(37) 26	Diseases of the stomach Diarrhea and enteritis. Appendicitis and typhlitis. Hernia, intestinal obstruction.	93 739 94	3 20 512	99	1 14	6	7	9	. 4	6	10 15 24	12 9	15 10 8 19	11 15	8 21 1	6 9	3		<del>-</del>
27	Hernia, intestinal obstruction.	96 212	10	1			3	6	21 1 3 21 21	16 7 6	1 5	10 8 53 154 11	19 56	15 5 22 37	16 25 181	3 5	i		
28 29 30	Cirrhosis of the liver. Acute nephritis and Bright's disease. Diseases of the female genital organs	1,031	11		3	2	1	6	2 <u>1</u>	42 20 32	27 101 32 13	154	183	237 3	181	80	7	2	
31 32	Puerperal fever	56 30							6 4	32 13	13 12	5 1							
33 34 35	Diseases of the female genital organs.  Puerperal fever.  Other puerperal affections.  Congenital debility and malformations.  Senility.  Violent deaths (excluding suicide).  Suicide.  Other defined diseases.  Diseases ill-defined or unknown.	456 16	447	5	1	1		2				,	•••••	1 50	5	8	2		
36 (37)	Suicide	683 264 1,551	21 212	11 19	13 10	11 10	7 5	24 	54 9 53	114 61 94	113 48 151	117 59 230	82 42 210	29 207	38 12 187	26 3 121	$egin{array}{c} 2 \\ 1 \\ 1 \\ 15 \\ \end{array}$		
38	Diseases ill-defined or unknown	2,002	1	2			Ĭ	<u>-</u>					2		2				
				ST.	LOU	ıs,	мо.	(WH	ITE).										
. :	All causes	9,591	1,432	318	164	116	101	230	360	786	926	<u> </u>	<u> </u>	1,235	1,038	496	49		1
1 2 3	Typhoid fever. Typhus fever Malaria Smallpox Measles	104 35	1 3	 2	1			7	27	32	24	<u>-</u> -	4	1	2				
4 5	Smallpox Measles	111			17	1 17	1 8	1 <u>14</u>	2	2	6. 2	5	5 1	3	2				
6	Scarlet fever. Whooping cough Diphtheria and croup.	190 27 119	20 5 11	30 21 13 19	17 33 1 16	17 25 1 22	25	64	14	3									
8 9 10	IIIIuenza	119 107	7 4	19 	16 2	22 1	17 2	24 1	8 4	3 6	10 10	9	9	1 18	26	15			
11 12	Asiatic cholera Cholera nostras Other epidemic diseases	2 49	2 16	3			1		2		<u>-</u>	5	6		5	2			
13 14	Tuberculosis of the lungs Tuberculous meningitis	2 49 754 62 59	16 6 10 2 15 8 7 48 1 42 93 3 17		1 1 9 1	1 3 3 1		1 4 2	2 57 7 5	1 218 6 14 9 7 5 48 1	227 4	123 4	80	2 25 1	13 1				
15 16 17 18 19	Other forms of tuberculosis.  Cancer and other malignant tumors	560	2 1	10 2 1	[		3		5 6 5	14 9	10 40	4 8 109	8 155	147 2	65	27			
18	Meningitis  Cerebral hemorrhage and softening  Organic diseases of the heart.	65 372 879 94	15 8 7	10 1	4 1	3	2	6	42	5	18 57	4 39 98	155 3 64 157	101	103	28 94	4 10		
20 21 22 23 <i>a</i>	Acute bronchitis. Chronic bronchitis	เ ฑกก	48	6 2	4	1	1	12 1 1		1	3		137 13	101 180 3 18 107 21 17 11 14 5 22 36 219	103 172 13 35 78 25 20 8 20 1 15 25 171	8 23	1 1		
$\frac{22}{23a}$	Bronchopneumonia	610 297	42 93	21 44	15 17	5 9	8 2	17 8	15 6	45 8	55 8	89 18	88 17	107 21	78 25	27 14	2 1		
23b 24	Other diseases of the respiratory system.  Diseases of the stomach	610 297 104 88 681	3 17	21 44 3 1 93	3 1		1		2 1	11 6	7 10	16 12	12 13	17 11	20 8	8 23 27 14 7 6 8	1 1		<del></del>
25(37) 26 27	Diarrhea and enteritis. Appendicitis and typhlitis. Hernia, intestinal obstruction.	681 89 94	469 10	93	14	6	7 2 3	1 8 6 1	20	· 14	13 22	10	10 8	14 5	20 1				
26 27 28 29	Cirrhosis of the liver	198 918	10		3	1	1	4	6 2 1 3 20 1 18	5 34	21 78	5 89 18 16 12 8 10 8 50 137	5 13 88 17 12 13 10 8 18 55 161	36 219	25 171	3 5 75			
30 /	Diseases of the female genital organs Puerperal fever	61 52							1 5	45 8 11 6 14 7 5 34 17 31 13	55 8 7 10 13 22 5 21 78 25 11	· 10	5	3					
- 20	Other puerperal affections	24							3	13	7	· 1							
. 31 32 33	Congenital debility and malformations.	418	409	5	1	1		2											
34 35	Congenital debility and malformations Senility	418 16	409 19	10	<u>11</u>	<u>.</u> 9	7	22	48	92	83	· 104	72	1 47	5 37	8 25	2 1		····i
33 34 35 36 (37) 38	Congenital debility and malformations.	418							48 9 48	92 59 79	83 46 123	·104 59 193	72 42 192	1 47 29 197	5 37 12 181 2	8 25 3 118	2 1 1 15		i

TABLE 7.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN EACH CITY OF 100,000 POPULATION OR OVER IN 1910, BY CAUSE OF DEATH (ABRIDGED INTERNATIONAL LIST), AND BY AGE OF DECEDENT: 1911—Continued.

nt.					···· <u>-</u> -			Di	EATHS	AT AG	e of—								
Abridged Int. List No.	CAUSE OF DEATH.	All deaths.	Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	80 to 39 years.	40 to 49 years.	50 to 59 years.		70 to 79 years.			100 years and over.	Deaths at un- known age.
				st. I	oui	s, м	O. (	COL	OREI	<b>)</b> ).									
	All causes	1, 174	141	40	17	12	9	26	64	170	223	172	146	80	41	22	8	3	
1 2 3 3 4 5 6 6 7 8 9 9 10 1 12 13 14 4 15 6 17 8 19 20 12 23 23 5 24 7 28 9 30 1 2 2 3 3 3 4 5 6 3 3 7 2 8 9 3 1 2 3 3 3 4 5 6 3 3 7 2 8 9 3 1 2 3 3 3 4 5 6 3 3 7 2 8 9 3 1 2 3 3 3 4 5 6 3 3 7 2 8 9 3 1 2 3 3 3 4 5 6 6 7 2 8 9 3 1 2 3 3 3 4 5 6 6 7 2 8 9 3 1 2 3 3 3 4 5 6 6 7 2 8 9 3 1 2 3 3 3 4 5 6 6 7 2 8 9 3 1 2 3 3 3 4 5 6 6 7 2 8 9 3 1 2 3 3 3 4 5 6 6 7 2 8 9 9 10 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	Typhoid fever Typhus fever Malaris Smallpox Measles Scarlet fever Whooping cough Diphtheria and croup Influenza Asiatic cholera Cholera nostras Other epidemic diseases Tuberculous meningitis Other forms of tuberculosis Cancer and other malignant tumors Meningitis Cerebral hemorrhage and softening Organic diseases of the heart Acute bronchidis Chronic bronchidis Chronic bronchidis Pneumonia Bronchopneumonia Other diseases of the respiratory system Diseases of the stomach Disrhea and entertis Appendicitis and typhilitis Hernia, intestinal obstruction Cirrhosis of the liver Acute nephritis and Bright's disease Diseases of the female genital organs Puerperal fever Other puerperal affections Congenital debility and malformations Senility Violent deaths (excluding suicide) Suicide Other defined diseases	9 3 3 4 1 1 6 20 10 21 22 2 2 40 40 40 88 88 41 13 55 58 5 5 5 14 13 16 16 16 16 16 16 16 17 18 18 18 18 18 18 18 18 18 18	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	1 1 1 1 2 2 1 1 1 6	1 1 2 3 3 1 1 2 2 2 2 2 2	1 1 1 2 2 2 4 4	1 1 1 2	1 2 2 1 1 1 2 2 2 5 5 5 5	1 1 20 1 4 4 1 1 1 6 6 5 5 5	72 1 4 4 3 13 13 13 1 1 1 2 2 2 2 2 2 15 1 1 1 1 1 1 1 1 1	2 61 2 2 3 3 4 27 1 11 2 2 2 1 2 2 3 3 30 2 2 5	1 2 2 2 8 1 6 32 1 1 14 5 3 17 1 1 1 3 37 37	3 8 8 1 1 1 10 10 35 13 4 4 4 2 2 3 3 3 10 10 18	3 3 1 1 7 7 100 18 1 1 1 18 3 2 2 2 1 1 1 18 3 3 3 1 10 10 10 10 10 10 10 10 10 10 10 10 1	1 1 1 2 3 8 5 5 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	1 1 2 2 2 1 1 1 3 3 3	1 1 4	1	
38	Diseases ill-defined or unknown				OM	IAH.	A, NI	EBR.											
	All causes	1,812	221	26	26	18	11	42	96	206	205	223	255	209	178	89	6	1	
1 2 3 4 5 6 7 8 9 10 11 12 12 14 15 16 17 18 19 20 21 22 24 25 25 25 25 25 25 25 25 25 25 25 25 25	Typhoid fever Typhus fever Malaria. Smallpox Measles Scarlet fever Whooping cough Diphtheria and croup Influenza Asiatic cholera Cholera nostras. Other epidemic diseases. Tuberculous meningitis Other forms of tuberculosis. Cancer and other malignant tumors Meningitis Cerebral hemorrhage and softening. Organic diseases of the heart Acute bronchitis. Chronic bronchitis. Pneumonia. Bronchopneumonia Other diseases of the respiratory system. Diseases of the stomach Diarrhea and enteritis. Appendicitis and typhilitis. Hernia, intestinal obstruction. Cirrhosis of the liver. Acute nephritis and Bright's disease. Diseases of the female genital organs. Puerperal fever. Other puerperal affections. Congenital debility and malformations Senility	23 5 8 1 19 10 124 8 8 16 112 30 77 7 8 132 86 11 10 71 45 25 118 21 22 31 45 26 31 45 45 46 47 47 48 49 40 40 40 40 40 40 40 40 40 40	1 1 1 2 7 7 5 3 1 36 52 38	2 2 8 8 9 1	1 1 6 8 1 1 1 1 1	1 2 2 1 1 1 1 1 1 1 1 1 1	1 2 2	1 4 4 2 2	1 1 1 1 1 2 1 4 4 1 2 1 3 3	1 37 1 3 5 4 3 3 1 1 1 1 10 2 15 8	1 1 30 5 10 3 6 14 4 1 3 1 8 5 5 10 10 10 10 10 10 10 10 10 10 10 10 10	1 1 23 32 2 2 32 2 32 15 1 1 1 2 9 9 3 9 9 14 9 9 1 1	1 12 135 17 44 22 23 11	1 2 2 2 16 24 27 1 1 1 2 1 6 4 28 1 1	1 1 1 3 3 2 1 3 3 2 1 3 2 2 2	3 3 4 4 13 3 7 7 4 1 1 2 2 1 1 9 9 1	1		
34 35 36 (37) 38	Consented deputy and material actions Senility Violent deaths (excluding suicide) Suicide Other defined diseases Diseases ill-defined or unknown	30 116 40 320 5	36 1	1 2	1 2	4	3	2	7 3 19	29 12 25	12 6 32 1	14 6 46	16 9 38 3	1 16 2 43	12 4 2 52	15 4 17	1	ر. 1	

Table 7.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN EACH CITY OF 100,000 POPULATION OR OVER IN 1910, BY CAUSE OF DEATH (ABRIDGED INTERNATIONAL LIST), AND BY AGE OF DECEDENT: 1911—Continued.

									DEA!	THS AT	AGE (	OF							
Abridged Int. List No.	CAUSE OF DEATH.	All deaths.	Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.		30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.		90 to 99 years.	100 years and over.	Deaths at un- known age.
					JER	SEY	CIT	Y, N	. J.										
,	All causes	4,381	923	241	97	52	42	111	159	366	497	458	530	440	332	118	13		2
1 2	Typhoid fever	20		1				2	3	5	4	2	3						
3 4	Malaria Smallpox	3						1				1		1					
1 2 3 4 5 6 7 8	Measles Scarlet fever Whooping cough	42 32 31 58	14 3 11	16 6 13	5 6 4	2 2 1 8	7 2	8					1					• • • • • •	
9	Diphtheria and croup Influenza	58 16	3 1	15	8	8	2 5	14	2	2	1	$\frac{2}{2}$	1 3	3	3	1			
10 11	Asiatic cholera	27										6		;-  ;-		·····i			••••••
11 12 13 14	Tuberculosis of the lungs		10 5 6	2 4	1 4 3	2 3	1 4 1	1 4	45 4	102	150 2 6	84	2 41	17	6				· · · · · · · · · · · · · · · · · · ·
15 16 17	Other forms of tuberculosis	33 181	5 1			<u>-</u> -		3	2 2 2	1 7 7 6	6 13 2 5	37 37	52 5	36	29	4			
18	Meningitis	204 403	11 1 6	11 2	7	5	3	10	15	1 16	5 31	2 37 2 17 48 1	53 80	62 88	44 77	19 30	<u>2</u>		
20 21	Acute bronchitis	403 39 23 343 207 35 41 337	24	2	3							1	53 80 1 4 47	4 7 29 9	44 77 3 5	4	1		
. 23a 23b	Pneumonia Bronchopneumonia Other diseases of the respiratory system.	207 35	42 93 5 7	37 47 3	18 18 2	10 6	3 1	6 6 1 2 1 3	10	33 1 4	53 4	27 52 54 4 3 16 57		9 9 4	22 7 4 5	4 3	1 i		••••••
24 25(37)	Diseases of the stomach Diarrhea and enteritis.	41 337	256	2 47	6	2	2	1 2	2 1 3	4 1 3	2 3 8 5	5 4	4 3 6 3 1 8	9	5	i 1			
26 27 28	Appendicitis and typhlitis  Hernia, intestinal obstruction  Cirrbons of the liver	35	1 8 1				1	3	10	3 11 2 1	8 5	4 3 18	1 8 19	2 4 11	3	i			•••••
29 30	Cirrhosis of the liver	359	3		2	i		i	7 2	24 10	12 60 6 8	9	79 4	69	43 2	12	1		 
31 32 33	Puerperal fever Other puerperal affections Congenital debility and malformations.	32 28 266	263						3	18 13	8 11	3							
34 35	Violent deaths (excluding suicide)	312	203	9	4	1 6	7		16	54	46	61	40	3 26	11 11	8	4		<u>2</u>
. 36 (37) 38	Suicide Other defined diseases Diseases ill-defined or unknown	507	131 2	13 9	6	3		16	2 24	8 36	13 50	5 49	60 1	2 46	49	22	2		
	Diseases in-defined of differential	12		9									} *						
		i	ii		1	WAI	rk, r	ï-	1	1		<u>.</u>	1	<del></del>	1	<del></del>	1	Ī	<del></del>
.	All causes	5,395	1,091	272	85	53	56	120	170	391	537	591	656	645	512	193	23		
1 2 3	Typhoid fever Typhus fever	2								1	<u>-</u> -								
4 5	Smallpox Measles	25	5	16	1 5	2	,	<u>i</u>											
6 7 8	Scarlet fever. Whooping cough Diphtheria and croup	24 44 57	1 15 4	1 18 13	4 11	4 6	8 1 8	7 1 14	1	1	····i								
9 10	Asiatic cholera	33	2						1	4	1	3	2	6	10	4			<i>-</i>
11 12 13	Cholera nostras. Other epidemic diseases. Tuberculosis of the lungs.	33 653	16 9	3	1	2	4	5	48	2 147	1 182	2 125	92	27	4 9	1			
14 15	Tuberculous meningitisOther forms of tuberculosis	45 54	9 9 1 1	14	1 5 5	2 1 2 1	4 1	6	7		3 9	1 7	5 75	<u>i</u> -	1				
14 15 16 17 18 19	Cancer and other malignant tumors Meningitis	45	13	8	6	1 1		7	2	9 1 4 1	3 9 18 2 17 34	55 20	75 60	75 1 81	47 1 80	11 34	5		 
19 20	Organic diseases of the heart	479 60	2 36	5	1	3	2 1	7	16	18	34 1	57	82	118	107	34 4	2		
20 21 22	Chronic bronchitis Pneumonia	25	43	18	12		3 7	1 7 3 3	9	1 21		2 2 42 6 6	5 48 8 11	3 3 46 7 9 3	4 9 38 8 11	3 15	1		
23a 23b 24	Bronchopneumonia Other diseases of the respiratory system. Diseases of the stomach	59 43	99 6 10	61 , 3 1	13 3	6 3 2		3	3 3	1 4	$\begin{bmatrix} \frac{1}{2} \\ 1 \end{bmatrix}$	6 10	11 5	9 3		1 2	2		
25(37)	Diarrhea and enteritis	468 46	356 1 6	72	5	3 1	1 2	5 6	6		7	8	5 3 4 3 16	3	3 7	3			
26 27 28 29 30 31 32 33 34 35 36 (37)	Hernia, intestinal obstruction	1 31	<u>6</u>	1 1	<u>5</u>	3	1	<sub>7</sub> -	7	10 3 1 25 3 20	32 1 2 1 7 2 53 8 8	8 3 12 83 13	16 107	18 109	4 7 69	1 1 19	·····i		
30 31	Diseases of the female genital organs Puerperal fever	60 492 28 36	<u>-</u>			ļ		ļ <u>.</u>	5 3	3 20	8 8	13	2	2					
32 33	Other puerperal affections	35	323		ï			<u>i</u>	3 1	17	12	3			17	10			
. 35 36	Congenital debility and malformations. Senility Violent deaths (excluding suicide) Suicide.	72	23	15	5	9	7	15	23 3	38 11	55 15 57	51 15	29 14	3 24 10	17 18 3 54	18 12 1 23 1	3 5		
(37) 38	Other defined diseases	550 13	106 2	13 7	1	3	5	16 1	22	35 1	57	53	79 	81	54	23 1	3		
		<u> </u>	11	!	1	t	!	1	1	1	<u> </u>	!	<u> </u>	1	<u> </u>	1		1	<u> </u>

TABLE 7.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN EACH CITY OF 100,000 POPULATION OR OVER IN 1910, BY CAUSE OF DEATH (ABRIDGED INTERNATIONAL LIST), AND BY AGE OF DECEDENT: 1911—Continued.

ئب							<del></del>		DEA	THS AT	AGE	OF							
Abridged Int. List No.	CAUSE OF DEATH.	All deaths.	Under 1 year.		2 years.	3 years.	4 years.	5 to 9 years.	to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 years and over.	Deaths at un- known age.
					PAT	rers	ON,	N. J									<i>,</i>		
	All causes	1,890	313	60	26	20	19	55	76	133	195	204	239	265	209	64	11	1	
1 2	Typhoid fever	9						1	2	2	3		1						
2 3 4 5	Malaria Smallpox	1													1				
5 6 7	Measlës Scarlet fever	13		3	2	1		5	2						<u>-</u>				
8	Whooping cough. Diphtheria and croup. Influenza.	16 21	9	3	2 2	7	4	1 7	1							<u>-</u> -			
10 11	Asiatic cholera Cholera nostras	2	1	1				1	1			I	3	1 1	2	1	1		
12	Other epidemic diseases	13 218	4	2	1 2			i	19	53	2 62	44	1 21	10	2 5	1			
13 14 15 16 17	Tuberculous meningitisOther forms of tuberculosis	9	2 2	2		1	····i·	3		53 1	3	i	1						
16 17	Cancer and other malignant tumors Meningitis	113 31	10	4	2		i	1 3	3	3 1	8 3	16	32 2	35 1	18 1				
18 19	Cerebral hemorrhage and softening Organic diseases of the heart	83 249	2				····i	3	13	1 10	1 20	$^{4}_{21}$	20 40	29 62 1	19 56	8 18	1 3		
20 21 22	Acute bronchitis	7 11 122	5								<u>i</u>	2		2	4 11	1	i		
23a 23b	Pneumonia Bronchopneumonia Other diseases of the respiratory system.	123 54 23	14 25 4	13 8	5 1 1	3	····i	5 3 1	2	6 2	9 2 3	13 3 2	19 4 3	22 1 4	5 2	1 2			
24 25(37)	Diseases of the stomach Diarrhea and enteritis	16 113	3 83	1 8		1 3	3	2	i		ĭ	4		3 4	1 1	2			
26 27	Hernia, intestinal obstruction	13 14	2						2	5 1	3	1	2 2 3	3	3	<u>-</u> -			
28 29	Cirrhosis of the liver	18 170	····i				2	2	$\begin{bmatrix} & 1 \\ & 2 \end{bmatrix}$	1 6	1 14	3 30	5 37	4 42	3 27	7			
30 31 32 33 34	Diseases of the female genital organs Puerperal fever Other puerperal affections	9 14			1					1 8	4 6	2	1						
32 33	Congenital debility and malformations	10 98 15	96			····i		····i		2	5	3							
35 36	Senility Violent deaths (excluding suicide) Suicide.	124	4	4	3	1	4	8	15	13	17	17	19	8	10	9	1	I	
(37) 38	Other defined diseases.  Diseases ill-defined or unknown	23 223 10	45 1	3 6	3 1		2	7	10 	2 14	22	6 30	5 17	27 	30 2	10	3		
(37)	Other defined diseases	223 10	45 1	3 6	1	BAN	2 <b>Y, N</b>	•••••		14	22					10	3		
(37)	Other defined diseases	223 10	45 1	3 6	1	18AN	••••	•••••		139	222					126	20		1
(37)	Other defined diseases.  Diseases ill-defined or unknown.  All causes.	2,063		6	AI	<del></del>	Y, N	· Y.	10	14	22	30	17	27	2				1
(37) 38	Other defined diseases.  Diseases ill-defined or unknown.  All causes  Typhoid fever.  Typhus fever.  Malaria.	2,063		6	AI	<del></del>	Y, N	· Y.	63	139	222	251	294	321	2				1
(37) 38 1 2 3 4 5	Other defined diseases. Diseases ill-defined or unknown.  All causes Typhoid fever. Typhus fever. Malaria. Smallpox. Moasles.	2,063		6	1 AI 17	<del></del>	Y, N	· Y.	63	139	222	251	294	321	2				1
(37) 38	Other defined diseases. Diseases ill-defined or unknown.  All causes.  Typhoid fever. Typhus fever. Malaria. Smallpox. Measles. Scarlet fever. Whooping cough.	2,063		6	1 AI 17	16	Y, N	46	63 2	139	222	251	294	321	2				1
1 1 2 3 4 5 6 7 8 9	Other defined diseases. Diseases ill-defined or unknown.  All causes Typhoid fever. Typhus fever. Malaria. Smallpox Moasles. Scarlet fever. Whooping cough. Diphtheria and croup Influenza. Asiatic cholera.	2,063		6	1 AI 17	<del></del>	Y, N	· Y.	63	139	222	251	294	321	2				1
1 2 3 4 5 6 7 8 9 10 11 12	All causes Typhoid fever Typhoid fever Typhus fever Malaria Smallpox Measles Scarlet fever Whooping cough Diphtheria and croup Influenza Asiatic cholera Cholera nostraes. Other epidemic diseases	2,063 19 1 125 26	251	6	1 AI 17	3	Y, N	46 17	63 2	139 6	222 5	251 4	294	321	261	126	20		1
1 2 3 4 5 6 7 8 9 10 11 12	All causes Typhoid fever. Typhoid fever. Typhois fever. Malaria. Smallpox. Measles. Scarlet fever. Whooping cough. Diphtheria and croup. Influenza. Asiatic cholera. Cholera nostras. Other epidemic diseases. Tuberculosis of the lungs. Tuberculosus meningitis.	2,063 19 1 25 26 1 11 242 19	251	6	1 AI 17	16	Y, N	46 17	63 2 1	139 6 2	222 5 1 1	251 4	294 1	321 1 8 8	261	126	20		1
1 2 3 4 5 6 7 8 9 10 11 12	All causes Typhoid fever. Typhoid fever. Typhus fever. Malaria. Smallpox. Measles. Scarlet fever. Whooping cough. Diphtheria and croup. Influenza. Asiatic cholera. Cholera nostras. Other epidemic diseases. Tuberculous of the lungs. Tuberculous meningitis. Other forms of tuberculosis. Cancer and other malignant tumors.	2,063 19 1 25 26 1 11 242 19 11 124	251	31	1 17 17 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	16 	Y, N	17 1 1 2	63 2	139 6	222 5 	251 4 	294 1 1 29 1 29	321 1 1 8 25 15 28	261	126	20		1
1 2 3 4 4 5 6 6 7 8 9 10 112 133 114 115 116 117 118 118	All causes  Typhoid fever. Typhoid fever. Typhoid fever. Typhois fever. Malaria. Smallpox Mosales. Scarlet fever. Whooping cough Diphtheria and croup Influenza. Asiatic cholera Cholera nostras. Other epidemic diseases Tuberculosis of the lungs. Tuberculous meningitis Other forms of tuberculosis. Cancer and other malignant tumors Meningitis. Meningitis.	2,063 19 	251	31	1 17 17 1 2 2	16 	Y, N	17 1 2 2 2	10 63 2 11 15 7 1	139 6 	222 5 5 73 1 4 4 2 2	251 4 3 45	294 1 1 29 2 32 32	321 1 1 8 8 	2 261 2 5 2 2 9 1	126 	1		
1 2 3 4 4 5 6 6 7 8 9 10 112 133 114 115 116 117 118 118	All causes  Typhoid fever. Typhoid fever. Typhus fever. Malaria. Smallpox Measles. Scarlet fever. Whooping cough Diphtheria and croup Influenza. Asiatic cholera nostras. Other epidemic diseases Tuberculosis of the lungs Tuberculosis of the lungs Tuberculos meningitis Other forms of tuberculosis. Cancer and other malignant tumors Meningitis. Cerebral hemorrhage and softening Organic diseases of the heart. Acute bronchitis	2,063 19 25 26 11 11 1242 19 11 1242 124 18 113 240 4	251	31	1 17 17 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	16 	Y, N	17 1 1 2	63 2 1 15 7 1	139 6 2	222 5 5 1 73 1 4 4 2	251 4 	294 1 1 29 1 29	321 1 1 8 8 2 15 23 1 37 60 0	2 2 2 1 5 5 2 9 1 2 8 5 3 5 3	126 6 1 1 1 5 8 30	1 1 5		
(37) 38 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 20 21 22 23 23 24 25 26 27 28 29 20 20 20 20 20 20 20 20 20 20	All causes  Typhoid fever. Typhoid fever. Typhois fever. Malaria. Smallpox. Measles. Scarlet fever. Whooping cough. Diphtheria and croup. Influenza. Asiatic cholera. Cholera nostras. Other epidemic diseases. Tuberculous meningitis. Other forms of tuberculosis. Cancer and other malignant tumors Meningitis. Cerebral hemorrhage and softening. Organic diseases of the heart. Acute bronchitis. Chronic bronchitis. Chronic bronchitis.	2,063 19 	251 	31	1 17 17 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	16 	Y, N	17 1 2 2 2	10 63 2 11 15 7 1	139 6 	222 5 5 73 1 4 4 2 2	251 4 4 3 3 45 45 25	294 1 1 1 29 2 32 28 35 28 35	321 1 1 8 8 2 15 13 37 60 0 1 1 1 24	261 261 2 2 2 2 3 5 3 5 3 4 4 1 4 1 4	126 6 1 1 1 5 8 8 30 0 1 2 5	1 1 5		
(37) 38 1 1 2 3 4 5 6 7 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 23 24 24 25 26 27 27 28 28 29 20 20 20 20 20 20 20 20 20 20	All causes  Typhoid fever. Typhoid fever. Typhoid fever. Typhoid fever. Typhoid fever. Typhoid fever. Malaria. Smallpox Measles. Scarlet fever. Whooping cough Diphtheria and croup Influenza. Asiatic cholera Cholera nostras. Other epidemic diseases Tuberculosis of the lungs. Tuberculous meningitis Other forms of tuberculosis. Cancer and other malignant tumors Meningitis. Organic diseases of the heart. Acute bronchitis. Pneumonia. Bronchopneumonia Other diseases of the respiratory system. Diseases of the respiratory system.	2,063 19 25 26 11 11 1242 19 11 124 18 113 240 4 7 7 115 28 23 18	251 	31 32 2 2 2 4 5 5	1 17 1 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2	16 3 3 3 1 2 2 1 1 2 1 1	2 1	17 1 1 2 2 2 3 3	10 63 2 1 1 15 7 1 1 1 5	139 6	2222 5 5 11 73 14 4 4 2 2 17 11 3	251 4 4 3 3 45 45 25	294 1 1 1 29 2 32 28 35 28 35	321 1 2 1 2 1 3 7 60 1 1 1 2 3 3 2 2 2 2 3 7 6 0 1 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2	2 2 2 5 3 4 4 4 1 4 2 2 2 5 3 6 4 2 1 4 2 2 5 5 3 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6	126 6 1 1 1 2 5 1 2 2 1	1 1 5 5		
(37) 38 1 1 2 3 4 5 6 7 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 23 24 25 26 27 27 27 27 27 27 27 27 27 27	All causes  Typhoid fever. Typhoid fever. Typhus fever. Malaria. Smallpox Measles. Scarlet fever. Whooping cough Diphtheria and croup Influenza. Asiatic cholera Cholera nostras. Other epidemic diseases Tuberculosis of the lungs Tuberculosis of the lungs Tuberculosis of the lungs Cancer and other malignant tumors Meningitis. Cancer and other malignant tumors Meningitis. Crebral hemorrhage and softening. Organic diseases of the heart. Acute bronchitis Chronic bronchitis Pneumonia. Bronchopneumonia Other diseases of the respiratory system Diseases of the stomach Diarrhea and enteritis. Appendictis and typhlitis	2,063 19 25 26 1 11 11 1242 19 11 11 124 18 13 240 4 7 115 28 28 28 28 28 70 19	251 	31 31 22 2 2 4	1 17 2 2 2 2 1	16 3 1 2	2 2 1	17. Y. 2 2 2 3 3	63 2 1 1 15 7 1 1 5	139 6	222 222 5 5 1 1 7 3 1 1 4 4 4 2 2 1 1 7 3 1 1 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4	251 4 45 24 1 5 25 25	17 294 1 1 1 29 32 32 32 35 17 11 13 22 32 32 32 32 32 32 32 32 32 32 32 32	321 1 1 8 8 2 15 1 37 60 0 1 1 24 3 2 2 2 4 4	2 2 2 2 3 3 2 2 3 3 2 2 3 3 2 2 3 3 2 2 3 3 2 2 3 3 2 3 3 2 3	126 6 1 1 1 2 8 8 30 1 2 5 1 2 2 5	1 1 5 5		
(37) 38 1 2 3 4 5 6 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 23 23 24 25 26 27 27 27 28 29 20 20 20 20 20 20 20 20 20 20	All causes  Typhoid fever. Typhoid fever. Typhoid fever. Typhoid fever. Typhus fever Malaria. Smallpox Measles. Scarlet fever. Whooping cough Diphtheria and croup Influenza. Asiatic cholera. Cholera nostras. Other epidemic diseases. Tuberculous meningitis Other forms of tuberculosis. Cancer and other malignant tumors Meningitis. Cerebral hemorrhage and softening. Organic diseases of the heart. Acute bronchitis. Chronic bronchitis. Pneumonia. Bronchopneumonia Other diseases of the respiratory system. Diseases of the stomach. Diseases of the stomach. Diseases of the stomach. Diseases of the stomach. Diseases of the stomach. Line the stomach continues the stomach. Line the stomach continues the stomach. Line the stomach continues the stomach	2,063 19 	251 	31 32 2 2 2 4 5 5	1 17 1 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2	16 3 3 3 1 2 2 1 1 2 1 1	2 2 1	17 1 2 2 3 3 1 1 2 2	10 63 2 11 15 7 1 1 5 3 3	139 6 55 2 1 7 7 6 1 1 1 2 3 2	2222 5 5 	251 4 45 241 155 25 16 15 3 1 2	17 294 1 1 29 32 32 32 33 28 35 17 1 1 1 1 3 3 2 3 3 3 3 3 3 3 3 3 3 3 3 3	321 1 1 2 15 1 37 60 1 1 24 3 2 2 4 1 4 9	2 2 2 2 3 5 3 4 4 1 4 2 2 3 3 2 2 4 2 2 4 2	126 6 1 1 1 2 5 1 2 1 2 1 1	1 1 5 5 2 2		
(37) 38 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 23 24 25 26 27 27 28 29 20 20 20 20 20 20 20 20 20 20	All causes  Typhoid fever. Typhoid fever. Typhois fever. Malaria. Smallpox. Measles. Scarlet fever. Whooping cough. Diphtheria and croup. Influenza. Asiatic cholera. Cholera nostras. Other epidemic diseases. Tuberculous meningitis Other forms of tuberculosis. Cancer and other malignant tumors. Meningitis. Cerebral hemorrhage and softening. Organic diseases of the heart. Acute bronchitis. Pneumonia. Bronchopneumonia Other diseases of the respiratory system. Diseases of the stomach Disarrhea and enteritis. Appendicitis and typhlitis. Hernia, intestinal obstruction. Cirrhosis of the liver. Acute nephritis and Bright's disease.	2,063 19 	251 	31 32 2 2 2 4 5 5	1 17 1 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2	16 3 3 3 1 2 2 1 1 2 1 1	2 2 1	17. Y. 2 2 2 3 3	63 2 1 1 15 7 1 1 5	139 6	2222 5 1 73 1 4 4 2 2 17 11 3 1 4 2 2 17 11 11 2 2 17 17 17 18 18 18 18 18 18 18 18 18 18	251 4 3 3 3 45 24 1 5 5 5 3 1 2	17 294 1 1 1 1 29 3 3 3 23 5 17 1 1 3 2 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3	27 321 1 1 215 23 11 37 60 1 1 1 24 3 2 2 2 4 1 4	2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2	126 6 1 1 1 2 5 1 2 1 1	1 1 5 5 2 2		
(37) 38 1 1 2 3 4 5 6 7 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 23 24 25 27 28 29 20 20 21 22 23 23 23 23 23 23 23 23 23	All causes  Typhoid fever. Typhoid fever. Typhoid fever. Typhois fever. Malaria. Smallpox. Measles. Scarlet fever. Whooping cough Diphtheria and croup Influenza. Asiatic cholera. Cholera nostras. Other epidemic diseases. Tuberculous meningitis Other forms of tuberculosis. Cancer and other malignant tumors. Meningitis. Cerebral hemorrhage and softening. Organic diseases of the heart. Acute bronchitis. Chronic bronchitis. Pneumonia. Bronchopneumonia. Other diseases of the respiratory system. Diseases of the stomach Disrhea and entertis. Appendicitis and typhlitis Hernia, intestinal obstruction Cirrhosis of the liver. Acute nephritis and Bright's disease. Diseases of the female genital organs. Puerperal fever. Other puerperal affections.	2,063 19 25 26 11 242 19 11 124 18 113 240 20 115 28 28 18 7 115 28 20 41 19 19 19 10 115 219 219 219 219 219 219 219 219	251 	31 1 31 1 2 2 2 2 2 2 5 9 9 9 9 9 9 9 9 9 9 9 9 9	1 17 1 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2	16 3 3 3 1 2 2 1 1 2 1 1	2 2 1	17 1 2 2 3 3 1 1 2 2 1 1 1 1 1 1 1 1 1 1 1	10 63 2 11 15 7 11 15 3 3 3 3	139 6 6 2 2 1 1 1 1 2 3 3 2 9 9	2222 5 1 1 73 1 4 4 2 2 17 11 3 1 4 2 17 11 4 2 17 17 17 17 17 17 17 17 17 17	251 4 4 3 3 3 45 25 16 1 5 3 3 1 2 1 2 2 1 3 1 2 2 3 1 2 3 1 2 3 1 1 1 1 1 1 1 1 1 1 1 1 1	17	321 1 1 2 15 1 37 60 1 1 24 3 2 2 4 1 4 9	2 2 2 5 3 5 3 4 4 1 4 2 2 3 3 5 2 4 2 2 3 5 3 5 5 3	126 6 1 1 1 2 5 1 2 1 2 1 1	1 1 5 5 2 2		
(37) 38 1 1 2 3 4 5 6 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 23 24 25 26 27 28 29 20 20 20 20 20 20 20 20 20 20	All causes  Typhoid fever. Typhois fever. Malaria. Smallpox Measles. Scarlet fever. Whooping cough Diphtheria and croup Influenza. Asiatic cholera Cholera nostras. Other epidemic diseases Tuberculosis of the lungs Tuberculosis of the lungs Tuberculosis of the lungs. Cancer and other malignant tumors Meningitis. Cancer and other malignant tumors Meningitis. Crebral hemorrhage and softening. Organic diseases of the heart. Acute bronchitis Chronic bronchitis Pneumonia. Bronchopneumonia Other diseases of the respiratory system Diseases of the stomach Diarrhea and enteritis. Appendictis and typhitis Hernia, intestinal obstruction Cirrhosis of the liver. Acute nephritis and Bright's disease. Diseases of the female genital organs. Puerperal fever. Congenital debility and malformations Senility Violent deaths (excluding suicide)	2,063 19 25 26 11 11 242 19 11 124 18 13 240 7 7 115 28 28 28 70 19 10 11 196 7 3 21 10 10 10 10 10 10 10 10 10 1	251 	31 32 2 2 2 4 5 5	1 17 1 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2	16 3 3 3 1 2 2 1 1 2 1 1	2 2 1	17. Y. 46 17. 1 1 2 2 3 3 1 1 1 2 1	10 63 2 11 15 7 11 1 5	139 6	2222 5 5 73 1 1 4 4 2 2 17 11 3 3 1 4 2 6 6 7 1 3 3 9	251 4 45 45 24 1 5 2 5 2 13 3 2 2 3 3 2 2	17 1 1 294 1 1 29 2 3 3 28 35 2 35 2 3 3 3 9 45 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	27 321 1 1 28 8 8 8 1 2 15 1 24 3 2 2 2 2 4 4 5 4 5	2 2 2 2 3 5 3 1 4 4 2 2 3 3 5 1 5 5	126 6 1 1 1 2 5 1 2 1 1 1 1 1 1 1	20 1 1 1 5 5 2 2 2 2 2 2 1 1		
(37) 38 1 1 2 3 4 5 6 7 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 23 24 25 27 28 29 20 20 20 20 20 20 20 20 20 20	All causes  Typhoid fever. Typhois fever. Typhois fever. Malaria. Smallpox Measles. Scarlet fever. Whooping cough Diphtheria and croup Influenza. Asiatic cholera Cholera nostras. Other epidemic diseases Tuberculosis of the lungs Tuberculosis of the lungs. Tuberculosis of the lungs. Cancer and other malignant tumors Meningitis. Cancer and other malignant tumors Meningitis. Crebral hemorrhage and softening. Organic diseases of the heart. Acute bronchitis Pneumonia. Bronchopneumonia Other diseases of the respiratory system Diseases of the stomach Diarrhea and enteritis. Appendictis and typhitis Hernia, intestinal obstruction Cirrhosis of the liver. Acute nephritis and Bright's disease. Diseases of the female genital organs. Puerperal fever. Acute properal affections. Congenital debility and malformations	2,063 19 	251 3 2 3 1 4 3 2 12 10 2 6 43 1	2 2 2 5 5 1	1 17 2 2 2 2 1 1 2 1 1	16 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3	2 2 1 1	17, Y. 46 17, 1 1 2 2 3 3 1 1 1 1 1	10 63 2 11 15 7 11 1 15 8 3 3 1	139 6 6 2 2 1 1 1 1 2 2 3 3 2 2 9 1 1 9 9	2222 5 5 1 73 1 4 4 2 2 17 11 3 1 4 2 17 11 1 1 1 1 1 1 1 1 1 1 1 1	251 4 45 24 1 5 25 25 16 1 5 3 1 2 2 3 1 3 3 1 2 3 3 3 3 3 3 3 3 3 3 3 3 3	17	321 1 1 2 15 1 37 60 1 1 24 3 2 2 4 1 4 9	2 2 2 3 5 3 4 4 1 4 2 2 3 3 2 2 4 2 2 3 3 5 1	126 6 1 1 1 2 5 1 2 5 1 1 2 1 1	1 5 2 2 2 2 2 1		

TABLE 7.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN EACH CITY OF 100,000 POPULATION OR OVER IN 1910, BY CAUSE OF DEATH (ABRIDGED INTERNATIONAL LIST), AND BY AGE OF DECEDENT: 1911—Continued.

CATE OF DEATH.																				:
### All canses   6,200   1,207   214   30   60   42   117   204   472   535   671   707   736   506   118   43   3      Typhold force	ئد									DEA	THS AT	AGE (	OF							
All causes	Abridged In List No.	CAUSE OF DEATH.							5 to 9 years.	to 19	to 29	to 39	to 49	to 59	to 69	to 79	to 89	to 99	years and	at un- known
Typhical force					·	BU	FFAI	LO, I	v. Y.											
7 Necessing courts   189   24   17   28   18   3   3   3   4   8   8   9   1   1   1   1   1   1   1   1   1		All causes	6,294	1,297	214	90	60	42	117	264	472	585	671	787	736	596	318	42	3	
7 Necessing courts   189   24   17   28   18   3   3   3   4   8   8   9   1   1   1   1   1   1   1   1   1	1	Typhoid fever	109					2	2	30	33	22	13	4	3					
7 Necessing courts   189   24   17   28   18   3   3   3   4   8   8   9   1   1   1   1   1   1   1   1   1		Malaria	·····i								i									
7 Necessing courts   189   24   17   28   18   3   3   3   4   8   8   9   1   1   1   1   1   1   1   1   1	4 5	Smallpox  Measles	8	3	i		2	····i	i											
2020   Other diseases of the respiratory system   55	6 7	Scarlet fever	78 39	5 24	12 7	12	11 3	8 1		4	3	3								
2020   Other diseases of the respiratory system   55	8	Diphtheria and croup	109	12	26	19		. 10	18	7	2	5	1 3	2	4	4	5	2		
2020   Other diseases of the respiratory system   55	10			<b></b>	ļī.												ļ			
2020   Other diseases of the respiratory system   55	12	Other epidemic diseases	33	16	5				;-		2	2		2	3	2		i		
2020   Other diseases of the respiratory system   55	14	Tuberculous meningitis	43	11	8	5	3	2	5	4	2	123	1							
2020   Other diseases of the respiratory system   55	15 16	Cancer and other malignant tumors		11	2		1			[	11	28	85 85	115	104	57	15			
2020   Other diseases of the respiratory system   55	17 18	Meningitis   Cerebral hemorrhage and softening	25 289	4		4			1		5	19	3 32	55 55	82 82	63	33	4		
2020   Other diseases of the respiratory system   55	19 20	Organic diseases of the heart	739 49			i-	2	1 1	9	18	26	53 1	76	137	176	154 6	73		1	
2020   Other diseases of the respiratory system   55	21	Chronic bronchitis	23 359						5	13	28		1 61	48	6	10	6			
220 Acute nephritis and Bright's disease. 413   12   3   1     3   7   24   83   14   15     16     13     13     15	23a	Bronchopheumonia	283	138	43	14	3	Î	6	5	4	7		8	14	13	16	2		
220 Acute nephritis and Bright's disease. 413   12   3   1     3   7   24   83   14   15     16     13     13     15	24	Diseases of the stomach	59	26	3					3	3	5.	8	4		4	3			
220 Acute nephritis and Bright's disease. 413   12   3   1     3   7   24   83   14   15     16     13     13     15	25(37)	Appendicitis and typhlitis	77	2	1	ĺí		i	8	19	8	19	. 5	.6	5	1				
Diseases of the female genital organs	27 28	Cirrhosis of the liver	73 74			2					1	10	12 8	10 29	16	8	2			
Suicide	29 30		413 32	12	3		1		3		24 4	38 10	47 14		81	76		3	1	
Suicide	31 32	Puerperal fever	20 24				•••••			2			3	,						
Suicide	33 34	Congenital debility and malformations.	327	323	3	1							•••••			3	6	<u>a</u> -		
NEW YORK, N. Y. (TOTAL)	35	Violent deaths (excluding suicide)	381	7	6	5	4	4	10	40	66	65 16	65 7	46 11	35	14	12	2		
All causes	(37)	Other denned diseases	959	201	12	2	6	5	14		41	71			111	126	77	10	1	
All causes. 75,329   15,028   3,868   1,628   1,005   673   1,755   2,597   5,790   8,068   8,948   5,818   8,567   5,955   2,343   290   16   5    Typhoid fever. 5.53   3   4   2   7   3   2   92   163   113   73   31   13   3        Typhoid fever. 5.53   3   4   2   7   3   2   92   163   113   73   31   13   3        Malaria. 33   2   6   1   1   3   1   4   1   4   2   7   1   1        Sampleys. 65   168   268   106   46   24   23   7   3   1            Eacalet fever. 747   23   68   125   99   80   166   60   35   15     1            Bearlet fever. 747   24   68   125   99   80   166   60   35   15     1            Byiphtheria and croup. 1, 1, 270   157   339   218   174   106   106   60   35   15     1              Asiatic cholera. 32   3   2   6   4   2   2   3   3   2   2   3   3   2   3   3		Discussion in definition of difficulty in the control of the contr							4						_		1	1		
Typhoid fever.			1	1	1		· ·		· · · · · · · · · · · · · · · · · · ·	j	· · · · · ·		l				ı	[	1	<u> </u>
6         Scalele fever         747         28         98         105         49         24         32         6         3         1         1				<u> </u>		<del></del>	<u> </u>		1,755	2,597	<u> </u>		$\dot{-}$	8,818	8,567	5,935	0.040		16	5
6         Scalele fever         747         28         98         105         49         24         32         6         3         1         1	1 2	Typhoid feverTyphus fever	538				7										2, 545	290		
6         Scalele fever         747         28         98         105         49         24         32         6         3         1         1	3 4	Maĵoria				2											2, 545	290		
8 Diphtheria and croup. 1, 270	ŝ	Smallpox	33	2	6							1		2			1	290		
9 Influenza. 343 26 9 7 6 4 3 9 22 29 36 52 52 62 21 4 1	ค		33 5 655	2 1 168	6				3 32	1 1 7	4 3	1		2 1			1	290		
11   Cholera nostras.	67		33 5 655 747 372	2 1 168 28 198	268 98 94	106 135 34		1 1 24 80 13	32 196	1 1 7 60	4 3 35	1 1 15	4	2 1	7		1	290		
Tuberculosis of the lungs	7 8 9	Measles. Scarlet fever. Whooping cough. Diphtheria and croup Influenza.	33 5 655 747 372 1,270	2 1 168 28 198 157	268 98 94	106 135 34		1 1 24 80 13	32 196	1 1 7 60	4 3 35	1 1 15	4	2 1	7	1	1	290	1	
16   Cancer and other maignant tumors	7 8 9 10 11	Measles. Scarlet fever. Whooping cough. Diphtheria and croup. Influenza Asiatic cholera. Cholera nostras.	33 5 655 747 372 1,270 343	2 1 168 28 198 157 26	268 98 94 339 9	106 135 34 218 7	1 46 99 23 174 6	1 1 24 80 13	32 196 10 196 3	1 1 7 60 33 9	3 35 22 22 22	1 15 16 29	4 36	2 1 1 52	7 2 52	62	1 21 21	290	1	
16   Cancer and other maignant tumors	7 8 9 10 11 12 13	Measles. Scarlet fever. Whooping cough Diphtheria and croup. Influenza. Asiatic cholera. Cholera nostras. Other epidemic diseases. Tuboreulosis of the lungs.	33 5 655 747 372 1,270 343 9 403 8,967	2 1 168 28 198 157 26 2 167 69	268 98 94 339 9	106 135 34 218 7	1 46 99 23 174 6	1 1 24 80 13 108 4	32 196 10 196 3	1 1 7 60 33 9	3 35 22 22 22	1 1 15 16 29 31 2,569	4 36 2 39	2 1 1 52 3 47 1,003	7 2 52 1 30 384	62	1 21 1 15	4	1	
19 Organic diseases of the heart. 6,946 36 8 9 13 16 36 309 342 583 905 1,124 1,650 1,260 500 53 1 1 20 Acute bronchitis. 806 553 96 35 16 6 8 4 2 4 6 6 12 20 20 18 5 1 1 21 Chronic bronchitis. 335 3 2 2 2 2 4 1 3 9 9 23 61 62 84 65 13 1 22 Pneumonia. 5,734 585 484 166 99 54 114 186 380 783 827 774 685 442 164 20 1 1 235 Bronchoppneumonia. 4,656 2,083 1,017 295 124 55 103 30 60 69 99 140 249 214 103 14 1 235 Other diseases of the respiratory system 593 65 51 16 11 5 16 16 42 51 77 78 65 60 35 5 25 2 2 5 2 15 16 11 5 16 16 42 51 77 78 65 60 35 5 25 2 2 5 2 15 50 127 127 105 85 51 31 10 3 20 4 4 25 27 11 10 10 10 10 10 10 10 10 10 10 10 10	789 1911 1911 1415	Measles. Scarlet fever. Whooping cough. Diphtheria and croup. Influenza. Asiatic cholera. Cholera nostras. Other epidemic diseases. Tuberculosis of the lungs. Tuberculous meningitis. Other forms of tuberculosis.	33 5 655 747 372 1,270 343 9 403 8,967 877 421	2 1 168 28 198 157 26 2 167 69 200 46	268 98 94 339 9	106 135 34 218 7	1 46 99 23 174 6	1 1 24 80 13 108 4 15 41 5	32 196 10 196 3	1 1 7 60 33 9 4 638 48 60	3 35 22 22 22	1 15 16 29 31 2,569 16 57	4 36 2 39	2 1  52  47 1,003 6	7 	1 62 19 124	1 21 1 15 14	4	1	
21   Chronic bronchitis	7 8 9 10 112 13 14 15 16	Measles. Scarlet fever. Whooping cough. Diphtheria and croup. Influenza. Asiatic cholera. Cholera nostras. Other epidemic diseases. Tuberculosis of the lungs. Tuberculous meningitis. Other forms of tuberculosis. Cancer and other malignant tumors. Meningitis.	33 55 655 747 372 1,270 343 9 403 8,967 471 3,927	2 1 168 28 198 157 26 2167 69 200 46 4 128	268 98 94 339 9	106 135 34 218 7	1 46 99 23 174 6	1 1 24 80 13 108 4 15 41 5 41 17	32 196 10 196 3	1 1 7 60 33 9 4 638 48 60 28 43	3 35 22 22 22	1 15 16 29 31 2,569 16 57	4 36 39 1,877 24 45 791	2 1 1 52 3 47 1,003 6 33 1,087 8	7 	1 62 19 124 10 505 4	1 21 1 15 14	4	1	
23c  Bronchopneumonia	7 8 9 10 112 13 14 15 16 17 18 19	Measles. Scarlet fever. Whooping cough. Diphtheria and croup. Influenza. Asiatic cholera. Cholera nostras. Other epidemic diseases. Tuberculosis of the lungs. Tuberculous meningitis. Other forms of tuberculosis. Cancer and other malignant tumors. Meningitis. Cerebral hemorrhage and softening.	33 5 6655 747 372 1,270 343 9 403 8,967 877 421 3,927 474 2,809	2 1 168 28 198 157 26 22 167 69 200 46 4 128 27	268 98 94 339 9	106 135 34 218 7 9 37 114 22 2 38 1	1 46 99 23 174 6 1 28 62 13 3 29	1 1 24 80 13 108 4 15 41 5 41 17	32 196 10 196 3 6 52 112 38 6 56	1 1 7 60 33 9 4638 48 60 28 43 43 4	3 35 22 22 22	1 15 16 29 31 2,569 16 57	4 36 39 1,877 24 45 791	2 1 1 52 3 47 1,003 6 33 1,087 8	7 2 52 1 30 384 1 16 963 7 821	1 62 19 124 10 505 4 615 1,260	1 21 1 15 14 199	11 17	1	1
235 Other diseases of the respiratory system. 533 65 51 16 11 5 16 16 42 51 77 78 65 60 35 5 67 36 52 67 52 46 31 20 4 52 52 77 51 50 52 46 31 20 5 4 52 52 57 52 46 31 20 5 4 52 52 57 52 46 31 20 5 4 52 52 57 52 46 31 20 5 4 52 52 57 52 46 31 20 5 4 52 52 57 52 46 31 20 5 4 52 52 57 52 46 31 20 5 4 52 52 57 52 46 31 20 5 4 52 52 57 52 46 31 20 5 4 52 52 57 52 46 31 20 5 4 52 52 57 52 46 31 20 5 4 52 52 57 52 46 31 20 5 4 52 52 57 52 46 31 20 5 4 52 52 57 52 46 31 20 5 4 52 52 57 52 46 31 20 5 4 52 52 52 52 52 52 52 52 52 52 52 52 52	7 8 9 10 112 13 14 15 16 17 18 19	Measles. Scarlet fever. Whooping cough Diphtheria and croup. Influenza. Asiatic cholera. Cholera nostras. Other epidemic diseases. Tuberculosis of the lungs. Tuberculosis of the lungs. Cher forms of tuberculosis. Cancer and other malignant tumors. Meningitis. Cerebral hemorrhage and softening. Organic diseases of the heart. Acute bronchitis.	33 5 655 747 372 1,270 343 403 8,967 421 3,927 474 2,809 6,946 806	2 1 168 28 198 157 26 2167 69 200 46 4 128 27 36 553	268 98 94 339 9	106 135 34 218 7 9 37 114 22 2 38 1	1 46 99 23 174 6 1 28 62 13 3 29	11 24 80 13 108 4 15 41 5 41 17 1	32 196 100 196 3 56 512 238 6 56 56 136 8	1 1 7 60 33 9 4 638 48 48 28 43 43 43 44 30 9	19 2,097 39 58 78 26 26 342 2	1 15 16 29 31 2,569 16 57 343 29 125 583 4	4 36 2 39 1,877 24 45 791 17 309 905 6	2 1 1 52 3 47 1,003 6 33 1,087 8 604 1,124	7 	1 62 19 124 10 505 4 615 1,260	1 21 1 15 14 1 99 256 500 18	11 17 53 5	1	1
28 Cirrhosis of the liver	7 8 9 111233 14 15 16 17 18 19 20 1	Measles. Scarlet fever. Whooping cough Diphtheria and croup. Influenza. Asiatic cholera. Cholera nostras. Other epidemic diseases. Tuberculosis of the lungs. Tuberculosis of the lungs. Cher forms of tuberculosis. Cancer and other malignant tumors. Meningitis. Cerebral hemorrhage and softening. Organic diseases of the heart. Acute bronchitis.	33 5 655 747 372 1,270 343 9 403 8,967 877 474 2,896 6,946 806 806 806 5,735	2 1 168 28 198 157 26 2167 69 200 46 4 128 27 36 553 3	268 98 98 99 9 16 60 214 17 2 72 1 1 8 96 2454	106 135 34 218 7 9 37 114 22 2 38 1 9 35 2	1 46 99 23 174 6 1 28 62 13 3 29	11 24 80 13 108 4 15 41 17 1 16 6	32 196 10 196 3 6 52 112 38 6 56 1 136 8 4 114	1 1 7 60 33 9 4 638 48 60 288 43 4 309 4	19 2,097 39 58 78 26 342 2 3	1 15 16 29 31 2,569 16 57 343 29 125 583 4 9 783	4 36 36 2 39 1,877 24 45 791 17 309 905 6 23 827	2 1 52 1,003 6,33 1,087 8,604 1,124 1,124 61 774	7 	1 62 19 124 10 505 4 615 1,260 20 84 442	1 21 15 14 199 256 500 18 655 164	11 17 53 5 13 20	1 1	1
28 Cirrhosis of the liver	78 9 10 11 12 13 14 15 16 17 18 19 0 21 22 2 23 5	Measles. Scarlet fever. Whooping cough. Diphtheria and croup Influenza. Asiatic cholera. Cholera nostras. Other epidemic diseases. Tuberculosis of the lungs. Tuberculous meningitis. Other forms of tuberculosis. Cancer and other malignant tumors. Meningitis. Cerebral hemorrhage and softening. Organic diseases of the heart. Acute bronchitis. Chronic bronchitis. Pneumonia. Bronchopneumonia. Other diseases of the respiratory system.	33 5 655 747 372 1,270 343 8,967 877 421 3,927 4,2809 6,946 6,946 835 5,734 4,656	2 1 168 28 198 157 26 2 167 69 200 46 4 128 2553 3 585 2,083	16 60 214 17 2 72 1 8 96 24 45 1,017	106 135 34 218 7 9 37 114 22 2 38 1 9 35 2	1 46 99 23 174 6 1 28 62 13 3 29 16 2 99 124 11	11 24 80 13 108 4 15 41 17 1 16 6	32 196 10 196 3 6 52 112 38 6 56 1 136 8 4 114	1 1 7 60 33 9 4 638 48 60 288 43 4 309 4	19 2,097 39 58 78 26 342 2 3	1 15 16 29 2,569 16 57 343 29 125 583 4 9 783 69 51	4 36 39 1,877 24 45 791 17 309 905 6 23 827 99	2 1 52 1,003 6,33 1,087 8,604 1,124 1,124 61 774	7 2 52 52 1 30 384 1 16 963 7 821 1,650 62 685 249 65	1 62 19 124 10 505 4 615 1,260 84 442 214 60	1 21 1 15 14 199 256 500 188 65 164 103 35	11 17 53 5 13 20 14 5	1 1	1
Signature   Sign	78 9 10 11 12 13 14 15 16 17 18 19 0 21 22 2 23 5	Measles. Scarlet fever. Whooping cough. Diphtheria and croup Influenza. Asiatic cholera. Cholera nostras. Other epidemic diseases. Tuberculosis of the lungs. Tuberculous meningitis. Other forms of tuberculosis. Cancer and other malignant tumors. Meningitis. Cerebral hemorrhage and softening. Organic diseases of the heart. Acute bronchitis. Chronic bronchitis. Pneumonia. Bronchopneumonia. Other diseases of the respiratory system.	33 55 665 747 372 1,270 343 9 403 8,967 474 4,21 2,809 6,946 806 6,069 806 5,734 4,656 5,656 5,955	2 1 168 28 198 197 26 200 46 4 128 27 36 553 3 585 2,083 65 65	268 98 94 339 9 16 60 214 17 2 72 1 86 96 2 454 1,017 51 51 640	106 134 218 7 37 114 22 23 38 1 9 35 26 295 16 225 162 221	1 46 99 23 174 6 6 28 62 13 3 29 116 2 9 9124 11	11 24 80 13 108 4 15 41 17 11 16 6 55 5 5	32 196 10 196 3 6 52 112 38 6 56 1 136 8 4 114	1 1 7 60 33 9 4 638 48 60 288 43 4 309 4	19 2,097 39 58 78 26 342 2 3	1 15 16 29 2,569 16 57 343 29 125 583 4 9 783 69 51 51 537	4 36 39 1,877 24 45 791 17 309 905 6 23 827 99	2 1 52 1,003 6,33 1,087 8,604 1,124 1,124 61 774	2 52 52 1 30 384 1 1,650 20 62 62 62 62 64 65 46 50	1 62 19 124 10 505 4 615 1,260 20 84 442 214 60 31	1 21 1,5 14 1,5 14 256 500 18 65 164 103 35 207	11 17 53 5 13 20 14 5 4	1 1	1
Signature   Sign	7 8 9 10 11 12 13 14 15 16 17 18 9 20 12 2 3 4 25 (37) 26 7 27	Measles. Scarlet fever. Whooping cough. Diphtheria and croup Influenza. Asiatic cholera. Cholera nostras. Other epidemic diseases. Tuberculosis of the lungs. Tuberculosis of the lungs. Tuberculous meningitis. Other forms of tuberculosis. Cancer and other malignant tumors Meningitis. Cerebral hemorrhage and softening. Organic diseases of the heart. Acute bronchitis. Chronic honochitis. Pneumonia. Bronchopneumonia. Other diseases of the respiratory system. Diseases of the stomach. Diarrhea and enteritis. Appendicitis and typhilitis.	33 55 655 747 372 1,270 343 9 403 8,967 877 474 2,892 4,946 806 806 805 5,734 4,656 5,935 5,035 5,035 5,035 5,035	2 1 168 288 198 197 26 29 200 46 46 128 27 36 553 3,585 2,083 65 65 86 3,950 28	268 98 94 339 9 16 60 214 17 2 72 1 86 96 2 454 1,017 51 51 640	106 134 218 7 37 114 22 38 19 35 2 166 295 166 22 125	1 46 99 23 174 6 1 28 62 13 3 29 16 29 124 11	11 24 80 13 108 4 15 41 17 16 6 54 55 5	32 196 10 196 3 52 112 38 6 56 136 8 4 114 103 16 32 59	1 1 7 60 33 9 638 48 608 243 43 4 309 16 7 7 8 7 17	19 2,097 39 58 78 26 342 2 3	1 15 16 29 21 2,569 16 57 343 29 125 583 4 9 783 69 51 52 37 105 39	4 36 2 39 1,877 24 451 177 3095 6 237 99 767 34 856	1 52 1,003 1,003 1,087 1,087 1,087 1,087 1,087 1,124 614 1,124 614 140 774 140 782 355 51 90	2 52 52 1 384 1 1,650 20 685 249 655 46 50 311 103	1 62 19 124 10 505 4 615 1,260 20 84 442 214 60 505 84 615 1,265 84 10 84 10 84 10 84 10 84 10 84 10 84 10 84 10 84 10 84 10 84 84 84 84 84 84 84 84 84 84 84 84 84	1 1 21 15 14 199 256 500 18 65 164 103 35 20 17 3 19	11 17 53 5 13 20 14 5 4	1 1	1
(37) Other defined diseases 8,762   1,910   186   100   61   51   210   326   518   815   1,055   1,189   1,122   824   354   41	7 8 9 10 11 12 13 14 15 16 17 18 9 20 12 2 3 4 25 (37) 26 7 27	Measles. Scarlet fever. Whooping cough. Diphtheria and croup. Influenza. Asiatic cholera. Cholera nostras. Other epidemic diseases. Tuberculosis of the lungs. Tuberculosis of the lungs. Tuberculous meningitis. Other forms of tuberculosis. Cancer and other malignant tumors. Meningitis. Cerebral hemorrhage and softening. Organic diseases of the heart. Acute bronchitis. Pneumonia. Other diseases of the respiratory system. Diseases of the stomach. Diarrhea and enteritis. Appendicitis and typhilitis. Hemia, intestinal obstruction. Cirrhosis of the liver. Acute nephritis and Brieht's disease.	33 655 747 372 1,270 343 4967 471 3,927 474 2,809 6,946 806 806 5,734 4,656 5,734 4,656 5,095 61,095 61,095 61,095 61,095	2 1 168 288 198 198 26 26 20 20 20 46 4 128 27 37 35 553 3,950 68 3,950 286	6 2688 98 94 339 9 16 60 214 17 27 11 8 96 24 454 1,017 5 640 2 4	106 135 34 218 7 37 114 22 38 31 1 9 35 2 16 295 16 21 22 166 295 6	1 46 99 23 174 6 28 62 13 29 136 29 124 11	11 24 80 13 108 4 15 41 17 1 16 6 54 55 55 5	3 32 196 10 196 3 6 52 112 38 6 56 1 136 8 4 114 104 106 116 6 6 52 117 118 119 119 119 119 119 119 119 119 119	1 1 7 60 33 9 638 48 608 243 43 4 309 16 7 7 8 7 17	19 2,097 39 58 78 26 342 2 3	1 15 16 29 31 2,569 57 343 29 125 583 4 9 783 69 51 52 105 31 31 42	4 4 36 2 39 1,877 24 45 791 17 309 905 6 23 827 99 77 76 34 38 86 20 1,208	1 1 1 1,003 47 1,003 6 33 1,087 8 604 1,12 61 774 140 782 351 52 351 90 90 91 448	7 52 52 1 30 384 1 16 963 7 821 1,650 685 685 466 501 103 1103 11,570	10 505 4 615 6,1260 20 84 442 214 69 60 58 7 7 1,069	1 1 21 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	11 17 53 5 13 20 14 5 4	1	1
(37) Other defined diseases 8,762   1,910   186   100   61   51   210   326   518   815   1,055   1,189   1,122   824   354   41	7 8 9 10 11 12 13 14 15 16 17 18 9 20 12 2 3 4 25 (37) 26 7 27	Measles. Scarlet fever. Whooping cough. Diphtheria and croup Influenza. Asiatic cholera. Cholera nostras. Other epidemic diseases. Tuberculosis of the lungs. Tuberculous meningitis. Other forms of tuberculosis. Cancer and other malignant tumors Meningitis. Cerebral hemorrhage and softening Organic diseases of the heart. Acute bronchitis. Chronic bronchitis. Pneumonia. Bronchopneumonia Other diseases of the respiratory system. Diseases of the stomach. Diarrhea and enteritis. Appendicitis and typhlitis. Hernia, intestinal obstruction Cirrhosis of the liver Acute nephritis and Bright's disease. Diseases of the female genital organs.	33 55 665 747 372 1,270 343 9 403 8,967 474 4,28 806 6,806 806 5,734 4,656 5,734 4,656 5,955 615 549 7,079 969 7,079 336	2 11 168 288 198 198 167 26 29 200 46 4 128 200 46 200 46 553 3 585 2,083 3,980 2 86 68 3,980 2	6 2688 98 94 339 9 16 60 214 17 27 11 8 96 24 454 1,017 5 640 2 4	106 135 34 218 7 37 114 22 38 31 1 9 35 2 16 295 16 21 22 166 295 6	1 46 99 23 174 6 28 62 13 29 136 29 124 11	11 24 80 13 108 4 15 41 17 1 16 6 54 55 55 5	3 32 196 10 196 3 6 52 112 38 6 56 1 136 8 4 114 104 106 116 6 6 52 117 118 119 119 119 119 119 119 119 119 119	11 177 60 33 39 9 4638 483 483 430 166 77 11 1166 1088 77	19 2,097 39 38 380 60 422 46 342 26 36 342 26 36 342 36 38 380 88 38 38 38 38 38 38 38 38 38 38 38 38	1 15 16 29 2,569 16 57 343 29 125 583 4 9 783 69 151 52 37 105 39 142 729 113	4 36 39 1,877 24 45 791 10 10 10 10 10 10 10 10 10 10 10 10 10	2 1 1 52 3 47 1,003 6 33 31,087 8 604 11,124 61 774 120 61 78 52 35 51 90 258 81,448 27	7 52 52 1 30 384 1 16 963 7 821 1,650 685 685 466 501 103 1103 11,570	10 505 4 615 6,1260 20 84 442 214 69 60 58 7 7 1,069	1 1 21 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	11 17 53 5 13 20 14 4 4	1	1
(37) Other defined diseases 8,762   1,910   186   100   61   51   210   326   518   815   1,055   1,189   1,122   824   354   41	7 8 9 10 11 12 13 14 15 16 17 18 9 20 12 2 3 4 25 (37) 26 7 27	Measles. Scarlet fever. Whooping cough. Diphtheria and croup Influenza. Asiatic cholera. Cholera nostras. Other epidemic diseases. Tuberculosis of the lungs. Tuberculous meningitis. Other forms of tuberculosis. Cancer and other malignant tumors Meningitis. Cerebral hemorrhage and softening Organic diseases of the heart. Acute bronchitis. Chronic bronchitis. Pneumonia. Bronchopneumonia Other diseases of the respiratory system. Diseases of the stomach. Diarrhea and enteritis. Appendicitis and typhlitis. Hernia, intestinal obstruction Cirrhosis of the liver Acute nephritis and Bright's disease. Diseases of the female genital organs. Puerperal fever.	33 55 665 747 372 1,270 343 9 403 8,967 474 2,809 6,806 6,806 5,734 4,65 5,734 4,65 5,734 5,95 6,506 5,95 6,966 7,079 9,909 7,079 9,070	2 11 168 288 198 198 167 26 2 167 69 200 46 4 128 2,083 553 2,083 3,980 2 86 65 65 65 65 65 67	268 98 94 339 9 166 60 214 17 72 72 72 454 1,017 51 540 2 4 454 1,017 51 540 2 1	106 135 34 218 7 9 37 114 22 2 2 33 31 1 9 35 2 2 166 295 16 2 2 2 15 6 6 19 19	14 46 99 23 174 6 6 12 13 3 3 29 10 12 11 11 2 3 11 14	11 24 80 13 108 4 15 41 55 54 11 16 6	32 32 196 10 196 52 112 33 6 56 51 1 136 8 4 4 114 103 106 6 6 2 5 5 9 1 1 1 3 7	11 17 60 33 9 46 48 608 43 43 43 11 186 7 7 8 127 11 16 16 7 7 2 2 4 127 11 16 16 16 17 17 17 17 17 17 17 18 18 18 18 18 18 18 18 18 18 18 18 18	3 35 22 22 22 22 29 39 58 82 26 342 2 2 3 3 380 60 42 24 127 36 36 31 204 179	1 15 29 2,569 16 57 343 29 125 583 69 51 105 39 121 105 107 107 107 107 107 107 107 107 107 107	4 4 36 39 1,877 24 45 791 1309 905 6 230 827 97 1,208 86 270 90 1,208 90 21 37	2 1 1 1,003 3,33 1,087 8 604 1,124 11,140 774 140 788 52 35 51 90 20 21 21 21 21 21 21 21 21 21 21 21 21 21	2 52 52 1 30 384 1 1 1 6963 7 7 1,650 20 685 249 655 466 50 31 174 1,570 9	10 505 4 615 6,1260 20 84 442 214 69 60 58 7 7 1,069	1 1 21 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	11 17 53 5 13 20 14 4 4	1	1
(37)  Other defined diseases	7 8 9 10 11 12 13 14 15 16 17 18 9 20 12 2 3 4 25 (37) 26 7 27	Measles. Scarlet fever. Whooping cough. Diphtheria and croup Influenza. Asiatic cholera. Cholera nostras. Other epidemic diseases. Tuberculosis of the lungs. Tuberculous meningitis. Other forms of tuberculosis. Cancer and other malignant tumors Meningitis. Cerebral hemorrhage and softening Organic diseases of the heart. Acute bronchitis. Chronic bronchitis. Pneumonia. Bronchopneumonia Other diseases of the respiratory system. Diseases of the stomach. Diarrhea and enteritis. Appendicitis and typhlitis. Hernia, intestinal obstruction Cirrhosis of the liver Acute nephritis and Bright's disease. Diseases of the female genital organs. Puerperal fever.	33 55 665 747 372 1,270 343 9 403 8,967 474 2,809 6,806 6,806 5,734 4,65 5,734 4,65 5,734 5,95 6,506 5,95 6,966 7,079 9,909 7,079 9,070	2 1 168 28 198 197 26 2 167 69 9 200 46 4 128 2,083 3,950 2,083 3,950 65 65 65 67 4,249	268 98 94 339 9 16 60 214 17 2 72 2 72 1 8 8 96 2 4 5 4 5 4 1,017 5 6 4 2 4 1 1,017 2 2 4 5 4 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	106 135 34 218 7 37 114 22 2 2 38 31 9 9 35 16 6 295 2122 5 6 6 19	14 49 99 23 174 6 6 2 13 3 3 29 13 16 2 99 112 47 2 3 11 11	11 24 80 133 108 4 177 11 16 6 55 5 5 1 1 11	332 196 100 196 52 112 33 6 6 56 1 136 8 4 4 114 103 106 6 6 6 22 5 5 9 1 7	11 17 60 33 9 46 48 600 28 43 43 41 186 66 7 8 8 127 11 16 16 10 8 7 7 24 13 15 15 16 16 16 16 17 17 17 18 18 18 18 18 18 18 18 18 18 18 18 18	3 35 22 22 22 29 29 58 36 342 2 2 3 3 380 642 2 4 127 363 381 2044 179 1	1 15 16 29 31 31 2,569 16 57 343 29 125 583 4 9 9 151 37 105 37 105 39 129 129 129 129 129 129 129 129 129 12	4 36 2 1,877 24 45 5 791 17 309 905 6 23 827 67 67 1,208 2,708 1,2	2 1 1 1 1,003 6 6 3 1,087 8 8 604 1,124 124 1774 140 178 52 51 51 1,448	2 52 52 1 384 1 1 6 963 7 821 1,650 685 685 685 546 685 103 1103 11,570 9	1 62 19 124 10 505 4 615 615 1,260 20 20 31 1,060 31 1,069 10 58 777 1,060 6	1 1 21 1 15 14 1 19 9 256 5500 18 65 164 103 135 200 17 3 19 14 358 2	11 17 53 5 13 20 14 4 4	3	1
	7 8 9 0 111 23 4 15 6 7 18 19 0 21 22 32 33 5 4 7 26 7 28 9 30 13 23 34 4 35 6 25 25 25 25 25 25 25 25 25 25 25 25 25	Measles. Scarlet fever. Whooping cough Diphtheria and croup. Influenza. Asiatic cholera. Cholera nostras. Other epidemic diseases. Tuberculosis of the lungs. Tuberculosis of the lungs. Tuberculosis of the lungs. Other forms of tuberculosis. Cancer and other malignant tumors. Meningitis. Cerebral hemorrhage and softening. Organic diseases of the heart. Acute bronchitis. Chronic bronchitis. Pneumonia. Bronchopneumonia. Other diseases of the respiratory system. Diseases of the stomach. Diarrhea and enteritis. Appendicitis and typhlitis. Hernia, intestinal obstruction Cirrhosis of the liver Acute nephritis and Bright's disease. Diseases of the female genital organs. Puerperal fever. Other puerperal affections. Congenital debility and malformations. Senility. Violent deaths (excluding suicide)	33 655 747 372 1,270 343 4967 471 3,927 474 2,809 6,946 806 806 5,734 4,656 5,734 4,656 5,095 615 549 969 7,099 7,099 7,099 7,099 4,305 4,	2 1 168 288 198 157 26 2 167 69 200 46 4 4 128 2,083 585 585 583 2,083 3,950 286 1 67 4,249	268 98 94 339 9 166 60 214 17 2 72 1 8 8 6 2 2 45 4 1,017 5 640 2 2 4 1 2 1 1	106 135 34 218 7 114 22 2 33 1 1 9 35 2 2 166 6 12 2 122 5 6	14 46 99 23 174 6 6 22 13 3 3 29 9 124 11 14 4 14 115	11 24 4 80 133 108 4 4 177 1 166 6 155 5 5 1 11 11 115	33 32 196 100 196 55 112 33 38 4 114 103 16 6 32 50 9 9 1 57	11 17 60 33 9 46 48 600 28 43 43 41 186 66 7 8 8 127 11 16 16 10 8 7 7 24 13 15 15 16 16 16 16 17 17 17 18 18 18 18 18 18 18 18 18 18 18 18 18	3 35 22 22 22 29 29 58 36 342 2 2 3 3 380 642 2 4 127 363 381 2044 179 1	1 15 16 29 21 2,569 125 583 4 4 9 783 126 512 377 105 512 379 113 126 174 1686 200	4 36 2 36 1,877 24 45 791 17 309 905 6 23 827 77 64 48 85 1,200 1,	2 1 1 1,003 6 3 1,087 604 1,124 12 2 35 5 5 1,140 774 140 782 2 35 5 5 1,488 2,7 1 2 4 4 4 1 2 4 1 5 1 6 1 7 1 7 1 8 1 8 1 8 1 8 1 8 1 8 1 8 1 8	2 52 52 1 300 384 1 16 963 384 1 1,650 20 20 20 20 31 1,103 11,570 9 9 11,570 9 11 12 12 12 12 12 12 12 12 12 12 12 12	1 62 19 124 10 505 4 615 1,260 20 84 4422 214 60 31 69 10 15 88 707 1,069 6 6 1144 196 28	1 1 21 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	11 17 53 3 20 14 4 4 34 4	3	1

TABLE 7.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN EACH CITY OF 100,000 POPULATION OR OVER IN 1910, BY CAUSE OF DEATH (ABRIDGED INTERNATIONAL LIST), AND BY AGE OF DECEDENT: 1911—Continued.

نب			1						DEA	THS AT	AGE	OF							
Abridged Int. List No.	CAUSE OF DEATH.	All deaths.	Under 1 year.		2 years.	3 years.	4 years.	5 to 9 years.	to 19 years.			40 to 49 years.	50 to 59 years.		70 to 79 years.		90 to 99 years.	100 years and over.	Deaths at un- known age.
			,	NEW	YO	RK,	n. Y	(W)	HITI	E).			•				<u></u>		
	All causes	72, 799	14, 515	3,741	1,578	972	654	1,718	2,488	5, 437	7, 646	8, 619	8, 566	8,407	5, 843	2,316	279	15	5
1 2	Typhoid fever Typhus fever Malaria	530	3	4	2	6	3	21	89	166	116	73	31	13	3				
3 4	Smallpox	32 5	2 1	6		····i	1	3	1 1	3	1	4	$\frac{2}{1}$	7	1	1			
5 6 7	Measles Scarlet fever Whooping cough	647 742 360	167 28 191	265 97 90	104 135 34	98 23	24 79 13	32 196 9	60 60	3 35	13		1						
8	Whooping cough Diphtheria and croup Influenza	1,251 332	156 24	331 8	217 7	171 6	108	195 2	32 9	22 21	13 28	4 35	51	2 50	61	21	4	i	
10 11 12	Asiatic cholera Cholera nostras Other epidemic diseases	9 390	2 166	14	9			6	4	17	28	2	3 46	1 30	17	1 14			
13	Tuberculosis of the lungs	8,396 848	64 195	49 209	32	24 58	13 38	43 109	580 47	1,922	$\begin{bmatrix} 2,410 \\ 16 \end{bmatrix}$	38 1,787 24	968 6	367 1	<b>1</b> 119	12		-;	
15 16 17	Other forms of tuberculosis.  Cancer and other malignant tumors.  Meningitis.	388 3,852 467	46 4 125	17 2 71	109 22 2 38	11 3 27	5 4 17	34 6 56	51 28 42	51 76 26	50 333 29	770 17	31 1,066 8	15 950 7	10 500 4	98 98	9		i
18   19	Cerebral hemorrhage and softening Organic diseases of the heart	2,751 6,726	27 35	8	38 1 8	13	1 15	1 136	301	25 321	121 543	300 860	583 1,078	809 1,620	$60\hat{6}$ $1,245$	254 493	17 48	į	1 1
20 21 22	Acute bronchitis Chronic bronchitis Pneumonia	774 325 5,530	536 3 570	90 1 442	32 2 162	15 2 99	5  51	7 4 109	1 177	2 3 358	4 8 742	22 787	12 60 749	19 60 670	20 82 431	17 64 162	5 12 20	1 1 1	
23a 23b	Bronchopneumonia Other diseases of the respiratory system	4,472 577	1,990 65	970 50	284 16	119 11	52 4	101 16	30 16	54 37	66 48	96 76	749 137 76	243 64	213 58	102 35 19	14 5		1
25 25 25 26	Diseases of the stomach Diarrhea and enteritis Appendicitis and typhlitis	382 4,945 603	3,826 2	630 2	117 5	46 2	26 15	6 31 50	7 6 125	35 23 122	50 35 103	63 33 84	51 34 49	44 49 31	30 68 10	19 17 3	4		
27 28 29 30	Hernia, intestinal obstruction. Cirrhosis of the liver Acute nephritis and Bright's disease	537 961 6,864	84 1	4	6	3	1	9	125 11 5	31 25	37 141	81 269	90 256	103 172	58 76	19 14			
30 31	Diseases of the female genital organs	302 356	67	21 1	17	12	10	54	107 7 21	347 74 193	687 96 121	1,164 82 21	1,403 26	1,540 8	1,043 6	355 2	34	3	
32 33	Puerperal fever. Other puerperal affections. Congenital debility and malformations.	392 4, 144	4,092	24	9	4	1	6	10 5	175 1	170	36 1	1	1					
34 35 36	Senility Violent deaths (excluding suicide) Suicide	438 4,081 819	130	104	108	113	113	268	345 27	587 161	662 194	630 186	2 437 152	41 316 64	142 195 28	188 65 7	58 6	6	i
(37) 38	Other defined diseases	8,505 66	1,837 10	180 45	92 6	58 1	50	206 1	322	484 1	779	1,025	1,156	1,108 2	817	352	39		
		<u>'</u>	N	EW 3	rori	K, N.	Υ.	(COL	ORE	<b>(D)</b> .	•	•							
-	All causes	2, 530	513	127	50	33	19	37	109	353	422	324	252	160	92	27	11	1	
1 2 3	Typhoid fever Typhus fever Malaria	8				1			3	2	2								
4 5	SmallpoxMeasles	1 8	<sub>1</sub>	3	2	2			•••••	1									
6 7 8	Scarlet fever	5 12 19	7 1	1 4 8	·····	1	1	i			2								
9 10	Influenza Asiatic cholera	11	2	î 	1 	3 		i	1	i	3 1	i	1	2	1	1	<b>-</b> -		
11 12 13	Cholera nostras Other epidemic diseases Tuberculous of the lungs	13 571	1 5	•2 11	 5		2	9	52	2 175	3 159	1 90	1 35	17	2 5	1 2	<b>-</b>		
14 15 16 17	Tuberculous meningitis Other forms of tuberculosis	29 33	5	5	5	4 2		3 4	1 9	3 7	7		2	1					
16 17 18	Cancer and other malignant tumors Meningitis	75 7 58	3	····i		2			i	$\frac{2}{1}$	10 4	21	21 	13	5 9	1	2		
18 19 20 21	Organic diseases of the heart	58 220 32	1 17	6	1	i	1 1	1	8	21	40	45	46	30 1	15	$\frac{2}{7}$	5		
$\frac{21}{22}$	Chronic bronchitis Pneumonia Bronchopneumonia	10 204 184	15 93	1 12 47	4 11	5	3 3	5 2	9	<u>22</u>	1 41	1 40 3	1 25	2 15 6	11 1	$\begin{array}{c}1\\2\\1\end{array}$	1		
22 23a 23b 24	Other diseases of the respiratory system Diseases of the stomach	16 14	2	1			ĭ			5 1	3 3 2	1 4	$\begin{smallmatrix} 3\\2\\1\end{smallmatrix}$	1 2	$\frac{2}{1}$	<u>i</u> .			
25(37) 26 27 28 29 30 31 32 33 34 35	Diarrhea and enteritis	150 12 12	124	10	5	1		1	$\frac{2}{2}$	1 5 3	2 2 2 2 1	1 1 5	$\frac{1}{2}$	1	1				
28 29	Cirrhosis of the liver	8 215	<u>-</u> -		2	2	····i	3	1	16	42	1 44	2 45	2 30	1 26	3			
30 31	Diseases of the female genital organs Puerperal fever Other puerperal affections	34 19 12							3	7 11	17 5	8	1	1					
33 34	Congenital debility and malformations Senility	161 5	157	4					3	4	4	1			<u>.</u>	<sub>2</sub>		<sub>1</sub>	
35 36 (37)	Violent deaths (excluding suicide) Suicide Other defined diseases	96 14 257	4 73	2	1	2	2	2	8 1 1	22 1	24 6 36	13 2	7 2 33	7 2 14	2 1 		1		
38	Diseases ill-defined or unknown	<sup>251</sup> 5		6 2	8 2	3	1	4	4	34		30		14 1	7	2	2		
	,	١٠١				•••••				•••••	•••••			- 1	•••••				

	•	{		<del></del>					DEAT	ES AT	AGE C	)F							1
Abridged Int. List No.	CAUSE OF DEATH.	All deaths.	Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19	20 to 29	30 to 39	40 to 49	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 years and over.	Deaths at un- known age.
		r	vew :	OR	E, N	. Y.	(BRC	NX	BOR	ove	H).	J	!	·	1	<u> </u>	·		<u></u>
	All causes	6, 251	1,134	265	130	98	46	169	254	513	661	758	732	761	506	196	23	1	4
1 2 3 4 4 5 6 7 8 9 9 0 11 12 13 14 5 16 17 8 19 9 21 22 32 32 32 4 4 5 (37) 26 7 28 9 30 1 32 2 33 33 33 4	Typhoid fever Typhus fever Malaria. Smallpox Measles Scarlet fever Whooping cough Diphtheria and croup Influenza Asiatic cholera. Cholera nostras. Other epidemic diseases. Tuberculous meningitis. Other forms of tuberculosis. Cancer and other malignant tumors. Meningitis. Cancer and other malignant tumors. Meningitis. Carebral hemorrhage and softening Organic diseases of the heart. Acute bronchitis. Chronic bronchitis. Pneumonia Other diseases of therespiratory system. Diseases of the stomach. Diarrhea and enteritis. Appendicitis and typhlitis. Hernia, intestinal obstruction Cirrhosis of the liver Acute nephritis and Bright's disease. Diseases of the female genital organs. Puerperal fever Other puterperal affections. Congenital debility and malformations.	44 17 475 268 28 38 397 45 575 24 40 389	15 15 9 1 13 4 18 14 2 4 23 2 4 298 7	1 20 7 7 122 23 1 1 6 14 4 1 1 8 8 2 6 49 2 2 5 5 4 4 2 2 2 5 4	1 8 12 1 1 1 7 2 1 1 1 1 2 2 3 3 3 3 3 3 4 4 1 2 1 1 1 1 1 1 2 2 3 3 3 3 3 3 4 4 3 4 3 5 5 5 6 5 6 6 6 6 6 6 6 6 6 6 6 6 6 6	1 4 7 7 5 222 8 1 1 1	1 4 2 7 7 2 2 2 2 1 1 2 2 4 6 6 6 4 1 1	1 20 2 30 3 3 3 11 1 5 5 3 3 3 3 3 3 3 3 3 3 3 3	75 7 2 3 1 1 4 2 2 1 1 1 2 1 1 1 1 1 1 1 1 1 1 1	12 3 3 4 1 1 205 3 3 4 6 2 2 30 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2	9 1 1 5 3 220 3 4 4 5 5 1 4 1 5 2 2 1 3 8 4 4 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8	2 5 1 6 6 154 4 6 6 6 19 98 8 8 3	1 2 76 1 1 6 1 04 1 102 3 3 8 8 2 2 1 13 2 25 1 111 2	1 5 1 2 2 82 1 1 67 7 20 3 3 5 5 3 3 13 125 1	55 1 9 3 3 50 57 107 1 8 41 115 3 6 6 5 7 7 8 6	11 21 566 4 4 5 9 9 3 3 1 1 2 2 27	1 5 1 1 2 1 1 1 2 4 4 4	1	1 1 1
35 36 (37) 38	Senility Violent deaths (excluding suicide) Suicide Other defined diseases Diseases ill-defined or unknown	677	15 128 1 DRK,	9 7 6 N. Y	9 1	20 5 ROOI	8 1 CLY	30 22 N BC	30 33 33 ••••••••••••••••••••••••••••••	50 13 40 	41 8 58 	40 20 85 	31 18 91	29 2 108	13 2 71	1 17	2		
	All causes	25, 174		1,257	513	326	252	649	896	1,901	<u> </u>		<u> </u>	<u> </u>	2, 223	924	118	5	
1 2 3 4 5 6 7 8 9 10	Typhoid fever Typhus fever Malaria. Smallpox Messles Scarlet fever Whooping cough Diphtheria and croup Influenza. Asiatic cholera	219 16 1 129 291 86 391 153	1 26 12 47 30 9	1 2 51 35 24 98 3	28 45 5 63 5	5 29 5 58 1	2 5 34 3 49 4	7 13 88 2 68 1	37 1 .27 .13 4	70 2 1 15 6 12	49 6 11	30 2	10	5 20	24	1	4	1	
11 112 14 15 16 17 18 19 20 21 22 23 23 24 25 (37) 26 27 28 29 30 31 31 32 33 34 35 36 37 38 38 38 38 38 38 38 38 38 38 38 38 38	Cholera nostres. Other epidemic diseases. Tuberculous meningitis. Other forms of tuberculosis. Cancer and other malignant tumors. Meningitis. Cerebral hemorrhage and softening. Organic diseases of the heart. Acute bronchitis. Chronic bronchitis. Chronic bronchitis. Pneumonia. Bronchopneumonia Other diseases of the respiratory system. Diseases of the stomach. Diarrhea and enteritis. Appendicitis and typhlitis. Hernia, intestinal obstruction Cirrhosis of the liver Acute nephritis and Bright's disease. Diseases of the female genital organs. Puerperal fever Other puerperal affections. Congenital deblity and malformations. Senility. Violent deaths (excluding suicide). Suicide Other defined diseases. Diseases ill-defined or unknown.	392 191 1,926 1,577 209 138 1,883 218 161 327 2,337	1 34 13 60 20 22 26 4 18 2265 25 1 1 198 271 21 21 21 22 23 23 25 587 2	5 8 8 69 4 1 1 222 46 62 2 154 356 51 15 1 237 4 4 34 63 6 6	4 10 30 11 1 13 4 22 64 105 7 1 1 2 2 7	6 16 52 9 57 7 38 466 2 2 1 1 4 4 2 2 2 2 2 2 3 30 30	4 10 2 1 7 5 4 17 2 24 17 7 1 1 7	3 9 27 20 2 15 55 5 4 45 43 6 1 17 18 3 29	2 2211 15 18 9 8 122 2 2 76 10 5 4 4 3 3 2 2 42 1 7 7 3 3 3 9 9 9 115 122 122 127 127 127 127 127 127 127 127	9 9 22 19 5 7 117 2 135 28 32 12 20 13 12 19 26 67 67	111 780 2 2 3 102 122 33 3241 2 7 254 34 222 15 14 35 41 60 243	1 111 559 22 1241 551 111 353 44 111 271 225 29 9 12 127 176 4345	1 15289 18360 197 456 6 42216 477 30 166 100 177 21 213 481 111	1 103 342 11 336 639 11 35 204 21 21 21 21 31 67 498 2 2 18 93 28 403	77 23 4 174 529 6 48 168 70 18 6 6 33 117 277 370 1 577 73 11 302	1 5 4 1 30 95 181 7 7 4 40 13 8 10 7 6 6 126 1 1 70 26 3 3 173	5 9 25 3 6 5 5 5 2 2 2	1	

Table 7.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN EACH CITY OF 100.000 POPULATION OR OVER IN 1910, BY CAUSE OF DEATH (ABRIDGED INTERNATIONAL LIST), AND BY AGE OF DECEDENT: 1911—Continued.

[The cities included in this table are arranged alphabetically by states.]

Int.									DEAT	HS AT	AGE C	F—							
Abridged Int. List No.	CAUSE OF DEATH.	All deaths.	Under 1 year.		2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 89 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 years and over.	Deaths at un- known age.
	N	EW Y	ork,	N. 3	7. (B	ROO	KLY	N B	ORO	UGH	, we	IITE)	٠.						•
	All causes	24, 528	4, 582	1, 226	501	317	248	636	868	1, 806	2,486	2,834	2, 845	2,952	2, 194	914	115	4	
1 2	Typhoid fever	216	2	1		3	2	7	36	68	49	30	10	8					
3	Malaria	15		2			····i	····i	····i	1		2	i	5		····i	••••	••••	
4 5	Smallpox		1 26	50		5	5	13		····i									
ĕ	Scarlet fever	280	12	34	28 45 5	29 5	34	88	27	15	5								
7 8	Whooping cough. Diphtheria and croup.	85 386	46 30	24 97	62	5 57	3 49	68	<sub>13</sub> -	6	4								
9	innuenza	148	8	2	5	í	4	1	4	11	11	18	26	19	24	9	4	<u>i</u>	
10 11	Asiatic cholera		····· <sub>1</sub>		<b></b> -									<b></b>					
12	Other enidemic diseases	115	34	4	4			3	2	9	11	11	15	1 10	7	5			•••••
13 14	Tuberculosis of the lungs. Tuberculous meningitis.	2,605 238	12 59	8 68	8 30	5 16	3 10	7	199	667 9	748 2	539	284	99	22	4			
15	Other forms of tuberculosis	147	20	4	11	4	10	27 17	14 16	20	19	2. 17	1 8	4	4			•••••	·
16 17	Cancer and other malignant tumors Meningitis	1,270	2 26	1	1	. 2	1	2	9	19	100	234	353	339	173	29	5		
18	Cerebral hemorrhage and softening	122 1,022	26	21	13	9	7	15	8	5 6	12 31	108	187	332	251	94	9	•••••	
19	Organic diseases of the heart	2.687	18	2	4	5	5	55	120	112	227	349	187 436	332 627	523	180	24		
20 21	Chronic bronchitis	382 181	260	43 1	22	7	4	4	2	2 1	2 6	3 10	6 41	11 33	. 46	7	3 5		• • • • • • • • • • • • • • • • • • • •
22 23α	Pneumonia	1.876	191	151	63	38	24 16	42 43	74	129	242 32	265	214	199	166	32 73	5		
23a 23b	Bronchopneumonia Other diseases of the respiratory system.	1,543 204	660	346 15	104 7	44	16 2	43	10 5	25 17	32 21	33	46 30	70 21	69 17	40 13	5 2		
24	Diseases of the stomach	130	21	1	1			1	4 2	12 12	13	25 27	16	19	6	7	2		
25(37) 26	Diarrhea and enteritis. Appendicitis and typhlitis.	1,838 212	1,411	233	34 1	21	12	17 18	2 51	12	13 37	15 25	10 16	16 12	32	10			
27	Hernia, intestinal obstruction	156	21		2	2	í	18	31	42 8	11	25	21	31	1 17	7			•••••
28 29	Cirrhosis of the liver Acute nephritis and Bright's disease	326 2,284	23		5	1 4			1	9	40	97	78	67	27	6			
30	Diseases of the female genital organs.	96	23	4		4		28	42 1	115 24	232 30	362 27	472 11	493 1	362 1	125	9	1	
31 32	Puerperal fever	125 137							7	69	40	9							
33	Congenital debility and malformations.	1.034	1,062	13		2		4	2	64	59	12						••••	
34	Senility	174												18	56	69	30	1	
35 36	Violent deaths (excluding suicide) Suicide	1,199 251	36	33	28	27	38	85	88 10	151 34	197 56	176 64	149 45	91 28	73 11	26 3	1		
(37)	Other defined diseases	2,843	571	62	18	27	11	75	114	143	236	339	368	397	300	171	11		
38	Diseases ill-defined or unknown	8	2	6			l				•								

#### NEW YORK, N. Y. (BROOKLYN BOROUGH, COLORED).

	All causes	646	119	31	12	9	4	13	28	.95	110	68	66	48	29	10	3	1	
1	Typhoid fever	3							1	2									
2	Typhus fever	. <i></i> .																	
3	Malaria	1								1									
4	Smallpox		<i></i>							l									
5	Measles	1		1															
6	Scarlet fever	2		1				·		l	1				1				
7	Whooping cough	1 5	1				l												
8	Diphtheria and croup	5		1	1	1					2								
-91	Influenza	5	1	1						1		1		1					
10	Asiatic cholera																		
11	Cholera nostras																		
12	Other epidemic diseases	1		1												. <b>.</b>			
13	Tuberculosis of the lungs	119	1		2	1	1	2	12	38	32	20	5	4	1				
14	Tuberculous meningitisOther forms of tuberculosis.	3 13	1	1					1										
15	Other forms of tuberculosis	13				1		3	2	2	4			1					
16 17	Cancer and other malignant tumors	21									2	7	7	3	1	1			
	Meningitis	_1		1	<b>-</b>														
18 19	Cerebral hemorrhage and softening Organic diseases of the heart	24								1	2	3	10	4	3	1			
20	Acute bronchitis	65							2	5	14	4	20	12	6	1	1		
20 21	Chronic bronchitis	1 24 65 10 10 50 34 5 8	5	3				1				1			<u>-</u> -	[			
22		10		1							1	1	1	2	2	1	1		
22 23a	Pneumonia Bronchopneumonia	50	7	3	1	<u>.</u> -		3	2	6	12	6	2	5	2	1			
23a 23b	Other diseases of the respiratory system	34	12	10	1	2	1			3	2	1	1		1				
24	Diseases of the stomach	2			<b>.</b>					3	1 2				1				
25(37)	Diarrhea and enteritis	8		;-						1	2	2		2		1			
26(81)	Amondicitis and temblific	45	37	4	1		<i></i> -		1		1		!		1				
20	Appendicitis and typhlitis.  Hernia, intestinal obstruction	6 5 1 53 10 2 5							1	2 2	1	1	1					• • • • •	
27 28	Cirrhosis of the liver	5	1 1							2	1	1						• • • • •	
29	Acute nephritis and Bright's disease	1			<u>.</u>				1	;-									
30	Diseases of the female genital organs	10			Z			1 1		4 2	12 5	11	9	Đ	8	1			
31	Puerperal fever.	ΤÑ								2	5	2		1					
32	Other marnorel effections	2 5								1 3								• • • • • •	
32 33	Other puerporal affections. Congenital debility and malformations.	38	37			• • • • • •			1	৩	1								
34	Senility	3	31	1													• • • • • •		
35	Violent deaths (excluding suicide)	26		····i	1		2	····i	3	6	6	····-	2	2	1	1	• • • • • •	1	
35 36	Suicide	1	•••••	1	ı.	1	2	1	3	١١	اها	T	z	2			• • • • • •		
(37)	Other defined diseases	69	16		3	3	· · · · · ·	2		1 1	7	6	*****	6	2	2			
38	Diseases ill-defined or unknown	09	10		3	3		2	L	111	1	ס	δ	o	2.	2	1		
• •	Discoustification of all killowith																		
<del></del>			, ,					, ,			<u>'</u>								

TABLE 7.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN EACH CITY OF 100,000 POPULATION OR OVER IN 1910, BY CAUSE OF DEATH (ABRIDGED INTERNATIONAL LIST), AND BY AGE OF DECEDENT: 1911—Continued.

		Tine cu						<b>V</b>											
Ė,									DEA:	ens at	AGE	of—							Deaths
Abridged E List No.	CAUSE OF DEATH.	All deaths.	Under 1 year.		2 years.	3 years	4 years.	5 to 9 years.		20 to 29 years.		40 to 49 years.	50 to 59 years.		70 to 79 years.	80 to 89 years.		100 years and over.	Deaths at un- known age.
	N	EW YO	PRK,	N. Y	. (M.	ANH	ATT	AN B	ORC	UGI	i, T(	TAI	1.)		I	1		!	1
	All causes	38,236	8, 083	2, 163	893	502	318	804	1,233	2,967	4,263	4, 598	4,502	4, 143	2, 639	1,001	117	9	1
1 2	Typhoid fever	246		2	1	3		12	45	78	54	29	14	5	3				
3 4	Typhus fever Malaria Smallpox	12 2	2	2		····i	<sub>i</sub>	1		i		2	1	2	1				
5	Measles   Scarlet fever	436 354	122 15	188 52	66 74	26 57 11	13 35	13 77	5 20	2 16	1 7		1						
7 8	Whooping cough Diphtheria and croup Influenza	204 673	107 113	50 208	22 127	80	8 43	6 68	<sub>ii</sub> .	10	9	2		1		i			
10 10	l Aciatia cholora	i 1	10	4	2	5		1	5	6	9	11	15	24	26	.9			
11 12	Cholera nostras. Other epidemic diseases. Tuberculosis of the lungs. Tuberculous meningitis. Other forms of tuberculosis.	239	111	10	3	i		3	1	8	17	21		18	11	···· <sub>7</sub>			
13 <b>-</b> 14 15	Tuberculous meningitis.	4,859 514 199	49 115 24	46 122 9	23 64	20 36	7 27	71 71	308 23	1,040 26	1,398 10 24	1,035 16 22	581	226 1	81	9			
16 17	i cancer and other malignant himors	i Lynnii	1 77	39	8 1 16	6 1 11	3 2 5	36 71 15 3	33 18 28	29 49 20	186 12 64	409 - 10	17 537 7	6 461	237 2	50	5		
18 19	Meningitis Cerebral hemorrhage and softening Organic diseases of the heart	1,224 3,047	18 6	1 5			8	66	128	20 16 169	64 264	138 395	297 487	330 741	240 516	113 230	4 19	1	
20 21	Chronic bronchitis	319 112	227	45	10 2	7 7 2	2	3	<u>i</u> -	2	1	11	2 16	5 20 365 139	9	5 24	1 6	ī	
22 23 <i>a</i>	Pneumonia Bronchopneumonia	2,953 2,541	321 1,164	258 564 31	81 166	48 66	21 28 2	47 47	80 16	189 24	412 28 21 26 17	427 57	432 80	365 139	24 194 111	67 46	11 5		
23b 24	Other diseases of the respiratory system. Diseases of the stomach	303	36 31	1 1	9	9		47 7 3 13 19	8 2 3 54	24 17 16	21 26	40 28 13 43 41	42 20 19 30 48 128	35 18 26 13 53 67	28 13 22 7	16 11	2 1		
25(37) 26	Diarrhea and enteritis Appendicitis and typhlitis Hernia, intestinal obstruction	2,382 294	1,866	300 2	62	14	7 6		54 54	11 60	52	13 43	19 30	26 13	22 7	5	4		
27 28 29	Cirrhosis of the liver	287 461 3,544	52 1 32	2 12	3	<u>.</u>		1 21	7 4 39	20 14 183	21 83 376	125 628	128		27 33	5			
30 31	Diseases of the female genital organs	180		1	10 	°	3	21	39 4 12	46 94	60 60	45 11	728 13	824 6	503 4	158 1	17	2	
32 33	Puerperal fever. Other puerperal affections. Congenital debility and malformations.	176 2,466	2,440	12	5	<u>2</u>	····i	2	5 2	76	76	18	í	····i					
34 35	Senility Violent deaths (excluding suicide)	183 2,320	76	57	58		59	138	204	348	397	375	2 233	18 186	61 96	78 28	20 3	4	·····i
36 (37)	Senility Violent deaths (excluding suicide) Suicide. Other defined diseases.	443 4,516	1,059	109	. 64 7	 18 1	37	94	13 151	107 289	397 121 455	83 561	73 647	32 513	11 376	3 124	19		
`38	Diseases ill-defined or unknown	47	4	31	7	1		1	•••••	1				2		:		•••••	
		EW Y	ORK,	N. Y	. (M	ANE	ATT	AN E	BORG	υG	er, w	HITE	E).						
	All causes		7,737	2,077	858	482	305		<u> </u>	<u> </u>		<u> </u>	<u> </u>	4,049	2,593	989	112	9	1
1 2 3	Typhoid fever. Typhus fever. Malaria. Smallpox	241 12		2	1	2		12	43 	78	52	29	14	5	3				
3 4 5			121	2		1	12	1		1		2	1	2	1				
6 7	Scarlet fever	352 196	15 101	187 52 48	64 74 22 127	25 56 11	13 34 8	13 77 6	20 20	2 16	7		1						
8 9	Scarlet fever. Whooping cough Diphtheria and croup Influenza.	660 121	112	202	127 2	78 5	43	67	10 5	10 6	- 8	2 11	14	1 23	25	9			
10 11	Cholera nostras	i	·····i			- <i>-</i>													
· 12	Other epidemic diseases	227 4,451	110 45	9 35 118	3 20	17	6	31 69 15 3	1 274	915	$\frac{14}{1,286}$	20 973 16 21 397 10 132 362	27 552	18 213	9 77	6 7			
14 15 16	Other forms of tuberculosis	492 182	45 112 24 1 74 18 5 216 2 314	9	20 60 8	17 33 5 1	6 24 3 2 5	69 15	274 23 26 18 27 3	915 23 24 47 20 16 153	1,286 10 22 178 12 62 239	16 21	3 16 525 7 286 465 2 16 415 78 19 18 29 48 126 697	1 6 2 452 5 323 727 5 20 353 134 18 26 13 56 58 803	3				
17 18	Cancer and other malignant tumors  Meningitis  Cerebral hemorrhage and softening	1,914 259 1,193	74	39 1	16	10	5	32	27	20 16	12	10	525 7	452 5	236	50	3 <del>;</del> -		
19 20	Organic diseases of the heart	2.918	5 216	5 42	4 7	7	7	66 3	123	153	239	362	465	727	236 511	112 227	16	1 1	
21 22	Chronic bronchitis	299 112 2,825	314		4 7 2 78 158 9	7 6 2 48 63			1 75	2 174	388	11 397	16 415	20 358	9 24 186 111	24 66	1 6 11		
23a 23b	Other diseases of the respiratory system	2,404 294	1,091 36 30	251 529 31 1	158	63	19 26 2	45 45 7 3 12 19	75 16 8 2 2 53 7 4 38	21 15	27 19	55 39	78 ·40	134 34	111	45 16	5 2		
25(37) 26	Diseases of the stomach	167 2,301	1,800	1 294	1 58	13	7 6	3 12	2 2	16 10	26 17	26 13	19 18	18 26	27 13 22 7 27 27 32	îĭ 5	1 4		
27	Hernia, intestinal obstruction	288 282 454	1,800 1 51 1	294 2 2	58 3 3	1 1	6	19 4 1	53 7	57 19	· 51	43 39	29 48	13 56	7 27	3 8			
28 29	Cirrhosis of the liver   Acute nephritis and Bright's disease	3,407	32	12	10	7	····2	19 19	38 38	174 21 15 16 10 57 19 14 173 42 85 75	1 2 388 27 19 26 17 51 20 82 348 50	1 397 555 39 26 13 43 39 124 599 39	126 697		491	5 157	17	2	
30 31 32	Diseases of the female genital organs Puerperal fever. Other puerperal affections	159 163 171		- 1 					10	85 85	50 57	39	12	6	4	1			
33 34	Concenite I debility and malformations	9 357	2,333	10	5	2	i	2	5 2	75	73	17	1	1				;-	
35 36	Violent deaths (excluding suicide)	2,256 430	72	56	58	59	59	137	199 12	332 107	382 115 428	364 81 537	229 71	18 181 30	60 95 11	78 28 3	20 3	4 1	1
(37) 38	Senility Violent deaths (excluding suicide) Suicide. Other defined diseases. Diseases ill-defined or unknown	4,343 42	1,004	104 29	59 5	18 1	36	92 1	148	268	428	537	628	507 1	371	124	19	•••••	
	1	1			1		1	1 -	i	i -	1	1	1	J			1		

TABLE 7.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN EACH CITY OF 100,000 POPULATION OR OVER IN 1910, BY CAUSE OF DEATH (ABRIDGED INTERNATIONAL LIST), AND BY AGE OF DECEDENT: 1911—Continued.

Ħ.									DEA	THŞ AT	AGE	or—							
Abridged Int. List No.	CAUSE OF DEATH.	All deaths.	Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.		100 years and over.	Deaths at un- known age.
	N	EW Y	ork,	N. 3	7. (M	ANB	ATT	AN I	BOR	ουG	er, c	OLO	RED)	•	<u></u>	<u>'</u>	•	,	
	All causes	1,648	346	86	35	20	13	19	69	239	278	226	160	94	46	12	5		
1 2	Typhoid fever Typhus fever	5				1			2		2								
3 4	Malaria Smallpox																		
4 5 6	Measies. Scarlet fever.	5	i	1	2	1 1	1												
7 8	Whooping cough. Diphtheria and croup.	8	6	2		2		ii	1		1								
9 10	Influenza. Asiatic cholera.	6	î					î			i		i	i	1				
11 12	Cholera nostras Other epidemic diseases		1							2	3	1	·····i		2				
13 14	Tuberculosis of the lungs Tuberculous meningitis	408	4 3	1Î	3 4	3 3	1 3	5 2	34	125 3	112	62	29	13	$\tilde{4}$	2			
15 16	Other forms of tuberculosis Cancer and other malignant tumors	17				i			7	5 2	2 8	1 12	1 12	9	i		2		
17 18	Meningitis Cerebral hemorrhage and softening	5	3			1			1		2	6	···ii	7	<u>4</u>	····i			
19 20	Organic diseases of the heart	129	1 11	3	3	1	1		5	16	25	33	22	14	5	3 1	3		
21 22	Chronic bronchitis	128	7	7	3		2	·····2	<u>5</u>	15	24	30	17	···· <sub>7</sub>	8	i			
23a 23b	Other diseases of the respiratory system	9	73	35	8	3	2 	2		3 2	1 2	2	2 2	5 1	····i	1			
25(37)	Diseases of the stomach Diarrhea and enteritis	81	66	6	4	1		1	<u>i</u>	1		2 	1			 			
26 27	Appendicitis and typhlitis.  Hernia, intestinal obstruction.	5	1						1	3	1	2	1						
28 29 30	Cirrhosis of the liver	137				····i	1	2	i	10	28 10	1 29	31	$\frac{2}{21}$	12	····i			
31	Diseases of the female genital organs Puerperal fever	21 14							2	9	3	6 ;.	1						
32 33 34	Other puerperal affections. Congenital debility and malformations. Senility.	109 1	107	2						1	3	1							
35 36	Violent deaths (excluding suicide) Suicide.	64 13	4	····i		1		1	5 1	16	15 6	11 2	4 2	5 2	1				· · · · · · · · · · · ·
(37) 38	Other defined diseases	173	55	5 2	5 2		1	2	3	21	27	24	19	6	5				
			-						į .										
						V /			-	OTTO	(H.								
		N	EW Y	ORE	c, N.	,	QUE	ENS	BOI			1						, ,	
	All causes	4, 182	853	133	78	47	39	96	166	316	414	525	515	462	371	150	16	1	
1 2	Typhoid fever Typhus fever	4, 182	(1	133	1	1		96	ſ	316		<b>525</b>	<b>515</b>	462	371	150	16	1	
2 3 4	Typhoid fever	4,182 27 3 1	853	133	78	47	39	96	166	316	414			462	371	150	16	1	
2 3 4 5 6	Typhoid fever. Typhus fever. Malaria Smallpox Measles Scarlet fever.	4,182 27 3 1 11 32	853	133 1 1 5 4	78	47 	39	96	166	316	414			462	371	150	16	1	
2 3 4 5 6 7 8	Typhoid fever. Typhus fever. Malaria Smallpox Measles Scarlet fever.	4,182 27 3 1 11 32	853 1 2 12 3	133	78	47	39	96	166 5	316 5 1	414		2			150	16	1	
2 3 4 5 6 7 8 9 10	Typhoid fever Typhus fever Malaria Smallpox Measles Scarlet fever Whooping cough Diphtheria and croup Influenza Asiatic cholera	4,182 27 3 1 11 32	853 1 2	133 1 1 5 4 7	78	47 	39	96	166 5	316 5	414			462	371	150	16	1	
2 3 4 5 6 7 8 9 10 11 12	Typhoid fever. Typhus fever. Malaria Smallpox Measles Scarlet fever. Whooping cough. Diphtheria and croup. Influenze. Asiatic cholera Cholera nostras. Other epidemic diseases.	4,182 27 3 1 11 32 25 65 18	853 1 2 3 1	133 1 5 4 7 5	78 1 3 5 10	47 	39 1 5 7	96 1 1 10 23	166 5 1 8 5	316 5 1 2 3	414	8	5	1	6	150	16	1	
23456789101121314	Typhoid fever. Typhus fever. Malaria. Smallpox Measles Scarlet fever. Whooping cough. Diphtheria and croup. Influenza Asiatic cholera. Cholera nostras. Other epidemic diseases. Tuberculosis of the lungs. Tuberculosis meningitis	27 3 1 11 2 25 65 18 1437 30	2 12 3 1 1 5 1 5 1 5 1 5 1 5 1 5 1 5 1 5 1 5	133 1 1 5 4 7	78	47 	39	96 1 1 10 23 23 5	166 5 1 8 5 1 34 34	316 5 1  2 3  1 112	414 4 1 2	1 93	2 5 2 44 1	1 1 15		150			
2345678910 11123145 14516	Typhoid fever. Typhus fever. Malaria Smallpox Massles Scarlet fever. Whooping cough Diphtheria and croup Influenza Asiatic cholera Cholera nostras. Other epidemic diseases. Tuberculosis of the lungs Tuberculosis meningitis Other forms of tuberculous. Cancer and other malignant tumors	4, 182 27 3 11 32 25 65 18 	2 12 3 1 5 1 5 2	133 1 5 4 7 5	1 3 5 10	3 1 1 10	39 1 5 7	96	166 5 1 8 5 1 34 3 5 1	316 5 1 2 3	414	1 93	5	1	6	150			
234567891011231445678	Typhoid fever. Typhus fever. Malaria. Smallpox Measles Scarlet fever. Whooping cough. Diphtheria and croup Influenza. Asiatic cholera. Cholera nostras. Other epidemic diseases. Tuberculous meningitis Other forms of tuberculous. Cancer and other malignant tumors. Meningitis Cerebral hemorrhage and softening.	4, 182 27 3 1 11 32 25 65 18 11 437 30 21 217 27 210	2 12 3 1 5 1 5 2 7 2	133 1 5 4 7 5	78 1 3 5 10	3 1 1 10	39 1 5 7	96 1 10 23 25	166 5 1 8 5 1 34 35 1 2	316 5 1 2 3 1 112 3 4	1 26 6 14 11	1 93 2 3 50 1 17	2 5 2 44 1 1 63	1 1 15 1 56	6 7	4 21			
234567890111234556789011123415567890201	Typhoid fever. Typhus fever. Malaria. Smallpox Massles Scarlet fever. Whooping cough. Diphtheria and croup. Influenza. Asiatic cholera. Cholera nostras. Other epidemic diseases. Tuberculosis of the lungs Tuberculosis of the lungs Tuberculosis meningitis Other forms of tuberculous. Cancer and other malignant tumors. Meningitis Cerebral hemorrhage and softening Organic diseases of the heart Acute bronchitis.	4,182 27 3 1 11 32 25 65 18 30 21 217 27 210 391	2 12 3 1 5 5 2 8 36	133 1 5 4 7 5	78 1 3 5 10 2 7	3 1 1 10	39 1 5 7	96 1 1 10 23 5	166 5 1 8 5 1 34 3 5 1	316 5 1  2 3  1 112	1 2 126 6 14	1 1 93 2 3 50 1 17 56	2 5 2 44 1 63 51 68 1	1 15 15 56 55 84 2	6 7 24 1 51 77 4	4	4		
2 3 4 5 6 7 8 9 10 11 2 13 14 15 6 17 8 9 20 21 22 3 4 2 23 4 5 6 7 8 9 10 11 2 2 3 4 5 6 7 8 9 10 11 2 2 3 4 5 6 7 8 9 10 11 2 2 3 4 5 6 7 8 9 10 11 2 2 3 4 5 6 7 8 9 10 11 2 2 3 4 5 6 7 8 9 10 11 2 2 3 4 5 6 7 8 9 10 11 2 2 3 4 5 6 7 8 9 10 11 2 2 3 4 5 6 7 8 9 10 11 2 2 3 4 5 6 7 8 9 10 11 2 2 3 4 5 6 7 8 9 10 11 2 3 4 7 8 9 10 11 2 3 4 7 8 9 10 11 2 3 4 7 8 9 10 11 2 3 4 7 8 9 10 11 2 3 4 7 8 9 10 11 2 3 4 7 8 9 10 11 2 3 4 7 8 9 10 11 2 3 4 7 8 9 10 11 2 3 10 1	Typhoid fever. Typhus fever. Malaria. Smallpox Measles Scarlet fever. Whooping cough. Diphtheria and croup Influenza. Asiatic cholera. Cholera nostras. Other epidemic diseases. Tuberculosis of the lungs. Tuberculous meningitis Other forms of tuberculous. Cancer and other malignant tumors. Meningitis Cerebral hemorrhage and softening. Organic diseases of the heart Acute bronchitis. Chronie bronchitis. Pneumonia.	4,182 27 3 1 11 11 32 25 66 61 80 21 217 217 210 391 49 12 269 203	2 12 3 1 5 5 1 5 2 2 8	133 1 5 4 7 5 	78 	3 1 1 10	39 1 5 1 1 1	96 1 1 10 23 5	166 5 1 8 5 1 34 35 1 2 21	316 5 1 2 3 1 112 3 4 1 22 	414 4 1 126 6 14 11 19 42 3	1 1 93 2 3 50 1 17 56	5 5 2 44 1 1 63 5 63 1 35 10	1 15 15 56 55 84 2 4 34	6 7 24 1 517 7 4 4 228	4 21 22 3 6 6	4		
2 3 4 5 6 7 8 9 10 112 13 14 15 16 17 18 19 21 22 23 2	Typhoid fever. Typhus fever. Malaria. Smallpox Measles Scarlet fever. Whooping cough. Diphtheria and croup Influenza. Asiatic cholera. Cholera nostras. Other epidemic diseases. Tuberculosis of the lungs. Tuberculous meningitis Other forms of tuberculous. Cancer and other malignant tumors. Meningitis Cerebral hemorrhage and softening. Organic diseases of the heart. Acute bronchitis. Chronic bronchitis. Pneumonia. Bronchopneumonia. Other diseases of the respiratory system. Diseases of the storach	4,182 27 3 1 11 12 25 65 18 11 437 30 21 217 27 210 391 49 49 49 49 203 42 33 42 33 42 34 36 47 48 48 48 48 48 48 48 48 48 48	853 1 12 3 1 5 1 5 2 8 8 86 90 90 4 4	133 1 5 4 7 7 5 6 1 2 13 36 3 3 1	78 1 3 5 10 2 7 4 1	3 1 1 10 5 1 2 4 4 4	39 1 5 7 1 1 3 1	96 1 10 23 2 5	166 5 5 1 1 8 8 5 5 1 1 2 21 10 2 2 3 3 1 1	316 5 1 2 3 112 3 4 122 18	1 126 6 14 11 19 42 3 3 4 3 3	1 1 93 2 3 50 1 17 56	5 2 44 1 63 51 68 1 35 10 5	1 15 56 55 84 2 4 34 16 5	6 7 24 11 51 77 4 4 28 8 8	4 21 26 2 2 3 6	4		
2 3 4 5 6 7 8 9 10 112 13 14 15 6 17 18 9 20 21 22 23 ab 24 (25) 25 (26)	Typhoid fever. Typhus fever. Malaria. Smallpox Measles Scarlet fever. Whooping cough. Diphtheria and croup. Influenza. Asiatic cholera. Cholera nostras. Other epidemic diseases. Tuberculosis of the lungs. Tuberculous meningitis Other forms of tuberculous. Cancer and other malignant tumors. Meningitis. Cerebral hemorrhage and softening. Organic diseases of the heart. Acute bronchitis. Chronic bronchitis. Draeumonia. Bronchopneumonia Other diseases of the respiratory system. Diseases of the somach. Diarrhea and enteritis. Appendictis and typhilitis	4,182  27  3 1 11 11 32 25 65 18  11 437 30 21 217 27 210 391 49 12 269 99 203 42 30 335 44	853 1 	133 1 5 4 7 5 6  1 2 13 36 3	78 1 3 5 10 2 7	3 1 1 10 5 1 2	39 1 5 1 1 1	96 1 10 23 2 5	166 5 5 8 5 5 1 34 4 3 5 5 1 2 2 1 10 2 2 3 3 1 1 5 5 5	316 5 1 1 2 2 3 3 4 4 1 1 3 3 13 3 13 3 13 3	414 4 1 1 2 2 126 6 14 11 19 3 4 42 3 2 6	1 1 93 2 3 50 1 17 56	2 5 2 44 1 1 63 51 68 1 1 5 7 1	1 15 15 56 55 84 2 4 34 16 5 5	6 7 24 11 51 77 4 4 28 8 8 8 3 5	4 21 28 2 3 6 6 8 3	4		
2 3 4 5 6 7 8 9 10 112 13 14 15 6 17 18 9 20 21 22 23 ab 24 (25) 25 (26)	Typhoid fever. Typhus fever. Malaria. Smallpox Measles Scarlet fever. Whooping cough. Diphtheria and croup. Influenza Asiatic cholera. Cholera nostras. Other epidemic diseases. Tuberculosis of the lungs. Tuberculosis of the lungs. Tuberculosis of the rollings. Other forms of tuberculous. Cancer and other malignant tumors. Meningitis. Other forms of tuberculous. Cancer and other malignant tumors. Meningitis Other forms of tuberculous. Cancer and other malignant tumors. Meningitis. Cerebral hemorrhage and softening. Organic diseases of the heart. Acute bronchitis. Pneumonia. Bronchopneumonia. Other diseases of the respiratory system. Diseases of the stomach. Diserhea and enteritis. Appendicitis and typhlitis. Hernia, intestinal obstruction. Cirrhosis of the liver.	4,182  27  3 1 11 11 32 25 65 18 11 437 30 21 217 27 210 391 12 269 9 203 49 12 269 203 49 49 49 49 40 40 40 40 40 40 40 40 40 40 40 40 40	853 1 12 3 1 5 5 2 7 2 8 36 20 90 4 4 262	133 1 5 4 7 7 5 6 1 2 13 36 3 3 1	78 1 3 5 10 2 7 7 4 1 11	3 3 1 1 10 10 5 5 4 4 4 4 4 4 5 5	39 1 5 7 1 1 3 1 1 2 1	96 1 1 10 23 25 5 4 4 3 3 4 2 1 5 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2	166 5 5 1 1 8 8 5 5 1 1 2 2 1 1 1 5 1 1 5 1 1	316 5 1 1 22 3 3 4 4 4 1 3 3 13 2 2 2 2	414 4 1 1 1 2 2 1 2 6 1 4 2 3 3 4 4 3 3 2 2 6 2 1 0 0 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	1 93 22 3 50 1 17 56 1 39 9 8 2 4 2 24	2 44 1 1 63 51 68 1 35 7 7 1 1 6 2 2 2	1 15 56 55 84 2 4 34 16 5 2 3	6 7 24 1 51 77 4 4 28 8 8 8 8 5	4 21 26 2 3 6 6 8 3	4		
2 3 4 5 6 7 8 9 10 112 13 14 15 6 17 18 9 20 21 22 23 ab 24 (25) 25 (26)	Typhoid fever. Typhus fever. Malaria. Smallpox Measles Scarlet fever. Whooping cough Diphtheria and croup Influenza Asiatic cholera Cholera nostras. Other epidemic diseases Tuberculosis of the lungs Tuberculosis of the lungs Tuberculosis meningitis Other forms of tuberculous Cancer and other malignant tumors Meningitis Cerebral hemorrhage and softening Organic diseases of the heart Acute bronchitis. Chronic bronchitis. Preumonia. Bronchopneumonia Other diseases of the respiratory system Diseases of the stomach Diarrhea and enteritis. Appendicitis and typhlitis. Hernia, intestinal obstruction Cirrhosis of the liver. Acute nephritis and Bright's disease Diseases of the fenale genital organs.	4,182 27 3 1 11 11 22 25 65 18 11 437 30 21 217 27 210 391 49 12 269 203 30 31 49 49 49 40 40 40 40 40 40 40 40 40 40	853 1 	133 1 5 4 7 7 5 6 1 2 13 36 3 3 1	78 1 3 5 10 2 7 7 4 1 11	3 3 1 1 10 10 5 5 4 4 4 4 4 4 5 5	39 1 5 7 1 1 3 1 1 2	96 1 10 23 2 5	166 5 5 8 5 5 1 34 4 3 5 5 1 2 2 1 10 2 2 3 3 1 1 5 5 5	316 5 5 1 1 112 2 3 3 4 4 1 3 3 2 2 19 9 4	414 4 11 126 6 14 11 19 19 10 10 39 10	1 93 2 3 50 1 17 56 1 3 3 5 4 2 9 8 8 8 8 84 84	2 44 1 63 51 63 51 63 10 57 7 1 1 6	1 15 15 56 55 84 2 4 34 16 5 5	6 7 24 1 51 77 4 4 28 8 8 8 3 5	4 21 26 2 3 6 6 3	4 4 2 2 2 2		
2 3 4 5 6 7 8 9 10 112 13 14 15 6 17 18 9 20 21 22 23 ab 24 (25) 25 (26)	Typhoid fever. Typhus fever. Malaria. Smallpox Measles Scarlet fever. Whooping cough. Diphtheria and croup. Influenza Asiatic cholera Cholera nostras. Other epidemic diseases. Tuberculosis of the lungs Tuberculosis of the lungs Tuberculosis meningitis Other forms of tuberculous. Cancer and other malignant tumors. Meningitis Cerebral hemorrhage and softening. Organic diseases of the heart Acute bronchitis. Chronic bronchitis. Pneumonia. Bronchopneumonia. Other diseases of the respiratory system Diseases of the stomach. Diarrhea and enteritis. Appendicitis and typhlitis. Hernia, intestinal obstruction Cirrhosis of the liver. Acute nephritis and Bright's disease. Diseases of the female genital organs. Pruerperal fever. Other puerperal affections.	4,182 27 3 1 11 132 25 615 18 217 217 217 217 219 219 419 203 303 42 30 42 30 42 43 44 44 44 44 44 44 44 44 44	853 1 	133 1 5 4 7 7 5 6 1 2 13 36 3 3 1	78	3 3 1 1 10 10 5 5 4 4 4 4 4 4 5 5	39 1 5 7 1 1 3 1 1 2 1	96 1 1 10 23 2 5 5 4 4 3 8 4 4 2 1 5 2 2 2 2	166 5 5 1 1 34 3 3 5 1 2 2 1 1 1 1 5 1 1 1 1 1 1 1 1 1 1 1	316 5 5 1 1 1122 3 3 4 4 1 1 3 2 2 2 2 1 9 9 9	414 4 1 1 1 22 1 126 6 14 1 11 1 19 2 3 3 4 4 3 2 2 1 0 3 9	1 93 22 3 50 1 17 56 1 39 9 8 2 4 2 24	2 44 1 1 63 51 68 1 35 7 7 1 1 6 2 2 2	1 15 56 55 84 2 4 34 16 5 2 3	7 7 24 1 51 77 4 4 28 8 8 3 5 1 6 5 5 61	4 21 26 2 3 6 6 8 3	4 4 2 2 2 2		
2 3 4 4 5 6 6 7 8 9 9 10 112 113 114 115 117 119 221 22 24 22 (27) 22 (28) 310 312 334 334	Typhoid fever. Typhus fever. Malaria. Smallpox Measles Scarlet fever. Whooping cough. Diphtheria and croup Influenza. Asiatic cholera. Cholera nostras. Other epidemic diseases. Tuberculosis of the lungs. Tuberculous meningitis Other forms of tuberculous. Cancer and other malignant tumors. Meningitis Cerebral hemorrhage and softening. Organic diseases of the heart. Acute bronchitis. Chronic bronchitis. Pneumonia. Bronchopneumonia. Other diseases of the respiratory system. Diseases of the stomach Diarrhea and enteritis. Appendicitis and typhilitis Hernia, intestinal obstruction Cirrhosis of the liver. Acute nephritis and Bright's disease. Diseases of the female genital organs. Puerperal fever. Other puerperal affections. Congenital debility and malformations	4,182 27 3 1 11 11 32 25 66 68 68 18 21 217 27 227 227 227 229 42 209 42 42 42 43 44 44 44 44 44 44 44 48 48 48	853 1 12 3 1 5 1 5 2 8 8 8 8 20 90 4 4 262 3 5 2	133 1 5 4 7 5 5 6 6 1 1 2 2 13 36 3 3 3 7 7 7	78	3 1 1 1 1 1 1 5 5 1 2 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4	39 1 5 7 1 1 3 1 1 2 1	96 1 1 10 23 2 5 5 4 4 3 3	166 5 5 1 1 34 3 5 1 2 2 1 1 1 1 1 1 1 1 2 2 3 3 1 1 1 5 1 1 1 3 4 3 3 5 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	316 5 5 1 1 112 2 3 3 4 4 1 1 3 2 2 2 1 1 1 2 2 9 9 1 1	1 1 2 2 1 2 6 6 1 4 4 3 3 2 2 6 6 2 2 1 1 0 8 8 1 8 1 1 1 1 1	1 93 2 3 50 1 1 56 1 39 3 5 4 2 9 8 8 24 84 84 84	2 2 44 1 1 63 51 68 1 1 355 10 5 7 7 1 1 6 6 22 94	1 1 15 56 55 54 2 4 34 16 5 5 2 2 3	7 24 1 51 77 4 4 28 8 8 3 5 61 1	4 21 26 2 3 6 6 3	4 4 2 2 2 2		
2 3 4 5 6 7 8 9 10 112 13 14 15 6 17 18 9 20 21 22 23 ab 24 (25) 25 (26)	Typhoid fever. Typhus fever. Malaria. Smallpox Measles Scarlet fever Whooping cough. Diphtheria and croup. Influenza. Asiatic cholera. Cholera nostras. Other epidemic diseases. Tuberculosis of the lungs. Tuberculosis of the lungs. Tuberculosis of the respirations. Other forms of tuberculous. Cancer and other malignant tumors. Meningitis. Other forms of tuberculous. Cancer and other malignant tumors. Meningitis Other forms of tuberculous. Cancer and other malignant tumors. Meningitis. Cerebral hemorrhage and softening. Organic diseases of the heart. Acute bronchitis. Chronic bronchitis. Pneumonia. Bronchopneumonia. Other diseases of the respiratory system. Diseases of the stomach. Diarrhea and enteritis. Appendicitis and typhlitis. Hernia, intestinal obstruction. Cirrhosis of the liver. Acute nephritis and Bright's disease. Diseases of the female genital organs. Puerperal fever. Other puerperal affections.	27 3 1 11 11 32 25 65 18 30 217 227 210 391 12 226 269 203 49 42 42 42 44 34 79 9 426 426 39 217	853 1 	133 1 5 4 7 5 5 6 6 1 1 2 2 13 36 3 3 3 7 7 7	78	3 3 1 1 10 10 5 5 4 4 4 4 4 4 5 5	39 1 5 7 1 1 3 1 1 2 1	96 1 1 10 23 2 5 5 4 4 3 8 4 4 2 1 5 2 2 2 2	166 55 1 8 8 5 1 2 21 10 2 3 1 1 5 1 1 2 1 1 1 1 1 1 1 1 1 1 1 1 1	316 5 5 1 1 1122 3 3 4 4 1 1 3 2 2 2 2 1 9 9 9	414 4 11 126 6 14 11 19 42 3 4 3 2 6 2 2 10 39 10 8 11 11 11 11 11 11 11 11 11	1 93 3 50 0 1 17 56 4 2 9 8 8 4 24 7 1	2 2 44 1 1 63 51 1 55 10 5 7 7 1 1 6 62 22 94	1 15 55 55 84 4 4 4 18 5 5 5 5 5 8 3 1 5 5 5 8 4 8 4 8 5 8 7 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8	7 24 1 51 777 4 4 28 8 8 8 8 1 6 5 61	4 21 22 22 3 6 6 8 3	4 4 2 2 2 1 1 1		

CAUSE OF DEATH.   All deaths.   Trade: 1   2   3   4   5 to 9   10   20   80   40   50   60   70   80   90   100   80   80   80   90   100   80   80   80   80   80   80	Deaths it un- nown age.
All causes.	
Typhoid fever.	
Second Second	
Second Second	
Second Second	
8   Diphtheria and croup	
8   Diphtheria and croup	
11   Cholera nostras.	
25(37)   Diarrhea and enteritis.	
30   Diseases of the female genital organs.   2	
30   Diseases of the female genital organs.   2	
Si   Fuerperal tever   13   3   4   5   5   63   5   5   5   5   5   5   5   5   5	
32   Other puerperal affections.   7	
34 Senility (Sen	
36   Storett deaths (exchang suicide)   31   2   2   3   3   9   15   16   13   0   2   5   5	
(37) Other defined diseases	
ROCHESTER, N. Y.	
All causes 3,271 443 121 57 42 33 75 113 231 265 341 407 430 446 237 29 1	
1 Typhoid fever. 24 1 5 3 7 2 5 1	
3 Malaria	
5   Measles   13    2   4   2   1   1   2     1   1   1   1   1	
5     Measles     13     2     4     2     1     1     2     9     1     1     1       6     Scarlet fever     50     3     4     6     8     7     11     9     1     1     1       7     W hooping cough     20     10     7     2     1     <	
8 Diphtheria and croup 93 5 15 13 11 16 22 9 1 1 1 6 2 1 9 Tuffuenza 13 1 6 2 1	
10 Asiatic cholera	
12 Other enidemia discoses 19 5 1	
13 Tuberculoss of the rungs. 253   5   1   3   20   86   58   58   24   12   6   14   Tuberculoss menimetris   92   2   2   4   3   1   5   1   3	
15 Other forms of tuberculosis	
17   Meningias	
18     Cerebral hemorrhage and softening     247     3     1     2     6     22     38     74     73     27     1       19     Organic diseases of the heart     386     3     1     2     2     6     12     15     31     51     103     106     49     4     1       20     Acute bronchitis     34     16     6     1     1     1     2     1     4     3	
21   Chronic bronchitis	
22   Pneumonia   132   13   5   3   3   1   2   9   7   11   21   20   13   14   9   1	
23b   Other diseases of the respiratory system   34   4   1     2   2   2   4   4   4   6   5	
23b Other diseases of the respiratory system.     34     4     1     2     2     2     4     4     4     6     5        24 Diseases of the stomach.     27     6     1     3     2     3     4     4     3     1       25(37) Diarrhea and enteritis.     241     176     35     4     3     1     1     1     2     1     3     2     5     7        26 Appendicitis and typhlitis.     32      1     3     6     7     4     5     3     2     1        27 Hernia, intestinal obstruction.     33     6     1     2     2     2     3     6     4     5     3     1       28 Cirrhosis of the liver.     44     1      5     9     10     11     6     2	
26   Appendicitis and typhlitis.   32     1     3   6   7   4   5   3   2   1	<u>-</u>
27   Hernia, intestinal obstruction	
29   Acute nephritis and Bright's disease   267   2   2   2   1   9   10   24   26   58   63   49   19   2	
20	
33   Congenital depulity and malformations   51   48   1       1   1   1	
34 Senility	
35   Violent deaths (excluding spicide)   398    6:1 5   7   3   3   8   14   98   94   98   96   13   90   11   2	
35   Violent deaths (excluding suicide)   198   6   5   7   3   3   8   14   28   24   28   26   13   20   11   2	

TABLE 7.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN EACH CITY OF 100,000 POPULATION OR OVER IN 1910, BY CAUSE OF DEATH (ABRIDGED INTERNATIONAL LIST), AND BY AGE OF DECEDENT: 1911—Continued.

4.									DEAT	THS AT	AGE (	OF							
Abridged Int. List No.	CAUSE OF DEATH.	All deaths.	Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 years and over.	Deaths at un- known age.
					SYF	RACT	se,	n. Y	•										
	All causes	2, 027	386	66	35	20	9	41	61	150	167	187	241	269	240	139	16	<u></u>	
1 2 3	Typhoid fever Typhus fever	23			1			1	4	8	5	2	2						
3 4 5	Malaria Smallpox Measles	16	7	6	<u>-</u>			· · · · · · · · · · · · · · · · · · ·							<b>-</b> -				
6 7	Scarlet fever Whooping cough	37 17	5 8	1 8	6	3	5	9	5	2	1								
8	Diphtheria and croup. Influenza	36 6	6	3	4	5	1	10	5	1	i			<sub>1</sub>	1	3	<b>-</b>		
10 11 12	Asiatic cholera Cholera nostras Other epidemic diseases	8	<sub>i</sub>		i								<u>i</u>	1	3				
12 13 14	Tuberculosis of the lungs	136 16	3 4	3	i	2		1	8	44 3	34 2	25	14	4	2	i			
15 16 17 18	Other forms of tuberculosis	9 117 19	1 5	1	····i			<sub>i</sub> .	<u>;</u> .	$\begin{array}{c c} 2\\ 1\\ 2 \end{array}$	4	21 3	36	2 31	20 1	2			
18 19	Meningitis	136 238	i	2	<sub>1</sub>			4	2 2 7	$\frac{2}{2}$	3 13	8 21	25 31	34 57	39 59	20 39	3 4		
20 21	Acute bronchitis	22 17	13	$\frac{2}{1}$	Ĩ				1	····i	<u>i</u> -		i	5	3 4	2 3	1		
22 23a 23b	Pneumonia Bronchopneumonia Other diseases of the respiratory system	118 52 15	12 20 2	11 6	1 4 1	1 1 1		$\begin{bmatrix} & 1 \\ \cdots & 2 \end{bmatrix}$	5 2	13	15 2 1	19	12 2 1 5	18 4	7 7 1	3			
24 25(37)	Diseases of the stomach  Diarrhea and enteritis	25 131	100	13		2	····i			3	1	3 2 2 1	6	4 6 2	$\hat{2}$	2 4			
26 27	Appendicitis and typhlitis	20 22	1					1	3	5 2	1 2	3	2	2 2 5	<u>3</u>	4			
28 29 30	Cirrhosis of the liver	17 138 15			3				i	8	2 6 6	17 4	6 31 4	20 20	5 38	13	1		
31 32	Puerperal fever Other puerperal affections	3 7								2 2	Ĭ 4	<u>î</u>							
33 34 35	Congenital debility and malformations Senility	138 18 127	136	·····i	1 6	$\frac{1}{2}$			 6	25	21	16	16	10	2 8	14 8	2 1		
36 (37)	Violent deaths (excluding suicide) Suicide Other defined diseases	29 297	53	6	i		<u>.</u>	5	$\begin{bmatrix} 2\\7 \end{bmatrix}$	9	10 27	32	38	3 56	33	20	<u>.</u> .		
`38	Diseases ill-defined or unknown	2		2	·····		····-				·····			•••••					
			C	CINC	INN	ATI,	оні	<b>o</b> ( <b>T</b>	OTA	L).									
	All causes	6, 225	721	177	93	58	34	128	226	621	679	841	816	757	705	322	40	2	5
1 2	Typhoid feverTyphus fever	43						3	9	15	6	5	3	1	1				
3 4	Malaria Smallpox	2 1						2		1	1	i							
5 6 7	Measles Scarlet fever Whooping cough	13 79 19	5 1 9	2 4 6	6 1	3 7	8 2	33 1	15	3	2								
8	Whooping cough Diphtheria and croup Influenza	46 55	1 3	4 3	9	3	6	15 1	6 1	$\frac{1}{2}$		1 6	4	13	10	io	1	i	
10 11 12	Asiatic cholera	26	4		1			i				3	3	4	7	<u>2</u>			
13 14	Tuberculosis of the lungs	896 43	4 6	. 5 8	2 7	1 3		4 4 1	60 5	251	245 4	182	89 2	40	12	ĩ			
15 16	Other forms of tuberculosis	64 370	3	2	1 2			1	11 1 4	3 16 13 6	18 18	1 15 69	108	3 84	2 54	18	 		
17 18 19	Meningitis. Cerebral hemorrhage and softening Organic diseases of the heart.	40 321 702	3 7	10 1	3	4 1	3 i	1 5	13	33	5 10 57	37 104	52 128	87 156	78 135	47 52	3 8		
20 21 22	Acute bronchitis	54 87	22	5 1	2	2		3		1	1	1 4	7	18	7	5 23 13	1 4		
23a	Pneumonia. Bronchopneumonia.	265 211	17 52	7 34	10	6	2 4	6 5	5	34	27 7	31 6	43 11	34 17 5	28 29 24	22	5 5		2
23b 24 25(37)	Other diseases of the respiratory system. Diseases of the stomach. Diarrhea and enteritis	39 63 309	1 15 190	1 53	1 1 11		1	1 3	1 6 5 3 1	5 1 15	4 4 1	5 8 3	7 7 7	7 16	3 9 12	3 4 4	<u>1</u>		
26	Appendicitis and typhlitis	49 54	5			1	ļī	2	13	1 3	6 3	8	7 11	8	2 11	3	·		
27 28 29 30 31 32	Cirrhosis of the liver	101 548 37	<sub>ii</sub> .	3	1	4		5	3 4 2 2 2	$\frac{4}{21}$	15 48 14	27 92 9	24 91 4	15 104	10 115	3 46 1	3		
30 31 32	Diseases of the female gental organs Puerperal fever Other puerperal affections Congenital debility and malformations.	32 25							2 2	7 15 14	12 7	2 2	*			<u></u>			i
33 34	Senility	230 14	226	2				2							3	8	<u>-</u> -	1	
35 36	Violent deaths (excluding suicide)   Suicide	427 77 873	9	7	4	6	25	11 17	36 1 21	78 17 50	57 16 102	88 21 106	57 12 134	30 7 102	31 3 119	9 47	$\frac{2}{7}$		
(37) 38	Other defined diseases Diseases ill-defined or unknown	10	119	18 1	18 2	8	ļ	·		1	102		104		119	**	<u>'</u> -		2

2 / 7	CAUSE OF DEATH.	All deaths.	Under 1 year.		2	3	4		10	20	30	100						100	Deaths at un-
2 / 7	,			year.	years.	years.	years.	5 to 9 years.	to 19	to 29 years.	to 39	to 49 years.	to 59 years.	to 69 years.		to 89 years.		years and over.	Jan orman
2 / 7			•	CINC	INN	ATI,	оні	o (w	HIT.	E).		·-		<b>.</b>	· -	·	<b></b>		·
2 / 7	All causes	5,627	665	154	79	52	33	119	192	505	585	744	741	718	681	315	39	1	4
	Typhoid fever	41						3	7	15	6	5	3	1	1				
4   8	Malaria Smallpox Measles	2 1 12	5	2	1	3		1	<b></b>	1	1 	1							
6   S	Scarlet feverWhooping cough	78 16	1 8	4 5	6	7	8 1	33 1	14	3	2				•••••				
9   I	Diphtheria and croup	44 53	3	2	8	3	6	14 1	6 1	1 2		6	4	12	10	10	1	1	
11   C	Cholera nostras	25	3		<u>-</u> 1			1		1		3	3	4	7	<u>2</u>		•••••	
14   T	Pubercülosis of the lungs Puberculous meningitis Other forms of tuberculosis	736 35 57	3 5 2	4 6	2 7	1 2		2 4	45 5 10	188 2	211 3 6	155 14	78 1 5	37 3	10				
16   C	ancer and other malignant tumors	350 38	4	10 10	2 2	4	3	1 1	1 4	16 13 5	14 5	64	103	79	54	17			
10 1 0	Perebral hemorrhage and softening Organic diseases of the heart Leute bronchitis	302 622 43	3 6 17	4	<u>-</u> -	i	1	4 3	12	27 1	10 42	32 89 1	47 105	84 144 4	74 132 6	45 51 5	8		
21   C 22   P	Ihronie bronchitis	79 229	1 15	4 1 5	5	3	2	 5 5	1 4	21 2	25	24 5	5 42 10	15 32 17	25 27	23 13	4 5	•••••	1
23b C	Bronchopneumonia Other diseases of the respiratory system Diseases of the stomach	192 37 60	49 1 13	28 1	· 6	6	4	5 <u>1</u>	4 3 3 1	2 4 5	6 4	5 4 8 3	10 7 7	17 5 6	24 3 9	22 3 4	5	•••••	
25(37) I 26 A	Diarrhea and enteritis	282 47	175	47	9	4	1	2 2	1 11	1 15 2	4 1 6	3 4 8	6 7	16	11 2	4	1		
28 C 29 A	Ternia, intestinal obstruction	53 99 511	5 11	3	<u>-</u>	1 4		1 5	3 4	2 4 20	3 15 42 10	26 80	11 24 81	8 15 99	11 9 113	3 45	3		
30   D 31   P	Diseases of the female genital organs	30 32			<u>-</u> -	<u>-</u> -			2 2	4 15	12	9	4			ĩ			i
33 L.C	Other puerperal affections Congenital debility and malformations enility	23 212 13	208	2				2	2	13	6	2		2		8			
35 V 36 S (37) O	enility Violent deaths (excluding suicide) uicide Other defined diseases	13 379 74 811	9	7	3	6	2	11	29 1	65 16	48 16 87	77 20 97	52 11	29 7	30	9	2		
38 I	Diseases ill-defined or unknown	9	114 3	15 1	17 2	7		16	20	* 39 * 1		97	125	99	116	47 	7		2
	•		CI	NCIN	INAT	rı, o	ню	(CO)	LORI	ED).									·
	All causes	598	56	23	14	6	1	9	34	116	94	97	75	39	24	7	1	1	1
1 T 2 T 3 X	yphoid fever yphus fever falaria mallpox	2							2										
4 I S	malipox Jeasles	1			•••••			i	•••••			•••••			•••••	.,			
6 i S	carlet fever	1 3	1	i			1		1										
9 In 10 A	nfluenza siatic cholera	2 2		1	1			1						i			•••••		
12 O	Cholera nostras	1 160	1 1																
14 T 15 C	Suberculous meningitis	8 7	1 1	1 2	i	1		2 1	15 1	63	34 1	27 1 1	11 1	3	<sub>1</sub>	1			
16 C 17 X	Cancer and other malignant tumors  Jerebral hemorrhage and softening	20 2 19			1					···i	4	5	5	5		<u>ī</u>			
19 O 20 A	Organic diseases of the heart	80	1 5	i	1	1 1		1	1	6	15	5 15	5 23	12	4 3 1	$\begin{vmatrix} 2\\1 \end{vmatrix}$	1		
21 C 22 F	hronic bronchitis	8 36	2	2		1		1	2	13	2 1	7	2 1.	3 2	3 2				i
23b O 24 D	Bronchopneumonia Other diseases of the respiratory system Diseases of the stomach	19 2 3	3	6	4 1			•••••	2	1	1	1	1	1					
25(37) D	Diarrhea and enteritis.  ppendicitis and typhlitis  fernia, intestinal obstruction	27	15	6	2	1		1	2				1		1				
28   C 29   A	irrhosis of the liver	1 2 37								1	6	1 12	10	5	1 2	1			•••••••
30 D 31 P	Diseases of the female genital organs	7								3	4								<del></del>
32 O	ongenital debility and malformations.	18 1	18							1	1						····-		<b>-</b> -
34   St																· }		- 1	
34   Se 35   V	enility folent deaths (excluding suicide) uicide ther defined diseases Diseases ill-defined or unknown	48 3 62	5	3	i	i		1	<sub>1</sub>	13 1 11	15	11 9	5 1 9	3	3				

TABLE 7.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN EACH CITY OF 100,000 POPULATION OR OVER IN 1910, BY CAUSE OF DEATH (ABRIDGED INTERNATIONAL LIST), AND BY AGE OF DECEDENT: 1911—Continued.

nt.									DEAT	THS AT	AGE (	)F							
Abridged Int. List No.	CAUSE OF DEATH.	All deaths.	Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.			50 to 59 years.	60 to 69 years.			90 to 99 years.	100 years and over.	Deaths at un- known age:
				•	CLEV	/ELA	ND,	оні	ο.										
	All causes	7,999	1,766	384	162	122	72	236	291	653	845	807	852	850	640	280	36	2	1
$_{2}^{1}$	Typhoid fever Typhus fever Malaria	82			2	1	1	5	9	27	13	11	12	1					
3 4	Smallpox	3							1	2	 								
5 6 7	Measles. Scarlet fever. Whooping cough	40 191 85	10 3 44	11 19	9 24 12	31 3	1 15	53 4	1 35	4	6	i							••••••
8 9	Whooping cough Diphtheria and croup Influenza	129 62	10	21 17 6	22 1	23	14	27 2	9 1	5 2	$\frac{1}{2}$	6	12	9	$\frac{1}{12}$	6			
10 11 12	Asiatic cholera	$\frac{2}{42}$	1 9	2	····i	2				3	1	9	 5	4	4	2		• • • • • •	
13 14	Tuberculosis of the lungs. Tuberculous meningitis. Other forms of tuberculosis.	751 46	5 9	2 5 4	$\frac{7}{2}$	1 3	$\frac{1}{2}$	8 6	55 3	212	219 4	121	71 2 5	35	10	ī			
15 16 17	Cancer and other mangnant tumors.	57 425 51	5 14	1 5	2 4	1 10	2 1 1 2	2 2 3	3 5 2 3	13 9 3	16 39	8 85 2 41 78	113 1	103	62	5	i		
18 19	Meningitis Cerebral hemorrhage and softening Organic diseases of the heart	373 685	3 9	2 21	1	2	2 2 2	14	25	10 28 2	39 3 25 46 2 2	41 78	75 103	94 171	89 143	32 57	3 4		i
20 21 22	Acute bronchitis Chronic bronchitis Pneumonia	167 54 334	94 4 35	2	5 1 8	<u>2</u>		$\begin{vmatrix} 9\\2\\11 \end{vmatrix}$	$\begin{bmatrix} & 2 \\ & 14 \end{bmatrix}$	$\begin{bmatrix} 2\\2\\24 \end{bmatrix}$	2 2 39	3	2 2	5 10 43	12 36	10 10	3 4		
23a 23b	BronchopneumoniaOther diseases of the respiratory system	222 56	93 4	26 41 5	15 1	5 3	2 4 1 1	6 1	3 2	3 3	1 5 7	42 7 7	7 8	16	11 3	11	2		
24 25(37)	Diseases of the stomach. Diarrhea and enteritis. Appendicitis and typhlitis	91 834 76	$632 \\ 1$	140	21	8	1 5 2	1 6	$\begin{bmatrix} 2\\2\\10 \end{bmatrix}$	1	7 3	10 5 10	40 7 8 8 2 9	8 7 5 3	12 4	5 4	i		
27 28	Hernia, intestinal obstruction   Cirrhosis of the liver	61 93	10	1	4	1	1		1 2 12	22 5 3	3 13 7 15	6 19 71	27	11 18	6 7	1 2			
29 30	Acute nephritis and Bright's disease Diseases of the female genital organs	542 40 46	13	2	1	2	1	4	$\begin{array}{c c} 12 \\ 1 \\ 3 \end{array}$	25 3 21	66 19 16	71 9 5	101 8 1	122	88	31	3		
26 27 28 29 30 31 32 33 34 35	Puerperal fever	28 417	415	····i	1				1	13	14		1						
34 35	Senflity Violent deaths (excluding suicide) Suicide	34 531 118	17	19	9	7	7	36	43 6	103 24	97 34	78 23	44 17	3 40 13	10 19 1	14 10	5 2	2	
(37) 38	Other defined diseases	1,220	288 3	28 2	7 2	9	6	30	40	70	127 1	140 1	170	127 1	103	67	8		
					COL	UMB	us,	оню	) <b>.</b> ·	1	<u> </u>		1	I	I	<u> </u>	!		
	All causes	2,671	356	64	21	14	8	61	138	253	296	316	345	354	319	110	14	<u></u>	2
1 2 3	Typhoid fever Typhus fever Malaria	26 2		·····i			1	<b></b>	6	10	5	3 1	1						
4 5	Smallpox   Measles	21		2	1				3	14	····i		• • • • • • • • • • • • • • • • • • •						
6 7 8	Scarlet fever	8 22 24	8	6 1	1 2 2	1 1 1	$\frac{1}{2}$	6 3 10	1 5	<sub>i</sub> .		2	•••••						
9 10	Influenza   Asiatic cholera	27	1	î					ř		1		2	10	4	4	1		
11 12 13	Cholera nostras Other epidemic diseases Tuberculosis of the lungs	5 298	1 4		 		····i	2	42	77	1 79	43	31	2 14	4	1			
14	Tuberculous meningitis Other forms of tuberculosis	298 19 39	8 2	1	1		<u>-</u> -	3	9	2 8	1 6 7	43 1 5	2 3	1	3				
15 16 17 18	Cancer and other malignant tumors  Meningitis  Cerebral hemorrhage and softening	163 35 175	9	10	3		1	6	2	3 5	4	39 5 22	40 1 24	33  56	34 50	5 	2		
18 19 20 21	Organic diseases of the heart	274	1 4					2	6	14	30	42 3	49	51	59 4	17	2		1
$\frac{21}{22}$ $\frac{23a}{23a}$	Chronic bronchitis Pneumonia Bronchopneumonia	11 133 94	14 28	8 9	2	3	1	3 3	8 2	10	 8 3	9	16 9	5 24 11	5 20 13	9 7	3		
23b 24	Other diseases of the respiratory system.  Diseases of the stomach	16 25 89	3		1	1		ı i		$\frac{1}{2}$	1 3	1 4	4 2	3 7	2	2 2			
25(37) 26 27	Diarrhea and enteritis	1 31	63 4	7	2 <sub>2</sub>	1		1 1	6	1 5	3 9 3	1 5	4 2 4 5 5	3	3		1 		
28 29 30 31	Cirrhosis of the liver   Acute nephritis and Bright's disease	23 30 146	2	<u>"</u>	ļ <u>"</u>		1	2	1 2	2 6	12	5 24	10 33	6 29	2 27	7	1		
30 31 32	Diseases of the female genital organs Puerperal fever Other puerperal affections	34 26 17							$\begin{bmatrix} & 1 \\ 2 \\ 2 \\ 3 \\ 1 \end{bmatrix}$	13 8	14 9 7	10 1 1	1		1 				
32 33 34	Congenital debility and malformations   Senility	138	137	1							<i>-</i>			····i	9	19	3		
35 36 (37)	Violent deaths (excluding suicide) Suicide Other defined diseases	187 45 435	10 54			3 3		12	15 2 21	27 12 23	28 8 48 1	27 9	21 8 73 1	13 5 76	17	9	3		i
38	Diseases ill-defined or unknown	10	2	8 3	1	°		6			1 1	48 2	1		58	15 			

						adie ar	•				AGE (								
Abridged Int. List No.	CAUSE OF DEATH.	All deaths.	Under 1 year.	1 year.	2 years.	g years.	4 years.	5 to 9 years.	10 to 19 years.	20- to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 years and over.	Deaths at un- known age.
					DA	YTO:	N, O											-	
	All causes	1,624	266	30	13	12	11	21	69	134	158	156	201	222	211	106	14	<u></u>	
1 2 3 4 5	Typhoid fever. Typhus fever. Malaria. Smallpox Measles.	22 1 1		1				1	6	5	3	2	3	2					
7 8 9 10	Whooping cough Diphtheria and croup Influenza	11 11 17	9 1	2 1 1	1 2 1	3	i	ī	1	1	i			6	6	2			
11 12 13 14 15 16	Cholera nostrias. Other epidemic diseases. Tuberculosis of the lungs. Tuberculous meningitis Other forms of tuberculosis Cancer and other malignant tumors.	10 170 12 20 111	1 2 1 2	1 3 1	2	i i	1	2 2	16 2 1 1	55 1 3 3 2	35 1 5 6	2 23 1 5 23	1 18 2 28 1	1 31 1	3 15	3 1 3	1		
17   18   19   20   21   22	Cerebral hemorrhage and softening Organic diseases of the heart Acute bronchitis Chronic bronchitis Pneumonia	100 199 6 9 103	2 1 1 1 4	2	1	2	1 1 2 1	2	1 6	1 5 9	. 13 	7 18 13	19 28 2 16	28 53 3 8 8	23 58 18	14 19 3 3 9	3		
23a 23b 24 25(37) 26 27	Bronchopneumonia. Other diseases of the respiratory system. Diseases of the stomach. Diarrhea and enteritis. Appendictis and typhlitis. Hernia, intestinal obstruction. Cirrhosis of the liver. Acute nephritis and Bright's disease. Diseases of the female genital organs. Purprent feyer	41 7 29 77 19 16	12 10 62 2	1 4	1	2	1	1	6	1 1 3 4	3 3 4	1 3 3 2 3	1 2 1 1 3	1 5 1	9 1 2 3 1 2	9 1 1 1			
26 27 28 29 30 31 32	Cirrhosis of the liver Acute nephritis and Bright's disease. Diseases of the female genital organs Puerperal fever. Other puerperal affections Congenital debility and malformations	27 84 12 9 16 97	2			i		i i	1 1 2	1 2 3 2 5	7 7 2 5 10	3 11 4 1	6 20 2	6 12	3 18	8	i		
31 32 33 34 35 36 (37) 38	Senility Violent deaths (excluding suicide) Suicide. Other defined diseases. Diseases ill-defined or unknown.	10 99 33 229	97 7 42	3	4	i i	2	3	11 4 7	10 10 7	13 9 18	12 4 18	13 3 30	7 2 39	1 7 41	5 6 1 16	3		
			11 1	ł	TO	LED	o, o	HIO.	1	<u>.</u>	1	1	<u>}</u>	<u> </u>	<u> </u>	1	1	<u> </u>	1
	All causes	2,578	394	66	31	17	24	60	101	217	260	294	321	342	288	140	21	2	
1 2 3 4 5	Typhoid fever. Typhus fever. Malaria. Smallpox				1			1	11	8	11	6	1						
5 6 7 8 9	Messlés. Scarlet fever. Whooping cough. Diphtheria and croup. Influenza. Asiatic cholera	9	1 18 1 3	1 6 4 1	1 2 5	4	3	16	8 2	1	2	1	4	1 4	6	2			
11 12 13 14 15	Cholera nostras. Other epidemic diseases. Tuberculosis of the lungs Tuberculous meningitis Other forms of tuberculosis. Cancer and other malignant tumors	3 19 286 13 24 153	3 2 1 3	3 1 3	1	2	2	1 1	18 2 3 1	1 85 5 6	1 76 1 6 12	51 1 3 26	30 2 41	3 16 139	4 4 23	1 1 3	1		
16 17 18 19 20 21	Meningitis. Cerebral hemorrhage and softening. Organic diseases of the heart. Acute bronchitis. Chronic bronchitis.	11 151 217	3 2 2 7	1 1	2	1 2	1	3 2	4	1 3 6	6 10	18 25	28 40 2	39 57	35 49 1 9	18 17 3 2	1 3 3		
22 23a 23b 24 25(37) 26	Pneumonia Bronchopneumonia Other diseases of the respiratory system. Diseases of the stomach Diarrhea and enteritis. Appendicitis and typhitis.	109 88 23 35 139 30	14 28 5 102	1 15 1 16	3 6 4	2	3 2 1 1 2	2 1 1 1 4	1 1 1 1 5	7 3 1 2 4 2	3 3 1 5	13 2 5 7 1 8	13 4 2 2 1 2 2 9	5 23 6 5 4 3 1 4 26	13 14 5 5 3	6 6 2 3 5	2		
25(37) 26 27 28 29 30 31 32 33 34 35	Hernia, intestinal obstruction Cirrhosis of the liver. Acute nephritis and Bright's disease. Diseases of the female genital organs. Puerperal fever. Other puerperal affections. Conscribed debility and malformations	88 23 35 139 30 26 30 154 29 14 12 116 38 178	5	1		1	1 1	4	3 2 1	5 5 6 7	13 10 3 5	1 7 19 7 4	33 33 3	26 2 2	4 29	1 14	i		
34 35 36 (37) 38	Congenital debility and malformations. Semility Violent deaths (excluding suicide) Suicide. Other defined diseases. Diseases ill-defined or unknown.	38 178 43 452	116 3 69	63	2	5	3 2	15 5	16 1 17	30 9 20	22 10 45	18 10 56	2 26 7 63	6 17 5 70	15 5 1 59	. 14 9 31	1 1 8	2	

[The cities included in this table are arranged alphabetically by states.]

	•								DEAT	HS AT	AGE	)F							Death
Apriaged int. List No.	CAUSE OF DEATH,	All deaths.	Under 1 year.		2 years.	3 years.	4 years.	5 to 9 years.			80 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.		80 to 89 years.		100 years and over.	at un- knowr age.
					POR	TLA	ND, (	OREC	₹.								.,		
	All causes	2,390	334	37	35	18	12	59	86	248	269	278	300	314	261	123	13		
$\frac{1}{2}$	Typhoid fever Typhus fever	42			1		1	3	7	13	9	7	1						
3้	Malaria															1			
9	Smallpox									1	<del>-</del>						1		
4 5	Measles	19	5	,-	;-			;-		i i					<i>-</i>				
6 6			0	4	4 1	1	2	3	2	3						*****			
	Scarlet fever				т т	1 +	_ Z	3	2	0	1								
7	Whooping cough	6	6							;-	;-								
8	Diphtheria and croup	27		1	4	3	4	10	3	1	1								
9	Influenza	19	4		1				3				1	3	4	3			
10	Asiatic cholera																		
11	Cholera nostras									<b></b> .									
12	Other epidemic diseases	11	1					1			3	1		3	1				
13	Tuberculosis of the lungs	187	1		1			3	21	63	35	25	17	15	4	1			
14	Tuberculous meningitis	19	1 2	3	3	1	1	1 3	l	4	1 3	1 5							
15	Other forms of tuberculosis	1 29		2	1			4	5	4	3	5	4	l	1	l	l		
16	Cancer and other malignant tumors	167	1	2 1	1 1	2		l <del>.</del> .	ii	4 3	9	29	58	39	23	1	l		
17	Meningitis	18	7	$\bar{2}$	} _	1 -		1	1 2	4	i	2							
18	Cerebral hemorrhage and softening		∥ '	-						2	$\tilde{4}$	16	23	38	30	19			
10	Organic diseases of the heart		2	1				3	5	7	$2\overline{5}$	38	37	65	57	19	1		
19 20	Acute bronchitis		4	2				١ ،	ľ	•	20	00	٠.	ľi	2	ľ			
21	Chronic bronchitis		1 4	4				1			2	····i	····i	Ιi	4	1 1			
22		100				2		1	8	8	าา้	24		17	9	6	3		
	Pneumonia	136	17	3	4	, Z		4			11	24	20 1	14	2	ä	1 0		.
23a	Bronchopneumonia	33	14	4	4			2 2	1	<u>:</u> -			1 7	2 4 1	Z				
23 b	Other diseases of the respiratory system	33	1				1	2		3	3	2	6	4	3	7	1		
24	Diseases of the stomach	33 33 38 81	10	1					1	3		7	1 7	ļ į	5	3			
(37)	Diarrhea and enteritis	81	55	7	1	1	1		1	1	2	3	7 2 5 4 5	2	3	2			.
26	Appendicitis and typhlitis	34						4	6	7	5	4 4 2	5	3	1				
27	Hernia, intestinal obstruction	32	2	<b>.</b> .					1	4	8	4	4	3	5	) I			
28	Cirrhosis of the liver	20										2		12	1				
29 30	Acute nephritis and Bright's disease	132	1 2	<del>.</del> .	1			1	<i>.</i>	7	12	13	24	30	29	13	1		
30	Diseases of the female genital organs	22	II					1	1	7	8	2	1	3					
31	Puerperal fever	11			1	1	1		2	5	4	l	l	l			1	I	
32	Other puerperal affections	22							l	7	12	3				1			
33	Congenital debility and malformations.	159	157		1	1				l									
33 34	Senility	57	1	1	l <sup>~</sup>	1 ~	1				1	1		3	24	25	5		
35	Violent deaths (excluding suicide)	182	7	3	3	4	i	6	8	42	48	31	16	l š	-ĩ	-2			1
36	Suicide	76	'	٦	"	1 *	i *	"	1	13	31	16	îŏ	, š	l	l"	1	1	
(37)	Other defined diseases	348	36	3	4	2	1	6	7	36	31	41	56	55	52	16	2	1	1
38	Diseases ill-defined or unknown	348	1	, ,	4	l ⁴	l *	"	, ,	1 20	101	1	1	ľ	02	1 10	1 -		1
óö	Diseases in-defined of unknown	l <sup>⊈</sup>	)) 1								l	1 4		٠.				1	

#### PHILADELPHIA, PA. (TOTAL).

	All causes	26,276	4,769	1,151	530	357	273	592	832	1,954	2,579	2,669	3, 078	3,331	2,701	1,271	182	6	1
1	Typhoid fever	230		5	1	1	8	11	37	75	45	25	12	7	3				
8	Typhus fever	11	2		i			····i			2	3			2				
4	Smallpox Measles	2 289	65	99		23	21	16	6	4		····i			····;·	<b></b>		· · · · · · ·	
6	Scarlet fever	195	7	21 35	53 39	23 29	21 27	43	14	11	3	ī							
7 8	Whooping cough	109 491	46 28	35 95	10 94	13 73	3 68	2 107	13	10	2		····i						
9	Influenza Asiatic cholera	183	8	4	3		2	6	2	7	6	16	18	35	46	26	4		
10 11	Cholera nostres	2		1									1						
12 13	Other epidemic diseases	3,058	28 38	4 14	;;.	17	$\frac{1}{2}$	1 93	215	742	854	11 550	338	11 186	8 58	2 9			
14	Tuberculous meningitis.	221	50	14 45 11	11 24 2	17 15	16 5 2	23 30	215 16	742 12	6	3	3	1 9		ļ			
15 16	Other forms of tuberculosis	184 1,379	16	2	2	5 4	5	18 4	15 6	30 26	36 108	$\frac{14}{227}$	19 375	352	197	68	5		
17 18	Meningitis	1 102	28 18	14 3	10	6	7	8 2	3	5 10	8 32	$\frac{4}{92}$	203	3 304	316	142	25	3	
19	Cerebral hemorrhage and softening Organic diseases of the heart	2,862	44	6	7	2	4	42	100	115	236	330	431	688	571	256	30		
$\frac{20}{21}$	Acute bronchitis	274 140	158 8	40 1	11 1	6	4	9	····i	6	2 4	6	6 14	8 27	14 26	11 34	9		
22	Pneumonia	1.421	180	122	46	26	10 23	33	44 16	102 27	139 21	179 24	176 34	191 67	122 54	48 27	3		
23a 23 b	Bronchopneumonia. Other diseases of the respiratory system.	1,091	435 47	221 5	70 19 5	37 10 5	23	28 6	9	25	41	35	47 33	39	43	17	3		
24 25(37)	Diseases of the stomach Disearchea and enteritis	274 2,099	57 1,598	5 266	5 38	5 15	1 17	10 12	6 5	13 13	22 11	25 24	33 19	34 27	37	19 24	2	<b>-</b>	
`26	Appendicitis and typhlitis	199	1	1	1	3	1	15	35	45	32	29	21	11	4				
27 28	Hernia, intestinal obstruction Cirrhosis of the liver	218 264	26	3	3		1	2	4 3	26 8	16 36	25 61	31 64	41 49	30 34	11 6	1		
29	Acute nephritis and Bright's disease Diseases of the female genital organs	2,599 139	25	5	6	7	6	18	39 5	110 35	215 32	329 41	521 18	600	486	204	27		1
30 31	Puerneral fever	128							7	60	51	10			°.				
32 33	Other puerperal affections	147 1,274	1,253	12	4	<sub>2</sub> .		2	6	61	68	12							
34	Senility	217				<b></b>				101	017		177	14	71 90	106 51	24 11		
35 36	Violent deaths (excluding suicide) Suicide	275	88	38	40	39	23	71	91 12	161	217 66	184 58	41	128 29	13	3			
(37) 38	Other defined diseases  Diseases ill-defined or unknown	3,156 47	508	52 21	24 5	17	16	70	116	156	262	347 3	463	459	438	205	22	1	
- 00	Diseases in-defined of utikitown	, ±1	·	41	1							"	1	]	"	] "		1 *	

All causes  phoid fever phus fever phus fever aria allpox ssles solver cooping cough hitheria and croup nenza atic cholera lera nostras er epidemic diseases perculosis of the lungs perculous meningitis er forms of tuberculosis cer and other malignant tumors ningitis sbral hemorrhage and softening anic diseases of the heart tte bronchitis	2 78 2,642 199 160 1,315 95	2 59 7 40 28 7	95 20 28 94 2	493 1 1 52 39 9	333		5 to 9 years.  A. (W  547  11	years.	years. E).		2,402	years.	years.		80 to 89 years.	90 to 99 years.	100 years and over.	Deaths at un- known age.
phoid fever phus fever aria aria alipox sales sales soles corping cough hitheria and croup uenza atic cholera elera nostras er epidemic diseases perculous meningitis er forms of tuberculosis cer and other malignant tumors ningitis bral hemorrhage and softening anic diseases of the heart tee bronchitis	218 10 2 274 192 93 480 173 78 2,642 199 160 1,315 95	2 59 7 40 28 7	1,038 5  95 20 28 94 2	1 1 52 39 9	333	253	547	747	1,709	<u> </u>		2,900	3, 203	2, 630	1, 246	172	4.	
phoid fever phus fever aria aria alipox sales sales soles corping cough hitheria and croup uenza atic cholera elera nostras er epidemic diseases perculous meningitis er forms of tuberculosis cer and other malignant tumors ningitis bral hemorrhage and softening anic diseases of the heart tee bronchitis	218 10 2 274 192 93 480 173 78 2,642 199 160 1,315 95	59 7 40 28 7 27 33 47	5 95 20 28 94 2	1 1 52 39 9	1				<u> </u>	<u> </u>		2,900	3, 203	2, 630	1,246	172	4	:
phus fever aria aria aria alipox siles siles cooping cough hitheria and croup uenza atic cholera altera nostras er epidemic diseases perculosis of the lungs perculosis of the lungs er forms of tuberculosis cer and other malignant tumors ningitis ebral hemorrhage and softening anic diseases of the heart tee bronchitis	10 2 274 192 93 480 173 2 78 2,642 199 160 1,315 95	59 7 40 28 7 27 27 33 47	95 20 28 94 2	52 39 9		8	11	35	71	14								1
sumonia mehopneumonia mehopneumonia eer diseases of the respiratory system, eeses of the stomach rrhee and entertiis pendicitis and typhlitis nia, intestinal obstruction hosis of the liver tre nephritis and Bright's disease eases of the female genital organs rrperal fever er puerperal affections genital debility and malformations lity lent deaths (excluding suicide) side. eer defined diseases eases ill-defined or unknown	232 136 1,289 983 311 254 1,924 1,924 186 198 252 2,427 120	15 18 42 130 7 7 7 7 153 389 43 51 1,460 1 21 23  1,146 	1 4 11 41 11 2 14 3 3 4 4 1 105 5 4 247 1 3 3 2 247 1 3 32 1 2 32 1 40 1 9	92 3 7 22 2 2 2 9 1 40 63 1 1 5 5 3 5 5 1 2 2 6 6	23 29 19 11 11 14 4 4 6 1 1 2 6 34 10 4 14 13 3 4 10 13 13 16 16	1 21 27 2 66 2 2 1 1 15 5 1 1 1 1 1 1 1 1 1 1 1 1 1	1 15 42 2 2 104 6 6 11 4 8 8 2 2 39 12 25 5 5 9 9 11 2 14 2 18 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6	12 2 2 1 1800 164 4 3 3 97 1 2 3 3 3 4 4 3 3 3 6 5 6 6 4 1 1 110 1 100 1	2 2 10 10 5 4 4 624 9 9 107 1 5 90 22 22 23 39 32 22 6 6 99 28 55 56 53 139	2 2 4 5 721 6 34 97 7 7 299 203 203 120 111 31 126 46 65 197 63 237	20 1 1 1 15 11 492 3 3 13 215 5 161 182 23 21 22 295 37 9 10 169 169 169 169 169 169 169 169	12 11 16 14 312 1 19 353 3 190 405 6 6 144 167 33 421 22 17 760 6483 17 22 72 171 440 1 1	355 100 1700 1 1 9 344 3 3 295 659 659 656 659 611 400 48 45 568 4 4 126 62 444 6 6	3 3 472 2 3 429 2 2	22 8 1339 253 253 211 34 47 26 118 23 11 6 198 104 104 12 104 12 12 12 13 14 14 15 16 17 18 18 18 18 18 18 18 18 18 18 18 18 18	1 1 1 24 25 4 9 3 7 7 3 2 2 2 1 1 23	2	i
A11	0 005	1		· · · · · · · ·			(COL			010	0.0m	180	100	715	25	10		
All causes	2,025	457	113	37	24	20	45	85 2	245	318 1	267 5	178	128	71	25	10		
allpox sistes riet fever ooping cough htheria and croup uenza atic cholera lera nostras ere epidemic diseases berculosis of the lungs berculous meningitis cer forms of tuberculosis cer and other malignant tumors ningitis: ebral hemorrhage and softening anic diseases of the heart	1 15 3 16 11 10 10 10 10 10 10 10 10 10 10 10 10	6 6 1 5 3 1 2 283 1 1 27 466 6 138	4 1 1 7 1 2 2 6 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	1 2 4 4 2 2 1 1 6 7 7 4 3 3 1 1	1 2 6 6 1 1 1 5 3 3 1 1 1 1 1 1	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	1 1 3 8 4 7	1 1 35 2 5 3 3 9 2 2 2	2 1 1183 355 41 118 2 125 2 1 4 6 6 4 2 2 11	1 133 2 11 133 33 1 19 2 11 2	1 58 1 12 7 47 18 18 8 2 3 3 4 24	22 22 13 26 9 11 1 1	1 16 8 9 29 29 1 1	2 1 5 4 24 1 3 1 1	1 2 3 3 1 1 1 1 1 1 1	155	i	
	hoid fever hus fever hus fever hus fever hus fever hus fever hus fever sles les les het fever hoping cough ttheria and croup henza tto cholera tera nostras er epidemic diseases erculosis of the lungs erculosis of the lungs erculosis of the lungs er forms of buberculosis cer and other malignant tumors ingitis bral hemorrhage and softening hus diseases of the heart te bronchitis humonis hehopneumonia er diseases of the respiratory system hases of the stomach hendicitis and typhlitis	12	Notice   Notice   Notice   Note   N	Notice   N	Notice   Notice   Notice   Notice   Note	Notice   Notice   Notice   Notice   Note	Notice   N	hoid fever   hus fever   12	hoid fever	hoid fever	hoid fever	hold fever	hold fever	hold fever	hold fever   hol	hold fever	hold fever	Applied   Appl

TABLE 7.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN EACH CITY OF 100,000 POPULATION OR OVER IN 1910, BY CAUSE OF DEATH (ABRIDGED INTERNATIONAL LIST), AND BY AGE OF DECEDENT: 1911—Continued.

[The cities included in this table are arranged alphabetically by states.]

CAUSE OF DEATH.   All causes   S,099   1,00   1,00   1,00   2,00   3,00   4,00   5,0	nt.			1						DEAT	THS AT	AGE (	)F							
All causes.   8,099   1,812   453   165   100   76   216   305   704   801   803   864   850   675   248   23   1	Abridged Int. List No.	CAUSE OF DEATH.							TOOTO	to 19	to 29	to 39	to 49	to 59	to 69	to 79	to 89	to 99	years and	known
Typhoid fever				1	PITI	SBU	RGE	I, PA	. (TC	TAL	۱).									
Typhus lever		All causes	8,099	1,812	453	168	100	76	216	305	704	801	803	864	850	675	248	23	1	
Smallpox	2	Typhoid fever Typhus fever	. <b></b>			1	2	3	12	22	53	25	16	3	2					
	5 6 7 8 8 9 9 10 11 12 12 13 14 4 15 15 16 17 7 18 19 9 20 23 23 25 25 (37) 22 33 33 34 4 33 35 36 (37)	Smallpox Measles Scarlet fever Whooping cough Diphtheria and croup Influenza Asiatic cholera Cholera nostras Other epidemic diseases Tuberculosis of the lungs Tuberculosis of the lungs Tuberculosis of the lungs Tuberculos meningitis Other forms of tuberculosis Cancer and other malignant tumors Meningitis Cerebral hemorrhage and softening Organic diseases of the heart Acute bronchitis Chronic bronchitis Pneumonia Bronchopneumonia Other diseases of the respiratory system Diseases of the stomach Diarrhea and enteritis Appendicitis and typhlitis Hernia, intestinal obstruction Cirrhosis of the liver Acute nephritis and Bright's disease Diseases of the female genital organs Puerperal fever Other puerperal affections Congenital debility and malformations Senility Violent deaths (excluding suicide) Unicide Other defined diseases	51 58 102 127 64 41 575 49 86 371 52 332 641 1125 68 596 528 528 125 133 787 73 73 73 73 73 74 48 48 48 56 48 48 57 57 58 59 68 68 68 68 68 68 68 68 68 68	1 43 43 13 2 12 9 9 7 7 7 14 5 5 5 5 5 2 2 3 7 194 111 34 5 5 5 5 10 11 11 5 6 4 2 18 2 14	5 35 35 14 1 1 1 5 3 3 4 4 4 3 3 3 152 1 1 1 3 3 3 3 152 2 1 1 1 2 3 3 3 3 3 3 3 3 3 3 3 3 3 3	100 100 27 1 1 2 4 4 5 5 2 7 7 3 3 111 311 5 1 21 2 2 2	77 18 3 1 2 1 3 3 1 1 3 3 1 1 3 3 1 1 3 3 1 1 3 1 1 3 1 1 3 1 1 3 1 3 1 1 3 3 1 1 3 1 1 1 3 1 3 1	1 1 5 6 6 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	18 8 2 28 1 1 1 10 7 6 6 1 6 7 7 2 2 6 6 9 9 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	1 51 7 7 14 1 1 3 2 2 31 1 1 2 2 2 1 1 18 1 1 1 10 2 5 3 3	2 6 1 1 1 1 1 1 1 2 2 2 4 4 2 6 6 1 1 1 6 2 2 2 1 1 1 6 2 2 2 1 1 1 6 2 2 2 1 1 1 6 2 2 1 1 1 6 2 2 1 1 1 6 2 2 1 1 1 6 2 2 1 1 1 6 2 2 1 1 1 6 2 2 1 1 1 6 2 2 1 1 1 6 2 2 1 1 1 6 2 2 1 1 1 6 2 2 1 1 1 6 2 2 1 1 1 6 2 2 1 1 1 6 2 2 1 6 2 1	1 4 4 13 152 2 3 11 1 18 566 51 1 1 102 15 17 9 6 6 4 4 4 13 39 12 2 31 119 9 9 9 9 27	4 99 2 8 65 1 24 91 2 2 3 88 16 12 12 46 8 4 6	7	1 28 4 98 1 1 101 133 5 18 74 4 38 8 23 21 7 7 2 2 8 33 38 9 2 2 5 40 4 96	15 10 155 101 110 12 26 55 40 40 12 16 13 14 4 15 69 1	23 43 11 7 23 17 6 9 9 7 3 14	3 3 3 1 1 1 1 1 1 2 2		

#### PITTSBURGH, PA. (WHITE).

	All causes	7,656	1,730	422	158	92	71	198	280	660	.742	751	811	818	657	245	21		
1	Typhoid fever	133			1	2	3	10	22	49	25	16	3	2					
2	Typhus fever																		
3	Malaria																		
4	Smallpox																		
5	Measles	46	7	21	7	4 7	1 6	5			1				]			[	
6	Scarlet fever	58	1	5	10 8	7	6	5 18 1	6	4			1						
7	Whooping cough Diphtheria and croup.	89	39	21 5 32 13	8	5	15	1										<i></i>	
8	Diphtheria and croup	126	13	13	27	18	15	28 1	9	2 6	4	2		;;-		10			
.9	Influenza	63	2	1	1		1	1		ь	4	2	7	15	13	10			
10 11	Asiatic cholera Cholera nostras	3		1											;-				
12	Other epidemic diseases	38	12	5	2				i	····i	3	4	4	1	3	2			
13	Tuberculosis of the lungs	513	9	3	4		3	4	42	148	136	89	41	25	9	- 4			
14	Tuberculous maningitie	42	6	4	5	· · · · · · · · · · · · · · · · · · ·	5	6	42 6	4	3	1	1	20	1			··	
15	Tuberculous meningitis Other forms of tuberculosis	76	7	4	2	1	"	5	ğ	17	11	8	7	4	1				
16	Cancer and other malignant tumors	361	'	-	-	1		ĭ	ĭ	îi	31	63	95	96	55	8			
17	Meningitis	50	13	10	6	2		6	3	11	1	ĭ	4	ĭ		l			
18	Cerebral hemorrhage and softening	318	Š	3		l			3 2	5	17	23	44	95	99	23	2		
19	Meningitis. Cerebral hemorrhage and softening. Organic diseases of the heart.	608	5			1		9	1 22	38	50	83	111	129	109	42	3		
20 I	Acute bronchitis	122	53	25	3	2	1	2	1 2 12	1	1	2	4 6	4 18	12	11	l		
21	Chronic bronchitis	68	2					1	2	1	1	3	6	18	26	7	1		
22	Pneumonia	554	33	20	11	3	4	5	12	56	91 14	83	85 34	73	52	23	3		
23a	Bronchopneumonia	493	182	76	26	16	6	16	4	7	14	15	34	38 22	40	17	2		
235	Bronchopneumonia. Other diseases of the respiratory system. Diseases of the stomach	118	11	3	5		1	7	4 2 2 1	4	16	14	15	22	11	6			
24	Diseases of the stomach	129	33	3	1		3	2	2	5	9	11	14	20 7	16	9	1		
25(37)	Diarrhea and enteritis	754	532	145	20	6	3	6	1 1	1 1	5	.5	3 7	7	13	7			
26	Appendicitis and typhlitis	71		1		1	1	9	18	16	3	11	7	2 7	1				
27	Appendicitis and typhlitis Hernia, intestinal obstruction Cirrhosis of the liver	55	10	] ]			1		1	2	3   10	13 27	9	7	14	3	1		
28	Cirrhosis of the liver	128		1	2 2		·		1 10	3 23	13 35 11	27	32 69	31 86	15 67	3 12			
29	Acute nephritis and Bright's disease	371	11	3	2	3	T	8	10	13	35	40 8	69	86	67	12	1 1		
30	Diseases of the female genital organs	44							5	16	31	4	,	Z	1			<i></i>	
31	Puerperal fever	56 46							2	19	19	6							j
32 33	Other puerperal affections. Congenital debility and malformations.	523	518	3					. –	19	19	٥							]
33 34	Senility	43	218	3			· -	1						A	17	16	4		
35	Violent deaths (excluding suicide)	543	17	10	7	9	6	26	46	113	89	90	62 19	4 38	17 17	111	2		
36	Snicide	100	∥ "'	1 10	Ι '	1 3	"	20	3	21	27	21	19	4	3	2	"		
(37)	Other defined diseases	897	206	21	7	10	5	21	39	71	89	108	122	92	72	33	1 · · · · i ·	1	1
38	Other defined diseases Diseases ill-defined or unknown	17	200	7	1 1	1 1	1	21	1	1	1		3	2	1		*		
•••	Discourse in annual management		∥ "	' '	1 *	1	1	1	1	1	1	]	١	۱ -	1	1	1	}	1

نب		-			****					-	AGE O			<del></del>	<del></del>	<del></del>	<del></del>	<b></b>	
Abridged Int. List No.	CAUSE OF DEATH.	All deaths.	Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	80 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.				100 years and over.	Deaths at un- known age.
<u></u>				PIT:	rsbī	JRG1	H, PA	L. (C	OLOI	RED)	•								
	All causes	443	82	31	10	8	5	18	25	44	59	52	53	32	18	3	2	1	
1 2 3 4 5 6	Typhoid fever. Typhus fever. Malaria Smallpox. Measles	6 5	1	2				2	······································	4									
7 8 9	Scarlet fever Whooping cough Diphtheria and croup Influenza Asiatic cholera		4	3 1	2	2	í	1							·····i				
10 11 12 13 14 15 16 17 18 19 20 21 22 23 23	Cholera-nostras. Other epidemic diseases. Tuberculosis of the lungs. Tuberculous meningitis. Other forms of tuberculosis. Cancer and other malignant tumors.	1 3 62 7 10	i			2	i i	6 1 1	9 1 5	1 14 1 2	16 2	10 1	1 2 1 4	3	2 1				
17 18 19 20 21	Cerebral hemorrhage and softening Organic diseases of the heart Acute bronchitis Chronic bronchitis	14 33 7	1 2	3	1	1	·····		3		1 6	1 8	3 10	6 4 1	2 1	1	1		
24	Pneumonia Bronchopneumonia Other diseases of the respiratory system. Diseases of the stomach Diarrhea and enteritis. Appendicitis and typhlitis. Hernia, intestinal obstruction	42 35 7 4 33 2 2	1 23	10 7	1	2 1	1		3	1	11 1 1	5 1 2 1 1	7 2 1 1	1 1 1 2	3 1		1		
25(37) 26 27 28 29 30 31 32 33 34	Cirrhosis of the liver. Acute nephritis and Bright's disease. Diseases of the female genital organs. Puerperal fever. Other puerperal affections. Congenital debility and malformations.	3 29 4 2 25	24				í		1	1 3 3 1	4 1	6	9	3	2	2			
34 35 36 (37) 38	Senility Violent deaths (excluding suicide) Suicide Other defined diseases Diseases ill-defined or unknown	35 3 37 1	1 8	1 2 1	1			3	2	3 1 2	10 4	10 2 2 2	3 8	1 2 4	3			1	
		<u> </u>	·1	1	sc	RAN	TON	, PA.	1	1	<u> </u>			<u> </u>	1	1	1	!	
<u>-</u>	All causes	1,974	387	87	33	31	17	37	97	182	195	239	227	223	146	66	7		
1 2 3 4 5	Typhoid fever. Typhus fever. Malaria. Smallpox	19		1		2	1	1	2	3	5	3			1				
5 6 7 8 9 10	Measlês . Scarlet fever Whooping cough Diphtheria and croup Influenza . Aslatic cholera	0	. 3 1 2	1 1 6 1	1 2 1 1	3	3	1 1 4	1 2	1			2	3	4	1	1		
11 12 13 14 15 16	Cholera nostras. Other epidemic diseases. Tuberculosis of the lungs. Tuberculous meningitis. Other forms of tuberculosis. Cancer and other malignant tumors.	18 133 10 7 94	6 6 2	1 2 2 2	1 1	1	i	2 1	9 3	36 1 1	1 24 2 12 12 2	3 23  26	3 18 1 20	1 11 2 2 25	1 1 1 8	1 2 2	1		
13 14 15 16 17 18 19 20 21 22 23a 23b	Meningitis.  Cerebral hemorrhage and softening.  Organic diseases of the heart.  Acute bronchitis.  Chronic bronchitis.  Pneumonia.  Bronchopneumonia.  Other diseases of the respiratory system.	15 113 125 30 18 152 115 25 50	16 16 11 46 3	6 6	2 2 5	1 1 6 1	1 1 1 1	4 1 2 4	11 1 7 4	2 11 21 1	7 11 1 18 3 1 2	12 17 1 27 7 5 3 2 7	21 22 22 21 5 9	28 19 1 4 19 18 2 5	25 20 1 6 14 6	16 8 1	1 2 1		
24 25(37) 26 27 28 29 30 31 32 33	Diseases of the stomach Diarrhea and enteritis. Appendicitis and typhilitis. Hernia, intestinal obstruction Cirrhosis of the liver. Acute nephritis and Bright's disease. Diseases of the female genital organs.	50 255 19 22 24 99 7	23 190 1	2 41 1	6	3	1	1 2	5 1 2	2 1 1 4 4 9	3 3 3 8	6 3 17 1 1	21 5 9 3 2 2 2 4 20 1	5 9 23	5 4 4 14	3 2 5 1			
32 33 34 35 36 (37) 38	Puerperal fever Other puerperal affections. Congenital debility and malformations Sentility Violent deaths (excluding suicide) Suicide. Other defined diseases. Diseases ill-defined or unknown.	14 42 2 236 12 242 3	42 3 25	2 2 1	8	7	2	4	23 2 20	55 2 18	49 2 25	1 41 2 31	23 3 43	7 37 1	1 7 1 21	1 5 7 1	1		

ıt.			]		-		-	-	DEAT	es at	AGE C	F		-			.:	=	
Abridged Int. List No.	CAUSE OF DEATH.	All deaths.	Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 89 years.	40 to 49 years.	50 to 59 years.		70 to 79 years.		90 to 99 years.	100 years and over.	Deaths at un- known age.
			!!		PRO	VIDI	ENCI	e, R.	1.		·		''			,	•		
	All causes	3,599	674	119	63	38	25	74	109	258	333	398	452	485	359	177	33	2	
1 2 3	Typhoid fever	28				1		2	6	61	6	3	1	2	1				
2 3 4 5 6 7 8 9	Smallpox Measles. Scarlet fever. Whooping cough Diphtheria and croup. Influenza.	10 31 45 57 17	5 1 24 4 1	1 2 11 10	1 3 4 12	3 4 9 2	1 3 1 5	6 1 11	6	4	2 1 4	1 1 i	1	i i	2	1 3	2		
10 11 12 13	Asiatic cholera Cholera nostras. Other epidemic diseases. Tuberculosis of the lungs. Tuberculous meningitis.		3 5 4	2 6	2 2 2 2	3 3	1 2	4	25 1	3 76 1	84	3 51 2 3	38	3 8	5 1				
15 16 17 18 19	Other forms of tuberculosis. Cancer and other malignant tumors. Meningitis. Cerebral hemorrhage and softening. Organic diseases of the heart.	220 21 193	10 1 2	1	1 1 1	2 1	2	1 1 2	3 1 2 1 8	3 11	5 18 1 6 20	3 50 3 14 39	55 55 34 58	59 64 91 2	2 26 45 67	10 24 46 1	12	1	
20 21 22 23a 23b 24	Acute bronchitie Chronic bronchitis Preumonia Bronchopneumonia Other diseases of the respiratory system Diseases of the stomach	28 271 112 39 33	15 1 25 46 3 6	20 20 20 2	10 8 2 1	1 3	1	2 4 2	7 1 2 1	1 20 3 3 1	33 1 3 3 1	33 2 5 4	5 44 3 6 5	9 29 11 5 6	3 33 10 5	3 11 3 3 1	2		
25(37) 26 27 28 29 30	Diarrhea and enteritis. Appendicitis and typhlitis. Hernia, intestinal obstruction. Cirrhosis of the liver. Acute nephritis and Bright's disease. Diseases of the female genital organs.	203 44 43 33 317 18	161 7 3	18 1 1 1 1	1	i	1	2 2 5	1 4	$\begin{array}{c c} 11 \\ 2 \\ 24 \\ 1 \end{array}$	8 2 2 25 6	13 5 8 48 6	2 9 12 64 2	3 6 5 68 2	8 2 54 1	2 20	1 1 1		
31 32 33 34 35	Puerperal fever. Other puerperal affections. Congenital debility and malformations. Senility Violent deaths (excluding suicide).	16 35 200 32 228	198	1 6	6	1	5	15	12	9 13 30	3 16 36	26	1 30	26	13 11	14 7	4 3		
36 (37) 38	Suicide Other defined diseases Diseases ill-defined or unknown	35 507 28	122 11	3	3	2	3	12 1	15 	8 21	5 40 2	53 4	70 2	5 71 6	62	24	6	1	
				MEI	мрн	es, T	ENN	. (TC	TAL	۱).									
•	All causes	2,836	348	85	47	33	21	70	162	466	416	350	315	263	168	70	12	3	7
1 2 3 4 5	Typhoid fever. Typhus fever. Malaria Smallpox Measles.	112 1 37	4	2	2	2	3	9 6 2	18 9 2	26 23	13 21 1 1	17 2	6	10	7				
6 7 8 9 10	Scarlet fever Whooping cough Diphtheria and croup Influenza Asiatic cholera Cholera nostras.	3 21 22 35	13 8	3 1 1	3 3 1	4	1	2 4		1 3	3	12	8	3	1 2				
12 13 14 15 16	Other epidemic diseases Tuberculosis of the lungs. Tuberculous meningitis Other forms of tuberculosis. Cancer and other malignant tumors. Meningitis	293 8 20 69	2 2 7	1 3 2	3 1	i	1 1	5 1 1	35 1 	3	82 6 11	40 1 2 17 3	2 18 2 21 2 14		3 2	<sub>i</sub>	2		i
17 18 19 20 21 22	Cerebral hemorrhage and softening. Organic diseases of the heart. Acute bronchitis. Chronic bronchitis. Pneumonia.	72 168 19 18	1 2 3 3	i	2	. 1	2	1 1	1 7 2 2 1 1 6	- 4	18 3	17 41 1 1 10	29 1 11	39 2 3 10	1	3			
236 231 24 25(37) 26	Bronchopneumonia. Other diseases of the respiratory system. Diseases of the stomach. Diarrhea and enteritis. Appendicitis and typhlitis.	181 43 57 169 42	31 4 11 95	17 2 25		1	i	. 9	. 2 4 11	7 14 3 14	10 6 2 9	5 7 5 3	6 8 6 2	2 2 9	3 5 5	1 2 3			
27 28 29 30 31 32 33 34 35	Hernia, intestinal obstruction. Cirrhosis of the liver. Acute nephritis and Bright's disease. Diseases of the female genital organs. Puerperal fever. Other puerperal affections.	209 20 20 22	1	2		1			. 1 . 3 . 2 . 4	. 14 8 11	27 7 5	2	3 45	4					
(37)	Congenital debility and malformations. Senility Violent deaths (excluding suicide). Suicide Other defined diseases.	95 60 255 26 361	95 3 36	4 8 7		5	3		19 3 15	73 10 56	56 5	23	20	37	17	9	2	3	5
38	Diseases ill-defined or unknown	102	19	1 7	1	1		1	1	10	13	12	18	14	5	1		· ····	1

TABLE 7.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN EACH CITY OF 100,000 POPULATION OR OVER IN 1910, BY CAUSE OF DEATH (ABRIDGED INTERNATIONAL LIST), AND BY AGE OF DECEDENT: 1911—Continued.

CAUTHE OF DEATH.	<del></del> -			(	1		1 (1115)						*								<del></del>
All causes	nt.										DEAT	ES AT	AGE C	F—							
All causes.	Abridged I List No.	CAUSE OF	DEATH.							770070	to 19	to 29	to 39	to 49	to 59	to 69	to 79	to 89	to 99	years and	at un- known
All causes.				1		2.5722			· ·	Carra	TENT		1			<u> </u>	!	<u> </u>	1	l	1
Typhid feve.						MEN	иРН	is, T	ENN.	· (WE	LITE										
\$   Secretary   Se		All causes		1,330	182	47	22	15	7	35	63	152	163	167	167	141	109	50	6		4
\$   Secretary   Se		Typhoid fever		43			1		1	2	8	12	9	6	3	1					
6 Seschei fever	3	Malaria Smallpox		26						2	3	7	4	6		2	2				
7 Phopping cought	5	Measles Scarlet fever			4	3	4	5		2	1			2							
10	7	Whooping cough Diphtheria and crow	D	10	8 2	1		3		1 3							1				
12   Other epidemiol diseases   15   1   2   1   8   1   34   17   11   3   1	9 10	iniuenza													1			1			
13   10   10   10   10   10   10   10	12				<u>i</u> -		2							4	<u>i</u> .	3	1				
10   Causer and other melignant tumons   42   7   1   1   8   11   2   1   1   1   1   1   1   1	14	Tuberculosis of the lu Tuberculous mening	ingsitis	103		1 1				1 1				1			1				
Section homorrhage and softening.   45	16	Cancer and other ma	lignant tumors	42								i	5	11	1 12	10	3	1			
Active bronchitis	18	Cerebral hemorrhage	and softening	45			1				1	1	4	11	9	10			į		
Description   Description	20	Acute bronchitis	de neare	6		····i	2					2		18		2	1	1			
Herita, intestinal Obstruction	22 23a	Pneumonia		36	10				ï	<u>A</u> -	2	8	9	5	5	5		1			
Herita, intestinal Obstruction	23b	Other diseases of the	respiratory system.	14 25			î	ĩ				3.	1 5	2	2 3		1	1			
Herita, intestinal Obstruction	25(37) 26	Diarrhea and enterit Appendicitis and tyr	isbhlitis	117		19	2	1	1	$\frac{4}{2}$	2   7	3 8	5	. 2	3 1	6	3				
Acute neghritis and Bright's disease.   112	27 28	Hernia, intestinal ob Cirrhosis of the liver.	struction	12 12						:		1 1	2 1	3	2 3	$\frac{2}{2}$	2				
22 Other purposal affections.   7	29 30	Acute nephritis and Diseases of the femal	Bright's disease	9	1	1					2	4 2	13	18	26	22	18	6			
Semily   S	32	Other puerperal affect	etions	9							1	4 4	3 2	1							
Company   Comp	. 34	Senility		39	58														1		
MEMPHIS, TENN. (COLORED).	36	Suicide	iding suicide)	95 22	,,		2	2	1		3	17	3	2	3	3			]		4
All causes.	38	Diseases ill-defined of	r unknown	33		2		i				3	22	3	10	5	13				
Typhoid fever.					10.	(EM)	PHIS	, TE	NN. (	COL	ORE	10).				-	<del>.</del>	-	-		
Typhus fever		All causes		1,506	166	38	25	18	14	35	99	314	253	183	148	122	59	20	6	3	. 3
Smallpox	1			44	1				2	7	10	14	4	2	4						
Secretaria	3 4	Malaria			4	2	2	2	3	4	6	16		ii	6	8	5				
Theorem   Theo	5	Measles			1	2	3	5			1	1	ĩ								
9   Influenza   32   1	7	Whooping cough		9	5	2		1		1											
12   Other epidemic diseases	· 10	l Asiatic cholera		32			1					3	3	12	7	3	2	1			
15   Other forms of tuberculosis   12   2   1   1   1   3   2   1   1   1   1   1   1   1   1   1	11 12	i Other epidemic disea	1868	12	1	1	;-			 					1	3			2		
16   Cancer and other malignant tumors   27	14 14	Tuberculous mening	itis	190	11			ļ <sup>1</sup> .			21	1					1	ļ <u>.</u>			
23b   Other diseases of the respiratory system   29   4	16 17	Cancer and other ma	dignant tumors	. 27	<b> </b>				ļ <del>-</del> -		1 4	1 1	6	6	9		1				
23b   Other diseases of the respiratory system   29   4	18 19	Cerebral hemorrhage	and softening	27 89	1			1		ĩ	î	3 10	3 13	6	5	5 21		2			
23b   Other diseases of the respiratory system   29   4	20 21	Acute bronchitis		. 13	2 3		1	1			1	3 4	3	1 1			2				
23b   Other diseases of the respiratory system   29   4	22 23a	Pneumonia		. 46		8	5	1	1 2	1 5	4 9	16 18	7 11	1 5		5	3				
26   Appendicitis and typhlitis	23b 24	Other diseases of the Diseases of the stoma	respiratory system.	29 32	8						1	10 10	9	3 5	4 5	2	2				
28 Cirrhosis of the liver. 4 1 1 2	25(37)	Diarrhea and enterit Appendicitis and typ	isohlitis	52 17		6	4			i	2 4	6	2 4	3	1			1			
25   Active nephritis and Bright's disease.   97   1   10   14   14   19   25   10   4	27 28	Hernia, intestinal ob Cirrhosis of the liver	struction	16 4				1			1		1 1	<u>-</u> i		2					
32 Other puerperal affections 6 2 3 1	29 30	Diseases of the fema	le genital organs	11					<b></b>			10 6	3	14 2	19	25	10	4			
	31 32	Other puerperal affer	ctions	6	97						2		1							ļ	<b> </b>
34 Senility 21 3 4 3 3 4 3 3 4 3 3 5 Violent deaths (excluding suicide) 160 3 1 2 3 2 4 11 56 43 14 9 4 6 1 1	34 25		aa manormadous	0 (	37											3	8	3	4	3	
36 Suicide	90	Senility Violent deaths (create	iding cuioida)	160		1 1	9	1 2		1	11	EG	43	1.4	0		2	1 1	l	"	1 1
(37) Other defined diseases 175 25 6 1 2 3 9 29 30 24 24 14 4 3 1 38 Diseases ill-defined or unknown 69 13 5 1 1 7 11 9 8 9 4 1 1	36 (37)	Senility Violent deaths (exclu Suicide	ıding suicide)	4	3 25	1 6	2	3 1	2	4 3	11	56 2 29 7	43 2 30	14 	9 24	14	6 4	13			1 1

TABLE 7.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN EACH CITY OF 100,000 POPULATION OR OVER IN 1910, BY CAUSE OF DEATH (ABRIDGED INTERNATIONAL LIST), AND BY AGE OF DECEDENT: 1911—Continued.

-t-			<u>.</u>						DEAT	THS AT	AGE (	)F	==						
Abridged Int. List No.	CAUSE OF DEATH.	All deaths.	Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 89 years.		50 to 59 years.					100 years and over.	Deaths at un- known age.
			ı	NASI	IVIL	LE, T	CENI	V. (T	OTAI	<b>L</b> ).									
	All causes	2, 285	342	134	58	31	27	48	133	276	245	231	243	224	204	72	12	4	1
1 2	Typhoid fever	60				3		3	15	21	9	6	2	1					
3 4	Malaria. Smallpox.	15			2			1	3	1	2	1	3	2					
5 6	Measles Scarlet fever	59 4	6	18	11	4	6	5 3	2 1	3	2	2							
7 8	Whooping cough  Diphtheria and croup	37 9	15 2	11 1	4	5 3	2	2	i										
9 10	Influenza	40	1			1				7	2	1	11	9	7		1		
11 12	Other epidemic diseases	43	10	8	1			1			···· <u>i</u>	3	3	7	5	4			
13 14	Tuberculous meningitis	226 15	·····i	2 1	3	;	1	2 4	37 4	83	. 48 . 2 3	28	16	4   <u>:</u> -	4				
15 16 17	Other forms of tuberculosis	15 28 84 22 75	1	1	1	1	1 	· • • • • • • • • • • • • • • • • • • •	;	9 2	6	5 16	3 20	1 24	15				
17 18 19	Meningitis  Cerebral hemorrhage and softening	75	6   1 1	3	2 ; 	2	2 1	4	1	2	5	8	18	19	17	4			
19 20 21	Organic diseases of the heart	246 4 15	2	1 2					8	4	24	40 1	46 3	57 i	40 3	16	1		
21 22 23α	Chronie bronchitis	208	26 14	14	11	5 2	8	8	12	28	19	17	22 2 11	17 2 6	12 4	7 2	2		
23b 24	Bronchopneumonia. Other diseases of the respiratory system. Diseases of the stomach.	40 33 35 178	3 3	1 3						4 3	2 1	1 2 15 2 2 2 6	11	6	4 3	1			
25(37) 26	Diarrhea and enteritis	178 25	90	48	14	1	2		1 8	6	3 7	2 2	3 6 1	5 1	2	4			
27 28 29	Hernia, intestinal obstruction	25 26 11	3	1						ž	4 2	$\frac{\tilde{6}}{2}$	4 5	3	3 2				
29 30	Acute nephritis and Bright's disease Diseases of the female genital organs	90	2	2					4 3	4 5	7 6	14 5	16	10	23	6	2		
31	Puerperal feverOther puerperal affections	22 16							3	11 5	8	i							
32 33 34	Congenital debility and malformations Senility	116 42	115		 				1	] <i>:</i>	]		····i	5	16	14	4	2	
35 36	Violent deaths (excluding suicide) Suicide	136 14	5	3	2	3	3	11	14	43 5	29 7	7	8 1	4		3			1
(37) 38	Other defined diseases  Diseases ill-defined or unknown		34	34 4 3	4 3 1	- 1	4	4 6	17	39	39 43	37	1 1	41	10	1	1		
			r	NASI	IVIL	LE, 7	reni	v. (W	HIT	E).		·		<u>'</u>	<u></u>	·		·	<u> </u>
	All causes	1, 193	204	78	32	16	17	24	55	96	103	109	119	138	145	54	2		1
1	Typhoid fever	38				2		2	11	14	4	3	1	1					
3	MalariaSmallpox	5			2				1					2					
4 5 6	Measles	43 3	6	11	8	2	4	4 2	2 1	3	2	1							
7 8	Whooping cough Diphtheria and croup Influenza	21 8	7 1	7	3	3 3	2	1	<u>î</u> -										
9 10	Influenza	20	1								1	1	4	6	6		1		
11 12	Cholera nostras Other epidemic diseases	29	6	5	<sub>i</sub> -						i	2	2	4	4	4			
13 14	Tuberculosis of the lungs Tuberculous meningitis	101		1	2			2 2	10 2	32	21	18	10	3	4				
15	Other forms of tuberculosis Cancer and other malignant tumors	15 64			1	1				2	6	11	16	17	12				
16 17 18 19	Meningitis. Cerebral hemorrhage and softening	13 41	3 1	2	2		1	2	1			4	6	12	13	4			
19 20 21	Organic diseases of the heart	100	1	1					3	2  ;-	5	11	19	27	24	7			
22	Chronic bronchitis Pneumonia	6 73 23 9	9	5	2	2	4	2	3	3	6	5	8	11	3 7	6			
23a 23b	Other diseases of the respiratory system.	9	10	4	1	1					1		3	1 1	3	1 1			
24 25(37) 26	Diseases of the stomach Diarrhea and enteritis	111	58	28 28	8		2				2	2 2 2	1 1	5 1	1 1	4			
26 27	Appendicitis and typhlitis.  Hernia, intestinal obstruction.	15 15 6	3	í					6	1 1	4 2 2	2	1 3	3	2		1		
27 28 29 30	Cirrhosis of the liver Acute nephritis and Bright's disease Diseases of the female genital organs	51	i						3 1	1 1	2 2	5	10	9	18	2			
31	Puerperal fever Other puerperal affections	5 7								3	2 4	i							
32 33 34	Congenital debility and malformations. Senility	70	69						1		****			4	12	11	<u>1</u>		
35	Violent deaths (excluding suicide)	28 61 12	5	3	1	1	1	4	5	19 4	10	2	4	2		3	····		i
36	Snieide																		
36 (37) 38	Suicide Other defined diseases Diseases ill-defined or unknown	169	18	2 4	1	1	i	3	3	4	18	29 1	24	28	28 1	9			

nt.		<u> </u>							DEA:	THS AT	AGE (	)F—			1				
Abridged Int. List No.	CAUSE OF DEATH.	All deaths.	Under 1 year.	jear.	years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30° to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 years and over.	Deaths at un- known age.
<u></u>			N.	SH	VILL.	E, T	ENN.	(CO:	LOR	ED).									
	All causes.	1,092	138	56	26	15	10	24	78	180	142	122	124	86	59	18	10	4	
1 2	Typhoid fever	22				1		1	4	7	5	3	1						
2 3 4	Typhus fever							1	2	1	2	1	3						
4 5 6 7 8	Measles Scarlet fever	16 1 16	8	7	3	2	2	1 1 1				1							
8	Whooping cough Diphtheria and croup Influenza	1 20	î	4	1	<u>î</u> -				7	<u>i</u> -		7	3	1				:
10 11	Asiatic cholera Cholera nostras Other epidemic diseases														ļ				
12 13 14	Tuberculosis of the lungs	125	4	3	     		<u>i</u>	$\frac{1}{2}$	27 2	51	27 2	10	6	3	1				
15	Tuberculous meningitisOther forms of tuberculosisCancer and other malignant tumors	8 13 20	1	1			1	2	î	5	í	2 5	1 4	1 7	3				
16 17 18	Meningitis Cerebral hemorrhage and softening	9 34	3	ī		2		2		2	1 5	4	12	7	. 4				
19 20	Organic diseases of the heart		2	2					5	9	19	29	$\frac{27}{2}$	30	16	9	1	1	
21 22 23a	Pneumonia Bronchopneumonia	135 17	17 4	9 2	9 2	3	4	6	3 9 1	3 25	13 1	$\begin{array}{c c} & 1\\ & 12\\ & 1\end{array}$	14 1	6 2	5	1	2 1		
23b 24	Other diseases of the respiratory system.  Diseases of the stomach	24 25	2	1						4 3	1	1 2 13	8	5 3	1 2				
25(37) 26 27	Diarrhea and enteritis	67 10 11	32	20	6	1			1 2	5 1	1 3 2		5 3		1				
28 29	Cirrhosis of the liver	1 5	<u>i</u>	2					1	3		2 9	6	<sub>i</sub>	1 5	4	2		
30 31	Diseases of the female genital organs Puerperal fever	12							2 3	8	4	2							
30 31 32 33 34	Other puerperal affections. Congenital debility and malformations. Senility	9 46 14	46						3	4	2		1	1	4	3	3		
35 36	Violent deaths (excluding suicide) Suicide	75			1	2	2	7	9	24 1	19 1	5	4	2					
(37) 38	Other defined diseases.  Diseases ill-defined or unknown	114 2	16	2	2			1	3	13	21	14 1	13	13	13	1	1	1	
		1	11	RIC	нме	OND,	VA.	( <b>TO</b> :	ral)	<u>.                                    </u>	1		<u>.</u>		<u>'                                    </u>	1	1	1	1
	All causes	2,718	539	96	46	33	10	43	120	305	278	299	318	326	209	91	4	1	
1 2	Typhoid fever	23				2		1	4	13	2	1							
3 4	Malaria	2							1					1					
5 6	Measles Scarlet fever	3	2	3 2	1	3		2  ;-	ī			 							
2 3 4 5 6 7 8 9	Whooping cough Diphtheria and croup Influenza	41 13 23	21 1 1	9 2	2 1	5	1	1 4	1		1	6	1 5	3	i	3	1		
10 11	Asiatic cholera Cholera nostras	<u>i</u>												<u>i</u> -					
12 13	Other epidemic diseases.  Tuberculosis of the lungs.		4 2 7	<u>i</u>		į		<u>-</u> -	26	108 2 5	67 2 7	3 34	17	12	3	2			
14 15 16	Tuberculous meningitis Other forms of tuberculosis Cancer and other malignant tumors	29 113	1	1	3 2	3	1	1	26 1 3	5 4	7 8	6 26	1 27	2 24	20	1 2			
15 16 17 18 19	Meningitis Cerebral hemorrhage and softening	1 14	3	2	6			1	1 3 3	1 3	15	26	l	44	42	13			
19 20 21	Organic diseases of the heart	. 21	14	3	2			3		16	20	39	45 41 1	52 1	32	15			
21 22 23a	Chronic bronchitis Pneumonia Bronchopneumonia	119 86	31	1 17	1 9	2 5	2	$\frac{1}{2}$	10	. 26	20 2 7	17 4	- 18 4	18 3 7	2 1	1 4			
23b 24	Other diseases of the respiratory system.  Diseases of the stomach	56 40	4 4	3	1 4	. 1		1	1 2 1	26 1 5 3 1 4	1 6	9	13 6	5	3 2	3			
25(37) 26	Diarrhea and enteritis	237	175	30	4	.		2 3	8		1 1	2 2	4	8	4	1			
27 28 29	Hernia, intestinal obstruction Cirrhosis of the liver Acute nephritis and Bright's disease	22 15 250	2	2	3	<u>i</u>	1	1 2	4	3	1 2 3 27 9	9 52 2 7 3 41 7 2	6 1 50	1 4 54	39	1 1 12			
30 31	Diseases of the female genital organs Puerperal fever	25 13		2					2	4 4	9 6		3						
32 33 34	Other puerperal affections  Congenital debility and malformations	24 166	165	i					7	10	5	2							
35	Senility Violent deaths (excluding suicide) Suicide	31 148 25	20	7		2	1	2	15	31	19	16	9	3 13 2 54	13	14	1.	1	
36 (37) 38	Other defined diseases  Diseases ill-defined or unknown	359	71 9	5 5	5 2	2	3	12	15 2 18 1	9 32 3	3 35 4	32 2	56 3	54 1	28 28	6	2		
50		1	11	1 • 1	1 -	1	1	1	Ι	i	1	1	l	1	1	1	1	i	l

1t.									DEA	гнз ат	AGE (	)F							
Abridged Int. List No.	CAUSE OF DEATH.	All deaths.	Under 1 year.		2 years.	8 years.	4 years.	5 to 9 years.	to 19 years.	20 to 29 years.	30 to 39 years.		50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 years and over.	Deaths at un- known age.
				RIC	HMO	OND,	VA.	(WH	ITE)	•			•						
	All causes	1,372	242	48	18	15	3	27	46	116	108	114	157	220	174	81	3		
$rac{1}{2}$	Typhoid fever	16				2			2	9	2	1							
3	Typhus fever	····i										 		1					
5	Smallpox Measles	7	i	2		3		<u>i</u>	<b></b>										
6 7	Scarlet fever Whooping cough Diphtheria and croup.	2 16	····ii	2 4	i														
8	1HHUBHZ8	12 11	1	2	$\begin{vmatrix} \tilde{2} \\ 1 \end{vmatrix}$	1	1	4	1			2	1	2	ī	3	i		
10 11	Asiatic cholera	i												····i	••••				
12 13 14	Cholera nostras. Other epidemic diseases. Tuberculosis of the lungs	15 107	$\frac{4}{1}$						7	1 37	26	<sub>ii</sub>	1 12	3 10	5 3	1			
14	Tuberculosis of the lungs. Tuberculous meningitis Other forms of tuberculosis.	15 11	4	1	3	3		2	1	1.									
16	Cancer and other malignant tumors	08			1	1				2	1 4	14	16	22	19	2			
15 16 17 18 19	Meningitis Cerebral hemorrhage and softening	100	1	2	3				1	1	3 7	7	17	29	32	10			
20	Organic diseases of the heart Acute bronchitis	126 3 7	2	i				2	2	9	7	11	17	36	29	13			
21 22	Chronic bronchitis.	44	i					<u>i</u> -	4	···· <u>-</u> 8	6	<sub>2</sub> -	7	2 13	2 1	3		<b></b> .	
23a 23b	Bronchopneumonia Other diseases of the respiratory system.	30	10 3	6	2	1		1 1		<sub>i</sub> -	1 3	1 2 2	1 3	3	2	4 2			
24 25(37)	Diseases of the stomach Diarrhea and enteritis	18 113	3 80	2 15	1	<u>i</u> -		<u>-</u> -		ī	2 2	$\tilde{2}$	2 3	1 3 5	4	3			
25(37) 26 27	Appendicitis and typhlitis	12				<u>î</u> .		2	5	3	ĩ	1 2 3	5	<u>1</u>					
28	Cirrhosis of the liver. Acute nephritis and Bright's disease	13						2			1	3	1 28	31 31	33	1 11			
30	Diseases of the female genital organs	142			1	1			3 1	5 2	8 3	19 2	1	91					
32	Puerperal fever Other puerperal affections.	8 11					•••••		····ž	2 4	5 3	1 2							
27 28 29 30 31 32 33 34 35	Congenital debility and malformations Senility	11 88 24 68 22	87	1										1	i0	12	····i		
35	Violent deaths (excluding suicide)	68	4	4			1	1	6	6	9 3	7 5	7	11	6	6			
	builde								1	9			2	2					
(37)	Suicide. Other defined diseases. Diseases ill-defined or unknown	192 7	29	4 2	3		i	8	7 1	9 9 1	18	5 14 1	31 2	37 	24	6	i		
(37)	Other defined diseases. Diseases ill-defined or unknown.	192		2			•••••	;	1	9		14	31		24	6	1		
(37)	Diseases ill-defined or unknown	192		RICE	тмо:	ND,	VA. (	COL	OREI	9 1 <b>D</b> ).		14	31 2	37				1	
38	Diseases ill-defined or unknown	1,346		2			•••••	16	1 OREI 74	9 1 D).		14	31		35	10	1	1	
1 2	Diseases ill-defined or unknown	1,346		RICE	тмо:	ND,	VA. (	COL	$ \begin{array}{c c} 1 \\ \hline                                  $	9 1 <b>D</b> ).		14	31 2	37				1	
1 2 3 4	All causes.  Typhoid fever. Typhus fever. Malaria. Smallpox.	1,346 7	297	48	28	ND,	VA. (	16 1	1 OREI 74	9 1 D).		14	31 2	37				1	
1 2 3	All causes Typhoid fever Typhus fever Malaria Smallpox Measles Scarlet fever	1,346 7 1,346 4 1	297	48	28	NID, 18	7 — 7	16 1	$ \begin{array}{c c} 1 \\ \hline                                  $	9 1 D).		14	31 2	37				1	
1233455678	All causes Typhoid fever Typhus fever Malaria Smalipox Measles Scarlet fever Whooping cough Diphtheria and croup	1,346 7 1 1,346 1 1 25 1	297	48	28	ND,	VA. (	16 1	74 2 1	9 1 D).	170	185	161 	106				1	
1 2 3 4 5 6 7 7 8 9 9 10	All causes Typhoid fever Typhus fever Malaria Smalipox Measles Scarlet fever Whooping cough Diphtheria and croup Influenza Asiatic cholera	1,346 7 1,346 1 1,25	297	48	28	NID, 18	7 — 7	16 1	74 2	9 1 D).		14	161	37				1	
1 2 3 4 5 5 6 6 7 8 9 10 112	All causes. Typhoid fever. Typhus fever. Malaria. Smallpox Measles. Scarlet fever Whooping cough Diphtheria and croup. Influenza. Asiatic cholera. Cholera nostras. Other epidemic diseases.	192 7  1,346  7  1  25 1 12  16	297 	48	28	NID, 18	7 — 7	16 1	74 2 1	9 1 189 4	170	185	161 161 3	106				1	
1 2 3 4 5 6 7 7 8 9 9 111 123 123 123 123 123 123 123 123 123	All causes.  Typhoid fever. Typhus fever. Malaria. Smalipox Measles Scarlet fever Whooping cough. Diphtheria and croup. Influenza. Asiatic cholera. Cholera nostras. Other epidemic diseases. Tuberculosis of the lungs. Tuberculosis of the lungs. Tuberculosis of the lungs.	192 7  1,346  7  1  25  12  16 165 8	297	48	28	NID, 18	7 — 7	16 1 1	74 2 1 1	9 1 189 4	170	185	161 	106		10		1	
1 2 3 4 5 6 7 7 8 9 9 111 123 123 123 123 123 123 123 123 123	All causes Typhoid fever. Typhus fever. Malaria. Smallipox Measles Scarlet fever. Whooping cough Diphtheria and croup Influenza Asiatic cholera Cholera nostras. Other epidemic diseases. Tuberculosis of the lungs Tuberculosis of the lungs Tuberculosis of thereulosis.	1,346 7 1,346 7 1 1 25 1 12 16 165 8 18	297 1 10 1	48 48 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5	28	NID, 18	7 	16 1 1	74 2 1 1	9 1 189 4 4 3 71 1 4	170 170 1 1 41 2 6	185 	161 	106		10		1	
1 2 3 4 5 6 7 7 8 9 9 111 123 123 123 123 123 123 123 123 123	All causes.  Typhoid fever. Typhus fever. Malaria. Smallpox Measles. Scarlet fever Whooping cough. Diphtheria and croup Influenza. Asiatic cholera. Cholera nostras. Other epidemic diseases. Tuberculosis of the lungs. Tuberculosis of the lungs. Tuberculosis of the roman of the r	192 7  1,346  7  1  25  12  16 165 8 18 33 6 91	297 10 13	48 48 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5	28 28 1 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3	NID, 18	7 	16 1 1	74 2 1 1 1 1 19 2	9 1 189 4 	170 170 1 1 2 6 4	185 	161 	106	35	10		1	
1 2 3 4 5 6 7 7 8 9 9 111 123 123 123 123 123 123 123 123 123	All causes.  Typhoid fever. Typhus fever. Malaria. Smallpox Measles. Scarlet fever Whooping cough. Diphtheria and croup. Influenza. Asiatic cholera. Cholera nostras. Other epidemic diseases. Tuberculosis of the lungs. Tuberculosis of the lungs. Tuberculosis of the rollsis. Other forms of tuberculosis. Cancer and other malignant tumors. Meningitis. Cerebral hemorrhage and softening. Organic diseases of the heart.	192 7  1,346  7  1  25  12  16 165 8 18 33 6 91	297 10 10 1 13 1	48 48 	28 28 1 1 3 3	NID, 18	7 	16 1 1	74 2 1 1	9 1 189 4 4 3 71 1 4	170 170 1 1 41 2 6	185 	161 161 161 1 4 1 1 1 1 28	106 		10		1	
1 2 3 4 5 6 7 7 8 9 9 111 123 123 123 123 123 123 123 123 123	All causes.  Typhoid fever. Typhus fever. Malaria. Smalipox Measles Scarlet fever Whooping cough. Diphtheria and croup. Influenza. Asiatic cholera. Cholera nostras. Other epidemic diseases. Tuberculosis of the lungs. Tuberculosis of the lungs. Tuberculosis of the rollingitis. Other forms of tuberculosis. Cancer and other malignant tumors. Meningitis. Cerebral hemorrhage and softening. Organic diseases of the heart. Acute bronchitis.	192 7 1,346 7 1 1 25 12 12 16 165 165 188 18 8 18 91 95 18	297 1 10 1 1 2 2	48 11 5 1 1 2 2	28 1 3 3 1 3 3 2 2	18 18 5 5 1 1	7 	16 1 1	74 2 1 1 1 19 2 1	9 1 189 4 4 3 71 1 4 2 7	170 170 1 1 2 6 4 12 13 3	185 	161 	106 	35 35 1 10 3 3	10		1	
123 4 5 6 7 8 9 10 112 13 4 15 6 17 8 19 20 12 23 a	All causes Typhoid fever. Typhoid fever. Typhus fever Malaria. Smalipox Measles. Scarlet fever. Whooping cough Diphtheria and croup Influenza. Asiatic cholera. Cholera nostras. Other epidemic diseases. Tuberculosis of the lungs Tuberculous meningitis Other forms of tuberculosis. Caneer and other malignant tumors Meningitis Cerebral hemorrhage and softening Organic diseases of the heart. Acute bronchitis. Chronic bronchitis. Pneumonia. Bronchopneumonia	192 7 1,346 7 1 1 12 16 165 8 18 33 36 6 91 91 91 91 91 91 91 91 91 91 91 91 91	297 10 1 3 1 2 12 12	48 48 1 5 5 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	28 28 1 1 3 3	NID, 18	7 	16 1 1	74 2 2 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	9 1 189 4 	170 1 1 2 6 4 4 12 13 3 14 1 1	185 	161 161 14 3 5 11 11 11 28 24 1 1 11 11 13	106 106 115 15 15 16 1 1 3 5 5	35	10		1	
12 3 4 5 6 7 8 9 10 11 12 3 14 15 6 17 8 19 20 21 22 3 3 5 23 5	All causes.  Typhoid fever. Typhus fever. Malaria. Smalipox Measles. Scarlet fever. Whooping cough. Diphtheria and croup. Influenza. Asiatic cholera. Cholera nostras. Other epidemic diseases. Tuberculous meningitis Other forms of tuberculosis. Cancer and other malignant tumors. Meningitis. Cancer and other malignant tumors. Meningitis. Crebral hemorrhage and softening. Organic diseases of the heart. Acute bronchitis. Chronic bronchitis. Pneumonia. Bronchopneumonia. Other diseases of the respiratory system.	192 7  1,346  7  1  16 165 8 8 8 18 33 6 91 18 13 75 566 377	297 10 10 1 3 1 2 12 12 11 1	48 48 1 1 5 5	28 1 3 3 2 2 1 7 1 1	18 5 5 1 1 2 4 1 1	7 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	16 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	74 2 1 1 1 19 2 1	9 1 189 4 4 2 2 7 7 188 1 4 2 2 7 7	170 170 1 1 1 2 6 4 4 12 12 12 13 13 14 1 1	144 1 1 185 185 185 185 185 185 185 185 185 18	161 161 14 3 5 5 1 11 228 21 1 1 1 3 10	106 106 11 12 15 16 13 5 6 2	35 	10		1	
12 3 4 5 6 7 8 9 10 11 12 3 3 4 15 6 17 18 19 9 22 1 22 3 5 23 4 25 6 37 8	All causes.  Typhoid fever. Typhus fever. Malaria. Smallpox Measles. Scarlet fever Whooping cough. Diphtheria and croup. Influenza. Asiatic cholera. Cholera nostras. Other epidemic diseases. Tuberculosis of the lungs. Tuberculosis of the lungs. Tuberculosis of the rangingant tumors Meningitis. Other forms of tuberculosis. Cancer and other malignant tumors. Meningitis Cerebral hemorrhage and softening. Organic diseases of the heart. Acute bronchitis. Chronic bronchitis. Pneumonia. Bronchopneumonia. Other diseases of the respiratory system. Diseases of the stomach.	192 7 1,346 7 1 25 1 10 165 185 18 18 33 37 55 56 91 92 124 122 124 125 125 125 125 125 125 125 125 125 125	1 10 12 12 1 1 21 1	1 1 1 1 1 2	28 1 3 3 2 2 1 7	18 5 5 1 1 2 4 4	7 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	16 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	74 2 2 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	9 1 189 4 	1700 1700 11 2 6 4 12 13 3 14 1 1 4 4 2 2	185 185 	161 14 4 3 5 5 1 11 28 24 1 1 11 3 3 10 0 4 1	106 	35 	10		1	
12 3 4 5 6 7 8 9 10 11 12 3 3 4 15 6 17 18 19 9 22 1 22 3 5 23 4 25 6 37 8	All causes.  Typhoid fever. Typhus fever. Malaria. Smallipox Measles. Scarlet fever Whooping cough. Diphtheria and croup Influenza. Asiatic cholera. Cholera nostras. Other epidemic diseases. Tuberculous meningitis. Other forms of tuberculosis. Cancer and other malignant tumors. Meningitis. Career and other malignant tumors. Meningitis. Cerebral hemorrhage and softening. Organic diseases of the heart. Acute bronchitis. Proumonia. Bronchopneumonia. Bronchopneumonia. Bronchopneumonia. Diarrhea and enteritis. Appendictis and typhitis. Hernia, intestinal obstruction. Cirrhosis of the liver	192 7  1,346  7  1 1  16 165 8 18 33 6 91 91 18 13 7 7 22 124 6 8 8 2	1 10 1 2 1 2 1 1 1 9 5	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	28 1 3 3 2 1 7 7 1 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3	18 5 5 1 1 2 4 1 1	7 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	16 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	74 2 1 1 1 19 2 1 1 6 1 2 1 3	9 1 189 4 	170 170 11 12 26 4 4 12 13 13 14 14 4 2 2	185 185 4 4 23 23 12 15 3 7 7 3 2 1 5	31 2 161 1 4 4 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	106 	1 10 8 2 1 1 1 2	10		1	
12 2 3 4 4 5 6 6 7 8 9 9 10 112 133 4 4 155 166 17 188 199 200 22 22 22 23 25 24 25 (37) 26 27 28 29 30 29 30 29 20 20 20 20 20 20 20 20 20 20 20 20 20	All causes.  Typhoid fever. Typhus fever. Malaria. Smallpox Measles. Scarlet fever Whooping cough. Diphtheria and croup. Influenza. Asiatic cholera. Cholera nostras. Other epidemic diseases. Tuberculosis of the lungs. Tuberculosis of the lungs. Tuberculosis of the rungs. Cancer and other malignant tumors. Meningitis. Carboral hemorrhage and softening. Organic diseases of the heart. Acute bronchitis. Chronic bronchitis. Chronic bronchitis. Bronchopneumonia. Other diseases of the respiratory system. Diseases of the stomach. Diarrhea and enteritis. Appendicitis and typhlitis. Hernia, intestinal obstruction. Cirrhosis of the liver. Acute nephritis and Bright's disease.	192 7  1,346  7  1 1  16 165 8 18 33 6 91 91 18 13 7 7 22 124 6 8 8 2	297 10 10 1 3 1 2 12 12 11 1	48 48 1 1 5 5	28 1 3 3 2 2 1 7 1 1	18 5 5 1 1 2 4 1 1	7 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	16 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	74 2 1 1 1 19 2 1 1 6 1 2 1 3	9 1 189 4 4 2 7 1 1 1 1 2 7 1 1 1 2 1 7	1700 1700 11 2 6 4 12 13 3 14 1 1 4 4 2 2	185 185 4 4 23 23 12 15 3 7 7 3 2 1 5	161 14 4 3 5 5 1 11 28 24 1 1 11 3 3 10 0 4 1	106 106 11 12 15 16 13 5 6 2	35 	10		1	
12 2 3 4 4 5 6 6 7 8 9 9 10 112 133 4 4 155 166 17 188 199 200 22 22 22 23 25 24 25 (37) 26 27 28 29 30 29 30 29 20 20 20 20 20 20 20 20 20 20 20 20 20	All causes.  Typhoid fever. Typhus fever. Malaria. Smallipox Measles. Scarlet fever. Whooping cough. Diphtheria and croup. Influenza. Asiatic cholera. Cholera nostras. Other epidemic diseases. Tuberculous meningitis. Other forms of tuberculosis. Cancer and other malignant tumors. Meningitis. Cerebral hemorrhage and softening. Organic diseases of the heart. Acute bronchitis. Proundis. Bronchopneumonia. Bronchopneumonia. Bronchopneumonia. Bronchopneumonia. Bronchopneumonia. Bronchopneumonia. Bronchopneumonia. Chrinois of the liver. Appendicitis and typhlitis. Hernia, intestinal obstruction. Cirrhosis of the liver. Acute hephritis and Bright's disease. Diseases of the female genital organs.	192 7  1,346  7  1  25 12  16 165 8 18 13 75 56 8 13 75 56 8 22 124 6 6 8 8 8 18 18 16 16 16 16 16 16 16 16 16 16 16 16 16	1 10 1 2 1 2 1 1 1 9 5	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	28 1 3 3 2 1 7 7 1 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3	18 5 5 1 1 2 4 1 1	7 7 1 1 1 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2	16 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	74 2 1 1 1 19 2 1 1 6 1 2 1 3	9 1 1 189 4 4 2 2 7 7 1 1 4 2 2 1 1 1 7 2 2 2 2 2 2 2 2 2 2 2 2 2 2	170 170 1 1 2 6 4 4 1 1 2 1 3 3 14 4 4 2 2 2 19 16 1	185 185 	161 161 14 3 b 111 112 28 24 1 1 1 1 1 1 1 1 1 2 1 1 1 2 1 1 1 2 1 1 1 2 1 2	106 	1 10 8 2 1 1 1 2	10 		1	
12 2 3 4 4 5 6 6 7 8 9 9 10 112 133 4 4 155 166 17 188 199 200 22 22 22 23 25 24 25 (37) 26 27 28 29 30 29 30 29 20 20 20 20 20 20 20 20 20 20 20 20 20	All causes.  Typhoid fever. Typhus fever. Malaria. Smallipox Measles. Scarlet fever Whooping cough. Diphtheria and croup Influenza. Asiatic cholera. Cholera nostras. Other epidemic diseases. Tuberculosis of the lungs. Tuberculosis of the lungs. Tuberculosis of the lungs. Cancer and other malignant tumors Meningitis. Carboral hemorrhage and softening. Organic diseases of the heart. Acute bronchitis. Proumonia. Bronchopneumonia. Bronchopneumonia. Diarrhea and enteritis. Appendicitis and typhilitis. Hernia, intestinal obstruction Cirrhosis of the liver Acute nephritis and Bright's disease. Diseases of the female genital organs. Puerperal fever Acute puerperal affections. Congenital debility and malformations	192 7  1,346  7  1  16 165 8 18 33 6 91 91 95 18 13 7 22 124 6 8 8 2 108 16 5 13 7 8	1 10 1 2 1 2 1 1 1 9 5	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	28 1 3 3 2 1 7 7 1 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3	18 5 5 1 1 2 4 1 1	7 7 1 1 1 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2	16 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	74 2 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	9 1 189 4 4 2 7 1 1 1 1 2 7 1 1 1 2 1 7	170 170 1 1 1 2 6 4 4 1 2 2 1 9 6 6	14 1 185 	161 161 14 3 b 111 112 28 24 1 1 1 1 1 1 1 1 1 2 1 1 1 2 1 1 1 2 1 1 1 2 1 2	106 106 2 3 3 23 23 23	1 10 3 2 1 1 1 2	10		1	
12 2 3 4 4 5 6 6 7 8 9 9 10 112 133 4 4 155 166 17 188 199 200 22 22 22 23 25 24 25 (37) 26 27 28 29 30 29 30 29 20 20 20 20 20 20 20 20 20 20 20 20 20	All causes.  Typhoid fever. Typhus fever. Malaria. Smallpox Measles. Scarlet fever. Whooping cough. Diphtheria and croup Influenza. Asiatic cholera. Cholera nostras. Other epidemic diseases. Tuberculosis of the lungs. Tuberculosis of the lungs. Tuberculosis of the lungs. Tuberculosis of the lungs. Cancer and other malignant tumors. Meningitis. Cerebral hemorrhage and softening. Organic diseases of the heart. Acute bronchitis. Chronic bronchitis. Preumonia. Bronchopneumonia Other diseases of the respiratory system. Diseases of the stomach. Diarrhea and enteritis. Appendicitis and typhlitis. Hernia, intestinal obstruction Cirrhosis of the liver Acute nephritis and Bright's disease. Diseases of the female genital organs. Puerperal fever. Other puerperal affections. Congenital debility and malformations. Senility	192 7  1,346  7  1 1 25 11 12 16 165 8 18 33 37 5 6 91 18 13 75 56 8 18 13 75 56 6 16 6 16 16 16 17 8 7 80	1 10 1 1 2 1 1 1 1 95 2 2 2 1 2 1 1 1 1 1 1 1 1 1 1 1 1 1 1	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	28 1 3 3 2 1 7 7 1 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3	18 5 5 1 1 2 4 1 1	7 7 1 1 1 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2	16 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	74 2 1 1 1 19 2 1 1 6 1 2 1 1 3	9 1 1 189 4 4 2 2 7 7 1 1 4 2 2 1 1 1 7 2 2 2 2 2 2 2 2 2 2 2 2 2 2	170 170 1 1 2 6 4 4 1 1 2 1 3 3 14 4 4 2 2 2 19 16 1	14 1 185 4 4 23 23 23 2 12 15 3 7 7 3 2 2 2 1 1 5 5 2 2 2 2 1 5 5 1 1	161 161 14 3 b 111 112 28 24 1 1 1 1 1 1 1 1 1 2 1 1 1 2 1 1 1 2 1 1 1 2 1 2	106 	1 100 3 2 1 1 1 2 2 1 1 3 2 3 3	10 		1	
12 3 4 5 6 7 8 9 101 112 3 3 4 15 6 17 18 19 9 22 1 22 3 5 23 5 (37)	All causes.  Typhoid fever. Typhus fever. Malaria. Smalipox Measles Scarlet fever. Whooping cough. Diphtheria and croup. Influenza. Asiatic cholera. Cholera nostras. Other epidemic diseases. Tuberculosis of the lungs. Tuberculosis of the lungs. Tuberculosis of the lungs. Tuberculosis of the lungs. Cancer and other malignant tumors. Meningitis. Cerebral hemorrhage and softening. Organic diseases of the heart. Acute bronchitis. Chronic bronchitis. Pneumonia. Bronchopmeumonia. Other diseases of the respiratory system. Diseases of the stomach. Diarrhea and entertis. Appendicitis and typhilitis. Hernia, intestinal obstruction. Cirrhosis of the liver Acute nephritis and Bright's disease. Diseases of the female genital organs. Puerperal fever. Other puerperal affections. Congenital debility and malformations.	192 7  1,346  7  1 1  25 12 18 18 33 6 91 18 18 37 75 22 108 2 108 16 5 18 18 7 7 7 7 8 7 8 7 8 7 8 7 8	297  10 13 1 2 12 11 11 95	48 48 1 5 5	28 1 3 3 2 1 7 7 1 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3	18 18 5 5 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	7 7 1 1 1 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2	18 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	74 2 1 1 1 1 1 1 1 1 1 2 1 1 1 2 1 1 1 3 3 1 1 1 1	9 1 189 4 4 2 2 7 1 188 1 1 1 2 2 2 6 6	170 170 1 1 2 6 4 1 2 13 3 14 4 4 2 2 2 2 19 9 6 1 1 2	14 1 185 3 23 2 12 19 28 1 15 3 7 7 3 2 2 1 5 5 1	161 161 14 11 11 11 11 11 11 11 11 1	106 106 2 3 3 23 23 23	1 10 3 2 1 1 1 2	10			

TABLE 7.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN EACH CITY OF 100,000 POPULATION OR OVER IN 1910, BY CAUSE OF DEATH (ABRIDGED INTERNATIONAL LIST), AND BY AGE OF DECEDENT: 1911—Continued.

Ħ.			DEATHS AT AGE OF— Deaths																
Abridged Int. List No.	CAUSE OF DEATH.	All deaths.	Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.		80 to 89 years.	90 to 99 years.	100 years and over.	Deaths at un- known age.
				•	SEA	TTL	Œ, W	ASH	•		•			<del> </del>		<u> </u>	44		
	All causes	2, 234	293	50	33	22	13	41	92	260	300	288	284	257	208	81	11	1	
. 1	Typhoid fever	26							2	10	9	4	1						
2 3 4 5 6 7 8 9	Typhus fever Malaria Smallpox	1									<u>i</u>		1						
5	Measles Scarlet fever	13 7	4	4	3 2	i		2 1	····i										
7	Whooping cough Diphtheria and croup Influenza	19 22	10	6 2	l 1	2 2	i	10											
9	Influenza Asiatic cholera	17			2 2	î				2	3	1			2	6			
10 11 12 13 14	Cholera nostras. Other epidemic diseases. Tuberculosis of the lungs.	4	1							i			<u>2</u>						
13	Tuberculosis of the lungs.  Tuberculous meningitis	233 33	$\frac{\tilde{2}}{4}$	4	2	5	i	6	16 6	60 3	79 2	41	22	12	1				
15 16	Other forms of tuberculosis	40 145	Ĩ	2	Ī		1	2	6	11	7 8	3 32	1 46	4 36	1 18	i	1		
17 18	Meningitis  Cerebral hemorrhage and softening	11 127	2 3 2 3	1	1			1	2	2 3 3	1 8	19	35	24	18	15	<u>î</u> -		
19 20	Organic diseases of the heart	245 8	2 3		<u>i</u> -	1	1	5	8	13	24	36	35 25 1	57 1	61	12	····i		
15 16 17 18 19 20 21 22 23a 23b 24	Chronic bronchitis Pneumonia	90	9	2 5	$\frac{2}{2}$	$\frac{1}{2}$			5	7	12	8	1 1 17	13 3	11	3	1		
23a 23b	Bronchopneumonia. Other diseases of the respiratory system.	44 21 19 79 31	14	5 1	2	2	1	2	2	2 4 1 2 11	3 4	3	2	1	1	3			
25(37)	Diseases of the stomach.  Diarrhea and enteritis.  Appendicitis and typhlitis.	79	1 50	10	6	i	2	1		2	2	1	2	3 2	1	1 1 .1			
27	Hernia, intestinal obstruction Cirrhosis of the liver	18 14	2				2		4	2	4 3 2 5 1 2 19	8 1 3 2 1 6 4 3 22 6	4 2 4 2 2 1 7	2 1	6				
29	Acute nephritis and Bright's disease Diseases of the female genital organs	160	1	i		i		1	3	13 5 9	19	22	32 1	36 2	25	5	ī		
31	Puerperal fever	178							2	9 16	5 7 8	2		] <u>*</u> -					
22		1 21						;-	1 -		ľ								
32 33 34	Other puerperal affections	133	131				1	1						2	12	22	5	i	
32 33 34 35 36	Violent deaths (excluding suicide)	190	6	3	3	i	3	4	15	38 18	49 15	32 23	1 18 10	2 11 5	12 2 2	22 4	5 1	1	
25(37) 26 27 28 29 30 31 32 33 34 35 36 (37) 38	Senility	190 76	[[	3	3 5	1 3		l	15 3 9	38 18 22 1	49 15 22	32 23 39	1 18 10 48	] 11	12 2 2 39	22 4 7	5 1	1	
32 33 34 35 36 (37) 38	Seniity Violent deaths (excluding suicide) Suicide Other defined diseases	190	6		5	3	3	5	9	38 18 22 1	49 15 22	32 23 39	18 10	11 5	12 2 2 39		5 1	1	
32 33 34 35 36 (37) 38	Seniity Violent deaths (excluding suicide) Suicide Other defined diseases	43 190 76 293 3	6		5	3	3	5	9	38 18 22 1	49 15 22	32 23 39	18 10	11 5	12 2 2 39		10	1	2
(37)	Semilty Violent deaths (excluding suicide) Suicide Other defined diseases Diseases ill-defined or unknown All causes	1,299	6 43 2	8	spc	KAN	3 2 VE, W	4 5 5	3 9 	1	15 22		18 10 48	11 5 41	39	7		1	2
(37) 38	Semilty Violent deaths (excluding suicide) Suicide Other defined diseases Diseases ill-defined or unknown All causes	1,299	6 43 2	8	spc	KAN	3 2 NE, W	4 5 A.S.IB	60	162	. 140	165	18 10 48	11 5 41 	39	7		1	
(37) 38	Semility Violent deaths (excluding suicide) Suicide. Other defined diseases. Diseases ill-defined or unknown  All causes. Typhoid fever. Typhus fever. Malaria. Smallpox Measles Scarlet fever.	1,299 40 1,66 1,67	6 	8	spc	KAN	3 2 NE, W	20 20	60	162	. 140	165	18 10 48	11 5 41 	39	7		1	
(37) 38	Semility Violent deaths (excluding suicide) Suicide. Other defined diseases. Diseases ill-defined or unknown  All causes.  Typhoid fever. Typhus fever. Malaria Smallpox Measles Scarlet fever. Whooping cough.	1900 76 293 3 3 1,299 40	217	8	SPC 13	3 KAN 11	3 2 NE, W	4 5 A.S.IB	60	162	. 140	165	18 10 48 148 1	142	119	7		1	
(37) 38 1 2 3 4 5 6 7 8 9	Semilty Violent deaths (excluding suicide) Suicide. Other defined diseases. Diseases ill-defined or unknown  All causes.  Typhoid fever. Typhus fever. Malaria Smallpox Measles Scarlet fever. Whooping cough. Diphtheria and croup Influenza Asiatic cholera.	1900 76 293 3 3 1,299 40	217 	30	SPC 13	3 **KAN 11	3 2 	20 20	60 4	162	. 140	165	18 10 48	11 5 41 	39	7			
(37) 38 1 2 3 4 5 6 7 8 9 10 11 11 12	Semility Violent deaths (excluding suicide) Suicide. Other defined diseases. Diseases ill-defined or unknown  All causes.  Typhoid fever. Typhus fever. Malaria Smallpox Measles. Scarlet fever. Whooping cough. Diphtheria and croup Influenza. Asiatic cholera Cholera nostras. Other epidemic diseases.	1,299 40 1,299 40 1,66 7,8 9	217	30	SPC 13	3 **KAN 11	3 2 	20 20 2 1	60 4	162	140 13	165	18 10 48 148 1	142 2	119	7			
(37) 38 1 2 3 4 5 6 7 8 9 10 11 12 13 14	Semilty Violent deaths (excluding suicide) Suicide. Other defined diseases. Diseases ill-defined or unknown  All causes.  Typhoid fever. Typhus fever. Malaria Smallpox Measles Scarlet fever Whooping cough. Diphtheria and croup Influenza Asiatic cholera Cholera nostras. Other epidemic diseases. Tuberculosis of the lungs Tuberculosis of the lungs Tuberculosis of the lungs.	1,299 40 1,299 40 1,66 7,8 9	217 	30	SPC 13	3 **KAN 11	3 2 	20 2 2 2 1	60 4	162 11 2 2 2	140 13	165 6	18 10 48 148 1	142	119	7			
(37) 38 1 2 3 4 5 6 7 8 9 10 11 11 12 13 14 15	Semility Violent deaths (excluding suicide) Suicide Other defined diseases Diseases ill-defined or unknown  All causes.  Typhoid fever Typhoid fever Typhus fever. Malaria Smallpox. Measlas Scarlet fever. Whooping cough. Diphtheria and croup Influenza. Asiatic cholera. Cholera nostras Other epidemic diseases. Tuberculosis of the lungs Tuberculosis of the lungs Tuberculosis meningitis. Other forms of tuberculosis Cancer and other melignent tumors	1,299 40 1,299 40 1,66 7 7 8 9 10 10 17 7	217 1 2 1 4	30	SPC 13	3 **KAN 11	3 2 	20 20 2 1	60 4	162 11 2 2 31	. 140	165 6	18 10 48 148 1	142 2	119	7		1	3
(37) 38 1 1 2 3 4 5 6 7 8 9 10 11 12 12 14 16 17 18	Semilty Violent deaths (excluding suicide) Suicide. Other defined diseases. Diseases ill-defined or unknown  All causes.  Typhoid fever. Typhoid fever. Typhus fever Malaria. Smallpox Measles. Scarlet fever Whooping cough. Diphtheria and croup. Influenza. Asiatic cholera. Cholera nostras. Other epidemic diseases. Tuberculous meningitis. Other forms of tuberculosis. Cancer and other malignant tumors. Meningitis. Cerebral hemorrhage and softening	1,299 40 10,299 40 1,299 10 6 7 8 9 10 76 76 67	217 217 21 4 2 1 3	30	SPC 13	3 **KAN 11	3 2 	20 2 2 2 1	60 4 2 3 2 3 2 3 2 1 1	162 111 22 22 31 23 12	140 13 140 13 24 16 7	165 6 1 12 17 1 1 3 14	148 10 48 148 1 1 3 7 7 22 10	142 2 2 	119 2 2 9	51		1	
(37) 38 1 1 2 3 4 5 6 7 8 9 10 11 12 12 14 16 17 18	Semilty Violent deaths (excluding suicide) Suicide. Other defined diseases. Diseases ill-defined or unknown  All causes.  Typhoid fever. Typhoid fever. Typhus fever. Malaria. Smallpox. Measles. Scarlet fever. Whooping cough. Diphtheria and croup. Influenza. Asiatic cholera. Cholera nostras. Other epidemic diseases. Tuberculous meningitis. Cancer and other malignant tumors. Meningitis. Cerebral hemorrhage and softening. Organic diseases of the heart. Acute bronchitis.	1,299 10 1,299 40 16 67 88 9 10 17 76 62 112	217 1 2 1 4	30	SPC 13	3 **KAN 11	3 2 	20 2 2 2 1	60 4	162 111 2 2 2 3 3 1 1 2 9 9	140 13	165 6 1 12 17 13 14 6 14	148 148 148 1	112 41 	119	51	10	1	
(37) 38 1 2 3 4 5 6 7 8 9 10 111 123 145 16 17 18 19 20 21 22 22	Semility Violent deaths (excluding suicide) Suicide. Other defined diseases. Diseases ill-defined or unknown  All causes.  Typhoid fever. Typhoid fever. Typhus fever. Malaria. Smallpox Measles. Scarlet fever. Whooping cough. Diphtheria and croup Influenza. Asiatic cholera. Cholera nostras. Other epidemic diseases. Tuberculous meuingitis. Other forms of tuberculosis. Cancer and other malignant tumors. Meningitis. Cerebral hemorrhage and softening. Organic diseases of the heart Acute bronchitis. Pneumonia. Bronchomeumonia.	1,299 100 1,299 40 11 67 8 9 10 17 76 96 10 117 76 76 112 112 112 112 112	217 1 2 1 4 2 1 3 2 1 2 1 3	30 2 1 1 1 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2	SPC 13	3 **KAN 11	3 2 VIE, W	20 2 2 2 1 1 1 1 1 1 3 3 3 3 3 3 5 5 5 5 5 5 5 5	3 9 9	162 111 2 2 2 3 3 1 1 2 9 9	140 13 13 1 1 16 7 24 16 7 7	165 6 	148 10 48 1 1 3 7 22 10 19	142 2 2 2 	1119 22 2 9 112 24	51	10		
(37) 38 1 1 2 3 4 5 6 7 8 9 10 11 12 13 14 14 15 19 20 21 22 23 24 22 23 24 24 25 26 26 27 28 28 28 28 28 28 28 28 28 28 28 28 28	All causes  Typhoid fever Typhoid fever Typhoid fever Typhoid fever Typhoid fever Typhoid fever Typhoid fever Typhoid fever Typhus fever Malaria Smallpox Measles Scarlet fever Whooping cough Diphtheria and croup Influenza Asiatic cholera Cholera nostras Other epidemic diseases Tuberculous meningitis Cancer and other malignant tumors Meningitis Carebral hemorrhage and softening Organic diseases of the heart Acute bronchitis Pneumonia Bronchopneumonia Other diseases of the respiratory system Diseases of the respiratory system	1,299 100 1,299 40 11 67 8 9 10 17 76 96 10 117 76 76 112 12 12 12 12 12 13 14	217 217 2 1 4 2 1 3 2 1 2 9 2 8	30 2 1 1 1 2 2	13 2 2 2 2 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	3   11   1   1   2   1   1	3 2 	20 22 1	60 4 2 3 2 3 2 3 2 1 1	162 111 2 2 2 3 3 1 1 2 9 9	140 13 13 1 1 1 24 1 6 7 7	165 6 	148 10 48 148 1 1 3 7 7 22 10	142 2 2 2 111 17 22 24 15 2 2	119 2 2 9	51 	10		
(37) 38 1 1 2 3 4 5 6 7 8 9 10 11 12 13 14 14 15 19 20 21 22 23 24 22 23 24 24 25 26 26 27 28 28 28 28 28 28 28 28 28 28 28 28 28	Semilty Violent deaths (excluding suicide) Suicide. Other defined diseases. Diseases ill-defined or unknown  All causes.  Typhoid fever. Typhus fever. Malaria. Smallpox Measlas. Scarlet fever. Whooping cough. Diphtheria and croup Influenza Asiatic cholera. Cholera nostras. Other epidemic diseases. Tuberculous meningtits. Cancer and other malignant tumors. Meningtits. Carer and other malignant tumors. Meningtits. Carer and other malignant tumors. Acute bronchitis. Chronic bronchitis. Preumonia. Bronchopneumonia. Other diseases of the respiratory system Diseases of the stornach.	1,299 100 1,299 40 11 67 8 9 10 17 76 96 10 117 76 76 112 12 12 12 12 12 13 14	217 217 21 4 2 1 3 3 2 2 2 8 3 3 9	30 2 1 1 2 6 1 7	13 2 2 2 2 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	3   11   1   1   2   1   1	3 2 VE, WE, WILL 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	20 2 2 2 1 1 1 1 1 1 3 3 3 3 3 3 5 5 5 5 5 5 5 5	3 9 9 1 1 1 1 2 2 1 1 6 6 1 1 1 8 1 1 1 1 1 1 1 1 1 1 1 1	162 111 2 2 31 31 2 2 9 17 2 2 1 1	140 140 13 11 16 7 25 11 21 21 1	165 6 	148 10 48 1 1 3 3 7 7 222 10 19	142 2 2 2 11 17 222 24 15 2	119 2 2 2 1 1 2 2 1 1 2 2 1 1	51 	10		2
(37) 38 1 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 24 22 23 24 24 25 26 26 27 28 28 28 28 28 28 28 28 28 28 28 28 28	Semilty Violent deaths (excluding suicide) Suicide. Other defined diseases. Diseases ill-defined or unknown  All causes.  Typhoid fever. Typhus fever. Malaria. Smallpox Measlas. Scarlet fever. Whooping cough. Diphtheria and croup Influenza Asiatic cholera. Cholera nostras. Other epidemic diseases. Tuberculous meningtits. Cancer and other malignant tumors. Meningtits. Carer and other malignant tumors. Meningtits. Carer and other malignant tumors. Acute bronchitis. Chronic bronchitis. Preumonia. Bronchopneumonia. Other diseases of the respiratory system Diseases of the stornach.	1,299 100 1,299 40 11 67 8 9 10 17 76 96 10 117 76 76 112 12 12 12 12 12 13 14	217 217 2 1 4 2 1 3 2 1 2 9 2 8	30 2 2 1 1 2 2 6 1	3 SPC 13 13 11 11 11 11 11 11 11 11 11 11 11	3 11 11 1 1 1	3 2 VE, WE, WILLIAM 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	20 2 2 2 1 1 1 2 2 2 1	3 9 9 1 1 1 1 2 2 2 1 1 6 6 1 1 8 1 1 1 8 1 1	162 111 2 2 2 31 1 2 9 9 17 2 1 1 1 1 1 1 0 2	140 140 13 11 16 7 25 11 21 21 1	165 6 	148 10 48 1 1 3 3 7 7 222 10 19	142 2 2 2 11 17 222 24 15 2 2	2 2 119 2 9 124 7 5 2 1 1 2 1 1	4 4 6 6 0 1 1 5 2 2 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	10	1	2
(37) 38 1 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 24 22 23 24 24 25 26 26 27 28 28 28 28 28 28 28 28 28 28 28 28 28	Semility Violent deaths (excluding suicide) Suicide. Other defined diseases. Diseases ill-defined or unknown  All causes.  Typhoid fever. Typhus fever Malaria Smallpox Measles Scarlet fever Whooping cough. Diphtheria and croup Influenza Asiatic cholera. Cholera nostras. Other epidemic diseases. Tuberculous meningitis. Other forms of tuberculosis. Cancer and other malignant tumors. Meningitis Cerebral hemorrhage and softening. Organic diseases of the heart Acute bronchitis. Proumonia. Bronchopneumonia Other diseases of the respiratory system Diseases of the stomach Disrhea and enteritis. Appendicitis and typhlitis. Hernia, intestinal obstruction Cirrhosis of the lier, Acute nephritis and Bright's disease.	1,299 40 1,299 40 1,299 40 10 66 77 89 10 17 76 22 112 2 97 42 15 59 31 12 11 11	217 217 21 4 2 1 3 3 2 2 2 8 3 3 9	30 2 1 1 2 6 1 7	3 SPC 13 13 11 11 11 11 11 11 11 11 11 11 11	3 11 11 1 1 1	3 2 VE, WE, WILLIAM 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	20 22 1 1 1 1	3 9 9 1 1 1 1 2 2 1 1 6 6 0 1 1 1 8 1 1 1 8 1 1 1 8 1 1 1 1 1 8 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	1622 111 22 2 2 3 31 1 2 2 9 1 1 1 1 1 1 1 1 1 1 1 2 2 8 5 5	140 140 13 1 1 1 1 1 6 7 7 2 5 5 1 1 1 2 1 1 1 7 7 6 6	165 6 	148 10 48 1 1 3 3 	142 2 2 2 11 17 222 24 15 2	119 2 2 2 1 1 2 2 1 1 2 2 1 1	51 	10		
(37) 38 1 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 24 22 23 24 24 25 26 26 27 28 28 28 28 28 28 28 28 28 28 28 28 28	Semiltry Violent deaths (excluding suicide) Suicide. Other defined diseases. Diseases ill-defined or unknown  All causes.  Typhoid fever. Typhus fever. Malaria. Smallpox Measles. Scarlet fever. Whooping cough. Diphtheria and croup Influenza. Asiatic cholera. Cholera nostras. Other epidemic diseases. Tuberculosis of the lungs. Tuberculosis of the lungs. Tuberculosis of the lungs. Cancer and other malignant tumors. Meningitis. Cerebral hemorrhage and softening Organic diseases of the heart. Acute bronchitis. Chronic bronchitis. Pneumoula. Bronchopneumonia Other diseases of the respiratory system. Diseases of the stomach. Diarrhea and entertitis. Appendicities and typhlitis. Hernia, intestinal obstruction. Cirrhosis of the liver. Acute nephritis and Bright's disease. Diseases of the female genital organs. Puerperal fever. Other puerperal affections.	1,299 40 1,299 40 1,299 40 16 67 88 9 10 1776 76 2112 112 1559 121 111 141 66	217 1 2 1 4 2 1 3 2 2 1 2 7 7 9 2 8 39 1	30 2 1 1 1 2 2 6 1 7 1	3 SPC 13 13 11 11 11 11 11 11 11 11 11 11 11	3 11 11 1 1 1	3 2 VE, WE, WILLIAM 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	20 2 2 2 1 1 1 2 2 2 1	3 9 9 1 1 1 1 2 2 2 1 1 6 6 1 1 8 1 1 1 8 1 1	162 111 22 23 11 23 11 22 9	140 140 13 11 16 7 25 11 21 21 1	165 6 6 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	148 10 48 1 1 3 3 7 7 222 10 19	142 2 2 2 11 17 222 24 15 2 2	2 2 119 2 9 124 7 5 2 1 1 2 1 1	4 4 6 6 0 1 1 5 2 2 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	10		
(37) 38 1 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 24 22 23 24 24 25 26 26 27 28 28 28 28 28 28 28 28 28 28 28 28 28	All causes  Typhoid fever. Typhoid fever. Typhoid fever. Typhoid fever. Typhoid fever. Typhus fever. Malaria. Smallpox Measles Scarlet fever Whooping cough. Diphtheria and croup Influenza. Asiatic cholera nostras. Other epidemic diseases. Tuberculous meningitis. Other forms of tuberculosis. Cancer and other malignant tumors. Meningitis. Cancer and other malignant tumors. Meningitis. Cancer and other malignant tumors. Meningitis. Cancer and other malignant tumors. Meningitis. Carbonal hemorrhage and softening. Organic diseases of the heart. Acute bronchitis. Pneumouia. Bronchopneumonia. Other diseases of the respiratory system. Diseases of the stomach. Disarrhee and enteritis. Appendictis and typhlitis. Hernia, intestinal obstruction Cirrhosis of the liver. Acute nephritis and Bright's disease. Diseases of the female genital organs. Puerperal fever. Other puerperal affections. Congenital debility and malformations.	1,299 40 1,299 40 1,299 40 16 67 88 9 10 1776 76 2112 112 1559 121 111 141 66	217 1 2 1 4 2 1 3 2 1 3 2 2 1 1 2 2 1 1 3 3 3 9 1 1 1 1 1 1 1 1 1 1 1 1 1 1	30 2 1 1 2 6 1 7	13 2 2 1 1	3 11 11 1 1 1 1 1 3	3 2	4 5 20 2 2 2 1 1 1 1 2 2	3 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9	162 111 22 2 31 23 31 12 29 9 177 22 11 10 2 3 3 6 6 6 6 6 6 6 7	140 13 13 11 16 67 7 22 5 11 12 21 11 17 66 3 7	165 6 6	148 10 48 1 1 3 3 	142 2 2 111 17 17 22 24 13 2 12	1119 22 11 22 9 12 24 12 12 12 12 12 12 12 12 13 14 15 16 17 18 18 18 18 18 18 18 18 18 18	51 51 	10		
(37) 38 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 20 21 22 23 23 23 24 24 25 26 26 27 28 28 29 20 20 20 20 20 20 20 20 20 20 20 20 20	Semiltry Violent deaths (excluding suicide) Suicide. Other defined diseases. Diseases ill-defined or unknown  All causes.  Typhoid fever. Typhus fever. Malaria. Smallpox Measles. Scarlet fever. Whooping cough. Diphtheria and croup Influenza. Asiatic cholera. Cholera nostras. Other epidemic diseases. Tuberculosis of the lungs. Tuberculosis of the lungs. Tuberculosis of the lungs. Cancer and other malignant tumors. Meningitis. Cerebral hemorrhage and softening Organic diseases of the heart. Acute bronchitis. Chronic bronchitis. Pneumoula. Bronchopneumonia Other diseases of the respiratory system. Diseases of the stomach. Diarrhea and entertitis. Appendicities and typhlitis. Hernia, intestinal obstruction. Cirrhosis of the liver. Acute nephritis and Bright's disease. Diseases of the female genital organs. Puerperal fever. Other puerperal affections.	1,299 40 1,299 40 1,299 40 16 67 88 96 10 17 76 62 112 12 12 15 59 31 12 11 191 16 16 18 88 88 88 88 88 88	217 1 2 1 4 2 1 3 2 2 1 2 7 7 9 2 8 39 1	30 2 1 1 1 2 2 6 1 7 1	3 SPC 13 13 11 11 11 11 11 11 11 11 11 11 11	3 11 11 1 1 1	3 2 VE, WE, WILLIAM 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	20 2 2 2 1 1 1 2 2 2 1	3 9 9 1 1 1 1 2 2 2 3 3 2 2 1 6 6 1 1 3 1 1 1 1 5 5	162 111 22 2 31 12 9 17 22 11 11 10 2 2 8 5 3	140 13 13 13 140 140 13 140 140 15 11 12 12 11 11 17 16 6 3	165 6 1 1 2 17 1 3 14 14 1 1 1 2 2 1 5 1 1 4 1 1 3 3	148 10 48 1 1 3 3 7 7 222 10 19	142 2 2 2 11 17 222 24 15 2 2	2 2 119 2 9 124 7 5 2 1 1 2 1 1	4 4 6 6 0 1 1 5 2 2 1 1 3 3	10		

TABLE 7.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN EACH CITY OF 100,000 POPULATION OR OVER IN 1910, BY CAUSE OF DEATH (ABRIDGED INTERNATIONAL LIST), AND BY AGE OF DECEDENT: 1911—Continued.

Int.									DEAT	es at	AGE O	F—			· · · · · ·				Deaths
Abridged Int. List No.	CAUSE OF DEATH.	All deaths.	Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 years and over.	at un- known age.
					MILV	VA.U.	KEE,	wis	١.								•		<del></del>
	All causes	4, 727	1,208	172	73	48	57	107	177	412	376	367	480	477	478	259	34	2	
1 2	Typhoid fever	75	1				3	2	15	26	14	5	6	3					
3	Malaria																		
4 5	Smallpox	28	11		····i	· • • • •		3											
6	Scarlet fever	62	6	11 2	11	8	2 6	20	5	i	3								
7	Whooping cough Diphtheria and croup Influenza	9	Š	4	1		1												
8	Diphtheria and croup	80	7	9	10	11	17	16	9	1									
9 10	Asiatic cholera	13						1	<b></b>	1		1		5	4	1			
11	Cholera nostras									• • • • • •			• • • • • •						
12	Other enidemic diseases	29	7	i				i		4	1	4		4	5	2			
13	Tuberculosis of the lungs. Tuberculous meningitis Other forms of tuberculosis.	384	4	3	1	1			31 2 3	155	89	51	34	9	, š				
14	Tuberculous meningitis	11		1		2	2	$\begin{array}{c c} 1\\2\\1\end{array}$	2	1 7 7			1						<b>-</b>
15 16	Cancer and other malignant tumors	26 294	2	2				1	3 3	7	4 16	3 35	3 76	1 88			;-		• • • • • • •
17	Meningitis.	53	14	8	7	4	5	5	4	3	10	30	76	88	59	9	1		
18	Cerebral hemorrhage and softening	209	î		l <u>'</u> .				1 2	3	8	17	48	48	54	28			
19	Organic diseases of the heart  Acute bronchitis	378	4		1	1		4	11	8	18	30	48 55	92	95	56	3		
20 21	Acute bronchitis	70 46	46	7	4		3							3	95 2 13	4	1 1		<b></b>
21 22	Pneumonia	246	2 41	20	4	3	6	6	6	$\begin{array}{c c} 1\\24 \end{array}$	1 22	2	1	12 29	13	12 8	2		· · · · · · · · · · · · · · · · · · ·
23a	Bronchonnaumonia	127	62	21	11 :	5	2	3	١ ٥	3	22	30 3	20	6	20	4	"		
235	Other diseases of the respiratory system.	42 83	3		3			l <i>.</i>			7	2	25 1 7 5	3	12	ŝ			<b></b>
24	Diseases of the stomach	83	52	7	1	2		1	2		4	2	5	1 7	3	3			
25(37)	Diarrhea and enteritis	428 54	339	52	5	2	2	3 4	::-	3 13	1 10	1		7	7	4	2		
26 27	Hernia, intestinal obstruction	49	12	1				4/2	15	13	10	1 5 8	5 7	1 7	7	3			· · · · · · · · · · · · · · · · · · ·
28	Cirrhosis of the liver	69	ī					l			6	16	26	8	12	o			
28 29	Acute nephritis and Bright's disease	262	6	2	2		2	5	7	12	27	16 22	26 50	56	43	27	1		
30	Diseases of the female genital organs	32							1	9	8	8	4	1		1			<b></b>
31	Puerperal fever	23 29							2	12 13	7	2							· · · · · · · ·
32 33	Other puerperal affections. Congenital debility and malformations.	$\frac{29}{341}$	341						1	13	11	4							• • • • • • • • • • • • • • • • • • • •
34	Senility	92	011											2	28	47	13	2	
35	Senility Violent deaths (excluding suicide)	249	6	10	5	5	3	10	26	46	42	41	22	16	28 10	5	2		
36	Suicide Other defined diseases	75		;;-		;-			3	11	18	13	14	8	7	1	<u>-</u> -		
(37)	Diseases ill-defined or unknown	751 8	236	10 1	5	4	3	17	29	45 1	55	62	90	67	83 3	38	7		• • • • • • •

Table 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM CERTAIN IMPORTANT CAUSES, BY MONTHS, FOR THE REGISTRATION AREA, REGISTRATION STATES, AND CITIES OF 100,000 POPULATION OR OVER IN 1910: 1911.

[The cities included in this table are arranged alphabetically by states.]

-		ī	1	*****										
Abridged Internat. List No.	AREA AND CAUSE OF DEATH.	All deaths.		1		ī	; T	DEATHS	OCCURRD	10 IV-			<del></del>	_
Abr		deams.	January.	Febru- ary.	March.	April.	Мау.	June.	July.	August.	Septem- ber.	October.	Novem- ber.	Decem- ber.
					SUM	MARY	•	<del>-'</del>	· <u>·</u>		·	! <u>-</u>		<u> </u>
	THE REGISTRATION AREA.								1					
	All causes	839, 284	79,777	72,831	81,028	74,854	70,048	60,811	73,979	67,454	62,778	63,983	64,051	67,692
1 3 5 6 7 8 9 13 14-15 17 20-21	Typhoid fever Malaria. Measles. Scarlet fever. Whooping cough Diphtheria and croup Influenza. Tuberculosis of the lungs. Other forms of tuberculosis. Meningitis. Bronchitis. Preumonia. Bronchopneumonia. Diarrhea and enteritis (under 2 years).	12,451 1,802 5,922 5,243 6,682 11,174 9,994 81,796 12,409 7,285 11,559 52,868	808 75 560 672 488 1,189 1,978 7,698 946 639 1,677 8,591	734 74 721 607 549 956 2,171 7,258 1,002 1,508 7,165	711 74 1,111 755 790 992 2,028 8,377 1,212 735 1,468 7,688	638 85 1,150 651 742 838 1,124 7,885 1,200 728 1,245 6,364	649 128 969 661 811 729 508 7,438 1,262 705 897	787 152 514 404 610 585 157 6,707 1,118 625 531	1,176 208 301 297 641 551 77 6,564 1,160 657 484	1,572 235 149 192 561 606 81 5,913 993 628 415	1,533 265 96 191 450 802 96 5,583 926 523 478	1,616 260 74 222 337 1,321 172 5,892 915 516 770	1,327 159 98 281 338 1,382 341 5,992 806 444 1,001	900 87 179 310 365 1,223 561 6,489 483 1,085 5,404
(23) 25	Bronchopneumonia Diarrhea and enteritis (under 2 years)	26,365 45,868	3,864	3,469 1,493	3,620 1,800	2,992 1,902	4,286 2,182 2,411	1,837 1,153 3,548	1,528 1,033 9,248	1,456 958 9,664	1,667 1,041 6,999	2,696 1,420 3,868	4,186 2,023 1,867	2,610
(37) (33) 35 36	Diarrhea and enteritis (2 years and over) Congenital debility 1. Violent deaths (excluding suicide) Suicide All other causes	8, 108 14, 895 54, 028 9, 622 461, 913	477 1,085 4,088 726 42,578	375 957 3,467 715 39,008	443 1,123 4,000 801 43,300	464 1,075 3,844 906 41,021	515 963 4,509 939 39,484	721 1,056 4,473 894 34,939	1,200 1,517 7,930 820 38,587	1,314 1,711 4,758 834 35,414	958 1,678 4,251 788 34,453	733 1,527 4,193 702 36,749	455 1,160 4,320 768 37,103	1,430 453 1,043 4,195 729 39,277
	REGISTRATION STATES.2 All causes	756,777	72,023	66, 278	73,340	67,608	62,701	54,178	66,880	61,074	56,801	57,617	57,457	60 <b>,</b> 8 <b>20</b>
1 3 5 6 7 8 9 13 14-15 17 20-21 (23) 25 (37) (33) 35 36	Typhoid fever.  Maiaria.  Measles. Scarlet fever. Whooping cough. Diphtheria and croup. Influenza. Tuberculosis of the lungs. Other forms of tuberculosis. Meningitis. Bronchitis. Pneumonia. Bronchopneumonia. Diarrhea and enteritis (under 2 years). Diarrhea and enteritis (2 years and over). Congenital debility¹ Violent deaths (excluding suicide). Suicide. All other causes. CITIES IN REGISTRATION	11, 096 1, 322 5, 395 4, 646 6, 102 9, 958 8, 595 73, 237 11, 387 6, 514 10, 838 46, 764 23, 717 40, 018 7, 145 13, 576 48, 841 8, 635 418, 991	748 56 510 595 456 1,065 1,791 6,911 575 1,603 7,587 3,456 1,380 415 1,018 3,684 651 38,645	680 644 653 533 502 2,044 6,541 918 541 1,427 3,168 1,236 329 868 3,134 35,708	648 669 689 689 724 724 7,509 1,109 635 1,381 1,381 1,381 1,381 1,387 1,	584 65 1,036 599 677 7,1061 7,107 1,096 640 1,167 2,697 1,523 400 958 3,481 829 37,308	569 889 888 587 724 6473 6,655 1,170 620 832 3,801 1,946 1,833 417 835 4,048 4,048 35,732	649 101 467 347 537 5164 5,938 1,033 568 1,034 2,860 610 926 4,005 31,459	979 1155 2287 2488 570 477 62 5,901 1,075 599 447 1,333 929 8,361 1,071 1,395 7,293 34,962	1,365 1774 140 160 509 515 73 5,315 908 881 1,261 847 8,824 1,209 1,607 4,350 4,350 32,113	1,365 86 171 416 722 4,992 4,992 4,448 1,456 942 6,307 870 1,581 3,884 3,884 6,966 31,252	1,475 183 74 205 320 1,191 5,185 821 465 719 2,380 1,300 3,423 650 1,386 3,757 630 33,294	1, 216 92 243 321 1, 234 325 5, 346 738 395 916 3, 648 3, 648 3, 871 43 3, 871 3, 871 3, 871	818 71 173 272 346 1,100 4,100 5,787 788 441 1,021 4,740 2,366 1,186 392 942 3,745 660 35,486
1	.All causes	. 413,920	38,672	35, 472	39,619	37,220	34,804	29,583	37,839	33,067	30,674	31,526	31,528	33,916
6 7 8 9 13 14-15 17 20-21 22 (23) 25 (37) (33) 35 36	Typhoid fever Malaria Measles Scarlet fever Whooping cough Diphtheria and croup Influenza Tuberculosis of the lungs Other forms of tuberculosis Meningitis. Bronchitis. Pneumonia Bronchopneumonia Diarrhea and enteritis (under 2 years) Diarrhea and enteritis (2 years and over) Congenital debility 1 Violent deaths (excluding suicide) Suicide. All other causes.	5, 122 328 2,776 3,024 2,939 5,883 2,854 41,300 6,734 3,550 6,095 26,828 15,410 25,002 3,689 25,807 5,256 223,815	389 15 244 367 205 604 621 3,916 525 308 3,979 1,961 860 218 555 1,947 434 20,678	373 18 308 357 249 256 640 3,675 534 291 1,808 822 171 1,638 459 1,638	343 25 471 432 359 551 584 4,134 664 366 744 32,076 1,030 203 548 1,950 20,973	281 21 466 422 378 525 3,971 652 345 673 3,281 1,786 1,047 192 508 1,838 1,938 19,976	294 27 450 408 358 457 161 3,733 715 344 482 2,820 1,385 1,168 205 436 2,100 2,100 494 19,267	306 23 271 248 261 352 47 3,338 618 321 299 1,094 750 1,715 284 550 2,020 16,606	396 35 203 176 281 308 20 3, 226 612 326 258 926 707 5, 675 569 839 4, 209 4, 209 18, 647	572 33 92 103 275 328 30 2,974 306 233 818 633 5,298 5,74 2,125 437 16,716	631 49 63 113 205 406 43 2,823 253 259 929 691 3,571 383 941 2,021 406 16,398	613 48 41 114 121 590 64 3,023 476 242 401 1,516 876 2,026 284 17,981 17,981	526 223 59 138 107 6100 108 3,094 448 213 523 2,070 1,171 999 205 559 1,983 1,983	398 111 103 146 140 596 181 3, 393 466 235 613 2, 773 1, 566 791 219 253 2, 005 422 19, 320
	RURAL PART OF REGISTRA- TION STATES.	0.40										•	-	
7 8 9 13 14–15	All causes.  Typhoid fever. Malaria. Measles. Scarlet fever. Whooping cough Diphtheria and croup. Influenza. Tuberculosis of the lungs. Other forms of tuberculosis. Meningitis. Bronchitis.	4, 743 11	33,351 359 41 266 228 251 461 1,170 2,995 362 267 757	30,806 307 46 345 176 253 308 1,404 2,866 384 250 668	305 41 518 254 365 325 1,324 3,375 455 269 637	303 44 570 177 299 228 706 3,136 444 295 489	27,897 62 438 179 366 188 312 2,922 455 276 350	24,595   343 78 196 99 276 164 97 2,650 415 247 190	583 120 84 72 289 169 42 2,675 463 273 189	28,007 793 141 48 57 234 187 43 2,341 363 255 155 et of Colum	26, 127 734 144 23 58 211 316 49 2, 169 365 221 189	26,091 862 135 33 91 199 601 95 2,162 345 223 318	25, 929 690 82 33 105 214 624 194 2, 252 290 182 393	26, 904 420 60 65 126 206 504 305 2, 394 322 206 408

<sup>2</sup> Includes District of Columbia.

Table 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM CERTAIN IMPORTANT CAUSES, BY MONTHS, FOR THE REGISTRATION AREA, REGISTRATION STATES, AND CITIES OF 100,000 POPULATION OR OVER IN 1910: 1911—Continued.

تابغ <u>د</u>							D	EATHS O	CURRING	3 IN-	<del> </del>			
Abridged Internat. List No.	AREA AND CAUSE OF DEATH.	All deaths.	January.	Febru- ary.	March.	April.	May.	June.	July.	August.	Septem- ber.	October.	Novem- ber.	Decem- ber.
		<u>'                                     </u>	·	sui	MMAR	YCon	inued.							
	RURAL PART OF REGISTRA- TION STATES—Continued.													
22 (23) 25 (37) (33) 35	Pneumonia. Bronchopneumonia Diarrhea and enteritis (under 2 years). Diarrhea and enteritis (2 years and over). Congenital debility 1 Voilent deaths (excluding suicide). Suicide.	19,936 8,307 15,016 3,637 5,887 23,034 3,379	3,608 1,495 520 197 463 1,737 217	3,063 1,360 414 158 409 1,496 216	3,108 1,150 469 185 469 1,637 282	2,346 911 476 208 450 1,653 321	1,481 561 665 212 399 1,948 343	544 284 1,145 326 376 1,985 327	407 222 2,686 502 556 3,086 308	443 214 3,526 634 633 2,225 318	527 251 2,736 487 640 1,863 290	864 424 1,397 366 609 1,776 269	1,578 635 587 189 474 1,888 250	1,967 800 395 173 409 1,740 238
36	All other causes	195,176	17,967	16,683	18,553	17,332	16, 465	14,853	16,315	15,397	14,854	15,322	15,269	16, 166
,	OTHER STATES.	82,507	7,754	6,553	7,688	7,246	7,345	6,633	7,099	6,380	5,977	6,366	6,594	6,872
1 3 5 6 7 8 9 13 14–15 20–21 22 (23) 25	Typhoid fever Malaria Measles Scarlet fever. Whoo ping cough Diphtheria and croup Influenza Tuberculosis of the lungs. Other forms of tuberculosis. Meningitis Bronchitis Preumonia Bronchopneumonia Diarrhea and enteritis (under 2 years)		60 19 50 77 32 124 187 787 69 64 74 1,004 408 258	54 10 68 74 47 92 127 717 84 61 81 728 301 257	63 8 122 69 66 116 120 868 103 100 87 832 394 301	54 20 114 52 65 85 63 778 104 88 78 737 295 379	80 39 39 81 74 87 84 35 783 92 85 65 485 236 578	138 51 47 57 73 69 13 719 85 57 42 199 119 688	197 53 14 49 71 74 15 663 85 85 195 194 887	207 61 9 32 52 91 8 598 85 67 27 195 111	168 72 10 20 34 80 4 591 72 49 30 211 99 692	141 77 17 130 13 707 94 51 51 316 120 445	111 54 6 38 17 148 39 646 68 49 85 538 217 281	82 16 6 38 19 123 75 702 81 42 64 244 244
(37) (33) 35 36	Diarrhée and enteritis (2 years and over) Congenital debility¹ Violent deaths (excluding suicide). Suicide. All other causes. ALL REGISTRATION CITIES.2	963 1,319 5,187 987 42,922	62 67 404 75 3,933	46 89 333 84 3,300	55 106 413 91 3,774	64 117 363 77 3,713	98 128 461 102 3,752	111 130 468 87 3,480	129 122 635 86 3,625	105 104 408 79 3,301	88 97 367 92 3,201	83 141 436 72 3,455	61 117 449 73 3,597	61 101 450 69 3,791
	All causes	496, 427	46,426	42, 025	47,307	44, 466	42,149	36, 216	44, 938	39, 447	36, 651	37,892	38, 122	40,788
1 3 5 6 7 8 9 9 13 14–15 177 20–21 22 (23) 25 (37)	Typhoid fever.  Malaria.  Measles. Scarlet fever Whooping cough Diphtheria and croup. Influenza. Tuberculesis of the lungs. Other forms of tuberculosis. Meningitis. Prounonia. Bronchopneumonia. Diarrhea and enteritis (under 2 years). Diarrhea and enteritis (2 years and over). Congenital debility!	30, 852 4, 471 9, 008	449 34 294 444 237 728 808 4,703 372 920 - 4,983 2,369 1,118 280 622	427 28 376 431 296 648 767 4,392 840 4,102 2,109 1,079	406 33 593 501 425 667 704 5,002 757 468 831 4,580 2,470 1,331 258 654	335 41 580 474 443 610 418 4,749 756 433 3756 4,013 2,081 1,426 256 625	374 66 531 482 445 541 196 4,516 807 429 2,805 1,621 1,746 303 564 2,561	444 74 318 305 334 421 60 4,057 703 378 341 1,293 869 2,403	593 88 217 225 352 382 355 3,889 697 384 295 1,121 811 6,562 698 968 944	779 94 101 135 327 419 38 3,572 630 373 260 1,013 744 6,138 680 1,078 2,533	799 121 73 133 239 486 47 3,414 561 302 289 1,140 790 4,263 471 1,038 2,388	754 1125 41 131 138 720 777 3,730 570 293 452 1,832 996 2,471 367 918 2,471	687 777 65 176 124 758 147 3,740 516 262 608 2,608 1,388 1,280 266 686 686 2,432	480 27 114 184 159 719 256 4,095 547 277 677 3,487 1,810 1,035 280 834 2,455
35 <sup>°</sup> 36	Violent deaths (excluding suicide) Suicide All other causes	30,994 6,243 266,737	2,351 509 24,611	1,971 499 22,325	2,363 519 24,747	2,191 585 23,689	596 23,019	567	4,844 512 22,272	516 20,017	498 19,599	21, 427	518 21,834	491
		<u>!</u>	1	REGI	STRAI	ION E	STATE	es.	1				<u>'</u>	
	CALIFORNIA.					[								
	All causes	l	3,442	2,788	2,990	2,705	2,859	2,603	2,591	2,582	2,548	2,644	2,927	3,331
1 3 5 7 8 9 13 14–15 20-21 22 (23 25 (37 (33 35 36	Meningitis. Bronchitis. Pneumonia. Bronchopneumonia. Diarrhea and enteritis (under 2 years). Diarrhea and enteritis (2 years and over). Congenital debility 1 Violent deaths (excluding suicide). Suicide. All other causes.	159 162 210 4, 496 646 333 323 1, 885 639 904 281 238 2, 747 749 19, 539	8 8 3 18 12 2 32 448 342 877 555 22 17 214 72 1,867	•	17 20 14 36 453 62 21 40 192 62 32 11 16 211 58	58	53	76 1,479		15 5 2 328 325 222 17 88 29 125 34 13 237 63 1,513	89 23 17 216 67 1,496	3 4 4 111 9 9 303 45 24 24 123 42 106 25 228 53	11 5 23 6 837 39 25 20 165 68 107 28 25 262 74	19 406 511 31 40 272 102 70 22 31 241 68
36	Suicide	19,539		1,626			1,662	1,479	1,445		1,496			1 1

Table 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM CERTAIN IMPORTANT CAUSES, BY MONTHS, FOR THE REGISTRATION AREA, REGISTRATION STATES, AND CITIES OF 100,000 POPULATION OR OVER IN 1910: 1911—Continued.

	I	DEATHS OCCURRING IN—												
Red No.		All					D)	EATHS O	CCURRIN	G IN—				
Abridged Internat. List No.	AREA AND CAUSE OF DEATH.	deaths.	January.	Febru- ary.	March.	April.	May.	June.	July.	August.	Septem-	October.	Novem- ber.	Decem- ber.
•			REC	SISTRA	TION	STAT	ES-C	ontinued		-				
	COLORADO.	[-			Ī	· -	1	<u> </u>		Ī	<u> </u>	}	1	
	All causes	10,740	1,225	957	1,091	843	867	861	864	916	758	764	774	820
1	Typhoid fever	i <del></del>	18	10	8	11	8	21	32	41	30	34	28	11
3 5	Measles	125	10	23	29	29 . 7	22 10	6	1 2	1.	1	1	i	······································
6 7	Scarlet fever	82 56	17 2	1 <u>4</u> 5	14 5 12	3	7	4 6	4 5	7	2 3	4 2 13	3	. 3
8 9	Status lever Whooping cough Diphtheria and croup Influenza. Tuberculosis of the lungs. Other forms of tuberculosis.	98 102	10 41	5 26	12 17	6 8	4 3	5	1	6	8	13 1 121	17 1 127	8 11 2 139 10
13 14-15 17	Other forms of tuberculosis	1,684 127 117	180 13 16	26 · 141 13 12	17 183 15 15 11 140 33	150 10 9	148 14 10	136 4	120 9 7	129 16 11	110 7	7	9	139
20-21 22	Bronchitis.	104 851	19	20 120	110	12 60	4 45 24	10 7 24 12	3 18	6 23	6 5	7 6 40	5 8 54	· 9 3 68 29
(23) 25	Bronchopneumonia Diarrhea and enteritis (under 2	279	235 60	40	33	25	24	12	9	چے 6	24 3	13	25	29
(37)	years). Diarrhea and enteritis (2 years and	470	18	11	13	8	33	86	92	100	54	32	12	11
(33)	over) Congenital debility <sup>1</sup> Violent deaths (excluding suicide) Suicide	7 <u>4</u> 203	3 22	3 15	5 22	47	2 6	12 16	9 24 96	14 19 92	13 26	5 18	1 15	3 13 61
35 36	Violent deaths (excluding suicide)	849 180	63 14	15 58 13	60 16	62 16	67 14	86 14	13	92 21 423	26 73 17	61 15	70 18	9
	All other causes.	5,084	484	428	493	416	446	411	418	423	376	384	377	428
	CONNECTICUT. All causes	17, 552	1,760	1,556	1 200	1,678	1 405	1 100	1,635	1 440	7.004	1 045	1 104	1.040
1	•	17,352	======	<del></del>	1,692	<del></del>	1,435	1,176		1,448	1,284	1,345	1,194	1,349
3 5	Typhoid fever Malaria Measles	22 94	7 2 7	12 1 17 10 19 22 71	3 1 16	4 1 16	2 11	4 1 12	15 3 7	3	22 5	4	11	1 4
67	Coorlot forms	103 1	18 16 27 73	10 19	16 12 33	14 25	. 11 . 10 11 12 14	6 5	8	6 1 7	6 12	2 10	1 5 5	6
8	Whooping cough Diphtheria and croup Influenza Tuberculosis of the lungs Other forms of tuberculosis	160 250 268	27 73	22 71	22 53 139	24 28 156	12 14	15 6	16 2 121	19	. 22 3	23	22 5 97 17 18 16 80	8 26 13 118 21 18 20
13 14-15	Other forms of tuberculosis	1,456 248	148 20 20	118 16 14	139 21	18	128 22 22 23 123 28	· 120 23 14	121 31 26	101 27	102 12	108 20	97 17	118 21
20-21 22	Meningitis. Bronchitis. Pneumonia.	229 273 1,355	20 44 189	28 200	21 23 33 220	18 41 187	22 23	14 9 50	15	28 11 38	19 12 45	9 21 74	18	18 20 120
(23) 25	Bronchopneumonia Diarrhea and enteritis (under 2	395	66	56	66	52	28	16	29 13	9	45 14	23	21	31
(37)	Diarrhea and enteritis (2 years and	902	15	26	24	22	31	44	258	239	136	56	23	28
(33) 35	over) Congenital debility¹ Violent deaths (excluding suicide)	134 415	10 31	4 23	7 22 61	9 31	4 30 77	5 19	26 36	. 58	15 53	12 62	3 31	13 19
35 36	Suicide	1,046 207	95 19	23 73 13	14	68 21	77 23 860	19 80 19	189 19	83 14	80 18	88 17	64 15	19 88 15
.	All other causes	9,841	953	833	922	943	860	728	812	756	708	779	755	792
.	INDIANA. All causes	35,210	3,423	3,086	3,371	3,245	2,830	2,516	3,051	2,776	2,526	2,780	0.754	0.055
1			42		35	46	30		76	109	90	99	2,754	2,852
1 3 5	Typhoid fever Malaria Measles	728 110 262 179		42 9 27	5 61 32 40	6	6 1	29 12 13 12 25 20	13	16	11	12	iŏ	6 1
6 7	Scarlet fever	272	18 26 14 42	27 19 19 34	32 40	90 24 31 18 63	40 17 48 9	12 25	6 5 34	4 4 19 14	10 8 34	1 7 3	. 12 22	. 9
8 9	Scarlet fever Whooping cough Diphtheria and croup Influenza	385 499	101	128	25 106		23	4	34 13 2	4.1	4 [	- 75 8	52 20	· 49 36
14-15 17	Tuberculosis of the lungs Other forms of tuberculosis	3,578 643 241	341 54 22 77	51 51	377 52 29 50	329 65 29 41	315 59	312 44	305 66 17 14	284 51	214 55	246 59	261 43 10	270 44
20-21 22	Meningitis Bronchitis Pneumonia	415 1,826	77 357	324 51 25 43 293 139	50 775	41 991	31 37 124	44 17 19 35 24	14	284 51 16 13 36	214 55 16 23 54	59 12 22 75	10 38 153 74	44 17 38 169
(23) 25	Bronchopneumonia Diarrhea and enteritis (under 2	888	143	139	275 126	221 115	47	24	34 25	29	32	45	74	. 89
- 1	years)	1,676	59	49	57	57	65	150	360	282	252	216	75	54
(33)	Congenital debility 1	411 235	22 14	22 14	20 23 129	25 16	19 16	47 19	. 55 26	59 19	49 23 176	38 21	21 24	34 20
35 36	Violent deaths (excluding suicide) Suicide	2,200 455	178 36	146 35	31	149 40	199 47	179 37	277 35	219 48	38 i	21 181 42	188 34	20 179 32
	All other causes	20,207	1,873	1,667	1,898	1,880	1,698	1,518	1,688	1,550	1,436	1,618	1,641	1,740
1	KENTUCKY.	30, <u>4</u> 07	2,551	2 204	2 010	0 504	9 407	9 610	0.000	0 200	0 107	0.447	0.500	0.401
1	All causes		39	2,394	3,018	2,584	2,407	2,610	2,868	2,392	2,127	2,447	2,588	2,421
3	Typhoid fever Malaria Measles	1,069 237 455	8	41 12 52 10 28 39 61 396	12 125	10 108	16 59	15 35	34	34	36	31 6	坦	18 2
6 7	Scarlet fever	86 438	8 39 54	10 28	7 44 30	44	7 42	15 35 2 43 7	13 3 40	4	29	15 23	16 45	3 35
8	Scarlet fever. Whooping cough. Diphtheria and croup Influenza. Tuberculosis of the lungs.	572 410	67	39 61	30 90	4 44 17 59 468 55	10 32 413	6	10	26 25 6	61 3 292	125	16 45 113 28 324	81 44
TA-TO	Owier forms of tuberculosis	4,625 668	416 43	54	90 525 70	468 55	70	416 71	423 80	298 44 34	61	316 45	324 32	82 18 2 3 35 81 44 338 43 41 27
20-21	Meningitis Bronchitis	509 361	39 37	38   43	55 49	41 39	40 23	58 17	48 20	34 19	44 17	41 24	32 30 36	4 <u>1</u> 37
				1 Excl	uding pr	emature	birth.				-			

Table S.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM CERTAIN IMPORTANT CAUSES, BY MONTHS, FOR THE "REGISTRATION AREA, REGISTRATION STATES, AND CITIES OF 100,000 POPULATION OR OVER IN 1910: 1911—Continued.

B+: 0							I	EATHS O	CCURRI	G IN—				
Abridged Internat. List No.	AREA AND CAUSE OF DEATH.	All deaths.	January.	Febru- ary.	March.	April.	May.	June.	July.	August.	Septem- ber.	October.	Novem- ber.	Decem- ber.
<u> '</u>			REG	ISTRA'	TION	STAT	ES—Co	ntinued.						
	KENTUCKY—continued.													
22 (23) 25	Pneumonia. Bronchopneumonia Diarrhea and enteritis (under 2 years).	1,686 596 1,157	240 88 27	198 85 17	255 83 26	209 62 25	104 38 78	42 14 279	40 14 291	45 23 147	54 21 104	82 30 102	207 65 41	210 73 20
(37)	Diarrhéa and enteritis (2 years and	423	24	21	13	20	26	71	66	52	31	42	37	20
(33) 35 36	Congenital debility <sup>1</sup> . Violent deaths (excluding suicide) Suicide All other causes	1,793 201 14,530	28 151 17 1,185	$\begin{array}{c} 39 \\ 124 \\ 10 \\ 1,126 \end{array}$	180 15 1,335	55 130 27 1,168	49 141 21 1,189	49 136 10 1,256	77 173 11 1,374	50 153 23 1,233	54 124 18 1,052	68 131 17 1,208	47 191 16 1,240	35 159 16 1,164
	MAINE.						1 050	200	004	000	906	912	841	972
. 1	All causes Typhoid fever	12,031	1,114	1,126	1,239	1,090	1,058	823	964	986	14	12	12	14
3 5	Malaria Measles	3 31	2	2	2	33		4	3	1		įį	1	5
6 7	Scarlet fever Whooping cough. Diphtheria and croup.	16 73 75	6 12	2 5 6	4 5 5	5 3	6 4	5 4	5 2	6 7	13 8	1 5 8	1 4 6	2 11
8 9 13	Influenza Tuberculosis of the lungs	872	12 11 21 82 25 10	39 77 15 7	61 89 17	29 77 20	16 90	75	2 58	61	64	. 2	64	11 11 74 8 8 12 75 23
14-15 17	Other forms of tuberculosis	191	25 10 21	15 7 32	17 8 25	20 8 23	20 10 11	19 10 9	19 8 9	12 9 2	14 6 6	6	9 10 22	8 8
20-21 22 (23)	Bronchitis Pneumonia Bronchopneumonia	188 824 236	104	136 36	155 45	101 26	81	34 9	15 5	17 2	16 14	47	22 43 10	75 23
(23) 25	Diarrhea and enteritis (under 2 years)	473	14	10	12	9	14	14	77	166	107	24	11	15
(37) (33)	Diarrhéa and enteritis (2 years and over)  Congenital debility <sup>1</sup>	110 229	3 20	4 22	3 19	5 23	7 11	5 21	14 20	19 21	24 18	15	16	5 23 40
35 36	Violent deaths (excluding suicide) Suicide All other causes	588	40 5 690	35 9 678	50 5 721	36 8 699	48 11 695	40 15 547	106 11 601	58 7 587	41 8 553	48	46	40 9 637
	MARYLAND.													
-	All causes		1,903	1,730		1,757	1,572	1,395	1,962	1,904				1,645
1 3 5	Typhoid fever Malaria Measles	491 14 130	22	11 14	23	18	22 2 17	19 2 8	ii	2	. 3			1 1 7
6 7	Scarlet fever Whooping cough	66 192	11 16	9	9	39 5 19	8 22 5	10	3 15	15	15 11 2	15 15 18	16	7 14 17
8 9	Measies Scarlet fever Whooping cough Diphtheria and croup Influenza Tuberculosis of the lungs Other forms of tuberculosis	168 217	25 43 190	13 19 58 222 20 15	44	11 33 217	12 211	9 5 203	185	10	178	170	7	14 17 10 182 23 10 33 123 65
13 14–15 17	Other forms of tuberculosis	. 100	14	20 15	232 42 18	22 16	32 14	30 18	26 19	38 15	178 25 18 14	19 13 17	15	23 10
20-21 22	Bronchitis	. 296 1,290	238	42 151	23 188	33 151	30 109	15 48 33	16 30 21	10 40 20	31	72 31	15 109 43	123 65
(23) 25	Bronchopneumonia Diarrhea and enteritis (under 2 years)	631	1	85 20		79	46	64	375		1			14
(37)	Diarrhea and enteritis (2 years and over)	. 179	9	6	. 5	7	8	14	41	36		13	11 44	9
(33) 35	Violent deaths (excluding suicide).	1,002	74	35 79 18	60 73	47 76 14	34 68 13	41 74 15	73 140	77 112 11		81.	. 83	76
36	Suicide	11,110		913	1,063	947		783	966					979
	MASSACHUSETTS.	53,003	4,768	4,720	5,071	4,720	4, 422	3,514	5,522	4,446	4,045	3,819	3,790	4,166
1	All causes		-			16	15	17		<del></del>	49	43	42	
3 5	Typhoid fever Malaria Measles	. 306 . 197	2 22	13 1 23 30 50 62 78 430 76	1 32	46	52	33	18 22 22 9 38 35	15	13	: 12	1 12 12 28 48	24 13
6 7 8	Scarlet fever. Whooping cough. Diphtheria and croup	506	i    37	50 50 62	32 64 64	21 60 56	63 42 26	34 38	38	50 28	33	21 48	28 48	28 57
9 13	Whooping cough Diphtheria and croup Influenza Tuberculosis of the lungs	345	il 419	78 430	76 476	55 428	26 369	342 342	1 4	315 71	304	. 320	)   319	34 354 50
14–15 17 20–21	Other forms of tuberculosis Meningitis	503	43	76 46 115	36	83 46 94	57	342 78 31 43 157	390 86 56 30	71 53 31	47 36 41	39	27	31 24 13 28 57 34 354 58 33 83 383 138
20–21 22 (23) 25	Pneumonia Bronchopneumonia	3,756 1,557	482	598 220	3   486	450	384	157 68	130	96	115	219	)   256	383 138
	vears)	3,564	H	1	1	ĺ	1	į.	811	1,006	570	266	3 119	1
(37)	Diarrhea and enteritis (2 years and over)  Congenital debility 1	. 411 890	81	19	5 70	76	57	29 50	69 75 911	1 99	118	3   80	)   62	57
35 36	Violent deaths (excluding suicide).	. 3,195	211 32	195	194 2 34	199	225	202	28	238	219	9   172 1   34	2 207 4 41	222 40 2,489

<sup>1</sup> Excluding premature birth.

Table 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM CERTAIN IMPORTANT CAUSES, BY MONTHS, FOR THE REGISTRATION AREA, REGISTRATION STATES, AND CITIES OF 100,000 POPULATION OR OVER IN 1910: 1911—Continued.

ged nat.		DEATHS OCCURRING IN—												
Abridged Internat. List No.	AREA AND CAUSE OF DEATH.	deaths.	January.	Febru- ary.	March.	April.	Мау.	Juńe.	July.	August.	Septem- ber.	October.	Novem- ber.	Decem- ber.
			REC	SISTRA	TION	STAT	es—c	ntinued	•	•	,	·		
	michigan.													
	All causes		3,535	3,434	3,844	3,544	3,248	2,677	3,198	2,967	2,935	2,808	2,864	2,939
1 35 6 7 8 9 13 14-15 17 20-21	Typhoid fever Malaria. Measles. Scarlet fever Whooping cough Diphtheria and croup. Influenza Tuberculosis of the lungs. Other forms of tuberculosis. Meningitis. Bronchitis.	728	21 22 14 49 82 206 42 20 118	42 2 19 18 22 29 125 200 29 35	50 3 33 23 37 31 129 261 54 46 106	44 1 32 28 29 40 85 238 45 48 68	35 6 27 28 27 27 36 225 35 32 56	20 13 21 22 8 199 34 21 26 55	44 6 23 111 25 27 3 184 35 33 26	52 4 4 10 12 23 4 149 29 24 20	56 3 10 18 40 4 161 33 25 34	64 2 3 11 10 66 10 153 29 25 42 85	47 1 23 12 70 18 173 37 27 59	39 1 9 8 17 48 20 181 25 16 67
22 (23) 25	Pneumonia Bronehopneumonia Diarrhea and enteritis (under 2	1,83 <u>4</u> 759	279 119	320 136	296 113	226 87	137 71	55 24	33 19	51 29	53 19	85 39	129 48	170 5 <b>5</b>
(37) (33) 35 36	years).  Diarrhea and enteritis (2 years and over).  Congenital debility <sup>1</sup> .  Violent deaths (excluding suicide)  Suicide  All other causes.	1,634 394 972 2,408 420 23,515	72 16 83 163 33 2,156	63 20 79 152 35 2,002	67 19 81 172 39 2,284	59 20 67 163 41 2,223	95 29 64 223 36 2,059	82 28 60 229 43 1,758	248 52 94 349 44 1,942	366 77 83 238 41 1,751	322 52 128 194 28 1,752	165. 39 99 179 34 1,753	60 20 63 184 19 1,869	35 22 71 162 27 1,966
	All causes		2,413	1,995	2,174	2,070	1,902	1,606	1,667	1,705	1,603	1,544	1,610	1,699
1. 3 5 6 7 8 9 13 14-15	Typhoid fever Malaria Measles Scarlet fever Whooping cough Diphtheria and croup Influenza Tuberculosis of the lungs. Other forms of tuberculosis Meningitis.	283 2 111 189 172 315 178 2,107 415	7 32 11 27 50 201 36 20	7 27 15 32 62 197 31 17	23 21 33 17 29 27 215 45 21 32 150	22 15 16 36 11 195 55 15 29 142	31 19 19 39 8 204 32 15 23	11 15 11 14 15 1 180 35	17 3 7 23 22 1 168 41 16	24 1 1 7 13 31 161 39 14	23 1 8 7 20 2 127 18 11	37 1 7 10 21 1 146 24	52 6 13 19 5 151 28	27 1 2 17 14 10 162 31 8 12 91 63
20-21 22 (23) 25 (37) (33) 35 36	Bronchitis. Pneumonia Bronchopneumonia Diarrhea and enteritis (under 2 years) Diarrhea and enteritis (2 years and over) Congenital debility <sup>1</sup> Violent deaths (excluding suicide) All other causes	275 1,164 854 841 147 359 1,483 302 12,613	274 184 49 10 39 128 19 1,242	34 152 138 35 5 27 91 22 1,085	32 150 97 66 11 35 121 31 1,200	29 142 111 48 7 40 98 33 1,177	23 101 78 32 6 43 129 25 1,088	35 19 10 36 29 48 10 23 150 24 975	9 27 26 93 17 32 167 22 976	179 179 23 30 134 29 968	117 28 28 28 153 25 23 116 31 965	16 20 49 30 62 15 25 115 20 945	6 20 85 54 39 6 17 127 23 959	12 91 63 37 12 25 107 23 1,033
İ	missouri.			•	,							0.10		1,000
1 3 5 6 7 8 9 13 14-15 20-21 22 (33) 35 36	All causes  Typhoid fever Malaria Measles Scarlet fever Whooping cough Diphtheria and croup Influenza Tuberculosis of the lungs Other forms of tuberculosis Meningitis Prouchitis Preumonia Bronchopneumonia Diarrhea and enteritis (under 2 years) Diarrhea and enteritis (2 years and over) Congenital debility 1 Violent deaths (excluding suicide) Suicide All other causes	43, 434 1, 059 508 621 3022 430 678 859 4, 5586 453 644 2, 979 996 2, 020 520 520 521 2, 476 22, 589 22, 589	4,881 49 23 91 42 19 76 319 448 41 49 119 783 205 59 28 28 174 63 2,240	3,876  25 122 42 13 50 223 420 43 36 77 442 140 45 23 49 177 31 1,861	4,026 43 23 25 46 46 40 122 469 59 80 379 128 54 191 42,042	3,530 37 20 121 48 32 36 69 421 59 42 67 286 98 62 27 36 202 31,814	3,314 311 28 722 511 322 442 244 384 600 433 46 169 62 110 42 33 214 51	3,390 63 45 25 21 21 4 400 49 56 28 22 333 71 49 216 50	3,823 126 52 20 8 8 46 14 3 3 3 3 3 3 41 47 22 22 446 95 65 85 85 85 85 85 85 85 85 85 85 85 85 85	3,270 177 65 6 6 122 45 15 8 307 40 19 9 9 9 9 9 65 5 226	3,085  141 83 1 6 28 43 4 300 40 40 259 39 43 180 49	3,317 160 76 2 14 52 128 9 322 31 30 45 101 44 228 38 58 191 38	3,491 129 46 1 16 38 127 29 362 49 20 53 259 107 99 24 50 195 48	3, 431 63 22 4 16 30 86 45 352 44 27 56 315 118 39
	MONTANA.	,	3,210	2,002	2,012	1,014	1,821	1,829	2,017	1,753	1,717	1,750	1,839	1,898
,	All causes	4,009	408	335	381	341	338	290	311	338	328	314	294	331
1 3 5 6 7 8 9 13 14–15 17 20–21 22	Typhoid fever Malaria. Measles Scarlet fever Whooping cough. Diphtheria and croup Influenza. Tuberculosis of the lungs Other forms of tuberculosis Meningitis. Pneumonia.	49 37 27 30 15 358 62 32 31 260	5 6 2 4 2 39 5 5 6 46	3 4 2 5 3 2 28 4 5 7 27 27	1 5 4 2 3 29 8 3 1 29 uding pr	10 6 2 2 1 49 3 5 2 26	9 3 5 4 2 30 3 1 6 26 birth.	7 4 2 3 1 24 5 2 2 9	3 2 4 3 1 27 7	9	9 3 1 22 5 2 2	14 1 2 2 1 2 32 7 32 7 3 3 1	5 4 1 19 5 2 2 2	6 6 4 1 27 6 2 2 21

Table 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM CERTAIN IMPORTANT CAUSES, BY MONTHS, FOR THE REGISTRATION AREA, REGISTRATION STATES, AND CITIES OF 100,000 POPULATION OR OVER IN 1910: 1911—Continued.

at.		DEATHS OCCURRING IN—												
Abridged Internat. List No.	AREA AND CAUSE OF DEATH.	All deaths.	January.	Febru- ary.	March.	April.	May.	June.	July.	August.	Septem- ber.	October.	Novem- ber.	Decem- ber.
			REC	ISTRA	TION	STAT	ES-C	ntinued						
	MONTANA—continued.													
(23) 25 (37)	Bronchopneumonia. Diarrhea and enteritis (under 2 years). Diarrhea and enteritis (2 years and	94 142	24 10	· 19 5	13 10,	12 9	5 2	2 9	1 15	5 42	23	3 10	2 3	8 4
(33) 35 36	over)	24 73 498	4 34	10 28	5 27	2 5 38 11	7 41	1 10 40	3 4 61	8 9 50 7	2 5 54 9	5 7 32	5 51	1 2 42 10
30	Suicide All other causes	2,088	204	9 172	8 224	153	13 175	8 161	15 148	155	178	168	162	188
	NEW HAMPSHIRE. All causes	7,391	686	655	692	654	577	549	763	594	594	535	510	582
1	Typhoid fever Maiaria	63	13	5	2	5	3		3	4	8	8	5	-7
3 5 6 7 8 9	Malaria. Measles Scarlet fever Whooping cough Diphtheria and croup. Influenza. Tuberculosis of the lungs.	40 16 53 68 115	3 6 9 13	6 2 2 9 29	6 1 3 2 41	5 1 5 6 18	1, 2 7 3	7 5 9 3 37	3 2 4 2 1	2 2 5 4 1 2 2 2 4 1 2 2 2 2	1 4 6 8	1 1 3 4	2 1 5 9 2	8 4 4 3
14-15 17 20-21 22 (23) 25	Other forms of tuberculosis.  Meningitis. Bronchitis. Pneumonia. Bronchopneumonia. Diarrhea and enteritis (under 2	453 73 94 149 500 130	39 4 6 16 72 22	29 38 7 7 16 72 13	43 1 9 25 86 15	18 43 8 17 20 53 19	41 8 9 10 48 13	37 5 3 8 20 10	44 8 12 8 11 3	29 4 5 19 6	34 8 8 6 16 4	33 6 8 10 31 9	32 6 6 5 32 9	40 8 4 20 40 7
(37)	years)  Diarrhea and enteritis (2 years and	384	13	8	9	10	7	11	120	119	56	18	8	5
(33) 35 36	over) Congenital debility <sup>1</sup> Violent deaths (excluding suicide). Suicide All other causes.	58 181 405 56 4,553	4 11 24 3 428	3 13 22 5 398	2 18 14 3 412	3 13 30 6 392	1 9 25 8 382	2 13 31 11 373	23 126 6 383	19 24 27 3 316	8 19 26 4 378	7 15 25 356	3 10 29 3 343	2 13 26 4 392
	NEW JERSEY.										•			
	All causes	38,617	3,563	3, 195	3,727	3,448	3,116	2,634	3,857	3,383	2,896	2,969	2,795	3,036
1 3 5 6 7 8 9 13 14–15 17 20–21 22 (23)	Typhoid fever Malaria. Measles Scarlet fever Whooping cough Diphtheria and croup Influenza. Tuberculosis of the lungs. Other forms of tuberculosis. Meningitis. Precumonia. Bronchopneumonia. Diarrhea and enteritis (under 2	315 26 283 221 331 571 296 3,989 598 364 485 2,705 1,284	22 2 35 26 73 107 369 33 25 57 415	40 22 19 52 61 351 48 20 66 329 151	16 1 38 39 49 64 43 446 44 42 59 439 170	15 2 50 26 43 56 26 411 68 33 53 374 164	23 3 65 26 42 45 19 353 54 35 38 188 97	15 3 23 25 21 34 6 300 50 45 31 98 55	32 3 9 21 27 26 1 297 63 35 17 66 59	30 3 9 13 33 296 44 36 13 75 56	42 3 4 7 29 32 6 254 59 29 17 82 43	32 3 2 5 16 54 10 314 57 29 31 141 91	29 1 2 7 51 5 285 38 18 42 213 81	31 2 7 10 19 55 9 313 40 17 61 280
<b>(</b> 37)	years) Diarrhea and enteritis (2 years and	2,627	64	54	77	68	80	133	755	656	385	215	85	55
(33) 35 36	over). Congenital debility <sup>1</sup> . Violent deaths (excluding suicide) Suicide. All other causes.	338 798 2,465 415 20,506	18 40 177 32 1,860	14 48 151 28 1,713	20 60 160 35 1,925	19 48 176 54 1,760	19 37 158 45 1,789	20 47 186 37 1,505	59 79 483 46 1,779	69 132 234 26 1,626	46 105 189 38 1,526	23 87 183 22 1,654	18 65 182 22 1,645	13 50 186 30 1,724
	NEW YORK.		10.100	10.004		40 700	10 450	10.0**	10.000	11 000	10 700	10 700	10.010	11 040
1	All causes	145,654	13,430	12,834	14,501	13,538	78	10, 255 75	12,862	11,623	10,709	10,782	10,810	11,840
3 5 6 7 8 9 13 14-15 17 20-21 22 (23) 25	Malaria. Measles. Scarlet lever Whooping cough Diphtheria and croup. Influenza. Tuberculosis of the lungs. Other forms of tuberculosis. Meningitis. Prouduitis. Preumonia. Bronchopneumonia. Bronchopneumonia. Diarrhea and enteritis (under 2	1,320 989 1,181 1,960 1,354 14,523 2,132 1,025 2,141 9,950 6,719 7,671	97 3 75 126 51 198 265 1,366 149 78 292 1,403 756	90 3 89 142 68 191 191 184 93 252 1,305 776	94 7 126 210 78 200 328 1,398 209 102 267 1,426 918 404	80 152 205 82 189 168 1,388 188 92 233 1,334 829	78 176 184 82 209 86 1,320 236 99 174 881 622	75 127 101 76 139 30 1,141 223 94 98 391 366	116 11 93 54 70 124 5 1,167 187 94 99 359 323	107 10 102 102 125 8 1,082 172 104 88 285 301	7 7 22 20 66 108 21 1,026 149 80 80 312 319	148 17 30 48 132 29 1,064 160 67 128 524 399 617	117 36 28 171 34 1,119 133 61 201 751 494	104 2 47 49 40 174 52 1,155 142 61 223 999 616
(37) (33) 35 36	years).  Diarrhea and enteritis (2 years and over).  Congenital debility <sup>1</sup> .  Violent deaths (excluding suicide).  Suicide.  All other causes.	1,295 2,582 8,568 1,537 79,854	70 178 594 116 7,336	48 148 519 106 6,890	87 157 681 137 7,672	78 146 556 158 7,268 prematur	56 120 718 161 6,864	75 180 661 151 5,884	195 289 1,456 129 6,677	253 325 792 123 5,960	167 326 676 101 5,885	117 305 655 110 6,227	75 214 628 118	74 194 632 127 6,882

Table 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM CERTAIN IMPORTANT CAUSES, BY MONTHS, FOR THE REGISTRATION AREA, REGISTRATION STATES, AND CITIES OF 100,000 POPULATION OR OVER IN 1910: 1911—Continued.

<u></u>					<del></del>			DEATHS	OCCURR	ING IN—				
Abridged Internat. List No.	AREA AND CAUSE OF DEATH.	All deaths.	January.	Febru- ary.	March.	April.	May.	June.	July.	August.	Septem- ben	October.	Novem- ber.	Decem- ber.
	1	1	nec Rec	JISTRA	TION	STAT	ies—c	ontinued		]	<u> </u>	<u> </u>	<u> </u>	
	NORTH CAROLINA.1						]	1				1		
	All causes	6,859	544	494	553	510	597	724	677	575	555	596	528	506
1 3 5	Typhoid fever Malaria Measles Scarlet fever	262 87 58	10 3	4	5 1 8	1 2	7 3	33 8	57 9	40 12	34 10	38 24	23 10	10 5
6 7	Scarlet fever. Whooping cough.	8 173	3 2 3	2 3 5	8 10	6 20	11 40	9 37	5 24	5 15	- 2 1 8	4	1 2 5	2 3 1
8 9 13	Scariet lever Whooping cough Diphtheria and croup Influenza Tuberculosis of the lungs Other forms of tuberculosis Meningitis Bronchitis Paeumonia.	39 91 859	17 83	l ta	20 91	10 69	38 58 8 4 5 31 18	2 1 84 13	1 2 65	2 64	- 3 3 57	7 5 2	9 5	8 2
14-15 17 20-21	Other forms of tuberculosis  Meningitis  Bronebitis	102 73 74	83 8 6 6	92 3 6 9	14 9	9	8	13 4	14 11	13 3	10 8	62 5 6	64 2 4 7	3 4
20-21 22 (23) 25	Pneumonia. Bronchopneumonia Diarrhea and enteritis (under 2	427 137	77 6	51 10	80 22	8 44 16	31 18	4 4 14 9	$^{rac{4}{12}}_{7}$	5 14 4	4 7 5	11 22 7	7 83 14	10 5 2 3 1 8 2 70 3 4 7 42 19
(37)	years)	562	6	8	5	13	76	127	93	68	-72	63	19	12
(33) 35	over) Congenital debility 2 Violent deaths (avoluting suidde)	100 139 341	10 32	1 5 28	5 7 . 17	4 9 20	5 14 · 31	13 18 28	14 13	18 20 36	12 10	12 17	9	3 8
36	Congenital debility 2. Violent deaths (excluding suicide) Suicide. All other causes	23 3,304	266	248	2 252	20 1 270	271	28 6 314	37 309	36 2 254	24 3 282	.29 4 278	21 1 291	38 269
	оню.											ì		
1	All causes	1,101	5,977	5,575	6,218	5,591	5,263	4,547	5,265	4,914	4,799	5,065	5,109	5,079
3 5 6	Typhoid fever Malaria Measles.	44 312	36	3	1 62	58 5 53	53 3 51	52 5 19	71 6 6	108 6 6	158 5 9	174 4 3	144 3 6	77 3 13
7 8	Reasies Scarlet fever Whooping cough Diphtheria and croup Influenza Tuberculosis of the lungs Other forms of tuberculosis	500 552 728 1,057	41 49 63	48 40 51 34	60 76 55	60 70 30	59 70 24	42 44 28	6 39 58 33 6 476	6 23 33 46 11	29 28 78 17 424	47 18 115	36 29 117	13 24 26 105 53 443 68 32 72
9 13 14-15	Tuberculosis of the lungs Other forms of tuberculosis	1,057 6,169 990	158 590 80	. 254 551 78 43	280 620 89	141 630 105	61 599 110	17 520	6 476	447	17 424	17 436	42 433 65	53 443
20-21 22	Bronchitis	476 924	136	126	38 120	50 97	38 62	42 44 28 17 520 82 38 46 95	94 47 39 72 61	65 41 32 70	69 39 42 84	85 28 67	33 85 264	32 72
(23) 25	Pneumonia Bronchopneumonia Diarrhea and enteritis (under 2	2,946 1,984	*455 345	405 263	469 256	355 204	234 143	95 67	72 61	70 56	84 -87	139 127	264 166	304 209
(37)	Diarrhea and enteritis (2 years and	2,896 586	106 34	92 37	110 28	115 37	145 39	196 45	583 93	560	488 72	271	116	114
(33) 35 36	Violent deaths (excluding suicide)	607 4,389	48 358	48 251	49 305	47 294	44 411	49 377	51 550	97 59 372	63 398	44 49 399	31 55 359	29 45 315
30	Suicide All other causes	36,362	3,306	57 3,135	69 3,465	58 3,182	73 3,044	2,740 2,740	2,911	2,808	2,657	2,985	76 3,049	67 3,08 <b>0</b>
	PENNSYLVANIA. All causes	111,292	10,299	9,832	10,627	10,028	8,997	7,559	9,853	9,369	8,760	8,581	0 207	0.000
· 1	Typhoid fever	1,716	143	176	125	101	92	89	88	174	199	223	8,307 168	9,080
5	Measles	37 804 749	92 117	105 93	141 93	170 93	5 132 78	· 49 66	2 31 41	3 11 27	4 15 26	5 10 31	1 19 34	5 29 50 64
8	Whooping cough Diphtheria and croup Influenza	998 2,111 1,149	. 87 203	93 106 188 248	93 117 199	117 150	120 115	75 98	80 107	27 78 81	64 156	47 272	284 284	258
13 14–15 17	Tuberculosis of the lungs Other forms of tuberculosis Meningitis.	9,233   1,371	850 90	827 113	939 118	· 953	825 148	745 117	732 120	687 126	10 627 121	637 -86	57 643 100	93 768 99 61
20-21 22	Bronchitis Pneumonia	707 1,667 6,819	66 236 985	50 231 940	59 225 1,025	68 189 825	70 111 566	48 59 233	62 62 210	126 72 58 171	45 51 244	-86 58 107 345	48 168 610	61 170 765
(23) 25	Bronchopneumonia Diarrhea and enteritis (under 2 years)	4,143 8,156	583 270	549 286	558 266	438 288	342 320	17/7 450	157 1,781	149	159	229 634	321	481
	years). Diarrhea and enteritis (2 years and over).	1,105	76	53	69	55	82	81	143	180	137	116	60	217 53
35	Congenital debility 2 Violent deaths (excluding suicide) Suicide	2,545 8,318 1,033	193 659 55	127 559 83	191 636 90	175 664 107	156 712 104	162 700 97	267 1,067 100	348 677 86	345 686 91	251 645 73	184 636 85	146 677 62
}	All other causes	58, 631	5,376	5,096	5,516	5,359	4,967	4,287	4,790	4,479	4,392	4,787	4,638	4,944
Ì	All causes.	8,671	757	782	817	814	740	596	868	728	669	614	615	671
1 3	Typhoid fever	53 6	1 .		2 1	2	4 2	2	4	12 1	7 1	9	4	6
5 6 7	Measles. Scarlet fever. Whooping cough. Diphtheria and croup.	23 58 121	1 9 6	4 9	1 .	7	3 9 20	3 4 14	3 1 14	3 5	1 16	1 2	5 7	6 4 1
8 9 13	Diphtheria and croup	143 53	17		11 8 12 84 14	16 19 11	6	7	6 1.	6	10 2	15 15	20 4	12 2
177	Influenza Tuberculosis of the lungs Other forms of tuberculosis Meningifis	810 144 73	67 21 8	74 7 7	14 14 22	67 13 7 13	69 15 9	61 12 2 8	81 10 3	56 10 5	60 12 3	51 8 5	64 11 5	76 11 5
22	Bronchitis. Pneumonia. Bronchopneumonia.	154 607 242	24 65 32	17 13 74 7 7 25 86	22 94 43	13 103 28	1 69 15 9 15 52 21	8 24 16	22 11	17	20 5	14 31 12	13 40 14	12 2 76 11 5 7 53 15
	<sup>1</sup> Includes only municip									Excluding	-		**.	

Table 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM CERTAIN IMPORTANT CAUSES, BY MONTHS, FOR THE REGISTRATION AREA, REGISTRATION STATES, AND CITIES OF 100,000 POPULATION OR OVER IN 1910: 1911—Continued.

اد بدي	DEATHS OCCURRING IN—													
Abridged Internat. List No.	AREA AND CAUSE OF DEATH.	All deaths.	January.	Febru- ary.	March.	April.	May.	June.	July.	August.	Septem- ber.	October.	Novem-	Decem- ber.
			REG	ISTRA	TION	STAT	ES-Co	ntinued.						
	RHODE ISLAND—continued.													
25 (37) (33) 35 36	Diarrhea and enteritis (under 2 years). Diarrhea and enteritis (2 years and over). Congenital debility 1. Violent deaths (excluding suicide) Suicide.	493 65 183 477 65	10 4 14 30 4	16 3 8 32 5	19 7 10 38 2	14 1 14 32 7	19 5 11 43 10	29 7 12 29 3	127 14 22 115 5	121 11 27 37 5	73 8 18 32 6	35 3 15 31 5	19 2 18 27 8	, 11 14 31 5
00	All other causes	4,901	438	435	428	460	426	362	425	403	391	371	. 8 350	412
	All causes	3,960	509	338	395	318	320	303	280	303	311	288	282	313
1 3 5 6 7 8 .9 13 14–15	Typhoid fever Malaria Measles Scarlet fever Whooping cough Diphtheria and croup Influenza Tuberculosis of the lungs Other forms of tuberculosis.	74 42 56 26 85 25 146 34	9 5 9 8 7 20 1	3 7 6 7 3 16 4	18 7 4 9 5 14	2 3 2 12 3 16 8	4 5 6 8 3 21 4	7 5 2 4 1 8 4	3 1 5 3 7	7 3 5 4 7 1	10 1 2 2 8 5 2	15 2 1 5 1 8	5 6 1 3	4 1 7 1 15 1
20-21 22 (23) 25 (37)	Meningitis. Bronchitis. Pneumonia. Bronchopneumonia. Diarrhea and enteritis (under 2 years). Diarrhea and enteritis (2 years and	39 71 319 107	5 19 96 38 10	4 2 12 40 23	4 6 10 46 10	5 4 15 8 5	10 14 2 2 15 3	5 3 13 2	3 4 2 20	3 10 1 32	2 2 9 5	4 2 16 3 15	5 24 5 5	1 9 31 7 5
(33) 35 36	over). Congenital debility <sup>1</sup> . Violent deaths (excluding sulcide) Suicide All other causes.  VERMONT.	26 51 330 70 2,315	3 11 32 7 229	4 3 17 2 188	1 7 23 5 216	1 1 22 4 203	3 31 6 196	30 4 197	3 37 6 170	3 1 26 8 188	5 4 30 11 185	. 5 27 3 175	1 3 30 5 180	5 25 9 188
	All causes	5,661	543	532	606	512	513	370	466 2	430	447	429	391	422
1 35 6 7 8 9 13 14-15 17 20-21 (23) 25 (37) (33) 35 36	Typhoid fever Malaria. Measles Scarlet fever Whooping cough Diphtheria and croup Influenza. Tuberculosis of the lungs. Other for ms of tuberculosis. Meningitis. Bronchitis. Pneumonia. Bronchopneumonia. Diarrhea and enteritis (under 2 years) Diarrhea and enteritis (2 years and over). Congenital debility 1. Violent deaths (excluding suicide). Suicide. All other causes.	44 5 38 5 27 24 157 347 77 30 103 349 112 221 59 48 307 77 30 349 349 349 349 349 349 349 349	4 1 7 23 30 7 2 15 43 16 10 2 2 4 29 3 344	1 2 2 6 1 1 1 3 3 31 1 5 5 5 1 9 3 1 6 5 1 7 5 5 31 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6	3 9 1 4 2 44 43 11 1 2 14 5 21 7 7 2 4 27 3 34 34	1 4 3 3 17 30 6 2 12 39 14 10 5 4 19 9 39	6 14 14 12 26 7 5 6 37 12 7 4 4 3 25 7 33 25 7 33 33 38	3 2 2 3 3 3 4 7 1 1 4 5 8 2 1 24 24 25 3 25 3	1 28 5 1 6 4 4 26 10 3 44 8 323	1 1 2 2 3 25 6 4 5 5 49 14 5 29 29 28	1 1 1 27 4 2 2 2 7 3 50 8 8 8 21 298	1 3 3 21 8 3 9 21 6 28 8 4 23 11 274	1 1 2 3 7 27 4 5 4 223 5 13 18 18 22 3 270	2 2 12 22 3 1 7 36 7 10 1 4 31 31 32
	WASHINGTON.	10,845	1,098	976	1,041	903	949	830	802	883	848	839	865	811
1 3 5 6 6 7 8 8 9 13 14 15 17 20 21 22 (23) 25 (37)	All causes Typhoid fever Malaria Measles Scarlet fever Whooping cough Diphtheria and croup Influenza Tuberculosis of the lungs Other forms of tuberculosis Meningitis Pneumonia Bronchopneumonia Diarrhea and enteritis (under 2 years) Diarrhea and enteritis (2 years and	223 3 68 56 70 104 110 1,027 272 274 82 495 294	23 5 6 7 16 13 105 21 2 16 81 62	14 11 9 10 8 31 1000 24 5 14 58 47	20 7 13 12 32 117 25 5 11 55 41	5 14 5 12 5 11 92 22 7 6 52 22 29	14 1 6 7 7 4 6 117 34 3 8 45 20	22 4 3 7 9 3 78 24 7 5 20 8	19 2 5 4 5 1 66 22 4 26 9	25 1 2 3 2 9 1 74 26 5 4 22 10	32 1 1 2 4 6 4 73 23 7 3 18 9	22 1 2 1 11 3 66 14 5 6 87 16 25	30 2 1 1 12 3 65 21 3 2 40 14 21	10 6 2 7 2 74 16 1 1 7 41 29
(33) 35 36	ovér)	102 193 1,170 252 5,960	9 21 92 21 584	2 13 75 22 518	5 11 92 26 546	7 22 96 18 483	6 13 102 23 510	9 14 102 14 486	11 17 115 22 440	14 17 111 19 476	18 22 96 24 444	22 83 15 496	11 120 26 489	3 10 86 22 488
•	All causes	27,050	2,610	2,532	2,709	2,636	2,402	1,913	2,114	2,066	1,990	2,053	2,024	2,001
1 3 5 6 7 8	Typhoid fever Malaria. Measles Searlet fever Whooping cough Diphtheria and croup.	311 5 253 221 206 320	32 18 24 19 40	20 1 24 24 22 31 1 Exc	14 2 41 26 31 28 cluding p	49 20 26 22	58 31 28 19	30 10 13 19	21 1 11 17 17 14	4 8 10 24	3 8	4 13	5 13 7	6 27

TABLE S.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM CERTAIN IMPORTANT CAUSES, BY MONTHS, FOR THE REGISTRATION AREA, REGISTRATION STATES, AND CITIES OF 100,000 POPULATION OR OVER IN 1910: 1911—Continued.

ged No.		DEATHS OCCUBRING IN—												
Abridged Internat. List No.	AREA AND CAUSE OF DEATH.	deaths.	January.	Febru- ary.	March.	April.	Мау.	June.	July.	August.	Septem- ber.	October.	Novem- ber.	Decem- ber.
			REC	FISTR	TION	STAT	ES—C	ntinued	•		_			
9	wisconsin—continued. Influenza.	304	58	88	66	42	16	7	3	3		4	10	7
13 14–15 17 20–21 22 (23) 25	Tuberculosis of the lungs. Other forms of tuberculosis. Meningitis. Bronchitis. Pneumonia. Bronchopneumonia. Diarrhea and enteritis (under 2	2,076 373 316 441 1,550 473	58 194 33 33 70 268 75	88 189 30 25 66 230 89	202 47 29 62 242 61	42 211 33 43 54 204 65	16 211 34 . 39 42 145 46	188 22 23 19 53 20	166 37 19 14 40 · 15	162 28 17 15 45	142 29 10 16 51 12	127 29 27 24 59 16	10 137 21 21 30 117 34	147 30 30 29 96 28
(37) (33) 35	years) Diarrhea and enteritis (2 years and over) Congenital debility¹ Violent deaths (excluding suicide).	1,210 239 669 1,517	87 15 51 110	10 50 83	74 10 56 105	74 18 48 111	76 11 46 114	73 18 44 151	136 33 53 183	205 37 75 147	200 42 61 151	108 23 56 133	55 13 63 131	55 9 66 98
36	Suicide All other causes	324 16,242	28 1,455	20 1,463	29 1,584	39 1,549	33 1,430	29 1,174	31 1,303	25 1,224	1,187	1,321	1,263	1,289
	REGIST	TRATIC	N CITI	ES OF	250,000	POP	ULAT	ON O	R OV	ÈR IN	1910.			
	los angeles, cal. All causes	5,001	511	448	458	418	406	375	363	412	367	359	402	482
1 3 5	Typhoid fever Malaria Measles	40 ° 4 8	4 2 1	1 1	2	3	3	3	2	2	6	5	6	3
6 7 8 9	Scarlet fever Whooping cough Diphtheria and croup. Influenza. Tuberculosis of the lungs.	9 19 22 22 853	4 1 4 4	2 2 2	1 3 1 4	1 2 3 3	1 1 1	1 2 1	3 2 1	1 2 1	3 2 1	1 2 1	1 1 4 • 1	2 2 1
14-15 17 20-21	Other forms of tuberculosis.  Meningitis Bronchitis Pneumonia	101 60 45 229 108	76 8 5 11 51	79 7 9 3 30 12	87 10 4 9 26 10	83 6 2 13 9	90 12 4 ·4 10 12	55 8 8 3 14	65 9 6 1	69 8 7 3 13	63 7 2 1 8 5	53 10 2 3 12	55 4 3 12	2 2 1 78 12 4 2 30
(23) 25 (37)	Bronchopneumonia. Diarrhea and enteritis (under 2 years). Diarrhea and enteritis (2 years and	118	7	4	3	7	5	5 12	10 19	17	12	11	12 15	12 6
(33) 35 36	over). Congenital debility¹ Violent deaths (excluding suicide) Suicide All other causes.	39 48 320 128 2,828	4 5 35 14 267	20 11 260	1 21 9 266	2 31 11 233	2 1 22 14 224	5 6 22 13 217	3 8 28 4 192	5 4 32 10 229	5 4 23 12 213	6 4 27 3 215	2 6 29 14 233	2 6 30 13 279
	SAN FRANCISCO, CAL. All causes.	6, 495	616	505	571	501	556	502	428	470	520°	540 .	595	691
13 56 67 89 91 14-15 20-21 (23) 25 (37) (33) 35 36	Typhoid fever.  Malaria.  Measles. Scarlet fever. Whooping cough. Diphtheria and croup. Influenza. Tuberculosis of the lungs. Other forms of tuberculosis. Meningitis. Bronchitis. Preumonia. Bronchopneumonia. Diarrhea and enteritis (under 2 years). Diarrhea and enteritis (2 years and over). Congenital debility¹ Violent deaths (excluding suicide). Suicide. All other causes.	65 5 33 15 29 22 12 675 50 92 395 171 162 35 42 407 168 3,983	8 3 4 2 69 5 3 8 21 5 1 27 19 375	5 3 1 2 3 3 59 5 5 2 2 2 3 3 3 4 4 4 4 0 8 3 3 3 3 3 3 3 3 3 4 4 4 4 4 4 4 4 4 4	1 2 4 3 3 2 1 58 9 9 3 3 10 35 13 7 7	3 22 22 68 11 4 9 16 6 9 2 33 14 324	7 2 3 3 3 4 2 2 1 6 4 5 5 4 8 8 2 4 2 2 3 4 3 5 9 8 3 4 8	6	2 1 4 2 2 45 9 4 5 23 9 14 3 2 26 12 267	1 2 3 3 2 1 1 488 6 6 2 2 5 5 22 2 8 8 14 2 2 188 16 320	3 3 1 53 11 2 10 32 12 25 3 4 39 19 292	8 1 3 49 13 9 8 30 18 32 5 7 36 15 305	10 8 8 48 11 5 8 33 14 19 3 5 42 15 372	5 31 22 43 67 15 9 9 93 32. 18 5 41 17 393
	Washington, d. c. All causes	6,304	584	536	585	551	505	437	617	476	446	539	505	52 <b>3</b>
1 3 5 5 6 6 7 7 8 9 9 13 14-15 17 20-22 (23) 25 (37) (33)	Typhoid fever Malaria. Measles. Scarlet fever Whooping cough Diphtheria and croup. Influenze. Tuberculosis of the lungs. Other forms of tuberculosis. Meningitis Bronchitis. Pneumonia. Bronchopneumonia. Diarrhea and enteritis (under 2 years). Diarrhea and enteritis (2 years and over). Congenital debility!	75 4 22 4 25 19 68 736 92 36 70 387 168 273 64 169	1 1 1 5 62 9 5 12 58 28 4	1 3 2 22 60 10 3 9 57 18 6	2 1 1 4 17 64 8 6 13 64 21 2	1 12 62 16 2 9 47 17 5	8 10 3 60 5 6 4 23 11 8	2 6 5 2 60 14 2 3 17 10 11	3 3 71 6 1 10 9 100	11 4 1 53 7 6 6 65	7 1 2 56 4 59 7 29 6	2 1 1 68 5 30 11 30 8	8 1 2 2 59 5 1 4 32 11 9	11 1 1 2 5 61 3 4 6 36 20
(33) 35 36	Violent deaths (excluding suicide) Suicide All other causes	269 88 3,735	11 22 9 343	17 4 309	20 5 339 luding p	20 10 327	32 8 316	25 9 259	33 6 332	22 8 250	16 3 287	22 17 7 324	22 7 330	3 12 23 12 319

Table 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM CERTAIN IMPORTANT CAUSES, BY MONTHS, FOR THE REGISTRATION AREA, REGISTRATION STATES, AND CITIES OF 100,000 POPULATION OR OVER IN 1910: 1911—Continued.

		DEATHS OCCURRING IN—													
Abridged Internat. List No.	AREA AND CAUSE OF DEATH.	All deaths.	January.	Febru- ary.	March.	April.	May.	June.	July.	August.	Septem- ber.	October.	Novem- ber.	Decem- ber.	
	REGISTRA	MOIT	CITIES	OF 250	,000 PC	PULA	TION	OR C	VER :	IN 1910-	Continue	d.	-		
	CHICAGO, ILL.														
	All causes	32,531	3,247	2,693	3,109	2,889	2,868	2,286 ————————————————————————————————————	2,869 25	2,543	2,333	2,390	2,558	2,746	
14-15	Typhold fever Malaria. Measles Scarlet fever Whooping cough Diphtheria and croup Influenza. Tuberculosis of the lungs Other forms of tuberculosis.	245 8 130 492 52 860 179 3,313 439	16 1 15 59 3 92 49 323 39	8 54 1 56 47 288 44	19 55 3 89 22 331 37	1 29 41 3 64 14 302 47	26 66 8 65 14 307	1 8 49 6 52 3 275	7 46 5 62 1 235 34 26	2 5 29 7 64 1 221 29	4 19 3 57 1 222 29	13 3 86 4 265 30	1 4 31 2 90 10 261 34	5 30 8 83 13 283 40 8	
20-21 22 (23) 25	Meningitis	227 177 3,016 1,499	13 11 468 227	15 23 324 164	28 30 385 206	29 22 388 161	23 22 259 148	17 13 99 56	109 67	23 8 114 65	16 6 123 49	11 7 165 76	18 13 269 127	13 313 153	
(37) (33) 35 36	years). Diarrhea and enteritis (2 years and over). Congenital debility 1. Violent deaths (excluding suicide). Suicide. All other causes.	2,983 262 199 2,125 479 15,846	173 22 15 156 29 1,536	156 13 19 143 37 1,284	152 9 17 167 48 1,496	169 15 18 159 43 1,372	215 26 24 198 47 1,356	182 24 13 173 45 1,221	471 45 11 337 33 1,348	523 31 18 149 38 1,189	29 16 158 53 1,112	224 18 17 171 40 1,232	9 16 164 37 1,300	154 21 15 150 29 1,402	
	New ORLEANS, LA.	7 0 7 7	557	542	670	618	643	633	535	538	530	573	581	635	
1 3 5	All causes	7,055 107 37 39	7 1 1	3 2 6	11 3 7	2	9 1 9	16 5 3	17 4 1	14 6	6 6 1	10 6	6 3 1	6	
6 7 8 9 13 14-15 17 20-21 22 (23) 25	Scarlet fever Whooping cough. Diphtheria and croup. Influenza. Tuberculosis of the lungs Other forms of tuberculosis. Meningitis Bronchitis. Pneumonia. Bronchopneumonia. Bronchopneumonia. Diarrhea and enteritis (under 2	4 97 25 92 835 65 52 92 381 178	2 3 27 64 6 8 6 50 18	6 1 12 72 3 3 10 44 10	10 5 12 83 7 5 15 47 28	13 1 3 73 9 3 6 40 19	2 21 70 4 7 8 22 17	14 1 71 71 9 5 8 13 9	10 1 4 75 3 7 4 18 7	8 2 3 69 2 3 6 21 16	8 2 1 61 5 2 3 24 12	3 3 4 73 6 2 5 27 14	1 2 4 9 55 4 2 14 28 15	1 2 12 69 7 5 7 47 13	
(37) (33) 35 36	years). Diarrhea and enteritis (2 years and over). Congenital debility <sup>1</sup> . Violent deaths (excluding suicide). Suicide.	473 88 55 396 47	11 1 28 5 319	27 9 2 23 6 303	12 5 40 4 332	53 7 3 31 7 338	67 11 6 32 6 347	74 8 8 35 2 351	30 11 7 31 5 300	7 2 35 2 307	6 2 27 1 322	7 6 28 3 344	6 4 51 4 346	4 9 35 2 383	
	All other causes	3,992	919	. 303	302	555	021	001	000	507	022	012	020		
	All causes	10,407	1,002	850	1,006	944	877	720	949	849	744	811	807	848	
1 3 5 6 7 8 9 13 14–15 17 20–21	Typhoid fever Malaria. Measles Scarlet fever. Whooping cough Diphtheria and croup Influenza. Tuberculosis of the lungs. Other forms of tuberculosis. Meningitis. Bronchitis.	1,198 196 102	6 8 1 7 18 101 23 8 31	3 9 5 4 9 22 110 13 5 22	22 8 2 8 10 118 24 11 12	19 4 5 1 14 118 15 8	7 11 6 7 3 1 115 20 12 17	3 3 5 7 1 106 13 16 12	9 5 2 87 13 8	73 23 9 4	1 86 12 9 6	1 2 6 2 91 13 6 10	93 7 6 8	4 3 9 3 100 15 4 16 71 71	
(23) 25	Pneumonia Bronchopneumonia Diarrhea and enteritis (under 2 years)	728 392	126 53 22	61 40 13	103 62 13	16 86 51 14	73 34 33	29 19 30	23 16 199	23 17 124	23 15 83	i	24	71 41 5	
(37) (33) 35 36	Diarrhea and enteritis (2 years and over).  Congenital debility <sup>1</sup> .  Violent deaths (excluding suicide).  Suicide.  All other causes.	80 379 450 101	5 20 35 13 514	3 23 31 10 467	2 40 38 5 523	32 37 12 502	3 20 38 8 469	7 30 30 11 385	19 46 64 8 437	12 40 43 7 441	27	28 32 6	41 8	6 34 34 4 491	
	BOSTON, MASS. All causes	11,765	1,068	1,024	1,141	1,063	1,053	784	1,277	902	880	848	791	934	
1 3 5 6 7 8	Typhoid fever Malaria. Measles. Searlet fever. Whooping cough Diphtheria and croup Influenze. Tuberculosis of the lungs. Other forms of tuberculosis	60	2		5 3 17 13 19	3 7 11 11 21 5	3 14 10 18 11 5	3 12 5 7 8	4 5 4 5 14	6 1 3 1 6 3	11 1 6 2 2 2 6	2 1 4 6	10 1 5 5 5 8	2	
13 14–15 17 20–21 22 (23)	Bronchitis	140 1,005	103 19 8 19 111	91 22 7 16 140 67	112 18 10 17 112	113 19 8 19 114 31	87 22 12 11 113 43	9 57	74 18 11 5 52 30	6 3 35	13 3 11 48	85 12 8 7	71 13 4 13 62	15 3 10 101	

Table 8.—Deaths (exclusive of stillbirths) from certain important causes, by months, for the Registration area, registration states, and cities of 100,000 Population or over in 1910: 1911—Continued.

o.st.c	·					<del></del>	.D	EATHS C	CCURRIN	1G IN		· · · · · · · · · · · · · · · · · · ·	· · · · · ·	
Abridged Internat. List No.	AREA AND CAUSE OF DEATH.	All deaths.	January.	Febru- ary.	March.	April.	Мау.	June.	July.	August.	Septem- ber.	October.	Novem- ber.	Decem- ber.
	REGISTR	ATION	CITIES	OF 25	,000 P	OPUL	ATIO	v or	OVER	IN 1910	)—Continu	ied.	·	·
25 (37) (33) 35 36	years). Diarrhea and enteritis (2 years and over). Congenital debility <sup>1</sup> . Violent deaths (excluding suicide). Suicide. All other causes.	733 66 100 863 128 6,487	24 3 5 50 11 633	13 10 66 4 535	32 8 10 60 8 634	55 5 9 47 7 578	36 6 8 70 20 564	25 3 7 43 10 466	141 12 11 269 7 615	190 14 5 52 10 465	120 6 15 58 11 470	56 3 5 51 13 509	21 2 4 47 12 472	20 4 11 50 15 548
	DETROIT, MICH. All causes	7,110	679	574	658	647	654	475	649	589	526	547	525	587
135678991314172023325 37 3355	Typhoid fever. Malaria. Measols. Scarlet fever. Whooping cough. Diphtheria and croup. Influenza. Tuberculosis of the lungs. Other forms of tuberculosis. Meningitis. Bronchopneumonis. Preumonia. Bronchopneumonis Diarrhea and enteritis (under 2 years). Diarrhea and enteritis (2 years and over). Congenital debility i. Violent deaths (excluding suicide). Suicide.	78 3	4 20 6 40 8 6 24 24 49 16 13 31 32 7 37	6 3 7 1 11 15 42 12 9 9 16 53 48 12 12 24 24 24 24 24 29 30 30 30 30 30 30 40 40 40 40 40 40 40 40 40 40 40 40 40	2 5 5 5 6 13 1 1 1 5 4 4 6 11 20 29 9 14 4 355	5 3 8 16 4 49 8 10 50 28 12 2 18 32 12 12 376	51 8 13 9 1 52 6 9 9 316 36 36 11 375	38 7 38 38 20 8 32 21 37 9 9 9	12 9 3 1 3 3 41 6 111 4 8 5 118 7 39 67 9 306	31 10 1 15 5 8 8 31 5 10 10 10 117 7 40 2289	9 22 6 6 22 19 11 31 6 8 8 4 13 8 75 77 47 25 100 253	10 1 1 1 5 4 4 19 9 1 30 4 7 7 10 23 22 37 31 44 48 297	5 3 2 2 27 71 40 9 8 8 18 18 28 16 5 5 6 37 2 288	5 2 4 15 39 6 10 21 41 29 9 4 17 32 2 7 340
	MINNEAPOLIS, MINN.	0.570	970	900	200	070	000	001	07.1	044	000			205
13 56 67 88 9 13 14-15 20-21 22 (23) (25) (37) (33) 35 36	All causes Typhoid fever. Malaria. Measles. Scarlet fever. Whooping cough Diphtheria and croup Infinenza Tuberculosis of the lungs. Other forms of tuberculosis. Meningitis. Bronchitis. Pneumonia. Bronchopneumonia. Diarrhea and enteritis (under 2 years). Diarrhea and enteritis (2 years and over). Congenital debility 1. Violent deaths (excluding suicide). Suicide. All other causes.	3,572 37 1 19 48 74 7 416 64 24 24 23 189 164 137 22 30 214 63 2,026	379 1 2 3 41 6 2 11 51 29 5 	289 2 4 6 4 4 2 2 1 6 21 22 7 7	328 5 1 3 5 8 40 7 2 4 17 16 9 2 2 13 15 18 9	356 1 1 11 11 11 35 3 2 25 26 7	332 1 1 2 9 14 37 9 2 3 14 20 5 5 1 1 1 20 9 14	261 1 1 1 2 39 10 3 3 8 8 2 4 15 4 15	274 2 4 3 3 26 7 2 6 7 2 6 5 3 28 8 3 152	251 2 2 6 29 3 4 1 6 3 37 5 4 10 2 137	239 2 1 2 4 39 2 3 3 4 13 4 15 15 142	257 5 26 22 12 57 7 7	301 12 1 5 39 5 18 13 6 1 15 4 4 180	305 5 1 2 1 6 11 31 82 2 3 19 14 7 2 6 12 8 177
	st. louis, mo.	10,765	1,176	897	976	925	912	849	980	839	730	724	891	8 <b>66</b>
14-15 17 20-21 22 (23)	Typhoid fever Malaria Measles Scarlet fever Whooping cough Diphtheria and eroup Influenza Tuberculosis of the lungs Other forms of taberculosis Meningitis Bronchitis Pneumonia Bronchopneumonia Diarrhea and enteritis (under 2 years) Diarrhea and enteritis (2 years and over) Congenital debility ¹ Violent deaths (excluding suicide) Suicidde All other causes	113 38 114 194 28 123 113 955 152 67 219 698 341 611 128 116 683 264 5,808	23 18 1 11 39 93 12 6 38 133 60 34 5 5 12 45 32	12 12 19 84 88 6 67 771 32 18 6 13 47 15 482	66 330 24 18 18 18 196 17 11 29 84 49 27 53 20 482 49 49	3 2 21 36 4 12 9 9 87 20 2 28 58 39 23 10 8 69 20 474	4 2 11 39 2 20 2 2 90 24 8 14 53 37 28 16 4 63 22 473	81 12 9 81 12 5 7 22 23 13 103 164 18 454	18 4 5 5 6 1 1 5 5 1 1 1 1 1 1 1 1 1 1 2 2 0 9 4 2 3 5 0 9	23 5 10 9 4 2 64 13 4 7 35 13 88 17 21 53 34 436	25 5 6 2 5 9 9 8 8 8 22 13 60 5 8 8 43 43 18 6 439	11 5 2 2 65 6 6 2 11 38 15 48 5 2 42 42 16 444	13 22 6 3 9 11 71 12 5 20 3 3 7 7 3 3 3 3 5 20 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6	4  3 11 7 8 93 11 5 19 84 22 11 10 7 52 25 504

Table 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM CERTAIN IMPORTANT CAUSES, BY MONTHS, FOR THE REGISTRATION AREA, REGISTRATION STATES, AND CITIES OF 100,000 POPULATION OR OVER IN 1910: 1911—Continued.

o.;;	·				·····	-		DEATHS (	CCURRI	IG IN				<del></del> .
Abridged Internat. List No.	AREA AND CAUSE OF DEATH.	All deaths.	January.	Febru- ary.	March.	April.	May.	June.	July.	August.	Septem- ber.	October.	Novem- ber.	Decem- ber.
••••	REGISTR	ATION	CITIES	OF 250	,000 P	OPUL	ATION	ORC	OVER	IN 1910-	Continue	d.		
-	JERSEY CITY, N. J.													
	All causes	4,381	403	364	432	426	334	293	457	343	335	337	297	360
1 3 5	Typhoid fever. Malaria. Measles	20 3 42	7	10	9	1 1 5	8	3 1 1	1	5	3	2 2	1	3 1
6 7 8	Scarlet fever. Whooping cough. Diphtheris and group	32 31 58 16	3 4 8	3 2 8	2 5 8	4 8	2 3 5	5 3	8 3 2	2 1 3	1 1 6	2	1	$\frac{1}{2}$
9 13 14–15	Whooping cough Diphtheria and croup Influenza Tuberculosis of the lungs	460	5 37	4 48	2 39	3 2 49	1 47	32 5	41	30	30	4 1 38	5 26	1 2 3 1 43 3 6 8 329
20-21	Other forms of tuberculosis Meningitis Bronchitis	64 63 62	2 2 7	7 3 7	6 7 8	6 5 6	5 8 6	5 8 5	8 10 2	10 5 2	3 6 4	5 5 6	4 1 3	3 3 6
22 (23) 25	Pneumonia. Bronchopneumonia. Diarrhea and enteritis (under 2	343 207	37 31	40 21	59 25	59 21	20 15	11 10	10 10	12 12	17 7	14 13	26 13	38 29
(37)	years). Diarrhea and enteritis (2 years and	303	10	3	10	5	6	21	99	60	39	32	12	6
(33) 35	over). Congenital debility <sup>1</sup> . Yiolent deaths (excluding suicide)	34 92 312	1 3 28	1 5 25 5	1 6 21	3 3 27	2 2 22	8 21	6 11 34	5 17 24	7 14 27	4 7 27	3 7 23	1 9 33
36	SuicideAll other causes	36 2,203	3 214	5 172	1 223	3 215	5 177	1 158	3 209	3 152	3 167	172	168	33 2 176
	NEWARK, N. J. All causes	5,395	500	426	*04	400		250	***		200			
1	!	38	1	3	504	480	2	359 2	580 4	453	381	405	407	456
3 5 6	Typhoid fever	2 25 24	5	3 1	1 6	1 2 1	3 7	4 3	5 1	3	1	1		3
7 8 9	Whooping cough Diphtheria and croup Influenza	44 57 33	4 5 17	1 6	7 4 5	3 6 3	5 7 1	1 2 1	5 5	8 1	5 5	1 6	1 6	3 4
13 14–15	Other forms of tuberculosis	653 99	76 5	3 58 5 5 10	69 11	71 14	58 9 2	49 9	51 6	1 36 8	36 11	41 6	50 9	1 58 6 3 16
20-21 22	Meningitis. Bronchitis. Pneumonia.	45 85 341	3 6 50	5 10 40	3 11 53	6 12 48	26 (	5 6 15	4 3 7	2 1 13	4 3 8	3 5 22 12	5 9 24	3 16 35
22 (23) 25	Bronchopneumonia.  Diarrhea and enteritis (under 2 years).	224 428	27 6	17 9	34 18	48 26 10	24 15	6	9 124	14	12		10	33
(37)	Diarrhea and enteritis (2 years and over)	40	1	1	1	2	3	18 3 6	13	10	63 2	37 4	20	8
(33) 35 36	Congenital debility <sup>1</sup> . Violent deaths (excluding suicide) Suicide	117 329 72	6 27 7	8 16 2	7 20 8	9 29 15	5 14 5	6 22 5 202	6 99 12	17 24 4	22 20 4	13 20 4	$\begin{bmatrix} 7 \\ 21 \\ 3 \end{bmatrix}$	11 17 3
	All other causes  BUFFALO, N. Y.	2,739	254	238	246	220	255	202	226	207	179	223	238	251
	All causes	6, 294	566	529	618	592	569	506	510	480	463	486	476	499
1 3	Typhoid fever	109	6	12	12	7	7	4	11	15 1	13	7	12	3
5 6 7	Measles Scarlet fever	8 78 39	10	1 6	3 17	7	1 7	1 3	2 2	2	5	14	4	1
8	Whooping cough Diphtheria and croup Induenza	109 24	5 20 2	3 13 8	7 11 4	12 4	3 12 2	5 6 1	2 5	3 7	3 11	1	1 8	2 3 3
13 14–15 17	Tuberculosis of the lungsOther forms of tuberculosisMeningitis.	530 87 25	49 6	40 8 3 7	56 7 2 8 46 31	44 5 4	56 11 2 7	41 16 2 2	40 5	40 7 1	40 6 3	41 8 3	43 4 4	40 4 1 7
20-21 22 (23)	Bronchitis. Pneumonia. Bronchopneumonia.	25 72 359 283	12 46 30	7 33 33	8 46	9 49 54	7 42 31	2 20 11	6 16	3 11 8	3 12	16 20	4 6 30	7 38 27
25	Diarrhea and enteritis (under 2 years)	473	21	31	25	30	29	59	13 74	75	8 61	31	17 21	16
(37) (33) 35	over) Congenital debility <sup>1</sup>	59 25	7 3	3 1	4 4	2	5 1	3 1	4 3	8	9	5 2	.4.	5 2
35 36	Violent deaths (excluding suicide) Suicide All other causes	381 50 3,582	30 5 314	28 4 295	23 3 355	26 5 330	38 4 311	35 7 289	44 4 279	32 3 261	23 4 260	36 4 295	35 4 280	31 3 313
	NEW YORK, N. Y.	3,302	0.12	200	000		022			202	200	200	200	010
_	All causes	75,329	6,882	6,548	7,480	7,159	6,576	5,298	6,798	5,908	5,343	5,556	5,616	6, 165
1 3 5	Typhoid fever Maiaria Measles Maiaria Measles	538 33 655 747	28 1 38	21 1 57	23 7 73	18 3 80	26 3 119	32	55 6 75	85 2 36	80 5 16	65 4 10	57 11	48 1 35
6 7 8	Scarlet fever Whooping cough Diphtheria and croup.	747 372 1,270	38 65 27 130 105	86 31 126 65 815 114	73 126 31 150	148 36 147	135	105 73 34	36 45	36 12 45 73	10 37	8 24	14 10	1 35 34 11 103 21 725 81 24
9	Tuberculosis of the lungs	343 8,967	819	65 815	60 839 128	35 863 114	159 22 822 143 39	86 4 678	692	690	52 6 652	75 10 685	85 13 687	103 21 725
14–15 17 20–21	Meningitis	1,298 474 1,141	97 43 142	114 42 134	128 60 130	114 36 128	143 39 91	127 45 62	75 36 45 84 2 692 123 43 51	104 48 49	88 40 45	96 34 73	83 20 100	81 24 136
22	Pneumonia Bronchopneumo	5,734 4,656	771 469	681 485	803 640	769 568	506 465	260 292	238 245	173 234	204 226	322 275	424 353	136 583 404
				1 Exc	luding p	remature	birth.							

Table 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM CERTAIN IMPORTANT CAUSES, BY MONTHS, FOR THE REGISTRATION AREA, REGISTRATION STATES, AND CITIES OF 100,000 POPULATION OR OVER IN 1910: 1911—Continued.

o.							J	EATHS (	CCURRI	NG IN-				<del>-:</del>
Abridged Internat. List No.	AREA AND CAUSE OF DEATH.	All deaths.	January.	Febru- ary.	March.	April.	May.	June.	July.	August.	Septem- ber.	October.	Novem- ber.	Decem- ber.
	REGISTI	RATION	CITIES	S OF 25	0,000 F	OPUI	ATIO	NOR	OVER	IN 1910	Continu	ed.	•	
	NEW YORK. N. Y.—continued.													
25 (37)	Diarrhea and enteritis (under 2 years) Diarrhea and enteritis (2 years and	4,590	172	193	276	245	251	259	826	986	650	390	172	170
(33) 35	Congenital debility 1	505 1,565 4,177	32 115 286	23 97 247	25 89 407	34 78 259 87	27 64 332	33 120 300	101 190 804	84 200 335	55 196 305	39 181 292	24 114 294	28 121
36	Violent deaths (excluding suicide) Suicide All other causes	37,431	65 3,477	65 3,265	74 3,539	87 3,511	86 3,245	76 2,712	68 3,114	57 2,695	48 2,628	68 2,905	68 3,087	316 71 3,253
	NEW YORK, N. Y. (BRONX BOROUGH).  All causes	6,251	528	528	633	580	561	425	585	516	400	460	405	700
1 3	Typhoid fever Malaria Measles			2	2	1		3	3	9	480	460	435	520 2
5 6 7	Measles. Scarlet fever. Whoming cough	54 59 37	2 3 2	8 1	3 17 6	6 8 4	15 9 4	8	7 3	6	1 4 3	1	1 1	2 2
8 9 13	Scarlet fever Whooping cough Diphtheria and croup Influenza. Tuberculosis of the lungs Other forms of tuberculosis.	120 32 793	13 10 64	9	7 6 90	8 2 74	19	3 12	3 5	· 10	6 5	1 9	13 2	1 10 4 51
14-15 17 20-21	Other forms of tuberculosis.  Meningitis.  Bronchitis.	114 45 61	9 4 11	72 13 2 4	7 4 4	9 1 7	85 12 3 6	54 15 6	59 11 4 2	60 10 7	77 8 6	58 11 1 9	49 6 4	3 3
(23) 25	Pneumonia. Bronchopneumonia. Diarrhea and enteritis (under 2	475 268	66 27	52 25	79 34	62 35	45 17	12 16	16 16	6 12 17	16 15	29 20	43 17	3 3 8 43 29
(37)	vears)	352 45	15	16	22	15	21	16	75	77	40	30	7	18
(33) 35 36	Congenital debility 1 Violent deaths (excluding suicide) Suicide.	121	6 5 23 1	5 23 2	7 9 18	4 6 29	8 29	3 5 22 5 242	9 13 60	5 19 31	1 11 - 34	3 15 26	2 9 14	1 16 25
20	All other causes	3,235	267	282	312	5 304	6 282	242	10 289	5 235	5 241	10 233	7 252	6 296
	NEW YORK, N. Y. (BROOKLYN BOR- OUGH). All causes.	05 154	0.00-	0.015		0.053								•
1 3	Typhoid fever Malaria Measies	219	2,235	2, 215	2,409	2,351 8 2	2,166	1,792	2,228	1,968 30	1,823 25	1,917	1,958 28	2,112
5	Measles. Scarlet fever.	16 129 291	13 1 12 36	13 1 18 40	13 2 14 44	24 50	1 20 53	14 26	10 13	30 2 6 3	1 2	1 2 3	1 3	1 6 20
8 9 13	Scarlet fever Whooping cough Diphtheria and croup Influenza Tuberculosis of the lungs Other forms of tuberculosis	86 391 153	6 35 49	35 33 234 36	5 45 26	7 48 13	8 45 10	26 6 15 2 231 39	13 14 29 1	12 25	6 23 1	6 27 2 210	5 26 8	5 38 8
14-15 17 20-21	mennging	1 123	238 31 7	234 36 9 72	240 35 15	247 33 12 72	245 44 8	231 39 13 31	227 39 11	213 33 14 20 55	194 25 9	35 14	209 26 . 3	6 20 5 38 8 236 25 8 70
22 (23) 25	Bronchitis. Pneumonia. Bronchopneumonia. Diarrhea and enteritis (under 2	583 1,926 1,577	75 252 141	229 170	64 252 207	258 186	42 157 138	88 97	22 92 81	20 55 72	9 26 75 80	41 104 99	3 48 149 142	70 215 164
(37)	years).  Diarrhea and enteritis (2 years and over).	1,685 198	53	60	64	67	67	100	335	357	290	168	68	56
(33) 35 36	Congenital debility 1	174 1,225	11 15 71 24	6 12 80 21	9 10 88	9 8 74 27	12 10 108	15 17 102	37 16 220	36 14 110	26 30 88	17 13 82	11 17 104	9 12 98
00	Suicide. All other causes. NEW YORK, N. Y. (MANHATTAN	252 13,021	1, 165	1,140	20 1,256	1,206	27 1,160	27 960	1,036	14 952	19 903	1,051	1,099	$\frac{23}{1,093}$
	BOROUGH).	38,236	3,558	3,350	3,960	9 741	0.001	0.070	0.000	0.015	0.000		2 242	
1 3	Typhoid fever Malaria	246 12	14	5	6 2	3,741	3,391 13 1	2,676	3,398	2,915	2,600	2,750	2,812	3,085
5 6 7	Measles Scarlet fever	436 354	24 23 15	39 38	54	50 83	79 64 26 90	65 37	2 48 17 21 45	23 5	3 10 4	3 8 4	9	27 12
8 9 13	Whooping cough Diphtheria and croup Influence Tuberculosis of the lungs	673 127 4,859	76 34 465	38 20 76 23 445 61	58 15 93 22 461	50 83 20 87 19 494	90 7	37 23 46 2	45 1 358	17 32	24 16 3	16 31 8	3 37 1	12 4 44 7
14-15 17 20-21	Other forms of tuberculosis.  Meningitis Bronchitis.	713 264	51 28	26	79 36	67 20 43	438 84 26 38	356 69 23 29 151	358 64 23 24	372 53 23 21	332 51 17	374 42 18 18	384 44 12	380 48 12 48 281 187
22 (23) 25	Pueumonia. Bronchopneumonia. Diarrhea and enteritis (under 2	431 2,953 2,541	40 396 260	51 354 260	57 421 366	395 315	274 293	151 162	$\begin{array}{c} 24 \\ 112 \\ 132 \end{array}$	21 92 132	18 104 115	18 166 145	44 207 174	48 281 187
(37)	years)	2, 166	97	105	174	151	153	124	319	458	257	158	87	83
(33) 35 36	Congenital debility  Violent deaths (excluding suicide)	216 1,170 2,320	12 87 171	11 76 133	8 66 290	18 57 136	12 41 176	13 90 152	47 150 451	34 151 165	22 142 163	12 140 149	10 83 156	17 87 178
90	Suicide All other causes	18,108	1,731	40 1,587	1,707 luding p	•	1,533	38 1,276	1,524	1,265	1, 258	1,398	1,485	36 1,618
					5 P		~~~ ~444							

,Table 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM CERTAIN IMPORTANT CAUSES, BY MONTHS, FOR THE REGISTRATION AREA, REGISTRATION STATES, AND CITIES OF 100,000 POPULATION OR OVER IN 1910: 1911—Continued.

[The cities included in this table are arranged alphabetically by states.]

o.							1	EATHS (	CCURRI	IG IN—				
Abridged Internat. List No.	AREA AND CAUSE OF DEATH.	All deaths.	January.	Febru- ary.	March.	April.	May.	June.	July.	August.	Septem- ber.	October.	Novem-	Decem- ber.
	REGISTR	ATION	CITIES	OF 250	,000 PC	PULA	TION	or o	ver i	N 1910–	-Continued			
	NEW YORK, N. Y. (QUEENS BOROUGH).						1							
	All causes	4, 182	387	350	362	375	341	292	426	380	333	305	298	333
1 3 5	Typhoid fever	27 3 11	1	1	1 2 1	1	1 1 1	3	3 5	2 1	5	6	1	5
6 7 8 9	Scarlet fever Whooping cough Diphtheria and croup Influenza Tuberculosis of the lungs	90	3 1 3 8	3 6 1	2 1 7 1 4 5	6 2 4	6 2 5 2	2 2 12	5 1 6 3	3 4 4	3 1 6	4	1 2 4 1	1 10
13 14–15	Other forms of tuperculosis	01	38	48 4	32 5	36 4	44	27 3	34 6	34 8	38 3	33 6	34	10 1 39 5 1 9 33 17
20–21 22	Meningitis Bronchitis Pneumonia	27 61 269	15 35	4 6 36	4 36	1 6 39	3 2 5 20	3 2 7	4 3 15	2 1 10	5 1 5	5 17	2 1 4 16	1 9 33
(23) 25	Bronchopneumonia Diarrhea and enteritis (under 2	203	26	28	25	28	13	14	11	8	11	11	11	
(37)	years). Diarrhea and enteritis (2 years and over)	299 36	7 2	7 2	14	11 2	7	13 1	77 7	78 6	45 4	23 6	6 1	11 1
(33) 35 36	Congenital debility <sup>1</sup> . Violent deaths (excluding suicide). Suicide.	85 217	4 14	8 2	4 9	7 16	. 14	8 13	11 47	12 27	11 15	10 27 7	4 14	6 13 6 175
20	All other causes	2, 255	219	190	208	209	200	6 176	6 187	172	3 177	150	192	175
	NEW YORK, N. Y. (RICHMOND BOROUGH).										i			
1	All causes	1,486	174	105	116	112	117	113	161	129	107	124	113	115
3 5	Typhoid fever Maiaria Measles				·····î		<u>4</u>	15	5					
6 7 8	Scarlet fever. Whooping cough. Diphtheria and croup.	25 11 20 21 13 154	3 3	1	4 1	1 3	3 1	5 1	2 1 2	6 2	2	1 4	5	·····i
9 13 <b>14–</b> 15•	Influenza Tuberculosis of the lungs 2 Other forms of tuberculosis	13 154 19	4 14	16	1 1 16	$\begin{smallmatrix}1\\12\\1\end{smallmatrix}$	3 10	10 1	14 3	i1	2 11 1	10 2	1 11 5	1 19
17 20-21	Meningitis Bronehitis	15 5	1	1 1	2 5 1	2			1	2 1	3	1		·····i
22 (23) 25	Pneumonia Bronchopneumonia Diarrhea and enteritis (under 2	111 67	22 15	10 2	15 8	15 4	10 4	2 3	3 5	5	4 5	6	9	.11
(37)	years) Diarrhea and enteritis (2 years and	88		5	2	1	3	6	20	16	18	11	4	2
(33) 35	over) Congenital debility <sup>1</sup> Violent deaths (excluding suicide)	10 15 81	1 4 7	3	2	1 4	1 5	1 11	1 26	3 1 4 2	2 2 5	1 3 8	1 6	······································
36	Suicide All other causes	10 812	95	66	2 1 56	1 66	70 70	58	78	71	1 49	73	<b>2</b> 59	71
	CINCINNATI, OHIO.													
1	All causes	6,225	576	452 	590 4	558	551 1	462 3	531	479	<del>44</del> 7 5	515	645	519 2
3 5	Typhoid fever Malaria Measles	43 2 13 79	1		1 7	·····i	2	3	1	4	1			
6 7 8	Scarlet fever	79 19 46	4 1 5	6 2	2	14 1 4	11 7 2	8 1 2	11 2 1	5 2 4	5 2 4	4 1 9	3 3	1 4
9 13 <b>14</b> –15	Whooping cough Diphtheria and croup Influenza Tuberculosis of the lungs Other forms of tuberculosis	55 896 107	5	2 8 62 9	19 82 8	11 88 13 2	3 93 11 5	82	68	71	1 52	1 68 13	1 70	5 68
20-21	Meningitis	40 141	92 10 3 20	3 15 23 19	4	16	5 9	9	9 5 4	6 2 4	10 7 12	5 11	70 3 3 15 37	68 6 1 13 24 28
22 (23) 25	Pneumonia. Bronchopneumonia. Diarrhea and enteritis (under 2	265 211	42 25	23 19	16 32 31	16 30 22	28 15	8 6	7 10	9	8 15	17 16	37 21	24 28
(37)	years) Diarrhea and enteritis (2 years and	243	'8	6	13	11	18	24	46	36	29	21	18	13
<b>(</b> 33) 35	over). Congenital debility <sup>1</sup> . Violent deaths (excluding suicide).	66 28 427	4 4 43	2 1 13	4 5 19	6 1 27	6 41	6 5 38	12 5 68	5 2 41	9 1 46	5 24	5 2 34	2 2 33 7
36	Suicide. All other causes.	77 3,467	800	276	7 330	9 301	7 292	8 253	267	4 274	6 234	312	6 318	7 310
ļ	CLEVELAND, OHIO.													
,	All causes	7,999	730	674	721	722	666	584	751	640	617	641	630	623
1 3 5	Typhoid fever	82 3 40	8 1	3 1 4	4	9 1 11	5 7	8 	3 1	7 i		8 1	7	2 5
6 7 8	Scarlet fever	191	18	16 9 9	25 17 11	20 16 9	23 6 5	21 8 11	19 5 10	10 7 10	7 4 8	17 1 17	7 4 16	8 2 17
. 0	withmenta and croff	127	. 01	8 1	TT 1	9 I		11	10	10 1	0	T( )	10 ]	1.6

1 Excluding premature birth.

Table 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM CERTAIN IMPORTANT CAUSES, BY MONTHS, FOR THE REGISTRATION AREA, REGISTRATION STATES, AND CITIES OF 100,000 POPULATION OR OVER IN 1910: 1911—Continued.

		,	I											
Abridged Internat. List No.	AREA AND CAUSE OF DEATH.	All deaths.	January.	Febru- ary.	March.	April.	May.	June.	July.	August.	Septem-	October.	Novem-	Decem- ber.
	REGISTR	ATION	CITIES	OF 250	,000 PC	PUL/	TION	ORO	ver i	N 1910-	-Continue	) 1.	<u> </u>	
	CLEVELAND, OHIO—continued.				1			· · · · · ·						
9 13 14–15 17 20–12 22 (23) 25 (37)	Influenza. Tuberculosis of the lungs. Other forms of tuberculosis. Meningitis. Bronchitis. Pneumonia. Bronchopneumonia. Diarrhea and enteritis (under 2 years). Diarrhea and enteritis (2 years and over). Congenital debility 1. Violent deaths (excluding suicide).	62 751 103 51 221 334 222 772 62 51	12 62 8 7 33 47 27 35	12 71 11 4 37 42 20 29	15 63 9 3 27 40 26 47	7 81 16 6 26 45 22 43	75 9 3 13 33 18 49	1 60 10 5 . 10 19 17 62	61 10 6 8 10 10 170	2 51 8 4 9 15 8 127	1 60 8 1 10 14 17	33 45 5 3 19 19 18	6 64 5 4 14 25 21 23	3 58 4 5 15 25 18 44
(33) 35 36	Violent deaths (excluding suicide) Suicide All other causes	531 118 4,191	34 5 411	33 14 353	50 11 363	5 34 13 356	2 49 10 353	6 47 11 284	1 49 8 371	7 43 11 303	5 45 7 318	5 60 3 351	1 54 11 365	2 5 33 14 363
	All causes	26,276	2,354	2,315	2,666	2,442	2,182	1,817	2,424	1,938	1,820	2,037	2,013	2,268
1 3 5 6 7 8 9 13 14-15 20-21 22 (23) 25 (37) (33) 36	Typhoid fever. Malaria. Measles. Scarlet fever. Whooping cough. Diphtheria and croup. Influenza. Tuberculosis of the lungs. Other forms of tuberculosis. Meningitis. Bronchitis. Pneumonia. Bronchopneumonia. Diarrhea and enteritis (under 2 years). Diarrhea and enteritis (2 years and over). Congenital debility 1. Violent deaths (excluding suicide). Suicide. All other causes	230 111 289 195 109 491 183 3,058 405 105 11,421 1,421	18 48 39 10 52 21 279 19 2 44 189 117 71 15 28 117 15 1,270	16 45 30 13 13 275 40 4 41 183 126 67 19 17 107 1,205	17 2 47 31 18 68 55 298 45 7 232 144 62 	15 1 64 24 9 45 26 289 41 11 166 116 86 9 27 115 33 1,314	11 49 21 10 39 9 255 46 10 30 110 97 101 20 28 93 33 1,219	10 16 16 16 9 22 3 3 226 36 36 36 32 20 47 163 21 22 94 27 1,020	16 8 6 10 20 244 40 10 19 55 465 25 39 265 22 1,130	30 - 69 915 33 243 30 81 12 38 45 325 41 48 110 952	29 1 4 5 5 18 2 203 34 4 4 12 51 51 61 83 238 83 27 83 27 83 83 83 83 83 83 83 83 83 83 83 83 83	23 4 1 2 1 42 42 238 222 9 26 82 55 139 24 39 101 15 1,210	19 1 1 5 8 50 7 233 24 6 49 101 66 79 8 32 106 24 1,194	26 10 7 54 19 270 28 111 53 168 173 68 18 17 112 13 1,217
	PITTSBURGH, PA.	0.000	207			277	272							
13 35 67 8 9 13 14-15 20-21 (23) 25 (37) (33) 35 36	over). Congenital debility <sup>1</sup> . Violent deaths (excluding sulcide). Suicide. All other causes. MILWAUKEE, WIS.	\$,099 139 51 68 102 127 64 575 135 522 197 598 628 707 80 151 575 103 3,856	821 16 5 20 15 8 12 60 11 5 33 89 80 34 7 10 44 8 364	15 1 11 11 11 10 20 55 8 3 328 74 4 8 8 24 24 212 329	756 12 8 5 16 15 16 16 17 17 18 18 18 19 18 18 18 18 18 18 18 18 18 18 18 18 18	8 14 4 7 7 7 5 5 60 19 64 59 64 33 6 7 3 10 312	4 15 4 2 59 14 7 10 64 38 30 5 8 51 9 335	539 12 7 2 7 10 11 47 5 4 3 9 26 31 6 17 58 12 272	761 8 6 6 9 10 43 9 4 11 12 25 173 18 21 87 9 300	630 11 1 1 11 5 31 17 8 7 16 16 17 125 8 18 47 8 299	14 3 3 3 2 2 9 111 3 5 5 222 91 40 0 3 3 286	637 8 1 2 25 22 31 8 7 10 40 29 60 7 10 56 7	19 1 2 3 13 4 41 16 2 21 44 50 40 6 11 40 9 328	676 12 2 2 21 7 47 8 11 14 -68 53 22 4 10 51 6 348
-	All causes	4,727	411	390	460	464	448	323	405	390	353	374	366	343
1 3 5 6 7 7 8 9 13 14-15 17 20-21 22 (23) 25 (37)	Typhoid fever Malaria. Malaria. Measles. Scarlet fever. Whooping cough. Diphtheria and croup Influenza. Tuberculosis of the lungs. Other forms of tuberculosis. Meningitis. Bronchitis. Preumonia. Bronchopneumonia. Diarrhea and enteritis (under 2 years). Diarrhea and enteritis (2 years and over).	28 62 9 80 13 384 37 116 246 127 391 37	8 1 34 22 44 14 25 14 22 22	1 11 19 5 24 3 4 20 23 19 22 22	65 22 9 4 45 42 15 35 22 31	5 1 6 39 6 8 18 36 20 28	5 7 1 4 2 46 3 3 8 22 16 29	30 2 6 9 5 25	10 4 3 2 3 30 2 5 5 13 3 5 8	8 1 2 1 7 1 24 3 7 6 11 4 60 2	30 4 15 14 5 45 8	3 3 12 36 1 4 5 16 2 31	15 6 10 18 3 1 4 25 11 23	28 81 4 28 4 8 7 17 6
(33) 35 36	Congenital debility <sup>1</sup> . Violent deaths (excluding suicide) Suicide All other causes	37 157 249 75 2,588	11 16 10 236	10 9 5 218	20 19 7 228	11 22 8 245	8 30 11 247	12 24 3 177	6 15 28 7 211	15 16 3 219	10 23 4 193	14 27 6 212	16 19 7 203	3 15 16 4 99

<sup>&</sup>lt;sup>1</sup> Excluding premature birth.

Table 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM CERTAIN IMPORTANT CAUSES, BY MONTHS, FOR THE REGISTRATION AREA, REGISTRATION STATES, AND CITIES OF 100,000 POPULATION OR OVER IN 1910: 1911—Continued.

[The cities included in this table are arranged alphabetically by states.]

o							I	EATHS (	OCCURRI	IG IN-		<del></del>		<del></del> .
Abridged Internat. List No.	AREA AND CAUSE OF DEATH.	All deaths.	January.	Febru- ary.	March.	April.	May.	June.	July.	August.	Septem- ber.	October.	Novem- ber.	Decom- ber.
	REGISTRAT	ION CI	TIES H.	AVING	FROM	100,0	00 TO	250,00	0 POP	ULATIO	ON IN :	1910.	•	
<u></u> -	BIRMINGHAM, ALA.													
	All causes		204	178	256	208	246	220	233	164	162	205	212	192
1 3 5	Typhoid fever Malaria Measles	62 32	1 2 1	1 3	3 2 11	3 1 7	1	8	15 6 1	7	3 5	6 7	7 4	<u>4</u>
6 7	Scarlet fever	30 2 28	·····i		5	7	4 3	2 3	5	1	2	1	ii	1 1
8 9 13	Whooping cough Diphtheria and croup Influenza Tuberculosis of the lungs	13 12 306	2 29	4 30	$\frac{1}{2}$	1	• • • • • • • • • • • • • • • • • • •	2	i	2	2	2 1	2 2	1
14-15 17	Other forms of tuberculosis	10 18	4	2	42 4 2	23 2	27 1	19 1	32 1 1	9	20 1	38	17 2	20 3
20-21 22	Bronchitis Pneumonia	140	29	22 7	25	12	······7	7	4 5	4 6	7 3	4 7	11	8
(23) 25	Bronchopneumonia  Diarrhea and enteritis (under 2 years)	79 185	3 4	7	7	9 21	5 49	15 40	5 17	6 14	3 7	10	2 8	10 2
(37)	Diarrhea and enteritis (2 years and over)	30	4	*	1	3	7	4	3	1	2	5		
(33) 35 36	Congenital debility <sup>1</sup>	40 207 17	. 18	13 1	$\begin{array}{c}2\\25\\1\end{array}$	20 20	5 13	4 15	5 11	14	1 11	6 15	6 25	3 27
90	All other causes	1, 269	105	91	114	95	119	99	122	90	97	102	1 124	1 111
	OAKLAND, CAL.	1 004	000	1	150	170	400	122		400				
1	All causes	1,984	200	157	173	170	162	157	149	133	155	158	171 3	199
3 5	Typhoid fever Malaria Measles	2 18		1		1 6	6	1 3	2					
6 7 8	Scarlet fever	2 6 11	1 2	1	1 1	2		i	·····2		2	2	1 1	
9 13	Whooping cough Diphtheria and croup Influenza Tuberculosis of the lungs	6 164	1 21	1 13	1 26	1 10	1 15	10	14	6	13	9	i	1 16
14-15 17 20-21	Other forms of tuberculosis	44 25 21	4 3 4	5 3 1	2	4 2	5 2	3 3	5 3	3	6 4	4	$\begin{smallmatrix}2\\1\end{smallmatrix}$	1 4
22 (23) 25	Pneumonia Bronchopneumonia	124 44	17 5	12 2	3 8 2	1 14 3	3 9 4	3 4	2 6 1	7 2	7 1	13	14 6	2 16 1 4 7 14 11
(37)	Diarrhea and enteritis (under 2 years)  Diarrhea and enteritis (2 years and	55	2	4	2	4	4	5	5	7	5	5	7	5
(33)	Congenital debility 1	12 15	1	1	1 2	i		5 1	1 1	1	3	1 3	1 2	i
`35 36	Violent deaths (excluding suicide) Suicide	126 55	11 6	6 5	10 5	11 4	10 3	12. 8	14 5	12 2	8 6	11 2	12 6	9 3
	All other causes DENVER, COLO.	1,232	118	102	107	106	97	97	86	90	99	103	104	123
	All causes	3,441	385	341	369	277	285	247	248	273	242	225	277	272
1 3	Typhoid fever Maiaria	40 1	1	4	1	3	3	1	7	9	1 1	8	1	7 1
5 6	Measles Scarlet fever	47 11	3 1	10 2	16 2	9 2	8 2	1			i		••••••	
7 8 9	Whooping cough	12 37 16	1	2 1	. 3	<u>1</u>	2	2 2	2	$\frac{1}{2}$	6	5	10	1 7
13 14–15	Tuberculosis of the lungsOther forms of tuberculosis	600 50	74 6	53 6	59 5	44	54 6	42 3	43 2 1	34 7	38 5	43 2	65 2	51 2
20-21 22	Meningitis. Bronchitis. Pneumonia.	50 42	9 5	8 12 41	6	2 7	6 5 2	9	1	5 3	2 1	1	5	2 2 1 16 10
(23) 25	Bronchopneumonia	262 75	73 12	17	37 11	18 3	10 4	6 2	5 2	6 1	11	14 5	25 8	16 10
(37)	years) Diarrhea and enteritis (2 years and	92	8	3	5	3	9	8	12	23	7	11	1	2
(33) 35	over)	20 49 177	3 6 9	1 12	2 4 18	2 2 16	2 16	6 4 17	6 13	2 11 19	3 2 16	4 7	1 3 17	1 4 17
36	Suicide. All other causes.	79 1,781	5 162	10 155	3 191	153	5 157	6 136	2 151	10 140	4 144	8 115	12 127	7 150
	BRIDGEPORT, CONN.	,												
	All causes	1 472	148	122	132	128	123	112	166	125	98	96	102	120
1 3 5	Typhoid fever Malaria Measles	4 1 19		• • • • • • • • • • • • • • • • • • •		<del>-</del> -				2		1		1
6 7	Measies Scarlet fever. Whooping cough Diphtheria and croup.	3 8 15			4	4	3 1 1	5	3 1			2	1	1 1
8 9	Diphtheria and croup Influenza Tuberculosis of the lungs	13 /	1 8		1 1	·····i		1	1	2	2	1	2	1 4 1
13 14–15 17	Meningitis	115 16 14	12 2 1 5	15 3	14 2 2	15 1 2	5 2 3	10 1 1	8	$\begin{bmatrix} 4 \\ 2 \end{bmatrix}$	$\cdots \frac{7}{1}$	5 1 1	6 3	14 
20-21	Bronehitis	20	. ŝ l	3.	3	3	ĭ	1		î !			2	$\frac{1}{2}$

<sup>1</sup> Excluding premature birth.

Table 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM CERTAIN IMPORTANT CAUSES, BY MONTHS, FOR THE REGISTRATION AREA, REGISTRATION STATES, AND CITIES OF 100,000 POPULATION OR OVER IN 1910: 1911—Continued.

ed o.				<u></u>			D	EATHS O	CCURRIN	G IN—				
Abridged Internat. List No.	AREA AND CAUSE OF DEATH.	All deaths.	January.	Febru- ary.	March.	April.	May.	June.	July.	August.	Septem- ber.	October.	Novem- ber.	Decem- ber.
	REGISTRATION	CITIES	HAVIN	G FRO	м 100	,000 T	O 250,	000 PC	PULA	TION	IN 1910-	-Continue	đ.	
	BRIDGEPORT, CONN.—continued.					-								
22 (23) 25	Pneumonia. Bronchopneumonia. Diarrhea and enteritis (under 2 years).	117 35 131	17 6 2	11 4 4	18 8	8 3 4	16 4 6	10 1 16	4 47	3 31	2 2 . 11	3 4 8	10 1	15 3
(37) (33) 35 36	Diarrhea and enteritis (2 years and over) Congenital debility <sup>1</sup> Violent deaths (excluding suicide) Suicide All other causes	7 49 95 24 786	1 6 4 2 81	4 6 70	5 5 1 67	4 2 3 77	4 3 2 72	1 8 7 50	2 . 7 24 2 66	2 5 8	4 10 1 58	2 4 8 2 54	·3 8 2 64	2 9 2 62
	NEW HAVEN, CONN.	100	0.		<b>.</b>	••			00			01	01	02
	All causes	2, 281	219	191	243	207	179	171	207	192	166	177	168	161
1 3 5	Typhoid fever Malaria Measles	34 4 3		4	1	1 i	1 2 1	1	5 1	6	6	3	4	2
. 6 7 8 9	Scarlet fever. Whooping cough. Diphtheria and croup. Influenza.	14 18 26	2 4	1 3	3 2 1	4 3 2	2 1	2 3	i	2 2 2	2	1 4	2 2 3	2 1 3
13 14-15 17	Tuberculosis of the lungs Other forms of tuberculosis Meningitis	29 169 41 28	3 19 5 3	8 13 3 1 5	9 10 1	1 19 1 2	3 13 3 1	1 18 3	15 6	11 6 5	10 5 4	17 3	13 3	3 4 11 2 2 1 14
20-21 22 (23) 25	Bronchitis. Pneumonia. Bronchopneumonia.	36 218 72	4 45 7	5 30 7	2 3 39 16	29 14	13 3	3 2 2 9 2	3 1 6 5	4 3 3	3 10 5	3 10 5	3 1 10 2	1 14 3
(37)	Diarrhea and enteritis (under 2 years)  Diarrhea and enteritis (2 years and	96		2		1	3	6	22	32	17	7	3	3
(33) 35 36	over) Congenital debility <sup>1</sup> Violent deaths (excluding suicide) Suicide All other causes	16 50 123 23 1, 281	1 4 13 4 105	1 2 6 1 104	2 2 6 1 144	3 7 3 112	5 13 1 109	3 1 11 1 105	4 7 14 117	2 3 13 4 96	2 7 10 3 82	8 10 3 103	6 8 1 107	1 2 12 1 97
	ATLANTA, GA.							,						
	All causes	3,172	274	202	265	248	329	308	279	260	227	258	263	259
1 3 5	Typhoid fever Malaria Measles	106 9 40	1	2	1. ii	1 1 9	4 6	15 4 7	17	21 2 1	12 1	17	8 1 1	8
6 7	Scarlet fever Whooping cough Diphtheria and croup	7 39 24	2 3	1 2 3	2 3	1 4	4	i 6	6	3	2	3	i	2
8   9 13	Influenza. Tuberculosis of the lungs	24 19 277	1 2 22	3 4 20	1 10 32 6	2 2	1 17	1 1 27	26	5 24	3 23	2 22	2	3 22
14-15 17	Other forms of tuberculosis	33 19	1 1	8	6 2	21 1 1	3 2	2 3	6 3	2	2 3	2 2	1	
20-21 22 (23) 25	Bronchitis. Pneumonia. Bronchopneumonia. Diarrhea and enteritis (under 2	27 315 50	3 46 6	2 29 3	35 8	35 6	5 26 4	10 4	14 3	6	1 12 2	23 23 2	3 35 7	2· 44 5
(37)	years). Diarrhea and enteritis (2 years and	163	5	4	4	7	33	43	, 15	17	15	12	6	2
(33) 35 36	Gver). Congenital debility <sup>1</sup> Violent deaths (excluding suicide). Suicide.	64 60 185 21	4 4 15 5	2 9 1	5 8 1	5 9 1	9 20 3	14 7 23 1	10 4 20 1	3 5 11 3	9 5 9	7 6 20 1	5 3 21 2	2 5 20 2
	All other causes	1,714	153	109	134	141	183	137	150	155	128	136	146	. 142
	All causes	3,530	311	302	328	322	287	257	308	292	252	288	276	307
1 3	Typhoid fever Malaria	$\frac{62}{7}$	6		2	4 1	2	2 1	9	12 1	9	9	2	5
5	Measles	3		4	1	1 2	1	i						1
7	Whooping cough Diphtheria and croup	18 41	1 · 1 5 21	2 2	4	1 2	3 1	2	3 2	3 2	6	1 15	5	3
9 13	Tuberculosis of the lungs	370	5 21	29 5	34 34	1 32 4	37	43	25	38	23	30 30	1 28	30 30
14-15 17 20-21	Other forms of tuberculosis.  Meningitis.  Bronchitis.	83 28 31	6 4 4	5 2 2	6 4 3	4 3	11 4 7	. 8 5 2	8 2 1	. 6 1	9 2 3	11	5 4	4
(23) 25	Pneumonia Bronchopneumonia Diarrhea and enteritis (under 2	157 107	30 14	24 10	25 18	19 17	10 4	. 2 5 4	3 3	4 7	7 5	9 8	11 6	10 11
(37)	years) Diarrhea and enteritis (2 years and	136	1	6	6	5	2	6	36	30	20	17	3	4
(33) 35 36	Over). Congenital debility 1. Violent deaths (excluding suicide) Suicide	70	1 18 6	10 7	3 2 14 6	15 4	15 6	5 3 18 3	1 17 10	7 4 25 10	5 2 12 5	6 3 14 6	15 2	4 1 28 5 196
,	All other causes	2,124	ll 192		l 196 celuding	i 203 prematu	l 179 re birth.	149	l 186	142	l 141	1 157	. 191	190

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM CERTAIN IMPORTANT CAUSES, BY MONTHS, FOR THE REGISTRATION AREA, REGISTRATION STATES, AND CITIES OF 100,000 POPULATION OR OVER IN 1910: 1911—Continued.

. ÷8							D	EATHS O	CCURRIN	G IN—				
Abridged Internat. List No.	AREA AND CAUSE OF DEATH.	All deaths.	January.	Febru- ary.	March.	April.	Мау.	June.	July.	August.	Septem- ber.	October.	November.	Decem- ber.
	REGISTRATION	CITIE	S HAVI	NG FRO	эм 100	,000 T	O 250,0	000 PO	PULA'	TION II	7 1910—	Continued.	•	
	LOUISVILLE, KY.													
	All causes	3,661	312	291	345	331	328	301	321	292	269	298	303	270
1 3	Typhoid fever	54 12	2 2	i	4	3 1	2	9 2	5 2	10	4 1	6 1	3 2	6
5	Moonlog	l ro	2	8	20	17	6 2 3	2	2		1	i	3	
7 8	Whooping cough	17 27	. 3	1	1 4	1 4	2	2	1	2 2	1	1 2	1 2 4	2 3
9 13	Measies: Scarlet fever Whooping cough Diphtheria and croup. Influenze. Tuberculosis of the lungs. Other forms of tuberculosis.	30 479	3 51	3 40	3 52 14	6 58 2	7 40 6	48 8	44 4	1 28 3	30 5	31 3	27 2	30 5
14-15 17	MCHIngibis	58 50 61	2 1 5	4 4 9	10 12	2 6	4 5	5	5 2	8	3	4	4 5	
20-21 22 (23)	Bronchitis. Pneumonia. Bronchopneumonia.	228 57	30 5	17 8	28 7	36 14	20 5	7	8 2	10 3	ĝ	13	25 8	8 25 3
25	Diarrhea and enteritis (under 2	85	1	4	1	2	3	15	25	16	11	5	2	
(37)	years). Diarrhea and enteritis (2 years and over)		6	4	3	2	4	4 8	3	_3	5	4	.5	5
(33) 35 36	over). Congenital debility <sup>1</sup> . Violent deaths (excluding suicide).	120 243	. 17	9 15	17	7 19	6 19	25	18 27	17 13	13 28	17 21	12 22 2	6 20 3
36	Suicide All other causes	38 1,988	170	158	163	6 145	7 187	162	173	6 169	3 150	183	174	154
	CAMBRIDGE, MASS.													
	.All causes	1,617	129	148	168	159	155	105	171	110	95	116	141	120
1 3	Typhoid fever Malaria	3 1			1						1	1		i
5 6	Monolog	1 10	1	1	1 2	3	3						i	1
7 .	Whooping cough. Diphtheria and croup.	24 42 8	3	6	1 1	4 4 2	4 4	3 9	5 1	3	3	i	Ĝ	i
9 13	Scarlet fever Whooping cough Diphtheria and croup Influenza Tuberculosis of the lungs Other forms of tuberculosis	178 29	1 24 3	12 2	25	13	14 1	7 2	16 7	14	12 2	15 2	14 2	12 2
14–15 17 20–21	Meningitis. Bronchitis	7 26	1	4	5	1 2	2 3	1 1		2	i	-1	2	2 1
22 (23)	Pneumonia Bronchopneumonia	126 37	14	20 4	18	17 2	16 6	3	6	3 4	4	. 4	9 3	12 3
25	Diarrhea and enteritis (under 2	1	2	2	3	5	1	2	23	24	12	11	4	3
(37)	years). Diarrhea and enteritis (2 years and over).	. 9	1	1	1		1	1	3	<u>;</u> .	4	2	1 1	
(33) 35	over). Congenital debility <sup>1</sup> Violent deaths (excluding suicide).	11 94 6	5	1 6	13	1 3 2	7	3	26	6	8	7 2	5	5
36	Suicide		70	84	84	97	92	71	80	50	47	65	92	79
	FALL RIVER, MASS.												110	
	All causes		176	182	209	196	176	135	272	203	200	134	140	111
1 3	Typhoid fever	. 18	1				2	1	1	2	5	2		
5 6	Measles. Scarlet fever.	1 9	3	3 i	9	14 1 5	9	4 1	1	1 3	i			·····i
. 8 9	Whooping cough Diphtheria and croup Influenza	22 27 2	8	i	3	3	1 1		1	š	2	1		3
13 14–15	Tuberculosis of the lungs Other forms of tuberculosis	167 18	13	23 3	18 2	16	18	10	8	18	13 1	12 1	8	10 2
17 20-21	Meningitis. Bronchitis.	22 65	2 3 9	1 12	7	12	6	2 5	3	1	2	3	2	2 3 3 11 2
(23)	Pneumonia	. 140 97	14 8	15 12		20 19	22 11	8 4	6 4	4	6		8 3	2
25	Diarrhea and enteritis (under 2 years).	.  391	12	7	10	9	10	26	138	88	54	21	13	3
(37)	Diarrhéa and enteritis (2 years and over). Congenital debility 1.	.  29	1 4	2 7	2	2 4	1 6	3 2	7 7	5 5	1 6	8	3	3 3 6 2 58
(33) 35 36	Violent deaths (excluding suicide). Suicide.	57	2	6 2	4	6	4			5	3 3	3 2	6 3	6 2
50	All other causes.		92	87	97	84		60	80	64	95	70	89	58
•	LOWELL, MASS.				155	7.11	140	127	303	154	121	145	138	165
	All causes		166	141		144	146	121	303	104		. 2		1
1 3 5	Typhoid fever		-	. 1							2		2	9
6 7		.l 5		3	2	2	2	. i		2	1	.   1	- 2	1 2 5
8 9	Diphtheria and croup	. 17	2	. 3 2 1	2 3 3	1					-	. 1		
13 14-15	Other forms of tuberculosis	. 42	8 4	10	11 3	14	1	1 5	15	12	1 1	. 6	i <b>]</b> 1	3
17 20-21	Meningitis	. 26	1 9	1 6	i 10	1 5	1 2	1 1	3	1 4	] 3	2	4	12
				1 Ex	cluding 1	prematu	e pirth.							

Table 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM CERTAIN 1MPORTANT CAUSES, BY MONTHS, FOR THE REGISTRATION AREA, REGISTRATION STATES, AND CITIES OF 100,000 POPULATION OR OVER IN 1910: 1911—Continued.

lged nat. No.		All			-			DEATHS (	CCURRI	IG IN—				
Abridged Internat. List No.	AREA AND CAUSE OF DEATH.	deaths.	January.	Febru- ary.	March.	April.	Мау.	June.	July.	August.	Septem- ber.	October.	Novem- ber.	Decem- ber.
	REGISTRATION	CITIE	S HAVI	NG FRO	M 100	,000 T	O 250,	000 PC	PULA	TION I	N 1910—	Continue	l.	<u> </u>
	LOWELL, MASS.—continued.													1
(23) (25) (37)	Pneumonia. Bronchopneumonia. Diarrhea and enteritis (under 2 years). Diarrhea and enteritis (2 years and over).	118 43 220 23	19 10 4 2 7	16 5 2 1	19 6 13	12 3 4 2	10 1 7	3 2 16	2 2 92 8	2 1 41 5	5 1 19. 1	10 1 12 1	. 5 . 5	12 6 · 5
(33) 35 36	Congenital debility 1 Violent deaths (excluding suicide). Suicide All other causes.	70 127 22 984	7 10 90	2 3 1 85	6 3 2 89	8 5 76	7 2 96	2 7 4 75	60 104	- 6 9 1 66	9 8 2 61	7 7 83	5 9 5 72	2 3 4 2 87
	WORCESTER, MASS. All causes	2,362	221	195	236	194	200	181	239	181	186	188	172	100
1 3	Typhoid fever Malaria	9	1				200	101	205	101	4	3		169
- 5 6 7 8 9	Measies Scarlet fever Whooping cough Diphtheria and croup	5 13 11 36 9	1 2 2	1 4 4	3 2 1 1	2 1 1 1	1 2 3 5	2 1 2	2	i 5	1 3 1 2	6	1 3 1	1 3 1
13 14–15 17	Influenza Tuberculosis of the lungs Other forms of tuberculosis Meningitis	173 38 13	18 2 1	23 4 2	20 6 2	7 4 4	14 2	16 3	16 1 1	11 4 1	11 3	10 3	17 3	10 3 2 2 11
20-21 22 (23) 25	Pneumonia. Bronchopneumonia. Diarrhea and enteritis (under 2	43 167 80 120	1 7 22 12	2 3 16 9	6 23 11 2	5 27 6	6 20 4	4 11 3 8	2 9 7 30	1 3 4 27	3 8 5 22	2 8 3 7	2 9 9	2 11 7
(37) (33) 35 36	years). Diarrhea and enteritis (2 years and over). Congenital debility 1. Violent deaths (excluding suicide). Suicide. All other causes.	25 51 139 20 1,410	1 5 7 3 135	3 7 2 112	2 6 11	1 3 9 3 114	2 2 3 2 129	4 3 9 3 112	3 4 37 3 124	2 6 14	4 9 8 2 100	2 4 9 1 130	2 1 15 1 104	2 5 10
	GRAND RAPIDS, MICH.													
. 1	All causes Typhoid fever	1,580	147	159	178 8	165	117 2	92	129	124	121	109	127	112
3 5 6 7 8 9 13 14–15 17 20–21 22 (23) (23)	Typhoid fever Malaria Measles Scarlet fever Whooping cough Diphtheria and croup Influenza Tuberculosis of the lungs Other forms of tuberculosis Meningitis Bronehitis Pneumonia Bronehopneumonia Diarrhea and enteritis (under 2	18 6 6 12 5 101 27 13 30 96 40	4 2 4 1 8 2 2 3 17 12	1 2 2 1 8 1 3 1 17 4	1 1 19 5 2 4 15	5 1 12 4 1 6 22 6	2 1 9 1 1 5 5	7 2	4 1 1 9 2 2	1 5 1	1 2 3 1 2 2 2	7 5 1 2 6 2	2 1 7 1 3 7 6	7 2 2 1 4 1
(37)	Diarrhea and enteritis (2 years and	72		3	4	4	4	4	7	15	18	8	4	1
(33) 35 36	over). Congenital debility <sup>1</sup> Violent deaths (excluding suicide). Suicide. All other causes	11 50 63 25 972	2 6 7 3 74	1 2 4 1 106	5 6 96	1 2 3 5 91	3 6 3 72	1 5 2 62	2 1 11 2 84	· 1 9 5 4 79	1 7 5 1 77	1 4 2 67	5 6 1 82	1 5 5 1 82
	ST. PAUL, MINN. All causes	2,386	243	207	046	105	010	150		200				
1 3	Typhoid fever	2,380	· 3	201	246 3	185	212	158	206	203	165	181	173	207 5
5 6	Malaria	35	7	6	5				····i	2				
5 6 7 8 9 13 14–15	Whooping cough Diphtheria and croup Influenza Tuberculosis of the lungs Other forms of tuberculosis	22 72 12 245 50	2 10 4 32	1 6 4 22 6	3 7 3 21	1 5 19	3 5 21	1 1 6	6 8 23	2 9 11	3 1 4	2 4 20	1 3 20	7 1 5 1 26 2
20-21 22 (23)	Meningitis. Bronchitis. Pneumonia. Bronchopneumonia. Diarrhea and enteritis (under 2	28 33 130 73	4 2 7 27 27 12	1 14 9	6 1 4 20 7	6 2 7 9 13	4 6 14 10	3 3 5 2	· 2 8 3	5 3 1 4 3	3 1 2 4 2	3 3 8 2	3 2 9 3	2 1 8 7
(37)	Diarrhea and enteritis (2 years and	96	3	8	5	4	5	5	11	20	. 16	8	4	7
(33) 35 36	over). Congenital debility 1 Violent deaths (excluding suicide) Suicide All other causes	10 46 127 35 1,349	5 10 1 114	12 12 111 111	3 13 6 139 uding pr	2 11 1 99 emature	7 8 2 123 birth.	1 5 12 2 92	8 13 4 110	2 3 11 2 124	1 2 9 5 102	1 3 6 2 114	1 10 7 103	2 3 12 2 118

Table 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM CERTAIN IMPORTANT CAUSES, BY MONTHS, FOR THE REGISTRATION AREA, REGISTRATION STATES, AND CITIES OF 100,000 POPULATION OR OVER IN 1910: 1911—Continued.

o.#6		].						DEATHS (	OCCURRE	vg in—				
Abridged Internat. List No.	AREA AND CAUSE OF DEATH.	All deaths.	January.	Febru- ary.	March.	April.	May.	June.	July.	August.	Septem- ber.	October.	Novem- ber.	Decem- ber.
	REGISTRAT	ION CI	ries m	AVING	100,000	TO 2	50,000	POPU:	LATIC	N IN 18	910—Conti	inued.	!	
	KANSAS CITY, MO.													<del></del>
	All causes	3,961	403	332	378	375	314	316	318	341	255	292	315	322
1 3	Typhoid fever Malaria	77 4	9	9	5	5	3	1	5	7	5 1	11	8 1	9
5 6 7	Measles Scarlet fever Whooping cough	8 14 26	4	2 1 3	1 2 5	3 5	$\begin{array}{c} 1 \\ 2 \\ 4 \end{array}$	14	3 1	1 2	i			
8 9	Whooping cough Diphtheria and croup Influenza Tuberculosis of the lungs Other forms of tuberculosis	32 58	5 19	4 13	1 3	5 6	4 5	2		4	1 1	2 3	2 5 2	3 2
13 14-15	Tuberculosis of the lungs Other forms of tuberculosis	386 47	38 3	34 1 3	35 6	38 3	26 7	45 4	24 3	26 6	28 2	29 3 3	30 4 2	3 2 33 5 4 4 31
20-21 22-21	Meningitis. Bronchitis. Pneumonia	42 47 311	4 7 68	3 4 44	4 8 41	7 3 35	7 4 18	2 2 10	2 3 6	1 2 11	3 11	3 6 14	2 4 22	4
22 (23) 25	Bronchopneumonia Diarrhea and enteritis (under 2	72	14	10	8	5	5	3		1	3	2	14	7
(37)	years). Diarrhea and enteritis (2 years and over).	144 34	1	1	4	7	11	22	34	20	12	15	12	6
(33) 35	Congenital debility 1	78 320	8 23	4 4 19	3 6 18	6	2 5 31	2 6 23	4 9 48	5 9 34	4 8 23	3 10 26	3 5 16	2 2 27 5
36	Suicide	81 2, 180	9 190	5 170	222	32 10 204	$\begin{array}{c} 6 \\ 173 \end{array}$	6 183	$\begin{array}{c} 4\\172\end{array}$	11 201	9 143	3 162	7 178	5 182
	omaha, nebr.					·					!			
	All causes	1,812	233	145	174	177	134	147	151	120	130	128	140	133
1 3 5	Typhoid fever Malaria Measles		5	1	1	2	1	1	4	1	3	1	2	1
6 7	Scarlet fever	5 8 1	2	1 4	1	2 1 1	1						i	• • • • • • • • • • • • • • • • • • • •
8 9	Whooping cough Diphtheria and croup Induenza.	19 10	7	2	1 1	î	3	1	1	1	2	2	5	2
13 14-15	Tuberculosis of the lungs Other forms of tuberculosis Meningitis	124 24	18	13 1	17 3	12 1	14	9 2	7 3	9 2	3 4	8	7	7 2
20-21 22	Bronchitis Pneumonia.	30 15 132	6 3 32	18	2 2 25	4 4 14	10 5	10	4	3	i i	2 2 6	$egin{array}{c} 1 \\ 1 \\ 12 \end{array}$	2 3
(23) 25	Bronchopneumonia Diarrhea and enteritis (under 2	86	19	18	12	11	4	2	3	4	2		5	Ģ
(37)	years) Diarrhea and enteritis (2 years and over)	61 10	2 3	3	3	4	3	8	12	6	12	4	3	1
(33) 35 36	Congenital debility <sup>1</sup> Violent deaths (excluding suicide)	21 116	2 12	8	3 10	2 8	1 2 8	1 3 18	2 5 10	1 8	1 5	1 8	1 1 14	1 1 7
36	Suicide	40 1,087	5 114	2 74	91	106	78	89	3 95	5 78	2   94	87	2 85	4 96
1	PATERSON, N. J.						Ì		İ	Ì				
1	All causes	1,890	191	151	191	160	148	140	164	168	156	136	125	160
3 5	Typhoid fever Malaria Measles	9 1 2	1	1 1		i				1	1		2	2
6 7	Scarlet fever. Whooping cough Diphtheria and croup.	13 16	1 4	·····i	2 4	5 2	3	3 3	1	2 2	1			i
8 9 13	Diphtheria and croup Influenza. Tuberculosis of the lungs	21 13 218	4 5 17	$\begin{bmatrix} 2\\4\\12 \end{bmatrix}$	2	2 1 29	1	1				3	2	1
14–15 17	Other forms of tuberculosis	18 31	1 5	2	32 1 4	29	14	15	9 4	12	27 3	17 4 2	18 2 3	16 3 2
20-21	Bronchitis	18 123	5 17 12	1 12	4 2 2 <u>1</u>	1 25 7	3 7	4 1 6	5	·····i	1 2	1 6	2 11	3 2 1 10
(23) 25	Bronchopneumonia  Diarrhea and enteritis (under 2 years)	54   91	12	10	7   3	2	1 3	2	19	27	16	3 10	1	6 1
(37)	Diarrhea and enteritis (2 years and over)	22		1	2		1		4	8	4		1	
(33)	Congenital debility 1	43 124	10 10	6	3 5	2 4	10 10	10 10	9 28 2	8 12	12	7 7	9	1 2 11
. 36	Suicide All other causes	1,050	106	2 92	3 96	1 78	93	91	82	89	80	$\begin{bmatrix} 2\\74 \end{bmatrix}$	67	102
	ALBANY, N. Y.													
1	All causes	2,063	208	196	206	172	154	165	207	145	146	143	147	174
3 5	Typhoid fever Malaria Measles	19	1 .		1	2	1	1	2	2	4	2	2	1
6 i	Scarlet fever. Whooping cough. Diphtheria and croup.	1								1				
8 9 13	Diphtheria and croup Influenza Tuberculosis of the lungs	25   26   242	9	2 6 26	5 24	3 26	1 21	7	1 19	3	4	1	2 1 20	4 1 20
14-15 17	Other forms of tuberculosis	30 18	29 3 1 3	3 4	2 1	1	4	4	2 2	15 4 1	17	7	20 1 3	20 5 1
20-21	Bronchitis	11	3	<b>1</b> (	luding pr	1 !.	To 2-47-	ĩ١		ا 2	1	2	اا	········

<sup>&</sup>lt;sup>1</sup> Excluding premature birth.

Table 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM CERTAIN IMPORTANT CAUSES, BY MONTHS, FOR THE REGISTRATION AREA, REGISTRATION STATES, AND CITIES OF 100,000 POPULATION OR OVER IN 1910: 1911—Continued.

o.;;ed						-	]	DEATHS (	OCCURRI	1G IN—			<del></del>	
Abridged Internat. List No.	AREA AND CAUSE OF DEATH.	All deaths.	January.	Febru- ary.	March.	April.	May.	June.	July.	August.	Septem- ber.	October.	Novem- ber.	Decem- ber.
•	REGISTRAT	ION CI	ries h <i>i</i>	VING	100,000	TO 28	10,000	POPUI	LATIO	N IN 19	10—Conti	nued.		
-	ALBANY, N. Y.—continued.													
(23) (23) (37)	Pneumonia. Bronchopneumonia. Diarrhea and enteritis (under 2 years). Diarrhea and enteritis (2 years and	115 28 52	21 5	21 3	19 3	17 2 5	7 2 4	. 7 10	2 18	2 1 6	1 1 4	. 1	5 3	11 4 2
(33) 35 36	Over). Congenital debility <sup>1</sup> Violent deaths (excluding suicide). Suicide All other causes.	18 44 133 22 1,279	1 4 12 3 114	1 5 8 3 112	1 12 2 • 136	1 5 1 104	1 5 1 103	1 12 1 101	5 3 34 2 117	5 5 9 89	1 7 12 2 92	6 8 2 108	2 2 2 3 101	1 5 15 2 102
~	ROCHESTER, N. Y. All causes	3,271	280	291	317	293	299	217	292	251	288	242	233	268
1 3	Typhoid fever	24	1	1	1	1	2		2	3	4	4	1	4
5 6 7 8	Malaria. Measles. Scarletfever Whooping cough Diphtheria and croup Influenza. Tuberculosis of the lungs. Other forms of tuberculosis. Meningitis. Bronchitis	13 50 20 93	1 1 1 4	6	1 10 5 5 5	13 3 7	1 10 11	3 4 4 7	2 9	2 7^	1 1 13	1 3	1 1 15	7 2 2 8
13 14–15	Tuberculosis of the lungs Other forms of tuberculosis	. 253 46	4 15 2	2 31 5 2 5	35 2	2 23 5	27 5	19 6	22 2	17 5	16 7	16 3	18 2	14 2 1
20-21 22 (23) 25	menngus Bronchitis Pneumonia Bronchopneumonia Diarrhea and enteritis (under 2	13 54 132 132	9 15 24	2 5 11 13	8 18 15	1 6 13 14	7 7 21 10	1 1 3 7	5 7 4	2 6 4	3 11	1 4 5 6	1 17 10	1 6 13 14
(37)	years)	211 30	6	8 1	10 5	10	6	7	37	41	53	16	8	9
(33) 35 36	over) Congenital debility 1. Violent deaths (excluding suicide). Suicide All other causes	5 198 54 1,930	7 9 181	13 4 185	1 11 5 180	18 6 170	2 1 18 2 169	1 15 5 134	5 1 25 5 166	20 4 135	5 19 4 151	3 22 3 155	1 1 20 137	2 10 7 167
	SYRACUSE, N. Y.													
1	All causes Typhoid fever	2,027	160	175 3	157	191 4	183 4	149	187 2	154	161	159	178	173
3	Malaria Measles	16 37	1 2	3 8	4 4	3 6	4 4							••••••
7 8	Scarlet fever Whooping cough Diphtheria and croup	17 36	1 3	6	1	1	5	1 1 1 4	2 4	1 2 4	3	$\begin{bmatrix} 2\\1\\1 \end{bmatrix}$	<del>6</del>	2 3
9 13 <b>14–</b> 15	Influenza. Tuberculosis of the lungs Other forms of tuberculosis. Meningitis	6 136 25	14 3	1 11 1	7 3	1 12 7	14 2	14 4	12 2	13 1	7	6	1 15 2	11
20-21 22	Meningitis. Bronchitis. Pneumonia. Bronchopneumonia. Diarrhea and enteritis (under 2	19 39 118 52	12 7	2 1 17 7	3 1 7 11 6	1 7 11 4	2 3 13 3	3 2 4 3	2 2 1 5	4 2 2 2 2	2 2 5 3	1 3 11 2	2 1 2 15 6	4 16 4
(37)	years). Diarrhea and enteritis (2 years and	113	5	3	5	7	9	6	24	17	17	11	5	4
(33) 35 36	over) Congenital debility <sup>1</sup> Violent deaths (excluding suicide). Suicide. All other causes.	18 50 127 29 1,166	1 13 1 93	10 2 100	1 2 5 4 93	5 3 8 2 109	1 3 14 5 97	1 2 13 4 84	3 4 9 2 113	3 8 10 2 80	1 11 14 92	7 13 2 96	1 5 12 2 97	1 5 6 3 112
	columbus, ohio.													
	All causes	2,671	257	239	247	220	216	202	231	191	192	212	213	251
1 3 5	Typhoid fever Malaria Measles	· 26 2 21	2	6	1 11	2 1 1	1 2		1	8	4 1	2	2	3
6 7 8	Scarlet fever Whooping cough Diphtheria and croup Influenza	8 22 24	1	2	3	$\frac{1}{2}$	1 1 2	1 6	1 2 2	3 3	`2 1	1 1 2	2 1 6	1
13	Tuberculosis of the lungs	24 27 298	7 38	6 21	5 28 5	4 29	28 3	26	22	18 2	21	1 24	20	3 23
14-15 . 17 20-21	Other forms of tuberculosis.  Meningitis.  Bronchitis.	298 58 35 22	3 5 4	8 2 4	2 2	6 3 2 14	5	5 4 1	6 4 1	2 2	4 1 1	6	4 2 1	1 1 4 23 6 4 31 11
(23) 25	Pneumonia. Bronchopneumonia. Diarrhea and enteritis (under 2	133 94	12 15	19 6	21 16	7	13 6	4	5	3	4	7 4	15 13	
(37)	years) Diarrhea and enteritis (2 years and	70 19	1	2	2	3	1 2	3 2	18	10	15 1	7	6	2
(33) 35 36	over). Congenital debility ¹. Violent deaths (excluding suicide) Suicide. All other causes	43 187 45 1,537	2 22 2 142	3 14 7 138	2 6 5 138	133	2 19 5 124	24 7 113	9 24 4 125	12 12 115	10 3 113	1 23 3 129	10 10 3 122	2 2 15 5 145
		-, oo: n			uding pr			*****	)	***	110	120 1	100	

Table 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM CERTAIN IMPORTANT CAUSES, BY MONTHS, FOR THE REGISTRATION AREA, REGISTRATION STATES, AND CITIES OF 100,000 POPULATION OR OVER IN 1910: 1911—Continued.

Sed To.						=	I	EATHS (	CCURRIN	ig IN—		<del></del>		
Abridged Internat. List No.	AREA AND CAUSE OF DEATH.	All deaths.	January.	Febru- ary.	March.	April.	May.	June.	July.	August.	Septem- ber.	October.	Novem- ber.	Decem- ber.
	REGISTRATION	CITIE	S HAVI	NG FRO	)M 100	,000 T	O 250,	000 PO	PULA	TION I	N 1910—	Continued	•	<del></del>
	DAYTON, OHIO.										1			
	All causes	1,624	157	126	144	152	123	117	122	128	114	143	151	147
1 3	Typhold fever	22	1			1		1	2	3	1	2	9	2
5 6	Measles. Scarlet fever.	1					1							
7 8 9	Whooping cough. Diphtheria and croup	11 11	3	<u>i</u>	<u>i</u>	i			2 2	2	1	2	1 2	3
13 14–15	Influenza Tuberculosis of the lungs Other forms of tuberculosis	17 170 32	1 12 3	3 18 3	3 19 3	6 11 3	12 5	20 1	16	12 4	10 4	1 15 2	3 14 4	ii
17 20-21	Meningitis Bronchitis	15 15	4	1	2	2 3	2 3	1 2	·····i		*	2 2	1 2	
22 (23) 25	Pneumonia Bronchopneumonia	103 41	14 5	11 5	17 3	17 4	8 2	2 2	3	2 3	1 3	7 2	6	15 5
ſ	Diarrhea and enteritis (under 2 years)  Diarrhea and enteritis (2 years and	66	3	2	4	2	4	1	12	15	10	7	2	4
(37)		11 11	1	1		1				3	3	1	1	
(33) 35 36	Congenital debility 1. Violent deaths (excluding suicide) Suicide	99	9	6 2	1 3 5	10 2	6 3	8 2	1 10 3	1 8 1	5 10 2	$\begin{array}{c} 1\\7\\2\end{array}$	10 3	12 2 93
	All other causes	965	94	71	82	89	76	77	69	74	64	89	87	93
	TOLEDO, OHIO.				21.5	222		***				216		
1	All causes Typhoid fever	2,578	245	224	216	202	206	208	220	196	234	210	225 7	192
3 5	Malaria Measles	1								4		1		
6 7	Scarlet fever Whooping cough Diphtheria and croup	9 26	2			$\frac{1}{2}$	1 5	3	1 8	i	$\frac{1}{2}$		3 2	3
8	Influenza	25	5 8	2 2	5	4 5	2	1	1	4	12 1	2	2 2	. 4
13 14-15 17	Tuberculosis of the lungs Other forms of tuberculosis Meningitis	286 37 11	24 5	23 4	28 3	29 4 1	26 3	31 4 1	20 4	23	21 3 1	19 1 1	23 3 2 4	19 3
20-21 22	Bronchitis. Pneumonia.	41 109	2 6 16	4 9	2 13	3 12	$\frac{2}{6}$	1 4	1 3 4	1 2 4	38	6 9	2 4 14	1 5 10
(23) 25	Bronchopneumonia Diarrhea and enteritis (under 2	88	iĭ	13	12	6	· 7	9	ī	î	7	8	5	8
(37)	years) Diarrhea and enteritis (2 years and	118	7	3	5	5	8	3	14	22	22	15	7	7
(33) 35	over) Congenital debility <sup>1</sup>	21 10	2	1	3			3 1 10	2 1	3	$\frac{3}{1}$	,1	2	4 2 10
36	Violent deaths (excluding suicide). Suicide. All other causes	178 43 1, 492	15 1 138	13 5 141	17 1 119	12 116	17 1 126	8 129	29 6 123	17 4 110	14 1 130	15 6 121	9 6 134	105
·	PORTLAND, OREG.								_					
	All causes	2,390	230	194	240	213	205	189	183	178	196	186	184	192
1 3	Typhoid fever Malaria	42	1	1	2	3	3	1	3	3	7	6	7	5
5 6	Measles Scarlet fever	19 13	2 3	4 2	9	2	3	3	i	3				
7 8 9	Whooping cough Diphtheria and croup Influenza	6 27 19	3	3 1	3 4	4 4	2 3	1 3	4	1	1	ì	3	2 3 1
13 14–15	Tuberculosis of the lungsOther forms of tuberculosis	187 48	2 20 6	16 2	22 5	23 1	21 9	18	10 3	10	16 3	15 13	5 2	11
17 20–21	Meningitis Bronchitis	18 21	4 3	3	1 2	3 2	2	2		1	1 4		5 2 2 2 5	11 2 4 18 2
22 (23) 25	Pneumonia. Bronchopneumonia.	136 33	25 5	15 3	18 3	17 8	15 3	9	4	3 1	2 2	5 3	5 3	18 2
(37)	Diarrhea and enteritis (under 2 years). Diarrhea and enteritis (2 years and	62	1	2	2	2	2	3	8	. 15	20	2	1	4
(33)	over)	19 74		7	1 6	1 6	4	2 7	2 5	2 8	3 9	4	2 8	2 3 15
35 36	Buicide	182 76	14 11	13 6	16 9	12 2	13 7	18 5	24 8	15 8	18 4	14 4	10 6	6
	All other causes	1,408	123	116	136	123	118	112	111	107	106	115	128	113
	scranton, pa. All causes	1,974	161	150	163	187	154	134	228	150	170	151	164	162
1	Typhoid fever		2	2	1		1		1	1	4	5	1	1
3 5	Malaria	3		2		• • • • • • • • • • • • • • • • • • • •					·····i			
6 7 8	Whooping cough	9 6 17	5	4	2 1 1	1 1 2	1	<u>i</u>	1 1	i	1	1 1	2 1	2 1
9 13	Tuberculosis of the lungs	15 133	3 15	4 9	ii	3 10	15	10	1 10		11	14	8	······ <del>'</del>
14-15 17	Other forms of tuberculosis	17 15	3	1 1	1	3 1	1 2	2 2	. 1 2 3	13 3 2	1 1 2	1 1	1	
20-21 22	Bronchitis Pneumonia	48 152	6 12	6 14	8 26	20	2 14	2 9	$\frac{2}{3}$	3	2 4	1 9	20	3 5 18
				1 Ex	cluding p	rematur	e birth.							

Table 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM CERTAIN IMPORTANT CAUSES, BY MONTHS, FOR THE REGISTRATION AREA, REGISTRATION STATES, AND CITIES OF 100,000 POPULATION OR OVER IN 1910: 1911—Continued.

o.it.					17 16 16 16 16 16 16 16 16 16 16 16 16 16			DEATHS (	CCURRI	1G IN—			<del></del>	
Abridged Internat. List No.	AREA AND CAUSE OF DEATH.	All deaths.	January.	Febru- ary.	March.	April.	May.	June.	July.	August.	Septem- ber.	October.	Novem- ber.	Decem- ber.
	REGISTRATION	CITIE	S HAVI	NG FRO	)M 100	,000 T	O 250,0	000 PO	PULA	TION I	N 1910—	Continued	•	
	SCRANTON, PA.—continued.													
(23) 25	Bronchopneumonia.  Diarrhea and enteritis (under 2 years)	115 231	15 3	10 9	15 8	10 6	13 6	10 18	5 78	8 37	8 <b>31</b>	6 18	9 11	6
(37)	Diarrhea and enteritis (2 years and over)	24	1		1	2	1	2	7	5	. 2		2	1
(33) 35 36	Congenital debility 1 Violent deaths (excluding suicide) Suicide All other causes	24 236 12 898	18 1 77	20 67	1 10 77	2 30 90	23 • 1 70	13 5 60	1 18 96	3 22 2 49	21 1 78	1 18 75	3 20 1 75	23 1 84
	PROVIDENCE, R. I.													
	All causes	3,599	321	349	341	342	302	231	359	270	. 261	255	276	292
1 3	Typhoid fever Malaria Measles	28 1	1			2	1	1	2	4	5	5	4	3
5 6 7	Scarlet fever	10 31	3	4 8	3 3	5	1 2	2	2 1 7	3	1	1	2 4	3.
8	Whooping cough Diphtheria and croup Influenza	45 57 17	1 8 3	9	3 4	3 2 4	10 1	2 2	4	1	5 3 1	. 9	2 8 1	7
13 14–15	Other forms of tuberculosis	304 51	29 4	29 1	32 8	22 2	29 6	23 6	28 2	27 3	18 5	17 6	28 6	22 2
17 20–21 22	Meningitis Bronchitis Pneumonia	21 55 271	3 8	4 9 36	4 6 41	1 4	2 4 25	3 9	- 1	3 1	$\frac{1}{2}$	2 7		2
(23) 25	Bronchopneumonia Diarrhea and enteritis (under 2	112	29 17	17	20	48 7	6	10	9 7	6 3	8 4	15 7	. 19 . 8	26 6
(37)	years) Diarrhea and enteritis (2 years and	179	6	10	10	8	5	12	45	32	22	16	7	6
(33) 35	over) Congenital debility <sup>1</sup> Violent deaths (excluding suicide)	24 72 228	3 6 11	2 2 18	1 2 18	1 4 14	1 6 21	3 4 12	6 11 60	1 12 13	2 8 18	3 5 14	1 6 14	6
36	Suicide. All other causes	35 2,058	186	193	184	4 211	7 175	140	3 170	2 157	3 155	142	3 155	15 2 190
	memphis, tenn.													
	All causes	2,836	278	221	243	233	265	245	235	202	213	223	241	237
1 3	Typhoid fever Malaria	87 112	3 4	_1	2	2 3	3 9	2 11	11 8	22 19	20 19	11 21	7 12	4 5
5 6 7	Measles. Scarlet fever. Whooping cough.	* 37 3 21	12	14 1	7 · 1	3	1	5	6	1			3	
8 9	Influenza	21 22 35	4 6	3	1 5	7	1	1 1	2	3 2	4	i	5 5	3 2
13 14–15 17	Tuberculosis of the lungsOther forms of tuberculosis Meningitis	293 28 43	32 1 3	23 4	30 1	32	· 31 · 3 5	25 3	24	18 2	18 2	14 2	21	3 2 25 2 2 1
20-21 22	Bronchitis. Pneumonia	37 82	1 8	3 3 5	8 5 15	6 5 10	5 4 5	1 2	2 4 3	3 1 3	3	6 3 8 2	2 4 5 4	2 1
(23) 25	Bronchopneumonia. Diarrhea and enteritis (under 2	181	40	28	15 33	21	12	10	5	5	2		12	18 11
(37)	years) Diarrhea and enteritis (2 years and over)	120 49	3	3	2 1	8	18	28	14	8	14	12	9	. 4
(33) 35	Violent deaths (excluding suicide)	66 255	5 25	4 3 20	6 14	4 5 9	8 8 20	6 6 42	4 6 21	7 1 21	3 5 17	2 7 27	1 11 19	6 3 20
36	Suicide	26 1,339	5 122	102	112	114	131	102	5 117	1 85	4 99	107	1 120	3 128
İ	nashville, tenn.								٠, ا	1				
	All causes	2,285	192	190	230	197	260	212	208	134	152	176	157	177
1 3 5.	Typhoid fever: Malaria Measles	60 15 59	1 1 11	3	2	1 1 5	3 5 2	8 1	13 2	7 1	10 1	8 2	3 1	1
6 1	Scarlet fever	4 37	i	23	16 2 1	5	7	$\frac{2}{7}$	5		3	2	1 2	······································
8 9	Whooping cough Diphtheria and croup Influenza Tuberculosis of the lungs	9 40	12	2 7	10	1	····· <u>2</u>	····i	1	· 1		1	2	. 1
13 14-15 17	Other forms of tuberculosis	226 43 22	20	17 2 2 2	24 4 3	20 4 3	26 2 4	14 7 2	29 5	14 5	. 9	· 14	23 3 1	16 4
20-21 22	Bronchitis	19 208	2 26	1 27	3 34 7	1 1	1 17	2 3	3	$\begin{bmatrix} 2\\1\\4 \end{bmatrix}$	1	1 3 11	3 20	2 29
(23) 25	Bronchopneumonia	40	11	. 5	i	32 1	5			4 1	1	2	- 6	1
- 1	years) Diarrhea and enteritis (2 years and over)	138 40	1	2 1	4	1 2	32	35 9	21	16   6.	12	9	3	3
(33) 35	Violent deaths (excluding spicide)	. 49 136	1 9	8	4 24	6 12	5 18	6	3 6	2 6	7 9	9	5 4 8	4 2 16
36	Suicide	1,126	92	3 85	91	97	3 124	102	116	67	92	97	70	16 2 93
				1 Excl	uding pr	emature	birth. ·							

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM CERTAIN IMPORTANT CAUSES, BY MONTHS, FOR THE REGISTRATION AREA, REGISTRATION STATES, AND CITIES OF 100,000 POPULATION OR OVER IN 1910: 1911—Continued.

sed at.			-				101	EATHS O	CCURRIN	G IN-				1
Abrida Intern List N	AREA AND CAUSE OF DEATH.	All deaths.	January.	Febru- ary.	March.	April.	May.	June.	July.	August.	Septem- ber.	October.	Novem- ber.	Decem- ber.
	REGISTRATIO	7 CITI	ES HAV	ING FI	ROM 1	00,000	TO 25	0,000 1	POPUI	LATION	IN 191	.0—Contin	ued.	1
	RICHMOND, VA.													-
	All causes	2,718	221	198	251	206	228	250	273	220	198	229	228	216
135	Typhoid fever	23 2 11 3	1	1	1	1	3	3 2	5 2	3 1	4 1 1	2	2 1	2
. 6 7 8	Whooping cough. Diphtheria and croup. Influenza. Tuberculosis of the lungs.	41 13	3 2	3	9	3 2	5	5	6 1	5 1	1 1	$\frac{1}{2}$	3 1	1
9 13 14–15	InfluenzaTuberculosis of the lungsOther forms of tuberculosis	23 272 52	5 26 2	6 14 2	3 27 5	12 9	28 6	1 26 6	24 4	24 4	21 5	24 3	1 23 4	3 23 2
20-21 22	Meningitis. Bronchitis. Pneumonia.	14 41 119	1 9 17	6 14	3 4 23	1 4 14	1 3 11	2 3 2	3 2 2		2	1 3 7	4	3
(23) 25	Bronchopneumonia Diarrhea and enteritis (under 2	86	11	9	13	14	6	5	3	8 2	5	3	117	10 8
(37)	years) Diarrhea and enteritis (2 years and over)	205 32	1 2	3 1	2	1	6 2	54	50 7	24 4	33 2	27 3	3	3
(33) 35	Congenital debility 1	65 148	19	$\begin{array}{c} 5 \\ 12 \end{array}$	7 5	5 11	6 13	1 9 13	10 17	4 9	5 15	10 11	11	. 4 2 12 1
. 36	SuicideAll other causes	25 1,543	121	120	3 144	123	136	116	135	128	97	129	152	· 142
	SEATTLE, WASH.													
	All causes	2,234	214	211	233	185	194	178	<u>155</u>	182	185	159	167	171
1 3 5	Typhoid fever Malaria Measles	26 1 13	3	$\frac{2}{2}$	3	1 2	3	3 i	1	3 1	4 1	2	2	1
6 7	Sporter fever	7 19 22		$\frac{1}{2}$	2 3 1	3 4 2	1 1	1 4 1	3 2	2	<u>2</u>	1 3		
8 9 13	Whooping cough. Diphtheria and croup Influenza. Tuberculosis of the lungs.	17 233 73	1 3 24	4 27	21	1 21	2 23	1 20 2	16	14	5 2 22	12	2 16	17
14-15 17 20-21	Other forms of tuberculosis Meningitis Bronchitis	73 11 12	7	6 1 5 13	6 1 4	7 1 3	6	$\begin{array}{c c} 2 \\ 1 \end{array}$	8	8 2	1	3	9	7 1
22 (23) 25	Pneumonia. Bronchopneumonia. Diarrhea and enteritis (under 2	90 44	12 9	9	13 9	6 3	10 3	3 1	5 1	4 2	4 2	8 1	7	5 4
(37)	years). Diarrhea and enteritis (2 years and over)	60 19	3	2		4	2	5 2	7	. 14	14 2	5	2 2	5
(33) 35 36	Congenital debility 1	46 190 76	9 15 3 123	3 18 8 108	1 15 10 138	1 19 6 101	1 3 20 8 109	1 16 2 114	6 17 6 81	16 6 102	10 11 4 97	6 12 8 94	17 8	1 14 7
	All other causes	1,275	120	100	100	101	109	114	01	102	91	34	100	108
	All causes	1,299	133	95	114	114	127	93	88	108	. 107	100	115	105
1 3	Typhoid fever	40	6	1	2	1		1	3	3	10	4	7	2
5 6	Measles Scarlet fever	6 7	1 2 1	1	1	3 1	1 1		1 1		i			
7 8 9	Whooping cough. Diphtheria and croup. Influenza	8 9 10	3 2	4 4	2	1		2 1			1 7	i	2	1
13 14-15	Tuberculosis of the lungs Other forms of tuberculosis  Maningitis	96 27 7	6 2	9	14	11 2 2	13 7 1	7 5 1	5 1	5 2	7 3	7 1 1	3 3	9
20–21 22	Meningitis Bronchitis Pneumonia	5 97	2 18	1 9	11	1 8	 8 3	4	5	1 2	3	4	13 2	12
22 (23) 25	Bronchopneumonia. Diarrhea and enteritis (under 2 years)	42 46	8	3 1	3 2	9	3 5	1	2 6	4 17	7	1	2 2	3 1
(37)	Diarrhea and enteritis (2 years and over)	13	1		1	2	2	1	1	1	1	1		
(33) 35 36	Congenital debility <sup>1</sup> . Violent deaths (excluding suicide) Suicide All other causes	23 89 33 741	2 8 4 66	1 6 3 49	2 2 1 72	12 3 54	1 6 3 76	1 7 1 61	2 5 3 53	3 11 4 55	3 9 61	2 7 67	1 7 6 69	2 3 9 5 58

<sup>&</sup>lt;sup>1</sup> Excluding premature birth.

		<u> </u>	li													
ed onal o.		Total			•				DEATHS	AT AGE O	F—					
Abridged International List No.	AREA AND CAUSE OF DEATH.	deaths under 1 year of age.	Less than 1 day.	1 day.	2 days.	3 to 6 days.	Less than 1 week.	1 week.	2 weeks.	3 weeks but less than 1 month.	Less than 1 month.	1 month.	2 months.	3 to 5 months.	6 to 8 months.	9 to 11 months.
			•	<u>'</u>		SUMI	MARY.		•						<i></i>	<del>'</del>
	PTT PEGTORP (PTC)   PT(	1	<u> </u>		1		1	<u> </u>	1	1				<u> </u>	1	<del></del>
	THE REGISTRATION AREA.	149,322	18,074	7,641	4,863	10,305	40,883	9,401	7,024	5,584	62,892	14,483	11,767	26,320	19,134	14,726
5 6 7 8 9 (12)	Measles. Scarlet fever. Whooping cough. Diphtheria and croup Influenza. Dysentery. Erysipelas.	1,319 243 3,687 887 660 626	1	2 1 3 1 1	1 2 1 2 3 1	5 1 7 17 17 7	15 4 11 21 21 8	20 3 22 20 29 17	25 4 85 34 33 15	16 3 139 17 49 16	76 14 257 92 132 56	54 5 502 59 99 46	46 6 435 46 71 54	174 35 907 130 146 187	420 73 850 218 117 165	549 110 736 342 95 118
(12) (37) 13 14 15 (37)	Eryspeiss Tetanus Tuberculosis of the lungs Tuberculous meningitis Other forms of tuberculosis Syphilis Meningitis	744 398 981 1,166 453 1,787 2,757	1 2 1 2 102 2	6 5 2 42 7	16 3 1 39 13	5 145 11 8 4 73 103	6 169 20 9 8 256 125	42 185 18 5 10 141 93	88 20 7 10 13 161 81	72 4 13 10 11 135 51	208 378 58 34 42 696 350	158 3 62 49 44 318 187	88 4 89 60 42 253 174	142 7 277 296 134 339 550	101 5 242 373 100 129 553	47 1 253 354 91 52
(37) 19 20 22 (23) 24	Convulsions Organic diseases of the heart Acute bronchitis. Pneumonia. Bronchopneumonia. Diseases of the stomach Diarrhea and enteritis	3,643 853 3,589	133 107 7 14 29 11	2 42 7 187 54 20 45 53 17	220 62 30 77 83 42	536 113 119 242 263 171	1,076 336 176 378 428 241	93 425 70 217 347 465 202	251 58 245 326 477 184	176 33 194 311 446 174	1,928 497 832 1,362 1,816 801	384 85 580 808 1,220 500	242 71 372 675 958 361	516 98 803 1,669 2,468 667	350 57 565 1,482 2,197 376	443 223 45 437 1,315 1,993 203
25 (33) (33) (33,37) (37) 35	Maiformations. Premature birth Congenital debility Injuries at birth. External causes. All other causes.	7,879 23,539 18,580 4,573 1,935	39 1,552 10,794 2,425 2,156 87 208	51 911 3,700 1,231 790 83 226	99 752 1,572 857 488 58 300	546 1,371 2,540 2,018 727 120 883	735 4,586 18,606 6,531 4,161 348 1,617	1,081 796 2,155 1,709 264 96 743	1,324 471 1,079 1,213 75 75 521	1,252 318 637 915 30 80 384	4,392 6,171 22,477 10,368 4,530 599 3,265	4,346 570 667 2,333 31 232 923	4,332 281 195 1,887 12 189 679	11,344 463 140 2,600	7,787 258 53 946 275 1,302	5,378 136 7 446 282 991
38	Diseases, ill-defined or unknown	8,759 2,314	394	203	141	253	991	223	149	98	1,461	218	145	1,599 271	140	79
	REGISTRATION STATES. <sup>1</sup> All causes	134,949	16,611	7,018	4,415	9,248	37,292	8,410	6,371	5,048	57,121	19 007	10 500	23,624	17,175	10 050
5	Meagles	1,224	7	2 1	2,210	5	14		25	13	72	13,097 51	10,582	160	392	13,350 505
5 6 7 8 9 22 23 23 23 24 24 24 24 24 24 24 24 24 24 24 24 24	Scarlet fever Whooping cough Diphtheria and croup Influenza. Dysentery Erysipelas Tetanus Tuberculosis of the lungs	222 3,393 803 603 545 703 239 922	1 1 1 1 1	1 3 1 1 5 4	2 1 2 2 1 1 3	17715 1565 869	4 11 19 18 7 6 103	20 21 20 26 13 39 104 17	79 31 28 9 86 14	3 130 16 48 15 66 4	13 241 86 120 44 197 225 54	5 471 51 88 35 146 3	6 405 41 62 50 85 2 79	33 820 118 135 168 138	66 774 196 110 143 92 3 224	99 682 311 88 105 45
14 15 (37) 17 (37) 19 20	Tuberculous meningitis. Other forms of tuberculosis. Syphilis. Meningitis. Convulsions. Organic diseases of the heart. Acute broachitis.	1,099 422 1,542 2,052 3,368 796 3,421	2 87 2 120 99 6	2 37 5 180 46 19	32 12 198 58 28	59 96 490 105 108	17 9 8 215 115 988 308 161	5 9 121 85 381 66 208 309 424	7 9 13 131 75 230 56 239	13 10 10 115 47 164 31 185	33 40 582 322 1,763 461 793	62 48 40 274 174 369 78 551	57 41 226 162 222 68 356	263 280 118 300 503 486 94 773	346 94 115 499 320 53 531	240 335 89 45 392 208 42 417
(23) 24 25 (33) (33) (33,37)	Pneumonia. Bronchopneumonia. Diseases of the stomach Diarrhea and enteritis Malformations. Premature birth. Congenital debility Injuries at birth.	6,490 9,554 2,738 32,877 7,324 21,639 16,877	14 28 11 23 1,438 9,941 2,212	33 47 14 36 851 3,414 1,108	64 74 40 71 710 1,433 764	205 235 160 440 1,270 2,315 1,811	316 384 225 570 4,269 17,103 5,895	309 424 188 887 744 1,963 1,542	284 430 175 1,137 442 1,005 1,099	284 400 167 1,057 295 593 838	1,193 1,638 755 3,651 5,750 20,664 9,374	725 1,097 475 3,792 526 612 2,148	582 855 341 3,798 262 176 1,724	1,484 2,193 635 9,958 426 131 2,366	1,315 1,965 337 6,889 237 50 862	1,191 1,806 195 4,789 123 6 403
(37) 35 38	Injuries at birth External causes All other causes Diseases, ill-defined or unknown CITIES IN REGISTRATION STATES.1	4,176 1,767 8,040 2,113	1,978 76 194 369	742 69 211 187	445 49 277 137	643 112 811 227	3,808 306 1,493 920	240 85 691 200	69 68 489 137	27 75 352 90	4,144 534 3,025 1,347	25 210 850 191	7 175 623 133	329 1,460 248	253 1,187 122	266 895 72
	All causes	77, 419	8,597	3,907	2,442	4,822	19,768	4,343	3,569	2,821	30,501	7,674	6,327	14,136	10,570	8,211
5 6 7 8 9 (12) (12)	Measles. Scarlet fever. Whooping cough Diphtheric and croup. Influenza. Dysentery. Erysipelas.	697 134 1,551 464 152 213 448	2	1	i 1	2 1 4 1 3	4 3 4 2 3 1 2 57 6	10 1 8 3 1 3 21 52 7	9 3 19 11 5 4 53 10	4 2 49 6 14 4	27 9 80 22 23 12 120 120 24 19 18 477	13 2 195 20 15 15 98	17 2 177 21 17 21 17 21 52	79 12 354 59 36 69 83	244 41 376 122 31 59 65	317
(1987) # 14 (1877) 17 (1877)   17 (1877)	Convulsions	126 479 726 226 1,260 1,033 1,756	1 67 1 60	4 2 1 33 4 98	6 1 1 22 5 95	47 3 5 47 44 224	6 2 169 54 477	52 7 5 5 101 30 164	10 4 4 5 112 29 117	. 44 1 7 4 6 95 28	141	195 20 15 15 98 22 23 18 230 86 204	1 41 30 25 185 77 105	185 60 240 255 284	117 232 52 95 267	68 369 220 30 37 30 1 138 237 53 33 207 127 22 295 1,313
(37) 19 20 22 (23) 24 25 (33)	Acute bronchitis	403 2,106 3,375 6,352	48 4 8 19 1 10 708	98 22 13 17 32 5 21 438	22 5 95 24 18 37 48 19 43 379	56 72 94 150 74 232 654	150 107 156 249 99 306 2,179	101 30 164 30 117 137 233 91 519 381	27 146 132 258 75 723 236	4 6 95 28 81 15 103 124 248 69 660 150	839 222 473 549 988 334 2,208 2,946	45 320 334 660 212 2,570 285	36 213 266 524 153 2,537 145	44 479 776 1,485 282 6,409 227	34 326 730 1,382 164 4,448 137	22 295 720 1,313 83 2,970
				:	Includ	les Dist <del>r</del> i	-				•				-	•

15		m. 4.1					<del></del>	•	DEATHS	AT AGE C	)F					
Abridged International List No.	AREA AND CAUSE OF DEATH.	Total deaths under 1 year of age.	Less than 1 day.	1 day.	2 days.	3 to 6 days.	Less than 1 week.	1 week.	2 weeks.	3 weeks but less than 1 month.	Less than 1 month.	1 month.	2 months.	3 to 5 months.		9 to 11 months.
<u> </u>					SUM	MARY	Z-Conti	nued.						,		
	CITIES IN REGISTRATION STATES Continued.															
(33) (33,37) (37) 35 38	Premature birth Congenital debility Injuries at birth External causes All other causes Diseases, ill-defined or unknown	12,009 9,598 2,566 944 4,278 348	5,216 1,042 1,206 46 102 55	1,976 605 457 46 107 24	845 425 274 26 143 29	1,292 904 405 56 418 33	9,329 2,976 2,342 174 770 141	1,096 768 145 48 342 25	629 595 47 33 261 22	366 484 17 40 190 10	11,420 4,823 2,551 295 1,563 198	368 1,334 11 114 449 30	112 1,115 4 87 340 24	77 1,506 170 773 52	28 571 146 676 30	132 477 14
	RURAL PART OF REGISTRA- TION STATES.												4.077	0.400	0.007	r 100
5	All causes	57,530	8,014	3,111	1,973	4,426	17,524	4,067	2,802	2,227	26,620	5,423	4,255	9,488	6,605	5,139
6 7 8 9 (12) (37) 13 14 15 (37) 17	Measles. Scarlet fever Whooping cough Diphtheria and croup Influenza. Dysentery. Erysipelas. Tetanus. Tuberculosis of the lungs. Tuberculous meningitis. Other forms of tuberculosis. Syphilis. Meningitis.	88 1,842 339 451 332 255 113 443 373 196 282 1,019	1 1 1 1 20 1	3 1 2 1 4 1	1 1 2 2 2 5 2	3 14 12 6 4 39 6 3 4 12 52	1 77 17 15 6 4 48 11 3 6 46 46	1 13 17 25 10 18 52 10 4 20 55	1 60 20 23 5 33 4 3 5 8 19	1 81 10 34 11 22 3 6 6 4 20	4 161 64 97 32 77 105 30 14 22 105 181	38 37 276 31 73 20 48 2 40 25 22 44 88	228 20 45 29 33 1 38 27 16 41 85	21 466 59 99 99 55 2 126 95 58 60 248 202	25 398 74 79 84 27 3 107 114 42 20 232 123 19	188 311 313 91 58 68 115 102 98 36 12 185 20 122 471
(37) 19 20 22 (23) 24 25 (33) (33) (37) (37) 35	Convelsions Organic diseases of the heart Acute bronchitis Pneumonia Bronchopneumonia Diseases of the stomach Diarrhea and enteritis Malfornations Premature birth Congenital debility Injuries at birth External causes All other causes Diseases, ill-defined or unknown	1,612 393 1,315 3,115 3,202 1,510 11,735 3,519 9,630 7,279 1,610 823 3,762 1,765	60 51 2 6 9 10 13 730 4,725 1,170 772 30 92 314	82 24 6 16 15 9 15 413 1,438 503 285 23 104 163	103 34 10 27 26 21 28 331 588 339 171 23 134 108	266 49 36 111 85 86 208 616 1,023 907 238 56 393 194	511 158 54 160 135 126 264 2,090 7,774 2,919 1,466 132 723 779	217 36 91 172 191 97 368 363 867 774 95 37 349 175	113 29 93 152 172 100 414 206 376 504 22 35 228 115	19 83 16 82 160 152 98 397 145 227 354 10 35 162 80	924 239 320 644 650 421 1,443 2,804 9,244 4,551 1,593 1,462 1,149	281 231 231 391 437 263 1,222 241 244 814 96 401 161	117 32 143 316 331 188 1,261 117 64 609 3 88 283 109	202 50 294 708 708 353 3,549 199 54 860 159 687 196	123 199 205 585 583 173 2,441 100 22 291 107 511 92	81 20 122 471 493 112 1,819 58 2 154 418 58
	REGISTRATION CITIES IN OTHER STATES.												7 707	0.000	1 070	7 070
_	All causes	14,373 95	1,463	623	448	1,057 =====	3,591	991	653	536	5,771	1,386	1,185	2,696	1,959	1,376
(12) (12) (37) 13 14	Measles Scarlet fever Whooping cough Diphtheria and croup Influenze Dysentery Erysipelas Tetanus Tuberculous of the lungs Tuberculous meningitis Other forms of tuberculosis	21 294 84 57 81 41 159 67	1	, 1 1	1 5	2 2 2 1	2 3 1	1 1 3 4 3 81 1	6 3 5 6 2 6	9 1 1 1 6	16 6 12 12 11 153 4 1	31 8 11 11 12	30 5 9 4 3 2 10 3	2 87 12 11 19 4 2 14 16 16	28 7 76 22 7 22 9 2 18 27	13 13 13 13 13 19 2
15 (37) 17 (37) 19 20 22 (23) (24 25 (33) (33) (33,37) (37)	Syphilis. Meningitis. Convulsions Organic diseases of the heart. Acute bronchitis. Pneumonia. Bronchopneumonia. Diseases of the stomach Diarrhea and enteritis. Melformations. Premature birth. Congenital debility Injuries at birth.	245 205 275 57 168 821 1,098 170 4,702 555 1,900 1,703 397	15 13 8 1 1 16 114 853 213 178	5 2 7 8 1 12 6 3 15 60 286 123 48	712442392284393349 139349	14 7 46 8 11 28 11 106 101 225 207 84	41 10 88 28 15 62 44 16 165 317 1,503 636 353	23 8 44 9 38 41 194 192 167 24	30 6 21 6 42 6 47 9 187 29 114 6	20 44 12 9 27 46 7 195 244 77 35	114 28 165 36 169 178 46 741 421 1,813 994 386	44 13 15 7 29 83 123 25 554 44 55 185	27 12 20 3 16 93 103 20 534 19 163 5	39 47 30 4 30 185 275 32 1,386 37 9	14 54 30 4 34 167 232 39 898 21 3 84	51 15 3 20 124 187 8 589 13 1
35 38	External causes. All other causes. Diseases, ill-defined or unknown ALL REGISTRATION CITIES. <sup>1</sup>	168 719 201	11 14 25	14 15 16	9 23 4	8 72 26	42 124 71	11 52 23	7 32 12	32 8	65 240 114	22 73 27	14 56 12	29 139 23	22 115 18	16 96 7
5	All causes	91,792 792	10,060	4,530	2,890	5,879	23,359	5,334	4,222	3,357 7 2	36,272	9,060	7,512	16,832	12,529 272	9,887
6 7 8 9	Scarlet fever Whooping cough Diphtheria and croup Influenza Dysentery Erysipelas Tetanus Tuberculosis of the lungs Tuberculosis meningitis	155 1,845 548 209 294 489 285 538 793	1 1	1 1 5 3	1 1 1 11 1	1 4 3 5 1 106 5	3 4 4 6 2 2 123 9 6	2 9 3 4 7 24 133 8 5	25 14 10 10 55 16 4 5	2 58 7 15 5 50 1 7	10 96 28 35 24 131 273 28 20	2 226 28 26 26 110 1 22 24	2 207 26 26 25 55 3 51	14 441 71 47 88 87 5 151 201	48 452 144 38 81 74 2 135 259	361 79 423 251 37 50 32 1 151 256
	•				<sup>1</sup> Includ	es Distri	ict of Col	umbis.								

		•				by su	******									
								. ,	DEATHS	AT AGE O	F—		-			
Abridged International List No.	AREA AND CAUSE OF DEATH,	Total deaths under 1 year of age.	Less than 1 day.	day.	2 days.	3 to 6 days.	Less than 1 week.	1 week.	2 weeks.	8 weeks but less than 1 month.	Less than 1 month.	1 month.	2 months.	3 to 5 months.	6 to 8 months.	9 to 11 months.
-		•		,	SUI	MAR.	<b>¥</b> —Cont	inued.				-				
-	ALL REGISTRATION CITIES—									•						·
15 (37) 19 22 (23) 24 24 24 23 (33) (33) (33,37) (37) 36	Other forms of tuberculosis Syphilis. Meningitis. Convulsions Organic diseases of the heart Acute bronchitis Pneumonia. Bronchopneumonia. Diseases of the stomach Diarrhea and enteritis Malformations. Premature birth. Congenital debility Injuries at birth. External causes. All other causes. Diseases, ill-defined or unknown.	257 1,505 1,238 2,031 4,196 4,196 7,450 25,844 4,309 11,301 2,963 11,301 4,997 549	1 82 73 55 8 20 1 26 8,069 1,255 1,384 80	1 38 6 105 30 14 29 38 36 498 2,262 728 505 60 122 40	29 6 117 28 20 50 57 21 421 984 518 317 35 166	61 51 270 64 83 131 178 85 338 755 1,517 1,111 489 490 59	2 210 64 565 178 122 218 293 115 471 2,496 10,832 2,695 894 212	6 124 38 208 34 126 175 274 105 713 433 1,288 935 169 394 48	5 142 35 138 29 152 174 305 84 910 265 703 703 40 293 34	7 115 32 93 17 112 161 294 76 855 173 410 561 20 45 222 18	20 591 1,004 258 512 718 1,166 3,80 2,949 3,367 13,233 5,817 2,937 3,00 1,803 312	22 274 99 219 52 349 417 783 783 3, 124 329 423 1, 519 17 136 522 57	26 212 89 125 39 229 359 627 173 3,071 164 131 1,278 9 101 396 36	76 279 302 314 48 509 961 1,760 314 7,795 264 86 1,740	58 109 321 227 38 360 897 1,614 203 5,346 158 31 655 168 791 48	55 40 258 142 25 315 315 91 3,559 78 5 5 292 148 573 21
		·		F	EGIS	TRAT	ION 8	STAT	es.		<u>''</u>	<u> </u>	•	·	•	·
	CALIFORNIA.															
	All causes		469	191	136	283	1,079	233	176	134	1,622	368	280	616	355	283
5 6 7 8 9 (12) (12) (13) 13 14 15 (37) (37) (20) 22 22 22 23 (33) (33) (33,37) (37) (37) (37) (37) (37) (37) (37) (	Meningitis. Convulsions. Organic diseases of the heart. Acute bronchitis. Pneumonia. Bronchopneumonia. Diseases of the stomach. Diarrhea and enteritis. Malformations. Premature birth. Congenital debility	22 966 13 18 299 17 5 65 49 222 218 218 218 933 758 268 666 634 344 124	4 2 2	1 2 2		ii	3 3 5 17 7 3 11 15 7 7 17 154 491 163 113 7 52 5	2 2 2 2 3 6 8 8 2 14 11 6 25 23 5 40 6 5 20 1	1 2 1 2 1 1 3 3 11 1 19 4 4 37 16 4 4 1 1 3 13	1 2 2 2 2 2 3 3 2 5 9 5 31 12 2 2 14 1 1 6	1 1 1 4 4 5 3 1 17 18 29 10 9 44 222 110 205 611 • 238 124 91 6	1 1 22 2 2 4 3 3 2 12 12 12 14 20 22 24 24 24 24 22 22	11 3 4 7 7 13 7 7 1 9 4 2 2 4 6 6 20 22 21 17 7 7 7 7 7 14	25 22 5 9 1 16 11 17 18 12 24 44 46 63 227 224 10 622 3	18 2 6 5 1 12 16 7 4 14 3 2 2 3 2 16 3 3 3 10 30	111 6 1 3 1 182 1 1 3 2 2 5 7 4 1 6 8 2 6 6 2 2 1 1 2 4 1
	All causes	1,818	284	79	58	138	559	151	71	62	843	182	133	291	221	148
5 6 6 8 8 9 9 9 12 12 13 14 15 15 17 (37) 12 20 22 22 (23) (33) (33) (33,37) (37) 35 38	Whooping cough Diphtheria and croup Influenza Dysentery. Erysipelas Tetamus Tuberculosis of the lungs. Tuberculosis of the lungs. Tuberculous meningitis. Other forms of tuberculosis. Syphilis. Meningitise. Convulsions. Organic diseases of the heart. Acute bronchitis. Pneumonia. Bronchopneumonia. Diseases of the stomach Diarrhea and enteritis. Malformations. Premature birth. Congenital debility Injuries at birth External causes. All other causes.	12 12 15 3 29 46 46 15 12 48 146 141 - 20 358 110 348 256 41 116	1 2 1 2 2 25 193 43 16	1 1 1 1 1 1 1 10 34 16 6 1 6	3 2 2 2 11 14 18 4	12 4 4 5 22 7 1 3 22 4 27 6 29 9	3 2 10 2 8 5 5 8 2 25 104 32 2 3 1 9 3	1 3 3 3 3 3 3 3 9 9 2 11, 12, 34, 34, 7	1 2 1 1 2 2 2 1 1 3 4 13 9 4 4 3 14 2 14 4 4	2 3 1 1 3 6 7 7 4 9 13	1 2 1 3 2 3 3 2 3 1 5 6 17 23 331 4 32 931 165 41 6 37 4	2 4 1 1 4 3 2 2 4 5 7 7 10 28 1 7	3 3 3 1 1 5 3 2 9 14 11 4 39 12 27	2 88 8 1 6 15 29 35 5 6 10 8 5 3 25 6 12 2 12 2 12 2 12 2 12 2 12 2 12 2	9 22 11 1 1 1 2 2 3 3 1 4 8 8 8 8 8 2 2 0	11 10 2 1 1 2 1 2 1 2 1 1 9 1 1 1 1 1 1 1 1 1

Table 9.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM IMPORTANT CAUSES, DURING EACH OF THE FIRST THREE DAYS OF LIFE, THE REMAINDER OF THE FIRST WEEK, WEEKS OF THE FIRST MONTH, MONTHS OF THE FIRST QUARTER, AND REMAINING QUARTERS OF THE FIRST YEAR, FOR THE REGISTRATION AREA, REGISTRATION STATES, AND CITIES OF 100,000 POPULATION OR OVER IN 1910: 1911—Continued.

	•								DEATHS	AT AGE O	r					<del></del>
Abridged International List No.	AREA AND CAUSE OF DEATH.	Total deaths under 1 year of age.	Less than 1 day.	1 day.	2 days.	3 to 6 days.	Less than 1 week.	1 week.	2 weeks.	8 weeks but less than 1 month.	Less than 1 month.	1 month.	2 months.	8 to 5 months.		9 to 11 months
				REG	ISTR	ATIO	n sta	TES-	-Contin	ued.		· · · · · · · ·				
	_ CONNECTICUT.															
5	All causes		370	208	113	210	901	172	172	125	1,370	312	272	552	391	346
6 7 8 9 (12) (12)	Messles. Scarlet fever. Whooping cough. Diphtheria and croup. Influenza. Dysentery. Erysipelas.	94				i	1	1 1	i	3	4 2 3	18 2 3	5 2 2	27 4 1 2	9 5 18 7 3 2	10 3 22 10
(37) 13 14	Tuberculosis of the lungs	3 13				$\begin{array}{c} 1 \\ 2 \\ 1 \end{array}$	1 2 1	2 	3	1 1 1	7 3 2	6	2	2 4	4 3	3
145 (37) 177) 199 200 222 (33) (33) (33) (35) (35) (35) (35) (35)	Tuberculous meningitis. Other forms of tuberculosis. Syphilis. Meningitis. Convulsions. Organic diseases of the heart. Acute bronchitis. Preumonia. Bronch opneumonia. Diseases of the stomach. Diarrhea and enteritis. Malformations. Premature birth. Congenital debility. Injuries at birth. External causes. All other causes. Diseases, ill-defined or unknown	17 77 85 16 83 181 147 776 152 501 509 146 38 192	1 1 4 1 27 203 39 85 2 3 4	7 1 1 2 1 2 23 105 32 20 5 8	1 3 6 1 2 2 2 3 9 46 17 14	4 18 1 2 6 4 27 48 52 17 2 2 21 2	2 7 32 7 3 9 4 3 9 86 401 140 136 9 39 9	2 2 7 1 5 10 6 3 17 14 35 47 6	3 2 5 7 7 7 5 6 34 11 25 38 2	3 4 2 2 6 3 1 25 9 12 37 1 2 8 2 2 8	7 14 48 10 17 32 13 85 120 473 262 145 11 76	2 3 10 2 15 16 13 6 92 9 21 62 20 2	32394269196 196 111886558 11224	5 23 3 25 11 17 34 38 10 223 10 2 84	6 4 2 13 7 11 35 34 3 163 4 27 6 23 2	11 2 13 5 17 17 45 28 4 125 3 16
	INDIANA.	r 200	701	000	21.0		1 000	,,,,		070			250			10.4
5 6 7 8 9 9 (1212) (377) 114 115 (377) 129 222 (23) 244 25 (333) (33,377) 35 38	All causes.  Measles Scarlet fever Whooping cough Diphtheria and croup Influenza Dysentery Erysipelas Tetamus Tuberculosis of the lungs Tuberculosis of the lungs Tuberculosis of the lungs Syphilis Meningitis Convulsions Organic diseases of the heart Acute brouchitis. Bronchopneumonia Bronchopneumonia Bronchopneumonia Bronchopneumonia Bronchopneumonia Premature birth Congenital deblity Injuries at birth External causes All other causes All other causes Diseases, ill-defined or unknown	47 6 166 26 35 39 19 20 51 53 28 64 64 66 36 36 34 38 31 105 248 33 1,274	731 1 35 1 4 2 3 108 447 82 61 1 2 4		213 2 3 3 5 5 67 27 29 11 12 2	491 1 2 4 3 3 9 6 5 18 16 14 41 78 182 166 38 38 4 39 2	1,827 3 1 2 4 8 2 2 4 23 15 7 7 23 183 52 31 52 31 52 31 52 31 52 31 52 31 52 31 52 31 52 31 52 31 53 54 55 56 57 57 57 57 57 57 57 57 57 57	22 11 11 4 8 5 2 2 2 1 25 12 54 4 4 15 15 13 15 14 15 15 15 15 15 15 15 15 15 15 15 15 15	259 1 9 1 1 1 1 1 3 5 5 2 2 8 1 9 1 9 2 8 8 1 4 4 4 3 2 5 5 4 4 9 9 1 9 2 2	212 4 11 13 14 14 11 28 12 49 21 23 15 1 4 21	2,727 3 1 16 6 3 7 7 4 3 3 20 29 12 29 29 104 58 199 301 1,016 315 207 28 182 11	457 22 3 4 4 1 4 14 12 1 3 15 7 44 4 133 25 26 33 33 25 25 25 25 25 25 25 25 25 25	358 13 12 23 2 2 7 7 8 2 2 15 15 18 29 20 20 145 13 19 27 27 27 27 27 29 20 20 20 20 20 20 20 20 20 20	797  11 22 53 29 915 21 13 11 16 10 16 12 19 47 64 32 383 21 46 16 12 44 2	11 22 7 8 9 4 4 17 1 23 23 24 24 24 24 25 22 12 7 7 45	464  16 10 10 10 5 7 4 16 15 11 12 42 53 10 192 2 2 8 34 1
	All causes	5,373	939	232	167	370	1,708	430	235	196	2,569	465	349	832	617	541
5 6 7 8 9 (12) (12) (37) 14 15 (37) 20 22 (23) 24 5 (33) (33)	Measles. Scarlet fever. Whooping cough Diphtheria and croup. Influenza. Dysentery. Erysipelas. Tetanus. Tuberculosis of the lungs. Tuberculous meningitis. Other forms of tuberculosis Syphilis. Meningitis. Convulsions. Organic diseases of the heart. Acute bronchitis. Pneumonia. Bronchopneumonia Diseases of the stomach. Diarrhea and enteritis. Malformations. Premature birth.	78 6 219 93 14 21 17 97 52 36 26 204 110 18 83 237 192 729 969	1 5 3 3 60 5556	1 1 1 2 1	1 1 1 2 4 7 3 3 1 1 1 1 8 4 4 2	1 4 1 2 3 3 1 1 1 1 1 2 3 3 3 3 3 3 3 3 3 3	3 4 1 1 2 2 4 2 2 1 2 4 37 9 9 5 12 8 7 7 130 794	3 8 1 11 2 2 1 8 25 5 12 12 8 8 30 89	1 7 8 1 1 1 13 13 8 1 15 9 8 29	10 22 11 12 1 21 56 14 13 7 7 7 21 9	11 23 22 1 3 4 16 6 4 4 8 6 9 76 11 20 41 38 27 66 117 926	9 33 9 5 17 19 4 4 4 4 4 4 4 4 19 19 19 19 19 19 19 19 19 19 19 19 19	5 28 6 1 7 1 1 6 3 4 4 3 14 2 2 10 2 12 14 6 6 2 17 17 17 17 18 18 18 18 18 18 18 18 18 18 18 18 18	9 11 46 19 3 12 7 7 28 17 9 8 49 13 22 20 52 48 26 227 13 9	19 3 48 16 4 18 2 26 3 47 6 15 44 44 15 16 44 44 44 44 44	25 11 41 21 13 22 12 5 5 2 35 5 1 14 4 54 31 12 12 12 12 12

									DEATHS	AT AGE (	)F					
Abridged International List No.	AREA AND CAUSE OF DEATH.	Total deaths under 1 year of age.	Less than 1 day.	1 day.	2 days.	3 to 6 days.	Less than 1 week.	1 week.	2 weeks.	3 weeks but less than 1 month.	Less than 1 month.	1 month.	2 months.	3 to 5 months.	6 to 8 months.	9 to 11 months.
		' <del></del>	<u>'</u>	REC	rsti	RATIO	n sta	TES-	-Contin	ued.	<u> </u>		1		<u> </u>	
(33, 37) (37) 35 38	KENTUCKY—continued.  Congenital debility Injuries at birth. External causes. All other causes. Diseases ill-defined or unknown	708 107 92 383 490	140 60 2 5 103	33 11 2 6 43	35 10 6 27	76 20 6 27 42	284 101 10 44 215	86 4 4 40 52	58 1 4 24 26	43 1 4 18 24	471 107 22 126 317	65 15 49 48	51 11 35 31	75 17 69 53	28 14 50 26	18 13 54 15
	All causes	1,681	103	187	80	108	478	79	64	55	676	165	161	365	181	133
5 6 7 8 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9	Measles. Scarlet fever. Whooping cough. Diphtheria and croup. Influenza. Dysentery. Erysipelas. Tetanus. Tuberculosis of the lungs. Tuberculosis meningitis. Other forms of tuberculosis. Syphilis. Meningitis. Convulsions. Organic diseases of the heart. Acute bronchitis. Fneumonia. Bronchopneumonia Diseases of the stomach. Diarrhea and enteritis. Malformations. Premature birth. Congenital debility Injuries at birth. External causes. All other causes. Diseases, ill-defined or unknown.	14 94 10 14 10 28 23 12 39 106 59 72 398		1			1 1 10 2 6 6 220 113 33 31 30 28		1 1 2 1 2 2 4 11 3 9 14 11	1 1 2 5 5 1 5 9	1 4 4 4 4 11 1 1 8 14 257 164 35 35 48 42	12 12 13 4 12 16 31 6 99 41 31 15	1 7 2 2 4 4 3 2 9 11 1 6 13 5 5 5 2 4 4 2 7 3 9 9 2	21 173 44 32 46 35 44 10 21 216 164 135 45	3 3 1 4 1 3 3 3 3 3 7 7 2 2 2 6 6 23 11 10 76 4 4 10 10 10 10 10 10 10 10 10 10 10 10 10	1 93 22 1 2 33 1 6 3 2 25 8 2 2 45 1 3 3 5 7 4
	MARYLAND All causes	4,003	365	147	118	194	824	244	154	164	1,386	439	398	793	583	404
5 6 6 7 8 9 9 (2) (12) (37) 14 15 (37) 19 0 22 (33) (24 25 (33) (37) 35 (33) (37) 35 (38)	Measles Scarlet fever Whooping cough Diphtheria and croup Influenza Dysentery Erysipelas Tetamus Tuberculosis of the lungs Tuberculosis meningitis Other forms of tuberculosis Syphilis Meningitis Convulsions Organic diseases of the heart Acute bronchitis Pneumonia Bronchopneumonia Diseases of the stomach Diarrhea and enteritis Malformations Premature birth Congenital debility Injuries at birth External causes All other causes Diseases, ill-defined or unknown	31 3 89 9 15 15 17 25 28 9 88 60 117 175 215 238 64 1, 074 148 501 703 93 527 197 85		1 1 16 69 31 16 13 36	1 3 2 2 1 1 25 423 223 121 133 1	1 1 2 1 12 2 2 5 6 4 7 7 18 553 411 10 8	7 10 10 120 88 22 7 7 5 88 82 345 140 78 4 22 25	1 3 3 1 9 3 15 4 7 7 11 10 5 17 14 19 14 19 17 18 18 19 19 19 19 19 19 19 19 19 19 19 19 19	1 1 2 14 14 5 2 2 8 8 8 8 11 11 15 48 2 11 10 3	3 3 3 4 4 3 4 4 4 4 4 4 4 5 5 8 5	2 5 9 6 6 16 2 2 47 41 15 12 31 31 31 31 31 31 31 31 31 31 31 31 31	11 2 2 2 3 3 2 2 1 21 22 0 16 18 27 5 117 9 14 126 1 4 25 13	2 14 3 1 2 4 2 1 7 6 14 12 22 32 4 133 8 7 9 11 17 16 16 16 17 17 18 18 18 18 18 18 18 18 18 18	17 22 4 5 16 9 9 17 18 22 19 48 65 26 340 7 7 2 120	10 28 28 25 4 4 6 10 22 23 17 15 20 10 55 46 7 7 236 7 7 236 7 29 29 30 40 40 40 40 40 40 40 40 40 4	13 3 14 9 5 5 1 1 1 14 9 5 6 4 1 1 38 3 173 4 1 28 7 6 1 1
	MASSACHUSETTS. All causes	10,412	1,304	464	269	629	2,666	445	473	368	3,952	1,026	842	1,979	1,513	1,100
5 6 7 8 9 (12) (12) (37) 13 14 15 (37) 17 (37)	Measles. Scarlet fever. Whooping cough Diphtheria and croup Influenza Dysentery Erysipelas Tetanus Tuberculous of the lungs Tuberculous meningitis Other forms of tuberculosis Syphilis Meningitis	87 12 288 59 21 40 56 12 67 130 26 93 180 123	2	2	6	1 2 1 4 9	1 4 1 7 9	4 1 4 5 1 4 6 9	1 4 3 2 2 4 3 1 1 7 5 11	11 3 1 7 7 1 6 1 6 1 6 1 6 1	19 3 5 5 15 12 1 2 2 2 24 21	1,020 3 3 3 2 18 5 8 2 17 12 15	26 5 4 7 3 9	13 12 72 6 12 11 5 21 35 7 19 45 21	28 4 69 17 11 11 10 22 40 7 11 46 17	1,100 41 7 73 25 7 1 15 36 8

	1	1	<u> </u>		÷											
ed onal		Total				,			DEATHS	AT AGE O	F					
Abridged International List No.	AREA AND CAUSE OF DEATH.	deaths under 1 year of age.	Less than 1 day.	1 day.	2 days.	8 to 6 days.	Less than 1 week.	1 week.	2 weeks.	3 weeks but less than 1 month.	Less than 1 month.	1 month.	2 months.	8 to 5 months.	6 to 8 months	9 to 11 months.
			I	REGI	STRA	TION	STAT	es-c	ontinue	d.	,,		'	·	'	<u> </u>
	MASSACHUSETTS—continued.															
19 20 22 (23) 24 25 (33) (33) (33,37) (37) 35	Organic diseases of the heart. Acute bronchitis Pneumonia. Bronchopneumonia. Bronchopneumonia. Diseases of the stomach Diarrhea and exteritis Malformations. Premature birth. Congenital debility Injuries at birth. External causes All other causes. Diseases, ill-defined or unknown.	61 270 499 635 156 3,155 521 1,587 1,140 407 124 589 74	89 770 176 230 9 9 5	2 1 5 1 	2 4 6 36 103 59 25 1 17 5	8 7 12 14 13 26 79 165 124 66 11 65 6	18 9 23 22 14 271 1,253 437 386 26 104 19	36 16 15 11 5 51 49 113 89 12 4 37 6	4 16 14 23 11 104 42 88 81 4 4 31 7	2 9 13 200 13 112 23 47 54 3 5 1 31	27 50 65 76 43 299 385 1,501 405 39 203 32	9 37 39 76 30 397 43 56 148 1 16 52 5	6 28 27 51 24 392 23 12 106 1 12 53	11 60 137 145 33 980 31 11 155 27 104 17	4 53 118 164 16 674 29 5 44 19 98 6	4 42 113 123 10 413 10 2 26 
	All causes	7,065	1,016	383	255	590	2,244	474	362	253	3,333	687	551	1,198	771	525
5 6 7 8 (9 (12) (12) 37) 13	Measles Scarlet fever Whooping cough Diphtheria and croup Influenza. Dysentery Erysipelas Tetanus Tuberculosis of the lungs	49 10 171 12 38 16 39		1		1 2	1 1 2	3 6 4 4	2 5 1	7 1 2 1 2	5 13 2 11 1 14 10 1	24 24 5 2 7	25 3 3 4	9 2 46 . 6 4 8	12 3 36 3 8 3 5	19 5 27 4 5 3
(15 (37) (17) (20) (22) (23) (24) (25) (33,33) (33,33) (37) (37) (37)	Tuberculous meningitis Other forms of tuberculosis Syphilis Meningitis Conyulsions Organic diseases of the heart Acute bronchitis Pneumonia Bronchopneumonia Diseases of the stomach Diarrhea and enteritis Malformations Premature birth Congenital debility Injuries at birth External causes All other causes Diseases, ill-defined or unknown	25 17 11 62 108 308 67 233 304 239 239 1,317 446 1,208 1,155 180 92 509 110	1 11 5 1 1 1 96 620 152 82 2 19 25	17 6 2 1 1 3 53 177 71 27 21 15 6	3 22 6 2 2 6 5 6 36 69 39 25 3 17	3 6 6 9 9 11 129 28 89 28 129 28 10 60 9	8 6 93 23 11 11 15 18 38 27 11 19 19 19 19 19 19 19 19 19 19 19 19	3 6 39 8 11 12 9 10 46 35 103 108 111 2 46 8	1 1 25 8 18 9 24 19 45 24 75 44 75 4 4 33 9	1 5 10 2 9 20 13 11 30 28 28 54 1 6 19 4	11 16 18 167 49 52 63 58 159 357 1,176 628 179 28 209 75	1 13 13 35 6 46 37 38 50 132 32 32 18 149 11	3 11 7 24 4 22 29 36 30 154 112 8 115	3 14 31 36 8 51 70 86 49 439 5 179	5 24 26 3 35 661 32 281 53 16 74 3	8 7 2 3 15 20 5 5 30 45 20 7 7 31 50 5
	minnesota. All causes	3,899	585	191	163	321	1,260	306	212	173	1,951	377	314	629	366	262
5 6 7 8 9 (12) (12) (37) 13 14	Measles Scarlet fever Whooping cough Diphtheria and croup Influenza Dysentery Erysipelas Tetanus Tuberculosis of the lungs Tuberculous meningitis	30 6 111 21 18 11 33 7 7 23 36				3	3		2 2 2 1 2 2 1 2 2 3	2 4 1 2 1 4	4 6 3 3 2 9 6	3 12 4 1 2 5	20 20 2 3 1 3	3 1 29 4 4 9 1 5 9	8 2 25 3 1 5	10 3 19 5 4 1 2
15 (37) 17 (37) 19 20 223 (23) 24 25 (33) (33) (33) (33) (33) (33) 35)	Other forms of tuberculosis. Syphilis. Meningitis. Convulsions. Organic diseases of the heart. Acute bronchitis. Proemonia. Bronchopneumonia. Bronchopneumonia. Diseases of the stomach Diarrhea and enteritis. Malformations. Premature birth. Congenital debility. Injuries at birth. External causes. All other causes. Diseases, ill-defined or unknown	9 36 56 56 141 22 78 123 396 77 705 245 680 438 416 43 265 173	2 1 1 1 56 349 63 58 10 38	1 1 1 24 65 47 12 2 2 9 23	2 7 3 1 7 1 3 2 45 30 14	1 3 23 4 8 9 5 20 42 68 18 5 27 18	3 39 7 4 4 12 17 8 8 25 149 528 208 100 8 57	27 27 27 27 27 27 8 34 21 70 35 10 2 27 15	10 4 20 7 34 16 33 30 1	2 4 3 2 2 7 6 18 6 33 10 22 28 1 1 7 7 8	10 12 84 11 29 82 29 126 196 651 301 112 112 102 129	1 3 4 17 3 9 13 57 10 99 13 15 58 4 26 14	1 87 10 31 11 45 9 95 11 12 23 23	1 9 12 14 1 1 18 34 98 16 209 17 5 40 12 57 17	36 13 111 2 8 18 62 103 3 1 15	3 8 5 2 3 14 52 5 73 5 73 1 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2
	All causes	7,150	1,206	304	211	543	2,264	521	303	270	3,358	658	540	1,095	818	681
5 6 7 8 9 (12)	Measles Scarlet fever Whooping cough Diphtheria and croup Influenza Dysentery	105 12 219 59 56 69	1	1		2 4 1 1	4 1 1	3 1 4 4 3	7 3 2 2	3 1 9 3 3	14 1 17 14 10 7	6 40 2 12 4	36 2 5 8	12 4 43 10 16 14	34 2 46 10 6 23	34 5 37 21 7 13

[The classification in this table is based on the age of the decedent in completed days, weeks, or months. The cities included in this table are arranged alphabetically by states.]

-E		l				<del></del>			DEATHS	AT AGE (	)F				·	
Abridged International List No.	AREA AND CAUSE OF DEATH.	Total deaths under 1 year of age.	Less than 1 day.	1 day.	2 days.	3 to 6 days.	Less than 1 week.	1 week.	2 weeks.	8 weeks but less than 1 month.	Less than 1 month.	1 month.	2 months.	3 to 5 months.	6 to 8 months.	9 to 11 months.
	·	<u></u>	<u>''</u>	REGI	STRA	TION	STAT:	ES-C	ntinue	1.	<u> </u>		<u> </u>	J	1	!
	MISSOURI—continued.	]					<u> </u>	Ī						1		
(12) (37) 13 14 15 (37) 17 (37) 19 22 23 24 25 (33) (33) (33) (33) (33) (33) (33) (33	Tetanus Tuberculosis of the lungs Tuberculosis of the lungs Tuberculous meningitis Other forms of tuberculosis Syphilis Meningitis Convulsions Organic diseases of the heart Acute bronchitis Pneumonia Bronchopneumonia Diseases of the stomach Diarrhea and enteritis Malformations Premature birth Congenital debility Injuries at birth External causes All other causes Diseases, ill-defined or unknown	35 57 37 37 18 108 149 153 330 330 331 144 1,491 1,316 771 101 187 101 543	78 778 778 151 86 5	1 1 1 1 2 2 33 130 41 31 14 41	2 3 12 4 1 5 1 1 5 35 49 38 18 7 17 13	7 3 3 9 16 5 5 3 11 11 17 26 6 6 11 147 83 30 7 5 5 9 47	9 3 3 11 10 19 5 18 14 8 32 207 1,104 313 165 20 20 172	13 16 12 10 4 16 22 22 12 42 34 103 104 4 50 50	1 12 5 1 4 15 17 12 35 42 427 6 4 21 22 3	4 1 1 8 8 3 1 17 21 8 2 44 119 30 56	8 24 5 5 26 37 76 61 1 28 4 1,279 1 530 1 195 245	5 1 3 23 10 9 26 25 20 71 1 15 1 30	4 1 22 7 6 1 1 27 38 20 177 13 9 67 112 43 20	7 20 7 5 22 33 12 36 63 73 41 42 71 14 5 71	71 13 18 2 2 8 2 4 2 5 6 6 5 5 5 5 5 5 5 6 2 2 1 6 7 9 8 2 1 6 7 1 8	10 16 6 6 7 19 11 12 45 55 15 261 6 10
	MONTANA.			-												
5 6 6 7 8 9 (12) (37) 13 14 115 (37) 17 (37) 22 (33) (33) (33) (33) (33) (33) (33)	All causes.  Measles Scarlet fever Whooping cough Diphtheria and croup Influenza. Dysentery. Exysipelas. Tetanus. Tuberculosis of the lungs Tuberculosis of the lungs. Tuberculosis of tuberculosis Syphilis. Meningitis. Convulsions. Organic diseases of the heart. Acute bronchitis. Pneumonia. Bronchopneumonia. Bronchopneumonia. Diseases of the stomach Diarrhea and enteritis Malformations. Mellormations. Premature birth. Congenital debility Injuries at birth External causes. All other causes. Diseases, ill-defined or unknown.	717 8 2 17 2 12 5 5 1 12 6 6 6 6 114 51 102 23 14 49 27					1			26 11 16 43 11	391 1 1 1 1 1 6 4 4 1 1 18 49 149 149 149 149 149 149 149	66 1 1 5 1 2 1 1 1 1 7 2 2 1 1 1 1 1 2 1 2 1 2 3 3 3 3 3 3 3 3	1 1 3 2 7 13 2 1 12 2 1 4	90 2 3 1 1 2 2 10 12 2 31 1 10 10	70 4 1 1 1 1 1 1 1 1 25 1 1 3 2 8 2	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1
14 15 (37) 17	All causes  Measles Scarlet fever Whooping cough Diphtheria and croup Influenza Dysentery Erysipelas Tetanus Tuberculosis of the lungs Tuberculosis meningitis Other forms of tuberculosis Syphilis Meningitis Convulsions Organic diseases of the heart Acute bronchitis Pneumonia Bronchopneumonia Diseases of the stomach Diarrhea and enteritis Malformations Premature birth Congenital debility Injuries at birth External causes	1 1 5	1		i	1	1			36 1 1 1 1 1 1 3 4 1 1 1 2 6 9	1 1 1 3 15 4 8 10 4 9 28 40 1199 223 5 5	135 1 6 1 2 2 1 5 2 4 5 43 2 6 35 5	118 2 1 1 2 1 3 3 3 3 9 7 41 1 2 2 3 0 2 2 3 3 3 2 3 3 4 2 2 3 3 3 4 3 4 3 3 4 3 3 3 3	238 1 6 4 1 1 4 1 14 20 11 11 104 4 1 33	169 4 12 1 2 2 2 1 3 1 1 1 3 5 10 10 10 8 8 4 7 7 1	119 4 1 2 1 1 5 5 3 9 18 14 3 3 9 2 4

.

TABLE 9.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM IMPORTANT CAUSES, DURING EACH OF THE FIRST THREE DAYS OF LIFE, THE REMAINDER OF THE FIRST WEEK, WEEKS OF THE FIRST MONTH, MONTHS OF THE FIRST QUARTER, AND REMAINING QUARTERS OF THE FIRST YEAR, FOR THE REGISTRATION AREA, REGISTRATION STATES, AND CITIES OF 100,000 POPULATION OR OVER IN 1910: 1911—Continued.

[The classification in this table is based on the age of the decedent in completed days, weeks, or months. The cities included in this table are arranged alphabetically by states.]

•						by st	ates.]									
lan i		Total							DEATHS	AT AGE O	F					
Abridged International List No.	AREA AND CAUSE OF DEATH.	deaths under 1 year of age.	Less than 1 day.	1 day.	2 days.	3 to 6 days.	Less than 1 week.	1 week.	2 weeks.	3 weeks but less than 1 month.	Less than 1 month.	1 month.	$rac{2}{ ext{months}}$	3 to 5 months.	6 to 8 months.	9 to 11 months.
			1	REGI	STRA	TION	STAT	ES-C	ontinue	d.	N					
	NEW JERSEY.		900	000	005	400	1 505	401		97.5	2,786	711	598	1 514	1 105	974
5	All causes		880	268	225	422	1,795	421	355 1	215	2,780	1		1,514	1,195	874
5 6 7 8 9 (12) (12) (37) 13 14	Scarlet fever Whooping cough Diphtheria and croup Influenza Dysentery Erysipelas Tetanus	32 45 12			1	1 2 2	1 2 1	2 6	1 1 9 1	1 1	3 4 1 11 12	22 4 2 1 11	2 19 2 3 3 4	2 38 2 2 11 8	22 3 41 14 3 10 8	39 8 46 18 6 6 3
(37) 17 (37)	Tuberculosis of the lungs Tuberculous meningitis. Other forms of tuberculosis Syphilis Meningitis Convulsions Organic diseases of the heart Acute bronchitis.	54 77 28 63 101 221	8 10 3	1 9 2	12 2 3	1 2 3 31 5 6	11 3 62 12 9	2 1 1 8 2 18 3 8	1 9 1 23 4 14	1 2 5 1 5 1 11	3 5 1 33 7 108 20 42	2 4 1 5 10 26 4 31	9 3 4 5 7 12 3 21	19 20 13 12 27 39 4 32	10 26 6 5 28 27 1 22	11 19 3 22 9 1 26 83 118
20 22 (23) 24 25 (33) (33,37) (33,37)	Pneumonia Bronchopneumonia Diseases of the stomach Diarrhea and enteritis Malformations Premature birth Congenital debility Injuries at birth	460 566 100 2,204 421 1,040	1 4 1 2 95 485 108 142	2 2 35 128 33 36	3 4 5 36 87 36 18	14 10 2 21 76 114 67	20 19 7 30 242 814 244 227	17 28 9 41 50 103 68 15	25 18 1 77 34 42 49 3	11 21 5 47 10 27 38 1	42 73 86 22 195 336 986 399 246	54 58 15 212 32 28 128 2 12	35 49 10 236 16 10 97	113 141 25 667 19 10 197	102 114 17 547 12 6 90	83 118 11 347 6
(37) 35 38	External causes. All other causes. Diseases, ill-defined or unknown	377	3 10 8	11 7	12 12 1	6 25	22 54 9	7 30 2	7 30 4	7 19 1	43 133 16	12 45 1	10 35	25 74 2	22 58 1	15 32
	All causes	25, 407	2,630	1,412	752	1,512	6,306	1,341	1,171	960	9,778	2,669	2,024	4, 547	3, 519	2,870
5678999983345834888888888888888888888888888	Measles. Scarlet fever. Whooping cough Diphtheria and croup Influenza. Dysentery Erysipelas Tetamus Tuberculosis of the lungs Tuberculous meningitis. Other forms of tuberculosis. Syphilis. Meningitis. Convulsions. Organic diseases of the heart Acute bronchitis. Pneumonia. Bronchopneumonia Diseases of the stomach Diarrhea and enteritis. Malformations. Premature birth Congenital debility Injuries at birth External causes. All other causes. Diseases, ill-defined or unknown.	438 204 85 51 190 266 121 268 380 289 510 102 832 1,054 2,809 269 6,591 1,274	23 11 22 21 1,481 376 424 28 33 4	13 25 6 4 5 13 6 142 733 236 180 9 39	2 25 4 9 8 11 8 10 122 234 127 89 10 33 33	1 1 13 13 14 15 15 13 22 33 55 17 68 223 404 302 118 15 124 2	1 1 1 1 1 1 2 1 45 1 15 1 15 1 132 34 44 48 86 86 82 25 84 708 2,902 1,041 811 82 234 9	1 2 2 6 6 6 11 33 3 5 42 8 8 52 2 38 101 14 166 111 370 217 40 13 111 1 2 2	3 10 3 2 29 11 2 37 4 34 6 76 80 106 15 226 80 196 111 111 81 3	2 16 10 2 18 3 2 32 35 55 45 123 19 217 43 115 52 52	5 1 29 3 17 54 23 3 6 5 147 30 243 53 227 170 416 473 693 942 3,583 1,583 1,583 867 98 478 478	1 60 7 13 2 43 43 5 68 25 55 13 130 91 304 49 885 110 117 500 3 27 152 2	2 55 99 112 55 225 25 25 25 25 25 25 25 25 25 25 2	20 6 96 96 96 24 14 117 33 2 2 28 68 19 70 70 21 624 65 1,959 102 27 526 526 526 527 528 529 529 529 529 529 529 529 529 529 529	106 122 99 63 18 15 522 22 1 1 38 88 52 25 13 114 242 605 605 605 33 1,364 4 9 198 27 219 4	107 32 99 98 11 18 13 
,	All causes	1,313	118	54	25	79	276	96	51	49	472	107	98	238	207	191
20 22 (23) 24 25	Measles Scarlet fever Whooping cough Diphtheria and croup Influenza Dysentery	10 1 61 4 6 222 3 225 20 5 4 12 26 13 9 16 71 56 34	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	2	1	9 1 2 1 3 2 3 3 4	1 9 1 3 2 3 3 4 4 200	1 5 3	1 2 1 1 1 1 1 1 1 1 4 4 7 3 3 3 3 4 7 3 3 4 7 3 3 4 7 3 3 4 7 3 3 3 4 7 3 3 4 7 3 3 3 4 7 3 3 4 7 3 3 4 7 3 3 4 7 3 3 4 7 3 3 3 4 7 3 3 4 7 3 3 4 7 3 3 4 7 3 3 4 7 3 3 4 7 3 3 4 7 3 3 4 7 3 3 4 7 3 4 7 3 3 4 7 3 4 7 3 3 4 7 3 4 7 3 3 4 7 3 4 7 3 3 4 7 3 3 4 7 3 4 7 3 3 4 7 3 4 7 3 3 4 7 3 4 7 3 4 7 3 4 7 3 4 7 3 4 7 3 3 4 7 4 7	1 1 1 1 4 1 2 10	1 3 3 1 2 23 2 2 9 4 1 13 100 5 25	1 2 4 10 4 2 2 31 2	1 1 1 1 1 1 1 2 2 2 3 3 39	12 18 1 18 1 1 2 2 10 1 1 2 2 20 12 13 73 1	19 45 11 11 12 7 11 15 13 19 8 72 44 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7	3 19 1 1 6 3 1 6 3 1 1 6

<sup>1</sup> Includes only municipalities having a population of 1,000 or over in 1900.

[The classification in this table is based on the age of the decedent in completed days, weeks, or months. The cities included in this table are arranged alphabetically by states.]

	I	1	<u> </u>	<del></del>	<del></del> -						~					
ed onal o.		Total							DEATHS	AT AGE	OF					
Abridged International List No.	AREA AND CAUSE OF DEATH.	deaths under 1 year of age.	Less than 1 day.	day.	2 days.	3 to 6 days.	Less than 1 week.	1 week.	2 weeks.	3 weeks but less than 1 month.	Less than 1 month.	1 month.	2 months.	8 to 5 months.	6 to 8 months.	9 to 11 months.
		· · · · · · · · · · · · · · · · · · ·	3	REGI	STRA	TION	STAT	ES—C	ontinue	d.	!!		!	1	<u> </u>	<u>                                     </u>
	NORTH CAROLINA 1—continued.					[			<u> </u>		1	1	1	1	1	
(33) (33,37) (37)	Premature birth	158 160	67 18 8	25 10	8 2 3	17 18 1	117 48 16	18 21 1	7 10	7 12	149 91 17	5 20	1 14	2 15	1 18	2
(37) 35 38	Injuries at birth External causes. All other causes. Diseases, ill-defined or unknown.	17 22 70 115	1 13	1 2 6	6	1 3 10	2 6 35	1 1 14	<u>2</u>	2 4 4	6 13 61	3 6 12	1 4 10	6 24 16	10 10	6 13
	OHIO.									1			10	10	10	
	All causes	9,941	1,345	662	408	806	3,222	758	457	377	4,814	916	711	1,549	1,100	851
5 6 7	Measles Scarlet fever	65 46			i		1 1	3	2	1 1	6 2	2	3	12	20 7	22
8	Diphtheria and croup Influenza	305 38 77				1 i		4	5 3	14	20 3 9	41	33 2 9	3 75 6	70 12 12 5	4 68 14 17
(12) (12) (37)	Whooping cough Diphtheria and croup Influenza Dysentery Erysipelas Tetanus	36 38 17				1	1	2 4	2	4 1 5	4 11	10 2 8	1 2	20 15 9	5 5 5	17 9 3
13 14	Tetanus. Tuberculosis of the lungs. Tuberculous meningitis. Other forms of tuberculosis.	69 73 53			1 1	7 1 1	7 2 2	7 1	1	1 5	16 8 2	8 7	2 1	1 19 22	13 19	
(37) 17	Other forms of tuberculosis. Syphilis. Meningitis. Convulsions.	53 206 145	i5	5	7 1	7	34	12	13	3 15	3 74 31	8	6 34	14 35	13 16	19 222 9 7 26 3 31 42 91 13 328 6
(37) 19	Organic diseases of the heart	65	3 8	1 15 8	15 7	10 24 6	12 57 29	8 16 3	. 7 9 4	4 8 2	1 90	40 13 16 10	9 6 3	38 6	28 6 3	26 6
20 22 (23) 24	Acute bronchitis	232 346 723		8 1 4 7	<u>5</u>	8 13	0	3 17 21 51	11 17	12 20	38 49 80	48 45	21 38 74	8 48 75	35 66	31 42
24 25	Preumonia. Bronchopneumonia Diseases of the stomach Diarrhea and enteritis Melformations.	251 2,302	2 1 3	2	12 6 7	26 13 52	22 47 22 66	51 32 87	32 14 86	38 17	168 85 316	92 53 255 42	31	149 46	149 23 448	91 13
		1,810 }	144 792 175	98 328 71 69	75 132 47	128 189	445 1,441	83 177	39 85	24 42	591 1,745 635	42 40	279 17 15	676 36 8	20	328 6 1
(33,37) (37) 35	Congenital debility Injuries at birth External causes	881 409 177	175 168 5	71 69 10	47 49 5	130 79 11	423 365 31	117 35 13	58 4 8	12 20 38 17 77 24 42 37 2	406	86 2	59 1 14	75	14	12
38	All other causes.  Diseases, ill-defined or unknown	648 117	15 15	22 17	32 5	76 22	145 59	54 11	47 10	32 5	59 278 85	18 62 7	14 45 6	31 111 11	23 88 4	32 64 4
	PENNSYLVANIA.				-											_
5	All causes Measles		2,434	1,018	729	1,554	5,735	1,503	1,221	965	9, 424	2,317	1,915	4,559	3,376	2,604
6	Scarlet fever	202 46 567	1		····i	1	2 2	3 1 5	2 14	2 1	7 6 45 8 23	5 3	3 2	21	59 13 136	· 107 16 115
8 9	Whooping cough Diphtheria and croup	122 96			1	1	2 1	1 3	2 10	26 3 9	8 23	80° 7 16	60 3 5	131 24 18	28 21 13	115 52 13
(12) (12) (37) 13	Erysipelas	68 109 26	····i		2	1 1	1 2 13	1 8 7	12	2 11	33	13	4 15	28 28	11	52 13 18 9
13 14	Tetanus Tuberculosis of the lungs Tuberculous meningitis Other forms of tuberculosis	159 129		2	1	11 1	3 1	3	3 2	1 2 1	24 10 3	ii 4	1 17 8	43	1 35 42	
14 15 (37) 17	Other forms of tuberculosis Syphilis	64 189	1 15	4	5	11	3 35	20 11	1 20	14	6 89	6	6 21 16	30 23 42 57	8 10	43 42 15 3 53 58
(37)	Convilsions	249 908 183	16 23	32 6	1 36 15	8 127 26	10 211 70	11 88 12	8 62	7 54	36 415 104	24 25 105	16 69	57 164	62 97	
22	Organic diseases of the heart. Acute bronchitis. Pneumonia.	604 1,275	1	4 8 10	12 14	16 36	23 57 69	30 63	37 66	23 55	113 241	94 143	59 117	150 306	107 247	10 81 221
(23) 24 25	Bronchopneumonia Diseases of the stomach Diarrhea and enteritis	1,764 570 6,710	4 6	10 2 9	14	41 31	38	80 39	72 37	8 23 55 74 36 227	295 150	143 192 89 715	157 68 710	412 132	364 88	221 344 43
(33) (33) (38,37)	Malformations. Premature birth Congenital debility	1,261	218 1,496	133 495	13 125 249 113	73 229 371	101 705 2,611	171 151 326	253 84 189	227 53 109	752 993 3,235	715 85 109	710 45 26	2,020 74 17	1,505 40 9	1,008 24 1
(33,37) (37) 35	Congenital debility Injuries at birth External causes	2,997 552	305 262 8	133 495 155 96 11 25 25	113 53	300 86 18	873 497	290 36 12	208	162 5	1,533	349 4	328	482	205	100
38	All other causes.  Diseases, ill-defined or unknown.	308 1,348 292	28 48	25 25	53 13 42 26	130 31	50 225 130	118 118 21	9 92 15	9 58 13	80 493 179	31 158 30	26 112 17	236 29	51 188 25	55 161 12
	RHODE ISLAND.		.								2.0		-"		20	12
_	All causes	1,675	202	98	53	109	462	73	81	63	679	161	146	313	203	173
6	Measles	7 2					1.				1			1	$\begin{bmatrix} 2 \\ 1 \end{bmatrix}$ .	4
91	Whooping cough. Diphtheria and croup. Influenza.	12				1	1	2		-4	7	5 2	11	13 3	16 4 2	15 3 1
$\begin{cases} 12 \\ 12 \end{cases}$	Dysentery	4 5						2			2	1 1		2 2	<sup>2</sup> 1.	1
13	Tetanus Tuberculosis of the lungs Tuberculous meningitis	T III		1			1	····i	1		1 2		i	3	3	3
15.1	Other forms of tuberculosis Syphilis	3 25	5	1	i	····i	1 7	i .	3	·····i	2 11	2 1 4		4	7	8
17	Meningitis	30 11	ides only		1 1	2 ∥	3 1		3		4	2	2 4	5 6	8 -	6

 $^{1}$  Includes only municipalities having a population of 1,000 or over in 1900.

12489°-13---35

7								1	EATES	AT AGE O	r—			*****		
Abridged International List No.	AREA AND CAUSE OF DEATH.	Total deaths under 1 year of age.	Less than 1 day.	1 day.	2 days.	8 to 6 days.	Less than 1 week.	1 week.	2 weeks.	8 weeks but less than 1 month.	Less than 1 month.	1 month.	2 months.	3 to 5 months	6 to 8 months.	9 to 11 months.
		·	R	EGIS	TRAT	ION S	TATE	S—Con	tinued							
	RHODE ISLAND—continued.														ŧ.	
(37g) 19 20 22 (23) 24 25 (33) (33) (33,377) (37) 35	Convulsions Organic diseases of the heart Acute bronchitis. Pneumonia. Bronchopneumonia. Diseases of the stomach. Diarrhea and enteritis. Malformations. Premature birth. Congenital debility Injuries at birth. External causes. All other causes. Diseases, ill-defined or unknown	35 9 59 777 97 28 425 85 227 218 101 20 83 19	13 94 21 62 1 2 3	1 2 1 1 15 41 18 14	1 1 17 7 9 17 11	1 2 1 6 17 29 25 13	6 3 3 1 3 3 6 54 181 71 98 2 13 7	6 3 1 3 2 11 4 17 10 2 1 7	3 4 7 7 1 19 2 15 14 5 2	1 2 4 16 7 7 8	17 6 9 8 16 5 5 52 67 220 103 100 3 3 10	3 88754845 421372	1 7 9 7 62 3 2 26	3 2 15 17 26 11 144 6 31	6 10 12 23 6 68 4 8 14 1	5 10 23 18 1 51 1 8 8
	UTAH.	822	168	40	30	68	306	51	55	50	462	75	61	89	67	68
5 6 7 8 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9	Measles. Scarlet fever. Whooping cough. Diphtheria and croup. Influenza. Dysentery. Erysipelas. Tetanus. Tuberculosis of the lungs. Tuberculous meningitis. Other forms of tuberculosis. Syphilis. Meningitis. Convulsions. Organie diseases of the heart. Acute bronchitis. Pneumonia. Bronchopneumonia. Diseases of the stomach. Diarrhea and enteritis. Malformations. Premature birth. Congenital debility. Injuries at birth. External causes. All ofher causes. All ofher causes. Diseases, ill-defined or unknown.	1 1 5 12 19 4 36 80 53 13 110 51				4 1 2 3 9 16 8 8 7 1 10 0 2	1 1 6 1 3 3 3 145 36 26 2 2 14	1 2 2 1 4 5 13 10	1 3 3 2 5 8 5	1 1 6 6 4 2 6 4 5	2 1 1 3 3 1 13 21 12 6 17 45 5 187 588 28 3 3 3 3 11	1 3 3 2 1 1 3 11 2 10 3 4 8	1 6 1 4	3 2 2 1 1 5 5 7 18 9 19 11 1 1 3 4 12 2 2	2 2 2 2 2 2 27 7 2 27 2 27 2 3 3 3 3 3 3	2 9
	All causes	741	118	43	20	59	240	41	28	35	344	81		120	74	====
5 6 77 7 8 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9	Injuries at birth External causes All other causes Diseases, ill-defined or unknown	2 2 7 2 2 3 111 144 5 26 288 233 192 249 174 5 30 7 37 37	2 1 8 90 5 11	4	1 6 7	1 2 1 1 1 3 2 9 177 8 6	1 1 2 1 2 26 138 20 20 28 8 8 3	1 1 1 1 2 1 2 4 5 10 6 6 1	2 1 2 2 2 7 3 1	1 1 1 2 1 3 3 1 2 3 3 4 5	7 6 5 10 11 36 159 34 30	4 7 31 2 11 8	3 1 1 1 1 1 1 2 2 3 4 8 8	i 46	1 2 2 1 4 9 7 1 3 2 1	2 2 2 3 3 3 4 1 1 1 1 1 1 1 1 2 2 4 2 2 2 2 1 1 1
	Washington. All causes	1,531	195	114	85	163	557	103	81	53	794	140	117	229	131	
5 6 7 8 9	MeaslesScarlet feverWhooping coughDiphtheria and croup	18 3 37 10						1	1	i	1 1 1 3	- 1 5	6	10	1	

						by si	tates.]									
ਬ								:	DEATHS	AT AGE O	F					
Abridged International List No.	AREA AND CAUSE OF DEATH,	Total deaths under 1 year of age.	Less than 1 day.	day.	2 days.	3 to 6 days.	Less than 1 week.	1 week.	2 weeks.	3 weeks but less than 1 month.	Less than 1 month.	1 month.	2 months.	8 to 5 months.	6 to 8 months.	9 to 11 months.
		<u>'</u>		REGI	STRA	TION	STAT	ES—C	ontinue	d.				!	·	
	WASHINGTON—continued.						1			1	1		<u> </u>	1		
(192) (37) 14 15) 14 15) 14 15) 14 15) 14 15) 14 15) 15 16 17 18 18 18 18 18 18 18 18 18 18 18 18 18	Dysentery. Erysipelas. Tetanus Tuberculosis of the lungs Tuberculous meningitis. Other forms of tuberculosis Syphilis Meningitis. Convulsions. Organic diseases of the heart. Acute bronchitis. Preumonia. Bronchopneumonia. Diseases of the stomach. Diarrhea and enteritis. Malfornations. Premature birth.	3 10 8 23 35 15 123 24	2 2 126 25 12 2 2	15 65 13 4 1	1 1 23 28 11 12 1 8 3		13 9 3 2 7 4 5 71 263 94 41 16 28 10	21 42 12 52 81 123 27 21 83	1 2 9 1 18 18 18 5 3 6	1 1 1 6 3 7 1 14 3 2 2	2 5 2 17 12 6 7 27 9 9 30 87 311 153 48 48 44 15	3 1 5 6 3 2 6 9 5 26 8 6 30	1 1 1 3 1 1 3 8 8 8 37 2 2 2 9	2 3 2 1 1 3 7 9 20 11 82 82 8 1 23	1 1 7 2 3 2 9 14 2 48 3 3 8	2 1 3 8 4 1 1 33 2 2 2 11 33
	All causes	5,184	725	355	214	394	1,688	363	275	189	2,515	494	402	823	559	391
5 6 6 7 8 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9	Measles Scarlet fever. Whooping cough Diphtheria and croup Influenza. Dysentery. Erysipelas. Tetanus Tuberoulosis of the lungs Tuberoulous meningitis. Other forms of tuberoulosis Syphilis. Meningitis. Convulsions Organic diseases of the heart. Acute bronchitis. Pacumonia. Bronchopneumonia. Diseases of the stomach Diarrhea and enteritis Malformations. Premature birth. Congenital deblity Injuries at birth. External causes. All other causes.	70 14 14 14 33 33 20 21 13 19 7 25 350 450 197 334 197 138 1,038 1,038 1,038 20 21 21 22 22 23 24 25 25 25 25 25 25 25 25 25 25 25 25 25	1 1 1 21 21 2 1 2 2 2 2 42 423 130 64	1 37 4 1 5 4 2 26 161 73 29	1 15 4 16 2 3 2 25 58 249 588 24 1 1 9 2	1 2 2 5 5 8 3 8 5 12 17 32 26 4 4 35 2	2 2 4 4 3 7 7 125 24 6 6 16 13 21 23 125 720 354 143 5 4 10	3 3 2 3 3 45 1 1 1 4 47 23 76 78 78 73 30	2 6 1 4 4 7 7 13 2 13 3 11 10 14 60 13 64 47 2 13 2 13 2 10 11 11 12 13 13 14 14 15 16 16 16 17 17 18 18 18 18 18 18 18 18 18 18 18 18 18	1 5 3 3 3 1 16 9 18 5 7 4 4 8 20 31	12 11 12 2 2 10 7 7 12 199 28 31 31 77 32 56 171 167 852 510 152 199 152 13	5 14 16 5 11 11 11 11 15 50 26 20 20 23 89 23 32 2 3 32 1	3 16 4 2 3 3 13 13 25 4 4 177 40 21 18 123 5 6 61 28 2 2	13 22 42 42 3 7 7 4 4 6 15 14 7 3 3 3 3 3 3 3 1 3 1 3 1 3 3 5 5 3 5 3 5	222 3 29 4 11 6 2 4 7 7 1 1 29 31 3 24 44 16 190 4 2 19	19 9 11 5 8 1 8 1 1 3 3 4 1 20 14 16 46 38 10 119 10
	LOS ANGELES, CAL.						1			1	1	1	I		<del></del>	· .
	All causes	518	81	13	26	47	167	38	20	22	247	55	39	89	43	45
56700999551#1557598888##885558 (	Measles. Searlet fever. Whooping cough Diphtheria and croup. Influenza. Dysentery. Erysipelas. Tetanus. Tuberculosis of the lungs. Tuberculous meningitis. Other forms of tuberculosis Syphilis. Meningitis. Convulsions. Organic diseases of the heart. Acute bronchitis. Pneumonia. Diseases of the stomach. Diarrhea and enteritis. Malfornations. Premature birth. Congenial debility. Injuries at birth. External causes. All other causes.	1 15 5 16 5 6 6 3 10 277 5 1 1136 5 27 27 27	2 1 1 59 59 10	1	2 1 1 7 4 3 5	1 1 1 2 3 1 2 5 19 8 8 2	1 2 2 2 3 4 1 3 88 19 20	1 1 4 3 1 4 1 8 9 1 1 3	1 1 3 2 6 6	33	1 1 1 1 1 1 3 6 2 2 153 23 106 38 109 108 321 17	2 3 3 4 2 3 3 7 7 4 12 11 4 8 8	2 3 1 3 1 2 6	2 1 2 3 3 3 3 1 6 9 17 2 25 26 6 17	1 2 3 3 1 1 1 2 4 1 1 19 2	1 22 21 1 4 4 1 1 3 7
(37) 35 88	Injuries at birth External causes	8	10	3		2		Ĩ-	1		21 1 7	1 4	1 1	<b> </b>		-

al al									DEATHS	AT AGE O	F					
Abridged International List No.	AREA AND CAUSE OF DEATH.	Total deaths under 1 year of age.	Less than 1 day.	1 day.	2 days.	3 to 6 days.	Less than 1 week.	1 week.	2 weeks.	3 weeks but less than 1 month.	Less than 1 month.	1 month.	2 months.	3 to 5 months.	6 to 8 months.	9 to 11 months.
	REGISTRA	ATION	CITI	es o	F 250,	000 PO	PULA'	TION	OR	OVER II	T 1910-	-Continu	ied.			
	SAN FRANCISCO, CAL.						É,							400		
5	All causes	665 5	77	37		45	181	36	44	34	295	75	57 1	128	54 2	<u>56</u>
6 7 8 9 (12)	Scarlet fever Whooping cough Diphtheria and croup Influenza Dysentery Erysipelas	12 2 2 2						1	i	1	2	1	$\begin{array}{c} 2\\ 1\\ 1\end{array}$	4 2	2 1	1
(12) (37) 13 14	Erysipelas Tetamus Tuberculosis of the lungs Tuberculous meningitis Other forms of tuberculosis	17 12								2	2	1	2 1	5 3	1 4 4	6 4
(37) 17 (37) (37)	Syphilis Meningitis Convulsions	5 17 10 9 2	1 1		1	1	1 3	3	3 1	1	3 4 1 6	3	1 1	2 8 4	2 2	3 1
19 20 22 (23) 24	Organic diseases of the heart	13 27 50 31	2			2 2	4 2	1 3	2 1 1	1 1 4	1 3 9 7	4 3 2 12 24 6	1 3 4 1 24	6 4 14 9 49	5 6 2 12	1 9 15
25 (33) (33) (33,37) (37)	Malformations Premature birth	141 53 111 62 32	10 41 10 11	6 18 5 6	3 7 3 4	7. 11 10 8	26 77 28 29	4 1 9 8 1	10 6 12 4 1	4 5 5 7 4	7 23 38 105 44 32	6 5 9	2 1 6	1 2	1	i
35 38	All other causes  All other causes  Diseases, ill-defined or unknown	9 37	1	1 1	4		1 6	3	2	1	1 12	2 2	3	3 11	4	5
	WASHINGTON, D. C. All causes	955	160	55	20	46	281	57	38	18	394	89	75	168	130	99
5 6 7 8 9 (12) (12) (37) 13	Measles. Scarlet fever Whooping cough Diphtheria and croup Influenza. Dysentery Erysipelas. Tetanus. Tuberculosis of the lungs	13 13 1 1 1 4 2 7					i	3		1	1	1		2	8 1 1 2	2 2 1 1 3
14 15 (37) 17 (37) 19 20 22	Tuberculous meningitis. Other forms of tuberculosis. Syphilis. Meningitis. Convulsions. Organic diseases of the heart. Acute bronchitis. Pneumonia.	19 8 12 3 14 47	1	3	1	2 3 1	6 6 1	. 1		1	8 1 10 1 1 5 2	3 1 1 3 6	1 3 2	4 1 1 5 9	2 3 19 13	1 3 1 1 4 9 8 2 42
(23) 24 25 (33) (33,37) (37) 35	Bronchopneumonia. Diseases of the stomach. Disrrhea and enteritis. Malformations. Premature birth. Congenital debility. Injuries at birth. External causes.	25 229 192 26	5 111 19 17	2 34 9 4	4	3 14 16	11 167 48 23 3	8 4 15 8 2	2 3 2 18	4	2 12 17 208 68 26 4	21 4 14 26	30	77 1 2 44	3 52 2 14	10
38	All other causes. Diseases, ill-defined or unknown CHICAGO, ILL.	12 52 1	5	2	3	4	14	8	1	1	24	7	3	6	6	6 1
_	All causes		651	261		469	1,603	411	326	274	2,614	598	518	1,117	780	625
5 5 6 7 7 8 8 9 (12: 4 12: 4 15: 4 1	Tuberculous meningitis. Other forms of tuberculosis. Syphilis Meningitis. Convulsions. Organic diseases of the heart.	19 24 51 8 24 22 25 26 36 14 109 62 49	55 9 3 3 1 14 68 329 92 123	28 105 53	1 1 9 5	2 1 7 2 10 1 1 4 12 21 4 4 77 77 53 94 82 62	22 1 1 28 8 8 7 7 28 300 6 6 1288 1288 1278 5780 248	1 1 1 2 2 2 2 2 2 9 1 1 1400 300 79 422	11 35 11 25 34 31 139	1 134 13 18 17	2 1 1 1 1 3 3 6 6 6 4 4 1 1 1 4 9 13 3 40 12 12 12 12 12 12 12 12 12 12 12 12 12	1 3 28	1 1	9 69 156 1 707 20 4	2 3 15 . 1 8 68 142 407 10	10 15 23 23 1 1 64 111 1 282 5

d nai		Total			-				DEATHS	AT AGE O	r—	<del></del>			····	
Abridged International List No.	AREA AND CAUSE OF DEATH.	deaths under 1 year of age.	Less than 1 day.	1 day.	2 days.	3 to 6 days.	Less than 1 week.	1 week.	2 weeks.	3 weeks but less than 1 month.	Less than 1 month.	1 month.	2 months.	8 to 5 months.	6 to 8 months.	9 to 11 months.
	REGISTR	ATIO	N CITI	ŒS O	F 250	,000 PC	PULA	TION	OR	OVER I	N 1910-	-Contin	ued.	w		<u> </u>
35 38	CHICAGO, ILL.—continued.  External causes. All other causes. Diseases ill-defined or unknown  NEW ORLEANS, LA.	42 287 2	25	7 6	3 9 1	37	12 57 1	2 18 1	1 11	1 18	16 104 2	5 24	4 20	4 63	5 43	8 33
	All causes	1,071	100	23	19	65	207	73	27	42	349	122	117	230	152	101
5 6 7 8 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9	Measles. Searlet fever. Whooping cough. Diphtheria and croup. Influenza. Dysentery. Erysipelas. Tetanus. Tuberculosis of the lungs. Tuberculosis of the lungs. Tuberculosis of the lungs. Other forms of tuberculosis. Syphilis. Meningitis. Convulsions. Organic diseases of the heart. Acute bronchitis. Presumonia. Bronchopneumonia. Diseases of the stomach. Diarrhea and enteritis. Malformations. Premature birth. Congenital debility. Injuries at birth. External causes.	47 1 2 1 57 57 4 4 4 18 22 70 82 10 383 323 125 82	1 1 6 67 119	1 2 2 9 4 2	3 1 1 7 5 1	22 1 1, 3, 1, 2, 16, 8,	26 4 3 3 1 4 1 4 1 1 9 9 28 12	27 1 4 4 11 5	3 4 2 1 1 2 1 5	2 1 1 3 2 1 13 16 4	2 1 56 16 19 6 8 7 2 34 119 42 139	9 2 2 12 10 1 53 5 3 11	7 1 1 2 2 2 3 2 3 2 3 3 47 1 2 2 3 3	1 13 13 2 6 7 2 2 16 30 1 125 2 1 4	3 6 1 1 1 5 2 6 4 17 19 3 72 3	1 12 12 1 1 1 1 6 6 1 12 52
38	All other causes Diseases ill-defined or unknown	5 49	2		i	6	9	4	i	i	15	6	8	3 11	2 5	4
	BALTIMORE, MD.	1.000	100	. 70												
5 6 6 7 8 9 9 (1/2) (37) 14 157) 19 202 (33) 37) 19 202 (33) 37) 35 38	All causes  Measles Scarlet fever Whooping cough Diphtheria and croup Influenza Dysentery Erysipelas Tetanus Tuberculosis of the lungs Tuberculosis of the lungs Tuberculosis of the lungs Syphilis Meningitis Other forms of tuberculosis Syphilis Meningitis Convulsions Organic diseases of the heart Acute bronchitis Preumonia Bronchopneumonia Diseases of the stomach Diarrhea and enteritis Malformations Premature birth Congenital deblity Injuries at birth External causes All other causes Diseases ill-defined or unknown  BOSTON, MASS.	1,960  22 21 7 1 1 2 9 9 3 12 21 37 4 30 53 12 26 488 69 280 414 52 18 78 6		70 2 1 1 7 37 15 4 4 1	1 2 1 2 1 2 1 2 2 2 2 2 2	1 1 1 2 2 2 2 2 1 1 2 2 8 8 7 7 8 1 1	405 1 1 1 1 8 7 6 2 2 3 43 3 43 200 68 43 43 1 1 4 2 2 2 2 2 2 3 4 4 4 4 4 4 4 4 4 4 4 4 4	104 1 1 2 2 2 3 3 6 1 1 4 6 6 7 27 27 4	97 1 1 14 4 1 1 4 6 1 1 8 6 1 1 3 3 1	13 2 2 13 13 5 1 1 1 2 2 2 2 2 8 2 8 4	705  1 1 4 1 3 3 3 2 2 13 11 6 12 20 5 37 57 246 156 156 28 2	231 3 1 19 8 8 15 2 70 3 6 82 2 6 1	184 2 3 3 2 2 1 1 6 1 7 17 4 7 17 4 53 4 53 60	374 2 5 1 4 4 3 7 1 13 3 10 6 7 13 3 8 10 142 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3	274 9 5 1 1 4 7 1 12 8 1 1 26 26 26 3 3 1 1 3 3 5 2 6	192 8 2 4 3 1 3 3 1 8 4 4 22 21 22 23 1 9
	All causes	2,246	246	110	44	136	536	107	101	79	823	240	202	405	325	251
(12) (12) (37) 13 14 15 (37)	Measles Scarlet fever Whooping cough Diphtheria and croup Influenza Dysentery Erysipelas Tetanus Tuberculosis of the lungs Tuberculosis of the lungs Other forms of tuberculosis Syphilis Meningitis Convulsions Organic diseases of the heart Acute bronchitis Pneumonia	9 15 1 14 35 6 41 26 16		1	1	1 1 1 1 2 2	1	2 1 3 1	2 1 1 2 1 2 3 2 1	1 2 2 1 2 1 2	3 1 1 1 1 1 4 5 1 1 1 1 1 1 1 1 1 1 1 1 1	5 3 5 1 3 17	1 2 1 7 3 5 5 5	2 17 2 1 4 8 11 5 3 2 6 29	5 1 7 7 1 5 4  5 11 2 5 9 2 1 10 33	8 1 12 10 10 11 11 2 11 2 2 1 39

<del></del>		1 .	1						·						·	
ged Jonal Fo.		Total deaths			,		i		DEATHS	AT AGE O	F—				1	,
Abridged International List No.	AREA AND CAUSE OF DEATH.	under 1 year of age.	Less than 1 day.	1 day.	2 days.	8 to 6 days.	Less than 1 week.	1 week.	2 weeks.	8 weeks but less than 1 month.	Less than 1 month.	1 month.	2 months.	8 to 5 months.	6 to 8 months.	9 to 11 months.
-	REGISTI	RATIO	N CIT	æs c	F 250	,000 P	)PULA	TIOI	OR	OVER I	N 1910-	-Contin	ned.	·		
	BOSTON, MASS.—continued.						Γ.									
(23) 24 25 (33) (33) (33,37) (37) 35	Injuries at birth. External causes. All other causes. Diseases, ill-defined or unknown	182 10 654 153 325 158 132 22 27 7	24 125 23 70	22 45 12 25 2 2	5 22 5 8 8	2 2 4 19 38 20 23 1 17	2 2 4 70 230 60 126 3 25	3 17 32 18 2 13 1	10 2 16 13 21 12 1 1 9 2	5 1 23 6 17 4 2	20 5 48 106 300 94 131 3 55	27 2 101 12 19 17 5 16	18 1 95 12 3 15 1 1 23	36 2 197 12 1 24 5 33 3	50 122 8 1 6 25 1	31 91 3 1 2 2
	DETROIT, MICH. All causes	1,869	216	91	47	165	519	130	105	65	819	190	156	361	219	124
567899999811458778912828888888888888888888888888888888	Measles. Scarlet lever. Whooping cough Diphtheria and croup Influenza. Dysentary. Erysipelas. Tetamus. Tuberculosis of the lungs Tuberculosis of the lungs Tuberculosis of the lungs Content of the lungs Tuberculosis of the lungs Tuberculosis of the lungs Tuberculosis of the lungs Tuberculosis of the lungs Tuberculosis of the lungs Tuberculosis Syphilis Meningitis Convulsions Organic diseases of the heart Acute bronchitis. Pneumonia. Diseases of the stomach Diarrhea and enteritis Malformations. Premature birth. Congenital debility Injuries at birth. External causes.	13 3 15 3 12 3 10 15 3 45 45 45 45 45 45 45 45 45 45 45 45 45	1 1 19 144 143 18	1 1 2 8 47 47 11 7	1 62 1 1 54 3 4 4	3 3 17 3 5 2 7 7 18 431 10 2	2 3 34 2 4 11 50 248 68 89 4	2 1 3 3 11 2 12 12 12 236 21	1 1 1 6 2 2 1 16 5 20 5 5 20 5 21 4 4	1 1 2 2 2 2 6 5 6 4 4 21 1	1 3 3 3 1 12 9 9 52 52 10 4 39 17 49 49 49 49 46 70	3 1 1 11 15 5 8 1 9 6 10 15 38 7 53	1 1 6 2 5 5 5 2 2 4 3 1 1	1 2 3 3 1 2 1 10 11 15 12 13 43 12 127 4	1 1 2 1 1 2 1 1 4 12 7 7 4 14 129 7 7 8 8 8 8 16	3 2 1 1 2 6 5 5 1 1 3 9 9 2 1 4 4 4 0
38	All other causes Diseases, ill-defined or unknown MINNEAPOLIS, MINN.	103	6	1	4	19 1	33 3	9	6	3	51 3	13	10	16	10	3
	All causes	601	91	29	25	51	196	43	28	34	301	56	40	97	57	50
5 6 6 7 8 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9	Measles. Searlet fever. Whooping cough. Diphtheria and croup. Influenza. Dysentery. Erysipelas. Tetanus. Tuberculous meningitis. Other forms of tuberculosis. Syphilis. Meningitis. Convulsions. Organic diseases of the heart. Acute bronchitis. Pneumonia. Bronchopneumonia. Diseases of the stomach. Diarrhea and enteritis. Malformations. Premature birth. Congenital debility. Injuries at birth External causes. All other causes. Diseases, ill-defined or unknown.	32 2 5 1 5 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	100 69 93 77 1	7 8 10 1	1 1 3 9 3 3 3 2 2	1 2 6 1 3 11 11 18 3			1 2 2 1 4 1 5 5 1 7 4 1		2 1 4 4 3 8 8 2 2 5 5 21 3 3 15 36 1299 34 17 18 1	1 5 1 1 1 1 2 10 16 2 2 14 3 1 6	1 1 1 6 3 222 1 1 1 1	9 1 1 2 1 1 1 1 1 1 3 5 16 1 1 2 1 1 2 1 1 2 1 1 1 2 1 1 1 2 1 1 1 2 1 1 1 1 2 1 1 1 1 2 1 1 1 2 1 1 1 1 2 1 1 1 1 1 2 1 1 1 1 1 2 1	2 11 1 1 1 1 1 2 1 6 6	3 1 10 3 11 10 14 11
	ST. LOUIS, MO. All causes	1,573	202	52	46	93	393	85	55	61	594	156	144	303	206	170
5 6 7 8 9 (12) (12) (37) 13 14 15	Measles Scarlet fever Whooping cough Diphtheria and croup. Influenza Dysentery Erysipelas. Tetanus Tuberculosis of the lungs Tuberculous meningitis. Other forms of tuberculosis	11 9 5 9 6 12 7			1	4 1	5 1	1 6	1	2 1	1 3 12 1	1 2	1 2	3 1 2 2 2 4	11 2 5 3 3 1	7 3 1 6 1 1 2 4

78									DEATES	AT AGE (	)F					
Abridged International List No.	AREA AND CAUSE OF DEATH,	Total deaths under 1 year of age.	Less than 1 day.	1 day	days.	3 to 6 days.	Less than 1 week.	1 week.	2 weeks.	3 weeks but less than 1 month.	Less than 1 month.	1 month.	2 months.	3 to 5 months.	6 to 8 months.	9 to 11 months.
	REGISTR	ATIO	N CIT	IES C	F 250	,000 P	OPUL/	TIO	OR	OVER 1	N 1910	Contin	ued.		'	
	om Tolling are continued		1	1		1	ll .	T	1	1	]	1	[			
871-882 1871	Convulsions. Organic diseases of the heart. Acute bronchitis. Pneumonia. Bronchopneumonia. Diseases of the stomach. Diarrhea and enteritis. Malformations. Premature birth.	57 15 17 7 58 48 20 510 25 25 154 43 21 87	20 135 135 20 22 22	1 1 1 1 1 25 8 6	3 1 2 11 7 9 6	2 1 1 2 2 3 3 31 13 17 1	8 64 3 2 2 2 3 1 1 10 10 8 49 41 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	3 11 12 5 2 5 2 9 8 20 13	1 1 2 3 12 4 11 1 9	2 4 4 2 17 2 14 13	14 22 8 6 13 12 6 6 48 243 84 42 23 1	11 1 1 1 15 2 66 6 5 5 17 1	9 1 7 6 8 4 60 4 5 24	14 6 3 16 8 8 24 5 163 2 1 19	54421 100100 19911 9721 1995	4 9 3 3 6 6 5 26 2 78 1 1 3 13
	All causes	923	94	25	28	37	184	60	35	- 26	305	105	70	180	151	113
(22) 24 25 (33) (33) (33,37) (37) 35	Measles Scarlet fever. Whooping cough Diphtheria and croup Influenza. Dysentery. Erysipelas. Tetanus Tuberculosis of the lungs Tuberculous meningitis. Other forms of tuberculosis Syphilis Meningitis. Convulsions Organic diseases of the heart. Acute bronchitis. Pneumonia. Bronchopneumonia. Diseases of the stomach. Diarrhea and enteritis Malformations. Premature birth. Congenital debility Injuries at birth. External causes. All other causes Diseases, ill-defined or unknown.	10 10 5 6 5	11 44 15 22 22								1 1 12 3 8 7 11 20 44 41 83 3 2 2 104 41 104 11 20 11 11 11 12 11 11 11 11 11 11 11 11 11	2 2 2 5 6 13 1 27 5 7 20	1 1 1 1 28 1 28 1 1 1	3 3 3 2 2 4 12 17 7 7 8 8 20 3 78 1	2 1 1 2 2 1 4 6 6 2 2 17	77 1 4 4 2 2 1 1 1 1 1 1 1 1 1 1 2 2 2 2 2
	NEWARK, N. J.	1 001	***		00	*0	070	40			-					, ,
(12) (13) (37) (37) (37) (37) (37) (33) (33) (3	External causes	5 1 1 15 4 2 2 4 12 2 9 9 9 1 5 5 13 3 20 2 26 43 9 9 10 356 28 3 25 1 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2	138 1 1 1 1 88 20 16 1	2 1 1 2 4 23 5 5 1 1	30	1 2 3 1 2 2 8 19 12 3 1 3	272 1 1 1 8 1 3 2 2 3 1 4 48 25 5 1	1 1 2 2 3 2 1 6 3	13 2 4 7	24 1 1 2 3 4 2 2 1	381 1 5 1 11 11 8 8 3 17 24 29 159 62 28 5 20 1	105 4 4 1 3 1 9 6 10 43 4 4 14	99 4 1 1 1 1 1 1 2 42 42 14 46	205 1 1 1 3 3 3 6 9 25 21 11 12 13 3 3 3	180 2 4 11 12 1 2 1 4 2 18 37 2 15 6 9 1	121 3 17 2 2 1 1 2 3 3 3 4 4 4 4 4 5 8
	All causes	1,297	199	52	39	89	379	66	58	57	560	136	99	233	159.	110
6 7	Measles. Scarlet fever. Whooping cough Diphtheria and croup.	3 5 24 12										2	4	3 10 2	. 3 1 2 5	1 6 5

		·				<del></del>	<del>-1,</del>	<del></del>							<del></del>	<del></del>
Abridged International List No.	AREA AND CAUSE OF DEATH.	Total deaths under 1 year of age.	Less than 1 day.	1 day.	2 days.	8 to 6 days.	Less than 1 week.	1 week.	2 weeks.	3 weeks but less than 1 month.	Less than 1 month.	month.	2 months.	8 to 5 months.	6 to 8 months.	9 to 11 months.
,	REGISTE	RATIO	N CIT	IES C	F 250	,000 P	OPUL!	TIOI	OR	OVER I	N 1910	-Contin	ued.		!	
	BUFFALO, N. Y.—continued.				1		1		<u> </u>				1		[	Ī
. 9	Influenza	1													1	
(12)	Dysentery	8				i	1	i		1	$\frac{1}{2}$	1 2	····i	3	, §	·····i
(37) 13	Tetanus Tuberculosis of the lungs	·····i					·····									·····i
14 15	Tuberculous meningitis Other forms of tuberculosis	11 6										1	2 1	2 2	i	6 2
(37) 17	Syphilis Meningitis	50 3	1		1	1 1	3 1	5	9	7	24 1 8	11	6	7	2	i
(37) 19 20	Convulsions Organic diseases of the heart Acute bronchitis	14 3 26 35		3	1	3 2	1		1		8 1 9	2	<u>1</u>	1 5	1	i
22	Pneumonia. Bronchopneumonia	35 138	1	3	1	2	3 1 6	<sup>2</sup>	1 2 6	3 1 9		3 4 16	4	8 22	· 7 37	3 8 24
(23) 24 25	Diseases of the stomach	26 417			2	5 9	5 11	2 14	2 17	2 16 3	28 11 58 71	5 59	11 5 47	138	1 75	40
(33) (33)	Malformations Premature birth	89 209	25 114	7 25	11 10	20 20	63 169	1 2	2 8	3	199	7 6	3 2	7 2		i
(33, 37)	Congenital debility   Injuries at birth	44 73	8 42	1 10	3 6	9	21 67	13 8 4 1	2 2 1	1	32 73	7	3	2		
35 38	External causes	7 86	6	3	2	9	20	.6	1 5	5	36 36	10	2 5	14	13	8
\	NEW YORK, N. Y.								•••••							,
; '	All causes	15,028	1,147	873	423	820	3,263	773	675	575	5,286	1,603	1,184	2,782	2,246	1,927
5 6	Measles	168 28						<b>-</b>	1		1		1	15 1	73 5	78 22 .47 87 4 5
7	Whooping cough Diphtheria and croup Influenza	198 157				1	1	<b></b>	4 1	8	13 1	29 3	17	43 19	49 40	. 47 87
(12) (12)	Dysentery Erysipelas.	26 22 144						<u>-</u> -	22	5 1 14	5 1 41	3 1 30	5 2 19	3 6 28	6 7 17	5
(37) 13	TetanusTuberculosis of the lungs	17 69		i	2	8	11	5 5		14	16	1		1	22	l
14 15	Tuberculous meningitis Other forms of tuberculosis	200 46				1	1	i		$\frac{1}{2}$	3 2	3	4 7 3	14 54 13	69 13	28 67 12
(37) 17	Syphilis	228 128	7	11	1	12 3	31 3	19 1	20 1	14	84 7	35 10	39 3	13 45 30	17 47	8 31
(37) 19	Convulsions Organic diseases of the heart Acute bronchitis	322	12 1	13 1	8	22 2	3 55 4	23 5	17	2 28 1 40	123 13	44 6	39 3 21 1 49 38 151	66 8	40	12 8 31 28 2 82 150 522
20	Pneumonia	585	1 1	2 3	7 4	24 20	34 28 63	36 16	58 21	19.	168 84	83 50	49 38	100 119	71 144	150
(23) 24	Bronchopneumonia Diseases of the stomach	2,083	4	6	7 3	46 2	5	74 2 95 51	70 2	80	287 13	209 14	151	461 20 1,169 56	453 9	522 3 585 14
25 (33) (33)	Diarrhea and enteritis	3,950 611 2,073	79 659	76 472	6 59 176	30 102 238	37 316 1,544	51 227	127 38 123	136 26 67	395 431 1,971	536 54 65	9 433 29 19	56 13	832 27 5	14
(33, 3 <sup>7</sup> ) (37)	Congenital decility Injuries at birth	2,064 435	658 175 176	151 106	79 45	181 70	586 397	237 109 25	111 9	95 2	901 433	346	278	353	138	48
35	External causes	134 673	19 12	5 25	18	5 53	35 108	10 58	37	8 22	61 225	2 14 65	11 38	17 127	15 140	76 78 1
38	Diseases, ill-defined or unknown	10	2		2		4	1	2	•••••	7			1	1	1
	NEW YORK, N. Y. (BRONX BOROUGH).									,						
	All causes	1,134	130	80	36	70	316	67	51	36	470	118	69	186	161	130
5 6 7	Measles Scarlet fever Whooping cough	15 1 15										1	2	1 4	10 4	4 1 4
8	Diphtheria and croup Influenza	9											<u>-</u> -		2	7
(12) (12)	Dysentery Erysipelas	1 1 12							<sub>i</sub>		i	5	2	1 1	3	
(37)	Tetanus Tuberculosis of the lungs	1 4						1			ī					4
14 15	Tuberculous meningitis	18												5	. 6	7
(37) 17	Syphilis	13 14	1	1		1	3		1 1		5 1	2 3	2 1	2	6	2 1 2
(37)	Convulsions Organic diseases of the heart	10	1	i		1	1	2 1		2	6 2 8	1		2	····i	
20 22 (22)	Acute bronchitis	23 41 128	i	 		2 1 1	2 2 1	2 3 6	4 1 5	1 2	7	1 5 3 15	1 3 7	4 9 31	4 8 33	1 11 28
(23) 24 25	Bronchopneumonia. Diseases of the stomach. Diarrhea and enteritis.	128 4 298			i	2	1 2	<u>17</u>		l	14 1 43 37	47	1 29	73	58	48
(33) (33)	Malformations	47 216	6 92	7 49	7	1 7	27 177	5 16	3 10	13 2 8	37 211	5	1 1	4	1	
(33, 37)	Congenital debility	155 44	92 10 18	9 9	10	25 17 8	46 41	8 2	10	5	211 60 43	3 21 1	16	32	14	3
(37) 35	All other causes	15 44	Ĩ	ı 3	ĭ	5	3 8	3	$\frac{1}{2}$	2 1	14	2 4	2	1 12	1 10	3 4
88	Diseases, ill-defined or unknown	J i	ll			·	J		1		1 1		اــــا		١	1

	1	1	1				<del></del>				<del></del>					
Abridged International List No.	AREA AND CAUSE OF DEATH.	Total deaths under	Less				Less	·		AT AGE OF	Less					
Inter- Lis		1 year of age.	than 1 day.	day.	days.	3 to 6 days.	than 1 week.	week.	weeks.	but less than I month.	than 1 month.	month.	2 months.	3 to 5 months.	6 to 8 months.	9 to 11 months.
	REGISTRA	ATION	CITI	es o	F 250,0	000 PO	PULA!	TION	OR C	VER I	T 1910-	-Continu	ed.			
	NEW YORK, N. Y. (BROOKLYN BOR- OUGH).															
	All causes	4,701	348	291	154	295	1,088	262	201	208	1,759	415	· 346	860	703	· 618
5 6 7 8	Measles Scarlet fever Whooping cough Diphtheria and croup	26 12 47 30							1	3	1 3	5	4	13 4	13 3 12 7	10 9 10 18 3 3
(12) (12) (37)	Influenza Dysentery Erysipelas Totanus Tuberculosis of the lungs	9 10 24 2				1	i	1 1	1	5	7 2	6	i 1	4 1 2 7	3 4 2	1
13 14 15 (37) 17	Other forms of tuberculosis	13 60 20 65 26	2	3		1. 1	6 1	1 6	7	3 1	1 22 2	1 2 8 1	2 2 14	. 19 . 8 8	16 5 10 10	22 3 3 5
(37) 19 20 22	Meningitis. Convulsions Organic diseases of the heart. Acute bronchitis.	120	3 1	3	4 3 2	8 1 12	18 1 18 10	9 3 20	3 1 31	14 1 23 9	44 6 92	15 2 46	11 1 22 17	24 6 42	16 3 32	10 31 54
(23) 24	Organic diseases of the heart. Acute bronchitis. Pneumonia. Bronchopneumonia. Diseases of the stomach. Diarrhea and enteritis.	198 672 21 1,448		1 3	2 3 1 4	7 21	10 27 . 1 . 20	29 1 34	7 27 2 37	9 40 3 51	30 123 7 142	16 59 5	17 46 3 164	37 127 5 447	152 1	165
(33) (33) (33,37) (37) 35			33 177 55 70	33 147 42 49	29 69 19 16	16 50 81 54 24	145 474 170 159	18 85 23 8	17 33 17 2	12 21 8	192 613 218 170	154 26 22 26	12 6 26	29 4 22	308 15 1 6	233 5 1
35 38	Premature birth. Congenital debility Injuries at birth External causes All other causes Diseases ill-defined or unknown	36 183	1 6	7	1 3	2 16	5 32	8 10 1	10 10	38	20 60 2	4 16	2 12	8 33	1 35	1 27
	NEW YORK, N. Y. (MANHATTAN BOROUGH).															
_ ;	All causes	8,083	560	429	199	394	1,582	380	373	301	2,636	960	692	1,521	1,214	1,060
5 6 7 8	Measles. Scarlet fever. Whooping cough. Diphtheria and croup.	122 15 107 113							3 1	4	7	21	1 7 6	12 1 19 15	48 2 25 30	61 12 28 59
(12)	Dysentery Ervsipelas	10 9 101						3	19	2 1 9	2 1 31	2 1 1 17	, 3 1 15	2 2 19	2 2 11	2 8
(12) (37) 13 14 15	Tetanus Tuberculosis of the lungs Tuberculous meningitis Other forms of tuberculosis	11 49 115 24		1	2	5 1	8 1	2 -		1 2	10 - 2 2	i	3 5 1	1 9 26 5	17 45 6	20 37
(37) 17 (37)	Syphilis Meningitis Convulsions	143 77 178	4 7	7 10	1	10 2 10	22 2 31	11 1 11	11	11 1 10	55 4 65	21 6 28 1	23 2 10	34 - 18 37	7 22 24	20 37 9 3 25 14
19 20 22 (23)	Organic diseases of the heart	227 321 1,164	1	2 3	4 2	8 11 21	1 12 15 31	1 12 9	21 13 33	15 8 31	4 60 45 128	1 25 28 125	21 16 84	44 65 285	30 90	,
(37) 17 (37) 19 20 22 (23) 24 24 (33) (33)	Bronchopneumonia Diseases of the stomach Diarrhea and enteritis Malformations	31 1,866 230	26	1 29	3 1 2 15	2 12 38	3 15 108	33 1 34 21	67 17	67 11	183 157	8 294 21	3 • 209 15	536 19	240 5 388 10	47 77 302 2 256 8
(33) (33,37) (37) 35	Premature birth. Congenital debility Injuries at birth External causes	1,040 1,473 174	331 95 68 17	236 86 39	82 48 19	114 101 30	763 330 156	121 68 10	70 72 7	31 81 1	985 551 174	280 280	12 224	6 277	3 106	35
38	All other causes	76 397 4	6 1	13	11 1	3 26	26 56 2	2 40	21 	3 12	34 129 2	7 39	7 24	6 73 1	12 88	10 44 1
	NEW YORK, N. Y. (QUEENS BOBOUGH).															
_	All causes	853	81	60	24	54	219	53	43	24	339	85	59	164	120	86
5 6 7 8	Measles. Scarlet fever. Whooping cough. Diphtheria and croup.	12 3				1	1	•••••	i	1	3	1	2	1	1 1 1	1 4 2
(12) (12)	Influenza Dysentery Erysipelas	1 5						·····i	1		2	i	1	1	į	
(37) 13 14	Tetanus. Tuberculosis of the lungs. Tuberculous meningitis.	2 1 5				1	1	î			2			3	1	i
15 (37) 17	Other forms of tuberculosis. Syphilis Meningitis	2 6 7						1 i	1		2	3		1 2	2 5	
(37) 19 20	Convulsions Organic diseases of the heart Acute bronchitis	13 8 36	1			3 1 2	4 1 2	<u>1</u>	1 2	2 2	8 1 7	1 2 7	5	2 2 10	1 5	2 2 2
20 22 (23) 24 25	Pneumonia Bronchopneumonia Diseases of the stomach Diarrhea, and enteritis	20 90 4 262			i	1 2	1 3	4 8	3 11	1 5 4	2 15 23	2 7 34	2 11 1 24	8 14 1 87	1 23 1 59	2 2 2 5 20 1 35

			[	<del> </del>					TOP A MODE	AT AGE C	NR					
ged tiona No.	1	Total deaths	-		1	1	Н	1	)	ATAGE		<u> </u>	1	I		<del></del>
Abridged International List No.	AREA AND CAUSE OF DEATH.	under 1 year of age.	Less than 1 day.	day.	days.	8 to 6 days.	Less than 1 week.	1 week.	2 weeks.	3 weeks but less than 1 month.	Less than 1 month.	1 month.	2 months.	3 to 5 months.	6 to 8 months.	9 to 11 months.
	REGISTR	ATIO	CIT	es o	F 250	,000 PC	PULA	TION	OR	OVER I	N 1910-	-Contin	ued.			
	NEW YORK, N. Y. (QUEENS BOR- OUGH)—continued.															
(33) (33) (33,37) (37) 35	Malformations Premature birth Congenital debility Injuries at birth External causes All other causes Diseases ill-defined or unknown	37 7 34	13 41 14 12	6 32 12 8 1	7 9 3 4	6 15 9 8	32 97 35 31 1	6 12 9 5	1 8 11 3	1 6 1	40 123 56 36 1	2 5 14 1 1 4	10 2	3 2 19 2 6	11 1 2	7 2 2
38	NEW YORK, N. Y. (RICHMOND	1													1,	•••••
	BOROUGH).	257	28	13	10	7	58	11	7	6	82	25	18	51	48	33
5	Measles	3													1	2
6 7 8	Scarlet fever. Whooping cough. Diphtheria and croup	17					II <b></b>		1			1	2	6	7	1
9 (12)	Influenza Dysentery Erysipelas	2 5 2 2 1 2 2 2								1	1	2	i	1	· · · · · · · · · · · · · · · · · · ·	î
(37)	Erysipelas Tetanus	2				1					1	1			î	
13 14	Tetanus Tuberculosis of the lungs Tuberculous meningitis	2											1	1 1	1	
15	Tuberculous meningitis Other forms of tuberculosis Syphilis	<u>1</u>									<i></i>	1				
(37) 17 (37)	Meningitis	4												i	4	
19 20	Convulsions Organic diseases of the heart Acute bronchitis	2						1			1					i
22	Pneumonia Bronchopneumonia	2 5 29				1	i	2	2	2	7	1 3	3	4	1 5	3 7
(23) 24 25	Diseases of the stomach	29 8 76						2	<u>.</u>	1	7 1 4	1 7	3 1 7	3 26	2 19	13
. (33) (33)	Malformations Premature birth	7 41	1 17	1 8 2	1 5	1 3	4 33	1 3		i	4 5 39			1		1
(33,37)	Congenital debility Injuries at birth	20 10	1 8	, ž	ž 1		5 10	ĭ	2 1		7 10	1 5	2	3	1	2
35	External causes			····i		i		1	<sub>i</sub>		4	2		3	5	····i
38	All other causes	15 2	1		1		2 2		<u>.</u>		2					
	cincinnati, ohio.															
	All causes,	721	129	37	22	50	238	49	25	24	336	70	68	120	69	58
5 6	MeaslesScarlet fever	5 1			<sub>i</sub> .		<sub>1</sub> -	- <b></b> -			<sub>i</sub> -		2	1	1	1
7 8	Whooping cough Diphtheria and croup Influenza	9							<b></b>			1	1	1	5	1
9 (12)	Dysentery	3		<b>-</b>	<b>-</b>			<b>.</b>						2	·····i	1
(12) (37)	Erysipelas Tetanus	3 2						····i	<b>-</b>		·····i	1	1	1		1
, 13 14	Tuberculosis of the lungs Tuberculous meningitis	4 6				i	·····i	<b>-</b>		1	1 1	·····i		2	2	3
(37)	Other forms of tuberculosis Syphilis	3 37	2		<u>i</u>		3	<u>4</u>	<u>2</u>	1 1	10	9	1 8	5	4	1
(37)	Meningitis Convulsions Organic diseases of the heart	4 8 7		2		1	1 2	$egin{array}{c} 2 \\ 1 \end{array}$	<b>-</b>	i	1 5	2	1	1		. 1
19 20 22	Acute bronchitis	7 22		2			2		<u>i</u>	1	3 2	2 2 5	2	7	5	1
(23)	Pneumonia Bronchopneumonia	22 17 52 15		1	1		2	1 2	2	4 2	3	1	6	2 11	3 15	6 11
24 25	Diseases of the stomach	1981	 	••••••••••••••••••••••••••••••••••••••		1 4	1 4	9	10	2 4	6 27 42	4 26	2 31	3 67	20	19
(33)	Malformations Premature birth	45 153 36 34	12 83	10 16	4 8 2	10 13	36 120	4 12	1 6	4 1 5	143	β.	3	1	2	······································
(33,37) (37) 35	Injuries at birth	36 34	8 20	1 3	3	5 7	16 33 1	5 1	· · · · · · · · ·	1	143 22 34	3	4	5	.,	
- 1	External causes	51	1 2	1 1	····· <u>2</u>	8	13	1 4	2	2	2 21	1 6	3	9	3 8	2 4
38		3	1	1			2				2	1	*******			
!	CLEVELAND, OHIO. All causes	1 766	190	85	66	120	461	129	77	65	732	175	143	. 320	215	181
5	Measles	1,766	190	. 80	00	120	401	129		1	132	110	140	1	215	6.
6 7	Scarlet fever	3 44							i	1	2	4	7	8	88	15
. 8	Diphtheria and croup Influenza.	10		• • • • • • • • • • • • • • • • • • • •							ļ			3 2	2	5
(12) (12)	Dysentery	. 3								i	i	1 2	<del>-</del> -	1 2	1 1	
(37) 13	Tetanus Tuberculosis of the lungs	1 5						1			1	2				i
14	Tuberculous meningitis	9											l	2 5	2	2.

IB ·			1						DEATHS	AT AGE O	F					<del></del>
Abridged International List No.	AREA AND CAUSE OF DEATH,	Total deaths under 1 year of age.	Less than 1 day.	1 day.	2 days.	3 to 6 days.	Less than 1 week.	1 week.	2 weeks.	8 weeks but less than 1 month.	Less than 1 month.	1 month.	2 months.	3 to 5 months.		9 to 11 months.
<del></del>	REGISTR	ATION	CITI	es o	F 250,	000 PC	PULA	TION	OR	OVER I	N 1910	-Contin	ued.			1
	CLEVELAND, OHIO—continued.						1				[					
15 (37) 17 (37) 19 20 22 (23) 24 25 (33) (33) (37) 35	Other forms of tuberculosis. Syphilis. Meningitis. Convulsions Organic diseases of the heart Acute bronchitis. Pneumonia. Bronchopneumonia. Diseases of the stomach Diarrhea and enteritis. Malformations. Premature birth. Congenital debility Injuries at birth. External causes. All other causes. Diseases ill-defined or unknown.	78 78 14 25 9 94 35 93 32 632 88 276 106 86 17 79	1 1 16 106 22 36	1 2 11 49 8 13	1 2 1 2 1 20 10 10 15 1 1	1 1 6 1 2 1 2 12 12 12 12 15 15 15	7 1 7 4 2 1 1 5 3 18 5 5 6 7 9 2 11 3	4 8 1 5 6 25 13 30 17 7 2 6	5 1 3 2 3 1 2 27 4 16 5	6 1 1 3 22 4 10 6 6 2 3 3	222 2 15 4 16 6 11 92 71 268 84 86 6 27 3	2 18 2 2 14 5 11 1 4 · 83 4 4 9	15 3 4 2 10 3 73 3 4 10	2 14 5 2 3 24 7 25 8 185 6	14 9 22 3 112 4 1	22 22 26 11 3 87
	PHILADELPHIA, PA.	4.500		•••						4.50		:				
567 89 9997 445 87 898 888 888 888 888 888 888 888 888	All causes.  Measles. Scarlet fever. Whooping cough Diphtheria and croup. Influenza Dysentery Erysipelas Tetanus. Tuberculosis of the lungs Tuberculosis of the lungs Tuberculosis of the lungs Other forms of tuberculosis Syphils. Meningitis. Convulsions. Meningitis. Convulsions Organie diseases of the heart Acute bronchitis. Proeumonia. Bronchopneumonia. Bronchopneumonia. Diseases of the stomach Diarrhea and enteritis. Malformations Premature birth. Congenital debility Injuries at birth. External causes. All other causes. Diseases ill-defined orunknown.	4,769 65 77 46 28 8 5 5 22 25 50 16 74 28 24 44 158 158 158 158 158 44 45 45 45 45 46 46 46 46 46 46 46 46 46 46 46 46 46	392 6 1 3 3 3 247 49 45 5	163 1 1 2 2 18 88 24 16 12 5	147 1 1 3 4 2 2 2 2 2 2 2 2 2 2 2 2 5 1 6 6 3 5 5 1 6 6 6 6 7 2 5 7 5 7 5 7 5 7 5 7 5 7 5 7 5 7 5 7	262 2 5 10 10 10 10 10 10 10 10 10 10 10 10 10 1	3 3 13 13 13 12 13 6 7 21 8 8 22 128 449 137 10 33	1 1 1 1 1 1 1 1 1 1 1 3 2 1 6 6 6 6 13 4 43 8 33 17 1	220 1 2 1 1 1 1 1 1 1 1 3 2 5 4 4 15 3 5 2 12 13 13 14 15 15 15 15 15 15 15 15 15 15 15 15 15	158 2 1 2 3 3 4 2 13 1 46 7 23 20 1 4 15	1,608 1 1 2 3 3 5 5 1 1 27 27 29 9 62 153 184 590 230 230 20 80 80 80 80 80 80 80 80 80 8	403 3 1 5 1 12 2 16 12 37 77 171 165 52 6 31	1 3 3 3 2 10 2 6 6 8 11 1 1 1 2 20 0 9 6 5 0 7 2 8	955 5 6 6 12 6 7 10 4 20 3 15 6 42 42 42 42 510 90 112 12 4 82 25 46 46 46 47 40 40 40 40 40 40 40 40 40 40	779 23 3 14 3 3 11 2 16 2 3 3 11 15 3 30 45 99 16 350 10 10 18 46 46	617 36 36 31 13 16 31 22 15 20 6 2 4 7 4 30 46 114 214 7 214 7 214 33 34 34 34 34 34 34 34 35 36 37 37 38 38 38 38 38 38 38 38 38 38
	PITTSBURGH, PA.															
567 899(19)37)31415777731222233245333357355 8	All causes  Measles Scarlet fever Whooping cough Diphtheria and croup Influenza. Dysentery Erisipelas Tetanus. Tetanus. Tuberculosis of the lungs. Tuberculosis meningitis Other forms of fuberculosis Syphfilis. Meningitis. Convulsions Organic diseases of the heart. Acute bronchitis. Preumonia. Bronchopneumonia. Bronchopneumonia. Diseases of the stomach Diarrhea and enteritis Malformations Premature birth Congenital debility Injuries at birth External causes. All other causes. Diseases ill-defined or unknown.	1,812 8 13 13 2 2 3 9 9 4 4 5 5 5 5 5 81 19 19 19 19 19 19 19 19 19 1	3 1 1 1 14 154 238 28 1	3 3 2 2 2 12 7 2	1 1 29 6 3 1 3	101 1 2 3 2 4 1 1 2 1 3 3 2 2 4 1 2 2 2 3 3 8 2 9 1 8 1 8 2 9 1 8 8 1 8 1 8 8 1 8 1 8 1 8 1 8 1 8 1	1 1 2 2 12 2 6 6 15 37 5 12	105 1 1 5 2 2 8 5 20 8 8 8 6	2 2 2 2 3 5 5 14 17 16	1 1 1 1 2 20 3 16 14	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	169 9 2 2 15 3 5 5 1 6 6 6 7 27 27	152 4 1 1 1 1 2 2 56 4 2 28 1 1 1	337 10 2 1 1 3 3 3 6 6 1 5 5 9 168 10 23 23	248 4 9 2 1 3 3 1 1 1 2 2 3 121 6 9 9 2 1	202 3 10 7 2 4 2 2 4 2 3 5 10 8 9 2 4 89 2 6

lan									DEATHS	S AT AGE (	)F—	tr				-
Abridged International List No.	· AREA AND CAUSE OF DEATH.	Total deaths under 1 year of age.	Less than 1 day.	day.	days.	3 to 6 days.	Less than 1 week.	1 week.	2 weeks	8 weeks but less than 1 month.	Less than 1 month.	1 month.	2 months.	8 to 5 months.	6 to 8 months.	9 to 11 months.
	REGISTR	ATION	CITI	ES O	F 250	,000 P	OPULA	TION	OR	OVER	IN 191	0—Conti	nued.			
	MILWAUKEE, WIS.															
	All causes		144	88	41	75	348	72	54	44	518	101	95	230	149	115
5 6 7	Measles Scarlet fever	6									1			1	6	3 5
8 9	Influenza								1		i			2 1	1 3	2
(12)	Dysentery Erysipelas	5										i	1	1 1	2	· i
(37) 13	Tuberculosis of the lungs	3						····i			Í	1 1		i	2	1
14 15	Other forms of tuberculosis	2										1			1	
(37) 17	Meningitis.	14	1	1	i		3		2		5	2 1	1 1	1 1	4	6
(37) 19	Organic diseases of the heart	106	5	12	2	12	31 3	14	3	5	53 3	9	8	16	13	, 7
20 22	Acute bronchitis	46 41		ī		2	3 2	2 3	2 2	2	9	3	8 1	19 10	5 9	2
(23) 24	Diseases of the stomach	62 52	1	$\begin{smallmatrix}2\\1\end{smallmatrix}$	î	î 4	5 6	1 4	4	1 2	7 16	7 2	5	15 19	15	2 12 13 5
25 (33)	Malformations	339	1 4	····- <del>7</del>	4	1 4	2 19	8 2	16	13	39 21	41 4	39 1	113	67	40 1
(33) (33,37)	Congenital debility	155 192	72 39	38 17	7 15	15 24	132 95	10 13	3 12	5 10	150 130	4 18	1 17	19	5	
(37) 35	External causes	42 6	17	8	8	5	38	2 2	2		42					<u>.</u>
38	All other causes Diseases ill-defined or unknown	67 1	4		1	3	7	8	õ	5	25 1	6	6	9	: 9	12
	1	!	! !				<u> </u>						]			
<del></del>	REGISTRATI	ON C	ITIES	HAV	ING	FROM	100,00	о то	250,0	00 POP	ULATI	ON IN	7 1910.			)
	BIRMINGHAM, ALA.	410			••											
5	All causes	412	79	24	10	17	130	19	12	13	174	34	35	58	60	51
6	Measles. Scarlet fever Whooping cough Diphtheria and croup.	5			· · · · · · · ·										-1	4
8	Diphtheria and croup	13 2										2	1	2 1	5 1	3
(12) $(12)$	Dysentery Erysipelas				<i>.</i>											
(37)	Tetanus Tuberculosis of the lungs	1 1 2						1			i					· · · · · · · · · · · · · · · · · · ·
14 15	Tuberculous meningitis. Other forms of tuberculosis.	2												i	1	1
(37) 17	Syphilis Meningitis.	13	i				····i	2	i	2	6	····i	2	2	2	· · · · · · · · · · · · · · · · · · ·
(37) 19	Convulsions Organic diseases of the heart	6	i	1	····i		3	1	····i		5		1	1	1	ı
20 22	Acute bronchitis.											1				· · · · · · · · · · · · · · · · · · ·
(23)	Bronchopneumonia Diseases of the stomach.	36						2			$\begin{vmatrix} 1 \\ 4 \end{vmatrix}$	2 5	5	6	7	9
24 25 (33)	Diarrhea and enteritis	98 11	2	····i	1 1	3	1 7	1		1	3 8	4 2	14	23	30	24 1
(33) (33) (33,37)	Premature birth Congenital debility	92 46	59 1	18	3 2	6	86 6	2 3	4	1 3 2	91 15	1 6	7	13		i
(37)	Injuries at birth External causes	5 5	2	1	์ 1	1	5		<u>.</u>		5 2			13	4	
-38	All other causes. Diseases ill-defined or unknown	13 47	1 12	3	i	4	1 20	1 6	2	3	2 31	1 1 7	1 1 2	4 5	1 1	4 1
	OAKLAND, CAL.					1	20		-		0.	•	-	Ĭ	1	*
	All causes	243	42	12	12	18	84	14	12	10	120	21	20	39	26	17
5	Measles	3										1				2
7 8	Scarlet fever	4 1								1	1	· · · · i			2	•••••
9 (12)	Influenza Dysentery															1
(12)	Ervsipelas	3						.					2			· ;····i
(37) 13 14	Tetanus Tuberculosis of the lungs Tuberculous meningitis.	4						1.			1		2	i		••••••
15	Other forms of tuberculosis Syphilis.	3										1		2	1.	1
(37) 17 (37)	Meningitis	6							1	1	3 2	1	3	1 1	2	i
(37) 19 20	Convulsions. Organic diseases of the heart. Acute bronchitis.					····i				1	1					
	BOUNDE MICHIGATION CO.	a 11				11				il		1 ).	,	21.	!	2

	1	,	II.													
d nsl		Total	,		~				DEATH	S AT AGE	of—					
Abridged International List No.	AREA AND CAUSE OF DEATH.	deaths under 1 year of age.	Less than 1 day.	day.	2 days.	3 to 6 days.	Less than 1 week	1 week.	2 weeks	3 weeks but less than 1 month.	Less than 1 month	1 month.	2 months.	3 to 5 months	6 to 8 months.	9 to 11 months.
	REGISTRATION	CITI	ES HA	VINC	FRO	<b>м</b> 100	,000 T	O 250,	000 P	OPULA:	rion i	N 1910	Contin	ued.		
	OAKLAND, CAL.—continued.				<u> </u>	Ī				1					<u> </u>	
22 (23) 24 25	Pneumonia. Bronchopneumonia. Diseases of the stomach Diarrhea and enteritis.	11 16 3 45				1 1	1 1 1	1 1		. 1	3 2 3	2 1 1 7	1 1 8	2 6 1 13	1 4 10	2 2 1
(33) (33) (33,37) (37) 35	Malformations Premature birth Congenital debility Injuries at birth	24 55 24 6	7 27 7 1	3 7	1 3 4 2	1 6 3 1	17 40 12 4	2 4 2 1	1 5 2 1	2 1	20 51 17 6	2 2	3	2 2 2	2	
35 38	All other causes.  Diseases ill-defined or unknown	14			1	3	4	2	2		8,	i		1 3	· 2	
	DENVER, COLO.															
5	All causes	475 12	66		13	34	135	42	21	16	214	50	50	81	54	26
6 7 8 9	Scarlet fever. Whooping cough Diphtheria and croup. Influenza								1		1	i	1		2 1	7 1
(12) (12) (37) 13	Dysentery. Erysipelas. Tetanus Tuberculosis of the lungs	1 5 3							1		i	3			1 1	
14 15 (37) 17	Tuberculous meningitis. Other forms of tuberculosis. Syphilis. Meningitis.	6 1 17 18		1		1	1 1	1 2 1		2	1 5 2	2	3 2	2 4 4 11	1 1 3	
(37) 19 20	Convulsions Organic diseases of the heart. Acute bronchitis. Pneumonia.	1 4 22 39	1 1			3	1 1 3	1 2 1 2 1	1 2 2 2	1 1	1 3 8 4	3 6	1 7 5	······································	3 8	4
(23) 24 25 (33) (33)	Bronchopneumonia. Diseases of the stomach. Diarrhea and enteritis Malformations. Premature birth	32 4 79 32	2 9 44	1 1 2 8	3 5	1 9 11	2 1 2 23 68 20	2 1 4 3 13	2 4 1	1 1 1	7 2 11	10 1	1 1 13 1	12. 7 24 2	7 1 17	<u>2</u> 4
(33,37) (37) 35	Congenital debility Injuries at birth External causes All other causes	88 62 10 7 27	5 4	4 2 1 2	4 1	7 2	20 6 3	2 2 5	3 2 1	3 5	28 84 32 10 3 10	3 10 2	11 11 2	8 1 5	1 2 5	i
38	Diseases ill-defined or unknown BRIDGEPORT, CONN.		•••••		•••••	•••••						•••••				•
1	All causes	339	34	14	19	16	83	15	21	19	138	19	33	60	51	38
<sup>7</sup> 5 6 7 8	Measles. Scarlet fever. Whooping cough Diphtheria and croup.	4 1 2													2	2
(12) (12) (37) 13	Dysentery	1 1								••••••		1			1 1	1 
13 14 15 (37)	Tetanus Tuberculosis of the lungs Tuberculous meningitis Other forms of tuberculosis Syphilis	3 1 5	1				1	1			2		1 3		i	2
17	Meningitis. Convulsions. Organic diseases of the heart. Acute bronchitis.	2 11 1 4			2	1	3	2	2	1 1 1	1 8 1	2	1 1			1
(37) 19 20 22 (23) 24 25 (33) (33)	Pneumonia. Bronchopneumonia Diseases of the stomach. Diarrhea and enteritis	22 18 3 119		1 1	1	1	1 1 3	1 2	1	1	2 3 17	1 1 6	3 3 12	5 4 1 36	5 6 29	-7 1 1 19
(33,37)	Malformations. Premature birth. Congenital debility Injuries at birth.	9 37 53 20	1 13 4 12	2 6 1 3	7 4 3	2 6 3 1	5 32 12 19	1 2 5	2 8 1	6	8 36 31 20 1	1 1 3	6	10	2	i
35 38	External causes	17 1	1 1 1		1	2	1 4 1	i	i	1	1 7 1	2 1	1 2	3	-2	2
l	NEW HAVEN, CONN.															
_	All causes	413	46	25	13	29	113	29	26	12	180	34	30	58	-52	59
5 6 7	Measles. Scarlet fever. Whooping cough.	2 1 9								1	1			3	1	2 1 4
(12) (12)	Diphtheria and croup Influenza Dysentery Erysipelas	3 2 2 2				i	1			1	1 1	1	2	. 1	Ī.	••••••
										- "					- '-	

						by s	tates.]						<del></del>	•		
d mal		Total							DEATHS	AT AGE	)F					
Abridged International List No.	AREA AND CAUSE OF DEATH.	deaths under 1 year of age.	Less than 1 day.	1 day.	2 days.	3 to 6 days.	Less than 1 week.	1 week.	2 weeks.	8 weeks but less than 1 month.	Less than 1 month.	1 month.	2 months.	3 to 5 months.	6 to 8 months.	9 to 11 months.
	REGISTRATION	CITI	ES HA	VING	FRO	м 100	,000 T	250,	000 P	OPULAT	CION I	N 1910	Contin	ued.	·	
	NEW HAVEN, CONN.—continued.															
(37) 13 14	Tetanus Tuberculosis of the lungs Tuberculous meningitis	1 2 4				1	1				1			<u>i</u>	<u>i</u>	
15 (37) 17	Other forms of tuberculosis Syphilis Meningitis.								3		3			<u>2</u>		
(37) 19	Mennights. Convulsions Organic diseases of the heart. Acute bronchitis.	7 6 4	i	1	i	1	1 1 3	1	1		3 4			1,	1	3 ·1
20 22 (23) 24	Acute bronchitis	11 23 29						1 2	11	 2	3 1 5	2 1 1	1 3	2 3 5	2 6 8	2 11 7
24 25 (33)	Diseases of the stomach.  Diarrhea and enteritis.  Malformations	82	8		1	1 8	2 18	2	4	1	2 8 22	11	7	21 1	16 1	19 19
(33) (33,37)	Premature birth.	26 73 65	27 1	14 5 2	10 1	5 7 2	56 14 12	3 5 7 2	5 9	2 5	68 35	4 6	1 6	12	4	2
(37) 35	Injuries at birth. External causes. All other causes. Diseases ill-defined or unknown	15 4 25	8			3	3		····i		14 4	2 3	6	1 2 2	1 6	. 4
38	Diseases ill-defined or unknown ATLANTA, GA.	7	1				1	2			3	1	1	2		••••
	All causes	480	40	22	12	38	112	22	20	14	168	41	40	98	76	57
5 f	Measies. Scarlet fever.	6 1 19								2	2	2	5	<u>2</u>	2 4	2 1 6
8	Whooping cough Diphtheria and croup Influenza	4							1		1		1	2		
(12) (12) (37)	Dysentery Erysipelas Tetanus	1						1			1		1	3 1	1	1
13 14 15	Tuberculosis of the lungs Tuberculous meningitis Other forms of tuberculosis	4 2 1												3 1 . 1	1	
(37) 17	Syphilis Meningitis	2 4				1	,1	i			1			1 2 1		1 1
(37) 19 20	Convulsions. Organic diseases of the heart. Acute bronchitis.	1 5		1		1	2	1		1	2 2	i	1	····i		1
22 (23) 24	Pneumonia Bronchopneumonia Diseases of the stomach	68 18 10			1	5	1	2	3 2	3	12 6 2	9 2	7 2 4	20 3	13 5 4	
25 (33) (33)	Diarrhea and enteritis   Malformations   Premature birth	111	5 30	1 2 10	1 7	3 2 10	10 57	2 2 3 5	1 2 2	21	10 13 63	7 1 4	12	29	26 1	27 1
(33,37) (37) 35	Congenital debility	67	1	4	2	. 11 2	10 57 21 3 2	5 1 2	6 1 1	2	34 5 5	9	2	12 7	6	4
38	All other causes.  Diseases ill-defined or unknown.			i		3	3 1	1	î	1	6 2	1	2 2 1	6	10	2 1
	· indianapolis, ind.	470	200		10		150	0.5	1,	11	000	41	29	59	46	
. 5	All causes	419	62	45	12	37	156	25	14	. 11	206	41	29	99	40	38
6 7	Scarlet fever. Whooping cough. Diphtheria and croup.										1	1	2	4		1
8 (12)	Influenza	3												2 1	i	
(12) (37) 13	Erysipelas. Tetanus Tuberculosis of the lungs	.}												1		1
14 15	Tuberculous meningitis Other forms of tuberculosis	2 2 1 7 5					1			1	3	1	1 2	1	2	
(37) 17 (37) 19	Syphilis. Meningitis. Convulsions.	5	i		1		1 1		1	<u>.</u>	1 1 1	1	1	2	i	
20 22	Organic diseases of the heart Acute bronchitis Pneumonia.	2 5 20 28				3	3	1	1	1	6	1 1	2	1 6	2 3	4
(23) 24 25	Bronchopneumonia. Diseases of the stomach. Diarrhea and enteritis.	28 4 110	1 1 8			4	1 5	1 4	2	2	5 1 13	17		33	1 23	7 1 18
(33) (33)	Malformations Premature birth Congenital debility	51 101	8 45 4	12 23 2 6	5 3 1	10 11	35 82	5 8 2	1 4	1 2 2	13 42 96 13	4 4 5	6 5 2	1 1		·····i
(33,37) (37) 35	Injuries at birth External causes	13	2	.] 1	1	2 2 1 3	9 11 2 5	2 2			13		.)	2		3
38	All other causes Diseases ill-defined or unknown	21	l::::::	1	1	]3	∥ <sup>5</sup>	1	]²		J8	3	.l	12	4	

				<u> </u>												
Fig.									DEATHS	AT AGE O	F—					
Abridged nternational List No.		Total deaths	l			-	]!	1		1	1		ı	i	<u> </u>	<del>i</del>
orld rns ist 1	AREA AND CAUSE OF DEATH.	under 1 year	Less	1	2	3 to 6	Less	1	2	3 weeks but less	Less	1	2	3 to 5	6 to 8	9 to 11
A B H		of age.	than 1 day.	day.	days.	days.	than 1 week.	week.	weeks.	than.	than 1 month.			months.	months.	months.
H		}								1 month.						
	REGISTRATION	CITII	es ha	VING	FRO	м 100,	000 TO	250,0	00 PO	PULAT	ION IN	T 1910–	-Continu	ed.		,
		1	11	1		1	<u> </u>	<del></del>	ı	1	1	·	i	· · · · · · · · · · · · · · · · · · ·	<u> </u>	1
	LOUISVILLE, KY.															
	All causes	441	46	21	13	30	110	32	21	20	183	34	52	91	46	35
5 6	Measles. Scarlet fever.							1	1		2	1		4	2	5
7 8	Whooping cough Diphtheria and croup	7							i		1 1			i	2	3
9	Influenza			<b>-</b>					<b>.</b>				1			
(12) (12) (37)	Dysentery Erysipelas			<del>-</del>										1	:1	L
(37) 13	Tetanus Tuberculosis of the lungs	. 7							1		2		i	î	5	
13 14 15	Tuberculous meningitis Other forms of tuberculosis	3											2			·····i
(37) 17	Syphilis Meningitis	. 6		i	1		2				3	1 1	2	3	4	2
(37) 19	Convulsions	19	l l	î	1	5	8	3	ī	i	13		Î	5		
20 22	Organic diseases of the heart Acute bronchitis	3	·		1		3				3				2	i
(23) 24	PneumoniaBronchopneumonia	18				·····i	i	1	1		3 2	3 5	5 3	6 5	5 2	5 1
25	Diseases of the stomach Diarrhea and enteritis	60			1	1	2	i-		3	2 4	<u>5</u>	1 7	27	1 13	2 4
(33) (33)	Malformations.  Premature birth	14 56	4 24	4 8	2	1 8	11 41	1 6	4	3	12 54	1	1	·····i	·····i	
(33,37) (37)	Congenital debility	135	13 2	6	. 1	10	33 3	13	7	11	64 3	14	21	25	6	5
35	External causes	33		····i	i	2 2	2	1 3	2	2	3 11	3	7	8	1 1	2 3
38	All other causes Diseases ill-defined or unknown					<u>-</u>	*						<u>-</u> -			
	CAMBRIDGE, MASS.			·												
	All causes	297	44	20	7	14	85	14	12	7	118	24	12	59	46	38
5	Measles.	1														1
6 7	Scarlet fever Whooping cough Diphtheria and croup Influenza Dysentery Freeigness	13										2	i	3	4	3
8	Diphtheria and croup Influenza	2												·····i	1	1
(12) (12) (37)							!	1			11	l	Į.			
(37) 13	Tetanus Tuberculosis of the lungs	1						1			1					
14 15	Tuberculous meningitis. Other forms of tuberculosis.	î											l			ī
(37) 17	Syphilis	1 2						1						į		·
(37)	Meningitis Convulsions Organic diseases of the heart	5					i	1			2			2	2 1	1
19 20	Acute pronentis	10		1 1	i		1 1				1	····· <u>2</u>	1	2	3	2
(23) 24	Pneumonia. Bronchopneumonia. Diseases of the stomach.	21 16			1	2	2 2	1	1		2	1 4	<u>2</u>	10 2 1	4	2 2 2
24 25	Diarrhea and enteritis	1 83			•••••	1	1	1	<u>-</u>	3	2 8	9	7	1 20	2 21	2 18
(33) (33)	Molformotiona	ו חד	2 32	2 9	5	1 5	5 51	$\frac{1}{2}$	4 1 4	1 2	8 59	1 2		ĩ		
(33,37)	Premature birth. Congenital debility	17 15	3 7	1		1	5	2	1		8	ĩ		7	i	
35	External causes	4		4	1	1		į			15 1		i	1	1 2	•
38	All other causes. Diseases ill-defined or unknown	18 1		2		1	3	1		1	5	1		7	2	3 1
	FALL RIVER, MASS.												•			1
	All causes	810	59	21	16	- 30	126	44	41	17	. 228	75	64	187	147	109
5	Measles.	16			<del></del>							1			5	9
5 6 7	Scarlet fever	9										3				<u>4</u>
8	Diphtheria and croup Influenza	2		•••••											1	î
(12)	Dysentery.	2						1			i					1
(12) (37) 13	Erysipelas Tetanus Tuberculosis of the lungs					 		1	1		2				1	
14	Tuberculous meningitis	1													1	·····i
15 (37)	Other forms of tuberculosis Syphilis	2								i	i		1			
17 (37)	Meningitis	1 7	·····			2	3		1	i	5	$\frac{1}{2}$		.2 2	1 5	3 1
19 20	Convulsions Organic diseases of the heart. Acute bronchitis	1 35	·····			<u>r</u>	i		2		3	6	2	9	1 6	9
22	Pneumonia	55				1	. 1	2		I.	4	1	3	15	10	22 8
(23) 24	Bronchopneumonia Diseases of the stomach	50 11				<i></i>	1	1	2	. 3·	6 3	2 5	3	16 2	15 1	
25 (33)	Diarrhea and enteritis	347   19	5	1	1 2	1 3	3 11	11 3	15 1	- 6 1	35 16	31 1	44	116 1	84	37 1

## MORTALITY STATISTICS.

Table 9.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM IMPORTANT CAUSES, DURING EACH OF THE FIRST THREE DAYS OF LIFE, THE REMAINDER OF THE FIRST WEEK, WEEKS OF THE FIRST MONTH, MONTHS OF THE FIRST QUARTER, AND REMAINING QUARTERS OF THE FIRST YEAR, FOR THE REGISTRATION AREA, REGISTRATION STATES, AND CITIES OF 100,000 POPULATION OR OVER IN 1910: 1911—Continued.

d nal	'	Total					<del></del>		DEATHS	AT AGE O						
Abridged International List No.	AREA AND CAUSE OF DEATH.	deaths under 1 year of age.	Less than 1 day.	1 day.	2 days.	3 to 6 days.	Less than 1 week.	1 week.	2 weeks.	3 weeks but less than 1 month.	Less than 1 month.	· 1 month.	2 months.	3 to 5 months.	6 to 8 months.	9 to 11 months.
	REGISTRATION	CITI	ES HA	VINC	FRO	)M 100	,000 T	250,	000 P	OPULAT	CION I	N 1910		ued.	<b>.</b>	
	FAIL RIVER, MASS—continued.											-				
(33) (33,37) (37) 35	Premature birth. Congenital debility Injuries at birth External causes	79	34 7 12	11 4 3	5 6	11 3 4	61 20 19	10 9 1	7 8	3	78 40 20	5 12	2 5	. 2 9	2	4
35 38	External causes All other causes Diseases ill-defined or unknown	6 41 8		i	1 1	3	4 2	3 2	2 1		9 5	3 2	2 1	2 9 1	1 12	1 7
	LOWELL, MASS.															
5	All causes Measles		50	16	10	37	113	12	12	11	148	46	46	103	86	57 2
6 7 8 9	Scarlet fever Whooping cough Diphtheria and croup Influenza	10 1								1	1			4	4	
(12) (12) (37)	Dysentery. Erysipelas Tetanus	1													1	
13 14 15 (37)	Tuberculosis of the lungsTuberculous meningitis. Other forms of tuberculosisSyphilis	1 <u>4</u> 2										i		7 1	3 1	3
(37) 17 (37) 19	Meningitis. Convulsions Organic diseases of the heart.								l							4
20 22 (23) 24	Acute bronchitis. Pneumonia. Bronchopneumonia. Diseases of the stomach.	26 14 19 5				1 i	1 1	1	2	1	1 1	1 2 1	2 1	4 4 1	5 5 . 5	7 3 6
25 (33) (33) (33,37)	Diarrhea and enteritis Malformations Premacure birth Congenital debility	187 17 49 89	2 22 21	4 5 5	1 2 3 4	3 4 12 12	4 12 42 42	1 2 2 6	3 1 2 3	4 2 2	12 15 48 53 5	24· 1 10	19 12	61 1 10	47 1 1	24
(37) 35 38	Injuries at birth. External causes All other causes Diseases ill-defined or unknown	6 7 19 1	3 1 1	<u>1</u>		3	5 1 4			1	1 5	1 2 1	1 5	2	2 4	1 2
- 90	WORCESTER, MASS.	•	1	•••••		••••	1	•••••	•••••	**********	1	• • • • • • • • • • • • • • • • • • • •				
_	A.11 causes		81	16	14	31	142		23	12	199	38	31	85	48	46
5 7	Measles. Scarlet fever. Whooping cough. Diphtheria and croup.	1												i	1 1	2
(12) (12)	Influenza Dysentery	3 2 1 6								1	2	1	1	1		1 1
(37) 13 14	Erysipelas. Tetanus Tuberculosis of the lungs. Tuberculous meningitis	4 8									2	1 1	1	2 2 3	1 2	1
15 (37) 17	Tuberculous meningitis. Other forms of tuberculosis Syphilis Meningitis.	2 4		•••••		1	i	•••••	i	•••••	2	1 1	1	1		ĩ 1
(37) 19 20 22	Convulsions Organic diseases of the heart Acute bronchitis Pneumonia	10 3 12 13 28			1	1 1	1 1 1	$\begin{array}{c}1\\1\\2\end{array}$		2	4 2 3	2 2 1	2	3 2 5	1 2 2	1 1 5
(23) 24 25 (33)	Bronchopneumonia. Diseases of the stomach. Diarrhea and enteritis. Malformations	5	1	 4	2	2	14		1 5 2	2	7 5 20	2 12	4 1 16	7 2 31 2	6 26 1	1 5 2 2 16
(33) (33) (33,37) (37)	Premature birth. Congenital debility Injuries at birth External causes.	106 25 93 62 20	53 8 15	4 9 3	2 8 2	10 3	74 23 18	2 6 6 1	5 6 1	2 1	87 36 20	4 7	2	2 12	3	ž
35 38	All other causes Diseases ill-defined or unknown	5 27 1				1 3 1	1 3 1	3	1	1	2 8 1	3	3	3 5	2	6
	Grand Rapids, Mich. All causes	270	22	15	11	27	75	14	15	8	112	34	23	47	35	19
5 6 7	Measles Scarlet fever	6							1		1	1	1		1	2
· 8	Whooping cough Diphtheria and croup Influenza											1	1	1	1	********
(12) (12) (37) 13	Dysentery Erysipelas Tetanus	1							1		l			•••••		••••••
1 <u>4</u> 15	Tetanus. Tuberculosis of the lungs. Tuberculous meningitis. Other forms of tuberculosis Syphilis.	1 2 3										 1		2	. 1	1 1
(37) 17	Meningitis.	3		l			J					l		2 1	2	

	· · · · · · · · · · · · · · · · · · ·															
d nal		Total							DEATH	S AT AGE (	or—					
Abridged International List No.	ARHA AND CAUSE OF DEATH.	deaths under 1 year. of age.	Less than 1 day.	1 day.	2 days.	3 to 6 days.	Less than 1 week.	1 week.	2 weeks.	3 weeks but less than 1 month.	Less than 1 month.	1 month.	2 months.	8 to 5 months.		9 to 11 months.
	REGISTRATION	CITI	ES HA	VINC	FRO	M 100	,000 T	250,	000 P	OPULAT	LIÓN 1	N 1910		nued.	·	<u></u>
	GRAND RAPIDS, MICH.—continued.					Ī .			·							
(37) 19	Convulsions Organic diseases of the heart	3				1	1	1			2	1				
20 22 (23)	Acute bronchitis Pneumonia Bronchopneumonia	14 17							1	3	2 3	1 3 3	3	3 3	1 2 5	3
(23) 24 25 (33)	Diseases of the stomach	13 57				2 1	2 1	$\frac{1}{2}$	2 4		5 7	3 9	1 7	2 14	1 14	1 6
(33) (33, 37)	Malformations Premature birth Congenital debility	46	20 20	10 4	3 4 3	9 7	9 43 14	1 2 5	5	$\frac{1}{2}$	10 46 26	1	1 7	2 13	<u>2</u>	
(37) 35	Injuries at birth External causes	2 2 23		1	<u>i</u>	1 2	1 1	1 1			2 1 6			i		
38	All other causes Diseases ill-defined or unknown	20			····-	ļ		ļt.	1	1		3	2	5	5	z
	ST. PAUL, MINN. All causes	449	. 53	22	17	38	130	33	30	27	220	44	52	66	41	26
5 6	Measles													••••		
8	Scarlet fever. Whooping cough. Diphtheria and croup.	1 9 7 2										3	2	······2	3	$\frac{1}{2}$
(12) (12)	Influenza Dysentery Erysipelas	1 2				•••••				1	1			1	1	
(12) (37) 13 14	Tetanus Tuberculosis of the lungs	2													1	1
15 (37) 17	Tuberculous meningitis. Other forms of tuberculosis. Syphilis					1	1	i	1	2	1	······	5		2	1
(37) 19 20	Meningitis Convulsions Organic diseases of the heart	9 7 1		····i		2	3		1	1	1 4	1 2 1	Ĭ	1 1	1	
22.1	Acute bronchitis	16		••••••	····i	2	3	3	$\frac{2}{1}$	1	4 1 5 4	$\frac{1}{2}$	6 4	3 4	1 1	·····i
(23) 24 25	Pneumonia Bronchopneumonia Diseases of the stomach Diarrhea and enteritis	39 6 88				1 1 3	1 1 3	4	2	1 4	4 7 2 14	6 14	3 1	8 2 24	8 1 11	7
(33) (33)	Malformations	88 29 94 59 12	6 39	5 9	2 3	3 10	16 61	3 3 7 5	1 13	3 7	23 88 36 12	2 3	1 15 3 1	1 1	i	
(33, 37) (37) 35	Congenital debility Injuries at birth External causes	59 12 4	3	4 2	6 3	8 3 2	21 11 2	5 1	4	6	36 12 2	6	3	`14 i	•••••	
38	All other causes Diseases ill-defined or unknown	30 1	2	i	2	1	6 1	6	1	1	14 1	3	5	$ ilde{2}$	4	2
	Kansas City, Mo.		:													ĺ
5	All causes	587	80	35	21	38	174	33	30	31	268	84	50 1	80	65	40
6 7 8	Scarlet fever. Whooping cough. Diphtheria and croup. Influenza.	1 15								1	1 1	4	3	<u>i</u> .	5	2
(12)	Influenza Dysentery	1 3 1		••••••	••••••				1 1		1	1		i	1	
(12) (37) 13	Erysipelas. Tetanus Tuberculosis of the lungs.	3 1 2						i			i	1			1	1
14 15	Tuberculous meningitis	2										7		į		2
(37) 17 (37) 19	Syphilis Meningitis Convulsions	24 7 7		i	······································	•••••	3	<u>1</u>	2	3 1	3 3 4	7 1	7	5 2 1	2 1	1 1
20	Organic diseases of the heart	3 15 29 27		•••••	2 2	1	3		1 3	3	3 4	5		3	2	<u>ī</u>
(23) 24	Pneumonia. Bronchopneumonia. Diseases of the stomach.	7		· · · · · · · · · · · · · · · · · · ·	1	2 1	3 1 1	i	1	1	8 3 1 9	8 4 3	$\begin{bmatrix} 1\\2 \end{bmatrix}$	3 6	4 11 2 25	1 1 1
25 (33) (33)	Diarrhea and enteritis.  Malformations.  Premature birth.	125 31 109	2 52	4 18	3 4	1 7 9	1 16 83	3 1 10	2 4 4	3 2 7	9 23 104	28 4 2	i	27 3 2	25 1	18
(33, 37)	Injuries at birth.	109 87 22	l ii	18 6 4	6 1	8 3	16 83 31 19	6	9 2	8	54 22 1	12	9	10	2	••••••
35 38	External causes	9 42 8	1 3	2	1	4 2	1 7 5	8		2	1 17 5	3 1	2 6	8 2	1 5	2 5
	omaha, nebr.															
5	All causes Measles	221	13	18	9	18	58	19		15	101	25	21	33	22	19
6 7	Scarlet fever				••••••			,								
8 9															:::::::	
	12489°—13——36															

## MORTALITY STATISTICS.

TABLE 9.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM IMPORTANT CAUSES, DURING EACH OF THE FIRST THREE DAYS OF LIFE, THE REMAINDER OF THE FIRST WEEK, WEEKS OF THE FIRST MONTH, MONTHS OF THE FIRST QUARTER, AND REMAINING QUARTERS OF THE FIRST YEAR, FOR THE REGISTRATION AREA, REGISTRATION STATES, AND CITIES OF 100,000 POPULATION OR OVER IN 1910: 1911—Continued.

=						Dy 50		<u></u>	DEATHS	S AT AGE C	)F				<del>~~~~~~~~</del>	
Abridged International List No.	AREA AND CAUSE OF DEATH.	Total deaths under 1 year	Less than	1	2	8 to 6	Less than	1	2	3 weeks but less	Less than 1	1	2	3 to 5	6 to 8	9 to 11
ĮĮ.		of age.	1 day.	day.	days.	days.	1 week.	week.	weeks.	than 1 month.	month.	month.	months.	months.	months.	months.
	REGISTRATION	CITII	S HA	VING	FRO	М 100	,000 T	O 250,	000 P	OPULA	TION	IN 19	toCon	inued.		•
	OMAHA, NEBR.—continued.															
(12)	Dysentery Erysipelas	····i			ļ					· · · · · · · · · · · · · · · · · · ·						
(12) (37)	Tetanus															
`13´   14	Tuberculosis of the lungs Tuberculous meningitis	1 2													1	
15 (37)	Other forms of tuberculosis Syphilis	.[													ļī.	
17	Meningitis	1 7					1			1	i	i	1	3	ii	·····i
(37) 19	Convulsions	5	·····i								<b> </b>					
20	Acute bronchitis	1 3				2	3 1	<u>.</u>			1		1	<del>-</del>	1	
22 (23)	Pneumonia Bronchopneumonia	36				·····i	i	i	2	4	8	6	3	9		
24	Diseases of the stomach														5	
25 (33)	Diarrhea and enteritis	12	i			1 3	1 6	4 2		1	6 9	5	5	19	8	9
(33)	Premature hirth	26	7	13	9	4	33	2	1		36					
(33,37)	Congenital debility	40	1 3	····· <u>·</u>		4	5	6	4	6	21 6	10	9	- <i></i>		
(37)	Injuries at birth. External causes	3						i			1	1			1	
38	All other causes.  Diseases ill-defined or unknown	12				i	····i	2	2	2	6			1	2	3
. (	PATERSON, N. J.	_					_									
9	All causes	313	44	15	13	.18	90	18	14	6	128	36	23	53	46	27
5	Measles															
7	Scarlet fever	9												5	2	······
8	Whooping cough Diphtheria and croup Influenza													ļ		
(12)	Dysentery	1 2										L	1		1	• • • • • • • • • • • • • • • • • • • •
(12)	Erysipelas	2 2											1	1		
(37) 13	Tetanus Tuberculosis of the lungs					1	1	l			2					
14	Tuberculous meningitis. Other forms of tuberculosis	2 2	11					l	1		11					1
15 (37) 17	Syphilis	. 1										1			1	i
17	Meningitis	10										1		3	4	. 2
(37) 19	Convulsions Organic diseases of the heart	1 2	i	1		1	2		2		1 1	1			1 1	
20 22	Acute bronchitis	. 5				1	1		1		2	1			1	1
(23) 24	PneumoniaBronchopneumonia	14 25				1	i	. 1	2	1	7	2 2	$\frac{1}{2}$	. 3	5 2	2
24 25	Diseases of the stomach	25 3 83 13 40 52						1	ļ <u>.</u> .	ī	2	1	<i>.</i>			l
(33)	Diarrhea and enteritis	13	. 4	3		1 4	11	1 1	4		9 12	11	7	22	22	12
(33)	Promoture hirth	40	18	6	7	6	37		2		39	1				
(33,37)	Congenital debility Injuries at birth External causes.	21	6 13	1 4	3 3	2	12 20	3		3	18 20	11	10	8	4	1 1
(37)	External causes	4			ļ		2	i	1		2		<del>-</del> -			1
38	All other causes Diseases ill-defined or unknown	13	1			1	2 1	3	2	1	8	2		1	2	
- 1	ATTRANTOR BY TO						_				_					
	Albany, n. y. All causes	251	24		11	23	87	11	8	15	101	26	25	45	34	91
- 5	Measles	<del></del>		ب	11		67						<u> </u>			
6	Scarlet fever Whooping cough															
7 8	Whooping cough. Diphtheria and croup.						ļ									
9	Influenza	2								i	ii				i	
(12) (12)	Dysentery	1													1	
(37) 13		2										2				
13	Tuberculosis of the lungs	2												1		1
14 15	Tuberculous meningitisOther forms of tuberculosis	2 3 1 2 4	i				·····i				·····i					3
(37) 17	Syphilis.	2	<u>-</u> -						i	į	2					
(37) 19	Meningitis Convulsions	7		i		1	1 2			1	2 2		1 1	2	1	1
19	Organic diseases of the heart			ļ <u>.</u> .	ļ		ļ				<u>.</u>		· · · · · · · · · · · · · · · · · · ·			·····
20 22	Acute bronchitis	2 12 10						i		ļ	····i		·····i	2	3	1 5
	Bronchopueumonia	10						ļ					3	2	4	ĭ
(23)	Discours of the st		u l	[	<b> </b>			2		$\begin{vmatrix} 1\\2 \end{vmatrix}$	1 6	2 5	$\begin{smallmatrix}2\\2\\1\end{smallmatrix}$	1 13	13	4
(23) 24 25	Diseases of the stomach	43														, .
(23) 24 25	Diseases of the stomach	43 18	4	i		4	9		2		11	1 3	1	1	2	
(23) 24 25 (33) (33) (33,37)	Diseases of the stomach. Diarrhea and enteritis. Malformations. Premature birth.	43 18 35 51	12	1 4 1	3 3	4 3 5	9 22	4	$\frac{1}{2}$	3	11 30	3 3		$\frac{1}{2}$	2	•••••
(23) 24 25 (33) (33) (33,37)	Diseases of the stomach.  Diarrhea and enteritis.  Malformations.  Fremature birth.  Congenital debility.  Injuries at birth.	6 43 18 35 51 11		1	3 3 3	1 4 3 5	9 22 12 11		2	3 2	11 30 19 11	3 3 6	9	1 2 11	2 4	
(23) 24 25 (33) (33)	Diseases of the stomach Diarrhea and enteritis Malformations Premature birth Congenital debility	43 18 35 51 11 16 23	12 3	Ī	3 3 3	4 3 5 3 1	9 22 12	4	$\frac{1}{2}$	3	30 19	3 3		$\frac{1}{2}$	2	2 1 2

18 I			DEATHS AT AGE OF—													
Abridged International List No.	AREA AND CAUSE OF DEATH.	Total deaths under 1 year of age.	Less than 1 day.	i day.	2 days.	3 to 6 days.	Less than 1 week.	1 week.	2 weeks.	3 weeks but less than 1 month.	Less than 1 month.	1 month.	2 months.	3 to 5 months.	6 to 8 months.	9 to 11 months.
·	REGISTRATION	CITIE	S HA	VING	FRO	M 100	,000 T	250,	000 P	OPULA	TION	IN 191	0—Cont	inued.	•	
	ROCHESTER, N. Y.		31	12	12		85	21	26	70	145	50	43	82	70	
	All causes		31	====	12	30	85	21	20	13	145	50	43	0.2		53
5 6 7 8 9 (12) (12)	Measles. Scarlet fever Whooping cough Diphtheria and croup Influenza. Dysentery. Erysipelas.	2 3 10 5									II I	3	2	3	2 3	3
(37) 13 14 15 (37) 17	Tetanus Tuberculosis of the lungs Tuberculous meningitis Other forms of tuberculosis Syphilis	5						3	1		4		i i i	1 1	1 2	2
(37) 19 20 22	Meningitis. Convulsions Organic diseases of the heart. Acute bronchitis.	16 13			1	2 1 1	2 2 2 1	· i	1	1 i	1 1 2 3 2	1 5 3	1 1 1	1 1 2 1	2 2 2	2 1 3 4
(23) 24 25 (33) (33)	Bronchopneumonia Diseases of the stomach. Diarrhea and enteritis Malformations. Premature birth.	40	5	8	1 7	3 7	1 1 3 27	1 1 4 4	5 1 5 3 1 2	6	9 3 18 34 1 24	4 1 25 1 1	8 1 20 1 1	10 1 54 2	35 2	24
(33,37) (37) 35 38	Congenital debility Injuries at birth External causes All other causes Diseases ill-defined or unknown	25 18 6 38	11 13 2	1 1 1 1	1	7 2 7	· 19 · 17 1 11	2 1 4	4	2	18 1 21	1 4	1 2	1 2	7	2 2
	SYRACUSE, N. Y.	l				]								į		•
	All causes	386	56	23	10	21	110	25	19	13	167	48	23	58	55	35
5 6 7 8 9 (12)	Measles. Scarlet fever. Whooping cough. Diphtheria and croup. Influenza. Dysentery. Erysipelas.	7 5 8 6									1	1	1	2 2	3 2 3 4	3 1 3
(37) 13 .14 15 (37) 17	Tetanus Tuberculosis of the lungs Tuberculous meningitis Other forms of tuberculosis Syphilis Meningitis	7 5	i	1		2	1 2 2	i		1	1 4 2	1 2 1		1 1 1 1	2 3 · 1 1	
(37) 19 20 22 (23) 24 25	Convulsions. Organic diseases of the heart. Acute bronchitis Pneumonia. Bronchopneumonia Diseases of the stomach.	1 13 12 20 4	1		1	2	3 1	2 1 1	1	1 2	3 1 4 3 1 1	3 4	3 1	2 3 7 2 18	1 2 6 1 20	3 2 17
(33) (33) (33,37) (37) 35	External causes	100 14 72 57 19	1 34 8 11	14 2 4 1	1 2 1 4 1	1	3 4 58 12 19 2	7 3 5 4	6 1 5 3	1 1 2	20 9 69 21 19 2	18 3 2 11	7 1 8	,12 1	3	2
38	All other causes.  Diseases ill-defined or unknown	19		1 		2	3	1	1	1	6	- 1	2	5	2	3
	COLUMBUS, OHIO. All causes	356	44	32	19	23	118	21	17	15	171	32	23	60	36	34
5	Measles	,	<b></b>													
6 7 8 9	Scarlet fever Whooping cough Diphtheria and croup Influenza	8				1	i			1	1		i	i	2	3
(12) (12) (37) 13 14	t Thiberchiqus memnghas	1			1	1	1	1			1 1 1	1		1 2	1 1	2 3
15 (37)	Other forms of tuberculosis	5	1		i	3	1 4	1 1 1	1 2	1	2 3 7	1 1 1		1 1 1	1 1 1	. 3
20 22 (23) 24 25	Meningitis. Convulsions Organic diseases of the heart. Acute bronchitis Pneumonia. Bronchopneumonia Diseases of the stomach Diarrhea and enteritis Malformations. Premature birth.	14 28 3 63 19 75		1	1	2	3 1	1 2	1 1 1 4 1	1 2	1 5 4 8	1 3 1 7	- 2 5	2 3 5 2 21	1 7	2 4 11
(33)	Premature birth	75	31	16	7	5	7 59	3 6	1 4	2	13 69	3	1 1	4 2	J	1

la1					<del></del>		<del></del>		DEATHS	AT AGE O	r <u> </u>		····		<del></del>	
Abridged International List No.	AREA AND CAUSE OF DEATH.	Total deaths under 1 year of age.	Less than 1 day.	1 day.	2 days.	3 to 6 days.	Less than 1 week.	1 week.	2 weeks.	8 weeks but less than 1 month.	Less than 1 month.	1 month.	2 months.	3 to 5 months.	6 to 8 months.	9 to 11 months.
	REGISTRATION	CITIE	S HA	ZING-	FRO	м 100,	000 TC	250,	000 P	OPULA'	FION	IN 191	0—Cont	inued.		
	COLUMBUS, OHIO—continued.														<u> </u>	•
(33, 37) (37) 35	Injuries at birth	56 13 10	5 5	. 6	3 3	7 2	21 13	6	2	3	32 13	8	1	11	3	1
35 38	External causes All other causes Diseases ill-defined or unknown	10 21 2		2 1 1	1	1	3 2 1	1		2	3 5 1	3 1	3 2	2 1	8	2 2
-	DAYTON, OHIO.															ı .
_	All causes		59	12	16	23	110	14	9	8	141	25	21	37	26	16
5 6 7	Measles Scarlet fever									i	2			······		•••••
8 9	Whooping cough Diphtheria and croup Influenza	i i														i
(12) (12) (37)	Dysentery. Erysipelas.	i													·····i	
13 14	Tetanus Tuberculosis of the lungs Tuberculous meningitis	2 1												1	1	
15 (37)	Tuberculous meningitis Other forms of tuberculosis Syphilis	2 8	····i		2		3	2		i	6	1		1	î	
(37) 19	Meningitis.   Convulsions   Organic diseases of the heart	2 8 7 1	i	····i		2	2 1 1				3 1 1	1		1	1	1
20 22	Acute bronchitis	1 4						<sub>i</sub> .			·····i		1	1		1
(23) 24 25	Bronchopneumonia Diseases of the stomach Diarrhea and enteritis	12 10			$\frac{1}{2}$	i	1 2 1	<sub>i</sub> .	$\frac{1}{2}$	2	2 3 5	3 7	1 1 11	4 1 15	3 2 14	10
(33) (33)	Malformations	62 17 69	2 45	3 7	2 5	$\begin{bmatrix} & \frac{1}{7} \\ 2 \end{bmatrix}$	14 59	5	1 2	2	15 68			1		1
(33,37)	Premature birth. Congenital debility. Injuries at birth.	10	2 6	1	2 1	2 2	7 9	i			7 10	2	1 2	5		
35 38	External causes	7 25	1		i	6	2 8	3	1	2	3 14	3 3	1	5	1	i
	TOLEDO, OHIO.															
	All causes	394	74	25	13	32	144	23	16	14	197	39	28	48	44	38
5 6	Measles. Scarlet fever.	1	·													1
7 8 9	Whooping cough Diphtheria and croup Influenza	18 1 3		••••••			1					2	4	$\frac{2}{2}$	i	6
(12) (12)	Dysentery Erysipelas	2										i		i		
(37) 13 14	Tetanus Tuberculosis of the lungs Tuberculous meningitis	1 3											1			
15 (37)	Other forms of tuberculosis Syphilis	3	<u>2</u>				2				2				i	
17 (37) 19	Meningitis. Convulsions Organic diseases of the heart,	5	·····i	2	·····i	i	5	1			1 5 1			1		1
20 22	Acute bronchitis Pneumonia.	7 14		i		i	1 1	1 i	2 1	i	3		4	2	2 1	1 2
(23) 24	Bronchopneumonia Diseases of the stomach	28 5						3 1	3	1	7 2	1 6 1	4 5 2 9	1	3	6
25 (33) (33)	Diarrhea and enteritis Malformations Premature birth	102 27 79	9 44	1 15	2 3	2 8 7	2 20 69	3 2 4	$\begin{array}{c} 2 \\ 2 \\ 2 \end{array}$	4 1	4 7 2 11 24 76	16 2 2	1	28 1	22	16
(33,37) (37)	Congenital debility	37 17	12 6	1	2 3	8	26 14	3	2	2	33 17	2		2		
35 38	External causes All other causes Diseases ill-defined or unknown	33		·····i	2	1	4	i	2	4	11	4	1	8	7	2
	PORTLAND, OREG.															
	All causes	334	54	16	9	35	114	26	12	9	161	28	26	58	41	20
5 6	Measles. Scarlet fever.															5
7 8	Whooping cough Diphtheria and croup Influenza								·····i		ii	2	2 1	'1 i		1
(12)	Dysentery	1											т		i	
(12) (37) 13	Tetanus Tuberculosis of the lungs	<u>1</u>													1	
14 15 (37)	Tuberculous meningitis Other forms of tuberculosis Syphilis.	l	<u>2</u>				2		·····i		3		1 1	1.		*******
17	Meningitis Convulsions	4 7 5				$\frac{2}{1}$	2 2				2 2	2	1 2 1	1 2	l	

							77.77		DEATE	S AT AGE	OF—			· .		
Abridged International List No.	AREA AND CAUSE OF DEATH.	Total deaths under 1 year of age.	Less than 1 day.	1 day.	2 days.	3 to 6 days.	Less than 1 week	1 week	2 weeks	8 weeks but less than 1 month	Less than 1 month.	i month.	2 months.	8 to 5 months.	6 to 8 months.	9 to 11 months.
	REGISTRATION	CITIE	S HA	VING	FRO	M 100	,000 T	O_250	,000 1	POPULA	TION	IN 191	0—Cont	inued.		<u> </u>
19 20 22 (23) 24 25 (33) (33,37) 35	Acute bronchitis Pneumonfa Bronchopneumonia Diseases of the stomach Diarrhea and enteritis Malformations Premature birth Congenital debility Injuries at birth External causes All other causes Diseases ill-defined or unknown	4 17 14 10 55 22 61 81 10 7 15	1 	3	1 2 5	2 1 5 6 10 3 1 3 1	2 2 1 13 45 27 10 1 5 1	2 8 12 1	1 1 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2	1 1 2 2 2	2 1 3 3 2 4 17 59 43 10 2 6	1 1 2 6 1 1 9	2 5 9	1 3 4 4 20 20 13	2 5 4 2 16 2 1 4	3 2 4 4
5	All causes			2	2	13	17	28	17	15	77	46	47	97	74	46
6 6 7 8 9 (12) (12) (37) 13 14 15 (37) 17 (37) 19 20 22	Scarlet fever Whooping cough Diphtheria and croup Influenza. Dysentery Erysipelas. Tetanus Tuberculosis of the lungs Tuberculous meningitis Other forms of tuberculosis Syphilis Meningitis. Convulsions Organic diseases of the heart. Acute broschitis	3 1 2 5 1 6 2 4 7				1	1	1					1	2 1 2 1	1 1 1 1 1 1	1 2 1 1
(23) 24 25 (33) (33) (33) (37) 35	Pneumonia. Bronchopneumonia Diseases of the stomach Disarrhea and enteritis Malformations. Premature birth. Congenital debility Injuries at birth. External causes. All other causes. Diseases ill-defined or unknown	11 46 23 190 4 14 27 2 3 17		1	1	1 1 1 2 2	1 1 2 6 2 1	2 5 7 1 2 5 1	1 1 7 2 3	4	2 8 7 20 1 12 12 2	2 6 3 24 1 2 1	3 5 28 4	4 7 7 52 2	1 14 1 44 1 2	2 8 22 2 2 2 2
•	All causes	674	83	32	28	45	188	32	39	34	293	72	45	112	80	72
5 6 7 8 9 9 122 33 14 15 (87) 192 22 (83) 33 (83) (87) 8 1 15 (87) 19 10 10 10 10 10 10 10 10 10 10 10 10 10	Measles Scarlet fever Whooping cough Diphtheria and croup Influenza Dysentery Erysipelas Tetanus Tuberculosis of the lungs Tuberculosis of the lungs Tuberculosis of the lungs Other forms of fuberculosis Syphilis Meningitis Convulsions Organic diseases of the heart Acute bronchitis Pneumonia Bronchopneumonia Diseases of the stomach Diarrhea and enteritis Malformations Malformations Premature birth Congenital debility Injuries at birth External causes All other causes Diseases ill-defined or unknown MEMPHIS, TENN All causes	5 1 24 4 1 1 3 15 4 3 17 10 17 2 25 46 6 16 13 4 92 91 40 13 43 11	4 37 13 22 1 1	1 1 1 1 1 6 16 5 2	2 7 5 7 1 2 1	1 1 1 2 7 12 7 7	1 5 1 3 1 1 1 1 1 2 3 3 9 72 3 3 8 2 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3	1 2 2 1 1 1 7 2 6 3 1 1 4	1 2 1 3 1 1 5 10 6 5	1 1 1 1 1 10 4 4 5	2 1 2 7 2 9 1 3 3 8 1 30 25 88 43 39 3 3 18 6	3 1 1 3 3 1 3 3 2 3 3 1 7 1 1 1 4 1 1 .	2 1 2 2 4 - 18	1 2 2 2 3 2 1 3 4 13 2 48 4 14	1 1 1 8 1 1 2 2 3 2 1 4 5 10 1 24 2 2 5	3 9 1 1 3 1 2 9 8 1 18 1 18 1
5	All causes	348	11	8	9	22	50	24	1,9	17	110	55	24	72	54	33
6 7 8 9	Measiss Scarlet fever. Whooping cough Diphtheria and croup. Influenza Dysentery	5   . 13   . 8   .							1 1		1 1	3 2	i	1 2 2	5 1	2 2 1

## MORTALITY STATISTICS.

Table 9.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM IMPORTANT CAUSES, DURING EACH OF THE FIRST THREE DAYS OF LIFE, THE REMAINDER OF THE FIRST WEEK, WEEKS OF THE FIRST MONTH, MONTHS OF THE FIRST QUARTER, AND REMAINING QUARTERS OF THE FIRST YEAR, FOR THE REGISTRATION AREA, REGISTRATION STATES, AND CITIES OF 100,000 POPULATION OR OVER IN 1910: 1911—Continued.

-		Total DEATHS AT AGE OF—														
Abridged International List No.	AREA AND CAUSE OF DEATH.	deaths	Less		2	04-0	Less		2	3 weeks	Less			0.4.7	0.4-0	0 4- 11
Ab Inter Li	•	1 year of age.	than 1 day.	day.	days.	3 to 6 days.	than 1 week.	week.		but less than 1 month.	than 1 month.	month.	2 months.	3 to 5 months.	months.	9 to 11 months
	REGISTRATION	CITIE	S HA	VING	FRO	M 100	,000 TC	250,	000 P	OPULA'	TION :	IN 191	0Cont	inued.		
	MEMPHIS TENN.—continued.															
(12) (37) 13	ErysipelasTetanus	1 2 2			i		i	····i			2	1				
14 14 15	Tuberculous meningitis	l											1		ļ <del>.</del> .	
(37) 17	Other forms of tuberculosis  Syphilis	7		i	2	1	4		i		5				i	1 2
. (37)	Meningitis	17				3	3	2		i	6	2 2	1	2 3	5	2
20	Organic diseases of the heart	2 3										ī		1	i	1
22 (23) 24	Pneumonia	31								1	<u>1</u>	4	1	10	7	8
25	Diseases of the stomach	11 95 2		1	1 i	3	1 4	3	6	. 8	li 21	2 22	1 3	22	3 21	8 2 6
(33) (33)	Malformations	1 27	6	4	$\begin{bmatrix} & 1 \\ 2 \\ 1 \end{bmatrix}$	5	17	1 6	····· <u>2</u>		2 25	2				
(33,37) (37) 35	Congenital debility Injuries at birth	68 1 3	4	1	11	8	14	8 1	5	6	33 1	8	10	13	2	2
35 38	External causes All other causes Diseases ill-defined or unknown	3 22 19	·····i	1	1	i	3 2	<u>2</u>	3	·····i	3 8	2 2	1 4	1 6 5	3 2	4 2
	NASHVILLE, TENN.															
1	All causes		35	13	9	27	84	24	11	12	131	25	32	60	49	45
5 6	Measles	6						<b>-</b>					1		2	3
7 8	Whooping cough	2						1		l	1		i	3 1	5	5
(12)	Influenza Dysentery Erysipelas	1 8						<sub>i</sub> .	i		2	i	1 1	·····i	2	i
(12) (37)	Erysipelas Tetanus	8 2 4				3	3	i	1		1 4				1	
13 14	Tetanus Tuberculosis of the lungs Tuberculous meningitis Other forms of tuberculosis	<u>-</u> -										- <b></b> -		i		
15 (37)	Other forms of tuberculosis Syphilis	1 1 2		1			i				<u>i</u>			ī		
17	Meningitis	6	<u>i</u>				<u>.</u> .	2	i	i	5	1	2	2 3	2	1 2
(37) 19 20	Convulsions Organic diseases of the heart Acute bronchitis.	1 2			1	1	1 1			ļ	1					·····
22	Pneumonia. Bronchopneumonia. Diseases of the stomach.	26 14				1	ī	$\frac{1}{2}$	1		3 2	$\frac{2}{2}$	1 1	10	7 3	3 2
(23) 24 25	Diseases of the stomach	3				····i	<u>1</u>	1 3		5	1 9	6	1 12	18	23	22
· (33)	Malformations	10	2 25	1 7	1 5	6 7	6 43		2	2	11 8		<u>-</u>	Ĩ	ĩ	
(33,37)	Premature birth. Congenital debility Injuries at birth.	50 5 5	5 1	1 2	2	7 2	15 5	4	5	3	52 27 5	6	8	6	i	2
(37) 35	External causes	5 19	i			1 2	2 3			1	3 4	1 2	2	1 6	2	
38	All other causes Diseases ill-defined or unknown	19		1		í	í	1			i					
	RICHMOND, VA.		1										}			ļ
	All causes	539	57	24	14	24	119	39	25	16	199	63	46	112	71	48
5 6	MeaslesScarlet fever	2													1	1
7 8	Whooping cough Diphtheria and croup	21					<b> </b>	· . <b></b>			<b> </b>		2	13	4	2
9	Influenza	1					<b></b>					2	1		1	ļ
(12) (12)	Dysentery Erysipelas	1				2	2	2			4				i	
(12) (37) 13	Tetanus Tuberculosis of the lungs	2				2	2	z			[] <u>.</u> .		1 1		i	
14 15	Tuberculous meningitis Other forms of tuberculosis							1		ļ <u>.</u>	1 1 7		<i></i>	3	ļ <sup>t</sup> .	ļ
(37) 17	Syphilis Meningitis	.! 3			1		1	1	3	2	<b> </b>	1	3	4	2	1 2
(37) 19	Convulsions					2	2	3	2		8	5	1	1	4	.
20 22 (23) 24	Acute bronchitis Pneumonia Bronchopneumonia	.  14						1			1	5	2	1	1 1	1 11
(23) 24	Diseases of the stomach	.] 4					<b> </b>	····i			1	2	4	5	7	. 11
25	Diarrhea and enteritis  Malformations	175	i	4			6	1	5	. 8	15 7	20	20	58	43	19
(33) (33) (33,37)	Premature birth	91 74	38 7	12	5	$\begin{array}{c c} & 11 \\ & 2 \\ & 1 \end{array}$	68 20	14 3	4 7	2	7 86 32	11	7	19	2	· ·····s
(37) 35	External causes	. 20	5 6	1	i	2	6 10	1 2			7 12	4		1		3
38	All other causes	21	l:::::	1	-	. 2	2 1	9	2	2	12 15 2	1 2	1	1 1 2	2	12

d onal		Total							DEATHS	AT AGE O	)F					
Abridged International List No.	AREA AND CAUSE OF DEATH.	deaths under 1 year of age.	Less than 1 day.	1 day.	2 days.	3 to 6 days.	Less than 1 week.	1 week.	2 weeks.	8 weeks but less than 1 month.	Less than 1 month.	1 month.	2 months.	8 to 5 months.	6 to 8 months	9 to 11 months
	REGISTRATION	CITIE	S HA	VING	FRO	М 100	,000 T	O 250,	000 P	OPULA	TION	IN 191	l <b>0</b> —Cont	inued.		
	SEATTLE, WASH.															
	All causes	293	39	25	14	25	103	17	19	10	149	33	28	35	26	22
5 6 7 8 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9	Measles Searlet fever Whooping cough Diphtheria and croup Influenza Dysentery Erysipelas Tetanus Tetanus Tuberculosis of the lungs Tuberculous meningitis Other forms of tuberculosis Syphilis Meningitis Convulsions Organic diseases of the heart Acute bronchitis Preumonia Bronchopneumonia	1 1 2 4 1 1 5 2 6 6 2 3 9 14 1 5 5 0 7 6 8 5 3 4 6 8 1 2		1 1 1 14 4 3		1 1 5 6 8 1 1 2 1		1 4 7 2 2		1 1 1 4	1 1 1 1 2 4 4 5 13 85 29 14 1 11	2 2 1 1 8 11 8 2 11	1 1 2 1 7 1 2 10	3 1 1 2 1 4 12 4 4	1 1 2 2 1 1 1 1 2 2 1 1	3 3 3 1 1 1 1 2 7 1
	SPOKANE, WASH. All cruses	217	27	18	18	22	85	18	7	9	119	26	11	35	18	8
5 6 6 7 8 9 9(2)(3)(3)(3)(3)(3)(4)(4)(4)(4)(4)(4)(4)(4)(4)(4)(4)(4)(4)	Measles. Scarlet fever Whooping cough. Diphtheria and croup Influenza. Dysentery Erysipelas. Tuberculosis of the lungs. Tuberculosis of the lungs. Tuberculosis of the lungs. Tuberculosis of the lungs. Tuberculosis of the lungs. Tuberculosis of the lungs. Tuberculosis Often forms of tuberculosis Syphilis. Meningitis. Convulsions Organic diseases of the heart. Acute bronchitis. Pneumonia. Bronchopneumonia. Diseases of the stomach. Diarrhea and enteritis. Malformations. Premature birth. Congenital debility Injuries at birth External causes. All other causes. Diseases ill-defined or unknown.	2		2 11 2 2		1 2 5 6 3		1 1 1 3 3 6		1 2 2 2 2	2 1 2 2 4 4 49 24 8 3 8 3 8	1 2 1 2 3 2 6 1	1 1 4	1 4 1 1 4 2 2 15	1 2 1 1 7 2 2	1 3

## INDEX.

Abdominal tuberculosis. See Tuberculosis (all forms).

Abscess, acute, deaths from, 61; in cities and rural districts, 330; by sex, 348; by age, 348, 356.

death rate, 61; in cities and rural dis-

tricts, 136.

Absorption of deleterious gases (conflagration excepted). See Accidental or unde-

fined causes (total).

Accidental or undefined causes, (total),
deaths from, 61; in cities and rural districts, 332; by sex, 350; by age, 350, 356. -death rate, 61; in cities and rural districts, 138.

Addison's disease, deaths from, 59; in cities and rural districts, 326; by sex, 344; by age, 344, 354.

death rate, 59; in cities and rural districts, 132.

Age, deaths by, 11, 150, 174, 342, 354, 466.

death rates, 18, 23.

Alcoholism (acute or chronic), deaths from, 59; in cities and rural districts, 326; by sex, 344; by age, 344, 354.

- death rate, 59; in cities and rural dis-

tricts, 132.

Amputations, deaths from, 61; in cities and rural districts, 330; by sex, 348; by age, 348, 356.

death rate, 61; in cities and rural districts, 136.

Anemia, chlorosis, deaths from, 59; in cities

and rural districts, 326; by sex, 344; by age, 344, 354.

— death rate, 59; in cities and rural dis-

tricts, 132.

Aneurism. See Arteries, diseases of, etc. Angina pectoris, deaths from, 60; in cities and rural districts, 328; by sex, 346; by age, 346, 355.

death rate, 60; in cities and rural dis-

tricts, 134.

Ankylostomiasis, deaths from, 60; in cities and rural districts, 328; by sex, 346; by age, 346, 355.

death rate, 60; in cities and rural dis-

tricts, 134.

Anthrax, deaths from, 59; in cities and rural districts, 326; by sex, 342; by age, 342, 354.

death rate, 59; in cities and rural districts, 132.

Apoplexy. See Cerebral hemorrhage, etc. Appendicitis and typhlitis, deaths from, 60; Appendicities and typhilus, deaths from, 60; by color, 259; in cities and rural districts, 328; by sex, 346; by age, 346, 355, 466.

— death rate, 60; by color, 65; in cities and rural districts, 134.

Arteries, diseases of, atheroma, aneurism, etc., deaths from, 60; in cities and rural districts, 230; by cor, 246; by age, 246.

districts, 328; by sex, 346; by age, 346,

- death rate, 60; in cities and rural districts, 134.

Articular rheumatism, acute. See Rheu-

matism, etc.
Asiatic cholera, deaths from, 59; in cities and rural districts, 326; by sex, 342; by age, 342, 354, 466.

death rate, 59; in cities and rural districts, 132.

Asthma, deaths from, 60; in cities and rural districts, 328; by sex, 346; by age, 346, 355.

death rate, 60; in cities and rural districts, 134.

Atheroma. See Arteries, diseases of, etc. Atrophy. See Congenital debility, etc. Automobile accidents and injuries. S

Accidental or undefined causes (total).

Beriberi, deaths from, 59; in cities and rural districts, 326; by sex, 342; by age, 342,

death rate, 59; in cities and rural districts, 132.

Biliary calculi, deaths from, 60; in cities and rural districts, 328; by sex, 346; by age, 346, 355.

death rate, 60; in cities and rural districts, 134.

Bladder, diseases of, deaths from, 61; in cities and rural districts, 330; by sex, 348; by age, 348, 356.

death rate, 61; in cities and rural dis-

tricts, 136.

Bones, diseases of (tuberculosis excepted),
deaths from, 61; in cities and rural districts, 330; by sex, 348; by age, 348, 356.
death rate, 61; in cities and rural districts 126 tricts, 136.

Bones and organs of locomotion, diseases of, deaths from, 61; in cities and rural districts, 330; by sex, 348; by age, 348, 356.

death rate, 61; in cities and rural districts, 136.

Breast, nonpuerperal diseases of (cancer excepted), deaths from, 61; in cities and rural districts, 330; by sex, 348; by age, 348, 356,

death rate, 61; in cities and rural dis-

tricts, 136.

Breast, puerperal diseases of, deaths from, 61; in cities and rural districts, 330; by age, 348, 356.

— death rate, 61; in cities and rural dis-

tricts, 136. Bright's disease.

See Nephritis, etc. Bronchitis, (acute and chronic), deaths from, 60; in cities and rural districts, 328; by color, 259; by sex, 346; by age, 346, 355, 466; by months, 513; by days, weeks, and months, 537.

— death rate, 60; by color, 65; in cities and rural districts, 134.

Bronchopneumonia, deaths from, 60; in cities and rural districts, 328; by sex, 346; by age, 346, 355, 466; by months, 513; by days, weeks, and months, 537.

death rate, 60; in cities and rural districts, 134. Burns (conflagration excepted). See Acci-

dental or undefined causes (total).

Calculi of the urinary passages, deaths from, 60; in cities and rural districts, 330; by sex, 348; by age, 348, 355.

death rate, 60; in cities and rural districts.

tricts, 136.

Cancer, deaths from, 33, 59; by color, 259; in cities and rural districts, 326; by sex, 342; by age, 342, 354, 466.

Cancer, death rate, 59; by color, 65; in cities and rural districts, 132

Causes of death, 28, 59, 64, 132, 258, 326, 342, 354, 466, 513, 537; accuracy of statistics, 36.

Set, 400, 015, 957, accuracy of statestics, oc. Cellular tissue. See Skin, etc.
Cerebral hemorrhage, apoplexy, deaths from, 59; in cities and rural districts, 326; by sex, 344; by age, 344, 354.

— death rate, 59; in cities and rural districts 129

tricts, 132. Cerebral hemorrhage and softening, deaths from, by color, 259; by age, 466.

death rate, by color, 65. Cerebrospinal fever. See Meningitis (total). Cerebrospinal meningitis. See Meningitis

(total) Childbirth, deaths following, 61; in cities and rural districts, 330; by age, 348, 356.

death rate, 61; in cities and rural dis-

tricts, 136.

Chinese, deaths of, by age and by sex, 174.

Chlorosis. See Anemia, etc. Cholera nostras, deaths from, 59; in cities and rural districts, 326; by sex, 342; by age, 342, 354, 466.

death rate, 59; in cities and rural dis-

tricts, 132. Chorea, deaths from, 60; in cities and rural districts, 328; by sex, 344; by age, 344, 355. death rate, 60; in cities and rural districts, 134.

Chronic rheumatism and gout. See Rheu-

matism, etc. Chyluria, deaths from, 60; in cities and rural districts, 330; by sex, 348; by age, 348, 355.

death rate, 60; in cities and rural districts, 136.

Circulatory system, diseases of, deaths from, 60; in cities and rural districts, 328; by

sex, 346; by age, 346, 355.

— death rate, 60; in cities and rural districts, 134. Cirrhosis of the liver, deaths from, 60; by

color, 259; in cities and rural districts, 328; by sex, 346; by age, 346, 355, 466.

— death rate, 60; by color, 65; in cities and rural districts, 134.

Cities in registration states, deaths in, by sex, 18, 20, 176; by color, 41, 150, 176, 258; by age, 150, 176; by nativity, 176; by cause, 258, 326, 513; by months, 513; by days, weeks, and months, 537.

death rate, by color, 41, 64; by cause,

Cities of 100,000 population or over, deaths in, by cause, 466, 513, 537; by age, 466; by months, 513; by days, weeks, and months, 537.

- death rate, 13, 16, 21

Color, deaths by, 11, 41, 64, 150, 174, 258.
—— death rates, 22, 24.

Colored population, deaths of, 41, 150, 174,

death rates, by cause, 64.
Conflagration. See Accidental or undefined

causes (total) Congenital debility, deaths from, by months,

513; by days, weeks, and months, 537. Congenital debility and malformations, deaths from, by color, 259; by age, 466.

— death rate, by color, 65.

Congenital debility, "atrophy," "marasmus," etc., deaths from, 61; in cities and rural districts, 330; by sex, 350; by age,

- death rate, 61; in cities and rural districts, 136.

Congenital debility, icterus, and sclerema, (total), deaths from, 61; in cities and rural districts, 330; by sex, 350; by age, 350,

- death rate, 61; in cities and rural dis-

tricts, 136.

Congenital malformations (stillbirths not included) (total), deaths from, 61; in cities and rural districts, 330; by sex, 348; by age, 348, 356.

death rate, 61; in cities and rural districts, 136.

Congenital malformations of the heart. See Congenital malformations, etc. (total).
Convulsions. See Puerperal albuminuria.

Convulsions (nonpuerperal), deaths from, 60; in cities and rural districts, 328; by sex, 344; by age, 344, 355.

death rate, 60; in cities and rural dis-

tricts, 134.

Convulsions of infants, deaths from, 60; in cities and rural districts, 328; by sex, 344; by age, 344, 355; by days, weeks, and months, 537.

— death rate, 60; in cities and rural dis-

tricts, 134.
Croup. See Diphtheria, etc.
Cysts and other tumors of the ovary, deaths from, 61; in cities and rural districts, 330; by age, 348, 356.

death rate, 61; in cities and rural districts, 136.

Death rates, of registration area and its subdivisions, 11–13, 64; of foreign countries and cities, 13, 14, 18, 20; specific and standardized, 14; by sex, 16, 21, 24; by color, 22, 41, 64; by nativity, 22; by cause, 59, 64, 132; in cities and rural districts, 132.

Deaths, by color, 11, 41, 150, 174, 258; by age, 11, 150, 174, 342, 354; by cause, 28, 59, 258, 326, 342, 354, 466, 513, 537; by sex, 174, 342; by nativity, 174; by months, 513; by davs. weeks. and months, 537.

by days, weeks, and months, 537.
Diabetes, deaths from, 59; by color, 259; in cities and rural districts, 326; by sex, 344; by age, 344, 354.

death rate, 59; by color, 65; in cities and rural districts, 132.

and rural districts, 152.

Diarrhea and enteritis (under 2 years), deaths from, 35, 60; by color, 259; in cities and rural districts, 328; by sex, 346; by age, 346, 355, 466; by months, 513; by days, weeks, and months, 537.

- death rate, 60; by color, 65; in cities and

rural districts, 134.

Diarrhea and enteritis (2 years and over), deaths from, 60; in cities and rural districts, 328; by sex, 346; by age, 346, 355; by months, 513.

death rate, 60; in cities and rural dis-

tricts, 134.

Digestive system, diseases of, deaths from, 60; in cities and rural districts, 328; by sex, 346; by age, 346, 355.

- death rate, 60; in cities and rural districts, 134.

Diphtheria and croup, deaths from, 31, 59; by color, 258; in cities and rural districts, 326; by sex, 342; by age, 342, 354, 466; by months, 513; by days, weeks, and months,

— death rate, 59; by color, 64; in cities and rural districts, 132.

Disseminated tuberculosis. See Tubercu-

losis (all forms).

Drowning, accidental. See Accidental or undefined causes (total).

Dysentery, deaths from, 59; in cities and rural districts, 326; by sex, 342; by age, 342, 354; by days, weeks, and months, 537.

death rate, 59; in cities and rural districts, 132.

Early infancy, deaths in, 61; in cities and rural districts, 330; by sex, 350; by age,

death rate, 61; in cities and rural districts, 136.

Ears, diseases of, deaths from, 60; in cities and rural districts, 328; by sex, 344; by

age, 344, 355.

death rate, 60; in cities and rural districts, 134.

Electricity (lightning excepted). See Accidental or undefined causes (total).

Embolism and thrombosis, deaths from, 60; in cities and rural districts, 328; by sex, 346; by age, 346, 355.

— death rate, 60; in cities and rural dis-

tricts, 134. Embolus. See Puerperal phlegmasia alba

dolens, etc.

Encephalitis, deaths from, 59; in cities and rural districts, 326; by sex, 344; by age,

344, 354. -death rate, 59; in cities and rural dis-

tricts, 132.

Endocarditis, acute, deaths from, 60; in cities and rural districts, 328; by sex, 346; by age, 346, 355.

death rate, 60; in cities and rural districts, 134.

Epilepsy, deaths from, 60; in cities and rural districts, 328; by sex, 344; by age,

344, 355. - death rate, 60; in cities and rural dis-

tricts, 134. Erysipelas, deaths from, 59; by color, 258; in cities and rural districts, 326; by sex, 342; by age, 342, 354; by days, weeks, and months, 537.

death rate, 59; by color, 64; in cities and rural districts, 132.

Esophagus, diseases of, deaths from, 60; in cities and rural districts, 328; by sex, 346; by age, 346, 355.

death rate, 60; in cities and rural districts, 134.

Excessive cold. See Accidental or undefined causes (total).

Exophthalmic goiter, deaths from, 59; in cities and rural districts, 326; by sex, 344; by age, 344, 354,

death rate, 59; in cities and rural districts, 132.

External causes, deaths from, 61; in cities and rural districts, 330; by sex, 350; by age, 350, 356; by days, weeks, and months,

death rate, 61; in cities and rural districts, 136.

Eyes and their annexa, diseases of, deaths from, 60; in cities and rural districts, 328; by sex, 344; by age, 344, 355.

death rate, 60; in cities and rural districts, 134.

Female genital organs, diseases of, deaths, by age, 466. See also Salpingitis, etc. Foreign countries and cities, death rates of, 13; by sex, 18, 20.

Foreign white population, deaths of, by age and by sex, 174.

Fractures (cause not specified). See Accidental or undefined causes (total).

Furuncle, deaths from, 61; in cities and rural districts, 330; by sex, 348; by age, 348, 356.

— death rate, 61; in cities and rural dis-

Gangrene, deaths from, 61; in cities and rural districts, 330; by sex, 348; by age, 348, 356. Gangrene, death rate, 61; in cities and rural districts, 136.

Gangrene of the lung, deaths from, 60; in cities and rural districts, 328; by sex. 346;

by age, 346, 355.

death rate, 60; in cities and rural districts, 134.

General diseases, deaths from, 59; in cities and rural districts, 326; by sex, 342; by age, 342, 354.

death rate, 59; in cities and rural districts, 132.

Genito-urinary system and annexa, non-venereal diseases of, deaths from, 60; in cities and rural districts, 330; by sex, 348; by age, 348, 355.

death rate, 60; in cities and rural districts, 136.

Glanders, deaths from, 59; in cities and rural districts, 326; by sex, 342; by age, 342,

death rate, 59; in cities and rural districts, 132.

Gonococcus infection, deaths from, 59; in cities and rural districts, 326; by sex, 342; by age, 342, 354.

death rate, 59; in cities and rural districts, 132.

Gout. See Rheumatism, etc.

Heart, organic diseases of, deaths from, 34, 60; by color, 259; in cities and rural districts, 328; by sex, 346; by age, 346, 355, 466; by days, weeks, and months, 537.

death rate, 60; by color, 65; in cities and rural districts, 134.

Heat, effects of. See Accidental or unde-

fined causes (total).

Hemorrhage; other diseases of circulatory system, deaths from, 60; in cities and rural districts, 328; by sex, 346; by age, 346,

death rate, 60; in cities and rural districts. 134.

Hemorrhoids. See Veins, diseases of, etc. Hernia, intestinal obstruction (total), deaths from, 60; by color, 259; in cities and rural districts, 328; by sex, 346; by age, 346, 355, 466

death rate, 60; by color, 65; in cities and rural districts, 134.

Homicide (total), deaths by, 62; in cities and rural districts, 332; by sex, 352; by

age, 352, 356.
— death rate, 62; in cities and rural districts, 138.

Hydatid tumor of the liver, deaths from, 60;

in cities and rural districts, 328; by sex, 346; by age, 346, 355.

death rate, 60; in cities and rural dis-

tricts, 134.

Hydrocephalus. See Congenital malformations, etc. (total).

Icterus. See Congenital debility, etc Ill-defined diseases, deaths from, 62; in cities and rural districts, 332; by sex, 352; by age, 352, 356, 466; by days, weeks, and months, 537. - death rate, 62; in cities and rural dis-

tricts, 138. Indians, deaths of, by age and by sex, 174.

Infant and child mortality, 24. Infantile paralysis. See Poleomyelitis, acute

anterior, etc. Infants, deaths of, by days, weeks, and months, 537.

Influenza, deaths from, 59; by color, 258; in cities and rural districts, 326; by sex, 342; by age, 342, 354, 466; by months, 513; by days, weeks, and months, 537.

death rate, 59; by color, 64; in cities

and rural districts, 132.

Injuries at birth, deaths from, 61; in cities and rural districts, 330; by sex, 350; by

age, 350, 356; by days, weeks, and months, 537.

death rate, 61; in cities and rural districts, 136.

See Accidental or

Injuries by animals. See Accidental undefined causes (total).

Intestinal obstruction. See Hernia, etc. Intestinal parasites, deaths from, 60; cities and rural districts, 328; by sex, 346; by age, 346, 355.

death rate, 60; in cities and rural districts, 134.

Japanese, deaths of, by age and by sex, 174. Joints, diseases of (tuberculosis and rheumatism excepted), deaths from, 61; in cities and rural districts, 330; by sex, 348; by age, 348, 356.

death rate, 61; in cities and rural districts, 136.

Lack of care, deaths from, 61; in cities and rural districts, 330; by sex, 350; by age,

- death rate, 61; in cities and rural districts, 136.

Landslide, other crushing. See Accidental or undefined causes (total).

Larynx, diseases of, deaths from, 60; in cities and rural districts, 328; by sex, 346;

by age, 346, 355.
— death rate, 60; in cities and rural districts, 134.

Lead poisoning, chronic, deaths from, 59; in cities and rural districts, 326; by sex, 344; by age, 344, 354.

death rate, 59; in cities and rural districts, 132.

Leprosy, deaths from, 59; in cities and rural districts, 326; by sex, 342; by age, 342, 354.

death rate, 59; in cities and rural districts, 132.

Leukemia, deaths from, 59; in cities and rural districts, 326; by sex, 344; by age, 344, 354.

- death rate, 59; in cities and rural dis-

tricts, 132. Lightning. See causes (total).

Locomotor ataxia, deaths from, 59; in cities and rural districts, 326; by sex, 344; by age, 344, 354.

death rate, 59; in cities and rural districts, 132.

Lymphangitis. See Lymphatic system, diseases of, etc.

Lymphatic system, diseases of (lymphangitis, etc.), deaths from, 60; in cities and rural districts, 328; by sex, 346; by age, 346, 355.

death rate, 60; in cities and rural districts, 134.

Malaria, deaths from, 59; by color, 258; in cities and rural districts, 326; by sex, 342; by age, 342, 354, 466; by months, 513.

death rate, 59; by color, 64; in cities

and rural districts, 132.

Male genital organs, nonvenereal diseases of, deaths from, 61; in cities and rural dis-

tricts, 330; by age, 348, 356.

— death rate, 61; in cities and rural districts, 136.

Malformations, deaths from, 61; in cities and rural districts, 330; by sex, 348; by age, 348, 356; by days, weeks, and months,

death rate, 61; in cities and rural districts, 136. Marasmus. See Congenital debility, etc

Measles, deaths from, 30, 59; by color, 258; in cities and rural districts, 326; by sex, 342; by age, 342, 354, 466; by months, 513; by days, weeks, and months, 537.

—— death rate, 59; by color, 64; in cities and rural districts, 132.

Meningitis (total), deaths from, 59; by color, 259; in cities and rural districts, 326; by sex, 344; by age, 344, 354, 466; by days, weeks, and months, 537.

— death rate, 59; by color, 65; in cities

and rural districts, 132.

Miliary fever, deaths from, 59; in cities and rural districts, 326; by sex, 342; by age,

342, 354.
— death rate, 59; in cities and rural districts, 132.
Miliary tuberculosis, acute. See Tubercu-

losis (all forms).

Mouth and annexa, diseases of, deaths from, 60; in cities and rural districts, 328; by

sex, 346; by age, 346, 355. - death rate, 60; in cities and rural districts, 134.

Mycoses, deaths from, 59; in cities and rural districts, 326; by sex, 342; by age, 342, 354.

death rate, 59; in cities and rural districts, 132.

Nasal fossae, diseases of, deaths from, 60; in cities and rural districts, 328; by sex, 346; by age, 346, 355

death rate, 60; in cities and rural dis-

tricts, 134.
Native white population, deaths of, by age and by sex, 174.

Nativity, death rates by, 22, 174.

Negroes, deaths of, by age and by sex, 174.

— death rates, by sex, 24.

Nephritis and Bright's disease, deaths from, 60; by color, 259; in cities and rural districts, 330; by sex, 348; by age, 348, 355,

death rate, 60; by color, 65; in cities and rural districts, 136.

Nervous system, diseases of, deaths from, 59;

in cities and rural districts, 326; by sex, 344; by age, 344, 354.

death rate, 59; in cities and rural districts, 132.

Neuralgia and neuritis, deaths from, 60; in cities and rural districts, 328; by sex, 344; by age, 344, 355.

death rate, 60; in cities and rural districts, 134.

Neuritis. See Neuralgia, etc.

Old age, deaths from, 61; in cities and rural districts, 330; by sex, 350; by age, 350, 356, 466.

death rate, 61; in cities and rural districts, 136.

Organs of locomotion. See Bones, etc.

Paralysis of the insane, deaths from, 60; in cities and rural districts, 328; by sex, 344; by age, 344, 355.

death rate, 60; in cities and rural districts, 134.

Paralysis without specified cause, deaths from, 60; in cities and rural districts, 328; by sex, 344; by age, 344, 355.

— death rate, 60; in cities and rural dis-

tricts, 134.

Pellagra, deaths from, 31, 59; in cities and rural districts, 326; by sex, 342; by age, 342, 354.

-death rate, 59; by color, 64; in cities and rural districts, 132.

Pericarditis; deaths from, 60; in cities and rural districts, 328; by sex, 346; by age, 346, 355,

death rate, 60; in cities and rural districts, 134.

Peritonitis, simple (nonpuerperal), deaths from, 60; in cities and rural districts, 328; by sex, 348; by age, 348, 355.

death rate, 60; in cities and rural dis-

tricts, 134.

Pharynx, diseases of, deaths from, 60; in cities and rural districts, 328; by sex, 346; by age, 346, 355.

Pharynx, death rate, 60; in cities and rural

districts, 134.
Phlebitis. See Veins, diseases of, etc.
Plague, deaths from, 59; in cities and rural
districts, 326; by sex, 342; by age, 342,

death rate, 59; in cities and rural districts, 132.

Pleurisy, deaths from, 60; in cities and rural districts, 328; by sex, 346; by age,

346, 355.
— death rate, 60; in cities and rural districts, 134.

Pneumonia (all forms), deaths from, 35, 60; by color, 259; in cities and rural districts, 328; by sex, 346; by age, 346, 355, 466; by months, 513; by days, weeks, and

months, 537.
— death rate, 60; by color, 65; in cities and rural districts, 134.

Poisoning by food. See Accidental or undefined causes (total).

Poliomyelitis, acute anterior (infantile paralysis), deaths from, 34, 59; in cities and rural districts, 326; by sex, 344; by age, 344, 354.

death rate, 59; in cities and rural districts, 132.

Pott's disease. See Tuberculosis (all forms). Pregnancy, accidents of, deaths from, 61; in cities and rural districts, 330; by age,

death rate, 61; in cities and rural districts, 136.

Premature birth, deaths from, 61; in cities and rural districts, 330; by sex, 350; by age, 350, 356; by days, weeks, and months,

death rate, 61; in cities and rural districts, 136.

Prostate, diseases of, deaths from, 61; in cities and rural districts, 330; by age, 348, 356.

death rate, 61; in cities and rural districts, 136.

Puerperal albuminuria and convulsions, deaths from, 61; in cities and rural dis-

tricts, 330; by age, 348, 356.

death rate, 61; in cities and rural districts, 136.

Puerperal fever, deaths from, by color, 259; by age, 466.

death rate, by color, 65.

Puerperal hemorrhage, deaths from, 61; in cities and rural districts, 330; by age, 348, 356.

death rate, 61; in cities and rural districts, 136.

Purperal phlegmasia alba dolens, embolus, sudden death, deaths from, 61; in cities and rural districts, 330; by age, 348, 356.

death rate, 61; in cities and rural dis-

tricts, 136.

Puerperal septicemia, deaths from, 61; in cities and rural districts, 330; by age,

death rate, 61; in cities and rural districts, 136.

Pulmonary apoplexy. See Pulmonary congestion, etc.

Pulmonary congestion, pulmonary apoplexy, deaths from, 60; in cities and rural districts, 328; by sex, 346; by age, 346,

-death rate, 60; in cities and rural districts, 134.

Pulmonary emphysema, deaths from, 60; in cities and rural districts, 328; by sex, 346;

by age, 346, 355.

death rate, 60; in cities and rural districts, 134.

Purulent infection and septicemia, deaths from, 59; in cities and rural districts, 326; by sex, 342; by age, 342, 354.

death rate, 59; in cities and rural districts, 132.

Rabies, deaths from, 59; in cities and rural districts, 326; by sex, 342; by age, 342,

- death rate, 59; in cities and rural districts, 132.

Railroad accidents and injuries. See Accidental or undefined causes (total).

Registration area, growth and extent of, 9, 10; deaths in, by sex, 18, 20, 174, 342; by color, 41, 150, 174, 258; by age, 150, 174, 342, 354; by nativity, 174; by cause, 258, 326, 342, 354, 513; by months, 513; by days weeks and months 537 by days, weeks, and months, 537.

death rates, 11; by color, 41, 64; by

cause, 59, 64.

Registration cities, deaths in, by sex, 18, 20, 178; by color, 41, 150, 152, 178, 258, 260; by age, 150, 178; by nativity, 178; by cause, 258, 260, 326, 514, 521, 537, 547; by months, 514, 521; by days, weeks, and months, 538, 547.

- death rates, by color, 41, 64, 66; by cause, 64, 66.

Registration cities in nonregistration states,

list of, 10.

Registration states, list of, 10; deaths in, by sex, 18, 20, 21, 174; by color, 41, 150, 174, 258; by age, 150, 174, 357; by nativity, 174; by cause, 258, 326, 357, 513, 514, 537, 539; by months, 513, 514; by days, weeks, and months, 537, 539.

death rates, 12; by sex, 16; by color, 41, 44, by color, 64, 122

41, 64; by cause, 64, 132. Relapsing fever, deaths from, 59; in cities and rural districts, 326; by sex, 342; by age, 342, 354.

death rate, 59; in cities and rural districts, 132.

Respiratory system, diseases of, deaths from, 60; in cities and rural districts, 328; by sex, 346; by age, 346, 355.

— death rate, 60; in cities and rural dis-

tricts, 134.

Rheumatism, acute articular, deaths from, 59; in cities and rural districts, 326; by

sex, 344; by age, 344, 354.
— death rate, 59; in cities and rural districts, 132.

Rheumatism and gout, chronic, deaths from, 59; by color, 258; in cities and rural districts, 326; by sex, 344; by age, 344, 354.— death rate, 59; by color, 64; in cities and rural districts, 132.

Rickets, deaths from, 59; in cities and rural districts, 326; by sex, 342; by age, 342, 354. -death rate, 59; in cities and rural dis-

tricts, 132.

Rural part of registration states, deaths in, by sex, 18, 20, 176; by color, 41, 150, 176, 258, 282; by age, 150, 176; by nativity, 176; by cause, 258, 282, 326, 513, 538; by months, 513; by days, weeks, and months,

-death rates, by color, 41, 64, 88; by cause, 64, 88.

Salpingitis and other diseases of the female genital organs, deaths from, 61; in cities and rural districts, 330; by age, 348, 356.

death rate, 61; in cities and rural dis-

tricts, 136. Scarlet fever, deaths from, 30, 59; by color, 258; in cities and rural districts, 326; by sex, 342; by age, 342, 354, 466; by months, 513; by days, weeks, and months, 537.

death rate, 59; by color, 64; in cities and rural districts, 132.

Sclerema. See Congenital debility, etc. Scurvy, deaths from, 59; in cities and rural districts, 326; by sex, 344; by age, 344, 354.

-death rate, 59; in cities and rural districts, 132.

Senility. See Old age.

Septicemia. See Purulent infection, etc., and Puerperal septicemia. Sex, deaths by, 174, 342.

Sex, deaths by, 114, 342.

— death rates, 16, 18, 20, 21, 23.

Skin and cellular tissue, diseases of, deaths from, 61; in cities and rural districts, 330; by sex, 348; by age, 348, 356.

— death rate, 61; in cities and rural dis-

tricts, 136.

Smallpox, deaths from, 59; by color, 258; in cities and rural districts, 326; by sex,

342; by age, 342, 354, 466.

— death rate, 59; by color, 64; in cities and rural districts, 132.

Softening of the brain, deaths from, 60; in cities and rural districts, 328; by sex, 344; by age, 344, 355. death rate, 60; in cities and rural dis-

tricts, 134. Spleen, diseases of, deaths from, 60; in cities

and rural districts, 328; by sex, 348; by age, 348, 355.

death rate, 60; in cities and rural dis-

tricts, 134. Starvation. See Accidental or undefined causes (total).

Stomach, diseases of, deaths from, 60; in cities and rural districts, 132, 326; by sex, 346; by age, 346, 354, 466; by days, weeks, and months, 537

 death rate, 60; in cities and rural districts, 134.

Street-car accidents and injuries. dental or undefined causes (total)

Sudden death, deaths from, 62; in cities and rural districts, 332; by sex, 352; by age, 352, 356.

death rate, 62; in cities and rural districts, 138. See also Puerperal phlegmasia alba dolens, etc.

Suicide, deaths from, 35, 61; by color, 259; in cities and rural districts, 330; by sex, 350; by age, 350, 356, 466; by months, 513

death rate, 61; by color, 65; in cities and rural districts, 136.

Syphilis, deaths from, 59; in cities and rural districts, 326; by sex, 342; by age, 342, 354; by days, weeks, and months, 537.

· death rate, 59; in cities and rural districts, 132.

Tetanus, deaths from, 59; in cities and rural districts, 326; by sex, 342; by age, 342, 354; by days, weeks, and months, 537.

death rate, 59; in cities and rural dis-

tricts, 132.

Thrombosis. See Embolism, etc.

Thyroid body, diseases of, deaths from, 60; in cities and rural districts, 328; by sex, 346; by age, 346, 355.

death rate, 60; in cities and rural districts, 134.

Traumatism. See Accidental or undefined

causes (total).

Tuberculosis (all forms), deaths from, 32, 59; by color, 258; in cities and rural districts, 326; by sex, 342; by age, 342, 354, 466; by months, 513; by days, weeks, and months, 537.

Tuberculosis, death rate, 59; in cities and

rural districts, 132.

Tuberculosis of the lungs. See Tuberculosis

(all forms). Tuberculous meningitis. See Tuberculosis

(all forms).

Typhlitis. See Appendicitis, etc.

Typhoid fever, deaths from, 29, 59; by color, 258; in cities and rural districts, 326; by sex, 342; by age, 342, 354, 466; by months,

death rate, 59; by color, 64; in cities and rural districts, 132.

Typhus fever, deaths from, 59; in cities and

rural districts, 326; by sex, 342; by age, 342, 354, 466.

death rate, 59; in cities and rural districts, 132.

Ulcer of the stomach, deaths from, 60; in cities and rural districts, 328; by sex, 346; by age 346, 355.

death rate, 60; in cities and rural districts, 134.

Urethra, diseases of, urinary abscess, etc., deaths from, 61; in cities and rural districts, 330; by sex, 348; by age, 348, 356.

death rate, 61; in cities and rural dis-

tricts, 136.

Urinary abscess. See Urethra, diseases of.

Uterine hemorrhage (nonpuerperal), deaths from, 61; in cities and rural districts, 330; by age, 348, 356.

death rate, 61; in cities and rural districts, 136.

Uterine tumor (noncancerous), deaths from, 61; in cities and rural districts, 330; by age,

death rate, 61; in cities and rural districts, 136.

Varices. See Veins, diseases of, etc. Veins, diseases of (varices, hemorrhoids, phlebitis, etc.), deaths from, 60; in cities and rural districts, 328; by sex, 346; by age, 346, 355,

- death rate, 60; in cities and rural dis-

tricts, 134. 7iolent deaths (excluding suicide), number of, 36; by color, 259; in cities and rural districts, 332; by sex, 352; by age, 352, 466; by months, 513.

death rate, by color, 65.

White population, deaths of, 41, 150, 174, 258.

death rates, by sex, 24; by cause, 64. White swellings. See Tuberculosis (all forms).

Whooping cough, deaths from, 31, 59; by color, 258; in cities and rural districts, 326; by sex, 342; by age, 342, 354, 466; by months, 513; by days, weeks, and months,

death rate, 59; by color, 64; in cities and rural districts, 132.

ellow atrophy of the liver, acute, deaths from, 60; in cities and rural districts, 328; by sex, 346; by age, 346, 355.

death rate, 60; in cities and rural districts, 134.

Yellow fever, deaths from, 59; in cities and rural districts, 326; by sex, 342; by age,

342, 354.
— death rate, 59; in cities and rural districts, 132.