

DEPARTMENT OF COMMERCE

WILLIAM F. WHITING, SECRETARY

BUREAU OF THE CENSUS

W. M. STEUART, *Director*

---

# MORTALITY STATISTICS

## 1926

---

TWENTY-SEVENTH ANNUAL REPORT

PART I

SUMMARY AND RATE TABLES AND GENERAL TABLES FOR THE DEATH REGISTRATION  
AREA IN CONTINENTAL UNITED STATES, WITH SUPPLEMENTAL  
STATISTICS FOR HAWAII AND THE VIRGIN ISLANDS



PRICE \$2.00 (Buckram)

Sold only by the Superintendent of Documents, U. S. Government Printing Office, Washington, D. C.

---

UNITED STATES  
GOVERNMENT PRINTING OFFICE  
WASHINGTON  
1929

## LETTER OF TRANSMITTAL

---

DEPARTMENT OF COMMERCE,  
BUREAU OF THE CENSUS,  
*Washington, D. C., August 27, 1928.*

SIR:

I transmit herewith Part I of the annual report on Mortality Statistics for 1926; this volume includes only rate tables and general tables; the text will be presented in Part II, which will also include the text for Birth, Stillbirth, and Infant Mortality Statistics, 1926.

This is the twenty-seventh compilation of mortality statistics prepared by the Bureau of the Census. It is based on data from transcripts of death certificates received from the registration area for deaths, which included the Territory of Hawaii, the Virgin Islands, and, in continental United States, 41 States, the District of Columbia, and 25 cities in nonregistration States. Arizona was added to the area in 1926.

The total number of deaths returned from this part of continental United States, which contained an estimated population of 105,167,000, or 89.8 per cent of the total, was 1,285,927, corresponding to a death rate of 12.2 per 1,000 population. Populations were estimated by the geographer's division of the Bureau of the Census.

This report was prepared under the direction of Dr. William H. Davis, chief statistician for vital statistics, assisted by John B. Mitchell, supervising special agent, and Clyde D. Williams, expert chief of division.

Acknowledgment is made of the efficient service rendered in the preparation of this report by John O. Spain and Miss Maud E. Linder.

Respectfully,

W. M. STEUART,  
*Director of the Census.*

HON. WILLIAM F. WHITING,  
*Secretary of Commerce.*

# CONTENTS

## SUMMARY AND RATE TABLES

	Page
TABLE I A.—Population, deaths (exclusive of stillbirths), and death rates per 1,000 population, by color, in urban and rural districts: 1926.....	2
Estimated population and death rates, by color, for registration area and its main subdivisions, and for urban and rural districts of each registration State.	
TABLE I B.—Population, total deaths, deaths of residents, and death rates per 1,000 population, in each city and the rural part of each county: 1926.....	4
TABLE II.—Deaths (exclusive of stillbirths), and death rates per 100,000 population, from each cause, in the registration area in continental United States: 1925 and 1926.....	26
NOTE.—In the report on Mortality Statistics, 1922, and in previous annual reports there appeared tables which gave death rates per 100,000 population from important causes in each registration State and in each registration city, and from each cause in urban and rural districts of each State. Although these tables have been omitted from the present report, any of the data desired may be obtained from the manuscript figures in the Bureau of the Census.	

## GENERAL TABLES

TABLE 1.—Deaths (exclusive of stillbirths), by months: 1926.....	30
Deaths in the registration area and in urban and rural districts of each registration State. [Similar data for cities which have not been shown since 1922 are retained in manuscript.]	
TABLE 2.—Deaths (exclusive of stillbirths), by color, and by general and parent nativity of white: 1926.....	32
Deaths of white, Negroes, Japanese, and other colored, in the registration area, and in urban and rural districts of each registration State. [Similar data for cities, which have not been shown since 1922, are retained in manuscript.]	
TABLE 3.—Deaths (exclusive of stillbirths), by age and color: 1926.....	34
Deaths of white and colored, under 1 year of age, 1 to 4 years, and by 5-year age periods, in the registration area, and in urban and rural districts of each registration State. [Similar data for cities, which have not been shown since 1922, are retained in manuscript.]	
TABLE 4.—Deaths (exclusive of stillbirths), by age, sex, color, and nativity of white: 1926.....	40
Deaths of white, Negroes, Indians, Chinese, Japanese, and other colored, under 1 year of age, 1 to 4 years, and by 5-year age periods, in the registration area, each registration State, and the total registration States of 1920.	
TABLE 5.—Deaths (exclusive of stillbirths) from important causes, by color: 1926.....	58
Deaths from 33 causes, in the registration area, and each registration city, and by color for urban and rural districts of each registration State.	
TABLE 6.—Deaths (exclusive of stillbirths) from each cause, in urban and rural districts: 1926.....	88
TABLE 7.—Deaths (exclusive of stillbirths) from each cause, by age, sex, and color, in the registration States (including District of Columbia): 1926.....	110
Causes of death by single years under 5 and by 5-year age periods.	
TABLE 7A.—Deaths (exclusive of stillbirths) of Negroes, Indians, Chinese, Japanese, and other colored, from each cause by sex, in the registration States (including District of Columbia): 1926.....	134
TABLE 8.—Deaths (exclusive of stillbirths) from each cause, by age, in the registration area and each registration State: 1926.....	137
Causes of death by single years under 5 and by 5 and 10 year age periods.	
TABLE 9.—Deaths (exclusive of stillbirths) from important causes, by age, in large cities: 1926.....	285
Deaths by single years under 5 and by 5 and 10 year age periods, in cities of 100,000 population or more on January 1, 1920.	
TABLE 10.—Deaths (exclusive of stillbirths) from important causes, by months, in each registration State: 1926.....	318
TABLE 10A.—Deaths (exclusive of stillbirths) from important causes, by months, in large cities: 1926.....	336
Deaths in cities of 100,000 population or more on January 1, 1920.	
TABLE 11.—Deaths (exclusive of stillbirths) from important causes, for certain subdivisions of the first year of life, in registration States and large cities not in the birth registration area: 1926.....	369
Deaths in cities of 100,000 population or more on January 1, 1920.	

## SUPPLEMENT

HAWAII.....	380
VIRGIN ISLANDS.....	389

## APPENDIX

TABLE 1.—Deaths (exclusive of stillbirths) from each cause, by age, sex, and color, in the registration States of 1920 (including District of Columbia): 1926.....	394
TABLE 2.—Deaths (exclusive of stillbirths), and crude and adjusted death rates per 100,000 population, from certain causes, by age, sex, and color, in the registration States of 1920 (including District of Columbia): 1926.....	420

---

---

## SUMMARY AND RATE TABLES

---

---

# SUMMARY AND RATE TABLES

**TABLE I A.—POPULATION, DEATHS (EXCLUSIVE OF STILLBIRTHS), AND DEATH RATES PER 1,000 POPULATION, BY COLOR, IN URBAN AND RURAL DISTRICTS: 1926**

[Rates are based on total deaths, including deaths of nonresidents and deaths in hospitals and institutions. "Urban" includes cities of 10,000 inhabitants or more in 1920; the remainder of the State is included in "rural"]

AREA AND COLOR	Estimated population, July 1, 1926	DEATHS: 1926		AREA AND COLOR	Estimated population, July 1, 1926	DEATHS: 1926		AREA AND COLOR	Estimated population, July 1, 1926	DEATHS: 1926	
		Number	Rate per 1,000 population			Number	Rate per 1,000 population			Number	Rate per 1,000 population
<b>The registration area in continental United States</b>				<b>DELAWARE</b>				<b>KENTUCKY</b>			
Total	105,167,000	1,285,927	12.2	Total	240,000	3,447	14.4	Total	2,524,000	29,952	11.9
White	95,952,000	1,113,104	11.6	White	210,600	2,753	13.1	White	2,310,100	25,145	10.9
Colored	9,215,000	172,823	18.8	Colored	29,400	694	23.6	Colored	213,900	4,807	22.5
<b>Registration States<sup>1</sup></b>				<b>FLORIDA</b>				<b>LOUISIANA</b>			
Total	103,284,000	1,257,256	12.2	Total	1,317,000	20,044	15.2	Total	1,919,000	24,230	12.6
White	94,465,000	1,093,850	11.6	White	899,300	12,173	13.5	White	1,228,000	12,272	10.0
Colored	8,819,000	163,406	18.5	Colored	417,700	7,871	18.8	Colored	691,000	11,958	17.3
<b>Cities in registration States<sup>1</sup></b>				<b>IDAHO</b>				<b>MAINE</b>			
Total	48,620,300	649,819	13.4	Total	522,000	3,871	7.4	Total	790,000	11,355	14.4
White	45,546,700	576,242	12.7	White	516,100	3,701	7.2	White	787,800	11,319	14.4
Colored	3,073,600	73,577	23.2	Colored	5,900	170	28.8	Colored	2,200	36	16.4
<b>Rural part of registration States</b>				<b>ILLINOIS</b>				<b>MARYLAND</b>			
Total	54,663,900	607,437	11.1	Total	7,203,000	85,331	11.8	Total	1,580,000	22,649	14.3
White	48,918,700	517,608	10.6	White	6,954,000	79,565	11.4	White	1,325,000	17,170	13.0
Colored	5,745,200	89,829	15.6	Colored	249,000	5,766	23.2	Colored	255,000	5,479	21.5
<b>Registration cities in nonregistration States<sup>2</sup></b>				<b>INDIANA</b>				<b>MASSACHUSETTS</b>			
Total	1,883,300	28,671	15.2	Total	3,124,000	40,016	12.8	Total	4,197,000	52,638	12.5
White	1,487,300	19,254	12.9	White	3,025,900	37,838	12.5	White	4,143,200	51,620	12.5
Colored	396,000	9,417	23.8	Colored	98,100	2,178	22.2	Colored	58,800	1,018	18.9
<b>All registration cities<sup>1</sup></b>				<b>IOWA</b>				<b>MICHIGAN</b>			
Total	50,503,600	678,490	13.4	Total	2,423,000	25,466	10.5	Total	4,396,000	54,084	12.3
White	47,034,000	595,496	12.7	White	2,402,600	25,120	10.5	White	4,272,600	51,183	12.0
Colored	3,469,600	82,994	23.9	Colored	20,400	346	17.0	Colored	123,400	2,901	23.5
<b>ALABAMA</b>				<b>KANSAS</b>				<b>MINNESOTA</b>			
Total	2,526,000	29,692	11.8	Total	1,821,000	19,100	10.5	Total	2,651,000	25,803	9.7
White	1,631,700	15,416	9.4	White	1,749,600	17,872	10.2	White	2,631,700	25,370	9.6
Colored	894,300	14,276	16.0	Colored	71,400	1,228	17.2	Colored	19,300	433	22.4
<b>Urban</b>				<b>KENTUCKY</b>				<b>MISSOURI</b>			
White	446,600	8,364	18.7	Total	4,329,500	53,183	12.3	Total	899,300	13,593	15.1
Colored	272,900	4,165	15.3	White	4,126,400	48,528	11.8	White	773,300	10,458	13.5
Rural	1,793,700	4,199	24.2	Colored	203,100	4,655	22.9	Colored	126,000	3,135	24.9
White	2,079,400	21,328	10.3	Rural	479,900	3,337	7.0	White	680,700	9,056	13.3
Colored	1,358,800	11,251	8.3	White	474,900	3,191	6.7	Colored	551,700	6,712	12.2
Colored	720,600	10,077	14.0	Colored	5,000	146	29.2	Colored	129,000	2,344	18.2
<b>ARIZONA</b>				<b>LOUISIANA</b>				<b>NEBRASKA</b>			
Total	445,000	5,572	12.5	Total	522,000	3,871	7.4	Total	1,580,000	22,649	14.3
White	393,600	4,791	12.2	White	516,100	3,701	7.2	White	1,325,000	17,170	13.0
Colored	51,400	781	15.2	Colored	5,900	170	28.8	Colored	255,000	5,479	21.5
<b>Urban</b>				<b>MAINE</b>				<b>NEVADA</b>			
White	69,600	2,137	30.7	Total	790,000	11,355	14.4	Total	1,580,000	22,649	14.3
Colored	67,000	1,962	29.3	White	787,800	11,319	14.4	White	1,325,000	17,170	13.0
Rural	2,600	175	67.3	Colored	2,200	36	16.4	Colored	255,000	5,479	21.5
White	375,400	3,435	9.2	Urban	42,100	534	12.7	Urban	899,300	13,593	15.1
Colored	326,600	2,829	8.7	White	41,200	510	12.4	White	773,300	10,458	13.5
Colored	48,800	606	12.4	Colored	900	24	26.7	Colored	126,000	3,135	24.9
<b>CALIFORNIA</b>				<b>ILLINOIS</b>				<b>NEW HAMPSHIRE</b>			
Total	4,316,000	58,914	13.7	Total	7,203,000	85,331	11.8	Total	1,580,000	22,649	14.3
White	4,116,800	55,875	13.6	White	6,954,000	79,565	11.4	White	1,325,000	17,170	13.0
Colored	199,200	3,039	14.9	Colored	249,000	5,766	23.2	Colored	255,000	5,479	21.5
<b>Urban</b>				<b>INDIANA</b>				<b>NEW JERSEY</b>			
White	2,459,100	34,727	14.1	Total	3,124,000	40,016	12.8	Total	4,197,000	52,638	12.5
Colored	2,358,400	32,974	14.0	White	3,025,900	37,838	12.5	White	4,143,200	51,620	12.5
Rural	100,700	1,753	17.4	Colored	98,100	2,178	22.2	Colored	58,800	1,018	18.9
White	1,856,900	24,187	13.0	Urban	1,373,600	17,970	13.1	Urban	3,377,700	42,505	12.6
Colored	1,758,400	22,901	13.1	White	1,289,200	16,143	12.5	White	3,331,100	41,612	12.5
Colored	98,500	1,286	12.5	Colored	84,400	1,827	21.6	Colored	46,600	893	19.2
<b>COLORADO</b>				<b>IOWA</b>				<b>NEW YORK</b>			
Total	1,059,000	12,273	11.6	Total	2,423,000	25,466	10.5	Total	8,993,000	109,819	12.2
White	1,043,300	11,929	11.4	White	2,402,600	25,120	10.5	White	8,793,000	108,300	12.4
Colored	15,700	344	21.9	Colored	20,400	346	17.0	Colored	812,100	10,008	12.3
<b>Urban</b>				<b>KANSAS</b>				<b>OHIO</b>			
White	395,200	5,614	14.2	Total	1,821,000	19,100	10.5	Total	10,917,000	136,819	12.5
Colored	385,300	5,432	14.1	White	1,749,600	17,872	10.2	White	10,717,000	135,370	12.6
Rural	9,900	182	18.4	Colored	71,400	1,228	17.2	Colored	199,000	3,449	17.2
White	663,800	6,659	10.0	Urban	665,700	8,331	13.3	Urban	2,434,000	30,464	12.5
Colored	658,000	6,497	9.9	White	649,800	8,588	13.2	White	2,325,700	28,137	12.1
Colored	5,800	162	27.9	Colored	15,900	243	15.3	Colored	108,300	2,327	21.5
<b>CONNECTICUT</b>				<b>LOUISIANA</b>				<b>PENNSYLVANIA</b>			
Total	1,606,000	18,318	11.4	Total	522,000	3,871	7.4	Total	10,917,000	136,819	12.5
White	1,579,500	17,820	11.3	White	516,100	3,701	7.2	White	10,717,000	135,370	12.6
Colored	26,500	498	18.8	Colored	5,900	170	28.8	Colored	199,000	3,449	17.2
<b>Urban</b>				<b>MAINE</b>				<b>RHODE ISLAND</b>			
White	1,190,700	13,972	11.7	Total	790,000	11,355	14.4	Total	1,580,000	22,649	14.3
Colored	1,168,200	13,545	11.6	White	787,800	11,319	14.4	White	1,325,000	17,170	13.0
Rural	22,500	427	19.0	Colored	2,200	36	16.4	Colored	255,000	5,479	21.5
White	415,300	4,346	10.5	Urban	42,100	534	12.7	Urban	899,300	13,593	15.1
Colored	411,300	4,275	10.4	White	41,200	510	12.4	White	773,300	10,458	13.5
Colored	4,000	71	17.8	Colored	900	24	26.7	Colored	126,000	3,135	24.9

See footnotes at end of table.

# DEATHS AND DEATH RATES FOR URBAN AND RURAL

**TABLE I A.—POPULATION, DEATHS (EXCLUSIVE OF STILLBIRTHS), AND DEATH RATES PER 1,000 POPULATION, BY COLOR, IN URBAN AND RURAL DISTRICTS: 1926—Continued**

[See note at head of this table, p. 2]

AREA AND COLOR	Estimated population, July 1, 1926	DEATHS: 1926		AREA AND COLOR	Estimated population, July 1, 1926	DEATHS: 1926		AREA AND COLOR	Estimated population, July 1, 1926	DEATHS: 1926	
		Number	Rate per 1,000 population			Number	Rate per 1,000 population			Number	Rate per 1,000 population
<b>MISSISSIPPI</b>				<b>NORTH CAROLINA</b>				<b>TENNESSEE</b>			
Total	1,790,618 <sup>1</sup>	23,786	13.3	Total	2,858,000	34,562	12.1	Total	2,468,000	31,395	12.7
White	853,982	9,191	10.8	White	2,023,600	20,957	10.4	White	2,084,000	22,163	10.9
Colored	936,656	14,575	15.6	Colored	834,400	13,605	16.3	Colored	434,000	9,232	21.3
Urban	154,900	3,803	24.6	Urban	435,800	7,353	16.9	Urban	519,500	10,213	19.7
White	90,000	1,694	18.8	White	292,600	4,041	13.8	White	378,400	5,848	15.5
Colored	64,900	2,109	32.5	Colored	143,200	3,312	23.1	Colored	141,100	4,365	30.9
Rural	1,635,700	19,983	12.2	Rural	2,422,200	27,209	11.2	Rural	1,948,500	21,182	10.9
White	764,000	7,497	9.8	White	1,731,000	16,916	9.8	White	1,655,600	16,315	9.9
Colored	871,700	12,486	14.3	Colored	691,200	10,293	14.9	Colored	292,900	4,867	16.6
<b>MISSOURI</b>				<b>NORTH DAKOTA</b>				<b>UTAH</b>			
Total	3,498,000	42,752	12.2	Total	4,641,192	5,313	8.3	Total	514,000	5,136	10.0
White	3,301,000	37,942	11.5	White	635,707	5,105	8.0	White	505,600	4,981	9.9
Colored	196,400	4,810	24.5	Colored	5,485	208	37.9	Colored	8,400	155	18.5
Urban	1,486,300	20,952	14.1	Urban	53,700	796	14.8	Urban	182,300	2,384	13.1
White	1,345,200	17,689	13.1	White	53,600	795	14.8	White	180,200	2,321	12.9
Colored	140,100	3,263	23.3	Colored	100	1	10.0	Colored	2,100	63	30.0
Rural	2,011,700	21,800	10.8	Rural	587,500	4,517	7.7	Rural	331,700	2,752	8.3
White	1,955,400	20,253	10.4	White	582,100	4,310	7.4	White	325,400	2,660	8.2
Colored	56,300	1,547	27.5	Colored	5,400	207	38.3	Colored	6,300	92	14.6
<b>MONTANA</b>				<b>OHIO</b>				<b>VERMONT</b>			
Total	695,000	5,395	7.8	Total	6,600,000	78,695	11.9	Total	352,428	5,215	14.8
White	681,000	4,967	7.3	White	6,348,900	72,940	11.5	White	351,817	5,207	14.8
Colored	14,000	428	30.6	Colored	251,100	5,755	22.9	Colored	611	8	13.1
Urban	129,900	1,750	13.5	Urban	3,790,500	45,628	12.0	Urban	50,200	807	16.1
White	128,400	1,703	13.3	White	3,598,300	41,006	11.4	White	50,100	804	16.0
Colored	1,500	47	31.3	Colored	192,200	4,622	24.0	Colored	100	3	30.0
Rural	565,100	3,645	6.5	Rural	2,809,500	33,067	11.8	Rural	302,200	4,408	14.6
White	552,600	3,284	5.9	White	2,750,600	31,934	11.6	White	301,700	4,403	14.6
Colored	12,500	381	30.5	Colored	58,900	1,133	19.2	Colored	500	5	10.0
<b>NEBRASKA</b>				<b>OREGON</b>				<b>VIRGINIA</b>			
Total	1,385,000	12,648	9.1	Total	877,000	9,857	11.2	Total	2,519,000	30,818	12.2
White	1,363,100	12,245	9.0	White	866,200	9,551	11.0	White	1,810,800	18,866	10.4
Colored	21,900	403	18.4	Colored	10,800	306	28.3	Colored	708,200	11,952	16.9
Urban	321,600	4,162	12.9	Urban	335,400	4,402	13.1	Urban	672,800	9,236	13.7
White	305,900	3,897	12.7	White	331,400	4,281	12.9	White	458,500	5,087	11.1
Colored	15,700	265	16.9	Colored	4,000	121	30.3	Colored	213,800	4,149	19.4
Rural	1,063,400	8,486	8.0	Rural	541,600	5,455	10.1	Rural	1,846,700	21,582	11.7
White	1,057,200	8,348	7.9	White	534,800	5,270	9.9	White	1,852,300	13,779	10.2
Colored	6,200	138	22.3	Colored	6,800	185	27.2	Colored	494,400	7,803	15.8
<b>NEW HAMPSHIRE</b>				<b>PENNSYLVANIA</b>				<b>WASHINGTON</b>			
Total	454,000	6,703	14.8	Total	9,614,000	120,537	12.5	Total	1,538,000	15,670	10.2
White	453,000	6,697	14.8	White	9,250,100	112,485	12.2	White	1,498,000	14,950	10.0
Colored	1,000	6	6.0	Colored	363,900	8,072	22.2	Colored	40,000	720	18.0
Urban	207,100	2,876	13.9	Urban	4,901,800	66,265	13.5	Urban	719,100	8,195	11.4
White	205,600	2,871	13.9	White	4,622,700	59,852	12.9	White	699,400	7,922	11.3
Colored	500	5	10.0	Colored	279,000	6,413	23.0	Colored	19,700	273	13.9
Rural	246,900	3,827	15.5	Rural	4,712,700	54,272	11.5	Rural	818,900	7,475	9.1
White	245,400	3,826	15.5	White	4,627,400	52,613	11.4	White	798,600	7,028	8.8
Colored	500	1	2.0	Colored	85,300	1,659	19.4	Colored	20,300	447	22.0
<b>NEW JERSEY</b>				<b>RHODE ISLAND</b>				<b>WEST VIRGINIA</b>			
Total	3,680,000	44,876	12.2	Total	693,000	8,791	12.7	Total	1,669,000	18,143	10.9
White	3,538,300	41,404	11.7	White	681,200	8,500	12.6	White	1,564,100	16,252	10.4
Colored	141,700	3,472	24.5	Colored	11,800	291	19.6	Colored	104,900	1,891	18.0
Urban	2,321,100	27,997	12.1	Urban	574,600	7,373	12.8	Urban	305,300	4,718	15.5
White	2,226,500	25,563	11.5	White	564,400	7,176	12.7	White	285,600	4,228	14.8
Colored	94,600	2,434	25.7	Colored	10,200	197	19.3	Colored	19,700	490	24.9
Rural	1,358,900	16,879	12.4	Rural	118,400	1,418	12.0	Rural	1,363,700	13,425	9.8
White	1,311,800	15,841	12.1	White	116,800	1,384	11.8	White	1,278,500	12,024	9.4
Colored	47,100	1,038	22.0	Colored	1,600	34	21.3	Colored	85,200	1,401	16.4
<b>NEW YORK</b>				<b>SOUTH CAROLINA</b>				<b>WISCONSIN</b>			
Total	11,304,000	151,345	13.4	Total	1,826,000	23,408	12.8	Total	2,885,000	30,191	10.5
White	11,042,100	145,115	13.1	White	936,400	9,219	9.8	White	2,868,100	29,736	10.4
Colored	261,900	6,230	23.8	Colored	889,600	14,184	15.9	Colored	16,900	455	26.9
Urban	8,611,700	114,888	13.3	Urban	194,900	4,283	22.0	Urban	35,300	338	9.6
White	8,409,500	109,298	13.0	White	120,100	1,926	16.0	White	34,800	324	9.3
Colored	202,200	5,590	27.6	Colored	74,800	2,357	31.5	Colored	500	14	28.0
Rural	2,692,300	36,457	13.5	Rural	1,631,100	19,120	11.7	Rural	200,700	1,664	7.8
White	2,632,600	35,817	13.6	White	816,300	7,293	8.9	White	197,800	1,498	7.6
Colored	59,700	640	10.7	Colored	814,800	11,827	14.5	Colored	2,900	66	22.8
<b>WYOMING</b>				<b>WISCONSIN</b>				<b>WYOMING</b>			
Total	236,000	1,902	8.1	Total	232,600	1,822	7.8	Total	236,000	1,902	8.1
White	232,600	1,822	7.8	White	232,600	1,822	7.8	White	232,600	1,822	7.8
Colored	3,400	80	23.5	Colored	3,400	80	23.5	Colored	3,400	80	23.5
Urban	35,300	338	9.6	Urban	35,300	338	9.6	Urban	35,300	338	9.6
White	34,800	324	9.3	White	34,800	324	9.3	White	34,800	324	9.3
Colored	500	14	28.0	Colored	500	14	28.0	Colored	500	14	28.0
Rural	200,700	1,664	7.8	Rural	200,700	1,664	7.8	Rural	200,700	1,664	7.8
White	197,800	1,498	7.6	White	197,800	1,498	7.6	White	197,800	1,498	7.6
Colored	2,900	66	22.8	Colored	2,900	66	22.8	Colored	2,900	66	22.8

<sup>1</sup> Including District of Columbia.

<sup>2</sup> These cities are shown under the various States (indicated by footnote 2) in Table I B.

<sup>3</sup> Population Jan. 1, 1920; decrease between 1910 and 1920; no estimate made.

<sup>4</sup> Population State census, 1925; decrease between 1920 and 1925; no estimate made.

NOTE.—The population of the registration area in 1926 constituted 89.8 per cent of the total population of continental United States.

MORTALITY STATISTICS

TABLE I B.—POPULATION, TOTAL DEATHS, DEATHS OF RESIDENTS, AND DEATH RATES PER 1,000 POPULATION, IN EACH CITY AND THE RURAL PART OF EACH COUNTY: 1926

[Minor areas which are designated by asterisks (\*) contain State insane asylums, State hospitals, etc. The term "cities" indicates municipalities of 10,000 inhabitants or more in 1920. White and colored are shown separately for areas when the colored population formed at least 10 per cent of the total, or numbered 10,000 or more, in 1920.]

Main data table with columns for Area and Color, Estimated Population (July 1, 1926), Total Deaths, Deaths of Residents (1926), and Death Rates per 1,000 Population. Rows are organized by state: ALABAMA, CALIFORNIA, GEORGIA, ARIZONA, ARKANSAS, DELAWARE, DISTRICT OF COLUMBIA, FLORIDA, ILLINOIS, IDAHO, MISSOURI, MICHIGAN, MINNESOTA, MISSISSIPPI, MONTANA, NEBRASKA, NEVADA, NEW HAMPSHIRE, NEW JERSEY, NEW YORK, NORTH CAROLINA, NORTH DAKOTA, OHIO, OKLAHOMA, OREGON, PENNSYLVANIA, RHODE ISLAND, SOUTH CAROLINA, SOUTH DAKOTA, TEXAS, VERMONT, VIRGINIA, WASHINGTON, WEST VIRGINIA, WISCONSIN, WYOMING.

See footnotes at end of table.











# MORTALITY STATISTICS

TABLE I. B.—POPULATION, TOTAL DEATHS, DEATHS OF RESIDENTS, AND DEATH RATES PER 1,000 POPULATION, IN EACH CITY AND THE RURAL PART OF EACH COUNTY: 1926—Continued

[See note at head of this table, p. 4]

AREA AND COLOR	Estimated population, July 1, 1926	1926				AREA AND COLOR	Estimated population, July 1, 1926	1926				AREA AND COLOR	Estimated population, July 1, 1926	1926			
		Total deaths		Deaths of residents <sup>1</sup>				Total deaths		Deaths of residents <sup>1</sup>				Total deaths		Deaths of residents <sup>1</sup>	
		Number	Rate per 1,000 population	Number	Rate per 1,000 population			Number	Rate per 1,000 population	Number	Rate per 1,000 population			Number	Rate per 1,000 population	Number	Rate per 1,000 population
CALIFORNIA COUNTIES (RURAL)—con.					COLORADO COUNTIES (RURAL)—continued					FLORIDA COUNTIES (RURAL)—continued							
Merced	30,900	285	9.2	294	9.5	Kit Carson	9,900	54	5.5	67	6.8	Calhoun	(12)	58	(12)	66	(12)
Modoc	<sup>2</sup> 5,425	50	9.2	53	9.8	Lake	<sup>2</sup> 6,630	171	25.8	169	25.5	White	(12)	47	(12)	54	(12)
Mono	<sup>3</sup> 980	3	3.1	4	4.2	La Plata	11,500	182	15.8	189	15.9	Colored	(12)	11	(12)	12	(12)
White	694	2	2.9	3	4.3	Larimer	29,600	316	10.7	329	11.1	Charlotte	(12)	51	(12)	56	(12)
Colored	286	1	3.8	1	3.8	Las Animas	31,500	312	9.9	328	10.4	White	(12)	34	(12)	40	(12)
Monterey	30,500	406	13.3	407	13.3	Lincoln	9,800	48	4.9	59	6.0	Colored	(12)	17	(12)	16	(12)
Napa *	21,300	591	27.7	589	27.7	Logan	24,400	148	6.1	157	6.4	Citrus	<sup>5</sup> 5,400	57	10.6	60	11.1
Nevada	<sup>10</sup> 10,850	170	15.7	184	17.0	Mesa	22,300	294	13.2	300	13.5	White	<sup>3</sup> 5,000	33	9.4	32	9.1
Orange	58,800	744	12.7	747	12.7	Mineral	(12) 779	9	11.6	10	12.8	Colored	<sup>3</sup> 1,900	24	12.6	28	14.7
Placer	18,800	396	21.1	296	15.7	Monta	(12)	31	(12)	31	(12)	Clay	<sup>7</sup> 4,855	52	16.9	57	17.9
White	16,300	363	22.3	271	16.6	Montezuma	7,100	99	13.9	100	14.1	White	3,555	56	15.8	61	17.2
Colored	2,500	33	13.2	25	10.0	Montrose	12,900	111	8.6	116	9.0	Colored	1,300	26	20.0	26	20.0
Plumas	6,000	83	13.8	90	15.0	Morgan	20,500	164	8.0	167	8.1	Collier	(12)	13	(12)	14	(12)
Riverside	88,600	459	11.9	503	13.0	Otero	(12)	286	(12)	294	(12)	White	(12)	13	(12)	14	(12)
Sacramento	38,200	249	7.6	297	8.9	Ouray	<sup>2</sup> 2,620	25	9.5	25	9.5	Colored	(12)	13	(12)	14	(12)
White	28,800	195	7.7	229	8.9	Park	<sup>3</sup> 1,977	12	6.1	13	6.6	Columbia	15,900	225	14.2	230	14.5
Colored	7,400	51	6.9	68	9.2	Phillips	<sup>3</sup> 7,100	56	7.9	59	8.3	White	8,800	122	13.9	121	13.8
San Benito	9,600	137	14.3	137	14.3	Pitkin	<sup>2</sup> 2,707	27	10.0	28	10.3	Colored	7,100	103	14.5	109	15.4
San Bernardino *	61,000	1,043	17.1	1,065	17.5	Prowers	16,700	128	7.7	129	7.7	Dade	(12)	336	(12)	434	(12)
San Diego	35,700	504	14.1	515	14.4	Pueblo*	17,400	425	24.4	447	25.7	White	(12)	264	(12)	321	(12)
San Joaquin	50,800	1,010	19.9	1,014	20.0	Rio Blanco	3,700	10	2.7	10	2.7	Colored	(12)	72	(12)	103	(12)
White	44,700	899	20.1	902	20.2	Rio Grande	8,700	128	14.7	133	15.3	De Soto	(12)	145	(12)	118	(12)
Colored	6,100	111	18.2	112	18.4	Routt	(12)	99	(12)	102	(12)	White	(12)	103	(12)	82	(12)
San Luis Obispo	23,600	336	14.2	338	14.3	Saguache	<sup>5</sup> 5,000	28	5.6	28	5.6	Colored	(12)	42	(12)	36	(12)
San Mateo	49,600	583	13.4	599	13.7	San Juan	<sup>3</sup> 1,700	19	11.2	19	11.2	Dixie	(12)	22	(12)	23	(12)
Santa Barbara	28,200	254	10.1	261	10.4	San Miguel	5,700	55	9.6	56	9.8	White	(12)	14	(12)	15	(12)
Santa Clara *	67,900	1,287	19.0	1,264	18.6	Sedgwick	<sup>5</sup> 5,000	39	7.8	43	8.6	Colored	(12)	8	(12)	8	(12)
Santa Cruz	15,500	221	14.3	232	15.0	Summit	<sup>3</sup> 1,724	27	15.7	31	18.0	Duval	19,500	317	16.3	380	19.5
Shasta	<sup>13</sup> 361	174	13.0	180	13.5	Teller	<sup>3</sup> 6,696	65	9.7	69	10.3	White	13,000	194	14.9	238	18.3
Sierra	<sup>1</sup> 1,783	28	15.7	29	16.3	Washington	14,700	51	3.5	55	3.7	Colored	6,500	123	18.9	142	21.8
Weld						Washington	51,200	336	6.6	417	8.1	Eschscholtz	<sup>7</sup> 18,152	164	9.0	167	9.2
Yuma	17,500	96	5.5	100	5.7	Windham	41,200	508	12.3	557	13.5	White	14,027	111	7.9	114	8.1
												Colored	4,125	53	12.8	53	12.8
CONNECTICUT COUNTIES (RURAL) <sup>11</sup>					DELAWARE COUNTIES (RURAL) <sup>11</sup>					FLORIDA COUNTIES (RURAL) <sup>11</sup>							
Fairfield	(12)	605	(12)	676	(12)	Fairfield	(12)	605	(12)	676	(12)	Alachua	(12)	427	(12)	421	(12)
Hartford	85,700	880	10.3	1,130	13.2	Hartford	85,700	880	10.3	1,130	13.2	White	(12)	188	(12)	186	(12)
Litchfield	53,800	634	11.8	697	13.0	Litchfield	53,800	634	11.8	697	13.0	Colored	(12)	239	(12)	235	(12)
Middlesex	25,700	271	10.5	388	15.1	Middlesex	25,700	271	10.5	388	15.1	Baker	<sup>7</sup> 5,561	53	9.5	63	11.3
New Haven	49,200	482	9.8	625	12.7	New Haven	49,200	482	9.8	625	12.7	White	4,108	31	7.5	40	9.7
New London	42,200	646	15.3	733	17.4	New London	42,200	646	15.3	733	17.4	Colored	1,453	22	15.1	23	15.8
Tolland	27,700	320	11.6	353	12.7	Tolland	27,700	320	11.6	353	12.7	Bay	12,000	123	10.3	129	10.7
Windham	41,200	508	12.3	557	13.5	Windham	41,200	508	12.3	557	13.5	White	8,800	87	9.9	91	10.3
												Colored	3,200	36	11.3	38	11.9
												Bradford	(12)	88	(12)	94	(12)
												White	(12)	62	(12)	68	(12)
												Colored	(12)	26	(12)	26	(12)
												Brevard	14,000	210	15.0	221	15.8
												White	9,200	113	12.3	120	13.0
												Colored	4,800	97	20.2	101	21.0
												Broward	16,700	425	25.4	326	19.5
												White	11,000	276	25.1	193	17.5
												Colored	5,700	149	26.1	133	23.3

See footnotes at end of table.



















MORTALITY STATISTICS

TABLE I B.—POPULATION, TOTAL DEATHS, DEATHS OF RESIDENTS, AND DEATH RATES PER 1,000 POPULATION, IN EACH CITY AND THE RURAL PART OF EACH COUNTY: 1926—Continued

[See note at head of this table, p. 4]

Main data table with columns for Area and Color, Estimated Population, Total Deaths, Deaths of Residents, and Death Rates. It is divided into sections for North Carolina Counties (Rural) and North Dakota Counties (Rural). The table includes data for numerous counties and their sub-county areas, such as Hyde, Iredell, Jackson, Johnston, Jones, Lee, Lenoir, Lincoln, McDowell, Macon, Madison, Martin, Mecklenburg, Mitchell, Montgomery, Moore, Nash, New Hanover, Northampton, Onslow, Orange, Pamlico, Pasquotank, Pender, Perquimans, Person, Pitt, Polk, Randolph, Richmond, Robeson, Rockingham, Rowan, Rutherford, Sampson, Scotland, Stanly, Stokes, Surry, Swain, Transylvania, Tyrrell, Union, Vance, Wake, Warren, Washington, Watauga, Wayne, Wilkes, Wilson, Yadkin, and Yancey.

See footnotes at end of table.



MORTALITY STATISTICS

TABLE I B.—POPULATION, TOTAL DEATHS, DEATHS OF RESIDENTS, AND DEATH RATES PER 1,000 POPULATION, IN EACH CITY AND THE RURAL PART OF EACH COUNTY: 1926.—Continued

[See note at head of this table, p. 4]

Table with 4 main columns for 1926 (South Carolina Counties Rural, Tennessee Counties Rural, etc.) and 4 sub-columns for population, total deaths, and death rates. Includes footnotes at the bottom.

See footnotes at end of table.



MORTALITY STATISTICS

TABLE I B.—POPULATION, TOTAL DEATHS, DEATHS OF RESIDENTS, AND DEATH RATES PER 1,000 POPULATION, IN EACH CITY AND THE RURAL PART OF EACH COUNTY: 1926—Continued

[See note at head of this table, p. 4]

Table with columns for AREA AND COLOR, 1926 Total deaths (Number, Rate per 1,000 population), Deaths of residents (Number, Rate per 1,000 population), and 1926 Estimated population (July 1, 1926). Rows list various Virginia counties and cities with their respective mortality statistics.

See footnotes at end of table.

DEATHS AND DEATH RATES OF RESIDENTS

TABLE I B.—POPULATION, TOTAL DEATHS, DEATHS OF RESIDENTS, AND DEATH RATES PER 1,000 POPULATION, IN EACH CITY AND THE RURAL PART OF EACH COUNTY: 1926—Continued

[See note at head of this table, p. 4]

AREA AND COLOR	Estimated population, July 1, 1926	1926				AREA AND COLOR	Estimated population, July 1, 1926	1926				AREA AND COLOR	Estimated population, July 1, 1926	1926			
		Total deaths		Deaths of residents <sup>1</sup>				Total deaths		Deaths of residents <sup>1</sup>				Total deaths		Deaths of residents <sup>1</sup>	
		Number	Rate per 1,000 population	Number	Rate per 1,000 population			Number	Rate per 1,000 population	Number	Rate per 1,000 population			Number	Rate per 1,000 population	Number	Rate per 1,000 population
<b>WEST VIRGINIA COUNTIES (RURAL) <sup>11</sup></b>					<b>WEST VIRGINIA COUNTIES (RURAL)—CON.</b>					<b>WISCONSIN COUNTIES (RURAL)—CONTINUED</b>							
Barbour.....	19,500	202	10.4	212	10.9	Tyler.....	<sup>14</sup> 14,186	153	10.8	163	11.5	Portage.....	22,300	176	7.9	179	8.0
Berkeley.....	12,600	148	11.7	150	11.9	Upshur.....	18,700	191	10.2	192	10.3	Price.....	21,700	126	5.8	142	6.5
Boone.....	18,700	166	8.9	195	10.4	Wayne.....	27,300	187	6.8	197	7.2	Racine.....	24,000	229	9.5	250	10.4
Braxton.....	24,600	195	7.9	217	8.8	Webster.....	12,800	74	5.8	81	6.3	Richland.....	20,500	173	8.4	178	8.7
Brooke.....	20,200	203	10.0	246	12.2	Wetzel.....	<sup>23</sup> 23,069	250	10.8	261	11.3	Rock.....	26,700	291	10.9	330	12.4
Cabell.....	13,400	161	12.0	168	12.5	Wirt.....	<sup>7</sup> 7,536	60	8.0	64	8.5	Rusk.....	19,900	134	6.7	147	7.4
Calhoun.....	<sup>3</sup> 10,268	70	6.8	80	7.8	Wood.....	23,700	212	8.9	223	9.4	St. Croix.....	26,200	226	8.6	259	9.9
Clay.....	12,300	113	9.2	124	10.1	Wyoming.....	18,400	146	7.9	148	8.0	Sauk.....	<sup>3</sup> 32,548	345	10.6	367	11.3
Doddridge.....	<sup>3</sup> 11,976	86	7.2	89	7.4	White.....	15,800	113	7.2	114	7.2	Sawyer.....	9,600	84	8.8	102	10.6
Fayette.....	66,100	726	11.0	774	11.7	Colored.....	2,600	33	12.7	34	13.1	White.....	8,900	52	5.8	67	7.5
White.....	56,200	562	10.0	595	10.6						Colored.....	700	32	45.7	35	50.0	
Colored.....	9,900	164	16.6	179	18.1	<b>WISCONSIN COUNTIES (RURAL) <sup>11</sup></b>					Shawano.....	35,400	314	8.9	353	10.0	
Gilmer.....	<sup>3</sup> 10,668	75	7.0	81	7.6	Adams.....	9,700	96	9.9	99	10.2	Sheboygan.....	29,300	276	9.4	288	9.8
Grant.....	9,800	63	6.4	66	6.7	Ashland.....	15,000	96	6.4	138	9.2	Taylor.....	21,000	160	7.6	169	8.0
Greenbrier.....	27,200	324	11.9	327	12.0	Barron.....	37,700	316	8.4	314	8.3	Trempealeau.....	25,600	216	8.4	250	9.8
Hampshire.....	11,700	137	11.7	144	12.3	Bayfield.....	18,000	127	7.1	136	7.6	Vernon.....	30,000	258	8.6	326	10.9
Hancock.....	26,300	199	7.6	239	9.1	Brown.....	32,200	238	7.4	299	9.3	Vilas.....	<sup>3</sup> 5,649	69	12.2	78	13.8
Hardy.....	9,900	78	7.9	79	8.0	Buffalo.....	<sup>15</sup> 15,615	109	7.0	127	8.1	Walworth.....	<sup>29</sup> 29,327	341	11.6	359	12.2
Harrison.....	61,600	523	8.5	570	9.3	Burnett.....	11,900	90	7.6	97	8.2	Washburn.....	13,500	67	5.0	90	6.7
Jackson.....	<sup>3</sup> 18,658	131	7.0	142	7.6	Calumet.....	17,600	165	9.4	177	10.1	Washington.....	27,000	264	9.8	276	10.2
Jefferson.....	<sup>3</sup> 15,729	214	13.6	218	13.9	Chippewa.....	39,400	448	11.4	407	10.3	Waukesha *.....	31,200	437	14.0	438	14.0
White.....	12,711	171	13.5	175	13.8	Clark.....	38,500	239	6.2	473	12.3	Waupaca.....	35,100	414	11.8	435	12.4
Colored.....	3,013	43	14.2	43	14.2	Columbia.....	30,463	360	11.8	375	12.3	Waushara.....	<sup>3</sup> 16,712	144	8.6	155	9.3
Kanawha.....	94,500	664	7.0	792	8.4	Crawford.....	17,100	145	8.5	171	10.0	Winnebago *.....	31,900	467	14.6	478	15.0
Lewis *.....	21,900	364	16.6	375	17.1	Dane.....	49,900	543	10.9	631	12.6	Wood.....	37,400	353	9.4	385	10.3
Lincoln.....	<sup>3</sup> 19,378	97	5.0	111	5.7	Dodge.....	51,300	470	9.2	497	9.7	<b>WYOMING COUNTIES (RURAL) <sup>11</sup></b>					
Logan.....	58,800	618	10.5	650	11.1	Door.....	19,300	175	9.1	182	9.4	Albany.....	<sup>3</sup> 9,233	96	10.3	92	9.9
White.....	51,200	509	9.9	533	10.4	Douglas.....	11,600	87	7.5	106	9.1	Big Horn.....	( <sup>12</sup> )	73	( <sup>12</sup> )	80	( <sup>12</sup> )
Colored.....	7,600	109	14.3	117	15.4	Dunn.....	28,100	254	9.0	280	10.0	Campbell.....	( <sup>12</sup> )	36	( <sup>12</sup> )	41	( <sup>12</sup> )
McDowell.....	82,400	1,017	12.3	1,038	12.6	Eau Claire.....	15,200	93	6.1	125	8.2	Carbon.....	<sup>3</sup> 9,525	94	9.9	100	10.5
White.....	61,700	657	10.6	674	10.9	Florence.....	3,800	43	11.3	48	12.6	Converse.....	( <sup>12</sup> )	56	( <sup>12</sup> )	59	( <sup>12</sup> )
Colored.....	20,700	360	17.4	364	17.6	Fond du Lac.....	32,600	285	8.7	330	10.1	Crook.....	( <sup>12</sup> )	26	( <sup>12</sup> )	26	( <sup>12</sup> )
Marion.....	41,000	385	9.4	425	10.4	Forest.....	11,900	87	7.3	100	8.4	Fremont.....	( <sup>12</sup> )	103	( <sup>12</sup> )	103	( <sup>12</sup> )
Marshall.....	22,700	282	12.4	299	13.2	Grant.....	39,100	401	10.3	430	11.0	White.....	( <sup>12</sup> )	67	( <sup>12</sup> )	67	( <sup>12</sup> )
Mason.....	<sup>3</sup> 21,459	261	12.2	272	12.7	Green.....	<sup>21</sup> 21,568	230	10.7	254	11.8	Colored.....	( <sup>12</sup> )	36	( <sup>12</sup> )	36	( <sup>12</sup> )
Mercer.....	37,200	359	9.7	386	10.4	Green Lake.....	<sup>14</sup> 14,875	164	11.0	179	12.0	Goshen.....	( <sup>12</sup> )	67	( <sup>12</sup> )	75	( <sup>12</sup> )
White.....	35,400	298	8.4	319	9.0	Iowa.....	<sup>21</sup> 21,504	226	10.5	238	11.1	Hot Springs.....	( <sup>12</sup> )	86	( <sup>12</sup> )	87	( <sup>12</sup> )
Colored.....	1,800	61	33.9	67	37.2	Iron.....	11,600	79	6.8	98	8.4	Johnson.....	5,400	39	7.2	45	8.3
Mineral.....	22,000	239	10.9	245	11.1	Jackson.....	18,200	147	8.1	169	9.3	Laramie.....	( <sup>12</sup> )	36	( <sup>12</sup> )	39	( <sup>12</sup> )
Mingo.....	31,000	336	10.8	343	11.1	Jefferson.....	35,500	461	13.0	480	13.5	Lincoln.....	( <sup>12</sup> )	101	( <sup>12</sup> )	110	( <sup>12</sup> )
Monongalia.....	25,700	364	14.2	367	14.3	Juneau.....	<sup>19</sup> 19,209	209	10.9	219	11.4	Natrona.....	( <sup>12</sup> )	76	( <sup>12</sup> )	82	( <sup>12</sup> )
Monroe.....	13,200	138	10.5	141	10.7	Kenosha.....	10,900	110	10.1	125	11.5	Niobrara.....	( <sup>12</sup> )	27	( <sup>12</sup> )	29	( <sup>12</sup> )
Morgan.....	8,700	100	11.5	108	12.4	Kewaunee.....	<sup>16</sup> 16,091	147	9.1	173	10.8	Park.....	( <sup>12</sup> )	73	( <sup>12</sup> )	73	( <sup>12</sup> )
Nicholas.....	22,700	192	8.5	191	8.4	La Crosse.....	14,200	134	9.4	156	11.0	Platte.....	( <sup>12</sup> )	55	( <sup>12</sup> )	56	( <sup>12</sup> )
Ohio.....	10,300	126	12.2	140	13.6	Lafayette.....	<sup>20</sup> 20,002	208	10.4	226	11.3	Sheridan.....	19,400	183	9.4	177	9.1
Pendleton.....	9,900	59	5.7	60	6.1	Langlade.....	24,400	228	9.3	228	9.3	Sublette.....	( <sup>12</sup> )	0	( <sup>12</sup> )	11	( <sup>12</sup> )
Pleasants.....	<sup>7</sup> 7,379	72	9.8	74	10.0	Lincoln.....	22,400	222	9.9	232	10.4	Sweetwater.....	15,000	183	12.2	188	12.5
Pocahontas.....	15,200	187	11.0	159	10.5	Manitowoc.....	33,500	309	9.2	339	10.1	Teton.....	( <sup>12</sup> )	13	( <sup>12</sup> )	13	( <sup>12</sup> )
Preston.....	29,100	350	12.0	362	12.4	Marathon.....	51,800	317	6.1	353	6.8	Union.....	( <sup>12</sup> )	73	( <sup>12</sup> )	78	( <sup>12</sup> )
Putnam.....	<sup>3</sup> 17,531	134	7.6	149	8.5	Marinette.....	21,100	141	6.7	181	8.6	Washakie.....	( <sup>12</sup> )	25	( <sup>12</sup> )	26	( <sup>12</sup> )
Raleigh.....	53,800	698	13.0	706	13.1	Marquette.....	<sup>10</sup> 10,443	98	9.4	107	10.2	Weston.....	( <sup>12</sup> )	28	( <sup>12</sup> )	30	( <sup>12</sup> )
White.....	44,700	546	12.3	552	12.4	Milwaukee *.....	74,300	1,428	19.2	1,440	19.4	Yellowstone National Park (part of).....	<sup>2</sup> 165	6	( <sup>14</sup> )	3	( <sup>14</sup> )
Colored.....	9,300	152	16.3	154	16.6	Monroe.....	<sup>28</sup> 28,666	318	11.1	334	11.7						
Randolph.....	27,300	282	10.3	277	10.1	Oconto.....	28,100	264	9.4	290	10.3						
Ritchie.....	<sup>3</sup> 16,506	166	10.1	177	10.7	Oneida.....	15,700	198	12.6	202	12.9						
Roane *.....	<sup>3</sup> 20,129	293	14.6	289	14.4	Ontonagon.....	37,700	338	9.0	394	10.5						
Summers.....	19,500	193	9.9	204	10.5	Ozaukee.....	<sup>16</sup> 16,335	139	8.5	159	9.7						
Taylor.....	20,200	245	12.1	249	12.3	Pepin.....	<sup>7</sup> 7,431	75	10.0	85	11.4						
Tucker.....	<sup>3</sup> 16,791	140	8.3	150	8.9	Pierce.....	<sup>21</sup> 21,663	203	9.4	230	10.6						
						Polk.....	30,600	258	8.4	287	9.4						

<sup>1</sup> "Residents" excludes transferable nonresidents and includes residents who died elsewhere in registration area.  
<sup>2</sup> Nonregistration State; cities shown are those with satisfactory registration of deaths.  
<sup>3</sup> Population, Jan. 1, 1920; decrease between 1910 and 1920; no estimate made.  
<sup>4</sup> Venice annexed.  
<sup>5</sup> Estimate of population unsatisfactory.  
<sup>6</sup> Rate not affected by difference between total deaths and deaths of residents.  
<sup>7</sup> Population, State census, 1925; decrease between 1920 and 1925; no estimate made.  
<sup>8</sup> Population, Jan. 1, 1920 including annexation since 1920; decrease between 1910 and 1920; no estimate made.  
<sup>9</sup> Reliable data for nonresidents not available.  
<sup>10</sup> Name changed from East Youngstown, April, 1926.  
<sup>11</sup> Exclusive of municipalities of 10,000 inhabitants or more in 1920.  
<sup>12</sup> Population not estimated; county formed from, or involved in the formation of, other counties.  
<sup>13</sup> Including Hopewell city.  
<sup>14</sup> Rate not computed.

MORTALITY STATISTICS

TABLE II.—DEATHS (EXCLUSIVE OF STILLBIRTHS), AND DEATH RATES PER 100,000 POPULATION, FROM EACH CAUSE, IN THE REGISTRATION AREA IN CONTINENTAL UNITED STATES: 1925 AND 1926

List No., 1921	CAUSE OF DEATH	DEATHS IN THE REGISTRATION AREA IN CONTINENTAL UNITED STATES				List No., 1921	CAUSE OF DEATH	DEATHS IN THE REGISTRATION AREA IN CONTINENTAL UNITED STATES			
		Number		Rate per 100,000 estimated population				Number		Rate per 100,000 estimated population	
		1926	1925	1926	1925			1926	1925	1926	1925
	All causes (exclusive of stillbirths).....	1,285,927	1,219,019	1,222.7	1,182.3						
	I.—Epidemic, endemic, and infectious diseases.....	194,962	174,354	185.4	169.1						
1	Typhoid and paratyphoid fever.....	6,826	8,287	6.5	8.0	45	II.—General diseases not included in Class I—Continued				
	Typhoid fever.....	6,747	8,213	6.4	8.0		Cancer and other malignant tumors—Con.				
	Paratyphoid fever.....	79	74	0.1	0.1		Cancer of the peritoneum, intestines, rectum.....	14,435	13,671	13.7	13.3
2	Typhus fever.....	7	8	( <sup>1</sup> )	( <sup>1</sup> )		Mesentery and peritoneum.....	908	820	0.9	0.8
3	Relapsing fever (spirillum obermeieri).....						Intestines (except rectum).....	9,217	8,740	8.8	8.5
4	Malaria.....						Rectum and anus.....	4,253	4,041	4.0	3.9
5	Smallpox.....	2,006	2,132	1.9	2.1	46	Others of this class.....	57	70	0.1	0.1
6	Measles.....	377	700	0.4	0.7		Cancer of the female genital organs.....	14,394	14,051	13.7	13.6
7	Scarlet fever.....	8,607	2,404	8.2	2.3		Ovary and Fallopian tube.....	1,318	2,118	1.3	1.2
8	Whooping cough.....	2,662	2,762	2.5	2.7		Uterus.....	12,634	12,377	12.0	12.0
9	Diphtheria.....	9,317	6,948	8.9	6.7	47	Vagina and vulva.....	396	398	0.4	0.4
10	Influenza.....	7,856	8,058	7.5	7.8	48	Others of this class.....	46	58	( <sup>1</sup> )	( <sup>1</sup> )
11	With pulmonary complications specified.....	42,809	30,638	40.7	29.6	49	Cancer of the breast.....	9,190	8,511	8.7	8.3
	Without pulmonary complications specified.....	27,372	18,344	26.0	17.8		Cancer of the skin.....	2,802	2,624	2.7	2.5
12	Miliary fever.....	15,437	12,194	14.7	11.8		Cancer of other or unspecified organs.....	20,122	18,531	19.1	18.0
13	Mumps.....	103	142	0.1	0.1		Larynx.....	809	774	0.8	0.8
14	Asiatic cholera.....						Lung and pleura.....	1,892	1,728	1.8	1.7
15	Cholera nostras.....	148	192	0.1	0.2		Pancreas.....	2,147	1,902	2.0	1.8
16	Dysentery.....	2,921	3,257	2.8	3.2		Kidneys and suprarenals.....	1,269	1,258	1.2	1.2
	Amebic.....	239	235	0.2	0.2		Prostate.....	3,427	3,068	3.3	3.0
	Bacillary.....	429	445	0.4	0.4		Bladder.....	3,183	3,008	3.0	2.9
	Unspecified or due to other causes.....	2,253	2,577	2.1	2.5		Brain.....	528	423	0.5	0.4
17	Plague.....	1	1	( <sup>1</sup> )	( <sup>1</sup> )	50	Bones (except jaw).....	1,209	1,149	1.1	1.1
	Bubonic.....	1	1	( <sup>1</sup> )	( <sup>1</sup> )		Testes.....	225	227	0.2	0.2
	Pneumonic.....						Scrotum.....	33	16	( <sup>1</sup> )	( <sup>1</sup> )
	Septicemic.....						Others of this class.....	5,400	4,978	5.1	4.8
	Unspecified.....						Benign tumors and tumors not returned as malignant (tumors of the female genital organs excepted).....	771	685	0.7	0.7
18	Yellow fever.....	48	52	( <sup>1</sup> )	0.1	51	Acute rheumatic fever.....	2,881	2,766	2.7	2.7
19	Spirochetal hemorrhagic jaundice.....	24	30	( <sup>1</sup> )	( <sup>1</sup> )	52	Chronic rheumatism, osteoarthritis, gout.....	1,338	1,327	1.3	1.3
20	Leprosy.....	24	30	( <sup>1</sup> )	( <sup>1</sup> )	53	Scurvy.....	53	58	0.1	0.1
21	Erysipelas.....	2,680	2,455	2.5	2.4	54	Pellagra.....	3,854	3,344	3.7	3.2
22	Acute anterior poliomyelitis.....	851	1,619	0.8	1.5	55	Beriberi.....	6	7	( <sup>1</sup> )	( <sup>1</sup> )
23	Lethargic encephalitis.....	1,499	1,630	1.4	1.6	56	Rickets.....	596	573	0.6	0.6
24	Meningococcus meningitis.....	1,413	1,095	1.3	1.1	57	Diabetes mellitus.....	18,881	17,383	18.0	16.9
25	Other epidemic and endemic diseases.....	301	253	0.3	0.2	58	Anemia, chlorosis.....	6,624	6,649	6.3	6.4
	Chicken pox.....	147	151	0.1	0.1		Perniciou anemia.....	5,959	5,949	5.7	5.8
	German measles.....	46	18	( <sup>1</sup> )	( <sup>1</sup> )		Other anemias and chlorosis.....	665	700	0.6	0.7
	Others under this title.....	108	84	0.1	0.1	59	Diseases of the pituitary gland.....	113	100	0.1	0.1
26	Glanders.....	2	2	( <sup>1</sup> )	( <sup>1</sup> )	60	Diseases of the thyroid gland.....	4,843	4,135	4.6	4.0
27	Anthrax.....	14	22	( <sup>1</sup> )	( <sup>1</sup> )		Exophthalmic goiter.....	4,161	3,476	4.0	3.4
28	Rabies.....	86	83	0.1	0.1		Other diseases of the thyroid gland.....	682	659	0.6	0.6
29	Tetanus.....	1,377	1,503	1.3	1.5	61	Diseases of the parathyroid glands.....	111	110	0.1	0.1
30	Mycoses.....	235	201	0.2	0.2	62	Diseases of the thymus gland.....	1,280	1,086	1.2	1.1
	Tuberculosis (all forms).....	91,568	89,268	87.1	86.6	63	Diseases of the adrenals (Addison's disease).....	391	407	0.4	0.4
	Of the respiratory system.....	80,375	78,103	76.4	75.7	64	Diseases of the spleen.....	167	131	0.2	0.1
	Of the meninges, central nervous system.....	3,788	3,746	3.6	3.6	65	Leukemia and Hodgkin's disease.....	2,806	2,649	2.7	2.6
	Of the intestines and peritoneum.....	3,069	3,078	2.9	3.0		Leukemia.....	1,906	1,801	1.8	1.7
	Of the vertebral column.....	956	947	0.9	0.9		Hodgkin's disease.....	900	848	0.9	0.8
	Of the joints.....	377	357	0.4	0.3	66	Alcoholism (acute or chronic).....	4,109	3,694	3.9	3.6
	Of other organs.....	1,244	1,294	1.2	1.3	67	Chronic poisoning by mineral substances.....	175	180	0.2	0.2
	Of the skin and subcutaneous cellular tissue.....	51	45	( <sup>1</sup> )	( <sup>1</sup> )		Chronic lead poisoning.....	144	142	0.1	0.1
	Of the bones (vertebral column excepted).....	199	205	0.2	0.2		Others under this title.....	31	38	( <sup>1</sup> )	( <sup>1</sup> )
	Of the lymphatic system (mesenteric and retroperitoneal glands excepted).....	253	282	0.2	0.3	68	Chronic poisoning by organic substances.....	213	205	0.2	0.2
	Of the genito-urinary system.....	666	641	0.6	0.6	69	Other general diseases.....	2,091	2,184	2.0	2.1
	Of other organs other than the above.....	85	121	0.1	0.1						
37	Disseminated tuberculosis.....	1,759	1,743	1.7	1.7	70	III.—Diseases of the nervous system and of the organs of special sense.....	127,391	123,847	121.1	120.1
	Acute.....	1,456	1,391	1.4	1.3		Encephalitis.....	1,316	1,239	1.3	1.2
	Chronic or unspecified.....	303	352	0.3	0.3	71	Meningitis.....	3,219	3,415	3.1	3.3
38	Syphilis.....	8,965	8,647	8.5	8.4		Simple meningitis.....	2,520	2,696	2.4	2.6
39	Soft chancre.....	10	9	( <sup>1</sup> )	( <sup>1</sup> )		Nonepidemic cerebrospinal meningitis.....	699	719	0.7	0.7
40	Gonococcus infection.....	1,056	955	1.0	0.9	72	Tabes dorsalis (locomotor ataxia).....	1,601	1,656	1.5	1.6
41	Purulent infection, septicemia.....	1,173	1,178	1.1	1.1	73	Other diseases of the spinal cord.....	3,403	3,238	3.2	3.1
42	Other infectious diseases.....	20	14	( <sup>1</sup> )	( <sup>1</sup> )	74	Cerebral hemorrhage, apoplexy.....	90,167	86,319	85.7	83.7
							Cerebral hemorrhage.....	86,261	82,651	82.0	80.2
							Cerebral embolism and thrombosis.....	3,906	3,668	3.7	3.6
							Paralysis without specified cause.....	5,732	5,920	5.5	5.7
							Hemiplegia.....	2,045	2,042	1.9	2.0
							Others under this title.....	3,687	3,878	3.5	3.8
43	Cancer and other malignant tumors.....	99,833	95,504	94.9	92.6	76	General paralysis of the insane.....	5,900	6,029	5.6	5.8
	Cancer of the buccal cavity.....	3,196	3,242	3.0	3.1	77	Other forms of mental alienation.....	1,636	1,693	1.6	1.6
	Lip.....	564	553	0.5	0.5	78	Epilepsy.....	3,261	3,189	3.1	3.1
	Tongue.....	859	866	0.8	0.8	79	Convulsions (nonpuerperal; 5 years and over).....	131	147	0.1	0.1
	Mouth.....	354	341	0.3	0.3	80	Infantile convulsions (under 5 years of age).....	1,597	1,833	1.5	1.8
	Jaw.....	1,011	1,111	1.0	1.1	81	Chorea.....	80	90	0.1	0.1
	Others of this class.....	408	371	0.4	0.4	82	Neuralgia and neuritis.....	300	312	0.3	0.3
44	Cancer of the stomach, liver.....	35,694	34,374	33.9	33.8	83	Softening of the brain.....	665	745	0.6	0.7
	Pharynx.....	971	992	0.9	1.0	84	Other diseases of the nervous system.....	4,596	4,599	4.4	4.5
	Esophagus.....	1,766	1,659	1.7	1.6	85	Diseases of the eye and annaxa.....	93	91	0.1	0.1
	Stomach.....	23,322	22,665	22.2	22.0	86	Diseases of the ear and of the mastoid process.....	3,694	3,332	3.5	3.2
	Liver and gall bladder.....	9,635	9,568	9.2	9.3		Diseases of the ear.....	2,113	2,004	2.0	1.9
							Diseases of the mastoid process.....	1,581	1,328	1.5	1.3

See footnotes at end of table.

DEATHS AND DEATH RATES, BY CAUSES

27

TABLE II.—DEATHS (EXCLUSIVE OF STILLBIRTHS), AND DEATH RATES PER 100,000 POPULATION, FROM EACH CAUSE, IN THE REGISTRATION AREA IN CONTINENTAL UNITED STATES: 1925 AND 1926—Continued

List No., 1921	CAUSE OF DEATH	DEATHS IN THE REGISTRATION AREA IN CONTINENTAL UNITED STATES				List No., 1921	CAUSE OF DEATH	DEATHS IN THE REGISTRATION AREA IN CONTINENTAL UNITED STATES			
		Number		Rate per 100,000 estimated population				Number		Rate per 100,000 estimated population	
		1926	1925	1926	1925			1926	1925	1926	1925
	IV.—Diseases of the circulatory system.	237, 010	217, 567	225. 4	211. 0		VII.—Nonvenereal diseases of the genito-urinary system and annexa.				
87	Pericarditis.....	915	875	0. 9	0. 8		Acute nephritis (including unspecified under 10 years of age).....	5, 427	5, 733	5. 2	5. 6
88	Endocarditis and myocarditis (acute).....	3, 337	7, 999	7. 9	7. 8	128	Chronic nephritis (including unspecified 10 years and over).....	97, 905	93, 587	93. 1	90. 8
89	Angina pectoris.....	15, 221	13, 680	14. 5	13. 3		Chyluria.....	1	1	(1)	(1)
90	Other diseases of the heart.....	184, 897	168, 672	175. 8	163. 6	129	Other diseases of the kidneys and annexa.....	2, 979	2, 892	2. 8	2. 8
91	Diseases of the arteries.....	23, 698	23, 090	22. 5	22. 4	130	Calculi of the urinary passages.....	823	834	0. 8	0. 8
	Aneurysm.....	1, 989	1, 914	1. 9	1. 9	131	Diseases of the bladder.....	974	990	0. 9	1. 0
	Arteriosclerosis.....	21, 247	20, 774	20. 2	20. 1	132	Diseases of the urethra, urinary abscess, etc.....	421	402	0. 4	0. 4
92	Other diseases of the arteries.....	462	402	0. 4	0. 4	133	Stricture of the urethra.....	263	288	0. 3	0. 3
93	Embolism and thrombosis (not cerebral).....	2, 781	2, 098	2. 6	2. 0	134	Others under this title.....	158	134	0. 2	0. 1
	Diseases of the veins (varices, hemorrhoids, phlebitis, etc.).....	585	586	0. 6	0. 6	135	Diseases of the prostate.....	5, 600	5, 200	5. 3	5. 0
94	Diseases of the lymphatic system (lymphangitis, etc.).....	196	201	0. 2	0. 2	136	Nonvenereal diseases of the male genital organs.....	128	104	0. 1	0. 1
95	Hemorrhage without specified cause.....	138	132	0. 1	0. 1	137	Cysts and other benign tumors of the ovary.....	851	811	0. 8	0. 8
96	Other diseases of the circulatory system.....	242	234	0. 2	0. 2	138	Salpingitis and pelvic abscess (female).....	1, 364	1, 770	1. 8	1. 7
	V.—Diseases of the respiratory system.	123, 960	111, 977	117. 9	108. 6	139	Benign tumors of the uterus.....	2, 068	2, 044	2. 0	2. 0
97	Diseases of the nasal fossae and their annexa.....	933	914	0. 9	0. 9	140	Nonpuerperal uterine hemorrhage.....	54	49	0. 1	(1)
	Diseases of the nasal fossae.....	313	366	0. 3	0. 4	141	Other diseases of the female genital organs.....	855	774	0. 8	0. 8
	Others under this title.....	620	548	0. 6	0. 5	142	Nonpuerperal diseases of the breast (cancer excepted).....	28	31	(1)	(1)
98	Diseases of the larynx.....	478	519	0. 5	0. 5		VIII.—The puerperal state.....	15, 058	15, 315	14. 3	14. 9
99	Bronchitis.....	6, 961	6, 670	6. 6	6. 5	143	Accidents of pregnancy.....	1, 538	1, 404	1. 5	1. 4
	Acute.....	2, 795	2, 589	2. 7	2. 5	144	Abortion.....	304	692	0. 8	0. 7
	Chronic.....	2, 391	2, 414	2. 3	2. 3	145	Ectopic gestation.....	511	485	0. 5	0. 5
	Unspecified (under 5 years of age).....	655	643	0. 6	0. 6		Others under this title.....	223	227	0. 2	0. 2
	Unspecified (5 years and over).....	1, 120	1, 024	1. 1	1. 0	146	Puerperal hemorrhage.....	1, 563	1, 466	1. 5	1. 4
100	Broncho-pneumonia.....	46, 148	39, 820	43. 9	38. 6	147	Other accidents of labor.....	1, 731	1, 714	1. 6	1. 7
	Broncho-pneumonia.....	45, 157	38, 896	42. 9	37. 7		Cesarean section.....	326	328	0. 3	0. 3
	Capillary bronchitis.....	991	924	0. 9	0. 9	148	Other surgical operations and instrumental delivery.....	175	169	0. 2	0. 2
101	Pneumonia.....	61, 649	56, 612	58. 6	54. 9	149	Others under this title.....	1, 230	1, 217	1. 2	1. 2
	Lobar.....	56, 699	51, 407	53. 9	49. 9	150	Puerperal plegmiasia.....	5, 518	5, 697	5. 2	5. 5
	Unspecified.....	4, 950	5, 205	4. 7	5. 0		Puerperal phlegmasia alba dolens, embolus, sudden death.....	613	662	0. 6	0. 6
102	Pleurisy.....	2, 780	2, 636	2. 6	2. 6	148	Puerperal albuminuria and convulsions.....	4, 036	4, 292	3. 8	4. 2
103	Congestion and hemorrhagic infarct of the lung.....	1, 427	1, 372	1. 4	1. 3	149	Following childbirth (not otherwise defined).....	56	73	0. 1	0. 1
104	Gangrene of the lung.....	189	215	0. 2	0. 2	150	Puerperal diseases of the breast.....	3	7	(1)	(1)
105	Asthma.....	2, 051	1, 920	2. 0	1. 9		IX.—Diseases of the skin and of the cellular tissue.....	3, 390	3, 343	3. 2	3. 2
106	Pulmonary emphysema.....	158	141	0. 2	0. 1	151	Gangrene.....	1, 366	1, 319	1. 3	1. 3
107	Other diseases of the respiratory system (tuberculosis excepted).....	1, 186	1, 158	1. 1	1. 1	152	Furuncle.....	568	569	0. 5	0. 6
	Chronic intestinal pneumonia, including occupational diseases of the respiratory system.....	269	241	0. 3	0. 2	153	Acute abscess.....	705	673	0. 7	0. 7
	Diseases of the mediastinum.....	37	33	(1)	(1)	154	Other diseases of the skin and annexa.....	751	782	0. 7	0. 8
	Others under this title.....	880	884	0. 8	0. 9		X.—Diseases of the bones and of the organs of locomotion.....	- 1, 429	1, 358	1. 4	1. 3
	VI.—Diseases of the digestive system.	100, 266	104, 297	95. 3	101. 2	155	Diseases of the bones (tuberculosis excepted).....	1, 142	1, 075	1. 1	1. 1
108	Diseases of the mouth and annexa.....	797	768	0. 8	0. 7	156	Diseases of the joints (tuberculosis and rheumatism excepted).....	224	215	0. 2	0. 2
109	Diseases of the pharynx and tonsils (including adenoid vegetations).....	3, 947	3, 681	3. 8	3. 6	157	Amputations.....	3	2	(1)	(1)
	Adenoid vegetations.....	6	9	(1)	(1)	158	Other diseases of the organs of locomotion.....	60	66	0. 1	0. 1
	Others under this title.....	3, 941	3, 672	3. 7	3. 6		XI.—Malformations.....	13, 990	14, 226	13. 3	13. 8
110	Diseases of the esophagus.....	131	116	0. 1	0. 1	159	Congenital malformations (stillbirths not included).....	13, 990	14, 226	13. 3	13. 8
111	Ulcer of the stomach and duodenum.....	6, 424	6, 133	6. 1	5. 9		Congenital hydrocephalus.....	1, 394	1, 533	1. 3	1. 5
	Ulcer of the stomach.....	4, 566	4, 384	4. 3	4. 3		Congenital malformations of the heart.....	8, 073	8, 147	7. 7	7. 9
	Ulcer of the duodenum.....	1, 858	1, 749	1. 8	1. 7		Others under this title.....	4, 523	4, 546	4. 3	4. 4
112	Other diseases of the stomach (cancer excepted).....	5, 444	5, 832	5. 2	5. 7		XII.—Early infancy.....	61, 249	61, 932	58. 2	60. 1
113	Diarrhea and enteritis (under 2 years of age).....	28, 374	32, 450	27. 0	31. 5	160	Congenital debility, icterus, sclerema.....	7, 344	7, 871	7. 0	7. 6
114	Diarrhea and enteritis (2 years and over).....	6, 922	8, 062	6. 6	7. 8	161	Premature birth, injury at birth.....	49, 198	48, 972	46. 8	47. 5
115	Ancylostomiasis.....	26	24	(1)	(1)	162	Premature birth.....	38, 990	38, 588	37. 1	37. 4
116	Diseases due to other intestinal parasites.....	95	118	0. 1	0. 1	163	Injury at birth.....	10, 208	10, 384	9. 7	10. 1
	Cestodes (hydatids of the liver excepted).....	5	10	(1)	(1)		Other diseases peculiar to early infancy.....	4, 609	4, 962	4. 4	4. 8
	Trematodes.....	3	17	(1)	(1)		Lack of care.....	98	127	0. 1	0. 1
	Nematodes (other than ancylostoma).....	20	23	(1)	(1)		XIII.—Old age.....	12, 065	12, 326	11. 5	12. 0
	Coccidia.....	2	2	(1)	(1)	164	Senility.....	12, 065	12, 326	11. 5	12. 0
	Other parasites specified.....	1	4	(1)	(1)						
	Parasites not specified.....	66	62	0. 1	0. 1						
117	Appendicitis and typhlitis.....	15, 751	15, 618	15. 0	15. 1						
118	Hernia, intestinal obstruction.....	11, 734	11, 168	11. 2	10. 8						
	Hernia.....	4, 138	3, 938	3. 9	3. 8						
	Intestinal obstruction.....	7, 596	7, 230	7. 2	7. 0						
119	Other diseases of the intestines.....	1, 213	1, 251	1. 2	1. 2						
120	Acute yellow atrophy of the liver.....	515	469	0. 6	0. 5						
121	Hydatid tumor of the liver.....	25	29	(1)	(1)						
122	Cirrhosis of the liver.....	7, 591	7, 549	7. 2	7. 3						
	Specified as alcoholic.....	452	480	0. 4	0. 5						
	Not specified as alcoholic.....	7, 139	7, 069	6. 8	6. 9						
123	Biliary calculi.....	4, 148	4, 148	3. 9	4. 0						
124	Other diseases of the liver.....	4, 745	4, 596	4. 5	4. 5						
125	Diseases of the pancreas.....	631	624	0. 6	0. 6						
126	Peritonitis without specified cause.....	1, 752	1, 661	1. 7	1. 6						
127	Other diseases of the digestive system (cancer and tuberculosis excepted).....	1		(1)							

See footnotes at end of table.

## MORTALITY STATISTICS

TABLE II.—DEATHS (EXCLUSIVE OF STILLBIRTHS), AND DEATH RATES PER 100,000 POPULATION, FROM EACH CAUSE, IN THE REGISTRATION AREA IN CONTINENTAL UNITED STATES: 1925 AND 1926—Continued

List No., 1921	CAUSE OF DEATH	DEATHS IN THE REGISTRATION AREA IN CONTINENTAL UNITED STATES				List No., 1921	CAUSE OF DEATH	DEATHS IN THE REGISTRATION AREA IN CONTINENTAL UNITED STATES			
		Number		Rate per 100,000 estimated population				Number		Rate per 100,000 estimated population	
		1926	1925	1926	1925			1926	1925	1926	1925
	XIV.—External causes.....	105,335	102,162	100.2	99.1		XIV.—External causes—Continued.				
165	Suicide.....	13,410	12,495	12.8	12.1	183	Accidental or undefined—Continued.				
	By solid or liquid poisons (corrosive substances excepted).....	796	716	0.8	0.7		Traumatism—				
	Arsenic.....	156	(?)	0.1	(?)	184	By firearms (wounds of war excepted).....	2,593	2,570	2.5	2.5
	Hydrocyanic acid.....	79	(?)	0.1	(?)	185	By cutting or piercing instruments.....	702	732	0.7	0.7
	Opium, morphin, laudanum.....	27	(?)	(1)	(?)		By fall.....	14,681	13,864	14.0	13.4
	Strychnin.....	235	(?)	0.2	(?)		Fall down stairs.....	1,979	1,707	1.9	1.7
	Others under this title.....	299	(?)	0.3	(?)		Fall in ships, docks, etc.....	126	130	0.1	0.1
166	By corrosive substances.....	1,451	1,278	1.4	1.2		Fall in building operations.....	780	751	0.7	0.7
	Corrosive sublimate.....	369	(?)	0.4	(?)	186	Others under this title.....	11,796	11,276	11.2	10.9
	Carbolic acid.....	634	(?)	0.6	(?)		In mines and quarries.....	2,952	2,733	2.8	2.7
	Lysol.....	307	(?)	0.3	(?)		Mines.....	2,825	2,643	2.7	2.6
	Others under this title.....	141	(?)	0.1	(?)	187	Quarries.....	127	90	0.1	0.1
167	By poisonous gas.....	1,940	1,743	1.8	1.7		By machines.....	2,224	2,339	2.1	2.3
168	By hanging or strangulation.....	2,385	2,276	2.3	2.2		Agricultural machinery.....	273	275	0.3	0.3
169	By drowning.....	717	715	0.7	0.7		Elevator.....	437	459	0.4	0.4
170	By firearms.....	4,616	4,333	4.4	4.2		Crane.....	270	286	0.3	0.3
171	By cutting or piercing instruments.....	861	821	0.8	0.8	188	Others under this title.....	1,244	1,319	1.2	1.3
172	By jumping from high places.....	362	358	0.3	0.3		By other crushing (vehicles, railways, landslides, etc.).....	29,768	28,440	28.3	27.6
173	By crushing.....	135	128	0.1	0.1		Railroad accidents.....	7,026	6,778	6.7	6.6
174	Other suicides.....	147	127	0.1	0.1		Collision with automobiles.....	1,556	1,266	1.5	1.2
197	Homicide.....	9,210	8,893	8.8	8.6		Other railroad accidents.....	5,470	5,512	5.2	5.3
198	By firearms.....	6,377	6,216	6.1	6.0		Street-car accidents.....	1,621	1,630	1.5	1.6
199	By other means.....	1,322	1,224	1.3	1.2		Collision with automobiles.....	464	498	0.4	0.5
200	(Infanticide—murder of infants less than 1 year of age) <sup>1</sup> .....	1,511	1,453	1.4	1.4		Other street-car accidents.....	1,157	1,132	1.1	1.1
	(159)	(158)	(0.2)	(0.2)			Automobile accidents <sup>2</sup> .....	18,871	17,571	17.9	17.0
175	Accidental or undefined.....	82,715	80,774	78.7	78.3		Airplane and balloon accidents.....	160	165	0.2	0.2
	Poisoning by food.....	830	888	0.8	0.9		Motor-cycle accidents.....	220	267	0.2	0.3
	Botulism.....	47	64	(1)	0.1		Injuries by other vehicles.....	1,127	1,286	1.1	1.2
	Other food poisoning.....	783	824	0.7	0.8	189	Landslide, other crushing.....	743	743	0.7	0.7
176	Poisoning by venomous animals.....	107	78	0.1	0.1		Injuries by animals (not poisoning).....	541	629	0.5	0.6
177	Other acute accidental poisonings (gas excepted).....	1,575	1,596	1.5	1.5	190	Wounds of war.....	3	5	(1)	(1)
	Wood or denatured alcohol.....	221	182	0.2	0.2	192	Starvation (deprivation of food or water).....	14	11	(1)	(1)
	Carbolic acid.....	37	46	(1)	(1)	193	Excessive cold.....	256	239	0.2	0.2
	Opium, morphin, laudanum.....	35	46	(1)	(1)	194	Excessive heat.....	646	1,355	0.6	1.3
	Strychnin.....	178	206	0.2	0.2	195	Lightning.....	364	442	0.3	0.4
	Other poisons or kind not stated.....	1,104	1,116	1.0	1.1	196	Other accidental electric shocks.....	1,037	995	1.0	1.0
178	Conflagration.....	1,538	1,408	1.5	1.4	201	Fracture (cause not specified).....	690	640	0.7	0.6
179	Burns (conflagration excepted).....	6,487	6,375	6.2	6.2	202	Other external violence.....	4,909	5,401	4.7	5.2
	Molten metal.....	19	22	(1)	(1)		Foreign body in digestive or respiratory tract.....	603	682	0.6	0.7
	Playing with fire, matches, etc.....	359	416	0.3	0.4	203	Others under this title.....	4,306	4,719	4.1	4.6
	Fall into fire.....	180	179	0.2	0.2		Violent deaths of unknown causation.....	2	16	(1)	(1)
	Scalds.....	1,271	1,291	1.2	1.3		XV.—Ill-defined diseases.....	18,708	17,905	17.8	17.4
	Others under this title.....	4,658	4,467	4.4	4.3	204	Sudden death.....	2,013	1,868	1.9	1.8
180	Mechanical suffocation.....	1,279	1,128	1.2	1.1	205	Not specified or ill-defined.....	16,695	16,037	15.9	15.6
181	Absorption of irrespirable, irritating, or poisonous gas.....	2,836	2,439	2.7	2.4		Ill-defined.....	4,461	5,041	4.2	4.9
182	Drowning.....	6,661	6,456	6.3	6.3		Not specified or unknown.....	12,234	10,996	11.6	10.7

<sup>1</sup> Less than one-tenth of 1 per 100,000 population.

<sup>2</sup> Not separately tabulated.

<sup>3</sup> The figures for infanticide are included in those for homicide.

<sup>4</sup> Excludes collision with railroad trains and street cars.

NOTE.—The population for 1926, which is shown in Table 1 A, constituted 89.8 per cent of the total population of continental United States; in 1925 the population of the area constituted 89.4 per cent of the total.

---

---

# GENERAL TABLES



# DEATHS, BY MONTH OF OCCURRENCE

31

TABLE 1.—DEATHS (EXCLUSIVE OF STILLBIRTHS), BY MONTHS: 1926—Continued

["Urban" includes cities of 10,000 inhabitants or more in 1920; the remainder of the State is included in "rural"]

AREA	All deaths	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
Nebraska	12,648	1,144	1,051	1,288	1,268	1,116	969	973	885	939	928	982	1,105
Urban	4,162	384	338	403	408	360	318	327	302	330	303	342	347
Rural	8,486	760	713	885	860	756	651	646	583	609	625	640	758
New Hampshire	6,703	615	570	646	784	576	505	560	444	448	495	517	593
Urban	2,876	262	248	284	310	237	223	217	179	200	217	215	284
Rural	3,827	353	322	362	474	339	282	343	265	248	278	302	309
New Jersey	44,876	4,320	4,181	5,472	4,252	3,725	3,210	3,250	3,067	3,020	3,229	3,316	3,884
Urban	27,997	2,725	2,594	3,437	2,713	2,354	1,969	1,935	1,945	1,884	2,022	2,045	2,374
Rural	16,879	1,595	1,587	2,035	1,539	1,371	1,241	1,315	1,122	1,136	1,207	1,271	1,510
New York	151,345	14,001	13,073	19,012	14,774	12,968	11,260	10,778	9,948	10,173	11,337	11,241	12,780
Urban	114,888	10,705	10,154	14,745	11,230	9,765	8,474	7,910	7,350	7,559	8,533	8,530	9,883
Rural	36,457	3,296	2,919	4,267	3,544	3,203	2,786	2,868	2,598	2,614	2,754	2,711	2,897
North Carolina	34,562	3,126	2,756	3,802	2,904	2,974	3,037	3,165	2,627	2,306	2,549	2,670	2,646
Urban	7,353	667	588	744	595	640	585	660	593	524	574	595	588
Rural	27,209	2,459	2,168	3,058	2,309	2,334	2,452	2,505	2,034	1,782	1,975	2,075	2,058
North Dakota	5,313	444	447	591	569	477	394	397	368	382	409	425	410
Urban	796	62	62	100	80	60	64	63	61	59	65	64	56
Rural	4,517	382	385	491	489	417	330	334	307	323	344	361	354
Ohio	78,695	7,052	6,044	8,031	8,369	6,893	5,959	5,801	5,697	5,790	6,129	6,220	6,710
Urban	45,028	4,064	3,597	4,694	4,782	4,025	3,382	3,433	3,374	3,294	3,522	3,582	3,879
Rural	33,667	2,988	2,447	3,337	3,587	2,868	2,577	2,368	2,323	2,496	2,607	2,638	2,831
Oregon	9,887	911	826	875	869	762	778	770	748	734	808	858	918
Urban	4,402	402	387	381	387	327	366	343	348	295	367	385	414
Rural	5,485	509	439	494	482	435	412	427	400	439	441	473	504
Pennsylvania	120,537	11,378	10,498	14,088	12,214	10,552	8,560	8,557	7,964	8,253	9,140	9,083	10,250
Urban	66,265	6,346	6,001	8,037	6,467	5,668	4,704	4,688	4,296	4,433	5,012	4,988	5,625
Rural	54,272	5,032	4,497	6,051	5,747	4,884	3,856	3,869	3,668	3,820	4,128	4,095	4,625
Rhode Island	8,791	873	734	1,103	976	757	674	610	585	562	603	634	680
Urban	7,373	735	613	921	800	631	574	505	487	484	532	535	556
Rural	1,418	138	121	182	176	126	100	105	98	78	71	99	124
South Carolina	23,403	1,995	1,893	2,284	2,002	2,092	2,129	2,105	1,842	1,749	1,912	1,670	1,730
Urban	4,283	370	378	397	375	355	364	354	306	341	358	322	363
Rural	19,120	1,625	1,515	1,887	1,627	1,737	1,765	1,751	1,536	1,408	1,554	1,348	1,367
Tennessee	31,395	2,838	2,811	3,369	2,720	2,368	2,358	2,851	2,391	2,326	2,477	2,536	2,350
Urban	10,213	949	893	1,022	806	799	854	970	786	814	814	809	768
Rural	21,182	1,889	1,918	2,347	1,914	1,569	1,504	1,881	1,605	1,563	1,663	1,727	1,582
Utah	5,136	544	535	399	394	427	377	343	385	363	405	468	496
Urban	2,384	272	239	170	182	215	175	162	177	173	194	204	211
Rural	2,752	272	296	229	212	212	202	181	208	190	211	264	285
Vermont	5,215	538	395	549	597	463	433	368	339	326	383	385	439
Urban	807	82	60	90	93	74	68	63	52	44	67	52	62
Rural	4,408	456	335	459	504	389	365	305	287	282	316	333	377
Virginia	30,818	2,768	2,762	3,429	2,688	2,368	2,262	2,507	2,288	2,261	2,399	2,379	2,707
Urban	9,236	821	886	940	758	700	715	781	732	674	709	760	760
Rural	21,582	1,947	1,876	2,489	1,930	1,668	1,547	1,726	1,556	1,587	1,690	1,619	1,947
Washington	15,670	1,349	1,307	1,496	1,235	1,328	1,229	1,239	1,213	1,226	1,275	1,320	1,453
Urban	8,195	712	677	777	644	706	650	646	628	636	658	690	771
Rural	7,475	637	630	719	591	622	579	593	585	590	617	630	682
West Virginia	18,143	1,635	1,309	1,854	1,756	1,459	1,188	1,383	1,498	1,504	1,674	1,449	1,434
Urban	4,718	402	360	494	470	402	324	383	365	351	414	372	381
Rural	13,425	1,233	949	1,360	1,286	1,057	864	1,000	1,133	1,153	1,260	1,077	1,053
Wisconsin	30,191	2,708	2,430	2,930	3,174	2,762	2,471	2,377	2,137	2,119	2,139	2,339	2,605
Urban	13,109	1,176	1,052	1,256	1,396	1,220	1,070	1,039	888	902	946	1,016	1,148
Rural	17,082	1,532	1,378	1,674	1,778	1,542	1,401	1,338	1,249	1,217	1,193	1,323	1,457
Wyoming	1,902	149	162	183	152	169	170	159	152	155	152	135	164
Urban	338	39	27	43	27	27	21	33	31	20	27	22	21
Rural	1,564	110	135	140	125	142	149	126	121	135	125	113	143

NOTE.—Populations are shown in Table 1 A. Similar data for cities, which have not been shown since 1922, are held in manuscript.

## MORTALITY STATISTICS

TABLE 2.—DEATHS (EXCLUSIVE OF STILLBIRTHS), BY COLOR, AND BY GENERAL AND PARENT NATIVITY OF WHITE: 1926

["Urban" includes cities of 10,000 inhabitants or more in 1920; the remainder of the State is included in "rural"]

AREA	All deaths	WHITE						COLORED						
		Total	Native				Foreign born	Nativity unknown	Total	Negro	Indian	Chi- nese	Japa- nese	Other col- ored
			Total	Both parents native	One or both parents foreign born	Parent- age unknown								
The registration area in continental United States	1,285,927	1,113,104	842,726	500,114	226,979	115,633	252,942	17,436	172,823	166,685	3,438	1,317	1,224	159
Registration States <sup>1</sup>	1,257,256	1,093,850	826,761	490,607	224,139	112,005	250,313	16,786	163,406	157,284	3,433	1,312	1,219	158
Cities in registration States <sup>1</sup>	649,819	576,242	397,982	202,157	147,921	47,904	170,008	8,252	78,577	71,610	256	965	665	81
Rural part of registration States	607,437	517,608	428,709	288,450	76,218	64,101	80,305	8,534	89,829	85,674	3,177	347	554	77
Registration cities in nonregistration States <sup>2</sup>	28,671	19,254	15,975	9,507	2,840	3,628	2,629	650	9,417	9,401	5	5	5	1
All registration cities <sup>1</sup>	678,490	595,496	413,957	211,664	150,761	51,532	172,637	8,902	82,994	81,011	261	970	670	82
Alabama	29,692	15,416	14,906	13,851	356	699	317	193	14,276	14,269	4	3		
Urban	8,364	4,165	3,905	3,489	238	178	206	54	4,199	4,196		3		
Rural	21,328	11,251	11,001	10,362	118	521	111	139	10,077	10,073	4			
Arizona	5,572	4,791	3,366	1,413	1,221	732	1,132	293	781	159	688	17	15	2
Urban	2,137	1,962	1,424	636	419	369	406	132	175	92	63	11	8	1
Rural	3,435	2,829	1,942	777	802	363	726	161	606	67	625	6	7	1
California	58,914	55,875	38,647	16,844	12,300	9,503	16,006	1,222	3,039	1,121	317	706	809	86
Urban	34,727	32,974	22,512	9,760	7,498	5,254	9,765	697	1,753	796	32	447	439	39
Rural	24,187	22,901	16,135	7,084	4,802	4,249	6,241	525	1,286	325	285	259	370	47
Colorado	12,273	11,929	9,399	5,046	2,126	2,227	2,175	355	344	270	36	6	29	3
Urban	5,614	5,432	4,204	2,162	1,028	1,014	1,092	136	182	171	2	5	3	1
Rural	6,659	6,497	5,195	2,884	1,098	1,213	1,083	219	162	99	34	1	26	2
Connecticut	18,318	17,820	11,660	5,337	5,000	1,323	5,963	197	498	486	3	6	2	1
Urban	13,972	13,545	8,586	3,677	4,042	867	4,817	142	427	419	1	4	2	1
Rural	4,346	4,275	3,074	1,660	958	456	1,146	55	71	67	2	2		
Delaware	3,447	2,753	2,361	1,690	414	257	348	44	694	694				
Urban	1,615	1,360	1,107	679	319	109	245	8	255	255				
Rural	1,832	1,393	1,254	1,011	95	148	103	36	439	439				
Florida	20,044	12,173	10,393	6,833	1,031	2,529	1,187	593	7,871	7,861	5	3	2	
Urban	7,055	4,205	3,392	2,204	552	636	668	145	2,850	2,845	2	1	2	
Rural	12,989	7,968	7,001	4,629	479	1,893	519	448	5,021	5,016	3	2		
Idaho	3,871	3,701	2,958	1,663	638	657	614	129	170	18	132	7	16	
Urban	534	510	420	214	98	108	81	9	24	8	6	3	7	
Rural	3,337	3,191	2,538	1,449	540	549	533	120	146	7	126	4	9	
Illinois	85,331	79,565	54,150	27,252	18,982	7,916	24,107	1,308	5,766	5,696	2	60	5	3
Urban	53,183	48,528	29,634	12,298	13,534	3,802	17,994	900	4,055	4,589	2	56	5	3
Rural	32,148	31,037	24,516	14,954	5,448	4,114	6,113	408	1,711	1,107	4	4		
Indiana	40,016	37,838	34,088	23,465	4,956	5,667	3,363	387	2,178	2,173	2	2	1	
Urban	17,970	16,143	13,793	8,779	2,746	2,265	2,158	192	1,827	1,825	1	1		
Rural	22,046	21,695	20,295	14,686	2,210	3,399	1,205	195	351	348	2	1		
Iowa	25,466	25,120	19,544	11,035	5,176	3,333	5,235	341	346	328	14	3		1
Urban	8,581	5,588	6,767	3,574	1,958	1,684	1,837	187	243	235	5	3		
Rural	16,885	19,532	12,777	7,461	3,218	2,098	3,551	204	103	98	9			
Kansas	19,100	17,872	15,203	9,010	2,372	3,821	2,371	298	1,228	1,209	1	1		2
Urban	6,244	5,407	4,695	2,753	789	1,153	624	88	837	835	16	1		1
Rural	12,856	12,465	10,508	6,257	1,583	2,668	1,747	210	391	374	16			1
Kentucky	29,952	25,145	23,898	19,361	1,592	2,945	942	305	4,807	4,806		1		
Urban	8,421	6,485	5,734	3,854	1,082	843	630	71	1,936	1,936				
Rural	21,531	18,660	18,114	15,507	510	2,097	312	234	2,871	2,870				
Louisiana	24,230	12,272	10,753	7,079	1,604	2,070	1,129	390	11,958	11,930	14	7	4	3
Urban	10,551	5,932	4,897	2,828	1,330	739	906	129	4,619	4,611	5	2	1	1
Rural	13,679	6,340	5,856	4,251	274	1,331	223	261	7,339	7,319	14	2	2	2
Maine	11,355	11,319	9,422	6,912	1,889	621	1,818	79	36	24	9	2		1
Urban	3,695	3,680	2,805	1,786	831	188	844	31	15	11	3	1		
Rural	7,660	7,639	6,617	5,126	1,058	433	974	48	21	13	6	1		1
Maryland	22,649	17,170	14,676	10,133	2,947	1,596	2,327	167	5,479	5,467		10	1	1
Urban	13,593	10,458	8,475	5,257	2,287	931	1,890	93	3,135	3,123		10	1	1
Rural	9,056	6,712	6,201	4,876	660	665	437	74	2,344	2,344				
Massachusetts	52,638	51,620	32,914	15,260	14,673	2,981	18,438	268	1,018	959	12	44	3	
Urban	42,505	41,612	25,712	11,175	12,358	2,179	15,682	218	893	842	5	43	3	
Rural	10,133	10,008	7,202	4,085	2,315	802	2,756	50	125	117	7	1		
Michigan	54,084	51,183	35,410	17,447	12,625	5,338	14,682	1,091	2,901	2,711	174	13	1	2
Urban	30,464	28,137	18,810	8,515	7,777	2,518	8,714	613	2,327	2,293	19	12	1	2
Rural	23,620	23,046	16,600	8,932	4,848	2,820	5,968	478	574	418	155	1		
Minnesota	25,803	25,370	14,827	6,680	6,837	1,310	10,325	218	433	168	260	4	1	
Urban	11,423	11,269	6,967	3,038	3,330	599	4,205	97	159	138	16	4	1	
Rural	14,375	14,101	7,860	3,642	3,507	711	6,120	121	274	30	244			
Mississippi	23,766	9,191	8,630	6,513	245	1,872	186	375	14,575	14,546	21	8		
Urban	3,803	1,694	1,580	1,131	112	337	70	44	2,109	2,103	1	5		
Rural	19,963	7,497	7,050	5,382	133	1,535	116	331	12,466	12,443	20	3		

<sup>1</sup> Including District of Columbia.<sup>2</sup> These cities are shown under the various States (indicated by footnote 2) in Table I B.

# DEATHS, BY COLOR AND NATIVITY

33

**TABLE 2.—DEATHS (EXCLUSIVE OF STILLBIRTHS), BY COLOR, AND BY GENERAL AND PARENT NATIVITY OF WHITE: 1926—Continued**

["Urban" includes cities of 10,000 inhabitants or more in 1920; the remainder of the State is included in "rural"]

AREA	All deaths	WHITE							COLORED					
		Total	Native				Foreign born	Nativity unknown	Total	Negro	Indian	Chi-nese	Japa-nese	Other colored
			Total	Both parents native	One or both parents foreign born	Parent-age unknown								
Missouri	42,752	37,942	32,429	19,550	5,810	7,069	4,554	959	4,810	4,797	3	9	1	
Urban	20,952	17,689	14,054	7,362	3,841	2,851	3,211	424	3,263	3,253	2	8		
Rural	21,800	20,253	18,375	12,188	1,969	4,218	1,343	535	1,547	1,544	1	1	1	
Montana	5,395	4,967	3,342	1,628	1,078	636	1,434	191	423	35	371	16	6	
Urban	1,750	1,703	1,060	448	407	205	596	47	47	24	9	12	2	
Rural	3,645	3,264	2,282	1,180	671	431	838	144	381	11	362	4	4	
Nebraska	12,648	12,245	9,075	5,391	2,315	1,369	3,012	158	403	293	103		6	1
Urban	4,162	3,897	2,793	1,541	848	404	1,015	89	265	259	2		3	1
Rural	8,486	8,348	6,282	3,850	1,467	965	1,997	69	138	34	101		3	
New Hampshire	6,703	6,697	5,045	2,812	1,119	1,114	1,433	219	6	6				
Urban	2,876	2,871	2,008	966	676	366	802	61	5	5				
Rural	3,827	3,826	3,037	1,846	443	748	631	158	1	1				
New Jersey	44,876	41,404	27,774	15,129	11,127	1,518	13,318	312	3,472	3,451	1	19	1	
Urban	27,997	25,563	16,165	7,632	7,739	794	9,216	182	2,434	2,419		15		
Rural	16,879	15,841	11,609	7,497	3,388	724	4,102	130	1,038	1,032	1	4	1	
New York	151,345	145,115	93,338	43,830	42,536	6,972	50,429	1,348	6,230	5,944	84	156	32	14
Urban	114,838	109,298	64,668	26,587	34,507	3,564	43,611	1,029	5,590	5,382	15	151	29	13
Rural	36,457	35,817	28,680	17,243	8,029	3,408	6,818	319	640	5,562	69	5	3	1
North Carolina	34,562	20,957	20,544	17,587	219	2,738	148	265	13,605	13,396	208	1		
Urban	7,353	4,041	3,924	3,251	115	558	72	45	3,312	3,311		1		
Rural	27,209	16,916	16,620	14,336	104	2,180	76	220	10,293	10,085	208			
North Dakota	5,313	5,105	3,161	1,392	1,509	260	1,847	97	208	6	199	1	1	1
Urban	796	795	522	247	213	62	249	24	1	1	1			
Rural	4,517	4,310	2,639	1,145	1,296	198	1,598	73	207	6	198	1	1	1
Ohio	78,695	72,940	59,515	36,624	14,861	8,030	12,274	1,151	5,755	5,737	4	12	1	1
Urban	45,628	41,006	31,153	17,226	10,267	3,660	9,327	526	4,622	4,607	2	12	1	
Rural	33,067	31,934	28,362	19,398	4,594	4,370	2,947	625	1,133	1,130	2			1
Oregon	9,857	9,551	7,299	3,905	1,565	1,829	1,953	294	306	45	139	73	40	9
Urban	4,402	4,231	3,082	1,532	801	709	1,065	124	121	30	11	55	22	3
Rural	5,455	5,270	4,207	2,323	764	1,120	888	170	185	15	128	18	18	6
Pennsylvania	120,537	112,465	86,479	54,057	25,129	7,293	24,718	1,268	8,072	8,012	9	44	3	4
Urban	66,265	59,852	42,999	23,849	15,472	3,678	16,136	717	6,413	6,358	7	41	3	4
Rural	54,272	52,613	43,480	30,208	9,657	3,615	8,582	551	1,659	1,654	2	3		
Rhode Island	8,791	8,560	5,394	2,604	2,517	273	3,094	72	281	225	2	3	1	
Urban	7,373	7,176	4,427	2,003	2,207	217	2,688	61	197	195	2	2		
Rural	1,418	1,384	927	601	310	56	406	11	84	30	2	1	1	
South Carolina	23,403	9,219	9,021	7,634	221	1,166	117	81	14,184	14,180	3	1		
Urban	4,283	1,826	1,812	1,352	123	337	83	31	2,357	2,357				
Rural	19,120	7,393	7,209	6,282	98	829	34	50	11,827	11,823	3	1		
Tennessee	31,395	22,163	21,508	17,093	486	3,099	345	310	9,232	9,223	5	4		
Urban	10,213	5,848	5,511	4,053	319	1,139	242	97	4,365	4,363	2	2		
Rural	21,182	16,315	15,997	13,040	167	2,790	105	213	4,867	4,860	3	2		
Utah	5,136	4,981	3,601	2,090	1,209	302	1,313	67	155	35	67	7	46	
Urban	2,384	2,321	1,616	869	588	159	667	38	63	29	1	6	27	
Rural	2,752	2,660	1,985	1,221	621	143	646	29	92	6	66	1	19	
Vermont	5,215	5,207	4,312	2,760	960	592	842	53	8	7	1			
Urban	807	804	621	343	195	83	174	9	3	3				
Rural	4,408	4,403	3,691	2,417	765	509	668	44	5	4	1			
Virginia	30,818	18,866	18,130	15,100	675	2,355	490	246	11,952	11,935	15			2
Urban	9,236	5,087	4,754	3,777	361	616	255	78	4,149	4,148	1			
Rural	21,582	13,779	13,376	11,323	314	1,739	235	168	7,803	7,787	14			2
Washington	15,670	14,950	10,320	5,643	2,839	1,838	4,151	479	720	145	335	46	174	20
Urban	8,195	7,922	5,323	2,911	1,639	773	2,362	237	273	103	25	36	100	9
Rural	7,475	7,028	4,997	2,732	1,200	1,065	1,789	242	447	42	310	10	74	11
West Virginia	18,143	16,252	15,169	11,923	1,178	2,068	873	210	1,891	1,891				
Urban	4,718	4,228	3,781	2,742	500	539	379	68	490	490				
Rural	13,425	12,024	11,388	9,181	678	1,529	494	142	1,401	1,401				
Wisconsin	30,191	29,736	18,941	8,213	8,821	1,907	10,374	421	455	219	236			
Urban	13,109	12,941	8,235	3,401	4,055	779	4,525	181	168	148	20			
Rural	17,082	16,795	10,706	4,812	4,766	1,128	5,849	240	287	71	216			
Wyoming	1,902	1,822	1,402	725	331	346	309	111	80	18	36	8	17	1
Urban	338	324	258	113	70	75	39	27	14	1			2	1
Rural	1,564	1,498	1,144	612	261	271	270	84	66	7	36	8	15	

NOTE.—Populations in reports of Fourteenth Census of the United States, 1920: Vol. II, Ch. I, Tables 5 and 24, and Thirteenth Census of the United States, 1910: Vol. I, Ch. II, Tables 18 and 45. Similar data for cities, which have not been shown since 1922, are held in manuscript.

MORTALITY STATISTICS

TABLE 3.—DEATHS (EXCLUSIVE OF STILL

["Urban" includes cities of 10,000 inhabitants or more

AREA AND COLOR		All deaths	Under 1 year	1 to 4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	
1	The registration area in continental United States.....	White..... Colored.....	1,113,104 172,823	137,383 25,960	52,734 10,747	20,147 3,136	14,620 3,032	22,803 7,397	29,400 10,670	30,611 10,790	34,097 9,704
2	Registration States <sup>1</sup> .....	White..... Colored.....	1,093,850 163,406	134,575 24,836	51,642 10,282	19,781 2,998	14,350 2,913	22,258 6,995	28,602 9,995	29,719 10,121	33,219 9,072
3	Cities in registration States <sup>1</sup> .....	White..... Colored.....	576,242 73,577	67,383 10,235	26,764 4,501	10,982 1,140	7,343 1,067	11,075 2,666	15,479 4,577	17,118 5,289	19,632 4,974
4	Rural part of registration States.....	White..... Colored.....	517,608 89,829	67,192 14,601	24,878 5,781	8,799 1,858	7,007 1,846	11,183 4,329	13,123 5,418	12,601 4,332	13,587 4,098
5	Registration cities in nonregistration States <sup>2</sup> .....	White..... Colored.....	19,254 9,417	2,808 1,124	1,092 465	366 138	270 119	545 402	798 675	892 669	878 632
6	All registration cities <sup>1</sup> .....	White..... Colored.....	595,496 82,994	70,191 11,359	27,856 4,966	11,348 1,278	7,613 1,186	11,620 3,068	16,277 5,262	18,010 5,958	20,510 5,606
7	Alabama.....	White..... Colored.....	15,416 14,276	2,550 1,990	1,211 769	312 228	247 261	456 720	559 960	508 892	500 775
8	Urban.....	White..... Colored.....	4,165 4,199	552 500	260 237	91 43	65 67	140 201	175 329	172 310	171 259
9	Rural.....	White..... Colored.....	11,251 10,077	1,998 1,490	951 532	221 185	182 194	316 519	384 631	336 582	329 516
10	Arizona.....	White..... Colored.....	4,791 781	872 145	345 94	78 39	65 38	149 54	242 49	325 39	362 42
11	Urban.....	White..... Colored.....	1,962 175	227 21	83 13	24 7	24 1	54 11	129 12	163 18	208 15
12	Rural.....	White..... Colored.....	2,829 606	645 124	262 81	54 32	41 37	85 43	113 37	162 21	154 27
13	California.....	White..... Colored.....	55,875 3,059	4,822 380	1,763 208	824 81	645 48	1,104 91	1,640 143	1,886 150	1,930 153
14	Urban.....	White..... Colored.....	32,974 1,753	2,548 216	932 136	468 43	343 19	573 50	967 90	1,080 85	1,105 97
15	Rural.....	White..... Colored.....	22,901 1,286	2,274 164	831 82	356 38	302 24	531 41	683 53	806 65	825 56
16	Colorado.....	White..... Colored.....	11,929 344	1,622 24	581 21	254 6	218 8	303 17	411 14	519 28	562 28
17	Urban.....	White..... Colored.....	5,432 182	500 11	208 6	100 3	84 2	118 8	174 11	241 17	242 6
18	Rural.....	White..... Colored.....	6,497 162	1,032 13	378 15	154 3	134 6	185 9	237 3	278 9	320 20
19	Connecticut.....	White..... Colored.....	17,820 498	2,047 55	734 33	315 10	252 5	296 15	391 25	387 37	549 36
20	Urban.....	White..... Colored.....	13,545 427	1,665 45	618 31	262 9	196 5	227 11	279 21	310 28	442 34
21	Rural.....	White..... Colored.....	4,275 71	382 10	116 2	53 1	56 4	69 4	112 4	77 9	107 2
22	Delaware.....	White..... Colored.....	2,753 694	291 101	137 40	58 17	31 12	47 27	57 34	71 32	72 28
23	Urban.....	White..... Colored.....	1,360 255	153 30	93 16	38 5	15 5	28 9	29 12	39 11	44 12
24	Rural.....	White..... Colored.....	1,393 439	138 71	44 24	20 12	16 7	19 18	28 22	32 21	28 16
25	Florida.....	White..... Colored.....	12,173 7,871	1,539 1,063	674 356	258 134	190 123	333 356	482 626	493 663	477 545
26	Urban.....	White..... Colored.....	4,205 2,850	550 419	213 129	72 42	53 38	101 135	184 252	195 298	184 233
27	Rural.....	White..... Colored.....	7,968 5,021	989 644	461 227	186 92	137 85	232 221	298 374	298 365	293 322
28	Idaho.....	White..... Colored.....	3,701 170	552 35	202 17	105 4	85 8	80 10	109 7	89 7	110 7
29	Urban.....	White..... Colored.....	510 24	59 4	23 3	17 1	11 2	4 1	13 1	15 1	19 1
30	Rural.....	White..... Colored.....	3,191 146	493 31	179 14	88 4	74 7	76 8	96 7	74 6	91 7
31	Illinois.....	White..... Colored.....	79,565 5,766	8,650 644	3,029 323	1,424 103	1,083 81	1,526 192	2,092 351	2,296 429	2,766 447
32	Urban.....	White..... Colored.....	48,528 4,655	5,378 545	1,839 286	967 89	666 63	925 159	1,370 288	1,605 370	1,916 353
33	Rural.....	White..... Colored.....	31,037 1,111	3,272 99	1,190 37	457 14	417 18	601 33	722 63	691 69	850 94
34	Indiana.....	White..... Colored.....	37,838 2,178	4,241 302	1,751 155	639 28	496 30	713 73	980 113	944 130	944 133
35	Urban.....	White..... Colored.....	16,143 1,827	1,986 272	844 144	349 24	216 26	341 65	491 86	506 104	496 116
36	Rural.....	White..... Colored.....	21,695 351	2,255 30	907 11	290 4	280 4	372 8	489 27	438 26	448 17
37	Iowa.....	White..... Colored.....	25,120 346	2,648 35	839 17	413 9	309 10	386 15	483 18	550 16	580 20
38	Urban.....	White..... Colored.....	8,588 243	948 25	303 12	164 6	113 4	171 10	180 16	263 10	261 16
39	Rural.....	White..... Colored.....	16,532 103	1,700 10	536 5	249 3	196 6	215 5	303 2	287 6	319 4
40	Kansas.....	White..... Colored.....	17,872 1,228	2,140 153	705 43	290 13	248 18	350 43	430 54	426 47	416 66
41	Urban.....	White..... Colored.....	5,407 337	636 105	227 31	83 10	62 14	120 27	158 37	170 35	155 45
42	Rural.....	White..... Colored.....	12,465 391	1,504 48	478 12	207 3	186 4	230 16	272 17	256 12	261 21

<sup>1</sup>Including District of Columbia.

# DEATHS, BY AGE AND COLOR

BIRTHS), BY AGE AND COLOR: 1926

in 1920; the remainder of the State is included in "rural")

35 to 39 years	40 to 44 years	45 to 49 years	50 to 54 years	55 to 59 years	60 to 64 years	65 to 69 years	70 to 74 years	75 to 79 years	80 to 84 years	85 to 89 years	90 to 94 years	95 to 99 years	100 years and over	Age unknown
40,768 11,065	45,671 10,954	52,896 11,542	62,400 12,083	72,200 8,924	84,708 8,593	100,604 7,091	99,208 6,610	91,643 4,978	68,178 4,009	36,862 2,234	12,311 1,274	2,701 575	511 768	848 687
39,820 10,279 24,084 5,699 15,736 4,680 948 786 25,032 6,465	44,706 10,143 27,492 5,777 17,214 4,366 965 811 28,457 6,588	51,651 10,730 31,989 5,855 19,662 4,875 1,045 812 33,034 6,667	61,211 11,236 37,986 5,777 23,525 4,295 1,189 847 38,875 6,624	71,052 8,396 42,759 4,101 28,293 4,295 1,148 528 43,907 4,170	83,463 8,157 48,460 3,734 35,003 4,423 1,245 436 49,705 4,170	99,168 6,819 47,085 2,642 46,653 4,177 1,436 272 53,951 2,914	97,971 6,338 47,085 2,063 50,886 4,275 1,237 272 48,322 2,335	90,492 4,822 39,693 917 50,799 3,391 1,151 156 40,844 1,587	67,458 3,897 27,929 917 39,559 2,930 112 690 28,619 1,029	36,499 2,160 14,624 498 21,875 1,862 74 987 14,987 572	12,199 1,252 4,751 274 7,448 978 39 22 4,863 296	2,662 557 1,066 129 1,596 428 39 18 1,105 147	495 742 175 130 320 612 16 26 191 156	827 666 158 101 689 565 21 26 179 122
545 839 164 194 330 381 509	557 767 194 264 393 363 474	652 889 224 385 428 600	710 982 255 352 455 630	702 920 260 282 442 474	821 604 272 112 549 450	1,204 550 351 112 853 438	1,276 632 307 108 969 524	1,197 486 228 80 969 406	749 451 159 29 590 396	394 232 73 29 321 203	130 149 35 13 95 128	39 75 3 13 36 62	8 117 14 16 8 104	89 106 14 16 75 90
310 37 161 13 149 24	279 34 135 10 144 24	258 31 114 10 144 21	285 32 101 10 134 22	221 22 91 6 130 16	212 26 99 6 113 20	239 26 101 4 138 22	200 17 78 4 122 13	173 11 32 3 103 8	101 5 27 1 69 10	61 6 9 1 34 4	19 2 4 1 9 5	13 2 6 1 9 2	10 6 12 4 10 5	22 10 6 12 2 10 8
2,474 214 1,484 140 990 74	2,783 213 1,698 140 1,085 73	3,215 201 1,995 113 1,220 88	3,526 213 2,245 139 1,281 74	4,036 176 2,582 102 1,454 74	4,717 208 2,923 130 1,794 78	5,239 161 3,196 87 2,043 74	4,866 162 2,875 86 1,991 76	4,510 104 2,632 45 1,878 59	3,278 73 1,832 20 1,446 53	1,809 40 1,041 15 768 25	648 16 371 7 277 9	130 75 3 13 36 62	39 117 3 13 8 104	8 8 14 16 21 90
517 25 233 13 284 12	526 26 268 13 258 13	561 22 273 15 288 7	661 27 321 20 340 7	730 25 358 14 372 11	771 23 418 10 353 13	945 15 502 9 443 5	943 16 450 4 493 7	787 7 357 4 430 3	618 4 305 2 313 4	280 4 137 2 143 2	84 2 45 2 39 10	19 1 9 1 10 4	7 1 3 1 4 1	10 1 1 1 9 1
656 33 540 29 116 4	713 21 582 21 131	880 31 716 29 164 7	1,131 34 919 29 212 5	1,289 31 1,026 27 263 4	1,536 27 1,217 28 319 2	1,666 20 1,240 26 426 1	1,586 20 1,103 15 483 5	1,436 8 949 16 487 5	1,087 20 722 6 365 4	572 8 359 6 213 2	227 136 13 91	44 26 7 18	13 6 1 7	13 5 1 8
79 35 42 12 37 23	85 30 43 22 42 8	108 44 63 23 45 21	159 49 95 22 64 27	176 57 101 28 75 29	213 54 117 16 96 38	276 28 128 6 148 22	290 41 98 13 174 28	270 22 96 5 174 17	196 16 68 6 128 10	98 16 32 1 66 16	31 4 9 1 22 3	5 2 2 3 1 2	1 2 1 1 1 1	2 3 1 2 3 1
539 663 202 269 337 394	539 566 183 238 356 328	648 604 253 221 422 383	715 573 293 202 474 371	778 314 304 115 499 199	772 231 273 78 499 245	990 126 335 43 655 175	880 218 280 26 579 100	808 126 229 17 424 109	598 94 174 6 214 77	299 95 85 6 214 77	95 22 32 9 63 13	21 22 7 9 14 13	4 38 2 6 2 32	41 67 1 4 40 63
129 6 10 1 119 5	153 5 26 2 127 3	165 8 22 4 143 4	208 4 33 1 175 4	195 5 39 1 156 4	266 10 39 1 227 9	323 8 55 1 268 9	323 8 37 1 290 8	267 6 35 2 230 6	177 1 16 3 142 6	107 1 16 3 91 1	41 1 1 3 38 1	4 1 1 1 3 7	4 1 1 1 4 1	7 1 1 1 7 1
3,204 490 2,313 405 981 85	3,721 454 2,624 380 1,097 74	4,083 485 2,955 404 1,128 81	4,822 444 3,411 366 1,411 84	5,587 333 3,699 270 1,888 63	6,511 291 4,323 142 2,995 57	7,318 181 3,665 116 3,232 65	6,897 181 3,665 83 3,232 65	6,106 128 2,980 53 3,126 45	4,688 80 2,099 38 2,589 39	2,557 59 1,118 18 1,439 21	862 28 353 8 509 10	214 9 87 8 127 1	34 15 15 8 19 7	5 2 3 3 3 1
1,172 144 595 136 577 8	1,279 154 691 140 588 14	1,420 189 788 125 632 25	1,884 142 965 125 919 17	2,223 123 1,047 101 1,176 22	2,729 123 1,235 101 1,494 22	3,731 95 1,365 69 2,268 25	3,815 72 1,365 49 2,452 25	3,791 71 1,240 44 2,551 27	2,874 40 865 19 2,009 15	1,581 30 469 13 1,112 11	508 21 166 3 342 8	93 3 21 3 72 1	11 2 1 1 10 1	19 5 5 14 5
645 14 312 11 333 3	762 18 349 15 413 3	909 26 406 20 503 6	1,226 26 493 22 733 4	1,553 19 624 12 929 7	1,827 20 691 18 1,136 8	2,458 16 783 11 1,675 5	2,640 17 732 8 1,858 5	2,631 17 712 8 1,919 9	2,331 5 578 3 1,753 2	1,333 10 319 5 1,014 5	500 4 117 16 383 4	85 1 16 3 69 1	11 1 3 1 8 1	1 1 1 1 1 1
504 76 197 51 307 25	543 59 197 44 346 15	644 100 238 76 406 24	779 94 284 66 495 28	967 69 324 44 643 22	1,174 72 389 56 785 16	1,645 72 508 50 855 22	1,792 73 507 49 1,137 24	1,977 71 494 45 1,493 26	1,616 49 385 12 1,231 28	864 81 198 9 671 10	308 14 79 9 227 5	50 6 10 4 40 2	6 6 5 1 5 1	2 2 1 1 1 1

\* These cities are shown under the various States (indicated by footnote 2) in Table 1 B.

## MORTALITY STATISTICS

TABLE 3.—DEATHS (EXCLUSIVE OF STILL

["Urban" includes cities of 10,000 inhabitants or more

AREA AND COLOR		All deaths	Under 1 year	1 to 4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years
1	Kentucky.....	White... 25,145	4,020	2,090	534	357	717	908	722	749
		Colored... 4,807	554	216	61	81	174	235	258	238
2	Urban.....	White... 6,485	842	379	111	62	144	216	191	183
		Colored... 1,936	206	70	19	22	57	91	113	120
3	Rural.....	White... 18,660	3,178	1,711	423	295	573	692	531	566
		Colored... 2,871	348	146	42	59	117	144	145	118
4	Louisiana.....	White... 12,272	1,705	668	262	185	353	409	416	475
		Colored... 11,958	1,739	567	205	217	540	800	742	687
5	Urban.....	White... 5,932	541	248	116	83	129	193	202	264
		Colored... 4,619	521	175	67	74	184	300	338	310
6	Rural.....	White... 6,340	1,164	420	146	102	224	216	214	211
		Colored... 7,339	1,218	392	138	143	356	500	404	327
7	Maine.....	White... 11,319	1,313	385	133	127	181	210	201	251
		Colored... 36	1						4	1
8	Urban.....	White... 3,680	429	156	54	49	68	66	81	94
		Colored... 15	1						3	1
9	Rural.....	White... 7,639	884	229	79	78	113	144	120	157
		Colored... 21							1	
10	Maryland.....	White... 17,170	1,943	850	280	201	276	422	442	441
		Colored... 5,479	920	325	80	86	199	253	281	273
11	Urban.....	White... 10,458	1,115	531	182	107	143	240	288	300
		Colored... 3,135	444	133	48	39	99	127	193	193
12	Rural.....	White... 6,712	828	319	98	94	133	182	154	141
		Colored... 2,344	476	142	32	47	100	126	88	80
13	Massachusetts.....	White... 51,620	5,972	2,294	818	514	850	1,043	1,183	1,332
		Colored... 1,018	130	73	13	16	17	53	38	59
14	Urban.....	White... 41,612	5,186	2,013	703	430	691	826	945	1,094
		Colored... 893	117	63	12	13	16	42	32	48
15	Rural.....	White... 10,008	786	281	115	84	159	217	238	238
		Colored... 125	13	10	1	3	1	11	6	11
16	Michigan.....	White... 51,183	7,251	2,642	1,220	710	1,116	1,491	1,461	1,690
		Colored... 2,901	372	217	74	46	98	202	301	288
17	Urban.....	White... 28,137	4,584	1,832	791	417	617	934	998	1,141
		Colored... 2,327	310	183	61	35	75	171	264	254
18	Rural.....	White... 23,046	2,667	810	429	293	499	577	463	549
		Colored... 574	62	34	13	11	23	31	37	34
19	Minnesota.....	White... 25,370	2,946	869	468	370	521	663	697	769
		Colored... 433	73	49	10	16	19	25	19	14
20	Urban.....	White... 11,269	1,152	369	221	154	220	298	329	414
		Colored... 159	16	9	1	6	5	8	9	8
21	Rural.....	White... 14,101	1,794	500	247	216	301	365	368	345
		Colored... 274	57	40	9	10	14	10	10	6
22	Mississippi.....	White... 9,191	1,460	614	195	147	281	284	306	275
		Colored... 14,575	2,098	854	305	297	785	1,015	908	646
23	Urban.....	White... 1,694	167	91	36	32	53	55	80	66
		Colored... 2,109	187	88	24	28	102	168	169	104
24	Rural.....	White... 7,497	1,293	523	159	115	228	229	229	209
		Colored... 12,466	1,911	766	281	269	683	847	739	542
25	Missouri.....	White... 37,942	4,170	1,804	625	480	781	981	952	1,012
		Colored... 4,810	551	242	79	82	163	259	274	270
26	Urban.....	White... 17,689	1,797	802	301	227	318	509	510	557
		Colored... 3,263	353	155	45	34	89	175	202	204
27	Rural.....	White... 20,253	2,373	1,002	324	253	463	472	442	455
		Colored... 1,547	198	87	34	48	74	84	72	66
28	Montana.....	White... 4,967	665	202	99	91	137	130	136	173
		Colored... 428	92	46	23	17	14	15	17	10
29	Urban.....	White... 1,703	194	44	21	32	50	39	49	58
		Colored... 47	2	1	2	1			1	1
30	Rural.....	White... 3,264	471	158	78	59	87	91	87	115
		Colored... 381	90	45	21	16	14	15	16	9
31	Nebraska.....	White... 12,245	1,626	430	221	188	238	324	251	297
		Colored... 403	47	28	9	9	19	22	21	21
32	Urban.....	White... 3,897	449	125	72	51	73	128	106	113
		Colored... 265	16	12	5	4	11	16	22	17
33	Rural.....	White... 8,348	1,177	305	149	137	165	196	145	184
		Colored... 138	31	16	4	6	8	6	5	4
34	New Hampshire.....	White... 6,697	686	223	98	55	97	102	134	136
		Colored... 6							1	1
35	Urban.....	White... 2,871	367	128	53	25	48	45	63	64
		Colored... 5								1
36	Rural.....	White... 3,826	319	95	45	30	49	57	71	72
		Colored... 1							1	
37	New Jersey.....	White... 41,404	4,522	2,074	787	500	748	921	1,055	1,268
		Colored... 3,472	554	292	53	43	131	190	212	189
38	Urban.....	White... 25,563	3,072	1,441	543	323	463	578	697	869
		Colored... 2,434	413	206	36	32	92	131	145	143
39	Rural.....	White... 15,841	1,450	633	244	177	285	343	358	399
		Colored... 1,038	141	56	17	11	39	59	67	46
40	New York.....	White... 145,115	14,696	5,912	2,310	1,674	2,464	3,436	3,839	4,464
		Colored... 6,230	1,025	451	79	79	199	377	444	454
41	Urban.....	White... 109,398	11,866	5,049	1,884	1,332	1,884	2,687	3,070	3,632
		Colored... 5,590	952	412	72	68	166	342	413	420
42	Rural.....	White... 35,817	2,830	863	409	342	580	749	769	832
		Colored... 640	73	39	7	11	33	24	31	34
43	North Carolina.....	White... 20,957	4,022	1,503	407	294	539	634	628	666
		Colored... 13,605	2,747	1,104	291	252	643	912	758	585
44	Urban.....	White... 4,041	696	231	90	72	122	178	183	152
		Colored... 3,512	607	236	63	61	182	283	263	203
45	Rural.....	White... 16,916	3,326	1,272	317	222	417	466	445	514
		Colored... 10,268	2,140	868	228	191	461	629	499	382

# DEATHS, BY AGE AND COLOR

BIRTHS), BY AGE AND COLOR: 1926—Continued

in 1920; the remainder of the State is included in "rural"]

35 to 39 years	40 to 44 years	45 to 49 years	50 to 54 years	55 to 59 years	60 to 64 years	65 to 69 years	70 to 74 years	75 to 79 years	80 to 84 years	85 to 89 years	90 to 94 years	95 to 99 years	100 years and over	Age unknown
790	855	918	1,041	1,229	1,507	1,872	2,036	1,965	1,593	886	253	49	16	38
263	304	309	395	331	329	273	235	200	156	84	41	25	24	21
233	274	296	358	441	470	517	547	517	369	171	50	12	1	1
141	151	159	199	149	152	83	71	53	35	18	10	6	1	6
557	581	622	683	788	1,037	1,255	1,489	1,448	1,224	715	203	37	15	37
122	153	150	196	182	177	190	164	147	121	66	31	19	19	15
513	549	604	735	787	798	963	967	851	582	301	78	28	8	35
768	747	812	830	599	528	521	475	386	319	187	146	64	71	58
270	300	354	411	436	477	536	466	381	282	140	31	10	3	9
373	405	390	406	249	208	190	145	101	79	36	26	14	7	20
243	249	250	324	301	321	427	501	470	300	161	47	18	5	26
395	342	422	424	350	320	339	329	285	240	151	120	50	64	38
269	307	392	495	641	844	1,109	1,331	1,295	973	587	218	48	8	1
3	3	1	3	1	2	4	2	4	2	2	2	2	1	1
115	129	171	211	234	302	366	372	338	237	145	46	15	2	2
1	2	1	1	1	1	1	1	1	1	1	1	1	1	1
154	178	221	284	407	542	743	959	957	736	442	172	33	6	1
2	1	2	1	1	2	3	2	2	2	2	2	2	1	1
595	716	734	1,006	1,149	1,426	1,729	1,678	1,498	1,002	542	171	41	7	21
301	418	375	421	342	315	259	228	158	113	59	25	18	7	23
402	509	504	719	761	921	1,044	985	785	531	278	85	22	6	9
219	313	269	273	203	185	138	82	59	38	14	8	6	2	2
193	207	230	287	388	505	685	692	713	471	264	86	19	1	21
82	105	106	148	139	130	121	146	99	75	45	17	12	5	23
1,701	1,999	2,537	3,031	3,829	4,495	4,918	4,903	4,347	3,206	1,818	643	147	25	15
60	67	82	67	84	55	63	62	43	22	8	2	1	2	1
1,422	1,664	2,123	2,560	3,179	3,684	3,917	3,758	3,261	2,293	1,294	422	104	16	7
55	54	71	60	79	47	58	47	39	17	8	2	1	2	14
259	335	414	471	650	811	1,001	1,145	1,086	913	524	221	43	9	8
5	3	11	7	5	8	5	15	4	5	5	5	3	1	15
1,971	2,087	2,284	2,474	2,949	3,444	4,290	4,317	4,150	3,204	1,711	538	108	21	59
295	228	205	154	107	77	74	47	35	15	2	4	4	6	7
1,348	1,392	1,427	1,487	1,685	1,830	2,069	1,920	1,583	1,190	632	196	34	7	23
242	189	162	125	84	54	47	21	23	14	7	1	1	2	2
623	695	857	987	1,264	1,614	2,221	2,397	2,567	2,014	1,079	342	69	14	36
53	39	43	29	23	23	27	26	24	21	8	1	3	4	5
955	1,061	1,149	1,351	1,523	1,969	2,433	2,294	2,101	1,731	1,015	363	109	18	5
18	24	17	23	24	15	27	18	16	7	7	3	4	5	1
515	588	611	731	785	998	1,168	953	751	584	279	104	39	5	1
9	17	14	10	14	8	11	8	2	1	1	3	3	1	20
440	473	538	620	738	971	1,265	1,341	1,350	1,147	736	259	70	13	4
9	7	3	13	10	7	10	10	14	7	6	3	1	5	21
339	322	375	377	415	478	745	862	714	548	269	86	20	5	74
791	779	784	914	655	687	628	627	516	519	269	167	61	122	148
77	88	98	85	97	110	134	158	108	89	47	16	2	5	5
165	147	174	181	111	122	74	70	47	49	30	20	7	16	26
262	234	277	292	318	368	611	704	606	459	222	70	18	5	69
626	632	610	733	544	565	554	557	469	470	239	147	54	106	122
1,193	1,444	1,643	2,009	2,481	2,934	3,521	3,540	3,469	2,753	1,480	476	93	26	75
353	343	389	357	312	302	266	187	179	101	63	37	15	19	27
685	845	942	1,167	1,376	1,604	1,652	1,494	1,287	957	479	129	32	9	10
273	232	306	269	237	206	135	80	53	25	15	5	9	5	5
508	599	701	842	1,105	1,330	1,869	2,046	2,182	1,796	1,001	347	61	17	65
80	61	83	88	75	96	71	81	99	48	38	22	10	10	22
247	277	296	326	333	409	431	368	290	208	103	36	8	1	1
9	15	13	18	22	19	22	23	24	14	8	3	1	1	3
96	99	133	133	136	159	145	139	75	63	25	11	1	1	1
5	2	3	3	3	4	6	2	5	1	1	1	1	1	1
151	178	163	193	197	250	286	229	215	145	78	25	7	1	1
4	13	10	10	19	15	16	21	19	14	7	3	1	1	3
375	434	445	564	689	869	1,110	1,170	1,235	998	547	177	44	5	8
30	26	27	26	21	15	21	19	19	8	4	4	4	2	2
169	199	185	220	290	325	335	322	314	244	132	33	11	1	1
25	21	23	21	17	12	11	11	13	5	1	1	1	1	1
206	235	260	344	399	544	775	848	921	754	415	144	33	4	8
5	5	4	5	4	3	10	7	6	3	3	4	4	1	1
145	194	226	324	456	534	681	768	713	581	341	141	28	4	30
66	101	104	145	221	246	264	292	245	226	103	47	10	8	8
79	93	122	179	235	288	417	476	468	355	238	94	18	4	22
1,729	1,842	2,260	2,743	3,096	3,487	3,864	3,483	3,045	2,289	1,217	377	84	11	2
233	256	250	262	214	178	153	96	88	56	29	13	4	4	2
1,166	1,244	1,500	1,811	2,043	2,179	2,289	1,909	1,553	1,104	558	173	38	4	1
177	188	185	182	141	117	92	61	42	15	5	5	1	1	1
563	598	760	932	1,043	1,308	1,575	1,754	1,492	1,185	659	204	46	7	1
56	68	65	80	73	61	61	85	46	27	14	8	3	3	2
5,671	6,630	8,170	9,867	11,064	12,948	14,099	12,791	11,051	7,914	4,296	1,371	323	58	67
506	478	464	429	308	291	185	165	125	95	36	18	7	10	5
4,629	5,494	6,769	8,065	8,872	10,178	10,330	8,689	6,985	4,581	2,321	726	183	32	23
471	442	419	384	278	249	151	131	95	69	31	15	3	3	3
1,042	1,136	1,401	1,802	2,192	2,770	3,769	4,102	4,066	3,333	1,975	645	140	26	44
35	36	45	45	30	42	34	34	30	26	5	3	4	4	5
754	777	754	865	988	1,157	1,543	1,793	1,702	1,075	540	191	43	16	66
659	609	654	700	571	602	571	602	466	356	205	113	61	79	65
204	202	194	212	252	243	273	290	221	140	58	20	5	3	3
193	200	193	189	153	145	125	82	45	42	22	12	5	4	7
550	576	560	653	736	914	1,270	1,503	1,451	935	432	171	38	16	63
466	409	461	511	415	457	446	520	421	313	183	101	56	75	58

MORTALITY STATISTICS

TABLE 3.—DEATHS (EXCLUSIVE OF STILL

["Urban" includes cities of 10,000 inhabitants or more

AREA AND COLOR		All deaths	Under 1 year	1 to 4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	
1	North Dakota.....	White.....	5,105	984	279	136	132	150	141	132	189
		Colored.....	208	49	23	9	16	8	7	5	2
2	Urban.....	White.....	795	124	45	25	18	25	33	24	31
		Colored.....	1								
3	Rural.....	White.....	4,310	860	234	111	114	125	108	108	108
		Colored.....	207	48	28	9	16	8	7	5	2
4	Ohio.....	White.....	72,940	8,587	3,186	1,339	934	1,309	1,773	1,879	2,109
		Colored.....	5,755	820	415	93	82	194	363	447	430
5	Urban.....	White.....	41,006	5,128	1,946	823	555	770	1,159	1,263	1,424
		Colored.....	4,622	701	365	78	66	143	308	363	381
6	Rural.....	White.....	31,934	3,459	1,240	516	379	539	614	616	685
		Colored.....	1,133	119	50	15	16	48	65	84	49
7	Oregon.....	White.....	9,551	723	249	172	143	214	262	298	277
		Colored.....	306	51	23	9	7	16	13	16	18
8	Urban.....	White.....	4,281	226	83	69	57	6	97	141	153
		Colored.....	121	11	4		6		6	6	6
9	Rural.....	White.....	5,270	497	166	103	86	128	165	157	124
		Colored.....	185	40	19	9	1	14	8	10	12
10	Pennsylvania.....	White.....	112,465	15,784	5,853	2,092	1,446	2,112	2,646	2,706	3,354
		Colored.....	8,072	1,338	612	131	117	275	448	569	555
11	Urban.....	White.....	59,852	7,490	3,141	1,201	750	1,147	1,522	1,564	2,021
		Colored.....	6,413	1,065	498	111	91	207	363	457	445
12	Rural.....	White.....	52,613	8,294	2,712	891	696	965	1,124	1,137	1,333
		Colored.....	1,659	273	114	20	26	68	85	107	110
13	Rhode Island.....	White.....	8,560	1,077	427	154	90	127	168	176	211
		Colored.....	231	37	12	8	1	3	7	11	11
14	Urban.....	White.....	7,176	934	382	130	79	92	127	136	172
		Colored.....	197	30	10	7	1	2	4	8	7
15	Rural.....	White.....	1,384	143	45	24	11	35	41	40	39
		Colored.....	34	7	2	1		1	3	3	4
16	South Carolina.....	White.....	9,219	1,724	671	152	117	264	237	252	275
		Colored.....	14,184	2,751	1,100	303	282	706	860	797	635
17	Urban.....	White.....	1,926	259	113	27	33	65	64	64	80
		Colored.....	2,357	334	145	32	47	98	161	197	163
18	Rural.....	White.....	7,293	1,465	558	125	84	199	173	188	195
		Colored.....	11,827	2,417	955	271	235	608	699	600	467
19	Tennessee.....	White.....	22,163	3,355	1,760	449	332	677	767	742	733
		Colored.....	9,232	1,112	505	184	205	490	654	628	547
20	Urban.....	White.....	5,848	792	407	128	90	174	216	243	229
		Colored.....	4,365	524	232	71	79	202	321	369	291
21	Rural.....	White.....	16,315	2,563	1,353	321	242	503	551	499	504
		Colored.....	4,867	588	273	113	126	288	333	259	256
22	Utah.....	White.....	4,981	954	318	149	116	144	154	160	151
		Colored.....	155	32	29	8	3	4	5	4	4
23	Urban.....	White.....	2,321	323	124	66	56	54	69	75	78
		Colored.....	63	9	7	1	1	2	2	2	2
24	Rural.....	White.....	2,660	631	194	83	60	90	85	85	73
		Colored.....	92	23	22	7	2	3	3	2	2
25	Vermont.....	White.....	5,207	514	140	72	65	101	91	84	112
		Colored.....	8								
26	Urban.....	White.....	804	89	36	15	17	20	19	16	20
		Colored.....	3								
27	Rural.....	White.....	4,403	425	104	57	48	81	72	68	92
		Colored.....	5								
28	Virginia.....	White.....	18,866	2,900	1,100	337	270	450	498	485	487
		Colored.....	11,952	1,936	679	198	226	489	516	512	529
29	Urban.....	White.....	5,087	671	237	88	54	115	166	149	142
		Colored.....	4,149	667	225	57	73	143	198	220	234
30	Rural.....	White.....	13,779	2,229	863	249	216	335	332	336	345
		Colored.....	7,803	1,269	454	141	153	346	318	292	295
31	Washington.....	White.....	14,950	1,236	411	317	247	408	492	418	490
		Colored.....	720	116	62	30	25	26	33	46	36
32	Urban.....	White.....	7,822	635	229	176	123	203	242	198	261
		Colored.....	273	39	15	10	4	4	6	16	12
33	Rural.....	White.....	7,028	601	182	141	124	205	250	220	229
		Colored.....	447	77	47	20	21	22	27	30	24
34	West Virginia.....	White.....	16,252	3,266	1,424	380	243	514	654	547	516
		Colored.....	1,891	329	127	23	27	79	131	153	132
35	Urban.....	White.....	4,228	670	266	105	60	143	185	187	187
		Colored.....	490	89	26	8	7	14	22	31	33
36	Rural.....	White.....	12,024	2,596	1,158	275	183	371	469	360	359
		Colored.....	1,401	249	101	15	20	65	109	127	99
37	Wisconsin.....	White.....	29,736	3,780	1,046	501	385	637	736	731	888
		Colored.....	455	65	38	18	11	12	42	20	28
38	Urban.....	White.....	12,941	1,821	518	228	174	277	358	370	469
		Colored.....	168	24	11	2	1	2	16	12	13
39	Rural.....	White.....	16,795	1,959	528	273	211	360	378	361	419
		Colored.....	287	41	27	16	10	10	26	8	15
40	Wyoming.....	White.....	1,822	313	102	39	40	51	65	75	85
		Colored.....	80	20	7	3	4		1	4	2
41	Urban.....	White.....	324	65	15	6	5	11	7	15	15
		Colored.....	14	2	1					1	1
42	Rural.....	White.....	1,498	248	87	33	35	40	58	60	70
		Colored.....	66	18	6	3	4		1	3	2

NOTE.—Populations in reports of Fourteenth Census of the United States, 1920: Vol. II, Ch. III, Tables 13, 15, and 16, and Vol. III, Table 8, and Thirteenth Census of the United States, 1910: Vol. I, Ch. IV, Tables 43, 49, 50, 53, and 54. Similar data for cities, which have not been shown since 1922, are held in manuscript.

# DEATHS, BY AGE AND COLOR

## BIRTHS), BY AGE AND COLOR: 1926— Continued

in 1920; the remainder of the State is included in "rural"]

35 to 39 years	40 to 44 years	45 to 49 years	50 to 54 years	55 to 59 years	60 to 64 years	65 to 69 years	70 to 74 years	75 to 79 years	80 to 84 years	85 to 89 years	90 to 94 years	95 to 99 years	100 years and over	Age unknown
211	209	207	219	246	343	426	408	309	234	137	43	15	4	1
6	4	10	7	7	7	7	15	12	4	4	2	2		
45	37	44	40	41	62	61	49	49	24	11	3	3	1	
1	1													
166	172	163	179	205	281	365	359	260	210	126	40	12	3	1
6	3	10	7	7	7	7	15	12	4	4	2	2		
2,444	2,907	3,175	3,788	4,656	5,395	6,768	7,065	6,780	5,023	2,766	858	169	26	4
431	413	381	409	263	262	211	184	132	104	59	33	12	13	4
1,071	1,077	2,106	2,473	2,836	3,124	3,677	3,486	3,035	2,013	1,109	367	68	6	4
373	357	323	342	197	195	142	106	71	48	29	19	4	7	1
773	930	1,069	1,315	1,820	2,271	3,091	3,579	3,745	3,010	1,657	501	101	20	4
58	56	58	67	66	67	69	78	61	56	30	14	8	6	3
319	418	468	546	656	819	1,061	947	827	642	362	113	21	6	8
11	16	8	15	10	13	26	19	15	9	4	5	2	2	
177	230	236	273	336	411	489	407	346	267	145	36	11	1	4
5	7	7	10	8	11	15	10	4	2	1	1	1	1	
142	188	232	273	320	408	572	540	481	375	217	77	10	5	4
6	9	1	5	2	2	11	9	11	7	4	4	4	1	
4,087	4,640	5,589	6,663	7,587	8,914	9,874	9,686	8,716	6,255	3,212	1,045	212	35	7
584	609	602	597	396	388	259	227	158	103	57	29	10	13	
2,452	2,816	3,362	3,981	4,513	5,172	5,364	4,798	3,931	2,714	1,367	428	95	15	3
477	504	497	473	317	312	191	169	109	61	35	16	9	6	
1,635	1,824	2,227	2,682	3,074	3,742	4,510	4,838	4,785	3,541	1,845	617	117	20	4
107	105	105	124	79	76	68	58	49	42	22	13	1	7	
268	338	460	514	660	724	814	768	719	483	263	99	21	1	3
7	10	14	13	17	22	20	15	13	4	4	2	2		
224	297	403	432	568	614	683	634	580	378	215	78	14	1	3
5	10	12	12	16	19	19	14	4	3	3	1	1		
44	36	57	82	92	110	131	134	139	105	48	21	7		
2		1	1	1	3	1	1			1	1			
328	325	393	401	535	495	786	791	698	488	218	48	14	2	5
779	778	765	916	607	672	559	531	343	355	185	115	38	75	32
88	86	117	99	145	127	162	134	97	42	2	3	2		
186	195	164	226	125	108	61	40	34	16	8	5	2	3	2
240	239	276	302	390	368	624	657	580	391	176	45	12	2	4
593	583	601	690	482	564	498	491	309	339	177	110	36	72	30
779	804	943	991	1,156	1,255	1,700	1,890	1,696	1,247	577	210	60	12	28
579	543	628	643	483	473	400	280	219	117	67	67	40	41	29
267	276	316	319	418	372	428	422	352	231	118	40	7		3
337	313	365	344	233	228	158	110	76	49	28	16	6	10	3
512	528	627	672	738	883	1,272	1,468	1,344	1,016	459	170	53	12	25
242	230	263	299	250	245	242	255	204	170	89	51	34	31	26
211	193	222	233	247	289	358	344	315	221	132	58	6	1	5
9	8	8	8	5	5	4	5	3	4	2	3			2
113	91	129	133	143	154	192	183	142	106	59	26	3		2
4	6	5	6	4	4	2	1	2	1	1	1			
98	102	93	100	104	135	166	161	173	115	73	32	3	1	3
5	2	3	2	1	1	2	4	1	3	1	2			1
121	154	201	240	341	424	493	569	621	463	294	91	13	2	1
1	1	2	2	1	1	1	1	1	1	1	1			
24	35	45	49	62	62	76	80	63	49	18	7	2		
1	1	1	1	1	1	1	1	1	1	1	1			
97	119	156	191	279	362	417	489	558	414	276	84	11	2	1
1	1	1	1	1	1	1	1	1	1	1	1			
564	617	733	819	991	1,164	1,672	1,747	1,768	1,277	692	220	43	16	16
616	691	789	957	825	782	641	518	372	297	162	99	50	31	37
179	201	265	301	318	330	498	453	395	267	164	36	3	4	1
295	349	351	373	303	261	168	122	55	32	11	6	5		
385	416	468	518	673	784	1,174	1,284	1,373	1,020	528	184	40	12	15
321	342	438	584	522	521	473	396	317	265	151	93	45	31	36
593	673	783	929	1,059	1,222	1,489	1,418	1,249	842	457	171	22	5	19
38	54	45	33	29	36	23	28	19	10	13	8	4	4	2
313	373	473	558	611	686	813	713	617	393	205	84	12		4
23	28	24	21	16	21	11	11	6	3	1	1			
280	300	310	371	448	536	676	705	632	449	252	87	10	5	15
15	26	21	12	13	15	12	17	13	7	12	8	3	4	1
537	601	619	713	668	802	1,009	1,147	1,083	886	445	150	41	7	
129	119	116	121	86	75	64	54	43	37	19	12	7	3	
131	199	219	232	232	238	274	299	242	204	97	29	8	1	
33	36	31	37	26	31	23	13	18	10	6	3	2		
356	402	400	481	436	564	735	845	841	682	348	121	33	6	
96	83	85	84	60	44	41	41	25	27	13	9	5	3	
969	1,107	1,199	1,486	1,699	2,280	2,794	2,889	2,818	2,056	1,128	465	117	12	13
33	34	58	36	18	14	19	13	11	7	7	3	1	4	1
495	540	568	733	834	1,031	1,192	1,113	987	690	364	130	37	5	2
14	15	7	18	9	8	4	1	5	2	2				
474	567	631	753	865	1,249	1,602	1,771	1,831	1,366	764	335	80	2	11
19	19	8	18	9	6	15	12	7	5	5	3	1	2	1
113	103	97	88	98	103	120	126	109	44	34	8	2	1	6
5	5	4	1	7	4	3	2	3	3					2
20	23	16	16	17	24	20	20	13	5					
1	1	3	1	2	1	1	1	1	1					
98	75	81	72	81	79	100	106	96	39	29	8	2		6
4	4	1	1	5	3	3	3	3	2					2





MORTALITY STATISTICS

TABLE 4.—DEATHS (EXCLUSIVE OF STILLBIRTHS), BY AGE, SEX, COLOR, AND NATIVITY OF WHITE: 1926—Continued

[Native white includes native born of both parents native, of one or both foreign, and of both unknown or one unknown and one native]

AREA AND AGE	ALL DEATHS		WHITE						COLORED										
			Native		Foreign		Unknown		Negro		Indian		Chinese		Japanese		Other colored		
	Males	Females	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	
ALL REGISTRATION CITIES <sup>1</sup>																			
All ages.....	362,152	316,338	217,474	196,483	93,788	78,849	6,925	1,977	42,459	38,552	143	118	848	122	443	227	72	10	
Under 1 year.....	46,380	35,170	39,957	29,994	66	51	86	37	6,110	4,977	27	15	42	37	88	56	4	3	
1 to 4 years.....	17,680	15,142	14,827	12,632	172	145	42	38	2,543	2,257	9	10	24	13	62	45	1	2	
5 to 9 years.....	7,032	5,594	6,166	4,853	165	111	33	20	634	581	11	4	4	9	18	15	1	1	
10 to 14 years.....	4,838	3,961	4,075	3,176	170	159	20	13	556	596	6	6	5	2	6	8		1	
15 to 19 years.....	7,176	7,512	5,317	5,186	513	524	47	33	1,273	1,749	8	12	9	3	7	5	2		
20 to 24 years.....	10,329	11,200	6,368	7,149	1,394	1,262	134	40	2,454	2,718	8	8	25	7	10	16	6		
25 to 29 years.....	11,678	12,290	6,422	7,497	1,964	1,831	228	68	2,975	2,869	12	5	41	5	19	14	17	1	
30 to 34 years.....	13,670	12,446	7,201	7,296	3,227	2,433	298	55	2,863	2,633	4	6	52	8	15	15	10		
35 to 39 years.....	17,337	14,180	8,315	7,821	5,024	3,272	492	108	3,393	2,945	4	7	61	7	34	20	14		
40 to 44 years.....	20,124	14,921	9,643	8,062	6,245	3,793	604	110	3,519	2,929	5	10	62	6	42	10	4	1	
45 to 49 years.....	22,980	16,721	11,147	8,896	7,376	4,756	730	139	3,611	2,919	11	7	54	7	45	7	6		
50 to 54 years.....	26,025	19,474	13,133	10,736	8,285	5,743	841	137	3,616	2,844	3	2	103	5	42	7	2		
55 to 59 years.....	27,574	20,962	14,740	11,657	9,591	7,097	682	140	2,468	2,057	5	5	62	2	23	4	3		
60 to 64 years.....	29,700	24,175	15,419	13,113	11,277	8,965	755	176	2,125	1,912	7	3	97	2	19	3	1	1	
65 to 69 years.....	30,700	26,165	17,350	15,378	11,074	9,254	724	171	1,459	1,353	5	5	83	3	5	1			
70 to 74 years.....	26,041	24,616	14,820	14,253	9,557	8,987	487	218	1,103	1,154	5	1	64	2	4	1			
75 to 79 years.....	20,749	21,682	11,335	12,171	8,295	8,503	349	191	729	803	2	6	38	3	1				
80 to 84 years.....	13,198	16,450	6,909	9,178	5,617	6,568	186	161	466	540	5	3	13		2				
85 to 89 years.....	6,257	9,302	3,181	5,207	2,732	3,721	76	70	258	302	2	1	8	1					
90 to 94 years.....	1,899	3,260	935	1,769	823	1,275	25	36	116	179		1							
95 to 99 years.....	438	814	160	389	217	328	7	4	54	92									
100 years and over.....	129	218	27	53	44	60	2	5	52	100			1						
Unknown.....	218	83	37	27	20	11	77	7	82	38	1			1					
REGISTRATION STATES																			
ALABAMA																			
All ages.....	15,713	13,979	7,948	6,958	208	109	121	72	7,432	6,837	2	2	2	1					
Under 1 year.....	2,600	1,940	1,440	1,108			2		1,157	831	1	1							
1 to 4 years.....	1,037	943	643	564			1	3	393	376									
5 to 9 years.....	297	243	170	142					127	101									
10 to 14 years.....	286	222	152	94			1		133	128									
15 to 19 years.....	593	583	261	191		2	1	1	331	389									
20 to 24 years.....	737	782	269	283	1	2	2	2	465	495									
25 to 29 years.....	670	730	225	275	1	3	4		440	452									
30 to 34 years.....	622	653	227	262	3	3	4	1	388	387									
35 to 39 years.....	656	728	259	268	8	2	7	1	381	457			1						
40 to 44 years.....	628	696	254	286	8	4	4	1	362	405									
45 to 49 years.....	882	759	351	284	13	1	2	1	517	472									
50 to 54 years.....	956	736	399	281	16	8	5	1	536	446									
55 to 59 years.....	799	605	391	277	14	13	7		387	315									
60 to 64 years.....	787	638	423	357	15	12	10	4	338	265	1								
65 to 69 years.....	998	756	658	486	30	11	13	6	297	253									
70 to 74 years.....	1,056	852	650	555	37	14	10	10	359	273									
75 to 79 years.....	919	764	599	526	31	17	12	12	276	208			1	1					
80 to 84 years.....	587	613	326	384	17	9	9	4	235	216									
85 to 89 years.....	301	325	167	204	9	6	3	5	122	110									
90 to 94 years.....	111	168	46	79	3	1	1		61	87			1						
95 to 99 years.....	46	68	14	24	1				31	44									
100 years and over.....	43	82	2	5					41	76									
Unknown.....	102	93	22	23	1	1	24	18	55	51									
ARIZONA																			
All ages.....	3,380	2,192	1,969	1,397	720	412	266	27	106	53	292	296	14	3	11	4	2		
Under 1 year.....	520	497	428	438	3	2	1		9	8	77	46	1	1	1	2			
1 to 4 years.....	240	199	181	145	6	8	4		3	2	45	40	1	2		1			
5 to 9 years.....	65	52	44	29	2	1		2	3	1	16	19							
10 to 14 years.....	46	57	26	24	7	8			2	13	23	23							
15 to 19 years.....	104	99	53	50	22	19	4	1	2	22	29	24	1						
20 to 24 years.....	152	139	93	88	26	22	12	1	9	4	12	24							
25 to 29 years.....	218	146	141	85	42	42	13	2	11	6	11	11							
30 to 34 years.....	263	141	157	81	64	41	16	3	9	7	14	8			1	1			
35 to 39 years.....	237	110	111	66	80	28	23	2	11	3	9	11			3				
40 to 44 years.....	225	88	102	52	70	24	29	2	11	4	10	6			3				
45 to 49 years.....	195	94	89	57	62	22	26	2	7	6	10	7				1			
50 to 54 years.....	191	76	93	45	55	20	21	1	12	2	8	8			2				
55 to 59 years.....	167	76	85	40	49	29	18		4	1	7	6			2				
60 to 64 years.....	158	80	75	44	49	23	21		7	1	4	12			2				
65 to 69 years.....	173	92	93	48	44	30	22	2	2	11	10	3							
70 to 74 years.....	144	73	77	37	39	22	21	4	3	3	10	1							
75 to 79 years.....	118	66	55	35	45	22	15	1		1	3	7							
80 to 84 years.....	72	45	33	18	20	21	7	2	3		8	4		1					
85 to 89 years.....	41	25	16	9	21	13	2				2	3							
90 to 94 years.....	13	12	4	2	4	7	2				1	3							
95 to 99 years.....	6	7	3	1	4	4	4				2	2							
100 years and over.....	8	10	1	4	4	4	4				1	4							
Unknown.....	24	8	9	2	2	2	8	1	2	1	3	4							

<sup>1</sup> Including District of Columbia.



## MORTALITY STATISTICS

TABLE 4.—DEATHS (EXCLUSIVE OF STILLBIRTHS), BY AGE, SEX, COLOR, AND NATIVITY OF WHITE: 1926—Continued

[Native white includes native born of both parents native, of one or both foreign, and of both unknown or one unknown and one native]

AREA AND AGE	ALL DEATHS		WHITE						COLORED									
			Native		Foreign		Unknown		Negro		Indian		Chinese		Japanese		Other colored	
			M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
REGISTRATION STATES—Continued																		
DELAWARE																		
All ages.....	1,804	1,643	1,225	1,186	192	156	27	17	360	334								
Under 1 year.....	228	164	162	129					66	35								
1 to 4 years.....	93	84	73	63					19	21								
5 to 9 years.....	45	30	37	19					6	11								
10 to 14 years.....	18	25	16	16					3	9								
15 to 19 years.....	40	34	26	20	1				13	14								
20 to 24 years.....	41	50	20	28	4	1	2	2	15	19								
25 to 29 years.....	43	60	26	33	6	5		1	11	21								
30 to 34 years.....	49	51	29	30	7	4	2		11	17								
35 to 39 years.....	65	49	40	25	7	7			18	17								
40 to 44 years.....	60	55	38	35	10	4			14	16								
45 to 49 years.....	76	76	38	42	15	10	1	2	22	22								
50 to 54 years.....	130	78	66	52	25	11	4	1	35	14								
55 to 59 years.....	124	109	69	66	21	19	1		33	24								
60 to 64 years.....	146	121	94	82	18	16	3		31	23								
65 to 69 years.....	159	145	119	115	23	15	2	2	15	13								
70 to 74 years.....	172	159	131	117	21	16	2	3	18	23								
75 to 79 years.....	150	142	121	107	14	20	3	5	12	10								
80 to 84 years.....	99	113	72	87	17	16	3	1	7	9								
85 to 89 years.....	45	69	37	50	1	9	1		6	10								
90 to 94 years.....	15	20	13	17		2			2	2								
95 to 99 years.....	3	4	1	2					2	2								
100 years and over.....	1	2		1	1				2	2								
Unknown.....	2	3		1	1				1	2								
DISTRICT OF COLUMBIA																		
All ages.....	3,859	3,529	1,938	1,809	341	274	140	81	1,430	1,362	3		6	3	1			
Under 1 year.....	427	331	226	173			8		192	157			1	1				
1 to 4 years.....	147	133	61	72			1	6	5	79			1	1				
5 to 9 years.....	49	43	29	27				6	3	14				1				
10 to 14 years.....	28	29	12	13	1			1	1	14								
15 to 19 years.....	55	26	27	27		2		1	2	28								
20 to 24 years.....	113	134	40	33	4	4	1	2	68	95								
25 to 29 years.....	142	132	48	48	11	3	5	2	77	79	1							
30 to 34 years.....	168	147	59	58	7	7	5		96	82			1					
35 to 39 years.....	212	189	86	47	7	8	13	4	106	80								
40 to 44 years.....	220	182	83	60	23	14	6	2	108	106								
45 to 49 years.....	278	187	130	67	9	11	10	5	127	104	1		1					
50 to 54 years.....	334	242	158	101	23	19	10	6	142	116				1				
55 to 59 years.....	308	237	165	124	33	23	15	7	95	83								
60 to 64 years.....	316	269	155	139	42	30	15	5	103	95			1					
65 to 69 years.....	302	297	185	188	42	24	16	7	58	78			1					
70 to 74 years.....	257	276	164	187	30	23	7	6	56	60			1					
75 to 79 years.....	218	260	132	180	40	30	11	12	35	38								
80 to 84 years.....	174	223	114	144	43	44	3	9	14	26								
85 to 89 years.....	76	119	49	89	16	16	1	3	10	11								
90 to 94 years.....	21	42	11	23	6	10			4	9								
95 to 99 years.....	11	18	5	9	4	3			2	6								
100 years and over.....	3	7		4	2				2	5	1							
Unknown.....																		
FLORIDA																		
All ages.....	11,808	8,236	6,048	4,345	779	408	456	137	4,517	3,344	4	1	3		1	1		
Under 1 year.....	1,478	1,124	885	649			3	2	588	472	1		1			1		
1 to 4 years.....	577	453	369	296		1	7	1	201	155								
5 to 9 years.....	227	165	151	100	2	2	3		71	63								
10 to 14 years.....	172	141	100	81		2	3	4	69	54								
15 to 19 years.....	350	339	169	148	5	3	6	2	169	186	1							
20 to 24 years.....	619	489	256	183	17	5	18	3	327	298	1							
25 to 29 years.....	660	496	241	181	27	13	23	8	368	294				1				
30 to 34 years.....	578	444	221	194	20	12	23	7	313	231	1							
35 to 39 years.....	707	495	257	200	32	17	26	7	392	271								
40 to 44 years.....	672	433	263	173	36	18	39	10	333	232			1					
45 to 49 years.....	778	474	314	208	62	26	32	6	370	234								
50 to 54 years.....	825	463	356	202	68	35	43	11	358	215								
55 to 59 years.....	685	407	379	234	77	38	41	9	188	126								
60 to 64 years.....	704	391	372	231	96	28	35	10	200	122			1					
65 to 69 years.....	782	439	490	295	103	46	46	10	143	88								
70 to 74 years.....	647	451	419	293	74	54	31	9	123	95								
75 to 79 years.....	543	391	368	285	71	44	26	14	78	48								
80 to 84 years.....	434	290	282	200	56	27	23	10	73	52	1							
85 to 89 years.....	192	201	115	129	22	24	6	3	49	45								
90 to 94 years.....	58	77	26	47	6	10	4	2	22	18								
95 to 99 years.....	19	24	6	9	3	2	1		9	13								
100 years and over.....	24	18	2	1	1	1			21	17								
Unknown.....	77	31	7	6	1	1	17	9	52	15								

DEATHS, BY AGE, SEX, COLOR, AND NATIVITY

TABLE 4.—DEATHS (EXCLUSIVE OF STILLBIRTHS), BY AGE, SEX, COLOR, AND NATIVITY OF WHITE: 1926—  
Continued

[Native white includes native born of both parents native, of one or both foreign, and of both unknown or one unknown and one native]

AREA AND AGE	ALL DEATHS		WHITE						COLORED									
	Males	Females	Native		Foreign		Unknown		Negro		Indian		Chinese		Japanese		Other colored	
			M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
REGISTRATION STATES— Continued																		
IDAHO																		
All ages.....	2,289	1,582	1,687	1,271	397	217	118	11	7	8	63	69	6	1	11	5		
Under 1 year.....	326	261	305	245	1	1					14	12				6	3	
1 to 4 years.....	117	102	110	92						1	6	9				1		
5 to 9 years.....	64	45	61	41	1	2					2	2						
10 to 14 years.....	53	40	48	36	1						4	3					1	
15 to 19 years.....	53	37	43	32	3		1	1	1	1	5	3						
20 to 24 years.....	61	55	53	47	3	4	2				3	4						
25 to 29 years.....	53	43	45	38	2	2	2				4	3						
30 to 34 years.....	70	47	51	41	8	3	6	1			5	1		1				
35 to 39 years.....	68	67	46	56	17	6	3	1	1	1	1	3					1	
40 to 44 years.....	91	67	55	61	27	4	6		1	1	1	1				1		
45 to 49 years.....	98	75	63	61	23	11	7		2	1	2	2				1		
50 to 54 years.....	140	72	95	53	33	16	11				3	3				1		
55 to 59 years.....	130	70	90	56	25	12	12		1		1	2				1		
60 to 64 years.....	178	98	104	71	52	22	17			1	3	4	2					
65 to 69 years.....	211	122	140	79	50	36	16	2		1	4	4	1					
70 to 74 years.....	216	115	149	82	50	28	13	1	1	1	3	3						
75 to 79 years.....	167	110	114	72	38	33	10			1	4	4	3					
80 to 84 years.....	97	86	59	60	29	20	6	3			3	3						
85 to 89 years.....	58	50	36	34	20	13	2	2			1	1						
90 to 94 years.....	24	18	14	14	10	3						1						
95 to 99 years.....	3	1	2		1			1										
100 years and over.....	4	1	2					1				1						
Unknown.....	7		2		2			3										
ILLINOIS																		
All ages.....	46,584	38,747	28,852	25,298	13,480	10,627	1,038	270	3,149	2,547	1	1	57	3	5		2	1
Under 1 year.....	5,354	3,940	4,940	3,639	7	5	40	19	363	274		1	3	1	1			1
1 to 4 years.....	1,768	1,684	1,579	1,423	10	6	7	4	172	151								
5 to 9 years.....	840	687	767	632	15	9		1	58	45								
10 to 14 years.....	645	519	592	457	17	16	1		34	46		1						
15 to 19 years.....	841	677	694	571	57	60	3	1	87	105								
20 to 24 years.....	1,186	1,257	858	945	126	143	15	5	184	164		3						
25 to 29 years.....	1,243	1,382	824	996	245	200	26	5	244	181		2		2				
30 to 34 years.....	1,706	1,507	964	979	451	323	40	9	248	195		3	1					
35 to 39 years.....	2,165	1,619	1,096	997	730	396	61	14	272	211		3	4					
40 to 44 years.....	2,404	1,771	1,186	1,045	863	515	99	12	247	198		5	9					
45 to 49 years.....	2,735	1,838	1,324	1,030	1,014	591	111	13	283	199		1	1		1			1
50 to 54 years.....	3,038	2,228	1,547	1,361	1,092	672	127	23	259	172			13					
55 to 59 years.....	3,410	2,510	1,874	1,466	1,248	873	108	18	176	153			4					
60 to 64 years.....	3,848	2,854	2,014	1,654	1,150	114	25	25	169	125	1		6					
65 to 69 years.....	4,253	3,264	2,430	1,924	1,580	1,220	96	18	95	102			1		1			
70 to 74 years.....	3,781	3,317	2,305	1,959	1,375	1,231	87	40	89	87			1		5			
75 to 79 years.....	3,172	3,062	1,787	1,765	1,284	1,221	57	22	78	54			1					
80 to 84 years.....	2,379	2,389	1,251	1,289	1,049	1,092	32	25	47	33								
85 to 89 years.....	1,207	1,409	629	753	522	621	9	13	37	22								
90 to 94 years.....	416	474	217	248	184	209	2	2	13	15								
95 to 99 years.....	89	134	48	64	39	63			7	7								
100 years and over.....	20	29	5	10	7	10	1	1	2	8								
Unknown.....	4	1	1		1	1	2		7									
INDIANA																		
All ages.....	20,798	19,218	17,459	16,629	1,893	1,470	267	120	1,175	998	1	1	2		1			
Under 1 year.....	2,613	1,930	2,437	1,798		1	3	2	173	129								
1 to 4 years.....	1,014	892	926	808		2	5	4	81	74								
5 to 9 years.....	373	294	357	281		1			15	13								
10 to 14 years.....	301	225	282	209	3		2		14	16								
15 to 19 years.....	385	401	336	353	11	9	3	1	35	38								
20 to 24 years.....	530	563	433	481	34	25	6	1	56	56								
25 to 29 years.....	493	581	377	501	35	21	8	2	73	57								
30 to 34 years.....	496	581	371	490	43	28	11	1	71	62								
35 to 39 years.....	653	663	468	542	104	45	11	2	70	74								
40 to 44 years.....	750	683	551	555	94	58	16	5	89	65								
45 to 49 years.....	878	731	645	594	106	53	16	6	111	78								
50 to 54 years.....	1,057	969	810	833	138	74	25	4	83	58								
55 to 59 years.....	1,275	1,071	1,072	922	117	91	13	4	69	54								
60 to 64 years.....	1,510	1,342	1,257	1,172	165	105	20	10	68	55								
65 to 69 years.....	2,012	1,814	1,740	1,624	182	135	35	15	55	40								
70 to 74 years.....	2,063	1,824	1,790	1,600	214	167	27	17	32	39		1						
75 to 79 years.....	1,988	1,874	1,691	1,617	247	201	19	16	30	40								
80 to 84 years.....	1,423	1,491	1,156	1,225	231	230	16	16	20	20								
85 to 89 years.....	692	919	551	739	116	153	11	11	13	16								
90 to 94 years.....	229	300	172	232	40	56	5	3	12	9								
95 to 99 years.....	39	57	25	45	10	11	1		2	1								
100 years and over.....	5	8	4	5		1	1		2	2								
Unknown.....	19	5	4	3		1	12		3	2								







DEATHS, BY AGE, SEX, COLOR, AND NATIVITY

TABLE 4.—DEATHS (EXCLUSIVE OF STILLBIRTHS), BY AGE, SEX, COLOR, AND NATIVITY OF WHITE: 1926—  
Continued

[Native white includes native born of both parents native, of one or both foreign, and of both unknown or one unknown and one native]

AREA AND AGE	ALL DEATHS		WHITE						COLORED										
	Males	Females	Native		Foreign		Unknown		Negro		Indian		Chinese		Japanese		Other colored		
			M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	
REGISTRATION STATES— Continued																			
MISSISSIPPI																			
All ages.....	12,360	11,406	4,653	3,977	119	67	217	158	7,354	7,192	10	11	7	1					
Under 1 year.....	1,999	1,559	818	633	1		4	4	1,173	920	3	2							
1 to 4 years.....	747	721	303	297	1		6	7	437	417									
5 to 9 years.....	247	253	90	101			2	2	151	150									
10 to 14 years.....	245	199	90	51			4	4	151	146									
15 to 19 years.....	508	593	160	108		2	7	5	340	444	1								
20 to 24 years.....	623	676	189	130	5	1	1	3	475	539				1					
25 to 29 years.....	524	690	140	153	1	1	7	5	375	531		2							
30 to 34 years.....	415	506	124	138			10	7	285	361									
35 to 39 years.....	520	610	157	160	3	2	10	5	349	441				1					
40 to 44 years.....	527	574	174	135	4	1	5	3	344	433		2							
45 to 49 years.....	577	532	195	150	8		13	6	361	419	2	1							
50 to 54 years.....	653	603	197	152	8	2	10	8	465	446				3					
55 to 59 years.....	603	467	224	169	9	3	8	2	362	293									
60 to 64 years.....	630	485	259	186	13	4	12	4	395	290				1					
65 to 69 years.....	784	589	375	306	17	7	26	14	366	261		1							
70 to 74 years.....	820	660	434	349	11	8	36	24	348	278		1							
75 to 79 years.....	676	554	357	300	13	9	16	19	288	226	1			1					
80 to 84 years.....	572	495	244	254	14	11	15	10	299	220									
85 to 89 years.....	268	270	109	128	7	5	9	11	143	126									
90 to 94 years.....	123	130	32	44	4	2	2	2	84	82	1								
95 to 99 years.....	32	49	8	9			1	1	22	38	1								
100 years and over.....	48	79	2	3					45	75	1	1							
Unknown.....	130	92	22	21	1		15	15	92	56									
MISSOURI																			
All ages.....	23,333	19,419	17,482	14,947	2,623	1,931	652	307	2,566	2,231	2	1	7	2	1				
Under 1 year.....	2,692	2,029	2,368	1,798	1		1	2	322	228				1					
1 to 4 years.....	1,120	926	812	612	2		4	4	132	110									
5 to 9 years.....	373	331	329	290	3		1	2	39	39				1					
10 to 14 years.....	318	244	279	194	2		2	3	35	47									
15 to 19 years.....	466	478	381	378	8		6	7	69	92				1	1				
20 to 24 years.....	603	637	460	474	20	12	9	6	114	145									
25 to 29 years.....	560	666	384	499	26	23	16	4	133	140				1					
30 to 34 years.....	648	634	456	467	45	20	19	5	128	141		1							
35 to 39 years.....	775	771	508	556	59	37	17	16	190	162				1					
40 to 44 years.....	1,025	762	708	557	94	45	30	10	192	150					1				
45 to 49 years.....	1,182	850	788	631	123	55	32	14	239	150									
50 to 54 years.....	1,345	1,021	941	747	156	93	51	21	196	160	1								
55 to 59 years.....	1,637	1,156	1,180	883	204	126	63	25	190	122									
60 to 64 years.....	1,876	1,361	1,021	805	168	72	27	156	145	145				1					
65 to 69 years.....	2,161	1,566	1,629	1,261	324	188	90	29	116	88				2					
70 to 74 years.....	2,094	1,633	1,682	1,254	344	259	70	31	98	89									
75 to 79 years.....	1,927	1,721	1,402	1,289	369	311	59	39	97	82									
80 to 84 years.....	1,432	1,422	1,033	278	309	55	26	47	54	54									
85 to 89 years.....	730	813	511	555	171	206	18	19	30	33									
90 to 94 years.....	236	277	144	186	70	56	7	13	15	22									
95 to 99 years.....	41	67	23	43	10	13	3	1	5	10									
100 years and over.....	26	19	11	4	6	4	1	1	8	11									
Unknown.....	67	35	23	15	3		25	9	15	11	1								
MONTANA																			
All ages.....	3,306	2,039	1,941	1,401	970	464	169	22	16	19	189	182	16		5	1			
Under 1 year.....	413	344	371	293		1			2	41	48				1				
1 to 4 years.....	128	120	106	93	2					20	26								
5 to 9 years.....	67	55	55	43	1				1	11	11								
10 to 14 years.....	70	38	58	32	1					11	6								
15 to 19 years.....	86	65	74	55	4		3	1		7	7								
20 to 24 years.....	72	73	53	59	6		5	2		8	7								
25 to 29 years.....	71	82	52	63	9		9	2	2	6	9								
30 to 34 years.....	102	81	59	60	30	15	8	1	1	4	4								
35 to 39 years.....	154	102	82	72	60	23	7	3	2	2	2			1					
40 to 44 years.....	185	107	99	68	72	29	7	2	1	6	7				1				
45 to 49 years.....	206	103	94	73	90	22	16	1	1	4	5				1				
50 to 54 years.....	223	121	104	68	96	43	13	2	1	4	6				1				
55 to 59 years.....	247	108	127	59	82	39	24	2	2	1	7				1				
60 to 64 years.....	285	143	125	80	124	52	26	2	2	9	7				2				
65 to 69 years.....	306	147	143	84	122	50	26	1	2	3	7				1				
70 to 74 years.....	250	141	113	71	101	63	18	2	3	2	14				3				
75 to 79 years.....	211	103	104	47	83	49	7		1	13	6				3				
80 to 84 years.....	131	91	68	53	49	31	7			7	7								
85 to 89 years.....	73	38	40	18	27	16	1	1		4	3				1				
90 to 94 years.....	19	20	7	8	8	10	1	2	1	2									
95 to 99 years.....	3	5	1	2	2	3													
100 years and over.....	1	1	1																
Unknown.....	3	1			1					2	1								

MORTALITY STATISTICS

TABLE 4.—DEATHS (EXCLUSIVE OF STILLBIRTHS), BY AGE, SEX, COLOR, AND NATIVITY OF WHITE: 1926—  
Continued

[Native white includes native born of both parents native, of one or both foreign, and of both unknown or one unknown and one native]

AREA AND AGE	ALL DEATHS		WHITE						COLORED									
	Males	Females	Native		Foreign		Unknown		Negro		Indian		Chinese		Japanese		Other colored	
			M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
REGISTRATION STATES— Continued																		
NEBRASKA																		
All ages.....	6,895	5,753	4,853	4,222	1,607	1,315	124	34	166	127	51	52			3	3	1	
Under 1 year.....	970	703	946	680					11	8	13	15						
1 to 4 years.....	240	218	225	203					4	3	4	4						
5 to 9 years.....	132	98	125	94	2				1	1	1	2					2	
10 to 14 years.....	107	90	104	84	1	1			2	2	3	4						
15 to 19 years.....	139	118	130	104	1	1	1	1	4	2	3	4						
20 to 24 years.....	167	179	144	161	6	9	3	1	10	9	3	3						
25 to 29 years.....	130	148	98	120	12	7	6	1	13	6	2	2						1
30 to 34 years.....	154	164	124	137	14	16	5	1	13	9	2	1			1	1		
35 to 39 years.....	203	202	145	161	33	31	5	1	19	8	1	2						
40 to 44 years.....	221	239	161	191	42	37	4	1	12	10	1	2						
45 to 49 years.....	256	216	177	184	58	57	6	3	14	12	1	2			1			
50 to 54 years.....	300	290	221	221	57	56	11	2	14	10		2						
55 to 59 years.....	395	315	250	217	122	88	13	2	14	8	1	3			1			
60 to 64 years.....	513	371	345	236	150	123	10	1	12	7	7	2						
65 to 69 years.....	657	474	394	308	234	156	16	2	9	4	4	3						
70 to 74 years.....	680	506	410	319	244	175	18	4	5	5	3	2						
75 to 79 years.....	694	560	371	326	292	226	15	5	13	6	3	3						
80 to 84 years.....	534	472	282	263	238	189	11	5	2	4	1	1						
85 to 89 years.....	293	258	149	160	141	94	1	2	1	1	1	1						
90 to 94 years.....	86	95	48	49	38	42						2						
95 to 99 years.....	19	25	10	11	9	14						1						
100 years and over.....	1	6	1	1	1	3						1						
Unknown.....	4	6	3	2	2	2	1		1	2	1							
NEW HAMPSHIRE																		
All ages.....	3,450	3,253	2,611	2,434	705	728	128	91	6									
Under 1 year.....	401	285	400	284	1	1												
1 to 4 years.....	129	94	121	93	5	1												
5 to 9 years.....	65	30	65	29	2	1	3	1										
10 to 14 years.....	35	20	33	15			2	2										
15 to 19 years.....	54	43	52	36	2	3	2	3										
20 to 24 years.....	53	49	39	38	4	7	2	3										
25 to 29 years.....	59	76	48	68	8	7	2	1	1									
30 to 34 years.....	61	76	44	61	14	15	2	3										
35 to 39 years.....	61	84	45	62	14	20	2	2	1									
40 to 44 years.....	98	96	61	68	35	25	2	3										
45 to 49 years.....	117	109	70	73	37	34	10	2										
50 to 54 years.....	171	153	119	94	44	56	8	3										
55 to 59 years.....	257	200	168	119	80	72	8	9	1									
60 to 64 years.....	272	262	180	151	88	108	4	3										
65 to 69 years.....	352	329	243	251	89	71	20	7										
70 to 74 years.....	410	358	302	243	96	99	12	16										
75 to 79 years.....	367	346	267	287	81	84	19	5										
80 to 84 years.....	251	332	154	282	55	70	10	10	2									
85 to 89 years.....	150	191	119	150	25	34	6	7	1									
90 to 94 years.....	51	91	42	76	6	7	2	8										
95 to 99 years.....	10	18	4	13	6	4	4	1										
100 years and over.....	1	3	1	1	1	2	1	1										
Unknown.....	22	8	4	1	5	3	13	4										
NEW JERSEY																		
All ages.....	23,797	21,079	14,539	13,235	7,238	6,080	249	63	1,751	1,700	1	19		1				
Under 1 year.....	2,893	2,183	2,605	1,914	3				285	269								
1 to 4 years.....	1,230	1,108	1,091	972	6	5			133	129								
5 to 9 years.....	435	405	404	366	7	10	1	1	24	29								
10 to 14 years.....	311	232	279	201	6	6			23	20								
15 to 19 years.....	440	439	354	330	34	29	3	1	51	80								
20 to 24 years.....	528	583	362	406	74	76	3		89	101								
25 to 29 years.....	612	655	365	428	137	123	2		104	104								
30 to 34 years.....	775	682	414	380	252	213	9		100	89								
35 to 39 years.....	1,113	849	508	447	456	297	14	7	134	98								
40 to 44 years.....	1,222	876	522	424	530	332	29	5	140	115								
45 to 49 years.....	1,477	1,032	670	573	635	347	33	2	136	111								
50 to 54 years.....	1,732	1,273	848	633	718	459	30	5	126	99								
55 to 59 years.....	1,879	1,431	944	736	838	593	32	3	114	99								
60 to 64 years.....	1,992	1,673	1,027	888	850	694	25	3	87	88								
65 to 69 years.....	2,102	1,915	1,142	1,077	859	759	20	7	72	72								
70 to 74 years.....	1,809	1,770	1,033	878	676	658	12	9	42	52								
75 to 79 years.....	1,511	1,622	904	907	557	401	10	10	35	50								
80 to 84 years.....	1,042	1,303	608	796	401	464	4		23	33								
85 to 89 years.....	527	719	325	464	189	235			20	20								
90 to 94 years.....	138	252	87	166	47	75			4	9								
95 to 99 years.....	21	67	12	42	8	21			1	1								
100 years and over.....	5	10	1	2	3	5			1	1								
Unknown.....	3	1	1	2	3	5	2		1	2		1						







MORTALITY STATISTICS

TABLE 4.—DEATHS (EXCLUSIVE OF STILLBIRTHS), BY AGE, SEX, COLOR, AND NATIVITY OF WHITE: 1926—Continued

[Native white includes native born of both parents native, of one or both foreign, and of both unknown or one unknown and one native]

AREA AND AGE	ALL DEATHS		WHITE						COLORED									
			Native		Foreign		Unknown		Negro		Indian		Chinese		Japanese		Other colored	
	Males	Females	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
REGISTRATION STATES—Continued																		
UTAH																		
All ages.....	2,856	2,280	1,974	1,627	728	585	58	9	26	9	34	33	7		29	17		
Under 1 year.....	560	426	542	411	1				3		6	10	1		7	5		
1 to 4 years.....	192	155	174	140	3		1			1	7	7	1		7	6		
5 to 9 years.....	99	58	95	52	1			1			2	4			1	1		
10 to 14 years.....	66	53	65	50			1			1	1					1		
15 to 19 years.....	93	55	90	51	2		1					3			1			
20 to 24 years.....	89	70	77	68	8		5				3					1		
25 to 29 years.....	84	80	71	72	10		6		1		1	1				1		
30 to 34 years.....	85	70	58	64	17		6		2		2							
35 to 39 years.....	117	103	59	88	45		14		5		2				5	1		
40 to 44 years.....	120	81	72	68	36		12		5		5							
45 to 49 years.....	133	97	82	71	39		21		7		2				3			
50 to 54 years.....	131	110	79	84	45		23		1		3				2			
55 to 59 years.....	146	106	96	71	42		34		4		2				1			
60 to 64 years.....	164	130	97	74	54		53		9		2				1			
65 to 69 years.....	210	152	106	82	93		68		7		2				1			
70 to 74 years.....	195	154	101	68	84		85		6		1				2			
75 to 79 years.....	176	142	61	48	111		94		1		1				1			
80 to 84 years.....	98	127	29	33	66		90		2		1				2			
85 to 89 years.....	63	71	13	25	48		46				1							
90 to 94 years.....	23	38	4	12	17		24		1		1				2			
95 to 99 years.....	5	1			5													
100 years and over.....	1		1															
Unknown.....	6	1	2		1			2		1						1		
VERMONT																		
All ages.....	2,789	2,426	2,295	2,017	460		382		28		25			5	2			
Under 1 year.....	296	218	296	216			2											
1 to 4 years.....	82	58	78	58	4													
5 to 9 years.....	35	37	35	35			1		1									
10 to 14 years.....	36	29	33	24	3													
15 to 19 years.....	49	52	47	50	2													
20 to 24 years.....	51	40	44	29	7		10											
25 to 29 years.....	43	41	40	38	3		3											
30 to 34 years.....	58	54	52	46	6		7		1									
35 to 39 years.....	66	56	47	46	18		9		1									
40 to 44 years.....	89	66	72	54	16		8		4		1							
45 to 49 years.....	101	100	74	85	26		15		1									
50 to 54 years.....	141	101	89	73	46		28		4		2							
55 to 59 years.....	182	159	139	132	42		26		1		1							
60 to 64 years.....	242	182	190	148	47		33		5		1							
65 to 69 years.....	275	219	217	186	53		32		4		1			1				
70 to 74 years.....	317	253	261	222	54		30		2					1				
75 to 79 years.....	303	318	254	241	44		73		5		4							
80 to 84 years.....	244	220	187	167	54		47		2		6			1				
85 to 89 years.....	130	164	105	123	28		40		2		1							
90 to 94 years.....	48	44	35	33	11		10		1		1							
95 to 99 years.....	1	12		10	1													
100 years and over.....		2		1														
Unknown.....		1						1										
VIRGINIA																		
All ages.....	16,083	14,735	9,574	8,556	304		186		166		80			6,029	5,906			2
Under 1 year.....	2,742	2,094	1,674	1,220			1		3		2			1,065	869			2
1 to 4 years.....	980	799	592	499	1				5		3			380	295			2
5 to 9 years.....	296	239	201	134					1		1			94	104			
10 to 14 years.....	264	232	155	114					1					108	118			
15 to 19 years.....	456	483	224	217	4				4		1			223	265			
20 to 24 years.....	469	545	243	243	6				1		3			216	299			
25 to 29 years.....	438	559	226	238	6				4		7			202	310			
30 to 34 years.....	479	537	216	250	7				6		8			248	281			
35 to 39 years.....	548	632	251	286	12				6		7			275	337			2
40 to 44 years.....	679	629	314	269	16				6		10			339	352			
45 to 49 years.....	770	752	360	341	16				8		5			389	400			
50 to 54 years.....	983	793	428	339	22				16		13			519	437			
55 to 59 years.....	1,009	807	537	404	27				8		10			435	390			
60 to 64 years.....	1,010	936	582	517	25				25		10			393	389			
65 to 69 years.....	1,214	1,099	836	753	35				25		15			328	313			
70 to 74 years.....	1,237	1,028	907	763	32				20		17			281	236			
75 to 79 years.....	1,120	1,020	859	826	34				19		16			210	160			
80 to 84 years.....	779	795	572	628	36				14		17			153	143			
85 to 89 years.....	394	460	293	352	15				19		9			77	85			
90 to 94 years.....	135	184	83	121	7				6		3			42	57			
95 to 99 years.....	35	58	23	23	1				2		1			17	33			
100 years and over.....	19	28	2	12	1						1			16	15			
Unknown.....	27	26	3	7	1			4			1			19	18			

# DEATHS, BY AGE, SEX, COLOR, AND NATIVITY

TABLE 4.—DEATHS (EXCLUSIVE OF STILLBIRTHS), BY AGE, SEX, COLOR, AND NATIVITY OF WHITE: 1926—  
Continued

[Native white includes native born of both parents native, of one or both foreign, and of both unknown or one unknown and one native]

AREA AND AGE	ALL DEATHS		WHITE						COLORED									
	Males	Females	Native		Foreign		Unknown		Negro		Indian		Chinese		Japanese		Other colored	
			M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	F.	F.
<b>REGISTRATION STATES—Continued</b>																		
<b>WASHINGTON</b>																		
All ages.....	9,265	6,405	5,819	4,501	2,649	1,502	367	112	87	58	166	169	41	5	118	56	18	2
Under 1 year.....	775	577	708	524	1	1	2	2	5	2	31	33	5	1	22	13	3	1
1 to 4 years.....	256	217	197	173	7	1	20	13	2	18	22	18	22	14	14	8	8	1
5 to 9 years.....	206	141	158	118	9	2	10	10	2	9	5	9	5	2	8	3	3	1
10 to 14 years.....	156	116	129	90	5	7	6	6	2	9	9	9	9	2	3	2	2	1
15 to 19 years.....	247	187	199	153	16	16	9	9	2	11	7	7	1	2	2	2	1	1
20 to 24 years.....	297	228	222	181	36	25	20	8	4	13	8	8	1	1	1	1	1	2
25 to 29 years.....	258	206	184	156	44	18	6	10	5	9	15	15	1	6	4	4	3	3
30 to 34 years.....	294	232	180	134	78	27	14	7	7	3	5	5	1	4	6	5	5	5
35 to 39 years.....	372	259	220	193	107	50	16	7	6	3	5	3	6	1	10	2	2	2
40 to 44 years.....	425	302	222	142	142	61	19	3	9	7	7	6	7	15	3	3	3	1
45 to 49 years.....	504	324	274	230	169	80	28	2	12	5	3	3	2	15	4	1	1	1
50 to 54 years.....	588	394	340	270	175	107	33	4	8	2	2	4	2	7	3	3	3	1
55 to 59 years.....	684	404	391	258	247	133	27	3	8	4	4	4	2	5	2	2	2	1
60 to 64 years.....	801	457	426	297	318	142	34	5	6	5	7	6	5	5	5	2	2	2
65 to 69 years.....	942	570	560	361	336	193	35	4	4	4	3	7	4	1	1	1	1	1
70 to 74 years.....	908	538	550	326	319	195	22	6	7	2	3	7	9	3	3	3	3	1
75 to 79 years.....	744	524	425	323	294	187	16	4	1	4	6	6	2	2	2	2	2	1
80 to 84 years.....	461	391	248	249	197	133	12	3	2	2	2	2	2	1	1	1	1	1
85 to 89 years.....	239	231	121	142	108	76	4	6	2	1	6	6	3	3	3	3	3	3
90 to 94 years.....	88	91	50	48	32	40	1	1	1	1	5	5	3	3	3	3	3	3
95 to 99 years.....	16	10	9	2	5	6	1	1	1	1	2	2	1	1	1	1	1	1
100 years and over.....	3	6	1	1	1	2	1	1	1	3	1	3	1	1	1	1	1	1
Unknown.....	21	1	1	3	2	15	1	1	1	1	1	3	1	1	1	1	1	1
<b>WEST VIRGINIA</b>																		
All ages.....	9,999	8,144	8,158	7,011	568	305	144	66	1,129	762								
Under 1 year.....	1,991	1,604	1,818	1,444	1	1	2	1	171	158								
1 to 4 years.....	802	749	686	578	1	1	3	6	70	57								
5 to 9 years.....	207	196	194	154	1	1	1	3	12	11								
10 to 14 years.....	148	122	135	104	4	4	4	4	15	12								
15 to 19 years.....	319	274	275	227	14	5	10	2	40	39								
20 to 24 years.....	469	316	367	256	18	10	7	2	78	53								
25 to 29 years.....	399	306	275	235	47	11	8	2	99	59								
30 to 34 years.....	368	280	228	220	47	11	8	2	85	47								
35 to 39 years.....	373	293	215	228	55	27	10	4	93	36								
40 to 44 years.....	419	301	252	245	66	23	13	2	88	31								
45 to 49 years.....	441	294	283	231	68	16	17	2	73	43								
50 to 54 years.....	503	331	362	276	47	18	8	3	86	35								
55 to 59 years.....	423	331	324	271	32	25	10	6	57	29								
60 to 64 years.....	478	399	385	355	37	13	11	1	45	30								
65 to 69 years.....	537	486	507	426	42	23	8	3	30	24								
70 to 74 years.....	674	527	596	452	42	43	8	6	28	26								
75 to 79 years.....	600	517	531	443	43	45	11	5	24	19								
80 to 84 years.....	481	442	420	395	29	28	10	4	22	15								
85 to 89 years.....	223	241	192	217	16	10	5	2	10	9								
90 to 94 years.....	70	34	9	28	2	2	2	2	3	4								
95 to 99 years.....	14	9	1	6	1	1	1	1	3	3								
100 years and over.....	1	9	1	6	1	1	1	1	3	3								
Unknown.....																		
<b>WISCONSIN</b>																		
All ages.....	16,541	13,650	10,198	8,743	5,757	4,617	322	99	146	73	118	118						
Under 1 year.....	2,210	1,635	2,163	1,612	2	4	3	1	14	9	28	14						
1 to 4 years.....	605	479	581	456	4	4	1	1	6	6	14	12						
5 to 9 years.....	295	224	282	208	5	5	1	1	1	2	6	9						
10 to 14 years.....	229	167	216	159	7	1	1	1	1	1	4	5						
15 to 19 years.....	370	279	355	261	9	9	1	2	3	1	2	6						
20 to 24 years.....	376	402	333	348	24	24	4	3	11	10	4	17						
25 to 29 years.....	364	387	290	341	53	38	7	2	12	4	2	2						
30 to 34 years.....	470	446	348	381	91	52	14	2	16	6	1	5						
35 to 39 years.....	562	440	383	352	139	74	19	2	19	8	2	4						
40 to 44 years.....	673	468	423	343	194	114	28	5	19	2	9	4						
45 to 49 years.....	714	500	444	348	227	141	35	4	7	3	1	4						
50 to 54 years.....	853	669	500	467	295	184	34	6	16	9	8	3						
55 to 59 years.....	963	754	554	488	370	256	28	3	3	4	8	3						
60 to 64 years.....	1,306	988	698	558	565	417	36	6	4	5	3	2						
65 to 69 years.....	1,512	1,301	812	734	664	545	29	10	3	1	4	11						
70 to 74 years.....	1,635	1,267	753	627	838	626	32	13	3	1	9	1						
75 to 79 years.....	1,501	1,329	543	497	926	809	25	18	4	1	3	4						
80 to 84 years.....	1,099	968	316	312	770	640	9	9	1	1	3	7						
85 to 89 years.....	529	606	147	159	373	498	5	6	1	1	3	2						
90 to 94 years.....	207	261	44	75	156	181	5	4	2	1	2	1						
95 to 99 years.....	52	66	11	14	41	50	1	1	1	1	1	1						
100 years and over.....	6	10	2	2	3	7	2	1	2	1	1	1						
Unknown.....	10	4	2	1	1	2	6	1			1	1						

MORTALITY STATISTICS

TABLE 4.—DEATHS (EXCLUSIVE OF STILLBIRTHS), BY AGE, SEX, COLOR, AND NATIVITY OF WHITE: 1926—  
Continued

[Native white includes native born of both parents native, of one or both foreign, and of both unknown or one unknown and one native]

AREA AND AGE	ALL DEATHS		WHITE						COLORED										
			Native		Foreign		Unknown		Negro		Indian		Chinese		Japanese		Other colored		
	Males	Females	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	
REGISTRATION STATES— Continued																			
WYOMING																			
All ages.....	1,174	728	824	578	205	104	97	14	11	7	19	17	8		9	8	1		
Under 1 year.....	182	151	170	140			1	2	1		8	4			2	5			
1 to 4 years.....	56	53	50	51				1		1	4		1		1				
5 to 9 years.....	22	20	20	19							1	1							
10 to 14 years.....	28	16	25	14				1			3	1							
15 to 19 years.....	32	19	28	16	3	2	1	1											
20 to 24 years.....	38	28	31	24	4	4	2			1									
25 to 29 years.....	43	36	28	33	8	1	5			1					1	2			
30 to 34 years.....	53	34	32	27	14	4	6	2				1			1				
35 to 39 years.....	73	45	44	37	17	5	9	1	2	1					1				
40 to 44 years.....	71	37	35	27	25	6	9	1	2	2		1			2				
45 to 49 years.....	66	35	36	27	23	6	3	2	2				1						
50 to 54 years.....	58	31	32	22	12	8	14										1		
55 to 59 years.....	74	31	56	20	11	5	5	1	1	2	1	3							
60 to 64 years.....	86	21	53	16	18	5	11		1		1		2						
65 to 69 years.....	80	43	58	32	13	10	7		1			1	1						
70 to 74 years.....	77	51	47	30	22	20	6	1	1		1								
75 to 79 years.....	76	36	47	20	22	13	7					3							
80 to 84 years.....	27	20	16	13	6	5	4			1		1	1						
85 to 89 years.....	19	15	12	7	4	8	3												
90 to 94 years.....	4	4	2	2	2	1		1											
95 to 99 years.....	1	1	1			1													
100 years and over.....	1			1															
Unknown.....	8		1		1		4						2						

NOTE.—Populations in reports of Fourteenth Census of the United States, 1920; Vol. II, Ch. III, Tables 13 and 14, and Thirteenth Census of the United States, 1910; Vol. I, Ch. IV, Tables 43 and 44.

MORTALITY STATISTICS

TABLE 5.—DEATHS (EXCLUSIVE OF STILLBIRTHS)

'Urban' includes cities of 10,000 inhabitants or more in 1920; the remainder of the State is included in "rural." White and colored are shown separately for minor causes. Numbers under causes of death contain State insane asylums, State hospitals, etc.

AREA AND COLOR	All causes	Typhoid and paratyphoid fever	Malaria	Small-pox	Measles	Scarlet fever	Whooping cough	Diphtheria	Influenza	Erysipelas	Meningococcal meningitis	Tuberculosis of the respiratory system	Tuberculosis of the meninges, etc.	Other forms of tuberculosis	Cancer and other malignant tumors	Rheumatism
		1	5	6	7	8	9	10	11	21	24	31	32	33-37	43-49	51, 52
1 The registration area in continental United States.....	White..... 1,113,104 Colored... 172,823	4,800 2,026	926 1,080	336 41	8,002 605	2,587 75	7,878 1,639	7,209 647	35,656 7,153	2,552 128	1,298 115	61,236 19,189	3,168 620	5,569 1,536	94,211 5,622	3,652 567
2 Registration States <sup>1</sup> .....	White..... 1,093,850 Colored... 163,406	4,681 1,917	890 1,035	336 40	7,983 596	2,565 73	7,546 1,582	7,076 618	34,806 6,721	2,533 121	1,274 111	59,570 18,235	3,107 610	5,485 1,733	92,819 5,357	3,613 537
3 Cities in registration States <sup>2</sup> .....	White..... 576,242 Colored... 73,577	1,504 401	112 127	232 17	4,275 351	1,270 38	3,162 658	4,017 273	12,694 2,389	1,369 76	775 62	28,325 7,833	2,083 412	2,865 993	53,818 2,850	1,814 275
4 Rural part of registration States.....	White..... 517,608 Colored... 89,829	3,177 1,516	778 908	104 23	3,708 245	1,295 35	4,384 924	3,059 345	22,112 4,332	1,164 45	499 49	31,245 10,402	1,024 198	2,620 740	39,001 2,507	1,799 262
5 Registration cities in non-registration States.....	White..... 19,254 Colored... 9,417	119 109	36 45	1 1	19 9	22 2	132 57	133 29	850 432	19 7	24 4	1,666 904	61 10	84 103	1,392 265	39 30
6 All registration cities <sup>2</sup> .....	White..... 595,496 Colored... 82,994	1,623 610	148 172	232 18	4,294 360	1,292 40	3,294 715	4,150 302	13,544 2,821	1,388 83	799 66	29,991 8,737	2,144 422	2,949 1,096	55,210 3,115	1,833 305
7 Alabama.....	White..... 15,416 Colored... 14,276	207 169	95 122	3 2	111 23	16 3	178 124	173 47	878 707	39 7	10 5	771 1,390	30 17	58 114	813 358	45 54
8 Urban.....	White..... 4,165 Colored... 4,199	84 29	7 20	1 1	26 9	3 1	44 43	27 10	182 244	8 3	3 4	1,333 352	13 11	16 43	269 116	6 14
9 Rural.....	White..... 11,251 Colored... 10,077	173 140	88 102	3 1	85 14	13 4	134 81	146 37	696 463	31 4	7 1	638 1,038	17 6	42 71	544 242	39 40
10 Arizona.....	White..... 4,791 Colored... 781	27 4	1 1	6 4	4 4	10 1	44 2	18 3	195 56	7 2	6 1	1,174 204	26 15	31 12	193 5	10 2
11 Urban.....	White..... 1,962 Colored... 175	9 1	1 1	5 1	1 1	1 1	12 1	4 5	53 5	2 2	1 1	755 64	17 3	15 2	84 2	1 1
12 Rural.....	White..... 2,829 Colored... 606	18 3	1 1	4 4	9 4	9 2	32 7	14 6	142 51	5 2	5 1	419 140	9 12	16 12	109 3	9 1
13 California.....	White..... 55,875 Colored... 3,039	103 18	14 11	224 11	118 8	45 4	163 9	288 10	1,015 71	59 4	105 11	4,629 507	187 53	380 62	5,514 146	110 5
14 Urban.....	White..... 32,974 Colored... 1,753	52 10	6 6	197 46	46 2	25 2	73 2	178 4	432 34	32 4	76 11	2,311 254	119 39	223 46	3,712 93	69 3
15 Rural.....	White..... 22,901 Colored... 1,286	51 8	8 1	27 4	72 2	20 2	90 7	110 6	583 37	27 6	29 1	2,318 253	68 14	157 16	1,802 53	41 2
16 Colorado.....	White..... 11,929 Colored... 344	61 1	1 1	1 1	13 2	22 11	175 7	94 3	579 14	37 14	11 7	1,360 83	28 2	51 3	849 20	36 2
17 Urban.....	White..... 5,432 Colored... 182	18 1	1 1	1 1	2 1	11 11	52 123	34 60	218 361	20 17	7 4	655 705	18 10	24 27	429 420	19 17
18 Rural.....	White..... 6,497 Colored... 162	43 1	1 1	1 1	11 4	11 2	123 7	60 3	361 7	17 7	4 1	705 44	10 1	27 2	420 9	17 1
19 Connecticut.....	White..... 17,820 Colored... 498	30 6	1 1	1 1	197 6	36 6	79 6	86 1	471 15	46 15	13 12	991 628	67 59	80 10	1,641 285	57 47
20 Urban.....	White..... 13,545 Colored... 427	26 4	1 1	1 1	143 5	28 4	63 4	75 1	369 14	39 4	12 1	628 55	59 2	10 24	1,285 24	47
21 Rural.....	White..... 4,275 Colored... 71	4 1	1 1	1 1	54 1	8 2	16 2	11 1	102 1	7 1	1 1	363 16	8 1	11 3	356 3	10
22 Delaware.....	White..... 2,753 Colored... 694	9 5	1 1	1 1	44 8	5 3	15 6	16 2	85 29	4 4	1 1	157 76	13 2	10 4	214 23	7 4
23 Urban.....	White..... 1,360 Colored... 255	4 1	1 1	1 1	25 6	3 2	12 2	15 1	35 12	4 1	1 1	61 16	12 2	8 1	104 11	4
24 Rural.....	White..... 1,393 Colored... 439	5 5	1 1	1 1	19 2	2 2	3 4	1 1	50 17	1 1	1 1	96 60	1 3	2 3	110 12	3
25 Florida.....	White..... 12,173 Colored... 7,871	102 88	106 124	2 5	19 9	14 1	28 31	102 20	388 324	11 2	16 3	460 633	17 7	44 39	730 159	23 16
26 Urban.....	White..... 4,205 Colored... 2,850	46 24	12 22	2 1	6 2	4 2	14 10	35 6	96 127	4 2	7 2	198 267	10 3	19 18	302 51	5 2
27 Rural.....	White..... 7,968 Colored... 5,021	56 64	94 102	4 4	13 7	10 1	14 21	67 14	292 197	7 2	9 1	262 366	7 4	25 21	428 108	18 14
28 Idaho.....	White..... 3,701 Colored... 170	21 1	1 1	1 1	3 1	19 1	42 8	23 3	196 26	14 1	22 4	109 44	5 7	8 7	251 3	14
29 Urban.....	White..... 510 Colored... 24	2 1	1 1	1 1	1 1	1 1	8 1	3 1	15 1	1 1	4 1	14 1	1 1	2 2	49 2	1
30 Rural.....	White..... 3,191 Colored... 146	19 1	1 1	1 1	3 1	18 1	34 6	20 1	181 25	13 1	18 1	95 43	4 7	6 5	202 1	13
31 Illinois.....	White..... 79,565 Colored... 5,766	216 18	43 5	4 4	335 18	235 4	337 37	397 18	1,915 105	192 5	53 8	4,082 821	156 42	314 82	7,279 237	305 33
32 Urban.....	White..... 48,528 Colored... 4,655	73 9	4 1	1 1	135 14	136 4	162 30	278 17	864 76	123 5	39 6	2,260 641	120 40	186 65	4,716 161	183 26
33 Rural.....	White..... 31,037 Colored... 1,111	143 9	39 4	3 2	200 4	99 4	175 7	119 1	1,051 29	69 1	14 2	1,822 180	36 2	128 16	2,563 46	122 7
34 Indiana.....	White..... 37,838 Colored... 2,178	199 14	10 2	7 1	428 20	101 1	381 38	177 8	1,648 78	112 1	10 2	1,912 249	128 13	252 42	3,186 70	120 10
35 Urban.....	White..... 16,148 Colored... 1,827	69 12	4 2	1 1	212 19	40 3	173 32	91 8	516 63	46 1	10 2	650 179	65 9	107 35	1,433 58	52 9
36 Rural.....	White..... 21,695 Colored... 351	130 2	6 1	7 1	216 1	61 1	208 6	86 15	1,132 15	66 1	9 1	1,282 70	63 4	145 7	1,753 12	68 1
37 Iowa.....	White..... 25,120 Colored... 348	50 2	4 1	2 1	63 24	46 13	157 6	111 9	1,109 274	59 19	17 5	716 58	33 1	105 5	2,583 10	101 2
38 Urban.....	White..... 8,588 Colored... 243	15 2	1 1	1 1	24 1	13 1	54 4	50 6	274 6	19 1	5 1	279 37	19 1	49 5	905 8	39 2
39 Rural.....	White..... 16,532 Colored... 103	35 1	3 1	2 1	39 1	33 1	103 2	61 3	835 3	40 3	12 1	437 21	14 1	56 1	1,678 2	62

<sup>1</sup> Excluding collision with railroad trains and street cars.





# DEATHS FROM IMPORTANT CAUSES, BY COLOR

61

## FROM IMPORTANT CAUSES, BY COLOR: 1926—Continued

subdivisions when the colored population formed at least 10 per cent of the total, or numbered 10,000 or more, in 1920. Minor areas which are designated by asterisks (\*) death correspond to those of the 1920 revision of the detailed International List

Diabetes mellitus	Cerebral hemorrhage and softening	Diseases of the heart	Bronchitis	Pneumonia (all forms)	Diarrhea and enteritis (under 2 years)	Appendicitis and typhilitis	Hernia, intestinal obstruction	Cirrhosis of the liver	Nephritis	Puerperal septicaemia	Other puerperal causes	Congenital malformations and diseases of early infancy	Suicide	Homicide	Automobile accidents			Other external causes	Unknown or ill-defined diseases	All other causes
															Primary	Railroad trains	Street cars			
57	74, 83	87-90	99	100, 101	113	117	118	122	123, 129	146	143-145 147-150	159-163	165-174	197-200	188c	pt. of 188a	pt. of 188b	175-187, pt. of 188a, b, 188d-196	201-203	204, 205
310 20 98 15 212 5	1,771 94 472 56 1,299 38	2,709 174 754 112 1,955 62	107 9 28 7 79 2	1,015 84 318 59 697 25	324 34 108 32 216 2	302 13 122 10 180 3	203 19 80 14 123 5	104 9 33 6 71 3	1,439 107 427 83 1,012 24	98 7 39 4 59 3	135 5 45 3 90 2	1,079 57 321 31 758 26	201 8 66 6 135 2	67 36 32 30 35 6	232 9 79 8 153 1	43 1 10 1 33 2	2 ----- ----- ----- 2 -----	899 41 276 28 623 13	132 11 17 7 115 4	3,199 208 996 135 2,203 68
238 25 87 10 151 15	1,514 245 504 344 1,010 146	2,970 725 956 344 1,834 381	117 52 29 38 88 19	1,982 429 523 222 1,459 207	1,076 114 204 33 872 81	265 22 116 10 149 12	163 33 61 19 102 14	111 11 42 3 69 8	1,818 455 524 193 1,294 262	116 13 32 6 84 7	194 31 429 68 1,230 23	1,659 170 429 73 68 102	206 18 73 9 183 9	225 141 42 74 143 17	245 32 102 15 14 17	17 ----- 3 ----- 14 -----	2 ----- 2 ----- ----- -----	1,277 181 279 56 998 125	459 54 13 291 446 49	3,924 757 1,024 281 2,900 466
150 70 93 47 57 30	616 552 312 205 304 347	1,777 1,671 1,062 739 715 882	53 37 15 38 38 37	911 973 995 441 546 532	335 327 110 66 225 209	192 101 132 66 60 35	120 93 76 56 44 37	111 78 66 37 45 41	1,117 1,009 624 441 493 568	75 63 43 32 101 40	156 151 55 53 186 98	747 481 279 186 468 295	127 15 88 9 39 6	128 275 69 125 59 150	194 77 98 41 96 36	8 3 4 1 1 2	1 1 1 1 1 1	669 535 308 139 361 346	206 535 12 16 194 519	1,793 2,125 870 372 923 1,323
188 62 126	1,088 296 792	1,993 628 1,365	85 18 67	832 311 521	163 52 111	121 60 61	80 32 48	40 12 28	918 274 644	24 14 10	86 39 47	697 214 483	112 30 82	8 3 5	1 48 51	1 ----- 3	3 ----- 1	434 162 272	126 28 98	1,844 658 1,186
330 33 223 19 107 14	1,441 341 806 199 635 142	2,918 725 1,811 464 1,107 271	115 35 64 10 51 25	1,608 193 1,091 498 517 227	374 25 180 84 194 109	137 25 120 19 34 6	159 48 125 34 22 14	85 11 62 6 23 5	1,901 579 1,102 318 799 261	46 20 34 13 12 7	78 46 56 27 22 19	940 330 156 174 384 156	180 15 114 7 66 8	44 64 28 40 16 24	251 61 169 43 82 18	7 1 2 1 5 1	1 ----- 1 ----- -----	760 226 462 134 298 92	73 69 9 4 64 65	2,114 1,143 1,303 811 388
833 11 685 10 148 1	4,025 67 3,031 59 994 8	10,700 165 8,417 229 145 2,283	304 10 7 134 75 20	4,766 140 3,963 715 134 803	796 16 492 715 14 81	523 7 387 12 12 37	424 13 57 191 12 42	233 5 57 2 5 6	3,656 87 2,996 56 660	179 2 162 2 17	352 2 316 3 36	3,115 49 2,708 42 407	457 8 370 8 87	78 6 69 6 9	675 3 576 6 99	9 8 3 8 6	8 7 8 8 6	2,001 31 1,624 26 377	88 15 66 3 22	7,459 153 6,011 133 1,448
737 16 412 14 325 2	4,231 122 1,730 86 4,403 128	8,555 388 4,162 260 4,403 128	436 22 229 16 207 6	3,964 517 2,543 467 4,421 60	984 41 668 34 316 7	677 50 486 47 191 3	534 29 361 28 173 3	330 12 164 9 106 3	2,979 119 1,511 83 1,468 31	285 21 210 16 75 3	346 21 228 9 118 5	3,666 121 2,282 97 1,384 216	566 13 331 13 235 8	290 171 239 163 51 8	1,079 33 717 25 362 8	86 3 43 3 43 8	33 3 16 3 17	2,441 100 1,251 75 1,190 25	202 6 43 3 159 3	8,450 4,608 3,717 3,791 4,921
438 3 195 2 243 1	1,871 12 723 9 1,148 3	4,197 45 1,809 26 2,388 19	136 38 38 98 98	1,844 54 874 18 970 36	236 11 71 3 165 8	402 4 222 4 180 8	261 2 81 2 83 8	164 2 52 2 63 2	1,515 11 552 64 963 6	111 4 90 2 47 2	186 28 698 90 96	1,716 28 698 172 1,018 23	357 3 24 24 185 3	53 3 3 24 29 3	323 3 166 1 157 2	23 3 5 1 18 2	10 3 10 7 747 11	1,222 15 475 1 114 42	124 12 2,365 1 217 11	4,922 71 2,365 29 2,119 42
105 73 30 11 75 62	539 593 85 115 454 478	915 1,179 169 208 746 971	33 19 5 3 28 16	676 992 111 139 565 863	243 275 32 41 211 243	141 130 48 28 93 89	99 59 14 8 71 81	43 14 8 3 29 51	826 165 184 190 642 975	49 68 14 17 35 58	113 170 19 48 94 153	623 388 89 48 534 340	58 17 12 2 41 15	103 356 17 67 86 289	139 76 37 14 102 62	11 5 3 14 8 5	1 ----- ----- ----- -----	467 636 126 110 341 526	519 2,144 44 209 475 1,935	1,393 2,378 305 380 1,088 1,935
579 33 293 19 286 14	2,632 195 948 490 1,684 90	5,626 677 2,854 15 2,772 187	222 27 91 15 131 12	3,220 638 1,716 501 1,504 137	863 103 365 45 498 58	544 46 214 30 169 16	358 44 187 25 144 13	308 31 187 25 121 6	3,755 567 1,888 456 1,867 111	175 20 97 14 78 6	214 31 81 17 133 14	1,881 159 813 107 1,068 52	518 10 289 7 229 3	228 177 164 139 64 38	452 41 288 30 164 11	46 10 14 10 32 -----	10 ----- ----- ----- ----- -----	1,673 156 757 105 916 205	354 41 28 2 326 39	5,655 599 2,724 394 2,991 205
73 3 23 1 50 2	334 9 101 2 233 7	682 33 240 12 422 21	23 6 -10 5 13 6	439 62 163 5 276 57	66 42 20 5 46 6	100 2 52 48 37 2	55 3 18 37 25 7	43 2 18 109 206 21	315 11 16 109 21 26	37 2 3 16 4 2	39 1 13 4 26 2	356 18 118 1 238 17	90 5 36 1 54 1	40 3 12 30 28 3	8 3 1 ----- 7 3	----- ----- ----- ----- -----	354 22 90 4 264 18	48 55 6 5 42 54	749 31 306 1 445 26	
234 6 57 5 177 1	1,037 12 260 8 777 4	1,909 32 609 25 1,300 7	51 2 8 2 43 2	882 55 306 33 546 22	176 8 109 1 122 1	267 3 109 2 158 1	151 3 60 2 91 1	68 2 16 1 52 1	852 28 251 22 601 6	79 2 38 2 41 2	104 3 31 1 73 2	952 13 265 5 687 8	173 2 57 2 116 1	26 10 11 9 15 2	150 4 51 2 99 2	22 ----- 3 ----- 19 -----	1 ----- 1 ----- ----- -----	557 15 187 11 370 4	79 3 7 2 72 4	2,112 73 732 480 1,380 24
115 57 58	688 264 424	1,229 449 780	78 34 44	561 254 307	63 38 25	56 30 22	57 13 29	42 13 29	522 224 298	16 6 10	50 30 20	371 204 167	59 25 34	3 1 2	68 32 36	4 ----- 4	1 ----- 1	251 110 141	43 34 9	1,052 445 607
747 25 479 21 268 4	3,307 227 1,782 137 1,625 90	8,183 463 4,776 304 3,377 159	272 33 180 24 92 9	3,940 573 2,634 447 1,306 126	733 82 506 60 227 22	513 56 440 51 73 5	361 25 281 19 80 6	308 19 195 12 113 7	3,789 297 2,238 193 1,551 104	144 13 112 10 32 3	235 25 184 20 162 51	2,221 220 1,533 162 688 58	475 7 305 4 170 3	112 54 80 45 32 9	741 51 516 42 225 9	53 3 26 27 2 3	9 ----- 7 ----- ----- -----	1,974 149 1,273 83 700 66	46 3 19 3 27 27	4,748 387 2,987 300 1,761 87





MORTALITY STATISTICS

TABLE 5.—DEATHS (EXCLUSIVE OF STILLBIRTHS)

["Urban" includes cities of 10,000 inhabitants or more in 1920; the remainder of the State is included in "rural." White and colored are shown separately for minor counties. Numbers under causes of death contain State insane asylums, State hospitals, etc. Numbers under causes of

AREA AND COLOR		All causes	Typhoid and paratyphoid fever	Malaria	Small-pox	Measles	Scarlet fever	Whooping cough	Diphtheria	Influenza	Erysipelas	Meningococcus meningitis	Tuberculosis of the respiratory system	Tuberculosis of the meninges, etc.	Other forms of tuberculosis	Cancer and other malignant tumors	Rheumatism
			1	5	6	7	8	9	10	11	21	24	31	32	33-37	43-49	51, 52
1	Wisconsin..... White.....	29,736	42		1	152	81	172	158	1,012	75	41	1,511	112	147	3,056	107
	..... Colored.....	455				2		3	1	25	2		99	5	6	14	5
2	Urban..... White.....	12,941	21			71	26	66	87	329	35	17	556	70	70	1,387	53
	..... Colored.....	168				1		2		15	2		26	3		5	3
3	Rural..... White.....	16,795	21		1	81	55	106	71	683	40	24	955	42	77	1,669	54
	..... Colored.....	287				1		1	1	10			73	2	6	9	2
4	Wyoming..... White.....	1,822	7			6	8	16	12	112	1	4	48	1	5	104	6
	..... Colored.....	80							1	1			5	2	1	4	
5	Urban..... White.....	324	1				2	4	3	12			8			2	1
	..... Colored.....	14								1			1			1	
6	Rural..... White.....	1,498	6			6	4	13	11	100	1	4	40	1	5	77	5
	..... Colored.....	66	1				2			3			5	1	2	2	
ALABAMA																	
7	Anniston..... White.....	280	2			7	1	1	2	17		1	9		1	8	
	..... Colored.....	148	4	2		2			2	3			16			5	
8	Bessemer..... White.....	187	2					2	3	7			5	1	1	12	
	..... Colored.....	276		1		2		7	2	19			25		5	7	1
9	Birmingham..... White.....	1,731	9	2		16	1	30	5	83	5	1	47	10	7	119	2
	..... Colored.....	1,987	9	4		5		29	1	110		3	159	10	23	37	5
10	Dothan *..... White.....	199	4	4				1	4	4			2			8	1
	..... Colored.....	86	1	1	1					2	1		7	1		4	2
11	Florence..... White.....	135	3					1	2	11			9			1	
	..... Colored.....	62								10			3			3	
12	Gadsden..... White.....	182	1			2		4	3	4	1		9		4	14	
	..... Colored.....	67						3	1	1		1	6		1	2	
13	Mobile..... White.....	571	4						3	12	1	1	19	1	2	51	
	..... Colored.....	635	2	1				3	3	22	2		51		3	17	3
14	Montgomery..... White.....	432	4			1	1	2	3	23			7			32	3
	..... Colored.....	556	7	6					1	47			41		4	17	3
15	Selma *..... White.....	179	4	1				2	2	10			3	1		12	
	..... Colored.....	283	4	4						22			23		6	15	
16	Tuscaloosa..... White.....	319	1					1		11	1		23		1	12	
	..... Colored.....	199	2	1				1		8			21		1	9	
ARIZONA																	
17	Phoenix *.....	1,215	6					2	4	39	1		433	9	7	50	2
18	Tucson *.....	922	4	1	5		1	10	1	19	1	1	386	11	8	36	
ARKANSAS																	
19	Fort Smith *..... White.....	425	5	1		2		1	2	6	1	1	41		2	33	3
	..... Colored.....	79	1	2						3			6		1	2	
20	Hot Springs *..... White.....	338	2	5						15			15		1	23	1
	..... Colored.....	86		1						4			9			6	
21	Little Rock *..... White.....	1,046	7	2		2	1	6	3	19	1	1	92		4	79	2
	..... Colored.....	674	9	6				5	1	21			85	1	8	16	2
22	North Little Rock..... White.....	57	1			2	2	1		3			3			5	
	..... Colored.....	132	3	3						5			19		3	9	
CALIFORNIA																	
23	Alameda.....	360						1	1	8			10	2	3	51	
24	Bakersfield.....	308	1	1		1		2		8	1	1	28		1	13	
25	Berkeley.....	671							3	12			21	2	4	86	1
26	Eureka.....	271							1	7		1	16	2	4	24	
27	Fresno.....	515	2			3		1	1	16	4		32	5	8	50	2
28	Glendale *.....	601	1		1		2	1	1	6		1	24	4	3	74	
29	Long Beach.....	1,220	1	1	3		1	5	4	14	2		41	6	4	123	2
30	Los Angeles <sup>1</sup> ..... White.....	11,530	10	2	171	10	10	25	78	102	11	29	1,033	39	97	1,268	20
	..... Colored.....	692	4		7		2			5	1	4	105	12	24	36	2
31	Oakland..... White.....	2,673	2	2		5		12	17	35		6	97	8	10	313	9
	..... Colored.....	129				1			1	2			10	3	1	5	
32	Pasadena.....	880			4				3	7			40	5	4	123	4
33	Pomona.....	247					1	3	2	6	2		15	1		25	
34	Richmond.....	152								7						9	2
35	Riverside.....	451	2		1				4	3			57	5	3	37	3
36	Sacramento.....	1,373	8		1	2	1	1	16	29		14	94	8	5	135	3
37	San Bernardino *.....	536	8			6	1	5	5	6	1	2	93	5	5	45	
38	San Diego.....	1,849	2		3			5	11	34	2	5	166	3	10	185	3
39	San Francisco..... White.....	7,257	14		12	17	6	7	20	88	7	10	431	34	53	892	-16
	..... Colored.....	405	1			3		1	1	7		1	73	7	12	81	
40	San Jose.....	570				2		1		15			36		3	62	4
41	Santa Ana.....	281	1						2	5	1		8		5	36	
42	Santa Barbara.....	336				1	1	4	1	10		3	15	1	1	46	
43	Santa Cruz.....	235								6			6		3	33	
44	Santa Monica.....	384	1							1		1	11	1	2	43	
45	Stockton *.....	614	4		1	1	1	2		22	4	9	39	5	3	62	1
46	Vallejo.....	187						1		5			14		1	18	

<sup>1</sup> Excluding collision with railroad trains and street cars.

# DEATHS FROM IMPORTANT CAUSES, BY COLOR

## FROM IMPORTANT CAUSES, BY COLOR: 1926—Continued

subdivisions when the colored population formed at least 10 per cent of the total, or numbered 10,000 or more, in 1920. Minor areas which are designated by asterisks (\*) death correspond to those of the 1920 revision of the detailed International List]

Diabetes mellitus	Cerebral hemorrhage and softening	Diseases of the heart	Bronchitis	Pneumonia (all forms)	Diarrhea and enteritis (under 2 years)	Appendicitis and typhilitis	Hernia, intestinal obstruction	Cirrhosis of the liver	Nephritis	Puerperal septicemia	Other puerperal causes	Congenital malformations and diseases of early infancy	Suicide	Homicide	Automobile accidents			Other external causes	Unknown or ill-defined diseases	All other causes
															Primary	In collision with—				
																Railroad trains	Street cars			
57	74, 83	87-90	99	100, 101	113	117	118	122	128, 129	146	143-145 147-150	159-163	165-174	197-200	188c	pt. of 188a	pt. of 188b	175-187, pt. of 188a, b, 188d-196, 201-203	204, 205	
483	2,435	4,842	193	2,247	441	432	273	199	2,024	100	226	2,115	399	66	377	40	7	1,337	58	4,780
5	15	35	2	76	5	1	1	1	18	1	5	21	3	7	7	3	19	59	10	59
215	855	1,948	91	1,045	220	253	144	96	875	52	123	1,048	182	27	201	13	5	561	10	2,189
4	4	17		33	2	2	1		5		2	5	1	4	1		9	23		23
268	1,580	2,894	102	1,202	221	179	129	103	1,149	48	103	1,067	217	39	176	27	2	776	43	2,581
1	11	18	2	43	3			1	13	1	3	16	2	3	6	3		10	10	36
25	105	210	7	181	31	57	29	12	76	14	27	151	45	28	56	3	1	156	16	312
		7		9	2		2	1	5			2	1	4				5	14	8
8	18	32	2	21	10	15	8	2	9	2	3	35	9	4	11			15	1	62
		1		1			1		2			1		1				1		1
17	87	178	5	110	21	42	21	10	67	12	24	116	36	24	45	3	1	141	15	250
		6		8	2		1	1	3			2	1	3				4	14	7

<sup>2</sup> Nonregistration State; cities shown are those with satisfactory registration of deaths.

<sup>3</sup> Venice annexed to Los Angeles in 1926.

## MORTALITY STATISTICS

TABLE 5.—DEATHS (EXCLUSIVE OF STILLBIRTHS)

["Urban" includes cities of 10,000 inhabitants or more in 1920; the remainder of the State is included in "rural." White and colored are shown separately for minor contain State insane asylums, State hospitals, etc. Numbers under causes of

AREA AND COLOR	All causes	Typhoid and paratyphoid fever	Malaria	Small-pox	Measles	Scarlet fever	Whooping cough	Diphtheria	Infuenza	Erysipelas	Meningococcus meningitis	Tuberculosis of the respiratory system	Tuberculosis of the meninges, etc.	Other forms of tuberculosis	Cancer and other malignant tumors	Rheumatism
		1	5	6	7	8	9	10	11	21	24	31	32	33-37	43-49	51, 52
COLORADO																
1 Boulder	149								6	1		23			13	
2 Colorado Springs*	597							2	11	3		165	2	8	49	2
3 Denver	3,963	10				1	3	31	163	9	4	448	15	13	323	14
4 Greeley	201	5						1	12	1		10		1	13	3
5 Pueblo	548	2				2			27	5	2	43	2	3	40	1
6 Trinidad	156	1						9	6	1	1	15			2	1
CONNECTICUT																
7 Ansonia	170					2		4	12	7	1	11	1		11	1
8 Bridgeport	1,692	1				26	6	11	72	7	1	74	6	15	158	3
9 Bristol	262					1	4	2	6			9	2		26	
10 Danbury town	400	1				3		1	11	3	2	19	1	3	42	1
11 Derby	176					2		1	4			1			16	
12 East Hartford town	108					1		1		1		4		1	5	
13 Enfield town	113					1		1	4			2	2	1	9	2
14 Fairfield town	120	1				1	4	1	1	2		12	1	1	8	1
15 Greenwich town	254					1	1	1	9		2	16		1	21	1
16 Hartford	2,129	5				17	3	7	24	3	4	69	8	13	234	4
17 Manchester town	168					3			1		4	6	1		23	1
18 Meriden	476	2				6	3	1	16	1		22	2	3	43	2
19 Middletown*	531					2		1	8			26		2	30	
20 Milford town	134					1			1	1		4		1	11	
21 Naugatuck	92							1	1	1		2			12	
22 New Britain	637	3				3		8	22	1		33	5	1	57	2
23 New Haven	2,212	4	1			8	5	11	46	8	1	66	14	14	218	16
24 New London	416	3				6	1	1	9	1		14	2		40	2
25 Norwalk	458					3	1		20			19		3	49	2
26 Norwich town*	524	1	1			9		4	15			98	3	4	48	
27 Orange town	272					1			7			68	1	1	21	
28 Stamford town	625	1				21		4	26	2		24	2	4	58	
29 Stonington town	138					3			4			3			13	
30 Stratford town	131					3	1		7	1		5		2	12	2
31 Torrington town	240	2				3		4	14			11	3	1	23	2
32 Wallingford town	123					2		2	2	1		3			10	
33 Waterbury	1,194	2				20		2	39	6	2	51	6	7	95	5
34 Windham town	184					2	2		4			11	1	1	16	
DELAWARE																
35 Wilmington	1,360	4				25	3	12	35	4		61	12	8	104	4
Colored	255					6		2	12			16	2	1	11	
DISTRICT OF COLUMBIA																
36 Washington	4,533	10	1			30	5	25	78	2	4	221	16	14	454	10
Colored	2,305	4	1			8	3	16	37	1		321	11	15	152	4
FLORIDA																
37 Jacksonville	1,038	7	1	1	3	2	6	8	20	2	1	44	5	4	69	2
Colored	1,220	2	4				5	3	44		1	151	1	7	25	
38 Key West	162	2						4	6			12		1	14	
Colored	64		1						5			4		2	1	
39 Miami	1,085	12	4		2	1	1	11	14	2	2	47	1	5	68	1
Colored	655	7	6	1			1	2	45		1	42	1	3	9	1
40 Pensacola	307	7	2	1			2	4	21			14		1	16	
Colored	213	4	5				1	1	16			10			5	
41 St. Petersburg	516	2	1					2	4		2	24	1	4	63	1
Colored	163	2	2		1		1	1	5			13	1	2	3	
42 Tampa	1,097	16	4		1	1	1	10	31		2	57	3	4	72	1
Colored	535	9	4		1		2		12			47		4	8	1
GEORGIA <sup>2</sup>																
43 Albany	85								2			2			5	1
Colored	188	3	5						11			17		1	5	1
44 Athens	131	1	1						6			5			9	
Colored	132	1	1						6			17		1	5	2
45 Atlanta	1,901	16	2		4	3	9	23	70	2	4	78	3	11	167	4
Colored	2,006	33	3		5		17	8	63	3	3	131	5	30	56	6
46 Augusta*	579	2	5				4	10	16	1		24	1	3	43	1
Colored	653	13	5	1		1	4	4	35		1	56		9	27	3
47 Brunswick	78		1						1			2			1	1
Colored	116		1						3			14		1	1	
48 Columbus	383	2	2		3		3		9	1		21		3	23	
Colored	313	1	2		2		5		10			23		1	5	1
49 La Grange	124	1				1		1	8			6		2	9	1
Colored	124	6							11	1		14			2	1
50 Macon	454	5						1	14	1	1	21		1	21	1
Colored	678	10	3				2	1	27			51		9	16	3
51 Savannah*	540	1	1					1	18		1	20	1		50	
Colored	1,079	2	1					1	33			123	2	3	17	2
52 Waycross	135	1	1					4	5			3			5	1
Colored	147								6			22		3	6	

<sup>1</sup> Excluding collision with railroad trains and street cars.

# DEATHS FROM IMPORTANT CAUSES, BY COLOR

## FROM IMPORTANT CAUSES, BY COLOR: 1926—Continued

subdivisions when the colored population formed at least 10 per cent of the total, or numbered 10,000 or more, in 1920. Minor areas which are designated by asterisks (\*) death correspond to those of the 1920 revision of the detailed International List]

Diabetes mellitus	Cerebral hemorrhage and softening	Diseases of the heart	Bronchitis	Pneumonia (all forms)	Diar- rhea and enteritis (under 2 years)	Ap- pendicitis and typh-litis	Her- nia, intes- tinal ob- struction	Cir- rhosis of the liver	Ne- phri- tis	Puer- peral septi- cemia	Other puer- peral causes	Con- genital mal- forma- tions and dis- eases of early infancy	Sui- cide	Homi- cide	Automobile accidents			Other external causes	Un- known or ill- de- fined dis- eases	All other causes	
															Primary	In collision with— Rail- road trains	Street cars				
57	74, 83	87-90	99	100, 101	113	117	118	122	128, 129	146	143-145 147-150	159-163	165-174	197-200	188c	pt. of 188a	pt. of 188b	175-187, pt. of 188a, b, 188d-196, 201-203	204, 205		
4	11	37		7	2	7	1	2	5	1		4			1			4		19	1
9	41	66		34	3	10	5	3	30	2		30	6		8			16		95	2
47	260	584	10	335	56	93	48	11	277	19	26	191	74	13	48	2	1	142	6	647	3
4	17	23		13	6	8	2		11	2	3	12	2		4	1		16		31	4
3	31	58	3	57	18	9	5	3	37	2	3	28	10	8	10			25		99	5
1	11	24	1	21	17	4			16			8	4							13	6
4	22	31	5	13	5			2	4			12	3					2		17	7
34	104	323	4	150	19	19	17	15	107	9	8	109	24	7	31		1	82	15	211	8
4	21	32	1	31	9	1	4	3	21	3		33	4	1	6			6	4	27	9
10	25	72	3	22	3	1	6	1	40	2	3	21	5	2	4			25	1	67	10
2	13	30	1	24	2	4	1	1	8	1	2	17	2		5			14	2	23	11
1	5	31	1	12	1		1		8			6	2	1				7		14	12
4	10	27	3	6	4		1	1	4		1	13	5					1		16	13
1	8	24	1	9	5				3			5	1				1	4		20	14
3	20	43	1	16		4		1	21	3	4	17			7			19		39	15
31	118	420	10	195	47	39	24	10	182	1	12	161	20	8	46	1		114		287	16
5	8	38	1	17	2	2	1	1	14		1	6			1		1	11		21	17
7	40	72	4	56	7	3	5		43	2	3	25	5	1	15			13	1	72	18
6	37	119		77	5	4	4	3	33		4	23	9	2	10	1		27	1	91	19
2	18	34	1	12	1	1	1	1	17			8	4		2			5	2	8	20
12	10	21	2	11	1				7		1	6			1			1		13	21
60	40	101	5	62	19	11	9	6	38	1	6	68	8	1	9			44	2	59	22
11	172	391	15	245	19	40	24	11	177	8	17	115	32	2	42		1	81	1	342	23
	29	96	2	30	4	3	8	2	37		2	31	5	2	8			20		46	24
9	65	82	2	48	8	1	2		34		1	33	6	2	11			15		40	25
12	37	70		29	11	10	2	3	39	5	4	29	3		4			17		65	26
2	28	52	3	18	2	1		1	23			17	2	1	1			9		13	27
15	43	116	1	61	7	10	2	3	59	5	10	40	13	1	9			29		50	28
4	17	42	3	11					8			5	1					5		17	29
2	13	33	1	10			1	2	7		1	6		1				6		13	30
1	16	39	3	23	1	2	3	2	19	1	1	15	1		5			15		23	31
1	21	20	1	15			3		22			1	2	1				4	2	10	32
25	92	176	2	123	23	15	17	10	117	12	11	98	8	2	18	1		48	2	151	33
4	14	29	5	11	2	8	3		16			9			8			8		30	34
20	102	222	4	143	26	16	19	7	160	6	15	56	15	8	24		1	62		167	35
5	20	46	2	27	9	5	3	2	15	2		11	1	4	5			12		35	
86	342	980	31	340	62	68	52	26	445	13	26	231	80	10	69			173	2	655	36
39	168	518	21	331	69	25	25	14	281	15	15	144	6	42	29	1		33	4	396	
20	57	142	1	70	35	20	21	7	118	10	13	60	13	21	27			53	7	168	37
5	90	117	18	102	30	10	18	7	96	14	7	49	2	84	11			53	27	237	
2	9	25		6	10		2	3	19		2	10	4	1	1			11	1	17	
3	13	2		2	2				11			2		3				8		7	
15	62	116	2	49	37	24	12	3	69	8	16	93	17	23	50	1	1	115	15	186	38
4	32	32	2	58	37	11	9		23	3	7	59	2	84	12	1	1	48	10	102	39
2	24	29	3	18	17	14	1	2	31	1	1	18	1	2	2	1		26	2	44	40
4	13	15		16	16		2		26	1		15		2	4			19	2	45	
10	45	112	1	17	7	10	5	5	55		4	30	2	1	9			29	4	70	
1	1	17		13	3	2	2		12	3	2	9		6	5			16	4	39	41
12	48	135	3	76	48	20	8	10	110	2	12	71	23	24	38			66	27	161	
1	26	48		41	23	7	2	5	40	4	6	41		45	15			31	6	106	42
3	3	9		3	2	3	1		12	1	2	11		2	1			7		15	43
2	5	24		13	8	2		2	23	1		13		4				6	4	40	
2	15	15	1	5	2	1	4		14			9	3	1	1			12		22	44
3	15	25	2	5	2	2			11	1	2	7		3	1			6	4	16	
19	134	215		127	42	36	25	12	215	12	18	166	33	10	51	3	1	97	12	281	45
15	154	289	24	189	59	16	9		178	15	22	121	3	65	17			92	28	318	
6	48	76		41	21	12	5	1	56	3		31	6	6	25			27	1	104	46
3	43	87	4	64	17	11	8	2	53	4	3	24		18	7			23	1	122	
1	7	16		6	5		2		6			4	1		3					19	47
2	16	16		3	2	4	1	2	9		2	12		1	2			6	4	16	
3	24	45	1	37	8	6	3	2	33	1	10	30	4	5	7			16	5	76	48
3	26	30		29	13	5	3		28	1	3	11	1	5	3			17	6	81	
1	5	12		19	2	1		3	15	1		15			1			1		19	49
1	5	17		8	5	1	1		14	1	3	4		3	2			5	2	18	
2	33	45	2	19	8	3	1	2	64	1	5	29	4	2	11	3		26	7	72	50
2	55	71	6	51	27	4	8	2	87	3	7	35	1	14	11	1		28	9	112	
9	52	81	1	30	13	7	10	4	57	2	3	46	12	4	10			23	2	89	51
11	71	194	7	107	30	16	13	4	114	2	14	52		31	6			38		182	
2	9	8		10	8	3			21	2	1	9		4	7			11	2	19	52
2	9	8	1	14	7	1	4		21	1	1	4		1				8	3	23	

\* Nonregistration State; cities shown are those with satisfactory registration of deaths.

MORTALITY STATISTICS

TABLE 5.—DEATHS (EXCLUSIVE OF STILLBIRTHS)

["Urban" includes cities of 10,000 inhabitants or more in 1920; the remainder of the State is included in "rural." White and colored are shown separately for minor cities. Numbers under causes of death contain State insane asylums, State hospitals, etc. Numbers under causes of death

AREA AND COLOR	All causes	Typhoid and paratyphoid fever	Malaria	Smallpox	Measles	Scarlet fever	Whooping cough	Diphtheria	Influenza	Erysipelas	Meningococcus meningitis	Tuberculosis of the respiratory system	Tuberculosis of the meninges, etc.	Other forms of tuberculosis	Cancer and other malignant tumors	Rheumatism
		1	5	6	7	8	9	10	11	21	24	31	32	33-37	43-49	51, 52
IDAHO																
1 Boise.....	322						5	2	9		2	12	1		39	1
2 Pocatello.....	212	3	1			2	3	1	7	1	2	3		4	12	
ILLINOIS																
3 Alton.....	397				2	4	1		29	4		15		4	27	1
4 Aurora.....	594	1			10	4	1	2	8	1	1	13	1	4	61	2
5 Belleville.....	372	1			1	2		2	2		13	1	1	35	1	
6 Berwyn.....	172					2			2		8		2	16		
7 Bloomington.....	432						5	1	9	2	13		3	54		
8 Blue Island.....	207				2		1		1		3		2	16		
9 Cairo.....	175	1					1	1	2	2	6			16	1	
10 Cairo.....	121	3	1				1	1	8		20			4	1	
11 Canton.....	195					1	1	2	7	1	9			15		
12 Centralia.....	158				3	1	1	2	4		12			15		
13 Champaign.....	218						1	2	5		10		1	9	2	
14 Chicago.....	31,943	20			52	78	64	211	469	73	26	1,699	86	119	3,130	130
15 Chicago.....	3,228	4		2	9	3	22	16	38	4	4	541	38	51	143	21
16 Chicago Heights.....	360				3	4	3	1	6	1	1	8		2	12	
17 Cicero.....	860				1	2	4	1	9	2	24		1	37		
18 Danville.....	620	8			1	2	7	1	26		25		1	66	2	
19 Decatur.....	755	1				2	9	1	9	1	28		2	85	4	
20 East St. Louis.....	727				12	9	3	16	22		3	26		56	2	
21 East St. Louis.....	197	1			2	2	2		9			22		7		
22 Elgin*.....	767	2			1	2	2		10	4	1	21	3	66	1	
23 Evanston.....	623				1	2	3	1	1	4	1	10	2	50	1	
24 Forest Park.....	185								5			3		12		
25 Freeport.....	359				4		4		4	1	6		1	37		
26 Galesburg.....	404	1		1			1	3	15	3	1	12		1	38	
27 Granite City.....	257	1	2		7	7	2		5		2	11		11		
28 Herrin.....	170	3			1	1	2		4			12		2		
29 Jacksonville*.....	635	6			1				4	2		53		47	1	
30 Joliet.....	593	4				1	4	3	24		16	6	4	68	2	
31 Kankakee.....	294				4		4	1	10	1		6	2	31	1	
32 Kewanee.....	237				4		6		11	1		4		20	3	
33 La Salle.....	185	2			2		6		7	1		11		19	1	
34 Lincoln*.....	255	1			1		4		13	4		24		21	1	
35 Mattoon.....	211	2			4		5		6		10		1	14	1	
36 Maywood.....	139		1			1		2	1		7			16		
37 Moline.....	359	1			1	2		1	7	1		14	2	27		
38 Murphysboro.....	121	2			6	2	1		3	1	1	5		11		
39 Oak Park.....	29	1			1				1		1	5				
40 Oak Park.....	824	1			1	2	2	4	8	2	1	8	8	90	2	
41 Ottawa.....	205								4			14		1	1	
42 Pekin.....	151						4	1				2		1	1	
43 Peoria.....	1,108	3	1		4	4	2	6	33	2		33	1	118	2	
44 Quincy.....	606	4			3		4	3	11	1		28		63	4	
45 Rockford.....	835	3			3	1	1	1	21	4	2	28	3	82	7	
46 Rock Island.....	404	1				1	1	5	8	2		20	1	49	1	
47 Springfield.....	1,094	4			2	1	10	3	44	3		41	3	109	8	
48 Streator.....	220				1				5		1	8		23		
49 Urbana.....	132								2			8		3		
50 Waukegan.....	278	1			1		1	1	11		6		2	20	4	
INDIANA																
51 Anderson.....	434	2			13	1	8	1	22	1	1	22		4	44	2
52 Bloomington.....	215				18		3	1	15	1		7	3	1	12	
53 Clinton.....	107								2			12	1	6		
54 Crawfordsville.....	167				1		2	1	10	2		5		13	1	
55 East Chicago.....	456				6		4	5	15	2		26	2	15		
56 Elkhart.....	359	3			1	2	5	1	8	2	1	12	1	29	1	
57 Elwood.....	138	2			2		3		3			6		14	1	
58 Evansville.....	1,259	9			15	15	20	4	48	7		60	4	107	2	
59 Fort Wayne.....	1,251	9			12	2	4	10	39	5		54	6	141	2	
60 Frankfort.....	161				2		3		13			4		15		
61 Gary.....	1,068	3	1		8	2	13	6	40	3	3	47	3	54	5	
62 Hammond.....	598	6			1	1	2	4	22	3	1	21	5	55	4	
63 Huntington.....	168					1	6		5			5		13		
64 Indianapolis.....	4,331	12	2		75	8	32	22	90	11	4	186	18	378	13	
65 Indianapolis.....	815	7	1	1	15		14	6	16	1	1	89	7	25	2	
66 Jeffersonville.....	153	1			6		3		6			3		13		
67 Kokomo.....	28				1		1		1			1		3		
68 Kokomo.....	398	4	1		4	1	6	2	16	2		21	4	37		
69 Lafayette.....	544	2			5	2	2	7	8			17	2	45	2	
70 La Porte.....	225	2			1	1	2	3	7			9		22	1	
71 Logansport.....	274	1						2	10	1		8		29	4	
72 Marion.....	336	1					4		11	1		13	4	25	1	
73 Michigan City.....	296				3		1	1	6			14		23		

\*Excluding collision with railroad trains and street cars.

# DEATHS FROM IMPORTANT CAUSES, BY COLOR

69

## FROM IMPORTANT CAUSES, BY COLOR: 1926—Continued

subdivisions when the colored population formed at least 10 per cent of the total, or numbered 10,000 or more, in 1920. Minor areas which are designated by asterisks (\*) death correspond to those of the 1920 revision of the detailed International List]

Diabetes mellitus	Cerebral hemorrhage and softening	Diseases of the heart	Bronchitis	Pneumonia (all forms)	Diarrhea and enteritis (under 2 years)	Appendicitis and typhilitis	Hernia, intestinal obstruction	Cirrhosis of the liver	Nephritis	Puerperal septicemia	Other puerperal causes	Congenital malformations and diseases of early infancy	Suicide	Homicide	Automobile accidents			Other external causes	Unknown or ill-defined diseases	All other causes	
															Primary	In collision with—					
57	74, 83	87-90	99	100, 101	113	117	118	122	128, 129	146	143-145 147-150	159-163	165-174	197-200	188c	Railroad trains pt. of 188a	Street cars pt. of 188b	175-187, pt. of 188a, b, 188d-190, 201-203	204, 205		
3	35	40	1	16	4	6	7	1	16	3		18	3		9		1	13	1	74	1
2	9	34		9	3	5	5	1	14	2	3	14	3	1	2			12	1	53	2
5	47	34	4	24	14	4	2	2	41	1	6	35	4	1	10	4	1	24	1	46	3
8	42	102	2	46	9	9	7	4	48	2	5	41	8	3	10			28	1	98	4
13	33	45	13	12	9	11	6	5	42	8		19	5	1	8			23		62	5
3	10	41	1	6	3	3	3	1	33	1		11	2		2	1		3		15	6
15	42	85	1	22	5	6	4	3	38	2	3	26	4		8			11		70	7
2	8	32		13	9	6	3	2	19	1	5	15	2	1	10	3	2	21		30	8
2	17	11		16	3	7	4	1	11	3		10	2	2	12	1		12	1	30	9
5	5	13	3	12	3	1	2	2	23				2	2	1			2		18	10
5	15	39	1	10	1	5	2	2	30			10	2	2	2			9		26	11
2	13	9	2	5	1	4	3	2	13	3	4	13	2	1	3			13		28	12
6	19	44	2	5	1	6	4	1	17	1	2	12	4	2	2	4		12		32	
745	1,353	6,398	226	2,635	583	542	323	299	3,649	125	199	1,875	481	266	633	19	27	1,544	7	3,857	13
34	134	603	19	497	53	43	32	13	408	25	13	152	16	149	60	2	2	127	1	402	14
2	15	27		21	16	6	5	1	17	3	4	16	3	12	6		17		24	14	
4	7	103	3	29	12	2	2	2	41	1	1	17	8	2	6		8		34	15	
16	27	94	2	52	13	16	16	2	47	5	7	40	5	9	2	2	2	28	2	91	16
16	57	119	2	39	21	10	13	3	70	5	6	54	2	17	17	3	34	6	129	17	
8	50	95	5	58	31	10	10	10	67	5	9	43	13	15	1	1	51	4	76	18	
1	18	30	1	14	4	4	3	8	8	3	1	17	1	13	1		9	3	15	19	
8	51	95	2	46	5	16	9	2	37	3	6	29	11	4	10	1	14		302	20	
13	45	130	1	41	7	10	4	4	58	3	2	60	7	5	21	1	42		83	21	
4	7	46		14	1	1	1	1	15	3	3	1	2				5	1	18	20	
9	33	55		24	12	15	4	1	33	3	3	20	2		4		13		71	22	
5	30	67		30	5	11	5	2	50	1	5	29	3	7	5	1	15		63	23	
4	9	15	2	20	16	6	5	3	28	2	4	24	6	7	4	2	16		34	24	
4	11	9		4	4	4	1	1	12	1	1	17	2	16	1		22	3	27	25	
5	42	121	2	51	3	11	9	1	60	6	6	13	2	2	2		17		196	26	
6	30	76	6	41	14	15	7	4	55	3	6	41	7	3	24	1	44	1	75	27	
3	14	51	1	27	7	9	9		26	1	4	18	2	1	6	1	15		39	28	
1	27	32	3	30	7	2	2	1	19	2	2	18	1	1	2		8		25	29	
4	12	21		16	2	4	2	1	14	1		15	1	1	4	1	15		22	30	
2	13	35	1	26	9	6	1	2	18	3	1	10	4	3	3	2	10	1	37	31	
4	5	24	2	10	8	7	2	1	34	3	1	10	2	2	3		10		39	32	
4	8	42	1	14	1	1	1		8			8	1		1	1	4	1	16	33	
6	32	68	4	29	6	11	3		22	1	4	25	7	1	5	1	18		59	34	
1	10	9	1	5	2	2	3	2	8			9		2	1		13		19	35	
1	2	2		1	1	1	1		1	1		3		1	1		2	2	8		
20	40	154	1	53	5	32	7	6	92	4	10	79	4	5	19	4	30	1	130	36	
2	15	49		11	8	2	1	3	25	4	2	4	3	1	3	2	11	1	22	37	
3	19	28		9	1	2	1	2	4	1	1	11	1	4	4		8	1	29	38	
13	89	197	3	72	19	11	11	19	73	2	7	61	16	10	16	1	52	2	220	39	
15	64	128	10	35	11	14	6	6	41	2	6	30	7	3	6	1	20	2	76	40	
15	47	124	10	55	16	15	14	8	78	6	12	64	16	2	13		45	1	132	41	
10	41	83		20	4	8	4	2	23	1	2	9	7	1	8		9	4	77	42	
16	75	162	4	66	19	29	22	13	96	9	7	53	9	10	13	4	56	6	191	43	
4	21	43	1	14	6	9	6	2	19	1	2	14	2	3	3	1	10	1	22	44	
2	8	30		5	2	2	1	1	8			9		1			5		23	45	
2	14	38		38	9	5	5	1	20	1	1	21	2	3	4	1	20		43	46	
6	21	63	4	32	10	7	8	4	27	2	2	26	7	2	10		21		61	47	
11	11	17	1	12	13	5	2	2	25			14	1	2	4		18		23	48	
4	4	15		12	4	1	1	2	9			10	2	2	4		10		9	49	
3	15	35	2	9	1	3	1		12	2	2	4	2	1	5	3	9		25	50	
3	12	47	1	38	45	1	2	12	17	1	1	47	5	8	6	1	37	1	39	51	
11	36	55	3	26	4	9	4	1	41	4	4	17	3	1	6	2	19		43	52	
3	9	18	1	10	1	1	2	1	19	1	1	12			2	1	7		17	53	
21	91	163	12	102	21	31	20	15	117	4	6	60	15	8	21	1	58		191	54	
20	139	4	4	85	23	22	17	6	143	9	11	66	17	7	30		47	7	209	55	
2	19	26		10	4	5	1	1	8	1	2	7	2	2	1	2	8		13	56	
7	37	102	10	174	34	21	16	9	46	13	11	76	12	25	11	1	95	4	147	57	
9	24	69	3	53	25	14	5	7	45	2	4	48	6	7	22	6	44		73	58	
4	19	34		9	3	2	2		15		1	11	4		3		7		20	59	
80	329	757	13	329	95	60	46	34	366	21	25	185	48	13	75	10	139		813	60	
6	32	145	3	111	25	10	8	9	65	3	9	29	3	19	8	1	29		98		
1	14	25	2	5	8	2	2	1	19			7	1	2			6	2	24	1	
1	1	7		2	1	1	1		5			1					2		1	61	
4	17	62	1	31	19	5	7	6	35	4	3	21	4		4		18		50	62	
13	49	119		37	10	8	9	3	30	4	4	32	4	1	8	1	23		92	63	
7	18	48		11	7	1	1	2	18	2	2	11	4	5	5	1	6	1	33	64	
4	33	23		12	13	3	2	2	48	1	4	11	2	1	4		14	1	42	65	
1	36	67	1	21	5	6	2	4	25	1	1	12	3	1	4	4	21		61	66	
5	13	57	1	18	8	3	2	2	20	2	4	23	7	1	6	2	21		53	67	

MORTALITY STATISTICS

TABLE 5.—DEATHS (EXCLUSIVE OF STILLBIRTHS)

["Urban" includes cities of 10,000 inhabitants or more in 1920; the remainder of the State is included in "rural." White and colored are shown separately for minor counties. State insane asylums, State hospitals, etc. Numbers under causes of

AREA AND COLOR		All causes	Ty-phoid and para-typhoid fever	Mala-ria	Small-pox	Mea-sles	Scarlet fever	Whoop-ing cough	Diph-theria	Influ-enza	Ery-sipelas	Me-ningo-coccus meningitis	Tuber-culosis of the respira-tory system	Tuber-culosis of the menin-ges, etc.	Other forms of tuber-culosis	Cancer and other malignant tumors	Rheu-matism
			1	5	6	7	8	9	10	11	21	24	31	32	33-37	43-49	51, 52
INDIANA—continued																	
1	Mishawaka	288	2			8	1	15	3	15			8		2	31	
2	Muncie	515	3					2	3	22			32		7	44	2
3	New Albany	368	3			7		9	2	25			23	1	1	33	2
4	New Castle	203	2			8	1		1	8			11			16	2
5	Peru	188								8		1	8			15	3
6	Richmond	358	1			2	2	4	1	17	1		23			36	2
7	South Bend	992	1			7		28	5	26	4		53	9	7	97	
8	Terre Haute	922	1	1		8		7	4	37	2		40	1	1	83	4
9	Vincennes	280	3						3	8			17	3	1	18	2
10	Whiting	75				2		2	1				4			3	
IOWA																	
11	Boone	162								5			7	1		13	
12	Burlington	387	1			1			4	17	2		10	1	2	44	1
13	Cedar Rapids	552	1			8			1	17	4		7	1	4	55	1
14	Clinton	369					1	2		6	3		10	1	2	45	3
15	Council Bluffs	525				2		8		15	1		18	1	3	47	3
16	Davenport	745	1	1		2	2	4	6	12		1	43		2	76	1
17	Des Moines	1,716	4			5	3	12	12	61	5		72	2	12	189	10
18	Dubuque	619	2				1	1	11	12		1	30	2	3	81	3
19	Fort Dodge	283						8		8	1		12			24	
20	Fort Madison	181	1			1			2	18			8		1	26	1
21	Iowa City*	438					1		4	3		1	7	1	13	49	2
22	Keokuk	263	2					3	4	8			8		1	22	1
23	Marshalltown	299				2	1	4		21	1	1	5	2	2	23	
24	Mason City	277						4	1	7			3	1	2	20	
25	Muscatine	234						1	1	14	1		11	1		21	3
26	Ottumwa	376				1			1	11			18	1	2	38	2
27	Sioux City	970	2				4	10	3	28		1	26	2	3	96	9
28	Waterloo	435	3			2		1		17			21	3	2	44	1
KANSAS																	
29	Arkansas City	186					1			10			5			18	
30	Atchison	154	3					1	1	7			5			21	1
	White	33								4			2			3	
31	Chanute	162					1	1	1	3	2		5			10	
32	Coffeyville	141	1	1		2	3	1	6	6			3			10	1
	White	28								1			4		1		
	Colored																
33	El Dorado	132	2			1		4		6			4			13	
34	Emporia	199	3			1		1	1	13			6			17	
35	Fort Scott	226	6	2		1	1	4	2	7	1	1	6			16	1
36	Hutchinson	268	1					1	2	5			7	1		23	1
37	Independence	155	1							7	1		7		2	10	
38	Kansas City	1,210	2			13	4	8	4	30	4	1	76	3	5	108	6
	White	330	3			1		2	1	12			38	1	9	23	
39	Lawrence	154	3					1		8			3			13	4
	White	30								2			4		1		2
40	Leavenworth	205					1		1	10			3			33	
	White	40								4					1	4	
	Colored																
41	Parsons	242					1			14			12		2	20	1
42	Pittsburg	139		1		2		1		7			6			16	1
43	Salina	195					1			5			6		2	21	
44	Topeka	809	5	1			1	2	4	21		2	19	1	2	91	2
45	Wichita	1,156	3			6	1	6	2	44	2	1	36	3	1	111	6
KENTUCKY																	
46	Ashland	338	5			9	2	3	4	10	1	1	20	3	5	18	2
47	Covington	974	1			10	2	8	3	23	1	2	67	8	7	70	2
48	Henderson	163	1	1		7		8	2	6	2		11	1	2	8	2
	White	72						1		6			3				
	Colored																
49	Lexington*	612	5			7	1	2	1	9	2		39	3	2	31	2
	White	350				1		2		4			39	6	3	17	
50	Louisville	3,567	13	3		80	7	23	5	87	7	3	178	17	23	285	5
	White	1,167	6	1		4		2	5	54		1	99	6	12	58	11
	Colored																
51	Newport	319	4			5		4		23			23	1	1	19	2
52	Owensboro	302	6			1		4	5	14	2		24	1	6	26	2
	White	66	5			1		1		3			6			6	
53	Paducah	320	1	1		2		4	1	14	1	1	20	2	2	24	1
	White	171	1	3		2		4		4			20	1	4	8	1
	Colored																
LOUISIANA																	
54	Alexandria	208	1	2	1			1	2	15			3	1		15	
	White	146	4	3				1	1	9	1		7		2	3	
55	Baton Rouge	111							1	11			6			8	
	White	149								7			15			5	
56	Lake Charles	128	1					1	1	7	1	1	2		1	7	
	White	99		1						9			12			1	
	Colored																
57	Monroe	260	6	6					4	10			5		1	17	2
	White	199	1	1				2		11			17			9	
	Colored																
58	New Orleans	4,656	18	1		1	6	22	21	176	2	6	318	6	20	403	13
	White	3,277	18	3	1	3	1	13	11	131			326	3	32	151	10
	Colored																
59	Shreveport*	569	7	3					5	18		2	20		3	38	1
	White	749	7	4					4	19		1	61	3	10	22	2
	Colored																

\* Excluding collision with railroad trains and street cars.

# DEATHS FROM IMPORTANT CAUSES, BY COLOR

71

## FROM IMPORTANT CAUSES, BY COLOR: 1926—Continued

<sup>s</sup> subdivisions when the colored population formed at least 10 per cent of the total, or numbered 10,000 or more, in 1920. Minor areas which are designated by asterisks (\*) death correspond to those of the 1920 revision of the detailed International List]

Diabetes mellitus	Cerebral hemorrhage and softening	Diseases of the heart	Bronchitis	Pneumonia (all forms)	Diarrhea and enteritis (under 2 years)	Appendicitis and typhilitis	Hernia, intestinal obstruction	Cirrhosis of the liver	Nephritis	Puerperal septicemia	Other puerperal causes	Congenital malformations and diseases of early infancy	Suicide	Homicide	Automobile accidents			Other external causes	Unknown or ill-defined diseases	All other causes	
															Primary	In collision with—					
																Railroad trains	Street cars				
57	74, 83	87-90	99	100, 101	113	117	118	122	123, 129	146	143-145 147-150	159-163	165-174	197-200	188c	pt. of 188a	pt. of 188b	175-187, pt. of 188a, b, 188d-196, 201-203	204, 205		
1	18	36		18	8	2	1		16	2	2	27	1	3	10	3		18		37	1
6	45	74	2	50	12	7	4	2	43	1	5	22	4	4	6			17	2	94	2
7	16	61	4	17	6	5	9	1	25	2	5	30	3	1	6	1		8	1	54	3
	13	22		22	11	2	2	2	10	3	2	20	2	1	5	5		7	1	29	4
7	21	38		14	1	5	3		14			14	1		4	1		7		28	5
6	36	70	3	20	6	4	2	1	38		1	20	5	3	3			10		41	6
18	71	143	3	100	18	13	10	5	63	8	9	69	19	10	9			49	1	133	7
18	57	178	1	50	15	13	15	10	104	5	7	39	14	9	21	3	1	39	1	134	8
5	15	41		18	11	8	2	2	18	2	4	24	2	3	8			22		40	9
1	2	13		10	8		1	1	6			7	1		1	1		4		7	10
2	17	23	1	10	3	2	3		20		3	12	1		1			4		29	11
6	37	67	2	16	2	8	13	4	24	2		22	8	2	4			15	2	72	12
7	67	100	3	24	3	9	12	5	41	1	3	29	10	2	4		1	33		99	13
0	34	73	2	20	1	7	4	2	28	2	2	14	4	3	4	1		25	1	63	14
11	47	71	8	54	8	12	6	2	31	3	4	31	9	5	5	4	1	22	1	100	15
15	74	133	3	72	1	11	13	4	55	3	6	33	19	2	6	1		34		109	16
28	110	237	8	156	25	32	25	9	86	9	13	94	20	5	30	1	2	72	4	363	17
6	66	87	7	49	10	13	4	2	30	2	5	30	7		7			29	6	99	18
3	19	31		23	3	12	12	4	16	1	4	27	6		4			18	3	42	19
3	10	23	1	16	3	6	1		11	1		9	1	1		1		6	1	29	20
10	15	58	3	36	1	4	4	1	26	3	2	27	1	1	4			18		146	21
6	28	37	3	20	1	9	8	1	15	1	6	12	4	1	1			12	2	50	22
8	23	40	1	23	8	6	3	1	30	4	5	15	3	2				12		53	23
2	21	46	1	14	3	6	3	3	14	1	6	22	1	1	5			20		69	24
2	29	30		11	3	6	3		23			11	3		2	3	1	9		45	25
5	31	52	1	20	5	20	7	2	33	4	1	23	8	1	4			17	1	67	26
18	56	128	2	72	13	32	20	4	53	9	6	71	23	4	16	3		47	3	206	27
9	42	55	2	46	2	13	5		40	1	5	24	1	3	7			19	2	65	28
4	19	20	1	4	5	5	7	1	20		3	8	4	1	5			7	1	36	29
4	8	26		9	1	6	2	1	18	1	1	7	2	1	2			8		19	30
1		3		2	1	1	1		4			2	2	1	1			1		5	31
4	21	19	2	5	5	7	6		6	1	1	8	1	1	1			7	4	39	31
4	7	16	1	6	9	4			13	1	1	7	2	1	3			8	1	24	32
1	2	5		5	2		1					1								4	
2	6	12		10	6	3	3		17	1		12		1	2			7		20	33
2	17	24		6	2	6	1	2	20	2	3	12	2		2			13	1	40	34
6	14	29	1	13	2	7	4	1	25	3	1	10	2	1	4			10		45	35
6	18	43		12	4	9	7		26	1	1	14	3	2	4	1		20	2	56	36
2	23	20	1	2	4	7	5		7	3	1	9	1		3			8		31	37
26	89	162	8	96	32	14	18	11	101	5	9	67	18	14	7			58		211	38
6	16	45	1	31	22	5	6	4	40	1	1	9	1	20	1			14	2	65	39
2	20	20		8	2	5	1		8	1	3	8	1	2	3			7	1	30	40
3	2	4		1	1	1	2	3	2	2	1	1	1		1			9	3	5	
1	26	33	3	9	1	1	2	3	12	2	1	8	3		1			2		40	41
	5	11		2	2				2			2								4	
4	24	34	1	17	5	3	3	2	20	1	3	9	2	1				10		56	42
4	13	11	2	6	2	2	1	1	18	1	1	13	1	1	2			6	2	18	43
6	13	33	2	13	3	6	2		8	4	4	15	3	1	1			10	1	31	44
13	57	141	4	50	14	11	9	8	62	7	9	52	8	8	16			42	1	146	45
16	128	155	8	70	16	30	13	5	81	8	4	78	17	6	29	2		57	5	206	46
3	14	26	1	29	13	6	2	3	21	3	5	41	2	3	11			16		56	47
16	95	142	4	81	21	18	11	7	95	3	6	62	2	9	15			44	3	136	48
	12	19		9	2	3	7	3	12	1		11	1	1	4			10		17	
	4	14	1	8					9			5		2	1			3		13	
5	59	99		53	13	13	4	2	46	4	3	36	8	4	9			30	3	115	49
1	19	72	1	38	4	6	3	2	27	1	2	7	2	4	2			14	2	71	50
56	250	562	19	299	124	51	35	20	292	16	20	223	53	27	52	1	2	135	3	591	51
6	64	208	29	137	22	4	18	1	119	3	6	44	4	58	12			29	1	148	52
1	41	61	2	26	10			3	20	1	1	17	3		2			8	1	40	53
3	20	30	1	15	10	9		2	23	3	2	21	2	2	3			18		47	
2	2	11		4	1				11	1		4	2		2			1		5	
3	19	30	2	24	12	16	4	2	27	2	2	22	2	2	6			20	4	47	
3	4	26	2	22	5		1		15	1		4	1	2				7	1	29	
6	2	18	1	9	6	16	3		18	2	4	13	4	4	10			16		35	
1	3	18		9	4	4	2		20	1	2	9	1	2	1			8		30	
	14	18		5	1	1			20			2			1			4		18	
2	15	33		7	2	7	4	2	18		4	9		4	1			4	1	22	
1	6	17		3	2	7	4		8		4	15	1	1	4			8	5	21	
1	4	14		1	1	1			7	2		2			1			7	5	22	
4	14	14	3	12	3	12	6		11	4	3	26	2	5	7			27		54	
	10	22		14	1	3	7	1	20		3	6		9	4			17	1	40	
70	252	926	11	313	83	79	49	55	529	29	38	193	71	49	61	1	1	212	1	615	
28	156	584	17	349	105	36	28	26	321	16	32	141	7	89	24	1		197		486	
12	25	69		23	10	17	14	9	38	8	6	30	10	10	16			41	6	127	
18	17	118	3	53	5	22	19	8	55	4	16	19	1	21	10			26	9	202	

## MORTALITY STATISTICS

TABLE 5.—DEATHS (EXCLUSIVE OF STILLBIRTHS)

["Urban" includes cities of 10,000 inhabitants or more in 1920; the remainder of the State is included in "rural." White and colored are shown separately for minor towns. The following towns contain State insane asylums, State hospitals, etc. Numbers under causes of

AREA AND COLOR	All causes	Typhoid and paratyphoid fever	Malaria	Small-pox	Measles	Scarlet fever	Whooping cough	Diphtheria	Influenza	Erysipelas	Meningococcus meningitis	Tuberculosis of the respiratory system	Tuberculosis of the meninges, etc.	Other forms of tuberculosis	Cancer and other malignant tumors	Rheumatism
		1	5	6	7	8	9	10	11	21	24	31	32	33-37	43-49	51, 52
MAINE																
1	Auburn	200			6		2		2	1		5	1		17	
2	Angusta *	340							10			16		1	25	1
3	Bangor *	558	2				1	1	14	1		37	5		41	
4	Bath	166	1		1	1	1		3	1	1			20		
5	Biddeford	277	1		7			1	13			9		20		
6	Lewiston	619			23	1	7	3	25		1	14	3	4	60	1
7	Portland	1,154	1		9		12	1	20	2	1	35	6	6	129	11
8	Sanford town	168	1		3	1	3		9	1		5	2	2	23	
9	Waterville	213						1	12			9	3	2	18	1
MARYLAND																
10	Annapolis	101					1		2			1			10	
	Colored	71							1			5			2	
11	Baltimore	9,220	25	2		87	10	44	197	10	17	490	32	32	907	28
	Colored	2,990	17			20		27	46	1	4	284	13	37	142	12
12	Cumberland	510	5		3	2	7	3	14	1		15	1	1	37	1
13	Frederick	231	1		3		4		4			4		2	17	1
	Colored	24													1	
14	Hagerstown	446	5		4	2	10		12	1	1	19		2	25	1
MASSACHUSETTS																
15	Adams town	114			1		1		2			3		1	9	
16	Amesbury town	119					1	3	4				1	1	11	
17	Arlington town	244			1	2	3	3	3			9		1	24	
18	Attleboro	257			3		8	3	6			45		1	22	1
19	Belmont town	137					2	2	2	1		8			15	
20	Beverly	278					2	1	5			5		2	32	3
21	Boston	11,264	13		65	40	105	53	68	27	25	635	56	43	1,158	16
	Colored	456	1			1	4	2	1	1	1	52	3	9	32	2
22	Braintree town	158			1	2	1		2			33			14	
23	Brockton	762			2	2	2	1	10	2		20	3	2	98	4
24	Brookline town	485					1		7	3		17		4	81	1
25	Cambridge	1,481	6		4	2	21	1	10	1	2	99	3	9	162	5
26	Chelsea	614	1		1	1	2	2	12	3	1	50	3	3	79	1
27	Chicopee	360			14		6	6	13			27	3	1	35	1
28	Clinton town	187			2	1	2				1	2			16	
29	Danvers town *	308							2	1		28	1		16	
30	Dedham town	84						1	3			2			10	
31	Easthampton town	113			2	2	1		2	2		6	1		9	1
32	Everett	367			3		3		3	1		22			45	2
33	Fall River	1,707	1		37	1	18	19	26	1	3	118	10	16	168	1
34	Fitchburg	493	1		10	1	5	5	9		2	28	2	2	53	2
35	Framingham town	295	1		2		1		16	1		11	1	3	29	
36	Gardner town	270	3		3	1	2		6			20	1	1	19	
37	Gloucester	312			1		3		11			12	1		37	
38	Greenfield town	184	1				4	1	3	1		11	1		20	
39	Haverhill	647			2	2	2	3	13			17	2	1	66	3
40	Holyoke	780	1		2		3	7	14	3		43	9	9	60	5
41	Lawrence	939			2	2	3	5	10		1	34	4	6	100	4
42	Leominster	263			21		5	5	7		1	4	1	2	28	1
43	Lowell	1,549	4		10	3	3	6	8	1		73	16	12	113	4
44	Lynn	1,178	4		7	3	9	12	20	2	1	37	3	7	122	2
45	Malden	553			4	3	11	6	8	1	2	16	2	3	64	1
46	Marlborough	194			1		4		4			8	1	1	16	
47	Medford	476	1		2		7	2	10	2		18	1	2	68	1
48	Melrose	232	1		1		1		5		1	7	1		30	
49	Methuen	170						1	5			11		2	20	1
50	Milford town	184					4	1	2			11	1	2	13	
51	Natick town	158					4	1	10			3		3	14	1
52	New Bedford	1,500	1		24	5	13	18	50	3	2	96	20	7	97	5
53	Newburyport	248	1		1	1	1		3			1	2	3	25	
54	Newton	559	3	1	2	2		1	12		1	17	1	5	73	1
55	North Adams	309			2		1		5			9	1	3	31	2
56	Northampton *	512	1		3	1	1	1	11	1	1	62	3	2	48	
57	Northbridge town	92						1	3			5			10	
58	Norwood town	123			1				4	1		2	1	2	8	
59	Peabody	220			3		5				1	6	1	1	16	
60	Pittsfield	672			2			2	21	2	1	30	8	2	76	1
61	Plymouth town	173			3		2		14			4		3	19	
62	Quincy	534			1	3	3	3	8			25	1	3	56	1
63	Revere	202					3		2	1		4			25	1
64	Salem	586			3		5	16	17		1	10	1	6	64	2
65	Saugus town	310			6		2		3	1	1	3			12	
66	Somerville	1,051	1		8	4	4	10	21	3	1	34		3	105	3
67	Southbridge town	135			4				6			5			17	
68	Springfield	1,820	1		30	3	10	7	27	3	3	71	11	11	178	4
69	Taunton *	638			8		7	1	20	2		30	2	3	55	3
70	Wakefield town	128				2	1		3			7	1	1	11	
71	Waltham	406	1		2	3	9	1	7	1		12	6	3	38	4
72	Watertown town	192					1		2			5		1	18	
73	Webster town	111			4				1			6			18	

\* Excluding collision with railroad trains and street cars.



MORTALITY STATISTICS

TABLE 5.—DEATHS (EXCLUSIVE OF STILLBIRTHS)

["Urban" includes cities of 10,000 inhabitants or more in 1920; the remainder of the State is included in "rural." White and colored are shown separately for minor contain State insane asylums, State hospitals, etc. Numbers under causes of

AREA AND COLOR	All causes	Typhoid and para-typhoid fever	Malaria	Small-pox	Measles	Scarlet fever	Whooping cough	Diphtheria	Influenza	Erysipelas	Meningococcus meningitis	Tuberculosis of the respiratory system	Tuberculosis of the meninges, etc.	Other forms of tuberculosis	Cancer and other malignant tumors	Rheumatism	
		1	5	6	7	8	9	10	11	21	24	31	32	33-37	43-49	51, 52	
MASSACHUSETTS—continued																	
1 Westfield	222	1			7		3		2	1		15	1		20	2	
2 West Springfield town	122				1		1		6			6			5	2	
3 Weymouth town	195						2		3			1		4	7	1	
4 Winchester town	163						1	1	1			7	2		19		
5 Winthrop town	157				1		1							1	18		
6 Woburn	217						1	2	14			7	1	2	23		
7 Worcester	2,701	1			17		5	13	17	26	5	2	132	18	16	272	4
MICHIGAN																	
8 Adrian	232	2			4	1	1	1	3	1		11		1	22		
9 Alpena	176	1			1		1		3			3		2	15		
10 Ann Arbor*	953	1			5	1	1	2	9	3	1	28	5	20	160	2	
11 Battle Creek	624	2			4			3	16	2	1	8	1	4	72	2	
12 Bay City	629	2			1		3	4	30			21	4	3	62	3	
13 Benton Harbor	214	2					1	1	6			6	1	1	22		
14 Detroit	White 14,323 Colored 1,906	25 4	1 1		285 28	98 1	78 10	438 12	268 31	65 12	23 4	771 264	66 14	67 32	987 39	61 11	
15 Escanaba	226				1		1		10	1					19	1	
16 Flint	1,295	1			13	11	27	3	41	8		40	6	5	88	7	
17 Grand Rapids	1,773	2			8	3	23	5	36	11	3	53	5	3	159	6	
18 Hamtramck	417				8	3	5	13	12	1		27	2	2	12	4	
19 Highland Park	625	1			9	3	4		12	2	4	18	3	3	42	2	
20 Holland	129				3			1	2			6			6	1	
21 Ironwood	143				1		6		2	1	4	9			6		
22 Ishpeming	151					1		2				10			10	3	
23 Jackson	753				7	3	6	7	36	3		34	1	2	63	2	
24 Kalamazoo*	978	1			3	4	4	4	28	7		33	2	4	68		
25 Lansing	766	1			5	3	16	5	21	3		14	1	5	63	2	
26 Marquette	202					1	1		2	1		8	3	4	12		
27 Monroe	187				15		7		2			6			22		
28 Muskegon	582				4	2	7	4	14	1	2	9	3	1	55		
29 Owosso	226				1		2	2	2	2	1	7	1		15		
30 Pontiac*	610	2			13	8	4	13	12	4	1	33	2	2	34	3	
31 Port Huron	451	2				7	4		10	1	1	16	3		31	3	
32 Saginaw	1,083	15			21	5	3	3	23		1	42	4	6	70		
33 Sault Ste. Marie	178	1					9		8			8			18		
34 Traverse City*	330				1			3	6	3		30		3	18		
35 Wyandotte	302				6	2	3	9	8			15	2		16	1	
MINNESOTA																	
36 Austin	121				1				2					1	9	3	
37 Duluth	1,195				7	9	12	4	8	4	2	53	5	10	133	4	
38 Faribault*	212				1	1	1	4	14	1		26	2	4	16		
39 Hibbing	137				2	1	4	2	2	1		4	1	1	10		
40 Mankato	202							2	5			5		1	33		
41 Minneapolis	5,002	6			42	26	24	74	59	13	1	189	17	22	622	7	
42 Rochester*	900	1				2			6	2		13	1	6	204	2	
43 St. Cloud	222				1			3	8		2	5	1		22		
44 St. Paul	3,052	3			21	11	8	22	60	14	4	165	7	22	328	9	
45 Virginia	130				1	1	2		4			6	2	2	6		
46 Winona	255	1				1			6			12	1	3	22	1	
MISSISSIPPI																	
47 Biloxi	White 178 Colored 55							2	20	1		8		1	7		
48 Columbus	White 74 Colored 151	1 2						1	3			4			6	1	
49 Greenville	White 128 Colored 280	1 5	2 4		1		1		14			18			6		
50 Hattiesburg	White 165 Colored 142	2 1	2 2				3	1	17			4		2	17		
51 Jackson*	White 295 Colored 368	2 4	1 5			1		4	14			8		2	25	1	
52 Laurel	White 181 Colored 140	4 3		1			1	1	6			5		4	6	4	
53 Meridian*	White 329 Colored 277	2 10	1 3				1	3	23	1		12			13	1	
54 Natchez	White 135 Colored 223	5 4							5	1	1	6	1	1	12		
55 Vicksburg*	White 209 Colored 473	1 4	4 1				1	2	13			20		3	10		
MISSOURI																	
56 Cape Girardeau	238	7	1			4			6			20		1	18		
57 Carthage	152	2							12			11		2	8		
58 Columbia	White 154 Colored 55	4 1				2		1	12	2	1	5	1		17		
59 Hannibal	327	1				3	4	3	10	1		16		2	27	1	
60 Independence	206	2			1	1	2		13		1	8		1	18	2	

1 Excluding collision with railroad trains and street cars.

# DEATHS FROM IMPORTANT CAUSES, BY COLOR

## FROM IMPORTANT CAUSES, BY COLOR: 1926—Continued

subdivisions when the colored population formed at least 10 per cent of the total, or numbered 10,000 or more, in 1920. Minor areas which are designated by asterisks (\*) death correspond to those of the 1920 revision of the detailed International List]

Dia- betes melli- tus	Cere- bral hemor- rage and soften- ing	Dis- eases of the heart	Bron- chitis	Pneu- monia (all forms)	Diar- rhea and enter- itis (under 2 years)	Ap- pen- dicitis and typh- litis	Her- nia, intes- tinal ob- struc- tion	Cir- rho- sis of the liver	Ne- phri- tis	Puer- peral septic- emia	Other puer- peral causes	Con- genital mal- forma- tions and dis- eases of early infancy	Sui- cide	Homi- cide	Automobile accidents			Other external causes	Un- known or ill-de- fined dis- eases	All other causes	
															Pri- mary	In collision with—					
																Rail- road trains	Street cars				
57	74, 83	87-90	99	100, 101	113	117	118	122	128, 129	146	143-145 147-150	159-163	165-174	197-200	188c	pt. of 188a	pt. of 188b	201-203	204,205		
5	19	31	1	20	2	2	2		28		2	10	1	1	4	1		13		28	1
1	13	31	1	14	1				18			1	3	1	1		3		14	2	
2	19	56	1	14	3	1	2		22	1	3	7	1	1	3		8		19	3	
3	13	29	2	13		1	3		4	1	3	17	3	1	5		9		24	4	
5	17	32		13		2		2	26		2	7	2		2		8	1	17	5	
5	35	24	2	15	1		3		17	1	2	16	1		7		10		28	6	
41	179	466	16	317	33	34	28	11	282	14	27	191	23	2	32		102	1	374	7	
1	21	44	3	7	5	7	2	4	15	1		15	1	1	5		12	1	40	8	
2	17	34	4	5	4	3	1	2	8	2	5	15	1		5		8	2	35	9	
19	24	119	6	58	7	14	19	7	48	4	10	44	8	1	22		27	1	275	10	
7	66	89	7	32	10	12	3	4	28	3	6	40	19	2	16		34	2	124	11	
9	43	115	4	30	10	10	9	2	44	4	7	42	9	2	5		35		103	12	
3	19	33		17		3	4	2	15	1	2	6	1	1	15		14		103	12	
189	730	1,890	124	1,573	387	240	187	89	695	124	105	1,224	186	178	379	10	12	619	13	2,186	14
11	70	210	13	362	31	40	27	8	84	7	14	81	12	150	20		58	3	260	15	
4	22	40	8	10		5	3	3	23	2	1	16	3		2		17	2	28	16	
14	81	165	5	139	54	28	12	3	63	11	12	133	13	9	30	9	73	3	188	17	
35	151	336	13	106	44	29	22	10	141	5	15	101	17	2	32	1	68	1	328	17	
3	11	65	.5	63	21	.1	3	7	17	2	4	61	8	2			9		45	18	
8	23	87	4	50	8	17	14	1	29	9	12	68	7	18	38	2	35		91	19	
5	13	21	3	1	4	1	4	1	6	1	2	14	1		3		2		21	20	
4	10	23	4	7	5	2	1	1	2	1	1	18	3	1			8	1	23	21	
6	13	24	1	11	2	2	1	4	5	1	1	16	3		2		7		25	22	
14	65	130	6	39	12	13	9	1	53	4	5	54	7	4	21	2	34		115	23	
17	86	186	2	53	16	16	10	4	57	3	7	51	9	1	20	4	35	2	241	24	
12	68	122	5	42	17	17	8	5	55	5	5	67	5		24		34	3	133	25	
4	14	31	5	12	4	6	3		21	1	2	13			1		14	1	38	26	
1	9	25		14	5	1	2		9	1	1	18	1	2	9		18		27	27	
13	45	97	4	69	8	9	5	2	28	5	8	66	9	8	16		20	2	76	28	
7	28	37		15	1	3	7		12	5	3	11		1	3		17	1	45	29	
4	51	61	4	41	13	8	3	2	32	6	5	47	4	10	20		20	1	147	30	
10	32	90	7	31	2	6	3	3	40	2	2	36	2	1	13		21		72	31	
18	57	207	6	165	21	24	17	7	51	7	4	79	8	2	14		43	2	158	32	
3	13	28	1	9		5	3		10	2	3	14	2	1	5		6		29	33	
3	22	67	1	27		4	3		15	1		8	2	1	4		10		98	34	
	17	36		22	11	7	4	1	13	1	2	31	3	2	10	7	30	2	41	35	
4	5	28		10	3	1	4	2	9	2	3	8			1	1	6		18	36	
18	83	189	5	103	8	31	14	10	40	5	11	86	28	1	26	2	50	1	242	37	
4	9	24	1	16		6	2		12	2	2	9	1		3		4		50	38	
2	6	17	1	9	3	1	3		7	4	4	19	3		3		9		14	39	
2	8	22		12	2	7	5		18	2	2	8	3	1	8		11		46	40	
90	328	818	10	435	34	90	48	28	251	32	41	312	91	9	69	1	219	3	986	41	
4	31	87	2	40	18	18	14	0	28	2	3	26	5		6		21		365	42	
2	11	34		10	6	4	6	1	11	4	1	32	1		3	1	11	1	41	43	
64	211	539	18	228	14	60	33	25	160	16	23	184	38	13	46	4	137	1	564	44	
2	10	20	1	19	3	4	4		6	1		8	1		1		10		16	45	
5	30	57		20	1	4	2	2	15			11	1		1		4	3	52	46	
2	8	23	1	15	15	1		2	18			20			3		13	3	15	47	
1	1	10	1	6	1	1			5		1	4			1		3		6	48	
1	12	17		10	6	3	2		7	1		4	4	2	1		11	2	13	49	
1	7	7		14	2	5	5		12	2	3	8		1	2		10	4	25	50	
2	29	24		14	3	7	7	2	31			3		17	2		16	4	21	51	
4	9	8	1	16	3	4	4		23		2	5			4		14	39	40		
9	10	10		10	4	1	2		17			3		2			15	3	19	52	
7	12	31	1	9	3	13	7	2	20		4	16	3	4	10	2	21	9	65	53	
2	18	32		16	3	12	11	3	20	1	6	10		9	4		23	42	69	54	
4	8	12		11	3	10	2	2	23	3	4	13		4	6		11	2	31	55	
5	5	14		14	1	4	2		16	3	1	4		6	1		11	6	34		
4	22	35	1	15	2	8	4	3	36	3	2	16	2	2	4		18	9	86	56	
1	15	24		22	5	3	6		23	3	2	5	2	9	2		13	18	52	57	
2	10	23		10	1	2	3		12		1	1	1	1	2		6	2	27	58	
2	7	27		7	2	2	2		25	2	3	6		2	2		5	37	40		
6	23	23	1	16	3	3	4	4	33	1	5	6	2	2	6		15	10	28	59	
3	19	57	2	40	7	8	20	1	48	1	1	5		20	3		21	41	91	60	
2	7	18		10	6	13	4	1	22	3	2	19	1		2		16	4	36	61	
3	6	26	1	5	6	2	1	1	27		1	6					7		22	62	
1	16	13		17	2	6	3		14		1	5	3		1		4		21	63	
2	2	13		13	2				3			1			1		2	1	7	64	
5	25	48	4	20	3	4	8	7	40	2	4	10	4	2	3		19	2	48	65	
2	22	26		19	4	1	4	1	16	1	2	15	1	1	3		14		23	66	

MORTALITY STATISTICS

TABLE 5.—DEATHS (EXCLUSIVE OF STILLBIRTHS)

["Urban" includes cities of 10,000 inhabitants or more in 1920; the remainder of the State is included in "rural." White and colored are shown separately for minor contain State insane asylums, State hospitals, etc. Numbers under causes of

RACE AND COLOR		All causes	Typhoid and paratyphoid fever	Malaria	Small-pox	Measles	Scarlet fever	Whooping cough	Diphtheria	Influenza	Erysipelas	Meningococcus meningitis	Tuberculosis of the respiratory system	Tuberculosis of the meninges, etc.	Other forms of tuberculosis	Cancer and other malignant tumors	Rheumatism
			1	5	6	7	8	9	10	11	21	24	31	32	33-37	43-49	51, 52
MISSOURI—continued																	
1	Jefferson City..... White.....	193	3					2	1	2			8			18	1
	..... Colored.....	29				1		1					6			3	
2	Joplin.....	511	2	2			1	1	6	22			40		7	31	1
3	Kansas City..... White.....	4,236	11	1		41	18	20	15	115		1	175	12	22	409	7
	..... Colored.....	901	2			1		6		24			135	2	8	34	10
4	Moberly.....	199				1	2	1	1	7		2	6		3	19	
5	St. Joseph*.....	1,226	1			2	3	1	4	35		5	47	3	6	93	3
6	St. Louis..... White.....	9,569	12	2		83	62	56	95	110	16	13	286	19	27	1,053	22
	..... Colored.....	1,971	7	6		9	4	18	12	24	2	1	204	5	28	91	8
7	Sedalia.....	279	3				1	2		14			8		3	22	1
8	Springfield.....	706	4	1		3		10	3	28			32	6	3	48	2
MONTANA																	
9	Anaconda.....	149								4	1	2	4	1	1	15	2
10	Billings.....	198	1							5	1		3		3	15	1
11	Butte.....	673			1		1		1	25		3	45	1	2	48	3
12	Great Falls.....	302				1		1	1	7		1	7	1	2	39	1
13	Helena.....	179								3			6			19	
14	Missoula.....	249	2				1		3	7			3			34	1
NEBRASKA																	
15	Grand Island.....	232					1	3	2	7		1	9		1	30	1
16	Hastings.....	217	7					4		6			9	1	4	22	1
17	Lincoln.....	801	1					2	1	19	3	1	13	3	4	95	2
18	North Platte.....	118	1					1		7			3		1	6	
19	Omaha..... White.....	2,559	2		7	15	9	14	14	53	3	4	84	6	15	291	6
	..... Colored.....	235	1			3	1	3		4			38	4	5	13	
NEW HAMPSHIRE																	
20	Berlin.....	171	2			6	1		2	8		1	5	2	3	9	
21	Concord*.....	557				2		2		9	5		32	1	5	48	3
22	Dover.....	230				1		1		5			6	1	1	21	1
23	Keene.....	200				1	1			13			4	1	1	22	
24	Laconia*.....	176						3		7			2	2	2	22	
25	Manchester.....	961	2			13	8	7	3	40	1	3	29	5	9	84	6
26	Nashua.....	337				1	1	1	1	13	1		15	1	2	34	1
27	Portsmouth.....	194				2	3	2		7		1	5			23	
NEW JERSEY																	
28	Asbury Park..... White.....	136				4				1			4			12	1
	..... Colored.....	42					1						4			2	
29	Atlantic City*..... White.....	917	7			4		3	13	15	1	3	17	1	5	73	3
	..... Colored.....	308	2			8		3	6	8			12		2	17	1
30	Bayonne.....	732	2			23	2	2	5	27	3	1	36	4	5	63	4
31	Belleville*.....	223				23	7	5	26	1	9	3	6	2	1	.9	
32	Bloomfield.....	211				4		3	1	5			9		1	18	1
33	Bridgeton.....	270				2	2	1		7			4	1		33	1
34	Camden.....	1,768	6			18	11	15	33	36	9	4	55	4	9	117	2
35	Carteret.....	95				5		2		5	1		5	1	1	5	
36	Clifton.....	224	1				3	2		7	1		20	1		21	1
37	East Orange.....	451	1			4	1	1	1	16	1		17		1	56	1
38	Elizabeth.....	1,308	5			22	4	5	17	21	2	2	42	10	9	114	11
39	Englewood*.....	278				3				1			7	1	1	28	3
40	Garfield.....	160				3			9	5	1		13			11	1
41	Gloucester.....	128					1			2	2		6			11	1
42	Hackensack.....	417	1			4		1	1	5	3		5	1	1	34	2
43	Harrison.....	132				1				8			8			10	2
44	Hoboken.....	898	1			3	1	3	9	7	6	4	41	4	2	56	2
45	Irvington.....	371	1			4		1		7	1	1	20	1	1	62	2
46	Jersey City.....	3,802	6			37	1	21	32	65	11	7	229	13	23	314	10
47	Kearny.....	300	1			2	2		2	3	1		9			23	
48	Long Branch*.....	462	3			6				6	1	2	15	3	5	38	
49	Millville.....	195	1			6	1		3	4			7		2	17	1
50	Montclair..... White.....	284				3			2	3	2	1	7	3	3	23	1
	..... Colored.....	38						1					9			3	
51	Morristown*.....	375				2	2		1	5	2	1	15	4	1	33	1
52	Newark..... White.....	4,791	7			58	1	8	10	41	3	3	204	20	18	438	20
	..... Colored.....	673	1			5	1	4		9	2		66	6	9	30	2
53	New Brunswick.....	572	4			3		1		14	1	1	29	2	6	50	1
54	Orange*..... White.....	561	2			9	1			9		4	19	3	4	59	2
	..... Colored.....	70				2				2			3	1	1	2	
55	Passaic.....	725	3				1	1	18	22	1	2	40	4	6	59	8
56	Paterson.....	1,830	3			7	4	2	9	41	7	2	103	8	12	180	6
57	Perth Amboy.....	486	4				3	6	9	13	3	1	16	5	2	48	2
58	Phillipsburg.....	247				1		2	4	12			9	2	1	14	1
59	Plainfield.....	467	1	1		2		6	2	7	1	1	12	3	1	57	1
60	Rahway.....	174	1				1	1	2	2	1	1	2		2	10	3
61	Summit.....	192	1			1				3	1	1	7		5	21	1
62	Trenton.....	1,890	9			12	3	5	2	42	8	2	110	9	8	128	6
63	Union City.....	468				2		5	3	14			27			49	3
64	West New York.....	223	2			7			4	6			17	1	1	19	2
65	West Orange.....	114				2				6			4		1	11	1

\* Excluding collision with railroad trains and street cars.

# DEATHS FROM IMPORTANT CAUSES, BY COLOR

77

FROM IMPORTANT CAUSES, BY COLOR: 1926—Continued

subdivisions when the colored population formed at least 10 per cent of the total, or numbered 10,000 or more, in 1920. Minor areas which are designated by asterisks (\*) death correspond to those of the 1920 revision of the detailed International List]

Diabetes mellitus	Cerebral hemorrhage and softening	Diseases of the heart	Bronchitis	Pneumonias (all forms)	Diar-rhea and enter-itis (under 2 years)	Ap-pendicitis and typh-ilitis	Hernia, intes-tinal ob-struction	Cir-rhosis of the liver	Nep-hritis	Pner-peral septi-cemia	Other puer-peral causes	Con-genital mal-formations and dis-eases of early infancy	Sui-icide	Homi-cide	Automobile accidents			Other external causes	Un-known or ill-de-fined dis-eases	All other causes
															Primary	Rail-road trains	Street cars			
57	74, 83	87-90	99	100, 101	113	117	118	122	128, 129	146	143-145 147-150	159-163	165-174	197-200	188c	In collision with—	175-187, pt. of 188a, b, 189d-196, 201-203	204, 205		
3	11	23		28	3	5	4	1	10	6		9	2		7			12		34
4	3	6		3			1		3			1						1		1
59	244	578	13	384	100	83	49	50	431	21	31	214	70	60	68	2	1	21	8	77
4	30	115	1	136	13	11	9	12	108	2	4	27		56	14		20	4	731	
3	18	23	2	11	1	10	4	1	25		1	4		2	2		7	3	115	
225	106	192	3	88	14	44	23	6	86	10	7	56	13	11	18	1	55		287	
175	398	1,767	69	1,062	183	161	98	114	1,105	43	28	404	176	76	160	7	8	358	5	1,316
12	4	311	10	320	23	17	18	11	302	9	10	69	5	79	12		68		228	
4	24	32		11	7	6	3		63	2		11	4	6	3	3	13		28	
13	55	86	2	54	18	27	12	2	50	9	5	45	12	6	10	1	30		124	
3	10	20	1	13	4	1		1	4	2	1	11	1	2	2		10	5	27	
2	10	19	2	9	6	11	2	2	8	4	2	26	6	3	3		12	1	41	
9	37	90	2	85	5	23	9	10	51	6	1	34	15	5	14		46		101	
3	10	38	3	25	3	5	4	1	24	1	4	27	7	3	7		10	1	65	
1	19	38	2	21	1	1		1	11	1	3	7	4	2	2		5		31	
6	17	47		15	2	7	3	3	15	2	2	14	4	1	2		11		46	
3	20	27		13	5	6	1		17	2	2	19	4		2		10	1	45	
1	20	35		10	4	5	5	1	16	2	2	20	4		1		7	1	31	
14	68	113	3	53	10	32	11	3	71	10	6	53	8	1	15	1	38		146	
4	8	20		6	2	8	4		10	1	2	7	1	3	2		5	1	17	
35	145	416	5	225	34	58	39	12	139	25	19	167	41	7	32	2	128		502	
5	7	23		32		2		1	20	2	1	4	1	9	1	1	10		42	
2	14	26		12	2	3	3		4	2	2	24	1		3		13	1	22	
8	46	95	5	88	3	7	6	1	32	9		20	8		3		21	1	87	
7	26	47	2	20	1	2	2	1	27	3		10	1		1		9		36	
1	28	31	3	19		1	2		26	2		8		1	2		5		27	
4	17	27	2	8	2	2	1	1	13			10					14		37	
18	87	129	19	64	19	6	14	9	61	3	11	80	7		12		31	30	151	
11	27	64	3	30	8	7	6		39		4	33	5		7		11		60	
6	20	31		13	3	4	1		22	2		19	3		4		6		17	
3	19	39	1	4	2			1	15			8	1		3		5	1	11	
1	3	12		6					1			1			1		1		7	
19	50	206	4	54	12	14	14	11	119	8	4	39	26	3	35	1	44		109	
3	24	46	9	44	3	1	3	2	29	1	2	13		6	6		11		48	
6	48	132	8	106	13	5	14	3	34	4	4	72	2	1	9		30		63	
2	20	33	1	20	3			1	16		1	6	1	1	1		4	1	31	
3	19	48		20	6		4		25		2	13		1			4		21	
5	28	49	3	18	8	6	4		30	1	4	11	1	3	6		17		34	
29	117	260	13	241	60	34	15	5	157	15	12	101	14	11	59	14	96		195	
1	4	7	1	13	8		2	1	5			6	2	2	2		15		4	
3	11	44	1	18	4	1	1	2	22	2		22	7	2	2		7		19	
8	54	127	3	29	3	3	3	4	46		2	6	5		3		7		50	
28	87	194	3	167	26	15	7	9	101	5	7	97	15	5	21	1	87	6	163	
5	19	43	1	26	7	8	5		22			23	1		9		16		46	
3	8	32	2	13	6			2	13	1	1	19	3		3		4		7	
2	13	20	1	14	3		2	2	21			9	1		1		3		13	
8	25	70	2	47	3	19	5	8	31	5	4	22	5	2	16	3	23	3	58	
	5	23	1	21	9				11			13	2		2		7		9	
18	63	209	13	118	9	23	9	6	58	7	5	37	8	2	7		61		105	
12	30	52	2	23	6	13	4	4	34	1	5	15	3		14	1	8	1	42	
66	226	777	36	508	99	63	45	27	307	17	36	201	34	4	41		193		352	
4	36	78	2	30	3	2	7	3	24		2	15	3		9	1	12		26	
12	24	81		32	6	17	5	4	37	4	5	24	5	9	16		31		71	
8	19	27	1	13	3	4	1		22		2	14	2		4		2		31	
4	31	72	5	18	4	2	1	3	33			7	2	1	2		5		26	
1	3	2		4					9		3	1	1		1		1		2	
9	32	50		34	4	4		2	50	2	3	34	3	1	9		12		59	
101	301	898	33	487	124	106	48	42	436	14	39	314	66	25	97	1	213	2	560	
5	35	64	6	139	27	22	2	2	28	4	7	52	1	12	12		26		71	
10	51	65	2	63	7	20	9	3	50	5	6	40	6	4	24		29		87	
8	36	87	4	45	10	14	10	5	50	2	7	51	7	1	8		27		77	
7	2	12		11	3	3	1	1	5			12	2	2	2		1		8	
40	34	114	6	74	5	22	12	6	40	4	8	47	9	3	32	1	40		96	
5	134	337	9	156	17	27	24	16	163	8	13	103	26	6	34	1	97	3	231	
	39	73	1	39	22	4	4	6	33		2	34	4	3	11		27		67	
4	11	33	1	37	2	1	2	1	31	1		11	5	1	7		22	1	30	
6	31	71	4	47	2	8	7		47	3	5	35	2	1	9		32		62	
1	21	33	2	22	2	1	2		11		3	9	3	1	3		14	1	19	
3	9	33	2	18	1	5	2		17	3		6	1	2	4		12		32	
29	133	336	7	224	28	22	24	9	161	7	9	115	26	9	33		95		278	
12	42	111	12	45	7	7	2	7	52		3	21	4		3		9		63	
4	13	53	1	26	3	1		1	18			11	2		1		5		25	
2	9	27		7	3			1	14			5			1		2		18	

MORTALITY STATISTICS

TABLE 5.—DEATHS (EXCLUSIVE OF STILLBIRTHS)

["Urban" includes cities of 10,000 inhabitants or more in 1920; the remainder of the State is included in "rural." White and colored are shown separately for minor counties. State insane asylums, State hospitals, etc. Numbers under causes of

AREA AND COLOR	All causes	Typhoid and para-typhoid fever	Malaria	Small-pox	Measles	Scarlet fever	Whooping cough	Diphtheria	Influenza	Erysipelas	Meningococcus meningitis	Tuberculosis of the respiratory system	Tuberculosis of the meninges, etc.	Other forms of tuberculosis	Cancer and other malignant tumors	Rheumatism
		1	5	6	7	8	9	10	11	21	24	31	32	33-37	43-49	51, 52
NEW MEXICO																
1 Albuquerque*	534	2				2	2	1	11		1	226	2	3	18	1
NEW YORK																
2 Albany	1,989		1		9	2	8	4	47	2	1	129	2	10	201	4
3 Amsterdam	438	2			2		2	1	16	1		19		4	44	
4 Auburn	525								14	1	1	20	3	4	43	5
5 Batavia	317	2			2	2	2	1	13			11			37	
6 Beacon*	203		1		2	1	2		9	1		13		2	18	
7 Binghamton*	1,225	1			2	5	14	10	33	2	2	36	3	5	96	2
8 Buffalo	7,779	27			8	9	29	31	80	16	9	462	32	31	676	23
9 Cohoes	319								8	1		7			25	1
10 Corning	246	1				2	1	1	10			3			25	1
11 Cortland	260				2				6			8		1	25	1
12 Dunkirk	238	1							4	1		3			34	1
13 Elmira	810	3			5	1	1	2	13			9	2	1	22	1
									29	3	1	19	2		72	
14 Fulton	170				1		1		5			3	1	2	21	
15 Geneva	226				1		2		10			3			21	
16 Glens Falls	350	1					2		10	1		6			35	2
17 Gloversville	407								19	1		2		1	40	1
18 Herkimer	132				1		2		2			6		4	7	
19 Hornell	218	1			1				9			6	1		22	
20 Hudson	281	2					3	1	6	1	1	8	2	3	29	
21 Ilion	129								3			4		2	15	
22 Ithaca	355				6	1	0	1	18	2	1	4	2	1	34	
23 Jamestown	574	1			1			2	10	1		21	1	1	59	2
24 Johnstown	153							1	10	1		4	1		15	
25 Kingston	526	4			6	1	1	1	12		2	41		4	44	2
26 Lackawanna*	373	11			1		5	2	7		1	11	3	1	13	
27 Little Falls	157	1					2	1	8			6		2	16	1
28 Lockport	305	1				1	3	1	6			3			30	
29 Middletown*	496	1					1		6	1		35	1	1	37	
30 Mount Vernon	546	2			9	1	1	6	11			18		2	56	2
31 Newburgh	502				1			8	3	1		28	3	2	37	
32 New Rochelle	465				3		1		13		2	8	3		28	
33 New York White	71,319	106	2	1	753	81	207	460	916	177	107	4,236	274	295	6,852	258
					54	2	28	22	45	10	6	652	42	65	210	16
34 Bronx Borough Colored	4,740	8			105	15	14	43	133	21	15	592	35	49	983	31
35 Brooklyn Borough White	25,891	38	1		251	28	93	241	408	64	34	1,326	103	90	2,333	123
					8	2	7	9	18	1	2	118	2	10	44	6
36 Manhattan Borough White	26,751	39			323	23	66	120	247	71	45	1,806	109	128	2,604	60
					39		19	13	21	8	4	487	36	50	139	9
37 Queens Borough Colored	3,317	4			62	14	34	43	112	18	13	429	23	23	767	40
38 Richmond Borough	1,990	5	1		19	1	2	8	22	4		130	8	10	192	5
39 Niagara Falls	687				1	1	11	4	27	3		22	5	1	37	1
40 North Tonawanda	211				1				6			11	1		11	
41 Ogdensburg*	506	2							5	1		19	1	1	28	
42 Olean	333					1	2		9			7		2	26	1
43 Oneida	181						4		4			1		2	18	1
44 Oneonta	184				1				6		1	6			12	
45 Ossining	188				1	1	2		6		1	5		2	17	
46 Oswego	329				1	1	4		3	2		6	1	1	23	
47 Peekskill	213				3		3		3			3		1	22	
48 Plattsburg	256	1					1	1	3		1	12	1	3	27	
49 Port Chester	265	2			2		2		4			9	2	2	15	3
50 Port Jervis	182								8			4			13	2
51 Poughkeepsie	606				14	1	3	1	6			21	8	3	54	
52 Rensselaer	118								1			2			13	1
53 Rochester	4,103	13			17	3	24	32	71	12	1	144	22	22	399	9
54 Rome*	530				2		4	1	13	1		53		1	31	4
55 Saratoga Springs	298					3			1		1	12		1	27	
56 Schenectady	1,087	1			3		3	2	13	3		22	2	4	102	7
57 Syracuse	2,513	3			4		28	3	23	4		70	8	13	223	7
58 Tonawanda	110							1	7			7			8	
59 Troy	1,304	4			1	3	5	2	28	1		46	10	6	113	3
60 Utica*	1,681	2			8	1	23	33	34	4		73	4	8	151	3
61 Watertown	551		1		1		4	1	12	2		22	2	3	50	2
62 Watervliet	173						1	1	12			6			14	
63 White Plains	325	2			3	2	8		5			12	1	1	29	2
64 Yonkers	1,215				15		1	16	17	4		82	4	5	99	8
NORTH CAROLINA																
65 Asheville White	567	2		1			4	3	10		1	137	7	7	25	
							1	2	18			25	5	3	9	1
66 Charlotte Colored	250						4	3	18	1		22	1	2	43	
	516	1	1			2	1	2	18			39	1	4	13	2
67 Durham White	406	3			1		1	2	28			39	1	4	23	
	353	2					1	1	15	1		23	3	2	13	
	346	2					4	2	12	1		37	1	3	10	4

\* Excluding collision with railroad trains and street cars.



MORTALITY STATISTICS

TABLE 5.—DEATHS (EXCLUSIVE OF STILLBIRTHS)

["Urban" includes cities of 10,000 inhabitants or more in 1920; the remainder of the State is included in "rural." White and colored are shown separately for minor contain State insane asylums, State hospitals, etc. Numbers under causes of

AREA AND COLOR	All causes	Typhoid and paratyphoid fever	Malaria	Small-pox	Measles	Scarlet fever	Whooping cough	Diphtheria	Influenza	Erysipelas	Meningococcus meningitis	Tuberculosis of the respiratory system	Tuberculosis of the meninges, etc.	Other forms of tuberculosis	Cancer and other malignant tumors	Rheumatism
		1	5	6	7	8	9	10	11	21	24	31	32	33-37	43-49	51, 52
NORTH CAROLINA—continued																
1	Gastonia.....	White..... 177						1	7			5		2	9	
		Colored..... 76	1						2			9		1	1	
2	Goldsboro *.....	White..... 114					1	2	4			9		1	5	
		Colored..... 147	1					1	2	1		8		1	5	
3	Greensboro.....	White..... 439	3			2	1	2	10			19	1	2	6	
		Colored..... 257	2		5		5	2	23			10	1	2	28	2
4	High Point.....	White..... 284						7	20			14	1	1	16	
		Colored..... 91	2				1	1	6		1	8		1	2	1
5	New Bern.....	White..... 85		1				2	2						8	
		Colored..... 218		4				4	6			22		2	8	
6	Raleigh *.....	White..... 401						2	15			18		2	26	
		Colored..... 292	2	2			1	2	12			18		6	10	1
7	Rocky Mount.....	White..... 166	2	1	1	1		2	2			9		1	6	
		Colored..... 160							1					1	6	
8	Salisbury.....	White..... 171				2		3	2			17		1	6	
		Colored..... 77						2	16			7		1	10	1
9	Wilmington.....	White..... 272	1				1	3	3			15			20	1
		Colored..... 277	2				3	2	10	1		8			8	
10	Wilson.....	White..... 119	2	1				6	10		1	6		2	5	2
		Colored..... 147		1				2	5		1	18	1	2	5	
11	Winston-Salem.....	White..... 377	2					6	18	2	3	6	2	2	21	
		Colored..... 568	4			1		2	25	1		6	2	6	6	
NORTH DAKOTA																
12	Fargo.....	341					1	3	8	2	1	8	1	2	24	1
13	Grand Forks.....	206	4			1	2	1	7	1		5	2	1	28	1
14	Minot.....	249				1	3	1	8	1	3	8		2	21	2
OHIO																
15	Akron.....	2,060	4	1		31	11	30	60	9	1	91	9	14	126	7
16	Alliance.....	299				2	6	7	15			19	2	4	29	2
17	Ashtabula.....	333	4			2	4	3	11			10	5	1	21	
18	Barberton.....	233	3			1		6	11	1		17	1		16	1
19	Bellaire.....	161	1					8	11	1		7			18	1
20	Bucyrus.....	129				1		1	4	1		5		2	19	2
21	Cambridge.....	204	2			3		1	9			11	1	4	23	1
22	Campbell.....	108				2		2	1						2	
23	Canton.....	1,141	4			18	1	10	31	5	1	42	3	7	6	7
24	Chillicothe.....	262	2			1		1	2	2		9		3	30	
25	Cincinnati.....	White..... 6,079	7	1		41	8	34	157	27	1	277	20	30	553	16
		Colored..... 1,025	4			3		11	37	2	1	157	4	22	38	
26	Cleveland.....	White..... 9,296	12			91	34	73	185	34	3	530	34	57	848	39
		Colored..... 1,344	4			18	1	32	41	3	2	187	15	31	35	5
27	Cleveland Heights.....	234	4			1		1	3			5	1	1	36	
28	Columbus.....	White..... 3,425	3			37	5	9	46	9	2	151	13	19	303	8
		Colored..... 543	2			12		1	8			63	3	8	23	2
29	Coshocton.....	176	8			1		1	7			5	2	1	23	1
30	Cuyahoga Falls.....	108				1		1	1			3		1	9	
31	Dayton.....	2,162	4			23		14	43	3	4	105	12	26	195	2
32	East Cleveland.....	249				3		3	7			10	1	1	35	2
33	East Liverpool.....	377	2			3		2	10			19	3	3	26	2
34	Elyria.....	291	4			1		2	13	1		10	1	1	31	
35	Findlay.....	287				2		2	4			18		2	33	1
36	Fremont.....	151				1		3	10			6		2	24	
37	Hamilton.....	597	3			3		7	25	2	2	28	2	4	56	5
38	Ironton.....	268	3			4	2	5	9	2		18	2	1	13	2
39	Kenmore.....	89				2		2	3		1	3			7	
40	Lakewood.....	469	2			5		5	12	1		9		3	65	2
41	Lancaster.....	202				3			9			8	1	1	18	2
42	Lima.....	533	3			2		2	12	3		18	1	5	38	4
43	Lorain.....	432	3			4			24			27			33	
44	Mansfield.....	439	2			4		5	18			17	1	1	23	3
45	Marietta.....	226				3		2	18	1		17	1	1	23	
46	Marion.....	383	2			5		3	7	1	1	8	1	5	21	
47	Martins Ferry.....	207				2		1	8		1	6	1	1	21	
48	Massillon.....	262				6			13		1	9		1	16	
49	Middletown.....	339	4			6		1	11	1	1	27	4	7	19	
50	Newark.....	383				8		2	20			19	1	1	10	
51	New Philadelphia.....	139				1		1	3	1		3		2	13	1
52	Niles.....	122				1		3	2			4		1	6	
53	Norwood.....	233							6	1		12		1	23	
54	Piqua.....	272	3					1	5		1	10	2	2	30	1
55	Portsmouth.....	609	5			20		9	26	1		34	1	6	28	3
56	Salem.....	190	3			3			7			7	1	1	14	
57	Sandusky.....	338	6			1		1	4			15		3	26	
58	Springfield.....	White..... 702				10		2	19			22	1	3	67	
		Colored..... 180	1	1		5		4	11			10	1	2	8	
59	Stuebenville.....	504	2					3	23	2		14		2	27	1
60	Tiffin.....	231						1	4			6		1	25	
61	Toledo.....	3,733	14			21		26	77		3	263	10	27	307	12
62	Warren.....	499	2			6		1	7			21	3	8	36	1
63	Youngstown.....	1,770	1			8		8	36			71	3	8	127	7
64	Zanesville.....	582	1			3		2	22	1		24	1	2	55	2

1 Excluding collision with railroad trains and street cars.

# DEATHS FROM IMPORTANT CAUSES, BY COLOR

81

## FROM IMPORTANT CAUSES, BY COLOR: 1926—Continued

subdivisions when the colored population formed at least 10 per cent of the total, or numbered 10,000 or more, in 1920. Minor areas which are designated by asterisks (\*) death correspond to those of the 1920 revision of the detailed International List]

Diabetes mellitus	Cerebral hemorrhage and softening	Diseases of the heart	Bronchitis	Pneumonia (all forms)	Diarrhea and enteritis (under 2 years)	Appendicitis and typhlitis	Hernia, intestinal obstruction	Cirrhosis of the liver	Nephritis	Puerperal septicaemia	Other puerperal causes	Congenital malformations and diseases of early infancy	Suicide	Homicide	Automobile accidents			Other external causes	Unknown or ill-defined diseases	All other causes
															Primary	In collision with—				
57	74, 83	87-90	99	100, 101	113	117	118	122	128, 129	146	143-145 147-150	159-163	165-174	197-200	188c	Rail-road trains pt. of 188a	Street cars pt. of 188b	175-187, pt. of 188a, b, 188d-196, 201-203	204, 205	
1	10	10		14	10	7	3		20	1	5	20	1		2			6	12	26
1	5	11		4	3		1		3		1	2		2				4	9	11
1	12	17		6	2	3			10		3	8		1	4			6	11	19
2	5	12		9	13	2			7		1	8		2	2			8	19	34
7	29	43		21	9	15			30		1	49		3	3			3	30	89
2	7	31		18	10	8			20		1	15		7	7			9	43	43
	4	22		12	12	13			11		3	40		2	3			5	11	39
	2	2		6	4	6			6		2	9		3	2			5	9	10
	4	4		7	4	1			18		1	8		1	2			4	7	11
1	9	11		7	1	1			21		4	18		8	3			7	6	16
1	22	34		18	8	1			37		1	18		9	4			18	1	107
4	20	55		20	4	9			37		2	12		4	6			19	2	63
5	18	37		15	5	6			13		2	20		10	7			19		
	4	3		4	4	6			20		3	3		2	9			12	1	39
	9	11		10	18	4			16		4	9		1	2			9	1	14
3	5	20		11	2	6			17		1	13		2	3			5	3	29
3	5	6		9	1	1			4		1	2		1	1			5	5	14
2	17	22		2	6	2			33		1	31		5	8			14		50
2	41	28		20	8	2			32		5	17		6	2			11		40
	2	3		5	6	1			17		6	7		2	1			7	5	20
	4	4		6	9	2			6		1	2		3	1			8	25	20
	30	40		13	13	6			35		2	33		1	12			12	13	68
	22	60		78	43	7			62		4	32		11	6			13	43	66
	7	21		22	3	10			7		4	46		5	4			16	6	88
	17	29		17	1	11			6		1	20		3	4			4	3	33
	7	6		20	3	5			10		5	18		3	4			12		52
	32	122		188	45	36			103		15	185		21	62			97	1	330
	5	19		22	2	7			11		2	15		3	3			26	1	53
	3	33		25	7	5			21		2	22		5	5			23		53
	4	18		27	3	2			11		4	15		2	5			6		28
	6	19		21	5	5			7		1	11		4	2			16		26
	12	24		5	4	1			7		1	11						13	1	16
	22	22		11	2	12			17		2	16		4				7	2	22
	3	3		19	3	2			5		1	12		1				7		13
15	104	161		118	30	25			50		7	106		15	28			60		164
8	20	48		2	2	3			20		2	11		2	5			17	1	48
131	469	1,082		420	157	90			634		38	280		76	32			277	1	852
4	46	131		128	17	12			98		10	60		3	43			34	2	125
	156	547		947	143	145			602		48	642		141	66			400		1,356
6	54	145		214	24	9			74		6	80		4	54			36	3	199
4	34	50		20	7	7			19		9	2		8	1			5		41
51	218	554		200	79	93			225		17	184		46	13			144	4	791
9	30	94		54	15	3			31		1	27		3	8			27	1	97
3	16	32		7	2	2			5		1	9		1	3			11	2	27
	2	13		10	2				12			7		2				4		14
45	153	383		178	50	41			136		9	121		18	52			121	3	316
5	37	52		9	1				4			4		1				10		38
7	33	55		37	8	9			24		1	33		3	7			21	1	51
5	23	45		15	3	6			22		5	19		2	9			16	1	36
	34	77		11	3	3			13		4	22		1				11		33
3	14	28		15	3	1			10			4		2				2	3	15
6	103	1		30	27	8			35		2	38		7	12			40		77
6	22	29		13	7	5			18		1	26		1	5			23	2	39
	5	14		12	3	1			10		1	4		3	3			2		7
7	47	106		41	5	4			38		4	15		2	7			12		61
	6	26		14	3	2			14		1	13		3	4			7		30
13	44	76		25	6	20			33		6	33		5	2			36		105
6	15	54		34	23	4			27		6	32		7	10			40	3	47
7	52	82		24	6	7			41		3	23		6	2			30		57
7	24	29		17	6	2			9		2	13		1	3			12		39
5	23	73		26	10	2			13		2	30		1	5			22	1	58
	2	18		22	10	6			11		2	8		5	6			22	1	28
5	14	49		14	6	4			23		2	17		6	7			19		34
5	21	33		27	18	4			17		4	27		6	6			10		42
3	35	68		32	2	4			31		1	19		6	8			21		61
1	20	20		2	1	1			12		1	10		1	1			6	2	50
	8	27		13	7	1			5		2	13		2				6		52
	6	22		68	2				18			4		2				8		35
4	20	35		17	2	13			23		5	16		4	4			15		47
11	32	61		48	29	6			40		4	54		7	5			48		85
3	12	29		2	8	4			22		4	11		1	3			4	3	56
6	40	73		12	3	10			22		1	17		6	4			19		62
9	91	98		40	16	8			71		2	29		6	2			38	3	115
2	11	16		32	9	2			16		2	9		4	2			7		20
	5	27		47	12	6			22		5	45		10	17			60	1	51
6	29	50		11	2	4			13		3	12		2	2			16		38
56	283	547		278	88	57			223		12	215		39	33			186	1	706
5	52	57		13	15	6			20		5	36		8	7			37		68
27	125	223		47	46	28			67		15	146		17	27			120		229
6	56	88		264	11	13			51		9	37		7				37	2	80

\* Name changed from East Youngstown in 1926.

MORTALITY STATISTICS

TABLE 5.—DEATHS (EXCLUSIVE OF STILLBIRTHS)

["Urban" includes cities of 10,000 inhabitants or more in 1920; the remainder of the State is included in "rural." White and colored are shown separately for minor contain State insane asylums, State hospitals, etc. Numbers under causes of

AREA AND COLOR	All causes	Typhoid and paratyphoid fever	Malaria	Smallpox	Measles	Scarlet fever	Whooping cough	Diphtheria	Influenza	Erysipelas	Meningococcus meningitis	Tuberculosis of the respiratory system	Tuberculosis of the meninges, etc.	Other forms of tuberculosis	Cancer and other malignant tumors	Rheumatism
		1	5	6	7	8	9	10	11	21	24	31	32	33-37	43-49	51, 52
OKLAHOMA <sup>2</sup>																
1 Oklahoma City.....	1,186	6					2	5	42	1		44	3	5	117	1
OREGON																
2 Astoria.....	147	1							1		1	4	1	2	17	
3 Eugene.....	278	2					1	2	3	1	3	7	1	2	26	
4 Portland.....	3,377	8		1	5	5	4	25	44	7	12	100	17	32	443	7
5 Salem (exclusive of State institutions).....	303	1		1					5	1	1	13		1	25	
6 State institutions.....	297	1							1			58		2	6	1
PENNSYLVANIA																
7 Allentown.....	1,428	5			12	4	3	8	17	4	2	86	10	10	95	3
8 Altoona.....	880	3			7		9	13	16	4		14	1	4	57	5
9 Ambridge.....	141				2	1	2	1	10			6	1	1	4	
10 Beaver Falls.....	223	3			3		1	1	13	1		7		1	21	1
11 Berwick.....	157				4		5		6			8	1	1	14	1
12 Bethlehem.....	537				27	1	1	7	20	2		30	2	4	34	1
13 Braddock.....	330	2			1		7	5	13			16	1	3	11	1
14 Bradford.....	241					1		1	8			6	2	2	23	1
15 Bristol.....	123				6				9			8			5	
16 Butler.....	188				1	1	1	3	10			6	1	2	12	1
17 Canonsburg.....	126				3	1	1	3	12			9	1	1	6	
18 Carbondale.....	313	1							6	1		8			28	
19 Carlisle.....	200						2		10			11		1	23	2
20 Carnegie.....	113							1	15	1		12	1	1	7	
21 Carrick.....	90				1	1	3		10			6			4	2
22 Chambersburg.....	223	1					8		16			14		2	13	
23 Charleroi.....	94				1	3			2	1		5		1	5	2
24 Chester.....	604	2			5	1	2	3	13	1		26	1	5	42	1
25 Coatesville.....	206	1			1		2	1	11			18	2		9	4
26 Columbia.....	159	2			3		4		3			9		1	10	1
27 Connellsville.....	170	3			2		5	1	8	2		4	1	1	1	3
28 Dickson City.....	93							5	4			5			2	
29 Donora.....	76								6	1		7			7	
30 Du Bois.....	162				2	1			9			4		1	16	
31 Dummore.....	271				8	1	2		7	2		12	1	1	17	
32 Duquesne.....	184				2	1	4		16	2		12	1	2	12	
33 Easton.....	645				3		4		15	2	1	19	5	3	67	3
34 Erie.....	1,509	1			12	4	18	10	78	6		78	5	11	124	4
35 Farrell.....	131				1		2	4	21	1		12	1	4	6	1
36 Greensburg.....	280	3			2		1	1	16			8	4	2	26	2
37 Harrisburg.....	1,366	9			5		7	2	25		1	35	3	7	126	4
38 Hazleton.....	455				1		1	1	9			20	3	1	31	1
39 Homestead.....	234	2			3	1	3	3	8			14			15	1
40 Jeannette.....	128						2	1	8			3			6	
41 Johnstown.....	1,034	5			25		13	8	36	2	3	36	16	6	47	2
42 Lancaster.....	1,006	17			3			3	11	1	1	31	3	7	97	4
43 Lebanon.....	394	4			1		3		11	1	3	11	1	2	32	2
44 McKeesport.....	723	4			9	3		5	22	2		19	1	2	55	4
45 McKees Rocks.....	135		1				1		7			7		2	7	1
46 Mahanoy City.....	166				4			1	5			3			13	2
47 Meadville.....	299				2		3		10	1		6	1		30	4
48 Monessen.....	134				1		1	1	16	1		8			11	
49 Mount Carmel.....	183				2	1	1	1	6			12	1		10	
50 Nanticoke.....	351				4		1	2	5			12		1	10	
51 New Castle.....	616	3			13	2	8	2	21		1	23	3	4	19	3
52 New Kensington.....	206						2		10		2	9	1	1	12	1
53 Norristown.....	797	3			7			1	23	3	1	41	2	1	47	3
54 North Braddock.....	125	1			1		1	2	3			2			6	
55 Oil City.....	256	1			1	1	1	2	13			7		2	21	1
56 Old Forge.....	115				2		3		3	1		4	1		5	
57 Olyphant.....	96					1		1	4			4			4	
58 Philadelphia.....	23,644	33			147	41	66	240	442	46	15	1,212	56	96	2,243	81
59 Phoenixville.....	173	6			18	1	36	36	89	6	1	480	26	54	172	12
60 Pittsburgh.....	8,023	18			27	16	101	59	218	14	11	333	33	50	678	33
61 Pittston.....	978	3			2	3	21	5	27	2		75	9	20	45	3
62 Reading.....	1,440				1		7	3	10			7		1	12	
63 Scranton.....	1,885	6	1		22	2	6	10	51	3		111	9	8	160	6
64 Shamokin.....	222				5		3	2	18			10			8	3
65 Sharon.....	369				3		3	2	30			14	2	3	28	2
66 Shenandoah.....	240							1	12			5			12	
67 Steelton.....	113					1	1	1	3			3			14	
68 Sunbury.....	48					1	1	1	3			3			1	1
69 Sunbury.....	198				1		2	1	2			6	2	2	19	

<sup>1</sup> Excluding collision with railroad trains and street cars.

# DEATHS FROM IMPORTANT CAUSES, BY COLOR

## FROM IMPORTANT CAUSES, BY COLOR: 1926—Continued

subdivisions when the colored population formed at least 10 per cent of the total, or numbered 10,000 or more, in 1920. Minor areas which are designated by asterisks (\*) death correspond to those of the 1920 revision of the detailed International List]

Dia- betes melli- tus	Cere- bral hemor- rhage and soften- ing	Dis- eases of the heart	Bron- chitis	Pneu- monia (all forms)	Diar- rhea and enter- itis (under 2 years)	Ap- pen- dicitis and typh- litis	Her- nia, intes- tinal ob- struc- tion	Cir- rho- sis of the liver	Neu- ritis	Puer- peral septi- cemia	Other puer- peral causes	Con- genital mal- forma- tions and dis- eases of early infancy	Sui- cide	Homi- cide	Automobile accidents			Other external causes	Un- known or ill-de- fined dis- eases	All other causes	
															175-187, pt. of 188a, b, 188d- 189c	188a	188b				
57	74, 83	87-90	99	100, 101	113	117	118	122	128, 129	146	143-145 147-150	159-163	165-174	197-200	188c	pt. of 188a	pt. of 188b	201-203	204, 205		
14	69	150	5	102	28	35	17	7	69	6	8	61	17	20	25			54	23	250	1
5	16	35		4		7			8		1	7						8			
4	28	31		22		9			23	3	3	15	5	2	8	2		19	1	25	2
71	259	573	8	225	12	46	6	1	30	15	17	123	75	14	52	3		145		51	3
7	28	60		17	4	10	4		38			12	1		6			20	1	712	4
1	24	32	2	15					10		1	1	2	1				3		55	5
44	161	189	8	125	22	16	20	14	103	8	16	84	21	5	23			96		212	7
23	44	149	2	90	22	19	12	5	93	9	4	53	5	4	26			45	2	144	8
2	4	13	1	31	8		2		4	1		16	4	3	3			11		10	9
6	18	20	3	28	7	4	3	3	16	1		9	3	3	4			14		30	10
2	16	21		18	2	1	1		12		2	13	2	2				3		22	11
4	60	72	3	80	20	1		6	35			35	8		1			31	1	53	12
4	10	41	1	66	16	5	3	5	22	1		20	1	5	14			23		27	13
9	25	47	2	15	3	4	2	1	17	2	2	19	5		2			16	6	35	14
	12	27		14	2	2	1	1	2	1		19	7		2			8		19	15
5	18	32		15	2	1	1		18			17	1	1	5			7		27	16
9	3	16	2	16	2	6	3		4	2	3	10	1	1	8	1		31		11	17
	24	24	1	47	5	8		4	26	5		27	1							42	18
4	17	34	2	14	2	1	1	2	27		1	15	2	2	4			10		13	19
3	5	17		14	4			2	5			9		1	1			3		8	20
	15	17	1	8	4		2	1	9		1	6			1			1		4	21
2	17	39	1	11	2	4	1	1	21	1	4	11	1		5			15	1	31	22
1	4	19		8	4				7		1	13						6		10	23
10	36	96	3	51	26	7	7	3	58	4	5	42	5	5	12			51		81	24
2	11	39		30	7	1	2		14	1	2	9		8	2			6		23	
1	3	24	2	6	2				16			1	3					4		13	25
3	22	29	2	4	2	5	2		23	1	3	4			4			10		5	26
3	12	23	2	23	3	1		1	6			11	1	1	9			9	1	21	27
	2	20		9	9		1		4		1	11						9		10	28
	4	6	1	12	6	5		2	2		1	12						3		8	29
1	6	26	1	9	5	4	4		14			13			6			14		1	30
4	17	45	3	44	13		2		14	2	3	19	1	1	1			20		30	31
1	9	18		30	7			4	3			23	3		3			11	3	17	32
19	45	90	1	55	4	17	13	4	48	10	6	34	10	5	20			43		99	33
25	116	276	3	116	44	25	10	14	99	6	11	95	25	3	37	2	2	75	1	173	34
1	6	9	2	14	17	7	6		7	1	1	8						2	1	9	35
1	13	29		28	4				12	4	4	13	4	2	12			27	9	38	36
38	91	274	7	131	9	25	16	15	133	6	13	71	10	3	30	1	3	69		197	37
8	30	82	4	24	13	11	6	3	43	8	6	33	3	3	14	3		32		59	38
	7	17		47	6	2		4	16	3	3	24	5	4	5		1	18	3	19	39
2	13	28	1	9	1			1	7		1	13			3			3	17	9	40
12	50	104	5	132	32	27	13	5	83	10	11	77	10	7	26	1		93		136	41
14	76	203	3	83	18	22	17	8	97	5	12	45	11	2	10	1		54	1	151	42
9	45	71	2	33	10	9	7	4	41	3	3	11	2		12			14		46	43
7	34	78	5	117	21	16	12	9	60	8	8	39	4	8	24	1		46		93	44
	4	12		31	7		1	2	7	2		15	1					6		18	45
1	6	26	1	35	7				14	1	1	13	2	1	2			7	2	18	46
7	22	47	2	21	4	6	3	9	23	2	1	11	3	1	3			17	1	59	47
5	7	18	3	12	4			2	9			15						5		16	48
4	7	31	4	36	11				15	1		10	2		1			10		13	49
4	12	48	4	44	8	5	4	4	21	2	7	24	2		13			53		42	50
9	48	93	5	65	10	16	4	1	46	2	3	37	10	5	13			17	6	102	51
1	9	21		21	6		3		9		3	17	2	3	11	1		17	1	36	52
13	46	161	4	86	15	6	13	6	65	2	3	43	5	1	14			31		148	53
3	6	21		23	12				9			13						8	2	12	54
12	22	46		15	5	4	1		17	3	6	18	3		4			13		37	55
	4	13	2	27	4			1	5	1		20	3		3			5	1	10	56
	2	13	1	10	12		2	2	4			10	3	1				6		14	57
439	1,290	5,167	170	2,519	377	307	282	172	2,640	104	128	1,060	281	70	296	2	7	918	20	2,697	58
35	140	592	32	750	79	36	35	5	307	24	36	211	12	91	33			148	2	618	59
7	11	16	1	18	6	3	2		21	1	3	14	1	1	1	3		13		25	60
112	476	1,136	60	989	204	184	72	57	607	51	66	508	86	43	155		4	427	115	1,132	61
7	37	100	2	231	35	4	2	5	66	7	7	53	5	23	8	1		38	25	107	62
3	14	22	1	55	6	1		4	11	1		14		3			10			11	63
3	5	19	1	15	10		1	2	21		1	18	2		2			15		18	64
5	19	44		31	6	4		1	24	1	1	14	3		9			20	1	36	65
5	33	80	1	35	13	9	2	3	63	6	4	37	7	4	20	1		41		57	64
3	4	28		6	3	9	4	1	15		3	13	4		4			13		17	65
39	89	290	5	122	33	21	14	13	148	3	12	81	20	6	19			76	5	167	66
36	116	332	13	201	45	34	22	10	126	4	22	129	12	3	32			118	1	234	67
7	16	48	1	19	18		3	2	8			18			1			8		23	68
5	23	47	1	41	7	14	5	1	22	2	6	27	5	2	8			20	1	44	69
1	18	39	2	53	11		4		18			20	1		1			13	1	31	70
3	8	24		22	4			1	12			4			1			2		4	71
	4	3		1	1				3			4						2		3	72
5	11	34	2	15	3	2	5	1	34	1		13			2			14		20	72

\* Nonregistration State; cities shown are those with satisfactory registration of deaths.

MORTALITY STATISTICS

TABLE 5.—DEATHS (EXCLUSIVE OF STILLBIRTHS)

["Urban" includes cities of 10,000 inhabitants or more in 1920; the remainder of the State is included in "rural." White and colored are shown separately for minor contain State insane asylums, State hospitals, etc. Numbers under causes of

AREA AND COLOR	All causes	Typhoid and paratyphoid fever	Malaria	Small-pox	Measles	Scarlet fever	Whooping cough	Diphtheria	Influenza	Erysipelas	Meningococcus meningitis	Tuberculosis of the respiratory system	Tuberculosis of the meninges, etc.	Other forms of tuberculosis	Cancer and other malignant tumors	Rheumatism
		1	5	6	7	8	9	10	11	21	24	31	32	33-37	43-49	51, 52
PENNSYLVANIA—continued																
1 Swissvale.....	101					1	3					4		3	7	
2 Tamaqua.....	119				7					4		4		1	10	
3 Uniontown.....	371	8			1	1	2		9	2		14	1	1	34	2
4 Warren.....	224				2		2		8			7			13	
5 Washington.....	421															
6 West Chester*.....	266	7			5	2	1	3	37	1		18	1	1	32	2
7 Wilkes-Barre.....	71				1		1		4			7			34	
8 Wilkes-Barre.....	1,242	2			18		4	3	51	4	1	44	5	11	96	2
9 Wilkes-Barre.....	359	3														
10 Williamsport.....	667	2			1	1	2	1	14	7		14	2	5	70	5
11 Woodlawn.....	137	1			1	1	3	4	6			5		1	6	
12 York.....	750	5				9	2		27	1	2	24	1	2	55	2
RHODE ISLAND																
13 Bristol town.....	153							1	16			4	1		10	2
14 Central Falls.....	287	2			6		7		10	1	2	9	1	4	28	3
15 Cranston (exclusive of State institutions).....	305				5		9		12			7			33	1
16 Cumberland town.....	412								7	5		16		2	38	1
17 East Providence town.....	117				2		7	1	5		1	3		2	9	2
18 East Providence town.....	313				8		5	1	9	2		8	1	1	34	1
19 Newport.....	374	1			6		1	1	23		1	13		2	38	2
20 Pawtucket.....	869	2			16	2	12	5	7	6		21	4		89	3
21 Providence.....	3,544	2			69	1	50	22	63	9	3	113	13	19	370	17
22 Warwick town.....	202						4	1	10			14		3	17	
23 West Warwick town.....	198				5		3	5	6			8	1	1	25	
24 Woonsocket.....	589	2			2		16	2	28	1	1	21	5	3	47	1
SOUTH CAROLINA																
25 Anderson.....	269	10		1			3	6	13	1		6		2	11	
26 Anderson.....	135	10					1		3			7		1	2	1
27 Charleston.....	463	4			1		2	4	22			16	1	2	32	
28 Charleston.....	939	7	5				2		21			65	4	7	25	1
29 Columbia*.....	571	13			1	1	1	2	10	4		20	2	3	28	
30 Columbia*.....	557	12	3					5	31			54	1	2	15	2
31 Florence.....	162	5							11		1	1	3	2	6	
32 Greenville.....	247	3	1						9			27		3	9	
33 Greenville.....	183	2						4	4			6	1		23	
34 Spartanburg.....	229						2	2	12			26		2	6	
35 Spartanburg.....	278	1				1	5	4	11	1		13	2	2	9	
36 Spartanburg.....	250	5		1				3	16			25		3	7	
SOUTH DAKOTA 2																
37 Sioux Falls.....	311					3	1		4			13	2	4	41	1
TENNESSEE																
38 Chattanooga*.....	1,009	6	2		10	2	23	4	36	1	1	74	7	16	72	3
39 Chattanooga*.....	898	8	2	1	7		24	1	39		1	90	2	13	21	7
40 Jackson.....	183	1				2	2	1	6			8		1	18	1
41 Jackson.....	146	6	2				2		5			11		1	4	
42 Johnson City*.....	291	1			2	2	5	2	21			24	1	6	15	
43 Johnson City*.....	36	1					1		5	1		8			2	
44 Knoxville.....	1,062	16			7	1	4	10	44	4	1	64	8	4	70	1
45 Knoxville.....	361	4			1		2		21			51	1	11	10	1
46 Memphis.....	1,737	16	14		9	7	7	12	42	1	6	67	4	8	138	1
47 Memphis.....	1,792	18	8		5		9	8	79		1	143	9	36	80	10
48 Nashville.....	1,566	24	1		18	1	16	12	88	6	3	97	4	8	120	3
49 Nashville.....	1,132	25	1		2		17	15	67		1	92	3	23	44	4
TEXAS 2																
50 Beaumont.....	350							4	19		1	12		3	36	
51 Beaumont.....	250	3	4		1		1	2	21			30		2	6	1
52 Dallas.....	2,104	12	6			6	12	24	115	2	2	99	6	7	162	6
53 Dallas.....	626	7	2		1		11	2	39	1		55	1	6	20	1
54 El Paso.....	1,762	13	1			3	32	4	122	3	3	405	18	14	73	3
55 Fort Worth.....	1,260	13	1			1	7	12	88	1	1	41		3	81	3
56 Galveston.....	291	3					3	1	14			31		7	6	2
57 Galveston.....	540	3				1	2	1	17	2		25	2	5	43	
58 Galveston.....	236								4			18		7	7	3
59 Houston.....	1,929	9	3				14	23	89			123	8	1	142	2
60 Houston.....	952	10	8				4	8	60			89		6	28	1
61 San Antonio.....	2,761	12	4		5	1	30	11	139	4	8	367	16	11	161	6
62 San Antonio.....	254	4						1	24			29		2	12	
63 Waco.....	455	5					4	5	29			19		3	51	
64 Waco.....	178						1		11	1		24		1	8	1
UTAH																
65 Ogden.....	490	1			1		15	9	30	1	2	10			43	1
66 Provo.....	191			1			2		7			1		1	13	
67 Salt Lake City.....	1,703	3			8	2	23	20	51	10	7	79	6	8	149	6
VERMONT																
68 Barre.....	166								7			30	5	2	14	
69 Burlington.....	384	1				7		1	8	1	2	13	7	3	29	
70 Rutland.....	257		1				2		7			12		2	22	1

1 Excluding collision with railroad trains and street cars.

# DEATHS FROM IMPORTANT CAUSES, BY COLOR

## FROM IMPORTANT CAUSES, BY COLOR: 1926—Continued

subdivisions when the colored population formed at least 10 per cent of the total, or numbered 10,000 or more, in 1920. Minor areas which are designated by asterisks (\*) death correspond to those of the 1920 revision of the detailed International List]

Diabetes mellitus	Cerebral hemorrhage and softening	Diseases of the heart	Bronchitis	Pneumonia (all forms)	Diarrhea and enteritis (under 2 years)	Appendicitis and typhilitis	Hernia, intestinal obstruction	Cirrhosis of the liver	Nephritis	Puerperal septicemia	Other puerperal causes	Congenital malformations and diseases of early infancy	Suicide	Homicide	Automobile accidents			Other external causes	Unknown or ill-defined diseases	All other causes	
															Primary	Railroad trains	Street cars				
57	74, 83	87-90	99	100, 101	113	117	118	122	128, 129	146	143-145 147-150	153-163	165-174	197-200	188c	pt. of 188a	pt. of 188b	175-187, pt. of 188a, b, 188d-190, 201-203	204, 205		
3	6	29	1	15	1			2	7	1		3	2	1	1			2	1	10	1
5	10	23		11	8				11			6	1				6			13	2
3	23	45		37	5				22			14	5	4	12	1	33			55	3
5	15	43	2	14	2	6	4	1	8		3	19	1	1	7	1	14			46	4
4	18	51	1	38	19	6	9	2	24	2	7	33	5	2	14		1	24	1	57	5
2	17	31	1	20	6	7	5		34	5	7	17	1	1	1		20	1	31	1	6
3	8	2		15	2	2	2		7	7		1	2	1			1	20		14	1
28	51	216	9	113	24	26	21	11	109	7	11	82	9	3	13			125	3	141	7
4	32	55	2	48	3	10	2	3	25	3	3	19	8	2	13			21	3	54	8
15	52	113	3	66	15	6	11	1	42	4	4	36	7	2	5			39	4	120	10
1	2	14		21	8		1		8			23	1	2	3			9		16	9
25	75	150	6	64	13	9	11	2	74	2	4	42	12	2	10	1	18		98	11	
5	13	24	1	19	7		1	4	12			8	1	1			10	1	12	12	
6	25	37	5	21	5	3	3	2	34	1	3	30	1	1	3		7	7	27	13	
11	34	56	2	25	3			2	46		2	12	3	1	2		14	14	23	14	
4	43	115	1	16	9		3	2	28		1	4	2	1	1		3	3	120	15	
1	17	25	1	19	2			1	3		1	9	1	1	1		3	3	8	16	
2	25	70	3	33	6		1	1	37		1	24	1	1	4		11	11	28	17	
11	41	98	2	26	8	3			26			17	3	1	4		15	15	54	18	
17	72	159	3	64	6	15	12	3	97	4	6	80	7	1	17		34	34	79	19	
67	302	580	14	338	35	71	31	13	362	16	26	210	35	10	61	1	150	22	447	20	
2	24	35		14	1	1	1	3	21		1	16	2	2	4		3	3	24	21	
2	14	23	3	21	4	1	1	4	11		4	19	1	1	4		2	2	28	22	
11	38	82	4	66	27	4	5	7	49		5	57	4	1	13		20	2	75	23	
7	10	34		15	26	5	1		34	2	4	14	1	1	2	1	10	6	43	24	
1	12	14	1	9	9	3	1		17	2	4	4	6	6	1		10	3	21	24	
8	54	79		42	6	4	7	5	46		2	43	2	1	11		23	23	58	25	
9	101	136	1	91	38	7	3	2	103	5	8	84	1	17	5		26	2	161	25	
3	50	70	2	45	14	4	7	2	72	4	3	31	3	3	12		24	2	139	26	
1	42	58	1	21	11	7	4		46	3	7	30		10	5		15	5	164	26	
2	5	21		8	11	4	1		9	2	4	12	1	3	6		13	1	29	27	
2	8	24		10	8	6	4	1	27	2	4	14	4	4	4		13	11	49	27	
1	10	22		8	6	6	4		18	1	3	12	5	3	9		9	2	24	28	
3	15	33		13	9	4	3		29	3	5	16	1	10	4		4	3	28	29	
4	22	35		12	5	4	3		26	2	4	24	1	8	6		11	2	57	29	
4	14	37		19	8	3	3		29	2	4	10		1	1		4	2	42	29	
8	19	37	1	20	3	12	5	2	25	1	2	22	4		5		13	1	62	30	
9	47	103	6	76	26	20	12	1	54	9	14	63	8	10	17		54	56	166	31	
4	35	83	9	106	21	4	3	3	58	3	6	18	2	38	7		39	102	137	31	
3	11	11	1	17	5	12	1		22	2	2	9	2		2		9	11	19	32	
2	5	7		21	3	3			17	2	3	9		4	2		9	13	25	32	
2	14	34	1	24	17	3	4		19	1	2	24	7	4	5		12	2	35	33	
8	59	118	1	70	49	23	14	3	69	5	8	64	9	8	31	1	53	37	198	34	
4	23	41	5	33	9	5	2		22		2	19	2	10	4		12	4	66	34	
17	81	205	3	135	30	63	23	7	130	16	19	109	25	19	41		99	29	353	35	
12	82	183	3	153	35	40	25		119	15	16	69	4	102	16	1	61	85	355	35	
19	84	187	6	138	48	34	16	5	81	6	12	99	13	13	32		76	39	257	36	
5	66	151	5	124	28	15	9	9	92	15	5	36	1	28	7		44	36	164	36	
3	11	37	1	11	5	12	9	4	24		4	26	7	6	12		24	9	69	37	
1	16	18		20	6	6	2		17	1	2	17		6			14	11	40	37	
25	187	220	5	168	50	48	23	9	125	12	12	181	53	24	49		100	3	398	38	
6	39	52	5	65	3	11	10	1	58	7	3	41	1	40	2		20	1	105	38	
8	37	114	16	90	166	16	24	12	85	9	9	108	23	13	19		54	7	258	39	
13	93	153	5	87	29	33	23	5	79	5	9	77	24	11	28	1	61	18	251	40	
1	9	43		39	7	1	5		26		3	11	9	9	2		13	3	51	40	
3	41	75	1	30	7	9	12		56	2	8	20	13	6	2		31	1	105	41	
8	9	22		26	2	3		1	28		1	7		6	6		8		76	41	
23	93	201	7	131	40	42	23	15	136	10	10	111	39	32	33	1	101	129	339	42	
11	44	86	2	79	9	5	11	7	80	10	4	22	1	36	7		38	123	162	42	
22	92	225	15	251	241	40	29	14	135	16	22	156	29	38	38	2	75	82	473	43	
10	31	5	5	19	4	4	1	1	27		7	7	1	5	2		7	6	52	43	
6	25	52	1	26	5	11	7	2	23	3	9	20	7	4	8		27	7	96	44	
3	8	18		9	6	3	1	1	17		1	5		4			6	5	44	44	
3	34	60	1	43	2	20	11	1	25	2	2	49	5	1	4		30	5	79	45	
2	13	17	1	11	1	2	2		11	1	1	9	2		4		12	3	74	46	
23	83	230	10	136	16	48	18	6	141	5	22	122	14	7	33		88	44	285	47	
2	6	14	3	9	2	4	1		10	1	1	16	2		5		4	1	27	48	
7	19	81	3	29		12	8		39	1	4	21		1	9		22		60	49	
5	25	42	1	22	3	7	5		28	1	4	17	3	1	1		13		32	50	

\* Nonregistration State; cities shown are those with satisfactory registration of deaths.

MORTALITY STATISTICS

TABLE 5.—DEATHS (EXCLUSIVE OF STILLBIRTHS)

["Urban" includes cities of 10,000 inhabitants or more in 1920; the remainder of the State is included in "rural." White and colored are shown separately for minor counties. State insane asylums, State hospitals, etc. Numbers under causes of

AREA AND COLOR		All causes	Ty-phoid and para-typhoid fever	Mala-ria	Small-pox	Mea-sles	Scarlet fever	Whoop-ing cough	Diph-theria	Influ-enza	Ery-sipelas	Men-ingo-coccus meningitis	Tuber-culosis of the respira-tory system	Tuber-culosis of the menin-ges, etc.	Other forms of tuber-culosis	Cancer and other malignant tumors	Rheu-matism
			1	5	6	7	8	9	10	11	12	13	14	15	16-17	18-19	20, 21
VIRGINIA																	
1	Alexandria.....	White..... 194	1			3		1	1	4			9		1	15	
		Colored... 93	2					1					5		1	2	2
2	Charlottesville.....	White..... 86						1		2			7		1	9	
		Colored... 41								1			4		1	1	
3	Danville.....	White..... 213	3					5	5	11	1		10			8	
		Colored... 121			1			5		3			8		1	2	
4	Lynchburg.....	White..... 379	3			2	1	6	1	9			14	1	3	19	2
		Colored... 249	1	1				2	2	15	1		15	1	1	14	1
5	Newport News.....	White..... 167					1			10			8		3	14	
		Colored... 241	1							14			24	2	1	6	1
6	Norfolk.....	White..... 849	2					6	3	22	2	1	24	3	4	71	2
		Colored... 1,018	4			2		25	2	27	1		106	6	7	34	10
7	Petersburg.....	White..... 246							2	6		1	15	1	1	21	
		Colored... 347	2	1				2		31			22	3	6	10	2
8	Portsmouth.....	White..... 261						2	2	6	1	1	14			17	
		Colored... 432	1	1		1		8	1	35			24		6	6	2
9	Richmond.....	White..... 1,711	1			1	3	4	15	68	2		58	6		181	6
		Colored... 1,324	1					10	10	65	1	1	107	8	18	42	1
10	Roanoke.....	White..... 719	7			11		11	2	51	3	2	30	2		49	
		Colored... 246						2		18			19	1	3	7	
11	Staunton*.....	White..... 272								10	2		22		1	15	
		Colored... 37								3			4		1	1	
WASHINGTON																	
12	Aberdeen.....	235	1					1	3	4		3	12		1	21	
13	Bellingham.....	368						2		11		1	9	3	5	48	3
14	Everett.....	380	1					2	6	5			19	2	2	30	3
15	Hoquiam.....	108	1					2				1	1			9	
16	Seattle.....	White..... 3,392	6		8	2		5	8	66	5	24	142	22	28	463	10
		Colored... 172	1				1			5		1	28	7	2	10	1
17	Spokane.....	1,514	8			2	7	1	8	35	11	51	32	4	8	169	4
18	Tacoma.....	1,284	5		8	1	4	10	20	22	2	3	42	6	10	160	3
19	Vancouver.....	159								4	1		9	1	1	15	1
20	Walla Walla.....	233						5	1	2	2	1	6	1	1	25	
21	Yakima.....	350	4					1	1	10		2	6	1		32	1
WEST VIRGINIA																	
22	Bluefield.....	White..... 214	4			2	2	4	4	7	1		3	1	3	10	1
		Colored... 67	2							3			4			1	
23	Charleston.....	White..... 712	9			5		3	2	22	1		37	1	7	41	
		Colored... 139	1			1		7		4			9		1	5	2
24	Clarksburg.....	380	4			4	1	2	4	17	3	1	21	2		23	
25	Fairmont.....	382	3					3	1	8			18	1	5	15	1
26	Huntington*.....	906	11			17		11	12	34	2	2	78	3	8	42	3
27	Martinsburg.....	231					3	5	4	15	1		9		2	18	1
28	Morgantown.....	224	8			4	1	3	2	11		1	12	1	2	20	
29	Moundsville.....	166				4	1	5		8	1		14		1	11	
30	Parkersburg.....	409	7			10	1	4		11	1		22	3	3	23	1
31	Wheeling*.....	948	5			20		5	4	22	1		26	1	4	77	4
WISCONSIN																	
32	Appleton.....	300	3					1		18			12		1	37	2
33	Ashland*.....	218	2			1	1		1	3			8	3	1	28	3
34	Beloit.....	268				4	2		3	11			8	1	2	23	2
35	Eau Claire*.....	372				2	2	3		5	2		32	3	1	55	
36	Fond du Lac.....	394					1		7	10	7		10	3	4	49	4
37	Green Bay.....	600	4			6	3		2	26	2	1	13	8	5	73	1
38	Janesville.....	254							1	20	1	3	10		1	32	1
39	Kenosha.....	416	1					6	1	15	2		12	1	1	39	2
40	La Crosse*.....	615					1	3		5	2	2	22	2	3	94	1
41	Madison.....	746	1			13	3	2	2	13		1	34	5	4	100	3
42	Manitowoc.....	266				2				4	1		7	1	1	21	1
43	Marinette.....	183				1				9	1		9	1		19	
44	Milwaukee.....	5,730	7			23	5	25	53	113	16	9	299	34	30	549	24
45	Oshkosh.....	496				1	2	4	2	11			18		3	59	2
46	Racine.....	660				8	5	17	2	29	2		25		3	68	2
47	Sheboygan.....	365	1					1	1	17	1		18	2	1	38	
48	Stevens Point.....	172	1			2			3	1	1		3			13	1
49	Superior.....	417				4			3	7		1	17	3	4	27	
50	Waukesha.....	205						2	1	9	1		4	1	3	25	4
51	Wausau.....	278	1			3		1		15			5	5	2	28	2
52	West Allis.....	164					1	3	5	3			16			15	1
WYOMING																	
53	Casper.....	191	1				3	1		3			5			18	
54	Cheyenne.....	147					1	2	2	10			3	1	1	11	1

1 Excluding collision with railroad trains and street cars.

DEATHS FROM IMPORTANT CAUSES, BY COLOR

FROM IMPORTANT CAUSES, BY COLOR: 1926—Continued

subdivisions when the colored population formed at least 10 per cent of the total, or numbered 10,000 or more, in 1920. Minor areas which are designated by asterisks (\*) death correspond to those of the 1920 revision of the detailed International List]

Diabetes mellitus	Cerebral hemorrhage and softening	Diseases of the heart	Bronchitis	Pneumonia (all forms)	Diarrhea and enteritis (under 2 years)	Appendicitis and typhilitis	Hernia, intestinal obstruction	Cirrhosis of the liver	Nephritis	Puerperal septicaemia	Other puerperal causes	Congenital malformations and diseases of early infancy	Suicide	Homicide	Automobile accidents			Other external causes	Unknown or ill-defined diseases	All other causes
															Primary	In collision with—				
																Railroad trains	Street cars			
57	74, 83	87-90	99	100, 101	113	117	118	122	128, 129	146	143-145 147-150	159-163	165-174	197-200	188c	pt. of 188a	pt. of 188b	175-187, pt. of 188a, b, 188d-196, 201-203	204, 205	
3	11	26		9	3		1	1	31	2	3	20	2	2	3			11		31
4	8	17	2	5	1		2	2	8		1	8		2	3			5	2	4
2	9	11		5		1		1	15		1	4		1				4	2	10
	5	13	1	1					8			3								3
6	20	34		8	8	3	3		12	2	3	22	1	1	5	1		11	3	26
	8	31	1	8	2	3	1		9	3	1	5	1	1	1			6	1	19
7	25	62		24	11	6	2	3	30	2	5	40	6	2	6			17	4	66
2	19	42		19	5	3	1	2	20	2	4	11	1	8	3			6	1	36
2	5	33		6	5			1	21		2	13	1		1			9	2	20
2	22	31	1	31	12	1	3	1	19	1	4	16						7	7	32
14	57	176	4	53	13	11	12	2	79	6	10	43	12	5	18		1	61		132
10	86	174	5	82	37	11	12	4	85	9	6	54	4	15	7	1		46		144
5	18	28	1	7	9	9	2	2	40	3	3	19	1	2	10			12		28
7	26	35		40	15	4	3	8	48	1	4	17		4	4			9	1	46
5	32	28		12	7	2	2		45	3	1	19		1	3			15		42
7	59	41	1	42	23	3	7	5	25	2	5	31		2	2			18	7	67
27	114	307	16	103	33	32	17	4	167	14	12	124	24	7	26	2	3	54	16	259
11	102	155	6	167	45	12	11	8	105	11	8	92	1	12	11	2		50	54	197
10	29	83	2	46	34	16	13	3	37	9	9	67	1	2	14			38	9	129
1	9	33		22	15	1	2	1	24	1	1	17		7	3			12	4	45
1	5	2		4	1				32	3	2	14		5	2			9		46
									7		1	2						2		3
6	9	42		16	2	5	3		7	1	3	19	7	1	7			37		24
10	31	53	1	15	3	8	8		17	2	1	21	10		10			24	1	71
8	21	55		11	1	7	2	5	40	2	6	19	12	4	11			27	4	74
2	10	15	1	14	4		1	1	6		2	7	4		3	1		8		16
58	240	661	14	196	8	68	42	17	199	16	23	142	87	8	67	3	1	146	2	603
2	10	29		17			2		5		2	8	2	2	2			6		23
29	100	178	7	117	7	36	21	6	135	14	10	77	29	2	27	3		70	2	304
24	114	223	4	77	7	30	13	10	89	10	7	68	21	5	22		2	60	2	205
5	19	22		16	1	5		1	15		2	5	5		4			9		18
5	22	34		14	2	8	2		22	2	2	5	1		7			16		19
7	16	47	1	30	10	10	8		27	2	4	28	2	1	12			19	1	47
																				20
3	4	13	1	11	21	4	5		5	2	2	17	3	4	7			19	1	50
1	4	2		8	4	1	2		5		1	2			1			9		16
10	28	69		42	43	18	12	4	41	11	16	56	11	11	11	1		76	1	123
2	3	20	1	10	6	2	1	1	15	1		9		3	2			30		24
2	21	39		32	5	10	4	1	16	4	4	29	7	4	11			9		79
1	24	39		15	18	10	3	3	13	7	6	23	5	5	12			42	1	50
13	56	88	3	65	53	24	11	2	54	12	4	91	9	10	18			32	2	136
3	16	27		14	8	4		1	15	3		31	1		3			10		37
4	18	22		13	6	4		1	8	1		21	2	1	4			18		35
1	6	13		11	8		4		13		1	8			2			13		25
5	30	42	2	30	24	8	6		27	2	6	22	3	2	4			15	25	29
17	53	129	4	86	30	15	13	8	95	13	5	68	4	3	18	1		24		85
																		68		30
3	12	40	1	13	2	17	5	1	21		4	16	4		4			16	1	64
2	7	22	2	8	1	9	2	1	13		2	17	2	1	4			21		33
6	15	39	2	16	1	6	3		9		8	34	1		5			17		50
7	32	51		30	1	5	3		17	1	1	32	1		3	1		13		67
2	32	64	3	28	6	9	1		36	3	5	35	4		3			21		49
8	47	83	2	40	11	15	5	3	40	7	8	42	5		6			22	1	37
4	16	21	1	16	1	5	3	3	18	2	2	15	3		5			13	2	55
2	24	65	5	31	10	4	1	5	29	1	4	49	8	2	7			13	1	71
10	38	92	1	45	2	14	11	2	47		6	40	6	1	8	2		25		133
15	32	99	3	71	4	15	11	1	44	3	7	51	4	2	12	1		31		159
5	27	31	2	22	5	12	4	3	21	1		30	3	1	4			11		46
4	18	29		10	5	3	3	2	14	1	4	12	2					7		29
118	361	904	49	537	124	99	55	45	401	23	49	436	97	21	101	3	2	231		836
6	40	107	1	33	3	8	5	2	25	1	4	25	5		5			20	2	44
5	60	94	2	42	19	4	7	10	40	1	5	57	7	1	10	5		34		96
4	28	64	4	13	6	8	3	2	29		4	45	5		2			8	1	47
3	21	15	1	7	2	2	3	3	16	1	2	20	3		7			7		34
7	15	63	5	28	3	9	7	4	24	2	4	33	16	2	7			36	1	85
6	17	32		13	2	2	2	2	16	2	1	20	2		6			6		30
	11	35	4	14	9	8	8	5	12	3	4	28			3			8		63
2	6	15	3	13	7		2	2	8		1	16	5					10		20
4	8	16		12	6	6	6	1	6	1	2	22	8	5	10			11		36
4	10	17	2	10	4	9	3	1	5	1	1	13	1		1			5	1	27

NOTE.—Populations are shown in Tables I A and I B.

MORTALITY STATISTICS

TABLE 6.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM

["Urban" includes cities of 10,000 inhabitants or more in

Table with columns: List No., CAUSE OF DEATH, Registration area in continental United States, REGISTRATION STATES (Total, Urban, Rural), Registration cities in nonregistration States, All registration cities, ALABAMA (Urban, Colored, White, Colored), ARIZONA (Urban, Rural). Rows include categories like All causes, I.—Epidemic, endemic, and infectious diseases, and III.—Diseases of the nervous system and of the organs of special sense.

1 Including District of Columbia.





# CAUSES OF DEATH FOR URBAN AND RURAL DISTRICTS

EACH CAUSE, IN URBAN AND RURAL DISTRICTS: 1926—Continued

1920; the remainder of the State is included in "rural"]

CALIFORNIA		COLORADO		CONNECTICUT		DELAWARE		DISTRICT OF COLUMBIA		FLORIDA				IDAHO		ILLINOIS		List No.	
Urban	Rural	Urban	Rural	Urban	Rural	Urban	Rural	White	Colored	Urban		Rural		Urban	Rural	Urban	Rural		
										White	Colored	White	Colored	White	Colored	White	Colored		
28	13	2	1	7	1													83	
173	93	29	17	52	23	7	3	22	5	16	3	27	6	5	1	9	216	84	
3	3	2	1	2	2								1	1	1	1	1	85	
91	33	8	9	15	3	3	2	10	3	6	1	5	2	1	6	6	137	86a	
53	17	2	6	15	2	2	1	4	3	6		5	1	3	4	76	12	86b	
7,454	4,957	921	827	2,535	1,108	286	337	1,109	575	604	260	1,092	480	82	488	10,733	6,618		
25	19	6	8	7	5					1	1	6	6					87	
247	155	36	27	116	34	10	8	42	75	34	27	28	16	2	4	2	4	87	
597	407	110	63	184	72	14	26	60	9	73	11	111	20	2	2	21	182	88	
5,733	3,738	640	621	2,257	845	244	260	876	439	451	202	837	398	61	371	8,574	5,116	89	
159	50	22	8	11	3			9	16	4	12	14	4	3	7	86	40	91a	
502	512	84	84	212	136	9	39	101	59	27	6	71	17	2	41	677	740	91b,c	
163	68	18	13	35	11	4	3	14	4	8		14	1	1	10	69	43	92	
16	6	5	1	9	3				1	1		3	3		3	34	14	93	
5	1								1	1						7	2	94	
5										2								2	95
2	1									2								1	96
2,558	1,794	548	678	1,524	346	189	163	404	371	287	274	483	338	34	295	5,049	2,607		
1	3			1	1			1					6		1		3	6	97a
29	10	9	5	6	7			4	1	6	1	4	1		2	35	10	97b	
5	7	1	5	7	7			2		2		2	1		3	9	11	98	
49	41	9	11	37	25	2	1	12	12	2	12	11	8		2	183	65	99a	
57	61	5	15	23	10	1	2	13	6	5	6	13	1		4	75	111	99b	
11	4			3	4					2	1	2	1		4	42	21	99c	
27	18	2	3	18	4	3	2	6	3	1	1	8	4		6	41	45	99d	
1,005	676	190	267	518	117	69	52	157	173	117	59	140	75	10	109	1,672	891	100a	
26	10	7	7	7	6			4	8	4	6	2	2		1	41	31	100b	
1,046	746	259	269	801	154	96	85	166	143	103	135	153	119	15	126	2,620	1,163	101a	
34	67	11	33	20	6	5	9	13	7	12	32	89	95		21	20	39	101b	
109	44	13	11	33	5	6	1	11	12	9	7	13	6		5	160	62	102	
57	32	7	6	15	7			5	1	13	3	14	2		5	40	63	103	
9	1			2				2		1		2	2		2	11	5	104	
49	40	26	20	20	3	3	7	7	1	6	4	21	6		7	69	51	105	
5	2	1	1	3	1			7	1		2	1	1		3	3	10	106	
39	32	8	22	10	3	1	1	1	3	4	5	6	11		1	25	23	107	
2,771	1,775	509	673	1,002	201	142	98	336	210	488	311	712	395	58	315	4,561	2,436		
13	10	7	5	2	1			3	2	8	4	7	4		4	35	17	108	
109	55	27	21	45	7	6	3	12	7	8	6	39	18		20	224	96	109a	
2	5	2	2	4						2	1	2	1		1	4	1	110	109b
212	92	32	39	54	9	6	3	12	3	27	17	26	11	6	32	281	103	111a	
103	27	21	7	39	3			11	4	13	1	8	3		6	100	24	111b	
84	105	12	46	29	14	4	7	3	3	27	56	79	97		13	43	111	112	
430	608	102	210	212	54	35	48	62	69	150	99	198	101	2	67	1,015	747	113	
124	137	18	36	49	27	11	9	19	27	34	17	67	35		3	178	306	114	
1	1			1						1		6	3		3			115	
473	213	136	140	178	20	21	5	68	25	88	31	79	41	11	64	965	277	116	
144	60	21	25	37	10	10	2	14	6	11	6	14	14	6	9	250	64	117	
293	133	40	44	85	11	12	4	38	19	11	27	61	25	6	24	332	152	118a	
28	22	3	7	13	6	1	4	6	6	3	7	10	5		5	38	19	118b	
17	9			5	3					3	1	4	1		2	28	11	119	
2										3		1				28	11	120	
345	165	19	32	81	17	9	5	26	14	30	12	27	15	2	20	442	224	121	
149	63	27	17	93	12	6	3	19	3	6	3	24	3	4	12	388	117	122	
168	50	33	30	39	4	6	4	34	5	27	15	39	10	3	15	187	124	123	
34	11	4	5	8	1	1	1	2	2	1	1	1	1		36	9	124	125	
40	19	7	6	17	2	6	2	7	7	10	8	19	11	1	2	61	32	126	
3,398	1,762	484	447	1,275	428	195	234	503	321	484	254	776	476	45	262	6,551	3,287	127	
102	68	16	36	48	9	11	11	9	38	21	38	50	50	2	20	182	106	128	
2,668	1,446	360	352	1,060	390	164	211	436	243	381	170	622	353	28	198	5,414	2,375	129	
101	53	16	5	22	5	4	3	11	5	15	4	28	17	3	4	148	50	131	
38	12	7	3	7	2			6	6	6	3	3	1		4	65	15	132	
22	17	3	4	9	7	3	1	4	1	2	7	15	13		3	29	27	133	
8	3			5	2	2		1	1	2	11	1	7	1	1	15	5	134	
214	110	43	23	54	5	3	4	20	7	30	5	32	13	7	20	289	128	135	
5				3						2	1	2	1		8			136	
70	10	8	2	7	1	1		2	2	3	3	2	1		1	65	11	137	
70	15	13	6	20	1	1		4	16	10	13	11	7	1	5	132	22	138	
81	26	12	7	27	8	4	3	8	7	8	5	7	5	3	5	148	31	139	
18	2	6	6	11		2	1	2	1	2		3	8		2	1	4	140	
																			141
1				1												2	1		142
289	179	59	78	145	23	23	16	39	30	69	47	156	100	8	45	609	262	143	
44	19	5	8	14	3	3	5	3	3	10	2	10	7	1	5	64	29	144	
24	18	7	4	16	2	3		4	1	9	5	17	7		6	60	26	145	
36	22	7	9	17	5			8	1	4	1	31	18	1	1	74	18	146	
98	37	26	38	53	6	8	7	13	15	21	25	38	43	5	17	261	96	147	
12	12	2	4	5	1			3	3	1	4	5	3		7	23	11	148	
75	35	12	15	39	6	8	3	7	10	24	10	54	22	1	9	137	82	149	
				1		1		1				1							150

\* These cities are shown under the various States (indicated by footnote 2) in Table I B.

MORTALITY STATISTICS

TABLE 6.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM

["Urban" includes cities of 10,000 inhabitants or more in

List No.	CAUSE OF DEATH	Registration area in continental United States	REGISTRATION STATES			Registration cities in non-registration States 1	All registration cities 1	ALABAMA				ARIZONA	
			Total 1	Urban 1	Rural			Urban		Rural		Urban	Rural
								White	Colored	White	Colored		
	IX.—Diseases of the skin and of the cellular tissue	3,390	3,298	1,677	1,621	92	1,769	14	7	21	24	1	8
151	Gangrene	1,366	1,347	523	824	19	542	1	5	9	9	1	2
152	Furuncle	568	543	320	223	25	345	5		6	3		1
153	Acute abscess	705	678	451	227	27	478	8	2	2	7		3
154	Other diseases of the skin and annexa	761	730	383	347	21	404			4	5		2
	X.—Diseases of the bones and of the organs of locomotion	1,429	1,378	931	447	51	982	9	2	7	3	3	2
155	Diseases of the bones (tuberculosis excepted)	1,142	1,109	758	351	33	791	8	1	7	3	3	1
156	Diseases of the joints (tuberculosis and rheumatism excepted)	224	207	144	63	17	161		1				1
157	Amputations	3	3	3	3		3						
158	Other diseases of the organs of locomotion	60	59	26	33	1	27	1					
	XI.—Malformations	13,990	13,779	7,373	6,406	211	7,584	50	11	103	26	8	36
159a	Congenital hydrocephalus	1,394	1,371	801	570	23	824	6	2	10	4		1
159b	Congenital malformations of the heart	8,073	7,964	4,048	3,916	109	4,157	26	6	49	9	6	21
159c	Other congenital malformations	4,523	4,444	2,524	1,920	79	2,603	18	3	44	13	2	14
	XII.—Early infancy	61,249	59,832	30,635	29,197	1,417	32,052	240	184	735	308	71	188
160	Congenital debility, icterus, sclerema	7,344	7,176	2,711	4,465	168	2,879	16	23	94	58	17	47
161a	Premature birth	38,990	38,041	19,415	18,626	949	20,364	176	131	552	202	48	108
161b	Injury at birth	10,208	10,001	6,065	3,936	207	6,272	39	14	57	26	5	16
162	Other diseases peculiar to early infancy	4,609	4,519	2,418	2,101	90	2,508	9	16	32	21	1	19
163	Lack of care	98	95	26	69	3	29						
164	XIII.—Old age (senility)	12,065	11,761	2,851	8,910	304	3,155	28	24	211	327	20	46
	XIV.—External causes	105,335	102,831	54,354	48,477	2,504	56,858	437	413	887	794	133	1412
	Suicide	13,410	13,082	7,584	5,498	328	7,912	50	5	72	9	15	36
165	By poisons (gas or corrosives excepted)	798	772	439	333	24	463			5		2	1
166	By corrosive substances	1,451	1,355	954	401	96	1,050	14	1	7		2	5
167	By poisonous gas	1,940	1,919	1,743	176	21	1,764	2				1	
168	By hanging or strangulation	2,385	2,371	1,073	1,298	14	1,087	2		6	1	2	3
169	By drowning	717	712	348	364	5	353			3		1	
170	By firearms	4,616	4,469	2,078	2,391	147	2,225	27	3	47	7	4	25
171	By cutting or piercing instruments	861	847	509	338	14	523	2		3		2	1
172	By jumping from high places	362	358	317	41	4	321		1				
173	By crushing	135	133	78	55	2	80					1	
174	By other means	147	146	45	101	1	46	1		1			1
	Homicide	9,210	8,740	5,004	3,736	470	5,474	43	177	92	196	14	49
197	By firearms	6,377	6,035	3,277	2,758	342	3,619	30	135	70	132	11	36
198	By cutting or piercing instruments	1,322	1,239	812	427	83	895	4	31	8	41		8
199	By other means	1,511	1,466	915	551	45	960	9	11	14	23	3	5
	Accidental or undefined	82,715	81,009	41,766	39,243	1,706	43,472	344	231	723	589	104	327
175	Poisoning by food	830	778	280	498	52	332	11	4	21	12		4
176	Poisoning by venomous animals	107	103	27	76	4	31	1		2	3		11
177	Other acute poisonings (gas excepted)	1,575	1,526	801	725	49	850	9	4	15	8	3	5
178	Conflagration	1,568	1,531	620	911	27	647	3	2	6	11	3	4
179	Burns (conflagration excepted)	6,487	6,296	3,475	2,821	191	3,666	34	48	95	126	7	23
180	Mechanical suffocation	1,279	1,248	445	803	31	476	5	4	22	20	1	6
181	Absorption of irrespirable, irritating, or poisonous gas	2,836	2,826	2,420	406	10	2,430	1	1	1			1
182	Drowning	6,661	6,602	2,312	4,290	59	2,371	11	13	47	55	6	22
183	Traumatism by firearms (except in war)	2,593	2,497	823	1,674	96	919	9	23	44	49	8	13
184	Traumatism by cutting or piercing instruments	702	679	387	292	23	410	3	3	5			1
185	Traumatism by fall	14,681	14,441	8,548	5,893	240	8,788	51	7	103	25	11	27
186a	Traumatism in mines	2,825	2,821	582	2,239	4	586	17	19	50	77	1	37
186b	Traumatism in quarries	127	127	40	87		40	1		2			
187	Traumatism by machines	2,224	2,163	1,219	944	61	1,280	9	5	25	12	4	9
188a	Railroad accidents	7,026	6,911	2,837	4,024	115	3,002	37	26	46	58	8	23
	Collision with automobiles	1,566	1,540	505	1,035	16	521	12	2	9	2	1	2
	Other railroad accidents	5,470	5,371	2,332	2,989	99	2,481	25	24	37	56	7	21
188b	Street-car accidents	1,621	1,583	1,253	330	38	1,291	8	3	3			
	Collision with automobiles	464	454	324	130	10	334	3		1			
	Other street-car accidents	1,157	1,129	929	200	28	957	5	3	2			
188c	Automobile accidents (excluding collision with railroad trains and street cars)	18,871	18,419	11,071	7,348	452	11,523	96	37	125	61	32	84
188d	Airplane and balloon accidents	160	152	46	106	8	54	3		1		1	7
188e	Injuries by other vehicles	1,347	1,319	604	715	28	632	4	1	14	5	1	5
188f	Landslide, other crushing	743	728	299	429	15	314	2	4	4	2		3
189	Injuries by animals (not poisoning)	541	530	125	405	11	136	2	4	13	5		8
190	Wounds of war	3	3	2	1		2						
192	Starvation (deprivation of food or water)	14	13	2	11		3			1			
193	Excessive cold	256	254	87	167	2	89			1			3
194	Excessive heat	646	638	347	291	8	355	1	3	1		5	11
195	Lightning	364	364	32	332		32			9	7	1	7
196	Other accidental electric shocks	1,037	1,006	436	570	21	467	4	2	9	4	3	2
201	Fracture (cause not specified)	690	657	315	342	33	348	2	2	4	4	4	2
202	Other external violence	4,909	4,792	2,279	2,513	117	2,396	19	16	54	35	5	10
203	Violent deaths of unknown causation	2	2	2			2						
	XV.—Ill-defined diseases	18,708	18,161	2,606	15,555	547	3,153	95	350	656	1,509	10	183
204	Sudden death	2,013	1,993	287	1,706	20	207	4	3	50	70	1	8
205a	Ill-defined	4,461	4,080	718	3,312	481	1,149	17	55	105	205		73
205b	Not specified or unknown	12,234	12,138	1,601	10,537	96	1,687	74	292	501	1,234	9	102

1 Including District of Columbia.

# CAUSES OF DEATH FOR URBAN AND RURAL DISTRICTS

EACH CAUSE, IN URBAN AND RURAL DISTRICTS: 1926—Continued

1920; the remainder of the State is included in "rural"]

CALIFORNIA		COLORADO		CONNECTICUT		DELAWARE		DISTRICT OF COLUMBIA		FLORIDA				IDAHO		ILLINOIS		List No.	
Urban	Rural	Urban	Rural	Urban	Rural	Urban	Rural	White	Colored	Urban		Rural		Urban	Rural	Urban	Rural		
										White	Colored	White	Colored						
78	44	9	16	39	17	4	4	7	4	10	11	28	15	1	6	112	76		
23	14	4	12	11	14	3	1	1	3	1	5	8	7	1	4	29	38	151	
17	8	1	2	5	2	1	1	4	1	2	3	11	2	1	1	32	13	152	
20	10	4	2	14	9	9	2	2	1	4	1	3	5	2	2	30	6	153	
18	12	4	2	19	3			2	1	3	2	6	1		2	21	19	154	
51	23	6	7	19	2			6	3	3	1	10	1	1	1	66	28		
42	21	5	6	16	2			6	3	3	1	7	1	1	1	55	22	155	
7	2			3												9	3	156	
2		1	1													2	3	157	
330	217	47	68	167	38	12	13	50	13	55	10	104	16	9	53	712	336	158	
36	19	3	4	27	4	3	2	6	2	5	1	7	3	1	2	50	33	159a	
179	137	24	45	81	23	8	7	26	5	25	5	54	6	6	38	432	220	159b	
115	61	20	19	59	11	1	4	18	6	25	4	43	7	2	13	230	83	159c	
1,175	868	226	364	762	151	55	84	181	131	227	165	456	209	23	205	2,399	1,383		
106	155	16	50	67	18	2	17	9	7	25	45	61	54	2	24	129	100	160	
754	541	151	232	429	90	40	49	112	101	147	101	286	119	12	129	1,399	847	161a	
210	104	38	43	193	20	7	9	46	14	44	11	67	20	3	39	685	377	161b	
102	64	23	36	73	22	6	9	13	9	11	7	32	15	6	13	184	59	162	
3	4		3	1				1					1			2		163	
182	172	72	66	56	36	9	33	38	9	30	18	141	112	16	61	116	299	164	
3,178	2,822	396	704	1,085	298	132	114	332	161	562	451	1,312	745	44	371	4,887	2,569		
757	371	96	60	160	56	16	3	80	6	60	4	107	7	6	43	694	373		
81	37	11	9	6				5		4		11	1		3	25	11	165	
63	15	11	7	12	1			7	1	5		5	2	2	2	90	43	166	
222	22	19		45	6	8	1	22	2	5		3				184	13	167	
70	60	11	5	33	26	1		5		1		6				110	82	168	
27	25	3	1	10	5			3	1	3		1				23	32	169	
220	166	33	33	26	14	5	1	32	1	34	2	61	2	4	19	188	155	170	
45	35	8	5	18	1	1		1		3		9	2		6	43	18	171	
20	2			8	2	1		5	1	1			2			25	4	172	
4	4			1	1											3	9	173	
5	5			1												3	6	174	
212	161	22	48	35	9	12	8	10	42	72	224	112	250	1	14	562	189		
134	115	16	31	11	2	6	5	7	27	49	164	93	168	1	11	389	139	197	
21	20	2	4	7	1	4	1	10	10	12	51	3	60		2	72	16	198	
57	26	4	13	17	6	2	2	3	5	11	9	16	22		1	101	34	199	
2,209	2,290	278	596	890	233	104	103	242	113	430	223	1,093	438	37	314	3,631	2,007		
17	18	3	5	6	2			4	1	15	8	17	2	1	1	9	18	175	
3	9							3		3		5				3	3	176	
72	40	14	13	9	3	1	3	6	4	13	1	19	10	1	8	70	28	177	
18	48	1	8	12	5			2	1	11	9	6	4		5	81	42	178	
137	99	24	16	78	9	12	5	23	13	25	25	35	47	3	16	231	90	179	
22	26	8	9	17	7			2	2	6	3	4	5		8	22	36	180	
81	29	12	8	63	5	8		23	14	4		7	1			192	30	181	
129	274	7	63	51	39	7	15	11	7	65	27	247	107	1	58	151	194	182	
29	75	2	36	15	5	1	3	2	3	11	15	64	57	2	15	69	69	183	
18	11	6	5	8				4	2	4	5	6	3		4	35	8	184	
476	273	55	69	211	41	25	9	59	16	41	10	68	13	6	33	653	338	185	
4	42	3	64	1								1	4		17	40	128	186a	
4	1											1	1		1	1	2	186b	
57	78	14	15	16	1	1		9	3	7	7	21	10	2	8	103	32	187	
110	210	16	89	36	15	7	30	5	1	13	16	95	54	3	18	345	382	188a	
30	94	3	12	6	3					2		30	3		4	63	136		
80	116	13	77	30	12	7	14	5	1	11	16	65	51	3	14	282	246		
101	40	12	1	22	4	2		8	3	4	3	4	4		3	172	30	188b	
47	15	1	1	8	1	1		1	1	1	1	1	1	1	3	48	14		
54	25	11		14	3	1		8	2	3		4				124	16		
736	728	71	104	244	63	29	21	69	29	127	47	273	68	11	66	998	340	188c	
10	15	2		1				2		2		8	1		4	14	14	188d	
33	27	7	16	19	4	2	3	3	1	4	1	6	5	1	9	47	39	188e,f	
21	33	2	15	10		1		3	2	9	3	13	9		7	13	25	188g	
	14	1	10	4	3			2		1		4	1	1	5	9	14	189	
																			190
	3			1											1	2	1	192	
	42	2	2	8	3										2	3	8	193	
	1			5	3	3	1	1	4	1	1	2	1		3	21	19	194	
	18	3	9	8	4	1		1	1	16		38	3		3	3	15	195	
	10	3	1	2	2	1	2	1	2	13	3	21	11	2	2	37	26	196	
	99	13	23	43	14	3	5	7	4	37	39	122	67	2	21	16	7	201	
																281	83	202	
																1		203	
35	75	6	19	33	18		8	2	4	56	49	217	361	2	39	55		153	
1	6	1	2	10	1		1			4	1	27	32		7			204	
10	36		10	12	9		5	1	2	29	35	85	117	2	13	2	9	205a	
24	33	5	7	11	8		2	1	2	23	13	105	212		19	44	75	205b	

<sup>2</sup> These cities are shown under the various States (indicated by footnote 2) in Table I B.



CAUSES OF DEATH FOR URBAN AND RURAL DISTRICTS

CAUSE, IN URBAN AND RURAL DISTRICTS: 1926—Continued

1920; the remainder of the State is included in "rural"]

MAINE		MARYLAND				MASSACHUSETTS		MICHIGAN		MINNESOTA		MISSISSIPPI				MISSOURI		List No.	
Urban	Rural	Urban		Rural		Urban	Rural	Urban	Rural	Urban	Rural	Urban		Rural		Urban	Rural		
		White	Colored	White	Colored							White	Colored	White	Colored				White
3,695	7,660	10,458	3,135	6,712	2,344	42,505	10,133	30,464	23,620	11,428	14,375	1,694	2,109	7,497	12,466	20,952	21,800		
413	958	1,267	616	1,038	506	4,767	1,386	4,536	2,856	1,290	2,069	244	433	1,456	3,299	2,644	4,264		
6	15	35	18	41	26	50	9	66	51	11	17	18	33	85	256	66	294	1	
		1				1	1	2	2			10	22	131	264	13	132	2	
																		5	
																		6	
																		7	
49	19	97	20	84	19	341	60	447	170	75	100	1		47	21	142	137	8	
3	18	14		6	1	107	18	158	85	52	101	1		4	1	101	62	9	
26	62	63	31	63	26	329	83	221	146	51	112	3	10	80	172	124	205	10	
7	13	55	7	32	4	230	20	535	143	111	46	10	6	64	49	141	97	11a	
66	215	162	40	119	38	487	141	433	395	90	250	57	78	345	442	287	636	11b	
42	151	65	9	64	26	139	83	220	330	84	170	40	41	192	312	148	538		
1				2		1	1	3	2					2	3	3	2	13	
2					2	1		3	2					2	2	1	1	15	
3	6	28	5	22	11	10	2	15	21	2	15	6	7	53	84	45	143	16	
						1		2			2			1		2	1	19	
																		20	
6	11	12	1	17		79	21	132	76	35	30	3	1	16	5	41	43	21	
	7	6	4	4	2	41	3	17	14	2	10			18	9	5	15	22	
2	4	21	4	5		68	8	41	25	33	44	5		2	1	25	11	23	
3	2	18	4	4	1	55	4	46	30	9	12	1		4	5	20	20	24	
		1			1	12		15	5	2	8					4	3	25	
						1											1	26	
																		27	
																		28	
																		29	
																		30	
3	5	18	5	6	2	20	2	2	14	11	16	9	10	3	24	1	36	31	
		2		1		2		6	3	5	1			6	3	2	4	32	
167	393	504	345	549	312	2,600	903	1,832	1,221	587	1,082	60	173	373	1,359	1,174	1,763	33	
130	332	524	294	522	282	2,157	819	1,530	1,074	478	928	53	148	399	1,269	1,012	1,598	31	
20	21	33	14	8	5	212	27	129	48	37	66	2	1	14	4	41	33	32	
7	14	9	9	7	17	88	20	60	38	29	33			10	33	48	62	34	
2	9	7	6	1	4	30	10	19	19	15	13	2	2	2	7	13	12	35	
1	2	3		2	4	14	3	10	8	2	4	1	1	2	11	7	10	36	
6	9	9	4	5	5	44	11	24	16	16	22	1	2	6	13	20	25	37a	
1	3	7	17	3	3	50	13	51	14	9	14	1	1	1	8	30	15	37b	
	3	2	1	1		5		9	4	1	2				3	3	8	38	
15	19	56	108	8	34	147	19	240	78	107	29	8	38	14	240	204	88	39	
7	4	8	17			20		30	5	14	3	3	9	4	29	57	6	40	
5	11	9	1	11	1	24	6	49	34	9	15	8	5	10	13	23	16	41	
						1	1									1	1	42	
504	1,001	1,438	240	674	136	6,066	1,342	3,687	2,899	2,094	2,004	182	164	701	898	2,723	2,323		
353	706	993	148	473	84	4,291	1,022	2,213	1,813	1,405	1,344	114	83	417	358	1,909	1,623		
12	27	36	6	19	1	144	41	68	74	48	45	3		18	3	67	56	43	
103	264	307	56	190	29	1,334	307	766	743	476	625	39	26	118	105	615	656	44	
82	141	137	16	64	5	842	189	297	243	206	153	12	9	43	29	234	193	45	
58	84	140	31	54	25	561	124	352	227	153	113	24	26	85	136	308	198	46	
30	57	86	17	44	4	487	126	193	133	119	89	6	8	27	28	156	132	47	
5	15	13	1	20	2	64	37	47	61	20	34	6	2	33	3	56	77	48	
58	118	274	21	82	18	859	198	490	332	333	285	24	12	93	54	473	311	49	
1	6	8		3		30	8	13	10	21	7			3	3	16	14	50	
																			51
11	13	21	13	7	4	68	10	92	63	12	32	2	6	14	18	46	40	52	
3	24	9	1	9	1	31	19	22	61	14	21	1		7	4	12	29	53	
						2		2	2					2	2			54	
4	5	2	2	1		8	3	5	2	2	2	12	53	95	403	16	13	55	
																			56
2	4	2	9	3	9	13	4	16	16	1	8			3	3	1	5	57	
62	128	223	19	107	14	695	149	426	327	197	244	30	11	75	62	312	300	57	
31	47	32	4	25	4	225	45	238	257	125	175	5	3	11	4	91	115	58	
						6		2		3				2		4		59	
		4	4	8	3	48	6	218	118	140	39	3	3	3	6	110	57	60a	
		4	1	1		12	2	34	23	8	10			1	2	14	8	60b	
		2	2	1		5	1	4	3					1	1			61	
		4	1	1	2	81	12	79	43	15	12	1		4		20	8	62	
2	3	2		2		16	2	8	7	13	4		1	2		1	5	63	
1		1	1	1		1		12	2	3	1	1		1		1	3	64	
6	15	20	2	3		82	7	50	26	34	27	2	2	8	2	48	25	65a	
4	10	10		2		54	8	15	15	15	10	1	1	6	1	11	10	65b	
7	13	54	33	22	11	244	25	153	53	66	40	1		8	8	83	30	66	
	4					8	2	3	2	2	1			1	4	4	5	67a	
						1		2		1					1	1		67b	
3		3				3		19	7	7				2		6	3	68	
13	10	3		5	4	142	17	58	47	18	29	6		37	19	17	30	69	
423	972	1,053	259	867	234	4,124	1,318	2,747	3,344	1,086	1,529	124	150	632	781	1,699	2,415		
2	6	15	2	3	2	35	7	49	26	9	10	4	2	7	9	18	19	70	
10	13	19	9	8	3	86	10	73	27	25	22	4	1	17	9	42	35	71a	
1	3	6		5	2	25	2	19	12	1	3			4	6	4	21	71b	
8	16	14		5		50	21	27	46	16	11	1		3	5	38	23	72	
9	23	24	2	11	2	111	36	44	77	32	39	4	4	11	10	65	99	73	
277	754	759	198	588	139	2,928	959	1,746	2,416	670	1,093	80	114	441	470	1,002	1,717	74a	
18	37	42	1	29	3	143	38	66	103	57	51	1	1	9	5	35	37	74b	
16	27	39	15	73	28	69	28	99	136	8	39	6	9	58	116	48	116	75	
24	5	17	18	60	19	164	60	155	154	67	39	1	2	7	49	166	91	76	
8	9	5	5	6	3	19	7	43	24	13	5	1	1	8	3	14	27	77	
9	17	6	3	22	13	65	87	47	98	26	48	4	6	12	47	47	72	78	
		1		1		6		1	3		4			2	4	1	1	79	
4	9	7		12	15	32	6	51	53	7	46	1		9	23	2	22	80	
						2		1	1	1	2			1		1	1	81	
						4	2	7	6	6	7	2		2		6	7	82	





## MORTALITY STATISTICS

TABLE 6.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH

["Urban" includes cities of 10,000 inhabitants or more in

List No.	CAUSE OF DEATH	INDIANA		IOWA		KANSAS		KENTUCKY				LOUISIANA			
		Urban	Rural	Urban	Rural	Urban	Rural	Urban		Rural		Urban		Rural	
								White	Colored	White	Colored	White	Colored	White	Colored
	IX.—Diseases of the skin and of the cellular tissue.....	48	60	26	56	12	31	19	5	39	7	12	13	21	19
151	Gangrene.....	12	34	10	28	5	16	12	2	16	4	4	4	6	9
152	Furuncle.....	16	6	2	9	2	3	3	1	6	1	1	1	8	3
153	Acute abscess.....	14	5	7	4	2	3	2	2	5	1	4	5	5	1
154	Other diseases of the skin and annexa.....	6	15	7	15	3	9	4	—	12	2	3	3	2	6
	X.—Diseases of the bones and of the organs of locomotion.....	8	7	14	19	9	21	9	1	17	2	16	5	8	2
155	Diseases of the bones (tuberculosis excepted).....	7	5	11	16	6	16	9	—	9	2	15	3	8	1
156	Diseases of the joints (tuberculosis and rheumatism excepted).....	1	2	1	1	3	3	—	1	2	—	—	2	—	—
157	Amputations.....	—	—	—	—	—	—	—	—	—	—	—	—	—	—
158	Other diseases of the organs of locomotion.....	—	—	2	2	—	—	—	—	6	—	1	—	—	1
	XI.—Malformations.....	208	252	114	229	96	166	52	4	156	11	52	20	80	36
159a	Congenital hydrocephalus.....	17	14	13	33	12	7	3	2	11	1	6	3	7	8
159b	Congenital malformations of the heart.....	125	175	61	113	48	120	35	2	78	6	26	7	55	18
159c	Other congenital malformations.....	66	63	40	83	36	39	14	—	67	4	20	10	18	10
	XII.—Early infancy.....	794	852	392	721	256	618	377	64	1,074	91	227	166	388	259
160	Congenital debility, icterus, sclerema.....	70	114	47	92	21	72	43	15	192	12	8	10	54	54
161a	Premature birth.....	522	549	268	438	174	419	256	39	674	66	152	110	249	161
161b	Injury at birth.....	132	101	55	130	51	90	53	6	118	5	56	27	63	22
162	Other diseases peculiar to early infancy.....	70	87	22	60	9	37	25	4	85	8	11	19	21	19
163	Lack of care.....	—	1	—	1	—	1	—	—	5	—	—	—	1	3
164	XIII.—Old age (senility).....	57	123	102	425	90	256	76	11	315	39	43	18	111	226
	XIV.—External causes.....	1,585	1,522	701	1,188	536	1,003	501	154	1,471	218	568	366	559	540
	Suicide.....	204	233	131	236	72	137	73	9	133	9	88	9	39	6
165	By poisons (gas or corrosives excepted).....	16	15	8	21	7	6	3	—	9	1	5	2	2	—
166	By corrosive substances.....	44	37	16	15	10	11	12	1	9	3	12	3	4	2
167	By poisonous gas.....	19	5	27	10	3	1	5	—	—	—	19	—	—	—
168	By hanging or strangulation.....	27	46	27	81	6	36	9	2	25	2	5	—	3	1
169	By drowning.....	16	14	2	13	1	7	6	1	3	—	2	2	3	1
170	By firearms.....	66	95	41	79	38	69	31	4	80	3	36	2	23	1
171	By cutting or piercing instruments.....	11	11	6	12	5	4	3	—	6	—	8	—	3	1
172	By jumping from high places.....	3	1	1	1	—	1	3	—	—	—	—	—	—	—
173	By crushing.....	2	4	3	3	—	2	1	—	1	—	—	—	1	—
174	By other means.....	5	3	—	2	—	2	—	—	—	—	—	—	—	—
	Homicide.....	137	44	33	24	62	41	42	74	183	67	69	125	59	150
197	By firearms.....	94	34	26	18	48	29	33	61	168	56	39	82	46	107
198	By cutting or piercing instruments.....	23	2	4	2	4	3	4	10	7	9	7	39	4	29
199	By other means.....	20	8	3	4	10	9	5	3	8	2	23	4	9	14
	Accidental or undefined.....	1,244	1,245	537	928	402	825	386	71	1,155	142	411	232	461	384
175	Poisoning by food.....	7	15	2	—	9	12	5	—	21	2	3	3	11	17
176	Poisoning by venomous animals.....	1	1	—	—	1	5	—	—	2	—	—	—	1	1
177	Other acute poisonings (gas excepted).....	24	26	10	18	11	18	12	3	18	1	10	14	16	16
178	Conflagration.....	16	11	8	13	5	19	3	3	27	7	10	3	21	6
179	Burns (conflagration excepted).....	88	55	41	53	37	55	31	14	122	20	43	42	35	45
180	Mechanical suffocation.....	17	22	7	17	9	23	5	—	34	3	1	—	4	8
181	Absorption of irrespirable, irritating, or poisonous gas.....	23	9	24	10	3	10	6	—	6	—	10	4	3	—
182	Drowning.....	53	113	34	59	9	55	15	2	88	7	36	22	78	88
183	Traumatism by firearms (except in war).....	32	35	15	29	10	41	17	5	52	10	25	16	27	30
184	Traumatism by cutting or piercing instruments.....	8	15	8	7	4	5	4	2	14	—	5	1	7	3
185	Traumatism by fall.....	242	283	125	264	105	155	94	7	188	13	71	28	42	34
186a	Traumatism in mines.....	21	68	6	15	—	20	3	1	158	20	—	—	1	—
186b	Traumatism in quarries.....	—	4	3	—	—	—	—	—	—	—	—	—	—	—
187	Traumatism by machines.....	33	27	16	26	16	26	4	2	22	3	14	7	12	8
188a	Railroad accidents.....	167	147	60	109	30	79	36	2	117	25	29	15	34	32
	Collision with automobiles.....	57	70	16	23	11	33	3	—	14	—	4	1	4	2
	Other railroad accidents.....	110	77	44	86	19	46	33	2	103	25	25	14	30	30
188b	Street-car accidents.....	41	36	8	3	8	6	10	1	2	—	7	3	—	—
	Collision with automobiles.....	21	22	5	2	2	2	2	—	—	—	1	1	—	—
	Other street-car accidents.....	20	14	3	1	8	4	8	—	2	—	6	2	—	—
188c	Automobile accidents (excluding collision with railroad trains and street cars).....	326	221	104	160	87	154	102	15	143	17	98	41	96	36
188d	Airplane and balloon accidents.....	1	3	2	1	2	5	—	—	1	—	1	—	1	—
188e	Injuries by other vehicles.....	10	21	12	21	6	32	5	—	14	1	5	3	5	5
188f	Landslide, other crushing.....	9	4	2	11	3	5	3	2	7	1	4	4	3	4
189	Injuries by animals (not poisoning).....	11	9	3	22	3	10	—	—	8	—	—	—	3	—
190	Wounds of war.....	—	—	—	—	—	—	—	—	—	—	—	—	—	—
192	Starvation (deprivation of food or water).....	—	—	—	—	—	—	—	—	—	—	—	—	—	—
193	Excessive cold.....	—	7	2	2	1	5	1	—	3	5	—	1	1	2
194	Excessive heat.....	3	11	4	4	5	7	4	2	9	1	4	3	1	2
195	Lightning.....	—	—	—	—	—	—	—	—	—	—	—	—	—	—
196	Other accidental electric shocks.....	18	23	9	13	5	16	2	—	12	—	8	—	9	4
201	Fracture (cause not specified).....	8	5	2	5	1	1	1	—	7	—	4	1	3	1
202	Other external violence.....	85	63	30	52	30	55	23	10	64	5	22	18	46	36
203	Violent deaths of unknown causation.....	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	XV.—Ill-defined diseases.....	22	17	26	120	24	119	13	5	446	49	12	16	194	519
204	Sudden death.....	—	1	6	26	4	16	—	—	53	8	6	7	38	66
205a	Ill-defined.....	14	11	11	40	14	37	6	1	179	12	6	8	39	98
205b	Not specified or unknown.....	8	5	9	54	6	66	7	4	214	29	—	1	117	355

# CAUSES OF DEATH FOR URBAN AND RURAL DISTRICTS

99

CAUSE, IN URBAN AND RURAL DISTRICTS: 1926—Continued

1920; the remainder of the State is included in "rural"]

MAINE		MARYLAND				MASSACHUSETTS		MICHIGAN		MINNESOTA		MISSISSIPPI				MISSOURI		List No.	
Urban	Rural	Urban		Rural		Urban	Rural	Urban	Rural	Urban	Rural	Urban		Rural		Urban	Rural		
		White	Colored	White	Colored							White	Colored	White	Colored			White	Colored
7	32	28	8	21	7	114	21	77	74	55	45	9	13	17	13	37	60		
1	21	8	6	12	4	22	9	34	48	18	18	2	6	4	8	7	28	151	
1	4	6	1	3	1	38	1	9	4	11	5	1	1	3	5	10	12	152	
1	4	7	1	1	1	33	1	16	8	9	7	4	3	4	5	6	14	153	
4	3	7	1	5	2	21	5	18	14	17	15	2	3	6		14	16	154	
8	3	13	3	5	1	54	9	57	15	20	9	2	6	7	5	30	9		
6	3	12	2	4	1	43	7	42	12	18	7	2	6	6	5	26	7	155	
2		1	1			8	1	13	2	2	1			1		3	1	156	
				1				1	1							1	1	157	
						3	1		1									158	
34	83	111	29	69	18	635	114	434	305	146	203	19	5	53	20	196	198		
5	9	17	1	7	2	70	14	49	29	23	18			10	1	19	22	159a	
17	51	71	26	41	12	356	75	227	181	49	101	10	3	6	6	108	22	159b	
12	23	23	2	21	4	209	25	158	95	74	84	9	2	21	13	69	54	159c	
180	400	445	145	315	138	2,115	300	1,945	1,103	557	838	70	43	481	320	724	922		
24	69	37	7	43	30	172	34	220	192	27	105	9	16	76	60	41	111	160	
102	252	275	95	193	81	1,297	188	1,286	673	395	526	34	23	324	203	500	615	161a	
37	55	85	22	43	10	435	49	318	146	94	141	24	2	56	25	128	117	161b	
17	24	48	19	35	13	210	29	119	90	41	65	3	2	25	26	54	78	162	
			1	4	4	1		2	2		1			1	1	1	1	163	
36	181	22	4	39	18	77	34	185	398	46	200	20	21	102	241	42	244	164	
247	415	776	224	467	143	2,696	584	2,876	1,939	860	1,149	196	193	578	897	1,803	1,508		
30	82	114	7	66	8	378	87	344	235	172	185	12	2	41	15	296	232	165	
	2	2		6		20	5	25	18	12	6			2		16	16	166	
		15		2		24	2	74	21	14	10	3		5	1	58	29	167	
4	33	33		1	1	133	9	67	8	36	36					50	5	168	
5	7	10		12		51	28	55	60	30	63	1		1	1	21	40	169	
1	36	5	2	28	4	28	11	11	17	18	6			20	10	14	12	170	
11	7	37	5	69	4	69	23	68	90	49	70	7	2	4	10	96	117	171	
6	2	6	4	38	5	38	5	27	16	10	14	1		2	2	16	7	172	
2	1	4	1	11	1	11		13	5					1	1	5	4	173	
1		1		1		4		3						5	1	1	1	174	
4	5	28	40	16	24	75	9	402	59	24	32	17	67	86	289	303	102	197	
1	3	16	25	10	17	34	5	271	33	15	26	11	51	71	224	202	78	198	
2	2	9	3	3	3	9	4	78	7	8	2	3	13	9	37	54	6	199	
213	328	634	177	385	111	2,243	488	2,130	1,645	664	932	167	124	451	593	1,204	1,174	199	
2	2	5	4	2	2	1	1	14	22	1	4	6	6	9	10	9	32	175	
6	14	14	4	11	1	40	4	28	33	11	18	2	2	8	16	32	22	176	
4	11	11	3	6	5	32	15	45	61	6	26			9	21	13	20	177	
17	23	61	26	23	6	185	27	156	73	30	52	16	24	51	117	91	79	178	
2	6	11	13	5	5	47	12	30	27	11	14		1	11	24	10	19	179	
4	1	56	3	3	3	149	7	72	16	53	18	1			2	56	10	181	
21	61	33	20	52	23	138	86	85	201	32	125	11	13	27	39	39	110	182	
2	10	11	7	11	6	19	8	31	42	16	49	12	17	38	96	31	49	183	
2	6	4	2	2	2	14	3	20	14	7	12	2	2	8	8	10	13	184	
55	77	128	23	63	7	605	116	369	269	166	161	18	3	50	27	280	245	185	
		2		11				4	89	4	10			1	1	3	17	186a	
		1		1		5	1	1	1	1	1					3	1	186b	
6	8	19	11	10	3	62	1	70	43	20	37	10	7	13	11	32	27	187	
7	14	35	1	41	14	93	29	148	131	44	85	21	5	41	38	91	122	188a	
	3	2		5	1	3	6	43	43	5	18	3		8	5	14	32	188b	
7	11	33	1	36	13	90	23	105	88	39	67	18	5	33	33	77	90		
6		11	7	2	3	53	4	87	34	16	3					33	2		
1		1		8		19		19	17	10						10			
5		10	7	2	3	45	4	68	17	6	3					23	2		
49	51	169	43	82	18	582	100	742	370	167	159	37	14	102	62	318	175	188c	
						2	2	2	5		3	1	4	1		1	1	3	188d
7	5	11	2	3	1	43	15	28	23	9	34	1	4	5	8	21	34	188e	
1	3	1		2		3	1	14	12	5	16	2	3	7	7	10	10	188g	
				5		2	2	4	23	5	18	1		3	7	6	24	189	
																			190
	1	2			3	6	1	2	14	4	4				1	2	3	192	
	1	8	7	2	1	26	9	13	6	4	4		2		4	22	9	193	
						2	1		6		7			10	17	2	2	194	
		6	2	8	2	14	7	27	22	8	9	2	1	4	1	15	17	195	
		2		3	2	3	1	34	25	4	2	10	3	15	5	14	14	196	
18	29	32	11	30	9	106	34	103	81	41	61	12	17	48	69	63	95	201	
				1		1												202	
28	98	9	4	64	65	69	22	46	162	11	125	44	209	475	1,935	30	365	203	
9	25	2		11	8	13	9	3	30	2	30	3	3	68	145	1	36	204	
8	33	3	4	19	16	41	10	31	63	5	37	10	10	57	145	13	82	205a	
11	40	4		34	41	15	3	12	69	4	58	31	196	350	1,645	16	247	205b	

TABLE 6.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH

["Urban" includes cities of 10,000 inhabitants or more in

List No.	CAUSE OF DEATH	MONTANA		NEBRASKA		NEW HAMPSHIRE		NEW JERSEY		NEW YORK		NORTH CAROLINA			
		Urban	Rural	Urban	Rural	Urban	Rural	Urban	Rural	Urban	Rural	Urban		Rural	
												White	Colored	White	Colored
	- All causes	1,750	3,645	4,162	8,486	2,876	3,827	27,997	16,879	114,888	36,457	4,041	3,312	16,916	10,293
	I.—Epidemic, endemic, and infectious diseases	181	681	486	976	341	451	3,305	2,466	13,354	4,640	654	728	2,638	2,213
	Typhoid and paratyphoid fever	3	11	12	11	4	7	76	26	205	93	15	19	119	124
	Typhus fever							1		1					
	Malaria				2										
	Smallpox	1		7	1			1	1	6	3	4	7	40	51
	Measles	1	20	18	5	24	15	133	138	188	62	2	3	50	34
	Scarlet fever	2	23	11	16	15	15	301	146	945	126	3	9	23	6
	Whooping cough	1	44	27	84	16	20	113	78	450	189	20	38	134	106
	Diphtheria	5	13	17	18	6	12	221	109	657	81	32	11	168	61
	Influenza (with pulmonary complications)	41	125	61	219	73	92	385	262	1,287	693	122	118	575	295
	Influenza (other and unspecified)	10	65	35	247	29	66	128	119	474	369	46	51	262	160
	Mumps		2			1	1			9	2			4	5
	Cholera nostras		1					2	2		3			11	
	Dysentery	1	4	3	17	2		8	6	33	12	19	8	88	71
	Plague									1	3				
	Spirochetal hemorrhagic jaundice		1	1	1	2	1			4	3				
	Leptosy									1	3				
	Erysipelas	2	15	6	22	7	10	86	36	261	83	6	2	40	7
	Acute anterior poliomyelitis	1	4	3	15	2	2	9	8	84	58	7	4	29	12
	Lethargic encephalitis	2	3	5	11	2	3	48	16	290	34	5	2	14	1
	Meningococcus meningitis	10	10	6	11	5	4	47	11	139	9	5	2	16	6
	Other epidemic and endemic diseases	2	14		1	2	2	4		16	9	2	1	3	
	Glanders							1							
	Anthrax							3	4	1	1	2	10	5	6
	Rabies							18		80	11	8		6	9
	Tetanus	1	2	5	5	1		3		17	1	1		9	
	Mycoses							1		3					
	Tuberculosis (all forms)	79	298	200	247	134	185	1,557	1,532	7,501	2,652	311	368	956	1,129
	Of the respiratory system	68	251	156	212	98	156	1,280	1,429	6,518	2,419	273	322	902	1,024
	Of the meninges, central nervous system	3	19	14	7	13	7	117	29	456	79	15	12	24	13
	Of the intestines, peritoneum	4	14	11	18	12	13	50	30	155	60	8	22	26	38
	Of the vertebral column	1	3	2	4	7	4	17	12	75	33	3	2	9	11
	Of the joints		2					3	4	25	7	2	4	3	6
	Of other organs		3	5	4	2	1	25	15	98	30	4	1	11	18
	Disseminated (acute)	3	3	8	1	3	3	50	12	158	21	6	5	11	14
	Disseminated (chronic or unspecified)							5	1	16	3				
	Syphilis	14	17	53	29	11	8	177	59	734	124	28	61	27	120
	Soft chancre														
	Gonococcus infection	1	2	11	7			35	1	60	11	3	8	4	12
	Purulent infection, septicemia	4	5	4	6	8	5	24	7	70	25	7	5	26	4
	Other infectious diseases		1					1		1				1	
	II.—General diseases not included in Class I.	256	360	665	1,095	402	476	3,553	1,936	15,712	4,465	413	209	1,456	551
	Cancer and other malignant tumors	166	235	457	742	263	342	2,428	1,386	10,475	3,160	245	93	800	267
	Of the buccal cavity	7	6	16	24	5	12	62	49	344	93	8		23	6
	Of the stomach, liver	60	98	146	324	73	118	867	541	3,495	1,093	76	25	302	89
	Of the peritoneum, intestines, rectum	23	35	64	113	69	61	399	206	1,822	500	27	14	67	13
	Of the female genital organs	28	27	70	64	33	43	307	195	1,309	411	52	32	126	82
	Of the breast	12	19	52	70	32	37	241	123	1,035	355	19	8	62	28
	Of the skin	5	8	9	20	7	11	40	45	176	95	15		55	4
	Of other or unspecified organs	31	42	100	127	44	60	512	227	2,294	613	48	14	165	45
	Tumors, benign and unqualified (tumors of the female genital organs excepted)	1	1	5	8	3	1	14	10	107	16	1		6	8
	Acute rheumatic fever	5	7	6	15	7	6	89	36	290	65	3	12	41	28
	Chronic rheumatism, osteoarthritis, gout	3	4	4	13	4	8	22	16	86	53	3		24	4
	Scurvy							3		3	1			1	
	Pellagra							2		20	8	49	41	232	133
	Beriberi									2				1	
	Rickets	2		3		2		13	6	56	5			10	8
	Diabetes mellitus	24	52	62	178	57	58	500	272	2,381	532	38	25	150	52
	Anemia, chlorosis	8	16	40	65	29	24	123	65	472	254	17	9	45	4
	Diseases of the pituitary gland							2		19	1			2	
	Exophthalmic goiter	19	10	38	16	2	5	51	23	262	66	13	6	17	6
	Other diseases of the thyroid gland	1	2	2	7			11	7	50	15	2		13	1
	Diseases of the parathyroid glands							2		15	3	1		3	2
	Diseases of the thymus gland	2	1	4	4	3	2	27	14	121	35	6	1	9	1
	Diseases of the adrenals (Addison's disease)	1	1	2	4	6	1	10	2	31	12	2		4	
	Diseases of the spleen	1	1	3				1	1	15	1			5	
	Leukemia	6	1	12	15	3	2	55	19	240	51	3	1	21	3
	Hodgkin's disease	3	3	2	6	5	3	19	11	105	34	3	1	10	2
	Alcoholism (acute or chronic)	10	17	13	6	5	9	124	47	675	113	12	8	19	12
	Chronic lead poisoning							7	1	12	3			1	
	Other chronic mineral poisoning							1	1	4				1	
	Chronic poisoning by organic substances							4	1	53	5			3	
	Other general diseases	4	9	9	18	18	9	46	16	218	32	13	2	40	18
	III.—Diseases of the nervous system and of the organs of special sense	149	324	366	1,051	347	529	2,441	2,084	8,991	4,751	391	283	1,742	946
	Encephalitis	4	3	5	12	2	5	43	14	70	20	14	2	30	12
	Simple meningitis	6	7	6	8	11	12	57	25	221	46	10	5	43	22
	Nonepidemic cerebrospinal meningitis	4	2		3	2	2	26	7	42	11	3	2	21	4
	Tabes dorsalis (locomotor ataxia)	3	3	9	7	3	8	26	25	149	54	3	2	12	2
	Other diseases of the spinal cord	5	8	16	43	9	11	53	49	255	125	8	2	37	15
	Cerebral hemorrhage	98	229	227	739	243	395	1,815	1,548	5,618	3,543	232	212	1,157	614
	Cerebral embolism and thrombosis	5	11	40	38	19	28	98	56	508	151	7	1	22	6
	Paralysis without specified cause	4	9	12	41	8	25	46	45	201	101	14	24	206	116
	General paralysis of the insane	3	17	3	41	15	3	44	124	503	243	6	1	15	24
	Other forms or mental alienation	1	4	12	3	3	3	18	20	169	22	22	1	31	20
	Epilepsy		10	4	34	11	9	30	60	186	147	17	8	45	58
	Convulsions (nonpuerperal; 5 years and over)			1				3	1	1	2	2	2	4	7
	Infantile convulsions (under 5 years)	1	6	2	15	4	8	26	24	45	35	3	9	25	19
	Chorea							1	2	4	2			2	
	Neuralgia and neuritis							5	2	16	10			11	
	Softening of the brain			1	4	3	1	6	11	23	48	4		2	2



MORTALITY STATISTICS

TABLE 6.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH

["Urban" includes cities of 10,000 inhabitants or more in

List No.	CAUSE OF DEATH	MONTANA		NEBRASKA		NEW HAMP-SHIRE		NEW JERSEY		NEW YORK		NORTH CAROLINA			
		Urban	Rural	Urban	Rural	Urban	Rural	Urban	Rural	Urban	Rural	Urban		Rural	
												White	Colored	White	Colored
III.—Diseases of the nervous system and of the organs of special sense—Con.															
84	Other diseases of the nervous system.....	8	6	23	39	8	19	65	54	482	132	15	1	37	16
85	Diseases of the eye and annexe.....			1	1			3	1	10	3			1	
86a	Diseases of the ear.....	5	7	11	8	4	1	43	7	265	36	8	7	28	7
86b	Diseases of the mastoid process.....	1	2	6	4	2	2	36	9	223	21	23	3	13	2
IV.—Diseases of the circulatory system.....		285	500	741	1,466	571	969	5,449	3,877	27,003	9,615	478	367	2,270	1,066
87	Pericarditis.....	1	2	5	7		4	15	7	42	22	2	5	8	4
88	Endocarditis and myocarditis (acute).....	17	27	25	46	24	13	269	149	717	198	22	28	42	32
89	Angina pectoris.....	14	31	47	141	70	126	326	264	1,564	611	65	15	156	28
90	Other diseases of the heart.....	220	383	557	1,113	356	637	4,470	3,116	21,914	7,883	341	307	1,889	925
91a	Aneurysm.....	5	7	7	9	4	3	31	17	173	54	5	2	14	10
91b,c	Other diseases of the arteries.....	13	39	68	118	101	176	252	288	2,127	1,225	25	4	111	45
92	Embolism and thrombosis (not cerebral).....	10	7	25	25	11	7	68	23	405	105	12	3	11	3
93	Diseases of the veins.....	4	2	6	3	2	1	9	10	34	12	1		5	
94	Diseases of the lymphatic system.....		1	1	2	1	1	6	2	19	3	1	2	2	1
95	Hemorrhage without specified cause.....	1	1	1	1	2	1	2	1	2	2	1	1	1	2
96	Other diseases of the circulatory system.....			1	1		1	1	1	2	2	3		31	16
V.—Diseases of the respiratory system.....		199	380	384	699	311	369	3,502	1,623	13,897	3,114	202	369	1,537	885
97a	Diseases of the nasal fossae.....		1	1	2			1	1	6	4	2		10	27
97b	Diseases of the nasal fossae annexe.....	1	3	5	8	1		12	3	71	11	7	3	11	3
98	Diseases of the larynx.....	1	1	3	10	2	1	11	7	34	12			8	4
99a	Acute bronchitis.....	4	8	1	19	17	16	98	45	287	132	3	9	21	11
99b	Chronic bronchitis.....	4	8	5	16	8	18	64	39	197	95	4	2	20	4
99c	Bronchitis (unspecified, under 5 years).....		1	1	4	1	2	20	8	34	20	2	2	11	10
99d	Bronchitis (unspecified, 5 years and over).....	2	2	1	6	8	8	22	9	82	42	2	2	8	5
100a	Broncho-pneumonia.....	63	142	149	220	127	128	1,159	551	5,418	1,111	84	112	578	293
100b	Capillary bronchitis.....		1	1	4	1	4	24	15	207	46		4	9	5
101a	Lobar pneumonia.....	99	153	181	320	116	155	1,864	845	6,769	1,405	121	179	628	345
101b	Pneumonia (unspecified).....	6	37	8	24	10	20	34	21	180	64	13	25	146	135
102	Pleurisy.....	4	4	8	17	9	4	94	29	361	68	8	11	24	10
103	Congestion and hemorrhagic infarct of the lung.....	2	3	10	19	4	1	25	19	66	30	3	1	24	5
104	Gangrene of the lung.....			1	2			5	3	15	5			5	
105	Asthma.....	4	7	7	17	4	9	46	19	91	42	11	14	20	13
106	Pulmonary emphysema.....				5			2	2	14	6				
107	Other diseases of the respiratory system (tuberculosis excepted).....	9	9	2	6	3	3	21	7	65	21	4	8	14	15
VI.—Diseases of the digestive system.....		192	265	413	727	183	197	2,266	848	7,860	1,714	426	332	1,478	784
108	Diseases of the mouth and annexe.....	2	4	1	7	1	2	17	10	68	12	6	2	7	6
109a	Adenoid vegetations.....														
109b	Other diseases of the pharynx, tonsils.....	12	11	24	42	15	8	75	33	307	65	17	13	37	34
110	Diseases of the esophagus.....	1	1	1	1			2	2	13	4				
111a	Ulcer of the stomach.....	7	5	20	36	7	13	137	34	451	128	15	6	35	13
111b	Ulcer of the duodenum.....	6	2	11	6	2	2	57	12	213	32	8	1	8	2
112	Other diseases of the stomach (cancer excepted).....	1	14	10	32	13	24	53	59	103	123	13	32	96	60
113	Diarrhea and enteritis (under 2 years).....	21	52	55	129	38	25	566	249	1,725	373	108	134	771	429
114	Diarrhea and enteritis (2 years and over).....	7	17	15	61	10	9	97	63	251	149	34	24	167	81
115	Ancylostomiasis.....													2	2
116	Diseases due to other intestinal parasites.....							1	1	4				3	3
117	Appendicitis and typhlitis.....	52	50	111	159	30	26	491	78	1,619	160	111	47	126	43
118a	Hernia.....	5	8	26	23	10	5	135	37	563	93	8	8	19	12
118b	Intestinal obstruction.....	13	32	36	69	25	17	165	49	530	152	42	34	66	40
119	Other diseases of the intestines.....	2	4	13	13	2	7	21	7	99	19	4	1	17	9
120	Acute yellow atrophy of the liver.....	1	1	3	2	3	4	9	6	61	11	3	1	3	2
121	Hydatid tumor of the liver.....					1		1		3					
122	Cirrhosis of the liver.....	18	25	17	53	13	29	207	120	848	190	12	7	52	22
123	Biliary calculi.....	12	15	33	35	4	13	111	34	372	52	14	3	16	1
124	Other diseases of the liver.....	25	11	26	42	6	6	69	34	404	94	19	4	42	13
125	Diseases of the pancreas.....	2	1	3	4	2	1	20	6	93	14	1	1	2	
126	Peritonitis without specified cause.....	5	13	8	14	2	5	32	16	132	35	11	11	12	12
127	Other diseases of the digestive system (cancer and tuberculosis excepted).....														
VII.—Nonvenereal diseases of the genito-urinary system and annexe.....		142	248	373	726	257	331	2,823	1,773	11,085	3,365	440	320	1,593	937
128	Acute nephritis (including unspecified under 10 years).....	14	9	9	31	12	22	153	72	254	122	32	38	81	85
129	Chronic nephritis (including unspecified 10 years and over).....	99	204	264	576	212	276	2,278	1,583	9,455	2,988	327	208	1,356	752
130	Chyluria.....														
131	Other diseases of the kidneys and annexe.....	6	5	18	21	3	4	50	27	237	47	16	8	60	32
132	Calculi of the urinary passages.....	3	8	8	1	4		25	6	102	11	7	1	9	1
133	Diseases of the bladder.....	1	1	1	9			11	9	30	23	5	6	15	7
134	Diseases of the urethra, etc.....					2	1	15	2	37	7	3	4	3	3
135	Diseases of the prostate.....	10	12	34	69	7	16	121	48	409	107	23	15	44	16
136	Nonvenereal diseases of the male genital organs.....		1	2	1			3		11				1	
137	Cysts, other benign tumors of the ovary.....	1	2	7	5	1	1	29	8	90	16	2	2	6	3
138	Salpingitis and pelvic abscess (female).....	4	5	11	7	4	2	48	8	166	16	7	15	7	12
139	Benign tumors of the uterus.....	3	7	16	12	5	2	70	8	232	22	14	14	5	14
140	Nonpuerperal uterine hemorrhage.....													1	2
141	Other diseases of the female genital organs.....	1	2	3	4	3	2	20	4	59	4	3	7	8	11
142	Nonpuerperal diseases of the breast (cancer excepted).....									3	1				
VIII.—The puerperal state.....		29	50	72	116	36	30	326	91	1,077	183	100	89	304	233
143	Accidents of pregnancy.....	7	5	9	11	3	4	35	9	113	25	10	12	34	11
144	Puerperal hemorrhage.....	1	5	2	10	6	2	45	9	141	20	10	2	32	26
145	Other accidents of labor.....	3	8	8	14	2	2	40	10	139	23	14	5	44	24
146	Puerperal septicemia.....	16	22	40	41	6	10	122	35	417	54	15	31	66	56
147	Puerperal phlegmasia alba dolens, embolus, etc.....			2	12	8	2	13	4	61	18	1		5	11
148	Puerperal albuminuria and convulsions.....	2	10	11	27	10	10	69	23	208	43	50	38	121	105
149	Following childbirth (undefined).....					1		2		1				2	
150	Puerperal diseases of the breast.....									2					



## MORTALITY STATISTICS

TABLE 6.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH

["Urban" includes cities of 10,000 inhabitants or more in

List No.	CAUSE OF DEATH	MONTANA		NEBRASKA		NEW HAMPSHIRE		NEW JERSEY		NEW YORK		NORTH CAROLINA			
		Urban	Rural	Urban	Rural	Urban	Rural	Urban	Rural	Urban	Rural	Urban		Rural	
												White	Colored	White	Colored
	IX.—Diseases of the skin and of the cellular tissue.....	1	8	12	35	8	12	80	42	252	94	9	11	41	25
151	Gangrene.....	1	4	4	21	5	9	26	25	37	53	3	4	11	14
152	Furuncle.....			3	4	2	1	13	5	58	8	1		9	2
153	Acute abscess.....		2	3	6	1	1	21	7	82	17	4	7	10	6
154	Other diseases of the skin and annexa.....		2	2	4		1	20	5	75	16	1		11	3
	X.—Diseases of the bones and of the organs of locomotion.....	2	4	9	5	2	1	57	11	152	23	15	4	14	7
155	Diseases of the bones (tuberculosis excepted).....	1	3	6	4		1	47	8	120	18	11	4	11	3
156	Diseases of the joints (tuberculosis and rheumatism excepted).....		1	3	1	2		6	2	29	4	3		3	2
157	Amputations.....							1							
158	Other diseases of the organs of locomotion.....	1						3	1	3	1	1			2
	XI.—Malformations.....	22	50	67	154	32	34	367	175	1,248	355	45	12	189	46
159a	Congenital hydrocephalus.....	1	5	9	13	1	2	38	17	163	37	2	2	11	11
159b	Congenital malformations of the heart.....	11	36	39	92	16	22	168	120	617	220	28	5	111	17
159c	Other congenital malformations.....	10	9	19	49	15	10	161	38	408	98	15	5	67	13
	XII.—Early infancy.....	97	205	203	541	172	133	1,328	571	5,063	1,207	344	172	1,155	530
160	Congenital debility, icterus, sclerema.....	7	25	15	78	20	20	123	65	429	140	23	24	194	116
161a	Premature birth.....	67	133	136	351	104	81	819	340	2,961	728	256	117	797	330
161b	Injury at birth.....	16	26	41	72	39	17	262	103	1,192	245	54	17	112	43
162	Other diseases peculiar to early infancy.....	7	21	11	40	9	15	123	62	477	92	11	11	50	31
163	Lack of care.....							1		4	2		3	2	10
164	XIII.—Old age (senility).....	12	36	28	196	12	67	96	109	279	247	26	10	243	237
	XIV.—External causes.....	176	438	334	626	168	219	2,382	1,246	8,858	2,615	376	269	1,110	570
	Suicide.....	37	55	59	116	25	34	309	173	1,245	372	35	5	108	11
165	By poisons (gas or corrosives excepted).....	4	4	9	12		4	21	5	57	27			3	
166	By corrosive substances.....	6	2	3				30	8	104	12	7		12	
167	By poisonous gas.....	4	13	4				87	29	430	23	3		1	
168	By hanging or strangulation.....	5	8	4	35	5	6	65	54	195	123	9		12	1
169	By drowning.....		2		4	2	5	14	17	56	44			3	4
170	By firearms.....	14	33	21	48	6	16	50	42	175	106	13	5	61	6
171	By cutting or piercing instruments.....	3	4	2	6	2	3	23	11	78	25	1		9	
172	By jumping from high places.....							18	5	119	6			2	
173	By crushing.....							1	2	26	2				
174	By other means.....	1	2	2	1	1				5	4			5	
	Homicide.....	14	31	20	16	1	3	125	41	496	50	26	88	80	93
197	By firearms.....	7	21	17	11	2		63	23	258	23	18	61	59	71
198	By cutting or piercing instruments.....	1	3	1	1			22	3	7	7	2	17	7	11
199	By other means.....	6	7	2	4	1	1	40	15	163	20	6	10	14	11
	Accidental or undefined.....	125	352	255	494	142	182	1,948	1,032	7,117	2,193	315	176	922	466
175	Poisoning by food.....	1	2	1	8	1	1	12	6	17	7			23	14
176	Poisoning by venomous animals.....							2	2	7	1			2	2
177	Other acute poisonings (gas excepted).....	2	5	5	13	5	5	35	14	116	30	7	1	19	20
178	Conflagration.....	1	10	3	7	7	4	27	28	119	97	5	2	15	16
179	Burns (conflagration excepted).....	7	10	13	27	15	6	169	51	499	76	26	32	96	98
180	Mechanical suffocation.....	2	3	4	13	2		18	20	57	34	5	8	30	24
181	Absorption of irrespirable, irritating, or poisonous gas.....	2	6	17	7	2	1	131	38	935	44	6		3	
182	Drowning.....	45	4	4	35	12	36	141	184	575	363	4	2	62	39
183	Traumatism by firearms (except in war).....	5	22	11	17	2	5	17	22	50	53	15	11	41	39
184	Traumatism by cutting or piercing instruments.....		8	3	8	1	5	12	4	63	11		2	5	3
185	Traumatism by fall.....	22	25	85	106	42	44	393	154	1,524	401	51	11	146	25
186a	Traumatism in mines.....	21	27					1	5	3	4			6	2
186b	Traumatism in quarries.....		1					1	1	2	6		1	3	1
187	Traumatism by machines.....	3	9	5	22	4	4	41	22	203	32	6	5	22	8
188a	Railroad accidents.....	6	41	20	39	6	10	178	122	259	283	25	19	70	21
	Collision with automobiles.....	1	7	3	4		4	26	30	41	92	10	3	34	2
	Other railroad accidents.....	5	34	17	20	6	6	152	92	218	191	15	16	36	19
188b	Street-car accidents.....		1	4		1	1	19	10	264	25	8	3		
	Collision with automobiles.....			1		1		7	2	30	10	4			
	Other street-car accidents.....			3				12	8	234	15	4	3		
188c	Automobile accidents (excluding collision with railroad trains and street cars).....	30	63	53	101	32	36	558	234	1,741	437	106	46	227	76
188d	Airplane and balloon accidents.....							1	1	9	9			2	
188e	Injuries by other vehicles.....	5	12	6	18	4	4	29	8	100	30	6	2	12	5
188f	Landslide, other crushing.....		5		6		2	11	3	44	13	1		7	3
189	Injuries by animals (not poisoning).....	2	5	3	14		4	3	5	14	17			5	3
190	Wounds of war.....	1													
192	Starvation (deprivation of food or water).....														
193	Excessive cold.....	1	5	1		1		5	10	11	12	1		2	5
194	Excessive heat.....	1	1	1	6			24	10	56	11	2	1	11	9
195	Lightning.....		5		9		2	3	4	1	9	1		9	8
196	Other accidental electric shocks.....	3	7	2	8	2	2	17	11	50	36	9	3	13	4
201	Fracture (cause not specified).....		3	1	2			12	1	79	50	5	3	13	1
202	Other external violence.....	10	30	14	27	3	8	90	58	332	101	23	21	78	30
203	Violent deaths of unknown causation.....														
	XV.—Ill-defined diseases.....	7	96	9	73	34	9	22	27	57	69	62	137	1,146	1,263
204	Sudden death.....	1	10		16	14	4			7	11	9	13	200	112
205a	Ill-defined.....	1	19	4	31	15	3	22	22	26	32	8	24	130	142
205b	Not specified or unknown.....	5	67	5	26	5	2			24	26	45	100	766	1,009

## CAUSES OF DEATH FOR URBAN AND RURAL DISTRICTS

CAUSE, IN URBAN AND RURAL DISTRICTS: 1926—Continued

1920; the remainder of the State is included in "rural"]

NORTH DAKOTA		OHIO		OREGON		PENNSYLVANIA		RHODE ISLAND		SOUTH CAROLINA				TENNESSEE				List No.
Urban	Rural	Urban	Rural	Urban	Rural	Urban	Rural	Urban	Rural	Urban		Rural		Urban		Rural		
										White	Colored	White	Colored	White	Colored	White	Colored	
6	15	118	109	17	11	175	180	19	2	8	10	17	18	23	11	43	7	
1	7	36	66	10	7	67	100	10		3	5	3	3	5	6	12	6	151
		18	10	1	3	25	23					6	2	3		10		152
3	4	34	6	2		51	25	4		4	2	4	7	7	2	7		153
2	4	30	27	4	1	32	32	1	2	1	3	4	6	8	3	14	1	154
4	10	68	16	8	1	95	54	5		5	3	3	2	12	10	11	6	
4	9	56	13	6		80	42	4		5	2	3	1	11	5	6	6	155
	1	11	2	2	1	14	8							1	5	4		156
		1	1			1	4	1			1					1		157
																		158
23	62	488	384	30	58	783	837	81	16	22	3	94	47	51		105	5	
7	4	44	17	5	2	84	53	5	1	2	2	10	17	7		10	1	159a
5	34	307	266	12	45	488	575	36	8	12	1	43	14	28		60	2	159b
11	24	137	101	13	11	211	209	40	7	8		41	16	16		35	2	159c
61	348	2,367	1,362	128	244	2,963	2,804	405	63	114	151	573	740	317	142	762	105	
3	53	195	217	5	29	272	356	51	9	9	48	76	173	33	24	143	32	160
45	229	1,572	859	76	153	1,955	1,802	218	33	75	74	403	504	211	94	504	57	161a
9	43	464	197	33	41	492	426	109	14	24	12	54	29	46	15	76	6	161b
4	23	136	87	15	21	243	213	27	7	6	15	40	32	27	9	38	10	162
			2			1	7			2	2	2	2			1		163
4	107	273	500	33	70	169	368	29	22	8	6	98	327	53	17	295	84	164
55	336	4,334	2,570	367	666	5,485	4,436	467	82	169	151	455	617	555	395	962	284	
11	50	545	328	83	96	686	502	60	15	13	1	37	8	64	7	97	8	165
1	2	23	12	3	8	24	16	4	1	1				6	6	5		166
4	8	117	26	6	3	67	29	7		1		1		23	4	17	1	167
		18	2	17		150	24	20						2				168
		17	18	14	18	112	145	9	4			1	2		1	11		169
3	2	25	20	13	7	26	28	4		7		30	4	32	2	49	6	170
19	197	168	18	48	231	214	13	6		2		3	1	1		8	1	171
3	2	47	25	9	5	37	26	2	4	1				1				172
		15	1	2		30	8											173
		10	3	2	2	2	4											174
		8	6	1	4	7	8	1		1		1						
		12	419	18	20	353	172	18	3	16	58	32	121	54	182	104	92	197
		6	257	14	17	240	119	10	3	12	43	25	91	43	124	77	75	198
		2	72	1		47	17	3		1	12	1	15	6	48	12	12	199
		4	90	3	3	66	36	5		3	3	6	15	5	10	15	5	199
44	274	3,370	2,115	266	550	4,446	3,762	389	64	140	92	386	488	437	206	761	184	175
1	7	23	23	2	8	21	29	2		2		11	14	6	4	10	5	176
		3				4				1		1		1		2		177
		71	28	1	13	50	62	5	1	6		1	12	9	4	14	5	178
2	11	27	44	3	9	67	78	9	2	4		3	19	8	10	13	10	178
3	19	292	96	11	19	497	262	43	2	16	23	59	128	24	43	75	31	179
1	8	44	42	2	3	28	49	4	2	2		15	18	4	1	12	4	180
1	9	79	27	1	1	267	41	29	2	4				3		2		181
4	21	120	180	18	90	165	256	32	20	5	5	31	44	10	4	47	23	182
	10	59	69	5	26	65	90	2		5	16	25	39	17	22	47	19	183
2	9	30	12	2	4	43	19	2	1	2		3	2	8	6	4	4	184
8	20	787	412	59	63	898	630	84	9	23	6	56	23	95	15	145	9	185
	2	25	62	1		286	609							10		42	2	186a
		2	5	1	1	6	17	1						3		3		186b
1	15	112	45	15	30	150	84	6	2	2		11	14	10	5	14	1	187
1	20	316	308	17	31	337	427	9	5	11	3	28	29	47	28	62	20	188a
	11	85	101	2	6	19	49	1		1		5	6	3	2	11		
1	9	231	207	15	25	318	378	8	5	10	3	23	23	44	26	51	20	
		101	51	6		117	40	13	1	6		1	1	6	2	1		188b
		45	28	3		23	8	2		3				1				
		56	23	3		94	32	11	1	3		1	1	6	1	1		
12	58	946	371	66	121	1,060	674	114	13	46	20	73	53	181	36	128	17	188c
1			3	1	5	4	8			1				1				188d
	15	32	34	3	14	65	59	7		2		8	6	7	5	20	5	188e,f
	1	16	14	8	14	22	25					4	2	2	6	4	1	188g
1	14	7	23	1	8	11	14					1	2	3		8	1	189
																		190
																		192
																		193
2	2	8	5		2	10	15	1					2	1		1	2	194
1	2	25	16	1		48	30	3		1			8	2	2		3	195
	2	3	23		3	4	16			2	1	4	6	2		13	5	196
	4	46	48	2	8	43	46	3	2	2		12	5	7		16	1	201
	1	23	53	2	4	13	6			1	1	1		3	1	9		202
5	18	173	121	40	72	169	172	21	1	5	8	26	46	19	11	68	16	203
9	118	59	161	3	32	264	348	33	5	13	26	265	1,151	174	238	1,168	466	
2	8	4	19		5	32	80	9	2	2	2	36	55	42	40	129	56	204
2	25	26	50	3	15	24	106	9	2	5	14	91	469	23	31	166	48	205a
5	85	29	92		12	208	162	15	1	6	10	138	627	109	167	873	362	205b





TABLE 6.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE, IN URBAN AND RURAL DISTRICTS: 1926—Continued

["Urban" includes cities of 10,000 inhabitants or more in 1920; the remainder of the State is included in "rural"]

List No.	CAUSE OF DEATH	UTAH		VERMONT		VIRGINIA				WASHINGTON		WEST VIRGINIA		WISCONSIN		WYOMING	
		Urban	Rural	Urban	Rural	Urban		Rural		Urban	Rural	Urban	Rural	Urban	Rural	Urban	Rural
						White	Colored	White	Colored								
	<b>IX.—Diseases of the skin and of the cellular tissue</b>	8	4		14	11	14	47	20	21	15	11	14	71	63	1	3
151	Gangrene	2	2		8	5	6	24	14	6	6	3	6	38	37		3
152	Furuncle				3	3	4	1		6	4	4	3	10	6		
153	Acute abscess	4	2		1	2	4	11		4	2	2	4	9	10	1	
154	Other diseases of the skin and annexa	2			2	1	4	8	5	5	5	2	1	14	10		
	<b>X.—Diseases of the bones and of the organs of locomotion</b>	1	2		3	10	2	13	4	15	6	6	13	21	11		4
155	Diseases of the bones (tuberculosis excepted)		2		3	7	1	9	2	12	4	6	11	18	9		3
156	Diseases of the joints (tuberculosis and rheumatism excepted)	1				3	1	3	2	2	1		2	3	2		1
157	Amputations							1		1	1						
158	Other diseases of the organs of locomotion																
	<b>XI.—Malformations</b>	32	45	13	47	56	24	166	34	97	72	68	195	175	212	5	21
159a	Congenital hydrocephalus	6	3	1	4	6	1	12	6	9	6	7	20	17	26		
159b	Congenital malformations of the heart	16	32	10	37	27	21	85	8	49	52	46	113	103	122	3	17
159c	Other congenital malformations	10	10	2	6	23	2	69	20	39	14	15	62	55	64	2	4
	<b>XII.—Early infancy</b>	148	255	41	197	329	232	918	453	302	277	309	1,015	878	871	30	97
160	Congenital debility, icterus, sclerema	4	15	4	28	29	42	160	147	22	37	26	232	70	123	2	9
161a	Premature birth	108	186	22	124	233	139	602	239	198	175	220	612	562	542	24	63
161b	Injury at birth	30	39	12	30	56	20	109	27	68	47	52	90	166	122	4	19
162	Other diseases peculiar to early infancy	6	15	3	13	11	29	46	39	14	18	11	74	80	84		6
163	Lack of care				2		2	1	1				7				
164	<b>XIII.—Old age (senility)</b>	25	52	12	72	58	27	319	179	49	116	55	395	101	295	1	20
	<b>XIV.—External causes</b>	200	317	61	267	414	254	988	457	812	920	534	1,568	1,004	1,261	41	258
	<b>Suicide</b>	21	20	5	43	54	7	99	9	185	108	45	72	183	219	9	37
165	By poisons (gas or corrosives excepted)	2	2	1	1	4	1	5	1	8	12	4	4	6	12	1	4
166	By corrosive substances	5		1	2	4	1	5	1	23	6	10	8	29	17		
167	By poisonous gas	1		1	2	10	1	1		55	5			20	5		
168	By hanging or strangulation	1	3		14	5	2	19	1	22	17	2	9	48	32		10
169	By drowning			1	4	4		6		5	17	1	4	17	14		
170	By firearms	7	11	1	20	24	2	55	6	43	46	21	36	45	68	7	22
171	By cutting or piercing instruments	3				2	2	7		16	4	6	4	12	17		
172	By jumping from high places	1	1			1				9	1	1	4	4			
173	By crushing									3	3		2	2		1	1
174	By other means	1	3				1			1	2		5	2			
	<b>Homicide</b>	8	12	2	6	24	51	73	71	23	30	44	160	31	42	5	27
197	By firearms	5	6	1	2	17	33	56	56	16	22	28	132	17	24	4	22
198	By cutting or piercing instruments	2	3			1	15	7	7	3	7	9	13	3	3		3
199	By other means	1	3	1	4	6	3	10	8	7	5	7	15	11	15	1	2
	<b>Accidental or undefined</b>	171	285	54	218	338	196	816	377	604	782	445	1,336	790	1,000	27	194
175	Poisoning by food	1	2			1	3	17	9	7	7	7	8	6	12		3
176	Poisoning by venomous animals	1					4			1	1	1	2	1			1
177	Other acute poisonings (gas excepted)	3	5		3	8	5	17	10	21	8	3	13	10	14		4
178	Conflagration	1				8	8	16	38	1	16	1	35	9	21	1	1
179	Burns (conflagration excepted)	7	13	4	9	30	31	82	75	30	19	49	105	49	56		10
180	Mechanical suffocation		3	2	6	6	3	12	15	4	16	3	73	2	10	1	3
181	Absorption of irrespirable, irritating, or poisonous gas	2	2	1	3	14	4	4	1	18	5	11	70	29	17	1	2
182	Drowning	5	25	1	23	17	14	60	29	41	138	16	61	69	132	2	13
183	Traumatism by firearms (except in war)	10	8	1	6	13	11	42	22	10	22	8	35	13	41		11
184	Traumatism by cutting or piercing instruments	5	2		2	2	4	7	3	8	4	6	7	7	10	1	
185	Traumatism by fall	32	16	17	68	79	14	131	25	116	68	57	86	187	224	3	14
186a	Traumatism in mines	11	28				62	5		5	11	92	516	3			21
186b	Traumatism in quarries	1					1	7	5		2		4				
187	Traumatism by machines	6	2		8	11	8	21	10	29	43	12	19	17	13	1	5
188a	Railroad accidents	15	21	4	21	17	14	73	21	27	55	38	113	80	104	3	22
	Collision with automobiles		6		4	3	3	12	2	7	13	1	10	13	30		3
	Other railroad accidents	15	15	4	17	14	11	61	19	20	42	37	103	67	74	3	19
188b	Street-car accidents	2	3	2		5	5	3		18	10	4	30	7			1
	Collision with automobiles					4				3		1	5	2			1
	Other street-car accidents	2	3	2		1	5	3		15		4	25	5			
188c	Automobile accidents (excluding collision with railroad trains and street cars)	41	39	15	30	88	32	139	44	172	170	93	138	202	182	11	45
188d	Airplane and balloon accidents	1				4		9		1	3			1			
188e,f	Injuries by other vehicles	2	6	3	4	5	3	9	16	8	14	3	10	15	27		7
188g	Landslide, other crushing	2	44		1	1	3	8	2	18	60	5	10	9	9	1	
189	Injuries by animals (not poisoning)	1	3		5			13	2	4	6	4	8	6	21		7
190	Wounds of war																
192	Starvation (deprivation of food or water)		1						1								
193	Excessive cold		1				2	2	3		2		2		15		4
194	Excessive heat	3			1	1	11	8	6	1	1	1	3	5	5		
195	Lightning	1			4		3	13			1	2			9	1	5
196	Other accidental electric shocks	1	2		4	8	2	7		6	9	5	22	11	15		1
201	Fracture (cause not specified)	9	29	1		5	4	13	1	3	5	1		2	1		1
202	Other external violence	10	29	2	14	21	14	37	21	55	96	14	49	29	50	1	13
203	Violent deaths of unknown causation																
	<b>XV.—Ill-defined diseases</b>	52	76	1	16	36	77	480	395	12	85	5	11	10	53	1	29
204	Sudden death		4		2	7	12	103	49	2	10	1	3	2	6		11
205a	Ill-defined	47	38		6	14	53	111	115	6	17	2	1	2	9		11
205b	Not specified or unknown	5	34	1	8	15	12	266	231	4	58	2	7	6	38	1	17

NOTE.—Populations are shown in Table I A.

MORTALITY STATISTICS

TABLE 7.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE, BY AGE, SEX,

List No.	CAUSE OF DEATH, SEX, AND COLOR	All deaths	Under 1 year	1 year	2 years	3 years	4 years	Under 5 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years
	All causes.....	1,257,256	159,411	31,609	14,144	9,153	7,018	221,335	22,779	17,263	29,253	38,597
	Both sexes.....	1,093,850	134,575	25,909	11,877	7,750	6,106	186,217	19,781	14,350	22,258	28,602
	White.....	168,406	24,836	5,700	2,287	1,403	912	35,118	2,998	2,913	6,995	9,995
	Colored.....	925,444	109,739	20,209	9,590	6,347	5,194	151,100	16,783	11,437	15,263	18,607
	Males.....	590,852	76,815	13,966	6,294	4,233	3,267	104,375	11,099	8,139	11,754	14,394
	Colored.....	86,180	13,908	3,013	1,234	712	463	19,330	1,558	1,411	3,103	4,718
	Females.....	502,998	57,960	11,943	5,583	3,517	2,839	81,842	8,722	6,211	10,504	14,208
	Colored.....	77,226	10,928	2,687	1,033	691	449	15,788	1,440	1,502	3,892	5,277
	I.—Epidemic, endemic, and infectious diseases:											
	Males.....	79,996	8,396	4,845	2,505	1,870	1,275	18,691	3,382	1,753	2,990	4,383
	Colored.....	19,675	2,067	926	435	269	185	3,882	592	594	1,384	2,076
	Females.....	70,533	7,026	4,321	2,260	1,411	1,160	16,187	3,181	1,842	4,213	5,875
	Colored.....	19,055	1,771	860	406	265	168	3,470	569	793	2,075	2,685
1	Typhoid and paratyphoid fever:											
	Males.....	2,682	14	17	28	12	30	101	135	220	462	408
	Colored.....	982	10	7	8	7	11	43	81	96	184	192
	Females.....	1,999	9	9	26	25	21	90	163	227	344	272
	Colored.....	935	5	12	14	9	11	51	78	151	203	153
2	Typhus fever:											
	Males.....	6										
	White.....	6										
5	Malaria:											
	Males.....	453	47	19	17	14	14	111	33	20	22	13
	Colored.....	507	60	31	19	23	7	140	48	19	37	33
	Females.....	437	43	19	17	11	9	99	36	24	18	31
	Colored.....	528	47	28	19	17	7	118	35	31	51	55
6	Smallpox:											
	Males.....	216	14	4	5	4	1	28	9	5	7	16
	Colored.....	22	2	1				4		1	3	4
	Females.....	120	7	1		1		12	4	2	12	8
	Colored.....	18	4	1				5				2
7	Measles:											
	Males.....	4,191	1,087	1,311	553	285	169	3,405	436	90	77	47
	Colored.....	295	99	89	34	17	7	246	23	4	10	5
	Females.....	3,792	909	1,103	451	234	173	2,870	407	112	79	51
	Colored.....	301	74	88	34	22	7	225	33	11	11	7
8	Scarlet fever:											
	Males.....	1,277	63	142	149	144	130	628	348	103	59	36
	Colored.....	39	3	2	6	2	6	19	11	4	3	
	Females.....	1,288	46	103	123	113	112	497	356	128	76	72
	Colored.....	34	8		2	3	2	15	12	3	1	2
9	Whooping cough:											
	Males.....	3,479	2,062	841	266	127	67	3,363	90	13	5	2
	Colored.....	736	376	213	76	33	14	712	23			
	Females.....	4,067	2,170	1,061	400	167	98	3,896	137	15	3	1
	Colored.....	846	419	252	87	34	23	815	25	3	1	
10	Diphtheria:											
	Males.....	3,698	277	527	557	495	421	2,277	976	230	49	29
	Colored.....	297	44	42	54	40	30	210	56	14	5	2
	Females.....	3,378	195	429	453	393	373	1,843	992	222	65	46
	Colored.....	321	50	29	33	49	26	187	73	26	8	5
11a	Influenza (with pulmonary complications):											
	Males.....	11,471	1,747	730	297	147	95	3,016	236	141	321	267
	Colored.....	2,177	404	162	72	28	24	690	40	44	85	130
	Females.....	10,828	1,243	564	222	125	101	2,255	227	126	209	214
	Colored.....	2,028	287	122	64	26	28	522	43	42	99	117
11b	Influenza (other and unspecified):											
	Males.....	6,102	861	271	140	88	66	1,426	194	134	173	125
	Colored.....	1,209	228	58	31	19	9	345	22	39	44	54
	Females.....	6,405	634	227	112	72	56	1,101	176	118	138	138
	Colored.....	1,307	206	49	26	15	5	301	35	28	52	62
13	Mumps:											
	Males.....	45	9	5	2	4	2	22	6	1	5	
	Colored.....	8	1					1	2	2		3
	Females.....	44	4	3	2	3	1	13	7	2	1	1
	Colored.....	5	2	1				4		1		
15	Cholera nostras:											
	Males.....	61	17	6	1	2	2	28	2	1		1
	Colored.....	13	2					1				
	Females.....	53	9	3	1	2	3	18	2	1		
	Colored.....	18	4	3	1		1	9				
16	Dysentery:											
	Males.....	1,071	269	185	58	30	19	561	31	15	8	9
	Colored.....	349	114	78	17	6	4	219	10		5	4
	Females.....	1,006	206	126	50	18	10	410	19	5	9	15
	Colored.....	375	106	63	14	7	2	192	4	3	8	14
17	Plague:											
	Males.....	1										
	Colored.....	1										
19	Spirochetal hemorrhagic jaundice:											
	Males.....	23	6			1		7	1			2
	Colored.....	2										
	Females.....	20	5					5	3	1		1
	Colored.....	2	1		1			2				
20	Leprosy:											
	Males.....	14									1	1
	Colored.....	6										1
	Females.....	2										
	Colored.....	1										
21	Erysipelas:											
	Males.....	1,354	375	26	17	9	3	430	12	19	14	17
	Colored.....	74	24			3		27			1	1
	Females.....	1,179	364	43	9	4	6	426	9	11	14	23
	Colored.....	47	21		1			22	2			1
22	Acute anterior poliomyelitis:											
	Males.....	413	41	50	32	29	31	183	76	54	44	17
	Colored.....	53	10	5	7	4	5	31	10	3	3	3
	Females.....	320	31	41	36	21	18	147	61	50	28	9
	Colored.....	37	12	7	1	2	3	25	6	2		2
23	Lethargic encephalitis:											
	Males.....	696	20	35	14	13	16	98	33	28	51	45
	Colored.....	36		1		2		6	1		3	6
	Females.....	704	13	24	19	13	8	147	34	38	48	37
	Colored.....	36	3	1	1	1		77	2	2	2	6

# CAUSES OF DEATH, BY AGE, SEX, AND COLOR

AND COLOR, IN THE REGISTRATION STATES (INCLUDING DISTRICT OF COLUMBIA): 1926

25 to 29 years	30 to 34 years	35 to 39 years	40 to 44 years	45 to 49 years	50 to 54 years	55 to 59 years	60 to 64 years	65 to 69 years	70 to 74 years	75 to 79 years	80 to 84 years	85 to 89 years	90 to 94 years	95 to 99 years	100 and over	Age unknown	List No.		
39,840 29,719 10,121	42,291 33,219 9,072	50,099 39,820 10,279	54,849 44,706 10,143	62,381 51,651 10,730	72,447 61,211 11,236	79,448 71,052 8,396	91,620 83,463 8,157	105,987 99,168 6,819	104,309 97,971 6,338	95,314 90,492 4,822	71,385 67,488 3,897	38,659 36,499 2,160	13,451 12,199 1,252	3,219 2,662 557	1,237 495 742	1,493 827 666			
14,577 4,956 15,142 5,165	17,430 4,629 15,789 4,443	21,768 5,265 18,052 5,014	25,760 5,332 18,946 4,811	29,800 5,777 21,851 4,953	34,957 6,287 26,254 4,949	40,481 4,710 30,571 3,686	46,573 4,507 36,890 3,650	54,782 3,734 44,386 3,085	52,573 3,511 45,398 2,827	46,776 2,670 43,716 2,152	32,625 2,088 34,863 1,809	16,257 1,109 20,242 1,051	5,060 564 7,139 688	1,025 229 1,637 328	192 289 303 453	545 408 282 263			
4,545 1,914 5,536 2,226	4,855 1,607 4,646 1,664	5,413 1,611 4,079 1,285	5,314 1,353 3,269 1,022	5,034 1,149 2,908 807	4,712 1,038 2,532 680	4,070 697 2,438 426	3,669 563 2,420 399	3,449 398 2,787 283	2,747 301 2,632 227	2,316 219 2,546 163	1,520 138 1,839 145	774 84 1,092 86	244 30 360 50	54 16 86 26	11 13 14 35	70 56 51 59			
267 105 190 103	190 54 140 46	185 54 118 35	174 48 96 32	136 38 92 28	134 35 70 15	84 14 65 16	81 16 43 13	47 10 43 2	38 6 27 3	14 2 10 1	3 1 5 1						3 3 3 4	1	
1	1				1	1	1			1								2	
17 14 19 35	12 17 13 26	16 27 21 22	17 32 25 27	16 26 20 27	27 28 18 19	24 10 18 14	22 17 18 20	34 21 12 10	29 10 25 15	21 5 16 6	11 7 8 5	4 9 8 4	1 2 2 4		2		3 3 5 2	5	
12 13 1	11 8 1	11 1 8 2	23 3 12 2	24 1 14 1	20 1 3 1	16 1 7 2	10 1 3 1	10 5 1 1	7 1 1 1	2 1 3 1	2 1 2 1	3					1	6	
22 1 36 6	13 50 1	8 2 38 1	13 33 29	19 16 3	7 23	13 16 2	13 12 1	5 7	8 7	11 7	1 3	1 2						2 1 1	7
30 40	29 48	17 1 28 1	7 1 19	9 7	7 6	2 7	1 7			1 2								1 1	8
		1	1					1		1	1							1	9
3	1	3				2	2	2	2	1								2	9
32 2 37 6	19 4 35 5	19 1 37 3	17 2 21 3	13 19 2	8 14 2	10 11	5 16	4 5 1	4 1 7	3 5	1 2							2 1	10
283 108 320 129	334 107 464 111	531 128 484 180	580 139 449 106	589 135 394 121	603 132 461 125	621 108 527 93	621 64 623 96	772 67 822 79	807 70 921 64	802 50 1,009 51	560 48 722 40	279 21 432 18	79 8 136 16	14 4 25 7	5 2 4 9	10 2 4 10	11a		
114 45 157 61	111 35 186 46	158 41 182 62	197 56 216 79	205 61 198 63	218 61 211 65	260 76 220 67	280 64 304 71	392 55 419 48	468 58 573 66	557 54 682 49	581 45 675 51	329 28 461 37	128 11 179 22	36 7 54 15	6 5 9 20	10 3 8 7	11b		
2	1		2	1		1	1		3									13	
1	6	2		4		1	1	3		1	1							13	
1		1	2	1	1		1	3	8	4	7	2	1					15	
1	1		1	1	1		2	10	5	4	6	1	2					15	
10 7 11 10	14 12 3	12 4 17 3	19 5 16 11	20 6 14 7	21 13 22 13	21 12 31 14	33 12 39 22	55 9 66 11	55 8 70 13	82 11 100 13	52 10 82 17	35 6 48 9	17 2 18 2	1 3 1 3			16		
1																		17	
3	1	1	2	1	1	1		2	1	1								19	
1		1	2	3		2		1										19	
1	3	1	1	1	1	1	2	1		1								20	
34 3 20 1	36 31 3	40 7 40 3	67 8 30 2	50 7 48	57 5 69 5	83 2 61 2	88 4 61 2	111 4 81 2	93 1 75 1	84 1 65	57 1 61	22 1 41	9 1 10 1	1			1 1	21	
6	4	3	3	7	4	4	2	3	3									22	
8	3	1	1	1	3	2	1	1			1							22	
39 7 55 2	31 2 38 2	48 4 56 2	53 2 48 5	48 1 58 3	52 2 67 1	54 1 50	40 1 38	34 3	17 12	13 1	4 7	2						23	

## MORTALITY STATISTICS

TABLE 7.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE, BY AGE, SEX, AND

List No.	CAUSE OF DEATH, SEX, AND COLOR	All deaths	Under 1 year	1 year	2 years	3 years	4 years	Under 5 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years
I.—Epidemic, endemic, and infectious diseases—Continued.												
24	Meningococcus meningitis:											
	Males.....	White..... 784	147	78	29	39	30	323	91	64	88	59
	Colored.....	75	12	8	3	6	1	30	6	5	14	4
	Females.....	White..... 490	100	63	32	21	20	236	72	43	23	25
	Colored.....	36	8	6	2	1	3	20	2	4	4	
25	Other epidemic and endemic diseases:											
	Males.....	White..... 154	39	21	8	3	7	78	13	5		2
	Colored.....	11	2	1	1			4	3			
	Females.....	White..... 120	36	16	14	4	6	76	12	6		2
	Colored.....	14	4				2	6		1	1	2
26	Glanders:											
	Males.....	White..... 1										
	Colored.....	1							1			
27	Anthrax:											
	Males.....	White..... 8										2
	Colored.....	2										
	Females.....	White..... 4										
28	Rabies:											
	Males.....	White..... 52			1	2	4	7	9	13		
	Colored.....	4						1	1	1	2	3
	Females.....	White..... 25			1			4	8	4	2	
	Colored.....	1										
29	Tetanus:											
	Males.....	White..... 716	49	5	8	17	17	96	137	171	64	33
	Colored.....	238	72	3	2	2	2	81	26	30	20	8
	Females.....	White..... 240	48	5	14	4	7	78	40	25	7	13
	Colored.....	110	52		1	1	2	56	9	6	5	6
30	Mycoses:											
	Males.....	White..... 98	21	1				23				6
	Colored.....	52	37	6		1		43	4	1	2	1
	Females.....	White..... 56	19					19				
	Colored.....	28	20	5			1	26			1	1
	Tuberculosis (all forms):											
	Males.....	White..... 36,710	614	512	297	189	134	1,746	463	383	1,472	3,149
	Colored.....	10,214	142	179	96	69	53	539	211	277	927	1,507
	Females.....	White..... 31,452	482	448	259	169	134	1,492	378	641	3,032	4,700
	Colored.....	10,364	129	158	93	72	45	497	203	460	1,541	2,043
31	Of the respiratory system—											
	Males.....	White..... 32,200	185	136	81	32	17	451	132	201	1,254	2,858
	Colored.....	8,954	69	86	45	37	26	263	132	196	825	1,346
	Females.....	White..... 27,370	138	125	72	43	31	409	116	456	2,736	4,347
	Colored.....	9,281	66	75	49	42	18	250	136	381	1,423	1,922
32	Of the meninges, central nervous system—											
	Males.....	White..... 1,684	305	280	163	116	73	937	214	86	66	70
	Colored.....	337	53	54	34	20	20	181	42	23	17	19
	Females.....	White..... 1,423	265	243	143	84	70	810	153	82	96	69
	Colored.....	273	37	45	27	23	21	153	30	22	18	7
33	Of the intestines, peritoneum—											
	Males.....	White..... 1,031	44	42	19	9	15	129	36	35	58	77
	Colored.....	351	5	7	6	1	4	23	18	23	37	51
	Females.....	White..... 1,202	29	26	11	13	5	84	35	40	88	132
	Colored.....	409	8	9	5	3	2	27	15	28	47	68
34	Of the vertebral column—											
	Males.....	White..... 450	7	3	2	11	13	36	37	25	30	34
	Colored.....	106	1	1	3	2		6	2	8	9	17
	Females.....	White..... 325	4	2	5	6	10	27	21	24	22	17
	Colored.....	54	1	1	1			2	5	8	6	2
35	Of the joints—											
	Males.....	White..... 182	2	1	2	2	3	10	9	13	9	11
	Colored.....	51				1		1	1	4	2	9
	Females.....	White..... 99	3	1	2		1	7	7	6	7	2
	Colored.....	33	4		1			5	3	1	2	4
36	Of other organs—											
	Males.....	White..... 581	22	15	7	3	6	53	14	10	22	45
	Colored.....	116	2	2	1	2		7	8	12	11	12
	Females.....	White..... 444	14	14	6	6	4	44	17	10	15	32
	Colored.....	80	1	2	1	1		5	2	4	7	10
37a	Disseminated (acute)—											
	Males.....	White..... 464	45	30	20	12	6	113	18	10	28	38
	Colored.....	265	12	26	7	5	3	53	7	9	21	45
	Females.....	White..... 477	26	29	19	14	13	101	25	21	64	92
	Colored.....	207	13	23	5	2	4	47	12	12	37	28
37b	Disseminated (chronic or unspecified)—											
	Males.....	White..... 118	4	5	3	4	1	17	3	3	5	16
	Colored.....	34	1	3		1		5	1	2	5	8
	Females.....	White..... 112	3	3	1	3		10	4	2	4	18
	Colored.....	27	3	4	1	1		8		4	1	2
38	Syphilis:											
	Males.....	White..... 3,554	528	43	16	7	4	598	14	17	30	67
	Colored.....	2,121	411	39	6	5	8	469	16	11	34	103
	Females.....	White..... 1,546	387	22	8	4	5	426	14	18	38	62
	Colored.....	1,294	300	35	11	4	4	354	7	15	51	124
39	Soft chancre:											
	Males.....	White..... 1							1			
	Colored.....	3										
	Females.....	White..... 2										
	Colored.....	2										
40	Gonococcus infection:											
	Males.....	White..... 90	12		1		1	14		1	1	7
	Colored.....	77	8					8			2	9
	Females.....	White..... 520	13	1		1		15		4	45	102
	Colored.....	306	6		1	1		8		2	30	75
41	Purulent infection, septicemia:											
	Males.....	White..... 568	77	15	9	7	11	119	31	24	31	20
	Colored.....	70	6	1	1	2	2	12	1	2	4	5
	Females.....	White..... 425	52	10	10	6	3	81	23	19	25	42
	Colored.....	61	3			1		4		2	7	8
42	Other infectious diseases:											
	Males.....	White..... 8		1		1	1	3	1		2	1
	Colored.....	2										
	Females.....	White..... 10	1					1				1

CAUSES OF DEATH, BY AGE, SEX, AND COLOR

113

COLOR, IN THE REGISTRATION STATES (INCLUDING DISTRICT OF COLUMBIA): 1926—Continued

25 to 29 years	30 to 34 years	35 to 39 years	40 to 44 years	45 to 49 years	50 to 54 years	55 to 59 years	60 to 64 years	65 to 69 years	70 to 74 years	75 to 79 years	80 to 84 years	85 to 89 years	90 to 94 years	95 to 99 years	100 and over	Age unknown	List No.
31	20	27	17	19	14	11	7	4	4	2	2					1	24
2	2	2	4	4	1	7	1	3	1	1							
16	11	12	8	12	13	7	7										25
3	3	2			1												
4		2	4	6	8	10	5	11	3	2	1						26
3	4	4	3	2	1	1	1	4	1								
			1														27
1	1	2	1	1	1	1		1									
1																	28
2	2	2	3	1	1	4	1		1		1	1					
1	3	2	1														29
17	27	30	22	22	20	18	15	20	13	9		2				2	
7	6	15	10	8	10	7	2	2	4								30
11	16	4	9	9	8	7	5	4	2	1		1					
3	3	4	4	6	3	4		1									31
5	6	4	5	16	5	8	5	2	4	2							
1	2	1	1	1	1	1	1	1	1								32
5	2	5	3	5	4	2	3	4	1	1		1					
3,487	3,782	3,975	3,715	3,376	3,011	2,379	2,086	1,705	1,018	630	214	79	5	1		34	31
1,437	1,189	1,095	819	639	540	357	271	164	107	64	21	12	4	1	1	32	
4,397	3,365	2,781	2,057	1,769	1,394	1,281	1,146	1,178	863	606	244	83	10	2		24	
1,690	1,122	830	606	446	336	171	154	109	49	32	26	14	3		2	30	
3,239	3,509	3,699	3,490	3,149	2,784	2,209	1,916	1,542	929	562	176	65	5	1		29	32
1,321	1,081	1,017	758	577	488	323	256	147	98	60	21	11	4		1	29	
4,095	3,130	2,534	1,868	1,585	1,243	1,141	1,019	1,075	759	540	214	72	7	1		23	
1,578	1,041	757	539	414	309	156	135	100	43	32	23	14	1		2	25	
51	59	54	36	36	28	13	10	9	8	2	1	1				3	33
17	9	8	5	7	4	2	1	1	1			1				1	
57	31	42	21	20	13	10	11	4	3		1					2	
11	8	9	7	3	2		1										
66	65	75	68	72	74	58	68	65	36	30	13	5				1	34
85	40	27	21	16	27	15	5	6	4	1				1		1	
116	87	81	87	87	68	72	64	52	58	31	14	5	1			2	
55	44	37	31	14	9	12	10	3	1		1		1				
39	43	35	21	31	26	22	26	17	9	14	4					1	35
13	18	8	6	10	4	3	3	2									
23	26	29	18	29	18	17	12	14	12	11	3	2					
6	4	4	6	2	7	1		1									
9	12	5	9	16	11	14	14	13	11	7	5	4					36
7	6	7	4	3	2	2	2	2	1								
4	3	10	5	6	5	5	5	5	8	11		2	1				
2	2	3	5	1		2		2			1						
32	51	60	55	37	56	30	36	38	16	10	13	3					37
8	13	4	6	8	4	9	2	5	4	2						1	
42	37	54	34	27	22	23	27	19	17	11	9	2		1		1	
11	8	9	6	8	2	1	3	1	1				1			1	
44	35	33	31	30	26	24	12	10	5	4	2	1					37b
35	19	22	17	16	11	5	2	2	1	1							
48	40	23	16	9	18	6	3	5	3	1	2						
23	14	9	10	3	6	1	2	2			1						
7	8	14	5	5	6	9	4	11	4	1							38
1	3	2	2	2	2	1	1	1								1	
12	11	8	8	6	7	7	5	4	3	1	1						
4	1	2	2	1	1		1										
99	173	278	333	414	417	396	301	198	134	58	13	9	2			3	39
157	175	217	211	206	192	102	97	55	29	26	8	4	2			7	
73	104	130	137	150	131	98	63	57	25	9	6	3	1			1	
121	134	140	108	85	64	32	18	12	13	10	2	1				3	
2	1						1					1					40
6	6	17	2	7	8	7	6	4	1	1				1		1	
8	6	5	5	9	9	2	5	5	2			1				1	
93	77	77	64	35	5	1	2									2	41
52	54	39	28	12	2	2											
22	29	25	31	33	37	40	36	30	28	14	10	6	2				
3	3	4	3	4	6	2	5	4	4	1	2	2		1		2	
25	28	23	16	21	17	18	18	18	14	15	13	7		1		1	42
5	2	5	8	1	4	3		3	2	1	4	1					
1			2														42
	1		1		1		2	1			1	1					

MORTALITY STATISTICS

TABLE 7.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE, BY AGE, SEX, AND

List No.	CAUSE OF DEATH, SEX, AND COLOR	All deaths	Under 1 year	1 year	2 years	3 years	4 years	Under 5 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years
II.—General diseases not included in Class I:												
	Males..... White.....	62,469	1,541	287	191	164	137	2,320	566	545	621	606
	..... Colored.....	3,833	211	57	25	19	18	330	50	47	70	104
	Females..... White.....	75,578	1,157	229	170	135	122	1,813	461	532	656	798
	..... Colored.....	6,466	134	42	26	18	11	231	58	62	127	255
Cancer and other malignant tumors:												
	Males..... White.....	41,679	25	42	48	52	33	200	126	98	148	214
	..... Colored.....	1,858	2	2	5	4	2	13	11	5	8	23
	Females..... White.....	51,140	25	31	34	30	31	151	81	82	130	223
	..... Colored.....	3,499	3	7	8	5	2	25	10	7	19	34
43	Of the buccal cavity—											
	Males..... White.....	2,493	1			1	1	3	4	5	1	2
	..... Colored.....	89										
	Females..... White.....	515		1	1			3	3	3		
	..... Colored.....	47		1	1			2	2			
44	Of the stomach, liver—											
	Males..... White.....	18,401	6	3	1	2	1	13	11	5	13	36
	..... Colored.....	946		2	2			4			6	4
	Females..... White.....	15,106	2	1	2	2		7	8	6	2	25
	..... Colored.....	759		1		1	1	3		1	4	4
45	Of the peritoneum, intestines, rectum—											
	Males..... White.....	6,322	2	5	4	6	10	27	19	13	25	32
	..... Colored.....	232					1	1	2			8
	Females..... White.....	7,434	1		1		2	4	2	6	14	50
	..... Colored.....	279		1	1			2			2	2
46	Of the female genital organs—											
	Females..... White.....	12,499		3			1	4	3	13	22	57
	..... Colored.....	1,554									2	16
47	Of the breast—											
	Males..... White.....	106	1					1				
	..... Colored.....	4										
	Females..... White.....	8,442								1	2	8
	..... Colored.....	489									1	3
48	Of the skin—											
	Males..... White.....	1,661	1		2	2		5	2	2	3	5
	..... Colored.....	37						1	1	1		1
	Females..... White.....	1,007	3				1	6	1	1	4	1
	..... Colored.....	38	1					1				1
49	Of other or unspecified organs—											
	Males..... White.....	12,696	14	34	41	41	21	151	90	73	106	139
	..... Colored.....	550			3	3	1	7	8	3	5	15
	Females..... White.....	6,137	19	26	30	26	26	127	65	52	79	82
	..... Colored.....	333	2	4	6	4	1	17	8	6	8	7
50	Tumors, benign and unqualified (tumors of the female genital organs excepted):											
	Males..... White.....	332	9	7	2	3	1	22	5	5	8	15
	..... Colored.....	28		1				1			1	3
	Females..... White.....	346	10	1	4	3	2	20	6	3	4	8
	..... Colored.....	43	1					1		1		2
51	Acute rheumatic fever:											
	Males..... White.....	1,113	9	3	15	23	25	75	161	160	92	55
	..... Colored.....	210	1	2	2	3	5	13	10	20	12	8
	Females..... White.....	1,263	4	4	11	20	35	74	144	168	105	82
	..... Colored.....	247		1	2		1	4	17	24	12	20
52	Chronic rheumatism, osteoarthritis, gout:											
	Males..... White.....	456				1		1	1	4	5	11
	..... Colored.....	31								1		1
	Females..... White.....	781				1		1	2	5	4	3
	..... Colored.....	49	1					1		1	1	2
53	Scurvy:											
	Males..... White.....	22	10	1	1		1	13	2		1	1
	..... Colored.....	7	3	1				4	1		2	
	Females..... White.....	20	12	5				17	1		1	
	..... Colored.....	4	3					4				
54	Pellagra:											
	Males..... White.....	648	2	3	1		4	10	6	3	5	8
	..... Colored.....	425				1	3	4	14	10	10	17
	Females..... White.....	1,076	2	2	6	1	1	12	5	4	21	41
	..... Colored.....	1,352	1	4	4	3	3	12	17	9	69	155
55	Beriberi:											
	Males..... White.....	1										1
	..... Colored.....	4										
	Females..... White.....	1										
56	Rickets:											
	Males..... White.....	217	146	42	11	7	5	211	5			
	..... Colored.....	102	56	28	8	5	3	100	2			
	Females..... White.....	190	126	39	15	4	2	186	4			
	..... Colored.....	71	40	22	7	1		70		1		
57	Diabetes mellitus:											
	Males..... White.....	7,289	10	18	16	19	22	85	89	151	182	124
	..... Colored.....	455	1	1	2	1	2	7	1	6	14	11
	Females..... White.....	10,234	9	10	13	17	14	63	86	145	161	137
	..... Colored.....	626			1	1		2	4	7	8	14
58	Anemia, chlorosis:											
	Males..... White.....	2,920	54	31	11	6	7	109	26	26	24	36
	..... Colored.....	67	10					11	2	1	3	1
	Females..... White.....	3,460	41	17	10	7	5	80	18	29	44	55
	..... Colored.....	84	4	1			1	6		2	9	6
59	Diseases of the pituitary gland:											
	Males..... White.....	49	1	1	1			3		1	6	
	..... Colored.....	3								2		
	Females..... White.....	57		1		1		2	3	6	3	1
	..... Colored.....	1										
60a	Exophthalmic goiter:											
	Males..... White.....	539	1			1		2	3	3	11	11
	..... Colored.....	20										2
	Females..... White.....	3,417		1		1		2	2	18	81	148
	..... Colored.....	146						1		1	2	5
60b	Other diseases of the thyroid gland:											
	Males..... White.....	134	12	9	5	4	2	32	7	4	6	4
	..... Colored.....	8								1	1	
	Females..... White.....	485	16	13	12	5	2	48	8	7	11	14
	..... Colored.....	42	1	1	1			3		2		2

CAUSES OF DEATH, BY AGE, SEX, AND COLOR

COLOR, IN THE REGISTRATION STATES (INCLUDING DISTRICT OF COLUMBIA): 1926—Continued

25 to 29 years	30 to 34 years	35 to 39 years	40 to 44 years	45 to 49 years	50 to 54 years	55 to 59 years	60 to 64 years	65 to 69 years	70 to 74 years	75 to 79 years	80 to 84 years	85 to 89 years	90 to 94 years	95 to 99 years	100 and over	Age unknown	List No.
838 123 1,069 383	1,191 182 1,716 402	1,899 221 2,956 641	2,730 243 4,340 675	3,837 369 6,001 805	5,386 465 7,762 740	7,044 381 8,889 562	8,218 338 9,720 473	9,230 316 10,072 369	7,703 263 8,096 281	5,606 141 5,696 166	2,798 95 3,215 114	1,030 56 1,843 63	222 15 331 22	34 9 66 6	3 3 11 8	42 12 35 23	
314 25 427 95	509 69 967 182	869 76 1,929 335	1,488 123 3,073 414	2,335 204 4,405 524	3,574 278 5,676 484	5,002 242 6,270 376	6,024 229 6,657 322	6,957 204 7,025 242	5,974 166 5,791 182	4,479 79 4,298 105	2,280 52 2,521 74	855 27 1,061 38	190 5 287 10	23 5 56 1	3 2 10 6	17 7 20 14	
9 4	19 7 4	32 7 12	86 10 15	133 11 20	225 16 39	321 8 52	382 8 56	385 12 66	342 4 78	261 2 61	105 2 52	81 1 28	31 1 10	5 1 2	1 1 1	43	
52 5 53 15	130 33 139 20	313 31 270 42	615 58 485 74	1,055 113 852 79	1,687 161 1,298 108	2,337 152 1,700 94	2,906 109 2,193 100	3,274 100 2,573 67	2,729 92 2,277 64	1,968 34 1,781 38	883 26 990 23	300 16 353 11	60 1 71 5	6 2 12 2	2 1 1 2	6 3 6 5	
64 7 48 15	125 8 119 20	166 11 212 29	271 15 342 24	371 33 468 37	550 31 699 41	802 26 948 30	912 30 1,000 24	1,000 22 1,124 20	886 20 966 19	655 8 779 9	307 5 422 4	77 3 179 4	14 1 41 7	4 1 7 1	2 1 1 1	2 3 1 1	
188 49	405 107	835 188	1,222 216	1,517 273	1,767 212	1,648 159	1,440 124	1,360 82	959 63	593 25	304 17	123 11	25 1	3 1	2 1	9 7	
1	1	1	4	3	15	6	10	20	11	18	8	7					
39 5	157 20	370 46	690 68	1,016 89	1,201 75	1,156 52	1,045 34	938 33	770 16	482 11	339 18	157 11	58 4	10 1	1 3	2	
7 9	12 2 10	18 2 11	32 2 28	45 3 34	84 3 61	133 2 59	144 5 90	249 3 111	255 2 125	259 5 146	234 2 150	124 5 97	41 1 44	4 1 16	3 1 4	3 1 1	
181 13 86 11	222 22 130 11	339 25 219 22	480 36 291 23	728 42 498 39	1,013 67 611 39	1,403 54 707 34	1,670 77 833 32	2,029 67 853 28	1,751 48 616 17	1,318 30 456 17	683 17 264 10	266 7 124 3	44 2 38 6	4 2 6 6	1 2 2 1	5 1 1 1	
10 9 2	21 2 3	19 2 5	16 1 4	28 2 4	23 7 4	31 4 6	29 3 1	28 3 1	34 1 3	23 1 2	10 2 2	5 1 1					
53 14 62 17	33 11 62 14	35 10 65 17	49 8 59 17	48 15 54 20	58 20 55 16	55 12 54 17	53 11 58 13	52 10 54 15	55 7 60 9	34 7 55 8	35 9 37 2	10 4 15 3	6 2 1 1	2 2 1		1	
6 5 3	9 3 9	16 2 17	22 2 18 4	30 1 29 3	35 2 41 5	29 4 60 3	44 2 75 7	58 3 109 4	55 2 127 5	59 4 115 4	41 2 101 1	20 4 48 2	8 2 11 3	2 2 1	1		
			1	1			2		1								
17 25 66 203	23 28 73 125	25 26 123 175	42 25 114 121	53 34 125 124	61 45 106 91	71 32 92 68	75 35 65 54	91 38 87 40	85 35 71 31	53 20 40 21	12 14 16 18	3 10 6 5	1 2 4 4	1 2 4 1	3 1 9 5		
1			1	1	1		1										
		1															
124 12 118 13	118 17 146 22	167 33 175 35	228 32 267 64	355 48 443 87	582 53 850 102	801 54 1,330 72	1,047 38 1,776 61	1,184 40 1,799 60	962 39 1,402 34	649 24 819 18	314 10 363 9	105 13 141 9	11 2 15 2	2 7 2		9 1 1 3	
37 4 54 8	62 3 81 10	85 3 141 10	127 3 207 7	178 5 280 6	281 9 374 5	381 5 415 3	443 3 504 3	486 7 510 3	338 3 356 4	191 2 178	71 2 87	18 2 35 1	6 2 8 1	2 2 2	3 2		
3 6	1 2 1	1 7	8 4	10 7	6 6	4 3	2 2	3 2	1 2		1						
34 3 180 12	33 3 197 18	63 4 268 20	56 1 373 24	69 2 416 16	70 1 409 16	68 2 414 8	51 2 357 6	40 3	16 6	9 4	21 3	4 1			2		
8 1 13 5	4 22 3	8 25 3	3 31 2	7 50 2	10 48 6	8 50 3	12 51 4	8 36 2	6 30 2	1 25 2	6 13 1				1		

## MORTALITY STATISTICS

TABLE 7.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE, BY AGE, SEX, AND

List No.	CAUSE OF DEATH, SEX, AND COLOR	All deaths	Under 1 year	1 year	2 years	3 years	4 years	Under 5 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years
II.—General diseases not included in Class I—Continued.												
61	Diseases of the parathyroid glands:											
	Males..... White.....	55	42	5	2			49	2		1	
	..... Colored.....	8	2	1				8				
	Females..... White.....	39	30	5	4	1		35	3			
	..... Colored.....	6	4					4				
62	Diseases of the thymus gland:											
	Males..... White.....	683	572	43	18	9	4	646	11	9	9	3
	..... Colored.....	80	43	9	2	2	4	56	1	1	1	1
	Females..... White.....	478	404	25	15	4	4	452	11	4	3	2
	..... Colored.....	34	25	1	2		1	29	3	1	1	
63	Diseases of the adrenals (Addison's disease):											
	Males..... White.....	161							1		4	6
	..... Colored.....	4										1
	Females..... White.....	211					1	1		1	8	8
	..... Colored.....	7									1	1
64	Diseases of the spleen:											
	Males..... White.....	75	2	2	2			6	5	1	7	3
	..... Colored.....	11	1					1	1		2	1
	Females..... White.....	68	2	3	1			6	2	4	6	2
	..... Colored.....	11	1					1				
65a	Leukemia:											
	Males..... White.....	1,013	22	28	33	24	17	124	63	44	48	30
	..... Colored.....	37	1		1	1	1	4	1		5	5
	Females..... White.....	773	17	17	23	23	13	93	38	32	37	33
	..... Colored.....	31	1	1	1	3		6	2	4	1	
65b	Hodgkin's disease:											
	Males..... White.....	566	4	4	4	2	3	17	26	17	33	26
	..... Colored.....	24	1					1	2		1	1
	Females..... White.....	273	5	8	4	1	2	20	9	7	10	20
	..... Colored.....	20	1					1	2	1		4
66	Alcoholism (acute or chronic):											
	Males..... White.....	3,304							1		12	44
	..... Colored.....	315									11	21
	Females..... White.....	332							1	1	4	4
	..... Colored.....	83										9
67a	Chronic lead poisoning:											
	Males..... White.....	123		1	1			2				1
	..... Colored.....	12										
	Females..... White.....	8						1				
67b	Other chronic mineral poisoning:											
	Males..... White.....	16										2
	..... Colored.....	3										1
	Females..... White.....	3										
	..... Colored.....	7		1				2				
68	Chronic poisoning by organic substances:											
	Males..... White.....	118										1
	..... Colored.....	12										
	Females..... White.....	66									1	2
	..... Colored.....	11										
69	Other general diseases:											
	Males..... White.....	956	620	47	20	13	13	713	26	19	19	10
	..... Colored.....	129	92	12	1	1	1	107	4			2
	Females..... White.....	857	454	47	21	17	10	549	37	18	22	15
	..... Colored.....	92	48	3	4	3	1	59	3	1	3	1
III.—Diseases of the nervous system and of the organs of special sense:												
	Males..... White.....	59,462	1,656	464	244	188	160	2,712	695	500	635	589
	..... Colored.....	6,521	313	44	31	24	23	435	70	53	99	135
	Females..... White.....	52,637	1,137	443	209	156	120	2,065	591	458	416	484
	..... Colored.....	6,311	231	45	24	22	17	339	58	51	89	108
70	Encephalitis:											
	Males..... White.....	607	58	41	14	18	11	142	39	32	38	34
	..... Colored.....	56	3	2	1	1	1	8	7	1	9	5
	Females..... White.....	548	50	41	13	8	9	121	41	31	29	26
	..... Colored.....	52	5	2	3		1	11	4	4	4	
71a	Simple meningitis:											
	Males..... White.....	1,262	303	105	73	46	39	566	112	63	64	51
	..... Colored.....	162	49	9	9	4	7	78	11	12	7	4
	Females..... White.....	907	234	86	63	43	19	445	102	56	35	30
	..... Colored.....	118	34	13	8	8	5	68	10	6	5	8
71b	Nonepidemic cerebrospinal meningitis:											
	Males..... White.....	348	91	48	19	23	15	196	35	29	21	12
	..... Colored.....	55	18	4	4	2	3	31	4	3	4	3
	Females..... White.....	255	68	46	16	16	4	150	37	15	13	4
	..... Colored.....	29	5	2	1	2		10	1	2	4	4
72	Tabes dorsalis (locomotor ataxia):											
	Males..... White.....	1,122								1		
	..... Colored.....	87										
	Females..... White.....	338		1				1			1	1
	..... Colored.....	21										
73	Other diseases of the spinal cord:											
	Males..... White.....	1,585	16	11	4	10	4	45	21	15	64	24
	..... Colored.....	131	2	1			1	4	3	4	1	6
	Females..... White.....	1,496	16	7	5	6	5	39	19	16	32	28
	..... Colored.....	125	4		2			6	6	2	2	6
74a	Cerebral hemorrhage:											
	Males..... White.....	39,109	75	12	12	4	3	106	16	16	45	62
	..... Colored.....	3,771	14			4	2	20	3	5	11	26
	Females..... White.....	37,632	46	16	10	8	3	83	13	24	39	69
	..... Colored.....	4,218	5	1	2	3	1	12	7	4	14	25
74b	Cerebral embolism and thrombosis:											
	Males..... White.....	1,855	20	8	5	3	3	39	15	14	16	23
	..... Colored.....	93	1			1		2			1	2
	Females..... White.....	1,808	11	6	2	2	7	28	17	18	13	27
	..... Colored.....	94	2				2	4	1	1	1	3
75	Paralysis without specified cause:											
	Males..... White.....	2,101	9	1	5			15	4	4	10	6
	..... Colored.....	653	7					8	6		6	5
	Females..... White.....	2,051	6	5	1		1	14	5	3	2	9
	..... Colored.....	733	4	1			1	6	5	2	6	7

CAUSES OF DEATH, BY AGE, SEX, AND COLOR.

COLOR, IN THE REGISTRATION STATES (INCLUDING DISTRICT OF COLUMBIA): 1926—Continued

25 to 29 years	30 to 34 years	35 to 39 years	40 to 44 years	45 to 49 years	50 to 54 years	55 to 59 years	60 to 64 years	65 to 69 years	70 to 74 years	75 to 79 years	80 to 84 years	85 to 89 years	90 to 94 years	95 to 99 years	100 and over	Age unknown	List No.
1		1	1														61
						1					1						62
3		1	1	1													63
1	1	2	2														64
6	15	15	18	22	11	12	9	17	11	10	3		1				65a
1	13	19	24	21	25	27	22	13	8	4	5						65b
4	4	10	4	6	2	6	4	4	2	6	1						66
1	6	6	1	1	2	3	3	2	1	3							67a
6	1	2	7	2	5	1			4								67b
37	60	61	64	73	89	83	86	68	45	28	7	2	1				68
3	6	2	2	2	3	1	1	2	1	1	1						69
34	48	56	48	57	61	62	59	53	39	16	3	3	1				70
3	2	6	3	2	1	1											71a
38	40	47	47	43	47	65	50	34	18	16	1			1			71b
4	4	3	1	2	4	1	23	20	14	3	3		1				72
26	17	14	17	17	28	24	2	2	1								73
3		4	1	1	1	1			1								74a
107	228	429	519	538	492	396	256	165	73	24	10	3				7	66
29	81	52	42	44	34	17	10	9	7	3	1	1				3	67a
20	40	61	63	53	34	36	5	5	1	2	1	1					67b
12	15	20	12	10	3	1	12	15	6	3		2					68
4	6	12	10	18	19	13	2	1	1								69
1	1	1	1	2	1	1	1	1									70
1	1		2	4	2	1	1	1	1	1							71a
			2														71b
17	23	20	12	11	10	5	3	5	4	4	2					1	72
11	11	7	6	4	3	5	2	2	1	5	2	3	1				73
	2	5	1	2	1												74a
14	11	15	12	7	14	13	15	15	16	16	5	7	4	3		2	69
19	9	17	12	15	17	14	2	2	20	21	17	11	4				70
3	2	4	2	2	1	1	1	1	3	2		2			1	1	71a
595	1,035	1,511	2,128	2,769	3,681	4,785	6,156	8,011	8,243	7,486	4,938	2,267	553	103	18	52	70
166	224	358	498	613	834	637	595	513	454	342	230	150	56	22	20	42	71a
560	706	1,044	1,484	2,153	2,932	3,886	5,072	6,593	7,248	7,232	5,613	2,996	870	176	32	26	71b
122	196	316	453	584	798	620	620	502	512	370	261	126	77	42	42	25	72
14	46	45	47	25	35	24	24	25	16	15	5	1					73
3	6	3	3	3	2	1	1	2	1	1							74a
29	31	35	40	31	31	25	23	21	12	7	9	2	2	1		1	74b
4	3	5	2	3	4	1	4	1	2	1							75
47	45	41	55	44	53	40	19	30	13	11	5	2				1	76
8	6	11	7	8	2	1	2	2	1	1						1	77
34	30	20	28	24	24	19	16	16	9	6	7	4	2				78
3	1	4	3	2	4		2	2	2								79
11	10	8	4	2	6	2	5	2	6				1				80
2	2	2	3	3	3	1			1	1							81
6	4	2	9	3	4	1	3										82
1	1	4	4	1	1												83
5	12	32	67	105	146	192	180	172	109	70	22	9					84
1	6	7	9	13	17	8	11	7	4	2	1						85
4	7	13	22	46	29	43	51	41	42	25	10	2					86
2	1	2	4	4	2	1	1	1	1	2							87
23	53	62	76	101	114	159	165	207	195	141	76	34	4	3	1	2	88
6	6	9	8	12	20	10	13	9	7	3	6	1	1			2	89
29	41	52	73	80	129	133	173	181	180	140	75	50	19	1		1	90
3	6	4	11	8	15	13	14	7	7	6	4	4	4				91
95	192	353	675	1,327	2,150	3,292	4,635	6,383	6,795	6,219	4,199	1,922	484	89	16	38	92
49	84	174	274	380	449	449	421	374	327	256	152	93	36	16	16	28	93
95	147	349	700	1,302	2,031	2,934	4,047	5,418	6,010	6,117	4,784	2,554	730	140	28	18	94
49	109	196	309	426	610	498	479	398	386	279	186	100	52	34	33	12	95
23	36	40	56	92	109	179	201	259	255	253	143	71	19	1		1	96
6	6	4	7	7	11	13	8	8	6	4	7	1					97
26	45	49	59	64	106	139	178	215	238	229	198	106	39	14			98
2	5	5	10	12	17	8	8	4	6	3	2	1				1	99
4	15	21	23	37	82	126	232	328	379	384	268	130	24	5	1	3	100
10	11	18	35	29	83	63	73	73	87	55	43	21	15	4	3	5	101
4	11	26	30	55	81	111	193	254	349	362	304	170	47	14	2	5	102
4	12	27	38	54	79	65	86	70	86	61	59	20	23	6	7	10	103

## MORTALITY STATISTICS

TABLE 7.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE, BY AGE, SEX, AND

List No.	CAUSE OF DEATH, SEX, AND COLOR	All deaths	Under 1 year	1 year	2 years	3 years	4 years	Under 5 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years
III.—Diseases of the nervous system and of the organs of special sense—Continued.												
76	General paralysis of the insane:											
	Males.....	White..... 3,756								4	9	22
	Females.....	Colored..... 648								1	1	11
		White..... 1,150							1	3	10	12
		Colored..... 231								1	3	5
77	Other forms of mental alienation:											
	Males.....	White..... 625									24	40
	Females.....	Colored..... 70									5	11
		White..... 787									12	39
		Colored..... 120								1	9	20
78	Epilepsy:											
	Males.....	White..... 1,499	39	9	12	10	12	82	51	83	127	161
	Females.....	Colored..... 315	17	3	2	1	1	24	13	16	42	50
		White..... 1,225	25	15	18	7	13	78	49	87	103	123
		Colored..... 175	8	2	3	3	1	17	7	18	25	22
79	Convulsions (nonpuerperal; 5 years and over):											
	Males.....	White..... 38							11	1	3	2
	Females.....	Colored..... 18							4	1	4	1
		White..... 48							12	4	5	7
		Colored..... 25							4	1	5	2
80	Infantile convulsions (under 5 years):											
	Males.....	White..... 713	605	64	26	10	8	713				
	Females.....	Colored..... 190	160	15	7	5	3	190				
		White..... 503	389	69	24	13	8	503				
		Colored..... 156	133	15	4	3	1	156				
81	Chorea:											
	Males.....	White..... 26			1		3	4	2	3	2	1
	Females.....	Colored..... 2	1		1			2				
		White..... 48			1		1	2	3	18	5	7
		Colored..... 4							1	1	1	1
82	Neuralgia and neuritis:											
	Males.....	White..... 109	1					1	2	1	1	1
	Females.....	Colored..... 6										
		White..... 165	1			2		3	1		1	3
		Colored..... 11							1			1
83	Softening of the brain:											
	Males.....	White..... 312										
	Females.....	Colored..... 14										
		White..... 311										
		Colored..... 12										
84	Other diseases of the nervous system:											
	Males.....	White..... 2,367	75	31	20	25	14	165	93	59	60	66
	Females.....	Colored..... 123	11	1	2	1	2	17	4	5	10	7
		White..... 1,922	61	29	20	14	13	137	67	45	48	53
		Colored..... 99	1	2		2	2	7	4	4	5	2
85	Diseases of the eye and annexa:											
	Males.....	White..... 44	5	2	4	5	2	18	1	4		
	Females.....	Colored..... 7	2		1			3		2		
		White..... 34	2	1	2	1	1	7	2	2	2	
		Colored..... 5	2				1	3		2		
86a	Diseases of the ear:											
	Males.....	White..... 1,127	253	74	28	20	23	398	150	95	88	40
	Females.....	Colored..... 80	21	4	4	2	1	32	12	1	1	3
		White..... 808	157	74	16	22	22	291	104	68	31	28
		Colored..... 51	19	4	1		1	25	4	1	2	2
86b	Diseases of the mastoid process:											
	Males.....	White..... 857	106	58	21	14	23	222	143	76	63	44
	Females.....	Colored..... 40	7	4	1	1	2	15	3	1	3	1
		White..... 601	71	48	18	13	14	164	118	66	35	18
		Colored..... 32	9	3		1	1	14	3	2	3	
IV.—Diseases of the circulatory system:												
	Males.....	White..... 115,209	493	106	86	65	89	839	613	750	914	896
	Females.....	Colored..... 11,307	47	17	21	8	11	104	59	68	119	189
		White..... 96,909	342	91	93	81	88	695	638	853	925	1,003
		Colored..... 9,975	38	14	10	10	7	79	63	77	155	273
87	Pericarditis:											
	Males.....	White..... 421	12	3		1	3	19	13	13	13	12
	Females.....	Colored..... 93	1				1	4	1		3	3
		White..... 322	3	3		4	2	15	12	18	12	12
		Colored..... 57			1	1		2	1	1	1	2
88	Endocarditis and myocarditis (acute):											
	Males.....	White..... 3,636	191	43	27	19	29	309	146	148	159	173
	Females.....	Colored..... 540	15	8	6	1	3	33	5	12	20	34
		White..... 3,333	123	28	30	30	26	237	169	183	197	214
		Colored..... 570	13	3	1	4	2	23	11	10	41	37
89	Angina pectoris:											
	Males.....	White..... 9,905	1					1		1	4	10
	Females.....	Colored..... 327								1		5
		White..... 4,461	1					1	2		7	9
		Colored..... 300									3	6
90	Other diseases of the heart:											
	Males.....	White..... 86,597	230	48	49	39	55	421	439	579	718	670
	Females.....	Colored..... 9,327	26	7	11	6	7	57	52	53	92	139
		White..... 78,008	177	52	57	43	57	386	442	638	685	737
		Colored..... 8,291	22	10	8	5	5	50	51	64	101	217
91a	Aneurysm:											
	Males.....	White..... 1,169							3	1	3	6
	Females.....	Colored..... 268									1	5
		White..... 368									2	2
		Colored..... 101								1		1
91b,c	Other diseases of the arteries:											
	Males.....	White..... 11,372									1	2
	Females.....	Colored..... 603										
		White..... 8,965								1		2
		Colored..... 508										3
92	Embolism and thrombosis (not cerebral):											
	Males.....	White..... 1,662	23	3	3	1		30	5	3	10	13
	Females.....	Colored..... 57			1			1			1	2
		White..... 964	15	1				10	6	4	14	18
		Colored..... 38		1				1			4	3

CAUSES OF DEATH, BY AGE, SEX, AND COLOR

COLOR, IN THE REGISTRATION STATES (INCLUDING DISTRICT OF COLUMBIA): 1926—Continued

25 to 29 years	30 to 34 years	35 to 39 years	40 to 44 years	45 to 49 years	50 to 54 years	55 to 59 years	60 to 64 years	65 to 69 years	70 to 74 years	75 to 79 years	80 to 84 years	85 to 89 years	90 to 94 years	95 to 99 years	100 and over	Age unknown	List No.	
64	240	518	691	619	543	371	296	184	96	60	22	12	2	1		2	76	
23	50	82	119	116	83	56	46	30	9	6	8	2	1		5			
32	83	132	157	150	147	142	69	83	48	45	24	10	1	1				
17	21	33	30	37	32	13	13	9	7	8	2							
40	48	56	67	58	56	48	52	46	36	30	11		2				77	
9	5	13	2	6	3	5	2	3	2	1	2		1					
62	56	83	87	101	69	74	47	62	38	29	20		6		1			
14	7	13	16	11	8	4	1	5	5	2	3							
124	140	117	115	90	104	84	54	49	38	41	27			1		3	78	
35	27	21	17	23	12	11	8	3	3	4	2		2			1		
107	106	104	86	84	57	55	37	44	45	30	18		3			1		
14	13	10	11	11	5	8	3	4	4	2			1					
4	3	3	1		2	1	3	2	1		1						79	
2					1	2		1		1						1		
2	3	5	2	2	1	2			2									
3	4	3	3															
																	80	
1		1	1	4	1	2		1	2	1							81	
1		1	2		1	1			2	2	1		2					
1	4	8	6	6	9	12	12	12	14	10	6		2	1			82	
4	4	6	4	12	14	15	17	14	19	21	10		8	9		2		
	1			2	3	3		1	1									
	2	2	1	1	7	13	27	47	55	68	55		25	8	1		83	
	1	2	2	1	1	2	2	2	2	2	3		3		1			
	1	2	2	6	9	11	23	35	54	70	56		29	9	3	1		
				1	5	1	1		2	2	2		1	1	2			
77	109	124	163	180	186	182	198	215	202	164	82		33	6	2	1	84	
7	10	7	8	12	8	9	5	4	3	6	4		4	1	1			
70	92	111	126	137	143	140	145	181	174	139	82		32	9	1			
4	9	7	12	8	9	6	8	3	3	3	4				1			
1	2	2	1		2		3	1		3	3		2	1				
		1			2	2	2	2	4	2	4		4				85	
		1								1								
33	41	44	43	43	42	33	27	22	10	5	8		3	1		1	86a	
3		5	8	2	4	4	1	1	2					1				
30	29	35	36	27	20	23	27	14	12	12	6		6					
	2	2	2	4	2	2	1	1	1									
28	37	34	36	35	34	27	23	26	11	11	5		2				86b	
2	5	2	3		4	1	1											
25	16	18	21	29	25	16	18	12	9	5	4		2					
2	2		1		2	1		1	1	1	1							
992	1,428	2,227	3,443	5,141	7,228	9,862	12,697	16,309	16,729	15,364	11,571		5,840	1,865	363	63	75	
289	442	643	871	1,259	1,370	1,111	1,087	946	982	714	527		266	128	41	35	57	
1,154	1,335	1,965	2,457	3,394	4,840	6,280	9,103	12,080	13,755	14,202	12,018		7,057	2,469	545	94	42	
363	446	673	848	1,018	1,099	847	924	774	747	555	465		238	156	66	67		
13	18	10	16	20	25	36	43	51	37	40	30		8	3		1	87	
7	9	3	10	10	8	7	9	2	10	1	3		1	1				
12	9	15	13	20	15	17	20	27	33	32	20		16	4				
1	6	6	4	4	9	5	4	2	3	2	3				1			
199	232	341	420	149	189	200	225	195	199	174	105		47	16	6	2	88	
39	56	86	98	35	31	28	20	20	11	5	4		1	1	1	1		
253	229	263	349	130	112	162	163	178	164	146	109		47	22	4	1		
74	63	73	115	27	21	23	15	13	7	7	8			1				
26	74	170	360	639	940	1,208	1,433	1,753	1,461	1,034	567		175	40	3	5	89	
12	17	22	24	47	50	38	38	19	14	20	10		4	3	2	1		
22	32	78	95	154	267	413	617	781	758	632	379		163	39	8	3		
14	18	22	32	38	39	36	25	20	23	10	9		3	2				
710	1,029	1,550	2,352	3,915	5,436	7,533	9,721	12,539	12,828	11,729	8,636		4,205	1,251	249	38	54	90
212	333	481	667	1,067	1,187	961	926	826	837	596	409		219	102	31	27	53	
814	1,001	1,527	1,904	2,911	4,163	5,232	7,646	10,079	11,273	11,618	9,443		5,311	1,719	386	59	34	
259	333	547	664	898	959	746	818	652	642	467	373		190	122	49	54	35	
10	31	52	91	121	163	187	185	148	87	51	20		6	2	1	1	91a	
15	19	34	44	52	37	21	21	8	5	5			1					
5	7	13	14	25	38	37	39	56	58	36	24			2				
4	9	10	17	9	14	12	5	10	4	3			1					
4	15	32	78	132	255	465	830	1,349	1,897	2,176	2,110		1,352	540	102	21	11	91b,c
1	1	4	17	33	46	44	56	58	94	81	96		37	19	7	7	2	
1	6	13	25	72	150	282	459	812	1,302	1,603	1,923		1,459	669	143	31	4	
3	5	5	8	26	35	20	41	70	66	60	63		41	29	16	12	5	
19	21	53	98	140	180	188	199	233	194	134	86		41	11	2	1	1	92
	4	7	8	5	5	4	7	5	4	2	1		1					
33	28	33	33	49	55	97	116	106	119	103	77		49	9	3	2		
1	4		1	6	6	1	3	2		2	1		1	2				



CAUSES OF DEATH, BY AGE, SEX, AND COLOR

COLOR, IN THE REGISTRATION STATES (INCLUDING DISTRICT OF COLUMBIA): 1926—Continued

25 to 29 years	30 to 34 years	35 to 39 years	40 to 44 years	45 to 49 years	50 to 54 years	55 to 59 years	60 to 64 years	65 to 69 years	70 to 74 years	75 to 79 years	80 to 84 years	85 to 89 years	90 to 94 years	95 to 99 years	100 and over	Age unknown	List No.
3	8	12	15	15	26	30	38	26	14	11	8	2					93
11	18	16	18	25	32	33	39	31	32	17	25	4	3				
5	1	4	5	3	3	3	6	3	4	2	2	1					94
3	1	1	5	5	1	5	2	3	1	3	3		1				
3	1	1	3	4	3	5	4	6	1	1		1					95
3	4	6	1	3	1	1	3	3	2	1	2	2	2				
		2	5	3	8	7	13	6	12	12	7	2	2	2		1	96
2	3	5	3	4	4	4	6	4	7	2	2	1	2				
4				2	7	1	9	4	13	6	10	2				1	
1,091	1,578	2,146	2,683	2,893	3,001	3,117	3,372	3,702	3,586	3,434	2,684	1,500	534	124	20	40	
566	564	639	629	639	552	349	339	236	214	166	134	68	26	20	21	34	
907	1,082	1,293	1,323	1,404	1,613	1,920	2,413	3,192	3,575	3,842	3,456	2,251	830	187	30	21	
426	351	369	336	374	333	262	255	208	193	169	115	80	36	26	24	13	
1	5	1	3		1	3	2	4	2	5	3	6	2	3			97a
2	1	3	1	1	2	3	2	1	3	6	4	8	4	2			
3	2			3	1	2	2						1	1	2		
19	26	35	35	25	20	22	21	16	6	5	1	1	1				97b
3	4	3	3	2	2	2	9	9	1	3	1						
20	16	18	7	15	13	12	1	1									
1	2	1		1			1	1				1					
2	2	4	6	8	6	7	6	5	3	6	3	1	1				98
1	1	2	2	1	2	2	2	3	3	2							
1	3	3	6	2	5	3	2	1	5	2	5	3					
2	7	9	11	9	25	29	27	42	57	93	114	82	42	13	2	1	99a
2	1	4	5	5	4	2	3	1	2				1	1			
6	7	3	6	10	20	26	12	63	90	122	138	126	62	15	5		
7	1	3	4	4	2	3	5	2	2	5			2	3	1		
7	10	12	27	47	46	55	90	118	171	166	167	107	34	12	2		99b
4	3	2	3	3	7	7	7	6	3	3	4	7	1	1			
7	4	8	16	34	32	43	60	94	149	209	198	131	47	13			
5	3	3	5	9	7	1	6	5	4	7	5	1	2				
2	6	10	11	11	17	12	22	34	35	61	81	70	30	4		3	99c,d
1	1	3	2	8	7	5	2	2		5	3	3	1	1	1		
3	4	4	7	9	10	11	18	43	62	85	107	92	49	19	2		
8	1	4	5	5	3	6	5	8	8	9	3	5	3	1	3		
161	225	360	429	495	491	608	723	904	1,025	1,120	963	553	200	44	10	6	100a
55	55	62	69	73	72	45	72	39	51	38	38	12	7	6	8	8	
157	214	255	293	278	379	435	648	941	1,181	1,419	1,886	877	347	74	14	8	
65	54	52	44	66	53	55	57	46	50	43	29	16	14	8	10	4	
		3	5	3	2	8	8	11	14	19	17	4	4				100b
2	1	1	1	2	2	3	6	10	15	18	28	19	9				
	2	1	1	2	5	1	1	1	1	1	1						
766	1,104	1,492	1,853	1,959	2,030	1,968	2,068	2,173	1,849	1,577	1,023	471	142	23	4	24	101a
437	431	487	474	420	391	240	208	158	111	88	50	23	8	8	11	16	
614	725	870	893	908	1,004	1,220	1,470	1,732	1,735	1,579	1,202	707	190	36	3	10	
277	241	247	230	241	237	161	148	111	99	73	43	43	7	9	5	6	
32	52	52	74	62	65	66	64	88	100	102	90	56	17	7	1	3	101b
27	30	30	28	29	30	18	19	15	25	15	19	7	4	1	1	6	
29	34	32	33	38	33	54	39	82	87	127	119	80	32	7	1	3	
31	21	30	18	19	13	15	14	10	11	19	13	5	4	3	1		
58	66	80	106	94	119	106	117	80	74	52	28	15	5				102
16	11	16	16	12	6	10	5	2	5	4	1	1					
35	41	49	29	42	30	39	38	62	54	44	44	22	10	1	1		
15	11	11	13	7	8	4	5	5	4	3	1		1				
4	7	6	12	12	10	19	8	29	58	79	110	89	46	13	1	2	103
1	2	1	5	10	11	7	21	29	1	3	4	126	64	18	4		
5	6	2	4	1	1	2	1	1	3	100	144	6	1				
8	9	13	10	12	12	10	19	5	9	3	1	3					104
2	1	2	2	3	3	1	1	4	2	2		1					
1	3	6	5	3	2	3	3	1									
3	20	19	42	70	75	106	110	126	116	109	69	33	5	4		3	105
5	10	12	13	10	13	13	13	5	10	7	12	5	2	1			
6	16	20	37	56	48	49	69	97	123	104	63	44	14	1			
6	6	9	6	10	4	11	5	15	10	5	8	2	1	1	2	2	
3	2	5	3	3	8	10	13	9	13	11	3	3	4				106
1	3		1	2	1	1	3	1	6	5	7	1	1	1			
1			1	2	1	1	2	1			2	1					



CAUSES OF DEATH, BY AGE, SEX, AND COLOR

COLOR, IN THE REGISTRATION STATES (INCLUDING DISTRICT OF COLUMBIA): 1926—Continued

25 to 29 years	30 to 34 years	35 to 39 years	40 to 44 years	45 to 49 years	50 to 54 years	55 to 59 years	60 to 64 years	65 to 69 years	70 to 74 years	75 to 79 years	80 to 84 years	85 to 89 years	90 to 94 years	95 to 99 years	100 and over	Age unknown	List No.	
23 11 17 7	37 11 9 2	45 12 18 4	56 8 15 7	83 9 12 5	74 7 14 2	88 6 19 1	74 6 16 5	58 7 24 2	54 1 16 1	26 1 19 4	11 3 10 1	6 1 13 1	1 1 1 1	1		2 1	107	
1,241 227 1,099 297	1,555 229 1,322 239	1,803 269 1,513 306	2,289 304 1,611 293	2,477 343 1,843 297	2,640 322 2,033 245	2,742 247 2,143 206	2,676 192 2,147 177	2,547 154 2,031 130	2,029 115 1,902 87	1,640 84 1,618 63	1,004 50 1,136 46	468 26 608 26	158 16 220 16	21 4 45 8	1 9 7 7	30 21 14 9		
17 6 13 5	23 2 21 5	19 4 13 5	34 2 20 3	29 6 23 3	32 5 24 2	38 3 15 3	37 1 17 3	19 3 7 1	16 3 13 1	17 1 9 1	8 2 6 6	3 2 4 4	2 2 2 2				108	
																		109a
111 14 99 22	101 17 99 18	92 5 77 16	71 6 68 7	68 5 63 9	69 10 60 12	58 4 54 1	49 1 33 7	45 1 42 3	23 1 31 1	25 1 21 1	10 1 23 2	7 1 9 2	2 1 5 1	1		1 1	109b	
2 2 1	1 2 1	2 2 3	3 2 3	4 3 1	7 1 1	6 1 5	10 5 1	13 1 3	5 3 2	5 7 2	6 7 2	3 2 2	1 2 1				110	
111 14 39 21	199 17 55 17	263 24 56 18	300 34 70 18	358 24 104 19	318 34 116 14	331 23 101 13	261 12 115 12	271 11 127 8	199 10 104 4	140 4 82 4	53 1 51 1	27 1 24 1	8 8 8 1	1		3	111a	
69 8 13 1	92 10 29 2	142 7 38 1	168 9 27 6	154 6 36 2	151 5 35 7	161 6 47 3	116 1 36 1	106 1 29 1	59 10 143 26	44 1 157 23	18 2 145 8	2 1 104 8	4 1 43 4			1	111b	
23 12 31 33	31 27 24 35	46 46 27 50	92 48 53 58	103 59 51 73	122 60 87 70	121 31 66 52	143 43 88 49	174 14 143 34	169 19 143 26	140 21 157 23	124 4 145 17	53 6 104 8	23 2 43 4	4 1 17 2	1 1 1 1	1 3 2 3	112	
																		113
48 7 38 25	46 12 66 12	56 15 57 25	72 18 52 17	88 24 79 26	88 32 98 30	104 18 94 25	93 15 105 24	154 18 139 23	156 24 240 17	176 11 228 12	163 9 221 9	100 4 138 5	33 6 60 5	7 1 16 2	4 2 2 6	11 3 1 2	114	
		1			1	1												115
2	1	1	1	1							1							116
1		1	1			1	1	1					1					117
613 88 396 78	667 74 401 52	598 71 404 60	674 71 391 45	605 58 359 34	580 37 354 20	457 34 295 21	384 25 234 14	249 15 199 6	145 2 105 3	84 5 59 3	33 1 33 12	6 1 12 2	3 2 2 2			6 6 3 1	118a	
25 16 12 2	43 15 35 5	65 12 47 3	91 13 69 7	127 32 137 7	144 19 155 10	213 21 189 11	220 19 243 9	275 17 212 9	246 14 192 1	234 9 140 4	149 6 96 2	86 3 46 2	17 1 15 1	5 1 1 1		3 1 1 1	118b	
77 23 129 42	96 18 148 41	103 34 198 51	146 30 181 59	178 39 197 39	207 30 185 23	189 26 228 22	254 21 203 14	217 15 198 15	221 10 222 14	171 6 227 6	125 3 150 4	49 3 87 4	12 1 30 1	2 1 6 2	1 1 2 2	4 2 4 2	119	
14 13 7	18 5 13 9	33 9 22 10	37 7 26 10	37 8 22 11	38 5 29 4	50 7 25 5	52 2 32 4	43 1 26 2	44 4 26 2	36 1 44 2	27 2 35 2	17 2 17 1	15 5 2 1			1	120	
7 3 29 3	5 1 40 5	14 1 22 4	17 3 27 3	9 1 24 1	15 2 17 1	11 2 17 1	15 10 18 1	10 6 12 1	9 1 6 1	17 9 12 9	30 4 9 4	4 4 4 4	3 3 3 3			1	121	
1	1	2	5	2		1		1	2	1	3							122
29 15 32 11	77 14 76 10	164 18 98 20	283 39 150 23	404 50 190 30	504 53 201 21	637 45 288 27	648 33 284 17	595 38 291 15	472 22 276 9	337 21 264 7	170 11 131 5	58 1 60 4	10 3 14 4			2 1	123	
16 1 84 4	32 1 114 4	47 5 197 12	87 1 240 7	95 3 294 12	136 8 367 7	127 8 384 12	145 3 390 6	145 6 306 7	95 1 242 2	63 1 139 1	30 1 76 2	13 1 37 2	10 1 16 1	1				

## MORTALITY STATISTICS

TABLE 7.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE, BY AGE, SEX, AND

List No.	CAUSE OF DEATH, SEX, AND COLOR	All deaths	Under 1 year	1 year	2 years	3 years	4 years	Under 5 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years
VI.—Diseases of the digestive system—Con.												
124	Other diseases of the liver:											
	Males..... White.....	1,717	31	15	8	6	11	71	19	8	22	31
	..... Colored.....	151	6	4	1	1	1	13	5	2	5	4
	Females..... White.....	2,558	29	5	8	4	7	53	22	8	16	45
	..... Colored.....	165	5	2		2		9	4	2	7	9
125	Diseases of the pancreas:											
	Males..... White.....	270	1	1	1			3		4	3	7
	..... Colored.....	20		1				1				1
	Females..... White.....	307	1	1		1		3	2	1	8	11
	..... Colored.....	15										
126	Peritonitis without specified cause:											
	Males..... White.....	658	85	19	23	25	16	168	45	40	21	25
	..... Colored.....	100	10	3	2	2	1	18	3	1	5	9
	Females..... White.....	788	51	29	22	16	28	146	57	44	36	58
	..... Colored.....	136	3	3			1	7	4	7	16	20
127	Other diseases of the digestive system (cancer and tuberculosis excepted):											
	Females..... White.....	1										
VII.—Nonvenereal diseases of the genito-urinary system and annexa:												
	Males..... White.....	54,276	359	85	87	69	57	657	217	199	345	397
	..... Colored.....	7,982	51	21	16	16	5	109	36	35	50	106
	Females..... White.....	47,591	222	119	91	62	54	548	218	256	455	706
	..... Colored.....	7,211	45	26	19	15	9	114	34	42	147	246
128	Acute nephritis (including unspecified under 10 years):											
	Males..... White.....	2,167	182	44	51	39	40	356	126	59	86	81
	..... Colored.....	615	25	11	12	11	5	64	19	13	17	23
	Females..... White.....	1,742	106	47	55	35	34	277	107	66	72	82
	..... Colored.....	650	24	16	16	12	5	73	23	19	26	42
129	Chronic nephritis (including unspecified 10 years and over):											
	Males..... White.....	44,366	7	7	13	18	13	58	75	124	231	263
	..... Colored.....	6,408	2	2	1	2		7	11	21	28	66
	Females..... White.....	39,803	5	11	8	15	12	51	84	164	252	338
	..... Colored.....	5,229	2	1			2	5	6	16	59	102
130	Chyluria:											
	Females..... White.....	1										
131	Other diseases of the kidneys and annexa:											
	Males..... White.....	1,266	115	29	22	11	4	181	13	11	22	35
	..... Colored.....	218	15	7	3	3		28	6	4	4	10
	Females..... White.....	1,193	95	60	28	11	8	202	23	13	25	30
	..... Colored.....	184	16	9	3	3	2	33	5	2	9	8
132	Calculi of the urinary passages:											
	Males..... White.....	492	1					1	2	3	5	9
	..... Colored.....	22								1		
	Females..... White.....	275	1					1		2	1	10
	..... Colored.....	11	2					2				1
133	Diseases of the bladder:											
	Males..... White.....	612	9	1	1	1		12	1	2	1	1
	..... Colored.....	116	3					3				
	Females..... White.....	181	2			1		3	1	1		
	..... Colored.....	34	1					1			2	1
134	Diseases of the urethra, etc.:											
	Males..... White.....	232										2
	..... Colored.....	135		1				1			1	3
	Females..... White.....	20							1	1		
	..... Colored.....	3										
135	Diseases of the prostate:											
	Males..... White.....	5,043										4
	..... Colored.....	437										
136	Nonvenereal diseases of the male genital organs:											
	Males..... White.....	95	42	4				46				2
	..... Colored.....	31	6					6				4
137	Cysts, other benign tumors of the ovary:											
	Females..... White.....	741								1	15	38
	..... Colored.....	82									2	5
138	Salpingitis and pelvic abscess (female):											
	Females..... White.....	1,344		1				1	2	6	71	159
	..... Colored.....	423								2	31	56
139	Benign tumors of the uterus:											
	Females..... White.....	1,554									2	9
	..... Colored.....	441										13
140	Nonpuerperal uterine hemorrhage:											
	Females..... White.....	39									4	4
	..... Colored.....	11									3	1
141	Other diseases of the female genital organs:											
	Females..... White.....	674								2	12	35
	..... Colored.....	143								3	15	17
142	Nonpuerperal diseases of the breast(cancer excepted):											
	Males..... White.....	3	3					3				
	Females..... White.....	24	13					13			1	1
VIII.—The puerperal state:												
	Females..... White.....	12,074								16	1,130	2,383
	..... Colored.....	2,580								23	532	591
143	Accidents of pregnancy:											
	Females..... White.....	1,317									75	185
	..... Colored.....	192								1	19	42
144	Puerperal hemorrhage:											
	Females..... White.....	1,323								1	55	189
	..... Colored.....	204								1	17	23
145	Other accidents of labor:											
	Females..... White.....	1,339								1	71	220
	..... Colored.....	348								1	66	71
146	Puerperal septicemia:											
	Females..... White.....	4,462								10	446	1,034
	..... Colored.....	895								5	199	235

CAUSES OF DEATH, BY AGE, SEX, AND COLOR

COLOR, IN THE REGISTRATION STATES (INCLUDING DISTRICT OF COLUMBIA): 1926—Continued.

25 to 29 years	30 to 34 years	35 to 39 years	40 to 44 years	45 to 49 years	50 to 54 years	55 to 59 years	60 to 64 years	65 to 69 years	70 to 74 years	75 to 79 years	80 to 84 years	85 to 89 years	90 to 94 years	95 to 99 years	100 and over	Age unknown	List No.	
53 11 86 17	73 9 123 11	100 7 159 13	138 14 160 14	148 17 190 18	158 15 259 20	173 24 259 9	180 11 294 13	180 8 276 5	135 4 224 6	116 4 186 3	65 1 129 3	31 1 54 2	16			1	124	
10 1 17 4	23 3 22 3	20 1 36 3	28 4 29 2	24 5 40 1	39 2 30 1	32 2 35 1	32 1 20 1	21 1 24 1	9 1 16 1	10 1 8 1	4 1 1 1	1 1 1 1				1	125	
13 8 68 21	26 4 53 14	36 10 58 15	42 4 45 11	43 6 31 11	32 15 35 3	34 3 44 1	37 4 29 2	29 6 22 1	26 1 28 1	24 1 18 2	10 2 11 1	5 2 4 1	2			1 1	126	
					1												127	
495 183 994 386	790 232 1,259 489	1,095 369 1,819 662	1,648 564 2,305 706	2,266 677 2,780	3,346 987 3,226 760	4,390 812 3,769 526	5,745 898 4,596 528	7,708 761 5,884 530	8,195 761 6,049 434	7,913 585 5,723 334	5,446 428 4,042 249	2,587 209 2,140 123	677 88 643 83	125 38 155 32	24 35 18 26	31 39 36 30		
74 30 62 48	95 37 92 60	117 56 109 60	158 56 110 73	128 60 114 63	131 61 97 49	150 48 96 28	145 40 81 27	115 24 95 21	110 23 90 17	101 19 84 8	78 4 58 3	46 6 31 3	8 5 13 2	1 2 5 1		2 5 3 4	128	
353 122 440 168	608 157 618 225	869 269 996 376	1,346 458 1,831 441	1,967 557 1,901 541	2,957 823 2,600 645	3,827 674 3,342 457	4,891 741 4,197 480	6,461 645 5,518 482	6,814 644 5,755 402	6,499 488 5,444 311	4,324 366 3,861 237	2,011 174 2,058 115	541 69 606 80	103 33 147 30	20 30 17 26	24 25 33 25	129	
								1									130	
41 10 47 10	47 12 58 14	50 16 74 13	59 14 78 16	63 13 81 14	80 16 87 16	97 22 76 6	102 14 103 7	104 9 77 11	111 13 69 8	127 13 74 5	66 7 43 4	39 6 17 2	14 2 10 3	2 1 3 1		2 2 3	131	
11 16 1	23 2 22 2	25 4 22 2	42 2 35 1	40 1 18 1	46 1 23 1	46 2 30 1	62 4 26 1	52 4 22 1	52 4 12 1	43 2 19 1	23 1 7 1	4 1 4 1	3				132	
5 3 3 6	2 6 3 2	5 4 5 1	9 3 4 1	17 8 10 1	12 9 12 4	23 9 13 3	37 15 13 2	54 10 15 1	77 13 22 1	101 13 26 4	140 9 27 2	78 2 16 2	30 4 7 2	4 1		1 1	133	
5 11 2 1	9 15 2 1	14 13 3	21 19 1 1	23 18 2	35 16 7	20 7 3	22 20 3	25 3 2	23 2 2	16 2 2	12 1 1	3 1	2			1	134	
4 3 2 4	4 3 2 4	12 1 3 6	11 9 2 3	24 19 4 1	30 37 5 1	224 47 3 3	476 63 10 1	898 65 4 1	1,004 66 4 1	1,023 50 3 1	799 40 4 1	385 19 1	79 8	15 2	4 1	2 4	135	
																	1	136
52 7	73 14	71 16	83 18	78 5	82 5	58 4	59 1	45 1	30 3	30 1	19 1	4 1	3 1					137
209 80	207 90	236 65	192 46	126 27	62 9	30 7	15	15	9	7	3	3	1				1	138
52 37	109 67	216 115	329 90	366 58	207 23	66 12	58 7	48 11	40 2	29 4	14 2	7	2					139
3 4	2	5 2	11	5 1	1	1	1	1	1	1								140
66 15	73 15	81 14	80 20	86 19	60 8	57 8	40 4	45 2	19	10 1	8 1		1					141
2		1	1	3							1		1					142
2,663 468	2,534 410	2,238 381	969 127	126 36	4 2												11 10	
328 50	330 40	273 28	108 8	16 4													2	143
254 42	305 49	325 43	171 21	21 6	1 1												1 1	144
274 58	300 56	310 65	149 23	11 5													3 3	145
1,040 174	903 131	723 113	264 27	36 10	2 1												4	146

MORTALITY STATISTICS

TABLE 7.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE, BY AGE, SEX, AND

List No.	CAUSE OF DEATH, SEX, AND COLOR	All deaths	Under 1 year	1 year	2 years	3 years	4 years	Under 5 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years
VIII.—The puerperal state—Continued.												
147	Puerperal phlegmasia alba dolens, embolus, etc.:											
	Females.....											
	White.....	551								1	28	97
	Colored.....	56									9	14
148	Puerperal albuminuria and convulsions:											
	Females.....											
	White.....	3,080								3	450	643
	Colored.....	880								15	222	205
149	Following childbirth (undefined):											
	Females.....											
	White.....	49									3	15
	Colored.....	5										1
150	Puerperal diseases of the breast:											
	Females.....											
	White.....	3									2	
IX.—Diseases of the skin and of the cellular tissue:												
	Males.....											
	White.....	1,690	246	20	6	12	5	289	20	28	46	37
	Colored.....	191	19	6	1			26	5		7	7
	Females.....											
	White.....	1,240	200	20	12	2	5	239	25	25	29	25
	Colored.....	177	12	2	1			15	4	2	3	8
151	Gangrene:											
	Males.....											
	White.....	681	4	3	1	3	3	14	5	2	3	8
	Colored.....	88	1	1				2	3			3
	Females.....											
	White.....	497	10	4	3	1	3	21	3	1	5	1
	Colored.....	81							1		1	
152	Furuncle:											
	Males.....											
	White.....	329	29	2		1		32	5	12	16	9
	Colored.....	9						1				1
	Females.....											
	White.....	190	39	4	1			44	4	11	11	9
	Colored.....	15	2					2			1	
153	Acute abscess:											
	Males.....											
	White.....	342	70	5	4	6	1	86	5	9	16	13
	Colored.....	58	8	2	1			11	2		7	3
	Females.....											
	White.....	241	50	8	8		1	67	14	7	10	8
	Colored.....	37	3	1				4	3	1	1	5
154	Other diseases of the skin and annexa:											
	Males.....											
	White.....	338	143	10	1	2	1	157	5	5	11	7
	Colored.....	36	10	2				12				
	Females.....											
	White.....	312	101	4		1	1	107	4	6	3	8
	Colored.....	44	7	1	1			9		1		2
X.—Diseases of the bones and of the organs of locomotion:												
	Males.....											
	White.....	801	37	21	22	21	29	130	95	99	60	26
	Colored.....	72	4		2	2		8	8	6	4	6
	Females.....											
	White.....	456	25	8	21	10	14	78	67	60	15	14
	Colored.....	49	2	2		1	2	7	5	5	1	1
155	Diseases of the bones (tuberculosis excepted):											
	Males.....											
	White.....	654	23	16	20	19	29	107	86	89	53	21
	Colored.....	55	2		2	2		6	7	6	3	3
	Females.....											
	White.....	365	17	7	20	10	12	66	62	58	11	10
	Colored.....	35	2	2			2	6	3	5		1
156	Diseases of the joints (tuberculosis and rheumatism excepted):											
	Males.....											
	White.....	118	11	5	2	2		20	8	9	4	4
	Colored.....	15	2					2	1		1	3
	Females.....											
	White.....	63	8		1		2	11	4	2	3	4
	Colored.....	11				1		1	1		1	
157	Amputations:											
	Males.....											
	White.....	1										
	Colored.....	1										
	Females.....											
	White.....	1										
	Colored.....	1										
158	Other diseases of the organs of locomotion:											
	Males.....											
	White.....	28	3					3	1	1	3	1
	Colored.....	1										
	Females.....											
	White.....	27		1				1	1		1	
	Colored.....	3							1			
XI.—Malformations:												
	Males.....											
	White.....	7,260	6,693	199	61	39	27	7,019	89	53	34	27
	Colored.....	429	365	25	9	5	1	405	9	3	10	
	Females.....											
	White.....	5,788	5,308	178	62	53	33	5,634	73	26	29	
	Colored.....	302	256	13	3	7	1	280	12	6	3	
159a	Congenital hydrocephalus:											
	Males.....											
	White.....	644	494	51	15	18	8	586	23	20	5	7
	Colored.....	65	37	11	5	1	1	55	4	1	4	
	Females.....											
	White.....	625	516	42	15	13	9	595	16	3	7	3
	Colored.....	37	22	2	2	3	1	30	3	2	2	
159b	Congenital malformations of the heart:											
	Males.....											
	White.....	4,352	4,072	96	28	15	11	4,222	51	23	22	15
	Colored.....	221	201	8	2	3		214	2	1	4	
	Females.....											
	White.....	3,238	2,970	99	35	31	13	3,148	48	15	17	3
	Colored.....	153	136	6	1	2		145	6	2		
159c	Other congenital malformations:											
	Males.....											
	White.....	2,264	2,127	52	18	6	8	2,211	15	10	7	5
	Colored.....	143	127	6	2	1		136	3	1	2	
	Females.....											
	White.....	1,925	1,822	37	12		11	1,891	9	8	5	4
	Colored.....	112	98	5		2		105	3	2	1	
XII.—Early infancy:												
	Males.....											
	White.....	30,518	30,518					30,518				
	Colored.....	4,012	4,012					4,012				
	Females.....											
	White.....	22,186	22,186					22,186				
	Colored.....	3,116	3,116					3,116				
160	Congenital debility, icterus, sclerema:											
	Males.....											
	White.....	3,419	3,419					3,419				
	Colored.....	777	777					777				
	Females.....											
	White.....	2,439	2,439					2,439				
	Colored.....	541	541					541				
161a	Premature birth:											
	Males.....											
	White.....	19,073	19,073					19,073				
	Colored.....	2,457	2,457					2,457				
	Females.....											
	White.....	14,432	14,432					14,432				
	Colored.....	2,079	2,079					2,079				





CAUSES OF DEATH, BY AGE, SEX, AND COLOR

COLOR, IN THE REGISTRATION STATES (INCLUDING DISTRICT OF COLUMBIA): 1926—Continued

25 to 29 years	30 to 34 years	35 to 39 years	40 to 44 years	45 to 49 years	50 to 54 years	55 to 59 years	60 to 64 years	65 to 69 years	70 to 74 years	75 to 79 years	80 to 84 years	85 to 89 years	90 to 94 years	95 to 99 years	100 and over	Age unknown	List No.
																	161b
																	162
																	163
						3	9	39	95	391	704	1,082	982	536	147	37	4
					6	5	18	36	113	125	279	170	124	52	105	4	4
						12	54	137	411	835	1,506	1,380	845	258	72	3	3
					3	15	20	41	118	132	215	199	163	85	188	3	3
4,643	4,836	5,447	5,291	5,109	4,621	4,110	3,582	3,164	2,365	1,764	1,208	634	201	43	11	164	
1,371	1,043	1,021	713	617	496	307	233	157	105	83	54	32	15	4	9	94	
1,098	1,081	1,021	1,068	1,086	1,160	1,030	1,131	1,270	1,412	1,662	1,724	1,166	484	85	14	22	
325	229	204	150	116	108	77	66	71	54	43	39	29	22	7	8	10	
570	710	918	1,084	1,055	1,081	963	869	718	497	286	121	47	6	1		22	
36	38	33	29	32	22	13	13	11	5	2	2	1				2	
325	325	322	318	302	294	220	174	121	75	43	24	7	2	1		1	
17	24	12	11	9	7	5	1	1		1	1						
29	43	39	50	54	41	45	38	33	15	14	5	2				1	
1	2	3		1													
40	26	34	31	24	25	13	12	7	7	3	1						
4	5	1	1	1	1	1	1										
39	73	86	80	54	68	49	42	20	19	19	2	1					
3	1	2	3	3				1									
104	93	91	51	38	44	21	14	14	7	7	1		1				
4	10	6	1	3													
69	104	113	133	139	153	161	127	89	60	23	15	5					
2	3	2	2	2	2	5	1	1									
57	73	67	76	82	55	55	51	27	12	9	6	2				1	
1	1	1	1	1	1	1	1	1									
96	103	146	197	204	230	212	181	158	113	74	38	11	3	1		6	
	3	4	6	5	5	2	3	2	1		2	1				1	
22	39	40	46	54	77	57	41	27	20	11	5	2					
2	2	2	1	1	1	1											
20	22	30	51	48	55	42	53	42	29	17	7	4				2	
1	2	5	5	2	3	1	1	3									
11	21	21	23	24	26	26	25	14	16	4	2			1			
1	3	1	2	1	1	1				1	1						
261	293	389	432	416	407	348	326	291	209	112	36	12	1			9	
14	20	15	7	14	8	11	5	3	4	1						1	
61	50	33	58	41	31	25	8	4	2	2	3	1					
4		2	4	2	2	1											
27	37	70	86	99	88	72	74	60	41	18	13	9	1			2	
8	2		4	2	2	3		2	2								
5	7	15	8	20	14	8	11	12	4	4	2						
12	24	24	27	21	13	21	15	12	6	7	4	3				1	
6	3	2	2	2	2	2	2	7	1	1	3	2	1				
18	13	11	18	15	12	12	7	7									
	1		1	1													
12	7	13	19	11	13	8	6	5	1	1	1						
1	1	5	4	1													
1	1																
5	4	8	9	9	13	5	7	8	4	1			1			1	
1	1	1	1	1													
6	2	5	3	3	10	3	4	7	5	1	1						
	1		1														
536	583	577	390	308	218	173	96	68	37	12	4	1	1			15	
683	514	458	251	191	123	84	28	19	6	7	3					32	
147	125	90	84	64	39	16	18	14	10	6	4		1	1		3	
181	87	66	35	22	8	7	4	1	2							3	
435	478	444	298	212	138	117	58	37	18	3	2					8	
506	378	340	175	146	88	41	25	15	3	4	1					22	
69	67	55	43	42	20	6	7	6	4	1						1	
120	59	41	23	15	4	5	2									1	
52	51	59	38	32	20	12	6	3	2	3						2	
135	101	86	56	29	16	9	1	4	2	2						4	
7	16	11	11	3	2	2	2	1		2							
43	23	17	8	4	1		1		1		1		1			2	
49	54	74	54	64	60	44	32	23	17	6	2	1	1			5	
42	35	32	20	16	19	4	2	3	3	1	2					6	
71	42	24	30	19	17	8	9	7	6	3	3			1		2	
18	5	8	4	3	3	2	1	1	1			1					

TABLE 7.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE, BY AGE, SEX, AND

List No.	CAUSE OF DEATH, SEX, AND COLOR	All deaths	Under 1 year	1 year	2 years	3 years	4 years	Under 5 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	
XIV.—External causes—Continued.													
Accidental or undefined:													
	Males.....	White.....	52,313	1,032	839	733	694	615	3,913	2,060	2,452	3,601	4,161
	.....	Colored.....	6,269	203	146	123	96	78	646	310	335	582	679
	Females.....	White.....	20,157	848	660	554	542	497	3,101	1,477	691	816	794
	.....	Colored.....	2,270	182	109	85	113	114	603	248	110	111	146
175	Poisoning by food—	White.....	317	35	23	12	14	8	92	24	10	13	9
	.....	Colored.....	76	7	6	4	2	1	20	5	3	1	7
	Females.....	White.....	284	37	17	17	9	12	92	22	11	5	14
	.....	Colored.....	101	10	5	4	2	4	25	9	5	3	6
176	Poisoning by venomous animals—	White.....	52	9	2	—	1	1	13	7	4	3	1
	.....	Colored.....	7	1	1	—	—	—	2	1	—	—	—
	Females.....	White.....	35	5	3	2	2	3	15	2	—	—	—
	.....	Colored.....	9	3	1	—	—	—	4	—	—	—	—
177	Other acute poisonings (gas excepted)—	White.....	799	32	115	67	28	8	260	13	8	6	27
	.....	Colored.....	114	4	28	19	3	4	58	9	1	3	3
	Females.....	White.....	533	25	106	60	25	15	231	15	2	22	42
	.....	Colored.....	80	3	20	9	3	5	40	5	4	1	6
178	Conflagration—	White.....	773	32	26	26	40	27	151	48	21	24	31
	.....	Colored.....	183	11	12	10	7	9	49	19	5	7	6
	Females.....	White.....	475	26	28	20	30	28	132	64	28	21	24
	.....	Colored.....	100	5	7	3	7	5	27	14	3	2	9
179	Burns (conflagration excepted)—	White.....	2,286	104	268	262	179	107	920	167	76	76	99
	.....	Colored.....	531	25	54	62	55	31	227	86	24	29	29
	Females.....	White.....	2,713	84	198	218	266	197	953	370	104	83	78
	.....	Colored.....	766	29	49	53	78	77	286	139	35	25	27
180	Mechanical suffocation—	White.....	661	398	12	2	1	2	415	14	16	17	25
	.....	Colored.....	120	82	4	—	—	—	86	2	1	1	3
	Females.....	White.....	353	341	10	2	—	—	355	4	2	1	3
	.....	Colored.....	84	79	2	—	—	—	81	1	—	—	—
181	Absorption of irrespirable, irritating, or poisonous gas—	White.....	1,894	18	9	5	6	3	41	13	13	47	97
	.....	Colored.....	98	3	—	—	—	—	4	—	2	1	5
	Females.....	White.....	792	20	12	3	3	—	39	19	8	23	39
	.....	Colored.....	42	1	—	—	—	—	1	—	2	1	4
182	Drowning—	White.....	4,987	19	114	95	64	55	347	469	562	704	500
	.....	Colored.....	777	1	9	6	5	4	25	51	103	130	106
	Females.....	White.....	748	18	78	42	30	22	190	68	109	123	54
	.....	Colored.....	90	1	3	1	3	—	10	6	14	13	10
183	Traumatism by firearms (except in war)—	White.....	1,700	4	6	11	9	17	47	101	266	353	212
	.....	Colored.....	468	1	3	3	2	4	13	38	56	96	74
	Females.....	White.....	209	2	1	9	10	10	32	30	33	26	14
	.....	Colored.....	120	—	—	3	5	2	10	9	14	18	23
184	Traumatism by cutting or piercing instruments—	White.....	454	10	7	3	12	7	39	27	23	21	18
	.....	Colored.....	49	1	2	1	—	—	4	3	—	3	8
	Females.....	White.....	144	3	4	4	3	3	17	8	7	9	1
	.....	Colored.....	32	—	—	—	—	—	—	—	1	1	1
185	Traumatism by fall—	White.....	7,149	60	80	57	37	44	278	202	172	175	259
	.....	Colored.....	426	17	14	4	3	3	41	21	15	14	16
	Females.....	White.....	6,650	49	52	47	19	17	184	67	43	32	25
	.....	Colored.....	206	11	10	2	3	2	28	7	4	7	8
186a	Traumatism in mines—	White.....	2,502	—	—	1	—	—	1	2	3	150	334
	.....	Colored.....	316	—	—	—	—	—	—	—	—	21	56
	Females.....	White.....	2	—	—	—	—	—	—	—	—	—	—
	.....	Colored.....	1	—	—	—	—	—	—	—	—	—	—
186b	Traumatism in quarries—	White.....	111	—	—	—	—	—	—	2	—	10	9
	.....	Colored.....	16	—	—	—	—	—	—	—	—	2	2
187	Traumatism by machines—	White.....	1,878	2	4	13	5	4	28	21	47	158	207
	.....	Colored.....	216	—	—	—	—	—	—	6	6	32	25
	Females.....	White.....	67	—	2	2	2	2	8	6	2	8	3
	.....	Colored.....	7	—	—	—	—	—	—	—	—	1	2
188a	Railroad accidents—	White.....	5,420	13	15	13	16	9	66	103	158	331	510
	.....	Colored.....	626	1	1	—	—	1	3	9	11	57	99
	Females.....	White.....	308	6	10	11	9	11	47	47	34	84	72
	.....	Colored.....	57	1	—	—	1	—	2	2	6	2	5
	Collision with automobiles—	White.....	1,049	11	5	6	8	2	32	20	25	96	125
	.....	Colored.....	52	—	—	—	—	—	—	1	—	3	8
	Females.....	White.....	422	5	3	5	6	6	25	16	20	53	43
	.....	Colored.....	17	1	—	—	—	—	1	—	3	2	—
	Other railroad accidents—	White.....	4,371	2	10	7	8	7	34	83	133	285	385
	.....	Colored.....	574	1	1	—	—	1	3	8	11	54	91
	Females.....	White.....	386	1	7	6	3	5	22	31	14	31	29
	.....	Colored.....	40	—	—	—	—	—	1	2	3	—	5
188b	Street-car accidents—	White.....	1,151	2	5	8	11	14	40	36	30	61	73
	.....	Colored.....	70	—	1	—	1	—	2	—	2	—	7
	Females.....	White.....	329	4	7	8	8	1	20	15	12	18	19
	.....	Colored.....	33	—	—	—	—	—	3	4	—	—	2
	Collision with automobiles—	White.....	333	2	1	—	3	1	7	5	13	29	45
	.....	Colored.....	18	—	—	—	—	—	—	—	—	—	2
	Females.....	White.....	100	—	2	1	3	—	6	4	6	12	10
	.....	Colored.....	3	—	—	—	—	—	—	—	—	—	—
	Other street-car accidents—	White.....	818	—	4	8	8	13	33	31	17	32	28
	.....	Colored.....	52	—	1	—	1	—	2	—	2	—	6
	Females.....	White.....	229	—	2	6	5	1	14	11	6	6	9
	.....	Colored.....	80	—	—	—	—	—	3	4	—	—	2

CAUSES OF DEATH, BY AGE, SEX, AND COLOR

COLOR, IN THE REGISTRATION STATES (INCLUDING DISTRICT OF COLUMBIA): 1926—Continued

25 to 29 years	30 to 34 years	35 to 39 years	40 to 44 years	45 to 49 years	50 to 54 years	55 to 59 years	60 to 64 years	65 to 69 years	70 to 74 years	75 to 79 years	80 to 84 years	85 to 89 years	90 to 94 years	95 to 99 years	100 and over	Age unknown	List No.
3,537 552 626 127	3,543 401 631 118	3,952 530 609 126	3,817 433 666 104	3,746 394 720 85	3,322 351 827 93	2,974 231 794 65	2,617 192 939 61	2,378 127 1,135 69	1,831 94 1,327 52	1,466 74 1,613 42	1,083 49 1,696 38	586 31 1,159 28	194 15 481 22	42 4 83 7	11 9 14 8	127 60 18 7	
5 7 11 7	9 1 11 6	16 3 10 6	13 4 13 9	17 6 10 7	27 11 15 7	15 1 13 3	15 6 14 2	19 11 5	10 14 1	11 11	4 5	5 1 2	2			1	175
3 1 2		3 2	3 2	1 1 1	6 4 2	2 2 1	1 1 1	1	1	1	2						176
29 9 44 11	34 7 43 4	58 5 35 2	74 3 23 2	66 5 26	76 2 11 2	58 2 15 1	40 2 9 1	30 2 6 1	13 4	6 3 3	8 1 1	1 1	1			1 1	177
44 8 17 5	35 10 14 3	51 6 20 6	45 7 18 3	58 9 23 4	41 8 24 2	52 7 11 1	44 11 17 3	37 10 14 4	32 5 15 2	27 7 19 4	18 4 12 2	7 1 3 6	2 1		1	5 2 1	178
103 28 97 24	109 26 98 22	119 15 84 27	102 15 85 17	103 14 88 15	83 15 78 21	54 12 71 24	58 7 78 9	64 12 121 20	48 11 94 18	51 11 97 12	32 7 81 12	16 3 38 12	3 4 12 13	1 2 2 2	2 2 3	2 1 3	179
23 4 4	29 7 3	23 4 3	26 2 2	23 3 2	19 3 1	13 2 1	11	4 2 1	2	1 1							180
142 9 38 2	135 14 34 7	153 13 40 2	190 16 52 5	197 10 56 5	177 6 63 5	177 4 69 1	177 5 73 4	126 2 66	86 3 60 2	67 2 52 1	34 39	14 1 17	4 4 1	1		3 1	181
335 86 30 4	294 41 26 6	363 72 31 6	324 47 34 3	286 27 20 5	236 23 16 4	181 20 17 3	141 13 7 1	104 4 5 1	51 3 5 1	24 1 4 3	21 2 1 1	6 1 4	2 1		1	37 11 4	182
112 54 18 17	102 26 14 13	107 40 9 9	90 22 10 3	72 19 5	82 10 7 1	62 5 3	38 3 1 1	25 4 1	13 3	8 1	8			1		2 3 2	183
21 3 3 3	17 2 4 2	29 2 9 4	28 9 6 4	30 6 10 3	35 1 12 2	42 3 5 3	34 1 15 2	47 1 5 2	21 2 7 2	10 1 11 1	7 7	2 1 3 1	1			2	184
251 31 37	311 42 50 13	448 29 59 11	453 40 79 13	478 44 98 9	482 28 178 13	451 30 188 7	468 24 315 13	472 10 511 11	529 9 757 12	535 14 1,137 15	587 8 1,365 13	391 10 1,000 6	161 3 435 9	31 1 74 3	10 4 12 3	5 2 4 1	185
214 59	313 33	348 39	337 39 1	254 23	183 25	140 11	79 5	28 5	11	1						4	186a
12 1	13 2	11 2	10	13 2	6 2	15 1	5 1	4 1	1								186b
188 38 5 2	199 22 3	191 22 3 1	172 10 2	177 25 3	137 15 9	108 8 3 1	90 4 3 2	73 4 3 2	47 3 1	23 1	6 1	4				2	187
492 74 58 5	523 79 52 6	533 75 44 4	522 46 70 7	504 41 64 3	387 43 63 5	364 22 51 1	304 15 35 3	258 7 35 1	142 9 25	102 8 19 2	29 3 4 3	17 4 3	2 2		1	21 21	188a
111 5 41 3	114 3 35 1	102 8 29 1	92 7 41 2	88 3 34	68 5 27 1	59 10	34 14 2	47 14	17 7	14 4	1		1 1			2 3	188b
381 69 17 2	409 71 17 5	431 67 15 3	430 39 29 5	416 38 30 3	319 38 36 4	305 22 32 1	270 15 21 1	211 7 21 1	125 8 18	88 8 15 2	28 3 4 2	17 4 3	1 1		1	19 18	
72 8 15 2	85 6 19 2	85 6 10 7	91 10 20 1	106 6 24 2	113 5 33 4	107 6 16 2	74 5 26 2	51 2 23 1	57 2 29	33 17 1	28 1 10	7 1 3		1		1 1	
31 4 9	29 1 11	35 4 3 3	28 3 6	35 3 5	28 1 8	17	13	8 5	6 4	3 1	1 2						
41 4 6 2	56 5 8 2	60 2 7 4	63 7 14 1	71 3 19 2	85 4 25 4	90 6 15 2	61 5 19 2	43 2 18	51 2 25	30 16 1	27 1 8	7 1 3		1		1 1	

TABLE 7.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE, BY AGE, SEX, AND

List No.	CAUSE OF DEATH, SEX, AND COLOR	All deaths	Under 1 year	1 year	2 years	3 years	4 years	Under 5 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years
	XIV.—External causes—Continued.											
	Accidental or undefined—Continued.											
188c	Automobile accidents (excluding collision with railroad trains and street cars)—											
	Males..... White.....	12,543	46	29	98	201	250	624	1,429	682	917	1,080
	..... Colored.....	1,085	2	1	6	12	20	41	83	66	82	127
	Females..... White.....	4,454	47	56	63	97	140	403	644	220	309	303
	..... Colored.....	337		4	6	8	8	26	35	15	27	33
188d	Airplane and balloon accidents—											
	Males..... White.....	145									10	48
	..... Colored.....	2										2
	Females..... White.....	4								2		
	..... Colored.....	1										
188e, f	Injuries by other vehicles—											
	Males..... White.....	1,078	5	7	10	11	15	48	70	82	82	87
	..... Colored.....	92						2	4	7	1	7
	Females..... White.....	135	3	7	5	9	5	29	18	14	8	5
	..... Colored.....	14		1	1	1		2	2	1		1
188g	Landslide, other crushing—											
	Males..... White.....	605	3	1	5	6	5	20	13	16	40	46
	..... Colored.....	75						1	2		1	8
	Females..... White.....	45	1		1	1	3	6	6	3	2	3
	..... Colored.....	3						1			1	
189	Injuries by animals (not poisoning)—											
	Males..... White.....	436	2	7	7	13	8	37	28	39	15	14
	..... Colored.....	36		1	1			1	6	4	5	1
	Females..... White.....	55	1	1	2	4	5	13	8	2		
	..... Colored.....	3		1				2	1			
190	Wounds of war—											
	Males..... White.....	3										
192	Starvation (deprivation of food or water)—											
	Males..... White.....	9		1				1				
	..... Colored.....	1						1				
	Females..... White.....	2	1					1				
	..... Colored.....	1						1				
193	Excessive cold—											
	Males..... White.....	183	2					2		1	1	2
	..... Colored.....	38	1					1				3
	Females..... White.....	22	1		1			2				
	..... Colored.....	11	1			1		2	1			
194	Excessive heat—											
	Males..... White.....	357	37	7	1	1	2	48	2		5	7
	..... Colored.....	93	8	1	1			10			2	1
	Females..... White.....	162	33	5	1	1	1	41	1	1	3	1
	..... Colored.....	26	3					3			1	3
195	Lightning—											
	Males..... White.....	234	3		1	1	1	6	7	25	36	30
	..... Colored.....	59						4	4	3	13	8
	Females..... White.....	53	1			2		3	4	8	10	1
	..... Colored.....	18		1			.1	1	4	2	3	1
196	Other accidental electric shocks—											
	Males..... White.....	920		3		2		5	14	33	88	183
	..... Colored.....	48						4		1	2	6
	Females..... White.....	34	2				2	4	3	3	5	4
	..... Colored.....	4	1					1		2		
201	Fracture (cause not specified)—											
	Males..... White.....	337	2	1			2	5	7	7	11	17
	..... Colored.....	55						5		3	8	2
	Females..... White.....	256	2	1	1	1		5	1	1	2	3
	..... Colored.....	9	1					1			1	
202	Other external violence—											
	Males..... White.....	3,329	194	98	36	36	26	390	141	158	197	236
	..... Colored.....	582	38	8	6	3		55	17	22	41	68
	Females..... White.....	766	140	65	36	21	17	279	55	42	22	26
	..... Colored.....	115	34	6	2		3	45	7	1	3	5
203	Violent deaths of unknown causation—											
	Females..... White.....	2										
	XV.—Ill-defined diseases:											
	Males..... White.....	5,151	1,909	159	45	20	20	2,153	33	38	39	51
	..... Colored.....	4,824	1,989	207	73	41	24	2,334	78	61	82	95
	Females..... White.....	3,708	1,564	131	44	23	16	1,778	50	28	47	61
	..... Colored.....	4,478	1,546	230	56	42	24	1,898	86	62	130	165
204	Sudden death:											
	Males..... White.....	782	126	8	1	1		136	3	5	7	11
	..... Colored.....	386	59	7	4	1		71	5	2	7	11
	Females..... White.....	498	96	5	2	1		104	2	4	12	10
	..... Colored.....	327	45	4	2	2		53	4	1	4	11
205a	Ill-defined:											
	Males..... White.....	1,408	246	86	19	4	5	360	11	15	8	10
	..... Colored.....	858	182	66	18	14	3	283	12	12	16	18
	Females..... White.....	928	221	61	20	9	4	315	13	10	12	20
	..... Colored.....	836	165	83	13	10	7	278	19	17	25	27
205b	Not specified or unknown:											
	Males..... White.....	2,961	1,537	65	25	15	15	1,657	19	18	24	30
	..... Colored.....	3,580	1,748	134	51	26	21	1,980	61	47	59	66
	Females..... White.....	2,282	1,247	65	22	13	12	1,359	35	14	23	31
	..... Colored.....	3,315	1,336	143	41	30	17	1,567	63	44	101	127

NOTE.—For populations, see reference on Table 4.

CAUSES OF DEATH, BY AGE, SEX, AND COLOR

COLOR, IN THE REGISTRATION STATES (INCLUDING DISTRICT OF COLUMBIA): 1926—Continued

25 to 29 years	30 to 34 years	35 to 39 years	40 to 44 years	45 to 49 years	50 to 54 years	55 to 59 years	60 to 64 years	65 to 69 years	70 to 74 years	75 to 79 years	80 to 84 years	85 to 89 years	90 to 94 years	95 to 99 years	100 and over	Age unknown	List No.
803	772	822	760	801	760	650	643	630	514	370	185	66	11	4		20	188c
122	86	99	76	72	65	39	45	34	22	9	8	2	2			5	
208	194	211	205	226	269	265	270	260	211	152	76	19	5	1		3	
35	27	25	25	18	17	11	15	14	5	1	5	2				1	
32	23	13	11	3			1	2				1				1	188d
1				1													
	1																188e,f
49	53	39	56	67	59	89	70	93	65	42	19	8					
4	5	6	4	3	15	5	7	9	5	3	3	2					
1	9	5	1	9	1	7	7	6	8	6	1						
1				1	1	2	3										188g
57	59	63	70	64	44	40	31	22	9	7	2	1				1	
11	7	12	9	6	8	3	2	1	2	1	1					2	
	4	2	3	4	2	2	2	2	3	1	1						
								1									189
12	14	29	24	20	35	33	37	39	25	19	13	2				1	
2	3	1	3	6	2	2	1	2	1	3	4	1					
2	2	3			2	5		3	2	1		1					
																	190
1	2																
	2				2			2	1	1							192
			1		1												
																	193
7	2	13	11	26	18	17	21	21	11	11	11	6	1			1	
3	2	4		2	2	2	4	2	1	3	6	3	1				
1	2	1		1	1	1	2	2	1	3	3	2					
1									2	1					2		194
17	16	25	34	41	29	28	25	21	19	21	10	6	2			1	
4	7	9	8	9	12	8	7	8	2	2	3	1					
1	9	8	4	4	6	11	8	14	13	10	16	5	5	1		1	
	2	3		2	3	2	2	3	1								195
18	15	15	18	22	13	10	9	7	1	2				1		1	
4	8	4	1	3	4	5	2	3	1								
3	5	3	4	2	2	2											
1	1	1	2	1	2												196
156	132	101	78	42	27	29	14	9	3	2						4	
6	9	9	4	5	3	3	1	1	1	1							
2	4		2		3	2		2									
1																	201
13	23	25	24	29	34	25	24	28	11	18	21	13	1	1		1	
7	4	4	6	6	5	2	3	1	1	41	50	41	14	1	1		
1	1	3	5	6	2	9	15	13	39				4	4			
	1	2	1	1					2								202
226	222	269	250	246	211	212	163	161	108	73	38	13	1	1	1	12	
69	42	48	52	47	41	28	23	5	11	3	1	7	2			7	
21	27	14	25	31	24	24	36	29	37	30	17	17	6		1	3	
6	2	9	9	8	6	2		5	3	1	1	1		1			
									1								203
60	72	124	125	167	218	237	295	414	405	359	205	93	24	3		36	
106	99	117	141	159	216	157	216	201	190	199	142	68	62	20	37	44	
45	55	76	76	97	81	132	151	229	205	221	172	113	43	20	8	20	
160	110	166	189	167	183	138	175	156	160	142	150	70	60	26	46	39	
																	204
5	13	21	31	39	39	56	63	97	102	90	46	12	1	1		4	
9	10	17	22	32	44	30	27	28	13	25	13	8	5	2	3	2	
5	9	15	21	22	15	32	32	55	56	44	36	15	5	3		1	
13	12	22	19	27	26	24	29	16	21	11	8	7	10	2	3	4	
																	205a
15	22	37	40	60	66	94	128	170	144	112	70	36	4			6	
16	24	37	35	42	57	42	59	58	43	47	25	9	7	2	4	10	
20	18	23	26	41	29	42	54	80	67	62	45	36	10		3	2	
29	34	35	42	51	43	34	52	41	28	32	21	10	5	1	5	7	
																	205b
40	37	66	54	68	113	87	104	147	159	157	89	45	19	2		26	
81	65	63	84	85	115	85	130	115	134	127	104	51	50	16	30	32	
20	28	38	29	34	37	58	65	94	82	115	91	62	28	17	5	17	
118	64	109	128	89	114	80	94	99	111	99	121	53	45	23	38	28	

MORTALITY STATISTICS

TABLE 7A.—DEATHS (EXCLUSIVE OF STILLBIRTHS) OF NEGROES, INDIANS, CHINESE, JAPANESE, AND OTHER COLORED, FROM EACH CAUSE BY SEX, IN THE REGISTRATION STATES (INCLUDING DISTRICT OF COLUMBIA): 1926

List No.	CAUSE OF DEATH AND SEX	Negro	Indian	Chinese	Japanese	Other colored	List No.	CAUSE OF DEATH AND SEX	Negro	Indian	Chinese	Japanese	Other colored	
	All causes.....	157,284	3,433	1,312	1,210	158		II.—General diseases not included in Class I:						
	Males.....	82,312	1,760	1,166	803	139		Males.....	3,609	54	117	47	6	
	Females.....	74,972	1,673	146	416	19		Females.....	6,353	78	8	27		
	I.—Epidemic, endemic, and infectious diseases:							Cancer and other malignant tumors.....	1,720	25	75	35	3	
	Males.....	18,469	596	304	236	70	43	Of the buccal cavity.....	3,433	48	4	14		
	Females.....	18,240	631	39	140	5	44	Of the stomach, liver.....	89	2		1	1	
1	Typhoid and paratyphoid fever.....	957	10	3	9	3	45	Of the peritoneum, intestines, rectum.....	44					
5	Malaria.....	503	3		5	1	46	Of the female genital organs.....	855	14	48	28	1	
6	Smallpox.....	527	1				47	Of the breast.....	732	23	1	3	1	
	Males.....	20			1		48	Of the skin.....	223	3	3	2		
	Females.....	14	3	1			49	Of other or unspecified organs.....	275	3		1		
7	Measles.....	273	16	3	3		50	Tumors, benign and unqualified (tumors of the female genital organs excepted).....	1,538	5	2	9		
8	Scarlet fever.....	281	17	1	2		51	Acute rheumatic fever.....	4					
9	Whooping cough.....	33	1	2	3		52	Chronic rheumatism, osteoarthritis, gout.....	485	4				
10	Diphtheria.....	281	17	1	2		53	Scurvy.....	33	2	2			
11a	Influenza (with pulmonary complications).....	33	1	2	3		54	Pellagra.....	36	2				
11b	Influenza (other and unspecified).....	24	6	1	3		55	Beriberi.....	516	6	22	5	1	
	Males.....	714	14	1	7		56	Rickets.....	323	9	1			
	Females.....	807	28	2	9		57	Diabetes mellitus.....	27			1		
13	Mumps.....	289	2	1	5		58	Anemia, chlorosis.....	42	1				
15	Cholera nostras.....	310	6	1	4		59	Diseases of the pituitary gland.....	202	5	3			
16	Dysentery.....	2,094	59	8	16		60a	Exophthalmic goiter.....	241	5		1		
17	Plague.....	1,958	55	4	10	1	60b	Other diseases of the thyroid gland.....	31					
19	Spirochetel hemorrhagic jaundice.....	1,156	42	5	6		61	Diseases of the parathyroid glands.....	47	2				
20	Leprosy.....	1,260	41		6		62	Diseases of the thymus gland.....	7					
21	Erysipelas.....	8					63	Diseases of the adrenals (Addison's disease).....	4					
22	Acute anterior poliomyelitis.....	5					64	Diseases of the spleen.....	423	1	1			
23	Lethargic encephalitis.....	13					65a	Leukemia.....	1,343	4				
24	Meningococcus meningitis.....	18					65b	Hodgkin's disease.....	2					
25	Other epidemic and endemic diseases.....	339	7	1	2		66	Alcoholism (acute or chronic).....	98	2	1	1		
27	Anthrax.....	368	7				67a	Chronic lead poisoning.....	70	1				
28	Rabies.....						67b	Other chronic mineral poisoning.....	425	4	21	5		
29	Tetanus.....						68	Chronic poisoning by organic substances.....	618	8				
30	Mycoses.....						69	Other general diseases.....	60	3	1	2	1	
31	Tuberculosis (all forms).....	2				2		Males.....	79	4	1	1		
32	Of the respiratory system.....	4						Females.....	3					
33	Of the meninges, central nervous system.....	1						Diseases of the pituitary gland.....	1					
34	Of the intestines, peritoneum.....	69	3	2	2			Exophthalmic goiter.....	20					
35	Of the vertebral column.....	40	3	2	2			Other diseases of the thyroid gland.....	145	1				
36	Of the joints.....	51	2		1			Diseases of the parathyroid glands.....	8					
37a	Of other organs.....	34	1	1	5			Diseases of the thymus gland.....	6					
37b	Disseminated (acute).....	31						Diseases of the adrenals (Addison's disease).....	57		2	1		
	Disseminated (chronic or unspecified).....	197	1	1	7	1		Diseases of the spleen.....	30		2	2		
38	Syphilis.....	31	2	1	1			Leukemia.....	4					
39	Soft chancre.....	24	1	1	1			Hodgkin's disease.....	7					
40	Gonococcus infection.....	3						Alcoholism (acute or chronic).....	301	11	1	1	1	
41	Purulent infection, septemia.....	76	1					Chronic lead poisoning.....	81	1		1		
42	Other infectious diseases.....	303	3					Other chronic mineral poisoning.....	12					
		68	1	1	1			Chronic poisoning by organic substances.....	3					
		59	1		1			Other general diseases.....	7					
		1		1				III.—Diseases of the nervous system and of the organs of special sense:						
								Males.....	6,316	89	70	42	4	
								Females.....	6,219	70	4	18		
								70	Encephalitis.....	53	1	1	1	
								71a	Simple meningitis.....	50	2	1	9	
								71b	Nonepidemic cerebrospinal meningitis.....	150	2		4	
								72	Tabes dorsalis (locomotor ataxia).....	109	5			
								73	Other diseases of the spinal cord.....	52	3			
								74a	Cerebral hemorrhage.....	28	1			
									Males.....	84	2	1		
									Females.....	21				
									Other diseases of the spinal cord.....	129	1	1		
									Cerebral hemorrhage.....	123	1		1	
									Males.....	3,662	45	45	16	3
									Females.....	4,171	35	3	9	

CAUSES OF DEATH, BY COLOR AND SEX

TABLE 7A.—DEATHS (EXCLUSIVE OF STILLBIRTHS) OF NEGROES, INDIANS, CHINESE, JAPANESE, AND OTHER COLORED, FROM EACH CAUSE BY SEX, IN THE REGISTRATION STATES (INCLUDING DISTRICT OF COLUMBIA): 1926—Continued

List No.	CAUSE OF DEATH AND SEX	Negro	Indian	Chinese	Japanese	Other colored	List No.	CAUSE OF DEATH AND SEX	Negro	Indian	Chinese	Japanese	Other colored
III.—Diseases of the nervous system and of the organs of special sense—Continued.						V.—Diseases of the respiratory system—Contd.							
74b	Cerebral embolism and thrombosis.....	84	2	5	2	-----	105	Asthma.....	139	-----	5	2	-----
75	Paralysis without specified cause.....	641	9	3	-----	-----	106	Pulmonary emphysema.....	11	2	-----	-----	-----
76	General paralysis of the insane.....	626	6	9	1	-----	107	Other diseases of the respiratory system (tuberculosis excepted).....	106	3	2	-----	-----
77	Other forms of mental alienation.....	117	2	-----	-----	-----			60	2	-----	-----	-----
78	Epilepsy.....	311	4	-----	1	-----	VI.—Diseases of the digestive system:						
79	Convulsions (nonpuerperal; 5 years and over).....	173	2	-----	-----	-----	Males.....	5,908	124	62	85	6	1
80	Infantile convulsions (under 5 years).....	180	8	-----	2	-----	Females.....	5,356	124	14	60	-----	-----
81	Chorea.....	2	-----	-----	-----	-----	108	Diseases of the mouth and annexe.....	52	-----	2	1	-----
82	Neuralgia and neuritis.....	4	-----	-----	-----	-----	109a	Adenoid vegetations.....	41	1	-----	-----	-----
83	Softening of the brain.....	14	-----	-----	-----	-----	109b	Other diseases of the pharynx, tonsils.....	1	-----	-----	-----	-----
84	Other diseases of the nervous system.....	122	-----	-----	1	-----	110	Diseases of the esophagus.....	151	3	2	-----	1
85	Diseases of the eye and annexe.....	98	1	-----	-----	-----	111a	Ulcer of the stomach.....	222	1	-----	7	-----
86a	Diseases of the ear.....	70	4	2	4	-----	111b	Ulcer of the duodenum.....	4	-----	-----	-----	-----
86b	Diseases of the mastoid process.....	49	2	-----	-----	-----	112	Other diseases of the stomach (cancer excepted).....	6	2	5	7	2
IV.—Diseases of the circulatory system:						VII.—Nonvenereal diseases of the genito-urinary system and annexe:							
	Males.....	10,878	126	234	60	9	Males.....	7,791	68	94	27	2	-----
	Females.....	9,829	110	16	19	1	Females.....	7,129	53	13	16	-----	-----
87	Pericarditis.....	90	1	2	-----	-----	117	Appendicitis and typhlitis.....	729	15	7	9	1
88	Endocarditis and myocarditis (acute).....	54	-----	-----	2	-----	118a	Hernia.....	563	5	1	5	-----
89	Angina pectoris.....	517	6	10	5	2	118b	Intestinal obstruction.....	238	2	5	2	-----
90	Other diseases of the heart.....	560	7	2	1	-----	119	Other diseases of the intestines.....	81	2	-----	-----	-----
91a	Aneurysm.....	318	4	2	1	2	120	Acute yellow atrophy of the liver.....	412	5	6	8	-----
91b,c	Other diseases of the arteries.....	294	5	-----	-----	-----	122	Cirrhosis of the liver.....	447	6	1	6	-----
92	Embolism and thrombosis (not cerebral).....	8,978	103	193	50	3	123	Biliary calculi.....	64	3	-----	4	-----
93	Diseases of the veins.....	8,176	85	14	15	1	124	Other diseases of the liver.....	88	-----	-----	-----	-----
94	Diseases of the lymphatic system.....	263	1	3	1	-----	125	Diseases of the pancreas.....	18	-----	-----	-----	-----
95	Hemorrhage without specified cause.....	101	-----	-----	-----	-----	126	Peritonitis without specified cause.....	21	-----	-----	-----	-----
96	Other diseases of the circulatory system.....	576	7	17	2	1	128	Acute nephritis (including unspecified under 10 years).....	361	2	14	3	-----
V.—Diseases of the respiratory system:						VIII.—Nonvenereal diseases of the genito-urinary system and annexe:							
	Males.....	9,909	272	108	75	14	Males.....	208	6	-----	-----	-----	
	Females.....	7,384	219	23	36	5	Females.....	24	3	2	2	-----	
97a	Diseases of the nasal fossae.....	74	1	-----	-----	-----	129	Chronic nephritis (including unspecified 10 years and over).....	71	7	1	-----	-----
97b	Diseases of the nasal fossae annexe.....	75	1	1	-----	-----	131	Other diseases of the kidneys and annexe.....	144	3	1	3	-----
98	Diseases of the larynx.....	29	1	-----	-----	-----	132	Calculi of the urinary passages.....	161	4	-----	-----	-----
99a	Acute bronchitis.....	13	-----	-----	-----	-----	133	Diseases of the bladder.....	16	-----	4	-----	-----
99b	Chronic bronchitis.....	16	-----	-----	-----	-----	134	Diseases of the urethra, etc.....	15	-----	-----	-----	-----
99c,d	Bronchitis (unspecified).....	137	4	2	-----	-----	135	Diseases of the prostate.....	4	-----	-----	-----	-----
100a	Broncho-pneumonia.....	151	8	-----	-----	-----	136	Nonvenereal diseases of the male genital organs.....	112	3	1	-----	-----
100b	Capillary bronchitis.....	66	2	3	-----	-----	137	Cysts, other benign tumors of the ovary.....	34	-----	-----	-----	-----
101a	Lobar pneumonia.....	70	4	1	2	-----	138	Salpingitis and pelvic abscess (female).....	134	1	-----	-----	-----
101b	Pneumonia (unspecified).....	108	4	1	-----	-----	139	Benign tumors of the uterus.....	3	-----	-----	-----	-----
102	Pleurisy.....	138	8	-----	-----	-----	140	Nonpuerperal uterine hemorrhage.....	11	-----	-----	-----	-----
103	Congestion and hemorrhagic infarct of the lung.....	3,060	80	32	33	5	141	Other diseases of the female genital organs.....	140	2	1	-----	-----
104	Gangrene of the lung.....	2,540	84	10	11	2							

MORTALITY STATISTICS

TABLE 7A.—DEATHS (EXCLUSIVE OF STILLBIRTHS) OF NEGROES, INDIANS, CHINESE, JAPANESE, AND OTHER COLORED, FROM EACH CAUSE BY SEX, IN THE REGISTRATION STATES (INCLUDING DISTRICT OF COLUMBIA): 1926—Continued

List No.	CAUSE OF DEATH AND SEX	Negro	Indian	Chinese	Japa- nese	Other colored	List No.	CAUSE OF DEATH AND SEX	Negro	Indian	Chinese	Japa- nese	Other colored
	VIII.—The puerperal state.....	2,506	45	6	20	3		XIV.—External causes—Con.					
143	Accidents of pregnancy.....F	186	2	1	2	1		Homicide.....F	3,117	18	33	12	1
144	Puerperal hemorrhage.....F	194	4	1	4	1		By firearms.....F	705	4	1	4	1
145	Other accidents of labor.....F	338	6	1	3		197	By cutting or piercing in- struments.....F	2,274	13	23	8	1
146	Puerperal septicemia.....F	874	14	3	4		198	By other means.....F	433	3	1	2	
147	Puerperal phlegmasia alba dolens, embolus, etc.....F	48	7		1		199	Mechanical suffocation.....F	602	1	1	3	
148	Puerperal albuminuria and convulsions.....F	861	12		6	1		Absorption of irrespirable, irritating, or poisonous gas.....F	186	4	4	1	
149	Following childbirth (unde- fined).....F	5						Drowning.....F	241	1		2	
	IX.—Diseases of the skin and of the cuticular tissue:							Traumatism by firearms (except in war).....F	86	1		1	
	Males.....	180	7	2	1	1		Traumatism by cutting or piercing instruments.....F	5,930	132	74	114	19
	Females.....	173	4					Poisoning by food.....F	2,202	40	5	22	1
151	Gangrene.....M	84	4				175	Poisoning by venomous animals.....F	72	2		2	
	F.....	80	1				176	Other acute poisoning (gas excepted).....F	95	3		2	1
152	Furuncle.....M	7	2				177	Conflagration.....M	7				
	F.....	14	1				178	Burns (conflagration ex- cepted).....F	172	7		2	2
153	Acute abscess.....M	54	1	2	1		179	Mechanical suffocation.....M	98	2			
154	Other diseases of the skin and annexa.....F	35	2					Absorption of irrespirable, irritating, or poisonous gas.....F	518	3	5	3	2
	M.....	35					180	Traumatism by fall.....M	753	8		5	
	F.....	44						Traumatism in mines.....F	115	2	1	2	
	X.—Diseases of the bones and of the organs of locomotion:							Traumatism in quarries.....M	83	1			
	Males.....	67	1	4			181	Traumatism by ma- chines.....F	41	2	8		5
	Females.....	49					182	Railroad accidents.....M	731	13	9	21	3
155	Diseases of the bones (tuber- culosis excepted).....F	52	1	2				Collision with auto- mobiles.....F	85	1		4	
156	Diseases of the joints (tuber- culosis and rheumatism ex- cepted).....F	13		2			183	Other railroad acci- dents.....F	461	6		1	
	M.....	11						Street-car accidents.....M	119	1			
157	Amputations.....M	1					184	Collision with auto- mobiles.....F	49	1			
158	Other diseases of the organs of locomotion.....F	1					185	Other street-car acci- dents.....F	39	1			
	M.....	3					186a	Automobile accidents (ex- cluding collision with railroad trains and street cars).....F	392	21	10	11	2
	F.....	3						Airplane and balloon accidents.....F	200	5	1		
	XI.—Malformations:						186b	Injuries by other vehicles.....M	312	1	1	2	
	Males.....	398	9	5	17		187	Landslide, other crushing injuries by animals (not poisoning).....F	1				
	Females.....	279	11		11	1		Starvation (deprivation of food or water).....F	16	2	2	2	
159a	Congenital hydrocephalus.....M	64			1		188a	Excessive cold.....M	210				
	F.....	33	3					Excessive heat.....M	7				
159b	Congenital malformations of the heart.....M	204	3	4	10		188b	Lightning.....M	606	4	3	13	
159c	Other congenital malforma- tions.....F	144	3		5	1		Excessive cold.....F	55	1		1	
	M.....	130	6	1	6		188c	Excessive heat.....F	48			4	
	F.....	102	5		5			Lightning.....F	16			1	
	XII.—Early infancy:						188d	Other external violence.....M	558	4	3	9	
	Males.....	3,849	84	14	59	6		Street-car accidents.....F	39	1			
	Females.....	3,001	67	14	32	2	188e	Collision with auto- mobiles.....F	64	1	4	1	
160	Congenital debility, icterus, sclerema.....M	744	21	2	9	1		Other street-car acci- dents.....F	32	1			
	F.....	515	22	3	1		188f	Automobile accidents (ex- cluding collision with railroad trains and street cars).....F	15			3	
161a	Premature birth.....M	2,370	44	6	34	3		Excessive cold.....F	3				
	F.....	2,010	33	11	23	2	188g	Excessive heat.....F	49	1	1	1	
161b	Injury at birth.....M	382	8	3	11	1		Lightning.....F	29				
	F.....	223	7		2		188h	Other accidental electric shocks.....F	11	2			
162	Other diseases peculiar to early infancy.....M	333	10	3	5	1		Fracture (cause not speci- fied).....F	54	4		1	
	F.....	238	5		6		188i	Other external violence.....F	18				
163	Lack of care.....M	20	1					XV.—Ill-defined diseases:					
	F.....	15						Males.....	4,676	140	5	3	
164	XIII.—Old age (senility):							Females.....	4,319	159			
	Males.....	990	34	13			193	Sudden death.....M	377	7	1	1	
	Females.....	1,125	57				194	Ill-defined.....M	325	2			
	XIV.—External causes:							Not specified or unknown.....F	838	17	1	2	
	Males.....	9,272	156	134	151	21	195		826	10			
	Females.....	3,010	45	9	37	1	196		3,461	116	3		
165	Suicide.....M	225	6	27	25	1	197		3,168	147			
	F.....	103	1	3	11		198						
166	By poisons (gas or corro- sives excepted).....F	7			1		199						
	M.....	10	1		4		200						
	F.....	15			1		201						
167	By corrosive substances.....M	35			1		202						
	F.....	12		4	3								
168	By poisonous gas.....M	8			1								
	F.....	3			1								
169	By hanging or strangula- tion.....M	20		8	3	1							
	F.....	6		3	3								
170	By drowning.....M	20		1	3								
	F.....	14											
171	By firearms.....M	109	4	7	3								
	F.....	22			1								
172	By cutting or piercing in- struments.....M	15	1	5	4								
	F.....	1			1								
173	By jumping from high places.....M	17		1	2								
	F.....	2			1								
174	By crushing.....M	5			1								
	F.....	2											
	By other means.....M	5	1	1									
	F.....	4											

NOTE.—For populations, see reference on Table 4.





CAUSES OF DEATH, BY AGE

139

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE, BY AGE, IN THE REGISTRATION AREA AND EACH REGISTRATION STATE: 1926—Continued

List No.	CAUSE OF DEATH	All deaths	THE REGISTRATION AREA IN CONTINENTAL UNITED STATES—Continued														Age unknown		
			Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years		65 to 74 years	75 years and over
VII.—Nonvenereal diseases of the genito-urinary system and annexa—Contd.																			
137	Cysts, other benign tumors of the ovary	851																	
138	Salpingitis and pelvic abscess (female)	1,864		1				2	3	18	45	61	92	192	176	127	82	57	
139	Benign tumors of the uterus	2,068								109	239	322	310	563	218	52	25	14	1
140	Nonpuerperal uterine hemorrhage	54								7	5	7	2	21	7	2	2		
141	Other diseases of the female genital organs	855								5	27	57	86	93	205	181	110	70	21
142	Nonpuerperal diseases of the breast (cancer excepted)	28	16							1	1	2		2	3	1			2
VIII.—The puerperal state																			
		15,058							40	1,727	3,063	3,225	3,012	3,801	169				21
143	Accidents of pregnancy	1,538							2	98	233	385	375	423	20				2
144	Puerperal hemorrhage	1,563							2	76	219	303	360	572	29				2
145	Other accidents of labor	1,731							2	142	296	347	361	561	16				6
146	Puerperal septicemia	5,518							15	669	1,316	1,250	1,060	1,155	49				4
147	Puerperal phlegmasia alba dolens, embolus, etc.	613							1	39	113	143	139	172	6				
148	Puerperal albuminuria and convulsions	4,036							18	698	870	785	700	910	48				7
149	Following childbirth (undefined)	56								3	16	11	17	8	1				
150	Puerperal diseases of the breast	3								2		1							
IX.—Diseases of the skin and of the cellular tissue																			
		3,390	488	53	21	14	10	55	57	90	80	86	95	237	314	315	498	975	2
151	Gangrene	1,366	15	9	4	4	6	12	3	9	13	10	13	46	76	105	294	747	
152	Furuncle	568	73	7	1	1		10	24	30	20	25	31	72	83	72	69	50	
153	Acute abscess	705	133	18	13	6	2	24	18	37	30	35	32	84	93	78	55	47	
154	Other diseases of the skin and annexa	751	267	19	3	3		9	12	14	17	16	19	35	62	60	80	131	2
X.—Diseases of the bones and of the organs of locomotion																			
		1,429	68	33	46	36	46	180	177	81	51	49	57	127	120	143	131	84	
155	Diseases of the bones (tuberculosis excepted)	1,142	44	27	43	32	44	161	163	68	37	39	51	90	92	107	86	58	
156	Diseases of the joints (tuberculosis and rheumatism excepted)	224	21	5	3	4	2	16	13	9	13	9	5	33	24	23	30	14	
157	Amputations	3												1			1	1	
158	Other diseases of the organs of locomotion	60	3	1				3	1	4	1	1	1	3	4	13	14	11	
XI.—Malformations																			
		13,990	12,813	419	138	105	62	186	89	80	38	27	9	12	10	1			
158a	Congenital hydrocephalus	1,394	1,088	106	37	35	19	48	27	19	10	3	1						
158b	Congenital malformations of the heart	8,073	7,479	213	66	52	24	108	41	46	18	12	4	6	4				
158c	Other congenital malformations	4,523	4,246	100	35	18	19	30	21	15	10	12	4	6	5	1	1		
XII.—Early infancy																			
		61,249	61,249																
160	Congenital debility, icterus, sclerema	7,344	7,344																
161a	Premature birth	38,990	38,990																
161b	Injury at birth	10,208	10,208																
162	Other diseases peculiar to early infancy	4,609	4,609																
163	Lack of care	98	98																
XIII.—Old age (senility)																			
		12,065													14	187	1,388	10,461	15
XIV.—External causes																			
		105,335	2,490	1,802	1,541	1,505	1,357	5,162	3,798	6,249	8,194	7,678	7,405	15,305	13,595	10,724	8,762	9,472	296
Suicide																			
		13,410							46	404	850	982	1,129	2,808	2,855	2,310	1,454	547	25
165	By poisons (gas or corrosives excepted)	796							1	45	82	75	77	163	152	111	63	26	1
166	By corrosive substances	1,451							7	108	196	165	190	343	213	134	64	31	
167	By poisonous gas	1,940								30	100	132	183	399	439	405	191	60	1
168	By hanging or strangulation	2,385								12	34	69	121	147	446	578	500	323	148
169	By drowning	717								2	14	25	33	48	139	161	150	106	37
170	By firearms	4,616								23	160	324	353	376	975	953	747	526	169
171	By cutting or piercing instruments	861								1	15	41	49	187	229	168	122	47	2
172	By jumping from high places	362								2	24	36	41	87	67	57	26	21	1
173	By crushing	135								2	11	14	10	42	27	17	9	3	
174	By other means	147								8	4	12	8	27	36	21	24	5	1
Homicide																			
		9,210	159	16	16	16	12	60	85	619	1,463	1,630	1,384	2,065	1,016	408	164	42	55
197	By firearms	6,377	4	2	5	7	3	25	55	425	1,021	1,193	1,036	1,505	697	269	86	11	33
198	By cutting or piercing instruments	1,322	6	4	2	1	3	9	13	100	243	252	206	304	113	35	12	10	9
199	By other means	1,511	149	10	9	8	6	26	17	94	199	185	142	265	206	104	66	21	13
Accidental or undefined																			
		82,715	2,331	1,786	1,525	1,489	1,345	5,102	3,667	5,226	5,881	5,066	4,892	10,432	9,724	8,006	7,144	8,883	216
175	Poisoning by food	830	95	55	38	29	29	62	30	25	39	32	32	76	109	73	63	42	1
176	Poisoning by venomous animals	107	18	7	2	3	4	12	6	3	2	6	3	12	15	8	2	4	
177	Other acute poisonings (gas excepted)	1,575	67	272	157	62	34	42	17	36	84	98	92	212	190	129	56	25	2
178	Conflagration	1,553	75	73	60	85	69	147	56	54	71	74	63	160	173	152	122	115	9
179	Burns (conflagration excepted)	6,487	249	580	613	582	429	730	244	219	242	263	264	472	436	327	399	430	8
180	Mechanical suffocation	1,279	927	23	4	1	4	21	19	20	31	32	39	62	53	25	9	4	
181	Absorption of irritable, irritating, or poisonous gas	2,836	41	22	8	10	4	32	25	73	147	192	190	471	520	513	346	298	4
182	Drowning	6,651	39	207	145	102	84	603	799	987	676	457	371	885	621	385	175	73	52
183	Traumatism by firearms (except in war)	2,593	8	10	26	28	38	185	377	513	340	211	162	300	204	121	50	18	7
184	Traumatism by cutting or piercing instruments	709	14	14	8	16	10	39	33	34	30	35	27	97	101	109	88	45	2
185	Traumatism by fall	14,681	139	160	112	63	69	307	237	239	318	328	424	1,156	1,353	1,515	2,352	5,896	13
186a	Traumatism in mines	2,825								4	171	390	373	346	766	486	236	44	1
186b	Traumatism in quarries	127								2	12	11	13	15	28	23	22	6	
187	Traumatism by machines	2,224	2	6	15	7	6	27	55	207	244	241	234	410	378	221	132	36	3
188a	Railroad accidents	7,023	21	26	24	20	21	163	212	536	706	649	671	1,318	1,125	801	485	200	42
	Collision with automobiles	1,556	17	8	11	14	8	37	48	154	182	163	160	283	228	128	88	22	5
	Other railroad accidents	5,470	4	18	13	12	13	126	164	382	524	486	511	1,035	897	673	397	178	37

MORTALITY STATISTICS

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE, BY AGE, IN THE REGISTRATION AREA AND EACH REGISTRATION STATE: 1926—Continued

List No.	CAUSE OF DEATH	All deaths	Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 to 74 years	75 years and over	Age un-known
<b>THE REGISTRATION AREA IN CONTINENTAL UNITED STATES—Continued</b>																			
XIV.—External causes—Contd.																			
Accidental or undefined—Continued.																			
188b	Street-car accidents.....	1,621	2	10	15	22	20	57	45	83	102	98	112	237	298	244	168	106	2
	Collision with automobiles.....	404	2	3	1	6	1	9	19	42	57	44	41	87	83	39	23	7	1
	Other street-car accidents.....	1,157		7	14	16	19	48	26	41	45	54	71	150	215	205	145	99	2
188c	Automobile accidents (excluding collision with railroad trains and street cars).....	18,871	99	90	175	335	426	2,233	1,014	1,374	1,585	1,202	1,105	2,278	2,281	1,977	1,734	933	30
188d	Airplane and balloon accidents.....	160							2	10	54	34	26	25	4	1	2	1	1
188e,f	Injuries by other vehicles.....	1,347	8	14	17	23	21	98	106	95	101	58	67	112	161	194	187	85	1
188g	Landslide, other crushing.....	743	4	1	6	8	9	22	19	46	61	69	72	162	130	80	38	13	3
189	Injuries by animals (not poisoning).....	541	3	10	10	17	15	45	47	20	15	18	20	60	66	78	73	43	1
190	Wounds of war.....	3										1	2						
192	Starvation (deprivation of food or water).....	14	1	1			1							2	2	3	3	1	1
198	Excessive cold.....	256	5		1	1		1	1	2	5	12	6	29	51	49	38	54	2
194	Excessive heat.....	646	81	13	3	2	3	3	1	11	13	23	34	92	109	93	81	82	1
195	Lightning.....	364	4		1	2	2	19	38	62	40	26	29	48	47	28	12	3	2
196	Other accidental electric shocks.....	1,037	3	3		2	2	17	43	99	201	170	149	198	78	50	16	2	4
201	Fracture (cause not specified).....	690	6	3	1	1	2	10	11	26	25	21	30	73	85	78	98	219	1
202	Other external violence.....	4,909	420	181	82	61	48	223	226	269	348	329	305	696	624	497	364	214	22
203	Violent deaths of unknown causation.....	2											1				1		
XV.—Ill-defined diseases.....		18,708	7,154	754	222	126	86	251	192	310	386	385	355	1,070	1,367	1,573	2,013	2,324	140
204	Sudden death.....	2,013	330	24	9	5		14	12	30	43	32	44	171	247	296	391	354	11
205a	Ill-defined.....	4,461	907	317	74	37	20	59	57	72	87	91	115	319	457	566	677	530	26
205b	Not specified or unknown.....	12,234	5,917	413	139	84	66	178	123	208	256	262	196	580	663	711	945	1,390	103

ALABAMA

	All causes.....	{ White Colored.....	15,416 14,276	2,550 1,990	635 435	278 160	162 111	136 63	312 228	247 261	456 720	559 960	508 892	500 775	1,102 1,606	1,362 1,971	1,523 1,306	2,480 1,182	2,517 1,510	89 106
I.—Epidemic, endemic, and infectious diseases.....																				
	White.....	Colored.....	2,789	309	174	118	64	55	94	64	121	158	161	152	291	234	206	306	259	23
	Colored.....		3,202	305	133	53	33	24	71	97	285	410	324	260	413	337	194	126	112	25
1	Typhoid and paratyphoid fever.....	{ W C.....	207 169	3 1	2 1	2		3	8 22	20 42	36 43	23 12	10 5	20 15	15 12	8 8	11 3	2 1	3	3
2	Typhus fever.....	{ W C.....	95 1	8 1	2	4	2	4	2	4	8	5	6	3	11	8	8	8	8	4
5	Malaria.....	{ W C.....	122 3	8 3	6	3	4	4	10	6	7	14	8	3	12	11	14	10	6	4
6	Smallpox.....	{ W C.....	111 2	15 2	28 6	14	9	6	10	1	3	4	2	4	1	6	2	2	2	1
7	Measles.....	{ W C.....	23 16	4 2	6 2	4	2	1	3	1	2	3		1	1	2				
8	Scarlet fever.....	{ W C.....	178 124	104 53	38 42	24 13	2	4	6	4	6	5	4							
9	Whooping cough.....	{ W C.....	173 47	14 10	38 4	40	29	23	25	3	3	1	3		1					
10	Diphtheria.....	{ W C.....	573 401	67 58	29 21	10 14	6 3	5 1	13 8	8 9	18 22	19 25	24 19	26 30	77 47	47 57	48 37	98 22	75 24	3
11a	Influenza (with pulmonary complications).....	{ W C.....	305 306	31 46	7 8	7	3	5	7	7	2	4	5	6	15	19	31	45	104	3
11b	Influenza (other and unspecified).....	{ W C.....	2	2	8	8	7	3	6	8	8	13	10	9	30	33	29	38	48	6
13	Mumps.....	{ W C.....	2	2					1							1				
15	Cholera nostras.....	{ W C.....	2	2													2			
16	Dysentery.....	{ W C.....	55 54	6 10	7 10	4	1	1			1	2	2	3	2	2	3	13	10	1
21	Erysipelas.....	{ W C.....	39 7	12 4	1	2	1			2		1	1	1	1	1	3	4	7	1
22	Acute anterior poliomyelitis.....	{ W C.....	11 11	2 4	1	2	3	1	1		1			1						
23	Lethargic encephalitis.....	{ W C.....	12 4	2 1	1		1	1		1	2		1	1	1	2	1	1		
24	Meningococcus meningitis.....	{ W C.....	10 5	2 1	3 1		1	1		2	1			1						
25	Other epidemic and endemic diseases.....	{ W C.....	2 2	1 1				1		1										
28	Rabies.....	{ W C.....	2 1						2							1				
29	Tetanus.....	{ W C.....	26 30	3 13	1 1	1			4	5	3	1	1	3	2	1	1	1		1
30	Mycoses.....	{ W C.....	1 2	1					1	2	3		1	1	3	2	1			1
	Tuberculosis (all forms).....	{ W C.....	859 1,521	13 15	13 18	4	3	1	5	8	38	79	94	90	137	121	84	116	45	8
31	Of the respiratory system.....	{ W C.....	771 1,390	6 10	5 9	2	4		6	36	72	86	83	130	174	113	77	104	42	6
32	Of the meninges, central nervous system.....	{ W C.....	30 17	6 2	5 4	1	1		1	1	6	1	1	1	2	1	1	20	7	1
33	Of the intestines, peritoneum.....	{ W C.....	31 49		1					5	2	1	3	3	5	3	9	3	1	1
34	Of the vertebral column.....	{ W C.....	7 10	1				1			1	1	3	1	1	1	1	1		1
35	Of the joints.....	{ W C.....	4 9						1					2	1	1	2			1
36	Of other organs.....	{ W C.....	20 9		1				3	1	2	1	1	4	2	3	2			1
37a	Disseminated (acute).....	{ W C.....	29 1	3	2				1	1	2	2	2	4	5	1	1			
37b	Disseminated (chronic or unspecified).....	{ W C.....	1 2						1					1			1			

CAUSES OF DEATH, BY AGE

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE, BY AGE, IN THE REGISTRATION AREA AND EACH REGISTRATION STATE: 1926—Continued

List No.	CAUSE OF DEATH	All deaths	Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 to 74 years	75 years and over	Age unknown
ALABAMA—Continued																			
I.—Epidemic, endemic, and infectious diseases—Continued.																			
38	Syphilis.....	63	22	1	1	1	4	5	2	13	27	28	5	6	12	9	3	1	4
39	Soft chancre.....	2	74	12	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
40	Gonococcus infection.....	10	28	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
41	Purulent infection, septicemia.....	33	1	1	1	1	2	5	4	3	8	5	3	6	2	3	1	2	1
		16	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
	II.—General diseases not included in Class I.....	1,391	33	12	8	2	7	23	16	27	24	35	47	146	230	259	307	206	9
		862	21	3	2	1	1	6	9	19	43	47	65	166	197	118	98	60	6
	Cancer and other malignant tumors.....	813	1	1	2	2	8	1	9	3	12	22	88	140	159	209	152	4	6
43	Of the buccal cavity.....	358	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
44	Of the stomach, liver.....	31	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
45	Of the peritoneum, intestines, rectum.....	6	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
46	Of the female genital organs.....	245	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
47	Of the breast.....	94	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
48	Of the skin.....	74	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
49	Of other or unspecified organs.....	40	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
50	Tumors, benign and unqualified (tumors of the female genital organs excepted).....	159	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
51	Acute rheumatic fever.....	128	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
52	Chronic rheumatism, osteoarthritis, gout.....	54	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
54	Pellagra.....	34	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
55	Beriberi.....	61	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
56	Rickets.....	7	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
57	Diabetes mellitus.....	189	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
58	Anemia, chlorosis.....	49	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
60a	Exophthalmic goiter.....	9	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
60b	Other diseases of the thyroid gland.....	11	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
61	Diseases of the parathyroid glands.....	30	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
62	Diseases of the thymus gland.....	49	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
63	Diseases of the adrenals (Addison's disease).....	5	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
64	Diseases of the spleen.....	15	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
65a	Leukemia.....	206	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
65b	Hodgkin's disease.....	296	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
66	Alcoholism (acute or chronic).....	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
67a	Chronic lead poisoning.....	8	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
67b	Other chronic mineral poisoning.....	5	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
68	Chronic poisoning by organic substances.....	4	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
69	Other general diseases.....	47	21	9	3	2	1	1	1	1	1	1	1	1	1	1	1	1	1
		13	10	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
III.—Diseases of the nervous system and of the organs of special sense.....																			
		1,316	49	11	9	6	4	18	15	16	30	16	10	74	153	220	344	337	4
		1,087	43	6	6	4	5	12	16	29	21	26	36	110	241	191	164	168	9
70	Encephalitis.....	24	2	1	1	1	1	3	1	1	1	1	1	9	1	1	1	1	1
71a	Simple meningitis.....	10	16	1	3	2	1	6	4	2	2	1	1	1	4	3	1	1	1
71b	Nonepidemic cerebrospinal meningitis.....	47	6	1	1	1	1	2	3	1	1	1	1	2	1	1	2	1	1
72	Tabes dorsalis (locomotor ataxia).....	22	2	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
73	Other diseases of the spinal cord.....	7	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
74a	Cerebral hemorrhage.....	13	6	1	1	1	1	1	1	1	1	1	1	4	2	1	4	3	1
74b	Cerebral embolism and thrombosis.....	6	1	1	1	1	1	1	1	1	1	1	1	2	2	1	1	1	1
75	Paralysis without specified cause.....	31	1	1	1	1	1	1	1	1	1	1	1	2	4	6	9	8	1
76	General paralysis of the insane.....	15	5	1	2	2	2	2	1	3	2	3	3	32	98	140	237	220	3
77	Other forms of mental alienation.....	619	2	1	1	1	1	1	2	4	6	10	19	69	173	131	94	100	4

MORTALITY STATISTICS

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE, BY AGE, IN THE REGISTRATION AREA AND EACH REGISTRATION STATE: 1926—Continued

List No.	CAUSE OF DEATH	All deaths	Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 to 74 years	75 years and over	Age unknown
ALABAMA—Continued																			
III.—Diseases of the nervous system and of the organs of special sense—Contd.																			
78	Epilepsy.....	W. 45 C. 1			2	1	1	2	1	3	13	3	1	5	5	5	3	1	1
79	Convulsions (nonpuerperal, 5 years and over).....	W. 9 C. 18						5	1	1									
80	Infantile convulsions (under 5 years).....	W. 32 C. 2	15	9	1		1												
82	Neuralgia and neuritis.....	W. 2 C. 4													1			1	
83	Softening of the brain.....	W. 4 C. 4																	
84	Other diseases of the nervous system.....	W. 49 C. 19	3	1				1	2	4	2	3	1	6	6	9	6	5	
85	Diseases of the eye and annexa.....	W. 2 C. 1		3	2	2		3	1		2	1		1		1		1	
86a	Diseases of the ear.....	W. 18 C. 8	3	3	2	2		3	1		2			1	1				
86b	Diseases of the mastoid process.....	W. 20 C. 1	2	3	1			3	3		1	2	1	1	1	3			
IV.—Diseases of the circulatory system.....		White 1,815 Colored 1,551	7	1	3	4	3	15	11	17	23	18	27	82	189	291	548	566	10
87	Pericarditis.....	W. 10 C. 5			1				1							2	3	3	
88	Endocarditis and myocarditis (acute).....	W. 49 C. 71	1	1			1	2	3	5	5	4	5	5	4	4	3	6	
89	Angina pectoris.....	W. 146 C. 38									1	1	1	4	25	43	45	24	
90	Other diseases of the heart.....	W. 1,443 C. 1,344	5	3	3	2	12	7	12	16	10	17	38	156	320	219	455	493	10
91a	Aneurysm.....	W. 12 C. 19									2		3	4	3	1	3	2	
91b,c	Other diseases of the arteries.....	W. 113 C. 45				1							2	3	8	13	29	59	
92	Embolism and thrombosis (not cerebral).....	W. 20 C. 5	1				1			1			1	2	1	1	5	3	
93	Diseases of the veins.....	W. 7 C. 3											1		1			1	
94	Diseases of the lymphatic system.....	W. 1 C. 2			1														
95	Hemorrhage without specified cause.....	W. 3 C. 7				1					1				2		2	3	
96	Other diseases of the circulatory system.....	W. 11 C. 12										3			5	2	2	1	4
V.—Diseases of the respiratory system.....		White 1,432 Colored 1,266	261	89	29	25	11	27	32	43	53	40	47	100	121	117	207	226	73
97a	Diseases of the nasal fossae.....	W. 3 C. 9	2															1	
97b	Diseases of the nasal fossae annexa.....	W. 5 C. 2		1						2		1			1			1	
98	Diseases of the larynx.....	W. 10 C. 4	2	2	4		2							1				2	
99a	Acute bronchitis.....	W. 10 C. 7	4	1	2				1						1			1	
99b	Chronic bronchitis.....	W. 7 C. 21	2	2				1							2			6	
99c,d	Bronchitis (unspecified).....	W. 2 C. 34		3	1								1	1	1	1	7	13	
100a	Broncho-pneumonia.....	W. 21 C. 462	6	2	1	1	1	8	2	9	4	4	7	15	20	23	64	70	3
100b	Capillary bronchitis.....	W. 298 C. 7	113	45	18	10	1	11	3	6	6	7	8	12	21	9	17	13	
101a	Lobar pneumonia.....	W. 7 C. 656	3	2										1	88	74	102	95	1
101b	Pneumonia (unspecified).....	W. 649 C. 141	55	21	10	4	3	10	13	40	64	67	41	104	110	49	30	27	1
102	Pleurisy.....	W. 212 C. 31	61	9	9	1	2	6	5	17	13	12	10	13	13	14	8	18	
103	Congestion and hemorrhagic infarct of the lung.....	W. 2 C. 14	2	1		3	1	2	2	4	2	2	3	1	1	4	4	6	
105	Asthma.....	W. 9 C. 26	2	2								1	1	3	7	7	3	4	
107	Other diseases of the respiratory system (tuberculosis excepted).....	W. 17 C. 12	1	1	1			1			2	1	1	4	1	3	2	5	
VI.—Diseases of the digestive system.....		White 1,530 Colored 881	415	280	63	33	22	43	32	42	36	33	36	99	95	80	119	96	6
108	Diseases of the mouth and annexa.....	W. 16 C. 10	3		1						1	1	1	3	2	1	2	1	
109b	Other diseases of the pharynx, tonsils.....	W. 38 C. 18	2		1	5	2	7	5	3		3	2	2	2	3	1	2	
110	Diseases of the esophagus.....	W. 2 C. 1											1					1	
111a	Ulcer of the stomach.....	W. 37 C. 28						1		2	4	4	2	8	9	3	3	3	1
111b	Ulcer of the duodenum.....	W. 15 C. 5									1	2	4	5	7	4	3	1	
112	Other diseases of the stomach (cancer excepted).....	W. 91 C. 168	16	2	3	2	2	5	1	9	8	1	7	12	15	5	17	17	

# CAUSES OF DEATH, BY AGE

143

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE, BY AGE, IN THE REGISTRATION AREA AND EACH REGISTRATION STATE: 1926—Continued

List No.	CAUSE OF DEATH	All deaths	Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 to 74 years	75 years and over	Age un- known
<b>ALABAMA—Continued</b>																			
<b>VI.—Diseases of the digestive system—Continued.</b>																			
113	Diarrhea and enteritis (under 2 years).....	630	362	268															
114	Diarrhea and enteritis (2 years and over).....	277	176	101	53	20	11	6	2		1	1	4	5	5	3	27	33	2
115	Ancylostomiasis.....	173			13	7	3	9	2		5	2	3	5	12	5	5	10	
116	Diseases due to other intestinal parasites.....	81				1		1		2									
117	Appendicitis and typhlitis.....	2		2		1	2	17	19	27	18	13	9	27	19	18	12	8	2
118a	Hernia.....	187	2					1	9	11	12	15	4	17	13	8	2	2	1
118b	Intestinal obstruction.....	97	1			1		1			2	2	1	2	2	7	9	4	3
119	Other diseases of the intestines.....	30									1	1	1	1	1	1	2	2	
120	Acute yellow atrophy of the liver.....	24	26	6	3	3	2	4	3	3	5	4	6	11	10	4	14	11	2
121	Chronic yellow atrophy of the liver.....	121	6	2				3	2	3	1	1	1	11	12	7	4	4	
122	Biliary calculi.....	72	3	1				2	1				1	2	1	2	2	5	
123	Other diseases of the liver.....	20	1							1	1	1	1	1	1	1	2	2	
124	Diseases of the pancreas.....	7		1						1	1	1	1	1	1	1	2	2	
125	Peritonitis without specified cause.....	48								1	1	3	1	5	14	10	14	3	
126	Peritonitis with specified cause.....	35	1									1	1	4	6	7	10	4	
<b>VII.—Nonvenereal diseases of the genito-urinary system and annexa</b>																			
White.....																			
Colored.....																			
128	Acute nephritis (including unspecified under 10 years).....	1,363	8	11	6	2	4	3	8	15	21	22	33	83	137	201	413	383	13
129	Chronic nephritis (including unspecified 10 years and over).....	1,181	8	6	6	3	1	7	9	22	22	36	55	190	248	166	205	189	8
130	Other diseases of the kidneys and annexa.....	8																	
131	Calculi of the urinary passages.....	46	2	5	2	1		1	1	3	2	1	2	2	3	5	8	10	6
132	Diseases of the bladder.....	47	4	3	1			1	1	3	1	1	1	7	7	7	6	5	
133	Diseases of the urethra, etc.....	10												2	2	3	1	2	
134	Diseases of the prostate.....	15													2	2	6	6	1
135	Nonvenereal diseases of the male genital organs.....	14													1	1	3	7	
136	Cysts, other benign tumors of the ovary.....	1														1	1	1	
137	Salpingitis and pelvic abscess (female).....	52													1	5	19	25	2
138	Benign tumors of the uterus.....	45												2	6	6	17	11	2
139	Nonpuerperal uterine hemorrhage.....	2													1	1	2	1	
140	Other diseases of the female genital organs.....	4	1																
141	Nonpuerperal diseases of the breast (cancer excepted).....	7																	
<b>VIII.—The puerperal state</b>																			
White.....																			
Colored.....																			
143	Accidents of pregnancy.....	287						3	33	66	60	53	64	6					2
144	Puerperal hemorrhage.....	264						3	75	58	34	38	53	3					
145	Other accidents of labor.....	19								5	5	5	6	8	1				
146	Puerperal septicemia.....	28								2	4	2	8	13	1				
147	Puerperal phlegmasia alba dolens, embolus, etc.....	20								1	2	4	4	8	1				
148	Puerperal albuminuria and convulsions.....	29								3	3	8	7	7					1
149	Following childbirth (undefined).....	43								10	8	5	5	14	1				
150	Accidents of pregnancy.....	91								7	28	22	16	13	3				1
151	Puerperal septicemia.....	88								30	18	12	14	13	1				
152	Puerperal phlegmasia alba dolens, embolus, etc.....	6								1	2	1	2	23	1				
153	Puerperal albuminuria and convulsions.....	104								2	20	23	21	14					
154	Following childbirth (undefined).....	94								3	29	25	12	9	16				
<b>IX.—Diseases of the skin and of the cellular tissue</b>																			
White.....																			
Colored.....																			
151	Gangrene.....	35	4	1			1	2	1	2	2	2	2	3	2	3	4	6	
152	Furuncle.....	31	4		1			1		2	2		1	5	1	2	2	10	
153	Acute abscess.....	14					1			1	1			1	1	1	1	4	
154	Other diseases of the skin and annexa.....	11	1							1	1			2	1	1	1	8	
155	Acute abscess.....	3												1	1	1	1	1	
156	Other diseases of the skin and annexa.....	10	2		1			2		1	1	2	1	1				1	
157	Acute abscess.....	9	3					1		2	1			1				1	
158	Other diseases of the skin and annexa.....	4	1	1											1			2	
159	Other diseases of the skin and annexa.....	5	1											1				1	

MORTALITY STATISTICS

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE, BY AGE, IN THE REGISTRATION AREA AND EACH REGISTRATION STATE: 1926—Continued

List No.	CAUSE OF DEATH	All deaths	Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 to 74 years	75 years and over	Age unknown
ALABAMA—Continued																			
	X.—Diseases of the bones and of the organs of locomotion.....	White 16 Colored 5			2	1	3	1	3	3		2	1		1		2		
155	Diseases of the bones (tuberculosis excepted).....	W 5 C 4			2	1	3	1	3	3		2	1				1		
156	Diseases of the joints (tuberculosis and rheumatism excepted).....	W 1 C 1													1				
158	Other diseases of the organs of locomotion.....	W 1 C 1															1		
	XI.—Malformations.....	White 153 Colored 37	136 32	3 1	1	2	2	6	1	1	1		1						
159a	Congenital hydrocephalus.....	W 16 C 6	13 4			1				1	1								
159b	Congenital malformations of the heart.....	W 75 C 15	66 13	2		1	1	5		1	1								
159c	Other congenital malformations.....	W 62 C 16	57 15	1	1		1	1					1						
	XII.—Early infancy.....	White 975 Colored 492	975 492																
160	Congenital debility, icterus, sclerema.....	W 110 C 81	110 81																
161a	Premature birth.....	W 728 C 333	728 333																
161b	Injury at birth.....	W 96 C 40	96 40																
162	Other diseases peculiar to early infancy.....	W 41 C 37	41 37																
163	Lack of care.....	W 1 C 1	1 1																
164	XIII.—Old age (senility).....	White 239 Colored 351													1	8	27 44	211 298	
	XIV.—External causes.....	White 1,324 Colored 1,207	61 41	43 25	33 19	18 27	18 14	71 44	55 48	125 127	132 177	112 176	83 103	137 132	147 132	87 43	87 29	104 47	11 23
	Suicide.....	W 122 C 14							1	13 3	12 1	12 2	15 1	20 1	20 2	18 1	8 1	4 1	
165	By poisons (gas or corrosives excepted).....	W 7 C 1								1 3	1 5		3 3	2 2	1 3	1 1	2 1	1 1	
166	By corrosive substances.....	W 21 C 1								3 1	5 1		3 1	2 1	3 1	1 1	1 1	1 1	
167	By poisonous gas.....	W 2 C 1											2 1	1 1	1 1			2 2	
168	By hanging or strangulation.....	W 8 C 1									1			1 1	1 1				2 2
169	By drowning.....	W 3 C 3									1	1		1 1	1 1				
170	By firearms.....	W 74 C 10							1	9 1	5 1	8 1	10 1	15 1	12 2	10 1	4 1	1 1	
171	By cutting or piercing instruments.....	W 5 C 1									1			1 1	1 1	2 1			
172	By jumping from high places.....	W 2 C 1									1					1 1			
174	By other means.....	W 1 C 1								1 1						1 1			
	Homicide.....	W 135 C 373	3 1	1			2	2	3	13 36	26 93	20 79	11 49	23 47	20 41	12 9	7 1	2 7	7
197	By firearms.....	W 100 C 267					1	2	2	10 20	21 64	16 61	8 36	19 38	14 29	9 8	3 1	1 5	
198	By cutting or piercing instruments.....	W 12 C 72		1			1	2	2	2 11	3 23	2 12	1 11	2 6	2 3	1 1			2
199	By other means.....	W 23 C 34	3 1							1 5	2 6	2 6	2 2	2 3	4 3	1 1	4 1	1 1	
	Accidental or undefined.....	W 1,067 C 820	58 40	43 24	33 19	18 27	18 12	71 42	55 44	99 88	94 83	80 95	57 53	94 84	107 89	57 33	72 27	100 44	11 16
175	Poisoning by food.....	W 32 C 16	8 2	4	2	1		2	2				1	2	4 3	1 1	1 1		
176	Poisoning by venomous animals.....	W 3 C 3				1		1						1	1	1			1
177	Other acute poisonings (gas excepted).....	W 24 C 12	2 1	3 3	4	1	2	2	2		3	1		5 1	2 1	2 1	2 1		
178	Conflagration.....	W 9 C 13				1	2	1	2		1	1			2		2		
179	Burns (conflagration excepted).....	W 129 C 174	14 7	15 20	13 13	9 20	9 7	20 15	3 9	6 5	3 7	3 8	2 11	9 10	7 7	3 3	7 9	7 22	2 1
180	Mechanical suffocation.....	W 27 C 24	25 22					1			1	1				1			
181	Absorption of irrespirable, irritating, or poisonous gas.....	W 2 C 2									1	1							1
182	Drowning.....	W 58 C 68	1	6	2	1	2	5	4	11 18	4 6	7 8	6 3	4 9	2 3	1 4	2 1	2 2	3
183	Traumatism by firearms (except in war).....	W 53 C 72		1	1	2	2	3	11	11 12	7 16	1 10	3 5	5 6	6 6	1 2	2 1		1
184	Traumatism by cutting or piercing instruments.....	W 8 C 3		1		1		1						1 1	1 1	2 1	1 1		
185	Traumatism by fall.....	W 154 C 32	2 1	6	4			3	5	2 1	4 1	3 3	3 3	6 5	14 10	7 3	19 2	75 6	1 2
186a	Traumatism in mines.....	W 67 C 96				1				9 8	7 18	3 20	6 10	14 16	10 20	3 3			
186b	Traumatism in quarries.....	W 3 C 2									2			1	1				
187	Traumatism by machines.....	W 34 C 17	1					3	5	6 1	10 4	2 4	3 2	4	3	1	2		1

CAUSES OF DEATH, BY AGE

145

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE, BY AGE, IN THE REGISTRATION AREA AND EACH REGISTRATION STATE: 1926—Continued

List No.	CAUSE OF DEATH	All deaths	Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 to 74 years	75 years and over	Age un-known
ALABAMA—Continued																			
XIV.—External causes—Contd.																			
Accidental or undefined—Continued.																			
188a	Railroad accidents.....	83					1	4	1	5	15	10	7	12	7	10	9	1	1
	Collision with automobiles.....	21							1	1	3	3	3	1	3	4	3		3
	Other railroad accidents.....	62				1		2		4	12	7	4	11	4	8	7	1	1
188b	Street-car accidents.....	11		1					1	2	11	14	7	10	10	4	3	2	3
	Collision with automobiles.....	3							1	1				1	1			1	1
	Other street-car accidents.....	7		1					1	1			2	1	1			1	1
188c	Automobile accidents (excluding collision with railroad trains and street cars).....	221	3	1	1		2	22	18	30	24	19	13	15	31	19	13	5	5
188d	Airplane and balloon accidents.....	98	1				1	9	5	11	11	14	3	15	15	4	5	2	2
188e	Injuries by other vehicles.....	4																	
188g	Landslide, other crushing.....	18					2	1	2	2	1	1	1		2	3	5		
189	Injuries by animals (not poisoning).....	6								1					2	1			
192	Starvation (deprivation of food or water).....	15					1	2	3	1		1	1	3	1		1	1	1
193	Excessive cold.....	9						2	1					1					
194	Excessive heat.....	1									1	1							1
195	Lightning.....	2								3	1		1	1	4	1	1	3	1
196	Other accidental electric shocks.....	10						1	1	1	2	5	1	2					1
201	Fracture (cause not specified).....	7								2	1	1	1		1		1	4	
202	Other external violence.....	6						1					2	1	1		1	1	
	White cases.....	73	2	5	3	1	4	6	8	6	1	6	7	8	10	7	2	5	3
	Colored.....	51	6	1	2			3	2	9	3	7	2	4	7	2	2	1	1
	Total.....	1,859	292	10	8	5	6	9	7	11	13	8	8	23	48	58	116	123	7
	XV.—Ill-defined diseases.....	751	292	10	8	5	6	9	7	11	13	8	8	23	48	58	116	123	7
204	Sudden death.....	54	8	1		1		2			1		1	2	5	7	16	12	1
205a	Ill-defined.....	73	5		1			2		2	2	2	3	6	11	17	36	18	1
205b	Not specified or unknown.....	1,826	525	51	10	12	5	24	21	37	48	64	54	108	128	106	117	202	14

ARIZONA

	All causes.....	5,572	1,017	253	92	62	32	117	103	203	291	364	404	660	556	481	482	423	32
I.—Epidemic, endemic, and infectious diseases.....																			
	Typhoid and paratyphoid fever.....	31	2	1		1	1	6	2	5	3	2		5	2	1			
5	Malaria.....	1		1										1					1
6	Smallpox.....	6			1	2		1											
7	Measles.....	1	4	2		1							1	1					
8	Scarlet fever.....	10	1	1	2	2		3											
9	Whooping cough.....	46	21	13	5	4		1	2										
10	Diphtheria.....	21	3	1	3	2	1	5	3		1	1		1					
11a	Influenza (with pulmonary complications).....	146	48	18	3	4	2	2	2	5	2	4	3	10	10	9	15	9	
11b	Influenza (other and unspecified).....	105	23	10	4	4	1	5	5	1	2	2	2	5	4	7	10	19	1
16	Dysentery.....	18	8	4		1								1			2	1	
21	Erysipelas.....	9	6												1	1	1		
22	Acute anterior poliomyelitis.....	4			1			1	1										
23	Lethargic encephalitis.....	3								1					1	1			
24	Meningococcus meningitis.....	7		1	1		1	2		1				1					
28	Rabies.....	1						1											
29	Tetanus.....	5	2		1			1					1						
	Tuberculosis (all forms).....	1,462	19	14	7	4	4	24	31	97	172	235	243	298	182	86	36	7	3
31	Of the respiratory system.....	1,378	7	5	3	2		14	23	90	170	228	240	293	175	85	33	7	3
32	Of the meninges, central nervous system.....	41	9	7	3	2	3	6	3			1	2	1	4				
33	Of the intestines, peritoneum.....	20	3	1		1	2	4	2		2	1		1	2	1	1		
34	Of the vertebral column.....	4			1									1	1				
35	Of the joints.....	2								1							1		
36	Of other organs.....	8					2		2			1		2				1	
37a	Disseminated (acute).....	8							1	2		4		1					
37b	Disseminated (chronic or unspecified).....	1		1															
38	Syphilis.....	36	10	1		1				2			2	7	6	1	3	2	1
40	Gonococcus infection.....	5									2			1	1				1
41	Purulent infection, septicemia.....	2								1							1		
II.—General diseases not included in Class I.....																			
	Cancer and other malignant tumors.....	198		1		1			1	1	3	3	9	18	45	52	40	22	2
43	Of the buccal cavity.....	7														1	1	4	
44	Of the stomach, liver.....	71											1	3	4	16	24	15	8
45	Of the peritoneum, intestines; rectum.....	23											1	3	8	6	5	1	1
46	Of the female genital organs.....	32											1	4	5	11	8	1	1
47	Of the breast.....	11														3	2	1	
48	Of the skin.....	7														1	2	4	
49	Of other or unspecified organs.....	47		1		1			1	1	3	1	1	5	6	16	4	4	1

MORTALITY STATISTICS

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE, BY AGE, IN THE REGISTRATION AREA AND EACH REGISTRATION STATE: 1926—Continued

List No.	CAUSE OF DEATH	All deaths	Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 to 74 years	75 years and over	Age un- known
ARIZONA—Continued																			
II.—General diseases not included in Class I—Contd.																			
51	Acute rheumatic fever.....	4								1	1			1		1			
52	Chronic rheumatism, osteoarthritis, gout.....	8							1					1	2	2	1	1	
54	Pellagra.....	9												1	3	3	2		1
57	Diabetes mellitus.....	37						1		2	2			5	5	6	10	6	
58	Anemia, chlorosis.....	13			1							1	1	1	3	5	1		
60a	Exophthalmic goiter.....	2											1			1			
60b	Other diseases of the thyroid gland.....	1													1				
61	Diseases of the parathyroid glands.....	2		2															
62	Diseases of the thymus gland.....	4		3									1						
63	Diseases of the adrenals (Addison's disease).....	1															1		
65a	Leukemia.....	1							1										
65b	Hodgkin's disease.....	2														2			
66	Alcoholism (acute or chronic).....	11												1	5	4			1
68	Chronic poisoning by organic substances.....	1																	
69	Other general diseases.....	5	4							1				1					
III.—Diseases of the nervous system and of the organs of special sense.....																			
		246	14	5	3	2	2	3	5	8	4	7	4	22	28	36	55	47	1
70	Encephalitis.....	2										1					1		
71a	Simple meningitis.....	17	7	2	1	1			2	1			1	1			1		
71b	Nonepidemic cerebrospinal meningitis.....	4	1	1					1			1							
72	Tabes dorsalis (locomotor ataxia).....	3												1					1
73	Other diseases of the spinal cord.....	9								2				2		1	1	3	
74a	Cerebral hemorrhage.....	121				1				1	2			7	12	25	44	29	
74b	Cerebral embolism and thrombosis.....	2														1	1	1	
75	Paralysis without specified cause.....	23							1			1			6	4	4	7	
76	General paralysis of the insane.....	20								1		1	2	3	5	4	1	1	2
77	Other forms of mental alienation.....	4												1	1	1			
78	Epilepsy.....	7						1		3				1	1				1
80	Infantile convulsions (under 5 years).....	9	6	1	2														
82	Neuralgia and neuritis.....	2														1			1
83	Softening of the brain.....	1																	1
84	Other diseases of the nervous system.....	15					1	1			1	1		3	2	1	3	2	
86a	Diseases of the ear.....	3		1					1					1					
86b	Diseases of the mastoid process.....	4					1	1				1				1			
IV.—Diseases of the circulatory system.....																			
		452	1	2			1	5	8	3	6	10	18	48	53	93	109	91	4
87	Pericarditis.....	3						1							1	1			
88	Endocarditis and myocarditis (acute).....	38	1					1	6	2			7	10	5	1	1	4	
89	Angina pectoris.....	39											1	4	6	9	11	7	
90	Other diseases of the heart.....	328		1			1	3	2	1	6	8	10	30	39	75	83	65	4
91a	Aneurysm.....	8												2	1	4	1		
91b,c	Other diseases of the arteries.....	29												1	3	12	13		
92	Embolism and thrombosis (not cerebral).....	4										1		1			1	1	
93	Diseases of the veins.....	2													1		1		
95	Hemorrhage without specified cause.....	1		1															
V.—Diseases of the respiratory system.....																			
		565	157	49	23	12	6	15	8	13	10	8	21	42	39	45	53	58	6
97a	Diseases of the nasal fossae.....	3																	3
97b	Diseases of the nasal fossae annexe.....	4											2	1	1				
98	Diseases of the larynx.....	2				1													1
99a	Acute bronchitis.....	7	4	1															2
99b	Chronic bronchitis.....	9						1		1			1	3					2
99c,d	Bronchitis (unspecified).....	15	6	2	1														4
100a	Broncho-pneumonia.....	212	95	22	11	4	2	5	1	2	2	1	3	11	6	9	14	22	2
100b	Capillary bronchitis.....	5	4	1															
101a	Lobar pneumonia.....	163	25	7	3	2	2	5	4	10	6	3	6	17	18	21	20	13	1
101b	Pneumonia (unspecified).....	83	21	14	7	4	2	2	1	1	1	1	1	2	7	7	7	10	2
102	Pleurisy.....	13			1	1			1				1	3	2	2			
103	Congestion and hemorrhagic infarct of the lung.....	3		1										1					
104	Gangrene of the lung.....	1																	
105	Asthma.....	29						1		1		1	4	3	3	3	11	1	1
106	Pulmonary emphysema.....	1	1																
107	Other diseases of the respiratory system (tuberculosis excepted).....	15		1								1	1	5	5	1	1		
VI.—Diseases of the digestive system.....																			
		642	297	96	17	14	5	11	14	8	11	11	13	32	43	25	18	26	1
108	Diseases of the mouth and annexe.....	4	1	1								1			1				
109b	Other diseases of the pharynx, tonsils.....	18	3			1	1	2	4		1	1	2	2			1		
110	Diseases of the esophagus.....	1																	1
111a	Ulcer of the stomach.....	14										2	1	4	2	2	1	2	
111b	Ulcer of the duodenum.....	3												3					
112	Other diseases of the stomach (cancer excepted).....	47	17	5	3	2		2	1		1			3	4	3	2	4	
113	Diarrhea and enteritis (under 2 years).....	358	271	87															
114	Diarrhea and enteritis (2 years and over).....	56			12	10	2	3	3		1	3	2	4	3	5	5	8	
117	Appendicitis and typhlitis.....	59			1	1	3	6	6	7	4	2	8	13	6	1	1	1	
118a	Hernia.....	9	1	1										1	1	1	3		
118b	Intestinal obstruction.....	17	1	1	1					2		2	2	2	4	1		1	
119	Other diseases of the intestines.....	5	1		1									1				1	1
122	Cirrhosis of the liver.....	22			1						1			2	8	5	1	5	
123	Biliary calculi.....	9												1	3	1	1	1	
124	Other diseases of the liver.....	11		1									1	3	2	1	2	1	
125	Diseases of the pancreas.....	2								1						1		1	
126	Peritonitis without specified cause.....	7	2				1	1							1	1		1	

CAUSES OF DEATH, BY AGE

147

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE, BY AGE, IN THE REGISTRATION AREA AND EACH REGISTRATION STATE: 1926—Continued

List No.	CAUSE OF DEATH	All deaths	Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 to 74 years	75 years and over	Age un- known
ARIZONA—Continued																			
	VII.—Nonvenereal diseases of the genito-urinary system and annexa.....	235	3	2	1			2	3	2	2	3	9	30	35	38	57	48	
128	Acute nephritis (including unspecified under 10 years).....	23	1	1		1		1	2				1	4	5	2	3	2	
129	Chronic nephritis (including unspecified 10 years and over).....	170		1				1	1	1	1	3	5	20	23	30	43	41	
131	Other diseases of the kidneys and annexa.....	6	2										1	1	2				
132	Calculi of the urinary passages.....	1								1									
133	Diseases of the bladder.....	7													3	2	1	1	
134	Diseases of the urethra, etc.....	4												1	1	1		1	
135	Diseases of the prostate.....	14											1	1	1	1	9	3	
137	Cysts, other benign tumors of the ovary.....	2											1	1	1				
138	Salpingitis and pelvic abscess (female).....	3											1	1	1				
139	Benign tumors of the uterus.....	2												1			1		
140	Nonpuerperal uterine hemorrhage.....	1												1					
141	Other diseases of the female genital organs.....	2									1			1					
	VIII.—The puerperal state.....	86								14	18	13	13	27					1
143	Accidents of pregnancy.....	5									1	1		3					
144	Puerperal hemorrhage.....	14								2	2	2		7					1
145	Other accidents of labor.....	5								2	2	2		3					
146	Puerperal septicemia.....	30								5	5	6	7	7					
147	Puerperal phlegmasia alba dolens, embolus, etc.....	6								1		1		4					
148	Puerperal albuminuria and convulsions.....	25								4	10	2	6	3					
149	Following childbirth (undefined).....	1										1							
	IX.—Diseases of the skin and of the cellular tissue.....	9	4		1					1		1							2
151	Gangrene.....	3										1							2
152	Furuncle.....	1								1									
153	Acute abscess.....	3			1														
154	Other diseases of the skin and annexa.....	2	2																
	X.—Diseases of the bones and of the organs of locomotion.....	5	1					1		3									
155	Diseases of the bones (tuberculosis excepted).....	4						1		3									
156	Diseases of the joints (tuberculosis and rheumatism excepted).....	1	1																
	XI.—Malformations.....	44	43					1											
159a	Congenital hydrocephalus.....	1	1																
159b	Congenital malformations of the heart.....	27	26					1											
159c	Other congenital malformations.....	16	16																
	XII.—Early infancy.....	259	259																
160	Congenital debility, icterus, sclerema.....	64	64																
161a	Premature birth.....	154	154																
161b	Injury at birth.....	21	21																
162	Other diseases peculiar to early infancy.....	20	20																
164	XIII.—Old age (senility).....	66														5	14	46	1
	XIV.—External causes.....	545	24	15	12	4	6	20	14	30	44	60	56	88	71	40	36	18	7
	Suicide.....	51								1	4	6	1	11	12	5	7	2	2
165	By poisons (gas or corrosives excepted).....	3										2	1						
166	By corrosive substances.....	7									2	1		1	2	1			
167	By poisonous gas.....	2												1					1
168	By hanging or strangulation.....	4													1	1	1	1	
169	By drowning.....	1														1			
170	By firearms.....	29									1	3		8	8	2	6	1	
171	By cutting or piercing instruments.....	3									1			1					1
173	By crushing.....	1													1				
174	By other means.....	1																	
	Homicide.....	68	2		1					1	5	10	15	14	8		3	2	2
197	By firearms.....	47	1		1					1	4	6	12	11	7		2	2	2
198	By cutting or piercing instruments.....	8										4	2						
199	By other means.....	8											1	1					
	Accidental or undefined.....	431	22	15	11	4	6	20	14	28	35	44	40	68	51	35	26	14	3
175	Poisoning by food.....	4						1									1	2	
176	Poisoning by venomous animals.....	11	3	3	1		1	2	1								1	1	
177	Other acute poisonings (gas excepted).....	8		1	2			1					1		2			1	
178	Conflagration.....	7													3				
179	Burns (conflagration excepted).....	30	2	1	2	3	1	3	2	2	2	1	2	1	3		2	1	
180	Mechanical suffocation.....	7	6											1	3				
181	Absorption of irrespirable, irritating, or poisonous gas.....	1																	
182	Drowning.....	28	3	6	4	1	1	1	1	1	2	1		2	1	2	1		
183	Traumatism by firearms (except in war).....	21			1			1	2	5	3	4		4		1			
184	Traumatism by cutting or piercing instruments.....	1																	
185	Traumatism by fall.....	38	3	1				3	2	1	3	2	1	4	3	5	4	6	
186a	Traumatism in mines.....	38							2	2	6	8	4	12	2	2			2
187	Traumatism by machines.....	13		1							2	2	4	2	2				

MORTALITY STATISTICS

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE, BY AGE, IN THE REGISTRATION AREA AND EACH REGISTRATION STATE: 1926—Continued

List No.	CAUSE OF DEATH	All deaths	Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 to 74 years	75 years and over	Age un-known
<b>ARIZONA—Continued</b>																			
XIV.—External causes—Contd.																			
Accidental or undefined—Continued.																			
188a	Railroad accidents	31								4	5	5	4	5	1	4	2	1	
	Collision with automobiles	3														3			
	Other railroad accidents	28								4	5	5	4	5	1	1	2	1	
188c	Automobile accidents (excluding collision with railroad trains and street cars)	116		2	1		3	5	4	7	9	9	15	19	20	12	9	1	
188d	Airplane and balloon accidents	2								1			1						
188e,f	Injuries by other vehicles	8						1		2						2	1	1	
188g	Landslide, other crushing	5							1						1				
189	Injuries by animals (not poisoning)	3						1										1	
193	Excessive cold	3													1	2			
194	Excessive heat	16	3							1		2	1	3	4	1	1		
195	Lightning	9							1	1	1	3	1	1	1	1			
196	Other accidental electric shocks	10	1						1	1	1	2	1	2	1	1			1
201	Fracture (cause not specified)	6							1	1			1	1	1	1	1	1	
202	Other external violence	15	1					1		1	4	1	1	2	1	2	2		
	XV.—Ill-defined diseases	193	60	15	6	3	1	6	2	3	6	3	6	11	16	16	18	19	2
204	Sudden death	9	4													3	1	1	
205a	Ill-defined	73	12	9	3	2									9	9	11	7	
205b	Not specified or unknown	111	44	6	3	1	1	6	2	3	5	3	4	3	7	4	6	11	2

**CALIFORNIA**

	All causes	58,914	5,202	897	480	330	264	905	688	1,195	1,783	2,036	2,083	5,684	7,155	9,137	10,428	10,642	5
	I.—Epidemic, endemic, and infectious diseases	8,994	492	297	189	120	108	334	227	478	751	836	745	1,518	1,170	834	540	355	
1	Typhoid and paratyphoid fever	121	2	2	1	1	2	4	16	16	20	10	3	26	7	8	3	1	
5	Malaria	14	1	1					1	1		3	2	2	2		1	1	
6	Smallpox	235	9	2	4	1	3	4	2	13	19	22	16	47	45	31	14	3	
7	Measles	126	38	32	18	6	7	12	4	4	2	1	1	1				1	
8	Scarlet fever	49		3	6	4	5	17	5	1		3	2	1					
9	Whooping cough	172	93	46	17	7	4	5	17	5									
10	Diphtheria	298	11	31	36	33	20	96	26	4	3	4	5	7	5	5	2	1	
11a	Influenza (with pulmonary complications)	742	94	32	17	5	9	22	10	10	11	28	29	80	99	79	97	120	
11b	Influenza (other and unspecified)	344	42	15	8	7	5	11	9	12	9	8	14	35	21	38	40	70	
13	Mumps	6	1			1	1	1						1	1				
15	Cholera nostras	1																	
16	Dysentery	85	21	15	5	3		5	1		1	1	2	8	7	2	5	9	
20	Leprosy	1																	
21	Erysipelas	63	19	3	1			2	1	1		3	1	5	7	7	6	7	
22	Acute anterior poliomyelitis	36	3	8	3	3	1	8	4	4	1	1	1	1					
23	Lethargic encephalitis	64	4	3	3	1		1	4	5	3	1	3	14	8	8	4	2	
24	Meningococcus meningitis	116	20	6	4	5	6	13	7	14	13	7	3	10	6	2			
25	Other epidemic and endemic diseases	6	3				1		1					1					
27	Anthrax	1																	
28	Rabies	5			1		1	3											
29	Tetanus	44	4		1	1	2	12	6	1		2	1	6	3	2	1	1	
30	Mycoses	11	2											1	3	2	1		
	Tuberculosis (all forms)	5,818	70	92	62	40	31	111	124	382	643	711	618	1,161	823	549	290	111	
31	Of the respiratory system	5,136	26	29	19	17	12	38	90	342	588	666	577	1,091	761	516	265	99	
32	Of the meninges, central nervous system	240	26	37	29	14	14	39	16	12	12	11	2	14	9	1	3	1	
33	Of the intestines, peritoneum	173	2	7	1	2	2	11	9	14	23	14	12	26	23	17	7	3	
34	Of the vertebral column	38				1	1	4	3	2	3	1	1	5	7	4	3	3	
35	Of the joints	14						3	2			1	2	2	3	1	2	2	
36	Of other organs	83		2	3		1	2		1	7	12	13	12	13	8	6	3	
37a	Disseminated (acute)	110	14	15	9	4	1	12	4	11	9	5	8	8	5	1	4		
37b	Disseminated (chronic or unspecified)	24	2	2	1	2		2			1	1	5	3	2	2	1		
38	Syphilis	560	50	5	1	1		6	2	5	14	24	36	100	122	98	70	26	
40	Gonococcus infection	33	1							7	7	6	7	9	3				
41	Purulent infection, septicemia	41	3	1	1	1	1	4	2	4	2	2	2	3	8	1	6	2	
42	Other infectious diseases	2							1			1							
	II.—General diseases not included in Class I	7,781	124	22	26	14	12	46	38	41	63	101	139	683	1,351	1,949	1,986	1,185	1
	Cancer and other malignant tumors	5,660	4	7	7	1	5	9	9	6	21	46	91	481	1,047	1,476	1,507	943	
43	Of the buccal cavity	196											1	3	11	38	36	32	54
44	Of the stomach, liver	1,940	1	1						1		3	5	19	102	295	619	339	
45	Of the peritoneum, intestines, rectum	859			3		1	1		1	4	6	18	74	142	215	243	151	
46	Of the female genital organs	829					1	2		2	9	28	209	122	209	218	165	73	
47	Of the breast	583									1	5	88	175	153	91	70		
48	Of the skin	139	1								3	1	4	7	25	45	53		
49	Of other or unspecified organs	1,114	2	6	4	1	3	5	8	5	12	21	17	80	181	274	292	203	
50	Tumors, benign and unqualified (tumors of the female genital organs excepted)	42	1		1		1	1		4	1	3	7	6	8	6	4	4	
51	Acute rheumatic fever	60			1		2	4	5	9	6	5	1	3	4	8	8	4	
52	Chronic rheumatism, osteoarthritis, gout	55							1		1		1	3	6	5	18	20	
53	Scurvy	3	1													1			
54	Pellagra	45						1					1	3	12	9	7	3	
56	Rickets	17	14	3															
57	Diabetes mellitus	877	1			2	1	11	10	12	12	8	11	45	115	247	266	185	1
58	Anemia, chlorosis	325	3	1	4	1	3	3	1	3	2	5	6	23	50	92	97	34	
59	Diseases of the pituitary gland	5										1	1	1	2	1	1		
60a	Exophthalmic goiter	128							1	1	4	4	7	20	38	26	25	7	

CAUSES OF DEATH, BY AGE

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE, BY AGE, IN THE REGISTRATION AREA AND EACH REGISTRATION STATE: 1926—Continued

List No.	CAUSE OF DEATH	All deaths	Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 to 74 years	75 years and over	AGE UN- KNOWN
<b>CALIFORNIA—Continued</b>																			
<b>II.—General diseases not included in Class I—Continued.</b>																			
60b	Other diseases of the thyroid gland	36	3	3	1	3			1					3	3	4	7	7	
61	Diseases of the parathyroid glands	6	4		2														
62	Diseases of the thymus gland	68	44	3	6	1		4	3	4	1	2							
63	Diseases of the adrenals (Addison's disease)	26											1	10	4	5	1	4	
64	Diseases of the spleen	8						1		1				1	1	2	1	1	
65a	Leukemia	115	6	3	3	3	2	7	6	3	2	7	3	13	16	20	18	3	
65b	Hodgkin's disease	50	1		1			4		4	1	3	1	8	10	4	6	3	
66	Alcoholism (acute or chronic)	139									1	6	8	44	40	29	9	2	
67a	Chronic lead poisoning	8													1	3	2		
67b	Other chronic mineral poisoning	2									1								
68	Chronic poisoning by organic substances	18											3	1	5	4	1	1	
69	Other general diseases	88	42	2	1	2	2	1	1	2	4	1	2	3	4	1	4	7	12
<b>III.—Diseases of the nervous system and of the organs of special sense</b>																			
		5,952	92	37	28	17	15	63	47	57	54	71	95	442	705	1,159	1,476	1,593	1
70	Encephalitis	73	8	4	1	1	1	3	3	2	10	1	7	9	7	10	4	2	
71a	Simple meningitis	122	17	7	11	3	4	11	11	8	5	8	7	10	11	3	4	2	
71b	Nonepidemic cerebrospinal meningitis	28	5	5	2	3	1	2		5		1	1	1	1			1	
72	Tabes dorsalis (locomotor ataxia)	111											1	13	31	42	15	9	
73	Other diseases of the spinal cord	161	1	2		1	1	1	1	4	1	1	4	13	27	34	45	25	
74a	Cerebral hemorrhage	3,898	3					5	2	5	8	14	16	127	363	839	1,175	1,836	
74b	Cerebral embolism and thrombosis	231						1	2	2	2	1	3	10	31	38	75	68	
75	Paralysis without specified cause	178						1			3	1	1	4	15	31	52	71	
76	General paralysis of the insane	421								2	1	6	25	157	122	76	24	8	
77	Other forms of mental alienation	75								1	4	5	2	28	10	10	7	8	
78	Epilepsy	123	2		4		2	4	7	10	12	12	10	21	12	11	10	5	1
79	Convulsions (nonpuerperal; 5 years and over)	3							1			1					1		
80	Infantile convulsions (under 5 years)	19	12	4	2	1													
81	Chorea	1													1				
82	Neuralgia and neuritis	6													1				3
83	Softening of the brain	36														4	9	8	15
84	Other diseases of the nervous system	266	5	2	3	3	1	8	7	7	2	13	9	30	54	41	47	34	
85	Diseases of the eye and annexa	6	1														1	3	
86a	Diseases of the ear	124	30	10	4	4	3	15	7	10	4	5	5	14	6	7	5	8	3
86b	Diseases of the mastoid process	70	8	3	1	1	2	12	7	1	2	3	4	4	6	5	8		
<b>IV.—Diseases of the circulatory system</b>																			
		12,411	26	13	8	5	7	34	41	78	96	128	163	659	1,302	2,396	3,376	4,079	
87	Pericarditis	44		1		1			1		1	5	5	7	7	12	3		
88	Endocarditis and myocarditis (acute)	402	10	3	3	2	2	10	10	17	20	24	26	108	322	46	43	46	
89	Angina pectoris	1,004										4	59	139	267	334	194		
90	Other diseases of the heart	9,471	13	8	5	2	5	28	30	60	69	91	112	431	977	1,795	2,631	3,218	
91a	Aneurysm	209									2	3	5	22	56	64	42	15	
91b,c	Other diseases of the arteries	1,014							1	1				13	50	143	261	555	
92	Embolism and thrombosis (not cerebral)	231	2	1							2	3	7	13	34	66	58	45	
93	Diseases of the veins	22									1	1	1	5	5	5	4	1	
94	Diseases of the lymphatic system	6	1					1											
95	Hemorrhage without specified cause	5													1		1	1	
96	Other diseases of the circulatory system	3														2		1	
<b>V.—Diseases of the respiratory system</b>																			
		4,352	806	216	76	45	29	84	57	72	76	105	120	357	430	476	578	825	
97a	Diseases of the nasal fossae	4	1										1	1	1			1	
97b	Diseases of the nasal fossae annexa	39							4	1	6	4	4	10	6	1	2	1	
98	Diseases of the larynx	12	1	1		1	2				1	1		2	4	4	12	30	
99a	Acute bronchitis	90	27	4	2			2						4	10	17	26	56	
99b	Chronic bronchitis	118	3	2										4	1	2	14	26	
99c,d	Bronchitis (unspecified)	60	13	2										2	10	11	14	26	
100a	Broncho-pneumonia	1,681	561	123	46	27	15	29	20	16	17	24	31	80	89	117	173	313	
100b	Capillary bronchitis	36	12	5	1			1						1	1	3	8	13	
101a	Lobar pneumonia	1,792	149	69	19	12	10	41	28	43	42	59	68	205	252	265	277	263	
101b	Pneumonia (unspecified)	101	27	8	3	2	1	1	2	1	4	1	1	5	8	4	16	18	
102	Pleurisy	183	10	9	4	2	1	5	2	6	6	10	10	22	19	23	13	11	
103	Congestion and hemorrhagic infarct of the lung	89	1					1						3	1	7	13	65	
104	Gangrene of the lung	10		1							1			3	3	2			
105	Asthma	89		1	1			2		2		1	2	10	17	17	17	19	
106	Pulmonary emphysema	7												1	1	3	2		
107	Other diseases of the respiratory system (tuberculosis excepted)	71	1	1		1		3	1	3	1	2	3	9	15	13	9	9	
<b>VI.—Diseases of the digestive system</b>																			
		4,546	974	196	78	50	36	109	66	74	126	125	147	490	591	598	514	372	
108	Diseases of the mouth and annexa	23	1	1				1		2	1	3	3	4	4	4	2	1	
109b	Other diseases of the pharynx, tonsils	164	6	7	8	5	5	25	7	13	21	6	10	20	13	9	8	1	
110	Diseases of the esophagus	7						1						1	3	1			
111a	Ulcer of the stomach	304	2	1						1	6	7	16	70	58	67	37	40	
111b	Ulcer of the duodenum	130								1	2	4	11	26	40	23	14	9	
112	Other diseases of the stomach (cancer excepted)	189																	
113	Diarrhea and enteritis (under 2 years)	1,038	870	168	5	3		1	2	2	3	5	2	8	26	21	33	40	
114	Diarrhea and enteritis (2 years and over)	261			51	26	18	23	3	1	6	3	10	17	21	17	24	41	
116	Diseases due to other intestinal parasites	2														2			
117	Appendicitis and typhlitis	636	3	2	4	12	7	40	40	43	40	54	42	133	132	73	45	16	
118a	Hernia	204	12							1	3	2	7	9	31	40	55	44	
118b	Intestinal obstruction	426	40	5	5	1	5	9	8	7	21	18	18	57	71	61	53	47	

MORTALITY STATISTICS

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE, BY AGE, IN THE REGISTRATION AREA AND EACH REGISTRATION STATE: 1926—Continued

List No.	CAUSE OF DEATH	All deaths	Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 to 74 years	75 years and over	Age un- known
<b>CALIFORNIA—Continued</b>																			
<b>VI.—Diseases of the digestive system—Continued.</b>																			
119	Other diseases of the intestines.....	50	3	3	2	1		1	1		2	1	1	8	2	7	8	10	
120	Acute yellow atrophy of the liver.....	26								1	4	2	3	3	4	3		6	
121	Hydatid tumor of the liver.....	2													1		1		
122	Cirrhosis of the liver.....	510				1					2	5	5	63	93	145	124	72	
123	Biliary calculi.....	202									2	5	2	29	34	57	51	22	
124	Other diseases of the liver.....	218		1	1			2		3	7	7	7	26	44	56	47	17	
125	Diseases of the pancreas.....	45							1		1			11	12	5	7	3	
126	Peritonitis without specified cause.....	59	5	2	2	1	1	6	3	1	4	5	5	6	4	7	5	2	
<b>VII.—Nonvenereal diseases of the genito-urinary system and annexa</b>																			
		5,160	30	4	5		5	21	20	43	52	82	130	420	657	982	1,339	1,365	
128	Acute nephritis (including unspecified under 10 years).....	170	11	1	4	1	3	8	9	9	9	5	11	24	27	17	13	18	
129	Chronic nephritis (including unspecified 10 years and over).....	4,114	1			2	2	12	10	24	23	43	72	287	527	848	1,121	1,142	
131	Other diseases of the kidneys and annexa.....	154	15	3	1	2		1		2	3	6	5	15	19	23	22	37	
132	Calculi of the urinary passages.....	50									1	1	3	6	10	12	9	8	
133	Diseases of the bladder.....	39											1	2	4	6	4	22	
134	Diseases of the urethra, etc.....	11											1	2	1	2	5		
135	Diseases of the prostate.....	324										1		5	5	38	150	125	
136	Nonvenereal diseases of the male genital organs.....	5	3										1		1				
137	Cysts, other benign tumors of the ovary.....	80							1		5	4	5	19	15	18	7	6	
138	Salpingitis and pelvic abscess (female).....	85							5		8	15	16	24	10	4	3		
139	Benign tumors of the uterus.....	107									1	2	11	34	37	13	3	6	
141	Other diseases of the female genital organs.....	20							3	1	5	4	2	1	1	1	2	1	
142	Nonpuerperal diseases of the breast (cancer excepted).....	1									1								
<b>VIII.—The puerperal state</b>																			
		468							40	101	122	101	99	5					
143	Accidents of pregnancy.....	63							5	7	22	11	17	1					
144	Puerperal hemorrhage.....	42							3	9	8	7	13	2					
145	Other accidents of labor.....	58								12	14	15	16	1					
146	Puerperal septicemia.....	175							18	42	40	43	31	1					
147	Puerperal phlegmasia alba dolens, embolus, etc.....	20								3	7	5	5						
148	Puerperal albuminuria and convulsions.....	110							14	28	31	20	17						
<b>IX.—Diseases of the skin and of the cellular tissue</b>																			
		122	10	2	1	1			5	5	5	4	6	12	7	18	21	25	
151	Gangrene.....	37							1					2	3	4	10	17	
152	Furuncle.....	25			1				4	1	2	2	2	3	3	3	2	2	
153	Acute abscess.....	30	1	1		1			1	2	3	1	3	4	4	7	5	1	
154	Other diseases of the skin and annexa.....	30	9						1	1	1	1	1	3	1	4	4	5	
<b>X.—Diseases of the bones and of the organs of locomotion</b>																			
		74	3	2		2	4	10	6	9	5	3	3	5	8	9	4	1	
155	Diseases of the bones (tuberculosis excepted).....	63	2	2		2	4	9	5	7	5	2	3	4	6	9	3		
156	Diseases of the joints (tuberculosis and rheumatism excepted).....	9						1	1	2			1	1			1	1	
158	Other diseases of the organs of locomotion.....	2	1												1				
<b>XI.—Malformations</b>																			
		547	488	14	6	5	4	12	3	6			3	2	2	1		1	
159a	Congenital hydrocephalus.....	55	40	4	1	2	3	3		2									
159b	Congenital malformations of the heart.....	316	284	9	5	3	1	8		3				2	1				
159c	Other congenital malformations.....	176	164	1				1	3	1							1		
<b>XII.—Early infancy</b>																			
		2,043	2,043																
160	Congenital debility, icterus, sclerema.....	261	261																
161a	Premature birth.....	1,295	1,295																
161b	Injury at birth.....	314	314																
162	Other diseases peculiar to early infancy.....	166	166																
163	Lack of care.....	7	7																
<b>XIII.—Old age (senility)</b>																			
		354														7	46	301	
<b>XIV.—External causes</b>																			
		6,000	91	86	59	64	42	191	175	292	452	455	428	981	912	702	531	536	3
<b>Suicide</b>																			
		1,128							1	20	60	79	86	233	267	196	135	51	
166	By poisons (gas or corrosives excepted).....	118								6	7	15	7	29	24	21	8	1	
166	By corrosive substances.....	78								4	8	10	10	20	16	4	5	1	
167	By poisonous gas.....	244								3	12	15	21	45	57	56	25	10	
168	By hanging or strangulation.....	130							1	1	5	4	10	23	33	21	21	11	
169	By drowning.....	52									1	3	4	12	11	9	9	3	
170	By firearms.....	386								6	26	25	27	76	98	56	53	19	
171	By cutting or piercing instruments.....	80										5	4	16	21	20	9	5	
172	By jumping from high places.....	22										1	2	1	7	4	3	3	
173	By crushing.....	8											1	2	1	4	2	1	
174	By other means.....	10											1	3	2	2	2	2	
<b>Homicide</b>																			
		373	6	1	2	3	4	6	9	14	48	64	40	94	40	29	6	6	
197	By firearms.....	249						5	9	33	54	33	66	26	16	5	2	2	
198	By cutting or piercing instruments.....	41	1					1	1	1	8	5	5	12	3	3	3	1	
199	By other means.....	83	5	1	2	3	4	5	3	4	7	5	2	16	11	10	1	3	

CAUSES OF DEATH, BY AGE

151

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE, BY AGE, IN THE REGISTRATION AREA AND EACH REGISTRATION STATE: 1926—Continued

List No.	CAUSE OF DEATH	All deaths	Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 to 74 years	75 years and over	Age un-known
CALIFORNIA—Continued																			
XIV.—External causes—Contd.																			
	Accidental or undefined	4,499	85	85	57	61	38	185	165	258	344	312	302	654	605	477	390	479	2
175	Poisoning by food	35	3	1		2		2	1						3	3	2	2	
176	Poisoning by venomous animals	12	1				1	2	1						4	1		1	
177	Other acute poisonings (gas excepted)	112		15	6	3	1	2		2	4	7	8	24	20	14	6		
178	Conflagration	66	7	5	2	3		3			3	1	1	11	9	11	7	3	
179	Burns (conflagration excepted)	236	10	13	19	17	7	9	14	10	16	9	7	23	34	13	18	17	
180	Mechanical suffocation	48	20	1			1			3	4	3	7		5	2			
181	Absorption of irrespirable, irritating, or poisonous gas	110						3	1	1	8	14	9	21	20	12	8	13	
182	Drowning	403	3	17	15	6	2	28	43	48	36	30	18	57	53	24	12	12	9
183	Traumatism by firearms (except in war)	104		2			1	7	19	17	11	9	6	11	9	10	1	1	
184	Traumatism by cutting or piercing instruments	29				2		3	2	2	1	2	2	6	5	2	2	1	
185	Traumatism by fall	749	2	6	3	1	2	12	8	18	24	27	32	85	60	78	100	291	
185a	Traumatism in mines	46									3	6	11	10	14				
185b	Traumatism in quarries	5																	
187	Traumatism by machines	135						2		7	15	23	20	32	18	15	3		
188a	Railroad accidents	320	1	2	1	1	2	10	8	15	27	23	27	62	73	42	15	11	
	Collision with automobiles	124	1	1	1	1	2	7	5	7	13	9	13	22	31	14	6	2	
	Other railroad accidents	196						3	3	8	14	14	14	40	42	28	9	9	
188b	Street-car accidents	141		1				6	2	4	8	9	11	16	29	24	15	13	
	Collision with automobiles	62						1	2	3	3	8	7	14	13	7	3	13	
	Other street-car accidents	79		1		3		5	1	1	5	4	4	2	16	17	12	13	
188c	Automobile accidents (excluding collision with railroad trains and street cars)	1,464	8	13	8	14	18	89	49	107	129	108	101	213	186	168	153	100	
188d	Airplane and balloon accidents	25						2	2	3	10	2	2	5	2				
188e	Injuries by other vehicles	60				2	1	3	3	7	7	4	3	7	3	9	13	2	
188g	Landslide, other crushing	54				2		1		4	7	7	6	8	2	7	5	2	
189	Injuries by animals (not poisoning)	14		1			1				2				2	2	4	1	
192	Starvation (deprivation of food or water)	3													1		1	1	
193	Excessive cold	3														3			
194	Excessive heat	46	16			2		1			1	2	1	2	7	4	5	5	
195	Lightning	1												1					
196	Other accidental electric shocks	54	1					2	3	11	6	8	11	6	8	2	2	1	
201	Fracture (cause not specified)	13		1										6	4	4	1	1	
202	Other external violence	211	13	7	2	3	1	5	10	10	14	19	19	32	35	21	15	5	
XV.—Ill-defined diseases																			
204	Sudden death	7	6															1	
205a	Ill-defined	46	8	5	4		1							6	6	6	7	3	
205b	Not specified or unknown	57	9	3		2	1	1	3		2	1	4	10	10	1	8	2	

COLORADO

	All causes	1,646	296	135	97	74	260	226	320	425	545	588	1,094	1,271	1,549	1,919	1,817	11	
	I.—Epidemic, endemic, and infectious diseases	2,670	286	111	54	41	28	94	57	114	195	301	316	378	266	198	135	113	3
1	Typhoid and paratyphoid fever	62		3	1		1	11	7	11	8	3	6	2	1				
6	Smallpox	1												1					
7	Measles	13	4	2	2		1			1	1			1					
8	Scarlet fever	22	1		1	3	5	7	2	1	1			1					
9	Whooping cough	182	98	47	14	12	1	7	2										
10	Diphtheria	97	5	2	12	13	7	35	7	8	1		3	3					
11a	Influenza (with pulmonary complications)	363	79	33	13	5	5	11	14	5	5	10	8	30	33	33	38	41	
11b	Influenza (other and unspecified)	230	39	12	3	2	4	13	6	9	5	7	3	9	20	18	34	46	
13	Mumps	1							1										
15	Cholera nostras	1	1																
16	Dysentery	15	2	2	2				1	1	1						3	3	
21	Erysipelas	37	8	1					1		2	2	3	3	1	6	4	6	
22	Acute anterior poliomyelitis	8	1	1	1	1		1						1	1	1	1	6	
23	Lethargic encephalitis	17			1	1	1			2		2	1	1	5	3			
24	Meningococcus meningitis	11	1	1			1		3		1		2	1				1	
25	Other epidemic and endemic diseases	3	2																
29	Tetanus	4							1					1					
30	Mycoses	1													1				
	Tuberculosis (all forms)	1,527	9	7	4	3	2	8	11	71	168	267	289	311	191	121	46	16	3
31	Of the respiratory system	1,443	1	1			1	7	7	65	163	263	276	305	182	117	45	14	3
32	Of the meninges, central nervous system	30	3	4	3	2	2	5	1	3	2		1	3	1				
33	Of the intestines, peritoneum	18		1				1	1	1	1		6	3	3	1			
34	Of the vertebral column	4								1			2			1			
35	Of the joints	3											1					1	
36	Of other organs	14	2					1	1	1	1		1		4	2			
37a	Disseminated (acute)	12	3	1	1			1	1	1	2		1		1			1	
37b	Disseminated (chronic or unspecified)	3																	
38	Syphilis	62	15				1	1	1	3	1	1	12	9	11		4		
40	Gonococcus infection	10	1						4			2	2	1					
41	Purulent infection, septicemia	3						1			1				1				
II.—General diseases not included in Class I.																			
		1,294	24	6	3	3	2	13	15	20	9	22	30	111	235	288	327	186	
	Cancer and other malignant tumors	869		1	1			2	3	4	2	8	13	70	173	200	241	151	
43	Of the buccal cavity	24												1	3	8	5	6	
44	Of the stomach, liver	335								1	2	3	4	20	56	80	111	58	

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE, BY AGE, IN THE REGISTRATION AREA AND EACH REGISTRATION STATE: 1926—Continued

List No.	CAUSE OF DEATH	All deaths	Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 to 74 years	75 years and over	Age un- known
<b>COLORADO—Continued</b>																			
<b>II.—General diseases not included in Class I—Contd.</b>																			
<b>Cancer and other malignant tumors—Continued.</b>																			
45	Of the peritoneum, intestines, rectum	104							1	2			1	5	12	30	31	22	
46	Of the female genital organs	127											4	24	42	22	24	11	
47	Of the breast	84											2	7	29	25	13	8	
48	Of the skin	25												1	5	3	8	8	
49	Of other or unspecified organs	170		1	1			2	2	1		4	2	12	26	32	49	38	
50	Tumors, benign and unqualified (tumors of the female genital organs excepted)	9			1								2	2		1	2	1	
51	Acute rheumatic fever	28				1	1	4	4	4			2	1	2	5	3	1	
52	Chronic rheumatism, osteoarthritis, gout	10													3	2	5		
53	Scurvy	1								1									
54	Pellagra	1												1					
56	Rickets	5	4		1														
57	Diabetes mellitus	142		1			1	4	3	6	3	4	3	3	14	35	40	25	
58	Anemia, chlorosis	66	2	1						1				7	12	21	20	2	
59	Diseases of the pituitary gland	3								1				1	1				
60a	Exophthalmic goiter	40								1	3	3	1	10	15	5	3		
60b	Other diseases of the thyroid gland	10		1										1	2	3	2		
62	Diseases of the thymus gland	12	11						1										
63	Diseases of the adrenals (Addison's disease)	9											1	1	3		1	1	
64	Diseases of the spleen	1													2			1	
65a	Leukemia	29		1				1	3	2	1	1	1	1	2	4	5	4	4
65b	Hodgkin's disease	12				1				1			1	2	2				
66	Alcoholism (acute or chronic)	24											1	2	6	5	8	1	1
67a	Chronic lead poisoning	2															1	1	
68	Chronic poisoning by organic substances	3				1							2	1					
69	Other general diseases	18	7	1				2	1							2	4		
<b>III.—Diseases of the nervous system and of the organs of special sense</b>																			
		1,079	18	8	4	5	3	8	9	12	4	13	13	60	105	216	294	307	
70	Encephalitis	8		2								1		2	2	1			
71a	Simple meningitis	20	2	1	1	2	1	1	1	2		1	1	3	2	1	1		
71b	Nonepidemic cerebrospinal meningitis	6	3				1							1	1				
72	Tabes dorsalis (locomotor ataxia)	13												3	1	5	4	9	
73	Other diseases of the spinal cord	37	2			1				3			2	2	4	9	4		
74a	Cerebral hemorrhage	745	2			1		1		2	1	5	3	22	60	159	242	248	24
74b	Cerebral embolism and thrombosis	46	2			1			1	2	1		2	2	1	6	9	11	13
75	Paralysis without specified cause	34												2	2	7	7	5	1
76	General paralysis of the insane	55												2	16	16	15	1	
77	Other forms of mental alienation	5												1	1	2	3	2	
78	Epilepsy	24			1			3	5	1	2			4	3		3	2	
79	Convulsions (nonpuerperal; 5 years and over)	1													1				
80	Infantile convulsions (under 5 years)	5	4			1							1						
81	Chorea	1											1						
82	Neuralgia and neuritis	3											1			2	1	1	
83	Softening of the brain	2																	
84	Other diseases of the nervous system	46	1	1	1			3	1				2	1	4	7	8	10	7
85	Diseases of the eye and annexa	3												1	1	2	1	1	
86a	Diseases of the ear	17	1	4			1	2	2		1			1	1	1	1	1	
86b	Diseases of the mastoid process	8	1					1	1						2		2	1	
<b>IV.—Diseases of the circulatory system</b>																			
		1,748	9	1	2	1	4	30	30	31	19	26	34	98	187	302	479	493	2
87	Pericarditis	14							2	1		1		3	2	4	1	1	
88	Endocarditis and myocarditis (acute)	63	4			1	1	5	7	3	3	6	3	9	3	5	4	9	
89	Angina pectoris	173											1	8	25	52	59	28	
90	Other diseases of the heart	1,261	5	1	2		2	24	20	27	16	17	28	70	135	206	356	350	2
91a	Aneurysm	30											2	5	11	7	4	1	
91b,c	Other diseases of the arteries	168												1	2	17	50	98	
92	Embolism and thrombosis (not cerebral)	31								1		2		1	9	9	3	6	
93	Diseases of the veins	6					1							1	1	1	2	1	
95	Hemorrhage without specified cause	1						1											
96	Other diseases of the circulatory system	1														1			
<b>V.—Diseases of the respiratory system</b>																			
		1,226	302	63	21	15	12	16	22	17	19	16	31	79	104	126	195	186	2
97b	Diseases of the nasal fossae annexa	14							1		2		2	4	1	2	1	1	
98	Diseases of the larynx	6	2	2				1	1							1		6	
99a	Acute bronchitis	20	8	2	1								1	2	2	2	8	5	4
99b	Chronic bronchitis	6																	
99c,d	Bronchitis (unspecified)	6																	
100a	Broncho-pneumonia	457	214	28	16	9	6	5	5	2	3	1	3	10	15	22	45	73	
100b	Capillary bronchitis	14	11												1	1	1	1	
101a	Lobar pneumonia	528	57	28	3	6	2	8	11	13	12	8	19	49	60	72	111	68	1
101b	Pneumonia (unspecified)	44	8	2			1	1	2	1	1	1	1	5	2	2	8	11	1
102	Pleurisy	24	1	1					1		1	2	3	4	1	3	5		
103	Congestion and hemorrhagic infarct of the lung	13					1				1					1	2	7	
104	Gangrene of the lung	2																1	
105	Asthma	46											1	1	12	12	11	8	
106	Pulmonary emphysema	2												1				1	
107	Other diseases of the respiratory system (tuberculosis excepted)	30						1					1	1	7	8	3		

# CAUSES OF DEATH, BY AGE

153

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE, BY AGE, IN THE REGISTRATION AREA AND EACH REGISTRATION STATE: 1926—Continued

List No.	CAUSE OF DEATH	All deaths	COLORADO—Continued														75 years and over	AGE UNKNOWN	
			Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years			65 to 74 years
	<b>VI.—Diseases of the digestive system</b>	1,182	291	74	31	14	12	34	42	31	34	35	42	103	125	135	117	62	
108	Diseases of the mouth and annæxa	12	1					1				1		4	1	3	1		
109b	Other diseases of the pharynx, tonsils	48	3	2	2	5	2	8	11	4	2		1	3	1	3	1		
110	Diseases of the esophagus	2	1																
111a	Ulcer of the stomach	71	1									1	2	3	11	15	17	4	
111b	Ulcer of the duodenum	28												1	4	6	9	6	2
112	Other diseases of the stomach (cancer excepted)	58	15	4	2	1		1	1	1	1	1	1	3	5	5	10	7	
113	Diarrhea and enteritis (under 2 years)	312	251	61															
114	Diarrhea and enteritis (2 years and over)	54			18	4	3	1	1					2	5	4	8	8	
115	Ancylostomiasis	1																	
117	Appendicitis and typhlitis	276		2	5	2	6	21	24	22	25	23	20	43	37	28	16	2	
118a	Hernia	46	1								1	2	1	8	3	10	8	12	
118b	Intestinal obstruction	84	13	3	1	1	1		3	2	1		7	5	16	12	11	8	
119	Other diseases of the intestines	10	3	1										1	1	2	1	1	
122	Cirrhosis of the liver	51							1	1				2	7	13	17	8	
123	Biliary calculi	44									2	1	2	5	10	13	9	2	
124	Other diseases of the liver	63			1						1	2	5	9	15	15	9	6	
125	Diseases of the pancreas	9		1									1	1	1		3	1	
126	Peritonitis without specified cause	13	2		1	1		2		1			1	2				1	
	<b>VII.—Nonvenereal diseases of the genito-urinary system and annæxa</b>	931	8	1	3	2		9	8	7	10	19	19	71	95	164	252	263	
128	Acute nephritis (including unspecified under 10 years)	52	3	1	2	1		6	3		3	1		8	4	10	4	6	
129	Chronic nephritis (including unspecified 10 years and over)	712				1		3	4	6	4	7	10	42	69	125	214	227	
131	Other diseases of the kidneys and annæxa	21	4		1							4		1	2	5	1	3	
132	Calculi of the urinary passages	10	1										1	1	4	3	3	2	
133	Diseases of the bladder	7												1	1	3	2		
134	Diseases of the urethra, etc.	2											1				1		
135	Diseases of the prostate	66												1	7	14	21	23	
137	Cysts, other benign tumors of the ovary	10								1	1	2	2	1	1	3	3		
138	Salpingitis and pelvic abscess (female)	19							1	2	2	5	5	3	1				
139	Benign tumors of the uterus	19								1			9	4	2	1	2		
140	Nonpuerperal uterine hemorrhage	1												1					
141	Other diseases of the female genital organs	12						1				2	1	3	2	2	1		
	<b>VIII.—The puerperal state</b>	137								16	31	32	32	24	2				
143	Accidents of pregnancy	13									1	5	4	2	1				
144	Puerperal hemorrhage	11								3	1	5	2						
145	Other accidents of labor	16								1	4	3	5						
146	Puerperal septicæmia	64								10	18	13	13	10					
147	Puerperal phlegmasia alba dolens, embolus, etc.	6									1	2	1	2					
148	Puerperal albuminuria and convulsions	27							5	4	8	6	3	1					
	<b>IX.—Diseases of the skin and of the cellular tissue</b>	25	2		1					1				1	5	3	5	7	
151	Gangrene	16			1									1	1	3	4	6	
152	Furuncle	2													2				
153	Acute abscess	1																	
154	Other diseases of the skin and annæxa	6	1							1					2		1	1	
	<b>X.—Diseases of the bones and of the organs of locomotion</b>	13					1	1	2				1	1	3	1	2	1	
155	Diseases of the bones (tuberculosis excepted)	11					1	1	2				1	1	3	1	1		
158	Other diseases of the organs of locomotion	2															1	1	
	<b>XI.—Malformations</b>	115	101	3	1	2	2	3	1		1	1							
159a	Congenital hydrocephalus	7	3	1		1	1												
159b	Congenital malformations of the heart	69	62	2	1	1	1		1										
159c	Other congenital malformations	39	36				2					1							
	<b>XII.—Early infancy</b>	590	590																
160	Congenital debility, icterus, sclerema	66	66																
161a	Premature birth	383	383																
161b	Injury at birth	79	79																
162	Other diseases peculiar to early infancy	59	59																
163	Lack of care	3	3																
164	<b>XIII.—Old age (senility)</b>	138														3	20	114	1
	<b>XIV.—External causes</b>	1,100	25	28	15	14	10	52	39	71	102	79	70	168	140	111	90	83	3
	<b>Suicide</b>	156								3	9	17	14	26	33	33	16	5	
165	By poisons (gas or corrosives excepted)	20									1	1	2	6	5	3	2		
166	By corrosive substances	18									2	6	2	3	2	3			
167	By poisonous gas	19								1		2	1	3	5	4	2	1	
168	By hanging or strangulation	16									1	1	1	2	2	5	3	1	
169	By drowning	4										1	1	1	1	1	1	1	
170	By firearms	66								2	5	6	7	11	15	12	7	1	
171	By cutting or piercing instruments	13											1	1	3	6	2	1	
	<b>Homicide</b>	70	2	1						2	7	13	7	19	7	6	4		2
197	By firearms	47								2	6	7	5	17	5	2	1		
198	By cutting or piercing instruments	6									1	1	1	1	1	1	2		
199	By other means	17	2	1							1	5	1	1	2	3	1		

MORTALITY STATISTICS

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE, BY AGE, IN THE REGISTRATION AREA AND EACH REGISTRATION STATE: 1926—Continued

List No.	CAUSE OF DEATH	All deaths	Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 44 years	45 to 64 years	65 to 74 years	75 years and over	Age un-known	
<b>COLORADO—Continued</b>																			
<b>XIV.—External causes—Contd.</b>																			
	Accidental or undefined	874	23	27	15	14	10	52	39	66	86	49	49	123	100	72	70	78	1
175	Poisoning by food	8	2	1													1		
177	Other acute poisonings (gas excepted)	27		5	1	1	1		1		5	1	2	1	5	2		2	
178	Conflagration	9				1		1	1						1	4	1		
179	Burns (conflagration excepted)	40	3	2	6	2	1	6	3			1	4	3	2	4	1	2	
180	Mechanical suffocation	17	6					1					2	3	4	1			
181	Absorption of irrespirable, irritating, or poisonous gas	20				1				1	2	3		3	3	3	2	2	
182	Drowning	70		12	4			11	5	10	9	3		5	6	2	1		
183	Traumatism by firearms (except in war)	38	1		1	1		5	7	5	9	2	2	3	1		1		
184	Traumatism by cutting or piercing instruments	11	1	1		1	2	1					1		1		2		1
185	Traumatism by fall	124	4			1		3	2	2	8	1	2	7	10	11	25	48	
186a	Traumatism in mines	67						1		2	8	7	8	19	16	5	1		
187	Traumatism by machines	29						1		3	6	3	2	8	3	1	1		1
188a	Railroad accidents	105	1	2	1		1	4	7	14	13	6	9	18	15	9	4	1	
	Collision with automobiles	15	1					2	3	3	3	1	1	2	1	1	1		
	Other railroad accidents	90		2	1		1	4	5	11	10	5	9	16	14	8	3	1	
188b	Street-car accidents	13						1	1	1	1				2	2	2	2	
	Collision with automobiles	2														1			
	Other street-car accidents	11						1	1	1		1			2	1	2	2	
188c	Automobile accidents (excluding collision with railroad trains and street cars)	175	1	2		4	1	12	4	20	12	12	10	28	20	19	18	12	
188d	Airplane and balloon accidents	2																	
188e,f	Injuries by other vehicles	23						1	1	1	2			2	1	5	6	2	
188g	Landslide, other crushing	17					1	2		1			1	6	1	2	1		
189	Injuries by animals (not poisoning)	11				2			2	1			2	2	2				
193	Excessive cold	4												1			1	2	
194	Excessive heat	1											1						
195	Lightning	14							1	3	3	2		2	2	1			
196	Other accidental electric shocks	12								1	3	1	2	4	1				
201	Fracture (cause not specified)	1									1								
202	Other external violence	36	4	2	2		1	2	4	1	2	1	1	7	2	1	2	4	
	<b>XV.—Ill-defined diseases</b>	25	10	1					1		1	1			4	2	3	2	
204	Sudden death	3													1	1	1		
205a	Ill-defined	10	3	1											1	1	2	2	
205b	Not specified or unknown	12	7						1		1	1			2				

CONNECTICUT

	All causes	18,318	2,102	379	174	123	91	325	257	311	416	424	585	1,423	2,076	2,886	3,305	3,427	14
	<b>I.—Epidemic, endemic, and infectious diseases</b>	2,370	230	174	68	42	31	99	60	117	176	178	171	299	240	218	155	111	1
1	Typhoid and paratyphoid fever	30				1		1	4	7	2	3	2	5		4	1		
5	Malaria	2														1		1	
7	Measles	203	56	74	23	13	9	20	2	2	2			1			1		
8	Scarlet fever	36		3	3	2	4	15	4	1	2			1			1		
9	Whooping cough	85	44	32	4	1	1	3											
10	Diphtheria	87	7	12	8	9	8	29	8	1	1			1	1	1	1		
11a	Influenza (with pulmonary complications)	357	38	21	10	8	2	5	2	7	9	8	16	30	37	56	57	51	
11b	Influenza (other and unspecified)	129	19	5	3		1	2	6	2	1	4	4	19	10	12	11	30	
16	Dysentery	9	3	1					1							1	1	1	
19	Spirochetal hemorrhagic jaundice	3				1			1					1					
21	Erysipelas	46	16	1						1	1	1	1	3	8	5	5	4	
22	Acute anterior poliomyelitis	5	1	2	1		1												
23	Lethargic encephalitis	26	1	1	1	1	1	1	2	3		3	1	7	1	4			
24	Meningococcus meningitis	13	1	1	2	1	1	1	1			1		3			1		
25	Other epidemic and endemic diseases	2							1										
29	Tetanus	15	1					3	7										1
30	Mycoses	3												1					1
	Tuberculosis (all forms)	1,222	29	22	12	4	3	17	20	89	154	157	138	217	157	117	71	15	
31	Of the respiratory system	1,062	7	5	2	1		3	10	79	143	149	125	202	146	112	66	12	
32	Of the meninges, central nervous system	69	17	12	9	2	2	9	4	3	5	1	3	4	1			1	
33	Of the intestines, peritoneum	38	3	3				3	3	5	1	4	5	4	6	3		1	
34	Of the vertebral column	17				1		4	1			2	2	4		1		1	
35	Of the joints	2																	
36	Of other organs	15						1	1				1	5	1	1	4		
37a	Disseminated (acute)	15	2	2			1	1	1	2	4		1	2					
37b	Disseminated (chronic or unspecified)	4			1														
38	Syphilis	78	12							1	2	1	3	12	22	14	4	6	1
40	Gonococcus infection	4								2	2								
41	Purulent infection, septicemia	14	1		1			1	1					4	1	1	2	1	
42	Other infectious diseases	1														1			
	<b>II.—General diseases not included in Class I</b>	2,441	66	13	4	5	1	22	27	14	22	16	54	207	420	628	596	344	2
	<b>Cancer and other malignant tumors</b>	1,668		1		2	1	3	3	3	6	8	30	127	310	463	450	269	2
43	Of the buccal cavity	52						1	1				1	2	7	21	10	10	
44	Of the stomach, liver	552						1				1	2	27	96	164	173	83	2
45	Of the peritoneum, intestines, rectum	276							1		1	1	8	19	49	78	72	47	
46	Of the female genital organs	226										1	5	32	50	75	41	22	
47	Of the breast	190									1		7	21	57	41	33	30	
48	Of the skin	46												2	3	10	15	16	
49	Of other or unspecified organs	326		1		2	1	1	2	3	3	4	6	24	48	74	106	51	

# CAUSES OF DEATH, BY AGE

155

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE, BY AGE, IN THE REGISTRATION AREA AND EACH REGISTRATION STATE: 1926—Continued

List No.	CAUSE OF DEATH	All deaths	Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 to 74 years	75 years and over	Age un- known
<b>CONNECTICUT—Continued</b>																			
<b>II.—General diseases not included in Class I—Continued.</b>																			
50	Tumors, benign and unqualified (tumors of the female genital organs excepted)	11				1		1							3	3		3	
51	Acute rheumatic fever	36	1			1		8	9	4	3	1	2	2	2	1		2	
52	Chronic rheumatism, osteoarthritis, gout	21									1			1	1	6	7	5	
53	Scurvy	2	1																
54	Pellagra	1												1					
55	Rickets	11	8	2	1														
57	Diabetes mellitus	357	1	1	1				8	4	3	3	6	20	47	98	105	60	
58	Anemia, chlorosis	100	3	1					2	2	1	1	1	12	22	25	23	7	
59	Diseases of the pituitary gland	1												1					
60a	Exophthalmic goiter	25									3		2	7	4	5	2	2	
60b	Other diseases of the thyroid gland	6						1			1				3				
61	Diseases of the parathyroid glands	2	1	1															
62	Diseases of the thymus gland	25	22	1					1	1									
63	Diseases of the adrenals (Addison's disease)	9									1		1	2	3	1	1		
64	Diseases of the spleen	3										1	1						
65a	Leukemia	37	1	1	2	1		5	2		1	1	2	7	2	6	5	1	
65b	Hodgkin's disease	18						1	1					5	3	6		2	
66	Alcoholism (acute or chronic)	67									2	1	8	21	19	13	1	2	
67a	Chronic lead poisoning	2		1										1					
67b	Other chronic mineral poisoning	1												1					
68	Chronic poisoning by organic substances	1																	1
69	Other general diseases	37	28	3				3	1						1	1			
<b>III.—Diseases of the nervous system and of the organs of special sense.</b>		1,899	49	11	12	3	5	18	20	16	23	18	27	103	206	345	488	554	1
70	Encephalitis	23	2	1	1			3	1		1	1		3	7	1	2		
71a	Simple meningitis	44	12	5	5	1	2	3	3		1	3		5	1		2	1	
71b	Nonepidemic cerebrospinal meningitis	12	5	1				2	1								1	1	
72	Tabes dorsalis (locomotor ataxia)	21												2	7	3	7	2	
73	Other diseases of the spinal cord	53							2	5	2	2	2	5	7	18	9	5	
74a	Cerebral hemorrhage	1,362	1	1					2	2	2	1	6	28	133	269	426	485	1
74b	Cerebral embolism and thrombosis	85		1	1			1	1	2	2	1	4	6	5	14	18	32	
75	Paralysis without specified cause	24										2	2	4	20	19	11	4	
76	General paralysis of the insane	63								2	2	4	4	20	19	11	4	1	
77	Other forms of mental alienation	20							2	3	1	4	3	3	4	4	3	3	
78	Epilepsy	41	1		1			3	4	2	2	4	3	12	1	2	3	3	
79	Convulsions (nonpuerperal; 5 years and over)	2						1				1							
80	Infantile convulsions (under 5 years)	21	19		2						2					1			
81	Chorea	5							1							1			
82	Neuralgia and neuritis	3				1								1	1				
83	Softening of the brain	8															2	5	
84	Other diseases of the nervous system	75	3		2		1	2	2	1	1	3	4	12	13	15	9	7	
85	Diseases of the eye and annexa	2		1		1													
86a	Diseases of the ear	18	3	1				2	2	4				3	1	1	1		
86b	Diseases of the mastoid process	17	3				2	2	3	3	2			2					
<b>IV.—Diseases of the circulatory system.</b>		3,943	12	3	3	4	2	23	34	32	25	41	64	178	402	769	1,079	1,266	1
87	Pericarditis	12	1						1	3				1		2	1	3	
88	Endocarditis and myocarditis (acute)	150	7	1	1	2		6	4	4	4	10	15	38	12	14	20	12	
89	Angina pectoris	258										3	10	40	59	93	53		
90	Other diseases of the heart	3,102	3	1	2	2	2	21	29	26	17	30	43	122	330	638	859	976	1
91a	Aneurysm	14										1	1	3	2	2	5		
91b,c	Other diseases of the arteries	348										1	2	6	44	84	211		
92	Embolism and thrombosis (not cerebral)	46						1		2	1		1	2	8	10	17	4	
93	Diseases of the veins	9											1	2	2		2	2	
94	Diseases of the lymphatic system	3	1	1													1		
96	Other diseases of the circulatory system	1													1				
<b>V.—Diseases of the respiratory system.</b>		1,870	305	98	40	17	15	27	19	35	30	32	47	176	202	242	280	305	
97a	Diseases of the nasal fossae	2	1																1
97b	Diseases of the nasal fossae annexa	6							2	1				2	1				
98	Diseases of the larynx	7	2		2	1									1	1			
99a	Acute bronchitis	62	32	1	2	1								1	1	2	5	17	
99b	Chronic bronchitis	33	2					1			1			1	1	4	8	15	
99c,d	Bronchitis (unspecified)	29	5	2										1	2	5	4	15	
100a	Broncho-pneumonia	635	187	59	24	8	5	10	8	9	7	9	7	32	35	42	86	112	
100b	Capillary bronchitis	13	8	1	1			1						2	2	2	2	2	
101a	Lobar pneumonia	955	58	31	9	7	9	12	13	21	20	20	31	127	143	175	160	119	
101b	Pneumonia (unspecified)	26	5	1	2							2	2	5	5	4	4	5	
102	Pleurisy	38	2	2		1	1			2	1	1	3	5	6	7	4	3	
103	Congestion and hemorrhagic infarct of the lung	22	3	1				1		2				1		1	3	10	
104	Gangrene of the lung	2										1							
105	Asthma	23						1					2	2	6	5	3	4	
106	Pulmonary emphysema	4													1	1	1	1	
107	Other diseases of the respiratory system (tuberculosis excepted)	13							1		1		2	3		3	2	1	
<b>VI.—Diseases of the digestive system.</b>		1,203	266	43	27	15	14	43	34	16	23	21	49	113	161	162	122	94	
108	Diseases of the mouth and annexa	3						1					1						1
109b	Other diseases of the pharynx, tonsils	52	4	3	2	2	3	6	4	4	2	3	4	3	8	1	3	1	
110	Diseases of the esophagus	4					1									1	1	1	
111a	Ulcer of the stomach	63	1										1	13	20	13	4	4	

MORTALITY STATISTICS

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE, BY AGE, IN THE REGISTRATION AREA AND EACH REGISTRATION STATE: 1926—Continued

List No.	CAUSE OF DEATH	All deaths	CONNECTICUT—Continued													75 years and over	AGE UN- KNOWN		
			Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 44 years	45 to 54 years			55 to 64 years	65 to 74 years
VI.—Diseases of the digestive system—Continued.																			
111b	Ulcer of the duodenum	33												10	8	7	5	3	
112	Other diseases of the stomach (cancer excepted)	43	5	4	1	1							2	4	4	3	9	10	
113	Diarrhea and enteritis (under 2 years)	266	234	32															
114	Diarrhea and enteritis (2 years and over)	76			17	7	2	2	1	2	2		3	5	5	8	8	14	
116	Diseases due to other intestinal parasites	1																	
117	Appendicitis and typhlitis	198			1	4	5	28	25	7	13	7	10	28	34	19	10	2	
118a	Hernia	67										1	3	2	12	19	17	13	
118b	Intestinal obstruction	96	18	3					1	2	1	1	1	2	4	11	14	15	
119	Other diseases of the intestines	19	2					1	1	1				2	4	2	2	3	
120	Acute yellow atrophy of the liver	8										1	3					2	
122	Cirrhosis of the liver	98										2	4	10	24	33	16	8	
123	Biliary calculi	105										3	6	14	19	27	23	13	
124	Other diseases of the liver	43	1						1			1	1	5	9	7	7	8	
125	Diseases of the pancreas	9										1	1	1	1	3	1		
126	Peritonitis without specified cause	19	1	1				3			1	2	1	2	2	3	1		
VII.—Nonvenereal diseases of the genito-urinary system and annexa																			
		1,703	8	3	2	3	1	4	14	5	13	21	34	120	229	327	417	501	1
128	Acute nephritis (including unspecified under 10 years)	57	2	1	2	1			2	2	1	1	6	4	5	9	10	7	4
129	Chronic nephritis (including unspecified 10 years and over)	1,450		2				2	11	3	7	10	24	81	189	293	375	449	1
131	Other diseases of the kidneys and annexa	27	3						1	1	2		2	3	3	3	6	3	
132	Calculi of the urinary passages	9											1	1	2	4	1		
133	Diseases of the bladder	16												1	1	1	1	12	
134	Diseases of the urethra, etc.	5												1	1	1	2	1	
135	Diseases of the prostate	59														2	12	20	25
136	Nonvenereal diseases of the male genital organs	3	2															1	
137	Cysts, other benign tumors of the ovary	8											1	2	2	1	2		
138	Salpingitis and pelvic abscess (female)	21										1	2	10	6	1	1		
139	Benign tumors of the uterus	35										1	1	11	11	2	1	7	
140	Nonpuerperal uterine hemorrhage	1										1							
141	Other diseases of the female genital organs	11											2		5	4			
142	Nonpuerperal diseases of the breast (cancer excepted)	1	1																
VIII.—The puerperal state																			
		168							1	11	25	39	45	45	2				
143	Accidents of pregnancy	17											7	6					
144	Puerperal hemorrhage	18								1	1	6	6	4					
145	Other accidents of labor	22							1	1	2	3	4	11					
146	Puerperal septicemia	59									2	15	14	16	11	1			
147	Puerperal phlegmasia alba dolens, embolus, etc.	6											1	3	2				
148	Puerperal albuminuria and convulsions	45								6	5	11	9	13	1				
149	Following childbirth (undefined)	1											1						
IX.—Diseases of the skin and of the cellular tissue																			
		56	6	1									2	6	3	5	14	17	
151	Gangrene	25	1														1	11	12
152	Furuncle	5															3		
153	Acute abscess	14	1	1										1	1	1	1	4	
154	Other diseases of the skin and annexa	12	4										2	1	1		3	1	
X.—Diseases of the bones and of the organs of locomotion																			
		21	1		1	1			2	2	2				5		3	3	1
155	Diseases of the bones (tuberculosis excepted)	18	1			1			2	2	2				4		3	2	1
156	Diseases of the joints (tuberculosis and rheumatism excepted)	3			1										1		1		
XI.—Malformations																			
		205	186	7	4	3			2	2					1				
159a	Congenital hydrocephalus	31	29	1		1													
159b	Congenital malformations of the heart	104	92	4	3	1			2	2									
159c	Other congenital malformations	70	65	2	1	1													
XII.—Early infancy																			
		913	913																
160	Congenital debility, icterus, sclerema	85	85																
161a	Premature birth	519	519																
161b	Injury at birth	213	213																
162	Other diseases peculiar to early infancy	95	95																
163	Lack of care	1	1																
164	XIII.—Old age (senility)	92															12	80	
XIV.—External causes																			
		1,383	41	23	13	29	22	79	42	62	78	57	92	166	207	179	132	154	7
Suicide																			
		216								6	9	11	16	36	52	45	24	16	1
165	By poisons (gas or corrosives excepted)	6									1		2		1	1	1		
166	By corrosive substances	13								2	1	1	2	3	3	1	1		
167	By poisonous gas	51								1	1	3	5	6	11	15	8	1	
168	By hanging or strangulation	59								1	1	3	2	11	13	7	7	4	
169	By drowning	15								1		2	1	4	2	3	2	2	
170	By firearms	40								1	1	1	3	7	9	11	3	3	1
171	By cutting or piercing instruments	19									2	1		2	5	1	4	4	
172	By jumping from high places	10									1		1	3	3	1		1	
173	By crushing	2									1			1					
174	By other means	1													1				

CAUSES OF DEATH, BY AGE

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE, BY AGE, IN THE REGISTRATION AREA AND EACH REGISTRATION STATE: 1926—Continued

List No.	CAUSE OF DEATH	All deaths	Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 to 74 years	75 years and over	Age un-known
CONNECTICUT—Continued																			
XIV.—External causes—Contd.																			
197	Homicide	44	10					1			3	3	10	9	7	1			
	By firearms	13									1	1	4	5	1	1			
198	By cutting or piercing instruments	8	1					1			1	1	3	2	2				
199	By other means	23	9								2	2	3	4	4				
	Accidental or undefined	1,123	31	23	13	29	22	78	42	56	66	43	66	121	148	133	108	138	6
175	Poisoning by food	8				1		1						1	2	1			
177	Other acute poisonings (gas excepted)	12		3			1						1	1	2	2	1	1	
178	Conflagration	17	1		1	1	1	2	1		1	1	1	3	2	1	1	1	
179	Burns (conflagration excepted)	87	4	10	6	12	8	6		3	2	2	2	10	3	7	8	4	
180	Mechanical suffocation	24	16	1					3				3	1					
181	Absorption of irrespirable, irritating, or poisonous gas	68	3	2				4		4	3	3	2	2	16	13	6	9	3
182	Drowning	90		2		2		20	9	14	6	6	4	11	5	7		1	
183	Traumatism by firearms (except in war)	20			1	3	1	2	2	4	5				1	1			
184	Traumatism by cutting or piercing instruments	9	1											4	2	2			
185	Traumatism by fall	252		1	2	1	2	3	5	2	3	2	11	20	28	30	42	100	
186a	Traumatism in mines	1																	
187	Traumatism by machines	17						1	1	1	3	3	3	4	2	2	1		
188a	Railroad accidents	51				1		2	1	4	4	3	5	7	8	9	7	2	1
	Collision with automobiles	9								1	1	3	1	1	1	3	3	7	1
188b	Other railroad accidents	42				1		2	1	3	1	1	4	7	7	6	7	2	1
	Street-car accidents	26							2	1	1	1	3	4	2	7	3	2	
	Collision with automobiles	9								1	1	1	2	2	2	1	1	1	
188c	Other street-car accidents	17							2				1	2	7	2	1		
	Automobile accidents (excluding collision with railroad trains and street cars)	307		2	3	6	5	34	14	15	24	21	19	37	58	31	27	10	1
188d	Airplane and balloon accidents	1											1						
188e,f	Injuries by other vehicles	23	1	1			1	1	2	3	3		3		2	5	1		
188g	Landslide, other crushing	10								1	1			3	2	2	1		
189	Injuries by animals (not poisoning)	7					1								3	3	1	1	
192	Starvation (deprivation of food or water)	1											1						
193	Excessive cold	11							1					3	3	2			2
194	Excessive heat	8											2		1	3	2		
196	Other accidental electric shocks	12						1			4	4	1						
201	Fracture (cause not specified)	4								1				9	6	7	7	2	1
202	Other external violence	57	5	1		1	2	2	1	2	6	2	2	2	4	4	8	7	3
	XV.—Ill-defined diseases	51	19	3		1		1	2			1			4	4	8	7	
204	Sudden death	11	5											2	1	2	1		
205a	Ill-defined	21	3	3		1		1	2					1	1	3	4		1
205b	Not specified or unknown	19	11											1	2	3	2		

DELAWARE

	All causes	3,447	392	100	34	28	15	75	43	74	91	103	100	229	360	500	635	663	5
	I.—Epidemic, endemic, and infectious diseases	533	63	45	15	9	6	20	8	28	36	43	29	55	45	53	43	33	2
1	Typhoid and paratyphoid fever	14							2	2	1	1	3	2		3			
5	Malaria	1																	
7	Measles	52	17	18	4		2	9			1	1		1					
8	Scarlet fever	7	1							2	1								
9	Whooping cough	25	14	5	2														
10	Diphtheria	18		3		4					3								
11a	Influenza (with pulmonary complications)	74	6	9	1	3		1	1	2	2	4	5	5	6	9	8	12	
11b	Influenza (other and unspecified)	40	3	1	1	3	1	1	1	1	1	4	5	1	6	8	11	11	
16	Dysentery	4	3																
19	Spirochetal hemorrhagic jaundice	1	1																1
21	Erysipelas	4	2		1														
23	Lethargic encephalitis	5		1				1						1		2			
24	Meningococcus meningitis	1																	
29	Tetanus	5						1		1	1	1							
	Tuberculosis (all forms)	262	11	7	5	2	1	3	5	19	22	35	18	41	36	27	20	8	2
31	Of the respiratory system	233	4	1	1	2		2	5	19	21	33	17	41	34	27	18	8	2
32	Of the meninges, central nervous system	15	6	4	1	2	1	1											
33	Of the intestines, peritoneum	3			1						1	1							
34	Of the vertebral column	2													1				
35	Of the joints	1																	
36	Of other organs	3		1									1				1		
37b	Disseminated (chronic or unspecified)	5	1	1	1										1		1		
38	Syphilis	21	5	1						2	1	1	1	3	1	3	3	1	
40	Gonococcus infection	3								1			2				1		
41	Purulent infection, septicemia	2															1	1	
	II.—General diseases not included in Class I	339	11	2		1	1	1		2	4	3	8	26	61	83	88	48	
	Cancer and other malignant tumors	237									2	3	5	18	42	61	69	37	
43	Of the buccal cavity	4														1	1	2	
44	Of the stomach, liver	75												2	11	24	22	16	
45	Of the peritoneum, intestines, rectum	34										1	1	5	5	8	10	4	
46	Of the female genital organs	42										1	2	3	14	12	8	2	
47	Of the breast	29										1		6	6	6	8	2	
48	Of the skin	7															3	4	
49	Of other or unspecified organs	46									1	1	2	2	6	10	17	7	

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE, BY AGE, IN THE REGISTRATION AREA AND EACH REGISTRATION STATE: 1926—Continued

List No.	CAUSE OF DEATH	All deaths	DELAWARE—Continued																75 years and over	Age un-known
			Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 to 74 years			
II.—General diseases not included in Class I—Continued.																				
50	Tumors, benign and unqualified (tumors of the female genital organs excepted)	3															1	2		
51	Acute rheumatic fever	5								1	1			1				1	1	
52	Chronic rheumatism, osteoarthritis, gout	2															1		1	
56	Rickets	3	2	1																
57	Diabetes mellitus	50					1			1				6	7	14	13	8		
58	Anemia, chlorosis	9													2	2	1	1	1	
60a	Exophthalmic goiter	6										3		1					1	
61	Diseases of the parathyroid glands	3	2	1											3					
62	Diseases of the thymus gland	4	4																	
65b	Hodgkin's disease	1						1												
66	Alcoholism (acute or chronic)	12								1						6	5			
69	Other general diseases	4	3			1														
III.—Diseases of the nervous system and of the organs of special sense																				
		424	7	1	2	1	1	2	4	3		3	4	18	47	66	133	131	1	
70	Encephalitis	3								1							1		1	
71a	Simple meningitis	11	1	1	1	1	1						1	4			1		1	
71b	Non-epidemic cerebrospinal meningitis	3	1							1							1			
72	Tabes dorsalis (locomotor ataxia)	7												1	2	2			2	
73	Other diseases of the spinal cord	11												1	1	5	4			
74a	Cerebral hemorrhage	326	1							1		3		5	33	48	115	120	1	
74b	Cerebral embolism and thrombosis	10													3	1	4			
75	Paralysis without specified cause	11											2	4	3	3	5		3	
76	General paralysis of the insane	13													3	2	1		1	
77	Other forms of mental alienation	1																		
78	Epilepsy	5							1					1						
80	Infantile convulsions (under 5 years)	4	4										1	2			1			
81	Chorea	1																	1	
84	Other diseases of the nervous system	10							1						4	2	1		2	
86a	Diseases of the ear	5			1			1	1	1						1				
86b	Diseases of the mastoid process	3						1							1		1			
IV.—Diseases of the circulatory system																				
		623	6			1		7	2	6	5	4	9	29	66	129	167	192		
88	Endocarditis and myocarditis (acute)	18	1			1		2		2				5	1	4	1		1	
89	Angina pectoris	40											1	4	5	12	9		9	
90	Other diseases of the heart	504	3					5	2	4	5	4	8	19	59	101	143	151	1	
91a	Aneurysm	4												1		1	1		1	
91b,c	Other diseases of the arteries	48													1	8	11		23	
92	Embolism and thrombosis (not cerebral)	7	1												2	2	2		2	
94	Diseases of the lymphatic system	1	1																	
96	Other diseases of the circulatory system	1														1				
V.—Diseases of the respiratory system																				
		352	56	34	8	6	5	10	6	4	10	5	7	27	30	42	45	57		
97b	Diseases of the nasal fossae annexa	1															1			
98	Diseases of the larynx	2														1	1			
99a	Acute bronchitis	3	1	1															1	
99b	Chronic bronchitis	3																	3	
99c,d	Bronchitis (unspecified)	5										1			1	1	1		1	
100a	Broncho-pneumonia	121	38	17	5	2	3	6	4	2	2	4	1	4	5	4	10	20	25	
101a	Lobar pneumonia	181	15	15	3	2	1	2	1	3	6	4	4	19	19	32	30	31	2	
101b	Pneumonia (unspecified)	14	2			2		1		1	1	1	1	2	1	1	1			
102	Pleurisy	7		1						1				1	2	1				
103	Congestion and hemorrhagic infarct of the lung	3																	2	
105	Asthma	10				1		1						1	1	3	1		3	
107	Other diseases of the respiratory system (tuberculosis excepted)	2							1								1			
VI.—Diseases of the digestive system																				
		240	79	13	3	4	2	9	6	6	2	10	11	12	26	22	16	19		
108	Diseases of the mouth and annexa	3	1												2					
109b	Other diseases of the pharynx, tonsils	9	1	1					2			1	2		2					
111a	Ulcer of the stomach	9														1	2			
111b	Ulcer of the duodenum	4										1	2	2	1	1	1			
112	Other diseases of the stomach (cancer excepted)	15	1		1		1	2					1	1	2	2	1		3	
113	Diarrhea and enteritis (under 2 years)	83	72	11																
114	Diarrhea and enteritis (2 years and over)	26			1	3								2	4	4	2		4	
117	Appendicitis and typhlitis	20						2	2	6	1	3	4	3	4	1	2		4	
118a	Hernia	12										1	4	3	3	4	4		2	
118b	Intestinal obstruction	16	3	1	1			1				2	1	1		4	1		1	
119	Other diseases of the intestines	1															1		4	
122	Cirrhosis of the liver	14														3	4		4	
123	Biliary calculi	9													3	1	3		3	
124	Other diseases of the liver	10					1						3	1	1	1	1		2	
125	Diseases of the pancreas	1																		
126	Peritonitis without specified cause	8	1					2	4					1						
VII.—Nonvenereal diseases of the genito-urinary system and annexa																				
		429	2		1			2	6	3	3	3	7	17	59	79	113	133	1	
128	Acute nephritis (including unspecified under 10 years)	22	2		1			1	1	2			1	3	5	1	2		3	
129	Chronic nephritis (including unspecified 10 years and over)	375						1	4			2	1	5	9	73	105	125	1	
131	Other diseases of the kidneys and annexa	7										1		1	1		3		1	

CAUSES OF DEATH, BY AGE

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE, BY AGE, IN THE REGISTRATION AREA AND EACH REGISTRATION STATE: 1926—Continued

List No.	CAUSE OF DEATH	All deaths	Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 to 74 years	75 years and over	Age un- known
DELAWARE—Continued																			
	VII.—Nonvenereal diseases of the genito-urinary system and annexa—Contd.																		
133	Diseases of the bladder.....	4												1			1	1	
134	Diseases of the urethra, etc.....	2										1							
135	Diseases of the prostate.....	7														2	1	3	
137	Cysts, other benign tumors of the ovary.....	1											1						
138	Salpingitis and pelvic abscess (female).....	1													1				
139	Benign tumors of the uterus.....	7										1		3	1	1	1		
141	Other diseases of the female genital organs.....	3						1	1						1				
	VIII.—The puerperal state.....	39								6	9	10	8	6					
143	Accidents of pregnancy.....	8								1	1	3	1	2					
144	Puerperal hemorrhage.....	3									1		1	1					
145	Other accidents of labor.....	1												1					
146	Puerperal septicemia.....	15								3	3	3	4	2					
148	Puerperal albuminuria and convulsions.....	11								2	4	4							
149	Following childbirth (undefined).....	1											1						
	IX.—Diseases of the skin and of the cellular tissue.....	8			1						1					1	1	4	
151	Gangrene.....	4																4	
152	Furuncle.....	2									1					1			
153	Acute abscess.....	2			1												1		
	XI.—Malformations.....	25	23	1				1											
159a	Congenital hydrocephalus.....	5	4					1											
159b	Congenital malformations of the heart.....	15	15																
159c	Other congenital malformations.....	5	4	1															
	XII.—Early infancy.....	139	139																
160	Congenital debility, icterus, sclerema.....	19	19																
161a	Premature birth.....	89	89																
161b	Injury at birth.....	16	16																
162	Other diseases peculiar to early infancy.....	15	15																
164	XIII.—Old age (senility).....	42														1	7	34	
	XIV.—External causes.....	246	5	2	4	6		22	11	16	21	21	17	39	25	24	20	12	1
	Suicide.....	19										3	1	4	7	1	3		
166	By corrosive substances.....	1													1				
167	By poisonous gas.....	8												2	4	1	1		
168	By hanging or strangulation.....	2													1		1		
170	By firearms.....	6										2	1	2			1		
171	By cutting or piercing instruments.....	1													1				
172	By jumping from high places.....	1																	
	Homicide.....	20		1						1	5	2	3	5	1	1	1		
197	By firearms.....	11								1	4	1		2	1	1	1		
198	By cutting or piercing instruments.....	5									1		3	1					
199	By other means.....	4		1										2					
	Accidental or undefined.....	207	5	1	4	6		22	11	15	16	16	13	30	17	22	16	12	1
175	Poisoning by food.....	2												1					
177	Other acute poisonings (gas excepted).....	4	1	1	2														
179	Burns (conflagration excepted).....	17	1		1	4		3				1	1	1	2	2	2		
180	Mechanical suffocation.....	1	1																
181	Absorption of irrespirable, irritating, or poisonous gas.....	8															1		
182	Drowning.....	22			1			5	2	3	1	3	2	2	3	2	1		
183	Traumatism by firearms (except in war).....	4						1	1	1				1					
184	Traumatism by cutting or piercing instruments.....	2				1													1
185	Traumatism by fall.....	34	1						1		1	2	2	3	1	5	7	11	
187	Traumatism by machines.....	1																	
188a	Railroad accidents.....	37							2	3	3	5	4	3	7	3	5	2	
	Collision with automobiles.....	16							2	3	1	4	1	3	3	2	2		
	Other railroad accidents.....	21									1	1	3	4	3	3	2		
188b	Street-car accidents.....	2												1					
	Collision with automobiles.....	1												1					
	Other street-car accidents.....	1																	
188c	Automobile accidents (excluding collision with railroad trains and street cars).....	50						10	1	4	6	4	2	10	4	6	3		
188e,f	Injuries by other vehicles.....	5				1									1		1		
188g	Landslide, other crushing.....	1							1										
189	Injuries by animals (not poisoning).....	1																	
193	Excessive cold.....	1														1			
194	Excessive heat.....	3	1											1	1				
196	Other accidental electric shocks.....	1																	
201	Fracture (cause not specified).....	3															1		
202	Other external violence.....	8								1	3	1	2		2			1	
	XV.—Ill-defined diseases.....	8	1	2				1							1		2		
204	Sudden death.....	1													1				
205a	Ill-defined.....	5		2				1									1		
205b	Not specified or unknown.....	2	1														1		





MORTALITY STATISTICS

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE, BY AGE, IN THE REGISTRATION AREA AND EACH REGISTRATION STATE: 1926—Continued

List No.	CAUSE OF DEATH	All deaths	DISTRICT OF COLUMBIA—Continued														75 years and over	Age un-known	
			Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years			65 to 74 years
V.—Diseases of the respiratory system—Continued.																			
103	Congestion and hemorrhagic infarct of the lung	5														1	4		
104	Gangrene of the lung	2										1		1			3		
105	Asthma	7														1			
106	Pulmonary emphysema	1									1								
107	Other diseases of the respiratory system (tuberculosis excepted)	3		1							2			1					
VI.—Diseases of the digestive system (Colored)		336	62	12	8	6	1	7	2	3	6	11	14	24	61	56	35	28	
		210	69	8	2	2	3	3	4	5	13	16	11	18	23	18	10	5	
108	Diseases of the mouth and annaxa	3											1	1				1	
109b	Other diseases of the pharynx, tonsils	12	2		1			1			1	3	1	2	1			1	
111a	Ulcer of the stomach	12											3		4	1	4		
111b	Ulcer of the duodenum	4									1		2	3	3	1	1		
112	Other diseases of the stomach (cancer excepted)	3	1			1					1		1	2	4	1		1	
113	Diarrhea and enteritis (under 2 years)	62	51	11															
113	Diarrhea and enteritis (2 years and over)	69	63	6															
114	Diarrhea and enteritis (2 years and over)	19			6	2								2	2	2	2	4	
114	Diarrhea and enteritis (2 years and over)	27			2	1	2				2	4	1	5	4	3	2	1	
117	Appendicitis and typhlitis	68		1	1	3	1	3	3	1	4	6	3	11	5	17	8	5	
117	Appendicitis and typhlitis	25												2	2	2	2	1	
118a	Hernia	6												2	3	2	4	3	
118b	Intestinal obstruction	38	7					1				1		5	6	8	5	5	
118b	Intestinal obstruction	19	1	2			1		1	1	2	1	1	2	1	4	1	1	
119	Other diseases of the intestines	6				1					1		1	1	1	1	1	1	
122	Cirrhosis of the liver	26												9	9	6	1		
122	Cirrhosis of the liver	14									2	2		1	6	2	1	1	
123	Biliary calculi	19												8	7	3	1		
123	Biliary calculi	3									1			1	1	1	1	1	
124	Other diseases of the liver	34						2					2	1	8	9	6	6	
124	Other diseases of the liver	5	1											2	1	1	1		
125	Diseases of the pancreas	2												1	1				
125	Diseases of the pancreas	2												1	1				
126	Peritonitis without specified cause	7	2							1	1			1	2	1	2	2	
VII.—Nonvenereal diseases of the genito-urinary system and annaxa		503	1	1		1	1			1	3	6	6	10	33	69	83	145	145
		321								1	5	7	11	17	53	73	68	48	36
128	Acute nephritis (including unspecified under 10 years)	9	1											2	2	1	1	1	
128	Acute nephritis (including unspecified under 10 years)	38					1			1	2	4	4	3	10	5	3	4	1
129	Chronic nephritis (including unspecified 10 years and over)	436								1	3	5	5	7	25	58	69	133	130
129	Chronic nephritis (including unspecified 10 years and over)	243									2	6	8	33	61	53	42	42	33
131	Other diseases of the kidneys and annaxa	11		1								1			1	5	3	1	
132	Calculi of the urinary passages	5				1									2	1	1	1	
133	Diseases of the bladder	6													1	1	1	3	
133	Diseases of the bladder	4													1	1	1	1	
134	Diseases of the urethra, etc.	1													1				
134	Diseases of the urethra, etc.	1													1				
135	Diseases of the prostate	20												1		2	7	10	
135	Diseases of the prostate	7													1	3	1	2	
137	Cysts, other benign tumors of the ovary	2													1	2			
137	Cysts, other benign tumors of the ovary	2													1	1			
138	Salpingitis and pelvic abscess (female)	4													1	1	1	1	
138	Salpingitis and pelvic abscess (female)	16													1	4	2		
139	Benign tumors of the uterus	8													2	4	4	2	
139	Benign tumors of the uterus	7													2	4	1		
141	Other diseases of the female genital organs	2													1				
141	Other diseases of the female genital organs	1													1				
VIII.—The puerperal state		39																	
		30																	
143	Accidents of pregnancy	3											1	2					
143	Accidents of pregnancy	1													1				
144	Puerperal hemorrhage	4													1	2			
144	Puerperal hemorrhage	3													1	1			
145	Other accidents of labor	8													1	2			
145	Other accidents of labor	1													1	1			
146	Puerperal septicemia	13													3	4	4	4	
146	Puerperal septicemia	15													2	2	3	3	
147	Puerperal phlegmasia alba dolens, embolus, etc.	3													2	1			
147	Puerperal phlegmasia alba dolens, embolus, etc.	7													1	4			
148	Puerperal albuminuria and convulsions	3													1	4			
148	Puerperal albuminuria and convulsions	10													3	1	2	3	
149	Following childbirth (undefined)	1													1				
IX.—Diseases of the skin and of the cellular tissue		7	1	1				2									1	2	
		4															1	1	
151	Gangrene	1																	
151	Gangrene	3																	
153	Acute abscess	4																	
153	Acute abscess	2	1																
154	Other diseases of the skin and annaxa	1		1															
154	Other diseases of the skin and annaxa	1																	

CAUSES OF DEATH, BY AGE

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE, BY AGE, IN THE REGISTRATION AREA AND EACH REGISTRATION STATE: 1926—Continued

List No.	CAUSE OF DEATH	All deaths	DISTRICT OF COLUMBIA—Continued													75 years and over	Age un- known	
			Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 44 years	45 to 54 years			55 to 64 years
	X.—Diseases of the bones and of the organs of locomotion	White 6 Colored 3	1	1										1	1	2	1	2
155	Diseases of the bones (tuberculosis excepted)	White 6 Colored 3	1	1										1	1	2	1	2
	XI.—Malformations	White 50 Colored 13	46	2						1				1				
159a	Congenital hydrocephalus	White 6 Colored 2	4	2														
159b	Congenital malformations of the heart	White 26 Colored 5	26															
159c	Other congenital malformations	White 18 Colored 6	16		1					1				1				
	XII.—Early infancy	White 181 Colored 131	181															
160	Congenital debility, icterus, sclerema	White 9 Colored 7	9															
161a	Premature birth	White 112 Colored 101	112															
161b	Injury at birth	White 46 Colored 14	46															
162	Other diseases peculiar to early infancy	White 13 Colored 9	13															
163	Lack of care	White 1 Colored 1	1															
164	XIII.—Old age (senility)	White 38 Colored 9															5	33
	XIV.—External causes	White 332 Colored 161	3	3	3	7	4	16	6	15	21	21	21	42	51	37	35	47
	Suicide	White 80 Colored 6								3	6	8	8	13	23	14	4	1
165	By poisons (gas or corrosives excepted)	White 5 Colored 1										1			2	2		
166	By corrosive substances	White 7 Colored 1								1	2	1	3					
167	By poisonous gas	White 22 Colored 2										2	3	4	6	5	1	1
168	By hanging or strangulation	White 5 Colored 1										1		2	2			
169	By drowning	White 1 Colored 3															1	1
170	By firearms	White 32 Colored 1								2	3	1	2	5	11	6	1	2
171	By cutting or piercing instruments	White 1 Colored 5													1	1		
172	By jumping from high places	White 1 Colored 1																
	Homicide	White 10 Colored 42								1	1	2	1	4	4		1	
197	By firearms	White 7 Colored 27								1	1	2	1	2	1	2		
198	By cutting or piercing instruments	White 10 Colored 3								1	2	5	1		1		1	
199	By other means	White 3 Colored 5												2	2			
	Accidental or undefined	White 242 Colored 113	3	3	3	7	4	16	6	11	14	11	12	25	28	23	30	46
175	Poisoning by food	White 4 Colored 1												1	1			
177	Other acute poisonings (gas excepted)	White 6 Colored 4				1				2	1		3					
178	Conflagration	White 2 Colored 1						1					1					
179	Burns (conflagration excepted)	White 23 Colored 13	1	1	2	2		2	1			1	1	3			6	2
180	Mechanical suffocation	White 2 Colored 2																
181	Absorption of irrespirable, irritating, or poisonous gas	White 23 Colored 14				1				1	1	1	2	4	4	3	3	6
182	Drowning	White 11 Colored 7						1	1	2	3	1	1	1	1		1	1
183	Traumatism by firearms (except in war)	White 2 Colored 3								1	1							
184	Traumatism by cutting or piercing instruments	White 2 Colored 59	1															
185	Traumatism by fall	White 16 Colored 9		1	1					2	2	2	2	4	1	2	9	29
187	Traumatism by machines	White 3 Colored 5										1		1	1	1	1	2
188a	Railroad accidents	White 1 Colored 1						1					1		1	1	1	1
188b	Street-car accidents	White 8 Colored 3								1			1	1	2	1		2
	Collision with automobiles	White 1 Colored 1											1	1	1			
	Other street-car accidents	White 8 Colored 2								1			1	1	2	1		2
188c	Automobile accidents (excluding collision with railroad trains and street cars)	White 69 Colored 29		1		3	4	8	4	4	4	5	4	7	8	8	9	4
188d	Airplane and balloon accidents	White 2 Colored 3											2	3	3	3	4	1
188e,f	Injuries by other vehicles	White 1 Colored 3												1	1		1	
188g	Landslide, other crushing	White 3 Colored 2												1	1			

MORTALITY STATISTICS

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE, BY AGE, IN THE REGISTRATION AREA AND EACH REGISTRATION STATE: 1926—Continued

List No.	CAUSE OF DEATH	All deaths	Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 to 74 years	75 years and over	Age unknown
DISTRICT OF COLUMBIA—Continued																			
XIV.—External causes—Contd.																			
189	Accidental or undefined—Con. Injuries by animals (not poisoning).....	2												1	1				
194	Excessive heat.....	4											1	2		1			
196	Other accidental electric shocks.....	1											1			1			
201	Fracture (cause not specified).....	2									1				1				
202	Other external violence.....	7	1			1		3	2					1	2	1			
	XV.—Ill-defined diseases																		
	{White.....	2						1											1
	{Colored.....	4	2													1			1
205a	Ill-defined.....	1						1											1
205b	Not specified or unknown.....	1														1			1

d

FLORIDA

	All causes.....	{White.....	12,173	1,539	329	143	117	85	258	190	333	482	493	477	1,078	1,363	1,550	1,870	1,825	41
	{Colored.....	{Colored.....	7,871	1,063	216	67	43	30	134	123	356	626	663	545	1,229	1,177	637	449	446	67
	I.—Epidemic, endemic, and infectious diseases.....	White.....	1,556	122	80	35	34	28	73	38	68	81	114	94	169	197	155	146	120	2
	{Colored.....	{Colored.....	1,714	169	55	15	13	9	43	43	140	216	217	162	270	183	76	50	44	9
1	Typhoid and paratyphoid fever.....	W.....	102	1	1			2	6	7	18	6	14	11	9	15	7	4	1	
	{C.....	{C.....	88	3	1	2		1	11	6	12	16	13	9	7	4	1	1		1
2	Typhus fever.....	W.....	1																	
	{C.....	{C.....	106	5	2	5	3	3	9	6	7	4	7	4	7	6	16	15	6	1
5	Malaria.....	W.....	124	15	6		1		8	5	10	13	4	6	19	14	9	9	4	1
	{C.....	{C.....	5	1							1			2				1		1
6	Smallpox.....	W.....	19	6	2			1	4											
	{C.....	{C.....	9	1	9	2														
7	Measles.....	W.....	14	1	1	1	1	2	3	2	1	2								
	{C.....	{C.....	1																	
8	Scarlet fever.....	W.....	28	17	6	2	2		1											
	{C.....	{C.....	31	17	12	1			1											
9	Whooping cough.....	W.....	102	5	20	16	18	12	22	3		1	1	3	1					
	{C.....	{C.....	20	4	5	3	4	2	1											
10	Diphtheria.....	W.....	230	22	11	1	2	3	3	10	7	13	10	29	25	28	32	33		
	{C.....	{C.....	171	18	4	5	4	2	4	3	11	16	16	12	20	28	8	8	11	1
11a	Influenza (with pulmonary complications).....	W.....	158	16	5	1	1	4	3	2	4	2	5	2	13	15	13	28	45	1
	{C.....	{C.....	153	23	6	1	2	1	6	3	4	11	9	12	19	18	13	11	14	1
11b	Influenza (other and unspecified).....	W.....	3																	
	{C.....	{C.....	2						1											
13	Mumps.....	W.....	1																	
	{C.....	{C.....	1																	
15	Cholera nostras.....	W.....	54	13	13	1			1		1	1	1	2	1	3	2	7	8	
	{C.....	{C.....	47	14	5				1		1	1	6		4	3	6	3	3	
16	Dysentery.....	W.....	11	2							1				1	2	1	1	2	
	{C.....	{C.....	9	3	2				3	1					2					
19	Spirochetal hemorrhagic jaundice.....	W.....	14	3					3	1			1	1	1	4	3	1		
	{C.....	{C.....	3						1											
21	Erysipelas.....	W.....	11	2							1				2	2	1	1	2	
	{C.....	{C.....	2																	
22	Acute anterior poliomyelitis.....	W.....	14						3	1			1							
	{C.....	{C.....	3						1											
23	Lethargic encephalitis.....	W.....	16	3	2	1		2	2	2		3		1	1	4	3	1		
	{C.....	{C.....	3					1												
24	Meningococcus meningitis.....	W.....	4																	
	{C.....	{C.....	7	2		1									1	1	1	1	1	
25	Other epidemic and endemic diseases.....	W.....	2																	
	{C.....	{C.....	7	1																
28	Rabies.....	W.....	32	7	2		1		4	2	3	1	2	2	4	1	1	2		
	{C.....	{C.....	69	24				1	7	8	4	5	3	2	5	5	1	3		1
29	Tetanus.....	W.....	4																	
	{C.....	{C.....	4																	
30	Mycoses.....	W.....	521	3	5	3	5		5	10	20	42	62	47	81	101	69	47	21	
	{C.....	{C.....	879	3	6	2	1	1	3	13	85	112	139	88	133	57	20	8	5	3
31	Tuberculosis (all forms).....	W.....	460	1	3	1	2		3	6	18	37	58	43	74	90	65	45	19	
	{C.....	{C.....	633	2	5	1	1	1	3	13	81	105	128	85	126	51	20	7	4	3
32	Of the respiratory system.....	W.....	17	2	5	1	3		1	1					1	1	2			
	{C.....	{C.....	7	1	3															
33	Of the meninges, central nervous system.....	W.....	14			1				1	1				3	1	1	1	2	
	{C.....	{C.....	18									3	6	1	2	4			1	
34	Of the intestines, peritoneum.....	W.....	5								1	1	1		2					
	{C.....	{C.....	5			1						1	1		2					
35	Of the vertebral column.....	W.....	4								1				2					
	{C.....	{C.....	2									1	1		1					
36	Of the joints.....	W.....	11						2			2	2	1	2	3	1			
	{C.....	{C.....	5	1							1	1	1	1	1	1				
37a	Of other organs.....	W.....	8									1	1	2	1	1		1		
	{C.....	{C.....	9									1	3	1	3					
37b	Disseminated (acute).....	W.....	1												1					
	{C.....	{C.....	1																	
38	Disseminated (chronic or unspecified).....	W.....	84	19	1						3	3	6	16	21	8	5	1		
	{C.....	{C.....	266	34	8	1			8	32	23	30	54	50	15	5	5	5	5	1
40	Syphilis.....	W.....	7	1							5	1		3	3					
	{C.....	{C.....	16								6	3	1	2	3					1
41	Gonococcus infection.....	W.....	35	2		1		1	2		1	5	4	5	4	2	5	1	2	
	{C.....	{C.....	13	1					1	2	1	1	1	4	4	1	1	1	1	

CAUSES OF DEATH, BY AGE

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE, BY AGE, IN THE REGISTRATION AREA AND EACH REGISTRATION STATE: 1926—Continued

List No.	CAUSE OF DEATH	All deaths	FLORIDA—Continued													75 years and over	Age un-known		
			Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 44 years	45 to 54 years			55 to 64 years	65 to 74 years
	II.—General diseases not included in Class I.	White Colored	1,175 372	31 9	8 2	6 1	1 3	16 3	5 8	8 14	15 23	35 30	41 24	119 80	202 84	246 50	266 26	167 16	6 2
	Cancer and other malignant tumors.	W C	730 169			2 1	1 1	1 1	1 2	3 6	5 9	11 23	23 41	73 126	128 173	173 176	136 136	2 2	
43	Of the buccal cavity.	W C	28 7																
44	Of the stomach, liver.	W C	221 39					1 1	1 1			2 2	4 4	12 7	32 9	63 8	72 4	33 3	
45	Of the peritoneum, intestines, rectum.	W C	97 11									1 3	1 4	15 2	14 1	17 4	19 4	24 1	3 2
46	Of the female genital organs.	W C	123 58									4 5	3 2	21 17	33 10	30 4	20 10	12 2	
47	Of the breast.	W C	60 12											3 3	4 5	17 3	10 1	2 1	
48	Of the skin.	W C	39 162			2 1								1 3	6 5	2 34	6 39	8 35	18 1
49	Of other or unspecified organs.	W C	32 11					1 1	1 1		2 1			15 1	21 2	10 3	6 1	5 1	1 1
50	Tumors, benign and unqualified (tumors of the female genital organs excepted).	W C	6 8	1				1 1		1 1		1 2	1 1	1 4	2 2	1 2	3 2	1 5	1 2
51	Acute rheumatic fever.	W C	12 15					1 2	1 1			2 1		1 4	2 2	2 2	6 5	5 2	
52	Chronic rheumatism, osteoarthritis, gout.	W C	4 47	1					1 2					1 7	1 10	11 4	9 4	1 2	4 1
54	Pellagra.	W C	84 5					1 1	2 4	7 7	11 10	10 26		13 4	4 4	4 4	2 2	1 1	1 1
56	Rickets.	W C	6 142	4 5	1 1			1 8	2 1	1 2	5 6	3 3	5 5	23 34	34 39	39 14	14 1	1 1	
57	Diabetes mellitus.	W C	37 53	1 1					2 2	1 2	5 2	6 2	3 7	7 11	6 7	5 18	2 2	2 1	
58	Anemia, chlorosis.	W C	10 17						2 1			1 4	1 5	2 2	1 2	1 2	1 1	1 1	
60a	Exophthalmic goiter.	W C	3 7					2				1	1	2	2	2	1	1	
60b	Other diseases of the thyroid gland.	W C	3 7	1										1	1	1	2	1	
62	Diseases of the thymus gland.	W C	7 2	6 2		1						1	1		1		2	1	
63	Diseases of the adrenals (Addison's disease).	W C	3 1							1			1		1				
64	Diseases of the spleen.	W C	1 18														1		
65a	Leukemia.	W C	3 7	1 1			1 1		2 1	1 1	1 1	1 2	1 2	3 5	5 1	1	1		
65b	Hodgkin's disease.	W C	1 59										2	1	2	2	2		
66	Alcoholism (acute or chronic).	W C	1 30						1 6	2 3	6 3	2 3	17 7	17 7	8 7	5 1	1		1
67a	Chronic lead poisoning.	W C	1 2										1	1	1	1	1		
67b	Other chronic mineral poisoning.	W C	2 4																
68	Chronic poisoning by organic substances.	W C	4 9	18 5	1 3		1 1		1 1	1 1	2 1	2 1	1 1	1 1	1 1	1 1	3 4	1 1	1
69	Other general diseases.	W C	41 9	18 5	1 3		1 1		1 1	1 1	2 1	2 1	1 1	2 1	1 1	1 1	3 4	1 1	1
	III.—Diseases of the nervous system and of the organs of special sense.	White Colored	1,080 686	36 32	9 1	5 3	4 3	4 9	13 1	7 5	16 17	10 7	15 24	84 141	133 191	214 112	281 80	243 53	3 6
70	Encephalitis.	W C	17 5	3 10		1 1				2 3	1 3			5 1	2 1	2 1	1 1	1 1	
71a	Simple meningitis.	W C	25 5	10 1	1		1 2		1 1			1 1	1 1	2 1	1 1				
71b	Nonepidemic cerebrospinal meningitis.	W C	8 11	2 3	2		1 1		1 1			1 1	1 5						
72	Tabes dorsalis (locomotor ataxia).	W C	9 32						1		3	1	1	4	2	5	8		
73	Other diseases of the spinal cord.	W C	22 741	1 3	1 1		1 2	1 1	1 1	1 3	1 6	1 17	1 43	3 97	4 163	7 224	2 190	1 3	2
74a	Cerebral hemorrhage.	W C	16 430						1 1	1 9	1 6	1 17	1 99	1 136	2 71	4 57	4 38	3 3	4
74b	Cerebral embolism and thrombosis.	W C	8 113											1 5	2 16	4 23	2 31	2 32	1
75	Paralysis without specified cause.	W C	1 112						1 1	1 1			2	21	32	27	16	11	1
76	General paralysis of the insane.	W C	10 14											3 3	2 4	4 2	1 1		
77	Other forms of mental alienation.	W C	4 20											3 7	1 1	1 1			
78	Epilepsy.	W C	4 20		2									3 7	4 1	4 1	1 2	1	
79	Convulsions (nonpuerperal; 5 years and over).	W C	3 1			2		2	1	1	4	2	2	4	4	1	1	2	1
80	Infantile convulsions (under 5 years).	W C	12 26	9 25	1	1		1			1				1				
81	Chorea.	W C	1 1							1									
82	Neuralgia and neuritis.	W C	1 4																
83	Softening of the brain.	W C	1 4												1				
84	Other diseases of the nervous system.	W C	43 9	2 1		1 1		1 1	2 2	1 1	3 3	3 8	8 5	4 4	4 4	1 9	3		
85	Diseases of the eye and annexa.	W C	1 11																
86a	Diseases of the ear.	W C	3 11	3	2			1	2		1				1	1	1		
86b	Diseases of the mastoid process.	W C	3 1		1	1		1	1		1			2	3	1	1		

MORTALITY STATISTICS

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE, BY AGE, IN THE REGISTRATION AREA AND EACH REGISTRATION STATE: 1926—Continued

List No.	CAUSE OF DEATH	All deaths	FLORIDA—Continued														75 years and over	Age un- known	
			Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years			65 to 74 years
	IV.—Diseases of the circulatory system—White—Colored—	1,688 740	4 3	3 2	1 2	1 1	4 1	8 5	12 8	13 9	20 13	28 32	28 36	100 131	216 206	321 123	453 90	471 63	4 10
87	Pericarditis—W—C—	7 8	1											1		1	2	1	
88	Endocarditis and myocarditis (acute)—W—C—	62 43	1	1	1		2	1	3	4	5	8	3	13	6	4	5	6	
89	Angina pectoris—W—C—	184 31											3	14	22	40	72	33	
90	Other diseases of the heart—W—C—	1,288 600	1	1	1	1	2	7	9	8	21	17	19	66	172	256	340	364	4
91a	Aneurysm—W—C—	18 16												1	3	4	5	1	
91b,c	Other diseases of the arteries—W—C—	98 23												1	7	4	2	1	
92	Embolism and thrombosis (not cerebral)—W—C—	22 1	1	1						1	1	1	2	3	2	1	3	4	
93	Diseases of the veins—W—C—	4 3											1				1	1	
94	Diseases of the lymphatic system—W—C—	2 1												1				1	
95	Hemorrhage without specified cause—W—C—	4 4			1					2	1							1	
96	Other diseases of the circulatory system—W—C—	7 10							1				2		1		1	4	1
	V.—Diseases of the respiratory system—White—Colored—	770 612	154 141	43 59	28 20	16 11	5 5	15 9	12 10	21 29	21 50	18 55	23 37	60 69	70 61	78 26	80 10	125 19	1
97a	Diseases of the nasal fossae—W—C—	2 6	1 4													1	1		
97b	Diseases of the nasal fossae annexa—W—C—	10 1		1					1	1	1	1	1	1	2	1	1		
98	Diseases of the larynx—W—C—	4 1	1		1				1					1					
99a	Acute bronchitis—W—C—	13 20	3 5	1	1	1				2		3	1	3	2	1	1	6	
99b	Chronic bronchitis—W—C—	18 7	2		1									2	1	1	3	10	
99c,d	Bronchitis (unspecified)—W—C—	13 7	4 2						1			1	1	2	1	1	2	5	
100a	Broncho-pneumonia—W—C—	257 134	93 44	26 26	15 5	5 4	2 1	8 5	2 2	2 3	2 7	1 8	4 4	12 9	14 5	17 8	17 1	39 1	1
100b	Capillary bronchitis—W—C—	6 8	3 5	2										1	30	30	35	33	28
101a	Lobar pneumonia—W—C—	256 254	20 33	7 17	8 6	7 4	1 2	4 3	5 6	12 19	14 29	12 25	9 22	30 36	30	10	5	5	1
101b	Pneumonia (unspecified)—W—C—	101 127	21 44	9 9	6 6	1 1	1 1	1 1	1 1	4 3	10 10	12 12	6 4	6 13	9	8	11	12	7
102	Pleurisy—W—C—	22 13	3 2	1		1				1	2	1	1	2	2	1	2	3	
103	Congestion and hemorrhagic infarct of the lung—W—C—	27 5	3				1			1			1	1	1	4	2	16	
104	Gangrene of the lung—W—C—	3 27						1					1	1	2		7	7	5
105	Asthma—W—C—	10 1		2						1		1	1	2	4	2	3	3	1
106	Pulmonary emphysema—W—C—	3 10			1					1			1	2	2	2	2	2	
107	Other diseases of the respiratory system (tuberculosis excepted)—W—C—	16 1	1	1	1					1	1	4	2	2	2	2	1	1	2
	VI.—Diseases of the digestive system—White—Colored—	1,200 706	263 171	133 67	28 15	30 5	5 1	39 15	22 6	19 26	43 34	42 42	41 39	100 102	120 91	111 49	110 25	92 12	2 6
108	Diseases of the mouth and annexa—W—C—	15 8		1						1	1	2	1	3	2	4	2		
109b	Other diseases of the pharynx, tonsils—W—C—	47 19	1 2	1	1	2	2	8	2	3	6	2	3	6	2	2	3	3	
110	Diseases of the esophagus—W—C—	4 2								1				1	1	1	1		
111a	Ulcer of the stomach—W—C—	53 28	11 2	5						3	1	2	4	15	6	6	9	6	1
111b	Ulcer of the duodenum—W—C—	21 4								4	1	1	1	8	5			2	
112	Other diseases of the stomach (cancer excepted)—W—C—	106 153	11 13	5	1	2	1	3	2	2	2	2	1	14	19	10	16	18	
113	Diarrhea and enteritis (under 2 years)—W—C—	348 200	231 142	117 58						6	6			8	17	30	5	3	
114	Diarrhea and enteritis (2 years and over)—W—C—	101 52			18 11	17 1	1 1	5 3	3 4	3 1	1 3	1 1	1 2	5 6	7 3	8 7	13 6	16 3	1
115	Ancylostomiasis—W—C—	7 3		1	1	1		1	1	1	1								
116	Diseases due to other intestinal parasites—W—C—	3 2	1		1	2								1					
117	Appendicitis and typhlitis—W—C—	167 72		2	2	3		16	12	8	19	19	13	20	31	12	6	4	2
118a	Hernia—W—C—	25 20	1 2	2						1	1		3	2	4	3	4	4	1
118b	Intestinal obstruction—W—C—	99 52	14 9	4 1	3	2		1	1	1	4	5	7	9	13	9	11	15	
119	Other diseases of the intestines—W—C—	13 12		1	1						1		2	1	3	2	2	5	
120	Acute yellow atrophy of the liver—W—C—	7 2	1										1	1	2	1	1	1	
122	Cirrhosis of the liver—W—C—	57 27						1				1		6	13	17	13	6	
123	Biliary calculi—W—C—	30 6								1	1	2	1	5	2	9	9	2	1





CAUSES OF DEATH, BY AGE

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE, BY AGE, IN THE REGISTRATION AREA AND EACH REGISTRATION STATE: 1926—Continued

List No.	CAUSE OF DEATH	All deaths	Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 to 74 years	75 years and over	Age un-known
<b>IDAHO</b>																			
	All causes.....	3,871	587	93	63	36	27	109	93	90	116	96	117	293	385	476	664	619	7
	I.—Epidemic, endemic, and infectious diseases.....	598	86	36	21	16	6	26	30	26	40	24	34	54	57	51	51	40	
1	Typhoid and paratyphoid fever.....	22	1	1				4	3	4	1		2	1	2	3			
5	Malaria.....	1											1						
6	Smallpox.....	1												1					
7	Measles.....	3			1									1					
8	Scarlet fever.....	20	3	1	2	3	1	3	3	2	1	1							
9	Whooping cough.....	42	22	13	4	2	1												
10	Diphtheria.....	23	2	4	3	1	1	4	7								1		
11a	Influenza (with pulmonary complications).....	151	30	8	6	4	1	5	3	2	3	4	4	15	18	12	13	13	18
11b	Influenza (other and unspecified).....	71	13	3	1	1		3	3	1	2	1	1	8	1	7	12	12	14
15	Cholera nostras.....	1																	
16	Dysentery.....	6	2	1	1								1	1	2	1	3	1	
21	Erysipelas.....	14	7												2	1	3		
23	Lethargic encephalitis.....	8				1				1	2				1	2	1		
24	Meningococcus meningitis.....	22	2	1				2	3	1	7	1		1	3	1	1		
25	Other epidemic and endemic diseases.....	10									1				1	5	2	1	
31	Tuberculosis (all forms).....	180	2	4	3	3	1	5	6	14	22	16	23	21	24	19	13	4	
32	Of the respiratory system.....	153		2	2	1		3	6	11	20	16	21	19	20	18	10	4	
33	Of the meninges, central nervous system.....	12	1	1	1	2	1	2		1			1	1	1	1	1		
34	Of the intestines, peritoneum.....	8	1	1						1									
35	Of the vertebral column.....	2																	
36	Of other organs.....	4									1				1		2		
37a	Disseminated (acute).....	1									1				1				
38	Syphilis.....	15	1							1			2	3	2	4		2	
40	Gonococcus infection.....	2												1	1				
41	Furulent infection, septicemia.....	5				1			2			1		1	1				
42	Other infectious diseases.....	1				1													
	II.—General diseases not included in Class I.....	404	17	2	3		1	5	4	6	7	3	7	33	75	91	87	63	
	Cancer and other malignant tumors.....	254			3			1	1	3	1		3	22	47	64	61	48	
43	Of the buccal cavity.....	5												1	2	2	1	1	
44	Of the stomach, liver.....	100											1	4	13	25	35	22	
45	Of the peritoneum, intestines, rectum.....	34							1					4	3	10	6	10	
46	Of the female genital organs.....	35												6	13	8	4	4	
47	Of the breast.....	21												2	8	5	4	2	
48	Of the skin.....	11											1	1	1	3	1	4	
49	Of other or unspecified organs.....	48			3			1		3	1		1	4	9	11	10	5	
50	Tumors, benign and unqualified (tumors of the female genital organs excepted).....	3	1							1							1		
51	Acute rheumatic fever.....	9						1	2	1	2			1	1			1	
52	Chronic rheumatism, osteoarthritis, gout.....	5													1		2	2	
56	Rickets.....	3	2	1															
57	Diabetes mellitus.....	46						2	1	2	2	1	2	1	5	9	12	9	
58	Anemia, chlorosis.....	10					1							1	4	3	1	1	
60a	Exophthalmic goiter.....	23						1				1		2	9	7	3	1	
60b	Other diseases of the thyroid gland.....	3												2			1		
62	Diseases of the thymus gland.....	7	7																
63	Diseases of the adrenals (Addison's disease).....	2												1			1		
64	Diseases of the spleen.....	2											1		1				
65a	Leukemia.....	4														3	1		
65b	Hodgkin's disease.....	2														2			
66	Alcoholism (acute or chronic).....	20											1	1	3	7	3	4	1
67a	Chronic lead poisoning.....	1															1		
69	Other general diseases.....	10	7	1							1						1	1	
	III.—Diseases of the nervous system and of the organs of special sense.....	405	14	3	2	1	3	6	6	8	6	3	5	18	37	75	115	102	1
70	Encephalitis.....	8		1					1	1	1	2		1		1			
71a	Simple meningitis.....	3						1	1	1					1		1		
71b	Nonepidemic cerebrospinal meningitis.....	3			1	1				1								1	
72	Tabes dorsalis (locomotor ataxia).....	5														3	1	1	
73	Other diseases of the spinal cord.....	14						1						2	3	3	4	1	
74a	Cerebral hemorrhage.....	262	3							1	3			5	19	48	94	89	
74b	Cerebral embolism and thrombosis.....	13	2								1			1	3	3	2	1	
75	Paralysis without specified cause.....	15			1					1				1	1	4	2	6	
76	General paralysis of the insane.....	26											1	2	4	2	8	8	1
77	Other forms of mental alienation.....	2												1	1	1			
78	Epilepsy.....	13					1		1	3			2	2	1	1	1	1	
79	Convulsions (nonpuerperal; 5 years and over).....	2												1		1			
80	Infantile convulsions (under 5 years).....	6	5	1															
81	Chorea.....	1							1										
82	Neuralgia and neuritis.....	2	1																1
83	Softening of the brain.....	1																	1
84	Other diseases of the nervous system.....	14	1						1	1			1	2	2	3	2	1	
85	Diseases of the eye and annexa.....	1								1									1
86a	Diseases of the ear.....	7	2	1				2					1		1				
86b	Diseases of the mastoid process.....	7					1	2	1						2	1			
	IV.—Diseases of the circulatory system.....	570	3		2	1	4	11	7	7	10	5	13	31	49	101	190	135	1
87	Pericarditis.....	6				1	1						1	1		1		1	
88	Endocarditis and myocarditis (acute).....	23				1	1	1	1	2	1	3	6	2	1	1	1	3	
89	Angina pectoris.....	40											2	2	6	7	8	8	
90	Other diseases of the heart.....	432	1		2	1	2	8	6	6	8	4	8	17	36	84	150	98	1

## MORTALITY STATISTICS

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE, BY AGE, IN THE REGISTRATION AREA AND EACH REGISTRATION STATE: 1926—Continued

List No.	CAUSE OF DEATH	All deaths	Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 to 74 years	75 years and over	Age un- known
IDAHO—Continued																			
IV.—Diseases of the circulatory system—Continued.																			
91a	Aneurysm	10											1	2	3	1	3		
91b,c	Other diseases of the arteries	43												1	2	4	15	21	
92	Embolism and thrombosis (not cerebral)	11	1					1						2	1	3	3		
93	Diseases of the veins	3														2	1		
94	Diseases of the lymphatic system	1	1																
96	Other diseases of the circulatory system	1																1	
V.—Diseases of the respiratory system																			
		329	85	19	9	2	4	5	8	4	5	8	4	19	22	29	49	57	
97a	Diseases of the nasal fossae	1								1									
97b	Diseases of the nasal fossae annexa	2							2										
98	Diseases of the larynx	3	1	1			1												
99a	Acute bronchitis	2																	
99b	Chronic bronchitis	4													1				
99c,d	Bronchitis (unspecified)	7													1	1			
100a	Broncho-pneumonia	119	54	13	6	1	1	2	1		2	3	1	3	2	8	9	13	
100b	Capillary bronchitis	1																	
101a	Lobar pneumonia	141	19	4	2	1	1	2	3	3	3	4	3	14	18	17	25	27	
101b	Pneumonia (unspecified)	21	9	1	1				1					1	2		4	3	
102	Pleurisy	7						1									2		
103	Congestion and hemorrhagic infarct of the lung	5	1						1									1	2
104	Gangrene of the lung	3					1								1		1		
105	Asthma	11														3	4	4	
107	Other diseases of the respiratory system (tuberculosis excepted)	2															1	1	
VI.—Diseases of the digestive system																			
		373	75	22	9	7	2	18	13	6	9	9	17	31	48	39	38	29	1
108	Diseases of the mouth and annexa	5												2	1	1	1		
109b	Other diseases of the pharynx, tonsils	24	5	1		2		2	1	1	3	1	2	2	2			2	
111a	Ulcer of the stomach	38		1									5	3	13	6	7	2	1
111b	Ulcer of the duodenum	6												1	2	1	1	1	
112	Other diseases of the stomach (cancer excepted)	15	4	1	1			1							1	1	5	1	
113	Diarrhea and enteritis (under 2 years)	74	57	17															
114	Diarrhea and enteritis (2 years and over)	24			6	1	2	2					1		1	3	3	5	
117	Appendicitis and typhlitis	75	1		1	2		8	10	4	5	5	5	9	12	9	3	1	
118a	Hernia	15	2	1										1	4	2	4	1	
118b	Intestinal obstruction	30	5	1	1	2		4	1				2	4	4	4	3	3	
119	Other diseases of the intestines	7	1					1						2	1	1	1	1	
122	Cirrhosis of the liver	22										1	1	2	2	4	4	8	
123	Biliary calculi	16								1				3	2	5	3	2	
124	Other diseases of the liver	18								1		1	1	5	2	3	3	2	
125	Diseases of the pancreas	1										1							
126	Peritonitis without specified cause	3						1						1	1				
VII.—Nonvenereal diseases of the genito-urinary system and annexa																			
		307	3		3			1	3	1	7	4	4	32	25	42	87	95	
128	Acute nephritis (including unspecified under 10 years)	22	1		2				2		3			3	1	1	6	3	
129	Chronic nephritis (including unspecified 10 years and over)	226			1			1	1		4	4	2	18	18	35	67	75	
131	Other diseases of the kidneys and annexa	7	2											1	1		1	2	
132	Calculi of the urinary passages	4												2	1	1			
133	Diseases of the bladder	3														1			
134	Diseases of the urethra, etc.	2															1	1	
135	Diseases of the prostate	27													1	3	12	11	
138	Salpingitis and pelvic abscess (female)	6							1					4					
139	Benign tumors of the uterus	8												4	3	1			
141	Other diseases of the female genital organs	2											1					1	
VIII.—The puerperal state																			
		53								4	9	10	8	22					
143	Accidents of pregnancy	6								1				2	3				
144	Puerperal hemorrhage	6												1	5				
145	Other accidents of labor	2									1	1							
146	Puerperal septicemia	22							3	7	4	3		5					
147	Puerperal phlegmasia alba dolens, embolus, etc.	7								1		2	1	3					
148	Puerperal albuminuria and convulsions	10										2	2	6					
IX.—Diseases of the skin and of the cellular tissue																			
		7	2										1		1		2	1	
151	Gangrene	4													1		2	1	
152	Furuncle	1																	
154	Other diseases of the skin and annexa	2	2																
X.—Diseases of the bones and of the organs of locomotion																			
		2												1		1			
155	Diseases of the bones (tuberculosis excepted)	2												1		1			
XI.—Malformations																			
		62	57			1		1	1	1				1					
159a	Congenital hydrocephalus	3	1					1	1										
159b	Congenital malformations of the heart	44	42			1				1									
159c	Other congenital malformations	15	14											1					

CAUSES OF DEATH, BY AGE.

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE, BY AGE, IN THE REGISTRATION AREA AND EACH REGISTRATION STATE: 1926—Continued

List No.	CAUSE OF DEATH	All deaths	Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 to 74 years	75 years and over	Age un-known
<b>IDAHO—Continued</b>																			
	XII.—Early infancy.....	228	228																
160	Congenital debility, icterus, sclerema..	26	26																
161a	Premature birth.....	141	141																
161b	Injury at birth.....	42	42																
162	Other diseases peculiar to early infancy..	19	19																
164	XIII.—Old age (senility).....	77															4	11	62
	XIV.—External causes.....	415	8	11	13	8	7	36	20	26	23	30	24	48	66	41	24	27	3
	Suicide.....	49							1		4	8	3	5	11	9	7	1	
165	By poisons (gas or corrosives ex- cepted).....	3									1				1		1		
166	By corrosive substances.....	4										2	2						
168	By hanging or strangulation.....	9									2			1		3	1		
169	By drowning.....	1														1			
170	By firearms.....	23									1	4	1	2	5	4	5	1	
171	By cutting or piercing instruments.....	6										2		1	3				
174	By other means.....	3							1					1		1			
	Homicide.....	15						1				2	1	4	5	1	1		
197	By firearms.....	12						1						3	3	1	1		
198	By cutting or piercing instruments.....	2												1	1				
199	By other means.....	1												1	1				
	Accidental or undefined.....	351	8	11	13	8	7	35	19	26	19	20	20	39	50	31	16	26	3
175	Poisoning by food.....	2				1													
177	Other acute poisonings (gas ex- cepted).....	9		4	2				1						2				
178	Conflagration.....	5	2											1		1			
179	Burns (conflagration excepted).....	19		1	2	1	1	4		1		1	2				3	2	
180	Mechanical suffocation.....	8	4											1	3				
182	Drowning.....	59	1	6	5	3	1	10	6	6	4	4	1	3	2	3	2	2	
183	Traumatism by firearms (except in war).....	17							2	2	4	2	1		2	2	2		
184	Traumatism by cutting or piercing instruments.....	4								1	1				1				1
185	Traumatism by fall.....	39			1			4	3				1	4	3	1	4	15	
186a	Traumatism in mines.....	17								1			6	1	5	1			
187	Traumatism by machines.....	10			1				2			1		2	2	1			
188a	Railroad accidents.....	21				1		1		2	2	1	2	1	5	1	4		1
	Collision with automobiles.....	4								1	1			2	4	2	4		1
	Other railroad accidents.....	17				1		1		1	1			1	2	1	1		
188b	Street-car accidents.....	4												2	2		1		
188c	Collision with automobiles.....	4						1						2		1			
	Automobile accidents (excluding collision with railroad trains and street cars).....	77			1	1	2	9	3	5	6	3	6	7	19	7	3	3	2
188d	Airplane and balloon accidents.....	1										1							
188e,f	Injuries by other vehicles.....	10							2				1	1	1	1	2	1	
188g	Landslide, other crushing.....	7				1	2			1				1	3				
189	Injuries by animals (not poisoning).....	6						1		1					1				
192	Starvation (deprivation of food or water).....	1													1				
193	Excessive cold.....	2	1													1			
194	Excessive heat.....	3												1			1	1	
195	Lightning.....	3								2				1					
196	Other accidental electric shocks.....	4									1	2		1					
202	Other external violence.....	23			1		1	2	1		1	1	3	2	7	3		1	
	XV.—Ill-defined diseases.....	41	9		1				1	1				3	5	2	10	8	1
204	Sudden death.....	7								1					1	1	3		1
205a	Ill-defined.....	15	1		1				1					2	3	1	4	2	
205b	Not specified or unknown.....	19	8											1	1		3	6	

ILLINOIS

	All causes.....	85,331	9,294	1,625	768	545	414	1,527	1,164	1,718	2,443	2,725	3,213	7,959	9,834	12,722	14,595	14,780	5
	I.—Epidemic, endemic, and in- fectious diseases.....	10,384	791	497	263	196	150	427	275	636	869	832	803	1,433	1,116	826	681	584	
1	Typhoid and paratyphoid fever.....	234		1	1	5	1	13	24	45	31	26	14	22	29	12	9	1	
2	Typhus fever.....	1														1			
5	Malaria.....	48	1		2	3	1	5	2	1	2		1	5	2	11	9	3	
6	Smallpox.....	8		1									1	2	1		1	2	
7	Measles.....	353	80	98	46	23	15	46	13	7	6	5	3	2	9				
8	Scarlet fever.....	239	9	23	29	20	20	65	22	17	8	9	9	4	2	1	1		
9	Whooping cough.....	374	189	107	40	15	10	11	1		1								
10	Diphtheria.....	415	19	53	46	48	55	132	26	4	8	1	3	7	8	4	1		
11a	Influenza (with pulmonary compli- cations).....	1,282	143	66	28	22	11	26	21	32	23	41	49	139	121	147	177	216	
11b	Influenza (other and unspecified).....	758	85	45	16	14	6	24	17	20	18	20	34	47	56	66	102	188	
13	Mumps.....	5	2	1				1							1				
15	Cholera nostras.....	6																	
16	Dysentery.....	67	5	6	1	1	1	1		1	2	4	2	6	5	10	9	13	
19	Spirochetal hemorrhagic jaundice.....	3																	
21	Erysipelas.....	197	46	2	4	1	1	5	2	1	11	5	8	18	21	30	23	24	
22	Acute anterior poliomyelitis.....	28	7	1	3	3	1	1	3	2	2	4	5	7	13	4	5	1	
23	Lethargic encephalitis.....	76		2	2		1	4	3	4	8	3	1	21	4	1	1		
24	Meningococcus.....	61	13	6	1	2	2	4	5	6	1	3	2	4	4	1	1		
25	Other epidemic and endemic diseases.....	17	2	4		2	2	2						1					
28	Glanders.....	1																	
29	Rabies.....	3					1	1						1					
29	Tetanus.....	80	6		2	1	2	15	22	3	2	2	3	5	5	5	5	2	
30	Mycoses.....	13	4											2	1	1	2		



CAUSES OF DEATH, BY AGE

173

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE, BY AGE, IN THE REGISTRATION AREA AND EACH REGISTRATION STATE: 1926—Continued

List No.	CAUSE OF DEATH	All deaths	Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 to 74 years	75 years and over	Age unknown
<b>ILLINOIS—Continued</b>																			
	V.—Diseases of the respiratory system	7,656	1,510	494	197	92	64	164	97	108	155	203	298	733	725	784	878	1,153	1
97a	Diseases of the nasal fossae	9	2	1				3						2		1	1	2	
97b	Diseases of the nasal fossae annexa	45	1	1				1	2	4	3	4	8	5	3	8	1	2	
98	Diseases of the larynx	20	6	3	1	1	1	3					1	1		1	1		
99a	Acute bronchitis	248	114	21	11	2	4	5	2	1		3	2	5	4	8	18	48	
99b	Chronic bronchitis	186	3	3				1			1	2	2	6	11	22	48	86	
99c,d	Bronchitis (unspecified)	149	56	3				1				3	2	3	7	9	13	48	
100a	Broncho-pneumonia	2,563	1,004	305	102	56	31	64	16	22	20	30	43	100	97	187	178	358	
100b	Capillary bronchitis	72	35	12	4	2	2	1				2	3	2	1	4	4	5	1
101a	Lobar pneumonia	3,783	246	126	66	25	23	78	64	69	117	143	217	553	553	529	514	459	1
101b	Pneumonia (unspecified)	59	13	5	1	1	1	1	4	2	1	2	3	3	1	7	7	9	
102	Pleurisy	222	19	11	7	5	2	9	7	9	8	11	15	31	27	18	29	14	
103	Congestion and hemorrhagic infarct of the lung	103	6	1									1	1	1	1	17	75	
104	Gangrene of the lung	16												3	4	6	2	1	
105	Asthma	120	1	1								2	4	11	6	22	36	37	
106	Pulmonary emphysema	13	1											1	2	3	1	5	
107	Other diseases of the respiratory system (tuberculosis excepted)	48		1					2	1	5	2	1	6	8	10	8	4	
	VI.—Diseases of the digestive system	6,997	1,603	384	128	89	61	209	160	135	219	265	292	663	757	802	655	575	
108	Diseases of the mouth and annexa	52	2	1			2	2	2	2	3	2	2	10	9	9	1	5	
109b	Other diseases of the pharynx, tonsils	320	21	20	11	13	9	33	28	12	26	34	23	28	28	19	9	8	
110	Diseases of the esophagus	5										1							
111a	Ulcer of the stomach	384	1	1	1		1	1		3	6	17	33	69	81	77	60	33	
111b	Ulcer of the duodenum	124						1			7	3	3	27	24	32	22	5	
112	Other diseases of the stomach (cancer excepted)	154	38	3	3	2	2		1			3	4	5	11	11	23	48	
113	Diarrhea and enteritis (under 2 years)	1,762	1,427	335															
114	Diarrhea and enteritis (2 years and over)	484			91	43	19	31	7	5	6	8	9	22	36	34	63	110	
116	Diseases due to other intestinal parasites	2																	
117	Appendicitis and typhlitis	1,242	3	3	11	24	21	119	101	94	120	102	111	196	154	119	50	14	
118a	Hernia	314	9	1		1		2	2	3	3	2	7	28	47	78	70	61	
118b	Intestinal obstruction	484	81	13	7	4	4	13	9	8	18	20	21	53	42	58	56	77	
119	Other diseases of the intestines	57	3	1				1	3		2	3	1	6	8	9	6	11	
120	Acute yellow atrophy of the liver	39	2								3	7	5	8	5	3	4	2	
121	Hydatid tumor of the liver	3									1						1	1	
122	Cirrhosis of the liver	666						2	1	3	11	26	75	122	171	149	106		
123	Biliary calculi	455						4	5	21	20	78	117	115	63	32			
124	Other diseases of the liver	311	7	2		1	1	3	1	2	9	13	18	31	52	63	53		
125	Diseases of the pancreas	45						1	1	3	9	4	9	10	2	5	2		
126	Peritonitis without specified cause	93	9	4	3		2	3	3	1	5	8	5	17	10	8	9	6	
127	Other diseases of the digestive system (cancer and tuberculosis excepted)	1													1				
	VII.—Nonvenereal diseases of the genito-urinary system and annexa	9,838	67	18	16	15	8	41	51	63	116	165	212	798	1,266	1,842	2,535	2,624	1
128	Acute nephritis (including unspecified under 10 years)	288	32	7	9	7	4	14	18	8	11	9	8	39	27	36	29	30	
129	Chronic nephritis (including unspecified 10 years and over)	8,289	1	2	2	6	4	23	28	39	66	97	139	540	1,070	1,637	2,279	2,355	1
131	Other diseases of the kidneys and annexa	198	26	8	5	2		4	3	3	3	4	9	24	25	31	19	32	
132	Calculi of the urinary passages	80	1						1	1	2	5	3	17	13	13	11		
133	Diseases of the bladder	56	1									1	2	4	7	7	16	18	
134	Diseases of the urethra, etc.	20										1	1	6	2	3	4	3	
135	Diseases of the prostate	417											1	1	1	11	80	167	
136	Nonvenereal diseases of the male genital organs	8	3	1							1			1	1	1	1		
137	Cysts, other benign tumors of the ovary	76							2	8	4	8	25	13	10	5	1		
138	Salpingitis and pelvic abscess (female)	154							8	18	29	18	58	19	2	1	1		
139	Benign tumors of the uterus	179							4	7	18	73	54	12	5	6			
140	Nonpuerperal uterine hemorrhage	5								1			1	2					
141	Other diseases of the female genital organs	65							1	1	2	8	5	9	22	10	7		
142	Nonpuerperal diseases of the breast (cancer excepted)	3	3																
	VIII.—The puerperal state	571							75	163	216	208	202	7					
143	Accidents of pregnancy	93								5	9	26	30	23					
144	Puerperal hemorrhage	86								6	13	16	25	25	1				
145	Other accidents of labor	92								1	18	20	25	28					
146	Puerperal septicemia	347								30	76	93	74	65	3				
147	Puerperal phlegmasia alba dolens, embolus, etc.	34								2	8	6	8	9	1				
148	Puerperal albuminuria and convulsions	219								25	39	55	46	52	2				
	IX.—Diseases of the skin and of the cellular tissue	188	34	1	1			1	3	4	3	7	10	7	12	21	9	22	53
151	Gangrene	67			1					1	1	2	1	3	6	5	8	39	
152	Furuncle	45	10	1					1	1	1	2	4	4	8	2	9	3	
153	Acute abscess	36	6				1	1	2	1	4	3	2	5	5	2	2	2	
154	Other diseases of the skin and annexa	40	18					2	1	1	1	3			2		3	9	
	X.—Diseases of the bones and of the organs of locomotion	94	5	1	3	2	2	13	16	6	2	3	4	7	4	12	9	5	
155	Diseases of the bones (tuberculosis excepted)	77	3	1	3	2	2	11	14	6	2	3	4	5	3	9	6	3	
156	Diseases of the joints (tuberculosis and rheumatism excepted)	12	2					1	2			1		2	1	1	2	1	
158	Other diseases of the organs of locomotion	5						1								2	1	1	

MORTALITY STATISTICS

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE, BY AGE, IN THE REGISTRATION AREA AND EACH REGISTRATION STATE: 1926—Continued

List No.	CAUSE OF DEATH	All deaths	Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 to 74 years	75 years and over	Age unknown
<b>ILLINOIS—Continued</b>																			
	XI.—Malformations.....	1,048	977	26	2	4	8	13	5	5	4	1		1	2				
159a	Congenital hydrocephalus.....	83	72	4		1	1	3	1		1								
159b	Congenital malformations of the heart.....	652	610	16	2	3	3	10	3	3		1							
159c	Other congenital malformations.....	313	295	8			4		1	2	3				2				
	XII.—Early infancy.....	3,782	3,782																
160	Congenital debility, icterus, sclerema.....	229	229																
161a	Premature birth.....	2,246	2,246																
161b	Injury at birth.....	1,062	1,062																
162	Other diseases peculiar to early infancy.....	243	243																
163	Lack of care.....	2	2																
164	XIII.—Old age (senility).....	415														1	39	375	
	XIV.—External causes.....	7,456	139	91	73	74	60	312	286	336	492	567	592	1,279	1,072	836	631	584	2
	Suicide.....	1,067							8	26	59	75	89	254	226	175	120	40	
165	By poisons (gas or corrosives excepted).....	36								3	4	4	3	8	4	3	7		
166	By corrosive substances.....	133							1	6	13	11	15	40	20	15	8	4	
167	By poisonous gas.....	197								3	13	14	19	45	39	36	23	5	
168	By hanging or strangulation.....	192								1	4	10	8	41	53	33	31	11	
169	By drowning.....	55								2	2	2	5	11	10	13	8	3	
170	By firearms.....	343							2	12	20	28	33	80	70	56	30	12	
171	By cutting or piercing instruments.....	61									1	2	3	15	17	10	10	3	
172	By jumping from high places.....	29									2	2	3	9	8	6	1	1	
173	By crushing.....	12									2	2	3	2	2	2	1	1	
174	By other means.....	9									2	2	2	2	2	1	2	1	
	Homicide.....	751	28		2	1	1	3	7	39	98	142	117	181	82	35	14	1	
197	By firearms.....	528			1	1	1	2	5	22	71	115	95	131	57	21	3	7	
198	By cutting or piercing instruments.....	88								2	13	15	13	32	9	3	1	1	
199	By other means.....	135	28		1	1		1	2	15	12	12	9	18	16	11	6	1	
	Accidental or undefined.....	5,638	111	91	71	73	59	309	256	271	335	350	386	844	764	676	497	543	2
175	Poisoning by food.....	27	4	3	1	1		2		2	2	1	1	1	4	2	5	1	
176	Poisoning by venomous animals.....	4																	
177	Other acute poisonings (gas excepted).....	98	3	11	6	2		3	2	7	9	11	12	17	11	3	1		
178	Conflagration.....	123	5	4	7	2	4	11	3	5	12	8	7	23	12	12	2	5	1
179	Burns (conflagration excepted).....	321	10	33	23	31	16	36	16	9	15	12	16	40	17	16	15	16	
180	Mechanical suffocation.....	58	43	1				3	1	1	1	1	2	2	2	1			
181	Absorption of irrespirable, irritating, or poisonous gas.....	222	1			1	1	3	2	4	9	15	13	49	38	35	28	23	
182	Drowning.....	345	1	12	2	1	3	30	53	44	25	16	19	56	37	33	10	3	
183	Traumatism by firearms (except in war).....	138		1	1	1	1	14	19	19	15	12	12	24	10	6	3		
184	Traumatism by cutting or piercing instruments.....	43				1		1	1	4	3			7	7	10	6	2	
185	Traumatism by fall.....	991	11	8	9	4	3	16	16	13	27	27	38	108	105	114	148	346	
186a	Traumatism in mines.....	168								4	13	24	18	48	30	25	6		
186b	Traumatism in quarries.....	3								1			1	1					
187	Traumatism by machines.....	135		1	1			1	4	12	14	10	17	28	21	11	12	3	
188a	Railroad accidents.....	727	1	2	1	2		12	22	44	61	77	86	136	120	93	49	20	1
	Collision with automobiles.....	199	1	1	1	2		3	4	17	24	28	25	36	32	17	7		
	Other railroad accidents.....	528		1				9	18	27	37	49	61	100	88	76	42	19	1
188b	Street-car accidents.....	202			1	2	1	4	5	13	16	7	17	36	35	29	21	15	
	Collision with automobiles.....	62			1	1	1	5	9	10	5	4	11	7	6	2	1		
	Other street-car accidents.....	140		1		1	3		4	6	2	13	25	28	23	19	14		
188c	Automobile accidents (excluding collision with railroad trains and street cars).....	1,338	2	4	9	20	25	149	86	60	80	84	82	154	188	181	139	75	
188d	Airplane and balloon accidents.....	18								1	4	5	5	3					
189a	Injuries by other vehicles.....	86			2	1	1	3	9	9	2	1	5	12	20	15	2	3	
189b	Landslide, other crushing.....	38		1		2							5	10	6	7	2	4	
189c	Injuries by animals (not poisoning).....	23				2		1	2				1	5	1	4	4	3	
192	Starvation (deprivation of food or water).....	1																	
193	Excessive cold.....	20									1	2	1	1	4	6	3	2	
194	Excessive heat.....	40	6	1								1	2	5	9	8	4	4	
195	Lightning.....	18						2	5	1	1	2	3	2			2	2	
196	Other accidental electric shocks.....	63							8	8	8	10	15	5	7	2	2		
201	Fracture (cause not specified).....	23	1					1			1	1	3	4	6	4	2	2	
202	Other external violence.....	364	23	10	7	2	2	20	12	15	18	23	18	62	70	44	24	14	
203	Violent deaths of unknown causation.....	1															1		
	XV.—Ill-defined diseases.....	208	37	6	3	3		2		2	5	5	8	17	29	32	33	26	
204	Sudden death.....	13												1	1	4	5	1	
205a	Ill-defined.....	76	12	5	3			1				1	2	4	12	10	11	15	
205b	Not specified or unknown.....	119	25	1		3		1		2	5	4	5	12	16	18	17	10	

INDIANA

	All causes.....	4,543	969	450	275	212	667	526	786	1,093	1,074	1,077	2,749	3,635	5,198	7,713	9,025	24	
	I.—Epidemic, endemic, and infectious diseases.....	6,358	691	410	214	129	100	233	176	281	440	330	292	639	533	532	623	677	3
1	Typhoid and paratyphoid fever.....	213	1	1	4	5	1	10	29	31	41	22	17	11	19	11	7	3	
5	Malaria.....	12	1					2			1	1	1	1	2	1	3	1	
6	Smallpox.....	8	1	1	1			1			1	1	1	1	1	1	1	1	
7	Measles.....	448	101	106	60	31	20	52	23	8	9	6	10	9	3	7	1	2	
8	Scarlet fever.....	101		12	11	12	8	24	8	4	12	2	2	4	1	1	1	2	
9	Whooping cough.....	419	215	118	45	16	9	14	1				1	1					
10	Diphtheria.....	185	8	19	22	29	22	42	19	1	6	3	4	6	2	1		1	

CAUSES OF DEATH, BY AGE

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE, BY AGE, IN THE REGISTRATION AREA AND EACH REGISTRATION STATE: 1926—Continued

List No.	CAUSE OF DEATH	All deaths	Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 to 74 years	75 years and over	Age un- known
INDIANA—Continued																			
I.—Epidemic, endemic, and infectious diseases—Contd.																			
11a	Influenza (with pulmonary complications)	1,023	131	59	28	12	13	24	10	16	19	25	35	85	71	104	150	245	1
11b	Influenza (other and unspecified)	698	71	35	12	7	6	17	17	13	27	14	20	42	50	54	111	202	
13	Mumps	2						1								1			
15	Cholera nostras	2	1	1															
16	Dysentery	108	18	8	3	1	1					1	1	2	3	6	24	40	
19	Spirochetal hemorrhagic jaundice	3	1	1													1		
21	Erysipelas	113	22	4		1			1	2		1	4	10	8	15	27	18	
22	Acute anterior poliomyelitis	17	6		1	1		2	3	1	1	1	1	1					
23	Lethargic encephalitis	35			1	1		1	1	3	1	4		9	4	5	3	2	
24	Meningococcus meningitis	21	3	2	1	1	3	2	1	2	1	1					1	1	
25	Other epidemic and endemic diseases	10	3			2		3					1				1		
28	Rabies	2						1								1			
29	Tetanus	48	4		3		2	6	6	2	6	2		6	2	3	3	3	
30	Mycoses	9	3										1		2	2	3	1	
	Tuberculosis (all forms)	2,596	56	39	21	9	14	34	53	187	303	280	184	412	317	274	262	149	
31	Of the respiratory system	2,161	21	9	5	2	1	14	31	156	273	257	161	350	284	237	234	125	1
32	Of the meninges, central nervous system	141	28	21	12	4	8	13	8	8	5	5	4	14	4	5	1	1	
33	Of the intestines, peritoneum	141	4	3	4		2	2	7	8	12	11	5	24	16	17	16	10	
34	Of the vertebral column	34						2	2	4	2	3	2	5	3	1	6	4	
35	Of the joints	16							1	1	1			3	4	1	3	4	
36	Of other organs	40	1				2	1	1	1	2	3	6	9	5	6	2	1	
37a	Disseminated (acute)	39	2	5		3		1	2	5	6	1	5	2	1	3		3	
37b	Disseminated (chronic or unspecified)	24		1			1	1	2	4	3		1	1	4			1	1
38	Syphilis	221	39	5	1	1		1	3	5	7	9	9	33	42	38	23	5	
40	Gonococcus infection	27	1						3	5	5	5	2	7	1	1			
41	Purulent infection, septicemia	31	5				1	2		1		3			4	7	4	4	
42	Other infectious diseases	1														1			
II.—General diseases not included in Class I.																			
		4,754	70	12	10	10	5	32	35	53	58	80	91	349	740	1,098	1,294	815	2
	Cancer and other malignant tumors	3,256	2	3	5			4	4	10	18	35	54	214	502	795	944	664	2
43	Of the buccal cavity	89										1	1	2	10	17	32	25	
44	Of the stomach, liver	1,242			1							2	7	11	64	155	294	406	301
45	Of the peritoneum, intestines, rectum	457								2	2	6	9	18	73	124	135	88	
46	Of the female genital organs	476							1	2	2	9	17	69	115	110	102	40	
47	Of the breast	235										2	5	30	67	68	71	42	
48	Of the skin	145									1			3	12	28	35	68	
49	Of other or unspecified organs	562	2	3	4			4	3	6	11	10	11	28	70	147	163	100	
50	Tumors, benign and unqualified (tumors of the female genital organs excepted)	18	1					1	1		1				2	4	2	6	
51	Acute rheumatic fever	37	1			3	1	12	10	5	8	5	3	10	5	5	14	5	
52	Chronic rheumatism, osteoarthritis, gout	43						2		1		1		2	6	8	13	10	
54	Pellagra	5												2	1	1			
56	Rickets	12	8	2			2								2				
57	Diabetes mellitus	594			1			3	10	23	11	17	10	23	67	137	204	87	
58	Anemia, chlorosis	214	1				1	1	1	3	2	4	4	15	44	64	59	19	
59	Diseases of the pituitary gland	3				1				1						1			
60a	Exophthalmic goiter	252				1			3	6	10	9	13	49	69	50	32	10	
60b	Other diseases of the thyroid gland	28	2	1	1	1	1			1	1	1	2	3	6	3	4	1	
61	Diseases of the parathyroid glands	1	1																
62	Diseases of the thymus gland	29	20	3	1	3		2											
63	Diseases of the adrenals (Addison's disease)	16								1	2				2	4	3	3	
64	Diseases of the spleen	3	1												6			1	
65a	Leukemia	62	3	1	2			5	2	3	1	3		1	14	10	11	1	
65b	Hodgkin's disease	16		2				1	1		1	2	2	2	3	3	1	1	
66	Alcoholism (acute or chronic)	57									1	4	2	18	17	12	3		
67a	Chronic lead poisoning	1													1				
67b	Other chronic mineral poisoning	1													1				
68	Chronic poisoning by organic substances	1													1				
69	Other general diseases	55	30			1		1	3	1	1	3		1	2	1	3	8	
III.—Diseases of the nervous system and of the organs of special sense																			
		4,466	68	19	8	10	4	46	26	28	41	44	62	243	415	750	1,270	1,429	3
70	Encephalitis	56	4	3			1	7	1	4	2	1	4	6	10	5	6	2	
71a	Simple meningitis	79	10	2	6	6	1	11	2	5	5	4	4	6	4	4	3	6	
71b	Nonepidemic cerebrospinal meningitis	19	6	3	1	2		2	1								3		
72	Tabes dorsalis (locomotor ataxia)	52												1	4	17	15	4	
73	Other diseases of the spinal cord	118	1	2				1	2		1	2	3	7	16	27	28	28	
74a	Cerebral hemorrhage	3,187	1	1				3		2	7	14	14	83	243	567	1,035	1,214	3
74b	Cerebral embolism and thrombosis	94	2					1	2		1	2	1	5	7	25	21	27	
75	Paralysis without specified cause	178	1								1	1	2	9	29	64	71	71	
76	General paralysis of the insane	255									2	4	18	76	62	46	27	20	
77	Other forms of mental alienation	48								1	1	2	4	8	10	6	9	7	
78	Epilepsy	92	2	1			1	7	7	7	7	10	11	19	12	6	4	4	
79	Convulsions (nonpuerperal; 5 years and over)	1															1		
80	Infantile convulsions (under 5 years)	30	27	2	1														
81	Chorea	7						1			1				2			1	
82	Neuralgia and neuritis	6														3	2		
83	Softening of the brain	36												1	1	2	12	20	
84	Other diseases of the nervous system	125	6	1				8	1	2	7	3	1	11	14	14	34	23	
86a	Diseases of the ear	45	7	1				7	6	3	2	1		9	4	2	2	1	
86b	Diseases of the mastoid process	38	1	3		2	1	4	4	4	3	1		4	3	3	4	1	

## MORTALITY STATISTICS

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE, BY AGE, IN THE REGISTRATION AREA AND EACH REGISTRATION STATE: 1926—Continued

List No.	CAUSE OF DEATH	All deaths	Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 to 74 years	75 years and over	Age unknown
INDIANA—Continued																			
	IV.—Diseases of the circulatory system	7,694	31	5	5	3	9	44	55	48	51	59	91	320	635	1,218	2,173	2,943	4
87	Pericarditis	37					1	2	1	4		1	1	3	7	7	6	4	
88	Endocarditis and myocarditis (acute)	209	11	2		1	1	19	9	8	9	18	19	46	30	37	33	26	
89	Angina pectoris	613						1		2	1	3	1	24	74	143	227	136	1
90	Other diseases of the heart	5,669	17	3	5	2	6	21	44	34	40	34	64	223	479	924	1,643	2,127	3
91a	Aneurysm	50										2	1	7	11	11	9	9	
91b,c	Other diseases of the arteries	965										2	2	8	22	78	229	626	
92	Embolism and thrombosis (not cerebral)	69	1					1				1	1	7	11	12	21	14	
93	Diseases of the veins	15										1	2	2	1	5	3	1	
94	Diseases of the lymphatic system	5	2				1									1	1		
95	Hemorrhage without specified cause	2							1								1		
	V.—Diseases of the respiratory system	3,421	688	222	83	40	30	61	39	46	60	59	78	208	227	297	500	782	1
97a	Diseases of the nasal fossae	2	2																
97b	Diseases of the nasal fossae annexa	18	1	1				2			4	1	1	3	2	2	1	1	
98	Diseases of the larynx	15	2	2	1	2	2	2		1									
99a	Acute bronchitis	56	19	4	1		1					2	1	1	2	2	6	17	
99b	Chronic bronchitis	68	2	1										2	4	4	20	35	
99c,d	Bronchitis (unspecified)	41	4	1				2		1						4	7	21	
100a	Broncho-pneumonia	1,263	454	135	50	14	13	21	9	10	9	7	11	29	39	69	120	263	
100b	Capillary bronchitis	24	12	3	1			1						1	1		2	3	
101a	Lobar pneumonia	1,604	157	65	23	22	12	30	23	27	38	45	55	144	167	187	288	331	
101b	Pneumonia (unspecified)	125	27	6	3			2	2	3	3	1	5	9	7	5	21	30	1
102	Pleurisy	60	2	3	1	1	2		4	3	2	1	1	10	4	13	7	6	
103	Congestion and hemorrhagic infarct of the lung	60	4	1		1		1	1				1	1	1		7	42	
104	Gangrene of the lung	4			1								1	1		1			
105	Asthma	64	1		1						3		1	4	7	6	15	26	
106	Pulmonary emphysema	8	1									2	1			1	2	2	
107	Other diseases of the respiratory system (tuberculosis excepted)	19			1					1				4	3	2	3	5	
	VI.—Diseases of the digestive system	3,258	812	231	79	41	28	94	59	78	85	99	97	246	282	348	339	340	
108	Diseases of the mouth and annexa	20	1						1	2		1	1	2	2	7	3		
109b	Other diseases of the pharynx, tonsils	136	5	6	2	8	2	23	8	6	14	15	5	15	4	9	7	7	
110	Diseases of the esophagus	7													1	1	1	3	
111a	Ulcer of the stomach	134						2		1	2	6	6	23	23	30	21	20	
111b	Ulcer of the duodenum	46	1								4	2	3	11	7	12	3	3	
112	Other diseases of the stomach (cancer excepted)	201	58	6	3	1	2	1	2	1	1	2	6	13	12	26	25	42	
113	Diarrhea and enteritis (under 2 years)	911	707	204															
114	Diarrhea and enteritis (2 years and over)	292			61	20	9	17	3	1	1	4	3	6	23	20	39	55	
116	Diseases due to other intestinal parasites	1			1													7	
117	Appendicitis and typhlitis	416	1	2	3	5	6	33	33	48	40	36	39	56	43	45	19	7	
118a	Hernia	106	1			1				2	7	3	2	11	15	13	29	29	
118b	Intestinal obstruction	253	31	8	6	5	8	5	7	7	10	8	20	26	35	29	45	45	
119	Other diseases of the intestines	39									2	3	2	3	5	4	6	14	
120	Acute yellow atrophy of the liver	21									1	1	1	2	1	2	4	7	
121	Hydatid tumor of the liver	1			1					1	1	1	1						
122	Cirrhosis of the liver	275	1	2			1	1	1	1	3	2	31	46	54	79	58	53	
123	Biliary calculi	130								5	3		2	19	25	35	30	13	
124	Other diseases of the liver	204	4	1		1	6		4	1	4		11	25	34	43	32	37	
125	Diseases of the pancreas	16										1	3	1	3	4	3	1	
126	Peritonitis without specified cause	79	2	2	2		3	6	4	4	6	5	4	8	12	8	9	4	
	VII.—Nonvenereal diseases of the genito-urinary system and annexa	4,103	21	7	7	4	2	21	17	30	33	63	82	219	401	634	1,121	1,439	2
128	Acute nephritis (including unspecified under 10 years)	178	13	3	3	3		13	4	9	6	10	7	21	24	21	11	30	
129	Chronic nephritis (including unspecified 10 years and over)	3,433	1		1	1	2	7	11	11	16	25	41	130	319	562	1,024	1,280	2
131	Other diseases of the kidneys and annexa	90	5	4	3			1	2	3	2	4	2	8	13	16	11	16	
132	Calculi of the urinary passages	15														5	4	3	
133	Diseases of the bladder	33	1													1	6	23	
134	Diseases of the urethra, etc.	13												1	6	1	1	4	
135	Diseases of the prostate	151													1	18	53	78	
136	Nonvenereal diseases of the male genital organs	2																1	
137	Cysts, other benign tumors of the ovary	28										1	5	6	7	4	2	3	
138	Salpingitis and pelvic abscess (female)	80								5	5	19	19	22	5	2	3		
139	Benign tumors of the uterus	54								2	2	1	4	23	17	1	5	1	
141	Other diseases of the female genital organs	25								2	2	2	3	6	7	3			
142	Nonpuerperal diseases of the breast (cancer excepted)	1	1																
	VIII.—The puerperal state	407								36	88	89	80	111	3				
143	Accidents of pregnancy	43								3	11	11	7	11					
144	Puerperal hemorrhage	42								1	7	9	11	14					
145	Other accidents of labor	45								2	9	10	8	16					
146	Puerperal septicemia	177								14	48	36	40	37	2				
147	Puerperal phlegmasia alba dolens, embolus, etc.	12								2	3	2	1	3	1				
148	Puerperal albuminuria and convulsions	87								14	10	21	12	30					
149	Following childbirth (undefined)	1											1						

CAUSES OF DEATH, BY AGE

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE, BY AGE, IN THE REGISTRATION AREA AND EACH REGISTRATION STATE: 1926—Continued

List No.	CAUSE OF DEATH	All deaths	Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 to 74 years	75 years and over	Age un- known
INDIANA—Continued																			
	IX.—Diseases of the skin and of the cellular tissue.....	108	6	1		1				6	5		6	6	11	10	17	39	
151	Gangrene.....	46											1		1	3	10	31	
152	Furuncle.....	22	2			1				3	2		2	2	5	2	2	1	
153	Acute abscess.....	19	2							2	2		3	1	4	2	1	2	
154	Other diseases of the skin and annexa.....	21	2	1						1	1			3	1	3	4	5	
	X.—Diseases of the bones and of the organs of locomotion.....	15	1					1	3	1		1	2		2		1	1	
155	Diseases of the bones (tuberculosis excepted).....	12	1					1	3	1		1	2		1		1	1	
156	Diseases of the joints (tuberculosis and rheumatism excepted).....	3												2	1				
	XI.—Malformations.....	460	436	9	1	2	2	3	3	3	1								
159a	Congenital hydrocephalus.....	31	26	1				1	1	2									
159b	Congenital malformations of the heart.....	300	284	6	1	2	1	2	2	1	1								
159c	Other congenital malformations.....	129	126	2			1												
	XII.—Early infancy.....	1,646	1,646																
160	Congenital debility, icterus, sclerema.....	184	184																
161a	Premature birth.....	1,071	1,071																
161b	Injury at birth.....	233	233																
162	Other diseases peculiar to early infancy.....	157	157																
163	Lack of care.....	1	1																
164	XIII.—Old age (senility).....	180														3	20	157	
	XIV.—External causes.....	3,107	62	47	40	35	31	127	113	176	229	200	195	404	383	306	348	402	9
	Suicide.....	437						3	15	26	28	33	95	84	81	55	14	3	
165	By poisons (gas or corrosives excepted).....	31							1	6	5	1	7	6	3	1		1	
166	By corrosive substances.....	81						2	8	11	7	11	19	11	5	4	3		
167	By poisonous gas.....	24							3	1		1	4	6	5	3	1		
168	By hanging or strangulation.....	73						1	1	2	4	5	14	14	19	9	3	1	
169	By drowning.....	30										2	8	3	8	7	1	1	
170	By firearms.....	161								6	7	9	35	36	34	27	5		
171	By cutting or piercing instruments.....	22										3	4	3	6	4	2		
172	By jumping from high places.....	4										1	2	1	1	2			
173	By crushing.....	6										1	2	2	1	2			
174	By other means.....	5												1	1	2		1	
	Homicide.....	181	3	1	1			1	1	10	23	37	25	44	25	5	4	1	
197	By firearms.....	128			1					7	17	27	19	33	18	4	1	1	
198	By cutting or piercing instruments.....	25								4	5	5	5	5	5	1		1	
199	By other means.....	28	3	1				1	1	3	2	5	1	6	2		3		
	Accidental or undefined.....	2,489	59	46	39	35	31	126	109	151	180	135	137	265	274	220	289	387	6
175	Poisoning by food.....	22	2			2		1	1	2		1	2		3	3	2	2	
176	Poisoning by venomous animals.....	2	1												1				
177	Other acute poisonings (gas excepted).....	50	3	9	11	6	1	1			1	2	4	6	2	1	2	6	
178	Conflagration.....	27	3	2	1						1	2	2	5	1	4	4	2	
179	Burns (conflagration excepted).....	143	3	10	7	9	9	15	7	4	5	8	10	14	14	11	7	10	
180	Mechanical suffocation.....	39	26		1	1			2		2	3		3	1				
181	Absorption of irrespirable, irritating, or poisonous gas.....	32	1	1		1				1	1	2	2	2	2	7	6	6	
182	Drowning.....	166	1	7	7	2	2	15	27	41	12	11	8	10	10	6	3	1	3
183	Traumatism by firearms (except in war).....	67			1	1	2	3	12	10	9	2	3	7	8	2	5	2	
184	Traumatism by cutting or piercing instruments.....	23		1		1		1	2	1			2	1	5	3	2	4	
185	Traumatism by fall.....	525	3	2	1	1		5	7	6	3	6	15	27	30	28	109	282	
186a	Traumatism in mines.....	89								1	12	8	14	23	19	8	3	1	
186b	Traumatism in quarries.....	4												1	2	1			
187	Traumatism by machines.....	60	1			1		1	4	7	7	3	13	7	11	5			
188a	Railroad accidents.....	314	1			1	1	8	28	41	26	23	55	47	31	32	11	1	
	Collision with automobiles.....	127	1			1		1	2	18	18	15	11	23	12	10	10	5	
	Other railroad accidents.....	187				1	1	7	6	10	23	11	12	32	35	21	22	6	1
188b	Street-car accidents.....	77						2	7	6	7	3	4	8	13	12	13	2	
	Collision with automobiles.....	43						5	5	5	3	2	5	9	2	6	1		
	Other street-car accidents.....	34						2	2	1	2		2	3	4	10	7	1	
188c	Automobile accidents (excluding collision with railroad trains and street cars).....	547	3	3	5	7	12	64	21	39	55	31	25	59	68	54	62	38	1
188d	Airplane and balloon accidents.....	4										1	1						
188e	Injuries by other vehicles.....	31				1	1	1	1	3	3	2	2	2	4	7	2		
188g	Landslide, other crushing.....	13						1		1	1		2	3	1	2	2		
189	Injuries by animals (not poisoning).....	20			1			1	4			2	3	3	3	1	2		
193	Excessive cold.....	7	1											1	1	2	2		
194	Excessive heat.....	14			1									1	2	2	5	3	
195	Lightning.....	11			1			1	1	1			1	2	1	1	1	1	
196	Other accidental electric shocks.....	41				1	1	1	1	1	7	9	9	5	4	3			
201	Fracture (cause not specified).....	13		1								1		3	2	1	1	5	
202	Other external violence.....	148	10	10	2	1	1	7	7	3	9	8	5	14	26	20	14	10	1
	XV.—Ill-defined diseases.....	39	11	6	3		1				2		1	2	3	2	7	1	
204	Sudden death.....	1															1		
205a	Ill-defined.....	25	6	5	2		1				1		1	2	1	2	5	1	
205b	Not specified or unknown.....	13	5	1	1						1			2	2		1		

MORTALITY STATISTICS

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE, BY AGE, IN THE REGISTRATION AREA AND EACH REGISTRATION STATE: 1926—Continued

List No.	CAUSE OF DEATH	All deaths	IOWA													75 years and over	Age unknown		
			Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 44 years	45 to 54 years			55 to 64 years	65 to 74 years
	All causes.....	25,466	2,683	372	225	141	118	422	319	401	501	566	600	1,439	2,187	3,425	5,138	6,928	1
	I. Epidemic, endemic, and infectious diseases.....	2,842	341	128	93	52	49	136	70	89	142	156	148	248	248	247	300	395	
1	Typhoid and paratyphoid fever.....	52					1	2	5	5	8	7	3	9	4	4	4		
5	Malaria.....	4										1	1	1	1				1
6	Smallpox.....	2														1			
7	Measles.....	63	23	11	2	3	2	10	5	2	3				2				
8	Scarlet fever.....	46	4	1	7	4	4	13	4	2	4	1		1	1				
9	Whooping cough.....	163	93	33	12	7	8	7									1	1	
10	Diphtheria.....	111	4	5	5	16	13	39	13	2	3	1	4	4		2			
11a	Influenza (with pulmonary complications).....	584	79	34	25	6	4	17	6	12	10	13	21	37	48	54	80	138	
11b	Influenza (other and unspecified).....	534	71	24	15	7	8	12	6	8	15	10	9	24	32	36	76	181	
13	Mumps.....	1	1											1					2
15	Cholera nostras.....	5	1	1										1					2
16	Dysentery.....	44	12	2	4	1	3	1	1	1	2	1		2	1	1	4	12	
21	Erysipelas.....	59	10	3	3	1	1	2	1	2	1	1		3	8	5	11	8	
22	Acute anterior poliomyelitis.....	12	1	1	1	1	1	4		2		2		1	1	2	2	1	
23	Lethargic encephalitis.....	26	1	3	2	1	1	1	2	2	2	2		5	2	4	2	1	
24	Meningococcus meningitis.....	17	3	2	2			3	2	2	1			1		1			
25	Other epidemic and endemic diseases.....	6	1	1	1			1	1	1			1						
29	Tetanus.....	40	2	1	3	1		11	8	1	1	1	4	1	1	1	2	2	
30	Mycoses.....	3											1	1				1	
	Tuberculosis (all forms).....	918	19	3	12	3	4	9	15	46	82	110	100	132	120	109	110	44	
31	Of the respiratory system.....	774	5		5			4	11	41	65	98	92	116	103	97	100	37	
32	Of the meninges, central nervous system.....	34	7	3	4	2	2	2		1	2	2	3	2	4				
33	Of the intestines, peritoneum.....	40	4						1	1	3	4	2	7	5	4	2		
34	Of the vertebral column.....	12			1			2	2	1	1	1	1	2					
35	Of the joints.....	7				1				1	1	1					3	1	
36	Of other organs.....	21	1		1				1	3	3	1	2	2	3	2	2	2	
37a	Disseminated (acute).....	25	2		2		1	1	1	6		1	3	3	3		1	1	
37b	Disseminated (chronic or unspecified).....	5									1					1	1	2	
38	Syphilis.....	101	13	1				1	2	4	3	1	19	22	23	10	2		
40	Gonococcus infection.....	15							3	5	1	1	4	1					
41	Purulent infection, septicemia.....	34	3	2	1	2		3	1	1	1	4	3	5	3	4		1	
42	Other infectious diseases.....	2		1														1	
	II.—General diseases not included in Class I.....	3,898	50	11	7	8	4	24	32	31	29	46	55	255	539	807	1,166	774	
	Cancer and other malignant tumors.....	2,593	1	2			1	3	9	5	6	18	25	142	352	611	814	604	
43	Of the buccal cavity.....	72						1						6	19	22	24		
44	Of the stomach, liver.....	1,007							3		2	2	4	28	92	239	382	255	
45	Of the peritoneum, intestines, rectum.....	388								2		1	6	33	45	82	120	99	
46	Of the female genital organs.....	278							1		1	5	4	38	74	80	58	17	
47	Of the breast.....	218									3	3	20	60	61	42	29		
48	Of the skin.....	67											1	7	7	21	31		
49	Of other or unspecified organs.....	563	1	2			1	2	5	3	3	7	8	22	68	123	169	149	
50	Tumors, benign and unqualified (tumors of the female genital organs excepted).....	32		1		1		1		1	1	1	2	4	7	7	6		
51	Acute rheumatic fever.....	59			1	1	2	4	5	3	1	4	2	4	9	7	9	7	
52	Chronic rheumatism, osteoarthritis, gout.....	44											2	2	4	6	10	20	
53	Scurvy.....	1																	
54	Pellagra.....	5					1											2	
56	Rickets.....	2	2												1				
57	Diabetes mellitus.....	488	1	1	2			8	6	9	7	7	8	24	50	110	170	83	
58	Anemia, chlorosis.....	310	2	1	2			5	4	4	1	2	21	45	74	113	36		
59	Diseases of the pituitary gland.....	3											1	1	1				
60a	Exophthalmic goiter.....	118							1	4	4	5	7	18	33	22	21	3	
60b	Other diseases of the thyroid gland.....	18	1		1			2	1	1			1	4	3	1	2	2	
61	Diseases of the parathyroid glands.....	1														1			
62	Diseases of the thymus gland.....	25	23	1															
63	Diseases of the adrenals (Addison's disease).....	14									1	3			5	2	3		
64	Diseases of the spleen.....	4											2					2	
65a	Leukemia.....	56	1	1				4	1		3	3	2	10	10	7	11	2	
65b	Hodgkin's disease.....	24		1		1					1	3	3	4	7	2		2	
66	Alcoholism (acute or chronic).....	51								1			4	18	12	13	2	1	
67a	Chronic lead poisoning.....	2													2				
67b	Other chronic mineral poisoning.....	1												1					
68	Chronic poisoning by organic substances.....	1												1					
69	Other general diseases.....	46	19	3	3			3	3		1			1	1	4	2	6	
	III.—Diseases of the nervous system and of the organs of special sense.....	3,379	74	19	6	10	7	37	28	23	26	24	39	134	293	564	925	1,170	
70	Encephalitis.....	43	4	2		1	1	2	3	3		1	2	7	8	3	2	4	
71a	Simple meningitis.....	48	11	3	1	2		8	5	1	2	2	3	4	4	1	1		
71b	Non-epidemic cerebrospinal meningitis.....	7	1	1		1		1	1	1						1			
72	Tabes dorsalis (locomotor ataxia).....	17												1	2	9	2	3	
73	Other diseases of the spinal cord.....	105	1	1		1		1		2		1	3	10	8	19	31	27	
74a	Cerebral hemorrhage.....	2,391	2	1	1	2	2	1	1	5	2	6	38	177	417	741	994		
74b	Cerebral embolism and thrombosis.....	103	1					2		3	2	3	3	11	17	27	34		
75	Paralysis without specified cause.....	109	4		1				2				1	4	18	32	47		
76	General paralysis of the insane.....	105							2	1			32	31	21	11	4		
77	Other forms of mental alienation.....	62							2	1		4	8	15	13	12	3		
78	Epilepsy.....	84	3	3		1	1	2	5	3	7	6	9	8	12	6	10	8	
79	Convulsions (nonpuerperal; 5 years and over).....	4						1						1			1		
80	Infantile convulsions (under 5 years).....	31	27	3			1												
81	Chorea.....	1								1									
82	Neuralgia and neuritis.....	13													1	1	3	8	
83	Softening of the brain.....	22													3	3	3	16	

CAUSES OF DEATH, BY AGE

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE, BY AGE, IN THE REGISTRATION AREA AND EACH REGISTRATION STATE: 1926—Continued

List No.	CAUSE OF DEATH	All deaths	Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 to 74 years	75 years and over	Age un-known
IOWA—Continued																			
III.—Diseases of the nervous system and of the organs of special sense—Continued.																			
84	Other diseases of the nervous system	140	2		1	1		5	6	2	5	2	3	13	12	29	39	20	
85	Diseases of the eye and annexe	1												1					
86a	Diseases of the ear	44	6	1				9	2	3		3	2	4	5	3	6		
86b	Diseases of the mastoid process	49	12	4	2	1	2	7	3		2	1	1	3	3	2	5	1	
IV.—Diseases of the circulatory system																			
		4,643	19	4		4	2	21	24	34	27	39	36	122	323	699	1,329	1,960	
87	Pericarditis	21						1	1	1	2		1	1	1	4	7		
88	Endocarditis and myocarditis (acute)	108	6			3		7	6	9	2	12	5	22	4	12	10	10	
89	Angina pectoris	385										3	2	9	32	92	141	106	
90	Other diseases of the heart	3,456	6	2		1	2	13	15	24	22	17	26	85	249	524	1,008	1,462	
91a	Aneurysm	30										1		1	5	9	10	4	
91b,c	Other diseases of the arteries	525												3	13	39	127	343	
92	Embolism and thrombosis (not cerebral)	83	5								4	1	1	13	15	23	21	5	
93	Diseases of the veins	21									1	2		4	4	5			
94	Diseases of the lymphatic system	6	2	1					2						1				
95	Hemorrhage without specified cause	2											1						
96	Other diseases of the circulatory system	6		1											1	2	1	1	
V.—Diseases of the respiratory system																			
		2,162	374	92	37	16	14	34	24	30	23	50	38	102	105	197	344	677	
97a	Diseases of the nasal fossae	6	2												1			3	
97b	Diseases of the nasal fossae annexe	20	1	1				1		2	5	2		2	2	2	2	3	
98	Diseases of the larynx	21	5	3	2	2	1	2	1	1							1	3	
99a	Acute bronchitis	34	9	2												2	1	20	
99b	Chronic bronchitis	54										1		1	1	3	13	35	
99c,d	Bronchitis (unspecified)	29	3	2	2		1							1	2	2	3	15	
100a	Broncho-pneumonia	806	244	54	24	8	4	6	9	7	6	11	3	24	15	39	99	253	
100b	Capillary bronchitis	24	16				1											7	
101a	Lobar pneumonia	899	75	24	6	5	5	20	12	15	13	27	27	60	74	125	178	233	
101b	Pneumonia (unspecified)	82	9	2		1	1	2	2	1	1	1	4	3	5	5	10	35	
102	Pleurisy	54	4	1	3						2	3	2	7	3	9	6	9	
103	Congestion and hemorrhagic infarct of the lung	55	3									1					10	41	
104	Gangrene of the lung	6								1				1		2	1	1	
105	Asthma	45	2	1							1		1	2	2	5	13	18	
106	Pulmonary emphysema	2										1						1	
107	Other diseases of the respiratory system (tuberculosis excepted)	25	1	2				1		1		3	1	1	2	3	7	3	
VI.—Diseases of the digestive system																			
		1,970	270	71	47	28	14	71	46	52	61	69	74	159	207	255	269	277	
108	Diseases of the mouth and annexe	21	2					2		3	1	1	2	2	4	3	1		
109b	Other diseases of the pharynx, tonsils	84	5	3		4	2	15	8	3	9	7	5	3	4	7	4	5	
110	Diseases of the esophagus	3	1	1										1				1	
111a	Ulcer of the stomach	103					1			1	3	2	5	13	19	22	24	18	
111b	Ulcer of the duodenum	45				1				1	1	1	1	8	7	15	4	7	
112	Other diseases of the stomach (cancer excepted)	95	25		2						1	2	1	6	6	8	11	33	
113	Diarrhea and enteritis (under 2 years)	259	205	54															
114	Diarrhea and enteritis (2 years and over)	155			33	13	4	11			3	2	4	8	9	13	15	40	
117	Appendicitis and typhlitis	385	2	3	9	7	5	35	30	32	31	37	28	53	47	38	20	8	
118a	Hernia	99	1	1				1					4	1	13	23	22	33	
118b	Intestinal obstruction	209	27	5		2		5	2	5	5	7	9	21	29	24	36	32	
119	Other diseases of the intestines	34		1				1			1	2	1	3	5	4	7	9	
120	Acute yellow atrophy of the liver	7										2	1	1	2	1			
122	Cirrhosis of the liver	137	1											10	13	32	47	33	
123	Biliary calculi	111								1	2	2	4	9	24	16	29	24	
124	Other diseases of the liver	163		1						4	2	4	6	11	18	40	45	32	
125	Diseases of the pancreas	14								2		1	1	3	3	3	1		
126	Peritonitis without specified cause	41	2	2	3	1	2	1	6		1		1	5	6	3	3	2	
VII.—Nonvenereal diseases of the genito-urinary system and annexe																			
		2,163	9	6	2	3	2	6	16	14	18	24	41	108	215	340	530	329	
128	Acute nephritis (including unspecified under 10 years)	82	4	5	1	1	1	3	3	1	3	2	6	7	11	12	12	10	
129	Chronic nephritis (including unspecified 10 years and over)	1,637					1	2	12	11	8	9	18	58	163	274	432	649	
131	Other diseases of the kidneys and annexe	51	4	1	1	2		1	1			2	2	5	4	9	8	11	
132	Calculi of the urinary passages	16												2	2	1	3	8	
133	Diseases of the bladder	32														5	3	24	
134	Diseases of the urethra, etc.	5													1	1	2		
135	Diseases of the prostate	221												1	2	30	66	122	
136	Nonvenereal diseases of the male genital organs	4	1														1	1	
137	Cysts, other benign tumors of the ovary	15									4	1	1	3	2	1	2	1	
138	Salpingitis and pelvic abscess (female)	28								1	1	6	6	9	4		1		
139	Benign tumors of the uterus	50									1	3	3	18	21	2	1	1	
140	Nonpuerperal uterine hemorrhage	1												1					
141	Other diseases of the female genital organs	21								1	1	1	5	3	5	4	1		
VIII.—The puerperal state																			
		276								26	53	64	51	81	1				
143	Accidents of pregnancy	31								2	5	7	9	8					
144	Puerperal hemorrhage	26									1	5	3	17					
145	Other accidents of labor	29								2	3	6	4	14					
146	Puerperal septicemia	97								11	25	19	18	24					
147	Puerperal phlegmasia alba dolens, embolus, etc.	15								1	2	2	5	5					
148	Puerperal albuminuria and convulsions	75								10	17	24	11	12	1				
149	Following childbirth (undefined)	3										1	1	1					

MORTALITY STATISTICS

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE, BY AGE, IN THE REGISTRATION AREA AND EACH REGISTRATION STATE: 1926—Continued

List No.	CAUSE OF DEATH	All deaths	IOWA—Continued													75 years and over	Age un-known		
			Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 44 years	45 to 54 years			55 to 64 years	65 to 74 years
	IX.—Diseases of the skin and of the cellular tissue.....	82	16						1	4				1	7	5	7	41	
151	Gangrene.....	38	1												1	3	2	31	
152	Furuncle.....	11	1						1	1				1	3			4	
153	Acute abscess.....	11	4							1				2	2		1	1	
154	Other diseases of the skin and annexa.....	22	10							2					1		4	5	
	X.—Diseases of the bones and of the organs of locomotion.....	33	2		1				1	9		2	1		1	6	4	3	3
155	Diseases of the bones (tuberculosis excepted).....	27	1		1				1	9		1	1		1	4	4	3	1
156	Diseases of the joints (tuberculosis and rheumatism excepted).....	2														1			1
158	Other diseases of the organs of locomotion.....	4	1									1			1				1
	XI.—Malformations.....	343	320	8	4	3	2	1	3	1		1							
159a	Congenital hydrocephalus.....	46	40	1		1	1	1	1	1									
159b	Congenital malformations of the heart.....	174	160	5	4	2			2			1							
159c	Other congenital malformations.....	123	120	2		1													
	XII.—Early infancy.....	1,113	1,113																
160	Congenital debility, icterus, sclerema.....	139	139																
161a	Premature birth.....	706	706																
161b	Injury at birth.....	185	185																
162	Other diseases peculiar to early infancy.....	82	82																
163	Lack of care.....	1	1																
164	XIII.—Old age (senility).....	527														7	48	472	
	XIV.—External causes.....	1,889	43	29	28	17	24	91	66	97	114	91	113	220	228	221	199	307	1
	Suicide.....	367							1	6	28	28	26	67	80	66	45	19	1
165	By poisons (gas or corrosives excepted).....	29								1	3	1	5	6	5	5	1	2	
166	By corrosive substances.....	31									4	3	3	5	6	4	4	2	
167	By poisonous gas.....	37									3	8	3	5	7	5	5	1	
168	By hanging or strangulation.....	108							1	1	3	8	2	16	25	23	20	8	1
169	By drowning.....	15									1	1		2	6	4	2	2	
170	By firearms.....	120								4	14	5	11	28	23	19	10	6	
171	By cutting or piercing instruments.....	18									1	1		3	6	5	2	2	
172	By jumping from high places.....	2														1	1	1	
173	By crushing.....	4																	
174	By other means.....	3											2	2					
	Homicide.....	57			1			1	1	5	6	5	9	20	3	2	2	1	
197	By firearms.....	44	1							5	6	4	9	16	1	2	1		
198	By cutting or piercing instruments.....	6			1			1	1		1			3					
199	By other means.....	7										1		1	2		1	1	
	Accidental or undefined.....	1,465	42	29	28	16	24	90	64	86	80	63	78	133	145	153	152	287	
175	Poisoning by food.....	9						1	3					1	2	1	1		
176	Poisoning by venomous animals.....	2												1	1	1	1		
177	Other acute poisonings (gas excepted).....	28	3	4	4	1		4	1	1		2		4	3	1	1		
178	Conflagration.....	21	1		1	1		5	1	1	1	2	1	1	1	3		2	
179	Burns (conflagration excepted).....	94	2	7	9	2	8	10	3	4	4	3	2	6	8	10	9	7	
180	Mechanical suffocation.....	24	20					1	1		1								
181	Absorption of irrespirable, irritating, or poisonous gas.....	34		1						3	1		1	8	6	2	4	8	
182	Drowning.....	93		5	4	3	1	16	14	15	8	5	2	5	6	5	2	2	
183	Traumatism by firearms (except in war).....	44						1	2	3	12	7	4	3	2	3	6	1	
184	Traumatism by cutting or piercing instruments.....	15		1				1	2	1	2	1	1	1	3	3	3	3	
185	Traumatism by fall.....	389	5	3	2		1	2	7	2	2	3	3	5	9	23	39	58	227
186a	Traumatism in mines.....	21									1			5	4	5	1		
186b	Traumatism in quarries.....	3												3	1	1	1		
187	Traumatism by machines.....	42		2			1	1	2	3	2	3	3	6	1	3	3	2	
188a	Railroad accidents.....	169		1		1	5	3	11	3	16	10	19	33	28	18	16	8	
	Collision with automobiles.....	39		1		1	3	1	4	3	2	5	8	5	2	2	3	1	
	Other railroad accidents.....	130					2	2	7	13	8	14	25	23	16	13	7	7	
188b	Street-car accidents.....	11							4	3		1	2	1	1	1	1	1	
	Collision with automobiles.....	7							3	1		1	1	1	1	1	1	1	
	Other street-car accidents.....	4							1				2	1	1	1	1	1	
188c	Automobile accidents (excluding collision with railroad trains and street cars).....	264	5	2	3	4	4	30	17	19	23	10	12	28	35	31	23	18	
188d	Airplane and balloon accidents.....	3									1	2							
188e,f	Injuries by other vehicles.....	33		1		1	1	3	1	2	2	1	3	3	4	4	4	3	
188g	Landslide, other crushing.....	13				1								1	1	1	3		
189	Injuries by animals (not poisoning).....	25		1		3	3	3	2	1			1	2	3	2	3		
193	Excessive cold.....	4												1	1	1	1		
194	Excessive heat.....	8												1	1	1	2		
195	Lightning.....	5		1						1		1	1	1	1	1	1		
196	Other accidental electric shocks.....	22						1		2	5	2	2	6				1	
201	Fracture (cause not specified).....	7											1	6	2	2	2	3	
202	Other external violence.....	82	5	4	2		2	6	6	2	5	3	1	8	8	2	10	16	3
	XV.—Ill-defined diseases.....	146	52	4							1	1	5	8	15	19	18	23	
204	Sudden death.....	32	8										1	4	2	6	4	7	
205a	Ill-defined.....	51	7	3									1	2	10	10	9	6	
205b	Not specified or unknown.....	63	37	1									2	2	3	3	5	10	



MORTALITY STATISTICS

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE, BY AGE, IN THE REGISTRATION AREA AND EACH REGISTRATION STATE: 1926—Continued

List No.	CAUSE OF DEATH	All deaths	KANSAS—Continued													75 years and over	Age unknown		
			Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 44 years	45 to 54 years			55 to 64 years	65 to 74 years
III.—Diseases of the nervous system and of the organs of special sense—Continued.																			
82	Neuralgia and neuritis	5												2		1	1		
83	Softening of the brain	23													1	2	10		
84	Other diseases of the nervous system	82	6		2									1	3	10	17		
86a	Diseases of the ear	36	4	2		1		1						1	2	5	3		
86b	Diseases of the mastoid process	13	2													1	1		
IV.—Diseases of the circulatory system																			
		3,331	14	1	6	1		9	13	27	36	26	29	115	231	503	926	1,394	
87	Pericarditis	23			1				2				2		2	3	5	8	
88	Endocarditis and myocarditis (acute)	82	7		1			3	5	6	9	2	6	8	8	4	11	12	
89	Angina pectoris	225											1	11	28	54	66	65	
90	Other diseases of the heart	2,553	7	1	4	1		5	6	20	23	19	22	82	172	394	718	1,079	
91a	Aneurysm	36											1	4	9	4	12	6	
91b,c	Other diseases of the arteries	337												2	4	30	91	210	
92	Embolism and thrombosis (not cerebral)	63					1			4	2			7	7	11	20	11	
93	Diseases of the veins	7												1	1	1	3	1	
94	Diseases of the lymphatic system	2							1									1	
95	Hemorrhage without specified cause	1														1			
96	Other diseases of the circulatory system	2														1		1	
V.—Diseases of the respiratory system																			
		1,349	311	80	21	18	10	31	18	28	31	21	20	70	73	94	191	332	
97a	Diseases of the nasal fossae	13	5					1		1	1							5	
97b	Diseases of the nasal fossae annexa	9									3			2	1		1		
98	Diseases of the larynx	4	2	1															
99a	Acute bronchitis	33	10	1				1		1						2	5	11	
99b	Chronic bronchitis	53	1		1			1					1		2	5	13	29	
99c,d	Bronchitis (unspecified)	30	7	1										1	1	1	4	15	
100a	Broncho-pneumonia	478	184	44	13	10	4	8	7	4	5	8	2	7	15	14	47	106	
100b	Capillary bronchitis	12	7	2	1	1												1	
101a	Lobar pneumonia	568	75	27	6	7	3	20	7	19	15	12	16	53	45	59	94	110	
101b	Pneumonia (unspecified)	41	13	1		1			1	1	4			2	1	4	2	10	
102	Pleurisy	26	1	2					2		2				1	4	8	4	
103	Congestion and hemorrhagic infarct of the lung	28	5													1	3	19	
104	Gangrene of the lung	5						1			1				1		2		
105	Asthma	33	1											2	3	3	9	15	
106	Pulmonary emphysema	2																2	
107	Other diseases of the respiratory system (tuberculosis excepted)	14		1										1	1	2	3	5	
VI.—Diseases of the digestive system																			
		1,753	361	102	43	28	17	51	53	48	49	31	59	122	165	187	202	235	
108	Diseases of the mouth and annexa	12									2				1	1	4	2	
109b	Other diseases of the pharynx, tonsils	62	2	1	3	1	2	13	4	2	3	3	1	6	2	5	3	5	
110	Diseases of the esophagus	6	1							1							2	1	
111a	Ulcer of the stomach	90								1	1	1	6	6	15	20	28	13	
111b	Ulcer of the duodenum	31											1	11	4	8	5	1	
112	Other diseases of the stomach (cancer excepted)	113	32	3	1					2	2			2	5	11	21	34	
113	Diarrhea and enteritis (under 2 years)	358	278	85															
114	Diarrhea and enteritis (2 years and over)	142			33	15	7	10	3	4	1		1	6	9	8	9	36	
117	Appendicitis and typhlitis	315	1	4	2	6	5	18	42	29	29	17	30	42	44	25	15	6	
118a	Hernia	68	3	1	1										6	14	17	22	
118b	Intestinal obstruction	154	32	5	2	2	2	4	3	3	3	4	3	13	12	25	13	28	
119	Other diseases of the intestines	41	5	2		2	1	4		1				3	2	5	3	13	
120	Acute yellow atrophy of the liver	10	1											2	1		2	4	
121	Hydatid tumor of the liver	1																	
122	Cirrhosis of the liver	113	1								1				19	25	30	26	
123	Biliary calculi	80									2	1	2	7	19	20	16	10	
124	Other diseases of the liver	118	4		1					2	3	1	1	14	18	16	28	30	
125	Diseases of the pancreas	13	2											1	4	3	1	2	
126	Peritonitis without specified cause	26	4	1		1		2	1	3	2	1	1	1	1	1	5	2	
VII.—Nonvenereal diseases of the genito-urinary system and annexa																			
		1,885	7	2	3	1	3	9	4	11	25	36	48	96	173	278	508	680	1
128	Acute nephritis (including unspecified under 10 years)	73	5	2	2		3	3	2		2		6	6	10	11	8	13	
129	Chronic nephritis (including unspecified 10 years and over)	1,473						6	2	9	14	22	22	61	134	228	420	554	1
131	Other diseases of the kidneys and annexa	49	2		1	1						2		6	9	10	9	9	
132	Calculi of the urinary passages	10												1	1	2	3	2	
133	Diseases of the bladder	23												1			6	16	
134	Diseases of the urethra, etc.	6												1			1		
135	Diseases of the prostate	154													2	13	53	85	
137	Cysts, other benign tumors of the ovary	17								4	3	4	1	1	2	1	1	1	
138	Salpingitis and pelvic abscess (female)	31							2	3	6	9	7	3	1	1	1	1	
139	Benign tumors of the uterus	36									1	3	12	8	7	5			
140	Nonpuerperal uterine hemorrhage	1													1				
141	Other diseases of the female genital organs	12									2	2	1	-1	1	4	1		
VIII.—The puerperal state																			
		245								32	53	63	31	61	5				
143	Accidents of pregnancy	25								2	5	10	3	5					
144	Puerperal hemorrhage	25								3	1	7	4	9					
145	Other accidents of labor	23								1	3	3	3	12	1				
146	Puerperal septicaemia	105								17	29	27	10	19	3				
147	Puerperal phlegmasia alba dolens, embolus, etc.	16								3	4	1	4	4					
148	Puerperal albuminuria and convulsions	50								6	10	15	7	12					
149	Following childbirth (undefined)	1									1								

CAUSES OF DEATH, BY AGE

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE, BY AGE, IN THE REGISTRATION AREA AND EACH REGISTRATION STATE: 1926—Continued

List No.	CAUSE OF DEATH	All deaths	Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 to 74 years	75 years and over	Age unknown
KANSAS—Continued																			
	IX.—Diseases of the skin and of the cellular tissue.....	43	5					1	1	3	1		1	5	2	1	8	15	
151	Gangrene.....	21	1							1				1	1		5	12	
152	Furuncle.....	5								1				3			1	1	
153	Acute abscess.....	5							1	1				1		1	1		
154	Other diseases of the skin and annexa.....	12	4					1		1			1	1			1	3	
	X.—Diseases of the bones and of the organs of locomotion.....	30			1			6	6		1	1	1	2	3	1	5	3	
155	Diseases of the bones (tuberculosis excepted).....	22						6	6		1	1	1	1	3			3	
156	Diseases of the joints (tuberculosis and rheumatism excepted).....	6			1									1				1	3
158	Other diseases of the organs of locomotion.....	2														1	1		
	XI.—Malformations.....	262	246	5	1	3	1		5	1									
159a	Congenital hydrocephalus.....	19	15	1		1			2										
159b	Congenital malformations of the heart.....	168	158	4	1	2	1		1	1									
159c	Other congenital malformations.....	75	73						2										
	XII.—Early infancy.....	874	874																
160	Congenital debility, icterus, sclerema.....	93	93																
161a	Premature birth.....	593	593																
161b	Injury at birth.....	141	141																
162	Other diseases peculiar to early infancy.....	46	46																
163	Lack of care.....	1	1																
164	XIII.—Old age (senility).....	346														5	20	321	
	XIV.—External causes.....	1,539	55	39	23	19	19	59	63	93	101	94	93	160	180	159	148	233	1
	Suicide.....	209								6	12	18	16	29	52	33	29	14	
165	By poisons (gas or corrosives excepted).....	13								1	1	2	2	1	3	3	2	1	
166	By corrosive substances.....	21								3	2	3	2	3	3	4	1		
167	By poisonous gas.....	4									1	1		2	2	1	1		
168	By hanging or strangulation.....	42									1	4	2	10	9	6	6	4	
169	By drowning.....	8										5	2	2	1	1	1	2	
170	By firearms.....	107								3	5	9	10	11	32	18	13	6	
171	By cutting or piercing instruments.....	9													3	1	4	1	
172	By jumping from high places.....	1													1				
173	By crushing.....	2													1				
174	By other means.....	2													1				
	Homicide.....	103	1					3		7	15	9	16	26	18	3	1	3	1
197	By firearms.....	77						3		7	11	9	10	18	16	1	1	1	1
198	By cutting or piercing instruments.....	7												4	4	1			
199	By other means.....	19	1	39	23	19	19	56	63	80	74	67	61	105	110	123	118	216	
175	Accidental or undefined.....	1,227	54																
176	Poisoning by food.....	21	7			1	1			1	1	1	1	1	4	2	3	1	
177	Poisoning by venomous animals.....	6	1		1									1	1				
	Other acute poisonings (gas excepted).....	29	2	7	3	3	1				1	2	2	5	4	4	1		
178	Confagration.....	24		3	1	3	2		1	2	1	1	1	2	2	7	1	4	
179	Burns (confagration excepted).....	92		5	7	4	5	8	4	1	3	6	8	5	5	4	4	10	11
180	Mechanical suffocation.....	32	24										1	1	1				
181	Absorption of irrespirable, irritating, or poisonous gas.....	13	1							1	1	1	1		3		1	2	3
182	Drowning.....	64	2	10	2	1	1	6	13	12	4	4		2	2	2	1	2	
183	Traumatism by firearms (except in war).....	51	1	1			2	5	6	9	5	2	5	1	7	3	1	3	
184	Traumatism by cutting or piercing instruments.....	9						2	1				1	1	1			2	1
185	Traumatism by fall.....	260	3	2		1		4	4	4	2	5	2	7	11	24	45	146	
186a	Traumatism in mines.....	20								1	3	3	6	6	4	4	1		
187	Traumatism by machines.....	42						2	2	2	9	6	7	9	4	4			
188a	Railroad accidents.....	109			1			2	6	10	17	9	11	11	17	12	3	5	
	Collision with automobiles.....	44			1			2	4	6	6	5	5	4	4	3	4	2	
	Other railroad accidents.....	65						2	2	4	11	4	6	7	13	9	4	3	
188b	Street-car accidents.....	14							2	2	2	2	1	1	3	1	2	2	
	Collision with automobiles.....	2							1	1									
	Other street-car accidents.....	12							1	1			1	1	3	1	2	2	
188c	Automobile accidents (excluding collision with railroad trains and street cars).....	241	5	3	1	3	3	18	16	20	17	9	10	39	20	38	24	15	
188d	Airplane and balloon accidents.....	7								1		3	2			1			
188e,f	Injuries by other vehicles.....	38			1	1	1	4	5		2	1	1		5	8	4	5	
188g	Landslide, other crushing.....	8						1		1		1	2	2				1	
189	Injuries by animals (not poisoning).....	13		1	2	1			1						2	1	2	2	
193	Excessive cold.....	6						1							1	1	1	1	
194	Excessive heat.....	12	2												1	2	1	1	
195	Lightning.....	9								1	1	1		1	1	1	2	4	
196	Other accidental electric shocks.....	21						1		2	4	4	2	2	2	4			
201	Fracture (cause not specified).....	1																	1
202	Other external violence.....	85	6	7	3	1	2	2	6	10	6	1	5	7	5	7	8	9	
	XV.—Ill-defined diseases.....	143	49	4			1	1	1	2	1	2	1	7	9	16	22	27	
204	Sudden death.....	20	1							1			1	2	1	5	4	5	
205a	Ill-defined.....	51	7	2					1	1				2	4	8	12	14	
205b	Not specified or unknown.....	72	41	2			1	1			1	2		3	4	3	6	8	

MORTALITY STATISTICS

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE, BY AGE, IN THE REGISTRATION AREA AND EACH REGISTRATION STATE: 1926—Continued

List No.	CAUSE OF DEATH	All deaths	AGE IN YEARS																	AGE UNKNOWN
			Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 to 74 years	75 years and over		
			<b>KENTUCKY</b>																	
	All causes.....	25,145 4,807	4,020 554	1,168 121	467 43	266 30	189 22	534 61	357 81	717 174	908 235	722 258	749 238	1,645 567	1,959 704	2,736 660	3,908 608	4,762 530	38 21	
	I.—Epidemic, endemic, and infectious diseases.....	5,733 1,193	623 97	462 46	223 18	133 14	102 11	229 31	145 38	304 100	409 116	348 113	291 92	540 166	445 120	452 114	487 61	537 52	3 4	
	{White.....	5,733	623	462	223	133	102	229	145	304	409	348	291	540	445	452	487	537	3	
	{Colored.....	1,193	97	46	18	14	11	31	38	100	116	113	92	166	120	114	61	52	4	
1	Typhoid and paratyphoid fever.....	403	1	4	4	4	8	32	54	68	59	34	29	45	32	19	4	5	1	
5	Malaria.....	42	2	5	1	4		7	9	16	12	12	5	9	3	5	2	1		
6	Smallpox.....	15	1					1	1	1	2		1	4	2	2	1	2		
7	Measles.....	446	83	115	53	27	13	43	20	17	13	9	5	14	12	14	5	3		
8	Scarlet fever.....	25	13	1	4	2	1	1	1	1	1									
9	Whooping cough.....	55	1	7	4	6	9	12	8	4	2			1				1		
10	Diphtheria.....	2						1												
11a	Influenza (with pulmonary complications).....	338	164	97	34	22	6	13	1	1										
11b	Influenza (other and unspecified).....	40	16	14	6	1	2	1												
13	Mumps.....	273	42	47	55	32	38	49	7			1		1						
15	Cholera nostras.....	17	5	1	2	4	1	3	1											
16	Dysentery.....	678	92	44	17	10	3	13	11	23	8	19	17	49	38	73	110	151		
19	Spirochetal hemorrhagic jaundice.....	156	14	12	2	2	2	1	1	3	10	14	3	13	23	20	19	16	1	
21	Erysipelas.....	442	50	19	7	4	6	12	2	7	12	9	11	14	27	43	71	148		
22	Acute anterior poliomyelitis.....	73	12	2	1	1	2	2	1	3	1	2	2	11	7	10	12	11	1	
23	Lethargic encephalitis.....	1																		
24	Meningococcus meningitis.....	16	1	2	1	1					1			1			5	4		
25	Other epidemic and endemic diseases.....	280	56	53	20	4	4	12	5	6	3	3	4	6	4	13	19	48		
28	Rabies.....	22	6											1		5	2	5		
29	Tetanus.....	1	13	4	1				1	1		1		5	4	3	10	14		
30	Mycoses.....	3	6	7	3	3	3	6	1		2			1		1	1	1		
31	Tuberculosis (all forms).....	17	1					1	2	1	1	1	1	3	4	2	1	2		
32	Of the respiratory system.....	50	24	9	2	3	1	4	1	1	1	1		1	1	1	1			
33	Of the meninges, central nervous system.....	7	2	2	1	1	1	1										1		
34	Of the intestines, peritoneum.....	1	1																	
35	Of the vertebral column.....	2	2																	
36	Of the joints.....	8					1													
37a	Of other organs.....	38	6	3		1		1		6	1	2	1	2	5	4	4	2		
37b	Disseminated (acute).....	8							1											
38	Disseminated (chronic or unspecified).....	25	2	2		1	1	1		4	2	3	4	2	2	2	1	1		
40	Syphilis.....	10	1	1						2	2	2	1	4	1	1	1	1		
41	Gonococcus infection.....	74	16	3	1					4	3	3	3	9	13	11	7	4		
42	Purulent infection, septicemia.....	72	15	1						1	4	9	9	16	9	14	2		1	
43	Other infectious diseases.....	14	6			1		1		5	2	1	4	5	2	1	2	3		
44	Cancer and other malignant tumors.....	26	1			1		1		3	2	1	4	5	2	1	2	1		
45	Of the buccal cavity.....	7																		
46	Of the stomach, liver.....	2																		
47	Of the peritoneum, intestines, rectum.....	237	1																	
48	Of the female genital organs.....	57																		
49	Of the breast.....	114																		
50	Of the skin.....	89				1			1	1			1	4	8	17	28	27	1	
51	Of other or unspecified organs.....	4	1	2	1		1	2		4	4	2	9	14	26	54	68	49		
52	Tumors, benign and unqualified (tumors of the female genital organs excepted).....	30								1	1			5	7	8	8	2		
53	Acute rheumatic fever.....	5					3	3	2					1	2	6	8	12	11	
54	Chronic rheumatism, osteoarthritis, gout.....	21							3	1	1	2	1	7	1	7	1	2	3	
55	Pellagra.....	29												1	3	8	7	7		
56		4												2				1		
57		129	2	1	1		2			3		8	11	15	20	25	19	6	1	
58		15												2	5	1	3	1		

CAUSES OF DEATH, BY AGE

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE, BY AGE, IN THE REGISTRATION AREA AND EACH REGISTRATION STATE: 1926—Continued

List No.	CAUSE OF DEATH	All deaths	Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 to 74 years	75 years and over	Age unknown
KENTUCKY—Continued																			
II.—General diseases not included in Class I—Contd.																			
56	Rickets.....	W 12 C 4	8	2	1		1												
57	Diabetes mellitus.....	W 238 C 25	2	2		1	1	1	7	11	3	4	8	14	27	59	66	35	
58	Anemia, chlorosis.....	W 103 C 8	4	4				4		1			1	14	13	27	23	11	1
59	Diseases of the pituitary gland.....	W 1 C 1						1		1			1	1	1	1	2		
60a	Exophthalmic goiter.....	W 35 C 6					1			1		5	3	4	11	5	5		1
60b	Other diseases of the thyroid gland.....	W 6 C 2		1								1				1		3	
61	Diseases of the parathyroid glands.....	W 1 C 13	1	13															
62	Diseases of the thymus gland.....	W 1 C 1		1															
63	Diseases of the adrenals (Addison's disease).....	W 3 C 1												1	1			1	
64	Diseases of the spleen.....	W 6 C 1							1	1				1	1		2		
65a	Leukemia.....	W 16 C 9		1	2					1			2		5	2	2	1	
65b	Hodgkin's disease.....	W 1 C 9		1	1					1		2			2	1	1		
66	Alcoholism (acute or chronic).....	W 30 C 8									3	1	4	8	7	3	3	1	
67a	Chronic lead poisoning.....	W 1 C 1										1	1	3	2			1	
68	Chronic poisoning by organic substances.....	W 8 C 23										2	2	2	2				
69	Other general diseases.....	W 10 C 5	13	1	1				1	1	1				1	2	1	1	
III.—Diseases of the nervous system and of the organs of special sense																			
		White 2,349 Colored 442	82	26	15	8	11	24	22	21	31	26	34	110	219	397	642	676	5
70	Encephalitis.....	W 39 C 1	1	4	1	1	1	1	6		2	3	2	7	2	5	2	1	
71a	Simple meningitis.....	W 76 C 24	29	6	5	4	2	3	4	3	3	2	1	2	6	2	4		
71b	Nonepidemic cerebrospinal meningitis.....	W 29 C 2	9	6	2	1	3	6	1	1	1			2	4		1	1	
72	Tabes dorsalis (locomotor ataxia).....	W 30 C 1											1	3	7	7	8	4	
73	Other diseases of the spinal cord.....	W 74 C 10	1						1	3	2	1		3	9	16	22	16	
74a	Cerebral hemorrhage.....	W 1,467 C 240	3	1	2			2	3	8	8	9	40	118	301	484	485	3	
74b	Cerebral embolism and thrombosis.....	W 29 C 2						1		1	1	2	3	17	59	62	41	55	1
75	Paralysis without specified cause.....	W 217 C 53			1			1		1	1	2	1	5	12	21	63	112	
76	General paralysis of the insane.....	W 84 C 52						1			1	1	3	5	19	15	14	8	1
77	Other forms of mental alienation.....	W 42 C 4							2		2	2	3	2	7	14	3	10	1
78	Epilepsy.....	W 67 C 16	6	1			1	1	2	5	7	2	8	8	13	3	5	4	1
79	Convulsions (nonpuerperal; years and over).....	W 16 C 1	5						2	2	2	2	1	2	1	2	3	1	
80	Infantile convulsions (under 5 years).....	W 21 C 12	18	2		1							1						
81	Chorea.....	W 3 C 10							1	1							1	4	
82	Neuralgia and neuritis.....	W 3 C 18									1			1	1	1	2	12	1
83	Softening of the brain.....	W 3 C 3														2	1	1	
84	Other diseases of the nervous system.....	W 86 C 11	4	2	1	1	1	5		1	3	2	4	9	10	9	16	13	
85	Diseases of the eye and annaxa.....	W 3 C 30	1	4	1		2	3	2	1	1		1	2	1	1	1	2	1
86a	Diseases of the ear.....	W 4 C 19	1	3	2			3	2	1		1		2	2	2		1	
86b	Diseases of the mastoid process.....	W 3 C 3				1						1		1	1				
IV.—Diseases of the circulatory system																			
		White 3,219 Colored 783	15	2	5	5	2	26	27	25	34	23	41	146	271	532	918	1,141	6
87	Pericarditis.....	W 14 C 9											1	1	2	3	4	4	
88	Endocarditis and myocarditis (acute).....	W 105 C 42	4		2			6	3	1	8	3	5	25	12	17	12	7	
89	Angina pectoris.....	W 167 C 30										3	5	13	4	7	43	58	
90	Other diseases of the heart.....	W 2,504 C 644	10	1	3	4	2	20	23	23	24	16	30	110	223	437	724	850	4
91a	Aneurysm.....	W 26 C 11										1	1	2	2	8	6	2	
91b,c	Other diseases of the arteries.....	W 361 C 43							1					2	4	5	20	103	231
92	Embolism and thrombosis (not cerebral).....	W 26 C 1								1	1	1	1	2	2	1	3	19	18
93	Diseases of the veins.....	W 6 C 2		1	1									1	1	1	2		
94	Diseases of the lymphatic system.....	W 2 C 1																	
95	Hemorrhage without specified cause.....	W 4 C 2				1			1						1		1		
96	Other diseases of the circulatory system.....	W 4 C 1												1	1		2		

MORTALITY STATISTICS

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE, BY AGE, IN THE REGISTRATION AREA AND EACH REGISTRATION STATE: 1926—Continued

List No.	CAUSE OF DEATH	All deaths	KENTUCKY—Continued														75 years and over	Age un- known		
			Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years			65 to 74 years	
	V.—Diseases of the re- spiratory system (White- Colored)	2,297 519	468 121	192 32	85 12	46 6	18 2	63 7	31 9	28 9	41 17	30 24	45 20	98 53	123 69	178 50	330 39	512 45	6 4	
97a	Diseases of the nasal fossae..... W	8	5								1		1						1	
97b	Diseases of the nasal fossae annexa..... W	5						2	1	1						1				
98	Diseases of the larynx..... W	21	6	2	2	2	1	3					1			1	1	3		
99a	Acute bronchitis..... W	23	4	1					1	1							5	11		
99b	Chronic bronchitis..... W	18	3	3				2			3	1		1	3	2	10	2	33	
99c,d	Bronchitis (unspecified)..... W	48	1						1	1				3	1	2	1	1	1	
100a	Broncho-pneumonia..... W	46	14	1			1	1				2		1	3	3	6	18		1
100b	Capillary bronchitis..... W	25	4		1				1	1				3	4	3	1	5		
101a	Lobar pneumonia..... W	766	257	98	34	23	7	18	6	6	6	3	8	12	18	23	72	173		2
101b	Pneumonia (unspecified)..... W	160	71	18	6	4	2	1	3		3	4	1	6	11	9	7	13		1
102	Pleurisy..... W	24	13	3		1		1								1	2	3		
103	Congestion and hemorrhagic in- farct of the lung..... W	5	4											1						
104	Gangrene of the lung..... W	960	105	58	26	18	2	26	17	16	24	23	36	65	79	119	173	171		2
105	Asthma..... W	238	33	7	3	2		3	3	4	8	14	15	30	44	29	26	16		1
106	Pulmonary emphysema..... W	232	56	26	19		4	11	3	3	8	1	2	9	11	8	31	40		
107	Other diseases of the respiratory system (tuberculosis excepted)..... W	26	5	4	2				2	2	1	2	2	2	2			1		2
	VI.—Diseases of the diges- tive system (White- Colored)	2,475 330	781 104	401 29	81 7	28 1	18 1	80 7	41 9	60 7	60 9	40 13	38 10	107 28	173 31	170 34	190 19	201 20	6 1	
108	Diseases of the mouth and annexa..... W	30	2	3				2		1	3	2	1	1	5	3	3	4		
109a	Adenoid vegetations..... W	4	1									1		1	1	1				
109b	Other diseases of the pharynx, ton- sils..... W	68	7	4	3		4	12	2	7	5	1	2	5	5	4	6	1		
110	Diseases of the esophagus..... W	7	1						3	1						1		1		
111a	Ulcer of the stomach..... W	2																		
111b	Ulcer of the duodenum..... W	72			1				1		1	2	2	10	18	12	17	8		
112	Other diseases of the stomach (can- cer excepted)..... W	21	4						1		1	2	3	3	5	4	4	2		
113	Diarrhea and enteritis (under 2 years)..... W	24								3	2	2	2	2	3	6	5	1		
114	Diarrhea and enteritis (2 years and over)..... W	2												1		1				
115	Diseases due to other intestinal parasites..... W	176	40	10	6	3	1	2		1	3	3	1	6	12	16	34	38		
116	Appendicitis and typhlitis..... W	46	13	1						1		1		5	7	8	4	6		
117	Hernia..... W	1,076	701	375	64	16	6	24	1	3	2									
118a	Intestinal obstruction..... W	114	88	26	5	1	1	3	2	1	1	1	1	2	3	7	11	1		
118b	Other diseases of the intestines..... W	39			5	1	1	3	2	1	1			6	7	13	35	65	3	
119	Acute yellow atrophy of the liver..... W	9	1	1	1	1		5	2					1						
120	Hydatid tumor of the liver..... W	265	1	1	3	4		22	24	41	30	16	14	33	35	23	9	7	1	
121	Cirrhosis of the liver..... W	22						3		1	3	4	1	7	1	2	2			
122	Biliary calculi..... W	41	1									1	3	3	8	7	8	11	3	
123	Other diseases of the liver..... W	122	18	4	3	3		5	5	3	4	5	4	8	14	10	20	14		2
124	Diseases of the pancreas..... W	24	2	1	1			2	2	1	2	2	1	3	6	3	4	3		
125	Peritonitis without specified cause..... W	23	1	2	1		1	1			3	1	1	3	3	2	4	4		
126	Acute nephritis (including un- specified under 10 years)..... W	8	3								2	1	1	1	1					
127	Chronic nephritis (including un- specified 10 years and over)..... W	111	2											8	24	33	21	19		
128	Other diseases of the kidneys and annexa..... W	67										3		8	19	16	11	10		
129	Calculi of the urinary passages..... W	90	3		1	1		2	2	1	2	2	5	9	16	15	13	17		
130	Diseases of the bladder..... W	10							1					1	2	3	2	2		
131	Diseases of the urethra, etc..... W	1												1	1	1	1			
132	Diseases of the prostate..... W	34	2	1	2	1		4	4	1	2	2	1	6	1	4	2	1		
133	Nonvenereal diseases of the male genital organs..... W	11								1	1			1	2		1	1		
	VII.—Nonvenereal dis- eases of the genito-urinary system and annexa (White- Colored)	2,054 516	19 1	5 1	3 1	5 1	6 1	7 1	12 1	22 5	25 10	23 19	30 16	106 55	202 82	300 106	547 103	741 111	1 2	
128	Acute nephritis (including un- specified under 10 years)..... W	129	11	4	2	4	6	5	3	7	6	1	4	13	19	16	13	14	1	
129	Chronic nephritis (including un- specified 10 years and over)..... W	44	1		1	1	1	1	1	2	1	3	3	9	8	5	6	1		
130	Other diseases of the kidneys and annexa..... W	1,689	3	1					6	8	9	14	18	73	165	256	489	646		
131	Calculi of the urinary passages..... W	411								1	6	13	11	35	64	87	90	103		1
132	Diseases of the bladder..... W	53	5	1						3	1			3	6	10	9	15		
133	Diseases of the urethra, etc..... W	6												2	1	1	1			
134	Diseases of the prostate..... W	13										1		4		1	4	2		
135	Nonvenereal diseases of the male genital organs..... W	1												1	1	1	1			
136	Nonvenereal diseases of the male genital organs..... W	29			1	1		1	1						1	3	7	14		
		6													1	1	3	7		
		3													1	1	1	1		
		3										1				2				
		75												1	7	21	46			
		18												5	5	2	5			
		1															1			
		2									1				1					



MORTALITY STATISTICS

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE, BY AGE, IN THE REGISTRATION AREA AND EACH REGISTRATION STATE: 1926—Continued

List No.	CAUSE OF DEATH	All deaths	Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 to 74 years	75 years and over	Age unknown
KENTUCKY—Continued																			
XIV.—External causes—Contd.																			
Suicide—Continued																			
172	By jumping from high places.....W	3												1	1	1			
173	By crushing.....W	1												1					
174	By other means.....W	1															1		
	Homicide.....C	225	1	1				2	2	11	37	27	36	58	23	17	9		1
197	By firearms.....C	141						1	1	15	24	32	18	36	10	4			
198	By cutting or piercing instruments.....W	201	1					2	1	10	34	24	33	54	20	15	6		1
199	By other means.....W	117						1		12	19	30	13	30	9	3			
	Accidental or undefined.....C	1,541	75	37	40	31	25	75	57	146	145	96	93	152	114	124	125	202	4
175	Poisoning by food.....W	213	4	3	2	3	6	10	8	12	26	12	11	33	36	17	9	19	2
176	Poisoning by venomous animals.....W	26	4	4	3	1	2							4	2				
177	Other acute poisonings (gas excepted).....W	2	1							2	1	2		4	4	3	2	1	
178	Conflagration.....W	30	4	2		2	3	3	2	1			1	3		5	2	1	
179	Burns (conflagration excepted).....W	10						1			3			1		1		1	
180	Mechanical suffocation.....W	153	10	12	21	17	10	12	7	7	5	4	9	6	4	11	11	4	
181	Absorption of irrespirable, irritating, or poisonous gas.....W	34		1	2	2	4	3	1		3	1	1	3	2	4	3		
182	Drowning.....W	39	34	2			1			1				2	1		1		
183	Traumatism by firearms (except in war).....W	12		7	2	3		4	11	25	17	10	3	11	6	3	2	1	1
184	Traumatism by cutting or piercing instruments.....W	108						1	2	1	3	1	1	1	1	1	1		
185	Traumatism by fall.....W	69	1		1		1	5	4	15	11	3	9	7	4	5	2	1	
186a	Traumatism in mines.....W	15						1	4	3	2		2	2	2	1	4	5	1
186b	Traumatism in quarries.....W	18		1			2	3	1	1				2	1	4	5	1	
187	Traumatism by machines.....W	282	6	4	2	1	1	11	6	5	6	3	7	9	16	20	44	141	1
188a	Railroad accidents.....W	20						1	1		1			5	5	1	1	9	2
	Collision with automobiles.....W	161						1	2	26	41	22	17	24	19	6	1	1	1
	Other railroad accidents.....W	21									2	4		8	4	2	1		
188b	Street-car accidents.....W	26						2	4	3	3	4	2	3	1	2	2	2	
	Collision with automobiles.....W	5						1			1			2	2	1	1	7	
	Other street-car accidents.....W	153						5	24	16	13	16	23	16	21	12	12	1	1
188c	Automobile accidents (excluding collision with railroad trains and street cars).....W	27							3	4	3	4	4	5	4	3	3	1	1
188d	Airplane and balloon accidents.....W	186						5	22	15	11	16	18	12	20	11	6	1	1
188e	Injuries by other vehicles.....W	27							3	4	3	4	5	3	3	2	1	2	1
188f	Landslide, other crushing.....W	12									2			2	2	1	2		
188g	Injuries by animals (not poisoning).....W	2									2			2	2	1	2		
189	Excessive cold.....W	10												1	1	3	1		
193	Excessive heat.....W	1												1	1	1	1		
194	Lightning.....W	3								1	1			1	1	1	1		
195	Other accidental electric shocks.....W	14							2	1	3	2	1	3	1	1			
201	Fracture (cause not specified).....W	8															2	6	
202	Other external violence.....W	87	7	2	1	3	1	7	2	7	5	4	6	10	8	8	7	8	1
	.....C	15	1					1			1		2	3	6		1		
XV.—Ill-defined diseases																			
	White.....	459	264	17	6	3	3	4	1	3	3	4	6	12	14	28	42	49	
	Colored.....	54	26	2	1			1		1		1	1	1	6	2	4	8	
204	Sudden death.....W	53	17		1					2			3	2	6	5	8	9	
	.....C	8	2										1	2	2	1	2		
205a	Ill-defined.....W	185	68	14	3	1	1	3	1		3	2	2	6	5	20	31	25	
	.....C	13	3					1						2	2	2	3	3	
205b	Not specified or unknown.....W	221	179	3	2	2	2	1		1		2	1	4	3	3	3	15	
	.....C	33	21	2	1					1			1	1	2		1	3	

LOUISIANA

All causes	White	1,705	342	161	97	68	262	185	353	409	416	475	1,062	1,339	1,585	1,930	1,848	35
Colored	11,958	1,739	305	136	78	48	205	217	540	800	742	637	1,515	1,642	1,127	996	1,173	58
I.—Epidemic, endemic, and infectious diseases	White	2,188	261	130	71	39	80	47	101	129	135	140	261	247	168	177	176	5
Colored	2,906	333	97	44	35	21	84	90	249	365	319	228	422	293	153	88	84	10
1 Typhoid and paratyphoid fever	W	141	1	3	4		1	9	13	28	19	17	9	16	11	6	2	1
C	183	1	3	3	1	2	17	19	36	39	20	8	19	13	3	2	1	1
5 Malaria	W	89	10	1	3	4	2	6	7	1	4	6	2	12	5	10	10	6
C	116	6	8	8	4		13	2	11	11	6	7	10	10	5	6	9	

CAUSES OF DEATH, BY AGE

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE, BY AGE, IN THE REGISTRATION AREA AND EACH REGISTRATION STATE: 1926—Continued

List No.	CAUSE OF DEATH	All deaths	Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 to 74 years	75 years and over	Age un- known
LOUISIANA—Continued																			
I.—Epidemic, endemic, and infectious diseases—Contd.																			
6	Smallpox.....	6	1	1				1			1		1	1				1	
7	Measles.....	3	1	2				1											
8	Scarlet fever.....	3	1	1				6		1	1								
9	Whooping cough.....	101	59	25	7	3	3	2	1										
10	Diphtheria.....	106	51	21	8	4	1	3	7	1									
11a	Influenza (with pulmonary complications).....	513	97	33	8	5	12	4	4	3	1								
11b	Influenza (other and unspecified).....	346	62	22	5	8	2	13	6	5	19	18	17	23	43	50	28	64	71
13	Mumps.....	208	23	7	4	2	2	4	4	5	12	12	20	19	40	40	31	20	22
15	Cholera nostras.....	217	35	9	4	4	2	6	4	6	10	6							
16	Dysentery.....	1						1								1			2
17	Plague.....	68	5	12	3	1	1	1					1	3	6	10	11	9	
20	Leprosy.....	67	16	12	1	1		3			3	3	1	2	6	8	5	6	
21	Erysipelas.....	13	7							1	1	1	1	2	2	4	1	1	
22	Acute anterior poliomyelitis.....	8	5						1									2	
23	Lethargic encephalitis.....	8	1	2	1	1		2	3	2	2	1							1
24	Meningococcus meningitis.....	5	4												1	3	2	1	
25	Other epidemic and endemic diseases.....	7		1	1	3	1	1	2	1	5	1	1	1					
27	Anthrax.....	3	1	1	1													1	
28	Rabies.....	1																	
29	Tetanus.....	26	11	3		1	1	3	4	2	1	1		1	1	2			
30	Mycoses.....	77	43	2	2	1	1	7	5	6	1	1	2	3	2	3	1		
31	Tuberculosis (all forms).....	2	1												1				
32	Of the respiratory system.....	733	8	1	4	3		4	4	32	70	85	88	143	138	79	49	22	3
32	Of the meninges, central nervous system.....	1,282	6	4	3	2	1	14	28	158	241	219	143	240	139	52	19	9	6
32	Of the intestines, peritoneum.....	678	2	1	1	1		2	4	30	64	78	83	139	129	75	47	20	3
32	Of the vertebral column.....	1,193	3	3	2	2		8	23	146	230	206	136	225	132	47	18	9	5
33	Of the joints.....	9	4	1	2	1				2	1	1							
34	Of other organs.....	14	1	1		1		1	4	1	3	5	1	1	5	4	1	1	
35	Disseminated (acute).....	33	1					1		1	3	1	1	2	1	1			
35	Disseminated (chronic or unspecified).....	10	1					1		1	1	1		2	1	1			
36	Syphilis.....	6	1	1				2	1	1	1	1	1	1	1	1		1	
37a	Gonococcus infection.....	9	9	3	3	1	1	1	1	5	3	8	34	20	17	10	8		1
37b	Purulent infection, septicemia.....	385	99	7	2	1	1		4	9	30	32	34	67	51	29	14	5	1
40	II.—General diseases (not included in Class I.).....	37	2	2	1	1		3	1	3	2	6	1	6	10	5	2	1	1
41	White.....	19	3	2	1	1		3	1	2	1	1	1	3	3	3	1	1	
41	Colored.....	6																	
43	Cancer and other malignant tumors.....	1,200	25	6	4	4	4	9	9	16	18	17	27	121	221	265	281	171	2
43	Of the buccal cavity.....	809	14	5	3	1	4	9	8	18	41	48	51	130	182	138	82	71	4
44	Of the stomach, liver.....	828		1	1	2	3	1	1	5	6	7	14	83	161	206	208	129	
45	Of the peritoneum, intestines, rectum.....	431		1	1	2	2		2	4	6	9	26	76	119	90	52	41	2
46	Of the female genital organs.....	32											1	3	5	2	6	9	
47	Of the breast.....	11												1	2	2	2	3	
48	Of the skin.....	280			1	1			1	1	1	1	1	10	40	88	90	48	
49	Of other or unspecified organs.....	151												17	46	40	22	16	
50	Tumors, benign and unqualified (tumors of the female genital organs excepted).....	89						1						11	19	26	19	10	
51	Acute rheumatic fever.....	37		1										2	4	3	3	2	
52	Chronic rheumatism, osteoarthritis, gout.....	139								1	2	2	4	5	3	10	25	15	
53	Pellagra.....	129									2	2	2	12	40	34	20	14	2
54	Beriberi.....	59									1	1	2	4	15	11	11	5	2
55	Rickets.....	30								1	1	1	2	4	8	6	1	7	
56	Diabetes mellitus.....	34								1	1	1	1	1	3	3	1	1	
57	Diabetes mellitus.....	7													1	1	1	1	
57	Diabetes mellitus.....	195		1	1	1	2	1		3	4	3	3	25	32	39	50	30	
57	Diabetes mellitus.....	66								2	1	1	1	10	11	14	9	14	

MORTALITY STATISTICS

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE, BY AGE, IN THE REGISTRATION AREA AND EACH REGISTRATION STATE: 1926—Continued

List No.	CAUSE OF DEATH	All deaths	LOUISIANA—Continued													75 years and over	Age un-known		
			Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 44 years	45 to 54 years			55 to 64 years	65 to 74 years
II.—General diseases not included in Class I—Continued.																			
58	Anemia, chlorosis.....	W C	30		1						2	2		2	1	10	4	7	1
59	Diseases of the pituitary gland.....	W C	2											1			1		
60a	Exophthalmic goiter.....	W C	15							1	1	1		4	3	3	1		
60b	Other diseases of the thyroid gland.....	W C	2							1				3	1	1			
61	Diseases of the parathyroid glands.....	W C	2	2															
62	Diseases of the thymus gland.....	W C	9	8							1	1							
63	Diseases of the adrenals (Addison's disease).....	W C	6	4				2									1		
64	Diseases of the spleen.....	W C	6	1	1									3	1				
65a	Leukemia.....	W C	14	1	2			4					1	1	1	1	1	2	
65b	Hodgkin's disease.....	W C	3	1				1		1				1	1				
66	Alcoholism (acute or chronic).....	W C	23							1			1	3	5	7	2	4	
67a	Chronic lead poisoning.....	W C	11									6	1	2	1	1	1		
67b	Other chronic mineral poisoning.....	W C	3					1							1	1			1
69	Other general diseases.....	W C	20	8	1	1	2		1	1			1	1	1		1	3	2
			15	7	1	1		1					1	1				1	1
III.—Diseases of the nervous system and of the organs of special sense.....																			
	White.....		900	39	5	3	2	3	5	10	17	19	13	19	57	127	163	217	207
	Colored.....		804	42	7	2	2	2	11	10	12	17	18	28	90	176	129	124	128
70	Encephalitis.....	W C	20	3	1					1	2	1		3	4	2	2	1	
71a	Simple meningitis.....	W C	10	1	1					1	1	1		1	1	3	2	1	
71b	Nonepidemic cerebrospinal meningitis.....	W C	23	12	2		1			1	1	1		1	2	1			
72	Tabes dorsalis (locomotor ataxia).....	W C	13	3	1	1				1	1	1		1	1				1
73	Other diseases of the spinal cord.....	W C	6	2	1	2				1	1	1		1	1		4	3	
74a	Cerebral hemorrhage.....	W C	18	1	1					1	1	1		2	1	7	5	2	1
74b	Cerebral embolism and thrombosis.....	W C	21	1	1					1	1	3		2	1	5	1	4	4
75	Paralysis without specified cause.....	W C	15	1	1					1	1	1		1	1	2	2	4	1
76	General paralysis of the insane.....	W C	579	2				1	1	1	1	4		2	6	23	86	116	167
77	Other forms of mental alienation.....	W C	528	4		1		1	2	1	1	7	11	54	129	107	107	107	97
78	Epilepsy.....	W C	23	1				1		1	1	2		2	2	1	8	2	11
79	Convulsions (nonpuerperal; 5 years and over).....	W C	53	1				3		1	1	1		1	5	10	7	19	17
80	Infantile convulsions (under 5 years).....	W C	26							1	1	3		1	4	11	7	2	4
81	Chorea.....	W C	38							1	1	2		4	11	11	2	2	1
82	Neuralgia and neuritis.....	W C	19					1		3	3	2		2	6	6	2	2	1
83	Softening of the brain.....	W C	29	2	1		1			3	4	2		3	3	1	5	5	2
84	Other diseases of the nervous system.....	W C	29	1						3	3	5		2	4	4	1	3	2
85	Diseases of the eye and annexa.....	W C	1							1	1			1	1				1
86a	Diseases of the ear.....	W C	31	7	1			1	1	1	1		2	1	4	4	7	2	6
86b	Diseases of the mastoid process.....	W C	12	1				1	1	2	1	1		1	1	3	1	1	1
IV.—Diseases of the circulatory system.....																			
	White.....		1,927	12	1	3		12	9	6	15	25	26	93	222	410	540	549	4
	Colored.....		1,812	3	1	3	1	9	12	22	38	50	60	269	416	311	308	307	2
87	Pericarditis.....	W C	5	1							1	1		1	4	5	3	2	1
88	Endocarditis and myocarditis (acute).....	W C	15	6	1			4	5	4	9	7		13	4	7	1	5	6
89	Angina pectoris.....	W C	79	2	1	1		1	2	5	6	8	9	27	11	3	2	1	1
90	Other diseases of the heart.....	W C	169									2	2	7	28	54	52	24	8
91a	Aneurysm.....	W C	66	4	1	1		7	2	4	9	13	15	67	179	19	6	8	3
91b,c	Other diseases of the arteries.....	W C	1,532	1	2			8	9	14	30	36	47	211	357	270	280	243	2
92	Embolism and thrombosis (not cerebral).....	W C	22					1	1				2	1	6	10	1	1	1
93	Diseases of the veins.....	W C	39									2	2	12	11	7	4	69	2
94	Diseases of the lymphatic system.....	W C	80										1	4	4	14	23	51	1
95	Hemorrhage without specified cause.....	W C	16	1				4	1	2			1	2	4	5	12	2	2
96	Other diseases of the circulatory system.....	W C	8					1	1				1	1	1	5	4		

# CAUSES OF DEATH, BY AGE

191

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE, BY AGE, IN THE REGISTRATION AREA AND EACH REGISTRATION STATE: 1926—Continued

List No.	CAUSE OF DEATH	All deaths	Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 to 74 years	75 years and over	Age un- known
<b>LOUISIANA—Continued</b>																			
	V.—Diseases of the re- (White- spiratory system) Colored.	1,057 1,104	230 279	62 67	30 38	15 14	12 4	31 20	19 21	35 45	19 69	36 57	32 51	86 119	96 105	105 61	109 65	137 84	3 5
97a	Diseases of the nasal fossae.....	6 3	1 2						1				1					2	
97b	Diseases of the nasal fossae annexa.....	6 2	1 1	1			1			1			1						
98	Diseases of the larynx.....	5 2	3 2	1								1							
99a	Acute bronchitis.....	18 15	10 11		1 2			1		1					1			4	
99b	Chronic bronchitis.....	20 14	11 9	2						1	1				2 3	3 2	6 3	5 3	
99c,d	Bronchitis (unspecified).....	15 28	9 10	2		1						2			3	1	4	7	
100a	Broncho-pneumonia.....	376 338	135 154	32 36	16 18	9 9	7 1	13 5	4 1	7 5	2 12	7 11	5 8	11 15	23 14	23 15	33 17	47 17	2
100b	Capillary bronchitis.....	9 16	7 6	1 4	1 2			1							1			1	
101a	Lobar pneumonia.....	424 512	32 52	16 16	3 11	5 4	3 3	8 10	20 16	13 28	21 43	16 30	57 37	50 79	50 73	62 36	55 34	60 37	3
101b	Pneumonia (unspecified).....	102 107	23 36	5 8	5 4	5 4	1 3	4 3	5 3	3 9	3 9	3 2	3 4	3 9	11 6	6 2	5 4	12 8	1
102	Pleurisy.....	29 23	4 2	1	1										2	1	1	2	
103	Congestion and hemorrhagic in- farct of the lung.....	19 12	3 2												2	2	3	9	
104	Gangrene of the lung.....	2 12								1					1			4	
105	Asthma.....	19 2	1									3	1	4	1	2	1	5	1
106	Pulmonary emphysema.....	2 2													1				
107	Other diseases of the respiratory system (tuberculosis excepted).....	12 9	2									1 2	4	1 4	3 2		1		
	VI.—Diseases of the (white- digestive sys- Colored. tem.....	1,153 931	283 299	90 73	28 22	16 13	12 9	46 13	29 16	40 30	37 34	34 41	45 44	102 91	119 101	111 58	88 46	71 39	2
108	Diseases of the mouth and annexa.....	11 9						1		1	2		1	2	1		2	1	
109b	Other diseases of the pharynx, tonsils.....	28 26	1	1	3	2	3	1	8	1	4	2	2	2	5		1	1	
110	Diseases of the esophagus.....	3 1																1	
111a	Ulcer of the stomach.....	41 28			1					1			5	11	6	5	6	5	
111b	Ulcer of the duodenum.....	21 9										1	3	5	5	4	2	1	
112	Other diseases of the stomach (can- cer excepted).....	73 111	14 15	1 3	1 2	2	2	3	1	1	1	5	6	8	4	13	12	10	
113	Diarrhea and enteritis (under 2 years).....	335 327	251 261	84 66														9	10
114	Diarrhea and enteritis (2 years and over).....	79 73			18 16	9 5	3 6	5 4	1 4	2 2	2 4	1 3	2 2		4	2	10	9	14
115	Ancylostomiasis.....	1			1										9		5	6	
116	Diseases due to other intestinal parasites.....	2 3		1				1											
117	Appendicitis and typhlitis.....	192 101	3 1	1				3	3	17	25	26	20	15	14	24	24	11	6
118a	Hernia.....	44 27			1										1	2	4	2	4
118b	Intestinal obstruction.....	76 66	11 12	2 2	2 2	3 1	1 1	4 2	2 3	3 4	3 2	3 4	6 7	11 12	8 7	7 6	5 3	5 3	
119	Other diseases of the intestines.....	16 18	1 2	1											1		2	2	
120	Acute yellow atrophy of the liver.....	4 3													1			2	
122	Cirrhosis of the liver.....	111 78	1	1				2		1	1	2	3	3	17	28	24	22	11
123	Biliary calculi.....	26 9													4	6	7	4	
124	Other diseases of the liver.....	71 30						2				5	1	13	21	15	4	5	
125	Diseases of the pancreas.....	3													3	7	4	4	
126	Peritonitis without specified cause.....	16 12	1 1	1				1							2	1	4	1	
	VII.—Nonvenereal dis- eases of the (White- genito-urinary Colored. system and an- nexa.....	1,316 1,173	14 18	6 3	4 2	3 1	1 1	7 7	5 8	8 22	15 30	27 45	36 63	114 180	170 233	234 185	375 187	296 182	1 6
128	Acute nephritis (including un- specified under 10 years).....	87 123	7 12	3 3	3 2	2	1	6	3	3	5	5	5	8	4	11	13	8	4
129	Chronic nephritis (including un- specified 10 years and over).....	886	1					1		13	7	27	39	104	139	198	320	287	1
131	Other diseases of the kidneys and annexa.....	52 25	6 3	3	1			1						5	5	9	4	1	
132	Calculi of the urinary passages.....	13 6													2		1	3	
133	Diseases of the bladder.....	10 9																4	
134	Diseases of the urethra, etc.....	4 12													1		2	2	
135	Diseases of the prostate.....	56 35													3	5	9	26	18
136	Nonvenereal diseases of the male genital organs.....	2 3	1														1	9	14

MORTALITY STATISTICS

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE, BY AGE, IN THE REGISTRATION AREA AND EACH REGISTRATION STATE: 1926—Continued

List No.	CAUSE OF DEATH	All deaths	Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 to 74 years	75 years and over	Age un- known
LOUISIANA—Continued																			
VII.—Nonvenereal diseases of the genito-urinary system and annexa—Continued.																			
137	Cysts, other benign tumors of the ovary (W)	8											2	1	3		1		
138	Salpingitis and pelvic abscess (female) (W)	23								1	3	4	3	9	3	1			
139	Benign tumors of the uterus (W)	15										1	3	4	3				
140	Nonpuerperal uterine hemorrhage (W)	1										1							
141	Other diseases of the female genital organs (W)	15										2	3	4	2	3	1		
	VIII.—The puerperal state (White)	231								27	57	46	46	50	3				2
	(Colored)	214						3	39	59	37	28	42	5					1
143	Accidents of pregnancy (W)	16								2	3	4	2	5					
144	Puerperal hemorrhage (W)	19								1	6	5	3	2					
145	Other accidents of labor (W)	23								2	4	5	3	7	2				1
146	Puerperal septicemia (W)	25								2	6	1	7	8	1				1
147	Puerperal phlegmasia alba dolens, embolus, etc. (W)	23								4	6	3	4	5					1
148	Puerperal albuminuria and convulsions (W)	75								7	17	19	18	13	1				1
	(Colored)	63								11	17	14	8	13					
	(White)	7								1	1	1	2	2					
	(Colored)	4								2	1	1							
	(White)	73								12	24	13	11	12	1				
	(Colored)	82						3	20	24	9	10	15	1					
IX.—Diseases of the skin and of the cellular tissue (White)																			
	(Colored)	33	3	1		2	1	1	1	1	2	2	2	5	3	1	6	4	
151	Gangrene (W)	10				1									1	1	3	3	4
152	Furuncle (W)	13					1	1						1	1	3	3	4	
153	Acute abscess (W)	4									1			1		1		1	
154	Other diseases of the skin and annexa (W)	9	3	1							1	2		2	2	1			
	(Colored)	6								1	1			2			2	2	
	(White)	5													1				
	(Colored)	9	1		1											2	2	2	
X.—Diseases of the bones and of the organs of locomotion (White)																			
	(Colored)	24		1	1		2	6	4	1			1	1	1	1	4	2	
155	Diseases of the bones (tuberculosis excepted) (W)	23		1	1		2	6	4	1				1	1	1	4	1	
156	Diseases of the joints (tuberculosis and rheumatism excepted) (W)	4						1				1		1	1		1		
158	Other diseases of the organs of locomotion (W)	2						1		1									1
	(Colored)	1																	1
XI.—Malformations (White)																			
	(Colored)	132	119	9	1			2	1										
159a	Congenital hydrocephalus (W)	13	9	1				2	1										
159b	Congenital malformations of the heart (W)	11	5	2		1		2	1										
159c	Other congenital malformations (W)	81	73	7	1														
	(Colored)	25	24	1															
	(White)	38	37	1															
	(Colored)	20	19					1											
XII.—Early infancy (White)																			
	(Colored)	615	615																
160	Congenital debility, icterus, sclerema (W)	62	62																
161a	Premature birth (W)	64	64																
161b	Injury at birth (W)	401	401																
162	Other diseases peculiar to early infancy (W)	271	271																
163	Lack of care (W)	119	119																
	(Colored)	49	49																
	(White)	32	32																
	(Colored)	38	38																
	(White)	1	1																
	(Colored)	3	3																
164	XIII.—Old age (senility) (White)	154														6	21	127	
	(Colored)	244													5	39	200		
XIV.—External causes (White)																			
	(Colored)	1,127	27	21	16	18	10	61	46	99	99	77	100	164	118	101	78	81	11
	(White)	906	28	31	13	7	12	37	43	89	128	111	76	135	91	44	22	29	11
165	Suicide (W)	127								7	9	8	14	26	22	23	12	5	1
166	By poisons (gas or corrosives excepted) (W)	15								1		1	3	6	3				1
167	By corrosive substances (W)	7								1		1	1	3	1				
168	By poisonous gas (W)	2										1	1	1	1				
169	By hanging or strangulation (W)	16								3	3	2	1	2	2	2		1	
170	By drowning (W)	5								1				4					
171	By firearms (W)	19								1	4	1	3	2	1	6	2	2	
172	By cutting or piercing instruments (W)	8										1	2	1	2	2			
173	By crushing (W)	3										1	1						
174	By other means (W)	1											7	12	12	11	8	1	1
	(Colored)	3											1	1	1	4	2	2	

CAUSES OF DEATH, BY AGE

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE, BY AGE, IN THE REGISTRATION AREA AND EACH REGISTRATION STATE: 1926—Continued

List No.	CAUSE OF DEATH	All deaths	Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 to 74 years	75 years and over	Age un- known
LOUISIANA—Continued																			
XIV.—External causes—Con.																			
	Homicide.....	128	3					1	1	11	15	14	23	31	18	6	3		3
	By firearms.....	275				1		1		23	60	54	37	53	31	11		1	3
197	By cutting or piercing instru- ments.....	85								7	12	7	17	21	13	4	3		1
198	By other means.....	189				1		1		15	43	29	23	37	24	10			1
199	Accidental or undefined.....	32	3					1		2	13	20	8	12	5	1			3
	Poisoning by food.....	18								2	4	5	1	4	2				1
175	Poisoning by venomous ani- mals.....	872	24	21	16	18	10	60	45	81	75	55	63	107	78	72	63	76	3
176	Other acute poisonings (gas excepted).....	616	28	31	13	6	12	36	43	65	68	56	35	76	57	33	22	23	7
177	Conflagration.....	14	4	3	1	2		1		1	1		4	1	1	1	1		
178	Burns (conflagration excepted).....	20	6	1	1									4	1	1			
179	Mechanical suffocation.....	1						1											
180	Absorption of irrespirable, irri- tating, or poisonous gas.....	30		5	3	3		1		2	6	1	1	3		1			
181	Drowning.....	31	2	14	4		1	1		1	1	2	4	2	2		1	2	2
182	Traumatism by firearms (ex- cept in war).....	9	1	3	1	6	4	7	4	1	1	1	1	1	1	1	1	3	4
183	Traumatism by cutting or piercing instruments.....	78	3	4	8	6	5	10	5	5	3		1	3	4	3	6	8	1
184	Traumatism by fall.....	87	4	4	2									4	6	6	6	2	
185	Traumatism in mines.....	1																	
186a	Traumatism by machines.....	26						1		3	4	3	5	7	1	2			
187	Railroad accidents.....	15								3	1	2	5	5	2	2			
188a	Collision with automobiles.....	63							3	3	6	3	4	17	15	2	9		1
	Other railroad accidents.....	47						1		4	12	6	3	6	6	1	2	3	3
188b	Street-car accidents.....	7																	
	Collision with automobiles.....	1																	
	Other street-car accidents.....	3																	
188c	Automobile accidents (exclud- ing collision with railroad trains and street cars).....	194	1	2	3	2	3	26	3	17	15	13	17	19	16	26	20	11	
188d	Airplane and balloon accidents.....	77					1	6	7	6	9	7	4	10	11	7	5	4	
188e,f	Injuries by other vehicles.....	2												2	2	2	1		
188g	Landslide, other crushing.....	10				1		1		1	1	1		1	2	2	1		
189	Injuries by animals (not poisoning).....	8						1		1	1	1		2	3	1	1		
193	Excessive cold.....	4																	
194	Excessive heat.....	3	1													1		1	
195	Lightning.....	5												1	1	1	3		
196	Other accidental electric shocks.....	6						1		1	2			1	1	1			
201	Fracture (cause not specified).....	17								3	3	1	5	3	2	1			
202	Other external violence.....	7												1	1		3	2	
	White.....	68	4	1		2	1	4	3	9	6	6	6	11	4	4	3	3	1
	Colored.....	54	2	1				3	2	2	10	6	6	12	4	2	3	3	
XV.—Ill-defined dis- eases.....																			
	White.....	206	77	10		1	2	5	2		4	2	8	12	20	34	27	2	
	Colored.....	535	249	19	9	3	4	9	5	13	17	13	9	34	36	36	29	41	9
204	Sudden death.....	44	9					2						4	6	7	11	4	1
	White.....	73	20	3				1						7	7	14	7	9	2
	Colored.....	45	9					1						3	2	4	6	7	1
205a	Ill-defined.....	106	25	10	6	2	1	3	2	5	3			5	9	10	8	9	1
	White.....	117	59	3				2	2	2	2			1	4	9	17	16	1
205b	Colored.....	356	204	6	3	1	3	6	2	8	13			4	19	14	17	23	6

MAINE

	All causes.....	11,355	1,314	203	82	63	37	133	127	181	210	205	252	582	891	1,488	2,446	3,140	1
	I.—Epidemic, endemic, and in- fectious diseases.....	1,371	167	80	34	22	11	46	38	61	93	78	77	128	115	117	139	165	
1	Typhoid and paratyphoid fever.....	21						2	1	4	3	3		4	2	1	1		
5	Malaria.....	1																	
7	Measles.....	68	26	23	4	3	2	6	1					1	1				1
8	Scarlet fever.....	21	1		3	1	1	5	4	2				2	1	1			
9	Whooping cough.....	88	51	21	6	7	2	2											1
10	Diphtheria.....	20	2	1	2	2	2	6		1	1			1					1
11a	Influenza (with pulmonary complica- tions).....	281	17	16	8	3	1	1		4	1	4	5	20	32	36	61	72	
11b	Influenza (other and unspecified).....	198	38	5	2	3	1	8	5	3	4	1	1	8	16	17	18	63	









TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE, BY AGE, IN THE REGISTRATION AREA AND EACH REGISTRATION STATE: 1926—Continued

List No.	CAUSE OF DEATH	All deaths	Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 to 74 years	75 years and over	AGE UN- KNOWN
MARYLAND—Continued																			
	III.—Diseases of the nervous system and of the organs of special sense	White 1,920 Colored 493	38	14	7	6	6	21	14	15	13	19	38	91	182	334	561	559	2
70	Encephalitis	W 18 C 4	2		1			2	1	3		1	1	2	2	2	1		
71a	Simple meningitis	W 12 C 27	8	3	1	2	1	3	1	3		1	1	2	2	1			
71b	Nonepidemic cerebrospinal meningitis	W 11 C 2	3	1					3	2			1	1	1				
72	Tabes dorsalis (locomotor ataxia)	W 19 C 4										1	2	3	5	4	6		
73	Other diseases of the spinal cord	W 35 C 4	1								1	1	2	2	5	7	13	4	
74a	Cerebral hemorrhage	W 1,347 C 337			1				1	5	2	6	6	37	101	277	460	456	2
74b	Cerebral embolism and thrombosis	W 71 C 4	1			1		1		1	1	4	4	3	12	10	22	16	1
75	Paralysis without specified cause	W 112 C 43											1	1	6	16	37	51	2
76	General paralysis of the insane	W 77 C 37									1	5	7	23	28	7	3	3	
77	Other forms of mental alienation	W 11 C 8			1			2	3	1	1	2	2	2	3	3	1	1	
78	Epilepsy	W 28 C 16	1		1	1		1	2	2	2	4	3	5	1		3		
79	Convulsions (nonpuerperal; 5 years and over)	W 2 C 19									1					1			
80	Infantile convulsions (under 5 years)	W 15 C 14	11	4	2		2												
82	Neuralgia and neuritis	W 1 C 1							1						1		5	17	
83	Softening of the brain	W 23 C 77			1	1		8	3	3	1	2	5	11	14	5	10	10	
84	Other diseases of the nervous system	W 5 C 1							1				1	2		1			
85	Diseases of the eye and annexa	W 1 C 26		4	1	1	2	1	1		1	2	4		2			1	
86a	Diseases of the ear	W 5 C 15	1	2		1		5		1	1	1	1	1	1	1		1	
86b	Diseases of the mastoid process	W 15 C 1																	
	IV.—Diseases of the circulatory system	White 3,235 Colored 803	16	4	3	4	3	21	29	27	36	33	28	147	308	574	916	1,084	2
87	Pericarditis	W 6 C 2						2			1					1		2	
88	Endocarditis and myocarditis (acute)	W 96 C 27	2	1	3	3		5	4	7	9	10	5	14	8	11	6	8	
89	Angina pectoris	W 268 C 25			1									15	44	78	82	47	
90	Other diseases of the heart	W 2,548 C 671	12	3	1	3	14	25	20	25	22	20	20	112	236	450	752	852	1
91a	Aneurysm	W 7 C 7	1						3	6	7	14	22	107	148	165	105	85	7
91b,c	Other diseases of the arteries	W 262 C 63												1	10	22	60	168	1
92	Embolism and thrombosis (not cerebral)	W 36 C 6	1								1	1		5	7	9	10	5	
93	Diseases of the veins	W 7 C 1									1				1	6		2	
94	Diseases of the lymphatic system	W 2 C 1		1													1		
95	Hemorrhage without specified cause	W 2 C 1											1				1		
96	Other diseases of the circulatory system	W 1 C 1															1		
	V.—Diseases of the respiratory system	White 1,850 Colored 792	290	133	52	28	28	31	17	25	25	34	48	154	162	211	292	319	1
97a	Diseases of the nasal fossae	W 3 C 9		2									1		3	1			
97b	Diseases of the nasal fossae annexa	W 1 C 4		1												1	1		
98	Diseases of the larynx	W 42 C 21	13	2		1		1							1	3	1	21	
99a	Acute bronchitis	W 49 C 6	11	4	1					1					2	4	15	24	
99b	Chronic bronchitis	W 24 C 8	1	1	1			1						1	1	1	3	7	
99c,d	Bronchitis (unspecified)	W 810 C 345	216	88	30	17	13	11	4	4	5	6	13	36	57	64	109	137	1
100a	Broncho-pneumonia	W 11 C 8	5	3	3	1										1			
100b	Capillary bronchitis	W 774 C 355	34	36	12	8	9	15	12	19	17	25	30	109	90	119	140	98	1
101a	Lobar pneumonia	W 18 C 17	5	3	2	1		1	4	4	1	1	2	1	1	1	1	1	
101b	Pneumonia (unspecified)	W 41 C 10	3	5	4	1	3	3		2	2	2	1	2	4	4	4	5	
102	Pleurisy	W 27 C 3	2	1												1	3	20	
103	Congestion and hemorrhagic infarct of the lung	W 1 C 2															1		
104	Gangrene of the lung	W 23 C 8					1	1								6	7	6	
105	Asthma	W 2 C 2												3	1	2	4	7	
106	Pulmonary emphysema	W 2 C 2														1	1	2	
107	Other diseases of the respiratory system (tuberculosis excepted)	W 2 C 4	2									1	1	3	2	4	7	1	





CAUSES OF DEATH, BY AGE

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE, BY AGE, IN THE REGISTRATION AREA AND EACH REGISTRATION STATE: 1926—Continued

List No.	CAUSE OF DEATH	All deaths	Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 to 74 years	75 years and over	Age unknown
MARYLAND—Continued																			
XIV.—External causes—Contd.																			
Accidental or undefined—Continued.																			
188a	Railroad accidents.....	76		1	1		1	2	2	4	6	7	4	14	15	9	3	5	2
	Collision with automobiles.....	15					1			1	1	3		5	2	2			1
	Other railroad accidents.....	69		1	1			2	2	4	6	7	4	12	12	8	3	5	2
188b	Street-car accidents.....	13								1	1	3		1	3	1	4	3	1
	Collision with automobiles.....	10					1				1		1	1	2	3		1	
	Other street-car accidents.....	1															1	3	3
188c	Automobile accidents (excluding collision with railroad trains and street cars).....	12					1			1	1		1	1	3	1	3	3	1
	Injuries by other vehicles.....	251		1	4	3	3	31	12	11	24	24	15	30	26	22	32	12	1
188e	Landslide, other crushing.....	61					1	3	5	6	6	6	2	7	15	3	6		
188g	Injuries by animals (not poisoning).....	14			1		1	1		3		2		2	1	2	1		
189	Excessive cold.....	3						1							1		1		
193	Excessive heat.....	5								1					2		4		
194	Other accidental electric shocks.....	2													1		1		
196	Fracture (cause not specified).....	10		1							1	2	3	3	2		1		
201	Other external violence.....	8						1		2	3	2	3	3		1		2	
202	Ill-defined diseases.....	62	6	3	1	3	2	8	5	6	3	2	2	6	6	3	3	1	2
	White.....	20	1					2	1		2		2	4	4	4	1	1	
	Colored.....	73	24	2	3								3	5	3	13	7	9	4
204	Sudden death.....	69	40	5	1		1		2		2	1	3	4	4	4	4	2	4
205a	Ill-defined.....	13	3		1						1		2			3	1	2	1
205b	Not specified or unknown.....	3	3	1												1	1	1	1
	White.....	22	2		1											3	5	4	
	Colored.....	38	18	2	1				1				1	2	4	2	2	3	3
	White.....	41	30	2	1		1		1		1	1	1	1	3	5	1	1	
	Colored.....																		

MASSACHUSETTS

	All causes.....	52,638	6,102	1,216	517	338	296	831	530	867	1,096	1,221	1,391	3,827	5,717	8,463	9,946	10,264	16
I.—Epidemic, endemic, and infectious diseases.....																			
1 Typhoid and paratyphoid fever.....																			
5	Malaria.....	6,153	615	491	200	126	115	274	104	303	442	455	405	808	705	504	344	260	2
7	Measles.....	59			1	1		3	3	10	7	3	6	12	8	4		1	
8	Scarlet fever.....	2													1				
9	Whooping cough.....	401	106	163	46	28	16	27	6	2	1	3	2	4	1	3	1		
10	Diphtheria.....	125	4	12	15	15	14	41	6	2	5	3	2	1	2				
11a	Influenza (with pulmonary complications).....	412	222	122	32	11	10	12	1										
11b	Influenza (other and unspecified).....	250	11	35	28	35	32	77	12	3	1	7	1	4	3		1		
13	Mumps.....	628	62	31	13	3	3	17	3	13	12	14	14	63	77	79	100	124	
15	Cholera nostras.....	222	18	10	3	4	3	7	3	3	6	9	7	15	22	24	28	59	1
16	Dysentery.....	2					1											2	
19	Spirochetal hemorrhagic jaundice.....	1						1											
21	Erysipelas.....	100	30	6	5		3	12	2	1	1	2	3	8	17	9	8	21	
22	Acute anterior poliomyelitis.....	44	2	6	3		2	3	3	7	2	2	1	1	1				
23	Lethargic encephalitis.....	76	2	6	3	1	2	4	4	4	3	6	1	8	12	14	4	2	
24	Meningococcus meningitis.....	59	11	10	4		2	6	6	6		1	1	3	6	3			
25	Other epidemic and endemic diseases.....	12	4	3	1	1	1	1	1										
27	Anthrax.....	1																	
29	Tetanus.....	22	4			2		4	2	4			2	1	2				
30	Mycoses.....	5																	
31	Tuberculosis (all forms).....	3,503	85	89	49	24	27	59	49	246	396	399	352	649	509	333	189	47	1
32	Of the respiratory system.....	2,976	20	17	12	6	5	13	32	219	355	363	335	606	468	301	175	43	1
33	Of the meninges, central nervous system.....	239	48	56	27	13	15	30	6	10	9	4	7	7	5		3		
34	Of the intestines, peritoneum.....	108	10	10	3	2	4	8	2	16	13	3	3	12	14	7			
35	Of the vertebral column.....	40		1				5	2	3	2	1	1	5	6	6	5		
36	Of the joints.....	17			1			2	2	4	1	3	4	1	4	4			
37a	Of other organs.....	55	2	2	2	1	1	1	3	6	6	4	4	10	9	8	4	2	
37b	Disseminated (acute).....	63	5	5	3	3	2	2	5	4	3	3	4	6	3	6	2	2	
37b	Disseminated (chronic or unspecified).....	5			1					1				2		1			
38	Syphilis.....	166	39	3			1	1	3	3	7	14	21	2	36	30	7	1	
40	Gonococcus infection.....	20	1							2	4	3	5	5	3	2			
41	Purulent infection, septicemia.....	30	6					2		1		2	6	4	3	4		2	
42	Other infectious diseases.....	2				1											1		
II.—General diseases not included in Class I.....																			
7,408																			
Cancer and other malignant tumors.....																			
43	Of the buccal cavity.....	5,313	2	1	6	3	2	8	6	11	20	30	84	406	876	1,507	1,472	879	
44	Of the stomach, liver.....	185			1			1	2		1	3	2	4	13	66	59	31	
45	Of the peritoneum, intestines, rectum.....	1,641						1			3	5	22	94	238	477	497	304	
46	Of the female genital organs.....	1,031					1	1	1	2	6	14	6	152	290	304	194		
47	Of the breast.....	685							1	1	8	12	102	184	179	141	57		
48	Of the skin.....	613			1						2	7	63	125	150	150	86		
49	Of other or unspecified organs.....	101	2	1	4	3	1	5	3	8	9	8	26	79	150	289	294	175	

## MORTALITY STATISTICS

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE, BY AGE, IN THE REGISTRATION AREA AND EACH REGISTRATION STATE: 1926—Continued

List No.	CAUSE OF DEATH	All deaths	Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 to 74 years	75 years and over	Assumed known
MASSACHUSETTS—Continued																			
II.—General diseases not included in Class I—Contd.																			
50	Tumors, benign and unqualified (tumors of the female genital organs excepted)	38	1	1	1				1	1	1	2	4	6	7	5	8		
51	Acute rheumatic fever	78	1			2	1	9	10	11	7	6	5	8	8	3	3	4	
52	Chronic rheumatism, osteoarthritis, gout	60									1		2	2	1	14	9	21	
53	Scurvy	2	2																
54	Pellagra	11									1	1	1	3	1	1	2	1	
56	Rickets	17	7	9	1														
57	Diabetes mellitus	844	2	1		2	1	5	7	12	12	5	10	34	97	253	274	129	
58	Anemia, chlorosis	270	1		1	2				3	4	2	10	22	54	81	72	18	
59	Diseases of the pituitary gland	6										1		1	1	2	1		
60a	Exophthalmic goiter	54						1	1	3	1	3	3	9	16	9	6	2	
60b	Other diseases of the thyroid gland	14	1	1								1		2	3	1	3	2	
61	Diseases of the parathyroid glands	6	4	2															
62	Diseases of the thymus gland	93	75	7	3	1	1	2	1					3					
63	Diseases of the adrenals (Addison's disease)	18								1	1	2		6	2	3	2	1	
64	Diseases of the spleen	1																	
65a	Leukemia	89	2		6	3	4		5	5	4	4	3	8	20	17	7	1	
65b	Hodgkin's disease	62					1		3	2	1	6	6	6	19	9	8	1	
66	Alcoholism (acute or chronic)	269									4	11	19	61	78	67	28		1
67a	Chronic lead poisoning	10												4		4	2		
67b	Other chronic mineral poisoning	1													1				
68	Chronic poisoning by organic substances	3												1	2				
69	Other general diseases	159	123	5	2	2	1	5	3	2	3	1		5	2	2	1	2	
III.—Diseases of the nervous system and of the organs of special sense																			
		5,442	106	41	34	21	19	67	44	52	50	60	65	264	596	1,033	1,435	1,554	1
70	Encephalitis	42	7	7	3	3	1	1	3		2	2	2	6	4		1		
71a	Simple meningitis	96	32	8	6	5	3	10	8	2	4	3	1	5	7	2			
71b	Nonepidemic cerebrospinal meningitis	27	8	2	4	3		4	1	2			1	1	1				
72	Tabes dorsalis (locomotor ataxia)	71							1			1		3	11	26	23	6	
73	Other diseases of the spinal cord	147	2	1	1	2	2	5	8	1	4	6	17	25	33	31	9		
74a	Cerebral hemorrhage	3,887	3	1	1	1	1	2	2	4	5	13	86	363	802	1,235	1,367	1	
74b	Cerebral embolism and thrombosis	186	1	1				2	2	4	3	2	10	19	36	38	72		
75	Paralysis without specified cause	97			1						1	1	3	2	19	39	32		
76	General paralysis of the insane	224						2	2	1	7	8	55	76	43	18	12		
77	Other forms of mental alienation	26						2	2	1	1	2	9	3	2	4	2		
78	Epilepsy	152		1		1	3	5	9	11	18	16	13	19	23	16	8	9	
79	Convulsions (nonpuerperal; 5 years and over)	6						3	1							1			
80	Infantile convulsions (under 5 years)	38	28	5	3		2												
81	Chorea	2					1		1										
82	Neuralgia and neuritis	6				1							1	1	1			1	
83	Softening of the brain	19											1	1	3	5	9		
84	Other diseases of the nervous system	246	6	3	4	4	1	8	4	5	10	9	13	35	43	40	29	32	
85	Diseases of the eye and annexa	4			1				1					1	1	1			
86a	Diseases of the ear	95	11	9	6	2	1	14	4	11	6	3		10	11	3	2	2	
86b	Diseases of the mastoid process	71	8	3	4		2	16	5	7	3	3	3	3	6	5	2	1	
IV.—Diseases of the circulatory system																			
		13,163	27	9	6	5	12	51	88	99	88	130	148	564	1,215	2,484	3,645	4,591	1
87	Pericarditis	22		1			1	1	3	1	1			2	3	2	6	1	
88	Endocarditis and myocarditis (acute)	345	13	3	2	2	8	15	13	26	23	25	29	64	27	33	27	35	
89	Angina pectoris	922							1			1	3	23	121	236	314	223	
90	Other diseases of the heart	9,576	10	5	3	3	3	35	71	69	62	101	109	428	965	1,900	2,695	3,116	1
91a	Aneurysm	65										1	1	6	15	26	9	7	
91b,c	Other diseases of the arteries	1,975										1	1	8	50	214	539	1,162	
92	Embolism and thrombosis (not cerebral)	205	1									2	2	23	25	58	52	42	
93	Diseases of the veins	41	1					1	1			2	3	9	8	12	2	4	
94	Diseases of the lymphatic system	6			1				1	1				1					
95	Hemorrhage without specified cause	2														2			
96	Other diseases of the circulatory system	4													1	1	1	1	
V.—Diseases of the respiratory system																			
		5,540	1,063	417	135	56	36	95	48	58	80	92	138	398	515	624	780	1,004	1
97a	Diseases of the nasal fossae	7							2		1	1	1				1	1	2
97b	Diseases of the nasal fossae annexa	16							1	5	1	1	3	3	1	1			
98	Diseases of the larynx	19			3	2		2						2	2	2		1	
99a	Acute bronchitis	156	63	14	1	1	1	1					1	1	3	4	21	45	
99b	Chronic bronchitis	90	4	1	1			1		1				3	5	11	14	48	
99c,d	Bronchitis (unspecified)	68	15	4				1						3	3	5	6	33	1
100a	Broncho-pneumonia	2,580	797	288	80	33	18	41	16	9	15	12	25	102	129	211	309	495	
100b	Capillary bronchitis	44	19	6	3	1	1	1							2	5	7	7	
101a	Lobar pneumonia	2,242	123	88	41	15	13	37	23	37	51	67	101	263	334	348	385	316	
101b	Pneumonia (unspecified)	40	5	4	1			1	1	1				1	5	3	7	11	
102	Pleurisy	136	18	10	5	5	3	9	5	5	4	7	5	10	12	14	13	11	
103	Congestion and hemorrhagic infarct of the lung	40	6	1					1	1						3	2	26	
104	Gangrene of the lung	4									1	1			1	1			
105	Asthma	45	3					1			1			7	12	6	8	6	
106	Pulmonary emphysema	7	1						1							1	3	1	
107	Other diseases of the respiratory system (tuberculosis excepted)	46	5					1	2		1	3	3	6	6	12	5	2	
VI.—Diseases of the digestive system																			
		3,208	808	123	51	43	20	71	58	80	78	81	104	268	408	476	303	222	
108	Diseases of the mouth and annexa	14	3		1					1				2	2	1	2		
109b	Other diseases of the pharynx, tonsils	132	13	4	12	10	7	10	5	3	14	7	1	9	9	10	7	5	
110	Diseases of the esophagus	3														1		2	

CAUSES OF DEATH, BY AGE

203

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE, BY AGE, IN THE REGISTRATION AREA AND EACH REGISTRATION STATE: 1926—Continued

List No.	CAUSE OF DEATH	All deaths	MASSACHUSETTS—Continued														Age unknown		
			Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years		65 to 74 years	75 years and over
VI.—Diseases of the digestive system—Continued.																			
111a	Ulcer of the stomach	191								1	7	9	10	27	48	50	26	13	
111b	Ulcer of the duodenum	85	1								2	2	9	18	22	23	5	3	
112	Other diseases of the stomach (cancer excepted)	63	21	3	2		1	2	1				3		6	2	6	10	6
113	Diarrhea and enteritis (under 2 years)	812	713	99															
114	Diarrhea and enteritis (2 years and over)	132			24	15	6	8	3	3			5	3	7	14	11	10	23
116	Diseases due to other intestinal parasites	1				1													
117	Appendicitis and typhlitis	530	4	6	7	15	12	42	41	58	38	29	34	70	74	60	27	13	
118a	Bernia	198	3	3				2	2	2	1	2	2	9	37	52	45	42	
118b	Intestinal obstruction	239	39	4	2	1	2	2	2	4	5	5	6	25	30	42	28	42	
119	Other diseases of the intestines	40	1	1				2		1				3	1	7	8	10	3
120	Acute yellow atrophy of the liver	29			1						1	2	2	7	9	4	1	2	
121	Hydatid tumor of the liver	1												1					
122	Cirrhosis of the liver	238							1		5	6	6	27	49	74	53	23	
123	Biliary calculi	221								2	3	9	9	20	54	73	40	20	
124	Other diseases of the liver	187	2			1		2	1	3	4	6	8	19	36	47	37	21	
125	Diseases of the pancreas	30											5	6	7	8	3	1	
126	Peritonitis without specified cause	62	8	3	2	5	1	2	3	3	3	1	3	8	7	4	6	3	
VII.—Nonvenereal diseases of the genito-urinary system and annexa																			
		4,344	28	8	5	2	7	22	14	35	42	60	95	332	601	936	1,125	1,031	1
128	Acute nephritis (including unspecified under 10 years)	134	6	4	2	1	4	12	4	5	5	6	6	21	24	21	10	3	
129	Chronic nephritis (including unspecified 10 years and over)	3,579		1			1	8	10	24	23	38	64	220	481	830	971	907	1
131	Other diseases of the kidneys and annexa	126	17	3	3	1	2			2	1	5	8	15	16	20	18	15	
132	Calculi of the urinary passages	40						1			4		2	7	6	7	9	4	
133	Diseases of the bladder	20											1		3	1	5	10	
134	Diseases of the urethra, etc.	16												6	4	3	2	1	
135	Diseases of the prostate	231													13	33	102	83	
136	Nonvenereal diseases of the male genital organs	7	3											2	1			1	
137	Cysts, other benign tumors of the ovary	25							1	2	2	1	2	4	5	5	3	2	
138	Salpingitis and pelvic abscess (female)	51						1	3	5	5	6	20	9	1	1	1	3	
139	Benign tumors of the uterus	75									3	4	30	30	4	1	3		
140	Nonpuerperal uterine hemorrhage	1									1								
141	Other diseases of the female genital organs	37									1	1	3	7	9	11	3	2	
142	Nonpuerperal diseases of the breast (cancer excepted)	2	2																
VIII.—The puerperal state																			
		536								26	97	124	126	159	4				
143	Accidents of pregnancy	62								3	10	14	18	15	2				
144	Puerperal hemorrhage	54									9	10	20	15					
145	Other accidents of labor	104								1	18	30	20	35					
146	Puerperal septicemia	181								14	36	42	36	51	2				
147	Puerperal phlegmasia alba dolens, embolus, etc.	35								1	4	4	13	13					
148	Puerperal albuminuria and convulsions	98								7	18	24	19	30					
149	Following childbirth (undefined)	2									2								
X.—Diseases of the skin and of the cellular tissue																			
		135	35	4	1	1			6	3	2	7	4	6	13	10	15	28	
151	Gangrene	31	1			1			1			2		1	1	2	8	14	
152	Furuncle	44	8	1					2	1	1	3	3	3	5	5	3	9	
153	Acute abscess	34	13		1				1	2	1	2	1	2	7	2	1	1	
154	Other diseases of the skin and annexa	26	13	3					2							1	3	4	
X.—Diseases of the bones and of the organs of locomotion																			
		63	1	3	2	1		3	9	3	1	3	3	5	7	9	8	5	
155	Diseases of the bones (tuberculosis excepted)	50		3	2	1		3	8	3		1	2	4	6	5	7	5	
156	Diseases of the joints (tuberculosis and rheumatism excepted)	9	1						1		1	1		1	1	3			
158	Other diseases of the organs of locomotion	4										1	1			1	1		
XI.—Malformations																			
		749	688	24	8	7		6	7	4	2	1		1	1				
159a	Congenital hydrocephalus	84	71	4	5			1	1		1	1							
159b	Congenital malformations of the heart	481	395	13	2	4		4	6	4	1			1	1				
159c	Other congenital malformations	234	222	7	1	3		1											
XII.—Early infancy																			
		2,415	2,415																
160	Congenital debility, icterus, sclerema	206																	
161a	Premature birth	1,485	1,485																
161b	Injury at birth	454	454																
162	Other diseases peculiar to early infancy	239	239																
163	Lack of care	1	1																
XIII.—Old age (senility)																			
		111														2	9	100	
XIV.—External causes																			
		3,280	77	63	53	54	67	212	113	152	151	133	157	430	448	396	375	392	7
Suicide																			
		465								17	23	32	27	101	108	80	49	27	1
165	By poisons (gas or corrosives excepted)	25								2		3	1	9	6	1	2	1	
166	By corrosive substances	26								1	7	4	1	5	5	3			
167	By poisonous gas	142								5	5	11	7	25	37	28	14	10	
168	By hanging or strangulation	79								2	2	6	9	18	13	13	13	5	
169	By drowning	39								3	3	2		10	8	8	4	1	
170	By firearms	92								5	4	2	9	19	24	15	7	6	

MORTALITY STATISTICS

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE, BY AGE, IN THE REGISTRATION AREA AND EACH REGISTRATION STATE: 1926—Continued

List No.	CAUSE OF DEATH	All deaths	Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 to 74 years	75 years and over	AGE UN- KNOWN
<b>MASSACHUSETTS—Continued</b>																			
XIV.—External causes—Contd.																			
Suicide—Continued.																			
171	By cutting or piercing instruments	43								1	2			11	11	10	8		
172	By jumping from high places	11												2	2	1	1	3	
173	By crushing	5												1	2				
174	By other means	3												1	2				
Homicide																			
197	By firearms	84	6		1			1	5	4	7	6	15	18	11	10			
198	By cutting or piercing instruments	39							3	2	2	1	8	11	6	6			
199	By other means	9						1	2	1	1	1	2	2					
Accidental or undefined																			
175	Poisoning by food	2,731	71	63	52	54	67	211	108	131	121	95	115	311	329	4	306	326	365
176	Poisoning by venomous animals	3							1	1				1	1				
177	Other acute poisonings (gas ex- cepted)	44	2	5	2	1		2			2	3		12	6	7	1		1
178	Conflagration	47						6	1	3	3			4	5	11	7	4	
179	Burns (conflagration excepted)	212	4	24	19	17	26	18	11	2	7	9	10	12	11	12	13	17	
180	Mechanical suffocation	59	36	2				1	1		3	1	1	4	4	4	2		
181	Absorption of irrespirable, irritat- ing, or poisonous gas	156	5	2		1	1	3		3	4	5	8	22	26	35	22	18	1
182	Drowning	224		6	10	5	3	25	24	33	18	10	12	41	14	14	6		3
183	Traumatism by firearms (except in war)	27						1	1	1	10	3	3	1	4			1	
184	Traumatism by cutting or piercing instruments	17							1	4			1	3	1	2	2	1	
185	Traumatism by fall	721	3	8	7	3	3	9	7	7	12	12	14	54	90	87	143	262	
186b	Traumatism in quarries	5												2	3				
187	Traumatism by machines	63												7	11	13	9	2	
188a	Railroad accidents	122			1	1		3	1	4	4	2	5	8	26	21	21	11	4
	Collision with automobiles	9											1	1	4	1	1	1	
	Other railroad accidents	113			1	1		3	8	9	4	4	7	22	20	21	10	3	
188b	Street-car accidents	57		1	3	2	3	4		1		3	2	8	13	7	8	2	
	Collision with automobiles	8										1	1	1	4	1			
	Other street-car accidents	49		1	3	2	3	4				2	1	8	9	6	8	2	
188c	Automobile accidents (excluding collision with railroad trains and street cars)	682	2	6	7	19	27	129	41	41	46	30	32	68	73	56	67	38	
188d	Airplane and balloon accidents	2										1	1						
188e	Injuries by other vehicles	58		1		2	1	5	4	3	6	1	4	4	11	4	8	4	
188g	Landslide, other crushing	9												2	2	3			
189	Injuries by animals (not poisoning)	4												1	2	2			
193	Excessive cold	7												2	2	3			
194	Excessive heat	35	5	1										6	5	6	5	6	
195	Lightning	3								2				1	1	1			
196	Other accidental electric shocks	21							3	2	3	2	2	4	3	1	1		
201	Fracture (cause not specified)	9												2	1	1	1		
202	Other external violence	140	14	5	3	1	2	5	4	6	5	6	8	21	20	16	18	5	1
203	Violent deaths of unknown causa- tion	1												1					
XV.—Ill-defined diseases																			
204	Sudden death	22	5						1		2	1	1		6		3	3	1
205a	Ill-defined	51	10	5	2				1		1	1		3	9	7	6	5	1
205b	Not specified or unknown	18	3	1		2				1				3	2	2	3		1

MICHIGAN

	All causes	54,034	7,623	1,341	675	469	374	1,294	756	1,214	1,693	1,762	1,978	4,581	5,117	6,577	8,728	9,836	66
I.—Epidemic, endemic, and in- fectious diseases																			
1	Typhoid and paratyphoid fever	117		2		1	2	3	8	16	17	14	7	17	16	10	3	1	
5	Malaria	4						1			1			1		1			
6	Smallpox	3						1											
7	Measles	617	165	177	79	46	39	68	10	11	5	2	6	4	1	4			1
8	Scarlet fever	243	8	26	29	29	19	60	18	15	9	5	8	11	4	2			
9	Whooping cough	367	226	84	30	11	4	9	1					1					1
10	Diphtheria	678	35	57	78	62	81	262	52	11	3	10	5	4	9	6	2	11	
11a	Influenza (with pulmonary complica- tions)	829	114	49	14	8	4	17	9	23	21	35	48	94	84	78	95	136	
11b	Influenza (other and unspecified)	550	73	19	12	2	4	20	9	22	13	14	11	44	43	35	68	161	
13	Mumps	5	1					2					2						
15	Cholera nostras	5	3												1				1
16	Dysentery	36	14	6							2		2	1		1	2	8	
19	Spirochetal hemorrhagic jaundice	2	1		1														
21	Erysipelas	208	58	9	1		1	2		1	6	9	18	22	22	31	27		
22	Acute anterior poliomyelitis	31	3	6	2	4		7	4	1	1	2							
23	Lethargic encephalitis	66		4	1		1	5	2	4	3	7	2	9	11	11	5	1	
24	Meningococcus meningitis	76	10	8	3	2	3	16	9	10	2	4	2	4	1	1	1		
25	Other epidemic and endemic diseases	20	7	5	2	1		3	1										
28	Rabies	2						1						1					
29	Tetanus	35	2		1			8	5	1	1	2	3	4	3	1	3	1	
30	Mycoses	9	3						1					1	1	1			
	Tuberculosis (all forms)	3,053	55	54	35	26	17	55	76	279	461	397	372	543	305	209	124	36	9
31	Of the respiratory system	2,604	9	22	13	8	3	16	45	249	422	306	341	500	265	189	112	36	8
32	Of the meninges, central nervous system	177	33	16	18	13	11	23	20	12	9	2	5	8	5	2			
33	Of the intestines, peritoneum	98	2	2	1	1		6	3	7	14	12	14	13	15	7	1		
34	Of the vertebral column	38		3	1		1	2	3	1		6	4	3	5	4	4		1
35	Of the joints	18	1	1				3	3	1	1		1	3	2	1	4		
36	Of other organs	40	1	1				3	1	5	4	2	4	7	5	4	2		
37a	Disseminated (acute)	65	9	8	2	2	2	2	3	3	9	8	3	7	5	2			
37b	Disseminated (chronic or unspeci- fied)	13		1		1			1	1	2	1		2	3		1		
38	Syphilis	318	63	1	1			1	1	5	13	15	19	70	69	40	18	2	
40	Gonococcus infection	35	1					1	1	1	3	9	4	11	3				
41	Purulent infection, septicemia	83	11	3		1	1	3	3	5	2	4	5	9	14	6	7	9	

CAUSES OF DEATH, BY AGE

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE, BY AGE, IN THE REGISTRATION AREA AND EACH REGISTRATION STATE: 1926—Continued

List No.	CAUSE OF DEATH	All deaths	MICHIGAN—Continued															Age un-known	
			Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 to 74 years		75 years and over
	II.—General diseases not included in Class I.....	6,586	218	28	16	19	15	58	62	57	87	109	160	651	1,088	1,506	1,607	918	7
	Cancer and other malignant tumors.....	4,026	3	3	3	5	1	10	8	12	27	35	77	351	682	977	1,139	692	1
43	Of the buccal cavity.....	142	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
44	Of the stomach, liver.....	1,509	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
45	Of the peritoneum, intestines, rectum.....	540	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
46	Of the female genital organs.....	579	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
47	Of the breast.....	326	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
48	Of the skin.....	108	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
49	Of other or unspecified organs.....	822	2	1	2	5	1	10	6	6	15	11	16	60	127	205	217	138	.....
50	Tumors, benign and unqualified (tumors of the female genital organs excepted).....	23	1	1	1	1	1	1	1	1	2	1	2	4	2	6	1	3	.....
51	Acute rheumatic fever.....	155	1	1	4	3	4	21	16	5	10	11	6	15	16	13	11	18	.....
52	Chronic rheumatism, osteoarthritis, gout.....	83	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	.....
53	Scurvy.....	4	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	.....
54	Pellagra.....	7	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	.....
56	Rickets.....	32	22	7	2	5	3	8	23	14	17	13	11	52	101	178	211	111	2
57	Diabetes mellitus.....	753	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	.....
58	Anemia, chlorosis.....	495	6	2	1	5	1	6	3	6	8	7	7	42	87	144	132	48	.....
59	Diseases of the pituitary gland.....	2	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	.....
60a	Exophthalmic goiter.....	336	7	7	7	7	7	7	7	7	7	7	7	7	7	7	7	7	.....
60b	Other diseases of the thyroid gland.....	57	6	6	6	6	6	6	6	6	6	6	6	6	6	6	6	6	.....
61	Diseases of the parathyroid glands.....	7	103	10	1	1	1	1	1	1	1	1	1	1	1	1	1	1	.....
62	Diseases of the thymus gland.....	122	6	10	1	1	1	4	2	2	2	2	2	2	2	2	2	2	.....
63	Diseases of the adrenals (Addison's disease).....	15	14	14	14	14	14	14	14	14	14	14	14	14	14	14	14	14	.....
64	Diseases of the spleen.....	14	2	3	2	3	2	3	2	3	2	3	2	3	2	3	2	3	.....
65a	Leukemia.....	76	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	.....
65b	Hodgkin's disease.....	30	2	3	2	3	2	3	2	3	2	3	2	3	2	3	2	3	.....
66	Alcoholism (acute or chronic).....	211	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	.....
67a	Chronic lead poisoning.....	5	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	.....
67b	Other chronic mineral poisoning.....	2	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	.....
68	Chronic poisoning by organic substances.....	26	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	.....
69	Other general diseases.....	105	69	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	.....
	III.—Diseases of the nervous system and of the organs of special sense.....	6,091	231	55	21	25	19	80	45	56	58	61	105	380	577	965	1,621	1,783	9
70	Encephalitis.....	75	7	5	2	3	2	10	5	8	2	4	5	8	4	5	5	3	1
71a	Simple meningitis.....	100	23	11	6	7	5	8	4	6	4	5	1	9	5	5	1	3	.....
71b	Nonepidemic cerebrospinal meningitis.....	31	8	4	1	2	6	3	1	2	2	1	2	1	1	1	1	1	.....
72	Tabes dorsalis (locomotor ataxia).....	73	1	1	2	2	3	2	3	1	3	9	14	19	16	16	11	11	.....
73	Other diseases of the spinal cord.....	121	4	2	2	3	2	3	2	3	1	3	9	14	19	16	16	11	.....
74a	Cerebral hemorrhage.....	4,162	9	2	2	3	2	3	2	3	1	3	9	14	19	16	16	11	.....
74b	Cerebral embolism and thrombosis.....	169	4	1	1	2	1	4	1	4	6	16	27	149	340	730	1,342	1,526	8
75	Paralysis without specified cause.....	235	1	1	1	2	2	2	2	2	2	2	2	2	2	2	2	2	.....
76	General paralysis of the insane.....	309	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	.....
77	Other forms of mental alienation.....	67	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	.....
78	Epilepsy.....	145	7	1	1	5	8	11	21	9	8	20	23	12	9	11	11	11	.....
79	Convulsions (nonpuerperal; 5 years and over).....	4	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	.....
80	Infantile convulsions (under 5 years).....	104	91	8	2	1	2	1	1	1	1	1	1	1	1	1	1	1	.....
81	Chorea.....	2	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	.....
82	Neuralgia and neuritis.....	13	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	.....
83	Softening of the brain.....	22	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	.....
84	Other diseases of the nervous system.....	207	7	3	2	3	5	8	10	7	5	12	18	29	37	44	17	17	.....
85	Diseases of the eye and annexa.....	2	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	.....
86a	Diseases of the ear.....	123	44	13	4	5	2	12	6	5	1	3	3	5	8	7	4	1	.....
86b	Diseases of the mastoid process.....	127	26	11	2	2	4	23	6	6	6	6	6	8	9	8	1	3	.....
	IV.—Diseases of the circulatory system.....	10,285	53	13	13	11	12	71	79	93	107	141	184	613	973	1,632	2,730	3,540	20
87	Pericarditis.....	41	16	5	2	1	3	2	2	3	2	3	1	4	3	3	6	11	.....
88	Endocarditis and myocarditis (acute).....	412	5	5	3	5	23	18	21	27	28	33	33	95	26	33	44	28	2
89	Angina pectoris.....	574	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	.....
90	Other diseases of the heart.....	7,916	32	6	4	4	7	43	57	64	76	97	134	453	818	1,301	2,133	2,671	16
91a	Aneurysm.....	63	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	.....
91b,c	Other diseases of the arteries.....	1,092	1	1	2	2	2	2	2	2	2	2	2	2	2	2	2	2	.....
92	Embolism and thrombosis (not cerebral).....	127	1	1	2	2	2	2	2	2	2	2	2	2	2	2	2	2	.....
93	Diseases of the veins.....	32	4	1	3	1	1	1	1	1	1	1	1	1	1	1	1	1	.....
94	Diseases of the lymphatic system.....	20	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	.....
95	Hemorrhage without specified cause.....	5	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	.....
96	Other diseases of the circulatory system.....	3	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	.....
	V.—Diseases of the respiratory system.....	5,368	1,225	404	162	67	49	113	53	99	151	148	185	510	442	470	563	721	6
97a	Diseases of the nasal fossae.....	7	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	.....
97b	Diseases of the nasal fossae annexa.....	26	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	.....
98	Diseases of the larynx.....	23	6	2	2	4	3	2	2	1	1	2	2	1	6	3	2	2	.....
99a	Acute bronchitis.....	215	73	15	6	3	4	2	2	1	1	1	1	2	5	6	25	71	.....
99b	Chronic bronchitis.....	117	2	3	1	1	1	1	1	1	1	1	1	5	10	11	28	53	.....
99c,d	Bronchitis (unspecified).....	126	46	10	3	1	5	1	1	1	1	1	1	5	4	3	13	33	.....
100a	Broncho-pneumonia.....	1,924	807	242	90	36	19	36	12	21	14	15	18	65	61	102	155	230	1
100b	Capillary bronchitis.....	35	18	10	1	1	1	1	1	1	1	1	1	1	1	1	1	1	.....
101a	Lobar pneumonia.....	2,354	203	104	41	22	17	41	33	65	117	110	141	371	300	276	266	233	5

## MORTALITY STATISTICS

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE, BY AGE, IN THE REGISTRATION AREA AND EACH REGISTRATION STATE: 1926—Continued

List No.	CAUSE OF DEATH	All deaths	MICHIGAN—Continued														75 years and over	Age un- known	
			Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years			65 to 74 years
	VI.—Diseases of the digestive system	4,293	1,087	186	78	59	37	130	124	130	128	161	177	385	424	452	393	338	4
108	Diseases of the mouth and annexa	28	5	1	1	1	1	1	1	2	1	2	1	2	5	9	2	2	
109a	Adenoid vegetations	1																	
109b	Other diseases of the pharynx, tonsils	287	21	14	16	9	16	46	24	22	17	16	12	30	19	10	12	3	
110	Diseases of the esophagus	5								1				1			2	1	
111a	Ulcer of the stomach	257	1							8	17	23	34	54	42	45	29	29	
111b	Ulcer of the duodenum	88								2	8	9	18	19	20	5	7		
112	Other diseases of the stomach (cancer excepted)	226	74	6	6	1	1	5	3	3	5	4	5	11	21	20	26	35	
113	Diarrhea and enteritis (under 2 years)	1,025	881	144															
114	Diarrhea and enteritis (2 years and over)	208			39	27	10	13	4	3	7	4	7	15	14	20	42		
116	Diseases due to other intestinal parasites	2																	
117	Appendicitis and typhlitis	727		1	2	13	7	50	74	74	61	68	56	131	74	77	29	9	1
118a	Hernia	184	7	1	1			1	1			4	5	16	22	31	46	50	1
118b	Intestinal obstruction	379	71	15	8	4		4	8	10	18	13	20	28	42	45	46	45	2
119	Other diseases of the intestines	43	5	1	1			2	2	2	1	1	1	5	6	3	5	8	
120	Acute yellow atrophy of the liver	22	1					2		3	2	2	3	2	4	4	3		
122	Cirrhosis of the liver	342						1	1			4	8	38	55	97	83	55	
123	Biliary calculi	137								1	1	11	24	29	37	21	13		
124	Other diseases of the liver	216	9	1	1			2	3	2	3	7	11	22	44	32	42	37	
125	Diseases of the pancreas	33						1	1			1	2	11	5	3	2		
126	Peritonitis without specified cause	83	12	3	3	3	2	5	4	6	6	6		8	8	6	3	2	
	VII.—Nonvenereal diseases of the genito-urinary system and annexa	3,789	35	17	12	4	4	18	18	33	65	77	102	282	422	628	955	1,116	1
128	Acute nephritis (including unspecified under 10 years)	190	16	6	6	2	3	10	5	4	8	10	11	25	21	24	20	19	
129	Chronic nephritis (including unspecified 10 years and over)	2,908	1	3	3	1		5	13	19	28	37	52	169	308	531	806	981	1
131	Other diseases of the kidneys and annexa	133	13	7	3		1	3	4	9	4	4	4	18	11	19	20	17	
132	Calculi of the urinary passages	28										1	3	8	4	5	2	5	
133	Diseases of the bladder	48	1		1							1	1	1	3	3	11	27	
134	Diseases of the urethra, etc.	16										2	2	7	3	2			
135	Diseases of the prostate	229												9	24	82	113		
136	Nonvenereal diseases of the male genital organs	11	4	1							1	1			1	3			
137	Cysts, other benign tumors of the ovary	36							2	1	3	4	9	10	4	1	2		
138	Salpingitis and pelvic abscess (female)	74							4	12	10	11	22	9	4	2	4		
139	Benign tumors of the uterus	71							4	1	5	12	17	27	3	4	2		
140	Nonpuerperal uterine hemorrhage	1											1						
141	Other diseases of the female genital organs	44									5	3	5	9	12	5	5		
	VIII.—The puerperal state	664						1	54	130	158	150	162	8					1
143	Accidents of pregnancy	78								3	16	21	18	19	1				
144	Puerperal hemorrhage	60								5	8	10	18	19					
145	Other accidents of labor	64								5	8	15	19	14	2				
146	Puerperal septicemia	297						1	19	65	81	61	69	1					
147	Puerperal phlegmasia alba dolens, embolus, etc.	31							3	6	6	8	8						
148	Puerperal albuminuria and convulsions	130							18	26	24	26	32	4					
149	Following childbirth (undefined)	3								1	1		1						
150	Puerperal diseases of the breast	1								1									
	IX.—Diseases of the skin and of the cellular tissue	151	22	3	1			3	1	2	5	4	13	8	6	23	60		
151	Gangrene	82	2	1							1	1	3	2	3	17	52		
152	Furuncle	13	4					1				1	6			1			
153	Acute abscess	24	5	2	1			1	1	1	1	2	1	5	1	1	2		
154	Other diseases of the skin and annexa	32	11					1		1	2	1	3	1	2	4	6		
	X.—Diseases of the bones and of the organs of locomotion	72	4	4	2	1	3	9	13	3	1	2	7	8	3	4	4	4	
155	Diseases of the bones (tuberculosis excepted)	54	2	3	2	1	3	8	11	2	1	1	7	3	2	2	3	3	
156	Diseases of the joints (tuberculosis and rheumatism excepted)	15	2	1				1	2	1		1		4	1	1	1		
157	Amputations	1																1	
158	Other diseases of the organs of locomotion	2												1		1			
	XI.—Malformations	739	685	18	10	2	2	11		1	6	2		1	1				
159a	Congenital hydrocephalus	78	67	3	2	2	1	3											
159b	Congenital malformations of the heart	408	376	9	6	1	6			1	5	2		1	1				
159c	Other congenital malformations	253	242	6	2		2				1								
	XII.—Early infancy	3,048	3,048																
160	Congenital debility, icterus, sclerema	412	412																
161a	Premature birth	1,959	1,959																
161b	Injury at birth	464	464																
162	Other diseases peculiar to early infancy	209	209																
163	Lack of care	4	4																
164	XIII.—Old age (senility)	583													1	5	56	520	1
	XIV.—External causes	4,815	102	98	71	85	57	258	145	278	396	368	393	718	587	447	378	427	7
	Suicide	579						2	21	45	53	59	114	123	88	49	25		
165	By poisons (gas or corrosives excepted)	43							5	3	3	5	8	12	3	4			
166	By corrosive substances	95							5	15	7	16	22	18	8	2			
167	By poisonous gas	75							1	9	8	10	12	12	14	4	5		

CAUSES OF DEATH, BY AGE

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE, BY AGE, IN THE REGISTRATION AREA AND EACH REGISTRATION STATE: 1926—Continued

List No.	CAUSE OF DEATH	All deaths	MICHIGAN—Continued													75 years and over	AGE UNKNOWN
			Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 44 years	45 to 54 years		
XIV.—External causes—Contd.																	
Suicide—Continued.																	
168	By hanging or strangulation.....	115															
169	By drowning.....	28															
170	By firearms.....	158															
171	By cutting or piercing instruments.....	43															
172	By jumping from high places.....	13															
173	By crushing.....	8															
174	By other means.....	1															
Homicide.....																	
197	By firearms.....	461	1	1	2	1	1	2	1	23	76	105	92	96	39	15	3
198	By cutting or piercing instruments.....	85								15	48	61	71	71	24	8	1
199	By other means.....	72	1	1	2	1	1	2	1	5	20	19	18	13	7	2	1
Accidental or undefined.....																	
175	Poisoning by food.....	3,775	101	97	69	84	56	256	142	234	275	210	242	508	425	344	326
176	Poisoning by venomous animals.....	36	4	3	2	1	1	2	2	2	1	2	1	4	7	4	2
177	Other acute poisonings (gas excepted).....	3						1		1	1			1			
178	Confagration.....	61	4	14	5	5		2		1		2	2	8	8	4	5
179	Burns (confagration excepted).....	106	4	9	3	11	8	10	6	5	4	2	6	10	14	6	2
180	Mechanical suffocation.....	229	10	22	31	22	12	23	7	4	8	7	15	17	21	9	6
181	Absorption of irrespirable, irritating, or poisonous gas.....	57	45	2						1	1	2	3	1	1		1
182	Drowning.....	88	1	2				1	1	7	6	6	9	17	18	7	4
183	Traumatism by firearms (except in war).....	286		10	3	7	3	34	30	53	29	20	12	49	17	11	6
184	Traumatism by cutting or piercing instruments.....	73			1		1	7	10	12	12	5	6	7	7	4	1
185	Traumatism by fall.....	34	2	1		1				1		3	4	5	5	3	5
186a	Traumatism in mines.....	638	6	9	6	2	4	1	5	10	8	19	21	18	55	53	71
186b	Traumatism in quarries.....	93								1	11	9	11	34	18	7	2
187	Traumatism by machines.....	2															
188a	Railroad accidents.....	113			1	1		2	3	9	14	16	12	16	18	12	6
	Collision with automobiles.....	279	2	4	1	4	1	5	13	27	23	26	27	52	34	33	18
	Other railroad accidents.....	86	1	3		3	1	2	4	13	8	6	6	13	9	9	4
188b	Street-car accidents.....	193	1	1	1	1		2	9	14	16	17	21	39	25	24	14
	Collision with automobiles.....	121		1	1		2	7	2	8	6	8	16	18	22	14	11
	Other street-car accidents.....	36					2	1	2	5	5	6	6	6	7	2	2
188c	Automobile accidents (excluding collision with railroad trains and street cars).....	85		1	1		2	6	2	3	4	3	10	12	15	12	11
188d	Airplane and balloon accidents.....	1,112	6	10	7	23	24	141	48	77	105	61	73	130	133	104	120
188e	Injuries by other vehicles.....	7		1		1		1	1	2	4	2	4	6	1	2	8
188g	Landslide, other crushing.....	51						1	1	2	1	2	4	3	2	2	2
189	Injuries by animals (not poisoning).....	26			1	1		1	1	3		1	1	4	2	4	2
193	Excessive cold.....	27						1		1				2	2	1	2
194	Excessive heat.....	18												2	4	4	4
195	Lightning.....	19	1										1	4	4	1	2
196	Other accidental electric shocks.....	6								1	1		1	3	3		
201	Fracture (cause not specified).....	49						2		4	9	5	8	12	5	2	1
202	Other external violence.....	59	2					2		2	3	2	2	8	5	8	5
202	Other external violence.....	184	13	9	7	5		8	9	5	12	7	9	34	22	19	15
XV.—Ill-defined diseases.....																	
204	Sudden death.....	208	60	5		3		3	3	4		4	4	11	15	34	38
205a	Ill-defined.....	33	8					1		1				2	4	5	9
205b	Not specified or unknown.....	94	11	4		1		1	1	2		2	3	7	10	21	24
205b	Not specified or unknown.....	81	41	1		2		1	2	2		2	1	2	1	8	13

MINNESOTA

All causes.....		25,803	3,019	411	219	154	134	478	386	540	688	716	773	2,058	2,540	3,531	4,772	5,379	5
I.—Epidemic, endemic, and infectious diseases.....		3,359	319	167	87	63	58	195	115	174	261	248	220	420	313	281	214	223	1
1	Typhoid and paratyphoid fever.....	28						1	1	2	2	4	3	4	6	3	2		
7	Measles.....	41	44	19	9	9	30	6	6	4	4	1	1	2	3	2			
8	Scarlet fever.....	153	5	15	19	14	11	38	20	8	9	6	2	3	3	2			
9	Whooping cough.....	163	108	29	13	4	3	8											
10	Diphtheria.....	157	8	11	7	17	17	53	18	8	3	2	2	8	2				
11a	Influenza (with pulmonary complications).....	340	39	14	8	2	1	8	7	10	8	5	8	26	29	28	56	90	1
11b	Influenza (other and unspecified).....	254	28	10	4	3	11	11	11	7	5	4	7	18	15	24	24	83	
13	Mumps.....	4		1		1						1					1		
15	Cholera nostras.....	2	1															1	
16	Dysentery.....	17	5	1										1	1	5	1	3	
19	Spirochetal hemorrhagic jaundice.....	2	1											1					
21	Erysipelas.....	65	26	3	1			3	3	1	2	1	5	4	7	5	10		
22	Acute anterior poliomyelitis.....	12				2	2	3	3										
23	Lethargic encephalitis.....	77	3	5	1	2	2	3	5	5	7	8	14	8	9	2			
24	Meningococcus meningitis.....	21	5	5		1	1	3	2					1	3	3			
25	Other epidemic and endemic diseases.....	17	4		1		1	2	1					1	1	1			
29	Tetanus.....	27	1			2		1	4	1	1		1	3	3	2	2		
30	Mycoses.....	6						1						2			1		
31	Tuberculosis (all forms).....	1,669	28	27	11	9	11	26	34	120	214	208	170	305	204	167	104	31	
32	Of the respiratory system.....	1,406	8	4		4	12	16	16	108	190	189	155	277	179	150	87	26	
	Of the meninges, central nervous system.....		17	19	8	7	5	10	8	6	2	4	4	5	6	1		1	
33	Of the intestines, peritoneum.....	62	2	1		1	1	2	2	5	9	3	2	11	9	6	7	1	
34	Of the vertebral column.....	28						2	2			6	3	7	2	3	2	1	
35	Of the joints.....	6						4				1	3	7	1	3	2	1	
36	Of other organs.....	38			1			2		1	4	2	4	7	7	7	7	2	
37a	Disseminated (acute).....	23	1	3	2		1		2	7	3	2	2						
37b	Disseminated (chronic or unspecified).....	3																	
38	Syphilis.....	136	13		2			2	2	2	6	10	27	31	28		1	2	
40	Gonococcus infection.....	17	1		1			1	1	3	4	4	1	2	2		1	1	
41	Purulent infection, septicemia.....	24	4	1	1			1	2	1	2	1	1	4	2	2	2	3	

MORTALITY STATISTICS

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE, BY AGE, IN THE REGISTRATION AREA AND EACH REGISTRATION STATE: 1926—Continued

List No.	CAUSE OF DEATH	All deaths	Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 to 74 years	75 years and over	Age unknown
MINNESOTA—Continued																			
	II.—General diseases not included in Class I.....	4,098	77	14	10	11	6	44	33	38	44	49	75	367	644	977	1,088	621	
	Cancer and other malignant tumors.....	2,749	2	4	3	4	1	16	7	8	17	18	37	215	438	698	792	489	
43	Of the buccal cavity.....	93						1	1					7	10	20	31	22	
44	Of the stomach, liver.....	1,101						2		1	1	2	5	52	151	284	387	216	
45	Of the peritoneum, intestines, rectum.....	359						1			3		4	22	47	120	103	59	
46	Of the female genital organs.....	266		2						1	2	4	7	38	72	68	40	32	
47	Of the breast.....	208								1	1	4	35	51	52	45	19		
48	Of the skin.....	54											1	3	4	10	13	23	
49	Of other or unspecified organs.....	668	2	2	3	4	1	12	6	6	10	9	17	58	103	144	173	118	
50	Tumors, benign and unqualified (tumors of the female genital organs excepted).....	28	1		1								1	3	7	5	5	4	
51	Acute rheumatic fever.....	44	1				3	11	8	2	3	1	1	1	4	6	2	1	
52	Chronic rheumatism, osteoarthritis, gout.....	35												3	2	6	7	17	
53	Scurvy.....	1	1																
54	Pellagra.....	2													1	1			
56	Rickets.....	9	7	1	1														
57	Diabetes mellitus.....	441		2	2	1	2	7	11	15	9	8	5	21	39	107	147	65	
58	Anemia, chlorosis.....	300	2			1		2	7	4	1	2	6	24	57	82	86	33	
59	Diseases of the pituitary gland.....	3		1										1	1				
60a	Exophthalmic goiter.....	179						1	2	3	6	8	10	45	39	37	24	4	
60b	Other diseases of the thyroid gland.....	18	1	1					1	2	1	1		2	3	3	3	1	
62	Diseases of the thymus gland.....	27	24	2				1											
63	Diseases of the adrenals (Addison's disease).....	17						1		1			1	3	3		3	1	
64	Diseases of the spleen.....	4	1	1														1	
65a	Leukemia.....	61			3	4		2	4	1	2	4	5	10	6	9	3	3	
65b	Hodgkin's disease.....	25		1				1		1	2	1	2	3	7	3	3	1	
66	Alcoholism (acute or chronic).....	106												4	35	36	17	7	
67a	Chronic lead poisoning.....	1													1				
67b	Other chronic mineral poisoning.....	1														1			
69	Other general diseases.....	47	37	1		1		2	1	1			1			1	1		
	III.—Diseases of the nervous system and of the organs of special sense.....	2,615	87	22	12	11	7	23	31	21	22	32	54	170	261	405	718	738	1
70	Encephalitis.....	19	3	2	1				1	2	2	2	1	2	2	3			
71a	Simple meningitis.....	47	8	3	4	4	3	3	1	3			1	2	7		3		
71b	Nonepidemic cerebrospinal meningitis.....	4	1						1				1	1					
72	Tabes dorsalis (locomotor ataxia).....	27												12	13	10	7	4	
73	Other diseases of the spinal cord.....	71	1	1	1			1		1	1		3	7	54	147	311	598	632
74a	Cerebral hemorrhage.....	1,763	5					1	1	2	2	3	3	10	17	40	40	32	1
74b	Cerebral embolism and thrombosis.....	108	5					2	2	2	2	3				17	4	28	
75	Paralysis without specified cause.....	47						1	1	1				1	2	4	11	8	
76	General paralysis of the insane.....	106							1	1	1	2	11	45	26	12	8	2	
77	Other forms of mental alienation.....	18											2	2	9	3	2		
78	Epilepsy.....	74		2	1	1		2	5	4	11	6	10	13	5	4	4	6	
79	Convulsions (nonpuerperal; 5 years and over).....	4						1		1				2					
80	Infantile convulsions (under 5 years).....	53	40	7	2	4													1
81	Chorea.....	3							1		1				3	6	7	3	
82	Neuralgia and neuritis.....	13												1	3	2	4	5	
83	Softening of the brain.....	12																	
84	Other diseases of the nervous system.....	138	7	2		1	1	3	3		2	9	5	23	31	16	19	16	
85	Diseases of the eye and annexa.....	1																	
86a	Diseases of the ear.....	83	18	4	1	1	10	13	4		5	5	6	6	5	4	4	3	
86b	Diseases of the mastoid process.....	24	4	1	2	1	2	2	2				3	1	1		1	2	
	IV.—Diseases of the circulatory system.....	4,938	14	4	1		2	20	37	45	36	53	61	222	421	819	1,351	1,851	1
87	Pericarditis.....	12								1				1	2	4	2	1	
88	Endocarditis and myocarditis (acute).....	144	3	1	1		5	5	8	8	3	11	26	18	15	21	14	14	
89	Angina pectoris.....	281	1						1	1			1	12	30	56	110	69	
90	Other diseases of the heart.....	3,305	8	3		2	15	32	35	26	41	44	168	339	656	1,054	1,382		
91a	Aneurysm.....	43												2	6	18	12	4	
91b,c	Other diseases of the arteries.....	543											2	10	14	40	117	359	1
92	Embolism and thrombosis (not cerebral).....	80	1						1	1	1	1	3	7	21	28	16		
93	Diseases of the veins.....	22											1	1	4	6	6	4	
94	Diseases of the lymphatic system.....	3													1	1		1	
95	Hemorrhage without specified cause.....	2	1																
96	Other diseases of the circulatory system.....	3														2	1		
	V.—Diseases of the respiratory system.....	2,250	428	93	31	17	19	40	24	37	34	41	42	135	165	219	347	578	
97a	Diseases of the nasal fossae.....	9	5	1								1	1		3	3	1		1
97b	Diseases of the nasal fossae annexa.....	18	3						1	3	1		2		2				
98	Diseases of the larynx.....	9	2		1		1	3											
99a	Acute bronchitis.....	38	3	4				1						1					
99b	Chronic bronchitis.....	60	1		1			1		1					2	7	15	31	
99c,d	Bronchitis (unspecified).....	38	10												1	2	3	20	
100a	Broncho-pneumonia.....	821	282	54	22	7	8	10	1	6	10	5	6	20	36	42	100	212	
100b	Capillary bronchitis.....	7	4																
101a	Lobar pneumonia.....	1,013	85	28	5	8	9	19	19	24	19	29	29	101	99	129	188	222	
101b	Pneumonia (unspecified).....	57	17	3	1								1	2	2	6	8	16	
102	Pleurisy.....	68	6	1	1	1	1	5	3	2	3	3		5	12	10	8	7	
103	Congestion and hemorrhagic infarct of the lung.....	39	5													2	1	30	
104	Gangrene of the lung.....	7														1	1		
105	Asthma.....	50	1	1				1						1	5	10	13	17	
106	Pulmonary emphysema.....	2																	
107	Other diseases of the respiratory system (tuberculosis excepted).....	14	4											1	2	1	3	2	1

CAUSES OF DEATH, BY AGE

209

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE, BY AGE, IN THE REGISTRATION AREA AND EACH REGISTRATION STATE: 1926—Continued

List No.	CAUSE OF DEATH	All deaths	Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 to 74 years	75 years and over	Age unknown
<b>MINNESOTA—Continued</b>																			
	<b>VI.—Diseases of the digestive system</b>	1,963	288	58	32	25	11	62	50	62	63	71	87	223	234	262	249	185	1
108	Diseases of the mouth and annexe	12	1					1				1	1	2	4	2			
109b	Other diseases of the pharynx, tonsils	125	15	6	3	5	4	15	8	11	11	10	9	7	11	3	5	2	
110	Diseases of the esophagus	6												2	1	1	1	1	1
111a	Ulcer of the stomach	112								2	4	5	5	23	20	27	18	8	
111b	Ulcer of the duodenum	77	1							1	3	4	5	17	16	18	7	4	1
112	Other diseases of the stomach (cancer excepted)	62	14	3	2						1	2		4	4	5	11	16	
113	Diarrhea and enteritis (under 2 years)	247	210	37															
114	Diarrhea and enteritis (2 years and over)	95			12	10	2	6	3	2	3	3	3	3	12	2	11	23	
115	Ancylostomiasis	1														1			
116	Diseases due to other intestinal parasites	3					1							2					
117	Appendicitis and typhlitis	406		2	9	7	3	29	34	40	30	27	32	62	60	38	24	9	
118a	Hernia	111	1										2	12	28	24	32		
118b	Intestinal obstruction	161	32	4	3	2	1	5	2	1	4	5	5	18	10	17	23	19	
119	Other diseases of the intestines	33	2	1								1	1	6	1	8	9	5	
120	Acute yellow atrophy of the liver	13								1	1	2	2	2	4	1		2	
122	Cirrhosis of the liver	166	2							2				18	27	43	46	26	
123	Biliary calculi	162								1	1	4	7	23	33	37	40	17	
124	Other diseases of the liver	111	1		1					1	1	5	9	15	14	21	22	21	
125	Diseases of the pancreas	16										2	2	2	3	5	4		
126	Peritonitis without specified cause	54	9	5	2	1		6	3	1	4	2	3	7	2	5	4		
	<b>VII.—Nonvenereal diseases of the genito-urinary system and annexe</b>	2,015	12	1	2	4	2	8	6	22	20	30	32	137	220	303	534	682	
128	Acute nephritis (including unspecified under 10 years)	59	3			2	1	2	1	6	4	3	1	8	9	7	4	8	
129	Chronic nephritis (including unspecified 10 years and over)	1,467			2		1	5	5	12	7	15	21	73	164	221	415	526	
130	Chyluria	1															1		
131	Other diseases of the kidneys and annexe	80	7	1		2		1			6	3	1	7	10	18	16	8	
132	Calculi of the urinary passages	25									1	2	1	2	5	7	3	5	
133	Diseases of the bladder	17									1	2	1	2	5	6	3	8	
135	Diseases of the prostate	244													2	36	85	121	
136	Nonvenereal diseases of the male genital organs	3	1											1			1		
137	Cysts, other benign tumors of the ovary	18								1	1	2	2	7	4	2		2	
138	Salpingitis and pelvic abscess (female)	32								3	1	5	2	10	8	1		2	
139	Benign tumors of the uterus	49										2	3	21	17	2	2	2	
140	Nonpuerperal uterine hemorrhage	3								1				1		1			
141	Other diseases of the female genital organs	16									1		1	7	1	2	4		
142	Nonpuerperal diseases of the breast (cancer excepted)	1	1																
	<b>VIII.—The puerperal state</b>	301							20	60	71	65	77	8					
143	Accidents of pregnancy	37								5	13	8	9	2					
144	Puerperal hemorrhage	22								7	6	4	5						
145	Other accidents of labor	26								8	4	7	7						
146	Puerperal septicemia	115							10	21	26	26	30	2					
147	Puerperal phlegmasia alba dolens, embolus, etc	22								1	4	3	7						
148	Puerperal albuminuria and convulsions	75							9	14	14	16	19	3					
149	Following childbirth (undefined)	4								1	1	1	1	1					
	<b>IX.—Diseases of the skin and of the cellular tissue</b>	100	19	1	1		1	2				3	2	8	6	13	15	29	
151	Gangrene	36	1									1		2	2	3	7	20	
152	Furuncle	16	3											1	2	3	4	2	
153	Acute abscess	16	2	1	1							1		3	1	3	2	2	
154	Other diseases of the skin and annexe	32	13				1	2				1	1	2	1	4	2	5	
	<b>X.—Diseases of the bones and of the organs of locomotion</b>	29	1		1		2	5	6	3	1	1			1	2	3	3	
155	Diseases of the bones (tuberculosis excepted)	25			1		2	5	5	3	1	1			1	1	2	3	
156	Diseases of the joints (tuberculosis and rheumatism excepted)	3	1						1								1		
158	Other diseases of the organs of locomotion	1														1			
	<b>XI.—Malformations</b>	349	297	14	10	4	5	5	2	4	5	2		1					
159a	Congenital hydrocephalus	41	29	4	3	3		1		1									
159b	Congenital malformations of the heart	150	127	9	3	1	1	5		1	1	1		1					
159c	Other congenital malformations	158	141	1	4		4		1	3	3	1							
	<b>XII.—Early infancy</b>	1,395	1,395																
160	Congenital debility, icterus, sclerema	132	132																
161a	Premature birth	921	921																
161b	Injury at birth	235	235																
162	Other diseases peculiar to early infancy	106	106																
163	Lack of care	1	1																
164	<b>XIII.—Old age (senility)</b>	246														5	22	218	1
	<b>XIV.—External causes</b>	2,009	32	35	30	19	21	72	82	114	140	114	135	287	254	231	211	232	
	<b>Suicide</b>	357						1	12	19	22	32	75	71	60	43	22		
165	By poisons (gas or corrosives excepted)	18							1	3	2	2	5	1	1	1	2		
166	By corrosive substances	24							2	1	4	2	5	3	3	2	2		
167	By poisonous gas	38							1	1	1	6	12	10	5	1	1		



CAUSES OF DEATH, BY AGE

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE, BY AGE, IN THE REGISTRATION AREA AND EACH REGISTRATION STATE: 1926—Continued

List No.	CAUSE OF DEATH	All deaths	MISSISSIPPI—Continued													75 years and over	Age unknown	
			Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 44 years	45 to 54 years			55 to 64 years
I.—Epidemic, endemic, and infectious diseases—Continued.																		
25	Other epidemic and endemic diseases.....	W 1															1	
28	Rabies.....	W 3											2					1
29	Tetanus.....	W 15	2		1				2	8			1					
		C 34	12			1			3	5			2	1				
30	Mycoses.....	C 3	2	1														
	Tuberculosis (all forms).....	W 433	6	3	1	1	2	4	5	26	42	58	36	65	66	39	49	26
		C 1,528	13	7	7	6	3	16	45	218	332	252	154	229	120	58	35	18
31	Of the respiratory system.....	W 392	3	3		1	1		3	23	41	56	35	62	59	35	45	21
		C 1,417	8	3	7	3		11	38	208	308	240	144	215	115	53	33	18
32	Of the meninges, central nervous system.....	W 5	1						1					1				
		C 15	1	2	1	2	3		2	2	1	1		1				
33	Of the intestines, peritoneum.....	W 21							2	2	1	1		1		3	3	2
		C 53	1			1			1	2	6	12	5	6	10	2	4	2
34	Of the vertebral column.....	W 2							1									1
		C 7						3						1	1			
35	Of the joints.....	W 3								1						1		
		C 12	2					1	1	2	2	2	2	1		1		
36	Of other organs.....	W 7	1				1	1	1	3	1	4	1	2	1			1
		C 15		1										1	1			
37a	Disseminated (acute).....	W 2	1															1
		C 9	1	1							3	3		1				
37b	Disseminated (chronic or unspecified).....	W 1																
		C 22	3		1		1			2		1	6	5	2		1	
38	Syphilis.....	W 284	52	7	1	3		4	5	11	18	23	29	53	37	19	13	7
		C 7								1	1	2	2	1	1			
40	Gonococcus infection.....	W 38							1	6	5	8	6	5	2	2	2	2
		C 18	2						3	1	4	1	2	2	1	1	1	1
41	Purulent infection, septicemia.....	W 18	2	1		1			1	2	1	4	1	3	3		1	2
		C 18	2						1	2	1	4	1	3	3		1	2
II.—General diseases} white.....																		
not included in Class I.} Colored.....																		
		W 883	23	9	11	5	3	11	8	15	15	19	20	83	126	156	232	138
		C 1,062	8	9	2	9	7	18	11	38	61	73	64	179	216	154	119	88
	Cancer and other malignant tumors.....	W 531	1	1	1	1	1	3	1	4	9	7	9	51	85	102	155	98
		C 441		1	1	1	1	1	1	5	2	10	19	89	113	84	64	48
43	Of the buccal cavity.....	W 21										1	1	2	4	3	3	7
		C 3												1	1			2
44	Of the stomach, liver.....	W 157				1		1			1	1	9	13	38	57	35	1
		C 181									2		4	15	37	27	26	19
45	Of the peritoneum, intestines, rectum.....	W 55			1					3	1	3	5	7	9	18	8	3
		C 38			1					1		4	7	10	4	7	3	3
46	Of the female genital organs.....	W 109									2	3	18	23	24	24	13	2
		C 162									6	10	51	42	29	17	6	1
47	Of the breast.....	W 33											5	17	4	6	4	1
		C 36											1	13	5	4	4	4
48	Of the skin.....	W 39												5	6	9	19	2
		C 5												1	1	1	2	1
49	Of other or unspecified organs.....	W 117	1			1	2	1	4	2	5	2	2	12	16	18	38	15
		C 66		1		1		1	2	2	2	1	6	9	19	10	12	12
50	Tumors, benign and unqualified (tumors of the female genital organs excepted).....	W 5			1						1			1		1	1	1
		C 3												1		1	1	1
51	Acute rheumatic fever.....	W 16					1	2	2			1	1		3	3		3
		C 24						2	3	2			3		5	2	1	3
52	Chronic rheumatism, osteoarthritis, gout.....	W 8							1						1		3	2
		C 4													1		3	2
53	Scurvy.....	W 2	1	1														
		C 2	1															
54	Pellagra.....	W 107							1	2	4	6	14	23	19	25	10	3
		C 456		1		4	5	10	6	27	54	55	36	68	75	48	39	26
56	Rickets.....	W 3	3															
		C 3	3															
57	Diabetes mellitus.....	W 105				1		1	3	4	1	2		10	4	22	36	19
		C 73		1				3	1	2	2		3	11	14	15	13	8
58	Anemia, chlorosis.....	W 7									1				3	3	6	1
		C 3													2	2		
59	Diseases of the pituitary gland.....	W 3																
		C 6																
60a	Exophthalmic goiter.....	W 9																
		C 1																
60b	Other diseases of the thyroid gland.....	W 1			1													1
		C 2																
61	Diseases of the parathyroid glands.....	W 1		1														
		C 1																
62	Diseases of the thymus gland.....	W 5																
		C 2																
63	Diseases of the adrenals (Addison's disease).....	W 1													2			
		C 1													1			
64	Diseases of the spleen.....	W 1															1	
		C 1															1	
65a	Leukemia.....	W 10		1				1		3				2	1		2	
		C 7		1						1				1	1		1	
65b	Hodgkin's disease.....	W 2							1	1				1			2	1
		C 9																
66	Alcoholism (acute or chronic).....	W 8									2	1		1	1	1	2	
		C 1												3	3	1		
67a	Chronic lead poisoning.....	W 1																
		C 1																
68	Chronic poisoning by organic substances.....	W 2																
		C 43																
69	Other general diseases.....	W 19	13	6	8	3	1	3		1				2	1	1	1	3
		C 19	3	5	1	2	1	2						1	1		2	1

MORTALITY STATISTICS

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE, BY AGE, IN THE REGISTRATION AREA AND EACH REGISTRATION STATE: 1926—Continued

List No.	CAUSE OF DEATH	All deaths	Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 to 74 years	75 years and over	Age un- known
MISSISSIPPI—Continued																			
	III.—Diseases of the nervous system and of the organs of special sense	756 931	29 39	6 7	4 2	6 1	5 2	8 9	4 7	6 25	8 25	12 29	10 26	42 100	85 187	116 169	211 144	200 160	4 9
70	Encephalitis	W 11 C 11	2 2	2 1									1 1	2 1	1 1		2 1		
71a	Simple meningitis	W 21 C 10	10 2	1 1	1 1	2 2	2 2		1 1					2 1					
71b	Nonepidemic cerebrospinal meningitis	W 4 C 8	3 2	1 1	1 1			1 1						1 1					
72	Tabes dorsalis (locomotor ataxia)	W 15 C 14								1 1		1 1	1 1	2 4	1 3	2 4	1 4	1 2	
73	Other diseases of the spinal cord	W 15 C 14	1 1							1 1		1 1	1 1	2 4	1 3	2 4	1 4	1 2	
74a	Cerebral hemorrhage	W 521 C 584	2 2	1 1	1 1	2 2	1 1	1 1	1 1	6 6	6 9	5 9	4 12	18 63	59 144	101 117	161 104	160 112	4 7
74b	Cerebral embolism and thrombosis	W 13 C 6						1 1			1 1		1 1	1 3	3 8	1 5	22 30	27 38	
75	Paralysis without specified cause	W 64 C 125	1 1	1 1						2 2	1 1	2 2	2 2	9 14	14 23	23 30	30 38	2 2	2 2
76	General paralysis of the insane	W 8 C 51								1 1	1 1	4 4	3 3	11 13	13 12	5 5	1 1	3 3	
77	Other forms of mental alienation	W 9 C 4								2 1	1 1	1 1	1 1	4 4			1 1	3 3	
78	Epilepsy	W 16 C 53		6 6		1 1	3 3	2 2	1 1	11 7	3 7	10 10	5 5	2 2	3 3	1 1	3 2		
79	Convulsions (nonpuerperal; years and over)	W 2 C 5						1 1		1 1							1 1		
80	Infantile convulsions (under 5 years)	W 10 C 23	8 19	1 3	1 1														
81	Chorea	W 1 C 4												1 1				1 1	
82	Neuralgia and neuritis	W 4 C 5														1 1	3 2	2 2	
83	Softening of the brain	W 3 C 23								1 1			1 1	4 3	5 6	3 3	6 6	1 4	
84	Other diseases of the nervous system	W 15 C 2	1 1				1 1			1 1	1 1	1 1	2 2	3 3	5 5	1 1	1 1	4 4	
85	Diseases of the eye and annexa	W 2 C 11							1 1				1 1	1 1			1 1		
86a	Diseases of the ear	W 5 C 14	1 1	1 1	1 1	1 1	1 1	3 3	1 1	2 2				1 1	2 2				
86b	Diseases of the mastoid process	W 7 C 14	1 2	1 1	1 1	1 1	1 1	3 3	1 1	2 2			1 1	1 1	2 2				
	IV.—Diseases of the circulatory system	White 1,062 Colored 1,325	3 5	2 2	1 1		6 4	5 6	5 6	7 18	8 34	17 45	43 41	85 158	171 250	345 240	354 267	10 18	
87	Pericarditis	W 1 C 5												1 1			3 3	4 3	1 1
88	Endocarditis and myocarditis (acute)	W 27 C 51					2 4	1 4	1 4	1 1	2 1	1 4	4 2	16 7	5 7	4 19	3 27	4 15	1 1
89	Angina pectoris	W 76 C 25												2 2	9 9	7 7	27 3	3 3	
90	Other diseases of the heart	W 811 C 1,098	3 4	1 1	2 1	1 1	4 4	4 2	3 11	6 31	5 35	12 35	27 128	71 206	130 222	269 200	267 201	7 16	
91a	Aneurysm	W 12 C 12												1 3	4 2	4 3	1 1	1 1	
91b,c	Other diseases of the arteries	W 112 C 107							1 1					3 4	2 8	2 10	35 30	63 53	2 2
92	Embolism and thrombosis (not cerebral)	W 5 C 8								1 1	2 2		1 1	1 2	1 1		1 1		
93	Diseases of the veins	W 2 C 2			1 1											1 1	1 1		
95	Hemorrhage without specified cause	W 4 C 4								1 1			1 1	1 1			1 1		
96	Other diseases of the circulatory system	W 12 C 13		1 1						1 1				3 2	1 1	5 5	4 1	4 3	
	V.—Diseases of the respiratory system	White 762 Colored 1,087	149 212	39 69	22 30	11 16	9 9	13 27	9 24	31 65	20 74	24 64	27 49	63 101	56 102	60 86	117 65	105 85	7 9
97a	Diseases of the nasal fossae	W 3 C 6	1 2		2 2										1 1		1 1		
97b	Diseases of the nasal fossae annexa	W 4 C 2									1 2			2 2					
98	Diseases of the larynx	W 2 C 2			1 1	1 1													
99a	Acute bronchitis	W 4 C 7	1 3	1 2											1 1			2 2	
99b	Chronic bronchitis	W 3 C 9										1 1					2 2	7 7	
99c,d	Bronchitis (unspecified)	W 17 C 11	4 3	1 1	1 1								1 1	1 1		1 1	2 2	9 9	
100a	Broncho-pneumonia	W 208 C 211	91 92	15 22	7 11	5 5	2 4	3 3	4 2	4 9	1 8	2 6	3 7	3 6	6 10	8 4	23 8	30 12	1 2
100b	Capillary bronchitis	W 3 C 5		2 2															
101a	Lobar pneumonia	W 397 C 644	31 66	14 26	7 12	3 8	3 3	7 20	4 17	25 46	13 54	21 50	18 37	45 74	44 74	44 66	66 39	43 46	6 6
101b	Pneumonia (unspecified)	W 68 C 132	18 41	7 17	4 3	1 1	2 2	2 1	1 1	1 8	1 9	2 3	1 3	7 9	7 7	3 7	12 8	4 10	1 1
102	Pleurisy	W 21 C 15			1 2			1 1	1 1	1 1			1 2	2 2	2 2		1 1	3 3	
103	Congestion and hemorrhagic infarct of the lung	W 8 C 7		1 1						1 1					1 1	1 1	1 1	3 3	
104	Gangrene of the lung	W 3 C 9											1 1		2 1	1 1	1 3	4 3	
105	Asthma	W 24 C 6		1 1				1 1						4 4	4 3	3 5	3 3	6 6	
107	Other diseases of the respiratory system (tuberculosis excepted)	W 15 C 15	2 2		1 1			1 1				2 2	2 2	1 3	3 3			1 1	

CAUSES OF DEATH, BY AGE

213

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE, BY AGE, IN THE REGISTRATION AREA AND EACH REGISTRATION STATE: 1926—Continued

List No.	CAUSE OF DEATH	All deaths	MISSISSIPPI—Continued														75 years and over	Age un-known	
			Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years			65 to 74 years
	VI.—Diseases of the digestive system. (White... Colored...)	851 902	202 211	90 107	51 29	20 18	9 6	27 29	26 27	28 33	22 30	29 39	22 26	50 76	71 96	49 69	79 50	70 48	6 8
108	Diseases of the mouth and annexa. (W... C...)	6 8	1 1	1 1								1 1	1 1	1 1		1 1			
109b	Other diseases of the pharynx and tonsils. (W... C...)	20 27	3 2	2 2	1 2	2 2	2 5	2 5			3 3	2 2	3 3	1 1	2 2		1 1	3 2	2 1
110	Diseases of the esophagus. (W... C...)	2 3	1 1	1 1										1 1					
111a	Ulcer of the stomach. (W... C...)	23 18						1 1					2 2	2 2	4 4	6 6	3 3	1 1	3 3
111b	Ulcer of the duodenum. (W... C...)	11 18												2 2	2 2	1 1	1 1	1 1	3 3
112	Other diseases of the stomach (cancer excepted). (W... C...)	58 85	15 10	2 1	3 1	1 2	2 1	1 2	1 1	1 1	1 3	2 2	1 1	11 11	9 21	7 10	6 9	8 12	
113	Diarrhea and enteritis (under 2 years). (W... C...)	243 275	160 177	83 98															
114	Diarrhea and enteritis (2 years and over). (W... C...)	102 95			43 26	12 16	3 2	4 4	1 1	2 2	1 4	3 3	3 3	1 5	5 7	5 7	12 7	14 8	2 2
115	Ancylostomiasis. (W... C...)	1 2						2 6											
117	Appendicitis and typhlitis. (W... C...)	141 130	1 1	1 1	2 1	2 1	1 1	6 8	24 15	20 23	11 13	17 14	7 6	21 21	16 14	4 10	3 3	5 1	3 1
118a	Hernia. (W... C...)	20 41	1 6	1 1	1 1			1 1				2 1	1 1	5 5	14 12	3 6	6 4	2 2	1 1
118b	Intestinal obstruction. (W... C...)	79 92	19 11	1 1	1 1	3 1	1 1	8 4	3 3	4 4	4 4	6 6	4 4	15 11	11 11	10 10	5 5	6 6	1 1
119	Other diseases of the intestines. (W... C...)	8 15	2 2	1 1				1 1				1 1		2 3	3 3	1 1	1 1	1 1	
120	Acute yellow atrophy of the liver. (W... C...)	1 2												1 1	1 1				
122	Cirrhosis of the liver. (W... C...)	43 59						1 1		1 1	2 2	3 3	3 3	5 5	8 8	13 13	8 8	13 13	2 2
123	Biliary calculi. (W... C...)	19 4												2 2	2 2	2 2	2 2	1 1	
124	Other diseases of the liver. (W... C...)	55 26	1 1	1 1				2 1	1 1	1 1	3 3	2 3	2 1	6 4	11 6	3 3	17 2	8 2	1 1
125	Diseases of the pancreas. (W... C...)	1 17					2 2	1 1			2 2	1 1	3 3	1 1	1 1		2 2	1 1	
126	Peritonitis without specified cause. (W... C...)	21 21	2 2	1 1				2 2	1 1	3 3	1 1	1 1	3 3	1 3	3 3			1 1	
	VII.—Nonvenereal diseases of the genito-urinary system and annexa. (White... Colored...)	942 1,377	7 1	6 4	1 3	1 6	1 1	10 6	5 5	9 24	10 31	13 44	13 43	57 175	88 272	126 225	295 246	297 269	4 22
128	Acute nephritis (including unspecified under 10 years). (W... C...)	52 110	2 3	3 3	1 1	1 6		7 5	2 2	7 4	2 4	3 3	1 5	4 21	5 16	5 11	7 8	9 5	4 2
129	Chronic nephritis (including unspecified 10 years and over). (W... C...)	774 1,055	1 1	1 1	1 1			3 3	4 3	9 9	14 14	19 2	8 1	39 115	71 225	112 215	260 215	262 234	15 2
131	Other diseases of the kidneys and annexa. (W... C...)	27 32	4 4	2 2	1 1		1 1		1 1	1 1	1 1	1 1	4 5	1 5	7 7	5 2	2 3	4 4	1 1
132	Calculi of the urinary passages. (W... C...)	3 1									1 1								
133	Diseases of the bladder. (W... C...)	7 22										1 1		1 3	1 7			4 3	
134	Diseases of the urethra, etc. (W... C...)	2 17										2 2	1 1	2 6	6 5	5 5	1 1	1 1	
135	Diseases of the prostate. (W... C...)	40 50												1 5	4 15	4 14	19 14	17 14	1 1
136	Nonvenereal diseases of the male genital organs. (W... C...)	1 3	1 1									1 1		2 2					
137	Cysts, other benign tumors of the ovary. (W... C...)	6 4										1 1		3 3	1 1		1 1		
138	Salpingitis and pelvic abscess (female). (W... C...)	8 36							1 7	2 6	1 7	1 3	1 3	3 8	1 3	1 1	2 2		1 1
139	Benign tumors of the uterus. (W... C...)	35 2									3 3	4 4	15 1	1 1		2 2	3 3	1 1	
140	Nonpuerperal uterine hemorrhage. (W... C...)	1 1									1 1			1 1					
141	Other diseases of the female genital organs. (W... C...)	12 11							1 1	2 1	1 2	2 2	6 3	1 1	1 2				
	VIII.—The puerperal state. (White... Colored...)	162 238						1 2	18 55	31 44	38 40	29 27	41 57	1 9					3 4
143	Accidents of pregnancy. (W... C...)	15 16							2 2	1 3	3 4	3 2	4 4						2 2
144	Puerperal hemorrhage. (W... C...)	27 18							2 2	2 1	6 2	7 7	9 7	1 1					
145	Other accidents of labor. (W... C...)	14 31								2 5	3 5	5 8	4 4	10 10	1 3				1 1
146	Puerperal septicemia. (W... C...)	49 68						1 1	5 21	11 17	6 12	4 4	13 10		3 3				1 1
147	Puerperal phlegmasia alba dolens, embolus, etc. (W... C...)	4 1								2 2	1 1	1 1							
148	Puerperal albuminuria and convulsions. (W... C...)	53 102							9 1	12 30	17 13	4 9	11 25						3 3
149	Following childbirth (undefined). (W... C...)	2 2									1 1								
	IX.—Diseases of the skin and of the cellular tissue. (White... Colored...)	26 26	8 8	1 1	1 1			2 2		1 3	1 2	2 2		4 8	2 1		4 7	4 6	
151	Gangrene. (W... C...)	6 14		1 1										1 2				3 4	
152	Furuncle. (W... C...)	4 1	2 1								1 1	1 1							
153	Acute abscess. (W... C...)	8 8	1 1					2 2			1 1	1 1		1 2	1 1				
154	Other diseases of the skin and annexa. (W... C...)	8 3	5 3							1 1				1 1	1 1			1 1	



CAUSES OF DEATH, BY AGE

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE, BY AGE, IN THE REGISTRATION AREA AND EACH REGISTRATION STATE: 1926—Continued

List No.	CAUSE OF DEATH	All deaths	Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 to 74 years	75 years and over	Age un- known
<b>MISSISSIPPI—Continued</b>																			
XIV.—External causes—Contd.																			
Accidental or undefined—Continued.																			
188c	Automobile accidents (excluding collision with railroad trains and street cars)	139		3	3	9	11	6	20	16	7	9	13	17	12	7	5	1	
	(W)	76					2	5	4	14	10	2	13	11	2	1	6	1	
188d	Airplane and balloon accidents	2												1					
188e	Injuries by other vehicles	6		1					2					1					
	(W)	12			1				1					1					
188g	Landslide, other crushing	4												3					
	(W)	10								3				3					
189	Injuries by animals (not poisoning)	4		1					1										
	(W)	7							1										
193	Excessive cold	1																	
194	Excessive heat	1																	
195	Lightning	6												3					
	(W)	10								1				1					
196	Other accidental electric shocks	17							2	1	5	3	1	1	2	1			
	(W)	6							1	1	1	1	1	2	1				
201	Fracture (cause not specified)	25								1							6	16	
	(W)	8								2							1	4	
202	Other external violence	60	7	2			2	5	3	9	7	1	7	1	4	6	4	4	
	(W)	86	7	3		1	1	4	3	8	12	7	4	16	11	2	3		4
XV.—Ill-defined diseases																			
	(White)	519	198	15	8	2	4	5	2	6	7	5	6	23	26	44	79	74	15
	(Colored)	2,144	772	59	18	19	8	38	26	56	58	69	47	126	155	162	199	303	29
204	Sudden death	71	9	1					2	1	1	2	4	7	11	20	13		
	(W)	148	13	2	2			2	4	5	5	8	14	26	20	22	25		
205a	Ill-defined	67	11	2	1		1		1	1	3	4	1	4	4	9	19	13	
	(W)	155	17	6	2	1	2	3	5	3	4	6	16	21	20	20	25	3	
205b	Not specified or unknown	381	178	12	7	2	3	5	1	3	6	4	3	15	15	24	40	48	15
	(W)	1,841	742	51	14	18	7	34	23	47	50	60	33	96	108	122	157	253	26

MISSOURI

All causes		42,752	4,721	1,068	507	277	194	704	562	944	1,240	1,226	1,282	3,333	4,398	6,029	7,454	8,711	102
I.—Epidemic, endemic, and infectious diseases		6,908	658	396	211	129	91	279	194	362	509	451	374	747	673	594	583	634	23
1	Typhoid and paratyphoid fever	360	2	1	6	3	6	44	34	57	63	24	24	34	27	17	12	5	1
5	Malaria	145	16	8	10	1	3	14	12	9	7	4	3	13	19	9	10	5	2
6	Smallpox	1																	
7	Measles	279	67	79	27	21	10	30	9	9	6	3	3	6	3	4			2
8	Scarlet fever	163	2	20	22	19	13	46	17	8	7	2	2	5					
9	Whooping cough	329	181	89	33	5	6	12	1	2									
10	Diphtheria	238	16	47	42	37	21	47	9	6	2	1	3	3	2	2			
11a	Influenza (with pulmonary complications)	923	108	46	27	10	10	12	14	16	22	26	32	76	75	101	140	204	4
11b	Influenza (other and unspecified)	686	66	20	7	7	6	18	10	19	16	12	13	29	54	71	110	226	2
13	Mumps	5	2	1															
15	Cholera nostras	9												2					
16	Dysentery	188	47	30	14	5	1	1	2		2			4	7	7	21	47	
19	Spirochetal hemorrhagic jaundice	3	1																
21	Erysipelas	84	26					1		1			2	1	5	9	11	9	19
22	Acute anterior poliomyelitis	20	1	4	3	2	1	3	4	2									
23	Lethargic encephalitis	36						1	2	2	2	2	1	6	6	4	4	5	
24	Meningococcus meningitis	40	12	4		2	1	6	4		5	1	1	2	1	1			
25	Other epidemic and endemic diseases	7	1	1	2		1	1						1					
26	Glanders	1						1											
28	Rabies	2						1											
29	Tetanus	50	8	1	1		3	7	15	3	2	3	1						
30	Mycoses	1							1										
	Tuberculosis (all forms)	2,937	37	37	15	14	6	32	56	212	359	351	260	490	396	306	241	114	11
31	Of the respiratory system	2,610	13	17	7	6	4	12	42	192	333	322	248	444	361	276	225	99	9
32	Of the meninges, central nervous system	81	18	15	7	6	1	8	3	6	2	1	2	6	1	4			1
33	Of the intestines, peritoneum	103	3	1				4	6	7	8	13	1	17	15	14	10	3	1
34	Of the vertebral column	25						1	3	1	4	2	3	3				4	
35	Of the joints	17			1						1	2	2	3			1	2	4
36	Of other organs	45	2	2		1		1	1	2	4	3	2	6	7	7	3	4	
37a	Disseminated (acute)	45	1	2		1		3	3	4	6	7	2	10	4	2			
37b	Disseminated (chronic or unspecified)	11						1			1	1		1	4	2			
38	Syphilis	292	55	3			1	2	2	7	6	12	20	51	51	49	27	5	1
40	Gonococcus infection	63	7			1		2	6	7	7	7	7	18	10	4	2		
41	Purulent infection, septicemia	39	1	4	2		2		2	1	3	1	3	1	6	3	2	2	
42	Other infectious diseases	2	1							1									
II.—General diseases not included in Class I		5,046	58	16	8	5	4	31	32	50	52	88	107	457	838	1,194	1,251	850	5
Cancer and other malignant tumors		3,532	1	6	2	1	2	8	7	12	24	45	59	300	608	876	911	666	4
43	Of the buccal cavity	123		1										8	20	30	33	29	
44	Of the stomach, liver	1,271		1						1				4	8	52	179	415	283
45	Of the peritoneum, intestines, rectum	427							1	1	5	5	7	37	74	111	113	71	
46	Of the female genital organs	506							1	1	5	15	19	106	133	123	70	33	
47	Of the breast	288										2	5	41	73	69	46	51	
48	Of the skin	133	1								1	2	1	2	9	19	36	61	1
49	Of other or unspecified organs	784		4	2	1	2	6	4	9	13	17	17	54	120	197	198	138	2
50	Tumors, benign and unqualified (tumors of the female genital organs excepted)	30	1	2					2	1	2	1	1	5	2	3	6	5	
51	Acute rheumatic fever	86				2	1	6	11	7	6	2	2	11	13	4	16	5	



CAUSES OF DEATH, BY AGE

217

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE, BY AGE, IN THE REGISTRATION AREA AND EACH REGISTRATION STATE: 1926—Continued

List No.	CAUSE OF DEATH	All deaths	Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 to 74 years	75 years and over	Age un-known
MISSOURI—Continued																			
VI.—Diseases of the digestive system—Continued.																			
114	Diarrhea and enteritis (2 years and over)	259			68	21	14	9	6	1	2	3	1	10	9	16	33	66	
116	Diseases due to other intestinal parasites	4		2	1										1				
117	Appendicitis and typhlitis	590			5	1	5	42	52	52	57	51	51	84	84	70	27	8	1
118a	Hernia	143	3				1	2			5	4	5	16	18	30	31	27	1
118b	Intestinal obstruction	259	39	6	3	3	1	9	3	7	8	6	9	30	30	31	43	30	1
119	Other diseases of the intestines	50	3			2	1	1		1	3		1	7	6	8	7	10	
120	Acute yellow atrophy of the liver	21	1								1	2	2	2	3	3	5	2	
121	Hydatid tumor of the liver	1												1					
122	Cirrhosis of the liver	339	1		1			1		2	1		8	33	58	100	71	63	
123	Biliary calculi	165									3	5	4	31	34	39	30	19	
124	Other diseases of the liver	158	5					1			1	5	9	20	23	35	27	32	
125	Diseases of the pancreas	21									3		2	5	6	2	3		
126	Peritonitis without specified cause	45	6	1		2		4		4	2		2	3	5	7	4	5	
VII.—Nonvenereal diseases of the genito-urinary system and annexa																			
		4,945	17	4	7	8	1	16	13	31	50	82	107	319	574	868	1,297	1,540	11
128	Acute nephritis (including unspecified under 10 years)	165	8	1	4	5	1	5	3	4	5	9	8	17	22	28	18	27	
129	Chronic nephritis (including unspecified 10 years and over)	4,157	1		2	2		8	7	22	28	42	66	224	475	765	1,160	1,345	10
131	Other diseases of the kidneys and annexa	80	7	3	1	1		2	2		2	3	7	5	8	14	17	8	
132	Calculi of the urinary passages	42							1		1			4	8	10	8	9	
133	Diseases of the bladder	36												2	1	3	8	22	
134	Diseases of the urethra, etc.	12												2	3	1	3	1	
135	Diseases of the prostate	234									1			1	6	31	72	123	
136	Nonvenereal diseases of the male genital organs	5	1											3					1
137	Cysts, other benign tumors of the ovary	33							2	1	9	3		5	3	3	3	2	
138	Salpingitis and pelvic abscess (female)	75						1	3	10	11	13		25	8	3	1		
139	Benign tumors of the uterus	80								1	4	7		26	32	7	3		
140	Nonpuerperal uterine hemorrhage	2								1				1					
141	Other diseases of the female genital organs	24										3	1	4	6	3	4	3	
VIII.—The puerperal state																			
		440							55	103	80	80	116	4					2
143	Accidents of pregnancy	54							5	10	11	9	19						
144	Puerperal hemorrhage	33							1	8	5	9	10						
145	Other accidents of labor	31								8	5	7	11						
146	Puerperal septicemia	195							25	47	45	37	39	1					1
147	Puerperal phlegmasia alba dolens, embolus, etc.	12								4	2	3	3						
148	Puerperal albuminuria and convulsions	112							24	25	12	15	32	3					1
149	Following childbirth (undefined)	3							1				2						
IX.—Diseases of the skin and of the cellular tissue																			
		97	12	3	1	1		1	3	2	4	1	1	4	7	13	13	31	
151	Gangrene	35		2		1				2				1	1	6	5	17	
152	Furuncle	22	1	1				1	1					3	2	5	4	3	
153	Acute abscess	10			1			1	1		1			2	2	1	3	3	
154	Other diseases of the skin and annexa	30	11					1		2			1		2	2	3	8	
X.—Diseases of the bones and of the organs of locomotion																			
		39	1		3		3	5	6	2	1	1	4	6		6	1		
155	Diseases of the bones (tuberculosis excepted)	33	1		3		3	4	6	2	1	1	3	5		4			
156	Diseases of the joints (tuberculosis and rheumatism excepted)	4						1					1	1		1			
158	Other diseases of the organs of locomotion	2														1	1		
XI.—Malformations																			
		394	367	14	7	2		1		1	1	1							
159a	Congenital hydrocephalus	41	29	6	3	2		1											
159b	Congenital malformations of the heart	230	222	5	1						1	1							
159c	Other congenital malformations	123	116	3	3						1								
XII.—Early infancy																			
		1,646	1,646																
160	Congenital debility, icterus, sclerema	152	152																
161a	Premature birth	1,115	1,115																
161b	Injury at birth	245	245																
162	Other diseases peculiar to early infancy	132	132																
163	Lack of care	2	2																
XIII.—Old age (senility)																			
		286														3	24	259	
XIV.—External causes																			
		3,311	74	46	43	34	26	130	109	193	242	220	190	473	415	419	323	360	14
Suicide																			
		523						2	15	33	27	32	123	102	104	70	19	1	
165	By poisons (gas or corrosives excepted)	47							6	5	4	1	6	15	7	2	1		
166	By corrosive substances	87							3	12	4		27	13	15	7	1		
167	By poisonous gas	55								1			5	17	8	7	2		
168	By hanging or strangulation	61									3	5	9	12	21	3	8	3	
169	By drowning	26									1	2	5	5	3	9	9	1	
170	By firearms	213						2	6	14	14	14	12	50	34	44	28	9	
171	By cutting or piercing instruments	23										1	6	6	3	5	2		
172	By jumping from high places	6									1			1	1	2	1		
173	By crushing	4									1			2					
174	By other means	6											1	1	2	2			

MORTALITY STATISTICS

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE, BY AGE, IN THE REGISTRATION AREA AND EACH REGISTRATION STATE: 1926—Continued

List No.	CAUSE OF DEATH	All deaths	Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 to 74 years	75 years and over	Age un-known
MISSOURI—Continued																			
XIV.—External causes—Contd.																			
	Homicide.....	405	5	1					3	28	57	63	59	102	54	20	6	4	3
197	By firearms.....	280							2	20	38	45	50	72	34	15	3	1	
198	By cutting or piercing instruments.....	60							1	4	9	11	4	17	10	2	1	1	
199	By other means.....	65	5	1					4	10	7	5	13	10	3	2	2	2	3
	Accidental or undefined.....	2,378	69	45	43	34	26	130	104	150	152	130	99	248	259	295	247	337	10
175	Poisoning by food.....	41	3		1	1		3	2	3	1	2	2	3	3	8	6	2	
177	Other acute poisonings (gas excepted).....	54	4	7	5		2	1		2	4	4	3	6	6	7	2	1	
178	Conflagration.....	33	3	2	1	4		1	2	4	2	1	1	2	3	5	1	1	
179	Burns (conflagration excepted).....	170	8	19	18	18	3	20	2	5	5	12	3	14	12	11	13	7	
180	Mechanical suffocation.....	29	21							1		2		4	1				
181	Absorption of irrespirable, irritating, or poisonous gas.....	66	1		2		1	1			5	4	1	7	12	17	13	2	
182	Drowning.....	149	3	4	4	1	1	14	19	29	19	3	6	12	14	13	1	5	
183	Traumatism by firearms (except in war).....	80		1		1	2	4	12	12	17	5	3	9	5	6	2	1	
184	Traumatism by cutting or piercing instruments.....	23							1					4	4	6	4	4	
185	Traumatism by fall.....	525	8	6	3	3	1	11	9	6	6	11	10	34	35	57	86	237	2
185a	Traumatism in mines.....	20								1	2	3		3	4	6	1		
188b	Traumatism in quarries.....	4									1	1		2		1			
187	Traumatism by machines.....	59			2				1	6	5	4	3	10	9	9	8	2	
188a	Railroad accidents.....	213						4	7	19	16	22	18	33	29	30	22	9	4
	Collision with automobiles.....	46						1	1	6	6	4	7	8	7	7	6	6	
	Other railroad accidents.....	167						3	6	13	10	18	11	25	29	23	16	9	4
188b	Street-car accidents.....	35	1				1			1	3	4	1	4	7	4	4	4	1
	Collision with automobiles.....	10	1							1	2	2		1	2	1	1	4	1
	Other street-car accidents.....	25					1			1	2	2	1	3	5	3	4	4	1
188c	Automobile accidents (excluding collision with railroad trains and street cars).....	493	3	3	3	2	8	54	28	36	38	33	25	55	63	65	45	31	1
188d	Airplane and balloon accidents.....	4								1	1	2		3	7	6	10	7	
188e,f	Injuries by other vehicles.....	55			2			5	6	1	2	2	3	7	6	10	7	4	
188g	Landslide, other crushing.....	17					2		1	2	1	2	1	3	2	3	2	2	
189	Injuries by animals (not poisoning).....	30			1	1		3	4					3	5	7	2	3	
193	Excessive cold.....	5										1		1	1	1	1	1	1
194	Excessive heat.....	31	2							1	1	1		5	5	8	5	4	
195	Lightning.....	24							1	5	6	1	3	3	4	4	1	1	
196	Other accidental electric shocks.....	32				1		2	2	3	8	5	1	4	4	2	4	10	
201	Fracture (cause not specified).....	28								1	3	4	1	1	8	4	4	10	
202	Other external violence.....	158	12	3	3		3	7	7	15	12	5	10	19	18	16	17	10	1
	XV.—Ill-defined diseases.....	395	149	9	2	2	1	2	5	5	3	8	3	16	19	51	56	62	2
204	Sudden death.....	37	3											2	1	7	9	12	1
205a	Ill-defined.....	95	12	4	1		1		3	1	3	2		3	6	18	23	18	
205b	Not specified or unknown.....	263	134	5	1	2		2	2	4		4	3	11	12	26	24	32	1

MONTANA

	All causes.....	5,395	757	111	60	48	29	122	108	151	145	153	183	548	653	783	844	696	4
	I.—Epidemic, endemic, and infectious diseases.....	862	96	38	24	23	13	44	29	52	39	41	37	123	122	73	65	43	
1	Typhoid and paratyphoid fever.....	14						1	1	5	2			1	2	1	1		
6	Smallpox.....	1				1													
7	Measles.....	21	6	4	2	2		4	1										
8	Scarlet fever.....	25	1	2	3	1		9	2	2	2	1			1				
9	Whooping cough.....	45	27	13	2	2		1	1										
10	Diphtheria.....	18	2	2	1	2		5	1	2	1								
11a	Influenza (with pulmonary complications).....	166	27	4	4	3	5	4	4	5	3	4	7	18	22	14	21	21	
11b	Influenza (other and unspecified).....	75	18	1	2	2	2	4	1	3	2	2		3	10	5	9	11	
13	Mumps.....	2								1	1								
15	Cholera nostras.....	1				1													
16	Dysentery.....	5	4																
19	Spirochetal hemorrhagic jaundice.....	1																	
21	Erysipelas.....	17	5	1			1							2	1	2	1	1	
22	Acute anterior poliomyelitis.....	5			2		1			2							4	1	
23	Lethargic encephalitis.....	5						1	1	1					1				
24	Meningococcus meningitis.....	20	1	2	1	2	1		3	5	1	2	1	1	1	3	3		
25	Other epidemic and endemic diseases.....	16			1			1						3	4	3	3		
29	Tetanus.....	3	1							2				1					
30	Mycoses.....	1																	
	Tuberculosis (all forms).....	377	3	9	6	7	1	14	14	23	25	24	26	79	72	43	21	10	
31	Of the respiratory system.....	319		6	2	4		8	12	18	20	21	18	73	68	39	21	9	
32	Of the meninges, central nervous system.....	22	3	1	3	2		5	1		1	3			1	1			
33	Of the intestines, peritoneum.....	18		2	1				1	3	1	2		3	3	2			
34	Of the vertebral column.....	4					1						1						
35	Of the joints.....	2									2								
36	Of other organs.....	3						1						1	2				1
37a	Disseminated (acute).....	6							1				3	1		1			
37b	Disseminated (chronic or unspecified).....	3								1									
38	Syphilis.....	31				1				1	1	5	1	12	6	3	3	3	
40	Gonococcus infection.....	3												1					
41	Purulent infection, septicemia.....	9	1					1		1	1			2	1	1	1		
42	Other infectious diseases.....	1												1		1	1		



TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE, BY AGE, IN THE REGISTRATION AREA AND EACH REGISTRATION STATE: 1926—Continued

List No.	CAUSE OF DEATH	All deaths	MONTANA—Continued													75 years and over	Age un- known
			Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 44 years	45 to 54 years		
VI.—Diseases of the digestive system—Continued.																	
114	Diarrhea and enteritis (2 years and over)	24			7	2	1	2	3		1	1	1	1	1	3	1
117	Appendicitis and typhlitis	102	2		2	1	1	11	10	11	10	7	10	16	12	4	5
118a	Hernia	13										1	2	2	4	2	2
118b	Intestinal obstruction	45	8	1	1	1	1	1	3	1	2	1	2	7	7	6	3
119	Other diseases of the intestines	6											1	1	1	2	1
120	Acute yellow atrophy of the liver	2											1	1	1	1	
122	Cirrhosis of the liver	43									1	1	1	4	7	10	13
123	Biliary calculi	27									1	1	3	11	5	5	7
124	Other diseases of the liver	36		1									1	8	6	13	2
125	Diseases of the pancreas	3								1				1	1	1	5
126	Peritonitis without specified cause	18	2			1			2	1		1	1	3	1	2	1
VII.—Nonvenereal diseases of the genito-urinary system and annexa																	
		390	4		1	1			3	5	8	12	11	36	43	71	95
128	Acute nephritis (including unspecified under 10 years)	23	3			1				2	1	4	3	2	2	2	1
129	Chronic nephritis (including unspecified 10 years and over)	303							3	3	6	5	5	20	33	61	83
131	Other diseases of the kidneys and annexa	11	1		1									4	2	1	2
132	Calculi of the urinary passages	3											1	1	1	1	
133	Diseases of the bladder	2													1	1	1
135	Diseases of the prostate	22									1				1	3	7
136	Nonvenereal diseases of the male genital organs	1														1	
137	Cysts, other benign tumors of the ovary	3											1				2
138	Salpingitis and pelvic abscess (female)	9									1	2	1	4	1		
139	Benign tumors of the uterus	10											1	3	6		1
141	Other diseases of the female genital organs	3												2			1
VIII.—The puerperal state																	
		79								7	14	11	17	30			
143	Accidents of pregnancy	12										4	3	5			
144	Puerperal hemorrhage	6									1			5			
145	Other accidents of labor	11									3		2	4			
146	Puerperal septicemia	38								5	8	6	6	13			
148	Puerperal albuminuria and convulsions	12									2	1	6	3			
IX.—Diseases of the skin and of the cellular tissue																	
		9	1					1		1				1		1	2
151	Gangrene	5								1						1	1
153	Acute abscess	2						1								1	
154	Other diseases of the skin and annexa	2	1											1			
X.—Diseases of the bones and of the organs of locomotion																	
		6						2			1				1	2	
155	Diseases of the bones (tuberculosis excepted)	4						2			1				1		
156	Diseases of the joints (tuberculosis and rheumatism excepted)	1												1			
158	Other diseases of the organs of locomotion	1													1		
XI.—Malformations																	
		72	65	2	1	1			1	1	1						
159a	Congenital hydrocephalus	6	4							1	1						
159b	Congenital malformations of the heart	47	43	2	1	1											
159c	Other congenital malformations	19	18						1								
XII.—Early infancy																	
		302	302														
160	Congenital debility, icterus, sclerema	32	32														
161a	Premature birth	200	200														
161b	Injury at birth	42	42														
162	Other diseases peculiar to early infancy	28	28														
XIII.—Old age (senility)																	
		48														9	39
XIV.—External causes																	
		614	14	16	8	6	5	21	24	35	38	34	43	119	102	76	45
Suicide																	
		92							1	3	7	3	21	21	24	7	5
165	By poisons (gas or corrosives excepted)	8									1	1	2	1	2	1	1
166	By corrosive substances	8									1	1	1	1	4		
167	By poisonous gas	4										1	1	1	1		1
168	By hanging or strangulation	13											3	4	5	1	
169	By drowning	2										1	1	1	1		
170	By firearms	47						1	2	4	1	13	12	9	3	3	2
171	By cutting or piercing instruments	7								1			2	2	2	2	
174	By other means	3											1	1	1	1	1
Homicide																	
		45	1						2	3	2	5	17	7	4	4	2
197	By firearms	28							2	2	2	3	11	4	4	4	2
198	By cutting or piercing instruments	4								1	1	1	1	1	1	1	1
199	By other means	13	1								1	2	5	3	4	1	1
Accidental or undefined																	
		477	13	16	8	6	5	21	24	32	32	25	35	81	74	48	34
175	Poisoning by food	3	1										1				1
176	Poisoning by venomous animals	1						1									1
177	Other acute poisonings (gas excepted)	7		2							1		1		1	2	1
178	Conflagration	11				1					1			4		4	1
179	Burns (conflagration excepted)	17		1	4			3	1		1	2		1	1	2	2
180	Mechanical suffocation	5	4								1						

CAUSES OF DEATH, BY AGE

221

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE, BY AGE, IN THE REGISTRATION AREA AND EACH REGISTRATION STATE: 1926—Continued

List No.	CAUSE OF DEATH	All deaths	Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 to 74 years	75 years and over	AGE UN- KNOWN
MONTANA—Continued																			
XIV.—External causes—Continued.																			
181	Absorption of irritable, irritating, or poisonous gas	8	2								2		1	1			1		
182	Drowning	45		4	1	2	1	4	8	5	3	3	4	1	6	1	1	1	
183	Traumatism by firearms (except in war)	27		2				2	3	5	3	1	2	3	3	1	1	1	
184	Traumatism by cutting or piercing instruments	8					1				2		1				1	1	
185	Traumatism by fall	47		1				2	2	2	1	1		5	10	6	7	10	
188a	Traumatism in mines	48								3	4	2	9	16	9	5			
188b	Traumatism in quarries	1										1							
187	Traumatism by machines	12					1					1	1	2	5	1	1	1	
188a	Railroad accidents	47		2				2		5	7	1	3	14	3	7	3		
	Collision with automobiles	8						1		1	1	1		4					
	Other railroad accidents	39		2				1		4	6		3	10	3	7	3		
188b	Street-car accidents	1												1					
188c	Automobile accidents (excluding collision with railroad trains and street cars)	93	1	1	1	2	1	4	1	8	6	7	5	21	18	13	2	1	1
188e,f	Injuries by other vehicles	17						2	1	1				3	3	3	2	2	
188g	Landslide, other crushing	5												1	1	2			
189	Injuries by animals (not poisoning)	7		2	1								2	1				1	
190	Wounds of war	1																	
193	Excessive cold	6												2	1		2	1	
194	Excessive heat	2													1	1			
195	Lightning	5											2			1	1		1
196	Other accidental electric shocks	10							2		1	1		3	3				
201	Fracture (cause not specified)	3							1					1				1	
202	Other external violence	40	5	1	1	1	1	1	5	3	1	2	3	3	4	5	3	3	1
	XV.—Ill-defined diseases	103	32	2	1	1	1	3	2	1	2	1		9	2	16	12	17	1
204	Sudden death	11	3							1				1	1	2	3		
205a	Ill-defined	20	1											4	5	4	6		
205b	Not specified or unknown	72	28	2	1	1	1	3	2		2	1		4	1	9	5	11	1

NEBRASKA

	All causes	12,648	1,673	225	112	66	55	230	197	257	346	278	318	865	1,062	1,594	2,317	3,043	10
I.—Epidemic, endemic, and infectious diseases																			
	I.—Epidemic, endemic, and infectious diseases	1,462	206	83	43	23	16	63	40	58	91	76	76	133	119	123	122	189	1
1	Typhoid and paratyphoid fever	23							3	4	3	2	1	6	1	3			
5	Malaria	2					1							1					
6	Smallpox	8	3							2	1			1			1		
7	Measles	23	5	7	2	2		5		1	1								
8	Scarlet fever	27	3	2	1	2	3	7	2	1	1		1	2	1	1			
9	Whooping cough	111	57	31	14	1	1	5	1	1								1	
10	Diphtheria	35		1	3	4	3	12	5	1	2			3	1				
11a	Influenza (with pulmonary complications)	280	50	17	8	4	2	9	4	9	7	6	7	10	12	25	44	66	
11b	Influenza (other and unspecified)	282	48	10	7	5	1	9	7	2	9	6	6	13	13	22	33	91	
15	Cholera nostras	1	1																
16	Dysentery	20	2	1										1	1	2	2	10	
19	Spirochetal hemorrhagic jaundice	2													2				
21	Erysipelas	28	6							1	2			1	5	4	2	7	
22	Acute anterior poliomyelitis	18	2	2	1	1	1	3	4	2	1			1	1				
23	Lethargic encephalitis	16		1				2		1				1	1	5	3		
24	Meningococcus meningitis	17	4	2	2	1	1	2	1		1		1	1	1				
25	Other epidemic and endemic diseases	1	1																
29	Tetanus	10	1		2			3									1		
30	Mycoses	1													1				
	Tuberculosis (all forms)	447	10	9	3	3	2	5	11	32	51	53	44	74	58	46	33	13	
31	Of the respiratory system	368	6	2	1	1		2	7	27	39	47	41	66	50	40	23	11	
32	Of the meninges, central nervous system	21	3	6	1	2	2	1	1	2	3								
33	Of the intestines, peritoneum	29						1	2	2	4	3	2	5	5	2	2	1	
34	Of the vertebral column	6								2	2	2	1						
35	Of the joints	3													1		1	1	
36	Of other organs	9	1	1				1	1		1				1	1	2		
37a	Disseminated (acute)	9			1					1	2			3	1	1			
37b	Disseminated (chronic or unspecified)	2										1							
38	Syphilis	82	13					1		1	4	2	8	17	17	14	3	1	1
40	Gonococcus infection	18								2	5	5	1	3	1	1			
41	Purulent infection, septicemia	10					1	2		1	2	1	2		1				
II.—General diseases not included in Class I																			
	II.—General diseases not included in Class I	1,760	24	8	3	2	3	18	19	23	23	20	33	125	257	400	475	326	1
Cancer and other malignant tumors																			
43	Of the buccal cavity	40		1	1	1		4	2	8	6	8	17	85	174	295	342	255	
44	Of the stomach, liver	470						1			1		2	9	48	109	179	121	
45	Of the peritoneum, intestines, rectum	177							1	1			1	11	24	57	45	37	
46	Of the female genital organs	134									3	2	2	17	40	36	21	13	
47	Of the breast	122										2	6	23	34	31	17	9	
48	Of the skin	29				1								2	5	9	12	9	
49	Of other or unspecified organs	227		1	1			3	1	7	2	4	5	20	23	52	60	48	
50	Tumors, benign and unqualified (tumors of the female genital organs excepted)	13												1	3	4	1	1	
51	Acute rheumatic fever	21	2	1				1	3	8	1			2			3	2	

## MORTALITY STATISTICS

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE, BY AGE, IN THE REGISTRATION AREA AND EACH REGISTRATION STATE: 1926—Continued

List No.	CAUSE OF DEATH	All deaths	Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 to 74 years	75 years and over	AGE UNKNOWN
NEBRASKA—Continued																			
II.—General diseases not included in Class I—Contd.																			
52	Chronic rheumatism, osteoarthritis, gout	17											1		1		6	8	
54	Pellagra	1												1					
56	Rickets	3	2	1															
57	Diabetes mellitus	240			1	1		2	6	9	5		3	10	24	54	77	47	1
58	Anemia, chlorosis	105	3	1				1		1	2	3	4	9	24	20	26	11	
59	Diseases of the pituitary gland	1													1				
60a	Exophthalmic goiter	53						1		1	2	3	4	9	16	10	7		
60b	Other diseases of the thyroid gland	10		1				3	1				2		2				
61	Diseases of the parathyroid glands	2	2																
62	Diseases of the thymus gland	8	5	2							1								
63	Diseases of the adrenals (Addison's disease)	6					1				1			1		2	1		
64	Diseases of the spleen	3						1		1	1						1		
65a	Leukemia	27	1		1			1		2	4	1	1		4	6	5	1	
65b	Hodgkin's disease	8								1	1	1			1	2	2		
66	Alcoholism (acute or chronic)	19								1		3	1	7	5	2			
67a	Chronic lead poisoning	1													1	1			
67b	Other chronic mineral poisoning	1													1				
69	Other general diseases	22	9	1			1	2	1						1	3	3	1	
III.—Diseases of the nervous system and of the organs of special sense																			
		1,417	36	5	2	1	4	12	13	15	12	10	16	66	104	240	365	515	1
70	Encephalitis	17	3	1				3		2	2			3	2	1	2		
71a	Simple meningitis	14	3	1	1				1		1				1	1	1	1	
71b	Nonepidemic cerebrospinal meningitis	3	1					1						1					
72	Tabs dorsalis (locomotor ataxia)	16								2				2	2	5	5	2	
73	Other diseases of the spinal cord	59		1						2		1		8	7	14	15	11	
74a	Cerebral hemorrhage	966	2					1	2	1			3	24	54	161	279	436	1
74b	Cerebral embolism and thrombosis	78	1						1	1	1	1	2	1	7	19	20	25	
75	Paralysis without specified cause	53							1					4	3	7	14	24	
76	General paralysis of the insane	44											3	9	13	11	3	1	
77	Other forms of mental alienation	12										1			3	4	3	1	
78	Epilepsy	38							3	4	7	3	2	5	2	6	3	3	
79	Convulsions (nonpuerperal; 5 years and over)	1						1											
80	Infantile convulsions (under 5 years)	17	16				1												
82	Neuralgia and neuritis	2														1	1		
83	Softening of the brain	5															3	2	
84	Other diseases of the nervous system	62	4			1	1	3	1	4		2	4	6	10	5	11	10	
85	Diseases of the eye and annexe	1			1			1											
86a	Diseases of the ear	19	5	1			1	1	3				2		2	4			
86b	Diseases of the mastoid process	10	1	1			1	2	2	1				1		1			
IV.—Diseases of the circulatory system																			
		2,207	11	2	1	2	4	18	10	18	13	25	21	102	192	324	628	833	3
87	Pericarditis	12						2		2			1	2	1	2	2	2	
88	Endocarditis and myocarditis (acute)	71	4				1	5	4	4	3	6	3	8	5	8	10	10	
89	Angina pectoris	188												9	22	32	68	57	
90	Other diseases of the heart	1,670	7	2	1		3	11	6	12	8	18	17	72	138	260	476	636	3
91a	Aneurysm	16												4	3	5	3	3	
91b,c	Other diseases of the arteries	186										1		5	3	5	50	117	
92	Embolism and thrombosis (not cerebral)	50				1						1		5	12	5	15	11	
93	Diseases of the veins	9										1		1	3	1	2	1	
94	Diseases of the lymphatic system	3				1						1		1					
95	Hemorrhage without specified cause	1															1		
96	Other diseases of the circulatory system	1															1		
V.—Diseases of the respiratory system																			
		1,033	203	48	15	14	7	22	12	19	21	26	18	64	61	93	150	310	
97a	Diseases of the nasal fossae	3	2													1			
97b	Diseases of the nasal fossae annexe	13						2		1	2			2		2	2		
98	Diseases of the larynx	13	4	1	2	1	1	2		1	1								
99a	Acute bronchitis	20	8						1									1	10
99b	Chronic bronchitis	21	1														4	2	14
99c,d	Bronchitis (unspecified)	12	5					1									1	1	5
100a	Broncho-pneumonia	369	114	33	7	6	1	6	3	6	3	2	3	12	11	18	46	98	
100b	Capillary bronchitis	5	2	1			1											1	
101a	Lobar pneumonia	501	52	9	6	4	4	9	7	9	11	19	12	43	43	54	85	134	
101b	Pneumonia (unspecified)	32	11					1	1	2	2	1	1	1	1	2	2	11	
102	Pleurisy	25		3				2		1	2	1	1	3	3	4	1	2	
103	Congestion and hemorrhagic infarct of the lung	29	2												1		3	23	
104	Gangrene of the lung	3												1			2	2	
105	Asthma	24		1						1			1	2	2	6	2	9	
106	Pulmonary emphysema	5	1													1		3	
107	Other diseases of the respiratory system (tuberculosis excepted)	8	1									2		1			3	1	
VI.—Diseases of the digestive system																			
		1,140	186	49	23	12	13	51	40	29	48	36	40	121	106	144	110	132	
108	Diseases of the mouth and annexe	8	1				1								3		1	2	
109b	Other diseases of the pharynx, tonsils	66	9	2	2	1	1	9	11	1	3	3	4	4	5	6	2	3	
110	Diseases of the esophagus	1										1							
111a	Ulcer of the stomach	56								1	1	2	2	8	6	14	12	10	
111b	Ulcer of the duodenum	17									1	2	1	6	1	1	5		
112	Other diseases of the stomach (cancer excepted)	42	11		1						1	1	1	2	2	5	6	12	
113	Diarrhea and enteritis (under 2 years)	184	145	39															
114	Diarrhea and enteritis (2 years and over)	76			15	6	4	9				1	2	3	3	2	8	23	
117	Appendicitis and typhlitis	270	2	2	3	2	4	26	22	23	32	16	21	47	38	26	5	1	
118a	Hernia	49			1				2			1	1	5	9	8	11	12	
118b	Intestinal obstruction	105	16	3	1	2	2	2	1	1	4	5	2	11	9	17	12	16	
119	Other diseases of the intestines	26	1	1		1			2	1	2			7	1		3	7	

# CAUSES OF DEATH, BY AGE

223

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE, BY AGE, IN THE REGISTRATION AREA AND EACH REGISTRATION STATE: 1926—Continued

List No.	CAUSE OF DEATH	All deaths	NEBRASKA—Continued														Age unknown		
			Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years		65 to 74 years	75 years and over
VI.—Diseases of the digestive system—Continued.																			
120	Acute yellow atrophy of the liver.....	5												2			1		
122	Cirrhosis of the liver.....	70											1	1			16		
123	Biliary calculi.....	68												4	8	21	19		
124	Other diseases of the liver.....	68												10	9	24	10		
125	Diseases of the pancreas.....	7												10	12	14	15		
126	Peritonitis without specified cause.....	22	1	2			1	4	2	2	1			2		6	1		
VII.—Nonvenereal diseases of the genito-urinary system and annexa																			
		1,099	7	1	2	1		7	8	16	18	13	7	62	98	172	319	366	2
128	Acute nephritis (including unspecified under 10 years).....	40	3			1		2	2	1	1			6	4	4	4	11	
129	Chronic nephritis (including unspecified 10 years and over).....	840			1			5	4	12	12	5	4	35	64	141	271	285	1
131	Other diseases of the kidneys and annexa.....	39	2		1			2	1	1	2			3	4	7	6	9	1
132	Calculi of the urinary passages.....	9												1	2	3	2	1	
133	Diseases of the bladder.....	10	1												2		1	6	
135	Diseases of the prostate.....	93													1	12	30	50	
136	Nonvenereal diseases of the male genital organs.....	3	1	1													1		
137	Cysts, other benign tumors of the ovary.....	12								1	1			4	2	4			
138	Salpingitis and pelvic abscess (female).....	18								1	4	4	2	3	4				
139	Benign tumors of the uterus.....	28												8	14		2	4	
141	Other diseases of the female genital organs.....	7									1			2	1	1	2		
VIII.—The puerperal state																			
		188						1	14	37	21	43	70	2					
143	Accidents of pregnancy.....	20								2	4	1	5	7	1				
144	Puerperal hemorrhage.....	12								1	1	2	9						
145	Other accidents of labor.....	22								2	2	1	9	8					
146	Puerperal septicemia.....	51						1	8	18	14	13	27						
147	Puerperal phlegmasia alba dolens, embolus, etc.....	14								1	4	1	7	1					
148	Puerperal albuminuria and convulsions.....	38								1	9	4	13	11					
149	Following childbirth (undefined).....	1												1					
IX.—Diseases of the skin and of the cellular tissue																			
		47	4		1			1		3			2		2	7	8	19	
151	Gangrene.....	25						1								1	6	17	
152	Furuncle.....	7	1							1					1	2	1		
153	Acute abscess.....	9	1		1					2					3	3	1	1	
154	Other diseases of the skin and annexa.....	6	2												1		1	1	
X.—Diseases of the bones and of the organs of locomotion																			
		14	1		1			3		2				3			2	2	
155	Diseases of the bones (tuberculosis excepted).....	10			1			3		2				2			1	1	
156	Diseases of the joints (tuberculosis and rheumatism excepted).....	4	1											1			1	1	
XI.—Malformations																			
		221	203	7	5	1		1	1	1		1	1						
159a	Congenital hydrocephalus.....	22	18		3	1													
159b	Congenital malformations of the heart.....	131	119	5	2			1	1	1		1	1						
159c	Other congenital malformations.....	68	66	2															
XII.—Early infancy																			
		744	744																
160	Congenital debility, icterus, sclerema.....	93	93																
161a	Premature birth.....	487	487																
161b	Injury at birth.....	113	113																
162	Other diseases peculiar to early infancy.....	51	51																
164	XIII.—Old age (senility).....	224														3	23	198	
XIV.—External causes																			
		960	25	22	16	10	8	37	50	61	79	48	59	115	115	82	91	140	2
Suicide																			
165	By poisons (gas or corrosives excepted).....	175						2	7	18	12	19	40	30	20	19	8		
166	By corrosive substances.....	21							2	5	2	1	7	1	1	2			
167	By poisonous gas.....	14						1		1	1	2	6	2		1			
168	By hanging or strangulation.....	17								3	2	1	3	3	4				
169	By drowning.....	39						1	1	2	2	4	5	7	7	5	5		
170	By firearms.....	4								1	1		1	1	1	1	1		
171	By cutting or piercing instruments.....	66						4	5	5	9	16	14	5	8	3			
173	By crushing.....	8								1		2	1	2	2				
Homicide																			
197	By firearms.....	36						4	11	3	7	6	3	1	1	1	1		
198	By cutting or piercing instruments.....	28						3	9	2	5	5	2	1	1	1	1		
199	By other means.....	3										2	1						
Accidental or undefined																			
175	Poisoning by food.....	749	25	22	16	10	8	37	48	50	50	33	33	69	82	61	71	132	2
176	Poisoning by venomous animals.....	8	1		1	1		1	1			1			1		1		
177	Other acute poisonings (gas excepted).....	1																	
178	Conflagration.....	18	2	4		1							3	3	4	1	1	1	
179	Burns (conflagration excepted).....	10							1	1	1			3	3			2	
180	Mechanical suffocation.....	40	2	5	3			2	5	2	3	4		4	2	4	2	2	
181	Absorption of irrespirable, irritating, or poisonous gas.....	17	10			1		1	1			1		1	2			1	
182	Drowning.....	24						3	8	4	6		2	3	1	7	4	4	3
183	Traumatism by firearms (except in war).....	39		6	4	1		1	9	4	5	1	3	1	2			1	

MORTALITY STATISTICS

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE, BY AGE, IN THE REGISTRATION AREA AND EACH REGISTRATION STATE: 1926—Continued

List No.	CAUSE OF DEATH	All deaths	Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 to 74 years	75 years and over	Age un- known
NEBRASKA—Continued																			
XIV.—External causes—Contd.																			
Accidental or undefined—Continued.																			
184	Traumatism by cutting or piercing instruments.....	11						2						2	3	2		2	1
185	Traumatism by fall.....	191	2	1	2		1	5	5	6	5	1	2	2	6	10	7	37	100
187	Traumatism by machines.....	27		1				2	1	1	2	2	2	2	3	4	2	3	
188a	Railroad accidents.....	59	1		1	1		1	1	6	5	4	1	13	10	6	3	1	
	Collision with automobiles.....	22			1	1		2		1	1	1	2	4	5	2	2		
	Other railroad accidents.....	37	1							5	4	3	5	9	5	4	1		
188b	Street-car accidents.....	4			1	1									1			1	
	Collision with automobiles.....	1				1													
	Other street-car accidents.....	3			1										1			1	
188c	Automobile accidents (excluding collision with railroad trains and street cars).....	154		1		3	3	15	12	19	16	6	5	16	23	14	10	10	1
188e,f	Injuries by other vehicles.....	24		1	1	1	2	3	3	2	2	2	2	1	23	1	2	1	
188g	Landslide, other crushing.....	6	1												1	1	1	1	
189	Injuries by animals (not poisoning).....	17		1		1		1	1			2	3		3	1	1	1	
193	Excessive cold.....	1																	
194	Excessive heat.....	7	1											1					
195	Lightning.....	9							2	1	1				1		2	3	
196	Other accidental electric shocks.....	10							1	2	1	1		4					
201	Fracture (cause not specified).....	3										2		2	2				1
202	Other external violence.....	41	5	2	3		1	1	1	1	2	1	1	3	4	9	4	3	
	XV.—Ill-defined diseases.....	82	23								2		4	4	6	6	24	13	
204	Sudden death.....	16	2								1		1	1	1	1	7	2	
205a	Ill-defined.....	35	3										1	2	4	5	15	5	
205b	Not specified or unknown.....	31	18								1		2	1	1	2	2	6	

NEW HAMPSHIRE

All causes.....	6,703	686	107	39	35	42	98	55	97	102	135	137	339	550	991	1,449	1,811	30	
I.—Epidemic, endemic, and infectious diseases.....																			
1	Typhoid and paratyphoid fever.....	11																	
7	Measles.....	39	18	7	3	1	3	2	2	2	3	1		1	1	1			
8	Scarlet fever.....	30	1	4	4	1	4	2	1										
9	Whooping cough.....	36	25	5	1	4	2			1									
10	Diphtheria.....	18		3	1	2	3						1	2					
11a	Influenza (with pulmonary complications).....	165	23	5	2		4		6	3	3	4	14	17	26	32	26		
11b	Influenza (other and unspecified).....	95	9	6	1	2	1		3	1	3	1	6	2	5	19	36		
13	Mumps.....	2																	
16	Dysentery.....	2			1		1							1		1			
19	Spirochetal hemorrhagic jaundice.....	3	2																
21	Erysipelas.....	17	5				1					1		3	2	3	2		
22	Acute anterior poliomyelitis.....	2		1			1												
23	Lethargic encephalitis.....	5						1		1				1	1	1	1		
24	Meningococcus meningitis.....	9	3				1	1						1	1	1	1		
25	Other epidemic and endemic diseases.....	4	2				1	1						1	1	1	1		
29	Tetanus.....	1					1												
30	Mycoses.....	1																	
31	Tuberculosis (all forms).....	319	7	7	3	2	3	2	17	31	34	38	56	44	35	16	15	1	
32	Of the respiratory system.....	254	1	1	2		2	1	15	27	30	31	47	39	29	14	14	1	
	Of the meninges, central nervous system.....	20	4	5	1	1	2	1	1	1	1	2	2	1					
33	Of the intestines, peritoneum.....	25	1	1			2	1		2	2	4	3	1	5	2	1		
34	Of the vertebral column.....	11	1				3			1	1	1	2	2					
35	Of the joints.....	2					1												
36	Of other organs.....	3																	
37a	Disseminated (acute).....	3											2	1					
37b	Disseminated (chronic or unspecified).....	1																	
38	Syphilis.....	19	3							1	1			2	8	3	1		
40	Gonococcus infection.....	1																	
41	Purulent infection, septicemia.....	13					1		1				1	2	1	1	4	2	
II.—General diseases not included in Class I.....																			
	Cancer and other malignant tumors.....	605		1				1	3		5		38	30	143	185	145	4	
43	Of the buccal cavity.....	17													6	5	8		
44	Of the stomach, liver.....	191												8	20	42	70	49	1
45	Of the peritoneum, intestines, rectum.....	130												7	19	36	40	27	
46	Of the female genital organs.....	76									1			12	15	19	17	11	1
47	Of the breast.....	69								1				7	12	20	13	16	
48	Of the skin.....	18												1	1	5	10		
49	Of other or unspecified organs.....	104		1				1	2		2			3	13	19	35	26	2
50	Tumors, benign and unqualified (tumors of the female genital organs excepted).....	4												1	2				
51	Acute rheumatic fever.....	13					2	1	1	1				1	1		4	1	
52	Chronic rheumatism, osteoarthritis, gout.....	12												1	1		3	7	
54	Pellagra.....	1												1					
56	Rickets.....	2	2																
57	Diabetes mellitus.....	115							2		3	8	4	14	33	38	12	1	
58	Anemia, chlorosis.....	53	2							1	3		5	7	12	10	13		
59	Diseases of the pituitary gland.....	1												1					
60a	Exophthalmic goiter.....	7								1				3	2		1		
60b	Other diseases of the thyroid gland.....	1																	
62	Diseases of the thymus gland.....	5	3	1		1													
63	Diseases of the adrenals (Addison's disease).....	7											1	1		3	2		

CAUSES OF DEATH, BY AGE

225

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE, BY AGE, IN THE REGISTRATION AREA AND EACH REGISTRATION STATE: 1926—Continued

List No.	CAUSE OF DEATH	All deaths	Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 to 74 years	75 years and over	Age un- known
<b>NEW HAMPSHIRE—Continued</b>																			
<b>II.—General diseases not included in Class I—Contd.</b>																			
65a	Leukemia.....	5						1							2		1	1	
65b	Hodgkin's disease.....	8									2				2	2	2	1	
66	Alcoholism (acute or chronic).....	4									1		1		5	3	2	1	
67a	Chronic lead poisoning.....	3												1	2				
69	Other general diseases.....	22	16			1								1	1		2	1	
<b>III.—Diseases of the nervous system and of the organs of special sense.....</b>																			
		876	22	11	1	1	1	5	3	5	3	4	10	31	71	143	244	317	4
70	Encephalitis.....	7	1	1										2	2	1			
71a	Simple meningitis.....	23	8	3	1	1	1	1			1	1		1		2	2	1	
71b	Nonepidemic cerebrospinal meningitis.....	4	1	1				1						1					
72	Tabes dorsalis (locomotor ataxia).....	11						1					1		3	3	3	1	
73	Other diseases of the spinal cord.....	20											2	2	6	3	3	4	
74a	Cerebral hemorrhage.....	638	1					1	1	1	1	11	42	113	193	271	18	4	
74b	Cerebral embolism and thrombosis.....	47					1				1	1	2	2	4	18	18	18	4
75	Paralysis without specified cause.....	33										1	1	1	5	5	13	9	
76	General paralysis of the insane.....	15												8	4	2	1	1	
77	Other forms of mental alienation.....	6												2	1	2	1		
78	Epilepsy.....	20	1					1	1	4	2	1	4	1	1	4	2	1	
80	Infantile convulsions (under 5 years).....	12	8	4															
82	Neuralgia and neuritis.....	2													1		1		
83	Softening of the brain.....	4																4	
84	Other diseases of the nervous system.....	27	1	1				1	1				1	2	2	7	4	7	
86a	Diseases of the ear.....	5	1	1						1						1	1		
86b	Diseases of the mastoid process.....	2													2				
<b>IV.—Diseases of the circulatory system.....</b>																			
		1,540	7			1	2	12	8	9	2	7	6	32	100	260	446	643	5
87	Pericarditis.....	4													1		1	2	
88	Endocarditis and myocarditis (acute).....	37	2					5	2	2	1	1		4	2	6	3	9	
89	Angina pectoris.....	196													21	56	67	42	2
90	Other diseases of the heart.....	993	3			2	6	5	7	1	4	3	21	67	175	312	384	3	
91a	Aneurysm.....	7												1	5	14	60	197	
91b,c	Other diseases of the arteries.....	277												1	5	14	60	197	
92	Embolism and thrombosis (not cerebral).....	18	1									1		2	1	5	1	7	
93	Diseases of the veins.....	2													1		1		
94	Diseases of the lymphatic system.....	3	1			1			1										
95	Hemorrhage without specified cause.....	2						1							1				
96	Other diseases of the circulatory system.....	1															1		
<b>V.—Diseases of the respiratory system.....</b>																			
		680	87	33	7	5	3	6	3	7	4	10	12	34	39	89	139	200	2
97b	Diseases of the nasal fossae and annexe.....	1							1									1	
98	Diseases of the larynx.....	3	1			1												1	
99a	Acute bronchitis.....	33	8	3	1							1	1		1	6	11	1	
99b	Chronic bronchitis.....	26	1									1			1	3	9	11	
99c,d	Bronchitis (unspecified).....	19	2	1											1	1	4	10	
100a	Broncho-pneumonia.....	255	51	18	2	1	3	2	1	2		1	1	9	7	23	48	85	1
100b	Capillary bronchitis.....	5	3														1		
101a	Lobar pneumonia.....	271	16	9	3	2		3	1	4	4	7	9	16	26	53	54	64	
101b	Pneumonia (unspecified).....	30	4	1	1					1				4	1	3	3	12	
102	Pleurisy.....	13			1			1					1	1	1	2	5	1	
103	Congestion and hemorrhagic infarct of the lung.....	5													1		1	3	
105	Asthma.....	13	1												2	1	2	6	1
107	Other diseases of the respiratory system (tuberculosis excepted).....	6		1												1	2	1	
<b>VI.—Diseases of the digestive system.....</b>																			
		380	58	19	3	8	5	15	9	7	4	11	9	26	43	52	60	51	
108	Diseases of the mouth and annexe.....	3								1						2		1	
109b	Other diseases of the pharynx, tonsils.....	23	1	2	1	2		7	3	2		1	1	1	1	4	4	1	
111a	Ulcer of the stomach.....	20										2	1	2	4		5	2	
111b	Ulcer of the duodenum.....	4														1	1	2	
112	Other diseases of the stomach (cancer excepted).....	37	4	1	1						1	1		3	5	4	6	11	
113	Diarrhea and enteritis (under 2 years).....	63	49	14															
114	Diarrhea and enteritis (2 years and over).....	19			1	3	2	1							4	1	5	2	
117	Appendicitis and typhlitis.....	56				2	3	6	5	4	1	5	1	8	4	2	7	2	
118a	Hernia.....	15	1											1	1	1	3	2	
118b	Intestinal obstruction.....	42	2	1		1		1			2	2	2	7	6	3	7	8	
119	Other diseases of the intestines.....	9	1										3			1	1	2	
120	Acute yellow atrophy of the liver.....	7							1									2	
121	Hydatid tumor of the liver.....	1																1	
122	Cirrhosis of the liver.....	42												2	8	8	13	11	
123	Biliary calculi.....	17													4	5	4	3	
124	Other diseases of the liver.....	12													3	5	3	1	
125	Diseases of the pancreas.....	3													3	3			
126	Peritonitis without specified cause.....	7		1										1	2			2	
<b>VII.—Nonvenereal diseases of the genito-urinary system and annexe.....</b>																			
		588	3	1		2		2		6	6	7	7	28	50	114	170	186	6
128	Acute nephritis (including unspecified under 10 years).....	34	2			2		2		2	1	1		1	2	8	6	7	
129	Chronic nephritis (including unspecified 10 years and over).....	488		1						1	5	3	6	22	40	97	151	156	6
131	Other diseases of the kidneys and annexe.....	7								2						1	2	1	
132	Calculi of the urinary passages.....	4													2		1	1	

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE, BY AGE, IN THE REGISTRATION AREA AND EACH REGISTRATION STATE: 1926—Continued

List No.	CAUSE OF DEATH	All deaths	Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 to 74 years	75 years and over	Age unknown
NEW HAMPSHIRE—Continued																			
VII.—Nonvenereal diseases of the genito-urinary system and annexa—Contd.																			
133	Diseases of the bladder.....	9	1														2	6	
134	Diseases of the urethra, etc.....	3															1		
135	Diseases of the prostate.....	23														3	8	12	
137	Cysts, other benign tumors of the ovary.....	2													1			1	
138	Salpingitis and pelvic abscess (female).....	6								1			1		1			1	
139	Benign tumors of the uterus.....	7										1			3			1	
141	Other diseases of the female genital organs.....	5										1		3	1				
VIII.—The puerperal state.....																			
143	Accidents of pregnancy.....	7								1		1	2	3					
144	Puerperal hemorrhage.....	3									1	1	4	2					
145	Other accidents of labor.....	4										1	1	2					
146	Puerperal septicemia.....	16								3	1	6	3	3					
147	Puerperal phlegmasia alba dolens, embolus, etc.....	10										5	2	2					
148	Puerperal albuminuria and convulsions.....	20								3	4	5	4	4					
149	Following childbirth (undefined).....	1											1						
IX.—Diseases of the skin and of the cellular tissue.....																			
151	Gangrene.....	14	2											1	1	3	4	9	
152	Furuncle.....	3		1												2	3	9	
153	Acute abscess.....	2		1												1			
154	Other diseases of the skin and annexa.....	1															1		
X.—Diseases of the bones and of the organs of locomotion.....																			
155	Diseases of the bones (tuberculosis excepted).....	1							1										
156	Diseases of the joints (tuberculosis and rheumatism excepted).....	2	1															1	
XI.—Malformations.....																			
159a	Congenital hydrocephalus.....	3	3																
159b	Congenital malformations of the heart.....	38	37		1														
159c	Other congenital malformations.....	25	25																
XII.—Early infancy.....																			
160	Congenital debility, icterus, sclerema.....	40	40																
161a	Premature birth.....	185	185																
161b	Injury at birth.....	56	56																
162	Other diseases peculiar to early infancy.....	24	24																
XIII.—Old age (senility).....																			
164	.....	79														3	6	70	
XIV.—External causes.....																			
165	Suicide.....	59	8	3	10	10	10	13	20	18	26	22	21	31	40	37	46	65	7
165	By poisons (gas or corrosives excepted).....	4							1	1		1	3	11	14	14	8	6	
167	By poisonous gas.....	5											1		2	2	1	1	
168	By hanging or strangulation.....	15								1		1	4	1	5	1	2	2	
169	By drowning.....	7						1					1	3	1	1	1	2	
170	By firearms.....	22										1	1	5	6	5	2	2	
171	By cutting or piercing instruments.....	5												3	3	1	1	1	
173	By crushing.....	1																	1
Homicide.....																			
197	By firearms.....	2								1	1		1	1					
199	By other means.....	2											1	1					
Accidental or undefined.....																			
175	Poisoning by food.....	324	8	3	10	10	10	13	19	17	25	20	18	19	25	23	38	59	7
177	Other acute poisonings (gas excepted).....	13	2		2					1	1	2	2	1	1		1	1	
178	Conflagration.....	11			1	3								1	1		1	1	
179	Burns (conflagration excepted).....	21	1	1	6	1				1	1		2	1	3	2	1	1	
180	Mechanical suffocation.....	2	2																
181	Absorption of irrespirable, irritating, or poisonous gas.....	3													1			2	
182	Drowning.....	48		1	2	1	3	6	6	7	6	2	3	2	3	2	1		3
183	Traumatism by firearms (except in war).....	7							2	3	1	1							
184	Traumatism by cutting or piercing instruments.....	6										1							
185	Traumatism by fall.....	36		1	1				1		1		3	1	6	4	21	46	1
187	Traumatism by machines.....	8									4		2	3	2				
188a	Railroad accidents.....	16			1							1	3	3	1	1	4	2	
	Collision with automobiles.....	4										1	1	3	1	2	2	2	
	Other railroad accidents.....	12			1								2	3	1	1	2	2	
188b	Street-car accidents.....	1																1	
	Collision with automobiles.....	1																1	
188c	Automobile accidents (excluding collision with railroad trains and street cars).....	68			2		2	6	6	4	8	8	2	9	6	5	5	2	3
188e,f	Injuries by other vehicles.....	8				1		1	1	1	1	1	1			1		1	
188g	Landslide, other crushing.....	2																	
189	Injuries by animals (not poisoning).....	4														2	2		
193	Excessive cold.....	1														1			
195	Lightning.....	2							1			1							
196	Other accidental electric shocks.....	4									1	1		1			1		
202	Other external violence.....	11	3				1		2			1		1	1	1		1	

CAUSES OF DEATH, BY AGE

227

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE, BY AGE, IN THE REGISTRATION AREA AND EACH REGISTRATION STATE: 1926—Continued

List No.	CAUSE OF DEATH	All deaths	Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 to 74 years	75 years and over	Age un-known
<b>NEW HAMPSHIRE—Continued</b>																			
	XV.—Ill-defined diseases.....	43	7	1							1			2	6	16	5	5	
204	Sudden death.....	18	1								1			1	3	5	4	3	
205a	Ill-defined.....	18	1		1									1	3	10	1	1	
205b	Not specified or unknown.....	7	5													1		1	

NEW JERSEY

	All causes.....	44,876	5,076	1,178	504	361	293	840	543	879	1,111	1,267	1,457	4,060	5,515	6,975	7,596	7,217	4
	<b>I.—Epidemic, endemic, and infectious diseases.....</b>	<b>5,771</b>	<b>504</b>	<b>411</b>	<b>185</b>	<b>138</b>	<b>118</b>	<b>254</b>	<b>110</b>	<b>274</b>	<b>454</b>	<b>406</b>	<b>376</b>	<b>859</b>	<b>694</b>	<b>464</b>	<b>310</b>	<b>214</b>	
1	Typhoid and paratyphoid fever.....	102			1		3	4	6	15	16	13	11	15	12	4	2		
2	Typhus fever.....	1										1							
5	Malaria.....	2									1	1	1						
7	Measles.....	447	116	190	49	27	20	40			1	1			1	1	1	1	
8	Scarlet fever.....	82		12	9	11	9	23	5	1	2	1	2	4	2				
9	Whooping cough.....	191	100	47	22	10	4	7											
10	Diphtheria.....	321	21	46	38	44	41	99	15	3	3	1	1	5	1		2	1	
11a	Influenza (with pulmonary complications).....	647	75	37	15	7	10	10	4	11	10	28	29	68	89	76	82	96	
11b	Influenza (other and unspecified).....	245	22	7	4	4	3	7	5	6	6	6	6	31	20	23	40	55	
13	Mumps.....	4				2	1						1		1				
15	Cholera nostras.....	4	1		1										1				
16	Dysentery.....	14	3	1	3	1		1					1	1	1	2	1		
21	Erysipelas.....	122	37	4	1	1		2	2		2	2	2	9	13	17	14	18	
22	Acute anterior poliomyelitis.....	17	1	1	2	3	2	3	3	1			1	1	1				
23	Lethargic encephalitis.....	63		5	1	2	2	2	3	3	6	3	9	9	17	5	6	1	
24	Meningococcus meningitis.....	53	16	7	4	5	1	7	6	3	1	1	1	2	2	2			
25	Other epidemic and endemic diseases.....	4	3																
27	Anthrax.....	1																	
28	Rabies.....	7					1	2	1	1	1	1		1	1				
29	Tetanus.....	42	3			2	4	1	1	3			2	4	7	4	2		
30	Mycoses.....	4												1					
	Tuberculosis (all forms).....	3,089	48	49	32	19	18	42	50	222	391	327	295	647	471	298	140	40	
31	Of the respiratory system.....	2,719	10	8	7	3	4	13	33	207	362	306	277	596	444	282	132	35	
32	Of the meninges, central nervous system.....	146	30	32	18	10	11	15	6	4	6	3	3	5	2		1		
33	Of the intestines, peritoneum.....	80	3	3	3	1		3	3	4	10	6	14	9	7		2		
34	Of the vertebral column.....	29						2	4	1	3	2	2	7	5	1	1	1	
35	Of the joints.....	7						1	1					1	1	1	1	2	
36	Of other organs.....	40	2	1	1	1	2	3	2	1	4	2	2	10	5	3	1		
37a	Disseminated (acute).....	62	3	4	3	1	1	6	1	5	6	4	5	13	4	4	2		
37b	Disseminated (chronic or unspecified).....	6		1		1								2	1				
38	Syphilis.....	236	46	4	2			1	2	2	3	11	13	53	53	27	17	2	
40	Gonococcus infection.....	36	2						2	2	9	7	7	6	2	1			
41	Furulent infection, septicemia.....	31	8		1			3	1	1	3	4	1	2	1	4	2		
42	Other infectious diseases.....	1											1						
	<b>II.—General diseases not included in Class I.....</b>	<b>5,489</b>	<b>108</b>	<b>25</b>	<b>14</b>	<b>12</b>	<b>9</b>	<b>44</b>	<b>42</b>	<b>42</b>	<b>37</b>	<b>66</b>	<b>117</b>	<b>495</b>	<b>1,034</b>	<b>1,479</b>	<b>1,338</b>	<b>627</b>	
	Cancer and other malignant tumors.....	3,814	1	2	2	3	5	7	4	12	16	23	56	339	757	1,081	978	528	
43	Of the buccal cavity.....	111												7	17	43	28	16	
44	Of the stomach, liver.....	1,408			1			1			1	3	8	80	261	432	414	207	
45	Of the peritoneum, intestines, rectum.....	605		1			1	1		2	6	3	11	44	99	169	175	93	
46	Of the female genital organs.....	502								2	6	5	18	87	151	130	78	31	
47	Of the breast.....	364								2	3	6	58	106	195	53	41		
48	Of the skin.....	85	1							1	2	2	5	5	17	24	30		
49	Of other or unspecified organs.....	739		1	1	3	4	5	4	8	6	9	11	58	118	195	206	110	
50	Tumors, benign and unqualified (tumors of the female genital organs excepted).....	24	1	2						1				4	2	6	7	1	
51	Acute rheumatic fever.....	125	1		2	3		16	19	9	10	9	8	12	11	11	8	6	
52	Chronic rheumatism, osteoarthritis, gout.....	38							1					3	5	3	13	13	
53	Scurvy.....	4	3	1															
54	Pellagra.....	2												1	1				
56	Rickets.....	19	15	1	2		1												
57	Diabetes mellitus.....	772		2		1	1	5	5	11	4	7	8	30	121	267	252	58	
58	Anemia, chlorosis.....	188	3	3			2	3	3	3	1	1	2	23	31	51	46	16	
59	Diseases of the pituitary gland.....	3												2			1		
60a	Exophthalmic goiter.....	74										10	11	15	19	13	5	1	
60b	Other diseases of the thyroid gland.....	18	1	2	2				1		1	1	1	4	3	2			
61	Diseases of the parathyroid glands.....	2	1	1															
62	Diseases of the thymus gland.....	41	39		1	1													
63	Diseases of the adrenals (Addison's disease).....	12												3	4	4	1		
64	Diseases of the spleen.....	2					1					1							
65a	Leukemia.....	74	2	7	4	2		6	7	2	1	3	6	10	7	10	7		
65b	Hodgkin's disease.....	29	1	2	1			3	1	3	3	2	3	5	2	1		2	
66	Alcoholism (acute or chronic).....	171									1	9	16	43	60	26	15	1	
67a	Chronic lead poisoning.....	8											1	1	6				
67b	Other chronic mineral poisoning.....	2														1		1	
68	Chronic poisoning by organic substances.....	5																	
69	Other general diseases.....	62	40	2		2		3	1	1		1	1	3	2	4	1	2	
	<b>III.—Diseases of the nervous system and of the organs of special sense.....</b>	<b>4,525</b>	<b>99</b>	<b>48</b>	<b>12</b>	<b>7</b>	<b>13</b>	<b>46</b>	<b>40</b>	<b>38</b>	<b>29</b>	<b>45</b>	<b>68</b>	<b>248</b>	<b>559</b>	<b>850</b>	<b>1,159</b>	<b>1,264</b>	
70	Encephalitis.....	57	6	4			2	5	3	5	4	4	2	8	5	4	4	1	
71a	Simple meningitis.....	82	16	11	4	2	2	13	5	1	1	3	3	3	11	2	4	2	
71b	Nonepidemic cerebrospinal meningitis.....	33	9	7		3	1	1	3	2	1	3	2	1					

MORTALITY STATISTICS

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE, BY AGE, IN THE REGISTRATION AREA AND EACH REGISTRATION STATE: 1926—Continued

List No.	CAUSE OF DEATH	All deaths	Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 to 74 years	75 years and over	Age un-known
<b>NEW JERSEY—Continued</b>																			
<b>III.—Diseases of the nervous system and of the organs of special sense—Contd.</b>																			
72	Tabs dorsalis (locomotor ataxia).....	51												4	8	19	15	5	
73	Other diseases of the spinal cord.....	102						1	1	5	3	2	3	14	15	18	22	18	
74a	Cerebral hemorrhage.....	3,363	4	1	2				1	7	5	6	22	102	389	691	1,001	1,132	
74b	Cerebral embolism and thrombosis.....	154	1	2			1	1		3	1	1	7	8	23	28	41	37	
75	Paralysis without specified cause.....	91		1									1	4	6	13	31	35	
76	General paralysis of the insane.....	168						1		1	1	1	9	55	52	33	11	4	
77	Other forms of mental alienation.....	38								1	1	7	5	10	4	8	2		
78	Epilepsy.....	90	4	1	2			3	4	10	4	5	14	7	14	13	5	3	1
79	Convulsions (nonpuerperal; 5 years and over).....	3						1						1					
80	Infantile convulsions (under 5 years).....	3	40	6	2	1	1												
81	Chorea.....	1								1									
82	Neuralgia and neuritis.....	7												1	2		2	2	
83	Softening of the brain.....	17													1	2	6	8	
84	Other diseases of the nervous system.....	119	3	5			1	2	5	3	4	3	6	13	22	21	13	18	
85	Diseases of the eye and annexa.....	4	1	1												1	1		
86a	Diseases of the ear.....	50	11	2		1	1	8	6	3	2	1		4	4	4	2	1	
86b	Diseases of the mastoid process.....	45	4	7	2		1	9	6	2	2			7	4		1		
<b>IV.—Diseases of the circulatory system</b>																			
		9,326	46	8	9	9	10	80	83	113	94	121	158	614	1,128	1,853	2,315	2,684	1
87	Pericarditis.....	22					1	1		1			2		5	4	2	6	
88	Endocarditis and myocarditis (acute).....	418	27	2	2	1	5	19	20	19	30	28	34	90	33	43	38	27	
89	Angina pectoris.....	590										3	2	35	86	166	184	114	
90	Other diseases of the heart.....	7,586	11	6	7	8	4	59	61	94	62	87	115	459	951	1,542	1,903	2,217	
91a	Aneurysm.....	48												2	3	9	10	3	
91b,c	Other diseases of the arteries.....	540												1	4	23	60	297	1
92	Embolism and thrombosis (not cerebral).....	91	2					1	1					11	17	22	21	16	
93	Diseases of the veins.....	19										1	1	3	2	5	3	4	
94	Diseases of the lymphatic system.....	8	4					1						2					
95	Hemorrhage without specified cause.....	3	2								1								
96	Other diseases of the circulatory system.....	1												1					
<b>V.—Diseases of the respiratory system</b>																			
		5,125	1,000	440	153	77	48	80	43	85	89	130	162	471	526	536	653	631	1
97a	Diseases of the nasal fossae.....	2														1		1	
97b	Diseases of the nasal fossae annexa.....	15	2					1	1		3	2		1	2	2	1	1	
98	Diseases of the larynx.....	18	5					2	1	1			1	2	1	2	1	1	
99a	Acute bronchitis.....	143	56	5	8	2	3							3	7	11	13	34	
99b	Chronic bronchitis.....	103	4	1	1						1			2	10	21	24	37	
99c,d	Bronchitis (unspecified).....	59	21	5	1	1		1						4	3	1	7	14	
100a	Broncho-pneumonia.....	1,710	611	252	75	28	19	31	8	17	10	19	21	68	77	103	151	220	
100b	Capillary bronchitis.....	39	17	7	3			1						1	1	6	6	2	
101a	Lobar pneumonia.....	2,709	255	149	56	39	23	38	26	57	67	104	131	359	376	351	403	274	1
101b	Fneumonia (unspecified).....	55	15	3	2			2	3	2		2	2	6	2	4	5	9	
102	Pleurisy.....	123	10	14	7	4	2	5	4	5	4	1	4	14	21	8	14	6	
103	Congestion and hemorrhagic infarct of the lung.....	44	3	3		1					1			1	2	3	8	22	
104	Gangrene of the lung.....	8								2				1	1	3	1		
105	Asthma.....	65	1	1										3	14	21	17	7	
106	Pulmonary emphysema.....	4												1	2				
107	Other diseases of the respiratory system (tuberculosis excepted).....	28	1							2	1	1	1	6	8	3	3	2	
<b>VI.—Diseases of the digestive system</b>																			
		3,114	776	147	53	36	27	92	66	71	69	91	117	323	397	416	270	163	
108	Diseases of the mouth and annexa.....	27	2													7		1	
109b	Other diseases of the pharynx, tonsils.....	108	3	5	1	7	4	18	7	7	8		11	8	11	10	7	1	
110	Diseases of the esophagus.....	2														2			
111a	Ulcer of the stomach.....	171								1	1	4	10	40	44	35	27	9	
111b	Ulcer of the duodenum.....	69									6	5	3	14	21	11	7	2	
112	Other diseases of the stomach (cancer excepted).....	112	23	5	2		2	2	2	1	1	2	2	11	10	17	16	16	
113	Diarrhea and enteritis (under 2 years).....	815	700	115															
114	Diarrhea and enteritis (2 years and over).....	160																	
116	Diseases due to other intestinal parasites.....	2			31	9	16	5	4	4	4	4	5	8	15	9	15	20	
117	Appendicitis and typhlitis.....	569	1	4		1													
118a	Hernia.....	172	3	1	7	8	8	44	46	49	36	49	52	95	77	61	28	4	
118b	Intestinal obstruction.....	214	3	1	1			1	1	1	1	1	5	21	30	36	44	29	
119	Other diseases of the intestines.....	28	33	10	6	4	1	4	3	2	5	8	6	20	37	31	15	29	
120	Acute yellow atrophy of the liver.....	15	5		1					1				2	3	9	2	5	
121	Hydatid tumor of the liver.....	1									3	1		2	2	6		1	
122	Cirrhosis of the liver.....	327												1					
123	Biliary calculi.....	145						1					3	9	48	69	99	30	
124	Other diseases of the liver.....	103	1			1		1	1	1			3	7	22	39	22	9	
125	Diseases of the pancreas.....	26		4				1	1		3	3	1	15	16	33	17	7	
126	Peritonitis without specified cause.....	48	4	2	4		3	4	2	4	1	6	2	6	6	5	2		
<b>VII.—Nonvenereal diseases of the genito-urinary system and annexa</b>																			
		4,596	23	12	7	7	9	22	20	31	47	77	111	353	620	950	1,164	1,143	
128	Acute nephritis (including unspecified under 10 years).....	225	14	6	6	3	8	10	7	10	8	12	18	30	32	28	18	15	
129	Chronic nephritis (including unspecified 10 years and over).....	3,861						11	12	18	28	40	58	236	512	849	1,054	1,041	
131	Other diseases of the kidneys and annexa.....	77	6	6	1	2	1	1		1	3	3	4	6	12	9	13	9	
132	Calculi of the urinary passages.....	31													5	6	9	3	
133	Diseases of the bladder.....	20	1											1	5	2	4	6	
134	Diseases of the urethra, etc.....	17													3	6	4		
135	Diseases of the prostate.....	169												2	2	6	4	67	
136	Nonvenereal diseases of the male genital organs.....	3	2												1				

CAUSES OF DEATH, BY AGE

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE, BY AGE, IN THE REGISTRATION AREA AND EACH REGISTRATION STATE: 1926—Continued

List No.	CAUSE OF DEATH	All deaths	Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 to 74 years	75 years and over	Age un- known
NEW JERSEY—Continued																			
	VII.—Nonvenereal diseases of the genito-urinary system and annexa—Contd.																		
137	Cysts, other benign tumors of the ovary	37									2	3	3	11	10	4	3	1	
138	Salpingitis and pelvic abscess (female)	54							1	1	3	11	15	18	3		1	1	
139	Benign tumors of the uterus	78									1	4	8	38	23	2	2		
141	Other diseases of the female genital organs	24								1	2	1	2	6	8	2	2		
	VIII.—The puerperal state	417								27	82	102	90	112	4				
143	Accidents of pregnancy	44								1	5	11	13	13	1				
144	Puerperal hemorrhage	54								2	10	9	12	20	1				
145	Other accidents of labor	50								4	6	8	7	24	1				
146	Puerperal septicemia	157								7	40	44	31	34	1				
147	Puerperal phlegmasia alba dolens, embolus, etc.	17										3	8	3	3				
148	Puerperal albuminuria and convulsions	92								12	17	21	24	18					
149	Following childbirth (undefined)	3								1	1	1							
	IX.—Diseases of the skin and of the cellular tissue	122	29	3		1	1	2		2	2	4	2	6	6	12	20	32	
151	Gangrene	51	1	2			1			1	1			3	1	4	13	24	
152	Furuncle	18	5	1							1	2		1	1	4	4	3	
153	Acute abscess	28	10			1		1		1		1	1	2	4	5	1	1	
154	Other diseases of the skin and annexa	25	13					1				1	1			3	2	4	
	X.—Diseases of the bones and of the organs of locomotion	68	3	3	1	1	3	5	5	4	2	3	4	14	7	6	4	3	
155	Diseases of the bones (tuberculosis excepted)	55	3	3	1	1	3	5	5	3	1	3	4	9	4	5	3	2	
156	Diseases of the joints (tuberculosis and rheumatism excepted)	8										1		4	2		1		
157	Amputations	1												1					
158	Other diseases of the organs of locomotion	4								1					1	1		1	
	XI.—Malformations	542	491	19	3	7	2	6	7	3			1	1	1	1			
159a	Congenital hydrocephalus	55	45	5		3		1	1										
159b	Congenital malformations of the heart	238	259	12	2	2	2	4	5	1			1						
159c	Other congenital malformations	199	187	2	1	2		1	1	2				1	1	1			
	XII.—Early infancy	1,899	1,899																
160	Congenital debility, icterus, sclerema	188	188																
161a	Premature birth	1,159	1,159																
161b	Injury at birth	365	365																
162	Other diseases peculiar to early infancy	185	185																
163	Lack of care	2	2																
164	XIII.—Old age (senility)	205														3	30	172	
	XIV.—External causes	3,628	70	60	64	66	53	209	127	189	206	222	251	560	534	401	330	284	2
	Suicide	482							2	6	15	28	40	116	124	83	52	16	
165	By poisons (gas or corrosives excepted)	26								1	2	4	1	11	2	3	1	1	
166	By corrosive substances	38								1	4	3	5	12	4	5	2	2	
167	By poisonous gas	116								2	1	3	13	17	35	24	19	2	
168	By hanging or strangulation	119							1	1		7	6	26	34	28	14	2	
169	By drowning	31										2	2	10	7	7	2	10	
170	By firearms	92							1	1	6	5	7	23	23	9	11	6	
171	By cutting or piercing instruments	34										2	3	11	13	3	1	1	
172	By jumping from high places	23									2	3	3	5	3	4	1	2	
173	By crushing	3										1	1	1	1	1	1	1	
	Homicide	166	7		1		1	2	2	5	22	29	24	35	22	9	7	1	
197	By firearms	86			1				1	3	13	15	16	18	13	5	1	1	
198	By cutting or piercing instruments	25				1				1	2	5	3	9	2	1	1	1	
199	By other means	55	7					2	1	1	7	9	5	8	8	5	3	3	
	Accidental or undefined	2,980	63	60	63	66	52	207	123	178	169	165	187	409	388	309	271	268	2
175	Poisoning by food	18			2	1	2	1		1	1			3	1	4		1	
176	Poisoning by venomous animals	3	1	1											1				
177	Other acute poisonings (gas excepted)	49		4	4	1	2	1	1		1	5	3	10	8	7		2	
178	Conflagration	55	1	3	3	5	1	5	1		6	3	3	7	6	3	3	3	
179	Burns (conflagration excepted)	220	6	27	25	23	16	22	3	6	5	8	6	17	15	14	15	12	
180	Mechanical suffocation	38	23	4	1			1			1		2	2					
181	Absorption of irrespirable, irritating, or poisonous gas	169	3	1	1	2		4	3	5	15	6	10	24	35	29	19	12	
182	Drowning	325	2	1	4	4	5	28	32	41	20	18	31	54	37	25	18	3	2
183	Traumatism by firearms (except in war)	39			1	1		5	4	8	3	1	4	7	1	2	2		
184	Traumatism by cutting or piercing instruments	16	1	1					1	1		1		3	5	1	2		
185	Traumatism by fall	547	2	7	11	4	4	12	10	12	16	12	19	55	65	61	84	173	
186a	Traumatism in mines	5												1	1				
186b	Traumatism in quarries	2												1	1				
187	Traumatism by machines	63						1	1	6	7	7	13	10	9	6	2	1	
188a	Railroad accidents	300	3			2	1	7	13	20	21	34	31	61	49	34	17	7	
	Collision with automobiles	56	2			1		3	4	3	6	8	8	9	11	1			
	Other railroad accidents	244	1			1	1	4	9	17	15	26	23	52	38	33	17	7	
188b	Street-car accidents	20						1	1	2	1	2	1	6	7	4	3	2	
	Collision with automobiles	9												2	3	1	1		
	Other street-car accidents	20						1	2	1	1	1	1	4	4	3	2	2	
188c	Automobile accidents (excluding collision with railroad trains and street cars)	792	1	1	9	19	18	112	44	56	54	39	43	102	94	80	87	33	

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE, BY AGE, IN THE REGISTRATION AREA AND EACH REGISTRATION STATE: 1926—Continued

List No.	CAUSE OF DEATH	All deaths	Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 to 74 years	75 years and over	Age un- known
<b>NEW JERSEY—Continued</b>																			
XIV.—External causes—Contd.																			
Accidental or undefined—Continued.																			
188d	Airplane and balloon accidents.....	1								1									
188e,f	Injuries by other vehicles.....	37	2	1		1	2	3		4		2	3	2	8		2	3	
188g	Landslide, other crushing.....	19							1	1		2	2	2	6		1	2	
189	Injuries by animals (not poisoning).....	8					1	1				1		1			1	3	
193	Excessive cold.....	15												1	4		2	4	3
194	Excessive heat.....	34	6	2								1	1	2	10		6	1	4
195	Lightning.....	7				1		1	3		1						1		
196	Other accidental electric shocks.....	28								4	4	6	6	5	2		1		
201	Fracture (cause not specified).....	13										2	2	2	1		3		3
202	Other external violence.....	148	12	6	2	2		3	5	8	14	12	6	24	20	19	6		9
XV.—Ill-defined diseases.....																			
205a	Ill-defined.....	44	25	2	3									4	5	4	3		
205b	Not specified or unknown.....	5	3											1		1			

**NEW YORK**

All causes.....	151, 345	15, 721	3, 240	1, 387	964	772	2, 389	1, 753	2, 663	3, 813	4, 283	4, 918	13, 285	18, 930	24, 611	27, 240	25, 304	72	
I.—Epidemic, endemic, and infectious diseases.....																			
1	Typhoid and paratyphoid fever.....	298	1		2		2	7	14	51	40	30	19	53	43	27	9		
2	Typhus fever.....	1																	
5	Malaria.....	9				1								2	1	1	3	1	
6	Smallpox.....	1																	
7	Measles.....	1, 071	266	385	160	80	44	90	12	5	7	3	5	3	2	3	3		
8	Scarlet fever.....	200	6	25	19	15	21	41	18	13	7	9	12	9	3	2			
9	Whooping cough.....	636	342	174	52	32	17	16											
10	Diphtheria.....	738	47	122	119	87	82	197	43	6	1	6	3	13	5	5	2		
11a	Influenza (with pulmonary complications)	1, 943	203	120	35	33	19	31	19	51	60	39	88	191	220	245	292	296	1
11b	Influenza (other and unspecified).....	839	87	23	14	12	9	37	24	20	14	25	29	64	63	84	109	111	225
13	Mumps.....	11	1	1	1			1						1	1	2			
15	Cholera nostras.....	3	2																
16	Dysentery.....	45	8	6	1		3	2	1	1	1	2		1	6	4	4	1	5
19	Spirochetal hemorrhagic jaundice.....	7	2					1						1	1				
20	Leprosy.....	1																	
21	Erysipelas.....	344	125	8	3		3	3	3	2	5	7	12	24	30	43	46	30	
22	Acute anterior poliomyelitis.....	142	7	8	13	8	9	25	30	14	12	5		5	4	2			
23	Dethargic encephalitis.....	263	6	8	10	4	9	11	14	20	17	27	13	38	36	35	12	3	
24	Meningococcus meningitis.....	148	36	16	4	10	4	20	8	11	6	9	5	5	8	5	1		
25	Other epidemic and endemic diseases.....	25	10	3	3		3	2	1					2					
28	Rabies.....	2												1					
29	Tetanus.....	71	3		1		3	6	11	5	7	4	7	10	8	3	3		
30	Mycoses.....	18	4			1		1		1				2	5	3			
31	Tuberculosis (all forms).....	10, 153	150	166	100	77	50	124	153	720	1, 197	1, 220	1, 045	1, 991	1, 551	988	485	131	5
32	Of the respiratory system.....	8, 937	38	40	22	19	10	35	100	646	1, 100	1, 134	986	1, 868	1, 461	921	439	114	4
	Of the meninges, central nervous system.....	535	79	100	58	45	31	67	29	20	28	24	17	19	10	5	2		1
33	Of the intestines, peritoneum.....	215	10	6	6	1	4	5	6	23	24	20	12	32	20	28	14	4	
34	Of the vertebral column.....	108	1	2	4	1	8	11	7	8	9	6	15	15	12	7	2		
35	Of the joints.....	32	1	1	2	1	1	3	1	2	1	2	5	3	3	3	5		
36	Of other organs.....	128	3	1		2	1	1	2	8	11	9	12	28	18	12	13	7	
37a	Disseminated (acute).....	179	19	15	8	4	2	7	1	15	22	21	10	20	21	6	5	3	
37b	Disseminated (chronic or unspecified).....	19	2	2	1			1	2	2				4	3	1			
38	Syphilis.....	858	144	13	3	4		2	2	12	19	37	53	190	181	133	56	9	
40	Gonococcus infection.....	71	5					1	2	9	16	11	21	5	1				
41	Purulent infection, septicemia.....	95	17	5	2	3	1	4	5	3	6	3	3	11	9	14	5	4	
42	Other infectious diseases.....	1																	
II.—General diseases not included in Class I.....																			
	Cancer and other malignant tumors.....	13, 635	10	8	8	13	7	22	21	35	64	110	229	1, 161	2, 639	3, 849	3, 580	1, 875	4
43	Of the buccal cavity.....	437	1						2	2		1	3	22	85	135	115	73	
44	Of the stomach, liver.....	4, 588	2						1	2	5	6	16	40	271	789	1, 434	667	2
45	Of the peritoneum, intestines, rectum.....	2, 322		1			1	2	5	4	22	28	39	172	376	666	654	351	1
46	Of the female genital organs.....	1, 720							3	3	12	26	52	293	469	424	298	140	
47	Of the breast.....	1, 390									2	2	38	174	381	365	281	146	1
48	Of the skin.....	271											1	15	28	45	75	103	
49	Of other or unspecified organs.....	2, 907	7	7	8	12	6	17	9	23	22	36	56	214	511	780	804	396	
50	Tumors, benign and unqualified (tumors of the female genital organs excepted).....	123	3		1		2		3	4	6	9	13	21	25	25	11		
51	Acute rheumatic fever.....	355	1	1	4	8	6	48	62	32	17	22	16	38	31	27	24	18	
52	Chronic rheumatism, osteoarthritis, gout.....	189	4					1			1	1	1	7	28	26	34	40	
53	Scurvy.....	4	2											1					
54	Pellagra.....	28											2	2	11	5	6	2	
55	Beriberi.....	2												1					
56	Rickets.....	61	41	12	4	3	1							1					
57	Diabetes mellitus.....	2, 813	4	3	4	1	4	16	30	28	33	27	33	136	457	955	871	311	
58	Anemia, chlorosis.....	726	20	6	1	1	1	4	4	10	8	14	10	77	142	199	157	66	1
59	Diseases of the pituitary gland.....	20						1		2			1	1	9				
60a	Exophthalmic goiter.....	328							3	8	12	29	21	61	81	72	30	11	
60b	Other diseases of the thyroid gland.....	65	4		4		1		2	2		3	3	8	11	14	8	5	
61	Diseases of the parathyroid glands.....	18	17	1															
62	Diseases of the thymus gland.....	156	120	14	6	1		3	3	3				3					
63	Diseases of the adrenals (Addison's disease).....	43							1	1	1	2	4	8	9	9	7	2	
64	Diseases of the spleen.....	16			1			1	1			3	3	3	2	1	1		
65a	Leukemia.....	291	7	7	9	11	3	12	11	16	14	8	32	40	47	43	24	7	

CAUSES OF DEATH, BY AGE

231

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE, BY AGE, IN THE REGISTRATION AREA AND EACH REGISTRATION STATE: 1926—Continued

List No.	CAUSE OF DEATH	All deaths	Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 to 74 years	75 years and over	AGE UN- KNOWN
NEW YORK—Continued																			
II.—General diseases not included in Class I—Continued.																			
65b	Hodgkin's disease.....	139	2	1	1	1	3	5	8	10	9	11	25	24	26	10	3		
66	Alcoholism (acute or chronic).....	788							1	4	25	62	268	253	137	32	4		2
67a	Chronic lead poisoning.....	15										1	1	7	4	2			
67b	Other chronic mineral poisoning.....	4								1	1	1	1	1	1	1			
68	Chronic poisoning by organic substances.....	58							11	14	18	8	3	4	3	2			2
69	Other general diseases.....	250	186	7	5	2	5	4	2	3	2	5	3	8	7	4	2	5	
III.—Diseases of the nervous system and of the organs of special sense.....																			
		13,742	296	102	44	45	37	177	128	130	162	177	254	861	1,731	2,638	3,511	3,445	4
70	Encephalitis.....	90	9	3	2	3	1	3	7	3	9	1	9	14	13	6	6	1	
71a	Simple meningitis.....	267	58	15	10	6	7	28	14	17	15	13	11	25	23	15	8	2	
71b	Nonepidemic cerebrospinal meningitis.....	53	10	11	2	2		7	3	1	2	1	2	5	3	2	1	1	
72	Tabs dorsalis (locomotor ataxia).....	203										1	3	16	51	68	51	13	
73	Other diseases of the spinal cord.....	380	4	2	2	2	2	5	3	14	7	5	14	33	63	78	94	54	
74a	Cerebral hemorrhage.....	9,161	24	4	2	4	3	4	4	12	26	47	261	973	1,931	2,878	2,984	4	
74b	Cerebral embolism and thrombosis.....	659	5	5	1	1	3	10	5	8	9	12	15	43	87	128	172	155	
75	Paralysis without specified cause.....	302	2							2	2	6	2	6	23	71	96	100	
76	General paralysis of the insane.....	746							4	5	15	45	241	245	136	45	10		
77	Other forms of mental alienation.....	191							8	32	26	19	39	38	12	13	4		
78	Epilepsy.....	333	5	1	5	2	2	11	27	25	28	32	32	57	45	30	18	13	
79	Convulsions (nonpuerperal; 5 years and over).....	2												1	1				
80	Infantile convulsions (under 5 years).....	80	67	8	3	1	1		3										
81	Chorea.....	6			1										1	1	2	6	
82	Neuralgia and neuritis.....	26											1	3	9	5		6	
83	Softening of the brain.....	71												1	2	14	21	33	
84	Other diseases of the nervous system.....	614	21	13	7	7	8	33	13	17	16	24	29	81	101	105	86	53	
85	Diseases of the eye and annexa.....	13	5	1			1	1						1	1	1	2	1	
86a	Diseases of the ear.....	301	60	21	6	8	8	37	27	15	14	12	12	19	23	21	9	9	
86b	Diseases of the mastoid process.....	244	26	18	5	9	4	40	22	14	11	9	13	15	29	14	9	6	
IV.—Diseases of the circulatory system.....																			
		36,618	123	28	24	17	23	191	326	347	344	387	530	1,984	4,295	7,173	9,841	10,973	12
87	Pericarditis.....	64	2	1	1			2	2	1	4	3	5	8	8	14	11		
88	Endocarditis and myocarditis (acute).....	915	54	15	8	5	6	31	59	58	54	67	75	185	79	66	80	73	
89	Angina pectoris.....	2,175							2	10	23	168	442	589	587	352	2		
90	Other diseases of the heart.....	29,297	59	10	14	11	17	152	261	281	281	293	1,500	3,414	5,844	8,067	8,685	9	
91a	Aneurysm.....	232						2		1	5	10	37	51	66	38	22		
91b,c	Other diseases of the arteries.....	3,352						1		1	2	5	43	172	453	937	1,737	1	
92	Embolism and thrombosis (not cerebral).....	510	2	1			1	2	4	2	4	12	41	114	132	108	87		
93	Diseases of the veins.....	46	1					1	1	1		3	3	11	14	9	3		
94	Diseases of the lymphatic system.....	22	5	2		1		2	1	2		2		1	2	1	1	2	
95	Hemorrhage without specified cause.....	1												1	1				
96	Other diseases of the circulatory system.....	4						1						1	1				1
V.—Diseases of the respiratory system.....																			
		17,011	3,289	1,346	414	218	117	245	144	233	341	416	562	1,579	1,862	1,992	2,022	2,226	5
97a	Diseases of the nasal fossae.....	10	2					4	3	5		8	1	11	13	13	2	3	
97b	Diseases of the nasal fossae annexa.....	82	2		1			4	3	5	9	8	9	11	13	2	2		
98	Diseases of the larynx.....	46	10	7	4	4	3	3	3	1	2	2	5	7	1	3			
99a	Acute bronchitis.....	419	159	17	9	4	2	3	3	1	2	2	8	17	18	34	140		
99b	Chronic bronchitis.....	292	8	5	2	1	3	2	3	2	1	3	8	26	33	75	120		
99c,d	Bronchitis (unspecified).....	178	49	3	2		1	1	1	2		1	5	11	10	19	76		
100a	Broncho-pneumonia.....	6,529	2,247	814	234	108	53	91	29	42	56	70	109	288	364	478	680	366	
100b	Capillary bronchitis.....	253	151	36	10	5	3	2	1	1	1	1	3	4	6	8	23		
101a	Lobar pneumonia.....	8,174	553	401	121	88	51	118	94	165	249	305	397	1,137	1,286	1,298	1,074	833	4
101b	Pneumonia (unspecified).....	244	45	19	9	1	1	8	2	1	4	5	11	26	34	19	37		
102	Pleurisy.....	429	52	37	20	9	3	10	10	11	15	16	19	45	61	49	40	32	
103	Congestion and hemorrhagic infarct of the lung.....	96	6	3					2		1	2	3	4	5	10	60		
104	Gangrene of the lung.....	20								1	3		7	4	3	1			
105	Asthma.....	133	1	2	1			2				2	13	22	27	37	26		
106	Pulmonary emphysema.....	20	1											3	1	4	6		
107	Other diseases of the respiratory system (tuberculosis excepted).....	86	3	2	1				1	3	4	6	17	19	13	13	3	1	
VI.—Diseases of the digestive system.....																			
		9,574	2,037	386	136	95	93	267	210	178	249	269	392	1,030	1,329	1,311	1,000	590	2
108	Diseases of the mouth and annexa.....	80	7	1	2			3	1	1	4	4	12	18	13	6	6		
109a	Adenoid vegetations.....	1					1												
109b	Other diseases of the pharynx, tonsils.....	372	25	28	16	18	16	39	25	15	25	24	24	44	38	16	8	11	
110	Diseases of the esophagus.....	17							1	1			1	3	2	4	4	1	
111a	Ulcer of the stomach.....	579	2						2	4	15	20	36	120	142	107	98	33	
111b	Ulcer of the duodenum.....	245							4	6	13	18	56	65	50	24	9		
112	Other diseases of the stomach (cancer excepted).....	226	40	10	5			1	1	1	5	3	3	15	33	24	40	45	
113	Diarrhea and enteritis (under 2 years).....	2,103	1,813	290										44	38	36	38	51	
114	Diarrhea and enteritis (2 years and over).....	400			56	27	22	38	12	10	10	9	9						
116	Diseases due to other intestinal parasites.....	4										1	1	1			1		
117	Appendicitis and typhlitis.....	1,779	4	19	36	35	43	147	144	111	132	113	139	265	279	179	109	23	1
118a	Hernia.....	656	12	4			1		2	3	3	8	19	49	109	173	164	109	
118b	Intestinal obstruction.....	682	104	18	12	3	2	20	11	10	13	15	30	67	85	107	103	82	
119	Other diseases of the intestines.....	118	6	1		1	1	1			3	4	6	15	25	30	13	12	
120	Acute yellow atrophy of the liver.....	72		1						6	4	5	2	2	13	10	3	7	
121	Hydatid tumor of the liver.....	6											1	1			3		
122	Cirrhosis of the liver.....	1,038		2				3	2	1	5	10	34	124	249	296	204	108	
123	Biliary calculi.....	424									4	11	22	60	102	109	89	27	
124	Other diseases of the liver.....	498	3		1	1		5	1	5	6	19	29	79	98	117	81	53	
125	Diseases of the pancreas.....	107																	

MORTALITY STATISTICS

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE, BY AGE, IN THE REGISTRATION AREA AND EACH REGISTRATION STATE: 1926—Continued

List No.	CAUSE OF DEATH	All deaths	NEW YORK—Continued																	Age un-known
			Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 to 74 years	75 years and over		
	VII.—Nonvenereal diseases of the genito-urinary system and annexa.....	14,450	49	17	20	12	11	45	49	116	149	211	348	1,207	1,953	3,031	3,798	3,429	5	
128	Acute nephritis (including unspecified under 10 years).....	376	21	4	9	6	7	22	6	20	19	10	29	58	62	50	31	22		
129	Chronic nephritis (including unspecified 10 years and over).....	12,443		2	3	3	3	13	39	79	95	139	216	875	1,662	2,749	3,432	3,128	5	
131	Other diseases of the kidneys and annexa.....	284	19	10	8	3	1	9	3	3	5	7	20	36	40	52	33	35		
132	Calculi of the urinary passages.....	113						1				5	11	22	21	24	11	13		
133	Diseases of the bladder.....	53										1	5	3	7	6	10	26		
134	Diseases of the urethra, etc.....	44										1	1	14	11	6	9	2		
135	Diseases of the prostate.....	516										1	1	4	10	79	232	188		
136	Nonvenereal diseases of the male genital organs.....	11	6								1				2	1	1			
137	Cysts, other benign tumors of the ovary.....	106							2	2		5	8	23	23	20	14	9		
138	Salpingitis and pelvic abscess (female).....	182	1						1	11	18	29	39	55	15	9	2	2		
139	Benign tumors of the uterus.....	254										10	12	104	86	22	18	2		
140	Nonpuerperal uterine hemorrhage.....	1													1					
141	Other diseases of the female genital organs.....	63								1	1	5	11	13	12	13	5	2		
142	Nonpuerperal diseases of the breast (cancer excepted).....	4	3												1					
	VIII.—The puerperal state.....	1,260							2	74	230	306	294	344	9				1	
143	Accidents of pregnancy.....	138								4	13	41	42	37	1					
144	Puerperal hemorrhage.....	161								6	25	36	39	54	1					
145	Other accidents of labor.....	162								6	21	39	42	51	3					
146	Puerperal septicemia.....	471							1	34	105	111	103	113	3				1	
147	Puerperal phlegmasia alba dolens, embolus, etc.....	79						1	1	16	21	17	23	23						
148	Puerperal albuminuria and convulsions.....	246								22	50	57	50	66	1					
149	Following childbirth (undefined).....	1											1							
150	Puerperal diseases of the breast.....	2																		
	IX.—Diseases of the skin and of the cellular tissue.....	346	74	3	2	1	1	6	5	8	9	6	14	33	32	29	49	74		
151	Gangrene.....	90						1		1	1			1	6	8	25	47		
152	Furuncle.....	66	12	2				3	5	1	1	4	10	10	7	7	7	2		
153	Acute abscess.....	99	27	1	2		1	2	1	2	3	6	15	7	10	8	12			
154	Other diseases of the skin and annexa.....	91	35			1		1	1	5	2	4	7	9	4	9	13			
	X.—Diseases of the bones and of the organs of locomotion.....	175	13	4	7	8	8	20	17	7	11	4	10	16	16	18	6	10		
155	Diseases of the bones (tuberculosis excepted).....	138	10	4	7	6	6	20	14	6	9	3	8	11	10	13	5	6		
156	Diseases of the joints (tuberculosis and rheumatism excepted).....	33	3			2	2		3	1	2	1	2	4	5	4	1	3		
157	Amputations.....																			
158	Other diseases of the organs of locomotion.....	4												1	1	1		1		
	XI.—Malformations.....	1,603	1,440	64	24	11	10	29	7	5	6	4	2		1					
159a	Congenital hydrocephalus.....	200	157	17	6	2	5	6	3	1	1	1	1		1					
159b	Congenital malformations of the heart.....	837	753	28	12	5	2	18	2	5	1	1	1							
159c	Other congenital malformations.....	566	525	19	6	4	3	5	2		2									
	XII.—Early infancy.....	6,270	6,270																	
160	Congenital debility, icterus, sclerema.....	569	569																	
161a	Premature birth.....	3,689	3,689																	
161b	Injury at birth.....	1,437	1,437																	
162	Other diseases peculiar to early infancy.....	569	569																	
163	Lack of care.....	6	6																	
164	XIII.—Old age (senility).....	526														3	65	458		
	XIV.—External causes.....	11,473	109	144	128	147	164	669	360	473	723	775	741	1,692	1,728	1,408	1,081	1,014	27	
	Suicide.....	1,617						4	33	95	136	148	327	355	297	155	62	5		
165	By poisons (gas or corrosives excepted).....	84							2	9	9	3	17	17	16	5	6			
166	By corrosive substances.....	116							7	14	21	17	27	15	10	2	3			
167	By poisonous gas.....	453							6	12	37	45	103	87	95	37	6			
168	By hanging or strangulation.....	313							2	6	19	24	50	57	58	38	21	1		
169	By drowning.....	100							3	3	6	9	15	23	25	31	10			
170	By firearms.....	281							2	7	20	22	24	55	60	47	31	5	3	
171	By cutting or piercing instruments.....	103									4	7	23	27	21	13	8			
172	By jumping from high places.....	125									8	14	17	24	23	21	12	5	1	
173	By crushing.....	23									4	2	2	12	4	3				
174	By other means.....	9									1	2	2	1	2	1	2			
	Homicide.....	546	11	3	2	3		8	4	31	85	100	82	114	66	24	11		2	
197	By firearms.....	281						1	1	15	46	60	53	64	27	9	3			
198	By cutting or piercing instruments.....	82		1				2	1	2	12	16	12	24	10	2				
199	By other means.....	183	11	2	2	1		5	2	14	27	24	17	26	13	8				
	Accidental or undefined.....	9,310	183	141	126	144	164	661	352	409	543	539	511	1,251	1,307	1,087	915	952	20	
175	Poisoning by food.....	24	1					2	1	1	4	1	2	2	4					
176	Poisoning by venomous animals.....	2	1																	
177	Other acute poisonings (gas excepted).....	146	7	17	7	6	2	3	3	2	8	11	11	25	24	12	6	2		
178	Conflagration.....	216	10	9	10	7	12	17	10	9	6	8	10	19	34	15	17	23		
179	Burns (conflagration excepted).....	575	16	52	53	48	34	62	18	11	20	17	25	55	52	46	31	35		
180	Mechanical suffocation.....	91	64	3				1			3	5	3	5	3	4				
181	Absorption of irrespirable, irritating, or poisonous gas.....	979	13	5	2			8	5	19	45	56	69	153	187	193	153	70	1	

CAUSES OF DEATH, BY AGE

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE, BY AGE, IN THE REGISTRATION AREA AND EACH REGISTRATION STATE: 1926—Continued

List No.	CAUSE OF DEATH	All deaths	Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 to 74 years	75 years and over	Age un-known
NEW YORK—Continued																			
XIV.—External causes—Contd.																			
Accidental or undefined—Continued.																			
182	Drowning	988	7	11	6	7	10	73	73	87	103	82	69	172	118	76	84	2	8
183	Traumatism by firearms (except in war)	103			1	2	2	5	12	23	9	8	5	13	14	6	2	1	
184	Traumatism by cutting or piercing instruments	74	3	1	2	2	1	5	2	2	3	2	2	11	10	16	9	3	
185	Traumatism by fall	1,925	4	19	16	11	21	79	30	29	48	53	67	190	253	209	286	609	1
186a	Traumatism in mines	7									2	1	2	1					
186b	Traumatism in quarries	3																	
187	Traumatism by machines	235			1			1	5	19	23	27	22	57	40	23	13	4	
188a	Railroad accidents	542	1	1	3	1	2	13	13	26	44	56	48	109	94	76	44	7	4
	Collision with automobiles	133	1		2		1	3		10	12	19	10	29	22	18	4	1	
	Other railroad accidents	409		1	1	1	1	10	13	16	32	37	38	80	72	58	40	6	3
188b	Street-car accidents	289		2	1	3	3	9	7	14	15	23	19	43	63	44	29	14	
	Collision with automobiles	40			1	1		1		5	7	7	2	3	11	1	2		
	Other street-car accidents	249		2	1	2	3	9	6	9	8	16	17	40	52	43	27	14	
188c	Automobile accidents (excluding collision with railroad trains and street cars)	2,178	6	3	16	51	67	350	139	128	140	125	95	242	267	245	197	105	2
188d	Airplane and balloon accidents	9									5	1		2					1
188e	Injuries by other vehicles	130	1	1	2	1	3	15	8	7	10	2	12	11	13	20	18	6	
188g	Landslide, other crushing	57					1			5	5	4	5	13	18	2	4	5	
189	Injuries by animals (not poisoning)	31	1						1		1			3	6	7	5		
190	Wounds of war	1																	
192	Starvation (deprivation of food or water)	2													1		1		
193	Excessive cold	23				1				1		1		3	4	4	3	6	
194	Excessive heat	67	17	2	1		1	1		1	1	1	3	15	7	9	5	4	
195	Lightning	10							1	1			1	3	1	1			
196	Other accidental electric shocks	86	1					2	4	8	15	21	10	11	10	2	2		
201	Fracture (cause not specified)	129					1	1	1	1	2	3	3	15	22	24	21	37	1
202	Other external violence	433	35	15	4	4	4	12	19	17	32	30	24	76	58	51	31	19	2
XV.—Ill-defined diseases																			
		126	42	3		1		1		1	2	4	2	9	9	10	22	17	3
204	Sudden death	18	3									1	1	2	1	3	3	4	
205a	Ill-defined	58	5	3		1		1		1	2	3	1	3	7	3	17	9	2
205b	Not specified or unknown	50	34											4	1	4	2	4	1

NORTH CAROLINA

All causes	White	Colored	20,957	4,022	832	325	193	153	407	294	539	634	628	666	1,531	1,619	2,145	3,336	3,567	66
			13,605	2,747	642	247	127	88	291	252	643	912	758	585	1,268	1,354	1,173	1,173	1,230	66
I.—Epidemic, infectious diseases	White	Colored	3,292	362	201	104	71	48	122	79	155	201	239	248	374	264	225	273	312	9
			2,941	332	158	80	42	26	100	113	270	424	318	209	329	214	134	100	80	12
1	Typhoid and paratyphoid fever	(W) 134 (C) 143				1		1	7	14	29	18	19	7	17	6	10	5	1	
5	Malaria	(W) 44 (C) 58			1	3	1	1	3	4	2	3	3	3	3	4	4	3	5	1
6	Smallpox	(W) 10 (C) 4																		
7	Measles	(W) 53 (C) 43			15	2	2	2	5	6	1	2				1	1	1		
8	Scarlet fever	(W) 29 (C) 6			2	1	4	4	7	1				1	1					
9	Whooping cough	(W) 154 (C) 140			38	9	7	3	37	3	1	2							1	
10	Diphtheria	(W) 190 (C) 72			15	4	32	23	37	3	1	1								
11a	Influenza (with pulmonary complications)	(W) 697 (C) 413			104	47	15	10	6	17	5	25	14	22	24	61	64	62	108	111
11b	Influenza (other and unspecified)	(W) 303 (C) 201			45	14	5	2	5	5	8	6	3	2	17	18	20	47	107	2
13	Mumps	(W) 4 (C) 1			1			1	1											
15	Cholera nostras	(W) 11 (C) 8			1		1					2				1	1	2	3	
16	Dysentery	(W) 107 (C) 79			24	16	6	1	2	3		1			4	7	9	13	21	
21	Erysipelas	(W) 46 (C) 9			10	2			2	1		1		1	1	1	6	1	10	
22	Acute anterior poliomyelitis	(W) 36 (C) 16			4	3	3	3	10	4				3				1	1	
23	Lethargic encephalitis	(W) 19 (C) 3			1	1			3	1		1		2	1				1	
24	Meningococcus meningitis	(W) 21 (C) 8			5	2		1	1	1		1		1	2					
25	Other epidemic and endemic diseases	(W) 5 (C) 1			2	1		1	1	1		1								
28	Rabies	(W) 7 (C) 23			4	1	1		2	13	1				1					
29	Tetanus	(W) 16 (C) 1			7			3	3	3				1	1			1		
30	Mycoses	(W) 9 (C) 1			7	2			9											
	Tuberculosis (all forms)	(W) 1,297 (C) 1,497			14	15	7	4	2	9	14	71	148	179	202	244	152	103	88	40
	Of the respiratory system	(W) 1,175 (C) 1,346			5	5	2	4	3	4	7	64	134	175	195	226	141	96	81	35
	Of the meninges, central nervous system	(W) 30 (C) 34			3	5	5	1	4	1	4	7	1	1	4	5	3	5	4	1
	Of the intestines, peritoneum	(W) 30 (C) 60			3	5	5	1	4	4	7	1	1	2	9	3	5	4	3	

MORTALITY STATISTICS

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE, BY AGE, IN THE REGISTRATION AREA AND EACH REGISTRATION STATE: 1926—Continued

List No.	CAUSE OF DEATH	All deaths	NORTH CAROLINA—Continued													Age unknown	
			Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 44 years	45 to 54 years		55 to 64 years
I.—Epidemic, endemic, and infectious diseases—Contd.																	
Tuberculosis (all forms)—Continued.																	
34	Of the vertebral column.....	12	2		1	1				2					1		
	Of the joints.....	13						1		2	1	3		1			
35	Of other organs.....	10								1	2	3		2			
36	Disseminated (acute).....	15		2						1	2	2		2			
37a	Syphilis.....	17	1	1				1	1	3	6	6		3		1	1
38	Gonococcus infection.....	19						1	1	4	5	5		3		1	1
	Purulent infection, septicemia.....	55	15	2				1	1	3	4	6		2		2	2
41	Other infectious diseases.....	7	32	6	3			1	2	3	8	21		19	18	30	22
42		181	1							2	2	2		1	2	2	6
		20	1	1	1			1	1	7	1	2		1	2	3	4
		38	1					1	1	2	3	1		1	2	2	6
		9								3	1			1			
		1												1			
II.—General diseases not included in Class I.																	
	White.....	1,869	57	22	11	6	14	22	15	27	32	46	54	203	316	341	414
	Colored.....	760	27	8	7	3	4	6	12	17	30	37	40	126	159	118	111
	Cancer and other malignant tumors.....	1,045	4	3	1	7	6	1	12	5	12	13	100	193	213	267	204
43	Of the buccal cavity.....	360	1	2	1	1	1	2	5	6	6	16	55	99	76	70	25
	Of the stomach, liver.....	31												4	8	6	12
44	Of the peritoneum, intestines.....	6											1	3	1	1	1
45	Of the female genital organs.....	378								2			1	28	70	83	109
46	Of the breast.....	114											1	18	26	33	27
47	Of the skin.....	94								1			1	6	10	13	17
48	Of other or unspecified organs.....	27								1			1	1	8	3	6
49	Tumors, benign and unqualified (tumors of the female genital organs excepted).....	178								2	2	6	4	20	50	34	32
50	Acute rheumatic fever.....	114									1	3	9	38	23	14	4
51	Chronic rheumatism, osteoarthritis, gout.....	81											2	30	50	34	32
52	Scurvy.....	36											1	10	23	22	13
53	Pellagra.....	70								1			2	5	18	4	5
54	Beriberi.....	4												4	9	24	30
55	Rickets.....	213	4	3		3	5	1	6	3	4	2	20	29	40	53	40
56	Diabetes mellitus.....	59	1	2	1	1	2	1	4	1	3	1	3	13	7	14	9
57	Anemia, chlorosis.....	7											1	1	3	3	2
58	Diseases of the pituitary gland.....	44		1	1	1	5	5	1	1	3	4	2	3	9	4	5
59	Exophthalmic goiter.....	40											1	2	2	5	6
60a	Other diseases of the thyroid gland.....	27											1	1	3	1	3
60b	Diseases of the parathyroid glands.....	4												1	1	1	1
61	Diseases of the thymus gland.....	15	15	1													
62	Diseases of the adrenals (Addison's disease).....	2	1	1													
63	Diseases of the spleen.....	6											3	1	1		
64	Leukemia.....	24	2	2		1	3	4	1	1	1	2		2	2	2	1
65a	Hodgkin's disease.....	4												1			
65b	Alcoholism (acute or chronic).....	13												3	4		1
66	Chronic lead poisoning.....	3												1			
67a	Chronic poisoning by organic substances.....	31												1			
68	Other general diseases.....	20	24	9	2	2	1	1	3	1	1	1	1	1	1	2	2
69		53	12	1	1												
		20															
III.—Diseases of the nervous system and of the organs of special sense.																	
	White.....	2,133	98	21	15	12	7	37	20	25	16	25	21	123	205	356	606
	Colored.....	1,229	58	10	7	4	8	5	20	20	32	27	34	121	246	266	201
70	Encephalitis.....	44	7	1	2	1		5	2		2	2	6	4	5	3	2
71a	Simple meningitis.....	14	2	1				1	1		1	1	2	2	3		
71b	Nonepidemic cerebrospinal meningitis.....	53	15	6	6	4	1	6	3	3	1	1	2	1	2	1	
72	Tabes dorsalis (locomotor ataxia).....	27	8	4	4	1	1	2	1	4			1				
		24	11	2	2	1	3	3	1				1				
		6	2		1	1							1				
		16											1	2	4	7	1
		4											2	2	2		

CAUSES OF DEATH, BY AGE

235

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE, BY AGE, IN THE REGISTRATION AREA AND EACH REGISTRATION STATE: 1926—Continued

List No.	CAUSE OF DEATH	All deaths	Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 to 74 years	75 years and over	Age un-known	
NORTH CAROLINA—Continued																				
III.—Diseases of the nervous system and of the organs of special sense—Continued.																				
73	Other diseases of the spinal cord.	W 45 C 17	1					1	4	1	2	3	7	9	7	7	9		1	
74a	Cerebral hemorrhage.	W 1,389 C 826	2				1	2	1	1	4	6	61	146	265	481	414		4	
74b	Cerebral embolism and thrombosis.	W 29 C 7	1			1		1					1	4	6	8	1			
75	Paralysis without specified cause.	W 220 C 140	3	1		1		1		1	2	1	9	14	26	36	74	84	5	
76	General paralysis of the insane.	W 21 C 25									1	1	4	4	6	4	4	2	1	
77	Other forms of mental alienation.	W 53 C 21							3	3	5	3	10	10	9	6	4	4		
78	Epilepsy.	W 62 C 9	3	1		1		3	8	3	6	4	12	6	7	3	5	4		
79	Convulsions (nonpuerperal; years and over).	W 6 C 9						1	2	1	1	2	2		1					
80	Infantile convulsions (under 5 years).	W 28 C 25	24	2	2		1	1												
81	Chorea.	W 2 C 2									1				2					
82	Neuralgia and neuritis.	W 15 C 2													1	2	5	10		
83	Softening of the brain.	W 52 C 17	2	2	1	2		4	4	4	2	3	1	5	6	7	4	5		
84	Other diseases of the nervous system.	W 1 C 17						1	2	3	1		1	1	2	3	1	2		
85	Diseases of the eye and annexa.	W 36 C 14	16	3		1		6	1	2				2	2	2	1	1		
86a	Diseases of the ear.	W 16 C 36	4	4	1	2		1	1	3				1	2	1	1	1		
86b	Diseases of the mastoid process.	W 5 C 5	2	1				4	1					1						
IV.—Diseases of the circulatory system.		White 2,748 Colored 1,433	16 4	7 3	2	1	2	12 11	22 12	27 31	23 52	22 49	44 55	127 162	214 250	462 248	840 280	918 268	9 7	
87	Pericarditis.	W 10 C 9						1	1	3	1	1	1		1	3	1	1		
88	Endocarditis and myocarditis (acute).	W 64 C 60	2	2				3	13	2	3	3	7	17	2	4	5	1		
89	Angina pectoris.	W 221 C 43	1	1							5	5	16	22	56	86	35	1		
90	Other diseases of the heart.	W 2,230 C 1,232	14	4	2	1	2	9	8	22	18	15	29	88	165	369	676	800	8	
91a	Aneurysm.	W 12 C 19						7	11	23	42	37	2	2	4	4	7	1		
91b, c	Other diseases of the arteries.	W 136 C 49											1	2	9	12	50	63		
92	Embolism and thrombosis (not cerebral).	W 23 C 6								1	1	1	1	1	6	7	4	3		
93	Diseases of the veins.	W 6 C 3									1	2	1			1		1		
94	Diseases of the lymphatic system.	W 3 C 3						1			1	1	1					1		
95	Hemorrhage without specified cause.	W 2 C 3		1										1						
96	Other diseases of the circulatory system.	W 34 C 16									1			1	1	2	5	13 6		
V.—Diseases of the respiratory system.		White 1,799 Colored 1,254	474 402	157 120	61 50	33 24	25 14	44 36	26 30	48 59	33 64	36 54	40 48	113 96	106 70	133 61	190 55	272 65	3 6	
97a	Diseases of the nasal fossae.	W 12 C 23	6	1				1			1						1	3		
97b	Diseases of the nasal fossae annexa.	W 18 C 6	1	1				2	2	3		1	1	2		4	1	1		
98	Diseases of the larynx.	W 8 C 4	1		1	2		3			1		1	1			1	1		
99a	Acute bronchitis.	W 24 C 20	12	6			1									2	3			
99b	Chronic bronchitis.	W 24 C 6	15	1	2						1			2	4	4	3	9		
99c, d	Bronchitis (unspecified).	W 21 C 19	12	3	2		1	1	1	1	1	1	1	1	1	1	2	3		
100a	Broncho-pneumonia.	W 662 C 405	293 199	90 68	29 29	16 10	9 9	19 12	3 5	6 4	3 7	4 5	2 2	4 4	14 11	23 8	40 7	94 23	2	
100b	Capillary bronchitis.	W 9 C 9	5	1							1						1	1		
101a	Lobar pneumonia.	W 749 C 524	32 80	41 27	19 10	7 5	11 4	14 16	18 18	39 39	40 3	25 4	26 36	71 66	65 46	75 37	114 36	120 24	3 3	
101b	Pneumonia (unspecified).	W 159 C 160	51 67	11 12	8 5	3 7	1 2	4 6	3 3	7 11	3 1	6 2	5 2	11 5	4 4	15 8	15 5	10 1		
102	Fleurisy.	W 32 C 21	1	6			2			1	1	2	2	5	3	4	2	1		
103	Congestion and hemorrhagic infarct of the lung.	W 27 C 6	3	1		1		1			1		1	1	1	2	2	16		
104	Gangrene of the lung.	W 5 C 1											1	3	1			1		
105	Asthma.	W 31 C 27	1								1	2	3	10	5	6	2	2		
107	Other diseases of the respiratory system (tuberculosis excepted).	W 18 C 18	3		1	1		2	2	4	1	1	2	5	2	1	3	4		
VI.—Diseases of the digestive system.		White 1,904 Colored 1,116	624 432	341 200	91 39	25 14	22 6	54 35	50 16	53 28	41 41	36 40	39 27	100 65	101 70	120 44	112 39	91 31	4 1	
108	Diseases of the mouth and annexa.	W 13 C 3	3					3			1		1	2	4	1				
109b	Other diseases of the pharynx, tonsils.	W 54 C 47	3 4	3 1	3 1	3 3	3 1	9 12	3 1	3 2	3 5	4 5	1 5	4 3	3 2	1 1	2 2	6	1	



CAUSES OF DEATH, BY AGE

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE, BY AGE, IN THE REGISTRATION AREA AND EACH REGISTRATION STATE: 1926—Continued

List No.	CAUSE OF DEATH	All deaths	Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 to 74 years	75 years and over	Age unknown
NORTH CAROLINA—Continued																			
	X.—Diseases of the bones and of the organs of locomotion.....	White 29 Colored 11	1	1				5	7	1	1	1		3	3	3	3		
155	Diseases of the bones (tuberculosis excepted).....	W 22 C 7	1	1				4	7	1		1	1	2	3	1	1		
156	Diseases of the joints (tuberculosis and rheumatism excepted).....	W 6 C 2						1			1			1		1	2		
158	Other diseases of the organs of locomotion.....	W 1 C 2						1								1		1	
	XI.—Malformations.....	White 234 Colored 58	213	4	1	1	3	7	1	3	1								
159a	Congenital hydrocephalus.....	W 13 C 13	6	3		1		1	1	1	2								
159b	Congenital malformations of the heart.....	W 139 C 22	129	1			1	6	1	2	1								
159c	Other congenital malformations.....	W 82 C 23	78	1	1		2	3											
	XII.—Early infancy.....	White 1,499 Colored 702	1,499	702															
160	Congenital debility, icterus, sclerema.....	W 217 C 140	217	140															
161a	Premature birth.....	W 1,053 C 447	1,053	447															
161b	Injury at birth.....	W 166 C 60	166	60															
162	Other diseases peculiar to early infancy.....	W 61 C 42	61	42															
163	Lack of care.....	W 2 C 13	2	13															
164	XIII.—Old age (senility).....	White 269 Colored 247													2	3	35	229	2
	XIV.—External causes.....	White 1,486 Colored 839	78	33	24	33	25	80	52	118	143	106	90	167	147	104	130	147	9
	Suicide.....	W 143 C 16							2	7	12	9	12	33	30	19	14	4	1
165	By poisons (gas or corrosives excepted).....	W 3											1	1				1	
166	By corrosive substances.....	W 19								3	5	1	1	3	1	3	1	1	
167	By poisonous gas.....	W 4												3	1				
168	By hanging or strangulation.....	W 21 C 1							1	1		2	4	5	4	4			
169	By drowning.....	W 3 C 4												1	2		3		
170	By firearms.....	W 74 C 11						1	3	7	4	5	18	18	8	1	8	2	
171	By cutting or piercing instruments.....	W 10										1	1	4	1	1	1		1
172	By jumping from high places.....	W 2												1	1	1	1		
173	By crushing.....	W 1															1		
174	By other means.....	W 6													3	2	1		
	Homicide.....	W 106 C 181	7	1				1	1	10	17	8	13	24	12	9	3	2	2
197	By firearms.....	W 77 C 132	1					1	1	26	37	40	22	28	18	3	1	1	1
198	By cutting or piercing instruments.....	W 9 C 23								16	8	13	8	11	19	10	6	6	1
199	By other means.....	W 20 C 21	7	1						1	6	5	1	1	1	1	1	1	1
	Accidental or undefined.....	W 1,237 C 642	71	33	24	33	25	80	49	101	114	89	65	110	105	76	113	143	6
175	Poisoning by food.....	W 17 C 2	5	2	2	3	1	2						1	2		1		
176	Poisoning by venomous animals.....	W 2 C 2	2											2	2		1		
177	Other acute poisonings (gas excepted).....	W 21 C 26	2	4	5	1	3	3	1	1	1	2		3	5	2	1		1
178	Conflagration.....	W 20 C 18	1	2	1	3		1		2	3	1	1	4	2		2	1	1
179	Burns (conflagration excepted).....	W 122 C 130	5	15	7	17	8	14	7	6	4	5	3	2	6	3	9	11	
180	Mechanical suffocation.....	W 35 C 32	33	1				23	9	6	6	3	1		2		3	5	1
181	Absorption of irrespirable, irritating, or poisonous gas.....	W 9										4	1				1		
182	Drowning.....	W 66 C 41		3		1	1	7	7	13	11	6	3	7	4	1	1	1	
183	Traumatism by firearms (except in war).....	W 56 C 50			1		2	4	6	10	15	4	3	3	6	4	3	2	1
184	Traumatism by cutting or piercing instruments.....	W 5 C 5	1					1		1	2	1				1	1	1	1
185	Traumatism by fall.....	W 197 C 36	2	2	2	2	1	3	3	5	1	3	2	9	12	11	36	101	
186a	Traumatism in mines.....	W 6 C 2								1	3		1		1		5	8	
186b	Traumatism in quarries.....	W 3 C 2								1	1					1			
187	Traumatism by machines.....	W 28 C 13							1	2	3	3	4	1	8	4	2		

MORTALITY STATISTICS

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE, BY AGE, IN THE REGISTRATION AREA AND EACH REGISTRATION STATE: 1926—Continued

List No.	CAUSE OF DEATH	All deaths	Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 to 74 years	75 years and over	Age un- known
NORTH CAROLINA—Continued																			
XIV.—External causes—Contd.																			
Accidental or undefined—Continued.																			
188a	Railroad accidents.....	95						1	1	12	16	8	9	16	7	12	9	3	1
	Collision with automobiles.....	44						1	1	6	10	3	7	8	4	4	5	1	1
	Other railroad accidents.....	51						1		6	9	5	2	8	3	8	4	3	1
188b	Street-car accidents.....	35						1		3	10	7	6	3	2	1	1	1	1
	Collision with automobiles.....	8						1			2	1	1	1	1	1	1	1	1
	Other street-car accidents.....	3																	
188c	Automobile accidents (exclud- ing collision with railroad trains and street cars).....	333	4	1	2	5	5	38	12	30	43	31	21	42	37	19	31	11	1
188d	Airplane and balloon accidents.....	122			2	1	3	4	7	17	25	14	8	17	11	5	5	3	
188e,f	Injuries by other vehicles.....	2																	
	Landslide, other crushing.....	18	1						2		3			1		2	4	2	
188g	Injuries by animals (not poi- soning).....	8	1			1		3		1					1		2	1	1
189	Starvation (deprivation of food or water).....	3				1		1		2									
193	Excessive cold.....	1			1			1							1		1		
194	Excessive heat.....	3								1								2	
195	Lightning.....	13					1			2	1		1	2	3		1	3	
196	Other accidental electric shocks.....	10						2		1	1	2	2	1	1	2	1		
201	Fracture (cause not specified).....	8							2	5	3	5	3	4	1		1		
202	Other external violence.....	22							2	5	3	2	2	1	1		2	4	
	Fracture (cause not specified).....	4							1	1	3	2	1	1	1	2	2	4	
	Other external violence.....	101	15	7	2	3	2	7	3	6	9	6	10	9	5	8	4	4	1
	Fracture (cause not specified).....	60	17	2	1				2	3	8	7	4	7	3	2	4		
	XV.—Ill-defined dis- eases.....	1,208	576	38	9	4	3	8	8	12	15	14	17	49	50	74	137	187	7
	White.....	1,400	686	96	27	13	6	21	15	30	35	26	13	67	77	73	67	140	8
204	Sudden death.....	209	27	2				2	2	3	3	2	5	19	16	23	55	54	1
	Ill-defined.....	125	26	2	1	3		2	1	3	3	3	5	11	24	15	9	21	
205a	Not specified or unknown.....	188	65	13		1		1	3	1	3	2	3	8	9	15	24	40	
	White.....	166	31	21	5	1		2	2	6	2	2	3	10	17	21	17	23	3
205b	Not specified or unknown.....	811	484	23	9	3	3	7	5	9	9	10	9	22	25	36	58	93	6
	White.....	1,109	629	73	21	10	5	17	12	21	30	21	9	46	36	37	41	96	5

NORTH DAKOTA

All causes.....		5,313	1,032	128	76	56	47	145	148	158	148	137	141	430	443	603	856	764	1
I.—Epidemic, endemic, and infectious diseases.....		789	122	45	28	18	27	46	33	46	49	44	38	93	59	48	39	54	
1	Typhoid and paratyphoid fever.....	18						2	2	4	1	1	2	3	3				
7	Measles.....	35	12	6	3	1	4	3	1	3				2					
8	Scarlet fever.....	65	5	3	6	4	10	17	10	1	1	1	2	4	1				
9	Whooping cough.....	75	50	12	9	1	2												
10	Diphtheria.....	31	1	3	1	3	5	9	5			2	2						
11a	Influenza (with pulmonary complica- tions).....	107	16	4	4		1	1		2	8	6	8	12	7	12	12	19	
11b	Influenza (other and unspecified).....	87	10	7	4	3	2	2	2	3	2	1	2	11	5	6	7	20	
13	Mumps.....	2												2					
15	Cholera nostras.....	1	1																
16	Dysentery.....	6	1	1															
21	Erysipelas.....	16	8		1										1		1	2	
22	Acute anterior poliomyelitis.....	5					1	1		2	1								
23	Lethargic encephalitis.....	14						2		3			2	1	3	2	1		
24	Meningococcus meningitis.....	13	4	1		2		2		1	3			1	2				
25	Other epidemic and endemic diseases.....	2	1	1															
27	Anthrax.....	1	1														1		
29	Tetanus.....	1								1									
30	Mycoses.....	1																	
	Tuberculosis (all forms).....	294	9	7		4	2	7	11	29	36	32	18	58	33	21	15	12	
31	Of the respiratory system.....	242				3	1	4	9	27	30	27	18	52	24	21	14	12	
32	Of the meninges, central nervous system.....	18	5	7		1	1	2		1					1				
33	Of the intestines, peritoneum.....	16	4						1		1	2		3	5				
34	Of the vertebral column.....	7						1		1	1	1		1	2				
36	Of other organs.....	5							1					1					
37a	Disseminated (acute).....	3								1	1	2			1				
37b	Disseminated (chronic or unspeci- fied).....	3																	
38	Syphilis.....	9	3				1								2	1	1		
40	Gonococcus infection.....	3									1			1	1				
41	Purulent infection, septicemia.....	3	1													1	1		
II.—General diseases not included in Class I.....		691	21	4	3	5	3	9	13	11	8	11	13	58	96	162	181	93	
Cancer and other malignant tumors.....		434	1	1	1	2		2		4	2	2	7	32	62	120	129	69	
43	Of the buccal cavity.....	10												1	1	2	2	4	
44	Of the stomach, liver.....	227						1					4	9	27	65	83	38	
45	Of the peritoneum, intestines, rec- tum.....	44	1			1								6	8	12	6	10	
46	Of the female genital organs.....	27								1	1			7	2	11	3	2	
47	Of the breast.....	21										2	1	4	7	5	2	1	
48	Of the skin.....	7												1	1	1	1	3	
49	Of other or unspecified organs.....	98		1	1	1		1		3	1		2	4	16	24	32	12	

CAUSES OF DEATH, BY AGE

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE, BY AGE, IN THE REGISTRATION AREA AND EACH REGISTRATION STATE: 1926—Continued

List No.	CAUSE OF DEATH	All deaths	Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 to 74 years	75 years and over	Age un-known
NORTH DAKOTA—Continued																			
II.—General diseases not included in Class I—Continued.																			
50	Tumors, benign and unqualified (tumors of the female genital organs excepted)	3																	
51	Acute rheumatic fever	20			2			3	6	1			1		1		2	3	
52	Chronic rheumatism, osteoarthritis, gout	10							1					1	1	5	2		
53	Scurvy	1	1																
56	Rickets	3	2	1															
57	Diabetes mellitus	110				3	1		3	4	1	2	1	10	18	21	31	13	
58	Anemia, chlorosis	39		1				1	1					4	4	6	14	5	
60a	Exophthalmic goiter	14									3			4	3	3		1	
60b	Other diseases of the thyroid gland	4	1											1	1	1			
62	Diseases of the thymus gland	7	5	1			1												
63	Diseases of the adrenals (Addison's disease)	3								1					1	1			
64	Diseases of the spleen	2												1	1	1			
65a	Leukemia	9	1					1	1					1	1	2	1		
65b	Hodgkin's disease	6									2	1	1	1	1	1			
66	Alcoholism (acute or chronic)	12										3	2	3	3		1		
69	Other general diseases	14	10				1		1	1							1		
III.—Diseases of the nervous system and of the organs of special sense																			
		523	51	12	4	4	3	9	7	7	2	5	8	43	55	82	135	96	
70	Encephalitis	11	1	1				3	1	2		1	1	1					
71a	Simple meningitis	11	5	2						1							1		
71b	Non-epidemic cerebrospinal meningitis	6	2	1			1			1				1					
72	Tabes dorsalis (locomotor ataxia)	2															1		
73	Other diseases of the spinal cord	14				2								2	1	5	4		
74a	Cerebral hemorrhage	320												19	40	62	112	86	
74b	Cerebral embolism and thrombosis	13									1	1	1	1	1	4	3	2	
75	Paralysis without specified cause	7						1									5	1	
76	General paralysis of the insane	8											1	4	2	1	4	2	
77	Other forms of mental alienation	22											1	5	3	3	4	2	
78	Epilepsy	18	1			1	1		2	2	2	1	3	4	2	1	1	1	
80	Infantile convulsions (under 5 years)	49	40	6	2		1												
82	Neuralgia and neuritis	2												1			1		
83	Softening of the brain	2																	2
84	Other diseases of the nervous system	18	1			1		1		1				5	3	2	2	2	
86a	Diseases of the ear	12	1	2	1			3	2						1	2	1	1	
86b	Diseases of the mastoid process	8			1			1	2							1	1		
IV.—Diseases of the circulatory system																			
		755	6	4	1	1		6	18	13	6	11	6	38	64	145	220	216	
87	Pericarditis	3		1															1
88	Endocarditis and myocarditis (acute)	39	1	1				1	3	7	1		2	10	3	4	3	2	
89	Angina pectoris	55												4	3	18	22	8	
90	Other diseases of the heart	584	3	1	1	1		5	15	6	3	10	4	20	52	115	179	169	
91a	Aneurysm	6																	
91b,c	Other diseases of the arteries	50													2	2	1	1	
92	Embolism and thrombosis (not cerebral)	10	1									1					3	2	
93	Diseases of the veins	4												2			1	1	
94	Diseases of the lymphatic system	2	1	1															
95	Hemorrhage without specified cause	1														1			
96	Other diseases of the circulatory system	1															1		
V.—Diseases of the respiratory system																			
		518	149	29	14	11	5	17	10	20	16	10	6	29	22	31	72	77	
97a	Diseases of the nasal fossae	1	1																
97b	Diseases of the nasal fossae annexa	3																	
98	Diseases of the larynx	6	3									1							
99a	Acute bronchitis	7	5	1															
99b	Chronic bronchitis	8												1	1	1	4	2	
99c,d	Bronchitis (unspecified)	8	3	2													1	2	
100a	Broncho-pneumonia	217	108	17	4	9	1	7	8	4	3	3		6	5	6	12	24	
100b	Capillary bronchitis	2	1														1		
101a	Lobar pneumonia	215	17	8	8	2	2	8	2	16	10	6	6	21	13	18	47	31	
101b	Pneumonia (unspecified)	13	7								1						1	4	
102	Pleurisy	10	3	1	1			1			2							2	
103	Congestion and hemorrhagic infarct of the lung	8	1														1	5	
105	Asthma	19			1										2	3	6	7	
107	Other diseases of the respiratory system (tuberculosis excepted)	1												1					
VI.—Diseases of the digestive system																			
		506	108	14	12	7	4	24	22	23	23	18	23	55	59	42	50	22	
108	Diseases of the mouth and annexa	7	2								1	1	1	1		1			
109b	Other diseases of the pharynx, tonsils	33	2	2	1		2	6	5	1	3		2	3	2		4		
111a	Ulcer of the stomach	27	2					1			1	3	3	5	7	1	4	2	
111b	Ulcer of the duodenum	11									1		2	4		1	3		
112	Other diseases of the stomach (cancer excepted)	23	12	1					1						2	1	2	3	1
113	Diarrhea and enteritis (under 2 years)	85	78	7															
114	Diarrhea and enteritis (2 years and over)	21			2	3	1	1			1			1	3	2	6	1	
116	Diseases due to other intestinal parasites	2			1														
117	Appendicitis and typhlitis	141	1		8	4	1	15	14	20	13	7	7	21	18	8	2	3	
118a	Hernia	13	1							1			1	1	2	4	2	2	
118b	Intestinal obstruction	38	12	3				1			2	1	1	2	3	4	5	4	
119	Other diseases of the intestines	4													1	1	2		
120	Acute yellow atrophy of the liver	1	1																
122	Cirrhosis of the liver	18							1			1							
123	Biliary calculi	51								1	1	3	3	6	15	9	9	4	
124	Other diseases of the liver	18		1					1						7	2	3	1	
125	Diseases of the pancreas	7												1	1	1			
126	Peritonitis without specified cause	6											1	1	1	1	2		

## MORTALITY STATISTICS

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE, BY AGE, IN THE REGISTRATION AREA AND EACH REGISTRATION STATE: 1926—Continued

List No.	CAUSE OF DEATH	All deaths	Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 to 74 years	75 years and over	Age un- known
NORTH DAKOTA—Continued																			
	VII.—Nonvenereal diseases of the genito-urinary system and annexa.....	309	8	2	1	2	8	3	5	7	10	15	30	49	85	88	1		
128	Acute nephritis (including unspecified under 10 years).....	19	4		1	1	1	1			2	1		2	1		5		
129	Chronic nephritis (including unspecified 10 years and over).....	211							6	2	1	4	3	11	25	34	66	59	
131	Other diseases of the kidneys and annexa.....	21	3	2				1		1	1	2			1	2	4	3	1
132	Calculi of the urinary passages.....	6							1							2	3		
133	Diseases of the bladder.....	6														1	1	4	
134	Diseases of the urethra, etc.....	1														1			
135	Diseases of the prostate.....	24														1	4	8	12
136	Nonvenereal diseases of the male genital organs.....	1	1																
138	Salpingitis and pelvic abscess (female).....	4								3			1						
139	Benign tumors of the uterus.....	7											1			2			
141	Other diseases of the female genital organs.....	9										2	1	1	2	1	2		
	VIII.—The puerperal state.....	64							5	11	8	14	23	3					
143	Accidents of pregnancy.....	6										2	1	3					
144	Puerperal hemorrhage.....	9									2	1	3	3					
145	Other accidents of labor.....	3											2						
146	Puerperal septicemia.....	29							4	6			7	10	2				
147	Puerperal pylephlebitis, alba dolens, embolus, etc.....	4								1	1	1		1	1				
148	Puerperal albuminuria and convulsions.....	13							1	2	4	1		5					
	IX.—Diseases of the skin and of the cellular tissue.....	21	3						1	1	2			3	3		5	3	
151	Gangrene.....	8																	
153	Acute abscess.....	7							1			2		3			4	3	
154	Other diseases of the skin and annexa.....	6	3							1	1				2		1		
	X.—Diseases of the bones and of the organs of locomotion.....	14	1	3				2	1	2		1					2	2	
155	Diseases of the bones (tuberculosis excepted).....	13	1	3				2	1	2		1					1	2	
156	Diseases of the joints (tuberculosis and rheumatism excepted).....	1															1		
	XI.—Malformations.....	85	75	5	1			3	1										
159a	Congenital hydrocephalus.....	11	7	2	1			1											
159b	Congenital malformations of the heart.....	39	36	1				2											
159c	Other congenital malformations.....	35	32	2					1										
	XII.—Early infancy.....	409	409																
160	Congenital debility, icterus, sclerema.....	56	56																
161a	Premature birth.....	274	274																
161b	Injury at birth.....	52	52																
162	Other diseases peculiar to early infancy.....	27	27																
164	XIII.—Old age (senility).....	111															17	94	
	XIV.—External causes.....	391	20	7	7	9	5	24	30	25	25	19	22	68	46	34	30	20	
	Suicide.....	61									7	4	6	17	18	6	6	2	
165	By poisons (gas or corrosives excepted).....	3									1		1		1				
166	By corrosive substances.....	12										1	3	4	2		1	1	
168	By hanging or strangulation.....	17										1	1	7	4	3		1	1
169	By drowning.....	2													1			1	
170	By firearms.....	22								6	2	1		5	3	8		2	
171	By cutting or piercing instruments.....	5												1	2		2		
	Homicide.....	12	1		1					1			1	5	1	1	1	1	
197	By firearms.....	6			1									3	1	1			
198	By cutting or piercing instruments.....	2											1						
199	By other means.....	4	1											1					
	Accidental or undefined.....	318	19	7	7	8	5	24	30	25	17	15	15	46	32	27	23	18	
175	Poisoning by food.....	8	2			1		1	30	25	17	15	15	46	32	27	23	18	
177	Other acute poisonings (gas excepted).....	6		2									1	1		1		1	
178	Conflagration.....	13		1	1		2			2				1	1	3	1	1	
179	Burns (conflagration excepted).....	22	2	1	3	2	1	2		2		1	1	1	3		1	2	
180	Mechanical suffocation.....	9	5				1			1				2					
181	Absorption of irrespirable, irritating, or poisonous gas.....	10									2	3				2		1	
182	Drowning.....	25	1	1	1	1		5	6	4	2		1	2	1				
183	Traumatism by firearms (except in war).....	10							3	3	1			2			1		
184	Traumatism by cutting or piercing instruments.....	11						1	1	1		3		2	1		1		
185	Traumatism by fall.....	28	2	1	1			1	7				1	2	2	2	4	6	
186a	Traumatism in mines.....	2												1		1			
187	Traumatism by machines.....	16			1			3	3	1	2	1		3	1	1			
188a	Railroad accidents.....	21						3	1	3			3	4	5	1	1		
	Collision with automobiles.....	11						3	1	2			3	3	3	1			
	Other railroad accidents.....	10							1				2	1	2		1		
188c	Automobile accidents (excluding collision with railroad trains and street cars).....	70	2			2	1	4	2	5	5	4	6	14	10	7	5	3	
188e,f	Injuries by other vehicles.....	16						1	4	1		1	1	1	2	2	1	2	
188g	Landslide, other crushing.....	1								1									
189	Injuries by animals (not poisoning).....	15						2	2	1	2			2	1	3	2		

CAUSES OF DEATH, BY AGE

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE, BY AGE, IN THE REGISTRATION AREA AND EACH REGISTRATION STATE: 1926—Continued

List No.	CAUSE OF DEATH	All deaths	Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 to 74 years	75 years and over	Age un- known
<b>NORTH DAKOTA—Continued</b>																			
	<b>XIV.—External causes—Contd.</b>																		
	<b>Accidental or undefined—Continued.</b>																		
193	Excessive cold	2												1	1				
194	Excessive heat	2																	1
195	Lightning	2							1				1						
196	Other accidental electric shocks	4								1	1				1	1			
201	Fracture (cause not specified)	1											1						
202	Other external violence	23	5	1		2		1		1		1		5	3	1	3		
	<b>XV.—Ill-defined diseases</b>	127	59	6	3			3	5	2	2	1	1	5	6	8	20	6	
204	Sudden death	10	2					1					1	1		1	3	1	
205a	Ill-defined	27	5	3								1		2	3	4	8	1	
205b	Not specified or unknown	90	52	3	3			2	5	2	2			2	3	3	9	4	

OHIO

	All causes	78,695	9,407	1,785	825	551	440	1,432	1,016	1,503	2,136	2,326	2,539	6,195	7,753	10,576	14,228	15,975	8
	<b>I.—Epidemic, endemic, and infectious diseases</b>	11,322	1,145	697	372	262	193	515	293	542	825	822	723	1,366	1,036	845	862	824	
1	Typhoid and paratyphoid fever	290			6	4	2	24	22	47	46	28	18	36	18	21	18		
5	Malaria	12	1								1			1	3	1		4	
7	Measles	852	190	237	121	70	31	102	24	19	12	9	9	9	8	3	5	3	
8	Scarlet fever	188	9	9	20	22	21	48	22	13	6	3	8	6	1				
9	Whooping cough	635	350	162	66	28	14	22	2		1								
10	Diphtheria	492	19	62	63	74	52	141	43	20	3	10	4	4	2	4		1	
11a	Influenza (with pulmonary complications)	1,548	199	70	24	13	15	22	22	24	38	34	63	161	141	158	236	328	
11b	Influenza (other and unspecified)	979	105	48	18	10	14	21	17	24	21	33	24	72	61	87	161	273	
13	Mumps	5		1				1						1		1		1	
15	Cholera nostras	3						1											
16	Dysentery	102	30	11	2	1	2				1	1	1	1	5	6	18	22	
21	Erysipelas	200	53	8	3	2	4			3	4	4	20	23	23	30	30	25	
22	Acute anterior poliomyelitis	49	7	4	2	4	3	7	10	6			4	1		1	1		
23	Lethargic encephalitis	138	4	6	2	2	2	5	4	11	5	7	5	17	26	22	15	5	
24	Meningococcus meningitis	37	6	2	4	3	3	7	3	2	4			1	1	1	1		
25	Other epidemic and endemic diseases	14	3	3	3		1							1	3				
27	Anthrax	2						1			1					1			
28	Rabies	6					1	18	16	6	4	1	3	5	1	3	3	2	
29	Tetanus	69	2	1	1		1				1				1	1	2		
30	Mycoses	7																	
	Tuberculosis (all forms)	5,068	60	89	34	28	31	86	100	356	652	642	530	920	608	433	342	157	
31	Of the respiratory system	4,326	20	21	10	6	7	34	71	312	580	582	473	836	542	387	301	144	
32	Of the meninges, central nervous system	228	28	48	15	12	17	31	12	11	11	11	6	13	8	2	2	2	
33	Of the intestines, peritoneum	204	1	8	3	5	1	11	11	14	26	17	18	28	21	18	20	7	
34	Of the vertebral column	66					1	2	3	8	8	3	10	8	10	6	4	1	
35	Of the joints	27						2	3	3	4	3	2	4	4	4	5	2	
36	Of other organs	78	2	1	1	1	2	2	3	3	3	15	8	21	10	9	6	2	
37a	Disseminated (acute)	113	7	10	5	4	3	6	3	6	18	7	8	12	11	4	1		
37b	Disseminated (chronic or unspecified)	26	1	1				2	1	6	3	4	4		2	3	2	1	
38	Syphilis	512	86	3	1		1	6	3	5	14	34	30	96	119	76	33	5	
39	Soft chancre	1						1											
40	Gonococcus infection	56	2					7	7	6	11	13	13	12	4	4	1		
41	Purulent infection, septicaemia	57	14	1	2	1	1	1	1	2	7	3	5	4	4	6	5		
	<b>II.—General diseases not included in Class I.</b>	9,831	217	29	25	18	15	71	70	71	108	161	200	834	1,556	2,384	2,583	1,439	
	<b>Cancer and other malignant tumors</b>	6,457	3	3	4	7	6	14	13	17	25	61	96	498	1,038	1,631	1,856	1,185	
43	Of the buccal cavity	204							1					14	28	46	69	55	
44	Of the stomach, liver	2,354							2	2	3	5	15	113	309	610	795	499	
45	Of the peritoneum, intestines, rectum	898	1			2		2	3	3	4	6	14	61	154	224	270	154	
46	Of the female genital organs	978							2	3	6	21	37	183	231	261	196	71	
47	Of the breast	577										3	5	66	128	160	119	96	
48	Of the skin	186											2	5	10	28	68	82	
49	Of other or unspecified organs	1,260	2	3	4	4	6	12	7	9	12	26	22	86	178	302	359	228	
50	Tumors, benign and unqualified (tumors of the female genital organs excepted)	51	1			1		1	2	2	1	4	10	5	7	11	6		
51	Acute rheumatic fever	187	1		2	3	5	23	25	6	11	11	3	15	23	16	23	20	
52	Chronic rheumatism, osteoarthritis, gout	87												6	6	14	29	29	
53	Scurvy	3	1	2												1			
54	Pellagra	9																	
55	Rickets	29	18	8	2			1											
56	Diabetes mellitus	1,220	1	2	2	2	2	16	15	17	22	23	63	159	330	386	164		
57	Anemia, chlorosis	460	3	2	1	1	1	3	2	6	8	6	10	35	66	137	136	42	
58	Diseases of the pituitary gland	4												1					
59	Exophthalmic goiter	550	1					1	11	20	22	27	96	134	130	90	19		
60a	Other diseases of the thyroid gland	59								4	3	1	7	13	16	7	6		
60b	Diseases of the parathyroid glands	3	2																
61	Diseases of the thymus gland	127	111	7	6	2		1											
62	Diseases of the adrenals (Addison's disease)	30									2	2	1	6	10	4	3	2	
64	Diseases of the spleen	13						1	1	3	1	1	1	3	3	1	1		
65a	Leukemia	100		1	4	2		6	5	3	1	4	4	18	15	23	10	4	
65b	Hodgkin's disease	70						2	1	6	8	6	2	8	9	16	8	3	
66	Alcoholism (acute or chronic)	225										12	25	53	64	49	15	2	
67a	Chronic lead poisoning	16									1			4	3	5	3		
67b	Other chronic mineral poisoning	3												1	1				
68	Chronic poisoning by organic substances	5												2	1	1			
69	Other general diseases	123	75	3	3		1	3	2	2	2	4	1	5	6	3	6	7	

MORTALITY STATISTICS

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE, BY AGE, IN THE REGISTRATION AREA AND EACH REGISTRATION STATE: 1926—Continued

Table with columns: List No., CAUSE OF DEATH, All deaths, and age groups (Under 1 year, 1 year, 2 years, 3 years, 4 years, 5 to 9 years, 10 to 14 years, 15 to 19 years, 20 to 24 years, 25 to 29 years, 30 to 34 years, 35 to 44 years, 45 to 54 years, 55 to 64 years, 65 to 74 years, 75 years and over, AGE UNKNOWN). Rows are categorized by system: III. Diseases of the nervous system and of the organs of special sense; IV. Diseases of the circulatory system; V. Diseases of the respiratory system; VI. Diseases of the digestive system; VII. Nonvenereal diseases of the genito-urinary system and annexa.

CAUSES OF DEATH, BY AGE

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE, BY AGE, IN THE REGISTRATION AREA AND EACH REGISTRATION STATE: 1926—Continued

List No.	CAUSE OF DEATH	All deaths	OHIO—Continued														Age un-known		
			Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years		65 to 74 years	75 years and over
VII.—Nonvenereal diseases of the genito-urinary system and annexa—Continued.																			
133	Diseases of the bladder	68	2							1			1	1	4	4	17	38	
134	Diseases of the urethra, etc.	26									1	1		4	6	6	5	3	
135	Diseases of the prostate	309									1	1		2	9	40	115	141	
136	Nonvenereal diseases of the male genital organs	8	5															1	
137	Cysts, other benign tumors of the ovary	67													1	1		6	
138	Salpingitis and pelvic abscess (female)	136						1	2	12	25	21	44	10	15	5	5	2	
139	Benign tumors of the uterus	153							4	2	7	14	68	43	10	6	6	3	
140	Nonpuerperal uterine hemorrhage	5									2								
141	Other diseases of the female genital organs	67								6	3	10	21	11	9	6	1		
142	Nonpuerperal diseases of the breast (cancer excepted)	1	1																
VIII.—The puerperal state																			
		831								80	166	195	181	200	9				
143	Accidents of pregnancy	85								5	12	29	20	18	1				
144	Puerperal hemorrhage	73								1	12	14	18	24	4				
145	Other accidents of labor	99								8	19	19	26	27					
146	Puerperal septicaemia	340								37	77	82	58	83	3				
147	Puerperal phlegmasia alba dolens, embolus, etc.	41								2	7	14	9	9					
148	Puerperal albuminuria and convulsions	191								27	38	37	49	39	1				
149	Following childbirth (undefined)	2									1		1						
IX.—Diseases of the skin and of the cellular tissue																			
		227	26	5		1	1	2	5	3	2	7	7	8	21	20	36	83	
151	Gangrene	102	1				1		1					5	6	3	23	62	
152	Furuncle	28						2	3	2	1		4		5	3	4	3	
153	Acute abscess	40	9	2		1			1		1	3	1	3	7	5	5	2	
154	Other diseases of the skin and annexa	57	16	3						1		3	2		3	9	4	16	
X.—Diseases of the bones and of the organs of locomotion																			
		84	4	1	1	2	2	14	6	3	2	7		11	8	8	11	4	
155	Diseases of the bones (tuberculosis excepted)	69	1	1	1	2	2	13	6	3	2	5		8	8	7	6	4	
156	Diseases of the joints (tuberculosis and rheumatism excepted)	13	2					1				2		3		1	4		
158	Other diseases of the organs of locomotion	2	1														1		
XI.—Malformations																			
		872	819	18	9	4	3	11	5	1		1	1						
159a	Congenital hydrocephalus	61	53	2	1			3	2										
159b	Congenital malformations of the heart	573	540	13	4	4	3	4	2	1		1	1						
159c	Other congenital malformations	238	226	3	4		4	1											
XII.—Early infancy																			
		3,729	3,729																
160	Congenital debility, icterus, sclerema	412	412																
161a	Premature birth	2,431	2,431																
161b	Injury at birth	661	661																
162	Other diseases peculiar to early infancy	223	223																
163	Lack of care	2	2																
XIII.—Old age (senility)																			
		773													8	70	695		
XIV.—External causes																			
		6,904	150	87	89	84	91	338	251	353	469	445	471	980	883	736	672	802	3
Suicide																			
		873						3	20	57	56	90	180	182	143	110	32		
165	By poisons (gas or corrosives excepted)	35								3	3	11	6	7	1	3	1		
166	By corrosive substances	143						1	9	23	11	22	35	26	8	8	1		
167	By poisonous gas	20								1	1	5	2	7	3				
168	By hanging or strangulation	160						1	1	7	5	6	29	48	31	20	12		
169	By drowning	45								3	1	3	7	12	8	7	4		
170	By firearms	355						1	8	17	29	35	78	68	64	47	8		
171	By cutting or piercing instruments	72								3	6	12	11	20	16	4			
172	By jumping from high places	16								2	1	4	3	1	2	1			
173	By crushing	13								1	1	4	3	1	1	1			
174	By other means	14								1	1	1	1	5	1	3			
Homicide																			
		546	7	2	1	1		6	7	21	74	104	92	125	68	29	6	3	
197	By firearms	345		2				2	5	15	40	71	68	81	45	13	2		
198	By cutting or piercing instruments	82			1			1		3	18	17	14	20	2	5	1		
199	By other means	119	7					3	2	3	16	10	24	21	11	4	1		
Accidental or undefined																			
		5,435	143	85	88	83	91	332	241	312	338	285	289	675	633	564	556	767	3
175	Poisoning by food	46	2		1	1	1	3	3		1	4	2	4	10	4	5	5	
176	Poisoning by venomous animals	3														1			
177	Other acute poisonings (gas excepted)	99	3	19	12	6	1	2	3	2	3	6	13	13	8	4	1		
178	Conflagration	71	3	3	3	3	5	4	2	2	5	1	9	9	7	5	10		
179	Burns (conflagration excepted)	388	11	27	25	31	28	31	15	13	14	24	19	34	38	22	33	23	
180	Mechanical suffocation	86	62	1	1			1		1	5	3	3			1	1		
181	Absorption of irrespirable, irritating, or poisonous gas	106	1				1	2	4	4	7	7	4	29	16	18	10	3	
182	Drowning	300		4	5	7	6	43	43	53	38	15	10	33	17	17	5	4	
183	Traumatism by firearms (except in war)	128	1		1	2	4	1	18	24	15	8	6	28	9	9	2		
184	Traumatism by cutting or piercing instruments	42	2	1	2	1	1	1	2		3	4		5	6	5	4	5	
185	Traumatism by fall	1,199	7	9	9	5		15	11	13	26	24	31	79	96	130	205	539	
186a	Traumatism in mines	87								3	5	8	11	27	17	12	4		
186b	Traumatism in quarries	7						1		2	2	1			1				
187	Traumatism by machines	157					1	1	4	2	19	10	17	29	30	20	13	5	

MORTALITY STATISTICS

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE, BY AGE, IN THE REGISTRATION AREA AND EACH REGISTRATION STATE: 1926—Continued

List No.	CAUSE OF DEATH	All deaths	Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 to 74 years	75 years and over	AGE UNKNOWN
<b>OHIO—Continued</b>																			
<b>XIV.—External causes—Contd.</b>																			
<b>Accidental or undefined—Continued.</b>																			
188a	Railroad accidents.....	624	4	2	4	1	2	16	22	46	57	56	60	120	110	70	39	12	3
	Collision with automobiles.....	186	3	1	3	1	1	4	9	22	25	18	17	35	24	13	11	8	
	Other railroad accidents.....	438	1	2	1	1	12	13	24	32	38	43	85	86	57	28	12		
188b	Street-car accidents.....	152	1	1	3	2	2	8	3	10	14	11	5	21	30	23	10	8	
	Collision with automobiles.....	73	1	1	2	2	1	4	4	10	6	4	13	13	8	4	2		
	Other street-car accidents.....	79			3		1	4	3	4	5	1	8	17	15	6	6		
188c	Automobile accidents (excluding collision with railroad trains and street cars).....	1,317	8	4	13	15	31	184	70	91	101	63	75	154	148	140	138	82	
188d	Airplane and balloon accidents.....	3																	
188e,f	Injuries by other vehicles.....	66	1	1	2			4	3	5	4	2	1	2	6	11	16	8	
188g	Landslide, other crushing.....	30						4	1	1	1	2	10	4	5	1			
189	Injuries by animals (not poisoning).....	30				1	2	3	4	2	1			6	3	4	4		
193	Excessive cold.....	13												1	4	2	4	2	
194	Excessive heat.....	41	3	2			1			3	4	2	4	5	6	8	3		
195	Lightning.....	26						1	9	3	3	1	1	1	4	3			
196	Other accidental electric shocks.....	94						1	7	6	12	16	17	22	7	5	1		
201	Fracture (cause not specified).....	76			1	1	1	1	1	1	1	2	2	8	6	13	38		
202	Other external violence.....	294	34	11	6	7	4	10	12	19	6	11	14	38	38	36	30	18	
<b>XV.—Ill-defined diseases.....</b>																			
204	Sudden death.....	23	4											1	2	6	5	5	
205a	Ill-defined.....	76	14	8	3	2	1	1						1	4	8	13	15	
205b	Not specified or unknown.....	121	70	2	1		1	1		1	1		2	1	3	8	10	20	

**OREGON**

	All causes.....	9,857	774	102	78	47	45	181	150	230	275	314	295	764	1,037	1,498	2,053	2,006	8
<b>I.—Epidemic, endemic, and infectious diseases.....</b>																			
<b>1 Typhoid and paratyphoid fever.....</b>																			
5	Malaria.....	2			1		2	1	1	3	4	5	6	6	4	2	1		
6	Smallpox.....	7	2						1	1									
7	Measles.....	8	2				2	1	1			1	1				2	1	
8	Scarlet fever.....	26	3	2	1		1	8	4	4				2					
9	Whooping cough.....	50	34	7	5	1	2	1	1					2					
10	Diphtheria.....	59	2	3	10	9	3	18	8	4		1							
11a	Influenza (with pulmonary complications).....	119	8	1	6			2	2	4	4	7	7	11	20	22	15		
11b	Influenza (other and unspecified).....	101	12	4	1	2		5	2	5	2	2	2	5	8	6	22	25	
13	Mumps.....	2																	
16	Dysentery.....	14	5		1				1	1				1		1	1	4	
20	Leprosy.....	1																	
21	Erysipelas.....	19	5						3					1			4	3	
22	Acute anterior poliomyelitis.....	3			1			1							4		4	3	
23	Lethargic encephalitis.....	10		1				1		1	1		1						
24	Meningococcus meningitis.....	63	2	3	4		3	13	9	11	7	1	1	3	5	1			
25	Other epidemic and endemic diseases.....	9						1	1	1	7	1		1	2	2	3		
27	Anthrax.....	1						1	1	1				1	2	1			
29	Tetanus.....	4						1	1	1				1					
30	Mycoses.....	2						1	1	1				1					
<b>Tuberculosis (all forms).....</b>																			
31	Of the respiratory system.....	542	9	4	5	5	2	9	17	34	76	65	54	93	75	53	31	9	1
32	Of the meninges, central nervous system.....	448	2		1		1	3	11	28	68	55	45	83	66	50	25	9	1
33	Of the intestines, peritoneum.....	32	7	3	2	4		6	2	1	2	2	3	2	1		3		
34	Of the vertebral column.....	18		1	2			1	1	2	2	1	1	2	1		1		
35	Of the joints.....	9								1	1	1	1	1	1				
36	Of other organs.....	3								1	1	1	1	1	1				
37a	Disseminated (acute).....	17						1	1	1	4	3	5	1	1	2			
37b	Disseminated (chronic or unspecified).....	9			1	1		1	1	1	1	1	1	3	3	1	1		
38	Syphilis.....	6						1	2	1		1	1	1					
40	Gonococcus infection.....	79	6						2	2	2	5	13	21	20	7	3		
41	Purulent infection, septicemia.....	5							1	1	1	1	1	2	1	2	1		
<b>II.—General diseases not included in Class I.....</b>																			
<b>1,461</b>																			
<b>Cancer and other malignant tumors.....</b>																			
43	Of the buccal cavity.....	1,002	1		1	2		2	2	2	4	5	13	58	174	248	317	172	1
44	Of the stomach, liver.....	20												3	5	6	3		
45	Of the peritoneum, intestines, rectum.....	413						1			3		6	14	58	91	157	83	
46	Of the female genital organs.....	140										1	2	10	21	50	36	20	
47	Of the breast.....	118										1	2	15	34	29	21	16	
48	Of the skin.....	85										1	1	8	31	22	15	8	
49	Of other or unspecified organs.....	26										1	1	1	4	9	10	1	
50	Tumors, benign and unqualified (tumors of the female genital organs excepted).....	200	1		1	2		1	2	2	1	2	2	8	24	49	73	32	
51	Acute rheumatic fever.....	11	1					1							1	4	3	1	
52	Chronic rheumatism, osteoarthritis, gout.....	16			1			1	1	2		1	1		2	4	4	1	
54	Pellagra.....	13						1							1	3	6	2	
56	Rickets.....	2												1	1				
57	Diabetes mellitus.....	6		3				1	2										
58	Anemia, chlorosis.....	175							1	3	4	2	3	9	17	60	49	26	1
60a	Exophthalmic goiter.....	67	3	2					1	1				3	12	21	21	4	
60b	Other diseases of the thyroid gland.....	69							1	2	3	4		6	17	18	13	5	

# CAUSES OF DEATH, BY AGE

245

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE, BY AGE, IN THE REGISTRATION AREA AND EACH REGISTRATION STATE: 1926—Continued

List No.	CAUSE OF DEATH	All deaths	Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 to 74 years	75 years and over	Age un- known
<b>OREGON—Continued</b>																			
<b>II.—General diseases not included in Class I—Continued.</b>																			
62	Diseases of the thymus gland	7	6							1									
63	Diseases of the adrenals (Addison's disease)	5												2		1	2		
64	Diseases of the spleen	2		1					1										
65a	Leukemia	29				3	2	3	1	1	3	1	2	3	2	6	1		
65b	Hodgkin's disease	15						1	1	1				3	4	3	1		
66	Alcoholism (acute or chronic)	25								1		1	3	6	5	6	2	1	
67a	Chronic lead poisoning	2												1					
68	Chronic poisoning by organic substances	2															1		
69	Other general diseases	11	8						1	1								1	
<b>III.—Diseases of the nervous system and of the organs of special sense</b>		<b>1,195</b>	<b>12</b>	<b>5</b>	<b>3</b>	<b>3</b>	<b>1</b>	<b>7</b>	<b>8</b>	<b>12</b>	<b>5</b>	<b>13</b>	<b>17</b>	<b>62</b>	<b>112</b>	<b>213</b>	<b>342</b>	<b>379</b>	<b>1</b>
70	Encephalitis	7									1	1	1		1	2	1		
71a	Simple meningitis	22	2		2					1				1	5	4	3	1	
71b	Nonepidemic cerebrospinal meningitis	6	2	1		1										2			
72	Tabes dorsalis (locomotor ataxia)	7											1	1	1	2	1	1	
73	Other diseases of the spinal cord	34	1	1				1		2		3	1	3	4	5	6	1	3
74a	Cerebral hemorrhage	833	1							3		1	4	17	65	147	277	317	1
74b	Cerebral embolism and thrombosis	47	1				1			1			1	2	1	7	20	13	
75	Paralysis without specified cause	54													2	9	17	24	
76	General paralysis of the insane	57												5	19	16	11	5	1
77	Other forms of mental alienation	26									1	1		3	6	10	2	3	
78	Epilepsy	18						1	2	2		1	3	1	5				
79	Convulsions (nonpuerperal; 5 years and over)	1									1								
80	Infantile convulsions (under 5 years)	4	4																
82	Neuralgia and neuritis	1																	
83	Softening of the brain	9															1	2	4
84	Other diseases of the nervous system	42		2		2			1	1	1	3	1	6	7	8	4	6	
86a	Diseases of the ear	17	1	1				1	2	1	1		1	4	1		1		
86b	Diseases of the mastoid process	10			1			1	3	1				1		3			
<b>IV.—Diseases of the circulatory system</b>		<b>1,996</b>	<b>4</b>	<b>1</b>	<b>5</b>	<b>1</b>	<b>1</b>	<b>7</b>	<b>12</b>	<b>17</b>	<b>14</b>	<b>28</b>	<b>23</b>	<b>85</b>	<b>170</b>	<b>372</b>	<b>591</b>	<b>663</b>	<b>2</b>
87	Pericarditis	10			1	1				1						2	1	4	
88	Endocarditis and myocarditis (acute)	58	1		1			2	2	4	1	7	7	9	3	6	5	19	
89	Angina pectoris	157												6	12	50	56	33	
90	Other diseases of the heart	1,471	3	1	3		1	5	9	13	12	19	13	61	119	282	445	483	2
91a	Aneurysm	25												3	8	4	6	2	
91b,c	Other diseases of the arteries	197												2	6	14	60	115	
92	Embolism and thrombosis (not cerebral)	71											2	3	20	13	19	14	
93	Diseases of the veins	6												1	2	1		2	
94	Diseases of the lymphatic system	1							1										
<b>V.—Diseases of the respiratory system</b>		<b>732</b>	<b>99</b>	<b>27</b>	<b>18</b>	<b>5</b>	<b>9</b>	<b>15</b>	<b>14</b>	<b>10</b>	<b>17</b>	<b>17</b>	<b>18</b>	<b>49</b>	<b>62</b>	<b>85</b>	<b>123</b>	<b>164</b>	
97a	Diseases of the nasal fossae	1														1			
97b	Diseases of the nasal fossae annexa	8						1	1		2				1	1	2		
98	Diseases of the larynx	3			1	1										1			
99a	Acute bronchitis	8	1														4	3	
99b	Chronic bronchitis	12					1												9
99c,d	Bronchitis (unspecified)	6	3	1		1								1					
100a	Broncho-pneumonia	272	59	17	10		3	5	4	2	2	3	3	15	12	23	42	72	
101a	Lobar pneumonia	330	29	8	6	1	3	8	9	7	9	11	11	27	39	45	60	55	
101b	Pneumonia (unspecified)	28	4	1	1	1				3			2	1	3	2	3	7	
102	Pleurisy	19	2			1								4	1	5	4	1	
103	Congestion and hemorrhagic infarct of the lung	13	1					1							1		2	7	
104	Gangrene of the lung	3							1						1				
105	Asthma	22													2	5	6	9	
106	Pulmonary emphysema	1																	1
107	Other diseases of the respiratory system (tuberculosis excepted)	6								1			1	1	2	1			
<b>VI.—Diseases of the digestive system</b>		<b>675</b>	<b>69</b>	<b>24</b>	<b>10</b>	<b>5</b>	<b>5</b>	<b>26</b>	<b>18</b>	<b>19</b>	<b>20</b>	<b>26</b>	<b>31</b>	<b>73</b>	<b>94</b>	<b>96</b>	<b>106</b>	<b>53</b>	
108	Diseases of the mouth and annexa	4									1	1	1			1			
109b	Other diseases of the pharynx, tonsils	41	1	1	1	1	1	6	4	3	2	2	2	4	4	5	2		
111a	Ulcer of the stomach	51						1						4	17	13	12	4	
111b	Ulcer of the duodenum	25											1	4	5	4	8	3	
112	Other diseases of the stomach (cancer excepted)	34	5	1	1				1	1	1	3	1	3	4	3	4	6	
113	Diarrhea and enteritis (under 2 years)	78	59	19															
114	Diarrhea and enteritis (2 years and over)	36			5	3		2				3	2	4	1	3	7	6	
117	Appendicitis and typhlitis	135	1		1	1	2	13	12	12	8	10	15	19	15	18	5	9	5
118a	Hernia	33	1									1		7	7	8	9	9	
118b	Intestinal obstruction	53	2	1	2		1	3		1	2	3	2	6	2	2	10	2	
119	Other diseases of the intestines	7													2	1	1	3	
120	Acute yellow atrophy of the liver	7									1								
121	Hydatid tumor of the liver	1												1	1				
122	Cirrhosis of the liver	49												2					
123	Biliary calculi	32										1		7	10	8	8	2	
124	Other diseases of the liver	65						1	1	1	2	1	2	9	10	14	18	6	
125	Diseases of the pancreas	10									1			3	2	2	2		
126	Peritonitis without specified cause	14		2			1			1	2	1	1	2	1	1	2		

MORTALITY STATISTICS

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE, BY AGE, IN THE REGISTRATION AREA AND EACH REGISTRATION STATE: 1926—Continued

List No.	CAUSE OF DEATH	All deaths	Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 to 74 years	75 years and over	Age unknown
OREGON—Continued																			
	VII.—Nonvenereal diseases of the genito-urinary system and annexa.....	872	6					1	2	8	13	16	12	61	85	145	252	271	
128	Acute nephritis (including unspecified under 10 years).....	22	3						1	1	1	1		4	3	1	2	5	
129	Chronic nephritis (including unspecified 10 years and over).....	684						1		7	6	7	7	38	63	122	212	221	
131	Other diseases of the kidneys and annexa.....	26	2						1		2	1	2	5	5	3	2	3	
132	Calculi of the urinary passages.....	9												1	5	2	1		
133	Diseases of the bladder.....	4															1		3
134	Diseases of the urethra, etc.....	3												1	1	1			
135	Diseases of the prostate.....	70														12	28	39	
136	Nonvenereal diseases of the male genital organs.....	2	1												1				
137	Cysts, other benign tumors of the ovary.....	7										2		1	1	2	1		
138	Salpingitis and pelvic abscess (female).....	18								4	3	2	2	6	2		1		
139	Benign tumors of the uterus.....	9												4	2		3		
141	Other diseases of the female genital organs.....	9										2	1	1	2	2	1		
	VIII.—The puerperal state.....	87							9	13	24	18	19	19	4				
143	Accidents of pregnancy.....	12								3	1	3	2	3					
144	Puerperal hemorrhage.....	14								2	3	3	3	2	1				
145	Other accidents of labor.....	8								1	1	2	2	1	1				
146	Puerperal septicemia.....	33								1	5	9	8	9	1				
148	Puerperal albuminuria and convulsions.....	19								2	3	7	2	4	1				
149	Following childbirth (undefined).....	1											1						
	IX.—Diseases of the skin and of the cellular tissue.....	28	1					1	1						2	2	2	4	15
151	Gangrene.....	17													2		2	13	
152	Furuncle.....	4							1								1		
153	Acute abscess.....	2						1						1					
154	Other diseases of the skin and annexa.....	5	1														1	1	2
	X.—Diseases of the bones and of the organs of locomotion.....	9						2	2				1	1		2	1		
155	Diseases of the bones (tuberculosis excepted).....	6							1	2			1	1			1		
156	Diseases of the joints (tuberculosis and rheumatism excepted).....	3							1								1	1	
	XI.—Malformations.....	88	79	1		1	1	1	3		2								
159a	Congenital hydrocephalus.....	7	5				1				1								
159b	Congenital malformations of the heart.....	57	52	1				1	2										
159c	Other congenital malformations.....	24	22			1			1										
	XII.—Early infancy.....	372	372																
160	Congenital debility, icterus, sclerema.....	34	34																
161a	Premature birth.....	228	228																
161b	Injury at birth.....	74	74																
162	Other diseases peculiar to early infancy.....	36	36																
164	XIII.—Old age (senility).....	103														1	8	94	
	XIV.—External causes.....	1,033	16	9	4	10	6	54	32	62	80	91	70	178	133	95	100	92	1
	Suicide.....	179							1	3	8	9	8	49	37	25	28	11	
165	By poisons (gas or corrosives excepted).....	11									3	2		2	1	1	2	1	
166	By corrosive substances.....	9									1	1	1	4	1	1	2	1	
167	By poisonous gas.....	17									1	1	1	5	5	7	6	2	
168	By hanging or strangulation.....	32									1	2	2	5	5	7	5	1	
169	By drowning.....	20												5	5	4	1	1	
170	By firearms.....	66							1	2	3	2	3	19	7	11	13	5	
171	By cutting or piercing instruments.....	14												5	5	1	2	1	
172	By jumping from high places.....	3												1	1				
173	By crushing.....	2													1				
174	By other means.....	5												1	1				
	Homicide.....	38							1	2	2	7	6	8	8	3	2		
197	By firearms.....	31							1	2	2	5	5	6	5	3	2		
198	By cutting or piercing instruments.....	1																	
199	By other means.....	6										2	1	1					
	Accidental or undefined.....	816	16	9	4	10	6	54	30	57	70	75	56	122	88	67	70	81	1
175	Poisoning by food.....	10							1		1			4	1	1	1		
177	Other acute poisonings (gas excepted).....	14		2	1			1		1	1	1		2	3	1	1	3	
178	Conflagration.....	12	2	1							1			2	2	2	1	3	
179	Burns (conflagration excepted).....	30		4	1	1	2	4	2			3	1	3	2	2	1	4	
180	Mechanical suffocation.....	5	3																
181	Absorption of irrespirable, irritating, or poisonous gas.....	2													1				
182	Drowning.....	108		2	2	4	1	9	11	14	17	11	8	10	13	4	1	1	
183	Traumatism by firearms (except in war).....	31						1	6	5	6	2	1	4	4	1	1		
184	Traumatism by cutting or piercing instruments.....	6						1							1				
185	Traumatism by fall.....	122	1					3	2	5	2	6	5	9	10	8	23	47	1
186a	Traumatism in mines.....	1																	
186b	Traumatism in quarries.....	1																	
187	Traumatism by machines.....	45								5	6	5	5	13	3	6	2		

# CAUSES OF DEATH, BY AGE

247

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE, BY AGE, IN THE REGISTRATION AREA AND EACH REGISTRATION STATE: 1926—Continued

List No.	CAUSE OF DEATH	All deaths	OREGON—Continued													Age un-known			
			Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 44 years	45 to 54 years		55 to 64 years	65 to 74 years	75 years and over
<b>XIV.—External causes—Contd.</b>																			
<b>Accidental or undefined—Continued.</b>																			
188a	Railroad accidents	48					2			2		2	9	3	11	7	5	4	3
	Collision with automobiles	8					1			1		2	9	3	2	1	5	3	3
	Other railroad accidents	40					1			1		2	9	3	9	6	5	1	3
188b	Street-car accidents	6											1		4	1			
	Collision with automobiles	3											1		2				
	Other street-car accidents	3													2	1			
188c	Automobile accidents (excluding collision with railroad trains and street cars)	187	3			4	3	24	5	12	11	21	12	21	22	18	20	11	
188d	Airplane and balloon accidents	6									2						2		
188e	Injuries by other vehicles	17							1		5		2	2	2		4		2
188g	Landslide, other crushing	22				1		1			2	3	1	3	4	6	2	1	
189	Injuries by animals (not poisoning)	9									1		2			1	3	1	1
193	Excessive cold	2										1				1			
194	Excessive heat	1																	1
195	Lightning	3									1		1	1					1
196	Other accidental electric shocks	10								2	2	1	2	2					1
201	Fracture (cause not specified)	6																	6
202	Other external violence	112	7					7	2	7	10	10	10	26	12	14	6		1
<b>XV.—Ill-defined diseases</b>																			
	Sudden death	35	8	2			1	1			2			1	2	6	10	1	1
204	Ill-defined	5	1								1				1				1
205a	Not specified or unknown	18	7	2				1						1	1	5	8	1	1
205b		12					1				1				1	1	1		1

## PENNSYLVANIA

All causes		120,537	17,122	3,426	1,422	921	696	2,223	1,563	2,387	3,094	3,270	3,909	9,920	13,451	17,285	19,996	19,845	7
<b>I.—Epidemic, endemic, and infectious diseases</b>		16,584	2,067	1,194	562	362	271	718	384	806	1,115	1,016	1,025	1,926	1,727	1,378	1,074	956	3
1	Typhoid and paratyphoid fever	357	1	1	3	3	4	19	38	46	46	34	28	57	48	18	10	1	
5	Malaria	5									1			1	1		1	1	
7	Measles	1,058	323	344	138	64	38	94	24	11	5	5	2	4	3	2	1		
8	Scarlet fever	272	15	30	18	24	30	81	25	12	11	6	8	6	4	2			
9	Whooping cough	927	515	246	73	37	24	25	2					1	1				
10	Diphtheria	800	56	111	124	94	93	220	41	10	10	12	5	11	5	5	1	1	1
11a	Influenza (with pulmonary complications)	2,985	517	222	67	39	21	54	28	64	64	78	97	280	276	346	402	430	
	Influenza (other and unspecified)	1,245	162	62	30	19	10	36	31	31	24	26	31	88	91	116	178	310	
11b	Mumps	2									1						1		
15	Cholera nostras	10	1	1			1		1								4	2	
16	Dysentery	72	27	4	1	5	1	2			1	1	1	3	4	3	8	11	
19	Spirochetal hemorrhagic jaundice	4	2											1					
21	Erysipelas	269	98	5	2	2	1	5	2	2	6	7	11	29	33	35	31		
22	Acute anterior poliomyelitis	44	1	9	4	3	3	8	5	6	2	2	2	1					
23	Lethargic encephalitis	119	5	3	4	4	3	10	4	13	7	6	6	14	17	12	8	3	
24	Meningococcus meningitis	84	17	14	3	5	4	10	5	6	4	3	2	1	5	3	2		
25	Other epidemic and endemic diseases	22	8	11	1			1						1	1				
27	Anthrax	3												1					
28	Rabies	8					1												
29	Tetanus	103	6		1	5	2	25	22	7	8	3	4	8	4	8			
30	Mycoses	15	3					1						2	2	3			
	Tuberculosis (all forms)	7,399	146	114	87	55	35	118	142	581	889	793	777	1,304	1,094	723	390	149	2
31	Of the respiratory system	6,360	50	38	35	16	6	49	90	494	815	727	700	1,190	999	664	352	133	2
32	Of the meninges, central nervous system	363	76	57	45	26	15	39	26	19	12	11	10	12	9	4	2		
33	Of the intestines, peritoneum	273	11	9	2	6	4	7	13	30	30	20	26	40	32	19	22	2	
34	Of the vertebral column	123	2		1	3	10	8	6	12	6	10	20	17	14	8	4	7	
35	Of the joints	29						4	1	4	2	2	2	3	6	4	1		
36	Of other organs	101	3	3		2		6	2	2	6	7	6	22	16	14	5	7	
37a	Disseminated (acute)	114	4	6	3	1		4	4	18	13	12	12	14	14	7	2		
37b	Disseminated (chronic or unspecified)	31		1	1	1		1		2	5	4	1	6	4	3	2		
38	Syphilis	601	141	14	5	2		5	5	9	15	24	37	96	121	93	26	8	
39	Soft chancre	1																	1
40	Gonococcus infection	94	8	1		1		2	2	4	16	13	12	24	11	1	1		
41	Purulent infection, septicemia	85	15	2	1	1		6	2	4	7	3	6	10	9	7	6	6	
<b>II.—General diseases not included in Class I</b>		13,585	301	62	34	26	30	117	132	120	134	178	300	1,263	2,437	3,470	3,170	1,802	
<b>Cancer and other malignant tumors</b>		9,172	6	4	8	10	8	22	27	29	49	77	149	786	1,701	2,477	2,371	1,448	
43	Of the buccal cavity	306				1	1		1	1		1	3	9	51	91	82	65	
44	Of the stomach, liver	3,388	2		1			1	1	4	7	12	29	182	562	957	1,023	607	
45	Of the peritoneum, intestines, rectum	1,299			1	1	1	4	2	6	8	14	23	100	213	352	354	220	
46	Of the female genital organs	1,351						3	3	1	9	17	50	236	360	330	239	106	
47	Of the breast	830									1	6	16	103	215	236	163	90	
48	Of the skin	224				1	1				1		3	12	16	42	51	96	
49	Of other or unspecified organs	1,774	4	4	6	7	5	16	20	17	23	27	25	144	284	469	459	264	
50	Tumors, benign and unqualified (tumors of the female genital organs excepted)	42	2	1					1		2	2	1	4	8	7	7	7	
51	Acute rheumatic fever	325	4	2	3	5	8	46	44	30	17	18	19	38	26	33	19	13	
52	Chronic rheumatism, osteoarthritis, gout	118								2		1	1	5	15	26	33	35	
53	Scurvy	5	2	1				1								1			
54	Pellagra	7																	
55	Beriberi	1																	
56	Rickets	63	39	16	5	1		2			1								
57	Diabetes mellitus	1,885						2	18	28	22	20	31	98	288	577	528	223	
58	Anemia, chlorosis	488	11	3	1	1	2	3	7	1	9	8	17	48	96	123	112	41	

MORTALITY STATISTICS

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE, BY AGE, IN THE REGISTRATION AREA AND EACH REGISTRATION STATE: 1926—Continued

Table with columns: List No., CAUSE OF DEATH, All deaths, Under 1 year, 1 year, 2 years, 3 years, 4 years, 5 to 9 years, 10 to 14 years, 15 to 19 years, 20 to 24 years, 25 to 29 years, 30 to 34 years, 35 to 44 years, 45 to 54 years, 55 to 64 years, 65 to 74 years, 75 years and over, AGE UN- KNOWN. Sub-sections include: II.—General diseases not included in Class I—Contd., III.—Diseases of the nervous system and of the organs of special sense, IV.—Diseases of the circulatory system, V.—Diseases of the respiratory system, VI.—Diseases of the digestive system.

CAUSES OF DEATH, BY AGE

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE, BY AGE, IN THE REGISTRATION AREA AND EACH REGISTRATION STATE: 1926—Continued

List No.	CAUSE OF DEATH	All deaths	Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 to 74 years	75 years and over	Age un-known
PENNSYLVANIA—Continued																			
VI.—Diseases of the digestive system—Continued.																			
120	Acute yellow atrophy of the liver.....	50	2				1	1			7	4	9	5	6	9	1	5	
121	Hydatid tumor of the liver.....	2																2	
122	Cirrhosis of the liver.....	852	1	2	2			3	1	2	4	10	16	71	177	254	190	125	
123	Biliary calculi.....	344									3	3	12	59	74	88	66	32	
124	Other diseases of the liver.....	445	8	3	4		2	3	1	4	9	23	18	69	85	94	79	43	
125	Diseases of the pancreas.....	52		1						1	1	4	3	10	10	14	7	1	
126	Peritonitis without specified cause.....	164	14	2	1	6	5	7	11	8	10	8	11	29	21	15	10	6	
VII.—Nonvenereal diseases of the genito-urinary system and annexa																			
		11,588	59	18	19	14	17	48	58	95	138	148	270	861	1,454	2,209	3,111	3,069	
128	Acute nephritis (including unspecified under 10 years).....	504	31	12	15	5	8	30	21	20	18	12	28	73	65	61	62	43	
129	Chronic nephritis (including unspecified 10 years and over).....	9,802	1		1	8	5	16	33	52	78	85	177	614	1,206	1,990	2,806	2,780	
131	Other diseases of the kidneys and annexa.....	212	15	6	3	1	4	2	2	6	2	3	12	30	29	27	38	29	
132	Calculi of the urinary passages.....	61												3	8	8	12	14	8
133	Diseases of the bladder.....	66	2											1	3	6	11	14	28
134	Diseases of the urethra, etc.....	37									1	3	5	4	2	4	3	5	
135	Diseases of the prostate.....	452												1	2	7	156	207	
Nonvenereal diseases of the male genital organs.....																			
136		11	6								1	1	1			2			
137	Cysts, other benign tumors of the ovary.....	75									4	8	6	14	20	11	5	7	
138	Salpingitis and pelvic abscess (female).....	137							1	12	22	18	19	35	23	2	1	4	
139	Benign tumors of the uterus.....	157								1	1	4	10	62	59	9	6	5	
140	Nonpuerperal uterine hemorrhage.....	3											1	1					
141	Other diseases of the female genital organs.....	66							1	1	5	9	6	15	14	6	6	3	
142	Nonpuerperal diseases of the breast (cancer excepted).....	5	4																
VIII.—The puerperal state																			
		1,324							2	140	248	285	301	335	13				
143	Accidents of pregnancy.....	137								7	24	22	48	34	2				
144	Puerperal hemorrhage.....	159								6	17	34	32	67	3				
145	Other accidents of labor.....	125								6	19	24	28	48					
146	Puerperal septicemia.....	526							2	68	113	124	112	103	4				
147	Puerperal phlegmasia alba dolens, embolus, etc.....	57								3	4	17	18	15					
148	Puerperal albuminuria and convulsions.....	314								49	69	63	62	67	4				
149	Following childbirth (undefined).....	6								1	2	1	1	1					
IX.—Diseases of the skin and of the cellular tissue																			
		355	60	4	1	3	1	6	6	8	4	1	9	20	35	42	58	97	
151	Gangrene.....	167	3		1	1	1	1			1	1	3	7	8	13	42	85	
152	Furuncle.....	48	8	1				1	2	4			2	4	8	9	6	3	
153	Acute abscess.....	76	19	3		2		4	2	3	1		4	7	12	12	5	2	
154	Other diseases of the skin and annexa.....	64	30	3					2	1	2			2	7	8	5	7	
X.—Diseases of the bones and of the organs of locomotion																			
		149	12	2	5	4	4	19	16	6	2	2	7	12	18	17	13	10	
155	Diseases of the bones (tuberculosis excepted).....	122	8	1	4	3	4	19	16	6	2	2	6	9	13	13	9	7	
156	Diseases of the joints (tuberculosis and rheumatism excepted).....	22	4	1	1	1							1	3	5	3	2	1	
158	Other diseases of the organs of locomotion.....	5														1	2	2	
XI.—Malformations																			
		1,620	1,514	45	13	13	5	15	5	3	2	5							
159a	Congenital hydrocephalus.....	137	103	14	4	4	1	5	3	1	1	1							
159b	Congenital malformations of the heart.....	1,063	1,010	24	7	6	2	10	1	1	1								
159c	Other congenital malformations.....	420	401	7	2	3	2		1	1		3							
XII.—Early infancy																			
		5,767	5,767																
160	Congenital debility, icterus, sclerema.....	628	628																
161a	Premature birth.....	3,757	3,757																
161b	Injury at birth.....	918	918																
162	Other diseases peculiar to early infancy.....	456	456																
163	Lack of care.....	8	8																
XIII.—Old age (senility)																			
164		537													1	8	72	456	
XIV.—External causes																			
		9,921	198	182	176	160	151	553	380	457	628	661	683	1,552	1,397	1,131	775	836	1
Suicide																			
165		1,188							5	31	77	93	99	250	262	211	118	41	1
By poisons (gas or corrosives excepted).....																			
166		40							1	1	2	1	4	9	12	7	1	2	
167	By corrosive substances.....	96								5	12	14	22	17	10	1	1	2	
168	By poisonous gas.....	174								1	11	12	13	31	42	41	18	5	
169	By hanging or strangulation.....	257								4	9	13	18	51	62	57	30	12	1
170	By drowning.....	54									6	2	3	10	9	12	9	3	
171	By firearms.....	445							3	20	33	46	35	97	84	67	47	13	
172	By cutting or piercing instruments.....	63									1	1	5	15	18	13	8	2	
173	By jumping from high places.....	38									3	3	6	10	9	4	1	2	
174	By crushing.....	6												3	2				
174	By other means.....	15												2	2		3		
Homicide																			
197		525	21	1	1	2		2	5	25	64	99	84	141	55	17	7	1	
198	By firearms.....	359				1		4	17	46	77	63	103	34	11	3			
199	By cutting or piercing instruments.....	64	1	1				1	2	7	10	12	20	9				1	
199	By other means.....	102	20		1	1		1	1	6	11	12	9	18	12	6	4		

MORTALITY STATISTICS

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE, BY AGE, IN THE REGISTRATION AREA AND EACH REGISTRATION STATE: 1926—Continued

List No.	CAUSE OF DEATH	All deaths	Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 to 74 years	75 years and over	Age un-known
<b>PENNSYLVANIA—Continued</b>																			
<b>XIV.—External causes—Contd.</b>																			
	Accidental or undefined.....	8,208	177	181	175	158	151	551	370	401	487	469	500	1,161	1,080	903	650	794	
175	Poisoning by food.....	50	3	2	3		6	5	5	1	4		2	4	3	5	3	4	
176	Poisoning by venomous animals.....	4		1				1							1				
177	Other acute poisonings (gas ex- cepted).....	112	8	29	8	4	2	1	1	1	5	6	5	16	11	9	3	3	
178	Conflagration.....	145	5	6	5	7	6	22	7	4	4	10	4	15	12	19	14	5	
179	Burns (conflagration excepted).....	759	27	67	84	62	56	99	20	21	19	29	23	75	47	39	44	47	
180	Mechanical suffocation.....	77	51	4				2	1	1	2		5	7	2		1		
181	Absorption of irrespirable, irri- tating, or poisonous gas.....	308	3	4	2	1		1	2	9	11	21	24	52	67	63	26	22	
182	Drowning.....	421	5	12	13	8	8	39	60	58	27	27	21	49	47	23	7	8	
183	Traumatism by firearms (except in war).....	155			2	1		11	29	25	14	16	10	16	19	8	2	2	
184	Traumatism by cutting or piercing instruments.....	62	1	1		2	1	2	5	3	2	5	4	4	11	11	7	3	
185	Traumatism by fall.....	1,528	15	22	10	8	6	25	22	20	22	28	45	137	162	199	241	566	
186a	Traumatism in mines.....	895			1				1	42	87	91	103	281	182	94	13		
186b	Traumatism in quarries.....	23						1		3	1	2	1	5	4	4	2		
187	Traumatism by machines.....	234		2	1	1	2	2	3	28	19	26	21	39	55	20	12	3	
188a	Railroad accidents.....	764	1	4	5	2	1	20	24	31	67	63	67	154	140	113	53	19	
	Collision with automobiles.....	68	1	1	1	1		2	2	6	7	12	7	12	8	2	3	3	
	Other railroad accidents.....	696		3	4	1	1	18	22	25	60	51	60	142	132	111	50	16	
188b	Street-car accidents.....	157		3	2	5	3	6	4	3	8	8	10	24	29	25	18	9	
	Collision with automobiles.....	31		2							5	2	6	9	2	3	2		
	Other street-car accidents.....	126		1	2	5	3	6	4	3	3	6	4	15	27	22	16	9	
188c	Automobile accidents (excluding collision with railroad trains and street cars).....	1,734	12	6	32	50	56	280	122	108	135	86	107	175	195	181	128	61	
188d	Airplane and balloon accidents.....	12									6	3	1	1	1				
188e,f	Injuries by other vehicles.....	124	2	2		4	1	8	21	16	5	4	5	6	15	17	14	4	
188g	Landslide, other crushing.....	47	1	1	1			2	1	3	3	3	4	13	8	4	2	1	
189	Injuries by animals (not poisoning).....	25	1					1	2		1			4	1	6	7	2	
193	Excessive cold.....	25										1		6	6	6	4	2	
194	Excessive heat.....	78	8	4					1	1	1	4	6	14	7	8	11	13	
195	Lightning.....	20				1		3	3	1	2	2	1	2	2	2		1	
196	Other accidental electric shocks.....	89		2				3	2	9	22	13	10	16	3	7	2		
201	Fracture (cause not specified).....	19									3		2	4	5	1	4		
202	Other external violence.....	341	34	9	6	2	3	17	25	13	17	21	19	42	45	37	32	19	
	<b>XV.—Ill-defined diseases.....</b>	612	182	37	7	1		8	6	6	13	13	13	48	66	73	77	62	
204	Sudden death.....	112	17	4				1	1	2	3			9	11	20	19	25	
205a	Ill-defined.....	130	21	22	1	1		1	2	1	1	1	5	8	12	15	25	14	
205b	Not specified or unknown.....	370	144	11	6			6	3	3	9	12	8	31	43	38	33	23	

RHODE ISLAND

	All causes.....	8,791	1,114	245	87	69	38	162	91	130	175	187	222	618	1,001	1,423	1,617	1,609	3
	<b>I.—Epidemic, endemic, and in- fectious diseases.....</b>	1,173	182	131	42	42	17	52	18	47	77	57	66	109	107	84	73	68	1
1	Typhoid and paratyphoid fever.....	11				1	2	1	1	3				1	1				
7	Measles.....	137	40	56	13	14	4	8	2										
8	Scarlet fever.....	4			1			2			1								
9	Whooping cough.....	125	66	35	12	4	3	5											
10	Diphtheria.....	43	1	9	4	13	2	13	1										
11a	Influenza (with pulmonary complica- tions).....	165	26	11	1	2	2	5	3	3	2		6	9	14	19	32	30	
11b	Influenza (other and unspecified).....	69	7	3	2			2	1				2	5	7	10	25	25	
13	Mumps.....	1								1									
16	Dysentery.....	13	1												1	3	2	5	
21	Erysipelas.....	25	4				1					1		2	2	6	7	2	
22	Acute anterior poliomyelitis.....	7		1		1			2	1				1					
23	Lethargic encephalitis.....	10				1		1	1					2	2	2			
24	Meningococcus meningitis.....	10	4	1	2			1		2									
25	Other epidemic and endemic diseases.....	1		1															
27	Anthrax.....	1																	
29	Tetanus.....	5	2					2											
	Tuberculosis (all forms).....	499	20	14	7	6	1	14	5	38	70	52	54	82	71	41	18	6	
31	Of the respiratory system.....	403	5	2	1			7	2	35	67	42	50	73	66	33	15	5	
32	Of the meninges, central nervous system.....	37	8	8	4	4		3	1	2		3	1	1	1	1			
33	Of the intestines, peritoneum.....	20	3	3	1		1					4	2	1	3	1	1		
34	Of the vertebral column.....	9				1				1	1			3		2	1		
35	Of the joints.....	2						1						1					
36	Of other organs.....	11	2	1								1	1	3	2	1	1		
37a	Disseminated (acute).....	11	1		1			2	2		1	2			1		1		
37b	Disseminated (chronic or unspeci- fied).....	6	1			1		1			1				1	1			
38	Syphilis.....	36	9					1		1	1	1	2	3	11	5	2		1
40	Gonococcus infection.....	4											1	3					
41	Purulent infection, septicemia.....	7	2							1		2					2		
	<b>II.—General diseases not in- cluded in Class I.....</b>	1,257	17	10	2	1		8	8	3	9	14	19	115	224	333	304	190	
	Cancer and other malignant tumors.....	884		2	1	1				1	1	6	10	70	164	245	234	149	
43	Of the buccal cavity.....	31											1	2	4	14	3	7	
44	Of the stomach, liver.....	282											1	4	23	83	87	49	
45	Of the peritoneum, intestines, rectum.....	168									1		2	6	25	52	46	36	
46	Of the female genital organs.....	125										2	1	22	35	28	22	15	
47	Of the breast.....	94										2	1	9	20	24	20	19	
48	Of the skin.....	15											1	3	3	3	5	3	
49	Of other or unspecified organs.....	169		2	1	1				1		1	1	8	42	41	51	20	

CAUSES OF DEATH, BY AGE

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE, BY AGE, IN THE REGISTRATION AREA AND EACH REGISTRATION STATE: 1926—Continued

List No.	CAUSE OF DEATH	All deaths	Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 to 74 years	75 years and over	Age un- known
<b>RHODE ISLAND—Continued</b>																			
<b>II.—General diseases not included in Class I—Contd.</b>																			
50	Tumors, benign and unqualified (tumors of the female genital organs excepted)	3											1			1	1		
51	Acute rheumatic fever	28						5	4		5	2		4	3	2	2	1	
52	Chronic rheumatism, osteoarthritis, gout	10												1	1	3	2	3	
54	Pellagra	1												1					
56	Rickets	3	2	1										1					
57	Diabetes mellitus	160						2	2	1	1	1	4	9	21	41	50	28	
58	Anemia, chlorosis	59	1	1					1		1			6	12	20	10	7	
59	Diseases of the pituitary gland	3		1	1										1				
60a	Exophthalmic goiter	13												4	3	4	2		
60b	Other diseases of the thyroid gland	5	1	1											1	2			
62	Diseases of the thymus gland	4	2	2															
63	Diseases of the adrenals (Addison's disease)	4													2	1			
65a	Leukemia	7		2							1			1	2	1			
65b	Hodgkin's disease	10						1	1				3	1	1	2			
66	Alcoholism (acute or chronic)	49										1	2	15	16	11	3	1	
68	Chronic poisoning by organic substances	2																	
69	Other general diseases	12	11							1				2					
<b>III.—Diseases of the nervous system and of the organs of special sense</b>																			
		991	23	11	5	5		9	8	6	9	7	5	43	115	220	274	245	1
70	Encephalitis	6		1		1								1	1	1			
71a	Simple meningitis	27	7	3	3	2		4	2	2	1	1					2		
71b	Nonepidemic cerebrospinal meningitis	3	2						1										
72	Tabes dorsalis (locomotor ataxia)	16												2	7	6	1		
73	Other diseases of the spinal cord	22								1	1		2	2	3	7	5		1
74a	Cerebral hemorrhage	732											2	23	78	180	232	216	
74b	Cerebral embolism and thrombosis	53						2	1	1	1		2	5	7	21	14		
75	Paralysis without specified cause	18												1	2	5	4	6	
76	General paralysis of the insane	24											2	9	8	2	1	1	
77	Other forms of mental alienation	5		1										2	1	2	1		
78	Epilepsy	10						1								2	1		
79	Convulsions (nonpuerperal; 5 years and over)	2						1								1			
80	Infantile convulsions (under 5 years)	15	9	4	1	1													
82	Neuralgia and neuritis	2													1	1			
83	Softening of the brain	4														1		3	
84	Other diseases of the nervous system	36	3	1		1		2	2		1	1		2	7	6	5	5	
85	Diseases of the eye and annexa	1			1														
86a	Diseases of the ear	6	2	1						1					1				
86b	Diseases of the mastoid process	9						1	1					3		2	2		
<b>IV.—Diseases of the circulatory system</b>																			
		1,784	5	3		1	1	7	13	13	9	18	23	84	188	331	511	577	
87	Pericarditis	7				1	1		1						1	2	1	1	
88	Endocarditis and myocarditis (acute)	68	4	2		1		2	2			4	5	9	6	14	12	5	
89	Angina pectoris	137													12	23	49	29	
90	Other diseases of the heart	1,352		1				5	10	11	9	10	17	56	148	269	395	421	
91a	Aneurysm	3													2	1			
91b,c	Other diseases of the arteries	179											1	1	3	14	45	115	
92	Embolism and thrombosis (not cerebral)	35	1									3		6	4	7	8	6	
93	Diseases of the veins	3													1	2			
<b>V.—Diseases of the respiratory system</b>																			
		877	183	60	27	6	3	19	7	10	16	13	18	61	86	108	114	146	
97a	Diseases of the nasal fossae	1														1			
97b	Diseases of the nasal fossae annexa	2														1			
98	Diseases of the larynx	5	1	1	1	1								1					
99a	Acute bronchitis	29	21												1		4	3	
99b	Chronic bronchitis	11														2	3	6	
99c,d	Bronchitis (unspecified)	16	3	1												2	2	7	
100a	Broncho-pneumonia	259	80	26	7	4	1	8	4	1	1	1		8	8	18	29	63	
100b	Capillary bronchitis	3	3																
101a	Lobar pneumonia	489	71	29	18	1	1	9	2	8	13	11	15	43	66	81	67	54	
101b	Pneumonia (unspecified)	15	2	2									1	2	1	5	2		
102	Pleurisy	21	2	1			1	1				1	1	4	3	3	3	1	
103	Congestion and hemorrhagic infarct of the lung	18		1				1		1							1	8	
105	Asthma	6													1	1	2		2
107	Other diseases of the respiratory system (tuberculosis excepted)	7							1		1			2	3				
<b>VI.—Diseases of the digestive system</b>																			
		496	109	16	2	1	1	13	16	13	10	13	24	49	80	66	40	43	
108	Diseases of the mouth and annexa	2													2				
109b	Other diseases of the pharynx, tonsils	12	1					2		2	1			4				1	
111a	Ulcer of the stomach	26							1			1	4	4	6	3	4	2	
111b	Ulcer of the duodenum	13										1	1	3	3	3	2		
112	Other diseases of the stomach (cancer excepted)	22	6	1													1	3	8
113	Diarrhea and enteritis (under 2 years)	107	96	11									1	2		1	3		
114	Diarrhea and enteritis (2 years and over)	21			2	1		1			1	1			6	2	3	4	
117	Appendicitis and typhlitis	99		1				6	12	10	7	6	8	19	14	8	4	3	
118a	Hernia	30	1	1										2	7	9	4	7	
118b	Intestinal obstruction	38	1	3				3	1	1	1	2	1	1	5	8	7	2	
119	Other diseases of the intestines	6													1	1	2	2	

MORTALITY STATISTICS

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE, BY AGE, IN THE REGISTRATION AREA AND EACH REGISTRATION STATE: 1926—Continued

List No.	CAUSE OF DEATH	All deaths	RHODE ISLAND—Continued																	Age un- known
			Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 to 74 years	75 years and over		
VI.—Diseases of the digestive system—Continued.																				
120	Acute yellow atrophy of the liver.....	2												2						
122	Cirrhosis of the liver.....	47						1					3	14	13	7	7			
123	Biliary calculi.....	37										1	3	6	13	10	3	1		
124	Other diseases of the liver.....	22										1	2	3	5	5		6		
125	Diseases of the pancreas.....	4													2	1	1			
126	Peritonitis without specified cause.....	8	1				1	1	1						1	2				
VII.—Nonvenereal diseases of the genito - urinary system and annexa.....																				
		903	2		1	3	2	4	3	4	11	12	14	65	122	196	245	219		
128	Acute nephritis (including unspecified under 10 years).....	35	2		1	3	2	1	1	1	2	2	2	5	2	2	4	5		
129	Chronic nephritis (including unspecified 10 years and over).....	783						2	2	3	7	10	10	45	102	181	218	203		
131	Other diseases of the kidneys and annexa.....	12						1						2	3	3	2	1		
132	Calculi of the urinary passages.....	2												2						
133	Diseases of the bladder.....	5															2	3		
134	Diseases of the urethra, etc.....	1																1		
135	Diseases of the prostate.....	24														4	14	6		
137	Cysts, other benign tumors of the ovary.....	8									1		1		3	1	2			
138	Salpingitis and pelvic abscess (female).....	14									1		1		6	3	2	1		
139	Benign tumors of the uterus.....	7													1	4	2			
140	Nonpuerperal uterine hemorrhage.....	1													1					
141	Other diseases of the female genital organs.....	10												3	4	1	2			
142	Nonpuerperal diseases of the breast (cancer excepted).....	1													1					
VIII.—The puerperal state.....																				
		81							5	10	20	22	22	2						
143	Accidents of pregnancy.....	9									2	4	3							
144	Puerperal hemorrhage.....	12									5	3	3		1					
145	Other accidents of labor.....	11							2	3	1	4	1							
146	Puerperal septicemia.....	24							3	4	7	4	6							
147	Puerperal phlegmasia alba dolens, embolus, etc.....	9									2	1	5	1						
148	Puerperal albuminuria and convulsions.....	14									2	3	5	4						
149	Following childbirth (undefined).....	2									1		1							
IX.—Diseases of the skin and of the cellular tissue.....																				
		21	1							2				1		3	5	9		
151	Gangrene.....	10															4	6		
152	Furuncle.....	4	1											1				1		
153	Acute abscess.....	4								2						1	1			
154	Other diseases of the skin and annexa.....	3													1			2		
X.—Diseases of the bones and of the organs of locomotion.....																				
		5				1			1	1		1			1					
155	Diseases of the bones (tuberculosis excepted).....	4				1			1			1			1					
158	Other diseases of the organs of locomotion.....	1							1											
XI.—Malformations.....																				
		97	92	2		1			1			1								
159a	Congenital hydrocephalus.....	6	5			1														
159b	Congenital malformations of the heart.....	44	40	2					1			1								
159c	Other congenital malformations.....	47	47																	
XII.—Early infancy.....																				
		468	468																	
160	Congenital debility, icterus, sclerema.....	60	60																	
161a	Premature birth.....	251	251																	
161b	Injury at birth.....	123	123																	
162	Other diseases peculiar to early infancy.....	34	34																	
XIII.—Old age (senility).....																				
		51													1	1	49			
XIV.—External causes.....																				
		549	15	9	7	8	14	50	17	25	24	31	31	61	72	78	45	61	1	
Suicide.....																				
		75							3			6	10	14	16	17	5	4		
165	By poisons (gas or corrosives excepted).....	5										1		1	1	1	1			
166	By corrosive substances.....	7							1			1	2	2	1	1	1			
167	By poisonous gas.....	20										1	3	2	4	8	1	1		
168	By hanging or strangulation.....	13							1			2	4	4	2	2				
169	By drowning.....	4										1		2	1	1				
170	By firearms.....	19							1			2	2	5	1	2	3	3		
171	By cutting or piercing instruments.....	6										2	1		3	2				
174	By other means.....	1													1					
Homicide.....																				
		21	1									4	2	6	4	2	2			
197	By firearms.....	13										4	2	2	2	1	2			
198	By cutting or piercing instruments.....	3										2	1	2	1					
199	By other means.....	5	1									2	2	2						
Accidental or undefined.....																				
		453	14	9	7	8	14	49	17	22	20	23	16	43	54	59	40	57	1	
175	Poisoning by food.....	2						1							1					
177	Other acute poisonings (gas excepted).....	6	1				1					1		1	1	1				
178	Conflagration.....	11										1		1		2	2	3		
179	Burns (conflagration excepted).....	45	3	3	3	2	7	8	1	1	1	3	2	1	2	2	3	4		
180	Mechanical suffocation.....	6	4									1		1						
181	Absorption of irrespirable, irritating, or poisonous gas.....	31	1	1					2	1		2		7	4	5	3	5		

CAUSES OF DEATH, BY AGE

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE, BY AGE, IN THE REGISTRATION AREA AND EACH REGISTRATION STATE: 1926—Continued

List No.	CAUSE OF DEATH	All deaths	Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 to 74 years	75 years and over	Age unknown
<b>RHODE ISLAND—Continued</b>																			
XIV.—External causes—Contd.																			
Accidental or undefined—Continued.																			
182	Drowning	52		1			1	10	6	10	3	4		6	5	2	2	1	1
183	Traumatism by firearms (except in war)	2						1			1								
184	Traumatism by cutting or piercing instruments	3																	
185	Traumatism by fall	93					1	1	1	2	1	3	2	10	11	14	18	29	
186b	Traumatism in quarries	1									1								
187	Traumatism by machines	8									1	1		4	1			1	
188a	Railroad accidents	14						1				3		3	4	3			
	Collision with automobiles	1													1				
	Other railroad accidents	13						1				3		3	3	3			
188b	Street-car accidents	14						1	1			1	1	3	3	4	2	2	
	Collision with automobiles	2										1		1	1				
	Other street-car accidents	12						1					1	2	4	2	2		
188c	Automobile accidents (excluding collision with railroad trains and street cars)	127	1		4	5	4	23	4	6	7	6	6	12	14	18	6	11	
188e,f	Injuries by other vehicles	7						3			1			1		1		1	
193	Excessive cold	1													1				
194	Excessive heat	3	1	1												1			
196	Other accidental electric shocks	5						2		1			1		1				
202	Other external violence	22	3	3					2	2	3			1	1	4	2		
XV.—Ill-defined diseases																			
	Sudden death	11	6											1	1	1	1	1	1
204	Ill-defined	11	3		1									1	1	1	3	1	
205b	Not specified or unknown	16	8	3										1	2	1	1		

SOUTH CAROLINA

All causes		9,219	1,724	376	150	90	55	152	117	264	237	252	275	653	794	1,030	1,577	1,468	5
		14,184	2,751	639	230	121	110	303	282	706	860	797	635	1,557	1,681	1,279	1,090	1,111	32
I.—Epidemic, endemic, and infectious diseases		White	Colored	White	Colored	White	Colored	White	Colored	White	Colored	White	Colored	White	Colored	White	Colored	White	Colored
		1,439	3,115	213	420	101	164	51	80	30	32	19	36	61	80	23	123	83	329
		3,115	420	164	80	32	36	19	36	61	80	23	123	83	329	78	297	76	220
		150	2	2	2	9	12	41	17	10	14	18	14	14	5	4	4	1	1
		361	5	7	6	4	4	15	48	90	71	25	14	34	18	9	6	6	1
		30	5	2	1	4	4	9	2	1	3	2	4	1	3	3	1	3	1
		190	27	15	8	5	5	9	8	16	13	13	9	19	19	10	6	7	1
		2	1																
		1	3					1		1									
		5	1					2											
		8	3					4											
		3	1					1											
		70	42	16	7	2	1	1											
		80	47	19	7	5	1	1											
		108	14	23	27	15	10	13	1	2				1					
		61	17	9	11	3	7	11	1										
		312	57	29	11	4	4	18	6	15	6	10	13	27	23	25	34	54	54
		332	48	20	14	4	7	6	23	23	16	17	46	46	27	16	16	12	12
		149	29	3	5	1	1	7	2	1	2	8	5	9	13	25	37	37	2
		333	82	19	10	4	2	6	10	14	17	13	11	30	31	29	21	32	2
		2	1																
		5	1																
		2	1																
		95	29	16	1	1	1	2		1	1		3	1	3	3	20	15	1
		158	56	48	11	1	1	2		5	3		3	3	3	6	3	17	17
		17	4	1				1											
		3	1					1											
		13	2	4	2	2	1	2											
		13	2	4	2	2	1	2											
		10	3	1				1		2	1								
		1																	
		5	1					2		1									
		4						1											
		2																	
		3						1											
		18	3					1	1	2				1					
		1	10					1	1	2				1					
		37	29	6				1											
		398	5	5		1		3	3	16	46	44	39	90	58	41	37	10	4
		1,264	10	17	7	3	4	16	43	168	244	204	145	192	106	67	25	9	4
		360	7	1				2	2	13	41	43	37	85	54	37	35	8	3
		1,186	3	9	6	3	4	15	39	159	230	202	132	182	100	64	23	8	3
		11	3	3	1			1											
		12	2	5															
		30	4	1					2	3	4	1	7	4	1	3	2	1	1
		4																	
		2																	
		5	1																
		6																	
		7																	
		5																	
		19																	
		3																	

MORTALITY STATISTICS

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE, BY AGE, IN THE REGISTRATION AREA AND EACH REGISTRATION STATE: 1926—Continued

List No.	CAUSE OF DEATH	All deaths	Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 to 74 years	75 years and over	Age unknown
SOUTH CAROLINA—Continued																			
I.—Epidemic, endemic, and infectious diseases—Contd.																			
38	Syphilis.....	36 C 216	11	1	3	3	2	3	7	2	1	2	6	5	1	6	1	4	1
39	Soft chancre.....	4 C 2																	
40	Gonococcus infection.....	20 C 6	1						1	4	1	2	5	5					
41	Purulent infection, septicemia.....	6 C 15	1				1	1	1	2	2	1	2	1	1	3	1		2
II.—General diseases not included in Class I.....		White 931 Colored 848	43	10	7	2	4	8	7	18	13	22	37	118	156	168	197	121	2
Cancer and other malignant tumors.....		434 C 323	1		2	1	1	1	1	1	1	6	18	49	84	80	113	75	
43	Of the buccal cavity.....	24 C 12			1														
44	Of the stomach, liver.....	105 C 93	1																
45	Of the peritoneum, intestines, rectum.....	40 C 28							1										
46	Of the female genital organs.....	84 C 92																	
47	Of the breast.....	44 C 28																	
48	Of the skin.....	33 C 7																	
49	Of other or unspecified organs.....	104 C 63		2	1	1	1	1	1	1	2	6	11	15	20	27	17		
50	Tumors, benign and unqualified (tumors of the female genital organs excepted).....	5 C 4																	
51	Acute rheumatic fever.....	9 C 3	1			1		1	2	1	2	3	1	2	6	7	2	3	
52	Chronic rheumatism, osteoarthritis, gout.....	10 C 3																	
53	Scurvy.....	2 C 2		1	1			1											
54	Pellagra.....	237 C 326	3	2	1		2	13	2	4	7	8	11	49	40	36	47	26	
56	Rickets.....	5 C 14	3	3	5		1												
57	Diabetes mellitus.....	94 C 72			1				1	4	3	3	3	5	13	28	21	13	
58	Anemia, chlorosis.....	30 C 11	3	1	1				2	2	4	2	1	3	4	9	14	5	
60a	Exophthalmic goiter.....	17 C 8								1	1	2	2	3	3	5	1		
60b	Other diseases of the thyroid gland.....	5 C 4							1										
61	Diseases of the parathyroid glands.....	2 C 1																	
62	Diseases of the thymus gland.....	11 C 2	11			1													
63	Diseases of the adrenals (Addison's disease).....	2 C 1	2							1									
64	Diseases of the spleen.....	1 C 2								1			2						
65a	Leukemia.....	15 C 5		1			1	1	1	1			1	1	2	5			
65b	Hodgkin's disease.....	4 C 2	1					1		1			1	3	1				
66	Alcoholism (acute or chronic).....	13 C 7									1		1	3	5	3			
67a	Chronic lead poisoning.....	1 C 1								2			2		1	1	1		
68	Chronic poisoning by organic substances.....	2 C 2																	
69	Other general diseases.....	36 C 26	19	7	1	1	1	2	1	1	1	1	1	1	1	1	1	1	
III.—Diseases of the nervous system and of the organs of special sense.....		White 941 Colored 1,239	26	10	9	7	3	6	6	13	11	12	12	45	89	207	273	212	1
70	Encephalitis.....	12 C 11	1	1		3	1	1	1	2	1	1	2	1	1	2	1	1	
71a	Simple meningitis.....	21 C 19	4		5		1	2	2	2	2	3	1	2	1	1			
71b	Nonepidemic cerebrospinal meningitis.....	10 C 5	2	2	1	2	1	3	1	1									
72	Tabes dorsalis (locomotor ataxia).....	7 C 2																	
73	Other diseases of the spinal cord.....	25 C 23	1					1	2	1	1	2	2	4	10	6	5		
74a	Cerebral hemorrhage.....	636 C 718	3	1	2					2	2	18	23	33	70	158	210	150	1
74b	Cerebral embolism and thrombosis.....	12 C 4								1	1	1	2	1	1	1			
75	Paralysis without specified cause.....	125 C 274	1		5		3		2	2	1	7	5	25	53	61	46	43	
76	General paralysis of the insane.....	11 C 27						1		2		1	2	9	8	2	1		
77	Other forms of mental alienation.....	6 C 14								2	2	1	1	3	2	1	2	1	
78	Epilepsy.....	19 C 54	1	1	1			3	3	5	2	2	2	6	4	2	1		

CAUSES OF DEATH, BY AGE

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE, BY AGE, IN THE REGISTRATION AREA AND EACH REGISTRATION STATE: 1926—Continued

List No.	CAUSE OF DEATH	All deaths	Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 44 years	45 to 64 years	55 to 64 years	65 to 74 years	75 years and over	Age un-known	
SOUTH CAROLINA—Continued																				
III.—Diseases of the nervous system and of the organs of special sense—Continued																				
79	Convulsions (nonpuerperal; years and over)	5 W C	1 7					1	1	2				3						
80	Infantile convulsions (under 5 years)	5 W C	12 41	10 4	1 6	1 4	1 1													
82	Neuralgia and neuritis	W	1					1									2	2		
83	Softening of the brain	W C	4 4												3	1				
84	Other diseases of the nervous system	W C	19 21	2				1	1	3	1	3	2	3	1	4	1	1		
85	Diseases of the eye and annexa	W C	2 2	1				1	1	2	1	3	1	2	2	4	3			
86a	Diseases of the ear	W C	11 1	4		1	1		2	1		1		1						
86b	Diseases of the mastoid process	W C	9 1		2	1		2	1		1		1			1				
IV.—Diseases of the circulatory system		White Colored	1,302 1,712	10 6	2 4	1 4	1 2	1 3	3 11	4 11	8 35	13 54	20 85	22 72	74 245	147 391	205 281	421 257	370 246	5
87	Pericarditis	W C	3 19							1	1			8	1	1		1		
88	Endocarditis and myocarditis (acute)	W C	23 62	2 1					1	2	1	3	2	1	1	2	3	3	5	
89	Angina pectoris	W C	119 65	1	1			1		7	8	4	22	7	3	7	4	6		
90	Other diseases of the heart	W C	1,038 1,398	6 5	2 3	1 4	1 2	1 3	3 9	3 11	5 25	10 40	15 54	20 71	58 191	106 236	164 218	334 218	309 195	4
91a	Aneurysm	W C	8 13										1	2	2	4	2	1	1	
91b,c	Other diseases of the arteries	W C	92 104										1	2	1	7	10	36	38	
92	Embolism and thrombosis (not cerebral)	W C	8 6	1						1	1	1	1	1	1	1	1	1	2	
93	Diseases of the veins	W C	1 1															1	1	
94	Diseases of the lymphatic system	W C	2 2					1							1				1	
95	Hemorrhage without specified cause	W C	2 8	1										1	2	2				
96	Other diseases of the circulatory system	W C	8 34							1		1	1	1	2	1	3	2	1	
V.—Diseases of the respiratory system		White Colored	748 1,092	185 354	53 108	20 37	19 23	11 40	14 20	17 23	15 43	18 58	19 60	38 82	42 82	50 71	61 65	87 43	125 36	1
97a	Diseases of the nasal fossae	W C	3 73	3 41		7	3	1	1	2			3	3	2	1	3	4		1
97b	Diseases of the nasal fossae annexa	W C	1 3		1										1					
98	Diseases of the larynx	W C	2 3	1	1							1			1					
99a	Acute bronchitis	W C	8 9	6 6		1		1						1				1	1	
99b	Chronic bronchitis	W C	7 5	6										1		1		5	1	
99c,d	Bronchitis (unspecified)	W C	6 14	3 4	1		1			1	1	1	1	2			1	1	2	
100a	Broncho-pneumonia	W C	200 234	91 102	24 46	11 19	5 11	2 3	3 4	2 3	2 4	1 3	3 8	2 2	6 9	8 4	13 5	12 3	26 4	1
100b	Capillary bronchitis	W C	3 2	2 1	1															
101a	Lobar pneumonia	W C	377 377	54 61	15 28	16 7	10 3	1 5	9 16	14 11	10 22	11 37	12 28	13 18	29 41	33 35	34 32	57 21	59 12	
101b	Pneumonia (unspecified)	W C	98 317	22 131	8 23	2 6	3 7	1 2	2 12	2 5	4 15	1 12	2 14	4 25	3 18	3 18	7 18	11 6	23 11	
102	Pleurisy	W C	9 10			1	1			1	1		3		1	1	1	1	1	
103	Congestion and hemorrhagic infarct of the lung	W C	14 1	3											1	1	2	7		
105	Asthma	W C	14 23		1	1				2			2	1	3	4	2	1	1	
106	Pulmonary emphysema	W C	2 5												1	1	1	1	1	
107	Other diseases of the respiratory system (tuberculosis excepted)	W C	5 23	2								3	3	1	2	3	1	2	3	
VI.—Diseases of the digestive system		White Colored	810 1,182	299 448	158 208	37 46	11 16	9 14	17 31	19 22	14 22	15 46	13 35	13 24	31 83	46 75	53 54	35 30	40 23	5
108	Diseases of the mouth and annexa	W C	2 8		1							1	1		2	1			1	
109a	Adenoid vegetations	W C	1 23		1										2					
109b	Other diseases of the pharynx, tonsils	W C	26 18	6	3	1	1	2	5	1	1	2	2	1	3	1	1	1		
111a	Ulcer of the stomach	W C	28 3	1								1	3	4	2	8	7	4	3	
111b	Ulcer of the duodenum	W C	3 1												1	1			1	
112	Other diseases of the stomach (cancer excepted)	W C	58 266	12 89	5 21	4 6		3	2	6	2	2	3	1	6	3	10	5	7	
113	Diarrhea and enteritis (under 2 years)	W C	424 519	277 343	147 176										6	3	26	15	9	
114	Diarrhea and enteritis (2 years and over)	W C	56 113			25 34	7 9	4 2	3 10	3 3	2	6	2	2	8	11	7	7	9	
115	Ancylostomiasis	W C	1 1	1																
116	Diseases due to other intestinal parasites	W C	21 82	1	2	4	3	6	3	7	1								1	
117	Appendicitis and typhlitis	W C	73 15	1				1	3	9	11	10	6	3	7	9	11	7	4	
118a	Hernia	W C	15 9	1	2							1	1		1	1	2	4	1	

MORTALITY STATISTICS

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE, BY AGE, IN THE REGISTRATION AREA AND EACH REGISTRATION STATE: 1926—Continued

List No.	CAUSE OF DEATH	All deaths	SOUTH CAROLINA—Continued													75 years and over	Age unknown
			Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 44 years	45 to 54 years		
VI.—Diseases of the digestive system—Continued.																	
118b	Intestinal obstruction.....	W 40 C 43	5	2	4	2	1	1	2	1	1	2	1	7	5	2	3
119	Other diseases of the intestines.....	W 6 C 11	1	1										1	1	1	1
120	Acute yellow atrophy of the liver.....	W 2															
121	Hydatid tumor of the liver.....	W 1															
122	Cirrhosis of the liver.....	W 20 C 25		1									1	4	6	6	2
123	Biliary calculi.....	W 12 C 4											1	3	2	4	2
124	Other diseases of the liver.....	W 33 C 23	1	1			1				1	1	2	4	4	8	4
125	Diseases of the pancreas.....	W 4 C 9		1											1	1	1
126	Peritonitis without specified cause.....	W 4 C 11		1					1		1	1					
VII.—Nonvenereal diseases of the genito-urinary system and annexa.																	
	White.....	1,042	3	3	3		2	5	3	6	15	14	17	68	114	175	331
	Colored.....	1,415	14	11	2	3	9	8	24	46	66	67	229	288	230	240	282
128	Acute nephritis (including unspecified under 10 years).....	W 41 C 101	2	2	2		1	4	1	4				5	7	6	3
129	Chronic nephritis (including unspecified 10 years and over).....	W 910 C 1,127		2			1	5	3	8	9	12	18	14	10	6	3
131	Other diseases of the kidneys and annexa.....	W 33 C 85		1	1			1	1	3	1	3	5	6	5	2	6
132	Calculi of the urinary passages.....	W 12 C 3	8	5	1	1	2	1	4	2	5	5	8	17	8	9	9
133	Diseases of the bladder.....	W 3 C 12	1	1									1	1			
134	Diseases of the urethra, etc.....	W 1 C 6															
135	Diseases of the prostate.....	W 21 C 21										2	1	2			
136	Nonvenereal diseases of the male genital organs.....	W 1 C 1										1					
137	Cysts, other benign tumors of the ovary.....	W 1 C 1															
138	Salpingitis and pelvic abscess (female).....	W 8 C 13							1	1	1	2	1	1	1		
139	Benign tumors of the uterus.....	W 6 C 17								4	4	1	3	2	3		
140	Nonpuerperal uterine hemorrhage.....	W 1 C 5							1	1	1	2	8	4	1		
141	Other diseases of the female genital organs.....	W 27 C 162							1	6	3	2	2	6	5	1	1
VIII.—The puerperal state.																	
	White.....	329							4	29	32	27	26	47	1		
	Colored.....	329							81	69	57	47	64	6			
143	Accidents of pregnancy.....	W 13 C 22								1	3	3	5	7			
144	Puerperal hemorrhage.....	W 15 C 24								3	2	3	4	3			
145	Other accidents of labor.....	W 68 C 27								5	3	5	10	13			
146	Puerperal septicemia.....	W 92 C 27							1	6	7	3	8	8	1		
147	Puerperal phlegmasia alba dolens, embolus, etc.....	W 4 C 2								28	24	15	14	2			
148	Puerperal albuminuria and convulsions.....	W 70 C 129								17	17	10	9	17			
149	Following childbirth (undefined).....	W 1 C 1							3	33	26	20	19	25	2		1
IX.—Diseases of the skin and of the cellular tissue.																	
	White.....	25	4				1		1	2		3	2	2	2	3	5
	Colored.....	28	1	1			2	1	1	1		3	6	6	5	3	2
151	Gangrene.....	W 6 C 8										1			1		4
152	Furuncle.....	W 2 C 6		1						1			2	3		1	1
153	Acute abscess.....	W 8 C 9		1						2		2		1		1	1
154	Other diseases of the skin and annexa.....	W 5 C 9	2	1									2	3	1	1	1
X.—Diseases of the bones and of the organs of locomotion.																	
	White.....	8			2		2	1					1	1	1		
	Colored.....	5							3				1	1		1	
155	Diseases of the bones (tuberculosis excepted).....	W 8 C 3			2		2	1					1	1	1		
157	Amputations.....	W 1 C 1									3						
158	Other diseases of the organs of locomotion.....	W 1 C 1												1			
XI.—Malformations.																	
	White.....	116	106	4	1	2	1	1	1								
	Colored.....	50	34	3	2	3	1	2	5		1						
159a	Congenital hydrocephalus.....	W 12 C 19	6	3	1		1	1									
159b	Congenital malformations of the heart.....	W 55 C 15	54	3	2	1		1		3							
159c	Other congenital malformations.....	W 49 C 16	46	1			1					1					

CAUSES OF DEATH, BY AGE

257

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE, BY AGE, IN THE REGISTRATION AREA AND EACH REGISTRATION STATE: 1926—Continued

List No.	CAUSE OF DEATH	All deaths	SOUTH CAROLINA—Continued													Age unknown								
			Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 44 years	45 to 54 years		55 to 64 years	65 to 74 years	75 years and over					
	XII.—Early infancy—(White—Colored)	687 891	687 891																					
160	Congenital debility, icterus, sclerema	85 221	85 221																					
161a	Premature birth	478 578	478 578																					
161b	Injury at birth	78 41	78 41																					
162	Other diseases peculiar to early infancy	46 47	46 47																					
163	Lack of care	4	4																					
164	XIII.—Old age (senility)—(White—Colored)	106 333															2	10	14	43	91	278		
	XIV.—External causes—(White—Colored)	624 768	32 22	25 29	19 24	17 24	11 27	31 65	31 45	68 87	39 77	45 75	46 51	59 95	52 67	41 36	48 25	60 17						2
	Suicide	50 9								4 2	6 1	6 1	7 3	9 1	5 1	9								
165	By poisons (gas or corrosives excepted)	1																						
166	By corrosive substances	2																						
168	By hanging or strangulation	2																						
169	By drowning	2								1														
170	By firearms	37 4								3	3	5	5	1	2	7	1							
171	By cutting or piercing instruments	5 1																						
172	By jumping from high places	1																						
174	By other means	2								1				1										
	Homicide	48 179	3			1		1	4	18	32	34	25	33	21	5	1	1	1	1	1	1	1	1
197	By firearms	37			1			1	3	13	21	26	18	27	19	4								1
198	By cutting or piercing instruments	2								1	5	6	5	4	4	1	1	1	1	1	1	1	1	1
199	By other means	18	3	25	19	17	11	31	31	61	29	32	31	42	34	34	38	59						
	Accidental or undefined	526 580	32 19	29 6	24 3	23 1	27	64	41	68	43	40	26	59	45	30	24	17						1
175	Poisoning by food	13	3	6	4	2		1																
176	Poisoning by venomous animals	1																						
177	Other acute poisonings (gas excepted)	20	2	6	4	2	1	1	1	2	1	3	1	2	2									
178	Conflagration	19	1	2	3	3	4	12	1	2	3	3	1	1	1	1	3	7	3	3	7			
179	Burns (conflagration excepted)	75 151	7 2	9 9	10 14	9 18	15	32	7	12	6	3	3	10	5	5	6	3	6	3	3	3	1	
180	Mechanical suffocation	17	15					1						1	3									
181	Absorption of irrespirable, irritating, or poisonous gas	4	1										1	1	1									
182	Drowning	33		1				3	9	9	5	3	4	5	3	4	3	7	3	3	3			
183	Traumatism by firearms (except in war)	49						4	5	10	5	4	1	3	4	2	1	1	1	1	1	1	1	
184	Traumatism by cutting or piercing instruments	30		2	1	1	2	10	10	10	2	8	2	3	5	2	1	1	1	1	1	1	1	
185	Traumatism by fall	55						1	1	1	1	1	1	2	4	4	22	38						
186a	Traumatism in mines	79	1	2		2	1	2		1	2	3	1	2	1	3	3	4	3	3	3	4		
186b	Traumatism in quarries	29	1	4						1	1	2	1	1	1	1	1	1	1	1	1	1	1	
187	Traumatism by machines	1						1		1	2	1	1	2	1	1	1	1	1	1	1	1	1	
188a	Railroad accidents	13						1		1	1	1	1	1	1	1	1	1	1	1	1	1	1	
	Collision with automobiles	16						1		1	1	1	1	1	1	1	1	1	1	1	1	1	1	
	Other railroad accidents	39						1		1	1	1	1	1	1	1	1	1	1	1	1	1	1	
188b	Street-car accidents	32						1		1	2			1	1	1	1	1	1	1	1	1	1	
	Collision with automobiles	6								1	1	1	1	1	1	1	1	1	1	1	1	1	1	
	Other street-car accidents	26						1		1	1	1	1	1	1	1	1	1	1	1	1	1	1	
188c	Automobile accidents (excluding collision with railroad trains and street cars)	7								1	1	1	1	1	1	1	1	1	1	1	1	1	1	
188e,f	Injuries by other vehicles	2								1	1	1	1	1	1	1	1	1	1	1	1	1	1	
188g	Landslide, other crushing	4						1		1	1	1	1	1	1	1	1	1	1	1	1	1	1	
189	Injuries by animals (not poisoning)	5						1	2	1														
193	Excessive cold	2																						
194	Excessive heat	1																						
195	Lightning	8								1	1	1	1	1	1	1	1	1	1	1	1	1	1	
196	Other accidental electric shocks	4						1	1	4	4	4	2	1	2									
201	Fracture (cause not specified)	5						1		1	1	2												
202	Other external violence	1																						
		31	2	2	1	1		2	3	3	1	2	4	1	4	4	2	1						
		54	4	2				4	1	3	8	5	1	8	9	7	1	1						





TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE, BY AGE, IN THE REGISTRATION AREA AND EACH REGISTRATION STATE: 1926—Continued

List No.	CAUSE OF DEATH	All deaths	TENNESSEE—Continued														75 years and over	Are unknown	
			Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years			65 to 74 years
	IV.—Diseases of the circulatory system (White Colored)	2,367 1,005	9 1	1 1	5 1	2 1	3 1	13 8	15 5	28 16	31 14	34 35	27 54	117 130	210 241	399 192	714 155	756 146	3 5
87	Pericarditis (W)	18												1	2	6	6	4	4
88	Endocarditis and myocarditis (acute) (W)	77	4		3	1		5	2	8	5	12	1	18	5	7	4	3	3
89	Angina pectoris (W)	35								1		2	2	13	26	43	52	37	1
90	Other diseases of the heart (W)	1,914	3	1	1	1	3	7	13	18	21	19	22	83	163	318	605	635	1
91a	Aneurysm (W)	14						8	5	11	12	2	1	7	5	2	4	2	1
91b,c	Other diseases of the arteries (W)	129								1				1	1	16	42	70	
92	Embolism and thrombosis (not cerebral) (W)	28	1							1	1	1	2	3	5	7	2	4	1
93	Diseases of the veins (W)	2					1							1			1		
94	Diseases of the lymphatic system (W)	3			1					1								1	
95	Hemorrhage without specified cause (W)	6	1	1						1	1				2	1		2	
96	Other diseases of the circulatory system (W)	3								1				1	1	1			
	V.—Diseases of the respiratory system (White Colored)	2,043 895	384 144	135 54	57 24	30 12	20 7	36 17	28 19	38 43	43 51	44 62	46 40	108 97	155 116	196 76	310 54	411 77	2 2
97a	Diseases of the nasal fossae (W)	8	3	1	1														3
97b	Diseases of the nasal fossae annexa (W)	7	2	1						1	1	1	1	3			1	1	
98	Diseases of the larynx (W)	12	3	4		1								1	1	1			
99a	Acute bronchitis (W)	11	4	1						1	1	1		1		1		9	
99b	Chronic bronchitis (W)	34	2									3		4	5	5		18	
99c,d	Bronchitis (unspecified) (W)	17	4							1	2	2	2	2	2	2	2	1	1
100a	Broncho-pneumonia (W)	748	229	84	35	9	10	13	11	9	7	7	6	24	23	41	84	166	
100b	Capillary bronchitis (W)	4	1							1				6	6	21	16	3	2
101a	Lobar pneumonia (W)	948	94	31	18	19	8	18	15	26	31	29	35	73	101	124	180	144	2
101b	Pneumonia (unspecified) (W)	124	34	8	1	1	1	3	2	3	2	4	2	5	9	6	14	29	
102	Pleurisy (W)	29	1	2	2					3		3	1		5	3	4	7	
103	Congestion and hemorrhagic infarct of the lung (W)	12	2							1				2	4	1	1	2	
104	Gangrene of the lung (W)	4								1				1	1	1		10	
105	Asthma (W)	51		2										1	6	10	14	18	
106	Pulmonary emphysema (W)	18				1							2	4	4	2	2	3	
107	Other diseases of the respiratory system (tuberculosis excepted) (W)	14	3							1	1	1	1	2	2	1	4	1	
	VI.—Diseases of the digestive system (White Colored)	2,038 763	503 163	348 62	89 25	33 9	25 4	55 14	45 20	51 35	57 43	43 43	44 28	125 93	137 99	153 68	171 24	159 32	1
108	Diseases of the mouth and annexa (W)	17	2					2			1	1	1	3	1	1	2	3	
109b	Other diseases of the pharynx, tonsils (W)	61	5	4	5		5	5	7	4	4	2	3	4	5	4	2	2	
110	Diseases of the esophagus (W)	26	1		1			4		2	1	2	5		5	2		2	
111a	Ulcer of the stomach (W)	6	1							1	1	1	1	9	10	5	11	3	
111b	Ulcer of the duodenum (W)	44	1							1				7	7	5	1	2	
112	Other diseases of the stomach (cancer excepted) (W)	27	9	3	1	2	3		2	2	2	3	5	9	8	20	32	7	
113	Diarrhea and enteritis (under 2 years) (W)	777	451	326					1	3	8	2	4	25	22	23	3		
114	Diarrhea and enteritis (2 years and over) (W)	197	139	58															
115	Ancylostomiasis (W)	303		74	25	16	22	5	2	1	2	3	5	13	28	42	65	10	
116	Diseases due to other intestinal parasites (W)	95	1					4	4	4	4	4	3	7	13	6	7		
117	Appendicitis and typhlitis (W)	247		1	1	3	1	18	28	36	36	21	20	26	26	12	12	6	
118a	Hernia (W)	100						4	12	21	10	11	7	17	8	6	3	10	
118b	Intestinal obstruction (W)	37	1							1				6	3	7	9	1	
119	Other diseases of the intestines (W)	65	11	7	3	1		3	3	2	4	3	3	16	14	14	15	10	
120	Acute yellow atrophy of the liver (W)	20	1							1				2	3	6	2	4	
122	Cirrhosis of the liver (W)	15												2	2	3	3	2	
123	Biliary calculi (W)	8												3	1	1	1		
124	Other diseases of the liver (W)	59												1	4	12	18	14	
125	Diseases of the pancreas (W)	42												1	7	12	10	5	
126	Peritonitis without specified cause (W)	61									1			14	15	20	8	2	

CAUSES OF DEATH, BY AGE

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE, BY AGE, IN THE REGISTRATION AREA AND EACH REGISTRATION STATE: 1926—Continued

List No.	CAUSE OF DEATH	All deaths	Under	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 44	45 to 54	55 to 64	65 to 74	75 years and over	Age un- known	
			1 year	year	years	years	years	years	years	years	years	years	years	years	years	years	years	years		years
TENNESSEE—Continued																				
VII.—Nonvenereal diseases of the genito-urinary system and annexa.....		White..... Colored.....	1,607 767	13 2	6 1	8 2	4 3	2 —	9 2	7 1	22 6	16 23	23 34	37 29	99 123	153 161	243 146	467 119	493 113	5 2
128	Acute nephritis (including unspecified under 10 years).....	W..... C.....	107 75	10 2	2 —	3 2	3 1	1 —	5 2	1 1	4 2	2 3	3 4	3 3	11 15	14 15	12 13	10 4	23 6	—
129	Chronic nephritis (including unspecified 10 years and over).....	W..... C.....	1,258 526	—	—	2 2	1 —	—	4 4	—	11 3	5 11	10 12	22 13	64 67	120 123	208 112	403 99	399 84	5 2
131	Other diseases of the kidneys and annexa.....	W..... C.....	54 15	3 —	4 1	3 —	—	1 —	—	1 —	2 —	2 —	1 —	1 —	4 —	2 —	2 —	4 —	2 —	—
132	Calculi of the urinary passages.....	W..... C.....	11 4	—	—	—	—	—	—	—	1 —	1 —	—	1 —	3 —	1 —	1 —	1 —	1 —	—
133	Diseases of the bladder.....	W..... C.....	20 15	—	—	—	—	—	—	—	—	2 —	—	—	1 —	4 —	1 —	5 —	13 —	—
134	Diseases of the urethra, etc.....	W..... C.....	4 12	—	—	—	—	—	1 —	—	—	—	—	—	1 —	2 —	1 —	1 —	3 —	—
135	Diseases of the prostate.....	W..... C.....	84 41	—	—	—	—	—	—	—	—	3 —	1 —	—	5 —	1 —	10 —	33 —	40 —	—
136	Nonvenereal diseases of the male genital organs.....	W..... C.....	1 7	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
137	Cysts, other benign tumors of the ovary.....	W..... C.....	11 7	—	—	—	—	—	—	—	1 —	1 —	1 —	—	2 —	1 —	1 —	2 —	1 —	—
138	Salpingitis and pelvic abscess (female).....	W..... C.....	20 30	—	—	—	—	—	—	3 —	3 5	4 8	4 5	2 9	3 2	1 —	—	—	—	—
139	Benign tumors of the uterus.....	W..... C.....	20 37	—	—	—	—	—	—	—	2 —	3 —	4 4	7 —	1 15	2 10	4 —	1 —	—	—
140	Nonpuerperal hemorrhage.....	W..... C.....	2 1	—	—	—	—	—	—	—	1 —	—	—	—	1 —	—	—	—	—	—
141	Other diseases of the female genital organs.....	W..... C.....	14 4	—	—	—	—	—	—	—	—	1 —	3 —	1 —	4 —	3 —	1 —	1 —	—	—
142	Nonpuerperal diseases of the breast (cancer excepted).....	W.....	1	—	—	—	—	—	—	1 —	—	—	—	—	—	—	—	—	—	—
VIII.—The puerperal state.....		White..... Colored.....	297 125	—	—	—	—	—	2 1	41 28	53 34	72 22	40 17	86 20	3 3	—	—	—	—	—
143	Accidents of pregnancy.....	W..... C.....	35 8	—	—	—	—	—	—	2 —	4 —	12 2	3 3	14 —	—	—	—	—	—	—
144	Puerperal hemorrhage.....	W..... C.....	23 5	—	—	—	—	—	—	2 —	2 —	5 —	3 —	11 —	—	—	—	—	—	—
145	Other accidents of labor.....	W..... C.....	25 12	—	—	—	—	—	—	3 —	3 —	8 —	4 —	7 —	—	—	—	—	—	—
146	Puerperal septicemia.....	W..... C.....	114 64	—	—	—	—	—	1 —	15 14	27 17	28 9	17 —	25 14	1 —	—	—	—	—	—
147	Puerperal phlegmasia alba dolens, embolus, etc.....	W.....	7	—	—	—	—	—	—	2 —	—	2 —	1 —	2 —	—	—	—	—	—	—
148	Puerperal albuminuria and convulsions.....	W..... C.....	93 35	—	—	—	—	—	1 —	17 10	17 10	17 8	12 3	27 —	2 —	—	—	—	—	—
149	Following childbirth (undefined).....	C.....	1	—	—	—	—	—	—	—	1 —	—	—	—	—	—	—	—	—	—
IX.—Diseases of the skin and of the cellular tissue.....		White..... Colored.....	66 18	10 —	3 —	2 —	—	—	2 —	1 —	1 —	2 —	2 —	—	3 —	6 —	8 —	8 —	17 6	1 —
151	Gangrene.....	W..... C.....	17 12	1 —	—	—	—	—	—	—	—	—	—	—	—	—	1 —	3 —	12 6	—
152	Furuncle.....	W.....	13	—	—	—	—	—	—	—	—	2 —	—	—	—	3 —	5 —	1 —	1 —	—
153	Acute abscess.....	W..... C.....	14 2	1 —	—	1 —	—	—	—	—	—	—	—	—	2 —	2 —	2 —	2 —	2 —	—
154	Other diseases of the skin and annexa.....	W..... C.....	22 4	8 —	3 —	1 —	—	—	1 —	1 —	1 —	—	—	1 —	1 —	2 —	2 —	2 —	2 —	1 —
X.—Diseases of the bones and of the organs of locomotion.....		White..... Colored.....	23 16	—	1 —	1 —	—	—	2 —	2 —	3 —	1 —	1 —	—	1 —	3 —	2 —	6 —	2 —	—
155	Diseases of the bones (tuberculosis excepted).....	W..... C.....	17 11	—	1 —	1 —	—	—	2 —	2 —	2 —	—	1 —	—	3 —	—	—	3 —	2 —	—
156	Diseases of the joints (tuberculosis and rheumatism excepted).....	W..... C.....	5 5	—	—	—	—	—	—	—	1 —	1 —	—	—	—	—	—	3 —	2 —	—
158	Other diseases of the organs of locomotion.....	W.....	1	—	—	—	—	—	—	—	1 —	—	—	—	2 —	1 —	—	—	—	—
XI.—Malformations.....		White..... Colored.....	156 5	142 5	5 —	3 —	2 —	—	—	2 —	—	—	—	—	—	—	—	—	—	—
159a	Congenital hydrocephalus.....	W..... C.....	17 1	13 —	2 —	1 —	1 —	—	—	—	—	—	—	—	—	—	—	—	—	—
159b	Congenital malformations of the heart.....	W..... C.....	88 2	79 —	2 —	2 —	1 —	—	—	2 —	—	—	—	—	—	—	—	—	—	—
159c	Other congenital malformations.....	W..... C.....	51 2	50 —	1 —	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
XII.—Early infancy.....		White..... Colored.....	1,079 247	1,079 247	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
160	Congenital debility, icterus, sclerema.....	W..... C.....	176 56	176 —	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
161a	Premature birth.....	W..... C.....	715 151	715 —	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
161b	Injury at birth.....	W..... C.....	122 21	122 —	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
162	Other diseases peculiar to early infancy.....	W..... C.....	65 19	65 —	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
163	Lack of care.....	W.....	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
164	XIII.—Old age (senility).....	White..... Colored.....	348 101	—	—	—	—	—	—	—	—	—	—	—	—	—	2 —	49 21	297 77	1 —

MORTALITY STATISTICS

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE, BY AGE, IN THE REGISTRATION AREA AND EACH REGISTRATION STATE: 1926—Continued

List No.	CAUSE OF DEATH	All deaths	TENNESSEE—Continued													Age un- known			
			Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 44 years	45 to 54 years		55 to 64 years	65 to 74 years	75 years and over
	XIV.—External causes (White..... Colored.....)	1,517 679	38 8	19 9	31 10	23 11	17 12	67 19	54 25	133 63	126 111	111 88	101 72	181 107	186 65	134 30	122 30	170 15	4 4
	Suicide.....	161 15							1 2	18 2	10 1	16 3	14 1	27 3	34 2	21 2	18 2	7 1	1 1
165	By poisons (gas or corrosives excepted).....	11 C							2 1	2 1	6 1	6 1	5 1	2 1	1 5	3 3	1 2	1 1	
166	By corrosive substances.....	40 C							1 2										
167	By poisonous gas.....	2 W												1 2					
168	By hanging or strangulation.....	11 C											2 1	3 4					
169	By drowning.....	3 W								1 5		9 4	4 17	2 22	1 8		9 3		1 1
170	By firearms.....	81 C								5 1	3 1	9 1	4 3	17 3	22 2	8 1	9 1	3 3	1 1
171	By cutting or piercing instruments.....	8 W											1 1	1 1	2 1	1 2	1 1	3 3	
172	By jumping from high places.....	1 W												1 1					
173	By crushing.....	1 W								1 1									
174	By other means.....	3 W								1 1	1 1	1 1	1 1	33 24	24 13	6 6	6 2	1 1	1 1
	Homicide.....	158 C	1						1 4	11 29	20 65	24 57	25 36	33 51	24 23	13 6	6 2	1 1	1 1
197	By firearms.....	120 W								9 16	18 45	14 45	21 25	27 37	19 13	10 5	4 2	4 4	1 1
198	By cutting or piercing instruments.....	60 C							1 3	1 3	1 17	3 10	7 9	3 11	4 8	1 3	1 1	1 1	1 1
199	By other means.....	20 W	1							1 1	3 3	2 2	1 2	2 4	2 2	1 1	1 1	1 1	1 1
	Accidental or undefined.....	1,198 C	37 8	19 9	31 10	23 11	17 12	67 19	53 20	104 32	98 45	71 28	62 35	121 53	128 40	100 22	103 28	163 15	3 3
175	Poisoning by food.....	16 W	3									1 1	2 2	2 1	1 1	1 1	3 3	2 2	1 1
176	Poisoning by venomous animals.....	2 W	1	1								1 1	2 2	3 3	3 3	1 1	2 2	1 1	1 1
177	Other acute poisonings (gas excepted).....	23 C	1		3 1	1 1		1 1	1 1	2 2	2 2	1 1	2 2	3 3	4 4	1 1	2 2	1 1	1 1
178	Conflagration.....	21 W		1 2	2 2	2 2		3 3	2 2	2 2	2 2	1 1	1 1	2 2	2 2	5 5	1 1	2 2	5 5
179	Burns (conflagration excepted).....	20 W		1 1	1 1	1 1		5 5	14 14	5 5	2 2	5 5	3 3	2 2	6 6	3 3	2 2	5 5	8 8
180	Mechanical suffocation.....	99 C	3 11	9 5	13 6	14 7	5 10	14 11	1 1	1 1	2 2	3 3	2 2	6 6	2 2	5 5	8 8	6 6	
181	Absorption of irritable, irritating, or poisonous gas.....	5 W										3 3	1 1	1 1	7 7	2 2	3 3	1 1	1 1
182	Drowning.....	57 C			1 1		2 2	2 2	4 4	20 20	5 5	3 3	3 3	6 6	3 3	1 1	1 1	1 1	1 1
183	Traumatism by firearms (except in war).....	64 W	1			1 1		1 1	3 3	5 5	16 16	8 8	6 6	8 8	7 7	4 4	2 2	2 2	2 2
184	Traumatism by cutting or piercing instruments.....	41 C				1 1		1 1	2 2	5 5	8 8	5 5	3 3	12 12	2 2	1 1	2 2	1 1	2 2
185	Traumatism by fall.....	12 W	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
185a	Traumatism in mines.....	10 C	3	2	1	1	2	5	4	3	7	4	4	8	20	16	32	121	1
185b	Traumatism in quarries.....	24 W								3 3	9 9	1 1	4 4	4 4	5 5	6 6	7 7	3 3	1 1
185c	Traumatism by machines.....	52 C								3 3	9 9	8 8	4 4	13 13	1 1	1 1	1 1	1 1	1 1
186a	Railroad accidents.....	5 W								1 1	2 2	1 1	2 2	5 5	7 7	1 1	1 1	1 1	1 1
186b	Collision with automobiles.....	24 C	1					1 1	5 5	15 15	9 9	7 7	8 8	16 16	21 21	15 15	7 7	2 2	3 3
186c	Other railroad accidents.....	48 W							1 1	4 4	13 13	7 7	8 8	13 13	18 18	13 13	7 7	2 2	3 3
186d	Street-car accidents.....	7 C								3 3	5 5	2 2	2 2	7 7	4 4	2 2	2 2	2 2	1 1
186e	Collision with automobiles.....	2 W								1 1	1 1	1 1	1 1	1 1	2 2	2 2	1 1	1 1	1 1
186f	Other street-car accidents.....	7 C								1 1	1 1	1 1	1 1	1 1	2 2	2 2	1 1	1 1	1 1
187	Automobile accidents (excluding collision with railroad trains and street cars).....	259 W	2	2	6	1	5	17	15	32	30	23	19	28	24	23	21	11	1
187a	Airplane and balloon accidents.....	53 C						3 3	4 4	4 4	5 5	6 6	6 6	8 8	9 9	2 2	3 3	11 11	1 1
187b	Injuries by other vehicles.....	1 W						5 5	3 3	1 1	3 3	1 1	1 1	1 1	1 1	5 5	3 3	4 4	1 1
187c	Landslide, other crushing.....	10 C				1 1		1 1	3 3	1 1	1 1			1 1	3 3	1 1	2 2	1 1	1 1
187d	Injuries by animals (not poisoning).....	6 W						1 1	1 1	1 1	2 2	3 3	1 1	2 2	2 2	2 2	1 1	1 1	1 1
187e	Starvation (deprivation of food or water).....	11 C			1 1			1 1	1 1	1 1	1 1	1 1	1 1	1 1	2 2	2 2	2 2	1 1	1 1
187f	Excessive cold.....	1 W	1															2 2	2 2
187g	Excessive heat.....	2 C												1 1	1 1				
187h	Lightning.....	5 W	1						3 3		2 2	1 1	2 2	4 4	4 4	1 1	1 1	1 1	1 1
187i	Other accidental electric shocks.....	23 C								3 3	4 4	5 5	4 4	5 5	1 1	1 1	1 1	1 1	1 1
187j	Fracture (cause not specified).....	12 W							1 1						2 2		4 4	5 5	
187k	Other external violence.....	87 C	9	2	2	1	1	9	4	7	4	4	7	10	6	8	1	5	1
187l	XV.—Ill-defined dis-eases (White..... Colored.....)	1,342 704	573 268	47 20	11 17	5 8	5 2	16 13	5 7	18 18	12 14	10 25	14 18	37 47	73 55	103 53	183 65	230 77	2 2
204	Sudden death.....	171 W	22 9	3 1	1 1			2 2	2 2	3 3	2 2	1 1	2 2	8 8	19 21	22 15	44 18	40 8	1 1
204a	Ill-defined.....	96 C	49 14	4 7	3 2	2 1	1 1	2 2	1 1	3 3	4 4	2 2	4 3	3 3	13 13	26 8	34 13	38 10	1 1
204b	Not specified or unknown.....	79 W	14 529	40 13	7 14	3 7	4 2	12 9	3 6	11 9	8 11	5 18	9 11	9 23	25 30	41 27	55 43	152 59	2 2

CAUSES OF DEATH, BY AGE

263

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE, BY AGE, IN THE REGISTRATION AREA AND EACH REGISTRATION STATE: 1926—Continued

List No.	CAUSE OF DEATH	All deaths	UTAH														Age unknown		
			Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years		65 to 74 years	75 years and over
	All causes.....	5,136	986	173	86	55	33	157	119	148	159	164	155	421	471	546	711	745	7
	I.—Epidemic, endemic, and infectious diseases.....	776	174	82	37	20	10	51	25	27	21	37	27	69	63	49	47	37	
1	Typhoid and paratyphoid fever.....	25						1	2	5	4	2	1	2	4	4			
6	Smallpox.....	3	2	1															
7	Measles.....	34	12	10	1	1		7	2	1									
8	Scarlet fever.....	4	1	1				2		1									
9	Whooping cough.....	130	74	37	13	3	2	1											
10	Diphtheria.....	63	2	9	9	6	2	24	9	2	1	2		1	1				
11a	Influenza (with pulmonary complications).....	166	44	15	6	5	3	7	4	5	1	3	3	14	9	14	20	13	
11b	Influenza (other and unspecified).....	78	12	7	2	1	2	2	1	2	2	6	1	2	7	6	9	16	
16	Dysentery.....	8	3		1	1		1				1				1			
19	Spirochetal hemorrhagic jaundice.....	1						1									3	4	
21	Erysipelas.....	25	10	1		2								1	4				
22	Acute anterior poliomyelitis.....	5						1	1			1			1				
23	Lethargic encephalitis.....	10						2			1	1	1	3		1		1	
24	Meningococcus meningitis.....	14	3		1	1		1			1	1	4	1	1	1	1		
25	Other epidemic and endemic diseases.....	4	3		1				1								1		
29	Tetanus.....	3																	
31	Tuberculosis (all forms).....	173	5	2	3		1	1	4	10	9	18	15	40	32	19	12	2	
32	Of the respiratory system.....	151	1	1	1			1	4	7	9	18	13	38	29	18	10	1	
	Of the meninges, central nervous system.....	9	2	1	2					3				1					
33	Of the intestines, peritoneum.....	7	1											2	1	1	2		
34	Of the vertebral column.....	2					1											1	
35	Of the joints.....	1																	
36	Of other organs.....	3	1											1	1				
38	Syphilis.....	19	5								1	2	2	3	3	2	1		
40	Gonococcus infection.....	2									1	1							
41	Purulent infection, septicemia.....	4	1								1	1			1				
	II.—General diseases not included in Class I.....	570	18		5	4		6	3	6	9	10	14	65	86	116	153	75	
	Cancer and other malignant tumors.....	369			2			1		1	2	7	33	64	88	113	58		
43	Of the buccal cavity.....	8										1	1	3	3	3	1		
44	Of the stomach, liver.....	155									1	2	11	23	39	54	25		
45	Of the peritoneum, intestines, rectum.....	42										2	3	11	10	13	3		
46	Of the female genital organs.....	35										2	7	9	7	7	3		
47	Of the breast.....	18											4	8	2	4	4		
48	Of the skin.....	11												1	2	3	5		
49	Of other or unspecified organs.....	100		2				1		1	1	1	7	12	25	29	21		
50	Tumors, benign and unqualified (tumors of the female genital organs excepted).....	8										1	2				3	2	
51	Acute rheumatic fever.....	12			2			3	1	3	2		1						
52	Chronic rheumatism, osteoarthritis, gout.....	5									1						1	3	
56	Rickets.....	1																	
57	Diabetes mellitus.....	65			2			1	1	2	3	2		7	6	9	26	7	
58	Anemia, chlorosis.....	27						1			1	1		2	4	8	7	4	
60a	Exophthalmic goiter.....	30									1	3	11	7	5	2	1		
60b	Other diseases of the thyroid gland.....	3											1		2				
62	Diseases of the thymus gland.....	8	7		1														
63	Diseases of the adrenals (Addison's disease).....	1												1					
65a	Leukemia.....	7			1			1			1	1	2	1					
65b	Hodgkin's disease.....	2										1	1	1					
66	Alcoholism (acute or chronic).....	13								1	3		4	2	3				
67a	Chronic lead poisoning.....	3												2			1		
68	Chronic poisoning by organic substances.....	2											2						
69	Other general diseases.....	14	11		1				1							1			
	III.—Diseases of the nervous system and of the organs of special sense.....	396	18	4	3	1	3	6	5	11	6	4	10	21	40	62	102	100	
70	Encephalitis.....	1	1		1		1	1		1				3				2	
71a	Simple meningitis.....	11	4	1		1								2	3				
71b	Nonepidemic cerebrospinal meningitis.....	4	1	1						1					1				
72	Tabes dorsalis (locomotor ataxia).....	3												2	1				
73	Other diseases of the spinal cord.....	9			1					1		1		3	1		2		
74a	Cerebral hemorrhage.....	241	1		1					3	2	1	3	5	19	42	80	84	
74b	Cerebral embolism and thrombosis.....	20					1	1						2	2	2	5	6	
75	Paralysis without specified cause.....	6													1	4	1		
76	General paralysis of the insane.....	15									1	2	2	3	5	2	4		
77	Other forms of mental alienation.....	14										1	3	2	3	2	3	3	
78	Epilepsy.....	12							2	2	1	1	3			2	1		
80	Infantile convulsions (under 5 years).....	10	9				1										1		
82	Neuralgia and neuritis.....	2														1	1		
83	Softening of the brain.....	1															1		
84	Other diseases of the nervous system.....	26	1	1			1	2	2	1	2		1	2	5	2	3	3	
86a	Diseases of the ear.....	9		1				1	1	2		1		1	2				
86b	Diseases of the mastoid process.....	3	1					1	1										
	IV.—Diseases of the circulatory system.....	717	10	2	1	4	4	13	21	24	20	17	14	44	73	127	154	186	3
87	Pericarditis.....	3				1				1	1					2	4	7	
88	Endocarditis and myocarditis (acute).....	30	4					1	1	2	2	1	2	2	7	10	21	4	
89	Angina pectoris.....	43																	
90	Other diseases of the heart.....	588	5	2	1	3	4	12	20	20	15	13	12	40	58	106	114	160	3
91a	Aneurysm.....	9								1				3	4	4	1		
91b,c	Other diseases of the arteries.....	27													4	4	10	13	
92	Embolism and thrombosis (not cerebral).....	11								1	1	1		1	1	1	2	2	
93	Diseases of the veins.....	4															2		
94	Diseases of the lymphatic system.....	1	1																
95	Hemorrhage, without specified cause.....	1												1					



CAUSES OF DEATH, BY AGE

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE, BY AGE, IN THE REGISTRATION AREA AND EACH REGISTRATION STATE: 1926—Continued

List No.	CAUSE OF DEATH	All deaths	Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 to 74 years	75 years and over	Age un- known
UTAH—Continued																			
164	XIII.—Old age (senility).....	77															1	11	65
	XIV.—External causes.....	517	78	21	6	9	6	33	31	34	51	32	33	36	58	27	33	38	1
	Suicide.....	41									4	4	4	9	8	5	3	3	1
165	By poisons (gas or corrosives ex- cepted).....	4									1	1	2						
166	By corrosive substances.....	5									1	1		2					
167	By poisonous gas.....	1													1				
168	By hanging or strangulation.....	4														2		1	
170	By firearms.....	18									2		1	5	1	1	2	1	1
171	By cutting or piercing instruments.....	3											1	1		1			
172	By jumping from high places.....	2												1					1
174	By other means.....	4										2			1	1			
	Homicide.....	20	2							3	3	2	4	3	2	1			1
197	By firearms.....	11								1	3	1	3	2	1				
198	By cutting or piercing instruments.....	5								1	1	1	1	1	1				
199	By other means.....	4	2							1	1	1	1	1	1				
	Accidental or undefined.....	456	16	21	6	9	6	33	31	31	44	26	25	74	48	22	30	34	
175	Poisoning by food.....	3	1	2															
176	Poisoning by venomous animals.....	1		1															
177	Other acute poisonings (gas ex- cepted).....	8		3	1			1			2			1					
178	Conflagration.....	1																	
179	Burns (conflagration excepted).....	20	3	3	3		1	5	1	1			2					1	
180	Mechanical suffocation.....	3	1					2											
181	Absorption of irrespirable, irritat- ing, or poisonous gas.....	4									1		1	1				1	
182	Drowning.....	30		7	1	2	1	3	4	5	2	1	1	1	1	1			
183	Traumatism by firearms (except in war).....	18						2	7		4			3	2				
184	Traumatism by cutting or piercing instruments.....	7		1						3	1		1					1	
185	Traumatism by fall.....	48	2	1		1		2	2	3	2	1	1	2	4	5	6	16	
186a	Traumatism in mines.....	39								6	6	6	6	14	5	2			
186b	Traumatism in quarries.....	1											1						
187	Traumatism by machines.....	7			1					1	1		1	3					
188a	Railroad accidents.....	36	1					1	1	3	6	4	2	6	6	2	2	2	
	Collision with automobiles.....	6	1					1	1	1	1	1	1	1	1	1	1	1	
	Other railroad accidents.....	30						1	1	2	5	4	2	5	5	2	1	2	
188b	Street-car accidents.....	5				1										2	1		
188c	Automobile accidents (excluding collision with railroad trains and street cars).....	80	2	1		2	3	8	5	8	7	1	1	15	10	5	6	6	
188d	Airplane and balloon accidents.....	1								1									
188e,f	Injuries by other vehicles.....	8						2	1	1			1				2	1	
188g	Landslide, other crushing.....	46	1			1		1	3	3	3	6	6		8	2			
189	Injuries by animals (not poisoning) .....	4						2						1	1				
192	Starvation (deprivation of food or water).....	1													1				
193	Excessive cold.....	1													1				
194	Excessive heat.....	3												1	1				1
195	Lightning.....	1													1				
196	Other accidental electric shocks.....	3								1				1					
201	Fracture (cause not specified).....	38	1					3	1	2	4	2	1	3	5	2	7	7	
202	Other external violence.....	39	4	2		2	1	1	4		4	5	1	8	4	1	1	1	
	XV.—Ill-defined diseases.....	128	32	5	1			5	1		3	3	3	13	10	14	18	20	
204	Sudden death.....	4	1														2	1	
205a	Ill-defined.....	85	20	2				2	1		2	2	2	9	8	12	10	15	
205b	Not specified or unknown.....	39	11	3	1			3			1	1	1	4	2	2	6	4	

VERMONT

	All causes.....	5,215	514	73	27	22	18	72	65	101	91	84	112	277	443	765	1,064	1,486	1
	I.—Epidemic, endemic, and in- fectious diseases.....	675	57	27	13	9	8	24	11	27	27	32	32	76	72	76	86	97	1
1	Typhoid and paratyphoid fever.....	6						1					2	2		1			
5	Malaria.....	1													1				
7	Measles.....	11	3	2					1				1	1	1				
8	Scarlet fever.....	18	3	3	1	2	6		2		3	1							
9	Whooping cough.....	32	23	4	3	1	1												
10	Diphtheria.....	14	1	2			3	6	2										
11a	Influenza (with pulmonary complica- tions).....	173	10	6	1	2	1	2	1	1	5	2	4	14	16	21	43	44	
11b	Influenza (other and unspecified).....	95	6	2	2	1	2	2		3		1	1	7	5	7	16	41	1
13	Mumps.....	1						1											
16	Dysentery.....	2	1						1										
21	Erysipelas.....	10	2										1		1		2	4	
22	Acute anterior poliomyelitis.....	4				1						1		1	1				
23	Lethargic encephalitis.....	2													1			1	
24	Meningococcus meningitis.....	5	1	3				1							1				
29	Tetanus.....	1	1																
	Tuberculosis (all forms).....	282	8	6	1	3	2	4	6	20	21	25	20	50	42	42	25	7	
31	Of the respiratory system.....	226	1	1				3	15	18	23	15	15	42	41	38	25	5	
32	Of the meninges, central nervous system.....	29	7	5	1	3	2	3	2	1			1	3	1				
33	Of the intestines, peritoneum.....	12	1						1	3			4	2		1			
34	Of the vertebral column.....	5						1					1					1	
35	Of the joints.....	2																1	
36	Of other organs.....	4									1			2					
37a	Disseminated (acute).....	4									2	1							
38	Syphilis.....	12	2		1					1			1	1	3	3			
40	Gonococcus infection.....	4			1						1		1	1					
41	Purulent infection, septicemia.....	2													1	1			

MORTALITY STATISTICS

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE, BY AGE, IN THE REGISTRATION AREA AND EACH REGISTRATION STATE: 1926—Continued

List No.	CAUSE OF DEATH	All deaths	Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 to 74 years	75 years and over	Age unknown
<b>VERMONT—Continued</b>																			
	II.—General diseases not included in Class I.....	653	9		3			7	6	4	10	6	13	27	89	159	168	152	
	Cancer and other malignant tumors.....	471						1	1	1	4	2	7	18	68	117	130	122	
43	Of the buccal cavity.....	16											1	1	1	1	5	7	
44	Of the stomach, liver.....	157											1	6	20	36	51	43	
45	Of the peritoneum, intestines, rectum.....	85									2			2	9	23	25	24	
46	Of the female genital organs.....	58								1			2	6	14	17	12	6	
47	Of the breast.....	44													13	13	12	6	
48	Of the skin.....	14														1	3	10	
49	Of other or unspecified organs.....	97						1	1		2	2	3	3	11	26	22	26	
50	Tumors, benign and unqualified (tumors of the female genital organs excepted).....	3															2	1	
51	Acute rheumatic fever.....	6						1	1	1							2	1	
52	Chronic rheumatism, osteoarthritis, gout.....	6													1	2	1	2	
53	Scurvy.....	1	1																
54	Pellagra.....	3													1	1	1		
56	Rickets.....	1			1														
57	Diabetes mellitus.....	77						4	2	1	3	2	2	2	7	17	20	17	
58	Anemia, chlorosis.....	40			2				1		1	2	1	1	3	13	9	8	
60a	Exophthalmic goiter.....	11							1		1	1	1	1	3	4	1		
60b	Other diseases of the thyroid gland.....	2						1			1								
62	Diseases of the thymus gland.....	5	5																
63	Diseases of the adrenals (Addison's disease).....	2											1			1			
64	Diseases of the spleen.....	1																	1
65a	Leukemia.....	2						1	1										
65b	Hodgkin's disease.....	3										1		1	1				
66	Alcoholism (acute or chronic).....	11										1		2	4	3	1		
67a	Chronic lead poisoning.....	2										1		2					
68	Chronic poisoning by organic substances.....	2												2	1	1			
69	Other general diseases.....	4	3														1		
	III.—Diseases of the nervous system and of the organs of special sense.....	630	11	4	1	1		9	5	9	6	3	6	23	50	113	168	221	
70	Encephalitis.....	3								1	1					1	1		
71a	Simple meningitis.....	10	1	1				2	2		1				1	1	1		
71b	Nonepidemic cerebrospinal meningitis.....	2						1					1						
72	Tabes dorsalis (locomotor ataxia).....	16												1	3	4	6	4	
73	Other diseases of the spinal cord.....	19								2			1	1	3	4	4	4	
74a	Cerebral hemorrhage.....	452						1		1	1			7	30	85	135	192	
74b	Cerebral embolism and thrombosis.....	29												2	2	4	9	14	
75	Paralysis without specified cause.....	5												1	1		2	4	
76	General paralysis of the insane.....	16											1	7	3	1	2	2	
77	Other forms of mental alienation.....	6									1			2	1	2	1		
78	Epilepsy.....	24	1	1		1		2	1	3	3	1	3	3	2	2	1		
79	Convulsions (nonpuerperal; 5 years and over).....	1						1											
80	Infantile convulsions (under 5 years).....	10	8	1	1														
81	Chorea.....	1								1									
82	Neuralgia and neuritis.....	3													2				1
83	Softening of the brain.....	4															4		
84	Other diseases of the nervous system.....	21						1	1					1	4	4	6	4	
86a	Diseases of the ear.....	6	1	1				1	1	1				1					
86b	Diseases of the mastoid process.....	2							1						1				
	IV.—Diseases of the circulatory system.....	1,168	3	1	1	1		2	5	5	8	7	5	32	73	182	332	511	
87	Pericarditis.....	4									1				2		1	3	
88	Endocarditis and myocarditis (acute).....	17	1	1				1			2			5	2	1	1	3	
89	Angina pectoris.....	110										1		3	12	24	38	32	
90	Other diseases of the heart.....	838	1		1				5	5	6	5	3	22	55	136	251	348	
91a	Aneurysm.....	3													1	1		1	
91b,c	Other diseases of the arteries.....	179										1	1	2	1	15	36	123	
92	Embolism and thrombosis (not cerebral).....	12													1	4	3	4	
93	Diseases of the veins.....	2													1	1			
94	Diseases of the lymphatic system.....	1				1													
95	Hemorrhage without specified cause.....	2	1					1											
	V.—Diseases of the respiratory system.....	512	69	22	3	4	2	8	3	6	4	9	14	27	34	67	87	153	
98	Diseases of the larynx.....	2	1	1															
99a	Acute bronchitis.....	13	2					1					1				3	6	
99b	Chronic bronchitis.....	16															5	11	
99c,d	Bronchitis (unspecified).....	16	3										1			1	2	9	
100a	Broncho-pneumonia.....	165	37	15	2	3		4	2				3	6	7	13	21	52	
100b	Capillary bronchitis.....	7	4	1													1	1	
101a	Lobar pneumonia.....	240	16	5		1	2	2	1	6	3	8	8	20	23	46	40	59	
101b	Pneumonia (unspecified).....	23	4		1			1							2	1	8	6	
102	Pleurisy.....	6											1		1	1	3		
103	Congestion and hemorrhagic infarct of the lung.....	7														1	1	5	
104	Gangrene of the lung.....	1																1	
105	Asthma.....	7											1	1			2	3	
106	Pulmonary emphysema.....	3													1	2			
107	Other diseases of the respiratory system (tuberculosis excepted).....	6	2								1					2	1		
	VI.—Diseases of the digestive system.....	313	55	9	3	4	1	7	16	11	5	6	7	17	28	49	47	48	
109b	Other diseases of the pharynx, tonsils.....	10	1				1		1	4				1	1		1	1	
110	Diseases of the esophagus.....	1																1	
111a	Cancer of the stomach.....	21						1					2	2	2	9	3	2	

CAUSES OF DEATH, BY AGE

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE, BY AGE, IN THE REGISTRATION AREA AND EACH REGISTRATION STATE: 1926—Continued

List No.	CAUSE OF DEATH	All deaths	Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 to 74 years	75 years and over	Age unknown
VERMONT—Continued																			
VI.—Diseases of the digestive system—Continued.																			
111b	Ulcer of the duodenum.....	7													1	2	4		
112	Other diseases of the stomach (cancer excepted).....	25	8	3	1	1									1	1	3	7	
113	Diarrhea and enteritis (under 2 years).....	44	39	5															
114	Diarrhea and enteritis (2 years and over).....	18			2	2		1	2		1			2	1	1	5	1	
117	Appendicitis and typhlitis.....	61						5	13	6	3	5	1	4	7	9	3	5	
118a	Hernia.....	14													3	1	4	6	
118b	Intestinal obstruction.....	40	6	1						1	1		2	3	2	7	10	7	
119	Other diseases of the intestines.....	5	1										1			1		2	
120	Acute yellow atrophy of the liver.....	1																1	
122	Cirrhosis of the liver.....	20												1	2	8	6	3	
123	Biliary calculi.....	34											1	3	7	9	5	9	
124	Other diseases of the liver.....	7				1										1	2	3	
125	Diseases of the pancreas.....	1													1				
126	Peritonitis without specified cause.....	4										1		1					2
VII.—Nongeneral diseases of the genito-urinary system and annexa.....																			
		472	2	1		1	2	2	6	4	3	2	7	24	54	81	126	157	
128	Acute nephritis (including unspecified under 10 years).....	21	2			1	2	2	2	1	1			5	2	1	1	1	
129	Chronic nephritis (including unspecified 10 years and over).....	403							4	3	1	1	4	14	44	74	112	146	
131	Other diseases of the kidneys and annexa.....	4		1												1	1	1	
132	Calculi of the urinary passages.....	4														3	1		
133	Diseases of the bladder.....	2															2		
134	Diseases of the urethra, etc.....	1													1				
135	Diseases of the prostate.....	19														2	9	8	
137	Cysts, other benign tumors of the ovary.....	2								1			1						
138	Salpingitis and pelvic abscess (female).....	2											1	1					
139	Benign tumors of the uterus.....	12										1	1	2	7			1	
141	Other diseases of the female genital organs.....	2													2				
VIII.—The puerperal state.....																			
		48								3	10	8	10	15	2				
143	Accidents of pregnancy.....	2											2						
144	Puerperal hemorrhage.....	6											1	5					
145	Other accidents of labor.....	5									1	1		2	1				
146	Puerperal septicemia.....	16									4	4	2	6					
147	Puerperal phlegmasia alba dolens, embolus, etc.....	2									1		1						
148	Puerperal albuminuria and convulsions.....	17							3	4	3	4	2	1					
IX.—Diseases of the skin and of the cellular tissue.....																			
		14	1	1						1					1		2		8
151	Gangrene.....	8															1		7
152	Furuncle.....	3								1				1			1		
153	Acute abscess.....	1		1															
154	Other diseases of the skin and annexa.....	2	1																1
X.—Diseases of the bones and of the organs of locomotion.....																			
		3						1			1						1		
155	Diseases of the bones (tuberculosis excepted).....	3						1			1						1		
XI.—Malformations.....																			
		60	56	2				2											
158a	Congenital hydrocephalus.....	5	2	1				2											
158b	Congenital malformations of the heart.....	47	46	1															
159c	Other congenital malformations.....	8	8																
XII.—Early infancy.....																			
		238	238																
160	Congenital debility, icterus, sclerema.....	32																	
161a	Premature birth.....	146	146																
161b	Injury at birth.....	42	42																
162	Other diseases peculiar to early infancy.....	16	16																
163	Lack of care.....	2	2																
XIII.—Old age (senility).....																			
164		84																12	72
XIV.—External causes.....																			
		328	8	2	3	2	5	9	13	31	17	11	18	34	40	35	35	65	
Suicide.....																			
165		48							1	4	3	2	2	5	8	12	5	6	
	By poisons (gas or corrosives excepted).....	1														1			
166	By corrosive substances.....	3								1	1		1		1				1
167	By poisonous gas.....	3																	
168	By hanging or strangulation.....	14								1	1			1	3	4	2	3	
169	By drowning.....	5								1	1				2	1			
170	By firearms.....	21								1	2	2	1	3	2	6	3	1	
172	By jumping from high places.....	1																	1
Homicide.....																			
187	By firearms.....	3						1				1	2	2	1	1			
199	By other means.....	5						1				1	1	1	1	1			
Accidental or undefined.....																			
177		272	8	2	3	2	5	8	12	27	14	8	14	27	31	22	30	59	
	Other acute poisonings (gas excepted).....	3				1									1		1		
179	Burns (conflagration excepted).....	13	1	1	1		1	2					2	1	2			1	
180	Mechanical suffocation.....	8	5							1				1	1				
181	Absorption of irrespirable, irritating, or poisonous gas.....	4											1	1	2				

MORTALITY STATISTICS

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE, BY AGE, IN THE REGISTRATION AREA AND EACH REGISTRATION STATE: 1926—Continued

List No.	CAUSE OF DEATH	All deaths	Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 to 74 years	75 years and over	Age unknown
VERMONT—Continued																			
XIV.—External causes—Contd.																			
Accidental or undefined—Continued.																			
182	Drowning	24			1		1	1	4	3	5		3	3	3				
183	Traumatism by firearms (except in war)	7						1		3	1	1		1					
184	Traumatism by cutting or piercing-instruments	2							1										
185	Traumatism by fall	85		1	1		1			3			1	4	3	3	18	50	
186b	Traumatism in quarries	7										1	2	2	2	2			
187	Traumatism by machines	8										1	2	1	1	1			
188a	Railroad accidents	25					1			4	2	2	2	5	4	2	3		
	Collision with automobiles	4								1	1	1	1						
	Other railroad accidents	21								3	1	1	1						
188b	Street-car accidents	2												5	4	2	3		
188c	Automobile accidents (excluding collision with railroad trains and street cars)	45						3	3	9	2	2	1	4	8	6	5	2	
188e,f	Injuries by other vehicles	7												1	1				
188g	Landslide, other crushing	1													1				
189	Injuries by animals (not poisoning)	5					2	1									1	1	
194	Excessive heat	1						1											
195	Lightning	4							1	2							1		
196	Other accidental electric shocks	4									1			1	1				
201	Fracture (cause not specified)	1														1			
202	Other external violence	16	2						1		2			1	2	4		4	
XV.—Ill-defined diseases																			
	Sudden death	2	1															1	
204	Ill-defined	6		3				1											1
205a	Not specified or unknown	9	4	1											1		2	1	
205b																			

VIRGINIA

	All causes	White		Colored	18,866	2,900	557	277	141	125	337	270	450	498	485	487	1,181	1,552	2,155	3,419	4,016	16
		White	Colored																			
	I.—Epidemic, endemic, and infectious diseases	3,222	2,645	331	205	119	57	63	109	75	147	176	181	166	315	289	278	371	337	60	3	3
1	Typhoid and paratyphoid fever	162	104	17	1	3	1	1	7	19	32	25	13	12	16	15	9	5	5	3	1	
5	Malaria	8	1	1	1	2	1				1	1	1	1	2	2	2	1	1	1		
6	Smallpox	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	
7	Measles	78	22	31	18	17	4	3	5	4	7	2	1	2	3						2	
8	Scarlet fever	31	2	1	2	2	4	3	4	9	1	1	2	2	1			1				
9	Whooping cough	168	150	178	90	45	15	6	4	5	2											1
10	Diphtheria	178	18	50	18	27	34	26	40	4	1		1							1		
11a	Influenza (with pulmonary complications)	655	432	289	82	45	22	6	11	6	8	5	10	14	13	23	23	51	50	65	114	115
11b	Influenza (other and unspecified)	289	162	1	30	8	9	2	3	4	8	6	8	5	4	4	11	24	51	30	29	1
13	Mumps	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
15	Cholera nostras	8	2	1	2	34	10	6	3	5			3	1		3		3	6	3	7	40
16	Dysentery	89	44	1	11	11	3	2	1	2	1	2	2	2	1	2	3	4	8	5	7	4
21	Erysipelas	8	4	1	4	4	1	3	4	2	1							2	2			
22	Acute anterior poliomyelitis	21	6	1	1	5	4	1	3	4	2	1										
23	Lethargic encephalitis	13	6	1	1	1	1	1	1	1	1	1	1	1	2	1	5			1	1	1
24	Meningococcus meningitis	17	4	1	3	2			1	3	1	1				2	1	2	1	1		
25	Other epidemic and endemic diseases	2	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
27	Anthrax	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
28	Rabies	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
29	Tetanus	20	21	1	7	2			1	5	3	1	3	1	1		2	1	1	2	1	
30	Mycoses	11	10	1	10	1			1	1	1	1	1	1	1	1	1	1	1	1	1	1
	Tuberculosis (all forms)	1,294	1,359	1,150	23	14	7	2	4	8	15	64	116	180	115	216	181	155	166	77	1	1
31	Of the respiratory system	1,150	1,209	13	6	5	3	3	1	17	50	154	219	179	152	192	111	63	159	67	7	2
32	Of the meninges, central nervous system	39	37	13	6	5	4	3	2	4	2	2	2	1	1	1	1	1	1	1	1	1
33	Of the intestines, peritoneum	45	51	2	6	5	6	3	2	4	4	2	3	3	7	8	7	7	4	3	3	3
34	Of the vertebral column	16	7	1	1	1	1	1	2	1	3	8	6	3	6	13	5	1	3	1	1	1
35	Of the joints	6	16	1	1	3	2	1	1	1	2	1	1	1	1	2	2	2	2	2	2	2
36	Of other organs	11	8	2	1	1	1	1	2	1	1	1	1	1	1	1	1	1	1	1	1	1
37a	Disseminated (acute)	8	26	2	1	1	1	1	2	1	6	4	4	2	2	1	1	1	1	1	1	1
37b	Disseminated (chronic or unspecified)	6	2	1	1	1	1	1	2	1	1	1	1	1	1	1	1	1	1	1	1	1
38	Syphilis	72	190	14	2	1	1	1	1	2	4	2	1	2	14	8	12	8	2	2	2	2

## CAUSES OF DEATH, BY AGE

269

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE, BY AGE, IN THE REGISTRATION AREA AND EACH REGISTRATION STATE: 1926—Continued

List No.	CAUSE OF DEATH	All deaths	Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 to 74 years	75 years and over	Age un- known
I.—Epidemic, endemic, and infectious diseases—Contd.																			
39	Soft chancre.....C.....	1												1					
40	Gonococcus infection.....C.....	7									2	1	1	1	1				
41	Purulent infection, septicemia.....C.....	17		1			1	2	1	3	1	4	1	4	3		2	1	
II.—General diseases not included in Class I.....		1,796 658	38 17	9 5	10 4	8 1	4 2	26 6	12 12	24 9	16 9	21 30	30 25	142 100	285 155	404 142	474 92	291 46	2
42	Cancer and other malignant tumors.....C.....	1,177 371	1	1	1	2	2	7	2	3	3	9	19	89	188	273	349	227	2
43	Of the buccal cavity.....C.....	37												1	1				
44	Of the stomach, liver.....C.....	3												1	2				
45	Of the peritoneum, intestines, rectum.....C.....	373						1			1		3	15	43	99	132	79	
46	Of the female genital organs.....C.....	118									2	2	2	13	27	34	42	13	2
47	Of the breast.....C.....	33									1	1	2	2	9	12	3		1
48	Of the skin.....C.....	185										3	6	32	43	46	35	20	
49	Of other or unspecified organs.....C.....	97										4	5	22	34	18	11	3	
50	Tumors, benign and unqualified (tumors of the female genital organs excepted).....C.....	132										1	2	13	34	23	28	25	1
51	Acute rheumatic fever.....C.....	45										1	1	14	11	8	9	2	
52	Chronic rheumatism, osteoarthritis, gout.....C.....	58										1	1	1	8	8	18	22	
53	Scurvy.....C.....	8												1	2	4	1		
54	Pellagra.....C.....	264	1	1	2	2	6	2	2		3	5	5	21	44	55	76	43	1
55	Rickets.....C.....	67						3	2		2	2	2	5	11	18	16	5	
56	Diabetes mellitus.....C.....	12	2	1	1	1	1	1						1	2	2	1	2	
57	Anemia, chlorosis.....C.....	7																	
58	Diseases of the pituitary gland.....C.....	40						8	1	4	1	1	1	2	5	5	5	7	
59	Exophthalmic goiter.....C.....	37		1	1									1	8	6	6	6	
60a	Other diseases of the thyroid gland.....C.....	26							1					2	1	7	9	6	
60b	Diseases of the parathyroid glands.....C.....	1																	
61	Diseases of the thymus gland.....C.....	3																	
62	Diseases of the adrenals (Addison's disease).....C.....	64						2			3	4	2	10	12	11	17	3	
63	Diseases of the spleen.....C.....	52										13	5	10	7	13	1	1	
64	Leukemia.....C.....	7																	
65a	Hodgkin's disease.....C.....	12																	
65b	Alcoholism (acute or chronic).....C.....	224						2	8	4	1	3	1	13	33	67	59	32	
66	Chronic lead poisoning.....C.....	100							2	2	3	2	5	17	26	17	17	7	
67a	Chronic poisoning by organic substances.....C.....	72		3	2	1	1	1	3	1			1	8	10	16	14	10	
67b	Other general diseases.....C.....	8												1	3	1	1	1	
68	III.—Diseases of the nervous system and of the organs of special sense.....	1																	
69	Encephalitis.....C.....	34								1	1	1	2	3	8	11	7		
70	Simple meningitis.....C.....	6																	
71a	Nonepidemic cerebrospinal meningitis.....C.....	11		2										1	1	3	1	3	
71b	Tabes dorsalis (locomotor ataxia).....C.....	7																	
72	Other diseases of the spinal cord.....C.....	4																	
73	Cerebral hemorrhage.....C.....	1																	
74a	Cerebral embolism and thrombosis.....C.....	28																	
74b	Paralysis without specified cause.....C.....	52																	
75	General paralysis of the insane.....C.....	1,223																	
76	Other forms of mental alienation.....C.....	933																	
77	Epilepsy.....C.....	39																	
78	III.—Diseases of the nervous system and of the organs of special sense.....	1,333	68	21	11	6	5	26	23	24	23	16	27	92	168	314	528	545	1
	White.....		56	8	5	9	3	10	12	16	11	18	25	135	318	321	218	164	4
	Colored.....																		
79	Encephalitis.....C.....	22		4		1		3	2	1			3	3	2		3		
80	Simple meningitis.....C.....	6																	
81a	Nonepidemic cerebrospinal meningitis.....C.....	59	18	2	7	1	2	7	4	3	3	2	2	3		1	4		
81b	Tabes dorsalis (locomotor ataxia).....C.....	20	6	4	2	1	1	4	3	1	1	2	1			1			
82	Other diseases of the spinal cord.....C.....	23	8	2	1			4	1	2	2	1							
83	Cerebral hemorrhage.....C.....	8	1																
84a	Cerebral embolism and thrombosis.....C.....	19																	
84b	Paralysis without specified cause.....C.....	6																	
85	General paralysis of the insane.....C.....	28	1					2	2	2	1	1	2	4	8	11	13	7	
86	Other forms of mental alienation.....C.....	19																	
87	Epilepsy.....C.....	136																	
88	III.—Diseases of the nervous system and of the organs of special sense.....	1,223	68	21	11	6	5	26	23	24	23	16	27	92	168	314	528	545	1
	White.....		56	8	5	9	3	10	12	16	11	18	25	135	318	321	218	164	4
	Colored.....																		



CAUSES OF DEATH, BY AGE

271

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE, BY AGE, IN THE REGISTRATION AREA AND EACH REGISTRATION STATE: 1926—Continued

List No.	CAUSE OF DEATH	All deaths	Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 to 74 years	75 years and over	Age unknown
VIRGINIA—Continued																			
VI.—Diseases of the digestive system—Continued.																			
114	Diarrhea and enteritis (2 years and over)	149			40	13	5	7	6				3		5	12	21	36	1
116	Diseases due to other intestinal parasites	85			20	6	1	7			3	3	2		5	13	12	9	2
117	Appendicitis and typhlitis	2	1	1	1	1		1											
118a	Hernia	178			1	1		7	12	11	24	14	10	7	26	17	29	9	7
118b	Intestinal obstruction	78			1	1			7	7	12	7	6	7	12	9	9	1	1
119	Other diseases of the intestines	42	1												1	5	10	9	14
120	Acute yellow atrophy of the liver	28	3						1	1	1		1		2	7	7	4	3
122	Cirrhosis of the liver	82	14	3	2	1		2	1	2	3	2	3	10	5	12	10	12	2
123	Biliary calculi	56	4	1	2	1		2				3	4	8	8	13	4	5	3
124	Other diseases of the liver	16							1	2	2	1	2	3	1	2	1	1	1
125	Diseases of the pancreas	19	2							2	2	1	2	1	6	2	1	1	1
126	Peritonitis without specified cause	6								1	1				2	1	1	1	1
VII.—Nonvenereal diseases of the genito-urinary system and annexa		1,977	11	9	8	1	3	7	5	14	16	27	29	80	178	314	589	680	
		1,222	11		2	1	1	5	8	5	20	35	44	151	260	288	219	169	3
128	Acute nephritis (including specified under 10 years)	87	6	3	6	1	2	3	3	5	4	4	3	11	8	14	9	5	
129	Chronic nephritis (including specified 10 years and over)	94	6		2		1	4	4	4	5	6	18	23	15	15	3	3	
131	Other diseases of the kidneys and annexa	1,675						2	2	5	6	14	22	56	146	284	534	604	
132	Calculi of the urinary passages	967	2					4	2	5	5	28	22	105	208	243	198	149	3
133	Diseases of the bladder	54	4	6	2		1	2	4	1	2	3	1	6	6	6	3	11	
134	Diseases of the urethra, etc.	41	3			1		1			3		5	9	2	7	4	6	
135	Diseases of the prostate	11									1		1	1	4	2	2	1	
136	Nonvenereal diseases of the male genital organs	24									1		1	1	1	1	3	2	
137	Cysts, other benign tumors of the ovary	7									1		1	1	1	1	3	2	
138	Salpingitis and pelvic abscess (female)	8									1		3	1	3	3	3	2	
139	Benign tumors of the uterus	73									1		1	3	1	3	3	37	
140	Nonpuerperal uterine hemorrhage	43									1		1	7	15	15	9	11	
141	Other diseases of the female genital organs	1	1									1							
142	Nonpuerperal diseases of the breast (cancer excepted)	1																1	
VIII.—The puerperal state		287							2	36	52	44	57	88	8				
		174							3	38	27	30	32	44					
143	Accidents of pregnancy	23							1	1	4	4	9	10					
144	Puerperal hemorrhage	13								1	2	4	4	4	2				
145	Other accidents of labor	36								1	1	4	5	21					
146	Puerperal septicemia	14								1	1	1	8	3					
147	Puerperal phlegmasia alba dolens, embolus, etc.	34								4	2	7	6	15					
148	Puerperal albuminuria and convulsions	27								7	3	6	4	7					
149	Following childbirth (undefined)	94							2	8	23	17	22	18	4				
IX.—Diseases of the skin and of the cellular tissue		50								16	13	8	5	8					
		7								1	2	1	1	1					
151	Gangrene	37	7	1				3		2	2	1	1	7	4	3	3	25	
152	Furuncle	67	4	1				1		1	1		1	5	5	4	4	7	
153	Acute abscess	29								1			1	1	2	2	1	20	
154	Other diseases of the skin and annexa	20								1			1	2	1	1	1	7	
X.—Diseases of the bones and of the organs of locomotion		23			1	2	1	8	2	1			1		2	2	2	1	
		6									1	1	1		1	1	1	1	
155	Diseases of the bones (tuberculosis excepted)	16			1	2	1	6	1	1					2	2	2	1	
156	Diseases of the joints (tuberculosis and rheumatism excepted)	3											1		1			1	
158	Other diseases of the organs of locomotion	3						2				1	1				2	1	

MORTALITY STATISTICS

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE, BY AGE, IN THE REGISTRATION AREA AND EACH REGISTRATION STATE: 1926—Continued

List No.	CAUSE OF DEATH	All deaths	VIRGINIA—Continued													Age un- known			
			Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 44 years	45 to 54 years		55 to 64 years	65 to 74 years	75 years and over
	XI.—Malformations—{White Colored	222 58	194 44	14 5	1 1		3 5	6 2	2 1					2					
159a	Congenital hydrocephalus—{W C	18 7	16 4	2 1				2 2											
159b	Congenital malformations of the heart—{W C	112 29	94 23	8 1		1 1		3 3	5 1	2 1				1					
159c	Other congenital malformations—{W C	92 22	84 17	4 3		1 1		1 2						1					
	XII.—Early infancy—{White Colored	1,247 685	1,247 685																
160	Congenital debility, icterus, sclerema—{W C	189 189	189 189																
161a	Premature birth—{W C	835 378	835 378																
161b	Injury at birth—{W C	165 47	165 47																
162	Other diseases peculiar to early infancy—{W C	57 68	57 68																
163	Lack of care—{W C	1 3	1 3																
164	XIII.—Old-age (senility)—{White Colored	377 206												1 1	4 9	30 31	342 164	1	
	XIV.—External causes—{White Colored	1,402 711	45 43	39 20	28 15	26 16	16 15	75 41	62 38	112 65	127 58	97 57	84 51	161 102	149 80	92 44	129 35	158 30	2 3
	Suicide—{W C	153 16							1	7	14 3	13 1	9 2	28 2	39 2	21 2	18 2	4 1	
165	By poisons (gas or corrosives excepted)—{W C	9 1							1	1	2		1	3	2	2	2		
166	By corrosive substances—{W C	9 2								3		1	1	3	1	1	1		
167	By poisonous gas—{W C	11 2								1	1	1	1	1	1	1	1		
168	By hanging or strangulation—{W C	24 3								2	1	5	1	4	5	3	3	1	
169	By drowning—{W C	10 1								1	1	1	1	3	3	1	1	1	
170	By firearms—{W C	79 7							4	7	6	5	16	20	11	9	1	1	
171	By cutting or piercing instruments—{W C	9 2							1	1	1	1	1	3	1	1	2		
172	By jumping from high places—{W C	1 1											1						
174	By other means—{W C	1 97								8	11	15	11	20	11	7	8	1	
	Homicide—{W C	122 73	4 1					2 3	3 8	11 8	15 8	11 10	20 17	11 8	7 4	4 4	4 1	1 1	
197	By firearms—{W C	89 8						1	2	7	4	20	9	24	11	4	4	1	
198	By cutting or piercing instruments—{W C	22 16								4	3	1	3	4	1	1	1		
199	By other means—{W C	16 11	4 1					1	1	1	2	4	2	4	2	4	1	1	
	Accidental or undefined—{W C	1,152 573	41 42	39 20	28 15	26 16	16 15	75 39	62 34	97 54	102 33	69 32	64 33	113 70	89 67	64 40	103 33	153 27	1 3
175	Poisoning by food—{W C	18 12	5 2	4 1	1			2	1	1	1	1	1	1	2				
176	Poisoning by venomous animals—{W C	4 25	2 2		6 3	2		1	1	1	2	1	1	1	2	2			
177	Other acute poisonings (gas excepted)—{W C	15 16	1 1	8 2	1			1	1	1	1	1	1	1	1	1		1	
178	Conflagration—{W C	46 112	6 5	2 17	1 13	2 14	3 5	3 15	3 4	3 5	4 5	1 5	1 4	2 1	3 5	4 2	2 5	5 11	1
179	Burns (conflagration excepted)—{W C	106 18	7 16	6 13	10	11	9	12	4	5	5	5	4	3	7	6	8	7	
180	Mechanical suffocation—{W C	18 18	16 13					1		1	1	2	3	1	1	1	4	1	
181	Absorption of irrespirable, irritating, or poisonous gas—{W C	18 5	13 1							3	2	3	3	1	1	4	1		
182	Drowning—{W C	77 43		2	1	2	1	5	16	11	11	4	10	5	4	2	3	1	
183	Traumatism by firearms (except in war)—{W C	55 33			1			8	12	12	4	2	4	6	2	4	1	2	
184	Traumatism by cutting or piercing instruments—{W C	9 7						2	1	1	1	2	2	2	2	2	1	1	
185	Traumatism by fall—{W C	210 39	2 4	3 1	2	2		5	4	4	6	6	4	8	17	4	41	96	
186a	Traumatism in mines—{W C	62 6	4 1					4	2	7	19	9	7	12	6	2	3	8	
186b	Traumatism in quarries—{W C	7 6								1	2	1		3	3	1	1	1	
187	Traumatism by machines—{W C	32 18		1 1				1	4	3	6	3	2	7	4	4	4	1	
188a	Railroad accidents—{W C	90 35				1	2	5	12	9	8	8	13	15	8	5	4	1	
	Collision with automobiles—{W C	15 5						1	1	1	2	4	3	2	2	1	1	1	
	Other railroad accidents—{W C	75 30				1	2	4	11	8	6	4	10	13	8	4	4	4	
188b	Street-car accidents—{W C	8 5						1	3	1	1	2	1	2	1	1	2	1	
	Collision with automobiles—{W C	4 4						1		1	2	1	1	1	1	1	2	1	
188c	Automobile accidents (excluding collision with railroad trains and street cars)—{W C	227 76	2	1	2	2	7	25	8	25	27	14	36	17	14	21	16	1	
88d	Airplane and balloon accidents—{W C	13								2	1	4	3	3					



MORTALITY STATISTICS

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE, BY AGE, IN THE REGISTRATION AREA AND EACH REGISTRATION STATE: 1926—Continued

List No.	CAUSE OF DEATH	All deaths	Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 to 74 years	75 years and over	Age un-known
WASHINGTON—Continued																			
II.—General diseases not included in Class I—Continued.																			
60a	Exophthalmic goiter.....	116							1	5	3	5	2	15	35	34	10	6	
60b	Other diseases of the thyroid gland.....	17			1	1			1			3		4	5				
62	Diseases of the thymus gland.....	40	34	2	1	1		1	1										
63	Diseases of the adrenals (Addison's disease).....	9												3	3	1	2		
64	Diseases of the spleen.....	5	2	1															
65a	Leukemia.....	28				1	1	2	1	1	1	1	1	5	5	3	3	1	
65b	Hodgkin's disease.....	15	1									2	2	3	1	3	4	1	
66	Alcoholism (acute or chronic).....	63								1	2	2	1	10	21	19	5	2	
67a	Chronic lead poisoning.....	2																	
68	Chronic poisoning by organic substances.....	2																	
69	Other general diseases.....	19	12					1				1	1		1		2	1	1
III.—Diseases of the nervous system and of the organs of special sense.....																			
		1,719	17	14	5	5	4	23	21	15	20	20	42	117	169	303	485	458	1
70	Encephalitis.....	11	1	2				2					2	1	1	1	1	1	2
71a	Simple meningitis.....	32	4	3	1	2		6	4	1	2		1	2	1	3	1	1	2
71b	Nonepidemic cerebrospinal meningitis.....	4		2															
72	Tabes dorsalis (locomotor ataxia).....	18				1				1				1	5	3	6	3	
73	Other diseases of the spinal cord.....	39							2	1	3	1	3	3	7	22	9	9	4
74a	Cerebral hemorrhage.....	1,112						1	1	1	3	1	3	3	7	22	221	383	368
74b	Cerebral embolism and thrombosis.....	56						1	2	2	1	2	6	36	92	241	383	368	1
75	Paralysis without specified cause.....	51						1	2	1	1	1	1	2	3	10	18	17	20
76	General paralysis of the insane.....	111						1			1	1	1	2	3	9	17	10	3
77	Other forms of mental alienation.....	72									1	4	4	11	37	35	13	10	3
78	Epilepsy.....	50	2	1	1	1	1	3	3	5	8	6	3	4	3	5	3	2	
80	Infantile convulsions (under 5 years).....	7	5	1	1														
82	Neuralgia and neuritis.....	6																	
83	Softening of the brain.....	13								1					1	1	2	1	
84	Other diseases of the nervous system.....	84	1					1	3	2	1	3	9	12	10	16	15	9	1
85	Diseases of the eye and annexa.....	2						1	1										
86a	Diseases of the ear.....	32	4	2	1			3	3	2	2	1	1	6	1	4	1	1	
86b	Diseases of the mastoid process.....	19	2	2				4	2	2	2	1	1	2	2	1	2	2	
IV.—Diseases of the circulatory system.....																			
		2,840	7	1		1	1	14	19	25	32	21	33	145	277	506	854	900	4
87	Pericarditis.....	8						2	2			1	1		1	1	1	5	
88	Endocarditis and myocarditis (acute).....	64	2					4	6	3	11	4	5	14	3	1	1	6	
89	Angina pectoris.....	243												1	16	28	66	83	49
90	Other diseases of the heart.....	2,180	4	1		1	8	10	21	21	16	25	106	229	306	658	658	683	
91a	Aneurysm.....	32												4	4	13	7	3	
91b,c	Other diseases of the arteries.....	264												1	1	6	20	86	146
92	Embolism and thrombosis (not cerebral).....	37												4	3	8	10	12	4
93	Diseases of the veins.....	8													3	2	1	1	
94	Diseases of the lymphatic system.....	1							1										
95	Hemorrhage without specified cause.....	1	1																
96	Other diseases of the circulatory system.....	2																	2
V.—Diseases of the respiratory system.....																			
		1,151	203	50	19	13	7	22	22	29	15	12	29	64	115	144	170	237	
97a	Diseases of the nasal fossae.....	2		1															1
97b	Diseases of the nasal fossae annexa.....	16							2	2				5	5				1
98	Diseases of the larynx.....	9							4	1									1
99a	Acute bronchitis.....	19	1	1				4	1										5
99b	Chronic bronchitis.....	28			1										2	4	5	5	
99c,d	Bronchitis (unspecified).....	15	4												1	6	8	13	
100a	Broncho-pneumonia.....	386	135	27	11	8	3	3	7	1	2	3	6	12	21	30	43	74	
100b	Capillary bronchitis.....	5	4																
101a	Lobar pneumonia.....	551	46	11	6	4	3	11	9	26	11	6	22	34	70	91	94	107	
101b	Pneumonia (unspecified).....	38	11	6	1	1	1	1	1			1	1	3	4	2	2	5	
102	Pleurisy.....	26	1	1				2	2			1		3	4	1	3	6	
103	Congestion and hemorrhagic infarct of the lung.....	15		1															13
104	Gangrene of the lung.....	5												3					1
105	Asthma.....	22													1				1
106	Pulmonary emphysema.....	1													3	4	8	6	
107	Other diseases of the respiratory system (tuberculosis excepted).....	14											1	2	3	3	3	2	
VI.—Diseases of the digestive system.....																			
		1,090	113	36	27	14	11	49	31	36	35	47	41	111	143	167	151	77	1
108	Diseases of the mouth and annexa.....	11						1											1
109b	Other diseases of the pharynx, tonsils.....	64	2	2		6		17	3	1	9	4	2	2	2	4	2	1	
110	Diseases of the esophagus.....	4																	1
111a	Ulcer of the stomach.....	72	1												1	1	1	1	
111b	Ulcer of the duodenum.....	34						1		1		2	3	7	21	14	17	5	
112	Other diseases of the stomach (cancer excepted).....	41	10		2		1				2			10	8	9	4		
113	Diarrhea and enteritis (under 2 years).....	116	86	30											1	3	5	9	8
114	Diarrhea and enteritis (2 years and over).....	65			16	4	4	7			1			3	6	8	6	9	
117	Appendicitis and typhlitis.....	248		1	4	3	5	19	22	19	18	24	21	30	31	36	11	3	1
118a	Hernia.....	54	1							1		2	2	1	3	14	21	10	
118b	Intestinal obstruction.....	110	9	2	2		2	3	5	2	8	6	13	22	16	10	10	10	
119	Other diseases of the intestines.....	21		1	2			1		1			1	2	3	3	2	5	
120	Acute yellow atrophy of the liver.....	3																	
122	Cirrhosis of the liver.....	67								1				2	2	26	6		
123	Biliary calculi.....	71												1	11	14	26	6	
124	Other diseases of the liver.....	9	1								1	2		11	8	21	21	7	
125	Diseases of the pancreas.....	9								1	1	1	3	13	18	18	14	9	
126	Peritonitis without specified cause.....	22	3		1	1	1	1	2					1	1	2	2	1	

CAUSES OF DEATH, BY AGE

275

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE, BY AGE, IN THE REGISTRATION AREA AND EACH REGISTRATION STATE: 1926—Continued

List No.	CAUSE OF DEATH	All deaths	Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 to 74 years	75 years and over	Age unknown
WASHINGTON—Continued																			
	VII.—Nonvenereal diseases of the genito-urinary system and annexa.....	1,284	13	1	1			6	4	19	17	18	30	93	147	230	342	362	1
128	Acute nephritis (including unspecified under 10 years).....	47	7					2	2	2	2	3	1	3	6	10	3	6	
129	Chronic nephritis (including unspecified 10 years and over).....	989						3	2	11	10	8	15	61	105	189	297	287	1
131	Other diseases of the kidneys and annexa.....	46	6	1	1			1		3		2	3	2	9	3	5	10	
132	Calculi of the urinary passages.....	9												2	1	3	2	1	
133	Diseases of the bladder.....	9													1	1	1	6	
134	Diseases of the urethra, etc.....	7													1	2	2	2	
135	Diseases of the prostate.....	92													4	14	29	45	
136	Nonvenereal diseases of the male genital organs.....	2														1		1	
137	Cysts, other benign tumors of the ovary.....	11								1	1		2		3	3		1	
138	Salpingitis and pelvic abscess (female).....	25								2	3	3	4	8	5				
139	Benign tumors of the uterus.....	31											4	12	10	2	1	2	
141	Other diseases of the female genital organs.....	14									1	2	1	3	2	2	2	1	
142	Nonpuerperal diseases of the breast (cancer excepted).....	2												2					
	VIII.—The puerperal state.....	180								19	37	47	32	42	3				
143	Accidents of pregnancy.....	21									1	5	7	7	1				
144	Puerperal hemorrhage.....	24								1	2	6	3	11	1				
145	Other accidents of labor.....	13								2	2	3	2	4					
146	Puerperal septicemia.....	70								12	22	19	10	7					
147	Puerperal phlegmasia alba dolens, embolus, etc.....	15								1	2	4	4	3	1				
148	Puerperal albuminuria and convulsions.....	36								3	8	10	6	9					
149	Following childbirth (undefined).....	1												1					
	IX.—Diseases of the skin and of the cellular tissue.....	36	3					1				1	2	6	6	2	5	10	
151	Gangrene.....	12																5	7
152	Furuncle.....	10						1				1	1	2	3	2			
153	Acute abscess.....	4												3	1				
154	Other diseases of the skin and annexa.....	10	3										1	1	2				3
	X.—Diseases of the bones and of the organs of locomotion.....	21					1	2	1	1					3	3	5	3	2
155	Diseases of the bones (tuberculosis excepted).....	16				1	2	1							2	3	4	2	1
156	Diseases of the joints (tuberculosis and rheumatism excepted).....	3												1			1	1	
158	Other diseases of the organs of locomotion.....	2								1						1			
	XI.—Malformations.....	169	153	5	2	1	1	3		2	1				1				
159a	Congenital hydrocephalus.....	15	10	2			1	1			1								
159b	Congenital malformations of the heart.....	101	94	2	1	1	2			1									
159c	Other congenital malformations.....	53	49	1	1					1					1				
	XII.—Early infancy.....	579	579																
160	Congenital debility, icterus, sclerema.....	59	59																
161a	Premature birth.....	373	373																
161b	Injury at birth.....	115	115																
162	Other diseases peculiar to early infancy.....	32	32																
164	XIII.—Old age (senility).....	165													1	4	24	136	
	XIV.—External causes.....	1,732	20	24	14	17	8	77	59	108	154	111	123	270	245	223	134	135	10
	Suicide.....	293								8	23	20	22	56	55	68	29	10	2
165	By poisons (gas or corrosives excepted).....	20								2	3	2	2	5		4	1	1	
166	By corrosive substances.....	29								1	6	3	4	7	5	3			
167	By poisonous gas.....	55									5	4	7	12	11	8	7	1	
168	By hanging or strangulation.....	39									1	2	1	5	7	16	4	2	1
169	By drowning.....	22												3	7	5	1	4	
170	By firearms.....	89								4	7	8	4	17	16	24	8	1	
171	By cutting or piercing instruments.....	20												3	5	7	5	2	
172	By jumping from high places.....	10								1	1		2	1	1	1	2	1	
173	By crushing.....	6												1	2		1		
174	By other means.....	3												1	1		1		1
	Homicide.....	53						1	1	3	6	6	7	11	9	6	2	1	
197	By firearms.....	38						1		3	3	5	6	9	7	5	2		
198	By cutting or piercing instruments.....	3											1	1	1				
199	By other means.....	12						1	3	3				1	2	1		1	
	Accidental or undefined.....	1,386	20	24	14	17	8	76	58	97	125	85	94	203	181	149	103	124	8
175	Poisoning by food.....	14			2		1	2	1	1				1	1	2	1	2	
176	Poisoning by venomous animals.....	2												1	1				
177	Other acute poisonings (gas excepted).....	29		1		1					2	1	2	6	9	3	2	1	
178	Conflagration.....	17				2		2			1		1	1	4	2	3	1	1
179	Burns (conflagration excepted).....	49	1	4	5	5		6	2	2	1	1	5	4	5	5	2	1	
180	Mechanical suffocation.....	20	14					1	1						1	2			
181	Absorption of irrespirable, irritating, or poisonous gas.....	23										1	1	2	4	9	4		2
182	Drowning.....	179		9	2	3	1	19	15	31	19	12	9	24	15	7	6	2	5
183	Traumatism by firearms (except in war).....	32				1	1	1	6	8	5		2	3	1	2	2		
184	Traumatism by cutting or piercing instruments.....	12						2		1	1			3	2	2		1	

MORTALITY STATISTICS

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE, BY AGE, IN THE REGISTRATION AREA AND EACH REGISTRATION STATE: 1926—Continued

List No.	CAUSE OF DEATH	All deaths	Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 to 74 years	75 years and over	Age un- known
WASHINGTON—Continued																			
XIV.—External causes—Contd.																			
Accidental or undefined—Continued.																			
185	Traumatism by fall	184		4				1	3	5	6		7	16	19	21	30	71	1
185a	Traumatism in mines	16									3		1	2	7				
185b	Traumatism in quarries	2											1	1					
187	Traumatism by machines	79			1					3	11	8	10	13	10	11	2	3	1
188a	Railroad accidents	82		1	1					7	10	4	5	19	14	8	6	8	1
	Collision with automobiles	20		1						2	10	4	2	6	3	1	2	3	1
	Other railroad accidents	62			1					5	10	4	3	13	11	7	4	5	1
188b	Street-car accidents	15						1			1			3	1	3	3	3	
	Collision with automobiles	3									1			1					
	Other street-car accidents	15						1						2	3	3	3	3	
188c	Automobile accidents (excluding collision with railroad trains and street cars)	342		1	2	3	4	32	18	26	31	24	23	40	42	43	32	20	1
188d	Airplane and balloon accidents	4											2	2					
188e	Injuries by other vehicles	22						1	1	5	2	2	2	2	1	4	3	1	
188g	Landslide, other crushing	78			1				2	3	9	7	10	20	15	8	3	3	
189	Injuries by animals (not poisoning)	10						2	2		1			2		1	1	1	
193	Excessive cold	2													2				
194	Excessive heat	2													1				
195	Lightning	1													1				
196	Other accidental electric shocks	15						1	1	1	1	2	4	4					1
201	Fracture (cause not specified)	8								1				2		1		4	
202	Other external violence	151	5	4		2		5	6	3	19	21	9	23	23	20	8	3	1
	XV.—Ill-defined diseases	97	21	2				2	3			2	1	3	6	18	16	21	2
204	Sudden death	12	2													3	5	2	
205a	Ill-defined	23	4	1				1	1			2		1	1	3	4	5	
205b	Not specified or unknown	62	15	1				1	2				1	2	5	12	7	14	2

WEST VIRGINIA

All causes	18, 143	3, 595	867	347	188	149	403	270	593	785	705	648	1, 386	1, 569	1, 631	2, 274	2, 733	
I.—Epidemic, endemic, and infectious diseases																		
3, 441																		
1	Typhoid and paratyphoid fever	277	1	1	5	3	5	19	29	58	43	33	13	22	22	14	9	
6	Smallpox	3						1					1					
7	Measles	296	69	81	43	17	12	32	6	8	5	5	3	7	3		4	1
8	Scarlet fever	58	8	4	7	7	2	18	9	1	2							
9	Whooping cough	296	157	74	29	13	12	9	1									
10	Diphtheria	161	27	25	14	20	18	26	15	3	6	1		1	4		1	
11a	Influenza (with pulmonary complications)	485	86	42	20	5	2	9	5	16	9	19	20	39	33	43	52	85
11b	Influenza (other and unspecified)	264	29	8	3	5	2	7	1	11	3	7	9	14	17	18	38	92
13	Mumps	4	2					1				1						
15	Cholera nostras	2																
16	Dysentery	36	1	2	4	1		3	2		3				4	3	2	11
21	Erysipelas	33	14	1					1		1	3		1	1	2	6	4
22	Acute anterior poliomyelitis	9	3	2	1	1		1			1							
23	Lethargic encephalitis	4										2			1	1		
24	Meningococcus meningitis	25	7	7	1	4	2		3		1							
25	Other epidemic and endemic diseases	2	2															
29	Tetanus	15	5					5	2	1				3				
30	Mycoses	5	2	1							1				1			
	Tuberculosis (all forms)	1, 275	23	17	10	6	4	16	26	108	202	137	131	217	134	119	86	42
31	Of the respiratory system	1, 111	8	6	4	2	1	7	18	98	185	131	119	192	122	108	73	37
32	Of the meninges, central nervous system	44	13	6	4	1	1	5	1	2	4	2	2	2	1			
33	Of the intestines, peritoneum	61	1	1	2	2		2	1	3	4	2	2	17	7	8	5	4
34	Of the vertebral column	7							1	1	1						1	
35	Of the joints	5															2	1
36	Of other organs	24	1	4				1	2	1	2	2	4	1	1	1	5	
37a	Disseminated (acute)	23						1	1	3	6	2	3	1	3	1		
37b	Disseminated (chronic or unspecified)	3						2						1				
38	Syphilis	149	40	4	1			2	3	5	11	5	22	30	16	7	3	
40	Gonococcus infection	20								2	5	3	7	2	1			
41	Purulent infection, septicemia	19	2					1	1	2	3	1		2	1	4	1	1
II.—General diseases not included in Class I.																		
1, 455																		
Cancer and other malignant tumors																		
43	Of the buccal cavity	19	2	2		2		3		4	5	12	18	87	182	182	254	165
44	Of the stomach, liver	395										1	1	3	26	71	80	82
45	Of the peritoneum, intestines, rectum	91				1					1	3	1	4	12	21	29	19
46	Of the female genital organs	198								1	1	4	7	37	54	39	35	20
47	Of the breast	79								1	1			7	28	14	17	11
48	Of the skin	19												1		3	6	9
49	Of other or unspecified organs	117	2	2		1		3		3	1	3	6	10	13	20	36	17
50	Tumors, benign and unqualified (tumors of the female genital organs excepted)	6						1						1	1			2
51	Acute rheumatic fever	50						5	5	6	4	1	4	3	6	4	4	8
52	Chronic rheumatism, osteoarthritis, gout	14										1			3	2	2	6
54	Fellagra	7												1	3	1	1	
56	Rickets	8	5	2		1												
57	Diabetes mellitus	182	1					4	4	12	6	4	5	13	24	38	44	25
58	Anemia, chlorosis	71	2	1	1			2				1	2	9	14	16	15	8
59	Diseases of the pituitary gland	3												1				1

CAUSES OF DEATH, BY AGE

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE, BY AGE, IN THE REGISTRATION AREA AND EACH REGISTRATION STATE: 1926—Continued

List No.	CAUSE OF DEATH	All deaths	Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 to 74 years	75 years and over	Age unknown
WEST VIRGINIA—Continued																			
II.—General diseases not included in Class I—Continued.																			
60a	Exophthalmic goiter	59								3			4	3	14	11	12	11	1
60b	Other diseases of the thyroid gland	9		1	2								1	3	1				
61	Diseases of the parathyroid glands	2	1																1
62	Diseases of the thymus gland	8	8																
63	Diseases of the adrenals (Addison's disease)	7								1			2	2				1	1
64	Diseases of the spleen	4						1	1	1			1					1	1
65a	Leukemia	16				2	1	1	1				1	2	5	2		1	1
65b	Hodgkin's disease	8													4	2		2	2
66	Alcoholism (acute or chronic)	51								2	1	1	3	18	14	9		3	3
67a	Chronic lead poisoning	2											1		1				
68	Chronic poisoning by organic substances	5													1	.1	3		
69	Other general diseases	25	14		2			2	2	3					1				1
III.—Diseases of the nervous system and of the organs of special sense																			
		1,634	82	16	14	2	5	27	14	26	24	27	27	85	172	257	408	448	
70	Encephalitis	21	2	2	1	1	1	1	1	2	2			3	4	1			
71a	Simple meningitis	67	31	5	7			8	1	3	1	1		3	2	5			
71b	Nonepidemic cerebrospinal meningitis	23	6	6	2		1	1	2			1	1	1	1	1			
72	Tabes dorsalis (locomotor ataxia)	17												1	4	3		6	2
73	Other diseases of the spinal cord	50						1		1	1	4		3	13	17		17	10
74a	Cerebral hemorrhage	939	1					1	4	2	6	9	38	106	178	293		301	
74b	Cerebral embolism and thrombosis	19						2	1		1		3	2	2	4		4	4
75	Paralysis without specified cause	233	1							2		1	2	4	18	31		62	112
76	General paralysis of the insane	36												7	11	4		6	4
77	Other forms of mental alienation	35								1	2	4	4	7	8	4		4	5
78	Epilepsy	46				1	2	4	6	7	3	5		7	5	4		4	1
79	Convulsions (nonpuerperal; 5 years and over)	4						2				1				1			
80	Infantile convulsions (under 5 years)	37	35		2														
82	Neuralgia and neuritis	11									1	1		1	2	2		2	2
83	Softening of the brain	7													1	1		1	3
84	Other diseases of the nervous system	37	1	1				1	1	2	1	2	1	3	5	6		10	3
85	Diseases of the eye and annexe	2			1			1	4										
86a	Diseases of the ear	30	5	2	1	1		4	4	3	4		1	2	1	1		1	1
86b	Diseases of the mastoid process	20					2	3	1	3	2		4	2	2				1
IV.—Diseases of the circulatory system																			
		2,114	10	4	3	2		14	14	20	35	33	38	127	258	342	569	641	
87	Pericarditis	13	2	1		1				1		1		2	4	4		1	5
88	Endocarditis and myocarditis (acute)	76	1	1		1		5	4	7	10	7	8	22	4	4		1	1
89	Angina pectoris	130											2	9	15	33		39	32
90	Other diseases of the heart	1,665	5	1	2		4	9	10	12	24	23	28	86	225	283		461	492
91a	Aneurysm	11												1	4	3		1	1
91b,c	Other diseases of the arteries	182											1	2	5	13		59	102
92	Embolism and thrombosis (not cerebral)	24	1								1			5	5	4		3	5
93	Diseases of the veins	7														2		3	2
94	Diseases of the lymphatic system	1	1															1	1
95	Hemorrhage without specified cause	3	1	1															
96	Other diseases of the circulatory system	2																1	1
V.—Diseases of the respiratory system																			
		1,539	421	127	65	25	18	35	22	33	36	37	32	79	97	94	164	254	
97a	Diseases of the nasal fossae	2																	2
97b	Diseases of the nasal fossae annexe	7						1		1	1	1		1				1	
98	Diseases of the larynx	1	1																
99a	Acute bronchitis	23	15	1		1										2	2	2	2
99b	Chronic bronchitis	14							1							1	3	7	
99c,d	Bronchitis (unspecified)	14	7											2	1	1		5	
100a	Broncho-pneumonia	626	260	74	37	13	7	14	5	4	1	5	10	12	13	20	51	100	1
100b	Capillary bronchitis	3	2																
101a	Lobar pneumonia	482	57	20	20	2	6	8	9	18	25	21	14	36	61	45	64	76	1
101b	Pneumonia (unspecified)	276	76	29	7	9	3	10	6	8	8	9	5	14	11	15	25	41	2
102	Pleurisy	21	1	3				1	1	2				3	1	2		5	2
103	Congestion and hemorrhagic infarct of the lung	20	2			1								1	2	1		4	8
104	Gangrene of the lung	2											1						
105	Asthma	40			1		1				1			6	7	6		9	9
106	Pulmonary emphysema	1																	
107	Other diseases of the respiratory system (tuberculosis excepted)	7						1						2	2				1
VI.—Diseases of the digestive system																			
		2,155	894	389	76	31	27	44	36	32	46	41	41	91	131	90	94	92	
108	Diseases of the mouth and annexe	7	1	1				2				2	1		4	3			1
109b	Other diseases of the pharynx, tonsils	48	4	3		1	.8	3			9	3	3	6	4				
110	Diseases of the esophagus	1																	
111a	Ulcer of the stomach	35	1								4	3	1	6	7	6		2	5
111b	Ulcer of the duodenum	9	1											1	3	1		2	
112	Other diseases of the stomach (cancer excepted)	55	2	1				1	1	1				3	2	10	4	14	15
113	Diarrhea and enteritis (under 2 years)	1,244	865	379															
114	Diarrhea and enteritis (2 years and over)	221			72	27	18	10	2	4	1	3	4	8	14	10		19	29
116	Diseases due to other intestinal parasites	3		1	1	1													
117	Appendicitis and typhlitis	193			2		4	14	27	23	25	18	14	20	25	9		11	1
118a	Hernia	32	1										1	4	9	4		5	8
118b	Intestinal obstruction	123	16	3	1	3		4	2	3	3	6	8	22	19	12		9	12
119	Other diseases of the intestines	15	2	1			1	1			1	1	1	1	2			1	5
120	Acute yellow atrophy of the liver	7																1	2
122	Cirrhosis of the liver	55					1			1	1			7	11	11	15		8

MORTALITY STATISTICS

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE, BY AGE, IN THE REGISTRATION AREA AND EACH REGISTRATION STATE: 1926—Continued

List No.	CAUSE OF DEATH	All deaths	Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 to 74 years	75 years and over	Age un- known
<b>WEST VIRGINIA—Continued</b>																			
<b>VI.—Diseases of the digestive system—Continued.</b>																			
123	Biliary calculi.....	41											1	1	5	11	13	7	3
124	Other diseases of the liver.....	40	1				1	1				3	1	1	9	13	7	2	
125	Diseases of the pancreas.....	6											2	1	2	1			
126	Peritonitis without specified cause.....	20						3	1	1			1	5	4	2	2	1	
<b>VII.—Nonvenereal diseases of the genito-urinary system and annexa.....</b>																			
		1,296	3	4	7	5	3	5	4	9	17	29	40	97	151	213	355	354	
128	Acute nephritis (including unspecified under 10 years).....	60	3	2	4	4	3	2		2	7		6	9	7	2	6	3	
129	Chronic nephritis (including unspecified 10 years and over).....	1,066		1		1		2	4	6	7	18	20	65	126	196	311	309	
131	Other diseases of the kidneys and annexa.....	20		1	3			1				1	2	3		4	1	4	
132	Calculi of the urinary passages.....	6											1	2		1	2	1	
133	Diseases of the bladder.....	11										1	1	1			3	5	
134	Diseases of the urethra, etc.....	3													2		1	1	
135	Diseases of the prostate.....	71													3	7	25	33	
137	Cysts, other benign tumors of the ovary.....	8										1	1	2	2		1	2	
138	Salpingitis and pelvic abscess (female).....	23							1	3		7	4	3	4	1			
139	Benign tumors of the uterus.....	12										1	1	4	5	1			
140	Nonpuerperal uterine hemorrhage.....	2												1			1		
141	Other diseases of the female genital organs.....	14											4	7	2	1			
<b>VIII.—The puerperal state.....</b>																			
		310							2	45	63	56	59	81	4				
143	Accidents of pregnancy.....	13									1	5	4	2	1				
144	Puerperal hemorrhage.....	37							1	1	6	5	7	17					
145	Other accidents of labor.....	32									8	6	5	13					
146	Puerperal septicemia.....	124								19	30	26	26	23					
147	Puerperal phlegmasia alba dolens, embolus, etc.....	6									1	1	1	4					
148	Puerperal albuminuria and convulsions.....	96							1	25	16	14	15	22	3				
149	Following childbirth (undefined).....	2									1		1						
<b>IX.—Diseases of the skin and of the cellular tissue.....</b>																			
		25	2		1			2	2	1	1		1	2	1	3	2	7	
151	Gangrene.....	9						1							1		2	5	
152	Furuncle.....	7	1					1		1				1		2		1	
153	Acute abscess.....	3	1		1						1			1		1			
154	Other diseases of the skin and annexa.....	3							1				1					1	
<b>X.—Diseases of the bones and of the organs of locomotion.....</b>																			
		19	2	1		2	1	4	3		1			1	2				2
155	Diseases of the bones (tuberculosis excepted).....	17	1	1		2	1	4	3					1	2				2
156	Diseases of the joints (tuberculosis and rheumatism excepted).....	2	1								1								
<b>XI.—Malformations.....</b>																			
		263	247	9	1		1	1	2	1		1							
159a	Congenital hydrocephalus.....	27	22	1			1	1	1	1									
159b	Congenital malformations of the heart.....	159	155	3								1							
159c	Other congenital malformations.....	77	70	5	1				1										
<b>XII.—Early infancy.....</b>																			
		1,324	1,324																
160	Congenital debility, icterus, sclerema.....	258	258																
161a	Premature birth.....	832	832																
161b	Injury at birth.....	142	142																
162	Other diseases peculiar to early infancy.....	85	85																
163	Lack of care.....	7	7																
164	<b>XIII.—Old age (senility).....</b>	450														4	57	389	
<b>XIV.—External causes.....</b>																			
		2,102	97	41	37	33	26	104	57	179	257	220	184	329	230	133	79	87	
<b>Suicide.....</b>																			
		117							7	13	12	8	25	23	19	7	3		
165	By poisons (gas or corrosives excepted).....	8								2	1		3	1		1			
166	By corrosive substances.....	18							3	4	6	2	1	2					
168	By hanging or strangulation.....	11								1			2	4	3	1			
169	By drowning.....	5										1	1	1	2			1	
170	By firearms.....	57							4	6	3	4	14	10	11	3	2		
171	By cutting or piercing instruments.....	10									1		2	3	2				
172	By jumping from high places.....	1									1								
173	By crushing.....	2												2					
174	By other means.....	5											1	1	2	1			
<b>Homicide.....</b>																			
		204	6						16	28	34	36	44	23	12	4	1		
197	By firearms.....	160							12	21	27	31	38	18	10	3			
198	By cutting or piercing instruments.....	22	1						2	4	5	4	2	3	2			1	
199	By other means.....	22	5						2	3	2	1	4	2	2	1			
<b>Accidental or undefined.....</b>																			
		1,781	91	41	37	33	26	104	57	156	216	183	140	260	184	102	68	83	
175	Poisoning by food.....	15				1	2	1	1			2		4	2	1		1	
176	Poisoning by venomous animals.....	3	1					1							1				
177	Other acute poisonings (gas excepted).....	16	1	2	4	1	1	3				1	1		1			1	
178	Conflagration.....	36	2	5	3	5	3	9	1		1	2	1		3	1			
179	Burns (conflagration excepted).....	154	2	24	16	19	11	26	5	6	3	11	4	7	3	4	6	7	
180	Mechanical suffocation.....	76	73					1	1	1									
181	Absorption of irrespirable, irritating, or poisonous gas.....	21								1	1	2	3	5	5	3	1		
82	Drowning.....	77	1	1	3		2	6	12	16	8	6	3	7	8	2	1	1	

CAUSES OF DEATH, BY AGE

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE, BY AGE, IN THE REGISTRATION AREA AND EACH REGISTRATION STATE: 1926—Continued

List No.	CAUSE OF DEATH	All deaths	Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 to 74 years	75 years and over	Age un- known
WEST VIRGINIA—Continued																			
XIV.—External causes—Contd.																			
Accidental or undefined—Continued.																			
183	Traumatism by firearms (except in war)	43		1		1	7	10	14	2	2		1	3	2				
184	Traumatism by cutting or piercing instruments	13						1	1				1	2	1	1	3	3	
185	Traumatism by fall	143	2	3	2	3	1	6	4			6	2	10	10	14	18	55	
186a	Traumatism in mines	608			1				51	121		96	77	139	83	35	5		
186b	Traumatism in quarries	7							1			3	2	1					
187	Traumatism by machines	31			1			2	4	5		2	2	6	4	2	2	1	
188a	Railroad accidents	151	1					10	6	13	24	17	13	25	22	7	7	6	
	Collision with automobiles	11						1	1	3	3	2	2	1	1	1	1		
	Other railroad accidents	140	1					9	6	13	21	15	11	24	21	6	7	6	
188b	Street-car accidents	14						3	1	1	1	2		1	2	1	2		
	Collision with automobiles	1														1			
	Other street-car accidents	13						3	1	1	1	2		1	2		2		
188c	Automobile accidents (excluding collision with railroad trains and street cars)	231	1		4	3	5	23	11	28	27	21	18	34	20	15	14	7	
188e,f	Injuries by other vehicles	13		1				2	1	1	3	1	1	1	1			1	
188g	Landslide, other crushing	15						1		2	2	1	1	5		2	1		
189	Injuries by animals (not poisoning)	12									1	1		1	4	3	2		
190	Wounds of war	1										1							
193	Excessive cold	2									1				1				
194	Excessive heat	4										1	1					2	
195	Lightning	4									2							1	
196	Other accidental electric shocks	27						1	4	9	2	4	3	2	2				
201	Fracture (cause not specified)	1								1	1								
202	Other external violence	63	7	5	2	1		5	1	4	4	3	6	7	9	6	3		
XV.—Ill-defined diseases																			
204	Sudden death	4								2	1								
205a	Ill-defined	3								2						1			
205b	Not specified or unknown	9	7							2				2					

WISCONSIN

	All causes	30,191	3,845	524	254	179	127	519	396	649	778	751	916	2,143	2,736	4,011	5,715	6,634	14
I.—Epidemic, endemic, and infectious diseases																			
	Typhoid and paratyphoid fever	42		1				1	2	4	9	5	3	7	4	4	2		
6	Smallpox	1										1							
7	Measles	154	35	45	14	6	8	25	6	6	4	2				2		1	
8	Scarlet fever	81	5	4	7	13	4	23	5	6	4	3	5	1		1			
9	Whooping cough	175	117	36	7	9	1	5											
10	Diphtheria	159	8	18	19	15	13	39	19	3	7	2	3	5	2	3	1	2	
11a	Influenza (with pulmonary complications)	588	82	31	15	2	3	10	6	15	21	18	18	69	55	59	74	110	
11b	Influenza (other and unspecified)	449	49	11	12	6	1	19	11	18	16	18	9	25	23	36	64	131	
13	Mumps	4		2		1								1					
15	Cholera nostras	4	1	1					1										
16	Dysentery	24	10	3	1		3							1				5	
19	Spirochetal hemorrhagic jaundice	1																	
21	Erysipelas	77	21		2	1	1	2		1		1	1	7	4	8	14	14	
22	Acute anterior poliomyelitis	14						5	3	1		1		1	1		1		
23	Lethargic encephalitis	54	3	3	1	2		4	1	2	4	2	5	6	6	9	4	2	
24	Meningococcus meningitis	41	6	7	1	4	2	6	1	2	1	1		4	2	2	1	1	
25	Other epidemic and endemic diseases	7	4	1				1											
28	Rabies	1																	
29	Tetanus	18	1					2	4	4	1			1	2				
30	Mycoses	5								1	2	1							
	Tuberculosis (all forms)	1,880	26	22	16	9	7	32	39	167	240	227	222	321	223	174	114	41	
31	Of the respiratory system	1,610	9	9	5	2		12	29	141	221	207	201	294	196	150	96	38	
32	Of the meninges, central nervous system	117	17	11	9	6	4	17	5	13	9	2	7	6	3	5	3		
33	Of the intestines, peritoneum	43						2	2	1	6	2	3	3	7	5	3	1	
34	Of the vertebral column	29						1	1	1	1	2	7	4	4	4	4		
35	Of the joints	9							2	1				1		2	3		
36	Of other organs	31								1	3	2	8	8	5	2	2	2	
37a	Disseminated (acute)	30		2	2	1	1		1	3	3	5	2	3	4	2	1		
37b	Disseminated (chronic or unspecified)	11								3				2		1	2		
38	Syphilis	133	14						1	1	1	6	13	24	36	26	5	7	
40	Gonococcus infection	12	1							2	1	3	3	2					
41	Purulent infection, septicemia	32	1		1		1	2	4	1	2	1		5	3	4	6	1	
II.—General diseases not included in Class I.																			
	Cancer and other malignant tumors	3,070	1		3			4	7	7	17	22	37	190	474	751	955	602	
43	Of the buccal cavity	85									1		2	3	7	23	27	22	
44	Of the stomach, liver	1,329						1			3	6	7	55	175	352	439	291	
45	Of the peritoneum, intestines, rectum	432								1		3	5	16	63	106	141	97	
46	Of the female genital organs	319									1	4	12	48	78	90	61	25	
47	Of the breast	235										2	31	65	49	63	25	25	
48	Of the skin	67	1						1				2	5	8	21	29		
49	Of other or unspecified organs	603			3			3	6	6	12	9	9	35	81	123	203	113	
50	Tumors, benign and unqualified (tumors of the female genital organs excepted)	5									1	1		1			1	1	
51	Acute rheumatic fever	69			2	1	3	5	10	9	3	4	3	6	5	5	8	5	
52	Chronic rheumatism, osteoarthritis, gout	43												1	4	4	7	10	17

MORTALITY STATISTICS

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE, BY AGE, IN THE REGISTRATION AREA AND EACH REGISTRATION STATE: 1926—Continued

List No.	CAUSE OF DEATH	All deaths	WISCONSIN—Continued														Age-un-known	
			Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years		65 to 74 years
II.—General diseases not included in Class I—Continued.																		
53	Scurvy	4	3												1			
56	Rickets	20	11	4	3	1	1											
57	Diabetes mellitus	488	1	4	4	1	6	11	13	9	5	10	21	43	110	167	83	
58	Anemia, chlorosis	332	1	2	2	1	3	4	5	7	3	7	20	50	99	92	35	
59	Diseases of the pituitary gland	2																
60a	Exophthalmic goiter	182	1					2	5	12	11	16	32	32	43	23	5	
60b	Other diseases of the thyroid gland	45								2	1	5	4	12	11	8	2	
61	Diseases of the parathyroid glands	6	6															
62	Diseases of the thymus gland	42	39	2						1								
63	Diseases of the adrenals (Addison's disease)	19								1	1	2	4	3	4	2	2	
64	Diseases of the spleen	4						1	1					1		1		
65a	Leukemia	65	1	1	1	4	2	3	5	3	2	2	3	10	7	8	10	
65b	Hodgkin's disease	30	1	1	1	1	1			3	1	2	5	5	5	10	4	
66	Alcoholism (acute or chronic)	91	1							1	4	6	30	29	14	5	2	
67a	Chronic lead poisoning	3										1	1	1	1	1		
68	Chronic poisoning by organic substances	3										1	1	1	1	2		
69	Other general diseases	25	10	2	1			2			1		2	1	1	2	2	
III.—Diseases of the nervous system and of the organs of special sense																		
		3,345	94	33	13	9	10	45	32	38	32	35	40	162	315	551	899	1,034
70	Encephalitis	15	3					2		2		1	2	1	1	1	1	
71a	Simple meningitis	37	6	6	1	1	4	1	3	3	1	1	3	3	2		2	
71b	Nonepidemic cerebrospinal meningitis	48	8	9	4	2	2	5	5	2	1	3	1	4	2			
72	Tabes dorsalis (locomotor ataxia)	36											1	4	10	14	5	
73	Other diseases of the spinal cord	77		1				2	2	2	2	2	2	8	15	14	16	
74a	Cerebral hemorrhage	2,382	2	1				1	2	7	7	10	48	188	436	756	921	
74b	Cerebral embolism and thrombosis	59						1		1			1	5	3	10	16	
75	Paralysis without specified cause	93		1				1		1		2	3	3	12	33	37	
76	General paralysis of the insane	128							2	2	3	5	38	39	22	13	4	
77	Other forms of mental alienation	55							1	2	2	1	8	13	12	8	3	
78	Epilepsy	83	2		2			5	2	13	7	5	16	8	7	4	3	
79	Convulsions (nonpuerperal; 5 years and over)	2						1						1				
80	Infantile convulsions (under 5 years)	66	57	7	1	1												
81	Chorea	5						1		1								
82	Neuralgia and neuritis	12						1		1				1	3	3	2	
83	Softening of the brain	9													11	5	3	
84	Other diseases of the nervous system	129	2		2	1	1	3	5	3	4	5	6	13	22	15	33	
85	Diseases of the eye and annexe	1			1													
86a	Diseases of the ear	54	10	5		1		13	4	7	1		1	2	5	2	2	
86b	Diseases of the mastoid process	54	4	3	2	1	2	11	7	4	2	2	3	8	2	2	3	
IV.—Diseases of the circulatory system																		
		5,494	13	5	2	4	6	34	34	53	32	47	69	215	428	853	1,560	2,136
87	Pericarditis	23	1				1	2	1	2			2	2	1	3	5	
88	Endocarditis and myocarditis (acute)	221	5	4	1	2	2	12	13	13	8	18	18	38	15	24	20	
89	Angina pectoris	295											3	13	43	63	107	
90	Other diseases of the heart	4,338	3	1	1	2	2	20	20	36	22	25	44	140	341	695	1,283	
91a	Aneurysm	35											1	3	7	11	10	
91b,c	Other diseases of the arteries	495											1	6	11	35	118	
92	Embolism and thrombosis (not cerebral)	43	1						1	1	2		7	7	8	9	7	
93	Diseases of the veins	31											5	3	12	6	4	
94	Diseases of the lymphatic system	10	2			1			1	1	1				1	2	1	
95	Hemorrhage without specified cause	2	1															
96	Other diseases of the circulatory system	1													1			
V.—Diseases of the respiratory system																		
		2,739	581	137	51	21	13	42	23	32	54	44	66	168	180	250	411	665
97a	Diseases of the nasal fossae	1															1	
97b	Diseases of the nasal fossae annexe	13	1				2		2		5				12	1		
98	Diseases of the larynx	21	3	5	3	4	1	1			1				1	1	1	
99a	Acute bronchitis	77	23	3	1	3					1			1	1	8	35	
99b	Chronic bronchitis	67	2	1									1	2	5	21	33	
99c,d	Bronchitis (unspecified)	51	18	4	1								1	1	2	8	19	
100a	Broncho-pneumonia	1,021	355	67	23	7	3	10	6	8	9	8	8	33	34	61	124	
100b	Capillary bronchitis	22	12	2									1	1	1	2	4	
101a	Lobar pneumonia	1,165	137	43	15	4	6	24	11	18	32	29	44	109	115	149	204	
101b	Pneumonia (unspecified)	115	25	5	5	1	2	2	1	3	5	5	5	7	7	7	12	
102	Pleurisy	76	1	6	3	1	1	3	3	3	4	2	6	9	8	15	6	
103	Congestion and hemorrhagic infarct of the lung	28	2										1				4	
104	Gangrene of the lung	4						1		1					2		21	
105	Asthma	47		1		1							1	7	5	12	18	
106	Pulmonary emphysema	5						1							1	3	1	
107	Other diseases of the respiratory system (tuberculosis excepted)	26	2					1		1	1		2	5	5	1	4	
VI.—Diseases of the digestive system																		
		2,304	476	90	30	26	13	78	59	64	49	68	66	225	247	283	277	252
108	Diseases of the mouth and annexe	36	1				1	3		5		1		5	3	3	5	
108b	Other diseases of the pharynx, tonsils	107	15	3	3	3	17	4		9	7	7	8	8	6	6	3	
110	Diseases of the esophagus	1			1													
111a	Ulcer of the stomach	109								3	5	4	24	25	14	24	9	
111b	Ulcer of the duodenum	62								1	3	4	15	9	13	12	5	
112	Other diseases of the stomach (cancer excepted)	113	44	5	1	1		1					5	2	11	16	26	
113	Diarrhea and enteritis (under 2 years)	446	376	70														
114	Diarrhea and enteritis (2 years and over)	150			17	13	3	14	3	2	1	4	1	9	15	22	41	
117	Appendicitis and typhlitis	433	2	5	4	7	4	35	44	44	26	27	24	6	58	49	27	
118a	Hernia	87	1	1						1	2			5	10	21	22	

CAUSES OF DEATH, BY AGE

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE, BY AGE, IN THE REGISTRATION AREA AND EACH REGISTRATION STATE: 1926—Continued

List No.	CAUSE OF DEATH	All deaths	Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 to 74 years	75 years and over	Age unknown
WISCONSIN—Continued																			
VII.—Nonvenereal diseases of the genito-urinary system and annexa																			
118b	Intestinal obstruction	186	30	4	1	1		5	1	3	2	7	5	17	25	17	33	35	
119	Other diseases of the intestines	33	4	2	1			1	1				3	5	5		2	8	
120	Acute yellow atrophy of the liver	14											1	3	1	2	3	3	
122	Cirrhosis of the liver	200					1		1	2			5	24	33	49	47	32	
123	Biliary calculi	142										1	3	3	14	25	41	32	23
124	Other diseases of the liver	133	1				1	1	1	1	2	5	3	19	24	34	21	20	
125	Diseases of the pancreas	24									1		3	5	8	3	2	2	
126	Peritonitis without specified cause	28	2		1	1		1	3		1	3	3	5		2	3	2	1
VIII.—The puerperal state																			
128	Acute nephritis (including unspecified under 10 years)	98	10	2	3	2	2	10	5	4	6	2	6	15	8	6	7	10	
129	Chronic nephritis (including unspecified 10 years and over)	1,944				2	2	4	10	15	18	16	34	100	176	347	583	635	2
131	Other diseases of the kidneys and annexa	62	8	1	1	1				2	1	3	2	5	4	9	9	16	
132	Calculi of the urinary passages	15							2				2	2	4	3	1	1	
133	Diseases of the bladder	39	1	1						1			1	2	4	4	9	19	
134	Diseases of the urethra, etc.	3													1	1	1	1	
135	Diseases of the prostate	165												2		18	50	95	
136	Nonvenereal diseases of the male genital organs	2	1															1	
137	Cysts, other benign tumors of the ovary	24							2				4	4	4	2	4	4	
138	Salpingitis and pelvic abscess (female)	38							1	6	11	5	6	6	4	2	1	2	
139	Benign tumors of the uterus	41								1	1	2	2	6	17	7	6	2	
141	Other diseases of the female genital organs	15										1	2	5	2	3	1	1	
142	Nonpuerperal diseases of the breast (cancer excepted)	1										1							
IX.—Diseases of the skin and of the cellular tissue																			
143	Accidents of pregnancy	45						1	20	77	65	63	103	3					
144	Puerperal hemorrhage	46						1	3	10	6	12	14						
145	Other accidents of labor	31							1	8	10	5	19	2					
146	Puerperal septicemia	101							7	24	20	19	31						
147	Puerperal phlegmasia alba dolens, embolus, etc.	23							2	6	5	4	6						
148	Puerperal albuminuria and convulsions	86							7	23	16	19	20	1					
X.—Diseases of the bones and of the organs of locomotion																			
151	Gangrene	75	13	1	1	1		1		3	2	3	5	5	9	20	24	46	
152	Furuncle	18	2	1				1					1	1	3	8	18	42	
153	Acute abscess	19	1		1					1	1	1	2	2	2	4	2	2	
154	Other diseases of the skin and annexa	24	10		1	1			2	1	2	1	1	1	3	6	2	4	
XI.—Malformations																			
155	Diseases of the bones (tuberculosis excepted)	27	1	1	1	1	1	4	4	2	1		3	2		1	4	1	
156	Diseases of the joints (tuberculosis and rheumatism excepted)	5		1				1		2				1					
XII.—Early infancy																			
159a	Congenital hydrocephalus	43	36	3	1	1		1		1									
159b	Congenital malformations of the heart	225	216	4	1	2		1		1									
159c	Other congenital malformations	119	116	1				1	1										
XIII.—Old age (senility)																			
160	Congenital debility, icterus, sclerema	193	193																
161a	Premature birth	1,104	1,104																
161b	Injury at birth	288	288																
162	Other diseases peculiar to early infancy	164	164																
XIV.—External causes																			
164	Suicide	402						1	13	21	11	45	83	88	75	44	21		
165	By poisons (gas or corrosives excepted)	18								3	3	3	2	4	4	1	1		
166	By corrosive substances	46								2	3	3	10	10	9	4	3	2	
167	By poisonous gas	25								1	1	2	9	4	6	1	1		
168	By hanging or strangulation	180								1	6	12	18	27	34	23	9		
169	By drowning	31								1	3	3	4	8	6	7	1		
170	By firearms	113						1	8	7	5	15	24	24	16	7	6		
171	By cutting or piercing instruments	29								1	1		12	10	3	1	2		
172	By jumping from high places	4									1		2	2	1	1			
173	By crushing	4											2	1	1				
174	By other means	2												1	1				
197	Homicide	73	4						7	10	6	12	12	14	6	1		1	1
198	By firearms	41							5	4	5	11	5	8	2				1
199	By cutting or piercing instruments	6								2	1		1	1	2				
199	By other means	26	4						2	4	4	1	6	6	2	1			
175	Accidental or undefined	1,790	27	38	33	34	24	95	80	111	97	91	111	206	203	180	199	259	2
176	Poisoning by food	18	2			2	2	5					1	2	3		1	1	
177	Poisoning by venomous animals	1																	
177	Other acute poisonings (gas excepted)	24		10	2	1	1				1	1	1	1	5	1			

MORTALITY STATISTICS

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE, BY AGE, IN THE REGISTRATION AREA AND EACH REGISTRATION STATE: 1926—Continued

List No.	CAUSE OF DEATH	All deaths	WISCONSIN—Continued														Age un- known	
			Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years		65 to 74 years
XIV.—External causes—Contd.																		
Accidental or undefined—Continued.																		
178	Conflagration	30				2	2	4	4		1		2	4	3	2	2	2
179	Burns (conflagration excepted)	105	4	9	11	10	4	4	5	10	2	3	7	8	5	5	9	9
180	Mechanical suffocation	12	5	1						1		2	1	1			1	
181	Absorption of irrespirable, irritat- ing, or poisonous gas	46	1	1							1	4	3	11	8	9	3	3
182	Drowning	201	1	7	8	2	2	18	22	27	15	15	11	28	17	15	11	3
183	Traumatism by firearms (except in war)	54					1	4	12	12	4	6	1	2	7	2	1	2
184	Traumatism by cutting or piercing instruments	17					1	1	1					1	3	4	6	
185	Traumatism by fall	411	4	1	1	1		4	3	5	8	4	10	21	30	47	70	202
186a	Traumatism in mines	3								1		1			1			
186b	Traumatism in quarries	1										1						
187	Traumatism by machines	30				1				4	4	2	4	5	3	4	2	1
188a	Railroad accidents	184	1	3		1	1	4	4	12	11	16	24	41	32	15	14	5
	Collision with automobiles	43	1	1			1	1	4	3	4	9	10	5	2	1	1	1
	Other railroad accidents	141		2		1	1	3	3	8	8	12	15	31	27	13	13	4
188b	Street-car accidents	37			1	1	1	1	2	1	2	3	3	9	5	4	4	1
	Collision with automobiles	7			1	1				1		1	2	2		1	1	
	Other street-car accidents	30					1		2		2	3	2	7	5	4	3	1
188c	Automobile accidents (excluding collision with railroad trains and street cars)	384	3	3	5	9	8	42	16	24	27	20	26	41	46	46	48	20
188d	Airplane and balloon accidents	1								1								
188e,f	Injuries by other vehicles	42		1	2	1		3	1		3	2	2	3	7	7	9	1
188g	Landslide, other crushing	18			1					2	4	3		2	4	1		1
189	Injuries by animals (not poisoning)	27				2	1	1	1	1			1	4	4	6	3	1
193	Excessive cold	17												4	4	5	6	2
194	Excessive heat	10	1											1	2	2	2	4
195	Lightning	9						3				1	3	1	1	1		
196	Other accidental electric shocks	26					1	1	3	7	3	2	7	1	1	1		
201	Fracture (cause not specified)	3							1	1	3	1	1	1	1			
202	Other external violence	79	5	2	2	1		4	5	3	7	2	6	15	14	3	7	3
XV.—Ill-defined diseases																		
204	Sudden death	8	8															
205a	Ill-defined	11	4	3	1			1							1			1
205b	Not specified or unknown	44	28	3	1		2	1					1	5	1		1	1

WYOMING

All causes		1,902	333	46	27	20	16	42	44	51	66	79	87	226	190	212	251	204	8
I.—Epidemic, endemic, and infectious diseases		280	43	19	10	7	4	17	10	10	11	22	16	32	26	19	18	16	
1	Typhoid and paratyphoid fever	8	1			1						2		2	2				
7	Measles	6	1	3		1						2		1					
8	Scarlet fever	10	2	1	1			2	2			1	1						
9	Whooping cough	16	10	5					1										
10	Diphtheria	13			1	2		5	2					1					
11a	Influenza (with pulmonary complica- tions)	71	11	7	5		2	4	1	3	1	6	2	6	6	5	7	5	
11b	Influenza (other and unspecified)	45	13	2	2			3	1	2		2	2	6	3	1	1	9	
16	Dysentery	5	3	1										1					
21	Erysipelas	1								1									
22	Acute anterior poliomyelitis	1				1													
24	Meningococcus meningitis	4				1		3											
25*	Other epidemic and endemic diseases	27	1									2		4	6	7	6	1	
29	Tetanus	1																	
31	Tuberculosis (all forms)	62		1	1			2	4	8	10	9	10	10	7	5	4	1	
32	Of the respiratory system	53						2	4	6	10	9	8	9	6	4	4	1	
32	Of the meninges, central nervous system	3		1	1						1								
33	Of the intestines, peritoneum	5									1		1	1	1				
37a	Disseminated (acute)	1									1								
38	Syphilis	8	1							1		1	1	2	2	1			
40	Gonococcus infection	1										1							
41	Purulent infection, septicemia	1						1											
II.—General diseases not in- cluded in Class I.		187	8			1		2	3	2	1		4	28	31	32	51	22	2
Cancer and other malignant tumors		108							1				3	13	15	23	37	16	
43	Of the buccal cavity	3													1	1	1	1	
44	Of the stomach, liver	48											1	2	5	14	18	8	
45	Of the peritoneum, intestines, rec- tum	12											1	3	3	3	2		
46	Of the female genital organs	12											1	2	4		4	1	
47	Of the breast	11												4	2		3	2	
48	Of the skin	5															1	1	
49	Of other or unspecified organs	17						1	1					2	3	3	9	2	
51	Acute rheumatic fever	5				1		1	1							3	1		
52	Chronic rheumatism, osteoarthritis, gout	1												1					
54	Pellagra	2												1	1				
56	Rickets	2	2																
57	Diabetes mellitus	25						1	1	2	1			2	3	4	8	4	
58	Anemia, chlorosis	8												2	2	2	2	1	
59a	Exophthalmic goiter	5												1	3	1			
60b	Other diseases of the thyroid gland	1												1					
65b	Hodgkin's disease	2													1	1			
66	Alcoholism (acute or chronic)	21												7	6	2	3	1	
69	Other general diseases	7	6													1			

CAUSES OF DEATH, BY AGE

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE, BY AGE, IN THE REGISTRATION AREA AND EACH REGISTRATION STATE: 1926—Continued

List No.	CAUSE OF DEATH	All deaths	Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 to 74 years	75 years and over	Age un- known
WYOMING—Continued																			
	III.—Diseases of the nervous system and of the organs of special sense.....	162	5	2			1	5	2		2	1	6	20	13	26	43	30	1
70	Encephalitis.....	5		1										2	2				
71a	Simple meningitis.....	3	2					1						1					
71b	Nonepidemic cerebrospinal meningitis.....	1																	
72	Tabes dorsalis (locomotor ataxia).....	2												1	1				
73	Other diseases of the spinal cord.....	2						1						1					
74a	Cerebral hemorrhage.....	102						1						5	9	23	38	25	1
74b	Cerebral embolism and thrombosis.....	3	1										1						
75	Paralysis without specified cause.....	8											1		1		2	4	
76	General paralysis of the insane.....	14											1	7	2	2	2		
78	Epilepsy.....	4									1		2	1					
80	Infantile convulsions (under 5 years).....	2	2																
84	Other diseases of the nervous system.....	8					1	1					1	3	1			1	
86a	Diseases of the ear.....	4							1		1				2				
86b	Diseases of the mastoid process.....	4		1				1	1			1							
	IV.—Diseases of the circulatory system.....	240	10		2			3	6	3	6	8	3	23	21	47	55	52	1
87	Pericarditis.....	1							1							2			
88	Endocarditis and myocarditis (acute).....	15	3		1			1				2	1	4	1	2			
89	Angina pectoris.....	23												3	1	8	5	6	
90	Other diseases of the heart.....	178	6		1			3	4	3	6	5	2	15	19	33	46	35	
91a	Aneurysm.....	1														1			
91b,c	Other diseases of the arteries.....	19												1		3	3	11	1
92	Embolism and thrombosis (not cerebral).....	1											1						
93	Diseases of the veins.....	1															1		
94	Diseases of the lymphatic system.....	1	1																
	V.—Diseases of the respiratory system.....	163	59	9	4	2	3	4	1	2		2	5	10	19	11	9	23	
97b	Diseases of the nasal fossae annexa.....	3								1				1	1				
98	Diseases of the larynx.....	1					1			1									
99a	Acute bronchitis.....	3	1					1											1
99b	Chronic bronchitis.....	2														1		1	
99c,d	Bronchitis (unspecified).....	2	1														1		
100a	Broncho-pneumonia.....	66	39	3	3		1	1				1		2	3	1		12	
100b	Capillary bronchitis.....	1													1				
101a	Lobar pneumonia.....	60	12	3	1	2		2	1	1		1	4	5	11	6	4	7	
101b	Pneumonia (unspecified).....	13	5	3			1					1	1	1	1	1		1	
102	Pleurisy.....	3												1	1	1			
103	Congestion and hemorrhagic infarct of the lung.....	4														1	2	1	
105	Asthma.....	2												1			1		
107	Other diseases of the respiratory system (tuberculosis excepted).....	3	1													1		1	
	VI.—Diseases of the digestive system.....	213	41	7	5	3	6	3	4	10	11	8	13	28	20	25	17	11	1
108	Diseases of the mouth and annexa.....	4								1					1	1			1
109b	Other diseases of the pharynx, tonsils.....	12	1	1		1	2			1			3	1	2				
111a	Ulcer of the stomach.....	8								1							4		1
111b	Ulcer of the duodenum.....	1																	
112	Other diseases of the stomach (cancer excepted).....	11	5																
113	Diarrhea and enteritis (under 2 years).....	33	29	4															
114	Diarrhea and enteritis (2 years and over).....	13			4	1	1										2	4	2
117	Appendicitis and typhlitis.....	57				1	1	2	2	5	8	5	6	14	5	4	4	2	
118a	Hernia.....	9		1			1	1		1					1	1	4		
118b	Intestinal obstruction.....	22	5	1			1		1	1			1	2	4	1	1	1	2
119	Other diseases of the intestines.....	3			1													2	
122	Cirrhosis of the liver.....	13												1	2	1	3	3	3
123	Biliary calculi.....	10												1	6	2	2	1	
124	Other diseases of the liver.....	8					1							2	1	2	1		
126	Peritonitis without specified cause.....	9	1						1		2	1	1	2	1				
	VII.—Nonvenereal diseases of the genito-urinary system and annexa.....	105	1	2		1		1	1	1	1	3	2	9	10	23	35	15	
128	Acute nephritis (including unspecified under 10 years).....	4		1		1		1	1										
129	Chronic nephritis (including unspecified 10 years and over).....	77								1		1	1	5	8	20	27	14	
131	Other diseases of the kidneys and annexa.....	4	1	1											1	1			
133	Diseases of the bladder.....	3													1			1	
135	Diseases of the prostate.....	8														2		6	
137	Cysts, other benign tumors of the ovary.....	1																1	
138	Salpingitis and pelvic abscess (female).....	6									1	1	1	3				1	
141	Other diseases of the female genital organs.....	2										1	1	1					
	VIII.—The puerperal state.....	41							3	14	9	7	7	7	1				
143	Accidents of pregnancy.....	5									4	1							
144	Puerperal hemorrhage.....	5									1	1	2	1					
145	Other accidents of labor.....	2									1			1					
146	Puerperal septicemia.....	14							1	4	2	4	2	2	1				
147	Puerperal pblegmiasia alba dolens, embolus, etc.....	3								1		1	1	1					
148	Puerperal albuminuria and convulsions.....	12							1	4	4	1	1	2					

MORTALITY STATISTICS

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE, BY AGE, IN THE REGISTRATION AREA AND EACH REGISTRATION STATE: 1926—Continued

List No.	CAUSE OF DEATH	All deaths	WYOMING—Continued														Age un- known				
			Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years		65 to 74 years	75 years and over		
	IX.—Diseases of the skin and of the cellular tissue.....	4															1			1	2
151	Gangrene.....	3																			2
153	Acute abscess.....	1															1			1	2
	X.—Diseases of the bones and of the organs of locomotion.....	4		1		1														1	1
155	Diseases of the bones (tuberculosis excepted).....	3				1														1	1
156	Diseases of the joints (tuberculosis and rheumatism excepted).....	1		1																	
	XI.—Malformations.....	26	25			1															
159b	Congenital malformations of the heart.....	20	19			1															
159c	Other congenital malformations.....	6	6																		
	XII.—Early infancy.....	127	127																		
160	Congenital debility, icterus, sclerema.....	11	11																		
161a	Premature birth.....	87	87																		
161b	Injury at birth.....	23	23																		
162	Other diseases peculiar to early infancy.....	6	6																		
164	XIII.—Old age (senility).....	21																		7	14
	XIV.—External causes.....	299	8	5	6	3	2	6	16	20	20	26	31	68	42	22			9	12	3
	Suicide.....	46							1	2	3	3	6	16	6	4	4		1		
165	By poisons (gas or corrosives excepted).....	5										1	1	2	1						
168	By hanging or strangulation.....	10							1	1	1	1	4	4	2						
170	By firearms.....	29							1	1	2	1	5	9	2	4	3	1			
173	By crushing.....	2												1	1						
	Homicide.....	32				1	1	2	2	2	4	4	13	1	1						2
197	By firearms.....	26				1	1	2	2	1	4	3	11	1	1						
198	By cutting or piercing instruments.....	3									1	1	1	1							
199	By other means.....	3											1	1							2
	Accidental or undefined.....	221	8	5	6	3	1	5	13	16	15	19	21	39	35	18	5	11			1
175	Poisoning by food.....	3	2												1						
176	Poisoning by venomous animals.....	1				1															
177	Other acute poisonings (gas excepted).....	4		1	1							1	1								
178	Conflagration.....	2										1	1	1							
179	Burns (conflagration excepted).....	10			1				1	1	1	2	1	2	1					1	
180	Mechanical suffocation.....	4	3												1						
181	Absorption of irrespirable, irritating, or poisonous gas.....	3										1	1	1							
182	Drowning.....	15		2	3	2		1	1	2			1	1	1		2				
183	Traumatism by firearms (except in war).....	11							4	2	1			2		2					
184	Traumatism by cutting or piercing instruments.....	1					1														
185	Traumatism by fall.....	17									1	1	3	4	1	2	4	1	2		4
186a	Traumatism in mines.....	21							1	1	3	2	3	9	2						
187	Traumatism by machines.....	6							1	1	1	1	1	1	1						
188a	Railroad accidents.....	25							2	2	2	6	6	3	3	3					1
	Collision with automobiles.....	3							2					1	1						
	Other railroad accidents.....	22								2	2	6	6	2	3						1
188b	Street-car accidents.....	1											1								
	Collision with automobiles.....	1											1								
188c	Automobile accidents (excluding collision with railroad trains and street cars).....	56	1				1	2	1	5	2	8	4	10	11	9	1	1			
188e,f	Injuries by other vehicles.....	7					1	1	1	1	1			1	2						
188g	Landslide, other crushing.....	1													1						
189	Injuries by animals (not poisoning).....	7		1	1				1					1						3	
193	Excessive cold.....	4													1				1	2	
195	Lightning.....	6							1	1	1	1			2						
196	Other accidental electric shocks.....	1													1						
201	Fracture (cause not specified).....	1													1						
202	Other external violence.....	14	2	1					3		2	1			3	1	1				
	XV.—Ill-defined diseases.....	30	6	1		1		1	1					1	1	7	5	6			
204	Sudden death.....	1																		1	
205a	Ill-defined.....	11												1	1	4	2	3			
205b	Not specified or unknown.....	18	6	1		1		1	1						3		2	3			

NOTE.—For populations, see reference on Table 4.

# CAUSES OF DEATH, BY AGE

285

TABLE 9.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM IMPORTANT CAUSES, BY AGE, IN LARGE CITIES: 1926

[Numbers after causes of death correspond to those of the 1920 revision of the detailed International List. Cities of 100,000 population or more on January 1, 1920, are included, and those with a minimum of 25,000 colored population on that date, are shown by color]

AREA AND CAUSE OF DEATH	All deaths	Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 to 74 years	75 years and over	Age unknown
<b>BIRMINGHAM, ALA. (WHITE), all causes</b>																		
1,731																		
Typhoid and paratyphoid fever (1)	9																	
Measles (7)	16	2	3	1	2	1	4	1	1	3		1	3		1			
Scarlet fever (8)	1	1																
Whooping cough (9)	30	18	6	4	1		1											
Diphtheria (10)	5	1	2	1	1			2	1									
Influenza (11)	83	8	1	3	1		2	1	4	2	3	3	13	8	10	14	9	
Meningococcus meningitis (24)	1																	
Tuberculosis of the respiratory system (31)	47		1						3	5	6	8	7	6	5	3	3	
Other forms of tuberculosis (32-37)	17		5	1					1	1	5	2	1	1	2	2	14	
Cancer and other malignant tumors (43-49)	119		1						1	1	4	4	15	24	27	27	14	
Diabetes mellitus (57)	23									1	1	1	1	4	6	5	1	
Cerebral hemorrhage and softening (74, 83)	79									3	1	4	5	14	19	17	23	1
Other [organic] diseases of the heart (90)	174			1				2	2	2	1	1	6	7	18	32	50	51
Bronchitis (99)	10	2	1														5	1
Broncho-pneumonia (100)	35	9	4	3		1				1				1	3	5	7	
Pneumonia (101)	108	8	7		2		1	3	4	5	4	3	12	16	11	12	20	
Diarrhea and enteritis (113, 114)	72	23	27	2	6		2	2	4	3	3	2	2	2	4	4	3	
Appendicitis and typhlitis (117)	32						4	1	3	4	3	4	5	4	4	1	4	
Hernia, intestinal obstruction (118)	24		2				2		2	1	1	2	3	4	4	2	1	
Cirrhosis of the liver (122)	12									1	1	2	3	4	4	2	3	1
Nephritis (128, 129)	115							1	1	2	3	3	11	17	19	31	27	
Diseases of the female genital organs (137-141)	14											5	5	3	1			
Puerperal septicemia (146)	11								1	5	3	2	2					
Other puerperal causes (143-145, 147-150)	24								3	8	8	4	1					
Suicide (165-174)	32								3	5	3	3	8	8	2			
Homicide (197-200)	19		1						4	2	3	3	3	1	2			
Automobile accidents <sup>1</sup> (188c)	38						4	3	3	5	2	2	4	5	5	5		
Automobile and railroad-train collision (part 188a)	3											1						
Automobile and street-car collision (part 188b)	1											1						
Other external causes (inclusions, see Table 5)	99	2	5			1	2	4	8	13	10	5	11	12	5	8	13	1
All other causes	478	162	9	4	3	2	6	5	11	16	14	16	27	55	50	52	45	1
<b>BIRMINGHAM, ALA. (COLORED), all causes</b>																		
1,987																		
Typhoid and paratyphoid fever (1)	9		1					1	1	4	1		1					
Measles (7)	5		1				1											
Scarlet fever (8)																		
Whooping cough (9)	29	11	13	2	2	1												
Diphtheria (10)	1																	
Influenza (11)	110	16	4	3	3	1	2	2	2	9	6	11	16	14	8	8	4	1
Meningococcus meningitis (24)	3						1											
Tuberculosis of the respiratory system (31)	159		1	2	2		2	7	21	28	29	19	30	16	1	1		
Other forms of tuberculosis (32-37)	33		4	1		2	1	5	1	2	6	1	4	5	6	2	1	
Cancer and other malignant tumors (43-49)	37									2	1	4	10	12	6	2		
Diabetes mellitus (57)	10									1	1	2	2	2	2	1	1	
Cerebral hemorrhage and softening (74, 83)	103							1			1	5	13	35	16	14	18	
Other [organic] diseases of the heart (90)	192		1			1		1	1	6	8	6	21	68	40	21	15	3
Bronchitis (99)	2														1			
Broncho-pneumonia (100)	61	22	12	6	1		1			2	4	1	4	4	2	2		
Pneumonia (101)	176	16	10	6	3		7	9	19	16	17	32	22	7	7	5		
Diarrhea and enteritis (113, 114)	36	19	8	1		2			2	2		2	2	1	1			
Appendicitis and typhlitis (117)	18							4	3	2	2	3	5	2				
Hernia, intestinal obstruction (118)	23	3						1	1	1	3	3	6	3	1	1		
Cirrhosis of the liver (122)	7										2	2	2	2	1			
Nephritis (128, 129)	94				1		2				4	5	28	20	14	7	12	
Diseases of the female genital organs (137-141)	22								1		4	4	5	9	2			
Puerperal septicemia (146)	24								11	6	2	3	2					
Other puerperal causes (143-145, 147-150)	22							6	6	1	4	5						
Suicide (165-174)	2										2	2	2					
Homicide (197-200)	107								5	33	30	13	20	5	1			
Automobile accidents <sup>1</sup> (188c)	19						3		1	4	3	3	4			1		
Automobile and railroad-train collision (part 188a)	1										1							
Automobile and street-car collision (part 188b)	1																	
Other external causes (inclusions, see Table 5)	84	2	3	6	6	3	4	2	6	9	7	5	9	14	5	1	1	2
All other causes	598	205	16	3	5	2	9	5	11	30	29	35	71	72	50	22	32	1
<b>LOS ANGELES, CALIF. (WHITE), all causes</b>																		
11,530																		
Typhoid and paratyphoid fever (1)	10						1			3				1	1			
Measles (7)	10	2	2	1	2	1			2									
Scarlet fever (8)	10				1	1	1											
Whooping cough (9)	25	13	7	2	2	1												
Diphtheria (10)	78	4	12	9	7	2	28		1		2			1	1			
Influenza (11)	102	10	5	3	1		5	3	2	1	5	7	11	11	8	9	21	
Meningococcus meningitis (24)	29						2	3										
Tuberculosis of the respiratory system (31)	1,083	10	7	8	3	2	9	20	76	156	189	127	224	133	100	50	19	
Other forms of tuberculosis (32-37)	136	13	17	10	6	2	14	2	6	14	6	9	14	10	7	5	1	
Cancer and other malignant tumors (43-49)	1,268		1				4		3	9	16	23	117	262	338	315	175	
Diabetes mellitus (57)	196						2		5	2	1	3	12	31	57	25		
Cerebral hemorrhage and softening (74, 83)	701								1	4	4	3	32	80	154	200	222	
Other [organic] diseases of the heart (90)	1,646		3	1		2	2	5	7	20	28	30	81	205	296	451	517	
Bronchitis (99)	49	11	5	1														
Broncho-pneumonia (100)	340	123	34	8		6	5	5	3	6	3	6	12	14	21	32	53	
Pneumonia (101)	314	22	10	6	4	1	5	2	12	5	12	11	45	40	51	46	40	
Diarrhea and enteritis (113, 114)	203	137	19	7	1		3	11	7	12	12	9	25	21	14	8	3	
Appendicitis and typhlitis (117)	150											4	21	25	24	28	19	
Hernia, intestinal obstruction (118)	149		8					1	3	8		5	15	18	37	29	20	
Cirrhosis of the liver (122)	122												2	15	18	29	20	
Nephritis (128, 129)	872		3				7	3	6	6	1	13	22	73	127	180	222	
Diseases of the female genital organs (137-141)	40								5	5	11	9	11	20	10			
Puerperal septicemia (146)	72								2	8	9	17	3					
Other puerperal causes (143-145, 147-150)	275								4	15	25	25	65	41		30	10	
Suicide (165-174)	71				1	2	3											

MORTALITY STATISTICS

TABLE 9.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM IMPORTANT CAUSES, BY AGE, IN LARGE CITIES: 1926—Continued

[See note at head of this table, p. 285]

Table with 18 columns for age groups (All deaths, Under 1 year, 1 year, 2 years, 3 years, 4 years, 5 to 9 years, 10 to 14 years, 15 to 19 years, 20 to 24 years, 25 to 29 years, 30 to 34 years, 35 to 44 years, 45 to 54 years, 55 to 64 years, 65 to 74 years, 75 years and over, Age unkn) and rows for various causes of death in Los Angeles, Oakland, and San Francisco.

Excludes collision with railroad trains and street cars.

# CAUSES OF DEATH, BY AGE

287

**TABLE 9.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM IMPORTANT CAUSES, BY AGE, IN LARGE CITIES:**  
1926—Continued

[See note at head of this table, p. 285]

AREA AND CAUSE OF DEATH	All deaths	Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 to 74 years	75 years and over	Age un- known
<b>DENVER, COLO., all causes</b> .....	3,963	385	66	37	30	20	74	56	85	120	161	166	382	457	583	718	623	.....
Typhoid and paratyphoid fever (1).....	10		1	1						2	4	1		1				
Measles (7).....																		
Scarlet fever (8).....	10	1				3	4		1									
Whooping cough (9).....	23	11	10	1	3													
Diphtheria (10).....	31	4	1	3	8	3	8	1										
Influenza (11).....	163	27	11	5	2	1	4	2	3	4	5	3	14	18	17	24	23	
Meningococcus meningitis (24).....	4	1										1	1					1
Tuberculosis of the respiratory system (31).....	448							1	21	48	68	74	119	60	43	13	1	
Other forms of tuberculosis (32-37).....	28	2	2	2	2	1	4	1	3			5	7	3	1	1		
Cancer and other malignant tumors (43-49).....	323		1					2	1	3	7	24	67	75	89	54		
Diabetes mellitus (57).....	47						1	1	2	1	1		5	13	14	9		
Cerebral hemorrhage and softening (74, 83).....	260									2		1	9	22	53	78	95	
Other [organic] diseases of the heart (90).....	481	1		2			7	10	11	4	7	12	26	55	77	152	117	
Bronchitis (99).....	10	2							1					1	1	1		4
Broncho-pneumonia (100).....	184	47	9	4	2	2	1	1	1	1		1	3	5	12	19	27	
Pneumonia (101).....	201	15	8	1		1	4	5	1	4	4	4	18	24	34	47	31	
Diarrhea and enteritis (113, 114).....	65	48	8	2										1	1			5
Appendicitis and typhilitis (117).....	98				1	1	4	4	5	8	9	6	14	18	16	8	1	
Hernia, intestinal obstruction (118).....	48	3	1	1				1			1	1	8	8	9	4		
Cirrhosis of the liver (122).....	11												2	2	2	2		2
Nephritis (128, 129).....	277	1			1		2	2	3	2		1	24	29	49	85	75	
Diseases of the female genital organs (137-141).....	30								1	3	3	4	4	3	4			1
Puerperal septicemia (146).....	19								5	3	6	4	1	3				
Other puerperal causes (143-145, 147-150).....	26								1	6	6	5						
Suicide (165-174).....	74								2	4	10	8	13	10	17	7	3	
Homicide (197-200).....	13									4	2	1	4	7	6	4	8	
Automobile accidents <sup>1</sup> (188c).....	48				2	1	4	1	3	3	3	2	4	7	6	4	8	
Automobile and railroad-train collision (part 188a).....	2							1								1		
Automobile and street-car collision (part 188b).....	1																	
Other external causes (inclusions, see Table 5).....	142	2	4	3	2	3	8	5	5	8	6	4	16	15	9	27	25	
All other causes.....	931	220	10	9	7	4	20	18	17	11	20	20	64	104	142	132	133	
<b>BRIDGEPORT, CONN., all causes</b> .....	1,692	223	44	22	9	10	39	17	28	41	30	54	156	242	328	233	216	.....
Typhoid and paratyphoid fever (1).....	1													1				
Measles (7).....	26	9	8	3		2	3			1								
Scarlet fever (8).....	6		1	1			3						1					
Whooping cough (9).....	11	7	4	2														
Diphtheria (10).....	12	1	4	2	2		3											
Influenza (11).....	72	8	3	3	1	1	3		1	6		6	11	7	11	8	3	
Meningococcus meningitis (24).....	1												1					
Tuberculosis of the respiratory system (31).....	74	1							7	11	8	5	13	18	7	3	1	
Other forms of tuberculosis (32-37).....	21	4	2				3	2	1	2	2	1	2	2	2	2	2	
Cancer and other malignant tumors (43-49).....	158		1							2		4	10	38	50	33	20	
Diabetes mellitus (57).....	34			1				1				2	1	2	15	7	5	
Cerebral hemorrhage and softening (74, 83).....	104												3	21	25	31	24	
Other [organic] diseases of the heart (90).....	289							2	3	1	2	13	44	78	62	82	82	
Bronchitis (99).....	4	1	1											1	1	1		1
Broncho-pneumonia (100).....	62	22	5	4		1		2	1	2	2	3	15	14	12	16	7	
Pneumonia (101).....	97	13	3			2		1	1	2	3	6	15	14	12	16	7	
Diarrhea and enteritis (113, 114).....	24	15	4	1										3	3	2		2
Appendicitis and typhilitis (117).....	19			1		1	2	2	1	1		1	1	3	3	2		
Hernia, intestinal obstruction (118).....	17	5										1	1	5	4	5		
Cirrhosis of the liver (122).....	15												2	3	6			
Nephritis (128, 129).....	107							2		1	1	1	13	15	30	23	21	
Diseases of the female genital organs (137-141).....	9												5	2	1			
Puerperal septicemia (146).....	9								1	2	1	3	2					
Other puerperal causes (143-145, 147-150).....	8								1	1		4	2					
Suicide (165-174).....	24										2	1	7	5	7	1	1	
Homicide (197-200).....	7						1			2			3	1	4	3	1	
Automobile accidents <sup>1</sup> (188c).....	31					1	3	1	3	2	1	1		11	4	3	1	
Automobile and railroad-train collision (part 188a).....	2									2								
Automobile and street-car collision (part 188b).....	1																	
Other external causes (inclusions, see Table 5).....	82	1	4	1	5	1	6	1	4	3	5	8	13	13	4	13		
All other causes.....	365	136	4	4	1	1	9	7	5	4	5	9	34	38	54	27	27	
<b>HARTFORD, CONN., all causes</b> .....	2,129	301	43	15	17	13	34	34	41	42	41	73	191	286	373	350	275	.....
Typhoid and paratyphoid fever (1).....	5							2	1					1				
Measles (7).....	17	4	9	2	1		1											
Scarlet fever (8).....	3			1														
Whooping cough (9).....	7	4	3															
Diphtheria (10).....	12	1	2		1		5	2										
Influenza (11).....	24	7	1		2	1	1	1					1	3	2	1	3	
Meningococcus meningitis (24).....	4	1	1		1		1											
Tuberculosis of the respiratory system (31).....	69	1	1						7	11	10	6	12	6	7	8		
Other forms of tuberculosis (32-37).....	21	1	1	5			1		1	2		1	5	3	1			
Cancer and other malignant tumors (43-49).....	234				1			1			1	7	24	52	79	50	19	
Diabetes mellitus (57).....	31		1							1		1	3	10	7	5		
Cerebral hemorrhage and softening (74, 83).....	118		1					1	1	1	1	1	3	13	23	37	37	
Other [organic] diseases of the heart (90).....	370				1	1	3	4	5	5	7	17	39	89	105	94	94	
Bronchitis (99).....	10	3											9	9	5	7	6	
Broncho-pneumonia (100).....	83	30	8	3	1	2	1			2			9	9	5	7	6	
Pneumonia (101).....	112	12	2	1		1		2	6	1	2	1	12	20	28	16	8	
Diarrhea and enteritis (113, 114).....	51	43	4	1	1	1			1			1	1	5	9	4		1
Appendicitis and typhilitis (117).....	39							3		2		2	8	12	5	2		
Hernia, intestinal obstruction (118).....	24	3								1	1	1	1	5	9	4		
Cirrhosis of the liver (122).....	10												2	7	1			
Nephritis (128, 129).....	182	1					1	3		2	4	6	10	38	38	41	38	
Diseases of the female genital organs (137-141).....	21								1									





## MORTALITY STATISTICS

TABLE 9.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM IMPORTANT CAUSES, BY AGE, IN LARGE CITIES:  
1926—Continued

[See note at head of this table, p. 285]

AREA AND CAUSE OF DEATH	All deaths	Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 to 74 years	75 years and over	Age unknown
Typhoid and paratyphoid fever (1)	20						1	1	4	3	3	2	2	3	1			
Measles (7)	52	16	18	4	3	2	8			1								
Scarlet fever (8)	78	2	8	9	10	5	23	9	6	2		1	2					
Whooping cough (9)	64	29	18	8	4	3	2											
Diphtheria (10)	211	13	25	22	26	25	73	13	2	4		1	4	2				
Influenza (11)	469	64	38	13	15	5	7	9	14	16	20	31	59	46	52	49	31	
Meningococcus meningitis (24)	26	8	4		1		1	2	2	3	2		1	1				
Tuberculosis of the respiratory system (31)	1,699	10	9	5	1	2	5	20	150	233	225	212	380	248	121	69	9	
Other forms of tuberculosis (32-37)	205	16	11	12	10	6	15	15	16	17	12	16	25	15	13	3	3	
Cancer and other malignant tumors (43-49)	3,130	1	3		5	2	8	4	7	14	25	70	312	676	897	782	324	
Diabetes mellitus (57)	745		1	2			7	8	12	11	15	8	37	123	240	206	75	
Cerebral hemorrhage and softening (74, 83)	1,353	1	1			1	3	1	2	5	3	9	58	109	359	387	353	
Other [organic] diseases of the heart (90)	5,829	6	10	10	9	8	64	73	64	84	80	140	479	862	1,263	1,408	1,269	
Bronchitis (99)	226	105	20	10	2	2	4	1			3	4	7	9	12	20	27	
Broncho-pneumonia (100)	996	443	124	49	26	16	33	4	8	5	16	24	52	48	53	56	39	
Pneumonia (101)	1,639	95	49	29	13	9	31	21	28	49	69	103	297	298	250	196	101	1
Diarrhea and enteritis (113, 114)	657	502	81	24	6	4	9	2			1	4	4	7	4	4	3	
Appendicitis and typhlitis (117)	542	2	1	9	11	11	47	43	34	45	42	47	97	76	50	24	3	
Hernia, intestinal obstruction (118)	323	44	6	5		2	6	3	5	9	8	9	37	41	67	47	34	
Cirrhosis of the liver (122)	299							1	1	1	9	16	44	58	89	56	24	
Nephritis (128, 129)	3,649	27	4	6		7	3	19	21	27	31	63	74	298	553	819	951	745
Diseases of the female genital organs (137-141)	200								2	11	22	18	70	53	16	6	2	
Puerperal septicemia (146)	125								11	25	37	29	21	2				
Other puerperal causes (143-145, 147-150)	199								8	28	48	63	51	1				
Suicide (165-174)	481							1	8	22	34	42	140	113	66	47	8	
Homicide (197-200)	266	20						2	11	40	45	43	58	30	14	1		
Automobile accidents <sup>1</sup> (188c)	633	1		6	8	20	93	48	23	25	33	39	59	90	87	66	35	
Automobile and railroad-train collision (part 188a)	19								1	3	4	3	6	2				
Automobile and street-car collision (part 188b)	27								4	5	3	4	3	3				
Other external causes (inclusions, see Table 5)	1,544	31	31	18	20	20	56	47	47	75	92	107	286	259	203	185	117	
All other causes	6,237	2,155	81	39	34	41	136	84	106	181	180	250	634	698	703	541	424	
<b>CHICAGO, ILL. (COLORED), all causes.</b>	<b>3,682</b>	<b>414</b>	<b>128</b>	<b>62</b>	<b>33</b>	<b>11</b>	<b>65</b>	<b>49</b>	<b>131</b>	<b>239</b>	<b>314</b>	<b>293</b>	<b>656</b>	<b>623</b>	<b>370</b>	<b>171</b>	<b>123</b>	
Typhoid and paratyphoid fever (1)	4									2			1	1				
Measles (7)	9	2	2	3			1						1					
Scarlet fever (8)	3				1								1					
Whooping cough (9)	22	10	7	4			1											
Diphtheria (10)	16	1	2	1	4	1	4	1										
Influenza (11)	38	4	4	1			2	1				3	9	7	1		2	
Meningococcus meningitis (24)	4																	
Tuberculosis of the respiratory system (31)	541	5	12	7	6	2	8	14	69	95	95	63	79	57	22	1	6	
Other forms of tuberculosis (32-37)	59	4	7	8	2	1	9	4	11	14	4	1	11	28	60	42	10	
Cancer and other malignant tumors (43-49)	143												1	28	50	42	10	
Diabetes mellitus (57)	34				1		1						2	11	14	3	3	
Cerebral hemorrhage and softening (74, 83)	134	1			2					3	4	6	2	11	14	16	11	
Other [organic] diseases of the heart (90)	574						3	1	3	10	23	27	135	173	101	51	43	
Bronchitis (99)	19	10	1	3							2	2	1	3		1	3	
Broncho-pneumonia (100)	224	103	53	17	6	2	7	3	2	3	5	3	6	7	3	2	2	
Pneumonia (101)	273	12	13	2	2		2	2	7	20	32	33	66	51	22	7	2	
Diarrhea and enteritis (113, 114)	63	44	9	5	1					1		1	1	4	3	5	1	
Appendicitis and typhlitis (117)	43						1	1	1	7	7	6	13	5	2	1	2	
Hernia, intestinal obstruction (118)	32	7								2	3	4	4	4	5	2	2	
Cirrhosis of the liver (122)	13												4	4	5	5		
Nephritis (128, 129)	406	1	2		1		3	3	5	12	21	21	64	107	93	54	40	
Diseases of the female genital organs (137-141)	59							1	4	8	8	11	21	4	1	1		
Puerperal septicemia (146)	25								3	5	6	8	3	3				
Other puerperal causes (143-145, 147-150)	13								3	4	2	2	2	2				
Suicide (165-174)	16							1	1	2	2	2	2	2	3			
Homicide (197-200)	149	1					3	3	6	19	45	27	33	14		2		
Automobile accidents <sup>1</sup> (188c)	60				2		7	4	2	4	10	7	8	7	7	2		
Automobile and railroad-train collision (part 188a)	2																	
Automobile and street-car collision (part 188b)	127	4	6	3	3	2	6	4	5	12	13	14	27	13	11	1	3	
Other external causes (inclusions, see Table 5)	547	204	10	5	3	2	13	6	9	19	36	34	92	65	19	20	10	
<b>INDIANAPOLIS, IND. (WHITE), all causes.</b>	<b>4,331</b>	<b>421</b>	<b>97</b>	<b>54</b>	<b>32</b>	<b>24</b>	<b>86</b>	<b>46</b>	<b>76</b>	<b>121</b>	<b>134</b>	<b>128</b>	<b>330</b>	<b>501</b>	<b>666</b>	<b>836</b>	<b>778</b>	<b>1</b>
Typhoid and paratyphoid fever (1)	12						2	2	1	2	3	1	1					
Measles (7)	75	18	24	6	7	4	8	4	1	1	1							
Scarlet fever (8)	8	2			1	1	1	1		2								
Whooping cough (9)	32	19	6	5	1	1												
Diphtheria (10)	22	2	2	2	1	3	5	3	1		1		1					
Influenza (11)	90	13	7	4			2	2	3	4	1	7	4	8	9	9	17	
Meningococcus meningitis (24)	4	1																
Tuberculosis of the respiratory system (31)	186	1					1	2	7	29	24	14	31	35	18	20	4	
Other forms of tuberculosis (32-37)	60	1	4	6	2	1	3	2	7	3	3	7	2	2	3	2		
Cancer and other malignant tumors (43-49)	378	1						1	1	1	8	12	28	73	110	91	53	
Diabetes mellitus (57)	80												1	11	24	34	4	
Cerebral hemorrhage and softening (74, 83)	329								2		2	2	1	16	37	75	113	83
Other [organic] diseases of the heart (90)	670				1	1	3	5	4	8	3	10	26	56	133	210	209	
Bronchitis (99)	13	1	1										1	1	1	2	5	
Broncho-pneumonia (100)	148	43	13	13	2	2	3		4	1	1	1	5	4	6	22	28	
Pneumonia (101)	181	15	6	4	5	1	1		3	3	10	5	14	20	27	37	30	
Diarrhea and enteritis (113, 114)	119	79	16	4			2		4	7								

# CAUSES OF DEATH, BY AGE

TABLE 9.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM IMPORTANT CAUSES, BY AGE, IN LARGE CITIES: 1926—Continued

[See note at head of this table, p. 285]

AREA AND CAUSE OF DEATH	All deaths	Age														Age un- known			
		Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years		65 to 74 years	75 years and over	
INDIANAPOLIS, IND. (COLORED), all causes.....		815	106	31	18	10	3	12	11	23	30	46	52	127	144	100	59	38	
Typhoid and paratyphoid fever (1).....	7		1	1	1		1		2			1							
Measles (7).....	15	7	2	5	1														
Scarlet fever (8).....																			
Whooping cough (9).....	14	5	4	2	1		2												
Diphtheria (10).....	6	1	1	1				1			1	1							
Influenza (11).....	16	4	1	1					1		1		1	2	3	2			
Meningococcus meningitis (24).....	1					1													
Tuberculosis of the respiratory system (31).....	89						3	2	7	14	8	12	20	14	6	2	1		
Other forms of tuberculosis (32-37).....	24	1	1		1	1	4	3	1	1	1	4	4	7	7	4	2		
Cancer and other malignant tumors (43-49).....	25		1	1							2	1	3	4	7	1	4	2	
Diabetes mellitus (57).....	6												3	3	1	1	2		
Cerebral hemorrhage and softening (74, 83).....	32								1	1	1	4	12	12	6	6	2		
Other [organic] diseases of the heart (90).....	112								1	1	1	6	20	35	24	9	15		
Bronchitis (99).....	3											2	1	1					
Broncho-pneumonia (100).....	51	22	11	5				1			1	2	4	2	4	3			
Pneumonia (101).....	60	4	2		1	1		1		3	6	4	21	7	2	3	2		
Diarrhea and enteritis (113, 114).....	28	19	6	1									1		1				
Appendicitis and typhlitis (117).....	10						1				2	2	3	2					
Hernia, intestinal obstruction (118).....	8										2	2	2		3	1			
Cirrhosis of the liver (122).....	9											3	3	2	2	1			
Nephritis (128, 129).....	65		1	1					1	1	2	2	9	16	17	10	6		
Diseases of the female genital organs (137-141).....	10								1		1	1	4	3					
Puerperal septicemia (146).....	3									1	1								
Other puerperal causes (143-145, 147-150).....	9								3			2	4						
Suicide (165-174).....	3											1	2						
Homicide (197-200).....	19									4	8	5	2						
Automobile accidents <sup>1</sup> (188c).....	8							2	1			1	1						
Automobile and railroad-train collision (part 188a).....	1											1	1			2			
Automobile and street-car collision (part 188b).....	1												1						
Other external causes (inclusions, see Table 5).....	29	2	1		3		2	1	1		1	1	5	5	4	3	1		
All other causes.....	152	41	1		2		1	1	4	3	5	9	18	26	19	13	9		
DES MOINES, IOWA, all causes.....		1,716	202	23	18	12	11	35	21	24	36	59	62	136	185	245	309	338	
Typhoid and paratyphoid fever (1).....	4								2					1	1				
Measles (7).....	5	1	1				3												
Scarlet fever (8).....	3			1		1													
Whooping cough (9).....	12	8	2	1		1													
Diphtheria (10).....	12	1	1		3			2				1							
Influenza (11).....	61	7	1	4			1		3	1	2		7	7	3	9	16		
Meningococcus meningitis (24).....	1																		
Tuberculosis of the respiratory system (31).....	72	1							5	5	9	11	12	15	8	4	2		
Other forms of tuberculosis (32-37).....	14	1		1	1				4	4	2		1	2	2				
Cancer and other malignant tumors (43-49).....	189									1	3	5	14	28	50	60	28		
Diabetes mellitus (57).....	28							1				1	2	9	12	3			
Cerebral hemorrhage and softening (74, 83).....	110											1	1	16	26	30	36		
Other [organic] diseases of the heart (90).....	208	2				1	3	3	2	2	2	12	19	43	55	64			
Bronchitis (99).....	8												1	1	1	5	6		
Broncho-pneumonia (100).....	78	25	7	1			1	1	1		1	3	1	5	6	28			
Pneumonia (101).....	78	7	1						2			4	8	1	9	20	18		
Diarrhea and enteritis (113, 114).....	32	23	2	2	1		1				1	1	1	2	2	1			
Appendicitis and typhlitis (117).....	32				2		3	4	1	1	2	3	6	6	2	1	1		
Hernia, intestinal obstruction (118).....	25	2	1						1	2	1	2	1	4	6	3	3		
Cirrhosis of the liver (122).....	9	1											1	1	2	4			
Nephritis (128, 129).....	86	1		1			1	1			1	1	3	15	16	21	24		
Diseases of the female genital organs (137-141).....	23										3	3	3	13	1				
Puerperal septicemia (146).....	9									2	3	2	2						
Other puerperal causes (143-145, 147-150).....	13									6	5	1	1	4					
Suicide (165-174).....	20									1	4	1	4	3	1	1	2		
Homicide (197-200).....	5										1	3	2	2	3	5	2		
Automobile accidents <sup>1</sup> (188c).....	30	1			1	7	1	1				2	2	3	5	2	5		
Automobile and railroad-train collision (part 188a).....	1													1					
Automobile and street-car collision (part 188b).....	2																		
Other external causes (inclusions, see Table 5).....	72	1	2	1	1	3	3	3	3	6	6	9	8	7	6	16			
All other causes.....	475	120	5	8	5	4	9	6	3	7	7	12	45	39	46	73	86		
KANSAS CITY, KANS., all causes.....		1,590	209	33	14	10	12	23	20	46	60	56	66	148	227	223	236	207	
Typhoid and paratyphoid fever (1).....	5							2	2		1								
Measles (7).....	14	5	4	1			4												
Scarlet fever (8).....	4																		
Whooping cough (9).....	10	6	2	1	1														
Diphtheria (10).....	5																		
Influenza (11).....	42	8	2																
Meningococcus meningitis (24).....	1	1																	
Tuberculosis of the respiratory system (31).....	114		2			1		4	13	19	13	10	20	15	6	9	1		
Other forms of tuberculosis (32-37).....	18	1		1	1		1		2	1	1	2	9	38	27	34	13		
Cancer and other malignant tumors (43-49).....	131		1										2	12	7	29	4		
Diabetes mellitus (57).....	32							1					5	14	10	2			
Cerebral hemorrhage and softening (74, 83).....	105												3	5	25	29	29		
Other [organic] diseases of the heart (90).....	187	1								3	2	3	11	22	45	57	41		
Bronchitis (99).....	9														1	2	2		
Broncho-pneumonia (100).....	47	20	1	2		2			1		1		3	1	2	6	7		
Pneumonia (101).....	80	13	3	1	1					3			4	8	9	11	1		
Diarrhea and enteritis (113, 114).....	65	39	15	3	2	1						6	2	3	1	1			
Appendicitis and typhlitis (117).....	19																		
Hernia, intestinal obstruction (118).....	24		6						1	1			3	4	5	1	3		
Cirrhosis of the liver (122).....	15														6	6	1		
Nephritis (128, 129).....	141			2						3	3		4	15	23	26	26		
Diseases of the female genital organs (137-141).....	15									2	1	1	4	4	3	1			
Puerperal septicemia (146).....	6									1	2		1	1					
Other puerperal causes (143-145, 147-150).....	10									1	2	2	2	3	1				
Suicide (165-174).....	19									1	1	2	2	2	6	4	1		
Homicide (197-200).....	34									7	6	5	9	4					
Automobile accidents <sup>1</sup> (188c).....	8									1	1								
Automobile and railroad-train collision (part 188a).....	1		1	1											1	2			
Automobile and street-car collision (part 188b).....	1																		
Other external causes (inclusions, see Table 5).....	72	3	1	1	1	1	3	1	2	3	3	3	4	16	7	4	18		
All other causes.....	358	104	2	1	1	5	5	4	5	13	8	12	25	54	39	38	41		

<sup>1</sup> Excludes collision with railroad trains and street cars.

MORTALITY STATISTICS

TABLE 9.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM IMPORTANT CAUSES, BY AGE, IN LARGE CITIES: 1926—Continued

[See note at head of this table, p. 285]

Table with columns: AREA AND CAUSE OF DEATH, All deaths, Under 1 year, 1 year, 2 years, 3 years, 4 years, 5 to 9 years, 10 to 14 years, 15 to 19 years, 20 to 24 years, 25 to 29 years, 30 to 34 years, 35 to 44 years, 45 to 54 years, 55 to 64 years, 65 to 74 years, 75 years and over, Age un- known. Rows include Louisville, KY. (white), Louisville, KY. (colored), and New Orleans, LA. (white) with various causes of death.

1 Excludes collision with railroad trains and street cars.

## CAUSES OF DEATH, BY AGE

293

TABLE 9.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM IMPORTANT CAUSES, BY AGE, IN LARGE CITIES: 1926—Continued

[See note at head of this table, p. 285]

AREA AND CAUSE OF DEATH	All deaths	Age in years														Age un- known		
		Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years		65 to 74 years	75 years and over
NEW ORLEANS, LA. (COLORED), all causes.....	3,277	397	73	29	17	4	45	52	117	186	226	210	563	578	349	246	172	13
Typhoid and paratyphoid fever (1).....	18						3		4	5	2	1	3					
Measles (7).....	3	1			1			1										
Scarlet fever (8).....	1							1										
Whooping cough (9).....	13	9	4															
Diphtheria (10).....	11		2	1	6		1	1										
Influenza (11).....	131	18	9	1	2		3	4		8	6	11	16	14	19	10	10	
Meningococcus meningitis (24).....																		
Tuberculosis of the respiratory system (31).....	326	1		1			3	7	38	47	57	42	73	44	10	2	1	
Other forms of tuberculosis (32-37).....	35	1		2			4	3	2	3	3	3	8	3	3			
Cancer and other malignant tumors (43-49).....	151									3	3	9	40	45	34	10	7	
Diabetes mellitus (57).....	28							1	1	1	1	6	7	7	4	1		
Cerebral hemorrhage and softening (74, 83).....	156						1		1	1	2	22	48	31	25	23		
Other [organic] diseases of the heart (90).....	507						1	2	2	6	15	16	95	152	89	79	50	
Bronchitis (99).....	17	6		1				1	1					5	2	1		
Broncho-pneumonia (100).....	158	68	16	8	5		2	1	2	1	6	6	9	9	8	9	8	
Pneumonia (101).....	191	18	9	9	1		4	5	13	14	11	9	31	23	11	19	13	1
Diarrhea and enteritis (113, 114).....	118	84	21	1			1	1		1	1	2	3	1	2	1		
Appendicitis and typhlitis (117).....	36						1	1	5	3	3	5	4	9	4	1	1	
Hernia, intestinal obstruction (118).....	28	2					1	1	2	1	4	2	3	4	5	3	1	
Cirrhosis of the liver (122).....	26		1					1	1	1	2	4	7	5	5	5		
Nephritis (128, 129).....	321	3					2	3	6	6	16	24	54	77	59	44	25	2
Diseases of the female genital organs (137-141).....	37								2	4	4	8	16	2	1			
Puerperal septicemia (146).....	16								2	6	4	1	3					
Other puerperal causes (143-145, 147-150).....	32								2	9	7	4	9	1				
Suicide (165-174).....	7													2				
Homicide (197-200).....	89								11	17	21	6	22	11	1			1
Automobile accidents <sup>1</sup> (188c).....	24						1	1	1	4	3	2	3	4	3	1	1	
Automobile and railroad-train collision (part 188a).....	1									1								
Automobile and street-car collision (part 188b).....	1												1					
Other external causes (inclusions, see Table 5).....	127	6	5	1	2	4	9	10	9	12	12	20	14	8	7	3	5	4
All other causes.....	668	187	4	1	1	12	9	15	36	42	43	111	99	52	25	27		
BALTIMORE, MD. (WHITE), all causes.....	9,220	932	225	92	68	70	155	99	119	201	246	261	809	1,124	1,513	1,822	1,484	
Typhoid and paratyphoid fever (1).....	25							1	3	4	2		9	3	3			
Measles (7).....	87	22	26	15	8	5	9	1					1					
Scarlet fever (8).....	10		1		3		4			1								
Whooping cough (9).....	44	21	15	4	2	1	1											
Diphtheria (10).....	52	7	12	9	5	5	12	1		1								
Influenza (11).....	197	23	8	2	2	3	8		3	9	8	2	30	23	21	27	26	
Meningococcus meningitis (24).....	17	5	3	1	1	1	2	2			1		1					
Tuberculosis of the respiratory system (31).....	490	2	10	2			1	5	15	49	56	45	105	94	56	39	11	
Other forms of tuberculosis (32-37).....	64	11	9	4	3	3	4	3	2	4	3	1	5	7	2	3		
Cancer and other malignant tumors (43-49).....	907	2	2	1	1		8	7	6	7	9	19	72	158	243	249	123	
Diabetes mellitus (57).....	203						2		3	1	3	7	25	73	61	28		
Cerebral hemorrhage and softening (74, 83).....	720				1		1	1	4	1	5	32	66	154	260	195		
Other [organic] diseases of the heart (90).....	1,425	6	1		1	7	17	14	12	14	14	74	161	282	409	413		
Bronchitis (99).....	57	4					1			1	1		2	4	15	29		
Broncho-pneumonia (100).....	514	121	45	19	10	7	8	2	3	3	4	11	29	45	47	74	36	
Pneumonia (101).....	479	28	26	6	4	7	8	5	11	9	18	23	76	66	75	70	47	
Diarrhea and enteritis (113, 114).....	166	128	21	3	3	1	1			2	1	2	1		1	3	3	
Appendicitis and typhlitis (117).....	97		1	1	1	5	4	6	5	9	5	7	11	19	10	9	4	
Hernia, intestinal obstruction (118).....	106	3	3	1	1		2	1	2	4	2	4	14	15	20	22	13	
Cirrhosis of the liver (122).....	56						1			2	2	6	8	20	14	3		
Nephritis (128, 129).....	960	1	1			1	3	4	8	15	15	64	137	206	264	241		
Diseases of the female genital organs (137-141).....	22						1	1		2	3	6	4	3				
Puerperal septicemia (146).....	30						4	7	6	6	7	6	6	4				
Other puerperal causes (143-145, 147-150).....	40							4	11	8	9	12						
Suicide (165-174).....	104							3	5	5	12	18	22	26	10	3		
Homicide (197-200).....	23	1			1			1	1	3	6	4	1	2	2			
Automobile accidents <sup>1</sup> (188c).....	135		2		3	18	9	3	10	2	20	15	13	22	11			
Automobile and railroad-train collision (part 188a).....	2																	
Automobile and street-car collision (part 188b).....	1																	
Other external causes (inclusions, see Table 5).....	385	12	17	10	10	9	18	8	5	11	28	29	56	56	47	36	36	
All other causes.....	1,796	535	24	13	12	18	37	24	33	30	39	40	146	196	205	232	212	
BALTIMORE, MD. (COLORED), all causes.....	2,990	427	98	44	15	15	46	37	93	119	185	185	523	524	365	204	110	
Typhoid and paratyphoid fever (1).....	17					1	1	2	3	1	5		2	2				
Measles (7).....	20	5	6	5	1		2			1								
Scarlet fever (8).....																		
Whooping cough (9).....	27	9	12	4	1	1												
Diphtheria (10).....	7	1	2				2	1										
Influenza (11).....	46	3	2		1	1	2	1	3	4	3	4	6	7	6	2	1	
Meningococcus meningitis (24).....	4	1					1											
Tuberculosis of the respiratory system (31).....	284	7	6	2	1	1	9	7	35	43	52	32	49	25	11	4		
Other forms of tuberculosis (32-37).....	50	4	7	3	2	3	2	5	3	6	5	9	33	45	26	15	5	
Cancer and other malignant tumors (43-49).....	142			1	1			2					3	6	2	3		
Diabetes mellitus (57).....	17						1				2	2	3	6	2	3		
Cerebral hemorrhage and softening (74, 83).....	192		1							2	1	2	27	59	54	30	16	
Other [organic] diseases of the heart (90).....	407						1	5	5	11	13	87	104	100	40	16	32	
Bronchitis (99).....	4	3																
Broncho-pneumonia (100).....	233	77	31	14		3	3	3	5	3	9	14	12	18	22	18	6	
Pneumonia (101).....	253	30	13	5	3		1	1	8	11	21	21	72	40	17	7	3	
Diarrhea and enteritis (113, 114).....	90	69	11			1				1	1	4	6	1	1			
Appendicitis and typhlitis (117).....	18												1		2	1		
Hernia, intestinal obstruction (118).....	32	2						3	1	1	3	3	1	2	1	5		

MORTALITY STATISTICS

TABLE 9.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM IMPORTANT CAUSES, BY AGE, IN LARGE CITIES: 1926—Continued

[See note at head of this table, p. 285]

AREA AND CAUSE OF DEATH	All deaths	AGE GROUP															75 years and over	Age unknown		
		Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 39 years	40 to 44 years	45 to 49 years	50 to 54 years			55 to 59 years	60 to 64 years
BOSTON, MASS., all causes.....	11,720	1,573	304	131	88	72	186	119	197	268	291	351	1,012	1,542	2,070	1,974	1,542			
Typhoid and paratyphoid fever (1).....	14							2	2	1	1	2	2	2	2					
Measles (7).....	65	14	24	13	6	2	5			1	1									
Scarlet fever (8).....	41	3	5	5	7	5	10				2	1								
Whooping cough (9).....	109	59	33	7	4	2	3	1												
Diphtheria (10).....	55	5	12	6	9	5	8	4	1		2	1								
Influenza (11).....	69	7	5	2	1	1	2	2		1	3	4	5	6	6	12	10			
Meningococcus meningitis (24).....	26	3	5	2		1	5	2	3				2	1	2					
Tuberculosis of the respiratory system (31).....	687	9	10	7	1	2	6	6	50	70	62	68	134	127	77	52	6			
Other forms of tuberculosis (32-37).....	111	13	15	6	3	5	7		7	14	6	7	15	6	7					
Cancer and other malignant tumors (43-49).....	1,190	1		2		1	4	2	2	5	4	20	97	209	385	318	140			
Diabetes mellitus (57).....	203		1				1		3	6	2	4	7	29	55	68	27			
Cerebral hemorrhage and softening (74, 83).....	650	1		1		2				2	5	25	87	158	181	188				
Other [organic] diseases of the heart (90).....	2,118	1		2		2	10	20	25	17	28	21	120	258	510	544				
Bronchitis (99).....	43	10	2				1					3	5	5	17					
Broncho-pneumonia (100).....	662	217	73	21	9	8	10	5	2	4	1	2	32	38	71	89	80			
Pneumonia (101).....	598	34	29	13	6	1	4	7	5	12	19	26	74	102	96	102	68			
Diarrhea and enteritis (113, 114).....	260	218	19	4	3	1		1	1		1	2	3	1	2	2	2			
Appendicitis and typhilitis (117).....	154	2	4	1	5	3	11	14	12	15	12	12	20	21	15	4	3			
Hernia, intestinal obstruction (118).....	140	17	4			1				2	3	4	14	24	32	20	17			
Cirrhosis of the liver (122).....	71												11	19	23	13	3			
Nephritis (128, 129).....	656	2	1		1	2	4	2	11	6	7	22	47	96	159	156	140			
Diseases of the female genital organs (137-141).....	68						1		4	4	5	2	19	6	2	2	2			
Puerperal septicemia (146).....	55							6	11	18	6	13	1							
Other puerperal causes (143-145, 147-150).....	88							2	14	20	26	26	26	25	19	11	4			
Suicide (165-174).....	106							2	5	9	6	25	25	19	11	4				
Homicide (197-200).....	31	2	1		3	4	24	8	8	4	5	7	15	22	16	23	9			
Automobile accidents <sup>1</sup> (188c).....	149																			
Automobile and railroad-train collision (part 188a).....	4											1		3						
Automobile and street-car collision (part 188b).....	485	17	12	6	8	9	13	10	14	19	15	18	75	82	70	68	49			
Other external causes (inclusions, see Table 5).....	2,812	938	49	35	20	17	57	31	34	53	57	77	216	358	349	288	233			
CAMBRIDGE, MASS., all causes.....	1,481	199	31	10	6	4	24	16	33	40	36	47	112	171	245	267	240			
Typhoid and paratyphoid fever (1).....	6						1		2	2			1							
Measles (7).....	4		3				1													
Scarlet fever (8).....	2			2																
Whooping cough (9).....	21	7	10	2	2															
Diphtheria (10).....	1						1													
Influenza (11).....	10	3	2											2	1	1	1			
Meningococcus meningitis (24).....	2							2												
Tuberculosis of the respiratory system (31).....	99	1		1				3	11	10	12	12	20	13	5	8	3			
Other forms of tuberculosis (32-37).....	12			2				1		1			3	4	4	23	3			
Cancer and other malignant tumors (43-49).....	162				1					1	1	2	11	28	47	48	23			
Diabetes mellitus (57).....	16												3	3	5	5	3			
Cerebral hemorrhage and softening (74, 83).....	120								2	2		1	3	14	30	39	33			
Other [organic] diseases of the heart (90).....	278	1					3	2	1	2	5	15	30	60	82	75	5			
Bronchitis (99).....	7		1									1								
Broncho-pneumonia (100).....	61	26	8				2		1			2	3	4	5	10	7			
Pneumonia (101).....	70	7		2			1		3	1	4	2	9	16	9	9				
Diarrhea and enteritis (113, 114).....	26	22	2				1		1				2	2	4	4	1			
Appendicitis and typhilitis (117).....	22							3	4	3		3	2	3	4	2	1			
Hernia, intestinal obstruction (118).....	13	1											3	3	4	2	1			
Cirrhosis of the liver (122).....	7											1	2	2	3	2				
Nephritis (128, 129).....	84									2		1	3	9	16	21	20	15		
Diseases of the female genital organs (137-141).....	6												2	2	3					
Puerperal septicemia (146).....	7									4	1	2	2	3						
Other puerperal causes (143-145, 147-150).....	10								4	2	3	1	1	1	2	2				
Suicide (165-174).....	11								1	1	3	1	1	1	2	2				
Homicide (197-200).....	3											1	1	1	1	2				
Automobile accidents <sup>1</sup> (188c).....	19						5		2	1		1	1	1	1	2	4			
Automobile and railroad-train collision (part 188a).....																				
Automobile and street-car collision (part 188b).....	59	6	3	1		2	3	4	4	1	5	5	7	4	4	10				
Other external causes (inclusions, see Table 5).....	343	124	2		2	1	5	5	2	7	9	6	19	29	40	42	50			
FALL RIVER, MASS., all causes.....	1,707	277	63	24	25	18	32	13	24	41	34	46	108	195	289	294	223			1
Typhoid and paratyphoid fever (1).....	1												1							
Measles (7).....	37	10	13	5	5	3		1												
Scarlet fever (8).....	1																			
Whooping cough (9).....	18	9	7	1		1														
Diphtheria (10).....	19	1	5	2	5	1	5													
Influenza (11).....	26	5	1				2						1	1	6	5	1	4		
Meningococcus meningitis (24).....	3	1	1																	
Tuberculosis of the respiratory system (31).....	118	1	1		1			2	14	17	12	15	23	14	12	5	1			
Other forms of tuberculosis (32-37).....	26	3	6	2	2	1	3	1		2	2	1	1	1	2	2				
Cancer and other malignant tumors (43-49).....	168						1			1	1	1	12	37	53	42	20			
Diabetes mellitus (57).....	38	1								1	1	1	3	7	17	8	1			
Cerebral hemorrhage and softening (74, 83).....	95		1							1	1	1	3	12	16	32	27			
Other [organic] diseases of the heart (90).....	226	1						3	1	3	3	3	10	26	50	71	55			
Bronchitis (99).....	12	5										1								
Broncho-pneumonia (100).....	70	29	9		3	2	1					1	1	5	5	12	6			
Pneumonia (101).....	55	7	3	2	1	2	2	1		1			7	6	6	11	6			

## CAUSES OF DEATH, BY AGE

295

**TABLE 9.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM IMPORTANT CAUSES, BY AGE, IN LARGE CITIES:**  
1926—Continued

[See note at head of this table, p. 285]

AREA AND CAUSE OF DEATH	All deaths	Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 to 74 years	75 years and over	Age un- known
<b>LOWELL, MASS., all causes.....</b>	<b>1,549</b>	<b>220</b>	<b>42</b>	<b>16</b>	<b>16</b>	<b>6</b>	<b>38</b>	<b>15</b>	<b>15</b>	<b>24</b>	<b>43</b>	<b>35</b>	<b>106</b>	<b>202</b>	<b>277</b>	<b>249</b>	<b>245</b>	
Typhoid and paratyphoid fever (1).....	4									2	1		1					
Measles (7).....	10	5	3	2			2											
Scarlet fever (8).....	3			1														
Whooping cough (9).....	3			1									1					
Diphtheria (10).....	6			1	1		4											
Influenza (11).....	8	1					1			1		1	1	1	1		1	
Meningococcus meningitis (24).....																		
Tuberculosis of the respiratory system (31).....	73								3	6	9	8	18	20	6	3		
Other forms of tuberculosis (32-37).....	28	3	5	1	2	1	2	1	1	1	1		3	4	2	1		
Cancer and other malignant tumors (43-49).....	113								1			3	8	26	27	32	16	
Diabetes mellitus (57).....	15												2	3	4	5	1	
Cerebral hemorrhage and softening (74, 83).....	106	1									1		1	16	22	35	30	
Other [organic] diseases of the heart (90).....	301	1					1	1	2	1	4	2	12	45	89	67	76	
Bronchitis (99).....	18	5	1				2						1	2	1	2	4	
Broncho-pneumonia (100).....	110	33	16	2	3	1	2	1		1	4	1	5	3	12	12	14	
Pneumonia (101).....	94	1	2	1			2		1	1	2		1	10	4		5	
Diarrhea and enteritis (113, 114).....	57	43	7		2		1											
Appendicitis and typhlitis (117).....	21				2		3						2		4		1	
Hernia, intestinal obstruction (118).....	10							1	4	2	1			2	2	3	1	
Cirrhosis of the liver (122).....	13												1	8	3		1	
Nephritis (128, 129).....	64		1				1		1	1	3	3	6	16	15	12	5	
Diseases of the female genital organs (137-141).....	6												2					
Puerperal septicemia (146).....	1									1								
Other puerperal causes (143-145, 147-150).....	20										7	4	7	1	1	1		
Suicide (165-174).....	9												1	5				
Homicide (197-200).....	2														2			
Automobile accidents <sup>1</sup> (188c).....	22					2	6			1	2	3	3		2	1	2	
Automobile and railroad-train collision (part 188a).....	1											1						
Automobile and street-car collision (part 188b).....																		
Other external causes (inclusions, see Table 5).....	55	1	1		2		3	3			2	1	9	10	11	5	7	
All other causes.....	436	126	6	3	4	2	7	6	2	6	2	3	5	22	30	66	81	
<b>NEW BEDFORD, MASS., all causes.....</b>	<b>1,500</b>	<b>283</b>	<b>78</b>	<b>25</b>	<b>14</b>	<b>13</b>	<b>30</b>	<b>21</b>	<b>34</b>	<b>34</b>	<b>41</b>	<b>28</b>	<b>89</b>	<b>142</b>	<b>211</b>	<b>229</b>	<b>228</b>	
Typhoid and paratyphoid fever (1).....	1												1					
Measles (7).....	24	7	14		1	1	1											
Scarlet fever (8).....	5		1				2		1	1								
Whooping cough (9).....	13	9	3	1														
Diphtheria (10).....	18	1	1	2	5	3	6											
Influenza (11).....	50	11	6	1			2	1		1	1		6	3	9	6	4	
Meningococcus meningitis (24).....	2		2															
Tuberculosis of the respiratory system (31).....	96	2	2			1	2	4	15	12	12	7	16	9	8	4	2	
Other forms of tuberculosis (32-37).....	27	5	7	2	1	1	4		1	3		1	10	20	29	25	11	
Cancer and other malignant tumors (43-49).....	97										1	1	1	1	1	3	4	
Diabetes mellitus (57).....	19							1					1	2	3	4	3	
Cerebral hemorrhage and softening (74, 83).....	121										1		5	9	30	38	38	
Other [organic] diseases of the heart (90).....	244						2		3		4	5	4	36	45	70	75	
Bronchitis (99).....	17	7	2	1										1		2	4	
Broncho-pneumonia (100).....	143	68	26	5	3	1	2	1	1		1	1	7	3	6	11	9	
Pneumonia (101).....	37	3	5	1	1			1	1		3	1	7	4	5		4	
Diarrhea and enteritis (113, 114).....	35	29	3	1	1											1	4	
Appendicitis and typhlitis (117).....	15					1		1		2			6	3	1			
Hernia, intestinal obstruction (118).....	14	1		1				1					1	1	5	2	3	4
Cirrhosis of the liver (122).....	8												1	1	2		1	
Nephritis (128, 129).....	92		1	1		1					3	1	5	14	23	26	16	
Diseases of the female genital organs (137-141).....	4								1	1			1	1				
Puerperal septicemia (146).....	5								1	1	1	1	1	1				
Other puerperal causes (143-145, 147-150).....	7									2	2	2	1					
Suicide (165-174).....	10										1	1			3	2	1	
Homicide (197-200).....	2										1			2				
Automobile accidents <sup>1</sup> (188c).....	11			1	1	1	1	1		1	1	1	1	1	1	1	1	
Automobile and railroad-train collision (part 188a).....	1																	
Automobile and street-car collision (part 188b).....																		
Other external causes (inclusions, see Table 5).....	46	5	1		1	3	1	5	2		1	2	4	6	6	4	5	
All other causes.....	336	185	5	9	1	3	7	6	6	10	8	5	11	24	29	29	51	
<b>SPRINGFIELD, MASS., all causes.....</b>	<b>1,820</b>	<b>229</b>	<b>43</b>	<b>27</b>	<b>15</b>	<b>16</b>	<b>36</b>	<b>17</b>	<b>33</b>	<b>38</b>	<b>36</b>	<b>60</b>	<b>160</b>	<b>213</b>	<b>306</b>	<b>310</b>	<b>280</b>	<b>1</b>
Typhoid and paratyphoid fever (1).....	1													1				
Measles (7).....	30	7	12	4	4		3											
Scarlet fever (8).....	3		1		1									1				
Whooping cough (9).....	10	4	4	1	1	1												
Diphtheria (10).....	7	1	1	2	1	1	2											
Influenza (11).....	27	2		1							1		3	4	5	1	7	
Meningococcus meningitis (24).....	3								1	1				4				
Tuberculosis of the respiratory system (31).....	71							1	1	2	8	7	12	13	12	10	4	
Other forms of tuberculosis (32-37).....	22	7	3	1	2	1	1	1		1		1		1	1	2		
Cancer and other malignant tumors (43-49).....	178										1	1		1	1	2		
Diabetes mellitus (57).....	30							1	1	1		1	4	11	37	50	21	
Cerebral hemorrhage and softening (74, 83).....	149	1						1			1		1	3	14	5	5	
Other [organic] diseases of the heart (90).....	280	1					5			4	4	2	5	20	37	38	44	
Bronchitis (99).....	5	1												1	58	79	1	
Broncho-pneumonia (100).....	74	23	12	3	1	1	3	1		1	1	2	5	4	7	2	6	
Pneumonia (101).....	70	1	4	2		2	1	1		1					6	6		
Diarrhea and enteritis (113, 114).....	20	14	1		1		1			1			4	11	12	11	9	
Appendicitis and typhlitis (117).....	32			1										4		1	2	
Hernia, intestinal obstruction (118).....	14	1		1		2	1	4	6				1	4	2	1	2	
Cirrhosis of the liver (122).....	6													1	3	1	2	
Nephritis (128, 129).....	188						2				1	3	5	14	19	48	48	
Diseases of the female genital organs (137-141).....	3													1				
Puerperal septicemia (146).....	9																	

MORTALITY STATISTICS

TABLE 9.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM IMPORTANT CAUSES, BY AGE, IN LARGE CITIES:  
1926—Continued

[See note at head of this table, p. 285]

AREA AND CAUSE OF DEATH	All deaths	Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 to 74 years	75 years and over	AGE UN- KNOWN
<b>WORCESTER, MASS., all causes.....</b>	<b>2,701</b>	<b>322</b>	<b>66</b>	<b>21</b>	<b>19</b>	<b>16</b>	<b>51</b>	<b>30</b>	<b>42</b>	<b>54</b>	<b>46</b>	<b>70</b>	<b>228</b>	<b>334</b>	<b>426</b>	<b>500</b>	<b>476</b>	
Typhoid and paratyphoid fever (1).....	1																	
Measles (7).....	17	2	7	1	2		1	1	1									
Scarlet fever (8).....	5			2														
Whooping cough (9).....	13	12	1															
Diphtheria (10).....	17			3	3	1	5	1										
Influenza (11).....	26	1	1	1					2	1	1		3	4	4	4	5	
Meningococcus meningitis (24).....	2	1											1					
Tuberculosis of the respiratory system (31).....	132								8	21	9	14	29	20	22	5	2	
Other forms of tuberculosis (32-37).....	34	4	7	1	2	2	6	2	1	3	2	4	3	3	1	1	30	
Cancer and other malignant tumors (43-49).....	272													51	74	81	30	
Diabetes mellitus (57).....	41						1	2					1	6	7	20	4	
Cerebral hemorrhage and softening (74, 83).....	179												3	16	39	53	68	
Other [organic] diseases of the heart (90).....	417								2	3	8	8	24	40	72	113	142	
Bronchitis (99).....	170	10	1											1	1	2	2	
Broncho-pneumonia (100).....	147	37	22	3	3	1	2	2					7	10	18	23	40	
Pneumonia (101).....	39	7	7	3	2	1	2	1	1	1	4	12	19	23	21	25	18	
Diarrhea and enteritis (113, 114).....	34	27	6	1		2							1	1	1	1	1	
Appendicitis and typhilitis (117).....	28			1	1			4	3	4	1		6	6	3	1		
Hernia, intestinal obstruction (118).....	11	2	1						1	1			2	5	5	4	6	
Cirrhosis of the liver (122).....	11												1	3	3	6	6	
Nephritis (128, 129).....	282						1	1	1	3	3		4	49	63	75	67	
Diseases of the female genital organs (137-141).....	19									1			1	8	9		1	
Puerperal septicemia (146).....	14												1	3	3	3	1	
Other puerperal causes (143-145, 147-150).....	27									1	5	4	8	9			1	
Suicide (165-174).....	23										2	1	1	5	3	2	1	
Homicide (197-200).....	32							1						8				
Automobile accidents <sup>1</sup> (188c).....	2		1					5	4	5	1	2	1	3	2	1	1	
Automobile and railroad-train collision (part 188a).....	3							4	5	5								
Automobile and street-car collision (part 188b).....	102	1	3	1	3	1	7	4	4	3	4	2	15	14	8	16	16	
Other external causes (inclusions, see Table 5).....	599	218	8	4	3	3	12	8	9	3	4	9	41	61	71	74	71	
All other causes.....	102																	
<b>DETROIT, MICH., (WHITE), all causes.....</b>	<b>14,323</b>	<b>2,618</b>	<b>516</b>	<b>273</b>	<b>195</b>	<b>172</b>	<b>491</b>	<b>236</b>	<b>301</b>	<b>535</b>	<b>598</b>	<b>685</b>	<b>1,604</b>	<b>1,650</b>	<b>1,643</b>	<b>1,615</b>	<b>1,284</b>	<b>7</b>
Typhoid and paratyphoid fever (1).....	25		2						2	3	6	2	6	4				
Measles (7).....	285	84	87	35	22	19	24	3	2	4			4	1				
Scarlet fever (8).....	98	3	13	14	12	10	20	9	4	7								
Whooping cough (9).....	78	39	27	5	2	2												1
Diphtheria (10).....	438	23	34	49	44	59	179	33	4	2	2	3						
Influenza (11).....	268	44	20	7	2	3	7	7	5	10	12	14	29	31	27	19	31	
Meningococcus meningitis (24).....	23	5	1	1	1		2	3	4				3	3	2	1		
Tuberculosis of the respiratory system (31).....	771	8	6	5	3	1	6	8	60	117	108	106	158	92	63	25	3	2
Other forms of tuberculosis (32-37).....	133	15	15	11	9	5	16	8	8	12	6	5	14	4	4	1		
Cancer and other malignant tumors (43-49).....	987	2	2	1	4	1	2	4	4	8	14	28	136	220	237	229	95	
Diabetes mellitus (57).....	189						1	3	2	4	3	6	15	32	54	54	14	
Cerebral hemorrhage and softening (74, 83).....	730	7				1	1	1	2	3	7	12	51	86	161	227	172	
Other [organic] diseases of the heart (90).....	1,668	8	3	1	2	1	16	16	14	28	31	45	165	263	322	386	366	1
Bronchitis (99).....	124	29	9	3	4		3	1					1	3	5	4	17	44
Broncho-pneumonia (100).....	738	371	100	45	16	6	8	5	5	5	6	9	24	20	27	42	48	1
Pneumonia (101).....	835	82	44	18	13	8	15	10	23	39	37	53	107	106	91	83	46	
Diarrhea and enteritis (113, 114).....	425	336	51	11	3	3	4						1	3	3	4	2	
Appendicitis and typhilitis (117).....	240			1	3		15	18	23	24	27	21	54	28	22	4		
Hernia, intestinal obstruction (118).....	187	38	4	2			2		5	7	8	13	19	23	31	19	16	
Cirrhosis of the liver (122).....	89								1			3	17	17	24	15	12	
Nephritis (128, 129).....	695	4	3	2	3		4	9	9	14	18	20	68	98	144	167	132	
Diseases of the female genital organs (137-141).....	60									5	4	11	19	14	3	4		
Puerperal septicemia (146).....	124								5	28	37	30	24					
Other puerperal causes (143-145, 147-150).....	105								9	24	23	24	25					
Suicide (165-174).....	186								2	18	25	21	43	38	27	4	3	
Homicide (197-200).....	178								15	30	34	34	39	15	7	2		
Automobile accidents <sup>1</sup> (188c).....	379			2	15	13	59	20	18	29	18	21	42	53	39	39	10	
Automobile and railroad-train collision (part 188a).....	10									1	1	2	3	1				
Automobile and street-car collision (part 188b).....	12																	
Other external causes (inclusions, see Table 5).....	619	23	23	23	12	13	25	18	18	43	42	51	118	81	54	29	45	1
All other causes.....	3,624	1,495	72	37	24	25	78	60	55	70	117	140	354	312	295	244	245	1
<b>DETROIT, MICH., (COLORED), all causes.....</b>	<b>1,906</b>	<b>257</b>	<b>93</b>	<b>36</b>	<b>13</b>	<b>14</b>	<b>51</b>	<b>30</b>	<b>61</b>	<b>148</b>	<b>235</b>	<b>217</b>	<b>351</b>	<b>227</b>	<b>99</b>	<b>42</b>	<b>32</b>	
Typhoid and paratyphoid fever (1).....	4							2	1	1								
Measles (7).....	28	5	13	3		1	4	1			1							
Scarlet fever (8).....	1																	
Whooping cough (9).....	10	3	5	1	1													
Diphtheria (10).....	12	3	4	1			1	3										
Influenza (11).....	31	2	3															
Meningococcus meningitis (24).....	4																	
Tuberculosis of the respiratory system (31).....	204		5	4	3	2	5	6	22	46	59	46	51	8	6	1		
Other forms of tuberculosis (32-37).....	46	6	4	4	1	1	2	4	2	4	5	5	6	2				
Cancer and other malignant tumors (43-49).....	39											1	12	10	7	5	1	
Diabetes mellitus (57).....	11												2	6				
Cerebral hemorrhage and softening (74, 83).....	70	1										3	7	13	19	12	8	7
Other [organic] diseases of the heart (90).....	182	1	1				2	2	2	1	15	25	48	43	28	8	11	
Bronchitis (99).....	13	6	2				1	1	1	1	2	2	5	1	1	1	1	
Broncho-pneumonia (100).....	129	69	26	7	2	2	7	7	3	1	2	2	5	1	1	1	1	
Pneumonia (101).....	238	18	10	3	1	1	5	2	7	22	28	30	51	47	6	1	1	
Diarrhea and enteritis (113, 114).....	39	26	5								1	1	2	2	1			
Appendicitis and typhilitis (117).....	40						2	4	3	4								

CAUSES OF DEATH, BY AGE

TABLE 9.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM IMPORTANT CAUSES, BY AGE, IN LARGE CITIES: 1926—Continued

[See note at head of this table, p. 285]

AREA AND CAUSE OF DEATH	All deaths	Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 to 74 years	75 years and over	Age un-known
<b>GRAND RAPIDS, MICH., all causes.....</b>	<b>1,773</b>	<b>235</b>	<b>31</b>	<b>20</b>	<b>13</b>	<b>6</b>	<b>37</b>	<b>28</b>	<b>28</b>	<b>39</b>	<b>40</b>	<b>47</b>	<b>117</b>	<b>152</b>	<b>260</b>	<b>343</b>	<b>377</b>	
Typhoid and paratyphoid fever (1).....	2																	
Measles (7).....	8	1	2	1	1		3											
Scarlet fever (8).....	3						1											
Whooping cough (9).....	23	13	3	1	2		1											
Diphtheria (10).....	5			3														
Influenza (11).....	36	9	1	1			2						2	4	4	3	2	8
Meningococcus meningitis (24).....	3						1											
Tuberculosis of the respiratory system (31).....	53						1		5	8	8	5	6	9	4	4		3
Other forms of tuberculosis (32-37).....	8	1	1		1		1	2		2	1	3	10	25	47	43		28
Cancer and other malignant tumors (43-49).....	159						1			1	1	3	10	47	43	28		4
Diabetes mellitus (57).....	35						1	2		1		1	2	5	10	29		47
Cerebral hemorrhage and softening (74, 83).....	151	2		1									5	10	29	47		56
Other [organic] diseases of the heart (90).....	291						1	2	2	1	8		17	16	49	83		112
Bronchitis (99).....	13															2		7
Broncho-pneumonia (100).....	57	24	10	1		1	1	1							5	3		4
Pneumonia (101).....	49	3	3		2	1	1	1					7	6	2	6		8
Diarrhea and enteritis (113, 114).....	50	41	3		2			1	2				2	7	2	1		1
Appendicitis and typhilitis (117).....	29					1	3	3		1	3	4	4	2	4	2		2
Hernia, intestinal obstruction (118).....	22	4	1					1							2	2		8
Cirrhosis of the liver (122).....	10															4		2
Nephritis (128, 129).....	141	2								2	1	4	5	18	25	45		39
Diseases of the female genital organs (137-141).....	8								1	1	2	1	4	4	2	1		
Puerperal septicemia (146).....	5								1	1	2	1	4	2	1			
Other puerperal causes (143-145, 147-150).....	15									4	2	4	4	1				
Suicide (165-174).....	17									2	1	3	3	1	5	1		1
Homicide (197-200).....	2										1	1	1	1				
Automobile accidents <sup>1</sup> (188c).....	32		1				3	4	3	1	1	1	3	5	4	3		1
Automobile and railroad-train collision (part 188a).....	1								1									
Automobile and street-car collision (part 188b).....	1																	
Other external causes (inclusions, see Table 5).....	66	2		2	1		4	3	4	1	3	6	8	10	8	6		8
All other causes.....	478	129	6	5	3	3	14	10	10	12	2	8	30	32	52	75		87
<b>MINNEAPOLIS, MINN., all causes.....</b>	<b>5,002</b>	<b>518</b>	<b>83</b>	<b>44</b>	<b>26</b>	<b>29</b>	<b>104</b>	<b>61</b>	<b>90</b>	<b>117</b>	<b>134</b>	<b>187</b>	<b>453</b>	<b>560</b>	<b>774</b>	<b>967</b>	<b>854</b>	<b>1</b>
Typhoid and paratyphoid fever (1).....	6											1	1	2	2			
Measles (7).....	42	9	13	5	2	3	9			1								
Scarlet fever (8).....	26	1	3	4	2	1	8	3	2	1				1				
Whooping cough (9).....	24	13	4	3		1	3											
Diphtheria (10).....	74	2	5	2	8	8	28	7	4	1	1	2	5	1				
Influenza (11).....	59	12	1	3	1	1	3	2	4	1	1	2	5	6	6	8		7
Meningococcus meningitis (24).....	1																	
Tuberculosis of the respiratory system (31).....	189						2	1	9	15	32	29	37	23	23	12		6
Other forms of tuberculosis (32-37).....	39	2	5	2	2		2	2	2	1	5	1	5	2	5	3		
Cancer and other malignant tumors (43-49).....	622	2	1	1	1	1	5	2	2	6	2	13	58	109	159	165		95
Diabetes mellitus (57).....	90			2			3	1	2		2	1	3	7	18	34		18
Cerebral hemorrhage and softening (74, 83).....	328	2								2	1	3	12	30	67	119		94
Other [organic] diseases of the heart (90).....	746						1	6	15	9	6	11	37	88	143	207		221
Bronchitis (99).....	10	1														1		7
Broncho-pneumonia (100).....	205	73	10	5		1	1		2	3	2	2	3	17	10	33		43
Pneumonia (101).....	230	14	13	1			5	5	3	3	8	11	28	18	38	45		38
Diarrhea and enteritis (113, 114).....	47	27	7		1				1	1				5	1	2		2
Appendicitis and typhilitis (117).....	90		1	2	2	1	2	5	6	10	4	8	19	17	9	1		3
Hernia, intestinal obstruction (118).....	48	5	1	1		1				2	2		8	5	8	8		8
Cirrhosis of the liver (122).....	28												1	1	5	10		6
Nephritis (128, 129).....	251	1					2		3	2	3	2	13	28	45	75		77
Diseases of the female genital organs (137-141).....	30								1	1	1	4	12	4	5	2		1
Puerperal septicemia (146).....	32								5	5	5	11	5	1				
Other puerperal causes (143-145, 147-150).....	41								2	7	10	11	10	1				
Suicide (165-174).....	91							1	4	5	2	9	25	18	16	5		6
Homicide (197-200).....	9									2	2	4	1	1	1			
Automobile accidents <sup>1</sup> (188c).....	69					4	7	5	1	4	4	4	9	3	14	10		4
Automobile and railroad-train collision (part 188a).....	1																	
Automobile and street-car collision (part 188b).....	5								1	1	1			2				
Other external causes (inclusions, see Table 5).....	219	4	3	2	1	2	4	6	7	12	10	12	25	22	27	36		46
All other causes.....	1,350	360	16	10	6	4	19	15	17	23	33	45	129	143	169	195		175
<b>ST. PAUL, MINN., all causes.....</b>	<b>3,052</b>	<b>318</b>	<b>46</b>	<b>21</b>	<b>18</b>	<b>11</b>	<b>42</b>	<b>32</b>	<b>47</b>	<b>78</b>	<b>114</b>	<b>122</b>	<b>308</b>	<b>359</b>	<b>499</b>	<b>604</b>	<b>433</b>	
Typhoid and paratyphoid fever (1).....	3									1				1				
Measles (7).....	21	6	6	2	2	1	3		1									
Scarlet fever (8).....	11			3	3		3		1	1								
Whooping cough (9).....	8	2	3	2	1													
Diphtheria (10).....	22	4	2	1	3	2	6	1					1	1		1		
Influenza (11).....	60	4	2				1			1			4	5	6	14		21
Meningococcus meningitis (24).....	4																	
Tuberculosis of the respiratory system (31).....	165						1		13	22	26	17	31	25	18	9		3
Other forms of tuberculosis (32-37).....	29	1	2	1			2	1	1	3	6	3	2	2	4	1		
Cancer and other malignant tumors (43-49).....	328						1			1	5	9	36	58	89	92		36
Diabetes mellitus (57).....	64								1	1	4	2	5	8	14	22		7
Cerebral hemorrhage and softening (74, 83).....	211	1											9	17	45	88		50
Other [organic] diseases of the heart (90).....	481						5			5	13	14	31	55	101	139		117
Bronchitis (99).....	12															6		8
Broncho-pneumonia (100).....	105	33	8		1		1			1		1	7	6	7	13		27
Pneumonia (101).....	123	5	1		1		1	2	3	5	2	4	15	18	17	31		18
Diarrhea and enteritis (113, 114).....	21			1						1			1	1	1	2		2
Appendicitis and typhilitis (117).....	60							4	4	3	7	5	5	10	9	5		4
Hernia, intestinal obstruction (118).....	33												6	5	7	4		2
Cirrhosis of the liver (122).....	25	6	1										2	2	3	3		3
Nephritis																		





MORTALITY STATISTICS

TABLE 9.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM IMPORTANT CAUSES, BY AGE, IN LARGE CITIES:  
1926—Continued

[See note at head of this table, p. 285]

AREA AND CAUSE OF DEATH	All deaths	AGE GROUPS														Age un- known	
		Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years		65 to 74 years
<b>JERSEY CITY, N. J., all causes</b>																	
Typhoid and paratyphoid fever (1)	6						1										
Measles (7)	37	10	21	2		2	1										
Scarlet fever (8)	1																
Whooping cough (9)	21	9	9	2		1											
Diphtheria (10)	32	4	9	5	5	3	5	1									
Influenza (11)	65	6	4			2	1	1	2	1	5	2	10	10	7	8	5
Meningococcus meningitis (24)	7	2				1	1	1				1					
Tuberculosis of the respiratory system (31)	229	1	1	2	1	1	1	1	15	29	26	22	49	40	29	7	3
Other forms of tuberculosis (32-37)	36	3	4	2	2	1	3	1	2	2	2	7	7	3	8	4	22
Cancer and other malignant tumors (43-49)	314			1		1			3	1	2	7	27	88	89	74	21
Diabetes mellitus (57)	66										1	1	5	14	22	22	2
Cerebral hemorrhage and softening (74, 83)	226									1		4	10	33	54	68	61
Other [organic] diseases of the heart (90)	720	2		2	1	1	7	4				4	10	33	54	68	61
Bronchitis (99)	36	7	2		1	1	1	11	10	15	15	13	86	100	172	149	147
Broncho-pneumonia (100)	200	68	32	12	5	4	4	4	2	2	2	1	2	2	7	4	2
Pneumonia (101)	308	18	16	8	4	3	4	2	2	3	5	9	11	6	10	15	19
Diarrhea and enteritis (113, 114)	114	37	12	3	1	3	1	1	3	7	11	22	64	34	43	46	17
Appendicitis and typhlitis (117)	45										1	1	2	2	1	1	1
Hernia, intestinal obstruction (118)	63	4			2	1				3	8	10	14	6	5	8	7
Cirrhosis of the liver (122)	27									2	1	1	4	6	5	10	6
Nephritis (128, 129)	307	1						1				1	4	4	5	7	2
Diseases of the female genital organs (137-141)	29								1	2	7	7	31	54	83	85	41
Puerperal septicemia (146)	17									3	3	3	13	6			
Other puerperal causes (143-145, 147-150)	36									2	5	6	3	3			
Suicide (165-174)	34								3	2	5	7	11	1			
Homicide (197-200)	4			1					2	1	2	2	11	2	5	3	2
Automobile accidents <sup>1</sup> (188c)	41				1	1	13	2			1	1	6	3	7	5	1
Automobile and railroad-train collision (part 188a)																	
Automobile and street-car collision (part 188b)																	
Other external causes (inclusions, see Table 5)	193	6	6	6	6	2	9	2	8	6	8	21	39	26	25	13	10
All other causes	588	235	11	3	4	4	13	9	11	8	25	16	56	57	61	47	38
<b>NEWARK, N. J., all causes</b>																	
Typhoid and paratyphoid fever (1)	8						1	1				3	1				
Measles (7)	63	17	32	7	3	2	2										
Scarlet fever (8)	2				1	1											
Whooping cough (9)	12	7	3	2													
Diphtheria (10)	10	1	2				2	3		1			1				
Influenza (11)	50	3	2	4	1	2	2	2			4	2	10	7	10	3	
Meningococcus meningitis (24)	3	1					1	1									
Tuberculosis of the respiratory system (31)	270	1		2	2	2	2	2	23	33	20	29	65	41	34	12	5
Other forms of tuberculosis (32-37)	53	5	9	2	1	4	2	3	4	5	2	4	5	5	2	4	4
Cancer and other malignant tumors (43-49)	518					2	1	1	3	3	6	12	68	95	166	119	43
Diabetes mellitus (57)	106					1	1	1	1	1	1	1	4	19	35	35	6
Cerebral hemorrhage and softening (74, 83)	326								1	1	1	2	15	57	63	88	97
Other [organic] diseases of the heart (90)	817			2	1	1	3	5	2	1	13	20	58	108	190	220	185
Bronchitis (99)	39	14	3	2	1	1	3	5	6	5	13	20	58	2	2	2	2
Broncho-pneumonia (100)	252	108	47	12	2	4	2	2	3	3	2	5	11	11	12	15	16
Pneumonia (101)	374	27	26	9	5	6	6	4	9	11	24	22	61	53	55	39	17
Diarrhea and enteritis (113, 114)	164	125	26	5	2	2	1	1				1	1	2	1	1	
Appendicitis and typhlitis (117)	128	1	1		2	2	9	9	13	8	17	12	19	11	18	6	7
Hernia, intestinal obstruction (118)	50	4	3	1			1	1	1	1	1	1	3	6	12	10	2
Cirrhosis of the liver (122)	44												6	7	18	10	2
Nephritis (128, 129)	486	1	3	3	2	2	3	1	4	6	10	13	38	71	111	125	93
Diseases of the female genital organs (137-141)	31							1		1	1	4	15	3	4	2	
Puerperal septicemia (146)	18								1	6	4	4	3	3			
Other puerperal causes (143-145, 147-150)	46								4	4	14	11	13	8			
Suicide (165-174)	37								1	2	3	4	18	18	12	6	3
Homicide (197-200)	37								4	3	8	10	8	3	3	1	4
Automobile accidents <sup>1</sup> (188c)	109		3	6	3	14	4	8	8	4	5	11	13	13	12	15	3
Automobile and railroad-train collision (part 188a)	1																
Automobile and street-car collision (part 188b)	3																
Other external causes (inclusions, see Table 5)	239	5	9	4	6	4	9	9	13	12	7	7	29	40	28	25	29
All other causes	1,128	417	27	7	8	5	32	18	14	20	36	40	92	110	130	104	68
<b>PATERSON, N. J., all causes</b>																	
Typhoid and paratyphoid fever (1)	3													1	1		
Measles (7)	7	1	2	2	2												
Scarlet fever (8)	4				1	1	1						1				
Whooping cough (9)	2		2														
Diphtheria (10)	9	1	1	1	1	1	3									1	1
Influenza (11)	41	3	3	1	1	1						1	4	4	4	11	8
Meningococcus meningitis (24)	2	1	1														
Tuberculosis of the respiratory system (31)	103						1		2	11	7	10	22	25	17	8	
Other forms of tuberculosis (32-37)	20	4	2	1	1		1		1	2	1	3	18	48	50	39	17
Cancer and other malignant tumors (43-49)	180								1	2	1	3	18	4	18	9	
Diabetes mellitus (57)	40							1	1	1	2	2	3	4	4	9	
Cerebral hemorrhage and softening (74, 83)	134											1	4	18	33	46	32
Other [organic] diseases of the heart (90)	314		1				5	4	8	6	3	3	17	42	82	71	72
Bronchitis (99)	9	3											1	6	6	4	2
Broncho-pneumonia (100)	67	27	5	5		2		2		1	1	1	6	11	5	2	2
Pneumonia (101)	89	4	5	4				1	2	6	3	10	20	18	11	5	5
Diarrhea and enteritis (113, 114)	20	16	1	1									2	5	4		
Appendicitis and typhlitis (117)	27				1	1	3		4	2	2	2	1	1	1		
Hernia, intestinal obstruction (118)	24	3					1	1					3	6	7	1	3
Cirrhosis of the liver (122)	16												4	2	2	1	
Nephritis (128, 129)	163	2				1	2	3	3	1		3	11	24	41	40	32
Diseases of the female genital organs (137-141)	7											1	1	1	1		
Puerperal septicemia (146)	8									2	3	3	3	4			
Other puerperal causes (143-145, 147-150)	13								1	3	4	4	1	1			
Suicide (165-174)	26								1	5	1	1	4	5	5	4	1
Homicide (197-200)	6								1	1	1	1	1	1	1		
Automobile accidents <sup>1</sup> (188c)	34						5	2	6	2	2	2	5	4	2	3	1
Automobile and railroad-train collision (part 188a)	1																
Automobile and street-car collision (part 188b)	1																
Other external causes (inclusions, see Table 5)	97	3	3	3	1	1	5	4	4	4	5	2	12	10	13	15	12
All other causes	363	119	3	2	2	1	3	4	1	12	5	14	33	40	43	36	45

<sup>1</sup> Excludes collision with railroad trains and street cars.

CAUSES OF DEATH, BY AGE

TABLE 9.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM IMPORTANT CAUSES, BY AGE, IN LARGE CITIES: 1926—Continued

[See note at head of this table, p. 285]

AREA AND CAUSE OF DEATH	All deaths	AGE														Age unknown	
		Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years		65 to 74 years
TRENTON, N. J., all causes	1,890	228	42	19	12	8	32	26	40	81	59	72	193	242	300	294	242
Typhoid and paratyphoid fever (1)	9																
Measles (7)	12	5	3		1	1	1		1	1	1		3	2			
Scarlet fever (8)	3		1														
Whooping cough (9)	5	3	1	1													
Diphtheria (10)	2																
Influenza (11)	42	4	3	1				1	1	3	2	1	5	9	4	4	2
Meningococcus meningitis (24)	2				1			1									
Tuberculosis of the respiratory system (31)	110	1							12	27	13	11	22	12	11	2	1
Other forms of tuberculosis (32-37)	17	1		2	3	1				3	3						
Cancer and other malignant tumors (43-49)	128		1						1	1	3		4	13	25	35	28
Diabetes mellitus (57)	29												1	3	4	9	9
Cerebral hemorrhage and softening (74, 83)	133												2	4	19	37	36
Other [organic] diseases of the heart (90)	289												2	4	30	65	68
Bronchitis (99)	7	3	1					2	2	1			4	1	1	1	1
Broncho-pneumonia (100)	75	25	10	3					1	1			1	6	5	10	7
Pneumonia (101)	149	20	6	4	1	1	2	2	5	8	6	10	13	20	17	24	10
Diarrhea and enteritis (113, 114)	37	27	1														
Appendicitis and typhlitis (117)	22																2
Hernia, intestinal obstruction (118)	24	3	1														4
Cirrhosis of the liver (122)	9																
Nephritis (128, 129)	161																
Diseases of the female genital organs (137-141)	16																
Puerperal septicemia (146)	7																
Other puerperal causes (143-145, 147-150)	9																
Suicide (165-174)	26																
Homicide (197-200)	9																
Automobile accidents <sup>1</sup> (188c)	33				1			1	1	2	1		5	8	5	2	
Automobile and railroad-train collision (part 188a)	9																
Automobile and street-car collision (part 188b)	1																
Other external causes (inclusions, see Table 5)	95	5	2	5			1	5	5	5	3	8	15	17	11	9	4
All other causes	430	131	10	3	2	2	9	8	5	5	8	10	40	48	50	54	45
ALBANY, N. Y., all causes	1,989	152	21	10	4	11	21	20	25	42	52	55	166	278	356	379	397
Typhoid and paratyphoid fever (1)	9																
Measles (7)	2	4	3	1		1											
Scarlet fever (8)	8																
Whooping cough (9)	4	5	2														
Diphtheria (10)	4	1		2													
Influenza (11)	47	5				1		2			2	4	2	9	5	11	6
Meningococcus meningitis (24)	1																
Tuberculosis of the respiratory system (31)	129		2			1	1	1	5	13	12	8	22	24	26	12	2
Other forms of tuberculosis (32-37)	12			1						1	2			4	1	1	
Cancer and other malignant tumors (43-49)	201													14	46	52	62
Diabetes mellitus (57)	55													5	8	15	14
Cerebral hemorrhage and softening (74, 83)	124													13	29	26	43
Other [organic] diseases of the heart (90)	425													37	87	116	149
Bronchitis (99)	8																
Broncho-pneumonia (100)	55	13	3	2										3	8	8	13
Pneumonia (101)	92	5	3											12	16	9	14
Diarrhea and enteritis (113, 114)	15	11															
Appendicitis and typhlitis (117)	26				1	1											
Hernia, intestinal obstruction (118)	32	2															
Cirrhosis of the liver (122)	14																
Nephritis (128, 129)	174			1													
Diseases of the female genital organs (137-141)	7																
Puerperal septicemia (146)	9																
Other puerperal causes (143-145, 147-150)	14																
Suicide (165-174)	8																
Homicide (197-200)	10																
Automobile accidents <sup>1</sup> (188c)	41		1	1			3	4		3	2	1	5	6	8	6	1
Automobile and railroad-train collision (part 188a)	1																
Automobile and street-car collision (part 188b)	70				1	1	2	4	4	2	4	2	7	12	3	9	23
Other external causes (inclusions, see Table 5)	397	106	7	3	1	3	6	4	4	4	10	8	31	52	44	61	53
All other causes	70																
BUFFALO, N. Y., all causes	7,779	1,037	136	45	46	28	126	78	152	222	244	324	804	990	1,322	1,233	992
Typhoid and paratyphoid fever (1)	27																
Measles (7)	8	3	1	1													
Scarlet fever (8)	9																
Whooping cough (9)	29	16	8	1	2	2											
Diphtheria (10)	31	2	6	5	3	6	8										
Influenza (11)	80	9	4	1	2	2											
Meningococcus meningitis (24)	9																
Tuberculosis of the respiratory system (31)	462	2				1											
Other forms of tuberculosis (32-37)	63	10	8	4	5	5	1	2	8	6	4	5	1	2	1	1	
Cancer and other malignant tumors (43-49)	676	1	1														
Diabetes mellitus (57)	165																
Cerebral hemorrhage and softening (74, 83)	490	4															
Other [organic] diseases of the heart (90)	1,351	4															
Bronchitis (99)	75	32	4														
Broncho-pneumonia (100)	288	114	33	7	2	2	5	1	1	3	4	10	20	14	17	26	29
Pneumonia (101)	408	24	16	2	5	1	6	7	13	14	28	72	71	57	39	30	
Diarrhea and enteritis (113, 114)	242	184	28	3	3	1	6										
Appendicitis and typhlitis (117)	112																
Hernia, intestinal obstruction (118)	67	7	2														
Cirrhosis of the liver (122)	52																
Nephritis (128, 129)	736	2		1	1												
Diseases of the female genital organs (137-141)	43																
Puerperal septicemia (146)	29																
Other puerperal causes (143-145, 147-150)	51																
Suicide (165-174)	81																
Homicide (197-200)	32																
Automobile accidents <sup>1</sup> (188c)	135		1		1	3	26	3	8	7	5	5	15	24	17	14	6
Automobile and railroad-train collision (part 188a)	5																
Automobile and street-car collision (part 188b)	6																
Other external causes (inclusions, see Table 5)	314	7	5	6	1	4	13	8	8	17	17	24	45	51	38	28	32
All other causes	1,703	615	23	10	6	5	22	20	26	20	35	61	189	176	210	134	151

<sup>1</sup> Excludes collision with railroad trains and street cars.

TABLE 9.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM IMPORTANT CAUSES, BY AGE, IN LARGE CITIES:  
1926—Continued

[See note at head of this table, p. 285]

AREA AND CAUSE OF DEATH	All deaths	Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 44 years	45 to 64 years	65 to 74 years	75 years and over	Age un-known	
NEW YORK, N. Y. (WHITE), all causes.....	71,319	7,658	1,927	803	567	426	1,322	899	1,266	1,862	2,160	2,533	7,000	10,327	12,795	11,833	7,936	5
Typhoid and paratyphoid fever (1).....	106	177	297	119	61	31	47	9	16	18	11	6	18	13	6	1	.....	.....
Measles (7).....	753	2	19	11	9	7	19	3	1	3	1	4	1	1	1	.....	.....	.....
Scarlet fever (8).....	81	207	59	22	11	7	5	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Whooping cough (9).....	207	31	91	81	60	52	115	15	1	.....	.....	.....	.....	.....	.....	.....	.....	.....
Diphtheria (10).....	460	109	73	25	26	13	30	12	21	24	26	41	106	110	118	107	81	.....
Influenza (11).....	916	29	13	4	5	4	16	3	8	4	5	3	3	5	5	.....	.....	.....
Meningococcus meningitis (24).....	107	107	73	25	26	13	30	12	21	24	26	41	106	110	118	107	81	.....
Tuberculosis of the respiratory system (31).....	4,236	18	17	8	8	4	17	43	304	501	514	435	874	770	483	197	43	.....
Other forms of tuberculosis (32-37).....	569	61	66	35	23	23	48	23	34	48	32	28	62	41	27	12	6	.....
Cancer and other malignant tumors (43-49).....	6,852	6	6	3	10	6	11	17	19	40	63	119	673	1,529	2,115	1,603	631	1
Diabetes mellitus (57).....	1,590	3	1	3	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Cerebral hemorrhage and softening (74, 83).....	3,139	13	5	2	4	3	9	5	8	15	19	30	148	449	799	965	665	.....
Other [organic] diseases of the heart (90).....	14,120	17	7	9	7	8	99	181	182	178	190	284	872	2,031	3,268	3,783	3,027	.....
Bronchitis (99).....	320	83	7	6	2	2	1	2	1	2	2	2	8	29	22	54	97	.....
Broncho-pneumonia (100).....	3,884	1,458	552	157	78	33	55	13	23	36	45	69	164	212	286	362	336	.....
Pneumonia (101).....	4,569	361	294	95	62	34	78	49	83	134	152	218	644	776	747	523	318	.....
Diarrhea and enteritis (113, 114).....	1,140	894	129	14	12	3	10	3	4	5	4	4	15	12	11	11	9	.....
Appendicitis and typhlitis (117).....	991	1	14	23	26	20	70	82	57	70	72	80	154	170	97	46	9	.....
Hernia, intestinal obstruction (118).....	619	57	11	6	1	3	11	5	3	9	8	26	58	97	138	125	61	.....
Cirrhosis of the liver (122).....	581	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Nephritis (128, 129).....	6,016	4	1	7	3	4	21	25	55	73	80	130	481	899	1,417	1,200	.....	.....
Diseases of the female genital organs (137-141).....	277	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Puerperal septicemia (146).....	216	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Other puerperal causes (143-145, 147-150).....	357	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Suicide (165-174).....	866	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Homicide (197-200).....	320	4	2	2	2	.....	3	2	18	44	62	53	70	35	17	6	.....	.....
Automobile accidents <sup>1</sup> (188c).....	1,047	.....	.....	6	35	39	217	86	43	41	55	31	105	126	125	88	50	.....
Automobile and railroad-train collision (part 188a).....	8	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Automobile and street-car collision (part 188b).....	14	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Other external causes (inclusions, see Table 5).....	3,416	71	65	50	39	47	158	84	107	149	187	213	568	588	489	362	234	.....
All other causes.....	13,542	4,156	196	114	83	78	257	220	212	271	350	480	1,373	1,744	1,697	1,321	989	1
NEW YORK, N. Y. (COLORED), all causes.....	4,746	822	204	76	48	33	64	64	141	287	350	349	785	696	438	224	165	.....
Typhoid and paratyphoid fever (1).....	8	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Measles (7).....	54	14	21	8	6	.....	3	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Scarlet fever (8).....	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Whooping cough (9).....	28	10	13	2	2	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Diphtheria (10).....	22	1	5	4	4	3	3	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Influenza (11).....	45	15	2	1	1	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Meningococcus meningitis (24).....	6	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Tuberculosis of the respiratory system (31).....	652	5	11	7	5	3	10	14	56	108	109	89	124	86	19	5	1	.....
Other forms of tuberculosis (32-37).....	107	9	10	10	5	4	5	5	8	.....	.....	.....	.....	.....	.....	.....	.....	.....
Cancer and other malignant tumors (43-49).....	210	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Diabetes mellitus (57).....	53	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Cerebral hemorrhage and softening (74, 83).....	119	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Other [organic] diseases of the heart (90).....	661	2	.....	.....	.....	.....	6	8	17	10	14	28	126	172	127	86	64	.....
Bronchitis (99).....	9	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Broncho-pneumonia (100).....	375	206	86	21	8	4	3	1	1	3	5	5	8	12	4	4	4	.....
Pneumonia (101).....	491	46	28	9	5	4	2	5	15	36	45	57	114	65	35	17	8	.....
Diarrhea and enteritis (113, 114).....	79	69	5	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Appendicitis and typhlitis (117).....	55	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Hernia, intestinal obstruction (118).....	30	4	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Cirrhosis of the liver (122).....	16	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Nephritis (128, 129).....	325	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Diseases of the female genital organs (137-141).....	56	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Puerperal septicemia (146).....	33	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Other puerperal causes (143-145, 147-150).....	44	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Suicide (165-174).....	23	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Homicide (197-200).....	64	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Automobile accidents <sup>1</sup> (188c).....	35	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Automobile and railroad-train collision (part 188a).....	197	10	5	2	3	4	8	11	9	17	25	23	37	26	11	3	3	.....
Automobile and street-car collision (part 188b).....	947	421	16	6	8	4	10	4	5	33	53	51	137	97	54	26	22	.....
Other external causes (inclusions, see Table 5).....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
All other causes.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
NEW YORK, N. Y. (BRONX BOROUGH), all causes.....	9,244	947	235	103	79	58	189	140	188	281	332	337	894	1,259	1,666	1,581	955	.....
Typhoid and paratyphoid fever (1).....	16	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Measles (7).....	105	13	36	28	8	5	13	3	6	2	.....	.....	.....	.....	.....	.....	.....	.....
Scarlet fever (8).....	15	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Whooping cough (9).....	14	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Diphtheria (10).....	48	4	8	8	1	6	5	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Influenza (11).....	133	16	8	2	2	2	12	1	4	.....	.....	.....	.....	.....	.....	.....	.....	.....
Meningococcus meningitis (24).....	15	2	1	1	2	1	3	5	4	1	8	8	14	13	18	15	14	.....
Tuberculosis of the respiratory system (31).....	592	1	1	1	2	2	2	1	1	.....	.....	.....	.....	.....	.....	.....	.....	.....
Other forms of tuberculosis (32-37).....	84	8	12	5	5	1	5	6	56	82	86	63	115	97	56	18	4	.....
Cancer and other malignant tumors (43-49).....	983	.....	.....	.....														

CAUSES OF DEATH, BY AGE

TABLE 9.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM IMPORTANT CAUSES, BY AGE, IN LARGE CITIES:  
1926—Continued

[See note at head of this table, p. 285]

AREA AND CAUSE OF DEATH	All deaths	Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 to 74 years	75 years and over	Age un- known
<b>NEW YORK, N. Y. (BROOKLYN BOROUGH, WHITE), all causes.</b>	<b>25,891</b>	<b>3,074</b>	<b>783</b>	<b>360</b>	<b>230</b>	<b>177</b>	<b>506</b>	<b>350</b>	<b>488</b>	<b>678</b>	<b>781</b>	<b>880</b>	<b>2,360</b>	<b>3,504</b>	<b>4,550</b>	<b>4,277</b>	<b>2,941</b>	<b>2</b>
Typhoid and paratyphoid fever (1)	38					1	3	1	5	9	6	2	2	7	2			
Measles (7)	251	59	106	39	17	8	18	1	1	1								
Scarlet fever (8)	28	1	5	3	4	3	6	2										
Whooping cough (9)	93	49	22	7	4	6	5											
Diphtheria (10)	241	17	43	49	30	31	62	6						1	1	1	35	29
Influenza (11)	408	54	39	14	13	6	17	4	8	15	8	17	47	49	53	7		
Meningococcus meningitis (24)	34	6	4	1	2	2	9	1	1						1	4		
Tuberculosis of the respiratory system (31)	1,326	6	6	4	3	2	5	13	99	160	169	140	233	216	154	7	56	10
Other forms of tuberculosis (32-37)	193	22	21	16	9	9	15	8	14	21	12	8	31	113	137	7	190	38
Cancer and other malignant tumors (43-49)	2,333	1	2	2	3	1	4	6	9	20	20	42	216	516	720	546	225	
Diabetes mellitus (57)	631						4	4	2	9	5	6	8	31	113	224	190	
Cerebral hemorrhage and softening (74, 83)	1,166	7	2	2	3	1	4	6	9	7	5	8	52	168	294	370	240	
Other [organic] diseases of the heart (90)	5,474	11	6	2	6	2	34	79	68	62	71	108	328	792	1,278	1,429	1,198	
Bronchitis (99)	118	39	3	3	1			1				1	3	11	10	17	31	
Broncho-pneumonia (100)	1,591	624	249	75	33	15	25	8	16	15	17	40	57	81	115	116	105	
Pneumonia (101)	1,563	135	108	36	25	13	33	17	36	47	51	71	232	299	235	173	116	1
Diarrhea and enteritis (113, 114)	407	373	55	7	4		3	2	2	2	2	2	5	3	2	2	3	
Appendicitis and typhilitis (117)	348		7	12	9	8	26	27	23	18	24	31	50	58	35	39	1	
Hernia, intestinal obstruction (118)	183	15	2	2			2	2	2	2	2	8	16	31	43	39	17	
Cirrhosis of the liver (122)	206		1				1	1			3	4	30	55	58	38	13	
Nephritis (128, 129)	2,309	2	1	4	1	3	5	13	26	23	31	62	173	339	538	620	468	
Diseases of the female genital organs (137-141)	95								7	22	18	20	18	2				
Puerperal septicemia (146)	85								6	26	30	27	37	3				
Other puerperal causes (143-145, 147-150)	129								4	19	27	18	48	41	39	12	5	
Suicide (165-174)	214			2			1	1	2	10	19	14	20	11	7	2		
Homicide (197-200)	81	2							1	2	10	19	14	20	11	7		
Automobile accidents (188c)	333			2	17	14	72	36	16	19	12	11	27	32	39	22	14	
Automobile and railroad-train collision (part 188a)	4							2					1	5				
Automobile and street-car collision (part 188b)	10	25	32	29	16	15	53	32	38	55	74	180	162	135	113	72		
Other external causes (inclusions, see Table 5)	1,082									51	130	150	457	533	545	469	355	
All other causes.	4,847	1,626	77	47	30	37	99	85	87	119	130	150	457	533	545	469	355	1
<b>NEW YORK, N. Y. (BROOKLYN BOROUGH, COLORED), all causes.</b>	<b>1,039</b>	<b>208</b>	<b>50</b>	<b>14</b>	<b>11</b>	<b>5</b>	<b>16</b>	<b>16</b>	<b>23</b>	<b>60</b>	<b>62</b>	<b>64</b>	<b>156</b>	<b>134</b>	<b>103</b>	<b>73</b>	<b>44</b>	
Typhoid and paratyphoid fever (1)	4										1		1		1			
Measles (7)	8	1	5	2														
Scarlet fever (8)	2	1						1										
Whooping cough (9)	7	2	4	1														
Diphtheria (10)	9	2	2	2	3	1	1											
Influenza (11)	18	8	2				2		1	3			1	1				2
Meningococcus meningitis (24)	2	1								1								
Tuberculosis of the respiratory system (31)	118	1	3		1		1	4	11	22	18	17	21	12	6	1		
Other forms of tuberculosis (32-37)	12		1				1			3			5	2				
Cancer and other malignant tumors (43-49)	44		1										9	10	6	9	4	
Diabetes mellitus (57)	14												2	6	3	2		
Cerebral hemorrhage and softening (74, 83)	21												3	4	8	2	4	
Other [organic] diseases of the heart (90)	159						3	4	4	1		4	8	27	38	31	26	13
Bronchitis (99)	2																	
Broncho-pneumonia (100)	88	48	22	6	1		1				2	1	1	4	1	1		
Pneumonia (101)	109	17	5	1	3		1	1	1	10	9	10	23	12	8	6	2	
Diarrhea and enteritis (113, 114)	29	25	2	1		1												
Appendicitis and typhilitis (117)	11					1	1	2	1	1	1	1	1		1	1		
Hernia, intestinal obstruction (118)	6	1	1		1									1	1			
Cirrhosis of the liver (122)	3																	
Nephritis (128, 129)	69	1									2	2	1	10	23	10	12	
Diseases of the female genital organs (137-141)	10										2	1	2	3	2			
Puerperal septicemia (146)	6								1	1	1	1	3					
Other puerperal causes (143-145, 147-150)	14								1	4	2	4	2	1				
Suicide (165-174)	7										1	3	1	1	1	1		
Homicide (197-200)	7								1	1	4	1	1	1				
Automobile accidents (188c)	5						1						1	1		1		
Automobile and railroad-train collision (part 188a)																		
Automobile and street-car collision (part 188b)																		
Other external causes (inclusions, see Table 5)	48	6	1	1	1	1		3	1	3	3	6	11	5	3	1	2	
All other causes.	207	94	4		1	1	4	1	1	5	12	4	29	24	10	12	5	
<b>NEW YORK, N. Y. (MANHATTAN BOROUGH, WHITE), all causes.</b>	<b>26,751</b>	<b>2,592</b>	<b>694</b>	<b>260</b>	<b>193</b>	<b>136</b>	<b>437</b>	<b>302</b>	<b>416</b>	<b>683</b>	<b>798</b>	<b>984</b>	<b>2,946</b>	<b>4,325</b>	<b>4,917</b>	<b>4,278</b>	<b>2,788</b>	<b>2</b>
Typhoid and paratyphoid fever (1)	39			1		1		3	4	4	5	1	11	5	3	1		
Measles (7)	323	83	132	42	30	12	21	1										
Scarlet fever (8)	23	1	5	4	3	5	3						1	1				
Whooping cough (9)	66	30	19	11	5	1												
Diphtheria (10)	120	9	33	18	16	11	22	4	1				3					
Influenza (11)	247	21	20	4	5	3	8	3	6	6		6	29	36	35	32	27	
Meningococcus meningitis (24)	45	17	6	2			5	1	3	3	1		2	2	2			
Tuberculosis of the respiratory system (31)	1,806	9	9	3	2		6	21	112	195	185	170	382	362	231	98	21	
Other forms of tuberculosis (32-37)	237	27	27	11	6	10	25	12	13	16	14	10	33	18	8	4	3	
Cancer and other malignant tumors (43-49)	2,604	4	2		2	3	5	7	5	12	21	45	282	595	817	571	233	
Diabetes mellitus (57)	556	2	1	1			1	3	3	4	3	5	28	99	202	157	47	
Cerebral hemorrhage and softening (74, 83)	1,076	2	2				1	2	3	3	4	3	15	70	165	278	312	211
Other [organic] diseases of the heart (90)	4,760	3	1	4	1	4	34	43	60	55	59	92	289	740	1,111	1,274	990	
Bronchitis (99)	125	24	5	2	1	1		1	1	1	1	1	3	9	4	25	47	
Broncho-pneumonia (100)	1,360	484	191	53	26	7	15	2	8	13	16	14	69	87	98	142	135	
Pneumonia (101)	1,860	137	119	40	18	9	22	20	29	59	60	90	297	344				

MORTALITY STATISTICS

TABLE 9.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM IMPORTANT CAUSES, BY AGE, IN LARGE CITIES: 1926—Continued

[See note at head of this table, p. 285]

AREA AND CAUSE OF DEATH	All deaths	Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 to 74 years	75 years and over	Age un-known
<b>NEW YORK, N. Y. (MANHATTAN BOROUGH, COLORED), all causes</b>																		
<b>3,317</b>																		
Typhoid and paratyphoid fever (1)	4								1	1			1			1		
Measles (7)	39	11	13	6	5		2			2								
Scarlet fever (8)																		
Whooping cough (9)	19	7	8	2	2	1												
Diphtheria (10)	13	1	3	1	1	2	2		1				1					
Influenza (11)	21	5	1			1			1	4						3		
Meningococcus meningitis (24)	4	1			1							1		1				
Tuberculosis of the respiratory system (31)	487	4	8	6	3	3	8	7	37	79	88	70	92	71	12	4		
Other forms of tuberculosis (32-37)	86	9	8	9	5	4	4	3	6	6	9	6	8	5	2			
Cancer and other malignant tumors (43-49)	139						1		2	5	6	3	31	50	28	9	6	
Diabetes mellitus (57)	33			1					2	1	1	4	7	7	11	3		
Cerebral hemorrhage and softening (74, 83)	89								3	3	4	4	19	22	21	14	6	
Other [organic] diseases of the heart (90)	435	2				1	2	4	12	8	9	19	91	121	73	50	43	
Bronchitis (99)	7	2							1			1			2	1		
Broncho-pneumonia (100)	266	146	59	11	5	4	1	1	2	3	3	6	6	6	3	3	3	
Pneumonia (101)	349	26	21	6	2	4	1	3	13	24	35	46	81	49	26	9	4	
Diarrhea and enteritis (113, 114)	44	40	1	1			1						1					
Appendicitis and typhlitis (117)	37	1						3	5	4	4	2	4	3	4	2		
Hernia, intestinal obstruction (118)	22	3	1				1	1				2	5	3	2			
Cirrhosis of the liver (122)	11											1	1	3	5			
Nephritis (128, 129)	226						1	3		2	7	11	51	71	50	14	16	
Diseases of the female genital organs (137-141)	43								2	2	11	7	18	3				
Puerperal septicemia (146)	23									10	7	7	3					
Other puerperal causes (143-145, 147-150)	29								4	4	7	5	3					
Suicide (165-174)	12										5	5		1	2		1	
Homicide (197-200)	53	1							5	14	14	6	3	3				
Automobile accidents <sup>1</sup> (188c)	28			1		2	5	4	1		2	4	4	3	3			
Automobile and railroad-train collision (part 188a)																		
Automobile and street-car collision (part 188b)																		
Other external causes (inclusions, see Table 5)	180	4	2	1	2	1	6	8	14	10	17	17	21	16	8	2	1	
All other causes	676	302	10	6	5	3	6	3	4	26	40	41	97	64	41	13	15	
<b>NEW YORK, N. Y. (QUEENS BOROUGH), all causes</b>																		
<b>7,833</b>																		
Typhoid and paratyphoid fever (1)	8						1	1	2			2	1					
Measles (7)	62	17	19	7	6	6	5	1					1					
Scarlet fever (8)	14	4	2	1	1	3	1					1						
Whooping cough (9)	34	18	12	3	1	1									1			
Diphtheria (10)	43	6	5	8	4	16	3					1						
Influenza (11)	112	18	7	4	5	1		2	2	2	2	7	13	11	13	17	10	
Meningococcus meningitis (24)	13	4	2									1	1	1	1			
Tuberculosis of the respiratory system (31)	429	1	1	2	2	2	6	39	59	63	46	83	74	31	15	5		
Other forms of tuberculosis (32-37)	46	3	5	4	2	2	3	4	3	2	2	3	5	5	2	1		
Cancer and other malignant tumors (43-49)	767	1	1						4	14	13	74	158	234	184	78	1	
Diabetes mellitus (57)	171	1					1	3	3	3	2	2	29	60	53	14		
Cerebral hemorrhage and softening (74, 83)	452	1							2	2	2	13	59	110	143	118		
Other [organic] diseases of the heart (90)	1,499	3		2		1	15	23	22	27	23	26	98	189	337	407	326	
Bronchitis (99)	32	6	1				1	1	1				1	3	3	5	10	
Broncho-pneumonia (100)	416	170	47	11	5	6	7	3	2	3	8	10	16	21	25	41	41	
Pneumonia (101)	487	42	31	8	9	5	9	3	5	13	16	26	57	79	83	60	21	
Diarrhea and enteritis (113, 114)	101	73	16	1	1	1							2	4	1	1		
Appendicitis and typhlitis (117)	140	2			2	1	12	11	11	12	10	12	21	28	12	3	3	
Hernia, intestinal obstruction (118)	76	6	5	1			3	1		2	1	2	2	12	15	16	9	
Cirrhosis of the liver (122)	66											1	5	16	24	14	6	
Nephritis (128, 129)	777					1	5	3	6	8	7	14	62	103	176	216	176	
Diseases of the female genital organs (137-141)	39								2	2	4	10	12	4	4	1		
Puerperal septicemia (146)	29									4	11	7	7					
Other puerperal causes (143-145, 147-150)	61								7	21	15	18						
Suicide (165-174)	98								4	9	9	8	15	24	17	11	1	
Homicide (197-200)	26								2	4	5	7	4	3				
Automobile accidents <sup>1</sup> (188c)	102			2	3	23	5	5	5	5	5	2	18	12	10	9	3	
Automobile and railroad-train collision (part 188a)	2																	
Automobile and street-car collision (part 188b)	1								1									
Other external causes (inclusions, see Table 5)	282	13	8	2	8	5	15	9	12	13	24	18	46	32	32	19	26	
All other causes	1,468	518	25	20	6	6	36	20	30	17	40	52	116	181	156	125	120	
<b>NEW YORK, N. Y. (RICHMOND BOROUGH), all causes</b>																		
<b>1,980</b>																		
Typhoid and paratyphoid fever (1)	5						1	1		1			2					
Measles (7)	19	7	7	3	1		1											
Scarlet fever (8)	1						1											
Whooping cough (9)	2	1	1															
Diphtheria (10)	8	1	1	1	1	1	3	1										
Influenza (11)	22	2		2	1	1	2		1		3	3	3	1		2	1	
Meningococcus meningitis (24)																		
Tuberculosis of the respiratory system (31)	130	2		1					6	12	19	18	22	24	12	10	4	
Other forms of tuberculosis (32-37)	18	1	2		1	1	1	1	2	2	2	3	14	37	58	53	24	
Cancer and other malignant tumors (43-49)	192										2	3	14	37	68	63	24	
Diabetes mellitus (57)	39								1				2	7	13	11	5	
Cerebral hemorrhage and softening (74, 83)	108									1	1	2	2	16	20	34	33	
Other [organic] diseases of the heart (90)	408								3	5	3	2	4	38	84	128	112	
Bronchitis (99)	8	3													2	2	3	
Broncho-pneumonia (100)	67	24	13	4	3	1	1		1	1		1	2	2	2	6	8	
Pneumonia (101)	135	6	7	5	2		5	2	2	3	3	8	23	20	18	15	16	
Diarrhea and enteritis (113, 114)	27	21	3						1									
Appendicitis and typhlitis (117)	21									2		2	4	6	3	3		
Hernia, intestinal obstruction (118)	20	1										1	1	6	4	4	3	
Cirrhosis of the liver (122)	17												2	4	8	4	1	
Nephritis (128, 129)	235						3					4	14	29	59	58	63	
Diseases of the female genital organs (137-141)	8								1	1			4					
Puerperal septicemia (146)	4										1	3						
Other puerperal causes (143-145, 147-150)	8								1	2	2	1	2					
Suicide (165-174)	10								1									

# CAUSES OF DEATH, BY AGE

305

TABLE 9.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM IMPORTANT CAUSES, BY AGE, IN LARGE CITIES:  
1926—Continued

[See note at head of this table, p. 285]

AREA AND CAUSE OF DEATH	All deaths	Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 to 74 years	75 years and over	Age un-known
<b>ROCHESTER, N. Y., all causes</b> .....	<b>4, 103</b>	<b>414</b>	<b>84</b>	<b>35</b>	<b>20</b>	<b>27</b>	<b>58</b>	<b>40</b>	<b>58</b>	<b>108</b>	<b>87</b>	<b>100</b>	<b>343</b>	<b>512</b>	<b>677</b>	<b>805</b>	<b>733</b>	<b>2</b>
Typhoid and paratyphoid fever (1).....	13	1							2	1	1		5	1	2			
Measles (7).....	17	4	6		2	2	3											
Scarlet fever (8).....	3			1	1					1								
Whooping cough (9).....	24	14	6	2	1											1		
Diphtheria (10).....	32	2	4	5	2	4	8	4	1		1	1						
Influenza (11).....	71	6	7		2	4	3	1	4	1	1	1	7	8	4	13	10	
Meningococcus meningitis (24).....	1																	
Tuberculosis of the respiratory system (31).....	144	1	1				2	5	16	13	11	33	33	23	4	2		
Other forms of tuberculosis (32-37).....	44	3	4	4	3	2	3	3	2	4	1	3	3	3	3			
Cancer and other malignant tumors (43-49).....	399				1		1	1	4	3	7	29	73	113	113	55		
Diabetes mellitus (57).....	80				1			2				1	4	19	19	24	10	
Cerebral hemorrhage and softening (74, 83).....	338	5											8	37	81	101	106	
Other [organic] diseases of the heart (90).....	718	3						8	6	8	8	2	28	73	141	208	229	
Bronchitis (99).....	29	10		1								1		2	2	3	10	
Broncho-pneumonia (100).....	155	39	23	1	1	2	1	1	1	1	1	1	5	14	5	23	37	
Pneumonia (101).....	209	12	10	2	1	2	1	1	8	5	9	8	36	33	32	28	21	
Diarrhea and enteritis (113, 114).....	70	51	6	2								1	1	3	3	3	3	
Appendicitis and typhilitis (117).....	58			2		4	4	2		10	5	3	8	8	5	5	5	
Hernia, intestinal obstruction (118).....	52	3							1			2	7	11	14	10	4	
Cirrhosis of the liver (122).....	28											2	2	3	8	10	3	
Nephritis (123, 129).....	369		1		1	1		1	3	5	5	7	26	50	71	101	97	
Diseases of the female genital organs (137-141).....	17										2	4	4	4				
Puerperal septicemia (146).....	17									7	3	1						
Other puerperal causes (143-145, 147-150).....	22								1	4	2	4	11	6				
Suicide (165-174).....	45									1	3	3	12	8	13	4	1	
Homicide (197-200).....	10	1			1		2			3			2	1				
Automobile accidents <sup>1</sup> (188c).....	65			2	1	1	4	3	6	5	1	4	7	9	10	7	5	
Automobile and railroad-train collision (part 188a).....	6																	
Automobile and street-car collision (part 188b).....	3									2								
Other external causes (inclusions, see Table 5).....	150	3	5		2	2	7	3	6	10	6	9	13	18	19	22	25	
All other causes.....	914	256	11	13	2	5	19	11	6	20	19	22	84	102	107	120	115	2
<b>SYRACUSE, N. Y., all causes</b> .....	<b>2, 513</b>	<b>277</b>	<b>51</b>	<b>24</b>	<b>12</b>	<b>13</b>	<b>43</b>	<b>32</b>	<b>31</b>	<b>41</b>	<b>54</b>	<b>62</b>	<b>223</b>	<b>281</b>	<b>458</b>	<b>478</b>	<b>433</b>	
Typhoid and paratyphoid fever (1).....	3										1			2				
Measles (7).....	4	1	1	1			1											
Scarlet fever (8).....																		
Whooping cough (9).....	28	16	9	2	1													
Diphtheria (10).....	3	1	1	1	1													
Influenza (11).....	23	2	2	1				1	3	1	1	2	3		3	3	1	
Meningococcus meningitis (24).....																		
Tuberculosis of the respiratory system (31).....	70	1	2						8	4	4	9	18	11	6	6	1	
Other forms of tuberculosis (32-37).....	21	1	3	1	1	1	3	1	1	1	2	2	2		1	1		
Cancer and other malignant tumors (43-49).....	223										1	3	21	40	74	58	26	
Diabetes mellitus (57).....	48					2	1						1	3	18	13	10	
Cerebral hemorrhage and softening (74, 83).....	189										1	1	5	17	48	68	49	
Other [organic] diseases of the heart (90).....	555			1	1		1	6	2	1	3	6	35	58	104	159	178	
Bronchitis (99).....	21	8	1	1			1						1	1	2	2	4	
Broncho-pneumonia (100).....	82	24	7	5		1	1		1			4	5	4	8	6	16	
Pneumonia (101).....	140	6	6	1		1	1	1	1	4	4	5	23	24	28	17	18	
Diarrhea and enteritis (113, 114).....	32	21	3	2	1		1	1						1	1	1	4	
Appendicitis and typhilitis (117).....	36					1	6	3		2		3	6	3	7	4	1	
Hernia, intestinal obstruction (118).....	21	2							2			2	2	3	5	3	4	
Cirrhosis of the liver (122).....	16											1		6	5	1	3	
Nephritis (123, 129).....	166						1				5	3	12	25	44	46	30	
Diseases of the female genital organs (137-141).....	15										1	1	6	3	4	1		
Puerperal septicemia (146).....	13								1	1	5	3	3	3				
Other puerperal causes (143-145, 147-150).....	11								1	1	2	1	6	4	8	1	2	
Suicide (165-174).....	24								1	1	2	3	3	4				
Homicide (197-200).....	7									2	2		6	3	5	6	1	
Automobile accidents <sup>1</sup> (188c).....	44					2	7	2	3	5	4		6	3				
Automobile and railroad-train collision (part 188a).....	1											1		3	5	6	1	
Automobile and street-car collision (part 188b).....																		
Other external causes (inclusions, see Table 5).....	108	4	2	2	1	1	2	8	2	4	7	3	14	16	11	15	16	
All other causes.....	609	190	15	6	6	3	18	8	6	14	9	10	53	54	76	68	73	
<b>YONKERS, N. Y., all causes</b> .....	<b>1, 215</b>	<b>170</b>	<b>30</b>	<b>18</b>	<b>9</b>	<b>14</b>	<b>29</b>	<b>17</b>	<b>32</b>	<b>34</b>	<b>35</b>	<b>44</b>	<b>106</b>	<b>165</b>	<b>195</b>	<b>180</b>	<b>137</b>	
Typhoid and paratyphoid fever (1).....																		
Measles (7).....	15	4	6	4		1												
Scarlet fever (8).....	8		1	1		1	3			2								
Whooping cough (9).....	1	1																
Diphtheria (10).....	16		3	1	2	1	7	1						1				
Influenza (11).....	17	1	2			1	1	1			1	1	3	1	4		1	
Meningococcus meningitis (24).....																		
Tuberculosis of the respiratory system (31).....	82	2		3		1		1	7	11	11	8	17	10	10	1		
Other forms of tuberculosis (32-37).....	9			2		2	1					1	2					
Cancer and other malignant tumors (43-49).....	99			1						1		2	9	19	27	26	14	
Diabetes mellitus (57).....	30								1			1	2	7	8	8	3	
Cerebral hemorrhage and softening (74, 83).....	88							1			1	1	3	14	17	27	24	
Other [organic] diseases of the heart (90).....	187						1	2	6	6	1	3	10	28	37	45	49	
Bronchitis (99).....	4															2	2	
Broncho-pneumonia (100).....	51	27	6	1	1								1	1	4	3	6	
Pneumonia (101).....	100	4	3	1	1		2	3	3		5	8	18	16	22	8	6	
Diarrhea and enteritis (113, 114).....	28	20	6															
Appendicitis and typhilitis (117).....	13					1	1		2	1								
Hernia, intestinal obstruction (118).....	12	2							1	1	2		1	3	2		1	
Cirrhosis of the liver (122).....	10													2	2	3	3	
Nephritis (123, 129).....	99					1		1</										



# CAUSES OF DEATH, BY AGE

307

**TABLE 9.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM IMPORTANT CAUSES, BY AGE, IN LARGE CITIES:**  
1926—Continued

[See note at head of this table, p. 285]

AREA AND CAUSE OF DEATH	All deaths	Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 to 74 years	75 years and over	Age un- known
<b>CLEVELAND, OHIO (WHITE), all causes</b> .....	<b>9,296</b>	<b>1,203</b>	<b>276</b>	<b>136</b>	<b>100</b>	<b>72</b>	<b>243</b>	<b>143</b>	<b>188</b>	<b>243</b>	<b>329</b>	<b>406</b>	<b>1,047</b>	<b>1,191</b>	<b>1,345</b>	<b>1,365</b>	<b>1,009</b>	
Typhoid and paratyphoid fever (1).....	12			2				1	4	2	2							
Measles (7).....	91	16	37	22	8	2	5	10	2									
Scarlet fever (8).....	34	1	2	3	4	5	3	1	3			2	1					
Whooping cough (9).....	73	35	21	7	4	1	3											
Diphtheria (10).....	178	9	19	23	33	16	56	15	4	1	1							
Influenza (11).....	185	18	8	2	2		6	7	7	5	3	13	33	20	16	20	25	
Meningococcus meningitis (24).....	3		1	1			1											
Tuberculosis of the respiratory system (31).....	530		3	2	1		3	5	32	71	68	63	135	74	45	21	7	
Other forms of tuberculosis (32-37).....	91	4	7	7	2	4	7	5	6	4	7	6	16	8	5	2	1	
Cancer and other malignant tumors (43-49).....	843	2	1	2	2		1	2	6	7	12	21	91	169	244	195	93	
Diabetes mellitus (57).....	156						2	2	2	3	1	3	11	22	47	45	18	
Cerebral hemorrhage and softening (74, 83).....	547	2	2				1	1	1	4	4	4	19	73	116	173	151	
Other [organic] diseases of the heart (90).....	1,229			2		2	12	15	21	16	16	32	98	180	257	317	261	
Bronchitis (99).....	53	14	6		1		1							5	2	8	16	
Broncho-pneumonia (100).....	456	168	73	16	12	7	7	2	1	1	5	9	20	23	21	49	42	
Pneumonia (101).....	491	38	23	10	4	6	4	7	10	7	24	29	66	77	62	71	53	
Diarrhea and enteritis (113, 114).....	170	115	28	2	3		3		1	1		1	3	5	4	2	2	
Appendicitis and typhlitis (117).....	145			1	2	4	9	10	9	9	17	24	24	19	11	4	2	
Hernia, intestinal obstruction (118).....	105	15	3	1					1	6	1	4	9	11	28	18	8	
Cirrhosis of the liver (122).....	62	1											13	13	12	16	7	
Nephritis (128, 129).....	602	3		1			2	2	6	5	10	15	57	88	143	157	113	
Diseases of the female genital organs (137-141).....	52								3	9	14	6	27	9	4		1	
Puerperal septicemia (146).....	48								3	9	14	10	11	1				
Other puerperal causes (143-145, 147-150).....	61								2	11	18	14	14	2				
Suicide (165-174).....	141						1	1	5	13	13	20	27	33	15	10	4	
Homicide (197-200).....	66							1	7	12	15	7	11	7	3	2		
Automobile accidents <sup>1</sup> (188c).....	244	1		3	2	9	41	14	10	14	10	16	22	39	32	26	5	
Automobile and railroad-train collision (part 188a).....	10										1	1	2	4	2			
Automobile and street-car collision (part 188b).....	10								1	1		3	3	1	1			
Other external causes (inclusions, see Table 5).....	400	9	8	12	6	10	18	15	17	8	24	24	71	53	45	37	43	
All other causes.....	2,203	752	37	15	13	6	50	34	29	35	58	79	262	255	229	192	157	
<b>CLEVELAND, OHIO (COLORED), all causes</b> .....	<b>1,344</b>	<b>193</b>	<b>63</b>	<b>29</b>	<b>15</b>	<b>15</b>	<b>25</b>	<b>15</b>	<b>42</b>	<b>88</b>	<b>112</b>	<b>145</b>	<b>247</b>	<b>185</b>	<b>92</b>	<b>52</b>	<b>26</b>	
Typhoid and paratyphoid fever (1).....	4								1	1	2							
Measles (7).....	18	2	10	3	1	1			1	1								
Scarlet fever (8).....	1						1											
Whooping cough (9).....	32	15	11	6			1											
Diphtheria (10).....	13	1	1	4	2	2	2	1										
Influenza (11).....	41	7	1	2	3		1		1	1	2	7	11	1	3	1		
Meningococcus meningitis (24).....	2	1																
Tuberculosis of the respiratory system (31).....	187	1	3	1	1	2	2	1	17	37	37	26	39	15	5			
Other forms of tuberculosis (32-37).....	46	2	7	4	1	5	5	1	2	6	3	2	5	2				
Cancer and other malignant tumors (43-49).....	35											1	2	5	16	1	8	2
Diabetes mellitus (57).....	6											1	2	2	1	1		
Cerebral hemorrhage and softening (74, 83).....	54	1						1				6	8	12	11	10	4	
Other [organic] diseases of the heart (90).....	120							3	3	1	2	13	27	30	22	12	6	
Bronchitis (99).....	5	1		1											2	2		
Broncho-pneumonia (100).....	87	38	9	6	1	2	4			1	2	6	6	4	4	4	2	
Pneumonia (101).....	127	5	8	1	1	1	1	1	3	9	10	22	31	25	8	2		
Diarrhea and enteritis (113, 114).....	30	16	8	1			1					2	3	1	1	1		
Appendicitis and typhlitis (117).....	9							1				1	2	1	1			
Hernia, intestinal obstruction (118).....	7	1										1	4	1				
Cirrhosis of the liver (122).....	4											1	1	1		1		
Nephritis (128, 129).....	74	1							1	1	1	8	18	15	12	7	10	
Diseases of the female genital organs (137-141).....	19								1	1	1	4	5	6	1	1		
Puerperal septicemia (146).....	8								3	1	2	2	2	2				
Other puerperal causes (143-145, 147-150).....	9								2	2	2	1	2					
Suicide (165-174).....	4									2	2	2	2					
Homicide (197-200).....	54								1	7	13	14	15	3	1			
Automobile accidents <sup>1</sup> (188c).....	21				1		2	1	2	1	1	1	7	4	1			
Automobile and railroad-train collision (part 188a).....	1											1	1					
Automobile and street-car collision (part 188b).....	36	1	2	1	1	1	1	1	4	3	5	5	4	10	2	2		
Other external causes (inclusions, see Table 5).....	290	100	3	1	2	1	4	4	5	12	20	22	50	43	17	4	2	
<b>COLUMBUS, OHIO, all causes</b> .....	<b>3,968</b>	<b>424</b>	<b>79</b>	<b>36</b>	<b>30</b>	<b>22</b>	<b>74</b>	<b>61</b>	<b>97</b>	<b>153</b>	<b>141</b>	<b>143</b>	<b>387</b>	<b>489</b>	<b>549</b>	<b>688</b>	<b>595</b>	
Typhoid and paratyphoid fever (1).....	5								2	1	1							
Measles (7).....	49	11	15	5	4	1	11	2	1									
Scarlet fever (8).....	5						2	1	1									
Whooping cough (9).....	10	6	3	1														
Diphtheria (10).....	31	3	2		7	2	6	4	4		1	2						
Influenza (11).....	54	4	1		2					3	3		10	5	10	7	8	
Meningococcus meningitis (24).....	2	1					1											
Tuberculosis of the respiratory system (31).....	214	1	1		1		5	7	16	33	28	23	42	14	22	13	8	
Other forms of tuberculosis (32-37).....	43	5	3		1		1	2	7	3	6	6	2	2	3	2	37	
Cancer and other malignant tumors (43-49).....	323											3	31	5	95	20	3	
Diabetes mellitus (57).....	60							1	1	2	2	2	3	6	27	47	67	
Cerebral hemorrhage and softening (74, 83).....	248	3			1			1	1	5	7	3	14	93	93	152	137	
Other [organic] diseases of the heart (90).....	571		2		1	2	5	4	5	7	13	7	50	93	2	2	4	
Bronchitis (99).....	147	41	20	7	5	3	6	2	1	2	1		5	3	5	14	32	
Broncho-pneumonia (100).....	107	5	3		1		2	3	2	4	5	3	13	18	13	12	20	
Pneumonia (101).....	104	83	11	2			1	1	1				1	1	2	1		
Diarrhea and enteritis (113, 114).....	96								7	8	11	8	16	22	8	4		
Appendicitis and typhlitis (117).....	18								2	2	1	1	2	7	5	5	2	
Hernia, intestinal obstruction (118).....	51	4	1	1			2	2										

TABLE 9.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM IMPORTANT CAUSES, BY AGE, IN LARGE CITIES:  
1926—Continued

[See note at head of this table, p. 285]

AREA AND CAUSE OF DEATH	All deaths	Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 to 74 years	75 years and over	Age un- known
DAYTON, OHIO, all causes.....	2,162	264	47	22	18	19	44	26	48	67	75	69	176	223	348	391	325	
Typhoid and paratyphoid fever (1).....	4																	
Measles (7).....	23	3	6	1	4	2	3	1						1			1	
Scarlet fever (8).....	2					1	1											
Whooping cough (9).....	14	6	4	2	1		1											
Diphtheria (10).....	14	2	2	4	1		2	1										
Influenza (11).....	43	6	5	1		1		2	1		2	1	6	2	5	7	4	
Meningococcus meningitis (24).....	4						1						1			1		
Tuberculosis of the respiratory system (31).....	105					1		9	15	13	11	23	15	11		6	1	
Other forms of tuberculosis (32-37).....	38	2	4	1			4	4	2	3	5	3	7	1				
Cancer and other malignant tumors (43-49).....	195				1						2	4	16	29	55	52	36	
Diabetes mellitus (57).....	45						2		1				3	7	13	12	7	
Cerebral hemorrhage and softening (74, 83).....	153		1							1		1	4	11	33	46	55	
Other [organic] diseases of the heart (90).....	351		2		1		1	2	1	7	8	3	15	37	75	103	96	
Bronchitis (99).....	6	1		1													4	
Broncho-pneumonia (100).....	92	39	11	3				1	3	1	1	2	2	3	7	9	12	
Pneumonia (101).....	86	4	1	3	1	1	1	1	8	2	9	13	11	14	10	6	6	
Diarrhea and enteritis (113, 114).....	56	43	7	1						4	3	1	2	4	7	4	4	
Appendicitis and typhlitis (117).....	41				2		4	2	4	5	4	3	2	4	7	4	4	
Hernia, intestinal obstruction (118).....	29	3							1	1	3	4	4	5	2	5	5	
Cirrhosis of the liver (122).....	14												1	3	5	3	2	
Nephritis (123, 129).....	136	1			1			1	1	1	2	2	8	13	38	41	29	
Diseases of the female genital organs (137-141).....	19							1	1	2	3	2	6	4	1			
Puerperal septicemia (146).....	13								3	3	4	2	1					
Other puerperal causes (143-145, 147-150).....	9								1	3	4	4	1					
Suicide (165-174).....	18										1	3	3	2	9	3		
Homicide (197-200).....	11						1	1	2	1	3	3	3	3				
Automobile accidents <sup>1</sup> (188c).....	52		1			2	6	2	3	2	3	3	5	5	7	11	2	
Automobile and railroad-train collision (part 188a).....	3									1	1	1	1					
Automobile and street-car collision (part 188b).....	13	1	1		2	1	2		2	2	3	2	2	1	1			
Other external causes (inclusions, see Table 5).....	121	9	1	1	2	6	5	3	7	4	6	6	14	17	8	17	16	
All other causes.....	452	146	3	1		2	10	5	8	9	15	9	35	49	54	61	45	
TOLEDO, OHIO, all causes.....	3,733	448	66	26	24	24	53	48	53	122	116	142	390	456	564	640	560	1
Typhoid and paratyphoid fever (1).....	14						1	2	1	3			6		1			
Measles (7).....	21	6	8	3	3													
Scarlet fever (8).....	9	2		3	1		2						1					
Whooping cough (9).....	16	10	4	1														
Diphtheria (10).....	25	4	3	2	5	3	4	1										
Influenza (11).....	77	12	4	1	1	2	1		2	2	5	9	7	8	15	8		
Meningococcus meningitis (24).....	3				1	1												
Tuberculosis of the respiratory system (31).....	263	2	3	1		1	1	2	14	30	31	26	66	40	23	14	9	
Other forms of tuberculosis (32-37).....	37	3	2	1	2	3	4			2	3	3	3	3	5	2	1	
Cancer and other malignant tumors (43-49).....	307	1								2	3	11	32	66	80	83	28	
Diabetes mellitus (57).....	56	1	1			1	1		1	3	3	3	11	13	18	3		
Cerebral hemorrhage and softening (74, 83).....	283								1	1	2	17	28	53	97	83		
Other [organic] diseases of the heart (90).....	494							1	3	7	5	8	27	82	117	131	113	
Bronchitis (99).....	20	3	2															
Broncho-pneumonia (100).....	137	48	12	3	1	1	2	1	1	2	1	3	3	5	11	13	30	
Pneumonia (101).....	141	15	7	1	2	1	1	1	5	6	11	21	17	14	22	18		
Diarrhea and enteritis (113, 114).....	99	79	9			1					1	1	1	3		3		
Appendicitis and typhlitis (117).....	57					2	9	3	6	6	8	11	6	2	3	1		
Hernia, intestinal obstruction (118).....	52	5				1					3	6	12	12	6	7		
Cirrhosis of the liver (122).....	22											2	4	3	4	5	3	
Nephritis (123, 129).....	228	1						1	2	7	1	20	29	62	55	49		
Diseases of the female genital organs (137-141).....	33							1	2	6	2	6	7					
Puerperal septicemia (146).....	12								2	6	1	1	2					
Other puerperal causes (143-145, 147-150).....	32								4	9	8	6	5					
Suicide (165-174).....	39									2	2	5	13	9	6	1	1	
Homicide (197-200).....	33									5	4	9	6	4	2	2		
Automobile accidents <sup>1</sup> (188c).....	74	1	1	1	3	7	3	4	6	2	4	14	12	5	7	4		
Automobile and railroad-train collision (part 188a).....	9				1	1				1								
Automobile and street-car collision (part 188b).....	1																	
Other external causes (inclusions, see Table 5).....	186	9	2	2	6	2	11	5	3	11	6	7	20	21	29	21	31	
All other causes.....	953	252	6	6	6	4	14	12	13	17	18	20	91	92	105	137	169	1
YOUNGSTOWN, OHIO, all causes.....	1,770	332	50	23	17	10	26	40	33	56	72	100	210	208	208	209	176	
Typhoid and paratyphoid fever (1).....	1														1			
Measles (7).....	14	5	4	1	3	1												
Scarlet fever (8).....	8	1			1		1	1	1	2								
Whooping cough (9).....	28	17	5	2	2													
Diphtheria (10).....	2																	
Influenza (11).....	36	3	2	1					2	1	4	7	4	2	5	3		
Meningococcus meningitis (24).....	3	1																
Tuberculosis of the respiratory system (31).....	71	1						3	8	7	14	5	17	8	5	2	1	
Other forms of tuberculosis (32-37).....	11		1	1			1		1	2	1	2	1	1	1	1		
Cancer and other malignant tumors (43-49).....	127										2	3	15	27	34	26	19	
Diabetes mellitus (57).....	27					1				1		2	2	3	11	6	1	
Cerebral hemorrhage and softening (74, 83).....	125										2	4	16	29	40	33		
Other [organic] diseases of the heart (90).....	197					1		5	3	4	1	22	34	36	47	41		
Bronchitis (99).....	10	2					1											
Broncho-pneumonia (100).....	122	70	14	2	2							2	5	4	4	6	13	
Pneumonia (101).....	132	20	6	3	1		1	3	2	8	8	12	22	18	9	11	8	
Diarrhea and enteritis (113, 114).....	55	40	7	3	1													
Appendicitis and typhlitis (117).....	46			1	2		2	3	1	3	5	4	12	6	4	2	1	
Hernia, intestinal obstruction (118).....	26	3	1				1	1				1	2	3	5	7	1	
Cirrhosis of the liver (122).....	12												4	5	1	2		
Nephritis (123, 129).....	67							2	1	2	1	4	2	15	12	15	13	
Diseases of the female genital organs (137-141).....	29																	

CAUSES OF DEATH, BY AGE

TABLE 9.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM IMPORTANT CAUSES, BY AGE, IN LARGE CITIES: 1926—Continued

[See note at head of this table, p. 285]

AREA AND CAUSE OF DEATH	All deaths	Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 to 74 years	75 years and over	Age unknown
<b>PORTLAND, OREG., all causes</b> .....	<b>3,377</b>	<b>189</b>	<b>23</b>	<b>18</b>	<b>12</b>	<b>10</b>	<b>59</b>	<b>47</b>	<b>61</b>	<b>70</b>	<b>119</b>	<b>124</b>	<b>321</b>	<b>411</b>	<b>605</b>	<b>713</b>	<b>595</b>	---
Typhoid and paratyphoid fever (1).....	8	---	---	---	---	---	---	---	---	1	2	2	1	1	1	---	---	---
Measles (7).....	5	---	1	---	---	---	2	1	---	---	---	---	---	---	---	---	---	---
Scarlet fever (8).....	5	---	1	---	---	---	2	---	2	---	---	---	---	---	---	---	---	---
Whooping cough (9).....	4	3	---	---	---	---	---	1	---	---	---	---	---	---	---	---	---	---
Diphtheria (10).....	25	1	1	6	3	---	8	3	2	---	---	1	---	---	---	---	---	---
Influenza (11).....	44	3	---	2	---	---	1	1	1	1	1	4	7	4	8	7	3	---
Meningococcus meningitis (24).....	12	1	---	---	---	---	4	---	3	---	1	1	1	1	1	---	---	---
Tuberculosis of the respiratory system (31).....	109	---	---	---	---	---	---	2	12	14	14	14	19	17	10	5	2	---
Other forms of tuberculosis (32-37).....	49	3	3	2	3	---	4	2	2	2	7	2	5	4	3	4	4	---
Cancer and other malignant tumors (43-49).....	443	---	---	1	---	---	2	1	---	5	4	8	34	80	115	139	57	---
Diabetes mellitus (57).....	71	---	---	---	---	---	---	---	1	2	2	2	6	8	27	14	9	---
Cerebral hemorrhage and softening (74, 83).....	259	---	---	---	---	1	---	---	---	---	1	2	8	23	39	91	94	---
Other [organic] diseases of the heart (90).....	492	---	1	1	---	---	3	4	5	8	11	7	24	45	146	138	---	---
Bronchitis (99).....	8	1	---	---	---	---	---	---	---	---	---	---	---	---	---	2	5	---
Broncho-pneumonia (100).....	96	11	4	3	---	1	1	1	1	1	1	2	8	5	12	20	25	---
Pneumonia (101).....	129	6	1	2	---	1	2	5	---	6	---	---	13	23	22	23	15	---
Diarrhea and enteritis (113, 114).....	24	10	2	---	---	---	---	---	---	---	---	---	1	2	2	2	1	---
Appendicitis and typhlitis (117).....	46	1	---	---	---	2	6	3	---	2	3	1	7	5	8	2	---	---
Hernia, intestinal obstruction (118).....	32	1	---	---	---	---	2	---	---	---	1	1	3	6	5	7	6	---
Cirrhosis of the liver (122).....	17	---	---	---	---	---	---	---	---	---	---	---	4	3	5	3	2	---
Nephritis (128, 129).....	258	2	---	---	---	---	---	1	2	---	3	4	25	30	48	70	72	---
Diseases of the female genital organs (137-141).....	22	---	---	---	---	---	---	---	1	1	1	1	1	1	1	3	---	---
Puerperal septicemia (146).....	15	---	---	---	---	---	---	---	1	2	5	5	2	2	---	---	---	---
Other puerperal causes (143-145, 147-150).....	17	---	---	---	---	---	---	---	1	2	5	5	6	3	---	---	---	---
Suicide (165-174).....	75	---	---	---	---	---	---	1	---	1	3	5	23	20	10	10	3	---
Homicide (197-200).....	14	---	---	---	---	---	---	---	---	2	3	3	1	3	1	---	---	---
Automobile accidents <sup>1</sup> (188c).....	52	1	---	2	1	6	3	5	1	3	3	4	6	2	5	9	4	---
Automobile and railroad-train collision (part 188a).....	3	---	---	---	---	---	---	---	---	1	---	---	---	---	---	---	---	---
Automobile and street-car collision (part 188b).....	145	4	---	---	---	6	3	5	7	18	9	9	29	17	9	14	24	---
Other external causes (inclusions, see Table 5).....	898	141	9	1	4	2	8	16	17	12	22	26	81	108	174	142	135	---
<b>PHILADELPHIA, PA. (WHITE), all causes</b> .....	<b>23,644</b>	<b>2,354</b>	<b>580</b>	<b>255</b>	<b>178</b>	<b>122</b>	<b>410</b>	<b>233</b>	<b>384</b>	<b>513</b>	<b>599</b>	<b>732</b>	<b>1,951</b>	<b>3,057</b>	<b>4,286</b>	<b>4,354</b>	<b>3,634</b>	<b>2</b>
Typhoid and paratyphoid fever (1).....	33	---	---	---	---	---	1	4	7	2	2	8	5	2	---	---	1	---
Measles (7).....	147	37	45	29	15	7	14	1	---	---	---	---	---	---	---	---	---	---
Scarlet fever (8).....	41	7	4	4	3	4	11	5	---	1	---	3	2	---	---	---	---	---
Whooping cough (9).....	66	31	20	7	3	2	3	---	---	---	---	---	---	---	---	---	---	---
Diphtheria (10).....	240	15	41	44	27	26	71	6	2	1	5	---	1	1	---	---	---	---
Influenza (11).....	442	61	44	5	7	1	20	4	9	1	4	9	1	38	65	66	66	---
Meningococcus meningitis (24).....	15	2	6	5	1	---	5	12	66	148	124	130	238	227	160	61	20	1
Tuberculosis of the respiratory system (31).....	1,212	8	6	5	1	---	12	66	148	124	130	238	227	160	61	20	1	---
Other forms of tuberculosis (32-37).....	152	17	13	11	4	1	12	3	12	4	15	16	19	14	5	5	5	---
Cancer and other malignant tumors (43-49).....	2,243	3	1	2	2	1	6	6	13	6	21	36	183	463	676	568	256	---
Diabetes mellitus (57).....	439	---	---	---	---	---	6	6	7	3	3	5	26	69	147	131	42	---
Cerebral hemorrhage and softening (74, 83).....	1,290	2	1	1	---	---	1	1	5	3	9	6	51	151	319	404	342	---
Other [organic] diseases of the heart (90).....	4,621	9	2	1	---	6	29	22	47	37	53	71	226	604	1,012	1,317	1,134	1
Bronchitis (99).....	170	33	6	2	---	---	1	1	1	3	1	1	3	4	30	70	---	---
Broncho-pneumonia (100).....	1,182	394	147	31	15	18	18	8	5	7	7	13	55	79	117	115	153	---
Pneumonia (101).....	1,337	123	95	35	17	9	23	13	25	28	32	51	151	191	219	185	140	---
Diarrhea and enteritis (113, 114).....	1,448	322	55	11	10	2	4	1	1	2	2	2	6	4	8	10	9	---
Appendicitis and typhlitis (117).....	307	1	4	6	2	13	29	28	29	28	59	59	94	32	11	6	---	---
Hernia, intestinal obstruction (118).....	282	23	4	4	3	1	5	1	3	5	11	26	35	56	48	33	23	---
Cirrhosis of the liver (122).....	172	---	---	1	---	---	---	---	---	1	3	1	3	20	33	59	32	---
Nephritis (128, 129).....	2,640	6	---	1	5	4	4	10	12	25	31	40	170	380	579	734	689	---
Diseases of the female genital organs (137-141).....	98	---	---	---	---	---	---	---	2	8	6	12	28	27	11	1	3	---
Puerperal septicemia (146).....	104	---	---	---	---	---	---	---	13	18	26	27	19	1	---	---	---	---
Other puerperal causes (143-145, 147-150).....	128	---	---	---	---	---	---	---	15	9	36	34	34	1	---	---	---	---
Suicide (165-174).....	281	---	---	---	---	---	---	---	6	20	30	17	60	58	59	29	12	---
Homicide (197-200).....	70	---	1	1	---	2	1	4	12	14	9	17	9	17	9	---	---	---
Automobile accidents <sup>1</sup> (188c).....	296	1	10	13	9	48	29	5	14	12	16	18	38	40	28	15	---	---
Automobile and railroad-train collision (part 188a).....	2	---	---	---	---	---	---	---	---	1	---	---	---	---	---	---	---	---
Automobile and street-car collision (part 188b).....	7	---	---	---	---	---	---	---	---	1	1	2	1	1	1	---	---	---
Other external causes (inclusions, see Table 5).....	918	23	23	15	14	14	33	22	29	28	42	55	118	147	162	101	92	---
All other causes.....	4,281	1,243	65	31	31	15	85	53	79	89	96	130	381	493	537	476	477	---
<b>PHILADELPHIA, PA. (COLORED), all causes</b> .....	<b>4,023</b>	<b>653</b>	<b>163</b>	<b>60</b>	<b>53</b>	<b>23</b>	<b>72</b>	<b>61</b>	<b>139</b>	<b>222</b>	<b>289</b>	<b>272</b>	<b>617</b>	<b>612</b>	<b>420</b>	<b>231</b>	<b>136</b>	<b>---</b>
Typhoid and paratyphoid fever (1).....	6	---	---	---	---	---	---	---	4	1	---	---	1	---	---	---	---	---
Measles (7).....	18	10	5	1	1	---	1	---	---	---	---	---	---	---	---	---	---	---
Scarlet fever (8).....	1	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---
Whooping cough (9).....	36	19	10	2	1	1	3	---	---	---	---	---	---	---	---	---	---	---
Diphtheria (10).....	36	2	4	8	3	4	11	3	---	---	---	1	---	---	---	---	---	---
Influenza (11).....	89	13	4	---	2	1	2	---	4	3	7	2	17	11	14	4	5	---
Meningococcus meningitis (24).....	1	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---
Tuberculosis of the respiratory system (31).....	480	15	13	5	2	---	4	13	55	87	80	47	77	60	19	2	1	---
Other forms of tuberculosis (32-37).....	80	6	6	3	5	3	3	7	9	2	7	8	10	7	3	1	---	---
Cancer and other malignant tumors (43-49).....	172	---	---	---	---	---	1	7	7	4	9	8	37	53	37	14	8	---
Diabetes mellitus (57).....	35	---	---	---	---	---	---	---	---	---	2	1	5	12	11	2	1	---
Cerebral hemorrhage and softening (74, 83).....	140	---	---	1	---	---	---	---	---	1	1	2	23	33	38	27	14	---
Other [organic] diseases of the heart (90).....	504	2	---	---	---	---	1	5	5	15	21	23	71	146	103	7		



CAUSES OF DEATH, BY AGE

TABLE 9.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM IMPORTANT CAUSES, BY AGE, IN LARGE CITIES:  
1926—Continued

[See note at head of this table, p. 285]

AREA AND CAUSE OF DEATH	All deaths	Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 to 74 years	75 years and over	Age un- known
SCRANTON, PA., all causes	1,885	240	44	21	11	13	35	29	49	62	64	74	194	279	334	269	167	
Typhoid and paratyphoid fever (1)	6							2	2			1				1		
Measles (7)	22	2	11	4	1	2	2											
Scarlet fever (8)	2	1				1												
Whooping cough (9)	6	3	1	1				1										
Diphtheria (10)	10		2	1	1	1	4	1										
Influenza (11)	51	3	2	3			1	2	1		2	3	8	5	10	9	2	
Meningococcus meningitis (24)																		
Tuberculosis of the respiratory system (31)	111	2	1				1	2	9	16	18	5	22	25	8	2		
Other forms of tuberculosis (32-37)	17	1	1		1		4		1	1	2	6	21	34	45	42	6	
Cancer and other malignant tumors (43-49)	160							1	2	1	2	6	21	2	13	13	6	
Diabetes mellitus (57)	36								1	1	2		1	2	18	27	33	3
Cerebral hemorrhage and softening (74, 83)	116								8	7	5	7	26	51	70	63	35	
Other [organic] diseases of the heart (90)	290		1				1	6	8	7	5	7	26	51	70	63	35	
Bronchitis (99)	13	1											1	1	3	1	0	
Broncho-pneumonia (100)	85	26	11	1	2		2						1	10	10	10	6	
Pneumonia (101)	116	7	4	1		1	1	1	4	5	7	7	13	23	18	12	12	
Diarrhea and enteritis (113, 114)	54	41	4	3	1		1	1	4	3	2	4	3	6	3	2	1	
Appendicitis and typhlitis (117)	34		1				3						1	6	1	2		
Hernia, intestinal obstruction (118)	22	3						1	4	3	2	1	3	6	3	4	2	
Cirrhosis of the liver (122)	10												3	3	3	3	2	
Nephritis (128, 129)	126						1			1	3	4	13	16	33	36	19	
Diseases of the female genital organs (137-141)	14								1	1	2	1	4	5	3	3		
Puerperal septicemia (146)	4									1	1	1	2	2	1	1		
Other puerperal causes (143-145, 147-150)	22								2	4	4	6	5	1	2	4	2	
Suicide (165-174)	12										1	1	1	2			1	
Homicide (197-200)	3											1	2	2				
Automobile accidents <sup>1</sup> (188c)	32			1	1		6	4	3	4	2				4	1		
Automobile and railroad-train collision (part 188a)																		
Automobile and street-car collision (part 188b)																		
Other external causes (inclusions, see Table 5)	118	1	2	3	1	3	5	1	3	9	6	9	17	26	15	7	10	
All other causes	393	149	3	3	3	2	4	7	4	7	4	15	38	43	56	30	25	
PROVIDENCE, R. I., all causes	3,544	416	115	48	28	22	62	41	43	63	81	89	281	462	606	589	598	
Typhoid and paratyphoid fever (1)	2									2								
Measles (7)	69	16	32	9	6	4	2											
Scarlet fever (8)	1																	
Whooping cough (9)	50	28	12	3	2	3	2											
Diphtheria (10)	22	1	6	2	5	1	7											
Influenza (11)	63	9	3	1	2							3	4	6	11	11	13	
Meningococcus meningitis (24)	3	2	1															
Tuberculosis of the respiratory system (31)	113	3	2	1			3	1	11	15	13	9	23	18	10	3	1	
Other forms of tuberculosis (32-37)	32	7	4	3	2	1	2				2	1	3	2	5			
Cancer and other malignant tumors (43-49)	370		2								2	4	30	73	104	90	65	
Diabetes mellitus (57)	67							2	1	1		1	4	11	18	18	11	
Cerebral hemorrhage and softening (74, 83)	302							2	1	1	2		9	39	70	87	91	
Other [organic] diseases of the heart (90)	502		1				2	5	5	3	2	6	21	65	110	134	148	
Bronchitis (99)	14	7													1	2	4	
Broncho-pneumonia (100)	131	37	17	4	3	1	3	3	1				4	5	12	11	30	
Pneumonia (101)	207	18	10	9			3	1	2	8	4	6	23	29	45	23	26	
Diarrhea and enteritis (113, 114)	46	30	5	2	1					1	1	1		2	1	2	2	
Appendicitis and typhlitis (117)	71	1	1				3	8	5	5	7		12	12	6	4	2	
Hernia, intestinal obstruction (118)	31		2					1	1			1	2	6	9	4	5	
Cirrhosis of the liver (122)	13												1	2	3	3	2	
Nephritis (128, 129)	362	1		1	1	1	3	2	1	2	8	6	31	42	73	96	94	
Diseases of the female genital organs (137-141)	23								1	1	1	1	8	7	2	4		
Puerperal septicemia (146)	16								2	3	4	2	5					
Other puerperal causes (143-145, 147-150)	26									4	8	8	6					
Suicide (165-174)	35								1		4	4	6	7	8	3	2	
Homicide (197-200)	10	1							1	1		4	4	1	2	1		
Automobile accidents <sup>1</sup> (188c)	61			3		2	10	2	1	4	3	4	7		9	7	1	8
Automobile and railroad-train collision (part 188a)	1																	
Automobile and street-car collision (part 188b)	2												1					
Other external causes (inclusions, see Table 5)	150	3	4	3	3	7	12	5	4	4	6	4	16	21	24	13	21	
All other causes	749	252	13	6	3	2	9	9	7	9	16	16	64	102	86	82	73	
MEMPHIS, TENN. (WHITE), all causes	1,737	199	36	28	17	7	41	34	55	46	65	77	196	231	246	243	216	
Typhoid and paratyphoid fever (1)	16						2		5	3		1	3	1		1		
Measles (7)	9	3	2		1	1	2											
Scarlet fever (8)	7	1	1		2				1									
Whooping cough (9)	7	4	2															
Diphtheria (10)	12	1	2	3	2	2	2											
Influenza (11)	42	8	1	1	1			2		1	1	4	7	3	5	4	4	
Meningococcus meningitis (24)	6	1		1	1				2		1							
Tuberculosis of the respiratory system (31)	67	1	2	1	1		1		2	2	9	4	16	16	9	4	3	
Other forms of tuberculosis (32-37)	12		2	1	1		1		1	1	1	1	1	1	1	1		
Cancer and other malignant tumors (43-49)	138								1	1	1	7	17	39	31	25	16	
Diabetes mellitus (57)	17							2					2	3	5	1	3	
Cerebral hemorrhage and softening (74, 83)	81									2	2	1	5	11	16	24	22	
Other [organic] diseases of the heart (90)	172						1			2		4	13	21	26	56	48	
Bronchitis (99)	3																	
Broncho-pneumonia (100)	58	20	5	3		2	3	1	1	1		3			6	6	7	
Pneumonia (101)	77	8	1		2		3	1	2	2	2	2	10	12	10	14	8	
Diarrhea and enteritis (113, 114)	38	24	6	2	1		1							1	1	1	2	
Appendicitis and typhlitis (117)	63			1			6	9	8	4	6	6	8	5	6	4	5	
Hernia, intestinal obstruction (118)	23	1	1				1	1					6	4	2	3	2	
Cirrhosis of the liver (122)	7													2	2	3		
Nephritis (128, 129)	130						1	2	2		2	4	11	14	34	24	36	
Diseases of the female genital organs (137-141)	19								2	1	1	5	5	2	2	2		
Puerperal septicemia (146)	16								2	5	5	1	3					
Other puerperal causes (143-145, 147																		

TABLE 9.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM IMPORTANT CAUSES, BY AGE, IN LARGE CITIES: 1926—Continued

[See note at head of this table, p. 285]

AREA AND CAUSE OF DEATH	All deaths	Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 to 74 years	75 years and over	Age unknown
<b>MEMPHIS, TENN. (COLORED), all causes.....</b>	<b>1,792</b>	<b>217</b>	<b>31</b>	<b>21</b>	<b>9</b>	<b>7</b>	<b>21</b>	<b>33</b>	<b>92</b>	<b>142</b>	<b>160</b>	<b>129</b>	<b>297</b>	<b>303</b>	<b>166</b>	<b>94</b>	<b>70</b>	
Typhoid and paratyphoid fever (1)	18						1	2	2	2	6	3	2					
Measles (7)	6	2	3															
Scarlet fever (8)																		
Whooping cough (9)	9	7		1	1													
Diphtheria (10)	8	5					1											
Influenza (11)	79	6	2	3	1	1			6	12	6	3	12	10	5	2	10	
Meningococcus meningitis (24)	1																	
Tuberculosis of the respiratory system (31)	143	2	2				1	1	4	14	30	24	19	20	16	7	3	
Other forms of tuberculosis (32-37)	45	5	5		2		2	3	5	5	3	6	3	5	4	1		
Cancer and other malignant tumors (43-49)	80	1		1	2			3	1	1	1	2	1	2	1	7	13	2
Diabetes mellitus (57)	12																	
Cerebral hemorrhage and softening (74, 83)	82								2	2	3	4	1	2	5	3		
Other [organic] diseases of the heart (90)	169						2	2	4	2	10	11	25	54	31	18	10	
Bronchitis (99)	5	3							1	1	1							
Broncho-pneumonia (100)	53	19	6	3	2				2	4	8		4	5	1	3	4	
Pneumonia (101)	100	9	3	1	1				2	6	13	6	9	20	13	5	4	
Diarrhea and enteritis (113, 114)	57	31	4	5	1		2	1	1	1	1	1	2	4	2	2	1	
Appendicitis and typhilitis (117)	40						3	4	8	2	7	4	8	3	1			
Hernia, intestinal obstruction (118)	25	1							1	2	2	1	1	10	7	1		
Cirrhosis of the liver (122)	7								1	1	1		2	2	1			
Nephritis (128, 129)	119						1	1	1	3	5	6	27	30	23	10	12	
Diseases of the female genital organs (137-141)	36								1	3	4	7	13	7	1			
Puerperal septicemia (146)	15								3	4	2	3	3	4				
Other puerperal causes (143-145, 147-150)	16								4	1	5	2	4					
Suicide (165-174)	4										1	1	1					
Homicide (197-200)	102							3	8	26	21	11	23	7	2	1		
Automobile accidents <sup>1</sup> (188c)	16						2	1	1	3	3	3	1	2	1			
Automobile and railroad-train collision (part 188a)	1																	
Automobile and street-car collision (part 188b)	1																	
Other external causes (inclusions, see Table 5)	61		2	2	2	2	3	5	9	7	1	10	7	7	4			
All other causes	483	126	4	5		1	6	7	18	23	30	31	84	66	40	22	20	
<b>NASHVILLE, TENN. (WHITE), all causes.....</b>	<b>1,566</b>	<b>217</b>	<b>58</b>	<b>28</b>	<b>14</b>	<b>13</b>	<b>30</b>	<b>19</b>	<b>36</b>	<b>64</b>	<b>56</b>	<b>52</b>	<b>133</b>	<b>153</b>	<b>221</b>	<b>255</b>	<b>217</b>	
Typhoid and paratyphoid fever (1)	24						4	1	2	4	4	2	5			2		
Measles (7)	18	5	4	1	3	3			2									
Scarlet fever (8)	1						1											
Whooping cough (9)	16	7	5	2	1	1												
Diphtheria (10)	12	1	1	1	2	4	4											
Influenza (11)	88	14	3	2				1		4	2	3	5	10	14	10	20	
Meningococcus meningitis (24)	3	1					2											
Tuberculosis of the respiratory system (31)	97	1		1	1				4	13	12	8	16	13	14	8	6	
Other forms of tuberculosis (32-37)	12		2					1	1	2	2		5	5	1			
Cancer and other malignant tumors (43-49)	120		1						1	1	3	4	20	24	29	24	14	
Diabetes mellitus (57)	19									1			3	2	6	5	2	
Cerebral hemorrhage and softening (74, 83)	84								1	1	1	3	8	14	33	23		
Other [organic] diseases of the heart (90)	159	1					1			3	5	2	4	10	34	50	49	
Bronchitis (99)	6	1													1	2	2	
Broncho-pneumonia (100)	60	24	6	3	1	1	1	1		1	1		2		5	4	10	
Pneumonia (101)	78	5	3	3	4		2	3	3	2	4		4	13	11	15	6	
Diarrhea and enteritis (113, 114)	56	30	18	3		1							1	1	1	1	1	
Appendicitis and typhilitis (117)	34						1	5	3	6	2	2	4	5	3	2		
Hernia, intestinal obstruction (118)	16	1									1	1	2	1	6	2	2	
Cirrhosis of the liver (122)	5												1	1	2			
Nephritis (128, 129)	81												2	5	11	14	33	16
Diseases of the female genital organs (137-141)	8									2			1	2	1			
Puerperal septicemia (146)	6								2	1	2	1	1	1				
Other puerperal causes (143-145, 147-150)	12								1	1	2	5	2	1				
Suicide (165-174)	13								1	3	2	2	3	1	4	1		
Homicide (197-200)	13								1	2	2	2	4	2				
Automobile accidents <sup>1</sup> (188c)	32						4	2	1	4	5	2	3	3	4	4		
Automobile and railroad-train collision (part 188a)																		
Automobile and street-car collision (part 188b)																		
Other external causes (inclusions, see Table 5)	76	2	3	5	1		3	3	5	4	2	4	9	8	7	8	15	
All other causes	417	125	12	7		3	7	8	8	12	8	8	30	37	51	51	50	
<b>NASHVILLE, TENN. (COLORED), all causes.....</b>	<b>1,132</b>	<b>120</b>	<b>31</b>	<b>16</b>	<b>11</b>	<b>8</b>	<b>26</b>	<b>24</b>	<b>38</b>	<b>69</b>	<b>81</b>	<b>69</b>	<b>142</b>	<b>190</b>	<b>155</b>	<b>92</b>	<b>59</b>	<b>1</b>
Typhoid and paratyphoid fever (1)	25			1	1		3	2	3	5	6	3			1			
Measles (7)	2	1	1															
Scarlet fever (8)																		
Whooping cough (9)	17	5	4	3	3	1	1	1										
Diphtheria (10)	15	1	1	3	2		4	5										
Influenza (11)	67	6	5		2	1	1	1			6	4	3	10	9	11	4	4
Meningococcus meningitis (24)	1																	
Tuberculosis of the respiratory system (31)	92	3					1	1	3	9	16	16	15	16	6	5	1	1
Other forms of tuberculosis (32-37)	26								2	1	3	4	6	3	2	1		
Cancer and other malignant tumors (43-49)	44								1	1	1	1	3	9	15	6	6	2
Diabetes mellitus (57)	5																	
Cerebral hemorrhage and softening (74, 83)	66													18	18	13	9	
Other [organic] diseases of the heart (90)	140						2	1	2	2	6	6	20	39	37	20	5	
Bronchitis (99)	5	1												1	2	1		
Broncho-pneumonia (100)	53	17	7	4		1	2	2	1				1	4	3	5	1	5
Pneumonia (101)	71	4	1	1			2	2	1	4	8	8	15	11	10	3	3	
Diarrhea and enteritis (113, 114)	36	21	5	2			2		1	1				2	1	1		
Appendicitis and typhilitis (117)	15							4	2	2	2			3	1	1		
Hernia, intestinal obstruction (118)	9	1												3	3		1	
Cirrhosis of the liver (122)	9													3	1	3	2	
Nephritis (128, 129)	92								2				3	8	29	21	17	7
Diseases of the female genital organs (137-141)	14									1	4	3	8	3	1			
Puerperal septicemia (146)	15								1	3	3	3	5					

## CAUSES OF DEATH, BY AGE

313

TABLE 9.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM IMPORTANT CAUSES, BY AGE, IN LARGE CITIES:  
1926—Continued

[See note at head of this table, p. 235]

AREA AND CAUSE OF DEATH	All deaths	Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 to 74 years	75 years and over	Age unknown
DALLAS, TEX., all causes	2,730	440	61	27	24	21	56	33	80	138	137	159	308	331	295	334	286	
Typhoid and paratyphoid fever (1)	19			1		1	3	1	3	5	2	1	2					
Measles (7)	1		1															
Scarlet fever (8)	6		4							1								
Whooping cough (9)	23	16	4	1	1	1												
Diphtheria (10)	26	1	3	6	6	4	3	2										
Influenza (11)	154	35	3	2	2	1	5	4	2	6	11	11	10	17	14	15	16	
Meningococcus meningitis (24)	2		1								1							
Tuberculosis of the respiratory system (31)	154	2						3	11	26	19	16	25	32	10	8	2	
Other forms of tuberculosis (32-37)	20	2	4		1				2	3	1	4	1		1		1	
Cancer and other malignant tumors (43-49)	182			1		2	1		1	2	5	7	18	40	39	38	28	
Diabetes mellitus (57)	31						1			1	2	2	2	3	10	8	4	
Cerebral hemorrhage and softening (74, 83)	176	1							1	4	2	2	17	35	35	40	41	
Other [organic] diseases of the heart (90)	209				1				2	3	2	6	27	36	34	53	45	
Bronchitis (99)	10	2							1	1			3	3	1	1	2	
Broncho-pneumonia (100)	92	43	5	1	1	2			1	5	2	3	4	8	3	6	8	
Pneumonia (101)	141	28	6	6	2	1	6	2	3	5	7	15	21	12	9	7	11	
Diarrhea and enteritis (113, 114)	63	43	10	1	2				1	1	1	6	10	8	8	2	2	
Appendicitis and typhlitis (117)	59						2	4	8	5	6	6	10	8	8	2	2	
Hernia, intestinal obstruction (118)	33	3	2			1	1		2	1	3	5	5	2	4	2	2	
Cirrhosis of the liver (122)	10							1					2	3	1	2	1	
Nephritis (128, 129)	183		1						2	3	5	9	18	36	38	40	31	
Diseases of the female genital organs (137-141)	36								2	9	7	7	7	2	1	1		
Puerperal septicemia (146)	19								1	7	3	4	4	5				
Other puerperal causes (143-145, 147-150)	15								2	5	3	4	5	4				
Suicide (165-174)	54								6	7	4	4	20	4	3	4		
Homicide (197-200)	64								7	11	7	16	19	4				
Automobile accidents <sup>1</sup> (188c)	61	2		1	2	1	5	3	5	4	3	2						
Automobile and railroad-train collision (part 188a)	2								2	2								
Automobile and street-car collision (part 188b)	1								4	3								
Other external causes (inclusions, see Table 5)	120	2	3	4	4	2	9	4	7	9	6	6	15	12	7	14	16	
All other causes	764	260	14	3	2	7	17	9	12	21	31	29	69	64	72	87	67	
FORT WORTH, TEX., all causes	1,551	202	37	20	14	15	33	16	40	70	82	63	166	209	173	198	207	6
Typhoid and paratyphoid fever (1)	16			1			3			5		3		4				
Measles (7)	1																	
Scarlet fever (8)	1			1														
Whooping cough (9)	10	3	4	2	1	1				1								
Diphtheria (10)	13			1	2	1	4			2								
Influenza (11)	102	15	5	4	3	1	1		2	6				14	8	12	20	
Meningococcus meningitis (24)	1										1							
Tuberculosis of the respiratory system (31)	72	2	1				1	2	5	10	2	2	13	11	2	4	2	
Other forms of tuberculosis (32-37)	10									2	1	2	2	2				
Cancer and other malignant tumors (43-49)	87			1						1	4	2	15	14	18	20	11	
Diabetes mellitus (57)	14		1				1	1			2		2	2	4	4	1	
Cerebral hemorrhage and softening (74, 83)	102	2							3	3	2	5	4	16	14	33	28	
Other [organic] diseases of the heart (90)	156						1	3	1	3	5	15	27	27	23	32	46	
Bronchitis (99)	5												1	1	1	3	5	
Broncho-pneumonia (100)	40	17	4	1	1		1	2	1	8	1	1	2	2	3	3	5	
Pneumonia (101)	86	14	5	1	1		2	2	1	7	1	1	7	15	11	11	6	
Diarrhea and enteritis (113, 114)	48	28	8	3	2	1	1	1	1	7	1	1	7	5	2	2	2	
Appendicitis and typhlitis (117)	34				1		2	1	6	1	6	3	7	5	2	3	3	
Hernia, intestinal obstruction (118)	28	8		1	1		1	2	1	1	1	1	2	2	3	3		
Cirrhosis of the liver (122)	6												2	2	1	1		
Nephritis (128, 129)	105	1			1		1		1	1	2	5	10	24	12	29	18	
Diseases of the female genital organs (137-141)	8												3	2				
Puerperal septicemia (146)	5												1					
Other puerperal causes (143-145, 147-150)	12								3	3	2		4					
Suicide (165-174)	24								1	3	2	3	3	6	5	1		
Homicide (197-200)	20								1	2	6	2	6	2				
Automobile accidents <sup>1</sup> (188c)	30			1			1		2	3	3	4	6	4	2	3	1	
Automobile and railroad-train collision (part 188a)	1																	
Automobile and street-car collision (part 188b)	3																	
Other external causes (inclusions, see Table 5)	74	7	1			3	3	7	6	8	2	2	1	9	8	4	3	
All other causes	438	107	6	4	2	7	11	4	7	10	17	11	51	47	56	40	57	1
HOUSTON, TEX. (WHITE), all causes	1,929	229	65	17	15	13	48	22	57	85	68	83	189	224	259	292	261	2
Typhoid and paratyphoid fever (1)	9		1		1	1		1	2	2			1					
Measles (7)																		
Scarlet fever (8)																		
Whooping cough (9)	14	7	7															
Diphtheria (10)	23	6	4	3	2	2	4				1		1					
Influenza (11)	89	8	10	1	3	1	1		2	2	2	2	9	8	9	14	17	
Meningococcus meningitis (24)																		
Tuberculosis of the respiratory system (31)	123	1		1			1	3	6	18	10	10	19	18	20	14	2	
Other forms of tuberculosis (32-37)	9	2	2	1			2			1								
Cancer and other malignant tumors (43-49)	142					1				1	1	5	22	23	27	35	27	
Diabetes mellitus (57)	23						1			2	1			6	10	3		
Cerebral hemorrhage and softening (74, 83)	93								1	1	2	3	3	14	20	25	25	
Other [organic] diseases of the heart (90)	178							1	2	3	1	2	11	28	30	45	54	
Bronchitis (99)	7																	
Broncho-pneumonia (100)	39	9	5	3	1	1	1			2	1	1	1	1	3	5	6	
Pneumonia (101)	92	13	7	1	1	1	2	3	2	5	1	5	10	16	6	6	13	
Diarrhea and enteritis (113, 114)	57	24	16	2	1	1	2	1			1	1	1	1	2	4	1	
Appendicitis and typhlitis (117)	42				2		3	1		5	2	8	2	4	5	5		
Hernia, intestinal obstruction (118)	23	1				1				2	1	1	4	2	5	1	5	
Cirrhosis of the liver (122)	15												3	2	4	4	1	
Nephritis (128, 129)	136		1				1		2	2	1	1	9	15	25	39	40	
Diseases of the female genital organs (137-141)	14									1	2	2	5	2	1	1		
Puerperal septicemia (146)	10								1	2	2	3	2					
Other puerperal causes (143-145, 147-150)	19																	

TABLE 9.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM IMPORTANT CAUSES, BY AGE, IN LARGE CITIES: 1926—Continued

[See note at head of this table, p. 285]

Table with columns for 'AREA AND CAUSE OF DEATH', 'All deaths', and age groups from 'Under 1 year' to '75 years and over'. Rows include cities like HOUSTON, TEX., SAN ANTONIO, TEX., and SALT LAKE CITY, UTAH, with various causes of death listed.

1 Excludes collision with railroad trains and street cars.

CAUSES OF DEATH, BY AGE

315

TABLE 9.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM IMPORTANT CAUSES, BY AGE, IN LARGE CITIES: 1926—Continued

[See note at head of this table, p. 285]

AREA AND CAUSE OF DEATH	All deaths	AGE GROUPS														AGE UNKNOWN		
		Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years		65 to 74 years	75 years and over
<b>NORFOLK, VA. (WHITE), all causes</b> .....	849	77	17	7		3	12	13	23	22	26	34	72	117	130	163	133	
Typhoid and paratyphoid fever (1).....	2						1						1					
Measles (7).....																		
Scarlet fever (8).....																		
Whooping cough (9).....	6	3	3															
Diphtheria (10).....	3			1														
Influenza (11).....	22	3	5				2			1		1	1	2		4	4	
Meningococcus meningitis (24).....	1							1										
Tuberculosis of the respiratory system (31).....	24								2	1	5	2	4	2	5			3
Other forms of tuberculosis (32-37).....	7	2		1			1	1		1	1	2	5	15	17	22	7	
Cancer and other malignant tumors (43-49).....	71							1	1	1	1	2	5	15	17	22	7	
Diabetes mellitus (57).....	14												1	2	4	5	2	
Cerebral hemorrhage and softening (74, 83).....	57								1			1	5	5	15	17	13	
Other [organic] diseases of the heart (90).....	149							2	2	1		2	7	22	27	40	46	
Bronchitis (99).....	4	1												1	1	1	1	
Broncho-pneumonia (100).....	19	5	1	1					1		1	1	1	2	3	3	4	
Pneumonia (101).....	34	2	1	1			1	1			2	1	5	9	3	5	2	
Diarrhea and enteritis (113, 114).....	16	12	1	1											1	1	1	
Appendicitis and typhlitis (117).....	11							2					3	3	2	1		
Hernia, intestinal obstruction (118).....	12	1							1			1	3		3	1	1	
Cirrhosis of the liver (122).....	2														1	1	1	
Nephritis (128, 129).....	79			1					1			3	3	10	18	27	16	
Diseases of the female genital organs (137-141).....	4											1	1	1	1			
Puerperal septicemia (146).....	6							1		3	1	1	1					
Other puerperal causes (143-145, 147-150).....	10							1	1		3	2	6	1				
Suicide (165-174).....	12									2	1	1	1	4	3	1		
Homicide (197-200).....	5									1	1	1	1					
Automobile accidents <sup>1</sup> (188c).....	18					1	1		2	1		2		1	4	3	4	
Automobile and railroad-train collision (part 188a).....																		
Automobile and street-car collision (part 188b).....	1																	
Other external causes (inclusions, see Table 5).....	61	2	1			2	7	6	5	8	8	6	9	3	3	3	9	
All other causes.....	199	46	5	1		2	5	3	5	4	6	9	16	29	20	30	18	
<b>NORFOLK, VA. (COLORED), all causes</b> .....	1,018	148	34	19	10	6	15	17	43	46	62	59	169	194	110	63	23	
Typhoid and paratyphoid fever (1).....	4											3	1					
Measles (7).....	2						1		1									
Scarlet fever (8).....																		
Whooping cough (9).....	25	10	6	3	2	2	2											
Diphtheria (10).....	2						1											
Influenza (11).....	27	8	5	3		1			1			3	1	1	1	2	1	
Meningococcus meningitis (24).....																		
Tuberculosis of the respiratory system (31).....	106	2		1	1	1	4	16	18	24	10	16	9	3				
Other forms of tuberculosis (32-37).....	13	2	3								1	3	1					
Cancer and other malignant tumors (43-49).....	34						1		1		7	11	9	5				
Diabetes mellitus (57).....	10									1	1	1	6	1				
Cerebral hemorrhage and softening (74, 83).....	88								1		2	14	33	23	11	4		
Other [organic] diseases of the heart (90).....	154						1	2	2	1	6	41	46	30	16	8		
Bronchitis (99).....	5		1				1		1			1	1	1	1			
Broncho-pneumonia (100).....	39	24	3	2	2		1		1		2	2	3	1	1	2		
Pneumonia (101).....	43	5	2	3	2				3		5	3	5	5	7	1	2	
Diarrhea and enteritis (113, 114).....	44	31	6	3					1			1	1	1	1	1		
Appendicitis and typhlitis (117).....	11											6	3	2	2			
Hernia, intestinal obstruction (118).....	12									2	1	3	2	3	2	1		
Cirrhosis of the liver (122).....	4											2	2	1	1			
Nephritis (128, 129).....	85	1		1						2	8	3	13	27	13	14	3	
Diseases of the female genital organs (137-141).....	6								1	1	2		2					
Puerperal septicemia (146).....	9							4	4	1	2							
Other puerperal causes (143-145, 147-150).....	6							2		2	2							
Suicide (165-174).....	4								3				1	1				
Homicide (197-200).....	15									5	2	6	1	1				
Automobile accidents <sup>1</sup> (188c).....	7					1	2		1		1	2	2	1				
Automobile and railroad-train collision (part 188a).....	1												1					
Automobile and street-car collision (part 188b).....																		
Other external causes (inclusions, see Table 5).....	46	2	3	1	1	3	4	6	1	2	4	5	9	1	3	3	5	
All other causes.....	216	63	4	2	1	4	4	6	6	6	11	17	36	34	14	9		
<b>RICHMOND, VA. (WHITE), all causes</b> .....	1,711	197	37	18	8	5	30	15	32	44	39	36	120	185	258	361	326	
Typhoid and paratyphoid fever (1).....	1									1								
Measles (7).....	1										1							
Scarlet fever (8).....	3		1	2														
Whooping cough (9).....	4	3	1															
Diphtheria (10).....	15	2	2	3	2	3	5											
Influenza (11).....	68	6	5	3							4	2	4	8	9	16	9	
Meningococcus meningitis (24).....																		
Tuberculosis of the respiratory system (31).....	58	1						2	4		1	3	10	13	15	8	1	
Other forms of tuberculosis (32-37).....	13	2	1	2	1		2	1	1		2	3	6	23	30	40	21	
Cancer and other malignant tumors (43-49).....	181																	
Diabetes mellitus (57).....	27						1				1	1	8	8	22	45	30	
Cerebral hemorrhage and softening (74, 83).....	114												2	8	22	45	30	
Other [organic] diseases of the heart (90).....	266										1	7	31	46	90	85		
Bronchitis (99).....	16							1	1	3								
Broncho-pneumonia (100).....	48	18	8					2	1			2	2	3	4	4	15	
Pneumonia (101).....	55	5	1				1		1		5	1	6	4	6	15	3	
Diarrhea and enteritis (113, 114).....	41	29	4	2	1			2			5	2	1	3	2	3	2	
Appendicitis and typhlitis (117).....	32							2	6			3	2	7	3	3		
Hernia, intestinal obstruction (118).....	17	2	1					1	1					1	3	2	1	
Cirrhosis of the liver (122).....	4																	
Nephritis (128, 129).....	167		1	1			1	1				1	2	9	16	27	49	59
Diseases of the female genital organs (137-141).....	6											1	2	2	2			
Puerperal septicemia (146).....	14								1	5	2	2	2	2				
Other puerperal causes (143-145, 147-150).....	12								1	4	2	4	1					
Suicide (165-174).....	24								1	2	2	1	5	8	1	3	1	

## MORTALITY STATISTICS

TABLE 9.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM IMPORTANT CAUSES, BY AGE, IN LARGE CITIES: 1926—Continued

[See note at head of this table, p. 285]

AREA AND CAUSE OF DEATH	All deaths	AGE GROUPS																AGE UNKNOWN	
		Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 to 74 years	75 years and over		
<b>RICHMOND, VA. (COLORED), all causes.....</b>	<b>1,324</b>	<b>233</b>	<b>31</b>	<b>16</b>	<b>9</b>	<b>9</b>	<b>23</b>	<b>15</b>	<b>40</b>	<b>70</b>	<b>64</b>	<b>72</b>	<b>204</b>	<b>222</b>	<b>189</b>	<b>91</b>	<b>36</b>		
Typhoid and paratyphoid fever (1).....	1												1						
Measles (7).....																			
Scarlet fever (8).....																			
Whooping cough (9).....	10	6	3			1													
Diphtheria (10).....	10							1											
Influenza (11).....	65	6	4	1	1	2			2	4	1	3	9	8	14	5	3		
Meningococcus meningitis (24).....	1																		
Tuberculosis of the respiratory system (31).....	107	1					2		4	8	30	16	19	11	1				
Other forms of tuberculosis (32-37).....	26	1	1	4			1	1	6	3	2	2	3						
Cancer and other malignant tumors (43-49).....	42				1				1	1	1	1	7	9	17	5			
Diabetes mellitus (57).....	11											1	3	4	3				
Cerebral hemorrhage and softening (74, 83).....	102									1		1	3	16	31	28	19	3	
Other [organic] diseases of the heart (90).....	133				1					1	1	2	9	17	40	36	15	9	
Bronchitis (99).....	6	2	1																
Broncho-pneumonia (100).....	57	25	9	4	1	1	2						1	6	4	2	1		
Pneumonia (101).....	110	5	3	3	1	1	1	1	6	3	11	4	28	1	6	4	2	1	3
Diarrhea and enteritis (113, 114).....	52	43	2			1			2	1	1		3	1	2	1			
Appendicitis and typhilitis (117).....	12								1										
Hernia, intestinal obstruction (118).....	11	3											2	2			2		
Cirrhosis of the liver (122).....	8												1	1	4		2		
Nephritis (128, 129).....	105	1								1	5	3	21	29	28	10	6		
Diseases of the female genital organs (137-141).....	16									3		4	5	4					
Puerperal septicemia (146).....	11								4	3	1	1	2	2					
Other puerperal causes (143-145, 147-150).....	8									1	2	1	4						
Suicide (165-174).....	1																		1
Homicide (197-200).....	12									1	3	1	5	1					
Automobile accidents <sup>1</sup> (188c).....	11				1				1			1	3	1					
Automobile and railroad-train collision (part 188a).....	2												1	2	1	1			
Automobile and street-car collision (part 188b).....	1												3	1					
Other external causes (inclusions, see Table 5).....	50	2	1	4		2	3	2	5	4	4	7	11	3	2	5	1		
All other causes.....	344	138	6		2	2	2	5	5	11	14	7	44	43	37	19	9		
<b>SEATTLE, WASH., all causes.....</b>	<b>3,564</b>	<b>228</b>	<b>37</b>	<b>22</b>	<b>14</b>	<b>10</b>	<b>60</b>	<b>42</b>	<b>74</b>	<b>101</b>	<b>95</b>	<b>125</b>	<b>324</b>	<b>532</b>	<b>624</b>	<b>683</b>	<b>589</b>	<b>4</b>	
Typhoid and paratyphoid fever (1).....	7									1	1	2	1	2					
Measles (7).....	2	1	1																
Scarlet fever (8).....	3						3												
Whooping cough (9).....	5	2			1														
Diphtheria (10).....	8			3			3	1											
Influenza (11).....	71	11	8	2	1		3	1	1		1	1	13	7	5	5	13		
Meningococcus meningitis (24).....	25	2	3				3	1		4			1	2					
Tuberculosis of the respiratory system (31).....	170		1	2			1	3	16	18	18	10	31	30	14	12	4		1
Other forms of tuberculosis (32-37).....	59	4	3	5		3	8	2	5	2	2	7	3	5	3	2			
Cancer and other malignant tumors (43-49).....	473			2			2	2	1	3	7	36	103	117	121	78			
Diabetes mellitus (57).....	60				1				1	1	2	1	4	7	20	19	4		
Cerebral hemorrhage and softening (74, 83).....	250							1		1	3	12	26	60	80	67			
Other [organic] diseases of the heart (90).....	622	1					2	2	4	7	5	8	31	75	136	178	173		
Bronchitis (99).....	14														4	4	6		
Broncho-pneumonia (100).....	81	25	2	1				2		1			5	12	5	15	11		
Pneumonia (101).....	132	6	2	2	2		1	4	7	2		7	10	20	19	23	27		
Diarrhea and enteritis (113, 114).....	19	6	2	2									1	3	3	1			
Appendicitis and typhilitis (117).....	68		1					2	3	1	3	7	6	8	11	13	10	3	
Hernia, intestinal obstruction (118).....	42	2	1							1	3	2	6	5	5	9	7		
Cirrhosis of the liver (122).....	19												1	4	4	8	2		
Nephritis (128, 129).....	204						1	1	2	5	4	2	14	26	50	49	50		
Diseases of the female genital organs (137-141).....	31								1		3	4	8	10	2				
Puerperal septicemia (146).....	16								3	5	4	2	2	2					
Other puerperal causes (143-145, 147-150).....	25								3	3	6	6	9	1					
Suicide (165-174).....	94								3	5	12	10	17	22	12	10	2		1
Homicide (197-200).....	10								1	1	1	1	4	1					
Automobile accidents <sup>1</sup> (188c).....	69		1		1	1	8	4		4	5	3	8	10	9	8	7		
Automobile and railroad-train collision (part 188a).....	3												1						
Automobile and street-car collision (part 188b).....	1																		
Other external causes (inclusions, see Table 5).....	152	1	3	1	3	4	4	4	6	10	3	11	22	27	25	16	14		2
All other causes.....	829	167	7	1	4	4	17	13	16	20	15	21	69	120	118	117	120		
<b>SPOKANE, WASH., all causes.....</b>	<b>1,514</b>	<b>142</b>	<b>19</b>	<b>12</b>	<b>13</b>	<b>12</b>	<b>35</b>	<b>35</b>	<b>42</b>	<b>51</b>	<b>39</b>	<b>56</b>	<b>131</b>	<b>187</b>	<b>227</b>	<b>270</b>	<b>243</b>		
Typhoid and paratyphoid fever (1).....	8							1	1	1	1	2	1	1					
Measles (7).....	2		1																
Scarlet fever (8).....	7				1	1	3			1									
Whooping cough (9).....	1	1																	
Diphtheria (10).....	8				1	1	4		1				1						
Influenza (11).....	35	4	1	1	1	1	1	1	1	1	1	2	2	3	2	4	11		
Meningococcus meningitis (24).....	51	3		4	1	1	7	7	11	4	2	3	4	3	1				
Tuberculosis of the respiratory system (31).....	32	1			1	1			3	2	5	4	6	4					
Other forms of tuberculosis (32-37).....	12	2	1					1	1	1		1	2						
Cancer and other malignant tumors (43-49).....	169								1	1	1	1	13	35	41	51	24		
Diabetes mellitus (57).....	29								3	1	2		1	3	4	10	4		
Cerebral hemorrhage and softening (74, 83).....	100												7	10	21	34	28		
Other [organic] diseases of the heart (90).....	135	1						1	2	2	3	2	9	15	14	42	43		
Bronchitis (99).....	7																		
Broncho-pneumonia (100).....	51	20	3	3	3	1					1	1	3	3	3	4	9		
Pneumonia (101).....	66	3	1						2	2	3	5	3	8	18	11	8		
Diarrhea and enteritis (113, 114).....	11	2	5	1											1	1	1		
Appendicitis and typhilitis (117).....	36						1	3	4	1	2	3	6	4	5	2	1		
Hernia, intestinal obstruction (118).....	21	3																	

CAUSES OF DEATH, BY AGE

TABLE 9.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM IMPORTANT CAUSES, BY AGE, IN LARGE CITIES: 1926—Continued

[See note at head of this table, p. 285]

AREA AND CAUSE OF DEATH	All deaths	Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 to 74 years	75 years and over	Age unknown
MILWAUKEE, WIS., all causes.....	5,730	856	127	53	40	31	94	77	96	178	162	223	487	605	821	987	893	-----
Typhoid and paratyphoid fever (1).....	7	-----	-----	-----	-----	-----	-----	-----	1	2	1	2	1	-----	-----	-----	-----	-----
Measles (7).....	23	7	10	3	-----	2	-----	-----	-----	1	-----	-----	-----	-----	-----	-----	-----	-----
Scarlet fever (8).....	5	-----	1	1	1	-----	1	-----	-----	-----	-----	1	-----	-----	-----	-----	-----	-----
Whooping cough (9).....	25	20	4	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----
Diphtheria (10).....	53	3	10	5	7	6	13	2	1	3	1	-----	2	-----	-----	-----	-----	-----
Influenza (11).....	113	13	7	3	-----	2	1	1	2	7	7	3	15	10	12	18	12	-----
Meningococcus meningitis (24).....	9	2	1	-----	1	-----	2	1	-----	-----	-----	-----	2	-----	-----	-----	-----	-----
Tuberculosis of the respiratory system (31).....	299	1	1	2	1	-----	1	1	28	47	48	50	55	29	26	8	1	-----
Other forms of tuberculosis (32-37).....	64	8	5	5	3	3	5	5	4	2	3	6	3	4	6	2	-----	-----
Cancer and other malignant tumors (43-49).....	549	-----	-----	2	-----	-----	-----	1	-----	3	4	6	42	104	145	174	68	-----
Diabetes mellitus (57).....	118	1	-----	-----	-----	-----	-----	3	4	3	1	3	6	10	21	51	15	-----
Cerebral hemorrhage and softening (74, 83).....	361	-----	-----	-----	-----	-----	-----	-----	-----	1	-----	2	10	44	80	106	118	-----
Other [organic] diseases of the heart (90).....	811	-----	1	1	-----	1	6	7	4	9	7	7	42	87	148	217	274	-----
Bronchitis (99).....	49	13	6	-----	1	-----	-----	-----	-----	-----	-----	-----	2	2	1	6	20	-----
Broncho-pneumonia (100).....	281	108	27	8	3	2	4	3	5	1	1	13	13	13	14	30	49	-----
Pneumonia (101).....	306	44	8	8	1	2	5	2	3	13	10	13	33	33	47	51	33	-----
Diarrhea and enteritis (113, 114).....	154	108	16	5	2	2	2	-----	1	-----	-----	-----	2	1	4	4	7	-----
Appendicitis and typhlitis (117).....	99	-----	1	2	1	1	6	9	8	6	7	10	21	7	12	7	1	-----
Hernia, intestinal obstruction (118).....	55	9	1	-----	-----	-----	1	1	-----	-----	-----	-----	3	7	16	12	5	-----
Cirrhosis of the liver (122).....	45	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	7	13	10	5	6	-----
Nephritis (128, 129).....	401	-----	-----	1	-----	-----	2	4	2	8	2	15	19	60	75	119	94	-----
Diseases of the female genital organs (137-141).....	34	-----	-----	-----	-----	-----	-----	-----	1	3	2	4	6	9	2	4	3	-----
Puerperal septicemia (146).....	23	-----	-----	-----	-----	-----	-----	-----	1	8	3	7	4	-----	-----	-----	-----	-----
Other puerperal causes (143-145, 147-150).....	49	-----	-----	-----	-----	-----	-----	1	3	12	13	8	12	-----	-----	-----	-----	-----
Suicide (165-174).....	97	-----	-----	-----	-----	-----	-----	-----	1	6	4	9	24	17	19	12	5	-----
Homicide (197-200).....	21	2	-----	-----	-----	-----	-----	-----	-----	3	3	6	3	3	1	-----	-----	-----
Automobile accidents <sup>1</sup> (188c).....	101	1	1	-----	5	3	20	4	3	9	1	5	8	7	13	14	7	-----
Automobile and railroad-train collision (part 188a).....	3	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	1	-----	-----	-----	-----	-----
Automobile and street-car collision (part 188b).....	2	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----
Other external causes (inclusions, see Table 5).....	231	5	4	-----	6	4	6	10	5	5	10	15	53	35	25	27	21	-----
All other causes.....	1,342	511	23	7	6	3	19	25	22	22	29	48	99	110	144	120	154	-----

<sup>1</sup> Excludes collision with railroad trains and street cars.

NOTE.—Populations in reports of Fourteenth Census of the United States, 1920: Vol. II, Ch. III, Tables 15 and 16, and Thirteenth Census of the United States, 1910: Vol. I, Ch. IV, Tables 49 and 50.

MORTALITY STATISTICS

TABLE 10.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM IMPORTANT CAUSES, BY MONTHS, IN EACH REGISTRATION STATE: 1926

[Numbers after causes of death correspond to those of the 1920 revision of the detailed International List]

AREA AND CAUSE OF DEATH	All deaths	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
THE REGISTRATION AREA IN CONTINENTAL UNITED STATES, all causes													
	1,285,927	118,987	109,659	139,821	122,748	109,121	97,014	97,948	91,880	91,752	98,828	99,640	108,529
Typhoid and paratyphoid fever (1)	6,826	373	229	245	215	298	379	723	1,069	1,091	1,056	697	451
Malaria (5)	2,006	73	59	58	58	101	171	253	293	318	336	196	90
Smallpox (6)	377	45	91	72	74	34	21	6	8	1	4	9	12
Measles (7)	8,007	738	1,102	1,659	1,703	1,416	775	420	179	95	97	149	274
Scarlet fever (8)	2,662	333	279	367	301	279	207	148	84	91	146	189	238
Whooping cough (9)	9,317	602	708	1,276	1,344	934	793	796	742	615	564	593	560
Diphtheria (10)	7,856	797	594	578	621	468	459	374	387	549	990	1,173	966
Influenza (11)	42,809	4,406	5,718	11,966	8,761	3,189	1,202	649	522	682	1,235	1,845	2,639
Dysentery (16)	2,921	65	75	93	78	181	324	553	489	479	371	131	82
Erysipelas (21)	2,680	288	293	368	371	331	173	166	115	96	109	160	240
Lethargic encephalitis (23)	1,499	133	142	178	174	161	117	120	115	92	91	84	92
Meningococcus meningitis (24)	1,413	131	150	144	127	134	109	123	98	93	97	90	117
Tuberculosis of the respiratory system (31)	80,375	7,148	6,900	8,210	7,908	7,619	6,891	6,476	5,953	5,618	5,788	5,713	6,151
Other forms of tuberculosis (32-37)	11,193	898	811	1,022	1,087	1,126	1,064	1,024	959	825	833	749	795
Diabetes mellitus (57)	18,831	1,819	1,711	1,985	1,714	1,451	1,413	1,349	1,270	1,348	1,497	1,593	1,731
Cerebral hemorrhage and softening (74, 83)	90,832	8,399	7,768	9,098	8,504	7,656	6,921	6,757	6,278	6,415	7,282	7,507	8,247
Other [organic] diseases of the heart (90)	184,897	17,837	16,136	20,605	17,496	15,768	14,089	13,331	12,156	12,272	14,092	14,503	16,662
Bronchitis (99)	46,148	5,810	5,198	7,011	5,999	3,702	2,282	1,551	1,451	1,729	2,710	3,647	4,635
Broncho-pneumonia (100)	61,849	8,838	7,619	10,945	7,535	4,774	2,800	1,944	1,682	1,830	2,994	4,691	6,094
Pneumonia (101)	28,374	1,262	1,036	1,291	1,252	1,706	2,568	3,504	4,452	4,362	3,626	1,571	1,144
Diarrhea and enteritis [under 2 years] (113)	6,922	338	312	313	371	395	670	969	982	1,081	761	426	354
Diarrhea and enteritis [2 years and over] (114)	103,332	9,778	8,816	10,599	9,408	8,917	7,916	8,083	7,213	7,236	8,127	8,309	8,920
Nephritis (128, 129)	5,518	521	496	581	498	537	452	393	353	391	406	471	471
Puerperal septicemia (146)	9,540	801	821	1,089	818	876	801	776	787	655	670	670	670
Other puerperal causes (143-145, 147-150)	13,410	1,028	913	1,146	1,217	1,170	1,203	1,170	1,048	1,129	1,158	1,129	1,099
Suicide (165-174)	18,871	1,229	919	1,050	1,247	1,582	1,572	1,762	1,964	1,991	2,109	1,969	1,577
Automobile accidents <sup>1</sup> (188c)	1,566	112	95	107	89	117	24	27	54	55	40	54	51
Automobile and railroad-train collision (part 188a)	454	31	24	24	24	27	33	27	54	54	39	51	51
Automobile and street-car collision (part 188b)	464	31	24	24	24	27	33	27	54	54	39	51	51
Other external causes (175-187, part 188a, b, 188d-203)	71,034	6,000	4,994	5,590	5,358	5,731	5,869	7,222	6,436	5,845	5,574	5,900	6,515
All other causes	436,997	38,521	34,918	40,444	37,884	37,898	35,303	36,718	34,436	33,707	35,434	34,896	36,838
REGISTRATION STATES, <sup>2</sup> all causes													
	1,267,256	116,264	106,871	137,162	120,353	106,812	94,628	95,602	89,716	89,657	96,669	97,323	106,199
Typhoid and paratyphoid fever (1)	6,598	359	223	240	207	283	357	689	1,051	1,053	1,021	690	435
Malaria (5)	1,925	72	57	56	58	97	162	246	282	311	319	181	84
Smallpox (6)	376	45	91	72	74	34	20	6	8	1	4	9	12
Measles (7)	8,579	737	1,100	1,659	1,702	1,411	767	412	178	95	97	149	274
Scarlet fever (8)	2,688	328	278	366	298	277	207	148	83	90	143	187	233
Whooping cough (9)	9,128	596	689	1,261	1,114	905	769	766	728	605	555	585	555
Diphtheria (10)	7,694	781	577	567	612	466	455	374	383	538	963	1,136	942
Influenza (11)	41,527	4,230	5,326	11,665	8,621	3,139	1,185	632	515	662	1,199	1,784	2,569
Dysentery (16)	2,801	60	89	88	72	170	308	537	470	462	361	127	77
Erysipelas (21)	2,654	287	260	365	368	327	170	162	114	96	109	159	237
Lethargic encephalitis (23)	1,472	131	137	176	172	161	115	116	114	89	90	83	88
Meningococcus meningitis (24)	1,385	130	146	141	126	131	104	120	95	92	96	88	116
Tuberculosis of the respiratory system (31)	77,805	6,898	6,660	7,963	7,673	7,406	6,702	6,247	5,760	5,438	5,611	5,512	5,935
Other forms of tuberculosis (32-37)	10,935	879	794	991	1,056	1,099	1,035	998	940	813	817	735	778
Diabetes mellitus (57)	18,604	1,789	1,680	1,969	1,685	1,426	1,385	1,331	1,246	1,335	1,475	1,573	1,710
Cerebral hemorrhage and softening (74, 83)	89,229	8,255	7,623	8,942	8,367	7,531	6,800	6,636	6,153	6,323	7,141	7,351	8,107
Other [organic] diseases of the heart (90)	182,223	17,537	15,878	20,352	17,258	15,558	13,834	13,116	11,977	12,089	13,908	14,278	16,438
Bronchitis (99)	6,833	814	753	1,005	793	532	383	315	256	310	473	555	644
Broncho-pneumonia (100)	45,361	5,499	5,091	7,614	5,830	3,660	2,248	1,552	1,399	1,681	2,654	3,581	4,562
Pneumonia (101)	60,255	8,579	7,333	10,799	7,400	4,691	2,745	1,896	1,535	1,794	2,931	4,587	5,965
Diarrhea and enteritis [under 2 years] (113)	27,392	1,241	1,019	1,262	1,218	1,578	2,370	3,346	4,324	4,848	3,545	1,527	1,114
Diarrhea and enteritis [2 years and over] (114)	6,653	321	299	297	353	375	632	928	955	1,001	739	409	344
Nephritis (128, 129)	100,980	9,552	8,623	10,357	9,198	8,743	7,732	7,884	7,030	7,051	7,956	8,117	8,737
Puerperal septicemia (146)	5,357	510	478	568	487	524	406	437	377	346	381	387	466
Other puerperal causes (143-145, 147-150)	9,297	781	800	1,067	895	859	778	766	743	710	638	618	652
Suicide (165-174)	13,082	1,004	889	1,117	1,181	1,144	1,173	1,144	1,018	1,101	1,137	1,108	1,066
Automobile accidents <sup>1</sup> (188c)	18,419	1,199	881	1,012	1,211	1,541	1,545	1,734	1,927	1,952	2,063	1,831	1,523
Automobile and railroad-train collision (part 188a)	1,540	112	95	106	89	117	122	131	123	147	178	167	153
Automobile and street-car collision (part 188b)	454	31	23	24	24	27	33	27	54	54	39	51	51
Other external causes (175-187, part 188a, b, 188d-203)	69,336	5,844	4,874	5,449	5,217	5,589	5,716	7,092	6,296	5,718	5,445	5,737	6,359
All other causes	426,724	37,663	34,125	39,612	37,078	37,021	34,370	35,824	33,584	32,852	34,581	34,031	35,983
ALABAMA (WHITE), all causes													
	15,416	1,511	1,407	1,717	1,325	1,157	1,199	1,314	1,147	1,110	1,165	1,198	1,166
Typhoid and paratyphoid fever (1)	207	7	4	2	6	5	10	29	43	44	28	20	9
Malaria (5)	95	3			3	6	5	10	12	13	24	9	6
Smallpox (6)	3				1								
Measles (7)	111	7	8	17	36	17	14	7	1	2	2	2	3
Scarlet fever (8)	16	1	2	1	2	1					3	1	3
Whooping cough (9)	178	13	10	20	17	21	23	24	15	11	10	8	6
Diphtheria (10)	173	13	6	8	4	2	1	4	7	16	23	55	34
Influenza (11)	878	102	201	314	102	29	12	4	5	14	20	40	35
Dysentery (16)	55	1	2	4	2	4	6	17	8	5	3	2	1
Erysipelas (21)	39	3	3	3	4	2			4	2	7	4	2
Lethargic encephalitis (23)	12	1	1	1	1	4			1	1	1	4	
Meningococcus meningitis (24)	10												
Tuberculosis of the respiratory system (31)	771	89	73	90	70	65	67	65	60	46	55	52	39
Other forms of tuberculosis (32-37)	88	5	4	7	6	13	13	6	7	8	5	8	6
Diabetes mellitus (57)	131	19	6	14	6	14	8	5	13	11	13	9	13
Cerebral hemorrhage and softening (74, 83)	765	66	55	76	86	71	40	54	47	52	66	79	73
Other [organic] diseases of the heart (90)	1,443	146	157	164	125	114	103	106	100	106	98	110	114
Bronchitis (99)	65	6	6	4</									

CAUSES OF DEATH, BY MONTH OF OCCURRENCE

TABLE 10.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM IMPORTANT CAUSES, BY MONTHS, IN EACH REGISTRATION STATE: 1926—Continued

[Numbers after causes of death correspond to those of the 1920 revision of the detailed International List]

AREA AND CAUSE OF DEATH	All deaths	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
<b>ALABAMA (COLORED), all causes</b>	<b>14, 276</b>	<b>1, 335</b>	<b>1, 273</b>	<b>1, 591</b>	<b>1, 280</b>	<b>1, 179</b>	<b>1, 159</b>	<b>1, 227</b>	<b>1, 064</b>	<b>992</b>	<b>1, 094</b>	<b>1, 040</b>	<b>1, 042</b>
Typhoid and paratyphoid fever (1)	169	2	5	3	7	9	10	21	38	32	25	15	2
Malaria (5)	122	3	4	1	2	7	14	12	15	20	22	13	9
Smallpox (6)	2					1	1						
Measles (7)	23			3	5	3	5	5	1				1
Scarlet fever (8)													
Whooping cough (9)	124	8	10	14	10	12	20	24	8	5	7	6	
Diphtheria (10)	47	7	2	3	2	2	1	1	1	4	9	7	6
Influenza (11)	707	77	115	287	87	33	20	12	13	9	21	22	31
Dysentery (16)	54	1	1	3	4	5	11	9	6	2	4	3	6
Erysipelas (21)	7		1	1					2	1	1	1	
Lethargic encephalitis (23)	4												1
Meningococcus meningitis (24)	5									2			2
Tuberculosis of the respiratory system (31)	1, 390	116	114	139	144	126	107	128	98	106	105	102	115
Other forms of tuberculosis (32-37)	131	12	4	9	8	12	14	20	11	13	10	6	12
Diabetes mellitus (57)	70	8	10	6	3	7	2	2	7	5	8	9	3
Cerebral hemorrhage and softening (74, 83)	626	57	57	52	53	67	42	55	36	38	62	60	47
Other [organic] diseases of the heart (90)	1, 344	136	110	129	128	126	117	122	108	85	96	98	89
Bronchitis (99)	30	4	3	2	2	2	3	4	4	4	3	4	1
Broncho-pneumonia (100)	300	43	57	39	28	21	12	9	15	8	15	28	25
Pneumonia (101)	861	141	130	170	91	55	48	33	17	27	43	50	56
Diarrhea and enteritis [under 2 years] (113)	277	6	4	6	6	19	66	54	45	41	16	8	6
Diarrhea and enteritis [2 years and over] (114)	81	2	3	3	7	7	16	8	10	7	11	3	4
Nephritis (123, 129)	976	85	73	82	34	104	75	101	82	73	64	83	70
Puerperal septicemia (146)	88	8	9	12	8	4	9	11	8	6	6	2	5
Other puerperal causes (143-145, 147-150)	176	20	14	22	20	17	20	17	7	12	8	7	12
Suicide (165-174)	14	1	1	2	2	2	1	3			1	1	1
Automobile accidents <sup>1</sup> (188c)	98	7	5	7	9	12	5	6	7	6	11	9	14
Automobile and railroad-train collision (part 188a)	4				1					2			1
Automobile and street-car collision (part 188b)													
Other external causes (175-187, part 188a, b, 188d-203)	1, 091	116	81	99	85	82	85	106	86	90	79	76	106
All other causes	5, 455	476	460	527	486	446	459	462	434	394	467	427	417
<b>ARIZONA, all causes</b>	<b>5, 572</b>	<b>486</b>	<b>534</b>	<b>585</b>	<b>478</b>	<b>514</b>	<b>471</b>	<b>460</b>	<b>394</b>	<b>365</b>	<b>398</b>	<b>425</b>	<b>462</b>
Typhoid and paratyphoid fever (1)	31	2	1	1	3	1	5	5	3	1	3	3	3
Malaria (5)	1									1			
Smallpox (6)	6				6								
Measles (7)	8	4					2	1	1				
Scarlet fever (8)	10				1	2	1	2		1	1	1	1
Whooping cough (9)	46		7	10	3	6	3	5	4		5	2	1
Diphtheria (10)	21	3					2	3	2	1	4	3	2
Influenza (11)	251	28	74	51	30	21	6	8	2	3	2	7	19
Dysentery (16)	18				2	6	1	3	1	2	1	1	1
Erysipelas (21)	9		1	1		2			2	1			1
Lethargic encephalitis (23)	3												
Meningococcus meningitis (24)	7					1	1	1	1	1	2		1
Tuberculosis of the respiratory system (31)	1, 378	132	143	163	117	118	106	105	89	82	103	106	114
Other forms of tuberculosis (32-37)	84	5	6	11	5	7	7	6	11	6	5	4	11
Diabetes mellitus (57)	37	4	3			3	2	3	1	3	5	7	6
Cerebral hemorrhage and softening (74, 83)	124	11	10	6	11	12	19	10	6	13	5	12	9
Other [organic] diseases of the heart (90)	328	36	33	30	26	19	22	21	22	27	23	30	39
Bronchitis (99)	31	4	3	2	3	4	1	3	2	2	4	3	2
Broncho-pneumonia (100)	217	25	36	28	24	22	11	6	2	10	12	18	23
Pneumonia (101)	246	39	28	43	20	18	11	11	15	7	17	19	18
Diarrhea and enteritis [under 2 years] (113)	358	6	8	15	31	62	55	39	39	31	27	28	17
Diarrhea and enteritis [2 years and over] (114)	56	4	1	1	5	7	5	8	4	6	6	5	4
Nephritis (123, 129)	193	18	18	24	16	18	14	15	15	14	14	11	16
Puerperal septicemia (146)	30	1	5	2	3	2	2	4	1	2	2	3	5
Other puerperal causes (143-145, 147-150)	56	3	1	7	7	3	5	2	4	12	7	2	3
Suicide (165-174)	51	4	4	9	7	4	3	5	1	4	2	4	4
Automobile accidents <sup>1</sup> (188c)	116	12	8	12	4	5	11	9	12	11	8	14	10
Automobile and railroad-train collision (part 188a)	3	1											
Automobile and street-car collision (part 188b)													
Other external causes (175-187, part 188a, b, 188d-203)	375	16	24	20	38	33	33	53	47	23	32	28	28
All other causes	1, 478	128	120	148	116	139	141	134	105	101	108	114	124
<b>CALIFORNIA, all causes</b>	<b>58, 914</b>	<b>5, 954</b>	<b>5, 189</b>	<b>5, 182</b>	<b>4, 849</b>	<b>4, 705</b>	<b>4, 661</b>	<b>4, 509</b>	<b>4, 386</b>	<b>4, 196</b>	<b>4, 612</b>	<b>4, 938</b>	<b>5, 733</b>
Typhoid and paratyphoid fever (1)	121	9	7	7	10	15	12	15	15	11	9	4	7
Malaria (5)	14	1	2	1	1	1	1		2	1	1	2	1
Smallpox (6)	235	29	79	55	51	15	2						3
Measles (7)	126	3	6	9	9	14	17	16	4	3	5	11	29
Scarlet fever (8)	49	7	3	3	3	4	3	2	3	1	7	3	5
Whooping cough (9)	172	26	21	21	21	21	13	10	12	6	4	10	7
Diphtheria (10)	298	25	20	20	21	23	16	21	20	21	34	34	43
Influenza (11)	1, 086	295	294	125	68	46	26	25	25	24	44	40	84
Dysentery (16)	85	2	5	10	11	6	3	4	9	7	10	7	8
Erysipelas (21)	63	7	3	5	10	6	3	4	5	4	5	6	3
Lethargic encephalitis (23)	64	7	3	5	10	6	3	4	5	4	6	3	3
Meningococcus meningitis (24)	116	16	19	10	10	14	4	11	5	9	9	7	7
Tuberculosis of the respiratory system (31)	5, 136	518	456	468	483	463	444	405	387	345	368	380	416
Other forms of tuberculosis (32-37)	682	71	45	74	63	65	54	58	70	53	50	31	48
Diabetes mellitus (57)	877	87	84	63	53	57	73	69	63	67	83	87	91
Cerebral hemorrhage and softening (74, 83)	4, 165	412	354	364	370	343	292	294	337	291	340	355	413
Other [organic] diseases of the heart (90)	9, 471	1, 055	802	824	777	770	760	641	680	662	692	777	1, 081
Bronchitis (99)	268	36	34	29	22	19	17	11	19	14	18	20	29
Broncho-pneumonia (100)	1, 717	276	192	157	127	116	98	75	94	80	120	158	224
Pneumonia (101)	1, 893	303	235	185	145	116	106	82	89	88	137	167	237
Diarrhea and enteritis [under 2 years] (113)	1, 038	55	45	55	85	121	118	100	85	77	113	104	77
Diarrhea and enteritis [2 years and over] (114)	261	23	15	13	21	28	22	26	23	17	29	23	21
Nephritis (123, 129)	4, 284	403	378	412	367	303	320	323	320	309	356	371	422
Puerperal septicemia (146)	175	19	17	19	7	12	13	11	16	10	11	20	20
Other puerperal causes (143-145, 147-150)	293	24	23	37	25	23	23	23	20	26	19	17	28
Suicide (165-174)	1, 128	97	103	78	90	88	95	101	86	87	112	98	93
Automobile accidents <sup>1</sup> (188c)	1, 464	133	89	107	99	111	126	110	146	129	135	145	134
Automobile and railroad-train collision (part 188a)	124	5	3	13	7	11	11	12	9	10	19	8	16
Automobile and street-car collision (part 188b)	62	8	2	5	2	1	10	6	8	2	5	4	9
Other external causes (175-187, part 188a, b, 188d-203)	3, 222	243	205	264	234	252	305	316	284	257	274	274	316
All other causes	20, 225	1, 762	1, 639	1, 738	1, 649	1, 630	1, 668	1, 730	1, 545	1, 586	1, 597	1, 773	1, 908

<sup>1</sup> Excludes collision with railroad trains and street cars.

TABLE 10.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM IMPORTANT CAUSES, BY MONTHS, IN EACH REGISTRATION STATE: 1926—Continued

[Numbers after causes of death correspond to those of the 1920 revision of the detailed International List]

AREA AND CAUSE OF DEATH	All deaths	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
<b>COLORADO, all causes</b> .....	12, 273	1, 101	1, 104	1, 297	1, 003	997	807	884	965	1, 053	1, 005	938	1, 119
Typhoid and paratyphoid fever (1).....	62	8	1	3	1	6	2	4	5	14	7	9	2
Malaria (5).....	1												
Smallpox (6).....	13	1	2		1		3						2
Measles (7).....	22	4		1	4	1			1	1		3	6
Scarlet fever (8).....	182	15	23	40	27	24	13	18	6	7	5	1	3
Whooping cough (9).....	97	16	14	10	7	5	6	3	5	12	7	5	7
Diphtheria (10).....	593	62	113	128	67	24	15	18	16	19	22	39	70
Influenza (11).....	15			3		1		2	2	3	2	2	
Dysentery (16).....	37	4	4	5	4	4		3		1		4	6
Erysipelas (21).....	17	1	3	5	3	1		1	1	1	1		
Lethargic encephalitis (23).....	11		1			2				1	1		4
Meningococcus meningitis (24).....	1, 443	126	134	143	124	123	117	126	110	126	104	99	111
Tuberculosis of the respiratory system (31).....	84	5	5	6	11	14	6	3	6	2	10	9	7
Other forms of tuberculosis (32-37).....	142	9	14	23	8	13	9	8	11	11	9	13	14
Diabetes mellitus (57).....	793	69	75	75	67	57	52	50	67	74	71	64	72
Cerebral hemorrhage and softening (74, 83).....	1, 201	116	123	140	110	106	79	84	97	79	102	103	122
Other [organic] diseases of the heart (90).....	46	5	3	5	1	6	1	1	2	2	4	4	10
Bronchitis (99).....	471	57	70	85	37	34	19	14	19	25	25	35	71
Broncho-pneumonia (100).....	572	85	79	78	47	35	28	22	17	21	42	44	79
Pneumonia (101).....	312	9	8	6	10	13	15	23	60	95	48	16	4
Diarrhea and enteritis [under 2 years] (113).....	54	1		5		3		4	14	17	3	2	2
Diarrhea and enteritis [2 years and over] (114).....	764	76	63	78	64	64	48	53	52	68	62	67	69
Nephritis (128, 129).....	64	8	2	10	9	5	3	5	4	6	4	5	9
Puerperal septicemia (146).....	73	8	8	12	4	9	5	4	7	7	4	5	3
Other puerperal causes (143-145, 147-150).....	156	8	9	12	18	9	3	4	13	12	18	17	13
Suicide (165-174).....	175	7	11	11	8	15	11	11	24	23	21	14	4
Automobile accidents <sup>1</sup> (188c).....	15	1		2		1			1	1			
Automobile and railroad-train collision (part 188a).....	2												
Automobile and street-car collision (part 188b).....	752	54	46	41	43	68	63	80	80	107	59	51	60
Other external causes (175-187, part 188a, b, 188d-203).....	4, 044	348	292	397	318	350	302	320	343	318	372	326	358
All other causes.....													
<b>CONNECTICUT, all causes</b> .....	18, 318	1, 674	1, 519	2, 051	1, 944	1, 568	1, 347	1, 336	1, 309	1, 255	1, 373	1, 332	1, 610
Typhoid and paratyphoid fever (1).....	30	4	2	3	1	1	1	2	8	4	1	2	1
Malaria (5).....	2							1					1
Smallpox (6).....	203	41	39	48	28	26	12	6	1				2
Measles (7).....	36	4	4	10	3	3	1	3		1	2	3	2
Scarlet fever (8).....	35	12	10	17	12	11	4	5	4	4	1	2	3
Whooping cough (9).....	87	17	14	10	10	4	2	2	3		6	5	14
Diphtheria (10).....	486	44	37	128	146	38	16	6	3	4	15	14	35
Influenza (11).....	9	1	1	1	1	1		1		1	1		1
Dysentery (16).....	46	4	4	10	2	7	2	3	2	1	3	4	4
Erysipelas (21).....	26	4	3	1	1	2		2	1	6	1	1	1
Lethargic encephalitis (23).....	13		1	1	1	2		3		1	1		1
Meningococcus meningitis (24).....	1, 062	68	95	114	101	110	99	66	88	62	88	79	92
Tuberculosis of the respiratory system (31).....	160	15	9	18	26	11	14	13	12	6	10	9	17
Other forms of tuberculosis (32-37).....	357	24	28	41	28	31	23	29	32	26	31	42	42
Diabetes mellitus (57).....	1, 455	133	112	141	156	108	104	112	129	94	115	120	131
Cerebral hemorrhage and softening (74, 83).....	3, 102	250	275	376	292	256	253	234	181	205	232	235	313
Other [organic] diseases of the heart (90).....	124	19	15	13	22	7	8	6	2	5	8	14	5
Bronchitis (99).....	648	72	48	105	126	65	34	19	16	22	44	34	63
Broncho-pneumonia (100).....	981	135	102	181	151	89	44	30	25	25	38	64	97
Pneumonia (101).....	266	15	16	15	11	16	4	20	61	49	33	10	16
Diarrhea and enteritis [under 2 years] (113).....	76	3	4	1	7	4	3	4	23	9	10	4	4
Diarrhea and enteritis [2 years and over] (114).....	1, 507	159	114	173	140	133	110	109	105	103	118	121	122
Nephritis (128, 129).....	59	5	4	9	4	5	5	6	4	3	2	6	6
Puerperal septicemia (146).....	109	7	7	20	6	8	8	12	7	4	8	11	11
Other puerperal causes (143-145, 147-150).....	216	21	15	21	16	21	19	16	22	19	21	10	15
Suicide (165-174).....	307	26	9	13	20	37	24	24	29	33	32	37	23
Automobile accidents <sup>1</sup> (188c).....	9				1			1	2	1	3		
Automobile and railroad-train collision (part 188a).....	9		1			1		1	4	1			2
Automobile and street-car collision (part 188b).....	842	78	65	62	60	53	70	103	77	74	75	48	77
Other external causes (175-187, part 188a, b, 188d-203).....	6, 006	513	485	519	572	515	483	498	482	483	479	467	510
All other causes.....													
<b>DELAWARE, all causes</b> .....	3, 447	349	378	412	339	261	241	243	223	216	254	263	268
Typhoid and paratyphoid fever (1).....	14	1		2		2		2	1	2	2	1	1
Malaria (5).....	1								1				
Smallpox (6).....	52	1	17	14	11	4	4		1				
Measles (7).....	5	1			1	1						1	1
Scarlet fever (8).....	21	1	3	3	5	1	1	1	3	1	2		
Whooping cough (9).....	18	2	4	2	2	2	1	1	1	1	2	2	
Diphtheria (10).....	114	8	19	39	19	6	4	1	2	1	2	5	8
Influenza (11).....	4								3	1			
Dysentery (16).....	4	1				1	1	1	1				
Erysipelas (21).....	5	1		1		1	1	1	1		1		
Lethargic encephalitis (23).....	1											1	
Meningococcus meningitis (24).....	233	26	27	25	22	13	15	17	22	15	13	19	19
Tuberculosis of the respiratory system (31).....	29	4	2	2	5	4	3	3	3	1	4	1	1
Other forms of tuberculosis (32-37).....	50	6	8	4	4	3	6	2	1	4	4	6	2
Diabetes mellitus (57).....	336	21	34	33	36	36	26	25	25	18	23	29	30
Cerebral hemorrhage and softening (74, 83).....	504	43	50	59	51	37	40	28	28	31	57	42	38
Other [organic] diseases of the heart (90).....	11	3		2	2	1				1	1		1
Bronchitis (99).....	121	24	19	20	16	6	5	4	2	6	7	5	7
Broncho-pneumonia (100).....	195	28	35	56	22	9	7	5	1	4	4	9	15
Pneumonia (101).....	83	7	6	5	5	2	4	7	16	19	9	1	2
Diarrhea and enteritis [under 2 years] (113).....	20	2			4	2	2	3	1	3		1	
Diarrhea and enteritis [2 years and over] (114).....	397	49	41	31	84	37	28	38	22	22	29	35	31
Nephritis (128, 129).....	15	3	1	2	2	1	3	3	3	2	2	2	1
Puerperal septicemia (146).....	24	3	3		3	1	2	2	2	3	2	2	2
Other puerperal causes (143-145, 147-150).....	19	1		3	1	2	2	3	2	2	1	2	1
Suicide (165-174).....	50	7	1	4	3	2	6	5	6	3	6	4	3
Automobile accidents <sup>1</sup> (188c).....	16				4	1			4				
Automobile and railroad-train collision (part 188a).....	1												
Automobile and street-car collision (part 188b).....	160	12	15	16	16	12	12	14	13	10	13	10	17
Other external causes (175-187, part 188a, b, 188d-203).....	944	94	91	89	72	76	65	77	64	67	72	88	89
All other causes.....													

<sup>1</sup> Excludes collision with railroad trains and street cars.

# CAUSES OF DEATH, BY MONTH OF OCCURRENCE

321

TABLE 10.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM IMPORTANT CAUSES, BY MONTHS, IN EACH REGISTRATION STATE: 1926—Continued

[Numbers after causes of death correspond to those of the 1920 revision of the detailed International List]

AREA AND CAUSE OF DEATH	All deaths	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
<b>FLORIDA (WHITE), all causes.....</b>	<b>12,173</b>	<b>1,223</b>	<b>1,148</b>	<b>1,278</b>	<b>1,041</b>	<b>974</b>	<b>836</b>	<b>831</b>	<b>833</b>	<b>1,041</b>	<b>959</b>	<b>962</b>	<b>1,047</b>
Typhoid and paratyphoid fever (1).....	102	8	8	6	8	17	8	8	11	8	7	5	8
Malaria (5).....	106	3	5	5	4	3	12	13	7	11	23	13	7
Smallpox (6).....	2	1					1	1					1
Measles (7).....	19		3	6	1	1	1		2	1		1	2
Scarlet fever (8).....	14	1	3	1	1	6	4	2	1	2	3	2	1
Whooping cough (9).....	23	1	6	9	5	3	5	6	3	8	23	18	7
Diphtheria (10).....	102	11	6	123	13	16	16	4	6	7	14	22	18
Influenza (11).....	388	45	70	3	60	5	9	10	4	5	2	5	4
Dysentery (16).....	54	3	1	3	1	1	1	1	1	1	1		1
Erysipelas (21).....	11	3	2	1	1	1	1	1	2	1			2
Lethargic encephalitis (23).....	14			1	2		1	1	4	1			1
Meningococcus meningitis (24).....	16	2	3	1	2	32	32	33	20	39	31	45	43
Tuberculosis of the respiratory system (31).....	460	39	60	53	10	3	3	3	1	5	2	5	8
Other forms of tuberculosis (32-37).....	61	8	5	17	13	11	12	9	10	10	8	9	9
Diabetes mellitus (57).....	142	19	16	80	69	57	53	47	58	54	55	57	84
Cerebral hemorrhage and softening (74, 83).....	761	74	73	159	122	101	83	36	75	80	77	95	125
Other [organic] diseases of the heart (90).....	1,288	188	147	8	6	3	1	1	2	3	1	3	5
Bronchitis (99).....	44	6	5	41	17	16	4	11	12	20	34	26	12
Broncho-pneumonia (100).....	268	35	35	65	32	25	8	15	15	16	13	32	32
Pneumonia (101).....	357	50	54	31	33	48	41	32	27	18	25	26	15
Diarrhea and enteritis [under 2 years] (113).....	348	25	27	8	10	12	13	10	9	5	4	7	5
Diarrhea and enteritis [2 years and over] (114).....	101	9	11	6	10	12	13	10	9	5	4	7	5
Nephritis (128, 129).....	1,074	116	109	107	101	87	71	75	75	70	75	96	92
Puerperal septicemia (146).....	59	2	1	15	13	16	12	9	18	12	15	18	15
Other puerperal causes (143-145, 147-150).....	166	12	11	24	16	18	12	17	9	16	11	7	11
Suicide (165-174).....	167	14	12	24	16	18	12	17	9	16	11	7	11
Automobile accidents <sup>1</sup> (188c).....	400	59	44	35	27	28	21	29	25	19	33	35	45
Automobile and railroad-train collision (part 188a).....	32	2	2	2	1	4	2	1		3	3	8	4
Automobile and street-car collision (part 188b).....	1												
Other external causes (175-187, part 188a, b, 188d-203).....	1,274	105	81	84	78	103	97	75	87	300	80	65	119
All other causes.....	4,319	432	351	383	363	344	316	328	345	324	413	351	369
<b>FLORIDA (COLORED), all causes.....</b>	<b>7,871</b>	<b>668</b>	<b>665</b>	<b>763</b>	<b>648</b>	<b>666</b>	<b>662</b>	<b>628</b>	<b>635</b>	<b>623</b>	<b>617</b>	<b>669</b>	<b>627</b>
Typhoid and paratyphoid fever (1).....	88	4	2	4	5	12	9	10	19	5	9	6	3
Malaria (5).....	124	7	9	6	6	7	12	12	26	15	9	10	5
Smallpox (6).....	5			1	2	1	1	1					1
Measles (7).....	9	1	1		2	2	1		1				
Scarlet fever (8).....	1	1											
Whooping cough (9).....	31	2	3	5	2	2	6	1	1	1	1	1	6
Diphtheria (10).....	20	1	1	3	3	1	2	2	2	1	4	1	3
Influenza (11).....	324	14	38	96	63	28	18	10	2	12	8	13	22
Dysentery (16).....	47	1	3	2	2	5	6	9	4	4	6	5	
Erysipelas (21).....	2			1							1		
Lethargic encephalitis (23).....													1
Meningococcus meningitis (24).....	3	1	1										49
Tuberculosis of the respiratory system (31).....	633	52	58	66	64	48	42	64	40	49	57	44	3
Other forms of tuberculosis (32-37).....	46	1	6	4	5	7	6	3	3	3	2	2	3
Diabetes mellitus (57).....	37	5	3	4	4	7	5	2	1	3	2	1	3
Cerebral hemorrhage and softening (74, 83).....	445	50	38	44	32	41	32	28	35	30	33	48	36
Other [organic] diseases of the heart (90).....	600	38	56	52	49	55	45	53	53	54	54	49	41
Bronchitis (99).....	34	3	3	3	2	3	3	3	6	6	2	5	4
Broncho-pneumonia (100).....	142	26	14	18	14	10	20	17	17	13	20	35	34
Pneumonia (101).....	381	44	52	70	31	25	33	23	19	12	7	12	12
Diarrhea and enteritis [under 2 years] (113).....	200	19	13	14	10	26	33	33	9	2	3	4	5
Diarrhea and enteritis [2 years and over] (114).....	52	2	5	4	4	5	9	2	9	2	3	4	5
Nephritis (128, 129).....	611	56	51	52	52	45	61	51	38	47	49	64	45
Puerperal septicemia (146).....	68	11	2	7	2	9	7	3	4	5	7	7	4
Other puerperal causes (143-145, 147-150).....	79	4	6	4	6	10	7	6	6	10	9	6	5
Suicide (165-174).....	11	1	1	3	4	4	2	2				1	
Automobile accidents <sup>1</sup> (188c).....	115	12	11	10	9	7	6	6	11	9	17	7	10
Automobile and railroad-train collision (part 188a).....	3			1									
Automobile and street-car collision (part 188b).....	1												
Other external causes (175-187, part 188a, b, 188d-203).....	1,066	110	89	85	89	84	82	67	75	129	68	84	94
All other causes.....	2,690	203	202	208	190	221	231	241	259	207	241	253	234
<b>IDAHO, all causes.....</b>	<b>3,871</b>	<b>385</b>	<b>365</b>	<b>386</b>	<b>325</b>	<b>310</b>	<b>311</b>	<b>288</b>	<b>280</b>	<b>267</b>	<b>337</b>	<b>308</b>	<b>359</b>
Typhoid and paratyphoid fever (1).....	22	4			1	2	2	2	1	1	5	3	1
Malaria (5).....	1												
Smallpox (6).....	1												
Measles (7).....	3		1										
Scarlet fever (8).....	20	4	3		1	2	1	1	1	2		2	3
Whooping cough (9).....	42	5	9	7	8	6	1	1	1	1	1	1	1
Diphtheria (10).....	23	2	2	2	1	4	3	3	3	3	1	1	1
Influenza (11).....	222	41	70	42	21	10	6	2	2	3	5	7	16
Dysentery (16).....	6										1		
Erysipelas (21).....	14		1		1	1	1	1			4	3	
Lethargic encephalitis (23).....	8	1		2	1	1	1		1		1		1
Meningococcus meningitis (24).....	22	1	1	6	2	2	3				1		1
Tuberculosis of the respiratory system (31).....	153	11	14	21	15	6	11	16	7	7	13	16	16
Other forms of tuberculosis (32-37).....	27	2	2	1	2	6	3	3	3	2	3	2	5
Diabetes mellitus (57).....	46	5	6	4	6	4	3	2	2	1	7	1	3
Cerebral hemorrhage and softening (74, 83).....	276	34	21	25	24	25	14	18	17	21	23	20	34
Other [organic] diseases of the heart (90).....	432	39	44	34	28	24	39	42	40	18	40	39	45
Bronchitis (99).....	13	3	2	1			2	2			3		
Broncho-pneumonia (100).....	120	16	15	10	7	6	7	6	5	2	5	13	25
Pneumonia (101).....	162	22	24	7	18	11	11	6	6	7	18	15	17
Diarrhea and enteritis [under 2 years] (113).....	74	3	6	2	1	3	7	7	10	26	2	4	3
Diarrhea and enteritis [2 years and over] (114).....	24		1		1		3	3	8	7	2	2	3
Nephritis (128, 129).....	248	25	17	26	19	25	25	24	16	17	14	15	25
Puerperal septicemia (146).....	22	1			2	5	2	2	3	1	1	2	3
Other puerperal causes (143-145, 147-150).....	31	2	1	6	2	3	1	4	2	2	3	5	8
Suicide (165-174).....	49	4	2	3	5	5	5	3	3	5	5	5	2
Automobile accidents <sup>1</sup> (188c).....	77	6	1	3	6	15	8	5	10	4	10		
Automobile and railroad-train collision (part 188a).....	4						1						
Automobile and street-car collision (part 188b).....	4				2						1		2
Other external causes (175-187, part 188a, b, 188d-203).....	281	25	16	22	23	24	25	26	34	15	33	17	21
All other causes.....	1,444	131	106	112	128	120	133	112	104	117	135	122	124

<sup>1</sup> Excludes collision with railroad trains and street cars.

## MORTALITY STATISTICS

TABLE 10.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM IMPORTANT CAUSES, BY MONTHS, IN EACH REGISTRATION STATE: 1926—Continued

[Numbers after causes of death correspond to those of the 1920 revision of the detailed International List]

AREA AND CAUSE OF DEATH	All deaths	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
<b>ILLINOIS, all causes</b>	<b>85,331</b>	<b>7,850</b>	<b>7,080</b>	<b>9,876</b>	<b>8,183</b>	<b>7,393</b>	<b>6,162</b>	<b>6,345</b>	<b>6,100</b>	<b>6,086</b>	<b>6,493</b>	<b>6,585</b>	<b>7,178</b>
Typhoid and paratyphoid fever (1)	234	10	4	6	10	7	6	24	30	38	43	42	14
Malaria (5)	43	2	1	3	3	5	2	8	8	6	6	3	1
Smallpox (6)	8				1	3	2					16	17
Measles (7)	353	23	28	52	81	67	33	15	12	7	12	15	9
Scarlet fever (8)	239	35	23	37	32	27	21	11	10	7	12	13	25
Whooping cough (9)	374	30	38	55	56	26	20	22	29	22	18	33	43
Diphtheria (10)	415	40	36	39	30	25	26	31	13	26	52	54	43
Influenza (11)	2,020	175	199	680	438	148	45	30	19	32	53	86	115
Dysentery (16)	67	2	2	3	1	1	2	9	12	24	7	2	1
Erysipelas (21)	197	27	31	32	19	25	3	11	11	7	1	10	19
Lethargic encephalitis (23)	76	1	6	8	7	8	10	8	4	4	3	7	5
Meningococcus meningitis (24)	61	1	2	6	5	7	3	7	3	3	3	7	3
Tuberculosis of the respiratory system (31)	4,903	437	355	527	468	497	426	384	370	380	398	304	379
Other forms of tuberculosis (32-37)	594	36	55	57	60	60	52	57	48	46	42	36	45
Diabetes mellitus (57)	1,580	150	134	187	150	121	112	116	112	113	116	135	129
Cerebral hemorrhage and softening (74, 83)	5,318	473	460	642	511	460	400	389	387	373	421	432	470
Other [organic] diseases of the heart (90)	13,980	1,405	1,192	1,692	1,345	1,205	1,025	966	979	907	1,047	1,034	1,133
Bronchitis (99)	853	68	45	117	68	42	28	23	29	21	31	53	57
Broncho-pneumonia (100)	2,685	308	261	557	341	221	114	72	66	103	130	198	269
Pneumonia (101)	3,242	488	480	836	422	315	156	122	99	105	171	288	359
Diarrhea and enteritis [under 2 years] (113)	1,762	97	98	116	87	102	38	143	230	334	235	118	103
Diarrhea and enteritis [2 years and over] (114)	484	25	26	22	27	23	36	57	80	77	56	36	19
Nephritis (123, 129)	8,577	807	697	932	798	786	598	671	569	604	670	693	754
Puerperal septicaemia (146)	247	40	23	39	28	37	28	22	24	29	21	20	36
Other puerperal causes (143-145, 147-150)	624	33	45	62	47	55	48	45	44	37	38	29	41
Suicide (165-174)	1,067	78	78	97	92	92	90	79	86	85	101	88	90
Automobile accidents (188c)	1,338	92	77	80	76	111	122	148	153	112	154	106	107
Automobile and railroad-train collision (part 188a)	189	13	19	18	12	10	8	18	22	21	18	17	23
Automobile and street-car collision (part 188b)	4	4	4	6	9	3	3	6	7	8	5	3	4
Other external causes (175-187, part 188a, b, 188d-203)	4,780	425	321	347	396	417	363	476	451	346	390	398	460
All other causes	28,644	2,512	2,338	2,722	2,563	2,435	2,271	2,374	2,197	2,227	2,246	2,261	2,448
<b>INDIANA, all causes</b>	<b>40,016</b>	<b>3,630</b>	<b>3,292</b>	<b>4,373</b>	<b>3,958</b>	<b>3,374</b>	<b>2,984</b>	<b>2,946</b>	<b>2,961</b>	<b>2,952</b>	<b>3,186</b>	<b>3,053</b>	<b>3,307</b>
Typhoid and paratyphoid fever (1)	213	12	8	6	4	10	6	16	28	38	49	21	15
Malaria (5)	8			1	1		2	1	1		3	2	1
Smallpox (6)	8											2	2
Measles (7)	448	12	30	95	104	110	53	16	9	6	4	4	5
Scarlet fever (8)	101	20	11	24	10	8	3	1	1	2	5	6	10
Whooping cough (9)	419	19	35	70	51	41	35	31	33	23	22	32	27
Diphtheria (10)	185	19	18	15	8	3	7	10	9	7	28	33	30
Influenza (11)	1,726	199	173	493	358	128	59	25	28	26	57	71	109
Dysentery (16)	108	1	2	2	2	6	4	11	23	30	17	6	2
Erysipelas (21)	113	22	10	15	24	12	3	8	6	2	1	4	6
Lethargic encephalitis (23)	35	1	5	4	3	5	1	2	2	1	2	2	3
Meningococcus meningitis (24)	21			1	2	2	2		1	4	3	3	3
Tuberculosis of the respiratory system (31)	2,161	168	199	239	229	203	181	154	180	146	164	147	151
Other forms of tuberculosis (32-37)	435	39	27	43	40	45	38	37	25	36	27	33	33
Diabetes mellitus (57)	594	65	59	61	63	44	39	44	39	35	46	38	61
Cerebral hemorrhage and softening (74, 83)	3,317	278	294	332	330	266	271	245	232	231	241	282	315
Other [organic] diseases of the heart (90)	5,669	563	490	628	522	486	442	379	367	392	461	420	510
Bronchitis (99)	1,665	18	22	20	18	11	13	4	9	4	19	21	21
Broncho-pneumonia (100)	1,277	155	121	189	154	115	66	57	31	42	78	134	135
Pneumonia (101)	1,729	283	189	291	207	135	74	54	40	40	95	146	166
Diarrhea and enteritis [under 2 years] (113)	911	40	27	29	36	31	25	97	109	223	134	44	28
Diarrhea and enteritis [2 years and over] (114)	262	12	8	7	16	7	24	25	39	52	39	17	16
Nephritis (123, 129)	3,611	314	302	366	329	313	275	301	253	273	329	267	289
Puerperal septicaemia (146)	177	12	19	22	24	19	9	5	14	12	11	10	20
Other puerperal causes (143-145, 147-150)	230	25	19	34	29	19	21	18	15	18	11	11	10
Suicide (165-174)	437	26	23	38	41	36	45	37	35	41	47	26	44
Automobile accidents (188c)	547	33	27	28	35	49	40	57	62	55	57	56	48
Automobile and railroad-train collision (part 188a)	127	18	8	5	8	10	6	11	11	12	10	16	12
Automobile and street-car collision (part 188b)	43	2	2	2	5	5	5	7	7	5	6	8	1
Other external causes (175-187, part 188a, b, 188d-203)	1,958	142	132	138	163	154	193	190	196	161	134	143	207
All other causes	12,982	1,132	1,032	1,177	1,147	1,099	1,034	1,116	1,046	1,039	1,084	1,047	1,029
<b>IOWA, all causes</b>	<b>25,466</b>	<b>2,248</b>	<b>2,130</b>	<b>2,716</b>	<b>2,612</b>	<b>2,246</b>	<b>1,846</b>	<b>1,876</b>	<b>1,719</b>	<b>1,865</b>	<b>1,927</b>	<b>1,980</b>	<b>2,301</b>
Typhoid and paratyphoid fever (1)	52	6		3	1	5	7	4	7	8	7	2	2
Malaria (5)	4								1		2		1
Smallpox (6)	2						1						
Measles (7)	63	5	10	8	10	11	7	1			4	4	7
Scarlet fever (8)	46	8	5	3	5	2	5	5			2	6	5
Whooping cough (9)	163	16	7	25	23	17	12	14	9	11	10	9	10
Diphtheria (10)	111	11	8	5	6	8	8	8	3	13	8	17	16
Influenza (11)	1,118	78	83	258	277	111	44	21	23	50	52	44	77
Dysentery (16)	44	2			5			3	14	10	7	3	
Erysipelas (21)	59	4	6	9	10	4	6	7	1	1	4	4	3
Lethargic encephalitis (23)	26	5	1	3	2	4	1	2			3	3	2
Meningococcus meningitis (24)	17		3	2	3	3	2	1		1		1	1
Tuberculosis of the respiratory system (31)	774	65	68	92	71	77	71	66	47	40	46	58	73
Other forms of tuberculosis (32-37)	144	11	10	12	12	17	17	15	4	10	14	11	11
Diabetes mellitus (57)	488	45	53	51	44	31	40	28	39	45	34	34	44
Cerebral hemorrhage and softening (74, 83)	2,516	219	207	251	280	228	164	191	145	192	216	189	234
Other [organic] diseases of the heart (90)	3,456	334	288	357	365	333	241	246	241	218	230	288	315
Bronchitis (99)	1,117	13	10	14	17	12	3	4	6	7	8	7	16
Broncho-pneumonia (100)	830	92	89	140	98	72	32	23	16	22	44	69	133
Pneumonia (101)	981	110	111	176	146	70	46	20	18	26	57	89	112
Diarrhea and enteritis [under 2 years] (113)	259	11	11	16	9	10	16	23	31	68	37	19	8
Diarrhea and enteritis [2 years and over] (114)	155	7	6	9	8	5	5	11	24	43	18	10	9
Nephritis (123, 129)	1,719	172	140	180	165	157	122	131	112	111	137	146	146
Puerperal septicaemia (146)	97	12	7	10	9	7	11	4	8	8	8	7	6
Other puerperal causes (143-145, 147-150)	179	11	21	21	12	22	12	12	13	16	12	17	10
Suicide (165-174)	367	30	25	19	33	25	35	41	37	34	33	31	24
Automobile accidents (188c)	264	14	18	8	15	21	25	35	22	32	31	22	21
Automobile and railroad-train collision (part 188a)	39			1	3	5	4		2	6	11	4	

CAUSES OF DEATH, BY MONTH OF OCCURRENCE

TABLE 10.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM IMPORTANT CAUSES, BY MONTHS, IN EACH REGISTRATION STATE: 1926—Continued

[Numbers after causes of death correspond to those of the 1920 revision of the detailed International List]

AREA AND CAUSE OF DEATH	All deaths	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
<b>KANSAS, all causes</b>													
Typhoid and paratyphoid fever (1)	85	2	3	2	1	5	7	17	17	11	14	6	6
Malaria (5)	14		1	1		1	1	4	2	2	2	1	1
Smallpox (6)	2												1
Measles (7)	90	4	8	25	23	18	3	4	1	1	1	1	3
Scarlet fever (8)	33	4	4	2	4	3	3	1	1	1	1	1	1
Whooping cough (9)	120	8	27	19	13	12	10	6	6	6	4	4	9
Diphtheria (10)	49	6	1	1	5	4	4	2	2	2	2	11	1
Influenza (11)	851	105	146	207	141	44	17	14	13	12	30	42	80
Dysentery (16)	38	1	1	1	1	2	2	1	1	1	1	1	3
Erysipelas (21)	40	6	4	4	5	3	3	2	4	4	2	2	5
Lethargic encephalitis (23)	16		2	2	2	2	2	1	1	1	1	1	3
Meningococcus meningitis (24)	9												1
Tuberculosis of the respiratory system (31)	650	57	58	80	56	68	48	53	36	51	55	41	47
Other forms of tuberculosis (32-37)	90	6	5	7	9	10	9	10	10	6	6	7	5
Diabetes mellitus (57)	330	25	34	35	19	25	25	28	18	25	25	25	35
Cerebral hemorrhage and softening (74, 83)	1,865	180	155	182	149	165	136	154	139	130	152	145	178
Other [organic] diseases of the heart (90)	2,558	233	226	247	251	208	190	202	159	166	201	266	229
Bronchitis (99)	116	11	12	16	13	8	10	8	5	7	7	6	13
Broncho-pneumonia (100)	490	86	74	71	36	25	16	12	21	27	32	55	75
Pneumonia (101)	609	84	92	94	72	34	10	16	18	14	32	49	94
Diarrhea and enteritis [under 2 years] (113)	358	15	14	17	12	15	19	18	17	14	14	18	15
Diarrhea and enteritis [2 years and over] (114)	142	5	4	6	11	5	15	18	26	25	14	8	11
Nephritis (128, 129)	1,540	146	123	153	151	136	113	136	110	110	103	126	145
Puerperal septicemia (146)	105	7	8	11	9	7	10	2	13	5	13	11	11
Other puerperal causes (143-145, 147-150)	140	18	11	12	15	12	6	16	8	17	10	8	8
Suicide (165-174)	209	14	11	14	15	19	20	25	19	15	22	17	18
Automobile accidents <sup>1</sup> (188c)	241	12	13	21	15	19	20	26	26	27	23	20	21
Automobile and railroad-train collision (part 188a)	44	3	8	3	2	2	6	1	7	7	2	4	5
Automobile and street-car collision (part 188b)	2												1
Other external causes (175-187, part 188a, b, 188d-203)	1,043	88	74	80	66	85	116	102	87	85	92	82	82
All other causes	7,220	616	577	648	618	661	568	599	609	602	585	539	598
<b>KENTUCKY (WHITE), all causes</b>													
Typhoid and paratyphoid fever (1)	403	29	19	15	7	14	10	38	48	65	75	51	32
Malaria (5)	42	6	1	3	1	3	2	12	3	2	9		
Smallpox (6)	5							1	1				
Measles (7)	446	12	35	89	110	74	31	31	23	11	12	10	8
Scarlet fever (8)	55	4	6	6	6	5	5	5	3	4	4	8	8
Whooping cough (9)	338	15	19	31	30	24	31	30	28	27	43	40	20
Diphtheria (10)	273	27	18	14	15	8	2	5	22	56	75	30	30
Influenza (11)	1,120	129	112	303	252	94	20	22	8	26	37	53	64
Dysentery (16)	260	4	5	8	8	2	10	62	64	51	44	6	4
Erysipelas (21)	57	4	8	7	4	3	1	4	4	3	7	7	5
Lethargic encephalitis (23)	17	1	1	1	2	2	2	3	4	1	2	2	6
Meningococcus meningitis (24)	5												
Tuberculosis of the respiratory system (31)	2,099	205	184	222	229	178	182	176	174	135	126	151	137
Other forms of tuberculosis (32-37)	355	29	23	24	28	30	30	37	35	41	28	33	17
Diabetes mellitus (57)	238	24	20	33	14	21	21	14	19	14	19	17	22
Cerebral hemorrhage and softening (74, 83)	1,514	157	145	154	147	122	108	125	91	115	119	122	109
Other [organic] diseases of the heart (90)	2,504	246	196	269	260	203	197	184	177	170	199	198	205
Bronchitis (99)	117	15	4	15	12	8	7	8	4	12	12	17	17
Broncho-pneumonia (100)	790	114	88	107	46	24	38	27	38	66	77	81	81
Pneumonia (101)	1,192	203	141	218	146	65	39	28	41	60	107	116	116
Diarrhea and enteritis [under 2 years] (113)	1,076	13	20	12	18	20	61	225	237	249	172	81	18
Diarrhea and enteritis [2 years and over] (114)	246	11	7	8	8	4	16	47	47	48	34	12	4
Nephritis (128, 129)	1,818	183	137	178	168	153	145	158	138	125	129	145	159
Puerperal septicemia (146)	116	6	11	7	15	15	6	7	8	9	15	8	9
Other puerperal causes (143-145, 147-150)	194	17	16	20	21	24	10	18	17	9	10	15	17
Suicide (165-174)	206	16	15	18	16	15	19	14	21	15	17	19	19
Automobile accidents <sup>1</sup> (188c)	245	11	9	12	18	15	29	24	24	31	26	21	21
Automobile and railroad-train collision (part 188a)	17			1	1			1	2	2	5	1	4
Automobile and street-car collision (part 188b)	2	1	1										
Other external causes (175-187, part 188a, b, 188d-203)	1,502	117	110	134	106	117	112	165	128	111	112	139	151
All other causes	7,848	688	603	759	669	666	609	678	600	661	694	650	571
<b>KENTUCKY (COLORED), all causes</b>													
Typhoid and paratyphoid fever (1)	82	7	4	4	3	4	2	9	7	8	17	14	3
Malaria (5)	15		1			2	1	3	4			2	1
Smallpox (6)	2												
Measles (7)	25	1	2	3	5	4	2	6	1	1			
Scarlet fever (8)	2											1	
Whooping cough (9)	40			1	3	2	2	4	5	7	3	7	6
Diphtheria (10)	17	1	3	1	1	1	1	3	5	3	3	7	4
Influenza (11)	234	26	23	67	43	18	5	3	6	7	11	11	20
Dysentery (16)	22												
Erysipelas (21)	3	1					1	1	8	3			
Lethargic encephalitis (23)	7												
Meningococcus meningitis (24)	1	1	1	2	2	1							
Tuberculosis of the respiratory system (31)	558	45	35	55	54	52	43	56	42	51	46	46	33
Other forms of tuberculosis (32-37)	83	6	6	8	10	13	7	11	5	6	4	3	4
Diabetes mellitus (57)	25	3	1	2	2	2	3	1	1	3	2	2	4
Cerebral hemorrhage and softening (74, 83)	245	17	18	25	24	25	18	23	17	25	15	18	20
Other [organic] diseases of the heart (90)	644	68	42	58	65	53	61	45	54	56	47	46	49
Bronchitis (99)	52	4	4	8	8	1	3	3	5	3	7	6	6
Broncho-pneumonia (100)	165	18	23	30	20	9	9	7	5	7	10	14	13
Pneumonia (101)	264	34	34	55	35	12	12	7	3	4	16	27	25
Diarrhea and enteritis [under 2 years] (113)	114	3	3	1		2	9	32	26	23	13	1	1
Diarrhea and enteritis [2 years and over] (114)	39	1	3	2		1	4	8	8	8	2		
Nephritis (128, 129)	455	49	34	37	45	32	45	36	34	36	41	34	32
Puerperal septicemia (146)	13	1	1	5	2	3	1	1	2	2	1	2	2
Other puerperal causes (143-145, 147-150)	31	2	3	4	2	3	4	4	2	3	1	3	3
Suicide (165-174)	18			2	1		7	2	1	1	2	1	1
Automobile accidents <sup>1</sup> (188c)	32	1	1	3	2		1	2	6	3	6	4	3
Automobile and railroad-train collision (part 188a)													
Automobile and street-car collision (part 188b)													
Other external causes (175-187, part 188a, b, 188d-203)	322	32	24	20	25	26	35	20	21	33	17	30	39
All other causes	1,299	106	104	126	112	99	98	108	100	122	110	114	100

<sup>1</sup> Excludes collision with railroad trains and street cars.

MORTALITY STATISTICS

TABLE 10.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM IMPORTANT CAUSES, BY MONTHS, IN EACH REGISTRATION STATE: 1926—Continued

[Numbers after causes of death correspond to those of the 1920 revision of the detailed International List]

AREA AND CAUSE OF DEATH	All deaths	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
LOUISIANA (WHITE), all causes	12,272	1,316	1,286	1,260	892	906	865	863	941	826	962	1,138	1,017
Typhoid and paratyphoid fever (1)	141	16	7	6	5	10	14	6	20	16	13	15	13
Malaria (5)	89	7	2		1	4	8	10	14	12	13	13	5
Smallpox (6)	6	1		1	1	1						1	1
Measles (7)	3			1		1							1
Scarlet fever (8)	9	2	1		2							3	
Whooping cough (9)	101	11	13	12	9	11	9	14	4	2	5	6	5
Diphtheria (10)	106	21	4	5	4	2	6	7	4	11	14	31	9
Influenza (11)	716	108	188	193	58	27	17	7	12	13	21	44	28
Dysentery (16)	63	5	4	4	2	7	9	11	6	4	6	5	
Erysipelas (21)	8	1			1			1		1		1	2
Lethargic encephalitis (23)	9		2	3			1	1					1
Meningococcus meningitis (24)	15	1	4							1		3	3
Tuberculosis of the respiratory system (31)	678	73	61	83	60	60	51	40	37	45	45	49	74
Other forms of tuberculosis (32-37)	55	8	5	2	5	5	4	5	2	2	4	6	7
Diabetes mellitus (57)	150	14	16	16	16	6	6	11	12	13	11	16	11
Cerebral hemorrhage and softening (74, 83)	616	67	68	64	58	42	42	34	55	33	51	46	56
Other [organic] diseases of the heart (90)	1,532	170	203	151	122	120	102	90	110	91	135	118	120
Bronchitis (99)	53	7	12	1	3		2	5	1	4	6	7	5
Broncho-pneumonia (100)	385	77	54	43	17	21	15	12	23	23	25	37	38
Pneumonia (101)	526	89	99	67	51	29	11	17	15	12	30	69	37
Diarrhea and enteritis [under 2 years] (113)	365	28	22	14	12	22	61	45	52	22	27	26	14
Diarrhea and enteritis [2 years and over] (114)	79	2	5	5	2	8	8	13	8	11	7	6	4
Nephritis (128, 129)	1,117	128	96	103	87	101	98	66	66	77	92	105	98
Puerperal septicemia (146)	75	4	8	6	8	6	6	5	6	5	5	4	12
Other puerperal causes (143-145, 147-150)	156	12	14	15	18	12	15	13	16	17	5	8	11
Suicide (165-174)	127	11	10	9	9	19	7	12	9	11	7	10	13
Automobile accidents (188c)	194	13	15	11	11	14	17	19	20	14	20	19	21
Automobile and railroad-train collision (part 188a)	8		1		2	1		2	1		1		
Automobile and street-car collision (part 188b)	1												
Other external causes (175-187, part 188a, b, 188d-203)	797	70	50	63	73	58	63	70	80	45	54	86	85
All other causes	4,122	370	321	381	257	319	304	354	367	340	364	402	343
LOUISIANA (COLORED), all causes	11,958	1,134	1,088	1,135	980	1,049	983	949	954	898	936	974	878
Typhoid and paratyphoid fever (1)	188	10	13	10	6	6	19	28	33	23	17	15	8
Malaria (5)	116	4	4		4	6	14	15	21	17	14	14	3
Smallpox (6)	4		1	1	1	1							
Measles (7)	3	1			2					1		1	2
Scarlet fever (8)	3				1								
Whooping cough (9)	95	2	3	6	7	11	11	12	15	11	9	2	5
Diphtheria (10)	41	7	1	2	3	11	1	4	3	5	7	8	8
Influenza (11)	563	62	125	145	63	38	9	9	6	17	23	36	30
Dysentery (16)	67	1	6	5	2	16	11	8	6	4	5	3	3
Erysipelas (21)	2				1								
Lethargic encephalitis (23)	4	1	1										
Meningococcus meningitis (24)	7	1	2		1		1				1		
Tuberculosis of the respiratory system (31)	1,193	100	97	124	105	135	110	88	114	78	82	80	80
Other forms of tuberculosis (32-37)	89	13	3	3	5	15	4	4	10	9	5	5	4
Diabetes mellitus (57)	70	7	6	7	6	7	7	7	11	7	7	8	8
Cerebral hemorrhage and softening (74, 83)	552	47	55	46	52	42	45	48	51	36	43	43	44
Other [organic] diseases of the heart (90)	1,611	146	130	146	108	120	114	102	119	138	116	139	124
Bronchitis (99)	57	9	9	6	3	3	3	2	3	7	2	2	3
Broncho-pneumonia (100)	354	49	56	46	20	29	12	12	3	20	24	28	32
Pneumonia (101)	619	108	106	81	73	37	18	15	18	22	26	48	59
Diarrhea and enteritis [under 2 years] (113)	327	15	12	13	13	29	61	44	46	28	35	14	12
Diarrhea and enteritis [2 years and over] (114)	73	4	2	4	6	6	13	11	6	5	6	6	1
Nephritis (128, 129)	1,009	94	86	91	89	87	78	92	72	75	80	91	74
Puerperal septicemia (146)	63	8	2	4	8	5	4	4	3	2	6	11	6
Other puerperal causes (143-145, 147-150)	151	8	16	16	13	20	14	9	18	11	8	16	7
Suicide (165-174)	15	1		2	1	3	1	2	2	4	4	9	11
Automobile accidents (188c)	77	10	1	3	3	1	7	5	5	8	14	9	
Automobile and railroad-train collision (part 188a)	3				1	1		1					
Automobile and street-car collision (part 188b)	1												
Other external causes (175-187, part 188a, b, 188d-203)	810	77	64	56	58	88	90	78	56	51	47	69	78
All other causes	3,887	349	287	313	321	333	325	360	323	317	349	331	279
MAINE, all causes	11,355	983	992	1,059	1,244	1,043	885	912	739	755	892	872	979
Typhoid and paratyphoid fever (1)	21	5	1	1	3	2	1	1	3		2		2
Malaria (5)	1					1							
Smallpox (6)													
Measles (7)	68		1	16	15	9	7	6	3			2	9
Scarlet fever (8)	21	6	3	1		1	4	2			1		11
Whooping cough (9)	88	4	6	4	6	15	6	7	7	6	11	6	3
Diphtheria (10)	20	3	2	2	5	3		1		1	1		2
Influenza (11)	474	30	26	52	166	85	28	8	6	12	16	17	28
Dysentery (16)	9	1		1			2	2			1	1	1
Erysipelas (21)	17	2	4	3	1		1	1			3		
Lethargic encephalitis (23)	6		2				2						
Meningococcus meningitis (24)	5		2		1		2			1			
Tuberculosis of the respiratory system (31)	462	33	43	50	55	40	36	38	42	19	40	33	33
Other forms of tuberculosis (32-37)	98	7	12	6	6	11	10	12	5	5	9	9	6
Diabetes mellitus (57)	188	21	13	20	22	16	6	12	7	16	16	21	18
Cerebral hemorrhage and softening (74, 83)	1,093	100	113	92	91	107	87	89	61	88	91	75	99
Other [organic] diseases of the heart (90)	1,638	152	165	140	179	146	128	120	127	98	129	131	123
Bronchitis (99)	85	8	15	13	13	4	7	4	2	2	5	2	10
Broncho-pneumonia (100)	388	38	56	52	60	41	24	11	4	10	19	32	41
Pneumonia (101)	447	59	49	72	53	21	11	8	14	22	38	47	47
Diarrhea and enteritis [under 2 years] (113)	163	10	7	6	6	13	9	9	20	22	35	16	10
Diarrhea and enteritis [2 years and over] (114)	39	2	3	3	3	1	2	1	5	7	6	3	3
Nephritis (128, 129)	919	72	76	77	91	65	87	76	67	66	77	65	100
Puerperal septicemia (146)	24		1	2	4	4	2	3	1	4	3	2	2
Other puerperal causes (143-145, 147-150)	86	7	7	10	11	7	8	7	5	4	4	10	6
Suicide (165-174)	112	6	6	6	11	14	13	11	4	14	8	9	10
Automobile accidents (188c)	100	4	1	3		9	7	14	11	18	12	14	7
Automobile and railroad-train collision (part 188a)	3								1		1		
Automobile and street-car collision (part 188b)	1												
Other external causes (175-187, part 188a, b, 188d-203)	446	31	31	37	31	33	32	66	42	38	28	29	48
All other causes	4,333	382	347	390	410	363	353	401	308	313	353	353	360

1 Excludes collision with railroad trains and street cars.

CAUSES OF DEATH, BY MONTH OF OCCURRENCE

325

TABLE 10.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM IMPORTANT CAUSES, BY MONTHS, IN EACH REGISTRATION STATE: 1926—Continued

[Numbers after causes of death correspond to those of the 1920 revision of the detailed International List]

AREA AND CAUSE OF DEATH	All deaths	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
MARYLAND (WHITE), all causes.....	17,170	1,876	1,758	1,698	1,480	1,394	1,258	1,222	1,240	1,197	1,263	1,308	1,476
Typhoid and paratyphoid fever (1).....	76	3	2	1	4	2	2	9	10	13	11	9	10
Malaria (5).....	2							1			1		
Smallpox (6).....													
Measles (7).....	181	28	44	43	34	19	5	7				1	
Scarlet fever (8).....	20	1	3	2		4	3	3	1		1		2
Whooping cough (9).....	126	12	13	13	9	7	3	7	14	17	7	13	11
Diphtheria (10).....	87	14	9	5	10	4	2	3	1	2	7	16	14
Influenza (11).....	410	63	116	103	36	23	14	3	2	9	6	16	19
Dysentery (16).....	50			1		3	4	2	16	11	11	2	
Erysipelas (21).....	29	2	5	1	8	2			3		1	3	4
Lethargic encephalitis (23).....	26	2	2	2	1	2	1	2	5	3	2	2	2
Meningococcus meningitis (24).....	22	2	2	2	1	2	1	1	3	4	1	3	
Tuberculosis of the respiratory system (31).....	1,046	112	111	102	104	105	76	63	76	69	72	61	95
Other forms of tuberculosis (32-37).....	97	5	4	11	13	7	11	9	9	8	5	4	11
Diabetes mellitus (57).....	330	40	29	35	28	30	32	28	12	16	26	31	23
Cerebral hemorrhage and softening (74, 83).....	1,441	152	142	136	121	132	117	104	85	106	91	115	140
Other [organic] diseases of the heart (90).....	2,548	254	236	252	237	194	192	201	172	148	200	199	263
Bronchitis (99).....	115	20	20	16	10	4	6	3	6	5	5	6	14
Broncho-pneumonia (100).....	821	133	150	113	85	68	40	19	31	22	36	58	66
Pneumonia (101).....	787	163	157	104	81	59	41	16	15	11	24	47	69
Diarrhea and enteritis [under 2 years] (113).....	374	10	6	9	8	13	13	42	96	91	58	21	7
Diarrhea and enteritis [2 years and over] (114).....	66	6	2	2	3	5	2	6	11	13	9	4	3
Nephritis (128, 129).....	1,901	205	174	216	162	165	131	143	122	130	154	131	168
Puerperal septicemia (146).....	46	12	6	2	4	4	3	2	6	1	4	2	
Other puerperal causes (143-145, 147-150).....	78	5	3	7	7	7	8	6	9	6	5	6	9
Suicide (165-174).....	180	14	18	13	11	14	15	14	12	17	21	12	19
Automobile accidents <sup>1</sup> (188c).....	251	13	10	6	13	22	20	24	25	30	33	31	24
Automobile and railroad-train collision (part 188a).....	7				1	2	1			1			3
Automobile and street-car collision (part 188b).....	1												
Other external causes (175-187, part 188a, b, 188d-203).....	804	78	43	56	55	57	76	81	78	75	65	74	66
All other causes.....	5,248	527	451	445	434	438	439	423	420	389	407	441	434
MARYLAND (COLORED), all causes.....	5,479	532	554	543	485	439	366	441	433	427	418	374	467
Typhoid and paratyphoid fever (1).....	44		2	1	2		1	6	6	8	10	5	3
Malaria (5).....													
Smallpox (6).....													
Measles (7).....	39	2	7	12	9	3	2	3					1
Scarlet fever (8).....	1	1											
Whooping cough (9).....	57	8	6	3	8	1	5	5	5	5	4	1	6
Diphtheria (10).....	11	1	1		1		1				3	3	2
Influenza (11).....	113	17	40	18	16	4	2	2	1	1	1	3	8
Dysentery (16).....	16							1	5	6	2	1	1
Erysipelas (21).....	1			1									
Lethargic encephalitis (23).....	4	1						1					1
Meningococcus meningitis (24).....	5				1		1				1	1	
Tuberculosis of the respiratory system (31).....	576	47	45	61	48	42	46	49	54	48	46	39	51
Other forms of tuberculosis (32-37).....	81	4	6	6	4	5	17	5	7	15	2	6	4
Diabetes mellitus (57).....	33	3	3	3		3	2	2	3	5	1	7	1
Cerebral hemorrhage and softening (74, 83).....	341	34	32	28	30	23	24	30	24	31	24	22	34
Other [organic] diseases of the heart (90).....	671	66	67	66	53	52	42	61	50	47	61	53	53
Bronchitis (99).....	35	6	10	5	3	2	2	2	1	1	1	2	
Broncho-pneumonia (100).....	353	33	67	63	41	29	16	9	12	10	21	17	35
Pneumonia (101).....	372	65	56	63	37	40	15	6	11	14	16	19	30
Diarrhea and enteritis [under 2 years] (113).....	193	8	4	2	6	11	6	33	39	43	27	8	6
Diarrhea and enteritis [2 years and over] (114).....	27	2	1	2	3	2	2	5	3	4	3	1	1
Nephritis (128, 129).....	579	63	55	54	50	48	48	37	45	39	41	37	62
Puerperal septicemia (146).....	20	3	2		3	1	1	1	1	2	2	2	3
Other puerperal causes (143-145, 147-150).....	46	4	6	8	4	7	1	2	4	6	1	1	3
Suicide (165-174).....	1	1	3	4	4	1			1	2	1	2	2
Automobile accidents <sup>1</sup> (188c).....	61	5	3		6	4	5	5	6	12	7	6	2
Automobile and railroad-train collision (part 188a).....	1									1			
Automobile and street-car collision (part 188b).....													
Other external causes (175-187, part 188a, b, 188d-203).....	290	28	21	24	22	15	25	35	28	21	18	21	32
All other causes.....	1,494	132	119	120	137	140	102	141	127	105	126	119	126
MASSACHUSETTS, all causes.....	52,638	5,044	4,219	6,007	5,777	4,600	3,908	3,672	3,438	3,578	3,997	3,924	4,474
Typhoid and paratyphoid fever (1).....	59	4	3	3	4	5	3	5	4	7	12	4	5
Malaria (5).....	2			1			1						
Smallpox (6).....													
Measles (7).....	401	94	81	78	56	40	21	15	5	2	1	4	4
Scarlet fever (8).....	125	12	10	14	15	10	15	11	7	5	6	11	9
Whooping cough (9).....	412	33	43	107	71	48	23	16	13	13	20	11	14
Diphtheria (10).....	250	26	22	24	25	14	20	9	8	19	15	29	39
Influenza (11).....	350	65	53	227	282	62	28	10	9	19	27	27	41
Dysentery (16).....	12					3		2	1	3	1	1	1
Erysipelas (21).....	100	10	7	15	8	17	11	6	6	3	4	5	8
Lethargic encephalitis (23).....	76	6	10	15	9	9	2	6	7	2	5	3	2
Meningococcus meningitis (24).....	59	9	3	9	7	5	4	6	2	6	1	3	4
Tuberculosis of the respiratory system (31).....	2,976	276	223	290	310	319	266	248	230	191	210	216	197
Other forms of tuberculosis (32-37).....	527	34	42	49	50	51	47	45	40	35	44	39	51
Diabetes mellitus (57).....	844	83	76	90	87	73	58	63	66	56	62	61	69
Cerebral hemorrhage and softening (74, 83).....	4,092	339	345	381	406	341	313	285	281	287	336	333	392
Other [organic] diseases of the heart (90).....	9,576	973	797	1,111	1,001	846	707	685	624	616	713	723	850
Bronchitis (99).....	314	34	26	56	57	28	22	16	6	15	21	12	23
Broncho-pneumonia (100).....	2,624	313	231	502	486	208	134	68	63	96	169	152	202
Pneumonia (101).....	2,282	318	209	442	390	198	102	52	45	72	106	125	223
Diarrhea and enteritis [under 2 years] (113).....	812	41	26	48	51	27	48	53	159	147	123	41	48
Diarrhea and enteritis [2 years and over] (114).....	132	11	8	6	11	5	10	10	12	24	10	12	13
Nephritis (128, 129).....	3,713	351	314	380	377	331	290	229	258	264	313	297	309
Puerperal septicemia (146).....	181	15	13	22	23	16	14	21	9	13	12	20	11
Other puerperal causes (143-145, 147-150).....	355	31	26	52	45	29	17	28	25	28	27	20	27
Suicide (165-174).....	465	36	27	38	40	31	49	41	28	39	42	40	54
Automobile accidents <sup>1</sup> (188c).....	682	41	22	35	49	56	66	60	59	66	76	90	62
Automobile and railroad-train collision (part 188a).....	9	2				1			1	3	2		4
Automobile and street-car collision (part 188b).....	8				1				1	1	1		
Other external causes (175-187, part 188a, b, 188d-203).....	2,116	144	145	175	179	184	175	249	173	153	182	161	196
All other causes.....	18,684	1,693	1,454	1,837	1,737	1,645	1,462	1,434	1,395	1,395	1,454	1,492	1,586

<sup>1</sup> Excludes collision with railroad trains and street cars.

TABLE 10.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM IMPORTANT CAUSES, BY MONTHS, IN EACH REGISTRATION STATE: 1926—Continued

[Numbers after causes of death correspond to those of the 1920 revision of the detailed International List]

AREA AND CAUSE OF DEATH	All deaths	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
<b>MICHIGAN, all causes</b> .....	<b>54,084</b>	<b>4,671</b>	<b>4,263</b>	<b>6,131</b>	<b>5,572</b>	<b>4,959</b>	<b>4,267</b>	<b>4,041</b>	<b>3,660</b>	<b>3,864</b>	<b>4,102</b>	<b>4,074</b>	<b>4,480</b>
Typhoid and paratyphoid fever (1).....	117	4	8	13	3	9	6	8	19	14	12	12	9
Malaria (5).....	4		1	1					1	1			
Smallpox (6).....	3			1									
Measles (7).....	617	69	95	176	103	63	44	30	13	3	5	8	8
Scarlet fever (8).....	243	25	17	45	26	35	28	17	3	4	11	11	21
Whooping cough (9).....	367	25	25	63	57	32	30	36	25	29	15	12	18
Diphtheria (10).....	678	36	44	40	38	49	76	49	57	65	86	64	74
Influenza (11).....	1,379	96	83	378	382	162	56	21	12	20	37	48	84
Dysentery (16).....	36	2	2	2	2	2	2	2	5	8	5	2	
Erysipelas (21).....	208	14	30	20	39	33	16	10	9	1	5	15	16
Lethargic encephalitis (23).....	66	9	6	8	9	8	7	6	3	3	2	2	2
Meningococcus meningitis (24).....	76	3	5	5	7	9	7	7	4	8	9	5	7
Tuberculosis of the respiratory system (31).....	2,604	213	205	257	235	269	254	213	175	195	182	193	213
Other forms of tuberculosis (32-37).....	449	31	24	34	55	53	45	33	35	33	33	33	37
Diabetes mellitus (57).....	753	66	58	82	71	65	45	72	41	58	59	67	66
Cerebral hemorrhage and softening (74, 83).....	4,353	403	337	420	413	397	333	325	279	337	376	357	376
Other [organic] diseases of the heart (90).....	7,916	698	597	866	744	734	639	608	554	571	585	582	738
Bronchitis (99).....	458	50	49	68	54	54	32	24	12	16	27	39	33
Broncho-pneumonia (100).....	1,959	196	178	417	326	200	107	70	55	47	82	129	152
Pneumonia (101).....	2,522	288	263	462	395	257	146	86	54	62	124	172	213
Diarrhea and enteritis [under 2 years] (113).....	1,025	61	54	117	81	66	48	68	107	199	119	63	52
Diarrhea and enteritis [2 years and over] (114).....	208	13	8	13	18	20	12	18	25	35	23	16	7
Nephritis (128, 129).....	3,098	292	254	325	287	278	259	225	220	210	233	247	268
Puerperal septicaemia (146).....	297	31	28	27	31	25	27	18	27	18	21	19	25
Other puerperal causes (143-145, 147-150).....	367	30	31	39	37	31	28	34	21	25	34	24	33
Suicide (165-174).....	579	39	43	50	54	58	46	52	47	51	45	51	43
Automobile accidents <sup>1</sup> (188c).....	1,112	53	46	57	64	81	98	105	119	138	146	120	85
Automobile and railroad-train collision (part 188a).....	86	10	6	10	5	9	3	2	5	6	8	8	14
Automobile and street-car collision (part 188b).....	36	1	1	1	4	5	2		7	5	4	1	5
Other external causes (175-187, part 188a, b, 188d-203).....	3,002	215	209	254	190	233	261	333	292	219	251	296	249
All other causes.....	19,466	1,698	1,566	1,880	1,842	1,731	1,604	1,567	1,434	1,483	1,562	1,477	1,632
<b>MINNESOTA, all causes</b> .....	<b>25,803</b>	<b>2,182</b>	<b>2,027</b>	<b>2,385</b>	<b>2,637</b>	<b>2,358</b>	<b>2,096</b>	<b>2,015</b>	<b>1,879</b>	<b>1,810</b>	<b>2,045</b>	<b>2,037</b>	<b>2,332</b>
Typhoid and paratyphoid fever (1).....	28		4	4			2	4	4	5	3	1	1
Malaria (5).....													
Smallpox (6).....													
Measles (7).....	175	1		11	26	33	29	24	3	7	9	9	23
Scarlet fever (8).....	153	12	17	24	18	18	13	7	9	9	6	10	10
Whooping cough (9).....	163	16	12	17	21	15	14	9	15	10	13	12	9
Diphtheria (10).....	157	17	9	9	21	16	10	10	5	22	14	14	14
Influenza (11).....	594	44	33	90	168	78	27	23	13	15	26	32	45
Dysentery (16).....	17	2	1						3	5	3		1
Erysipelas (21).....	65	3	3	6	16	14	8	2	2	3	1	3	4
Lethargic encephalitis (23).....	77	11	6	5	12	10	6	4	6	4	4	6	3
Meningococcus meningitis (24).....	21	2	2	4	1	2	4	1					2
Tuberculosis of the respiratory system (31).....	1,406	109	98	131	159	137	126	102	115	96	105	112	116
Other forms of tuberculosis (32-37).....	263	28	21	31	30	31	13	19	18	13	24	15	20
Diabetes mellitus (57).....	441	42	50	32	32	33	29	29	29	44	35	36	46
Cerebral hemorrhage and softening (74, 83).....	1,883	151	158	174	174	145	160	124	143	124	174	183	188
Other [organic] diseases of the heart (90).....	3,805	307	322	346	408	340	324	272	269	269	321	277	360
Bronchitis (99).....	136	15	10	18	24	9	6	9	5	2	11	13	14
Broncho-pneumonia (100).....	828	75	68	93	88	77	59	42	37	41	55	75	118
Pneumonia (101).....	1,070	146	85	121	149	120	88	44	37	41	62	94	120
Diarrhea and enteritis [under 2 years] (113).....	247	2	24	20	13	17	22	16	20	39	20	18	12
Diarrhea and enteritis [2 years and over] (114).....	95	2	8	3	9	4	5	6	16	10	13	11	8
Nephritis (128, 129).....	1,526	150	111	152	139	130	113	140	108	91	130	117	145
Puerperal septicaemia (146).....	115	7	10	4	11	9	13	17	9	7	4	8	8
Other puerperal causes (143-145, 147-150).....	136	12	14	18	23	14	18	18	16	12	14	14	13
Suicide (165-174).....	357	21	19	26	39	34	23	43	33	34	27	33	25
Automobile accidents <sup>1</sup> (188c).....	326	18	14	14	26	30	21	30	37	41	33	42	20
Automobile and railroad-train collision (part 188a).....	22	2	2		1	2	3	5	1	2	2	2	1
Automobile and street-car collision (part 188b).....	10	1	2		3				1			2	1
Other external causes (175-187, part 188a, b, 188d-203).....	1,293	91	82	101	92	105	125	147	112	114	109	104	111
All other causes.....	10,343	871	838	923	934	935	859	868	808	775	829	808	895
<b>MISSISSIPPI (WHITE), all causes</b> .....	<b>9,191</b>	<b>864</b>	<b>831</b>	<b>925</b>	<b>725</b>	<b>745</b>	<b>725</b>	<b>747</b>	<b>686</b>	<b>659</b>	<b>708</b>	<b>853</b>	<b>723</b>
Typhoid and paratyphoid fever (1).....	103	5	3	3	2	7	5	20	25	15	9	7	2
Malaria (5).....	141	3	3	3	1	4	15	23	21	22	24	18	4
Smallpox (6).....													
Measles (7).....	48	11	4	7	5	4	3	1	2	5	2		4
Scarlet fever (8).....	5	2		1					1			1	
Whooping cough (9).....	83	6	9	10	6	6	10	9	5	7	6	5	4
Diphtheria (10).....	74	6	3	2	1		5	1	2	10	14	19	11
Influenza (11).....	634	85	144	194	80	27	11	6	4	11	13	23	31
Dysentery (16).....	59	1	2	2	2	5	17	9	2	5	8	6	
Erysipelas (21).....	19			1	1		1	1	2	6	2	2	1
Lethargic encephalitis (23).....	7	1	1		4	1							
Meningococcus meningitis (24).....	5						2						3
Tuberculosis of the respiratory system (31).....	392	35	30	43	35	37	41	39	21	24	33	32	22
Other forms of tuberculosis (32-37).....	41	2	1	3	5	2	3	4	6	2	3	5	5
Diabetes mellitus (57).....	105	12	18	13	5	9	9	4	4	5	3	12	11
Cerebral hemorrhage and softening (74, 83).....	539	48	47	56	41	55	40	40	36	38	40	54	44
Other [organic] diseases of the heart (90).....	811	66	83	85	71	73	61	58	65	47	76	73	53
Bronchitis (99).....	33	2	6	2	1	2	1	1	2	2	4	7	3
Broncho-pneumonia (100).....	211	32	27	20	10	16	3	4	5	12	20	38	24
Pneumonia (101).....	465	86	64	79	42	30	22	11	11	13	15	50	42
Diarrhea and enteritis [under 2 years] (113).....	243	6	7	3	2	21	57	45	27	23	28	9	15
Diarrhea and enteritis [2 years and over] (114).....	102	4	2	2	1	9	21	27	6	11	7	8	4
Nephritis (128, 129).....	828	84	63	61	54	69	74	80	65	59	71	78	78
Puerperal septicaemia (146).....	49	6	4	3	3	2	3	5	4	4	5	2	8
Other puerperal causes (143-145, 147-150).....	113	11	9	11	11	12	15	7	11	9	3	7	7
Suicide (165-174).....	53	6	1	3	3	8	7	5	4	5	2	5	4
Automobile accidents <sup>1</sup> (188c).....	139	8	6	4	10	10	10	8	18	19	15	15	16
Automobile and railroad-train collision (part 188a).....	11			1		1	1			1		6	1
Automobile and street-car collision (part 188b).....	1												
Other external causes (175-187, part 188a, b, 188d-203).....	570	49	41	45	46	54	37	53					

# CAUSES OF DEATH, BY MONTH OF OCCURRENCE

327

**TABLE 10.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM IMPORTANT CAUSES, BY MONTHS, IN EACH REGISTRATION STATE: 1926—Continued**

[Numbers after causes of death correspond to those of the 1920 revision of the detailed International List]

AREA AND CAUSE OF DEATH	All deaths	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
<b>MISSISSIPPI (COLORED), all causes.....</b>	<b>14,575</b>	<b>1,183</b>	<b>1,279</b>	<b>1,536</b>	<b>1,209</b>	<b>1,113</b>	<b>1,155</b>	<b>1,336</b>	<b>1,230</b>	<b>1,140</b>	<b>1,173</b>	<b>1,148</b>	<b>1,073</b>
Typhoid and paratyphoid fever (1).....	289	9	8	6	4	11	22	44	73	46	32	19	15
Malaria (5).....	286	7	5	2	7	9	27	38	53	56	59	19	4
Smallpox (6).....	4	1	1	1	2	1	7	2	3	1	1	1	1
Measles (7).....	21	6	11	16	15	21	22	20	14	24	16	9	8
Scarlet fever (8).....	1	1	3	4	2	1	1	1	8	8	8	8	10
Whooping cough (9).....	182	70	215	319	116	38	13	9	6	11	9	34	33
Diphtheria (10).....	55	1	5	3	2	8	13	25	15	5	7	2	5
Influenza (11).....	873	91	1	1	1	1	1	2	1	1	1	1	1
Dysentery (16).....	91	6	1	1	1	1	1	2	1	1	1	1	1
Erysipelas (21).....	6	1	1	1	1	1	1	1	1	1	1	1	1
Lethargic encephalitis (23).....	1	1	1	1	1	1	1	1	1	1	1	1	1
Meningococcus meningitis (24).....	5	1	1	1	1	1	1	1	1	1	1	1	1
Tuberculosis of the respiratory system (31).....	1,417	126	184	194	120	114	144	124	129	109	101	90	102
Other forms of tuberculosis (32-37).....	111	3	9	8	11	5	13	8	16	17	9	6	6
Diabetes mellitus (57).....	73	4	5	5	6	6	2	7	4	8	13	6	7
Cerebral hemorrhage and softening (74, 83).....	593	38	42	51	70	57	51	52	57	34	51	51	39
Other [organic] diseases of the heart (90).....	1,098	93	79	117	93	100	85	100	84	77	89	102	79
Bronchitis (99).....	19	2	2	1	1	1	1	1	1	2	5	3	1
Broncho-pneumonia (100).....	216	24	33	30	19	12	4	11	11	15	15	20	22
Pneumonia (101).....	776	119	133	157	76	53	17	19	15	25	33	63	66
Diarrhea and enteritis [under 2 years] (113).....	275	9	12	3	8	18	64	60	30	32	20	13	6
Diarrhea and enteritis [2 years and over] (114).....	95	2	3	3	3	7	17	21	14	10	6	5	4
Nephritis (128, 129).....	1,165	109	86	101	96	90	92	123	82	91	100	101	94
Puerperal septicemia (146).....	68	5	6	10	5	5	2	9	2	8	4	6	6
Other puerperal causes (143-145, 147-150).....	170	13	18	24	10	14	16	14	11	17	14	7	12
Suicide (165-174).....	17	1	1	3	1	1	1	1	2	3	3	1	2
Automobile accidents <sup>1</sup> (188c).....	76	7	5	7	10	4	4	4	12	4	6	8	5
Automobile and railroad-train collision (part 188a).....	5	3	3	3	3	3	3	3	3	3	3	3	3
Automobile and street-car collision (part 188b).....	7	7	7	7	7	7	7	7	7	7	7	7	7
Other external causes (175-187, part 188a, b, 188d-203).....	992	84	70	77	88	75	75	98	79	72	72	92	110
All other causes.....	5,595	446	393	462	444	459	461	544	508	464	500	479	435
<b>MISSOURI, all causes.....</b>	<b>42,752</b>	<b>4,011</b>	<b>3,461</b>	<b>4,456</b>	<b>4,077</b>	<b>3,642</b>	<b>2,981</b>	<b>3,341</b>	<b>3,239</b>	<b>3,071</b>	<b>3,322</b>	<b>3,382</b>	<b>3,769</b>
Typhoid and paratyphoid fever (1).....	360	10	11	14	14	9	16	32	66	65	59	46	18
Malaria (5).....	145	8	3	6	6	7	11	16	26	23	18	12	9
Smallpox (6).....	1	1	1	1	1	1	1	1	1	1	1	1	1
Measles (7).....	279	5	7	35	56	86	35	14	7	5	9	7	13
Scarlet fever (8).....	163	24	16	24	28	16	9	8	4	7	8	13	6
Whooping cough (9).....	329	18	17	36	41	32	24	39	29	18	28	24	23
Diphtheria (10).....	238	26	20	34	19	14	18	7	4	8	37	25	26
Influenza (11).....	1,609	212	191	389	328	150	32	19	21	20	47	74	126
Dysentery (16).....	188	3	3	6	2	5	9	47	43	40	19	7	4
Erysipelas (21).....	84	11	4	14	13	8	2	3	4	2	5	4	14
Lethargic encephalitis (23).....	36	1	1	3	5	5	3	2	1	2	4	4	4
Meningococcus meningitis (24).....	610	3	7	2	2	1	1	8	4	2	2	3	4
Tuberculosis of the respiratory system (31).....	2,410	237	227	261	277	224	232	203	200	167	180	179	223
Other forms of tuberculosis (32-37).....	327	30	20	24	39	35	31	31	28	19	25	19	26
Diabetes mellitus (57).....	612	66	62	71	59	55	37	33	32	41	36	67	53
Cerebral hemorrhage and softening (74, 83).....	2,827	251	229	308	260	244	217	198	211	195	210	239	265
Other [organic] diseases of the heart (90).....	5,615	518	446	577	518	535	437	447	396	378	425	458	480
Bronchitis (99).....	249	29	29	41	32	10	9	14	9	12	16	21	27
Broncho-pneumonia (100).....	1,644	211	140	296	192	95	52	64	52	53	100	167	222
Pneumonia (101).....	2,214	335	245	359	309	137	74	68	47	73	93	217	257
Diarrhea and enteritis [under 2 years] (113).....	966	33	23	31	22	25	66	166	203	215	128	40	14
Diarrhea and enteritis [2 years and over] (114).....	259	11	10	8	14	13	22	51	42	38	28	17	5
Nephritis (128, 129).....	4,322	397	358	459	382	372	336	348	290	280	348	336	416
Puerperal septicemia (146).....	195	19	19	25	20	23	6	15	11	12	13	12	20
Other puerperal causes (143-145, 147-150).....	245												

MORTALITY STATISTICS

TABLE 10.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM IMPORTANT CAUSES, BY MONTHS, IN EACH REGISTRATION STATE: 1926—Continued

[Numbers after causes of death correspond to those of the 1920 revision of the detailed International List]

AREA AND CAUSE OF DEATH	All deaths	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
NEBRASKA, all causes.....	12, 648	1, 144	1, 051	1, 288	1, 268	1, 116	969	973	885	939	928	982	1, 105
Typhoid and paratyphoid fever (1).....	23	1	1	2	1	2	2	2	3	1	1	4	6
Malaria (5).....	2	1	1	1	1	1	1	1	1	1	1	1	1
Smallpox (6).....	8	1	1	1	1	2	4	1	1	1	1	1	1
Measles (7).....	23	3	1	4	8	5	3	1	1	1	1	1	1
Scarlet fever (8).....	27	3	4	3	7	3	5	1	1	1	1	1	1
Whooping cough (9).....	111	10	11	19	12	12	9	7	10	6	4	4	2
Diphtheria (10).....	35	10	2	1	4	1	1	1	2	4	4	4	2
Influenza (11).....	562	37	63	132	123	53	16	8	16	17	18	28	51
Dysentery (16).....	20	2	2	1	1	1	1	1	1	1	1	2	2
Erysipelas (21).....	28	6	2	4	3	3	1	1	2	1	1	3	2
Lethargic encephalitis (23).....	17	1	1	2	1	2	1	1	1	1	1	1	2
Meningococcus meningitis (24).....	17	4	1	3	3	2	1	1	1	1	1	1	2
Tuberculosis of the respiratory system (31).....	368	26	44	38	41	39	38	31	24	22	25	17	23
Other forms of tuberculosis (32-37).....	79	11	3	12	5	9	1	10	6	4	3	9	6
Diabetes mellitus (57).....	240	25	15	25	22	23	18	22	14	20	13	24	21
Cerebral hemorrhage and softening (74, 83).....	1, 049	101	98	104	96	91	75	93	70	75	85	89	72
Other [organic] diseases of the heart (90).....	1, 670	141	139	162	177	154	137	124	115	119	117	127	158
Bronchitis (99).....	55	8	9	9	2	3	1	1	1	3	6	6	5
Broncho-pneumonia (100).....	374	49	46	45	52	26	16	16	12	10	27	28	53
Pneumonia (101).....	533	81	50	71	74	51	24	14	12	11	31	50	64
Diarrhea and enteritis [under 2 years] (113).....	184	9	2	4	6	7	13	15	21	49	21	13	8
Diarrhea and enteritis [2 years and over] (114).....	76	3	2	4	4	4	5	8	7	8	5	9	5
Nephritis (128, 129).....	880	71	73	89	91	84	65	68	74	36	67	83	79
Puerperal septicemia (146).....	81	4	4	14	4	7	4	10	7	7	5	6	6
Other puerperal causes (143-145, 147-150).....	107	6	11	10	10	7	10	8	7	7	6	15	10
Suicide (165-174).....	175	11	28	15	15	16	12	18	19	15	9	15	7
Automobile accidents <sup>1</sup> (188c).....	154	9	10	6	12	6	6	16	17	21	25	1	15
Automobile and railroad-train collision (part 188a).....	22	1	3	3	3	1	1	1	1	4	4	1	1
Automobile and street-car collision (part 188b).....	608	42	46	46	51	51	66	59	54	51	56	38	43
Other external causes (175-187, part 188a, b, 188d-203).....	474	382	452	443	453	428	442	385	432	385	398	448	448
All other causes.....	5, 122	474	382	452	443	453	428	442	385	432	385	398	448
NEW HAMPSHIRE, all causes.....	6, 703	615	570	646	734	576	505	560	444	448	495	517	593
Typhoid and paratyphoid fever (1).....	11	1	1	2	1	1	1	1	3	1	1	1	3
Malaria (5).....	1	1	1	1	1	1	1	1	1	1	1	1	1
Smallpox (6).....	39	4	9	5	4	12	2	1	1	1	2	1	2
Measles (7).....	30	5	3	1	4	3	3	3	1	3	1	4	3
Scarlet fever (8).....	36	4	2	1	4	4	4	3	4	2	2	4	3
Whooping cough (9).....	18	2	2	2	4	4	1	1	2	2	3	3	4
Diphtheria (10).....	260	27	25	56	66	26	6	7	2	5	9	12	19
Influenza (11).....	2	2	2	1	1	1	1	3	2	1	2	1	2
Dysentery (16).....	17	2	2	1	1	1	1	1	1	1	1	1	2
Erysipelas (21).....	5	3	3	2	2	2	2	1	1	1	1	1	1
Lethargic encephalitis (23).....	9	1	2	2	2	2	2	2	2	2	2	1	1
Meningococcus meningitis (24).....	254	18	20	20	27	32	23	27	14	15	19	12	27
Tuberculosis of the respiratory system (31).....	65	12	5	7	3	3	1	10	4	5	7	7	1
Other forms of tuberculosis (32-37).....	115	6	11	7	19	6	12	9	7	6	10	11	11
Diabetes mellitus (57).....	689	57	53	68	59	46	53	53	50	53	63	66	68
Cerebral hemorrhage and softening (74, 83).....	993	91	94	92	117	93	63	72	62	64	80	81	84
Other [organic] diseases of the heart (90).....	78	10	10	5	9	12	6	4	1	8	4	1	8
Bronchitis (99).....	260	28	26	35	39	20	16	9	13	8	15	15	36
Broncho-pneumonia (100).....	301	61	37	41	46	26	19	6	3	3	11	15	33
Pneumonia (101).....	63	2	3	3	7	5	4	9	7	7	4	9	3
Diarrhea and enteritis [under 2 years] (113).....	19	3	2	3	3	1	1	2	3	1	1	1	2
Diarrhea and enteritis [2 years and over] (114).....	522	40	41	50	52	41	37	53	29	46	40	43	50
Nephritis (128, 129).....	16	2	2	1	1	2	1	2	2	1	1	1	1
Puerperal septicemia (146).....	50	1	7	5	7	2	4	7	3	6	1	3	4
Other puerperal causes (143-145, 147-150).....	59	4	2	3	5	5	3	11	4	4	5	10	3
Suicide (165-174).....	68	2	1	3	3	6	5	10	11	10	9	9	2
Automobile accidents <sup>1</sup> (188c).....	4	1	1	1	1	1	1	1	1	1	1	1	1
Automobile and railroad-train collision (part 188a).....	1	1	1	1	1	1	1	1	1	1	1	1	1
Automobile and street-car collision (part 188b).....	255	22	12	7	19	30	18	37	25	24	23	22	16
Other external causes (175-187, part 188a, b, 188d-203).....	2, 464	215	202	223	238	200	214	219	197	173	186	188	209
All other causes.....	2, 464	215	202	223	238	200	214	219	197	173	186	188	209
NEW JERSEY, all causes.....	44, 876	4, 320	4, 131	5, 472	4, 252	3, 725	3, 210	3, 250	3, 067	3, 020	3, 229	3, 316	3, 884
Typhoid and paratyphoid fever (1).....	102	7	2	5	6	5	12	7	10	13	15	9	11
Malaria (5).....	2	1	1	1	1	1	1	1	1	1	1	1	1
Smallpox (6).....	447	32	76	107	90	89	37	9	2	1	1	2	1
Measles (7).....	82	11	7	10	9	11	11	2	2	5	3	4	7
Scarlet fever (8).....	191	11	12	33	20	12	17	10	21	19	9	9	13
Whooping cough (9).....	321	28	30	26	19	29	23	18	11	20	29	35	53
Diphtheria (10).....	892	92	74	347	160	51	24	9	7	12	19	38	59
Influenza (11).....	14	1	1	1	2	2	2	2	2	4	1	2	1
Dysentery (16).....	122	17	10	26	14	16	9	6	4	4	4	1	11
Erysipelas (21).....	63	6	9	6	7	4	5	2	2	11	5	2	4
Lethargic encephalitis (23).....	58	6	5	10	4	6	4	2	6	3	3	3	6
Meningococcus meningitis (24).....	2, 719	244	238	286	237	268	209	231	195	210	195	192	214
Tuberculosis of the respiratory system (31).....	370	26	30	34	30	38	37	40	27	35	24	23	26
Other forms of tuberculosis (32-37).....	772	88	72	84	66	55	63	48	61	53	48	44	90
Diabetes mellitus (57).....	3, 534	328	348	382	327	275	252	258	244	228	268	301	323
Cerebral hemorrhage and softening (74, 83).....	7, 586	750	712	958	701	614	550	515	463	508	557	555	703
Other [organic] diseases of the heart (90).....	305	41	39	56	38	19	8	11	8	19	15	24	27
Bronchitis (99).....	1, 749	227	230	356	204	146	85	50	46	62	88	120	155
Broncho-pneumonia (100).....	2, 764	394	361	627	342	219	116	69	63	69	98	179	227
Pneumonia (101).....	815	45	56	56	40	50	47	68	143	130	79	47	54
Diarrhea and enteritis [under 2 years] (113).....	160	6	9	13	11	8	7	23	22	16	17	12	11
Diarrhea and enteritis [2 years and over] (114).....	4, 086	372	405	429	404	327	284	295	282	273	326	323	361
Nephritis (128, 129).....	157	22	20	16	15	18	9	10	14	8	7	10	8
Puerperal septicemia (146).....	260	27	30	28	25	22	13	19	20	15	15	18	28
Other puerperal causes (143-145, 147-150).....	482	36	31	37	55	46	45	46	33	36	39	43	30
Suicide (165-174).....	792	57	39	44	57	72	69	79	84	78	74	74	65
Automobile accidents <sup>1</sup> (188c).....	56	2	1	2	4	4	4	9	10	8	2	7	7
Automobile and railroad-train collision (part 188a).....	9	1	1	1	1	1	1	1	1	1	1	1	1
Automobile and street-car collision (part 188b).....	2, 289	177	140	169	171	187	146	306	230	201	133	182	197
Other external causes (175-187, part 188a, b, 188d-203).....	13, 877	1, 267	1, 143	1, 323	1, 193	1, 138	1, 124	1, 103					

# CAUSES OF DEATH, BY MONTH OF OCCURRENCE

329

TABLE 10.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM IMPORTANT CAUSES, BY MONTHS, IN EACH REGISTRATION STATE: 1926—Continued

[Numbers after causes of death correspond to those of the 1920 revision of the detailed International List]

AREA AND CAUSE OF DEATH	All deaths	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
New York, all causes.....	151,345	14,001	13,073	19,012	14,774	12,968	11,260	10,778	9,948	10,173	11,337	11,241	12,780
Typhoid and paratyphoid fever (1).....	298	41	15	13	13	9	12	18	32	38	45	29	33
Malaria (5).....	9	1	1	2	1	2				1	3		
Smallpox (6).....	1												
Measles (7).....	1,071	102	164	241	278	145	66	26	6	3	4	10	26
Scarlet fever (8).....	200	17	28	27	27	25	15	12	5	7	12	11	14
Whooping cough (9).....	636	21	46	126	101	67	48	38	58	31	27	33	40
Diphtheria (10).....	738	61	49	80	59	79	65	55	45	32	47	75	41
Influenza (11).....	2,782	206	217	1,156	581	153	82	23	32	34	69	90	139
Dysentery (16).....	45	4	3	6	1	1	2	7	7	7	10	2	2
Erysipelas (21).....	344	37	25	55	45	55	29	22	14	11	12	13	16
Lethargic encephalitis (23).....	263	19	23	38	34	27	16	24	26	10	16	14	14
Meningococcus meningitis (24).....	148	16	11	13	19	21	8	9	13	8	12	4	701
Tuberculosis of the respiratory system (31).....	8,937	785	727	971	896	816	806	688	609	626	658	654	73
Other forms of tuberculosis (32-37).....	1,216	99	97	119	111	120	124	116	104	92	80	81	262
Diabetes mellitus (57).....	2,913	276	254	346	248	219	231	195	190	207	288	247	948
Cerebral hemorrhage and softening (74, 83).....	9,891	920	1,072	901	784	742	753	648	689	808	789	2,182	2,638
Other [organic] diseases of the heart (90).....	29,817	2,817	2,733	3,857	2,821	2,427	2,122	1,919	1,664	1,920	2,197	2,182	70
Bronchitis (99).....	889	92	94	165	117	67	61	84	30	34	66	59	577
Broncho-pneumonia (100).....	6,782	668	733	1,398	975	558	359	242	225	257	361	429	577
Pneumonia (101).....	8,418	1,047	971	1,887	1,013	680	426	278	204	255	382	566	709
Diarrhea and enteritis [under 2 years] (113).....	2,103	183	104	148	147	151	138	150	334	340	217	128	111
Diarrhea and enteritis [2 years and over] (114).....	400	23	25	26	18	26	30	40	60	49	39	23	36
Nephritis (128, 129).....	12,819	1,246	1,192	1,480	1,211	1,106	963	895	808	883	956	979	1,120
Puerperal septicemia (146).....	471	51	54	49	37	63	27	52	38	21	28	28	33
Other puerperal causes (143-145, 147-150).....	789	66	50	95	86	72	69	67	54	66	49	62	53
Suicide (165-174).....	1,617	137	96	142	141	131	147	149	125	143	148	128	130
Automobile accidents <sup>1</sup> (188c).....	2,177	129	84	116	161	205	189	205	221	253	261	213	141
Automobile and railroad-train collision (part 188a).....	133	8	7	4	8	12	14	12	3	5	4	1	3
Automobile and street-car collision (part 188b).....	40	2	1	2	4	8	1	3	5	4	1	3	6
Other external causes (175-187, part 188a, b, 188d-203).....	7,505	688	556	655	546	559	593	818	675	574	555	600	686
All other causes.....	48,412	4,285	3,887	4,722	4,175	4,390	3,876	3,933	3,706	3,570	4,017	3,771	4,080
North Carolina (white), all causes.....	20,957	1,926	1,726	2,347	1,736	1,772	1,816	1,847	1,502	1,362	1,582	1,668	1,673
Typhoid and paratyphoid fever (1).....	134	5	1	2	4	4	8	26	22	30	17	8	7
Malaria (5).....	44	3	5	2	2	4	5	4	6	2	7	2	2
Smallpox (6).....	10	1					3	3	2			1	3
Measles (7).....	53	1	3	7	9	12	9	3	1	2	2	3	1
Scarlet fever (8).....	29	3	2	2	1	5	1	2	1	1	5	2	4
Whooping cough (9).....	164	11	8	10	7	9	24	21	19	10	11	12	12
Diphtheria (10).....	190	16	10	12	3	3	2	4	4	18	38	48	33
Influenza (11).....	1,005	92	146	378	179	59	16	8	10	6	21	38	52
Dysentery (16).....	107	1		3	1	6	25	33	14	6	9	7	2
Erysipelas (21).....	46	7		12	1	4	4		3	1	5	7	2
Lethargic encephalitis (23).....	19	1	3	1	1	5		3	2	1	1	1	1
Meningococcus meningitis (24).....	21	5	2	1	3		3		1	1	1	2	1
Tuberculosis of the respiratory system (31).....	1,175	95	100	123	124	125	102	88	79	68	92	94	85
Other forms of tuberculosis (32-37).....	122	10	13	8	9	10	8	10	12	10	11	9	12
Diabetes mellitus (57).....	188	15	24	23	14	14	7	22	7	11	20	12	19
Cerebral hemorrhage and softening (74, 83).....	1,433	154	112	151	129	124	126	125	105	81	102	113	111
Other [organic] diseases of the heart (90).....	2,320	211	203	253	185	222	189	167	142	132	157	190	179
Bronchitis (99).....	69	11	5	8	4	6	1	3	1	4	3	9	14
Broncho-pneumonia (100).....	671	79	87	100	62	51	25	22	20	26	47	77	75
Pneumonia (101).....	908	150	133	156	75	74	31	18	14	24	47	71	115
Diarrhea and enteritis [under 2 years] (113).....	879	21	14	9	11	44	197	229	121	95	85	39	14
Diarrhea and enteritis [2 years and over] (114).....	201	3	4	8	3	7	57	40	35	8	20	8	8
Nephritis (128, 129).....	1,796	169	163	189	147	152	153	175	112	121	134	130	151
Puerperal septicemia (146).....	81	14	6	7	10	4	7	5					

## MORTALITY STATISTICS

TABLE 10.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM IMPORTANT CAUSES, BY MONTHS, IN EACH REGISTRATION STATE: 1926—Continued

[Numbers after causes of death correspond to those of the 1920 revision of the detailed International List]

AREA AND CAUSE OF DEATH	All deaths	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
<b>NORTH DAKOTA, all causes.....</b>	<b>5,313</b>	<b>444</b>	<b>447</b>	<b>591</b>	<b>569</b>	<b>477</b>	<b>394</b>	<b>397</b>	<b>368</b>	<b>382</b>	<b>400</b>	<b>425</b>	<b>410</b>
Typhoid and paratyphoid fever (1).....	18	2	1	3				2	4	2	2	2	
Malaria (5).....													
Smallpox (6).....													
Measles (7).....	35	1	3	4	3	2	4	4			2	3	9
Scarlet fever (8).....	65	10	11	11	6	5	1	5	3	1	4	4	4
Whooping cough (9).....	75	7	8	14	7	13	4	3	4	6	4	3	2
Diphtheria (10).....	31	5	2	1	8	2	5	1	1	1	2	2	1
Influenza (11).....	194	6	14	68	58	16	6	4	3		6	8	5
Dysentery (16).....	6								1	4	1		
Erysipelas (21).....	16	5	1	1	2				1	1		2	3
Lethargic encephalitis (23).....	14	2	6			3			1	1			
Meningococcus meningitis (24).....	13	2	1						1	1		2	1
Tuberculosis of the respiratory system (31).....	242	20	17	22	23	38	23	17	16	17	15	15	19
Other forms of tuberculosis (32-37).....	52	1	2	4	7	6	6	8	2	5	4	4	4
Diabetes mellitus (57).....	110	9	13	10	19	5	7	10	5	7	6	10	9
Cerebral hemorrhage and softening (74, 83).....	335	32	35	33	32	21	31	29	19	22	25	26	30
Other [organic] diseases of the heart (90).....	584	46	51	57	58	40	47	44	47	51	60	42	41
Bronchitis (99).....	23	3			2	1	1	1			5	5	1
Broncho-pneumonia (100).....	219	23	19	41	22	19	11	12	6	3	12	23	28
Pneumonia (101).....	228	26	23	45	30	15	12	10	7	10	12	19	19
Diarrhea and enteritis [under 2 years] (113).....	85	3	5	13	5	9	5	9	3	11	11	5	6
Diarrhea and enteritis [2 years and over] (114).....	21			2	2								
Nephritis (128, 129).....	230	13	19	19	27	30	16	19	15	20	18	19	15
Puerperal septicemia (146).....	29	4	1	2	4	4		2	2	2	6	4	
Other puerperal causes (143-145, 147-150).....	35	4	4	6	3	1		2	5	2	5	1	2
Suicide (165-174).....	61	5	2	11	4	6	7	9	1	4	8	4	
Automobile accidents <sup>1</sup> (188c).....	70	1		8	10	7	5	4	8	10	7	6	4
Automobile and railroad-train collision (part 188a).....	11	1		1		2				2	3	2	
Automobile and street-car collision (part 188b).....													
Other external causes (175-187, part 188a, b, 188d-203).....	249	11	17	15	25	28	19	28	32	23	19	23	9
All other causes.....	2,262	202	190	196	212	204	183	172	180	171	169	188	195
<b>OHIO, all causes.....</b>	<b>78,695</b>	<b>7,052</b>	<b>6,044</b>	<b>8,031</b>	<b>8,369</b>	<b>6,893</b>	<b>5,959</b>	<b>5,801</b>	<b>5,697</b>	<b>5,790</b>	<b>6,129</b>	<b>6,220</b>	<b>6,710</b>
Typhoid and paratyphoid fever (1).....	290	10	7	16	9	12	11	13	36	57	67	32	20
Malaria (5).....	12		2		1		1	1	2	2	2	1	2
Smallpox (6).....													
Measles (7).....	852	105	139	178	186	141	63	23	5	5	2	3	2
Scarlet fever (8).....	188	25	24	22	20	22	10	9	5	6	9	14	22
Whooping cough (9).....	635	45	46	84	103	80	56	49	54	33	22	36	27
Diphtheria (10).....	492	47	30	22	31	26	19	23	21	29	60	103	81
Influenza (11).....	2,527	224	152	496	770	264	92	53	37	50	83	117	139
Dysentery (16).....	102	1	2	5	2	2	6	4	15	40	20	5	
Erysipelas (21).....	200	19	22	25	33	28	13	12	8	6	4	11	19
Lethargic encephalitis (23).....	138	10	14	15	22	10	17	11	12	13		6	8
Meningococcus meningitis (24).....	37	3	2	2	4	1	3	7	4	1	4	1	5
Tuberculosis of the respiratory system (31).....	4,326	325	377	424	463	429	384	342	327	336	282	316	321
Other forms of tuberculosis (32-37).....	742	52	53	68	77	76	73	73	72	33	66	49	50
Diabetes mellitus (57).....	1,220	126	102	108	129	84	111	97	70	85	100	104	104
Cerebral hemorrhage and softening (74, 83).....	7,030	661	559	731	648	615	561	514	476	491	560	568	656
Other [organic] diseases of the heart (90).....	11,506	1,113	873	1,165	1,199	970	860	854	773	762	865	1,001	1,066
Bronchitis (99).....	377	47	28	42	56	38	19	21	14	14	27	39	32
Broncho-pneumonia (100).....	2,934	347	247	432	493	286	162	106	73	102	147	222	317
Pneumonia (101).....	3,286	481	302	490	473	282	168	124	98	94	166	236	377
Diarrhea and enteritis [under 2 years] (113).....	1,513	71	46	66	56	73	56	102	258	351	290	73	71
Diarrhea and enteritis [2 years and over] (114).....	379	20	22	13	17	23	27	28	51	80	52	14	17
Nephritis (128, 129).....	5,511	488	439	525	527	486	438	429	426	390	456	473	434
Puerperal septicemia (146).....	340	37	26	39	23	30	34	31	20	18	28	23	31
Other puerperal causes (143-145, 147-150).....	491	41	37	45	40	42	41	43	45	43	37	46	31
Suicide (165-174).....	873	59	54	89	88	70	89	64	68	82	70	77	63
Automobile accidents <sup>1</sup> (188c).....	1,317	79	56	74	78	99	106	120	145	140	160	150	109
Automobile and railroad-train collision (part 188a).....	188	16	9	14	9	17	15	14	9	13	30	24	16
Automobile and street-car collision (part 188b).....	73	1	2	5	5	1	3	3	9	16	5	16	7
Other external causes (175-187, part 188a, b, 188d-203).....	4,455	353	315	315	339	368	416	450	437	366	335	872	389
All other causes.....	26,663	2,241	2,057	2,516	2,473	2,318	2,105	2,181	2,132	2,124	2,180	2,092	2,244
<b>OREGON, all causes.....</b>	<b>9,857</b>	<b>911</b>	<b>826</b>	<b>875</b>	<b>869</b>	<b>762</b>	<b>778</b>	<b>770</b>	<b>748</b>	<b>734</b>	<b>808</b>	<b>858</b>	<b>918</b>
Typhoid and paratyphoid fever (1).....	36	1	1	2		4	1	2	7	5	8	3	2
Malaria (5).....	2												1
Smallpox (6).....	7			1		1			1	1			
Measles (7).....	8	3			4			1					1
Scarlet fever (8).....	26	3	1	1	7		2	1	3	2	1	2	3
Whooping cough (9).....	50	3	5	10	13	5	5	1	2	1	1	2	2
Diphtheria (10).....	59	10	6	5	4	1	7	2	8	3	7	1	6
Influenza (11).....	220	25	43	53	21	9	7	4	5	3	12	16	22
Dysentery (16).....	14		2			1			4	2	2	1	2
Erysipelas (21).....	19			3		2		4	2	1		2	2
Lethargic encephalitis (23).....	10			1		5		1	1			2	2
Meningococcus meningitis (24).....	63	9	10	9	7	6	4	5	1	5		1	1
Tuberculosis of the respiratory system (31).....	448	33	30	47	49	49	37	43	32	30	30	30	38
Other forms of tuberculosis (32-37).....	94	7	8	7	10	12	6	6	11	2	7	6	6
Diabetes mellitus (57).....	175	17	16	14	13	10	11	11	17	18	16	16	16
Cerebral hemorrhage and softening (74, 83).....	889	86	78	94	71	74	74	63	65	75	62	70	77
Other [organic] diseases of the heart (90).....	1,471	126	110	124	141	103	113	127	108	99	130	133	157
Bronchitis (99).....	26	4	2	4	2	1	3	1		1	2	2	4
Broncho-pneumonia (100).....	272	40	34	25	14	14	21	12	17	10	11	34	40
Pneumonia (101).....	358	64	38	32	34	15	19	9	18	13	31	35	50
Diarrhea and enteritis [under 2 years] (113).....	78	4	2	6	2	4	4	7	8	19	10	6	6
Diarrhea and enteritis [2 years and over] (114).....	36	1	4	2	6	2	2	5	4	2	2	1	5
Nephritis (128, 129).....	706	70	61	55	53	62	61	55	47	54	65	57	66
Puerperal septicemia (146).....	33	4	3	5	1	3	2	4	2	3	2	1	3
Other puerperal causes (143-145, 147-150).....	54	4	6	7	8	4	1	7	2	5	2	4	4
Suicide (165-174).....	179	15	20	20	16	14	17	18	9	6	16	10	18
Automobile accidents <sup>1</sup> (188c).....	187	10	8	9	12	18	17	15	29	25	21	14	9
Automobile and railroad-train collision (part 188a).....	8				1		1			2		4	
Automobile and street-car collision (part 188b).....	3		2										1
Other external causes (175-187, part 188a, b, 188d-203).....	656	39	42	56	61	61	59	59	55	63	49	60	52
All other causes.....	3,670	331	294	283	316	284	295	307	290	285	316	347	322

<sup>1</sup> Excludes collision with railroad trains and street cars.

CAUSES OF DEATH, BY MONTH OF OCCURRENCE

TABLE 10.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM IMPORTANT CAUSES, BY MONTHS, IN EACH REGISTRATION STATE: 1926—Continued

[Numbers after causes of death correspond to those of the 1920 revision of the detailed International List]

AREA AND CAUSE OF DEATH	All deaths	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
PENNSYLVANIA, all causes.....	120,537	11,378	10,498	14,088	12,214	10,552	8,560	8,557	7,964	8,253	9,140	9,083	10,250
Typhoid and paratyphoid fever (1).....	357	31	23	16	20	18	15	24	38	44	57	38	33
Malaria (5).....	5						2	1		1		1	
Smallpox (6).....													
Measles (7).....	1,058	85	154	202	208	196	101	36	20	7	6	17	26
Scarlet fever (8).....	272	36	25	40	27	27	27	20	6	3	10	21	32
Whooping cough (9).....	927	62	66	151	129	110	62	64	67	65	51	50	50
Diphtheria (10).....	800	101	83	77	73	65	65	52	44	40	68	65	67
Influenza (11).....	4,230	362	373	1,178	1,093	412	142	59	58	46	101	157	249
Dysentery (16).....	72	3	1		2	5	1	9	12	20	12	3	4
Erysipelas (21).....	269	35	25	44	41	32	18	16	8	11	8	10	21
Lethargic encephalitis (23).....	119	12	11	16	14	9	12	9	3	8	9	7	9
Meningococcus meningitis (24).....	84	8	10	6	7	9	8	9	7	7	4	4	5
Tuberculosis of the respiratory system (31).....	6,360	588	545	689	627	628	526	482	468	446	469	434	458
Other forms of tuberculosis (32-37).....	1,039	94	79	94	106	94	90	98	87	80	70	76	81
Diabetes mellitus (57).....	1,885	182	171	191	195	136	137	141	136	124	151	150	171
Cerebral hemorrhage and softening (74, 83).....	8,530	792	773	894	814	694	664	584	529	610	682	712	782
Other [organic] diseases of the heart (90).....	18,206	1,813	1,680	2,150	1,725	1,571	1,288	1,274	1,094	1,106	1,415	1,420	1,670
Bronchitis (99).....	775	95	90	127	76	72	42	38	22	34	54	63	62
Broncho-pneumonia (100).....	5,528	631	643	1,024	734	502	309	188	156	191	302	367	481
Pneumonia (101).....	7,268	919	856	1,313	961	611	361	251	185	215	330	551	715
Diarrhea and enteritis [under 2 years] (113).....	3,025	195	134	165	194	172	111	194	431	634	476	175	144
Diarrhea and enteritis [2 years and over] (114).....	477	31	22	30	23	24	23	68	64	70	64	37	21
Nephritis (128, 129).....	10,306	995	926	1,108	953	900	764	749	650	746	803	796	916
Puerperal septicemia (146).....	526	48	49	56	50	60	49	47	33	21	41	32	40
Other puerperal causes (143-145, 147-150).....	798	74	79	82	68	75	45	72	73	51	66	61	52
Suicide (165-174).....	1,188	86	68	99	103	117	121	92	93	106	89	107	107
Automobile accidents <sup>1</sup> (188c).....	1,734	89	58	94	131	152	146	190	147	188	196	183	162
Automobile and railroad-train collision (part 188a).....	68	2	3	1	5	11	11	6	3	5	3	12	6
Automobile and street-car collision (part 188b).....	31	4	3		3	3	4	4	1	5	3	2	3
Other external causes (175-187, part 188a, b, 188d-203).....	6,900	609	493	552	511	564	551	714	599	546	525	589	647
All other causes.....	37,700	3,406	3,055	3,889	3,323	3,286	2,866	3,066	2,930	2,825	3,075	2,943	3,236
RHODE ISLAND, all causes.....	8,791	873	734	1,103	976	757	674	610	585	562	603	634	680
Typhoid and paratyphoid fever (1).....	11					1		2	2	1	4		1
Malaria (5).....													
Smallpox (6).....													
Measles (7).....	137	30	24	34	21	11	12	4	1				
Scarlet fever (8).....	4												
Whooping cough (9).....	125	11	13	13	12	15	8	10	12	12	7	6	6
Diphtheria (10).....	43	6	3	4	4	3	1	2	2	1	4	6	6
Influenza (11).....	234	13	8	93	70	17	9	9	2	2	1	4	9
Dysentery (16).....	13												
Erysipelas (21).....	25	4	5	3	2	3		2	1	1	1	2	1
Lethargic encephalitis (23).....	10	1		1		2		2	2	2	1		1
Meningococcus meningitis (24).....	10												
Tuberculosis of the respiratory system (31).....	408	37	34	46	45	39	36	26	36	25	23	25	31
Other forms of tuberculosis (32-37).....	96	6	5	9	12	16	9	11	11	5	4	4	4
Diabetes mellitus (57).....	160	8	14	27	17	8	14	12	18	7	14	12	12
Cerebral hemorrhage and softening (74, 83).....	789	81	61	76	77	75	68	57	55	47	63	66	63
Other [organic] diseases of the heart (90).....	1,352	132	103	182	156	120	97	82	77	78	106	101	118
Bronchitis (99).....	56	4	2	4	4	6	5	2	2	1	1	1	3
Broncho-pneumonia (100).....	262	40	27	32	42	29	18	5	5	8	16	16	24
Pneumonia (101).....	504	85	46	111	89	31	27	16	6	6	19	21	47
Diarrhea and enteritis [under 2 years] (113).....	107	4	9	6	7	7	4	12	12	19	9	11	7
Diarrhea and enteritis [2 years and over] (114).....	21	1	1	1	1	1	1	3	2	3	3	1	5
Nephritis (128, 129).....	818	89	71	109	76	84	55	65	53	50	45	56	65
Puerperal septicemia (146).....	24	8	4	3	3	4	1	4	1	1	2	2	1
Other puerperal causes (143-145, 147-150).....	57	8	4	10	6	3	4	1	3	6	3	2	6
Suicide (165-174).....	75	3	4	7	6	3	6	0	3	8	7	13	6
Automobile accidents <sup>1</sup> (188c).....	127	8	7	3	13	12	13	14	8	13	16	13	7
Automobile and railroad-train collision (part 188a).....	1												
Automobile and street-car collision (part 188b).....	2												
Other external causes (175-187, part 188a, b, 188d-203).....	344	35	16	26	33	25	26	36	26	25	24	33	39
All other causes.....	2,981	261	265	293	283	242	260	227	244	230	226	234	216
SOUTH CAROLINA (WHITE), all causes.....	9,219	840	760	866	795	796	807	758	673	697	814	680	723
Typhoid and paratyphoid fever (1).....	150	3	6	3	2	1	12	16	29	25	29	14	10
Malaria (5).....	30	1	1			1		5	2	6	7	6	1
Smallpox (6).....	2			1	1								
Measles (7).....	7		1			2					1	1	1
Scarlet fever (8).....	8					3		1		2			2
Whooping cough (9).....	70	5	3	12	5	7	7	8	4	7	3	5	4
Diphtheria (10).....	108	11	5	3	2	2	4	1	3	12	29	23	13
Influenza (11).....	461	50	85	131	86	25	6	3	2	4	11	27	31
Dysentery (16).....	95	2	1	2	10	23	18	9	8	13	5	2	2
Erysipelas (21).....	17	1	1	1	2	2		1	3	1	4		
Lethargic encephalitis (23).....	10	1		2	1	1	1	1	1	2			
Meningococcus meningitis (24).....	5				1	1					2		
Tuberculosis of the respiratory system (31).....	360	47	30	29	43	40	25	21	23	23	26	16	37
Other forms of tuberculosis (32-37).....	38	5	3	3	1	3	5	3	1	5	7	2	7
Diabetes mellitus (57).....	94	5	9	16	13	4	8	4	4	5	10	9	7
Cerebral hemorrhage and softening (74, 83).....	652	61	59	50	70	50	57	43	41	48	57	61	55
Other [organic] diseases of the heart (90).....	1,038	95	84	104	73	102	82	97	77	70	94	74	86
Bronchitis (99).....	21	2	3	2	1	3			2	2	2	1	5
Broncho-pneumonia (100).....	203	27	22	22	15	12	16	11	6	12	17	22	21
Pneumonia (101).....	475	89	58	61	56	39	21	13	17	15	25	33	48
Diarrhea and enteritis [under 2 years] (113).....	424	6	4	7	4	42	89	74	60	66	49	19	4
Diarrhea and enteritis [2 years and over] (114).....	56	2	1	1	1	1	11	14	7	7	8	2	1
Nephritis (128, 129).....	951	75	64	91	83	92	89	82	66	73	76	82	78
Puerperal septicemia (146).....	27	1	3	7	3	1	1	3	1	3	2	1	1
Other puerperal causes (143-145, 147-150).....	135	15	7	10	19	14	17	6	9	11	9	6	12
Suicide (165-174).....	50	6	1	2	4	8	4	4	5	3	6	3	4
Automobile accidents <sup>1</sup> (188c).....	119	7	5	12	9	10	3	10	9	14	14	10	16
Automobile and railroad-train collision (part 188a).....	6	2	1								1		2
Automobile and street-car collision (part 188b).....	3												
Other external causes (175-187, part 188a, b, 188d-203).....	446	61	35	44	27	36	30	33	30	36	37	39	38
All other causes.....	3,158	260	267	251	271	284	293	286	266	237	277	224	242

<sup>1</sup> Excludes collision with railroad trains and street cars.

MORTALITY STATISTICS

TABLE 10.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM IMPORTANT CAUSES, BY MONTHS, IN EACH REGISTRATION STATE: 1926—Continued

[Numbers after causes of death correspond to those of the 1920 revision of the detailed International List]

AREA AND CAUSE OF DEATH	All deaths	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
<b>SOUTH CAROLINA (COLORED), all causes</b>	<b>14,184</b>	<b>1,155</b>	<b>1,133</b>	<b>1,418</b>	<b>1,207</b>	<b>1,296</b>	<b>1,322</b>	<b>1,347</b>	<b>1,169</b>	<b>1,052</b>	<b>1,098</b>	<b>980</b>	<b>1,007</b>
Typhoid and paratyphoid fever (1)	361	14	1	6	1	18	31	70	82	55	48	21	14
Malaria (5)	190	7	5	4	10	14	13	29	19	35	24	17	13
Smallpox (6)	2						1						
Measles (7)	5						3	2					
Scarlet fever (8)	3							1		1		1	
Whooping cough (9)	80	3	5	6	12	9	10	6	7		4	5	9
Diphtheria (10)	61	4	4	3	2	4	3	2	2	12	11	6	8
Influenza (11)	665	58	111	214	120	47	19	7	9	5	15	34	26
Dysentery (16)	158		2	2		26	46	37	15	8	10	5	5
Erysipelas (21)	3		1			2							
Lethargic encephalitis (23)	1	1											
Meningococcus meningitis (24)	4												
Tuberculosis of the respiratory system (31)	1,186	91	86	112	111	104	109	125	104	107	85	76	76
Other forms of tuberculosis (32-37)	78	5	5	2	11	4	7	6	8	13	7	5	5
Diabetes mellitus (57)	72	7	7	8	8	8	4	2	3	3	7	8	6
Cerebral hemorrhage and softening (74, 83)	726	56	70	77	59	57	50	54	59	60	72	52	60
Other [organic] diseases of the heart (90)	1,398	113	118	129	129	128	152	143	121	95	99	104	72
Bronchitis (99)	28	2	2		2	2	4	3	2	1	4	1	3
Broncho-pneumonia (100)	236	35	25	36	21	11	13	22	19	15	24	18	22
Pneumonia (101)	694	99	100	118	70	46	31	22	27	27	34	54	74
Diarrhea and enteritis [under 2 years] (113)	519	9	6	13	21	73	107	85	73	10	47	19	13
Diarrhea and enteritis [2 years and over] (114)	118	8	4		4	10	18	22	10	17	106	83	103
Nephritis (128, 129)	1,228	96	94	117	91	114	118	121	106	84	106	83	103
Puerperal septicemia (146)	92	7	2	13	9	10	7	10	9	6	10	7	5
Other puerperal causes (143-145, 147-150)	287	19	20	30	20	23	28	26	16	16	18	11	10
Suicide (165-174)	9	1		1			3	1	6			2	
Automobile accidents <sup>1</sup> (188c)	73	6	1	5	7	11	3	6	2	3	6	5	9
Automobile and railroad-train collision (part 188a)	6			1			3						
Automobile and street-car collision (part 188b)	6						3						
Other external causes (175-187, part 188a, b, 188d-203)	680	74	48	66	62	53	45	60	52	45	53	55	67
All other causes	5,276	440	420	450	437	522	494	487	437	396	404	389	400
<b>TENNESSEE (WHITE), all causes</b>	<b>22,163</b>	<b>2,080</b>	<b>1,959</b>	<b>2,442</b>	<b>1,927</b>	<b>1,642</b>	<b>1,651</b>	<b>1,960</b>	<b>1,630</b>	<b>1,665</b>	<b>1,771</b>	<b>1,829</b>	<b>1,657</b>
Typhoid and paratyphoid fever (1)	426	15	7	6	5	5	12	53	78	91	75	50	29
Malaria (5)	103	1	1	3	1	1	2	15	17	30	15	13	4
Smallpox (6)	3				2								1
Measles (7)	264	27	60	54	46	25	16	13	11	5	3	2	2
Scarlet fever (8)	39	2	4	1	7	2	3	1	6	4	6	3	3
Whooping cough (9)	283	10	12	21	16	14	25	31	32	21	41	31	29
Diphtheria (10)	245	18	11	11	9	4	5	4	29	55	74	26	26
Influenza (11)	1,327	175	209	399	237	52	22	20	5	17	40	70	81
Dysentery (16)	196	5	3	1	6	7	21	58	35	23	24	11	2
Erysipelas (21)	35	5	1	2	7	3	3	2	1	1	5		8
Lethargic encephalitis (23)	22	3	2	3	1	5	1	1	1	2		2	1
Meningococcus meningitis (24)	30	3					2	3	2	2	4	2	5
Tuberculosis of the respiratory system (31)	1,992	191	193	229	185	171	153	168	147	135	139	147	134
Other forms of tuberculosis (32-37)	265	12	23	23	23	25	30	20	18	30	29	15	14
Diabetes mellitus (57)	174	20	13	23	16	15	12	7	13	5	7	15	28
Cerebral hemorrhage and softening (74, 83)	1,043	106	91	104	112	74	85	91	65	69	63	101	82
Other [organic] diseases of the heart (90)	1,914	185	161	228	174	170	165	166	138	105	139	130	153
Bronchitis (99)	73	7	12	5	8	6	6	8	2	4	3	8	4
Broncho-pneumonia (100)	752	120	112	120	71	41	23	24	17	23	55	79	67
Pneumonia (101)	1,072	183	159	205	98	66	33	25	23	33	48	106	93
Diarrhea and enteritis [under 2 years] (113)	777	18	7	8	12	16	113	139	142	123	103	34	12
Diarrhea and enteritis [2 years and over] (114)	303	13	9	11	6	9	36	31	50	37	30	11	10
Nephritis (128, 129)	1,365	129	105	129	123	109	113	108	95	112	117	113	112
Puerperal septicemia (146)	114	16	12	9	7	15	8	4	6	9	7	14	7
Other puerperal causes (143-145, 147-150)	183	12	14	25	19	18	16	24	12	8	9	14	12
Suicide (165-174)	161	11	14	16	17	12	8	20	13	11	13	12	14
Automobile accidents <sup>1</sup> (188c)	259	14	15	12	14	25	26	27	29	26	28	20	23
Automobile and railroad-train collision (part 188a)	14	1	3	1			1	1		1	2	4	
Automobile and street-car collision (part 188b)	14	1	3	1			1	1		1	2	4	
Other external causes (175-187, part 188a, b, 188d-203)	1,083	77	67	83	87	69	83	104	97	89	112	107	108
All other causes	7,642	651	636	707	618	679	628	697	576	618	601	638	593
<b>TENNESSEE (COLORED), all causes</b>	<b>9,232</b>	<b>808</b>	<b>852</b>	<b>927</b>	<b>793</b>	<b>726</b>	<b>707</b>	<b>891</b>	<b>761</b>	<b>661</b>	<b>706</b>	<b>707</b>	<b>693</b>
Typhoid and paratyphoid fever (1)	196	10	5	4	2	3	12	22	41	43	31	17	6
Malaria (5)	53	1		3		3	3	5	5	11	16	4	2
Smallpox (6)	1			1									
Measles (7)	36	1	3	7	4	3	5	4		2	3	1	3
Scarlet fever (8)	4			1		2			1				
Whooping cough (9)	106	5	3	1	4	5	10	18	16	6	10	14	14
Diphtheria (10)	47	4	2	1	2	1	1	1	4	8	12	7	4
Influenza (11)	531	66	88	137	88	46	23	10	6	5	16	22	24
Dysentery (16)	62	3		1	2	8	19	10	9	7	3	3	2
Erysipelas (21)	3	1				1							1
Lethargic encephalitis (23)	2						1						1
Meningococcus meningitis (24)	6	1			1	2						1	
Tuberculosis of the respiratory system (31)	1,220	106	119	112	131	116	120	103	86	83	72	81	91
Other forms of tuberculosis (32-37)	172	18	13	14	11	20	17	19	16	11	9	12	12
Diabetes mellitus (57)	40	4	1	6	4	3	2	2	1	5	4	5	3
Cerebral hemorrhage and softening (74, 83)	411	36	31	35	34	35	25	45	32	36	33	31	38
Other [organic] diseases of the heart (90)	861	79	77	86	67	63	66	85	75	62	77	68	56
Bronchitis (99)	41	2	7	3	2	2	2	6	7	7	2	4	6
Broncho-pneumonia (100)	277	33	39	38	35	19	11	14	13	8	21	33	14
Pneumonia (101)	521	75	99	82	58	41	17	18	10	9	27	33	52
Diarrhea and enteritis [under 2 years] (113)	197	1	4	5	3	6	5	29	54	38	16	10	8
Diarrhea and enteritis [2 years and over] (114)	95	2	5	4	7	5	14	19	11	9	8	8	1
Nephritis (128, 129)	601	41	56	64	43	50	49	67	54	40	40	56	51
Puerperal septicemia (146)	64	6	6	7	8	6	1	4	5	6	6	1	2
Other puerperal causes (143-145, 147-150)	61	3	4	3	9	2	0	9	7	6	6	2	2
Suicide (165-174)	15			2	2	1	1	1	2		3	2	7
Automobile accidents <sup>1</sup> (188c)	53	7	1	3	6	7	2	6	3	6	3	2	1
Automobile and railroad-train collision (part 188a)	2			1									1
Automobile and street-car collision (part 188b)	2			1									1
Other external causes (175-187, part 188a, b, 188d-203)	608	51	47	52	54	42	46	39	56	59	44	53	65
All other causes	2,945	252	242	237	216	240	232	337	264	208	236	235	226

<sup>1</sup> Excludes collision with railroad trains and street cars.

CAUSES OF DEATH, BY MONTH OF OCCURRENCE

333

TABLE 10.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM IMPORTANT CAUSES, BY MONTHS, IN EACH REGISTRATION STATE: 1926—Continued

[Numbers after causes of death correspond to those of the 1920 revision of the detailed International List]

AREA AND CAUSE OF DEATH	All deaths	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
UTAH, all causes	5,136	544	535	399	394	427	377	343	385	363	405	468	496
Typhoid and paratyphoid fever (1)	25	2	1	1	2	1	2	2	5	5	1	1	2
Malaria (5)	3	2											1
Smallpox (6)	34	1				2		1	1		1		21
Measles (7)	4		1				1	1	1		1		3
Scarlet fever (8)	130	9	7	16	13	19	26	19	7	8	8	10	8
Whooping cough (9)	68	5	8		4	7	7	2	7	2	5	20	20
Diphtheria (10)	244	70	68	23	4	5	4	3	2	2	15	1	2
Influenza (11)	8				1				1	4			
Dysentery (16)	25	4	6	2	2	5			2	1			4
Erysipelas (21)	10	1		1	1	1	1	2			2	1	
Lethargic encephalitis (23)	14	4		3					1		1		
Meningococcus meningitis (24)	151	20	20	9	15	15	11	10	7	13	10	14	7
Tuberculosis of the respiratory system (31)	22	2	2	2			3	1	4	1	2	1	
Other forms of tuberculosis (32-37)	65	8	7	5		5	2	5	3	8	4	8	4
Diabetes mellitus (57)	262	25	21	22	35	21	23	18	18	21	18	21	19
Cerebral hemorrhage and softening (74, 83)	588	59	58	51	45	55	54	31	33	42	47	57	56
Other [organic] diseases of the heart (90)	28	6	3	2	1	2		2		1	3	5	3
Bronchitis (99)	230	37	31	13	10	3	8	6	9	8	25	47	33
Broncho-pneumonia (100)	234	39	28	13	16	14	14	6	7	8	16	33	40
Pneumonia (101)	63	3	5	2	1	2	4	4	10	14	8	7	3
Diarrhea and enteritis [under 2 years] (113)	19	1		2	1	2	1	1	3	3	2		3
Diarrhea and enteritis [2 years and over] (114)	351	31	31	35	26	37	32	29	32	21	29	26	22
Nephritis (128, 129)	21	1	5	2	3		2	1	1	3			2
Puerperal septicemia (146)	43	3	6	5	2	2	4	5	6	2	5	1	2
Other puerperal causes (143-145, 147-150)	41	2	3	4	6	2	3	4	4	3	2	6	2
Suicide (165-174)	80	5	2	5	7	9	8	4	7	8	7	10	8
Automobile accidents <sup>1</sup> (188c)	6									3	2	1	
Automobile and railroad-train collision (part 188a)													
Automobile and street-car collision (part 188b)													
Other external causes (175-187, part 188a, b, 188d-203)	390	29	59	22	23	37	26	31	36	28	34	29	36
All other causes	1,977	175	163	159	161	180	140	153	179	151	159	158	199
VERMONT, all causes	5,215	538	395	549	597	463	433	368	339	326	383	385	439
Typhoid and paratyphoid fever (1)	6									2	3	1	
Malaria (5)	1												1
Smallpox (6)													
Measles (7)	11		1	1	1			1	2		1		2
Scarlet fever (8)	18	2	2	4	7	1		1			1		3
Whooping cough (9)	32	5	4	4	6	2	5	1	1		1		3
Diphtheria (10)	14	2	1	1	1	2	1	3	1		1		1
Influenza (11)	268	31	19	58	73	35	7	9	4	3	8	7	14
Dysentery (16)	2								1	1			
Erysipelas (21)	10	2		1		2	1		1	1		1	2
Lethargic encephalitis (23)	2		1								1		
Meningococcus meningitis (24)	5							1	3				1
Tuberculosis of the respiratory system (31)	226	25	21	23	25	22	21	21	13	8	19	11	17
Other forms of tuberculosis (32-37)	56	3	7	6	7	2	5	5	7	6	2	3	3
Diabetes mellitus (57)	77	4	4	11	5	7	5	3	8	3	12	5	10
Cerebral hemorrhage and softening (74, 83)	485	41	34	54	47	39	52	34	31	30	42	43	38
Other [organic] diseases of the heart (90)	838	85	72	89	80	82	60	40	78	51	72	49	80
Bronchitis (99)	45	7	4	6	9	1	2	1	1	1	7	4	3
Broncho-pneumonia (100)	172	33	12	27	25	9	10	6	2	8	7	14	19
Pneumonia (101)	263	45	22	43	44	19	20	9	3	3	8	21	26
Diarrhea and enteritis [under 2 years] (113)	44	5	3	2	3	4	3	2	4	3	7	2	6
Diarrhea and enteritis [2 years and over] (114)	18	1	1	1	1	1	2	2	2	3	5	1	1
Nephritis (128, 129)	424	44	25	42	55	42	44	33	30	24	20	37	28
Puerperal septicemia (146)	16		1	2	2	2		1	2	2	2		2
Other puerperal causes (143-145, 147-150)	32	4	3	2	2	3	5	2	2	3	1	3	2
Suicide (165-174)	48	2	4	3	3	2	6	7	3	3	8	7	2
Automobile accidents <sup>1</sup> (188c)	45	1			2	1	5	2	14	13	3	2	2
Automobile and railroad-train collision (part 188a)	4						1			1	2		
Automobile and street-car collision (part 188b)													
Other external causes (175-187, part 188a, b, 188d-203)	231	19	9	16	20	20	14	32	18	11	19	34	19
All other causes	1,822	177	145	154	179	165	168	151	109	146	132	137	159
VIRGINIA (WHITE), all causes	18,866	1,719	1,740	2,097	1,646	1,449	1,331	1,435	1,377	1,372	1,479	1,511	1,710
Typhoid and paratyphoid fever (1)	162	6	6	6	1	4	9	13	25	28	27	25	12
Malaria (5)	8					3		1	1		3		
Smallpox (6)													
Measles (7)	78	4	7	5	12	17	10	10	3	5	1	1	3
Scarlet fever (8)	31	2	5	1	3	2		3	1	1	6	4	4
Whooping cough (9)	168	8	6	16	14	11	10	16	15	12	15	26	19
Diphtheria (10)	178	21	12	7	4	6	2	1	4	13	30	47	31
Influenza (11)	924	100	143	334	139	50	13	2	8	3	24	45	33
Dysentery (16)	157	2	2	1		1	13	32	35	29	36	3	3
Erysipelas (21)	44	3	4	2	5	4	5	3	1	1	5	4	7
Lethargic encephalitis (23)	13	2	2	1	1	1							2
Meningococcus meningitis (24)	17	1	1	1	1	1		2	2	2		4	2
Tuberculosis of the respiratory system (31)	1,150	100	125	121	114	96	98	78	85	88	88	72	95
Other forms of tuberculosis (32-37)	244	10	12	19	16	17	10	14	10	6	11	13	6
Diabetes mellitus (57)	224	20	22	22	24	13	15	15	18	20	16	17	23
Cerebral hemorrhage and softening (74, 83)	1,284	111	106	133	97	103	103	88	89	97	108	128	123
Other [organic] diseases of the heart (90)	2,425	235	235	275	240	203	205	159	146	158	169	175	225
Bronchitis (99)	83	14	12	12	7	7	7	14	13	7	3	8	14
Broncho-pneumonia (100)	544	84	75	71	57	29	23	14	13	7	33	66	72
Pneumonia (101)	698	104	114	113	62	37	27	18	16	18	30	60	99
Diarrhea and enteritis [under 2 years] (113)	528	15	5	10	4	9	25	112	119	109	83	25	11
Diarrhea and enteritis [2 years and over] (114)	149	2	6	4	9	5	13	23	25	36	16	7	3
Nephritis (128, 129)	1,782	168	166	181	145	164	124	139	135	111	136	143	150
Puerperal septicemia (146)	94	10	10	11	10	7	7	4	6	3	7	6	13
Other puerperal causes (143-145, 147-150)	193	19	18	27	18	20	18	15	13	18	6	9	12
Suicide (165-174)	153	9	14	15	24	15	16	11	9	4	13	9	14
Automobile accidents <sup>1</sup> (188c)	227	9	10	6	17	27	17	17	20	37	20	30	17
Automobile and railroad-train collision (part 188a)	15	3	3	2		3	1		1	1		1	
Automobile and street-car collision (part 188b)	4			1	1								
Other external causes (175-187, part 188a, b, 188d-203)	1,003	87	77	79	57	69	84	106	87	70	75	95	117
All other causes	6,406	569	543	621	540	534	479	523	488	504	527	508	570

<sup>1</sup> Excludes collision with railroad trains and street cars.

TABLE 10.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM IMPORTANT CAUSES, BY MONTHS, IN EACH REGISTRATION STATE: 1926—Continued

[Numbers after causes of death correspond to those of the 1920 revision of the detailed International List]

AREA AND CAUSE OF DEATH	All deaths	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
<b>VIRGINIA (COLORED), all causes</b> .....	<b>11,952</b>	<b>1,049</b>	<b>1,022</b>	<b>1,332</b>	<b>1,042</b>	<b>919</b>	<b>931</b>	<b>1,072</b>	<b>911</b>	<b>889</b>	<b>920</b>	<b>868</b>	<b>997</b>
Typhoid and paratyphoid fever (1).....	104	2	2	1	2	3	6	12	16	27	22	8	3
Malaria (5).....	17	1	-----	-----	-----	-----	2	3	1	6	2	2	-----
Smallpox (6).....	1	-----	-----	-----	-----	-----	-----	-----	1	-----	-----	-----	-----
Measles (7).....	22	2	-----	4	3	5	3	1	1	1	1	1	-----
Scarlet fever (8).....	1	1	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----
Whooping cough (9).....	150	9	12	12	14	15	16	17	8	12	14	8	13
Diphtheria (10).....	50	4	-----	-----	4	4	-----	1	4	5	12	13	3
Influenza (11).....	594	49	112	196	92	33	18	7	3	6	20	19	39
Dysentery (16).....	69	1	1	-----	-----	4	8	23	13	11	4	1	3
Erysipelas (21).....	8	1	1	1	1	1	-----	-----	-----	-----	-----	1	2
Lethargic encephalitis (23).....	6	-----	1	-----	-----	-----	-----	-----	1	-----	2	1	-----
Meningococcus meningitis (24).....	4	-----	-----	1	1	1	-----	-----	-----	1	-----	-----	-----
Tuberculosis of the respiratory system (31).....	1,209	116	90	109	117	95	119	118	88	92	92	86	87
Other forms of tuberculosis (32-37).....	150	11	6	9	12	16	20	13	15	14	8	15	11
Diabetes mellitus (57).....	100	4	4	9	7	11	9	8	11	7	10	13	7
Cerebral hemorrhage and softening (74, 83).....	954	74	84	100	76	78	90	79	56	71	70	80	96
Other [organic] diseases of the heart (90).....	1,445	119	114	178	134	116	131	130	93	96	114	108	112
Bronchitis (99).....	52	6	7	7	2	1	2	5	2	2	10	3	5
Broncho-pneumonia (100).....	366	59	59	55	32	13	11	14	5	12	21	40	45
Pneumonia (101).....	580	79	92	116	60	33	20	22	16	21	34	24	63
Diarrhea and enteritis [under 2 years] (113).....	356	6	4	8	6	11	38	93	79	51	37	12	11
Diarrhea and enteritis [2 years and over] (114).....	85	4	-----	5	4	2	6	18	14	8	11	5	8
Nephritis (128, 129).....	1,061	93	72	101	83	90	90	94	85	74	104	84	91
Puerperal septicemia (146).....	50	6	3	3	2	6	2	10	4	2	7	3	2
Other puerperal causes (143-145, 147-150).....	124	9	10	11	7	16	19	10	10	13	7	8	4
Suicide (165-174).....	16	1	1	2	2	1	4	1	-----	1	1	1	1
Automobile accidents <sup>1</sup> (188c).....	76	6	3	5	4	9	-----	-----	12	7	4	6	9
Automobile and railroad-train collision (part 188a).....	5	-----	3	-----	-----	-----	1	1	-----	-----	-----	-----	-----
Automobile and street-car collision (part 188b).....	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----
Other external causes (175-187, part 188a, b, 188d-203).....	614	70	56	51	51	42	36	50	55	51	37	46	69
All other causes.....	3,683	316	285	348	326	313	275	336	318	297	276	280	313
<b>WASHINGTON, all causes</b> .....	<b>15,670</b>	<b>1,349</b>	<b>1,307</b>	<b>1,496</b>	<b>1,235</b>	<b>1,323</b>	<b>1,229</b>	<b>1,239</b>	<b>1,213</b>	<b>1,226</b>	<b>1,275</b>	<b>1,320</b>	<b>1,453</b>
Typhoid and paratyphoid fever (1).....	49	3	1	2	4	1	6	4	3	5	8	8	4
Malaria (5).....	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----
Smallpox (6).....	31	6	9	7	4	3	-----	-----	1	-----	-----	-----	1
Measles (7).....	10	-----	2	-----	2	2	1	-----	-----	-----	-----	-----	2
Scarlet fever (8).....	26	3	8	3	-----	4	-----	1	-----	-----	2	1	3
Whooping cough (9).....	36	5	15	17	12	11	9	3	5	1	3	2	3
Diphtheria (10).....	91	4	9	3	5	6	4	11	8	4	16	16	5
Influenza (11).....	402	36	74	102	52	28	13	8	9	6	10	33	31
Dysentery (16).....	11	-----	-----	-----	1	1	1	2	3	2	2	1	-----
Erysipelas (21).....	40	1	5	6	2	3	1	6	2	3	2	4	5
Lethargic encephalitis (23).....	41	6	3	3	2	2	2	4	8	1	3	5	2
Meningococcus meningitis (24).....	109	6	23	22	11	5	7	10	4	4	7	8	2
Tuberculosis of the respiratory system (31).....	934	74	75	92	95	85	82	87	66	57	69	69	83
Other forms of tuberculosis (32-37).....	193	18	13	17	17	16	11	17	13	13	18	13	13
Diabetes mellitus (57).....	264	21	23	19	22	28	22	18	14	22	27	19	29
Cerebral hemorrhage and softening (74, 83).....	1,181	100	93	120	87	107	90	103	89	102	91	97	102
Other [organic] diseases of the heart (90).....	2,180	172	181	191	164	201	140	171	160	180	177	191	252
Bronchitis (99).....	62	4	5	6	4	7	4	3	3	4	4	8	7
Broncho-pneumonia (100).....	391	52	35	47	29	17	11	19	22	14	35	53	57
Pneumonia (101).....	589	76	64	68	47	38	25	22	25	27	59	55	83
Diarrhea and enteritis [under 2 years] (113).....	116	4	5	8	3	7	9	13	18	27	10	6	6
Diarrhea and enteritis [2 years and over] (114).....	65	1	2	2	4	5	7	5	10	8	9	3	9
Nephritis (128, 129).....	1,036	95	93	92	76	88	95	82	83	93	73	87	79
Puerperal septicemia (146).....	70	7	8	9	2	6	11	3	6	1	3	9	5
Other puerperal causes (143-145, 147-150).....	110	6	12	18	10	7	9	5	7	9	11	8	8
Suicide (165-174).....	293	20	18	34	18	23	28	24	26	21	28	29	24
Automobile accidents <sup>1</sup> (188c).....	342	20	29	24	28	28	36	27	26	35	36	32	21
Automobile and railroad-train collision (part 188a).....	20	1	3	5	-----	-----	1	2	2	3	2	1	-----
Automobile and street-car collision (part 188b).....	3	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----
Other external causes (175-187, part 188a, b, 188d-203).....	1,074	78	82	82	77	97	108	103	107	87	100	73	80
All other causes.....	5,851	530	417	497	457	492	488	491	487	497	469	489	537
<b>WEST VIRGINIA, all causes</b> .....	<b>18,143</b>	<b>1,635</b>	<b>-1,309</b>	<b>1,854</b>	<b>1,756</b>	<b>1,459</b>	<b>1,188</b>	<b>1,383</b>	<b>1,498</b>	<b>1,504</b>	<b>1,674</b>	<b>1,449</b>	<b>1,434</b>
Typhoid and paratyphoid fever (1).....	277	14	11	14	15	14	7	9	27	42	49	41	34
Malaria (5).....	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----
Smallpox (6).....	3	-----	1	1	-----	-----	1	-----	-----	-----	-----	-----	-----
Measles (7).....	296	19	28	54	63	56	17	23	7	6	8	6	9
Scarlet fever (8).....	58	7	6	4	2	-----	4	1	5	1	11	6	11
Whooping cough (9).....	296	14	10	18	19	16	20	28	36	32	29	43	31
Diphtheria (10).....	161	20	9	11	10	6	10	4	7	7	29	34	14
Influenza (11).....	749	58	56	175	233	67	20	12	10	9	34	29	46
Dysentery (16).....	36	2	-----	-----	1	1	-----	7	5	11	10	-----	-----
Erysipelas (21).....	33	2	2	5	4	3	3	1	1	1	4	5	2
Lethargic encephalitis (23).....	4	1	1	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----
Meningococcus meningitis (24).....	25	2	3	4	1	2	2	4	4	1	1	2	1
Tuberculosis of the respiratory system (31).....	1,111	109	82	111	124	115	60	77	71	96	84	99	83
Other forms of tuberculosis (32-37).....	167	22	14	13	16	17	12	10	10	12	13	12	12
Diabetes mellitus (57).....	182	13	18	22	14	20	17	15	12	4	13	19	15
Cerebral hemorrhage and softening (74, 83).....	965	92	63	100	100	89	63	77	71	61	87	84	78
Other [organic] diseases of the heart (90).....	1,665	154	124	181	170	132	134	119	132	110	129	138	142
Bronchitis (99).....	51	9	5	4	4	5	2	4	-----	-----	5	3	8
Broncho-pneumonia (100).....	629	87	58	95	78	47	29	16	13	29	57	52	68
Pneumonia (101).....	758	143	78	121	117	54	25	20	15	20	37	64	64
Diarrhea and enteritis [under 2 years] (113).....	1,244	32	22	26	36	26	45	108	241	313	285	68	42
Diarrhea and enteritis [2 years and over] (114).....	221	6	11	4	3	4	4	39	42	55	34	11	8
Nephritis (128, 129).....	1,126	101	83	106	107	95	71	106	93	77	94	90	103
Puerperal septicemia (146).....	124	7	15	12	15	9	5	12	10	6	8	14	11
Other puerperal causes (143-145, 147-150).....	186	12	16	21	16	18	16	17	14	13	8	8	17
Suicide (165-174).....	117	8	10	10	8	11	7	9	12	17	10	7	8
Automobile accidents <sup>1</sup> (188c).....	231	13	8	6	12	21	20	24	23	28	37	19	20
Automobile and railroad-train collision (part 188a).....	11	2	-----	-----	-----	-----	-----	2	2	2	-----	4	1
Automobile and street-car collision (part 188b).....	1	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----
Other external causes (175-187, part 188a, b, 188d-203													

CAUSES OF DEATH, BY MONTH OF OCCURRENCE

335

TABLE 10.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM IMPORTANT CAUSES, BY MONTHS, IN EACH REGISTRATION STATE: 1926—Continued

[Numbers after causes of death correspond to those of the 1920 revision of the detailed International List]

AREA AND CAUSE OF DEATH	All deaths	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
WISCONSIN, all causes.....	30,191	2,708	2,430	2,930	3,174	2,762	2,471	2,377	2,137	2,119	2,139	2,339	2,605
Typhoid and paratyphoid fever (1).....	42	7	4	4	1	2		5	3	5	7	1	3
Malaria (5).....													
Smallpox (6).....	1					1							
Measles (7).....	154	4	3	9	24	30	29	18	9	4	5	5	14
Scarlet fever (8).....	81	13	8	17	14	5	7	4		2	1	6	4
Whooping cough (9).....	175	13	10	23	27	15	10	15	13	14	8	12	15
Diphtheria (10).....	159	28	16	17	15	6	6	7	10	7	16	15	16
Influenza (11).....	1,037	93	81	194	314	134	47	27	13	17	25	35	57
Dysentery (16).....	24	1		1		2		3	4	8	2	3	
Erysipelas (21).....	77	5	7	13	17	10	2	9	2	2	2	2	6
Lethargic encephalitis (23).....	54	7	1	7	11	8	7	2	3	1	2	2	3
Meningococcus meningitis (24).....	41	2	4	2	4	4	6	3	1	1	3	6	5
Tuberculosis of the respiratory system (31).....	1,610	122	148	137	132	183	157	160	117	90	97	111	106
Other forms of tuberculosis (32-37).....	270	19	21	24	25	20	22	30	28	22	21	17	21
Diabetes mellitus (57).....	488	44	36	50	51	32	41	36	41	32	37	42	46
Cerebral hemorrhage and softening (74, 83).....	2,450	234	215	216	269	229	182	171	154	172	187	213	218
Other [organic] diseases of the heart (90).....	4,338	381	314	421	403	339	360	336	321	322	355	349	437
Bronchitis (99).....	195	19	25	20	33	18	14	8	5	5	12	15	21
Broncho-pneumonia (100).....	1,043	116	89	128	169	102	76	35	32	47	51	87	111
Pneumonia (101).....	1,280	146	133	174	199	120	81	46	28	35	62	107	149
Diarrhea and enteritis [under 2 years] (113).....	446	40	36	45	43	32	29	25	40	50	35	44	27
Diarrhea and enteritis [2 years and over] (114).....	150	8	9	9	13	12	7	17	13	24	14	11	13
Nephritis (128, 129).....	2,042	217	176	178	179	163	133	152	153	157	170	182	182
Puerperal septicemia (146).....	101	7	9	8	9	9	9	5	10	12	6	8	9
Other puerperal causes (143-145, 147-150).....	231	15	19	34	26	25	21	21	18	18	11	10	13
Suicide (165-174).....	402	34	23	29	49	35	41	23	34	34	28	27	35
Automobile accidents <sup>1</sup> (188c).....	384	26	13	8	22	32	37	42	49	46	52	40	17
Automobile and railroad-train collision (part 188a).....	43	1	2	7	2	2	3	9	1	3	6	3	4
Automobile and street-car collision (part 188b).....	7				1						2	2	2
Other external causes (175-187, part 188a, b, 188d-203).....	1,429	110	96	95	105	123	141	158	146	112	118	122	103
All other causes.....	11,437	996	927	1,060	977	1,069	1,003	1,005	889	877	804	862	968
WYOMING, all causes.....	1,902	149	162	183	152	169	170	159	152	155	152	135	164
Typhoid and paratyphoid fever (1).....	8									2	1	3	2
Malaria (5).....													
Smallpox (6).....													
Measles (7).....	6					1							5
Scarlet fever (8).....	10	1		3	1	2				2		1	1
Whooping cough (9).....	16		2	2	2	2	4	2		1	1	1	1
Diphtheria (10).....	13	1	1	2	2	1	1		1	1	1	1	1
Influenza (11).....	116	11	20	26	15	5	2	5	2	1	4	13	12
Dysentery (16).....	5							1		2	2		
Erysipelas (21).....	1						1						
Lethargic encephalitis (23).....													
Meningococcus meningitis (24).....	4						1					1	2
Tuberculosis of the respiratory system (31).....	53	6	4	7	5	6	6	3	4	2	2	5	3
Other forms of tuberculosis (32-37).....	9	1				1	1			1	2	1	2
Diabetes mellitus (57).....	25	3			1				1	2	5	3	11
Cerebral hemorrhage and softening (74, 83).....	105	10		8	10	5	6	7	9	15	8	8	11
Other [organic] diseases of the heart (90).....	178	13	11	21	16	13	16	15	15	17	14	11	16
Bronchitis (99).....	7		1	2		1							
Broncho-pneumonia (100).....	67	9	10	8	6	6	5	2	1	3	5	7	2
Pneumonia (101).....	73	6	9	14	7	3	5	2	3	4	9	5	6
Diarrhea and enteritis [under 2 years] (113).....	33	2		1	1	2	4	5	6	6	3	3	
Diarrhea and enteritis [2 years and over] (114).....	13	1	1		1	2	2	2	1	3	1		1
Nephritis (128, 129).....	81	6	7	7	6	8	12	7	4	6	3	5	10
Puerperal septicemia (146).....	14		1	1		2	2	2	1			1	3
Other puerperal causes (143-145, 147-150).....	27	5	2	3		4	2	4	4	1	1	1	1
Suicide (165-174).....	46	3	5	2	3	4	6	2	6	2	3	5	5
Automobile accidents <sup>1</sup> (188c).....	56	1	2	1	1	5	6	5	13	6	5	6	5
Automobile and railroad-train collision (part 188a).....	3												3
Automobile and street-car collision (part 188b).....	1						1						
Other external causes (175-187, part 188a, b, 188d-203).....	193	12	9	14	14	18	18	25	23	17	16	10	17
All other causes.....	739	60	66	57	63	80	67	64	60	57	66	43	56

<sup>1</sup> Excludes collision with railroad trains and street cars.

NOTE.—Populations are shown in Table I A.

## MORTALITY STATISTICS

TABLE 10A.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM IMPORTANT CAUSES, BY MONTHS, IN LARGE CITIES: 1926

[Numbers after causes of death correspond to those of the 1920 revision of the detailed International List. Cities of 100,000 population or more on January 1, 1920, are included, and those with a minimum of 25,000 colored population on that date are shown by color]

AREA AND CAUSE OF DEATH	All deaths	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
<b>BIRMINGHAM, ALA. (WHITE), all causes</b> .....	1,731	163	170	176	140	144	135	151	127	120	147	136	122
Typhoid and paratyphoid fever (1).....	9			1			1	2	1	2	2		
Malaria (5).....	2				1						1		
Smallpox (6).....	16			2		9	4		1				
Measles (7).....	1										1		
Scarlet fever (8).....	30	1		4	5	8	6	3	3		1		
Whooping cough (9).....	5	10		25	7	4	2			1	1	9	3
Diphtheria (10).....	83	10	22	25	7	4	2			1		9	3
Influenza (11).....	3							1	1			1	
Dysentery (16).....	5				1	1		2			1		
Erysipelas (21).....	4		1	1		1					1		
Lethargic encephalitis (23).....	1												1
Meningococcus meningitis (24).....	47	6	5	9	4	3	1	4	4	1	5	4	1
Tuberculosis of the respiratory system (31).....	17	1	1	3	2	1	3	2				1	1
Other forms of tuberculosis (32-37).....	23	3	1	2	2	2	1		1	1	5	2	5
Diabetes mellitus (57).....	79	5	8	10	8	6	5	8	3	9	7	4	6
Cerebral hemorrhage and softening (74, 83).....	29	5	8	10	8	6	5	8	3	9	7	4	6
Other [organic] diseases of the heart (90).....	174	18	17	19	12	23	12	9	9	7	13	22	13
Bronchitis (99).....	10	1	1	1	4	1	1		1	1	1	2	1
Broncho-pneumonia (100).....	35	4	7	4			1	3	2		2	4	4
Pneumonia (101).....	108	17	15	12	15	13	8	6	3	2	6	7	4
Diarrhea and enteritis [under 2 years] (113).....	50	4		1	1		13	12	9	5	2	2	1
Diarrhea and enteritis [2 years and over] (114).....	22	2	1	1			5	6	3	2	2	1	2
Nephritis (128, 129).....	115	9	10	10	12	7	12	8	9	9	10	8	11
Puerperal septicemia (146).....	11		1	1	1	2		1	2	1	2	2	
Other puerperal causes (143-145, 147-150).....	24	2	1	2	1		1	2	3	4	7	1	
Suicide (165-174).....	32	2	4	7	2	3		3	1	1	4	3	2
Automobile accidents <sup>1</sup> (188c).....	38	5	4	4	3	3	2	3		7	5		2
Automobile and railroad-train collision (part 188a).....	3				1				1				1
Automobile and street-car collision (part 188b).....	1												1
Other external causes (175-187, part 188a, b, 188d-203).....	118	13	17	5	10	12	9	10	14	9	8	9	2
All other causes.....	665	69	54	52	50	45	49	66	58	55	63	53	61
<b>BIRMINGHAM, ALA. (COLORED), all causes</b> .....	1,987	192	188	212	190	179	160	142	144	122	136	145	177
Typhoid and paratyphoid fever (1).....	9	1			1	1		2		2	2		
Malaria (5).....	4	1					1	1	1				
Smallpox (6).....	5			1		3							
Measles (7).....	29	4	3	4	1	2	3	6	1	3	1	1	
Whooping cough (9).....	1												
Diphtheria (10).....	110	11	20	36	19	9	1	2	1	1	1	4	5
Influenza (11).....	3					1	1				1		
Dysentery (16).....	2							1					1
Erysipelas (21).....	3												1
Lethargic encephalitis (23).....	159	16	14	17	18	10	12	6	10	15	14	15	12
Meningococcus meningitis (24).....	33	3	2	7	4	3	3	3	4		2	3	2
Tuberculosis of the respiratory system (31).....	10	2	2	1		1					1	3	
Other forms of tuberculosis (32-37).....	103	7	10	5	10	15	9	8	2	6	8	13	10
Diabetes mellitus (57).....	192	23	23	12	19	16	17	20	14	12	11	13	12
Cerebral hemorrhage and softening (74, 83).....	2							2					
Other [organic] diseases of the heart (90).....	61	11	13	7		6	4		1	1	4	6	8
Bronchitis (99).....	176	18	22	36	21	12	11	13	5	3	7	10	18
Broncho-pneumonia (100).....	27	2	1		1		6	6	5	4	1		1
Pneumonia (101).....	9					1	1	1	2	1	2		
Diarrhea and enteritis [under 2 years] (113).....	94	8	7	6	5	9	8	7	9	8	10	8	9
Diarrhea and enteritis [2 years and over] (114).....	24	2	2	6	1	2	5	2	1		1	2	2
Nephritis (128, 129).....	22	2	2	5	5	1	2	2	1			2	2
Puerperal septicemia (146).....	2		1				1	1					4
Other puerperal causes (143-145, 147-150).....	19	2			2	1	1	1	2	2	2	2	
Suicide (165-174).....	1									1			
Automobile accidents <sup>1</sup> (188c).....	191	18	16	13	15	23	12	13	16	14	12	13	26
Automobile and railroad-train collision (part 188a).....	696	62	50	58	68	61	61	46	69	47	56	55	64
Automobile and street-car collision (part 188b).....													
Other external causes (175-187, part 188a, b, 188d-203).....													
All other causes.....													
<b>LOS ANGELES, CALIF. (WHITE), all causes</b> .....	11,530	1,069	1,093	1,051	986	933	826	874	829	782	857	1,039	1,191
Typhoid and paratyphoid fever (1).....	10		1				1	2	3	1	1		1
Malaria (5).....	2											1	1
Smallpox (6).....	171	22	60	39	38	10	2	1	1				3
Measles (7).....	10			1	1								1
Scarlet fever (8).....	10	1	2	3	3	5	1				1	1	2
Whooping cough (9).....	25	3	4	3	3	5	2		2		1	2	7
Diphtheria (10).....	78	8	5	6	4	4	7	8	6	4	8	11	7
Influenza (11).....	102	12	39	12	8	4	2	5	1	1	3	4	11
Dysentery (16).....	11				2	4	1		1		1	1	1
Erysipelas (21).....	11	2	1		2						2	3	1
Lethargic encephalitis (23).....	6												1
Meningococcus meningitis (24).....	29	7	7		2			3	1	2	1		2
Tuberculosis of the respiratory system (31).....	1,083	104	90	102	99	104	96	100	78	79	64	72	95
Other forms of tuberculosis (32-37).....	136	17	4	10	13	16	9	13	26	5	8	6	9
Diabetes mellitus (57).....	196	18	19	16	12	15	18	15	8	13	9	24	29
Cerebral hemorrhage and softening (74, 83).....	701	79	66	68	62	50	52	49	54	59	42	52	68
Other [organic] diseases of the heart (90).....	1,646	162	170	138	125	128	113	115	104	104	118	155	216
Bronchitis (99).....	49	5	4	8	4	6	1	2	4	2	6	2	5
Broncho-pneumonia (100).....	340	42	48	30	27	22	16	17	23	12	22	36	45
Pneumonia (101).....	314	38	49	32	25	19	13	17	11	8	24	30	48
Diarrhea and enteritis [under 2 years] (113).....	156	5	11	8	13	18	20	15	9	9	24	15	9
Diarrhea and enteritis [2 years and over] (114).....	47	2	2	5	4	4	4	5	5	7	3	3	4
Nephritis (128, 129).....	872	77	77	89	81	70	54	65	63	66	66	71	93
Puerperal septicemia (146).....	40	2	6	4	2	5	2	4	1	1	2	9	2
Other puerperal causes (143-145, 147-150).....	72	5	6	12	4	5	2	6	5	9	8	4	6
Suicide (165-174).....	275	29	24	20	22	19	27	24	20	14	26	28	22
Automobile accidents <sup>1</sup> (188c).....	265	24	17	25	21	21	14	19	26	20	22	32	24
Automobile and railroad-train collision (part 188a).....	7	1	2	1	1					1	1	1	5
Automobile and street-car collision (part 188b).....	17	1	1	2			3		2	1	1	1	6
Other external causes (175-187, part 188a, b, 188d-203).....	536	46	43	51	33	31	39	48	46	42	46	49	62
All other causes.....	4,313	356	334	369	376	367	331	342	328	323	343	427	417

<sup>1</sup> Excludes collision with railroad trains and street cars.

CAUSES OF DEATH, BY MONTH OF OCCURRENCE

TABLE 10A.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM IMPORTANT CAUSES, BY MONTHS, IN LARGE CITIES: 1926—Continued

[See note at head of this table, p. 336]

AREA AND CAUSE OF DEATH	All deaths	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
LOS ANGELES, CALIF. (COLORED), all causes.....	692	71	64	58	62	53	50	55	56	72	50	51	50
Typhoid and paratyphoid fever (1).....	4	2	2										
Malaria (5).....	36	2	1		3	1							
Smallpox (6).....	7	2	1										
Measles (7).....	2						1				1		
Scarlet fever (8).....	2												
Whooping cough (9).....	5	1	1	1			1			1			
Diphtheria (10).....	1												
Influenza (11).....	1					1							
Dysentery (16).....	1						1						
Erysipelas (21).....	1												
Lethargic encephalitis (23).....	4		1	1				1					1
Meningococcus meningitis (24).....	105	9	7	7	9	10	8	12	12	10	7	8	6
Tuberculosis of the respiratory system (31).....	36	2	2	2	3	6	3	2	4	7	2	1	2
Other forms of tuberculosis (32-37).....	13	2	1	1	1				1	2	2	2	
Diabetes mellitus (57).....	29	1	1	5	4	3	3	3	4	1	1	1	4
Cerebral hemorrhage and softening (74, 83).....	71	5	7	7	5	7	3	5	1	8	5	12	6
Other [organic] diseases of the heart (90).....	15	2	3	2	3			1			1	2	2
Bronchitis (99).....	26	4	8			2	2			2	2	1	4
Broncho-pneumonia (100).....	24	5	5	2	1	2	2	1	3	2		1	
Pneumonia (101).....	5	5	1	1	1						2	4	4
Diarrhea and enteritis [under 2 years] (113).....	60	5	3	6	6	6	3	4	5	8	6	4	4
Diarrhea and enteritis [2 years and over] (114).....	1			1	1						1		
Nephritis (128, 129).....	5	3		1	1								
Puerperal septicemia (146).....	9	1	1	1		1			1	2	1		1
Other puerperal causes (143-145, 147-150).....	21	5	3	1		1	4	1	2		1	1	2
Suicide (165-174).....	2								1				
Automobile accidents <sup>1</sup> (188c).....	33	1	3	5	1	1	5	5	1	3	1	3	3
Automobile and railroad-train collision (part 188a).....	2												
Automobile and street-car collision (part 188b).....	3												
Other external causes (175-187, part 188a, b, 188d-203).....	213	22	14	15	24	12	13	20	20	26	18	14	15
All other causes.....													
OAKLAND, CALIF., all causes.....	2,802	334	248	232	207	184	200	208	202	202	254	237	294
Typhoid and paratyphoid fever (1).....	2			1	1								
Malaria (5).....	2				1					1			
Smallpox (6).....	6							2			1	2	1
Measles (7).....	12	6		1			2	1				2	
Scarlet fever (8).....	18	1			3			1	1	2	5	1	4
Whooping cough (9).....	37	12	10	5	1	2	2	1			2	1	2
Diphtheria (10).....	6					1	1						
Influenza (11).....	6			1				1				1	1
Dysentery (16).....	6	1				1	1						
Erysipelas (21).....	107	13	11	10	6	6	10	11	4	9	10	10	7
Lethargic encephalitis (23).....	22	7	4	3	4	2	10	3	3	3	2	3	1
Meningococcus meningitis (24).....	69	7	4	3	4	2	5	9	4	6	8	7	7
Tuberculosis of the respiratory system (31).....	241	27	15	17	19	20	14	20	27	13	24	25	20
Other forms of tuberculosis (32-37).....	579	71	51	43	57	44	40	40	43	39	49	41	61
Diabetes mellitus (57).....	14	6	2	1	1	1		2	2		2		
Cerebral hemorrhage and softening (74, 83).....	102	17	13	12	10	3	6	4	6	5	7	5	14
Other [organic] diseases of the heart (90).....	82	14	10	11	7	2	3	4	3	2	3	7	16
Bronchitis (99).....	33	4			1	4	2	4	2	4	4	6	2
Broncho-pneumonia (100).....	199	3			1						3		2
Pneumonia (101).....	9	3											
Diarrhea and enteritis [under 2 years] (113).....	22	19	9	15	17	18	11	18	13	20	21	16	
Diarrhea and enteritis [2 years and over] (114).....	7	2							2	1	1		
Nephritis (128, 129).....	6	1	1						1	1	1		1
Puerperal septicemia (146).....	61	5	5	3	2	6	4	4	3	9	7	11	2
Other puerperal causes (143-145, 147-150).....	51	5	3	1	1	4	6	6	5	4	5	6	5
Suicide (165-174).....	6												
Automobile accidents <sup>1</sup> (188c).....	6					2	1						
Automobile and railroad-train collision (part 188a).....	7	1		1		2	1						
Automobile and street-car collision (part 188b).....	108	10	9	14	3	6	6	7	6	9	14	10	14
Other external causes (175-187, part 188a, b, 188d-203).....	1,010	106	94	95	72	64	74	83	65	83	89	70	115
All other causes.....													
SAN FRANCISCO, CALIF., all causes.....	7,662	880	674	634	659	598	621	573	581	536	618	570	718
Typhoid and paratyphoid fever (1).....	15		1	2	1		2	1		5	1	2	
Malaria (5).....	12		5	2	3	2							
Smallpox (6).....	20	1	2	3	1	3	2	3				1	4
Measles (7).....	6		1	1			1	2				1	1
Scarlet fever (8).....	8	1		1	1	1	1		1			1	1
Whooping cough (9).....	30	6	1	2	2	3	1	4	3	2	2	2	4
Diphtheria (10).....	95	43	20	7	4	2	1	2	3	5	3	1	4
Influenza (11).....	4		1	1			1				1		
Dysentery (16).....	7	1			1	2			1	2			
Erysipelas (21).....	12	1	1	1	1	2				2	3	1	
Lethargic encephalitis (23).....	11	2		3	2	3					1		
Meningococcus meningitis (24).....	504	60	53	45	66	29	43	34	28	24	37	38	47
Tuberculosis of the respiratory system (31).....	106	7	4	17	11	11	10	4	7	9	9	7	10
Other forms of tuberculosis (32-37).....	123	12	15	13	5	14	6	10	7	7	17	10	7
Diabetes mellitus (57).....	461	34	36	40	45	41	39	26	35	36	43	38	48
Cerebral hemorrhage and softening (74, 83).....	1,489	199	127	105	131	128	123	96	129	107	112	92	140
Other [organic] diseases of the heart (90).....	25	3	3	1	5	2	1	1	3	2	2	2	2
Bronchitis (99).....	272	46	28	31	19	26	14	15	16	15	12	19	31
Broncho-pneumonia (100).....	278	51	33	29	24	18	16	12	15	18	18	20	24
Pneumonia (101).....	26	5	4		2	2	2		1	3	1	3	1
Diarrhea and enteritis [under 2 years] (113).....	13	1	1	1	2	4	1	1			1		3
Diarrhea and enteritis [2 years and over] (114).....	675	75	58	65	51	34	53	63	51	51	50	56	68
Nephritis (128, 129).....	14	3	2			2	2		1	4	2	1	4
Puerperal septicemia (146).....	35	3	7	5	2	2	5	2	2	4	2	3	3
Other puerperal causes (143-145, 147-150).....	200	13	19	14	18	20	19	18	12	15	17	12	23
Suicide (165-174).....	128	8	6	6	13	5	10	6	19	15	10	15	15
Automobile accidents <sup>1</sup> (188c).....	2				1	1							
Automobile and railroad-train collision (part 188a).....	6							3			1		
Automobile and street-car collision (part 188b).....	362	35	26	32	25	27	32	23	32	24	35	28	43
Other external causes (175-187, part 188a, b, 188d-203).....	2,723	273	224	205	222	215	238	242	215	192	241	221	235
All other causes.....													

<sup>1</sup> Excludes collision with railroad trains and street cars.

MORTALITY STATISTICS

TABLE 10A.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM IMPORTANT CAUSES, BY MONTHS, IN LARGE CITIES: 1926—Continued

[See note at head of this table, p. 336]

AREA AND CAUSE OF DEATH	All deaths	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov. %s	Dec.
DENVER, COLO., all causes.....	3,963	362	392	397	325	314	262	268	289	313	348	318	375
Typhoid and paratyphoid fever (1).....	10	3	1	1	1				1	2			1
Malaria (5).....													
Smallpox (6).....													
Measles (7).....													
Scarlet fever (8).....	10	3			2					1		1	3
Whooping cough (9).....	28	1	8	5	3	3	5	1	1				
Diphtheria (10).....	31	6	5	1	2	3	2	2	1	4	3	2	
Influenza (11).....	163	18	46	29	15	2	7	2	4	6	10	5	19
Dysentery (16).....	3								1		1	1	
Erysipelas (21).....	9	2	1	2								3	1
Lethargic encephalitis (23).....	10		3	4	2					1			
Meningococcus meningitis (24).....	4					1							1
Tuberculosis of the respiratory system (31).....	448	32	40	47	38	41	34	36	30	34	32	44	40
Other forms of tuberculosis (32-37).....	28		1		2	6	3	2	1		6	4	3
Diabetes mellitus (57).....	47	6	5	3	2	8	4	2	2	4	2	4	5
Cerebral hemorrhage and softening (74, 83).....	260	27	24	27	23	22	16	14	18	24	20	20	25
Other [organic] diseases of the heart (90).....	481	41	58	50	43	47	26	27	39	27	46	35	42
Bronchitis (99).....	10	1	1	3							1	1	3
Broncho-pneumonia (100).....	134	10	20	23	8	9	4	4	8	10	11	11	16
Pneumonia (101).....	201	33	30	26	20	7	6	7	8	4	12	19	29
Diarrhea and enteritis [under 2 years] (113).....	56	2	2	1	2	3	4	1	9	16	12	4	
Diarrhea and enteritis [2 years and over] (114).....	9	1											
Nephritis (128, 129).....	277	31	26	29	16	27	16	18	21	23	24	26	20
Puerperal septicemia (146).....	19	1	2	1	5	2	1	2		2	1	1	1
Other puerperal causes (143-145, 147-150).....	26	2	2	2	4	4	2	2		3		3	2
Suicide (165-174).....	74	4	4	5	7	3	8	6	8	5	11	8	5
Automobile accidents <sup>1</sup> (188c).....	48	3	2	3	5	4	2	6	8	4	5	3	3
Automobile and railroad-train collision (part 188a).....	2							2					
Automobile and street-car collision (part 188b).....	1							1					
Other external causes (175-187, part 188a, b, 188d-203).....	155	6	14	6	10	11	9	15	14	22	18	12	18
All other causes.....	1,419	129	96	128	115	111	112	117	112	120	131	110	138
BRIDGEPORT, CONN., all causes.....	1,692	155	152	207	205	147	118	111	115	101	127	106	148
Typhoid and paratyphoid fever (1).....	1								1				
Malaria (5).....													
Smallpox (6).....													
Measles (7).....	26	16	8		1	1							
Scarlet fever (8).....	6	1					1						1
Whooping cough (9).....	11	1	1	6	2			1					
Diphtheria (10).....	12	3	3	3	1							1	1
Influenza (11).....	72	2	6	22	26	4	3	1			1	1	6
Dysentery (16).....													
Erysipelas (21).....	7	1	1	2	1			1				1	
Lethargic encephalitis (23).....	2					1							
Meningococcus meningitis (24).....	1			1									
Tuberculosis of the respiratory system (31).....	74	4	2		10	12	8	4	3	5	8	5	9
Other forms of tuberculosis (32-37).....	21	3		3	3	3	1	1	1	1	1	1	5
Diabetes mellitus (57).....	34	1	3		3	7	3	3	5	3	4	2	3
Cerebral hemorrhage and softening (74, 83).....	104	11	6	12	9	8	8	8	5	9	9	11	8
Other [organic] diseases of the heart (90).....	289	21	30	35	31	25	26	23	14	15	27	19	23
Bronchitis (99).....	4			1				1			1	1	
Broncho-pneumonia (100).....	62	5	13	12	15	6	3	1	2	3	3	8	12
Pneumonia (101).....	97	9	13	12	18	11	4	2	3	2	3	8	12
Diarrhea and enteritis [under 2 years] (113).....	19	1			1			2	5	3	6	1	1
Diarrhea and enteritis [2 years and over] (114).....	5								2	1			1
Nephritis (128, 129).....	107	8	7	13	17	6	11	6	8	8	9	5	9
Puerperal septicemia (146).....	9			2	1		2	2	2				
Other puerperal causes (143-145, 147-150).....	8				1			2	1		2	1	1
Suicide (165-174).....	24	2	2	3	1	6	3	2	2	1			2
Automobile accidents <sup>1</sup> (188c).....	31	2	1	2	1	5			6	1	5	4	4
Automobile and railroad-train collision (part 188a).....	2									1	1		
Automobile and street-car collision (part 188b).....	1									1			
Other external causes (175-187, part 188a, b, 188d-203).....	89	12	5	6	6	1	6	8	7	8	10	8	12
All other causes.....	574	52	51	66	56	51	42	43	48	41	37	38	49
HARTFORD, CONN., all causes.....	2,120	182	169	218	224	195	145	165	160	175	159	143	194
Typhoid and paratyphoid fever (1).....	5	1				1			1	1	1		
Malaria (5).....													
Smallpox (6).....													
Measles (7).....	17	1	5	5	3	2		1					
Scarlet fever (8).....	3											1	
Whooping cough (9).....	7		1		1	2			1	2			
Diphtheria (10).....	12	2	1	2	1	1					3	1	1
Influenza (11).....	24	3	1	5	8	1	2	1			1	1	1
Dysentery (16).....													
Erysipelas (21).....	3			1								1	
Lethargic encephalitis (23).....	7	1			1					3		1	
Meningococcus meningitis (24).....	4			1	2							1	
Tuberculosis of the respiratory system (31).....	69	4	9	5	5	9	5	4	10	4	6	3	5
Other forms of tuberculosis (32-37).....	21	4	2	1	5	1	2	2	2	1	1	1	
Diabetes mellitus (57).....	31	5	3	6	6	3	3	2	1	4			4
Cerebral hemorrhage and softening (74, 83).....	118	10	9	8	10	12	9	10	11	6	6	10	17
Other [organic] diseases of the heart (90).....	370	30	29	38	45	43	26	35	13	23	21	28	39
Bronchitis (99).....	10	2		2							2	2	2
Broncho-pneumonia (100).....	83	9	5	8	13	7	4	6	1	7	8	9	6
Pneumonia (101).....	112	14	13	22	16	14	6	3	3	4	4	6	11
Diarrhea and enteritis [under 2 years] (113).....	47		2	1	4	1	1	3	9	14	9	6	3
Diarrhea and enteritis [2 years and over] (114).....	4								2				1
Nephritis (128, 129).....	182	15	15	17	14	15	13	12	20	17	15	18	11
Puerperal septicemia (146).....	1				1							2	2
Other puerperal causes (143-145, 147-150).....	12	3	2				1		1	1		2	2
Suicide (165-174).....	20	1	2	3	2	2	2	2	2	1	5	8	5
Automobile accidents <sup>1</sup> (188c).....	46	3	2	2	4	6	2	3	2	8	1	8	5
Automobile and railroad-train collision (part 188a).....	1				1								
Automobile and street-car collision (part 188b).....													
Other external causes (175-187, part 188a, b, 188d-203).....	122	9	11	11	9	7	12	19	9	10	11	5	9
All other causes.....	798	65	57	78	84	65	56	62	71	68	71	46	75

<sup>1</sup> Excludes collision with railroad trains and street cars.

CAUSES OF DEATH, BY MONTH OF OCCURRENCE

339

TABLE 10A.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM IMPORTANT CAUSES, BY MONTHS, IN LARGE CITIES: 1926—Continued

[See note at head of this table, p. 336]

AREA AND CAUSE OF DEATH	All deaths	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
<b>NEW HAVEN, CONN., all causes</b> .....	<b>2,212</b>	<b>204</b>	<b>190</b>	<b>285</b>	<b>204</b>	<b>178</b>	<b>163</b>	<b>165</b>	<b>150</b>	<b>155</b>	<b>172</b>	<b>153</b>	<b>193</b>
Typhoid and paratyphoid fever (1).....	4	1	1	1									1
Malaria (5).....	1							1					
Smallpox (6).....	8	3		3		2							
Measles (7).....	5	2	1	2									
Scarlet fever (8).....	11	1	2	3	1	2	1		1				
Whooping cough (9).....	5	1	1	1	1			1					1
Diphtheria (10).....	46	1	7	9	9	8	5	2	1		1	3	
Influenza (11).....	2	1	1	1									
Dysentery (16).....	8	1		2		2					1		2
Erysipelas (21).....	3					1		1					1
Lethargic encephalitis (23).....	1												
Meningococcus meningitis (24).....	66	2	7	9	7	7	5	2	3	5	10	4	5
Tuberculosis of the respiratory system (31).....	28	2	1	5	6	1	4	3	3	7	2	1	3
Other forms of tuberculosis (32-37).....	60	1	6	9	7	4	3	6	4	7	4	5	4
Diabetes mellitus (57).....	172	14	19	16	18	9	11	17	10	15	19	13	11
Cerebral hemorrhage and softening (74, 83).....	335	22	34	45	27	19	28	30	20	27	21	20	42
Other [organic] diseases of the heart (90).....	15	1	3	2	3	1	1	1	1	1	1	1	
Bronchitis (99).....	93	8	4	19	12	7	8	2	3	5	8	4	13
Broncho-pneumonia (100).....	162	27	11	37	19	16	7	3	2	1	10	8	11
Pneumonia (101).....	19	1		1	1	2	2	2	8	4			
Diarrhea and enteritis [under 2 years] (113).....	6	2			1	1					1		
Diarrhea and enteritis [2 years and over] (114).....	177	20	19	25	20	19	14	5	6	8	15	10	16
Nephritis (128, 129).....	8		1	1				1	1	1			3
Puerperal septicemia (146).....	17	2		2		2	1	2	5	1	6	2	4
Other puerperal causes (143-145, 147-150).....	32	4	1	2	2	3	3	3	6	3	3	4	1
Suicide (165-174).....	42	7	1	3		5	7	3					
Automobile accidents <sup>1</sup> (188c).....													
Automobile and railroad-train collision (part 188a).....	1									1			
Automobile and street-car collision (part 188b).....	83	9	3	9	6	8	3	9	6	9	9	4	8
Other external causes (175-187, part 188a, b, 188d-203).....	812	73	65	78	64	59	61	74	72	67	60	72	67
All other causes.....													
<b>WILMINGTON, DEL., all causes</b> .....	<b>1,615</b>	<b>156</b>	<b>201</b>	<b>205</b>	<b>163</b>	<b>122</b>	<b>111</b>	<b>113</b>	<b>91</b>	<b>97</b>	<b>117</b>	<b>118</b>	<b>121</b>
Typhoid and paratyphoid fever (1).....	4	1		1					1		1		
Malaria (5).....	3												
Smallpox (6).....	31	1	13	13	4								
Measles (7).....	1					1	1						
Scarlet fever (8).....	14	1	2	2	5	1	1	1		1	1		
Whooping cough (9).....	16	2	4	2	2	2	1					1	
Diphtheria (10).....	47	2	13	14	6	2	3		1			3	3
Influenza (11).....	1								1				
Dysentery (16).....	4	1				1	1		1				
Erysipelas (21).....	4	1		1		1	1	1					
Lethargic encephalitis (23).....	1												
Meningococcus meningitis (24).....	77	7	9	9	8	4	5	3	9	3	3	10	7
Tuberculosis of the respiratory system (31).....	23	3	2	2	4	3	2	2	3	1	2		1
Other forms of tuberculosis (32-37).....	25	1	4	1	2	2	2	2	4	4	3	4	
Diabetes mellitus (57).....	122	10	9	9	12	16	7	14	10	8	8	9	10
Cerebral hemorrhage and softening (74, 83).....	244	18	29	32	31	19	21	11	9	13	28	12	21
Other [organic] diseases of the heart (90).....	6	3		2							1		
Bronchitis (99).....	69	12	11	11	11	1	3	4	2	3	4	3	4
Broncho-pneumonia (100).....	101	12	22	27	10	4	5	2	2	2	3	7	7
Pneumonia (101).....	35	5	4	2	2	1	3	3	7	4	2	1	1
Diarrhea and enteritis [under 2 years] (113).....	11				2	2	1	2		3			
Diarrhea and enteritis [2 years and over] (114).....	175	21	24	16	15	18	15	12	8	7	9	17	13
Nephritis (128, 129).....	8	2		1	1		1	3	1	2	2	1	1
Puerperal septicemia (146).....	15	1	2		1	1	1	2	1	2	2	1	1
Other puerperal causes (143-145, 147-150).....	16	1		2	1	1	2	2	2	2	1	2	2
Suicide (165-174).....	29	5		3	1	1	3	4	5	1	4	1	1
Automobile accidents <sup>1</sup> (188c).....													
Automobile and railroad-train collision (part 188a).....	1				1								
Automobile and street-car collision (part 188b).....	86	8	3	9	10	7	7	7	7	6	5	6	11
Other external causes (175-187, part 188a, b, 188d-203).....	448	37	49	48	33	35	27	40	24	37	38	41	39
All other causes.....													
<b>WASHINGTON, D. C. (WHITE), all causes</b> .....	<b>4,583</b>	<b>525</b>	<b>511</b>	<b>431</b>	<b>367</b>	<b>373</b>	<b>355</b>	<b>314</b>	<b>298</b>	<b>306</b>	<b>349</b>	<b>388</b>	<b>366</b>
Typhoid and paratyphoid fever (1).....	10	1	1	1		1	1		1	1	2	1	
Malaria (5).....	1										1		
Smallpox (6).....	30		1	4	7	10	6	1	1				
Measles (7).....	5					2	2		1				
Scarlet fever (8).....	25		5	2	2	3	4	1	2	3		2	1
Whooping cough (9).....	22	3	2	2	1	3	1		3		2	1	3
Diphtheria (10).....	78	15	28	11	7	2	2		2	1	1	1	6
Influenza (11).....	3								1	2			
Dysentery (16).....	2						1						1
Erysipelas (21).....	5				1	2							
Lethargic encephalitis (23).....	4			1	1								
Meningococcus meningitis (24).....	221	22	20	10	24	21	23	17	17	16	20	17	14
Tuberculosis of the respiratory system (31).....	30	2	6	3	4	2	2	2	1	1	3	3	1
Other forms of tuberculosis (32-37).....	86	11	11	9	8	8	1	3	7	5	7	8	8
Diabetes mellitus (57).....	342	46	23	35	28	32	22	25	26	19	39	22	25
Cerebral hemorrhage and softening (74, 83).....	876	107	90	93	61	64	64	56	46	54	67	87	87
Other [organic] diseases of the heart (90).....	31	6	7	5		3	2	2	2	1	1	2	5
Bronchitis (99).....	161	18	43	26	13	16	6	2	7	4	7	10	9
Broncho-pneumonia (100).....	179	36	34	21	13	17	6	3	8	6	9	10	16
Pneumonia (101).....	62	4	2	3	1	5	7	7	7	9	8	6	3
Diarrhea and enteritis [under 2 years] (113).....	19	1	2	2				1	5	3	2	1	2
Diarrhea and enteritis [2 years and over] (114).....	445	45	53	43	40	39	35	23	29	27	36	43	32
Nephritis (128, 129).....	13	1			1	4		2	1	1		1	3
Puerperal septicemia (146).....	26	5	5	3	3		2	3	3		2	2	1
Other puerperal causes (143-145, 147-150).....	80	5	5	5	8	7	5	4	5	7	9	14	6
Suicide (165-174).....	69	6	6	4	4	4	8	2	5	7	10	7	6
Automobile accidents <sup>1</sup> (188c).....													
Automobile and railroad-train collision (part 188a).....	1												
Automobile and street-car collision (part 188b).....	183	14	18	14	15	12	22	14	14	14	10	21	15
Other external causes (175-187, part 188a, b, 188d-203).....	1,575	177	14	134	126	116	134	146	106	126	112	128	122
All other causes.....													

<sup>1</sup> Excludes collision with railroad trains and street cars.

MORTALITY STATISTICS

TABLE 10A.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM IMPORTANT CAUSES, BY MONTHS, IN LARGE CITIES: 1926—Continued

[See note at head of this table, p. 336]

AREA AND CAUSE OF DEATH	All deaths	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
WASHINGTON, D. C. (COLORED), all causes.....	2,805	252	310	289	218	271	233	218	217	170	212	205	205
Typhoid and paratyphoid fever (1).....	4					1				1		1	1
Malaria (5).....	1										1		
Smallpox (6).....													
Measles (7).....	8			2		4		2					
Scarlet fever (8).....	3	1	1										1
Whooping cough (9).....	16	2			2	4	1	2	4	1			
Diphtheria (10).....	6		1		1	2	1	1	1				
Influenza (11).....	37	3	10	8	4	3	2	1	1		2	2	2
Dysentery (16).....	2						1				1		
Erysipelas (21).....	1			1									
Lethargic encephalitis (23).....	1			1									
Meningococcus meningitis (24).....													
Tuberculosis of the respiratory system (31).....	321	27	24	30	30	35	27	23	36	20	25	22	22
Other forms of tuberculosis (32-37).....	26		2	1	2	1	3	6	3	1	3	1	3
Diabetes mellitus (57).....	39	3	3	6	2	2	1	5	2	4	2	7	2
Cerebral hemorrhage and softening (74,83).....	168	15	20	16	19	22	7	14	14	5	17	13	6
Other [organic] diseases of the heart (90).....	439	38	53	45	28	47	43	32	29	26	37	28	83
Bronchitis (99).....	21	3	2	6	1	1	2	1	1	2	7	11	1
Broncho-pneumonia (100).....	181	18	39	28	14	19	18	7	3	7	11	1	10
Pneumonia (101).....	150	31	35	22	10	8	4	6	4	3	6	9	12
Diarrhea and enteritis [under 2 years] (113).....	69	2	2	3	3	2	7	8	17	13	8	1	3
Diarrhea and enteritis [2 years and over] (114).....	27	1	2	2	2	1	1	7	5	2	2	2	2
Nephritis (128, 129).....	251	22	31	27	32	28	28	26	20	21	11	17	18
Puerperal septicemia (146).....	15	1		2	1	1	2		2	1	3	1	1
Other puerperal causes (143-145, 147-150).....	15	3	4		1		1	3		1		2	1
Suicide (165-174).....	29			2							1	2	1
Automobile accidents <sup>1</sup> (188c).....	6	2	1		3	1	7	3	6		4	1	1
Automobile and railroad-train collision (part 188a).....													
Automobile and street-car collision (part 188b).....	1												1
Other external causes (175-187, part 188a, b, 188d-203).....	125	6	16	7	4	10	12	10	13	6	10	14	17
All other causes.....	813	74	64	80	59	79	70	62	57	56	72	73	67
ATLANTA, GA. (WHITE), all causes.....	1,901	157	195	167	160	138	156	163	135	132	167	171	151
Typhoid and paratyphoid fever (1).....	16			1		2	2	3	1	2	4	1	
Malaria (5).....	2												1
Smallpox (6).....													
Measles (7).....	4						2	1					
Scarlet fever (8).....	3	1						1				1	1
Whooping cough (9).....	9					2							
Diphtheria (10).....	23	1	2		1	2	2	2					
Influenza (11).....	70	10	24	10	7	4				3	5	4	5
Dysentery (16).....	4			1						1	1	4	9
Erysipelas (21).....	2	1	1						1		1		
Lethargic encephalitis (23).....	3												2
Meningococcus meningitis (24).....	4	1	2	2									
Tuberculosis of the respiratory system (31).....	78	7	9	11	6	4	5	9	4	9	6	4	4
Other forms of tuberculosis (32-37).....	14	2	2	3	2	1	1	1	1	1	1	1	
Diabetes mellitus (57).....	10	3	1	1	1	1	1	1	1	1	3	2	
Cerebral hemorrhage and softening (74, 83).....	134	3	13	9	17	8	10	15	13	9	12	16	9
Other [organic] diseases of the heart (90).....	180	15	26	22	7	10	11	20	13	6	21	17	12
Bronchitis (99).....	6		2										
Broncho-pneumonia (100).....	57	6	10	4	9	5	3	2	2	1	1	6	4
Pneumonia (101).....	70	7	13	7	11	3	4	2	2	2	5	10	6
Diarrhea and enteritis [under 2 years] (113).....	42			1	1	1	11	7	9	7	4	1	1
Diarrhea and enteritis [2 years and over] (114).....	9		2										
Nephritis (128, 129).....	215	20	23	17	22	16	16	27	12	17	10	15	20
Puerperal septicemia (146).....	12	1	1	1		2	1	2	1		2	1	1
Other puerperal causes (143-145, 147-150).....	18	2	2		5		2	1		2	3	1	2
Suicide (165-174).....	33	2	1	3	3	3	2	3	3	3	5	1	5
Automobile accidents <sup>1</sup> (188c).....	51	3	4	3	4	2	6	1	2	4	9	4	9
Automobile and railroad-train collision (part 188a).....	3			1				1					1
Automobile and street-car collision (part 188b).....	1					1							
Other external causes (175-187, part 188a, b, 188d-203).....	107	8	10	13	11	4	12	11	8	5	7	10	8
All other causes.....	712	63	47	57	62	67	65	55	54	56	63	72	51
ATLANTA, GA. (COLORED), all causes.....	2,006	158	185	198	155	188	162	175	183	133	172	153	144
Typhoid and paratyphoid fever (1).....	33	2	1	1		3	6	4	5	4	5	2	
Malaria (5).....	3						1						
Smallpox (6).....													
Measles (7).....	5						1	3	1				
Scarlet fever (8).....													
Whooping cough (9).....	17		2			1	1	3	2	4	3		1
Diphtheria (10).....	8		2	1					1		2	1	1
Influenza (11).....	68	8	22	17	6	2	1	2			2	4	4
Dysentery (16).....	10	1					3	2	1	3	2	4	
Erysipelas (21).....	3					1	1		1				
Lethargic encephalitis (23).....	1												
Meningococcus meningitis (24).....	3	1										1	
Tuberculosis of the respiratory system (31).....	131	9	11	16	11	11	7	15	8	11	10	10	7
Other forms of tuberculosis (32-37).....	35	2	2	3	3	4	6	5	3	1	1	2	3
Diabetes mellitus (57).....	15		1		1	1	4	3	1		3	2	
Cerebral hemorrhage and softening (74,83).....	154	12	12	17	11	11	11	8	19	6	14	17	16
Other [organic] diseases of the heart (90).....	267	23	25	30	22	26	20	20	18	18	22	18	23
Bronchitis (99).....	24	2	1	1	1	3	3	5	2	1	1	3	2
Broncho-pneumonia (100).....	70	10	12	6	3	8	5	1	6	1	8	3	7
Pneumonia (101).....	119	15	14	20	10	10	5	8	5	8	2	11	11
Diarrhea and enteritis [under 2 years] (113).....	59	2		1		1	7	21	17	8			
Diarrhea and enteritis [2 years and over] (114).....	11		2				2	2	1	1	1	1	1
Nephritis (128, 129).....	178	13	17	15	14	19	14	18	17	13	19	7	12
Puerperal septicemia (146).....	15	3	4		1			2	3		1	2	
Other puerperal causes (143-145, 147-150).....	22	2	1	3	2	3	1	2	2	3	1	2	2
Suicide (165-174).....	3			1						1	1		
Automobile accidents <sup>1</sup> (188c).....	17	1	3		2	4		1	1	1			3
Automobile and railroad-train collision (part 188a).....													
Automobile and street-car collision (part 188b).....													
Other external causes (175-187, part 188a, b, 188d-203).....	157	14	6	17	17	20	12	10	10	10	16	14	11
All other causes.....	578	40	48	47	52	59	50	42	50	42	55	53	40

<sup>1</sup> Excludes collision with railroad trains and street cars.

CAUSES OF DEATH, BY MONTH OF OCCURRENCE

341

TABLE 10A.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM IMPORTANT CAUSES, BY MONTHS, IN LARGE CITIES: 1926—Continued

[See note at head of this table, p. 336]

AREA AND CAUSE OF DEATH	All deaths	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
CHICAGO, ILL. (WHITE), all causes	31,943	2,898	2,710	3,958	2,976	2,701	2,346	2,304	2,188	2,235	2,418	2,457	2,752
Typhoid and paratyphoid fever (1)	20	1		1	1		1	1	2	4	4	5	
Malaria (5)	52												8
Smallpox (6)	78	15	4	6	5	8	6	4	5		1	7	8
Measles (7)	64	5	9	13	9	3	5	3	4	4	4	4	1
Scarlet fever (8)	211	12	17	19	20	20	17	21	8	12	22	27	16
Whooping cough (9)	469	20	28	233	80	22	11	9	6	5	8	20	27
Diphtheria (10)	11		2	1			1	1	3	2			
Influenza (11)	73	9	8	12	4	10	8	3	3	3		6	7
Dysentery (16)	20		1	1	4		2	2	1	1		4	2
Erysipelas (21)	26	3	2	2	2	3	2	4		1		4	3
Lethargic encephalitis (23)	1,699	145	134	180	151	155	139	143	132	126	151	81	132
Meningococcus meningitis (24)	205	10	19	15	20	19	22	21	16	13	18	12	20
Tuberculosis of the respiratory system (31)	745	69	57	89	67	55	55	56	51	55	65	61	64
Other forms of tuberculosis (32-37)	1,353	129	113	152	137	106	97	91	96	93	112	105	122
Diabetes mellitus (57)	5,829	597	510	748	537	422	411	382	406	397	460	460	474
Cerebral hemorrhage and softening (74, 83)	226	20	23	57	24	17	8	9	14	8	12	14	20
Other [organic] diseases of the heart (90)	996	98	108	272	119	82	39	23	22	42	46	64	86
Bronchitis (99)	1,639	175	214	388	157	82	72	67	44	48	71	129	185
Pneumonia (100)	583	43	43	60	31	139	72	67	65	103	45	39	44
Pneumonia (101)	74	5	5	4	6	45	9	7	11	10	3	7	5
Diarrhea and enteritis [under 2 years] (113)	3,649	327	314	434	363	4	251	254	245	242	274	287	332
Diarrhea and enteritis [2 years and over] (114)	125	9	8	12	10	326	10	9	10	10	8	8	21
Nephritis (128, 129)	199	17	16	25	20	15	22	16	12	12	14	8	13
Puerperal septicemia (146)	481	52	37	40	42	23	22	39	33	40	42	44	47
Other puerperal causes (143-145, 147-150)	633	46	43	36	44	36	53	69	56	47	79	47	59
Suicide (165-174)	19		2	3	1	54	1	3	2	2	2	1	3
Automobile accidents <sup>1</sup> (188c)	27	1	3	5	3		1	3	1	4	2	1	6
Automobile and railroad-train collision (part 188a)	1,810	164	121	144	160	2	147	152	151	119	156	181	173
Automobile and street-car collision (part 188b)	10,627	931	867	1,000	919	919	872	850	817	820	875	827	930
Other external causes (175-187, part 188a, b, 188d-203)													
All other causes													
CHICAGO, ILL. (COLORED), all causes	3,682	306	288	502	343	343	251	257	262	262	302	251	315
Typhoid and paratyphoid fever (1)	4							1	2		1		
Malaria (5)	2												
Smallpox (6)	9				2	2	1	1		1		1	2
Measles (7)	3					1							
Scarlet fever (8)	22	1	1	3	5	2	2	2	2	1	2		1
Whooping cough (9)	16	2	2	5	2	2	2	1	1		1	1	2
Diphtheria (10)	38	1	5	21	4	2	1	1			1	2	
Influenza (11)	4				2								
Dysentery (16)	4		1				1						
Erysipelas (21)	4												
Lethargic encephalitis (23)	541	41	34	57	57	64	51	37	45	34	43	39	39
Meningococcus meningitis (24)	89	5	6	10	7	7	8	6	9	15	4	3	9
Tuberculosis of the respiratory system (31)	34		3	2	2	6	3	3	4	2	3	3	3
Other forms of tuberculosis (32-37)	134	13	11	15	11	6	3	3	4	5	10	12	14
Diabetes mellitus (57)	574	63	47	73	50	13	12	9	5	10	10	38	56
Cerebral hemorrhage and softening (74, 83)	174	13	11	15	11	6	3	3	4	4	6	3	2
Other [organic] diseases of the heart (90)	574	63	47	73	50	13	12	9	5	10	10	38	56
Bronchitis (99)	224	10	24	68	40	22	11	8	3	8	1	7	11
Broncho-pneumonia (100)	278	26	32	79	19	25	13	7	8	12	13	17	22
Pneumonia (101)	53	7	5	4	1	2	4	4	3	6	6	3	3
Diarrhea and enteritis [under 2 years] (113)	10		1	2		1	1	1	2	1	1	1	
Diarrhea and enteritis [2 years and over] (114)	406	28	19	30	31	39	32	34	31	29	39	39	55
Nephritis (128, 129)	25	1	4	4	1	6	2	1	3	3	1	1	1
Puerperal septicemia (146)	13	1	2	1	2	3	1	1	2	1	1	1	1
Other puerperal causes (143-145, 147-150)	16	1	3	1	2	3	1	1	4	2	1	2	3
Suicide (165-174)	60	6	3	4	3	7	8	5	5	4	6	6	2
Automobile accidents <sup>1</sup> (188c)	2				1				1				23
Automobile and railroad-train collision (part 188a)	276	18	25	23	27	20	18	29	26	19	23	20	23
Automobile and street-car collision (part 188b)	831	82	61	87	70	78	41	77	61	73	75	59	67
Other external causes (175-187, part 188a, b, 188d-203)													
All other causes													
INDIANAPOLIS, IND. (WHITE), all causes	4,331	369	380	444	409	374	322	302	349	294	345	358	385
Typhoid and paratyphoid fever (1)	12					2		1	1	1	7		
Malaria (5)	2							1			1		
Smallpox (6)	75	4	12	30	20	4	1		1	2		1	1
Measles (7)	8	2	1	1	2	1						1	1
Scarlet fever (8)	32	1	2	5	2	2	2	2	6	2	2	3	3
Whooping cough (9)	22	2	3	1	2	2	2	2	2	2	4	4	6
Diphtheria (10)	90	9	9	16	16	10	3	5	3		4	7	8
Influenza (11)	2							1			1		
Dysentery (16)	11	1	2	2	3	1		1		1			
Erysipelas (21)	5		2						1			1	
Lethargic encephalitis (23)	4												1
Meningococcus meningitis (24)	186	16	19	19	16	20	16	11	16	12	20	10	11
Tuberculosis of the respiratory system (31)	50	6	4	4	6	7	3	5	5	3	5	2	3
Other forms of tuberculosis (32-37)	80	5	10	8	6	6	7	5	3	3	8	5	8
Diabetes mellitus (57)	329	31	34	24	32	31	26	20	16	27	27	32	29
Cerebral hemorrhage and softening (74, 83)	670	60	61	69	68	55	53	41	50	44	50	53	66
Other [organic] diseases of the heart (90)	13	3	1	1	2	1	1	1	1	1	1	1	3
Bronchitis (99)	143	13	10	30	26	13	8	4	8	5	9	8	14
Broncho-pneumonia (100)	181	20	19	24	18	19	9	9	5	10	13	20	15
Pneumonia (101)	95	2	4	2	3	4	4	9	28	23	12	3	1
Diarrhea and enteritis [under 2 years] (113)	24				1	2	3	3	4	5	3	2	1
Diarrhea and enteritis [2 years and over] (114)	366	29	32	31	38	40	29	25	20	27	31	28	36
Nephritis (128, 129)	21	2	1	4	3	2	1	1	1	1	2	2	3
Puerperal septicemia (146)	25	1	3	3	1	3	1	1	3	1	1	3	3
Other puerperal causes (143-145, 147-150)	48	4	4	2	6	2	6	4	2	3	6	6	4
Suicide (165-174)	75	6	6	5	1	13	5	3	12	4	7	6	7
Automobile accidents <sup>1</sup> (188c)	10	3					1	1	1		2	2	1
Automobile and railroad-train collision (part 188a)	10						1	1	1		1	1	1
Automobile and street-car collision (part 188b)	152	13	10	11	13	16	13	13	16	15	12	11	9
Other external causes (175-187, part 188a, b, 188d-203)	1,586	136	132	149	122	118	130	140	142	100	119	146	151

<sup>1</sup> Excludes collision with railroad trains and street cars.

TABLE 10A.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM IMPORTANT CAUSES, BY MONTHS, IN LARGE CITIES: 1926—Continued

[See note at head of this table, p. 336]

AREA AND CAUSE OF DEATH	All deaths	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
<b>INDIANAPOLIS, IND. (COLORED), all causes</b>													
Typhoid and paratyphoid fever (1)	815	71	56	86	85	80	71	56	67	59	65	62	57
Malaria (5)	7					2		1	3				1
Smallpox (6)	1						1						
Measles (7)	15		2	2	4	6					1		
Scarlet fever (8)													
Whooping cough (9)	14	2	2	2	4	3						1	
Diphtheria (10)	6		1				1		2			1	1
Influenza (11)	16	2	2	4	5	1	2						
Dysentery (16)	2							1					
Erysipelas (21)	1												1
Lethargic encephalitis (23)													
Meningococcus meningitis (24)	1												
Tuberculosis of the respiratory system (31)	89	5	5	12	4	8	11	7	4	7	9	8	9
Other forms of tuberculosis (32-37)	24	4		1	1	1	4	1	2	3	5	1	1
Diabetes mellitus (57)	6	1	1		1			1		1			1
Cerebral hemorrhage and softening (74, 83)	32	5		3	4	2	3		6	2		2	1
Other [organic] diseases of the heart (90)	112	9	8	9	11	10	10	10	10	5	10	13	7
Bronchitis (99)	3		1		1				1				
Broncho-pneumonia (100)	51	7	4	6	7	5	5	4	1	2	1	4	5
Pneumonia (101)	60	4	5	15	8	6	1	2	1	5	5	4	4
Diarrhea and enteritis [under 2 years] (113)	25		1	1	2	1			11	5	2	2	
Diarrhea and enteritis [2 years and over] (114)	3			1						1	1		
Nephritis (123, 129)	65	6	3	7	5	11	3	3	3	6	5	4	9
Puerperal septicemia (146)	3					2							1
Other puerperal causes (143-145, 147-150)	9			2	2	1	1			1	1		1
Suicide (165-174)	3				1			1		1			
Automobile accidents <sup>1</sup> (188c)	8	1	1		1	1			1	1			
Automobile and railroad-train collision (part 188a)	1				1					2	1		
Automobile and street-car collision (part 188b)													
Other external causes (175-187, part 188a, b, 188d-203)	48	3	6	4	4	2	5	2	4	7	4	3	4
All other causes	209	22	14	17	19	18	24	20	18	12	17	18	10
<b>DES MOINES, IOWA, all causes</b>													
Typhoid and paratyphoid fever (1)	1,716	158	156	192	150	157	123	120	106	123	136	142	153
Malaria (5)	4	1				1			1	1			
Smallpox (6)													
Measles (7)	5	1	1	2	1								
Scarlet fever (8)	3						1					2	
Whooping cough (9)	12	3	1	4		1	2	1					
Diphtheria (10)	12	2	3	1	1	1	1			1	1	1	1
Influenza (11)	61	6	1	18	10	11	2		1	1	3	3	6
Dysentery (16)	8				2			1	1	3	1		
Erysipelas (21)	5	1						2				1	1
Lethargic encephalitis (23)	3	1			1		1						
Meningococcus meningitis (24)													
Tuberculosis of the respiratory system (31)	72	8	5	8	8	6	6	8	2	2	5	8	6
Other forms of tuberculosis (32-37)	14	1		3	1	1	1	1	1	3	3	1	1
Diabetes mellitus (57)	28	4	2	3	3	1	3	3	3	2	2	1	3
Cerebral hemorrhage and softening (74, 83)	110	11	14	8	8	9	6	6	5	5	16	11	11
Other [organic] diseases of the heart (90)	208	16	22	28	25	22	11	9	13	13	17	13	19
Bronchitis (99)	8				1	3			2	2	1		
Broncho-pneumonia (100)	78	9	6	17	5	5	3	1	1	5	7	11	9
Pneumonia (101)	78	10	9	20	6	6	6	1	1	1	7	7	10
Diarrhea and enteritis [under 2 years] (113)	25		2		1	1		2	5	8	5	1	
Diarrhea and enteritis [2 years and over] (114)	7	2							3	3	2		
Nephritis (123, 129)	86	4	9	8	7	5	12	9	8	2	8	5	9
Puerperal septicemia (146)	9	2	1		1	1	1		1	1			1
Other puerperal causes (143-145, 147-150)	13	2	1	1	1	1	1		1	1		3	1
Suicide (165-174)	20	3	1	1	1	1		1	1			3	1
Automobile accidents <sup>1</sup> (188c)	30	2	3		2	2	2	3	4	4	3	2	4
Automobile and railroad-train collision (part 188a)	1			1					2	6	3		
Automobile and street-car collision (part 188b)													
Other external causes (175-187, part 188a, b, 188d-203)	77	7	5	7	5	9	5	6	7	9	4	7	6
All other causes	737	61	70	63	61	72	58	64	53	50	56	65	64
<b>KANSAS CITY, KANS., all causes</b>													
Typhoid and paratyphoid fever (1)	1,590	139	121	175	150	116	133	128	117	124	126	133	128
Malaria (5)	5						1		1	1	2		
Smallpox (6)													
Measles (7)	14			1	2	4	6		1				
Scarlet fever (8)	4	1											
Whooping cough (9)	10			1	2	1	1	1					
Diphtheria (10)	5		1						2		2		
Influenza (11)	42	5	7	12	6	1	1	1		1	3	3	3
Dysentery (16)	3				1								
Erysipelas (21)	4	1		1		2			2				
Lethargic encephalitis (23)	3			1									
Meningococcus meningitis (24)	1							1					1
Tuberculosis of the respiratory system (31)	114	11	8	19	9	9	11	12	5	5	11	7	7
Other forms of tuberculosis (32-37)	18	1	1	1	3	3	2		1	5			1
Diabetes mellitus (57)	32	1	2	6	3	1						7	4
Cerebral hemorrhage and softening (74, 83)	105	10	8	9	8	8	9	12	2	9	3	7	12
Other [organic] diseases of the heart (90)	187	21	23	15	13	11	17	13	11	14	11	19	19
Bronchitis (99)	9					2							
Broncho-pneumonia (100)	47	4	5		2	2	1		1	1	1	4	2
Pneumonia (101)	80	7	10	9	5	3	3	1	2	2	4	4	9
Diarrhea and enteritis [under 2 years] (113)	54	2	1	11	15	3	3	5	4	1	4	8	9
Diarrhea and enteritis [2 years and over] (114)	11	1	1	5	3	3	3	6	9	13	5	1	3
Nephritis (123, 129)	141	23	4	1	1	1	2	1	1	2	2	10	8
Puerperal septicemia (146)	6	1	1	2								1	
Other puerperal causes (143-145, 147-150)	10	1	2		1			2	1	1			1
Suicide (165-174)	19	1		2	1	1	4	2			3		5
Automobile accidents <sup>1</sup> (188c)	8		1	1	1			1	2	1			1
Automobile and railroad-train collision (part 188a)													
Automobile and street-car collision (part 188b)													
Other external causes (175-187, part 188a, b, 188d-203)	106	8	7	12	13	6	7	7	10	11	7	13	5
All other causes	552	40	39	57	48	47	60	46	51	46	51	39	38

<sup>1</sup> Excludes collision with railroad trains and street cars.

CAUSES OF DEATH, BY MONTH OF OCCURRENCE

343

TABLE 10A.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM IMPORTANT CAUSES, BY MONTHS, IN LARGE CITIES: 1926—Continued

[See note at head of this table, p. 336]

AREA AND CAUSE OF DEATH	All deaths	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
LOUISVILLE, KY. (WHITE), all causes.....	3,567	321	243	419	336	296	249	304	273	261	269	297	299
Typhoid and paratyphoid fever (1).....	13		1	1		2		2	2	2	1		2
Malaria (5).....	3										3		
Smallpox (6).....													
Measles (7).....	80		6	19	31	19	4	1					
Scarlet fever (8).....	7				1	1		2		1	1	1	
Whooping cough (9).....	23	1	1	2	3		4	2	1	1		2	5
Diphtheria (10).....	5				1	1					1	1	2
Influenza (11).....	87	17	4	33	15	2	2	2			1	6	5
Dysentery (16).....	17	1	1					5	5	3	1		1
Erysipelas (21).....	7	1	1	1				2				1	1
Lethargic encephalitis (23).....	5							1	2				
Meningococcus meningitis (24).....	3								2			1	
Tuberculosis of the respiratory system (31).....	178	15	10	21	22	11	14	15	18	18	12	10	12
Other forms of tuberculosis (32-37).....	40	1	3	4	2	6	6	3	5	4	4		2
Diabetes mellitus (57).....	56	8	3	11	7	8	2	4	2	2		5	2
Cerebral hemorrhage and softening (74, 83).....	250	21	22	24	19	22	9	26	17	18	22	26	24
Other [organic] diseases of the heart (90).....	495	54	36	55	47	39	43	35	34	31	37	35	49
Bronchitis (99).....	19	3	3	3	3	1	2	1			1	2	3
Broncho-pneumonia (100).....	137	11	9	28	20	12	8	5	2	6	12	8	16
Pneumonia (101).....	162	18	10	49	20	10	6	5	5	7	5	14	13
Diarrhea and enteritis [under 2 years] (113).....	124	2	2	1	1	3	3	31	29	27	21	2	2
Diarrhea and enteritis [2 years and over] (114).....	22			1	1		3	5	5	6		1	
Nephritis (123, 129).....	292	30	24	34	19	26	26	19	18	20	24	24	26
Puerperal septicemia (146).....	16		1		2	4	2	1	1		2		1
Other puerperal causes (143-145, 147-150).....	20			2	4	4		1	3	2			4
Suicide (165-174).....	53	2	4	3	5	3	7	4	7	7	2	5	4
Automobile accidents <sup>1</sup> (188c).....	52	6	3	2	2	4	5	3	4	4	7	8	4
Automobile and railroad-train collision (part 188a).....	1								1				
Automobile and street-car collision (part 188b).....	2	1	1										
Other external causes (175-187, part 188a, b, 188d-203).....	162	15	11	11	13	11	11	18	12	15	8	17	20
All other causes.....	1,236	114	90	114	99	106	92	104	97	89	106	124	101
LOUISVILLE, KY. (COLORED), all causes.....	1,167	92	84	140	103	101	99	109	70	102	83	84	100
Typhoid and paratyphoid fever (1).....	6	1						1		1	1	2	
Malaria (5).....	1					1							
Smallpox (6).....													
Measles (7).....	4				1	3							
Scarlet fever (8).....													
Whooping cough (9).....	2									1		1	
Diphtheria (10).....	5	1		1					2				1
Influenza (11).....	54	5	1	17	10	5	3	1		2	1	3	6
Dysentery (16).....	2					1			1				
Erysipelas (21).....													
Lethargic encephalitis (23).....													
Meningococcus meningitis (24).....	1				1								
Tuberculosis of the respiratory system (31).....	99	5	9	7	4	9	8	15	8	12	9	9	4
Other forms of tuberculosis (32-37).....	18	1	2	4	2	3		1	1	2	1		1
Diabetes mellitus (57).....	6				1	1	2			1	1		
Cerebral hemorrhage and softening (74, 83).....	64	6	4	8	4	9	3	8	4	7	1	3	7
Other [organic] diseases of the heart (90).....	182	22	18	16	13	13	13	12	15	17	16	13	14
Bronchitis (99).....	29	2	3	4	5	1	1	1	2	3	4	4	4
Broncho-pneumonia (100).....	57	4	5	13	9	5	4	2		3	4	4	8
Pneumonia (101).....	80	12	8	22	6	6	2	6	1	6	5	5	6
Diarrhea and enteritis [under 2 years] (113).....	22					1	1	5	7	7	1		
Diarrhea and enteritis [2 years and over] (114).....	2												
Nephritis (123, 129).....	119	8	10	10	15	12	18	9	4	8	10	14	1
Puerperal septicemia (146).....	3			3									
Other puerperal causes (143-145, 147-150).....	6	1		1	2							1	1
Suicide (165-174).....	4				1		1		1		1		
Automobile accidents <sup>1</sup> (188c).....	12		1	1	1		1	1	2	1	1	1	2
Automobile and railroad-train collision (part 188a).....													
Automobile and street-car collision (part 188b).....													
Other external causes (175-187, part 188a, b, 188d-203).....	87	7	8	4	3	10	12	7	7	6	2	5	16
All other causes.....	302	17	15	29	27	19	30	40	17	31	25	23	29
NEW ORLEANS, LA. (WHITE), all causes.....	4,656	526	559	434	335	363	321	319	363	306	355	401	374
Typhoid and paratyphoid fever (1).....	18	3		2	1		2		3	2	1	2	2
Malaria (5).....	1									1			
Smallpox (6).....													
Measles (7).....	1												1
Scarlet fever (8).....	6	1		1	2							2	
Whooping cough (9).....	22	1	2		1	5	5	4	2	1			1
Diphtheria (10).....	21	4	2			1	1		2	2		7	2
Influenza (11).....	176	34	64	25	8	5	4	3	5	5	3	14	6
Dysentery (16).....	10	2	1	1	1	3			1	1			
Erysipelas (21).....	2				1								1
Lethargic encephalitis (23).....	4			1			1	1		1			
Meningococcus meningitis (24).....	6												
Tuberculosis of the respiratory system (31).....	318	38	26	42	28	27	26	16	19	19	20	23	34
Other forms of tuberculosis (32-37).....	26	2	2	1	1	2	1	3	2		3	5	4
Diabetes mellitus (57).....	70	6	7	11	9	4	4	3	8	1	1	3	6
Cerebral hemorrhage and softening (74, 83).....	252	27	38	24	24	13	20	10	26	12	23	20	15
Other [organic] diseases of the heart (90).....	799	100	118	76	61	60	44	44	56	39	69	63	69
Bronchitis (99).....	11	3	2		1						1	1	
Broncho-pneumonia (100).....	159	34	28	14	5	9	6	7	9	10	12	10	15
Pneumonia (101).....	154	19	36	17	16	8	3	11	5	4	8	18	9
Diarrhea and enteritis [under 2 years] (113).....	88	15	11	5	3	6	5	8	15	6	1	8	5
Diarrhea and enteritis [2 years and over] (114).....	14			2	1	1	1	2	1	2	1	2	
Nephritis (123, 129).....	529	67	47	44	39	53	44	28	35	39	44	49	40
Puerperal septicemia (146).....	29	3	3	1	3	2	3	2		1	1	3	7
Other puerperal causes (143-145, 147-150).....	38	4	4	5	4	1	4	4	6	2	1		3
Suicide (165-174).....	71	4	7	6	4	12	3	6	2	9	3	7	8
Automobile accidents <sup>1</sup> (188c).....	61	5	8	3	3	6	3	10	4	4	6	6	3
Automobile and railroad-train collision (part 188a).....	1		1										
Automobile and street-car collision (part 188b).....	1												
Other external causes (175-187, part 188a, b, 188d-203).....	261	17	27	21	30	17	20	25	23	14	16	21	30
All other causes.....	1,507	136	123	132	89	128	119	132	137	124	141	135	111

<sup>1</sup> Excludes collision with railroad trains and street cars.

## MORTALITY STATISTICS

TABLE 10A.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM IMPORTANT CAUSES, BY MONTHS, IN LARGE CITIES: 1926—Continued

[See note at head of this table, p. 336]

AREA AND CAUSE OF DEATH	All deaths	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
NEW ORLEANS, LA. (COLORED), all causes	3,277	331	363	301	255	257	247	244	268	242	229	267	273
Typhoid and paratyphoid fever (1)	18	2	1	1		2	1	3	2	1	1	2	2
Malaria (5)	3						2						
Smallpox (6)	1			1									
Measles (7)	3				1					1			1
Scarlet fever (8)	1				1								
Whooping cough (9)	13		1		1	2	2	2	2	2	1	2	2
Diphtheria (10)	11	14			1				2	2	1		
Influenza (11)	131	14	38	23	8	4	4	2	2	5	5	14	12
Dysentery (16)	4			1		1		1					1
Erysipelas (21)													
Lethargic encephalitis (23)	2		1				1						
Meningococcus meningitis (24)													
Tuberculosis of the respiratory system (31)	326	32	29	35	25	32	29	24	28	22	29	19	22
Other forms of tuberculosis (32-37)	35	6	2	2	4	5	3	3	4	3	1	1	4
Diabetes mellitus (57)	28		4	4		4	2	1		3	3	2	4
Cerebral hemorrhage and softening (74, 83)	156	13	14	15	17	14	10	12	16	9	9	13	14
Other [organic] diseases of the heart (90)	507	49	52	46	30	42	33	28	38	60	33	45	51
Bronchitis (99)	17	5	5		2	1		1				1	1
Broncho-pneumonia (100)	158	17	29	20	7	10	10	8	11	8	11	14	13
Pneumonia (101)	191	30	42	20	15	10	7	6	11	7	5	18	20
Diarrhea and enteritis [under 2 years] (113)	105	6	4	3	9	9	14	16	14	12	8	4	1
Diarrhea and enteritis [2 years and over] (114)	13			1	4	1	1	1	1	1	1	2	1
Nephritis (123, 129)	321	33	32	30	33	29	27	26	25	18	21	19	24
Puerperal septicemia (146)	16	2			3	2	2	2	1	1	1	3	1
Other puerperal causes (143-145, 147-150)	32		4	5	1	3		4	7	3	1	4	1
Suicide (165-174)	7		2	2		2	1		1			1	6
Automobile accidents <sup>1</sup> (188c)	24	3		3	1	2	1		2	1	3	4	6
Automobile and railroad-train collision (part 188a)	1				1								
Automobile and street-car collision (part 188b)	1												
Other external causes (175-187, part 188a, b, 188d-203)	216	26	24	20	15	18	21	14	15	10	15	16	22
All other causes	936	84	79	63	76	68	75	91	86	74	82	82	76
BALTIMORE, MD. (WHITE), all causes	9,220	1,045	1,018	872	788	788	654	660	637	619	641	715	783
Typhoid and paratyphoid fever (1)	25		2		2	2	1	3	5	4	1	1	4
Malaria (5)	2							1			1		
Smallpox (6)													
Measles (7)	87	20	33	15	12	4	1	1				1	
Scarlet fever (8)	10	1	2	1	3	3	1	1	1				3
Whooping cough (9)	44	6	6	3	7	2	1	3	5	4	1	7	10
Diphtheria (10)	52	6	6	2	1	1	1	2	1	1	3	3	13
Influenza (11)	197	37	71	32	15	12	2	2		8	5	8	13
Dysentery (16)	28				2	3	3		5			2	2
Erysipelas (21)	10		3		2	1	1	2	1		1	1	2
Lethargic encephalitis (23)	20	2	1	2	1	2	1		3		1	1	2
Meningococcus meningitis (24)	17	2	1	2	1	2			1		2	1	2
Tuberculosis of the respiratory system (31)	490	53	56	38	58	51	29	28	36	38	29	36	39
Other forms of tuberculosis (32-37)	64	4	3	8	8	4	6	5	8	6	4	3	5
Diabetes mellitus (57)	203	28	20	22	16	18	15	18	9	11	15	17	14
Cerebral hemorrhage and softening (74, 83)	720	75	73	59	64	64	48	47	41	60	48	69	72
Other [organic] diseases of the heart (90)	1,425	149	142	139	121	125	106	104	89	76	114	115	145
Bronchitis (99)	57	10	14	6	4	4	3	3	2	2	2	2	4
Broncho-pneumonia (100)	514	87	97	67	59	43	22	13	25	18	21	29	33
Pneumonia (101)	479	103	91	66	46	39	26	12	7	4	11	29	45
Diarrhea and enteritis [under 2 years] (113)	149	2	4	3	2	4	4	22	39	37	22	5	5
Diarrhea and enteritis [2 years and over] (114)	17	3			1	3	2	2	1	1	1	2	85
Nephritis (123, 129)	960	99	90	123	77	87	71	77	53	67	71	60	85
Puerperal septicemia (146)	30	7	5		3	3	1	1	4	1	4	1	5
Other puerperal causes (143-145, 147-150)	40		1	1	4	3	4	4	6	5	8	4	9
Suicide (165-174)	104	10	11	8	7	9	9	9	7	5	13	8	17
Automobile accidents <sup>1</sup> (188c)	138	7	3	5	4	12	10	10	14	21	20	15	19
Automobile and railroad-train collision (part 188a)	2				1	2							
Automobile and street-car collision (part 188b)	1												
Other external causes (175-187, part 188a, b, 188d-203)	411	44	25	34	32	35	42	36	41	29	23	35	35
All other causes	2,924	237	258	236	238	251	245	262	233	213	224	253	234
BALTIMORE, MD. (COLORED), all causes	2,990	295	325	299	264	247	206	226	211	222	235	208	252
Typhoid and paratyphoid fever (1)	17		2	1	1			1	3	2	3	3	1
Malaria (5)													
Smallpox (6)													
Measles (7)	20	2	4	8	4		1	1					
Scarlet fever (8)													
Whooping cough (9)	27	1	2	3	5	1	4	4	2		2	1	2
Diphtheria (10)	7				1		1				3	2	
Influenza (11)	46	9	18	3	4	3	1	1		1	1	2	4
Dysentery (16)	5								1	2			1
Erysipelas (21)	1			1									
Lethargic encephalitis (23)	4												
Meningococcus meningitis (24)	4												
Tuberculosis of the respiratory system (31)	284	23	24	28	24	27	21	26	29	19	27	20	16
Other forms of tuberculosis (32-37)	50	3	4	2	3	4	13	2	3	10		4	2
Diabetes mellitus (57)	17												
Cerebral hemorrhage and softening (74, 83)	192	16	18	13	18	13	19	15	11	23	13	11	17
Other [organic] diseases of the heart (90)	407	36	48	43	31	31	24	34	25	27	40	37	31
Bronchitis (99)	4												
Broncho-pneumonia (100)	233	25	43	39	28	17	11	7	8	7	12	12	24
Pneumonia (101)	253	45	38	39	30	29	12	4	9	11	11	10	16
Diarrhea and enteritis [under 2 years] (113)	80	4	3	1	4	5	2	14	19	12	10	3	3
Diarrhea and enteritis [2 years and over] (114)	10	2			1	1	1	2	2	2			1
Nephritis (123, 129)	304	35	34	33	21	26	23	15	22	20	23	17	35
Puerperal septicemia (146)	11	1	2		2	1	1		1	1	1	1	1
Other puerperal causes (143-145, 147-150)	25	2	2	3	1	4			4	5	1	1	2
Suicide (165-174)	6			1	1	1			1	1		1	1
Automobile accidents <sup>1</sup> (188c)	40	4	2	1	4	2	3	1	5	8	6	4	1
Automobile and railroad-train collision (part 188a)													
Automobile and street-car collision (part 188b)													
Other external causes (175-187, part 188a, b, 188d-203)	162	16	11	10	13	10	15	22	12	11	12	11	19
All other causes	781	67	65	62	66	72	53	74	57	57	69	65	74

<sup>1</sup> Excludes collision with railroad trains and street cars.

CAUSES OF DEATH, BY MONTH OF OCCURRENCE

345

TABLE 10A.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM IMPORTANT CAUSES, BY MONTHS, IN LARGE CITIES: 1926—Continued

[See note at head of this table, p. 336]

AREA AND CAUSE OF DEATH	All deaths	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
<b>BOSTON, MASS., all causes</b> .....	<b>11,720</b>	<b>1,072</b>	<b>951</b>	<b>1,445</b>	<b>1,199</b>	<b>1,028</b>	<b>796</b>	<b>793</b>	<b>803</b>	<b>786</b>	<b>902</b>	<b>927</b>	<b>1,018</b>
Typhoid and paratyphoid fever (1).....	14				1			3		3	5	1	1
Malaria (5).....													
Smallpox (6).....													
Measles (7).....	65	15	8	12	8	7	3	4	2	1	1	2	2
Scarlet fever (8).....	41	5	2	5	5	5	7	3	3	1	1	1	3
Whooping cough (9).....	109	10	15	36	18	8	5	3	3	4	4	1	2
Diphtheria (10).....	55	4	6	8	8	4	3	3	1	4	4	6	8
Influenza (11).....	69	5	7	15	23	5	2			1	2	3	6
Dysentery (16).....	6					1		1	2			1	1
Erysipelas (21).....	28	2	2	5	1	5	6	1	3		1	1	1
Lethargic encephalitis (23).....	19			4	1			1	3				
Meningococcus meningitis (24).....	26	2	2	5	1	1	1	5	1	4	1	2	1
Tuberculosis of the respiratory system (31).....	687	66	52	65	74	76	47	52	53	46	47	54	55
Other forms of tuberculosis (32-37).....	111	6	4	12	10	16	10	8	7	9	11	9	9
Diabetes mellitus (57).....	203	24	14	23	23	11	24	20	9	12	17	14	12
Cerebral hemorrhage and softening (74, 83).....	650	69	55	80	52	49	44	43	36	41	60	62	59
Other [organic] diseases of the heart (90).....	2,118	221	191	263	226	207	143	132	108	131	152	154	190
Bronchitis (99).....	43	4	1	12	3	1	4	2	1	1	3	5	6
Broncho-pneumonia (100).....	662	69	60	138	96	43	31	21	23	29	46	45	61
Pneumonia (101).....	598	73	58	141	86	57	23	12	14	25	19	40	50
Diarrhea and enteritis [under 2 years] (113).....	237	7	8	8	15	6	15	14	50	47	43	13	11
Diarrhea and enteritis [2 years and over] (114).....	23	4	1	1			3	2	1	4	2	4	
Nephritis (128, 129).....	656	61	59	72	63	53	54	46	40	45	51	50	62
Puerperal septicemia (146).....	55	5	2	6	9	5	1	11	3	1	6	5	1
Other puerperal causes (143-145, 147-150).....	88	7	5	10	10	9	6	8	7	7	7	5	7
Suicide (165-174).....	106	9	9	12	6	9	7	7	8	12	8	11	8
Automobile accidents <sup>1</sup> (188c).....	149	6	6	11	6	13	10	20	11	10	23	22	11
Automobile and railroad-train collision (part 188a).....					1				1	1			1
Automobile and street-car collision (part 188b).....	4												
Other external causes (175-187, part 188a, b, 188d-203).....	516	36	37	54	47	48	40	44	37	37	41	38	57
All other causes.....	4,382	362	344	447	405	387	306	327	376	309	349	378	392
<b>CAMBRIDGE, MASS., all causes</b> .....	<b>1,481</b>	<b>126</b>	<b>117</b>	<b>195</b>	<b>166</b>	<b>112</b>	<b>121</b>	<b>99</b>	<b>91</b>	<b>85</b>	<b>134</b>	<b>105</b>	<b>130</b>
Typhoid and paratyphoid fever (1).....	6							1	1	1	2	1	
Malaria (5).....													
Smallpox (6).....													
Measles (7).....	4	2		2									
Scarlet fever (8).....	2	1			1								
Whooping cough (9).....	21	1	1	9	4	2		3	1				
Diphtheria (10).....	1					1							
Influenza (11).....	10			6	2	1						1	
Dysentery (16).....													
Erysipelas (21).....	1						1						
Lethargic encephalitis (23).....	5		1		1			1					
Meningococcus meningitis (24).....	2			2	1								
Tuberculosis of the respiratory system (31).....	99	8	10	9	12	6	8	12	6	5	7	10	6
Other forms of tuberculosis (32-37).....	12	1	2		1		3	1	1	1	1	2	1
Diabetes mellitus (57).....	16	2	1	3		2	1	2		3			2
Cerebral hemorrhage and softening (74, 83).....	120	8	11	14	14	11	8	7	10	9	13	5	10
Other [organic] diseases of the heart (90).....	278	24	22	31	32	22	27	20	13	16	24	22	25
Bronchitis (99).....	7			3	1			1		1	1	1	
Broncho-pneumonia (100).....	61	7	5	12	13	5	1	2	2	2	3	4	5
Pneumonia (101).....	70	14	6	23	6	3	2	3	1	2	6	2	2
Diarrhea and enteritis [under 2 years] (113).....	24	2		2	1		1	3	7	4	4		
Diarrhea and enteritis [2 years and over] (114).....	2				1								1
Nephritis (128, 129).....	84	7	6	14	13	2	5	6	4	3	12	4	8
Puerperal septicemia (146).....	7			2	1		1	1		1			
Other puerperal causes (143-145, 147-150).....	10		2	2	1		1	1		2			1
Suicide (165-174).....	11	1		2		1			2	2			3
Automobile accidents <sup>1</sup> (188c).....	19	5			2		3	1	2	1		4	1
Automobile and railroad-train collision (part 188a).....													
Automobile and street-car collision (part 188b).....													
Other external causes (175-187, part 188a, b, 188d-203).....	62	6	6	5	4	7	6	6	3	4	6	1	8
All other causes.....	547	37	44	53	57	48	52	28	39	33	51	48	57
<b>FALL RIVER, MASS., all causes</b> .....	<b>1,707</b>	<b>173</b>	<b>135</b>	<b>152</b>	<b>220</b>	<b>141</b>	<b>137</b>	<b>106</b>	<b>125</b>	<b>125</b>	<b>117</b>	<b>132</b>	<b>144</b>
Typhoid and paratyphoid fever (1).....	1							1					
Malaria (5).....													
Smallpox (6).....													
Measles (7).....	37	18	12	3	3			1					
Scarlet fever (8).....	1												
Whooping cough (9).....	18	1			4	2		1		1	4	1	3
Diphtheria (10).....	19	1	1	3	4	1	3		1			1	4
Influenza (11).....	26	2	2	4	9		1				1	4	3
Dysentery (16).....													
Erysipelas (21).....	1								1				
Lethargic encephalitis (23).....	2					2							
Meningococcus meningitis (24).....	3												
Tuberculosis of the respiratory system (31).....	118	11	8	11	11	13	10	5	13	13	7	6	10
Other forms of tuberculosis (32-37).....	26	5	2	1	2	1	3	2	2	2	2	2	4
Diabetes mellitus (57).....	38	1	2	5	4	3	3	1	4	4	5	2	4
Cerebral hemorrhage and softening (74, 83).....	95	11	11	9	11	8	7	5	7	5	2	9	10
Other [organic] diseases of the heart (90).....	226	23	20	21	28	17	22	16	16	17	15	13	18
Bronchitis (99).....	12	1		1	4			1		1		2	2
Broncho-pneumonia (100).....	70	7	6	6	17	7	7	3	3	3	4	4	6
Pneumonia (101).....	55	6	3	2	14	5	3	4	1	1	4	5	7
Diarrhea and enteritis [under 2 years] (113).....	74	4	3	9	9	3	5	4	17	9	6	2	3
Diarrhea and enteritis [2 years and over] (114).....	13	1	1		1	2	1	1	1	2	1		1
Nephritis (128, 129).....	200	19	18	15	26	20	14	9	15	11	18	21	14
Puerperal septicemia (146).....	3						2					1	
Other puerperal causes (143-145, 147-150).....	7	1		1	1	1		1		1	1		
Suicide (165-174).....	11		1		2			1		1	1	3	3
Automobile accidents <sup>1</sup> (188c).....	19		1	1	3		4	1	1	2	1	3	2
Automobile and railroad-train collision (part 188a).....													
Automobile and street-car collision (part 188b).....													
Other external causes (175-187, part 188a, b, 188d-203).....	73	4	11	11	6	3	4	7	7	4	8	2	6
All other causes.....	559	56	33	49	61	53	47	41	38	49	37	51	44

<sup>1</sup> Excludes collision with railroad trains and street cars.

MORTALITY STATISTICS

TABLE 10A.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM IMPORTANT CAUSES, BY MONTHS, IN LARGE CITIES: 1926—Continued

[See note at head of this table, p. 336]

AREA AND CAUSE OF DEATH	All deaths	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
<b>LOWELL, MASS., all causes</b> .....	<b>1,549</b>	<b>157</b>	<b>131</b>	<b>144</b>	<b>174</b>	<b>148</b>	<b>111</b>	<b>100</b>	<b>101</b>	<b>118</b>	<b>138</b>	<b>113</b>	<b>114</b>
Typhoid and paratyphoid fever (1).....	4		1		1						1		1
Malaria (5).....													
Smallpox (6).....													
Measles (7).....	10	6			2								
Scarlet fever (8).....	3		1					2					
Whooping cough (9).....	3					1					1		1
Diphtheria (10).....	6						1	1			2	2	1
Influenza (11).....	8		1		3	2	1			1			
Dysentery (16).....	1					1							
Erysipelas (21).....	1							1					
Lethargic encephalitis (23).....	1												
Meningococcus meningitis (24).....	73	5	2	5	8	11	5	3	11	7	2	6	8
Tuberculosis of the respiratory system (31).....	28		4	6	3	2	2	2	2		4	1	2
Other forms of tuberculosis (32-37).....	15		1	1	3	1	1	4		2	1	1	1
Diabetes mellitus (57).....	106	15	8	8	10	11	10	6	5	8	8	12	5
Cerebral hemorrhage and softening (74, 83).....	301	34	42	27	22	25	24	21	15	17	22	25	27
Other [organic] diseases of the heart (90).....	18	1			4	2	1		1	4	1	1	2
Bronchitis (99).....	110	12	10	21	24	13	3	4	3	2	7	3	8
Broncho-pneumonia (100).....	34	2	2	6	6	5	2	1	2	1	2	1	4
Pneumonia (101).....	50	3	1	1	5	2	2	4	8	16	7		3
Diarrhea and enteritis [under 2 years] (113).....	64	3	3	6	5	6	8	4	4	7	9	5	4
Diarrhea and enteritis [2 years and over] (114).....	7												
Nephritis (128, 129).....	20	2	4	1	3	2		2		2	4		
Puerperal septicemia (146).....	1				1						1		
Other puerperal causes (143-145, 147-150).....	2												
Suicide (165-174).....	9			1			1	3	2	1	1		
Automobile accidents <sup>1</sup> (188c).....	22	1	1		1	2	4	2	3	3	1	2	2
Automobile and railroad-train collision (part 188a).....	1								1				
Automobile and street-car collision (part 188b).....													
Other external causes (175-187, part 188a, b, 188d-203).....	57	4	3	3	6	5	7	3	4	7	5	4	6
All other causes.....	597	69	44	58	67	59	40	36	39	38	59	51	37
<b>NEW BEDFORD, MASS., all causes</b> .....	<b>1,500</b>	<b>130</b>	<b>103</b>	<b>179</b>	<b>190</b>	<b>148</b>	<b>119</b>	<b>99</b>	<b>105</b>	<b>99</b>	<b>108</b>	<b>113</b>	<b>107</b>
Typhoid and paratyphoid fever (1).....	1									1			
Malaria (5).....													
Smallpox (6).....													
Measles (7).....	24	1		4	7	4	2	4		1		1	
Scarlet fever (8).....	5		2		2		1						
Whooping cough (9).....	13	2	2	2	2	1	3					1	
Diphtheria (10).....	18	1	1	4	2	1	2			1	1	2	3
Influenza (11).....	50	4	1	15	15	4	3	2	1	1	3	1	
Dysentery (16).....	3			1		2							
Erysipelas (21).....	1				1								
Lethargic encephalitis (23).....	2				1								
Meningococcus meningitis (24).....	96	3	6	15	10	12	9	7	12	5	7	7	3
Tuberculosis of the respiratory system (31).....	27	2	3	1	3	1	1	2	5		3	3	3
Other forms of tuberculosis (32-37).....	19	1	2	3	3				3				2
Diabetes mellitus (57).....	121	12	11	9	19	8	8	6	5	6	14	11	11
Cerebral hemorrhage and softening (74, 83).....	244	33	13	25	30	21	15	11	17	16	18	20	25
Other [organic] diseases of the heart (90).....	17	2	1	5	2	3	1	1	1	1	1	1	1
Bronchitis (99).....	143	15	5	25	35	23	11	3	2	2	8	8	6
Broncho-pneumonia (100).....	37	4	3	10	7	3	4				2	2	4
Pneumonia (101).....	32	1		3	2	2	7	3	1	5	4	3	1
Diarrhea and enteritis [under 2 years] (113).....	3			2	1					2			
Diarrhea and enteritis [2 years and over] (114).....	92	5	9	8	9	5	6	3	12	3	12	6	6
Nephritis (128, 129).....	5	1		1	1				1		1		
Puerperal septicemia (146).....	7			3							2		
Other puerperal causes (143-145, 147-150).....	10	2		2				3	2	1			
Suicide (165-174).....	11		1			1	1	2	2		1	1	2
Automobile accidents <sup>1</sup> (188c).....	1												
Automobile and railroad-train collision (part 188a).....													
Automobile and street-car collision (part 188b).....													
Other external causes (175-187, part 188a, b, 188d-203).....	48	3	2	3	1	2	2	7	7	5	4	9	3
All other causes.....	470	37	41	45	33	51	44	42	39	36	31	33	38
<b>SPRINGFIELD, MASS., all causes</b> .....	<b>1,820</b>	<b>178</b>	<b>135</b>	<b>214</b>	<b>178</b>	<b>163</b>	<b>141</b>	<b>140</b>	<b>107</b>	<b>122</b>	<b>136</b>	<b>147</b>	<b>159</b>
Typhoid and paratyphoid fever (1).....	1										1		
Malaria (5).....													
Smallpox (6).....													
Measles (7).....	30	2	4	16	7	1							
Scarlet fever (8).....	3		2	1									
Whooping cough (9).....	10			4	2	1		1				2	
Diphtheria (10).....	7			1		1						1	3
Influenza (11).....	27	1	2	10	6	1	4			1			2
Dysentery (16).....	3												
Erysipelas (21).....	3				2								1
Lethargic encephalitis (23).....	3				1	1							
Meningococcus meningitis (24).....	3	1		1					1				
Tuberculosis of the respiratory system (31).....	71	7	5	6	6	10	7	9	5	3	7	3	3
Other forms of tuberculosis (32-37).....	22		2	2		1	3	5	2	2	1	2	2
Diabetes mellitus (57).....	30	8	2	2	5	1		3	1	2	1	2	3
Cerebral hemorrhage and softening (74, 83).....	149	17	15	11	9	10	12	14	8	13	10	10	20
Other [organic] diseases of the heart (90).....	280	37	19	34	23	23	18	16	16	18	30	24	22
Bronchitis (99).....	5		1	1	1	1		1			1		
Broncho-pneumonia (100).....	74	16	6	16	8	8	2		1	3		4	4
Pneumonia (101).....	70	9	3	22	10	7		1			3	5	8
Diarrhea and enteritis [under 2 years] (113).....	15	2		3	1		1	1	2	2	2	5	1
Diarrhea and enteritis [2 years and over] (114).....	5	1	1		1								
Nephritis (128, 129).....	188	11	11	15	23	16	19	10	14	15	23	21	10
Puerperal septicemia (146).....	9			1	1		1	2	1	1	1		2
Other puerperal causes (143-145, 147-150).....	14	1	2	1	1			2	1	1	2		3
Suicide (165-174).....	17	1		1	1	1	3	2	3	4	4	1	
Automobile accidents <sup>1</sup> (188c).....	38	3	1	2	3	5	4	5	3	4	4	4	2
Automobile and railroad-train collision (part 188a).....	1												
Automobile and street-car collision (part 188b).....													
Other external causes (175-187, part 188a, b, 188d-203).....	70	2	6	5	4	9	7	11	2	5	4	7	8
All other causes.....	675	59	54	60	62	66	51	56	49	49	44	61	64

Excludes collision with railroad trains and street cars.

CAUSES OF DEATH, BY MONTH OF OCCURRENCE

TABLE 10A.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM IMPORTANT CAUSES, BY MONTHS, IN LARGE CITIES: 1926—Continued

[See note at head of this table, p. 336]

AREA AND CAUSE OF DEATH	All deaths	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
<b>WORCESTER, MASS., all causes</b> .....	<b>2,701</b>	<b>265</b>	<b>197</b>	<b>319</b>	<b>341</b>	<b>257</b>	<b>207</b>	<b>176</b>	<b>161</b>	<b>180</b>	<b>211</b>	<b>181</b>	<b>206</b>
Typhoid and paratyphoid fever (1).....	1									1			
Malaria (5).....													
Smallpox (6).....													
Measles (7).....	17	11	1	3		1		1					1
Scarlet fever (8).....	5									2			
Whooping cough (9).....	13	1		4	1	4	3						
Diphtheria (10).....	17	2	5	1	1	1	1	1	1		2	2	
Influenza (11).....	26		1	4	17						1	2	1
Dysentery (16).....													
Erysipelas (21).....	5			1	2				1			1	
Lethargic encephalitis (23).....	3		1						1				
Meningococcus meningitis (24).....	132	1					1	1	1				
Tuberculosis of the respiratory system (31).....	132	13	10	7	18	17	17	14	12	2	8	6	3
Other forms of tuberculosis (32-37).....	34	2	3	2	7	3	2	1	2	2	2	2	5
Diabetes mellitus (57).....	41	3	2	3	5	7	2	2	4	2	2	4	5
Cerebral hemorrhage and softening (74, 83).....	170	10	15	15	27	18	15	15	15	11	13	10	15
Other [organic] diseases of the heart (90).....	417	39	28	51	40	44	39	29	19	31	42	23	32
Bronchitis (99).....	16	3	1	1	4	1	1	1	1	1	1	1	1
Broncho-pneumonia (100).....	170	21	15	36	30	13	7	2	2	4	5	8	12
Pneumonia (101).....	147	19	11	21	35	13	4	5	3	4	10	7	15
Diarrhea and enteritis [under 2 years] (113).....	33	2	2	1	3				7	6	7	1	2
Diarrhea and enteritis [2 years and over] (114).....	6			3	3			1	1	1	1	1	1
Nephritis (128, 129).....	282	29	21	32	31	19	31	11	14	23	21	23	27
Puerperal septicaemia (146).....	14	1	1		2		2	2	2	2	3	1	1
Other puerperal causes (143-145, 147-150).....	27	3		6	4	1	1	2	2	2	2	1	2
Suicide (165-174).....	23		3	2	4	1	1	4	1	2	2	1	2
Automobile accidents <sup>1</sup> (188c).....	32	2	2	1	4	6	2	1	2	2	4	1	2
Automobile and railroad-train collision (part 188a).....													
Automobile and street-car collision (part 188b).....													
Other external causes (175-187, part 188a, b, 188d-203).....	104	12	10	14	9	11	7	10	5	10	6	4	6
All other causes.....	955	91	65	110	91	96	69	71	66	70	77	77	72
<b>DETROIT, MICH. (WHITE), all causes</b> .....	<b>14,323</b>	<b>1,296</b>	<b>1,180</b>	<b>1,839</b>	<b>1,517</b>	<b>1,273</b>	<b>1,092</b>	<b>1,010</b>	<b>875</b>	<b>998</b>	<b>1,047</b>	<b>1,026</b>	<b>1,170</b>
Typhoid and paratyphoid fever (1).....	25	1	1	1		4		3	5	3	3	1	4
Malaria (5).....	1												
Smallpox (6).....													
Measles (7).....	285	46	61	94	46	24	7	4	1			2	
Scarlet fever (8).....	98	10	12	17	12	14	4	4	1	2	3	2	7
Whooping cough (9).....	78	3	3	18	11	14	17	7					5
Diphtheria (10).....	438	21	29	21	23	28	54	36	34	40	60	45	47
Influenza (11).....	268	6	17	101	69	29	11	4		4	9	8	10
Dysentery (16).....	6				1	1				1	1		
Erysipelas (21).....	65	7	10	1	14	10	1	3	1	1	2	4	4
Lethargic encephalitis (23).....	23	3	2	2	2	2	2	3	2	2	5	1	1
Meningococcus meningitis (24).....	23	1	1		1	1	1	1	1	2	1	1	1
Tuberculosis of the respiratory system (31).....	771	77	63	71	69	83	73	63	49	58	53	41	68
Other forms of tuberculosis (32-37).....	133	7	10	9	16	14	15	4	15	12	11	8	12
Diabetes mellitus (57).....	189	18	20	23	19	15	14	15	10	12	12	15	18
Cerebral hemorrhage and softening (74, 83).....	730	70	63	57	77	65	55	43	35	68	65	62	70
Other [organic] diseases of the heart (90).....	1,668	148	132	216	171	151	114	123	114	116	108	125	150
Bronchitis (99).....	124	19	12	17	15	12	7	6	4	4	8	13	8
Broncho-pneumonia (100).....	738	69	63	193	131	68	38	20	14	18	22	49	47
Pneumonia (101).....	387	27	20	61	36	31	18	22	15	19	26	63	60
Diarrhea and enteritis [under 2 years] (113).....	338	2	2	5	3	6	2	4	4	7	2	2	2
Diarrhea and enteritis [2 years and over] (114).....	695	65	63	73	57	60	68	48	42	46	63	57	56
Nephritis (128, 129).....	124	17	7	9	11	12	14	14	10	9	8	7	7
Puerperal septicaemia (146).....	105	10	8	10	16	8	6	8	5	9	13	3	8
Other puerperal causes (143-145, 147-150).....	186	9	15	18	16	15	13	13	8	20	23	15	16
Suicide (165-174).....	379	19	20	27	30	22	31	27	28	44	47	47	37
Automobile accidents <sup>1</sup> (188c).....	10				1	1			1	1	3		1
Automobile and railroad-train collision (part 188a).....					2	3			1		3		7
Automobile and street-car collision (part 188b).....	12	1	1	1	2	2	1		1		3		1
Other external causes (175-187, part 188a, b, 188d-203).....	797	63	52	86	52	68	63	92	65	55	60	65	76
All other causes.....	5,092	471	398	503	495	448	421	404	358	397	395	371	431
<b>DETROIT, MICH. (COLORED), all causes</b> .....	<b>1,906</b>	<b>148</b>	<b>167</b>	<b>240</b>	<b>205</b>	<b>188</b>	<b>153</b>	<b>130</b>	<b>144</b>	<b>130</b>	<b>115</b>	<b>146</b>	<b>140</b>
Typhoid and paratyphoid fever (1).....	4							2	2				
Malaria (5).....	1									1			
Smallpox (6).....													
Measles (7).....	28	5	6	12	2	2	1						
Scarlet fever (8).....	1					1							
Whooping cough (9).....	10		1			1					1		1
Diphtheria (10).....	12	1	3	2	1	1	2		3	2	1		
Influenza (11).....	31		3	14	8	3			1		1	1	1
Dysentery (16).....													
Erysipelas (21).....	12	1	2	2	2	1						2	2
Lethargic encephalitis (23).....													
Meningococcus meningitis (24).....	4				1		1				1		1
Tuberculosis of the respiratory system (31).....	264	19	18	19	19	25	27	23	21	21	17	33	22
Other forms of tuberculosis (32-37).....	46	3	1	2	5	3	3	6	3	2	3	5	6
Diabetes mellitus (57).....	11	1	1	2	3	1	1	7			1	1	6
Cerebral hemorrhage and softening (74, 83).....	70	5	5	4	7	6	7	7	6	8	6	6	6
Other [organic] diseases of the heart (90).....	182	13	13	19	20	18	17	17	6	18	15	12	14
Bronchitis (99).....	13	2	2	2	1	4				2	2	2	2
Broncho-pneumonia (100).....	129	11	15	32	20	14	7	4	5	3	5	7	6
Pneumonia (101).....	233	24	30	39	42	37	13	6	9	5	6	9	13
Diarrhea and enteritis [under 2 years] (113).....	31		2	5	4	2	2	1	8	8	1	1	1
Diarrhea and enteritis [2 years and over] (114).....	8	1		1	1	1	1	1	1	1	1	2	1
Nephritis (128, 129).....	64	10	2	7	8	1	7	5	6	4	7	3	4
Puerperal septicaemia (146).....	7				1	2	1		2	2	1	1	1
Other puerperal causes (143-145, 147-150).....	14	1	1	1	2	2	2	1	2	2	1	1	2
Suicide (165-174).....	12	1	1	2	2	2	2				1	1	2
Automobile accidents <sup>1</sup> (188c).....	20		1	2	2	2	2	1	3	2	2	1	2
Automobile and railroad-train collision (part 188a).....													
Automobile and street-car collision (part 188b).....	2						1			1			
Other external causes (175-187, part 188a, b, 188d-203).....	208	17	17	22	17	26	18	16	18	15	12	16	14
All other causes.....	489	33	47	52	39	39	34	39	50	34	35	44	43

<sup>1</sup>Excludes collision with railroad trains and street cars.

TABLE 10A.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM IMPORTANT CAUSES, BY MONTHS, IN LARGE CITIES: 1926—Continued

[See note at head of this table, p. 336]

AREA AND CAUSE OF DEATH	All deaths	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
GRAND RAPIDS, MICH., all causes.....	1,773	154	135	196	205	151	120	118	124	123	152	130	165
Typhoid and paratyphoid fever (1).....	2			1									1
Malaria (5).....	3												
Smallpox (6).....	8						4	4					
Measles (7).....	3		1				1					1	
Scarlet fever (8).....	23	1	2	4	7	4	3	2					
Whooping cough (9).....	5	1		1						1		1	1
Diphtheria (10).....	36	6	1	7	12	4				1	1		4
Influenza (11).....	1									1			
Dysentery (16).....	11	2	1	1	2	2	2					1	
Erysipelas (21).....	3		1		1	1							
Lethargic encephalitis (23).....	3							1	1				
Meningococcus meningitis (24).....	53	2	3	10	4	6	5	1	5	5	2	4	4
Tuberculosis of the respiratory system (31).....	8	4	2	1	2			1	3	2			5
Other forms of tuberculosis (32-37).....	35	14	14	16	15	13	8	14	8	11	6	2	11
Diabetes mellitus (57).....	151	28	18	28	31	19	24	13	20	15	27	13	35
Cerebral hemorrhage and softening (74, 83).....	291	1	2	1	2				1	1	2	2	2
Other [organic] diseases of the heart (90).....	18	1	2	1	2		1	2	3	1	1	2	4
Bronchitis (99).....	57	5	4	14	11	7	4	3	1	3	3	1	9
Broncho-pneumonia (100).....	49	5	4	7	10	4	2	3	2	7	7	1	5
Pneumonia (101).....	44	5	3	7	1	3	1	3	2	1	3	1	5
Diarrhea and enteritis [under 2 years] (113).....	6												
Diarrhea and enteritis [2 years and over] (114).....	141	10	10	18	13	14	3	12	8	10	13	13	17
Nephritis (128, 129).....	5		3										
Puerperal septicemia (146).....	15			4	2	1		1		1		3	2
Other puerperal causes (143-145, 147-150).....	17	2	1	1	2	2		4	4		1	1	2
Suicide (165-174).....	32	2		2	1	2	3	3	3	6	6	3	2
Automobile accidents <sup>1</sup> (188c).....	1				1					1			
Automobile and railroad-train collision (part 188a).....	68	5	10	4	1	1	6	8	7	5	10	5	6
Automobile and street-car collision (part 188b).....	691	61	52	65	81	68	56	42	56	52	54	47	57
Other external causes (175-187, part 188a, b, 188d-203).....													
All other causes.....													
MINNEAPOLIS, MINN., all causes.....	5,002	462	379	465	522	478	412	397	362	331	384	387	423
Typhoid and paratyphoid fever (1).....	6						1	1	1	1	1		1
Malaria (5).....													
Smallpox (6).....	42			3	18	15	4	1	1				
Measles (7).....	26	4	4	4	1	3	3	1	3		1		2
Scarlet fever (8).....	24	3	4	3	5	2	2			1	2	1	1
Whooping cough (9).....	74	5	3	3	14	9	6	6	5	1	8	7	7
Diphtheria (10).....	50	2	2	6	18	8	3	2		4	3	6	5
Influenza (11).....	1												
Dysentery (16).....	13		1		3	4	1	1	1	1			1
Erysipelas (21).....	10	2	1		3	1				1	1	1	
Lethargic encephalitis (23).....	1												
Meningococcus meningitis (24).....	189	18	14	17	25	16	14	15	21	13	9	15	12
Tuberculosis of the respiratory system (31).....	39	5	5	3	3	7	1	3	3	1	4	2	2
Other forms of tuberculosis (32-37).....	90	9	7	8	5	10	7	7	2	6	10	9	10
Diabetes mellitus (57).....	328	29	28	37	24	27	27	21	23	14	29	36	33
Cerebral hemorrhage and softening (74, 83).....	746	65	58	76	72	68	63	64	47	49	71	44	69
Other [organic] diseases of the heart (90).....	10	1	3	1	1	1	1	1			1	1	1
Bronchitis (99).....	205	20	18	22	23	25	20	15	8	9	12	17	16
Broncho-pneumonia (100).....	230	40	13	27	38	25	12	9	10	8	10	18	20
Pneumonia (101).....	34	4	3	4	3	1	4			9	2	2	2
Diarrhea and enteritis [under 2 years] (113).....	13				3		4		2		2	1	1
Diarrhea and enteritis [2 years and over] (114).....	251	30	17	24	22	23	25	18	14	21	18	19	20
Nephritis (128, 129).....	32	4	3	7	1	1	4	5	2		1	1	3
Puerperal septicemia (146).....	41	2	4	5	2	3	2	2	4	2	5	5	5
Other puerperal causes (143-145, 147-150).....	91	3	5	5	9	15	7	13	4	8	8	8	6
Suicide (165-174).....	69	4	6	4	4	8	6	7	6	5	3	9	7
Automobile accidents <sup>1</sup> (188c).....	1									1			
Automobile and railroad-train collision (part 188a).....	5		1		2							1	1
Automobile and street-car collision (part 188b).....	228	17	12	20	22	17	18	18	17	25	19	17	26
Other external causes (175-187, part 188a, b, 188d-203).....	2,144	195	167	186	201	190	177	186	188	151	164	167	172
All other causes.....													
ST. PAUL, MINN., all causes.....	3,052	269	245	303	284	252	242	243	212	234	267	244	257
Typhoid and paratyphoid fever (1).....	3		1					1		1			
Malaria (5).....													
Smallpox (6).....	21					4	10	6				1	
Measles (7).....	8			3	2	2	1	1				2	
Scarlet fever (8).....	22			1	1	1	1	1	2			1	1
Whooping cough (9).....	60	4		2	1	4	2	2	3	3	3	2	7
Diphtheria (10).....	22	7	6	6	6	7	3	1	3	3	8	3	7
Influenza (11).....	1									1			
Dysentery (16).....	14	1		3	1	4	2					2	1
Erysipelas (21).....	18	4	1	2	2	1	1	1	2	1		3	
Lethargic encephalitis (23).....	4					1							
Meningococcus meningitis (24).....	165	14	13	15	17	18	10	19	11	8	11	15	14
Tuberculosis of the respiratory system (31).....	29	1	1	7	4	1	1	1	4	4	5	1	3
Other forms of tuberculosis (32-37).....	64	6	7	6	4	4	8	2	5	4	4	9	5
Diabetes mellitus (57).....	211	21	27	22	20	15	14	9	11	20	17	17	18
Cerebral hemorrhage and softening (74, 83).....	481	44	43	48	41	44	39	22	40	35	49	31	45
Other [organic] diseases of the heart (90).....	18	2		2	5	1	1	1		1	1	4	
Bronchitis (99).....	105	8	8	7	11	11	8	5	11	5	9	9	13
Broncho-pneumonia (100).....	123	21	6	17	22	10	4	5	3	5	8	11	11
Pneumonia (101).....	14			3		1	1	1	2	4	1		1
Diarrhea and enteritis [under 2 years] (113).....	7		2		2					1		2	
Diarrhea and enteritis [2 years and over] (114).....	160	16	12	20	9	11	8	19	16	11	12	8	18
Nephritis (128, 129).....	16	1	2	1	4	1	1		2	3		1	
Puerperal septicemia (146).....	23	3	1	3	3	2	1	1	2	3	1	1	2
Other puerperal causes (143-145, 147-150).....	38	3	2	4	4	1	1	5	6	4	2	5	2
Suicide (165-174).....	46	4	1	5	2	3	4	5	4	8	4	4	2
Automobile accidents <sup>1</sup> (188c).....	4				1								
Automobile and railroad-train collision (part 188a).....	150	7	13	15	13	13	13	17	6	12	11	13	17
Automobile and street-car collision (part 188b).....	1,236	100	97	111	109	93	107	118	84	101	121	98	97
Other external causes (175-187, part 188a, b, 188d-203).....													
All other causes.....													

<sup>1</sup> Excludes collision with railroad trains and street cars.

CAUSES OF DEATH, BY MONTH OF OCCURRENCE

349

TABLE 10A.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM IMPORTANT CAUSES, BY MONTHS, IN LARGE CITIES: 1926—Continued

[See note at head of this table, p. 336]

AREA AND CAUSE OF DEATH	All deaths	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
<b>KANSAS CITY, MO. (WHITE), all causes</b> .....	<b>4,236</b>	<b>383</b>	<b>358</b>	<b>447</b>	<b>404</b>	<b>379</b>	<b>269</b>	<b>297</b>	<b>354</b>	<b>287</b>	<b>335</b>	<b>354</b>	<b>369</b>
Typhoid and paratyphoid fever (1).....	11				1		1	1	3	3	2		
Malaria (5).....	1									1			
Smallpox (6).....													
Measles (7).....	41	1	1	9	16	12	1	1					
Scarlet fever (8).....	18	3	1	4	4	3	1	1		1	1		
Whooping cough (9).....	20	2	1	5	7	1	2	1				1	
Diphtheria (10).....	15	2	1	2	3	1					2	2	2
Influenza (11).....	115	10	11	31	25	12	3	2	4	2	4	4	7
Dysentery (16).....	6							1	3	1		1	
Erysipelas (21).....	7		1		2	2			1				1
Lethargic encephalitis (23).....	4				1	1			1			1	
Meningococcus meningitis (24).....	1		1							7	14	14	23
Tuberculosis of the respiratory system (31).....	175	18	22	17	9	14	12	12	13	7	14	14	23
Other forms of tuberculosis (32-37).....	34	5	3	3	5	3	1	3	4	4	1	2	6
Diabetes mellitus (57).....	59	3	5	8	5	5	2	2	2	7	2	8	6
Cerebral hemorrhage and softening (74, 83).....	244	29	24	21	20	21	18	13	18	13	18	21	28
Other [organic] diseases of the heart (90).....	495	53	35	55	37	46	42	27	47	22	42	48	41
Bronchitis (99).....	18	1	2	1	2	1	1	1	1	1	1	1	1
Broncho-pneumonia (100).....	172	11	17	33	20	9	6	3	5	7	19	15	22
Pneumonia (101).....	192	24	29	37	31	11	8	5	1	3	9	15	19
Diarrhea and enteritis [under 2 years] (113).....	100	5	3	6	6	3	6	9	17	24	14	6	1
Diarrhea and enteritis [2 years and over] (114).....	23	2		1	1	2		5	3	4	3	2	2
Nephritis (128, 129).....	431	40	36	44	43	34	27	36	25	27	36	40	43
Puerperal septicaemia (146).....	21	4	2	3	1	6		1	1	2	1	1	3
Other puerperal causes (143-145, 147-150).....	31	3	2	2	4	3	3	2	5	1	2	1	3
Suicide (165-174).....	70	5	7	4	5	9	4	7	2	6	7	8	6
Automobile accidents <sup>1</sup> (188c).....	68	3	5	3	1	6	5	3	14	7	5	6	10
Automobile and railroad-train collision (part 188a).....	1								1				
Automobile and street-car collision (part 188b).....	271	25	9	16	19	20	15	26	37	31	24	19	30
Other external causes (175-187, part 188a, b, 188d-203).....	1,597	134	140	142	136	154	108	129	146	114	129	141	124
<b>KANSAS CITY, MO. (COLORED), all causes</b> .....	<b>901</b>	<b>67</b>	<b>68</b>	<b>97</b>	<b>89</b>	<b>73</b>	<b>78</b>	<b>71</b>	<b>71</b>	<b>75</b>	<b>59</b>	<b>69</b>	<b>84</b>
Typhoid and paratyphoid fever (1).....	2							1		1			
Malaria (5).....													
Smallpox (6).....						1							
Measles (7).....	1												
Scarlet fever (8).....				3	2			1					
Whooping cough (9).....	6												
Diphtheria (10).....													
Influenza (11).....	24	1	1	7	4	1	3	1	1	1		1	3
Dysentery (16).....													
Erysipelas (21).....	2			2									
Lethargic encephalitis (23).....													
Meningococcus meningitis (24).....													
Tuberculosis of the respiratory system (31).....	135	12	6	16	18	15	12	10	9	11	9	7	10
Other forms of tuberculosis (32-37).....	10	1	1		1		1		1	2		1	2
Diabetes mellitus (57).....	4	3				1							
Cerebral hemorrhage and softening (74, 83).....	30	2	2	3	3	6	2	3	1	1	1	3	3
Other [organic] diseases of the heart (90).....	108	7	11	10	11	15	9	6	6	8	9	10	6
Bronchitis (99).....	1												
Broncho-pneumonia (100).....	64	7	6	11	12	3	2	5	2	5	1	2	8
Pneumonia (101).....	72	4	4	10	8	5	4	4	7	7	4	9	17
Diarrhea and enteritis [under 2 years] (113).....	13	1		1		1	2		3	4	1		
Diarrhea and enteritis [2 years and over] (114).....	6				1			3	1	1	1		
Nephritis (128, 129).....	108	6	12	8	4	8	11	9	10	8	8	10	14
Puerperal septicaemia (146).....	2				1	1							
Other puerperal causes (143-145, 147-150).....	4						1		3				
Suicide (165-174).....													
Automobile accidents <sup>1</sup> (188c).....	14			1	2	1	4		1		1	4	
Automobile and railroad-train collision (part 188a).....													
Automobile and street-car collision (part 188b).....	76	3	8	5	8	6	6	6	6	6	9	7	6
Other external causes (175-187, part 188a, b, 188d-203).....	219	20	16	20	14	10	24	22	27	21	15	15	15
<b>St. Louis, Mo. (WHITE), all causes</b> .....	<b>9,569</b>	<b>891</b>	<b>753</b>	<b>1,016</b>	<b>963</b>	<b>828</b>	<b>646</b>	<b>775</b>	<b>653</b>	<b>651</b>	<b>754</b>	<b>782</b>	<b>857</b>
Typhoid and paratyphoid fever (1).....	12		1					2	1	3	1	2	2
Malaria (5).....	2	1		1									
Smallpox (6).....													
Measles (7).....	83		3	8	16	36	19	1					
Scarlet fever (8).....	62	8	7	9	13	11	3	4	2	1	2	2	2
Whooping cough (9).....	56			6	9	11	6	6	1	5	2	4	6
Diphtheria (10).....	95	12	10	16	13	11	15	1	2	7	7	6	2
Influenza (11).....	110	10	7	33	27	9	1	1	1	2	3	4	12
Dysentery (16).....	21	1	1	1	1	1		5	6	5	1		
Erysipelas (21).....	16	3		4	3	2	1	1	1				1
Lethargic encephalitis (23).....	13	1	1	2	3		2				2	1	1
Meningococcus meningitis (24).....	13		4	1	2			4					
Tuberculosis of the respiratory system (31).....	286	22	30	30	29	19	33		25	18	19	16	25
Other forms of tuberculosis (32-37).....	46	3	1	1	9	7	7	3	2	1	3	2	7
Diabetes mellitus (57).....	175	16	18	16	19	17	7	9	11	13	12	20	17
Cerebral hemorrhage and softening (74, 83).....	398	43	33	47	40	28	21	20	32	30	29	36	39
Other [organic] diseases of the heart (90).....	1,611	138	125	169	140	147	120	127	113	110	122	147	153
Bronchitis (99).....	69	7	4	18	10	1		5	1	4	9	7	7
Broncho-pneumonia (100).....	432	51	30	85	61	25	13	24	16	13	29	36	49
Pneumonia (101).....	630	86	42	112	95	36	23	28	18	25	30	65	77
Diarrhea and enteritis [under 2 years] (113).....	183	5	8	7	3	6		4	3	3	2	5	1
Diarrhea and enteritis [2 years and over] (114).....	26	1	3	2	3			5	4	4	2	1	1
Nephritis (128, 129).....	1,105	108	94	108	88	95	87	106	75	64	84	102	94
Puerperal septicaemia (146).....	43	2	3	6	5	4	1	3	1	1	1	1	2
Other puerperal causes (143-145, 147-150).....	28	2	3	3	6	4	4	3	1	1	1	1	2
Suicide (165-174).....	176	22	11	16	15	19	12	13	11	11	11	17	13
Automobile accidents <sup>1</sup> (188c).....	160	16	9	11	9	12	17	20	12	15	17	8	14
Automobile and railroad-train collision (part 188a).....	7			2			4						
Automobile and street-car collision (part 188b).....	8	3				1							2
Other external causes (175-187, part 188a, b, 188d-203).....	434	42	36	32	36	43	22	37	34	33	39	44	36
All other causes.....	3,269	287	269	270	309	286	217	290	252	258	304	246	281

<sup>1</sup> Excludes collision with railroad trains and street cars.

MORTALITY STATISTICS

TABLE 10A.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM IMPORTANT CAUSES, BY MONTHS, IN LARGE CITIES: 1926—Continued

[See note at head of this table, p. 336]

AREA AND CAUSE OF DEATH	All deaths	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
ST. LOUIS, MO. (COLORED), all causes.....	1,971	158	166	211	173	180	156	180	140	134	129	161	193
Typhoid and paratyphoid fever (1).....	7				1		1		2	1	1	1	
Malaria (5).....	6					1	1	2	1				1
Smallpox (6).....	9					6	2		1				
Measles (7).....	4		1			1	1	1					
Scarlet fever (8).....	12			1	2	1	1	4	1		2	4	1
Whooping cough (9).....	18	2	2	3	1	1	1	1	1	1			2
Diphtheria (10).....	24	1	2	10	3	2	2	1	1			3	
Influenza (11).....	4												
Dysentery (16).....	2	1		1									
Erysipelas (21).....	2						1	1					
Lethargic encephalitis (23).....	1												
Meningococcus meningitis (24).....	204	12	12	20	16	21	14	27	20	12	17	16	17
Tuberculosis of the respiratory system (31).....	33	4	1	2	5	5	3	3	1	2	2	2	3
Other forms of tuberculosis (32-37).....	12	1	3	2		1			1	1	1	1	2
Diabetes mellitus (57).....	48	3	4	11	5	1	6	4		5	2	4	3
Cerebral hemorrhage and softening (74, 83).....	291	24	24	26	23	26	24	33	24	21	15	26	25
Other [organic] diseases of the heart (90).....	10		1	1	4		1		1				2
Bronchitis (99).....	139	6	16	25	13	17	3	11	3	6	11	13	15
Broncho-pneumonia (100).....	281	21	18	31	34	21	9	4	2	6	6	17	12
Pneumonia (101).....	183	1	1	2		1	2	5	4	5	1	1	
Diarrhea and enteritis [under 2 years] (113).....	23	24	28	33	18	27	24	22	13	24	25	27	32
Diarrhea and enteritis [2 years and over] (114).....	4								2				
Nephritis (128, 129).....	302	24	28	33	18	27	24	22	13	24	25	27	32
Puerperal septicemia (146).....	9	1	1	1	1	1	1			2	1		2
Other puerperal causes (143-145, 147-150).....	10	1	1			1		2	1				2
Suicide (165-174).....	5	1		1	1				1				1
Automobile accidents <sup>1</sup> (188c).....	12		2	1	1	1		1	1	2	1	1	1
Automobile and railroad-train collision (part 188a).....													
Automobile and street-car collision (part 188b).....													
Other external causes (175-187, part 188a, b, 188d-203).....	147	15	9	9	12	10	11	16	19	12	7	9	13
All other causes.....	452	40	30	31	33	35	46	41	36	34	35	35	56
OMAHA, NEBR., all causes.....	2,794	258	229	269	272	251	207	215	207	219	200	226	241
Typhoid and paratyphoid fever (1).....	3						1		1		1		
Malaria (5).....	7				1	1	4	1					
Smallpox (6).....	18				7	4	3	1					
Measles (7).....	10		1	2	2	3	2						1
Scarlet fever (8).....	17	1		5	3	2	2	2	2	2			
Whooping cough (9).....	14			1	2			1	1	2	3	1	2
Diphtheria (10).....	57	7	6	9	13	6	2		2	3	3	3	6
Influenza (11).....	3					1							
Dysentery (16).....	1			1									1
Erysipelas (21).....	4			1			1						
Lethargic encephalitis (23).....	2		1										
Meningococcus meningitis (24).....	122	7	15	13	13	14	9	6	10	5	10	8	12
Tuberculosis of the respiratory system (31).....	30	4	1	4	1	6	4	4	2	3	1	2	2
Other forms of tuberculosis (32-37).....	40	2	3	2	4	4	4	4	5	5	2	1	4
Diabetes mellitus (57).....	152	17	15	13	11	12	11	12	12	12	16	10	11
Cerebral hemorrhage and softening (74, 83).....	396	31	37	43	48	28	27	31	22	31	31	31	36
Other [organic] diseases of the heart (90).....	5				1								
Bronchitis (99).....	115	12	10	16	17	8	6	7	2	2	11	9	15
Broncho-pneumonia (100).....	142	20	10	22	13	16	10	5	6	4	8	18	10
Pneumonia (101).....	34		2	2	1	3	1	4	3	12	1	3	2
Diarrhea and enteritis [under 2 years] (113).....	11						2	3	1	1	2	1	
Diarrhea and enteritis [2 years and over] (114).....	159	7	17	14	14	16	6	20	9	9	18	15	14
Nephritis (128, 129).....	27	1	2	6	1	2		2	5	2	1	3	2
Puerperal septicemia (146).....	20		2	3	2		2	1	1	3	1	3	2
Other puerperal causes (143-145, 147-150).....	42	3	8	2	7	5		2	5	2	1	3	4
Suicide (165-174).....	33	5	4	3	4	2	1	1	2	5		2	4
Automobile accidents <sup>1</sup> (188c).....	2					2							
Automobile and railroad-train collision (part 188a).....	1												
Automobile and street-car collision (part 188b).....	164	14	14	10	14	16	10	11	13	14	14	11	13
Other external causes (175-187, part 188a, b, 188d-203).....	1,173	123	78	98	93	102	101	97	101	100	79	101	100
CAMDEN, N. J., all causes.....	1,768	175	195	226	160	147	114	102	126	114	122	136	151
Typhoid and paratyphoid fever (1).....	6	1								1		3	1
Malaria (5).....	18	2	2	8	3	2	1						
Smallpox (6).....	11	2	2	2	1	2				1			
Measles (7).....	15	2	1	1	1	1	1	1	4	1			1
Scarlet fever (8).....	33	1	3	4	4	1	2	1	1	1	5	5	5
Whooping cough (9).....	36	3	6	15	6	2	1			1	1	1	1
Diphtheria (10).....	1												
Influenza (11).....	9	1	2	2	1					1			1
Dysentery (16).....	2						1			2			
Erysipelas (21).....	4												
Lethargic encephalitis (23).....	55	4	7	3	3	8	3	7	4	2	4	6	4
Meningococcus meningitis (24).....	13	2	1	1		3		2	1	1	1	2	
Tuberculosis of the respiratory system (31).....	29	2	4	1	6	1	2	4	2	2	2	1	4
Other forms of tuberculosis (32-37).....	117	13	11	12	7	13	6	7	12	8	9	9	10
Diabetes mellitus (57).....	223	19	33	23	19	21	18	9	13	7	22	19	20
Cerebral hemorrhage and softening (74, 83).....	13	1	3	2		1	1				1	4	4
Other [organic] diseases of the heart (90).....	104	11	19	27	8	7	4	1	3	2	8	8	6
Bronchitis (99).....	137	31	24	29	14	6	3	3	2	5	4	8	8
Broncho-pneumonia (100).....	60	3	2	4	1	3	4	6	14	11	2	3	7
Pneumonia (101).....	17												
Diarrhea and enteritis [under 2 years] (113).....	183	15	11	22	20	12	12	8	5	1	2	1	21
Diarrhea and enteritis [2 years and over] (114).....	11				1								
Nephritis (128, 129).....	167	15	11	22	20	12	12	8	6	8	9	13	21
Puerperal septicemia (146).....	15		2	2	2	1	1	1	2			1	1
Other puerperal causes (143-145, 147-150).....	12	3	1	1	1		1	1	1	2		1	1
Suicide (165-174).....	14	1	2	4	3		3	1	1	1		2	1
Automobile accidents <sup>1</sup> (188c).....	59	3	4	4	4	8	6	5	7	3	3	6	6
Automobile and railroad-train collision (part 188a).....	14			1	3					5		5	
Automobile and street-car collision (part 188b).....	1												
Other external causes (175-187, part 188a, b, 188d-203).....	107	4	7	12	13	12	7	10	9	7	11	8	7
All other causes.....	492	51	47	49	38	44	36	27	35	42	36	35	42

<sup>1</sup> Excludes collision with railroad trains and street cars.

CAUSES OF DEATH, BY MONTH OF OCCURRENCE

351

TABLE 10A.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM IMPORTANT CAUSES, BY MONTHS, IN LARGE CITIES: 1926—Continued

[See note at head of this table, p. 336]

AREA AND CAUSE OF DEATH	All deaths	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
<b>JERSEY CITY, N. J., all causes</b> .....	<b>3,802</b>	<b>368</b>	<b>397</b>	<b>498</b>	<b>385</b>	<b>304</b>	<b>263</b>	<b>245</b>	<b>231</b>	<b>242</b>	<b>277</b>	<b>277</b>	<b>315</b>
Typhoid and paratyphoid fever (1).....	6			1			1	1	1	2			
Malaria (5).....													
Smallpox (6).....													
Measles (7).....	37	6	15	6	8	1		1					
Scarlet fever (8).....	1				1	1							
Whooping cough (9).....	21	2	2	1	4	1	2	1	3	3			
Diphtheria (10).....	32	5	2	4	3	1	4	5	1		2	3	1
Influenza (11).....	65	8	7	21	15	4		1	1	1	3		4
Dysentery (16).....													
Erysipelas (21).....	11			5	1	1	2	2					
Lethargic encephalitis (23).....	6		3						1	1		1	
Meningococcus meningitis (24).....	7		2	2	1	1							
Tuberculosis of the respiratory system (31).....	229	18	23	26	18	13	21	19	15	21	14	19	22
Other forms of tuberculosis (32-37).....	36	3	2	2	3	4	3	2	3	5	1	4	4
Diabetes mellitus (57).....	66	7	5	5	5	5	4	3	9	3	3	8	9
Cerebral hemorrhage and softening (74, 83).....	226	24	36	20	20	16	17	9	10	12	27	19	16
Other [organic] diseases of the heart (90).....	720	60	63	106	78	53	47	52	41	47	45	52	76
Bronchitis (99).....	36	3	7	9	4	2		2	1	2	2	1	3
Broncho-pneumonia (100).....	200	28	31	33	16	19	8	8	6	8	11	10	22
Pneumonia (101).....	308	39	40	74	37	24	14	9	3	10	15	19	24
Diarrhea and enteritis [under 2 years] (113).....	99	7	4	8	8	8	7	11	16	9	8	6	7
Diarrhea and enteritis [2 years and over] (114).....	15		2	2	2	1	1	1		3	1	1	1
Nephritis (128, 129).....	307	31	44	40	36	24	16	16	17	16	20	25	22
Puerperal septicemia (146).....	17	4	3	1	2	4	2		1				
Other puerperal causes (143-145, 147-150).....	36	2	2	4	3	5	1	3	3	1	2	5	5
Suicide (165-174).....	34	2	5	2	2	3	1	1	2	4	2	10	
Automobile accidents <sup>1</sup> (188c).....	41	3	1		3	4	3	4	5	4	9	3	2
Automobile and railroad-train collision (part 188a).....													
Automobile and street-car collision (part 188b).....													
Other external causes (175-187, part 188a, b, 188d-203).....	197	9	11	23	9	14	20	24	18	23	18	15	13
All other causes.....	1,049	107	87	103	106	96	89	70	74	67	90	76	84
<b>NEWARK, N. J., all causes</b> .....	<b>5,464</b>	<b>524</b>	<b>477</b>	<b>652</b>	<b>539</b>	<b>478</b>	<b>376</b>	<b>373</b>	<b>388</b>	<b>381</b>	<b>399</b>	<b>399</b>	<b>478</b>
Typhoid and paratyphoid fever (1).....	8				1	2	1		1	1	1		1
Malaria (5).....													
Smallpox (6).....													
Measles (7).....	63	2	13	13	19	12	3		1				
Scarlet fever (8).....	2				1	1							
Whooping cough (9).....	12		1	2		1	1		2	4			1
Diphtheria (10).....	10		1		2	1	1	1	1	1	1	1	1
Influenza (11).....	50	5	4	16	11	4	2	1	1	1	1	2	4
Dysentery (16).....	3								2	1			
Erysipelas (21).....	5	2				1	1						1
Lethargic encephalitis (23).....	10	1	1	1	1			1		2	3		
Meningococcus meningitis (24).....	3	1										1	
Tuberculosis of the respiratory system (31).....	270	31	22	37	18	27	21	20	25	16	20	12	21
Other forms of tuberculosis (32-37).....	53	3	3	3	9	4	7	5	1	4	4	1	7
Diabetes mellitus (57).....	106	14	15	11	12	7	10	5	5	7	7	3	10
Cerebral hemorrhage and softening (74, 83).....	336	26	23	24	36	24	27	29	20	26	28	35	38
Other [organic] diseases of the heart (90).....	817	88	78	114	79	85	60	36	44	43	59	59	72
Bronchitis (99).....	39	4	6	6	4			1	3	2	2	5	8
Broncho-pneumonia (100).....	252	29	35	57	27	16	10	8	6	7	13	21	23
Pneumonia (101).....	374	54	29	87	55	30	19	15	15	7	9	24	30
Diarrhea and enteritis [under 2 years] (113).....	151	9	9	4	8	9	7	22	36	24	12	5	6
Diarrhea and enteritis [2 years and over] (114).....	13	2		1				3	1	1	3	2	2
Nephritis (128, 129).....	486	50	43	46	44	40	24	32	43	36	45	42	41
Puerperal septicemia (146).....	18	2	2	2	1	2	1	2	2	1	1	2	3
Other puerperal causes (143-145, 147-150).....	46	5	5	6	3	3	1	1	5	4	3	4	6
Suicide (165-174).....	67	8	4	5	6	3	6	9	6	3	10	3	4
Automobile accidents <sup>1</sup> (188c).....	109	7	7	7	13	18	11	13	4	8	5	10	6
Automobile and railroad-train collision (part 188a).....	1	1											
Automobile and street-car collision (part 188b).....	3				1				1				
Other external causes (175-187, part 188a, b, 188d-203).....	276	21	22	29	21	22	14	28	23	28	18	20	30
All other causes.....	1,881	159	152	181	169	165	147	141	145	156	155	148	163
<b>PATERSON, N. J., all causes</b> .....	<b>1,830</b>	<b>186</b>	<b>178</b>	<b>241</b>	<b>188</b>	<b>154</b>	<b>130</b>	<b>121</b>	<b>124</b>	<b>119</b>	<b>120</b>	<b>125</b>	<b>144</b>
Typhoid and paratyphoid fever (1).....	3						1			1	1		
Malaria (5).....													
Smallpox (6).....													
Measles (7).....	7	1	2	1		2	1						
Scarlet fever (8).....	4	1		1									2
Whooping cough (9).....	2			1			1						
Diphtheria (10).....	9			1	2	3	1					1	1
Influenza (11).....	41	2	4	21	7	2					1	2	2
Dysentery (16).....													
Erysipelas (21).....	7	2	1		1	2		1					
Lethargic encephalitis (23).....	2	1											1
Meningococcus meningitis (24).....	2												
Tuberculosis of the respiratory system (31).....	103	8	7	17	14	11	7	4	9	7	8	7	4
Other forms of tuberculosis (32-37).....	40	5	2	2	1	2	2	1	3	5	3	2	2
Diabetes mellitus (57).....	20	2	3	7	4	3	4	2	2	3	4	3	3
Cerebral hemorrhage and softening (74, 83).....	134	13	11	7	13	7	14	12	15	6	6	13	17
Other [organic] diseases of the heart (90).....	314	38	30	47	23	23	18	17	20	26	27	17	28
Bronchitis (99).....	9	1		1	2	3			1			1	6
Broncho-pneumonia (100).....	67	5	6	17	9	6	3	2	3	1	5	4	6
Pneumonia (101).....	89	14	12	20	13	10	3	2	1	3	3	4	7
Diarrhea and enteritis [under 2 years] (113).....	17	1	2	2	3	3	1	1	1	4	1	1	1
Diarrhea and enteritis [2 years and over] (114).....	3												
Nephritis (128, 129).....	163	17	26	16	15	17	12	12	12	5	10	10	11
Puerperal septicemia (146).....	8	3		1	1				1				1
Other puerperal causes (143-145, 147-150).....	13	3	2	1	2	2		1	1	1	2	1	1
Suicide (165-174).....	26	3	2	3	1	3	1	2	1	2	2	5	2
Automobile accidents <sup>1</sup> (188c).....	34	3	1	4	6	2	4	1	4	4	2	1	2
Automobile and railroad-train collision (part 188a).....	1												1
Automobile and street-car collision (part 188b).....													
Other external causes (175-187, part 188a, b, 188d-203).....	103	13	7	6	13	12	8	9	6	5	9	7	8
All other causes.....	608	52	59	65	61	44	53	53	45	42	39	51	44

<sup>1</sup> Excludes collision with railroad trains and street cars.

## MORTALITY STATISTICS

TABLE 10A.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM IMPORTANT CAUSES, BY MONTHS, IN LARGE CITIES: 1926—Continued

[See note at head of this table, p. 336]

AREA AND CAUSE OF DEATH	All deaths	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
TRENTON, N. J., all causes.....	1,890	190	187	227	180	158	124	134	119	119	137	170	145
Typhoid and paratyphoid fever (1).....	9				1		1		1	1	2	2	1
Malaria (5).....													
Smallpox (6).....													
Measles (7).....	12		1	3	4	4							
Scarlet fever (8).....	3					2	1						
Whooping cough (9).....	5						1						
Diphtheria (10).....	2	1					1		1	1	1	1	
Influenza (11).....	42	10	10	15	4		1						1
Dysentery (16).....	1				1							2	
Erysipelas (21).....	8			1	1	2	1	2					1
Lethargic encephalitis (23).....	4		1		1		1		1				
Meningococcus meningitis (24).....	2	1									1		
Tuberculosis of the respiratory system (31).....	110	8	9	10	3	22	7	11	10	8	8	5	9
Other forms of tuberculosis (32-37).....	17	1	1	2	1	2	3		2	2		2	3
Diabetes mellitus (57).....	29	2	7	4	3			3	2	1		5	2
Cerebral hemorrhage and softening (74, 83).....	133	21	12	13	10	10	5	9	9	4	16	13	11
Other [organic] diseases of the heart (90).....	289	33	18	41	36	23	19	17	19	15	18	30	20
Bronchitis (99).....	7		1	2			1	1			1		
Broncho-pneumonia (100).....	75	9	12	8	6	5	7	3	4	4	5	8	6
Pneumonia (101).....	149	15	20	34	27	12	7	1	1	4	4	12	12
Diarrhea and enteritis [under 2 years] (113).....	28	3	4	4		1		1	1	4	3	3	4
Diarrhea and enteritis [2 years and over] (114).....	9		2	1			1	1				2	2
Nephritis (128, 129).....	161	12	24	15	14	18	11	14	8	14	11	12	8
Puerperal septicemia (146).....	7		1	2	1		1	1				1	
Other puerperal causes (143-145, 147-150).....	9	2	1	2	1		2	1	1				
Suicide (165-174).....	26			1	2	4	6	3		2	2	5	1
Automobile accidents <sup>1</sup> (188c).....	33	3	3	2		4	6	4	3	3	4	7	
Automobile and railroad-train collision (part 188a).....	1								1				
Automobile and street-car collision (part 188b).....													
Other external causes (175-187, part 188a, b, 188d-203).....	104	10	6	11	12	5	3	12	11	4	7	9	14
All other causes.....	615	59	55	56	52	44	45	50	45	52	54	53	50
ALBANY, N. Y., all causes.....	1,989	201	199	267	176	167	141	137	103	125	156	147	170
Typhoid and paratyphoid fever (1).....													
Malaria (5).....	1					1							
Smallpox (6).....													
Measles (7).....	9										1	4	4
Scarlet fever (8).....	2					2							
Whooping cough (9).....	8			1			2	1				2	
Diphtheria (10).....	4	1				1		2	1	1			
Influenza (11).....	47	3	3	23	10		1	2	1	1	2	1	2
Dysentery (16).....	2			1	1								
Erysipelas (21).....	2												
Lethargic encephalitis (23).....	2												2
Meningococcus meningitis (24).....	1	1											
Tuberculosis of the respiratory system (31).....	129	12	13	16	13	12	12	8	10	10	7	8	8
Other forms of tuberculosis (32-37).....	12	2	2	2	2	2	1		2	2	2	1	1
Diabetes mellitus (57).....	55	7	6	5	3	2	7	2	5	4	3	4	7
Cerebral hemorrhage and softening (74, 83).....	124	7	16	14	14	8	10	9	4	5	14	7	16
Other [organic] diseases of the heart (90).....	425	30	57	62	37	34	26	29	15	30	35	31	39
Bronchitis (99).....	8	2		4								2	
Broncho-pneumonia (100).....	55	6	7	16	5	3	3	1		2	2	2	8
Pneumonia (101).....	92	15	10	27	12	6	3	4		2	1	5	7
Diarrhea and enteritis [under 2 years] (113).....	11			1	2	2			2	2			
Diarrhea and enteritis [2 years and over] (114).....	4						1				1		
Nephritis (128, 129).....	174	20	17	19	24	13	16	14	9	8	10	10	14
Puerperal septicemia (146).....	14	2		2		2		4			1	2	1
Other puerperal causes (143-145, 147-150).....	9	2	2	2							2	1	
Suicide (165-174).....	8		1		4	1					2	2	
Automobile accidents <sup>1</sup> (188c).....	41	4	2	1	2	3	4	1	4	5	9	5	1
Automobile and railroad-train collision (part 188a).....													
Automobile and street-car collision (part 188b).....													
Other external causes (175-187, part 188a, b, 188d-203).....	80	7	3	4	6	9	9	7	6	13	4	6	6
All other causes.....	672	80	62	67	47	63	45	53	46	40	60	55	54
BUFFALO, N. Y., all causes.....	7,779	709	633	897	801	691	616	578	495	547	622	615	575
Typhoid and paratyphoid fever (1).....	27	7	2	1	1	1	1	2	1	1	3	5	2
Malaria (5).....													
Smallpox (6).....													
Measles (7).....	8				3	3	1						1
Scarlet fever (8).....	9	2	1							2			1
Whooping cough (9).....	29	1	3	6	7	5	4	1	2				
Diphtheria (10).....	31	3	2	4	2	2	3	2	3	1	3	2	4
Influenza (11).....	80	7	3	23	30	3	2		3		3	4	3
Dysentery (16).....	10	1	2	3						2	2		
Erysipelas (21).....	16	2	1	4	4		1	1	1		1		1
Lethargic encephalitis (23).....	3			1			1		1				
Meningococcus meningitis (24).....	9	2	2		1	1				1	1	1	
Tuberculosis of the respiratory system (31).....	462	38	35	44	43	42	48	38	28	60	40	31	25
Other forms of tuberculosis (32-37).....	63	6	5	7	3	10	4	9	6	2	1	3	7
Diabetes mellitus (57).....	165	17	13	21	16	9	14	9	13	9	19	14	11
Cerebral hemorrhage and softening (74, 83).....	490	45	36	66	45	42	36	40	37	28	36	40	39
Other [organic] diseases of the heart (90).....	1,351	123	117	178	146	105	108	91	70	80	116	103	114
Bronchitis (99).....	75	6	7	12	12	6	5	4	3	1	3	9	7
Broncho-pneumonia (100).....	288	25	22	51	52	46	16	10	9	6	9	18	24
Pneumonia (101).....	408	35	42	91	55	37	31	12	6	13	26	37	22
Diarrhea and enteritis [under 2 years] (113).....	212	12	8	23	16	27	19	10	24	29	20	16	8
Diarrhea and enteritis [2 years and over] (114).....	30	3	4	1	3	2	1	2	4	3	3	2	2
Nephritis (128, 129).....	736	77	68	77	87	60	57	48	45	54	57	54	52
Puerperal septicemia (146).....	29	3	4	3	5	1	2	2	3	3	1	2	
Other puerperal causes (143-145, 147-150).....	51	5	4	7	4	2	1	4	1	8	6	3	6
Suicide (165-174).....	31	11	3	7	10	8	6	7	6	6	6	6	5
Automobile accidents <sup>1</sup> (188c).....	135	12	7	6	12	9	17	12	10	7	19	16	8
Automobile and railroad-train collision (part 188a).....	5												1
Automobile and street-car collision (part 188b).....	6												
Other external causes (175-187, part 188a, b, 188d-203).....	346	18	21	31	22	34	28	47	33	39	30	22	21
All other causes.....	2,624	248	221	227	221	234	207	225	187	201	216	226	211

<sup>1</sup> Excludes collision with railroad trains and street cars.

CAUSES OF DEATH, BY MONTH OF OCCURRENCE

TABLE 10A.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM IMPORTANT CAUSES, BY MONTHS, IN LARGE CITIES: 1926—Continued

[See note at head of this table, p. 336]

AREA AND CAUSE OF DEATH	All deaths	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
		6,725	6,502	9,301	7,058	5,983	5,105	4,773	4,530	4,566	5,244	5,289	6,243
<b>NEW YORK, N. Y. (WHITE), all causes.....</b>													
Typhoid and paratyphoid fever (1).....	106	6	5	7	8	3	4	7	20	14	13	8	11
Malaria (5).....	2			1									
Smallpox (6).....	1			1									
Measles (7).....	753	71	132	191	216	94	31	8	4	1		3	2
Scarlet fever (8).....	81	7	8	14	11	10	7	6			3	7	7
Whooping cough (9).....	207	9	17	42	24	20	13	11	23	9	12	12	15
Diphtheria (10).....	460	40	27	50	39	52	43	33	25	22	24	47	58
Influenza (11).....	916	61	75	369	176	48	28	10	8	16	30	28	67
Dysentery (16).....	13	1	1	2					2	3	3		1
Erysipelas (21).....	177	19	15	21	20	34	22	11	4	4	8	6	13
Lethargic encephalitis (23).....	178	13	18	21	25	18	12	17	19	2	12	10	11
Meningococcus meningitis (24).....	107	9	7	11	14	15	3	8	12	6	8	3	11
Tuberculosis of the respiratory system (31).....	4,236	397	399	443	427	395	359	317	270	294	293	316	346
Other forms of tuberculosis (32-37).....	569	42	46	61	67	47	57	55	49	44	31	37	33
Diabetes mellitus (57).....	1,590	140	147	185	125	126	125	107	97	116	132	142	148
Cerebral hemorrhage and softening (74, 83).....	3,139	299	266	352	256	246	214	238	204	216	266	269	313
Other [organic] diseases of the heart (90).....	14,120	1,386	1,417	1,948	1,328	1,137	965	865	779	878	995	1,078	1,344
Bronchitis (99).....	320	33	44	59	44	20	17	12	13	15	24	19	20
Broncho-pneumonia (100).....	3,884	356	433	848	601	307	193	135	134	155	205	216	301
Pneumonia (101).....	4,569	545	520	1,070	561	379	203	149	116	133	214	302	372
Diarrhea and enteritis [under 2 years] (113).....	1,023	62	55	72	77	62	63	76	196	168	82	61	49
Diarrhea and enteritis [2 years and over] (114).....	117	7	9	5	3	4	9	14	24	13	7	4	18
Nephritis (128, 129).....	6,016	625	608	748	536	493	439	389	354	367	451	468	538
Puerperal septicemia (146).....	216	18	23	28	17	25	12	25	20	8	14	13	13
Other puerperal causes (143-145, 147-150).....	357	25	18	41	33	29	37	38	28	35	20	31	22
Suicide (165-174).....	866	84	56	79	74	63	74	67	74	67	84	66	71
Automobile accidents <sup>1</sup> (188c).....	1,047	79	48	64	94	93	91	72	80	116	123	98	89
Automobile and railroad-train collision (part 188a).....	8										3	5	
Automobile and street-car collision (part 188b).....	14	2	1	1	1	3	1		1	1	1	1	1
Other external causes (175-187, part 188a, b, 188d-203).....	3,736	384	306	356	314	274	280	308	285	242	281	319	387
All other causes.....	22,491	2,005	1,811	2,211	1,967	1,986	1,798	1,788	1,695	1,623	1,905	1,720	1,982
<b>NEW YORK, N. Y. (COLORED), all causes.....</b>													
Typhoid and paratyphoid fever (1).....	8				1					4		2	1
Malaria (5).....													
Smallpox (6).....													
Measles (7).....	54	9	8	16	13	5	3						
Scarlet fever (8).....	2		1	1	1			3	3	3			1
Whooping cough (9).....	28	1	4	3	2	3	5	3	1	1	3	2	2
Diphtheria (10).....	22	1	3	1	1	1	3	3	1	1			
Influenza (11).....	45	7	6	9	10	2	1		1	1	3	1	4
Dysentery (16).....	1							1					2
Erysipelas (21).....	10	1		2	2	2				1			1
Lethargic encephalitis (23).....	10		1	1	1	2	1			1	1		1
Meningococcus meningitis (24).....	6						1						
Tuberculosis of the respiratory system (31).....	652	43	43	65	61	49	63	68	47	50	52	64	52
Other forms of tuberculosis (32-37).....	107	12	11	4	3	10	18	4	8	9	8	12	8
Diabetes mellitus (57).....	53	4	4	3	4	4	4	3	5	8	5	7	5
Cerebral hemorrhage and softening (74, 83).....	119	11	9	11	13	7	8	7	6	15	11	10	11
Other [organic] diseases of the heart (90).....	661	64	59	71	62	44	45	57	37	56	50	60	56
Bronchitis (99).....	9			1	1	1	2			3	1		
Broncho-pneumonia (100).....	375	23	42	91	44	35	25	16	13	12	20	21	33
Pneumonia (101).....	491	58	72	108	57	31	21	21	16	17	17	25	48
Diarrhea and enteritis [under 2 years] (113).....	74	3	4	6	7	5	6	7	13	10	7	2	4
Diarrhea and enteritis [2 years and over] (114).....	5			1				1					
Nephritis (128, 129).....	325	41	23	29	30	37	22	22	23	21	18	24	35
Puerperal septicemia (146).....	33	5	7	1	3	3	4	4	4	2	2	4	7
Other puerperal causes (143-145, 147-150).....	44	4	3	4	6	4	2	4	3	1	4	4	5
Suicide (165-174).....	23	2	2	3	3	3	3		4	2	2	1	1
Automobile accidents <sup>1</sup> (188c).....	35	3		1	2	2	5	4	5	2	5	5	1
Automobile and railroad-train collision (part 188a).....													
Automobile and street-car collision (part 188b).....													
Other external causes (175-187, part 188a, b, 188d-203).....	261	19	16	23	23	16	27	20	24	24	23	19	27
All other causes.....	1,293	106	113	129	111	103	102	103	105	116	89	85	131
<b>NEW YORK, N. Y. (BRONX BOROUGH), all causes.....</b>													
Typhoid and paratyphoid fever (1).....	16			3	3				2	2	4	1	1
Malaria (5).....	1			1									
Smallpox (6).....													
Measles (7).....	105	8	16	33	42	5	1					1	3
Scarlet fever (8).....	15	3	1		3	2		1	2	1		1	1
Whooping cough (9).....	14	1		3	2	2		1	2		2	7	13
Diphtheria (10).....	48	2	2	4	5	4	2	4	2	1	4	5	10
Influenza (11).....	133	11	8	56	20	7	5	1	2	4			
Dysentery (16).....	1												
Erysipelas (21).....	21	2	4	2	3	2	2	1	2	2	2	1	2
Lethargic encephalitis (23).....	15	2		2	1	4	2	2			3		
Meningococcus meningitis (24).....	18			2	2		1	1	3	2	2	1	1
Tuberculosis of the respiratory system (31).....	592	55	53	59	60	42	54	55	34	47	39	42	47
Other forms of tuberculosis (32-37).....	84	8	7	16	12	5	6	9	5	3	5	3	5
Diabetes mellitus (57).....	199	31	17	30	27	27	31	28	26	29	33	31	36
Cerebral hemorrhage and softening (74, 83).....	346	31	17	30	27	27	31	28	26	29	33	31	36
Other [organic] diseases of the heart (90).....	2,046	197	202	246	181	173	151	128	135	141	145	161	183
Bronchitis (99).....	37	3	6	5	3	4	3	2	1	3	3	1	3
Broncho-pneumonia (100).....	481	47	57	98	56	33	31	23	16	20	26	30	44
Pneumonia (101).....	577	78	72	138	55	41	28	17	11	20	31	38	48
Diarrhea and enteritis [under 2 years] (113).....	112	12	5	6	14	5	6	11	14	16	10	9	4
Diarrhea and enteritis [2 years and over] (114).....	19	1	1	1	1			4	4	2	1	1	2
Nephritis (128, 129).....	633	68	54	81	49	47	56	41	40	34	38	58	67
Puerperal septicemia (146).....	35	3	3	3	5	5	4	5	8	4	2	1	1
Other puerperal causes (143-145, 147-150).....	46	2	1	9	5	2	4	8	2	4	2	5	2
Suicide (165-174).....	122	11	9	13	10	12	7	10	12	15	11	8	5
Automobile accidents <sup>1</sup> (188c).....	119	13	7	4	13	8	8	7	10	16	7	7	10
Automobile and railroad-train collision (part 188a).....													
Automobile and street-car collision (part 188b).....													
Other external causes (175-187, part 188a, b, 188d-203).....	342	26	19	31	22	28	40	42	33	26	22	26	27
All other causes.....	3,066	229	249	275	285	252	269	281	218	238	282	213	275

<sup>1</sup> Excludes collision with railroad trains and street cars.

## MORTALITY STATISTICS

TABLE 10A.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM IMPORTANT CAUSES, BY MONTHS, IN LARGE CITIES: 1926—Continued

[See note at head of this table, p. 336]

AREA AND CAUSE OF DEATH	All deaths	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
<b>NEW YORK, N. Y. (BROOKLYN BOROUGH, WHITE), all causes</b>	<b>25,891</b>	<b>2,363</b>	<b>2,298</b>	<b>3,398</b>	<b>2,552</b>	<b>2,224</b>	<b>1,820</b>	<b>1,689</b>	<b>1,651</b>	<b>1,682</b>	<b>1,945</b>	<b>1,952</b>	<b>2,317</b>
Typhoid and paratyphoid fever (1)	38	2	1	3	1	1	1	3	10	5	5	1	5
Malaria (5)	1									1			
Smallpox (6)	251	14	33	60	86	39	15	1	2			1	2
Measles (7)	28	2	1	7	3	3	3	3				3	6
Scarlet fever (8)	93	3	8	22	9	9	7	4	9	3	6	3	6
Whooping cough (9)	241	20	12	31	19	28	16	15	14	15	14	26	31
Diphtheria (10)	408	28	35	167	69	24	12	7	4	6	15	15	28
Influenza (11)	2								1		1		
Dysentery (16)	64	7	1	6	8	14	11	5	3	1	2	3	7
Erysipelas (21)	58	5	6	12	8	6	5	2	5	3	4	3	4
Lethargic encephalitis (23)	34	1	5	2	6	5	2	2	5	3	2	3	3
Meningococcus meningitis (24)	1,326	121	125	128	137	128	116	95	73	90	96	107	110
Tuberculosis of the respiratory system (31)	193	12	9	18	18	19	24	17	15	21	11	15	14
Other forms of tuberculosis (32-37)	681	69	59	72	49	53	40	27	43	60	87	58	59
Diabetes mellitus (57)	1,166	113	105	125	81	95	73	95	76	79	102	102	120
Cerebral hemorrhage and softening (74, 83)	5,474	524	531	785	527	435	377	323	287	302	374	400	549
Other [organic] diseases of the heart (90)	118	15	14	19	25	5	8	4	4	2	10	7	6
Bronchitis (99)	1,591	131	167	368	241	122	81	49	61	62	80	99	130
Broncho-pneumonia (100)	1,563	183	148	364	196	135	73	58	35	48	80	103	140
Pneumonia (101)	428	28	18	31	30	19	24	32	88	30	35	28	22
Diarrhea and enteritis [under 2 years] (113)	39	2	5	2	1	4	4	5	8	3	1	1	8
Diarrhea and enteritis [2 years and over] (114)	2,309	239	238	270	207	196	157	157	137	133	188	168	218
Nephritis (128, 129)	85	8	8	11	6	7	11	7	1	6	6	6	9
Puerperal septicemia (146)	129	9	9	13	10	15	10	10	13	10	8	12	10
Other puerperal causes (143-145, 147-150)	214	20	15	19	12	19	19	18	17	18	21	17	19
Suicide (165-174)	333	19	16	12	29	36	33	26	29	37	34	32	30
Automobile accidents <sup>1</sup> (188c)	4												
Automobile and railroad-train collision (part 188a)	10	2		1	1						1	3	
Automobile and street-car collision (part 188b)	1,173	100	99	116	77	101	83	94	89	88	91	116	124
Other external causes (175-187, part 188a, b, 188d-203)	7,887	690	630	744	696	709	626	623	625	568	690	623	663
All other causes													
<b>NEW YORK, N. Y. (BROOKLYN BOROUGH, COLORED), all causes</b>	<b>1,039</b>	<b>85</b>	<b>103</b>	<b>132</b>	<b>113</b>	<b>87</b>	<b>60</b>	<b>79</b>	<b>79</b>	<b>70</b>	<b>76</b>	<b>71</b>	<b>85</b>
Typhoid and paratyphoid fever (1)	4				1					2			1
Malaria (5)													
Smallpox (6)	8		3		3	2							
Measles (7)	2		1		1								
Scarlet fever (8)	7		1		2								
Whooping cough (9)	9	1	1	1	1	1	1	2	1	1		1	
Diphtheria (10)	18	1	3	3	7					1		1	2
Influenza (11)													
Dysentery (16)	1												
Erysipelas (21)	2	1				1							
Lethargic encephalitis (23)	2												
Meningococcus meningitis (24)	118	12	5	14	14	8	6	11	8	9	10	12	9
Tuberculosis of the respiratory system (31)	12	1	1			2	3	1	2	3		2	1
Other forms of tuberculosis (32-37)	21	3	2	1	3	1	1	3	1	4	2	1	1
Diabetes mellitus (57)	159	9	13	21	13	10	15	15	11	9	14	17	12
Cerebral hemorrhage and softening (74, 83)	2												
Other [organic] diseases of the heart (90)	88	8	10	21	9	8	5	4	7	5	5	1	10
Bronchitis (99)	109	14	17	20	15	8	7	5	3	3	5	2	10
Broncho-pneumonia (100)	27	1	1	2	2	4	1	4	6	4		1	1
Pneumonia (101)	2			1				1					
Diarrhea and enteritis [under 2 years] (113)	69	7	8	7	4	10	4	3	5	4	3	8	6
Diarrhea and enteritis [2 years and over] (114)	6	1	1	1	3	1	1	1	2	1	1	1	2
Nephritis (128, 129)	14	1	1	1	3	1	1	1	2	1	1	1	2
Puerperal septicemia (146)	7	1	1										
Other puerperal causes (143-145, 147-150)	5												
Suicide (165-174)	278	22	28	32	30	21	10	22	6	23	24	16	26
Automobile accidents <sup>1</sup> (188c)													
Automobile and railroad-train collision (part 188a)													
Automobile and street-car collision (part 188b)	55	3	5	5	4	8	6	4	6	1	6	6	1
Other external causes (175-187, part 188a, b, 188d-203)	278	22	28	32	30	21	10	22	6	23	24	16	26
All other causes													
<b>NEW YORK, N. Y. (MANHATTAN BOROUGH, WHITE), all causes</b>	<b>26,751</b>	<b>2,631</b>	<b>2,544</b>	<b>3,594</b>	<b>2,664</b>	<b>2,267</b>	<b>1,908</b>	<b>1,678</b>	<b>1,687</b>	<b>1,665</b>	<b>1,880</b>	<b>1,946</b>	<b>2,287</b>
Typhoid and paratyphoid fever (1)	39	3	3	1	4	2	2	3	5	5	3	3	5
Malaria (5)													
Smallpox (6)	328	44	74	77	68	42	8	4	2	1		1	2
Measles (7)	23	2	4	2	3	4	2	2			1	2	1
Scarlet fever (8)	66	5	4	9	8	5	4	5	12	3	5	4	3
Whooping cough (9)	120	13	11	11	11	16	18	11	5	3	6	9	6
Diphtheria (10)	247	19	10	103	61	10			2	3	9	9	15
Influenza (11)	9												
Dysentery (16)	71	6	7	10	10	14	9	2	1	3	1	1	1
Erysipelas (21)	73	5	10	4	11	6	4	4	10	1	3	2	4
Lethargic encephalitis (23)	45	6	2	4	4	8	6	4	3	1	3	6	7
Meningococcus meningitis (24)	1,806	173	161	204	184	180	141	129	131	108	117	126	152
Tuberculosis of the respiratory system (31)	237	19	24	25	36	20	22	21	20	15	11	16	11
Other forms of tuberculosis (32-37)	586	37	50	78	50	44	46	37	31	44	40	62	47
Diabetes mellitus (57)	1,076	105	104	129	98	78	65	71	70	70	82	95	109
Cerebral hemorrhage and softening (74, 83)	4,760	473	499	682	434	376	318	302	265	282	330	369	440
Other [organic] diseases of the heart (90)	125	9	17	28	13	11	9	7	6	7	7	6	8
Bronchitis (99)	1,860	133	157	297	229	118	63	45	45	55	69	63	86
Broncho-pneumonia (100)	1,860	215	229	444	229	155	88	55	48	47	78	131	131
Pneumonia (101)	44	4	26	30	26	31	24	19	81	56	27	19	20
Diarrhea and enteritis [under 2 years] (113)	44	4	3	3	3	3	3	3	11	4	5	2	6
Diarrhea and enteritis [2 years and over] (114)	2,092	226	226	271	182	164	156	121	121	133	157	166	169
Nephritis (128, 129)	65	5	7	9	7	11	4	4	4	4	5	3	2
Puerperal septicemia (146)	114	7	4	8	13	9	14	15	11	14	6	10	3
Other puerperal causes (143-145, 147-150)	425	46	27	35	40	26	41	32	29	33	43	34	39
Suicide (165-174)	466	40	23	39	39	40	38	31	31	51	58	44	32
Automobile accidents <sup>1</sup> (188c)	2												
Automobile and railroad-train collision (part 188a)	2												
Automobile and street-car collision (part 188b)	1,810	214	161	179	173	128	131	125	119	107	131	140	202
Other external causes (175-187, part 188a, b, 188d-203)	8,559	808	703	910	731	766	690	625	623	611	678	636	778

<sup>1</sup> Excludes collision with railroad trains and street cars.

CAUSES OF DEATH, BY MONTH OF OCCURRENCE

TABLE 10A.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM IMPORTANT CAUSES, BY MONTHS, IN LARGE CITIES: 1926—Continued

[See note at head of this table, p. 336]

AREA AND CAUSE OF DEATH	All deaths	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
<b>NEW YORK, N. Y. (MANHATTAN BOROUGH, COLORED), all causes</b>	<b>3,317</b>	<b>300</b>	<b>300</b>	<b>399</b>	<b>308</b>	<b>243</b>	<b>277</b>	<b>235</b>	<b>212</b>	<b>258</b>	<b>280</b>	<b>247</b>	<b>313</b>
Typhoid and paratyphoid fever (1)	4									2		2	
Malaria (5)													
Smallpox (6)													
Measles (7)	39	9	5	11	9	2	3						
Scarlet fever (8)	19		3	1	2	1	5	2	2	2			1
Whooping cough (9)	13		2				2	1	1	1	3	1	2
Diphtheria (10)	21	4	2	5	3	1	1		1	1	3		1
Influenza (11)	1							1					
Dysentery (16)	8	1		1	2	1				1			2
Erysipelas (21)	7		1	1	1	1	1				1		1
Lethargic encephalitis (23)	4												
Meningococcus meningitis (24)	1												
Tuberculosis of the respiratory system (31)	487	28	33	44	43	36	55	47	36	39	40	47	39
Other forms of tuberculosis (32-37)	86	9	10	4	3	7	11	3	7	5	8	11	8
Diabetes mellitus (57)	33	4	3	3		3	1	2	2	4	3	4	4
Cerebral hemorrhage and softening (74, 83)	89	6	6	10	9	7	6	4	4	11	9	9	8
Other [organic] diseases of the heart (90)	435	53	41	45	39	29	25	33	24	42	34	33	37
Bronchitis (99)	7				1	1	2			2			
Broncho-pneumonia (100)	256												
Pneumonia (101)	349	14	29	61	30	24	17	11	5	12	13	18	22
Diarrhea and enteritis [under 2 years] (113)	37	51	82	39	21	14	16	11	13	9	20	36	36
Diarrhea and enteritis [2 years and over] (114)	41	2	3	4	5	1	4	3	5	5	6	2	3
Nephritis (123, 129)	3												
Nephritis (123, 129)	226	30	13	20	24	21	14	18	18	16	13	15	24
Puerperal septicemia (146)	29	3	6	1	1	3	1	4	4	1	1	1	5
Other puerperal causes (143-145, 147-150)	29	4	2	3	3	3	1	2	1	1	3	3	3
Suicide (165-174)	12	1	1	2	2	1	3	1	1	1	1	1	1
Automobile accidents <sup>1</sup> (188a)	28	3	1	1	1	2	5	2	3	2	4	4	1
Automobile and railroad-train collision (part 188a)													
Automobile and street-car collision (part 188b)													
Other external causes (175-187, part 188a, b, 188d-203)	183	14	10	15	19	3	16	15	16	21	16	13	25
All other causes	912	76	78	87	67	75	90	71	75	79	59	65	90
<b>NEW YORK, N. Y. (QUEENS BOROUGH), all causes</b>	<b>7,833</b>	<b>742</b>	<b>690</b>	<b>968</b>	<b>811</b>	<b>634</b>	<b>542</b>	<b>580</b>	<b>496</b>	<b>475</b>	<b>587</b>	<b>605</b>	<b>708</b>
Typhoid and paratyphoid fever (1)	8	1					1	1	2	1		2	
Malaria (5)													
Smallpox (6)													
Measles (7)	62	5	5	20	17	7	5	2					
Scarlet fever (8)	14		2	5	2	1	4				1	1	1
Whooping cough (9)	34	1	5	7	5	4	3	2		2	1	1	5
Diphtheria (10)	43	4	1	3	4	3	7	2	4	3	1	4	7
Influenza (11)	112	7	19	36	25	4	2	1		3	2	2	11
Dysentery (16)													
Erysipelas (21)	18	4	3	2	1	4	2	1	1	1	1		
Lethargic encephalitis (23)	26		2	2	3	2	4	4	4	1	1	1	
Meningococcus meningitis (24)	13	2		3	2	1	2	4	1	1	1	1	
Tuberculosis of the respiratory system (31)	429	42	36	45	42	42	37	31	26	31	33	35	29
Other forms of tuberculosis (32-37)	46	5	5	1	1	6	6	9	3	9	2	2	4
Diabetes mellitus (57)	171	14	18	15	14	12	17	19	9	9	17	13	15
Cerebral hemorrhage and softening (74, 83)	452	42	34	56	45	40	33	34	26	26	41	33	42
Other [organic] diseases of the heart (90)	1,499	156	143	188	146	124	95	96	87	74	113	125	152
Bronchitis (99)	32	3	7	7	3	2	2	2	3	2	1	2	2
Broncho-pneumonia (100)	416	41	47	95	70	28	18	17	13	16	17	22	32
Pneumonia (101)	467	59	62	100	63	41	12	12	9	16	21	29	43
Diarrhea and enteritis [under 2 years] (113)	89	6	4	4	7	5	9	12	15	14	5	6	2
Diarrhea and enteritis [2 years and over] (114)	12	1	1	1	1	1	2	2	1	3	1	1	2
Nephritis (123, 129)	777	65	69	94	75	67	60	55	43	51	67	69	72
Nephritis (123, 129)	29	3	4	5	1	2	3	3	3	1	2	2	1
Puerperal septicemia (146)	61	6	4	10	5	3	6	5	2	7	2	4	7
Other puerperal causes (143-145, 147-150)	98	6	5	10	11	7	7	9	9	7	8	8	8
Suicide (165-174)	102	3	2	6	10	7	9	7	9	9	14	10	16
Automobile accidents <sup>1</sup> (188a)	2												
Automobile and railroad-train collision (part 188a)													
Automobile and street-car collision (part 188b)	1					1							
Other external causes (175-187, part 188a, b, 188d-203)	308	34	20	28	33	13	21	32	33	18	27	25	24
All other causes	2,512	232	192	225	224	211	185	222	191	175	218	207	230
<b>NEW YORK, N. Y. (RICHMOND BOROUGH), all causes</b>	<b>1,990</b>	<b>192</b>	<b>184</b>	<b>250</b>	<b>191</b>	<b>171</b>	<b>132</b>	<b>150</b>	<b>125</b>	<b>135</b>	<b>153</b>	<b>142</b>	<b>165</b>
Typhoid and paratyphoid fever (1)	5		1						1	1	1	1	
Malaria (5)	1			1									
Smallpox (6)													
Measles (7)	19		4	6	4	2	2	1					
Scarlet fever (8)	1												
Whooping cough (9)	2		1	1			1						
Diphtheria (10)	8	1	1	1		1		1			1	1	1
Influenza (11)	22		4	8	1	4		1					4
Dysentery (16)	1												
Erysipelas (21)	4	1		1	1	1		1			1		
Lethargic encephalitis (23)	4												
Meningococcus meningitis (24)													
Tuberculosis of the respiratory system (31)	130	9	14	14	8	8	13	12	9	10	10	11	12
Other forms of tuberculosis (32-37)	18	3	1	1			3	2		3	2	2	1
Diabetes mellitus (57)	39	1	4	1	4	2	1	1	6	1	7	3	8
Cerebral hemorrhage and softening (74, 83)	108	10	7	12	7	6	13	10	7	12	8	8	8
Other [organic] diseases of the heart (90)	408	38	47	52	50	34	29	25	17	24	32	33	27
Bronchitis (99)	8											4	1
Broncho-pneumonia (100)	67	5	8	9	10	9	3	2		2	5	4	10
Pneumonia (101)	135	17	13	30	21	9	7	7	5	3	7	4	12
Diarrhea and enteritis [under 2 years] (113)	24	1	2	1		2	1	2	5	3	6		1
Diarrhea and enteritis [2 years and over] (114)	3		2							1			
Nephritis (123, 129)	235	31	23	34	25	25	13	16	13	17	13	8	17
Nephritis (123, 129)	4											1	
Puerperal septicemia (146)	8	1		1			3	1					
Other puerperal causes (143-145, 147-150)	8												
Suicide (165-174)	10	1		2	1	1		1	1	1	2		
Automobile accidents <sup>1</sup> (188a)	29	4		3	4	2	3	1	2	3	1	5	1
Automobile and railroad-train collision (part 188a)													
Automobile and street-car collision (part 188b)	1					1							
Other external causes (175-187, part 188a, b, 188d-203)	126	12	8	5	9	9	10	16	13	10	11	12	11
All other causes	570	54	44	67	45	55	30	47	45	44	43	45	51

<sup>1</sup> Excludes collision with railroad trains and street cars.

TABLE 10A.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM IMPORTANT CAUSES, BY MONTHS, IN LARGE CITIES: 1926—Continued

[See note at head of this table, p. 336]

AREA AND CAUSE OF DEATH	All deaths	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
ROCHESTER, N. Y., all causes.....	4, 103	384	330	586	401	393	325	284	268	262	284	270	316
Typhoid and paratyphoid fever (1).....	13	1					1	1	1	1		1	7
Malaria (5).....													
Smallpox (6).....													
Measles (7).....	17	2		3	5	3	3	1					
Scarlet fever (8).....	3	1		1	1								
Whooping cough (9).....	24	1	2	3	3	7		1	2	2	2	1	
Diphtheria (10).....	32	5	3	4	6	5	3	1			2	3	
Influenza (11).....	71	2	2	45	5	3	4	1	1	3	1	1	3
Dysentery (16).....	2	1					1						
Erysipelas (21).....	12	1	1	2		1	2	2		1		1	1
Lethargic encephalitis (23).....	2							1					
Meningococcus meningitis (24).....	1												
Tuberculosis of the respiratory system (31).....	144	16	8	24	10	12	15	6	6	8	14	10	15
Other forms of tuberculosis (32-37).....	44	2	2	4	7	3	5	4	6	2	3	3	3
Diabetes mellitus (57).....	80	14	5	9	9	7	5	8	8	4	4	3	4
Cerebral hemorrhage and softening (74, 83).....	338	36	24	45	30	27	28	25	29	15	23	25	31
Other [organic] diseases of the heart (90).....	718	61	68	121	78	63	49	51	31	49	49	48	50
Bronchitis (99).....	29	1		4	3	2	1	1		3	2	2	3
Broncho-pneumonia (100).....	155	18	20	41	12	16	8	3	8	5	6	9	9
Pneumonia (101).....	209	16	24	64	24	15	18	7	1	8	5	9	18
Diarrhea and enteritis [under 2 years] (113).....	57	3	2	2	4	4	2	3	8	11	13	3	2
Diarrhea and enteritis [2 years and over] (114).....	13		2	2	1		1	1	2	1	1	1	1
Nephritis (128, 129).....	369	32	27	39	33	35	34	25	35	24	28	19	33
Puerperal septicemia (146).....	17	1	1	2	4	2	1	1			3	2	
Other puerperal causes (143-145, 147-150).....	22	3	1	1	3	1	2		3	2	2	2	4
Suicide (165-174).....	45	6	3	2	3	6	2	7	4	2	6	1	4
Automobile accidents <sup>1</sup> (188c).....	65	2	1	6	6	7	4	8	7	6	5	7	5
Automobile and railroad-train collision (part 188a).....	6	1			1		1			1	1	1	1
Automobile and street-car collision (part 188b).....	3												
Other external causes (175-187, part 188a, b, 188d-203).....	160	29	9	9	13	15	9	12	11	12	10	15	16
All other causes.....	1, 452	129	125	151	130	158	125	113	105	102	105	103	106
SYRACUSE, N. Y., all causes.....	2, 513	199	204	356	193	215	195	186	178	173	219	184	211
Typhoid and paratyphoid fever (1).....	3									1	1		1
Malaria (5).....													
Smallpox (6).....													
Measles (7).....	4			2		1	1						
Scarlet fever (8).....													
Whooping cough (9).....	28	1	1	10	5	2	4	2	2		1		
Diphtheria (10).....	3	1		1						1			
Influenza (11).....	23			13	4	3			2	1			
Dysentery (16).....													
Erysipelas (21).....	4			2		1						1	
Lethargic encephalitis (23).....	1	1											
Meningococcus meningitis (24).....													
Tuberculosis of the respiratory system (31).....	70	8	2	11	5	6	9	8	1	6	6	7	1
Other forms of tuberculosis (32-37).....	21	1	3	2	3	2	2	2		2	1	3	2
Diabetes mellitus (57).....	48	2	4	5	4	3	5	6	5	2	2	6	4
Cerebral hemorrhage and softening (74, 83).....	189	10	17	20	16	13	16	14	17	16	11	18	21
Other [organic] diseases of the heart (90).....	555	55	53	70	48	46	42	37	35	42	46	32	49
Bronchitis (99).....	21	2		9	2	2	2	1	1		1	3	6
Broncho-pneumonia (100).....	82	10	10	23	3	4	9	4	1	4	5	3	6
Pneumonia (101).....	140	17	15	34	11	10	4	9	3	5	9	12	11
Diarrhea and enteritis [under 2 years] (113).....	24			3	2	2	2	3	3	3	3	2	3
Diarrhea and enteritis [2 years and over] (114).....	8			1		1		3	2	2	1		
Nephritis (128, 129).....	166	13	15	17	12	21	12	6	12	16	17	8	17
Puerperal septicemia (146).....	13	1	1	3	1	1	1	2	1		1	1	1
Other puerperal causes (143-145, 147-150).....	11	2	1	1	1	1	2			1	1	1	1
Suicide (165-174).....	24		1	3	4	1	4	2		3	1	3	2
Automobile accidents <sup>1</sup> (188c).....	44	1	2	3	4	7	1	3	2	4	7	5	5
Automobile and railroad-train collision (part 188a).....	1										1		
Automobile and street-car collision (part 188b).....													
Other external causes (175-187, part 188a, b, 188d-203).....	115	8	7	12	8	9	6	12	11	8	13	11	10
All other causes.....	915	66	72	111	64	79	75	75	79	57	91	69	77
YONKERS, N. Y., all causes.....	1, 215	131	107	154	102	99	97	79	81	70	89	102	104
Typhoid and paratyphoid fever (1).....													
Malaria (5).....													
Smallpox (6).....													
Measles (7).....	15	8	4	2		1							
Scarlet fever (8).....	8		3	1		2		1		1			
Whooping cough (9).....	1				1								
Diphtheria (10).....	16	1	1	6			1	1				1	5
Influenza (11).....	17	2	2	7	2	1	3						
Dysentery (16).....													
Erysipelas (21).....	4	1	1		1	1							
Lethargic encephalitis (23).....	1						1						
Meningococcus meningitis (24).....													
Tuberculosis of the respiratory system (31).....	82	10	9	8	5	7	8	9	7	3	7	7	2
Other forms of tuberculosis (32-37).....	9	1	2	3		1		2					
Diabetes mellitus (57).....	30	3	1	4	3		4		2	3	3	4	3
Cerebral hemorrhage and softening (74, 83).....	88	7	7	10	11	3	9	6	6	5	9	5	10
Other [organic] diseases of the heart (90).....	187	18	17	14	14	21	17	12	12	15	15	11	21
Bronchitis (99).....	4			1							1	1	1
Broncho-pneumonia (100).....	51	7	4	5	7	10			1	2	1	8	6
Pneumonia (101).....	100	17	6	25	14	5	3	3	3	2	4	11	7
Diarrhea and enteritis [under 2 years] (113).....	26	2	1	2	2	1	2	1	7	3	3		2
Diarrhea and enteritis [2 years and over] (114).....	2	1						1					
Nephritis (128, 129).....	99	8	7	11	4	7	9	11	10	9	12	7	4
Puerperal septicemia (146).....	6	2				1	1	1	1				
Other puerperal causes (143-145, 147-150).....	7	1			1		2	1	1				1
Suicide (165-174).....	11					2	4	1		3		1	
Automobile accidents <sup>1</sup> (188c).....	19	1	1	2	1	1	3	2	2		4	1	1
Automobile and railroad-train collision (part 188a).....													
Automobile and street-car collision (part 188b).....													
Other external causes (175-187, part 188a, b, 188d-203).....	53	6	3	6	2	7	1	5	2	6	3	7	5
All other causes.....	379	35	38	48	33	28	29	22	27	18	27	38	36

<sup>1</sup> Excludes collision with railroad trains and street cars.

CAUSES OF DEATH, BY MONTH OF OCCURRENCE

TABLE 10A.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM IMPORTANT CAUSES, BY MONTHS, IN LARGE CITIES: 1926—Continued

[See note at head of this table, p. 336]

AREA AND CAUSE OF DEATH	All deaths	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
AKRON, OHIO, all causes.....	2,060	207	163	197	226	184	172	164	139	148	155	155	150
Typhoid and paratyphoid fever (1).....	4						1	1	1	1			
Malaria (5).....	1		1										
Smallpox (6).....	1												
Measles (7).....	31	26	3	1		1							
Scarlet fever (8).....	11	4	1	2	1	1	1	1					
Whooping cough (9).....	30				4	1	5	9	6	2	1	2	
Diphtheria (10).....	9		2			2	1	1			1	2	1
Influenza (11).....	60	1	5	14	22	7	4	1			3	2	1
Dysentery (16).....	2									2			
Erysipelas (21).....	9		1	1	2	3				1			1
Lethargic encephalitis (23).....	2			1					1				
Meningococcus meningitis (24).....	1							1					
Tuberculosis of the respiratory system (31).....	91	7	11	11	8	6	13	12	4	3	6	4	6
Other forms of tuberculosis (32-37).....	23	1	3	5	2	3			3		3	2	1
Diabetes mellitus (57).....	32	1	4	2	3	3	1	4	2	3	2	1	6
Cerebral hemorrhage and softening (74, 83).....	122	13	5	16	12	7	12	6	10	10	8	11	12
Other [organic] diseases of the heart (90).....	298	27	29	24	26	31	24	28	16	23	28	19	23
Bronchitis (99).....	6			1	2	2					1		
Broncho-pneumonia (100).....	99	10	11	11	26	14	6	2		4	5	3	7
Pneumonia (101).....	89	10	7	14	19	4	3	5	5	4	3	5	10
Diarrhea and enteritis [under 2 years] (113).....	45	2	3	3	1	2	4	1	6	8	15	2	1
Diarrhea and enteritis [2 years and over] (114).....	11	1	1	1			1	2	1	2	2		
Nephritis (128, 129).....	103	14	10	6	6	13	9	10	6	7	9	9	4
Puerperal septicemia (146).....	15		1	4	1	2	2	1		3	2	1	
Other puerperal causes (143-145, 147-150).....	12		1		1	2	2	3	1		2	2	
Suicide (165-174).....	34	1		5	5	3	1	2	5	1	5	5	1
Automobile accidents <sup>1</sup> (188c).....	62	3		2	3	5	4	8	11	5	9	9	3
Automobile and railroad-train collision (part 188a).....	3							3					
Automobile and street-car collision (part 188b).....													
Other external causes (175-187, part 188a, b, 188d-203).....	118	10	5	7	9	8	12	12	10	13	6	12	14
All other causes.....	737	76	62	66	73	66	66	52	51	56	46	64	59
CINCINNATI, OHIO (WHITE), all causes.....	6,079	538	479	598	665	515	435	475	511	417	458	439	490
Typhoid and paratyphoid fever (1).....	7					1		1		3	1		1
Malaria (5).....	1										1		
Smallpox (6).....	1												
Measles (7).....	41				13	18	7	1	2				
Scarlet fever (8).....	8			1	1	2	1	1				1	1
Whooping cough (9).....	34	3	1	8	6	5	2	1	3	2		3	
Diphtheria (10).....	19	3	1	2	4	4	2			1	1	3	2
Influenza (11).....	157	16	7	37	55	11	3	2	3	1	7	4	12
Dysentery (16).....	9						1	1	1	3	2	1	
Erysipelas (21).....	27	2	2	5	7	4	1	3	1	1		1	1
Lethargic encephalitis (23).....	4				1	1							
Meningococcus meningitis (24).....	1							1					
Tuberculosis of the respiratory system (31).....	277	17	33	22	25	35	22	26	21	13	23	17	23
Other forms of tuberculosis (32-37).....	59	4	8	7	3	2	6	5	10	1	5	5	3
Diabetes mellitus (57).....	131	10	14	16	14	11	9	16	7	11	7	11	5
Cerebral hemorrhage and softening (74, 83).....	489	45	36	49	47	40	34	40	46	33	37	40	42
Other [organic] diseases of the heart (90).....	966	87	68	103	119	77	61	61	69	74	75	90	82
Bronchitis (99).....	28	5	2	1	3	3			2		3	7	2
Broncho-pneumonia (100).....	150	20	12	21	21	13	8	7	5	7	10	12	14
Pneumonia (101).....	270	36	26	42	51	20	14	8	6	6	10	19	32
Diarrhea and enteritis [under 2 years] (113).....	157	6	5	4	4	7	4	20	40	32	26	4	1
Diarrhea and enteritis [2 years and over] (114).....	23	1	1			3	1	1	4	5	6	6	1
Nephritis (128, 129).....	634	55	64	49	52	60	47	53	62	36	47	61	48
Puerperal septicemia (146).....	38	6	1	6	4	4	4	1	3	2	2	2	4
Other puerperal causes (143-145, 147-150).....	37	3	2	1	5	3	1	5	1	5	2	6	4
Suicide (165-174).....	76	7	5	4	8	2	8	6	8	10	4	6	8
Automobile accidents <sup>1</sup> (188c).....	100	9	12	5	5	4	10	5	12	8	14	8	8
Automobile and railroad-train collision (part 188a).....	5			1					2		2		
Automobile and street-car collision (part 188b).....	4										2		
Other external causes (175-187, part 188a, b, 188d-203).....	309	38	21	32	31	19	25	22	31	15	24	30	21
All other causes.....	2,018	165	158	182	190	168	163	186	168	148	148	158	184
CINCINNATI, OHIO (COLORED), all causes.....	1,025	83	89	109	82	91	91	89	81	62	72	85	91
Typhoid and paratyphoid fever (1).....	4		1					2			1		
Malaria (5).....													
Smallpox (6).....													
Measles (7).....	3					1	1	1					
Scarlet fever (8).....													
Whooping cough (9).....	11	1	3	1	2		1		1	1		1	
Diphtheria (10).....													
Influenza (11).....	37	2	5	7	8	4	2	1			1	3	4
Dysentery (16).....													
Erysipelas (21).....	2				1		1						
Lethargic encephalitis (23).....													
Meningococcus meningitis (24).....	1							1					
Tuberculosis of the respiratory system (31).....	157	7	16	14	12	16	17	12	18	15	5	14	11
Other forms of tuberculosis (32-37).....	26	3	2	1	3	2	3	3	3	1	3	1	1
Diabetes mellitus (57).....	4		1		1	1		1					
Cerebral hemorrhage and softening (74, 83).....	46	1	4	5	2	6	4	4	4	8	3	5	4
Other [organic] diseases of the heart (90).....	120	12	11	12	6	13	13	5	7	4	10	16	11
Bronchitis (99).....	2				1			1					
Broncho-pneumonia (100).....	45	5	2	7	8	3	3	4	2			1	5
Pneumonia (101).....	83	10	4	10	11	10	6	2	7	2	4	4	13
Diarrhea and enteritis [under 2 years] (113).....	17	1		1	1		2	4	4	4	3		1
Diarrhea and enteritis [2 years and over] (114).....	3						1		1	1			1
Nephritis (128, 129).....	98	12	9	9	3	9	7	8	11	3	12	7	8
Puerperal septicemia (146).....	10	1	2	2		2	2	2			1	1	1
Other puerperal causes (143-145, 147-150).....	5	2								1			
Suicide (165-174).....	3	1								1		1	
Automobile accidents <sup>1</sup> (188c).....	9					1	1		1		3	2	
Automobile and railroad-train collision (part 188a).....	3			2									
Automobile and street-car collision (part 188b).....	1												
Other external causes (175-187, part 188a, b, 188d-203).....	77	6	7	9	4	6	9	12	4	6	6	4	4
All other causes.....	258	17	21	29	19	20	18	28	19	15	20	25	27

<sup>1</sup> Excludes collision with railroad trains and street cars.

TABLE 10A.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM IMPORTANT CAUSES, BY MONTHS, IN LARGE CITIES: 1926—Continued

[See note at head of this table, p. 336]

AREA AND CAUSE OF DEATH	All deaths	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
<b>CLEVELAND, OHIO (WHITE), all causes</b> .....	<b>9, 296</b>	<b>825</b>	<b>801</b>	<b>1, 095</b>	<b>965</b>	<b>780</b>	<b>702</b>	<b>648</b>	<b>635</b>	<b>642</b>	<b>756</b>	<b>707</b>	<b>740</b>
Typhoid and paratyphoid fever (1).....	12			2				1		2	4	2	1
Malaria (5).....													
Smallpox (6).....													
Measles (7).....	91	23	37	23	6	1		1					
Scarlet fever (8).....	34	1	4	7	7	5	3	1	1		3		2
Whooping cough (9).....	73	11	5	15	14	7	5	4	4	1	4	3	
Diphtheria (10).....	178	12	14	8	8	7	9	9	12	9	32	33	25
Influenza (11).....	185	10	8	64	65	11	3	3	2	5	5	2	7
Dysentery (16).....	2						1		1				
Erysipelas (21).....	34	1	3	5	3	9	5	1		1		2	4
Lethargic encephalitis (23).....	14		4		3		1	1	1			1	2
Meningococcus meningitis (24).....	3				1								
Tuberculosis of the respiratory system (31).....	530	46	56	53	60	50	34	37	38	46	35	40	35
Other forms of tuberculosis (32-37).....	91	8	6	7	9	13	4	12	6	7	6	8	5
Diabetes mellitus (57).....	156	16	13	11	12	13	18	9	10	7	17	10	18
Cerebral hemorrhage and softening (74, 83).....	547	48	49	68	42	50	48	38	26	37	39	54	48
Other [organic] diseases of the heart (90).....	1, 228	110	112	145	135	127	88	87	74	61	103	102	105
Bronchitis (99).....	53	10	7	10	5	2	2	4	4	2	2	1	2
Broncho-pneumonia (100).....	456	53	50	108	70	33	10	17	9	18	21	23	43
Pneumonia (101).....	493	61	47	98	60	36	26	27	15	14	29	26	52
Diarrhea and enteritis [under 2 years] (113).....	143	18	4	15	11	12	8	11	19	12	21	9	8
Diarrhea and enteritis [2 years and over] (114).....	27	2	1	2	2	3	2	4	5	3	2	1	2
Nephritis (123, 129).....	602	52	53	60	64	51	49	42	44	52	48	44	45
Puerperal septicemia (146).....	43	3	6	2	2	7	3	4	3	3	3	3	4
Other puerperal causes (143-145, 147-150).....	61	5	6	5	2	4	7	4	7	6	6	4	9
Suicide (165-174).....	141	11	10	12	11	9	12	13	17	11	10	16	9
Automobile accidents <sup>1</sup> (188c).....	244	12	7	20	17	18	11	27	22	30	30	30	20
Automobile and railroad-train collision (part 188a).....	10	1		1	1		4	1				3	
Automobile and street-car collision (part 188b).....	10								2			4	2
Other external causes (175-187, part 188a, b, 188d-203).....	466	47	37	35	38	31	52	38	39	40	40	31	38
All other causes.....	3, 365	268	262	318	312	281	297	274	273	275	297	252	256
<b>CLEVELAND, OHIO (COLORED), all causes</b> .....	<b>1, 344</b>	<b>109</b>	<b>100</b>	<b>188</b>	<b>160</b>	<b>113</b>	<b>100</b>	<b>95</b>	<b>116</b>	<b>73</b>	<b>104</b>	<b>84</b>	<b>102</b>
Typhoid and paratyphoid fever (1).....	4								3		1		
Malaria (5).....													
Smallpox (6).....													
Measles (7).....	18	5	3	10								1	
Scarlet fever (8).....	1												
Whooping cough (9).....	32		5	8	7	4	2	1	2	2	1	2	1
Diphtheria (10).....	13				4		2	1	1	1	1	2	1
Influenza (11).....	41	2	1	13	16		1			1	1	2	4
Dysentery (16).....													
Erysipelas (21).....	3			1	1							1	
Lethargic encephalitis (23).....	1				1								
Meningococcus meningitis (24).....	2												
Tuberculosis of the respiratory system (31).....	187	15	11	27	20	14	14	10	18	20	12	11	15
Other forms of tuberculosis (32-37).....	46	3		1	5	5	3	3	11	1	3	4	7
Diabetes mellitus (57).....	6	1		1	1		1	1				1	1
Cerebral hemorrhage and softening (74, 83).....	54	6	3	11	6	4	2	8		3	8	2	1
Other [organic] diseases of the heart (90).....	120	9	10	10	16	15	9	7	15	8	7	8	6
Bronchitis (99).....	5	2					1		1				1
Broncho-pneumonia (100).....	87	8	10	18	8	7	5	7	6	3	6	1	8
Pneumonia (101).....	127	15	13	28	18	12	5	5	3	3	5	5	15
Diarrhea and enteritis [under 2 years] (113).....	24	1		3	1	1	5	3	2	2	2	3	2
Diarrhea and enteritis [2 years and over] (114).....	6			1	1	1			2		1		
Nephritis (123, 129).....	74	5	4	6	11	11	9	7	2	1	7	6	5
Puerperal septicemia (146).....	8	1		1		2		1			2	1	
Other puerperal causes (143-145, 147-150).....	9	1	3	1					1	2	1	1	
Suicide (165-174).....	4			1			1	1	1	1			
Automobile accidents <sup>1</sup> (188c).....	21	2	1	2	1		1	1	1	5	7	1	
Automobile and railroad-train collision (part 188a).....													
Automobile and street-car collision (part 188b).....	1												1
Other external causes (175-187, part 188a, b, 188d-203).....	90	4	9	8	10	4	10	9	14	4	6	10	2
All other causes.....	360	29	27	37	33	33	33	30	31	16	33	26	32
<b>COLUMBUS, OHIO, all causes</b> .....	<b>3, 968</b>	<b>345</b>	<b>300</b>	<b>373</b>	<b>363</b>	<b>316</b>	<b>283</b>	<b>340</b>	<b>297</b>	<b>296</b>	<b>332</b>	<b>341</b>	<b>382</b>
Typhoid and paratyphoid fever (1).....	5		1	1					1		2		
Malaria (5).....													
Smallpox (6).....													
Measles (7).....	49	1	4	17	14	9	1	2					1
Scarlet fever (8).....	5		1		2					1			1
Whooping cough (9).....	10	2			2	2		1		2	2	1	
Diphtheria (10).....	31	2		1	2	5	2	2				11	6
Influenza (11).....	54	8	5	6	8	13	2		2	2	1	2	5
Dysentery (16).....	7		1							4	2		
Erysipelas (21).....	9			1	3	1			2	1			1
Lethargic encephalitis (23).....	18	1	2	2	3	1	4	3		1			1
Meningococcus meningitis (24).....	2						1						
Tuberculosis of the respiratory system (31).....	214	12	14	20	21	15	16	24	20	21	15	16	20
Other forms of tuberculosis (32-37).....	43	3	3	4	2	5	7	7	1		4	3	4
Diabetes mellitus (57).....	60	5	9	8	9		8	3	3		4	7	4
Cerebral hemorrhage and softening (74, 83).....	248	26	19	24	19	21	17	23	15	17	25	15	27
Other [organic] diseases of the heart (90).....	571	66	41	51	51	36	33	46	39	34	47	59	68
Bronchitis (99).....	7			1	2		2	1				2	1
Broncho-pneumonia (100).....	147	15	11	21	22	12	8	7	3	4	10	18	16
Pneumonia (101).....	107	15	9	10	18	10	4	6	2	3	8	11	11
Diarrhea and enteritis [under 2 years] (113).....	94	1	2	1	2	1	3	5	18	22	26	10	3
Diarrhea and enteritis [2 years and over] (114).....	10			1	1	1	1			2	2	3	3
Nephritis (123, 129).....	256	25	25	22	25	14	23	24	16	19	17	26	20
Puerperal septicemia (146).....	18	3	1	2	2		1	2	1	1	4	1	1
Other puerperal causes (143-145, 147-150).....	42	2	5	4		4	6	1	5	4	1	7	3
Suicide (165-174).....	49	4	4	6	6	5	6	2	2	3	2	7	2
Automobile accidents <sup>1</sup> (188c).....	70	6	3	1	3	3	9	4	9	6	11	6	9
Automobile and railroad-train collision (part 188a).....	3				1							2	
Automobile and street-car collision (part 188b).....													
Other external causes (175-187, part 188a, b, 188d-203).....	192	16	14	15	14	16	14	19	14	14	15	10	31
All other causes.....	1, 647	132	126	155	135	140	116	160	143	135	134	128	143

<sup>1</sup> Excludes collision with railroad trains and street cars.

CAUSES OF DEATH, BY MONTH OF OCCURRENCE

359

TABLE 10A.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM IMPORTANT CAUSES, BY MONTHS, IN LARGE CITIES: 1926—Continued

[See note at head of this table, p. 336]

AREA AND CAUSE OF DEATH	All deaths	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
DAYTON, OHIO, all causes	2,162	177	138	210	179	246	182	167	152	180	159	177	195
Typhoid and paratyphoid fever (1)	4								2	1			1
Malaria (5)													
Smallpox (6)													
Measles (7)	23				8	9	5						
Scarlet fever (8)	2				1	1							1
Whooping cough (9)	14		1	2	2	1		1	1				2
Diphtheria (10)	14	4	2		2	1		2	1	1	2	2	1
Influenza (11)	43	4	3	6	8	5	1	2	2	2	2	4	4
Dysentery (16)	1									1			
Erysipelas (21)	3					1			1		1		
Lethargic encephalitis (23)	3		1										2
Meningococcus meningitis (24)	4	1							2				1
Tuberculosis of the respiratory system (31)	105	6	7	9	7	17	15	11	9	8	5	3	8
Other forms of tuberculosis (32-37)	38	3	2	5	4	3	5	8	2	1	2	2	1
Diabetes mellitus (57)	45	6	2	2	3	6	7	5	3	2	5	3	1
Cerebral hemorrhage and softening (74, 83)	153	13	7	14	13	18	11	18	8	16	10	10	15
Other [organic] diseases of the heart (90)	351	29	17	33	26	24	28	28	24	37	32	33	40
Bronchitis (99)	6		1		1		1	1			1	1	
Broncho-pneumonia (100)	92	11	4	15	10	16	8	6	1	1	3	5	12
Pneumonia (101)	86	19	9	8	11	11	7	2	3	4	4	1	7
Diarrhea and enteritis [under 2 years] (113)	50	3	1	1		5	2	3	6	17	9	1	2
Diarrhea and enteritis [2 years and over] (114)	6			2		1	1			1			1
Nephritis (128, 129)	136	11	6	10	20	20	8	10	14	5	7	15	10
Puerperal septicemia (146)	13	1	1	2	1	3	1	1	1		1		1
Other puerperal causes (143-145, 147-150)	9	2		2		1	1		2				1
Suicide (165-174)	18	2		5		7			1	2		3	4
Automobile accidents <sup>1</sup> (188c)	52	5	2	3	3	1	5	4	3	6	5	6	3
Automobile and railroad-train collision (part 188a)	3			1		1							1
Automobile and street-car collision (part 188b)	13						1			1		9	2
Other external causes (175-187, part 188a, b, 188d-203)	132	10	12	15	5	15	13	13	12	7	6	8	16
All other causes	743	47	60	75	57	80	62	52	55	67	61	68	59
TOLEDO, OHIO, all causes	3,733	328	287	351	398	334	280	276	269	300	284	297	329
Typhoid and paratyphoid fever (1)	14			1		1			3	2	5		2
Malaria (5)													
Smallpox (6)													
Measles (7)	21		2	3	4	5	5	1		1			
Scarlet fever (8)	9				2	3	2		1		1		
Whooping cough (9)	16		1	1	3	2	4		2	2			1
Diphtheria (10)	25	6	1	2	2	2	4		2	1	5	2	3
Influenza (11)	77	8	4	19	12	10	6	1	1	4	2	1	9
Dysentery (16)													
Erysipelas (21)	10	1	1		3	1		2				1	1
Lethargic encephalitis (23)	7		1		1							2	
Meningococcus meningitis (24)	3						1	2		1			
Tuberculosis of the respiratory system (31)	263	21	22	14	34	32	22	22	21	21	15	22	17
Other forms of tuberculosis (32-37)	37	1	1	3	5	4	2	2	2	2	4	6	6
Diabetes mellitus (57)	56	4	4	2	11	7	4	5	4	4	3	6	6
Cerebral hemorrhage and softening (74, 83)	283	26	22	36	24	18	25	19	12	22	21	16	42
Other [organic] diseases of the heart (90)	494	44	43	40	59	39	36	47	39	32	35	33	47
Bronchitis (99)	20	3	1	1	4	2	2	1	1		2	2	2
Broncho-pneumonia (100)	137	25	6	14	18	17	12	4	2	7	6	8	18
Pneumonia (101)	141	18	14	22	15	18	9	4	6	4	5	12	14
Diarrhea and enteritis [under 2 years] (113)	88	6	3	5	4	4	5	2	8	24	19	4	4
Diarrhea and enteritis [2 years and over] (114)	11	1	1	1	1	1	1		1	2	1	2	1
Nephritis (128, 129)	228	21	21	17	24	19	20	15	15	13	23	24	16
Puerperal septicemia (146)	12	3	2	1	1				1		2	1	1
Other puerperal causes (143-145, 147-150)	32	2	1	3		2	6	3	5	2	4	3	1
Suicide (165-174)	39	3	1	3	4	3	2	1	3	8	3	7	1
Automobile accidents <sup>1</sup> (188c)	74	3	2	4	1	9	8	7	8	11	5	12	4
Automobile and railroad-train collision (part 188a)	9				2	2		2	1		1		1
Automobile and street-car collision (part 188b)	1										1		
Other external causes (175-187, part 188a, b, 188d-203)	219	13	16	22	14	23	17	27	16	17	16	18	20
All other causes	1,407	120	117	138	150	118	88	109	114	120	107	114	112
YOUNGSTOWN, OHIO, all causes	1,770	132	132	162	201	165	122	155	152	121	132	128	168
Typhoid and paratyphoid fever (1)	1	1											
Malaria (5)													
Smallpox (6)													
Measles (7)	14	1		2	2	2	2		2			1	1
Scarlet fever (8)	8				2	1		1		1			2
Whooping cough (9)	28	1	1	1	4	2		3	10	4			2
Diphtheria (10)	2												2
Influenza (11)	36	3	1	6	18	3	1	2					2
Dysentery (16)													
Erysipelas (21)	7	1	1		3	1						1	
Lethargic encephalitis (23)	1			1									
Meningococcus meningitis (24)	3												
Tuberculosis of the respiratory system (31)	71	7	2	5	6	11	5	12	4	2	5	7	5
Other forms of tuberculosis (32-37)	11	1	2	2	1	1	1	1	1	1	3		
Diabetes mellitus (57)	27	1	3	2	1	1	1	2	3	5	2	2	4
Cerebral hemorrhage and softening (74, 83)	125	10	15	9	17	10	7	11	9	6	9	14	8
Other [organic] diseases of the heart (90)	197	15	15	19	18	15	17	15	16	14	19	14	20
Bronchitis (99)	10			2	4	2				1			1
Broncho-pneumonia (100)	122	8	11	15	25	15	6	5	2	4	7	7	17
Pneumonia (101)	132	10	12	18	23	14	11	6	6	4	4	8	16
Diarrhea and enteritis [under 2 years] (113)	47	1	4	1	2	3	1	1	13	5	14	1	1
Diarrhea and enteritis [2 years and over] (114)	8			1	1	1			1	3			
Nephritis (128, 129)	67	9	4	7	5	7	3	6	6	5	1	5	9
Puerperal septicemia (146)	15	1	1	3	2	1	1	3		1	1	1	3
Other puerperal causes (143-145, 147-150)	21			2	1	2	3	3	1	1	2	1	3
Suicide (165-174)	17	2	1	2	1	2	3		1	1	1	1	3
Automobile accidents <sup>1</sup> (188c)	42	2	1	2	2	5		3	7	4	7	6	2
Automobile and railroad-train collision (part 188a)	1	1											
Automobile and street-car collision (part 188b)													
Other external causes (175-187, part 188a, b, 188d-203)	147	10	10	5	13	15	10	19	15	15	11	11	13
All other causes	610	47	47	55	50	52	50	61	54	45	45	48	56

<sup>1</sup> Excludes collision with railroad trains and street cars.

MORTALITY STATISTICS

TABLE 10A.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM IMPORTANT CAUSES, BY MONTHS, IN LARGE CITIES: 1926—Continued

[See note at head of this table, p. 336]

AREA AND CAUSE OF DEATH	All deaths	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
<b>PORTLAND, OREG., all causes</b> .....	<b>3,377</b>	<b>313</b>	<b>298</b>	<b>278</b>	<b>296</b>	<b>246</b>	<b>276</b>	<b>261</b>	<b>269</b>	<b>226</b>	<b>281</b>	<b>295</b>	<b>338</b>
Typhoid and paratyphoid fever (1).....	8					1	1				4	1	1
Malaria (5).....													
Smallpox (6).....	1					1							
Measles (7).....	5				4			1					1
Scarlet fever (8).....	5						1			1		1	1
Whooping cough (9).....	4						2						1
Diphtheria (10).....	25	5	2	1	2			1	3	1	5	1	4
Influenza (11).....	44	4	11	7	5	2	2	1	3		1	4	4
Dysentery (16).....	2					1							
Erysipelas (21).....	7				1		1	3	2				
Lethargic encephalitis (23).....	6					4			1				1
Meningococcus meningitis (24).....	12	4	1	2	2		1	1			1		
Tuberculosis of the respiratory system (31).....	109	4	12	12	14	10	8	9	4	9	7	6	14
Other forms of tuberculosis (32-37).....	49	1	4	6	9	6	4	3	8	7	3	2	3
Diabetes mellitus (57).....	71	5	6	5	4	2	3	7	8	7	3	9	7
Cerebral hemorrhage and softening (74, 83).....	259	22	32	24	20	17	21	20	20	24	13	20	26
Other [organic] diseases of the heart (90).....	492	39	38	43	45	34	39	43	39	26	44	46	56
Bronchitis (99).....	8	1	1	2	2								2
Broncho-pneumonia (100).....	96	14	11	7	3	9	11	3	5	5	4	10	14
Pneumonia (101).....	129	24	15	11	11	5	3	1	1	2	13	11	14
Diarrhea and enteritis [under 2 years] (113).....	12		2	1	3			1	1	1	2	1	2
Diarrhea and enteritis [2 years and over] (114).....	12												2
Nephritis (128, 129).....	258	25	22	21	18	19	26	25	18	18	18	24	24
Puerperal septicemia (146).....	15	2	2	2	1	2		2	1	1	2		
Other puerperal causes (143-145, 147-150).....	17	2	3	1	3	3		2	2		1	1	1
Suicide (165-174).....	75	9	8	11	7	6	5	6	2	2	6	3	10
Automobile accidents <sup>1</sup> (188c).....	52	3	2	3	3	1	6	6	6	4	6	10	2
Automobile and railroad-train collision (part 188a).....													
Automobile and street-car collision (part 188b).....	3		2										1
Other external causes (175-187, part 188a, b, 188d-203).....	159	9	10	12	16	20	6	10	18	13	17	18	10
All other causes.....	1,442	139	114	105	123	103	134	110	120	106	125	125	138
<b>PHILADELPHIA, PA. (WHITE), all causes</b> .....	<b>23,644</b>	<b>2,408</b>	<b>2,459</b>	<b>2,900</b>	<b>2,140</b>	<b>1,886</b>	<b>1,565</b>	<b>1,623</b>	<b>1,434</b>	<b>1,514</b>	<b>1,788</b>	<b>1,810</b>	<b>2,027</b>
Typhoid and paratyphoid fever (1).....	33	5	2	1	2	2	1	4	5	1	4	2	4
Malaria (5).....													
Smallpox (6).....													
Measles (7).....	147	13	20	33	30	31	11	3	3	1		1	1
Scarlet fever (8).....	41	7	4	7	5	2	3	2	2	2	2	3	2
Whooping cough (9).....	66	7	6	10	6	8	3	7	4	4	6	3	2
Diphtheria (10).....	240	28	21	23	21	23	33	21	15	8	21	18	8
Influenza (11).....	442	43	82	169	46	21	14	3	6	6	8	15	29
Dysentery (16).....	6							1	1	2	1		
Erysipelas (21).....	46	6	7	12	4	3	3	3	2	1			4
Lethargic encephalitis (23).....	26		5	4	6	2	2	3			1	3	
Meningococcus meningitis (24).....	15	1	3	1	1	1	1	1	2	1	2		
Tuberculosis of the respiratory system (31).....	1,212	109	112	147	114	114	99	90	78	91	90	80	88
Other forms of tuberculosis (32-37).....	152	7	13	13	20	14	18	13	10	16	10	9	9
Diabetes mellitus (57).....	439	46	44	48	45	26	34	39	24	22	34	30	47
Cerebral hemorrhage and softening (74, 83).....	1,290	127	116	138	112	102	105	83	80	82	107	123	115
Other [organic] diseases of the heart (90).....	4,621	504	527	607	425	373	282	288	244	261	348	346	416
Bronchitis (99).....	170	24	24	26	16	10	11	9	5	7	11	14	13
Broncho-pneumonia (100).....	1,182	131	179	245	121	80	46	35	38	45	66	101	95
Pneumonia (101).....	1,337	189	213	306	127	85	43	35	29	33	62	94	121
Diarrhea and enteritis [under 2 years] (113).....	377	33	12	20	22	20	11	25	75	69	43	29	18
Diarrhea and enteritis [2 years and over] (114).....	71	5	2	2	1	6	3	14	12	9	12	3	2
Nephritis (128, 129).....	2,640	283	270	325	213	214	191	158	163	180	206	193	249
Puerperal septicemia (146).....	104	15	13	12	6	10	11	13	4	1	10	5	4
Other puerperal causes (143-145, 147-150).....	128	13	15	13	11	7	13	7	8	8	18	8	8
Suicide (165-174).....	281	25	16	20	17	29	29	20	20	27	23	27	28
Automobile accidents <sup>1</sup> (188c).....	296	20	16	16	23	21	22	27	14	32	28	29	48
Automobile and railroad-train collision (part 188a).....	2								1	1	1		2
Automobile and street-car collision (part 188b).....	7								1	1	1		
Other external causes (175-187, part 188a, b, 188d-203).....	988	97	89	86	92	69	64	96	72	55	90	85	93
All other causes.....	7,285	670	648	706	649	613	516	617	528	548	594	575	621
<b>PHILADELPHIA, PA. (COLORED), all causes</b> .....	<b>4,023</b>	<b>348</b>	<b>368</b>	<b>513</b>	<b>347</b>	<b>319</b>	<b>307</b>	<b>286</b>	<b>310</b>	<b>252</b>	<b>325</b>	<b>298</b>	<b>350</b>
Typhoid and paratyphoid fever (1).....	6	1								3		2	
Malaria (5).....													
Smallpox (6).....													
Measles (7).....	18	1	2	6	5	1	1	1	1				
Scarlet fever (8).....	1	1											
Whooping cough (9).....	36	3	2	3	2	5	1	3	1	9	2	3	2
Diphtheria (10).....	36	2	1	3	5	4	5	4	6	1	1	2	2
Influenza (11).....	89	7	14	24	12	5	3	1	3	2	4	5	9
Dysentery (16).....	2												
Erysipelas (21).....	6	1	1	1			2		1				
Lethargic encephalitis (23).....	2												
Meningococcus meningitis (24).....	1				1						1		
Tuberculosis of the respiratory system (31).....	480	47	38	43	42	38	42	38	39	32	47	38	36
Other forms of tuberculosis (32-37).....	80	8	6	4	7	5	3	8	5	9	10	7	8
Diabetes mellitus (57).....	35	1	2	2	3	4	1	3	2	4	3	6	7
Cerebral hemorrhage and softening (74, 83).....	140	11	10	18	10	11	12	10	8	12	19	12	7
Other [organic] diseases of the heart (90).....	504	42	37	60	47	53	37	38	40	29	40	30	51
Bronchitis (99).....	32	3	3	5	3	3	2	2	1	2	1	5	2
Broncho-pneumonia (100).....	347	26	59	82	36	25	19	11	21	10	17	17	21
Pneumonia (101).....	403	43	66	83	45	29	21	13	12	7	20	32	35
Diarrhea and enteritis [under 2 years] (113).....	79	3	2	7	6	4	4	8	15	14	13	2	5
Diarrhea and enteritis [2 years and over] (114).....	12	1		1	1	1	2		3	3	1		1
Nephritis (128, 129).....	307	28	30	31	24	24	28	28	18	22	23	20	31
Puerperal septicemia (146).....	24	5	2	1	1	5	3	4	2	1	1		
Other puerperal causes (143-145, 147-150).....	36	3	5	2	1	3	3	2	5	2	2	2	6
Suicide (165-174).....	12	1	1		3	3	1	3	1	1	1	1	
Automobile accidents <sup>1</sup> (188c).....	33		1	6	2	-1	7		5	6	1	3	1
Automobile and railroad-train collision (part 188a).....													
Automobile and street-car collision (part 188b).....													
Other external causes (175-187, part 188a, b, 188d-203).....	239	22	12	16	12	17	19	32	20	19	20	22	28
All other causes.....	1,063	88	74	122	81	76	91	77	101	65	100	88	100

<sup>1</sup> Excludes collision with railroad trains and street cars.

CAUSES OF DEATH, BY MONTH OF OCCURRENCE

TABLE 10A.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM IMPORTANT CAUSES, BY MONTHS, IN LARGE CITIES: 1926—Continued

[See note at head of this table, p. 336]

AREA AND CAUSE OF DEATH	All deaths	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
<b>PITTSBURGH, PA. (WHITE), all causes</b> .....	<b>8,023</b>	<b>775</b>	<b>677</b>	<b>969</b>	<b>887</b>	<b>675</b>	<b>587</b>	<b>540</b>	<b>543</b>	<b>545</b>	<b>574</b>	<b>567</b>	<b>684</b>
Typhoid and paratyphoid fever (1).....	18	2	1	1						4	2	6	2
Malaria (5).....	27	2	1	4	4	8	3	2				3	
Smallpox (6).....	16	2	3	2	1	2	1		1				2
Measles (7).....	27	2	1	4	4	8	3	2				3	
Scarlet fever (8).....	101	3	4	16	12	12	15	18	10	5	2	3	1
Whooping cough (9).....	59	7	6	9	9	9	1	1		3	7	3	4
Diphtheria (10).....	216	15	14	43	78	22	10	1	4	2	9	7	11
Influenza (11).....	6								2	2			1
Dysentery (16).....	14	2		1	3	1		2	1	2	1		1
Erysipelas (21).....	16	2	3	1			3		2	2			1
Lethargic encephalitis (23).....	11		1	1	2			2			1		2
Meningococcus meningitis (24).....	333	36	33	40	40	34	22	23	22	25	24	20	13
Tuberculosis of the respiratory system (31).....	83	5	6	6	9	7	5	12	5	11	6	8	3
Other forms of tuberculosis (32-37).....	112	6	11	10	18	7	4	7	12	2	7	14	14
Diabetes mellitus (57).....	476	39	39	56	56	32	43	27	35	34	37	32	46
Cerebral hemorrhage and softening (74, 83).....	959	101	93	114	95	71	63	71	48	70	74	67	92
Other [organic] diseases of the heart (90).....	60	6	2	16	7	4	6	2	3	2	1	3	8
Bronchitis (99).....	321	21	30	75	54	24	22	8	10	11	15	16	35
Broncho-pneumonia (100).....	668	79	61	126	88	64	35	27	21	23	30	52	62
Pneumonia (101).....	204	14	12	18	19	6	3	14	22	38	36	16	6
Diarrhea and enteritis [under 2 years] (113).....	28	2	2	4	1			5	3	3	2	2	1
Diarrhea and enteritis [2 years and over] (114).....	607	67	43	74	66	51	61	35	38	40	37	49	46
Nephritis (128, 129).....	51	7	6	3	2	5	2	4	6	4	1	4	7
Puerperal septicemia (146).....	66	7	10	5	6	8		2	13	3	4	4	4
Other puerperal causes (143-145, 147-150).....	86	4	9	9	3	4	8	7	8	14	4	5	11
Suicide (165-174).....	155	7	2	16	12	14	9	19	15	14	20	11	16
Automobile accidents <sup>1</sup> (188c).....	470	47	40	42	34	41	41	29	53	33	21	36	53
Automobile and railroad-train collision (part 188a).....	4	1	1		1							1	
Automobile and street-car collision (part 188b).....	2,856	291	244	277	267	248	226	220	209	198	231	204	241
Other external causes (175-187, part 188a, b, 188d-203).....													
All other causes.....													
<b>PITTSBURGH, PA. (COLORED), all causes</b> .....	<b>978</b>	<b>81</b>	<b>65</b>	<b>125</b>	<b>113</b>	<b>85</b>	<b>73</b>	<b>70</b>	<b>59</b>	<b>67</b>	<b>84</b>	<b>73</b>	<b>83</b>
Typhoid and paratyphoid fever (1).....	3									1	2		
Malaria (5).....	2						1	1					
Smallpox (6).....	3												
Measles (7).....	21	1	1	2	5	5	3	1		1		1	1
Scarlet fever (8).....	5	1		3	1	1	1					1	1
Whooping cough (9).....	27	2	1	5	9	5			1			2	2
Diphtheria (10).....	2	1		1									
Influenza (11).....	2												2
Dysentery (16).....	2												
Erysipelas (21).....	2												
Lethargic encephalitis (23).....	2												2
Meningococcus meningitis (24).....	75	7	8	8	7	8	9	4	2	5	3	3	6
Tuberculosis of the respiratory system (31).....	29	1	2	3	2	2	2	1	3	1	2	2	6
Other forms of tuberculosis (32-37).....	7					1	2	1	1		2	2	6
Diabetes mellitus (57).....	37	3	2	4	6	2	1	3	2	6	3	2	3
Cerebral hemorrhage and softening (74, 83).....	87	11	2	10	6	5	4	12	2	6	8	15	7
Other [organic] diseases of the heart (90).....	2												
Bronchitis (99).....	74	3	4	13	12	12	4	3	3	2	7	5	6
Broncho-pneumonia (100).....	157	16	17	25	32	7	13	7	5	8	9	7	11
Pneumonia (101).....	35		1	6	4	3		2	2	4	5	4	4
Diarrhea and enteritis [under 2 years] (113).....	3												
Diarrhea and enteritis [2 years and over] (114).....	66	6	2	5	6	7	11	3	5	7	7	3	4
Nephritis (128, 129).....	6												
Puerperal septicemia (146).....	7	1	2	1	1	1	1	1	1		2		1
Other puerperal causes (143-145, 147-150).....	5	2			1	1			1				
Suicide (165-174).....	8	2			1			1	1	1	2		
Automobile accidents <sup>1</sup> (188c).....	1						1						
Automobile and railroad-train collision (part 188a).....	61	5	4	6	4	4	2	8	2	5	6	5	10
Automobile and street-car collision (part 188b).....	252	19	19	33	16	22	17	17	28	21	23	18	19
Other external causes (175-187, part 188a, b, 188d-203).....													
All other causes.....													
<b>READING, PA., all causes</b> .....	<b>1,440</b>	<b>149</b>	<b>119</b>	<b>215</b>	<b>132</b>	<b>122</b>	<b>105</b>	<b>106</b>	<b>102</b>	<b>103</b>	<b>82</b>	<b>103</b>	<b>102</b>
Typhoid and paratyphoid fever (1).....	3		1							1			1
Malaria (5).....	1												
Smallpox (6).....	3			2			1						
Measles (7).....	1	1											
Scarlet fever (8).....	7								2	2	1	2	
Whooping cough (9).....	3	1	1										
Diphtheria (10).....	49	7	3	25	7	2	1	1			1	1	1
Influenza (11).....	1												
Dysentery (16).....	2												
Erysipelas (21).....	1			1				1					
Lethargic encephalitis (23).....	1												
Meningococcus meningitis (24).....	60	3	1	6	7	6		7	6	3	4	2	7
Tuberculosis of the respiratory system (31).....	14	1	4	2	1	3	4		1		4	1	1
Other forms of tuberculosis (32-37).....	39	6	1	4	5	2	3	2	2	3	3	1	1
Diabetes mellitus (57).....	89	7	11	8	5	9	6	6	7	13	5	10	5
Cerebral hemorrhage and softening (74, 83).....	263	19	25	36	27	29	22	14	9	10	23	22	27
Other [organic] diseases of the heart (90).....	5												
Bronchitis (99).....	56	6	3	21	8	3	3	3	3	3	1	4	3
Broncho-pneumonia (100).....	66	14	4	15	8	3	1	2	2	3	1	4	5
Pneumonia (101).....	33	4	2	3	2	4		3	3	7	2	1	2
Diarrhea and enteritis [under 2 years] (113).....	3												
Diarrhea and enteritis [2 years and over] (114).....	148	12	12	22	8	19	15	10	15	9	6	11	9
Nephritis (128, 129).....	3												
Puerperal septicemia (146).....	12	3	1	1	1	1			2	2	2	2	
Other puerperal causes (143-145, 147-150).....	20		2	2	2	2		1	6	1	4		
Suicide (165-174).....	19		1	1			1	3	5		4		2
Automobile accidents <sup>1</sup> (188c).....													
Automobile and railroad-train collision (part 188a).....													
Automobile and street-car collision (part 188b).....													
Other external causes (175-187, part 188a, b, 188d-203).....	82	8	7	6	5	7	8	8	8	7	5	5	8
All other causes.....	457	57	34	56	46	29	37	44	34	42	18	29	31

<sup>1</sup> Excludes collision with railroad trains and street cars.

MORTALITY STATISTICS

TABLE 10A.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM IMPORTANT CAUSES, BY MONTHS, IN LARGE CITIES: 1926—Continued

[See note at head of this table, p. 336]

AREA AND CAUSE OF DEATH	All deaths	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
SCRANTON, PA., all causes.....	1,885	153	138	234	185	184	177	160	124	112	134	150	134
Typhoid and paratyphoid fever (1).....	6				1		1		1		1	1	1
Malaria (5).....	1						1						
Smallpox (6).....													
Measles (7).....	22		2	6	4	7	3						
Scarlet fever (8).....	2					1		1					
Whooping cough (9).....	6			1	2		1			1		1	
Diphtheria (10).....	10	1	2				2	1			1	1	2
Influenza (11).....	51	2	5	16	10	4	2	6	1		1	4	2
Dysentery (16).....													
Erysipelas (21).....	3		1		1								1
Lethargic encephalitis (23).....	4					1					1		1
Meningococcus meningitis (24).....													
Tuberculosis of the respiratory system (31).....	111	7	4	12	8	15	16	9	11	5	6	9	9
Other forms of tuberculosis (32-37).....	17		3		2	2	2	2		2	1		3
Diabetes mellitus (57).....	36	4	2	3	3	2	6	2	4	1	3	2	4
Cerebral hemorrhage and softening (74, 83).....	116	8	11	8	13	4	13	11	9	7	9	12	11
Other [organic] diseases of the heart (90).....	290	30	28	48	29	24	29	20	12	13	18	22	17
Bronchitis (99).....	13	3		2	1	1	1			1	1	3	
Broncho-pneumonia (100).....	85	5	4	12	12	12	14	5	3	2	3	4	9
Pneumonia (101).....	116	13	12	22	11	18	6	6	3	5	4	11	5
Diarrhea and enteritis [under 2 years] (113).....	45		2	6	3	3	3	7	5	7	6	2	1
Diarrhea and enteritis [2 years and over] (114).....	9			3				3	1	1			
Nephritis (128, 129).....	126	13	11	13	10	13	9	14	14	4	7	12	6
Puerperal septicemia (146).....	4					1			1				2
Other puerperal causes (143-145, 147-150).....	22	2	1	2	3	3	2	3	2		3	1	
Suicide (165-174).....	12	1			3		1	1	1		1	4	
Automobile accidents <sup>1</sup> (188c).....	32	1	1	1	4	4	2	5	3	3	5	2	1
Automobile and railroad-train collision (part 188a).....													
Automobile and street-car collision (part 188b).....													
Other external causes (175-187, part 188a, b, 188d-203).....	121	8	5	11	5	10	12	17	12	14	9	9	9
All other causes.....	625	55	44	68	59	59	53	47	41	46	54	49	50
PROVIDENCE, R. I., all causes.....	3,544	359	310	470	359	307	269	233	235	225	259	254	264
Typhoid and paratyphoid fever (1).....	2					1		1					
Malaria (5).....													
Smallpox (6).....													
Measles (7).....	69	19	11	19	6	4	6	3	1				
Scarlet fever (8).....	1						1						
Whooping cough (9).....	50		5	4	5	7	3	5	8	6	3	1	3
Diphtheria (10).....	22	2	1	3	2	2	1	2	1		2	2	4
Influenza (11).....	63	4		33	14	3	2				3	3	1
Dysentery (16).....	1												1
Erysipelas (21).....	9		2		1	1		2	1			1	1
Lethargic encephalitis (23).....	8	1				2							
Meningococcus meningitis (24).....	3												
Tuberculosis of the respiratory system (31).....	113	11	11	12	17	13	8	3	2	9	11	7	5
Other forms of tuberculosis (32-37).....	32	2		2	3	6	2	3	6	2	2	3	
Diabetes mellitus (57).....	67	3	10	11	6	3	6	6	6	1	7	4	4
Cerebral hemorrhage and softening (74, 83).....	302	30	28	37	32	26	26	19	18	15	27	23	21
Other [organic] diseases of the heart (90).....	502	59	43	77	47	36	42	29	27	18	41	41	42
Bronchitis (99).....	14		4	2	2	2		1	2	1		8	14
Broncho-pneumonia (100).....	131	13	11	17	19	16	11	3	3	4	12	8	14
Pneumonia (101).....	207	41	18	56	23	13	6	4	1	4	10	10	16
Diarrhea and enteritis [under 2 years] (113).....	35	2	5	2	1	2	1	6	8	4	2	2	2
Diarrhea and enteritis [2 years and over] (114).....	11					1		1	2	2			2
Nephritis (128, 129).....	302	43	27	48	36	34	21	25	26	24	21	29	28
Puerperal septicemia (146).....	16		2	3	2	3	2	3	1	1	1	1	1
Other puerperal causes (143-145, 147-150).....	26	3	1	4	2	3	2	1	1	3	2	1	3
Suicide (165-174).....	35	1	2	2	1	3	2	4	2	3	4	8	3
Automobile accidents <sup>1</sup> (188c).....	61	3	2	1	9	7	8	5	5	7	5	5	4
Automobile and railroad-train collision (part 188a).....	1												
Automobile and street-car collision (part 188b).....	2												
Other external causes (175-187, part 188a, b, 188d-203).....	160	16	8	12	17	12	9	17	9	14	9	15	22
All other causes.....	1,239	105	119	125	111	107	112	89	99	104	93	90	85
MEMPHIS, TENN. (WHITE), all causes.....	1,737	176	153	148	157	133	170	150	130	133	133	123	131
Typhoid and paratyphoid fever (1).....	16							4	1	1	5	3	2
Malaria (5).....	14							1		6	3	3	1
Smallpox (6).....													
Measles (7).....	9		1	1	1	4	1	1					
Scarlet fever (8).....	7		1		4		1			1			
Whooping cough (9).....	7	1					1	1	1			1	2
Diphtheria (10).....	42	2		1	1	1	1			1	3		3
Influenza (11).....	42	11	8	9	6		2	1	1	1	2	2	1
Dysentery (16).....	11						3	1	1	2	3	1	1
Erysipelas (21).....	1												
Lethargic encephalitis (23).....	1												
Meningococcus meningitis (24).....	6						1		1		1		2
Tuberculosis of the respiratory system (31).....	67	8		7	6	8	7	9	3	3	4	1	3
Other forms of tuberculosis (32-37).....	12		2	1	1	2	2	2	2	1	2		
Diabetes mellitus (57).....	17		2	2	2	2	3		2	2		1	3
Cerebral hemorrhage and softening (74, 83).....	81	10	10	6	10	2	7	8	2	6	5	10	5
Other [organic] diseases of the heart (90).....	172	16	18	18	16	18	12	14	14	10	8	11	17
Bronchitis (99).....	3		1				1	1					
Broncho-pneumonia (100).....	58	7	6	8	4	6	5	3	1	3	4	5	6
Pneumonia (101).....	77	12	14	16	6	5	2	3	3	3	1	3	9
Diarrhea and enteritis [under 2 years] (113).....	30	2			1	2	3	3	10	4	2	3	
Diarrhea and enteritis [2 years and over] (114).....	8			1			2	1	4				
Nephritis (128, 129).....	180	14	15	5	17	11	11	10	5	11	11	9	11
Puerperal septicemia (146).....	16	4	2		2	2	3				1	1	1
Other puerperal causes (143-145, 147-150).....	19	1	2	5	1	1	3	2	4			1	1
Suicide (165-174).....	25	1	1	1	2	1		3	4	5	2	3	2
Automobile accidents <sup>1</sup> (188c).....	41	5	1		5	4	7	5	2	2	5	2	3
Automobile and railroad-train collision (part 188a).....	1												
Automobile and street-car collision (part 188b).....													
Other external causes (175-187, part 188a, b, 188d-203).....	118	10	1	4	14	8	10	8	12	16	10	10	15
All other causes.....	736	69	60	63	59	60	83	68	59	55	61	56	43

<sup>1</sup> Excludes collision with railroad trains and street cars.

CAUSES OF DEATH, BY MONTH OF OCCURRENCE

363

TABLE 10A.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM IMPORTANT CAUSES, BY MONTHS, IN LARGE CITIES: 1926—Continued

[See note at head of this table, p. 336]

AREA AND CAUSE OF DEATH	All deaths	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
<b>MEMPHIS, TENN. (COLORED), all causes</b> .....	<b>1,792</b>	<b>154</b>	<b>169</b>	<b>163</b>	<b>143</b>	<b>145</b>	<b>153</b>	<b>179</b>	<b>141</b>	<b>130</b>	<b>147</b>	<b>126</b>	<b>142</b>
Typhoid and paratyphoid fever (1).....	18	1						2	5	7	2	1	
Malaria (5).....	8						1	2	2	2	1		
Smallpox (6).....													
Measles (7).....	5					2		1		1	1		
Scarlet fever (8).....													
Whooping cough (9).....	9	1					1		2		1	1	3
Diphtheria (10).....	8	1			2					1			3
Influenza (11).....	79	11	14	19	11	5	13	1	2	1	4	4	4
Dysentery (16).....	7	1					2	1	3				
Erysipelas (21).....	1												1
Lethargic encephalitis (23).....	1												1
Meningococcus meningitis (24).....	1												1
Tuberculosis of the respiratory system (31).....	143	13	11	11	12	16	18	17	7	9	13	6	10
Other forms of tuberculosis (32-37).....	45	5	3	1	1	5	8	4	2	2	2	4	5
Diabetes mellitus (57).....	12	1	1	1	4							1	
Cerebral hemorrhage and softening (74, 83).....	82	6	5	8	4	7	5	10	9	10	7	5	6
Other [organic] diseases of the heart (90).....	169	16	13	20	15	11	11	12	15	6	22	14	14
Bronchitis (99).....	5	3	15	3	7	2	1	3	4	1	2	6	4
Broncho-pneumonia (100).....	53	11	25	13	8	2	4	3	5	5	5	5	11
Pneumonia (101).....	100	11	25	13	7	2	4	4	4	1	5	6	11
Diarrhea and enteritis [under 2 years] (113).....	35				2	2	5	6	3	5	3	2	2
Diarrhea and enteritis [2 years and over] (114).....	92	1	1	1	1	1	3	7	3	1	1	3	1
Nephritis (123, 129).....	119	8	10	14	9	5	15	8	11	9	6	14	10
Puerperal septicemia (146).....	15	1	2	2	1	1	1	1	1	1	1	1	3
Other puerperal causes (143-145, 147-150).....	16	1		1	5	2	2	1	3		2		1
Suicide (165-174).....	4				2				1				2
Automobile accidents <sup>1</sup> (188c).....	16	3	1		3	4	1	2					1
Automobile and railroad-train collision (part 188a).....	1												1
Automobile and street-car collision (part 188b).....	1												1
Other external causes (175-187, part 188a, b, 188d-203).....	163	13	15	14	18	8	13	12	14	18	8	14	16
All other causes.....	655	57	50	53	41	66	58	83	50	54	55	43	45
<b>NASHVILLE, TENN. (WHITE), all causes</b> .....	<b>1,566</b>	<b>137</b>	<b>122</b>	<b>190</b>	<b>122</b>	<b>111</b>	<b>116</b>	<b>163</b>	<b>117</b>	<b>131</b>	<b>126</b>	<b>120</b>	<b>111</b>
Typhoid and paratyphoid fever (1).....	24	2					1	4	2	6	6	2	1
Malaria (5).....	1												
Smallpox (6).....													
Measles (7).....	18	2	5	9	2								
Scarlet fever (8).....	16						2	1	4	2	1	1	
Whooping cough (9).....	12				2				1	1	4	2	2
Diphtheria (10).....	88	13	11	30	14	3	2	2	1	3	1	4	5
Influenza (11).....	15	1	1	1	1	1	1	4	2	2	4	2	2
Dysentery (16).....	6				2								
Erysipelas (21).....	2	1		1									1
Lethargic encephalitis (23).....	3												1
Meningococcus meningitis (24).....	3												1
Tuberculosis of the respiratory system (31).....	97	7	7	16	12	9	5	9	4	9	9	4	6
Other forms of tuberculosis (32-37).....	12				2	2	1	1	1	2	1	2	2
Diabetes mellitus (57).....	19	2	1	2	1	1	1	1	2	1	2	3	3
Cerebral hemorrhage and softening (74, 83).....	84	3	11	9	6	5	5	9	7	6	3	12	8
Other [organic] diseases of the heart (90).....	159	21	13	23	9	11	12	21	5	5	18	14	7
Bronchitis (99).....	6	1	1	1	1	1	1	1	1	1	1	1	1
Broncho-pneumonia (100).....	60	8	8	11	2	5	3	3	3	4	2	5	6
Pneumonia (101).....	78	15	5	15	7	6	4	3	1	6	3	5	8
Diarrhea and enteritis [under 2 years] (113).....	48						6	16	11	6	6	2	1
Diarrhea and enteritis [2 years and over] (114).....	8	1						3	1	1	2	2	1
Nephritis (123, 129).....	81	11	3	11	3	7	4	11	4	8	4	7	8
Puerperal septicemia (146).....	12		1	2	1		1	3	2			1	1
Other puerperal causes (143-145, 147-150).....	13	1		3	2	1	1	1	1	1	1	1	1
Suicide (165-174).....	32	2		1	1	4	1	4	5	5	3	4	2
Automobile accidents <sup>1</sup> (188c).....	30	4	6	8	8	5	5	14	8	6	4	13	8
Automobile and railroad-train collision (part 188a).....	576	44	46	46	47	49	60	53	58	57	44	38	39
Automobile and street-car collision (part 188b).....													
Other external causes (175-187, part 188a, b, 188d-203).....	89	4	6	8	8	5	5	14	8	6	4	13	8
All other causes.....	576	44	46	46	47	49	60	53	58	57	44	38	39
<b>NASHVILLE, TENN. (COLORED), all causes</b> .....	<b>1,132</b>	<b>109</b>	<b>85</b>	<b>118</b>	<b>87</b>	<b>104</b>	<b>93</b>	<b>105</b>	<b>83</b>	<b>69</b>	<b>87</b>	<b>99</b>	<b>93</b>
Typhoid and paratyphoid fever (1).....	25	1	1					4	6	5	6	1	1
Malaria (5).....	1												
Smallpox (6).....													
Measles (7).....	2		1										
Scarlet fever (8).....													
Whooping cough (9).....	17			1	1	1		7	1	1	2		3
Diphtheria (10).....	15		1					1	2	4	5	2	
Influenza (11).....	67	6	5	19	8	11	3	2	1	1	4	4	4
Dysentery (16).....	6						1	4					
Erysipelas (21).....													
Lethargic encephalitis (23).....	1												
Meningococcus meningitis (24).....	1												
Tuberculosis of the respiratory system (31).....	92	7	10	6	11	6	13	2	7	4	4	12	10
Other forms of tuberculosis (32-37).....	26	2	2	2	3	4	2	1	2	1	2	2	3
Diabetes mellitus (57).....	6												
Cerebral hemorrhage and softening (74, 83).....	66	3	3	8	3	7	7	5	3	5	4	7	6
Other [organic] diseases of the heart (90).....	140	13	14	12	9	16	13	15	9	13	7	10	9
Bronchitis (99).....	5				1			2	2	1	2	2	2
Broncho-pneumonia (100).....	53	7	3	9	6	5	6	6	2	4	4	3	2
Pneumonia (101).....	71	18	6	15	8	7	4	2	2	2	1	3	3
Diarrhea and enteritis [under 2 years] (113).....	26												
Diarrhea and enteritis [2 years and over] (114).....	10												
Nephritis (123, 129).....	92	10	5	4	6	12	7	8	8	5	7	10	10
Puerperal septicemia (146).....	15	2	3	2	1	1	1	1	1		3	1	
Other puerperal causes (143-145, 147-150).....	5												
Suicide (165-174).....	1												
Automobile accidents <sup>1</sup> (188c).....	7	2		1	1	1	2	1	1	1			1
Automobile and railroad-train collision (part 188a).....													
Automobile and street-car collision (part 188b).....													
Other external causes (175-187, part 188a, b, 188d-203).....	72	7	6	8	3	6	7	3	4	8	3	5	12
All other causes.....	312	26	25	27	26	24	30	34	28	14	28	27	23

<sup>1</sup> Excludes collision with railroad trains and street cars.

## MORTALITY STATISTICS

TABLE 10A.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM IMPORTANT CAUSES, BY MONTHS, IN LARGE CITIES: 1926—Continued

[See note at head of this table, p. 336]

AREA AND CAUSE OF DEATH	All deaths	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
DALLAS, TEX., all causes.....	2,730	270	275	243	228	193	217	249	211	207	209	222	206
Typhoid and paratyphoid fever (1).....	19				1	1	3	3	2	1	5	2	1
Malaria (5).....	8								-1		4	3	
Smallpox (6).....													
Measles (7).....	1						1						
Scarlet fever (8).....	6	2	1		1							1	1
Whooping cough (9).....	23		5	3	2	4	4	2	2	1			
Diphtheria (10).....	26	2	3	2			1			1	4	8	5
Influenza (11).....	154	19	45	37	14	2	3	2	1	10	8	6	7
Dysentery (16).....	9				2	1		2	2	2			
Erysipelas (21).....	3		1					2					
Lethargic encephalitis (23).....	5		1	1			1	1		1			
Meningococcus meningitis (24).....	2				1								
Tuberculosis of the respiratory system (31).....	154	16	18	10	14	14	10	11	10	13	11	13	14
Other forms of tuberculosis (32-37).....	20	2	2	4	4		1	3	2		1	1	
Diabetes mellitus (57).....	31	4	1	4	4	3	6	1		3	2	1	2
Cerebral hemorrhage and softening (74, 83).....	176	19	22	15	20	10	13	16	13	8	13	17	10
Other [organic] diseases of the heart (90).....	209	24	19	19	23	11	16	16	19	15	16	14	17
Bronchitis (99).....	10	4			2	1				1	1		1
Broncho-pneumonia (100).....	92	17	8	8	4	8	4	7	6	13	6	2	9
Pneumonia (101).....	141	32	34	10	14	4	7	7	4	3	6	10	10
Diarrhea and enteritis [under 2 years] (113).....	53	2		3	1	4	7	12	10	7	3	2	2
Diarrhea and enteritis [2 years and over] (114).....	10			1		2	1	1	2		2	1	
Nephritis (128, 129).....	183	20	12	17	17	15	13	13	13	11	14	19	19
Puerperal septicemia (146).....	19	2	2		3		1	1	2		4		3
Other puerperal causes (143-145, 147-150).....	15	1	1	2	1	1	1	4		1	1	1	2
Suicide (165-174).....	54	3	3	3	7	7	7	9	3	2	2	3	5
Automobile accidents <sup>1</sup> (188c).....	61	6	6	8	3	5	5	5	2	3	5	7	6
Automobile and railroad-train collision (part 188a).....	2									1			1
Automobile and street-car collision (part 188b).....	1									1			
Other external causes (175-187, part 188a, b, 188d-203).....	184	21	14	13	19	14	22	11	21	8	13	15	13
All other causes.....	1,059	74	77	83	71	85	91	119	96	101	88	96	78
FORT WORTH, TEX., all causes.....	1,551	159	144	162	112	140	132	100	105	120	100	132	145
Typhoid and paratyphoid fever (1).....	16	2	1		1	1		1	2	1		1	6
Malaria (5).....	1									1			
Smallpox (6).....													
Measles (7).....	1												
Scarlet fever (8).....	10										1		
Whooping cough (9).....	1			2	1		1	4	1	1			
Diphtheria (10).....	13	1		1						2		6	3
Influenza (11).....	102	8	27	32	11	5		1	1	2	3	5	7
Dysentery (16).....	4								2		2		
Erysipelas (21).....	1			1									
Lethargic encephalitis (23).....	2				2								
Meningococcus meningitis (24).....	1											1	
Tuberculosis of the respiratory system (31).....	72	9	7	6	10	2	9	5	7	4	2	7	4
Other forms of tuberculosis (32-37).....	10	1	2	2	2		1			1	1	1	
Diabetes mellitus (57).....	14	2	3	1	2		3		1				1
Cerebral hemorrhage and softening (74, 83).....	102	7	5	9	7	16	7	6	8	6	9	12	10
Other [organic] diseases of the heart (90).....	156	25	14	15	10	15	11	9	8	17	7	7	18
Bronchitis (99).....	5	1	2	2	1					1			
Broncho-pneumonia (100).....	40	2	7	7	3	2	1	1	1		2	8	6
Pneumonia (101).....	86	20	14	10	8	3	1	1	3	2	6	4	14
Diarrhea and enteritis [under 2 years] (113).....	36	1		1		5	10	1	4	8	1	4	1
Diarrhea and enteritis [2 years and over] (114).....	12	2		1	1	1		1	3	1	1	1	1
Nephritis (128, 129).....	105	10	5	17	5	6	6	12	9	4	11	14	6
Puerperal septicemia (146).....	5	1	1				1	2				1	
Other puerperal causes (143-145, 147-150).....	12	1	3	3	1	1		1	2			1	1
Suicide (165-174).....	24	2	3	2	5		6	1	3			1	1
Automobile accidents <sup>1</sup> (188c).....	30	3	4	1	4	2		4	2	3	2	1	4
Automobile and railroad-train collision (part 188a).....	1										1		
Automobile and street-car collision (part 188b).....	3		1									2	
Other external causes (175-187, part 188a, b, 188d-203).....	94	6	4	11	3	9	13	8	7	8	8	6	11
All other causes.....	593	56	43	38	36	70	63	45	42	55	43	50	52
HOUSTON, TEX. (WHITE), all causes.....	1,929	186	191	166	160	129	162	151	148	138	137	175	186
Typhoid and paratyphoid fever (1).....	9	1			3	1	1		1	1	1		
Malaria (5).....	3											3	
Smallpox (6).....													
Measles (7).....													
Scarlet fever (8).....													
Whooping cough (9).....	14		2	2			3	1	2	1	2		1
Diphtheria (10).....	23	2	3	2	3		2		2	1	2	5	3
Influenza (11).....	89	17	26	22	6	4	2		2	1	2	1	6
Dysentery (16).....	6				1				1		1	1	2
Erysipelas (21).....													
Lethargic encephalitis (23).....	2						1	1					
Meningococcus meningitis (24).....													
Tuberculosis of the respiratory system (31).....	123	17	14	12	12	7	9	12	8	8	4	8	12
Other forms of tuberculosis (32-37).....	9					2	2	2	1	1	1	1	1
Diabetes mellitus (57).....	23	1	2		2	3	3	1	2		3	3	3
Cerebral hemorrhage and softening (74, 83).....	93	9	10	7	12	11	5	4	6	6	7	7	9
Other [organic] diseases of the heart (90).....	178	16	20	19	15	10	17	16	16	13	10	14	12
Bronchitis (99).....	7			1	1		1		1		1	1	1
Broncho-pneumonia (100).....	39	6	4	5	4	1		1	6	4	1	5	2
Pneumonia (101).....	92	19	22	11	9	2	2	2	2	3	3	12	5
Diarrhea and enteritis [under 2 years] (113).....	40	1	1		1	3	14	3	4	4	2	2	5
Diarrhea and enteritis [2 years and over] (114).....	17	2			1	1	2	4	2	1	1	1	1
Nephritis (128, 129).....	136	20	10	8	12	7	12	9	9	6	14	15	14
Puerperal septicemia (146).....	10				1	1	1				2	2	1
Other puerperal causes (143-145, 147-150).....	19	1	2	2	1	2		2	1	1	1	3	3
Suicide (165-174).....	39	2	3	2	2	3	4	2	5	6	2	4	4
Automobile accidents <sup>1</sup> (188c).....	33	3		2	3	4	4	1	3	2	4	2	5
Automobile and railroad-train collision (part 188a).....	1												1
Automobile and street-car collision (part 188b).....													
Other external causes (175-187, part 188a, b, 188d-203).....	133	6	6	8	8	11	7	18	18	9	10	13	19
All other causes.....	791	63	64	63	63	56	70	71	53	71	63	73	76

<sup>1</sup> Excludes collision with railroad trains and street cars.

CAUSES OF DEATH, BY MONTH OF OCCURRENCE

365

TABLE 10A.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM IMPORTANT CAUSES, BY MONTHS, IN LARGE CITIES: 1926—Continued

[See note at head of this table, p. 336]

AREA AND CAUSE OF DEATH	All deaths	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
HOUSTON, TEX. (COLORED), all causes.....	952	85	117	96	76	70	81	71	49	87	66	73	81
Typhoid and paratyphoid fever (1).....	10				1		1	3		3	1		1
Malaria (5).....	8					1	1			2	4		
Smallpox (6).....													
Measles (7).....													
Scarlet fever (8).....													
Whooping cough (9).....	4	1	2	1									
Diphtheria (10).....	8		3	1						1	1	1	
Influenza (11).....	60	5	21	19	6	2		2		1	1	3	1
Dysentery (16).....	2					1				1			
Erysipelas (21).....													
Lethargic encephalitis (23).....	1								1				
Meningococcus meningitis (24).....													
Tuberculosis of the respiratory system (31).....	89	9	4	7	8	9	9	10	2	4	7	9	11
Other forms of tuberculosis (32-37).....	6	1					3	1				1	
Diabetes mellitus (57).....	11		2		2		3			2	2		
Cerebral hemorrhage and softening (74, 83).....	44		6	7	6	4	4	1	3	3	2	6	2
Other [organic] diseases of the heart (90).....	76	9	5	4	7	7	10	4	4	10	4	4	8
Bronchitis (99).....	2									1	1		
Broncho-pneumonia (100).....	12	4	1			1				4	1		
Pneumonia (101).....	67	11	16	3	7	2	2	3	4	6	2	8	3
Diarrhea and enteritis [under 2 years] (113).....	9			3		1	1	2			2		
Diarrhea and enteritis [2 years and over] (114).....	4	1				1				1		1	
Nephritis (128, 129).....	80	9	7	6	9	7	2	7	6	6	5	6	10
Puerperal septicemia (146).....	10			2	1	1	1	1				1	3
Other puerperal causes (143-145, 147-150).....	4			1			2			1			
Suicide (165-174).....	1												1
Automobile accidents <sup>1</sup> (188c).....	7	1	2	1			1			1			1
Automobile and railroad-train collision (part 188a).....													
Automobile and street-car collision (part 188b).....	1				1								
Other external causes (175-187, part 188a, b, 188d-203).....	74	5	7	5	1	3	8	5	5	6	4	9	12
All other causes.....	362	29	41	36	22	30	33	32	24	35	29	23	28
SAN ANTONIO, TEX., all causes.....	3,015	280	321	272	263	276	279	261	224	196	184	229	230
Typhoid and paratyphoid fever (1).....	16					2	4	2	1	2	1	4	
Malaria (5).....	4						1	1	1			1	
Smallpox (6).....													
Measles (7).....	5		2					3					
Scarlet fever (8).....	1					1							
Whooping cough (9).....	30	1	2	2	7	5	2	7	2			1	1
Diphtheria (10).....	12	1	1	1					1		3	1	4
Influenza (11).....	163	16	58	40	22	7	1	2	1	2	2	3	9
Dysentery (16).....	32	4	1	1	2	6	3	5	2	1	3	2	2
Erysipelas (21).....	4			1		1		1			1		1
Lethargic encephalitis (23).....	4		2	1									
Meningococcus meningitis (24).....	8		1										
Tuberculosis of the respiratory system (31).....	396	43	39	38	43	32	29	34	27	27	24	31	29
Other forms of tuberculosis (32-37).....	29	1		6	3	2	2	2	5	2	2		3
Diabetes mellitus (57).....	22	1	5		2	3	2	3	1	3		1	1
Cerebral hemorrhage and softening (74, 83).....	102	9	10	11	8	7	7	7	9	4	10	9	11
Other [organic] diseases of the heart (90).....	213	20	23	20	18	21	11	20	13	17	9	26	15
Bronchitis (99).....	20	4	1	1			4	3	2	1			3
Broncho-pneumonia (100).....	96	13	16	10	11	7	4	5	4	4	4	10	11
Pneumonia (101).....	174	31	44	14	15	18	11	4	6	1	6	11	13
Diarrhea and enteritis [under 2 years] (113).....	245	6	11	6	12	44	57	29	26	21	15	10	8
Diarrhea and enteritis [2 years and over] (114).....	52	5	3	4	6	4	8	3	5	3	4	4	3
Nephritis (128, 129).....	162	20	14	18	13	9	17	12	6	13	9	13	18
Puerperal septicemia (146).....	16		2	1	2	2	2	2	2		1	3	1
Other puerperal causes (143-145, 147-150).....	22	2	2	2	3	3	2	3	2	2	1	1	1
Suicide (165-174).....	30	1	2	4	1	3	2	4	5	5	1	1	1
Automobile accidents <sup>1</sup> (188c).....	40	1	6	3	2	6	3	4	4	3	2	3	3
Automobile and railroad-train collision (part 188a).....	2												
Automobile and street-car collision (part 188b).....	2												
Other external causes (175-187, part 188a, b, 188d-203).....	114	8	8	9	10	14	11	12	6	7	10	14	5
All other causes.....	999	93	70	79	82	78	92	97	88	77	78	78	87
SALT LAKE CITY, UTAH, all causes.....	1,708	178	166	126	143	151	123	121	121	129	138	157	150
Typhoid and paratyphoid fever (1).....	3	1										1	1
Malaria (5).....													
Smallpox (6).....													
Measles (7).....	8							1			1		5
Scarlet fever (8).....	2							1			1		
Whooping cough (9).....	23	3	1	2	2	3	3	2	3	4			
Diphtheria (10).....	20	1	3			4	1	1	2		2	2	4
Influenza (11).....	51	15	14	5	4	1	2			1	2	3	2
Dysentery (16).....	2									1	1		
Erysipelas (21).....	10	2	3	1	1	1			1				1
Lethargic encephalitis (23).....	5												
Meningococcus meningitis (24).....	7	3		2				1	1		1		
Tuberculosis of the respiratory system (31).....	79	6	8	8	7	8	6	7	5	5	6	8	5
Other forms of tuberculosis (32-37).....	14	2	2	2	3	2	2		1	1		1	
Diabetes mellitus (57).....	23	3	2	3	2	2			1	3	2	3	2
Cerebral hemorrhage and softening (74, 83).....	83	8	8	5	10	8	8	7	3	7	5	7	7
Other [organic] diseases of the heart (90).....	204	10	22	12	16	19	25	13	16	21	17	18	15
Bronchitis (99).....	10	4	1			1					2	2	
Broncho-pneumonia (100).....	57	9	11	2	5	1	1	2	2	5	1	8	6
Pneumonia (101).....	79	18	9	1	6	6	5	2	2	1	7	2	8
Diarrhea and enteritis [under 2 years] (113).....	16		2			1		1		5	2	1	2
Diarrhea and enteritis [2 years and over] (114).....	3									1	1	3	
Nephritis (128, 129).....	141	11	14	12	9	14	10	11	12	10	13	14	11
Puerperal septicemia (146).....	5		1		1								
Other puerperal causes (143-145, 147-150).....	22	1	3	2	2	2	3	2	2	2	4	3	2
Suicide (165-174).....	14			1	1	2	2	1	2	1	1	3	1
Automobile accidents <sup>1</sup> (188c).....	33	2		3	2	5	3	2	3	3	3	4	3
Automobile and railroad-train collision (part 188a).....													
Automobile and street-car collision (part 188b).....													
Other external causes (175-187, part 188a, b, 188d-203).....	95	9	10	9	4	7	7	5	10	8	8	6	12
All other causes.....	694	70	52	56	66	69	44	60	54	50	52	59	62

<sup>1</sup>Excludes collision with railroad trains and street cars.

TABLE 10A.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM IMPORTANT CAUSES, BY MONTHS, IN LARGE CITIES: 1926—Continued

[See note at head of this table, p. 336]

AREA AND CAUSE OF DEATH	All deaths	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
NORFOLK, VA. (WHITE), all causes	849	76	78	89	73	56	66	82	67	64	65	68	65
Typhoid and paratyphoid fever (1)	2								1			1	
Malaria (5)	3												
Smallpox (6)	1												
Measles (7)	6				1		1	2	1	1			
Scarlet fever (8)	3										1	1	1
Whooping cough (9)	22	1	4	10	4	1							2
Diphtheria (10)	1										1		
Influenza (11)	2			1									1
Dysentery (16)	2		1										1
Erysipelas (21)	1												1
Lethargic encephalitis (23)	2		1										1
Meningococcus meningitis (24)	1												1
Tuberculosis of the respiratory system (31)	24	1	3	1	2	2		3	1	1	3	3	4
Other forms of tuberculosis (32-37)	7					2	1				1	1	
Diabetes mellitus (57)	14	4	2	6	2	1		2		2	1	1	
Cerebral hemorrhage and softening (74, 83)	57	8	2	6	5	3	5	1	6	5	3	7	6
Other [organic] diseases of the heart (90)	149	13	14	12	15	12	15	16	9	15	8	10	10
Bronchitis (99)	4	3			1								
Broncho-pneumonia (100)	19	1	1	3		3	1	1	1	1	3	2	2
Pneumonia (101)	34	8	4	6	4	5	1				1	3	2
Diarrhea and enteritis [under 2 years] (113)	13						1	6	3		2		1
Diarrhea and enteritis [2 years and over] (114)	3					1						1	
Nephritis (128, 129)	79	7	10	11	2	4	5	5	7	6	9	7	6
Puerperal septicemia (146)	6	1			1					1	1	1	1
Other puerperal causes (143-145, 147-150)	10	1	2	1			1		1	1	1	1	2
Suicide (165-174)	12			3	5	3	1						
Automobile accidents <sup>1</sup> (188c)	18	3	1		1		2	1	1	5	1	3	
Automobile and railroad-train collision (part 188a)	1			1									
Automobile and street-car collision (part 188b)	66	6	4	5	1	3	9	7	8	4	4	8	7
Other external causes (175-187, part 188a, b, 188d-203)	294	19	32	29	26	17	22	38	28	22	25	18	18
All other causes													
NORFOLK, VA. (COLORED), all causes	1,018	87	84	113	83	72	88	89	90	88	77	72	75
Typhoid and paratyphoid fever (1)	4								1	1	2		
Malaria (5)	2												
Smallpox (6)	2						1						
Measles (7)	25	1	2	2	3	4	4	3	3		3		
Scarlet fever (8)	2											2	
Whooping cough (9)	27	1	5	12	4	1	1				1		2
Diphtheria (10)	5					1	1	1	1		1		
Influenza (11)	1	1											
Dysentery (16)	1												
Erysipelas (21)	1												
Lethargic encephalitis (23)	1								1				
Meningococcus meningitis (24)	106	10	5	8	10	3	16	12	9	11	8	4	10
Tuberculosis of the respiratory system (31)	13	2		1	1	2		1	2	1	1	1	1
Other forms of tuberculosis (32-37)	10				1	2			1	1	3	1	1
Diabetes mellitus (57)	88	7	10	12	11	3	7	8	10	2	3	4	11
Cerebral hemorrhage and softening (74, 83)	154	16	12	20	17	9	15	12	6	11	8	15	13
Other [organic] diseases of the heart (90)	5		2				1	1		1			
Bronchitis (99)	39	8	1	4	1		4	2		2	3	8	6
Broncho-pneumonia (100)	43	6	5	14	3	2	1	3	1	2	3	1	2
Pneumonia (101)	37	1		2	1		2	10	9	7	1	3	
Diarrhea and enteritis [under 2 years] (113)	7			1	1	1	1	1	1	1	1	1	
Diarrhea and enteritis [2 years and over] (114)	85	8	8	7	8	6	6	4	12	9	11	2	4
Nephritis (128, 129)	9	2	1		1	1		1			2		
Puerperal septicemia (146)	6			1					1			2	
Other puerperal causes (143-145, 147-150)	4				1					2		2	
Suicide (165-174)	7				1		2				1		
Automobile accidents <sup>1</sup> (188c)	1	2				2	1			1			1
Automobile and railroad-train collision (part 188a)	7						1						
Automobile and street-car collision (part 188b)	61	7	5	2	2	8	5	2	8	5	4	6	7
Other external causes (175-187, part 188a, b, 188d-203)	276	15	28	28	18	26	19	28	23	31	20	23	17
All other causes													
RICHMOND, VA. (WHITE), all causes	1,711	147	230	162	145	129	134	122	127	107	120	144	144
Typhoid and paratyphoid fever (1)	1						1						
Malaria (5)	1												
Smallpox (6)	3							1					
Measles (7)	4												
Scarlet fever (8)	15	1	1	1		1			1	1	1	3	4
Whooping cough (9)	66	6	33	11	2	1					4	5	4
Diphtheria (10)	6										4		1
Influenza (11)	2				1								
Dysentery (16)	3						1	1	2				
Erysipelas (21)	2						1						
Lethargic encephalitis (23)	3		1								1		1
Meningococcus meningitis (24)	58	5	10	3	6	5	5	2	3	1	3	8	7
Tuberculosis of the respiratory system (31)	13	2	1	3	1	1	2	1	1	1	1		
Other forms of tuberculosis (32-37)	27	2		3	4	2	2	1	5	3		2	3
Diabetes mellitus (57)	114	10	9	14	9	11	14	8	6	9	5	8	11
Cerebral hemorrhage and softening (74, 83)	266	30	32	29	24	17	29	14	15	16	18	20	22
Other [organic] diseases of the heart (90)	16	2	3	3	1		2		1		1		3
Bronchitis (99)	48	4	11	5	4	1	1	2	1	1	4	9	4
Broncho-pneumonia (100)	55	7	16	7	1	2	4	3	3	1	1	5	5
Pneumonia (101)	33		1				3	5	15	5	2	2	
Diarrhea and enteritis [under 2 years] (113)	8			1	1		1	3	2				
Diarrhea and enteritis [2 years and over] (114)	167	13	22	11	11	16	11	17	13	9	13	19	12
Nephritis (128, 129)	14	3	3		2		2		1		2	2	
Puerperal septicemia (146)	12	2				1	1	2	1	1	1	1	
Other puerperal causes (143-145, 147-150)	24		4	2	4	1	1	2	1		1	3	5
Suicide (165-174)	26		3	2	2	2	1	2	3	2	3	4	2
Automobile accidents <sup>1</sup> (188c)	2			1								1	
Automobile and railroad-train collision (part 188a)	3				1				1			1	
Automobile and street-car collision (part 188b)	61	5	6	3	3	7	7	8	3	4	3	6	6
Other external causes (175-187, part 188a, b, 188d-203)	668	55	70	62	68	61	46	49	46	55	53	45	53
All other causes													

<sup>1</sup> Excludes collision with railroad trains and street cars.

CAUSES OF DEATH, BY MONTH OF OCCURRENCE

367

TABLE 10A.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM IMPORTANT CAUSES, BY MONTHS, IN LARGE CITIES: 1926—Continued

[See note at head of this table, p. 336]

AREA AND CAUSE OF DEATH	All deaths	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
<b>RICHMOND, VA. (COLORED), all causes</b> .....	<b>1,324</b>	<b>129</b>	<b>156</b>	<b>122</b>	<b>115</b>	<b>99</b>	<b>90</b>	<b>114</b>	<b>104</b>	<b>87</b>	<b>102</b>	<b>104</b>	<b>102</b>
Typhoid and paratyphoid fever (1).....	1								1				
Malaria (5).....													
Smallpox (6).....													
Measles (7).....													
Scarlet fever (8).....													
Whooping cough (9).....	10		2				1	4		1	1		1
Diphtheria (10).....	10	1			1				3	1	2		2
Influenza (11).....	65	3	25	13	4	3	3	2		2	3	2	4
Dysentery (16).....	1								1				
Erysipelas (21).....	1					1							
Lethargic encephalitis (23).....	1										1		
Meningococcus meningitis (24).....	1												
Tuberculosis of the respiratory system (31).....	107	12	12	12	12	8	8	10	3	7	7	9	7
Other forms of tuberculosis (32-37).....	26	1		1	3	2	2	3	2	5	1	5	1
Diabetes mellitus (57).....	11	2		1		1	1	1	1	1	1	3	1
Cerebral hemorrhage and softening (74, 83).....	102	9	11	8	7	13	12	8	5	6	7	12	4
Other [organic] diseases of the heart (90).....	133	12	10	11	13	10	12	13	5	8	18	11	10
Bronchitis (99).....	6	1	2						1	2	2		
Broncho-pneumonia (100).....	57	9	18	6	3	2	1		1	2	6	6	3
Pneumonia (101).....	110	14	32	15	6	5	6	3	7	1	7	6	8
Diarrhea and enteritis [under 2 years] (113).....	45					1	2	16	14	9	1	1	1
Diarrhea and enteritis [2 years and over] (114).....	7	1			1					1	2	1	1
Nephritis (128, 129).....	105	15	7	9	7	8	6	7	10	7	10	6	13
Puerperal septicemia (146).....	11	1	2	2			1		1	1	1	2	
Other puerperal causes (143-145, 147-150).....	8	1	1				3		2		1		
Suicide (165-174).....	1	1											
Automobile accidents <sup>1</sup> (188c).....	11		1		1	3		1		2	1	1	1
Automobile and railroad-train collision (part 188a).....	2		2										
Automobile and street-car collision (part 188b).....													
Other external causes (175-187, part 188a, b, 188d-203).....	62	9	4	5	6	4	2	6	7	2	2	9	6
All other causes.....	430	37	27	39	51	36	31	40	40	31	28	30	40
<b>SEATTLE, WASH., all causes</b> .....	<b>3,564</b>	<b>341</b>	<b>301</b>	<b>317</b>	<b>271</b>	<b>297</b>	<b>284</b>	<b>271</b>	<b>272</b>	<b>278</b>	<b>301</b>	<b>289</b>	<b>342</b>
Typhoid and paratyphoid fever (1).....	7	2	1								1	3	
Malaria (5).....													
Smallpox (6).....	9		5	2		2							
Measles (7).....	2		1		1								
Scarlet fever (8).....	3		3										
Whooping cough (9).....	5	1		1							1		2
Diphtheria (10).....	8					1	1	1	2	1	1		1
Influenza (11).....	71	7	14	22	4	2	3	3	2	1	1	5	7
Dysentery (16).....	2						1		1				
Erysipelas (21).....	5		1		1			1		1			1
Lethargic encephalitis (23).....	8						1	2	1		1	3	
Meningococcus meningitis (24).....	25	2	10	3	3	1	1	2				2	1
Tuberculosis of the respiratory system (31).....	170	18	14	11	17	19	15	16	13	8	11	16	12
Other forms of tuberculosis (32-37).....	59	3	5	4	3	15	4	2	2	5	10	3	3
Diabetes mellitus (57).....	60	10	3	2	6	7	6	2	4	5	5	6	4
Cerebral hemorrhage and softening (74, 83).....	250	23	19	20	15	21	22	21	13	30	24	18	24
Other [organic] diseases of the heart (90).....	622	48	48	54	49	51	44	52	48	50	54	50	74
Bronchitis (99).....	14	1				1	3	1	2	2	2	2	2
Broncho-pneumonia (100).....	81	18	10	10	4	1	6	7	1	6	6	6	12
Pneumonia (101).....	132	15	20	12	5	9	9	4	5	10	12	13	18
Diarrhea and enteritis [under 2 years] (113).....	8			1	1	1	1	1		1	1	2	2
Diarrhea and enteritis [2 years and over] (114).....	11		1		2	1	1		2		1	3	3
Nephritis (128, 129).....	204	25	23	18	18	16	15	13	19	12	15	16	14
Puerperal septicemia (146).....	16	1	3	3		1	1	1	1	1	1	2	2
Other puerperal causes (143-145, 147-150).....	25	2	2	1	3		4	5	2	3	2	2	1
Suicide (165-174).....	94	7	6	10	6	8	8	6	12	5	10	8	8
Automobile accidents <sup>1</sup> (188c).....	69	1	6	3	5	5	8	7	3	4	11	10	6
Automobile and railroad-train collision (part 188a).....	3			1					1	1			
Automobile and street-car collision (part 188b).....	1												
Other external causes (175-187, part 188a, b, 188d-203).....	162	19	12	13	11	15	16	9	17	11	13	12	14
All other causes.....	1,438	138	94	126	117	121	119	121	112	130	117	112	131
<b>SPOKANE, WASH., all causes</b> .....	<b>1,514</b>	<b>121</b>	<b>139</b>	<b>162</b>	<b>124</b>	<b>104</b>	<b>133</b>	<b>122</b>	<b>106</b>	<b>114</b>	<b>128</b>	<b>137</b>	<b>124</b>
Typhoid and paratyphoid fever (1).....	8	1					1			2	1	3	
Malaria (5).....													
Smallpox (6).....													
Measles (7).....	2						1						1
Scarlet fever (8).....	7		2	1				1			1		2
Whooping cough (9).....	1								1				
Diphtheria (10).....	8						1	1	2	1			
Influenza (11).....	35	3	9	10	4	3	2				1	2	1
Dysentery (16).....													
Erysipelas (21).....	11		1	2		2		2	1			1	2
Lethargic encephalitis (23).....	12	3			2		1	1	3			1	1
Meningococcus meningitis (24).....	51	2	12	11	6	2	4	5	2	1	3	4	1
Tuberculosis of the respiratory system (31).....	32		4	5	4	1	3	2	2	2	5	1	2
Other forms of tuberculosis (32-37).....	12	2	2			1	1	2	1			2	
Diabetes mellitus (57).....	29	1	3	6	3	1	1	1		4	3	2	5
Cerebral hemorrhage and softening (74, 83).....	100	12	4	10	6	9	5	10	11	5	9	13	8
Other [organic] diseases of the heart (90).....	135	9	11	6	18	14	10	10	8	14	12	11	12
Bronchitis (99).....	7					1	1	1			2	2	1
Broncho-pneumonia (100).....	51	4	5	6	3	1	4	4	1	1	5	12	10
Pneumonia (101).....	66	5	11	9	9	2	2	1	4	3	5	6	9
Diarrhea and enteritis [under 2 years] (113).....	7				1				2	2	1		
Diarrhea and enteritis [2 years and over] (114).....	4						1	2					1
Nephritis (128, 129).....	135	12	18	12	7	10	16	7	10	14	8	15	6
Puerperal septicemia (146).....	14	1		1		2	4		2			3	1
Other puerperal causes (143-145, 147-150).....	10	1	1	1			2	2	4			2	2
Suicide (165-174).....	29	2	4	4		2	5		2	2	5	1	2
Automobile accidents <sup>1</sup> (188c).....	27		2		2		5	4	2	3	4	2	2
Automobile and railroad-train collision (part 188a).....	3		2			1	5		1				
Automobile and street-car collision (part 188b).....													
Other external causes (175-187, part 188a, b, 188d-203).....	72	8	3	3	7	11	2	8	4	3	12	6	5
All other causes.....	646	55	42	74	50	42	64	62	48	53	52	49	56

<sup>1</sup> Excludes collision with railroad trains and street cars.

## MORTALITY STATISTICS

TABLE 10A.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM IMPORTANT CAUSES, BY MONTHS, IN LARGE CITIES: 1926—Continued

[See note at head of this table, p. 336]

AREA AND CAUSE OF DEATH	All deaths	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
MILWAUKEE, WIS., all causes.....	5,730	515	469	556	624	529	453	463	379	386	393	442	521
Typhoid and paratyphoid fever (1).....	7	1	1	1	1			1	1				1
Malaria (5).....													
Smallpox (6).....													
Measles (7).....	23			1	6	3	9	2	2				
Scarlet fever (8).....	5	1	2		2								
Whooping cough (9).....	25	3	1	6	1	2		3	1	2	1	1	4
Diphtheria (10).....	53	11	4	8	7	1		3	2	1	2	4	9
Influenza (11).....	113	8	8	23	33	12	6	3	2	4	2	2	12
Dysentery (16).....	5					1							
Erysipelas (21).....	16		2	3	4	3		2				2	2
Lethargic encephalitis (23).....	10	1		2	1	2	1	1				2	2
Meningococcus meningitis (24).....	9		1					1				2	3
Tuberculosis of the respiratory system (31).....	299	19	32	22	44	35	24	31	18	12	15	21	26
Other forms of tuberculosis (32-37).....	64	2	7	10	7	2	3	7	6	6	5	4	5
Diabetes mellitus (57).....	118	7	6	11	16	12	10	12	5	5	9	14	11
Cerebral hemorrhage and softening (74, 83).....	361	40	33	29	32	31	27	28	25	18	32	33	33
Other [organic] diseases of the heart (90).....	811	79	62	75	77	61	63	56	63	63	54	72	86
Bronchitis (99).....	49	6	6	4	12	7	5	1		2	2	1	3
Broncho-pneumonia (100).....	281	26	17	38	55	40	20	11	9	14	16	17	18
Pneumonia (101).....	306	31	29	54	46	27	16	7	6	10	18	23	34
Diarrhea and enteritis [under 2 years] (113).....	124	15	8	17	14	6	9	3	9	17	12	10	4
Diarrhea and enteritis [2 years and over] (114).....	30	1	3	1	4	1	2	4	2	4	1	1	5
Nephritis (128, 129).....	401	38	34	39	32	39	26	30	21	35	36	40	31
Puerperal septicemia (146).....	23	1	1	3	2	1	3	1	1	6		2	2
Other puerperal causes (143-145, 147-150).....	49	2	5	7	6	7	3	5	6	3	1	1	3
Suicide (165-174).....	97	10	9	5	11	7	12	5	6	8	6	4	14
Automobile accidents <sup>1</sup> (188c).....	101	6	3	3	11	7	11	8	10	10	15	6	11
Automobile and railroad-train collision (part 188a).....	3		1										2
Automobile and street-car collision (part 188b).....	2												1
Other external causes (175-187, part 188a, b, 188d-203).....	252	19	16	17	23	20	23	29	29	16	19	23	18
All other causes.....	2,093	188	178	177	177	202	176	207	157	160	147	151	183

<sup>1</sup> Excludes collision with railroad trains and street cars.

NOTE.—Populations are shown in Table I B.

# DEATHS OF INFANTS, BY DAYS, WEEKS, AND MONTHS

369

**TABLE 11.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM IMPORTANT CAUSES, FOR CERTAIN SUBDIVISIONS OF THE FIRST YEAR OF LIFE, IN REGISTRATION STATES AND LARGE CITIES NOT IN THE BIRTH REGISTRATION AREA: 1926**

[Corresponding data for death registration States and cities in birth registration area appear in Part I of Birth, Stillbirth, and Infant Mortality Statistics, 1926. Numbers after causes of death correspond to those of the 1920 revision of the detailed International List. Cities of 100,000 population or more on January 1, 1920, are included, and those with a minimum of 25,000 colored population on that date, are shown by color]

AREA AND CAUSE OF DEATH	Deaths under 1 year of age	Under 1 year							Under 1 month											
		Under 1 day	1 day	2 days	3 to 6 days	1 week	2 wks.	3 wks.	1 mo.	2 mos.	3 mos.	4 mos.	5 mos.	6 mos.	7 mos.	8 mos.	9 mos.	10 mos.	11 mos.	
<b>ALABAMA (WHITE), all causes</b>	<b>2,550</b>	<b>625</b>	<b>148</b>	<b>96</b>	<b>168</b>	<b>149</b>	<b>111</b>	<b>91</b>	<b>1,388</b>	<b>211</b>	<b>156</b>	<b>115</b>	<b>102</b>	<b>78</b>	<b>96</b>	<b>85</b>	<b>82</b>	<b>77</b>	<b>74</b>	<b>86</b>
Measles (7)	15			1			1	1	3	1	1	1			2	1	2	3		1
Scarlet fever (8)	2								1	1					1					
Whooping cough (9)	104		1				5	8	14	22	12	11	7	3	4	9	8	6	2	6
Diphtheria (10)	14				1				2	1					1	1	3	2	2	2
Influenza (11)	98	1				6	4	5	16	13	7	9	6	6	7	5	10	9	5	5
Dysentery (16)	6								1	1	1	1	1		1	1	1	1	1	
Erysipelas (21)	12							2	2	5	1	1	1	1						2
Meningococcus meningitis (24)	2				1				2				1							
Tetanus (29)	3					1			1											1
Tuberculosis of the respiratory system (31)	6							1	1											1
Tuberculosis of the meninges, etc. (32)	6							1	1											1
Other forms of tuberculosis (33-37)	1								1											
Syphilis (38)	22	3	1	3	1	2	1	1	12	2	2	1	1	1	1	2	1			
Convulsions (80)	15	3		3	3	2			11	5			1							
Bronchitis (99)	12	1				2		1	5	2			1							
Broncho-pneumonia (100)	156	1	2	1	5	12	14	10	45	19	19	12	8	2	12	11	7	3	5	10
Pneumonia (101)	83	1	1	1	5	6	9	5	23	9	7	4	4	3	4	12	3	6	2	10
Diseases of the stomach (111, 112)	16				2	1	1		3	2	1	2	2		2	2	1			1
Diarrhea and enteritis (113)	362	43	2	2	2	5	7	5	23	27	29	34	37	26	34	27	27	26	36	36
Congenital malformations (159)	136	18	6	8	13	10	6	8	94	14	8	5	5	4	3	3	2	2	1	2
Congenital debility (160)	110	18	5	3	15	13	6	6	66	12	12	7	3	2	2		1	2		
Premature birth (161a)	728	426	79	31	71	50	26	12	695	19	6	1	2		1					2
Injury at birth (161b)	96	34	19	13	16	7	3	1	93	2	1									
Other diseases of early infancy (162, 163)	41	15	6	3	8	5	3	1	41											
External causes (175-203)	61	3	2	2	1	1	2	2	10	11	2	6	4	6	2	2	2	3	4	3
Unknown or ill-defined diseases (204, 205)	292	72	26	23	21	15	12	9	191	28	20	13	7	8	6	6	6	6	4	4
All other causes	151	4		2	9	22	7	9	36	22	14	10	10	9	7	10	10	6	9	7
<b>ALABAMA (COLORED), all causes</b>	<b>1,990</b>	<b>368</b>	<b>114</b>	<b>70</b>	<b>175</b>	<b>109</b>	<b>82</b>	<b>55</b>	<b>973</b>	<b>173</b>	<b>130</b>	<b>126</b>	<b>98</b>	<b>101</b>	<b>90</b>	<b>81</b>	<b>71</b>	<b>65</b>	<b>46</b>	<b>36</b>
Measles (7)	4											1			1					1
Scarlet fever (8)						1			2	8	8	10		5	3	3	5	3	3	3
Whooping cough (9)	58				2	1		1	3	2	2				1	1	1	1	1	
Diphtheria (10)	10				1				3	1	1				1	1	1	1	1	
Influenza (11)	104	1	1		2	1	4	2	11	12	11	12	14	5	10	11	11	4	3	1
Dysentery (16)	10								1	1	1			1	1	1	1	1	1	1
Erysipelas (21)	4							1	1	2										
Meningococcus meningitis (24)	1								1				1							
Tetanus (29)	18				2	8	1		11				1	3	1			1	1	1
Tuberculosis of the respiratory system (31)	10	1							2				1	1						
Tuberculosis of the meninges, etc. (32)	2																			
Other forms of tuberculosis (33-37)	3																			
Syphilis (38)	74	15	3	3	7	6	6	4	44	7	7	5		1						1
Convulsions (80)	28	1			7	2	1		11	3	3	3		1			1	3	1	1
Bronchitis (99)	8		1			1			1	1	5									
Broncho-pneumonia (100)	115				2	3	4	4	13	16	10	10	12	16	8	13	5	5	4	3
Pneumonia (101)	116	1			2	3	1	2	2	11	6	13	9	17	15	6	6	12	9	3
Diseases of the stomach (111, 112)	20			1		1	2	1	9	2	2	3	3	5	5	2	1	1	1	
Diarrhea and enteritis (113)	176	8	2		1	3	3	3	12	12	18	13	13	21	16	12	19	20	9	11
Congenital malformations (159)	32	3			4	4	3	3	22	3	3	1	5	4	2	4	1	1	1	
Congenital debility (160)	81	11	7	4	4	7	7	4	44	10	7	1	5	4	2	4	1	1	1	2
Premature birth (161a)	333	180	34	24	46	19	13	4	320	8	3	1			1					
Injury at birth (161b)	40	23	4	4	4	2			40											
Other diseases of early infancy (162, 163)	38	13	2	2	13	3	1		34	2	2	1	2	1	4	2	2	1	3	2
External causes (175-203)	41	2	2	2	5	2		2	13	6	4	1	2	17	16	13	8	6	7	6
Unknown or ill-defined diseases (204, 205)	570	105	56	28	68	35	30	21	343	65	31	33	25	17	16	13	8	8	6	6
All other causes	104	7	2	1	6	8	4	3	31	7	11	12	8	6	6	8	9	1	3	2
<b>COLORADO, all causes</b>	<b>1,646</b>	<b>313</b>	<b>86</b>	<b>61</b>	<b>114</b>	<b>82</b>	<b>73</b>	<b>55</b>	<b>784</b>	<b>135</b>	<b>131</b>	<b>93</b>	<b>92</b>	<b>81</b>	<b>68</b>	<b>57</b>	<b>63</b>	<b>60</b>	<b>39</b>	<b>43</b>
Measles (7)	4							1	1					1						1
Scarlet fever (8)	1																			
Whooping cough (9)	98					1	2		3	9	10	9	12	11	8	4	8	13	5	6
Diphtheria (10)	5								2	2			2							
Influenza (11)	118		1	1	6	8			16	15	11	12	6	6	9	16	10	5	6	6
Dysentery (16)	2										1						1			
Erysipelas (21)	8				1				1	2	1		2			1			1	
Meningococcus meningitis (24)	1										1									
Tetanus (29)	1																			
Tuberculosis of the respiratory system (31)	1												1							
Tuberculosis of the meninges, etc. (32)	3					1			1							1	1			
Other forms of tuberculosis (33-37)	5											1						2	2	
Syphilis (38)	15	1	1		3			1	6	1	2		2		2	1	1			
Convulsions (80)	4			1					1	1			2							
Bronchitis (99)	4				2	2		2	6	1			1							1
Broncho-pneumonia (100)	225	2	1	2	9	6	14	14	48	32	28	21	11	17	13	10	17	13	9	6
Pneumonia (101)	65				3	2	6	1	12	10	7	5	5	2	3	3	7	7	2	2
Diseases of the stomach (111, 112)	16			1		2			1	3			2	1	1	1	1	1	1	
Diarrhea and enteritis (113)	251	1			5	6	5	5	17	23	37	28	37	27	23	12	9	10	13	15
Congenital malformations (159)	101	20	13	12	19	9	6	4	83	5	2	2	2	2	2	3				2
Congenital debility (160)	66	9	6																	



DEATHS OF INFANTS, BY DAYS, WEEKS, AND MONTHS

371

TABLE 11.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM IMPORTANT CAUSES, FOR CERTAIN SUBDIVISIONS OF THE FIRST YEAR OF LIFE, IN REGISTRATION STATES AND LARGE CITIES NOT IN THE BIRTH REGISTRATION AREA: 1926—Continued

[See note at head of this table, p. 369]

AREA AND CAUSE OF DEATH	Deaths under 1 year of age	Under 1 day	1 day	2 days	3 to 6 days	1 week	2 wks.	3 wks.	Under 1 month	1 mo.	2 mos.	3 mos.	4 mos.	5 mos.	6 mos.	7 mos.	8 mos.	9 mos.	10 mos.	11 mos.
	<b>SOUTH CAROLINA (WHITE), all causes.</b>	1,724	369	106	56	129	103	72	59	894	130	121	110	89	70	64	55	46	51	42
Measles (7)	3									1					1		1			
Scarlet fever (8)																				
Whooping cough (9)	42						4	3	7	7	6	5	3	2	4	1	1	3	2	1
Diphtheria (10)	14					1	1	1	3	1	1	1	1	1	1	1	1	2	2	4
Influenza (11)	86	1		1	1	3	9	5	20	10	8	5	9	4	6	4	11	6	2	1
Dysentery (16)	29				1				1		2	1	3	4	3	4	3	3	1	4
Erysipelas (21)	4						1		1	1	1	1								
Meningococcus meningitis (24)	1							1	1											
Tetanus (29)	3				1	1	1		3											
Tuberculosis of the respiratory system (31)	2											1			1					
Tuberculosis of the meninges, etc. (32)	3											1				1				
Other forms of tuberculosis (33-37)																				
Syphilis (38)	11	3			1			1	5	2	1		1			2				
Convulsions (80)	10		2		2	1	1	1	7	1					1					
Bronchitis (99)	9									4					1					
Broncho-pneumonia (100)	93			1	1	4	6	2	14	10	17	9	6	6	7	8	1	8	4	4
Pneumonia (101)	76	1			1	3	3	5	13	10	6	8	6	6	5	3	4	7	6	2
Diseases of the stomach (111, 112)	13						1	1	2	4										
Diarrhea and enteritis (113)	277		1		4	3	5	4	17	19	37	35	27	29	22	17	13	22	17	22
Congenital malformations (159)	106	19	19	7	18	7	3	2	75	9	5	4	3	2	2	2			2	2
Congenital debility (160)	85	10	1	2	4	15	6	6	44	10	10	5	10	3	1				1	
Premature birth (161a)	478	261	60	27	55	31	17	9	460	11	2	3			1					
Injury at birth (161b)	78	36	14	6	14	8			78											
Other diseases of early infancy (162, 163)	46	16	2	7	7	7	3	3	45	1					3				1	2
External causes (175-203)	32					1	1	1	3	2	7	9	1	3	1	3			1	2
Unknown or ill-defined diseases (204, 205)	116	21	5	4	12	13	5	7	67	12	8	6	5	2	6	3	7	2	1	3
All other causes	107	1	2	1	7	5	5	7	28	15	9	16	9	5	4	4			2	7
<b>SOUTH CAROLINA (COLORED), all causes.</b>	2,751	398	153	112	223	168	103	92	1,249	264	208	158	145	131	149	100	110	91	60	86
Measles (7)	1										1									
Scarlet fever (8)																				
Whooping cough (9)	47						1	1	2	7	5	7	4	4	6	3	4	3	3	2
Diphtheria (10)	17			2	2				4	2	2	1	1	1	1	3			1	1
Influenza (11)	180			1	2	5	4	5	17	15	13	13	8	12	12	9	11	7	6	7
Dysentery (16)	56					2	2		4	6	3	7	8	1	4	7	5	4	2	5
Erysipelas (21)	1							1	1											
Meningococcus meningitis (24)	1															1				
Tetanus (29)	10				4	5	1		10											
Tuberculosis of the respiratory system (31)	1									1						1				1
Tuberculosis of the meninges, etc. (32)	2																			
Other forms of tuberculosis (33-37)	1																			
Syphilis (38)	82	11	5	3	5	4	3	1	32	10	6	5	11	4	5		2		6	1
Convulsions (80)	41	1	1	2	8	5	3	1	4	4	4	3	3	3		1				1
Bronchitis (99)	10																			
Broncho-pneumonia (100)	103			1	2	3	3	2	12	9	7	13	11	11	14	4	7	7	3	5
Pneumonia (101)	89			1	2	4	3	6	21	23	16	18	17	23	18	12	15	15	7	7
Diseases of the stomach (111, 112)	34								25	9	10	4	5	7	3	1	6	2	8	8
Diarrhea and enteritis (113)	343	6		5	6	6	8	8	27	34	44	34	35	24	31	26	26	25	14	23
Congenital malformations (159)	34								19	2	1	2	3	4	1	1			1	1
Congenital debility (160)	221	33	13	8	29	16	16	10	125	32	12	11	8	9	10	5	3		1	5
Premature birth (161a)	573	234	103	50	75	48	25	20	555	14	5	2		1	1					
Injury at birth (161b)	41	25	4	1	8	7	4	2	41											
Other diseases of early infancy (162, 163)	51	9	3	9	14	7	4	2	48	3										
External causes (175-203)	22	2			2	1		1	6	3	3	2		1	2		2	1		2
Unknown or ill-defined diseases (204, 205)	481	75	18	25	42	41	21	20	242	53	49	21	18	13	22	16	16	12	10	9
All other causes	190	2			10	7	6	10	35	33	26	13	7	14	15	10	14	10	5	8
<b>TENNESSEE (WHITE), all causes.</b>	3,355	654	192	120	229	220	149	123	1,687	325	225	195	135	146	109	97	90	106	111	129
Measles (7)	55				2	1	3	4	10	12	1	3	1	3	6	7	2	1	4	5
Scarlet fever (8)	1																			
Whooping cough (9)	141			1			1	6	8	30	13	15	13	8	5	5	9	9	9	17
Diphtheria (10)	26					2	2		4	4	1	3	1	1	1	3	3	1	3	3
Influenza (11)	147			1	4	9	8	7	29	30	8	17	5	10	12	6	5	13	9	3
Dysentery (16)	37					1	1		2	2		3	6	7	2	4	1	4	3	3
Erysipelas (21)	10								1	1	1			2	2					2
Meningococcus meningitis (24)	7								1	3					1					
Tetanus (29)	7	1			3	3			7						1	1				
Tuberculosis of the respiratory system (31)	14							1	1	1		2		1	4	1	1	1		1
Tuberculosis of the meninges, etc. (32)	17							1	2				1			2	5	3	2	1
Other forms of tuberculosis (33-37)	9								1	1						1	2	1		3
Syphilis (38)	15	1				1	3	1	6	2	3	2							1	1
Convulsions (80)	14			2	4	1	2	1	10		1	1			1					1
Bronchitis (99)	11								1	4			2	1	1					1
Broncho-pneumonia (100)	230			1	7	15	14	11	48	26	31	21	10	19	12	9	16	17	11	10
Pneumonia (101)	128		1	2	4	9	8	4	28	13	14	14	6	12	4	5	6	9	7	10
Diseases of the stomach (111, 112)	28					3	2	1	6	3	1	4	4	5	1	2				
Diarrhea and enteritis (113)	451	1	1	2	4	7	8	9	32	37	43	45	43	50	36	26	23	30	38	48
Congenital malformations (159)	142	26	15	14	28	11	8	5	107	9	9	8	2	3	2	1			1	1
Congenital debility (160)	176	36	12	7	15	19	12	8	109	23	13	9	6	2	2	5	2			5
Premature birth (161a)	715	401	87	37	60	58	25	16	684	18	7	2	1		2					
Injury at birth (161b)	122	51	23	13	22	9	2	2	122											





MORTALITY STATISTICS

TABLE 11.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM IMPORTANT CAUSES, FOR CERTAIN SUBDIVISIONS OF THE FIRST YEAR OF LIFE, IN REGISTRATION STATES AND LARGE CITIES NOT IN THE BIRTH REGISTRATION AREA: 1926—Continued

[See note at head of this table, p. 369]

AREA AND CAUSE OF DEATH	Deaths under 1 year of age	By duration of illness							By duration of illness												
		Under 1 day	1 day	2 days	3 to 6 days	1 week	2 wks.	3 wks.	Under 1 month	1 mo.	2 mos.	3 mos.	4 mos.	5 mos.	6 mos.	7 mos.	8 mos.	9 mos.	10 mos.	11 mos.	
<b>NEW ORLEANS, LA. (WHITE), all causes</b>	<b>411</b>	<b>99</b>	<b>19</b>	<b>22</b>	<b>22</b>	<b>13</b>	<b>13</b>	<b>2</b>	<b>190</b>	<b>37</b>	<b>27</b>	<b>20</b>	<b>24</b>	<b>26</b>	<b>13</b>	<b>25</b>	<b>12</b>	<b>11</b>	<b>14</b>	<b>12</b>	
Measles (7)	1																				
Scarlet fever (8)	14									2	3	1	3	1	1						4
Whooping cough (9)																					
Diphtheria (10)	43		1						2	5	4	2	4	5	3	8	3	3	4		
Influenza (11)						1															
Dysentery (16)	2									1						1					
Erysipelas (21)	1																				
Meningococcus meningitis (24)	1																				
Tetanus (29)	3																				
Tuberculosis of the respiratory system (31)	1								1												
Tuberculosis of the meninges, etc. (32)	3																				
Other forms of tuberculosis (33-37)	1																				
Syphilis (38)	6				1	1			2	1			2	1							
Convulsions (80)	1																				1
Bronchitis (99)	40								4	8	7	1	3	5	1	3	2	1	3	1	2
Broncho-pneumonia (100)	12		1						3	2		2	3	1	1	3	1	1	3	1	2
Pneumonia (101)																					
Diseases of the stomach (111, 112)	70					1			1	10	4	8	8	9	5	8	3	6	6	2	
Diarrhea and enteritis (113)	34	5	4	3	5	3	2	1	23	2	1	2	1	1	1	2	1	1	6	6	2
Congenital malformations (159)	7			1					5												
Congenital debility (160)	99	3		1				1	23												
Premature birth (161a)	38	70	7	7	4	4	3	1	95	2	2	1		1							
Injury at birth (161b)	9	16	3	10	4	2	1		38												
Other diseases of early infancy (162, 163)	4	3	2		3		1		9												
External causes (175-203)	1	1		1	1				3							1					
Unknown or ill-defined diseases (204, 205)	26	1	1		1	1			4	4	6	2	3	1	3		2				1
<b>NEW ORLEANS, LA. (COLORED), all causes</b>	<b>397</b>	<b>80</b>	<b>16</b>	<b>13</b>	<b>20</b>	<b>31</b>	<b>8</b>	<b>11</b>	<b>179</b>	<b>37</b>	<b>35</b>	<b>25</b>	<b>24</b>	<b>19</b>	<b>21</b>	<b>18</b>	<b>10</b>	<b>16</b>	<b>5</b>	<b>8</b>	
Measles (7)	1																				1
Scarlet fever (8)	9																				1
Whooping cough (9)	18																				
Diphtheria (10)																					
Influenza (11)						2			2	3	1	4		1	1	2	2	1	1		
Dysentery (16)																					
Erysipelas (21)	5																				
Meningococcus meningitis (24)	26	2		2	2	6	3	1	16	3	3	1		1	1	1					
Tetanus (29)	6	1	1		1				3												
Tuberculosis of the respiratory system (31)	68	1				3	1	2	7	5	12	8	6	3	5	7	4	6	1	1	4
Tuberculosis of the meninges, etc. (32)	18				1	1			2	2	4	1	1	3	2	2		1			2
Other forms of tuberculosis (33-37)																					
Syphilis (38)	84					1	2	6	9	16	10	7	13	9	8	4	3	3	2		
Convulsions (80)	12	4	1	2		2			2	1											
Bronchitis (99)	6								9												
Broncho-pneumonia (100)	84								2												
Pneumonia (101)	12								9												
Diseases of the stomach (111, 112)	6								2												
Diarrhea and enteritis (113)	84	58	7	3	5	7	1		81	3											1
Congenital malformations (159)	24	8	3	6	5	6			23	1											
Congenital debility (160)	14	6	4		2	2			14												
Premature birth (161a)																					
Injury at birth (161b)																					
Other diseases of early infancy (162, 163)																					
External causes (175-203)																					
Unknown or ill-defined diseases (204, 205)	20				2	3	1		6	3	2	2	2	2	2	1		2			
<b>KANSAS CITY, MO. (WHITE), all causes</b>	<b>478</b>	<b>104</b>	<b>23</b>	<b>18</b>	<b>31</b>	<b>26</b>	<b>23</b>	<b>20</b>	<b>245</b>	<b>36</b>	<b>24</b>	<b>23</b>	<b>21</b>	<b>21</b>	<b>20</b>	<b>28</b>	<b>15</b>	<b>22</b>	<b>12</b>	<b>11</b>	
Measles (7)	9													1	1	2	2	1	1	1	1
Scarlet fever (8)	10								1	4	1		1			1				1	1
Whooping cough (9)	15																				
Diphtheria (10)																					
Influenza (11)	4																				
Dysentery (16)	1																				
Erysipelas (21)	3									2	1										
Meningococcus meningitis (24)	19	2			1	2		3	8	2	1	1	4			1					
Tetanus (29)	1																				
Tuberculosis of the respiratory system (31)	53								10	9	3	3	4	2	5	5	4	4	2	2	2
Tuberculosis of the meninges, etc. (32)	13								3	2	1	1	4	1	1	2	1	1	2	2	
Other forms of tuberculosis (33-37)	4								1												
Syphilis (38)	70								4	8	6	10	4	7	8	12	3	4	3	1	
Convulsions (80)	45	12	3	6	5	3	3	3	35	2	1	2	2	1	1						
Bronchitis (99)	3								1												
Broncho-pneumonia (100)	111	66	15	4	7	7	6	4	109	1	1										
Pneumonia (101)	37	18	2	6	9	2	2	2	37												
Diseases of the stomach (111, 112)	16	3	2		4	2	2	2	15	1											
Diarrhea and enteritis (113)	11	1				1	1		3	2											
Congenital malformations (159)	1	1							1												
Congenital debility (160)																					
Premature birth (161a)																					
Injury at birth (161b)																					
Other diseases of early infancy (162, 163)																					
External causes (175-203)																					
Unknown or ill-defined diseases (204, 205)																					
All other causes	51	1	1	2	1	6	1	3	15	3	5	3	2	8	3	4	1	3	1	3	

DEATHS OF INFANTS, BY DAYS, WEEKS, AND MONTHS

TABLE 11.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM IMPORTANT CAUSES, FOR CERTAIN SUBDIVISIONS OF THE FIRST YEAR OF LIFE, IN REGISTRATION STATES AND LARGE CITIES NOT IN THE BIRTH REGISTRATION AREA: 1926—Continued

[See note at head of this table, p. 369]

AREA AND CAUSE OF DEATH	Deaths under 1 year of age	Under 1 year of age																		
		Under 1 day	1 day	2 days	3 to 6 days	1 week	2 wks.	3 wks.	Under 1 month	1 mo.	2 mos.	3 mos.	4 mos.	5 mos.	6 mos.	7 mos.	8 mos.	9 mos.	10 mos.	11 mos.
<b>KANSAS CITY, MO. (COLORED), all causes</b>	100	12	2	3	6	5	2	4	34	7	8	5	5	6	6	8	6	2	8	5
Measles (7)																				
Scarlet fever (8)																				
Whooping cough (9)	2														1				1	
Diphtheria (10)																				
Influenza (11)	6							1	1					1	1		1	1	1	
Dysentery (16)																				
Erysipelas (21)																				
Meningococcus meningitis (24)																				
Tetanus (29)																				
Tuberculosis of the respiratory system (31)	1																			1
Tuberculosis of the meninges, etc. (32)																				
Other forms of tuberculosis (33-37)																				
Syphilis (38)	3	1				1			2	1										
Convulsions (80)																				
Bronchitis (99)	1																			
Broncho-pneumonia (100)	38				2	1	1	1	5	3	1	3	1	2	4	6	2		3	3
Pneumonia (101)	5													1	1	1	1		1	1
Diseases of the stomach (111, 112)																				
Diarrhea and enteritis (113)	13									1	1	2	3	1		1	1	1	2	
Congenital malformations (159)	4				2	1		1	4											
Congenital debility (160)	2				1			1	2											
Premature birth (161a)	15	8	1	2		1	1	1	14	1										
Injury at birth (161b)	2	1		1				2	2											
Other diseases of early infancy (162, 163)	3	2	1					3												
External causes (175-203)	1								1											
Unknown or ill-defined diseases (204, 205)																				
All other causes	4					1			1				1	1		1				
<b>ST. LOUIS, MO. (WHITE), all causes</b>	334	176	41	40	73	43	39	29	441	81	71	64	56	45	39	30	29	28	30	20
Measles (7)	15							1	1	2			1	3		3	2		2	1
Scarlet fever (8)																				
Whooping cough (9)	26							1	1	5	2	5	3	2		1	2	1	3	1
Diphtheria (10)	8														1	2	3	1		1
Influenza (11)	18						1	1	2	2	2	2	3	1	2	1	2	1	2	
Dysentery (16)	9												1	1	2			2	2	1
Erysipelas (21)	5							1	1	1	1							1	1	1
Meningococcus meningitis (24)	3								1			2								
Tetanus (29)	1				1				1											
Tuberculosis of the respiratory system (31)	1																1	1		1
Tuberculosis of the meninges, etc. (32)	5																		1	1
Other forms of tuberculosis (33-37)	12																			
Syphilis (38)	1	2	1	1				1	5	3	1	1		1	1					
Convulsions (80)																				
Bronchitis (99)	6							1	1			1	1	2						1
Broncho-pneumonia (100)	136				3	6	9	8	27	26	13	15	12	10	8	5	7	5	5	3
Pneumonia (101)	42				1	1	2	3	7	2	5	4	7	4	1	2	1	5	3	2
Diseases of the stomach (111, 112)	1																			
Diarrhea and enteritis (113)	156				2	4	12	6	24	10	28	17	19	14	13	6	9	7	5	4
Congenital malformations (159)	103	19	3	11	21	7	5	2	68	9	7	6	3	3	2	2		1	2	
Congenital debility (160)	10				1				5	3	2									
Premature birth (161a)	205	119	23	12	29	15	4		202	2	1									
Injury at birth (161b)	61	27	10	8	10	3	1	2	61											
Other diseases of early infancy (162, 163)	21	9	4	2	3				18	3									3	
External causes (175-203)	12			1			1		2	1		1		3		1	1	3		
Unknown or ill-defined diseases (204, 205)	1				1				1											
All other causes	76				2	6	4	2	14	11	9	9	4	4	6	7	2	3	3	4
<b>ST. LOUIS, MO. (COLORED), all causes</b>	212	30	12	10	13	7	6	5	83	20	13	11	11	12	15	11	11	6	8	11
Measles (7)	1																			
Scarlet fever (8)																				
Whooping cough (9)	11												1	1		1		2	3	3
Diphtheria (10)																				
Influenza (11)	2									1					1					
Dysentery (16)	2								1					1						
Erysipelas (21)	1								1											
Meningococcus meningitis (24)																				
Tetanus (29)																				
Tuberculosis of the respiratory system (31)																				
Tuberculosis of the meninges, etc. (32)	2																			
Other forms of tuberculosis (33-37)																				
Syphilis (38)	6		1	1					2	2	1	1								
Convulsions (80)																				
Bronchitis (99)	4				1			1	6	7	9	6	6	3	13	7	4	1	2	8
Broncho-pneumonia (100)	72				3		1	1	4	2	2	1	3	3	2	1	1	1	1	
Pneumonia (101)	15				1		2	1	4	2										
Diseases of the stomach (111, 112)																				
Diarrhea and enteritis (113)	16							1	2	2	3	1		3	1	1	2		1	
Congenital malformations (159)	7		1		1	2	1	1	6											
Congenital debility (160)	4								2	1										
Premature birth (161a)	42	22	7	4	3	2	2	1	41	1			1							
Injury at birth (161b)	6	4	1	1					6											
Other diseases of early infancy (162, 163)	9	3	1	2	3				9											
External causes (175-203)	2																			
Unknown or ill-defined diseases (204, 205)																				
All other causes	10		1	1	1	1			4	2				2			1	1		



DEATHS OF INFANTS, BY DAYS, WEEKS, AND MONTHS

TABLE 11.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM IMPORTANT CAUSES, FOR CERTAIN SUBDIVISIONS OF THE FIRST YEAR OF LIFE, IN REGISTRATION STATES AND LARGE CITIES NOT IN THE BIRTH REGISTRATION AREA: 1926—Continued

[See note at head of this table, p. 369]

AREA AND CAUSE OF DEATH	Deaths under 1 year of age	Under 1 year of age							Under 1 month											
		1 day	2 days	3 to 6 days	1 week	2 wks.	3 wks.	1 mo.	2 mos.	3 mos.	4 mos.	5 mos.	6 mos.	7 mos.	8 mos.	9 mos.	10 mos.	11 mos.		
NASHVILLE, TENN. (COLORED), all causes.....	120	20	5	5	3	8	5	4	50	8	6	8	10	8	8	6	5	4	3	4
Measles (7).....	1									1										
Scarlet fever (8).....																				
Whooping cough (9).....	5							1	1					1	1				1	
Diphtheria (10).....																				
Influenza (11).....	6						1				1				2			1	1	
Dysentery (16).....	3												1	1						
Erysipelas (21).....																				
Meningococcus meningitis (24).....																				
Tetanus (29).....																				
Tuberculosis of the respiratory system (31).....	3														1					1
Tuberculosis of the meninges, etc. (32).....																				
Other forms of tuberculosis (33-37).....																				
Syphilis (38).....	1		1						1											
Convulsions (80).....																				
Bronchitis (99).....	1																			
Broncho-pneumonia (100).....	17					2	2		4			1								2
Pneumonia (101).....	4												3	3	2	1				2
Diseases of the stomach (111, 112).....	2												1	1						1
Diarrhea and enteritis (113).....	21						1		1	2	1	2	1	3	2	4	3	1		1
Congenital malformations (159).....																				
Congenital debility (160).....	6	1	1		1				3	1		1							1	
Premature birth (161a).....	22	16	1		1	3			21	1										
Injury at birth (161b).....	5	2	2		1				5											
Other diseases of early infancy (162, 163).....	3			2					3											
External causes (175-203).....	1								1											
Unknown or ill-defined diseases (204, 205).....	14			2	1		1	2	6	1			2	2	1					2
All other causes.....	5	1			2				3	1	1									
DALLAS, TEX., all causes.....	440	89	26	16	30	35	17	10	223	32	33	34	22	18	22	16	12	12	8	8
Measles (7).....																				
Scarlet fever (8).....																				
Whooping cough (9).....	16							1	1	3										
Diphtheria (10).....	1																			
Influenza (11).....	35		1			3	2		6	4	4	3	3	5	4	5		1	1	
Dysentery (16).....	5									1										
Erysipelas (21).....																				
Meningococcus meningitis (24).....																				
Tetanus (29).....	1					1			1											
Tuberculosis of the respiratory system (31).....	2																			
Tuberculosis of the meninges, etc. (32).....	2																			
Other forms of tuberculosis (33-37).....																				
Syphilis (38).....	7	2	1						3	2					1					
Convulsions (80).....																				
Bronchitis (99).....	2																			
Broncho-pneumonia (100).....	43								8	4	5	1	5	6	3	5	3	1	1	1
Pneumonia (101).....	28				2	3	1	3	9	4	4	5	1	3	1	2	1	1	1	1
Diseases of the stomach (111, 112).....																				
Diarrhea and enteritis (113).....	43	5	2	1	3	9	1	1	2	2	7	6	7	4	6				5	2
Congenital malformations (159).....	32								21	4	2	2	2	2						1
Congenital debility (160).....	15			1	1	1	1		4	1	5	3	1							
Premature birth (161a).....	135	65	16	7	17	15	6	3	129	4										1
Injury at birth (161b).....	30	14	5	5	5	1			30											
Other diseases of early infancy (162, 163).....	7	1	1	1		1			4	2	1									
External causes (175-203).....	4										2									
Unknown or ill-defined diseases (204, 205).....	1																			
All other causes.....	31	2		1		1	1		5	5	2	4	3	1	3	1	4		2	1
FORT WORTH, TEX., all causes.....	202	43	11	6	12	6	6	9	93	17	15	8	11	13	18	9	4	6	5	3
Measles (7).....																				
Scarlet fever (8).....																				
Whooping cough (9).....	3									2					1					
Diphtheria (10).....																				
Influenza (11).....	15							1	1	1	2	1	3	1	2	1			2	1
Dysentery (16).....	2																			
Erysipelas (21).....	1																			
Meningococcus meningitis (24).....																				
Tetanus (29).....																				
Tuberculosis of the respiratory system (31).....	2												1	1						
Tuberculosis of the meninges, etc. (32).....																				
Other forms of tuberculosis (33-37).....																				
Syphilis (38).....	4	1							1						2				1	
Convulsions (80).....	1		1						1											
Bronchitis (99).....																				
Broncho-pneumonia (100).....	17							2	2	4	5	1	1	1	1	1			1	1
Pneumonia (101).....	14				1		2	2	3	1			2	2	2	2			1	1
Diseases of the stomach (111, 112).....																				
Diarrhea and enteritis (113).....	28									2	2	4	3	5	6			1	3	2
Congenital malformations (159).....	7		1	1	1			1	4	3										
Congenital debility (160).....	6	1		1		1		1	4		2									
Premature birth (161a).....	49	31	5		3	3	3	2	47	1										
Injury at birth (161b).....	11	4	2	2	2				11											
Other diseases of early infancy (162, 163).....	7	4	2	2	2	1			11											
External causes (175-203).....	7									3	1			1	2					
Unknown or ill-defined diseases (204, 205).....	1					1			1											
All other causes.....	23	2			2		1	2	7		3	1	1	2	1	5	1		1	1

MORTALITY STATISTICS

TABLE 11.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM IMPORTANT CAUSES, FOR CERTAIN SUBDIVISIONS OF THE FIRST YEAR OF LIFE, IN REGISTRATION STATES AND LARGE CITIES NOT IN THE BIRTH REGISTRATION AREA: 1926—Continued

[See note at head of this table, p. 369]

AREA AND CAUSE OF DEATH	Deaths under 1 year of age	By duration of illness							By duration of illness											
		Under 1 day	1 day	2 days	3 to 6 days	1 week	2 wks.	3 wks.	Under 1 month	1 mo.	2 mos.	3 mos.	4 mos.	5 mos.	6 mos.	7 mos.	8 mos.	9 mos.	10 mos.	11 mos.
HOUSTON, TEX. (WHITE), all causes..	229	45	11	15	14	12	8	7	112	30	9	14	12	7	7	11	8	5	8	6
Measles (7).....																				
Scarlet fever (8).....																				
Whooping cough (9).....	7								3	1	1	2	2	1	1	1			1	1
Diphtheria (10).....	6								1											
Influenza (11).....	8			1		2			3			2	2	1	1	1	1			
Dysentery (16).....	2														1				1	
Erysipelas (21).....																				
Meningococcus meningitis (24).....																				
Tetanus (29).....	1				1				1											
Tuberculosis of the respiratory system (31).....	1																		1	
Tuberculosis of the meninges, etc. (32).....	2																		1	1
Other forms of tuberculosis (33-37).....																	2			
Syphilis (38).....	5					1			1	2										
Convulsions (80).....																				
Bronchitis (99).....																				
Broncho-pneumonia (100).....	9						1		1	3	1		2		1			1		
Pneumonia (101).....	13				1		1		2	1	3	1	3		1			2		
Diseases of the stomach (111, 112).....	2													1	2			1		
Diarrhea and enteritis (113).....	24								2	1		4	2	2	2	4	2	1	2	2
Congenital malformations (159).....	15	2		4	1	1	1	1	9	5				1						
Congenital debility (160).....	16								8	4	1	2	1							
Premature birth (161a).....	50	29	4	5	3	5	4	1	47	2	1	1								
Injury at birth (161b).....	22	7	4	3	6				20	2										
Other diseases of early infancy (162, 163).....	6	3	2	1					6											
External causes (175-203).....	2	1							1					1						
Unknown or ill-defined diseases (204, 205).....	24	1			2	1		2	6	4	2	2	1		2	2	2		2	1
All other causes.....	14	2		1		1	1		5	2	1		1		1	1	1		1	1
HOUSTON, TEX. (COLORED), all causes.....	107	13	8	3	10	9	3	4	50	7	4	11	7	6	5	4	6	4	1	2
Measles (7).....																				
Scarlet fever (8).....																				
Whooping cough (9).....	4										1						1	2		
Diphtheria (10).....																				
Influenza (11).....	9									1		2	1	3		1	1			
Dysentery (16).....																				
Erysipelas (21).....																				
Meningococcus meningitis (24).....																				
Tetanus (29).....																				
Tuberculosis of the respiratory system (31).....	2														1				1	
Tuberculosis of the meninges, etc. (32).....																				
Other forms of tuberculosis (33-37).....																				
Syphilis (38).....	4				1				1	1	1								1	
Convulsions (80).....	2				1				1											1
Bronchitis (99).....																				
Broncho-pneumonia (100).....	9				1	1	1	1	4			1	1	1	1					1
Pneumonia (101).....	7	1							1	1		1	1	1		1	1			1
Diseases of the stomach (111, 112).....																				
Diarrhea and enteritis (113).....	8									2	1	2	1			1	1			
Congenital malformations (159).....																				
Congenital debility (160).....	2								1						1					
Premature birth (161a).....	12	7	1	1	1			1	11	1										
Injury at birth (161b).....	6	1	3			2			6											
Other diseases of early infancy (162, 163).....	2	1		1					2											
External causes (175-203).....	2								1						1					
Unknown or ill-defined diseases (204, 205).....	34	3	4	1	6	5	1	1	21	1	1	4	3	1	1	2				
All other causes.....	4								1						1					
SAN ANTONIO, TEX., all causes.....	606	63	30	18	38	26	21	29	225	54	40	45	40	37	33	34	31	20	19	28
Measles (7).....	2									1							1			
Scarlet fever (8).....																				
Whooping cough (9).....	20								3	1		1	3	4		3	3	1		1
Diphtheria (10).....	2																			
Influenza (11).....	35	1				1		2	4	5	3	2	1	2	4	2	4	1	2	5
Dysentery (16).....	15								3			3	1	2		1	2			3
Erysipelas (21).....																				
Meningococcus meningitis (24).....	2														1	1				
Tetanus (29).....	9				3	4	2		9											
Tuberculosis of the respiratory system (31).....																				
Tuberculosis of the meninges, etc. (32).....	3											1				1	1			
Other forms of tuberculosis (33-37).....																				
Syphilis (38).....	13	1		1	1	2		2	7	5	1									1
Convulsions (80).....	7				1				1		2				1					
Bronchitis (99).....	5												1		1					
Broncho-pneumonia (100).....	41		1	1	1	2	3	3	11	5	6	3	1	2	4	2	2	2	1	2
Pneumonia (101).....	35				1	2	3	3	6	4	3	4	2	4	1	2	3	4		1
Diseases of the stomach (111, 112).....	3									1										
Diarrhea and enteritis (113).....	198				3	1	5	9	18	20	19	23	25	20	15	15	11	10	10	12
Congenital malformations (159).....	14	2	2	1	4	1	1		11	1										
Congenital debility (160).....	13		1	1	2	2			8	1	1	1			1					
Premature birth (161a).....	105	47	18	6	14	9	7	3	104	1										
Injury at birth (161b).....	19	5	3	4	2	1	2	1	18		1									
Other diseases of early infancy (162, 163).....	12	3	3	2	3		1		12											
External causes (175-203).....	3								1			1								
Unknown or ill-defined diseases (204, 205).....	27	3	2	2	3	1		1	13	2	2	1	1	1	2	3	1	1	1	1
All other causes.....	23								1	2	1	6	2	1	3	1	4		1	1

NOTE.—Populations in reports of Fourteenth Census of the United States, 1920: Vol. II, Ch. III, Tables 13, 15, and 16, and Thirteenth Census of the United States, 1910: Vol. I, Ch. IV, Tables 43, 49, and 50.

---

---

SUPPLEMENT

HAWAII AND VIRGIN ISLANDS

# HAWAII

**TABLE 1.—POPULATION OF THE TERRITORY OF HAWAII AND ITS SUBDIVISIONS, BY RACE, ACCORDING TO THE CENSUS OF 1920**

RACE	POPULATION JAN. 1, 1920							
	Hawaii Territory	Hilo city	Honolulu city	Hawaii County (exclusive of Hilo city)	Honolulu County (exclusive of Honolulu city)	Kalawao County	Kauai County	Maui County
Total.....	255,912	10,431	83,327	54,464	40,200	667	29,438	37,385
Hawaiian.....	23,723	789	8,459	5,408	2,276	399	1,728	4,664
Part Hawaiian.....	18,027	830	9,072	2,841	1,387	118	1,106	2,673
Caucasian-Hawaiian.....	11,072	488	5,970	1,540	853	85	634	1,602
Asiatic-Hawaiian.....	6,955	342	3,102	1,301	534	33	472	1,171
Caucasian.....	54,742	2,705	24,125	8,908	6,610	71	5,427	6,896
Portuguese.....	27,002	1,836	9,978	5,210	2,095	45	3,190	4,648
Porto Rican.....	5,602	122	841	1,946	964	4	891	834
Other Caucasian.....	22,138	747	13,306	1,752	3,551	22	1,346	1,414
Chinese.....	23,507	662	13,383	1,987	3,547	23	1,810	2,095
Japanese.....	109,274	4,849	24,522	25,032	19,945	24	14,582	17,320
Korean.....	4,950	93	1,319	1,188	1,045	13	642	650
Filipino.....	21,031	485	2,113	6,027	5,283	15	4,104	3,004
All others.....	658	18	334	73	107	4	39	83

**TABLE 2.—DEATHS (EXCLUSIVE OF STILLBIRTHS), AND DEATH RATES PER 1,000 POPULATION, BY RACE, IN THE TERRITORY OF HAWAII: 1926**

RACE	DEATHS (EXCLUSIVE OF STILLBIRTHS) IN—								
	Hawaii Territory		Hilo city	Honolulu city	Hawaii County (exclusive of Hilo city)	Honolulu County (exclusive of Honolulu city)	Kalawao County	Kauai County	Maui County
	Number	Rate per 1,000 estimated population, July 1, 1926							
Total.....	3,886	13.0	234	1,556	583	540	40	351	582
Hawaiian.....	654	29.5	30	279	124	47	26	44	104
Part Hawaiian.....	354	16.3	23	182	47	21	8	13	60
Caucasian-Hawaiian.....	223	17.7	16	123	21	11	6	8	38
Asiatic-Hawaiian.....	131	14.4	7	59	26	10	2	5	22
Caucasian.....	659	10.6	43	345	81	61	-----	42	87
Portuguese.....	285	9.5	25	124	39	13	-----	28	56
Porto Rican.....	98	16.1	5	25	30	16	-----	11	11
Other Caucasian.....	276	10.8	13	196	12	32	-----	3	20
Chinese.....	286	11.6	12	173	25	30	2	22	22
Japanese.....	1,186	9.2	97	412	193	164	1	132	187
Korean.....	75	14.3	3	29	9	15	1	9	9
Filipino.....	660	19.7	26	128	104	201	2	86	113
All others.....	12	31.3	-----	8	-----	1	-----	3	-----

TABLE 3.—DEATHS (EXCLUSIVE OF STILLBIRTHS) BY SEX AND MONTHS, IN THE TERRITORY OF HAWAII: 1926

AREA AND SEX	All deaths <sup>1</sup>	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
Territory of Hawaii.....	3,886	358	365	348	356	361	294	304	308	264	300	287	341
Males.....	2,361	215	240	213	199	216	165	193	188	169	172	163	228
Females.....	1,525	143	125	135	157	145	129	111	120	95	128	124	113
Hilo city:													
Males.....	145	17	13	12	11	12	9	13	15	10	14	10	9
Females.....	89	10	6	9	5	4	5	8	6	6	11	13	6
Honolulu city:													
Males.....	914	78	90	85	84	80	54	78	78	70	73	63	81
Females.....	642	55	46	58	72	69	54	48	54	41	58	47	40
Hawaii County (exclusive of Hilo city):													
Males.....	353	30	35	34	24	38	24	28	24	30	22	28	36
Females.....	230	15	25	18	28	17	25	17	11	8	17	25	24
Honolulu County (exclusive of Honolulu city):													
Males.....	345	32	35	38	30	32	30	31	31	12	21	19	34
Females.....	195	26	17	14	20	20	17	16	19	8	11	11	16
Kalawao County:													
Males.....	28		1	2	1	3	3	5		2	4	1	6
Females.....	12	3	1	2	3	1				1			
Kauai County:													
Males.....	219	18	29	19	17	27	14	7	19		11	15	22
Females.....	132	11	11	9	7	13	13	12	13	8	15	12	8
Maui County:													
Males.....	357	40	37	23	32	24	31	31	21	24	27	27	40
Females.....	225	23	19	25	22	21	14	10	17	23	16	16	19

<sup>1</sup> Exclusive of stillbirths.

TABLE 4.—DEATHS (EXCLUSIVE OF STILLBIRTHS) BY RACE, SEX, AND AGE, IN THE TERRITORY OF HAWAII: 1926

RACE AND SEX	All deaths <sup>1</sup>	Under 1 year					Under 5 years															Age unknown							
		1 year	2 years	3 years	4 years	5 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 39 years	40 to 44 years	45 to 49 years	50 to 54 years	55 to 59 years	60 to 64 years	65 to 69 years	70 to 74 years	75 to 79 years	80 to 84 years	85 to 89 years	90 to 94 years	95 to 99 years	100 years and over			
Total.....	3,886	1,159	187	91	49	43	1,529	105	79	91	161	149	146	158	183	208	213	173	186	180	128	84	46	29	19	10	5	4	
Males.....	2,361	618	101	46	28	27	820	65	42	38	103	76	71	95	123	147	152	128	145	139	92	65	26	14	11	4	2	3	
Females.....	1,525	541	86	45	21	16	709	40	37	53	58	73	75	63	60	61	61	45	41	41	36	19	20	15	8	6	3	1	
Hawaiian:																													
Males.....	330	52	7	9	2	2	72	4	4	10	17	6	8	13	22	20	23	15	23	40	24	15	4	3	3	2	1	1	
Females.....	324	56	6	5		1	68	1	12	20	9	13	21	14	15	19	28	14	19	19	18	7	9	6	6	3	3		
Part Hawaiian:																													
Males.....	203	88	18	2	3	3	114	9	6	7	12	4	7	5	8	6	4	3	4	4	7	2	1						
Females.....	161	74	8	4	1	2	89	3	6	5	6	9	5	6	5	6	6	1	4	2	1	2							
Caucasian-Hawaiian:																													
Males.....	135	52	13	2	1		68	5	2	7	10	3	6	4	6	4	3	2	4	2	7	1	1						
Females.....	88	39	5	2	1	2	49	1	2		4	6	3	3	4	5		1	4	2	1	2		1					
Asiatic-Hawaiian:																													
Males.....	68	36	5		2	3	46	4	4		2	1	1	2	2	2	1	1		2									
Females.....	63	35	3	2			40	2	4	5	2	3	2	3	1	1					1								
Caucasian:																													
Males.....	405	69	11	4	2	5	91	10	9	5	22	13	12	13	19	29	28	17	25	31	28	24	12	9	6	2			
Females.....	254	63	10	5	7	4	89	6	3	7	9	5	10	14	10	12	9	10	10	13	14	9	10	8	2	3		1	
Portuguese:																													
Males.....	156	38	8	3	2	4	55	4	6	1	4	6	1	4	6	6	8	5	10	7	11	13	1	3	3	2			
Females.....	129	29	8	2	4	3	46	4	3	5	6	2	5	8	5	6	2	2	6	7	5	3	8	1	2	2		1	
Porto Rican:																													
Males.....	55	13	2	1			16	3		2	2		1	4	3	6	5	3	4	3	1	1		1					
Females.....	43	22		1	1		24			1	1	2		2	3	2				3		1	1						
Other Caucasian:																													
Males.....	194	18	1			1	20	3	3	2	16	7	10	5	10	17	15	9	11	21	16	10	11	5	3				
Females.....	82	12	2	2	2	1	19	2		1	2	1	5	4	2	4	7	6	4	3	9	5	1	6		1			
Chinese:																													
Males.....	237	29	4	2	3	3	41	1	3	1	1	1	6	3	4	20	19	20	39	30	17	18	9	1	2			1	
Females.....	49	12	1		1	2	16	5	1	1	3	4	3	5	1	3	2			1	1	1							
Japanese:																													
Males.....	712	179	41	20	14	13	267	35	17	9	13	14	6	34	48	50	58	66	48	81	13	3							
Females.....	474	164	43	23	10	7	247	18	10	18	19	24	26	17	26	16	20	16	8	6	2		1						
Korean:																													
Males.....	65	4	1	1		1	7	1	1	1				3	10	14	14	5	4	2	1	1							
Females.....	10	6		1			7		1						1	1													
Filipino:																													
Males.....	398	196	19	8	4		227	5	2	5	36	38	32	22	11	8	5	2	1	1	1	1						1	
Females.....	262	166	18	7	2		193	7	4	2	12	18	10	7	3	4		2											
All other:																													
Males.....	11	1					1							2	1						1	1		1					
Females.....	1																1												

<sup>1</sup> Exclusive of stillbirths.

MORTALITY STATISTICS

TABLE 5.—DEATHS (EXCLUSIVE OF STILLBIRTHS), AND DEATH RATES PER 100,000 POPULATION, FROM IMPORTANT CAUSES, IN THE TERRITORY OF HAWAII: 1926

[Numbers under causes of death correspond to those of the 1920 revision of the detailed International List]

AREA	All causes (exclusive of stillbirths) 1	Typhoid and paratyphoid fever	Malaria	Smallpox	Measles	Scarlet fever	Whooping cough	Diphtheria	Influenza	Erysipelas	Meningococcus meningitis	Tuberculosis of the respiratory system	Tuberculosis of the meninges, etc.	Other forms of tuberculosis	Cancer and other malignant tumors	Rheumatism	Diabetes mellitus	Cerebral hemorrhage and softening
		5	6	7	8	9	10	11	21	24	31	32	33-37	43-49	51, 52	57	74, 83	
Territory of Hawaii	3,886	27			36	1	15	30	49	11	13	336	22	29	197	4	32	173
Hilo city	234	6			2			8		2		27		2	18	1	2	12
Honolulu city	1,556	8			5		9	12	19	5	10	177	16	9	94	1	20	64
Hawaii County (exclusive of Hilo city)	583	4			11			4	7		2	27	1	3	23		1	28
Honolulu County (exclusive of Honolulu city)	540	2			7		1	3	11			18	2	2	20		2	31
Kalawao County	40											1						
Kauai County	351	1			10	1	4	2	9	1		31	2	1	22	1	4	17
Maui County	582	6			1		1	1	3	3	1	55	1	12	20	1	3	21
DEATH RATE PER 100,000 ESTIMATED POPULATION																		
Territory of Hawaii	1,300.7	9.0			12.0	0.3	5.0	10.0	16.4	3.7	4.4	112.5	7.4	9.7	65.9	1.3	10.7	57.9

  

AREA	Diseases of the heart	Bronchitis	Pneumonia (all forms)	Diar-rhea and enteritis (under 2 years)	Ap-pen-dicitis and typh-litis	Hern-ia, intes-tinal ob-struc-tion	Cir-rhosis of the liver	Nep-hritis	Puer-peral septi-cemia	Other puer-peral causes	Con-genital malfor-mations and diseases of early infancy	Sui-cide	Homi-cide	Auto-mo-bile acci-dents	Other external causes	Un-known or ill-defined diseases	All other causes
Territory of Hawaii	296	38	551	333	30	28	27	193	18	46	333	61	22	60	180	9	686
Hilo city	21	1	29	19	3	2	1	12	4	1	13			3	10		35
Honolulu city	113	13	207	72	12	17	18	107	5	21	123	32	13	25	60	1	268
Hawaii County (exclusive of Hilo city)	50	3	97	73	5	1	3	26	3	9	51	9	3	7	26	2	104
Honolulu County (exclusive of Honolulu city)	33	12	101	74	2	1	3	12	1	5	37	10	2	8	33		107
Kalawao County				1				1									37
Kauai County	41	1	36	28	2	2		13	2	4	44	2	1	6	19	5	39
Maui County	38	8	81	66	6	5	2	22	3	6	65	8	3	11	32	1	96
DEATH RATE PER 100,000 ESTIMATED POPULATION																	
Territory of Hawaii	99.1	12.7	184.4	111.5	10.0	9.4	9.0	64.6	6.0	15.4	111.5	20.4	7.4	20.1	60.2	3.0	229.6

TABLE 6.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE, BY RACE, IN THE TERRITORY OF HAWAII: 1926

List No.	CAUSE OF DEATH	All deaths	Ha-waiian	PART HAWAIIAN			CAUCASIAN				Chi-nese	Japa-nese	Ko-rean	Fili-pino	All others
				Total	Cau-casian-Ha-waiian	Asi-atic-Ha-waiian	Total	Portu-guese	Porto Rican	Other Cau-casian					
	All causes (exclusive of stillbirths)	3,886	654	354	223	131	659	285	98	276	286	1,186	75	660	12
	I.—Epidemic, endemic, and infectious diseases	700	163	61	37	24	77	38	15	24	36	232	15	114	2
1	Typhoid and paratyphoid fever	27	13	2	1	1	1	1			1	9		1	
7	Measles	36	2				4	4				26		4	
8	Scarlet fever	1					1	1				1			
9	Whooping cough	15	3	1		1	1	1				8	1	1	
10	Diphtheria	30	2				6	5			1	19			
11a	Influenza (with pulmonary complications)	28	5	2	1	1	5	1	1	3	1	8	1	6	
11b	Influenza (other and unspecified)	21	10	2	2		3	2	1		1	2		3	
16	Dysentery	4	1									2		2	
17	Plague	1					2					2		2	
20	Leprosy	41	26	8	6	2					2	1	2	2	
21	Erysipelas	11		1	1		2				1	9		5	
24	Meningococcus meningitis	13	1				1					5		5	
27	Anthrax	1		4	4		1	4	1					3	
29	Tetanus	19	1				5					6		3	
	Tuberculosis (all forms)	387	83	35	18	17	33	15	7	11	25	123	8	78	2
31	Of the respiratory system	336	73	30	17	13	27	14	5	8	23	103	8	70	2
32	Of the meninges, central nervous system	22	3	3		3	2	1		1	2	10		3	
33	Of the intestines, peritoneum	17	2	1		1	2		2		8			3	
34	Of the vertebral column	2	2											1	
35	Of the joints	3	1				1					1		1	
36	Of other organs	4	1				1					1		1	
37a	Disseminated (acute)	3	1	1	1		1								
38	Syphilis	46	10	5	3	2	10	3	2	5	2	8	3	8	
40	Gonococcus infection	9	5				2	1	1			2			
41	Purulent infection, septicemia	4		1	1		2	1	1	1		1			

TABLE 6.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE, BY RACE, IN THE TERRITORY OF HAWAII: 1926—Continued

List No.	CAUSE OF DEATH	All deaths	PART HAWAIIAN			CAUCASIAN				Chinese	Japanese	Korean	Filipino	All others	
			Hawaiian	Total	Caucasian-Hawaiian	Asiatic-Hawaiian	Total	Portuguese	Porto Rican						Other Caucasian
	II.—General diseases not included in Class I.	400	48	23	15	8	60	24	6	30	26	140	10	91	2
	Cancer and other malignant tumors	197	34	9	9		38	13	3	22	16	84	8	6	2
43	Of the buccal cavity	5					3	2		1	1	1			
44	Of the stomach, liver	106	12	5	5		14	6	2	6	9	55	7	2	2
45	Of the peritoneum, intestines, rectum	17	8	1	1		2			2	2	3	1		
46	Of the female genital organs	36	10	3	3		6	3	1	2	15			2	
47	Of the breast	6	1				4			4				1	
48	Of the skin	1					1			1					
49	Of other or unspecified organs	26	3				8	2		6	4	10		1	
51	Acute rheumatic fever	3									1	1		1	
52	Chronic rheumatism, osteoarthritis, gout	1									1	1			
55	Beriberi	111		1		1				2	34	1		73	
56	Rickets	1		1		1									
57	Diabetes mellitus	32	7	4	3	1	11	8		1	9			2	
58	Anemia, chlorosis	5					1		1		2				
60a	Exophthalmic goiter	2								1	1				
60b	Other diseases of the thyroid gland	2	1											1	
61	Diseases of the parathyroid glands	1					1	1							
62	Diseases of the thymus gland	14	1	4	1	3	1	1	1	3				5	
63	Diseases of the adrenals (Addison's disease)	1					1	1							
65a	Leukemia	9	3	2	1	1				1	1			2	
65b	Hodgkin's disease	3					2		1	1				1	
66	Alcoholism (acute or chronic)	12	2				4	1		3	6				
68	Chronic poisoning by organic substances	3					1			1	1		1		
69	Other general diseases	3		2	1	1					1				
	III.—Diseases of the nervous system and of the organs of special sense	254	56	13	8	5	67	34	7	26	21	74	7	15	1
70	Encephalitis	4					1		1					3	
71a	Simple meningitis	10	1	1		1		1		1	4			2	
72	Tabes dorsalis (locomotor ataxia)	3	1				1	1		1					
73	Other diseases of the spinal cord	7	2	2	2	1	1			1	2				
74a	Cerebral hemorrhage	169	42	4	1	3	49	28	4	17	17	48	6	2	1
74b	Cerebral embolism and thrombosis	4	2	1	1		1	1							
75	Paralysis without specified cause	1		1											
76	General paralysis of the insane	11	2	1			3	1	1	1	5				
77	Other forms of mental alienation	6	1							1	1			3	
78	Epilepsy	7	1				3	1	1	1	2	1			
79	Convulsions (nonpuerperal; 5 years and over)	1									1				
80	Infantile convulsions (under 5 years)	9	1	1	1						3			4	
82	Neuralgia and neuritis	1					1	1							
84	Other diseases of the nervous system	5					2			2	1	2			
85	Diseases of the eye and annexa	1		1	1										
86a	Diseases of the ear	10	1	1		1	3			3	4			1	
86b	Diseases of the mastoid process	5	2	1	1						2				
	IV.—Diseases of the circulatory system	341	88	18	14	4	99	39	12	48	48	65	7	14	2
87	Pericarditis	1					1			1					
88	Endocarditis and myocarditis (acute)	19	2	3	1	2	7	4		3	1	5		1	
89	Angina pectoris	14	4	1	1		5	3		2	4				
90	Other diseases of the heart	262	69	13	11	2	67	26	9	32	40	53	7	11	2
91a	Aneurysm	5	1				2			2	1	1			
91b,c	Other diseases of the arteries	32	10	1	1		15	6	3	6	5	1			
92	Embolism and thrombosis (not cerebral)	5					2			2	1			2	
93	Diseases of the veins	2	2												
94	Diseases of the lymphatic system	1									1				
	V.—Diseases of the respiratory system	628	103	81	45	36	69	37	13	19	31	179	4	160	1
97b	Diseases of the nasal fossae and annexa	2					1	1			1				
98	Diseases of the larynx	3					2	2			1				
99a	Acute bronchitis	25	5	4	1	3				1	7			8	
99b	Chronic bronchitis	5	2	1	1					1	1				
99c,d	Bronchitis (unspecified)	8		1		1	2	1		1	1			4	
100a	Broncho-pneumonia	319	38	42	23	19	32	19	7	6	18	86	3	100	
100b	Capillary bronchitis	12	2	2	2						4	4		4	
101a	Lobar pneumonia	218	50	30	18	12	28	13	6	9	9	62	1	37	1
101b	Pneumonia (unspecified)	2	1								1	1			
102	Pleurisy	18	1	1		1	2			2	10			4	
103	Congestion and hemorrhagic infarct of the lung	1					1			1					
104	Gangrene of the lung	3	1								1			1	
105	Asthma	9	3				1	1			2			2	
107	Other diseases of the respiratory system (tuberculosis excepted)	3									3				
	VI.—Diseases of the digestive system	554	72	44	24	20	97	45	16	36	27	169	9	135	1
108	Diseases of the mouth and annexa	3					1	1		1				1	
109b	Other diseases of the pharynx, tonsils	6		1	1		4	1		3	1				
111a	Ulcer of the stomach	20	5	1	1		4	2	1	1	2	6	1	1	
111b	Ulcer of the duodenum	9					1		1		5			3	
112	Other diseases of the stomach (cancer excepted)	5								1	1			3	
113	Diarrhea and enteritis (under 2 years)	333	37	34	20	14	38	21	9	8	12	99	4	108	1
114	Diarrhea and enteritis (2 years and over)	68	12	2	2	2	15	9	2	4	4	28		7	
115	Ancylostomiasis	1												1	
117	Appendicitis and typhlitis	30	4	2		2	10	5	1	4	1	9	1	3	

MORTALITY STATISTICS

TABLE 6.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE, BY RACE, IN THE TERRITORY OF HAWAII: 1926—Continued

List No.	CAUSE OF DEATH	All deaths	PART HAWAIIAN			CAUCASIAN				Chi- nese	Japa- nese	Ko- rean	Fili- pino	All others
			Ha- waiian	Total	Cau- casian- Ha- waiian	Asi- atic- Ha- waiian	Total	Portu- guese	Porto Rican					
VI.—Diseases of the digestive system—Contd.														
118a	Hernia	9	4	1		1	3	2		1	1			
118b	Intestinal obstruction	19	1	1	1	1	3	1	1	1	2	9	3	
119	Other diseases of the intestines	1										1		
120	Acute yellow atrophy of the liver	2					1		1		1			
122	Cirrhosis of the liver	27	8				9	1		8	2	6	1	1
123	Biliary calculi	7	1				4	1		3	1	1		
124	Other diseases of the liver	12		2	1	1	2	1		1	3	1	4	
125	Diseases of the pancreas	2					2			2				
VII.—Nonvenereal diseases of the genito- urinary system and annexa														
		223	49	13	10	3	44	15	5	24	44	62	4	6
128	Acute nephritis (including unspecified under 10 years)	19	2	1	1		1		1		5	7		3
129	Chronic nephritis (including unspecified 10 years and over)	174	42	9	6	3	33	11	4	18	39	43	4	3
131	Other diseases of the kidneys and annexa	6	2				1	1			3			
132	Calculi of the urinary passages	4	1	1	1						2			
133	Diseases of the bladder	1										1		
134	Diseases of the urethra, etc.	2					1			1		1		
135	Diseases of the prostate	8	1	1	1		5	2		3		1		
137	Cysts, other benign tumors of the ovary	2					2	1		1				
138	Salpingitis and pelvic abscess (female)	2		1	1		1			1				
139	Benign tumors of the uterus	3	1								2			
140	Nonpuerperal uterine hemorrhage	1									1			
141	Other diseases of the female genital organs	1									1			
VIII.—The puerperal state														
		64	8	9	6	3	8	6	2		4	30		5
143	Accidents of pregnancy	10	1	2	2		2				1	4		2
144	Puerperal hemorrhage	19	4	2		2	2	1	1		2	8		1
145	Other accidents of labor	6	1				1	1			4			
146	Puerperal septicemia	18	2	3	2	1	2	1	1		1	8		2
148	Puerperal albuminuria and convulsions	11		2	2		3	3			6			
IX.—Diseases of the skin and of the cellular tissue														
		25	1	4	1	3	6	4	1	1	2	9		3
151	Gangrene	2					1	1			1			
152	Furuncle	10	1	2	1	1	1				1	5		1
153	Acute abscess	7		1		1	2	1		1	1	4		
154	Other diseases of the skin and annexa	6		1		1	3	2	1					2
X.—Diseases of the bones and of the organs of locomotion														
		10	1	2	1	1	1		1		1	3	1	1
155	Diseases of the bones (tuberculosis excepted)	8	1	2	1	1					1	2	1	1
156	Diseases of the joints (tuberculosis and rheumatism excepted)	2					1		1			1		
XI.—Malformations														
		39	2	7	4	3	7	5	1	1	3	12		8
159a	Congenital hydrocephalus	5		2	2		2	2						1
159b	Congenital malformations of the heart	23	1	5	2	3	2	1		1	8			6
159c	Other congenital malformations	11	1				3	2	1	2	4			1
XII.—Early infancy														
		294	20	54	38	16	53	23	15	15	12	92	2	61
160	Congenital debility, icterus, sclerema	42	2	4	2	2	6	2	3	1	2	10		18
161a	Premature birth	157	8	30	22	8	33	13	9	11	4	53	2	27
161b	Injury at birth	39	3	11	6	5	8	3	2	3	2	11		4
162	Other diseases peculiar to early infancy	53	7	7	6	1	6	5	1		4	18		11
163	Lack of care	3		2	2									1
XIII.—Old age (senility)														
164		22	11				6	3		3	5			
XIV.—External causes														
		323	29	24	20	4	65	12	4	49	26	118	16	43
Suicide														
		61		1		1	14	1		13	11	23	7	5
165	By poisons (gas or corrosives excepted)	16					4			4	1	8	2	1
166	By corrosive substances	3					1			1			1	1
167	By poisonous gas	1					1			1				
168	By hanging or strangulation	19					2			2		7	4	1
169	By drowning	6					3			3		2		
170	By firearms	7					3			2		2		
171	By cutting or piercing instruments	6		1		1	2			2		2		
172	By jumping from high places	6								1		4		1
173	By crushing	1										1		1
		2					1	1				1		
Homicide														
		22	2	1	1		2	1		1	1	4		12
197	By firearms	4	1											2
198	By cutting or piercing instruments	15		1	1		2	1		1		2		10
199	By other means	3										2		
Accidental or undefined														
		240	27	22	19	3	49	10	4	35	14	91	9	26
175	Poisoning by food	6	1	1	1							1	1	2
177	Other acute poisonings (gas excepted)	10	1				8			8		1		
178	Conflagration	2	1									1		
179	Burns (conflagration excepted)	18	1	1	1		1			1	1	10		4
181	Absorption of irrespirable, irritating, or poi- sonous gas	2					1			1		1		



MORTALITY STATISTICS

TABLE 7.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE, BY AGE, IN THE TERRITORY OF HAWAII: 1926—Continued

List No.	CAUSE OF DEATH	All deaths	Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 to 74 years	75 years and over	Ascertained
	III.—Diseases of the nervous system and of the organs of special sense.....	254	16	4	7	2		4	6	3	1	5	4	16	46	47	60	32	1
70	Encephalitis.....	4			1						1			1					
71a	Simple meningitis.....	10	2		4	1			1			1							
72	Tabes dorsalis (locomotor ataxia).....	3													2		1		
73	Other diseases of the spinal cord.....	7	1	1				1				1		1	1	1			
74a	Cerebral hemorrhage.....	169		1								1	2	5	34	42	53	30	1
74b	Cerebral embolism and thrombosis.....	4														1	2	1	
75	Paralysis without specified cause.....	1															1		
76	General paralysis of the insane.....	11							1				1	2	5	1	1		
77	Other forms of mental alienation.....	6										2		1	1	2			
78	Epilepsy.....	7						2	1	1			1	1	1				
79	Convulsions (nonpuerperal; 5 years and over).....	1						1											
80	Infantile convulsions (under 5 years).....	9	7		1	1													
82	Neuralgia and neuritis.....	1												1					
84	Other diseases of the nervous system.....	5	1							1							2	1	
85	Diseases of the eye and annexa.....	1							1										
86a	Diseases of the ear.....	10	4	2					2					1	1				
86b	Diseases of the mastoid process.....	5			1				1					2	1				
	IV.—Diseases of the circulatory system.....	341	4		1			5	9	6	7	7	9	27	66	67	66	67	
87	Pericarditis.....	1													1				
88	Endocarditis and myocarditis (acute).....	19	1					2	2		3	1	2	3	1	1	2	1	
89	Angina pectoris.....	14											1	2	4		1	1	
90	Other diseases of the heart.....	262	1		1			3	7	6	4	6	5	20	53	57	53	46	
91a	Aneurysm.....	5													3	1	1		
91b,c	Other diseases of the arteries.....	32											1	1	1	3	9	19	
92	Embolism and thrombosis (not cerebral).....	5	1										1	1	2				
93	Diseases of the veins.....	2												1	1				
94	Diseases of the lymphatic system.....	1	1																
	V.—Diseases of the respiratory system.....	628	319	61	24	9	5	12	8	8	19	14	10	37	33	23	28	18	
97b	Diseases of the nasal fossae annexa.....	2							1			1							
98	Diseases of the larynx.....	3		2					1										
99a	Acute bronchitis.....	25	23				1								1				
99b	Chronic bronchitis.....	5	1																
99c,d	Bronchitis (unspecified).....	8	5		1									1		1	3		
100a	Broncho-pneumonia.....	319	204	37	13	8	2	7	2	1	8	3	3	5	9	3	7	7	
100b	Capillary bronchitis.....	12	10	2															
101a	Lobar pneumonia.....	218	68	16	10	1	2	4	3	7	10	8	5	28	22	14	12	8	
101b	Pneumonia (unspecified).....	2	1										1						
102	Pleurisy.....	18	7	3					1		1	2				2	2		
103	Congestion and hemorrhagic infarct of the lung.....	1																	1
104	Gangrene of the lung.....	3												1			2		
105	Asthma.....	9													2		2	2	
107	Other diseases of the respiratory system (tuberculosis excepted).....	3		1											1	1			
	VI.—Diseases of the digestive system.....	554	281	64	21	11	10	12	10	3	6	9	15	30	36	23	17	6	
108	Diseases of the mouth and annexa.....	3						1						1			1		
109b	Other diseases of the pharynx, tonsils.....	6	1		1	1		1						1	1				
111a	Ulcer of the stomach.....	20									2	1	2	5	6	2	1	1	
111b	Ulcer of the duodenum.....	9											1	6	2				
112	Other diseases of the stomach (cancer excepted).....	5	2												1		1	1	
113	Diarrhea and enteritis (under 2 years).....	333	269	64								3	4	2	1	3	5	4	
114	Diarrhea and enteritis (2 years and over).....	68		20	9	7	6	3	1			1	1	1	1	1			
115	Ancylostomiasis.....	1																	
117	Appendicitis and typhlitis.....	30				1	2	3	5	1	1	1	4	4	3	3	2		
118a	Hernia.....	9	1										1		3	3	1		
118b	Intestinal obstruction.....	19	8			1	1	1				2		2	3		1		
119	Other diseases of the intestines.....	1													1				
120	Acute yellow atrophy of the liver.....	2								1					1				
122	Cirrhosis of the liver.....	27												5	9	8	4	1	
123	Biliary calculi.....	7											1	1	3	1	1		
124	Other diseases of the liver.....	12							1		3	1	2	1	3	1			
125	Diseases of the pancreas.....	2													1	1			
	VII.—Nonvenereal diseases of the genito-urinary system and annexa.....	223	4		1		3	8	2	4	4	3	7	27	35	50	49	26	
128	Acute nephritis (including unspecified under 10 years).....	19	4		1		1	4	1	1			3	2		1	1		
129	Chronic nephritis (including unspecified 10 years and over).....	174					2	4	1	1	2	3	1	19	30	46	43	22	
131	Other diseases of the kidneys and annexa.....	6								1					2	2		1	
132	Calculi of the urinary passages.....	4											1	2	1				
133	Diseases of the bladder.....	1													1				
134	Diseases of the urethra, etc.....	2									1								1
135	Diseases of the prostate.....	8														1	5	2	
137	Cysts, other benign tumors of the ovary.....	2												2					
138	Salpingitis and pelvic abscess (female).....	2											1		1				
139	Benign tumors of the uterus.....	3										1			1				
140	Nonpuerperal uterine hemorrhage.....	1								1					1				
141	Other diseases of the female genital organs.....	1												1					



MORTALITY STATISTICS

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM IMPORTANT CAUSES, BY MONTHS, IN THE TERRITORY OF HAWAII: 1926

[Numbers after causes of death correspond to those of the 1920 revision of the detailed International List]

CAUSE OF DEATH	All deaths	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
All causes (exclusive of stillbirths).....	3,886	358	365	348	356	361	294	304	303	264	300	287	341
Typhoid and paratyphoid fever (1).....	27	2	1	3	1	.....	2	4	3	4	4	2	1
Malaria (5).....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Smallpox (6).....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Measles (7).....	36	3	1	4	3	4	2	.....	1	3	7	3	6
Scarlet fever (8).....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....
Whooping cough (9).....	15	.....	.....	1	.....	5	3	1	2	2	.....	.....	1
Diphtheria (10).....	30	3	6	4	.....	1	1	3	1	4	.....	1	6
Influenza (11).....	49	2	4	4	7	10	5	7	5	1	.....	2	2
Dysentery (16).....	4	.....	.....	.....	.....	.....	1	1	1	1	.....	.....	.....
Erysipelas (21).....	11	.....	.....	1	.....	.....	1	2	2	1	1	.....	3
Lethargic encephalitis (23).....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Meningococcus meningitis (24).....	13	1	1	.....	6	1	1	.....	2	.....	1	.....	.....
Tuberculosis of the respiratory system (31).....	336	35	34	26	25	33	22	27	34	32	23	26	19
Other forms of tuberculosis (32-37).....	51	5	4	4	3	4	3	5	4	2	5	3	4
Diabetes mellitus (57).....	32	1	4	3	4	2	2	3	3	.....	6	3	1
Cerebral hemorrhage and softening (74, 83).....	173	17	21	15	10	16	16	18	10	9	10	13	18
Other (organic) diseases of the heart (90).....	262	23	18	26	26	23	22	17	18	16	28	28	17
Bronchitis (99).....	38	3	.....	5	3	7	1	6	2	4	2	1	4
Broncho-pneumonia (100).....	331	30	44	35	34	14	21	23	19	24	24	25	38
Pneumonia (101).....	220	23	21	30	27	24	21	11	14	9	10	9	21
Diarrhea and enteritis [under 2 years] (113).....	333	41	33	22	31	29	29	18	29	27	29	25	20
Diarrhea and enteritis [2 years and over] (114).....	65	6	6	7	5	8	5	5	7	6	4	3	7
Nephritis (128, 129).....	193	17	21	21	18	17	11	16	21	11	14	10	16
Puerperal septicemia (146).....	18	.....	3	1	1	1	4	1	3	.....	2	2	.....
Other puerperal causes (143-145, 147-150).....	46	2	4	2	7	3	6	2	4	2	6	5	3
Suicide (165-174).....	61	11	5	9	4	3	2	9	3	.....	5	4	6
Automobile accidents (188c).....	60	6	5	4	6	5	4	6	6	4	5	3	6
Other external causes (175-188a, b, d-203).....	202	16	24	15	15	23	16	16	16	17	10	16	18
All other causes.....	1,276	111	105	106	115	128	93	103	98	87	103	103	124

TABLE 9.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM IMPORTANT CAUSES, FOR CERTAIN SUBDIVISIONS OF THE FIRST YEAR OF LIFE, IN THE TERRITORY OF HAWAII: 1926

[Numbers after causes of death correspond to those of the 1920 revision of the detailed International List]

CAUSE OF DEATH	Deaths under 1 year of age	Age in months																		
		Under 1 day	1 day	2 days	3 to 6 days	1 wk.	2 wks.	3 wks.	Under 1 mo.	1 mo.	2 mos.	3 mos.	4 mos.	5 mos.	6 mos.	7 mos.	8 mos.	9 mos.	10 mos.	11 mos.
All causes (exclusive of stillbirths).....	1,159	134	42	17	54	63	34	35	379	197	104	75	69	65	48	50	60	51	31	30
Measles (7).....	10	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	1	3	3	.....	2
Scarlet fever (8).....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....
Whooping cough (9).....	13	.....	.....	.....	.....	.....	.....	.....	.....	2	2	2	3	.....	.....	1	1	.....	.....	1
Diphtheria (10).....	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....
Influenza (11).....	6	.....	.....	.....	.....	.....	.....	.....	.....	2	.....	1	1	.....	.....	1	1	.....	.....	.....
Dysentery (16).....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Erysipelas (21).....	2	.....	.....	.....	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Meningococcus meningitis (24).....	6	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Tetanus (29).....	8	.....	.....	.....	3	3	1	.....	7	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Tuberculosis of the respiratory system (31).....	5	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....
Tuberculosis of the meninges, etc. (32).....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Other forms of tuberculosis (33-37).....	22	1	.....	.....	1	3	.....	.....	5	6	2	1	1	1	.....	.....	.....	2	1	1
Syphilis (38).....	7	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Convulsions (30).....	29	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Bronchitis (99).....	29	.....	.....	.....	.....	5	1	.....	6	8	3	.....	2	3	3	2	.....	.....	.....	.....
Broncho-pneumonia (100).....	214	.....	1	.....	2	6	4	3	16	39	26	8	16	18	18	16	17	9	20	11
Pneumonia (101).....	69	.....	.....	.....	.....	2	1	.....	3	7	6	8	5	6	7	8	9	3	6	1
Diseases of the stomach (111, 112).....	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Diarrhea and enteritis (113).....	269	.....	1	.....	4	6	9	8	28	57	37	33	25	20	15	12	17	12	7	6
Congenital malformations (159).....	36	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Congenital debility (160).....	42	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Premature birth (161a).....	157	76	20	9	14	17	7	5	148	8	6	.....	.....	.....	.....	.....	.....	.....	.....	.....
Injury at birth (161b).....	39	26	5	1	6	.....	.....	.....	39	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Other diseases of early infancy (162, 163).....	56	21	8	3	8	8	3	1	52	4	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
External causes (175-203).....	12	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Unknown or ill-defined diseases (204, 205).....	3	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
All other causes.....	147	3	1	1	6	7	4	6	28	48	17	12	8	6	2	4	7	6	4	5

# VIRGIN ISLANDS

**TABLE 1.—ENUMERATED POPULATION<sup>1</sup> BY SEX AND COLOR, IN THE VIRGIN ISLANDS: 1917**

AREA AND SEX	COLOR OR RACE					AREA AND SEX	COLOR OR RACE				
	Total	White	Negro	Mixed	Other colored		Total	White	Negro	Mixed	Other colored
Virgin Islands.....	26,051	1,922	19,523	4,563	43	St. John.....	958	4	690	264	1
Males.....	11,999	1,198	8,990	1,778	33	Males.....	509	4	374	130	1
Females.....	14,052	724	10,533	2,785	10	Females.....	450		316	134	
St. Croix.....	14,901	625	12,238	2,016	22	St. Thomas.....	10,191	1,298	6,596	2,283	20
Males.....	7,133	371	5,894	850	18	Males.....	4,357	823	2,722	798	14
Females.....	7,768	254	6,344	1,166	4	Females.....	5,834	470	3,873	1,485	6

<sup>1</sup> The first census of population under the auspices of the United States Government.

NOTE.—Mixed designates persons of mixed white and Negro blood.

**TABLE 2.—DEATHS (EXCLUSIVE OF STILLBIRTHS) BY SEX, COLOR, AND MONTHS, IN THE VIRGIN ISLANDS: 1926**

AREA, SEX, AND COLOR	All deaths <sup>1</sup>	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
		Virgin Islands.....	499	31	29	34	39	57	40	47	52	48	35
Males.....	241	18	13	15	21	27	18	21	21	26	19	19	23
Females.....	258	13	16	19	18	30	22	26	31	22	16	17	28
White.....	17	1		1	1	4		2	2	3	1		2
Males.....	12		1		1	2		1	1			1	3
Females.....	5					2		1	1				
Negro.....	223	17	13	14	20	23	18	18	19	23	13	19	21
Males.....	240	13	15	19	17	28	22	24	30	22	15	16	25
Females.....	1							1					
Other colored.....	1												
St. Croix:													
Males.....	156	12	8	8	16	20	14	14	12	14	13	11	14
Females.....	147	11	9	9	9	20	11	15	14	14	12	12	11
White.....	5	1				2		1		1			1
Males.....	2												
Females.....	3												
Negro.....	150	11	8	8	16	18	14	12	12	13	13	11	14
Males.....	145	11	9	9	9	20	11	15	14	14	12	11	10
Females.....	5												
Males.....	1							1					
Other colored.....	1												
St. John:													
Negro.....	4			1					1		1	1	
Males.....	6			2		1		1	1				
Females.....													
St. Thomas:													
Males.....	81	6	5	6	5	7	4	7	8	12	5	7	9
Females.....	105	2	7	8	9	9	11	10	16	7	4	5	17
White.....	12			1	1	2		1	2	2	1		2
Males.....	10		1		1	2		2	1	1	1		2
Females.....	2												
Negro.....	69	6	5	5	4	5	4	6	6	10	4	7	7
Males.....	95	2	6	8	8	7	11	8	15	7	3	5	15
Females.....													

<sup>1</sup> Exclusive of stillbirths.

**TABLE 3.—DEATHS (EXCLUSIVE OF STILLBIRTHS) BY SEX, COLOR, AND AGE, IN THE VIRGIN ISLANDS: 1926**

AREA, SEX, AND COLOR	All deaths <sup>1</sup>	Under 5 years				Under 5 years	Age unknown																					
		Under 1 year	1 year	2 years	3 years		4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 39 years	40 to 44 years	45 to 49 years	50 to 54 years	55 to 59 years	60 to 64 years	65 to 69 years	70 to 74 years	75 to 79 years	80 to 84 years	85 to 89 years	90 to 94 years	95 to 99 years	100 years and over	
Virgin Islands.....	499	73	16	6	5	2	102	5	6	11	18	15	18	17	26	25	31	40	39	38	36	35	17	12	6	2		
Males.....	241	35	12	4	3	2	53	3	1	4	7	6	12	6	9	15	15	23	24	22	16	15	3	3	6	2		
Females.....	258	38	4	4	3	2	49	2	5	7	11	9	6	11	17	10	16	17	15	16	20	14	6	6	2			
White.....	17		2		1		3			1	1		3		4					1	1	1		2				
Males.....	12	1					1	1													2	2						
Females.....	5						2														1	1						
Negro.....	223	35	10	2	1	2	50	3	1	3	6	6	9	6	5	15	15	23	24	22	15	13	3	4				
Males.....	246	37	4	4	3	2	48	1	5	7	10	9	6	11	17	8	14	17	15	15	18	18	14	6	5	2		
Females.....	1																				1							
Other colored.....	1																											
St. Croix:																												
Males.....	156	18	9	2	1	1	31	3		2	3	5	7	3	5	11	11	14	17	16	12	12	2	3				
Females.....	147	23	3	2	3	1	31		3	4	4	8	4	6	11	5	12	11	9	8	10	9	7	2	3			
White.....	5												1		1					1	1	1						
Males.....	2																											
Females.....	3																											
Negro.....	150	18	9	2	1	1	31	3		2	3	5	6	3	4	11	11	14	17	14	11	10	8	7	2	3		
Males.....	145	23	3	2	3	1	31		3	4	4	8	4	6	11	4	12	11	9	8	10	8	7	2	3			
Females.....	5																											
Males.....	1																											
Other colored.....	1																											
St. John:																												
Negro.....	4	2					2												1									
Males.....	6	1					1													2	2							
Females.....																												
St. Thomas:																												
Males.....	81	15	3	1	1	1	20		1	2	4	1	5	3	4	4	4	8	7	8	4	2	1	3				
Females.....	105	14	1	2			17	2	2	1	7	1	2	5	6	4	4	6	6	5	8	11	7	4	2	3	2	
White.....	12		2		1		3				1				3													
Males.....	10	1					1	1			1				1													
Females.....	2						2																					
Negro.....	69	15	1			1	17	1	1	1	3	1	3	3	1	1	2	8	7	8	2	1	1	1	1			
Males.....	95	13	1	2			16	1	2	3	6	1	2	5	6	3	2	6	6	5	6	10	7	4	2	2		
Females.....																												

<sup>1</sup> Exclusive of stillbirths.

MORTALITY STATISTICS

TABLE 4.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE, BY COLOR, IN THE VIRGIN ISLANDS: 1926

List No.	CAUSE OF DEATH	VIRGIN ISLANDS			ST. CROIX		ST. JOHN (Negro)	ST. THOMAS		List No.	CAUSE OF DEATH	VIRGIN ISLANDS			ST. CROIX		ST. JOHN (Negro)	ST. THOMAS	
		Total	White	Negro	White	Negro		White	Negro			Total	White	Negro	White	Negro		White	Negro
	All causes (exclusive of stillbirths).....	1 499	29	469	7	295	10	22	164										
	I.—Epidemic, endemic, and infectious diseases.....	70	4	66	1	45		3	21	114	Diarrhea and enteritis (2 years and over).....	3	1	2		3		1	
5	Malaria.....	1	1					1		117	Appendicitis and typhilitis.....	2		2		1			1
16	Dysentery.....	11		11		11				118a	Hernia.....	7		7		4			3
20	Leprosy.....	4		4		4				118b	Intestinal obstruction.....	4		4		3			2
24	Meningococcus meningitis.....	1		1		1		1		122	Cirrhosis of the liver.....	2		2		1			1
29	Tetanus.....	6	1	5		4		1		124	Other diseases of the liver.....	1		1					1
	Tuberculosis (all forms).....	29	2	27	1	19		1	8		VII.—Nonvenereal diseases of the genito-urinary system and annexa.....	45	2	43	1	33		1	10
31	Of the respiratory system.....	27	2	25	1	18		1	7										
33	Of the intestines, peritoneum.....	2		2		1			1										
38	Syphilis.....	15		15		4			11										
42	Other infectious diseases.....	3		3		3				128	Acute nephritis (including unspecified under 10 years).....	6		6		6			
	II.—General diseases not included in Class I.....	55	3	52	2	38		1	14	129	Chronic nephritis (including unspecified 10 years and over).....	30	1	29	1	20			9
	Cancer and other malignant tumors.....	21	3	18	2	7		1	11	131	Other diseases of the kidneys and annexa.....	1		1		1			
43	Of the buccal cavity.....	2		2					2	135	Diseases of the prostate.....	3		3		3			
44	Of the stomach, liver.....	6	1	5	1	2			3	136	Nonvenereal diseases of the male genital organs.....	1		1		1			
46	Of the female genital organs.....	6	1	5	1	4		1	1	139	Benign tumors of the uterus.....	3	1	2		1		1	1
47	Of the breast.....	1	1		1					141	Other diseases of the female genital organs.....	1		1		1			
49	Of other or unspecified organs.....	6		6		1			5		VIII.—The puerperal state.....	3		3		1			2
50	Tumors, benign and unqualified (tumors of the female genital organs excepted).....	1		1		1			2	148	Puerperal albuminuria and convulsions.....	3		3		1			2
54	Pellagra.....	28		28		26			2										
55	Beriberi.....	1		1		1													
58	Anemia, chlorosis.....	1		1					1										
61	Diseases of the parathyroid glands.....	1		1		1													
65b	Hodgkin's disease.....	1		1		1													
69	Other general diseases.....	1		1		1				151	Gangrene.....	1		1		1			
	III.—Diseases of the nervous system and of the organs of special sense.....	28	1	27	1	18			9										
74a	Cerebral hemorrhage.....	12		12		7			5	159a	Congenital hydrocephalus.....	1		1		1			
74b	Cerebral embolism and thrombosis.....	3	1	2	1	1			1	159b	Congenital malformations of the heart.....	2		2					2
75	Paralysis without specified cause.....	6		6		4			2	159c	Other congenital malformations.....	2		2		1			1
76	General paralysis of the insane.....	2		2		2													
77	Other forms of mental alienation.....	3		3		3													
78	Epilepsy.....	2		2		1			1										
	IV.—Diseases of the circulatory system.....	1 149	7	141	1	76	8	6	57	160	Congenital debility, icterus, sclerema.....	9		9		9			
88	Endocarditis and myocarditis (acute).....	3	1	2		1		1	1	161a	Premature birth.....	15		15		9	1		5
89	Angina pectoris.....	2		2		1			1	161b	Injury at birth.....	1		1		1			
90	Other diseases of the heart.....	125	6	118	1	60	6	5	52	162	Other diseases peculiar to early infancy.....	3		3		2			1
91a	Aneurysm.....	2		2		1			1	164	XIII.—Old age (senility).....	5		5		4			1
91b,c	Other diseases of the arteries.....	15		15		12	1		2		XIV.—External causes.....	15	4	11		9		4	2
92	Embolism and thrombosis (not cerebral).....	1		1		1				170	Suicide.....	2	2					2	
94	Diseases of the lymphatic system.....	1		1		1				198	By firearms.....	2	2					2	
	V.—Diseases of the respiratory system.....	46	5	41	1	19		4	22		Homicide.....	1		1		1			
99a	Acute bronchitis.....	4	1	3		3		1			By cutting or piercing instruments.....	1		1		1			
99b	Chronic bronchitis.....	2		2		2				179	Accidental or undefined.....	12	2	10		8		2	2
100a	Broncho-pneumonia.....	32	4	28	1	11		3	17	182	Burns (conflagration excepted).....	6		6		5			1
101a	Lobar pneumonia.....	7		7		3			4	185	Drowning.....	2	1	1		1		1	
102	Pleurisy.....	1		1		3			1	188e,f	Traumatism by fall.....	1		1		1			
	VI.—Diseases of the digestive system.....	39	3	36		19		3	17	188g	Injuries by other vehicles.....	1		1		1			
111a	Ulcer of the stomach.....	5		5		3			2	183g	Landslide, other crushing.....	1	1			1			1
113	Diarrhea and enteritis (under 2 years).....	15	2	13		6		2	7	202	Other external violence.....	1		1					1
										205a	XV.—Ill-defined diseases.....	10		10		10			
											Ill-defined.....	10		10		10			

<sup>1</sup> Includes 1 death of "Other colored" in St. Croix Island.

TABLE 5.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE, BY AGE, IN THE VIRGIN ISLANDS: 1926

List No.	CAUSE OF DEATH	All deaths	Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 to 74 years	75 years and over	AGE UNKNOWN
	All causes (exclusive of stillbirths).....	499	73	16	6	5	2	5	6	11	18	15	18	43	56	79	74	72	
	I.—Epidemic, endemic, and infectious diseases.....	70	5	3	1			1	3	6	11	6	7	8	7	7	3	2	
5	Malaria.....	1												1					
16	Dysentery.....	11	2	2					1			2			2		1	1	
20	Leprosy.....	4											1	1	1			1	
24	Meningococcus meningitis.....	1			1														
29	Tetanus.....	6	2					1									3		
	Tuberculosis (all forms).....	29		1					1	4	9	2	3	4	1	4			
31	Of the respiratory system.....	27		1					1	4	9	2	2	4	1	3			
33	Of the intestines, peritoneum.....	2											1			1			
38	Syphilis.....	15	1						1	1	2	2	2	2	3		1		
42	Other infectious diseases.....	3								1			1				1		
	II.—General diseases not included in Class I.....	55	1			1					1	2	5	7	11	13	11	3	
	Cancer and other malignant tumors.....	21											1	2	5	4	6	3	
43	Of the buccal cavity.....	2														1		1	
44	Of the stomach, liver.....	6											1			1	2	2	
46	Of the female genital organs.....	6												1	3	2			
47	Of the breast.....	1													1				
49	Of other or unspecified organs.....	6												1	1		4		
50	Tumors, benign and unqualified (tumors of the female genital organs excepted).....	1											1						
54	Pellagra.....	28										2	3	5	6	7	5		
55	Beriberi.....	1								1									
58	Anemia, chlorosis.....	1														1			
61	Diseases of the parathyroid glands.....	1				1													
65b	Hodgkin's disease.....	1														1			
69	Other general diseases.....	1	1																
	III.—Diseases of the nervous system and of the organs of special sense.....	28								2		1		5	3	5	8	4	
74a	Cerebral hemorrhage.....	12												2	2	2	3	3	
74b	Cerebral embolism and thrombosis.....	3												1			1	1	
75	Paralysis without specified cause.....	6														3	3		
76	General paralysis of the insane.....	2							1								1		
77	Other forms of mental alienation.....	3												2	1				
78	Epilepsy.....	2							1			1							
	IV.—Diseases of the circulatory system.....	149	1					1	1	1	1		2	10	16	30	41	45	
88	Endocarditis and myocarditis (acute).....	3							1	1						1			
89	Angina pectoris.....	2													1			1	
90	Other diseases of the heart.....	125						1		1			2	9	13	27	36	36	
91a	Aneurysm.....	2												1		1			
91b,c	Other diseases of the arteries.....	15												1	1	1	5	8	
92	Embolism and thrombosis (not cerebral).....	1													1				
94	Diseases of the lymphatic system.....	1	1																
	V.—Diseases of the respiratory system.....	46	19	4	3	2	1	2	1		1	1			7	1	1	3	
99a	Acute bronchitis.....	4	3			1													
99b	Chronic bronchitis.....	2		1												1			
100a	Broncho-pneumonia.....	32	15	3	3	1		2			1				4		1	2	
101a	Lobar pneumonia.....	7	1												2			1	
102	Pleurisy.....	1													1				
	VI.—Diseases of the digestive system.....	39	10	6							2	1	1	2	7	5	3	2	
111a	Ulcer of the stomach.....	5	1								1	1		1			1		
113	Diarrhea and enteritis (under 2 years).....	15	9	6															
114	Diarrhea and enteritis (2 years and over).....	3												1	1	1			
117	Appendicitis and typhlitis.....	2											1			1			
118a	Hernia.....	7									1				3	1	1	1	
118b	Intestinal obstruction.....	4													2	1		1	
122	Cirrhosis of the liver.....	2														1	1		
124	Other diseases of the liver.....	1													1				
	VII.—Nonvenereal diseases of the genito-urinary system and annexa.....	45	1					1	1			2	1	9	4	15	5	6	
128	Acute nephritis (including unspecified under 10 years).....	6	1									1		2		2			
129	Chronic nephritis (including unspecified 10 years and over).....	30						1	1			1	1	6	1	12	4	3	
131	Other diseases of the kidneys and annexa.....	1														1			
135	Diseases of the prostate.....	3													1			2	
136	Nonvenereal diseases of the male genital organs.....	1															1		
139	Benign tumors of the uterus.....	3													2			1	
141	Other diseases of the female genital organs.....	1												1					
	VIII.—The puerperal state.....	3							1	1	1								
143	Puerperal albuminuria and convulsions.....	3							1	1	1								
	IX.—Diseases of the skin and of the cellular tissue.....	1															1		
151	Gangrene.....	1															1		

## MORTALITY STATISTICS

TABLE 5.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE, BY AGE, IN THE VIRGIN ISLANDS: 1926—Continued

List No.	CAUSE OF DEATH	All deaths	Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 to 74 years	75 years and over	Age un- known
	XI.—Malformations.....	5	5																
159a	Congenital hydrocephalus.....	1	1																
159b	Congenital malformations of the heart.....	2	2																
159c	Other congenital malformations.....	2	2																
	XII.—Early infancy.....	28	28																
160	Congenital debility, icterus, sclerema.....	9	9																
161a	Premature birth.....	15	15																
161b	Injury at birth.....	1	1																
162	Other diseases peculiar to early infancy.....	3	3																
164	XIII.—Old age (senility).....	5																5	
	XIV.—External causes.....	15	2	1		1			1	1	1	2	2		3	1			
	Suicide.....	2											1	1					
170	By firearms.....	2											1	1					
	Homicide.....	1														1			
198	By cutting or piercing instruments.....	1														1			
	Accidental or undefined.....	12	2	1		1			1	1	1	1	1		2	1			
179	Burns (conflagration excepted).....	6	1	1		1													
182	Drowning.....	2												1					
185	Traumatism by fall.....	1								1									
188e,f	Injuries by other vehicles.....	1														1			
188g	Landslide, other crushing.....	1																	
202	Other external violence.....	1	1										1						
	XV.—Ill-defined diseases.....	10	1	3	1	2									1			2	
205a	Ill-defined.....	10	1	3	1	2									1			2	

TABLE 6.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM IMPORTANT CAUSES, BY MONTHS, IN THE VIRGIN ISLANDS: 1926

[Numbers after causes of death correspond to those of the 1920 revision of the detailed International List]

CAUSE OF DEATH	All deaths	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
All causes (exclusive of stillbirths).....	499	31	29	34	39	57	40	47	52	48	35	36	51
Malaria (5).....	1				1								
Dysentery (16).....	11	1				1		2	2	1	2	1	1
Meningococcus meningitis (24).....	1			1									
Tuberculosis of the respiratory system (31).....	27	3	2	2	1	3	3	3		1	3	3	3
Other forms of tuberculosis (32-37).....	2			1		1							
Cerebral hemorrhage and softening (74, 83).....	15		1	4	2				2	2	3		1
Other [organic] diseases of the heart (90).....	125	5	12	8	11	17	13	12	10	8	9	7	13
Bronchitis (99).....	6				1	3			1				1
Broncho-pneumonia (100).....	32	3		2	2	6		2	4	2		3	8
Pneumonia (101).....	7				1	1			2			2	1
Diarrhea and enteritis [under 2 years] (113).....	15				1	1	2	3	4	2		2	1
Diarrhea and enteritis [2 years and over] (114).....	3			1					1	1			
Nephritis (128, 129).....	36	2		1	4	2	6	4	1	8		4	4
Other puerperal causes (143-145, 147-150).....	3		1				1						1
Suicide (165-174).....	2					1							
Other external causes (175-203).....	13		1			2		2	2	3	1	2	1
All other causes.....	200	17	12	14	15	20	15	19	23	20	15	14	16

---

---

## APPENDIX

---

CAUSES OF DEATH, BY AGE, SEX, AND COLOR, WITH CRUDE AND ADJUSTED  
DEATH RATES FOR CERTAIN CAUSES, IN THE  
REGISTRATION STATES OF 1920

---

---

## MORTALITY STATISTICS—APPENDIX

TABLE 1.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE, BY AGE, SEX, AND

List No.	CAUSE OF DEATH, SEX, AND COLOR	All deaths	Under 1 year	1 year	2 years	3 years	4 years	Under 5 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years
	All causes	1,167,297	145,624	28,780	12,876	8,377	6,430	202,087	21,001	15,778	26,581	35,171	36,493
	Both sexes	White 1,021,643	123,390	23,678	10,838	7,124	5,600	170,630	18,318	13,229	20,472	26,349	27,493
	Colored	145,654	22,234	5,102	2,038	1,253	830	31,457	2,683	2,549	6,109	8,822	9,000
	Males	White 551,137	70,331	12,765	5,768	3,915	2,989	95,768	10,225	7,484	10,775	13,208	13,456
	Colored	76,757	12,417	2,702	1,113	641	413	17,286	1,388	1,235	2,693	4,141	4,379
	Females	White 470,506	53,059	10,913	5,070	3,209	2,611	74,862	8,093	5,745	9,697	13,141	14,037
	Colored	68,897	9,817	2,400	925	612	417	14,171	1,295	1,314	3,416	4,681	4,621
	I.—Epidemic, endemic, and infectious diseases:												
	Males	White 73,902	7,608	4,479	2,307	1,541	1,165	17,100	3,152	1,616	2,746	4,040	4,175
	Colored	17,558	1,839	823	402	245	164	3,473	527	482	1,239	1,862	1,723
	Females	White 65,000	6,415	4,000	2,050	1,297	1,075	14,837	2,937	1,691	3,944	5,449	5,123
	Colored	16,932	1,574	777	357	234	156	3,098	516	703	1,832	2,387	1,998
1	Typhoid and paratyphoid fever:												
	Males	White 2,363	10	16	24	9	26	85	121	188	404	353	236
	Colored	870	9	7	8	7	7	38	73	86	162	165	96
	Females	White 1,746	0	6	23	23	20	78	140	202	302	240	158
	Colored	835	4	10	13	9	10	46	73	135	171	142	95
2	Typhus fever:												
	Males	White 5											1
5	Malaria:												
	Males	White 398	41	17	16	12	12	98	32	16	19	12	12
	Colored	449	56	28	17	22	7	130	41	17	35	27	12
	Females	White 391	41	18	14	11	7	91	35	24	13	27	17
	Colored	464	43	25	18	14	7	107	32	27	46	47	29
6	Smallpox:												
	Males	White 210	14	3	4	3	1	25	8	5	7	16	12
	Colored	20	2	1	1			4		1	3	2	
	Females	White 111	7	1	1		2	11	2	2	12	7	13
	Colored	18	4	1				5				2	1
7	Measles:												
	Males	White 3,942	1,024	1,249	524	265	158	3,220	407	84	66	41	21
	Colored	270	94	81	34	16	8	231	19	4	10	2	
	Females	White 3,536	854	1,038	418	225	160	2,695	382	105	73	45	31
	Colored	286	72	84	31	-19	7	213	33	9	9	7	6
8	Scarlet fever:												
	Males	White 1,191	49	138	138	137	120	582	325	94	67	35	28
	Colored	38	3	2	6	1	6	18	11	4	3		
	Females	White 1,152	37	96	106	100	104	443	319	108	70	64	38
	Colored	32	6		2	3	2	13	12	3	1	2	
9	Whooping cough:												
	Males	White 3,116	1,841	764	240	112	55	3,012	82	10	5	2	
	Colored	656	338	189	69	30	10	636	19	1			
	Females	White 3,662	1,963	958	350	155	84	3,510	122	14	3	1	1
	Colored	754	375	226	74	28	22	725	23	3			
10	Diphtheria:												
	Males	White 3,412	243	485	521	463	388	2,100	913	201	46	26	28
	Colored	276	40	33	53	39	27	197	52	13	3	1	2
	Females	White 3,141	180	397	423	354	344	1,698	942	204	63	40	36
	Colored	285	42	27	29	43	22	163	68	24	7	4	3
11a	Influenza (with pulmonary complications):												
	Males	White 10,438	1,570	649	262	138	87	2,706	217	132	233	238	246
	Colored	1,899	347	146	62	26	23	604	33	35	73	118	95
	Females	White 9,857	1,113	511	193	112	93	2,022	196	112	190	197	286
	Colored	1,792	256	109	51	22	22	460	41	37	88	103	115
11b	Influenza (other and unspecified):												
	Males	White 5,394	755	236	124	73	56	1,244	171	126	166	112	105
	Colored	1,030	204	47	26	17	6	300	20	30	39	48	42
	Females	White 5,767	559	209	95	61	49	973	163	106	129	124	142
	Colored	1,115	175	44	20	13	4	256	28	24	47	54	52
13	Mumps:												
	Males	White 42	8	5	2	4	2	21	5	1	5		1
	Colored	7						2	2			3	
	Females	White 39	3	3	2	3	1	12	6	2	1	1	1
	Colored	4	1	1				3		1			
15	Cholera nostras:												
	Males	White 52	14	5	1	2	2	24	2	1		1	
	Colored	12	2					2	1				1
	Females	White 51	9	3	1	2	3	18	2	1			
	Colored	17	4	3	1		1	9					1
16	Dysentery:												
	Males	White 975	246	176	51	26	17	516	20	13	8	7	9
	Colored	325	108	73	17	6	3	207	10		5	3	6
	Females	White 937	199	118	44	18	8	387	17	5	8	12	10
	Colored	340	99	37	14	7	2	179	4	2	8	13	8
17	Plague:												
	Males	Colored 1											1
19	Spirochetal hemorrhagic jaundice:												
	Males	White 23	6			1		7	1			2	3
	Colored	2											
	Females	White 20	5					5	3	1		1	1
	Colored	2	1		1			2					
20	Leprosy:												
	Males	White 14									1	1	1
	Colored	6										1	1
	Females	White 2											
	Colored	1											
21	Erysipelas:												
	Males	White 1,275	352	26	12	7	3	400	11	18	14	15	30
	Colored	65	17			2		19			1	1	2
	Females	White 1,093	334	38	8	4	5	389	8	11	11	20	18
	Colored	43	20		1			21	2			1	1
22	Acute anterior poliomyelitis:												
	Males	White 397	40	48	30	27	29	174	72	54	43	16	6
	Colored	45	8	4	6	3	4	25	10	2	3	2	
	Females	White 298	27	40	33	18	17	135	57	50	24	9	8
	Colored	30	8	7	1	2	2	20	6	1		2	
23	Lethargic encephalitis:												
	Males	White 659	17	33	14	12	16	92	33	24	50	41	36
	Colored	32		1	1	2	1	5			3	5	6
	Females	White 675	13	22	19	12	7	73	33	38	40	34	54
	Colored	35	3	1	1	1		6	2	2	2	6	2

CAUSES OF DEATH, BY AGE, SEX, AND COLOR

COLOR, IN THE REGISTRATION STATES OF 1920 (INCLUDING DISTRICT OF COLUMBIA): 1926

30 to 34 years	35 to 39 years	40 to 44 years	45 to 49 years	50 to 54 years	55 to 59 years	60 to 64 years	65 to 69 years	70 to 74 years	75 to 79 years	80 to 84 years	85 to 89 years	90 to 94 years	95 to 99 years	100 years and over	Age unknown	List No.
39,019 30,927 8,092	46,573 37,330 9,243	51,233 42,042 9,191	58,290 48,744 9,546	67,875 57,812 10,063	74,917 67,369 7,548	86,494 79,089 7,405	99,524 93,389 6,135	97,445 91,851 5,594	88,963 84,723 4,240	66,341 62,966 3,375	35,877 33,988 1,889	12,386 11,308 1,078	2,935 2,463 472	1,065 450 615	1,249 701 548	
16,228 4,107 14,699 3,985	20,445 4,752 16,385 4,461	24,291 4,839 17,751 4,352	28,164 5,138 20,580 4,408	33,016 5,623 24,796 4,440	38,361 4,232 29,008 3,316	44,110 4,085 34,979 3,320	51,450 3,369 41,939 2,766	49,079 3,092 42,772 2,502	43,556 2,342 41,167 1,898	30,272 1,810 32,694 1,565	15,019 968 18,969 921	4,648 495 6,660 683	943 195 1,520 277	175 247 275 368	464 341 237 207	
4,471 1,435 4,273 1,409	5,052 1,447 3,779 1,188	4,986 1,230 3,004 912	4,721 1,031 2,674 698	4,441 926 2,339 599	3,810 604 2,273 376	3,440 507 2,233 347	3,176 351 2,572 254	2,498 251 2,415 192	2,109 186 2,355 145	1,355 120 1,657 122	686 65 981 76	217 30 337 44	48 12 78 24	9 12 12 27	54 45 37 57	
174 52 126 43	168 48 107 33	149 41 86 24	124 32 80 24	118 33 61 14	75 10 57 15	77 15 35 10	43 8 35 1	29 6 24 3	14 1 9 1	3 1 5					2 3 1 4	
1 10 16 11 24	14 24 16 11 20	15 28 22 24	14 23 17 25	24 24 17 17	22 7 17 10	19 15 16 15	32 19 10 7	26 7 24 13	17 3 15 4	9 4 6 5	4 8 8 4	1 2 2 4		2 2 1	2 3 2 2	
11 3 8 1	11 7 12 2	22 3 12 2	23 1 13	20 1 1	16 7 2	10 2 1	10 5 1	7 1 1	2 2	2 2	3		2		6	
13 43 1	7 1 32 1	11 1 27	17 26 3	6 16	13 22	11 13 1	3 8	8 7	10 1 6	1 2	1 2				2 1 1	
29 44	16 1 26 1	7 1 16	8 7	6 6	2 2	1 7	2 2		1						8	
1	3				2		2	1	1						9	
16 4 31 5	19 1 32 3	16 2 20 3	12 17 2	7 14 2	10 11	5 14 1	4 4 1	3 1 7	3 5	1 2					2 10	
305 89 412 96	485 114 427 118	538 120 411 91	540 120 359 102	563 111 422 117	570 92 488 86	576 52 584 85	706 58 762 69	735 63 850 55	735 46 940 48	511 38 648 29	254 17 390 17	73 8 130 16	14 4 25 6	3 2 3 6	8 1 3 7	
98 30 171 39	142 37 164 53	178 43 192 69	182 50 181 57	198 54 193 53	239 61 198 59	257 58 272 63	346 50 380 41	420 45 518 52	485 40 620 43	499 40 603 42	281 20 409 33	112 11 168 18	30 5 46 14	6 5 8 16	7 2 7 2	
1 4	2 2	1 4	1 4		1 3	1 1	1 3	3 1	1 1	1 1					13	
1	1	2 1	1 2	1 1	1 3	1 2	2 9	7 5	4 3	5 6	2 1	2			15	
12 12 1	10 4 3	19 4 10	18 6 5	18 12 21 12	18 12 31 11	30 12 38 18	48 7 62 11	49 6 65 11	76 11 92 11	48 9 76 17	30 5 44 8	16 2 15 2	1 2 1 3	2 1 3	16	
1	1	2 1	1 3	1 1	1 2	1 1	2 1	1 1	1 1						19	
3	1	1 1	1 1	1 1	1 2	2 1	1 1	1	1						20	
34 29 2	39 7 38 3	66 8 29 2	49 7 46	81 5 65 4	80 2 58 2	83 4 57 2	104 4 75 2	85 1 70 1	79 1 63	56 1 58	22 1 36	8 1 10	1 2	1	21	
4 3	3 1 6	3 1	7 1 2 1	4 2	4 1	1 38	3 1	3 1	3		1				22	
31 2 35 2	46 4 55 1	51 2 46 5	48 1 53 3	50 2 63 1	51 2 49	41 1 38	33 34 3	14 12	12 11	4 7	2				23	

TABLE 1.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE, BY AGE, SEX, AND COLOR,

List No.	CAUSE OF DEATH, SEX, AND COLOR	All deaths	Under 1 year	1 year	2 years	3 years	4 years	Under 5 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years
I.—Epidemic, endemic, and infectious diseases—Continued													
24	Meningococcus meningitis:												
	Males..... White.....	724	138	66	28	34	27	293	85	59	84	52	30
	..... Colored.....	69	11	6	3	5	1	26	6	3	14	4	2
	Females..... White.....	458	93	61	29	19	19	221	66	39	22	23	16
	..... Colored.....	31	6	6	2	1	3	18	1	4	2		
25	Other epidemic and endemic diseases:												
	Males..... White.....	119	37	20	7	3	7	74	12	4		2	3
	..... Colored.....	7		1				1	3				
	Females..... White.....	108	33	15	14	4	6	72	11	6		1	2
	..... Colored.....	14	4				2	6		1		2	
26	Glanders:												
	Males..... White.....	1											
	Females..... White.....	1							1				
27	Anthrax:												
	Males..... White.....	7										2	
	..... Colored.....	2											1
	Females..... White.....	4											1
28	Rabies:												
	Males..... White.....	51			1	2	4	7	8	13		3	2
	..... Colored.....	4						1	1	1			
	Females..... White.....	23			1		3	4	6	4		2	1
29	Tetanus:												
	Males..... White.....	659	45	4	7	16	16	89	124	162	69	30	14
	..... Colored.....	213	65	2	2	1	2	72	25	28	16	8	6
	Females..... White.....	214	45	4	10	3	6	68	33	19	7	13	11
	..... Colored.....	100	46		1	1	2	50	8	6	5	6	3
30	Mycoses:												
	Males..... White.....	91	19			1		20	4	1	2	5	5
	..... Colored.....	51	36	6				42				1	1
	Females..... White.....	53	18					13			1		5
	..... Colored.....	27	20	4			1	25				1	
	Tuberculosis (all forms):												
	Males..... White.....	34,405	570	487	277	180	126	1,640	446	372	1,379	2,942	3,229
	..... Colored.....	9,185	127	159	90	61	51	488	186	241	837	1,367	1,296
	Females..... White.....	29,335	455	431	248	165	129	1,428	364	602	2,873	4,405	4,098
	..... Colored.....	9,241	115	143	86	66	42	452	177	407	1,367	1,813	1,523
31	Of the respiratory system—												
	Males..... White.....	30,142	167	130	72	30	17	416	127	193	1,169	2,667	2,995
	..... Colored.....	8,050	62	78	41	31	26	238	116	174	742	1,217	1,186
	Females..... White.....	25,482	132	119	68	42	29	390	111	430	2,593	4,072	3,816
	..... Colored.....	8,259	61	68	44	39	18	230	115	335	1,256	1,703	1,423
32	Of the meninges, central nervous system—												
	Males..... White.....	1,599	288	267	154	110	69	888	205	86	64	67	48
	..... Colored.....	305	49	46	33	19	19	166	36	20	17	16	16
	Females..... White.....	1,365	247	241	140	84	67	779	150	79	94	66	50
	..... Colored.....	249	33	39	25	21	20	138	27	21	16	7	10
33	Of the intestines, peritoneum—												
	Males..... White.....	960	38	39	18	9	14	118	36	35	58	75	62
	..... Colored.....	313	3	5	6	1	4	19	17	19	34	46	34
	Females..... White.....	1,120	28	25	10	12	5	80	32	36	81	124	111
	..... Colored.....	370	4	9	5	2	2	22	15	24	47	61	47
34	Of the vertebral column—												
	Males..... White.....	432	6	3	2	10	12	33	35	24	29	33	38
	..... Colored.....	95	1	2	1	1		4	2	8	8	17	11
	Females..... White.....	309	4	2	5	5	10	26	20	22	21	14	22
	..... Colored.....	50	1	1	1			2	5	8	5	2	5
35	Of the joints—												
	Males..... White.....	171	2	1	2	2	2	9	9	13	8	11	8
	..... Colored.....	49				1		1	1	4	2	9	7
	Females..... White.....	95	3	1	2		1	7	7	6	6	1	4
	..... Colored.....	31	4		1			5	3	1	2	4	2
36	Of other organs—												
	Males..... White.....	554	21	13	7	3	6	50	13	9	21	42	29
	..... Colored.....	97	2	2	1	2		7	7	8	9	10	8
	Females..... White.....	412	13	12	5	5	4	39	16	9	14	29	39
	..... Colored.....	67	1	1	1	1		4	1	4	6	9	10
37a	Disseminated (acute)—												
	Males..... White.....	436	44	29	19	12	5	109	18	10	25	34	42
	..... Colored.....	245	10	25	7	5	2	49	6	6	20	44	34
	Females..... White.....	443	25	28	17	14	13	97	24	18	60	82	43
	..... Colored.....	190	12	22	5	2	2	43	11	12	34	25	22
37b	Disseminated (chronic or unspecified)—												
	Males..... White.....	111	4	5	3	4	1	17	3	2	5	13	7
	..... Colored.....	31	1	2		1		4	1	2	5	8	
	Females..... White.....	109	3	3	1	3		10	4	2	4	17	11
	..... Colored.....	25	3	3	4	1		8	2	2	1	2	4
38	Syphilis:												
	Males..... White.....	3,327	484	38	15	6	3	546	14	17	25	61	92
	..... Colored.....	1,887	359	31	6	5	8	409	13	9	26	90	137
	Females..... White.....	1,459	357	22	8	4	5	396	12	17	36	58	70
	..... Colored.....	1,139	262	29	10	3	4	308	6	12	44	108	107
39	Soft chancre:												
	Males..... White.....	1							1				
	..... Colored.....	3											2
	Females..... White.....	2											
40	Gonococcus infection:												
	Males..... White.....	85	12		1		1	14		1		6	6
	..... Colored.....	71	8					8			2	9	7
	Females..... White.....	478	13	1		1		15		4	41	89	86
	..... Colored.....	275	6		1	1		8		2	27	67	47
41	Purulent infection, septicaemia:												
	Males..... White.....	520	73	14	8	7	9	111	28	20	28	19	20
	..... Colored.....	61	5	1	1	1	2	10	1	2	4	4	3
	Females..... White.....	378	50	8	10	3	3	74	17	15	22	37	21
	..... Colored.....	52	2			1		3		1	6	7	5
42	Other infectious diseases:												
	Males..... White.....	6				1		1	1		2		
	..... Colored.....	2										1	1
	Females..... White.....	9	1					1				1	

CAUSES OF DEATH, BY AGE, SEX, AND COLOR

IN THE REGISTRATION STATES OF 1920 (INCLUDING DISTRICT OF COLUMBIA): 1926—Continued

30 to 34 years	35 to 39 years	40 to 44 years	45 to 49 years	50 to 54 years	55 to 59 years	60 to 64 years	65 to 69 years	70 to 74 years	75 to 79 years	80 to 84 years	85 to 89 years	90 to 94 years	95 to 99 years	100 years and over	Age unknown	List No.
20	26	15	18	13	10	7	4	3	2	2					1	24
2	2	4	4	1		1										
11	11	8	10	12	7	7	3	1	1							25
3	2			1												
	2	2	3	4	4	2	5	1		1						26
	3	1	2	1	1		1	1								
		1														27
1	2	1		1			1									
		1	1													28
2	2	3	1	1	4	1		1			1					
3	2	1														29
23	27	21	21	20	16	15	19	11	8		1				1	
5	12	9	7	10	6	2	2	4								30
16	3	9	8	7	7	5	4	2	1		1					
2	3	4	5	3	4		1									
5	4	5	15	5	8	4	2	4	2							31
2	1	1		1	1		1									
2	4	3	5	4	2	3	4	1			1					
		1														32
3,480	3,723	3,515	3,182	2,866	2,251	1,973	1,586	935	587	193	73	5	1		27	
1,064	979	761	579	484	315	244	145	88	55	16	7	4	1	1	27	
3,109	2,607	1,898	1,634	1,288	1,201	1,057	1,092	791	563	221	76	8	2		20	
1,017	727	549	384	301	151	135	103	43	28	24	10	2		1	27	
3,220	3,469	3,299	2,967	2,656	2,089	1,809	1,442	854	523	159	59	5	1		23	
987	907	703	529	436	288	230	133	81	51	16	7	4		1	24	
2,886	2,370	1,723	1,464	1,147	1,067	940	995	692	503	192	65	5	1		20	
943	662	489	357	274	136	119	96	38	28	21	10	5		1	23	
55	51	35	32	23	13	10	8	8	2	1	1				2	33
8	8	5	4	4	2	1	1									
28	42	19	18	12	10	10	4	3		1						34
8	8	7	2	2		1										
61	65	64	70	67	55	63	56	30	27	12	5				1	35
37	24	18	15	24	12	4	4	3	1				1		1	
84	73	82	79	59	67	61	50	55	26	14	5					36
41	34	28	11	9	12	8	3	5		1	1				1	
41	32	20	30	25	22	26	16	9	14	4						37a
14	7	6	9	4		3	2									
26	29	17	27	18	17	11	13	12	10	3	2					37b
4	3	6	2	7	1											
12	5	9	16	11	13	14	9	10	7	3	4					38
6	7	4	2	2	1	2	1	1								
3	10	4	6	5	5	5	5	7	11		2		1			
2	2	4	1	2	2	2	2	2		1						
49	56	55	36	54	30	36	35	15	9	12	3					39
13	2	6	6	4	7	2	2	3	2							
35	52	31	26	22	22	22	17	16	11	9	2			1	1	
7	8	4	7	2	1	2										
34	32	28	26	24	20	12	10	5	4	2	1					40
17	22	17	11	10	4	2	2		1							
37	23	14	8	18	6	3	5	3	1							
11	8	9	3	6	1	2	2			1						
8	13	5	5	6	9	3	10	4	1							41
2	2	2	2	1	1	1	1									
11	8	8	6	7	7	5	3	3	1	1				1		
1	2	2	1	1	1	1										
163	264	311	398	390	370	284	188	126	56	12	7	1			2	42
156	200	192	186	172	92	92	48	23	23	7	4	2			6	
101	122	132	144	123	94	59	55	22	8	6	3				1	
120	129	96	74	56	26	17	11	12	10	2	1					
1																43
						1				1						
6	15	2	7	7	7	6	4	1	1							44
6	5	4	7	9	2	4	4	2								
72	74	57	32	5	1	2										45
50	34	24	10	2	2											
29	24	25	30	37	36	32	29	26	12	8	5	1				46
2	4	3	4	5	2	4	4	4	1	2	2					
25	22	14	18	16	14	18	17	13	14	13	7			1		
2	5	8	1	3	3		2	1		3	1					
		2														47
1		1		1		2	1				1					48

TABLE 1.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE, BY AGE, SEX, AND COLOR,

List No.	CAUSE OF DEATH, SEX, AND COLOR	All deaths	Under 1 year	1 year	2 years	3 years	4 years	Under 5 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years
	II.—General diseases not included in Class I:												
	Males..... White.....	58,655	1,449	272	176	149	126	2,172	524	500	569	569	792
	Males..... Colored.....	3,490	196	53	23	19	17	308	44	42	59	89	111
	Females..... White.....	71,207	1,080	210	158	128	115	1,691	425	493	598	744	997
	Females..... Colored.....	5,807	126	41	26	17	11	221	55	57	115	226	342
	Cancer and other malignant tumors:												
	Males..... White.....	39,288	23	38	44	47	32	184	117	93	137	205	298
	Males..... Colored.....	1,734	1	1	5	4	2	12	9	5	8	23	23
	Females..... White.....	48,290	24	29	33	28	29	143	73	74	115	213	400
	Females..... Colored.....	3,188	2	6	8	5	2	23	10	7	18	33	88
43	Of the buccal cavity—												
	Males..... White.....	2,386	1			1	1	3	3	5	1	2	8
	Males..... Colored.....	84									1		
	Females..... White.....	478		1	1		1	3	2	3	2		3
	Females..... Colored.....	43		1	1			2	2		2	1	
44	Of the stomach, liver—												
	Males..... White.....	17,259	6	3	1	2	1	13	9	3	13	33	49
	Males..... Colored.....	884	1	1	2			3			2	2	5
	Females..... White.....	14,180	2	1	2	2		7	8	5	6	24	51
	Females..... Colored.....	702		1		1	1	3		1	4	4	15
45	Of the peritoneum, intestines, rectum—												
	Males..... White.....	6,008	1	5	4	4	10	24	18	13	24	32	62
	Males..... Colored.....	215					1	1	1			6	7
	Females..... White.....	7,086	1		1		2	4	2	5	13	49	44
	Females..... Colored.....	252		1	1			2			2	2	14
46	Of the female genital organs—												
	Females..... White.....	11,783		3			1	4	3	12	20	54	176
	Females..... Colored.....	1,401									2	15	45
47	Of the breast—												
	Males..... White.....	96	1					1					1
	Males..... Colored.....	4											
	Females..... White.....	8,046								1	2	7	35
	Females..... Colored.....	446									1	3	3
48	Of the skin—												
	Males..... White.....	1,558	1		2	2		5	2	2	3	5	7
	Males..... Colored.....	33				1		1	1	1			
	Females..... White.....	933	3			2	1	6			4	1	9
	Females..... Colored.....	35	1					1				1	
49	Of other or unspecified organs—												
	Males..... White.....	11,981	13	30	37	38	20	138	85	70	96	133	171
	Males..... Colored.....	514			3	3	1	7	7	3	5	15	11
	Females..... White.....	5,784	18	24	29	24	24	119	58	48	68	78	82
	Females..... Colored.....	309	1	3	6	4	1	15	8	6	7	7	11
50	Tumors, benign and unqualified (tumors of the female genital organs excepted):												
	Males..... White.....	307	8	7	2	2	1	20	5	4	8	13	7
	Males..... Colored.....	22		1				1			1	3	
	Females..... White.....	319	10		4	3	2	19	5	3	4	7	9
	Females..... Colored.....	37	1					1		1	4	2	2
51	Acute rheumatic fever:												
	Males..... White.....	1,030	9	3	14	21	24	71	152	150	89	52	50
	Males..... Colored.....	179	1	2	1	3	4	11	8	18	10	8	13
	Females..... White.....	1,176	4	4	9	20	34	71	134	155	97	76	59
	Females..... Colored.....	222		1	2		1	4	16	22	8	19	17
52	Chronic rheumatism, osteoarthritis, gout:												
	Males..... White.....	415				1		1	1	3	4	10	6
	Males..... Colored.....	29											
	Females..... White.....	727				1		1	2	4	3	3	5
	Females..... Colored.....	44	1					1		1	1	2	3
53	Scurvy:												
	Males..... White.....	21	10	1	1		1	13	2			1	
	Males..... Colored.....	7	3	1				4	1		2		
	Females..... White.....	19	11	5				16	1		1		
	Females..... Colored.....	4	3			1		4					
54	Pellagra:												
	Males..... White.....	568	2	3	1		3	9	6	3	3	6	16
	Males..... Colored.....	345				1	3	4	14	8	8	15	22
	Females..... White.....	980	2	2	6	1	1	12	5	3	17	38	53
	Females..... Colored.....	1,133	1	4		4	3	12	16	8	64	133	172
55	Beriberi:												
	Males..... White.....	1										1	
	Males..... Colored.....	4											1
56	Rickets:												
	Males..... White.....	210	141	42	11	6	5	205	4				
	Males..... Colored.....	96	53	25	8	5	3	94	2				
	Females..... White.....	175	115	36	14	4	2	171	4				
	Females..... Colored.....	68	37	22	7	1		67		1			
57	Diabetes mellitus:												
	Males..... White.....	6,796	8	18	14	17	18	75	78	139	159	111	116
	Males..... Colored.....	418	1	1	2	1	2	7	1	6	11	10	10
	Females..... White.....	9,727	8	9	12	14	13	56	77	141	147	125	112
	Females..... Colored.....	574			1			2	4	6	8	12	12
58	Anemia, chlorosis:												
	Males..... White.....	2,681	51	28	10	5	6	100	22	18	24	33	35
	Males..... Colored.....	85	9				1	10	2	1	3	1	4
	Females..... White.....	3,213	39	17	9	6	5	76	18	26	39	52	50
	Females..... Colored.....	81	3	1			1	5		2	7	6	8
59	Diseases of the pituitary gland:												
	Males..... White.....	48	1	1	1			3		1	6		3
	Males..... Colored.....	3								2			
	Females..... White.....	52		1			1	2	3	6	3	1	6
	Females..... Colored.....	1											
60a	Exophthalmic goiter:												
	Males..... White.....	498	1			1		2	2	3	9	10	34
	Males..... Colored.....	19										2	2
	Females..... White.....	3,222		1		1		2	2	17	76	139	169
	Females..... Colored.....	134					1	1	1	1	2	5	12
60b	Other diseases of the thyroid gland:												
	Males..... White.....	126	11	8	4	4	2	29	6	4	5	4	8
	Males..... Colored.....	6								1	1		1
	Females..... White.....	454	15	13	10	5	2	45	7	5	11	13	13
	Females..... Colored.....	37	1	1	1			3		2		1	4



TABLE 1.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE, BY AGE, SEX, AND COLOR,

List No.	CAUSE OF DEATH, SEX, AND COLOR	All deaths	Under 1 year	1 year	2 years	3 years	4 years	Under 5 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years
II.—General diseases not included in Class I—Continued.													
61	Diseases of the parathyroid glands:												
	Males.....	White..... 52	39	5	2			46	2		1		1
		Colored..... 7	1	1	4			7					
	Females.....	White..... 36	29	4		1		33	3				
		Colored..... 4	3					3			1		
62	Diseases of the thymus gland:												
	Males.....	White..... 651	541	43	18	9	3	614	11	9	9	3	3
		Colored..... 60	43	9	2	2		56	1	1		1	
	Females.....	White..... 453	383	23	15	4	4	429	11	4	3	2	
		Colored..... 35	24	1	2		1	28	3	1	1		
63	Diseases of the adrenals (Addison's disease):												
	Males.....	White..... 149							1		4	6	5
		Colored..... 4										1	1
	Females.....	White..... 195					1	1		1	6	7	10
		Colored..... 7									1	1	
64	Diseases of the spleen:												
	Males.....	White..... 71	2	2	2			6	5	1	7	3	4
		Colored..... 7	1					1					1
	Females.....	White..... 60	2	3	1			6	2	4	6	2	6
		Colored..... 10	1					1					3
65a	Leukemia:												
	Males.....	White..... 952	21	27	31	22	16	117	60	39	48	29	33
		Colored..... 36	1		1	1	1	4			5	5	3
	Females.....	White..... 726	16	16	23	22	12	89	35	29	37	30	32
		Colored..... 27	1	1	1	2		5	2	3	1		3
65b	Hodgkin's disease:												
	Males.....	White..... 534	4	4	4	1	3	16	26	16	32	26	35
		Colored..... 21	1					1	2		1	1	4
	Females.....	White..... 256	5	7	4	1	2	19	8	7	9	17	24
		Colored..... 16	1					1	2	1		2	2
66	Alcoholism (acute or chronic):												
	Males.....	White..... 3,135							1		9	43	103
		Colored..... 284									9	16	26
	Females.....	White..... 323							1	1	2	3	20
		Colored..... 80										9	12
67a	Chronic lead poisoning:												
	Males.....	White..... 118		1	1			2				1	3
		Colored..... 11											
	Females.....	White..... 8						1					
		Colored..... 3											
67b	Other chronic mineral poisoning:												
	Males.....	White..... 14										2	1
		Colored..... 3										1	
	Females.....	White..... 3											
		Colored..... 7		1			1	2					1
68	Chronic poisoning by organic substances:												
	Males.....	White..... 111										1	17
		Colored..... 12											
	Females.....	White..... 62									1	2	11
		Colored..... 11											
69	Other general diseases:												
	Males.....	White..... 879	577	41	16	13	12	659	23	17	15	9	14
		Colored..... 113	82	12		1	1	96	4			2	
	Females.....	White..... 781	417	40	17	17	8	499	34	13	21	14	19
		Colored..... 89	47	3	4	3	1	58	2	1	3	1	3
III.—Diseases of the nervous system and of the organs of special sense:													
	Males.....	White..... 55,297	1,482	436	222	176	147	2,463	639	465	589	534	558
		Colored..... 5,858	281	41	28	22	20	392	62	45	80	127	145
	Females.....	White..... 49,355	1,033	405	194	143	108	1,833	545	419	379	445	524
		Colored..... 5,669	209	40	20	20	15	304	51	40	74	95	107
70	Encephalitis:												
	Males.....	White..... 558	53	37	14	16	10	130	37	26	37	31	13
		Colored..... 48	3	1		1		5	7	1	6	5	3
	Females.....	White..... 486	46	37	12	7	7	109	35	29	23	24	25
		Colored..... 47	5	2	2		1	10	4	3	3		3
71a	Simple meningitis:												
	Males.....	White..... 1,155	265	99	67	43	38	512	102	58	59	46	44
		Colored..... 150	46	9	9	4	7	75	10	12	6	3	7
	Females.....	White..... 823	203	79	57	41	19	399	88	52	30	30	32
		Colored..... 103	28	12	7	7	5	59	9	6	3	3	3
71b	Nonepidemic cerebrospinal meningitis:												
	Males.....	White..... 322	83	43	16	22	13	177	33	27	20	12	11
		Colored..... 51	16	4	4	2	3	29	4	3		3	1
	Females.....	White..... 234	65	41	16	15	4	141	36	11	10	4	5
		Colored..... 26	5	2	1	2		10	1	1	4	3	1
72	Tabes dorsalis (locomotor ataxia):												
	Males.....	White..... 1,078								1			5
		Colored..... 81											
	Females.....	White..... 324								1	1	1	4
		Colored..... 20											2
73	Other diseases of the spinal cord:												
	Males.....	White..... 1,467	15	11	4	9	3	42	19	15	60	24	19
		Colored..... 119	2	1		1	1	4	3	4	1	6	6
	Females.....	White..... 1,394	16	6	5	4	4	35	18	15	31	27	28
		Colored..... 117	3		1			4	6	2	2	5	3
74a	Cerebral hemorrhage:												
	Males.....	White..... 36,483	68	12	11	3	3	97	14	14	42	55	61
		Colored..... 3,420	12			3	2	17	2	5	9	24	42
	Females.....	White..... 35,496	42	15	10	6	6	74	13	23	36	61	92
		Colored..... 3,831	5		2	2	1	10	5	2	10	21	43
74b	Cerebral embolism and thrombosis:												
	Males.....	White..... 1,756	16	8	4	2	3	33	13	13	16	20	23
		Colored..... 92	1			1		2		1		2	6
	Females.....	White..... 1,740	11	6	2	2	7	28	16	16	13	24	22
		Colored..... 87	2				2	4	1	1	1	3	1
75	Paralysis without specified cause:												
	Males.....	White..... 1,779	5	1	3			9	4	3	5	5	3
		Colored..... 538	6			1		7	5		3	5	8
	Females.....	White..... 1,769	4	4	1	1	1	11	5	3	1	9	3
		Colored..... 602	4	1			1	6	4		4	6	3





CAUSES OF DEATH, BY AGE, SEX, AND COLOR

IN THE REGISTRATION STATES OF 1920 (INCLUDING DISTRICT OF COLUMBIA): 1926—Continued

30 to 34 years	35 to 39 years	40 to 44 years	45 to 49 years	50 to 54 years	55 to 59 years	60 to 64 years	65 to 69 years	70 to 74 years	75 to 79 years	80 to 84 years	85 to 89 years	90 to 94 years	95 to 99 years	100 years and over	Age unknown	List No.
232	504	661	599	524	356	281	172	86	55	21	12	2	1			76
46	76	111	107	74	54	45	27	8	6	6	2	1			4	
79	127	150	146	141	138	65	79	44	44	22	7	1	1			
21	33	28	32	31	13	13	9	7	7	2		1				
45	51	56	52	49	40	44	38	31	27	8	9	2				77
5	11	2	4	2	4	2	2	1	1	2	1					
51	78	82	95	58	67	44	58	32	26	18	5		1			
5	11	15	11	6	4	1	4	5	2			1				
128	110	103	84	95	78	49	44	34	35	22	8		1		3	78
24	20	15	17	9	10	8	3	3	3	1	1		2		1	
100	99	82	77	54	53	35	40	43	29	17	8		3			
12	8	11	11	5	7	2	3	4	1		1					
2	3	1		1	1	2	2	1								79
3	5	1	2	1	1		1		1	1					1	
4	3	3			2			2								
																80
	1	1	4	1	2		1	2	1							
	1	2		1	1			2	2	1	2					
4	7	5	5	9	12	12	11	12	8	6	2	1				82
4	6	4	11	14	13	15	11	19	18	7	6	6			2	
1			1	2												
2	2	1	1	6	13	23	45	54	62	51	28	7	1			
1	2	2	1	1	2	1	1	2	2	3	27	8	3	1		83
			6	9	11	22	34	51	67	52	27	1	2	1		
			1	5		1		2	2							
107	116	152	175	175	172	181	199	187	149	77	32	6	1		1	84
9	6	2	11	6	9	5	4	1	6	4	4	1	1			
88	102	119	132	134	180	134	167	157	120	79	32	9	1			
8	7	11	7	8	5	6	3	3	3	4						
2	2	1		2		3	1		3	3	1	1				85
				2	2	2	2	4	2	4	4					
	1							1	1							
40	42	39	39	39	30	25	19	9	5	8	3	1			1	86a
26	34	35	26	27	23	25	13	10	12	6	6		1			
2	2	2	3	2	2	1	1	1								
34	32	34	32	32	24	21	23	11	10	4	2					86b
3	2	3	4	4	1	1	1	7	5	4	2					
15	18	19	27	24	14	17	11	7	5	4	2					
2		1		2	1			1		1						
1,378	2,142	3,305	4,947	6,897	9,442	12,107	15,455	15,802	14,504	10,907	5,514	1,777	342	60	64	87
402	612	795	1,135	1,252	1,013	1,887	370	394	637	451	244	115	36	33	49	
1,263	1,871	2,351	3,248	4,638	6,021	8,711	11,533	13,113	13,522	11,470	6,770	2,351	528	88	41	
408	623	773	911	1,008	780	849	708	687	502	422	213	148	60	57	35	
18	9	15	20	25	35	42	50	37	38	26	7	3			1	88
9	2	10	10	8	7	8	2	10	1	3	1		1			
7	15	12	18	15	16	17	25	29	27	16	15	4				
6	6	4	4	9	4	4	2	3	2	3						
217	318	396	141	185	190	220	190	191	164	102	44	16	6	2	2	89
47	82	93	32	29	25	17	20	11	5	4	1	1	1	1	1	
216	251	333	122	109	158	156	174	162	141	107	45	21	4	1	1	
56	62	112	25	21	23	13	13	7	7	8		1				
72	166	343	619	887	1,142	1,336	1,642	1,371	962	526	158	40	3	1	5	90
28	22	22	46	45	35	34	17	12	18	8	3	3	1	1	1	
17	69	92	150	237	397	588	740	718	600	363	153	37	8	1	3	
	22	29	36	36	34	24	19	21	9	8	3	2				
999	1,501	2,273	3,768	5,195	7,225	9,286	11,886	12,100	11,084	8,153	3,971	1,191	235	37	44	91a
308	455	600	958	1,083	872	840	756	758	529	374	198	90	27	25	45	
952	1,459	1,820	2,791	3,985	5,009	7,324	9,626	10,761	11,056	9,009	5,090	1,635	374	56	33	
304	509	600	803	870	686	749	592	590	421	336	167	114	43	45	28	
29	51	86	119	154	179	177	144	82	45	20	5	2	1		1	91b
16	34	43	47	34	21	21	7	3	5		1					
6	13	14	23	37	35	36	51	56	35	23	10	2				
9	10	14	6	13	11	5	10	4	3		1					
14	31	72	124	243	448	800	1,287	1,813	2,067	1,985	1,286	513	95	19	10	91b,c
6	4	16	29	44	41	52	56	90	75	88	37	19	7	7	2	
4	11	24	66	145	274	437	773	1,238	1,539	1,848	1,409	639	133	28	4	
4	5	7	23	34	20	40	66	61	54	58	39	29	16	11	5	

TABLE 1.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE, BY AGE, SEX, AND COLOR,

List No.	CAUSE OF DEATH, SEX, AND COLOR	All deaths	Under 1 year	1 year	2 years	3 years	4 years	Under 5 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years
IV.—Diseases of the circulatory system—Continued													
92	Embolism and thrombosis (not cerebral):												
	Males..... White.....	1,558	18	3	3	1		25	4	3	10	12	15
	Colored.....	54			1			1			1	2	
	Females..... White.....	916	11	1				12	5	4	14	18	28
	Colored.....	35		1				1			3	3	1
93	Diseases of the veins:												
	Males..... White.....	206	3		2		1	6		3	1	3	3
	Colored.....	14		1				1			1		
	Females..... White.....	290	1				1	2	2	1	2	6	9
	Colored.....	17										2	
94	Diseases of the lymphatic system:												
	Males..... White.....	90	25	5	4	4	1	39	4	1	4	2	5
	Colored.....	11	2	1				3	1		1	1	3
	Females..... White.....	65	15	4	2	3	2	26	3	3	3	1	1
	Colored.....	13	1					1			2	1	1
95	Hemorrhage without specified cause:												
	Males..... White.....	46	5	2	1	1		9	3	1	1	2	3
	Colored.....	15						1					
	Females..... White.....	36	4		1			5	1	2	3	2	
	Colored.....	19	2					2		3	2	1	3
96	Other diseases of the circulatory system:												
	Males..... White.....	70										1	
	Colored.....	38											
	Females..... White.....	47							1				1
	Colored.....	48											2
V.—Diseases of the respiratory system:													
	Males..... White.....	53,854	11,120	3,588	1,248	644	399	16,999	951	545	878	961	1,021
	Colored.....	9,405	2,371	832	300	140	65	3,708	188	107	296	460	501
	Females..... White.....	43,177	8,300	2,917	1,112	526	343	13,198	757	481	557	637	832
	Colored.....	7,026	1,845	702	229	117	58	2,951	140	121	239	320	391
97a	Diseases of the nasal fossae:												
	Males..... White.....	76	29	3	1			33		1	5	1	1
	Colored.....	71	49	8	5			62	2			3	
	Females..... White.....	66	21	3			1	25	1		2		2
	Colored.....	70	43	6	1	1		52		1		2	3
97b	Diseases of the nasal fossae annexa:												
	Males..... White.....	343	8	3	3	2	2	18	14	18	32	40	17
	Colored.....	31	2					2	2	3	4	4	3
	Females..... White.....	175	8	3	1		4	16	11	18	8	12	17
	Colored.....	10								1	1	1	1
98	Diseases of the larynx:												
	Males..... White.....	219	52	30	20	19	12	133	21	3	1	4	2
	Colored.....	29	6	4		3	1	14	2				1
	Females..... White.....	158	39	21	13	15	8	96	19	1	3	1	1
	Colored.....	15	8	1	1		1	11	2	1			1
99a	Acute bronchitis:												
	Males..... White.....	1,185	487	75	31	13	9	615	12	6	3	1	2
	Colored.....	132	66	15	8	2		91	3	1	3	4	2
	Females..... White.....	1,184	363	71	16	5	10	465	16	4	5	3	6
	Colored.....	153	77	13	8	1	1	100	1		3	6	7
99b	Chronic bronchitis:												
	Males..... White.....	1,078	25	9	2	2	2	40	5	2	3	4	7
	Colored.....	68	1	3				6	1		1	2	4
	Females..... White.....	1,014	25	13	6			44	4	3	4	5	6
	Colored.....	74	2	3	1	1	1	8		2	2	1	5
99c,d	Bronchitis (unspecified):												
	Males..... White.....	659	227	24	9	4	3	267	9	3	1		2
	Colored.....	98	40	11	2	1		54	2	2		1	1
	Females..... White.....	715	175	26	15	1	2	219	4	1		1	3
	Colored.....	136	39	12	2	1	1	55	2	1	3	4	8
100a	Broncho-pneumonia:												
	Males..... White.....	18,983	7,225	2,086	635	293	179	10,418	312	137	138	129	147
	Colored.....	2,976	1,378	501	168	68	36	2,151	68	19	37	52	49
	Females..... White.....	17,155	5,421	1,739	596	268	147	8,171	291	108	108	116	145
	Colored.....	2,462	1,050	423	128	64	25	1,690	51	26	43	42	62
100b	Capillary bronchitis:												
	Males..... White.....	419	232	57	19	7	5	320	5		1		
	Colored.....	82	52	14	3	4		73	1	1			
	Females..... White.....	374	173	55	18	5	4	255	3	2			2
	Colored.....	59	29	9	5	2	1	46			1	3	
101a	Lobar pneumonia:												
	Males..... White.....	25,670	2,228	1,061	414	249	147	4,099	461	303	604	682	728
	Colored.....	4,801	508	203	80	48	21	858	80	65	204	346	393
	Females..... White.....	18,603	1,645	821	349	194	143	3,152	331	288	367	411	569
	Colored.....	3,153	368	182	59	32	24	665	68	71	146	204	249
101b	Pneumonia (unspecified):												
	Males..... White.....	1,481	387	108	48	19	14	574	46	26	33	28	25
	Colored.....	672	239	63	24	11	6	343	19	10	31	29	17
	Females..... White.....	1,212	286	74	46	10	7	423	25	19	13	24	23
	Colored.....	557	210	46	19	11	2	288	16	12	31	29	27
102	Pleurisy:												
	Males..... White.....	1,444	117	107	54	30	22	330	44	37	42	46	54
	Colored.....	147	15	5	6	1		27	2	5	9	13	
	Females..... White.....	863	69	67	45	23	13	217	43	27	27	42	32
	Colored.....	123	8	2	4	1		15		2	5	16	15
103	Congestion and hemorrhagic infarct of the lung:												
	Males..... White.....	557	68	12	3	4	1	88	7	1	4	2	4
	Colored.....	34	3	1				4	4			1	1
	Females..... White.....	630	53	8	3	1	2	67	1	1	5	3	3
	Colored.....	37	6	2	1	1	1	11				2	
104	Gangrene of the lung:												
	Males..... White.....	118			1			2		1	4	4	8
	Colored.....	13									1	1	1
	Females..... White.....	35		2							1	1	1
	Colored.....	8						2	1		1	3	2

CAUSES OF DEATH, BY AGE, SEX, AND COLOR

IN THE REGISTRATION STATES OF 1920 (INCLUDING DISTRICT OF COLUMBIA): 1926—Continued

30 to 34 years	35 to 39 years	40 to 44 years	45 to 49 years	50 to 54 years	55 to 59 years	60 to 64 years	65 to 69 years	70 to 74 years	75 to 79 years	80 to 84 years	85 to 89 years	90 to 94 years	95 to 99 years	100 years and over	Age unknown	List No.
21 3 27 4	47 7 32	93 8 32 1	133 5 49 5	172 5 52 5	179 4 94 1	191 6 110 3	219 5 105 2	183 3 109	121 2 98 2	78 1 73 1	38 1 41 1	10 8 2	2 3	1 2	1	92
8 1 17 2	12 14 2	14 17 1	13 3 23	25 31 5	30 31 1	36 1 34 2	22 2 30	11 27	10 16	8 1 21 2	1 1 4	3				93
1 1	1 1	5 2	5 1	5 1	5 1	5 1	3	1	3	3 1			1			94
1 3 2	1 4 6 1	3 2	4 3 3	4 1 2	5 1 1	3 1 2	6 1 2	1 1 2	1 1 1	1 1 1	1 2	2	2			95
	2 2	5 3	3 2 1 5	7 3 6 7	6 4 2	10 6 9 6	6 4 4 4	9 7 10 1	10 1 6 3	7 2 6 5	2 1 1 2	2 2				96
1,500 523 1,014 321	2,053 582 1,222 338	2,555 578 1,254 320	2,783 505 1,319 340	2,873 501 1,541 302	2,991 325 1,843 233	3,202 315 2,276 238	3,508 215 2,984 185	3,342 189 3,352 173	3,173 148 3,598 149	2,486 114 3,220 110	1,374 60 2,086 73	490 24 779 29	113 18 181 25	20 18 27 17	36 30 19 11	
5 1 1 2	1 3	3 1 1		1 2 1	3 3 2	2 2 2	4 1	2 3	2 6	3 2	6 1 7	1 4 1	2 2 1			97a
25 4 15 1	33 3 17 1	34 3 6	25 13 1	19 2 11	22 2 10	19 9 1	15 8 1	5 1	4 3	1 1	1 1	1 1				97b
2 1 3	4 2 3	6 1 6	8 1 2	6 2 5 1	7 3	6 1 2	5 1	3 3 4	4 1	2 5	1 3	1 3				98
7 1 7 1	9 4 3 3	11 5 6 4	8 5 9 4	25 4 20 2	27 1 26 3	27 3 11 5	41 1 61 2	56 2 90 2	92 118 133	107 183	79 121	41 1 60 2	13 1 15 3	2 5 1	1	99a
9 3 4 3	10 2 3 3	26 3 7 5	47 3 15 8	45 7 34 7	54 7 30 1	88 7 59 5	110 6 89 5	167 2 141 4	154 3 194 7	159 3 187 5	102 6 127 1	32 1 46 2	12 1 12	2		99b
6 1 3 1	10 2 3 4	10 1 6 5	11 7 9 5	16 7 10 3	12 5 11 5	20 2 15 5	32 1 40 8	34 5 54 7	55 5 84 8	74 3 101 2	62 2 87 4	28 1 45 3	4 1 17 1	2 2	3	99cd
212 43 204 52	342 60 241 46	405 65 277 43	477 62 267 59	480 65 363 49	586 43 421 50	689 71 614 54	853 36 873 41	966 43 1,105 44	1,039 34 1,330 37	900 33 1,293 27	511 12 814 14	183 7 320 13	39 5 72 8	10 8 11 9	5 8 6 2	100a
1 1 2	3 1 1 1	4 1 2 2	3 2 2	2 2 4	8 3 5	8 5 10	11 10 15	13 15 17	17 17 1	15 25 18	4 4 9					100b
1,059 405 684 224	1,439 437 823 228	1,783 435 831 218	1,890 369 855 219	1,942 359 958 215	1,889 225 1,175 144	1,972 192 1,391 140	2,066 143 1,621 97	1,731 100 1,648 92	1,470 83 1,485 68	941 46 1,128 46	431 24 653 39	130 6 180 3	23 7 35 9	4 10 3 2	23 14 10 6	101a
44 24 28 15	47 29 28 24	64 24 27 15	57 25 31 17	57 21 31 11	55 14 48 11	50 15 34 10	74 13 71 7	81 21 71 8	82 9 108 12	77 13 104 13	39 6 64 5	14 4 29 2	5 1 7 3	1 4 1	2 4 3	101b
62 10 39 11	75 17 48 11	98 14 27 13	91 10 39 7	115 5 29 7	101 9 37 3	113 5 36 5	78 2 61 5	66 5 48 3	49 3 38 3	26 1 40 1	13 1 21	4 10 1				102
5 2 5 1	6 1 3 2	11 1 5 2	10 1 9 3	9 4 11	19 1 7 2	6 1 19	27 1 24 1	50 1 42 2	70 3 96	103 3 130 4	81 2 117 6	41 1 60 1	12 1 18	1 4	2	103
9 1 3	12 2 6 1	10 2 5 1	11 3 2	11 3 2	10 1 2	17 1	5 3 1	8 2	3 2		3 1					104

TABLE 1.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE, BY AGE, SEX, AND COLOR,

List No.	CAUSE OF DEATH, SEX, AND COLOR	All deaths	Under 1 year	1 year	2 years	3 years	4 years	Under 5 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years
V.—Diseases of the respiratory system—Continued.													
105	Asthma:												
	Males..... White.....	858	10	8	3	1	2	23	10		1	3	2
	..... Colored.....	135	5	3	1	1	1	11	2		1	1	5
	Females..... White.....	709	4	9	2	2	2	19	3	1	3	5	5
	..... Colored.....	106	2	3		1		6		2	2	1	6
106	Pulmonary emphysema:												
	Males..... White.....	92	4					4					2
	..... Colored.....	11				1		1				1	1
	Females..... White.....	41	2					2			2		1
	..... Colored.....	7											
107	Other diseases of the respiratory system (tuberculosis excepted):												
	Males..... White.....	672	21	7	5	2		35	5	7	6	16	20
	..... Colored.....	105	9	1	1			11	2	1	3	7	10
	Females..... White.....	243	16	5	2	2		25	4	8	9	11	15
	..... Colored.....	56	3			1		4		2	2	8	7
VI.—Diseases of the digestive system:													
	Males..... White.....	43,105	10,700	2,674	854	529	371	15,128	1,196	965	1,028	1,117	1,158
	..... Colored.....	5,578	1,851	590	142	71	40	2,694	107	96	139	189	205
	Females..... White.....	35,137	8,034	2,287	772	415	317	11,825	1,044	803	811	893	1,002
	..... Colored.....	4,990	1,456	503	145	64	31	2,199	134	109	148	212	268
108	Diseases of the mouth and annexa:												
	Males..... White.....	365	33	4	5	1	3	46	18	5	13	13	14
	..... Colored.....	52	5	3				8	1	1	1	3	6
	Females..... White.....	246	27	7	4	2	3	43	12	4	9	7	10
	..... Colored.....	34	3		1			4	3		1	6	2
109a	Adenoid vegetations:												
	Males..... White.....	2					1	1		1			
	..... Colored.....	1		1				1					
	Females..... White.....	3				1		1	2				
	..... Colored.....	1						1					
109b	Other diseases of the pharynx, tonsils:												
	Males..... White.....	1,631	142	100	66	71	48	427	226	103	72	122	103
	..... Colored.....	147	12	9	10	6	4	41	20	3	8	14	12
	Females..... White.....	1,572	73	72	61	55	73	334	222	132	137	107	93
	..... Colored.....	213	13	7	7	8	3	38	33	22	13	18	20
110	Diseases of the esophagus:												
	Males..... White.....	73	4		1		1	6		1	2		2
	..... Colored.....	4	1	1				2					
	Females..... White.....	33	1		1			2	1		2		
	..... Colored.....	5											
111a	Ulcer of the stomach:												
	Males..... White.....	2,787	6	2	1	2	2	13	5	3	24	65	104
	..... Colored.....	208	1					1		1	3	10	12
	Females..... White.....	1,029	7	3	1	1		12	7	3	10	20	33
	..... Colored.....	142								1	2	6	20
111b	Ulcer of the duodenum:												
	Males..... White.....	1,274	2					2		1	10	41	68
	..... Colored.....	59							1		2	3	8
	Females..... White.....	365	1					1	1	1	2	12	13
	..... Colored.....	24										1	1
112	Other diseases of the stomach (cancer excepted):												
	Males..... White.....	1,911	453	71	48	14	12	598	21	7	17	19	22
	..... Colored.....	559	136	19	7	7	2	171	11	8	9	24	12
	Females..... White.....	1,613	377	71	35	10	15	508	17	11	10	22	29
	..... Colored.....	667	105	28	10	6	2	151	10	4	12	22	33
113	Diarrhea and enteritis (under 2 years):												
	Males..... White.....	11,557	9,277	2,280				11,557					
	..... Colored.....	2,104	1,581	523				2,104					
	Females..... White.....	9,050	7,058	1,992				9,050					
	..... Colored.....	1,721	1,275	446				1,721					
114	Diarrhea and enteritis (2 years and over):												
	Males..... White.....	2,445		543	239	121		903	184	46	32	21	46
	..... Colored.....	417		108	41	16		165	26	8	10	14	7
	Females..... White.....	2,553		521	203	98		822	162	41	29	36	32
	..... Colored.....	494		120	41	15		176	35	7	12	24	23
115	Ancylostomiasis:												
	Males..... White.....	4		1				2		2			
	..... Colored.....	3				1		1		1			
	Females..... White.....	12	2		1			4	2	1	1	2	
	..... Colored.....	2							1				
116	Diseases due to other intestinal parasites:												
	Males..... White.....	23	1	2	4	3	1	11	6			1	2
	..... Colored.....	24	4	4	5	3	3	19	3	1			
	Females..... White.....	22		4	3	5	1	13	4				
	..... Colored.....	19	2	3	4	1	3	13	3	1			1
117	Appendicitis and typhlitis:												
	Males..... White.....	7,697	23	48	84	118	128	401	542	667	713	647	567
	..... Colored.....	683	2	3	1	4	8	18	31	57	67	69	76
	Females..... White.....	5,125	15	29	62	82	74	262	468	507	467	395	357
	..... Colored.....	525	1	3		3	3	10	34	51	67	60	71
118a	Hernia:												
	Males..... White.....	1,973	69	13	6	3	4	95	3	5	16	18	25
	..... Colored.....	227	25	4				29	1	1	3	6	16
	Females..... White.....	1,546	14			1		15	5	4	4	6	12
	..... Colored.....	77	2	4		1		7	1	2	1	1	2
118b	Intestinal obstruction:												
	Males..... White.....	2,936	525	99	56	43	25	748	104	68	64	65	71
	..... Colored.....	389	61	13	9	3	4	90	11	11	20	20	19
	Females..... White.....	2,945	343	67	49	27	16	502	52	37	53	99	117
	..... Colored.....	411	40	5	3	2	3	53	4	10	14	29	36
119	Other diseases of the intestines:												
	Males..... White.....	550	41	20	6	5	2	74	19	7	8	2	13
	..... Colored.....	62	7			3	1	11			3	3	2
	Females..... White.....	380	26	5	4	7	4	46	3	6	3	18	10
	..... Colored.....	82	5	1				6	1		3	11	6
120	Acute yellow atrophy of the liver:												
	Males..... White.....	164	5		2			7	1		3	14	7
	..... Colored.....	15	1					1			1	3	2
	Females..... White.....	278	6	1	1			9	3	3	16	23	25
	..... Colored.....	20	2					2			2	2	3



TABLE 1.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE, BY AGE, SEX, AND COLOR.

List No.	CAUSE OF DEATH, SEX, AND COLOR	All deaths	Under 1 year	1 year	2 years	3 years	4 years	Under 5 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years
VI.—Diseases of the digestive system—Continued													
121	Hydatid tumor of the liver:												
	Males..... White.....	18										2	1
	Females..... White.....	6											
122	Cirrhosis of the liver:												
	Males..... White.....	4,260	7	5	2	1	1	16	7	5	13	13	27
	..... Colored.....	549		2				2		1	3	7	14
	Females..... White.....	2,281	6	2	1			9	8	4	9	9	32
	..... Colored.....	200		1			1	2	2	2	1	3	9
123	Biliary calculi:												
	Males..... White.....	982									1	5	15
	..... Colored.....	27									1	1	1
	Females..... White.....	2,740									4	29	79
	..... Colored.....	70									1	1	4
124	Other diseases of the liver:												
	Males..... White.....	1,589	29	12	7	5	8	61	18	6	17	30	49
	..... Colored.....	136	6	4		1	1	12		2	4	4	11
	Females..... White.....	2,372	29	5	8	4	7	53	22	8	14	43	81
	..... Colored.....	144	5	2		2		9	4	2	5	8	16
125	Diseases of the pancreas:												
	Males..... White.....	258	1	1	1			3		4	2	7	9
	..... Colored.....	19		1				1				1	1
	Females..... White.....	288	1	1		1		3	2	1	7	10	14
	..... Colored.....	14											4
126	Peritonitis without specified cause:												
	Males..... White.....	606	82	16	21	24	14	157	42	34	21	24	13
	..... Colored.....	93	9	3	2	2	1	17	2	1	4	9	8
	Females..... White.....	727	48	28	20	15	25	136	51	40	34	55	66
	..... Colored.....	126	3	3			1	7	3	7	16	20	17
127	Other diseases of the digestive system (cancer and tuberculosis excepted):												
	Females..... White.....	1											
VII.—Nonvenereal diseases of the genito-urinary system and annexa:													
	Males..... White.....	51,123	339	76	81	63	52	611	208	179	321	369	471
	..... Colored.....	7,211	45	19	14	15	5	98	32	29	44	99	167
	Females..... White.....	45,200	207	101	79	55	50	492	207	235	435	664	901
	..... Colored.....	6,567	43	22	15	13	8	101	31	37	130	230	351
128	Acute nephritis (including unspecified under 10 years):												
	Males..... White.....	2,023	170	38	47	35	36	326	120	54	83	69	73
	..... Colored.....	549	22	10	10	5	5	57	15	11	15	22	29
	Females..... White.....	1,613	99	39	49	30	31	248	102	60	71	77	60
	..... Colored.....	592	24	15	13	10	4	66	21	19	24	37	43
129	Chronic nephritis (including unspecified 10 years and over):												
	Males..... White.....	41,958	7	7	13	17	12	56	73	110	212	249	335
	..... Colored.....	5,814	2	2	1	2	7	7	11	18	25	62	108
	Females..... White.....	37,885	5	9	6	15	11	46	80	150	238	321	411
	..... Colored.....	4,782	2	1			2	5	6	13	55	92	155
130	Chyluria:												
	Females..... White.....	1											
131	Other diseases of the kidneys and annexa:												
	Males..... White.....	1,185	109	27	20	10	4	170	12	10	21	33	37
	..... Colored.....	188	13	7	3	3		28	6		3	9	9
	Females..... White.....	1,123	87	52	24	9	8	180	21	12	25	28	46
	..... Colored.....	163	14	6	2	3	2	27	4	1	7	8	10
132	Calculi of the urinary passages:												
	Males..... White.....	464	1					1	2	3	4	9	11
	..... Colored.....	20											
	Females..... White.....	262	1					1		2	1	10	16
	..... Colored.....	10	2					2				1	1
133	Diseases of the bladder:												
	Males..... White.....	551	9	1	1	1		12	1	2	1	1	4
	..... Colored.....	105	3					3					3
	Females..... White.....	167	2		1			3	1	1			3
	..... Colored.....	29	1					1			2	1	6
134	Diseases of the urethra, etc.:												
	Males..... White.....	217										2	5
	..... Colored.....	124										3	11
	Females..... White.....	20							1	1			2
	..... Colored.....	3											1
135	Diseases of the prostate:												
	Males..... White.....	4,634										4	4
	..... Colored.....	384											3
136	Nonvenereal diseases of the male genital organs:												
	Males..... White.....	88	40	3				43				2	2
	..... Colored.....	27	5					5				3	4
137	Cysts, other benign tumors of the ovary:												
	Females..... White.....	710								1	15	34	51
	..... Colored.....	70									2	4	6
138	Salpingitis and pelvic abscess (female):												
	Females..... White.....	1,263		1				1	2	6	67	148	196
	..... Colored.....	386								2	28	56	78
139	Benign tumors of the uterus:												
	Females..... White.....	1,466									1	8	49
	..... Colored.....	403										13	33
140	Nonpuerperal uterine hemorrhage:												
	Females..... White.....	34									4	4	3
	..... Colored.....	10									3	1	3
141	Other diseases of the female genital organs:												
	Females..... White.....	630								2	12	33	62
	..... Colored.....	119								2	9	17	15
142	Nonpuerperal diseases of the breast (cancer excepted):												
	Males..... White.....	3	3					3					
	Females..... White.....	23	13					13			1	1	2

CAUSES OF DEATH, BY AGE, SEX, AND COLOR

IN THE REGISTRATION STATES OF 1920 (INCLUDING DISTRICT OF COLUMBIA): 1926—Continued

30 to 34 years	35 to 39 years	40 to 44 years	45 to 49 years	50 to 54 years	55 to 59 years	60 to 64 years	65 to 69 years	70 to 74 years	75 to 79 years	80 to 84 years	85 to 89 years	90 to 94 years	95 to 99 years	100 years and over	Age unknown	List No.
1	2	5	2		1		1	2	1		3					121
75	160	273	393	481	614	623	568	448	317	163	54	10				122
14	16	38	47	49	41	30	35	19	17	10	1	3		1	2	
75	91	143	184	194	281	273	274	255	252	121	52	13	2			123
9	20	23	29	21	24	15	12	8	6	5	4	4			1	
29	43	83	86	126	123	139	137	87	57	30	10	10	1			124
1	5	1	3	6	6	3	5				1					
107	188	227	270	346	370	368	290	223	127	69	29	14				125
4	11	7	12	6	9	6	5	1		1	2					
66	92	132	139	151	164	167	167	125	107	58	26	14				126
9	7	13	14	13	22	9	7	3	3	1	1					
117	150	148	177	241	238	266	267	199	171	120	53	13	1			127
11	10	12	18	16	7	11	3	6	2	3	1					
21	19	27	21	38	30	32	21	9	10	4	1					128
3	3	3	5	2	2	1	1									
20	33	26	39	29	34	18	24	15	8	1	1	2				129
2	3	2	2	1	1	1										
24	35	36	38	28	34	32	27	23	22	10	5	1				130
4	8	4	5	14	3	4	6		1	2						
50	52	41	26	34	38	26	21	25	17	11	4					131
14	14	9	9	3	1	2	1	1	2							
				1												132
745	1,043	1,584	2,166	3,176	4,162	5,482	7,256	7,683	7,421	5,054	2,401	632	113	22	24	128
210	328	505	612	875	734	837	688	671	526	387	187	81	33	33	35	
1,182	1,710	2,183	2,646	3,078	3,608	4,397	5,605	5,772	5,422	3,831	2,087	607	142	17	29	
439	607	644	666	692	487	485	491	389	310	221	107	73	28	22	26	
89	116	151	121	125	140	137	105	95	94	72	44	7			2	129
32	50	50	54	56	41	37	23	18	17	3	5	4	2	3	5	
84	101	101	105	89	91	79	88	81	77	53	30	12	3	1		
54	56	65	58	45	27	25	20	13	6	3	3	2	1		4	
575	821	1,300	1,879	2,809	3,635	4,690	6,100	6,416	6,120	4,041	1,888	514	95	19	21	130
144	243	408	504	747	610	692	584	576	442	333	156	63	29	29	23	
584	944	1,308	1,804	2,488	3,199	4,018	5,262	5,499	5,165	3,661	1,959	572	137	16	26	
209	343	408	494	588	421	441	449	362	291	210	101	70	26	22	21	
							1									131
41	50	55	63	75	95	92	98	102	118	59	38	13	2		1	132
11	11	14	12	12	19	11	8	10	12	6	5	2			2	
57	68	78	77	85	72	97	73	66	70	40	14	9	2		3	
13	11	15	14	14	6	5	10	7	5	3	2		1			
23	24	37	39	45	44	59	48	49	40	21	4	1				133
2	4	2	1	1	1	4	4				1					
21	21	34	16	27	30	23	21	12	16	7	4					
2			1		1			1	1							
2	4	9	14	12	22	31	48	72	90	124	70	29	3			134
6	4	3	7	10	9	14	9	12	11	8	1	4			1	
3	5	4	10	12	11	11	14	19	21	26	16	7				
	1	1	1	4	3	2		1	4	2						
9	13	21	23	31	18	21	24	22	14	10	3	1				135
18	10	18	17	15	7	19	2	2	2	2	1					
2	3	1	2		1	3	2	2		1						
4	12	9	23	75	205	443	829	924	942	723	354	67	13	3	2	136
2	1	7	16	33	44	60	57	53	42	35	18	8	2	1		
2	3	2	4	4	3	9	4	3	3	4						137
	5	3	1	1	3		1									
68	69	80	76	78	58	57	41	28	29	18	4	3				138
12	15	13	4	4	4	1	1	3			1					
193	221	180	122	48	29	15	13	9	6	3	3	1				139
78	60	43	25	8	7											
105	199	313	347	192	64	54	47	37	28	13	7	2				140
59	106	81	54	21	12	7	10	2	3	2						
1	3	10	5	1	1	1		1								
	2		1													
64	75	73	80	58	53	39	43	18	10	8						141
12	13	17	14	7	6	4	1			1		1				
	1	1	2							1		1				142

TABLE 1.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE, BY AGE, SEX, AND COLOR,

List No.	CAUSE OF DEATH, SEX, AND COLOR	All deaths	Under 1 year	1 year	2 years	3 years	4 years	Under 5 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years
	VIII.—The puerperal state:												
	Females..... White.....	11,006								12	1,011	2,161	2,452
	Colored.....	2,267								19	446	521	425
143	Accidents of pregnancy:												
	Females..... White.....	1,227									70	168	308
	Colored.....	169								1	14	37	48
144	Puerperal hemorrhage:												
	Females..... White.....	1,201									53	173	237
	Colored.....	181								1	15	21	38
145	Other accidents of labor:												
	Females..... White.....	1,242								1	64	207	254
	Colored.....	300								1	56	60	52
146	Puerperal septicemia:												
	Females..... White.....	4,074								9	400	935	965
	Colored.....	788								5	165	211	168
147	Puerperal phlegmasia alba dolens, embolus, etc.:												
	Females..... White.....	505								1	24	90	124
	Colored.....	56									9	14	10
148	Puerperal albuminuria and convulsions:												
	Females..... White.....	2,712								1	395	574	568
	Colored.....	769								11	187	177	117
149	Following childbirth (undefined):												
	Females..... White.....	42									3	14	5
	Colored.....	5										1	2
150	Puerperal diseases of the breast:												
	Females..... White.....	3									2		1
	Colored.....												
	IX.—Diseases of the skin and of the cellular tissue:												
	Males..... White.....	1,582	228	20	5	12	4	269	17	25	42	35	35
	Colored.....	173	17	6				23	5		5	5	4
	Females..... White.....	1,170	188	19	11	2	5	225	24	24	25	24	33
	Colored.....	159	9	2	1			12	3	2	2	7	5
151	Gangrene:												
	Males..... White.....	636	4	3	1	3	2	13	4	2	3	7	3
	Colored.....	81	1	1				2	3			2	
	Females..... White.....	469	9	4	3	1	3	20	3	1	5	1	4
	Colored.....	72						1	1		1	1	2
152	Furuncle:												
	Males..... White.....	308	26	2		1		29	4	10	14	9	15
	Colored.....	7	1					1				1	
	Females..... White.....	181	39	4	1			44	4	11	10	8	7
	Colored.....	13	2					2					
153	Acute abscess:												
	Males..... White.....	319	64	5	3	6	1	79	4	9	14	13	14
	Colored.....	51	6	2				8	2		5	2	4
	Females..... White.....	228	48	8	7		1	64	13	6	9	8	10
	Colored.....	33	1	1				2	2	1	1	4	2
154	Other diseases of the skin and annexa:												
	Males..... White.....	319	134	10	1	2	1	148	5	4	11	6	3
	Colored.....	84	10	2				12					
	Females..... White.....	292	92	3		1	1	97	4	6	1	8	12
	Colored.....	41	6	1	1			8		1		2	1
	X.—Diseases of the bones and of the organs of locomotion:												
	Males..... White.....	743	36	20	19	20	26	121	89	90	54	23	23
	Colored.....	68	4			2		6	8	6	2	6	6
	Females..... White.....	423	20	7	20	7	13	67	64	53	14	14	10
	Colored.....	46	2	2		1		7	5	4	1	1	3
155	Diseases of the bones (tuberculosis excepted):												
	Males..... White.....	603	23	16	17	18	26	100	80	80	47	20	18
	Colored.....	51	2			2		4	7	6	1	3	6
	Females..... White.....	337	14	6	19	7	11	57	59	51	10	10	8
	Colored.....	33	2	2			2	6	3	4		1	2
156	Diseases of the joints (tuberculosis and rheumatism excepted):												
	Males..... White.....	114	11	4	2	2		19	8	9	4	3	4
	Colored.....	15	2					2	1		1	3	
	Females..... White.....	60	9		1		2	9	4	2	3	4	2
	Colored.....	10	6					1	1		1		1
157	Amputations:												
	Males..... White.....	1											
	Colored.....	1											
	Females..... White.....	1											
	Colored.....												
158	Other diseases of the organs of locomotion:												
	Males..... White.....	25	2					2	1	1	3		1
	Colored.....	1											
	Females..... White.....	25		1				1	1		1		
	Colored.....	3							1				
	XI.—Malformations:												
	Males..... White.....	6,720	6,188	187	57	37	24	6,493	83	49	32	27	16
	Colored.....	390	332	22	9	4	1	368	9	3	8		1
	Females..... White.....	5,382	4,937	167	59	48	31	5,242	66	24	27	9	6
	Colored.....	274	230	13	3	7	1	254	12	4	3		1
159a	Congenital hydrocephalus:												
	Males..... White.....	589	449	48	14	17	7	535	22	18	4	7	2
	Colored.....	60	34	10	5		1	50	4	1	4		1
	Females..... White.....	578	479	41	15	12	8	555	13	2	5	2	
	Colored.....	34	19	2	2	3	1	27	3	2	2		
159b	Congenital malformations of the heart:												
	Males..... White.....	4,041	3,778	92	25	14	10	3,919	46	22	21	15	8
	Colored.....	203	185	7	2	3		197	2	1	3		
	Females..... White.....	3,029	2,777	93	34	27	13	2,944	45	14	17	3	2
	Colored.....	138	122	6	1	2		131	6	1			
159c	Other congenital malformations:												
	Males..... White.....	2,090	1,961	47	18	6	7	2,039	15	9	7	5	6
	Colored.....	127	113	5	2	1		121	3	1	1		
	Females..... White.....	1,775	1,681	33	10	9	10	1,743	8	8	5	4	4
	Colored.....	102	89	5		2		96	3	1	1		1







## MORTALITY STATISTICS—APPENDIX

TABLE 1.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE, BY AGE, SEX, AND COLOR

List No.	CAUSE OF DEATH, SEX, AND COLOR	All deaths	Under 1 year	1 year	2 years	3 years	4 years	Under 5 years	5 to 9 years	0 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years
	XIV.—External causes—Continued												
	Homicide:												
	Males..... White.....	3,531	73	7	6	8	4	98	17	27	186	444	494
	..... Colored.....	2,807	12	2	1	2		17	10	17	182	478	608
	Females..... White.....	895	54	3	7	4	5	73	24	22	69	135	136
	..... Colored.....	616	3	3				6	1	9	72	160	155
197	By firearms—												
	Males..... White.....	2,574		1	1	4		6	3	17	142	363	400
	..... Colored.....	2,043			1	2		3	9	13	132	348	448
	Females..... White.....	382	1	1	1		1	4	7	11	31	41	63
	..... Colored.....	374								6	47	39	99
198	By cutting or piercing instruments—												
	Males..... White.....	329	3	1			1	5	3	3	21	42	48
	..... Colored.....	549	1	1				2		2	36	101	123
	Females..... White.....	75			2		1	3	6	5	2	5	4
	..... Colored.....	159		1				1		1	18	48	30
199	By other means—												
	Males..... White.....	628	70	5	5	4	3	87	11	7	23	39	46
	..... Colored.....	215	11	1				12	1	2	14	29	37
	Females..... White.....	438	53	2	4	4	3	66	11	6	36	39	69
	..... Colored.....	83	3	2				5	1	2	7	23	17
	Accidental or undefined:												
	Males..... White.....	48,356	902	761	674	658	575	3,570	2,744	2,256	3,262	3,778	3,202
	..... Colored.....	5,372	173	129	108	82	68	560	284	298	464	560	531
	Females..... White.....	18,790	742	592	483	492	452	2,761	1,352	642	741	690	583
	..... Colored.....	2,037	160	97	76	96	110	539	224	96	99	133	112
175	Poisoning by food—												
	Males..... White.....	286	29	21	12	13	8	83	22	8	12	9	4
	..... Colored.....	64	6	6	2	1	1	16	5	1	1	6	6
	Females..... White.....	245	31	15	12	7	10	75	18	10	5	14	11
	..... Colored.....	94	9	5	4	2	4	24	7	5	3	6	6
176	Poisoning by venomous animals—												
	Males..... White.....	43	7	2			1	10	4	4	3	1	3
	..... Colored.....	7	1	1				2	2	1			1
	Females..... White.....	26	3	1	1	1	2	8	1	1			2
	..... Colored.....	4	3					3	1				
177	Other acute poisonings (gas excepted)—												
	Males..... White.....	745	31	104	61	26	7	229	10	8	4	25	26
	..... Colored.....	106	3	25	19	2	2	51	9	1	3	3	9
	Females..... White.....	495	20	100	49	24	14	207	11	2	22	41	42
	..... Colored.....	73	3	20	9	2	5	39	3	2	1	6	11
178	Conflagration—												
	Males..... White.....	728	32	25	24	36	26	143	41	21	24	27	41
	..... Colored.....	175	11	12	10	6	7	46	18	5	7	6	8
	Females..... White.....	428	21	23	17	27	23	111	54	24	20	23	15
	..... Colored.....	94	5	7	3	7	5	27	14	3	2	8	5
179	Burns (conflagration excepted)—												
	Males..... White.....	2,096	94	244	244	172	99	853	145	72	67	90	92
	..... Colored.....	432	21	42	51	46	26	186	31	20	25	23	25
	Females..... White.....	2,467	73	175	194	230	176	848	330	96	70	74	88
	..... Colored.....	669	25	39	47	64	73	248	126	29	24	26	18
180	Mechanical suffocation—												
	Males..... White.....	563	318	12	2	1	1	334	12	14	15	23	23
	..... Colored.....	103	67	4				71	2	1	1	2	4
	Females..... White.....	333	292	10	2		2	306	3	2	1	3	4
	..... Colored.....	70	65	2				67	1		1		
181	Absorption of irrespirable, irritating, or poisonous gas—												
	Males..... White.....	1,843	18	8	5	6	3	40	13	13	43	94	138
	..... Colored.....	92	3			1		4		1	1	5	9
	Females..... White.....	776	20	12	3	3	1	39	19	8	23	37	35
	..... Colored.....	42		1				1		2	1	4	2
182	Drowning—												
	Males..... White.....	4,707	15	99	33	57	50	304	428	528	659	476	316
	..... Colored.....	705	1	9	6	5	4	25	50	93	121	99	77
	Females..... White.....	654	15	66	32	26	20	159	65	99	116	52	28
	..... Colored.....	83	1	3	1	2	2	9	6	14	10	9	3
183	Traumatism by firearms (except in war)												
	Males..... White.....	1,528	4	5	8	9	15	41	93	235	308	193	101
	..... Colored.....	405	1	3	2	1	4	11	37	47	84	60	47
	Females..... White.....	188	2	1	9	8	10	30	23	31	22	12	17
	..... Colored.....	105			2	4	2	8	8	12	16	19	14
184	Traumatism by cutting or piercing instruments—												
	Males..... White.....	419	10	6	3	11	7	37	26	21	18	16	20
	..... Colored.....	49	1	2	1			4	3		3	8	3
	Females..... White.....	126	3	3	4	3	3	16	6	6	7	1	6
	..... Colored.....	29								1	1	1	3
185	Traumatism by fall—												
	Males..... White.....	6,739	51	74	52	36	42	255	189	149	164	249	237
	..... Colored.....	399	16	12	4	2	3	37	18	13	13	15	27
	Females..... White.....	6,263	45	46	42	17	17	167	62	40	31	25	37
	..... Colored.....	195	10	10	2	3	2	27	7	4	7	8	
186a	Traumatism in mines—												
	Males..... White.....	1,881			1			1	2	2	95	229	211
	..... Colored.....	68									3	6	9
	Females..... White.....	2								1			
186b	Traumatism in quarries—												
	Males..... White.....	98							2		7	9	9
	..... Colored.....	14									2	1	1
187	Traumatism by machines—												
	Males..... White.....	1,736	1	4	8	5	3	21	19	36	146	184	177
	..... Colored.....	197								6	25	24	34
	Females..... White.....	55		1	2	2	2	7	4	1	8	3	4
	..... Colored.....	6									2	2	2





CAUSES OF DEATH, BY AGE, SEX, AND COLOR

417

IN THE REGISTRATION STATES OF 1920 (INCLUDING DISTRICT OF COLUMBIA): 1926—Continued

30 to 34 years	35 to 39 years	40 to 44 years	45 to 49 years	50 to 54 years	55 to 59 years	60 to 64 years	65 to 69 years	70 to 74 years	75 to 79 years	80 to 84 years	85 to 89 years	90 to 94 years	95 to 99 years	100 years and over	Age unknown	List No.
476	492	489	469	360	344	285	235	133	96	26	16	1	2		18	
68	65	41	35	36	19	12	6	7	7	3	3				18	
49	42	63	62	62	48	32	32	25	17	3	3		1			
5	3	6	3	4	1	3	1		2	1	3					
105	96	88	83	63	54	32	44	17	14	1			1		2	
7	8	7	2	5				1							3	
33	28	38	32	26	19	12	12	7	4							
1	1	2		1		2				1						
371	396	401	386	297	290	53	191	116	82	25	16	1	1		16	
61	57	34	33	31	19	12	6	6	7	3	3				15	
16	14	25	30	36	29	20	20	18	13	3	3		1			
4	2	4	3	3	1	1	1		2							
81	82	90	105	110	104	73	51	55	32	27	7		1		1	
6	6	9	6	4	6	5	2	2	2	1	1					
18	10	20	24	33	16	26	23	28	17	10	3					
2	7	1	2	4	2	2	1		1		3					
29	33	27	34	27	15	12	8	6	2	1						
1	4	3	3	1												
10	3	6	5	8	1	7	5	4	1	2						
	3															
52	49	63	71	83	89	61	43	49	30	26	7		1		1	
5	2	6	3	3	6	5	2	2	2	1	1					
8	7	14	19	25	15	19	18	24	16	8	3					
2	4	1	2	4	2	2	1		1							
714	774	710	756	697	615	613	602	487	358	172	62	11	4		14	
79	89	69	65	56	38	43	31	21	8	7	2	2			4	
184	200	193	209	252	246	257	253	205	149	72	18	5	1		2	
25	21	25	15	17	8	14	14	4	1	4	2					
22	13	11	3			1	2								1	
1			1													
48	36	52	63	53	84	65	85	62	40	16	6					
4	6	4	3	13	5	7	7	5	3	3	2					
8	5		7	1	6	7	6	8	5	1						
			1	1	1	3										
56	60	66	59	42	36	29	19	8	7	2	1				1	
6	11	7	4	7	3	1	1	1	1	1					2	
4	2	3	4	2	2	2	2	3		1						
11	25	19	14	28	29	33	35	21	17	11	2				1	
2	3	3	6	2	5	1	2	1	2	3	1					
2																
1		1		2			2	1	1							
1	13	11	24	16	13	20	20	10	9	11	4	1			1	
2	4		2	2	2	4	1	1	3	6	3	1				
2	1	1	1	1	1	1	2	2	3	3	2					
15	23	31	38	26	26	25	20	18	19	10	5	2			1	
7	9	8	8	9	8	7	8	2	2	2	1					
8	8	3	4	6	11	8	13	11	10	16	5	4	1			
2	3	2	2	3	2	2	1	1	1							
12	14	16	19	11	7	9	6	1	2							
8	4		3	4	5	2	3					1			1	
5	1	4	2	2	2											
1	1	2	1													
121	92	73	40	25	28	12	9	3	2						2	
8	8	4	4	3	3	1	1	1								
3		2			2	2	2									
21	24	22	29	34	25	24	27	11	18	20	13	1	1		1	
3	4	5	6	5	2	3							1			
	3	5	5	2	9	13	13	37	38	50	39	13	3			
	2	1	1					2								
200	253	237	231	198	200	151	149	95	69	35	13	1	1	1	12	
39	48	51	42	39	26	23	5	11	2	1		2	1		5	
25	14	23	29	20	24	35	29	32	30	17	17	6	1		3	
2	8	6	8	5	2		5	3	1	1	1		1			
								1								

## MORTALITY STATISTICS—APPENDIX

TABLE 1.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE, BY AGE, SEX, AND COLOR;

List No.	CAUSE OF DEATH, SEX, AND COLOR	All deaths	Under 1 year	1 year	2 years	3 years	4 years	Under 5 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years
	XV.—Ill-defined diseases:												
	Males..... White.....	4,474	1,061	146	37	19	17	1,880	31	34	28	44	50
	Colored.....	3,815	1,042	168	67	32	22	1,931	61	47	62	71	78
	Females..... White.....	3,220	1,363	122	39	17	12	1,553	42	24	41	50	43
	Colored.....	3,489	1,287	184	45	33	20	1,569	66	43	102	128	114
204	Sudden death:												
	Males..... White.....	716	114	8	1	1		124	2	5	4	10	5
	Colored.....	347	58	7	4	1		70	4	2	7	9	9
	Females..... White.....	450	87	4	2			93	2	4	12	9	5
	Colored.....	290	40	4	1	2		47	3	1	4	11	11
205a	Ill-defined:												
	Males..... White.....	1,221	222	78	17	4	5	326	11	14	5	8	13
	Colored.....	726	155	58	18	12	2	245	10	12	13	16	13
	Females..... White.....	829	211	57	17	7	4	296	11	9	11	17	19
	Colored.....	692	150	66	11	8	7	242	19	13	21	23	24
205b	Not specified or unknown:												
	Males..... White.....	2,537	1,325	60	19	14	12	1,430	18	15	19	26	32
	Colored.....	2,742	1,429	103	45	19	20	1,616	47	33	42	46	56
	Females..... White.....	1,941	1,065	61	20	10	8	1,164	29	11	18	24	19
	Colored.....	2,507	1,097	114	33	23	13	1,280	44	29	77	94	79

NOTE.—For States and populations, see Tables A and K, Part II.

CAUSES OF DEATH, BY AGE, SEX, AND COLOR

IN THE REGISTRATION STATES OF 1920 (INCLUDING DISTRICT OF COLUMBIA): 1926—Continued

30 to 34 years	35 to 39 years	40 to 44 years	45 to 49 years	50 to 54 years	55 to 59 years	60 to 64 years	65 to 69 years	70 to 74 years	75 to 79 years	80 to 84 years	85 to 89 years	90 to 94 years	95 to 99 years	100 years and over	Age unknown	List No.
61	107	110	141	184	214	257	349	360	303	184	83	21	3		30	
64	87	115	117	161	110	171	166	139	162	97	49	46	16	29	36	
47	68	67	88	68	115	126	196	173	180	153	104	39	12	5	16	
78	130	144	125	130	107	145	110	117	99	102	57	41	20	36	26	
12	20	28	37	36	50	59	87	95	85	41	11	1	1		3	
9	15	20	28	40	25	25	23	11	22	11	6	4	2	3	2	204
7	14	19	21	13	28	29	51	49	41	34	13	4	1		1	
11	19	18	26	21	21	26	14	18	7	8	6	10	2	3	3	
18	32	33	45	53	82	110	142	126	99	60	34	4			6	205a
19	34	31	31	46	31	52	51	33	43	21	8	5	2	3	7	
15	20	22	37	23	36	45	66	58	55	40	35	9		3	2	
29	30	35	39	33	29	47	31	20	22	16	8	2	1	4	4	
31	55	49	59	95	82	88	120	139	119	83	38	16	2		21	205b
36	38	64	58	75	54	94	92	95	97	65	35	37	12	23	27	
25	34	26	30	32	51	52	79	66	94	79	56	26	11	2	13	
38	81	91	60	76	57	72	65	79	70	78	43	29	17	29	19	

MORTALITY STATISTICS—APPENDIX

TABLE 2.—DEATHS (EXCLUSIVE OF STILLBIRTHS), AND CRUDE AND ADJUSTED DEATH RATES PER 100,000 POPULATION, FROM CERTAIN CAUSES, BY AGE, SEX, AND COLOR, IN THE REGISTRATION STATES OF 1920 (INCLUDING DISTRICT OF COLUMBIA): 1926

[Populations and deaths at unknown age are distributed only in computing adjusted rates]

DEATHS IN THE REGISTRATION STATES OF 1920 (INCLUDING DISTRICT OF COLUMBIA): 1926							DEATHS IN THE REGISTRATION STATES OF 1920 (INCLUDING DISTRICT OF COLUMBIA): 1926						
SEX AND AGE	Number			Rate per 100,000 estimated population			SEX AND AGE	Number			Rate per 100,000 estimated population		
	Total	White	Colored	Total	White	Colored		Total	White	Colored	Total	White	Colored
<b>BOTH SEXES</b>							<b>TYPHOID AND PARATYPHOID FEVER—continued</b>						
<b>ALL CAUSES (EXCLUSIVE OF STILLBIRTHS)</b>							<b>MALES</b>						
All ages	1,167,297	1,021,643	145,654				All ages	3,233	2,363	870			
Adjusted rate				1,184.5	1,126.9	1,733.6	Adjusted rate				6.9	5.5	19.2
Crude rate				1,231.0	1,190.5	1,617.5	Crude rate				6.7	5.4	19.0
Under 1 year	145,624	123,390	22,234	7,427.8	6,984.9	11,460.9	Under 1 year	19	10	9	1.9	1.1	9.3
1 to 4 years	56,463	47,240	9,223	692.7	640.7	1,185.4	1 to 4 years	104	75	29	2.5	2.0	7.4
Under 5 years	202,087	170,630	31,457	1,998.6	1,867.0	3,236.2	Under 5 years	123	85	38	2.4	1.8	7.8
5 to 9 years	21,001	18,318	2,683	213.0	207.4	261.8	5 to 9 years	194	121	73	3.9	2.7	14.2
10 to 14 years	15,778	13,229	2,549	171.6	161.2	258.2	10 to 14 years	274	188	86	5.9	4.5	17.4
15 to 19 years	26,581	20,472	6,109	323.9	279.3	696.2	15 to 19 years	566	404	162	13.9	11.1	38.2
20 to 24 years	35,171	26,349	8,822	426.9	358.4	995.1	20 to 24 years	513	353	165	12.9	9.8	39.4
25 to 34 years	75,512	53,420	17,092	483.2	411.8	1,186.5	25 to 34 years	558	410	148	7.1	5.7	21.1
35 to 44 years	97,806	79,372	18,434	753.7	675.3	1,506.5	35 to 44 years	406	317	89	6.0	5.2	14.0
45 to 54 years	126,165	106,556	19,609	1,296.4	1,199.0	2,321.5	45 to 54 years	307	242	65	5.9	5.1	13.4
55 to 64 years	161,411	146,458	14,953	2,634.6	2,563.3	3,622.6	55 to 64 years	177	152	25	6.5	5.1	10.7
65 to 74 years	196,969	185,240	11,729	6,087.6	6,137.5	5,394.4	65 to 74 years	86	72	14	5.2	4.7	11.9
75 years and over	207,567	195,898	11,669	14,966.7	15,190.0	12,004.0	75 years and over	19	17	2	2.9	2.8	4.3
Unknown	1,249	701	548				Unknown	5	2	3			
<b>MALES</b>							<b>FEMALES</b>						
All ages	627,894	551,137	76,757				All ages	2,581	1,746	835			
Adjusted rate				1,264.5	1,210.7	1,770.0	Adjusted rate				5.7	4.2	18.3
Crude rate				1,300.9	1,261.4	1,678.0	Crude rate				5.5	4.1	18.8
Under 1 year	82,748	70,381	12,417	8,341.4	7,859.1	12,785.1	Under 1 year	10	6	4	1.0	0.7	4.1
1 to 4 years	30,306	25,437	4,869	734.3	680.8	1,246.8	1 to 4 years	114	72	42	2.8	2.0	10.8
Under 5 years	113,054	95,768	17,286	2,208.5	2,067.8	3,544.9	Under 5 years	124	78	46	2.5	1.7	9.5
5 to 9 years	11,613	10,225	1,388	233.3	229.1	269.7	5 to 9 years	213	140	73	4.4	3.2	14.3
10 to 14 years	8,719	7,484	1,235	188.1	180.7	249.6	10 to 14 years	337	202	135	7.4	5.0	27.4
15 to 19 years	13,468	10,775	2,693	330.8	295.4	635.1	15 to 19 years	473	302	171	11.4	8.2	37.7
20 to 24 years	17,349	13,208	4,141	432.3	367.4	989.0	20 to 24 years	382	240	142	9.0	6.4	30.4
25 to 34 years	38,170	29,684	8,486	483.0	412.3	1,207.9	25 to 34 years	422	284	138	5.5	4.1	18.7
35 to 44 years	54,327	44,736	9,591	803.1	730.1	1,505.9	35 to 44 years	250	193	57	4.0	3.4	9.7
45 to 54 years	71,941	61,180	10,761	1,386.5	1,300.9	2,214.3	45 to 54 years	179	141	38	3.9	3.4	10.6
55 to 64 years	90,788	82,471	8,317	2,824.3	2,765.7	3,574.0	55 to 64 years	117	92	25	4.0	3.4	13.9
65 to 74 years	106,990	100,529	6,461	6,492.7	6,568.6	5,503.1	65 to 74 years	63	59	4	4.0	4.0	4.0
75 years and over	100,670	94,613	6,057	15,452.1	15,647.2	12,932.6	75 years and over	16	14	2	2.2	2.0	4.0
Unknown	805	464	341				Unknown	5	1	4			
<b>FEMALES</b>							<b>BOTH SEXES</b>						
All ages	539,403	470,506	68,897				All ages	8,034	7,478	556			
Adjusted rate				1,112.5	1,051.4	1,701.3	Adjusted rate				9.0	9.3	6.4
Crude rate				1,158.6	1,116.9	1,554.9	Crude rate				8.5	8.7	6.2
Under 1 year	62,876	53,059	9,817	6,492.0	6,087.3	10,133.4	Under 1 year	2,044	1,878	166	104.3	106.3	85.6
1 to 4 years	26,157	21,803	4,354	650.0	599.6	1,123.5	1 to 4 years	4,315	4,037	278	52.9	54.8	35.7
Under 5 years	89,033	74,862	14,171	1,783.4	1,660.6	2,925.5	Under 5 years	6,359	5,915	444	62.9	64.7	45.7
5 to 9 years	9,388	8,093	1,295	192.3	185.1	253.8	5 to 9 years	841	789	52	8.5	8.9	5.1
10 to 14 years	7,059	5,745	1,314	154.9	141.4	266.8	10 to 14 years	104	139	15	2.2	2.3	1.5
15 to 19 years	13,113	9,697	3,416	317.1	263.3	753.3	15 to 19 years	208	189	19	1.9	1.9	2.2
20 to 24 years	17,822	13,141	4,681	421.7	349.7	1,000.5	20 to 24 years	158	139	19	1.9	1.9	2.2
25 to 34 years	37,342	28,736	8,606	483.4	411.3	1,166.1	25 to 34 years	95	86	9	1.2	1.2	1.0
35 to 44 years	43,479	34,636	8,843	699.3	615.6	1,507.2	35 to 44 years	115	108	7	0.7	0.7	0.5
45 to 54 years	54,224	45,376	8,848	1,193.5	1,084.4	2,466.6	45 to 54 years	80	77	3	0.6	0.7	0.2
55 to 64 years	70,623	63,987	6,636	2,425.3	2,342.2	3,685.5	55 to 64 years	61	59	2	1.0	1.0	0.5
65 to 74 years	89,979	84,711	5,268	5,667.1	5,694.0	5,266.7	65 to 74 years	26	26	0	0.8	0.9	0.9
75 years and over	106,897	101,285	5,612	14,536.6	14,786.3	11,140.7	75 years and over	23	22	1	1.7	1.7	1.0
Unknown	444	237	207				Unknown	4	3	1			
<b>BOTH SEXES</b>							<b>MALES</b>						
All ages	5,814	4,109	1,705				All ages	4,212	3,942	270			
Adjusted rate				6.2	4.8	18.7	Adjusted rate				9.3	9.7	6.2
Crude rate				6.1	4.8	18.9	Crude rate				8.7	9.0	5.9
Under 1 year	29	16	13	1.5	0.9	6.7	Under 1 year	1,118	1,024	94	112.7	114.4	96.8
1 to 4 years	218	147	71	2.7	2.0	9.1	1 to 4 years	2,333	2,198	137	55.5	58.8	35.1
Under 5 years	247	163	84	2.4	1.8	8.6	Under 5 years	3,451	3,220	231	67.4	69.5	47.4
5 to 9 years	407	261	146	4.1	3.0	14.2	5 to 9 years	426	407	19	8.6	9.1	3.7
10 to 14 years	611	390	221	6.6	4.8	22.4	10 to 14 years	88	84	4	1.9	2.0	0.8
15 to 19 years	1,039	706	333	12.7	9.6	37.9	15 to 19 years	76	66	10	1.9	1.8	2.4
20 to 24 years	900	593	307	10.9	8.1	34.6	20 to 24 years	43	41	2	1.1	1.1	0.5
25 to 34 years	980	694	286	6.3	4.9	19.9	25 to 34 years	34	34	0	0.4	0.5	0.3
35 to 44 years	658	510	146	5.1	4.3	11.9	35 to 44 years	23	23	0	0.4	0.5	0.4
45 to 54 years	486	383	103	5.0	4.3	12.2	45 to 54 years	23	22	1	0.8	0.8	0.4
55 to 64 years	294	244	50	4.8	4.3	12.1	55 to 64 years	25	24	1	0.7	0.7	0.4
65 to 74 years	149	131	18	4.6	4.3	8.3	65 to 74 years	11	11	0	0.7	0.7	0.4
75 years and over	35	31	4	2.5	2.4	4.1	75 years and over	13	12	1	2.0	2.0	2.1
Unknown	10	3	7				Unknown	2	2				



MORTALITY STATISTICS—APPENDIX

TABLE 2.—DEATHS (EXCLUSIVE OF STILLBIRTHS), AND CRUDE AND ADJUSTED DEATH RATES PER 100,000 POPULATION, FROM CERTAIN CAUSES, BY AGE, SEX, AND COLOR, IN THE REGISTRATION STATES OF 1920 (INCLUDING DISTRICT OF COLUMBIA): 1926—Continued

[Populations and deaths at unknown age are distributed only in computing adjusted rates]

SEX AND AGE	DEATHS IN THE REGISTRATION STATES OF 1920 (INCLUDING DISTRICT OF COLUMBIA): 1926						SEX AND AGE	DEATHS IN THE REGISTRATION STATES OF 1920 (INCLUDING DISTRICT OF COLUMBIA): 1926					
	Number			Rate per 100,000 estimated population				Number			Rate per 100,000 estimated population		
	Total	White	Colored	Total	White	Colored		Total	White	Colored	Total	White	Colored
<b>DIPHTHERIA—continued</b>													
<b>MALES</b>													
All ages.....	3,688	3,412	276										
Adjusted rate.....				8.1	8.3	6.3							
Crude rate.....				7.6	7.8	6.0							
Under 1 year.....	283	243	40	28.5	27.2	41.2							
1 to 4 years.....	2,014	1,857	157	48.8	49.7	40.2							
Under 5 years.....	2,297	2,100	197	44.9	45.3	40.4							
5 to 9 years.....	965	913	52	19.4	20.5	10.1							
10 to 14 years.....	214	201	13	4.6	4.9	2.6							
15 to 19 years.....	49	46	3	1.2	1.3	0.7							
20 to 24 years.....	27	26	1	0.7	0.7	0.2							
25 to 34 years.....	50	44	6	0.6	0.6	0.9							
35 to 44 years.....	38	35	3	0.4	0.4	0.5							
45 to 54 years.....	19	19		0.5	0.5								
55 to 64 years.....	15	15		0.5	0.5								
65 to 74 years.....	8	7	1	0.5	0.5	0.9							
75 years and over.....	4	4		0.6	0.7								
Unknown.....	2	2											
<b>FEMALES</b>													
All ages.....	3,426	3,141	285										
Adjusted rate.....				7.7	7.8	6.4							
Crude rate.....				7.4	7.5	6.4							
Under 1 year.....	222	180	42	22.9	20.7	43.4							
1 to 4 years.....	1,639	1,518	121	40.7	41.7	31.2							
Under 5 years.....	1,861	1,698	163	37.3	37.7	33.6							
5 to 9 years.....	1,010	942	68	20.7	21.5	13.3							
10 to 14 years.....	228	204	24	5.0	5.0	4.9							
15 to 19 years.....	70	63	7	1.7	1.7	1.5							
20 to 24 years.....	44	40	4	1.0	1.1	0.9							
25 to 34 years.....	75	67	8	1.0	1.0	1.1							
35 to 44 years.....	58	52	6	0.9	0.9	1.0							
45 to 54 years.....	35	31	4	0.8	0.7	1.1							
55 to 64 years.....	25	25		0.9	0.9								
65 to 74 years.....	12	11	1	0.8	0.7	1.0							
75 years and over.....	8	8		1.1	1.2								
Unknown.....													
<b>TUBERCULOSIS (ALL FORMS)</b>													
<b>BOTH SEXES</b>													
All ages.....	82,166	63,740	18,426										
Adjusted rate.....				84.2	71.3	203.7							
Crude rate.....				86.7	74.3	204.6							
Under 1 year.....	1,267	1,025	242	64.6	58.0	124.7							
1 to 4 years.....	2,741	2,043	698	33.6	27.7	89.7							
Under 5 years.....	4,008	3,068	940	39.6	33.6	96.7							
5 to 9 years.....	1,173	810	363	11.9	9.2	35.4							
10 to 14 years.....	1,622	974	648	17.6	11.9	65.6							
15 to 19 years.....	6,456	4,252	2,204	78.7	58.0	251.2							
20 to 24 years.....	10,524	7,347	3,180	127.8	99.9	358.7							
25 to 34 years.....	18,814	13,914	4,900	120.4	98.1	340.2							
35 to 44 years.....	14,759	11,743	3,016	113.7	99.9	246.5							
45 to 54 years.....	10,718	8,970	1,748	110.1	100.9	206.9							
55 to 64 years.....	7,327	6,482	845	119.6	113.4	204.7							
65 to 74 years.....	4,783	4,404	379	147.8	145.9	174.3							
75 years and over.....	1,878	1,729	149	135.4	134.1	153.3							
Unknown.....	101	47	54										
<b>MALES</b>													
All ages.....	43,590	34,405	9,185										
Adjusted rate.....				86.6	74.5	202.1							
Crude rate.....				90.3	78.7	200.8							
Under 1 year.....	697	570	127	70.3	63.7	130.8							
1 to 4 years.....	1,431	1,070	361	34.7	28.6	92.4							
Under 5 years.....	2,123	1,640	483	41.6	35.4	100.1							
5 to 9 years.....	632	446	186	12.7	10.0	36.1							
10 to 14 years.....	613	372	241	13.2	9.0	48.7							
15 to 19 years.....	2,216	1,379	837	64.4	37.8	197.4							
20 to 24 years.....	4,309	2,942	1,367	107.4	81.8	326.5							
25 to 34 years.....	9,069	6,709	2,360	114.8	98.2	335.9							
35 to 44 years.....	8,978	7,238	1,740	132.7	118.1	273.2							
45 to 54 years.....	7,111	6,048	1,063	137.0	128.6	218.7							
55 to 64 years.....	4,783	4,224	559	148.3	141.7	240.2							
65 to 74 years.....	2,754	2,521	233	167.1	164.7	198.5							
75 years and over.....	943	859	84	144.7	142.1	179.4							
Unknown.....	54	27	27										
<b>FEMALES</b>													
All ages.....	51,478	48,290	3,188										
Adjusted rate.....				103.2	104.2	84.5							
Crude rate.....				110.6	114.6	72.0							
Under 1 year.....	26	24	2	2.7	2.8	2.1							
1 to 4 years.....	140	119	21	3.5	3.3	5.4							
Under 5 years.....	166	143	23	3.2	3.2	4.7							
5 to 9 years.....	83	73	10	1.7	1.7	2.0							
10 to 14 years.....	81	74	7	1.8	1.8	1.4							
15 to 19 years.....	133	115	18	3.2	3.1	4.0							
20 to 24 years.....	246	213	33	5.8	5.7	7.1							
25 to 34 years.....	1,670	1,317	353	20.3	18.9	34.3							
35 to 44 years.....	5,410	4,741	669	87.1	84.3	114.0							
45 to 54 years.....	10,452	9,537	915	230.1	227.9	255.1							
55 to 64 years.....	12,905	12,257	648	443.2	443.7	359.9							
65 to 74 years.....	12,471	12,083	388	785.5	812.2	387.9							
75 years and over.....	7,935	7,720	215	1,079.1	1,127.0	426.8							
Unknown.....	26	17	9										
<b>CANCER AND OTHER MALIGNANT TUMORS</b>													
<b>BOTH SEXES</b>													
All ages.....	92,500	87,578	4,922										
Adjusted rate.....				91.7	93.7	63.8							
Crude rate.....				97.6	102.1	54.7							
Under 1 year.....	49	47	2	2.5	2.7	1.0							
1 to 4 years.....	313	280	33	3.8	3.8	4.2							
Under 5 years.....	362	327	35	3.6	3.6	3.6							
5 to 9 years.....	209	190	19	2.1	2.2	1.9							
10 to 14 years.....	179	167	12	1.9	2.0	1.1							
15 to 19 years.....	278	252	26	3.4	3.4	3.0							
20 to 24 years.....	474	418	56	5.8	5.7	6.3							
25 to 34 years.....	2,429	2,090	339	15.5	14.7	23.5							
35 to 44 years.....	7,827	6,967	860	60.3	59.3	70.3							
45 to 54 years.....	16,529	15,166	1,363	169.8	170.6	161.4							
55 to 64 years.....	23,848	22,759	1,089	389.3	398.3	263.8							
65 to 74 years.....	24,952	24,217	735	771.2	802.4	338.0							
75 years and over.....	15,367	14,994	373	1,108.0	1,162.6	383.7							
Unknown.....	46	31	15										
<b>MALES</b>													
All ages.....	41,022	39,288	1,734										
Adjusted rate.....				79.2	82.3	40.9							
Crude rate.....				85.0	89.9	37.9							
Under 1 year.....	23	23		2.3	2.6								
1 to 4 years.....	173	161	12	4.2	4.3	3.1							
Under 5 years.....	196	184	12	3.8	4.0	2.5							
5 to 9 years.....	126	117	9	2.5	2.6	1.7							
10 to 14 years.....	98	93	5	2.1	2.2	1.0							
15 to 19 years.....	145	137	8	3.6	3.8	1.9							
20 to 24 years.....	228	205	23	5.7	5.7	5.5							
25 to 34 years.....	859												

CRUDE AND ADJUSTED DEATH RATES

TABLE 2.—DEATHS (EXCLUSIVE OF STILLBIRTHS), AND CRUDE AND ADJUSTED DEATH RATES PER 100,000 POPULATION, FROM CERTAIN CAUSES, BY AGE, SEX, AND COLOR, IN THE REGISTRATION STATES OF 1920 (INCLUDING DISTRICT OF COLUMBIA): 1926—Continued

[Populations and deaths at unknown age are distributed only in computing adjusted rates]

DEATHS IN THE REGISTRATION STATES OF 1920 (INCLUDING DISTRICT OF COLUMBIA): 1926							DEATHS IN THE REGISTRATION STATES OF 1920 (INCLUDING DISTRICT OF COLUMBIA): 1926						
SEX AND AGE	Number			Rate per 100,000 estimated population			SEX AND AGE	Number			Rate per 100,000 estimated population		
	Total	White	Colored	Total	White	Colored		Total	White	Colored	Total	White	Colored
<b>DIABETES MELLITUS</b>							<b>DIARRHEA AND ENTERITIS—continued</b>						
<b>BOTH SEXES</b>							<b>MALES</b>						
All ages.....	17,515	16,523	992				All ages.....	16,523	14,002	2,521			
Adjusted rate.....				17.8	18.1	12.7	Adjusted rate.....				36.4	34.1	58.9
Crude rate.....				18.5	19.3	11.0	Crude rate.....				34.2	32.0	55.1
Under 1 year.....	17	16	1	0.9	0.9	0.5	Under 1 year.....	10,858	9,277	1,581	1,094.5	1,036.7	1,627.9
1 to 4 years.....	123	115	8	1.5	1.6	1.0	1 year.....	2,803	2,280	523	274.0	244.9	569.8
Under 5 years.....	140	131	9	1.4	1.4	0.9	Under 2 years.....	13,661	11,557	2,104	678.0	632.9	1,113.8
5 to 9 years.....	160	155	5	1.6	1.8	0.5	2 to 4 years.....	1,068	903	165	34.4	32.2	55.2
10 to 14 years.....	292	280	12	3.2	3.4	1.2	5 to 9 years.....	210	184	26	4.2	4.1	5.1
15 to 19 years.....	325	306	19	4.0	4.2	2.2	10 to 14 years.....	54	46	8	1.2	1.1	1.6
20 to 24 years.....	258	236	22	3.1	3.2	2.5	15 to 44 years.....	322	253	69	1.4	1.2	3.2
25 to 34 years.....	532	474	58	3.4	3.3	4.0	45 to 64 years.....	423	345	78	5.0	4.5	10.9
35 to 44 years.....	925	769	156	7.1	6.5	12.7	65 years and over.....	773	705	68	33.6	33.0	41.4
45 to 54 years.....	2,385	2,116	269	24.5	23.8	31.8	Unknown.....	12	9	3			
55 to 64 years.....	4,943	4,737	206	80.7	82.9	49.9	<b>FEMALES</b>						
65 to 74 years.....	5,190	5,095	155	160.4	168.8	71.3	All ages.....	13,818	11,603	2,215			
75 years and over.....	2,351	2,274	77	169.5	176.3	79.2	Adjusted rate.....				31.0	28.8	52.7
Unknown.....	14	10	4				Crude rate.....				29.7	27.5	50.0
<b>MALES</b>							Under 1 year.....	8,333	7,058	1,275	860.4	809.7	1,316.1
All ages.....	7,214	6,796	418				1 year.....	2,438	1,992	446	245.1	220.5	439.4
Adjusted rate.....				14.1	14.4	9.8	Under 2 years.....	10,771	9,050	1,721	548.7	509.8	915.3
Crude rate.....				14.9	15.6	9.1	2 to 4 years.....	998	822	176	32.9	30.1	59.4
Under 1 year.....	9	8	1	0.9	0.9	1.0	5 to 9 years.....	197	162	35	4.0	3.7	6.9
1 to 4 years.....	73	67	6	1.8	1.8	1.5	10 to 14 years.....	48	41	7	1.1	1.0	1.4
Under 5 years.....	82	75	7	1.6	1.6	1.4	15 to 44 years.....	364	253	111	1.6	1.3	4.9
5 to 9 years.....	79	78	1	1.6	1.7	0.2	45 to 64 years.....	431	337	94	5.8	4.9	17.4
10 to 14 years.....	145	139	6	3.1	3.4	1.2	65 years and over.....	1,006	937	69	43.3	43.1	45.9
15 to 19 years.....	170	159	11	4.2	4.4	2.6	Unknown.....	3	1	2			
20 to 24 years.....	121	111	10	3.0	3.1	2.4	<b>ACUTE AND CHRONIC NEPHRITIS</b>						
25 to 34 years.....	251	225	26	3.2	3.1	3.7	<b>BOTH SEXES</b>						
35 to 44 years.....	432	369	63	6.4	6.0	9.9	All ages.....	95,219	83,482	11,737			
45 to 54 years.....	979	836	143	18.9	18.8	19.1	Adjusted rate.....				93.3	88.5	147.1
55 to 64 years.....	1,839	1,754	85	57.2	58.8	36.5	Crude rate.....				100.4	97.3	130.3
65 to 74 years.....	2,068	1,966	102	125.5	130.4	61.3	Under 1 year.....	331	281	50	16.9	15.9	25.8
75 years and over.....	1,038	995	43	159.3	164.6	91.8	1 to 4 years.....	480	395	85	5.9	5.4	10.9
Unknown.....	10	9	1				Under 5 years.....	811	676	135	8.0	7.4	13.9
<b>FEMALES</b>							5 to 9 years.....	428	375	53	4.3	4.2	5.2
All ages.....	10,301	9,727	574				10 to 14 years.....	435	374	61	4.7	4.6	6.2
Adjusted rate.....				20.9	21.3	15.4	15 to 19 years.....	723	604	119	8.8	8.2	13.6
Crude rate.....				22.1	23.1	13.0	20 to 24 years.....	929	716	213	11.3	9.7	24.0
Under 1 year.....	8	8		0.8	0.9		25 to 34 years.....	2,985	2,211	774	19.1	15.6	53.7
1 to 4 years.....	50	48	2	1.2	1.3	0.5	35 to 44 years.....	6,465	4,842	1,623	49.8	41.2	132.6
Under 5 years.....	58	56	2	1.2	1.2	0.4	45 to 54 years.....	11,966	9,420	2,546	123.0	106.0	301.4
5 to 9 years.....	31	27	4	1.7	1.8	0.8	55 to 64 years.....	18,283	15,989	2,294	298.4	279.8	555.8
10 to 14 years.....	147	141	6	3.2	3.5	1.2	65 to 74 years.....	25,691	23,646	2,045	794.0	783.5	940.5
15 to 19 years.....	155	147	8	3.7	4.0	1.8	75 years and over.....	26,401	24,580	1,821	1,903.6	1,905.9	1,873.3
20 to 24 years.....	137	125	12	3.2	3.3	2.6	Unknown.....	102	49	53			
25 to 34 years.....	281	249	32	3.6	3.6	4.3	<b>MALES</b>						
35 to 44 years.....	463	400	63	7.9	7.1	15.9	All ages.....	50,344	43,981	6,363			
45 to 54 years.....	1,406	1,230	176	30.9	29.4	49.1	Adjusted rate.....				98.6	93.6	153.2
55 to 64 years.....	3,104	2,983	121	106.6	109.2	67.2	Crude rate.....				104.3	100.7	139.1
65 to 74 years.....	3,122	3,039	83	196.6	204.3	83.0	Under 1 year.....	201	177	24	20.3	19.8	24.7
75 years and over.....	1,313	1,279	34	178.6	186.7	67.5	1 to 4 years.....	245	205	40	5.9	5.5	10.2
Unknown.....	4	1	3				Under 5 years.....	446	382	64	8.7	8.2	13.1
<b>DIARRHEA AND ENTERITIS</b>							5 to 9 years.....	219	193	26	4.4	4.3	5.1
<b>BOTH SEXES</b>							10 to 14 years.....	193	164	29	4.2	4.0	5.9
All ages.....	30,341	25,605	4,736				15 to 19 years.....	335	295	40	8.2	8.1	9.4
Adjusted rate.....				33.8	31.4	55.8	20 to 24 years.....	402	318	84	10.0	8.8	20.1
Crude rate.....				32.0	29.8	52.6	25 to 34 years.....	1,385	1,072	313	17.5	14.9	44.6
Under 1 year.....	19,191	16,335	2,856	978.9	924.7	1,472.2	35 to 44 years.....	3,139	2,388	751	46.4	39.0	117.9
1 year.....	5,241	4,272	969	259.8	232.9	529.7	45 to 54 years.....	6,295	4,934	1,361	121.3	104.9	280.1
Under 2 years.....	24,432	20,607	3,825	614.2	572.3	1,014.8	55 to 64 years.....	9,982	8,602	1,380	310.5	288.5	593.0
2 to 4 years.....	2,066	1,725	341	33.7	31.1	57.3	65 to 74 years.....	13,917	12,716	1,201	844.5	830.9	1,022.9
5 to 9 years.....	407	346	61	4.1	3.9	6.0	75 years and over.....	13,980	12,894	1,086	2,145.8	2,132.4	2,318.8
10 to 14 years.....	102	87	15	1.1	1.1	1.5	Unknown.....	51	23	28			
15 to 44 years.....	686	506	180	1.5	1.2	4.1							
45 to 64 years.....	854	682	172	5.4	4.7	13.7							
65 years and over.....	1,779	1,642	137	38.5	38.1	43.5							
Unknown.....	15	10	5										

MORTALITY STATISTICS—APPENDIX

TABLE 2.—DEATHS (EXCLUSIVE OF STILLBIRTHS), AND CRUDE AND ADJUSTED DEATH RATES PER 100,000 POPULATION, FROM CERTAIN CAUSES, BY AGE, SEX, AND COLOR, IN THE REGISTRATION STATES OF 1920 (INCLUDING DISTRICT OF COLUMBIA): 1926—Continued

[Populations and deaths at unknown age are distributed only in computing adjusted rates]

SEX AND AGE	DEATHS IN THE REGISTRATION STATES OF 1920 (INCLUDING DISTRICT OF COLUMBIA): 1926						SEX AND AGE	DEATHS IN THE REGISTRATION STATES OF 1920 (INCLUDING DISTRICT OF COLUMBIA): 1926					
	Number			Rate per 100,000 estimated population				Number			Rate per 100,000 estimated population		
	Total	White	Colored	Total	White	Colored		Total	White	Colored	Total	White	Colored
<b>FEMALES</b>							<b>BOTH SEXES</b>						
<b>ACUTE AND CHRONIC NEPHRITIS—continued</b>							<b>VIOLENT DEATHS (SUICIDE EXCEPTED)</b>						
All ages.....	44,875	39,501	5,374				82,404	71,572	10,832				
Adjusted rate.....				89.5	84.7	143.6				82.7	78.7	118.4	
Crude rate.....				96.4	93.8	121.3				86.9	83.4	120.3	
Under 1 year.....	130	104	26	13.4	11.9	26.8	2,119	1,771	348	108.1	100.3	179.4	
1 to 4 years.....	235	190	45	5.8	5.2	11.6	5,505	4,731	774	67.5	64.2	99.5	
Under 5 years.....	365	294	71	7.3	6.5	14.7	7,624	6,502	1,122	75.4	71.1	115.4	
5 to 9 years.....	209	182	27	4.3	4.2	5.3	4,656	4,137	519	47.2	46.8	50.6	
10 to 14 years.....	242	210	32	5.3	5.2	6.5	3,367	2,947	420	36.6	35.9	42.5	
15 to 19 years.....	388	309	79	9.4	8.4	17.4	5,075	4,258	817	61.8	58.1	93.1	
20 to 24 years.....	527	398	129	12.5	10.6	27.6	6,378	5,047	1,331	77.4	68.6	150.1	
25 to 34 years.....	1,600	1,139	461	20.7	16.3	62.5	11,363	8,903	2,460	72.7	62.8	170.8	
35 to 44 years.....	3,326	2,454	872	53.5	43.6	148.6	11,260	9,468	1,792	86.3	80.6	146.5	
45 to 54 years.....	5,671	4,486	1,185	124.8	107.2	330.4	9,716	8,621	1,095	99.8	97.0	129.6	
55 to 64 years.....	8,301	7,387	914	285.1	270.4	507.6	7,776	7,199	577	126.9	126.0	139.8	
65 to 74 years.....	11,774	10,930	844	741.6	734.7	843.8	6,762	6,426	336	209.0	212.9	154.5	
75 years and over.....	12,421	11,686	735	1,689.1	1,706.0	1,459.1	8,207	7,921	286	591.8	614.2	294.2	
Unknown.....	51	26	25				220	143	77				
<b>FEMALES</b>							<b>MALES</b>						
<b>PUERPERAL SEPTICEMIA <sup>1</sup></b>							<b>OTHER PUERPERAL CAUSES <sup>2</sup></b>						
All ages.....	4,862	4,074	788				60,066	51,887	8,179				
Adjusted rate.....				10.4	9.7	16.9				121.7	115.5	180.4	
Crude rate.....				10.4	9.7	17.8				124.4	118.8	178.8	
Under 15 years.....	14	9	5	0.1	0.1	0.3	1,160	975	185	116.9	109.0	190.5	
15 to 19 years.....	555	400	165	13.7	10.9	36.4	3,085	2,693	392	74.8	72.1	100.4	
20 to 24 years.....	1,146	935	211	27.1	24.9	45.1	4,245	3,668	577	82.9	79.2	118.3	
25 to 29 years.....	1,123	965	158	27.3	26.1	38.1	3,055	2,761	294	61.4	61.9	57.1	
30 to 34 years.....	939	825	114	26.0	25.1	35.2	2,598	2,283	315	56.0	55.1	63.7	
35 to 39 years.....	766	666	100	22.6	21.8	29.8	4,094	3,448	646	100.6	94.5	152.3	
40 to 44 years.....	264	239	25	9.3	9.3	10.0	5,260	4,222	1,038	131.1	117.4	247.9	
45 years and over.....	42	32	10	0.4	0.4	1.5	9,478	7,474	2,004	119.9	108.3	285.3	
Unknown.....	3	3					9,594	8,102	1,492	141.8	132.2	234.3	
							7,965	7,064	901	153.5	150.2	185.4	
							5,970	5,520	450	185.7	185.1	193.4	
							4,280	4,056	224	259.7	265.0	190.8	
							3,329	3,164	165	511.0	523.3	352.3	
							193	125	78				
<b>FEMALES</b>							<b>FEMALES</b>						
All ages.....	8,411	6,932	1,479				22,333	19,685	2,653				
Adjusted rate.....				17.9	16.3	31.7				46.4	44.5	61.8	
Crude rate.....				18.1	16.5	33.4				48.0	46.7	59.9	
Under 15 years.....	17	3	14	0.1	( <sup>1</sup> )	0.9	959	796	163	99.0	91.3	168.3	
15 to 19 years.....	892	611	281	21.6	16.6	62.0	2,420	2,038	382	60.1	56.0	98.6	
20 to 24 years.....	1,536	1,226	310	36.3	32.6	66.3	3,379	2,834	545	67.7	62.9	112.5	
25 to 29 years.....	1,754	1,487	267	42.6	40.2	64.4	1,601	1,376	225	32.8	31.5	44.1	
30 to 34 years.....	1,762	1,514	248	48.8	46.1	76.6	769	664	105	16.9	16.3	21.3	
35 to 39 years.....	1,601	1,368	233	47.3	44.9	69.4	981	810	171	23.7	22.0	37.7	
40 to 44 years.....	726	634	92	25.7	24.6	36.7	1,118	825	293	26.5	22.0	62.6	
45 years and over.....	108	83	25	1.1	0.9	3.6	1,885	1,429	456	24.4	20.5	61.8	
Unknown.....	15	6	9				1,666	1,366	300	26.8	24.3	51.1	
							1,751	1,557	194	38.5	37.2	54.1	
							1,806	1,679	127	62.0	61.5	70.5	
							2,482	2,370	112	156.3	159.3	112.0	
							4,873	4,757	121	663.3	694.5	240.2	
							22	18	4				

<sup>1</sup> Less than one-tenth of 1 per 100,000 population.

<sup>2</sup> Rates computed on female population.

NOTE.—For States and populations, see Tables A and K, Part II.



- Abscess, acute, deaths from, 27, 92; by age, 126, 139, 410; by color, 126, 136, 410; by sex, 126, 136, 410; in urban and rural districts, 92.  
— death rate, 27.
- Absorption of irrespirable, irritating, or poisonous gas (accidental or suicidal), deaths from, 28, 92; by age, 128, 130, 139, 412, 414; by color, 128, 130, 136, 412, 414; by sex, 128, 130, 136, 412, 414; in urban and rural districts, 92.  
— death rate, 28.
- Accidental or undefined (total), deaths from, 28, 92; by age, 130, 139, 414; by color, 130, 136, 414; by sex, 130, 136, 414; in urban and rural districts, 92; in detail, 28.  
— death rate, 28.
- Acute anterior poliomyelitis, deaths from, 26, 88; by age, 110, 137, 394; by color, 110, 134, 394; by sex, 110, 134, 394; in urban and rural districts, 88.  
— death rate, 26.
- Acute yellow atrophy of the liver, deaths from, 27, 90; by age, 122, 138, 406; by color, 122, 135, 406; by sex, 122, 135, 406; in urban and rural districts, 90.  
— death rate, 27.
- Addison's disease. *See* Adrenals, diseases of.
- Adenoid vegetations, deaths from, 27, 90; by age, 122, 138, 406; by color, 122, 135, 406; by sex, 122, 135, 406; in urban and rural districts, 90.  
— death rate, 27.
- Adjusted death rates. *See* Death rates.
- Adrenals, diseases of (Addison's disease), deaths from, 26, 88; by age, 116, 137, 400; by color, 116, 134, 400; by sex, 116, 134, 400; in urban and rural districts, 88.  
— death rate, 27.
- Airplane and balloon accidents, deaths from, 28, 92; by age, 132, 140, 416; by color, 132, 136, 416; by sex, 132, 136, 416; in urban and rural districts, 92.  
— death rate, 28.
- Alcoholism (acute or chronic), deaths from, 26, 88; by age, 116, 137, 400; by color, 116, 134, 400; by sex, 116, 134, 400; in urban and rural districts, 88.  
— death rate, 26.
- Amputations, deaths from, 27, 92; by age, 126, 139, 410; by color, 126, 136, 410; by sex, 126, 136, 410; in urban and rural districts, 92.  
— death rate, 27.
- Ancylostomiasis, deaths from, 27, 90; by age, 122, 138, 406; by color, 122, 135, 406; by sex, 122, 135, 406; in urban and rural districts, 90.  
— death rate, 27.
- Anemia, chlorosis, deaths from, 26, 88; by age, 114, 137, 398; by color, 114, 134, 398; by sex, 114, 134, 398; in urban and rural districts, 88; in detail, 26.  
— death rate, 26.
- Aneurysm, deaths from, 27, 90; by age, 118, 138, 402; by color, 118, 135, 402; by sex, 118, 135, 402; in urban and rural districts, 90.  
— death rate, 27.
- Angina pectoris, deaths from, 27, 90; by age, 118, 138, 402; by color, 118, 135, 402; by sex, 118, 135, 402; in urban and rural districts, 90.  
— death rate, 27.
- Animals, injuries by (not poisoning), deaths from, 28, 92; by age, 132, 140, 416; by color, 132, 136, 416; by sex, 132, 136, 416; in urban and rural districts, 92.  
— death rate, 28.
- Anthrax, deaths from, 26, 88; by age, 112, 137, 396; by color, 112, 134, 396; by sex, 112, 134, 396; in urban and rural districts, 88.  
— death rate, 26.
- Apoplexy. *See* Cerebral hemorrhage.
- Appendicitis and typhlitis, deaths from, 27, 59, 90; by age, 122, 138, 406; by color, 59, 122, 135, 406; by sex, 122, 135, 406; in urban and rural districts, 59, 90.  
— death rate, 27.
- Arsenic poisoning (suicidal), deaths from, 28.  
— death rate, 28.
- Arteries, diseases of, deaths from, 27, 90; by age, 118, 138, 402; by color, 118, 135, 402; by sex, 118, 135, 402; in urban and rural districts, 90; in detail, 27.  
— death rate, 27.
- Arteriosclerosis, deaths from, 27.  
— death rate, 27.
- Asiatic cholera, no deaths in 1926.
- Asthma, deaths from, 27, 90; by age, 120, 138, 406; by color, 120, 135, 406; by sex, 120, 135, 406; in urban and rural districts, 90.  
— death rate, 27.
- Automobile accidents (excluding collision with railroad trains and street cars), deaths from, 28, 59, 92; by age, 132, 140, 416; by color, 59, 132, 136, 416; by sex, 132, 136, 416; by month of death, 318; in urban and rural districts, 59, 92.  
— death rate, 28.
- Automobile collisions contributory to railroad accidents or to street-car accidents. *See* Railroad train and automobile collisions or street-car and automobile collisions.
- Balloon accidents. *See* Airplane and balloon accidents.
- Beriberi, deaths from, 26, 88; by age, 114, 137, 398; by color, 114, 134, 398; by sex, 114, 134, 398; in urban and rural districts, 88.  
— death rate, 26.
- Biliary calculi, deaths from, 27, 90; by age, 122, 138, 408; by color, 122, 135, 408; by sex, 122, 135, 408; in urban and rural districts, 90.  
— death rate, 27.
- Birth, injury at. *See* Injury at birth.
- Bladder, diseases of, deaths from, 27, 90; by age, 124, 138, 408; by color, 124, 135, 408; by sex, 124, 135, 408; in urban and rural districts, 90.  
— death rate, 27.
- Bones (tuberculosis excepted), diseases of, deaths from, 27, 92; by age, 126, 139, 410; by color, 126, 136, 410; by sex, 126, 136, 410; in urban and rural districts, 92; in detail, 27.  
— death rate, 27.
- Botulism, deaths from, 28.  
— death rate, 28.
- Breast (cancer excepted), nonpuerperal diseases of, deaths from, 27, 90; by age, 124, 139, 408; by color, 124, 408; by sex, 124, 408; in urban and rural districts, 90.  
— death rate, 27.
- Bronchitis (all forms), deaths from, 27, 59, 90; by age, 120, 138, 404; by month of death, 318; by color, 59, 120, 135, 404; by sex, 120, 135, 404; in urban and rural districts, 59, 90; in detail, 27.  
— death rate, 27.
- Broncho-pneumonia, deaths from, 27, 90; by age, 120, 138, 404; by color, 120, 135, 404; by sex, 120, 135, 404; by month of death, 318; in urban and rural districts, 90; in detail, 27.  
— death rate, 27.
- Bubonic plague, deaths from, 26.  
— death rate, 26.
- Burns (conflagration excepted), deaths from, 28, 92; by age, 130, 139, 414; by color, 130, 136, 414; by sex, 130, 136, 414; in urban and rural districts, 92; in detail, 28.  
— death rate, 28.
- Calculi of the urinary passages, deaths from, 27, 90; by age, 124, 138, 408; by color, 124, 135, 408; by sex, 124, 135, 408; in urban and rural districts, 90.  
— death rate, 27.
- Cancer or its principal forms, deaths from, 26, 58, 88; by age, 114, 137, 398, 422; by color, 58, 114, 134, 398, 422; by sex, 114, 134, 398, 422; in urban and rural districts, 58, 88; in detail, 26.  
— death rate, 26, 422.
- Capillary bronchitis, deaths from, 27, 90; by age, 120, 138, 404; by color, 120, 135, 404; by sex, 120, 135, 404; in urban and rural districts, 90.  
— death rate, 27.
- Carbolic acid poisoning (accidental or suicidal), deaths from, 28.  
— death rate, 28.
- Causes of death, 26, 58, 88; by age, 110, 137, 394, 420; by color, 58, 110, 134, 394, 420; by sex, 110, 134, 394, 420; by month of death, 318; in urban and rural districts, 58, 88.  
— death rate, 26, 420.
- Cerebral embolism and thrombosis, deaths from, 26, 88; by age, 116, 137, 400; by color, 116, 135, 400; by sex, 116, 135, 400; in urban and rural districts, 88.  
— death rate, 26.
- Cerebral hemorrhage, deaths from, 26, 88; by age, 116, 137, 400; by color, 116, 134, 400; by sex, 116, 134, 400; in urban and rural districts, 88.  
— death rate, 26.
- Cerebral hemorrhage and softening, deaths from, 59; by color, 59; by month of death, 318; in urban and rural districts, 59.
- Cerebrospinal meningitis (nonepidemic), deaths from, 26, 88; by age, 116, 137, 400; by color, 116, 134, 400; by sex, 116, 134, 400; in urban and rural districts, 88.  
— death rate, 26.
- Cestodes, deaths from, 27.  
— death rate, 27.
- Chicken pox, deaths from, 26.  
— death rate, 26.
- Childbirth. *See* Puerperal state, the.
- Children under 1 year of age, deaths of, 34, 40, 110, 137, 369, 394; by cause, 110, 137, 285, 369, 394, 420; by color, 34, 40, 110, 394, 420; by sex, 40, 110, 394, 420; in urban and rural districts, 34.  
— death rate, 420.
- Chinese population, deaths of, 32, 40, 134; by age, 40; by cause, 134; by sex, 40, 134; in urban and rural districts, 32.
- Chlorosis. *See* Anemia, chlorosis.
- Cholera nostras, deaths from, 26, 88; by age, 110, 137, 394; by color, 110, 134, 394; by sex, 110, 134, 394; in urban and rural districts, 88.  
— death rate, 26.

- Chorea, deaths from, 26, 88; by age, 118, 138, 402; by color, 118, 135, 402; by sex, 118, 135, 402; in urban and rural districts, 88.  
— death rate, 26.
- Chyluria, deaths from, 27, 90; by age, 124, 138, 408; by color, 124, 135, 408; by sex, 124, 135, 408; in urban and rural districts, 90.  
— death rate, 27.
- Circulatory system, diseases of, deaths from, 27, 90; by age, 118, 138, 402; by color, 118, 135, 402; by sex, 118, 135, 402; in urban and rural districts, 90; in detail, 27.  
— death rate, 27.
- Cirrhosis of the liver, deaths from, 27, 59, 90; by age, 122, 138, 408; by color, 59, 122, 135, 408; by sex, 122, 135, 408; in urban and rural districts, 59, 90; in detail, 27; alcoholic, 27.  
— death rate, 27; alcoholic death rate, 27.
- Coccidia, deaths from, 27.  
— death rate, 27.
- Cold, excessive, deaths from, 28, 92; by age, 132, 140, 416; by color, 132, 136, 416; by sex, 132, 136, 416; in urban and rural districts, 92.  
— death rate, 28.
- Colored population, 2; deaths of, 2, 32, 40, 58, 134; by age, 34, 40, 110, 394, 420; by cause, 58, 110, 134, 394, 420; by sex, 40, 110, 134, 394, 420; in urban and rural districts, 2, 32, 34, 58.  
— death rate, 2, 420.
- Conflagration, deaths from, 28, 92; by age, 130, 139, 414; by color, 130, 136, 414; by sex, 130, 136, 414; in urban and rural districts, 92.  
— death rate, 28.
- Congenital debility, icterus, sclerema, deaths from, 27, 92; by age, 126, 139, 412; by color, 126, 136, 412; by sex, 126, 136, 412; in urban and rural districts, 92.  
— death rate, 27.
- Congenital malformations and diseases of early infancy, deaths from, 27, 59, 92; by age, 126, 139, 410-412; by color, 59, 126, 136, 410-412; by sex, 126, 136, 410-412; in urban and rural districts, 59, 92; in detail, 27.  
— death rate, 27.
- Congenital malformations of the heart, deaths from, 27, 92; by age, 126, 139, 410; by color, 126, 136, 410; by sex, 126, 136, 410; in urban and rural districts, 92.  
— death rate, 27.
- Congestion and hemorrhagic infarct of the lung, deaths from, 27, 90; by age, 120, 138, 404; by color, 120, 135, 404; by sex, 120, 135, 404; in urban and rural districts, 90.  
— death rate, 27.
- Convulsions (nonpuerperal), deaths from, 26, 88; by age, 118, 138, 402; by color, 118, 135, 402; by sex, 118, 135, 402; in urban and rural districts, 88.  
— death rate, 26.
- Corrosive sublimate poisoning (suicidal), deaths from, 28.  
— death rate, 28.
- Crushing (accidental or suicidal), deaths from, 28, 92; by age, 128, 132, 139, 140, 412, 416; by color, 128, 132, 136, 412, 416; by sex, 128, 132, 136, 412, 416; in urban and rural districts, 92.  
— death rate, 28.
- Cutting or piercing instruments, traumatism by (accidental, homicidal, or suicidal), deaths from, 28, 92; by age, 128, 130, 139, 412, 414; by color, 128, 130, 136, 412, 414; by sex, 128, 130, 136, 412, 414; in urban and rural districts, 92.  
— death rate, 28.
- Cysts and other benign tumors of the ovary, deaths from, 27, 90; by age, 124, 139, 408; by color, 124, 135, 408; in urban and rural districts, 90.  
— death rate, 27.
- Death rates, 2, 26; by cause, 26, 420; specific and adjusted death rates, causes, 420.
- Debility, congenital. *See* Congenital debility, etc.
- Diabetes mellitus, deaths from, 26, 59, 88; by age, 114, 137, 398, 423; by color, 59, 114, 134, 398, 423; by sex, 114, 134, 398, 423; by month of death, 318; in urban and rural districts, 59, 88.  
— death rate, 26, 423.
- Diarrhea and enteritis, deaths from, 27, 59, 90; by age, 122, 138, 406, 423; by color, 59, 122, 135, 406, 423; by sex, 122, 135, 406, 423; by month of death, 318; in urban and rural districts, 59, 90.  
— death rate, 27, 423.
- Digestive system, diseases of, deaths from, 27, 90; by age, 122, 138, 406; by color, 122, 135, 406; by sex, 122, 135, 406; in urban and rural districts, 90; in detail, 27.  
— death rate, 27.
- Diphtheria, deaths from, 26, 58, 88; by age, 110, 137, 394, 421; by color, 58, 110, 134, 394, 421; by sex, 110, 134, 394, 421; by month of death, 318; in urban and rural districts, 58, 88.  
— death rate, 26, 421.
- Drowning (accidental or suicidal), deaths from, 28, 92; by age, 128, 130, 139, 412, 414; by color, 128, 130, 136, 412, 414; by sex, 128, 130, 136, 412, 414; in urban and rural districts, 92.  
— death rate, 28.
- Dysentery, deaths from, 26, 88; by age, 110, 137, 394; by color, 110, 134, 394; by sex, 110, 134, 394; by month of death, 318; in urban and rural districts, 88; in detail, 26.  
— death rate, 26.
- Ear, diseases of, deaths from, 26, 90; by age, 118, 138, 402; by color, 118, 135, 402; by sex, 118, 135, 402; in urban and rural districts, 90.  
— death rate, 26.
- Early infancy, deaths from, 27, 92; by age, 126, 139, 412; by color, 126, 136, 412; by sex, 126, 136, 412; in urban and rural districts, 92; in detail, 27.  
— death rate, 27.
- Electric shocks, accidental, deaths from, 28, 92; by age, 132, 140, 416; by color, 132, 136, 416; by sex, 132, 136, 416; in urban and rural districts, 92.  
— death rate, 28.
- Embolism and thrombosis (not cerebral), deaths from, 27, 90; by age, 118, 138, 404; by color, 118, 135, 404; by sex, 118, 135, 404; in urban and rural districts, 90.  
— death rate, 27.
- Embolism, cerebral. *See* Cerebral embolism and thrombosis.
- Emphysema, pulmonary, deaths from, 27, 90; by age, 120, 138, 406; by color, 120, 135, 406; by sex, 120, 135, 406; in urban and rural districts, 90.  
— death rate, 27.
- Encephalitis, deaths from, 26, 88; by age, 116, 137, 400; by color, 116, 134, 400; by sex, 116, 134, 400; in urban and rural districts, 88.  
— death rate, 26.
- Encephalitis, lethargic. *See* Lethargic encephalitis.
- Endocarditis and myocarditis (acute), deaths from, 27, 90; by age, 118, 138, 402; by color, 118, 135, 402; by sex, 118, 135, 402; in urban and rural districts, 90.  
— death rate, 27.
- Enteritis. *See* Diarrhea and enteritis.
- Epilepsy, deaths from, 26, 88; by age, 118, 138, 402; by color, 118, 135, 402; by sex, 118, 135, 402; in urban and rural districts, 88.  
— death rate, 26.
- Erysipelas, deaths from, 26, 58, 88; by age, 110, 137, 394; by color, 58, 110, 134, 394; by sex, 110, 134, 394; by month of death, 318; in urban and rural districts, 58, 88.  
— death rate, 26.
- Esophagus, diseases of, deaths from, 27, 90; by age, 122, 138, 406; by color, 122, 135, 406; by sex, 122, 135, 406; in urban and rural districts, 90.  
— death rate, 27.
- Eye and annexa, diseases of, deaths from, 26, 90; by age, 118, 138, 402; by color, 118, 135, 402; by sex, 118, 135, 402; in urban and rural districts, 90.  
— death rate, 26.
- Fall, traumatism by, deaths from, 28, 92; by age, 130, 139, 414; by color, 130, 136, 414; by sex, 130, 136, 414; in urban and rural districts, 92; in detail, 28.  
— death rate, 28.
- Female genital organs, diseases of, deaths from, 27, 90; by age, 124, 139, 408; by color, 124, 135, 408; in urban and rural districts, 90; in detail, 27.  
— death rate, 27.
- Firearms (wounds of war excepted), traumatism by (accidental, homicidal, or suicidal), deaths from, 28, 92; by age, 128, 130, 139, 414; by color, 128, 130, 136, 414; by sex, 128, 130, 136, 414; in urban and rural districts, 92.  
— death rate, 28.
- Foreign-born white population, deaths of, 32; by age and sex, 40.
- Fracture (cause not specified), deaths from, 28, 92; by age, 132, 140, 416; by color, 132, 136, 416; by sex, 132, 136, 416; in urban and rural districts, 92.  
— death rate, 28.
- Furuncle, deaths from, 27, 92; by age, 126, 139, 410; by color, 126, 136, 410; by sex, 126, 136, 410; in urban and rural districts, 92.  
— death rate, 27.
- Gangrene, deaths from, 27, 92; by age, 126, 139, 410; by color, 126, 136, 410; by sex, 126, 136, 410; in urban and rural districts, 92.  
— death rate, 27.
- Gangrene of the lung, deaths from, 27, 90; by age, 120, 138, 404; by color, 120, 135, 404; by sex, 120, 135, 404; in urban and rural districts, 90.  
— death rate, 27.
- General paralysis of the insane, deaths from, 26, 88; by age, 118, 138, 402; by color, 118, 135, 402; by sex, 118, 135, 402; in urban and rural districts, 88.  
— death rate, 26.
- Genito-urinary system and annexa, non-venereal diseases of, deaths from, 27, 90; by age, 124, 138, 408; by color, 124, 135, 408; in urban and rural districts, 90; in detail, 27.  
— death rate, 27.
- German measles, deaths from, 26.  
— death rate, 26.
- Glanders, deaths from, 26, 88; by age, 112, 137, 396; by color, 112, 396; by sex, 112, 396; in urban and rural districts, 88.  
— death rate, 26.

- Goiter, exophthalmic, deaths from, 26, 88; by age, 114, 137, 398; by color, 114, 134, 398; by sex, 114, 134, 398; in urban and rural districts, 88.  
— death rate, 26.
- Gonococcus infection, deaths from, 26, 88; by age, 112, 137, 396; by color, 112, 134, 396; by sex, 112, 134, 396; in urban and rural districts, 88.  
— death rate, 26.
- Gout. *See* Rheumatism.
- Hanging or strangulation (suicidal), deaths from, 28, 92; by age, 128, 139, 412; by color, 128, 136, 412; by sex, 128, 136, 412; in urban and rural districts, 92.  
— death rate, 28.
- Hawaii, statistics of, 380.
- Heart, diseases of, deaths from, 27, 59, 90; by age, 118, 138, 402; by color, 59, 118, 135, 402; by sex, 118, 135, 402; in urban and rural districts, 59, 90; in detail, 27.  
— death rate, 27.
- Heat, excessive, deaths from, 28, 92; by age, 132, 140, 416; by color, 132, 136, 416; by sex, 132, 136, 416; in urban and rural districts, 92.  
— death rate, 28.
- Hemiplegia, deaths from, 26.  
— death rate, 26.
- Hemorrhage without specified cause, deaths from, 27, 90; by age, 120, 138, 404; by color, 120, 135, 404; by sex, 120, 135, 404; in urban and rural districts, 90.  
— death rate, 27.
- Hernia, intestinal obstruction, deaths from, 27, 59, 90; by age, 122, 138, 406; by color, 59, 122, 135, 406; by sex, 122, 135, 406; in urban and rural districts, 59, 90; in detail, 27.  
— death rate, 27.
- Hodgkin's disease, deaths from, 26, 88; by age, 116, 137, 400; by color, 116, 134, 400; by sex, 116, 134, 400; in urban and rural districts, 88.  
— death rate, 26.
- Homicide, or its principal forms, deaths from, 28, 59, 92; by age, 128, 139, 414; by color, 59, 128, 136, 414; by sex, 128, 136, 414; in urban and rural districts, 59, 92; in detail, 28.  
— death rate, 29.
- Hydatid tumor of the liver, deaths from, 27, 90; by age, 122, 138, 408; by color, 122, 408; by sex, 122, 408; in urban and rural districts, 90.  
— death rate, 27.
- Hydrocephalus (congenital), deaths from, 27, 92; by age, 126, 139, 410; by color, 126, 136, 410; by sex, 126, 136, 410; in urban and rural districts, 92.  
— death rate, 27.
- Hydrocyanic acid poisoning (suicidal), deaths from, 28.  
— death rate, 28.
- Icterus (congenital). *See* Congenital debility, etc.
- Ill-defined diseases, deaths from, 28, 59, 92; by age, 132, 140, 418; by color, 59, 132, 136, 418; by sex, 132, 136, 418; in urban and rural districts, 59, 92; in detail, 28.  
— death rate, 28.
- Indian population, deaths of, 32, 40, 134; by age, 40; by cause, 134; by sex, 40, 134; in urban and rural districts, 32.
- Infanticide. (Murder of infants less than 1 year of age), deaths from, 28.  
— death rate, 28.
- Influenza, deaths from, 26, 58, 88; by age, 110, 137, 394; by color, 58, 110, 134, 394; by sex, 110, 134, 394; by month of death, 318; in urban and rural districts, 58, 88; in detail, 26.  
— death rate, 26.
- Injuries by vehicles, deaths from, 28, 92; by age, 132, 140, 416; by color, 132, 136, 416; by sex, 128, 136, 416; in urban and rural districts, 92.  
— death rate, 28.
- Injury at birth, deaths from, 27, 92; by age, 128, 139, 412; by color, 128, 136, 412; by sex, 128, 136, 412; in urban and rural districts, 92.  
— death rate, 27.
- Intestinal obstruction. *See* Hernia.
- Intestinal parasites, diseases due to, deaths from, 27, 90; by age, 122, 138, 406; by color, 122, 135, 406; by sex, 122, 135, 406; in urban and rural districts, 90; in detail, 27.  
— death rate, 27.
- Intestines, diseases of, deaths from, 27, 90; by age, 122, 138, 406; by color, 122, 135, 406; by sex, 122, 135, 406; in urban and rural districts, 90.  
— death rate, 27.
- Japanese population, deaths of, 32, 40, 134; by age, 40; by cause, 134; by sex, 40, 134; in urban and rural districts, 32.
- Jaundice. *See* Spirochetal hemorrhagic jaundice.
- Joints, diseases of (tuberculosis and rheumatism excepted), deaths from, 27, 92; by age, 126, 139, 410; by color, 126, 136, 410; by sex, 126, 136, 410; in urban and rural districts, 92.  
— death rate, 27.
- Jumping from high places (suicidal), deaths from, 28, 92; by age, 128, 139, 412; by color, 128, 136, 412; by sex, 128, 136, 412; in urban and rural districts, 92.  
— death rate, 28.
- Kidneys and annexa, diseases of, deaths from, 27, 90; by age, 124, 138, 408; by color, 124, 135, 408; by sex, 124, 135, 408; in urban and rural districts, 90.  
— death rate, 27.
- Lack of care, deaths from, 27, 92; by age, 128, 139, 412; by color, 128, 136, 412; by sex, 128, 136, 412; in urban and rural districts, 92.  
— death rate, 27.
- Landslide, crushing, deaths from, 28, 92; by age, 132, 140, 416; by color, 132, 136, 416; by sex, 132, 136, 416; in urban and rural districts, 92.  
— death rate, 28.
- Larynx, diseases of, deaths from, 27, 90; by age, 120, 138, 404; by color, 120, 135, 404; by sex, 120, 135, 404; in urban and rural districts, 90.  
— death rate, 27.
- Laudanum poisoning (accidental or suicidal), deaths from, 28.  
— death rate, 28.
- Lead poisoning, chronic, deaths from, 26, 88; by age, 116, 137, 400; by color, 116, 134, 400; by sex, 116, 134, 400; in urban and rural districts, 88.  
— death rate, 26.
- Leprosy, deaths from, 26, 88; by age, 110, 137, 394; by color, 110, 134, 394; by sex, 110, 134, 394; in urban and rural districts, 88.  
— death rate, 26.
- Lethargic encephalitis, deaths from, 26, 88; by age, 110, 137, 396; by color, 110, 134, 396; by sex, 110, 134, 396; by month of death, 318; in urban and rural districts, 88.  
— death rate, 26.
- Leukemia, deaths from, 26, 88; by age, 116, 137, 400; by color, 116, 134, 400; by sex, 116, 134, 400; in urban and rural districts, 88.  
— death rate, 26.
- Lightning, deaths from, 28, 92; by age, 132, 140, 416; by color, 132, 136, 416; by sex, 132, 136, 416; in urban and rural districts, 92.  
— death rate, 28.
- Liver, diseases of, deaths from, 27, 90; by age, 124, 138, 408; by color, 124, 135, 408; by sex, 124, 135, 408; in urban and rural districts, 90.  
— death rate, 27.
- Locomotor ataxia. *See* Tabes dorsalis.
- Lymphatic system, diseases of, deaths from, 27, 90; by age, 120, 138, 404; by color, 120, 135, 404; by sex, 120, 135, 404; in urban and rural districts, 90.  
— death rate, 27.
- Lysol poisoning (suicidal), deaths from, 28.  
— death rate, 28.
- Machines, traumatism by, deaths from, 28, 92; by age, 130, 139, 414; by color, 130, 136, 414; by sex, 130, 136, 414; in urban and rural districts, 92; in detail, 28.  
— death rate, 28.
- Malaria, deaths from, 26, 58, 88; by age, 110, 137, 394; by color, 58, 110, 134, 394; by sex, 110, 134, 394; by month of death, 318; in urban and rural districts, 58, 88.  
— death rate, 26.
- Male genital organs, nonvenereal diseases of, deaths from, 27, 90; by age, 124, 138, 408; by color, 124, 135, 408; in urban and rural districts, 90.  
— death rate, 27.
- Malignancies. *See* Congenital malformations.
- Malta fever, no deaths in 1926.
- Mastoid process, diseases of, deaths from, 26, 90; by age, 118, 138, 402; by color, 118, 135, 402; by sex, 118, 135, 402; in urban and rural districts, 90.  
— death rate, 26.
- Measles, deaths from, 26, 58, 88; by age, 110, 137, 394, 420; by color, 58, 110, 134, 394, 420; by sex, 110, 134, 394, 420; by month of death, 318; in urban and rural districts, 58, 88.  
— death rate, 26, 420.
- Mechanical suffocation, deaths from, 28, 92; by age, 130, 139, 414; by color, 130, 136, 414; by sex, 130, 136, 414; in urban and rural districts, 92.  
— death rate, 28.
- Mediastinum, diseases of, deaths from, 27.  
— death rate, 27.
- Meningitis, deaths from, 26, 88; by age, 116, 137, 400; by color, 116, 134, 400; by sex, 116, 134, 400; in urban and rural districts, 88; in detail, 26.  
— death rate, 26.
- Meningococcus meningitis, deaths from, 26, 58, 88; by age, 112, 137, 396; by color, 58, 112, 134, 396; by sex, 112, 134, 396; by month of death, 318; in urban and rural districts, 58, 88.  
— death rate, 26.
- Mental alienation, deaths from, 26, 88; by age, 118, 138, 402; by color, 118, 135, 402; by sex, 118, 135, 402; in urban and rural districts, 88.  
— death rate, 26.

- Miliary fever, no deaths in 1926.
- Mineral poisoning, chronic, deaths from, 26, 88; by age, 116, 137, 400; by color, 116, 134, 400; by sex, 116, 134, 400; in urban and rural districts, 88; in detail, 26.  
— death rate, 26.
- Mines, traumatism in, deaths from, 28, 92; by age, 130, 139, 414; by color, 130, 136, 414; by sex, 130, 136, 414; in urban and rural districts, 92.  
— death rate, 28.
- Month of death, deaths by, 30; by cause, 318.
- Morphin poisoning (accidental or suicidal), deaths from, 28.  
— death rate, 28.
- Motor-cycle accidents, deaths from, 28.  
— death rate, 28.
- Mouth and annexa, diseases of, deaths from, 27, 90; by age, 122, 138, 406; by color, 122, 135, 406; by sex, 122, 135, 406; in urban and rural districts, 90.  
— death rate, 27.
- Mumps, deaths from, 26, 88; by age, 110, 137, 394; by color, 110, 134, 394; by sex, 110, 134, 394; in urban and rural districts, 88.  
— death rate, 26.
- Mycoses, deaths from, 26, 88; by age, 112, 137, 396; by color, 112, 134, 396; by sex, 112, 134, 396; in urban and rural districts, 88.  
— death rate, 26.
- Myocarditis. *See* Endocarditis and myocarditis, acute.
- Nasal fossae and annexa, deaths from, 27, 90; by age, 120, 138, 404; by color, 120, 135, 404; by sex, 120, 135, 404; in urban and rural districts, 90; in detail, 27.  
— death rate, 27.
- Native white population, deaths of, 32, 40; by age and sex, 40; in urban and rural districts, 32.
- Nativity, deaths by, 32, 40.
- Negro population, deaths of, 32, 40, 134; by age, 40; by cause, 134; by sex, 40, 134; in urban and rural districts, 32.
- Nematodes (other than ancylostoma), deaths from, 27.  
— death rate, 27.
- Nephritis, deaths from, 27, 59, 90; by age, 124, 138, 408, 423; by color, 59, 124, 135, 408, 423; by sex, 124, 135, 408, 423; by month of death, 318; in urban and rural districts, 59, 90; in detail, 27.  
— death rate, 27, 423.
- Nervous system and the organs of special sense, diseases of, deaths from, 26, 88; by age, 116, 137, 400; by color, 116, 134, 400; by sex, 116, 134, 400; in urban and rural districts, 88; in detail, 26.  
— death rate, 26.
- Neuralgia and neuritis, deaths from, 26, 88; by age, 118, 138, 402; by color, 118, 135, 402; by sex, 118, 135, 402; in urban and rural districts, 88.  
— death rate, 26.
- Neuritis. *See* Neuralgia and neuritis.
- Old age (senility), deaths from, 27, 92; by age, 128, 139, 412; by color, 128, 136, 412; by sex, 128, 136, 412; in urban and rural districts, 92.  
— death rate, 27.
- Opium poisoning (accidental or suicidal), deaths from, 28.  
— death rate, 28.
- Osteoarthritis. *See* Rheumatism.
- Pancreas, diseases of, deaths from, 27, 90; by age, 124, 138, 408; by color, 124, 135, 408; by sex, 124, 135, 408; in urban and rural districts, 90.  
— death rate, 27.
- Paralysis without specified cause, deaths from, 26, 88; by age, 116, 137, 400; by color, 116, 135, 400; by sex, 116, 135, 400; in urban and rural districts, 88; in detail, 26.  
— death rate, 26.
- Parathyroid glands, diseases of, deaths from, 26, 88; by age, 116, 137, 400; by color, 116, 134, 400; by sex, 116, 134, 400; in urban and rural districts, 88.  
— death rate, 26.
- Paratyphoid fever. *See* Typhoid and paratyphoid fever.
- Parent nativity, deaths by, 32.
- Pellagra, deaths from, 26, 88; by age, 114, 137, 398; by color, 114, 134, 398; by sex, 114, 134, 398; in urban and rural districts, 88.  
— death rate, 26.
- Pelvic abscess. *See* Salpingitis and pelvic abscess.
- Pericarditis, deaths from, 27, 90; by age, 118, 138, 402; by color, 118, 135, 402; by sex, 118, 135, 402; in urban and rural districts, 90.  
— death rate, 27.
- Peritonitis without specified cause, deaths from, 27, 90; by age, 124, 138, 408; by color, 124, 135, 408; by sex, 124, 135, 408; in urban and rural districts, 90.  
— death rate, 27.
- Pernicious anemia, deaths from, 26.  
— death rate, 26.
- Pharynx, tonsils, diseases of, deaths from, 27, 90; by age, 122, 138, 406; by color, 122, 135, 406; by sex, 122, 135, 406; in urban and rural districts, 90; in detail, 27.  
— death rate, 27.
- Pituitary gland, diseases of, deaths from, 26, 88; by age, 114, 137, 398; by color, 114, 134, 398; by sex, 114, 134, 398; in urban and rural districts, 88.  
— death rate, 26.
- Plague, deaths from, 26, 88; by age, 110, 137, 394; by color, 110, 134, 394; by sex, 110, 134, 394; in urban and rural districts, 88; in detail, 26.  
— death rate, 26.
- Pleurisy, deaths from, 27, 90; by age, 120, 138, 404; by color, 120, 135, 404; by sex, 120, 135, 404; in urban and rural districts, 90.  
— death rate, 27.
- Pneumonia or its principal forms, deaths from, 27, 59, 90; by age, 120, 138, 404; by color, 59, 120, 135, 404; by sex, 120, 135, 404; by month of death, 318; in urban and rural districts, 59, 90; in detail, 27.  
— death rate, 27.
- Pneumonic plague, no deaths in 1926.
- Poisoning by food, deaths from, 28, 92; by age, 130, 139, 414; by color, 130, 136, 414; by sex, 130, 136, 414; in urban and rural districts, 92; in detail, 28.  
— death rate, 28.
- Poisoning by organic substances, chronic, deaths from, 26, 88; by age, 116, 137, 400; by color, 116, 134, 400; by sex, 116, 134, 400; in urban and rural districts, 88.  
— death rate, 26.
- Poisoning by venomous animals, deaths from, 28, 92; by age, 130, 139, 414; by color, 130, 136, 414; by sex, 130, 136, 414; in urban and rural districts, 92.  
— death rate, 28.
- Poisonings, acute (gas excepted), deaths from, 28, 92; by age, 130, 139, 414; by color, 130, 136, 414; by sex, 130, 136, 414; in urban and rural districts, 92; in detail, 28.  
— death rate, 28.
- Poisonous gas, absorption of. *See* Absorption of irrespirable, irritating, or poisonous gas.
- Poliomyelitis. *See* Acute anterior poliomyelitis.
- Population of registration area, 2, and subdivisions, 2, 4.
- Premature birth, deaths from, 27, 92; by age, 126, 139, 412; by color, 126, 136, 412; by sex, 126, 136, 412; in urban and rural districts, 92.  
— death rate, 27.
- Prostate, diseases of, deaths from, 27, 90; by age, 124, 138, 408; by color, 124, 135, 408; in urban and rural districts, 90.  
— death rate, 27.
- Puerperal state, the, or its principal forms, deaths from, 27, 59, 90; by age, 124, 139, 410, 424; by color, 59, 124, 136, 410, 424; by month of death, 318; in urban and rural districts, 59, 90; in detail, 27.  
— death rate, 27, 424.
- Pulmonary emphysema. *See* Emphysema, pulmonary.
- Purulent infection, septicemia, deaths from, 26, 88; by age, 112, 137, 396; by color, 112, 134, 396; by sex, 112, 134, 396; in urban and rural districts, 88.  
— death rate, 26.
- Quarries, traumatism in, deaths from, 28, 92; by age, 130, 139, 414; by color, 130, 136, 414; by sex, 130, 136, 414; in urban and rural districts, 92.  
— death rate, 28.
- Rabies, deaths from, 26, 88; by age, 112, 137, 396; by color, 112, 134, 396; by sex, 112, 134, 396; in urban and rural districts, 88.  
— death rate, 26.
- Race, deaths by, 32, 40, 134; by age, 40; by cause, 134; by sex, 40, 134; in urban and rural districts, 32.
- Railroad accidents, deaths from, 28, 92; by age, 130, 139, 416; by color, 130, 136, 416; by sex, 130, 136, 416; in urban and rural districts, 92; in detail, 28.  
— death rate, 28.
- Railroad train and automobile collisions, deaths from, 28, 59, 92; by age, 130, 139, 416; by color, 59, 130, 136, 416; by sex, 130, 136, 416; by month of death, 318; in urban and rural districts, 59, 92.  
— death rate, 28.
- Registration States of 1920, deaths in, 40, 394, 420; by age, 40, 394, 420; by cause, 394, 420; by color, 40, 394, 420; by race, 40; by sex, 40, 394, 420.  
— death rate, 420.
- Relapsing fever (*spirillum obermeieri*), no deaths in 1926.
- Residents, deaths of and rates, Table IB, 13-25.
- Respiratory system, diseases of, deaths from, 27, 90; by age, 120, 138, 404; by color, 120, 135, 404; by sex, 120, 135, 404; in urban and rural districts, 90; in detail, 27.  
— death rate, 27.
- Rheumatic fever, deaths from, 26, 88; by age, 114, 137, 398; by color, 114, 134, 398; by sex, 114, 134, 398; in urban and rural districts, 88.  
— death rate, 26.
- Rheumatism, deaths from, 26, 58, 88; by age, 114, 137, 398; by color, 58, 114, 134, 398; by sex, 114, 134, 398; in urban and rural districts, 58, 88; in detail, 26.  
— death rate, 26.

- Rickets, deaths from, 26, 88; by age, 114, 137, 398; by color, 114, 134, 398; by sex, 114, 134, 398; in urban and rural districts, 88.  
— death rate, 26.
- Salpingitis and pelvic abscess (female), deaths from, 27, 90; by age, 124, 139, 408; by color, 124, 135, 408; in urban and rural districts, 90.  
— death rate, 27.
- Scarlet fever, deaths from, 26, 58, 88; by age, 110, 137, 394, 421; by color, 58, 110, 134, 394, 421; by sex, 110, 134, 394, 421; by month of death, 318; in urban and rural districts, 58, 88.  
— death rate, 26, 421.
- Sclerema, congenital. *See* Congenital debility, etc.
- Scurvy, deaths from, 26, 88; by age, 114, 137, 398; by color, 114, 134, 398; by sex, 114, 134, 398; in urban and rural districts, 88.  
— death rate, 26.
- Senility. *See* Old age.
- Septicemia. *See* Purulent infection.
- Septicemic plague, no deaths in 1926.
- Sex, deaths by, 40, 110, 134, 394, 420.  
— death rate, 420.
- Skin and cellular tissue, diseases of, deaths from, 27, 92; by age, 126, 139, 410; by color, 126, 136, 410; by sex, 126, 136, 410; in urban and rural districts, 92; in detail, 27.  
— death rate, 28.
- Smallpox, deaths from, 26, 58, 88; by age, 110, 137, 394; by color, 58, 110, 134, 394; by sex, 110, 134, 394; by month of death, 318; in urban and rural districts, 58, 88.  
— death rate, 26.
- Soft chancre, deaths from, 26, 88; by age, 112, 137, 394; by color, 112, 134, 394; by sex, 112, 134, 394; in urban and rural districts, 88.  
— death rate, 26.
- Softening of the brain, deaths from, 26, 90; by age, 118, 138, 402; by color, 118, 135, 402; by sex, 118, 135, 402; in urban and rural districts, 90.  
— death rate, 26.
- Specific rates. *See* Table 1, Appendix.
- Spinal cord, diseases of, deaths from, 26, 88; by age, 116, 137, 400; by color, 116, 134, 400; by sex, 116, 134, 400; in urban and rural districts, 88.  
— death rate, 26.
- Spirochetal hemorrhagic jaundice, deaths from, 26, 88; by age, 110, 137, 394; by color, 110, 134, 394; by sex, 110, 134, 394; in urban and rural districts, 88.  
— death rate, 26.
- Spleen, diseases of, deaths from, 26, 88; by age, 116, 137, 400; by color, 116, 134, 400; by sex, 116, 134, 400; in urban and rural districts, 88.  
— death rate, 26.
- Starvation (deprivation of food or water), deaths from, 28, 92; by age, 132, 140, 416; by color, 132, 136, 416; by sex, 132, 136, 416; in urban and rural districts, 92.  
— death rate, 28.
- Stomach, diseases of (cancer excepted), deaths from, 27, 90; by age, 122, 138, 406; by color, 122, 135, 406; by sex, 122, 135, 406; in urban and rural districts, 90; in detail, 27.  
— death rate, 28.
- Strangulation. *See* Hanging.
- Street-car accidents, deaths from, 28, 92; by age, 130, 140, 416; by color, 130, 136, 416; by sex, 130, 136, 416; in urban and rural districts, 92; in detail, 28.  
— death rate, 28.
- Street-car and automobile collisions, deaths from, 28, 59, 92; by age, 130, 140, 416; by color, 59, 130, 136, 416; by sex, 130, 136, 416; by month of death, 318; in urban and rural districts, 59, 92.  
— death rate, 28.
- Strychnin poisoning (accidental or suicidal), deaths from, 28.  
— death rate, 28.
- Sudden death, deaths from, 28, 92; by age, 132, 140, 418; by color, 132, 136, 418; by sex, 132, 136, 418; in urban and rural districts, 92.  
— death rate, 28.
- Suicide or its principal forms, deaths by, 28, 59, 92; by age, 128, 139, 412; by color, 59, 128, 136, 412; by sex, 128, 136, 412; by month of death, 318; in urban and rural districts, 59, 92; in detail, 28.  
— death rate, 28.
- Syphilis, deaths from, 26, 88; by age, 112, 137, 396; by color, 112, 134, 396; by sex, 112, 134, 396; in urban and rural districts, 88.  
— death rate, 26.
- Tabes dorsalis (locomotor ataxia), deaths from, 26, 88; by age, 116, 137, 400; by color, 116, 134, 400; by sex, 116, 134, 400; in urban and rural districts, 88.  
— death rate, 26.
- Tetanus, deaths from, 26, 88; by age, 112, 137, 396; by color, 112, 134, 396; by sex, 112, 134, 396; in urban and rural districts, 88.  
— death rate, 26.
- Thrombosis. *See* Cerebral embolism and thrombosis. *See* Embolism and thrombosis (not cerebral).
- Thymus gland, diseases of, deaths from, 26, 88; by age, 116, 137, 400; by color, 116, 134, 400; by sex, 116, 134, 400; in urban and rural districts, 88.  
— death rate, 26.
- Thyroid gland, diseases of, deaths from, 26, 88; by age, 114, 137, 398; by color, 114, 134, 398; by sex, 114, 134, 398; in urban and rural districts, 88; in detail, 26.  
— death rate, 26.
- Tonsils. *See* Pharynx.
- Trematodes, deaths from, 27.  
— death rate, 27.
- Tuberculosis or its principal forms, deaths from, 26, 58, 88; by age, 112, 137, 396, 422; by color, 58, 112, 134, 396, 422; by sex, 112, 134, 396, 422; by month of death, 318; in urban and rural districts, 58, 88; in detail, 26.  
— death rate, 26, 422.
- Tumors, benign and unqualified (tumors of the female genital organs excepted), deaths from, 26, 88; by age, 114, 137, 398; by color, 114, 134, 398; by sex, 114, 134, 398; in urban and rural districts, 88.  
— death rate, 26.
- Tumors of the uterus, benign, deaths from, 27, 90; by age, 124, 139, 408; by color, 124, 135, 408; in urban and rural districts, 90.  
— death rate, 27.
- Typhilitis. *See* Appendicitis and typhlitis.
- Typhoid and paratyphoid fever, deaths from, 26, 58, 88; by age, 110, 137, 394, 420; by color, 58, 110, 134, 396, 420; by sex, 110, 134, 394, 420; by month of death, 318; in urban and rural districts, 58, 88; in detail, 26.  
— death rate, 26, 420.
- Typhus fever, deaths from, 26, 88; by age, 110, 137, 394; by color, 110, 394; by sex, 110, 394; in urban and rural districts, 88.  
— death rate, 26.
- Ulcer of the duodenum, deaths from, 27, 90; by age, 122, 138, 406; by color, 122, 135, 406; by sex, 122, 135, 406; in urban and rural districts, 90.  
— death rate, 27.
- Ulcer of the stomach, deaths from, 27, 90; by age, 122, 138, 406; by color, 122, 135, 406; by sex, 122, 135, 406; in urban and rural districts, 90.  
— death rate, 27.
- Unknown or ill-defined diseases, deaths from, 28, 59, 92; by age, 132, 140, 418; by color, 59, 132, 136, 418; by sex, 132, 136, 418; in urban and rural districts, 59, 92; in detail, 29.  
— death rate, 28.
- Urethra, etc., diseases of, deaths from, 27, 90; by age, 124, 138, 408; by color, 124, 135, 408; by sex, 124, 135, 408; in urban and rural districts, 90; in detail, 27.  
— death rate, 27.
- Uterine hemorrhage, nonpuerperal, deaths from, 27, 90; by age, 124, 139, 408; by color, 124, 135, 408; in urban and rural districts, 90.  
— death rate, 27.
- Uterus, benign tumors of. *See* Tumors of the uterus, benign.
- Veins, diseases of, deaths from, 27, 90; by age, 120, 138, 404; by color, 120, 135, 404; by sex, 120, 135, 404; in urban and rural districts, 90.  
— death rate, 27.
- Virgin Islands, statistics of, 389.
- White population, 2; deaths of, 2, 32, 40, 58; by age, 34, 40, 110, 394, 420; by cause, 58, 110, 394, 420; by nativity, 32, 40; by sex, 40, 110, 394, 420; in urban and rural districts, 2, 32, 34, 58.  
— death rate, 2, 420.
- Whooping cough, deaths from, 26, 58, 88; by age, 110, 137, 394, 421; by color, 58, 110, 134, 394, 421; by sex, 110, 134, 394, 421; by month of death, 318; in urban and rural districts, 58, 88.  
— death rate, 26, 421.
- Wood or denatured alcohol poisoning (accidental), deaths from, 28.  
— death rate, 28.
- Wounds of war, deaths from, 28, 92; by age, 132, 140, 416; by color, 132, 416; by sex, 132, 416; in urban and rural districts, 92.  
— death rate, 28.
- Yellow fever, no deaths in 1926.