

U. S. DEPARTMENT OF COMMERCE

DANIEL C. ROPER, SECRETARY

BUREAU OF THE CENSUS

WILLIAM LANE AUSTIN, DIRECTOR



MORTALITY STATISTICS

1935

THIRTY-SIXTH ANNUAL REPORT

RATE TABLES AND GENERAL TABLES FOR THE UNITED STATES
WITH SUPPLEMENTAL STATISTICS FOR HAWAII, PUERTO
RICO, AND THE VIRGIN ISLANDS

PREPARED UNDER THE SUPERVISION OF

DR. HALBERT L. DUNN

Chief Statistician for Vital Statistics

UNITED STATES GOVERNMENT PRINTING OFFICE

WASHINGTON : 1937

**REPORTS ON BIRTH AND MORTALITY STATISTICS
ISSUED BY THE BUREAU OF THE CENSUS**

BIRTH, STILLBIRTH, AND INFANT MORTALITY STATISTICS (Annual):

Text and text tables, summary, rate, and general tables of births in the United States, with supplemental statistics for Hawaii and the Virgin Islands.

MORTALITY STATISTICS (Annual):

Text, and text tables, rate, and general tables of deaths in the United States, with supplemental statistics for Hawaii, Puerto Rico, and the Virgin Islands.

CONTENTS

MAP

Growth of the registration area for deaths: 1880 to 1935-----	-----	Page 2
---	-------	-----------

INTRODUCTION

	Page		Page
Extent of the registration area in 1935-----	3	Comparison of each International List title with corresponding	
Growth of the registration area, 1880 to 1935-----	3	number of letter code of selected lists-----	5
Comparison with earlier reports-----	4	Selected causes and corresponding International List numbers---	8
Death rates of foreign countries-----	4	Deaths from all motor-vehicle accidents in the registration	
Comparison of the International and special lists of causes of		area of the United States: 1932-1935-----	8
death-----	4	Automobile accidents (excluding collision with railroad trains	
Motor-vehicle accidents-----	4	and street cars): 1932-1935-----	11

RATE TABLE

Table I.—Deaths (exclusive of stillbirths) from each cause and death rates per 100,000 population in the United States: 1934 and 1935---	-----	14
--	-------	----

Note.—In the 1922 and earlier annual reports on Mortality Statistics are tables which contain death rates per 100,000 population from important causes in each registration State and city, and from each cause in cities and rural districts. Beginning with 1923 these statistics are in manuscript only.

GENERAL TABLES


Table 1.—Deaths (exclusive of stillbirths) by month: 1935-----	-----	19
Deaths in the United States and in cities and rural districts of each State. (Similar data for cities, which have not been shown since 1922, are retained in manuscript.)		
Table 2.—Deaths (exclusive of stillbirths) by race: 1935-----	-----	22
Deaths of Whites, Negroes, Indians, Chinese, Japanese, and minor races, in the United States, and in cities and rural districts of each State. (Similar data for cities, which have not been shown since 1922, are retained in manuscript.)		
Table 3A.—Deaths (exclusive of stillbirths) by age: 1935-----	-----	24
Deaths under 1 year of age, 1 to 4 years, and by 5-year age periods, in the United States, and in cities and rural districts of each State. (Similar data for cities, which have not been shown since 1922, are retained in manuscript.)		
Table 3B.—Deaths (exclusive of stillbirths) by race, sex, and age in each State: 1935-----	-----	30
Deaths of white and other races, under 1 year, 1 to 4 years, and by 5-year age periods, in the United States, and in cities and rural districts of each State.		
Table 4.—Deaths (exclusive of stillbirths) by age, race, and sex: 1935-----	-----	62
Deaths of Whites, Negroes, Indians, Chinese, Japanese, and minor races, by sex, under 1 year of age, 1 to 4 years, and by 5-year age periods, in the United States, the total registration States of 1920, and each State.		
Table 5.—Deaths (exclusive of stillbirths) by sex and race, from selected causes: 1935-----	-----	76
Deaths from 33 causes, in the United States, for States, by groups of cities and rural districts, and for individual cities with a population of 10,000 or more on April 1, 1930.		
Table 6.—Deaths (exclusive of stillbirths) from each cause, in each State, by cities and rural districts: 1935-----	-----	136
Table 7.—Deaths (exclusive of stillbirths) from each cause, by sex, race, and age, in the United States: 1935-----	-----	200
Deaths by single years under 5 years, and by 5-year age periods.		
Table 8.—Deaths (exclusive of stillbirths) of Negroes, Indians, Chinese, Japanese, and minor races, from each cause, by sex, in the United States: 1935-----	-----	252
Table 9.—Deaths (exclusive of stillbirths) from selected causes, by age, in States and large cities: 1935-----	-----	256
Deaths by single years under 5 years, and by 5-year age periods, in States, and in cities with a population of 10,000 or more on April 1, 1930.		
Table 10.—Deaths (exclusive of stillbirths) from selected causes, by month, in each State: 1935-----	-----	323

SUPPLEMENT

Hawaii-----	-----	345, 346
Puerto Rico-----	-----	345, 354
Virgin Islands-----	-----	345, 361

MORTALITY STATISTICS
1935

GROWTH OF THE REGISTRATION AREA FOR DEATHS: 1880 TO 1935



ORIGINAL REGISTRATION STATES, 1900

STATES ADDED SINCE 1900

MORTALITY STATISTICS: 1935

INTRODUCTION

This report for the calendar year 1935 is the thirty-sixth annual report on Mortality Statistics published by the Bureau of the Census. It relates to the United States, the Territory of Hawaii, Puerto Rico, and the Virgin Islands. The data are compiled from transcripts of certificates of death received from the registration authorities of the States and other areas. It makes available detailed figures concerning deaths in individual States and in cities with a population of 10,000 or more, including classifications by sex, race, and age, and by cause of death according to the International Classification of Causes of Death. The report was prepared under the direction of Dr. Halbert L. Dunn, Chief Statistician for Vital Statistics, assisted by Dr. John Collinson, Assistant Chief Statistician for Vital Statistics.

EXTENT OF THE REGISTRATION AREA IN 1935

The registration area in 1935 embraced all the States, the District of Columbia, the Territory of Hawaii, Puerto Rico, and the Virgin Islands. These areas were admitted on the basis of approximately complete registration of deaths (at least 90 percent of all deaths) and when the data at hand showed that the deaths were recorded properly under adequate registration laws. Since 1930 the continental area has been complete, with the exception of Texas, which has been represented by eight of the larger cities. In 1933 Texas entered as a full registration State, and the reports will deal henceforth with continental United States and the above outlying areas.

The estimated population of the United States in 1935 was 127,521,000. In this population there were 1,392,752 deaths representing a rate of 10.9 per 1,000 estimated population.

GROWTH OF REGISTRATION AREA: 1880 TO 1935

The first mortality statistics published by the Federal Government related to 1850, and were for the entire United States of that time. These statistics were based on data collected at the decennial census of that year, such decennial

collections of similar statistics were continued by census enumerators through 1900. In 1880, however, a registration area for deaths was established. For that year, as well as for 1890 and 1900, mortality returns were received from the States and cities included in the area, as well as from returns by enumerators.

The annual collection of mortality statistics for the registration area in the United States began with the calendar year 1900.

Table A shows the States which were included in the area from 1880 to 1935. In each year until 1933 there were also included a number of registration cities in nonregistration States. The Territory of Hawaii was added in 1917, the Virgin Islands in 1924, and Puerto Rico in 1932.

Table B shows the growth of the registration area in population and land area from 1880 to 1935.

STATE	Year	STATE	Year
Massachusetts	1/1880	Kansas	1914
New Jersey		North Carolina 5/	1916
District of Columbia 2/	1/1890	South Carolina	1917
Connecticut		Tennessee	1918
Delaware 3/	1/1900	Illinois	1919
New Hampshire		Louisiana	1920
New York	1900	Oregon	1922
Rhode Island		Delaware 3/r	1923
Vermont	1906	Florida	1924
Maine		Mississippi	1925
Michigan	1908	Nebraska	1926
Indiana		Georgia 2/	1927
California	1909	Idaho	1928
Colorado		Wyoming	1929
Maryland	1910	Iowa	1930
Pennsylvania		North Dakota	1931
South Dakota 4/	1911	Alabama	1932
Washington		West Virginia	1933
Wisconsin	1911	Arizona	1934
Ohio		Arkansas	1935
Minnesota	1913	Georgia 3/	1936
Montana		Oklahoma	1937
North Carolina 5/	1913	Nevada	1938
Utah		New Mexico	1939
Kentucky	1913	South Dakota 4/	1940
Missouri		Texas	1941
Virginia	1913		

1/ Census year ending May 31.
 2/ Included in States.
 3/ Dropped from area in the census year 1900, readmitted in 1919.
 4/ Dropped from the area in 1910, readmitted in 1930.
 5/ Included only municipalities with a population of 1,000 or more in 1900; these represented only about 16 percent of the total population.
 6/ The remainder of the State of North Carolina was added to the registration area in 1916. (See note 5.)
 7/ Dropped from the area in 1925 when the State registration law was declared unconstitutional.
 8/ The State was readmitted to the area in 1928 under a new State registration law. (See note 7.)

CALENDAR YEAR	CONTINENTAL UNITED STATES		REGISTRATION AREA IN CONTINENTAL UNITED STATES			
	Estimated population, July 1	Land area (square miles)	Estimated population, July 1		Land area	
			Number	Percent of total	Square miles	Percent of total
1935	127,521,000	2,973,776	127,521,000	100.0	2,973,776	100.0
1934	126,626,000	2,973,776	126,626,000	100.0	2,973,776	100.0
1933	125,693,000	2,973,776	125,693,000	100.0	2,973,776	100.0
1932	124,822,000	2,973,776	120,122,200	96.3	2,711,617	91.2
1931	124,070,000	2,973,776	119,421,000	96.3	2,711,619	91.2
1930 1/	123,191,000	2,973,776	118,560,800	96.2	2,711,615	91.2
1929	121,526,429	2,973,776	116,317,515	95.7	2,634,743	88.6
1928	119,861,607	2,973,776	114,258,516	95.3	2,402,433	80.8
1927	118,196,785	2,973,776	108,177,568	91.5	2,274,398	76.5
1926	116,531,963	2,973,776	104,938,301	90.1	2,221,892	74.7
1925	114,867,141	2,973,776	102,951,999	89.6	2,108,072	70.9
1924	113,202,319	2,973,776	100,082,062	88.4	2,091,456	70.3
1923	111,537,497	2,973,776	97,816,104	87.7	2,021,237	68.0
1922	109,872,675	2,973,776	93,866,240	85.4	1,965,589	66.1
1921	108,207,853	2,973,776	89,102,434	82.3	1,726,012	58.0
1920 2/	106,543,031	3/2,973,776	87,632,592	82.3	1,726,012	58.0
1919	105,003,065	2,973,890	85,166,043	81.1	1,649,281	55.5
1918	103,587,955	2,973,890	81,233,675	78.5	1,546,166	52.0
1917	102,172,845	2,973,890	74,984,498	73.4	1,349,629	45.4
1916	100,757,735	2,973,890	71,549,152	70.8	1,307,819	44.0
1915	99,342,625	2,973,890	67,095,661	67.5	1,228,704	41.3
1914	97,927,516	2,973,890	65,813,315	67.2	1,228,644	41.3
1913	96,512,407	2,973,890	63,200,625	65.5	1,147,039	38.5
1912	95,097,298	2,973,890	60,559,974	63.5	1,106,777	37.2
1911	93,682,189	2,973,890	59,153,071	63.2	1,106,734	37.2
1910 4/	92,267,080	5/2,973,890	53,831,742	58.3	997,973	33.6
1909	90,851,971	2,974,159	50,870,518	56.1	765,788	25.7
1908	89,436,862	2,974,159	46,789,913	52.5	725,117	24.4
1907	87,021,753	2,974,159	43,016,990	49.2	603,151	20.3
1906	85,606,644	2,974,159	41,985,419	48.9	603,056	20.3
1905	84,191,535	2,974,159	34,062,201	40.4	212,744	7.2
1904	82,776,426	2,974,159	33,545,153	40.4	212,744	7.2
1903	81,361,317	2,974,159	32,701,053	40.4	212,762	7.2
1902	79,946,208	2,974,159	32,029,815	40.4	212,762	7.2
1901	77,531,099	2,974,159	31,370,625	40.3	212,770	7.2
1900	75,116,000	2,974,159	30,765,618	40.5	212,621	7.1
1900 5/	75,994,575	7/2,974,159	28,807,269	37.9	176,878	5.9
1890 5/	62,947,714	2,973,965	18,659,440	31.2	90,695	3.0
1880 5/	50,155,783	2,973,965	6,538,366	17.0	16,481	0.6

1/ Census year; enumerated population in the United States, 122,775,046, Apr. 1.
 2/ Census year; enumerated population in the United States, 105,710,820, Jan. 1.
 3/ The net reduction of 114 square miles, as compared with area stated by census of 1910, was due to irrigation projects.
 4/ Census year; enumerated population in the United States, 91,972,266, Apr. 15.
 5/ The net reduction of 269 square miles, as compared with area stated by census of 1900, was due to drainage of lakes and swamps in Illinois and Indiana, building of the Roosevelt and Laguna Reservoirs, and the overflow of the Colorado River into the Salton Sea in California.
 6/ Census year ending May 31, enumerated population in United States.
 7/ The increase of 194 square miles, as compared with area stated by census of 1890, was due to the reclamation of part of Potomac River Flats in the District of Columbia and a part of Lake Tulare in California.

COMPARISON WITH EARLIER REPORTS

In the present volume most of the rate tables generally carried in the introductory text of prior reports have been omitted, and some of the general tables have been revised.

The data which were included in table 8 of previous volumes are now shown in a different form in tables 6 and 9. Table 6 shows the number of deaths from each cause of the International List and for certain subdivisions of these causes.

Cities with populations between 2,500 and 10,000 were classified as "rural" prior to 1930, and as "urban" in the years 1930 to 1934.

In following the requirements established by the International Commission on the International List of Causes of Death at the 1929 Conference in Paris, a dual method of classifying accidental causes of death has been employed.

DEATH RATES OF FOREIGN COUNTRIES

Table C presents death rates for the registration area of the United States and for certain foreign countries.

Table D presents death rates for 5-year periods from 1900 to 1920 and from 1922 to 1934 for the registration area of the United States and for certain countries.

Table C: ANNUAL CRUDE DEATH RATE PER 1,000 POPULATION. Columns: Country, 1935, 1934, 1931-1935, 1926-1930, 1921-1925, 1916-1920, 1911-1915, 1906-1910, 1901-1905, 1891-1895. Rows: United States, Australia, Austria, Belgium, Ceylon, Chile, Denmark, England and Wales, Finland, France, Germany, Italy, Jamaica, Japan, Netherlands, New Zealand, Norway, Ontario, Prov. of, Scotland, Spain, Sweden, Switzerland, Uruguay.

1/ Figures are not available. 2/ Figures are provisional.

Table D: DEATH RATE PER 1,000 POPULATION (1900-1925). Columns: Country, 1900, 1905, 1910, 1915, 1920, 1922, 1923, 1924, 1925. Rows: United States, Australia, Austria, Chile, England and Wales, France, Germany, Italy, Japan, New Zealand, Scotland, Spain, Sweden.

Table D-Continued: DEATH RATE PER 1,000 POPULATION (1926-1935). Columns: Country, 1926, 1927, 1928, 1929, 1930, 1931, 1932, 1933, 1934, 1935. Rows: United States, Australia, Austria, Chile, England and Wales, Germany, Italy, Japan, New Zealand, Scotland, Spain, Sweden.

1/ Based upon civilian deaths and estimated civilian population. 2/ Based upon the civil population of 77 'departements' not invaded. 3/ Figures are provisional. 4/ Figures are not available.

COMPARISON OF INTERNATIONAL AND SPECIAL LISTS OF CAUSES OF DEATHS

In classifying causes of death the mortality reports of the Bureau of the Census conform to the list in the fourth revision of the Manual of the International List of Causes of Death, which is based upon the proceedings of the International Commission in Paris in 1929 and was prepared and published by the Bureau of the Census.

The International List of Causes of Death is made up of (1) a detailed list which serves as a basis for specific presentation of deaths from disease or violence, (2) an intermediate list in which many of the titles are consolidations of the headings of the detailed list, and (3) an abridged list in still more consolidated form.

Furthermore, various tables in this report are concerned with different groups of important causes of death selected from the detailed International List. These selected causes are shown in table F. In this table each cause or consolidated group of causes is designated by a two-letter code. Also, after each specified cause, the detailed International List numbers comparable to these selected causes are given.

MOTOR-VEHICLE ACCIDENTS

Due to the great public interest in automobile accidents and the rapid increase in deaths due to motor-vehicle accidents, two special accident tables are included in this report. Table G gives the number of deaths due to automobile accidents, automobiles in collision with railroad trains and street cars, and motorcycle accidents.

1/ A pamphlet, Physicians' Pocket Reference to the International List of Causes of Death, may be obtained without charge upon application to the bureau of the Census, Department of Commerce, Washington, D. C.

MORTALITY STATISTICS

TABLE F.—SELECTED CAUSES AND CORRESPONDING INTERNATIONAL LIST NUMBERS

Table with columns: Letter code, CAUSE OF DEATH, International List number, Letter code, CAUSE OF DEATH, International List number. Lists various causes of death and their corresponding international list numbers.

1/ Excludes accidents associated with automobiles, 206, 208, 210.

TABLE G.—DEATHS FROM ALL MOTOR-VEHICLE ACCIDENTS IN THE REGISTRATION AREA OF THE UNITED STATES: 1932-1935

Large table with columns: AREA, ALL MOTOR-VEHICLE ACCIDENTS, AUTOMOBILE ACCIDENTS (EXCLUDING TRAIN AND STREET CAR COLLISIONS), AUTOMOBILES IN COLLISION WITH- (Railroad trains, Street cars), MOTORCYCLE ACCIDENTS. Provides detailed statistics for various regions from 1932 to 1935.

1/ Including District of Columbia.

MORTALITY STATISTICS

TABLE H.—AUTOMOBILE ACCIDENTS (EXCLUDING COLLISIONS WITH RAILROAD TRAINS AND STREET CARS): 1932-1935—Continued

AREA	TOTAL DEATHS				DEATHS FROM ACCIDENTS WHICH OCCURRED IN SPECIFIED AREA				AREA	TOTAL DEATHS				DEATHS FROM ACCIDENTS WHICH OCCURRED IN SPECIFIED AREA			
	1935	1934	1933	1932	1935	1934	1933	1932		1935	1934	1933	1932	1935	1934	1933	1932
Cities of 100,000 or more in 1930									Cities of 100,000 or more in 1930—Con.								
Akron-----	84	88	85	80	68	67	65	56	Milwaukee-----	77	79	89	97	60	59	71	79
Albany-----	47	47	37	35	24	27	22	13	Minneapolis-----	124	105	98	91	90	89	79	70
Atlanta-----	116	108	105	99	103	87	86	79	Nashville-----	82	65	55	72	80	28	23	36
Baltimore-----	198	225	185	201	155	163	125	137	Newark, N. J.-----	117	90	100	98	107	82	66	88
Birmingham-----	69	74	80	75	42	33	48	53	New Bedford-----	15	23	9	20	10	11	6	14
Boston-----	164	166	143	151	148	151	123	131	New Haven-----	52	48	45	53	31	26	26	31
Bridgeport-----	50	47	51	27	39	32	37	21	New Orleans-----	134	126	120	91	132	92	76	63
Buffalo-----	146	151	144	132	99	117	108	99	New York-----	1,045	1,135	1,146	1,163	1,040	1,117	1,136	1,145
Cambridge-----	25	30	27	22	19	24	15	15	Norfolk-----	34	40	41	36	23	29	24	14
Camden-----	88	90	80	78	29	29	21	27	Oakland-----	79	87	68	64	72	78	54	57
Canton-----	37	39	21	32	25	25	12	23	Oklahoma City-----	64	54	62	66	40	31	34	36
Chattanooga-----	53	47	42	26	33	27	22	11	Omaha-----	65	67	58	44	43	51	46	42
Chicago-----	779	952	882	946	742	911	848	800	Patterson-----	57	42	57	56	29	25	33	32
Cincinnati-----	153	187	143	184	114	131	108	87	Peoria-----	45	47	38	21	28	28	23	8
Cleveland-----	256	268	248	262	235	228	224	244	Philadelphia-----	303	364	367	321	283	353	357	307
Columbus-----	129	120	109	99	68	75	71	69	Pittsburgh-----	173	143	137	159	136	99	107	116
Dallas-----	102	90	83	71	63	44	45	49	Portland, Ore.-----	88	98	83	74	60	81	58	56
Dayton-----	82	80	70	58	50	54	43	39	Providence-----	37	40	46	51	20	19	26	34
Denver-----	92	106	97	86	61	80	80	67	Reading-----	29	29	27	35	17	17	10	13
Des Moines-----	54	45	43	45	42	31	27	33	Richmond-----	87	79	71	67	48	40	27	32
Detroit-----	329	336	307	321	286	302	279	284	Rochester-----	73	80	45	62	46	51	33	33
Duluth-----	30	28	23	22	20	22	17	17	St. Louis-----	191	173	149	156	170	154	135	143
Elizabeth-----	43	46	44	39	22	24	20	25	St. Paul-----	58	90	70	84	40	77	62	68
El Paso-----	52	39	29	30	28	21	19	19	Salt Lake City-----	51	67	46	58	37	38	36	32
Eric-----	42	36	36	36	29	30	29	28	San Antonio-----	58	77	68	50	44	54	47	38
Evansville-----	28	40	33	25	21	22	9	12	San Diego-----	76	63	70	68	63	43	56	57
Fall River-----	13	25	17	20	7	19	11	11	San Francisco-----	126	115	145	132	113	104	123	114
Flint-----	77	54	56	38	47	31	25	21	Scranton-----	38	53	42	32	27	32	29	27
Fort Wayne-----	39	31	27	30	20	21	17	24	Seattle-----	115	147	105	80	88	114	80	68
Fort Worth-----	63	63	45	56	36	44	31	42	Somerville-----	13	20	12	11	12	20	11	10
Gary-----	29	44	37	26	24	27	29	18	South Bend-----	24	32	30	32	16	23	22	20
Grand Rapids-----	46	39	23	29	23	19	5	14	Spokane-----	35	40	38	25	27	21	31	21
Hartford-----	53	59	55	50	25	31	31	25	Springfield, Mass.-----	31	39	30	28	21	23	16	19
Houston-----	108	108	103	64	65	74	66	46	Syracuse-----	58	60	49	39	23	27	24	20
Indianapolis-----	159	143	124	99	119	121	96	68	Tacoma-----	52	53	42	45	35	37	27	37
Jacksonville, Fla.-----	55	60	65	58	32	39	49	37	Tampa-----	36	36	16	28	21	22	14	14
Jersey City-----	52	73	64	58	46	63	55	51	Toledo-----	99	113	89	109	71	82	61	60
Kansas City, Kans.-----	37	47	30	36	30	27	19	22	Trenton-----	55	57	56	41	17	14	19	12
Kansas City, Mo.-----	106	122	121	89	95	105	105	74	Tulsa-----	65	52	33	34	45	33	21	26
Knoxville-----	54	58	36	28	34	38	17	15	Utica-----	22	32	34	29	9	11	14	13
Long Beach-----	49	59	55	55	43	51	44	41	Washington, D. C.-----	155	192	142	186	103	118	82	115
Los Angeles-----	549	521	466	486	435	408	372	423	Wichita-----	38	27	38	21	19	16	15	8
Louisville-----	106	123	88	85	74	85	61	55	Wilmington, Del.-----	30	39	27	36	8	14	10	15
Lowell-----	20	30	20	22	13	18	12	13	Worcester-----	48	47	51	31	34	36	29	26
Lynn-----	13	24	17	12	10	14	14	9	Yonkers-----	14	17	27	17	14	16	26	15
Memphis-----	98	112	116	101	52	47	50	54	Youngstown-----	77	55	52	41	57	34	36	28
Miami-----	61	54	42	40	53	43	34	32									

RATE TABLE

RATE TABLE

TABLE I.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE AND DEATH RATES IN THE UNITED STATES: 1934 AND 1935—Continued

Symbol	CAUSE OF DEATH	DEATHS IN THE UNITED STATES				Symbol	CAUSE OF DEATH	DEATHS IN THE UNITED STATES					
		Number		Rate per 100,000 estimated population				Number		Rate per 100,000 estimated population			
		1935	1934	1935	1934			1935	1934	1935	1934		
	Supplemental Classification—Continued												
	Other railroad accidents—Continued												
	(186a) Fall-----	487	358	0.4	0.3	211	Motorcycle accidents-----	345	332	0.3	0.5		
	(186b) Crushing, landslide-----	1,475	1,787	1.2	1.4		(181) Burns (except conflagration)-----	4		(1/)			
	(193) Due to electric currents-----	6	4	(1/)	(1/)		(185) Cutting or piercing instruments-----	3		(1/)			
	(194b) Other accidents-----	1,786	1,569	1.4	1.2		(186a) Fall-----	76	76	0.1	0.1		
							(186b) Crushing, landslide-----	35	18	(1/)	(1/)		
							(194b) Other accidents-----	231	235	0.2	0.2		
208	Street car and automobile collisions-----	253	332	0.2	0.3	212	Other land transportation accidents-----	1,179	1,202	0.9	0.9		
	(181) Burns (except conflagration)-----	4	6	(1/)	(1/)		(181) Burns (except conflagration)-----	2	1	(1/)	(1/)		
	(185) Drowning-----	1		(1/)			(182) Mechanical suffocation-----	1	1	(1/)	(1/)		
	(185) Cutting or piercing instruments-----	1	1	(1/)	(1/)		(183) Drowning-----	34	14	(1/)	(1/)		
	(186a) Fall-----	1	2	(1/)	(1/)		(185) Cutting or piercing instruments-----	8	7	(1/)	(1/)		
	(186b) Crushing, landslide-----	35	67	(1/)	0.1		(186a) Fall-----	647	676	0.5	0.5		
	(194b) Other accidents-----	211	256	0.2	0.2		(186b) Crushing, landslide-----	113	143	0.1	0.1		
209	Other street car accidents-----	512	552	0.4	0.4	213	(194b) Other accidents-----	374	360	0.3	0.3		
	(181) Burns (except conflagration)-----		1		(1/)		Water transportation accidents-----	1,041	1,185	0.8	0.9		
	(182) Mechanical suffocation-----	1		(1/)			(178) Absorption of poisonous gas-----	5	7	(1/)	(1/)		
	(185) Cutting or piercing instruments-----	2		(1/)			(181) Burns (except conflagration)-----	19	35	(1/)	(1/)		
	(186a) Fall-----	48	48	(1/)	(1/)		(182) Mechanical suffocation-----	2		(1/)			
	(186b) Crushing, landslide-----	105	141	0.1	0.1		(183) Drowning-----	909	1,026	0.7	0.8		
	(193) Due to electric currents-----	4	2	(1/)	(1/)		(185) Cutting or piercing instruments-----	1	3	(1/)	(1/)		
	(194b) Other accidents-----	351	350	0.3	0.3		(186a) Fall-----	63	68	(1/)	0.1		
							(186b) Crushing, landslide-----	9	10	(1/)	(1/)		
210	Automobile accidents (primary)-----	34,183	33,980	26.8	26.8		(193) Due to electric currents-----	1	1	(1/)	(1/)		
	(178) Absorption of poisonous gas-----	20	20	(1/)	(1/)		(194b) Other accidents-----	32	36	(1/)	(1/)		
	(181) Burns (except conflagration)-----	360	429	0.3	0.3	214	Air transportation accidents-----	358	428	0.3	0.3		
	(182) Mechanical suffocation-----	29	24	(1/)	(1/)		(181) Burns (except conflagration)-----	45	86	(1/)	0.1		
	(183) Drowning-----	281	249	0.2	0.2		(183) Drowning-----	9	15	(1/)	(1/)		
	(185) Cutting or piercing instruments-----	257	194	0.2	0.2		(185) Cutting or piercing instruments-----	2		(1/)			
	(186a) Fall-----	1,334	1,403	1.0	1.1		(186a) Fall-----	75	87	0.1	0.1		
	(186b) Crushing, landslide-----	5,370	5,016	4.2	4.0		(186b) Crushing, landslide-----	66	78	0.1	0.1		
	(193) Due to electric currents-----	4	17	(1/)	(1/)		(193) Due to electric currents-----	1		(1/)			
	(194b) Other accidents-----	26,528	26,628	20.8	21.0		(194b) Other accidents-----	160	161	0.1	0.1		

1/ Less than one-tenth of 1 per 100,000 population.

DEATHS BY AGE

IN EACH STATE, FOR CITIES AND RURAL AREAS: 1935—Continued

Table with 18 columns representing age groups (25 to 29 years, 30 to 34 years, etc.) and one column for 'Unknown'. The table lists numerical data for each age group across multiple rows, with some rows containing sub-totals or specific identifiers.

DEATHS BY AGE, FOR CITIES AND RURAL AREAS

RACE, SEX, AND AGE IN EACH STATE: 1935—Continued

Table with 18 columns for age groups (20 to 24 years to 100 years and over) and an 'Unknown' column. Rows contain numerical data for various states, with some rows marked with a column index (1, 2, 3, 4) on the right side.

DEATHS BY AGE, FOR CITIES AND RURAL AREAS

RACE, SEX, AND AGE IN EACH STATE: 1935--Continued

Table with 18 columns representing age groups (20 to 24 years to 100 years and over) and an 'Unknown' column. Each row contains 19 numerical values corresponding to these categories. The data is organized into several distinct blocks separated by horizontal lines, with small numbers (1, 2, 3, 4) appearing on the right side of certain blocks.

MORTALITY STATISTICS

TABLE 3B.—DEATHS (EXCLUSIVE OF STILLBIRTHS) BY

Table with columns: AREA, RACE, AND SEX; All ages; Under 1 year; 1 year; 2 years; 3 years; 4 years; Under 5 years; 5 to 9 years; 10 to 14 years; 15 to 19 years. Rows include MARYLAND (Cities of 100,000 or more, 25,000 to 100,000, 10,000 to 25,000, 2,500 to 10,000, Rural), MASSACHUSETTS (Cities of 100,000 or more, 25,000 to 100,000, 10,000 to 25,000, 2,500 to 10,000, Rural), and MICHIGAN (Cities of 100,000 or more, 25,000 to 100,000, 10,000 to 25,000, 2,500 to 10,000, Rural). Each row lists White and Other races for Male and Female.

DEATHS BY AGE, FOR CITIES AND RURAL AREAS

RACE, SEX, AND AGE IN EACH STATE: 1935—Continued

Table with 18 columns representing age groups (20 to 24 years to 100 years and over) and an 'Unknown' column. Rows list death counts for various categories, with a total row at the bottom showing 1,441 for the 20-24 group and 1,534 for the 25-29 group, among other totals.

MORTALITY STATISTICS

TABLE 5.—DEATHS (EXCLUSIVE OF STILLBIRTHS) BY SEX AND RACE, FROM SELECTED CAUSES, IN EACH STATE, BY CITIES

(Numbers under causes of death correspond to those

Table with columns for AREA, SEX, AND RACE; All causes; Typhoid and paratyphoid fever; Smallpox; Measles; Scarlet fever; Whooping-cough; Diphtheria; Influenza; Erysipelas; Epidemic cerebro-spinal meningitis; Tuberculosis of the respiratory system; Tuberculosis of the meninges, etc.; Other forms of tuberculosis; Syphilis; Malaria; Cancer and other malignant tumors; Rheumatism and gout. Rows include states like Delaware, District of Columbia, Florida, Georgia, Idaho with sub-rows for White, Male, Female, Cities of 10,000 or more, Cities of 2,500 to 10,000, Rural, and Other.

1/ Excludes accidents associated with automobiles (206,208,210).

2/ Refer to complete International list titles.

3/ Cities under 10,000 population in three States (Georgia, Kentucky, and Vermont) are included in rural.

MORTALITY STATISTICS

TABLE 5.—DEATHS (EXCLUSIVE OF STILLBIRTHS) BY SEX AND RACE, FROM SELECTED CAUSES, IN EACH STATE, BY CITIES

(Numbers under causes of death correspond to those

Table with 18 columns: AREA, SEX, AND RACE; All causes; Typhoid and paratyphoid fever; Smallpox; Measles; Scarlet fever; Whooping-cough; Diphtheria; Influenza; Erysipelas; Epidemic cerebro-spinal meningitis; Tuberculosis of the respiratory system; Tuberculosis of the meninges, etc.; Other forms of tuberculosis; Syphilis; Malaria; Cancer and other malignant tumors; Rheumatism and gout. Rows are grouped by state (KANSAS, KENTUCKY, LOUISIANA, MAINE) and include sub-rows for sex (Male, Female) and population size (Cities of 10,000 or more, Cities of 2,500 to 10,000, Rural).

1/ Excludes accidents associated with automobiles (206, 208, 210). 2/ Refer to complete International list titles. 3/ Cities under 10,000 population in three

MORTALITY STATISTICS

TABLE 5.—DEATHS (EXCLUSIVE OF STILLBIRTHS) BY SEX AND RACE, FROM SELECTED CAUSES, IN EACH STATE, BY CITIES

(Numbers under causes of death correspond to those

Table with columns for AREA, SEX, AND RACE; All causes; Typhoid and paratyphoid fever; Smallpox; Measles; Scarlet fever; Whooping-cough; Diphtheria; Influenza; Arsysipelas; Epidemic cerebrospinal meningitis; Tuberculosis of the respiratory system; Tuberculosis of the meninges, etc.; Other forms of tuberculosis; Syphilis; Malaria; Cancer and other malignant tumors; Rheumatism and gout. Rows include states like MARYLAND, MASSACHUSETTS, MICHIGAN, and MINNESOTA, with detailed breakdowns by sex and race.

1/ Excludes accidents associated with automobiles (206, 208, 210).
2/ Refer to complete International List titles.

DEATHS BY RACE, FROM SELECTED CAUSES

AND RURAL DISTRICTS, AND FOR INDIVIDUAL CITIES WITH A POPULATION OF 10,000 OR MORE IN 1930: 1935-Continued in the 1929 revision of the detailed International List)

Table with columns for various causes of death (Diabetes mellitus, Cerebral hemorrhage, etc.) and rows for different years (59, 61, 62, etc.). Includes a final 'All other causes' column.

MORTALITY STATISTICS

TABLE 5.—DEATHS (EXCLUSIVE OF STILLBIRTHS) BY SEX AND RACE, FROM SELECTED CAUSES, IN EACH STATE, BY CITIES

(Numbers under causes of death correspond to those

Table with columns for AREA, SEX, AND RACE; All causes; Typhoid and paratyphoid fever; Smallpox; Measles; Scarlet fever; Whooping-cough; Diphtheria; Influenza; Erysipelas; Epidemic cerebrospinal meningitis; Tuberculosis of the respiratory system; Tuberculosis of the meninges, etc.; Other forms of tuberculosis; Syphilis; Malaria; Cancer and other malignant tumors; Rheumatism and gout. Rows are categorized by state (MINNESOTA, MISSISSIPPI, MISSOURI, MONTANA) and further by city type and sex/race.

1/ Excludes accidents associated with automobiles (206,208,210).
2/ Refer to complete International List titles.

MORTALITY STATISTICS

TABLE 5.—DEATHS (EXCLUSIVE OF STILLBIRTHS) BY SEX AND RACE, FROM SELECTED CAUSES, IN EACH STATE, BY CITIES

(Numbers under causes of death correspond to those

Table with columns: AREA, SEX, AND RACE; All causes; Typhoid and paratyphoid fever; Small-pox; Measles; Scarlet fever; Whooping-cough; Diphtheria; Influenza; Erysipelas; Epidemic cerebro-spinal meningitis; Tuberculosis of the respiratory system; Tuberculosis of the meninges, etc.; Other forms of tuberculosis; Syphilis; Malaria; Cancer and other malignant tumors; Rheumatism and gout. Rows include states like NORTH DAKOTA, OHIO, OKLAHOMA, and OREGON, categorized by sex and race (White, Other).

1/ Excludes accidents associated with automobiles (205,208,210).
2/ Refer to complete International List titles.

DEATHS BY RACE, FROM SELECTED CAUSES

AND RURAL DISTRICTS, AND FOR INDIVIDUAL CITIES WITH A POPULATION OF 10,000 OR MORE IN 1930: 1935—Continued

in the 1929 revision of the detailed International List)

Table with columns for various causes of death (Diabetes mellitus, Cerebral hemorrhage, Diseases of the heart, Bronchitis, Pneumonia, etc.) and columns for age groups (59, 82a, 82c, 90-95, 106, 107-109, 119, 120, 121, 122, 124, 130-132, 140, 142a, 145, 141, 142b-144, 146-150, 157-161, 165-171, 172-175, 210, 206, 208, 176-198, 199, 200). Rows list various cities and their corresponding death counts for each category.

MORTALITY STATISTICS

TABLE 5.—DEATHS (EXCLUSIVE OF STILLBIRTHS) BY SEX AND RACE, FROM SELECTED CAUSES, IN EACH STATE, BY CITIES

(Numbers under causes of death correspond to those

Table with columns: AREA, SEX, AND RACE; All causes; Typhoid and paratyphoid fever; Smallpox; Measles; Scarlet fever; Whooping-cough; Diphtheria; Influenza; Erysipelas; Epidemic cerebrospinal meningitis; Tuberculosis of the respiratory system; Tuberculosis of the meninges, etc.; Other forms of tuberculosis; Syphilis; Malaria; Cancer and other malignant tumors; Rheumatism and gout. Rows are categorized by state (OREGON, PENNSYLVANIA, RHODE ISLAND, SOUTH CAROLINA) and then by city type and race/sex.

1/ Excludes accidents associated with automobiles (206,208,210).
2/ Refer to complete International List titles.

DEATHS BY RACE, FROM SELECTED CAUSES

AND RURAL DISTRICTS, AND FOR INDIVIDUAL CITIES WITH A POPULATION OF 10,000 OR MORE IN 1930: 1935—Continued

in the 1929 revision of the detailed International List

Table with columns for various causes of death (e.g., Diabetes mellitus, Cerebral hemorrhage, Diseases of the heart, Bronchitis, Pneumonia, Diarrhea and enteritis, Appendicitis, Hernia, Cirrhosis, Nephritis, Puerperal septicaemia, Other puerperal causes, Congenital malformations, Suicide, Hemicide, Automobile accidents, Other external causes, Unknown and ill-defined diseases, All other causes) and rows of numerical data.

DEATHS BY RACE, FROM SELECTED CAUSES

AND RURAL DISTRICTS, AND FOR INDIVIDUAL CITIES WITH A POPULATION OF 10,000 OR MORE IN 1930: 1935—Continued

in the 1929 revision of the detailed International List)

Table with columns for causes of death: Diabetes mellitus, Cerebral hemorrhage and softening, Diseases of the heart, Bronchitis, Pneumonia (all forms), Diarrhea and Enteritis, Appendicitis, Hernia, intestinal obstruction, Cirrhosis of the liver, Nephritis, Puerperal septicaemia, Other puerperal causes, Congenital malformations and diseases of early infancy, Suicide, Homicide, Automobile Accidents (Primary, Collision with trains and street cars), Other external causes, Unknown and ill-defined diseases, All other causes.

MORTALITY STATISTICS

TABLE 5.—DEATHS (EXCLUSIVE OF STILLBIRTHS) BY SEX AND RACE, FROM SELECTED CAUSES, IN EACH STATE, BY CITIES

(Numbers under causes of death correspond to those

AREA, SEX, AND RACE	All causes	Typhoid and paratyphoid fever	Small-pox	Measles	Scarlet fever	Whooping-cough	Diphtheria	Influenza	Erysipelas	Epidemic cerebro-spinal meningitis	Tuberculosis of the respiratory system	Tuberculosis of the meninges, etc.	Other forms of tuberculosis	Syphilis	Malaria	Cancer and other malignant tumors	Rheumatism and gout	
		1,2	5	7	8	9	10	11	15	18	23	24	25-32	34	38	45-53	56-58	
MISSOURI																		
Kansas City	White	4,189	3		14	10	4	9	25	4	17	139	6	7	38	3	535	7
	Other	843	1						4	1	7	76	2	8	29		50	1
St. Louis	White	8,837	6		2	13	6	20	43	18	21	237	7	18	107	7	1,197	18
	Other	1,696	1				1	3	11	4	10	191	10	17	55		133	4
Joplin		577	2		7			3	23	1		37	1		3		64	1
St. Joseph		1,340			3		6	4	27	1	12	61			17		135	
Springfield		919	8			3	1	5	27	1	4	25	2	4	5	1	120	1
University City		133															26	
Cape Girardeau		359	1			2		3	5		2	12	1	2			29	3
Columbia	White	185				2	4		7		1	7	1	1	2		27	
	Other	57	1								2				1		7	
Hannibal		338						2	8	1	2	22				2	39	1
Independence		246				1			12		1	2					21	
Jefferson City	White	271	1		1	2	3	4	2	1	2	8			4		22	
	Other	42									8		1	4			5	
Laplewood		52									1						4	
Moberly		196	1		2		2	1	6		4				1		13	
St. Charles		160							1		1			1			20	
Sedalia	White	299	2		8		6	1	18	1	3	8			4		33	1
	Other	40					1		2		3			1			2	
Webster Groves		122									9		1	1			25	
MONTANA																		
Butte		530				3	1		13	1	1	26		6	4		47	
Great Falls		397	1		3		3		6	1		4			2		50	1
Anaconda		189	1		1				4		1	2	1				13	2
Billings		302			3	2	1	4	10	2	1	2		3	2		25	2
Helena		210			1		1		4		4	1		3			21	
Missoula		285			1	2			3		3			1	2		27	
NEBRASKA																		
Omaha	White	2,661			4	3		7	32	3	24	77	4	9	17		359	8
	Other	217							4	1	1	20	4	2	3		16	
Lincoln		923			3	4	1		11	1		19	1	4	3		114	2
Beatrice		147	1		2				3			3			2	1	24	
Fre蒙特		169				1			1								29	2
Grand Island		249							1								30	1
Hastings		301			1			1	6	2				2			20	
Nonfolk		174			3				3	1	1						22	
North Platte		173			4			1	4	3	1	2			1		14	
NEVADA																		
Reno		232							5			12			2		15	
NEW HAMPSHIRE																		
Concord		624	1		1			1	9	1	1	19		4	3	1	65	2
Manchester		889				3	1	23	3		20	2	1				133	4
Nashua		428				3	3	7	1		11			1			38	2
Berlin		158			2			9		1	3	1		1			23	
Clermont town		133				1		1			3						17	
Dover		198									3	1					22	
Keene		161				2		2									12	1
Laconia		217					1	5	2		5	1	1	1			34	1
Portsmouth		173	1			1		1	2		1			1	1		19	
Rochester		154						5						1			21	1
NEW JERSEY																		
Camden	White	1,384	2			1	2	6	23	2	2	33	2	5	6		137	6
	Other	207	1					3	1	2	12		3	3			8	
Elizabeth		1,220			1		6	2	15	1	3	16	3	4	9		144	2
Jersey City	White	3,291			13	2	4	10	24	6	3	132	1	6	16		422	13
	Other	199				1	3	2	2		25	1	2	6			14	1
Newark	White	4,159			2		1		16	2		102	3	13	29		553	13
	Other	633			1		2		8		69	1	12	36			38	1
Paterson		1,684	1		1	1	3	2	13	2	5	32	2	7	9		213	11
Trenton		1,768							10	4		54	2	5	17		181	9
Atlantic City	White	858	8			1	3	15	2		11	1	3	5	1		76	3
	Other	282				1		8			9	2	2	6			23	1
Bayonne		589			2		1	9	1	1	26	1	1	1			61	5
Belleville		249			9	4	21	2	2	5	5	6	4	9	1		15	2
Bloomfield		190									2			1	1		40	1
Clifton		199			1				2		6						33	
East Orange		506				1			9		13				1		74	3
Garfield		83									2			1			5	2
Hoboken		583			1	1	1	2	1	1	1	20	4	2	1		54	4
Irvington		398							1	1	1	14		1	2		58	1
Kearny		255							3	1		8		2			33	2
Montclair	White	301							1		4				1		42	
	Other	49									3						5	
New Brunswick		565	2		2		1		2	2	1	25		1	6		61	2
North Bergen township		193			1				2			4		1			25	
Orange	White	583	1		1				3		1	9	1	2	1		77	3
	Other	102							1			6			3		4	
Passaic		689			2		1	1	10			8		1	4		99	3

1/ Excludes accidents associated with automobiles (206,208,210).
 2/ Refer to complete International List titles.

DEATHS BY RACE, FROM SELECTED CAUSES

AND RURAL DISTRICTS, AND FOR INDIVIDUAL CITIES WITH A POPULATION OF 10,000 OR MORE IN 1930: 1935—Continued
in the 1929 revision of the detailed International List)

Diabetes mellitus	Cerebral hemorrhage and softening	Diseases of the heart	Bronchitis	Pneumonia (all forms)	DIARRHEA AND ENTERITIS		Appendicitis	Hernia, intestinal obstruction	Cirrhosis of the liver	Nephritis	Fuer-peral septicaemia	Other puer-peral causes	Congenital mal-formations and dis-eases of early infancy	Sui-cide	Homi-cide	AUTOMOBILE ACCIDENTS		Other ex-ternal causes/	Un-known and ill-defined dis-eases	All other causes/2/	
					Under 2 years	2 years and over										Primary	Col-lision with trains and street cars				
59	82a, 82c	90-95	106	107-109	119	120	121	122	124	130-132	140, 142a, 145,	141, 142b-144, 146-150	157-161	165-171	172-175	210	206, 208	176-198	199, 200		
78	203	916	11	411	23	2	69	43	31	413	26	16	169	71	52	90	1	197		547	
13	32	202		100		4	17	3	4	66	6	5	23	4	53	16		23		35	
207	397	2,057	21	766	82	19	84	80	213	1,005	21	22	318	129	44	177	4	412	3	1,056	
17	65	326	4	191	4	3	20	15	26	207	5	7	60	17	57	14		49		169	
13	36	93	1	46	9	3	16	4	1	46	3	6	29	7	3	15	1	75	2	76	
35	104	255		132	2	5	17	22	12	105	11	2	36	15	8	36		25		202	
13	57	183	2	72	5	3	32	17	7	71	3	5	43	14	13	24	1	40	2	105	
5	7	47		16					2	15			3					3		6	
3	15	44	1	36	14	1	22	13	4	25	6	5	17	3	2	18	1	19		50	
2	19	30		10		1	2	1		20		1	10	2	3	2		2		28	
1	7	16		4	1				1	5			1		5			2		4	
3	17	68		29	2	2	7	4	1	38		2	12	3	1	10		14	3	45	
3	19	52		19	1	1	8	1	1	25	2	2	11	1	2	17	1	10		33	
8	11	38	1	29	4	1	10	8	4	19	1	4	8	4	2	13	1	15		40	
	4	2		1			1	1	1	4			1	1	1			2		5	
1	5	21	1	6				1	6	6						1		3		1	
3	15	39	1	9		2	8	4	1	18	3	5	5	2		6	1	11	9	24	
8	7	15		14	2		1	3	3	19	3	2	5	2	1	5	1	15	1	30	
4	16	52	1	22	3	3	5	3	1	37	2		6	7		5		13		34	
1	11	11		5			1			7			2		1					3	
5	3	35		7				1	2	13			1	2		4	1	5		7	
12	33	133	2	46			8	4	3	42	1		23	7	6	12		21	1	74	
8	25	90		37	1	1	5	8		24	1		24	9	5	16		18	2	52	
5	16	35		25			5		4	6		1	8	2	1	4		8	1	25	
7	25	48		18	1	2	9	5	3	9	1	3	21	7	8	8		16	3	59	
6	8	46		24	1		7	1	4	22			12	4	1	4		19	2	14	
9	29	50		32	1	2	9	6	1	12	2	4	7	3		7		14	5	52	
60	168	580	9	223	5	7	46	38	18	125	13	13	109	62	29	61	2	119	3	424	
5	16	53		29			2	2	2	8		1	5	5	7	4		10		18	
25	63	203	2	51	2	2	21	17	11	63	6	2	37	14	7	21	1	47	3	168	
5	8	25		9		3	2	4		9		1	10		2	10		10		23	
8	15	36		13			2	4		11	2	2	6	4		2	3	9	1	22	
8	15	34		12	2	2	8	6	3	17	4	3	16	2		9		11	1	54	
3	22	51		11			5	4	1	13	1	1	14	4		7	1	11	1	28	
3	14	28		11	1	1	15	5		10	2		12	2	2	2		7		31	
5	9	23		21	3		9	1		12	3	3	10	2	1	5		11	1	24	
2	19	63	3	18			1	2	3	19	1	2	9	8	4	4		10	3	24	
14	38	197		46		11	7	6	1	37	2	11	15	9	1	4		30		104	
25	64	231	5	60		1	24	10	1	56	1	5	42	9	19	19		32		114	
9	35	109		21	1	3	9	6	4	44	2	4	43	1	10	16		16		45	
5	10	31		11			1	2		5	2	1	18	1	3	7	1	7	1	26	
4	8	30	1	15	3		3	3	3	6			8		1	5		5		20	
4	48	48		12			1	3	3	5	1	1	7	1		4		20		34	
4	26	45	1	5			1	5		21	1	1	8	4	1	7		13	2	19	
8	24	45	1	11			5	3	3	10	1	4	8	2		3		6		32	
4	13	51	1	9	1		1	3	1	16		1	11	1		4		4		23	
3	8	46	1	9	1		5	3		10			8			3		4	1	24	
35	59	316	5	93	11	1	20	20	8	132	5	11	76	23	4	75		82	1	178	
4	9	37		34	1	1	3	3		15	1		14	3	1	13		7		30	
44	87	293	1	106	3	2	19	16	14	68	7	4	57	11	1	43	2	64	7	165	
102	198	958	9	243	9	6	52	43	25	168	15	6	176	43	10	48		113	4	411	
3	8	40		34	2	1	4	2	1	5		2	7		1	4		3		24	
156	222	1,155	13	278	27	4	58	35	51	283	15	12	222	63	22	106	2	157	3	561	
6	28	134	1	75	5		9	4	7	28		3	32	3	17	11		25		74	
66	114	403	1	152	3	5	23	18	13	131	5	8	84	27	7	57	3	69	2	231	
46	104	497	1	118	4	11	20	26	9	142	8	11	85	22	5	55	1	93	1	227	
28	66	256		56	1	3	17	11	7	66	3	5	25	17	4	23		27	1	113	
6	28	64		24	1	1	3	3		27	2	1	10	5	6	4		15		47	
11	45	198	2	52	1	2	10	6		19	2	1	15	10	1	15		29	1	35	
6	11	61		12	1		1		5	2			2		3			7		10	
4	15	67		12			1	1		25			1	3		2		3		5	
12	21	51		10	1	1		2		23		1	1	4		2		5		25	
10	39	170	5	24		1	3	3	3	26		1	9	9		8		12		52	
2	2	33	2	2				3	3	4			9	4				6		8	
18	37	210		42	2		10	12	8	29	2	1	21	6	3	2		30		58	
20	24	118	1	18	1	1	9	5	1	30		1	16	8		12		13		42	
6	9	88		17	1		4	1	1	23	2		7	2	1	3	1	12		28	
11	30	87	3	13	1		5	3	4	25	4		10	5	1	2		7		42	
1	3	18		2						5					2			1		9	
21	37	107	2	47	3	2	11	7	5	36	3	3	28	7	4	38		33	1	65	
7	11	77	1	6	2			1	4	17			2	7	1	2		7		15	
20	37	139	3	34	1	1	16	9	11	43	2	6	32	6	4	17	1	29		72	
2	5	17	1	13			2	2	1	8	1		13		4	2				17	
26	45	121		45		1	23	18	7	34	5	3	48	12	1	22		36		109	

MORTALITY STATISTICS

TABLE 5.—DEATHS (EXCLUSIVE OF STILLBIRTHS) BY SEX AND RACE, FROM SELECTED CAUSES, IN EACH STATE, BY CITIES

(Numbers under causes of death correspond to those

AREA, SEX, AND RACE	All causes	Typhoid and paratyphoid fever	Small-pox	Measles	Scarlet fever	Whooping-cough	Diphtheria	Influenza	Erysipelas	Epidemic cerebro-spinal meningitis	Tuberculosis of the respiratory system	Tuberculosis of the meninges, etc.	Other forms of tuberculosis	Syphilis	Malaria	Cancer and other malignant tumors	Rheumatism and gout
		1,2	6	7	8	9	10	11	15	16	23	24	25-32	34	38	45-53	56-58
NEW JERSEY—Continued																	
Perth Amboy	436					1			2	2	16	5	3	3		52	3
Plainfield	443					1		5	1		3	1	3	1		53	1
Other	69					1					2	1	1	3		10	1
Union City	296			1				1			11					39	2
West New York	132			1							5		1			21	1
Woodbridge township	152				1	1		3			6		2	1		21	1
Asbury Park	117												1			14	1
Other	29										3					1	
Bridgeton	262					4		3			4			2		36	
Burlington	76										2					9	
Other	11															1	
Carteret	52							2			1					7	1
Cliffside Park	77							2			2		1			9	
Collingswood	113										2					15	1
Cranford township	79	1						1			3	1				15	1
Dover	192							1			9		2			17	1
Englewood	309							1	2	1	5		2	2		47	1
Other	31										1			3		2	
Gloucester	101							4			5					13	
Hackensack	470	3				1		2			5			3		63	1
Other	48										2			4		3	
Harrison	74										5					3	
Hawthorne	76										5	1				10	
Hillside township	86							1			2					14	
Linden	91					1		1			3			1		11	
Lodi	49					1		1	1		2					6	
Long Branch	476	1			2			6			8	1	4	10		49	2
Lyndhurst township	93							1			1					18	
Maplewood township	128					3					3					22	1
Millville	187					5		1			4		1			30	2
Morristown	328				1	2	1	2			3	2	4	4	1	37	1
Neptune township	302							5	2	1	5			3		32	1
Other	47							2					1	1		3	
Nutley	94							2			1					19	
Pensauken township	117	1				1		1	2		3					9	
Phillipsburg	218					2					1		1			30	
Fleasantville	104					1		2			4					13	2
Other	23							2			1					5	
Rahway	176							5			2					18	1
Red Bank	116								1		1					17	2
Other	14							1						1		1	1
Ridgefield Park	57							2			2			1		8	
Ridgewood	89							1			2					16	
Roselle	51							2								12	
Other	2															1	
Rutherford	116							3			2		1	1		18	
South Orange	73										2					14	1
South River	75								1		2					12	
Summit	204										2	1	2			24	
Teaneck township	329				1	1		4		1	2		1	2		52	
Union township	87								1		3			1		17	
Other	15			1												3	
Weehawken township	333							3			3					46	1
Westfield	124							1			2					18	
West Orange	151										5			1		29	
NEW MEXICO																	
Albuquerque	735	5		1		6	2	17	1	7	144	3	7	8	1	45	1
Roswell	182	3				1	1	1			21			4		11	1
Other	5										1					1	
Santa Fe	252	2				8	1	13			16	1	1	7		14	
NEW YORK																	
Albany	2,016	1		2	2	1		15	5	5	102	2	12	11		229	3
Buffalo	6,911	2		3	32	20	6	27	11	1	285	7	24	32		887	18
Other	276	1			1			1			42	2	6	5		17	3
New York	69,064	27		98	73	132	65	273	171	219	2,984	92	182	401	11	9,562	273
Other	6,016	7		9	2	23	3	8	5	30	999	43	81	257	2	435	21
Bronx Borough	10,799	1		8	4	18	3	45	5	20	715	11	21	47		1,854	44
Other	630					3		2	1	2	214	1	5	19		45	2
Brooklyn Borough	24,532	15		52	33	62	29	113	90	66	680	32	52	128	1	3,112	120
Other	1,266	1		5	2	9			3	4	147	10	14	58		92	6
Manhattan Borough	23,812	6		30	20	36	25	69	64	125	849	40	87	189	10	3,521	71
Other	3,727	6		4		10	3	4	1	24	461	31	52	167	2	286	12
Queens Borough	7,687	2		7	15	12	6	37	8	3	389	7	13	30		894	29
Other	202					1		2			32		1	9		11	1
Richmond Borough	2,034	1		1	1	4		8	4	5	351	2	9	7		181	9
Other	191										145	1	9	4		1	
Rochester	3,640	1		6	2	6		3	3	3	46	2	8	28		469	7
Syracuse	2,428	1		1	2	2		19	10	1	33	3	5	26		321	8
Utica	1,531	1		6		7		18	2	2	16	2	7			174	3
Yonkers	1,111	2		5	1	3		7	1	1	51	3	3	5		144	4
Amsterdam	391				1	1		9	1		7	1	1	2		58	2
Auburn	467			1		1					11		2	1		46	

1/ Excludes accidents associated with automobiles (206,208,210).
 2/ Refer to complete International List titles.

DEATHS BY RACE, FROM SELECTED CAUSES

AND RURAL DISTRICTS, AND FOR INDIVIDUAL CITIES WITH A POPULATION OF 10,000 OR MORE IN 1930: 1935—Continued
in the 1929 revision of the detailed International List)

Dia- betes melli- tus	Cere- bral hemo- rrhage and soft- ening	Dis- eases of the heart	Bron- chi- tis	Pneu- monia (all forms)	DIARRHEA AND ENTERITIS		Appen- dici- tis	Her- nia, intes- tinal ob- struc- tion	Cir- rho- sis of the liver	Nephri- tis	Puer- peral septic- emia	Other puer- peral causes	Con- genital mal- forma- tions and dis- eases of early infancy	Sui- cide	Homi- cide	AUTOMOBILE ACCIDENTS		Other ex- ternal causes ^{1/}	Un- known and ill- defined dis- eases	All other causes ^{2/}	
					Under 2 years	2 years and over										Pri- mary	Col- lision with trains and street cars				
59	82a, 82c	90-95	106	107- 109	119	120	121	122	124	130- 132	140, 142a, 145	141, 142b- 144, 146-150	157-161	163- 171	172- 175	210	206,208	176- 198	199, 200		
11	30	72	1	23	1	1	10	5	5	38	5	1	29	2	2	17	1	29		66	
15	26	95	2	28		1	5	8	3	32	1	1	11	3		22		24	1	92	
6	16	16		6				3		4	1		1		1			2		6	
8	25	117	1	10	2			1		32			4	8	1	1		5		23	
6	41	41		7	1					13			6	2	1	1		4		9	
1	7	47		9						11	1	1	6	3	4	7	1	6		10	
2	13	58		4						7			1	1	7	2		3		8	
	3	9	1	1	1					2			2			1				5	
9	21	64	3	12			3	3	2	24			15	4		4		6		25	
2	5	31		5	1					6			4			3		2		5	
1	1	5		1						2											
	3	13		6		2				4			2	1	1			4		4	
	7	29		2		1				9			1	5		1		3		3	
1	13	49	1	2						16								2		9	
6	4	25		3						7								1		8	
6	12	37		15		1	4	1	4	25			11	1		13		12		17	
10	20	54	1	29	2		4	6	6	17	1		17	7		16	1	21		36	
	1	2	1	7				1	2	3			3	1		1		4		4	
8	8	31	1	3				6	6	17			3	3		1		4		8	
19	25	93	2	34		1	5	9	9	34	2	3	29	4	3	24		22	2	75	
	1	8		6						2			2			1		6		9	
5	2	29	1	4	2					7			2	1	1		1	4		6	
	5	29	1	5						5				3		1		5	1	6	
3	5	37		4	1			1		10				3				6		6	
1	4	33	1	6						3				6	1	4		4	5	5	
	8	16		3						5				1	1	1		1		2	
16	12	110	1	25	1	1	8	7	2	56	5	6	25	6	2	5		23		76	
3	10	30		3			1	1	2	4			2	3	1	1		3		9	
1	11	44		5				2	2	18		1	1	5		1				10	
1	15	50	3	10		1	2	2	1	15	1		11	1	1	3		10		19	
13	14	65	1	19	1		11	8	3	23			17	2	1	16		18	1	54	
9	29	68	1	17		2	9	9		24		2	12	1	4	6		17		44	
1	3	10		5			9	9		1			2		1	3				14	
	8	37		5					1	6				1		1		3		10	
2	5	42		9	1			4		18			4				4			11	
9	19	40		20	1		2	1	5	25	1	2	11	2		16		7		25	
2	5	46		5	1					13			1	1		1		3		4	
2	3	3		2	2					5										3	
3	16	42		8	1		5	5	3	6		1	11	2		15		9	1	22	
2	4	30		2	1		2	1	1	16			5	2	1	8	1	4		15	
	7	7		1				1		1											
2	8	20	1							7				1				3		2	
3	7	32		7						7				3		2		2		3	
1	4	16		5				1		2				1	1	1				5	
	5	10		4					2	14				2		1		5		6	
6	4	26	1	2						10		1				1				6	
	11	23		6				1	1	2			5	2	1	1		4		3	
9	10	56	1	22			3	3	3	20			4	1		10		8		25	
8	17	72		9	8	1	13	1	6	18		8	21	2	1	13		5		47	
1	7	32	1	1		1			1	5			1	1		2		20		7	
	7	7								1					1				1		1
11	33	77	1	22	1	1	13	3	2	15			12	3	4	15		22		39	
4	8	49		9				1		7			3	2		2		5		13	
6	11	61	1	2				1	2	14			1		2			5		10	
	4	20		60	36	8	17	3	2	40	8	3	44	4	4	24		26	29	79	
2	4	25		20	8	1	6	3	3	13	3	3	9	1	1	6		10		21	
	1	1		1				1		1						1					
4	6	25	2	28	7	1	5	3		14	1	3	12	3	1	4		8	31	31	
59	94	553	5	161	7	2	32	19	19	174	6	6	62	21	2	47		80		257	
254	378	1,758	26	477	55	14	132	78	66	575	20	33	301	75	21	140	10	268	3	892	
6	14	46		35	1		2	2	3	19	2	5	14	1	3	6		5		34	
2,151	2,998	20,204	116	5,451	461	102	906	637	777	3,850	174	258	2,474	1,135	303	981	9	2,859	57	8,600	
90	215	1,103	6	645	54	6	46	54	42	265	54	44	307	39	139	64		224	8	686	
380	452	3,189	15	857	93	21	129	88	102	530	18	30	356	150	30	136		292	19	1,115	
8	14	81		55	6	1	7	3	4	26	7	4	45	2	9	2		13	2	37	
863	1,037	7,506	38	1,943	189	30	368	252	239	1,553	82	106	942	310	82	324	6	943	19	3,115	
19	34	235		155	18	1	14	12	7	72	14	11	80	7	30	17		33	4	152	
654	916	6,326	50	1,906	128	40	287	221	346	1,039	58	81	603	483	155	345	2	1,294	6	3,528	
58	153	727	6	414	27	4	21	39	30	157	33	25	175	28	96	38		172	1	460	
202	474	2,649	11	591	46	7	109	52	71	598	12	36	305	167	33	151		250	9	660	
3	12	39		18	2		4			9		4	5	1	4	6		5	1	32	
52	117	534	2	154	5	4	13	24	19	130	4	5	68	25	3	25	1	80	4	182	
2	2	11		3	1					1			2	1		1		1		5	
112	247	1,101	5	220	9	7	44	49	29	319	18	10	161	38	11	73	1	146	1	455	
87	158	641	4	166	10	2	33	20	16	200	6	11	114	32	4	58	1	96	5	330	
48	74	380	1	122	3		23	14	6	193	2	10	60	21	19	22		61		224	
46	63	317	1	77	4	1	11	8	14	83	5	3	42	19	3	14		44	2	124	
14	25	100	2	16	2		3	4	6	36	3		15	3	1	10		20		50	
17	31	135	1	43	2	1	8	8	4	44	6	1	24	7	1	13		17	1	60	

MORTALITY STATISTICS

TABLE 5.—DEATHS (EXCLUSIVE OF STILLBIRTHS) BY SEX AND RACE, FROM SELECTED CAUSES, IN EACH STATE, BY CITIES

(Numbers under causes of death correspond to those

AREA, SEX, AND RACE	All causes	Typhoid and paratyphoid fever	Small-pox	Measles	Scarlet fever	Whooping-cough	Diphtheria	Influenza	Erysipelas	Epidemic cerebro-spinal meningitis	Tuberculosis of the respiratory system	Tuberculosis of the meninges, etc.	Other forms of tuberculosis	Syphilis	Malaria	Cancer and other malignant tumors	Rheumatism and gout
		1,2	6	7	8	9	10	11	15	18	23	24	25-32	34	38	45-53	56-58
NEW YORK—Continued																	
Singhanton	1,091	1		3		5		6	6	1	23	3	2	10		97	3
Elmira	586	2			1	3		2	1	1	5			4		73	
Jamestown	549	1			4	1	1	2			7	1	3	4		69	3
Kingston	532				1	3		7		2	30	1	2	7		82	1
Mount Vernon	518	1		1				4			7	1		4		56	1
Newburgh	454							4		1	25		1	2		47	
New Rochelle	428										9	1	1	4		55	2
Niagara Falls	502			4	5	1		11	1		8	3	1	2		58	3
Poughkeepsie	548	1				3	1	2	1		7			4		74	3
Rome	592			6	8	1	6	5	2		31	1	4	6		50	1
Schenectady	1,088	1				2	1	8	1	1	21		3	5		131	3
Troy	1,315					3		8	1		13	1	5	1		160	2
Watertown	579				1	2		9	1		14	1	3	6		71	2
White Plains	343				1			2	1		7		3	4		46	
Beverly	353				2	4		2		3	9	1	1	4		50	1
Bacon	212				1			2			16			1		19	
Cohoes	268							2			7		1	2		35	1
Corning	220			1				3	1		5			1		28	
Cortland	305					1		1	1		2	1	1	1		34	3
Dunkirk	168					1		9	2		3					27	
Endicott	212					2					3	1				20	
Floral Park	81							1								12	
Freeport	156				1			2			4					21	1
Fulton	146					1		1	1		2	1		1		17	2
Genova	202					2		5			1	1	1			24	
Glen Cove	198							2		1	2		4	4		23	1
Glen Falls	335							7			4		3	2		36	
Gloversville	401				1			7	2		3		1	3		45	1
Hempstead	137							2			1	1				20	1
Herkimer	137										3					12	1
Hornell	248			2	1	2		6			5		1	2		30	
Judson	234	2		1	1			5	2		5	1		1		21	
Irondequoit town	76															14	
Ithaca	293	1						3			4	2		1		31	
Johnson City	226	1		2	3		1	1	3		4		1	1		20	
Johnstown	107							2	1		4					18	
Lenox	106							2			2					14	
Lackawanna—White	203					1	1	3	2		6	2		2		22	1
Other	9															1	
Little Falls	160			2				2	1		3	1	2	2		22	
Lockport	270							6			1	1	1			31	
Lynbrook	87										1	1		1		11	
Memaroneck	56										2					13	
Massena	76							1			1			1		5	
Middletown	511	1		1		3		4	2	1	33		4	5		48	4
North Tonawanda	177	1				1		3								26	1
Ogdensburg	451	1						3	2	2	16			1		53	1
Olean	327			1				1	1	1	3			2		44	
Oneida	167							3								14	
Oneonta	215					2		4			2		1			28	1
Ossining	177							1			2	1	1	2		16	2
Oswego	309			3	1	1		2		1	5	2		1		56	2
Peekskill	225				1	1		1		1	9		1	2		21	
Plattsburg	283			2		4		2			4		2			25	1
Port Chester	269							1	1		5		1	10		33	
Port Jervis	156							3			5		1	1		12	
Rensselaer	100					2		1			1		1			15	1
Rockville Centre	117							1			1					19	
Saratoga Springs	262	1			2			1	1	1	4			5		40	
Tonawanda	94							1								13	
Valley Stream	73										1					12	
Water-vliet	122					2		1			1					17	
NORTH CAROLINA																	
Asheville—White	480							16		2	57	1	2			43	
Other	213	2			2		1	9			28		3	3		8	1
Charlotte—White	578					2	6	8		2	7		1	2		61	
Other	471	2					2	18			21	1	4	8	2	10	1
Durham—White	629	1				4	3	5		2	23			3		48	3
Other	442	1				2	2	10			37	3	8	9		20	1
Greensboro—White	475			1		1	3	35		3	9	1		1	1	27	2
Other	227					1	1	5		1	16			8		15	
High Point—White	238	1				1		7	1	1	3			1		18	
Other	91	1						4			5			5		3	
Raleigh—White	470							9	1	2	17	1	2	3		35	1
Other	271							5			20	1	6	5		11	
Wilmington—White	286					2		11		1	7			1	2	27	
Other	304	2				1	4	4			13		2	7		13	1
Winston-Salem—White	424	1				2	5	16	2	2	7	1	2	3		39	1
Other	477	1			1	1	1	7		2	32		2	7		11	
Concord—White	105						1				6				1	4	
Other	35						1	1								1	
Elizabeth City—White	94	2				2					3		1			4	
Other	96					1		3			13		1		2	6	1
Fayetteville—White	217	1			1	1	1	5		2	1			1		12	
Other	145							5			3		2	3		4	

1/ Excludes accidents associated with automobiles (206,208,210).
 2/ Refer to complete International List titles.

DEATHS BY RACE, FROM SELECTED CAUSES

AND RURAL DISTRICTS, AND FOR INDIVIDUAL CITIES WITH A POPULATION OF 10,000 OR MORE IN 1930: 1935—Continued
in the 1929 revision of the detailed International List)

Dia- betes melli- tus	Cere- bral hemor- rhage and soft- ening	Dis- eases of the heart	Bron- chi- tis	Pneu- monia (all forms)	DIARRHEA AND ENTERITIS		Appen- dici- tis	Hern- ia, intes- tinal ob- struc- tion	Cir- rho- sis of the liver	Nephri- tis	Puer- peral septic- emia	Other puer- peral causes	Con- genital mal- forma- tions and dis- eases of early infancy	Sui- cide	Homi- cide	AUTOMOBILE ACCIDENTS		Other ex- ternal causes ¹	Un- known and ill- defined dis- eases	All other causes ²
					Under 2 years	2 years and over										165- 171	172- 175			
59	82a, 82c	90-95	106	107- 109	119	120	121	122	124	130- 132	140, 142a, 145	141, 142b- 144, 146-150	157-161	165- 171	172- 175	210	206,208	176- 198	199, 200	
39	77	295	2	96	3	1	13	14	9	102	1	5	35	9		29		43		160
19	35	205	2	39	2		13	12	5	74	1	5	27	3	1	21	3	54		92
18	33	147		41	1	1	14	9	5	39	1	2	27	5		15		21		76
19	32	143	3	49	5		13	9	5	45	1	2	23	5	1	12		25		97
18	30	179	1	34			13	6	5	44	1	2	15	5	1	8		13		63
10	36	131	2	27	1		3	8	6	35		1	19	5		13		14		61
17	29	131	1	29	5	1	8	6	4	27		3	8	9	1	8		19		50
14	86	185	2	31		1	12	8	10	50	6	1	35	2	3	14	3	41	1	70
15	53	150		28	3	1	12	4	3	47	1	1	13	9	1	20		22		69
14	29	155	6	44	6	4	10	8	1	46	1	2	28	11	1	7	2	26	1	69
35	100	273	1	75	1	2	15	13	9	73	1	1	48	8		26		46		177
44	87	393	1	65	6	3	25	15	17	118	6	6	47	12	3	35	3	67	1	149
18	57	140		28	2	1	8	10	3	29	1	4	21	6		14	1	28		99
15	21	95	1	17			5	4	2	37	1	2	14	9	1	5		16		34
7	23	66		12	3	3	10	5	1	33	1	1	17	7	1	10	1	9		64
7	13	54	1	8			1	1	2	30		1	5	5		9		7		28
12	20	84		12	1	2	3	5	1	23		1	11	1		4		21		19
5	9	58	1	12		1	5	3	3	18	2	2	17	2		8		14		21
4	17	81	1	20			5	2	2	31	1	4	21	5		12	1	12		40
1	5	22	44	7	1					8	1		2	1		3		16		18
5	14	36	4	22	1	2	1	5		23	1	1	2	6	1	8	1	9	1	24
4	4	23		7					2	13			2	3		1		2		7
6	7	54		10			1	2		16		1	7	2	1	1		2		17
7	12	41		6			1	2	3	16	1		8	4	2	1		4		12
3	14	60		13	1		5	4	3	8		1	6	3	1	7		7		32
5	1	46		22			7	2	2	23			11	3		8		6		29
7	15	98		20	1	1	8	5	6	19	3	4	14	1		18		27		36
13	33	134	1	17		1	9	3	3	21			12	6		11		35		39
4	9	39		2		1		1	1	31			7	8	1		2		7	7
3	19	32		10			4	1	2	12		1	4	2		5		10		16
6	28	63	2	6	1		5	2	2	17	1	1	8	3	2	3		17		32
9	15	59		5		1	2	2	4	28	1	1	12	6	4	11		11		24
1	12	27		2					1	5				4		5		1		4
7	25	70		15			7	3	1	24	4	2	6	3		8	1	19		56
6	11	48		12	4	1	11	1	1	13	2		27	2		3		6		41
2	8	37		7		1				11			4	1				1		10
2	14	42		5						8			1	1		1		3		13
3	5	29		16	2		5	7	3	16	4	1	19	2	3	8		19	1	20
3	14	39		8			6	3		8	1	2	6	1		1		7		2
7	21	81	1	10			5	1	1	34		5	13	3	1	10	1	12		25
6	4	38		7						7			2	1				2		7
2	8	17		3				1		6				1						5
17	5	22	1	4	1				1	6			10	1				5		9
3	13	113	1	33	1	1	6	6	7	32	1	1	11	4	2	16	1	17		79
6	31	44	2	8	1	1	5	5	3	12	1	2	8	2		12		5		17
8	31	139	3	48	1		6	5	5	25	2	2	13	2		6		7		71
3	20	80		30			1	1	2	20			32		1	12		20		39
3	18	50	1	12			1	4		8		1	10	3		8		8		23
2	15	42		10		2	4	2	2	14		2	18	2		4		12	2	42
4	11	54	1	11			2	2	4	18		1	4	2	1	6		19		16
10	18	37	1	16	1		4	2	3	28			22	3		9		9	1	41
7	18	50	1	11	2		3	3		26		2	15			13		13	1	24
10	17	62	1	18	2	2	3	2	3	13	1	1	25	2		6		5	2	48
5	21	75		24	2		7	7	1	21		1	14	3	1	8		10		14
4	10	49	2	5			3	3	6	10	2	1	4	3		4		15		7
2	8	29		13					1	16							1	5		10
5	10	41	1	7						18				2				1		11
9	23	70		12		2	5	3		16	2		9	1		8	1	17		29
8	8	38		3						8			3			1		3		8
1	3	30		3					2	8			1	5		2				5
2	18	44	1	11	3				1	12			1			1		3		4
6	37	58	1	34	5	2	14	5	2	36	3	6	36	6		9	1	25	3	65
2	19	39		17	3		3	2	1	12	3	2	14	1	10	4		4	2	18
14	45	105	2	54	10	2	9	6	6	28	1	8	51	10	2	15	3	25	1	102
5	70	25	2	72	3	4	8	7		17	2	5	23	3	27	7		7	4	46
12	32	86	1	60	22	2	8	7	3	52	10	7	60	6	2	17		16	1	131
6	21	72	2	25	11		7	5		43	7	7	33	2	15	3	1	11	14	61
6	32	78	1	40	5	1	8	7	3	44	1	3	39	5	3	17	1	23	2	72
1	19	24		22	1		5	4	1	30	3	2	14		8	9		8	1	28
4	18	44		17		1	9	4		21		1	22	2	2	21	1	7	3	29
1	7	16		7			1	1		10			2	1	5			3		19
6	28	100		24	9		6	4	5	29	5	5	13	6	4	29		29	4	93
3	16	34		18	9		3	1	2	20	4	4	21		10	6		13	2	37
6	20	49	1	22	16		1	4	3	27		4	16	4		12	1	11		40
26	48	31		31			2	4	1	42	4	1	25	1	10	3		15	4	40
3	25	64	1	34	6	3	9	3	2	29	3	7	37	2		19		13	6	77
4	39	85	1	49	8	2	6	5	5	44	6	4	24		19	7		12	7	63
2	14	19		17	2	1	1	1		6			4	1	1	4		2		11
1	6			2	1	2				8			2	1	2			4		5
8	17			5			1	2	1	16		3	8	5		3		4		11
12	8			3	1	1	2	1	1	14	2	1	5			2		6	1	11
3	19	31		20	15	2	9	7	1	17	2	4	12	2		11		6		28
2	15	19		19	4		4	3		10		4	3		6		5		5	20

MORTALITY STATISTICS

TABLE 5.—DEATHS (EXCLUSIVE OF STILLBIRTHS) BY SEX AND RACE, FROM SELECTED CAUSES, IN EACH STATE, BY CITIES

(Numbers under causes of death correspond to those

AREA, SEX, AND RACE	All causes	Typhoid and paratyphoid fever	Small-pox	Measles	Scarlet fever	Whooping-cough	Diphtheria	Influenza	Erysipelas	Epidemic cerebro-spinal meningitis	Tuberculosis of the respiratory system	Tuberculosis of the meninges, etc.	Other forms of tuberculosis	Syphilis	Malaria	Cancer and other malignant tumors	Rheumatism and gout
		1,2	6	7	8	9	10	11	15	16	23	24	25-32	34	38	45-53	56-58
NORTH CAROLINA—Continued																	
Gastonia—White	170	1			1	2	5	5								11	
Gastonia—Other	60	1				1		3			1			1		1	
Goldston—White	117	1					2	4	1	2						7	
Goldston—Other	162							3			11		1	7		7	1
Kinston—White	165					5	2	5	2	1	6		2			7	
Kinston—Other	108							6			8			1		7	
New Bern—White	84							2			4					5	
New Bern—Other	139							6			12			1		1	
Rocky Mount—White	256	1		1	1		4	1		1	5		1	1		24	
Rocky Mount—Other	216	1		2		5	1	3		1	9		2	6		14	1
Salisbury—White	169					2		7		2	5		1	1	1	10	
Salisbury—Other	82							1			2			3		2	
Shelby—White	84	1						4								4	
Shelby—Other	33							2		1						4	
Statesville—White	162						1	5			2					15	
Statesville—Other	35					1		6			1					4	
Thomasville—White	83					1	1	5	1		2			1		2	
Thomasville—Other	31							3			3			2		4	
Wilson—White	139					2	1	1			1					4	
Wilson—Other	180	1				3		7			16		2	3		5	
NORTH DAKOTA																	
Fargo—White	374	1		2	2			13			4	2	2	1		42	5
Fargo—Other	255			2		1	2	6	1		7	1	1	1		31	1
Grand Forks—White	261			1		1		4	2	1	5		1	1		32	2
Grand Forks—Other	299			1	3			6		2	8		5			37	1
OHIO																	
Akron—White	2,044	2		3	11	2	11	39	4	9	53	4	4	12	1	226	6
Akron—Other	163					1				1	24	1	4	5		4	
Canton—White	1,200	1			5	1	1	29	3	6	17	2	1	6		132	4
Canton—Other	6,000	6		2	15	12	18	85	6	60	195	8	16	37	1	695	6
Cincinnati—White	1,105					3		12		46	145	14	6	29		56	2
Cincinnati—Other	8,753	5		12	19	5	23	77	14	22	395	11	17	65	1	1,098	18
Cleveland—White	1,233	1				6		12		2	230	1	13	44		69	
Cleveland—Other	3,765	6		9	12	2	10	57	4	14	96	6	13	38		428	10
Columbus—White	641	1		3				20		2	56	4	5	26		42	1
Columbus—Other	2,327	2		1	11	5	14	55	10		84	6	10	30	1	266	6
Dayton—White	299			1		3		8	1		41	1	5	11		11	1
Dayton—Other	3,368	4		1	5	4	2	42	9	11	142	8	7	29		377	5
Toledo—White	223							4	1		36	1	1	15		6	
Toledo—Other	1,591			3	7		1	20	1	5	31	5	4	11		178	6
Youngstown—White	280					2		5		2	31	1	2	6		11	
Youngstown—Other	302				1			5			4					36	1
Cleveland Heights—White	323	1						3			3		2	1		52	
Cleveland Heights—Other	333	1			1			4			5		4			31	
Elyria—White	633	2		1		2	5	24	2	2	12	4		2		69	2
Elyria—Other	585							10	1		7	2				85	3
Lima—White	582	1		3				13	1	1	12	1	3	2	1	70	1
Lima—Other	392			1		1		13	1	1	12	1	2	3		38	1
Lorain—White	390	3		1	1	1		6		1	11	1	2	4		44	2
Lorain—Other	391			1	3	1		8			15		1	3		42	1
Mansfield—White	344	1				1		13	1	1	7	4		1		28	1
Mansfield—Other	344	1				2	4	12	1	1	15	3	4	2		23	1
Middletown—White	475							17	2		6	3	1			52	2
Middletown—Other	172										4					30	1
Newark—White	625	1			2	3	4	20		2	12	2	4	6		45	2
Newark—Other	716			1	6	6		12		6	13		1	4		93	2
Norwood—White	96							9			4		1	1		8	1
Norwood—Other	529	2		3				19	1		12	2	4	1		43	2
Springfield—White	441	1		1	2			4		3	15	2	1	2		37	
Springfield—Other	553	3		1	3	5	2	19	1	1	10		5	3		57	3
Warren—White	279	2						6		1	3			1		32	1
Warren—Other	145							6	1		2					10	
Alliance—White	277	2		1	1			3		1	5		1	4		25	
Alliance—Other	200	1						2			9		1	1		29	
Ashtabula—White	171	1			1			7			2	1		1		13	
Ashtabula—Other	141			2	2			3			4			1		12	
Barberton—White	212	2				1		9	2		1		2	1		25	
Barberton—Other	52			1				1			6	1				4	
Bucyrus—White	17					1		1			1			1		1	
Bucyrus—Other	257	2		1		1	1	6			3			1		33	
Cambridge—White	173							7				1				20	
Cambridge—Other	142				2			1	2		3		1	1		14	2
Cuyahoga Falls—White	327			4		1	1	4	2		16	1	2			25	
Cuyahoga Falls—Other	92				1			1			7			1		10	
East Liverpool—White	286				1			3			5	1		1		22	1
East Liverpool—Other	160	1		1		1		6			11	1	1	1		15	
Euclid—White	185							1			2					29	
Euclid—Other	68							1			2					9	
Fondlay—White	255				2	1	1	8		1	8	1	1	4		26	
Fondlay—Other	301				1	2		3	1	1	6	2	1	1		28	
Fosteria—White	248						3	7		1	5		2	1		25	
Fosteria—Other	260				1			5			5			1		17	
Fremont—White	108							2			2					15	
Fremont—Other																	

1/ Excludes accidents associated with automobiles (206,208,210).
 2/ Refer to complete International List titles.

DEATHS BY RACE, FROM SELECTED CAUSES

AND RURAL DISTRICTS, AND FOR INDIVIDUAL CITIES WITH A POPULATION OF 10,000 OR MORE IN 1930: 1935-Continued
in the 1929 revision of the detailed International list)

Table with columns: Diabetes mellitus, Cerebral hemorrhage, Diseases of the heart, Bronchitis, Pneumonia (all forms), Diarrhea and enteritis, Appendicitis, Hernia, intestinal obstruction, Cirrhosis of the liver, Nephritis, Puerperal septicemia, Other puerperal causes, Congenital malformations, Suicide, Homicide, Automobile accidents (Primary, Collision), Other external causes, Unknown and ill-defined diseases, All other causes. Rows include various numerical data points for each category.

MORTALITY STATISTICS

TABLE 5.—DEATHS (EXCLUSIVE OF STILLBIRTHS) BY SEX AND RACE, FROM SELECTED CAUSES, IN EACH STATE, BY CITIES

(Numbers under causes of death correspond to those

AREA, SEX, AND RACE	All causes	Ty-phoid and para-ty-phoid fever	Small-pox	Meas-les	Scar-let fever	Whoop-ing-cough	Diph-theria	Influ-enza	Erysip-e-las	Epi-demic cere-bral menin-gitis	Tuber-culosis of the respi-ratory system	Tuber-culosis of the menin-ges, etc.	Other forms of tuber-culosis	Syph-illis	Ma-laria	Cancer and other malig-nant tumors	Rheu-matism and gout
		1,2	6	7	8	9	10	11	15	18	23	24	25-32	34	38	45-53	56-58
OHIO—Continued																	
Niles-----	116							8			3		2			11	
Painesville-----	219							3			12	1		2		24	2
Parma-----	69							1	1							11	
Piquette-----	247						1	7			4	1	3	2		24	2
Salem-----	182	1		2	3	1		6	2	1	3			1		29	
Sandusky-----	313			4				3			5			1		37	2
Shaker Heights-----	75							1					1			13	
Struthers-----	60						1	2			4		1	1		6	
Tiffin-----	256			3	4			4			5		1			33	3
Wooster-----	166	1						8			2					25	
Xenia-----	119					1		2			2		1			10	1
Other-----	33										3		1			1	
OKLAHOMA																	
Oklahoma City-----	1,986	4		2	3	3	6	48	2	11	45	6	5	19	4	198	9
Other-----	268	4				1		9			14	1	2	11	1	9	
Tulsa-----	1,184	2		2		9	11	24	1	6	41		8	6	4	114	1
Other-----	259	2		1		1		11			24		4	9		23	
Enid-----	380			2	1	4		8	1		5		2	2	3	31	1
Muskogee-----	433	7		2				4		4	21	2	2	2	3	3	1
Other-----	236							10			32		3	2	2	5	1
Ada-----	229	3				1		7		1	6		1			17	
Ardmore-----	241					3	3	22		1	10	1				14	
Other-----	51							9			4		1	1			
Bartlesville-----	152	2		1				8			2					13	
Chickasha-----	204	4						7	1	1	4			1		13	
Other-----	24	1												1		1	
Lawton-----	224	6				3		5			14	3	4	4		12	2
McAlester-----	177						2	3	1		6			2	2	5	
Other-----	57			1				1		1	4			2		1	1
Okmulgee-----	123					2		3		1	5		1	1		9	2
Other-----	47	2						1	1		9					2	
Ponca City-----	215	1			1	1	2	3	1	1	13		2	2		21	
Sapulpa-----	116			1	1		1	5			6	1				6	
Other-----	29							4									
Seminole-----	116	1				4	2	5			5				1	6	1
Shawnee-----	264					4	2	8	1	1	19			2		19	1
Wewoka-----	89	4						5			1					7	
Other-----	48					2					8					3	
OREGON																	
Portland-----	4,020	5			1			20	3	23	87	3	13	44		541	12
Salem-----	650		1	1				9			25	1	4	12		40	
Astoria-----	159										6		3	2		17	1
Biggs-----	375	1		1	1	3		6	1	2	4		1	2		46	2
Klamath Falls-----	212	1		2	4		2	9	2		2		1	4		15	
Medford-----	175	1						6			1		1	1		22	
PENNSYLVANIA																	
Erie-----	1,280				2			17	1	3	40	3	5	4		170	6
Philadelphia-----	20,634	15		2	18	29	18	130	26	39	702	27	42	112		2,794	49
Other-----	3,484	3			3	7	2	47	3	10	404	20	26	203		255	11
Pittsburgh-----	7,536	5		30	15	5	9	139	7	20	244	15	17	28		883	21
Other-----	868			2		3	1	18	1	1	79	10	5	17		50	2
Reading-----	1,235	1		1	3	1		16	1	2	32		2	9		125	5
Scranton-----	1,878			9	1	5		28	1		83	10	5	14		221	10
Aliquippa-----	150			3		1		5			4					13	1
Allentown-----	1,407				2	2		13	5	1	51	1	6	11		151	4
Altoona-----	939			1	1	1		20	1	1	22	2	2	7		101	2
Bethlehem-----	380							2			15		1			45	
Chester-----	479				1			6		1	10	1		5		53	1
Other-----	143					1		2			11	1		2		3	1
Easton-----	307							8	1		11			3		37	
Harrisburg-----	1,295	5		1			4	12		4	21	1	3	5		120	6
Hazleton-----	508							7	1	1	7		2	1		53	3
Johnstown-----	890			2	2	2	5	20			24	4	3	14		90	3
Lancaster-----	972	3			2		1	3			18	1	2	9		122	2
Lebanon-----	407			1				7	1	2	5	1	1	2		37	3
Lower Merion township-----	374				1	1	1	4	1		6	1	2	1		34	1
McKeesport-----	647			1				15		2	9		2	3		58	1
Nanticoke-----	321						2	2	2	2	16		1	3		37	3
New Castle-----	552	1		1	2	2		11			10		1	2		62	1
Norristown-----	762	1			2	1	3	3	2		51		1	2		38	2
Sharon-----	319				1	1	1	6	1		6	1	2	3		26	1
Upper Darby township-----	373					3		1	1	1	7					53	
Wilkes-Barre-----	1,249			5	1	4	3	26	3	9	26	2	5	5		132	5
Wilkesburg-----	409							2			8	1	1	1		45	1
Williamsport-----	568				1	2	1	4		1	1		1	7		72	7
York-----	741	1			1		1	12		1	13	1		8		71	1
Abington township-----	381					1		3			15		2	3		58	1
Ambridge-----	70			1				1			2					10	1
Arnold-----	54							4	1		1					3	
Beaver Falls-----	186	2						4			5			1		20	1
Bellevue-----	154							2			1	2				23	2

1/ Excludes accidents associated with automobiles (206,208,210).
 2/ Refer to complete International List titles.

MORTALITY STATISTICS

TABLE 5.—DEATHS (EXCLUSIVE OF STILLBIRTHS) BY SEX AND RACE, FROM SELECTED CAUSES, IN EACH STATE, BY CITIES

(Numbers under causes of death correspond to those

AREA, SEX, AND RACE	All causes	Ty-phoid and paratyphoid fever	Small-pox	Measles	Scarlet fever	Whooping-cough	Diphtheria	Influenza	Erysipelas	Epidemic cerebro-spinal meningitis	Tuberculosis of the respiratory system	Tuberculosis of the meninges, etc.	Other forms of tuberculosis	Syphilis	Malaria	Cancer and other malignant tumors	Rheumatism and gout	
		1,2	6	7	8	9	10	11	15	18	23	24	25-32	34	38	45-53	56-58	
PENNSYLVANIA—Continued																		
Berwick	129							1			3						15	
Bradford	218			1	1			7			5	1	2	1			11	
White	51							1	1		7	1					4	
Other	278			4				4			8						19	
Bristol	100							2			5			1			5	
Builer	189							6			2		1				17	
Canonsburg	128			1	4			5			6		1				7	
Carbondale	354				1	1		9	1		6		2				31	
Carlisle	251					1		7			6						20	
92							1	2			1						7	
Carnegie	200			1				10			1		1				23	
Chambersburg	63							2			5						8	
Charlens	115			1				1			6						20	
Cheltenham township	50							1			3						7	
White	10							1										
Other	85	1						2			1						16	
Coatesville	18							6			6							
White	130							1			2	1					13	
Other	191					1	1	5	2	1	2	1	1	2			23	
Connellsville	68							1			3						10	
Conshohocken	65			1	1												3	
Coraopolis	59							4			1		1				5	
Dickson City	70			1		1	1	1			1	1					8	
Donora	82							3			2						14	
Dormont	174					1	2	7			5						25	
Du Bois	220			1			2	4			5		2	3			20	
Dunmore	90							3			5						13	
Duquesne	96							5			5						10	
Ellwood City	55							7			6						2	
White	13							2			2						2	
Other	118				1			4	2		2				1		12	
Franklin	311			1	2			5	2	1	2	1		2			28	
Greensburg	176				1			1	1		8		1				15	
Hanover	122							3			3		1				12	
Hanover township	171	1		1				8			3		1	1			20	
Harrison township	143							2			2						20	
Haverford township	193				1	1	1	3			5	1	1				15	
White	45				2	1					3	1	2				2	
Other	99			1				2			6						8	
Jeannette	261							8			3						35	
Kingston	150			1				3	1		5						15	
Letrobe	127						1	1			3						13	
Lewistown	82				2	1		5			3						9	
McKees Rocks	115				1	1	2	1			6	2		1			12	
Mahanoy City	358			1	1		1	1	2		3		1	2			35	
Meadville	100					1	1	3			4						12	
Monessen	129							4			4	1					6	
Mount Carmel	82							1	1		1			1			8	
Mount Lebanon township	67				1			1			1						9	
Munhall	229							1			6		1	3			16	
New Kensington	73			1				2		2							14	
North Braddock	264			3	1	1	1	7			3			1			23	
Oil City	103					1		3	1		3						10	
Old Forge	58							1			1						5	
Olyphant	130							2			4	1		1			17	
Phoenixville	198			1				16			5						15	
Pittston	98							2		1	7			1			7	
Plains township	126			1				4	1		6						9	
Plymouth	300							13			6			3			34	
Pottstown	490			1	1	1	4	8	2	1	17	3	1	7			39	
Pottsville	184					1	5	7			1						20	
Shamokin	158						1	6			4						12	
Shenandoah	74							3			6			1			7	
White	18							2			2						3	
Other	118			1				1			3						6	
Stowe township	258					2		3			1		2				36	
Sunbury	104							4			3						16	
Swissvale	108				1			1			2						11	
Tamaqua	109							1		2	4		1				8	
Taylor	60			1				2	1		2	1					1	
Turtle Creek	372	3				1	1	6	1		4	2		6			35	
Uniontown	68			1							3						7	
Vandergift	189				1			4						2			24	
Warren	392			5				8		1	7	1		4			34	
Washington	152							1			4						15	
Waynesboro	251	1						3	1		2	1		2			25	
White	52							1			2			2			2	
Other	RHODE ISLAND																	
Providence	3,166	2		5	3	4	3	21	4	15	99	10	7	20			429	
Central Falls	209					1		3	1		8						34	
Cranston	872							1		1	23		4	17			82	
East Providence town	208							1	1		7			4			25	
Newport	346							1		1	10		1	1			57	
Pawtucket	764							8	1	1	10	3	4	3			94	

1/ Excludes accidents associated with automobiles (206,208,210).
2/ Refer to complete International list titles.

DEATHS BY RACE, FROM SELECTED CAUSES

AND RURAL DISTRICTS, AND FOR INDIVIDUAL CITIES WITH A POPULATION OF 10,000 OR MORE IN 1930: 1935—Continued

in the 1929 revision of the detailed International List)

Diabetes mellitus	Cerebral hemorrhage and softening	Diseases of the heart	Bronchitis	Pneumonia (all forms)	DIARRHEA AND ENTERITIS		Appendicitis	Hernia, intestinal obstruction	Cirrhosis of the liver	Nephritis	Puerperal septicemia	Other puerperal causes	Congenital malformations and diseases of early infancy	Suicide	Homicide	AUTOMOBILE ACCIDENTS		Other external causes	Unknown and ill-defined diseases	All other causes
					Under 2 years	2 years and over										Primary	Collision with trains and street cars			
59	82a, 82c	90-95	106	107-109	119	120	121	122	124	130-132	140, 142a, 145	141, 142b-144, 146-150	157-161	163-171	172-175	210	206, 208	176-198	199, 200	
2	19	27		10	2	1		1	3	11			8	2	1	5		6		14
4	12	35		35		1		5	2	22	3	2	13	4	4	5		18	3	19
1	1	3		11		1		3		2			5			1			2	7
11	17	62	1	33	2			5	2	19	1	2	17	2		6		16		39
1	5	42	1	6	1			1	1	3			8			3		6		10
4	21	57	1	11	9			1	2	17			13	3		4		4		23
2	8	20		9	2			5	4	12			12	2	1	1		12		22
12	16	63	1	59	4	1		6	4	25		4	24	2	1	13		21		35
7	15	44	1	8	1			6	7	32			15	4	4	4		12		36
7	8	31		8	1			6		7	3		7	1		4		3		5
4	13	43		6		1			1	9		1	17	2		8		13		35
2	4	12		8			1	6	1	12		1	17	1	2			5		3
1	15	46		3		1				12			12					1		6
1	8	15		3						3					2			1		2
1	3	5		1						1								1		1
2	6	29		1			1			8				1	3			5		9
2	2	3		3						3						1		7		1
3	14	46		2			2	1		4	1	3	11	3	1	2		7		12
4	11	41		10	2		1	1	2	16	4	2	13	3		7		12		22
2	12	16		9					1	4			4	1				1		4
1	7	23	1	5	1					7		1	4					5		5
2	3	22		1	2					2			2					2	2	7
3	6	15		5	2					7		1	6	1		1		1		8
6	27	7	2	7			1			10			1	1				1		6
6	14	32		11		1	2	4	1	14	2	1	9	2	1	4		9		20
1	15	64		21	19			2	2	18			16	1				6	1	19
1	8	24		11			1		1	6		1	4	2		1		1	1	8
1	19	9		4	1		1	5	1	9	3		4	1		6		2		11
3	3	10		7	1	1				6		2		1		1		1		2
1	14	40	1	6			1			4				1				2		20
18	14	52		13	1	1	14	11		12	5	8	15	9	2	14		15	13	49
5	19	38		13	1		2	7	1	8		1	12	1		3		8		29
3	10	36		15						7		1	5	2	1			10		12
6	10	29		9	1		3	4	1	9	2	1	8			11		14		26
1	10	54		10				3	3	17			1	2	1			2		18
1	14	37		21	2	1	4	3	2	14	1	2	8	1	3	10	5	16		16
1	3	3		10			1	1		2			4		2	1		1	3	2
4	4	26	1	7				1	4	14			5	1				5		5
7	13	62	1	18	2		2	4	3	13	2	1	15	6		15		23		27
4	9	22	1	11			3	4	3	4		1	10			8	1	18	2	22
5	13	42	2	6		1	3	1	1	10	3		2	1		1		2	1	12
2	7	20		7						9		1	6	3	2			2		4
1	12	36	1	8	1				1	5			3			3		3		12
12	39	68		18	2		13	8	2	8	2		23	1	3	11		25	4	50
3	8	24	1	13	1	1		1	1	3			4	2		1		3	4	9
3	8	42	1	15				1	2	10			6	2				6		16
2	14	29		7						9								4		7
2	5	22	1	8	1				2	6				1				1		5
2	10	35	1	18			6	10	1	11	2	2	25	1	5	10		19	13	27
2	9	21		9				1		12			1					1		4
9	28	59	1	10		2	4	1	1	17	2	2	15	3		8		15		44
6	6	26	2	25	1			1	1	3			4	1				7		7
7	10	20		7	1			1	1	4			1	1				3	1	5
2	6	25		9	1	1	1	3		15	1	1	6		1	3		7		14
2	6	47		41			2	2	4	18	1	1	6	1		2		8		20
4	5	28		11						9			4	2		2		9		6
2	15	32		17		1		1	2	12			7					5		11
13	21	73		13	3		3	9	2	31	2	1	14	5		12		15		26
21	16	101	1	31		1	7	12		24	7	4	33	2	3	19		34	1	86
7	11	68		16	1		2	1	2	16			5		1	1		3		15
13	46	1		33	4			1	1	5			6	1		4		7		13
1	2	26		4	1				2	12								2		6
4	7	18		2						2										
11	13	65	1	10	2		10	7	1	8	2	1	8	3		6		8	1	15
13	35	10		10		1			1	13			2			13		1		32
2	7	47		9						1			3	3		1		3		4
3	6	20	1	12			5	2	1	6		1	6	1	1	8		7	1	12
2	4	15		5					1	5			5					2	1	8
8	17	73	1	22	6		16	2	2	19	2	4	12	9	3	19	1	35	1	66
9	9	9		4	2			2	2	6		1	6					5	7	6
6	7	53		10	2		6	3	1	7	1	1	9	4	1	1	2	12		33
9	37	62		36	5	2	8	8		28	4	7	24	8	6	13	1	19		53
5	19	28		9	1	1	2	1	2	15	1		3	4		5		9		27
8	13	61		20	3		5	6	2	16			21	3	1	9		13		36
2	2	14		8				1		5		2			2					5
85	184	820	4	246	14	3	63	43	24	279	14	17	157	28	6	37	1	117	5	392
4	19	65	1	11	1		2	3	2	20		1	12	5		1		4		11
27	46	387	2	48		1	5	4	3	58	1		9	8	1	2	1	24		107
5	27	74		12	4			1	1	22		1	6	2		2		4		10
6	35	95	1	23	1	1	2	2	1	28			19	1	1	4		15		40
24	78	203	1	35	3		14	7	4	79	1	5	42	5	2	20		35		87

MORTALITY STATISTICS

TABLE 5.—DEATHS (EXCLUSIVE OF STILLBIRTHS) BY SEX AND RACE, FROM SELECTED CAUSES, IN EACH STATE, BY CITIES

(Numbers under causes of death correspond to those

AREA, SEX, AND RACE	All causes	Ty-phoid and para-ty-phoid fever	Small-pox	Meas-les	Scar-let fever	Whoop-ing-cough	Diph-theria	Influenza	Erysip-elas	Epi-demic cere-bro-spinal menin-gitis	Tuber-culosis of the respi-ratory system	Tuber-culosis of the menin-ges, etc.	Other forms of tu-bercu-losis	Syph-illis	Ma-laria	Cancer and other malig-nant tumors	Rheu-matism and gout
		1,2	6	7	8	9	10	11	15	18	23	24	25-32	34	38	45-53	56-58
RHODE ISLAND—Continued																	
Woonsocket	501			1		3	1	5	1		11	1	4	7		54	2
Bristol town	79										2			1		18	
Cumberland town	83							2			5		1			6	
Lincoln town	84			1				1			1	1				9	
North Providence town	67							3			3		1			10	1
Warwick town	243										13	1	1	2		28	
Westerly town	168							2								14	
West Warwick town	133										1	1				17	
SOUTH CAROLINA																	
Charleston—White	468	4				1	2	13	1	2	10	1	2	3	7	47	1
Charleston—Other	784	1				1	2	19	1	2	45		8	63	2	33	
Columbia—White	687	1			1	1	3	13		3	19		1	3	4	55	
Columbia—Other	591	2						17			37		1	14	2	14	1
Greenville—White	253	2				2	2	13	1		5		1	3		20	
Greenville—Other	255	2					1	9			12			14		5	
Spartanburg—White	260	5					2	10	1		6	1	1	3		20	1
Spartanburg—Other	237	2					1	9	1		16	1	3	5		11	
Anderson—White	219	5			1	5	2	4	1	1	10		2	1	1	12	
Anderson—Other	119	2				1	1	7		1	7		2			2	
Florence—White	254	3				3	2	6	5	3	2			1	7	13	1
Florence—Other	214	6				3		6	1		6		1	2		6	
Greenwood—White	102						1	3			2			2	1	3	1
Greenwood—Other	95	5						2		1	6			2		2	
Rock Hill—White	113					2	2	4			2			1	1	4	
Rock Hill—Other	95	1						3		4				7		2	
Surter—White	112	2		1		1	2	3			1			1	1	5	
Surter—Other	160	5				5		7			10	1		2		6	
SOUTH DAKOTA																	
Sioux Falls	429			1	3	1	2	8			5	1		2		54	2
Aberdeen	231			2				9		1	4	1	1	2		20	
Huron	163				1	3		4	1		3			1		14	2
Mitchell	225						1	6	1				1	1		30	
Rapid City	196	1			1	1		5		2	1		2			20	
Watertown	166							4			2	1				19	1
TENNESSEE																	
Chattanooga—White	1,122	3				4	11	45	3	8	54	5	6	8		106	2
Chattanooga—Other	765	1					1	51		1	56	3	3	16	2	24	4
Knoxville—White	1,127	8		2	1	9	14	31	1	17	31	3	5	5	1	70	1
Knoxville—Other	293					2	2	5		4	12		1	2		11	1
Memphis—White	2,344	5			1	8	4	45	7	23	81	5	13	21	28	259	3
Memphis—Other	2,059	8				6	5	43	1	5	149	17	21	85	17	105	3
Nashville—White	1,764	11			1	6	8	37	4	11	56	8	9	16	3	185	1
Nashville—Other	969	3				4	1	33		7	44	2	15	18		38	2
Johns City	340					2	4	13	1		24	2	3	8		17	1
Bristol	119	1			1			3			5			2		12	
Jackson—White	211				1	2		10			10			1	4	12	
Jackson—Other	117	1						5			10			1	2	7	
Kingsport	153					4	1	3		2	13					4	2
TEXAS																	
Dallas—White	2,364	7			1	2	15	52	2	6	76	7	9	16	5	241	5
Dallas—Other	784	1					4	16			38		3	34	6	28	5
El Paso—White	1,599	9			6	8	4	65	4	5	173	13	3	23		96	7
El Paso—Other	56							3			9		1			3	
Fort Worth—White	1,535			1	5		7	37	1	5	62	3	4	10		141	3
Fort Worth—Other	378	2				1	5	13		1	32	1	6	10	1	11	
Houston—White	2,615	3		3	3	1	11	47	2	4	145	6	9	35	10	244	3
Houston—Other	1,148	4					3	43		5	99	3	6	34	7	43	5
San Antonio—White	2,362	9			2	1	9	87	3	9	205	21	15	45	1	233	10
San Antonio—Other	262						1	10			20		1	11	3	11	1
Amarillo	487	4				3	1	11	1	3	19			3		34	2
Austin—White	803	3			1	1	5	29		2	48		3	12	1	67	1
Austin—Other	264						1	1			22			20		24	1
Beaumont—White	414	2			1			4	10	1	14	1	1	3	2	36	1
Beaumont—Other	259	4					2	7			12		2	12	4	15	
Corpus Christi—White	407	6			3			22		1	33	1	1	6	1	29	2
Corpus Christi—Other	24							2								1	
Galveston—White	590	3					1	2	1		26	2	1	7		62	3
Galveston—Other	251									1	17		3	20		19	
Laredo—White	603	25		20			3	15	1		58		10	5	5	30	
Laredo—Other	1										1						
Port Arthur—White	273	1			2		1		8		3			2		27	1
Port Arthur—Other	93				2						4		1	3		5	1
San Angelo—White	314	3				1	2	13	1		53		1	3		16	
San Angelo—Other	26							1			6			2		3	1
Waco—White	585	8			1	1		11	12		21	1	1	3	1	46	
Waco—Other	182	1			2			4	1		15			2		9	
Wichita Falls—White	398	1				2	4	9	2		13		1	3	1	33	2
Wichita Falls—Other	37							1			4	1		5			
Abilene	278	2			1	2	2	9		1						20	
Big Springs—White	137	1				2		2			7					10	
Big Springs—Other	6										1	1					

1/ Excludes accidents associated with automobiles (205,208,210).
 2/ Refer to complete International List titles.

DEATHS BY RACE, FROM SELECTED CAUSES

AND RURAL DISTRICTS, AND FOR INDIVIDUAL CITIES WITH A POPULATION OF 10,000 OR MORE IN 1930: 1935—Continued
in the 1929 revision of the detailed International List)

Diabetes mellitus	Cerebral hemorrhage and softening	Diseases of the heart	Bronchitis	Pneumonia (all forms)	DIARRHEA AND ENTERITIS		Appendicitis	Hernia, intestinal obstruction	Cirrhosis of the liver	Nephritis	Puerperal septicemia	Other puerperal causes	Congenital malformations and diseases of early infancy	Suicide	Homicide	AUTOMOBILE ACCIDENTS		Other external causes	Unknown and ill-defined diseases	All other causes
					Under 2 years	2 years and over										Primary	Collision with trains and street cars			
59	82a, 82c	90-95	106	107-109	119	120	121	122	124	130-132	140, 142a, 145	141, 142b-144, 146-150	157-161	163-171	172-175	210	206, 208	176-198	199, 200	
18	37	118	4	42	6	2	5	6	5	47		2	27	8		10		21	1	58
2	5	32		5					1	7			1			1		2		5
5	8	54		6	1					9			3					5		5
1	9	26		3	2			1	5	11			1					5		5
2	7	20		4						9			1					3		3
7	14	79		14	2	2			2	31			7	2		1		16	1	20
9	14	38	2	12			1	4		14			9	3				13		23
9	14	26	1	11	1	1		1	2	26		1	6	2		2		13		9
10	26	129	1	46	1		5	1	4	26	1	6	15	5	4	6		25	1	62
5	68	158		87	11	2	3	5	4	33	7	8	63	1	11	15	1	24	2	78
19	38	128	4	44	5	2	10	10	1	61	2	4	33	12	1	24	3	34	4	144
2	68	89	1	44	5	2	5	7	1	50	9	4	20	1	12	4	1	30		147
8	14	45		29	17		7	2	3	19	2	3	18	6	3	19		5	1	52
1	22	44		49	3		1	2	1	16	2	4	8		10	6		10	3	31
4	21	70	2	33	15	1	3	4		19	2	2	20	5	8	26		19	4	52
2	19	51		22	7		5			17	2	3	5	1	9	5		10	6	24
3	9	41		28	3	1	2	2	1	17	2	2	15		7	7		9	3	29
2	5	20		7	2	1	3	1		18			5	1	1	4		7	1	11
6	10	25		15	7	2	6	7		12	2	8	21	4	3	15	2	14		54
2	22	27		13	3	1	7	4		7	5	5	8		11	13		14		36
3	5	16		10	1		1		1	14	1	1	3	1	1	11		5	2	13
1	13	13		5	1	2	2	1	1	11	1	3	3		3			2	3	11
3	7	14		3	2	2	4			26	1	1	10	1	2	2		6		13
1	6	22	1	5	1		3			17			2		1	1		4	1	13
2	11	22		5	2	2	2	2	2	17	2	1	3	1	1	4		7	2	11
1	7	27		11	7	2	1	3	1	11	1	4	6		2	6		2	4	28
7	30	76	1	25	1	1	17	6	3	15	4	2	27	10	5	13		16	1	90
4	13	58		14	2		2	2	7	10	1	1	15	4	1	3		13		30
1	11	31		15		2	4	3	2	5	2	1	9		1	5		10		32
3	16	33		17	1	2	5	3	1	16	4	3	9	4	1			10		57
3	9	24	1	27	1	1	5	5	3	8	2	3	14	1		5		10		41
2	13	20		17			4	3	1	12		2	13			6		11	1	34
14	86	167		88	17	5	19	11	4	54	11	11	57	13	22	42		61	23	162
5	78	98	3	94	9	7	2	7	2	58	2	7	18	2	57	11		32	27	86
19	69	172	1	79	29	11	31	12	13	62	2	14	58	7	11	46	3	74	42	153
5	19	56		24	2	7	1	1	1	22	1	2	9	1	27	8	1	8	20	40
36	137	362	6	201	24	7	50	42	20	102	25	12	156	35	20	71	2	113	40	402
21	129	250	3	236	13	11	28	31	14	104	15	12	94	6	128	27		86	58	333
4	45	121	3	175	43	12	34	21	10	92	8	11	63	17	19	61	2	61	43	288
6	72	134	5	87	13	5	11	16	3	114	8	3	34	2	64	21		38	46	116
4	18	48	1	36	4	2	5	5	4	15	2	2	17	8	8	12		16	2	56
12	20	15		15	3		5	1	1	13			5			1		2	7	17
2	10	34		21	1	1	10	1		15			5			1		16	5	37
1	6	8	1	6		3	1			12	2	1			7			7	18	18
2	4	16		11	1	1	4	1		12		1	12	2	2	13		13	8	21
25	159	475	7	203	50	13	37	23	15	91	13	15	152	40	20	81	1	139		360
1	67	84	4	107	12	7	10	9	2	67	4	4	73		57	21		28	1	91
10	41	151	10	124	116	11	11	28	11	59	8	10	87	16	15	49		47	3	175
4	7			6				2	1	7					1	3		2		7
20	109	315	2	152	10	5	26	17	17	72	4	10	79	31	19	59	4	72	7	225
3	29	60	1	53	2	3	8	5	2	28	1	1	11		18	4		18	4	44
37	174	507	5	180	44	16	53	39	26	148	8	16	114	48	19	95	1	108	60	393
19	72	153		88	8	7	23	8	8	75	9	7	53	1	48	13		53	35	206
35	120	461	16	244	161	43	33	45	17	123	30	21	197	39	41	53	1	92	35	411
7	24	42		30	1	4	5	7	3	20	4	1	8		8	5		4	6	45
8	25	56		61		1	18	8		38	3	2	32	8	6	14		22	10	75
6	22	141	4	56	16	8	10	17	6	32	2	5	40	17	5	25	3	38	19	158
3	14	41		16	3	1	4	4	1	25	1	1	11		6	3		8	4	47
10	20	74	1	29	2		8	14	4	34	3	3	35	8	2	19		18		53
1	13	40		24	7	1	4	4		29	2	4	16	2	11	3		7	1	32
8	10	49	1	45	29	2	4	6	5	22	1	4	28	4	1	7		13	4	59
9	26	7		1	1			1		4			1	1	1			1		1
5	14	52		11			4	3	2	14	3		4		11	7		9	2	50
5	29	62	1	44	65	11	1	7	3	16	3	9	50	5	1	9		21	7	82
2	15	51	1	22	5	1	7	3	2	16	1	5	33	3	4	6		19	2	20
2	1	17		12				3		7	1		4	2	2			11	1	13
2	10	36		36	4	3	8	2	2	12		2	17	8	5	6		13	11	44
6	40	116	1	33	12	5	18	5	4	34	4	4	37	8	4	26		21		101
3	9	27		17	2	1	3	1	2	17	1	1	12		3	3		4	3	39
6	15	57	1	56	5	2	11	8	3	23	2		22	6	3	20		18	7	52
2	2	7		3	1		1			1		1	2		1	1				6
2	17	40	1	28	11	3	8	7	2	10	3	3	20	3	4	10		10	3	47
1	4	15		9	9	1	5		1	4	2	3	17		4	7		9	1	23

MORTALITY STATISTICS

TABLE 5.—DEATHS (EXCLUSIVE OF STILLBIRTHS) BY SEX AND RACE, FROM SELECTED CAUSES, IN EACH STATE, BY CITIES

(Numbers under causes of death correspond to those

AREA, SEX, AND RACE	All causes	Typhoid and paratyphoid fever	Smallpox	Measles	Scarlet fever	Whooping-cough	Diphtheria	Influenza	Erysipelas	Epidemic cerebro-spinal meningitis	Tuberculosis of the respiratory system	Tuberculosis of the meninges, etc.	Other forms of tuberculosis	Syphilis	Malaria	Cancer and other malignant tumors	Rheumatism and gout
		1,2	6	7	8	9	10	11	15	18	23	24	25-32	34	36	45-53	56-58
TEXAS—Continued																	
Brownsville—White	344	5				1		3			23		1	1	38	16	1
Other	1																
Brownwood	182	1					1	9	1		2					18	
Cleburne	126	1				1	2	14			5					6	
Corsicana—White	163	1			1			9			5				1	15	
Other	76	3						12			3		1		2	2	
Del Rio—White	221	5					1	3			25	1	1			10	2
Other	3	2															
Denison—White	161	1						9			9			1	1	19	1
Other	53							3			3				1	2	
Greenville—White	139	1					3	2			2					13	
Other	50					1	1	1			6			1		2	
Harlingen—White	126						3	5			8				13	7	
Other	8							2			1			1			
Lubbock	351	3					2	10	1	1	5		1	2		24	
Marshall—White	141			1			1	2	1		7				1	9	1
Other	158	7					3	8		1	11		2	1		2	
Palestine—White	121	3		1		1	1				2			2	2	13	
Other	56						2	3			3				2	3	
Pampa	162	1				2	1	17			6		1	4		5	1
Paris—White	267	2					1	7		1	10	1	1	1	4	24	1
Other	74										1		1		4	4	
San Benito—White	99						1	1			8	1			7	4	
Other	2																
Sherman—White	231	1				1		7	1	1	9			1		21	1
Other	32										2	1				2	
Sweetwater—White	102						2	5		1	2	1	1	1		2	
Other	7																
Temple—White	263	2					7	2	1		7			2	1	29	
Other	53						2	2			3		1	1		4	
Texarkana—White	129						1	3			7			1	2	9	
Other	96							7			8			1	3	5	
Tyler—White	189	4				1	2	1			1			2	2	14	
Other	95					2	1	6			2		1	2	2	2	
UTAH																	
Salt Lake City	1,806	2		1	11	11	2	38	5	2	51		6	20	1	210	8
Ogden	440				1	2		12			4			2		33	4
Provo	217			1	6		1	6			1		1	3		12	
VERMONT																	
Barre	152					2		1		2	20	1				9	
Burlington	453	1			1		1	6	3	1	4		1	1		59	3
Rutland	292				1			6			6					47	1
VIRGINIA																	
Norfolk—White	956	1		1				4	1	1	21	4	2	3	2	104	
Other	895	5				5	2	13		5	69	3	6	18	1	31	2
Richmond—White	1,762	4		6	1	1	2	28	3	4	54	2	5	12		190	7
Other	1,179	2		4	1	1		16		6	99	4	13	32		53	4
Lynchburg—White	432			4	1	2	1	12	1	3	18		2	1		34	2
Other	201			1	1	1	1	6			6		2	10		8	1
Newport News—White	226					1		3		3	8	1				22	1
Other	255							11		3	23	2	1	7		15	1
Petersburg—White	200				1			2	2		7		1	1		16	
Other	289	1						11			19	2	2	3		11	2
Portsmouth—White	280	1			2	1		2		1	6	1	2	1		27	1
Other	410	3				4		24		1	33		2	12	1	16	2
Roanoke—White	669	2				1	5	13	1	2	13	2	3	3	2	66	5
Other	197	1						21			10	1	4	5		8	2
Alexandria—White	261					1		3			13		1	4		25	
Other	107					1		2			5			3		5	
Charlottesville—White	116			1		2			2		6					18	1
Other	49							1			2					1	
Danville—White	317	1				3	7	10			4		5			21	
Other	213			1		1	1	5			12		1	6		6	2
Hopewell—White	61							2					1			4	
Other	21	2				1		1			2			1			
Staunton—White	310							8	3	2	13	1		2	1	21	3
Other	41	1						2		2	3			1		3	1
Suffolk—White	114							9	1				1			8	
Other	121							7			15		1			8	1
Winchester	234					1	1	3		2	6	2	2			23	2
WASHINGTON																	
Seattle—White	4,423	3		2	1		1	45	4	12	162	5	11	46		619	11
Other	200							2			33	3	4	7		22	1
Spokane	1,721			2	3	1	1	32	7	8	28	1	2	6		225	4
Tacoma	1,436	1			4			10		2	35	4	7	12		169	1
Bellingham	369				1	4		8			8		3	2		48	2
Everett	399			2		3		6	1	2	10	1	4	1		46	
Aberdeen	233	2				3		6			5	2	2	2		33	1
Bremerton	127							2		1	1	1		2		10	
Hoquiam	117					1					5	1		3		12	
Longview	74					1		2			1		2			9	

1/ Excludes accidents associated with automobiles (205,206,210).
 2/ Refer to complete International List titles.

MORTALITY STATISTICS

TABLE 5.—DEATHS (EXCLUSIVE OF STILLBIRTHS) BY SEX AND RACE, FROM SELECTED CAUSES, IN EACH STATE, BY CITIES

(Numbers under causes of death correspond to those

AREA, SEX, AND RACE	All causes	Ty-phoid and para-ty-phoid fever	Small-pox	Meas-les	Scar-let fever	Whoop-ing-cough	Diph-theria	Influ-enza	Erysip-elas	Epi-demic cere-bral spinal menin-gitis	Tuber-culosis of the respi-ratory system	Tuber-culosis of the menin-gee, etc.	Other forms of tuber-culosis	Syph-illis	Ma-laria	Cancer and other malig-nant tumors	Rheu-matism and gout	
		1,2	6	7	8	9	10	11	15	16	23	24	25-32	34	38	43-53	56-58	
WASHINGTON—Continued																		
Olympia	174	1		1	1			4				5		1			18	1
Fort Angeles	135								1		3		3	1			13	1
Vancouver	238	1		1	3			9		1	5	1		1			30	
Walla Walla	272			2				6			3		2	1			45	2
Wenatchee	197			1	1			7		1	2	1	1	2			21	1
Yakima	404	1			1		1	10	1	1	3		1	3			32	1
WEST VIRGINIA																		
Charleston—White	879	4		4	5	1	15	15	1	2	25	6	4	11			51	2
Charleston—Other	159						1	1			12		1	4			10	
Clarksburg	387	2		2	3	3	1	12			6	1	1	4			39	
Huntington	1,072	1		4	2	3	7	12	1	4	112	3	4	11	1		83	2
Parkersburg	472			5	3	1	4	16	2	1	16	1	2	2			35	1
Wheeling	1,036	2			5	1	3	10	3	5	27	4	4	11	1		102	2
Bluefield—White	267	1		1	1		6	7	2	2	2	1	1	2			17	
Bluefield—Other	78						1	2			5		1	3			4	
Fairmont	340	2		1	1			12	3	1	7	1	1	5			26	
Martinsburg	265	1		3		1	2	7		4	7		3	1			22	
Morgantown	213	2		2	1		1	1	1		4	1	1	1			30	1
Moundsville	163			3		1	1	7	1		18			9			11	
WISCONSIN																		
Milwaukee	5,087			11	29	8	4	39	4	14	181	5	8	20			674	17
Appleton	540					1		4			3	1					56	3
Eau Claire	424	1			5	2		5		1	8	2	2	1			52	1
Fond du Lac	398				1	1	1	5			5	1		1			37	
Green Bay	613	1		1				19	1	3	5	4	2	2			37	1
Kenosha	372			2	1	1		5		1	6		1	1			55	3
La Crosse	627			5	2	1		6			10			3			80	1
Madison	1,031			5	4	1		7	1	2	12	1	2	12			187	6
Oshkosh	465			1	1	1		4			8	1		1			64	2
Racine	619			1	3	1		11	1		19			2			95	
Sheboygan	401				1	2		12	1		7	1		1			64	1
Superior	438	1		2				9			6		1	6			61	
West Allis	133				2			2			3			1			19	
Ashland	190							1	1		2	1	2	1			28	
Beloit	277			3	2			8			1		1	1			26	
Cudahy	34										3			1			6	
Janesville	250				2	1		1			4			1			43	2
Manitowoc	245								1		2						32	1
Marinette	202							1		2	3	1					24	
Shorewood	66										1						11	
South Milwaukee	54										1		1				9	
Stevens Point	181							3			4	1	1	1			26	1
Two Rivers	96					1		2	1		1	1					18	
Watertown	172			2	2			1			9						23	
Waukesha	186						1	1			2			3			16	
Wausau	353				3	1			1	1	9	2					52	3
Wauwatosa	110				1						1						25	
WYOMING																		
Aspen	221	1		2		2	2	1			4	1	1	3			18	
Cheyenne	274			1	7	2		10	1	1	3		1	3			15	1

1/ Excludes accidents associated with automobiles (206,208,210).
 2/ Refer to complete International List titles

DEATHS BY RACE, FROM SELECTED CAUSES

AND RURAL DISTRICTS, AND FOR INDIVIDUAL CITIES WITH A POPULATION OF 10,000 OR MORE IN 1930: 1935—Continued

in the 1929 revision of the detailed International List)

Diabetes mellitus 59	Cerebral hemorrhage and softening 62a, 62c	Diseases of the heart 90-95	Bronchitis 106	Pneumonia (all forms) 107-109	DIARRHEA AND ENTERITIS		Appendicitis 121	Hernia, intestinal obstruction 122	Cirrhosis of the liver 124	Nephritis 130-132	Puerperal septicemia 140, 142a, 145	Other puerperal causes 141, 142b-144, 146-150	Congenital malformations and diseases of early infancy 157-161	Suicide 163-171	Homicide 172-175	AUTOMOBILE ACCIDENTS		Other external causes ^{1/} 176-198	Unknown and ill-defined diseases 199, 200	All other causes ^{2/}
					Under 2 years 119	2 years and over 120										Primary 210	Collision with trains and street cars 205, 208			
1	23	41		5		1	4	1	3	15		2	5	2		8		10	3	20
2	7	32		3	1		3	4		10		1	11	2	2	4		13		18
4	20	39		13			4	2		17		1	6	4	3	15		19		39
5	33	45	1	8		2	7	7	1	28	2	1	17	4		5		11	4	26
5	7	32		8	2		5	3		14		3	20	5		10		10		34
9	24	68		26	10		9	7	3	25	6	4	27	11	2	19		34	1	63
12	27	135	1	66	41	6	31	7	10	41	13	7	55	12	4	40		78	5	140
2	14	33		12	1	1	3	2	1	12	1		5	2	9	1		6		25
7	26	71		27	3	1	3	1	4	14	3	1	33	7	2	19		27	3	61
15	48	202	7	74	13	7	12	6	8	71	10	8	59	16	10	28	2	49	9	168
7	38	70	1	39	4	5	4	9	6	35	1	5	31	6	2	10		26	9	75
24	44	222	3	77	5	2	25	19	9	118	7	9	52	11	6	22	2	56	1	142
5	22	30		21	4		5	4		15	4	1	19	4	3	19	1	18	2	45
2	2	7		4		1	1			11			1	1	6		11		17	
8	22	55		19	4		6	4	3	19	3	2	19	8	3	12		32	7	54
6	19	54		12	2		3	5		19	1	2	16	4	1	13		14	2	41
2	17	32	1	13	6	1	3	2	1	13	1	1	14	4	1	9		15	2	29
3	13	35		11	2		4	2	2	8		2	1	2	1		13		13	
157	355	1,353	18	285	16	7	82	49	72	338	7	23	301	95	4	77	7	184		643
8	20	73	1	15	2		9	10	3	34	1	1	20	5	2	12		15		44
20	26	81	1	26	3	2	12	5		38	3	3	28	3		14		18	1	60
12	28	94	2	19	1		7	4		26	1		28	7		14	3	23	2	55
17	44	119		30	4		35	15	6	34	2	4	37	5	1	23	1	16	1	112
14	21	76		33	1	1	3	7	8	26		1	27	3	1	4	1	16		51
16	47	130	1	45	3	1	14	11	8	43	2	6	35	11	2	14		26	2	102
20	38	213	1	73	2	2	11	14	7	56	3	3	39	14		23	4	41		227
12	43	122		15	1		9	8	14	14	1	4	22	8		6		22	1	80
15	40	129	5	36	1		10	4	10	39	2	3	48	13	1	19	4	24	1	82
12	39	90	2	17	1	1	5	5	4	17	2	2	26	9		7		19		53
12	31	100	2	26	1	1	2	6	8	28	1	2	24	6	2	8	1	24	1	66
3	9	48		9			1	1	2	8		1	7	3			2	2		13
10	19	25	2	8	1		5	6	3	16		1	12	3	1	5		10	1	25
7	19	62	1	18			9	4		28		3	16	5	1	11	2	7	1	41
1	1	9		2	1					2			3	1	1			1		2
5	18	56	1	14		1	4	3	2	21	2	1	13	2		20		15	1	32
9	20	68	2	10	4		8	2		19		3	19	4		2		11		26
4	19	57		12			5	4	2	9	2	2	11	2	1	3	1	11	1	25
5	5	30		5						2			1	1				2	1	7
1	1	11		7	1		1	1		1			5	1		1		6		5
5	11	32		22			4	2	3	16		2	10	1		8		4		23
3	7	21		3			2			5			8			2		4		15
9	8	49		6		1	1	4	1	8		2	10	3		5		11		17
11	17	32		15	1		3	1	2	13	1	4	10	3	1	13		11		24
11	16	68	2	33	1		6	6	4	29	2	7	24	2		8		12		50
2	11	35	1	3				1	4	5			4	4				3		16
13	14	48		22		2	7		5	15			18	3	2	2		10		35
16	9	40	4	30	1	1	7	6	1	15	1	2	9	5	1	16		29	1	45

DEATHS, BY CAUSE, FOR CITIES AND RURAL AREAS

IN EACH STATE, BY CITIES AND RURAL AREAS: 1935—Continued

Total deaths	ALABAMA						Total deaths	ARIZONA			Total deaths	ARKANSAS						List no.
	Cities of—				Rural			Cities of—		Rural		Cities of—				Rural		
	10,000 or more		2,500 to 10,000		White	Other races		10,000 or more	2,500 to 10,000	Rural		10,000 or more		2,500 to 10,000		White	Other races	
	White	Other races	White	Other races								White	Other races					
257	63	25	19	8	104	38	40	18	9	13	158	45	9	15	6	68	15	59
257	28	25	10	10	95	89	2		2		190	20	24	10	16	55	65	60
5				1		4	1				2					2		61
32	10	5	2	2	7	8	8	6		2	16	6	3	1		5	1	62
6	2	1			1	2	3	1			1	1						63
11	5	1			4	1	13	3	3	7	3				2	1		64
7	4				2	2	3	1		2	4	1				1		65
17	2	3	2		7	3	3	1		2	7		1	2		4		66a
126	42	11	7	1	52	13	14	5	5	4	68	26	1	8		31	2	66b
21	7	1		1	8	4	1		1		7	2		2		3		67
29	9	2		4	12	2	7	2	3	2	19	9		1		9		68
11	5	1			5						1					1		69
41	16	2		2	16	5	3	3			26	8	1	4		13		70
19	3	5			9	2	2		1	1	14	7		1		4	2	71a
5	2			1	2		1				1	7				1		71b
																		72a
54	10	8	5	3	17	11	14	8	1	5	35	7	4	1	1	20	2	72b
52	9	7	5	3	17	11	14	8	1	5	28	5	3	1	1	16	2	73
1	1										4	1				3		74
1	1										2	1				1		75
2,561	437	363	121	56	905	679	283	97	63	123	1,325	238	110	118	49	577	233	76
27	6	3	1		12	5	8	3	2	3	21	5	2	4		10	2	77a
54	12	14	5		13	10	16	9	2	5	32	8	5	4	1	10	4	77b
8	1	3			2	2	2	2		2	8	2		2		4		78
6	2		1		2	1	5	2	1	2	6	3	1	1		3	1	79a
42	11	2	3	2	19	5	5	3		2	22	3	3	3	1	12	3	79b
1,844	287	306	94	43	676	436	168	53	45	70	932	157	64	92	38	414	167	80
24	7	7	4		4	2	22	13	3	6	25	9	1	1		12	2	81
7	1	1	1		4		1		1		3			1		2		82a
179	8	9	3	6	71	82	9	2	2	5	103	4	8	4	6	49	32	82b
61	24	2			3	32	15	3		12	47	12	22			11	2	83
55	26	1			5	23	5	1	1	3	16	8	3	1		3	1	84
88	19	1	1	1	24	42	2			2	39	14	4	1	1	11	8	85
52	3	4		2	16	27	4	1	1	2	14			1		8	5	86
53	8	5	4		31	5	4	3	1	4	25	3		2		16	4	87
1					1						1			1				88
37	9	3	2	2	17	4	8	1	3	4	20	8				10	2	89a
23	13	2	2		5	1	5	3	1	1	11	7		2		2		89b
4,187	829	617	222	118	1,515	886	850	341	214	295	2,294	549	212	224	81	905	323	90
10		5	1	1	3						16		1	2		7	6	91a
43	11	11	1	3	9	8	5	3	1	1	18	2	3	1	2	8	2	91b
4	2			1	1			2			4					3		92a
1,036	167	143	46	33	429	278	100	36	23	41	488	45	33	40	23	261	65	92b
39	3	11	2	3	16	4	12	5	3	4	25	7	2	2		11	3	93a
64	8	14	6	4	15	17	6	3	1	2	53	12	7	2	3	19	10	93b
37	6	12		1	4	14	8	5	1	2	11	2	2	2		5		94a
733	183	93	46	18	267	126	259	109	62	88	426	164	50	47	14	110	36	94b
451	109	88	18	16	150	70	102	41	27	34	150	56	22	15	4	37	16	95a
278	59	18	33	2	133	33	52	21	20	11	146	39	4	24	3	64	12	95b
319	135	50	23	3	78	30	81	41	20	20	186	67	18	30	2	60	9	96
3					2	1	6	3		3	9	1		2		4	2	97
832	131	127	23	27	304	220	165	60	37	68	588	114	56	41	21	247	109	98
56	4	11	1	1	7	12	6	1	5		11	2	4		1	3	1	99
193	56	20	14	3	55	45	31	10	9	12	106	29	6	15	5	40	11	100
22	2	4	3		8	5	4		1	3	17	1	1	1	1	7	6	101
15	2	4	4		4	1	7	1	4	2	8	3	1			4		102
11	2			1	5	3					7	1	1			4	1	103
3		1			1						5	3				1	1	104a
48	9	2			21	16	4				15		1		1	9	4	104b
10		3	1	1	3	2	4			4	5	1			1	1	2	105
2,656	433	429	117	63	1,002	612	727	263	137	327	1,648	252	104	150	68	802	272	106a
25		1			2	22	2			2	9			1		3	5	106b
9	6		1		1	1	4	2	1	1	10	4	1	2		3		107a
12	1	1			2	8	3	2	1		5			1	1	2	1	107b
15	4	2	1	1	4	3	6	4	1	1	16	1		2		10	3	108
18	4	2	1		9	2	12	6	1	5	14	4		1		6	1	109
22	3	2		2	12	3	1			1	19	3	2		1	11	2	106a, d
732	121	115	32	23	301	140	320	117	44	159	476	74	39	50	17	231	65	107a
4	1				1	1	7	6		1	3	1	1			1	1	107b
1,473	252	266	74	29	562	290	291	105	76	110	881	129	49	80	40	429	154	108
219	7	14	2	7	73	116	27	3	1	23	106	10	4	3	7	54	28	109

MORTALITY STATISTICS

TABLE 6.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE,

List no.	CAUSE OF DEATH	UNITED STATES												
		Total deaths	Cities of								Rural ^{1/}			
			10,000 or more				2,500 to 10,000				Male		Female	
			Male		Female		Male		Female		White	Other races	White	Other races
White	Other races	White	Other races	White	Other races	White	Other races	White	Other races	White	Other races			
VIII.—Diseases of the respiratory system—Con.														
110	Pleurisy-----	2,908	1,102	169	603	85	151	12	105	8	355	62	221	35
111a	Pulmonary embolism and thrombosis-----	635	176	30	154	14	40	1	24	5	97	7	83	4
111b	Pulmonary congestion, edema, hemorrhagic infarct-----	1,587	295	37	389	30	76	7	86	4	299	16	323	25
112	Asthma-----	1,861	378	64	346	54	95	9	77	9	409	70	294	56
113	Pulmonary emphysema-----	115	48	2	15	2	4	-----	1	-----	32	2	10	1
114	Other diseases of respiratory system (except T.b.)-----	1,520	557	84	189	45	103	6	37	4	349	48	93	25
IX.—Diseases of the digestive system-----													89,659	
115a	Diseases of pharynx and tonsils-----	4,922	1,276	107	1,292	158	295	21	281	31	638	101	602	120
115b	Diseases of buccal cavity and annexe-----	913	249	40	187	43	56	2	47	5	134	46	95	29
116	Diseases of esophagus-----	217	77	11	51	4	9	-----	7	1	32	4	17	4
117a	Ulcer of stomach-----	5,639	2,797	284	591	139	491	25	118	21	849	126	343	55
117b	Ulcer of duodenum-----	2,591	1,502	91	290	18	218	8	49	2	325	17	63	7
118	Other diseases of stomach (except cancer)-----	3,355	383	192	284	229	137	59	111	53	753	346	520	318
119	Diarrhea, enteritis (under 2 years,-----	15,204	2,465	430	1,846	330	683	103	546	92	2,873	852	2,294	690
120	Diarrhea, enteritis (2 years and over)-----	4,760	774	179	794	220	223	25	257	42	859	207	945	224
121	Appendicitis-----	16,142	6,037	613	3,958	453	1,362	99	837	69	1,465	193	913	153
122a	Hernia-----	5,345	1,879	218	1,519	106	356	29	234	9	561	103	321	30
122b	Intestinal obstruction-----	7,816	1,971	301	2,217	391	441	50	425	57	820	183	802	158
123	Other diseases of intestines-----	1,534	508	63	377	90	76	4	54	7	164	38	112	39
124	Cirrhosis of liver-----	10,083	4,074	270	2,009	169	553	40	279	16	1,614	179	792	86
125a	Yellow atrophy of liver-----	475	102	13	180	22	19	1	24	1	43	8	54	6
125b	Other diseases of liver-----	1,169	318	52	226	58	50	8	53	14	180	39	136	35
126	Biliary calculi-----	4,563	874	28	2,334	66	126	-----	335	8	209	19	506	40
127	Other diseases of gall-bladder, biliary passages-----	4,034	917	50	1,517	79	171	12	286	17	317	41	576	51
128	Diseases of pancreas-----	769	305	23	265	16	33	2	21	-----	47	5	49	3
129	Peritonitis, cause not specified-----	1,950	445	67	631	111	70	10	125	14	179	47	198	53
X.—Diseases of the genitourinary system-----													122,707	
130	Acute nephritis (including unspecified under 10 years)-----	4,457	813	275	638	274	279	56	185	55	753	315	561	253
131	Chronic nephritis-----	92,272	21,667	2,865	20,293	2,833	4,622	499	4,013	458	16,910	2,768	13,157	2,187
132	Nephritis, unspecified (10 years and over)-----	6,787	1,057	272	976	261	381	62	269	63	1,538	425	1,128	355
133	Other diseases of kidneys, ureters, etc.*-----	3,893	1,051	119	1,107	133	152	17	169	15	444	160	435	91
134	Calculi of urinary passages-----	1,430	667	38	353	25	76	2	35	4	141	8	72	9
135	Diseases of bladder (except tumors)-----	764	179	45	137	12	46	9	21	1	172	64	69	9
136	Diseases of urethra, urinary abscess, etc.-----	517	200	165	13	2	26	19	4	-----	35	47	5	1
137	Diseases of prostate-----	8,477	5,018	447	-----	-----	828	61	-----	-----	1,875	246	-----	-----
138	Diseases of male genital organs, not venereal-----	115	53	25	-----	-----	5	4	-----	-----	21	7	-----	-----
139a	Cysts of ovary-----	684	-----	-----	459	45	-----	-----	70	6	-----	-----	88	16
139b	Other diseases of ovaries, etc.*-----	2,219	-----	-----	1,214	400	-----	-----	244	35	-----	-----	230	96
139c	Diseases of uterus-----	967	-----	-----	624	59	-----	-----	109	14	-----	-----	125	36
139d	Nonpuerperal diseases of breast (except cancer)-----	30	-----	-----	13	5	-----	-----	2	-----	-----	-----	6	4
139e	Other diseases of female genital organs-----	95	-----	-----	38	23	-----	-----	8	2	-----	-----	9	15
XI.—Diseases of pregnancy, childbirth, etc.*-----													12,544	
140	Abortion with septic conditions-----	2,167	-----	-----	1,200	234	-----	-----	276	31	-----	-----	332	94
141	Abortion without mention of septic conditions, etc.*-----	602	-----	-----	236	54	-----	-----	52	2	-----	-----	183	63
142a	Ectopic gestation, septic conditions specified-----	105	-----	-----	58	16	-----	-----	15	3	-----	-----	10	3
142b	Ectopic gestation, septic conditions not mentioned-----	440	-----	-----	228	61	-----	-----	66	11	-----	-----	53	21
143	Other accidents of pregnancy (except hemorrhage)-----	84	-----	-----	26	5	-----	-----	7	1	-----	-----	31	14
144a	Placenta praevia-----	425	-----	-----	202	26	-----	-----	58	4	-----	-----	111	24
144b	Other puerperal hemorrhages-----	945	-----	-----	411	72	-----	-----	371	56	-----	-----	264	79
145a	Puerperal septicemia and pyemia (see exceptions)*-----	2,897	-----	-----	1,288	354	-----	-----	2	-----	-----	-----	587	261
145b	Puerperal tetanus (see exceptions)*-----	5	-----	-----	2	-----	-----	-----	-----	-----	-----	-----	-----	1
146	Puerperal albuminuria and eclampsia-----	2,229	-----	-----	753	186	-----	-----	285	73	-----	-----	590	342
147	Other toxemias of pregnancy-----	497	-----	-----	255	37	-----	-----	63	7	-----	-----	104	31
148	Puerperal phlegmasia alba dolens, embolus, etc.*-----	578	-----	-----	280	27	-----	-----	60	7	-----	-----	181	23
149	Other accidents of childbirth-----	1,543	-----	-----	664	92	-----	-----	153	20	-----	-----	425	186
150	Other and unspecified conditions of puerperal state-----	27	-----	-----	12	4	-----	-----	4	-----	-----	-----	6	1
XII.—Diseases of the skin and cellular tissue-----													2,018	
151	Furuncle, carbuncle-----	585	193	2	122	8	44	-----	28	-----	91	6	75	16
152	Phlegmon, acute abscess-----	728	234	34	161	24	43	4	31	3	75	15	66	18
153	Other diseases of skin and annexe, etc.*-----	705	143	18	233	23	24	4	33	2	114	25	96	20
XIII.—Diseases of the bones, etc.*-----													1,654	
154	Osteomyelitis-----	1,103	483	53	200	29	67	6	33	2	126	17	70	17
155	Other diseases of bones (except tuberculosis)-----	174	43	8	47	4	8	1	11	1	23	3	22	3
156	Diseases of joints, other organs of locomotion-----	377	131	17	93	14	19	3	10	1	52	5	29	3
XIV.—Congenital malformations-----													11,840	
157a	Congenital hydrocephalus-----	1,667	432	35	455	18	73	7	66	6	260	58	250	27
157b	Spina bifida and meningocele-----	1,163	271	8	366	7	51	-----	62	1	169	8	208	12
157c	Congenital malformations of heart-----	5,982	1,580	86	1,131	77	365	19	279	8	1,324	60	992	61
157d	Other congenital malformations-----	3,028	1,012	56	701	41	150	5	111	7	491	62	349	43
XV.—Diseases of early infancy-----													51,214	
158	Congenital debility-----	3,613	440	133	304	119	197	34	143	25	679	372	642	325
159	Premature birth-----	23,147	8,236	1,291	6,081	1,053	1,872	125	1,410	139	6,160	1,178	4,619	984
160	Injury at birth-----	9,644	3,053	306	1,971	185	693	37	388	19	1,714	158	993	127
161	Other diseases peculiar to early infancy-----	4,810	1,280	206	895	148	260	26	170	24	695	222	569	125

^{1/} Cities under 10,000 population in three States (Georgia, Kentucky, and Vermont) are included in the rural.
* Refer to complete International List titles.

DEATHS, BY CAUSE, FOR CITIES AND RURAL AREAS

IN EACH STATE, BY CITIES AND RURAL AREAS: 1935—Continued

Total deaths	ALABAMA						Total deaths	ARIZONA			Total deaths	ARKANSAS						List no.			
	Cities of—				Rural			Cities of—				Cities of—				Rural					
	10,000 or more		2,500 to 10,000		White	Other races		10,000 or more	2,500 to 10,000	Rural		10,000 or more	2,500 to 10,000	Rural	White	Other races	White		Other races	White	Other races
	White	Other races	White	Other races																	
37	9	9	2	1	10	6	6	5	1	2	32	14	5	3	1	8	1	110			
5	3	1			1		3			3	5	1				2		111a			
28	9	5	2		8	4	12	7	2	3	28	3	2			14	1	111b			
39	8	6			11	14	12	3	4	5	31	4		4	1	18	7	112			
18	5	4	2		5	2	18	1	1	3	3	1			1	1	1	113			
1,750	433	271	124	48	503	371	510	2	5	11	16	3	1	2		8	2	114			
90	28	14	8	4	22	14	21	10	5	6	62	11	3	12	3	24	9	115a			
22	2	3	1		7	9	5	3		2	22	1	4	3	1	8	5	115b			
1					1						3		2					116			
91	25	17	12	2	23	12	20	6	10	4	64	19	4	7	4	25	5	117a			
33	16	3	6		7	1	6	3	3	7	14	8	1	1		3	1	117b			
130	3	17	2	7	38	63	20	1	7	12	109	10	8	5	8	38	40	118			
432	59	40	16	10	180	127	251	72	56	123	278	33	6	20	7	169	43	119			
152	33	17	5	3	63	31	34	11	12	11	138	11	9	10	6	73	29	120			
281	111	54	43	10	34	29	46	14	13	19	231	88	19	41	9	59	15	121			
69	23	17	5	2	12	10	11	4	4	3	39	11	3	7	1	10	7	122a			
145	38	43	10	3	28	23	34	19	4	11	117	38	8	7	4	49	11	122b			
31	6	8	1		10	6	5	1		4	22	6	5	3		4	4	123			
112	31	11	6	2	42	20	25	13	6	6	73	15	5	10	2	36	7	124			
8	1	1	1		2	3	3	3			4	1		1		2		125a			
27	7	6	1	2	5	6	6	2	3		13	1	2	3	1	5	1	125b			
44	22	3	3		10	6	3	1		2	13	8	3	4		11	3	126			
44	16	8	1	2	15	2	9	5	2	2	42	11	3	9		15	4	127			
5	3	1	1				2	1		1	3	1			1	1		128			
32	8	8	2	1	5	8	9	4	4	1	36	10	1	2	4	14	5	129			
2,625	487	407	152	85	901	593	328	111	110	107	1,391	265	118	155	74	585	194				
156	27	26	6	4	37	36	28	10	12	6	109	16	9	16	10	30	28	130			
1,994	356	296	113	66	730	431	225	70	79	76	941	168	83	102	47	424	117	131			
135	9	18	6	6	49	49	28	10	10	8	133	20	8	11	6	58	30	132			
96	26	8	1		23	28	9	4	1	4	56	12	2	9	2	23	8	133			
13	6	2			3	6	2	1		1	9	3		1		5		134			
20	3	4	1	1	6	6	2	2			19	5	1	2		7	4	135			
33	6	11	1	2	1	12	3	1	1	1	8	2			3	2	1	136			
116	34	13	9	4	35	21	17	6	5	6	66	17	8	10	3	27	1	137			
1	1	1																138			
14	5	3	1		5		5	3		2	9	3		4		1		139a			
46	10	22	6	1	4	3	5	3	1	1	27	16	6		1	4		139b			
16	5	3	1	1	3	4	4	1	1	2	12	2	1		1	4	4	139c			
5		2	1			2					2	1			1			139d			
387	70	58	25	12	107	115	53	18	14	21	220	50	13	27	7	74	49	139e			
48	15	10	3	2	11	7	10	5	5		28	7	2	7	1	9	2	140			
13		2	1		5	5	4	1	2	1	14	1		2		8	3	141			
3		2	1								1	1						142a			
10	2	2	1		1	4	1	1			7	4	1	1			1	142b			
1						1					2					1		143			
11	3	2	1		4	1	2			2	1			1		1		144a			
30	6	2	4	2	9	7	6	3	1	2	11	2		1		4	4	144b			
83	12	13	5	3	16	34	10	4	2	4	61	15	5	8	1	18	14	145a			
116	18	15	5	5	38	37	12	3	3	6	57	10	4	7	4	18	14	145b			
7	2	1	1		2	1					12	4	1			4	3	146			
9	2	1	1		3	2	1			1	4	2			1		1	147			
54	10	8	2		18	16	7	1	1	5	22	4				11	7	148			
47	15	4	5	1	20	2	7		2	5	21	6	1	2		10	2	149			
14	5		2		5	2	3			3	7	3		1		3		151			
20	7	2	2		9		2		1	1	6	1	1			4		152			
13	3	2	1	1	6		2		1	1	8	2		1		3	2	153			
28	15	4	2		4	3	5		2	3	21	6	2	4		7	2				
23	13	3	2		3	2	3		1	2	16	5	1	3		6	1	154			
1						1					2					1		155			
4	2	1			1		2		1	1	3	1	1	1				156			
204	39	15	9	1	101	39	43	16	8	19	86	13	2	5	2	59	5				
35	4	5		1	12	13	2			2	11	3				6	2	157a			
20	4		2		12	2	3			2	6	1		1		3	1	157b			
96	20	6	4		50	16	30	13	3	14	42	6	1	4		31		157c			
53	11	4	3		27	8	8	2	5	1	27	3	1		2	19	2	157d			
1,448	245	155	77	27	572	374	266	71	68	127	587	93	29	58	9	342	56				
114	6	13	5	3	42	45	39	8	7	24	65	9	6	1	1	38	10	158			
1,027	163	108	54	17	403	282	157	44	42	71	375	54	14	43	6	224	34	159			
137	52	19	17	1	88	20	35	14	11	10	101	25	5	9	2	53	7	160			
110	22	15	1	6	39	27	35	5	8	22	46	5	4	5		27	5	161			

MORTALITY STATISTICS

TABLE 6.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE,

List no.	CAUSE OF DEATH	IDAHO			ILLINOIS			INDIANA					
		Total deaths	Cities of—		Total deaths	Cities of—		Total deaths	Cities of—				
			10,000 or more	2,500 to 10,000		Rural	10,000 or more		2,500 to 10,000	Rural	10,000 or more	2,500 to 10,000	Rural
	Total deaths (all causes)-----	4,531	707	1,980	1,844	85,518	55,410	7,678	22,430	39,515	18,745	4,390	16,380
	I.—Infectious and parasitic diseases-----	411	52	195	164	7,516	4,563	607	2,346	3,701	1,654	392	1,665
1	Typhoid fever-----	15		8	7	85	37	18	30	63	26	11	26
2	Paratyphoid fever-----	1		1		5	3	1	1	2	1		1
3	Typhus fever-----					1			1				
4	Relapsing fever-----												
5	Undulant fever-----					3	2		1	4	4		
6	Smallpox-----	1			1	1			1				
7	Measles-----	12		8	4	281	143	29	109	116	45	8	63
8	Scarlet fever-----	32	5	13	14	410	293	29	68	121	65	13	43
9	Whooping-cough-----	45	2	26	17	211	97	27	67	144	41	20	83
10	Diphtheria-----	4	1	1	2	210	141	14	55	139	59	13	57
11a	Influenza, respiratory complications specified-----	75	12	34	29	727	396	86	255	554	236	51	267
11b	Influenza, respiratory complications not specified-----	38	4	13	21	345	162	54	129	315	121	48	146
12	Cholera-----												
13	Dysentery-----	2			2	60	32	6	22	32	11	7	14
14	Plague-----												
15	Erysipelas-----	6	2	2	2	114	73	11	30	51	17	6	28
16	Acute poliomyelitis, acute polioencephalitis-----	3	1	2		39	22	4	13	11	6	2	3
17	Lethargic or epidemic encephalitis-----	8		7	1	40	22	4	14	31	14	7	10
18	Epidemic cerebrospinal meningitis-----	10	3	5	2	205	185	7	14	96	82	5	9
19	Glanders-----					1			1				
20	Anthrax (bacillus anthracis) malignant pustule-----					1	1						
21	Rabies-----					5	4	1		2	2		
22	Tetanus-----	3		2	1	36	21	10	5	23	14	3	6
23-32	Tuberculosis (all forms)-----	122	16	59	47	4,069	2,521	252	1,296	1,686	720	154	812
23	Tuberculosis of respiratory system-----	102	13	51	36	3,658	2,200	224	1,234	1,488	598	134	756
24	Tuberculosis of meninges and central nervous system-----	9		3	6	121	107	6	8	63	47	7	9
25	Tuberculosis of intestines and peritoneum-----	5		4	1	90	60	9	21	39	16	6	17
26	Tuberculosis of vertebral column-----	1	1			55	35	4	16	21	8	2	11
27a	Tuberculosis of bones (see exceptions)*-----					4	1	1	2	2	1	1	
27b	Tuberculosis of joints-----					11	6	1	4	9	5		3
28	Tuberculosis of skin, etc.*-----					1			1	1			1
29	Tuberculosis of lymphatic system, etc.*-----	1	1			5	4		1	5	3		2
30	Tuberculosis of genitourinary system-----	2	1		1	28	27		1	19	13	2	4
31	Tuberculosis of other organs-----					4	4			2	2		
32a	Tuberculosis, acute disseminated-----	2		1	1	83	70	5	8	31	22	2	7
32b	Tuberculosis, other disseminated-----					10	7	2	1	7	5		2
33	Leprosy-----												
34	Syphilis-----	13	1	5	7	463	300	32	131	224	136	28	58
35	Gonococcus infection and other venereal diseases-----	3		3		45	35	4	6	7	4	1	2
36	Purulent infection, septicemia (nonpuerperal)-----	4	1	2	1	29	19	4	6	44	24	2	18
37	Yellow fever-----												
38	Malaria-----	2		1	1	66	29	7	30	10	3	2	5
39	Other diseases due to protozoal parasites-----	1			1	3	3			1			1
40	Ankylostomiasis-----												
41a	Hydatid cysts of liver-----												
41b	Hydatid cysts of other organs-----												
42	Other diseases caused by helminths-----					5	4		1	1			1
43	Mycoses-----					16	7	3	6	5	2		3
44	Other infectious and parasitic diseases-----	11	4	3	4	39	21	4	14	19	9	1	9
	II.—Cancers and other tumors-----	403	72	178	153	10,549	7,240	907	2,402	4,133	1,981	456	1,696
45-53	Cancer and other malignant tumors-----	373	66	161	146	10,068	6,850	874	2,344	3,979	1,876	443	1,660
45	Cancer of buccal cavity and pharynx-----	12	3	4	5	382	218	36	128	144	70	16	58
	Buccal cavity-----	10	3	3	4	305	171	28	106	119	57	12	50
	Pharynx-----	2		1	1	77	47	8	22	25	13	4	8
46	Cancer of digestive tract and peritoneum-----	193	38	85	70	4,955	3,371	433	1,151	1,956	885	224	847
	Esophagus-----	2	1	1		259	202	12	45	47	29	7	11
	Stomach and duodenum-----	97	13	45	39	2,026	1,375	175	475	754	330	80	344
	Liver and biliary passages-----	31	7	11	13	777	466	81	230	438	178	41	219
	Pancreas-----	10	2	6	2	263	209	17	37	126	62	13	51
	Other digestive tract and peritoneum-----	53	15	22	16	1,630	1,118	148	364	591	286	83	222
47	Cancer of respiratory system-----	10	1	5	4	520	405	34	81	127	70	9	48
48	Cancer of uterus-----	34	6	15	13	1,091	786	97	208	502	277	50	175
49	Cancer of other female genital organs-----	6		4	2	249	198	16	35	87	50	12	25
50	Cancer of breast-----	25	3	10	12	983	673	87	223	369	169	48	152
51	Cancer of male genitourinary organs-----	45	10	13	22	856	571	74	211	296	143	36	117
52	Cancer of skin-----	11	1	3	7	198	86	28	84	123	35	18	70
53	Cancer of other or unspecified organs-----	37	4	22	11	834	542	69	223	375	177	30	168
54a	Nonmalignant tumors, ovary-----	1				8	8			2	2		
54b	Nonmalignant tumors, uterus-----	11	1	8	2	219	190	16	13	57	43	4	10
54c	Nonmalignant tumors, other female genital organs-----					2	2						
54d,e	Nonmalignant tumors, other organs-----	1		1		90	75	3	12	13	10		3
55a	Tumors, ovary (nature unspecified)-----	1	1			1	1			3	1	1	1
55b	Tumors, uterus (nature unspecified)-----	1	1			1	1			1	1		
55c	Tumors, other female genital organs, etc.*-----					1	1						
55d,e	Tumors, other organs (nature unspecified)-----	15	2	8	5	159	112	14	33	78	48	8	22
	III.—Rheumatic diseases, etc.*-----	134	22	66	46	2,833	2,017	236	590	1,122	615	131	376
56	Acute rheumatic fever-----	5		3	2	161	132	11	18	37	24	3	10
57	Chronic rheumatism, osteoarthritis-----	4	2	2		77	37	11	29	51	19	3	29
58	Gout-----									1			1

1/ Cities under 10,000 in three States (Georgia, Kentucky, and Vermont) are included in the rural.
* Refer to complete International List titles.

TABLE 6.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE,

List no.	CAUSE OF DEATH	IDAHO			ILLINOIS			INDIANA					
		Total deaths	Cities of—		Total deaths	Cities of—		Total deaths	Cities of—				
			10,000 or more	2,500 to 10,000		Rural	10,000 or more		2,500 to 10,000	Rural	10,000 or more	2,500 to 10,000	Rural
III.—Rheumatic diseases, etc.*—Continued													
59	Diabetes mellitus-----	93	16	44	33	2,044	1,466	172	406	766	425	95	246
60	Scurvy-----	1			1	2	2			2			2
61	Beriberi-----									2			2
62	Fellagra-----					19	13	1	5	7	6		1
63	Rickets-----	1		1		6	2		4	5	2	1	.2
64	Osteomalacia-----					1	1						
65	Diseases of pituitary body-----					3	3			2	2		
66a	Simple goiter-----	2		1	1	9	7		2	7	4		3
66b	Exophthalmic goiter-----	15	3	9	4	361	269	34	78	185	102	21	62
66c	Other diseases of thyroid and parathyroid glands-----	5		2	3	25	14	1	10	12	5	2	5
67	Diseases of thymus gland-----	7	1	4	2	75	55	3	17	22	13	2	7
68	Diseases of adrenals (see exceptions)*-----	1		1		24	14	1	9	13	9	2	2
69	Other general diseases-----					6	2	2	2	12	4	2	6
IV.—Diseases of the blood and blood-making organs-----													
		30	4	19	7	671	426	72	173	284	141	25	118
70	Hemorrhagic conditions-----	4		4		41	26	6	9	25	14	3	8
71a	Pernicious anemia-----	7	1	5	1	198	95	32	71	112	40	11	6
71b	Other anemias-----	1			1	24	14	4	6	9	1	1	7
72a	True leukemias-----	9	1	4	4	249	186	19	44	92	56	7	27
72b	Pseudoleukemias (Hodgkin's disease)-----	4	1	2	1	124	77	10	37	39	23	3	13
73	Diseases of the spleen-----	4	1	3		23	17	1	5	6	4		2
74	Other diseases of blood and blood-making organs-----	1		1		12	11		1	1			
V.—Chronic poisonings and intoxications-----													
		7	3	1	3	104	46	12	46	66	51	3	14
75	Alcoholism (acute or chronic)-----	6	3		3	93	38	10	45	61	48	2	11
76	Chronic poisoning by other organic substances-----	1		1						3	1	1	1
77a	Chronic lead poisoning-----					10	8	1	1	3	1		2
77b,c	Other chronic poisoning by mineral substances-----					1		1		1	1		
VI.—Diseases of the nervous system, etc.*-----													
		420	71	186	163	7,503	4,116	717	2,670	4,563	1,874	474	2,215
78	Encephalitis (nonepidemic)-----	7	2	2	3	61	43	1	17	79	41	5	33
79a	Simple meningitis-----	6	4	1	1	89	71	9	9	59	44	3	12
79b	Nonepidemic cerebrospinal meningitis-----					13	6	3	4	17	13	1	3
80	Progressive locomotor ataxia (tabes dorsalis)-----					68	44	4	20	29	13	5	11
81	Other diseases of spinal cord-----	15	6	3	6	220	139	18	63	110	49	11	50
82a	Cerebral hemorrhage-----	299	35	137	127	5,171	2,786	556	1,829	3,347	1,315	365	1,667
82b	Cerebral embolism and thrombosis-----	19	6	8	5	517	342	49	126	172	72	26	74
82c	Softening of brain-----	3	2	1		55	42	5	8	26	6	4	16
82d	Hemiplegia and other paralysis, cause unspecified-----	13	8	3	2	37	17	3	17	162	84	10	68
83	General paralysis of insane-----	6		3	3	476	183	6	287	190	49	9	132
84	Dementia praecox and other psychoses-----	7		3	4	92	30	3	59	43	25	1	17
85	Epilepsy-----	12		8	4	134	44	7	83	78	22	8	48
86	Convulsions (under 5 years)-----	5	1	1	3	15	5	1	9	11	6	1	4
87	Other diseases of nervous system-----	11	1	7	3	277	143	26	109	121	49	13	59
88	Diseases of organs of vision-----					1	1			2	2		
89a	Diseases of ear-----	8	2	5	1	173	129	17	27	62	41	8	13
89b	Diseases of mastoid process-----	9	4	4	1	104	91	9	4	55	43	4	8
VII.—Diseases of the circulatory system-----													
		981	172	403	406	23,855	15,296	1,938	6,621	10,269	4,458	1,109	4,702
90	Pericarditis-----	3			3	31	15	3	13	27	13	2	12
91a	Acute endocarditis-----	7	2	3	2	229	181	14	34	108	64	13	31
91b	Endocarditis, unspecified (under 45 years)-----	4	1	2	1	45	26	3	15	17	7	2	8
92a	Endocarditis, specified as chronic, and other valvular-----	170	30	60	80	2,834	1,601	287	946	1,462	612	176	674
92b	Endocarditis, unspecified (45 years and over)-----	14	4	4	6	282	147	41	94	95	47	8	40
93a	Acute myocarditis-----	6		4	4	337	201	29	107	212	107	28	77
93b	Myocarditis, unspecified (under 45 years)-----	2	1	1		77	55	12	10	30	23	1	6
93c	Chronic myocarditis and myocardial degeneration-----	238	39	109	90	9,539	6,531	567	2,441	3,037	1,362	251	1,404
93d	Other diseases of myocardium-----	114	24	42	48	2,325	1,312	310	704	878	377	100	401
94a	Angina pectoris-----	79	14	34	31	1,126	572	162	392	697	232	95	370
94b	Diseases of coronary arteries-----	107	17	46	44	2,055	1,345	182	528	1,210	674	128	408
95a	Functional diseases of heart-----	6		5	1	9	5	1	3	25	12	2	11
95b	Other and unspecified diseases of heart-----	139	27	58	54	3,254	2,513	174	567	1,379	492	180	707
96	Aneurysm (except of heart)-----	6	1	3	2	175	127	7	41	61	37	6	18
97	Arteriosclerosis (except coronary arteries)-----	56	6	23	27	1,339	544	115	680	891	318	97	476
98	Gangrene-----	6	1	1	4	37	22	4	11	39	12	5	22
99	Other diseases of arteries-----	14	5	4	5	98	57	20	21	52	28	10	14
100	Diseases of veins, etc.*-----	2		2		46	32	5	9	21	9	2	10
101	Diseases of lymphatic system (lymphangitis, etc.)-----					4	4			5	2	1	2
102	Idiopathic anomalies of blood-pressure-----	2			2	10	5	2	3	11	4		7
103	Other diseases of circulatory system-----	4		2	2	2	1		1	12	6	2	4
VIII.—Diseases of the respiratory system-----													
		420	59	185	176	6,417	4,332	555	1,530	3,119	1,731	269	1,119
104a	Diseases of nasal fossae-----					3	1	1	1	2	1		1
104b	Diseases of nasal fossae and annexa-----	2		2		38	29	4	5	24	13	3	8
105	Diseases of larynx-----	4	1	1	2	27	15	5	7	9	5	1	2
106a	Acute bronchitis-----	4		3	1	109	64	12	33	23	11	3	9
106b	Chronic bronchitis-----	3	1		2	119	56	17	45	51	21	9	22
106c,d	Bronchitis, unspecified-----	1		1		55	26	8	21	17	10	1	6
107a	Bronchopneumonia-----	117	19	50	48	2,179	1,449	199	531	1,063	579	98	386
107b	Capillary bronchitis-----					18	8	2	5	11	4		1
108	Lobar pneumonia-----	231	30	105	96	3,381	2,361	264	756	1,518	880	118	580
109	Pneumonia, unspecified-----	22	4	4	14	37	23	4	10	131	50	15	66

1/ Cities under 10,000 in three States (Georgia, Kentucky, and Vermont) are included in the rural.
* Refer to complete International List titles.

DEATHS, BY CAUSE, FOR CITIES AND RURAL AREAS

IN EACH STATE, BY CITIES AND RURAL AREAS: 1935—Continued

IOWA				KANSAS				KENTUCKY					LOUISIANA						List no.	
Total deaths	Cities of—			Total deaths	Cities of—			Total deaths	Cities of 10,000 or more		Rural 1/		Total deaths	Cities of—				Rural		
	10,000 or more	2,500 to 10,000	Rural		10,000 or more	2,500 to 10,000	Rural		White	Other races	White	Other races		White	Other races	White	Other races	White		Other races
	White	Other races	Rural		White	Other races	Rural		White	Other races	White	Other races		White	Other races	White	Other races	White		Other races
530	198	107	225	422	138	72	212	414	147	19	235	13	335	152	58	20	4	69	32	59
1			1	5	1	2	2	73	14	1	57	1	133	16	54	1	13	6	43	61
1			1	2	1		1	11	1	1	9		16	4			1	5	6	62
5	1	2						3	3				1	1						63
6	3		3	1			3	3			3		1	1						64
92	51	15	26	78	33	8	97	53	20	4	27	2	44	19	15	1	1	5	3	65a
8	4	1	3	13	5	1	7	6	1		5		10	6	1	1	1	1	1	66a
22	13	2	7	27	10	5	12	17	7	1	9		28	10	3	1	1	6	7	67a
6	5		1	9	4		5	7	4		3		2	2						68a
8	4	1	3	7	2	1	4	10	5		5		12	2	4	2	1	2	1	69a
308	132	62	114	190	76	23	91	201	80	9	107	5	122	59	23	5	2	21	12	
16	6	4	6	11	8		3	20	7		13		13	7	1			2	3	70
120	48	24	48	77	23	13	41	86	28	1	54	3	21	13	2	1		2	3	71a
13	4	4	5	8	2	1	5	10	2	3	5		19	5	6		2	4	2	71b
97	53	14	30	54	29	7	18	50	26	1	22	1	28	15	4	1		6	2	72a
53	16	15	22	33	11	2	20	23	12	2	9		22	10	2	2		5	2	72b
3	1		2	4	2		2	9	3	1	4	1	14	4	8			1		73
6	4		1	3	1		2	3	2	1			5	5						74
70	32	9	29	21	10	1	10	67	21	8	32	6	20	11	1	1		3	4	
66	30	8	26	17	8	1	8	63	18	8	31	6	17	8	1	1		3	4	75
1	1		1	3	2		1	2	2				3	3						76
2		1	1	1			1	2	1		1									77a
1	1																			77b,c
3,329	1,047	664	1,618	2,327	731	312	1,284	2,961	684	217	1,226	234	1,617	482	314	130	168	348	375	
40	27	6	7	26	11	5	10	58	15	4	39		38	21	6	2	2	4	3	78
50	30	6	14	39	22	6	11	61	10	5	44	4	55	25	18	2	2	3	5	79a
5	3		2	3	1		2	31	1		29	1	1						1	79b
23	9	5	9	21	7	4	10	18	2		13	3	20	7	1	2		5	5	80
101	38	12	51	62	14	11	37	59	15	3	38	6	27	11	4		2	7	3	81
2,498	747	456	1,295	1,759	514	235	990	2,152	499	168	1,332	163	1,287	319	220	88	87	277	296	82a
163	68	28	87	108	39	13	56	62	31	6	22	5	59	31	16	3	1	6	2	82b
14	2	3	9	16	6	2	8	16	3		13		9	5	1	1		2		82c
63	23	10	30	26	4	3	19	15	19	115	20	7	84	16	9		3	11	20	82d
59	7	42	10	58	9		49	125	22	11	60	32	109	7	16	18	51	5	12	83
58	3	42	13	25	8	2	20	34	14	2	16	2	12	1	3	3	2	3		84
64	5	18	41	35	19	1	15	63	10	6	45	2	44	5	3	6	11	7	12	85
4	1	1	2	12	5	2	5	30	4	4	17	5	11			1		3	7	86
111	35	19	57	74	26	8	30	82	25	1	49	7	39	15	4	4	5	7	4	87
28	11		8	46	20	11	15	28	16		11	1	26	7	7		2	7	3	88
48	38	7	3	37	21	9	7	25	9	1	14	1	21	12	6			1	2	89a
6,418	2,259	1,146	3,013	4,709	1,619	628	2,462	5,888	1,724	495	3,196	473	4,703	1,502	937	354	244	868	798	89b
15	8		7	14	5		9	38	8		24	2	6	2				1	3	90
60	26	9	25	45	18	6	21	37	11	5	22	1	54	21	7	6	4	4	12	91a
7	3	2	2	4	1	2	1	20	4	3	10	3	6	1	3			1		91b
1,004	325	157	522	933	299	113	521	918	183	76	578	81	1,078	200	189	73	50	234	332	92a
114	36	18	60	94	21	11	62	135	19	10	90	16	54	33	15		1	2	3	92b
55	20	10	25	43	10	4	29	295	138	89	52	16	113	21	35	6	10	23	18	93a
12	5	4	3	15	8		7	68	11	12	38	7	13	9	3			1		93b
1,205	443	209	553	1,087	391	165	531	710	255	42	366	47	1,224	383	181	128	98	262	172	94a
718	255	129	334	506	207	63	236	898	266	64	499	69	215	112	56	8	6	16	18	95a
450	146	79	225	295	89	37	169	324	76	6	228	14	272	84	27	26	12	86	37	95b
39	6	7	26	30	11	4	15	38	7		27	4	10	2	1	1	2	4		95c
989	336	162	431	522	175	70	277	1,381	419	142	704	116	942	356	231	36	34	118	107	96a
32	17	6	9	45	17	6	22	32	12	8	6	6	60	15	30	1	1	4	9	96
562	146	157	259	394	94	42	258	495	123	21	289	62	188	64	36	19	11	29	29	97
21	5	7	9	7	3	2	2	26	5	1	19	1	17	1	10			3	3	98
52	18	17	17	47	19	10	18	14	6	1	7		14	7	2	1	1	1		99
23	10	5	8	11	4		7	8	2		6		8	3	3	1		2		100
10	2	3	5	1	1		3	3	2		1		6	3		1		1		101
14	3	1	10	3			3	20			18	2	25	2	3	1	2	8	9	102
2	1		1	7	1	3	3	16	2	1	11	2	4		2			1	1	103
2,254	833	431	990	1,734	588	319	827	2,725	653	202	1,647	223	2,029	568	434	106	98	428	395	
3			3	4	1	1	2	7			6	1	8		1			2	5	104a
21	16	2	3	12	8	2	2	13	5		13		7	3	4			1		104b
12	4	3	5	16	4	1	11	16	1		6		6	2	1			1	1	105
24	8	2	34	17	8	3	6	22	14	1	36	1	13	5	2			5	1	106a
45	13	12	18	45	4	9	32	47	11		21	3	21	5	1	1		12	2	106b
23	8	4	11	17	5	4	8	31	2		5		21	6	6	2		4	3	106c,d
825	283	145	397	631	234	101	295	909	216	63	571	59	862	267	204	47	39	156	149	107a
10	1	5	4	1			1	15	1		10	1	12		1		1	1	9	107b
1,071	413	210	448	836	287	171	398	1,344	306	110	799	129	843	204	164	41	48	205	181	108
29	10		10	23	12	4	7	123	30	4	83	6	78	17	10	4	3	16	28	109

MORTALITY STATISTICS

TABLE 6.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE,

List no.	CAUSE OF DEATH	IDAHO			ILLINOIS			INDIANA				
		Total deaths	Cities of—		Total deaths	Cities of—		Total deaths	Cities of—			
			10,000 or more	2,500 to 10,000		Rural	10,000 or more		2,500 to 10,000	Rural	10,000 or more	2,500 to 10,000
VIII.—Diseases of the respiratory system—Con.												
110	Fleuryis	10	7	3	168	136	16	16	77	55	6	16
111a	Pulmonary embolism and thrombosis	2	1	1	33	21	4	8	24	12	4	8
111b	Pulmonary congestion, edema, hemorrhagic infarct	2	1	1	77	33	6	38	74	39	6	29
112	Asthma	14	1	8	5	100	61	9	30	53	24	5
113	Pulmonary emphysema	10	6	1	3	4	1	3	4	1	---	3
114	Other diseases of respiratory system (except T.b.)	8	3	2	3	63	43	3	17	44	25	1
IX.—Diseases of the digestive system												
Total deaths: 344												
Total deaths by city: 56 (10,000+), 171 (2,500-10,000), 115 (Rural)												
Total deaths by state: 5,326 (ID), 3,975 (IL), 528 (IN), 923 (Total)												
Total deaths by city: 1,433 (ID), 291 (IL), 651 (IN)												
115a	Diseases of pharynx and tonsils	34	1	22	11	327	257	28	42	163	102	13
115b	Diseases of buccal cavity and annexa	3	3	---	---	51	32	4	15	23	10	3
116	Diseases of esophagus	2	---	1	1	14	11	---	3	4	---	1
117a	Ulcer of stomach	31	5	18	8	436	333	34	69	173	99	20
117b	Ulcer of duodenum	12	3	8	1	174	140	16	18	54	37	7
118	Other diseases of stomach (except cancer)	12	3	8	1	75	23	14	33	62	30	7
119	Diarrhea, enteritis (under 2 years)	21	---	9	12	360	176	48	136	256	142	28
120	Diarrhea, enteritis (2 years and over)	16	2	7	7	199	95	23	83	153	72	12
121	Appendicitis	96	22	46	28	1,028	831	110	87	445	308	74
122a	Hernia	13	2	4	7	377	282	45	50	124	84	13
122b	Intestinal obstruction	28	6	12	10	521	379	58	84	215	138	23
123	Other diseases of intestines	1	---	---	1	73	59	8	6	46	28	4
124	Cirrhosis of liver	24	5	6	13	749	533	57	159	252	147	26
125a	Yellow atrophy of liver	1	1	---	---	30	24	2	4	12	5	3
125b	Other diseases of liver	4	---	2	2	48	28	7	13	25	11	4
126	Biliary calculi	12	2	9	1	356	283	33	40	129	80	18
127	Other diseases of gall-bladder, biliary passages	21	3	10	8	332	247	32	53	145	81	26
128	Diseases of pancreas	2	2	---	---	75	56	3	6	24	17	---
129	Peritonitis, cause not specified	11	1	6	4	101	73	6	22	70	39	10
X.—Diseases of the genitourinary system												
Total deaths: 380												
Total deaths by city: 62 (10,000+), 175 (2,500-10,000), 143 (Rural)												
Total deaths by state: 8,759 (ID), 5,642 (IL), 856 (IN), 2,261 (Total)												
Total deaths by city: 1,862 (ID), 565 (IL), 1,784 (IN)												
130	Acute nephritis (including unspecified under 10 years)	15	1	5	9	185	92	39	54	129	68	19
131	Chronic nephritis	255	36	115	104	7,141	4,504	693	1,944	3,326	1,364	450
132	Nephritis, unspecified (10 years and over)	30	3	17	10	204	100	21	83	240	110	33
133	Other diseases of kidneys, ureters, etc.*	10	5	3	2	196	142	19	35	108	67	11
134	Calculi of urinary passages	4	2	2	---	93	72	7	14	37	25	2
135	Diseases of bladder (except tumors)	6	1	4	1	41	29	4	8	17	5	1
136	Diseases of urethra, urinary abscess, etc.	1	---	---	---	37	32	1	4	15	13	1
137	Diseases of prostate	41	11	19	11	610	459	51	100	199	100	32
138	Diseases of male genital organs, not venereal	1	---	---	1	9	6	---	3	1	---	---
139a	Cysts of ovary	1	---	1	---	63	53	6	4	24	18	3
139b	Other diseases of ovaries, etc.*	11	1	6	4	126	107	11	8	78	58	11
139c	Diseases of uterus	6	2	3	1	43	37	3	3	34	30	2
139d	Nonpuerperal diseases of breast (except cancer)	---	---	---	---	---	---	---	---	2	2	---
139e	Other diseases of female genital organs	---	---	---	---	11	9	1	1	1	1	---
XI.—Diseases of pregnancy, childbirth, etc.*												
Total deaths: 60												
Total deaths by city: 7 (10,000+), 32 (2,500-10,000), 21 (Rural)												
Total deaths by state: 585 (ID), 389 (IL), 76 (IN), 90 (Total)												
Total deaths by city: 153 (ID), 49 (IL), 76 (IN)												
140	Abortion with septic conditions	12	3	7	2	100	74	11	15	70	42	12
141	Abortion without mention of septic conditions, etc.*	4	---	1	3	26	17	5	4	8	4	1
142a	Ectopic gestation, septic conditions specified	1	1	---	---	3	3	---	---	2	1	---
142b	Ectopic gestation, septic conditions not mentioned	3	---	---	---	31	21	10	---	10	4	3
143	Other accidents of pregnancy (except hemorrhages)	1	1	---	---	2	1	---	1	---	---	---
144a	Placenta praevia	3	1	2	1	19	10	4	5	12	9	1
144b	Other puerperal hemorrhages	5	1	3	1	50	35	3	12	16	9	1
145a	Puerperal septicemia and pyemia (see exceptions)*	14	1	7	6	133	96	17	20	59	39	9
145b	Puerperal tetanus (see exceptions)*	---	---	---	---	---	---	---	---	---	---	---
146	Puerperal albuminuria and eclampsia	5	---	2	3	84	58	13	13	46	25	8
147	Other toxemias of pregnancy	2	---	2	---	16	10	3	3	11	6	1
148	Puerperal phlegmasia alba dolens, embolus, etc.*	2	---	1	1	25	15	2	8	17	5	5
149	Other accidents of childbirth	7	1	2	4	65	49	6	9	25	10	7
150	Other and unspecified conditions of puerperal state	1	---	1	---	1	1	---	---	1	---	---
XII.—Diseases of the skin and cellular tissue												
Total deaths: 11												
Total deaths by city: 2 (10,000+), 7 (2,500-10,000), 2 (Rural)												
Total deaths by state: 116 (ID), 97 (IL), 7 (IN), 22 (Total)												
Total deaths by city: 32 (ID), 6 (IL), 7 (IN)												
151	Furuncle, carbuncle	2	1	1	---	39	26	4	8	12	7	2
152	Phlegmon, acute abscess	6	1	4	1	42	32	2	8	14	11	2
153	Other diseases of skin and annexa, etc.*	3	---	2	1	36	25	1	6	19	14	2
XIII.—Diseases of the bones, etc.*												
Total deaths: 3												
Total deaths by city: 2 (10,000+), 1 (2,500-10,000), 0 (Rural)												
Total deaths by state: 92 (ID), 72 (IL), 8 (IN), 12 (Total)												
Total deaths by city: 33 (ID), 4 (IL), 8 (IN)												
154	Osteomyelitis	3	---	2	1	65	51	6	8	27	19	3
155	Other diseases of bones (except tuberculosis)	---	---	---	---	14	11	1	2	6	5	---
156	Diseases of joints, other organs of locomotion	---	---	---	---	13	10	1	2	12	9	1
XIV.—Congenital malformations												
Total deaths: 54												
Total deaths by city: 15 (10,000+), 17 (2,500-10,000), 22 (Rural)												
Total deaths by state: 685 (ID), 473 (IL), 67 (IN), 145 (Total)												
Total deaths by city: 169 (ID), 34 (IL), 148 (IN)												
157a	Congenital hydrocephalus	7	---	2	5	94	69	7	15	39	23	2
157b	Spina bifida and meningocele	4	---	1	3	50	37	3	10	38	17	4
157c	Congenital malformations of heart	28	11	11	6	365	223	44	93	211	90	26
157d	Other congenital malformations	15	4	3	8	176	139	13	24	63	39	2
XV.—Diseases of early infancy												
Total deaths: 220												
Total deaths by city: 22 (10,000+), 103 (2,500-10,000), 95 (Rural)												
Total deaths by state: 2,623 (ID), 1,804 (IL), 278 (IN), 541 (Total)												
Total deaths by city: 672 (ID), 117 (IL), 400 (IN)												
158	Congenital debility	8	---	2	6	83	28	16	39	58	32	4
159	Premature birth	137	14	63	60	1,595	1,108	166	321	779	463	67
160	Injury at birth	48	3	28	17	702	496	82	124	226	120	32
161	Other diseases peculiar to early infancy	27	5	10	12	243	172	14	57	126	57	14

1/ Cities under 10,000 in three States (Georgia, Kentucky, and Vermont) are included in the rural.
 * Refer to complete International List titles.

MORTALITY STATISTICS

TABLE 6.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE.

List no.	CAUSE OF DEATH	IDAHO			ILLINOIS			INDIANA					
		Total deaths	Cities of—		Total deaths	Cities of—		Total deaths	Cities of—				
			10,000 or more	2,500 to 10,000		Rural	10,000 or more		2,500 to 10,000	Rural	10,000 or more	2,500 to 10,000	Rural
162	XVI.—Senility-----	60	7	22	31	153	27	31	95	141	37	28	76
	XVII.—Violent and accidental deaths-----	531	68	204	259	7,562	4,945	749	1,868	3,574	1,634	433	1,309
163-171	Suicide-----	71	10	33	28	1,249	606	112	331	528	255	54	219
163	Suicide by solid or liquid poisons, etc.*-----	7	2	4	1	162	126	10	26	125	78	16	31
164	Suicide by poisonous gas-----	4	1	2	1	132	99	15	18	52	42	4	6
165	Suicide by hanging or strangulation-----	3	---	2	1	308	203	23	82	94	33	8	53
166	Suicide by drowning-----	1	---	---	---	65	22	5	38	24	10	2	12
167	Suicide by firearms-----	47	5	21	21	456	259	51	146	197	72	20	105
168	Suicide by cutting or piercing instruments-----	4	2	2	---	57	42	3	12	19	13	1	5
169	Suicide by jumping from high places-----	2	---	1	1	47	43	---	4	4	---	---	---
170	Suicide by crushing-----	---	---	---	---	15	9	2	4	8	2	2	4
171	Suicide by other means-----	3	---	1	2	7	3	3	1	5	1	1	3
172-175	Homicide-----	19	1	8	10	554	457	37	60	150	109	7	34
173	Homicide by firearms-----	10	---	4	6	357	294	25	38	92	65	5	22
174	Homicide by cutting or piercing instruments-----	3	---	2	1	78	71	3	4	23	18	1	4
175	Homicide by other means-----	6	1	2	3	129	102	9	18	35	26	1	8
176-198	Accidental, other, or undefined-----	441	57	183	221	5,749	3,672	600	1,477	2,896	1,470	372	1,054
176	Attack by venomous animals-----	3	2	---	1	2	2	---	---	2	1	1	2
177	Poisoning by food-----	5	1	4	---	18	5	6	7	9	1	2	6
178	Accidental absorption of poisonous gas-----	1	---	---	1	131	107	9	15	34	15	4	14
	Not associated with symbols 201-214-----	1	---	---	1	125	101	9	15	32	15	4	12
	Associated with symbols 201-214-----	---	---	---	---	6	6	---	---	2	---	---	2
179	Other acute accidental poisonings (except gas)-----	6	3	2	1	91	69	10	12	39	20	3	16
180	Conflagration-----	10	---	---	10	57	34	6	17	22	16	1	5
181	Accidental burns (except conflagration)-----	18	5	5	8	272	192	42	38	146	87	23	96
	Not associated with symbols 201-214-----	18	5	5	8	246	179	39	28	129	77	21	31
	Associated with symbols 201-214-----	---	---	---	---	26	13	3	10	17	10	2	5
182	Accidental mechanical suffocation-----	4	2	2	---	59	35	5	19	30	12	2	16
	Not associated with symbols 201-214-----	3	2	1	---	58	35	4	19	30	12	2	16
	Associated with symbols 201-214-----	1	---	1	---	1	---	---	---	---	---	---	---
183	Accidental drowning-----	60	2	23	35	337	137	17	183	123	44	6	73
	Not associated with symbols 201-214-----	53	2	20	31	295	126	17	152	109	43	5	61
	Associated with symbols 201-214-----	7	---	3	4	42	11	---	31	14	1	1	12
184	Traumatism by firearms-----	20	1	8	11	129	68	13	49	53	21	10	22
185	Traumatism by cutting or piercing instruments-----	20	3	9	8	66	45	7	14	35	18	7	10
	Not associated with symbols 201-214-----	12	1	7	4	46	36	4	4	14	7	4	3
	Associated with symbols 201-214-----	8	2	2	4	20	7	3	10	21	11	3	7
186a	Traumatism by fall-----	56	13	21	22	1,471	1,026	159	285	762	384	107	271
	Not associated with symbols 201-214-----	40	9	15	16	1,283	915	132	236	678	345	94	239
	Associated with symbols 201-214-----	16	4	6	6	188	111	27	50	84	39	13	32
186b	Traumatism by crushing, landslide-----	60	6	20	34	583	321	77	185	352	172	43	137
	Not associated with symbols 201-214-----	13	---	1	12	23	18	1	4	20	8	3	9
	Associated with symbols 201-214-----	47	6	19	22	560	303	76	181	332	164	40	128
187	Cataclysm-----	---	---	---	---	2	---	1	1	1	---	---	1
186	Injuries by animals-----	4	---	1	3	33	11	6	16	7	3	1	3
189	Hunger and thirst-----	---	---	---	---	---	---	---	---	3	2	---	1
190	Excessive cold-----	2	---	---	2	15	8	---	7	8	2	2	4
191	Excessive heat-----	---	---	---	---	39	19	2	18	14	5	3	6
192	Lightning-----	1	---	---	1	18	1	---	17	11	---	---	11
193	Accidents due to electric currents-----	9	1	1	7	50	28	3	19	22	9	3	10
	Not associated with symbols 201-214-----	5	1	---	4	42	25	2	15	19	7	3	9
	Associated with symbols 201-214-----	4	---	1	3	8	3	1	4	3	2	---	1
194a	Foreign bodies-----	1	1	---	---	39	26	1	12	25	15	3	7
	Not associated with symbols 201-214-----	1	---	---	---	39	26	1	12	25	15	3	7
	Associated with symbols 201-214-----	---	---	---	---	---	---	---	---	---	---	---	---
194b	Other accidents-----	161	17	67	77	2,272	1,485	235	551	1,196	640	151	405
	Not associated with symbols 201-214-----	28	5	10	13	215	162	12	42	166	82	23	60
	Associated with symbols 201-214-----	133	12	57	64	2,056	1,324	223	509	1,030	557	128	345
195	Violent deaths of unknown nature-----	---	---	---	---	55	51	1	3	---	---	---	---
196	Wounds of war-----	---	---	---	---	---	---	---	---	---	---	---	---
197	Execution of civilians by belligerent armies-----	---	---	---	---	---	---	---	9	---	2	---	---
198	Legal executions-----	---	---	---	---	10	1	---	---	---	---	---	---
	XVIII.—Ill-defined causes of death-----	62	11	14	37	199	60	34	105	47	15	14	18
199	Sudden death-----	10	4	4	2	9	4	---	5	---	---	---	---
200a	Cause of death ill-defined-----	21	5	4	12	92	19	18	55	37	12	10	15
200b	Cause of death not specified or unknown-----	31	2	6	23	96	37	16	45	10	3	4	3

Symbol Supplemental Classification

Deaths tabulated under List numbers 176, 181, 182, with symbols 201-214, are retabulated in

201	Accidents in mines and quarries-----	12	1	5	6	90	33	22	35	37	7	6	24
202	Accidents from agricultural machinery-----	4	---	---	4	20	3	4	13	18	6	2	10
203	Elevator accidents-----	---	---	---	---	19	19	---	---	7	6	1	---
204	Accidents from machinery used for recreation-----	---	---	---	---	3	3	---	---	1	---	---	---
205	Other machinery accidents-----	10	1	5	4	58	33	10	15	23	13	5	5
206	Railroad and automobile collisions-----	5	---	2	3	214	61	41	112	129	50	9	70
207	Other railroad accidents-----	16	4	4	8	232	140	41	101	139	71	14	54
208	Street car and automobile collisions-----	---	---	---	---	26	25	---	1	16	14	1	1
209	Other street car accidents-----	---	---	---	---	46	45	---	1	21	17	1	3
210	Automobile accidents (primary)-----	158	18	68	72	2,037	1,373	198	466	1,056	576	138	342
211	Motorcycle accidents-----	2	---	2	---	16	8	5	3	7	4	2	1
212	Other land transportation accidents-----	6	---	3	3	39	19	10	10	33	15	6	12
213	Water transportation accidents-----	1	---	---	1	37	12	---	25	7	1	---	3
214	Air transportation accidents-----	2	---	---	2	20	4	3	13	9	3	2	4

1/ Cities under 10,000 in three States (Georgia, Kentucky, and Vermont) are included in the rural.
 * Refer to complete International List titles.

MORTALITY STATISTICS

TABLE 6.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE,

List no.	CAUSE OF DEATH	MAINE				MARYLAND								
		Total deaths	Cities of—		Rural	Total deaths	Cities of—				Rural			
			10,000 or more	2,500 to 10,000			10,000 or more	2,500 to 10,000	White	Other races			White	Other races
			White	Other races			White	Other races						
	Total deaths (all causes)-----	11,024	3,792	1,520	5,712	21,132	9,770	3,008	854	225	5,584	1,741		
	I.—Infectious and parasitic diseases-----	679	199	134	346	2,387	717	694	52	41	548	335		
1	Typhoid fever-----	17	5	1	11	45	20	5	5	3	7	4		
2	Paratyphoid fever-----					2	1	1						
3	Typhus fever-----					1								
4	Relapsing fever-----													
5	Undulant fever-----													
6	Smallpox-----	2	2			4	3				1			
7	Measles-----	59	8	10	41	24	5		3		11	5		
8	Scarlet fever-----	10	4	3	3	29	14	4	1		7	3		
9	Whooping-cough-----	30	5	3	22	45	5	5	2	1	20	13		
10	Diphtheria-----	9	4	1	4	19	8		1		6	2		
11a	Influenza, respiratory complications specified-----	102	23	20	59	178	68	28	7	3	54	19		
11b	Influenza, respiratory complications not specified-----	69	12	10	47	69	23	15	1		20	10		
12	Cholera-----													
13	Dysentery-----	2			2	32	15	6	1	2	6	2		
14	Plague-----													
15	Erysipelas-----	15	5		10	27	15	2	1		6	2		
16	Acute poliomyelitis, acute poliomyelitis-----	14	9	1	4	5	3				1	1		
17	Lethargic or epidemic encephalitis-----	4	3		1	13	8		1		4			
18	Epidemic cerebrospinal meningitis-----	4	2	1	1	87	40	38	2		4	3		
19	Giardiasis-----													
20	Anthrax (bacillus anthracis) malignant pustule-----													
21	Rabies-----													
22	Tetanus-----	1	1			11	4	1		1	1	4		
23-32	Tuberculosis (all forms)-----	299	97	79	123	1,363	363	357	21	22	369	231		
23	Tuberculosis of respiratory system-----	245	81	66	98	1,278	339	318	19	20	362	220		
24	Tuberculosis of meninges and central nervous system-----	15	2	3	10	28	6	12	1		3	4		
25	Tuberculosis of intestines and peritoneum-----	15	5	2	8	26	4	16	1	2	1	2		
26	Tuberculosis of vertebral column-----	6	5		1	10	2	5				3		
27a	Tuberculosis of bones (see exceptions)*-----	1			1	2	1	1						
27b	Tuberculosis of joints-----					3	3							
28	Tuberculosis of skin, etc.*-----					2	1					1		
29	Tuberculosis of lymphatic system, etc.*-----	1			1	1		1						
30	Tuberculosis of genitourinary system-----	4	2	2		4	2	2						
31	Tuberculosis of other organs-----	3	1	2		1	1				2	1		
32a	Tuberculosis, acute disseminated-----	6	1	1	4	6	2	1			1			
32b, c	Tuberculosis, other disseminated-----	3		3		2		1			1			
33	Leprosy-----													
34	Syphilis-----	23	8	4	11	363	90	215	2	9	17	29		
35	Conococcus infection and other venereal diseases-----	3	3			24	6	15			2	1		
36	Purulent infection, septicemia (nonpuerperal)-----	6	3	1	2	23	16	1	1		3	2		
37	Yellow fever-----													
38	Malaria-----	1			1	3	2				1			
39	Other diseases due to protozoal parasites-----													
40	Ankylostomiasis-----													
41a	Hydatid cysts of liver-----													
41b	Hydatid cysts of other organs-----					3						3		
42	Other diseases caused by helminths-----	4	4			4	2	1			1	1		
43	Mycoses-----				4	12	3	1	2		5	1		
44	Other infectious and parasitic diseases-----	5	1											
	II.—Cancers and other tumors-----	1,308	516	133	639	2,235	1,291	156	107	15	556	80		
45-53	Cancer and other malignant tumors-----	1,255	468	145	622	2,145	1,236	175	105	14	543	73		
45	Cancer of buccal cavity and pharynx-----	47	17	2	28	69	39	3	3		21	3		
	Buccal cavity-----	35	12	1	22	54	32	3	3		13	3		
	Pharynx-----	12	5	1	6	15	7				8			
46	Cancer of digestive tract and peritoneum-----	665	250	78	337	975	542	85	48	7	258	36		
	Esophagus-----	17	9	3	5	42	28	7	1		4	1		
	Stomach and duodenum-----	268	97	22	149	425	215	50	14	5	117	23		
	Liver and biliary passages-----	109	30	15	64	155	72	8	15		57	3		
	Pancreas-----	24	11	2	11	64	48	1	1		13	1		
	Other digestive tract and peritoneum-----	247	103	36	106	290	178	19	17	1	67	8		
47	Cancer of respiratory system-----	32	19	3	10	120	86	11	7	1	14	1		
48	Cancer of uterus-----	151	54	19	78	271	140	38	8	3	64	18		
49	Cancer of other female genital organs-----	21	10	3	8	61	40	3	4		14			
50	Cancer of breast-----	119	49	11	59	216	132	11	9	1	55	8		
51	Cancer of male genitourinary organs-----	86	37	10	41	185	115	14	6	2	46	2		
52	Cancer of skin-----	26	9	5	12	55	20	1	8		25	1		
53	Cancer of other or unspecified organs-----	106	43	14	49	193	122	9	12		46	4		
54a	Nonmalignant tumors, ovary-----					3	3							
54b	Nonmalignant tumors, uterus-----	25	15	4	4	35	18	8	1	2	1	3		
54c	Nonmalignant tumors, other female genital organs-----													
54d, e	Nonmalignant tumors, other organs-----	9	4	1	4	35	22	3	1		7	2		
55a	Tumors, ovary (nature unspecified)-----					1	1							
55b	Tumors, uterus (nature unspecified)-----					1	1							
55c	Tumors, other female genital organs (nature unspecified)-----													
55d, e	Tumors, other organs (nature unspecified)-----	21	9	3	9	17	10				5	2		
	III.—Rheumatic diseases, etc.*-----	335	137	41	157	605	317	70	33	5	146	34		
56	Acute rheumatic fever-----	20	10	1	9	38	16	11			8	3		
57	Chronic rheumatism, osteoarthritis-----	23	4	2	17	22	6	3	3	1	8	1		
58	Gout-----													

* Refer to complete International List titles.

MORTALITY STATISTICS

TABLE 6.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE,

List no.	CAUSE OF DEATH	MAINE				MARYLAND						
		Total deaths	Cities of—		Rural	Total deaths	Cities of—				Rural	
			10,000 or more	2,500 to 10,000			10,000 or more	2,500 to 10,000	White	Other races		
			White	Other races			White	Other races	White	Other races		
III.—Rheumatic diseases, etc.*—Continued												
59	Diabetes mellitus-----	234	95	31	108	452	258	38	24	4	109	19
50	Scurvy-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----
61	Beriberi-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----
52	Fellagra-----	4	3	-----	1	14	2	10	-----	-----	1	1
53	Rickets-----	1	-----	-----	1	9	-----	2	-----	-----	2	5
54	Osteomalacia-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----
55	Diseases of pituitary body-----	5	1	1	3	1	1	-----	-----	-----	-----	-----
66a	Simple goiter-----	2	1	-----	1	5	1	1	-----	-----	3	-----
66b	Exophthalmic goiter-----	16	8	2	6	42	21	4	3	-----	11	3
66c-e	Other diseases of thyroid and parathyroid glands-----	7	4	-----	3	6	4	-----	2	-----	-----	-----
67	Diseases of thymus gland-----	15	8	3	4	8	4	-----	1	-----	3	-----
68	Diseases of adrenals (see exceptions)*-----	2	1	-----	1	5	3	1	-----	-----	-----	1
69	Other general diseases-----	6	2	1	3	3	1	-----	-----	-----	1	1
IV.—Diseases of the blood and blood-making organs-----												
70	Hemorrhagic conditions-----	9	3	-----	6	7	6	-----	-----	-----	1	-----
71a	Pernicious anemia-----	33	12	5	16	29	18	2	-----	-----	8	-----
71b	Other anemias-----	13	5	2	6	3	-----	3	-----	-----	-----	-----
72a	True leukemias-----	20	7	4	9	56	37	6	3	-----	10	-----
72b	Pseudoleukemias (Hodgkin's disease)-----	13	3	7	3	19	13	1	1	-----	2	2
73	Diseases of the spleen-----	1	1	-----	-----	5	4	1	-----	-----	-----	-----
74	Other diseases of blood and blood-making organs-----	1	-----	-----	1	4	2	-----	1	-----	1	-----
V.—Chronic poisonings and intoxications-----												
75	Alcoholism (acute or chronic)-----	21	12	1	8	55	27	3	3	1	14	7
76	Chronic poisoning by other organic substances-----	2	1	-----	1	-----	-----	-----	-----	-----	-----	-----
77a	Chronic lead poisoning-----	-----	-----	-----	-----	10	2	8	-----	-----	-----	-----
77b,c	Other chronic poisoning by mineral substances-----	-----	-----	-----	-----	1	-----	1	-----	-----	-----	-----
VI.—Diseases of the nervous system, etc.*-----												
78	Encephalitis (nonepidemic)-----	3	1	-----	2	16	11	2	1	-----	2	-----
79a	Simple meningitis-----	16	7	3	6	40	27	10	-----	-----	2	1
79b	Nonepidemic cerebrospinal meningitis-----	2	1	-----	1	-----	-----	-----	-----	-----	-----	-----
80	Progressive locomotor ataxia (tabes dorsalis)-----	10	1	3	6	17	8	-----	-----	-----	6	3
81	Other diseases of spinal cord-----	27	5	6	16	43	25	3	1	-----	10	3
82a	Cerebral hemorrhage-----	964	293	139	532	1,734	730	249	57	15	556	127
82b	Cerebral embolism and thrombosis-----	75	19	20	36	106	49	11	11	1	32	2
82c	Softening of brain-----	5	2	-----	3	16	7	-----	-----	-----	9	-----
82d	Hemiplegia and other paralysis, cause unspecified-----	25	5	5	15	30	12	1	1	1	10	5
83	General paralysis of insane-----	19	14	-----	5	84	9	5	1	-----	39	30
84	Dementia praecox and other psychoses-----	7	2	-----	5	10	-----	-----	-----	-----	1	9
85	Epilepsy-----	13	7	-----	6	40	5	7	-----	-----	22	6
86	Convulsions (under 5 years)-----	11	2	2	7	12	5	1	-----	-----	4	2
87	Other diseases of nervous system-----	44	15	3	26	54	24	4	3	-----	17	6
88	Diseases of organs of vision-----	2	2	-----	-----	1	-----	-----	-----	-----	-----	-----
89a	Diseases of ear-----	13	7	3	3	25	15	3	1	1	4	1
89b	Diseases of mastoid process-----	13	10	1	2	35	27	3	-----	-----	4	1
VII.—Diseases of the circulatory system-----												
90	Pericarditis-----	10	3	2	5	5	2	1	-----	-----	2	-----
91a	Acute endocarditis-----	24	9	2	13	32	18	2	1	-----	9	2
91b	Endocarditis, unspecified (under 45 years)-----	1	-----	-----	1	-----	-----	-----	-----	-----	-----	-----
92a	Endocarditis, specified as chronic, and other valvular-----	551	141	70	340	975	398	91	24	12	350	100
92b	Endocarditis, unspecified (45 years and over)-----	23	6	1	16	15	7	-----	2	-----	5	1
93a	Acute myocarditis-----	39	8	9	22	105	35	12	5	2	33	18
93b	Myocarditis, unspecified (under 45 years)-----	1	1	-----	-----	2	1	-----	-----	-----	1	-----
93c	Chronic myocarditis and myocardial degeneration-----	740	233	93	414	1,709	775	142	65	10	573	124
93d	Other diseases of myocardium-----	137	54	17	56	343	197	81	4	1	48	12
94a	Angina pectoris-----	342	97	58	197	344	177	16	15	-----	127	9
94b	Diseases of coronary arteries-----	400	166	60	174	556	313	25	21	2	168	27
95a	Functional diseases of heart-----	9	1	2	6	5	3	-----	1	-----	1	-----
95b	Other and unspecified diseases of heart-----	481	219	57	205	503	298	52	14	3	103	33
96	Aneurysm (except of heart)-----	5	3	1	2	25	9	3	1	-----	9	3
97	Arteriosclerosis (except coronary arteries)-----	357	96	40	221	361	137	16	23	3	147	35
98	Gangrene-----	21	6	2	13	6	5	-----	-----	-----	1	-----
99	Other diseases of arteries-----	14	7	2	5	20	5	-----	3	-----	10	2
100	Diseases of veins, etc.*-----	7	4	1	2	12	10	1	-----	-----	-----	1
101	Diseases of lymphatic system (lymphangitis, etc.)-----	-----	-----	-----	-----	2	-----	-----	-----	-----	1	1
102	Idiopathic anomalies of blood-pressure-----	8	3	-----	5	2	1	-----	-----	1	-----	-----
103	Other diseases of circulatory system-----	2	2	-----	-----	5	1	-----	1	-----	3	-----
VIII.—Diseases of the respiratory system-----												
104a	Diseases of nasal fossae-----	3	1	-----	2	8	-----	1	-----	1	2	4
104b	Diseases of nasal fossae and annexa-----	6	3	2	1	9	5	3	-----	-----	1	-----
105	Diseases of larynx-----	7	5	-----	2	7	1	3	1	-----	2	-----
106a	Acute bronchitis-----	23	-----	7	16	33	9	4	1	3	13	3
106b	Chronic bronchitis-----	17	3	3	11	43	29	-----	1	-----	12	2
106c,d	Bronchitis, unspecified-----	17	4	1	12	7	1	-----	-----	-----	6	-----
107a	Bronchopneumonia-----	337	142	35	160	804	389	147	20	11	159	78
107b	Capillary bronchitis-----	6	1	1	4	5	1	-----	-----	-----	2	2
108	Lobar pneumonia-----	341	108	51	182	847	355	240	26	11	161	53
109	Pneumonia, unspecified-----	29	5	1	22	18	3	-----	2	2	7	4

* Refer to complete International List titles.

MORTALITY STATISTICS

TABLE 6.--DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE,

List no.	CAUSE OF DEATH	MAINE			MARYLAND							
		Total deaths	Cities of--		Rural	Total deaths	Cities of--				Rural	
			10,000 or more	2,500 to 10,000			10,000 or more	2,500 to 10,000	White	Other races	White	Other races
VIII.--Diseases of the respiratory system--Continued												
110	Pleurisy-----	12	6	3	3	40	26	7	3	-----	2	2
111a	Pulmonary embolism and thrombosis-----	7	2	-----	5	8	5	2	-----	-----	1	-----
111b	Pulmonary congestion, edema, hemorrhagic infarct-----	12	2	1	9	17	9	1	-----	-----	6	1
112	Asthma-----	11	2	-----	9	21	11	1	-----	-----	7	2
113	Pulmonary emphysema-----	-----	-----	-----	-----	1	-----	-----	-----	-----	1	-----
114	Other diseases of respiratory system (except tuberculosis)-----	10	1	3	6	19	11	6	-----	-----	1	1
IX.--Diseases of the digestive system-----												
		661	269	72	321	1,163	647	173	50	19	171	103
115a	Diseases of pharynx and tonsils-----	33	11	3	19	70	38	8	2	1	14	7
115b	Diseases of buccal cavity and annexe-----	2	1	1	-----	9	3	3	-----	-----	2	1
116	Diseases of esophagus-----	3	-----	-----	3	-----	-----	-----	-----	-----	-----	-----
117a	Ulcer of stomach-----	43	21	2	20	69	41	12	3	1	7	5
117b	Ulcer of duodenum-----	17	10	3	4	23	17	2	1	-----	3	-----
118	Other diseases of stomach (except cancer)-----	32	7	3	22	30	7	10	1	-----	8	4
119	Diarrhea, enteritis (under 2 years)-----	109	12	9	89	224	62	30	9	8	57	58
120	Diarrhea, enteritis (2 years and over)-----	36	6	-----	30	57	18	13	3	1	16	6
121	Appendicitis-----	120	53	20	37	172	126	29	9	1	4	3
122a	Hernia-----	46	24	7	15	95	66	10	2	1	9	7
122b	Intestinal obstruction-----	61	31	7	23	120	72	23	6	5	9	3
123	Other diseases of intestines-----	14	4	2	8	25	14	6	2	-----	1	2
124	Cirrhosis of liver-----	48	21	7	20	95	57	6	2	-----	27	3
125a	Yellow atrophy of liver-----	2	-----	-----	2	5	5	-----	-----	-----	-----	-----
125b	Other diseases of liver-----	8	2	-----	6	11	6	2	1	-----	2	-----
126	Biliary calculi-----	41	27	4	10	51	40	4	2	1	4	-----
127	Other diseases of gall-bladder, biliary passages-----	29	15	2	11	66	45	6	4	-----	8	3
128	Diseases of pancreas-----	6	5	1	-----	10	6	4	-----	-----	-----	-----
129	Peritonitis, cause not specified-----	11	7	2	2	31	24	5	1	-----	-----	1
X.--Diseases of the genitourinary system-----												
		864	294	135	435	2,477	1,099	321	111	22	705	219
130	Acute nephritis (including unspecified under 10 years)-----	25	12	1	12	55	14	15	4	-----	11	11
131	Chronic nephritis-----	686	203	109	369	2,181	941	270	95	17	652	195
132	Nephritis, unspecified (10 years and over)-----	25	12	5	7	21	3	2	3	1	9	3
133	Other diseases of kidneys, ureters, etc.*-----	24	10	6	6	53	35	10	1	1	4	2
134	Calculi of urinary passages-----	6	4	1	1	19	12	2	1	-----	4	-----
135	Diseases of bladder (except tumors)-----	9	2	1	6	7	5	1	1	-----	-----	-----
136	Diseases of urethra, urinary abscess, etc.-----	2	2	-----	-----	5	3	1	1	-----	-----	-----
137	Diseases of prostate-----	59	32	11	25	100	67	13	2	1	13	4
138	Diseases of male genital organs, not venereal-----	1	1	-----	-----	2	-----	2	-----	-----	-----	-----
139a	Cysts of ovary-----	5	4	-----	1	6	2	1	2	-----	-----	1
139b	Other diseases of ovaries, etc.*-----	6	3	-----	3	20	10	4	1	2	2	1
139c	Diseases of uterus-----	4	2	1	1	6	6	-----	-----	-----	-----	-----
139d	Nonpuerperal diseases of breast (except cancer)-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----
139e	Other diseases of female genital organs-----	2	1	-----	1	2	1	-----	-----	-----	-----	1
XI.--Diseases of pregnancy, childbirth, etc.*-----												
		90	26	21	43	146	73	39	12	2	13	7
140	Abortion with septic conditions-----	4	-----	4	-----	25	16	3	1	-----	4	1
141	Abortion without mention of septic conditions, etc.*-----	3	-----	3	-----	11	5	5	-----	-----	1	-----
142a	Ectopic gestation, septic conditions specified-----	1	-----	1	-----	2	2	-----	-----	-----	-----	-----
142b	Ectopic gestation, septic conditions not mentioned-----	4	3	-----	1	4	1	2	1	-----	-----	-----
143	Other accidents of pregnancy (except hemorrhage)-----	1	1	-----	-----	-----	-----	-----	-----	-----	-----	-----
144a	Placenta praevia-----	3	1	-----	2	9	7	-----	2	-----	-----	-----
144b	Other puerperal hemorrhages-----	10	2	3	5	12	3	7	-----	-----	2	-----
145a	Puerperal septicemia and pyemia (see exceptions)*-----	17	8	3	6	25	8	13	1	-----	1	2
145b	Puerperal tetanus (see exceptions)*-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----
146	Puerperal albuminuria and eclampsia-----	18	7	1	10	26	10	2	4	2	4	4
147	Other toxemias of pregnancy-----	8	2	2	4	2	1	1	-----	-----	-----	-----
148	Puerperal phlegmasia alba dolens, embolus, etc.*-----	9	-----	3	6	7	5	1	1	-----	-----	-----
149	Other accidents of childbirth-----	11	2	1	8	23	15	5	2	-----	1	-----
150	Other and unspecified conditions of puerperal state-----	1	-----	-----	1	-----	-----	-----	-----	-----	-----	-----
XII.--Diseases of the skin and cellular tissue-----												
		8	6	1	1	24	15	2	-----	-----	5	2
151	Furuncle, carbuncle-----	-----	-----	-----	-----	2	1	-----	-----	-----	1	-----
152	Phlegmon, acute abscess-----	7	5	1	1	17	11	2	-----	-----	3	1
153	Other diseases of skin and annexe, etc.*-----	1	1	-----	-----	5	3	-----	-----	-----	1	1
XIII.--Diseases of the bones, etc.*-----												
		12	7	3	2	33	19	7	1	1	4	1
154	Osteomyelitis-----	9	5	2	-----	19	11	3	1	1	1	1
155	Other diseases of bones (except tuberculosis)-----	1	-----	-----	1	4	2	-----	-----	-----	-----	-----
156	Diseases of joints, other organs of locomotion-----	3	1	1	1	11	6	2	-----	-----	3	-----
XIV.--Congenital malformations-----												
		100	41	21	38	210	105	22	11	1	61	10
157a	Congenital hydrocephalus-----	19	10	-----	9	37	22	4	3	1	6	1
157b	Spina bifida and meningocele-----	16	6	4	6	11	7	-----	1	-----	3	-----
157c	Congenital malformations of heart-----	49	17	12	20	123	52	14	4	-----	45	7
157d	Other congenital malformations-----	16	8	5	3	39	24	4	3	-----	6	2
XV.--Diseases of early infancy-----												
		518	191	70	257	715	321	112	34	4	153	91
158	Congenital debility-----	45	6	5	33	45	9	5	5	-----	11	15
159	Premature birth-----	316	112	42	152	471	213	81	16	2	108	51
160	Injury at birth-----	93	49	13	31	113	67	13	11	-----	15	7
161	Other diseases peculiar to early infancy-----	63	22	10	31	86	32	13	2	2	19	16

* Refer to complete International List titles.

DEATHS, BY CAUSE, FOR CITIES AND RURAL AREAS

IN EACH STATE, BY CITIES AND RURAL AREAS: 1935--Continued

Table with columns for State (MASSACHUSETTS, MICHIGAN, MINNESOTA, MISSISSIPPI), Total deaths, Cities of (10,000 or more, 2,500 to 10,000, Rural), and List no. (110-161).

TABLE 6.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE,

List no.	CAUSE OF DEATH	MAINE				MARYLAND						
		Total deaths	Cities of—			Total deaths	Cities of—				Rural	
			10,000 or more	2,500 to 10,000	Rural		10,000 or more		2,500 to 10,000			
							White	Other races	White	Other races		
162	XVI.—Senility-----	149	21	16	112	15	6	1	2	1	5	1
	XVII.—Violent and accidental deaths-----	940	291	112	437	1,772	941	198	102	31	479	181
163-171	Suicide-----	134	36	18	80	242	144	3	11	1	72	6
163	Suicide by solid or liquid poisons, etc.*-----	9	3	---	5	19	14	1	1	---	2	---
164	Suicide by poisonous gas-----	20	12	2	6	53	39	1	3	---	10	---
165	Suicide by hanging or strangulation-----	34	4	5	25	46	27	1	2	---	16	---
166	Suicide by drowning-----	10	3	1	6	12	7	---	1	---	3	1
167	Suicide by firearms-----	54	11	6	35	95	47	3	3	1	37	5
168	Suicide by cutting or piercing instruments-----	6	3	2	1	8	4	2	---	---	2	---
169	Suicide by jumping from high places-----	1	---	---	1	4	3	---	1	---	---	---
170	Suicide by crushing-----	1	---	---	1	3	1	---	---	---	2	---
171	Suicide by other means-----	1	---	---	---	2	2	---	---	---	---	---
172-175	Homicide-----	12	2	2	8	107	24	38	5	8	18	14
173	Homicide by firearms-----	2	---	---	2	61	14	20	---	6	14	7
174	Homicide by cutting or piercing instruments-----	1	---	---	1	21	2	13	1	1	1	3
175	Homicide by other means-----	9	2	2	5	25	8	5	4	1	3	4
176-198	Accidental, other or undefined-----	694	253	92	349	1,423	673	152	86	22	389	101
176	Attack by venomous animals-----	1	---	---	---	---	---	---	---	---	---	---
177	Poisoning by food-----	2	---	---	2	6	1	2	---	---	1	2
178	Accidental absorption of poisonous gas-----	10	6	---	4	42	30	6	2	---	3	1
	Not associated with symbols 201-214-----	10	6	---	4	42	30	6	2	---	3	1
	Associated with symbols 201-214-----	---	---	---	---	---	---	---	---	---	---	---
179	Other acute accidental poisonings (except gas)-----	3	4	1	3	13	9	2	---	1	2	---
180	Conflagration-----	15	4	---	11	38	7	16	1	---	8	6
181	Accidental burns (except conflagration)-----	29	13	6	10	81	36	19	6	1	11	6
	Not associated with symbols 201-214-----	26	12	4	10	74	35	18	6	1	7	5
	Associated with symbols 201-214-----	3	1	2	---	7	1	1	---	---	4	1
182	Accidental mechanical suffocation-----	6	---	1	5	29	4	1	---	---	13	10
	Not associated with symbols 201-214-----	6	---	1	5	26	4	1	---	---	12	9
	Associated with symbols 201-214-----	---	---	---	---	2	---	---	---	---	1	1
183	Accidental drowning-----	111	17	14	90	146	37	17	1	2	73	16
	Not associated with symbols 201-214-----	34	8	12	64	99	31	16	1	2	39	9
	Associated with symbols 201-214-----	27	9	2	16	49	6	1	---	---	34	7
184	Traumatism by firearms-----	25	3	4	18	24	9	---	---	1	11	3
185	Traumatism by cutting or piercing instruments-----	7	---	1	6	19	12	---	1	1	4	1
	Not associated with symbols 201-214-----	6	---	1	5	9	6	---	1	1	3	1
	Associated with symbols 201-214-----	1	---	---	1	10	6	---	---	---	1	---
186a	Traumatism by fall-----	187	85	15	87	373	241	21	23	4	72	12
	Not associated with symbols 201-214-----	156	78	14	63	320	212	15	20	2	61	9
	Associated with symbols 201-214-----	12	7	1	4	53	29	5	3	2	11	3
186b	Traumatism by crushing, landslide-----	31	10	3	18	85	37	7	6	1	28	7
	Not associated with symbols 201-214-----	3	1	---	2	6	2	1	---	---	3	---
	Associated with symbols 201-214-----	28	9	3	15	79	35	6	6	1	25	7
187	Cataclysm-----	---	---	---	---	---	---	---	---	---	---	---
188	Injuries by animals-----	2	---	2	6	4	---	---	2	---	---	2
189	Hunger and thirst-----	---	---	---	---	2	1	---	---	---	---	1
190	Excessive cold-----	10	1	---	9	10	2	2	---	1	3	2
191	Excessive heat-----	3	2	---	1	15	5	4	---	---	3	3
192	Lightning-----	1	---	---	1	5	---	---	---	---	5	---
193	Accidents due to electric currents-----	4	2	1	1	9	6	---	---	---	3	---
	Not associated with symbols 201-214-----	4	2	1	1	8	5	---	---	---	3	---
	Associated with symbols 201-214-----	---	---	---	---	1	1	---	---	---	---	---
194a	Foreign bodies-----	4	2	1	1	9	5	1	---	---	3	---
	Not associated with symbols 201-214-----	4	2	1	1	9	5	1	---	---	3	---
	Associated with symbols 201-214-----	---	---	---	---	---	---	---	---	---	---	---
194b	Other accidents-----	252	104	43	105	508	231	50	42	9	147	29
	Not associated with symbols 201-214-----	39	12	5	18	66	26	6	4	2	25	3
	Associated with symbols 201-214-----	214	92	35	87	442	205	44	38	7	122	26
195	Violent deaths of unknown nature-----	2	---	---	---	---	---	---	1	---	---	---
196	Wounds of war-----	---	---	---	---	---	---	---	1	---	---	---
197	Executions of civilians by belligerent armies-----	---	---	---	---	---	---	---	---	---	---	---
198	Legal executions-----	---	---	---	---	4	---	4	---	---	---	---
	XVIII.—Ill-defined causes of death-----	88	24	12	52	33	7	2	1	1	10	12
199	Sudden death-----	17	6	2	9	3	1	---	---	---	---	2
200a	Cause of death ill-defined-----	30	6	6	18	15	3	2	---	---	8	3
200b	Cause of death not specified or unknown-----	41	12	4	25	14	3	---	1	1	2	7

Symbol Supplemental Classification

Deaths tabulated under List numbers 178, 181, 182, with symbols 201-214,* are retabulated in

201	Accidents in mines and quarries-----	1	---	---	1	15	6	1	1	---	---	7
202	Accidents from agricultural machinery-----	2	---	---	2	3	1	---	---	---	2	---
203	Elevator accidents-----	3	1	---	2	3	2	---	1	---	---	---
204	Accidents from machinery used for recreation-----	---	---	---	---	---	---	---	---	---	---	---
205	Other machinery accidents-----	13	2	3	6	14	8	1	1	---	3	1
206	Railroad and automobile collisions-----	9	4	3	2	17	2	---	---	---	13	2
207	Other railroad accidents-----	13	4	2	7	53	21	6	2	2	17	5
208	Street car and automobile collisions-----	1	1	---	---	4	4	---	---	---	---	---
209	Other street car accidents-----	3	1	1	1	17	14	2	---	---	1	---
210	Automobile accidents (primary)-----	200	92	29	79	446	209	46	39	8	115	29
211	Motor-cycle accidents-----	5	1	1	3	9	4	---	---	---	5	---
212	Other land transportation accidents-----	12	6	2	4	14	5	---	2	---	4	3
213	Water transportation accidents-----	23	6	2	15	44	7	1	---	---	30	6
214	Air transportation accidents-----	---	---	---	---	3	---	---	---	---	3	---

* Refer to complete International List titles.

MORTALITY STATISTICS

TABLE 6.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE,

List no.	CAUSE OF DEATH	MISSOURI				MONTANA				NEBRASKA			
		Total deaths	Cities of—		Rural	Total deaths	Cities of—		Rural	Total deaths	Cities of—		Rural
			10,000 or more	2,500 to 10,000			10,000 or more	2,500 to 10,000			10,000 or more	2,500 to 10,000	
III.—Rheumatic diseases, etc.*—Continued													
59	Diabetes mellitus-----	810	423	93	294	112	45	18	49	337	122	44	171
60	Scurvy-----												
61	Beriberi-----												
62	Pellagra-----	16	10	1	5				1				1
63	Rickets-----	4	2		2	1	1		2	1			1
64	Osteomalacia-----								1		1		
65	Diseases of pituitary body-----	3	1		2	1		1	1				1
66a	Simple goiter-----	5	3	1	1	2	1		1		1		
66b	Exophthalmic goiter-----	153	82	16	55	25	7	3	15	39	17	8	14
66c-e	Other diseases of thyroid and parathyroid glands-----	8	7		1	5	2	1	2	9	2	2	5
67	Diseases of thymus gland-----	40	22	3	15	8	3	1	4	11	4		7
68	Diseases of adrenals (see exceptions)*-----	17	8	2	7	4	2		2	3	2	1	
69	Other general diseases-----	4	3		1	3		2	1	5	2		3
IV.—Diseases of the blood and blood-making organs-----		306	166	37	103	46	15	9	22	111	53	9	49
70	Hemorrhagic conditions-----	19	12	1	5	7		2	5	4	4		
71a	Pernicious anemia-----	100	40	10	50	17	6	1	10	37	11	3	23
71b	Other anemias-----	12	4	1	7	1	5		1	6	4	1	3
72a	True leukemias-----	117	72	19	26	11	5	3	3	36	20	1	15
72b	Pseudoleukemias (Hodgkin's disease)-----	41	28	3	10	8	3	2	3	17	8	3	6
73	Diseases of the spleen-----	14	8	3	3	2	1	1		6	4	1	1
74	Other diseases of blood and blood-making organs-----	3	2		1					3	2		1
V.—Chronic poisonings and intoxications-----		91	51	12	26	16	6	2	8	16	9	1	6
75	Alcoholism (acute or chronic)-----	79	45	10	24	14	5	2	7	12	7	1	4
76	Chronic poisoning by other organic substances-----	3	1	1	1	2	1		1	2	1		1
77a	Chronic lead poisoning-----	8	5	1	2					2	1		1
77b, c	Other chronic poisoning by mineral substances-----	1			1								
VI.—Diseases of the nervous system, etc.*-----		3,860	1,520	481	1,659	569	176	64	309	1,454	471	189	794
78	Encephalitis (nonepidemic)-----	33	23	4	6	12	1	3	8	20	7	5	8
79a	Simple meningitis-----	86	57	10	19	10	4	3	3	21	11	2	8
79b	Nonepidemic cerebrospinal meningitis-----	8	1	4	3					9	5		4
80	Progressive locomotor ataxia (tabes dorsalis)-----	36	17	3	16	4	1	1	2	4	2		2
81	Other diseases of spinal cord-----	136	43	14	79	17	5	3	9	46	17	5	24
82a	Cerebral hemorrhage-----	2,993	1,029	361	1,503	405	136	56	213	1,040	326	137	577
82b	Cerebral embolism and thrombosis-----	143	83	16	44	17	6	4	7	91	38	11	42
82c	Softening of brain-----	24	10	4	10	3		1	2	9	4	1	4
82d	Hemiplegia and other paralysis, cause unspecified-----	43	9	4	30	25	4	4	17	31	6	3	22
83	General paralysis of insane-----	152	94	16	42	14	1		13	37	13	1	23
84	Dementia praecox and other psychoses-----	18	6	5	7	9		1	8	18	1		17
85	Epilepsy-----	56	15	6	35	16	3	1	12	36	1	1	34
86	Convulsions (under 5 years)-----	7	1	2	4	3	1		2	6	1	3	2
87	Other diseases of nervous system-----	96	37	12	47	19	4	2	13	49	12	14	23
88	Diseases of organs of vision-----	1	1										
88a	Diseases of ear-----	68	47	11	10	5	5			14	8	4	2
89a	Diseases of mastoid process-----	50	47	9	4	10	5	5		23	19	2	2
VII.—Diseases of the circulatory system-----		9,764	4,824	1,022	3,918	1,397	427	199	771	3,087	1,114	393	1,580
90	Pericarditis-----	46	22	3	21	3		1	2	8	3	1	4
91a	Acute endocarditis-----	120	52	21	37	14	7		5	35	13	5	17
91b	Endocarditis, unspecified (under 45 years)-----	2	1		1	5		2	2	8	3	1	4
92a	Endocarditis, specified as chronic, and other valvular-----	2,114	776	184	1,155	201	58	28	115	472	144	50	278
92b	Endocarditis, unspecified (45 years and over)-----	27	5	5	17	25	3	3	19	52	16	7	29
93a	Acute myocarditis-----	145	72	22	51	37	21	3	15	29	7	4	18
93b	Myocarditis, unspecified (under 45 years)-----	16	1	4	11	7		2	5	9	2	4	3
93c	Chronic myocarditis and myocardial degeneration-----	3,661	2,307	323	1,031	394	126	49	219	821	336	82	403
93d	Other diseases of myocardium-----	626	126	93	407	198	55	30	113	379	118	76	185
94a	Angina pectoris-----	543	188	63	272	85	21	14	51	232	82	22	128
94b	Diseases of coronary arteries-----	828	450	103	265	154	57	25	72	341	160	40	141
95a	Functional diseases of heart-----	17	5	3	9	4			3	20	3	2	15
95b	Other and unspecified diseases of heart-----	845	478	85	262	168	53	25	90	393	146	55	182
96	Aneurysm (except of heart)-----	127	94	10	22	11	5		6	28	15	2	11
97	Arteriosclerosis (except coronary arteries)-----	535	180	64	291	60	13	9	39	195	49	19	128
98	Gangrene-----	12	3	3	6	5	2		3	14	3	5	6
99	Other diseases of arteries-----	54	24	6	24	16	4	4	8	26	7	3	16
100	Diseases of veins, etc.*-----	24	9	4	9	2			2	14	4	4	6
101	Diseases of lymphatic system (lymphangitis, etc.)-----	5	2	1	2	1			1	2	1		1
102	Idiopathic anomalies of blood-pressure-----	16	10	3	3	3	1	1	1	6	2	1	3
103	Other diseases of circulatory system-----	3		2	1					2			2
VIII.—Diseases of the respiratory system-----		4,220	2,116	452	1,652	742	213	115	414	1,153	445	167	541
104a	Diseases of nasal fossae-----	5	1	1	3	3			3	1			1
104b	Diseases of nasal fossae and annexa-----	20	11	1	8	6	3	1	2	12	5	5	1
105	Diseases of larynx-----	12	5	3	5	3	2	1		6	4		2
105a	Acute bronchitis-----	29	10	4	14	3	1		2	9	2	1	6
105b	Chronic bronchitis-----	70	29	8	33	2			2	22	8	1	13
106	Bronchitis, unspecified-----	15	5	1	9	1	1			5	1	1	3
107a	Bronchopneumonia-----	1,540	733	162	645	233	59	36	138	353	141	46	166
107b	Capillary bronchitis-----	13	2	1	10	1			1	2	1		1
108	Lobar pneumonia-----	2,300	1,187	253	860	417	117	73	227	583	227	97	259
109	Pneumonia, unspecified-----	11	3	1	7	23	6		17	44	11	3	30

* Refer to complete International List titles.

TABLE 6.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE.

List no.	CAUSE OF DEATH	MISSOURI			MONTANA			NEBRASKA					
		Total deaths	Cities of—		Rural	Total deaths	Cities of—		Rural	Total deaths	Cities of—		
			10,000 or more	2,500 to 10,000			10,000 or more	2,500 to 10,000			10,000 or more	2,500 to 10,000	
	VIII.—Diseases of the respiratory system—Con.												
110	Pleurisy-----	92	66	5	19	14	6	2	4	30	18	1	11
111a	Pulmonary embolism and thrombosis-----	13	6	1	4	1	1	2	1	11	3	---	8
111b	Pulmonary congestion, edema, hemorrhagic infarct-----	18	6	7	5	11	9	---	2	38	12	5	21
112	Asthma-----	40	19	2	19	9	3	1	5	25	6	4	15
113	Pulmonary emphysema-----	2	2	---	---	---	---	---	---	---	---	---	---
114	Other diseases of respiratory system (except T. b.)-----	41	27	3	11	15	4	1	10	12	5	3	4
	IX.—Diseases of the digestive system-----	2,656	1,599	359	698	447	164	94	189	937	446	172	319
115a	Diseases of pharynx and tonsils-----	134	75	17	42	33	16	5	12	70	36	9	26
115b	Diseases of buccal cavity and annexe-----	27	16	5	6	4	1	2	1	11	4	---	7
116	Diseases of esophagus-----	6	4	---	---	---	1	---	---	3	1	---	2
117a	Ulcer of stomach-----	161	88	22	51	32	17	5	10	56	27	12	17
117b	Ulcer of duodenum-----	87	60	14	13	9	3	1	5	25	15	4	7
118	Other diseases of stomach (except cancer)-----	79	23	2	54	20	5	---	15	21	5	5	11
119	Diarrhea, enteritis (under 2 years)-----	453	152	43	258	46	4	11	31	56	13	12	31
120	Diarrhea, enteritis (2 years and over)-----	170	50	26	94	22	5	5	12	47	15	9	23
121	Appendicitis-----	473	320	87	66	107	43	25	39	208	110	50	48
122a	Hernia-----	166	106	25	35	31	13	13	5	71	40	13	18
122b	Intestinal obstruction-----	217	117	40	60	34	11	7	16	83	37	16	30
123	Other diseases of intestines-----	43	27	7	9	5	3	---	2	14	7	3	4
124	Cirrhosis of liver-----	446	313	24	109	35	15	5	15	88	33	13	42
125a	Yellow atrophy of liver-----	19	13	2	4	8	2	2	4	4	3	---	1
125b	Other diseases of liver-----	30	16	---	14	6	2	2	2	13	6	3	4
126	Biliary calculi-----	186	133	22	31	21	9	6	5	74	40	12	22
127	Other diseases of gall-bladder, biliary passages-----	96	47	16	35	23	11	2	10	62	41	6	15
128	Diseases of pancreas-----	14	11	---	3	5	2	1	2	2	2	---	---
129	Peritonitis, cause not specified-----	47	28	7	12	5	1	2	2	28	11	6	11
	X.—Diseases of the genitourinary system-----	4,927	2,526	501	1,900	437	149	78	210	1,022	391	154	477
130	Acute nephritis (including unspecified under 10 years)-----	113	34	16	63	23	5	5	13	37	8	7	22
131	Chronic nephritis-----	4,280	2,119	411	1,690	303	104	44	155	675	225	104	346
132	Nephritis, unspecified (10 years and over)-----	28	11	2	15	29	6	3	20	96	35	11	50
133	Other diseases of kidneys, ureters, etc.*-----	115	76	13	26	8	1	5	2	29	16	6	7
134	Calculi of urinary passages-----	46	31	2	13	3	---	2	1	13	10	1	2
135	Diseases of bladder (except tumors)-----	15	7	1	7	5	2	---	3	6	1	---	5
136	Diseases of urethra, urinary abscess, etc.-----	7	5	2	---	2	2	---	---	1	1	---	---
137	Diseases of prostate-----	288	174	37	77	40	20	8	12	110	58	13	39
138	Diseases of male genital organs, not venereal-----	3	1	---	2	---	---	---	---	1	1	---	2
139a	Cysts of ovary-----	13	11	1	1	3	1	2	---	2	2	---	3
139b	Other diseases of ovaries, etc.*-----	57	44	11	2	12	4	7	1	28	18	7	5
139c	Diseases of uterus-----	19	11	5	3	8	4	2	2	20	14	5	1
139d	Nonpuerperal diseases of breast (except cancer)-----	1	---	---	1	1	---	---	1	1	---	---	---
139e	Other diseases of female genital organs-----	2	2	---	---	---	---	---	---	1	1	---	---
	XI.—Diseases of pregnancy, childbirth, etc.*-----	324	176	58	90	52	13	17	22	137	58	25	54
140	Abortion with septic conditions-----	66	47	10	9	12	4	4	4	29	13	5	11
141	Abortion without mention of septic conditions, etc.*-----	16	4	1	11	7	3	1	3	5	1	---	4
142a	Ectopic gestation, septic conditions specified-----	5	2	3	---	---	---	---	---	2	1	---	1
142b	Ectopic gestation, septic conditions not mentioned-----	16	9	3	4	4	1	---	3	5	---	3	2
143	Other accidents of pregnancy (except hemorrhage)-----	---	---	---	---	---	---	---	---	4	---	---	1
144a	Placenta praevia-----	15	10	3	2	1	---	---	1	4	1	1	2
144b	Other puerperal hemorrhages-----	19	10	3	6	4	---	1	3	6	1	4	1
145a	Puerperal septicemia and pyemia (see exceptions)*-----	61	43	18	20	7	1	6	---	33	18	6	9
145b	Puerperal tetanus (see exceptions)*-----	---	---	---	---	---	---	---	---	---	---	---	---
146	Puerperal albuminuria and eclampsia-----	66	29	15	22	5	1	3	1	19	8	1	9
147	Other toxemias of pregnancy-----	7	3	1	3	2	1	---	1	7	3	1	3
148	Puerperal phlegmasia alba dolens, embolus, etc.*-----	5	3	---	2	3	2	---	1	10	4	1	5
149	Other accidents of childbirth-----	27	15	1	11	6	---	1	5	17	8	3	6
150	Other and unspecified conditions of puerperal state-----	1	1	---	---	---	---	---	---	---	---	---	---
	XII.—Diseases of the skin and cellular tissue-----	66	32	8	26	7	3	3	1	11	5	1	5
151	Furuncle, carbuncle-----	19	8	1	10	---	---	---	---	4	1	1	2
152	Phlegmon, acute abscess-----	16	10	4	2	5	2	3	---	3	3	---	---
153	Other diseases of skin and annexe, etc.*-----	31	14	3	14	2	1	---	1	4	1	---	3
	XIII.—Diseases of the bones, etc.*-----	44	29	7	8	15	5	2	6	13	9	2	2
154	Osteomyelitis-----	33	25	4	4	6	3	---	3	8	5	2	1
155	Other diseases of bones (except tuberculosis)-----	3	2	---	1	3	1	1	1	---	---	---	---
156	Diseases of joints, other organs of locomotion-----	8	2	3	3	6	1	1	4	5	4	---	1
	XIV.—Congenital malformations-----	372	164	45	163	66	26	10	30	129	46	24	69
157a	Congenital hydrocephalus-----	43	23	7	13	3	1	---	4	17	6	2	9
157b	Spina bifida and meningocele-----	21	11	3	7	3	2	1	---	9	2	2	5
157c	Congenital malformations of heart-----	225	88	24	113	47	17	6	24	68	20	13	35
157d	Other congenital malformations-----	83	42	11	30	11	6	3	2	35	18	7	10
	XV.—Diseases of early infancy-----	1,253	595	138	560	249	69	37	143	472	173	87	212
158	Congenital debility-----	74	17	16	41	21	4	4	13	30	5	9	16
159	Premature birth-----	899	429	82	388	165	46	26	93	309	108	56	145
160	Injury at birth-----	215	104	27	95	43	15	4	24	97	45	15	36
161	Other diseases peculiar to early infancy-----	104	45	13	46	20	4	3	13	35	15	6	15

*Refer to complete International List titles.

TABLE 6.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE.

List no.	CAUSE OF DEATH	MISSOURI				MONTANA				NEBRASKA			
		Total deaths	Cities of—		Rural	Total deaths	Cities of—		Rural	Total deaths	Cities of—		Rural
			10,000 or more	2,500 to 10,000			10,000 or more	2,500 to 10,000			10,000 or more	2,500 to 10,000	
162	XVI.—Senility	259	18	39	202	52	6	11	35	154	20	23	111
	XVII.—Violent and accidental deaths	3,868	1,935	499	1,434	682	192	95	395	1,422	488	223	711
163-171	Suicide	598	288	50	250	96	32	11	53	251	95	29	127
163	Suicide by solid or liquid poisons, etc.	142	90	14	36	19	6	5	8	34	13	6	11
164	Suicide by poisonous gas	25	13	3	9	2	2	—	—	—	—	—	—
165	Suicide by hanging or strangulation	83	31	5	47	7	3	3	1	62	11	3	48
166	Suicide by drowning	29	13	2	14	4	1	—	—	3	2	1	3
167	Suicide by firearms	254	106	24	134	56	17	3	36	92	30	13	49
168	Suicide by cutting or piercing instruments	26	21	—	5	7	2	—	5	5	3	—	2
169	Suicide by jumping from high places	16	14	1	1	1	1	—	—	5	4	—	1
170	Suicide by crushing	2	—	—	2	—	—	—	—	6	3	—	3
171	Suicide by other means	1	—	1	—	—	—	—	—	3	1	—	2
172-175	Homicide	376	245	36	95	34	13	3	18	47	38	1	8
173	Homicide by firearms	238	143	22	73	22	7	2	13	32	28	—	4
174	Homicide by cutting or piercing instruments	68	54	7	7	2	1	—	1	3	3	—	—
175	Homicide by other means	70	48	7	15	10	5	1	4	12	7	1	4
176-198	Accidental, other, or undefined	2,904	1,402	413	1,089	552	147	81	384	1,124	355	193	576
176	Attack by venomous animals	17	7	3	7	2	1	1	—	1	—	1	—
177	Poisoning by food	34	10	5	19	3	—	1	2	7	—	1	6
178	Accidental absorption of poisonous gas	26	12	5	9	9	4	3	2	11	5	—	6
	Not associated with symbols 201-214	25	12	5	6	8	4	3	1	10	5	—	5
	Associated with symbols 201-214	1	—	—	1	1	—	—	1	1	—	—	1
179	Other acute accidental poisonings (except gas)	49	27	6	16	10	5	1	4	12	5	—	7
180	Conflagration	60	15	20	25	22	4	3	15	11	4	2	5
181	Accidental burns (except conflagration)	147	83	24	40	28	2	6	20	75	29	15	31
	Not associated with symbols 201-214	135	80	23	32	27	2	6	19	73	29	14	30
	Associated with symbols 201-214	12	3	1	8	1	—	—	1	2	—	1	1
182	Accidental mechanical suffocation	25	3	5	17	8	1	—	7	15	5	1	9
	Not associated with symbols 201-214	23	3	4	16	6	1	—	5	15	5	1	9
	Associated with symbols 201-214	2	—	1	1	2	—	—	2	—	—	—	—
183	Accidental drowning	188	47	9	132	29	1	—	28	88	7	11	70
	Not associated with symbols 201-214	161	47	5	108	25	1	—	24	84	7	10	67
	Associated with symbols 201-214	27	—	3	24	4	—	—	4	4	—	1	3
184	Traumatism by firearms	72	27	12	33	27	7	4	16	29	4	4	21
185	Traumatism by cutting or piercing instruments	55	18	7	11	14	5	1	8	19	9	6	4
	Not associated with symbols 201-214	21	10	4	7	11	4	1	6	11	7	4	1
	Associated with symbols 201-214	15	8	3	4	3	—	—	2	8	2	3	3
186a	Traumatism by fall	873	487	97	269	108	37	18	53	256	110	32	113
	Not associated with symbols 201-214	780	452	75	249	96	30	13	43	206	93	28	85
	Associated with symbols 201-214	93	35	18	40	22	7	5	10	49	17	4	28
186b	Traumatism by crushing, landslide	260	94	31	135	56	13	7	36	95	16	23	57
	Not associated with symbols 201-214	11	3	—	8	7	—	1	6	10	2	3	5
	Associated with symbols 201-214	249	91	31	127	49	13	6	30	85	14	20	52
187	Cataclysm	1	—	—	1	7	4	—	3	54	1	13	40
188	Injuries by animals	17	6	1	10	3	1	—	2	10	2	2	6
189	Hunger and thirst	—	—	—	—	—	—	—	—	—	—	—	—
190	Excessive cold	7	2	—	5	6	1	—	5	1	—	—	1
191	Excessive heat	61	37	6	18	2	1	—	1	29	13	1	15
192	Lightning	19	1	—	18	1	—	—	1	1	—	—	1
193	Accidents due to electric currents	24	8	5	11	4	1	—	3	8	2	—	6
	Not associated with symbols 201-214	23	8	5	10	3	1	—	2	8	2	—	6
	Associated with symbols 201-214	1	—	—	1	1	—	—	1	—	—	—	—
194a	Foreign bodies	13	3	3	7	7	3	1	3	12	5	1	6
	Not associated with symbols 201-214	13	3	3	7	7	3	1	3	12	5	1	6
	Associated with symbols 201-214	—	—	—	—	—	—	—	—	—	—	—	—
194b	Other accidents*	953	508	172	283	204	56	33	115	389	138	79	172
	Not associated with symbols 201-214	134	75	20	39	33	7	3	23	76	21	17	38
	Associated with symbols 201-214	829	433	152	244	171	49	30	92	313	117	62	134
195	Violent deaths of unknown nature	7	7	—	—	—	—	—	—	1	—	—	1
196	Wounds of war	—	—	—	—	—	—	—	—	—	—	—	—
197	Execution of civilians by belligerent armies	—	—	—	—	—	—	—	—	—	—	—	—
198	Legal executions	5	1	1	3	2	—	2	—	—	—	—	—
	XVIII.—Ill-defined causes of death	185	20	16	149	93	14	6	72	73	10	13	50
199	Sudden death	20	1	1	18	6	1	—	5	9	—	2	7
200a	Cause of death ill-defined	50	4	7	39	36	8	5	83	37	7	8	22
200b	Cause of death not specified or unknown	115	15	8	92	51	5	1	45	27	3	3	21

Symbol Supplemental Classification

Deaths tabulated under List numbers 176, 181, 182, with symbols 201-214, are retabulated in

201	Accidents in mines and quarries	15	3	3	9	21	4	3	14	—	—	—	—
202	Accidents from agricultural machinery	12	5	—	7	6	2	—	4	16	2	3	11
203	Elevator accidents	11	11	—	—	3	1	2	—	1	—	—	—
204	Accidents from machinery used for recreation	—	—	—	—	—	—	—	—	—	—	—	—
205	Other machinery accidents	25	17	5	2	10	1	2	7	12	3	1	8
206	Railroad and automobile collisions	52	11	10	31	4	—	—	4	25	7	5	13
207	Other railroad accidents	109	42	19	48	24	4	4	15	44	14	10	20
208	Street car and automobile collisions	4	2	1	1	—	—	—	—	1	—	—	1
209	Other street car accidents	19	17	1	1	1	1	—	4	4	—	—	—
210	Automobile accidents (primary)	910	454	156	300	155	51	26	76	325	113	70	142
211	Motor-cycle accidents	5	3	—	2	2	—	—	2	2	—	—	—
212	Other land transportation accidents	30	5	6	19	22	6	4	12	27	4	1	22
213	Water transportation accidents	27	—	4	23	—	—	—	—	3	—	—	2
214	Air transportation accidents	10	—	3	7	6	—	—	6	3	—	—	3

* Refer to complete International List titles.

TABLE 6.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE,

List no.	CAUSE OF DEATH	NORTH CAROLINA						NORTH DAKOTA				
		Total deaths	Cities of—				Rural		Total deaths	Cities of—		Rural
			10,000 or more		2,500 to 10,000		White	Other races		10,000 or more	2,500 to 10,000	
			White	Other races	White	Other races						
	Total deaths (all causes)-----	33,485	5,407	3,794	2,206	1,049	13,636	7,393	5,860	1,190	1,021	3,649
	I.—Infectious and parasitic diseases-----	4,407	543	568	184	157	1,508	1,447	596	101	86	409
1	Typhoid fever-----	80	10	12	6	3	24	25	9	1	2	6
2	Paratyphoid fever-----	2	1	1	---	---	1	---	---	---	---	---
3	Typhus fever-----	2	1	---	---	---	1	---	---	---	---	---
4	Relapsing fever-----	---	---	---	---	---	---	---	---	---	---	---
5	Undulant fever-----	---	---	---	---	---	---	---	1	---	1	---
6	Smallpox-----	---	---	---	---	---	---	---	---	---	---	1
7	Measles-----	70	2	2	8	---	32	26	53	6	1	46
8	Scarlet fever-----	22	3	3	---	---	15	1	30	5	6	19
9	Whooping-cough-----	307	28	16	11	10	107	135	43	2	1	40
10	Diphtheria-----	162	35	9	18	1	70	29	21	2	5	14
11a	Influenza, respiratory complications specified-----	776	119	79	47	25	349	157	101	17	15	69
11b	Influenza, respiratory complications not specified-----	232	32	26	13	5	105	71	56	12	10	44
12	Cholera-----	---	---	---	---	---	---	---	---	---	---	---
13	Dysentery-----	98	26	2	3	3	34	28	3	1	1	1
14	Plague-----	---	---	---	---	---	---	---	---	---	---	---
15	Erysipelas-----	45	8	1	1	---	27	8	19	3	4	12
16	Acute poliomyelitis, acute poliomyelitis-----	72	8	5	5	1	30	23	3	2	1	---
17	Lethargic or epidemic encephalitis-----	15	6	---	1	1	6	1	8	2	3	3
18	Epidemic cerebrospinal meningitis-----	39	24	5	1	2	5	2	7	3	2	2
19	Glanders-----	---	---	---	---	---	---	---	---	---	---	---
20	Anthrax (bacillus anthracis) malignant pustule-----	---	---	---	---	---	---	---	---	---	---	---
21	Rabies-----	5	2	1	---	---	---	2	---	---	---	---
22	Tetanus-----	28	5	7	6	3	2	5	4	---	---	4
23-32	Tuberculosis (all forms)-----	1,337	182	297	40	60	616	742	176	36	21	119
23	Tuberculosis of respiratory system-----	1,764	166	258	32	51	578	679	138	24	13	101
24	Tuberculosis of meninges and central nervous system-----	36	4	6	3	1	7	15	10	3	---	7
25	Tuberculosis of intestines and peritoneum-----	56	4	14	1	6	12	19	7	4	---	3
26	Tuberculosis of vertebral column-----	16	1	2	---	2	6	5	2	---	2	---
27a	Tuberculosis of bones (see exceptions)*-----	6	---	1	---	---	2	3	3	---	---	2
27b	Tuberculosis of joints-----	8	1	2	1	---	3	1	1	---	1	---
28	Tuberculosis of skin, etc.*-----	---	---	---	---	---	---	---	1	---	---	1
29	Tuberculosis of lymphatic system, etc.*-----	4	---	---	---	---	2	2	1	---	1	---
30	Tuberculosis of genitourinary system-----	8	2	1	1	---	3	1	5	4	1	---
31	Tuberculosis of other organs-----	2	1	1	---	---	---	---	---	---	---	---
32a	Tuberculosis, acute disseminated-----	34	3	11	2	---	2	16	6	1	1	4
32b,c	Tuberculosis, other disseminated-----	3	---	1	---	---	1	1	2	---	1	1
33	Leprosy-----	---	---	---	---	---	---	---	---	---	---	---
34	Syphilis-----	287	17	80	6	27	34	123	20	3	4	13
35	Gonococcus infection and other venereal diseases-----	39	9	14	2	4	3	7	2	---	2	---
36	Purulent infection, septicemia (nonpuerperal)-----	46	11	3	6	3	14	9	13	3	4	6
37	Yellow fever-----	---	---	---	---	---	---	---	---	---	---	---
38	Malaria-----	91	5	4	7	9	25	41	1	---	---	1
39	Other diseases due to protozoal parasites-----	1	---	---	---	---	1	---	---	---	---	---
40	Ankylostomiasis-----	---	---	---	---	---	---	---	---	---	---	---
41a	Hydatid cysts of liver-----	---	---	---	---	---	---	---	---	---	---	---
41b	Hydatid cysts of other organs-----	---	---	---	---	---	---	---	---	---	---	---
42	Other diseases caused by helminths-----	6	1	---	---	---	2	3	---	---	---	---
43	Mycoses-----	11	3	1	1	---	---	6	3	---	1	2
44	Other infectious and parasitic diseases-----	14	4	---	2	---	5	3	12	3	2	7
	II.—Cancers and other tumors-----	1,891	435	160	134	42	841	279	578	149	89	340
44-53	Cancer and other malignant tumors-----	1,780	397	143	126	33	816	265	558	142	84	332
45	Cancer of buccal cavity and pharynx-----	57	10	5	3	1	32	6	16	3	3	10
	Buccal cavity-----	46	9	4	3	1	24	5	12	3	2	7
	Pharynx-----	11	1	1	---	---	8	1	4	---	1	3
46	Cancer of digestive tract and peritoneum-----	694	152	46	54	13	327	102	321	80	46	195
	Esophagus-----	11	5	2	1	---	2	1	8	---	---	8
	Stomach and duodenum-----	327	58	27	16	6	150	70	164	38	20	106
	Liver and biliary passages-----	118	13	4	11	4	72	14	49	9	12	28
	Pancreas-----	53	24	1	3	2	20	3	15	5	4	6
	Other digestive tract and peritoneum-----	185	52	12	23	1	85	14	85	28	10	47
47	Cancer of respiratory system-----	59	17	2	5	---	26	8	25	10	3	12
48	Cancer of uterus-----	344	75	42	20	9	123	75	33	8	7	18
49	Cancer of other female genital organs-----	25	7	1	2	1	12	2	12	4	3	5
50	Cancer of breast-----	170	40	15	16	1	73	25	40	10	9	21
51	Cancer of male genitourinary organs-----	158	35	14	10	3	62	14	55	14	6	35
52	Cancer of skin-----	92	9	4	5	1	69	4	10	2	1	7
53	Cancer of other or unspecified organs-----	202	52	14	11	4	92	29	46	11	6	29
54a	Nonmalignant tumors, ovary-----	1	---	1	---	---	---	---	---	---	---	---
54b	Nonmalignant tumors, uterus-----	51	17	12	5	7	5	5	8	3	2	3
54c	Nonmalignant tumors, other female genital organs-----	---	---	---	---	---	---	---	---	---	---	---
54d,e	Nonmalignant tumors, other organs-----	15	4	2	---	---	9	---	3	2	1	---
55a	Tumors, ovary (nature unspecified)-----	1	---	---	1	---	---	---	---	---	---	---
55b	Tumors, uterus (nature unspecified)-----	1	---	---	---	---	1	---	---	---	---	---
55c	Tumors, other female genital organs, etc.*-----	---	---	---	---	---	---	---	---	---	---	---
55d,e	Tumors, other organs (nature unspecified)-----	42	17	2	2	2	10	9	9	2	2	5
	III.—Rheumatic diseases, etc.*-----	973	161	114	51	26	441	180	198	47	32	119
56	Acute rheumatic fever-----	47	3	4	3	5	18	14	31	8	7	16
57	Chronic rheumatism, osteoarthritis-----	47	4	3	2	1	30	7	4	1	1	2
58	Gout-----	---	---	---	---	---	---	---	---	---	---	---

* Refer to complete International List titles.

DEATHS, BY CAUSE, FOR CITIES AND RURAL AREAS

IN EACH STATE, BY CITIES AND RURAL AREAS: 1935—Continued

OHIO					OKLAHOMA						OREGON				PENNSYLVANIA			List no.			
Total deaths	Cities of—		Rural	Total deaths	Cities of—				Rural		Total deaths	Cities of—		Rural	Total deaths	Cities of—			Rural		
	10,000 or more	2,500 to 10,000			10,000 or more	2,500 to 10,000	White	Other races	White	Other races		White	Other races			10,000 or more	2,500 to 10,000			10,000 or more	2,500 to 10,000
77,356	47,393	6,869	23,094	21,091	5,933	1,199	4,212	472	8,034	1,241	11,430	5,591	2,187	3,652	108,555	63,208	13,579	31,768			
7,346	4,373	544	2,429	3,037	620	274	619	105	1,164	307	804	366	147	291	8,912	4,776	1,007	3,129			
97	57	8	32	186	30	14	43	5	71	23	14	8	3	3	82	43	18	21	1		
1	1			1			1				1			1	1		1		2		
																			3		
8	5	1	2	1	1										3	1		2	4		
155	69	19	67	44	10	2	12		19	1	15	4	7	4	231	94	42	95	5		
239	186	17	96	22	6		7	1	8		21	6	4	11	203	80	27	96	6		
180	77	29	74	155	29	11	22	3	64	26	17	3	6	8	208	91	30	87	7		
178	104	19	55	143	28	1	29	2	75	8	5	2	1	2	158	78	27	53	8		
1,010	540	94	376	459	107	34	85	7	198	28	109	29	27	53	1,337	615	228	494	9		
630	285	74	271	315	53	16	58	10	156	22	60	21	13	26	602	259	95	248	10		
34	18	5	11	92	21	11	10	2	41	7	2	1		1	27	13	2	12	11a		
110	73	9	28	42	8	1	11	1	19	2	13	6	2	5	152	78	24	50	12		
33	21	3	9	10	2	2		1	5		16	4	4	12	31	20	8	3	13		
68	44	4	20	8	3		1		4		17	13		4	84	50	7	21	14		
221	205	4	12	67	28	1	10	2	22	4	28	25	2	1	134	109	16	9	15		
1	1																		16		
2	1						2												17		
41	28	2	11	25	11		9	1	4		3	1	1	1	70	48	12	10	18		
3,609	2,191	206	1,212	1,156	205	142	268	58	540	143	347	159	61	128	4,638	2,540	392	1,706	19		
3,216	1,917	175	1,124	1,053	175	125	248	56	317	132	302	125	56	121	4,195	2,245	345	1,605	20		
131	108	8	15	24	10	4	4		4	2	8	5	2	1	170	132	14	24	21		
104	53	13	28	28	3	4	9	1	9	2	5	3	1	1	104	59	13	32	22		
54	37	5	14	8	2		3		1	2	5	3	1	1	62	41	6	15	23		
9	3	2	4	2		1			1		2	2			6	6			24		
18	10	1	7	3	1				2		2	1	1		21	8	5	8	25		
2	1		1	2		1			1		2				5	2		3	26		
9	7		2	1				1			2	1		1	10	7	1	2	27a		
35	24	3	8	5	3		1		1		11	11		50	30	6	14	2	27b		
11	7		4	1											5	2	1	2	28		
17	13		4	26	10	6	3		2	5	10	7		3	8	8		1	29		
3	1	1	1	3		1			2						2		1	1	30		
588	431	33	124	158	45	31	28	9	26	19	94	65	12	17	765	535	57	173	31		
27	22	4	1	5	2		1		1	1	1	1			61	48	8	5	32a		
57	37	7	13	31	13	4	4		7	3	16	10	2	4	65	35	7	23	32b,c		
10	5	1	4	139	14	3	15	1	90	16					5		2	3	33		
5	5			3	1		1		1		2	1	1		3	3			34		
1	1										1	1			1	1			35		
2		2		1					1	1	3			3	2	1	1		36		
9	7		2	1		1					2		1	1	9	7	1	1	37		
30	19	3	8	16	2		1		10	3	16	6	4	6	38	20	2	16	38		
8,662	5,476	806	2,380	1,623	549	45	300	19	659	51	1,293	713	252	328	11,919	7,456	1,393	3,070	39		
8,272	5,156	788	2,328	1,517	497	39	280	18	635	48	1,239	681	256	322	11,524	7,171	1,351	3,002	40		
234	141	13	80	59	16		8		33	2	33	17	5	11	392	253	36	103	41		
210	123	12	75	41	12		5		28	2	28	15	4	9	333	215	32	86	42		
24	18	1	5	18	4		3		11		5	2	1	2	59	38	4	17	43		
4,038	2,515	373	1,150	692	208	15	124	10	310	25	614	327	127	160	5,693	3,409	698	1,566	44		
145	106	15	24	9	6		2		1		11	10		1	190	143	24	25	45		
1,535	911	147	477	298	75	6	55	1	148	12	274	126	65	85	2,287	1,333	275	699	46		
764	450	78	236	191	53	2	30	5	94	7	96	53	17	26	807	427	129	311	47		
198	134	19	45	39	17	1	6	2	13		41	25	9	7	380	260	41	79	48		
1,396	914	114	368	155	57	6	30	2	54	5	192	113	38	41	1,959	1,246	229	494	49		
357	260	29	88	38	16	1	4		14	1	46	32	7	7	520	370	56	94	50		
965	598	102	265	223	80	11	44	5	69	14	133	74	18	41	1,319	826	164	329	51		
186	146	12	28	23	12	2	2		7		31	22	6	3	294	206	38	50	52		
616	482	104	230	133	44	1	27	1	57	3	99	51	20	28	1,164	753	145	266	53		
752	468	70	214	124	51	2	21	2	47	1	117	67	25	25	929	583	104	242	54		
178	69	20	89	71	15	1	11		44		29	9	5	15	212	99	18	95	55		
746	477	65	204	156	55	6	39		54	2	137	82	23	32	1,001	672	92	237	56		
13	10		3	3	2		1								12			2	54a		
179	163	5	11	31	14	4	6	1	4	2	25	13	10	2	190	140	22	28	54b		
1	1														1		1		54c		
112	90	7	15	11	7	1	1		2		10	8	1	1	136	102	12	22	54d,e		
3	2	1		2	1				1										55a		
1	1																		55b		
1	1																		55c		
90	53	4	23	59	28	1	12		17	1	19	11	5	3	56	33	7	16	55d,e		
2,425	1,569	198	658	590	159	32	105	15	247	32	346	182	72	92	3,788	2,262	552	974	56		
86	50	9	27	24	8	2	2	1	9	2	11	5	2	4	248	149	38	61	57		
115	57	7	51	32	8	1	4	2	15	1	14	10	1	3	117	41	15	61	58		

MORTALITY STATISTICS

TABLE 6.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE,

List no.	CAUSE OF DEATH	NORTH CAROLINA						NORTH DAKOTA				
		Total deaths	Cities or—				Rural		Total deaths	Cities or—		Rural
			10,000 or more		2,500 to 10,000		White	Other races		10,000 or more	2,500 to 10,000	
			White	Other races	White	Other races						
III.—Rheumatic diseases, etc.*—Continued												
59	Diabetes mellitus-----	366	81	34	31	6	164	50	130	27	19	84
60	Scurvy-----	1										
61	Beriberi-----	1										
62	Pellagra-----	383	40	57	10	12	176	88				
63	Rickets-----	17		6		1	3	7	1	1		
64	Osteomalacia-----											
65	Diseases of pituitary body-----	5	1				4					
66a	Simple goiter-----	4	1				3		1		1	
66b	Exophthalmic goiter-----	40	14	7	1	1	13	4	21	7	4	10
66c-e	Other diseases of thyroid and parathyroid glands-----	12	4				6	1	3	2		1
67	Diseases of thymus gland-----	30	8	1	2		16	3	3	1		2
68	Diseases of adrenals (see exceptions)*-----	4	4									
69	Other general diseases-----	17	1	2	1		8	5	4			4
IV.—Diseases of the blood and blood-making organs-----												
		171	49	12	14	4	68	24	55	22	7	26
70	Hemorrhagic conditions-----	16	2		1		5	8	3	1		2
71a	Pernicious anemia-----	45	11	2	4		22	6	19	2	3	14
71b	Other anemias-----	20	4	4			6	4	6	4		2
72a	True leukemias-----	59	24	5	3	2	23	3	16	7	3	6
72b	Pseudoleukemias (Hodgkin's disease)-----	20	3		2	1	12	2	9	6	1	2
73	Diseases of the spleen-----	10	4	1	4			1	1	1		
74	Other diseases of blood and blood-making organs-----	1	1						1	1		
V.—Chronic poisonings and intoxications-----												
		136	29	19	10	9	49	20	14	7	3	4
75	Alcoholism (acute or chronic)-----	130	27	19	9	9	47	19	13	6	3	4
76	Chronic poisoning by other organic substances-----	3	1				1	1	1	1		
77a	Chronic lead poisoning-----	3	1		1		1					
77b,c	Other chronic poisoning by mineral substances-----											
VI.—Diseases of the nervous system, etc.*-----												
		3,572	492	383	189	96	1,593	829	583	122	109	352
78	Encephalitis (nonepidemic)-----	39	9	6	7	3	11	3	4	3		1
79a	Simple meningitis-----	61	12	11	5		25	8	12	5	5	2
79b	Nonepidemic cerebrospinal meningitis-----	23		4	3		12	4	4	1	1	2
80	Progressive locomotor ataxia (tabes dorsalis)-----	5	2				2	1	2	1		1
81	Other diseases of spinal cord-----	46	13	3	5		22	3	25	4	1	20
82a	Cerebral hemorrhage-----	2,689	342	323	139	84	1,223	578	380	69	69	244
82b	Cerebral embolism and thrombosis-----	54	20	5	3	1	19	6	25	7	2	16
82c	Softening of brain-----	14	1				5	8	3	1	1	1
82d	Hemiplegia and other paralysis, cause unspecified-----	180	15	9	6	1	97	52	17	2	1	14
83	General paralysis of insane-----	88	5	4	2		35	42	6		6	
84	Dementia praecox and other psychoses-----	64	6	2		1	22	33	12	1	9	2
85	Epilepsy-----	117	17	5	3	1	44	47	13		3	10
86	Convulsions (under 5 years)-----	41	1	2	1	1	16	20	21	1	3	17
87	Other diseases of nervous system-----	74	14	2	4	1	40	13	16	3	4	9
88	Diseases of organs of vision-----	4	1					2	2			
89a	Diseases of ear-----	40	7	4	7	1	16	5	19	5	4	10
89b	Diseases of mastoid process-----	33	17	2	4	2	4	4	24	21		3
VII.—Diseases of the circulatory system-----												
		5,815	928	825	382	127	2,621	1,073	1,150	203	200	747
90	Pericarditis-----	9	4	1	1		1	2	7	1	3	3
91a	Acute endocarditis-----	58	17	11	2		15	13	17	3	6	8
91b	Endocarditis, unspecified (under 45 years)-----	13	2	2	2	3	2	2	7	2	3	2
92a	Endocarditis, specified as chronic, and other valvular-----	1,087	100	155	49	26	486	241	175	41	28	106
92b	Endocarditis, unspecified (45 years and over)-----	57	6	5	2	4	30	9	22	1	2	19
93a	Acute myocarditis-----	85	13	11	3	3	37	14	15	1	5	9
93b	Myocarditis, unspecified (under 45 years)-----	27	5	7	2		5	8	1			1
93c	Chronic myocarditis and myocardial degeneration-----	1,159	195	91	89	27	581	170	268	39	57	172
93d	Other diseases of myocardium-----	419	71	39	27	13	205	64	119	18	20	81
94a	Angina pectoris-----	476	90	33	51	9	242	51	65	10	8	47
94b	Diseases of coronary arteries-----	387	129	16	48	7	156	31	177	37	26	114
95a	Functional diseases of heart-----	14	5		1		7	1	6	2	1	3
95b	Other and unspecified diseases of heart-----	1,643	222	222	73	28	729	369	143	28	13	102
96	Aneurysm (except of heart)-----	27	5	4	3	2	6	7	10	1	3	6
97	Arteriosclerosis (except coronary arteries)-----	262	59	16	15	3	122	66	94	9	22	65
98	Gangrene-----	21	4	4	1		6	6	1			1
99	Other diseases of arteries-----	36	10		2	1	21	2	7	3		4
100	Diseases of veins, etc.*-----	14	6	1			5	2	5	1	1	3
101	Diseases of lymphatic system (lymphangitis, etc.)-----	3				1	1	1	1	1		
102	Idiopathic anomalies of blood-pressure-----	45	3	6	3		22	11	7	4	2	1
103	Other diseases of circulatory system-----	8		1	2		2	3	3	1		2
VIII.—Diseases of the respiratory system-----												
		3,172	481	399	212	106	1,519	655	725	138	127	460
104a	Diseases of nasal fossae-----	28		1	1	2	5	19	2	1		1
104b	Diseases of nasal fossae and annexa-----	26	12	5	1	1	3	4	5	2	2	1
105	Diseases of larynx-----	15	2	1	2		9	1	3	1	1	1
105a	Acute bronchitis-----	32		3	1	2	12	14	6	2		4
105b	Chronic bronchitis-----	35	5	1			23	6	3			3
105c,d	Bronchitis, unspecified-----	30	4	5	1	2	11	7	6	1	1	4
107a	Bronchopneumonia-----	935	139	133	70	30	369	194	256	52	41	163
107b	Capillary bronchitis-----	4		1			2	1	1			1
108	Lobar pneumonia-----	1,604	253	202	115	57	714	263	374	64	70	240
109	Pneumonia, unspecified-----	260	20	19	6	5	95	115	22	5	1	16

* Refer to complete International List titles.

MORTALITY STATISTICS

TABLE 6.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE,

List no.	CAUSE OF DEATH	NORTH CAROLINA						NORTH DAKOTA				
		Total deaths	Cities of—				Rural		Total deaths	Cities of—		Rural
			10,000 or more		2,500 to 10,000		White	Other races		10,000 or more	2,500 to 10,000	
			White	Other races	White	Other races						
VIII.—Diseases of the respiratory system—Continued												
110	Pleurisy-----	68	24	6	9	1	20	6	18	7	5	6
111a	Pulmonary embolism and thrombosis-----	5	1	3	1	-----	1	-----	4	1	1	2
111b	Pulmonary congestion, edema, hemorrhagic infarct-----	34	5	2	1	2	18	6	11	1	1	9
112	Asthma-----	56	7	9	4	3	24	9	9	-----	1	8
113	Pulmonary emphysema-----	1	1	-----	-----	-----	-----	-----	1	-----	-----	1
114	Other diseases of respiratory system (except T. b.)-----	38	8	8	-----	1	13	6	4	1	3	-----
IX.—Diseases of the digestive system-----												
		2,183	534	295	179	90	663	402	459	120	125	214
115a	Diseases of pharynx and tonsils-----	125	36	17	8	4	44	17	30	7	7	16
115b	Diseases of buccal cavity and annexa-----	18	3	2	5	-----	5	3	4	1	3	-----
116	Diseases of esophagus-----	5	5	-----	-----	-----	-----	-----	2	-----	1	1
117a	Ulcer of stomach-----	71	21	10	6	5	22	7	21	4	2	9
117b	Ulcer of duodenum-----	20	10	3	2	2	4	1	12	6	2	4
118	Other diseases of stomach (except cancer)-----	98	5	20	4	4	34	31	7	1	1	5
119	Diarrhea, enteritis (under 2 years)-----	698	139	67	49	25	319	229	73	5	9	59
120	Diarrhea, enteritis (2 years and over)-----	145	18	12	12	6	66	31	22	4	7	11
121	Appendicitis-----	313	116	64	42	16	51	22	129	43	40	45
122a	Hernia-----	59	21	13	6	2	12	5	25	8	7	10
122b	Intestinal obstruction-----	157	49	33	16	11	34	14	31	6	11	14
123	Other diseases of intestines-----	35	11	9	3	1	6	5	7	2	2	3
124	Cirrhosis of liver-----	128	35	17	11	5	42	18	54	12	4	18
125a	Yellow atrophy of liver-----	9	3	1	1	-----	3	1	4	1	1	2
125b	Other diseases of liver-----	25	2	11	2	1	6	3	5	2	2	1
126	Biliary calculi-----	35	21	2	1	7	4	25	9	9	9	7
127	Other diseases of gall-bladder, biliary passages-----	56	21	5	5	2	18	5	22	6	8	9
128	Diseases of pancreas-----	9	5	-----	3	-----	-----	1	1	1	-----	-----
129	Peritonitis, cause not specified-----	45	11	9	3	6	10	6	5	2	3	-----
X.—Diseases of the genitourinary system-----												
		3,494	561	420	227	116	1,463	707	416	85	68	263
130	Acute nephritis (including unspecified under 10 years)-----	202	29	32	22	21	55	44	20	3	2	15
131	Chronic nephritis-----	2,617	371	287	153	73	1,190	543	271	38	41	192
132	Nephritis, unspecified (10 years and over)-----	275	33	27	14	8	122	71	41	6	4	31
133	Other diseases of kidneys, ureters, etc.*-----	108	29	10	11	1	37	20	15	8	2	5
134	Calculi of urinary passages-----	29	21	-----	3	1	4	-----	9	6	1	2
135	Diseases of bladder (except tumors)-----	13	2	4	-----	-----	4	3	4	-----	2	2
136	Diseases of urethra, urinary abscess, etc.-----	11	-----	9	-----	-----	2	-----	2	1	1	-----
137	Diseases of prostate-----	137	51	25	9	4	36	12	46	19	14	13
138	Diseases of male genital organs, not venereal-----	6	2	3	-----	-----	-----	1	-----	-----	-----	-----
139a	Cysts of ovary-----	8	3	3	1	-----	-----	1	1	1	-----	-----
139b	Other diseases of ovaries, etc.*-----	66	17	17	11	4	9	8	2	-----	-----	2
139c	Diseases of uterus-----	21	4	3	3	4	4	3	4	3	-----	1
139d	Nonpuerperal diseases of breast (except cancer)-----	-----	-----	-----	-----	-----	-----	-----	1	-----	1	-----
139e	Other diseases of female genital organs-----	1	-----	-----	-----	-----	-----	1	-----	-----	-----	-----
XI.—Diseases of pregnancy, childbirth, etc.*-----												
		511	112	89	52	36	123	99	73	12	21	40
140	Abortion with septic conditions-----	65	17	15	8	4	11	10	12	2	2	8
141	Abortion without mention of septic conditions, etc.*-----	29	2	8	1	-----	12	6	5	1	2	2
142a	Ectopic gestation, septic conditions specified-----	-----	-----	-----	-----	-----	-----	-----	1	-----	1	-----
142b	Ectopic gestation, septic conditions not mentioned-----	12	5	4	-----	2	-----	1	4	-----	1	3
143	Other accidents of pregnancy (except hemorrhage)-----	4	2	-----	-----	-----	1	1	-----	-----	-----	-----
144a	Placenta prævia-----	13	3	2	3	1	4	-----	1	-----	-----	1
144b	Other puerperal hemorrhages-----	39	10	4	5	1	10	9	6	1	1	4
145a	Puerperal septicemia and pyæmia (see exceptions)*-----	84	17	23	7	5	18	14	24	5	8	11
145b	Puerperal tetanus (see exceptions)*-----	3	-----	1	2	-----	-----	-----	-----	-----	-----	-----
145	Puerperal albuminuria and eclampsia-----	142	30	18	18	11	32	33	7	1	1	5
147	Other toxæmias of pregnancy-----	30	9	3	4	4	3	7	3	1	1	1
148	Puerperal phlegmasia alba dolens, embolus, etc.*-----	23	4	1	1	2	11	4	3	-----	-----	3
149	Other accidents of childbirth-----	67	13	10	3	6	21	14	6	-----	4	2
150	Other and unspecified conditions of puerperal state-----	-----	-----	-----	-----	-----	-----	-----	1	1	-----	-----
XII.—Diseases of the skin and cellular tissue-----												
		70	17	4	9	5	19	17	5	1	-----	4
151	Furuncle, carbuncle-----	20	9	-----	4	-----	4	3	1	-----	-----	1
152	Phlegmon, acute abscess-----	21	4	2	3	3	4	5	2	1	-----	1
153	Other diseases of skin and annexa, etc.*-----	29	4	2	2	2	10	9	2	-----	-----	2
XIII.—Diseases of the bones, etc.*-----												
		45	13	8	5	1	12	6	6	-----	2	4
154	Osteomyelitis-----	30	9	5	3	1	8	4	5	-----	2	3
155	Other diseases of bones (except tuberculosis)-----	2	-----	2	-----	-----	-----	-----	-----	-----	-----	-----
156	Diseases of joints, other organs of locomotion-----	13	4	1	2	-----	4	2	1	-----	-----	1
XIV.—Congenital malformations-----												
		322	77	13	22	6	176	28	68	12	5	51
157a	Congenital hydrocephalus-----	41	6	2	2	2	23	6	7	1	1	5
157b	Spina bifida and meningocele-----	24	7	2	2	-----	10	3	5	1	-----	4
157c	Congenital malformations of heart-----	179	46	6	10	3	102	12	37	4	2	31
157d	Other congenital malformations-----	78	18	3	8	1	41	7	19	6	2	11
XV.—Diseases of early infancy-----												
		2,253	362	208	153	37	918	575	330	53	49	216
158	Congenital debility-----	272	19	29	14	6	90	114	28	2	2	24
159	Premature birth-----	1,519	226	135	89	22	669	378	198	39	31	128
160	Injury at birth-----	331	95	28	38	6	111	53	77	18	10	49
161	Other diseases peculiar to early infancy-----	131	22	16	12	3	48	30	27	4	6	17

* Refer to complete International List titles.

MORTALITY STATISTICS

TABLE 6.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE.

List no.	CAUSE OF DEATH	NORTH CAROLINA						NORTH DAKOTA				
		Total deaths	Cities of—				Rural		Total deaths	Cities of—		Rural
			10,000 or more		2,500 to 10,000		White	Other races		10,000 or more	2,500 to 10,000	
			White	Other races	White	Other races						
162	XVI.—Senility-----	296	13	6	7	3	136	131	72	5	7	60
	XVII.—Violent and accidental deaths-----	3,074	570	358	341	156	1,150	489	478	100	88	290
163-171	Suicide-----	272	62	9	33	1	152	15	72	21	7	44
163	Suicide by solid or liquid poisons, etc."-----	44	25	2	3	1	11	2	12	3	1	3
164	Suicide by poisonous gas-----	8	4	2	-----	-----	2	-----	3	1	-----	2
165	Suicide by hanging or strangulation-----	20	3	1	3	-----	11	2	16	2	1	13
166	Suicide by drowning-----	10	-----	2	2	-----	5	1	6	2	-----	4
167	Suicide by firearms-----	172	24	2	21	-----	116	9	32	5	5	22
168	Suicide by cutting or piercing instruments-----	13	3	-----	4	-----	6	-----	1	1	-----	-----
169	Suicide by jumping from high places-----	2	2	-----	-----	-----	-----	-----	2	-----	-----	-----
170	Suicide by crushing-----	2	1	-----	-----	-----	-----	-----	-----	-----	-----	-----
171	Suicide by other means-----	1	-----	-----	-----	-----	1	-----	-----	-----	-----	-----
172-175	Homicide-----	391	23	140	20	45	76	87	16	3	1	12
173	Homicide by firearms-----	244	15	86	10	31	49	53	13	3	1	9
174	Homicide by cutting or piercing instruments-----	66	3	33	6	6	7	11	1	-----	-----	1
175	Homicide by other means-----	31	5	21	4	8	20	23	2	-----	-----	2
176-198	Accidental, other, or undefined-----	2,411	485	219	288	110	922	387	390	76	80	234
176	Attack by venomous animals-----	3	1	-----	-----	1	1	-----	-----	-----	-----	-----
177	Poisoning by food-----	29	2	7	1	5	7	7	3	1	-----	2
178	Accidental absorption of poisonous gas-----	9	4	1	1	-----	2	1	6	2	-----	4
	Not associated with symbols 201-214-----	8	3	1	1	-----	2	1	6	2	-----	4
	Associated with symbols 201-214-----	1	1	-----	-----	-----	-----	-----	-----	-----	-----	-----
179	Other accidental poisonings (except gas)-----	31	8	2	3	1	10	7	6	-----	3	3
180	Conflagration-----	49	5	3	2	5	27	7	3	1	-----	2
181	Accidental burns (except conflagration)-----	200	33	26	23	12	67	39	34	9	9	16
	Not associated with symbols 201-214-----	188	33	25	21	12	59	38	29	7	7	15
	Associated with symbols 201-214-----	12	-----	1	2	-----	8	1	5	2	2	1
182	Accidental mechanical suffocation-----	66	9	4	4	3	20	26	1	-----	1	-----
	Not associated with symbols 201-214-----	66	9	4	4	3	20	26	1	-----	1	-----
	Associated with symbols 201-214-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----
183	Accidental drowning-----	147	3	9	3	3	83	46	35	4	3	28
	Not associated with symbols 201-214-----	112	3	7	2	3	58	39	30	3	3	24
	Associated with symbols 201-214-----	35	-----	2	1	-----	25	7	5	1	-----	4
184	Traumatism by firearms-----	115	13	13	10	5	46	28	20	1	7	12
185	Traumatism by cutting or piercing instruments-----	35	6	3	4	5	10	7	13	3	1	9
	Not associated with symbols 201-214-----	24	5	2	2	2	5	7	9	2	1	6
	Associated with symbols 201-214-----	11	-----	1	2	3	5	-----	4	1	-----	3
186a	Traumatism by fall-----	378	52	27	49	11	180	29	73	19	13	42
	Not associated with symbols 201-214-----	289	66	19	36	3	149	16	53	15	11	27
	Associated with symbols 201-214-----	89	16	8	13	8	31	13	20	3	2	15
186b	Traumatism by crushing, landslide-----	227	46	15	36	8	86	34	37	6	9	22
	Not associated with symbols 201-214-----	15	2	2	2	1	6	2	1	-----	-----	1
	Associated with symbols 201-214-----	212	44	13	34	7	82	32	36	6	9	21
187	Cataclysm-----	5	-----	-----	-----	-----	4	1	7	-----	-----	7
188	Injuries by animals-----	17	6	1	2	-----	7	1	4	2	-----	2
189	Hunger and thirst-----	1	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----
190	Excessive cold-----	12	1	1	-----	2	3	5	8	-----	-----	8
191	Excessive heat-----	13	1	3	1	-----	4	4	2	-----	1	1
192	Lightning-----	16	1	-----	-----	1	4	6	5	-----	-----	5
193	Accidents due to electric currents-----	20	4	-----	-----	1	12	3	5	-----	1	4
	Not associated with symbols 201-214-----	16	4	-----	-----	1	8	3	5	-----	1	4
	Associated with symbols 201-214-----	4	-----	-----	-----	-----	4	-----	-----	-----	-----	-----
194a	Foreign bodies-----	18	7	1	1	1	6	2	5	1	1	3
	Not associated with symbols 201-214-----	18	7	1	1	1	6	2	5	1	1	3
	Associated with symbols 201-214-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----
194b	Other accidents-----	1,009	248	98	148	46	327	132	123	28	31	64
	Not associated with symbols 201-214-----	153	32	20	13	7	51	30	24	1	9	14
	Associated with symbols 201-214-----	856	216	78	135	39	286	102	99	27	22	50
195	Violent deaths of unknown nature-----	1	-----	-----	-----	-----	-----	1	-----	-----	-----	-----
196	Wounds of war-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----
197	Execution of civilians by belligerent armies-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----
198	Legal executions-----	10	5	5	-----	-----	-----	-----	-----	-----	-----	-----
	XVIII.—Ill-defined causes of death-----	1,100	42	102	35	32	457	432	54	3	3	48
199	Sudden death-----	176	5	14	9	5	89	54	8	1	1	6
200a	Cause of death ill-defined-----	204	14	28	13	5	142	102	25	1	1	23
200b	Cause of death not specified or unknown-----	620	23	60	13	22	226	276	81	1	1	19

Symbol Supplemental Classification

Deaths tabulated under List numbers 179, 181, 182, with symbols 201-214,* are re-tabulated in

201	Accidents in mines and quarries-----	8	-----	1	-----	-----	6	1	-----	-----	-----	-----
202	Accidents from agricultural machinery-----	7	-----	-----	1	-----	4	2	13	2	3	8
203	Elevator accidents-----	3	3	-----	-----	-----	-----	-----	1	-----	-----	1
204	Accidents from machinery used for recreation-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----
205	Other machinery accidents-----	30	6	3	3	4	10	4	5	1	1	3
206	Railroad and automobile collisions-----	36	8	4	7	-----	15	2	2	1	-----	1
207	Other railroad accidents-----	100	19	13	17	5	24	22	13	3	6	4
208	Street car and automobile collisions-----	2	1	-----	1	-----	-----	-----	1	-----	-----	1
209	Other street car accidents-----	7	-----	-----	-----	-----	-----	-----	1	1	-----	-----
210	Automobile accidents (primary)-----	965	230	78	148	48	349	112	107	26	23	58
211	Motor-cycle accidents-----	12	7	-----	1	-----	4	7	-----	-----	-----	-----
212	Other land transportation accidents-----	22	1	2	5	-----	7	6	22	5	1	16
213	Water transportation accidents-----	30	1	2	2	-----	19	6	3	1	-----	2
214	Air transportation accidents-----	5	1	-----	1	-----	3	-----	1	-----	1	-----

* Refer to complete International List titles.

MORTALITY STATISTICS

TABLE 6.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE.

List no.	CAUSE OF DEATH	RHODE ISLAND				SOUTH CAROLINA								
		Total deaths	Cities of—		Rural	Total deaths	Cities of—				Rural			
			10,000 or more	2,500 to 10,000			10,000 or more	2,500 to 10,000	White				Other races	
									White	Other races			White	Other races
	Total deaths (all causes)-----	7,836	6,923	336	579	20,353	2,614	2,531	945	920	5,591	7,748		
	I.—Infectious and parasitic diseases-----	542	424	101	17	3,321	285	437	98	158	741	1,612		
1	Typhoid fever-----	2	2	---	---	194	21	26	5	9	26	101		
2	Paratyphoid fever-----	---	---	---	---	?	?	---	---	---	---	---		
3	Typhus fever-----	---	---	---	---	3	1	---	---	---	1	1		
4	Relapsing fever-----	---	---	---	---	---	---	---	---	---	---	---		
5	Undulant fever-----	---	---	---	---	---	---	---	---	---	---	---		
6	Smallpox-----	---	---	---	---	---	---	---	---	---	---	---		
7	Measles-----	7	7	---	---	23	1	---	---	1	5	16		
8	Scarlet fever-----	3	3	---	---	7	2	---	2	---	---	---		
9	Whooping-cough-----	8	8	---	---	174	15	11	9	2	34	103		
10	Diphtheria-----	5	4	---	1	68	18	5	3	---	24	18		
11a	Influenza, respiratory complications specified-----	43	33	5	5	600	51	57	24	24	213	231		
11b	Influenza, respiratory complications not specified-----	16	14	1	1	253	18	22	7	10	76	120		
12	Cholera-----	---	---	---	---	---	---	---	---	---	---	---		
13	Dysentery-----	---	---	---	---	68	9	3	1	4	19	32		
14	Plague-----	---	---	---	---	---	---	---	---	---	---	---		
15	Erysipelas-----	8	8	---	---	21	9	3	1	---	4	4		
16	Acute poliomyelitis, acute polioencephalitis-----	23	23	---	---	13	2	---	---	1	7	3		
17	Lethargic or epidemic encephalitis-----	1	1	---	---	6	4	---	2	---	1	1		
18	Epidemic cerebrospinal meningitis-----	17	17	---	---	23	9	8	1	---	2	3		
19	Glanders-----	---	---	---	---	---	---	---	---	---	---	---		
20	Anthrax (bacillus anthracis) malignant pustule-----	---	---	---	---	---	---	---	---	---	---	---		
21	Rabies-----	---	---	---	---	9	3	1	3	1	1	---		
22	Tetanus-----	2	2	---	---	25	5	7	3	1	2	7		
23-32	Tuberculosis (all forms)-----	345	245	95	5	999	66	137	15	59	161	521		
23	Tuberculosis of respiratory system-----	305	205	95	5	937	57	140	14	56	172	498		
24	Tuberculosis of meninges and central nervous system-----	17	17	---	---	9	2	2	---	---	2	3		
25	Tuberculosis of intestines and peritoneum-----	6	6	---	---	22	3	4	1	2	2	10		
26	Tuberculosis of vertebral column-----	4	4	---	---	4	1	---	---	---	1	2		
27a	Tuberculosis of bones (see exceptions)*-----	1	1	---	---	1	---	1	---	---	---	---		
27b	Tuberculosis of joints-----	2	2	---	---	1	1	---	---	---	---	---		
28	Tuberculosis of skin, etc.*-----	---	---	---	---	---	---	---	---	---	---	---		
29	Tuberculosis of lymphatic system, etc.*-----	1	1	---	---	3	---	3	---	---	---	---		
30	Tuberculosis of genitourinary system-----	3	3	---	---	4	1	---	---	---	1	2		
31	Tuberculosis of other organs-----	---	---	---	---	---	---	---	---	---	---	---		
32a	Tuberculosis, acute disseminated-----	6	6	---	---	17	---	7	---	1	3	6		
32b,c	Tuberculosis, other disseminated-----	---	---	---	---	1	1	---	---	---	---	---		
33	Leprosy-----	---	---	---	---	---	---	---	---	---	---	---		
34	Syphilis-----	54	49	---	5	327	18	117	2	27	21	142		
35	Gonococcus infection and other venereal diseases-----	---	---	---	---	31	5	10	1	5	4	6		
36	Furulent infection, septicemia (nonpuerperal)-----	2	2	---	---	16	3	5	1	---	2	5		
37	Yellow fever-----	---	---	---	---	---	---	---	---	---	---	---		
38	Malaria-----	---	---	---	---	430	22	4	8	13	112	271		
39	Other diseases due to protozoal parasites-----	---	---	---	---	1	---	1	---	---	---	---		
40	Ankylostomiasis-----	---	---	---	---	---	---	---	---	---	---	---		
41a	Hydatid cysts of liver-----	---	---	---	---	---	---	---	---	---	---	---		
41b	Hydatid cysts of other organs-----	---	---	---	---	---	---	---	---	---	---	---		
42	Other diseases caused by helminths-----	---	---	---	---	5	---	---	---	1	---	4		
43	Mycoses-----	2	2	---	---	19	1	---	---	---	---	18		
44	Other infectious and parasitic diseases-----	4	4	---	---	8	---	---	---	---	3	5		
	II.—Cancers and other tumors-----	1,035	907	48	80	945	164	92	61	31	347	230		
45-53	Cancer and other malignant tumors-----	1,000	875	48	77	904	179	81	59	26	340	219		
45	Cancer of buccal cavity and pharynx-----	40	34	2	4	33	5	3	3	---	12	10		
	Buccal cavity-----	31	28	1	2	23	4	3	2	---	9	5		
	Pharynx-----	9	6	1	2	10	1	---	1	---	3	5		
46	Cancer of digestive tract and peritoneum-----	503	450	21	32	354	68	29	23	12	128	94		
	Esophagus-----	16	15	1	---	12	4	5	---	---	2	1		
	Stomach and duodenum-----	179	167	3	9	144	20	8	9	7	50	50		
	Liver and biliary passages-----	75	57	7	11	75	9	4	3	2	28	19		
	Pancreas-----	26	23	2	1	20	7	2	2	---	8	1		
	Other digestive tract and peritoneum-----	207	188	8	11	103	28	10	9	3	30	23		
47	Cancer of respiratory system-----	63	53	6	4	18	7	2	3	---	6	---		
48	Cancer of uterus-----	97	89	6	2	205	30	22	13	9	72	59		
49	Cancer of other female genital organs-----	19	18	---	1	17	5	2	---	---	9	1		
50	Cancer of breast-----	96	78	2	16	81	24	6	5	3	28	15		
51	Cancer of male genitourinary organs-----	30	29	5	5	52	10	6	4	1	20	11		
52	Cancer of skin-----	20	17	1	2	30	6	1	1	---	17	5		
53	Cancer of other unspecified organs-----	82	67	4	11	114	24	10	7	1	43	24		
54a	Nonmalignant tumors, ovary-----	---	---	---	---	1	---	1	---	---	---	---		
54b	Nonmalignant tumors, uterus-----	16	14	---	2	19	---	7	1	5	2	4		
54c	Nonmalignant tumors, other female genital organs-----	---	---	---	---	---	---	---	---	---	---	---		
54d,e	Nonmalignant tumors, other organs-----	7	7	---	---	5	---	2	---	---	---	3		
55a	Tumors, ovary (nature unspecified)-----	---	---	---	---	---	---	---	---	---	---	---		
55b	Tumors, uterus (nature unspecified)-----	---	---	---	---	---	---	---	---	---	---	---		
55c	Tumors, other female genital organs, etc.*-----	---	---	---	---	---	---	---	---	---	---	---		
55d,e	Tumors, other organs (nature unspecified)-----	12	11	---	1	16	5	1	1	---	5	4		
	III.—Rheumatic diseases, etc.*-----	272	244	9	19	624	102	84	39	37	196	167		
56	Acute rheumatic fever-----	4	4	---	---	29	1	1	---	6	4	17		
57	Chronic rheumatism, osteoarthritis-----	4	4	---	---	10	3	---	1	---	5	1		
58	Gout-----	---	---	---	---	---	---	---	---	---	---	---		

* Refer to complete International List titles.

DEATHS, BY CAUSE, FOR CITIES AND RURAL AREAS

IN EACH STATE, BY CITIES AND RURAL AREAS: 1935—Continued

Table with columns for South Dakota, Tennessee, and Texas, detailing total deaths and breakdowns by city size and race. Includes sub-headers for 'Total deaths', 'Cities of-' (10,000 or more, 2,500 to 10,000, Rural), and 'Total deaths' for each state. Rows list specific death counts for various categories.

TABLE 6.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE.

List no.	CAUSE OF DEATH	RHODE ISLAND				SOUTH CAROLINA						
		Total deaths	Cities of—		Rural	Total deaths	Cities of—				Rural	
			10,000 or more	2,500 to 10,000			10,000 or more	2,500 to 10,000	White	Other races		
											White	Other races
III.—Rheumatic diseases, etc.*—Continued												
59	Diabetes mellitus-----	225	199	8	18	224	58	17	22	4	77	46
60	Scurvy-----											
61	Beriberi-----											
62	Pellagra-----	2	2			298	32	56	12	27	86	85
63	Rickets-----	4	4			4		1	1		1	1
64	Osteomalacia-----	1	1									
65	Diseases of pituitary body-----	2	2									
66a	Simple goiter-----	4	4			3						3
66b	Exophthalmic goiter-----	15	14		1	20	4	6			5	5
66c-e	Other diseases of thyroid and parathyroid glands-----	2	2			11	2				5	4
67	Diseases of thymus gland-----	4	4			10	2		2		5	1
68	Diseases of adrenals (see exceptions)*-----	5	4	1		1		1				
69	Other general diseases-----					14		2			8	4
IV.—Diseases of the blood and blood-making organs-----												
70	Hemorrhagic conditions-----	48	46	1	1	70	20	3	3	5	25	14
71a	Fernicious anemia-----	3	3			11	1	1	1	2	5	1
71b	Other anemias-----	16	14	1	1	21	5			1	8	7
72a	True leukemias-----	5	5			9	2	1			4	2
72b	Pseudoleukemias (Hodgkin's disease)-----	12	12			16	10		1		4	1
73	Diseases of the spleen-----	11	11			11	1	1	1	2	3	3
74	Other diseases of blood and blood-making organs-----	1	1			2	1				1	
V.—Chronic poisonings and intoxications-----												
75	Alcoholism (acute or chronic)-----	19	19			47	10	9	1	3	14	10
76	Chronic poisoning by other organic substances-----	15	15			45	9	9	1	3	13	10
77a	Chronic lead poisoning-----	1	1			2	1				1	
77b,c	Other chronic poisoning by mineral substances-----	2	2									
VI.—Diseases of the nervous system, etc.*-----												
78	Encephalitis (non-epidemic)-----	792	586	33	73	2,125	244	343	98	100	595	745
79a	Simple meningitis-----	4	4			33	6	3		4	1	9
79b	Non-epidemic cerebrospinal meningitis-----	13	13			26	11	7			2	6
80	Progressive locomotor ataxia (tabes dorsalis)-----	4	3		1	8	1	2	2	1	1	1
81	Other diseases of spinal cord-----	5	5			12		2	2	1	3	4
82a	Cerebral hemorrhage-----	23	21	1	1	29	6	1	2	6	11	3
82b	Cerebral embolism and thrombosis-----	581	493	29	59	1,480	140	230	73	73	448	511
82c	Softening of brain-----	75	70	1	4	67	15	9	7	3	23	10
82d	Hemiplegia and other paralysis, cause unspecified-----	5	4		1	5	1				4	
83	General paralysis of insane-----	1	1			233	4	14	3	5	57	150
84	Dementia praecox and other psychoses-----	23	22	1		53	14	35		1	1	2
85	Epilepsy-----	34	11	17	1	61	12	14	2	1	15	14
86	Convulsions (under 5 years)-----	13	9		4							
87	Other diseases of nervous system-----	4	4			23	3	1	1		3	15
88	Diseases of organs of vision-----	25	21	1	3	34	7	4	1	1	10	11
89a	Diseases of ear-----	1	1			2					1	1
89b	Diseases of mastoid process-----	6	6			13	6	3		1	2	1
		9	9			12	7	1			1	3
VII.—Diseases of the circulatory system-----												
90	Pericarditis-----	2,389	2,132	72	185	3,536	533	503	189	168	1,105	1,038
91a	Acute endocarditis-----					6		1		1	1	3
91b	Endocarditis, unspecified (under 45 years)-----	12	11	1		25	2	7	1	2	4	9
92a	Endocarditis, specified as chronic, and other valvular-----					15	2	1	1	3	4	5
92b	Endocarditis, unspecified (45 years and over)-----	315	275	14	27	522	38	93	20	45	180	250
93a	Acute myocarditis-----	8	8			72	5	16		6	23	22
93b	Myocarditis, unspecified (under 45 years)-----	18	17	1		29	2	5	2	2	7	11
93c	Chronic myocarditis and myocardial degeneration-----	2	2			32		10	1	4	4	13
93d	Other diseases of myocardium-----	841	755	27	59	491	99	65	37	20	172	99
94a	Angina pectoris-----	111	106	3	2	361	69	31	15	31	128	87
94b	Diseases of coronary arteries-----	117	102	3	12	367	69	47	24	4	156	67
95a	Functional diseases of heart-----	344	303	10	31	251	86	17	29	7	88	24
95b	Other and unspecified diseases of heart-----	4	2		2	7	1		1		4	1
96	Aneurysm (except of heart)-----	472	436	6	30	1,004	118	163	43	33	269	378
97	Arteriosclerosis (except coronary arteries)-----	10	9		1	21	6	4		2	3	6
98	Gangrene-----	123	97	7	19	156	33	40	9	5	43	26
99	Other diseases of arteries-----	3	1		2	12	2	3		2	2	3
100	Diseases of veins, etc.*-----	5	5			10	1	1	2		5	1
101	Diseases of lymphatic system (lymphangitis, etc.)-----	3	3			6	1		3		2	
102	Idiopathic anomalies of blood-pressure-----	4				4		2			2	
103	Other diseases of circulatory system-----					40		2	1		7	30
						4					1	3
VIII.—Diseases of the respiratory system-----												
104a	Diseases of nasal fossae-----	592	521	18	53	1,814	239	252	92	79	471	681
104b	Diseases of nasal fossae and annexa-----					59				2	4	52
105	Diseases of larynx-----					4	5				1	1
105a	Acute bronchitis-----	1	1			2			1			
105b	Chronic bronchitis-----	14	12	1	1	6	2	1			3	1
106a	Bronchitis, unspecified-----	4	3		1	10	4	1	2		1	2
106b,d	Bronchopneumonia-----	1	1			7					1	5
107a	Capillary bronchitis-----	186	169	5	12	493	81	68	25	20	144	145
107b	Lobar pneumonia-----					1		1				
108	Pneumonia, unspecified-----	345	303	11	34	882	121	164	59	49	255	234
109		1			1	285	11	10	4	4	38	218

* Refer to complete International List titles.

TABLE 6.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE,

List no.	CAUSE OF DEATH	RHODE ISLAND				SOUTH CAROLINA						
		Total deaths	Cities of—		Rural	Total deaths	Cities of—				Rural	
			10,000 or more	2,500 to 10,000			10,000 or more	2,500 to 10,000	White	Other races	White	Other races
VIII.—Diseases of the respiratory system—Continued												
110	Fleurisy-----	13	11	1	1	28	6	2	1	2	9	6
111a	Pulmonary embolism and thrombosis-----	5	4	1	1	3	2	2	2	2	2	1
111b	Pulmonary congestion, edema, hemorrhagic infarct-----	4	3	1	1	13	1	2	2	2	9	1
112	Asthma-----	8	7	1	1	22	3	3	3	3	4	12
113	Pulmonary emphysema-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----
114	Other diseases of respiratory system (except tuberculosis)-----	6	6	-----	-----	10	2	-----	-----	2	2	4
IX.—Diseases of the digestive system-----												
115a	Diseases of pharynx and tonsils-----	23	22	-----	3	74	17	11	4	2	16	24
115b	Diseases of buccal cavity and annexa-----	7	5	1	-----	13	2	2	2	-----	1	6
116	Diseases of esophagus-----	-----	-----	-----	-----	4	-----	-----	-----	-----	2	-----
117a	Ulcer of stomach-----	27	5	-----	1	42	7	9	2	6	4	14
117b	Ulcer of duodenum-----	25	25	-----	-----	13	10	1	1	-----	4	2
118	Other diseases of stomach (except cancer)-----	5	5	-----	3	115	4	7	-----	6	16	51
119	Diarrhea, enteritis (under 2 years)-----	35	35	-----	1	407	55	40	20	17	127	150
120	Diarrhea, enteritis (2 years and over)-----	12	10	-----	2	76	8	10	4	3	23	30
121	Appendicitis-----	34	32	-----	2	135	40	30	13	9	24	20
122a	Hernia-----	52	50	-----	2	27	7	6	1	3	3	7
122b	Intestinal obstruction-----	24	22	-----	2	77	21	17	2	7	10	20
123	Other diseases of intestines-----	8	8	-----	-----	11	1	3	-----	-----	3	4
124	Cirrhosis of liver-----	55	48	2	5	60	10	8	4	4	20	14
125a	Yellow atrophy of liver-----	3	2	-----	1	6	2	-----	-----	-----	2	2
125b	Other diseases of liver-----	2	2	-----	-----	13	3	2	2	-----	4	7
126	Biliary calculi-----	46	44	-----	2	16	9	1	-----	-----	4	2
127	Other diseases of gall-bladder, biliary passages-----	21	20	-----	1	29	8	-----	7	2	10	2
128	Diseases of pancreas-----	5	5	-----	-----	9	5	-----	1	1	-----	2
129	Peritonitis, cause not specified-----	5	5	-----	-----	23	9	4	-----	2	2	6
X.—Diseases of the genitourinary system-----												
130	Acute nephritis (including unspecified under 10 years)-----	13	11	1	1	90	7	16	3	1	17	46
131	Chronic nephritis-----	537	517	28	42	1,404	173	149	65	39	510	413
132	Nephritis, unspecified (10 years and over)-----	8	8	-----	-----	227	21	20	9	12	71	94
133	Other diseases of kidneys, ureters, etc.*-----	15	15	-----	-----	107	21	7	11	2	17	49
134	Calculi of urinary passages-----	10	9	-----	1	10	3	1	-----	1	5	-----
135	Diseases of bladder (except tumors)-----	3	3	-----	-----	15	2	-----	-----	1	6	6
136	Diseases of urethra, urinary abscess, etc.-----	-----	-----	-----	-----	8	-----	3	-----	-----	-----	5
137	Diseases of prostate-----	34	32	-----	2	64	14	12	6	3	15	14
138	Diseases of male genital organs, not venereal-----	2	2	-----	-----	1	-----	-----	-----	-----	1	-----
139a	Cysts of ovary-----	5	5	-----	-----	4	3	1	-----	-----	-----	-----
139b	Other diseases of ovaries, etc.-----	5	5	-----	-----	43	6	13	3	3	5	13
139c	Diseases of uterus-----	3	3	-----	-----	15	6	1	2	1	4	1
139d	Nonpuerperal diseases of breast (except cancer)-----	-----	-----	-----	-----	1	-----	-----	-----	-----	-----	1
139e	Other diseases of female genital organs-----	1	1	-----	-----	3	-----	1	-----	-----	-----	2
XI.—Diseases of pregnancy, childbirth, etc.*-----												
140	Abortion with septic conditions-----	11	11	-----	-----	23	4	4	1	1	7	6
141	Abortion without mention of septic conditions, etc.*-----	4	3	-----	1	15	2	2	1	-----	6	4
142a	Ectopic gestation, septic conditions specified-----	-----	-----	-----	-----	1	1	-----	-----	-----	-----	-----
142b	Ectopic gestation, septic conditions not mentioned-----	2	2	-----	-----	3	-----	2	-----	-----	-----	1
143	Other accidents of pregnancy (except hemorrhage)-----	-----	-----	-----	-----	2	-----	-----	-----	-----	-----	2
144a	Placenta previa-----	1	1	-----	-----	12	1	1	-----	1	3	6
144b	Other puerperal hemorrhages-----	1	1	-----	-----	25	3	1	-----	2	7	12
145a	Puerperal septicemia and pyemia (see exceptions)*-----	5	5	-----	-----	99	10	23	5	8	13	29
145b	Puerperal tetanus (see exceptions)-----	-----	-----	-----	-----	1	-----	-----	-----	-----	-----	1
145c	Puerperal albuminuria and eclampsia-----	10	10	-----	-----	122	14	15	10	10	19	54
147	Other toxemias of pregnancy-----	-----	-----	-----	-----	19	5	4	2	1	3	3
148	Puerperal phlegmasia alba dolens, embolus, etc.*-----	5	5	-----	-----	8	-----	2	1	-----	3	2
149	Other accidents of childbirth-----	6	5	-----	1	69	3	4	2	1	10	48
150	Other and unspecified conditions of puerperal state-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----
XII.—Diseases of the skin and cellular tissue-----												
151	Furuncle, carbuncle-----	-----	-----	-----	-----	12	6	-----	-----	-----	4	2
152	Phlegmon, acute abscess-----	4	4	-----	-----	7	3	-----	2	-----	-----	2
153	Other diseases of skin and annexa, etc.*-----	1	1	-----	-----	10	4	2	-----	-----	1	5
XIII.—Diseases of the bones, etc.*-----												
154	Osteomyelitis-----	6	6	-----	-----	13	4	6	1	1	3	3
155	Other diseases of bones (except tuberculosis)-----	-----	-----	-----	-----	2	1	-----	-----	-----	1	-----
156	Diseases of joints, other organs of locomotion-----	-----	-----	-----	-----	5	1	2	-----	-----	2	-----
XIV.—Congenital malformations-----												
157a	Congenital hydrocephalus-----	15	15	-----	-----	22	2	1	2	1	5	12
157b	Spina bifida and meningocele-----	15	10	-----	5	6	1	-----	1	-----	1	2
157c	Congenital malformations of heart-----	25	25	-----	-----	45	12	1	2	-----	28	2
157d	Other congenital malformations-----	23	23	-----	-----	28	6	2	-----	1	13	6
XV.—Diseases of early infancy-----												
158	Congenital debility-----	7	5	1	1	100	11	31	4	4	15	35
159	Premature birth-----	140	131	3	6	596	79	63	29	25	210	190
160	Injury at birth-----	72	63	1	9	89	21	7	15	2	37	7
161	Other diseases peculiar to early infancy-----	30	23	1	1	93	6	15	6	4	20	37

* Refer to complete International List titles.

MORTALITY STATISTICS

TABLE 6.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE.

List no.	CAUSE OF DEATH	RHODE ISLAND					SOUTH CAROLINA					
		Total deaths	Cities of—			Total deaths	Cities of—				Rural	
			10,000 or more	2,500 to 10,000	Rural		10,000 or more		2,500 to 10,000			
							White	Other races	White	Other races	White	Other races
162	XVI.—Senility-----	16	11	1	4	213	6		1	4	42	160
	XVII.—Violent and accidental deaths-----	500	433	15	52	1,701	301	223	116	68	524	469
163-171	Suicide-----	78	66	2	10	112	35	4	11	1	51	10
163	Suicide by solid or liquid poisons, etc.*-----	7	6		1	21	14	1			6	
164	Suicide by poisonous gas-----	16	14		2	3	3					
165	Suicide by hanging or strangulation-----	23	20		3	5	1		1		3	
166	Suicide by drowning-----	7	6	1		6		2			3	1
167	Suicide by firearms-----	16	12	1	3	68	12	1	10	1	35	8
168	Suicide by cutting or piercing instruments-----	6	5		1	1					1	
169	Suicide by jumping from high places-----				1							
170	Suicide by crushing-----											
171	Suicide by other means-----	3	3			3					2	1
172-175	Homicide-----	11	10		1	266	23	50	10	17	58	98
173	Homicide by firearms-----	3	3			178	21	32	8	7	50	60
174	Homicide by cutting or piercing instruments-----	1	1			57	1	22		3	6	25
175	Homicide by other means-----	7	6	1		31	1	6	2	7	2	13
176-198	Accidental, other, or undefined-----	411	367	13	41	1,323	243	159	95	50	415	361
176	Attack by venomous animals-----	5				5	1			1		3
177	Poisoning by food-----	3	2		1	15	3	1	1		3	8
178	Accidental absorption of poisonous gas-----	15	16			2					1	1
	Not associated with symbols 201-214-----	15	16			2					1	1
	Associated with symbols 201-214-----											
179	Other acute accidental poisonings (except gas)-----	7	7			32	6	8	5		7	6
180	Conflagration-----	8	7		1	27		1	1	1	9	15
181	Accidental burns (except conflagration)-----	20	17	1	2	155	17	32	10	4	34	58
	Not associated with symbols 201-214-----	20	17	1	2	150	16	30	10	4	32	58
	Associated with symbols 201-214-----					5	1	2			2	
182	Accidental mechanical suffocation-----	4	4			20		5		1	8	6
	Not associated with symbols 201-214-----	4	4			20		5		1	8	6
	Associated with symbols 201-214-----											
183	Accidental drowning-----	43	29	3	11	104	7	5	2	3	51	36
	Not associated with symbols 201-214-----	33	25	3	7	68	4	5	2	1	30	26
	Associated with symbols 201-214-----	10	6		4	36	3			2	21	10
184	Traumatism by firearms-----	7	3		4	71	10	8	1	2	27	23
185	Traumatism by cutting or piercing instruments-----	4	3		1	21	4	1		2	2	12
	Not associated with symbols 201-214-----	4	3		1	13	2	1		1	2	7
	Associated with symbols 201-214-----					8	2	2		1	5	5
186a	Traumatism by fall-----	144	128	5	11	166	49	11	22	3	55	24
	Not associated with symbols 201-214-----	134	122	5	7	127	45	6	16	3	44	13
	Associated with symbols 201-214-----	10	6		4	39	4	5	6	2	11	11
186b	Traumatism by crushing, landslides-----	16	16			125	29	10	7	4	46	29
	Not associated with symbols 201-214-----	1	1			7	3				2	2
	Associated with symbols 201-214-----	15	15			118	26	10	7	4	44	27
187	Cataclysm-----	1	1									
188	Injuries by animals-----	4	3		1	9	1	1	1	1	1	4
189	Hunger and thirst-----	1	1			3	1	1				1
190	Excessive cold-----	5	5			10		1		2	1	5
191	Excessive heat-----	2	2			12		1		3	3	5
192	Lightning-----					12					8	4
193	Accidents due to electric currents-----	2	2			10	1	1	2	1	3	2
	Not associated with symbols 201-214-----	2	2			10	1	1	2	1	3	2
	Associated with symbols 201-214-----											
194a	Foreign bodies-----	1	1			4	1		1		1	1
	Not associated with symbols 201-214-----	1	1			4	1		1		1	1
	Associated with symbols 201-214-----											
194b	Other accidents-----	122	109	4	9	513	113	67	42	20	155	116
	Not associated with symbols 201-214-----	15	15			87	13	16	4	4	27	23
	Associated with symbols 201-214-----	107	94	4	9	426	100	51	38	16	128	93
195	Violent deaths of unknown nature-----											
196	Wounds of war-----					1						1
197	Execution of civilians by belligerent armies-----											
198	Legal executions-----					5		5				
	XVIII.—Ill-defined causes of death-----	8	7		1	1,398	17	20	11	30	194	1,126
199	Sudden death-----	2	2			26	1	1		1	13	10
200a	Cause of death ill-defined-----	5	5			204	5	6	3	6	34	150
200b	Cause of death not specified or unknown-----	1			1	1,168	11	13	8	23	147	956

Symbol Supplemental Classification

Deaths tabulated under List numbers 178, 181, 182, with symbols 201-214,* are retabulated in

201	Accidents in mines and quarries-----	1	1			3		2	1			
202	Accidents from agricultural machinery-----					3		1		1	1	
203	Elevator accidents-----	4	4			3	1	1	1		1	
204	Accidents from machinery used for recreation-----											
205	Other machinery accidents-----	7	7			12	2		2	2	3	2
206	Railroad and automobile collisions-----	1	1			31	4	2	1		18	6
207	Other railroad accidents-----	6	6			53	10	4		1	15	23
208	Street car and automobile collisions-----	1	1			1	1					
209	Other street car accidents-----	5	5			1		1				
210	Automobile accidents (primary)-----	106	89	4	13	477	114	54	39	19	149	102
211	Motor-cycle accidents-----					2	1		1			
212	Other land transportation accidents-----	1	1			14		3	5		4	2
213	Water transportation accidents-----	9	5		4	29	3	1		2	12	10
214	Air transportation accidents-----	1	1			4		1	1		3	

* Refer to complete International List titles.

MORTALITY STATISTICS

TABLE 6.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE,

List no.	CAUSE OF DEATH	UTAH			VERMONT			VIRGINIA				
		Total deaths	Cities of—		Rural	Total deaths	Cities of—		Total deaths	Cities of—		
			10,000 or more	2,500 to 10,000			10,000 or more	Rural 1/		10,000 or more	10,000 or more	
											White	Other races
	Total deaths (all causes)-----	5,066	2,463	828	1,775	4,777	897	3,880	30,358	5,902	4,014	
	I.—Infectious and parasitic diseases-----	443	204	75	164	377	64	313	4,287	480	644	
1	Typhoid fever-----	4	2		2	4	1	3	81	8	15	
2	Paratyphoid fever-----								3	1		
3	Typhus fever-----								1			
4	Relapsing fever-----											
5	Undulant fever-----	1			1	1		1	2			
6	Smallpox-----											
7	Measles-----	32	2	5	25	6		6	151	12	6	
8	Scarlet fever-----	62	18	19	25	8	2	6	26	5		
9	Whooping-cough-----	40	13	7	20	13	2	11	216	13	14	
10	Diphtheria-----	7	3	1	3	4	1	3	136	16	4	
11a	Influenza, respiratory complications specified-----	78	40	10	28	80	8	72	584	66	85	
11b	Influenza, respiratory complications not specified-----	39	16	7	16	52	5	47	292	40	28	
12	Cholera-----											
13	Dysentery-----	10	6		4	1		1	92	16	3	
14	Plague-----											
15	Erysipelas-----	17	5	1	11	9	3	6	33	14		
16	Acute poliomyelitis, acute poliomyelitis-----	1	1			7	2	5	49	4	3	
17	Lethargic or epidemic encephalitis-----	3	1	2		2		2	14	4	1	
18	Epidemic cerebrospinal meningitis-----	10	2	5	3	8	3	5	109	18	15	
19	Glanders-----											
20	Anthrax (bacillus anthracis) malignant pustule-----					1		1				
21	Rabies-----								2	1		
22	Tetanus-----					3	2	1	35	9	10	
23-32	Tuberculosis (all forms)-----	90	63	13	14	160	32	128	1,954	205	345	
23	Tuberculosis of respiratory system-----	81	56	12	13	141	30	111	1,768	168	299	
24	Tuberculosis of meninges and central nervous system-----					7	1	5	59	13	12	
25	Tuberculosis of intestines and peritoneum-----	3	3			3	1	2	52	8	20	
26	Tuberculosis of vertebral column-----	2	2						17	4	3	
27a	Tuberculosis of bones (see exceptions)*-----	1	1						4			
27b	Tuberculosis of joints-----					2		2	8	1	2	
28	Tuberculosis of skin, etc.*-----					1	1	1	1			
29	Tuberculosis of lymphatic system, etc.*-----								3		1	
30	Tuberculosis of genitourinary system-----	2		1	1	2		2	12	6		
31	Tuberculosis of other organs-----								2	1	1	
32a	Tuberculosis, acute disseminated-----	1	1			4		4	23	2	7	
32b,c	Tuberculosis, other disseminated-----											
33	Leprosy-----											
34	Syphilis-----	33	25	1	7	10	1	9	295	27	98	
35	Gonococcus infection and other venereal diseases-----	2	1	1					39	11	10	
36	Purulent infection, septicemia (nonpuerperal)-----	5	2	2	1	4	2	2	14	5	3	
37	Yellow fever-----											
38	Malaria-----	1	1						16	5	2	
39	Other diseases due to protozoal parasites-----								2			
40	Ankylostomiasis-----											
41a	Hydatid cysts of liver-----											
41b	Hydatid cysts of other organs-----											
42	Other diseases caused by helminths-----								5			
43	Mycoses-----								13	1	1	
44	Other infectious and parasitic diseases-----	8	3	1	4	4		4	23	1	1	
	II.—Cancers and other tumors-----	468	272	72	124	542	120	422	2,166	605	191	
45-53	Cancer and other malignant tumors-----	439	255	67	117	526	115	411	2,070	580	164	
45	Cancer of buccal cavity and pharynx-----	7	8	1	1	22	3	19	55	17	5	
	Buccal cavity-----	7	5	1	1	19	2	17	44	14	5	
	Pharynx-----					3	1	2	11	3		
46	Cancer of digestive tract and peritoneum-----	199	105	34	60	249	53	196	907	243	65	
	Esophagus-----	4	4			5	2	4	15	10	1	
	Stomach and duodenum-----	100	53	15	32	82	14	68	398	85	29	
	Liver and biliary passages-----	25	15	5	5	42	7	35	123	44	11	
	Pancreas-----	16	6	4	6	18	4	14	53	20	8	
	Other digestive tract and peritoneum-----	54	27	10	17	101	26	75	258	84	16	
47	Cancer of respiratory system-----	25	14	5	6	16	5	11	83	40	2	
48	Cancer of uterus-----	40	25	5	10	53	13	40	295	86	35	
49	Cancer of other female genital organs-----	10	9		1	10	4	6	42	17	5	
50	Cancer of breast-----	53	37	8	8	53	13	40	200	50	16	
51	Cancer of male genitourinary organs-----	47	25	5	17	59	12	47	183	48	19	
52	Cancer of skin-----	11	8	1	2	13	2	11	76	20	1	
53	Cancer of other or unspecified organs-----	47	27	6	12	51	10	41	229	59	16	
54a	Nonmalignant tumors, ovary-----	1	1			2	1	1	3	1		
54b	Nonmalignant tumors, uterus-----	12	8	2	2	4	2	2	36	2	21	
54c	Nonmalignant tumors, other female genital organs-----											
54d,e	Nonmalignant tumors, other organs-----	11	6	2	3	2		2	14	9	2	
55a	Tumors, ovary (nature unspecified)-----								1			
55b	Tumors, uterus (nature unspecified)-----											
55c	Tumors, other female genital organs, etc.*-----											
55d,e	Tumors, other organs (nature unspecified)-----	5	2	1	2	8	2	6	42	13	4	
	III.—Rheumatic diseases, etc.*-----	155	82	20	53	151	42	109	780	193	97	
56	Acute rheumatic fever-----	14	9	1	4	5	2	3	60	11	12	
57	Chronic rheumatism, osteoarthritis-----	7	3	3	1	9	2	7	50	10	7	
58	Gout-----											

1/ Cities under 10,000 in three States (Georgia, Kentucky, and Vermont) are included in the rural.
* Refer to complete International List titles.

MORTALITY STATISTICS

TABLE 6.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE,

List no.	CAUSE OF DEATH	UTAH				VERMONT			VIRGINIA		
		Total deaths	Cities of—		Rural	Total deaths	Cities of—		Total deaths	Cities of—	
			10,000 or more	2,500 to 10,000			of 10,000 or more	Rural 1/		10,000 or more	
										White	Other races
III.—Rheumatic diseases, etc.*—Continued											
59	Diabetes mellitus-----	92	50	7	35	116	34	82	422	125	41
60	Scurvy-----							2			
61	Beriberi-----										
62	Pellagra-----	1	1			3		3	140	21	27
63	Rickets-----	1			1	1		1	15		2
64	Osteomalacia-----										
65	Diseases of pituitary body-----								1		
66a	Simple goiter-----	1			1	1		1	3		1
66b	Exophthalmic goiter-----	27	15	6	6	5	3	2	48	14	4
66c-d	Other diseases of thyroid and parathyroid glands-----	5	2	1	2	3	1	2	19	3	3
67	Diseases of thymus gland-----	5	1	1	3	4		4	11	4	
68	Diseases of adrenals (see exceptions)*-----	2	1	1		3		3	3	2	
69	Other general diseases-----					1		1	6	3	
IV.—Diseases of the blood and blood-making organs-----		35	21	6	8	31	3	28	167	59	15
70	Hemorrhagic conditions-----	8	4	1	3	6	1	5	21	14	
71a	Pernicious anemia-----	11	6	2	3	17	1	16	41	12	5
71b	Other anemias-----	3	1	2					14	3	1
72a	True leukemias-----	12	9	1	2	7	1	6	53	19	7
72b	Pseudoleukemias (Hodgkin's disease)-----					1		1	28	6	2
73	Diseases of the spleen-----	1	1						5	3	
74	Other diseases of blood and blood-making organs-----								5	2	
V.—Chronic poisonings and intoxications-----		12	8	2	2	10	4	6	108	29	19
75	Alcoholism (acute or chronic)-----	9	6	1	2	8	4	4	106	28	19
76	Chronic poisoning by other organic substances-----	1	1						1		
77a	Chronic lead poisoning-----	2	1	1		2		2	1	1	
77b, c	Other chronic poisoning by mineral substances-----										
VI.—Diseases of the nervous system, etc.*-----		379	190	47	142	515	68	447	3,425	580	467
78	Encephalitis (non-epidemic)-----	6	4		2	4	1	3	42	15	9
79a	Simple meningitis-----	5	4		1	3	1	2	70	17	8
79b	Non-epidemic cerebrospinal meningitis-----	4	1	1	2	2	1	1	14	1	
80	Progressive locomotor ataxia (tabes dorsalis)-----	2	1		1	1		1	22	3	5
81	Other diseases of spinal cord-----	11	5	1	5	12	3	9	60	15	8
82a	Cerebral hemorrhages-----	247	109	32	106	424	52	372	2,563	409	389
82b	Cerebral embolism and thrombosis-----	22	12	1	9	22		22	95	36	10
82c	Softening of brain-----	3	2	1		7		7	16	8	
82d	Hemiplegia and other paralysis, cause unspecified-----	9	4	1	4	1		1	134	12	15
83	General paralysis of insane-----	16	14		2	4		4	101	10	3
84	Dementia praecox and other psychoses-----					6	1	5	21	4	3
85	Epilepsy-----	9	6		3	10		9	86	10	4
86	Convulsions (under 5 years)-----	2		1	1	1		1	44	1	2
87	Other diseases of nervous system-----	17	10	4	3	13	3	10	85	15	5
88	Diseases of organs of vision-----								1		
89a	Diseases of ear-----	15	11	4		1		1	34	7	2
89b	Diseases of mastoid process-----	11	7	1	3	4		4	37	16	28
VII.—Diseases of the circulatory system-----		1,095	542	169	384	1,344	201	1,143	6,363	1,353	790
90	Pericarditis-----	3	2		1				15	3	1
91a	Acute endocarditis-----	19	13	2	4	8	3	5	48	5	17
91b	Endocarditis, unspecified (under 45 years)-----	1		1		3	1	2	26	3	12
92a	Endocarditis, specified as chronic, and other valvular-----	203	91	36	76	298	31	267	1,260	152	132
92b	Endocarditis, unspecified (45 years and over)-----	8	5		3	12	2	10	125	19	30
93a	Acute myocarditis-----	31	15	8	8	9	1	8	54	11	18
93b	Myocarditis, unspecified (under 45 years)-----					3		3	21	1	5
93c	Chronic myocarditis and myocardial degeneration-----	405	178	78	149	392	81	311	1,152	310	89
93d	Other diseases of myocardium-----	40	21	5	14	108	16	92	543	131	71
94a	Angina pectoris-----	53	21	12	20	137	18	119	445	121	37
94b	Diseases of coronary arteries-----	159	109	7	43	117	17	100	578	215	65
95a	Functional diseases of heart-----	4	2	1	1	5		5	17	5	
95b	Other and unspecified diseases of heart-----	117	56	12	49	88	10	78	1,469	297	262
96	Aneurysm (except of heart)-----	5	3		2	1		1	43	15	8
97	Arteriosclerosis (except coronary arteries)-----	29	14	4	11	148	18	130	544	53	29
98	Gangrene-----	4	3	1		5		5	31	4	5
99	Other diseases of arteries-----	5	5			4	1	3	32	6	5
100	Diseases of veins, etc.*-----	4	1	2	1	2		1	5		
101	Diseases of lymphatic system (lymphangitis, etc.)-----	1			1	1		1	5	2	
102	Idiopathic anomalies of blood-pressure-----	2	1		1	2	1	1	21		1
103	Other diseases of circulatory system-----	2	2			1		1	9		
VIII.—Diseases of the respiratory system-----		542	246	100	196	430	73	357	2,586	449	465
104a	Diseases of nasal fossae-----	2	1		1				46	2	2
104b	Diseases of nasal fossae and annexa-----	12	11		1	4	3	1	12	3	3
105	Diseases of larynx-----	2			1	3		2	14		2
106a	Acute bronchitis-----	3			3	12	3	9	35	3	5
106b	Chronic bronchitis-----	9	5		3	6	2	4	28	7	
106c, d	Bronchitis, unspecified-----	1	1			5	1	4	24	3	3
107a	Bronchopneumonia-----	196	86	30	80	156	23	133	906	198	143
107b	Capillary bronchitis-----	1	1			1		1	7	3	
108	Lobar pneumonia-----	265	112	62	91	208	29	179	1,215	186	267
109	Pneumonia, unspecified-----	16	5	3	8	10	2	8	132	6	8

1/ Cities under 10,000 in three States (Georgia, Kentucky, and Vermont) are included in the rural.
 * Refer to complete International List titles.

MORTALITY STATISTICS

TABLE 6.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE.

List no.	CAUSE OF DEATH	UTAH			VERMONT			VIRGINIA				
		Total deaths	Cities of—		Rural	Total deaths	Cities of—		Total deaths	Cities of—		
			10,000 or more	2,500 to 10,000			10,000 or more	Rural $\frac{1}{2}$		10,000 or more	White	
											Other races	
VIII.—Diseases of the respiratory system—Continued												
110	Fleurisy-----	11	9	2	-----	7	3	4	36	5	6	
111a	Pulmonary embolism and thrombosis-----	3	2	-----	1	2	1	1	9	5	1	
111b	Pulmonary congestion, edema, hemorrhagic infarct-----	7	5	-----	2	4	1	3	46	12	10	
112	Asthma-----	7	5	-----	2	7	2	5	41	7	8	
113	Pulmonary emphysema-----	-----	-----	-----	-----	1	-----	1	3	1	1	
114	Other diseases of respiratory system (except tuberculosis)-----	8	2	3	3	4	1	3	32	8	6	
IX.—Diseases of the digestive system-----		415	257	66	92	241	74	187	1,606	412	266	
115a	Diseases of pharynx and tonsils-----	40	17	11	12	12	3	9	113	29	9	
115b	Diseases of buccal cavity and annexe-----	6	4	1	1	2	1	1	22	7	4	
116	Diseases of esophagus-----	2	1	-----	1	2	-----	2	3	-----	1	
117a	Ulcer of stomach-----	22	17	3	2	13	5	8	93	20	21	
117b	Ulcer of duodenum-----	14	12	1	1	6	1	5	43	19	5	
118	Other diseases of stomach (except cancer)-----	11	6	-----	5	8	-----	8	82	7	9	
119	Diarrhea, enteritis (under 2 years)-----	25	10	6	9	13	5	8	320	48	49	
120	Diarrhea, enteritis (2 years and over)-----	15	6	1	8	13	5	13	152	14	34	
121	Appendicitis-----	119	53	15	21	56	17	39	251	95	50	
122a	Hernia-----	30	20	6	4	20	10	10	85	33	13	
122b	Intestinal obstruction-----	38	20	10	8	16	5	11	145	39	35	
123	Other diseases of intestines-----	5	4	1	-----	4	2	2	20	6	5	
124	Cirrhosis of liver-----	26	14	3	9	22	4	18	110	42	7	
125a	Yellow atrophy of liver-----	4	2	1	1	-----	-----	-----	9	4	-----	
125b	Other diseases of liver-----	2	1	-----	1	3	-----	3	22	4	3	
126	Biliary calculi-----	24	17	3	4	17	8	9	50	16	1	
127	Other diseases of gall-bladder, biliary passages-----	17	10	4	3	20	8	12	55	25	5	
128	Diseases of pancreas-----	1	1	-----	-----	4	-----	4	7	3	3	
129	Peritonitis, cause not specified-----	14	12	-----	2	5	-----	5	35	11	12	
X.—Diseases of the genitourinary system-----		364	178	56	130	383	77	306	2,830	604	378	
130	Acute nephritis (including unspecified under 10 years)-----	16	4	5	7	8	-----	8	94	15	20	
131	Chronic nephritis-----	274	130	42	102	318	53	265	2,128	450	264	
132	Nephritis, unspecified (10 years and over)-----	10	5	1	4	7	2	5	272	39	33	
133	Other diseases of kidneys, ureters, etc.*-----	11	7	2	2	7	3	4	84	27	15	
134	Calculi of urinary passages-----	2	2	-----	-----	1	-----	-----	22	6	6	
135	Diseases of bladder (except tumors)-----	4	1	-----	3	4	2	2	17	4	-----	
136	Diseases of urethra, urinary abscess, etc.-----	-----	-----	-----	-----	1	1	-----	8	1	3	
137	Diseases of prostate-----	26	16	4	6	23	9	14	142	44	23	
138	Diseases of male genital organs, not venereal-----	2	1	-----	1	1	-----	1	7	-----	1	
139a	Cysts of ovary-----	3	1	-----	2	3	2	1	7	2	1	
139b	Other diseases of ovaries, etc.*-----	7	4	1	2	3	2	1	33	13	9	
139c	Diseases of uterus-----	8	6	1	1	7	2	5	12	4	1	
139d	Nonpuerperal diseases of breast (except cancer)-----	1	1	-----	-----	-----	-----	-----	-----	-----	-----	
139e	Other diseases of female genital organs-----	1	-----	-----	-----	-----	-----	-----	4	-----	2	
XI.—Diseases of pregnancy, childbirth, etc.*-----		59	28	7	24	45	20	25	290	68	60	
140	Abortion with septic conditions-----	10	6	2	2	2	1	1	50	18	12	
141	Abortion without mention of septic conditions-----	1	-----	1	-----	2	-----	2	14	4	-----	
142a	Ectopic gestation, septic conditions specified-----	-----	-----	-----	-----	-----	-----	-----	1	1	-----	
142b	Ectopic gestation, septic conditions not mentioned-----	3	1	-----	2	3	2	1	5	-----	4	
143	Other accidents of pregnancy (except hemorrhage)-----	-----	-----	-----	-----	-----	-----	-----	5	1	-----	
144a	Placenta praevia-----	2	1	-----	1	1	1	-----	12	2	2	
144b	Other puerperal hemorrhages-----	8	3	2	3	3	1	2	22	1	4	
145a	Puerperal septicemia and pyemia (see exceptions)*-----	17	10	1	6	13	9	4	62	15	18	
145b	Puerperal tetanus (see exceptions)*-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	
146	Puerperal albuminuria and eclampsia-----	3	1	-----	2	11	3	8	63	9	11	
147	Other toxemias of pregnancy-----	1	1	-----	1	2	1	1	11	6	2	
148	Puerperal phlegmasia alba dolens, embolus, etc.*-----	7	3	-----	4	2	-----	2	9	4	2	
149	Other accidents of childbirth-----	7	3	1	3	6	2	4	34	7	4	
150	Other and unspecified conditions of puerperal state-----	-----	-----	-----	-----	-----	-----	-----	1	-----	1	
XII.—Diseases of the skin and cellular tissue-----		5	4	1	-----	8	3	5	55	17	8	
151	Furuncle, carbuncle-----	1	1	-----	-----	2	1	1	13	6	-----	
152	Phlegmon, acute abscess-----	1	1	-----	-----	2	1	1	25	8	4	
153	Other diseases of skin and annexe, etc.*-----	3	2	1	-----	4	1	3	17	3	4	
XIII.—Diseases of the bones, etc.*-----		12	9	1	2	6	1	5	35	10	11	
154	Osteomyelitis-----	9	7	1	1	4	-----	4	22	7	8	
155	Other diseases of bones (except tuberculosis)-----	2	1	-----	1	-----	-----	-----	4	-----	2	
156	Diseases of joints, other organs of locomotion-----	1	1	-----	-----	2	1	1	9	3	1	
XIV.—Congenital malformations-----		68	28	13	27	57	15	42	242	66	10	
157a	Congenital hydrocephalus-----	7	3	-----	4	6	2	4	40	13	1	
157b	Spina bifida and meningocele-----	3	1	-----	2	13	2	11	22	11	-----	
157c	Congenital malformations of heart-----	40	16	7	17	24	5	19	95	22	4	
157d	Other congenital malformations-----	18	8	6	4	14	6	8	85	20	5	
XV.—Diseases of early infancy-----		321	133	60	126	162	36	126	1,597	281	158	
158	Congenital debility-----	11	2	1	8	8	1	7	258	15	11	
159	Premature birth-----	222	92	43	87	115	29	86	1,016	195	105	
160	Injury at birth-----	55	26	12	17	23	3	20	219	61	24	
161	Other diseases peculiar to early infancy-----	33	13	4	16	16	3	13	104	20	19	

$\frac{1}{2}$ Cities under 10,000 in three States (Georgia, Kentucky, and Vermont) are included in the rural.
* Refer to complete International List titles.

MORTALITY STATISTICS

TABLE 6.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE.

List no.	CAUSE OF DEATH	UTAH				VERMONT			VIRGINIA		
		Total deaths	Cities of—		Rural	Total deaths	Cities of 10,000 or more	Rural 1/	Total deaths	Cities of—	
			10,000 or more	2,500 to 10,000						10,000 or more	Other races
										White	
162	XVI.—Senility-----	65	20	6	39	48	4	44	346	43	13
	XVII.—Violent and accidental deaths-----	549	229	108	212	410	92	318	2,849	634	376
153-171	Suicide-----	52	34	5	13	59	9	50	338	103	8
163	Suicide by solid or liquid poisons, etc.*-----	14	11	1	2	8	2	6	50	17	2
164	Suicide by poisonous gas-----	2	1	1	1	5	4	1	35	32	---
165	Suicide by hanging or strangulation-----	5	2	1	2	13	1	12	28	1	1
166	Suicide by drowning-----	1	---	---	---	4	---	4	11	---	---
167	Suicide by firearms-----	19	11	2	6	24	1	23	196	47	5
168	Suicide by cutting or piercing instruments-----	5	3	---	2	3	---	3	9	2	---
169	Suicide by jumping from high places-----	4	4	---	---	2	1	1	6	4	---
170	Suicide by crushing-----	1	1	---	---	---	---	---	1	---	---
171	Suicide by other means-----	1	1	---	---	---	---	---	1	---	---
172-175	Homicide-----	24	14	5	5	1	---	1	347	34	117
173	Homicide by firearms-----	14	7	5	2	1	---	1	239	29	69
174	Homicide by cutting or piercing instruments-----	3	2	---	1	---	---	---	63	2	32
175	Homicide by other means-----	7	5	---	2	---	---	---	45	3	16
176-198	Accidental, other, or undefined-----	473	181	98	194	350	83	267	2,164	497	251
176	Attack by venomous animals-----	1	1	---	---	---	---	---	5	1	---
177	Poisoning by food-----	1	---	---	---	4	---	4	12	1	1
178	Accidental absorption of poisonous gas-----	2	2	---	---	3	1	2	6	1	---
	Not associated with symbols 201-214-----	1	1	---	---	3	1	2	5	1	---
	Associated with symbols 201-214-----	1	1	---	---	---	---	---	1	---	---
179	Other acute accidental poisonings (except gas)-----	8	3	1	4	7	2	5	32	9	5
180	Conflagration-----	2	2	---	---	16	2	14	56	5	6
181	Accidental burns (except conflagration)-----	19	9	4	6	12	5	7	165	39	21
	Not associated with symbols 201-214-----	18	8	4	6	12	5	7	144	33	21
	Associated with symbols 201-214-----	1	1	---	---	---	---	---	21	6	---
182	Accidental mechanical suffocation-----	8	3	3	2	7	1	6	34	9	2
	Not associated with symbols 201-214-----	4	3	1	---	7	1	6	33	9	2
	Associated with symbols 201-214-----	4	---	2	2	---	---	---	1	---	---
183	Accidental drowning-----	39	7	6	26	36	5	31	160	14	26
	Not associated with symbols 201-214-----	32	7	5	20	28	5	23	103	11	23
	Associated with symbols 201-214-----	7	---	1	6	8	---	8	57	3	3
184	Traumatism by firearms-----	21	7	5	9	12	6	6	65	13	12
185	Traumatism by cutting or piercing instruments-----	10	4	2	4	5	1	4	37	10	1
	Not associated with symbols 201-214-----	8	4	1	3	2	---	2	27	9	1
	Associated with symbols 201-214-----	2	---	1	1	3	1	2	10	1	---
186a	Traumatism by fall-----	84	45	12	27	116	25	91	399	181	40
	Not associated with symbols 201-214-----	56	40	9	17	110	25	85	323	106	31
	Associated with symbols 201-214-----	18	5	3	10	5	2	4	75	25	9
186b	Traumatism by crushing, landslide-----	54	15	13	26	20	7	13	219	25	14
	Not associated with symbols 201-214-----	4	1	1	2	4	2	2	20	1	1
	Associated with symbols 201-214-----	50	14	12	24	16	5	11	199	24	13
187	Cataclysm-----	---	---	---	---	---	---	---	4	1	---
188	Injuries by animals-----	5	1	1	3	2	---	2	9	3	---
189	Hunger and thirst-----	---	---	---	---	---	---	---	---	---	---
190	Excessive cold-----	2	1	---	1	---	---	---	27	2	3
191	Excessive heat-----	---	---	---	---	---	---	---	11	2	2
192	Lightning-----	---	---	---	---	---	---	---	6	---	---
193	Accidents due to electric currents-----	10	---	2	8	4	1	3	15	2	---
	Not associated with symbols 201-214-----	8	---	2	6	4	1	3	13	1	---
	Associated with symbols 201-214-----	2	---	---	2	---	---	---	2	1	---
194a	Foreign bodies-----	3	3	---	---	3	---	3	14	3	3
	Not associated with symbols 201-214-----	3	3	---	---	3	---	3	14	3	3
	Associated with symbols 201-214-----	---	---	---	---	---	---	---	---	---	---
194b	Other accidents-----	205	78	49	78	103	27	76	866	224	114
	Not associated with symbols 201-214-----	24	5	3	16	18	5	13	103	23	22
	Associated with symbols 201-214-----	181	73	46	62	85	22	63	763	201	92
195	Violent deaths of unknown nature-----	---	---	---	---	---	---	---	1	---	---
196	Wounds of war-----	---	---	---	---	---	---	---	---	---	---
197	Execution of civilians by belligerent armies-----	---	---	---	---	---	---	---	---	---	---
198	Legal executions-----	---	---	---	---	---	---	---	3	2	1
	XVIII.—Ill-defined causes of death-----	79	12	19	48	17	---	17	626	19	46
199	Sudden death-----	5	---	2	3	3	---	3	112	2	2
200a	Cause of death ill-defined-----	52	12	16	24	8	---	8	166	8	24
200b	Cause of death not specified or unknown-----	22	---	1	21	6	---	6	348	9	20

Symbol Supplemental Classification

Deaths tabulated under List numbers 178, 181, 182, with symbols 201-214,* are retabulated in

201	Accidents in mines and quarries-----	22	3	9	10	2	---	2	37	1	---
202	Accidents from agricultural machinery-----	1	---	---	1	1	---	1	8	2	---
203	Elevator accidents-----	1	1	---	---	1	1	---	4	2	1
204	Accidents from machinery used for recreation-----	---	---	---	---	---	---	---	---	---	---
205	Other machinery accidents-----	10	3	1	6	8	1	7	26	3	3
206	Railroad and automobile collisions-----	9	3	---	6	4	---	4	22	8	---
207	Other railroad accidents-----	16	7	2	7	8	2	6	111	17	16
208	Street car and automobile collisions-----	1	1	---	---	---	---	---	2	1	---
209	Other street car accidents-----	1	---	---	---	---	---	---	6	3	1
210	Automobile accidents (primary)-----	178	68	47	63	81	21	60	826	200	91
211	Motor-cycle accidents-----	6	4	1	1	3	1	2	13	8	1
212	Other land transportation accidents-----	12	2	4	6	4	2	2	22	7	1
213	Water transportation accidents-----	4	---	---	4	5	---	5	44	8	3
214	Air transportation accidents-----	5	1	1	3	---	---	---	9	2	---

1/ Cities under 10,000 in three States (Georgia, Kentucky, and Vermont) are included in the rural.
* Refer to complete International List titles.

MORTALITY STATISTICS

TABLE 7.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE.

List no.	CAUSE OF DEATH, SEX, AND RACE	All ages	Under 1 year	1 year	2 years	3 years	4 years	Under 5 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years
	Total deaths (all causes)-----	1,392,752	120,138	16,731	8,491	6,331	5,254	156,945	19,423	17,267	26,872	35,424
	Both sexes-----White-----	1,207,359	97,907	13,311	7,043	5,234	4,415	127,911	16,608	14,245	20,514	26,894
	Negro-----	177,523	20,905	3,016	1,277	993	760	28,951	2,547	2,813	6,055	9,147
	Other races-----	7,870	1,326	404	171	104	78	2,083	268	209	303	353
	Male-----White-----	671,296	56,380	7,177	3,914	2,850	2,322	72,643	9,232	8,314	11,752	14,741
	Negro-----	95,033	11,655	1,613	658	530	390	14,856	1,342	1,460	2,823	4,435
	Other races-----	4,989	750	211	90	55	39	1,154	159	114	165	211
	Female-----White-----	536,061	41,527	6,134	3,129	2,384	2,094	55,268	7,376	5,931	8,762	12,153
	Negro-----	82,490	9,240	1,403	609	463	390	12,095	1,205	1,353	3,227	4,712
	Other races-----	2,881	566	193	81	49	40	929	109	95	138	172
	I.—Infectious and parasitic diseases-----	146,840	12,145	5,225	2,817	2,169	1,681	24,037	5,506	3,989	6,946	10,405
	Male-----White-----	62,465	4,932	2,065	1,224	917	713	9,871	2,389	1,484	2,022	2,920
	Negro-----	18,349	1,580	507	221	187	144	2,639	449	427	931	1,577
	Other races-----	1,391	143	61	46	28	16	294	81	53	89	120
	Female-----White-----	47,755	4,133	2,028	1,075	847	666	8,749	2,100	1,375	2,297	3,587
	Negro-----	16,035	1,271	467	217	168	128	2,251	429	595	1,518	2,108
	Other races-----	845	86	77	34	22	14	233	58	55	89	93
1	Typhoid fever-----	3,442	27	38	31	34	35	165	242	363	502	499
	Male-----White-----	1,410	11	8	7	7	16	49	79	112	194	202
	Negro-----	522	1	5	7	7	4	24	35	58	77	83
	Other races-----	21	-----	-----	-----	-----	-----	-----	2	1	4	4
	Female-----White-----	976	10	19	14	9	11	53	79	112	149	125
	Negro-----	500	4	6	2	10	3	25	44	78	77	85
	Other races-----	13	1	-----	1	1	1	4	3	2	1	-----
2	Paratyphoid fever-----	39	11	6	2	2	3	24	3	3	8	6
	Male-----White-----	45	5	2	1	1	3	12	2	1	3	5
	Negro-----	4	-----	-----	-----	-----	-----	1	-----	-----	-----	-----
	Other races-----	2	-----	-----	-----	-----	-----	-----	-----	-----	1	-----
	Female-----White-----	33	5	3	1	1	-----	10	1	2	3	1
	Negro-----	5	1	-----	-----	-----	-----	1	-----	-----	1	2
3	Typhus fever-----	80	-----	1	-----	1	-----	2	5	3	3	3
	Male-----White-----	47	-----	-----	-----	1	-----	1	1	1	-----	1
	Negro-----	2	-----	-----	-----	-----	-----	-----	-----	-----	-----	1
	Female-----White-----	23	-----	1	-----	-----	-----	1	3	2	-----	-----
	Negro-----	8	-----	-----	-----	-----	-----	-----	1	-----	3	1
4	Relapsing fever-----	2	1	-----	-----	-----	-----	1	-----	-----	-----	-----
	Male-----White-----	1	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----
	Female-----White-----	1	1	-----	-----	-----	-----	1	-----	-----	-----	-----
5	Undulant fever-----	98	4	-----	1	-----	-----	5	2	5	7	8
	Male-----White-----	51	3	-----	1	-----	-----	4	1	2	3	4
	Negro-----	6	-----	-----	-----	-----	-----	-----	-----	1	1	-----
	Female-----White-----	40	1	-----	-----	-----	-----	1	1	2	3	4
	Negro-----	1	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----
6	Smallpox-----	25	3	2	1	-----	1	7	-----	-----	-----	4
	Male-----White-----	15	2	1	-----	-----	1	4	-----	-----	-----	2
	Negro-----	4	-----	-----	-----	-----	-----	-----	-----	-----	-----	2
	Other races-----	1	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----
	Female-----White-----	3	1	1	1	-----	-----	3	-----	-----	-----	-----
	Negro-----	1	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----
	Other races-----	1	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----
7	Measles-----	3,907	798	861	377	238	166	2,440	664	267	155	64
	Male-----White-----	1,786	373	393	177	125	79	1,147	300	132	72	31
	Negro-----	162	67	33	11	8	3	122	17	9	3	5
	Other races-----	101	20	22	15	9	4	70	16	3	5	4
	Female-----White-----	1,649	287	375	156	80	68	966	304	108	63	19
	Negro-----	145	39	25	7	10	7	88	17	13	10	5
	Other races-----	64	12	13	11	6	5	47	10	2	2	-----
8	Scarlet fever-----	2,713	109	187	214	227	207	944	830	296	136	114
	Male-----White-----	1,292	66	94	110	109	100	479	415	143	63	41
	Negro-----	26	-----	3	6	4	2	15	4	3	1	-----
	Other races-----	4	-----	-----	-----	-----	-----	-----	2	2	-----	-----
	Female-----White-----	1,354	42	87	95	112	103	439	393	145	70	72
	Negro-----	37	1	2	3	2	2	10	14	3	-----	1
	Other races-----	5	-----	1	-----	-----	-----	1	2	-----	2	-----
9	Whooping-cough-----	4,753	2,940	986	319	160	86	4,493	185	43	9	5
	Male-----White-----	1,698	1,110	319	96	45	30	1,600	68	13	4	2
	Negro-----	435	298	98	32	22	8	458	20	5	1	1
	Other races-----	43	21	7	9	1	2	40	3	-----	-----	-----
	Female-----White-----	1,975	1,212	419	136	70	35	1,872	75	17	4	1
	Negro-----	495	272	123	40	19	11	470	17	6	-----	1
	Other races-----	57	15	6	3	2	2	53	2	2	-----	-----
10	Diphtheria-----	3,901	311	557	587	503	411	2,349	921	234	73	52
	Male-----White-----	1,770	132	254	286	230	179	1,061	465	94	25	20
	Negro-----	247	30	51	30	29	29	169	49	14	4	2
	Other races-----	11	-----	2	3	2	1	8	2	1	-----	-----
	Female-----White-----	1,659	121	213	219	220	182	960	354	108	42	27
	Negro-----	212	28	32	29	22	20	131	48	17	2	3
	Other races-----	3	-----	-----	-----	-----	-----	-----	3	-----	-----	-----

MORTALITY STATISTICS

TABLE 7.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE.

List no.	CAUSE OF DEATH, SEX, AND RACE	All ages	Under 1 year	1 year	2 years	3 years	4 years	Under 5 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years
	I.—Infectious and parasitic diseases—Con.											
11a	Influenza, respiratory complications specified	18,978	2,048	687	290	199	135	3,339	376	315	557	603
	Male-----White-----	8,290	948	287	125	77	54	1,491	165	121	219	243
	Male-----Negro-----	1,763	253	61	21	20	19	374	34	36	77	79
	Male-----Other races-----	66	18	7	4	---	---	29	3	---	1	2
	Female-----White-----	7,045	625	252	110	81	48	1,116	132	117	173	167
	Female-----Negro-----	1,670	197	52	28	20	14	311	39	40	87	110
	Female-----Other races-----	44	7	9	2	1	---	18	3	1	---	2
11b	Influenza, respiratory complications not specified	9,352	1,125	337	155	117	75	1,809	257	219	218	242
	Male-----White-----	3,789	476	139	76	54	33	777	112	92	88	99
	Male-----Negro-----	795	139	31	9	4	7	190	21	15	27	34
	Male-----Other races-----	28	11	---	1	---	---	12	3	1	---	1
	Female-----White-----	3,828	379	136	58	53	29	655	108	81	84	75
	Female-----Negro-----	895	118	31	10	5	6	170	12	23	37	44
	Female-----Other races-----	17	2	1	1	1	---	5	1	2	1	---
15	Dysentery	2,436	782	329	87	44	37	1,279	51	25	29	29
	Male-----White-----	999	339	133	44	27	15	557	19	9	8	9
	Male-----Negro-----	247	84	36	7	1	4	132	4	3	4	2
	Male-----Other races-----	27	3	7	---	1	1	17	2	---	---	---
	Female-----White-----	908	277	126	33	10	14	460	21	11	9	10
	Female-----Negro-----	240	69	24	2	4	2	101	3	2	8	8
	Female-----Other races-----	16	6	3	1	1	1	12	2	---	---	---
15	Erysipelas	2,106	572	47	19	13	8	659	22	20	38	42
	Male-----White-----	1,066	296	24	7	6	4	329	4	11	19	24
	Male-----Negro-----	46	19	---	1	---	---	20	---	---	3	---
	Male-----Other races-----	6	3	---	---	---	---	3	---	---	---	---
	Female-----White-----	920	245	21	11	7	4	288	17	9	15	17
	Female-----Negro-----	42	15	1	---	---	---	15	1	---	1	1
	Female-----Other races-----	6	2	1	---	---	---	3	---	---	---	---
16	Acute poliomyelitis, acute polioencephalitis	1,040	88	89	50	52	44	323	201	182	110	67
	Male-----White-----	568	38	41	21	26	18	144	113	107	77	43
	Male-----Negro-----	65	13	11	6	2	5	37	13	9	1	1
	Male-----Other races-----	5	---	1	2	---	---	3	2	---	---	---
	Female-----White-----	355	30	25	18	21	19	113	67	60	30	23
	Female-----Negro-----	46	7	10	3	3	2	25	6	6	2	---
	Female-----Other races-----	1	---	1	---	---	---	1	---	---	---	---
17	Lethargic or epidemic encephalitis	857	15	12	16	13	8	62	32	40	31	43
	Male-----White-----	447	5	9	8	7	4	35	20	20	13	25
	Male-----Negro-----	23	---	---	---	---	---	---	1	1	2	1
	Male-----Other races-----	4	---	---	---	---	---	---	---	---	---	1
	Female-----White-----	366	8	3	6	5	4	26	11	19	14	17
	Female-----Negro-----	16	---	---	1	1	---	2	---	---	2	1
	Female-----Other races-----	1	---	1	---	---	---	1	---	---	---	---
18	Epidemic cerebrospinal meningitis	2,657	264	129	107	99	71	670	220	241	352	250
	Male-----White-----	1,474	144	54	49	48	33	329	108	126	221	169
	Male-----Negro-----	276	14	16	6	6	7	49	15	29	50	28
	Male-----Other races-----	16	2	1	1	1	---	5	3	1	1	---
	Female-----White-----	755	89	48	44	36	27	244	81	73	65	43
	Female-----Negro-----	130	14	9	7	8	4	42	12	12	13	12
	Female-----Other races-----	6	1	1	---	---	---	2	1	---	2	---
19	Glanders	2	---	---	---	---	---	---	---	1	---	---
	Male-----White-----	2	---	---	---	---	---	---	---	1	---	---
20	Anthrax (bacillus anthracis) malignant pustule	10	---	---	---	---	---	---	1	---	1	---
	Male-----White-----	6	---	---	---	---	---	---	1	---	---	---
	Male-----Negro-----	1	---	---	---	---	---	---	---	---	---	---
	Male-----Other races-----	1	---	---	---	---	---	---	---	---	1	---
	Female-----White-----	2	---	---	---	---	---	---	---	---	---	---
21	Rabies	77	---	3	3	5	3	14	25	11	4	3
	Male-----White-----	46	---	1	3	1	2	7	16	7	3	3
	Male-----Negro-----	9	---	1	---	---	1	2	4	3	---	---
	Female-----White-----	18	---	1	---	4	---	5	4	1	1	---
	Female-----Negro-----	4	---	---	---	---	---	---	1	---	---	---
22	Tetanus	1,057	151	14	16	24	25	230	173	156	59	52
	Male-----White-----	523	57	5	7	11	11	91	31	101	40	21
	Male-----Negro-----	196	38	3	3	4	4	52	26	25	9	14
	Male-----Other races-----	1	---	---	---	---	---	---	---	---	---	---
	Female-----White-----	262	39	4	5	9	8	35	55	26	6	12
	Female-----Negro-----	75	17	2	1	---	2	22	11	4	4	5
	Tuberculosis (all forms)	70,080	700	568	356	237	200	2,061	744	1,146	4,045	7,406
	Male-----White-----	29,870	253	196	132	79	77	737	235	233	809	1,796
	Male-----Negro-----	9,054	100	74	50	32	25	282	124	163	568	1,148
	Male-----Other races-----	916	35	13	11	13	7	79	40	42	75	104
	Female-----White-----	21,399	214	187	106	74	59	540	206	365	1,394	2,725
	Female-----Negro-----	8,289	80	69	47	31	27	254	109	299	1,121	1,548
	Female-----Other races-----	552	18	29	10	8	4	69	30	44	78	85
23	Tuberculosis of respiratory system	63,488	310	225	127	78	73	813	332	825	3,627	6,976
	Male-----White-----	27,346	96	64	39	20	21	240	76	127	686	1,631
	Male-----Negro-----	8,160	55	34	29	8	15	141	65	121	500	1,056
	Male-----Other races-----	798	17	7	7	7	3	41	22	33	69	96
	Female-----White-----	19,232	89	71	25	24	15	223	84	261	1,274	2,560
	Female-----Negro-----	7,473	44	29	20	15	15	123	65	245	1,026	1,458
	Female-----Other races-----	479	9	20	6	4	4	43	20	38	72	78

DEATHS BY CAUSE, SEX, RACE, AND AGE

BY SEX, RACE, AND AGE, IN THE UNITED STATES: 1935—Continued

25 to 29 years	30 to 34 years	35 to 39 years	40 to 44 years	45 to 49 years	50 to 54 years	55 to 59 years	60 to 64 years	65 to 69 years	70 to 74 years	75 to 79 years	80 to 84 years	85 to 89 years	90 to 94 years	95 to 99 years	100 and over	Unknown	List no.
594	787	903	999	1,068	1,205	1,140	1,200	1,296	1,217	1,291	956	630	219	53	13	17	11a
260	309	371	464	495	541	540	581	629	543	576	407	233	78	16	5	5	5
106	112	117	115	127	167	109	94	83	46	24	20	21	9	5	5	3	3
3	4	3	3	3	3	3	2	2	3	3	2	2	2	2	2	2	2
221	256	291	305	348	344	379	440	517	569	647	510	360	120	26	2	5	5
102	106	119	109	100	149	108	82	63	55	38	17	12	12	6	1	4	4
2	3	1	3	1	1	1	1	2	1	3	1	2	2	1	1	1	1
244	266	277	338	353	435	427	525	597	682	755	801	555	256	65	21	10	11b
81	66	93	130	130	187	196	227	252	263	288	363	214	92	25	2	2	2
34	38	38	38	52	57	47	37	38	38	22	27	15	20	1	3	2	2
3	1	1	1	1	1	1	1	1	2	1	2	1	1	1	1	1	1
87	95	92	116	110	126	141	199	274	337	410	378	304	129	35	7	5	5
42	43	53	54	61	65	42	60	53	42	35	29	19	14	2	1	1	1
1	1	1	1	1	1	1	1	1	1	1	2	2	1	1	1	1	1
28	39	48	68	60	67	75	68	117	100	121	117	73	29	7	5	1	13
7	14	24	28	31	24	26	19	42	33	55	49	33	7	3	1	1	15
3	6	4	13	8	11	10	8	8	9	8	9	4	1	1	1	1	15
10	10	13	17	12	15	29	28	57	49	50	55	30	19	2	1	1	15
8	9	7	9	9	17	9	12	9	8	5	4	4	3	2	3	3	15
31	45	70	76	91	114	129	157	145	154	167	82	46	12	5	1	1	15
13	21	39	42	49	53	72	92	81	81	88	41	19	6	2	1	1	16
1	1	2	1	2	3	3	1	3	3	1	1	1	1	1	1	1	16
15	17	27	32	35	54	52	63	60	70	76	40	25	5	2	1	1	16
2	3	2	2	5	3	2	1	1	1	1	1	1	1	1	1	1	16
3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	16
47	33	15	22	8	6	9	7	3	4	1	2	1	1	1	1	1	16
22	20	8	10	5	3	5	4	1	4	1	1	1	1	1	1	1	17
1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	17
20	11	6	10	2	3	4	3	2	2	1	1	1	1	1	1	1	17
4	2	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	17
54	54	70	71	83	69	65	69	57	32	18	4	2	2	1	1	1	17
24	31	36	41	42	39	34	38	27	15	7	1	1	2	1	1	1	18
3	2	2	2	3	2	1	2	2	1	1	1	1	1	1	1	1	18
1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	18
27	19	30	25	36	27	29	28	28	16	11	3	1	1	1	1	1	18
1	1	2	3	1	1	1	1	1	1	1	1	1	1	1	1	1	18
173	158	118	117	99	100	55	47	35	12	5	1	1	1	1	1	1	18
104	84	64	67	53	56	35	27	19	6	4	1	1	1	1	1	1	19
22	21	22	14	12	5	3	3	2	2	1	1	1	1	1	1	1	19
3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	19
40	46	21	31	27	33	15	16	14	4	1	1	1	1	1	1	1	19
4	7	11	4	6	5	1	1	1	1	1	1	1	1	1	1	1	19
1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	19
1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	19
1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	19
4	2	3	1	1	2	2	1	3	1	1	1	1	1	1	1	1	20
1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	21
1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	21
1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	21
45	35	31	41	45	49	53	28	28	12	7	9	1	1	1	1	1	22
17	10	11	19	24	27	32	20	16	5	3	3	1	1	1	1	1	22
14	11	7	9	7	9	7	2	2	2	1	1	1	1	1	1	1	22
9	11	12	6	10	9	13	3	11	5	3	5	1	1	1	1	1	22
6	3	1	7	4	4	1	2	1	1	1	1	1	1	1	1	1	22
7,799	7,080	7,060	6,531	5,995	5,100	4,391	3,525	2,954	2,031	1,394	560	158	40	4	2	54	23
2,327	2,563	2,990	3,390	3,389	2,993	2,660	2,044	1,581	1,108	696	241	56	10	2	2	18	23
1,185	1,185	1,154	939	779	595	333	266	183	81	39	12	5	5	1	1	12	23
89	78	74	55	66	52	50	29	34	24	14	7	2	2	1	1	2	23
2,810	2,263	1,969	1,570	1,327	1,172	1,096	1,043	1,043	761	613	284	86	20	1	1	11	23
1,541	1,017	835	548	413	276	181	139	100	49	29	13	4	2	2	1	11	23
47	34	38	29	21	22	21	4	8	8	3	5	5	3	3	3	3	23
7,306	6,615	6,581	6,131	5,630	4,767	4,117	3,259	2,711	1,833	1,274	508	140	36	4	2	51	23
2,189	2,414	2,817	3,211	3,231	2,833	2,530	1,913	1,469	1,043	643	215	48	9	2	2	17	23
1,086	1,039	1,075	885	721	552	366	242	172	73	34	10	5	4	1	2	12	23
83	66	68	52	65	50	48	23	31	23	12	7	2	2	1	1	1	23
2,647	2,121	1,823	1,460	1,215	1,064	991	945	945	694	556	261	76	19	1	1	10	23
1,260	942	763	497	377	249	161	127	86	44	26	12	4	1	1	1	11	23
41	33	35	26	21	19	21	4	8	7	2	3	5	3	3	3	3	23

MORTALITY STATISTICS

TABLE 7.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE.

List no.	CAUSE OF DEATH, SEX, AND RACE	All ages	Under 1 year	1 year	2 years	3 years	4 years	Under 5 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years
	I.—Infectious and parasitic diseases—Con. Tuberculosis (all forms)—Continued											
24	Tuberculosis of meninges, etc.*	1,953	265	236	169	106	77	853	245	135	124	143
	Male-----White-----	813	110	99	72	41	33	355	97	53	47	57
	Negro-----	221	23	24	14	14	5	81	34	16	12	17
	Other races--	54	11	4	3	3	3	24	11	4	1	2
	Female-----White-----	640	89	79	62	32	27	289	77	47	36	53
	Negro-----	206	26	24	16	13	8	87	20	13	28	13
	Other races--	29	6	6	2	3	---	17	6	2	---	1
25	Tuberculosis of intestines, peritoneum	1,431	26	21	12	10	16	85	49	56	107	146
	Male-----White-----	594	9	8	5	3	7	32	20	18	12	29
	Negro-----	204	3	3	---	1	1	9	8	9	22	24
	Other races--	25	4	1	1	1	---	7	3	2	2	---
	Female-----White-----	540	6	7	2	2	7	26	11	12	31	57
	Negro-----	253	2	2	2	2	1	9	7	14	38	34
	Other races--	15	---	---	2	1	---	3	---	3	2	---
26	Tuberculosis of vertebral column	730	4	5	6	7	9	31	35	41	38	63
	Male-----White-----	311	1	4	3	4	3	15	12	13	23	27
	Negro-----	98	---	---	---	1	---	1	3	9	6	16
	Other races--	7	---	---	---	---	---	---	---	1	---	2
	Female-----White-----	257	3	1	2	2	6	14	11	12	6	13
	Negro-----	54	---	---	1	---	---	1	8	5	3	5
	Other races--	3	---	---	---	---	---	---	1	1	---	---
27a	Tuberculosis of bones, etc.*	198	---	---	1	1	1	3	3	1	13	10
	Male-----White-----	73	---	---	---	---	---	---	2	---	6	4
	Negro-----	23	---	---	1	---	---	1	1	1	3	3
	Other races--	2	---	---	---	---	1	1	---	---	---	---
	Female-----White-----	33	---	---	---	1	---	1	---	---	2	3
	Negro-----	6	---	---	---	---	---	---	---	---	2	---
	Other races--	1	---	---	---	---	---	---	---	---	---	---
27b	Tuberculosis of joints	222	3	1	2	1	2	9	7	11	13	14
	Male-----White-----	103	2	---	---	1	---	3	3	5	3	6
	Negro-----	30	---	---	2	---	---	2	---	---	2	6
	Other races--	1	---	---	---	---	---	---	---	---	1	---
	Female-----White-----	70	1	1	---	---	2	4	2	6	4	1
	Negro-----	17	---	---	---	---	---	---	2	---	3	---
	Other races--	1	---	---	---	---	---	---	---	---	---	1
28	Tuberculosis of skin, etc.*	36	1	---	1	---	---	2	---	---	1	1
	Male-----White-----	13	1	---	---	---	---	1	---	---	---	---
	Negro-----	2	---	---	---	---	---	---	---	---	---	---
	Female-----White-----	17	---	---	---	---	---	---	---	---	---	1
	Negro-----	4	---	---	1	---	---	1	---	---	1	---
29	Tuberculosis of lymphatic system, etc.*	171	10	8	2	4	3	27	6	11	6	7
	Male-----White-----	60	6	3	---	1	2	12	3	3	---	3
	Negro-----	22	---	---	---	1	---	1	2	2	2	1
	Other races--	5	1	---	---	---	---	1	1	1	---	1
	Female-----White-----	57	2	4	1	1	---	6	---	2	1	1
	Negro-----	23	1	1	1	1	1	5	---	3	2	1
	Other races--	2	---	---	---	---	---	---	---	---	1	---
30	Tuberculosis of genitourinary system	566	1	---	---	1	1	3	3	5	26	33
	Male-----White-----	304	1	---	---	---	1	2	2	3	15	18
	Negro-----	26	---	---	---	---	---	---	---	---	1	3
	Other races--	9	---	---	---	---	---	---	1	---	---	1
	Female-----White-----	195	---	---	---	1	---	1	---	2	7	9
	Negro-----	23	---	---	---	---	---	---	---	---	3	2
	Other races--	4	---	---	---	---	---	---	---	---	---	1
31	Tuberculosis of other organs	94	---	---	1	2	---	3	3	---	1	2
	Male-----White-----	43	---	---	1	---	---	1	---	---	---	1
	Negro-----	15	---	---	---	---	---	---	1	---	1	---
	Other races--	1	---	---	---	1	---	1	---	---	---	---
	Female-----White-----	26	---	---	---	1	---	1	1	---	---	---
	Negro-----	9	---	---	---	---	---	---	1	---	---	1
32a	Tuberculosis, acute disseminated	1,096	75	68	35	26	17	221	57	56	83	99
	Male-----White-----	346	27	17	12	9	9	74	19	11	15	15
	Negro-----	229	17	11	4	7	4	43	9	3	18	20
	Other races--	13	2	1	---	1	---	4	1	1	2	2
	Female-----White-----	294	21	23	13	9	2	68	20	23	32	24
	Negro-----	199	6	13	6	---	2	27	6	13	13	36
	Other races--	15	2	3	---	---	---	5	2	---	3	2
32b,c	Tuberculosis, other disseminated	145	5	4	---	1	1	11	4	3	6	12
	Male-----White-----	64	---	1	---	---	1	2	1	---	2	6
	Negro-----	24	2	2	---	---	---	4	1	2	1	2
	Other races--	1	---	---	---	---	---	---	1	---	---	---
	Female-----White-----	38	1	1	---	1	---	3	---	---	1	4
	Negro-----	15	1	---	---	---	---	1	---	1	2	1
	Other races--	3	1	---	---	---	---	1	1	---	---	---
33	Leprosy	25	---	---	---	---	---	---	---	---	---	---
	Male-----White-----	17	---	---	---	---	---	---	---	---	---	---
	Negro-----	2	---	---	---	---	---	---	---	---	---	---
	Other races--	1	---	---	---	---	---	---	---	---	---	---
	Female-----White-----	4	---	---	---	---	---	---	---	---	---	---
	Negro-----	1	---	---	---	---	---	---	---	---	---	---

* Refer to complete International List titles.

DEATHS BY CAUSE, SEX, RACE, AND AGE

BY SEX, RACE, AND AGE, IN THE UNITED STATES: 1935—Continued

25 to 29 years	30 to 34 years	35 to 39 years	40 to 44 years	45 to 49 years	50 to 54 years	55 to 59 years	60 to 64 years	65 to 69 years	70 to 74 years	75 to 79 years	80 to 84 years	85 to 89 years	90 to 94 years	95 to 99 years	100 and over	Unknown	List no.		
92	75	73	50	54	38	19	24	15	9	6	6	1	-----	-----	-----	1	24		
33 9 2 31 16 1	31 8 4 21 11 1	27 14 3 19 9 1	28 7 ----- 11 4	21 14 1 16 2	20 6 ----- 9 2 1	8 1 ----- 10 ----- 1	13 1 1 8 1	9 ----- 5 -----	6 ----- 3 -----	3 ----- 3 -----	4 ----- 2 -----	1 ----- ----- -----	----- ----- ----- -----	----- ----- ----- -----	----- ----- ----- -----	----- ----- ----- -----	----- ----- 1 ----- -----	----- ----- ----- ----- -----	
113	147	136	102	93	88	73	74	76	40	33	8	2	1	-----	-----	-----	-----	25	
19 20 1 44 26 3	27 20 3 63 34	33 21 2 50 29	37 16 ----- 31 17	16 17 ----- 43 17	34 14 1 30 8	31 6 1 28 7	25 6 ----- 39 4	28 7 2 34 5	14 1 ----- 22 3	14 3 ----- 15 1	5 1 ----- 2 -----	----- ----- ----- 2 -----	----- 1 ----- ----- -----	----- ----- ----- ----- -----	----- ----- ----- ----- -----	----- ----- ----- ----- -----	----- ----- ----- ----- -----	----- ----- ----- ----- -----	26
24 19 1 14 1	21 12 1 19 6	30 11 ----- 24 8	29 5 ----- 21 5	22 5 ----- 15 1	21 3 ----- 18 3 1	15 1 ----- 17 2	21 4 ----- 21 3	15 1 ----- 16 2	10 1 ----- 11 -----	6 1 ----- 19 -----	4 ----- 5 -----	2 ----- 1 -----	1 ----- ----- -----	----- ----- ----- -----	----- ----- ----- -----	----- ----- ----- -----	----- ----- ----- -----	----- ----- ----- -----	27a
6 ----- 3 1	5 7 ----- 2 1	3 2 ----- 3 -----	8 ----- 3 -----	3 ----- ----- -----	5 1 ----- 3 1	6 1 ----- 3 -----	5 2 ----- 2 -----	7 1 ----- 5 -----	8 ----- 1 -----	4 ----- ----- -----	----- ----- ----- 2 -----	1 ----- ----- -----	----- ----- ----- -----	----- ----- ----- -----	----- ----- ----- -----	----- ----- ----- -----	----- ----- ----- -----	----- ----- ----- -----	27b
6 5 ----- 2 2	6 1 ----- 3 -----	4 1 ----- 3 -----	8 2 ----- 3 -----	10 2 ----- 1 -----	10 2 ----- 3 -----	6 ----- 5 -----	9 2 ----- 4 -----	9 3 ----- 5 -----	6 2 ----- 8 -----	5 ----- 6 -----	1 ----- 5 -----	3 ----- 3 -----	----- ----- ----- 1 -----	----- ----- ----- -----	----- ----- ----- -----	----- ----- ----- -----	----- ----- ----- -----	----- ----- ----- -----	28
----- ----- -----	1 ----- 1 -----	1 ----- ----- -----	3 1 ----- 2 -----	1 ----- 2 -----	1 ----- 3 -----	1 ----- 2 -----	----- ----- 1 -----	2 ----- 2 -----	----- ----- ----- 2 -----	1 ----- 2 -----	----- ----- ----- -----	----- ----- ----- -----	----- ----- ----- -----	----- ----- ----- -----	----- ----- ----- -----	----- ----- ----- -----	----- ----- ----- -----	----- ----- ----- -----	29
5	3	7	12	9	18	9	13	12	15	5	5	1	-----	-----	-----	-----	-----	30	
3 ----- 2	----- 2 -----	2 ----- 2 -----	4 1 ----- 4 -----	2 2 ----- 3 -----	5 3 ----- 6 -----	3 ----- 5 -----	7 3 ----- 2 -----	5 1 ----- 5 -----	5 1 ----- 8 -----	1 ----- 3 -----	2 ----- 3 -----	----- ----- 1 -----	----- ----- ----- 1 -----	----- ----- ----- -----	----- ----- ----- -----	----- ----- ----- -----	----- ----- ----- -----	----- ----- ----- -----	31
17 2 2 25 3 1	24 2 2 12 2 1	37 4 1 20 4 -----	34 2 1 25 3 1	42 6 ----- 17 4	22 3 ----- 22 2	32 1 ----- 16 5 7	21 1 ----- 10 1	12 ----- 18 -----	6 1 ----- 5 -----	11 ----- 3 -----	5 ----- 2 -----	----- ----- 3 -----	----- ----- 1 -----	----- ----- ----- 1 -----	----- ----- ----- -----	----- ----- ----- -----	----- ----- ----- -----	----- ----- ----- -----	32a
3 4 ----- 5 1	3 2 ----- 2 -----	6 ----- 2 -----	6 2 ----- 1 -----	3 1 ----- 1 -----	6 2 ----- 2 -----	3 2 ----- 5 1	4 ----- 3 -----	4 ----- 1 -----	----- ----- 1 -----	1 ----- 2 -----	1 ----- ----- -----	1 ----- ----- -----	----- ----- ----- -----	----- ----- ----- -----	----- ----- ----- -----	----- ----- ----- -----	----- ----- ----- -----	----- ----- ----- -----	32b, c
117	93	84	60	55	47	36	33	26	16	11	2	-----	-----	-----	-----	-----	-----	33	
21 35 ----- 33 27 1	28 26 2 17 20 -----	25 22 ----- 19 17 1	20 17 ----- 13 1	28 11 ----- 12 4	23 9 ----- 10 5	23 5 ----- 8 7	22 5 ----- 5 1	16 2 ----- 5 3	6 2 ----- 6 1	6 1 ----- 3 1	1 1 ----- ----- -----	----- ----- ----- -----	----- ----- ----- -----	----- ----- ----- -----	----- ----- ----- -----	----- ----- ----- -----	----- ----- ----- -----	----- ----- ----- -----	33
6 5 ----- 6 4 ----- 4	3 6 ----- 1 -----	5 2 ----- 4 -----	5 1 ----- 2 -----	8 ----- 2 -----	3 ----- 2 -----	9 ----- 5 -----	4 ----- 3 -----	5 ----- 2 -----	4 ----- 2 -----	1 ----- 1 -----	1 ----- ----- -----	----- ----- ----- -----	----- ----- ----- -----	----- ----- ----- -----	----- ----- ----- -----	----- ----- ----- -----	----- ----- ----- -----	----- ----- ----- -----	33
3 ----- ----- 1	----- ----- ----- -----	2 ----- 1 -----	4 ----- ----- 1	3 ----- 2 -----	1 ----- ----- -----	----- ----- ----- -----	2 ----- ----- -----	1 ----- ----- -----	----- ----- ----- 1	----- ----- ----- 1	----- ----- ----- -----	----- ----- ----- -----	----- ----- ----- -----	----- ----- ----- -----	----- ----- ----- -----	----- ----- ----- -----	----- ----- ----- -----	----- ----- ----- -----	----- ----- ----- -----

DEATHS BY CAUSE, SEX, RACE, AND AGE

BY SEX, RACE, AND AGE, IN THE UNITED STATES: 1935—Continued

25 to 29 years	30 to 34 years	35 to 39 years	40 to 44 years	45 to 49 years	50 to 54 years	55 to 59 years	60 to 64 years	65 to 69 years	70 to 74 years	75 to 79 years	80 to 84 years	85 to 89 years	90 to 94 years	95 to 99 years	100 and over	Unknown	List no.
566	700	1,007	1,119	1,263	1,303	1,088	898	622	379	179	71	26	5	1	1	17	34
102 163 1 95 202 3	160 254 4 103 174 5	271 391 11 133 197 4	370 414 8 146 181 ---	554 379 4 166 159 1	621 369 11 180 119 3	616 228 11 143 86 4	511 187 12 129 59 ---	367 133 12 76 34 ---	208 79 5 56 29 2	96 37 ---	33 15 ---	12 5 ---	1 2 ---	1 ---	---	1 ---	2 9 2 2 2
166	130	101	80	43	24	7	9	12	8	4	3	---	1	---	---	---	35
6 11 1 100 48	11 10 1 60 47 1	4 9 ---	9 14 1 39 18 ---	10 3 1 19 9 ---	6 9 ---	2 3 ---	4 4 ---	8 2 ---	4 1 2 ---	2 1 1 ---	2 1 ---	---	1 ---	---	---	---	---
74	66	80	59	76	64	84	49	46	42	29	18	10	9	1	---	---	36
26 3 ---	18 7 ---	41 4 ---	32 4 ---	42 11 ---	30 3 ---	29 5 ---	24 1 ---	27 3 ---	25 2 ---	15 3 ---	11 1 ---	5 ---	4 1 ---	1 ---	---	---	1 1 ---
40 4 1	31 9 ---	31 4 ---	18 5 ---	21 2 ---	23 7 ---	19 1 ---	19 3 ---	12 4 ---	12 3 ---	10 1 ---	6 ---	5 ---	4 ---	---	---	---	9
219	196	199	218	209	265	251	234	219	179	155	108	50	16	9	4	9	38
51 45 ---	54 41 ---	65 43 ---	77 37 ---	57 44 ---	96 57 ---	109 53 ---	89 40 ---	90 40 ---	54 26 ---	80 16 ---	36 15 ---	18 2 ---	2 8 ---	3 3 ---	---	---	1 1 ---
57 66 ---	43 58 ---	48 43 ---	54 49 ---	44 63 ---	63 48 ---	49 40 ---	57 46 ---	65 24 ---	64 35 ---	43 16 ---	44 13 ---	20 9 ---	5 1 ---	2 ---	---	---	5 2 ---
7	3	8	7	5	7	3	1	3	1	2	2	---	---	---	---	---	39
3 1 2 1 1	3 ---	5 2 1 ---	4 ---	2 1 ---	6 ---	2 1 ---	1 ---	2 ---	---	1 1 1 ---	1 1 ---	---	---	---	---	---	---
1	1	---	1	---	---	---	1	---	---	---	---	---	---	---	---	---	40
2	---	1	2	1	2	3	---	2	3	---	---	---	---	---	---	---	41a
1 1 ---	---	1 ---	1 ---	1 1 ---	1 1 ---	3 ---	---	2 ---	3 ---	---	---	1 ---	---	---	---	---	41b
2	---	5	5	6	2	2	7	4	1	3	5	1	---	---	---	---	42
2 ---	---	3 ---	4 ---	1 1 ---	1 ---	1 ---	3 ---	1 2 ---	1 ---	2 ---	1 1 ---	1 ---	---	---	---	---	---
18	13	14	22	20	20	14	15	13	10	13	4	1	1	---	---	---	45
9 2 6 1 ---	8 1 3 1 ---	6 2 6 ---	14 1 5 ---	9 3 7 1 ---	15 1 4 ---	9 ---	12 ---	11 ---	5 ---	11 ---	2 1 ---	---	---	---	---	---	---
17	15	17	20	24	25	37	30	18	15	12	12	1	2	---	---	---	44
11 1 3 2 ---	8 2 5 ---	5 2 8 2 ---	13 1 4 2 ---	17 2 3 2 ---	17 1 5 2 ---	25 1 8 3 ---	19 ---	15 ---	9 ---	5 7 ---	10 2 ---	---	1 1 ---	---	---	---	---
1,438	2,611	4,727	7,545	11,073	14,011	16,512	18,609	20,048	18,422	14,407	7,624	3,201	821	139	21	90	---
444 42 2 741 204 5	675 64 2 1,611 556 3	1,150 120 7 2,784 657 2	2,105 225 13 4,460 730 14	3,564 312 23 6,377 777 20	5,256 384 30 7,507 814 20	6,865 407 36 8,535 654 15	8,392 439 35 9,169 555 19	9,747 366 27 9,431 453 24	9,251 273 15 8,580 298 5	7,317 146 20 6,752 165 7	3,672 70 7 3,759 113 3	1,413 55 2 1,672 56 3	335 12 ---	48 3 ---	8 ---	32 7 1 31 17 2	
1,168	2,114	4,044	6,619	10,113	13,288	16,045	18,234	19,765	18,245	14,246	7,536	3,161	612	138	20	87	---
369 34 2 619 140 4	559 53 2 1,262 235 3	1,042 109 7 2,407 470 9	1,953 214 12 3,849 577 17	3,377 291 23 5,724 679 19	5,036 379 30 7,065 758 20	6,689 395 34 8,288 624 15	8,234 432 34 8,982 534 18	9,645 360 27 9,272 437 24	9,185 269 15 8,481 290 5	7,255 144 20 6,656 164 7	3,657 68 5 3,690 113 2	1,401 54 1 1,647 55 3	333 12 ---	48 3 ---	8 ---	32 7 1 29 16 2	

DEATHS BY CAUSE, SEX, RACE, AND AGE

BY SEX, RACE, AND AGE, IN THE UNITED STATES: 1935—Continued

25 to 29 years	30 to 34 years	35 to 39 years	40 to 44 years	45 to 49 years	50 to 54 years	55 to 59 years	60 to 64 years	65 to 69 years	70 to 74 years	75 to 79 years	80 to 84 years	85 to 89 years	90 to 94 years	95 to 99 years	100 and over	Unknown	List no.
15	30	59	129	284	400	524	682	774	694	641	373	174	48	14	2	6	45
7	18	27	93	200	291	415	547	625	574	512	285	131	50	11	2	5	
2	3	7	6	12	30	27	28	17	15	7	4	2	1				
4	5	17	21	58	63	71	89	128	97	116	61	41	17	3		1	
2	4	6	6	12	15	10	15	4	7	6	3						
2	2	4	14	42	41	52	75	113	118	114	80	48	16	5	1	1	
2	2	4	13	40	40	45	66	106	110	105	74	38	13	3	1	1	
			1	1	1	3	5	5	6	9	6	10	3				
			1	1			1										
1	6	10	36	78	105	135	170	183	117	122	76	25	6	2	1		
1	2	3	25	56	81	110	139	145	97	91	54	20	4	2	1		
	2	2	2	4	11	9	8	1	1	2	1						
	2	3	7	14	11	14	19	35	19	28	20	5	2				
	2	2	2	3	2	2	3	2		1	1						
1		7	14	25	44	58	74	92	95	75	30	18	7			1	
1		2	8	19	27	45	55	78	82	53	23	13	4			1	
		2	2	1	4	5	6	1	1	1							
		1	1	1													
		1	3	2	11	8	9	13	11	21	5	5	3				
		2	2	2	2		4		1		2						
5	12	20	29	56	73	97	130	126	159	137	85	39	7	1		1	
1	7	9	22	36	51	71	102	93	118	114	62	31	2	1		1	
	1	2	3	3	5	5	5	7	7	1	1	1					
2	2	6	4	15	12	19	19	24	30	21	22	7	5				
2	2	2	2	2	5	2	3	2	4	1							
2	3	7	15	39	48	67	80	103	82	76	46	14	3	3			
2	2	4	11	28	31	52	65	80	65	62	32	10	2	1			
		1			1	2	1					1					
		2	3	9	12	9	12	23	16	13	14	3	1	2			
	1		1	2	3	3	2		1	1							
4	7	10	20	44	89	115	153	157	123	117	56	30	9	5		3	
2	5	5	14	21	61	92	120	123	102	87	40	19	5	4		2	
			2	4	9	4	6	6	4	3	2		1				
	1	5	3	17	16	16	25	28	15	24	14	11	3	1			
	1		1	2	3	3	2		2	3							
323	648	1,268	2,313	3,976	5,752	7,709	9,508	10,626	10,283	7,806	3,943	1,519	328	43	6	38	46
134	248	526	1,055	1,854	2,934	4,026	5,000	5,609	5,230	3,882	1,835	601	118	10	2	13	
14	29	61	138	229	343	485	611	681	640	4,160	2,024	865	198	5	3	3	
149	325	569	979	1,650	2,335	3,207	4,019	4,592	4,763	3,740	2,024	865	198	28	1	16	
26	43	105	189	316	460	639	819	912	851	579	285	93	18	2	2	6	
	2	4	6	11	18	26	35	41	38	25	13	5	1	1	1	1	
4	5	18	50	141	216	328	405	405	330	190	112	36	11	1		3	
1	1	9	30	92	156	247	308	315	250	132	72	22	9	1		1	
		4	4	14	9	10	8	10	5	1	1					2	
		3	3	12	30	47	67	85	76	57	39	14	2				
	3	2	4	4	4	4	4	4	4								
98	186	397	859	1,520	2,309	3,080	3,857	4,329	4,406	3,456	1,717	653	139	19	2	15	
42	75	177	412	875	1,367	1,798	2,272	2,493	2,459	1,861	862	281	55	4	1	7	
5	17	24	79	85	126	135	147	121	82	52	17	17	3	2			
		1	3	10	14	13	16	15	4	11	4						
41	77	144	307	474	698	1,020	1,327	1,615	1,790	1,480	802	340	79	11		4	
10	17	51	56	72	100	110	92	84	63	46	31	14	2	2	1	4	
		4	4	4	4	4	3	2	3	6	1	1					
100	202	377	566	880	1,167	1,568	1,979	2,221	2,188	1,736	893	380	88	11	2	8	
40	75	145	248	359	498	667	859	1,033	952	767	347	129	32	3	1	2	
3	4	10	12	16	23	23	38	17	25	13	3	3		1			
				1	1	2	4	1	1								
51	114	211	285	472	592	845	1,043	1,143	1,189	947	525	244	55	7		4	
6	9	11	20	32	47	31	33	24	21	9	8	4	1		1	2	
			1		1		2	3									
55	102	183	311	492	662	874	1,020	1,078	993	705	353	149	33	5		3	
22	35	70	137	229	302	463	568	614	553	394	185	67	3			1	
3	6	6	10	17	17	22	22	23	13	6	2	2					
		1	1	1		2	1	2		1	1						
23	53	88	137	222	325	360	410	415	414	299	167	79	30	5		2	
7	7	18	26	23	20	26	19	23	13	5	3						

DEATHS BY CAUSE, SEX, RACE, AND AGE

BY SEX, RACE, AND AGE, IN THE UNITED STATES: 1935—Continued

25 to 29 years	30 to 34 years	35 to 39 years	40 to 44 years	45 to 49 years	50 to 54 years	55 to 59 years	60 to 64 years	65 to 69 years	70 to 74 years	75 to 79 years	80 to 84 years	85 to 89 years	90 to 94 years	95 to 99 years	100 and over	Unknown	List no.
74	80	136	245	346	635	1,008	1,424	2,069	2,191	1,889	951	344	90	9	1	8	51
69	75	122	220	307	565	942	1,321	1,971	2,129	1,842	925	324	84	9	1	7	
5	5	14	25	37	70	65	101	96	57	42	25	19	6			1	
10	17	44	67	106	151	161	165	180	93	55	11	10	1	1		1	
9	17	41	65	99	136	156	158	179	91	54	10	10	1	1		1	
1		3	2	7	15	5	7	1	1	1	1						
5	6	26	80	125	224	351	410	517	539	416	196	79	23	2		2	
4	5	22	72	115	208	338	390	496	526	406	193	74	21	2		2	
1	1	4	8	9	15	13	20	21	11	10	3	4	2				
4	5	9	37	65	207	448	793	1,300	1,504	1,364	706	239	62	6	1	5	
3	4	7	29	48	173	402	722	1,229	1,459	1,331	685	227	59	6	1	4	
1	1	2	8	16	33	45	69	70	45	29	20	12	3			1	
53	47	47	47	26	21	24	12	20	17	13	8	5	1				
51	46	45	46	26	20	23	11	19	16	11	8	5	1				
2	1	2	1	1	1	1	1	1	1	2							
	1	1	2	3	3	1		7	5	6	3		1				
	1	1	2	3	2	1		6	5	6	3						
2	4	9	12	21	29	23	44	45	33	35	27	11	2				
2	3	6	6	16	24	22	40	42	32	34	26	8	2				
	1	3	6	5	5	1	4	3	1	1	1	3					
20	29	43	63	105	161	212	291	410	465	568	497	327	131	34	5	2	52
10	14	24	36	62	103	130	189	275	304	365	282	192	54	12	2	1	
2		2	4	3	6	7	3	4	2	3	1	2					
6	13	15	22	33	48	64	95	126	156	200	203	133	75	22	3	1	
2	2	2	1	7	4	9	5	4	3		1		2				
256	329	450	674	973	1,170	1,393	1,414	1,511	1,305	1,057	621	300	83	12	3	12	53
111	130	190	297	409	493	520	527	590	499	389	238	122	35	5	1	5	
10	9	15	14	21	25	34	17	17	24	2	5	1				3	
1		2	4	2		3	1	1	2							1	
116	171	210	317	422	589	790	822	869	763	655	374	169	46	5	2	1	
17	19	32	41	57	61	46	47	33	26	11	4	7	2	2		2	
1		1	1	2	2			1	1			1					
12	18	25	44	60	77	110	115	104	88	72	30	16	3				
12	17	23	42	57	72	107	113	104	87	72	30	16	3				
	1	2	1	3	5	3	2		1								
4	9	22	37	73	101	161	187	263	236	203	127	47	11	2			
4	8	16	27	60	89	150	175	255	231	201	125	46	11	1			
	1	6	10	13	11	11	12	8	4	2	2	1					
57	80	81	133	161	133	121	71	37	20	9	2	4				1	
25	37	46	70	95	77	69	42	28	9	5	1	2				1	
3		2	3	2	3	2											
28	42	32	58	62	50	49	29	9	10	4	1	2					
	1	1	2	1	3	1			1								
40	59	57	92	129	178	218	180	203	167	93	44	21	7			1	
15	20	25	47	62	81	97	72	112	81	47	19	10	3			1	
1	2	4	2	4	4	7	5	3	5	1							
21	33	23	39	60	88	109	99	87	80	45	25	9	4				
3	4	4	3	3	5	4	4	1	1			2					
143	163	265	368	550	681	783	861	904	794	680	418	212	62	10	3	10	
70	73	119	180	251	335	354	413	450	399	337	218	110	32	5	1	3	
6	7	9	9	15	18	25	12	14	19	1	5	1				3	
1		1	3	2		1	1	1	2							1	
51	71	116	151	243	290	376	406	414	355	333	193	96	28	4	2	1	
14	12	20	25	37	37	27	29	24	19	9	2	4	2	1		2	
1				2	1			1				1					
8	11	9	15	23	18	16	11	17	9	7							
6	9	8	14	22	14	16	10	16	9	7							
2	2	1	1	1	4		1	1									

54a

MORTALITY STATISTICS

TABLE 7.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE,

List no.	CAUSE OF DEATH, SEX, AND RACE	All ages	Under 1 year	1 year	2 years	3 years	4 years	Under 5 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years
II.—Cancers and other tumors—Continued												
54b	Nonmalignant tumors, uterus-----	2,535	-----	-----	-----	-----	-----	-----	-----	-----	1	18
	Female-----White-----	1,878	-----	-----	-----	-----	-----	-----	-----	-----	1	8
	Negro-----	656	-----	-----	-----	-----	-----	-----	-----	-----	-----	10
	Other races-----	2	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----
54c	Nonmalignant tumors, other female genital organs-----	9	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----
	Female-----White-----	9	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----
	Negro-----	1	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----
54d,e	Nonmalignant tumors, other organs-----	1,369	22	12	16	15	14	79	59	54	45	50
	Male-----White-----	676	7	2	9	8	8	34	29	26	21	33
	Negro-----	41	1	-----	2	-----	-----	3	5	2	-----	2
	Other races-----	3	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----
	Female-----White-----	610	13	8	5	6	6	38	23	26	22	14
	Negro-----	38	1	2	-----	1	-----	4	1	-----	2	1
55a	Tumors, ovary (nature unspecified)-----	48	-----	-----	-----	-----	-----	-----	-----	1	-----	3
	Female-----White-----	44	-----	-----	-----	-----	-----	-----	-----	1	-----	2
	Negro-----	4	-----	-----	-----	-----	-----	-----	-----	-----	-----	1
55b	Tumors, uterus (nature unspecified)-----	22	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----
	Female-----White-----	20	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----
	Negro-----	2	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----
55c	Tumors, other female genital organs, etc.*-----	2	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----
	Female-----White-----	2	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----
55d,e	Tumors, other organs (nature unspecified)-----	2,281	26	19	22	21	17	105	84	67	91	89
	Male-----White-----	1,117	12	7	8	9	7	43	32	36	42	48
	Negro-----	103	5	-----	1	3	1	10	3	5	5	3
	Other races-----	5	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----
	Female-----White-----	964	9	11	12	8	7	47	37	25	38	29
	Negro-----	85	-----	1	1	1	2	5	6	1	6	3
	Other races-----	2	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----
III.—Rheumatic diseases, etc.*-----												
	All ages-----	42,793	1,501	222	98	95	101	2,107	549	656	695	724
	Male-----White-----	14,713	657	108	41	45	49	1,100	248	282	293	234
	Negro-----	1,418	97	15	8	5	6	132	30	43	30	47
	Other races-----	74	7	1	-----	-----	1	3	-----	1	1	1
	Female-----White-----	23,682	559	78	36	39	44	755	244	313	315	304
	Negro-----	2,931	75	18	3	3	1	100	27	47	33	156
	Other races-----	75	7	1	-----	3	-----	11	-----	-----	3	2
56	Acute rheumatic fever-----	2,238	10	0	11	27	47	103	332	323	242	151
	Male-----White-----	951	4	2	7	13	22	46	155	150	127	72
	Negro-----	159	2	-----	1	2	1	6	16	13	11	14
	Other races-----	4	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----
	Female-----White-----	941	4	6	3	11	24	48	142	147	91	54
	Negro-----	176	-----	-----	-----	-----	-----	-----	19	18	11	11
	Other races-----	7	-----	-----	-----	1	-----	1	-----	-----	1	-----
57	Chronic rheumatism, osteoarthritis-----	1,721	-----	-----	-----	1	1	2	5	14	15	14
	Male-----White-----	599	-----	-----	-----	-----	1	1	3	7	10	8
	Negro-----	53	-----	-----	-----	-----	-----	-----	1	1	-----	1
	Other races-----	1	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----
	Female-----White-----	1,011	-----	-----	-----	1	-----	1	2	5	5	3
	Negro-----	63	-----	-----	-----	-----	-----	-----	-----	1	1	2
	Other races-----	4	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----
58	Gout-----	2	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----
	Male-----White-----	2	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----
59	Diabetes mellitus-----	23,364	19	33	17	21	24	113	114	240	291	289
	Male-----White-----	10,362	10	19	6	7	11	53	47	91	119	111
	Negro-----	599	-----	1	1	1	2	5	6	13	12	20
	Other races-----	49	1	-----	-----	-----	-----	1	-----	-----	-----	1
	Female-----White-----	16,244	3	8	9	12	11	45	59	121	153	140
	Negro-----	1,070	2	5	1	1	-----	9	3	10	7	17
	Other races-----	40	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----
60	Scurvy-----	30	21	3	-----	-----	-----	24	-----	1	-----	-----
	Male-----White-----	12	8	3	-----	-----	-----	11	-----	-----	-----	-----
	Negro-----	2	1	-----	-----	-----	-----	1	-----	1	-----	-----
	Other races-----	1	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----
	Female-----White-----	12	6	-----	-----	-----	-----	9	-----	-----	-----	-----
	Negro-----	3	3	-----	-----	-----	-----	3	-----	-----	-----	-----
61	Beriberi-----	7	-----	1	-----	-----	-----	1	-----	-----	1	-----
	Male-----White-----	2	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----
	Female-----White-----	3	-----	-----	-----	-----	-----	-----	-----	-----	1	-----
	Negro-----	1	-----	1	-----	-----	-----	1	-----	-----	-----	-----
	Other races-----	1	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----
62	Pellagra-----	3,543	3	5	3	1	2	14	7	30	52	148
	Male-----White-----	751	1	-----	2	-----	-----	3	2	2	5	13
	Negro-----	417	-----	2	-----	-----	1	3	1	5	5	10
	Other races-----	5	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----
	Female-----White-----	1,202	1	-----	-----	1	-----	2	2	7	15	33
	Negro-----	1,152	1	3	1	-----	1	6	2	16	27	91
	Other races-----	5	-----	-----	-----	-----	-----	-----	-----	-----	-----	1

* Refer to complete International List titles.

MORTALITY STATISTICS

TABLE 7.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE,

List no.	CAUSE OF DEATH, SEX, AND RACE	All ages	Under 1 year	1 year	2 years	3 years	4 years	Under 5 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years
III.—Rheumatic diseases, etc.*—Continued												
63	Rickets-----	261	183	41	11	3	4	242	3	5	-----	1
	Male-----White	107	77	14	7	-----	2	100	1	3	-----	-----
	Negro	47	35	7	-----	1	1	44	1	-----	-----	-----
	Other races	1	1	-----	-----	-----	-----	1	-----	-----	-----	-----
	Female-----White	73	45	15	4	-----	1	65	1	2	-----	1
	Negro	30	23	4	-----	2	-----	29	-----	-----	-----	-----
	Other races	3	2	1	-----	-----	-----	3	-----	-----	-----	-----
64	Osteomalacia-----	12	-----	-----	-----	-----	1	1	-----	-----	-----	-----
	Male-----White	3	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----
	Negro	1	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----
	Female-----White	7	-----	-----	-----	-----	1	1	-----	-----	-----	-----
	Negro	1	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----
65	Diseases of the pituitary body-----	90	2	2	2	1	-----	7	5	4	4	5
	Male-----White	32	-----	2	1	-----	-----	3	2	1	1	3
	Negro	2	1	-----	-----	-----	-----	1	-----	-----	-----	-----
	Female-----White	54	1	-----	1	1	-----	3	3	3	3	2
	Negro	2	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----
66a	Simple goiter-----	225	4	1	-----	-----	-----	5	-----	1	2	3
	Male-----White	44	2	1	-----	-----	-----	3	-----	-----	-----	-----
	Negro	3	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----
	Other races	1	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----
	Female-----White	154	1	-----	-----	-----	-----	1	-----	1	2	2
	Negro	25	-----	-----	-----	-----	-----	-----	-----	-----	-----	1
	Other races	1	1	-----	-----	-----	-----	1	-----	-----	-----	-----
66b	Exophthalmic goiter-----	3,624	2	2	-----	2	1	7	5	11	46	71
	Male-----White	568	2	1	-----	-----	-----	3	3	1	5	9
	Negro	25	-----	-----	-----	-----	-----	-----	-----	-----	-----	1
	Other races	3	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----
	Female-----White	2,817	-----	1	-----	2	1	4	2	10	35	48
	Negro	207	-----	-----	-----	-----	-----	-----	-----	-----	5	12
	Other races	4	-----	-----	-----	-----	-----	-----	-----	-----	1	1
66c-e	Other diseases of thyroid and parathyroid glands-----	529	113	32	11	12	6	174	24	15	10	12
	Male-----White	192	53	20	6	9	3	91	10	10	5	2
	Negro	19	7	-----	1	-----	-----	8	2	2	1	1
	Other races	2	-----	-----	-----	-----	1	1	-----	-----	-----	-----
	Female-----White	292	46	11	4	2	2	65	11	3	3	8
	Negro	23	7	1	-----	-----	-----	8	1	-----	1	1
	Other races	1	-----	-----	-----	1	-----	1	-----	-----	-----	-----
67	Diseases of thymus gland-----	1,323	1,113	57	22	19	10	1,231	35	23	10	11
	Male-----White	747	636	37	9	10	6	698	15	13	8	8
	Negro	50	40	2	3	1	-----	46	3	1	-----	-----
	Other races	7	4	1	-----	-----	-----	5	-----	1	-----	-----
	Female-----White	484	404	23	10	8	4	452	15	7	2	3
	Negro	31	26	1	-----	-----	-----	27	2	1	-----	-----
	Other races	4	3	-----	-----	-----	-----	3	-----	-----	-----	-----
68	Diseases of adrenals (see exceptions)*-----	379	1	2	3	1	-----	7	4	6	5	9
	Male-----White	150	1	-----	1	1	-----	3	3	1	-----	5
	Negro	5	-----	-----	-----	-----	-----	-----	-----	2	-----	-----
	Female-----White	213	-----	2	2	-----	-----	4	1	3	3	4
	Negro	10	-----	-----	-----	-----	-----	-----	-----	-----	1	-----
	Other races	1	-----	-----	-----	-----	-----	-----	-----	-----	1	-----
69	Other general diseases-----	444	131	25	8	7	5	176	14	8	6	10
	Male-----White	191	63	9	2	5	4	83	7	3	3	3
	Negro	36	11	4	2	-----	1	18	-----	-----	1	-----
	Other races	4	-----	-----	-----	-----	-----	4	-----	-----	-----	-----
	Female-----White	175	43	9	3	1	-----	56	7	4	2	6
	Negro	39	13	3	1	-----	-----	17	-----	1	-----	1
	Other races	3	1	-----	-----	1	-----	2	-----	-----	-----	-----
	IV.—Diseases of the blood and blood-making organs-----	10,059	593	119	113	146	91	1,062	365	335	355	322
	Male-----White	5,132	316	62	61	64	47	550	204	174	185	155
	Negro	281	38	5	6	4	2	55	16	15	18	12
	Other races	23	4	1	-----	-----	-----	5	1	1	2	-----
	Female-----White	4,368	212	47	43	73	39	414	138	134	135	142
	Negro	257	21	3	3	5	2	34	5	11	15	12
	Other races	8	2	1	-----	-----	1	4	1	-----	-----	1
70	Hemorrhagic conditions-----	835	335	24	15	18	12	405	31	43	42	40
	Male-----White	416	196	10	9	10	5	230	17	15	20	16
	Negro	32	16	1	1	-----	1	19	-----	2	1	-----
	Other races	5	4	-----	-----	-----	-----	4	-----	-----	-----	-----
	Female-----White	354	107	13	5	7	6	138	13	24	19	24
	Negro	25	11	-----	-----	1	-----	12	-----	2	2	-----
	Other races	4	2	-----	-----	-----	-----	2	1	-----	-----	-----
71a	Fernicious anemia-----	2,935	30	12	10	14	4	70	33	37	45	42
	Male-----White	1,300	17	4	4	3	2	30	17	17	19	13
	Negro	40	1	-----	-----	-----	-----	1	3	2	-----	-----
	Other races	3	-----	-----	-----	-----	-----	-----	-----	-----	1	-----
	Female-----White	1,508	11	7	6	11	-----	35	13	16	18	26
	Negro	73	1	-----	-----	-----	1	2	-----	2	7	3
	Other races	2	-----	1	-----	-----	1	2	-----	-----	-----	-----

* Refer to complete International List titles.

DEATHS BY CAUSE, SEX, RACE, AND AGE

BY SEX, RACE, AND AGE, IN THE UNITED STATES: 1935—Continued

25 to 29 years	30 to 34 years	35 to 39 years	40 to 44 years	45 to 49 years	50 to 54 years	55 to 59 years	60 to 64 years	65 to 69 years	70 to 74 years	75 to 79 years	80 to 84 years	85 to 89 years	90 to 94 years	95 to 99 years	100 and over	Unknown	List no.
1	1	1	---	2	---	---	1	---	---	2	---	2	---	---	---	---	63
---	1	---	---	1	---	---	---	---	---	1	---	---	---	---	---	---	63
---	---	---	---	---	---	---	1	---	---	---	---	---	---	---	---	---	63
1	---	1	---	---	---	---	---	---	---	1	---	2	---	---	---	---	63
---	1	---	---	2	---	4	1	---	1	---	1	1	---	---	---	---	64
---	---	---	---	---	---	1	1	---	1	---	---	---	---	---	---	---	64
---	---	---	---	1	---	3	---	---	---	---	1	1	---	---	---	---	64
---	1	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	65
5	10	7	3	6	10	9	2	6	6	---	1	---	---	---	---	---	65
---	1	4	1	4	5	4	---	2	1	---	---	---	---	---	---	---	65
5	8	2	2	2	4	5	2	4	5	---	1	---	---	---	---	---	65
1	1	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	65
2	4	13	22	25	26	29	24	35	15	8	9	1	2	---	---	---	65a
---	1	4	4	7	6	6	4	6	1	2	---	---	---	---	---	---	65a
---	---	---	---	1	---	---	---	2	---	---	---	---	---	---	---	---	65a
2	3	8	7	17	19	21	20	25	10	6	7	1	2	---	---	---	65a
---	---	1	11	---	1	2	---	2	4	---	1	---	---	---	---	---	65a
116	154	238	316	391	449	452	435	423	295	156	49	18	1	---	---	1	66b
21	25	42	63	63	88	74	68	59	29	10	5	---	---	---	---	---	66b
1	1	3	5	5	6	1	---	1	---	---	---	---	---	---	---	---	66b
---	---	1	1	---	---	---	---	---	---	---	---	---	---	---	---	---	66b
98	113	162	222	288	325	361	354	348	262	144	42	17	1	---	---	1	66b
14	14	30	25	23	30	15	13	15	4	2	2	1	---	---	---	---	66b
---	---	---	---	1	---	---	---	---	---	---	---	---	---	---	---	---	66b
11	14	15	26	28	42	40	54	27	20	9	7	---	---	---	---	1	66c-a
---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	66c-a
5	5	5	7	8	10	8	10	7	6	1	2	---	---	---	---	---	66c-a
1	1	---	2	---	1	---	---	1	---	---	---	---	---	---	---	---	66c-a
---	---	1	---	---	---	---	---	---	---	---	---	---	---	---	---	---	66c-a
5	6	8	15	20	28	31	42	19	14	8	5	---	---	---	---	1	66c-a
1	2	1	2	---	3	1	2	---	---	---	---	---	---	---	---	---	66c-a
---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	66c-a
4	3	4	---	1	---	---	---	1	---	---	---	---	---	---	---	---	67
1	1	2	---	---	---	---	---	1	---	---	---	---	---	---	---	---	67
---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	67
1	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	67
2	1	2	---	1	---	---	---	---	---	---	---	---	---	---	---	---	67
---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	67
25	27	28	38	54	40	29	37	34	18	13	5	---	---	---	---	---	68
6	10	11	11	19	20	14	14	18	7	5	3	---	---	---	---	---	68
1	1	1	---	1	---	---	---	---	---	---	---	---	---	---	---	---	68
18	16	16	28	33	19	14	21	15	10	6	2	---	---	---	---	---	68
---	1	---	1	1	1	1	2	1	1	---	---	---	---	---	---	---	68
6	15	14	11	14	23	21	22	28	20	24	15	10	3	2	1	1	69
2	4	5	2	6	8	7	9	11	7	13	9	7	1	---	1	---	69
1	---	1	2	1	5	5	3	---	---	1	1	---	---	---	---	---	69
2	8	5	6	4	6	10	10	16	11	9	6	3	2	1	---	1	69
1	3	3	1	2	4	1	---	1	2	1	---	---	---	1	---	---	69
---	---	---	---	1	---	---	---	---	---	---	---	---	---	---	---	---	69
405	378	426	556	608	729	833	918	999	812	628	236	73	18	3	2	6	69
201	176	212	260	307	327	432	526	543	415	310	116	26	9	2	---	2	70
22	14	14	22	16	31	15	11	9	5	6	---	---	---	---	---	---	70
2	1	2	1	2	---	---	2	2	1	---	---	---	---	---	---	---	70
160	167	172	255	260	350	365	566	435	387	312	117	47	6	1	2	3	70
20	20	26	18	23	19	22	13	10	4	---	3	---	1	---	---	1	70
---	---	---	---	1	---	1	---	---	---	---	---	---	---	---	---	---	70
18	25	27	32	22	31	19	28	26	14	20	8	2	2	1	---	---	70
10	8	13	11	9	10	10	18	13	5	5	4	1	1	---	---	---	70
1	2	---	2	1	2	---	---	1	1	---	---	---	---	---	---	---	70
---	---	---	---	---	1	---	---	---	---	---	---	---	---	---	---	---	70
7	14	11	19	10	17	8	8	12	8	15	4	1	1	1	---	---	70
---	1	3	---	2	1	---	2	---	---	---	---	---	---	---	---	---	70
---	---	---	---	---	---	1	---	---	---	---	---	---	---	---	---	---	70
43	43	59	101	159	210	267	350	458	466	352	147	43	5	1	---	4	71a
10	15	19	33	64	78	120	178	232	214	161	69	15	3	1	---	1	71a
4	1	2	5	3	8	4	2	2	3	---	---	---	---	---	---	---	71a
---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	71a
26	21	32	58	82	117	135	166	219	245	191	76	28	2	---	---	2	71a
3	6	6	5	10	7	8	4	4	3	---	2	---	---	---	---	1	71a

MORTALITY STATISTICS

TABLE 7.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE,

List no.	CAUSE OF DEATH, SEX, AND RACE	All ages	Under 1 year	1 year	2 years	3 years	4 years	Under 5 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years
	IV.—Diseases of the blood and blood-making organs—Continued											
71b	Other anemias-----	546	180	18	10	6	4	170	22	11	8	16
	Male-----											
	White-----	213	53	5	5	5	3	71	9	3	1	4
	Negro-----	44	17	3	1	---	---	21	4	---	1	1
	Other races-----	2	---	1	---	---	---	1	1	---	---	---
	Female-----	236	51	7	2	3	---	63	7	5	4	9
	White-----	46	9	2	2	---	---	14	1	3	2	2
	Negro-----											
72a	True leukemias-----	3,552	53	52	71	91	56	323	216	160	168	108
	Male-----											
	White-----	1,953	30	34	39	38	28	168	117	90	102	54
	Negro-----	93	1	1	2	3	1	8	7	6	10	7
	Other races-----	7	---	---	---	---	---	---	---	---	---	---
	Female-----	1,438	22	16	30	49	27	143	90	61	54	41
	White-----	59	1	1	1	2	---	4	2	2	2	5
	Negro-----	2	---	---	---	---	---	---	---	---	---	---
	Other races-----											
72b	Pseudoleukemias (Hodgkin's disease)-----	1,634	1	7	2	7	9	26	44	59	70	92
	Male-----											
	White-----	976	---	5	2	4	5	16	31	37	37	54
	Negro-----	52	---	---	---	1	---	1	2	4	5	2
	Other races-----	2	---	---	---	---	---	---	---	---	---	---
	Female-----	561	1	2	---	1	4	8	9	16	27	34
	White-----	43	---	---	---	---	---	---	2	2	1	2
	Negro-----											
73	Diseases of spleen-----	409	15	4	5	5	6	35	13	21	19	19
	Male-----											
	White-----	200	7	3	3	2	4	19	11	10	6	13
	Negro-----	16	---	---	2	---	---	2	---	1	1	2
	Other races-----	4	---	---	---	---	---	---	---	---	---	---
	Female-----	179	8	1	---	2	2	13	2	10	10	4
	White-----	10	---	---	---	1	---	1	---	---	---	---
	Negro-----											
74	Other diseases of blood and blood-making organs-----	157	28	2	---	3	---	33	6	4	3	5
	Male-----											
	White-----	60	13	1	---	2	---	16	2	2	---	1
	Negro-----	4	3	---	---	---	---	3	---	---	---	---
	Female-----	92	12	1	---	1	---	14	4	2	3	4
	White-----	1	---	---	---	---	---	---	---	---	---	---
	Negro-----											
	V.—Chronic poisonings and intoxications-----	3,611	---	11	14	10	4	39	19	4	19	81
	Male-----											
	White-----	2,716	---	1	8	6	1	16	10	1	9	35
	Negro-----	366	---	4	1	1	1	7	7	3	4	17
	Other races-----	27	---	---	---	---	---	---	---	---	---	---
	Female-----	366	---	3	2	2	2	9	1	---	1	11
	White-----	134	---	3	3	1	---	7	1	---	4	16
	Negro-----	2	---	---	---	---	---	---	---	---	---	---
	Other races-----											
75	Alcoholism (acute or chronic)-----	3,349	---	---	5	6	2	13	16	4	19	74
	Male-----											
	White-----	2,538	---	---	3	4	1	8	9	1	9	31
	Negro-----	350	---	---	1	1	1	3	6	3	4	15
	Other races-----	25	---	---	---	---	---	---	---	---	---	---
	Female-----	312	---	---	---	---	---	---	1	---	1	10
	White-----	122	---	---	1	1	---	2	---	---	4	16
	Negro-----	2	---	---	---	---	---	---	---	---	---	---
	Other races-----											
76	Chronic poisoning by other organic substances-----	105	---	---	---	---	---	---	---	---	---	3
	Male-----											
	White-----	61	---	---	---	---	---	---	---	---	---	2
	Negro-----	5	---	---	---	---	---	---	---	---	---	1
	Other races-----	2	---	---	---	---	---	---	---	---	---	---
	Female-----	34	---	---	---	---	---	---	---	---	---	---
	White-----	4	---	---	---	---	---	---	---	---	---	---
	Negro-----											
77a	Chronic lead poisoning-----	130	---	11	9	4	1	25	3	---	---	3
	Male-----											
	White-----	102	---	1	5	2	---	8	1	---	---	1
	Negro-----	8	---	4	---	---	---	4	1	---	---	1
	Female-----	14	---	3	2	2	1	8	---	---	---	1
	White-----	6	---	3	2	---	---	5	1	---	---	---
	Negro-----											
77b,c	Other chronic poisoning by mineral substances-----	26	---	---	---	---	1	1	---	---	---	1
	Male-----											
	White-----	15	---	---	---	---	---	---	---	---	---	1
	Negro-----	3	---	---	---	---	---	---	---	---	---	---
	Female-----	6	---	---	---	---	1	1	---	---	---	---
	White-----	2	---	---	---	---	---	---	---	---	---	---
	Negro-----											
	Other races-----											
	VI.—Diseases of the nervous system, etc.*-----	135,065	2,360	633	355	259	304	3,911	1,499	1,225	1,253	1,296
	Male-----											
	White-----	61,785	1,183	291	177	124	150	1,905	760	627	647	594
	Negro-----	8,345	214	34	19	16	10	292	66	63	94	140
	Other races-----	254	14	7	---	1	2	24	6	4	5	3
	Female-----	56,484	808	263	137	104	120	1,432	634	470	411	440
	White-----	8,072	147	33	22	13	20	235	56	58	94	114
	Negro-----	125	14	5	1	1	2	23	7	3	2	5
	Other races-----											
78	Encephalitis (non-epidemic)-----	1,527	103	55	37	27	22	244	98	100	92	100
	Male-----											
	White-----	726	47	22	14	11	13	107	46	52	44	43
	Negro-----	80	7	4	1	---	1	13	8	5	9	6
	Other races-----	4	1	---	---	---	---	1	---	1	1	---
	Female-----	637	45	27	19	16	7	114	40	35	33	47
	White-----	77	3	2	3	---	---	9	4	7	5	4
	Negro-----											
	Other races-----											

* Refer to complete International List titles.

DEATHS BY CAUSE, SEX, RACE, AND AGE

BY SEX, RACE, AND AGE, IN THE UNITED STATES: 1935—Continued

25 to 29 years	30 to 34 years	35 to 39 years	40 to 44 years	45 to 49 years	50 to 54 years	55 to 59 years	60 to 64 years	65 to 69 years	70 to 74 years	75 to 79 years	80 to 84 years	85 to 89 years	90 to 94 years	95 to 99 years	100 and over	Unknown	List no.
98	99	96	90	113	89	73	66	31	30	19	9	1	-----	-----	-----	1	79a
45 15	49 10	53 9	42 15	66 16	51 6	45 4	40 2	24 1	18 2	12 -----	5 -----	-----	-----	-----	-----	-----	1
30 8	27 11	23 10	25 8	26 5	24 7	21 2	22 2	6 -----	10 -----	6 1	4 -----	1 -----	-----	-----	-----	-----	-----
21	9	19	13	12	13	10	11	5	3	1	-----	-----	-----	-----	-----	-----	79b
12 2 2 4	5 2 2	9 1 8 1	5 2 6	6 1 4 1	10 3	7 3	7 3	5 -----	2 1	1 -----	-----	-----	-----	-----	-----	-----	-----
4	16	28	46	87	90	162	158	142	94	75	22	8	4	-----	-----	-----	80
1 1	8 4	13 5	34 6	59 9	68 3	120 13	129 6	102 3	75 5	63 2	12 2	3 -----	3 -----	-----	-----	-----	-----
1 1	3 -----	8 2	6 -----	15 4	17 2	27 2	21 2	31 1	14 1	8 5	5 -----	1 -----	-----	-----	-----	-----	-----
72	71	91	151	191	271	354	374	405	376	271	138	71	17	2	4	2	81
40 1	27 7	43 3	76 9	91 11	134 16	187 11	199 16	209 9	192 6	133 2	67 1	26 1	13 -----	1 -----	1 -----	1 -----	1
30 1	28 8	37 7	60 5	80 9	112 8	148 7	147 12	176 10	171 6	130 6	67 2	43 1	4 -----	1 -----	1 -----	2 -----	1
338	603	1,273	2,398	4,164	6,508	8,275	11,072	13,776	15,249	14,966	10,451	5,209	1,536	282	78	85	82a
108 69 1	181 123 1	361 255 -----	727 367 2	1,362 563 13	2,393 776 15	3,569 716 21	5,173 740 27	6,587 595 23	7,382 499 16	7,114 314 17	4,744 220 6	2,199 114 3	513 52 5	72 21 1	9 9 -----	29 21 1	82b
86 74	163 134	334 271	796 502	1,587 636	2,453 865	3,200 761	4,388 734	5,883 679	6,851 497	7,173 340	5,248 228	2,731 158	890 75	162 26	19 40	15 19	-----
101	88	138	189	284	427	628	823	912	1,092	1,062	750	376	116	18	1	1	82b
43 4	29 6	48 14	82 11	125 18	196 24	324 24	437 18	430 20	555 11	538 7	330 8	161 3	51 -----	8 -----	1 -----	1 -----	-----
46 8	43 9	57 18	84 12	117 23	198 19	254 24	343 22	448 12	514 12	513 9	407 3	208 2	65 2	10 -----	-----	-----	-----
1	3	3	10	9	23	26	63	99	118	126	125	65	20	4	1	1	82c
1 -----	1 2	-----	5 -----	4 2	10 2	16 1	32 2	43 4	48 1	66 -----	53 1	25 3	4 1	-----	-----	-----	-----
28	41	49	94	154	257	289	400	535	615	638	454	261	73	17	8	12	82d
5 10 1	9 7	12 13	25 25	39 32	68 65	88 54	156 49	220 52	276 51	282 37	192 35	98 17	20 7	1 6	-----	5 4	-----
5 6 1	11 14	15 9	18 26	44 39	59 63	87 57	124 68	194 58	228 57	284 34	169 37	118 28	35 11	7 3	1 5	1 2	-----
115	306	561	641	682	683	507	382	270	178	107	35	25	5	1	1	7	83
52 28 1 18 16	157 77	305 143	370 129	410 109	336 131	300 99	254 60	194 33	105 22	57 12	17 3	12 3	-----	1 -----	-----	3 3	-----
105	114	148	135	112	136	102	99	74	77	72	35	18	6	1	1	3	84
37 16	32 9	42 23	43 14	42 12	53 10	36 11	37 4	30 5	28 6	42 3	15 1	6 -----	1 -----	-----	1 -----	1 -----	-----
36 15 1	52 20	61 21	65 13	47 10	61 12	50 5	54 4	38 1	37 6	24 3	19 2	11 1	3 -----	1 -----	-----	-----	-----
269	214	244	207	179	142	134	95	84	80	57	59	10	5	1	-----	1	85
133 32	116 20	114 30	109 26	92 16	70 16	68 16	50 6	39 6	41 2	31 4	22 3	6 1	2 1	-----	-----	-----	-----
88 16	71 7	86 14	59 13	57 13	49 7	43 7	29 10	32 7	34 3	21 1	13 1	3 -----	2 -----	-----	-----	-----	1
-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----
-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	86

MORTALITY STATISTICS

TABLE 7.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE.

List no.	CAUSE OF DEATH, SEX, AND RACE	All ages	Under 1 year	1 year	2 years	3 years	4 years	Under 5 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years
	VI.—Diseases of the nervous system, etc.*— Continued											
87	Other diseases of nervous system-----	3,854	112	49	26	18	20	225	101	76	68	69
	Male-----White-----	1,944	50	19	12	8	13	102	53	39	23	35
	Negro-----	130	5	4	---	1	1	12	6	7	4	6
	Other races-----	3	---	---	---	---	---	---	1	---	---	---
	Female-----White-----	1,681	51	25	14	7	6	103	37	27	33	23
	Negro-----	94	5	1	---	2	---	8	4	3	9	5
	Other races-----	2	---	---	---	---	---	---	---	---	---	---
88	Diseases of organs of vision-----	64	11	2	1	---	1	15	8	2	2	1
	Male-----White-----	31	4	1	---	---	---	5	4	2	1	1
	Negro-----	7	1	---	1	---	---	2	---	---	1	---
	Other races-----	1	---	---	---	---	---	---	---	---	---	---
	Female-----White-----	22	6	1	---	---	1	8	2	---	---	---
	Negro-----	1	---	---	---	---	---	---	---	---	---	---
	Other races-----	2	---	---	---	---	---	---	2	---	---	---
89a	Diseases of ear-----	2,022	450	101	43	24	55	679	293	160	103	72
	Male-----White-----	1,091	241	45	27 ^a	14	30	357	154	77	67	37
	Negro-----	76	27	4	---	1	1	33	8	2	3	7
	Other races-----	10	1	1	---	---	---	2	1	3	1	---
	Female-----White-----	782	159	45	16	9	24	262	124	74	28	23
	Negro-----	56	15	5	---	1	---	21	4	3	4	5
	Other races-----	7	3	1	---	---	---	4	2	1	---	---
89b	Diseases of mastoid process-----	2,090	159	68	38	43	45	373	427	246	150	105
	Male-----White-----	1,163	99	48	19	23	24	213	215	135	90	60
	Negro-----	51	5	2	1	2	1	11	4	5	1	4
	Other races-----	6	1	---	---	---	1	2	1	---	1	---
	Female-----White-----	820	51	33	16	18	18	136	200	104	53	39
	Negro-----	42	2	5	2	---	1	10	5	2	4	1
	Other races-----	8	1	---	---	---	---	1	2	---	1	---
	VII.—Diseases of the circulatory system-----	340,796	595	139	120	130	149	1,123	968	1,532	1,798	2,204
	Male-----White-----	177,195	300	63	62	48	68	531	412	626	783	873
	Negro-----	15,955	40	4	5	13	9	71	52	80	122	189
	Other races-----	567	2	---	---	1	---	3	3	3	6	3
	Female-----White-----	132,897	220	61	47	57	63	448	418	713	750	904
	Negro-----	13,968	23	10	6	11	19	69	76	107	131	234
	Other races-----	214	---	1	---	---	---	1	7	3	6	1
90	Pericarditis-----	740	24	3	3	5	7	47	14	22	23	22
	Male-----White-----	377	15	5	---	3	3	26	6	12	10	11
	Negro-----	84	---	---	---	---	---	---	---	2	4	2
	Other races-----	2	---	---	---	---	---	---	---	---	---	---
	Female-----White-----	239	9	2	3	2	4	20	8	8	9	8
	Negro-----	38	---	1	---	---	---	1	---	---	---	1
91a	Acute endocarditis-----	2,956	29	15	3	21	13	96	126	179	241	265
	Male-----White-----	1,379	18	6	2	10	4	40	59	65	82	104
	Negro-----	133	1	1	---	---	---	2	3	10	5	12
	Other races-----	5	---	---	---	---	---	1	1	---	1	1
	Female-----White-----	1,239	10	8	1	7	13	39	54	97	137	135
	Negro-----	191	---	---	---	3	1	4	8	7	16	12
	Other races-----	4	---	---	---	---	---	---	1	---	---	1
91b	Endocarditis, unspecified (under 45 years)-----	563	16	4	8	10	6	44	39	61	43	52
	Male-----White-----	212	10	2	4	3	2	21	11	25	12	20
	Negro-----	50	1	---	1	2	1	6	3	1	4	6
	Female-----White-----	240	3	2	3	5	3	15	24	29	24	23
	Negro-----	59	1	---	---	---	---	1	1	5	3	3
	Other races-----	2	---	---	---	---	---	---	---	2	---	---
92	Endocarditis, specified as chronic, etc.*-----	50,490	104	23	25	25	40	210	211	654	723	796
	Male-----White-----	23,106	53	7	13	10	19	101	142	299	329	322
	Negro-----	3,191	5	1	1	5	1	13	17	30	41	50
	Other races-----	99	---	---	---	---	---	---	1	3	---	1
	Female-----White-----	21,009	43	13	9	9	15	90	154	296	311	354
	Negro-----	3,042	3	2	2	2	5	14	19	40	40	69
	Other races-----	44	---	---	---	---	---	---	2	---	4	---
92b	Endocarditis, unspecified (45 years and over)-----	3,926	---	---	---	---	---	---	---	---	---	---
	Male-----White-----	1,763	---	---	---	---	---	---	---	---	---	---
	Negro-----	230	---	---	---	---	---	---	---	---	---	---
	Other races-----	7	---	---	---	---	---	---	---	---	---	---
	Female-----White-----	1,592	---	---	---	---	---	---	---	---	---	---
	Negro-----	226	---	---	---	---	---	---	---	---	---	---
	Other races-----	3	---	---	---	---	---	---	---	---	---	---
93a	Acute myocarditis-----	4,808	51	9	12	11	7	90	35	34	46	76
	Male-----White-----	2,302	24	3	7	2	3	39	16	19	21	31
	Negro-----	364	1	1	1	---	---	3	1	1	6	9
	Other races-----	7	---	---	---	---	---	---	---	---	1	---
	Female-----White-----	1,752	23	4	4	7	3	41	14	13	15	27
	Negro-----	378	3	1	---	2	1	7	4	1	5	11
	Other races-----	5	---	---	---	---	---	---	---	---	---	---
93b	Myocarditis, unspecified (under 45 years)-----	1,095	24	7	0	1	6	44	13	32	41	61
	Male-----White-----	589	13	4	4	1	1	25	7	10	15	17
	Negro-----	177	1	---	---	---	---	1	---	3	4	11
	Other races-----	2	---	---	---	---	---	---	---	---	---	---
	Female-----White-----	379	10	3	2	---	3	19	5	15	17	24
	Negro-----	154	---	---	---	---	2	2	1	4	5	9
	Other races-----	1	---	---	---	---	---	---	---	---	---	---

* Refer to complete International List titles.

MORTALITY STATISTICS

TABLE 7.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE,

List no.	CAUSE OF DEATH, SEX, AND RACE	All ages	Under 1 year	1 year	2 years	3 years	4 years	Under 5 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years
	VII.—Diseases of the circulatory system— Continued											
93c	Chronic myocarditis and myocardial degeneration—	101,998	15	7	3	2	10	37	57	78	146	210
	Male—White	51,173	6	2	3	1	5	17	27	35	76	91
	Male—Negro	3,191	3	—	—	—	2	5	5	5	12	13
	Male—Other races	185	—	—	—	—	—	—	—	—	2	—
	Female—White	44,546	5	5	—	1	3	14	21	34	49	81
	Female—Negro	2,838	1	—	—	—	—	1	3	4	9	25
	Female—Other races	65	—	—	—	—	—	—	1	—	—	—
93d	Other diseases of myocardium—	30,142	13	7	2	1	—	23	10	6	22	32
	Male—White	14,753	9	2	—	—	—	11	7	1	7	14
	Male—Negro	1,291	—	—	—	—	—	—	—	—	2	2
	Male—Other races	29	—	—	—	—	—	—	—	—	—	—
	Female—White	12,938	4	4	1	1	—	10	2	6	9	11
	Female—Negro	1,116	—	1	1	—	—	2	1	1	3	5
	Female—Other races	15	—	—	—	—	—	—	—	—	1	—
94a	Angina pectoris—	19,182	1	—	—	—	—	1	4	5	14	38
	Male—White	12,778	1	—	—	—	—	1	1	1	4	16
	Male—Negro	561	—	—	—	—	—	—	—	—	1	6
	Male—Other races	21	—	—	—	—	—	—	—	—	—	—
	Female—White	5,376	—	—	—	—	—	—	2	2	4	9
	Female—Negro	443	—	—	—	—	—	—	1	1	5	7
	Female—Other races	3	—	—	—	—	—	—	—	—	—	—
94b	Diseases of coronary arteries—	40,562	17	4	2	3	2	28	11	18	29	71
	Male—White	27,141	9	2	1	1	1	14	2	8	15	28
	Male—Negro	904	2	—	—	—	—	2	1	—	3	4
	Male—Other races	43	—	—	—	—	—	—	—	—	—	—
	Female—White	11,858	6	1	1	2	1	11	8	9	6	21
	Female—Negro	602	—	1	—	—	—	1	—	1	5	8
	Female—Other races	14	—	—	—	—	—	—	—	—	—	—
95a	Functional diseases of the heart—	789	10	1	—	—	—	11	2	—	3	4
	Male—White	398	7	1	—	—	—	8	1	—	1	1
	Male—Negro	21	—	—	—	—	—	—	—	—	—	—
	Male—Other races	3	—	—	—	—	—	—	—	—	—	—
	Female—White	343	3	—	—	—	—	3	1	—	2	3
	Female—Negro	23	—	—	—	—	—	—	—	—	—	—
	Female—Other races	1	—	—	—	—	—	—	—	—	—	—
95b	Other and unspecified diseases of heart—	55,192	181	29	43	37	43	333	266	412	411	481
	Male—White	26,914	86	17	19	11	18	151	110	157	190	187
	Male—Negro	4,369	16	1	2	5	5	29	19	29	36	56
	Male—Other races	111	2	—	—	—	—	2	1	—	2	—
	Female—White	20,009	67	9	19	18	12	125	102	169	147	166
	Female—Negro	3,762	10	2	3	3	8	26	34	36	35	72
	Female—Other races	27	—	—	—	—	—	—	—	1	1	—
96	Aneurysm (except of heart)—	2,440	1	1	1	1	1	5	8	3	11	28
	Male—White	1,430	—	1	—	—	1	2	5	2	5	8
	Male—Negro	358	—	—	—	—	—	—	1	—	1	10
	Male—Other races	10	—	—	—	—	—	—	—	—	—	—
	Female—White	484	1	—	1	1	—	3	2	1	5	8
	Female—Negro	158	—	—	—	—	—	—	—	—	—	2
97	Arteriosclerosis (except coronary arteries)—	21,549	—	—	—	—	—	—	—	1	1	5
	Male—White	10,907	—	—	—	—	—	—	—	—	—	2
	Male—Negro	737	—	—	—	—	—	—	—	—	—	2
	Male—Other races	34	—	—	—	—	—	—	—	—	—	—
	Female—White	9,207	—	—	—	—	—	—	—	1	—	1
	Female—Negro	640	—	—	—	—	—	—	—	—	1	—
	Female—Other races	24	—	—	—	—	—	—	—	—	—	—
98	Gangrene—	857	16	6	5	6	2	37	8	2	10	10
	Male—White	438	9	4	5	2	—	20	2	1	6	3
	Male—Negro	81	—	—	—	1	—	1	—	—	—	3
	Male—Other races	4	—	—	—	—	—	—	—	—	—	—
	Female—White	262	7	3	—	2	1	13	1	1	2	3
	Female—Negro	70	—	1	—	1	1	3	3	—	2	1
	Female—Other races	2	—	—	—	—	—	—	2	—	—	—
99	Other diseases of arteries—	1,602	19	1	1	—	2	23	6	5	15	20
	Male—White	923	13	1	—	—	1	15	5	3	7	5
	Male—Negro	48	—	—	—	—	—	—	—	—	1	—
	Male—Other races	3	—	—	—	—	—	—	—	—	—	—
	Female—White	589	6	—	1	—	1	8	1	2	6	11
	Female—Negro	37	—	—	—	—	—	—	—	—	1	4
	Female—Other races	2	—	—	—	—	—	—	—	—	—	—
100	Diseases of veins, etc.*—	748	2	2	—	1	2	7	6	9	9	10
	Male—White	317	1	—	—	1	1	3	2	4	3	6
	Male—Negro	23	—	—	—	—	—	—	1	—	—	—
	Female—White	382	1	2	—	—	1	4	3	5	6	3
	Female—Negro	26	—	—	—	—	—	—	—	—	—	1
101	Diseases of lymphatic system (lymphangitis, etc.)—	177	43	11	6	4	1	65	10	1	1	8
	Male—White	79	23	5	4	2	—	34	3	1	—	2
	Male—Negro	11	3	—	—	—	—	3	—	—	1	3
	Female—White	72	15	5	2	2	1	25	6	—	—	3
	Female—Negro	15	2	1	—	—	—	3	1	—	—	—

* Refer to complete International List titles.

DEATHS BY CAUSE, SEX, RACE, AND AGE

BY SEX, RACE, AND AGE, IN THE UNITED STATES: 1935--Continued

25 to 29 years	30 to 34 years	35 to 39 years	40 to 44 years	45 to 49 years	50 to 54 years	55 to 59 years	60 to 64 years	65 to 69 years	70 to 74 years	75 to 79 years	80 to 84 years	85 to 89 years	90 to 94 years	95 to 99 years	100 and over	Unknown	List no.
334	653	1,194	2,151	3,619	5,359	7,459	10,361	13,716	16,278	16,651	12,942	7,234	2,585	556	118	58	93c
126 34 1 127 45 1 51	273 77 3 220 79 1 42	530 146 5 390 126 2 111	1,018 289 5 693 206 ----- 200	1,892 296 5 1,171 251 4 1,246	2,941 351 19 1,723 320 5 1,825	4,175 400 19 2,572 289 4 2,454	5,572 376 15 4,051 343 4 3,263	7,270 360 26 5,727 326 7 4,003	8,387 304 25 7,310 246 5 4,654	9,305 220 25 8,075 216 9 5,039	6,056 163 17 6,548 154 4 3,867	3,121 111 8 3,891 94 9 2,214	1,025 43 4 1,456 52 2 834	176 25 4 330 19 2 192	31 9 2 52 19 5 34	29 7 ----- 11 11 ----- 18	93d
25 5 ----- 15 6 ----- 80	19 8 1 13 1 ----- 134	54 14 1 29 13 ----- 317	96 24 1 53 26 ----- 688	576 158 ----- 375 137 ----- 1,148	894 198 3 558 172 ----- 1,695	1,294 175 6 823 151 5 2,161	1,694 185 3 1,217 164 ----- 2,735	2,074 147 3 1,656 122 1 3,056	2,310 140 4 2,089 108 3 2,862	2,507 99 2 2,350 79 2 2,317	1,804 65 4 1,931 60 3 1,221	971 43 ----- 1,164 36 ----- 541	322 14 1 483 15 ----- 130	63 6 1 115 7 ----- 22	4 4 ----- 22 4 ----- 3	6 2 ----- 7 3 ----- 10	94a
28 19 ----- 18 15 ----- 154	77 18 1 18 20 ----- 297	186 54 ----- 43 34 ----- 797	484 56 ----- 96 51 1 1,783	837 79 ----- 182 49 1 2,692	1,281 78 4 281 51 ----- 3,696	1,580 68 2 457 54 ----- 4,855	1,905 62 3 708 57 ----- 5,890	2,067 42 1 914 32 ----- 6,248	1,824 30 5 975 27 1 5,570	1,418 17 2 867 13 ----- 4,543	716 14 ----- 480 11 ----- 2,510	283 10 2 241 5 ----- 1,040	59 3 ----- 64 4 ----- 303	7 1 ----- 12 2 ----- 48	----- 1 ----- 2 ----- 13	3 2 ----- 3 2 ----- 16	94b
68 23 ----- 45 17 ----- 15	168 35 ----- 65 29 ----- 7	565 69 3 125 35 ----- 17	1,276 93 3 283 78 ----- 20	2,038 115 2 456 79 2 3,054	2,744 150 6 728 66 4 4,194	3,645 108 3 1,029 69 1 4,948	4,132 109 9 1,572 65 3 5,890	4,113 72 8 1,990 64 1 6,248	3,488 41 2 2,008 30 ----- 5,570	2,721 37 3 1,758 22 2 4,543	1,405 18 3 1,076 8 ----- 2,510	553 12 1 466 8 ----- 1,040	130 6 ----- 159 8 ----- 303	20 1 ----- 25 2 ----- 48	3 4 ----- 3 ----- -----	5 1 ----- 6 4 ----- 1	95a
7 2 ----- 4 ----- 635	5 ----- 1 ----- 880	7 ----- 9 ----- 1,360	15 1 3 1 ----- 2,069	15 2 1 16 4 ----- 3,054	21 4 1 18 2 ----- 4,194	38 3 ----- 19 4 ----- 4,948	52 3 ----- 28 1 ----- 5,890	64 5 ----- 47 1 ----- 6,248	58 1 ----- 51 1 ----- 7,631	40 3 ----- 61 2 ----- 6,928	41 18 3 39 1 ----- 4,679	17 ----- 26 1 ----- 3,004	6 ----- 9 1 ----- 1,363	1 ----- 2 ----- ----- 363	----- ----- 1 ----- ----- 80	----- ----- 1 ----- ----- 11	95b
215 88 2 227 103 ----- 39	292 152 3 274 156 3 67	483 270 4 382 240 1 137	777 346 3 586 377 1 197	1,371 467 5 833 377 1 274	2,015 588 7 1,125 487 2 307	2,604 473 9 1,462 396 1 331	3,216 511 12 2,052 324 3 279	3,831 455 11 2,575 324 3 258	3,940 350 19 3,034 285 3 214	3,586 243 14 2,919 162 4 140	2,302 141 13 2,112 108 3 64	1,091 82 1 1,156 81 1 42	319 29 2 416 40 ----- 11	55 16 1 100 21 ----- 1	9 7 ----- 17 17 ----- -----	13 12 ----- 9 9 ----- 4	96
15 10 ----- 10 4 ----- 11	22 20 ----- 10 15 ----- 16	44 59 ----- 13 21 ----- 25	86 64 2 26 19 ----- 79	155 52 1 43 23 ----- 163	187 53 2 42 23 ----- 430	227 32 1 53 18 ----- 673	185 23 ----- 56 13 ----- 1,259	183 16 ----- 53 6 ----- 2,063	143 9 1 56 5 ----- 3,271	89 5 ----- 42 4 ----- 4,378	46 2 ----- 34 1 ----- 4,333	22 ----- 18 2 ----- 3,004	2 1 ----- 8 ----- 1,363	----- ----- 1 ----- ----- 363	----- ----- 1 ----- ----- 80	----- ----- 1 ----- ----- 11	97
4 4 ----- 1 2 ----- 18	5 2 ----- 8 1 ----- 10	8 9 ----- 3 5 ----- 17	30 13 ----- 25 11 ----- 18	61 25 ----- 50 29 ----- 18	199 61 1 121 48 ----- 35	317 68 ----- 233 55 ----- 45	676 98 2 411 71 1 58	1,139 91 3 764 82 4 65	1,806 90 10 1,886 75 4 99	2,352 83 7 1,854 81 1 130	2,245 85 3 1,931 61 7 121	1,384 54 4 1,510 49 3 93	553 31 ----- 752 26 1 46	108 14 2 219 20 ----- 11	11 8 2 35 21 ----- 2	6 1 ----- 2 2 ----- 4	98
6 2 ----- 5 5 ----- 19	2 2 ----- 3 3 ----- 36	4 4 ----- 6 3 ----- 53	5 3 ----- 7 3 ----- 90	6 4 ----- 7 1 ----- 89	16 5 ----- 7 7 ----- 137	19 13 2 9 2 ----- 126	29 6 ----- 19 4 ----- 144	35 9 1 14 6 ----- 169	52 8 ----- 55 4 ----- 210	75 8 ----- 36 11 ----- 195	75 3 ----- 38 4 ----- 151	47 4 1 38 3 ----- 72	27 4 ----- 12 3 ----- 31	4 1 ----- 6 ----- 10	----- ----- 1 ----- ----- -----	----- ----- 1 ----- ----- -----	99
9 1 ----- 7 2 ----- 18	16 4 ----- 12 4 ----- 29	26 3 ----- 17 3 ----- 45	51 4 ----- 30 5 ----- 55	39 9 ----- 34 7 ----- 55	82 9 ----- 40 6 ----- 61	80 4 ----- 41 1 ----- 85	96 6 ----- 39 3 ----- 92	102 3 ----- 63 ----- 80	128 ----- 82 ----- 59	114 2 ----- 79 ----- 63	91 ----- 60 ----- 40	34 2 ----- 35 1 ----- 16	15 ----- 16 ----- 7	4 ----- 6 ----- -----	----- ----- ----- ----- ----- -----	----- ----- ----- ----- ----- 2	100
7 1 ----- 8 ----- 4	9 ----- 20 ----- 3	17 2 ----- 5 ----- 8	19 8 ----- 31 3 ----- 7	20 2 ----- 31 2 ----- 11	26 1 ----- 31 3 ----- 7	40 3 ----- 39 3 ----- 8	43 1 ----- 47 1 ----- 6	35 1 ----- 42 2 ----- 7	29 ----- 29 ----- 9	30 ----- 32 ----- 10	16 1 ----- 23 ----- 6	4 1 ----- 11 ----- 4	4 2 ----- ----- ----- 1	----- ----- ----- ----- ----- -----	----- ----- ----- ----- ----- -----	----- ----- ----- ----- ----- -----	101
4 ----- ----- ----- -----	----- ----- ----- ----- -----	4 ----- ----- ----- -----	1 ----- ----- ----- -----	8 ----- ----- ----- -----	2 ----- ----- ----- -----	4 ----- ----- ----- -----	3 ----- ----- ----- -----	3 ----- ----- ----- -----	4 ----- ----- ----- -----	3 ----- ----- ----- -----	2 ----- ----- ----- -----	1 ----- ----- ----- -----	----- ----- ----- ----- -----	----- ----- ----- ----- -----	----- ----- ----- ----- -----	----- ----- ----- ----- -----	-----

MORTALITY STATISTICS

TABLE 7.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE,

List no.	CAUSE OF DEATH, SEX, AND RACE	All ages	Under 1 year	1 year	2 years	3 years	4 years	Under 5 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years
102	VII.—Diseases of the circulatory system— Continued											
	Idiopathic anomalies of blood-pressure-----	778							2		2	3
	Male-----White-----	279							2			2
	Negro-----	108									1	
	Female-----White-----	282									1	1
Negro-----	109											
103	Other diseases of circulatory system-----	302	19	2		1	2	24	7	8	5	10
	Male-----White-----	153	3	1		1		5	4		2	3
	Negro-----	53	6					6	1			
	Other races-----	2										1
	Female-----White-----	100	7				1	8		6	2	2
Negro-----	32	3				1	4	1	2	1	4	
Other races-----	2		1				1	1				
104a	VIII.—Diseases of the respiratory system-----	118,557	17,934	4,435	1,932	1,077	702	26,140	2,415	1,687	2,632	3,162
	Male-----White-----	57,565	8,072	1,965	693	427	337	11,754	1,129	776	1,243	1,324
	Negro-----	10,345	2,006	449	169	101	52	2,777	180	151	348	526
	Other races-----	641	191	66	20	5	4	286	17	9	16	10
	Female-----White-----	42,339	5,967	1,548	684	387	300	8,886	937	622	739	919
Negro-----	7,244	1,552	354	142	85	56	2,209	136	123	279	377	
Other races-----	403	136	43	24	12	13	222	16	6	7	6	
104b	Diseases of nasal fossae-----	391	254	18	8	4	3	287	5	5	4	9
	Male-----White-----	105	50	5	2	1	2	60	2	3		5
	Negro-----	108	89	3	2			94	2		2	
	Other races-----	1								1		
	Female-----White-----	71	37	4	2			43	1	1	2	1
Negro-----	104	77	5	2	2	1	88	1			3	
Other races-----	2	1			1		2					
104b	Diseases of nasal fossae and annera-----	705	20	6	7	4	6	43	36	68	76	76
	Male-----White-----	415	6	6	4	3	5	24	16	42	43	52
	Negro-----	33	1					1	1	7	5	3
	Female-----White-----	229	10		3	1	1	15	19	18	23	19
	Negro-----	28	3					3	1	1	5	2
105	Diseases of larynx-----	474	110	76	60	35	21	302	41	9	5	1
	Male-----White-----	241	51	42	42	20	12	167	17	4	2	1
	Negro-----	29	11	3	3	2		19	2	1		
	Other races-----	2						1				
	Female-----White-----	175	39	25	13	12	8	97	22	4	2	
Negro-----	27	8	4	2	1	1	16			1		
Other races-----	2	1	1				2					
106a	acute bronchitis-----	1,281	349	60	29	14	7	459	24	7	19	14
	Male-----White-----	574	157	26	14	6	4	207	11	6	6	3
	Negro-----	62	29	3	1			3	1		3	3
	Other races-----	3	2	1								
	Female-----White-----	554	125	29	10	8	2	174	10		8	4
Negro-----	78	34	1	4		1	40	1	1	2	4	
Other races-----	4	2					2	1				
106b	Chronic bronchitis-----	1,794	23	5	6	1	3	38	8	9	17	39
	Male-----White-----	954	14	2	2		2	20	2	4	7	22
	Negro-----	36	1					1	2	1		3
	Other races-----	8			1			1			1	
	Female-----White-----	742	8	2	3	1	1	15	4	4	9	10
Negro-----	48		1				1				4	
Other races-----	4											
106 c,d	Bronchitis, unspecified-----	891	185	33	14	7	2	241	11	9	4	10
	Male-----White-----	379	82	14	5	3		104	4	4	2	1
	Negro-----	52	22	2	1	1	1	27	2		1	2
	Other races-----	3	1					1				
	Female-----White-----	328	60	15	4	3	1	83	5	4		2
Negro-----	57	18	2	4			24		1	1	5	
Other races-----	2	2					2					
107a	Bronchopneumonia-----	42,288	11,792	2,516	985	455	325	15,073	827	408	445	509
	Male-----White-----	19,814	5,475	1,094	451	200	147	7,367	377	184	189	217
	Negro-----	2,843	1,115	257	82	42	22	1,518	55	29	38	56
	Other races-----	285	124	43	12	2	1	182	9	4	2	1
	Female-----White-----	16,747	4,087	879	343	163	127	5,599	319	157	159	172
Negro-----	2,403	896	216	83	40	22	1,257	59	32	55	62	
Other races-----	196	95	27	14	8	6	150	8	2	2	1	
107b	Capillary bronchitis-----	333	162	29	4	9	1	205	2	1	1	2
	Male-----White-----	133	65	14	1	1		85				
	Negro-----	24	12	4	1	1		18				
	Other races-----	5	3	2				5				
	Female-----White-----	133	58	6	2	6		72	2	1	1	
Negro-----	38	20	3		1	1	25				2	
108	lobar pneumonia-----	57,658	3,475	1,247	636	425	303	6,086	1,180	991	1,756	2,116
	Male-----White-----	28,889	1,628	571	315	195	128	2,837	590	449	856	898
	Negro-----	5,813	408	125	50	41	22	646	81	95	258	398
	Other races-----	248	37	12	6		1	56	4	4	12	8
	Female-----White-----	19,059	1,108	444	229	157	128	2,066	441	366	442	570
Negro-----	3,529	275	85	32	30	22	444	60	75	175	235	
Other races-----	120	19	10	4	2	2	37	4	2	3	4	

DEATHS BY CAUSE, SEX, RACE, AND AGE

BY SEX, RACE, AND AGE, IN THE UNITED STATES: 1935—Continued

25 to 29 years:	30 to 34 years:	35 to 39 years:	40 to 44 years:	45 to 49 years:	50 to 54 years:	55 to 59 years:	60 to 64 years:	65 to 69 years:	70 to 74 years:	75 to 79 years:	80 to 84 years:	85 to 89 years:	90 to 94 years:	95 to 99 years:	100 and over:	Unknown:	List no.
19	19	35	44	65	64	77	77	98	70	85	67	53	9	3	2	4	102
8	5	7	10	14	21	27	35	41	29	34	28	10	4	1	-----	1	103
1	4	7	10	9	12	15	12	11	7	6	5	5	-----	1	-----	2	
6	6	11	15	24	19	22	23	38	27	39	31	15	4	-----	-----	-----	
4	4	10	9	18	12	13	7	8	7	6	3	3	1	1	2	1	
7	15	9	16	15	16	26	20	19	28	28	27	14	5	3	1	1	103
-----	4	3	6	10	9	14	13	7	13	17	12	5	5	2	-----	-----	104a
2	3	2	4	3	2	2	-----	1	2	3	1	-----	1	-----	-----	-----	
2	4	3	3	2	3	8	6	9	10	8	13	8	1	1	1	-----	
3	2	1	3	-----	2	2	1	2	2	-----	-----	1	-----	-----	-----	1	
3,674	3,962	4,980	5,733	6,356	6,680	6,829	7,411	7,928	8,205	8,265	6,404	3,901	1,654	355	98	106	106
1,466	1,758	2,337	2,984	3,484	3,690	3,965	4,065	4,181	4,089	3,978	2,944	1,673	647	123	29	46	104b
612	591	824	759	814	715	543	485	335	283	165	118	66	31	12	9	19	
12	13	23	24	58	30	26	94	28	19	22	20	9	2	1	1	1	
1,128	1,175	1,343	1,510	1,620	1,797	2,053	2,503	3,096	3,762	3,924	3,220	2,073	910	199	37	27	
446	416	446	445	390	439	337	306	279	200	159	100	69	39	18	18	13	105
10	9	7	11	10	9	5	18	9	13	17	2	9	5	2	4	-----	
3	5	6	4	6	3	3	4	7	1	6	13	4	10	4	1	-----	
-----	2	4	2	2	2	2	1	2	1	3	4	3	5	2	-----	-----	
-----	1	-----	1	2	-----	-----	1	2	-----	1	2	-----	-----	-----	-----	-----	105a
1	2	1	-----	2	-----	1	-----	3	-----	1	6	1	3	2	-----	-----	
2	-----	1	1	-----	1	-----	2	-----	-----	1	1	-----	2	-----	1	-----	
-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	
65	46	48	51	47	37	33	33	22	8	6	5	2	1	-----	-----	2	105b
37	30	28	34	25	20	19	18	14	4	2	3	1	1	-----	-----	2	106
2	3	-----	2	3	2	1	2	1	-----	-----	1	-----	-----	-----	-----	-----	
25	11	16	12	19	14	10	11	7	4	4	1	1	-----	-----	-----	-----	
1	2	4	3	-----	1	3	2	-----	-----	-----	-----	-----	-----	-----	-----	-----	
8	11	8	18	11	6	13	8	4	8	8	6	2	3	2	-----	-----	105
1	4	5	8	8	3	4	4	1	3	4	3	1	1	-----	-----	-----	106a
1	-----	2	-----	-----	1	1	-----	1	-----	2	-----	-----	-----	-----	-----	-----	
3	6	-----	6	3	2	8	4	2	4	2	3	1	2	2	-----	-----	
3	1	1	4	-----	-----	-----	-----	-----	1	-----	-----	-----	-----	-----	-----	-----	
15	8	17	27	29	33	37	51	41	75	111	130	108	57	15	2	2	106a
3	2	7	6	20	18	23	26	26	39	49	55	33	26	4	1	-----	106b
2	1	4	5	2	5	1	2	-----	1	1	-----	1	1	-----	-----	1	
6	5	5	8	5	8	10	16	15	35	60	74	71	29	10	1	-----	
4	-----	1	4	2	2	3	7	-----	-----	1	1	3	1	1	-----	1	
34	26	43	51	73	89	115	125	173	225	259	240	145	71	10	3	1	106b
12	10	19	35	54	54	75	78	97	117	119	120	67	35	6	-----	1	106c,d
1	2	3	2	6	3	4	5	2	2	-----	1	1	-----	-----	-----	-----	
15	11	18	11	8	30	33	39	66	103	134	115	76	35	3	3	-----	
6	3	2	3	4	2	3	3	7	1	3	4	-----	1	1	-----	-----	
5	6	17	13	19	22	27	27	40	56	96	113	103	51	16	3	2	106c,d
1	2	6	3	5	12	16	17	21	26	34	44	46	20	9	1	1	107a
-----	2	3	3	3	5	2	3	4	-----	1	2	2	-----	-----	-----	-----	
3	2	6	5	8	3	8	4	14	26	58	65	53	29	7	2	1	
1	-----	2	2	2	1	1	3	1	4	3	2	2	2	-----	-----	-----	
608	661	866	1,109	1,279	1,461	1,591	2,025	2,372	2,922	3,443	2,818	1,861	774	159	47	30	107a
230	282	412	551	653	784	870	1,070	1,171	1,411	1,589	1,270	792	303	57	18	17	107b
76	72	112	113	145	145	100	97	89	68	53	34	23	14	4	3	1	
2	2	7	7	10	5	5	9	7	6	10	8	7	1	-----	1	-----	
230	230	263	348	399	437	534	741	1,015	1,371	1,730	1,465	1,012	448	93	15	10	
69	74	72	89	68	92	81	103	85	60	69	40	24	7	5	8	2	107c
1	1	-----	1	4	-----	1	5	5	6	2	1	3	1	-----	2	-----	
3	1	6	4	4	5	6	13	13	12	17	18	16	4	-----	-----	-----	
-----	1	1	3	-----	4	4	5	5	5	7	5	7	1	-----	-----	-----	
-----	-----	-----	-----	1	-----	-----	2	-----	2	-----	1	-----	-----	-----	-----	-----	108
3	-----	4	1	2	-----	2	4	7	5	9	11	8	1	-----	-----	-----	
-----	1	1	-----	1	1	-----	2	1	-----	1	1	1	2	-----	-----	-----	
2,509	2,742	3,420	3,819	4,182	4,225	4,198	4,309	4,370	4,110	3,539	2,388	1,185	420	90	24	49	
1,010	1,233	1,595	1,993	2,297	2,310	2,361	2,374	2,325	2,076	1,783	1,131	540	165	34	5	16	108
468	452	618	556	554	478	375	303	189	149	82	48	29	10	6	4	14	
8	8	12	15	20	22	16	23	15	6	9	8	1	1	-----	-----	-----	
719	754	883	952	990	1,115	1,233	1,442	1,693	1,764	1,588	1,169	584	226	43	9	12	
298	283	307	298	265	296	209	159	159	111	69	31	27	16	6	5	7	108
6	7	5	5	6	6	4	8	2	4	8	1	4	2	1	1	-----	

DEATHS BY CAUSE, SEX, RACE, AND AGE

BY SEX, RACE, AND AGE, IN THE UNITED STATES: 1935—Continued

25 to 29 years	30 to 34 years	35 to 39 years	40 to 44 years	45 to 49 years	50 to 54 years	55 to 59 years	60 to 64 years	65 to 69 years	70 to 74 years	75 to 79 years	80 to 84 years	85 to 89 years	90 to 94 years	95 to 99 years	100 and over	Unknown	List no.
130	116	130	120	153	153	162	173	182	189	187	183	127	58	11	8	6	109
46 26 1 27 29 1	44 21 2 33 15 1	58 27 ----- 25 20 -----	53 17 2 34 10 4	70 37 1 32 13 -----	64 30 1 37 16 3	79 23 1 45 14 -----	75 26 1 55 11 5	93 22 4 49 13 1	95 13 4 66 8 3	97 12 1 70 15 2	79 15 1 77 11 -----	54 5 ----- 60 6 2	23 3 ----- 28 3 1	----- 1 ----- 7 2 1	----- 2 ----- 4 1 1	----- 1 ----- 4 1 1	3 1 1 2 1 -----
130	146	159	204	209	184	205	160	182	154	113	62	41	10	3	1	1	110
67 15 1 35 12	73 21 1 43 8	87 22 ----- 37 13	126 21 ----- 40 17	128 27 ----- 44 9	128 12 ----- 40 4	132 11 ----- 54 7	95 12 1 49 3	112 5 1 60 3	83 8 ----- 58 3	59 4 1 48 1	29 1 1 31 -----	15 2 ----- 22 1	4 ----- 6 -----	----- 3 ----- ----- -----	----- ----- ----- 1 -----	----- ----- ----- ----- -----	1 ----- ----- ----- -----
32	27	39	39	56	53	58	58	79	53	44	23	10	5	-----	-----	-----	111a
15 4 9 4	8 1 16 2	16 7 14 2	17 1 21 -----	28 2 25 3	26 2 23 2	29 4 24 1	27 2 26 -----	46 2 30 1	24 4 24 1	28 1 14 1	14 ----- 8 1	6 ----- 4 -----	2 ----- 3 -----	----- ----- ----- -----	----- ----- ----- -----	----- ----- ----- -----	----- ----- ----- -----
16	20	27	32	31	53	44	69	94	154	215	253	234	144	39	8	3	111b
7 3 3 3	8 2 9 1	8 8 7 4	11 8 11 2	12 2 16 1	26 4 16 7	27 1 14 1	29 7 28 5	43 3 41 7	69 4 78 3	93 1 119 3	119 3 139 1	84 2 147 1	48 1 90 4	6 1 27 2	4 1 3 1	2 ----- 1 -----	2 ----- 1 -----
37	61	86	96	146	167	190	216	218	158	154	114	49	18	4	1	5	112
9 6 17 5	22 2 30 7	22 5 45 10 1	41 10 38 7	68 11 47 17	85 17 57 8	104 11 64 10	132 17 63 4	122 9 72 15	77 8 67 5	78 7 65 3	58 9 42 5	15 2 29 3	8 2 7 1	1 2 2 1	----- ----- 1 -----	----- ----- 1 -----	1 2 2 -----
2	1	2	8	12	12	8	8	12	11	14	7	3	2	-----	-----	-----	113
----- 2 -----	----- 1 -----	1 ----- 2 ----- 1 -----	5 ----- 2 ----- 1 -----	8 1 1 -----	11 1 ----- -----	7 1 ----- -----	7 1 ----- -----	10 2 ----- -----	10 1 ----- -----	9 5 ----- -----	4 2 ----- -----	3 ----- ----- -----	2 ----- ----- -----	----- ----- ----- -----	----- ----- ----- -----	----- ----- ----- -----	1 ----- ----- -----
77	85	106	138	149	177	139	132	119	69	52	21	11	6	2	-----	-----	114
28 8 30 9 2	37 11 22 15 -----	68 12 1 19 6	93 19 1 21 5	106 17 1 21 4	143 14 1 16 4	113 9 1 12 4	107 3 20 2	92 6 20 1	49 4 15 1	34 ----- 17 -----	6 1 12 2	5 1 4 1	3 ----- 3 -----	2 ----- ----- -----	----- ----- ----- -----	----- ----- ----- -----	1 ----- 1 -----
2,943	3,290	4,224	5,142	6,108	6,731	6,752	6,389	6,067	5,089	4,008	2,415	1,193	375	80	21	59	
1,322 247 8 1,044 315 7	1,473 318 13 1,146 338 2	1,987 381 18 1,484 353 1	2,595 401 15 1,749 374 7	3,172 408 21 2,145 356 6	3,542 410 31 2,385 356 7	3,650 325 24 2,505 241 7	3,386 296 16 2,485 201 5	3,197 200 15 2,470 176 9	2,649 127 13 2,180 115 5	2,015 84 6 1,632 71 4	1,143 57 4 1,153 54 4	529 37 2 600 22 3	144 9 1 206 12 1	31 4 ----- 45 ----- -----	6 3 ----- 8 ----- -----	21 15 ----- 11 12 -----	
320	296	262	264	228	253	208	183	142	118	111	44	26	14	1	-----	-----	115a
148 10 1 126 35 ----- 58	134 15 1 121 25 ----- 43	118 17 1 112 14 ----- 65	103 8 ----- 132 21 ----- 55	101 9 ----- 106 12 ----- 67	93 9 ----- 134 17 ----- 95	80 5 ----- 108 15 ----- 74	82 5 ----- 89 7 ----- 64	64 3 ----- 71 4 ----- 54	37 3 ----- 76 2 ----- 38	59 2 ----- 49 1 ----- 32	19 2 ----- 23 ----- 22	8 ----- 17 1 ----- 7	4 ----- 10 ----- 2 ----- 2	1 ----- ----- ----- ----- 2	----- ----- ----- ----- ----- 2	----- ----- ----- ----- ----- -----	----- ----- ----- ----- ----- 1
26 7 1 18 6 6 2	14 8 ----- 15 6 3	27 4 2 20 12 11	28 4 ----- 15 8 13	33 8 1 23 2 12	46 12 1 26 10 13	37 7 ----- 26 4 10	37 7 ----- 14 6 16	33 3 ----- 15 3 21	18 2 ----- 16 2 24	20 2 1 9 2 18	6 1 ----- 13 2 15	1 1 ----- 5 ----- 14	1 ----- 1 ----- 1 ----- 1	1 ----- ----- 1 ----- ----- 2	----- ----- ----- ----- ----- 2	----- ----- ----- ----- ----- -----	1 ----- ----- ----- ----- -----
2 1 3 3 ----- 198	----- 1 ----- 2 ----- 277	5 3 ----- 3 ----- 400	8 1 ----- 3 ----- 539	4 1 ----- 5 ----- 725	9 2 ----- 1 ----- 738	4 ----- 6 ----- 730	12 ----- 3 ----- 563	14 ----- 7 ----- 508	17 ----- 7 ----- 423	12 ----- 6 ----- 301	7 ----- 8 ----- 158	6 1 ----- 7 ----- 54	1 ----- ----- 23 ----- 25	----- ----- ----- 1 ----- 3	----- ----- ----- 1 ----- 2	----- ----- ----- ----- ----- 3	117a
126 34 1 25 12	161 33 2 36 23	293 45 3 40 19	396 57 6 60 20	543 64 4 83 31	564 43 3 104 22	542 40 6 119 23	411 30 3 102 17	368 19 2 111 8	279 8 ----- 120 15 1	188 6 ----- 101 6	87 2 ----- 66 3	29 1 ----- 23 -----	9 1 ----- 12 -----	2 ----- 1 ----- 1 -----	1 ----- 1 ----- 1 -----	2 ----- ----- 1 ----- -----	2 ----- ----- 1 ----- -----

DEATHS BY CAUSE, SEX, RACE, AND AGE

BY SEX, RACE, AND AGE, IN THE UNITED STATES: 1935--Continued

25 to 29 years	30 to 34 years	35 to 39 years	40 to 44 years	45 to 49 years	50 to 54 years	55 to 59 years	60 to 64 years	65 to 69 years	70 to 74 years	75 to 79 years	80 to 84 years	85 to 89 years	90 to 94 years	95 to 99 years	100 and over	Unknown	List no.
98	121	201	255	300	341	321	297	227	150	120	55	17	5			1	117b
74 9	102 8	162 17	209 17	229 13	262 13	268 6	235 6	180 3	109 2	84 1	40	13	2			1	
14 1	10 1	20 2	24 4	55 3	35 5	43 3	55 2	42 2	37 1	34 1	15	4	3				
82	102	149	176	245	249	244	220	232	198	217	168	102	25	10	9	21	118
12 18	18 31	47 42	52 39	93 64	94 70	113 46	92 41	93 31	90 9	85 13	63 12	48 4	9 1	5	2	10	
18 33 1	13 40	23 37	21 65	23 64	34 50	41 43	53 33	78 29	98 19	78 20	44 15	13 5	5 2	5	4	4	
																	119
146	159	160	172	200	228	233	240	315	301	335	295	221	82	17	4	6	120
45 15	54 29	51 22	68 17	70 22	102 26	89 20	92 25	131 22	117 11	140 11	120 6	85 11	20 2	4	1	1	
61 25	52 24	58 29	63 24	75 33	62 37	88 33	97 24	132 26	152 20	174 10	156 12	119 5	54 5	12	3	1	
1,098	1,032	1,114	1,124	1,149	1,124	984	790	652	433	264	114	35	11	2		7	121
614 73 1	537 87 2	602 90 6	666 85 1	683 46 4	634 53 3	548 45 1	429 24 1	374 17 2	247 10	156 2	57 1	17	5 1	1		2	
342 65 2	326 79 1	352 63 1	320 51 1	365 51	399 35	372 17	329 7	248 11	166 10	104 2	56 1	17 1	4 1	1		1	
62	93	154	258	353	510	574	609	665	678	513	370	178	48	13	1	3	122a
22 17	42 19	56 22	109 25	158 29	240 31	282 32	291 35	316 27	390 14	331 10	227 12	111 5	56 1	7	1	2	
19 4	21 11	65 11	107 12	153 11	213 24	252 7	267 14	305 17	253 7	169 3	128 3	60 1	12	4			
297	347	418	490	505	530	487	584	606	604	471	305	176	54	13	1	11	122b
94 23	85 29	99 35	142 42	158 48	206 46	223 40	275 38	289 24	280 19	197 12	102 1	70 4	16 2	3	1	2	
142 38	189 60	213 71	241 65	243 55	218 57	198 23	235 34	265 23	286 16	252 10	189 6	101 1	35 1	9		3	
41	76	111	123	120	148	150	147	135	98	80	52	16	11	3	1		123
15 3	26 7	42 11	65 11	55 14	81 11	68 5	77 6	73 5	61 5	41 3	37 1	6 1	5 2	1	1		
1 9	1 23	1 33	1 27	1 40	1 47	1 69	1 60	1 52	1 31	1 35	1 24	1 9	1 4	1	2		
13	19	24	20	10	9	8	4	5	1								
91	222	432	728	1,063	1,172	1,294	1,286	1,248	1,041	768	388	146	38	5	3	2	124
43 7	112 27	248 34	429 50	636 53	744 62	881 48	849 58	825 32	647 31	440 16	231 10	74 5	18 1	4	1	1	
1 29	2 68	2 123	4 208	3 334	9 322	7 330	4 354	2 371	3 349	2 305	1 136	1 64	1 18	1			
10 1	13 1	25 37	37	37	34	28	21	18	11	7	8	3	1		1		
45	35	52	33	37	36	40	32	27	26	10	13	8	1				125a
10 1	6 3	13 3	12 1	20 3	13 2	16 2	16	34	11	3	6	3	1				
29 5	23 3	32 4	18 1	11 3	21	22	14	12	14	6	6	5					
53	77	75	116	91	113	108	79	71	66	56	37	21	3	2			125b
21 4	35 8	42 6	59 10	50 9	58 7	50 12	49 1	33 5	30 5	21 1	12 2	4 2	2				
1 14	1 30	1 22	1 27	1 26	1 40	1 37	1 22	1 28	1 28	1 33	1 23	1 12	1 1				
13	4	5	9	5	8	9	6	5	3	3	3	3	1				
68	127	226	307	423	556	644	623	563	413	320	155	51	16	1			126
12 2	25 1	47 5	79 8	105 1	142 6	172 6	172 1	160 1	127 2	95 2	49 1	14	7				
51 3	93 8	162 9	209 10	307 8	389 18	447 17	443 11	385 10	279 4	222 3	104 1	37	8	1			

MORTALITY STATISTICS

TABLE 7.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE,

List no.	CAUSE OF DEATH, SEX, AND RACE	All ages	Under 1 year	1 year	2 years	3 years	4 years	Under 5 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years
127	IX.—Diseases of the digestive system—Con. Other diseases of gall-bladder, biliary passages—	4,034	30	5	3	-----	1	39	12	4	16	55
	Male-----White-----	1,405	10	3	2	-----	1	16	5	1	4	12
	Negro-----	84	3	-----	-----	-----	-----	3	1	-----	-----	7
	Other races-----	19	2	-----	-----	-----	-----	2	-----	-----	-----	-----
	Female-----White-----	2,379	10	1	-----	-----	-----	11	5	3	10	30
	Negro-----	128	5	1	1	-----	-----	7	1	-----	1	5
	Other races-----	19	-----	-----	-----	-----	-----	-----	-----	-----	1	1
128	Diseases of pancreas-----	769	1	2	-----	1	1	5	2	6	5	16
	Male-----White-----	385	1	-----	-----	-----	-----	1	-----	2	3	7
	Negro-----	28	-----	-----	-----	1	-----	1	-----	-----	-----	1
	Other races-----	2	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----
	Female-----White-----	335	-----	2	-----	-----	1	3	2	3	2	6
	Negro-----	17	-----	-----	-----	-----	-----	-----	-----	1	-----	2
	Other races-----	2	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----
129	Peritonitis, cause not specified-----	1,950	187	50	53	45	30	365	117	71	96	124
	Male-----White-----	694	96	16	22	12	7	153	34	31	26	24
	Negro-----	120	7	3	2	2	2	16	6	4	6	7
	Other races-----	4	-----	-----	-----	-----	-----	-----	1	1	-----	-----
	Female-----White-----	954	71	31	26	31	21	180	73	29	47	71
	Negro-----	168	9	-----	2	-----	-----	11	2	5	17	21
	Other races-----	10	4	-----	1	-----	-----	5	1	1	-----	1
	X.—Diseases of the genitourinary system-----	122,707	456	133	136	122	99	946	428	536	892	1,412
	Male-----White-----	59,009	226	49	65	55	41	436	162	184	302	394
	Negro-----	8,791	43	13	16	9	14	95	35	36	55	93
	Other races-----	231	1	-----	-----	1	1	3	1	4	2	2
	Female-----White-----	46,879	161	54	46	50	34	345	190	263	410	665
	Negro-----	7,859	23	14	9	7	9	52	39	44	120	252
	Other races-----	138	2	3	-----	-----	-----	5	1	5	3	6
130	Acute nephritis (including unspecified under 10 years)-----	4,457	181	56	85	62	51	435	206	140	185	180
	Male-----White-----	1,845	83	13	45	33	24	198	81	53	88	77
	Negro-----	635	20	7	12	6	7	52	19	12	21	24
	Other races-----	11	-----	-----	-----	1	1	2	1	1	1	-----
	Female-----White-----	1,264	69	28	24	20	13	154	82	54	55	49
	Negro-----	577	8	8	4	2	6	28	23	19	19	30
	Other races-----	5	1	-----	-----	-----	-----	1	-----	1	-----	-----
131	Chronic nephritis-----	92,272	12	14	17	31	26	100	156	269	399	563
	Male-----White-----	43,199	6	8	9	18	8	49	60	96	157	222
	Negro-----	5,972	1	-----	1	-----	4	6	14	15	19	34
	Other races-----	150	-----	-----	-----	-----	-----	-----	-----	2	1	2
	Female-----White-----	37,463	5	5	4	11	12	37	69	144	188	226
	Negro-----	5,377	-----	1	3	2	2	6	13	9	34	75
	Other races-----	101	-----	-----	-----	-----	-----	-----	-----	3	-----	4
132	Nephritis, unspecified (10 years and over)-----	6,787	-----	-----	-----	-----	-----	-----	-----	50	67	118
	Male-----White-----	2,976	-----	-----	-----	-----	-----	-----	-----	17	22	33
	Negro-----	744	-----	-----	-----	-----	-----	-----	-----	5	5	15
	Other races-----	15	-----	-----	-----	-----	-----	-----	-----	1	-----	-----
	Female-----White-----	2,373	-----	-----	-----	-----	-----	-----	-----	21	34	45
	Negro-----	673	-----	-----	-----	-----	-----	-----	-----	6	6	22
	Other races-----	6	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----
133	Other diseases of kidneys, ureters, etc.*-----	3,893	215	61	31	26	20	353	58	45	70	114
	Male-----White-----	1,647	106	27	10	3	9	155	19	17	28	39
	Negro-----	284	14	6	3	3	3	29	2	3	5	8
	Other races-----	12	1	-----	-----	-----	-----	-----	-----	-----	-----	-----
	Female-----White-----	1,711	80	20	16	17	7	140	34	23	31	52
	Negro-----	231	13	5	2	3	1	24	2	2	6	15
	Other races-----	8	1	3	-----	-----	-----	4	1	-----	-----	-----
134	Calculi of urinary passages-----	1,430	3	1	-----	-----	-----	4	-----	2	10	24
	Male-----White-----	884	1	-----	-----	-----	-----	1	-----	1	5	12
	Negro-----	45	1	-----	-----	-----	-----	1	-----	-----	-----	-----
	Other races-----	3	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----
	Female-----White-----	460	1	1	-----	-----	-----	2	-----	1	4	12
	Negro-----	37	-----	-----	-----	-----	-----	-----	-----	-----	1	-----
	Other races-----	1	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----
135	Diseases of bladder (except tumors)-----	764	10	-----	-----	1	-----	11	-----	1	2	8
	Male-----White-----	397	5	-----	-----	-----	-----	5	-----	-----	1	2
	Negro-----	114	1	-----	-----	-----	-----	1	-----	1	1	3
	Other races-----	4	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----
	Female-----White-----	227	4	-----	-----	1	-----	5	-----	-----	-----	3
	Negro-----	22	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----
136	Diseases of urethra, urinary abscess, etc.-----	517	2	-----	1	-----	-----	3	-----	-----	4	8
	Male-----White-----	261	2	-----	1	-----	-----	3	-----	-----	1	2
	Negro-----	227	-----	-----	-----	-----	-----	-----	-----	-----	3	6
	Other races-----	4	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----
	Female-----White-----	22	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----
	Negro-----	3	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----
137	Diseases of prostate-----	8,477	1	-----	-----	-----	-----	1	-----	-----	-----	8
	Male-----White-----	7,721	1	-----	-----	-----	-----	1	-----	-----	-----	5
	Negro-----	734	-----	-----	-----	-----	-----	-----	-----	-----	-----	3
	Other races-----	22	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----

* Refer to complete International List titles.

MORTALITY STATISTICS

TABLE 7.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE.

List no.	CAUSE OF DEATH, SEX, AND RACE	All ages	Under 1 year	1 year	2 years	3 years	4 years	Under 5 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years
138	X.—Diseases of the genitourinary system— Continued Diseases of male genital organs, not venereal—	115	28	1	---	1	---	30	2	---	1	2
	Male—	79	22	1	---	1	---	24	2	---	---	2
	White—	36	6	---	---	---	---	6	---	---	1	---
	Negro—	43	16	---	---	---	---	18	---	---	---	---
139a	Cysts of ovary—	584	---	---	---	---	---	---	---	4	19	36
	Female—	617	---	---	---	---	---	---	---	4	13	31
	White—	65	---	---	---	---	---	---	---	---	5	5
	Negro—	2	---	---	---	---	---	---	---	---	1	---
	Other races—	2,219	---	---	2	1	1	4	5	19	112	300
139b	Other diseases of ovaries, etc.*	1,698	---	---	2	1	1	4	4	12	74	211
	Female—	520	---	---	---	---	---	---	1	6	37	88
	White—	11	---	---	---	---	---	---	---	1	1	1
	Negro—	967	---	---	---	---	---	---	---	5	17	42
	Other races—	858	---	---	---	---	---	---	---	3	8	32
139c	Diseases of uterus—	106	---	---	---	---	---	---	---	2	9	9
	Female—	3	---	---	---	---	---	---	---	---	---	1
	White—	30	1	---	---	---	---	1	---	---	1	1
	Negro—	21	---	---	---	---	---	---	---	---	---	---
	Other races—	8	---	---	---	---	---	---	---	---	---	1
139d	Nonpuerperal diseases of breast (except cancer)—	1	---	---	---	---	---	---	---	---	---	---
	Female—	95	3	---	---	---	1	4	1	1	5	8
	White—	55	1	---	---	---	1	2	1	1	2	1
	Negro—	40	2	---	---	---	---	2	---	---	3	7
	Other races—	12,544	---	---	---	---	---	---	---	50	1,371	2,736
140	XI.—Diseases of pregnancy, childbirth, etc.*	10,018	---	---	---	---	---	---	---	13	695	2,110
	Female—	2,436	---	---	---	---	---	---	---	37	465	604
	White—	90	---	---	---	---	---	---	---	---	11	22
	Negro—	2,167	---	---	---	---	---	---	---	7	232	542
	Other races—	1,808	---	---	---	---	---	---	---	4	170	435
141	Abortion with septic conditions—	354	---	---	---	---	---	---	---	3	61	106
	Female—	5	---	---	---	---	---	---	---	---	1	1
	White—	602	---	---	---	---	---	---	---	3	41	114
	Negro—	483	---	---	---	---	---	---	---	1	28	82
	Other races—	112	---	---	---	---	---	---	---	2	13	31
142a	Abortion without mention of septic conditions, etc.*	7	---	---	---	---	---	---	---	---	---	1
	Female—	105	---	---	---	---	---	---	---	---	5	12
	White—	83	---	---	---	---	---	---	---	---	2	9
	Negro—	21	---	---	---	---	---	---	---	---	3	2
	Other races—	1	---	---	---	---	---	---	---	---	---	1
142b	Ectopic gestation, septic conditions specified—	440	---	---	---	---	---	---	---	---	14	67
	Female—	347	---	---	---	---	---	---	---	---	10	47
	White—	90	---	---	---	---	---	---	---	---	4	19
	Negro—	3	---	---	---	---	---	---	---	---	---	1
	Other races—	84	---	---	---	---	---	---	---	---	6	16
143	Other accidents of pregnancy (except hemorrhages)	64	---	---	---	---	---	---	---	---	3	11
	Female—	19	---	---	---	---	---	---	---	---	3	5
	White—	1	---	---	---	---	---	---	---	---	---	---
	Negro—	425	---	---	---	---	---	---	---	---	7	55
	Other races—	391	---	---	---	---	---	---	---	---	6	40
144a	Placenta praevia—	52	---	---	---	---	---	---	---	---	1	15
	Female—	2	---	---	---	---	---	---	---	---	---	---
	White—	945	---	---	---	---	---	---	---	---	52	180
	Negro—	778	---	---	---	---	---	---	---	---	49	153
	Other races—	162	---	---	---	---	---	---	---	---	13	26
144b	Other puerperal hemorrhages—	5	---	---	---	---	---	---	---	---	---	1
145a	Puerperal septicemia and pyemia (see exceptions)*	2,897	---	---	---	---	---	---	---	17	391	763
	Female—	2,246	---	---	---	---	---	---	---	3	244	578
	White—	525	---	---	---	---	---	---	---	14	145	175
	Negro—	26	---	---	---	---	---	---	---	2	2	10
	Other races—	5	---	---	---	---	---	---	---	---	2	2
145b	Puerperal tetanus (see exceptions)*	2	---	---	---	---	---	---	---	---	---	2
	Female—	3	---	---	---	---	---	---	---	---	2	---
	White—	2,229	---	---	---	---	---	---	---	17	388	464
	Negro—	1,528	---	---	---	---	---	---	---	5	239	322
	Other races—	578	---	---	---	---	---	---	---	12	144	136
146	Puerperal albuminuria and eclampsia—	23	---	---	---	---	---	---	---	---	5	6

* Refer to complete International List titles.

MORTALITY STATISTICS

TABLE 7.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE.

List no.	CAUSE OF DEATH, SEX, AND RACE	All ages	Under 1 year	1 year	2 years	3 years	4 years	Under 5 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years
147	XI.—Diseases of pregnancy, childbirth, etc.*—Continued Other toxemias of pregnancy-----	497	-----	-----	-----	-----	-----	-----	-----	-----	54	123
	Female-----White-----	422	-----	-----	-----	-----	-----	-----	-----	-----	39	108
	Negro-----	70	-----	-----	-----	-----	-----	-----	-----	-----	13	15
	Other races-----	5	-----	-----	-----	-----	-----	-----	-----	-----	2	-----
148	Puerperal phlegmasia alba dolens, embolus, etc.* Female-----White-----	578	-----	-----	-----	-----	-----	-----	-----	1	43	107
	Negro-----	521	-----	-----	-----	-----	-----	-----	-----	-----	34	97
	Other races-----	56	-----	-----	-----	-----	-----	-----	-----	1	9	10
	1	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----
149	Other accidents of childbirth-----	1,543	-----	-----	-----	-----	-----	-----	-----	5	125	281
	Female-----White-----	1,243	-----	-----	-----	-----	-----	-----	-----	-----	70	217
	Negro-----	289	-----	-----	-----	-----	-----	-----	-----	5	54	63
	Other races-----	11	-----	-----	-----	-----	-----	-----	-----	-----	1	1
150	Other and unspecified conditions of puerperal state-----	27	-----	-----	-----	-----	-----	-----	-----	-----	1	10
	Female-----White-----	22	-----	-----	-----	-----	-----	-----	-----	-----	1	9
	Negro-----	5	-----	-----	-----	-----	-----	-----	-----	-----	-----	1
	XII.—Diseases of the skin and cellular tissue-----	2,018	310	34	13	10	9	376	54	76	103	90
	Male-----White-----	981	164	12	5	6	3	190	24	36	55	52
	Negro-----	102	18	2	2	-----	2	24	1	2	4	4
	Other races-----	6	2	1	-----	-----	-----	3	-----	1	-----	-----
	Female-----White-----	815	111	17	6	4	4	142	26	32	42	30
	Negro-----	110	15	2	-----	-----	-----	17	3	2	2	4
	Other races-----	4	-----	-----	-----	-----	-----	-----	-----	1	-----	-----
151	Furuncle, carbuncle-----	565	26	6	2	-----	-----	34	8	28	43	34
	Male-----White-----	326	10	2	2	-----	-----	14	5	14	27	22
	Negro-----	7	2	-----	-----	-----	-----	2	-----	-----	-----	-----
	Other races-----	1	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----
	Female-----White-----	225	13	4	-----	-----	-----	17	3	14	16	11
	Negro-----	24	1	-----	-----	-----	-----	1	-----	-----	-----	1
152	Phlegmon, acute abscess-----	728	109	17	7	9	5	147	33	38	28	35
	Male-----White-----	372	55	4	2	5	2	68	16	20	18	21
	Negro-----	49	10	-----	2	-----	1	13	1	1	-----	3
	Other races-----	4	2	1	-----	-----	-----	3	-----	1	-----	-----
	Female-----White-----	258	34	10	3	4	2	53	15	14	10	6
	Negro-----	41	8	2	-----	-----	-----	10	1	1	-----	3
	Other races-----	4	-----	-----	-----	-----	-----	-----	-----	1	-----	-----
153	Other diseases of skin and annexa, etc.*-----	705	175	11	4	1	4	195	13	10	32	21
	Male-----White-----	281	99	6	1	1	1	108	3	4	10	9
	Negro-----	46	6	2	-----	-----	1	9	-----	1	4	1
	Other races-----	1	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----
	Female-----White-----	332	64	3	3	-----	2	72	8	4	16	11
	Negro-----	45	6	-----	-----	-----	-----	6	2	1	2	-----
	XIII.—Diseases of the bones, etc.*-----	1,654	43	35	34	26	31	169	166	205	113	70
	Male-----White-----	952	20	17	19	17	12	85	99	114	82	46
	Negro-----	106	3	-----	1	1	2	7	6	15	7	6
	Other races-----	7	-----	-----	-----	-----	-----	-----	-----	1	1	-----
	Female-----White-----	515	15	15	13	8	16	67	56	68	20	15
	Negro-----	72	5	3	1	-----	1	10	7	7	3	3
	Other races-----	2	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----
154	Osteomyelitis-----	1,103	26	26	29	24	27	132	142	172	93	53
	Male-----White-----	676	6	13	16	15	10	62	82	100	74	40
	Negro-----	72	1	-----	1	1	2	5	6	12	5	2
	Other races-----	4	-----	-----	-----	-----	-----	-----	-----	1	1	-----
	Female-----White-----	303	13	11	12	8	14	58	49	54	11	9
	Negro-----	47	4	2	-----	-----	1	7	5	5	2	2
	Other races-----	1	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----
155	Other diseases of bones (except tuberculosis)-----	174	6	2	3	-----	2	13	9	8	4	2
	Male-----White-----	74	4	1	2	-----	-----	7	4	3	2	1
	Negro-----	10	-----	-----	-----	-----	-----	-----	-----	1	-----	1
	Other races-----	2	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----
	Female-----White-----	80	2	1	1	-----	2	6	3	4	2	-----
	Negro-----	8	-----	-----	-----	-----	-----	-----	2	-----	-----	-----
156	Diseases of joints, other organs of locomotion-----	377	11	7	2	2	2	24	17	25	16	15
	Male-----White-----	202	8	3	1	2	2	16	13	11	6	5
	Negro-----	24	2	-----	-----	-----	-----	2	-----	2	2	3
	Other races-----	1	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----
	Female-----White-----	132	-----	3	-----	-----	-----	3	4	10	7	6
	Negro-----	17	1	1	1	-----	-----	3	-----	2	1	1
	Other races-----	1	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----
	XIV.—Congenital malformations-----	11,840	10,343	375	137	100	61	11,036	267	167	112	80
	Male-----White-----	6,178	5,461	169	61	43	33	5,767	143	81	54	45
	Negro-----	367	281	25	5	4	10	325	15	10	4	1
	Other races-----	37	32	1	-----	-----	-----	33	1	1	-----	2
	Female-----White-----	4,950	4,311	166	66	45	35	4,623	100	70	53	29
	Negro-----	283	235	14	5	7	3	264	8	4	1	3
	Other races-----	25	23	-----	-----	1	-----	24	-----	1	-----	-----

* Refer to complete International List titles.

DEATHS BY CAUSE, SEX, RACE, AND AGE

BY SEX, RACE, AND AGE, IN THE UNITED STATES: 1935—Continued

25 to 29 years	30 to 34 years	35 to 39 years	40 to 44 years	45 to 49 years	50 to 54 years	55 to 59 years	60 to 64 years	65 to 69 years	70 to 74 years	75 to 79 years	80 to 84 years	85 to 89 years	90 to 94 years	95 to 99 years	100 and over	Unknown	List no.
109	93	82	22	2	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	2	147
95 13 1	79 .14	73 8 1	26 6	1 1	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	1 1	148
116	139	114	52	6	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	148
106 10	129 10	101 12 1	49 3	5 1	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	149
362	302	296	142	24	4	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	2	149
313 48 1	255 43 4	244 49 3	123 16 1	18 6	3 1	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	2	150
6	5	1	4	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	150
5 1	3 2	1	3 1	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	150
91	85	104	112	121	127	133	123	120	107	82	62	33	9	4	4	2	150
35 3	33 6	47	49 8	62 11 1	53 10	72 9	59 7	57 5	67 3	44 3	26 2	10	6	-----	1	1	151
47 6	42 4	51 6	46 9	34 13	51 13	46 5	47 9	50 7	35 2	32 3	32 2	22 1	3 1	3 1	1 1	1	151
33	32	29	40	41	44	37	45	50	32	30	16	6	2	-----	-----	-----	151
14	14	14	23	28	25	20	29	28	19	16	8	5	2	-----	-----	-----	151
19	15	14	13	9	14	14	12	20	13	13	7	1	-----	-----	-----	-----	151
36	36	41	44	50	43	57	42	31	25	20	12	5	2	2	1	-----	152
17 2	16 2	22	21 4	24 9	20 4	33 6	18 1	17 1	18 1	12 1	6	2	2	-----	1	-----	152
15 2	18	15	18 1	11 6	15 4	15 1	19 3	9 3	6	7	5	3	-----	2	-----	-----	152
22	17	34	28	30	40	39	36	39	50	32	34	22	5	2	3	1	153
4 1	3 2	11	5 3	10 2	8 5	19 3	12 5	12 4	30 2	16 2	12 2	3	2	-----	-----	-----	153
13 4	9 3	22 1	15 5	14 4	22 5	17	16 3	21 2	16 2	12 2	20 1	18 1	3 1	1 1	1 1	1	153
72	79	77	82	94	85	87	86	76	77	56	30	19	6	2	-----	1	153
35 6 1	52 5	49 7	42 9 1	48 10	42 13	50 4	48 3	49 1	45 5	33 1	23	8 1	2	-----	-----	-----	153
24 6	18 4	16 4	24 6	30 6	24 5	27 5	32 3	25 1	27	21 1	6	9 1	4 1	1 1	-----	-----	153
50	55	50	44	57	51	49	39	34	31	26	13	12	-----	-----	-----	-----	154
26 6	41 4	32 4	24 6 1	29 7	26 8	35 2	23 3	25 1	22	18	12	5 1	-----	-----	-----	-----	154
14 4	7 3	10 4	8 5	18 3	14 3	11 1	12 1	7 1	9	7	7	5 1	-----	-----	-----	-----	154
6	3	5	9	10	10	10	14	20	22	11	9	5	4	-----	-----	-----	155
4	2	3	4	1	4	2	6	12	8	5	4	2	-----	-----	-----	-----	155
1	1	1	2	5	4	6	8	8	11	6	5	3	4	-----	-----	-----	155
15	21	22	29	27	24	28	33	22	24	19	8	2	2	2	-----	1	156
5 1 9 1	9 1 10 1	14 3 5	14 1 14	18 1 7	12 4 6	13 2 10	19 2 12	12 10 10	15 2 7	10 1 8	7 1 1	1 1	2	-----	-----	-----	156
54	30	24	13	14	15	10	9	5	2	-----	-----	-----	-----	-----	-----	2	156
28 2	13 3	10 1	10	7 1	9 2	4 2	4	3	-----	-----	-----	-----	-----	-----	-----	1	156
23 1	14	13	3	5 1	3 1	4	5	2	-----	-----	-----	-----	-----	-----	-----	1	156

DEATHS BY CAUSE, SEX, RACE, AND AGE

BY SEX, RACE, AND AGE, IN THE UNITED STATES: 1935—Continued

25 to 29 years	30 to 34 years	35 to 39 years	40 to 44 years	45 to 49 years	50 to 54 years	55 to 59 years	60 to 64 years	65 to 69 years	70 to 74 years	75 to 79 years	80 to 84 years	85 to 89 years	90 to 94 years	95 to 99 years	100. and over	Unknown	List no.		
9	3	4	2	3	3	2	-----	-----	-----	-----	-----	-----	-----	-----	-----	1	157a		
3 1 5 ----- -----	1 1 1 ----- -----	1 ----- 3 ----- -----	2 ----- ----- ----- -----	----- 1 2 ----- -----	----- 3 ----- ----- -----	1 1 ----- ----- -----	----- ----- ----- ----- -----	----- ----- ----- ----- -----	----- ----- ----- ----- -----	----- ----- ----- ----- -----	----- ----- ----- ----- -----	----- ----- ----- ----- -----	----- ----- ----- ----- -----	----- ----- ----- ----- -----	----- ----- ----- ----- -----	----- ----- ----- ----- -----	1 ----- ----- ----- -----	157b	
1 ----- ----- ----- -----	1 ----- 2 ----- -----	----- ----- ----- ----- -----	1 ----- ----- ----- -----	1 ----- ----- ----- -----	1 ----- ----- ----- -----	----- ----- ----- ----- -----	----- ----- ----- ----- -----	----- ----- ----- ----- -----	----- ----- ----- ----- -----	----- ----- ----- ----- -----	----- ----- ----- ----- -----	----- ----- ----- ----- -----	----- ----- ----- ----- -----	----- ----- ----- ----- -----	----- ----- ----- ----- -----	----- ----- ----- ----- -----	1 ----- ----- ----- -----	157c	
36 ----- ----- ----- -----	18 ----- ----- ----- -----	8 ----- ----- ----- -----	6 ----- ----- ----- -----	8 ----- ----- ----- -----	7 ----- ----- ----- -----	5 ----- ----- ----- -----	8 ----- ----- ----- -----	3 ----- ----- ----- -----	2 ----- ----- ----- -----	----- ----- ----- ----- -----	----- ----- ----- ----- -----	----- ----- ----- ----- -----	----- ----- ----- ----- -----	----- ----- ----- ----- -----	----- ----- ----- ----- -----	----- ----- ----- ----- -----	1 ----- ----- ----- -----	157d	
20 1 14 1 ----- -----	7 2 9 ----- -----	5 1 4 ----- -----	5 ----- 1 ----- -----	5 ----- 2 ----- -----	3 1 2 1 ----- -----	2 ----- 3 ----- -----	4 ----- 4 ----- -----	1 ----- 2 ----- -----	----- ----- ----- ----- -----	----- ----- ----- ----- -----	----- ----- ----- ----- -----	----- ----- ----- ----- -----	----- ----- ----- ----- -----	----- ----- ----- ----- -----	----- ----- ----- ----- -----	----- ----- ----- ----- -----	----- ----- ----- ----- -----	1 ----- ----- ----- -----	157e
8 ----- ----- ----- -----	6 ----- ----- ----- -----	12 ----- ----- ----- -----	4 ----- ----- ----- -----	2 ----- ----- ----- -----	4 ----- ----- ----- -----	3 ----- ----- ----- -----	1 ----- ----- ----- -----	2 ----- ----- ----- -----	----- ----- ----- ----- -----	----- ----- ----- ----- -----	----- ----- ----- ----- -----	----- ----- ----- ----- -----	----- ----- ----- ----- -----	----- ----- ----- ----- -----	----- ----- ----- ----- -----	----- ----- ----- ----- -----	----- ----- ----- ----- -----	----- ----- ----- ----- -----	158
----- ----- ----- ----- -----	----- ----- ----- ----- -----	----- ----- ----- ----- -----	----- ----- ----- ----- -----	----- ----- ----- ----- -----	----- ----- ----- ----- -----	----- ----- ----- ----- -----	----- ----- ----- ----- -----	----- ----- ----- ----- -----	----- ----- ----- ----- -----	----- ----- ----- ----- -----	----- ----- ----- ----- -----	----- ----- ----- ----- -----	----- ----- ----- ----- -----	----- ----- ----- ----- -----	----- ----- ----- ----- -----	----- ----- ----- ----- -----	----- ----- ----- ----- -----	----- ----- ----- ----- -----	159
----- ----- ----- ----- -----	----- ----- ----- ----- -----	----- ----- ----- ----- -----	----- ----- ----- ----- -----	----- ----- ----- ----- -----	----- ----- ----- ----- -----	----- ----- ----- ----- -----	----- ----- ----- ----- -----	----- ----- ----- ----- -----	----- ----- ----- ----- -----	----- ----- ----- ----- -----	----- ----- ----- ----- -----	----- ----- ----- ----- -----	----- ----- ----- ----- -----	----- ----- ----- ----- -----	----- ----- ----- ----- -----	----- ----- ----- ----- -----	----- ----- ----- ----- -----	----- ----- ----- ----- -----	160
----- ----- ----- ----- -----	----- ----- ----- ----- -----	----- ----- ----- ----- -----	----- ----- ----- ----- -----	----- ----- ----- ----- -----	----- ----- ----- ----- -----	----- ----- ----- ----- -----	----- ----- ----- ----- -----	----- ----- ----- ----- -----	----- ----- ----- ----- -----	----- ----- ----- ----- -----	----- ----- ----- ----- -----	----- ----- ----- ----- -----	----- ----- ----- ----- -----	----- ----- ----- ----- -----	----- ----- ----- ----- -----	----- ----- ----- ----- -----	----- ----- ----- ----- -----	----- ----- ----- ----- -----	161
----- ----- ----- ----- -----	----- ----- ----- ----- -----	----- ----- ----- ----- -----	----- ----- ----- ----- -----	----- ----- ----- ----- -----	----- ----- ----- ----- -----	----- ----- ----- ----- -----	----- ----- ----- ----- -----	----- ----- ----- ----- -----	----- ----- ----- ----- -----	----- ----- ----- ----- -----	----- ----- ----- ----- -----	----- ----- ----- ----- -----	----- ----- ----- ----- -----	----- ----- ----- ----- -----	----- ----- ----- ----- -----	----- ----- ----- ----- -----	----- ----- ----- ----- -----	----- ----- ----- ----- -----	162
----- ----- ----- ----- -----	----- ----- ----- ----- -----	----- ----- ----- ----- -----	----- ----- ----- ----- -----	2 ----- ----- ----- -----	12 ----- ----- ----- -----	21 ----- ----- ----- -----	93 ----- ----- ----- -----	226 ----- ----- ----- -----	851 ----- ----- ----- -----	1,478 ----- ----- ----- -----	2,499 ----- ----- ----- -----	2,403 ----- ----- ----- -----	1,520 ----- ----- ----- -----	520 ----- ----- ----- -----	376 ----- ----- ----- -----	9 ----- ----- ----- -----	----- ----- ----- ----- -----	1 ----- ----- ----- -----	163-171
----- ----- ----- ----- -----	----- ----- ----- ----- -----	----- ----- ----- ----- -----	----- ----- ----- ----- -----	----- ----- ----- ----- -----	3 1 1 ----- -----	6 3 ----- ----- -----	28 14 2 ----- -----	83 34 1 ----- -----	286 132 8 ----- -----	556 164 15 ----- -----	947 227 15 ----- -----	949 181 7 ----- -----	462 135 8 ----- -----	125 64 226 ----- -----	39 75 70 ----- -----	1 2 5 ----- -----	----- ----- ----- ----- -----	----- ----- ----- ----- -----	171 62 1 ----- -----
1,646 63 1,474 436 7	5,396 1,285 52 1,371 282 10	5,780 1,305 81 1,366 289 9	6,134 1,041 43 1,338 205 2	6,689 764 59 1,437 437 12	6,266 638 46 1,457 161 3	5,722 446 43 1,529 128 4	5,152 308 28 1,654 103 3	4,503 270 27 1,897 110 5	3,539 176 18 2,268 84 5	2,937 102 9 2,757 64 7	2,024 70 5 2,457 52 7	1,057 41 5 1,866 40 1	376 18 2 727 31 2	65 10 1 172 12 1	261 ----- ----- ----- ----- -----	51 ----- ----- ----- ----- -----	280 ----- ----- ----- ----- -----	----- ----- ----- ----- -----	
1,375 883 54 11 391 34 2	1,499 963 39 6 456 31 4	1,642 1,104 49 16 452 19 2	1,772 1,295 42 6 414 13 2	2,076 1,582 41 13 437 1 2	2,004 1,576 32 11 381 4 -----	1,789 1,440 23 9 314 3 -----	1,513 1,201 27 5 277 3 -----	1,174 980 10 2 180 2 -----	801 669 6 1 124 ----- -----	507 453 2 1 49 2 -----	237 209 2 ----- 25 -----	70 61 ----- ----- 9 ----- -----	16 16 ----- ----- ----- ----- -----	----- ----- ----- ----- ----- ----- -----	1 ----- ----- ----- ----- ----- -----	----- ----- ----- ----- ----- ----- -----	1 ----- ----- ----- ----- ----- -----	17 1 ----- ----- 5 ----- -----	

MORTALITY STATISTICS

TABLE 7.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE.

List no.	CAUSE OF DEATH, SEX, AND RACE	All ages	Under 1 year	1 year	2 years	3 years	4 years	Under 5 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years
153	XVII.—Violent and accidental deaths—Con. Suicide—Continued Suicide by solid or liquid poisons, etc.*	2,852								7	132	280
	Male—White	1,476								1	28	95
	Male—Negro	49										7
	Male—Other races	11										
	Female—White	1,236								4	100	156
	Female—Negro	69								2	4	20
	Female—Other races	9										2
164	Suicide by poisonous gas	2,395								2	34	122
	Male—White	1,612								1	19	85
	Male—Negro	20									1	1
	Male—Other races	2										
	Female—White	753								1	14	35
	Female—Negro	8										
165	Suicide by hanging or strangulation	3,399							2	15	53	95
	Male—White	2,702							2	15	45	73
	Male—Negro	32									1	4
	Male—Other races	23										
	Female—White	633									6	18
	Female—Negro	8										
	Female—Other races	1										
166	Suicide by drowning	903							1	1	15	38
	Male—White	530							1		7	17
	Male—Negro	42									1	4
	Male—Other races	4										
	Female—White	307								1	7	12
	Female—Negro	15										1
	Female—Other races	5										4
167	Suicide by firearms	6,830								29	242	541
	Male—White	5,878								15	148	410
	Male—Negro	184								3	10	25
	Male—Other races	37									2	1
	Female—White	696								11	77	98
	Female—Negro	32									5	6
	Female—Other races	3										1
168	Suicide by cutting or piercing instruments	777									2	16
	Male—White	629									2	11
	Male—Negro	29										
	Male—Other races	4										
	Female—White	108										3
	Female—Negro	6										2
	Female—Other races	1										
169	Suicide by jumping from high places	698									21	37
	Male—White	408									7	18
	Male—Negro	23										3
	Male—Other races	4										
	Female—White	251									14	15
	Female—Negro	12										1
170	Suicide by crushing	153									3	8
	Male—White	110									1	5
	Male—Negro	7										
	Male—Other races	2										1
	Female—White	42									2	2
	Female—Negro	2										
171	Suicide by other means	197									4	14
	Male—White	120									1	8
	Male—Negro	4										1
	Female—White	66									1	3
	Female—Negro	7									2	2
172-175	Homicide	10,587	124	8	11	14	9	166	53	96	658	1,605
	Male—White	4,315	62	4	7	8	4	85	20	37	183	505
	Male—Negro	4,157	10					10	8	22	271	712
	Male—Other races	82	2					2	1		1	12
	Female—White	1,119	46	3	4	4	4	61	22	27	113	181
	Female—Negro	902	2	1		2	1	6	2	10	90	192
	Female—Other races	12	2					2				3
173	Homicide by firearms	6,506	5	4	5	4	1	19	22	58	396	1,059
	Male—White	2,870	5	2	3	2		13	9	25	125	390
	Male—Negro	2,599							4	17	179	465
	Male—Other races	40							1		1	7
	Female—White	530		1	2	2		5	7	13	46	71
	Female—Negro	463		1				1	1	3	45	105
	Female—Other races	4										1
174	Homicide by cutting or piercing instruments	2,018	4		2	1	1	8	3	7	140	362
	Male—White	506			1	1		2	2	1	31	72
	Male—Negro	1,131	2					2		2	70	204
	Male—Other races	22	1					1				5
	Female—White	68	1		1			3	1	1	6	9
	Female—Negro	285								3	33	70
	Female—Other races	4										2

* Refer to complete International List titles.

MORTALITY STATISTICS

TABLE 7.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE.

List no.	CAUSE OF DEATH, SEX, AND RACE	All ages	Under 1 year	1 year	2 years	3 years	4 years	Under 5 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years
182	XVII.—Violent and accidental deaths—Con. Accidental, other, or undefined—Continued Accidental mechanical suffocation	1,230	875	17	4	4	2	902	18	22	25	41
	Male-----White-----	547	359	6	4	3	2	374	13	16	22	28
	Male-----Negro-----	140	113	2	---	---	---	115	---	3	2	8
	Male-----Other races-----	4	3	---	---	---	---	3	1	---	---	---
	Female-----White-----	338	304	7	---	---	---	311	4	3	1	4
	Female-----Negro-----	97	92	2	---	1	---	95	---	---	---	1
	Female-----Other races-----	4	4	---	---	---	---	4	---	---	---	---
	Not associated with symbols 201-214	1,182	875	16	3	4	2	900	16	20	19	26
	Male-----White-----	559	359	6	3	3	2	373	12	16	17	17
	Male-----Negro-----	135	113	2	---	---	---	115	---	2	1	5
	Male-----Other races-----	3	3	---	---	---	---	3	---	---	---	---
	Female-----White-----	334	304	6	---	---	---	310	4	2	1	3
	Female-----Negro-----	97	92	2	---	1	---	95	---	---	---	1
Female-----Other races-----	4	4	---	---	1	---	4	---	---	---	---	
Associated with symbols 201-214	98	---	1	1	---	---	2	2	2	6	15	
Male-----White-----	88	---	---	1	---	---	1	1	---	5	11	
Male-----Negro-----	5	---	---	---	---	---	---	---	1	1	3	
Male-----Other races-----	1	---	---	---	---	---	---	1	---	---	---	
Female-----White-----	4	---	1	---	---	---	1	---	1	---	1	
183	Accidental drowning	7,108	34	228	147	86	71	566	556	855	997	705
	Male-----White-----	5,256	23	139	88	54	54	358	409	584	699	505
	Male-----Negro-----	865	2	12	2	1	3	20	55	130	172	111
	Male-----Other races-----	49	---	1	---	---	1	2	6	4	8	4
	Female-----White-----	816	8	72	52	29	10	171	75	114	101	75
	Female-----Negro-----	117	1	2	5	2	3	13	11	23	16	10
	Female-----Other races-----	5	---	2	---	---	---	2	---	---	1	---
	Not associated with symbols 201-214	5,855	30	226	141	82	64	543	502	761	862	523
	Male-----White-----	4,308	22	138	84	51	51	346	370	512	604	368
	Male-----Negro-----	738	1	12	1	1	2	17	49	120	156	95
	Male-----Other races-----	40	---	1	---	---	1	2	5	4	6	4
	Female-----White-----	870	7	71	51	28	8	155	68	105	81	52
	Female-----Negro-----	94	---	2	5	2	2	11	10	22	14	4
Female-----Other races-----	5	---	2	---	---	---	2	---	---	1	---	
Associated with symbols 201-214	1,253	4	2	6	4	7	23	54	94	135	182	
Male-----White-----	948	1	1	4	3	3	12	39	72	95	137	
Male-----Negro-----	127	1	---	1	---	1	3	6	10	15	16	
Male-----Other races-----	9	---	---	---	---	---	---	1	---	2	---	
Female-----White-----	146	1	1	1	1	2	6	7	11	20	23	
Female-----Negro-----	23	1	---	---	---	1	2	1	1	2	6	
184	Traumatism by firearms	2,854	7	11	22	25	28	93	185	365	495	389
	Male-----White-----	2,009	2	3	9	12	17	43	104	258	361	254
	Male-----Negro-----	454	2	4	2	3	4	15	30	65	87	73
	Male-----Other races-----	15	---	---	---	---	---	2	1	2	1	---
	Female-----White-----	261	1	4	10	8	5	28	31	33	33	30
	Female-----Negro-----	103	2	---	1	2	2	7	16	8	12	21
	Female-----Other races-----	2	---	---	---	---	---	---	---	---	---	---
	Not associated with symbols 201-214	2,854	7	11	22	25	28	93	185	365	495	389
	Male-----White-----	567	5	1	10	8	7	31	23	25	26	25
	Male-----Negro-----	89	1	---	---	1	1	3	1	2	6	6
	Male-----Other races-----	6	---	---	---	---	---	1	---	---	---	---
	Female-----White-----	195	1	2	9	4	2	18	6	14	4	4
	Female-----Negro-----	39	---	---	---	---	---	---	1	---	1	1
Female-----Other races-----	2	---	---	---	---	---	---	---	---	---	---	
Associated with symbols 201-214	418	---	2	---	2	5	9	10	14	41	51	
Male-----White-----	312	---	2	---	---	2	4	8	11	22	45	
Male-----Negro-----	31	---	---	---	1	---	1	1	---	---	3	
Male-----Other races-----	1	---	---	---	---	---	---	---	---	---	---	
Female-----White-----	70	---	---	---	1	3	4	1	3	9	3	
Female-----Negro-----	4	---	---	---	---	---	---	---	---	2	---	
185a	Traumatism by fall	24,520	134	138	99	80	76	529	334	402	515	577
	Male-----White-----	12,083	57	71	56	39	45	278	216	278	372	418
	Male-----Negro-----	859	17	9	3	8	4	41	22	36	46	54
	Male-----Other races-----	59	---	---	---	---	---	---	5	3	3	4
	Female-----White-----	11,123	35	49	38	27	29	179	84	81	84	85
	Female-----Negro-----	374	11	8	2	6	---	27	6	4	11	14
	Female-----Other races-----	22	3	1	---	---	---	4	1	---	---	2
	Not associated with symbols 201-214	21,400	119	124	82	59	50	434	225	230	226	277
	Male-----White-----	9,745	61	64	47	30	28	230	144	154	166	208
	Male-----Negro-----	521	16	8	3	7	4	38	16	16	9	16
	Male-----Other races-----	35	---	---	---	---	---	---	1	3	1	2
	Female-----White-----	10,739	30	43	30	16	18	137	58	54	43	37
	Female-----Negro-----	359	10	8	2	6	---	26	5	3	7	12
Female-----Other races-----	21	2	1	---	---	---	3	1	---	---	2	

MORTALITY STATISTICS

TABLE 7.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE,

List no.	CAUSE OF DEATH, SEX, AND RACE	All ages	Under 1 year	1 year	2 years	3 years	4 years	Under 5 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	
186a	XVII.—Violent and accidental deaths—Con. Accidental, other, or undefined—Continued Traumatism by fall—Continued Associated with symbols 201-214-----	3,120	15	14	17	21	28	95	109	172	290	300	
	Male-----White-----	2,338	6	7	9	9	17	48	72	124	206	210	
	Negro-----	338	1	1	-----	1	-----	3	5	20	37	38	
	Other races-----	24	-----	-----	-----	-----	-----	-----	4	-----	2	2	
	Female-----White-----	384	6	6	8	11	11	42	25	27	41	48	
	Negro-----	35	1	-----	-----	-----	-----	1	1	1	4	2	
	Other races-----	1	1	-----	-----	-----	-----	1	-----	-----	-----	-----	
	186b	Traumatism by crushing, landslide-----	9,242	29	65	79	82	98	353	374	296	637	899
	Male-----White-----	6,990	9	32	44	45	54	184	240	199	443	687	
	Negro-----	726	2	3	3	2	5	15	22	25	65	80	
Other races-----	67	-----	-----	1	-----	2	3	-----	4	2	8		
Female-----White-----	1,339	16	29	27	33	32	137	104	59	119	111		
Negro-----	113	2	-----	4	2	4	12	6	8	7	12		
Other races-----	7	-----	1	-----	-----	1	2	-----	-----	1	1		
Not associated with symbols 201-214-----	620	5	1	2	3	4	15	20	24	40	52		
Male-----White-----	516	-----	1	1	-----	2	4	15	15	30	35		
Negro-----	70	2	-----	-----	-----	-----	2	2	1	8	16		
Other races-----	3	-----	-----	-----	-----	1	1	-----	1	1	-----		
Female-----White-----	27	2	-----	1	3	1	7	3	6	1	-----		
Negro-----	4	1	-----	-----	-----	-----	1	-----	1	-----	1		
Associated with symbols 201-214-----	6,622	24	64	77	79	94	338	354	272	597	847		
Male-----White-----	6,474	9	31	43	45	52	180	225	184	413	652		
Negro-----	656	-----	3	3	2	5	13	20	25	57	64		
Other races-----	64	-----	-----	1	-----	1	2	-----	3	1	8		
Female-----White-----	1,312	14	29	26	30	31	150	101	53	118	111		
Negro-----	109	1	-----	4	2	4	11	8	7	7	11		
Other races-----	7	-----	1	-----	-----	1	2	-----	-----	1	1		
187	Cataclysm-----	617	9	10	13	7	9	48	36	37	19	34	
Male-----White-----	394	3	3	6	2	4	18	18	17	14	10		
Negro-----	39	1	3	-----	-----	-----	4	1	3	1	4		
Female-----White-----	165	4	3	5	4	4	20	15	13	3	17		
Negro-----	29	1	1	2	1	1	6	2	4	1	3		
188	Injuries by animals-----	580	3	-----	10	6	6	25	35	24	21	11	
Male-----White-----	442	1	-----	9	4	5	19	29	17	19	7		
Negro-----	32	1	-----	-----	-----	-----	1	3	5	1	2		
Other races-----	1	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----		
Female-----White-----	40	1	-----	1	2	1	5	3	2	1	2		
Negro-----	5	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----		
189	Hunger and thirst-----	53	16	2	-----	-----	-----	18	-----	2	-----	1	
Male-----White-----	27	6	-----	-----	-----	-----	6	-----	2	-----	-----		
Negro-----	12	5	-----	-----	-----	-----	5	-----	-----	-----	-----		
Other races-----	1	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----		
Female-----White-----	9	3	1	-----	-----	-----	4	-----	-----	-----	1		
Negro-----	4	2	1	-----	-----	-----	3	-----	-----	-----	-----		
190	Excessive cold-----	397	17	2	-----	-----	-----	19	1	3	8	14	
Male-----White-----	255	6	1	-----	-----	-----	7	1	2	2	10		
Negro-----	74	6	-----	-----	-----	-----	5	-----	-----	-----	4		
Other races-----	3	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----		
Female-----White-----	30	3	1	-----	-----	-----	4	-----	-----	3	-----		
Negro-----	33	2	-----	-----	-----	-----	2	-----	-----	3	-----		
Other races-----	2	-----	-----	-----	-----	-----	-----	-----	1	-----	-----		
191	Excessive heat-----	728	29	2	-----	2	-----	33	7	4	13	28	
Male-----White-----	474	14	-----	-----	2	-----	16	6	2	5	20		
Negro-----	114	1	-----	-----	-----	-----	1	-----	-----	5	4		
Other races-----	6	1	-----	-----	-----	-----	1	-----	-----	-----	1		
Female-----White-----	105	9	2	-----	-----	-----	11	1	2	3	2		
Negro-----	27	3	-----	-----	-----	-----	3	-----	-----	-----	1		
Other races-----	1	1	-----	-----	-----	-----	1	-----	-----	-----	-----		
192	Lightning-----	352	1	-----	-----	-----	1	2	16	37	52	49	
Male-----White-----	234	-----	-----	-----	-----	-----	-----	5	26	32	36		
Negro-----	56	1	-----	-----	-----	-----	1	4	3	10	6		
Other races-----	4	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----		
Female-----White-----	51	-----	-----	-----	-----	1	1	6	7	6	4		
Negro-----	15	-----	-----	-----	-----	-----	-----	1	1	4	3		
Other races-----	1	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----		
193	Accidents due to electric currents-----	676	4	4	3	1	3	15	17	38	42	67	
Male-----White-----	578	2	4	2	1	1	10	14	30	31	59		
Negro-----	47	-----	-----	-----	-----	-----	-----	-----	7	7	6		
Other races-----	2	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----		
Female-----White-----	41	2	-----	1	-----	2	5	3	1	3	2		
Negro-----	8	-----	-----	-----	-----	-----	-----	-----	-----	1	-----		
Not associated with symbols 201-214-----	566	4	4	3	1	3	15	15	37	38	49		
Male-----White-----	482	2	4	2	1	1	10	12	29	27	44		
Negro-----	35	-----	-----	-----	-----	-----	-----	-----	7	7	3		
Other races-----	2	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----		
Female-----White-----	38	2	-----	1	-----	2	5	3	1	3	2		
Negro-----	8	-----	-----	-----	-----	-----	-----	-----	-----	1	-----		

MORTALITY STATISTICS

TABLE 7.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE.

List no.	CAUSE OF DEATH, SEX, AND RACE	All ages	Under 1 year	1 year	2 years	3 years	4 years	Under 5 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years
193	XVII.—Violent and accidental deaths—Con. Accidental, other, or undefined—Continued Accidents due to electric currents—Continued Associated with symbols 201-214	110							2	1	4	18
	Male—White	96							2	1	4	15
	Female—Negro	11										3
	Female—White	3										
194a	Foreign bodies	736	218	120	63	24	14	439	17	10	14	16
	Male—White	422	113	60	37	9	6	295	10	6	8	6
	Female—Negro	33	12	6	2	1	1	24	1			
	Female—Other races	2		1				1				1
	Male—White	246	77	46	23	12	6	164	4	3	6	9
	Female—Negro	33	16	5	1	2	1	25	2	1		
	Not associated with symbols 201-214	736	218	120	63	24	14	439	17	10	14	16
	Male—White	422	113	60	37	9	6	295	10	6	8	6
	Female—Negro	33	12	6	2	1	1	24	1			
	Female—Other races	2		1				1				1
	Male—White	246	77	46	23	12	6	164	4	3	6	9
	Female—Negro	33	16	5	1	2	1	25	2	1		
194b	Other accidents	37,384	354	169	233	273	368	1,397	1,554	1,321	2,718	3,563
	Male—White	25,406	149	80	132	172	213	746	959	922	1,794	2,678
	Female—Negro	2,694	40	8	19	13	20	100	69	80	206	264
	Female—Other races	200	4	1	3	1	5	14	5	9	8	16
	Male—White	7,413	126	77	67	78	111	459	474	292	676	552
	Female—Negro	637	32	3	11	9	18	73	45	16	33	50
	Female—Other races	34	3		1		1	5	2	2	1	3
	Not associated with symbols 201-214	5,012	284	53	49	36	40	462	161	220	265	283
	Male—White	3,305	117	23	25	20	24	209	95	155	193	208
	Female—Negro	490	37	2	5	3	2	49	9	17	38	29
	Female—Other races	31	4		2		1	7	1	1	1	4
	Male—White	1,027	95	25	15	12	10	157	51	41	28	31
	Female—Negro	145	28	3	1	1	2	35	5	5	5	10
	Female—Other races	14	3		1		1	5		1		1
	Associated with symbols 201-214	32,372	70	116	184	237	328	935	1,393	1,101	2,453	3,280
	Male—White	23,101	32	57	107	152	189	537	864	767	1,601	2,470
	Female—Negro	2,204	3	6	14	10	18	51	60	63	168	235
	Female—Other races	169		1	1	1	4	7	4	8	7	12
	Male—White	6,386	31	52	52	66	101	302	423	251	648	621
	Female—Negro	492	4		10	8	16	38	40	11	28	40
	Female—Other races	20							2	1	1	2
195	Violent deaths of unknown nature	160	1					1	1		4	9
	Male—White	123							1		3	5
	Female—Negro	18									1	1
	Female—White	17	1					1				1
	Female—Negro	2										
196	Wounds of war	3										
	Male—Negro	3										
198	Legal executions	191									11	42
	Male—White	115									3	25
	Female—Negro	69									8	17
	Female—Other races	3										
	Male—White	3										
	Female—Negro	1										
	XVIII.—Ill-defined causes of death	20,552	7,278	548	187	132	93	8,233	259	196	292	364
	Male—White	6,598	2,086	148	33	32	14	2,313	61	42	57	75
	Female—Negro	1,936	132	53	43	25	2	1,189	58	52	72	84
	Female—Other races	273	105	26	12	6	1	150	18	4	6	6
	Male—White	4,118	1,503	123	45	25	29	1,725	57	38	49	56
	Female—Negro	4,277	1,573	101	38	22	19	1,753	54	51	100	129
	Female—Other races	255	75	18	6	4	5	108	11	9	8	14
199	Sudden death	1,908	215	18	10	5	7	255	14	13	22	23
	Male—White	815	68	8	2	2	2	82	7	2	8	7
	Female—Negro	359	42	3	5	2	1	53	2	4	9	3
	Female—Other races	2	1					1				
	Male—White	441	67	4	1	1	3	76	2	4	2	6
	Female—Negro	287	37	3	1		1	42	3	3	3	7
	Female—Other races	4			1			1				
200a	Cause of death ill-defined	5,263	863	174	50	38	20	1,145	53	43	60	82
	Male—White	2,163	296	53	10	13	4	376	10	14	16	21
	Female—Negro	1,088	181	39	19	9	3	251	14	11	12	16
	Female—Other races	27	9	3	1	1		14				1
	Male—White	1,114	223	44	16	7	7	297	20	8	14	17
	Female—Negro	848	153	34	2	7	4	200	9	10	17	27
	Female—Other races	23	1	1	2	1	2	7			1	
200b	Cause of death not specified or unknown	13,361	6,200	355	127	89	66	6,838	192	140	210	259
	Male—White	3,620	1,722	87	21	17	8	1,855	44	26	33	47
	Female—Negro	3,584	1,713	90	29	32	21	1,885	42	37	51	65
	Female—Other races	244	95	23	11	5	1	135	18	4	6	5
	Male—White	2,563	1,213	75	28	17	19	1,352	35	26	33	33
	Female—Negro	3,142	1,583	64	35	15	14	1,511	42	38	80	95
	Female—Other races	228	74	17	3	3	3	100	11	9	7	14

DEATHS BY CAUSE, SEX, RACE, AND AGE

BY SEX, RACE, AND AGE, IN THE UNITED STATES: 1935—Continued

25 to 29 years	30 to 34 years	35 to 39 years	40 to 44 years	45 to 49 years	50 to 54 years	55 to 59 years	60 to 64 years	65 to 69 years	70 to 74 years	75 to 79 years	80 to 84 years	85 to 89 years	90 to 94 years	95 to 99 years	100 and over	Unknown	List no.
16	16	15	14	9	6	3	2	2	1							1	193
16	15	10	11	9	6	2	2	2	1							1	
17	21	20	27	32	22	25	23	16	17	9	7	2	2				194a
12	10	9	19	26	18	14	16	13	12	9	6	1	2				
1	1	2	2						2								
5	10	8	6	6	3	11	6	3	2		1	1					
1		1			1		1		1								
17	21	20	27	32	22	25	23	16	17	9	7	2	2				
12	10	9	19	26	18	14	16	13	12	9	6	1	2				
1	1	2	2						2								
5	10	8	6	6	3	11	6	3	2		1	1					
1		1			1		1		1								
2,994	2,434	2,529	2,512	2,793	2,618	2,439	2,297	2,051	1,668	1,286	695	335	85	18	1	76	194b
2,193	1,810	1,798	1,850	2,091	1,924	1,797	1,662	1,445	1,149	856	447	198	37	3		47	
291	235	271	258	211	170	141	119	98	74	38	28	15	4	1		21	
17	15	21	14	17	14	11	14	9	10	1	3	2					
435	340	371	354	417	453	449	470	475	424	379	212	115	38	12		6	
56	34	64	36	54	45	40	31	21	16	9	5	5	6	2		2	
2		4		3	2	1	1	3	1	3					1		
270	294	274	310	328	368	314	313	274	247	251	191	119	41	11	1	15	
201	228	190	237	242	286	248	212	182	145	131	88	40	8	1		6	
42	41	45	44	41	33	23	19	20	15	6	7	3	2			7	
1	1	1	1	1	3	1	3	1	2		1	1					
23	20	27	20	30	37	33	68	65	60	109	93	74	29	10		1	
3	4	10	8	14	9	9	10	5	4	3	2	1	2			1	
		1					1	1	2								
2,724	2,140	2,255	2,202	2,465	2,250	2,125	1,984	1,777	1,421	1,035	504	216	44	7		61	
1,992	1,582	1,508	1,613	1,849	1,638	1,549	1,450	1,263	1,004	725	359	158	29	2		41	
249	194	226	214	170	137	118	100	78	59	32	21	12	2	1		14	
16	14	20	13	16	11	10	11	8	8	1	2	1					
412	320	344	334	397	426	416	402	410	344	270	119	41	9	2		5	
53	30	54	28	40	38	31	21	16	6	6	3	4	4	2		1	
2		3		3	2	1		2		1							
5	12	18	26	20	18	18	14	5	4	2	2					1	195
2	10	11	18	18	14	16	14	5	3	2	2					1	
1	1	3	4	1	1												
1	1	4	5	1	3	2			1								
		1	1			1											
		1	1			1											
50	27	21	23	8	5	2		2									196
34	16	13	16	5	3	3											
15	9	7	5	3	2	1		2									
1	2	1				1											
			1														
426	398	527	637	776	1,018	1,017	1,239	1,298	1,202	986	767	465	185	87	76	99	
76	113	124	208	267	358	426	517	572	451	420	273	144	39	15	4	33	
100	100	153	169	188	289	218	272	274	168	168	165	103	40	19	25	36	
6	2	5	3	6	10	7	9	7	13	7	3	7	2		1	1	
83	78	95	95	126	137	157	231	239	276	265	211	120	43	19	5	13	
149	100	147	156	182	217	203	198	197	188	118	104	83	59	33	40	16	
9	5	3	6	7	7	6	12	9	10	8	11	8	2	1	1		
35	36	59	85	104	152	163	206	207	171	161	98	62	16	9	6	11	199
9	7	20	28	45	59	86	101	104	89	85	50	19	2	3		1	
9	11	14	23	25	38	16	37	32	19	21	17	12	3	2		7	
						1											
6	8	13	15	17	25	37	42	47	41	46	27	22	4			1	
11	10	12	19	16	30	23	26	24	22	7	4	5	7	4		2	
				1						1		1					
126	131	161	224	296	383	389	471	499	438	313	218	123	48	17	21	22	200a
23	49	59	90	112	179	189	240	274	195	148	83	60	15	1	2	7	
29	31	53	59	77	93	64	77	75	52	52	35	25	9	5	8	8	
		1				1		1									
31	20	23	30	52	55	52	93	93	105	83	72	25	13	6	2	3	
45	31	45	42	55	55	60	58	54	47	29	27	11	10	5	9	4	
			2		1	3		2	3		1	2	1				
265	231	287	328	376	483	485	562	592	593	512	451	280	121	61	49	66	200b
44	57	45	90	110	120	151	176	194	177	186	140	65	22	11	2	25	
65	58	86	87	95	158	138	158	167	151	95	113	66	28	12	15	21	
6	2	4	2	6	10	5	6	6	9	6	3	7	2		1	1	
46	50	59	50	57	68	96	96	99	130	136	112	73	26	13	3	9	
95	59	90	95	111	132	120	114	119	119	82	73	64	42	24	27	10	
9	5	3	4	6	6	3	12	7	7	7	10	5	1	1	1		

MORTALITY STATISTICS

TABLE 7.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE.

Sym- bol	CAUSE OF DEATH, SEX, AND RACE	All ages	Under 1 year	1 year	2 years	3 years	4 years	Under 5 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	Supplemental Classification	
													Deaths tabulated under List numbers 178, 181, 182, with symbols 201-214,* are retabulated in	
201	Accidents in mines and quarries-----	1,581	-----	-----	-----	1	-----	1	1	3	48	171		
	Male-----White-----	1,475	-----	-----	-----	-----	-----	-----	1	3	45	163		
	Negro-----	100	-----	-----	-----	-----	-----	-----	-----	-----	3	8		
	Other races-----	3	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----		
	Female-----White-----	3	-----	-----	1	-----	-----	1	-----	-----	-----	-----		
	Negro-----	1	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----		
202	Accidents from agricultural machinery-----	367	-----	2	5	5	5	17	8	12	24	29		
	Male-----White-----	345	-----	2	5	4	5	16	8	10	23	26		
	Negro-----	13	-----	-----	-----	-----	-----	-----	-----	-----	-----	3		
	Other races-----	2	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----		
	Female-----White-----	6	-----	-----	1	-----	-----	1	-----	2	1	-----		
	Negro-----	1	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----		
203	Elevator accidents-----	222	-----	-----	1	1	-----	2	6	8	19	15		
	Male-----White-----	188	-----	-----	1	1	-----	2	2	4	17	14		
	Negro-----	14	-----	-----	-----	-----	-----	-----	1	2	2	-----		
	Other races-----	2	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----		
	Female-----White-----	16	-----	-----	-----	-----	-----	-----	2	2	-----	1		
	Negro-----	2	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----		
204	Accidents from machinery used for recreation-----	22	-----	-----	-----	-----	1	1	3	1	3	7		
	Male-----White-----	16	-----	-----	-----	-----	-----	-----	1	-----	2	6		
	Negro-----	2	-----	-----	-----	-----	-----	-----	1	1	-----	-----		
	Female-----White-----	4	-----	-----	-----	-----	1	1	1	-----	1	1		
205	Other machinery accidents-----	1,186	-----	8	4	5	4	21	19	10	52	124		
	Male-----White-----	1,038	-----	5	2	5	2	14	13	9	43	106		
	Negro-----	105	-----	-----	1	-----	-----	1	2	-----	8	16		
	Other races-----	1	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----		
	Female-----White-----	34	-----	3	1	-----	2	6	3	1	1	1		
	Negro-----	6	-----	-----	-----	-----	-----	-----	1	-----	-----	-----		
	Other races-----	2	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----		
206	Railroad and automobile collisions-----	1,587	6	8	6	7	8	35	28	46	157	201		
	Male-----White-----	1,114	3	4	3	4	5	19	12	24	88	144		
	Negro-----	39	-----	-----	-----	-----	-----	-----	-----	1	2	4		
	Other races-----	4	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----		
	Female-----White-----	419	3	4	3	3	3	16	16	21	66	49		
	Negro-----	11	-----	-----	-----	-----	-----	-----	-----	-----	1	2		
207	Other railroad accidents-----	3,819	-----	15	11	4	6	36	59	110	266	317		
	Male-----White-----	3,009	-----	7	8	1	5	21	42	76	198	227		
	Negro-----	533	-----	-----	-----	1	-----	1	2	19	52	70		
	Other races-----	28	-----	-----	-----	-----	-----	-----	-----	2	2	4		
	Female-----White-----	213	-----	8	2	2	1	13	12	10	10	14		
	Negro-----	34	-----	-----	1	-----	-----	1	3	3	4	2		
	Other races-----	2	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----		
208	Street car and automobile collisions-----	253	-----	-----	-----	-----	-----	-----	4	1	21	32		
	Male-----White-----	189	-----	-----	-----	-----	-----	-----	2	-----	14	21		
	Negro-----	12	-----	-----	-----	-----	-----	-----	-----	-----	-----	2		
	Other races-----	1	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----		
	Female-----White-----	50	-----	-----	-----	-----	-----	-----	2	1	6	9		
	Negro-----	1	-----	-----	-----	-----	-----	-----	-----	-----	1	-----		
209	Other street car accidents-----	512	-----	3	5	5	5	18	13	9	15	18		
	Male-----White-----	356	-----	3	3	2	2	10	9	7	11	13		
	Negro-----	35	-----	-----	1	1	1	3	1	2	1	2		
	Female-----White-----	111	-----	-----	1	1	2	4	3	-----	3	3		
	Negro-----	10	-----	-----	1	-----	-----	1	-----	-----	-----	-----		
210	Automobile accidents (primary)-----	34,183	103	155	235	306	417	1,216	1,660	1,204	2,680	3,479		
	Male-----White-----	23,780	43	74	133	188	234	672	1,041	819	1,709	2,578		
	Negro-----	2,328	4	10	14	9	22	59	73	75	201	235		
	Other races-----	203	-----	1	2	-----	5	8	6	8	8	14		
	Female-----White-----	7,257	48	69	73	101	134	425	492	284	724	598		
	Negro-----	588	7	-----	13	8	21	49	46	17	35	51		
	Other races-----	27	1	1	-----	-----	1	3	2	1	3	3		
211	Motorcycle accidents-----	346	-----	1	1	-----	-----	2	2	6	64	121		
	Male-----White-----	298	-----	1	-----	-----	-----	1	2	6	57	108		
	Negro-----	10	-----	-----	-----	-----	-----	-----	-----	-----	1	2		
	Other races-----	2	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----		
	Female-----White-----	36	-----	-----	1	-----	-----	1	-----	-----	6	10		
	Negro-----	1	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----		
212	Other land transportation accidents-----	1,179	7	4	15	11	13	50	85	163	98	59		
	Male-----White-----	919	4	1	7	4	9	25	50	132	71	44		
	Negro-----	96	1	-----	1	3	-----	5	7	10	6	8		
	Other races-----	14	-----	-----	-----	-----	-----	1	2	1	2	-----		
	Female-----White-----	143	2	3	7	2	4	18	26	20	18	7		
	Negro-----	7	-----	-----	1	-----	-----	1	-----	-----	1	-----		
213	Water transportation accidents-----	1,041	-----	2	4	2	3	11	43	87	119	149		
	Male-----White-----	827	-----	1	2	2	1	6	32	69	89	117		
	Negro-----	119	-----	-----	1	-----	1	2	6	10	14	16		
	Other races-----	9	-----	-----	-----	-----	-----	-----	1	-----	-----	-----		
	Female-----White-----	75	-----	1	1	-----	1	3	4	8	15	12		
	Negro-----	11	-----	-----	-----	-----	-----	-----	-----	-----	1	4		
214	Air transportation accidents-----	358	-----	1	-----	-----	-----	1	1	3	20	78		
	Male-----White-----	324	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----		
	Negro-----	1	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----		
	Other races-----	2	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----		
	Female-----White-----	31	-----	1	-----	-----	-----	1	-----	-----	2	16		

DEATHS BY CAUSE, SEX, RACE, AND AGE

BY SEX, RACE, AND AGE, IN THE UNITED STATES: 1935—Continued

25 to 29 years	30 to 34 years	35 to 39 years	40 to 44 years	45 to 49 years	50 to 54 years	55 to 59 years	60 to 64 years	65 to 69 years	70 to 74 years	75 to 79 years	80 to 84 years	85 to 89 years	90 to 94 years	95 to 99 years	100 and over	Unknown	Sym- bol	
193	169	187	223	203	158	102	57	39	13	6	4	2	---	---	---	1	201	
182	153	169	208	196	144	97	52	38	12	6	4	2	---	---	---	---	201	
11	14	17	15	7	12	5	5	1	1	---	---	---	---	---	---	1	201	
---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	201
26	33	22	27	33	40	22	29	22	13	7	2	1	---	---	---	---	202	
23	32	20	24	32	39	21	26	22	13	7	2	1	---	---	---	---	202	
3	1	---	2	1	---	1	2	---	---	---	---	---	---	---	---	---	202	
---	---	1	---	---	---	---	1	---	---	---	---	---	---	---	---	---	202	
---	---	1	1	---	---	---	---	---	---	---	---	---	---	---	---	---	202	
11	13	23	23	13	20	25	17	15	6	4	1	1	---	---	---	---	203	
9	10	20	20	10	18	21	17	13	6	3	1	1	---	---	---	---	203	
2	1	1	1	2	1	1	---	---	---	---	---	---	---	---	---	---	203	
---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	203	
---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	203	
3	1	1	2	---	---	---	---	---	---	---	---	---	---	---	---	---	204	
---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	204	
---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	204	
139	133	123	119	124	91	97	62	43	19	8	---	1	---	---	---	1	205	
117	116	109	106	112	86	87	57	41	15	6	---	1	---	---	---	---	205	
19	15	10	9	10	4	4	3	1	1	1	---	---	---	---	---	---	205	
1	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	205	
---	2	3	4	1	1	5	2	1	2	1	---	---	---	---	---	---	205	
---	---	1	---	1	---	1	---	---	1	---	---	---	---	---	---	---	205	
2	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	205	
159	127	154	127	137	112	92	66	67	39	23	7	4	---	---	---	4	206	
125	80	119	85	105	83	71	52	48	31	19	4	2	---	---	---	3	206	
5	4	3	5	2	5	1	2	4	1	---	---	---	---	---	---	---	206	
---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	206	
28	41	32	35	28	23	19	14	14	7	4	3	2	---	---	---	1	206	
1	2	---	2	1	1	---	---	1	---	---	---	---	---	---	---	---	206	
308	277	348	343	377	348	287	267	181	125	77	42	21	5	1	---	24	207	
231	192	280	276	313	302	255	222	150	92	63	35	16	3	1	---	14	207	
57	71	55	59	42	26	19	25	13	7	4	1	1	---	---	---	9	207	
5	4	1	1	3	1	3	---	1	---	---	---	---	---	---	---	1	207	
11	8	8	5	17	16	7	19	17	26	10	5	3	2	---	---	---	207	
4	---	4	2	2	3	3	1	---	---	---	1	1	---	---	---	---	207	
---	2	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	207	
27	31	18	21	24	19	19	13	12	8	3	---	---	---	---	---	---	208	
20	26	12	18	21	15	12	9	9	7	3	---	---	---	---	---	---	208	
2	1	---	2	1	1	2	1	---	---	---	---	---	---	---	---	---	208	
---	1	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	208	
5	3	6	1	2	3	5	3	3	1	---	---	---	---	---	---	---	208	
---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	208	
20	17	23	30	56	39	51	40	46	38	43	21	7	6	1	---	1	209	
15	11	16	22	41	23	40	28	31	22	28	16	5	6	1	---	1	209	
3	3	3	4	2	4	2	1	1	1	1	1	---	---	---	---	---	209	
2	2	3	4	11	10	8	11	13	15	14	4	1	---	---	---	---	209	
---	1	---	---	2	2	1	---	1	---	---	---	1	---	---	---	---	209	
2,900	2,256	2,325	2,224	2,463	2,307	2,211	2,068	1,838	1,461	1,045	517	227	38	9	---	55	210	
2,023	1,656	1,587	1,606	1,787	1,633	1,559	1,465	1,295	1,027	717	362	162	23	2	---	35	210	
287	182	253	202	175	122	129	96	75	52	29	22	13	2	2	---	14	210	
17	15	23	14	21	16	13	13	8	1	2	2	1	---	---	---	---	210	
504	362	396	371	434	466	476	450	432	363	289	128	47	8	3	---	5	210	
68	39	63	31	42	36	33	24	21	10	8	3	3	4	2	---	1	210	
1	---	3	---	4	2	1	---	2	1	1	---	---	---	---	---	---	210	
51	32	13	9	5	7	8	9	4	5	4	4	---	---	---	---	---	210	
45	27	13	7	4	5	5	7	3	3	2	3	---	---	---	---	---	211	
2	2	---	1	---	1	---	---	---	---	---	---	---	---	---	---	---	211	
---	---	---	---	1	---	---	---	---	---	---	---	---	---	---	---	---	211	
4	3	---	1	---	1	2	2	1	2	2	1	---	---	---	---	---	211	
41	37	46	43	63	65	72	83	109	70	63	19	8	1	1	---	3	212	
29	30	37	33	52	51	61	70	95	60	53	16	6	1	---	---	1	212	
3	---	5	8	4	8	7	7	7	3	5	---	2	---	---	---	---	212	
3	1	1	---	---	1	---	---	---	1	1	---	---	---	---	---	---	212	
6	6	3	2	7	4	4	5	5	6	4	1	---	---	---	---	1	212	
---	---	---	---	---	1	---	1	2	---	---	---	---	---	---	---	---	1	212
114	95	99	92	72	54	43	31	18	5	3	1	2	---	---	---	3	213	
90	75	82	71	61	44	39	25	15	5	3	1	1	---	---	---	2	213	
17	12	8	11	5	9	3	5	1	---	---	---	1	---	---	---	---	213	
2	1	1	3	---	---	1	---	---	---	---	---	---	---	---	---	---	213	
4	7	8	5	4	2	---	1	2	---	---	---	---	---	---	---	---	213	
1	---	---	2	2	---	---	---	---	---	---	---	---	---	---	---	---	1	213
108	63	39	26	10	6	---	1	---	---	---	---	---	---	---	---	---	2	214
102	59	38	26	9	4	---	---	---	---	---	---	---	---	---	---	---	2	214
---	1	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	214
---	---	1	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	214
6	3	---	---	1	2	---	---	---	---	---	---	---	---	---	---	---	---	214

183, 185, 186a, 186b, 193, 194a, 194b, as "Associated the supplemental classification below.

MORTALITY STATISTICS

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) OF NEGROES, INDIANS, CHINESE, JAPANESE, AND MINOR RACES, FROM EACH CAUSE, BY SEX, IN THE UNITED STATES: 1935

List no.	CAUSE OF DEATH AND SEX	Negro	Indian	Chinese	Japanese	Minor races	List no.	CAUSE OF DEATH AND SEX	Negro	Indian	Chinese	Japanese	Minor races	
	Total deaths (all causes):—Male—	95,033	2,854	1,034	720	381								
	Female—	82,490	2,514	95	234	38								
	I.—Infectious and parasitic diseases							I.—Infectious and parasitic diseases—Continued						
	M—	18,349	840	247	156	148	39	Other diseases due to protozoal parasites—	M—	7	1		1	
	F—	16,035	749	17	70	9		F—	4					
1	Typhoid fever—	M— 522	12		5	4	40	Ankylostomiasis—	M—	1				
	F—	500	12	1				F—	2					
2	Paratyphoid fever—	M— 4	1			1	41a	Hydatid cysts of liver—	M—					
	F—	5						F—						
3	Typhus fever—	M— 2					41b	Hydatid cysts of other organs—	M—					
	F—	8						F—						
4	Relapsing fever—	M—					42	Other diseases caused by helminths—	M—	22			1	
	F—							F—	24					
5	Undulant fever—	M— 6					43	Mycoses—	M—	33	1		2	
	F—	1						F—	28	1				
6	Smallpox—	M— 4	1				44	Other infectious and parasitic diseases—	M—	24	2	1		
	F—	1						F—	28	1				
7	Measles—	M— 162	96	2	2	1		II.—Cancers and other tumors	M—	3,071	57	81	76	
	F—	145	63	1				F—	6,035	131	9	10	10	
8	Scarlet fever—	M— 26	2	1	1		45-53	Cancer and other malignant tumors—	M—	2,922	53	78	77	10
	F—	37	4					F—	5,237	128	8	10	2	
9	Whooping-cough—	M— 485	41	1	1		45	Cancer of buccal cavity and pharynx—	M—	165		3	4	
	F—	495	53		4			F—	97	4				
10	Diphtheria—	M— 247	6	2	3			Buccal cavity—	M—	123		3	4	
	F—	212	2		1			F—	77	4				
11a	Influenza, respiratory complications specified—	M— 1,763	51	4	8	3		Pharynx—	M—	42				
	F—	1,670	41		2	1		F—	20					
11b	Influenza, respiratory complications not specified—	M— 795	25		2	1	46	Cancer of digestive tract and peritoneum—	M—	1,711	37	43	57	
	F—	895	16		1			F—	1,579	57	3	8		
12	Cholera—	M—						Esophagus—	M—	67			1	
	F—							F—	27					
13	Dysentery—	M— 247	24	1	2			Stomach and duodenum—	M—	921	25	20	43	
	F—	240	15		1			F—	767	21	2	7		
14	Plague—	M—						Liver and biliary passages—	M—	249	3	9	4	
	F—							F—	245	20				
15	Erysipelas—	M— 46	4		2			Pancreas—	M—	98	4	3	4	
	F—	42	6					F—	63	4				
16	Acute poliomyelitis, acute poliomyelitis—	M— 65	5					Other digestive tract and peritoneum—	M—	376	5	10	5	
	F—	46	1					F—	477	12	1	1		
17	Lethargic or epidemic encephalitis—	M— 23	3			1	47	Cancer of respiratory system—	M—	161	2	13	7	
	F—	16	1					F—	57	3				
18	Epidemic cerebrospinal meningitis—	M— 276	10	2	4		48	Cancer of uterus—	F—	2,088	41	3	1	
	F—	130	5	1				49	Cancer of other female genital organs—	F—	172	2	1	
19	Glanders—	M—						50	Cancer of breast—	M—	13		1	
	F—								F—	752	11	1		
20	Anthrax (bacillus anthracis) malignant pustule—	M— 1	1				51	Cancer of male genitourinary organs—	M—	580	9	7	5	
	F—							52	Cancer of skin—	M—	42	1	1	
21	Rabies—	M— 9							F—	45	1			
	F—	4						53	Cancer of other or unspecified organs—	M—	250	4	10	4
22	Tetanus—	M— 196	1						F—	447	9		1	
	F—	75						54a	Nonmalignant tumors, ovary—	F—	13			
23-32	Tuberculosis (all forms)—	M— 9,054	483	202	111	120		54b	Nonmalignant tumors, uterus—	F—	655	1	1	
	F—	8,289	473	13	58	6		54c, d, e	Nonmalignant tumors, other organs—	M—	41	1	2	
23	Tuberculosis of respiratory system—	M— 8,160	399	188	103	108			F—	39				
	F—	7,473	421	7	46	5		55a	Tumors, ovary (nature unspecified)—	F—	4			
24	Tuberculosis of meninges and C. N. S. 1/2—	M— 221	42	4	4	4		55b	Tumors, uterus (nature unspecified)—	F—	2			
	F—	205	22	3	2	2		55c	Tumors, other female genital organs, etc. 1/2—	F—				
25	Tuberculosis of intestines and peritoneum—	M— 204	18	3	1	3	55d, e	Tumors, other organs (nature unspecified)—	M—	108	3	1	1	
	F—	253	10	1	4			F—	85	2				
26	Tuberculosis of vertebral column—	M— 98	5	1		1			III.—Rheumatic diseases etc. 1/2—	M—	1,418	34	25	10
	F—	54	1	2					F—	2,831	60	4	10	5
27a	Tuberculosis of bones (see exceptions) 1/2—	M— 23	1		1		56	Acute rheumatic fever—	M—	159	1		1	
	F—	6						F—	176	5		1		
27b	Tuberculosis of joints—	M— 30	1				57	Chronic rheumatism, osteoarthritis—	M—	53	1			
	F—	17						F—	63	4				
28	Tuberculosis of skin, etc. 1/2—	M— 2					58	Gout—	M—					
	F—	4						F—						
29	Tuberculosis of lymphatic system, etc. 1/2—	M— 22	3	2			59	Diabetes mellitus—	F—	599	22	18	8	
	F—	25	1		1			F—	1,070	33	1	6		
30	Tuberculosis of genitourinary system—	M— 26	2	3	1	3	60	Scurvy—	M—	2	1			
	F—	23	1		3			F—	3					
31	Tuberculosis of other organs—	M— 15	1				61	Beriberi—	M—					
	F—	9						F—	1					
32a	Tuberculosis, acute disseminated—	M— 223	10	1	1	1	62	Pellagra—	M—	417	3	2		
	F—	199	12		2	1		F—	1,152	6				
32b, c	Tuberculosis, other disseminated—	M— 24	1				63	Ricketts—	M—	47	1			
	F—	15	3					F—	30	3				
33	Leprosy—	M— 2		1			64	Osteomalacia—	M—	1				
	F—	1						F—	1					
34	Syphilis—	M— 3,284	60	27	12	11	65	Diseases of pituitary body—	M—	2				
	F—	1,846	42		2			F—	2					
35	Gonococcus infection, other venereal diseases—	M— 87	1	2		2	66a	Simple goiter—	M—	3		1		
	F—	256	4					F—	23	1				
36	Purulent infection, septicemia (nonpuerperal)—	M— 78	2		3		66b	Exophthalmic goiter—	M—	25	1	2		
	F—	65	4	1				F—	207	1	2	1		
37	Yellow fever—	M—					66c, d, e	Other diseases of thyroid and parathyroid glands—	M—	19	1		1	
	F—							F—	23	1				
38	Malaria—	M— 878	6											
	F—	970	4											

1/ Refer to complete International List titles.

DEATHS BY CAUSE, SEX, AND RACE

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) OF NEGROES, INDIANS, CHINESE, JAPANESE, AND MINOR RACES, FROM EACH CAUSE, BY SEX, IN THE UNITED STATES: 1935—Continued

List no.	CAUSE OF DEATH AND SEX	Negro	In-dian	Chi-nese	Japa-nese	Minor races	List no.	CAUSE OF DEATH AND SEX	Negro	In-dian	Chi-nese	Japa-nese	Minor races
III.—Rheumatic diseases, etc. 1/—Con.						VII.—Diseases of the circulatory system—Continued							
67	Diseases of thymus gland—M	50	3	2	1	1	92b	Endocarditis, unspecified (45 years and over)—M	230	4	3		
	F	31	2		2			F	226	3			
68	Diseases of adrenals (see exceptions) 1/—M	5					93a	Acute myocarditis—M	364	2	2	1	2
	F	10	1					F	378	4		1	
69	Other general diseases—M	36					93b	Myocarditis, unspecified (under 45 years)—M	172				2
	F	39	3					F	154	1			
IV.—Diseases of the blood and blood-making organs—						93c							
	M	281	10	6	3	4		Chronic myocarditis and myocardial degeneration—M	3,191	69	77	30	9
	F	257	6		2			F	2,838	55	4	5	1
70	Hemorrhagic conditions—M	32	4	1			93d	Other diseases of myocardium—M	1,291	7	14	7	1
	F	25	3		1			F	1,116	14	1		
71a	Pernicious anemia—M	40	2		1		94a	Angina pectoris—M	561	15	5	1	
	F	73	2					F	443	3			
71b	Other anemias—M	44	1	1			94b	Diseases of coronary arteries—M	904	8	22	9	4
	F	46						F	602	10	1	2	1
72a	True leukemias—M	93	2	1	2	2	95a	Functional diseases of heart—M	21	1	1	1	
	F	59	1		1			F	23	1			
72b	Pseudoleukemias (Hodgkin's disease)—M	52	1	1			95b	Other and unspecified diseases of heart—M	4,369	43	57	6	5
	F	43						F	3,762	26	1		
73	Diseases of spleen—M	16		2		2	96	Aneurysm (except of heart)—M	358	1	8		1
	F	10						F	158				
74	Other diseases of blood and blood-making organs—M	4					97	Arteriosclerosis (except coronary arteries)—M	737	13	18	2	1
	F	1						F	640	21	1	1	1
V.—Chronic poisonings and intoxications—						98							
	M	366	18	3	5	1		Gangrene—M	61	3	1		
	F	134	2					F	70	2			
75	Alcoholism (acute or chronic)—M	350	18	1	5	1	99	Other diseases of the arteries—M	48	1	1	1	
	F	122	2					F	37	2			
76	Chronic poisoning by other organic substances—M	5		2			100	Diseases of veins, etc. 1/—M	23				
	F	4						F	26				
77a	Chronic lead poisoning—M	8					101	Diseases of lymphatic system (lymphangitis, etc.)—M	11				
	F	6						F	15				
77b,c	Other chronic poisoning by mineral substances—M	3					102	Idiopathic anomalies of blood-pressure—M	108				
	F	2						F	109				
VI.—Diseases of the nervous system, etc. 1/—						103							
	M	8,345	118	67	63	6		Other diseases of circulatory system—M	33	1	1		
	F	8,072	102	9	12	2		F	32	2			
78	Encephalitis (nonepidemic)—M	80	2		2		VIII.—Diseases of the respiratory system—						
	F	77	3					M	10,345	440	92	65	44
79a	Simple meningitis—M	200	13	1	3	3		F	7,244	372	9	18	4
	F	154	7	1			104a	Diseases of nasal fossae—M	108	1			
79b	Nonepidemic cerebrospinal meningitis—M	27						F	104	2			
	F	28	3				104b	Diseases of nasal fossae and annexa—M	33				
80	Progressive locomotor ataxia (tabes dorsalis)—M	63		3				F	28				
	F	21					105	Diseases of larynx—M	29	1	1		
81	Other diseases of spinal cord—M	104	3		2			F	27	1	1		
	F	98	2	2			106a	Acute bronchitis—M	68	3			
82a	Cerebral hemorrhage—M	5,520	63	48	42			F	78	3	1		
	F	6,118	52	3	9	1	106b	Chronic bronchitis—M	38	4	3	1	
82b	Cerebral embolism and thrombosis—M	185	5	3	3			F	48	3		1	
	F	193	4	2			106c	Bronchitis, unspecified—M	62	2	1		
82c	Softening of brain—M	20						F	57	2			
	F	29					107a	Bronchopneumonia—M	2,843	203	41	26	15
82d	Hemiplegia and other paralysis cause unspecified—M	493	8	1	1			F	2,403	180	4	9	3
	F	531	7				107b	Capillary bronchitis—M	24	2	1	1	1
83	General paralysis of insane—M	858	3	7	2	2		F	38				
	F	236	1				108	Lobar pneumonia—M	5,813	156	37	33	22
84	Dementia praecox and other psychoses—M	139	1	1		1		F	3,529	109	3	7	1
	F	141	1				109	Pneumonia, unspecified—M	730	55	1		1
85	Epilepsy—M	277	2		2			F	539	60			
	F	171	1		1		110	Pleurisy—M	232	6	3	1	1
86	Convulsions (under 5 years)—M	115	7					F	124	4			
	F	82	6				111a	Pulmonary embolism and thrombosis—M	38				
87	Other diseases of nervous system—M	130	2	1				F	21	2			
	F	94	2				111b	Pulmonary congestion, edema, hemorrhagic infarct—M	57	2		1	
88	Diseases of organs of vision—M	7		1				F	58	1			
	F	1	2				112	Asthma—M	135		4	1	3
89a	Diseases of ear—M	76	4	1	5			F	117	1		1	
	F	56	4	1	1	1	113	Pulmonary emphysema—M	4				
89b	Diseases of mastoid process—M	51	5		1			F	2	1			
	F	42	7		1		114	Other diseases of respiratory system (except tuberculosis)—M	131	5		1	1
VII.—Diseases of the circulatory system—						IX.—Diseases of the digestive system—							
	M	15,965	215	240	76	36		M	5,708	210	70	67	17
	F	13,968	183	12	16	3		F	5,068	183	5	14	4
90	Pericarditis—M	84	1			1	115a	Diseases of pharynx, tonsils—M	223	2		2	2
	F	38						F	302	3	1	3	
91a	Acute endocarditis—M	138		2	2	1	115b	Diseases of buccal cavity and annexa—M	80	3	2	1	2
	F	191	1	1	2			F	77				
91b	Endocarditis, unspecified (under 45 years)—M	50					116	Diseases of esophagus—M	14			1	
	F	59	2					F	8	1			
92a	Endocarditis, specified as chronic, etc. 1/—M	3,181	46	28	16	9	117a	Ulcer of stomach—M	403	5	14	11	2
	F	3,041	36	3	5			F	214	1			
							117b	Ulcer of duodenum—M	106	1	7	2	
								F	27				
							118	Other diseases of stomach (except cancer)—M	582	9	2	2	2
								F	588	11	1		

1/ Refer to complete International List titles.

MORTALITY STATISTICS

TABLE 9.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM SELECTED CAUSES, BY AGE, IN STATES AND LARGE CITIES: 1936—Continued

Table with columns: AREA AND CODE, All ages, Under 1, 1, 2, 3, 4, 5 to 9, 10 to 14, 15 to 19, 20 to 24, 25 to 29, 30 to 34, 35 to 39, 40 to 44, 45 to 49, 50 to 54, 55 to 59, 60 to 64, 65 to 69, 70 to 74, 75 to 79, 80 to 84, 85 to 89, 90 to 94, 95 to 99, 100 and over, Un-known. The table contains data for California (White, Other races) and Colorado (Total), with rows for various causes of death (AA-ZB).

MORTALITY STATISTICS

TABLE 9.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM SELECTED CAUSES, BY AGE, IN STATES AND LARGE CITIES: 1935—Continued

Table with columns for AREA AND CODE, All ages, and age groups (Under 1, 1, 2, 3, 4, 5 to 9, 10 to 14, 15 to 19, 20 to 24, 25 to 29, 30 to 34, 35 to 39, 40 to 44, 45 to 49, 50 to 54, 55 to 59, 60 to 64, 65 to 69, 70 to 74, 75 to 79, 80 to 84, 85 to 89, 90 to 94, 95 to 99, 100 and over, Un-known). Rows include FLORIDA: Other races, GEORGIA: White, and Other races.

DEATHS FROM SELECTED CAUSES, BY AGE

TABLE 9.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM SELECTED CAUSES, BY AGE, IN STATES AND LARGE CITIES: 1935—Continued

Table with columns for Area and Code, All ages, and age groups from Under 1 to 100 and over. Includes sections for New York, North Carolina (White), and Other races, with numerous rows of data points.

MORTALITY STATISTICS

TABLE 9.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM SELECTED CAUSES, BY AGE, IN STATES AND LARGE CITIES: 1934—Continued

Table with columns for AREA AND CODE, All ages, and age groups (Under 1, 1, 2, 3, 4, 5 to 9, 10 to 14, 15 to 19, 20 to 24, 25 to 29, 30 to 34, 35 to 39, 40 to 44, 45 to 49, 50 to 54, 55 to 59, 60 to 64, 65 to 69, 70 to 74, 75 to 79, 80 to 84, 85 to 89, 90 to 94, 95 to 99, 100 and over, Un-known). Rows include NORTH DAKOTA, OHIO, and OKLAHOMA (White) with various cause codes (AA-ZB).

MORTALITY STATISTICS

TABLE 9.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM SELECTED CAUSES, BY AGE, IN STATES AND LARGE CITIES: 1935—Continued

Table with columns for AREA AND CODE, All ages, and age groups (Under 1 to 100 and over, plus Un-known). Rows are grouped by state: WASHINGTON, WEST VIRGINIA, and WISCONSIN. Each row lists a specific cause of death (e.g., AA, AC, AD) and its corresponding death count for each age group.

DEATHS FROM SELECTED CAUSES, BY AGE

TABLE 9.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM SELECTED CAUSES, BY AGE, IN STATES AND LARGE CITIES: 1935—Continued

Table with columns for AREA AND CODE, All ages, and age groups (Under 1, 1, 2, 3, 4, 5 to 9, 10 to 14, 15 to 19, 20 to 24, 25 to 29, 30 to 34, 35 to 39, 40 to 44, 45 to 49, 50 to 54, 55 to 59, 60 to 64, 65 to 69, 70 to 74, 75 to 79, 80 to 84, 85 to 89, 90 to 94, 95 to 99, 100 and over, Un-known). Rows include CHICAGO, ILL. (White and Other races) and PEORIA, ILL. (Total).

MORTALITY STATISTICS

TABLE 9.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM SELECTED CAUSES, BY AGE, IN STATES AND LARGE CITIES: 1935—Continued

Table with columns for AREA AND CODE, All ages, and age groups (Under 1, 1-2, 2-3, 3-4, 4-5, 5-9, 10-14, 15-19, 20-24, 25-29, 30-34, 35-39, 40-44, 45-49, 50-54, 55-59, 60-64, 65-69, 70-74, 75-79, 80-84, 85-89, 90-94, 95-99, 100 and over, Un-known). Rows list areas like EVANSVILLE, IND., FORT WAYNE, IND., and GARY, IND. with their respective codes and death counts for each age group.

MORTALITY STATISTICS

TABLE 9.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM SELECTED CAUSES, BY AGE, IN STATES AND LARGE CITIES: 1935—Continued

Table with columns: AREA AND CODE, All ages, Under 1, 1, 2, 3, 4, 5 to 9, 10 to 14, 15 to 19, 20 to 24, 25 to 29, 30 to 34, 35 to 39, 40 to 44, 45 to 49, 50 to 54, 55 to 59, 60 to 64, 65 to 69, 70 to 74, 75 to 79, 80 to 84, 85 to 89, 90 to 94, 95 to 99, 100 and over, Un-known. Rows include NEW ORLEANS, LA.: Other races (3,181) and BALTIMORE, MD.: White (8,353), with numerous age-coded sub-rows (AA-ZB) for each.

MORTALITY STATISTICS

TABLE 9.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM SELECTED CAUSES, BY AGE, IN STATES AND LARGE CITIES: 1935—Continued

AREA AND CODE	All ages	Under	1	2	3	4	5	10	15	20	25	30	35	40	45	50	55	60	65	70	75	80	85	90	95	100	Un-known
		1					to 9	to 14	to 19	to 24	to 29	to 34	to 39	to 44	to 49	to 54	to 59	to 64	to 69	to 74	to 79	to 84	to 89	to 94	to 99	end over	
LOWELL, MASS.:																											
Total-----	1,316	115	14	6	6	4	16	16	14	18	12	20	38	43	61	83	104	132	193	158	140	72	36	12	3	1	
AA-----	1								1																		
AC-----																											
AD-----	3	1				1	1																				
AE-----	5		2	1																							
AF-----	4				1		2							1													
AG-----	7								1	3				1	1												
AK-----	1		1																								
AL-----	41		1		1				4	8	1	4	2	2	5	5	3	3	1	1							
AN-----	3							1					1														
AP-----	2																	1	1								
AA-----	140								1		1		3	7	18	15	14	17	22	20	11	7	4				
CB-----	35												1	1	1	1	6	6	12	6	1						
DA-----	102													2	3	7	9	13	19	20	20	4	2				
EA-----	392						1	1	2	1	2	2	8	11	13	28	30	53	77	61	58	26	16	1	1		
FA-----	5	1																1	1								
FB-----	53	12	4	1	2								1	2	1	1	1	8	4	2	5	5	4				
FC-----	41	3	1						1	1		3	2	1	4		6	3	4	4	4	2					
GD-----	15	6	3	1								1	1					2	1		2	1					
GE-----	18	2										1	1					1	2	3	2	4	1				
GF-----	15													1	1	3	2	1	4	3							
HA-----	59										1	2	3	2	1	3	4	10	9	7	9	5	2	1			
IA-----	7										1			1	1			1	1								
JA-----	4									1	2																
JB-----	8										1	4	2	1													
LA-----	2																			1							
LB-----	2														1												
LC-----	20						2	2		3							1	1	4	1	3	2					
LD-----																											
LE-----	39	1	1				4	4				2	1	2	2	2	3	1	8	2	3		3		1		
ZB-----	279	87	1	2	2	2	5	5	2	1	2	2	10	9	7	8	23	11	29	19	21	16	7	6	1	1	
LYNN, MASS.:																											
Total-----	1,013	100	3	6	3	1	6	9	9	6	15	16	21	28	48	68	69	109	122	127	95	70	55	19	6		
AA-----	1												1														
AC-----																											
AD-----																											
AE-----																											
AF-----																											
AG-----	9		1				1					1		1					1		2		2				
AK-----	1			1																							
AL-----	7		1							1					1			2	1								
AN-----	1												1														
AP-----	2																		1	1							
AA-----	111											2	3	4	9	10	15	20	15	21	8	3	1				
CB-----	31													1	1	2	6	9	8	3							
DA-----	92							1							6	3	7	12	15	15	13	3	2				
EA-----	281											6	4	4	6	23	28	48	40	32	24	26	10	3			
FA-----	7	2										1		1				1	1					1	1	3	
FB-----	43	11							1					1		3	2	1	4	2	7	4	5	2			
FC-----	30	5	1	1												4	4	4	3	4	3						
GD-----	18	20			1														2	1		1					
GE-----	9	2						1			1	1	2		2		1		2	1	1	2	1				
GF-----	8																		1	1	1	1					
HA-----	81										1	1	1	2	5	6	4	14	9	17	7	10	2	2			
IA-----	2																										
JA-----	6									1	3																
JB-----	6											1	2														
LA-----	17									1				3	3			1	5	2	1						
LB-----	3																			2							
LC-----	13						4	3									1	1	1	1							
LD-----																											
LE-----	51			1			1	2	4		3		7	1	3	2	5	1	4	5	4	6	1	1			
ZB-----	168	60		3	2	1	2	3	3	4		3	4	3	11	7	12	5	11	9	11	9	1	2			
NEW BEDFORD, MASS.:																											
Total-----	1,267	97	14	8	6	1	13	19	20	15	17	32	40	56	79	83	60	133	149	133	123	92	26	14	3		
AA-----																											
AC-----	2		2																								
AD-----	1						1																				
AE-----	4		4																								
AF-----	1						1																				
AG-----	10		3				1								2			2		1		1					
AK-----	3			1																							
AL-----	58								6	4	11	11	2	6	7	3	4		3								
AN-----	3		1												1												
AP-----	9												3														
AA-----	140							2				1	5	10	10	11	17	23	20	18	12	8	1	2			
CB-----	46							2	1	1	1			1	1	3	5	7	6	5	6	1					
DA-----	114											1	4	3	9	6	23	15	15	17	14	3			1		
EA-----	387						1	1	1	2	3	2	4	7	24	26	44	61	65	49	42	15	9				
FA-----	6	3																1	1								
FB-----	42	8	2	2			1		1		1	1		1	2		2	5		7	5	1	1				
FC-----	33	6	4	2			1		1	1	1		2	2	3		4		3	1							
GD-----	7	3	2		1														1								
GE-----	20					1	1	1	6	3		1</															

DEATHS FROM SELECTED CAUSES, BY AGE

TABLE 9.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM SELECTED CAUSES, BY AGE, IN STATES AND LARGE CITIES: 1935—Continued

AREA AND CODE	All ages	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Un-known
ST. LOUIS, MO.:																											
White-----	8,837	563	53	32	19	14	102	57	89	138	211	228	269	402	561	672	841	943	971	1,002	840	490	219	75	24	2	
AA--	6	2								1	2	1															
AC--	2	1												1													
AD--	13	1	1	2			4		2		1	2															
AE--	6	4	1																								
AF--	20	1	4	3	1	6	3			1						1											
AG--	43	3	5	1	1	2				2	1	2	2	1	2	1	1	6	3	4	2	4	1		1		
AK--	21	1		1	1	4	2			2	2	3	1			2	1	2	1								
AL--	237	1				1	4			6	16	26	25	19	33	22	18	25	17	15	4	7				1	
AN--	25	2	1	2			2			1	1	3	3	2	2	1	1	3	1								
AP--	107	10								1		3	5	5	7	15	12	17	12	10	6	3	1				
BA--	1,197		1				5	1	6	6	20	8	44	65	95	136	159	171	166	152	98	44	17	1	2		
CB--	207		1	1						5	1	2	1	3	2	6	17	24	35	40	22	6	2				
DA--	397	2								2	6	3	1	14	18	34	37	51	48	60	71	34	10	4	2		
EA--	2,057	1			2		4	10	9	17	12	16	37	51	80	131	201	242	292	339	295	179	94	34	11		
FA--	21	2								1					1	2	1	2	3	3	3	2	1				
FB--	286	67	9	5		1	8			4	3	7	8	7	17	17	16	14	25	23	33	8	7				
FC--	480	11	8	1		3	8	5	4	14	18	27	26	31	31	32	51	48	44	49	30	25	8	5	1		
GD--	101	79	3	1						1	1	1	1	1	3	1		2	1	2	1	2					
GE--	84	4	1	1			3	5	2	5	9	4	5	8	8	6	7	7	5	5	2	1		1			
GF--	80	1								1				3	9	9	12	10	5	7	6			1	1		
GA--	215	1								3	3	3	9	18	27	15	38	34	21	17	19	4	1				
HA--	1,005	1			2		2		5	5	9	16	17	39	64	69	87	123	144	152	137	78	41	8	5	1	
IA--	22						1				2	4	3	4	4	1	2	1									
JA--	21								3	2	10	2	2	2	2												
JB--	22								3	5	7	4															
LA--	129								2	10	8	10	12	21	18	12	18	8	3	3	1	1					
LB--	44								3	4	9	7	4	4	7	2	3	1									
LC--	177		1				5	4	5	10	17	13	10	16	16	18	14	14	12	13	6	2					
LD--	4									2																	
LE--	412	5	8	4	5		12	5	11	8	7	12	15	19	30	36	31	39	38	35	32	19	6				
LF--	1,398	363	13	12	2	6	33	22	21	25	32	52	57	62	96	93	100	90	96	89	75	36	15	7		1	
Other races---	1,696	103	14	7	3	4	12	19	40	72	100	120	151	190	161	184	137	130	101	76	38	6	14	9		5	
AA--	1																										
AC--																											
AD--																											
AE--	3		1																								
AF--	1																										
AG--	11									1	1					2	1	1	2	1							
AK--	10									1	1			3	1												
AL--	191	3	1				4	14	23	23	27	22	22	18	20	6	6	6	3	1							
AN--	27	3	1				1		3	1	4	6	1	3	2	2	2	2									
AP--	55	5								6	6	4	9	9	5	8	2	1									
BA--	133		1				1			1	4	7	9	15	17	23	15	11	5	5							
CB--	17						1				1	1	1	2	4	2	1	3	1								
DA--	65	1								3	5	6	9	9	7	10	4	3	6		1	1	1				
EA--	326	1	1			1	3	1	4	9	15	14	33	40	47	32	39	30	29	14	4	3	4				
FA--	4	1								1	4	9	15	14	33	40	47	32	39	30	29	14	4	3	4		
FB--	45	17	2	2	2				3	2	2	1	2	1	2	2	1	2	2	2	1	1	1				
FC--	146	8	3	2			4	5	10	7	6	18	22	13	16	9	6	4	9							1	
GD--	20	2	2							2	1		6	3	3	2	2							1			
GE--	15									1	1	1	3	3	3			1	2								
GF--	26						1				1	1	3	2	5	5	4	3	2								
GA--	207					1			2		5	10	14	20	23	25	24	21	22	16	7	1	4	2			
HA--	7							1	1	1	1	1	2	1													
IA--	5								1	1	1	1	1	1	2												
JA--	7								1	1	1	1	1	1	2												
JB--	7								1	1	1	1	1	1	2												
LA--	17							2	2	3	4	4	2														
LB--	57						1	1		10	15	7	12	5	2	3		1	1								
LC--	14		1				1	5		2	1	1	3	1	1												
LD--	49		1							3	5	2	7	4	2	7			3		1						
LE--	230	62	2	2	1	2	5	1	3	8	10	11	24	26	9	16	13	12	8	9	1		1			1	
CMAHA, NEBR.:																											
Total-----	2,878	181	19	8	7	14	37	33	48	78	91	106	119	135	171	226	234	282	258	277	281	171	65	26	9	1	1
AA--	4	1					1																				
AC--	3						1			2																	
AD--	4					1								1													
AE--																											
AF--	7	1		2									1														
AG--	36	6			1	2	1	2		2	1	2	2	1	2	1	2	3	1	6	2		3	1			
AK--	25	2	1				3	2	3	3	2	2	2	1	2	1		1									
AL--	97		1		1		1	3	6	14	16	12	4	10	6	6	5	6	1	2	2	1					
AN--	19	3	1				1	4	1	1	1	1	1	1	1												
AP--	20	4											2	1	2	1	3		5	2	1	1					
BA--	375	1			1			2	1		1	12	15	16	20	20	47	61	54	45	57	15	6	1			
CB--	65					1																					

DEATHS FROM SELECTED CAUSES, BY AGE

TABLE 9.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM SELECTED CAUSES, BY AGE, IN STATES AND LARGE CITIES: 1935—Continued

Table with columns for AREA AND CODE, All ages, Under 1, 1, 2, 3, 4, 5 to 9, 10 to 14, 15 to 19, 20 to 24, 25 to 29, 30 to 34, 35 to 39, 40 to 44, 45 to 49, 50 to 54, 55 to 59, 60 to 64, 65 to 69, 70 to 74, 75 to 79, 80 to 84, 85 to 89, 90 to 94, 95 to 99, 100 and over, and Un-known. Rows include NEWARK, N. J.: White and Other races, and PATERSON, N. J.: Total.

TABLE 9.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM SELECTED CAUSES, BY AGE, IN STATES AND LARGE CITIES: 1935—Continued

AREA AND CODE	All ages	Age Groups (Years)																		100 and over	Un-known								
		Under 1	1-2	2-3	3-4	4-5	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69			70-74	75-79	80-84	85-89	90-94	95-99		
TRENTON, N. J.: Total-----		1,768	127	8	8	6	1	22	26	26	31	47	46	65	64	105	130	156	166	208	161	145	89	59	13	7			
AA-----																													
AC-----																													
AD-----																													
AE-----																													
AF-----																													
AG-10	2			1	1									2						1	3								
AK-----																													
AL-54	1									1			4	5	3	7	3	7	4	4	3	4	5	3					
AN-7	1			1										2		1	1	1	1	1	1	1							
AP-17															1	1	6	1	2	4	2	2							
BA-161											2	2	4	6	9	13	13	22	28	30	17	18	10	6	1				
BB-46						1				1																			
BC-104																													
BD-497																													
BE-1																													
BF-42	16																												
BG-76	10		2	1				2	3			1	2	3	6	4	10	3	9	7	7	4	3						
BH-15	3		1	3	1																								
BI-20											1	3	1	1	2	2	4	2	1	1	1	1							
BJ-26		1							2							1	2	4	1	4	2	3			1			1	
BK-9																													
BL-142									2				1	1	6	6	8	11	18	19	25	17	9	15	3		3		
BM-6																													
BN-8																													
BO-11																													
BP-22																													
BQ-5																													
BR-55																													
BS-1																													
BT-93		1							5	2	5	6	5	5	2	3	2	6	10	4	9	10	10	2	3	3			
BV-320		92		3	2	4		7	8	5	5	17	8	10	19	15	26	19	15	19	15	15	9	4	2	1			
ALBANY, N. Y.: Total-----		2,015	109	12	9	5	5	18	11	22	33	60	49	69	84	143	152	187	208	227	246	175	112	46	25	7		2	
AA-1																													
AC-2		1																											
AD-2										1	1																		
AE-1			1																										
AF-----																													
AG-15	4																												
AK-5	1																												
AL-102	2			1							2	1	6	15	10	14	13	14	9	3	5	3	2						
AM-14											1	1	2	1	1	1	1	2	1	1	1	1							
AN-11																													
AO-229																													
AP-59																													
AQ-94																													
AR-563																													
AS-5		1																											
AT-53		11	4								1	1	2																
AV-108		5	3								2	1	1	4	5	7	8	8	12	9	11	12	7	5	3	1	1	1	
AW-9		4	3	1																									
AX-32						2	1		3																				
AY-19		4																											
AZ-19		1																											
BA-174																													
BB-5																													
BC-6																													
BD-6																													
BE-21																													
BF-2																													
BG-47																													
BH-1																													
BI-60		1	1	1	1																								
BJ-352		72		2	3	1	6		2	6	7	5	4	12	10	20	21	20	25	32	25	18	12	14	9	4		2	
BUFFALO, N. Y.: Total-----		7,187	584	57	34	21	28	96	63	102	151	164	221	288	374	499	524	592	690	791	769	585	351	174	62	14	3		
AA-3																													
AC-3		1	1																										
AD-33					2	5	3	4	7	4	4																		
AE-20			18																										
AF-6						2	2		2																				
AG-28																													
AK-1		1																											
AL-327	1																												
AM-39																													
AN-37																													
AO-904		1	1																										
AP-240																													
AQ-392																													
AR-1,804																													
AS-26		6																											
AT-212		70	12	3	2	5	1	4	1	2	4	1	7	8	7	9	7	12	17	11	13	12	1	1	1		2		
AV-300		8	8	2	3																								
AW-70		51	5	1																									
AX-134			1	2	2	2	10	5	12	12	7	10	5	11	16	11	9	5	7	3									

DEATHS FROM SELECTED CAUSES, BY AGE

TABLE 9.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM SELECTED CAUSES, BY AGE, IN STATES AND LARGE CITIES: 1935—Continued

Table with columns for Area and Code, All ages, and various age groups (Under 1, 1 to 9, 10 to 14, etc.). Rows are categorized by region: NEW YORK, N. Y. (White and Other races) and BRONX BOROUGH, N. Y. C. (White). Each row lists a cause of death (AA-ZB) and the corresponding number of deaths across the various age groups.

DEATHS FROM SELECTED CAUSES, BY AGE

TABLE 9.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM SELECTED CAUSES, BY AGE, IN STATES AND LARGE CITIES: 1935--Continued

AREA AND CODE	All ages	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Un-known	
																												ROCHESTER, N. Y.:
Total	5,640	229	28	6	10	8	39	29	44	52	48	71	89	118	206	267	295	365	423	466	397	265	142	42	10	1	-----	
AA-	1	-----	-----	-----	-----	-----	-----	1	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----
AC-	6	2	2	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----
AD-	2	1	-----	-----	-----	-----	-----	1	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----
AE-	5	4	1	-----	-----	-----	1	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----
AF-	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----
AG-	3	1	-----	-----	-----	-----	-----	-----	1	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	1	-----	-----	-----	-----	-----	-----
AK-	3	1	-----	-----	-----	-----	-----	-----	2	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----
AL-	46	1	-----	-----	-----	-----	1	-----	1	1	6	2	5	4	7	3	3	5	4	1	2	-----	-----	-----	-----	-----	-----	-----
AN-	10	-----	-----	-----	-----	-----	2	-----	-----	-----	-----	-----	1	4	2	7	3	5	2	3	1	-----	-----	-----	-----	-----	-----	-----
AP-	29	-----	-----	-----	-----	-----	-----	-----	-----	1	1	6	2	3	7	3	5	2	3	1	-----	-----	-----	-----	-----	-----	-----	-----
BA-	469	-----	-----	2	-----	4	1	2	1	6	16	16	38	56	62	69	60	60	60	40	21	15	1	4	-----	-----	-----	-----
CB-	112	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	1	1	8	7	7	25	25	13	18	6	1	1	7	1	-----	-----	-----
DA-	247	2	-----	-----	-----	-----	-----	1	1	1	-----	1	1	2	8	19	18	33	39	47	33	27	6	6	1	5	1	
EA-	1,101	2	-----	1	-----	-----	2	4	5	7	5	7	8	23	53	66	83	132	156	179	159	118	68	14	5	-----	-----	
FA-	5	-----	-----	-----	-----	-----	-----	1	-----	-----	-----	-----	-----	-----	1	-----	-----	-----	-----	-----	1	-----	-----	-----	-----	-----	-----	-----
FB-	95	27	9	1	1	-----	3	-----	-----	1	4	2	4	2	2	6	1	8	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----
FC-	125	1	2	1	-----	1	3	3	3	4	1	1	8	10	7	12	15	10	11	18	4	5	3	-----	-----	-----	-----	-----
GC-	16	9	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	1	1	-----	-----	-----	2	-----	-----	-----	-----	-----	-----	-----	-----	-----
GD-	44	-----	-----	-----	1	3	1	4	3	-----	-----	3	3	2	2	5	5	4	2	3	2	1	-----	-----	-----	-----	-----	-----
GE-	49	3	-----	-----	-----	-----	1	-----	-----	-----	1	1	1	1	2	7	4	4	2	4	6	1	-----	-----	-----	-----	-----	-----
GF-	29	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	3	3	2	2	3	4	4	6	56	40	23	-----	-----	-----	-----
HA-	319	-----	-----	-----	-----	-----	-----	1	2	4	5	2	9	7	9	15	28	21	37	54	-----	-----	-----	-----	-----	-----	-----	-----
IA-	9	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	2	3	3	3	-----	-----	-----	-----	-----	1	-----	-----	-----	-----	-----	-----	-----
JA-	18	-----	-----	-----	-----	-----	-----	2	4	3	5	3	3	1	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----
JB-	10	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	5	5	8	5	2	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----
LC-	38	-----	-----	-----	-----	-----	-----	1	1	1	2	2	2	1	3	1	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----
LB-	11	1	-----	-----	-----	-----	-----	2	6	8	1	4	2	4	8	4	6	7	5	3	3	2	2	-----	-----	-----	-----	-----
LD-	73	-----	-----	1	-----	-----	4	2	6	8	1	4	2	1	3	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----
LE-	1	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----
LF-	145	1	3	1	2	1	2	6	2	6	6	4	6	6	12	9	7	7	10	13	19	17	7	1	3	-----	-----	
ZB-	518	174	10	2	4	3	15	10	7	11	13	19	17	18	32	46	43	45	35	45	34	19	12	3	1	-----	-----	
SYRACUSE, N. Y.:	2,428	168	24	11	6	8	23	25	39	41	40	56	66	100	126	169	185	246	286	299	249	151	76	29	3	1	-----	
Total	2,428	168	24	11	6	8	23	25	39	41	40	56	66	100	126	169	185	246	286	299	249	151	76	29	3	1	-----	
AA-	1	-----	-----	-----	-----	-----	-----	1	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----
AC-	1	-----	-----	-----	-----	-----	1	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----
AD-	2	1	-----	-----	-----	-----	-----	-----	-----	-----	-----	1	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----
AE-	2	1	1	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----
AF-	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----
AG-	19	2	3	-----	-----	-----	1	-----	1	-----	-----	3	2	-----	-----	-----	2	2	2	1	-----	-----	-----	-----	-----	-----	-----	-----
AK-	1	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	1	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----
AL-	33	1	-----	-----	-----	-----	-----	1	5	3	4	2	6	1	5	1	1	2	1	-----	-----	-----	-----	-----	-----	-----	-----	-----
AN-	8	-----	1	-----	-----	1	1	1	1	-----	-----	1	1	1	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----
AP-	26	1	-----	-----	-----	-----	-----	-----	1	2	1	2	4	4	4	2	3	1	1	-----	-----	-----	-----	-----	-----	-----	-----	-----
BA-	321	-----	1	-----	-----	-----	-----	1	1	2	7	7	12	20	33	35	55	58	33	33	14	6	2	-----	-----	-----	-----	-----
CB-	97	-----	-----	-----	-----	-----	-----	1	-----	1	-----	1	1	4	8	9	15	11	17	13	3	3	3	-----	-----	-----	-----	-----
DA-	158	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	1	1	2	8	15	28	26	24	26	12	6	1	-----	-----	-----	-----	-----
EA-	641	1	-----	-----	-----	1	2	3	2	6	9	6	10	20	20	38	51	60	86	113	92	69	41	12	-----	-----	-----	-----
FA-	4	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----
FB-	74	22	5	2	-----	1	2	1	-----	1	-----	3	2	2	-----	3	4	5	3	5	3	2	2	1	-----	-----	-----	-----
FC-	94	5	4	1	3	1	3	1	2	1	2	6	3	3	11	7	10	6	4	10	6	4	-----	-----	-----	-----	-----	-----
GC-	12	9	1	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	1	1	1	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----
GD-	33	-----	1	-----	-----	-----	3	4	4	3	3	1	1	-----	4	4	4	3	1	-----	-----	-----	-----	-----	-----	-----	-----	-----
GE-	20	1	-----	-----	-----	-----	-----	-----	1	-----	1	1	1	1	1	2	4	2	2	3	-----	1	-----	-----	-----			

DEATHS FROM SELECTED CAUSES, BY AGE

TABLE 9.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM SELECTED CAUSES, BY AGE, IN STATES AND LARGE CITIES: 1935—Continued

AREA AND CODE	All ages	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Un-known	
CINCINNATI, OHIO:																												
White	6,000	398	54	25	21	13	72	58	67	111	135	164	187	254	327	420	451	555	648	683	640	426	195	77	14	2	3	
AA	6				1								2															
AC	2				1																							
AD	15			3	1	1	1	6	1	1																		
AE	12	7	2	2	2	1																						
AF	18				2	3	1	7	2																			
AG	85	6	3	2	2	3	3			1				4	6	3	4	3	4	7	8	5	11	5	1			
AK	60	4	5	3	4		5	4	6	4	2	3	3	1	1	1	1	4	1	1	1							
AL	195	1	2	1					2	14	26	19	14	26	19	22	18	12	10	4	5							
AN	24	4					2			3	1	1	2	2			3	1	2	1		1						
AP	37	2	1							1			2	1	2	5	7	9	2	4	1							
BA	695			1					3	1	3	1	7	8	39	46	74	71	100	110	111	77	29	12	1	1		
CB	154	1					1		1	1	1	3	1	2	1	6	12	16	32	29	23	16	7	2				
DA	400					1			1	1	1	1	2	4	11	15	31	27	46	63	72	60	38	19	7	1		
EA	1,406	1					1	8	7	12	10	20	25	39	56	80	115	142	200	202	219	164	69	32	3	1		
FA	17	2																	1	1	1	1	1	1				
FB	204	36	6	4					1	2	4	2	7	9	12	9	13	12	12	21	27	15	6	4	1			
FC	259	11	4	2	3		5	4	5	9	13	15	18	17	17	25	19	20	16	17	12	11	10	5	1			
GC	70	49	7	1		2	3			1	2			1	1	1	1											
GD	91		1			2	3		3	10	5	8	5	4	9	8	7	4	2	3	3	1						
GE	87	4	1	1			1				2	2	2	3	2	4	7	3	5	17	6	5		2				
GF	77									2		2	2	8	7	10	11	8	11	5	4							
HA	395						1		2	2	1	5	3	5	6	9	15	24	19	43	47	64	73	53	23	9	2	
IA	19								1	1	5	3	5	5														
JA	20								2	3	6	4	4	1	1													
JB	16									7	1	4	4	1														
LA	86								3	1	6	6	9	7	10	13	7	8	7		3							
LB	25						1		1	1	1	3	5	3	3	4												
LC	149	2			2	2	5	9	2	6	7	7	3	5	9	15	11	12	12	2	13	4	5					
LD	15																											
LE	330	12	2	2	3	1	4	7	5	9	12	12	16	12	21	28	21	18	23	23	33	34	20	7	3		1	
LF	398	256	14	3	2		18	16	11	20	20	29	37	33	56	55	73	76	84	80	85	44	25	7	2		1	
ZB	1,053																											1
Other races	1,105	70	13	3	7	5	12	23	30	80	76	89	98	118	95	104	73	74	53	30	23	14	6	4	2	1	2	
AA																												
AC																												
AD																												
AE	3	2	1																									
AF																												
AG	12		1						1		3	1			2	2				1								
AK	46	3	3		2		1	9	3	5	3	4	4		5	1	2											
AL	145	2					1	3	11	23	15	20	17	18	8	15	8	3	1									
AN	20	3			1		1	1	1	3	1	2	1				2	1		2	1							
AP	29	1								3	3			4	4	2	5	2	1	1	2	1						
BA	56											1	7	6	8	6	9	10	2	1	2	2	1					1
CB	11															2	1	2	3	2	1	2	3					
DA	67												2	2	6	8	10	8	10	7	6	5	2	1				
EA	193						1	5		3	9	9	10	26	21	26	23	21	16	8	5	6	1	1	1	1		1
FA																												
FB	48	13	2	2	2	1			1	1	2		3	1	4	5	2	1	1	5	1		1					
FC	89	2	1	1			1	1	1	9	7	15	7	17	7	9	5	2	4									
GC	12	5	3			1								1														
GD	8												1	4														
GE	4	1																		1								
GF	7														2													
HA	28											4	1	3	4	4	3	3	3	5			2	2	3			1
IA	6												1	4	1													
JA	7								1	5				1														
JB	8									2	3	3																
LA	7																											
LB	49											2	3	1														
LC	14								1	1	1										2	1						
LD																												
LE	42	1			1	1	4	1	2	4	3	9	2	3	4	3			3	1								
LF	398	37	2		1	1		3																				

MORTALITY STATISTICS

TABLE 9.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM SELECTED CAUSES, BY AGE, IN STATES AND LARGE CITIES: 1935—Continued

Table with columns for AREA AND CODE, All ages, and 25 age groups (Under 1 to 100 and over), plus an Un-known column. Data is organized into three main sections: OKLAHOMA CITY, OKLA., TULSA, OKLA., and PORTLAND, OREG., each with a Total row and multiple rows for specific codes (AA through ZB).

MORTALITY STATISTICS

TABLE 9.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM SELECTED CAUSES, BY AGE, IN STATES AND LARGE CITIES: 1935—Continued

Table with columns for AREA AND CODE, All ages, and age groups (Under 1, 1, 2, 3, 4, 5 to 9, 10 to 14, 15 to 19, 20 to 24, 25 to 29, 30 to 34, 35 to 39, 40 to 44, 45 to 49, 50 to 54, 55 to 59, 60 to 64, 65 to 69, 70 to 74, 75 to 79, 80 to 84, 85 to 89, 90 to 94, 95 to 99, 100 and over, Un-known). Rows include PITTSBURGH, PA.: White, Other races, and READING, PA.: Total. Each row lists specific causes (AA-ZB) and their corresponding death counts across age groups.

DEATHS FROM SELECTED CAUSES, BY AGE

TABLE 9.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM SELECTED CAUSES, BY AGE, IN STATES AND LARGE CITIES: 1935—Continued

AREA AND CODE	All ages	Under	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Un-known		
		1																											
SCRANTON, PA.: Total	1,878	143	20	9	10	12	24	21	25	51	55	47	76	101	143	171	193	195	188	148	125	72	32	13	4				
AA																													
AC	9		4	1	1		3																						
AD	1														1														
AE	5	5																											
AF																													
AG	28	1								1	2			3	4	4	2	4	6		1								
AK																													
AL	83		1			1			5	12	15	3	6	7	12	4	6	3	3	3	1	1							
AN	15	4		1	1			1	1	2				1	1														
AP	14	4										2	1				3	1	1	2									
BA	221					1	1		1	2		3	13	13	17	25	35	27	29	22	16	13	1	1					
CB	55									1	1			1	1	3	9	14	10	5	3	1	1						
DA	104											2	1	5	11	12	14	21	14	13	8	2							
EA	477					1	1	5	3	3	5	8	12	21	32	53	56	70	62	58	46	22	14	3	2				
FA	6	1	1												1	1													
FB	68	15	4	1			2					2	3	2	4	6	3	8	4	4	3	5	1	1					
FC	93	9	2	2	2	1		1	2	4	2	3	8	7	7	3	9	10	9	6	3			2	1				
GC	11	8	1	1	1																								
GD	28		1		1			3	1	3	2		1	2	4	3	4	1	1	1									
GE	14								1		1	2				1	3		1	5									
GF	20														1	5	4	5	3		1								
HA	108						2	1		4	2		3	3	13	6	14	9	18	11	11	7	4						
IA	2								1			1																	
JA	9								1		3	3	2																
JB	10									1	2	1	3	3															
LA	14									1	2	1	3	2	2	1		1				1							
LB	4									1	1			1	1														
LC	38					1	3	1	2	1	2	3	2	2	5	3	6		2	1	4								
LD		1	2	1	2		7	3	3	8	7	3	4	11	13	9	9	9	6	9	3	5	1	3					
LE	119		2	4	2	5	6	5	3	5	6	4	15	12	15	18	22	24	18	15	9	19	9	6	4	2			
ZB	322	95	4	2	2	5	6	5	3	5	6	7	15	12	15	18	22	24	18	15	9	19	9	6	4	2			
PROVIDENCE, R. I.: Total	3,166	213	28	10	16	10	34	28	39	49	59	70	98	126	185	249	315	373	407	326	232	181	84	25	9				
AA	2							1	1																				
AC	5	1	2	1	1																								
AD	3	1	1	1			1																						
AE	4	1	2	1																									
AF	3	1	1		1		1																						
AG	21	2	1		1		1					2	1		2	1		1	1		3	2	1	1					
AK	15		1	2	1		2	2	2		1	1			2	2		1											
AL	99					1	1	1	2	10	8	7	6	9	5	15	12	8	8	4	2								
AN	17	2	1		2	2				1	2	1	1	1	1	1	1	1			1		1	1					
AP	20	1									1			5	4	1	3	3	2										
BA	429						1	1			1	3	13	18	33	56	59	62	71	60	41	14	7	3					
CB	95									1	1	2	1	1	3	9	11	22	11	12	6	4	1						
DA	184		1									2	2	4	10	16	16	23	24	37	19	14	10	1					
EA	320		1					2	6	8	6	10	16	20	30	64	89	112	140	109	82	60	31	11	3				
FA	4		1												1														
FB	88	16	2				2	1	2	1	2	1	3	4	4	8	10	9	5	8	9	4	1						
FC	158	6	2		2	1	5	3	4	2	5	6	6	9	7	15	17	20	24	9	6	1	6	2					
GC	17	13	1													1	2												
GD	63		3		1	6	4	4	4	2	2	5	5	2	6	7	4	6	3	1	2								
GE	43	2							1		2			5	5	1	6	6	9	2	1	2	1						
GF	24												2	2	5	4	2	3	3	2	1								
HA	279							1		1	7	7	10	9	15	22	28	26	41	39	32	28	8	3	2				
IA	11									1		1	3	1						1	2								
JA	14									4	4	2	2	2	2														
JB	17								1	1	3	3	5	4															
LA	28								1	1		1	1	5	4	8	1	4	1	2									
LB	6								1	1		1	1	1	1														
LC	37		2		1	4		1	1	3	1	2	1	2	4		2	2	2	4	2	3							
LD	1									1				1															
LE	117		1		3		4	4	6	11	2	5	4	1	9	7	12	12	19	9	6	8	3		1				
ZB	552	168	9	2	2	2	11	8	6	11	10	13	17	19	30	37	41	47	37	29	20	18	11	2	3				
CHATTANOOGA, TENN.: White	1,122	125	24	12	6	6	23	17	26	44	42	45	47	51	66	67	76	76	110	90	65	62	27	9	5	1			
AA	3							2		1																			
AC																													
AD																													
AE	4	3	1																										
AF	11	1	3	4	1		2																						
AG	45	4	4		1	1	2			1	2	1	2		5	1	3	2	3	3	4	1	1						
AK	8	3	1				2																						
AL	54	1					1	1	1	2	1	4	9	6	6	4	6	6	3	3		1							
AN	11	1	1				1	1		1	1	2							1	1									
AP	8	2										1	1	1	1				2										
BA	106										1	1	1	9	9	9	12	12	21	14	7	5	3						
CB	14											1	1			1	1	3	5	1	1	1							
DA	86											1	2	4	4	11	10	8	6	15	11	8	3	1	1		1		
EA	167	1				</																							

DEATHS FROM SELECTED CAUSES, BY AGE

TABLE 9.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM SELECTED CAUSES, BY AGE, IN STATES AND LARGE CITIES: 1935—Continued

AREA AND CODE		All ages	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Un-known	
MEMPHIS, TENN.: Other races—		2,059	184	23	22	6	4	25	38	74	124	131	144	166	192	186	175	173	129	99	74	40	24	14	7	2	3	----	
AA	8	----	----	----	----	----	----	3	----	1	1	1	1	----	1	----	----	----	----	----	----	----	----	----	----	----	----	----	
AC	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	
AD	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	
AE	6	5	1	----	1	1	----	----	----	----	----	----	----	1	----	----	----	----	----	----	----	----	----	----	----	----	----	----	
AF	5	----	2	1	----	----	----	1	1	1	----	----	----	1	----	----	----	----	----	----	----	----	1	1	----	----	----	----	
AG	43	2	1	1	----	1	3	1	3	1	3	5	3	1	1	4	3	6	3	1	2	1	1	1	----	----	----	----	
AK	5	----	2	2	----	----	----	2	2	2	2	2	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	
AL	149	3	2	2	1	1	1	1	15	29	20	15	16	16	13	7	4	3	2	3	2	1	1	1	1	1	1	1	
AN	38	1	3	3	1	1	1	1	5	2	5	6	5	2	2	1	1	1	1	1	1	1	1	1	1	1	1	1	
AO	85	18	1	1	1	1	1	1	2	4	3	7	6	10	9	10	5	2	3	3	3	1	1	1	1	1	1	1	
AP	105	1	1	1	1	1	1	1	1	3	3	5	9	17	17	15	9	13	7	1	1	1	1	1	1	1	1	1	
BA	21	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	
BB	129	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	
BB	260	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	
BB	3	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	
BB	70	22	3	2	1	1	1	1	3	1	3	2	3	2	3	3	6	3	5	3	1	1	1	1	1	1	1	1	1
BB	166	12	1	3	1	1	2	3	8	12	12	23	21	14	17	7	15	8	3	2	2	2	2	1	1	1	1	1	1
BB	24	10	3	5	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
BB	28	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
BB	31	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
BB	14	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
BB	104	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
BB	12	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
BB	12	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
BB	15	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
BB	12	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
BB	6	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
BB	128	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
BB	27	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
BB	4	2	2	3	3	3	3	3	5	6	5	6	4	8	9	6	8	4	2	5	2	5	1	1	1	1	1	1	1
BB	479	108	7	3	1	1	1	7	9	4	13	13	28	31	44	39	38	21	26	27	18	7	2	2	2	2	2	2	2
NASHVILLE, TENN.: White—		1,764	184	33	13	10	6	31	35	40	59	62	64	67	85	84	96	113	146	167	165	140	100	42	20	2	----	----	
AA	11	1	1	1	1	1	1	1	1	1	3	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
AC	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
AD	6	3	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
AE	6	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
AF	8	5	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
AG	39	5	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
AK	11	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2
AL	56	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2
AN	17	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
AO	15	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2
AP	165	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
BA	33	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
BB	121	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
BB	271	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
BB	3	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
BB	59	14	5	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2
BB	116	6	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2
BB	55	36	7	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
BB	34	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
BB	21	3	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
BB	10	3	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
BB	92	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
BB	8	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
BB	8	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
BB	11	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
BB	17	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
BB	19	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
BB	61	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
BB	2	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
BB	81	2	3	2	3	3	3	3	5	2	2	6	4	4	4	5	3	4	1	2	9	5	8	5	2	2	2	2	2
BB	414	108	5	5	3	1	7	12	13	13	10	13	13	14	19	13	26	18	21	26	26	28	18	8	6	6	6	6	6

MORTALITY STATISTICS

TABLE 9.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM SELECTED CAUSES, BY AGE, IN STATES AND LARGE CITIES: 1935—Continued

Table with columns: AREA AND CODE, All ages, Under 1, 1, 2, 3, 4, 5 to 9, 10 to 14, 15 to 19, 20 to 24, 25 to 29, 30 to 34, 35 to 39, 40 to 44, 45 to 49, 50 to 54, 55 to 59, 60 to 64, 65 to 69, 70 to 74, 75 to 79, 80 to 84, 85 to 89, 90 to 94, 95 to 99, 100 and over, Un-known. Rows include DALLAS, TEX.: White, Other races, and EL PASO, TEX.: White, with various cause codes (AA-ZB).

MORTALITY STATISTICS

TABLE 9.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM SELECTED CAUSES, BY AGE, IN STATES AND LARGE CITIES: 1935—Continued

AREA AND CODE	All ages	Under	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Un-known			
		HOUSTON, TEX.:	White-----	2,615	239	33	22	16	14	36	22	52	86	99	122	115	120	166	200	204	211	227	223	200	134	62	17	3	1	1
	AA--	3						1	2																					
	AC--	3						2	1																					
	AD--	3			1	1								1																
	AE--	1	1																											
	AF--	11	2	2	1	3	2	1																						
	AG--	47	4	3						1	1	1	3	3	4	5	6	4	3	1	2	3	1	1						
	AK--	4	2																											
	AL--	145	1	1		1		1	8	14	17	21	9	11	13	10	10	7	9	10	2									
	AN--	15	2	3	1	1		1		2	1	1									1	2								
	AP--	33	7									3	1	4	3	1	3	6	4	23	19	8	4							
	BA--	244	1					2	1	1	2	1	9	18	8	22	30	34	24	38	5	7								
	CB--	37																6	6	14	28	26	21	15	3	1				
	DA--	174	1							2	1	3	4	2	6	18	28	14	28	26	70	44	11	5	2					
	EA--	509	1					1	1	2	2	5	11	10	13	42	40	43	66	66	72	70	44	11	5	2				
	FA--	5																			1	2								
	FB--	75	24	8	3		2	1	1	2	1	1	2	2	2	1	1	1	1	1	3	6	4	1						
	FC--	107	10	4	3	3	2	6	1	2	5	4	2	1	8	6	5	5	7	10	8	8	3	3	1					
	GD--	50	40	4	4	1	1	1													1	1								
	GC--	53								3	5	7	2	8	4	4	5	2	3	1	1									
	GE--	39	1							2	1	2	1	5	3	4	7		4	3	3	2	1							
	GF--	26												2	1	6	5	5	3	2	2									
	HA--	149						1		2	4	5	4	6	4	15	13	14	14	23	18	12	9	3						
	IA--	14								3	1	2	2	4	2	1														
	JA--	8							2	2	2	2	2	2																
	JB--	16						1		5	4	5																		
	LA--	49							3	6	4	3	5	7	4		4	1	2	1	1									
	LB--	19							3	3	2	5	1	3						2	2									
	LC--	95		1	1		1	6	2	6	10	6	10	10	5	4	5	2	5	7	3	4	4	1	1	1				
	LD--	1																												
	LF--	108		1	2	3		2	4	7	10	10	12	7	9	9	2	1	4	5	4	2	8	5						
	ZB--	568	140	7	5	6	3	9	2	10	8	17	21	22	24	35	38	33	40	29	32	33	26	20	4		1	1		
	Other races----	1,148	86	11	4	4	6	22	17	31	86	90	102	95	110	126	101	83	50	38	29	27	10	9	3	3				
	AA--	4						1			2	1																		
	AC--																													
	AD--																													
	AE--																													
	AF--	3	1				1	1																						
	AG--	43	2					1	1	4	2	5	4	5	4	9	2	2	1				1							
	AK--	5	1							1		2																		
	AL--	99						1	2	9	24	15	17	12	6	4	5	2	1	1										
	AN--	9	1					1	1	2	2	1	1																	
	AP--	34	2	1		1				2	2	3	5	5	4	2	2	1	3		1	1	1			1	1			
	BA--	43									2	5	5	4	5	6	5	4	2	1	1	1	1	1		1	1			
	CB--	19										1	2	1	2	4		1	1	1	1	1	1							
	DA--	72								1		1	10	4	13	10	14	4	5	3	2	2	1	1		1				
	EA--	153								2	5	5	9	16	19	19	25	11	12	10	6	6	3	1	2	1				
	FA--																													
	FB--	27	5	2	2		3		1	2	3	4	1	1	1	1	1													
	FC--	61	7		1	1	3	1	2		4	7	2	3	8	6	4	5	4											
	GD--	15	6	2				2												1										
	GC--	23						1	2		1	1	4	3	5	1	1	1	1											
	GE--	9	1							1	1		1																	
	GF--	8														2	2			1	1	1								
	HA--	75	1					1		1	1	2	3	6	15	6	12	7	5	4	3	3	3							
	IA--	8								1	2	3	1																	
	JA--	9								2	1	5	1																	
	JB--	7								1	2	4																		
	LA--	1																												
	LB--	48							2	7	7	9	5	13	2	1	1			1										
	LC--	13								2			2	2	3				1	1										
	LD--																													
	LF--	53	1	4		1	1	5	4	5	9	6	5	3	3	4	2	2	2	3	3	1	1	1						
	ZB--	298	58	2	1			5	5	4	15	17	24	17	27	37	20	21	11	5	8	6	6	2	3	1	3			
SAN ANTONIO, TEX.:	White-----	2,969	516	79	31	20	1																							

DEATHS FROM SELECTED CAUSES, BY AGE

319

TABLE 9.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM SELECTED CAUSES, BY AGE, IN STATES AND LARGE CITIES: 1935—Continued

AREA AND CODE	All ages	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Unknown
SAN ANTONIO, TEX.: Other races-----	282	16	---	2	---	---	1	4	6	14	19	16	30	21	31	27	20	20	16	17	7	8	2	2	2	1	---
AA-----	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---
AC-----	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---
AD-----	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---
AE-----	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---
AF-----	1	---	---	---	---	---	1	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---
AG-----	10	---	---	---	---	---	---	1	---	1	---	---	1	---	---	2	1	---	1	---	---	1	2	---	---	---	---
AK-----	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---
AL-----	20	---	1	---	---	---	2	1	1	1	4	3	4	1	2	---	---	1	---	---	---	---	---	---	---	---	---
AN-----	1	---	---	---	---	---	---	---	---	---	---	---	1	---	---	---	---	---	---	---	---	---	---	---	---	---	---
AP-----	11	2	---	---	---	---	---	---	---	---	---	---	3	4	---	---	---	1	---	---	---	---	---	---	---	---	---
BA-----	11	---	---	---	---	---	---	---	---	---	---	1	1	2	1	1	1	1	1	2	1	---	---	---	---	---	---
CB-----	7	---	---	---	---	---	---	---	---	---	---	1	1	1	1	1	1	2	2	3	3	1	1	---	---	---	---
CA-----	24	---	---	---	---	---	---	---	---	---	---	1	2	1	3	5	3	2	3	3	1	1	---	---	---	---	---
EA-----	42	---	---	---	---	---	---	---	---	---	---	1	1	1	7	9	4	7	5	7	---	2	---	1	---	---	---
FA-----	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---
FB-----	5	2	---	---	---	---	---	---	---	---	1	---	1	---	---	---	---	---	---	---	---	---	---	---	---	---	---
FC-----	25	1	---	---	---	---	---	---	2	3	1	4	1	2	4	2	2	1	1	---	---	---	---	---	---	1	---
GC-----	5	1	---	---	---	---	---	---	---	---	---	---	---	1	1	1	1	1	---	---	---	---	---	---	---	---	---
GD-----	5	---	---	---	---	---	1	---	---	---	---	---	2	---	---	---	---	---	---	---	---	---	---	---	---	---	---
GE-----	7	---	---	---	---	---	---	---	---	---	---	---	2	3	1	---	---	---	---	---	---	---	---	---	---	---	---
GF-----	3	---	---	---	---	---	---	---	---	---	---	---	1	---	---	---	---	---	---	1	---	---	---	---	---	---	---
HA-----	20	---	---	---	---	---	---	---	---	2	1	1	---	4	2	1	1	2	2	2	2	1	---	---	1	---	
IA-----	6	---	---	---	---	---	---	1	1	1	1	---	2	---	---	---	---	---	---	---	---	---	---	---	---	---	---
JA-----	4	---	---	---	---	---	---	---	---	---	2	2	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---
JB-----	1	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---
LA-----	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---
LB-----	8	---	---	---	---	---	---	---	---	---	3	1	2	---	---	---	---	---	---	---	---	---	---	---	---	---	---
LC-----	5	---	---	---	---	---	---	---	---	1	---	---	---	2	---	---	---	---	---	---	---	---	---	---	---	---	---
LD-----	4	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---
LE-----	4	---	---	---	---	---	---	1	---	---	1	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---
LF-----	4	---	1	---	---	---	---	---	1	---	1	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---
ZB-----	57	10	---	---	---	---	---	---	2	6	3	3	5	4	5	3	3	2	2	2	3	2	---	1	---	1	
SALT LAKE CITY, UTAH: Total-----	1,806	174	19	16	10	9	35	36	48	46	60	64	71	98	115	112	142	133	148	156	150	106	46	8	3	---	1
AA-----	2	---	---	---	---	---	---	---	1	1	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---
AC-----	1	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---
AD-----	11	---	1	---	---	1	3	4	---	---	---	1	1	---	---	---	---	---	---	---	---	---	---	---	---	---	---
AE-----	11	9	1	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---
AF-----	2	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---
AG-----	39	4	2	---	---	---	---	---	---	2	1	---	5	3	4	2	4	1	1	---	2	3	1	1	---	---	
AK-----	2	1	---	---	---	---	1	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---
AL-----	51	---	---	---	---	---	1	1	2	3	6	4	9	5	5	7	4	2	2	1	1	---	---	---	---	---	
AN-----	8	---	---	---	---	---	1	1	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---
AP-----	20	4	---	---	---	---	---	---	---	1	3	---	---	2	4	2	1	1	1	1	---	---	---	---	---	---	---
BA-----	210	---	---	---	---	---	1	2	1	1	4	4	1	13	14	28	24	20	28	27	27	7	8	---	---	---	
CB-----	35	---	1	---	---	---	---	---	---	---	---	---	2	1	3	4	2	4	4	4	6	5	4	---	---	---	
CA-----	83	---	---	---	---	---	---	---	---	---	---	---	2	1	4	4	6	8	14	18	15	9	4	---	---	---	
EA-----	368	---	1	---	1	3	4	3	4	7	7	9	11	29	23	42	36	34	47	44	42	13	4	1	---	---	
FA-----	3	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	1
FB-----	67	14	1	2	2	---	2	---	2	1	---	---	---	2	1	3	3	1	8	5	13	7	---	---	---	---	
FC-----	86	5	4	2	1	---	1	3	1	2	4	6	4	4	7	6	11	5	7	8	3	2	---	---	---	---	
GC-----	10	5	2	1	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---
GD-----	62	1	1	2	---	---	5	2	6	2	6	4	6	8	4	4	6	3	2	2	2	1	---	---	---	---	
GE-----	25	1	1	1	---	---	1	---	1	1	1	1	1	1	3	2	1	4	2	2	2	---	---	---	---	---	
GF-----	10	---	---	---	---	---	1	---	---	---	---	---	---	1	1	3	1	1	2	2	1	---	---	---	---	---	
HA-----	112	---	---	---	---	1	---	---	---	1	2	4	1	2	6	8	6	7	9	12	14	12	11	1	---	---	
IA-----	10	---	---	---	---	---	---	---	---	1	1	2	2	1	1	---	---	---	---	---	---	---	---	---	---	---	
JA-----	11	---	---	---	---	---	---	4	2	2	2	2	1	1	---	---	---	---	---	---	---	---	---	---	---	---	
JB-----	11	---	---	---	---	---	---	1	1	3	2	4	---	---	---	---	---	---	---	---	---	---	---	---	---	---	
LA-----	29	---	---	---	---	---	---	2	3	3	3	2	2	7	---	---	1	---	2	2	2	---	---	---	---	---	
LB-----	10	---	---	---	---	---	---	---	---	2	1	1	1	4	1	---	---	---	---	---	---	---	---	---	---	---	
LC-----	51	---	1	---	1	3	4	3	5	4	1	3	3	2	3	4	4	4	5	---	---	1	---	---	---	---	
LD-----	2	---	---	---	---	---	---	---	---	---	1	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	
LE-----	71	2	1	3	1	1	3	2	4	6	2	6	4	2	1	2	3	6	1	4	7	3	6	1	---	---	

MORTALITY STATISTICS

TABLE 9.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM SELECTED CAUSES, BY AGE, IN STATES AND LARGE CITIES: 1935—Continued

AREA AND CODE	All ages	Under	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Un-known	
		1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
NORFOLK, VA.:																												
Other races	895	87	17	8	6	4	8	17	41	32	41	50	86	86	101	99	72	67	23	18	13	8	5	3	1			
AA--	5				1				1		2		1															
AC--	2																											
AD--	1																											
AE--	5	4	1												1													
AF--	2		1																									
AG--	13			1				1	1			1	2	1	1	2	1	2										
AH--	5																											
AI--	69	1	1	1			1	3	12	7	11	3	7	4	9	6		3										
AJ--	9						1	1			2	1	1	1			1											
AK--	18	5										4	5	1	3													
AL--	31									1	1		3	5	2	5	5	3	2	1	1	2						
AM--	11								1			1																
AN--	91									1	1	3	5	3	16	21	13	14	6	4	2	1	1					
AO--	213		1					3	2	1	11	9	24	24	31	28	28	26	6	6	6	3	3	1				
AP--	2									1					1													
AQ--	45	25	3	4	3	2				5	6	5	4	7	5	11	6	4	2	1	1							
AR--	66	3	3	1						5	6	5	4	7	5	11	6	4	2	1	1							
AS--	25	9	5							1			1	2	1	1	3		1	1								
AT--	14							1	1	2	3		1	2	1	1												
AU--	15		2	1						1			5	1	1		2	2										
AV--	1																											
AW--	42							1			2	2	3	9	8	4	6	1	4					1	1			
AX--	2																											
AY--	8							1	3	2		1		1														
AZ--	6								3	1			1															
BA--	1									1																		
BB--	24								4	1	1	6	6	2	2	1	1											
BC--	8									1				1	2	1		2										
BD--	1																											
BE--	38	1	1	1	2	1	1	3	3	1		3	4	5	3	2	1	4	1	4								
BF--	126	37					1	3	2	1	5	7	10	16	10	11	6	5	2	4	3	2				1		
RICHMOND, VA.:																												
White	1,762	129	17	3	5	7	19	16	29	32	39	53	64	86	106	112	160	178	200	161	156	100	88	19	1	1	1	
AA--	4	1								1	1																	
AC--	6																											
AD--	1		2				3				1																	
AE--	1		1																									
AF--	2			1			1																					
AG--	28	3	1		1	1				1	1	1	2		3		1	5	3	3			1					
AH--	4																											
AI--	54	1								2	2	4	9	6	4	4	5	7	3	2	2							
AJ--	7		1				1	1	1	1	1	1	1		2	1	2	3										
AK--	12	2										1																
AL--	190							1		1	3	13	12	14	10	34	28	26	19	13	9	6	1					
AM--	39											2	2	3	4	4	4	2	10	8	2	1	1					
AN--	111											4	4	3	8	9	11	12	13	21	13	10	4	3				
AO--	394								3	2	4	3	2	14	24	31	36	51	65	51	54	25	25	4				
AP--	6																											
AQ--	69	12	4		1		1	1				2	2	2	2	5	4	4	6	7	6	5	3	1				
AR--	47	3	1	1			1			4	1	3	1	6	2	2	2	5	6	3	4	1	1					
AS--	18	12						1	1		1	1	1	2	2	2	4		3	3	3	1						
AT--	17		1								1	1	1	1	1													
AU--	15																											
AV--	169									1		4	2	7	11	9	7	25	17	21	33	20	10	2				1
AW--	3																											
AX--	2										3	3	1	1	1													
AY--	5								2	1	1	1	1															
AZ--	29								5	2	4	2	2	5	5	3	1											
BA--	9									2		2	2															
BB--	59				1	1	1	4	6	1	6	5	4	6	4	2	4	2	4	2	4	2	3	1				
BC--	1																											
BD--	1																											
BE--	76	2	3	1	1	2	1	1	5	2	2	2	2	2	6	10	2	7	4	9	2	7	2					
BF--	359	92	3		1	3	8	6	4	4	10	17	16	17	17	14	24	24	28	17	16	21	9	6	1	1		
Other races	1,179	111	9	5	6	1	20	20	43	49	60	66	87	69	119	125	83	97	93	57	26	8	4					
AA--	2				1			1																				
AC--	4	1	1	1			1																					
AD--	1																											
AE--	1	1																										
AF--	1																											
AG--	16		1				1	1			2			2		1	2	1	3	2								
AH--	6									1	3			1		6												
AI--	99								13	12	18	13	8	11	6	6	5	3	3			1						
AJ--	17							3	5	1	2	2	1	1	1	2												
AK--	32	7						2		1	3	2	4	5		2	1	4	1									
AL--	53							1				2		1</														

MORTALITY STATISTICS

TABLE 9.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM SELECTED CAUSES, BY AGE, IN STATES AND LARGE CITIES: 1935—Continued

AREA AND CODE	All ages	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Un-known		
MILWAUKEE, WIS.: Total-----	5,087	414	36	31	15	17	76	47	64	83	90	132	176	278	329	340	426	379	533	542	526	318	170	54	8	3	-----		
AA-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	
AC-----	11	-----	5	-----	2	1	2	1	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	
AD-----	29	-----	1	1	4	2	8	1	5	2	-----	2	1	1	1	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	
AE-----	8	-----	6	-----	1	-----	1	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	
AF-----	4	-----	1	-----	-----	-----	-----	1	1	-----	-----	-----	-----	1	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	
AG-----	39	-----	2	1	2	1	2	-----	-----	2	-----	2	1	5	3	1	2	1	5	4	-----	3	-----	-----	-----	-----	-----	-----	
AK-----	14	-----	4	-----	-----	-----	-----	1	-----	4	1	-----	-----	1	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	
AL-----	181	-----	1	2	1	-----	2	2	7	13	18	17	17	23	23	14	15	7	10	3	1	3	-----	-----	-----	-----	-----	-----	
AN-----	13	-----	1	-----	1	-----	1	1	-----	2	1	1	2	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	
AP-----	20	-----	3	-----	-----	-----	-----	-----	-----	-----	2	-----	3	3	2	1	4	2	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	
BA-----	674	-----	1	-----	-----	-----	1	2	1	3	4	4	16	41	64	57	61	77	101	97	84	29	9	2	-----	-----	-----	-----	
CB-----	157	-----	-----	1	-----	-----	2	1	-----	2	-----	1	1	2	8	12	14	23	32	27	18	13	-----	-----	-----	-----	-----	-----	
DA-----	355	-----	1	-----	-----	-----	1	-----	1	3	2	3	5	12	27	34	43	53	61	57	34	15	3	-----	-----	-----	-----	-----	
EA-----	1,353	-----	1	1	-----	-----	6	9	6	14	9	23	31	48	70	88	117	97	183	202	202	130	90	21	4	1	-----		
FA-----	18	-----	3	-----	-----	-----	-----	1	-----	1	-----	-----	1	-----	1	-----	1	-----	2	1	4	3	1	-----	-----	-----	-----	-----	
FB-----	123	-----	43	7	3	1	1	2	1	-----	4	2	5	1	4	2	3	8	4	5	9	6	4	4	3	1	-----		
FC-----	162	-----	12	2	2	-----	3	3	6	5	2	7	10	16	11	15	14	10	14	8	11	5	4	2	-----	-----	-----	-----	
GC-----	23	-----	14	2	-----	-----	-----	-----	-----	-----	-----	1	-----	-----	-----	-----	-----	-----	-----	2	10	6	3	-----	-----	-----	-----	-----	
GD-----	82	-----	-----	1	2	2	4	5	3	2	8	5	9	7	10	2	10	6	3	-----	3	1	1	1	-----	-----	-----	-----	
GE-----	49	-----	1	-----	-----	-----	-----	-----	1	-----	1	3	1	3	1	5	7	3	6	3	4	9	2	2	-----	-----	-----	-----	
GF-----	72	-----	-----	-----	-----	-----	-----	-----	-----	-----	3	4	8	5	8	7	8	10	5	7	4	2	1	-----	-----	-----	-----	-----	
HA-----	339	-----	1	-----	-----	1	1	1	-----	1	1	5	14	22	24	22	40	33	35	35	54	29	12	5	-----	2	-----		
IA-----	21	-----	-----	-----	-----	-----	-----	-----	1	1	-----	3	2	5	4	1	1	2	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	
JA-----	7	-----	-----	-----	-----	-----	-----	-----	-----	2	3	-----	2	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----
JB-----	23	-----	-----	-----	-----	-----	-----	1	1	3	8	6	4	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	
LA-----	95	-----	-----	-----	-----	-----	-----	2	2	9	8	8	15	15	9	8	2	8	3	3	1	2	-----	-----	-----	-----	-----	-----	
LE-----	4	-----	-----	-----	-----	-----	-----	1	1	1	-----	1	1	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	
LC-----	77	-----	1	-----	1	1	-----	7	1	5	3	4	3	3	6	8	7	5	2	6	6	2	-----	-----	-----	-----	-----	-----	
LD-----	7	-----	-----	-----	-----	-----	-----	-----	-----	-----	2	-----	-----	1	1	1	2	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	
LF-----	184	-----	4	3	4	1	-----	8	6	7	5	-----	6	11	7	14	14	9	15	14	15	17	14	7	3	-----	-----		
ZB-----	944	-----	317	8	14	2	5	27	11	17	12	15	28	26	53	45	47	51	40	47	61	43	38	20	14	3	-----		

DEATHS FROM SELECTED CAUSES, BY MONTH

TABLE 10.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM SELECTED CAUSES, BY MONTH: 1935

(Numbers after causes of death correspond to those of the 1929 revision of the detailed International List of Causes of Death. Refer to this list for "All other causes.")

Table with 13 columns: AREA AND CAUSE OF DEATH, Total deaths, Jan., Feb., Mar., Apr., May, June, July, Aug., Sept., Oct., Nov., Dec. The table is divided into three sections: UNITED STATES (White), ALABAMA (White), and ALABAMA (other races).

1/ Excludes deaths from automobile accidents which are shown under symbols 206, 208, and 210.

MORTALITY STATISTICS

TABLE 10.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM SELECTED CAUSES, BY MONTH: 1935—Continued

(See note at head of this table)

AREA AND CAUSE OF DEATH	Total deaths	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
ARIZONA----- All causes	6,077	550	562	605	504	549	518	482	390	463	436	433	535
Typhoid and paratyphoid fever----- 1,2	16	1	-----	-----	2	3	4	1	-----	1	3	-----	1
Smallpox----- 6	1	1	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----
Measles----- 7	93	4	17	16	9	19	17	8	-----	2	-----	-----	1
Scarlet fever----- 8	15	2	-----	3	1	3	4	1	-----	-----	1	-----	-----
Whooping-cough----- 9	76	10	18	14	4	5	8	3	1	3	2	3	5
Diphtheria----- 10	17	-----	1	1	1	4	-----	-----	-----	-----	3	6	1
Influenza----- 11	159	29	32	32	15	10	2	3	2	2	3	10	19
Dysentery----- 13	27	1	1	2	2	7	6	2	1	2	1	1	1
Erysipelas----- 15	14	2	1	4	-----	1	1	1	-----	-----	-----	3	1
Lethargic encephalitis----- 17	4	-----	-----	-----	-----	-----	-----	-----	-----	1	3	-----	-----
Epidemic cerebrospinal meningitis----- 18	17	3	-----	1	3	4	2	1	-----	-----	-----	2	1
Tuberculosis of the respiratory system----- 23	1,004	76	83	103	90	68	95	75	82	86	74	92	80
Other forms of tuberculosis----- 24-32	64	2	6	1	6	6	7	7	4	4	4	6	7
Malaria----- 38	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----
Diabetes mellitus----- 59	40	3	2	3	3	2	8	2	3	2	4	4	4
Cerebral hemorrhage and softening----- 82a,82c	159	19	12	20	17	18	11	14	12	11	10	12	13
Diseases of the heart----- 90-95	798	76	93	73	73	58	56	69	33	59	52	73	83
Bronchitis----- 106	19	2	5	3	2	2	-----	-----	1	1	1	1	1
Bronchopneumonia----- 107	327	39	44	67	33	25	13	11	10	14	27	25	19
Lobar and unspecified pneumonia----- 108,109	318	47	35	49	34	26	13	5	7	17	14	26	44
Diarrhea and enteritis (under 2 years)----- 119	251	12	12	8	16	23	30	25	35	40	27	12	11
Diarrhea and enteritis (2 years and over)----- 120	34	-----	4	1	2	4	4	2	4	4	3	4	2
Nephritis----- 130-132	281	32	22	26	28	30	23	18	12	22	20	19	29
Puerperal septicemia----- 140,142a,145	20	1	1	1	3	2	4	-----	-----	2	2	1	3
Other puerperal causes----- 141,142b-144,146-150	33	2	6	2	2	7	3	1	-----	2	2	1	6
Suicide----- 163-171	70	5	11	4	7	5	10	4	5	3	7	2	19
Automobile accidents----- 210	205	15	17	14	15	14	19	20	13	14	21	24	19
Automobile-train, street car collisions----- 206,208	9	-----	-----	-----	1	1	-----	-----	-----	-----	2	2	3
Other external causes----- 1/ 172-198	335	28	23	17	17	22	36	40	40	29	21	23	39
All other causes-----	1,661	140	117	136	117	178	140	168	125	142	129	131	136
ARKANSAS (White)----- All causes	11,446	1,099	1,070	1,015	876	852	838	986	957	925	684	882	1,062
Typhoid and paratyphoid fever----- 1,2	84	3	-----	1	2	3	5	16	16	16	9	7	5
Smallpox----- 6	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----
Measles----- 7	13	2	1	2	4	1	1	1	-----	-----	-----	1	-----
Scarlet fever----- 8	13	3	2	1	-----	1	-----	1	-----	2	-----	-----	2
Whooping-cough----- 9	68	10	13	10	7	5	6	4	6	3	1	3	-----
Diphtheria----- 10	117	11	9	5	3	3	5	2	11	27	15	19	7
Influenza----- 11	466	105	99	78	47	22	3	5	4	9	9	21	64
Dysentery----- 13	82	3	3	-----	3	3	10	28	9	6	7	8	2
Erysipelas----- 15	27	2	-----	2	-----	4	-----	2	5	5	2	3	2
Lethargic encephalitis----- 17	9	-----	-----	2	-----	1	1	-----	2	-----	-----	-----	3
Epidemic cerebrospinal meningitis----- 18	25	6	4	4	2	2	-----	1	2	1	1	-----	2
Tuberculosis of the respiratory system----- 23	521	47	57	48	43	38	45	46	43	42	36	30	46
Other forms of tuberculosis----- 24-32	40	1	3	3	7	4	4	1	2	3	3	4	5
Malaria----- 38	355	7	7	14	10	17	24	68	81	58	36	26	7
Diabetes mellitus----- 59	128	9	6	19	12	10	8	13	11	11	11	6	12
Cerebral hemorrhage and softening----- 82a,82c	666	60	53	54	59	58	48	60	49	49	56	53	68
Diseases of the heart----- 90-95	1,533	157	132	133	110	142	114	129	119	120	125	126	146
Bronchitis----- 106	40	6	7	2	1	5	6	1	3	1	4	1	3
Bronchopneumonia----- 107	356	46	45	44	29	21	11	14	17	19	23	28	59
Lobar and unspecified pneumonia----- 108,109	705	107	114	91	64	48	29	13	15	26	33	60	105
Diarrhea and enteritis (under 2 years)----- 119	222	6	7	7	5	15	39	30	27	29	27	22	8
Diarrhea and enteritis (2 years and over)----- 120	94	4	6	4	4	4	16	20	11	5	10	8	2
Nephritis----- 130-132	845	73	67	75	76	77	70	74	67	64	62	69	71
Puerperal septicemia----- 140,142a,145	65	7	5	6	5	5	2	9	5	5	5	4	7
Other puerperal causes----- 141,142b-144,146-150	86	9	7	5	13	2	7	7	10	7	6	9	4
Suicide----- 163-171	143	5	10	18	10	17	16	11	10	9	14	10	11
Automobile accidents----- 210	314	38	29	18	17	15	26	21	28	32	27	28	35
Automobile-train, street car collisions----- 206,208	19	2	6	-----	2	1	-----	-----	-----	-----	3	2	2
Other external causes----- 1/ 172-198	743	66	51	62	44	53	72	84	66	68	52	53	72
All other causes-----	3,647	304	327	307	297	275	265	326	337	308	308	281	312
ARKANSAS (other races)----- All causes	4,730	451	423	449	353	390	392	411	378	368	378	363	374
Typhoid and paratyphoid fever----- 1,2	35	4	-----	1	5	2	4	11	5	3	11	7	2
Smallpox----- 6	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----
Measles----- 7	3	-----	-----	1	1	-----	1	-----	-----	-----	-----	-----	-----
Scarlet fever----- 8	1	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----
Whooping-cough----- 9	24	4	3	6	4	1	2	2	1	-----	-----	-----	-----
Diphtheria----- 10	23	3	5	-----	-----	-----	-----	-----	2	5	3	3	2
Influenza----- 11	237	44	51	51	22	17	9	1	1	2	7	15	17
Dysentery----- 13	31	-----	1	1	1	4	10	7	4	1	-----	-----	-----
Erysipelas----- 15	2	-----	-----	-----	-----	-----	-----	-----	1	-----	-----	-----	1
Lethargic encephalitis----- 17	1	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----
Epidemic cerebrospinal meningitis----- 18	7	-----	2	2	-----	-----	-----	1	-----	-----	-----	-----	1
Tuberculosis of the respiratory system----- 23	347	23	24	43	22	34	34	36	21	33	25	24	28
Other forms of tuberculosis----- 24-32	31	2	2	5	4	3	1	1	5	3	2	-----	3
Malaria----- 38	215	10	5	9	7	16	11	32	46	36	28	8	8
Diabetes mellitus----- 59	30	3	4	7	1	2	2	1	2	2	3	2	1
Cerebral hemorrhage and softening----- 82a,82c	269	29	24	18	33	15	17	25	19	16	14	32	25
Diseases of the heart----- 90-95	567	51	44	41	43	53	63	49	46	34	49	51	43
Bronchitis----- 106	9	-----	1	-----	-----	-----	-----	2	2	-----	-----	-----	1
Bronchopneumonia----- 107	123	13	25	16	9	13	2	5	6	3	9	9	11
Lobar and unspecified pneumonia----- 108,109	282	55	42	42	27	17	8	7	4	9	13	15	43
Diarrhea and enteritis (under 2 years)----- 119	56	2	-----	3	3	10	11	13	4	3	3	4	-----
Diarrhea and enteritis (2 years and over)----- 120	44	2	4	3	-----	2	6	7	5	7	2	5	1
Nephritis----- 130-132	338	22	24	29	16	29	32	26	24	35	42	27	30
Puerperal septicemia----- 140,142a,145	25	6	3	2	-----	-----	-----	1	2	2	2	4	3
Other puerperal causes----- 141,142b-144,146-150	44	5	2	6	8	2	5	4	3	3	4	1	1
Suicide----- 163-171	7	-----	-----	1	1	1	1	-----	-----	-----	-----	1	1
Automobile accidents----- 210	70	9	3	3	8	5	3	7	4	7	7	9	5
Automobile-train, street car collisions----- 206,208	1	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	1
Other external causes----- 1/ 172-198	375	30	33	37	21	37	39	35	46	23	33	25	16
All other causes-----	1,512	133	121	119	115	127	128	138	127	135	118	121	130

1/ Excludes deaths from automobile accidents which are shown under symbols 206, 208, and 210.

DEATHS FROM SELECTED CAUSES, BY MONTH

325

TABLE 10.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM SELECTED CAUSES, BY MONTH: 1935—Continued

(See note at head of this table)

AREA AND CAUSE OF DEATH	Total deaths	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
CALIFORNIA (White)----- All causes	69,108	6,574	5,583	6,225	5,651	5,678	5,377	5,537	5,327	5,141	5,493	5,994	6,528
Typhoid and paratyphoid fever----- 1,2	69	7	3	2	1	5	7	7	11	12	7	2	5
Smallpox----- 6	1			1									
Measles----- 7	59	1	4	8	10	13	13	3	2		1	1	3
Scarlet fever----- 8	64	12	4	6	4	7	7	3	2	2	5	10	6
Whooping-cough----- 9	53	2	4	3	3	4	7	11	6	4	1	3	5
Diphtheria----- 10	129	13	6	11	6	5	9	9	9	7	16	19	19
Influenza----- 11	454	63	87	63	37	31	16	17	8	19	14	41	58
Dysentery----- 13	82	4	4	1	3	2	11	7	6	16	13	8	7
Erysipelas----- 15	55	7	3	7	6	1	5	3	5	4	7	6	2
Lethargic encephalitis----- 17	29	4		3	1	3			1	3	3	2	2
Epidemic cerebrospinal meningitis----- 18	118	6	13	8	13	14	9	9	8	8	5	11	14
Tuberculosis of the respiratory system----- 23	3,587	303	314	317	342	300	305	298	287	254	280	262	327
Other forms of tuberculosis----- 24-32	351	23	17	36	35	41	39	38	36	16	23	18	29
Malaria----- 38	5			1			1	2		1			
Diabetes mellitus----- 59	1,404	147	125	130	106	118	110	97	104	110	115	102	140
Cerebral hemorrhage and softening----- 82a, 82c	4,319	386	317	417	361	320	358	368	325	308	379	378	402
Diseases of the heart----- 90-95	19,169	1,934	1,602	1,747	1,615	1,624	1,425	1,463	1,339	1,369	1,441	1,750	1,639
Bronchitis----- 106	181	25	16	13	17	16	14	11	6	11	25	10	17
Bronchopneumonia----- 107	2,208	237	215	234	152	159	129	132	150	114	152	199	265
Lobar and unspecified pneumonia----- 108, 109	1,697	237	167	168	126	118	98	84	85	65	95	173	265
Diarrhea and enteritis (under 2 years)----- 119	395	23	10	21	22	36	30	50	47	52	55	27	21
Diarrhea and enteritis (2 years and over)----- 120	117	11	10	7	4	7	16	11	9	13	12	5	14
Nephritis----- 130-132	4,495	495	569	409	387	394	341	375	332	328	357	373	405
Puerperal septicemia----- 140, 142a, 145	142	8	11	18	10	12	13	15	14	11	5	9	16
Other puerperal causes----- 141, 142b-144, 146-150	194	15	20	15	16	19	12	16	13	15	18	17	18
Suicide----- 163-171	1,418	105	102	107	137	159	125	106	124	133	130	98	110
Automobile accidents----- 210	2,489	190	170	195	169	181	177	195	239	216	228	267	262
Automobile-train, street car collisions----- 206, 208	115	9	6	9	10	11	10	11	3	11	6	15	13
Other external causes----- 1/ 172-198	3,299	273	232	247	266	256	295	324	311	274	291	273	257
All other causes-----	22,409	2,023	1,752	2,021	1,781	1,856	1,789	1,872	1,845	1,747	1,810	1,915	1,987
CALIFORNIA (other races)----- All causes	3,548	309	279	299	259	327	289	276	244	225	272	302	267
Typhoid and paratyphoid fever----- 1,2	14	2		1		1	2	1		2	3	2	
Smallpox----- 6													
Measles----- 7	7		1			2	2	2					
Scarlet fever----- 8	3				2				1				
Whooping-cough----- 9	8				1	2	2	1				1	1
Diphtheria----- 10	7	2	1	1	1	1	1	1	1			1	
Influenza----- 11	39	5	10	6	2	5	2	2		1	1	1	3
Dysentery----- 13	5						1		1	1	1		1
Erysipelas----- 15	2								1		1		
Lethargic encephalitis----- 17	1												
Epidemic cerebrospinal meningitis----- 18	6	1	1		1						1	2	
Tuberculosis of the respiratory system----- 23	498	42	41	38	41	65	51	38	35	33	36	33	45
Other forms of tuberculosis----- 24-32	60	3	2	6	7	3	4	11	6	5	5	5	3
Malaria----- 38													
Diabetes mellitus----- 59	60	7	3	5	3	3	5	5	3	8	8	4	6
Cerebral hemorrhage and softening----- 82a, 82c	154	18	10	7	14	18	11	9	10	8	15	19	15
Diseases of the heart----- 90-95	522	45	42	63	45	52	45	39	40	30	34	52	35
Bronchitis----- 106	8	1	1		2	1	1				2	2	
Bronchopneumonia----- 107	135	15	22	12	10	9	6	8	9	5	13	14	13
Lobar and unspecified pneumonia----- 108, 109	124	22	12	13	8	7	7	7	4	6	10	11	16
Diarrhea and enteritis (under 2 years)----- 119	24	1	1	2		2	1	2	4	5	4		2
Diarrhea and enteritis (2 years and over)----- 120	14	1		1	2	1	2	2	3	1	1		2
Nephritis----- 130-132	200	19	16	16	20	18	19	14	12	12	18	23	13
Puerperal septicemia----- 140, 142a, 145	10	2	1			1	1	1	2		2		
Other puerperal causes----- 141, 142b-144, 146-150	13	2	1		1	1	1	3		1	1	2	1
Suicide----- 163-171	85	11	6	8	4	8	9	5	6	6	13	3	9
Automobile accidents----- 210	144	6	8	12	9	7	13	10	13	16	20	12	16
Automobile-train, street car collisions----- 206, 208	7			3	1			1	1	1			
Other external causes----- 1/ 172-198	211	19	16	22	14	26	17	25	17	9	12	25	9
All other causes-----	983	66	63	63	69	96	66	90	76	76	73	68	77
COLORADO----- All causes	13,134	1,358	1,135	1,113	1,169	1,141	1,003	992	931	1,036	1,048	1,026	1,182
Typhoid and paratyphoid fever----- 1,2	37	2	1	1	3	1	1	3	4	10	5	3	3
Smallpox----- 6													
Measles----- 7	105	7	9	20	31	23	10	3	1		1		
Scarlet fever----- 8	125	16	24	18	17	10	3	3	3		3	3	10
Whooping-cough----- 9	44	3	4	7	10	6	4	2		4	2		2
Diphtheria----- 10	42	3	1	5	3	3	3	1		3	1	9	10
Influenza----- 11	345	88	70	39	20	24	8	4	11	5	16	19	41
Dysentery----- 13	14	1		1				2	1	4	4	1	
Erysipelas----- 15	43	7	3	3	5	7	6	1	1	2	2	3	3
Lethargic encephalitis----- 17	7	1					2	3		1			
Epidemic cerebrospinal meningitis----- 18	23	1	3	1	2		1	2	3			5	3
Tuberculosis of the respiratory system----- 23	759	81	52	65	69	78	66	65	46	57	70	51	59
Other forms of tuberculosis----- 24-32	56	7	6	4	4	4	4	8	4	3	4	5	3
Malaria----- 38	1						1						
Diabetes mellitus----- 59	171	22	21	13	14	17	14	15	10	10	9	14	12
Cerebral hemorrhage and softening----- 82a, 82c	782	79	79	47	72	58	55	59	44	63	67	73	86
Diseases of the heart----- 90-95	2,550	251	215	213	231	211	194	180	173	198	223	198	262
Bronchitis----- 106	35	4	2	5	3	4	4	2	2	1	1	3	4
Bronchopneumonia----- 107	442	88	42	28	36	32	24	25	13	28	26	36	64
Lobar and unspecified pneumonia----- 108, 109	760	118	82	92	93	77	43	23	17	32	61	56	56
Diarrhea and enteritis (under 2 years)----- 119	183	4	7	3	9	8	9	12	40	49	26	12	4
Diarrhea and enteritis (2 years and over)----- 120	44	1	2	2	2	4	4	6	7	5	4	4	5
Nephritis----- 130-132	837	86	71	74	76	80	69	64	69	70	55	51	71
Puerperal septicemia----- 140, 142a, 145	67	6	4	5	7	8	6	5	5	6	4	5	5
Other puerperal causes----- 141, 142b-144, 146-150	71	13	6	7	9	10	2	4	2	5	7	5	5
Suicide----- 163-171	235	16	15	21	14	23	26	17	16	27	18	23	19
Automobile accidents----- 210	312	16	25	23	18	16	36	36	31	26	32	26	25
Automobile-train, street car collisions----- 206, 208	19	1	2	3	3				3	1	1	4	4
Other external causes----- 1/ 172-176	734	66	53	54	61	74	56	91	78	56	48	43	65
All other causes-----	4,291	369	343	353	369	355	344	356	347	364	358	378	355

1/ Excludes deaths from automobile accidents which are shown under symbols 206, 208, and 210.

MORTALITY STATISTICS

TABLE 10.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM SELECTED CAUSES, BY MONTH: 1935—Continued

(See note at head of this table)

AREA AND CAUSE OF DEATH	Total deaths	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
CONNECTICUT— All causes	17,659	1,767	1,482	1,656	1,637	1,553	1,391	1,290	1,301	1,240	1,363	1,327	1,652
Typhoid and paratyphoid fever— 1,2	13	—	—	2	2	—	1	2	1	2	1	1	—
Smallpox— 6	—	—	—	—	—	—	—	—	—	—	—	—	—
Measles— 7	—	—	—	—	—	—	—	—	—	—	—	—	—
Scarlet fever— 8	23	3	3	5	3	4	1	3	—	—	2	—	1
Whooping-cough— 9	22	3	3	—	4	1	1	—	—	1	—	2	7
Diphtheria— 10	18	2	—	—	2	2	2	2	—	3	3	1	1
Influenza— 11	198	41	21	19	9	9	2	3	2	2	7	3	20
Dysentery— 13	2	—	—	1	—	—	1	—	—	—	—	—	—
Erysipelas— 15	29	2	4	5	5	3	2	2	1	—	1	2	2
Lethargic encephalitis— 17	9	1	1	—	1	2	2	—	—	1	1	—	—
Epidemic cerebrospinal meningitis— 18	12	1	1	—	2	2	—	1	1	—	—	1	3
Tuberculosis of the respiratory system— 23	661	57	52	67	66	62	58	53	47	41	41	48	69
Other forms of tuberculosis— 24-32	64	7	9	3	4	7	13	6	1	2	4	5	3
Malaria— 38	1	—	—	—	—	—	—	—	—	—	—	—	1
Diabetes mellitus— 59	524	60	39	52	49	59	45	37	36	36	38	38	35
Cerebral hemorrhage and softening— 82a,82c	1,289	133	115	131	123	111	84	84	82	105	84	122	115
Diseases of the heart— 90-95	4,921	493	450	440	465	449	390	337	331	314	399	360	503
Bronchitis— 106	54	11	5	9	3	2	1	2	3	4	7	2	5
Bronchopneumonia— 107	391	51	43	71	38	25	23	15	16	22	22	25	40
Lobar and unspecified pneumonia— 108,109	716	124	73	103	91	63	39	25	18	31	32	27	92
Diarrhea and enteritis (under 2 years)— 119	29	3	1	—	5	3	1	3	2	6	2	1	2
Diarrhea and enteritis (2 years and over)— 120	23	1	2	1	3	—	1	3	4	3	3	—	2
Nephritis— 130-132	1,417	146	116	124	122	111	138	104	116	85	126	110	117
Puerperal septicaemia— 140,142a,145	40	2	5	2	6	6	11	3	2	—	4	—	3
Other puerperal causes— 141,142b-144,146-150	35	8	7	6	5	4	6	4	5	1	1	4	4
Suicide— 163-171	267	20	19	22	23	28	22	31	19	22	23	22	16
Automobile accidents— 210	477	29	23	33	38	38	42	40	58	27	45	48	56
Automobile-train, street car collisions— 206,208	6	—	—	—	—	—	—	—	—	—	—	—	—
Other external causes— 1/ 172-198	799	77	54	72	61	65	67	80	71	66	62	53	71
All other causes—	5,622	492	434	477	503	490	444	445	485	464	453	451	484
DELAWARE— All causes	3,208	321	267	315	289	253	254	237	222	255	259	231	304
Typhoid and paratyphoid fever— 1,2	6	—	—	—	1	—	1	—	1	—	1	—	2
Smallpox— 6	—	—	—	—	—	—	—	—	—	—	—	—	—
Measles— 7	3	—	1	—	—	—	—	1	—	—	—	—	1
Scarlet fever— 8	1	—	—	—	—	—	1	—	—	—	—	—	—
Whooping-cough— 9	5	2	—	—	1	—	1	—	—	1	—	—	—
Diphtheria— 10	5	1	—	—	1	—	1	1	—	—	—	—	1
Influenza— 11	40	16	8	9	2	1	1	—	1	—	1	—	1
Dysentery— 13	6	—	—	—	—	—	1	2	—	1	1	—	—
Erysipelas— 15	6	—	1	2	1	1	—	—	—	—	—	—	1
Lethargic encephalitis— 17	1	—	—	—	—	1	—	—	—	—	—	—	—
Epidemic cerebrospinal meningitis— 18	2	—	—	—	1	—	—	—	—	1	—	—	—
Tuberculosis of the respiratory system— 23	148	17	14	8	17	8	10	15	8	17	10	9	15
Other forms of tuberculosis— 24-32	12	1	—	3	—	1	—	—	1	3	2	—	1
Malaria— 38	—	—	—	—	—	—	—	—	—	—	—	—	—
Diabetes mellitus— 59	78	6	4	7	10	6	8	5	6	8	5	7	6
Cerebral hemorrhage and softening— 82a,82c	252	18	17	30	28	19	15	15	19	16	23	23	29
Diseases of the heart— 90-95	848	85	75	87	71	58	74	57	64	62	61	64	90
Bronchitis— 106	12	2	2	1	—	—	2	—	3	3	1	—	5
Bronchopneumonia— 107	102	17	13	10	11	11	7	3	4	3	6	5	10
Lobar and unspecified pneumonia— 108,109	133	21	24	14	24	9	8	5	3	5	6	3	9
Diarrhea and enteritis (under 2 years)— 119	49	—	2	6	—	—	1	5	9	9	10	3	2
Diarrhea and enteritis (2 years and over)— 120	8	—	—	—	—	—	—	—	2	3	1	1	—
Nephritis— 130-132	285	27	30	19	26	26	25	19	18	30	24	16	25
Puerperal septicaemia— 140,142a,145	13	1	—	1	1	1	—	—	2	1	2	2	1
Other puerperal causes— 141,142b-144,146-150	13	1	1	1	1	—	1	2	—	—	4	2	—
Suicide— 163-171	35	2	5	1	3	2	2	1	4	4	1	2	4
Automobile accidents— 210	66	1	3	3	5	9	4	4	8	6	9	7	7
Automobile-train, street car collisions— 206,208	6	—	—	—	—	—	—	—	—	—	2	1	2
Other external causes— 1/ 172-198	197	16	13	14	7	21	17	14	19	13	21	18	24
All other causes—	876	86	54	96	78	75	74	86	54	69	64	67	73
DISTRICT OF COLUMBIA (White)— All causes	5,256	500	457	510	445	451	407	394	374	372	414	422	512
Typhoid and paratyphoid fever— 1,2	8	—	—	—	—	1	—	—	1	2	1	2	1
Smallpox— 6	—	—	—	—	—	—	—	—	—	—	—	—	—
Measles— 7	—	—	—	—	—	—	—	—	—	—	—	—	—
Scarlet fever— 8	4	1	—	1	1	1	—	—	—	—	—	—	—
Whooping-cough— 9	2	—	—	—	1	—	—	—	—	—	—	1	—
Diphtheria— 10	16	2	1	2	—	—	—	1	—	2	—	2	6
Influenza— 11	40	18	5	3	3	1	2	—	—	—	3	2	3
Dysentery— 13	3	1	1	—	—	—	—	1	—	—	—	—	—
Erysipelas— 15	11	2	3	1	2	—	1	—	1	—	—	—	1
Lethargic encephalitis— 17	5	—	—	—	2	2	—	1	—	—	—	—	—
Epidemic cerebrospinal meningitis— 18	45	—	4	13	3	5	4	2	1	4	4	4	2
Tuberculosis of the respiratory system— 23	170	20	11	19	22	17	13	11	11	17	11	4	14
Other forms of tuberculosis— 24-32	18	2	1	2	2	4	1	1	1	—	—	1	1
Malaria— 38	4	—	—	—	—	—	—	—	—	—	—	—	—
Diabetes mellitus— 59	119	12	16	13	8	10	7	11	8	8	6	9	11
Cerebral hemorrhage and softening— 82a,82c	314	19	31	28	23	20	22	25	21	25	25	33	42
Diseases of the heart— 90-95	1,386	121	135	133	123	127	112	108	90	93	111	99	139
Bronchitis— 106	11	—	—	2	2	1	—	1	—	2	—	1	2
Bronchopneumonia— 107	195	35	18	27	18	14	10	5	6	5	12	16	18
Lobar and unspecified pneumonia— 108,109	233	40	28	32	21	20	14	7	3	12	8	17	31
Diarrhea and enteritis (under 2 years)— 119	23	4	1	1	1	—	—	4	4	4	1	2	1
Diarrhea and enteritis (2 years and over)— 120	16	1	—	—	—	—	—	2	1	2	2	1	1
Nephritis— 130-132	359	27	34	31	42	30	31	30	23	25	33	22	31
Puerperal septicaemia— 140,142a,145	19	1	—	—	2	—	—	2	4	2	1	1	—
Other puerperal causes— 141,142b-144,146-150	13	1	2	1	—	—	—	3	1	1	—	4	—
Suicide— 163-171	124	10	8	12	7	13	2	9	9	9	15	20	10
Automobile accidents— 210	113	4	9	11	6	13	9	13	5	12	11	7	13
Automobile-train, street car collisions— 206,208	8	—	—	—	—	—	—	—	—	—	—	—	—
Other external causes— 1/ 172-176	278	24	30	28	13	13	35	28	26	21	18	20	22
All other causes—	1,727	155	118	148	138	153	139	132	156	123	152	153	160

1/ Excludes deaths from automobile accidents which are shown under symbols 206, 208, and 210.

DEATHS FROM SELECTED CAUSES, BY MONTH

TABLE 10.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM SELECTED CAUSES, BY MONTH: 1935—Continued

(See note at head of this table)

AREA AND CAUSE OF DEATH	Total deaths	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
DISTRICT OF COLUMBIA (other races)----- All causes	3,225	315	284	305	307	285	248	254	258	222	240	229	279
Typhoid and paratyphoid fever----- 1,2	9	1	-----	-----	1	-----	1	-----	1	-----	3	1	1
Smallpox----- 6	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----
Measles----- 7	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----
Scarlet fever----- 8	5	1	-----	1	2	1	-----	-----	-----	-----	-----	-----	-----
Whooping-cough----- 9	1	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----
Diphtheria----- 10	13	-----	3	1	-----	1	1	-----	-----	1	1	4	-----
Influenza----- 11	23	11	3	4	1	-----	-----	1	1	-----	-----	-----	-----
Dysentery----- 13	2	-----	-----	-----	-----	-----	-----	1	-----	-----	-----	1	-----
Erysipelas----- 15	4	2	-----	-----	-----	-----	2	-----	-----	-----	-----	-----	-----
Lethargic encephalitis----- 17	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----
Epidemic cerebrospinal meningitis----- 18	45	1	1	6	8	10	4	6	2	1	1	3	2
Tuberculosis of the respiratory system----- 23	371	23	31	40	44	40	24	21	29	32	28	21	33
Other forms of tuberculosis----- 24-32	49	6	4	3	4	1	4	5	5	4	4	6	3
Malaria----- 38	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----
Diabetes mellitus----- 59	35	4	1	6	2	2	3	4	2	1	4	3	3
Cerebral hemorrhage and softening----- 82a,82c	192	26	25	15	12	15	14	19	13	10	15	13	15
Diseases of the heart----- 90-95	682	69	57	69	56	59	56	55	45	46	56	48	66
Bronchitis----- 106	8	-----	-----	-----	1	-----	1	1	-----	-----	1	-----	3
Bronchopneumonia----- 107	134	19	16	18	14	11	9	6	8	6	9	4	14
Lobar and unspecified pneumonia----- 108,109	165	32	19	25	20	14	10	3	6	7	12	9	26
Diarrhea and enteritis (under 2 years)----- 119	39	2	1	2	5	4	5	4	2	1	1	3	5
Diarrhea and enteritis (2 years and over)----- 120	15	-----	2	-----	1	2	2	3	1	1	1	2	-----
Nephritis----- 130-132	205	12	16	16	19	17	16	15	14	20	15	27	16
Puerperal septicemia----- 140,142a,145	14	1	1	1	-----	1	3	2	-----	2	-----	1	2
Other puerperal causes----- 141,142b-144,146-150	26	-----	2	3	3	3	-----	4	3	1	4	1	2
Suicide----- 163-171	21	-----	4	3	-----	2	-----	2	3	3	-----	1	3
Automobile accidents----- 210	42	2	1	2	4	6	5	3	2	7	6	4	-----
Automobile-train, street car collisions----- 206,208	2	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----
Other external causes----- 1/ 172-198	148	11	11	12	21	11	13	15	13	6	13	11	11
All other causes-----	955	92	84	77	89	82	73	85	106	72	63	66	66
FLORIDA (White)----- All causes	12,963	1,319	1,333	1,262	1,017	959	850	862	850	1,179	961	976	1,395
Typhoid and paratyphoid fever----- 1,2	30	-----	2	1	1	2	5	5	4	4	1	4	1
Smallpox----- 6	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----
Measles----- 7	28	6	11	5	3	1	1	-----	-----	-----	-----	-----	-----
Scarlet fever----- 8	1	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----
Whooping-cough----- 9	30	1	5	-----	2	5	4	1	3	1	2	1	5
Diphtheria----- 10	54	4	9	5	6	3	1	4	3	7	5	1	6
Influenza----- 11	351	73	102	62	23	14	4	3	1	2	7	5	35
Dysentery----- 13	21	2	-----	2	2	2	-----	1	1	3	1	4	1
Erysipelas----- 15	15	-----	1	-----	-----	3	3	1	1	2	1	2	1
Lethargic encephalitis----- 17	1	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----
Epidemic cerebrospinal meningitis----- 18	9	-----	-----	-----	3	1	1	1	2	-----	1	-----	-----
Tuberculosis of the respiratory system----- 23	359	45	31	29	25	35	23	33	19	23	27	27	42
Other forms of tuberculosis----- 24-32	35	3	1	3	2	2	2	6	3	2	3	4	4
Malaria----- 38	193	12	7	5	7	14	14	16	17	28	15	31	27
Diabetes mellitus----- 59	247	28	29	28	20	19	14	16	7	15	24	21	26
Cerebral hemorrhage and softening----- 82a,82c	949	94	120	82	82	65	68	74	68	59	58	71	108
Diseases of the heart----- 90-95	2,635	303	314	294	196	161	170	144	155	177	192	211	318
Bronchitis----- 106	40	8	3	2	2	1	2	3	6	1	5	-----	7
Bronchopneumonia----- 107	235	35	30	24	14	16	14	5	8	7	14	29	40
Lobar and unspecified pneumonia----- 108,109	355	52	56	43	36	20	16	7	7	12	18	23	65
Diarrhea and enteritis (under 2 years)----- 119	120	10	4	12	18	23	16	9	9	2	3	10	4
Diarrhea and enteritis (2 years and over)----- 120	63	2	8	5	9	6	5	4	5	7	5	5	2
Nephritis----- 130-132	1,137	116	123	109	79	91	86	69	88	86	69	88	113
Puerperal septicemia----- 140,142a,145	48	3	4	5	5	5	1	2	4	2	7	2	8
Other puerperal causes----- 141,142b-144,146-150	95	11	5	9	13	5	9	6	9	5	6	8	9
Suicide----- 163-171	259	30	20	22	30	23	17	18	15	21	24	20	19
Automobile accidents----- 210	451	42	36	51	37	29	26	34	24	26	43	43	58
Automobile-train, street car collisions----- 206,208	26	-----	2	3	3	1	2	1	-----	6	4	2	2
Other external causes----- 1/ 172-198	1,018	53	59	55	73	57	59	62	355	60	55	71	-----
All other causes-----	4,177	386	351	402	344	339	287	340	328	323	346	309	422
FLORIDA (other races)----- All causes	7,083	621	644	636	592	558	518	469	555	540	540	604	786
Typhoid and paratyphoid fever----- 1,2	31	-----	2	-----	1	2	4	9	7	3	-----	1	2
Smallpox----- 6	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----
Measles----- 7	2	-----	-----	-----	1	1	-----	-----	-----	-----	-----	-----	-----
Scarlet fever----- 8	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----
Whooping-cough----- 9	29	7	2	-----	5	5	1	-----	3	1	-----	2	3
Diphtheria----- 10	5	1	-----	1	-----	-----	1	-----	-----	1	-----	-----	-----
Influenza----- 11	301	55	68	62	25	10	5	4	12	5	7	12	36
Dysentery----- 13	28	5	-----	1	5	5	-----	-----	4	-----	-----	2	2
Erysipelas----- 15	2	-----	-----	-----	-----	-----	-----	-----	-----	-----	1	-----	1
Lethargic encephalitis----- 17	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----
Epidemic cerebrospinal meningitis----- 18	4	1	1	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----
Tuberculosis of the respiratory system----- 23	469	33	44	41	43	41	45	34	31	39	36	43	39
Other forms of tuberculosis----- 24-32	32	3	3	2	2	4	-----	3	4	5	3	2	1
Malaria----- 38	135	4	6	6	10	6	11	16	17	12	15	16	11
Diabetes mellitus----- 59	562	77	72	65	74	65	60	59	68	58	64	94	94
Cerebral hemorrhage and softening----- 82a,82c	830	49	44	57	51	41	44	37	37	57	44	56	65
Diseases of the heart----- 90-95	630	77	72	65	74	65	60	59	68	58	64	94	94
Bronchitis----- 106	15	2	3	1	1	2	2	1	-----	-----	1	1	1
Bronchopneumonia----- 107	133	11	19	16	13	6	5	5	8	12	9	24	-----
Lobar and unspecified pneumonia----- 108,109	369	35	59	38	36	24	15	5	11	17	22	30	77
Diarrhea and enteritis (under 2 years)----- 119	86	4	4	7	13	12	11	10	5	6	2	5	7
Diarrhea and enteritis (2 years and over)----- 120	64	5	3	4	4	4	13	4	7	4	3	8	6
Nephritis----- 130-132	654	43	39	59	47	44	45	39	45	44	52	41	56
Puerperal septicemia----- 140,142a,145	43	4	4	6	2	4	7	4	5	1	3	2	1
Other puerperal causes----- 141,142b-144,146-150	57	8	9	5	2	1	3	3	2	4	6	6	8
Suicide----- 163-171	19	2	2	2	1	-----	2	4	1	3	2	-----	-----
Automobile accidents----- 210	153	14	14	12	10	8	13	15	6	10	22	8	21
Automobile-train, street car collisions----- 206,208	2	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----
Other external causes----- 1/ 172-198	676	63	63	53	44	57	46	62	58	64	57	56	63
All other causes-----	2,416	190	186	187	212	208	178	169	210	188	191	236	261

1/ Excludes deaths from automobile accidents which are shown under symbols 206, 208, and 210.

MORTALITY STATISTICS

TABLE 10.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM SELECTED CAUSES, BY MONTH: 1935—Continued

(See note at head of this table)

AREA AND CAUSE OF DEATH	Total deaths	Month											
		Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
GEORGIA (White)----- All causes	18,673	1,941	1,738	1,745	1,387	1,474	1,429	1,341	1,419	1,329	1,504	1,429	1,937
Typhoid and paratyphoid fever----- 1,2	103	2	---	3	2	5	13	19	24	8	12	6	9
Smallpox----- 6	5	---	---	---	---	---	---	---	---	---	---	---	---
Measles----- 7	15	2	4	2	4	---	1	1	---	---	---	---	---
Scarlet fever----- 23	23	1	2	3	---	---	3	1	2	2	3	1	4
Whooping-cough----- 9	72	11	8	8	11	7	6	4	4	4	2	3	3
Diphtheria----- 10	116	11	8	8	5	4	---	4	6	12	25	19	17
Influenza----- 11	773	221	190	125	56	18	10	3	11	8	13	26	93
Dysentery----- 13	85	1	3	2	5	13	23	16	9	2	7	3	1
Erysipelas----- 15	40	6	5	---	3	1	7	6	2	2	5	1	2
Lethargic encephalitis----- 17	4	---	---	---	---	---	1	2	---	---	---	---	---
Epidemic cerebrospinal meningitis----- 18	23	2	---	1	---	---	3	---	2	2	3	4	6
Tuberculosis of the respiratory system----- 23	609	63	56	54	52	53	30	53	55	54	43	36	48
Other forms of tuberculosis----- 24-32	45	4	2	5	4	3	4	5	4	4	3	3	4
Malaria----- 38	171	12	2	7	4	11	7	15	22	28	33	21	9
Diabetes mellitus----- 59	298	25	31	34	23	16	14	23	30	15	25	26	33
Cerebral hemorrhage and softening----- 82a, 82c	1,339	116	118	129	110	113	107	96	100	109	105	107	129
Diseases of the heart----- 90-95	2,964	290	238	269	232	255	222	203	240	205	257	248	305
Bronchitis----- 106	48	7	7	7	1	4	1	1	3	1	10	2	4
Bronchopneumonia----- 107	521	71	90	60	41	32	20	13	20	27	33	33	81
Lobar and unspecified pneumonia----- 108, 109	992	148	140	128	80	59	35	24	33	54	57	70	184
Diarrhea and enteritis (under 2 years)----- 119	307	7	7	13	12	46	80	39	25	29	21	17	11
Diarrhea and enteritis (2 years and over)----- 120	92	4	3	3	6	13	14	9	9	11	9	8	3
Nephritis----- 130-132	1,743	159	151	170	128	137	144	130	139	130	131	129	165
Puerperal septicemia----- 140, 142a, 145	70	7	8	6	5	9	4	3	5	2	5	9	7
Other puerperal causes----- 141, 142b-144, 146-150	156	26	20	6	14	10	12	8	11	10	16	7	14
Suicide----- 163-171	271	33	18	16	25	25	25	25	30	12	18	17	27
Automobile accidents----- 210	605	44	47	50	36	48	36	46	56	47	62	62	71
Automobile-train, street car collisions-- 206, 208	29	4	2	1	3	4	3	2	4	---	1	3	9
Other external causes----- 1/ 172-198	960	93	65	63	61	72	65	81	79	85	85	94	58
All other causes-----	6,199	569	502	574	455	512	518	509	495	485	520	472	586
GEORGIA (other races)----- All causes	15,615	1,570	1,384	1,339	1,220	1,296	1,196	1,224	1,191	1,172	1,208	1,225	1,586
Typhoid and paratyphoid fever----- 1,2	161	5	1	4	2	9	22	27	30	28	13	6	12
Smallpox----- 6	1	---	---	---	---	---	---	---	---	---	---	---	---
Measles----- 7	10	1	2	2	1	4	---	---	---	---	---	---	---
Scarlet fever----- 8	2	---	---	---	---	---	---	---	---	---	---	1	---
Whooping-cough----- 9	73	10	5	7	---	10	17	7	4	5	3	8	1
Diphtheria----- 10	54	5	7	7	---	3	1	2	12	6	8	6	8
Influenza----- 11	564	140	127	92	38	30	9	4	7	7	12	30	78
Dysentery----- 13	75	---	1	3	3	21	15	7	8	4	4	4	4
Erysipelas----- 15	4	---	---	---	---	---	---	---	1	---	---	---	---
Lethargic encephalitis----- 17	1	---	---	---	---	---	---	---	---	---	---	---	---
Epidemic cerebrospinal meningitis----- 18	11	2	1	4	---	---	1	---	1	---	1	1	---
Tuberculosis of the respiratory system----- 23	983	89	77	74	97	89	78	101	82	82	72	70	72
Other forms of tuberculosis----- 24-32	103	9	12	8	12	6	10	9	9	9	7	7	5
Malaria----- 38	210	5	2	5	4	14	22	26	37	35	35	14	11
Diabetes mellitus----- 59	92	4	11	6	10	6	8	11	6	10	6	3	11
Cerebral hemorrhage and softening----- 82a, 82c	1,079	109	89	81	90	85	70	93	72	78	106	85	111
Diseases of the heart----- 90-95	2,053	195	162	167	155	166	158	167	165	157	165	184	212
Bronchitis----- 106	38	2	4	1	1	4	1	4	3	4	3	3	4
Bronchopneumonia----- 107	429	63	55	53	37	23	16	15	16	27	35	30	60
Lobar and unspecified pneumonia----- 108, 109	1,034	153	135	131	90	76	44	31	23	42	61	81	167
Diarrhea and enteritis (under 2 years)----- 119	199	2	2	9	14	38	46	23	17	17	14	10	7
Diarrhea and enteritis (2 years and over)----- 120	64	6	3	6	9	9	13	6	7	8	6	6	3
Nephritis----- 130-132	1,333	129	109	123	115	140	88	120	107	99	106	65	112
Puerperal septicemia----- 140, 142a, 145	89	12	3	7	8	11	7	9	9	5	9	9	5
Other puerperal causes----- 141, 142b-144, 146-150	144	13	9	16	16	14	8	10	13	16	10	9	10
Suicide----- 163-171	30	3	2	4	2	1	2	1	4	5	2	---	---
Automobile accidents----- 210	295	28	28	15	18	16	21	21	26	19	35	36	33
Automobile-train, street car collisions-- 206, 208	5	---	---	---	---	---	---	1	---	---	---	---	---
Other external causes----- 1/ 172-198	1,182	108	107	97	71	80	95	108	122	92	78	91	132
All other causes-----	5,277	478	436	427	423	439	445	413	418	415	443	443	523
IDARO----- All causes	4,531	404	372	383	378	390	352	356	365	316	395	411	409
Typhoid and paratyphoid fever----- 1,2	16	2	1	---	1	---	---	3	---	1	3	2	3
Smallpox----- 5	1	---	---	1	---	---	---	---	---	---	---	---	---
Measles----- 7	12	1	---	---	1	2	3	1	---	1	---	---	---
Scarlet fever----- 8	32	2	2	---	2	4	3	3	3	1	5	4	3
Whooping-cough----- 9	45	5	7	10	3	5	5	4	3	---	---	---	---
Diphtheria----- 10	4	---	---	1	---	1	---	---	---	---	---	---	---
Influenza----- 11	113	30	---	---	6	9	2	3	5	2	11	10	9
Dysentery----- 13	6	---	---	---	1	---	---	---	---	---	---	---	---
Erysipelas----- 15	4	---	1	---	---	1	---	---	---	---	---	2	---
Lethargic encephalitis----- 17	8	---	---	---	2	1	---	---	2	---	---	---	---
Epidemic cerebrospinal meningitis----- 18	10	---	1	1	1	1	2	2	---	---	1	---	1
Tuberculosis of the respiratory system----- 23	102	7	6	7	8	11	6	6	4	9	18	11	5
Other forms of tuberculosis----- 24-32	20	1	1	1	3	4	3	1	---	1	---	---	---
Malaria----- 38	2	---	---	---	---	---	---	---	---	---	---	---	---
Diabetes mellitus----- 59	93	14	4	6	10	7	9	7	6	6	5	3	7
Cerebral hemorrhage and softening----- 82a, 82c	302	24	25	20	25	27	21	20	28	26	30	30	25
Diseases of the heart----- 90-95	891	66	72	77	75	85	77	85	78	56	71	73	76
Bronchitis----- 106	8	---	3	2	---	---	---	---	---	---	---	---	---
Bronchopneumonia----- 107	117	19	12	14	11	11	1	5	3	8	15	6	14
Lobar and unspecified pneumonia----- 108, 109	253	32	27	24	27	15	17	12	8	2	19	30	33
Diarrhea and enteritis (under 2 years)----- 119	21	2	2	1	1	1	---	---	---	---	5	2	---
Diarrhea and enteritis (2 years and over)----- 120	16	---	2	1	1	3	---	---	---	1	2	3	2
Nephritis----- 130-132	300	25	25	29	18	22	29	25	24	23	21	32	27
Puerperal septicemia----- 140, 142a, 145	27	3	3	2	4	4	2	1	1	1	1	1	1
Other puerperal causes----- 141, 142b-144, 146-150	33	6	2	3	3	3	2	4	4	2	2	1	1
Suicide----- 163-171	71	8	3	7	9	6	4	2	9	5	5	5	8
Automobile accidents----- 210	158	7	9	5	5	8	11	14	29	18	22	14	16
Automobile-train, street car collisions-- 206, 208	5	---	---	---	---	---	---	---	---	---	---	---	---
Other external causes----- 1/ 172-198	297	17	8	10	24	27	33	35	25	27	35	29	26
All other causes-----	1,566	129	141	146	136	133	118	122	128	112	122	141	138

1/ Excludes deaths from automobile accidents which are shown under symbols 206, 208, and 210.

DEATHS FROM SELECTED CAUSES, BY MONTH

329

TABLE 10.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM SELECTED CAUSES, BY MONTH: 1935—Continued

(See note at head of this table)

AREA AND CAUSE OF DEATH	Total deaths	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
		ILLINOIS—All causes	85,518	8,483	7,114	7,715	7,488	7,461	6,629	6,659	6,241	6,329	6,769
Typhoid and paratyphoid fever—1,2	90	6	4	5	6	3	3	15	14	19	5	7	3
Smallpox—6	1					1							
Measles—7	281	43	41	68	55	41	24	5	2	1			1
Scarlet fever—8	410	41	43	63	61	50	49	27	12	9	19	21	15
Whooping-cough—9	211	13	25	23	25	21	26	17	15	15	7	11	14
Diphtheria—10	210	22	15	24	16	20	14	10	10	18	20	23	18
Influenza—11	1,072	308	185	145	89	51	29	32	22	32	37	56	86
Dysentery—13	60	1	5	4	4	4	4	10	10	4	6	3	5
Erysipelas—15	114	15	10	15	15	10	9	4	8	4	6	5	12
Lethargic encephalitis—17	40	3	3	1	12	4	4	2	1	3	4	2	1
Epidemic cerebrospinal meningitis—18	206	16	18	43	20	30	19	12	12	3	6	9	18
Tuberculosis of the respiratory system—23	3,558	330	315	324	314	368	285	328	297	258	274	296	269
Other forms of tuberculosis—24-32	411	31	31	35	33	49	22	41	38	34	31	39	27
Malaria—38	66	6	3	1	2	4	2	14	15	6	4	6	3
Diabetes mellitus—59	2,044	203	175	169	184	154	153	158	153	147	180	169	199
Cerebral hemorrhage and softening—82a,82c	5,226	508	400	462	503	430	400	380	362	378	435	438	532
Diseases of the heart—90-95	22,144	2,156	1,920	1,953	1,935	1,951	1,762	1,678	1,538	1,686	1,791	1,768	2,111
Bronchitis—106	283	35	27	35	20	28	17	15	6	18	18	27	37
Bronchopneumonia—107	2,197	338	235	240	216	171	120	97	97	119	145	179	242
Lobar and unspecified pneumonia—108,109	3,415	522	361	407	375	315	197	128	101	149	189	246	429
Diarrhea and enteritis (under 2 years)—119	360	19	24	23	24	24	36	72	29	39	20	26	24
Diarrhea and enteritis (2 years and over)—120	199	13	5	12	9	14	9	21	29	32	21	14	13
Nephritis—130-132	7,530	787	649	665	693	644	553	595	520	574	574	608	669
Puerperal septicemia—140,142a,145	236	31	28	20	23	21	19	13	19	14	14	16	13
Other puerperal causes—141,142b-144,146-150	319	27	32	20	25	17	32	36	28	30	23	26	23
Suicide—163-171	1,249	102	85	105	90	104	129	116	110	96	113	92	107
Automobile accidents—210	2,037	153	130	155	156	156	147	160	160	196	206	210	188
Automobile-train, street car collisions—206,208	240	9	14	19	16	14	16	14	15	32	18	28	45
Other external causes—1/172-198	4,036	337	306	296	334	303	326	446	409	300	341	324	314
All other causes—	27,170	2,418	2,128	2,394	2,231	2,459	2,223	2,258	2,182	2,112	2,263	2,139	2,373
INDIANA—All causes	39,515	3,868	3,356	3,707	3,280	3,334	2,999	3,036	2,922	2,922	3,171	3,071	3,779
Typhoid and paratyphoid fever—1,2	65	4	3	3	1	4	2	11	11	8	9	3	6
Smallpox—6													
Measles—7	116	20	20	31	23	5	7	5	1	2	2		
Scarlet fever—8	121	23	15	16	9	7	3	2	6	5	5	12	16
Whooping-cough—9	144	24	18	15	16	20	10	11	8	6	6	4	4
Diphtheria—10	139	8	11	11	3	5	7	4	3	12	22	24	29
Influenza—11	869	230	148	136	78	35	26	14	20	29	38	29	86
Dysentery—13	32	1	1			3		5	7	9	5	1	
Erysipelas—15	51	5	6	4	8	10	5	2	2	3	1	3	2
Lethargic encephalitis—17	31	2	2	5	3	4	1	2	2	4	3	1	2
Epidemic cerebrospinal meningitis—18	96	9	13	11	12	17	6	6	2	4	4	4	8
Tuberculosis of the respiratory system—23	1,488	146	124	139	128	141	112	123	121	102	106	115	131
Other forms of tuberculosis—24-32	198	18	16	19	23	25	15	15	17	10	13	13	14
Malaria—38	10			1				3	2	1	2		
Diabetes mellitus—59	766	72	66	70	49	69	61	56	51	65	68	61	80
Cerebral hemorrhage and softening—82a,82c	3,373	304	280	315	295	270	265	243	259	257	279	264	341
Diseases of the heart—90-95	9,177	871	777	860	737	786	725	717	689	698	750	718	849
Bronchitis—106	91	13	9	9	6	8	5	6	4	7	8	5	11
Bronchopneumonia—107	1,068	175	136	127	106	90	40	29	37	44	66	81	147
Lobar and unspecified pneumonia—108,109	1,849	244	185	193	163	137	90	59	41	69	113	141	214
Diarrhea and enteritis (under 2 years)—119	256	7	8	11	10	11	14	45	46	41	31	16	16
Diarrhea and enteritis (2 years and over)—120	183	7	2	7	11	4	15	20	31	20	14	8	14
Nephritis—130-132	3,695	326	310	334	347	341	281	308	257	297	274	275	355
Puerperal septicemia—140,142a,145	131	18	8	14	22	11	9	4	9	8	7	8	15
Other puerperal causes—141,142b-144,146-150	147	15	7	17	13	13	9	16	11	13	10	11	12
Suicide—163-171	528	45	37	60	53	31	53	55	42	36	49	39	28
Automobile accidents—210	1,056	67	73	105	62	74	94	73	108	97	109	97	98
Automobile-train, street car collisions—206,208	145	19	11	7	5	9	8	13	9	12	20	12	20
Other external causes—1/172-198	1,845	175	136	141	119	139	171	196	174	128	143	140	163
All other causes—	12,075	1,020	935	1,046	987	1,075	964	995	953	1,006	1,015	984	1,094
IOWA—All causes	26,364	2,626	2,154	2,508	2,327	2,249	2,091	1,991	1,888	2,059	2,002	2,137	2,332
Typhoid and paratyphoid fever—1,2	34	4	1	3	1		1	4	7	7		5	1
Smallpox—6													
Measles—7	148	20	33	48	24	14	7	2					
Scarlet fever—8	69	8	6	5	11	4	4	5		4	2	10	10
Whooping-cough—9	45	2	2	7		3	7	4	8	2	4	2	2
Diphtheria—10	52	7	3	6	4	1	2	2	2	9	7	6	3
Influenza—11	577	112	108	99	59	43	27	8	11	20	25	24	41
Dysentery—13	9	1						1	1	2	3		
Erysipelas—15	57	5	5	7	6	9	5	5	1	1	4	6	3
Lethargic encephalitis—17	17		1	2	1	3	2	1	3	1	1	1	1
Epidemic cerebrospinal meningitis—18	52	1	5	5	5	9	6	3	2	1	3	6	6
Tuberculosis of the respiratory system—23	552	56	48	34	47	60	45	35	41	49	45	48	44
Other forms of tuberculosis—24-32	98	12	12	17	6	6	7	10	8	2	4	10	4
Malaria—38	1							1					
Diabetes mellitus—59	530	55	44	63	50	36	39	34	25	35	46	47	56
Cerebral hemorrhage and softening—82a,82c	2,512	220	187	231	211	210	216	184	200	188	236	203	226
Diseases of the heart—90-95	5,702	564	476	510	520	508	464	426	366	462	391	504	517
Bronchitis—106	90	15	9	9	7	7	5	6	1	2	11	11	11
Bronchopneumonia—107	835	168	87	101	77	72	43	32	25	51	49	63	66
Lobar and unspecified pneumonia—108,109	1,100	173	131	126	132	96	64	22	22	62	48	82	142
Diarrhea and enteritis (under 2 years)—119	113	6	3	8	7	10	5	11	15	21	13	4	10
Diarrhea and enteritis (2 years and over)—120	74	6	3	4	5	8	2	12	14	6	6	4	4
Nephritis—130-132	1,492	139	107	138	141	130	132	106	109	127	110	120	133
Puerperal septicemia—140,142a,145	100	8	2	7	5	10	10	10	13	6	10	14	5
Other puerperal causes—141,142b-144,146-150	122	12	7	14	12	9	8	13	9	8	8	11	11
Suicide—163-171	420	27	33	41	28	31	37	40	31	50	42	34	26
Automobile accidents—210	570	34	31	31	45	30	54	51	61	74	61	46	52
Automobile-train, street car collisions—206,208	51	5	4	3	5	2	5	2	3	6	5	11	7
Other external causes—1/172-198	1,329	100	84	113	96	107	123	156	115	105	106	113	111
All other causes—	9,614	866	721	875	822	837	771	608	790	782	770	752	840

1/ Excludes deaths from automobile accidents which are shown under symbols 206, 208, and 210.

MORTALITY STATISTICS

TABLE 10.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM SELECTED CAUSES, BY MONTH: 1935—Continued

(See note at head of this table)

AREA AND CAUSE OF DEATH	Total deaths	Month											
		Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
KANSAS ----- All causes	20,334	2,001	1,721	1,907	1,918	1,794	1,535	1,737	1,508	1,374	1,531	1,530	1,778
Typhoid and paratyphoid fever----- 1,2	29	1	-----	-----	-----	2	-----	9	6	4	6	-----	1
Smallpox----- 6	1	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----
Measles----- 7	228	8	23	43	69	53	18	4	4	5	-----	1	-----
Scarlet fever----- 8	50	3	3	8	8	8	-----	3	1	1	4	5	6
Whooping-cough----- 9	52	3	2	4	9	9	5	6	6	1	4	1	2
Diphtheria----- 10	40	5	4	3	5	2	1	3	1	1	5	6	4
Influenza----- 11	578	131	128	85	66	44	20	8	6	5	19	30	36
Dysentery----- 13	23	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----
Erysipelas----- 15	35	1	4	3	7	9	-----	4	4	4	2	4	2
Lethargic encephalitis----- 17	27	1	2	-----	-----	-----	-----	4	-----	-----	-----	-----	-----
Epidemic cerebrospinal meningitis----- 18	36	3	10	5	3	5	-----	3	5	-----	3	-----	-----
Tuberculosis of the respiratory system----- 23	482	50	36	53	40	37	30	49	34	35	46	32	33
Other forms of tuberculosis----- 24-32	60	9	4	4	3	4	3	2	1	4	7	4	7
Malaria----- 38	5	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----
Diabetes mellitus----- 59	422	46	22	41	35	35	31	42	25	28	45	28	44
Cerebral hemorrhage and softening----- 82a,82c	1,755	166	119	154	161	159	129	160	136	117	145	141	168
Diseases of the heart----- 90-95	4,194	418	353	376	389	384	352	390	286	280	301	336	399
Bronchitis----- 106	79	8	4	4	13	10	5	3	2	1	9	10	10
Bronchopneumonia----- 107	632	110	76	95	62	59	28	19	22	21	35	37	68
Lobar and unspecified pneumonia----- 108,109	859	130	101	124	137	125	36	21	13	20	37	34	81
Diarrhea and enteritis (under 2 years)----- 119	129	13	9	10	6	5	4	15	20	15	11	12	9
Diarrhea and enteritis (2 years and over)----- 120	88	5	5	2	7	4	6	12	14	14	6	5	8
Nephritis----- 130-132	1,640	137	111	147	155	143	122	161	125	121	121	145	152
Puerperal septicemia----- 140,142a,145	92	5	9	8	6	6	7	8	10	10	6	9	8
Other puerperal causes----- 141,142b-144,146-150	95	10	8	10	11	7	4	5	4	7	12	4	13
Suicide----- 163-171	308	22	17	22	17	28	32	34	31	29	31	18	27
Automobile accidents----- 210	518	32	40	45	36	25	39	41	46	44	55	56	59
Automobile-train, street car collisions----- 206,208	73	6	5	6	5	6	1	5	6	5	7	10	11
Other external causes----- 1/ 172-198	1,112	81	84	88	83	83	105	158	108	76	69	82	97
All other causes-----	6,692	597	542	565	582	539	551	617	587	525	543	509	535
KENTUCKY (White) ----- All causes	25,218	2,429	2,178	2,331	2,148	1,991	1,864	2,030	2,005	1,947	1,990	1,951	2,354
Typhoid and paratyphoid fever----- 1,2	209	11	5	8	7	10	9	23	50	37	28	11	12
Smallpox----- 6	7	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----
Measles----- 7	280	38	43	50	45	13	7	2	2	3	3	5	9
Scarlet fever----- 8	73	6	6	12	7	2	1	4	5	9	8	12	8
Whooping-cough----- 9	246	24	33	32	30	15	17	27	22	12	16	10	8
Diphtheria----- 10	224	23	17	10	11	5	4	14	28	44	36	28	28
Influenza----- 11	704	134	156	118	55	46	15	6	13	18	25	41	97
Dysentery----- 13	198	4	3	2	11	10	29	41	27	8	8	6	3
Erysipelas----- 15	42	5	5	5	3	1	2	1	2	5	4	5	4
Lethargic encephalitis----- 17	14	1	1	2	2	2	-----	2	-----	2	1	-----	1
Epidemic cerebrospinal meningitis----- 18	65	8	7	8	3	4	5	5	4	4	2	3	12
Tuberculosis of the respiratory system----- 23	1,458	138	147	141	129	125	112	99	117	119	101	103	127
Other forms of tuberculosis----- 24-32	173	15	14	16	16	15	18	20	10	13	13	12	11
Malaria----- 38	37	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----
Diabetes mellitus----- 59	382	40	37	32	35	30	24	25	21	29	29	40	40
Cerebral hemorrhage and softening----- 82a,82c	1,837	168	136	178	178	155	133	146	151	133	141	134	184
Diseases of the heart----- 90-95	4,411	417	366	415	419	365	351	312	314	315	326	349	442
Bronchitis----- 106	89	16	3	12	6	6	2	8	5	11	8	5	7
Bronchopneumonia----- 107	798	119	113	108	65	51	30	24	30	38	43	74	103
Lobar and unspecified pneumonia----- 108,109	1,218	181	178	132	110	82	50	34	38	46	66	102	199
Diarrhea and enteritis (under 2 years)----- 119	563	19	13	10	14	19	64	127	116	74	51	35	21
Diarrhea and enteritis (2 years and over)----- 120	192	4	7	7	7	9	25	48	28	22	16	12	7
Nephritis----- 130-132	1,682	162	126	168	140	136	114	151	129	132	144	134	146
Puerperal septicemia----- 140,142a,145	108	10	5	13	10	15	11	6	9	7	9	6	7
Other puerperal causes----- 141,142b-144,146-150	158	16	16	20	9	15	11	8	7	11	15	17	11
Suicide----- 163-171	278	17	25	24	22	34	30	25	24	18	24	20	16
Automobile accidents----- 210	593	42	40	35	33	45	43	64	51	63	69	51	57
Automobile-train, street car collisions----- 206,208	16	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----
Other external causes----- 1/ 172-198	1,717	151	109	158	142	143	146	163	137	130	133	142	143
All other causes-----	7,493	658	587	616	635	634	604	624	654	621	655	584	642
KENTUCKY (other races) ----- All causes	4,152	407	336	333	354	358	311	359	335	318	323	290	428
Typhoid and paratyphoid fever----- 1,2	45	2	-----	-----	-----	4	4	8	14	6	4	1	2
Smallpox----- 6	1	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----
Measles----- 7	13	3	1	1	2	3	1	1	-----	1	-----	-----	-----
Scarlet fever----- 8	1	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----
Whooping-cough----- 9	31	3	5	1	2	2	5	5	3	3	1	1	-----
Diphtheria----- 10	11	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----
Influenza----- 11	116	23	19	20	14	7	3	2	4	4	4	5	11
Dysentery----- 13	11	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----
Erysipelas----- 15	2	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----
Lethargic encephalitis----- 17	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----
Epidemic cerebrospinal meningitis----- 18	8	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----
Tuberculosis of the respiratory system----- 23	318	35	21	27	24	28	29	23	30	21	26	22	32
Other forms of tuberculosis----- 24-32	34	2	2	6	4	3	2	3	3	3	3	-----	4
Malaria----- 38	14	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----
Diabetes mellitus----- 59	32	1	4	1	5	3	-----	-----	5	2	3	4	4
Cerebral hemorrhage and softening----- 82a,82c	331	23	29	28	20	26	28	30	19	21	33	28	46
Diseases of the heart----- 90-95	653	90	70	47	71	94	64	69	69	57	70	67	95
Bronchitis----- 106	11	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----
Bronchopneumonia----- 107	124	15	14	12	10	8	12	9	6	6	9	6	17
Lobar and unspecified pneumonia----- 108,109	249	39	34	27	24	32	5	3	7	20	15	15	28
Diarrhea and enteritis (under 2 years)----- 119	55	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----
Diarrhea and enteritis (2 years and over)----- 120	47	1	1	1	-----	-----	5	8	10	6	7	3	4
Nephritis----- 130-132	391	39	29	39	37	19	30	38	27	33	30	28	41
Puerperal septicemia----- 140,142a,145	20	1	2	2	2	2	-----	-----	3	1	2	3	2
Other puerperal causes----- 141,142b-144,146-150	20	4	3	2	1	1	1	3	1	2	1	-----	-----
Suicide----- 163-171	12	2	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----
Automobile accidents----- 210	64	6	1	5	2	5	3	13	4	6	6	5	7
Automobile-train, street car collisions----- 206,208	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----
Other external causes----- 1/ 172-198	319	23	27	26	23	24	25	31	35	25	28	16	36
All other causes-----	1,009	93	72	74	107	86	71	89	79	89	81	79	87

1/ Excludes deaths from automobile accidents which are shown under symbols 206, 208, and 210.

DEATHS FROM SELECTED CAUSES, BY MONTH

TABLE 10.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM SELECTED CAUSES, BY MONTH: 1935—Continued

(See note at head of this table)

AREA AND CAUSE OF DEATH	Total deaths	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
LOUISIANA (White)----- All causes	12,835	1,200	1,152	1,174	975	998	1,005	965	1,007	945	1,023	1,042	1,349
Typhoid and paratyphoid fever----- 1,2	87	3	4	12	9	5	13	9	9	7	7	5	4
Smallpox----- 6	9												
Measles----- 7	91	7	16	19	14	17	7	4	1		2	1	3
Scarlet fever----- 8	9	4		1			1			1			
Whooping-cough----- 9	23	7	5	2	3	1	5	3	2	1	2	3	5
Diphtheria----- 10	74	9	9	3	10	3	2	3	6	5	7	5	16
Influenza----- 11	259	42	48	57	19	7	5	4	5	7	7	15	43
Dysentery----- 13	43	1			5	6	5	4	4	5	7	6	2
Erysipelas----- 15	12	2			1	1	1	1	1	2		2	1
Lethargic encephalitis----- 17	6			1	3		1					1	
Epidemic cerebrospinal meningitis----- 18	14	2	4	1	1	1		2			1		2
Tuberculosis of the respiratory system----- 23	539	43	53	48	47	51	53	36	38	43	32	49	46
Other forms of tuberculosis----- 24-32	33	5	4		3	4		1	1	6	5	2	2
Malaria----- 38	178	6	1	6	5	12	9	27	41	26	20	18	7
Diabetes mellitus----- 59	241	35	22	18	14	16	18	23	20	18	19	15	23
Cerebral hemorrhage and softening----- 82a, 82c	692	67	56	72	50	50	53	47	47	67	49	61	73
Diseases of the heart----- 90-95	2,555	260	248	233	185	188	200	176	165	168	201	231	300
Bronchitis----- 106	40	2	2	2	4	2	2	3	4	3		4	7
Bronchopneumonia----- 107	471	51	57	53	39	24	27	36	31	18	33	37	65
Lobar and unspecified pneumonia----- 108, 109	487	70	51	67	51	29	19	20	18	18	28	36	80
Diarrhea and enteritis (under 2 years)----- 119	185	13	6	11	9	37	20	25	19	8	19	9	9
Diarrhea and enteritis (2 years and over)----- 120	71	3	9	6	5	2	9	7	6	7	8	3	6
Nephritis----- 130-132	1,252	109	110	108	115	102	94	101	96	89	108	105	115
Puerperal septicemia----- 140, 142a, 145	66	3	3	9	4	5	5	8	7	4	9	5	4
Other puerperal causes----- 141, 142b-144, 146-150	91	7	7	9	7	3	4	14	12	6	7	4	11
Suicide----- 163-171	148	7	14	14	12	19	14	9	18	11	15	10	5
Automobile accidents----- 210	357	34	23	26	16	23	22	20	37	27	36	33	50
Automobile-train, street car collisions----- 206, 208	18	2	4		1	1			2	5		1	2
Other external causes----- 1/ 172-198	725	68	68	52	40	54	73	54	56	48	71	56	85
All other causes-----	4,064	345	325	334	304	335	343	328	363	346	332	325	384
LOUISIANA (other races)----- All causes	10,876	957	965	954	866	870	933	844	907	797	885	875	1,013
Typhoid and paratyphoid fever----- 1,2	107	4	6	4	4	6	11	28	15	10	5	12	1
Smallpox----- 6	35	4	6	6	5	2	4	5	2	1			
Measles----- 7	39	5	2	6	1	5	3	1	4	2	4	3	3
Scarlet fever----- 8	37	5	2	1	1	2	1	6	2	5	3	5	4
Whooping-cough----- 9	10	3											
Diphtheria----- 10	246	40	46	48	16	15	6	5	3	3	8	17	39
Influenza----- 11	27	2	2	4	3			4	1	2	1	1	3
Dysentery----- 13	4	1										2	1
Erysipelas----- 15	2	1										1	
Lethargic encephalitis----- 17	7		1	2							1	2	1
Epidemic cerebrospinal meningitis----- 18	883	67	76	88	89	74	97	60	73	60	62	76	61
Tuberculosis of the respiratory system----- 23	74	6	5	5	9	10	6	4	7	3	5	4	10
Other forms of tuberculosis----- 24-32	183	7	3	5	3	4	20	27	33	29	31	11	10
Malaria----- 38	94	9	5	5	6	7	5	7	12	10	9	7	12
Diabetes mellitus----- 59	604	45	62	53	54	52	45	48	47	42	50	50	58
Cerebral hemorrhage and softening----- 82a, 82c	1,826	151	176	150	154	143	154	136	139	119	169	150	185
Diseases of the heart----- 90-95	15	1	3					2		2	4	1	1
Bronchitis----- 106	403	49	41	37	27	24	17	33	14	21	31	46	63
Bronchopneumonia----- 107	434	49	66	62	35	27	19	11	21	18	27	28	71
Lobar and unspecified pneumonia----- 108, 109	192	14	3	9	15	19	25	22	21	22	19	16	7
Diarrhea and enteritis (under 2 years)----- 119	57	5	3		1	6	10	4	9	6	8	3	2
Diarrhea and enteritis (2 years and over)----- 120	991	82	89	88	76	91	84	90	78	71	93	70	79
Nephritis----- 130-132	80	8	4	3	6	4	7	4	9	9	6	5	15
Puerperal septicemia----- 140, 142a, 145	96	3	9	8	9	5	13	10	6	7	7	9	10
Other puerperal causes----- 141, 142b-144, 146-150	15	1	1	2	1	2	1	3	1	3		3	1
Suicide----- 163-171	143	13	13	11	6	6	13	6	12	10	19	17	17
Automobile accidents----- 210	1												
Automobile-train, street car collisions----- 206, 208	689	57	53	47	48	60	61	65	77	51	60	55	85
Other external causes----- 1/ 172-198	3,592	329	288	320	297	307	329	264	319	291	263	281	304
All other causes-----													
MAINE----- All causes	11,024	1,029	953	1,075	964	982	804	829	808	848	912	832	968
Typhoid and paratyphoid fever----- 1,2	17		3		3	2	1		1	3	1	1	2
Smallpox----- 6	59	17	7	11	6	4	1	4	1			3	5
Measles----- 7	10	2	1		1	1	1	1				2	2
Scarlet fever----- 8	30	8	6	6	4			2			1	1	2
Whooping-cough----- 9	9	1				3				2			2
Diphtheria----- 10	171	20	24	42	14	20	7	5	2	8	8	10	11
Influenza----- 11	2											1	1
Dysentery----- 13	15	3	2	1	3	2						1	2
Erysipelas----- 15	4				2	1				1			
Lethargic encephalitis----- 17	4					1						2	1
Epidemic cerebrospinal meningitis----- 18	245	25	20	14	17	32	18	17	20	18	24	20	20
Tuberculosis of the respiratory system----- 23	54	4	6	5	7	2	4	4	5	4	4	4	5
Other forms of tuberculosis----- 24-32	1							1					
Malaria----- 38	234	29	19	21	17	21	17	12	21	15	26	20	15
Diabetes mellitus----- 59	969	106	74	84	88	74	97	69	63	72	83	80	79
Cerebral hemorrhage and softening----- 82a, 82c	2,758	248	241	271	262	236	183	200	194	207	243	219	254
Diseases of the heart----- 90-95	57	8	5	12	5	7	2	4	2	1	3	1	7
Bronchitis----- 106	343	41	32	44	41	31	17	9	19	19	28	22	40
Bronchopneumonia----- 107	369	40	48	60	47	37	24	11	6	20	25	19	34
Lobar and unspecified pneumonia----- 108, 109	109	7	5	5	7	5	7	10	23	23	10	2	5
Diarrhea and enteritis (under 2 years)----- 119	56	1	3	3	3	1	3	3	5	5	5	1	3
Diarrhea and enteritis (2 years and over)----- 120	736	75	71	73	59	76	49	49	60	54	54	62	54
Nephritis----- 130-132	22	2	1	3	3	1	3	4	1	1	1		2
Puerperal septicemia----- 140, 142a, 145	68	2	10	5	8	5	8	8	7		6	4	5
Other puerperal causes----- 141, 142b-144, 146-150	134	8	7	13	8	9	9	23	6	12	13	12	14
Suicide----- 163-171	200	13	12	14	13	13	19	18	16	30	20	14	18
Automobile accidents----- 210	10												
Automobile-train, street car collisions----- 206, 208	496	40	21	32	43	38	42	57	57	31	46	51	38
Other external causes----- 1/ 172-198													
All other causes-----	3,862	330	334	355	322	363	290	316	297	320	308	282	345

1/ Excludes deaths from automobile accidents which are shown under symbols 206, 208, and 210.

MORTALITY STATISTICS

TABLE 10.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM SELECTED CAUSES, BY MONTH: 1935—Continued

(See note at head of this table)

Table with columns for AREA AND CAUSE OF DEATH, Total deaths, and months from Jan. to Dec. Data is presented for MARYLAND (White), MARYLAND (other races), and MASSACHUSETTS.

1/ Excludes deaths from automobile accidents which are shown under symbols 206, 208, and 210.

DEATHS FROM SELECTED CAUSES, BY MONTH

TABLE 10.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM SELECTED CAUSES, BY MONTH: 1935—Continued

(See note at head of this table)

AREA AND CAUSE OF DEATH	Total deaths	MONTH											
		Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
MICHIGAN ----- All causes	51,050	4,713	4,522	4,808	4,626	4,544	4,032	3,833	3,662	3,866	4,002	3,835	4,610
Typhoid and paratyphoid fever----- 1,2	40	3	2	3	2	4	3	7	2	7	5	1	1
Smallpox----- 6	1												
Measles----- 7	183	2	10	25	55	53	30	5	1	1			1
Scarlet fever----- 8	109	17	8	19	11	17	10	5		1	4	6	11
Whooping-cough----- 9	135	7	17	14	11	12	13	12	14	8	7	10	10
Diphtheria----- 10	63		4	5	4	6	4	5	2	2	10	9	12
Influenza----- 11	717	138	154	101	89	51	23	12	14	22	29	27	37
Dysentery----- 13	21	1			1	2		3	5	6			1
Erysipelas----- 15	86	6	13	11	15	15	4	6	2	1	4	4	3
Lethargic encephalitis----- 17	23	1	2	1	2	1	4	3	3		3		3
Epidemic cerebrospinal meningitis----- 18	41		2	4	8	7	4	5	2	2	1	2	4
Tuberculosis of the respiratory system----- 23	1,781	162	147	172	156	171	164	148	132	150	123	124	132
Other forms of tuberculosis----- 24-32	277	19	14	37	25	23	18	24	31	29	21	18	18
Malaria----- 38	9	1			1		1	1		1			
Diabetes mellitus----- 59	1,231	120	102	123	117	97	78	85	64	96	104	93	134
Cerebral hemorrhage and softening----- 82a, 82c	3,951	342	333	374	353	343	330	306	253	266	338	322	334
Diseases of the heart----- 90-95	12,563	1,117	1,073	1,153	1,107	1,099	1,028	889	920	1,009	992	991	1,205
Bronchitis----- 106	204	20	24	21	16	24	12	10	9	15	14	13	25
Bronchopneumonia----- 107	1,376	167	164	187	174	155	78	51	51	75	69	87	138
Lobar and unspecified pneumonia----- 108, 109	2,467	335	316	305	284	256	162	76	51	119	129	149	285
Diarrhea and enteritis (under 2 years)----- 119	212	21	17	15	11	17	25	11	28	23	19	16	11
Diarrhea and enteritis (2 years and over)----- 120	117	6	3	10	11	6	7	16	16	15	10	5	10
Nephritis----- 130-132	2,887	279	284	275	253	273	217	220	189	211	255	199	262
Puerperal septicemia----- 140, 142a, 145	209	24	15	21	19	25	21	15	9	14	20	9	9
Other puerperal causes----- 141, 142b-144, 146-150	254	26	27	18	21	18	23	28	21	16	15	20	20
Suicide----- 163-171	672	49	53	60	56	62	55	61	49	55	63	53	56
Automobile accidents----- 210	1,573	93	104	125	123	107	122	142	171	146	155	168	117
Automobile-train, street car collisions----- 206, 208	91	5	4	5	9	6	10	6	5	10	9	13	9
Other external causes----- 1/ 172-198	2,447	195	197	203	176	201	215	265	228	186	207	173	201
All other causes-----	17,291	1,553	1,461	1,523	1,514	1,503	1,371	1,418	1,363	1,380	1,400	1,315	1,490
MINNESOTA ----- All causes	26,247	2,563	2,120	2,294	2,309	2,275	2,134	2,178	1,882	2,012	2,097	2,061	2,332
Typhoid and paratyphoid fever----- 1,2	17				2	1	4	4	3	1			2
Smallpox----- 6	1				1								
Measles----- 7	65	9	9	14	11	7	6	1	1	1	1	3	5
Scarlet fever----- 8	78	10	5	15	13	10	10	1	3	2	3	2	4
Whooping-cough----- 9	66	7	7	9	6	6	9	6	5	4	2	1	4
Diphtheria----- 10	16	1	1	1	3	1	2			2	2	2	1
Influenza----- 11	390	107	57	52	38	24	15	6	12	14	19	17	29
Dysentery----- 13	15							1	3	5	2	1	2
Erysipelas----- 15	45	7	4	5	6	8	3	1	1	1	3	3	3
Lethargic encephalitis----- 17	30	4	3		4	1	2	1	2	2	2	4	5
Epidemic cerebrospinal meningitis----- 18	45	5	7	5	3	5	3	3	2	3	2	5	5
Tuberculosis of the respiratory system----- 23	840	79	61	61	67	91	84	74	62	70	65	64	62
Other forms of tuberculosis----- 24-32	113	6	7	18	12	15	12	8	10	4	4	10	7
Malaria----- 38	2				1								
Diabetes mellitus----- 59	600	63	56	56	47	62	56	49	43	45	53	44	47
Cerebral hemorrhage and softening----- 82a, 82c	2,108	204	179	164	184	175	183	166	146	181	157	172	197
Diseases of the heart----- 90-95	5,834	561	433	523	453	535	497	483	396	422	532	460	539
Bronchitis----- 106	92	4	10	15	11	8	9	2	7	3	7	9	9
Bronchopneumonia----- 107	990	154	101	95	103	78	63	55	44	51	65	92	97
Lobar and unspecified pneumonia----- 108, 109	1,132	164	140	130	119	79	39	24	40	71	105	100	100
Diarrhea and enteritis (under 2 years)----- 119	123	7	13	10	4	7	9	13	19	8	13	6	6
Diarrhea and enteritis (2 years and over)----- 120	60	5	4	6	3	6	5	3	5	9	4	3	7
Nephritis----- 130-132	1,240	127	101	108	96	102	96	98	89	100	87	114	122
Puerperal septicemia----- 140, 142a, 145	90	10	7	5	9	9	7	5	5	5	8	13	7
Other puerperal causes----- 141, 142b-144, 146-150	124	14	19	11	9	15	9	9	5	7	9	8	9
Suicide----- 163-171	592	35	27	37	39	31	30	33	24	37	35	29	35
Automobile accidents----- 210	585	23	25	32	40	50	50	53	82	71	64	49	46
Automobile-train, street car collisions----- 206, 208	44	2	1	1	4	1	1	3	6	1	7	5	12
Other external causes----- 1/ 172-198	1,412	107	87	100	122	117	125	182	133	108	121	108	102
All other causes-----	9,707	832	823	817	887	789	769	878	757	801	751	729	874
MISSISSIPPI (White) ----- All causes	9,223	866	816	886	726	726	663	735	705	651	730	757	962
Typhoid and paratyphoid fever----- 1,2	19	1		1	1	1	1	4	1	4	3	1	1
Smallpox----- 6													
Measles----- 7	14			6	2	1	3	1					1
Scarlet fever----- 8	12	2	1	2					2		2	1	1
Whooping-cough----- 9	43	9	3	2	2	5	12	4	1		2	1	2
Diphtheria----- 10	59	11	5			1	2	3	3	10	12	7	5
Influenza----- 11	432	76	105	105	23	26	3	1	6	4	13	10	60
Dysentery----- 13	39	1	1	1	2	5	11	8	2	1	4	2	1
Erysipelas----- 15	14	1	1	1		1		2	1	3	2		2
Lethargic encephalitis----- 17	4							1		1		1	
Epidemic cerebrospinal meningitis----- 18	19	2	5	2	2		2	2	2	2			1
Tuberculosis of the respiratory system----- 23	276	28	24	20	32	18	19	27	22	18	19	21	28
Other forms of tuberculosis----- 24-32	28	2	1	4	2	1	4	2		3	3	1	5
Malaria----- 38	221	6	7	5	5	9	12	40	50	30	35	16	8
Diabetes mellitus----- 59	144	16	19	11	13	11	6	11	9	11	10	14	13
Cerebral hemorrhage and softening----- 82a, 82c	569	54	52	57	39	51	43	40	54	27	43	52	52
Diseases of the heart----- 90-95	1,495	147	122	140	119	113	115	115	108	114	126	134	141
Bronchitis----- 106	27	2	3	4	2	3	2				1	1	4
Bronchopneumonia----- 107	208	26	24	28	19	14	5	6	11	4	14	24	33
Lobar and unspecified pneumonia----- 108, 109	434	53	61	65	42	25	13	9	9	12	20	34	91
Diarrhea and enteritis (under 2 years)----- 119	118	1	5	4	5	2	30	10	10	9	8	11	3
Diarrhea and enteritis (2 years and over)----- 120	58			2	1		22	7	5	4	2	1	5
Nephritis----- 130-132	869	72	72	61	62	63	60	73	86	63	69	70	78
Puerperal septicemia----- 140, 142a, 145	42	1	7	5	4	4	2	3	4	4	4	1	3
Other puerperal causes----- 141, 142b-144, 146-150	92	10	11	8	8	11	8	1	7	10	5	1	12
Suicide----- 163-171	107	10	6	8	12	8	6	13	7	10	7	9	11
Automobile accidents----- 210	241	19	11	11	15	20	16	27	30	15	25	27	24
Automobile-train, street car collisions----- 206, 208	15	1		1	2		1				2	6	2
Other external causes----- 1/ 172-198	544	46	38	41	64	42	42	44	48	39	38	45	57
All other causes-----	3,080	269	229	271	248	244	221	232	222	253	257	266	318

1/ Excludes deaths from automobile accidents which are shown under symbols 206, 208, and 210.

MORTALITY STATISTICS

TABLE 10.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM SELECTED CAUSES, BY MONTH: 1935--Continued

(See note at head of this table)

AREA AND CAUSE OF DEATH	Total deaths	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
MISSISSIPPI (other races)----- All causes	12,116	1,113	1,015	1,072	994	1,089	965	984	1,007	898	963	912	1,104
Typhoid and paratyphoid fever-----	1,2	2	1	2	3	3	9	5	4	2	6	8	-----
Smallpox-----	6	-----	-----	-----	-----	1	-----	-----	-----	-----	-----	-----	-----
Measles-----	7	3	-----	-----	2	-----	1	-----	-----	-----	-----	-----	1
Scarlet fever-----	8	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	1	-----
Whooping-cough-----	9	7	5	4	15	7	14	4	3	5	2	4	2
Diphtheria-----	10	33	4	3	1	3	-----	3	6	3	7	2	1
Influenza-----	11	420	74	98	76	46	24	18	4	7	13	14	45
Dysentery-----	13	50	5	1	3	-----	5	6	5	3	5	4	7
Erysipelas-----	15	6	-----	-----	-----	1	-----	1	1	-----	-----	1	2
Lethargic encephalitis-----	17	2	1	-----	-----	-----	-----	1	-----	-----	-----	-----	-----
Epidemic cerebrospinal meningitis-----	18	7	1	-----	1	-----	2	1	-----	-----	1	-----	1
Tuberculosis of the respiratory system-----	23	792	69	46	79	74	84	66	66	69	63	64	50
Other forms of tuberculosis-----	24-32	69	6	6	10	5	6	8	3	4	7	4	7
Malaria-----	38	310	6	4	9	8	12	23	51	74	67	34	18
Diabetes mellitus-----	59	34	11	6	6	5	8	4	5	11	8	16	4
Cerebral hemorrhage and softening-----	82a,82c	652	54	45	57	49	66	55	55	61	46	52	58
Diseases of the heart-----	90-95	1,250	109	108	96	114	124	102	106	106	80	96	104
Bronchitis-----	106	10	1	3	-----	-----	1	1	-----	-----	-----	-----	2
Bronchopneumonia-----	107	164	26	18	28	20	14	7	9	9	12	12	23
Lobar and unspecified pneumonia-----	108,109	588	89	98	83	52	50	16	9	14	12	25	39
Diarrhea and enteritis (under 2 years)-----	119	144	4	4	5	6	33	33	16	11	11	7	1
Diarrhea and enteritis (2 years and over)-----	120	47	1	-----	1	3	-----	10	4	10	2	3	4
Nephritis-----	130-132	1,086	81	101	78	90	111	87	98	84	81	95	61
Puerperal septicemia-----	140,142a,145	68	6	7	7	6	7	4	5	3	7	6	6
Other puerperal causes-----	141,142b-144,146-150	120	8	2	14	12	16	15	9	10	11	8	6
Suicide-----	163-171	21	2	-----	2	4	2	3	1	2	-----	-----	3
Automobile accidents-----	210	144	11	10	4	5	17	6	10	17	13	15	28
Automobile-train, street car collisions-----	206,208	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----
Other external causes-----	1/ 172-198	882	84	56	58	68	85	68	89	64	74	86	59
All other causes-----	5,012	448	392	449	400	415	396	431	438	397	401	414	441
MISSOURI----- All causes	43,201	4,294	3,780	3,943	3,710	3,451	3,187	3,553	3,199	3,220	3,393	3,490	3,981
Typhoid and paratyphoid fever-----	1,2	144	9	4	8	-----	5	9	14	24	28	21	15
Smallpox-----	6	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----
Measles-----	7	147	21	28	22	27	21	11	8	3	2	-----	2
Scarlet fever-----	8	66	5	7	5	8	4	3	-----	1	1	4	9
Whooping-cough-----	9	173	21	16	33	21	18	17	9	12	8	6	6
Diphtheria-----	10	181	23	15	11	9	4	5	3	4	16	34	28
Influenza-----	11	938	185	221	138	93	56	33	16	12	19	30	44
Dysentery-----	13	70	3	3	-----	2	4	6	13	7	13	12	6
Erysipelas-----	15	70	5	8	7	10	5	3	9	1	3	2	7
Lethargic encephalitis-----	17	39	1	3	2	3	1	2	3	10	4	8	-----
Epidemic cerebrospinal meningitis-----	18	114	13	13	26	8	15	7	5	6	5	5	3
Tuberculosis of the respiratory system-----	23	2,036	192	174	198	176	195	150	180	163	161	148	154
Other forms of tuberculosis-----	24-32	163	16	10	16	15	13	20	15	10	14	17	8
Malaria-----	38	164	4	2	6	5	8	17	56	30	32	11	6
Diabetes mellitus-----	59	810	88	62	74	65	67	65	59	46	56	72	69
Cerebral hemorrhage and softening-----	82a,82c	2,917	258	227	300	239	246	220	243	220	217	221	233
Diseases of the heart-----	90-95	8,990	895	770	821	791	713	665	698	645	632	725	766
Bronchitis-----	106	113	12	12	8	6	15	5	8	7	14	9	5
Bronchopneumonia-----	107	1,553	282	209	163	137	119	77	79	58	65	98	106
Lobar and unspecified pneumonia-----	108,109	2,311	353	294	295	229	170	104	62	53	100	121	194
Diarrhea and enteritis (under 2 years)-----	119	453	17	12	30	2	16	16	22	24	16	18	14
Diarrhea and enteritis (2 years and over)-----	120	170	10	7	7	5	12	16	32	24	16	18	10
Nephritis-----	130-132	4,361	373	339	372	376	393	333	361	352	356	340	549
Puerperal septicemia-----	140,142a,145	152	15	10	17	20	5	15	12	14	10	10	14
Other puerperal causes-----	141,142b-144,146-150	172	15	12	23	10	13	15	12	17	17	10	11
Suicide-----	163-171	568	50	48	51	43	41	65	38	41	50	55	47
Automobile accidents-----	210	910	59	55	73	66	61	61	77	83	88	79	95
Automobile-train, street car collisions-----	206,208	56	-----	2	7	5	6	1	5	4	2	11	5
Other external causes-----	1/ 172-198	2,314	161	156	164	169	176	195	295	211	181	190	200
All other causes-----	13,026	1,188	1,061	1,066	1,147	1,050	982	1,182	1,071	1,042	1,091	1,071	1,076
MONTANA----- All causes	6,291	653	505	573	513	542	506	501	457	450	501	541	549
Typhoid and paratyphoid fever-----	1,2	13	1	1	-----	1	2	-----	2	-----	1	1	3
Smallpox-----	6	1	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----
Measles-----	7	49	6	5	10	6	13	4	1	-----	-----	-----	3
Scarlet fever-----	8	22	2	3	3	-----	2	-----	-----	-----	2	3	6
Whooping-cough-----	9	22	4	2	-----	5	1	3	2	1	2	-----	-----
Diphtheria-----	10	14	-----	5	1	1	1	2	1	-----	-----	-----	3
Influenza-----	11	173	42	21	21	24	15	5	2	5	4	6	20
Dysentery-----	13	6	2	1	-----	1	-----	-----	1	-----	-----	-----	-----
Erysipelas-----	15	17	1	2	3	5	2	-----	1	-----	-----	-----	3
Lethargic encephalitis-----	17	5	-----	-----	-----	1	-----	1	-----	-----	-----	-----	-----
Epidemic cerebrospinal meningitis-----	18	15	1	1	-----	2	3	2	-----	-----	1	1	4
Tuberculosis of the respiratory system-----	23	223	21	13	22	20	15	19	24	19	20	19	20
Other forms of tuberculosis-----	24-32	34	1	5	6	4	4	4	4	1	1	1	2
Malaria-----	38	-----	-----	-----	-----	7	7	-----	-----	-----	-----	-----	-----
Diabetes mellitus-----	59	112	12	6	10	30	7	13	8	16	3	9	10
Cerebral hemorrhage and softening-----	82a,82c	408	33	35	29	37	40	42	34	32	40	38	21
Diseases of the heart-----	90-95	1,299	119	101	120	93	109	112	95	83	109	104	132
Bronchitis-----	106	6	-----	2	1	1	-----	-----	-----	-----	-----	-----	-----
Bronchopneumonia-----	107	254	57	22	12	17	23	9	14	8	7	12	27
Lobar and unspecified pneumonia-----	108,109	440	76	39	52	40	44	31	13	11	10	25	48
Diarrhea and enteritis (under 2 years)-----	119	46	6	4	-----	4	-----	-----	3	3	4	12	2
Diarrhea and enteritis (2 years and over)-----	120	22	-----	4	3	1	2	2	2	5	2	-----	1
Nephritis-----	130-132	355	37	27	28	31	33	26	31	23	31	28	31
Puerperal septicemia-----	140,142a,145	19	2	3	1	-----	3	1	1	2	1	-----	4
Other puerperal causes-----	141,142b-144,146-150	33	8	5	3	4	1	1	-----	-----	2	3	5
Suicide-----	163-171	96	3	5	8	12	11	9	11	9	10	4	8
Automobile accidents-----	210	155	6	7	2	9	10	12	16	22	28	19	13
Automobile-train, street car collisions-----	206,208	4	-----	-----	-----	-----	1	-----	-----	-----	-----	-----	1
Other external causes-----	1/ 172-198	427	37	32	31	22	32	35	48	53	36	38	22
All other causes-----	2,041	178	164	193	171	165	171	186	162	132	175	167	177

1/ Excludes deaths from automobile accidents which are shown under symbols 206, 208, and 210.

DEATHS FROM SELECTED CAUSES, BY MONTH

TABLE 10.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM SELECTED CAUSES, BY MONTH: 1935—Continued

(See note at head of this table)

AREA AND CAUSE OF DEATH	Total deaths	Month											
		Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
NEBRASKA ----- All causes	13,161	1,266	1,123	1,188	1,188	1,164	1,105	1,154	961	907	1,013	992	1,120
Typhoid and paratyphoid fever----- 1,2	7	1		1		2	1	1					1
Smallpox----- 6	3			1		1	1						
Measles----- 7	90	3	6	17	19	24	9	3	1	2	3	1	7
Scarlet fever----- 8	43	3	7	4	4	3	5	1	1	1	4	3	7
Whooping-cough----- 9	17	1	1	2	1		3	3	1	1	1	1	2
Diphtheria----- 10	18	6	1				1	1	1	1	2	2	1
Influenza----- 11	289	63	53	55	25	16	10	6	8	7	18	7	21
Dysentery----- 13	13		1			1	1	2	1	4	2		1
Erysipelas----- 15	20	1	1	6	2	3	3	1			1	2	
Lethargic encephalitis----- 17	7	2	1			1			1			1	
Epidemic cerebrospinal meningitis----- 18	35	4	5	6	5	6	2	1	5				1
Tuberculosis of the respiratory system----- 23	271	27	17	24	29	31	19	29	19	20	20	11	25
Other forms of tuberculosis----- 24-32	48	2	2	5	2	3	4	7	3	4		5	9
Malaria----- 38	3		1						1				
Diabetes mellitus----- 59	337	33	36	27	32	35	24	30	20	15	25	31	31
Cerebral hemorrhage and softening----- 82a,82c	1,049	111	84	93	84	77	89	94	78	74	89	83	93
Diseases of the heart----- 90-95	2,799	261	242	251	261	235	230	250	205	170	220	225	249
Bronchitis----- 106	36	4	2	6	1		4	2	1	3	3	3	4
Bronchopneumonia----- 107	355	80	39	50	44	37	19	9	5	16	14	22	24
Lobar and unspecified pneumonia----- 108,109	627	88	65	82	92	61	42	22	12	36	31	47	49
Diarrhea and enteritis (under 2 years)----- 119	56	5	1	2	5	4	2	5	8	8	7	2	3
Diarrhea and enteritis (2 years and over)----- 120	47	5	1	3	3	3	3	5	4	6	4	4	6
Nephritis----- 130-132	808	72	75	56	73	72	64	79	64	55	65	72	61
Puerperal septicemia----- 140,142a,145	64	9	4	3	3	8	4	9	8	2	3	6	5
Other puerperal causes----- 141,142b-144,146-150	73	7	6	6	4	5	8	7	6	2	6	7	9
Suicide----- 163-171	251	19	17	23	28	19	25	19	22	24	18	14	23
Automobile accidents----- 210	325	23	16	24	21	15	23	34	29	48	35	27	30
Automobile-train, street car collisions----- 206,208	26	3			1	6	1	5	2	4		1	3
Other external causes----- 1/ 172-198	820	54	52	53	59	69	112	103	86	60	55	65	52
All other causes-----	4,644	381	381	368	390	424	397	426	369	346	384	349	409
NEVADA ----- All causes	1,324	152	105	137	99	125	95	92	105	91	114	92	117
Typhoid and paratyphoid fever----- 1,2	3					2				1			
Smallpox----- 6							2	1					
Measles----- 7	3												
Scarlet fever----- 8	1					1							
Whooping-cough----- 9	3	1				1	1						
Diphtheria----- 10													
Influenza----- 11	21	6	4	4	2		2				1		2
Dysentery----- 13	2							1			1		
Erysipelas----- 15	4	1								1		1	1
Lethargic encephalitis----- 17	1				1							1	
Epidemic cerebrospinal meningitis----- 18	2					1	5	3	6	7	8	6	10
Tuberculosis of the respiratory system----- 23	97	16	5	12	7	12	2	2		1			
Other forms of tuberculosis----- 24-32	10	2	2	1	2	2				1			
Malaria----- 38													
Diabetes mellitus----- 59	13	1	1		2	2	2	2	1			2	2
Cerebral hemorrhage and softening----- 82a,82c	77	7	6	7	10	8	7	6	2	6	4	7	7
Diseases of the heart----- 90-95	216	33	17	23	16	21	14	12	16	11	20	14	19
Bronchitis----- 106	9	3	1	1	3							1	1
Bronchopneumonia----- 107	39	8	4	8	1	1			1	2	3	7	4
Lobar and unspecified pneumonia----- 108,109	68	10	2	8	4	3	6		3	2	10	4	16
Diarrhea and enteritis (under 2 years)----- 119	7	1							1	3	2		
Diarrhea and enteritis (2 years and over)----- 120	4	1	1					1					
Nephritis----- 130-132	99	15	8	11	7	9	6	12	7	7	3	4	10
Puerperal septicemia----- 140,142a,145	2			1		1	1		1		2		3
Other puerperal causes----- 141,142b-144,146-150	9					1	2	3	6	1	5	5	7
Suicide----- 163-171	34	2	2	3		4	3	4	10	5	6	7	7
Automobile accidents----- 210	77	5	5	14	4	3	4	7	10	5	6	7	7
Automobile-train, street car collisions----- 206,208	3		1						1	1	6	5	5
Other external causes----- 1/ 172-198	110	7	7	4	11	14	5	18	13	15	6	28	29
All other causes-----	410	35	38	40	31	40	35	28	37	26	43	28	29
NEW HAMPSHIRE ----- All causes	6,532	641	580	657	619	572	481	517	461	484	505	432	583
Typhoid and paratyphoid fever----- 1,2	6			1	1				2		1	1	
Smallpox----- 6						1				1			
Measles----- 7	5	1	2		2								
Scarlet fever----- 8	4	2											
Whooping-cough----- 9	19	4	2	4	1	2		1	3	2			
Diphtheria----- 10	7	5						1					
Influenza----- 11	133	25	21	22	24	7	4	3		3	8	4	12
Dysentery----- 13	3			1	1							3	
Erysipelas----- 15	11	3	1	1	1			1		2			
Lethargic encephalitis----- 17	3												
Epidemic cerebrospinal meningitis----- 18	3			1		1	1	9	11	11	14	4	7
Tuberculosis of the respiratory system----- 23	145	16	9	19	9	21	1	15	11	11	5	1	4
Other forms of tuberculosis----- 24-32	19	1	1	2	2	1	2			2			
Malaria----- 38	1							1					
Diabetes mellitus----- 59	146	15	8	19	14	16	11	13	10	9	8	7	16
Cerebral hemorrhage and softening----- 82a,82c	557	73	49	47	55	50	40	37	35	44	45	49	43
Diseases of the heart----- 90-95	1,782	153	168	157	172	141	134	139	142	153	154	119	150
Bronchitis----- 106	35	2	3	6	5	3	5	2	2		2	1	4
Bronchopneumonia----- 107	208	26	21	43	22	21	15	5	6	4	13	8	24
Lobar and unspecified pneumonia----- 108,109	259	37	30	37	37	23	14	6	10	5	12	19	29
Diarrhea and enteritis (under 2 years)----- 119	13	1						2	2	4	1		3
Diarrhea and enteritis (2 years and over)----- 120	8	1	1	1	1		2		2	2		25	40
Nephritis----- 130-132	417	41	46	48	31	43	27	30	29	27	30	3	1
Puerperal septicemia----- 140,142a,145	16	1	4	2	1	2	2	1	1	1	2	3	2
Other puerperal causes----- 141,142b-144,146-150	31	4	2	2	4	2	4	7	5	3	5	4	5
Suicide----- 163-171	68	5	6	4	6	7	9	20	9	10	11	7	19
Automobile accidents----- 210	128	8	6	9	10	9	10	1	2	1			2
Automobile-train, street car collisions----- 206,208	7			1						32	19	13	32
Other external causes----- 1/ 172-198	273	19	14	14	18	34	26	30	22	32	176	163	190
All other causes-----	2,217	200	184	216	200	190	165	199	168	165			

1/ Excludes deaths from automobile accidents which are shown under symbols 206, 208, and 210.

MORTALITY STATISTICS

TABLE 10.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM SELECTED CAUSES, BY MONTH: 1935—Continued

(See note at head of this table)

AREA AND CAUSE OF DEATH	Total deaths	Month											
		Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
NEW JERSEY----- All causes	43,284	4,321	3,728	3,933	3,864	3,810	3,333	3,219	3,035	3,156	3,455	3,274	4,056
Typhoid and paratyphoid fever----- 1,2	26	3	2	1	1	2	2	1	4	3	3	2	2
Smallpox----- 6													
Measles----- 7	54	6	7	13	17	8	1	1	1				
Scarlet fever----- 8	25	3	4	1	5	5	6						
Whooping-cough----- 9	97	14	11	9	9	11	7	6	7	6	5	5	6
Diphtheria----- 10	49	5	2	3	5	6	3	1	2	1	6	2	10
Influenza----- 11	386	125	58	54	28	31	13	4	8	12	10	18	24
Dysentery----- 13	10	1				1	1	1	4	1	1		
Erysipelas----- 15	59	5	6	12	4	10	6	3	1	3	2	3	2
Lethargic encephalitis----- 17	35	3	3	1	2	4	2	5	2	4	2	2	5
Epidemic cerebrospinal meningitis----- 18	37	2	3	4	6	5	3	5	2	3		2	2
Tuberculosis of the respiratory system----- 23	1,926	176	141	170	200	184	160	152	143	151	175	132	142
Other forms of tuberculosis----- 24-32	216	14	12	16	20	25	19	15	17	17	15	22	24
Malaria----- 38	7					1			2	1	2	1	
Diabetes mellitus----- 59	1,214	123	120	86	109	95	96	92	87	90	94	92	120
Cerebral hemorrhage and softening----- 82a,82c	2,932	292	252	279	261	262	197	214	237	223	217	229	269
Diseases of the heart----- 90-95	12,177	1,264	1,056	1,123	1,087	1,073	908	884	826	859	983	956	1,158
Bronchitis----- 106	125	10	14	14	11	8	9	7	5	9	10	9	19
Bronchopneumonia----- 107	1,080	159	117	150	111	83	43	49	43	44	79	54	116
Lobar and unspecified pneumonia----- 108,109	1,649	250	199	201	173	154	94	44	46	43	107	103	235
Diarrhea and enteritis (under 2 years)----- 119	139	18	12	7	9	12	10	8	17	13	10	13	10
Diarrhea and enteritis (2 years and over)----- 120	88	5	5	6	4	5	4	10	11	7	11	4	12
Nephritis----- 130-132	3,445	345	307	335	304	312	278	269	214	247	269	253	312
Puerperal septicemia----- 140,142a,145	116	11	8	11	9	14	7	4	11	10	10	10	13
Other puerperal causes----- 141,142b-144,146-150	135	14	15	7	13	11	15	10	9	15	8	9	13
Suicide----- 163-171	604	53	40	56	48	49	57	49	41	52	49	51	57
Automobile accidents----- 210	1,156	72	69	99	84	92	84	93	110	104	122	108	119
Automobile-train, street car collisions-- 206,208	26	2	3	2	5	3		2	2	1	2	3	3
Other external causes----- 1/ 172-198	1,955	163	158	159	153	156	175	217	150	136	168	152	168
All other causes-----	13,543	1,186	1,092	1,118	1,187	1,182	1,124	1,172	1,036	1,098	1,096	1,038	1,212
NEW MEXICO----- All causes	6,272	693	625	560	540	500	465	466	551	493	503	412	444
Typhoid and paratyphoid fever----- 1,2	49		3	1	2			2	12	6	13	7	3
Smallpox----- 6	1												1
Measles----- 7	38	22	6	2	1	2	1	2				2	
Scarlet fever----- 8	6												1
Whooping-cough----- 9	105	10	24	15	15	7	15	11	4		1	2	1
Diphtheria----- 10	24	15	5	3		1		2	1	1	1		5
Influenza----- 11	175	52	36	31	17	11	3		1	2	5	8	9
Dysentery----- 13	27	2			1	2			5	6	4	3	2
Erysipelas----- 15	4	1											3
Lethargic encephalitis----- 17	1												
Epidemic cerebrospinal meningitis----- 18	7		2	4		3	4		1				
Tuberculosis of the respiratory system----- 23	472	49	44	37	51	37	51	39	29	33	39	31	33
Other forms of tuberculosis----- 24-32	39	1	5	4	6	6	3	6	1	1	3	1	3
Malaria----- 38	4												
Diabetes mellitus----- 59	35	5	8	1	5	4	1	1	3	2	3	1	1
Cerebral hemorrhage and softening----- 82a,82c	180	14	12	24	19	11	16	15	15	16	8	12	18
Diseases of the heart----- 90-95	541	73	44	48	46	43	38	43	47	42	44	36	35
Bronchitis----- 106	16	5	2	2	1	1		1	1		2	1	1
Bronchopneumonia----- 107	252	52	43	29	23	21	13	7	6	10	15	9	23
Lobar and unspecified pneumonia----- 108,109	306	46	54	39	43	33	11	5	6	15	12	13	29
Diarrhea and enteritis (under 2 years)----- 119	334	6	13	2	12	13	29	40	68	56	60	20	5
Diarrhea and enteritis (2 years and over)----- 120	36	1	2	2	2	5	2	4	6	5	3	2	1
Nephritis----- 130-132	286	28	18	33	31	22	25	18	24	20	20	25	22
Puerperal septicemia----- 140,142a,145	45	6	3	2	6	6	5	5	1	1	3	3	4
Other puerperal causes----- 141,142b-144,146-150	46	5	5	6	3	5	5	3	2	3	3	3	4
Suicide----- 163-171	52	7	3		1	7	5	4	3	3	10	3	6
Automobile accidents----- 210	154	13	9	11	4	9	9	20	18	13	16	15	17
Automobile-train, street car collisions-- 206,208	2			2									
Other external causes----- 1/ 172-198	280	12	20	17	21	30	24	29	27	23	27	30	20
All other causes-----	2,738	272	263	245	229	218	202	224	265	227	212	182	199
NEW YORK----- All causes	148,462	14,247	12,600	13,798	13,356	13,538	11,480	11,317	10,708	10,511	11,860	11,569	13,478
Typhoid and paratyphoid fever----- 1,2	68	5	1	9	2	3	5	5	12	9	7	6	4
Smallpox----- 6													
Measles----- 7	204	7	13	23	33	48	42	23	2	2	2	4	5
Scarlet fever----- 8	192	19	21	28	32	23	23	7	3	7	3	8	16
Whooping-cough----- 9	339	36	29	37	29	43	25	21	31	29	16	16	27
Diphtheria----- 10	103	13	9	11	14	7	4	8	4	9	5	7	12
Influenza----- 11	894	223	178	118	80	61	25	17	19	25	33	39	76
Dysentery----- 13	54	2	4	6	4	6	2	2	10	9	4	5	
Erysipelas----- 15	295	22	21	44	50	63	38	12	10	7	9	7	12
Lethargic encephalitis----- 17	82	10	8	8	5	9	4	6	7	5	6	7	7
Epidemic cerebrospinal meningitis----- 18	294	16	7	40	42	40	33	21	18	22	19	11	25
Tuberculosis of the respiratory system----- 23	6,789	635	538	611	620	662	539	570	516	465	562	508	543
Other forms of tuberculosis----- 24-32	667	43	52	62	54	68	58	57	59	61	46	52	53
Malaria----- 38	18	4		2	3	1	3		2			1	
Diabetes mellitus----- 59	4,196	398	355	412	402	351	310	329	290	295	330	354	362
Cerebral hemorrhage and softening----- 82a,82c	8,390	790	748	782	718	684	660	585	610	615	598	662	636
Diseases of the heart----- 90-95	42,341	4,294	3,778	3,898	3,719	3,665	3,141	3,032	2,944	3,010	3,407	3,340	4,107
Bronchitis----- 106	353	38	37	40	35	38	25	19	17	28	29	22	28
Bronchopneumonia----- 107	4,513	561	456	513	451	448	322	249	207	224	328	294	462
Lobar and unspecified pneumonia----- 108,109	6,215	819	673	735	789	684	411	199	192	204	408	411	699
Diarrhea and enteritis (under 2 years)----- 119	756	49	47	78	64	70	64	89	77	45	44	56	72
Diarrhea and enteritis (2 years and over)----- 120	241	17	16	25	17	13	21	33	29	25	17	16	12
Nephritis----- 130-132	10,321	1,023	938	976	942	931	789	727	703	707	836	838	911
Puerperal septicemia----- 140,142a,145	406	28	31	40	25	51	46	34	24	29	36	32	30
Other puerperal causes----- 141,142b-144,146-150	562	55	48	51	49	59	49	44	42	40	36	50	39
Suicide----- 163-171	2,187	168	171	166	194	213	198	192	175	163	194	186	167
Automobile accidents----- 210	2,783	157	137	207	210	259	207	275	248	215	311	302	252
Automobile-train, street car collisions-- 206,208	95	8	8	1	7	8	1	12	4	4	13	12	17
Other external causes----- 1/ 172-198	6,838	649	527	575	555	531	569	734	617	526	529	488	537
All other causes-----	46,286	4,166	3,749	4,298	4,211	4,502	3,666	4,012	3,836	3,730	3,934	3,829	4,153

1/ Excludes deaths from automobile accidents which are shown under symbols 206, 208, and 210.

DEATHS FROM SELECTED CAUSES, BY MONTH

337

TABLE 10.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM SELECTED CAUSES, BY MONTH: 1935—Continued

(See note at head of this table)

AREA AND CAUSE OF DEATH	Total deaths	MONTH											
		Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
NORTH CAROLINA (White)----- All causes	21,249	2,197	2,105	1,877	1,666	1,749	1,709	1,531	1,515	1,524	1,659	1,677	2,039
Typhoid and paratyphoid fever----- 1,2	41	1			1	2	6	3	11	4	9	2	2
Smallpox----- 6													
Measles----- 7	42	10	8	9	6	5	2						4
Scarlet fever----- 8	18	2	3	1	1								2
Whooping-cough----- 9	145	19	28	23	9	16	27	14	2	5	1		4
Diphtheria----- 10	123	11	12	4	2				2	4	18	28	19
Influenza----- 11	665	213	192	73	54	28	10	3	5	10	14	20	53
Dysentery----- 13	65	1			2	11	9	12	11	7	5	3	2
Erysipelas----- 15	36	7	2	5	1	2	3		2	3	2	3	5
Lethargic encephalitis----- 17	13	1	2		1	1	1		2	1			
Epidemic cerebrospinal meningitis----- 18	30	4	8	5	3	1	1	2	2	1			
Tuberculosis of the respiratory system----- 23	776	85	82	74	58	69	58	7	9	7	5	4	8
Other forms of tuberculosis----- 24-32	62	7	3	5	1	6	1	4	6	4	6	4	5
Malaria----- 38	37												
Diabetes mellitus----- 59	276	26	35	28	19	15	22	19	17	26	26	19	23
Cerebral hemorrhage and softening----- 82a, 82c	1,710	148	156	148	145	144	125	135	132	113	134	134	194
Diseases of the heart----- 90-95	3,710	388	334	326	297	325	325	270	254	259	269	321	344
Bronchitis----- 106	57	7	4	10	5	5	2		1	3	4	7	9
Bronchopneumonia----- 107	530	90	83	64	45	37	32	28	11	23	49	38	80
Lobar and unspecified pneumonia----- 108, 109	1,203	203	202	151	129	100	37	22	19	33	75	77	155
Diarrhea and enteritis (under 2 years)----- 119	507	9	5	8	16	52	99	108	60	41	48	47	14
Diarrhea and enteritis (2 years and over)----- 120	96	3	6	6	1	13	16	13	17	7	6	4	4
Nephritis----- 130-132	1,988	178	190	183	164	172	150	137	145	146	181	179	163
Puerperal septicemia----- 140, 142a, 145	80	7	7	5	9	11	6	5	7	7	5	7	3
Other puerperal causes----- 141, 142b-144, 146-150	207	11	25	15	14	27	20	23	13	14	15	12	18
Suicide----- 163-171	247	12	14	22	25	25	20	23	17	25	20	21	23
Automobile accidents----- 210	727	70	49	54	43	47	49	47	72	76	90	58	72
Automobile-train, street car collisions----- 206, 208	32	2		3	1	4				5	4	5	6
Other external causes----- 1/ 172-198	1,055	88	101	93	76	74	89	85	83	78	74	99	115
All other causes-----	6,720	597	560	561	536	552	589	524	546	552	532	559	632
NORTH CAROLINA (other races)----- All causes	12,236	1,158	1,102	1,072	984	1,088	1,077	949	918	851	997	945	1,094
Typhoid and paratyphoid fever----- 1,2	41					1	7	6	9	13	2	1	2
Smallpox----- 6													
Measles----- 7	28	5	6	2	1	7	3	2	1				1
Scarlet fever----- 8	4												1
Whooping-cough----- 9	161	20	14	14	15	22	24	23	8	7	7	3	4
Diphtheria----- 10	39		2	4	5				1	3	9	4	9
Influenza----- 11	363	99	95	58	33	13	4	3	6	4	10	9	29
Dysentery----- 13	33	1				5	16	5	3	4	1	1	
Erysipelas----- 15	9		1		1		1	2			1	1	1
Lethargic encephalitis----- 17	8										1		
Epidemic cerebrospinal meningitis----- 18	9	1	2			2					1	1	
Tuberculosis of the respiratory system----- 23	988	83	80	82	74	112	78	95	90	67	90	77	60
Other forms of tuberculosis----- 24-32	111	8	9	13	8	14	9	7	13	9	5	6	10
Malaria----- 38	54		1	1	2	2	2	3	15	10	15	3	
Diabetes mellitus----- 59	90	11	12	6	7	8	5	7	9	3	8	7	7
Cerebral hemorrhage and softening----- 82a, 82c	993	86	89	95	85	86	91	70	75	79	80	73	84
Diseases of the heart----- 90-95	1,689	149	156	120	152	169	143	133	119	145	136	121	145
Bronchitis----- 106	40	6	1	3	5	2	1	4	2	6	5	5	1
Bronchopneumonia----- 107	359	51	42	38	29	29	16	18	17	16	22	35	44
Lobar and unspecified pneumonia----- 108, 109	661	105	101	86	51	54	31	10	16	16	46	62	83
Diarrhea and enteritis (under 2 years)----- 119	321	5	6	7	12	43	89	46	33	22	26	20	12
Diarrhea and enteritis (2 years and over)----- 120	49	6	2	1	3	11	7	3	4	3	5	3	1
Nephritis----- 130-132	1,106	100	86	104	79	90	99	101	83	78	90	98	98
Puerperal septicemia----- 140, 142a, 145	72	6	5	5	5	5	2	6	9	7	8	11	17
Other puerperal causes----- 141, 142b-144, 146-150	152	22	12	12	8	13	17	11	13	8	8	2	
Suicide----- 163-171	25	2	3	3	5	2	1	3	1	2	2	2	
Automobile accidents----- 210	238	21	17	25	17	17	18	19	21	25	20	24	14
Automobile-train, street car collisions----- 206, 208	6						3				2		1
Other external causes----- 1/ 172-198	744	52	65	60	59	48	66	60	60	59	62	67	76
All other causes-----	3,849	319	293	332	329	327	341	314	299	271	355	305	384
NORTH DAKOTA----- All causes	5,850	663	545	550	511	511	459	448	407	425	456	436	448
Typhoid and paratyphoid fever----- 1,2	9			2				1	2		3	1	
Smallpox----- 6	1												
Measles----- 7	53	21	5	13	7	3	1	2	1				1
Scarlet fever----- 8	30	3	5	4	8	3		2	2		2		1
Whooping-cough----- 9	43	7	9	5	5	3	3	2	1	3	3	1	1
Diphtheria----- 10	21												
Influenza----- 11	167	41	30	11	24	12	12	5	1	3	7	11	10
Dysentery----- 13	3						1						
Erysipelas----- 15	19	1	3	1	1	3	1		1	2	3	2	1
Lethargic encephalitis----- 17	8												
Epidemic cerebrospinal meningitis----- 18	7												
Tuberculosis of the respiratory system----- 23	138	16	12	14	16	12	13	10	6	15	7	5	12
Other forms of tuberculosis----- 24-32	38	1	4	5	4	3	7	1	2	3	3		5
Malaria----- 38	1												
Diabetes mellitus----- 59	130	13	7	20	11	5	9	10	9	14	15	8	9
Cerebral hemorrhage and softening----- 82a, 82c	383	55	36	27	24	25	32	26	27	35	38	38	33
Diseases of the heart----- 90-95	1,022	113	83	96	87	92	92	70	78	70	77	86	78
Bronchitis----- 106	15	1		3	2	2	1	1	1		2		17
Bronchopneumonia----- 107	257	67	28	25	21	27	13	14	6	9	17	15	17
Lobar and unspecified pneumonia----- 108, 109	396	64	35	55	61	38	28	15	15	8	30	20	24
Diarrhea and enteritis (under 2 years)----- 119	73	8	5	4	6	3	4	4	6	9	9	10	5
Diarrhea and enteritis (2 years and over)----- 120	22	1	1	2	1			5	2	3	2	3	1
Nephritis----- 130-132	332	25	32	28	32	34	23	38	26	23	22	25	20
Puerperal septicemia----- 140, 142a, 145	37	2	6	8	4	2	2	3	2	2	2	4	
Other puerperal causes----- 141, 142b-144, 146-150	36	3	3	3	3	7	3	3	3	3	8	11	5
Suicide----- 163-171	72	6	4	7	6	4	3	11	3	9	12	15	7
Automobile accidents----- 210	107	3	6	5	4	6	6	9	9	9			
Automobile-train, street car collisions----- 206, 208	3		1	1			5	4	35	24	20	19	17
Other external causes----- 1/ 172-198	296	14	26	24	17	27	51	42	157	182	162	164	199
All other causes-----	2,141	196	198	179	167	196	173	166	157	182	162	164	199

1/ Excludes deaths from automobile accidents which are shown under symbols 206, 208, and 210.

MORTALITY STATISTICS

TABLE 10.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM SELECTED CAUSES, BY MONTH: 1935—Continued

(See note at head of this table)

AREA AND CAUSE OF DEATH	Total deaths	Month											
		Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
OHIO----- All causes	77,356	7,530	6,650	7,098	6,842	6,854	5,885	5,728	5,666	5,741	6,174	6,072	7,111
Typhoid and paratyphoid fever----- 1,2	98	3	7	2	3	1	6	2	17	19	14	10	8
Smallpox----- 6	155	7	18	19	31	36	26	8	3	1	2	1	3
Measles----- 7	239	34	20	40	27	24	19	7	5	6	19	19	19
Scarlet fever----- 8	160	20	24	18	23	22	17	7	13	12	10	6	3
Whooping-cough----- 9	178	21	24	22	14	10	7	5	2	7	18	25	23
Diphtheria----- 10	1,640	368	309	206	161	118	45	32	31	67	86	86	152
Influenza----- 11	34	4	5	5	5	2	2	3	2	3	2	2	2
Dysentery----- 13	110	13	11	20	13	13	11	7	9	4	4	6	5
Erysipelas----- 15	68	6	6	4	11	8	5	5	5	5	3	5	5
Lethargic encephalitis----- 17	221	21	25	33	38	30	14	11	5	12	11	10	11
Epidemic cerebrospinal meningitis----- 18	5,216	286	273	271	290	297	308	271	255	230	214	256	265
Tuberculosis of the respiratory system----- 23	393	27	30	45	34	44	33	42	34	29	24	23	23
Other forms of tuberculosis----- 24-32	38	10	1	1	1	1	1	2	2	2	1	1	1
Malaria----- 38	1,739	161	169	156	177	123	132	116	116	128	156	127	178
Diabetes mellitus----- 59	6,901	683	554	642	625	610	470	505	504	478	561	580	679
Cerebral hemorrhage and softening----- 82a,82c	17,628	1,694	1,445	1,621	1,538	1,554	1,365	1,221	1,289	1,353	1,433	1,435	1,679
Diseases of the heart----- 90-95	106	21	22	19	19	10	13	9	9	12	8	14	20
Bronchitis----- 107	2,576	359	294	307	257	258	142	81	120	146	159	156	297
Bronchopneumonia----- 108,109	2,726	418	265	314	322	278	144	88	62	122	144	191	378
Lobar and unspecified pneumonia-----	400	18	27	18	22	25	15	44	62	65	36	20	28
Diarrhea and enteritis (under 2 years)----- 119	192	12	11	19	15	13	12	25	28	20	16	12	9
Diarrhea and enteritis (2 years and over)----- 120	5,467	613	478	494	466	522	462	405	354	404	434	424	505
Nephritis----- 130-132	294	25	34	41	29	38	27	21	12	20	20	17	10
Puerperal septicemia----- 140,142a,145	353	37	25	20	26	26	29	34	24	34	27	28	23
Other puerperal causes----- 141,142b-144,146-150	1,037	75	60	60	93	111	65	105	95	63	89	87	74
Suicide----- 163-171	2,151	159	153	151	158	176	170	160	222	200	251	198	153
Automobile accidents----- 210	2,283	15	22	25	25	21	17	6	10	19	20	20	19
Automobile-train, street car collisions----- 206,208	4,259	330	370	353	332	332	363	410	389	306	333	312	423
Other external causes----- 1/ 172-198	24,702	2,205	1,964	2,141	2,093	2,148	1,945	2,069	1,966	1,949	2,118	1,956	2,108
All other causes-----	18,179	1,855	1,542	1,709	1,526	1,477	1,302	1,527	1,370	1,252	1,414	1,502	1,703
OKLAHOMA (White)----- All causes	145	5	6	1	7	2	7	22	39	27	16	11	2
Typhoid and paratyphoid fever----- 1,2	41	1	2	6	11	15	6						
Smallpox----- 6	21	2	1	2	4	1		1	1	3	4		2
Measles----- 7	115	12	11	14	14	16	7	11	8	6	6	5	5
Scarlet fever----- 8	132	20	19	8	5	3		1	7	8	21	22	18
Whooping-cough----- 9	657	127	142	127	76	34	14	11	6	8	23	29	60
Diphtheria----- 10	72	1	2	2	2	1	10	11	12	6	12	12	1
Influenza----- 11	38	5	2	5	4	7	1	2	1	5	1	1	3
Dysentery----- 13	6		1	2	2			2	1				
Erysipelas----- 15	60	8	3	10	7	7	1	1		3	2	5	13
Lethargic encephalitis----- 17	740	90	62	84	65	57	63	60	51	52	43	51	52
Epidemic cerebrospinal meningitis----- 18	73	10	7	4	2	4	7	5	7	5	4	6	12
Tuberculosis of the respiratory system----- 23	119	7	2	3	4	4	4	14	21	21	8	19	8
Other forms of tuberculosis----- 24-32	261	24	23	33	25	18	14	24	20	15	26	30	28
Malaria----- 38	1,329	116	115	111	117	143	103	96	101	86	96	116	129
Diabetes mellitus----- 59	2,782	273	205	235	254	229	218	248	194	175	204	260	285
Cerebral hemorrhage and softening----- 82a,82c	106	41	4	5	1	4		2	3	1	6	5	5
Diseases of the heart----- 90-95	683	125	110	106	58	48	21	18	8	19	36	55	77
Bronchitis----- 107	974	162	118	137	129	90	31	25	23	24	39	70	126
Bronchopneumonia----- 108,109	267	6	3	2	5	15	16	50	36	26	53	32	5
Lobar and unspecified pneumonia-----	96	5	6	8	6	3	7	27	17	4	7	2	4
Diarrhea and enteritis (under 2 years)----- 119	1,123	111	72	91	85	99	97	89	96	82	95	107	
Diarrhea and enteritis (2 years and over)----- 120	108	14	10	20	6	9	9	6	7	6	4	6	
Nephritis----- 130-132	105	5	6	12	7	13	8	10	6	9	6	13	
Puerperal septicemia----- 140,142a,145	240	21	18	18	20	19	28	26	14	14	29	17	16
Other puerperal causes----- 141,142b-144,146-150	598	65	43	38	40	43	39	44	48	64	58	61	55
Suicide----- 163-171	15		1	1				1	5	1		4	1
Automobile accidents----- 210	1,071	89	65	90	73	78	94	130	108	77	68	70	109
Automobile-train, street car collisions----- 206,208	6,245	547	460	531	493	507	488	577	538	491	551	513	559
Other external causes----- 1/ 172-198													
All other causes-----	2,912	254	246	283	249	246	237	258	237	223	208	231	240
OKLAHOMA (other races)----- All causes	42	3		2			5	5	10	6	6	4	1
Typhoid and paratyphoid fever----- 1,2	3			1									
Smallpox----- 6	1						2						
Measles----- 7	40	3		4	4	3	6	6	6	3	1	2	
Scarlet fever----- 8	11			6							1	3	2
Whooping-cough----- 9	117	16	31	19	16	6	3	1	2	2	4	5	13
Diphtheria----- 10	20	1		1	1	2		6	3	2	3	1	
Influenza----- 11	4					1		1		2			
Dysentery----- 13													
Erysipelas----- 15	7			1		2			1				2
Lethargic encephalitis----- 17	313	30	24	29	32	27	27	30	24	29	16	22	23
Epidemic cerebrospinal meningitis----- 18	30	3	3	2	5	2		3	2	2	6	2	
Tuberculosis of the respiratory system----- 23	20		1		2	1	2	1	3	4	2	2	2
Other forms of tuberculosis----- 24-32	27	2	3	4	3	1	1	1	2	4	3	3	
Malaria----- 38	138	7	12	9	10	11	18	12	8	16	14	14	7
Diabetes mellitus----- 59	339	33	23	25	28	29	22	27	28	28	29	34	32
Cerebral hemorrhage and softening----- 82a,82c	106	6		2	1				3	3			
Diseases of the heart----- 90-95	120	25	14	21	8	12	11	2	3	7	3	3	11
Bronchitis----- 107	214	21	36	31	26	20	14	3	4	4	10	19	25
Bronchopneumonia----- 108,109	62	2		2	3	5	10	10	10	6	7	4	
Lobar and unspecified pneumonia-----	16			2	1	2	1	3	3	1		1	2
Diarrhea and enteritis (under 2 years)----- 119	195	20	11	22	13	17	17	12	22	10	19	16	
Diarrhea and enteritis (2 years and over)----- 120	21	1	3	1	2	3	2	4	1			2	
Nephritis----- 130-132	22	1	1	1	1	2	1	1	4	3	1	3	
Puerperal septicemia----- 140,142a,145	11	1			1			2	1		1	3	
Other puerperal causes----- 141,142b-144,146-150	51	2	3	5	4	3	1	1	9	4	5	9	
Suicide----- 163-171	1												
Automobile accidents----- 210	214	17	12	16	18	16	16	26	23	10	12	25	19
Automobile-train, street car collisions----- 206,208	868	66	67	78	69	70	84	98	74	63	71	57	63
Other external causes----- 1/ 172-198													
All other causes-----													

1/ Excludes deaths from automobile accidents which are shown under symbols 206, 208, and 210.

DEATHS FROM SELECTED CAUSES, BY MONTH

339

TABLE 10.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM SELECTED CAUSES, BY MONTH: 1935—Continued

(See note at head of this table)

AREA AND CAUSE OF DEATH	Total deaths	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
OREGON----- All causes	11,430	1,048	935	1,057	959	950	919	951	609	621	578	1,039	1,064
Typhoid and paratyphoid fever----- 1,2	15	1	---	1	---	---	3	1	2	2	2	2	1
Smallpox----- 6	1	---	---	---	---	1	---	---	---	---	---	---	---
Measles----- 7	15	---	---	3	1	4	---	1	---	---	2	2	2
Scarlet fever----- 8	21	2	1	3	2	2	3	---	1	1	1	2	3
Whooping-cough----- 9	17	2	2	---	1	2	1	4	1	3	---	1	---
Diphtheria----- 10	5	3	---	---	---	---	---	---	---	---	---	---	---
Influenza----- 11	169	36	31	25	12	11	8	2	3	4	7	12	18
Dysentery----- 13	2	1	---	---	---	---	---	---	1	---	---	---	---
Erysipelas----- 15	13	2	2	1	3	2	---	2	1	---	---	---	---
Lethargic encephalitis----- 17	17	1	---	---	3	2	6	1	1	2	---	---	---
Epidemic cerebrospinal meningitis----- 18	28	2	---	6	5	5	3	1	1	---	2	---	1
Tuberculosis of the respiratory system----- 23	302	29	24	31	25	29	27	29	18	18	23	23	25
Other forms of tuberculosis----- 24-32	45	4	2	4	3	5	2	2	4	4	6	5	4
Malaria----- 38	---	---	---	---	---	---	---	---	---	---	---	---	---
Diabetes mellitus----- 59	252	102	18	24	21	15	16	23	18	21	24	25	24
Cerebral hemorrhage and softening----- 82a,82c	1,005	102	77	98	68	86	82	71	82	79	91	73	94
Diseases of the heart----- 90-95	2,797	248	255	262	244	246	214	219	217	179	209	252	272
Bronchitis----- 106	37	4	4	3	2	1	3	6	---	1	---	8	2
Bronchopneumonia----- 107	296	43	33	55	22	17	21	15	6	14	22	38	30
Lobar and unspecified pneumonia----- 108,109	318	28	33	27	32	22	21	16	16	17	16	43	47
Diarrhea and enteritis (under 2 years)----- 119	18	2	1	1	---	---	---	1	3	---	---	---	2
Diarrhea and enteritis (2 years and over)----- 120	23	3	1	2	3	---	3	---	---	3	3	1	1
Nephritis----- 130-132	1,045	84	90	91	94	100	88	90	72	76	77	95	88
Puerperal septicemia----- 140,142a,145	34	3	1	6	3	1	1	2	---	3	5	4	5
Other puerperal causes----- 141,142b-144,146-150	37	3	1	4	3	3	5	1	1	4	2	5	5
Suicide----- 163-171	196	20	10	16	20	21	14	21	15	12	14	17	16
Automobile accidents----- 210	284	18	12	27	21	18	25	29	26	24	24	33	27
Automobile-train, street car collisions----- 206,208	6	---	1	1	1	1	---	---	---	---	1	---	1
Other external causes----- 1/ 172-198	711	55	45	54	60	61	56	76	66	60	52	67	55
All other causes-----	5,721	330	311	332	310	288	317	334	251	291	291	326	340
PENNSYLVANIA----- All causes	108,555	10,531	9,890	10,352	9,989	9,543	8,177	7,886	7,329	7,832	8,355	8,430	10,241
Typhoid and paratyphoid fever----- 1,2	83	5	5	3	8	6	6	9	12	13	10	5	1
Smallpox----- 6	---	---	---	---	---	---	---	---	---	---	---	---	---
Measles----- 7	231	11	23	51	62	47	21	9	2	---	3	---	2
Scarlet fever----- 8	203	26	20	28	30	25	14	11	6	7	13	8	15
Whooping-cough----- 9	208	20	24	26	22	16	20	15	15	13	15	13	9
Diphtheria----- 10	158	27	15	17	10	15	7	6	14	10	12	12	15
Influenza----- 11	1,939	500	347	290	198	100	60	39	17	59	72	89	168
Dysentery----- 13	27	1	---	2	---	---	---	4	11	4	1	2	1
Erysipelas----- 15	152	18	25	27	17	18	9	7	3	3	10	5	10
Lethargic encephalitis----- 17	84	3	13	4	7	10	7	10	6	6	1	2	9
Epidemic cerebrospinal meningitis----- 18	134	11	6	18	19	14	15	9	7	12	6	6	11
Tuberculosis of the respiratory system----- 23	4,195	362	374	439	412	371	338	321	329	316	291	279	351
Other forms of tuberculosis----- 24-32	443	26	35	44	32	44	34	47	41	34	25	36	41
Malaria----- 38	5	---	---	---	1	---	---	---	1	---	---	---	---
Diabetes mellitus----- 59	2,807	283	252	281	237	223	207	240	164	203	211	234	272
Cerebral hemorrhage and softening----- 82a,82c	7,697	729	698	680	653	670	572	545	513	556	629	658	792
Diseases of the heart----- 90-95	28,460	2,782	2,599	2,593	2,581	2,530	2,097	2,028	1,836	2,020	2,326	2,258	2,810
Bronchitis----- 106	356	41	45	46	34	33	21	15	23	30	22	31	31
Bronchopneumonia----- 107	3,355	445	428	496	352	304	160	127	113	160	242	206	312
Lobar and unspecified pneumonia----- 108,109	5,056	659	561	661	587	496	285	154	126	245	309	356	605
Diarrhea and enteritis (under 2 years)----- 119	580	32	49	33	54	56	46	54	59	56	52	46	43
Diarrhea and enteritis (2 years and over)----- 120	252	15	18	23	20	22	10	26	37	25	22	23	11
Nephritis----- 130-132	8,609	823	802	795	829	756	672	589	581	625	668	672	797
Puerperal septicemia----- 140,142a,145	404	45	38	45	37	36	23	30	41	22	27	25	34
Other puerperal causes----- 141,142b-144,146-150	479	48	42	48	49	37	33	40	34	45	30	28	44
Suicide----- 163-171	1,314	92	78	130	125	141	96	129	103	119	85	116	87
Automobile accidents----- 210	2,295	155	154	167	178	183	203	177	214	207	222	210	220
Automobile-train, street car collisions----- 206,208	66	4	1	4	10	1	3	2	5	6	4	6	17
Other external causes----- 1/ 172-198	5,271	469	449	399	394	426	461	514	412	418	377	443	509
All other causes-----	33,692	2,883	2,788	3,001	3,021	2,959	2,755	2,729	2,604	2,660	2,650	2,568	3,004
RHODE ISLAND----- All causes	7,838	804	705	738	706	656	570	571	596	597	613	608	734
Typhoid and paratyphoid fever----- 1,2	2	---	---	---	---	1	---	---	1	---	---	---	---
Smallpox----- 6	---	---	---	---	---	---	---	---	---	---	---	---	---
Measles----- 7	7	---	---	---	1	---	4	1	---	---	---	---	---
Scarlet fever----- 8	3	---	---	---	---	---	---	---	---	---	---	---	---
Whooping-cough----- 9	8	1	1	1	1	1	1	1	---	2	---	---	---
Diphtheria----- 10	5	---	---	---	---	---	---	---	---	---	---	---	---
Influenza----- 11	59	11	17	6	6	3	1	1	5	1	1	3	4
Dysentery----- 13	15	---	---	---	---	---	---	---	---	---	---	---	---
Erysipelas----- 15	8	3	1	---	1	1	---	---	---	---	1	---	1
Lethargic encephalitis----- 17	1	---	---	---	---	---	1	---	---	---	---	---	---
Epidemic cerebrospinal meningitis----- 18	17	---	---	4	4	4	2	---	---	---	1	1	1
Tuberculosis of the respiratory system----- 23	305	31	21	22	30	30	27	19	23	20	23	31	28
Other forms of tuberculosis----- 24-32	40	5	2	5	7	2	3	5	5	1	2	3	---
Malaria----- 38	---	---	---	---	---	---	---	---	---	---	---	---	---
Diabetes mellitus----- 59	225	28	24	26	20	16	16	15	11	12	20	21	15
Cerebral hemorrhage and softening----- 82a,82c	586	70	49	52	49	46	45	38	37	42	53	51	54
Diseases of the heart----- 90-95	2,245	238	214	241	210	200	142	155	152	141	158	151	233
Bronchitis----- 106	19	3	4	2	1	1	1	2	---	---	1	---	4
Bronchopneumonia----- 107	186	16	20	25	23	20	10	9	4	14	11	12	22
Lobar and unspecified pneumonia----- 108,109	349	59	52	33	41	28	20	13	6	14	16	16	21
Diarrhea and enteritis (under 2 years)----- 119	36	1	3	4	4	5	4	1	2	4	3	3	2
Diarrhea and enteritis (2 years and over)----- 120	12	1	---	---	1	1	1	2	2	2	1	---	---
Nephritis----- 130-132	708	64	58	67	69	54	49	49	63	60	66	49	60
Puerperal septicemia----- 140,142a,145	16	2	1	1	---	---	1	5	1	1	2	2	3
Other puerperal causes----- 141,142b-144,146-150	29	1	1	2	4	3	2	4	3	2	3	8	4
Suicide----- 163-171	78	9	4	11	6	4	4	13	7	5	3	8	8
Automobile accidents----- 210	106	5	5	7	8	7	11	8	10	9	14	14	8
Automobile-train, street car collisions----- 206,208	2	---	---	---	---	---	---	---	---	---	---	---	---
Other external causes----- 1/ 172-198	314	34	18	23	18	25	23	37	43	19	22	25	29
All other causes-----	2,472	284	209	205	201	203	201	193	219	188	214	203	212

1/ Excludes deaths from automobile accidents which are shown under symbols 206, 208, and 210.

MORTALITY STATISTICS

TABLE 10.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM SELECTED CAUSES, BY MONTH: 1935—Continued

(See note at head of this table)

AREA AND CAUSE OF DEATH	Total deaths	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
SOUTH CAROLINA (White)----- All causes	9,154	1,026	818	782	698	740	725	690	709	654	738	703	871
Typhoid and paratyphoid fever----- 1,2	54	3	3		4		10	2	13	3	11	3	2
Smallpox----- 6	6	1											
Measles----- 7	7	1	1	1	1			1			1		
Scarlet fever----- 8	8	1										1	
Whooping-cough----- 9	58	6	8	3	5	4	9	4	10	3	3	1	1
Diphtheria----- 10	45	4	2	2	5								2
Influenza----- 11	389	153	72	35	21	17	17	7	7	7	8	5	7
Dysentery----- 13	29	1				6	3	6	8	14	13	41	
Erysipelas----- 14	1					1	1	1	1			2	2
Lethargic encephalitis----- 17	7	1					1	1	1	1			1
Epidemic cerebrospinal meningitis----- 18	12		2	2	2		1	1	1				1
Tuberculosis of the respiratory system----- 23	243	21	28	25	17	13	15	28	25	17	18	18	18
Other forms of tuberculosis----- 24-32	19		4	2			2	2		3			1
Malaria----- 38	142	5	2	2	5	5	10	11	23	27	28	17	7
Diabetes mellitus----- 59	157	15	11	17	9	16	13	10	12	8	15	11	20
Cerebral hemorrhage and softening----- 82a,82c	666	74	69	54	60	50	49	51	54	57	41	52	55
Diseases of the heart----- 90-95	1,704	165	158	144	149	154	118	119	115	110	145	127	180
Bronchitis----- 106	14	2	1		3	3				1		3	1
Bronchopneumonia----- 107	250	39	28	25	16	14	11	8	10	23	21	20	25
Lobar and unspecified pneumonia----- 108,109	488	87	81	52	47	28	25	16	11	19	26	22	52
Diarrhea and enteritis (under 2 years)----- 119	200	2		5	5	36	52	33	28	9	12	13	5
Diarrhea and enteritis (2 years and over)----- 120	35	1	1	3	1	6	3	8	3	2	3		
Nephritis----- 130-132	981	92	82	63	76	72	82	67	65	65	62	71	64
Puerperal septicemia----- 140,142a,145	41	2	3	4	1	3	2	3	1	8	6	4	4
Other puerperal causes----- 141,142b-144,146-150	95	10	8	8	8	8	4	13	6	9	9	5	7
Suicide----- 163-171	97	12	8	6	7	8	9	9	5	2	10	8	13
Automobile accidents----- 210	302	26	34	31	22	16	18	21	24	21	23	30	26
Automobile-train, street car collisions----- 206,208	24	5				1			10	5	3		
Other external causes----- 1/ 172-198	518	55	33	35	32	40	42	53	38	47	35	45	63
All other causes-----	2,657	223	179	230	199	231	238	224	240	198	234	222	239
SOUTH CAROLINA (other races)----- All causes	11,199	1,117	1,012	981	908	952	926	823	902	803	960	835	970
Typhoid and paratyphoid fever----- 1,2	136	2	4	5	4	13	20	23	26	19	12	2	6
Smallpox----- 6	7												
Measles----- 7	17			6	2	4	3			1			
Scarlet fever----- 8													
Whooping-cough----- 9	115	11	10	13	15	14	11	9		3	1	4	
Diphtheria----- 10	23	3		1	1			2		10	7	2	3
Influenza----- 11	454	166	89	57	34	33	12	4	3	8	21	13	44
Dysentery----- 13	39	1		1	3	9	13	4	2	1	5	2	
Erysipelas----- 14	7	2		1					1	1		1	
Lethargic encephalitis----- 17	1												
Epidemic cerebrospinal meningitis----- 18	11		3	3	1			1		1			2
Tuberculosis of the respiratory system----- 23	694	70	61	57	66	52	56	59	57	55	53	45	53
Other forms of tuberculosis----- 24-32	43	1	2	2	3	3	6	1	13	1	3	4	4
Malaria----- 38	288	4	11	5	9	10	27	21	53	39	61	30	18
Diabetes mellitus----- 59	67	7	4	5	5	2	5	3	5	4	9	7	10
Cerebral hemorrhage and softening----- 82a,82c	819	80	80	62	64	66	63	64	58	54	74	63	71
Diseases of the heart----- 90-95	1,579	159	140	139	131	139	137	118	125	116	132	105	137
Bronchitis----- 106	9	1				1					1	3	2
Bronchopneumonia----- 107	254	24	26	32	19	23	9	8	8	14	20	27	24
Lobar and unspecified pneumonia----- 108,109	579	111	103	91	48	47	29	23	19	24	43	45	96
Diarrhea and enteritis (under 2 years)----- 119	207	8	3	3	10	32	58	25	16	16	14	8	7
Diarrhea and enteritis (2 years and over)----- 120	43	1	3	2	2	13	3	5	3	2	5	2	2
Nephritis----- 130-132	840	94	84	77	73	70	66	60	75	57	71	63	50
Puerperal septicemia----- 140,142a,145	72	5	6	6	5	4	4	6	8	9	8	6	5
Other puerperal causes----- 141,142b-144,146-150	178	18	17	16	24	20	9	10	13	18	20	10	5
Suicide----- 163-171	15	3	1			1	3	2		1	3		1
Automobile accidents----- 210	175	9	12	15	11	5	12	13	21	24	25	15	13
Automobile-train, street car collisions----- 206,208	8			2				1		2			2
Other external causes----- 1/ 172-198	562	45	51	54	33	42	55	45	45	36	43	57	56
All other causes-----	3,873	294	300	319	343	347	322	314	341	286	328	324	355
SOUTH DAKOTA----- All causes	5,316	679	539	597	553	569	508	505	460	411	500	511	484
Typhoid and paratyphoid fever----- 1,2	9	1				1	1		2	2	2		
Smallpox----- 6	2	1											1
Measles----- 7	27	6	7	2	7	2	1		1			3	5
Scarlet fever----- 8	19	2	1	1	2		2		1		2	2	
Whooping-cough----- 9	26	1	1	4	5	3	5	3	2		2	2	
Diphtheria----- 10	14	1		2		1	1	1	1		4	1	2
Influenza----- 11	182	48	29	24	22	14	6	4	5	4	6	10	10
Dysentery----- 13	5	2							2				
Erysipelas----- 14	6								1				1
Lethargic encephalitis----- 17	8	1	1	1	1	2		1	2				
Epidemic cerebrospinal meningitis----- 18	5	1	1									1	
Tuberculosis of the respiratory system----- 23	233	14	18	21	27	32	19	14	25	19	14	15	15
Other forms of tuberculosis----- 24-32	36	2	4	4	3	5	7	2	3		3		3
Malaria----- 38													
Diabetes mellitus----- 59	132	9	7	14	11	17	12	14	7	8	10	12	11
Cerebral hemorrhage and softening----- 82a,82c	440	43	33	35	30	40	33	39	40	30	38	43	36
Diseases of the heart----- 90-95	1,069	103	92	86	95	101	88	79	87	60	101	65	90
Bronchitis----- 106	29	6	5	6	1	1	1			3	2	3	1
Bronchopneumonia----- 107	213	35	30	36	24	19	14	7	4	5	10	10	19
Lobar and unspecified pneumonia----- 108,109	420	66	35	55	63	40	28	13	16	12	29	33	30
Diarrhea and enteritis (under 2 years)----- 119	68	10	1	7	5	5	4	6	8	7	10	3	2
Diarrhea and enteritis (2 years and over)----- 120	14							4	3	2	2	1	
Nephritis----- 130-132	344	24	30	21	30	31	33	28	26	24	33	50	24
Puerperal septicemia----- 140,142a,145	37	4	1	8	4	6	2	4	1			2	5
Other puerperal causes----- 141,142b-144,146-150	47	7	4	7	2	7	4	4	4		2	3	3
Suicide----- 163-171	89	5	3	7	7	9	10	5	12	7	8	10	6
Automobile accidents----- 210	142	16	9	11	3	5	19	11	12	19	13	19	5
Automobile-train, street car collisions----- 206,208	6	1							1	3		1	
Other external causes----- 1/ 172-198	306	31	12	15	25	26	22	54	26	20	30	21	20
All other causes-----	2,386	228	209	225	186	201	196	208	169	186	178	203	195

1/ Excludes deaths from automobile accidents which are shown under symbols 206, 208, and 210.

MORTALITY STATISTICS

TABLE 10.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM SELECTED CAUSES, BY MONTH: 1935—Continued

(See note at head of this table)

AREA AND CAUSE OF DEATH	Total deaths	By Month											
		Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
TENNESSEE (White)----- All causes	22,120	2,090	2,023	2,054	1,749	1,694	1,755	1,772	1,636	1,595	1,744	1,825	2,183
Typhoid and paratyphoid fever----- 1,2	143	5	---	1	3	6	12	23	36	22	15	11	9
Smallpox----- 6	---	---	---	---	---	---	---	---	---	---	---	---	---
Measles----- 7	39	4	7	8	9	1	1	2	1	5	3	---	7
Scarlet fever----- 6	23	2	---	1	3	4	4	1	1	---	---	---	---
Whooping-cough----- 9	181	16	22	22	26	22	12	12	11	8	3	5	10
Diphtheria----- 10	160	17	8	10	2	6	3	2	6	22	33	26	24
Influenza----- 11	852	184	179	149	82	32	21	10	11	10	27	39	118
Dysentery----- 13	123	1	1	3	2	10	30	34	13	11	11	7	---
Erysipelas----- 15	48	5	3	4	3	5	2	2	2	6	1	4	11
Lethargic encephalitis----- 17	22	1	4	2	4	2	---	1	1	1	5	---	1
Epidemic cerebrospinal meningitis----- 18	92	9	13	15	7	11	6	1	3	8	3	9	7
Tuberculosis of the respiratory system----- 23	1,458	152	135	128	125	125	111	108	109	95	120	117	133
Other forms of tuberculosis----- 24-32	146	14	18	16	13	8	12	6	13	12	12	15	7
Malaria----- 38	148	2	1	3	1	4	10	30	37	31	16	9	4
Diabetes mellitus----- 59	273	33	22	26	31	11	18	19	20	24	17	25	27
Cerebral hemorrhage and softening----- 82a,82c	1,475	138	144	144	130	111	119	103	89	113	105	145	134
Diseases of the heart----- 90-95	3,075	261	255	277	227	250	243	261	239	252	259	253	283
Bronchitis----- 106	49	4	5	7	5	4	1	2	3	3	4	5	6
Bronchopneumonia----- 107	767	133	78	92	72	51	27	23	13	39	64	63	112
Lobar and unspecified pneumonia----- 108,109	1,269	186	184	182	98	83	50	27	32	43	62	86	214
Diarrhea and enteritis (under 2 years)----- 119	451	6	3	10	9	38	114	107	57	39	28	32	8
Diarrhea and enteritis (2 years and over)----- 120	157	6	5	3	7	18	29	32	-21	11	11	7	7
Nephritis----- 130-132	1,312	114	111	110	109	124	109	96	100	104	97	121	117
Fuерperal septicemia----- 140,142a,145	108	6	13	15	8	6	10	7	9	4	14	8	13
Other fuерperal causes----- 141,142b-144,146-150	180	20	22	15	11	6	15	7	11	6	10	10	16
Suicide----- 163-171	245	21	21	17	21	24	23	25	20	14	26	20	11
Automobile accidents----- 210	575	43	36	43	48	37	42	48	63	45	72	51	45
Automobile-train, street car collisions----- 206,208	26	---	4	2	3	1	---	---	2	---	---	5	4
Other external causes----- 1/ 172-198	1,246	91	99	89	100	87	110	115	114	95	106	115	125
All other causes-----	7,483	616	628	660	590	603	621	658	598	566	589	621	723
TENNESSEE (other races)----- All causes	7,832	749	666	701	631	672	628	638	653	561	621	605	755
Typhoid and paratyphoid fever----- 1,2	46	3	2	1	1	1	5	5	11	8	8	1	---
Smallpox----- 6	---	---	---	---	---	---	---	---	---	---	---	---	---
Measles----- 7	---	---	---	---	---	---	---	---	---	---	---	---	---
Scarlet fever----- 8	4	1	---	---	---	---	---	---	1	---	2	---	---
Whooping-cough----- 9	40	4	3	4	10	4	5	4	2	---	2	---	2
Diphtheria----- 10	21	2	2	2	1	---	---	---	4	2	3	4	1
Influenza----- 11	319	79	48	51	27	19	14	2	7	6	13	17	36
Dysentery----- 13	27	1	1	---	1	2	5	9	6	---	1	1	---
Erysipelas----- 15	1	---	---	---	---	---	---	---	---	---	1	---	---
Lethargic encephalitis----- 17	1	---	---	---	---	---	---	---	---	---	---	---	---
Epidemic cerebrospinal meningitis----- 18	17	3	2	2	2	1	---	1	2	1	---	1	2
Tuberculosis of the respiratory system----- 23	737	57	68	71	61	79	54	58	56	52	61	54	66
Other forms of tuberculosis----- 24-32	101	10	7	6	7	17	9	13	8	7	5	6	6
Malaria----- 38	73	1	---	---	---	3	5	13	28	10	7	3	1
Diabetes mellitus----- 59	57	7	6	3	6	5	2	3	5	4	4	5	5
Cerebral hemorrhage and softening----- 82a,82c	551	57	46	38	41	46	42	48	52	40	38	49	54
Diseases of the heart----- 90-95	1,047	82	90	117	82	84	94	82	80	66	88	87	95
Bronchitis----- 106	21	2	---	---	---	---	1	2	4	2	2	3	2
Bronchopneumonia----- 107	255	34	25	31	31	21	10	10	3	12	24	20	34
Lobar and unspecified pneumonia----- 108,109	483	70	69	57	51	36	20	13	13	13	23	41	72
Diarrhea and enteritis (under 2 years)----- 119	93	1	1	4	2	4	2	23	4	2	7	8	2
Diarrhea and enteritis (2 years and over)----- 120	63	5	1	2	3	6	13	11	3	6	6	4	3
Nephritis----- 130-132	512	44	35	38	40	44	40	44	44	53	47	38	45
Fuерperal septicemia----- 140,142a,145	42	1	5	2	3	1	6	1	8	4	4	6	4
Other fuерperal causes----- 141,142b-144,146-150	47	2	2	5	7	5	6	4	5	4	3	3	1
Suicide----- 163-171	26	1	3	2	2	3	2	1	1	1	3	3	4
Automobile accidents----- 210	113	7	12	9	10	7	4	10	12	12	14	9	7
Automobile-train, street car collisions----- 206,208	1	---	---	---	---	---	---	---	---	---	---	---	1
Other external causes----- 1/ 172-198	665	66	52	55	48	50	48	56	70	50	47	50	73
All other causes-----	2,519	210	185	199	193	234	218	223	221	202	203	192	239
TEXAS (White)----- All causes	50,055	4,637	4,651	4,712	4,131	4,126	3,875	4,134	3,787	3,379	3,954	4,054	4,615
Typhoid and paratyphoid fever----- 1,2	378	32	16	16	20	22	30	53	58	44	30	37	20
Smallpox----- 6	3	---	---	---	---	---	1	---	---	---	2	---	---
Measles----- 7	148	22	23	24	23	26	15	7	1	3	1	---	3
Scarlet fever----- 8	57	7	5	5	2	6	2	2	2	3	4	9	10
Whooping-cough----- 9	173	19	13	24	26	23	10	24	11	5	6	5	7
Diphtheria----- 10	378	43	22	31	12	11	15	25	33	29	39	65	53
Influenza----- 11	1,913	327	482	370	168	111	44	35	32	29	60	78	177
Dysentery----- 13	383	21	15	12	16	57	52	53	49	30	40	26	12
Erysipelas----- 15	89	5	8	6	8	5	9	14	6	2	3	11	12
Lethargic encephalitis----- 17	25	---	---	---	4	2	1	2	2	1	3	1	4
Epidemic cerebrospinal meningitis----- 18	75	12	15	9	4	9	5	3	1	1	4	3	9
Tuberculosis of the respiratory system----- 23	3,066	246	295	273	286	275	244	246	232	220	225	232	272
Other forms of tuberculosis----- 24-32	230	16	15	23	19	21	23	21	19	21	17	22	13
Malaria----- 38	482	24	8	14	16	21	24	65	58	61	57	88	46
Diabetes mellitus----- 59	607	60	43	47	46	42	45	52	50	52	50	50	70
Cerebral hemorrhage and softening----- 82a,82c	2,701	265	233	251	227	213	207	208	200	156	225	264	232
Diseases of the heart----- 90-95	7,710	708	695	734	638	611	621	578	543	531	599	673	779
Bronchitis----- 106	176	18	21	15	19	14	9	8	12	5	19	16	22
Bronchopneumonia----- 107	1,651	196	249	240	165	122	67	61	60	61	105	154	191
Lobar and unspecified pneumonia----- 108,109	2,504	333	395	386	266	204	102	68	58	85	125	174	309
Diarrhea and enteritis (under 2 years)----- 119	1,617	54	60	76	133	187	259	251	171	130	142	113	58
Diarrhea and enteritis (2 years and over)----- 120	417	23	15	30	37	40	44	52	34	37	55	32	20
Nephritis----- 130-132	2,592	239	200	234	214	235	196	211	192	190	218	189	276
Fuерperal septicemia----- 140,142a,145	244	21	15	24	22	16	24	22	20	25	17	11	27
Other fuерperal causes----- 141,142b-144,146-150	391	32	37	30	33	31	28	26	36	37	27	36	39
Suicide----- 163-171	700	53	50	65	57	57	77	70	60	43	66	43	59
Automobile accidents----- 210	1,600	134	99	122	84	120	132	151	132	155	160	142	169
Automobile-train, street car collisions----- 206,208	40	5	3	8	7	2	1	1	---	5	3	2	3
Other external causes----- 1/ 172-198	2,850	231	212	227	212	241	314	261	262	199	233	213	245
All other causes-----	16,855	1,491	1,406	1,412	1,367	1,404	1,295	1,566	1,453	1,221	1,420	1,359	1,461

1/ Excludes deaths from automobile accidents which are shown under symbols 206, 208, and 210.

MORTALITY STATISTICS

TABLE 10.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM SELECTED CAUSES, BY MONTH: 1935—Continued

(See note at head of this table)

AREA AND CAUSE OF DEATH	Total deaths	Jan.	Feb.	Mar.	Apr.	May	June	July	AUG.	Sept.	Oct.	Nov.	Dec.
TEXAS (other races)----- All causes	11,608	1,028	1,061	1,069	940	900	729	969	925	785	939	987	1,066
Typhoid and paratyphoid fever----- 1,2	161	10	5	7	7	12	14	21	23	22	11	19	10
Smallpox----- 6	2	2											
Measles----- 7	11			2	5	2		2					
Scarlet fever----- 8	2								1			1	
Whooping-cough----- 9	34	5	1	4	1	6	4	4	2				3
Diphtheria----- 10	64	7	2	6	8	1	5	2	8	10	14	18	9
Influenza----- 11	471	63	114	94	44	30	12	7	6	6	18	30	47
Dysentery----- 13	58	4	1	2	4	2	3	11	6	11	4	5	5
Erysipelas----- 15	1	1											
Lethargic encephalitis----- 17	3				1			1			1		
Epidemic cerebrospinal meningitis----- 18	9	1	1	1				1	1			1	3
Tuberculosis of the respiratory system----- 23	841	76	60	69	80	81	59	60	70	62	82	66	76
Other forms of tuberculosis----- 24-32	65	6	7	1	6	5	9	7	6	4	4	3	7
Malaria----- 38	162	5	7	4	8	9	12	20	22	21	39	12	3
Diabetes mellitus----- 59	101	8	12	11	6	14	6	5	5	6	6	9	11
Cerebral hemorrhage and softening----- 82a,82c	693	53	48	77	55	66	58	64	53	48	46	59	56
Diseases of the heart----- 90-95	1,543	127	126	127	143	130	138	123	115	105	107	151	151
Bronchitis----- 106	16		3		3	1							1
Bronchopneumonia----- 107	232	29	24	35	15	13	15	6	10	4	19	27	33
Lobar and unspecified pneumonia----- 108,109	707	96	115	99	83	38	26	25	19	19	46	44	107
Diarrhea and enteritis (under 2 years)----- 119	159	11	3	7	12	17	23	29	20	10	9	10	8
Diarrhea and enteritis (2 years and over)----- 120	71	3	5	6	7	7	7	4	4	11	5	5	7
Nephritis----- 130-132	933	95	82	66	74	69	82	78	77	64	76	94	86
Puerperal septicemia----- 140,142a,145	91	11	9	9	4	8	7	6	7	6	5	6	7
Other puerperal causes----- 141,142b-144,146-150	109	11	12	18	15	7	7	7	6	9	8	6	3
Suicide----- 163-171	25	3	1	4	1	1	2	2	3	1	3	2	2
Automobile accidents----- 210	201	20	13	16	15	5	22	10	17	18	17	23	25
Automobile-train, street car collisions-- 206,208	1												
Other external causes----- 1/ 172-198	984	86	77	74	77	76	81	120	87	68	63	83	92
All other causes-----	3,826	305	323	330	258	302	338	349	346	273	360	310	334
UTAH----- All causes	5,065	500	468	473	415	443	386	349	379	364	384	428	477
Typhoid and paratyphoid fever----- 1,2	4	1							1		2		
Smallpox----- 6													
Measles----- 7	32	4	4	6	8	6	4					2	6
Scarlet fever----- 8	62	7	5	5	10	6	3	5	4	3	4		
Whooping-cough----- 9	40	2	1	6	12	5	5	2	1	1	3	2	
Diphtheria----- 10	7	1		1	2	2						2	1
Influenza----- 11	117	28	23	10	9	8	5	3	7	2	5	7	10
Dysentery----- 13	10	1	1					1	1	1	1	1	5
Erysipelas----- 15	17	1		1		2		1	2		3	3	
Lethargic encephalitis----- 17	3							1				1	3
Epidemic cerebrospinal meningitis----- 18	10			2	1	1					1	2	
Tuberculosis of the respiratory system----- 23	81	4	6	8	6	7	6	6	8	2	7	6	5
Other forms of tuberculosis----- 24-32	3	2		1			1	1	1	2			
Malaria----- 38	1												
Diabetes mellitus----- 59	92	7	5	7	9	6	4	11	6	8	6	6	13
Cerebral hemorrhage and softening----- 82a,82c	250	20	23	25	16	23	18	19	15	20	19	23	29
Diseases of the heart----- 90-95	1,043	92	120	92	70	106	69	65	74	70	81	103	101
Bronchitis----- 106	12	2		2			1		2	2	1		
Bronchopneumonia----- 107	197	47	16	23	11	27	21	10	9	3	17	15	22
Lobar and unspecified pneumonia----- 108,109	281	43	28	27	28	27	21	10	9	14	21	27	26
Diarrhea and enteritis (under 2 years)----- 119	25		2	1	3	2	5			1	6	1	4
Diarrhea and enteritis (2 years and over)----- 120	15	1		1	4	1	2	1	1	1	1	1	1
Nephritis----- 130-132	300	42	34	27	17	24	25	19	17	22	20	25	26
Puerperal septicemia----- 140,142a,145	37	5	4	3	4		4	2	3	2	3	2	1
Other puerperal causes----- 141,142b-144,146-150	39	5	1	4	3	4	3	2	3	1	1	2	3
Suicide----- 163-171	52	2	4	8	3	1	1		5	7	9	3	9
Automobile accidents----- 210	178	15	7	7	14	12	16	20	14	23	17	16	17
Automobile-train, street car collisions-- 206,208	10	2	1		4		1			1		1	
Other external causes----- 1/ 172-198	369	19	23	35	22	31	24	28	26	30	28	23	20
All other causes-----	1,850	150	158	170	155	157	150	151	169	144	126	151	169
VERMONT----- All causes	4,777	427	505	457	394	345	393	362	327	346	391	398	430
Typhoid and paratyphoid fever----- 1,2	4				1			1	1		1		
Smallpox----- 6													
Measles----- 7	6					3	2						1
Scarlet fever----- 8	8		2		2	2				1			1
Whooping-cough----- 9	13	2	5		1	1		1	2				1
Diphtheria----- 10	4				2			1					1
Influenza----- 11	132	17	42	27	14	5	4	1	3	2	3	4	10
Dysentery----- 13	1												
Erysipelas----- 15	9		1	1	1			2			2	1	1
Lethargic encephalitis----- 17	2	1											
Epidemic cerebrospinal meningitis----- 18	8	2	2			1	1	1		1	1		
Tuberculosis of the respiratory system----- 23	141	10	14	16	16	9	11	12	9	11	7	10	15
Other forms of tuberculosis----- 24-32	19		4	2	1	1	4	1	1		4	1	
Malaria----- 38													
Diabetes mellitus----- 59	116	13	10	7	9	11	11	12	5	6	7	12	13
Cerebral hemorrhage and softening----- 82a,82c	431	42	37	31	36	27	36	31	33	43	40	40	35
Diseases of the heart----- 90-95	1,180	102	107	112	91	102	88	92	82	81	105	110	108
Bronchitis----- 106	23	2	3	2	2	2			2	2	3	2	5
Bronchopneumonia----- 107	157	16	19	23	17	9	10	7	4	5	10	15	22
Lobar and unspecified pneumonia----- 108,109	218	27	37	24	25	16	16	4	2	9	15	21	22
Diarrhea and enteritis (under 2 years)----- 119	13	1	1	2	1	1	1			1	1	1	1
Diarrhea and enteritis (2 years and over)----- 120	18	3	1	1	1	3			2	3	2	2	2
Nephritis----- 130-132	333	24	32	34	27	24	24	26	32	17	29	35	29
Puerperal septicemia----- 140,142a,145	15	1	1	2	1		1	1	1		4	1	3
Other puerperal causes----- 141,142b-144,146-150	50	2	4	2	6		6	6	5	6	3	2	2
Suicide----- 163-171	37	2	5	8	6		4	10	6	8	9	11	6
Automobile accidents----- 210	81	5	3	3	2		3	4	1				
Automobile-train, street car collisions-- 206,208	4		1		17	19	25	35	24	1	21	15	19
Other external causes----- 1/ 172-198	266	30	27	20	111	100	136	119	103	129	120	115	131
All other causes-----	1,486	125	144	140									

1/ Excludes deaths from automobile accidents which are shown under symbols 206, 206, and 210.

DEATHS FROM SELECTED CAUSES, BY MONTH

343

TABLE 10.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM SELECTED CAUSES, BY MONTH: 1935—Continued

(See note at head of this table)

AREA AND CAUSE OF DEATH	Total deaths	Month											
		Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
VIRGINIA (White)----- All causes	19,272	1,987	1,836	1,860	1,613	1,502	1,489	1,378	1,364	1,296	1,378	1,456	1,818
Typhoid and paratyphoid fever----- 1,2	43	3	1	1	1	1	2	9	6	6	6	3	4
Smallpox----- 6	98	17	22	26	14	12	3	1	1			1	1
Measles----- 7	24	3	3	2	1	5				4	3	3	
Scarlet fever----- 8	109	16	17	11	11	14	13	8	5	6	3	3	2
Whooping-cough----- 9	117	18	13	6	2	5	2	2	7	10	14	26	13
Diphtheria----- 10	593	169	157	86	41	28	13	5	6	7	20	10	51
Influenza----- 11	65	1	2	1	1	1	11	12	19	7	4	5	1
Dysentery----- 13	32	2	3	5	3	4	2	1	3	1	3	2	3
Erysipelas----- 15	11	1		1	2	1	1	2	1			1	1
Lethargic encephalitis----- 17	.68	8	8	8	8	5	6	3	1	5	5	2	9
Epidemic cerebrospinal meningitis----- 18	859	88	85	86	82	75	65	67	60	55	56	52	68
Tuberculosis of the respiratory system----- 23	89	11	9	13	4	7	5	5	7	5	9	4	10
Other forms of tuberculosis----- 24-32	8						1		3	1	2		
Malaria----- 38	325	45	27	32	25	27	18	25	26	20	27	24	31
Diabetes mellitus----- 59	1,515	149	116	120	143	124	118	118	103	95	130	147	182
Cerebral hemorrhage and softening----- 82a,82c	3,905	398	357	399	320	356	314	278	265	260	321	270	367
Diseases of the heart----- 90-95	51	8	4	4	5	3	1	2	1	2	10	2	9
Bronchitis----- 106	574	98	79	87	50	50	27	9	10	31	45	31	57
Bronchopneumonia----- 107	748	103	114	93	65	67	28	19	10	23	56	50	100
Lobar and unspecified pneumonia----- 108,109	173	4	1	6	6	6	28	37	46	18	8	5	8
Diarrhea and enteritis (under 2 years)----- 119	56	2	3	3	1	3	12	4	12	6	6	2	2
Diarrhea and enteritis (2 years and over)----- 120	1,625	146	157	144	139	132	139	119	129	126	149	123	142
Nephritis----- 130-132	66	7	7	7	2	3		4	7	2	9	11	7
Puerperal septicaemia----- 140,142a,145	102	8	11	7	13	12	12	3	1	12	6	13	4
Other puerperal causes----- 141,142b-144,146-150	307	26	27	30	14	31	26	23	28	29	18	29	26
Suicide----- 163-171	592	40	34	56	46	37	44	39	46	48	69	75	58
Automobile accidents----- 210	20	4	2	7		1			2	1			3
Automobile-train, street car collisions----- 206,208	1,011	81	100	75	63	80	88	97	83	82	79	85	98
Other external causes----- 1/ 172-198	6,086	531	497	544	531	512	510	488	476	434	520	478	565
All other causes-----													
VIRGINIA (other races)----- All causes	11,086	1,132	1,011	1,016	962	922	652	844	666	808	828	829	1,016
Typhoid and paratyphoid fever----- 1,2	41				1	4	1	6	10	3	9	5	2
Smallpox----- 6	53	3	16	10	7	10	1	1	1	2	1	1	
Measles----- 7	2												
Scarlet fever----- 8	107	15	18	7	13	11	15	6	8	3	8	3	3
Whooping-cough----- 9	19	1		1	1	2	2	1	1	3	4	4	4
Diphtheria----- 10	383	96	88	60	36	24	11	8	7	7	10	11	25
Influenza----- 11	27	1	1	1	1	2	4	6	5	2	2	2	1
Dysentery----- 13	1												
Erysipelas----- 15	3												
Lethargic encephalitis----- 17	41	3		1	3	10	10	1	78	2	3	2	6
Epidemic cerebrospinal meningitis----- 18	309	89	75	87	69	87	97	12	9	11	12	6	5
Tuberculosis of the respiratory system----- 23	97	1	1	3	5	5			2	1	3		
Other forms of tuberculosis----- 24-32	8	1	3	7	7	12	7	3	12	6	15	5	5
Malaria----- 38	97	99	82	103	109	80	85	64	86	102	72	79	103
Diabetes mellitus----- 59	1,064	214	167	157	190	188	150	149	151	134	143	145	180
Cerebral hemorrhage and softening----- 82a,82c	1,968	26	4	5	2	4	2	3	1	4		2	5
Diseases of the heart----- 90-95	339	48	43	44	35	28	16	12	8	25	23	19	38
Bronchitis----- 106	599	91	87	89	59	41	22	23	15	24	31	48	69
Bronchopneumonia----- 107	147	5	5	2	5	11	30	21	26	14	9	13	6
Lobar and unspecified pneumonia----- 108,109	76	3	3	3	3	10	13	17	9	8	6	4	3
Diarrhea and enteritis (under 2 years)----- 119	869	67	72	80	74	72	64	71	77	77	73	71	71
Diarrhea and enteritis (2 years and over)----- 120	47	8	6	2	3	3	2	4	5	6	6	3	5
Nephritis----- 130-132	75	7	5	6	7	9	9	6	6	6	4	4	4
Puerperal septicaemia----- 140,142a,145	311	44	1	4	4	4	2	2	2	3	3	1	5
Other puerperal causes----- 141,142b-144,146-150	331	27	1	4	4	4	2	2	2	2	3	3	4
Suicide----- 163-171	234	19	11	21	12	14	21	19	19	23	26	23	26
Automobile accidents----- 210	4												
Automobile-train, street car collisions----- 206,208	650	64	48	56	53	45	50	58	58	44	49	53	72
Other external causes----- 1/ 172-198	3,159	273	266	267	261	245	251	278	270	231	259	259	299
All other causes-----													
WASHINGTON----- All causes	18,203	1,771	1,436	1,630	1,591	1,572	1,377	1,463	1,405	1,389	1,453	1,528	1,588
Typhoid and paratyphoid fever----- 1,2	14			1	1	1		3		2		3	3
Smallpox----- 6	1						1						
Measles----- 7	24	2	3		3	6	4		2			2	2
Scarlet fever----- 8	24	3	3	1	1	2	3		1	2	1	4	3
Whooping-cough----- 9	29	7	3	5	1	4		1	2	2	3	4	1
Diphtheria----- 10	13	1		5	3				1	1	2		
Influenza----- 11	255	54	46	41	21	14	12	11	3	3	14	17	19
Dysentery----- 13	22								1	1	3	3	
Erysipelas----- 15	40	2	3	6	5	5	8	1	1		3	3	2
Lethargic encephalitis----- 17	28	5	3	3	2	1	3	3	2			1	3
Epidemic cerebrospinal meningitis----- 18	56	4	3	2	7	3	3	2	4	4	1	4	3
Tuberculosis of the respiratory system----- 23	70	47	59	55	70	49	58	60	52	53	60	64	64
Other forms of tuberculosis----- 24-32	697	14	10	12	11	11	5	16	11	11	8	10	8
Malaria----- 38	127												
Diabetes mellitus----- 59	378	44	41	37	26	22	24	24	26	21	31	44	38
Cerebral hemorrhage and softening----- 82a,82c	1,505	152	104	157	141	135	111	129	110	114	116	130	126
Diseases of the heart----- 90-95	4,389	440	366	389	400	391	328	348	348	317	340	348	374
Bronchitis----- 106	39	7	1	4	1	1	8	3	1	2	4	2	5
Bronchopneumonia----- 107	437	63	35	39	37	44	22	14	19	26	39	49	49
Lobar and unspecified pneumonia----- 108,109	582	76	42	49	62	46	35	24	26	40	43	68	69
Diarrhea and enteritis (under 2 years)----- 119	62	1	5	4	3	1	7	5	4	14	8	5	3
Diarrhea and enteritis (2 years and over)----- 120	38	2	2	4	1		3	2	1	9	7	4	4
Nephritis----- 130-132	1,251	120	97	116	118	108	91	102	87	96	101	109	106
Puerperal septicaemia----- 140,142a,145	48	3	4	4	3	7	9	3	3	6	5	5	4
Other puerperal causes----- 141,142b-144,146-150	61	5	4	2	5	9	8	6	5	5	1	1	2
Suicide----- 163-171	365	27	21	33	35	39	27	27	29	35	32	33	27
Automobile accidents----- 210	547	40	32	38	38	47	35	39	55	48	51	59	65
Automobile-train, street car collisions----- 206,208	18	1	1			1	1	2	2	6		1	2
Other external causes----- 1/ 172-198	1,131	96	73	83	95	93	106	118	112	102	83	88	82
All other causes-----	6,042	532	486	556	515	508	472	521	489	466	501	474	522

1/ Excludes deaths from automobile accidents which are shown under symbols 206, 208, and 210.

MORTALITY STATISTICS

TABLE 10.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM SELECTED CAUSES, BY MONTH: 1935—Continued

(See note at head of this table)

AREA AND CAUSE OF DEATH	Total deaths	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
WEST VIRGINIA----- All causes	18,340	1,766	1,730	1,715	1,596	1,434	1,337	1,349	1,410	1,442	1,466	1,394	1,681
Typhoid and paratyphoid fever----- 1,2	95	4	3	4	5	4	5	6	12	16	21	4	6
Smallpox----- 6	119	13	23	21	34	17	5	3	3	3	1	1	1
Measles----- 7	80	12	8	7	6	7	2	1	5	8	11	6	5
Scarlet fever----- 8	125	19	27	20	22	12	6	6	4	2	1	1	1
Whooping-cough----- 9	165	20	11	9	7	5	4	3	12	26	26	30	12
Diphtheria----- 10	506	89	114	74	40	35	17	11	13	19	17	29	48
Influenza----- 11	87	2	3	1	1	7	13	24	18	14	3	1	1
Dysentery----- 13	39	8	6	4	2	4	2	4	3	1	2	3	2
Erysipelas----- 15	8	1	1	1	2	1	1	1	1	1	1	1	1
Lethargic encephalitis----- 17	74	9	6	14	9	6	6	3	4	1	5	5	6
Epidemic cerebrospinal meningitis----- 18	908	92	86	83	100	78	70	60	75	72	67	63	62
Tuberculosis of the respiratory system----- 23	133	10	6	12	21	15	11	10	9	10	17	6	6
Other forms of tuberculosis----- 24-32	4												
Malaria----- 38	257	20	25	22	11	24	24	12	20	27	19	19	35
Diabetes mellitus----- 59	1,066	100	66	96	96	91	78	76	75	75	61	90	121
Cerebral hemorrhage and softening----- 82a,82c	2,973	274	291	255	258	258	204	211	224	219	243	255	281
Diseases of the heart----- 90-95	36	2	4	6	5	2	2	2	1	2	4	4	6
Bronchitis----- 106	607	92	83	98	56	41	26	18	19	34	39	36	65
Bronchopneumonia----- 107	884	134	132	100	102	74	34	28	17	34	49	59	121
Lobar and unspecified pneumonia----- 108,109	341	4	7	9	8	10	21	52	75	72	52	20	11
Diarrhea and enteritis (under 2 years)----- 119	99	4	3	8	1	7	4	23	23	11	4	6	5
Diarrhea and enteritis (2 years and over)----- 120	1,221	99	115	108	120	90	100	81	102	102	111	79	114
Nephritis----- 130-132	98	16	9	9	2	6	7	6	6	5	9	9	9
Puerperal septicemia----- 140,142a,145	118	6	13	20	7	8	17	6	8	4	8	6	14
Other puerperal causes----- 141,142b-144,146-150	212	14	17	11	24	11	14	24	16	21	21	21	18
163-171	497	32	36	46	38	33	38	42	50	46	42	41	41
172-198	14	2	1	1	1	1	1	1	1	1	1	1	2
Automobile accidents----- 206,208	1,491	123	107	130	131	96	143	129	126	136	104	122	144
Automobile-train, street car collisions----- 206,208	6,083	586	503	547	486	493	487	515	483	471	495	476	541
Other external causes----- 1/ 172-198													
All other causes-----													
WISCONSIN----- All causes	30,694	2,861	2,483	2,700	2,674	2,618	2,473	2,457	2,296	2,340	2,483	2,571	2,736
Typhoid and paratyphoid fever----- 1,2	9				1				1	1	5		
Smallpox----- 6	82	5	5	10	14	18	15	8	2			1	4
Measles----- 7	114	10	15	21	11	14	10	3	5	7	7	7	9
Scarlet fever----- 8	52	1	5	3	3	8	5	7	3	8	2	2	5
Whooping-cough----- 9	13	1	3	3	3			2	2				
Diphtheria----- 10	401	84	54	50	38	37	23	11	12	12	16	24	40
Influenza----- 11	12	2	1		2	1		1	3	1			1
Dysentery----- 13	36	2	2	3	6	3	3	4	4	2	2	4	1
Erysipelas----- 15	24	3	1	2	5	2	3	1	2	1	2	1	1
Lethargic encephalitis----- 17	36	3	1	8	4	5	4				1	1	4
Epidemic cerebrospinal meningitis----- 18	990	90	92	74	95	79	92	98	74	73	94	65	65
Tuberculosis of the respiratory system----- 23	87	9	7	6	12	6	9	7	4	9	3	7	6
Other forms of tuberculosis----- 24-32	38	1											
Malaria----- 38	764	78	53	71	70	52	55	71	61	57	55	58	65
Diabetes mellitus----- 59	2,406	211	193	213	225	222	171	177	176	199	190	211	216
Cerebral hemorrhage and softening----- 82a,82c	7,543	720	628	661	622	654	594	602	542	560	618	664	677
Diseases of the heart----- 90-95	99	9	16	6	9	7	6	6	6	8	9	11	10
Bronchitis----- 106	847	122	90	91	75	71	67	45	33	30	62	69	92
Bronchopneumonia----- 107	1,123	169	107	125	114	100	85	49	34	37	82	94	127
Lobar and unspecified pneumonia----- 108,109	136	11	9	7	19	15	7	10	13	16	9	8	12
Diarrhea and enteritis (under 2 years)----- 119	57	1	2	4	3	1	1	8	9	10	6	5	7
Diarrhea and enteritis (2 years and over)----- 120	2,027	208	161	168	167	177	172	149	133	155	160	169	188
Nephritis----- 130-132	65	5	9	3	11	4	5	6	8	3	2	4	5
Puerperal septicemia----- 140,142a,145	144	7	12	22	11	9	16	12	14	6	6	7	20
Other puerperal causes----- 141,142b-144,146-150	485	30	39	34	39	51	36	39	49	30	45	42	51
163-171	762	38	36	47	47	54	68	79	69	68	79	84	73
Automobile accidents----- 210	69	7	4	14	4	4	7	4	8	3	6	5	3
Automobile-train, street car collisions----- 206,208	1,452	96	85	116	128	106	124	170	133	145	109	124	114
Other external causes----- 1/ 172-198	10,858	937	855	918	936	918	894	887	895	879	914	903	922
All other causes-----													
WYOMING----- All causes	2,284	206	165	209	200	217	195	185	174	156	198	169	209
Typhoid and paratyphoid fever----- 1,2	6				1			3			2		
Smallpox----- 6	31	5	7	3	7	7	2						
Measles----- 7	26	2	5	1	3	1	1	3	2		1	1	6
Scarlet fever----- 8	16	1	3		1	2	4	3				1	1
Whooping-cough----- 9	2										1	1	1
Diphtheria----- 10	62	9	8	6	11	3	2	3	1	2	1	7	7
Influenza----- 11	4												
Dysentery----- 13	13			3	1		3		4	2			
Erysipelas----- 15	3			1					1				
Lethargic encephalitis----- 17	6												
Epidemic cerebrospinal meningitis----- 18	50	5	3	8	7	6	3	3	1	6	3		1
Tuberculosis of the respiratory system----- 23	8		2									1	1
Other forms of tuberculosis----- 24-32	1												
Malaria----- 38	40	7	4	2	4	7	4	2	2	1	2	3	2
Diabetes mellitus----- 59	145	20	12	17	20	13	7	6	4	13	11	11	11
Cerebral hemorrhage and softening----- 82a,82c	429	45	32	44	32	42	36	33	37	23	26	35	44
Diseases of the heart----- 90-95	8			1				1			1	1	1
Bronchitis----- 106	90	12	10	12	14	8	3	3		5	7	7	9
Bronchopneumonia----- 107	123	9	7	11	15	16	15	4	4	6	12	10	14
Lobar and unspecified pneumonia----- 108,109	9												
Diarrhea and enteritis (under 2 years)----- 119	9												
Diarrhea and enteritis (2 years and over)----- 120	128	12	7	10	11	10	10	10	9	6	7	17	19
Nephritis----- 130-132	10	2	2		2		1		1		1		1
Puerperal septicemia----- 140,142a,145	8		2	1		2					2		1
Other puerperal causes----- 141,142b-144,146-150	43	3	1	6	2	5	4	3	6	4	2	2	2
163-171	100	7	5	7	5	9	7	12	13	7	9	7	12
Automobile accidents----- 210	1												
Automobile-train, street car collisions----- 206,208	205	9	12	10	9	19	17	25	25	22	33	12	13
Other external causes----- 1/ 172-198	708	59	39	63	53	66	72	69	61	50	68	46	62
All other causes-----													

1/ Excludes deaths from automobile accidents which are shown under symbols 206, 208, and 210.

SUPPLEMENT

HAWAII, PUERTO RICO, AND THE VIRGIN ISLANDS

HAWAII

The number of deaths from all causes in Hawaii in 1935 was 3,306 and the estimated population was 386,200, giving a rate of 8.6 per 1,000 population against 9.0 in 1934.

The highest death rates per 100,000 population in 1935 were: For diseases of the heart, 110.8; tuberculosis (all forms), 75.4; pneumonia (all forms), 74.1; congenital malformations and diseases of early infancy, 73.8; nephritis, 72.2; and cancer and other malignant tumors, 67.8. These six causes account for 55.4 percent of all deaths.

In 1935 there was an encouraging decrease in mortality from diarrhea and enteritis (under 2 years) and whooping-cough, both diseases of childhood. The rate for infants under 1 year of age was 67.6 per 1,000 live births in 1935 as compared with 75.3 in 1934—nearly 50 percent of the deaths being due to premature birth, diarrhea and enteritis, and bronchopneumonia.

The most marked decrease in any mortality rate in 1935 is shown for pneumonia (all forms)—from 121.0 to 74.1; increases are shown for diseases of the heart, from 105.8 to 110.8, and nephritis, from 63.1 to 72.2.

PUERTO RICO

The number of deaths from all causes in Puerto Rico in 1935 was 30,748 and the estimated population was 1,710,300, giving a rate of 18.0 per 1,000.

The highest death rates per 100,000 population in 1935, the fourth year after admission to the registration area, were: For tuberculosis (all forms), 297.9; diarrhea and enteritis—under two years, 236.0—2 years and over, 123.5; pneumonia (all forms), 151.6; nephritis, 134.2; malaria, 121.8; congenital malforma-

tions and diseases of early infancy, 103.9; and diseases of the heart, 98.6.

These seven causes account for 70.5 percent of all deaths. Except for pneumonia (all forms), and diarrhea and enteritis (under 2 years), rates for these causes were lower in 1935 than in 1934, the greatest decreases being 23.4 and 14.4 in the rates for malaria, and diarrhea and enteritis (2 years and over), respectively.

VIRGIN ISLANDS

A special census of the population of the Virgin Islands was taken by the Bureau of the Census in 1930. The population, at that time, numbered 22,012, of which 78.3 percent were Negroes. Because of the continuous decrease of the population from 1860 to 1930, rates have not been computed.

There were 492 deaths in 1935, 47 of Whites, 388 of Negroes, and 57 of mixed. The largest number of deaths resulted from diseases of the heart, diarrhea and enteritis (under 2 years),

nephritis, pneumonia (all forms), syphilis, tuberculosis (all forms), cancer, congenital malformations and diseases of early infancy, and cerebral hemorrhage. These diseases accounted for 79.7 percent of all deaths. The deaths of infants under 1 year of age numbered 112, 74.1 percent of which were due to diarrhea and enteritis, premature birth, and pneumonia (all forms). Deaths of infants under 1 year of age from diarrhea and enteritis increased from 19 in 1934 to 55 in 1935.

HAWAII

TABLE 1.—ENUMERATED POPULATION OF THE TERRITORY OF HAWAII AND ITS SUBDIVISIONS, BY RACE: 1930

RACE	POPULATION APRIL 1, 1930						
	Hawaii Territory	Hilo city	Honolulu city	Hawaii County (exclusive of Hilo city)	Honolulu County (exclusive of Honolulu city)	Kauai County	Maui County ^{1/}
Total-----	368,336	19,468	137,582	53,857	65,341	35,942	56,146
Hawaiian-----	22,636	1,155	9,675	3,709	2,428	1,363	4,306
Part Hawaiian-----	28,224	1,881	14,242	3,190	2,117	1,758	5,036
Caucasian-Hawaiian-----	15,632	986	8,263	1,537	1,213	996	2,617
Asiatic-Hawaiian-----	12,592	895	5,959	1,653	904	762	2,419
Caucasian-----	80,373	3,806	39,043	6,552	18,659	4,770	7,543
Portuguese-----	27,588	2,467	12,297	3,702	2,138	2,554	4,429
Puerto Rican-----	6,671	168	2,211	1,490	618	641	1,153
Other Caucasian-----	46,114	1,161	24,535	1,359	15,703	1,375	1,961
Chinese-----	27,179	897	19,334	1,201	2,734	1,201	1,812
Japanese-----	139,631	9,356	47,468	24,392	22,117	13,905	22,393
Korean-----	6,461	288	2,004	843	1,545	362	619
Filipino-----	63,052	2,055	4,776	13,901	15,614	12,562	14,144
All other-----	780	30	440	69	127	21	93

^{1/} Includes Kalawao County.

TABLE 2.—DEATHS (EXCLUSIVE OF STILLBIRTHS) BY RACE, IN THE TERRITORY OF HAWAII: 1935

RACE	Total deaths	Hilo city	Honolulu city	Hawaii County (exclusive of Hilo city)	Honolulu County (exclusive of Honolulu city)	Kauai County	Maui County ^{1/}
Total-----	3,306	225	1,398	446	399	286	552
Hawaiian-----	479	26	196	65	44	29	119
Part Hawaiian-----	375	19	228	25	31	14	58
Caucasian-Hawaiian-----	225	11	142	11	20	9	32
Asiatic-Hawaiian-----	150	8	86	14	11	5	26
Caucasian-----	668	31	349	55	100	41	82
Portuguese-----	237	12	99	33	22	19	52
Puerto Rican-----	91	6	26	25	13	9	12
Other Caucasian-----	340	13	224	7	65	13	18
Chinese-----	269	19	149	24	25	16	36
Japanese-----	955	93	335	171	102	102	152
Korean-----	81	4	38	12	11	5	11
Filipino-----	418	28	69	78	82	75	86
All other-----	61	5	34	6	4	4	8

^{1/} Includes Kalawao County.

TABLE 3.—DEATHS (EXCLUSIVE OF STILLBIRTHS) BY SEX AND MONTH, IN THE TERRITORY OF HAWAII: 1935

AREA AND SEX	Total deaths	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
Territory of Hawaii-----	3,306	294	280	309	261	295	274	258	252	228	277	278	300
Male-----	2,069	199	176	187	159	190	177	157	162	130	173	182	177
Female-----	1,237	95	104	122	102	105	97	101	90	98	104	96	123
Hilo city:													
Male-----	146	13	9	17	7	14	13	12	12	11	10	14	14
Female-----	79	2	5	10	7	5	7	7	10	5	6	6	9
Honolulu city:													
Male-----	618	69	76	61	68	81	71	50	71	52	69	67	73
Female-----	580	49	47	50	38	48	45	54	50	52	49	48	50
Hawaii County (exclusive of Hilo city):													
Male-----	301	32	24	33	16	25	32	18	22	20	26	28	23
Female-----	145	7	14	16	17	17	14	11	11	7	8	8	15
Honolulu County (exclusive of Honolulu city):													
Male-----	270	26	26	26	19	23	23	24	20	19	18	24	22
Female-----	129	10	7	12	15	9	12	9	7	6	13	14	15
Kauai County:													
Male-----	192	24	15	17	14	17	14	17	13	7	24	20	10
Female-----	94	11	9	11	8	9	11	6	1	8	7	3	10
Maui County: ^{1/}													
Male-----	342	35	26	33	35	30	24	24	24	21	24	29	35
Female-----	210	16	22	23	17	17	8	14	11	20	21	17	24

^{1/} Includes Kalawao County.

TABLE 4.—DEATHS (EXCLUSIVE OF STILLBIRTHS) BY RACE, SEX, AND AGE, IN THE TERRITORY OF HAWAII: 1935

RACE AND SEX	All ages						Under 5	5	10	15	20	25	30	35	40	45	50	55	60	65	70	75	80	85	90	95	100 and over	Unk.
		Under 1	1	2	3	4		to 9	to 14	to 19	to 24	to 29	to 34	to 39	to 44	to 49	to 54	to 59	to 64	to 69	to 74	to 79	to 84	to 89	to 94	to 99		
Total	3,306	622	93	44	26	15	800	68	56	79	120	139	144	154	146	186	223	239	275	208	173	145	87	41	10	7	4	2
Male	2,069	544	51	18	17	7	437	40	31	40	73	100	94	88	83	126	145	175	190	144	118	97	54	21	6	5	1	1
Female	1,237	278	42	26	9	8	363	28	25	39	47	39	50	66	63	60	78	64	85	64	55	48	33	20	4	2	3	1
Hawaiian:																												
Male	231	29	9	1			39	2		4	5	9	6	10	15	15	24	19	22	14	15	13	13	3	1	2		
Female	248	23	9				32	4	7	6	8	8	12	9	13	16	21	13	26	22	16	14	14	6			1	
Part Hawaiian:																												
Male	192	83	12	3	3		101	5	4	9	4	7	4	8	8	6	10	9			2	4	2	1				
Female	183	52	12	4	1	2	71	5	3	12	7	6	8	7	10	9	6	6	8	6	5	1	1	1				
Caucasian-Hawaiian:																												
Male	120	44	6	3	1		54	2	2	4	3	6	3	4	6	7	6	6	8		2	4	2	1				
Female	105	19	6	2		1	28	4	2	7	2	5	4	5	8	7	7	6	4	7	3	4		1	1			
Asiatic-Hawaiian:																												
Male	72	39	6		2		47	3	2	5	1	1	1	4	2	1		4	1									
Female	78	35	6	2	1	1	43	1	1	5	5	3	4	2	2	2		2	1	3	1	1						
Caucasian:																												
Male	433	52	6	3	1		62	10	7	3	15	22	26	20	21	29	35	36	29	35	29	18	21	9	4	2		
Female	235	30	1	2	1		54	3	3	5	8	5	10	9	8	10	14	14	20	17	18	23	15	12	3	2		
Portuguese:																												
Male	143	20	2	1	1		24	3	4	2	6		7	3	10	6	17	11	12	9	11	6	6	3	1	2		
Female	94	7	1	1	1		10	2	2	1	3	2	2	2	2	2	6	7	10	4	6	11	9	5	2	2		
Puerto Rican:																												
Male	60	10	2	1			13	4			1	6	4	3	1	1	4	3	3	9	2	2	2	1	1			
Female	31	10					10	1			1	2	2	2	1	3	2	1		3	1							
Other Caucasian:																												
Male	230	22	2	1			25	3	3	1	8	16	15	14	10	22	14	22	14	17	16	10	13	5	2			
Female	110	13		1			14		1	4	4	1	6	2	5	5	6	6	10	10	12	11	5	7	1			
Chinese:																												
Male	217	14	1	1	2		18	3	1	2	3	5	2	4	4	7	10	15	34	21	34	33	12	6	1	1		
Female	52	11	2	1	1	1	16	2			3	2	1	3	3		6	4	4	3	1	1	2					
Japanese:																												
Male	609	70	11	7	6	4	98	16	16	18	24	19	12	16	13	37	50	61	79	68	32	25	4					1
Female	346	68	11	13	4	3	99	10	10	8	15	11	12	27	23	22	25	24	28	12	14	4	1	1				
Korean:																												
Male	65	1				2	3		1							6	12	13	15	6	5	2	1	1				
Female	16	5	1			1	7	1		2	1			1	1		1		1									
Filipino:																												
Male	293	78	11	2	3	1	95	3	2	2	22	38	44	30	20	23	7	1	2		1	1	1	1				
Female	125	70	4	3	2	1	80	2	2	5	3	4	7	9	4	3	2	2	1	1								
All other:																												
Male	29	17	1	1	2		21	1		2					2	1	1											
Female	32	19	2	3			24	1		1	2	1		1	1													

TABLE 5.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM SELECTED CAUSES, IN THE TERRITORY OF HAWAII: 1935

(Numbers after causes of death correspond to those of the 1929 revision of the detailed International List).

CAUSE OF DEATH	Total deaths	Total death rate ^{1/}	Hilo city	Honolulu city	Hawaii County (exclusive of Hilo city)	Honolulu County (exclusive of Honolulu city)	Kauai County	Maui County ^{2/}
All causes	3,306	856.0	225	1,398	446	399	286	552
Typhoid and paratyphoid fever	1,2	10		5	2	1	1	1
Measles	7	1				1		
Whooping-cough	9	11	1	3	5	1		1
Diphtheria	10	3	1	2				
Influenza	11	54	2	12	15	8	2	9
Erysipelas	15	7	1	3	1		1	1
Epidemic cerebrospinal meningitis	18	4		1		2		
Tuberculosis of the respiratory system	23	261	29	123	26	24	16	38
Tuberculosis of the meninges, etc.	3/	17	1	8	4	1	2	1
Other forms of tuberculosis	25-32	13	1	4	1		4	3
Syphilis	34	56	2	27	5	11	5	6
Cancer and other malignant tumors	45-53	262	18	130	35	23	24	32
Rheumatism and gout	56-58	9	1	4	3	1		
Diabetes mellitus	59	62	5	37	7	2	2	9
Cerebral hemorrhage and softening	82a, 82c	172	16	72	28	13	14	29
Diseases of the heart	90-95	428	28	206	57	49	33	55
Bronchitis	106	19	2	3	7	3		4
Pneumonia (all forms)	107-109	256	16	125	23	35	26	61
Diarrhea and enteritis (under 2 years)	119	79	5	17	13	12	12	20
Diarrhea and enteritis (2 years and over)	120	30	3	8	4	5	2	8
Appendicitis	121	28	1	6	5	3	1	10
Hernia, intestinal obstruction	122	26		14	3	4	1	4
Cirrhosis of the liver	124	38	4	18	6	4	1	5
Nephritis	130-132	279	20	125	39	22	56	37
Puerperal septicemia	140, 142a, 143	16		9	1	1		5
Other puerperal causes	141, 142b-144, 146-150	21		13	2	2	2	2
Congenital malformations and diseases of early infancy	157-161	285	24	139	22	42	18	40
Suicide	163-171	64	6	22	9	9	9	9
Homicide	172-175	31	1	12	5	7	3	3
Automobile accidents (primary)	210	71	5	26	7	9	7	17
Other external causes 4/	176-198	180	6	66	33	44	16	15
Unknown or ill-defined diseases	199, 200	1					1	
All other causes 3/	482	124.8	26	145	78	60	47	126

1/ Per 100,000 estimated population.
 2/ Includes Kalaheo County.
 3/ Refer to complete International List titles.
 4/ Excludes accidents associated with automobiles (206, 208, 210).

TABLE 6.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE, BY SEX AND RACE, IN THE TERRITORY OF HAWAII: 1935

List no.	CAUSE OF DEATH AND SEX	Total deaths	PART HAWAIIAN				CAUCASIAN				Chinese	Japanese	Korean	Filipino	All other
			Hawaiian	Total	Caucasian-Hawaiian	Asiatic-Hawaiian	Total	Portuguese	Puerto Rican	Other Caucasian					
	Total deaths (all causes)-----Male-----	2,069	231	192	120	72	433	143	60	230	217	609	65	293	29
	Female-----	1,237	248	193	105	78	235	94	31	110	52	346	15	125	32
	I.—Infectious and parasitic diseases-----Male-----	341	52	28	20	8	41	16	5	19	37	97	10	76	7
	Female-----	198	56	28	17	11	14	7	1	6	3	62	3	25	7
1	Typhoid fever-----M-----	5	---	1	1	---	1	---	1	---	---	2	---	1	---
	F-----	5	1	3	3	---	---	---	---	---	---	1	---	---	---
7	Measles-----F-----	1	---	---	---	---	---	---	---	---	---	1	---	---	---
9	Whooping-cough-----M-----	4	---	---	---	---	2	1	---	1	---	1	---	1	---
	F-----	7	---	2	2	---	1	---	---	1	---	2	---	1	1
10	Diphtheria-----M-----	1	---	---	---	---	---	---	---	---	1	---	---	---	---
	F-----	2	---	---	---	---	---	---	---	---	---	2	---	---	---
11a	Influenza, respiratory complications specified-----M-----	24	3	2	1	1	1	1	---	---	3	9	---	6	---
	F-----	12	1	2	1	1	3	3	---	---	---	4	---	2	---
11b	Influenza, respiratory complications not specified-----M-----	11	1	---	---	---	1	1	---	---	4	2	---	3	---
	F-----	7	1	1	1	---	---	---	---	---	4	1	---	---	---
13	Dysentery-----M-----	2	---	---	---	---	1	---	---	1	---	---	---	---	---
	F-----	2	1	1	1	---	---	---	---	---	---	---	---	---	---
14	Plague-----M-----	1	---	---	---	---	---	---	---	---	---	1	---	---	---
15	Erysipelas-----M-----	4	---	---	---	---	---	---	---	---	---	3	---	1	---
	F-----	3	---	---	---	---	---	---	---	---	---	2	---	1	---
17	Lethargic or epidemic encephalitis-----M-----	1	---	---	---	---	1	---	---	1	---	---	---	---	---
18	Epidemic cerebrospinal meningitis-----M-----	2	---	---	---	---	2	1	---	1	---	---	---	---	---
	F-----	2	---	---	---	---	---	---	---	---	---	---	2	---	---
22	Tetanus-----M-----	12	1	4	3	1	---	---	---	---	1	4	---	2	---
	F-----	6	2	1	1	---	---	---	---	---	2	---	---	1	---
23-32	Tuberculosis (all forms)-----M-----	187	21	11	9	2	20	7	3	10	20	53	10	52	---
	F-----	104	25	14	5	9	5	3	1	1	2	36	---	17	5
23	Tuberculosis of respiratory system-----M-----	178	19	9	7	2	20	7	3	10	19	48	10	47	---
	F-----	89	25	13	5	8	4	3	---	1	2	30	---	14	3
24	Tuberculosis of meninges and central nervous system-----M-----	8	1	1	1	---	---	---	---	---	1	3	---	2	---
	F-----	9	1	1	---	---	---	---	---	---	3	---	---	2	---
25	Tuberculosis of intestines and peritoneum-----M-----	3	1	1	1	---	---	---	---	---	---	---	---	1	---
	F-----	3	1	---	---	---	1	---	---	---	---	---	---	---	---
26	Tuberculosis of vertebral column-----F-----	1	---	---	---	---	---	---	1	---	---	---	---	1	---
30	Tuberculosis of genitourinary system-----F-----	1	---	---	---	---	---	---	---	---	---	---	---	---	---
32a	Tuberculosis, acute disseminated-----M-----	4	---	---	---	---	---	---	---	---	---	2	---	2	---
	F-----	1	---	---	---	---	---	---	---	---	---	1	---	---	---
33	Leprosy-----M-----	36	16	6	3	3	2	1	---	1	3	6	---	3	---
	F-----	26	18	2	2	---	1	1	---	---	1	3	---	---	1
34	Syphilis-----M-----	43	9	3	2	1	9	3	2	4	4	14	---	4	---
	F-----	13	6	1	1	---	2	---	---	2	---	2	---	2	---
35	Gonococcus infection, other venereal diseases-----M-----	4	1	---	---	---	---	---	---	---	---	---	---	---	---
	F-----	4	---	1	---	---	1	---	---	1	---	1	---	1	---
36	Purulent infection, septicemia (nonpuerperal)-----M-----	1	---	---	---	---	---	---	---	---	---	---	---	---	---
	F-----	5	1	---	---	---	1	---	---	1	---	---	---	---	---
39	Other diseases due to protozoal parasites-----M-----	2	---	---	---	---	---	---	---	---	---	1	---	1	---
42	Other diseases caused by helminths-----M-----	2	---	---	---	---	1	1	---	---	---	---	---	1	---
44	Other infectious and parasitic diseases-----M-----	2	---	1	1	---	---	---	---	---	---	1	---	---	---
	F-----	1	---	---	---	---	---	---	---	---	---	1	---	---	---
	II.—Cancers and other tumors-----Male-----	181	17	7	7	---	41	14	5	22	19	73	9	14	1
	Female-----	87	11	5	5	---	31	8	3	20	6	29	1	3	1
45-53	Cancer and other malignant tumors-----M-----	179	17	7	7	---	41	14	5	22	19	71	9	14	1
	F-----	83	11	4	4	---	28	6	3	19	6	29	1	3	1
45	Cancer of buccal cavity and pharynx-----M-----	10	2	2	2	---	4	2	---	2	---	2	---	---	---
	F-----	1	---	---	---	---	---	---	---	---	---	---	---	---	---
	Buccal cavity-----M-----	9	2	1	1	---	4	2	---	2	---	2	---	---	---
	F-----	1	---	---	---	---	---	---	---	---	---	---	---	---	---
46	Cancer of digestive tract and peritoneum-----M-----	119	11	2	2	---	23	8	4	11	16	52	8	7	---
	F-----	28	4	---	---	---	7	---	2	5	3	13	1	---	---
	Esophagus-----M-----	7	1	---	---	---	---	---	---	---	---	6	---	---	---
	F-----	7	5	1	1	---	18	7	4	7	9	37	6	2	---
	Stomach and duodenum-----M-----	19	3	---	---	---	4	---	---	4	1	11	---	---	---
	F-----	7	3	---	---	---	2	---	---	2	---	1	---	1	---
	Liver and biliary passages-----M-----	2	1	---	---	---	---	---	---	---	---	1	---	---	---
	F-----	4	---	---	---	---	1	---	---	1	1	1	---	1	---
	Pancreas-----M-----	4	---	---	---	---	1	---	---	---	1	1	---	1	---
	F-----	23	2	1	1	---	2	1	---	1	6	7	1	4	---
	Other digestive tract and peritoneum-----M-----	7	---	---	---	---	3	---	2	1	2	1	1	---	---
	F-----	16	---	---	---	---	4	---	1	3	1	9	---	2	---
47	Cancer of respiratory system-----M-----	4	---	1	1	---	1	---	---	1	---	1	---	---	1
	F-----	22	2	1	1	---	6	3	---	3	2	9	---	2	---
48	Cancer of uterus-----F-----	5	---	---	---	---	2	---	---	2	1	2	---	---	---
49	Cancer of other female genital organs-----F-----	12	2	2	2	---	5	1	---	4	---	2	---	1	---
50	Cancer of breast-----M-----	13	1	1	1	---	5	2	---	3	---	4	---	2	1
51	Cancer of male genitourinary organs-----M-----	5	1	---	---	---	2	1	---	1	---	2	---	---	---
52	Cancer of skin-----M-----	2	---	---	---	---	1	1	---	---	---	---	---	---	---
53	Cancer of other or unspecified organs-----M-----	16	3	2	2	---	3	1	---	2	2	2	1	3	---
	F-----	9	---	---	---	---	5	1	---	4	---	1	---	---	---
54b	Nonmalignant tumors, uterus-----F-----	1	---	---	---	---	1	---	---	---	---	---	---	---	---
54d,e	Nonmalignant tumors, other organs-----M-----	2	---	---	---	---	1	---	---	---	---	---	---	---	---
	F-----	2	---	1	1	---	1	---	---	---	---	2	---	---	---
55d,e	Tumors, other organs (nature unspecified)-----M-----	1	---	---	---	---	1	---	---	---	---	---	---	---	---
	F-----	1	---	---	---	---	1	---	---	---	---	---	---	---	---
	III.—Rheumatic diseases, etc. 1/-----Male-----	74	8	10	6	4	10	2	1	7	5	11	---	29	1
	Female-----	82	11	12	6	4	21	14	4	3	7	10	1	17	3
56	Acute rheumatic fever-----M-----	1	---	---	---	---	---	---	---	---	---	1	---	---	---
	F-----	6	---	1	---	---	1	2	---	---	1	1	---	1	---
57	Chronic rheumatism, osteoarthritis-----M-----	1	---	---	---	---	---	---	---	---	---	---	---	---	---
	F-----	1	---	---	---	---	---	---	---	---	---	---	---	---	---
59	Diabetes mellitus-----M-----	22	4	5	4	1	7	---	1	6	3	3	---	---	---
	F-----	40	9	7	5	2	15	11	2	2	4	5	---	---	---

1/ Refer to complete International List titles.

TABLE 6.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE, BY SEX AND RACE, IN THE TERRITORY OF HAWAII: 1935—Continued

List no.	CAUSE OF DEATH AND SEX	Total deaths	PART HAWAIIAN				CAUCASIAN				Chinese	Japanese	Korean	Filipino	All other
			Hawaiian	Caucasian-Hawaiian		Total	Portuguese	Puerto Rican	Other Caucasian						
				Total	Caucasian-Hawaiian					Asiatic-Hawaiian					
III.—Rheumatic diseases, etc. 1/—Continued															
61	Beriberi-----M	35	2	3	1	2	---	---	---	---	---	3	---	27	---
	-----F	25	1	---	---	2	1	1	---	---	---	3	1	16	2
65	Diseases of pituitary body-----M	1	---	---	---	---	---	---	---	1	---	---	---	---	---
66b	Exophthalmic goiter-----M	1	---	---	---	---	---	---	---	---	---	1	---	---	---
	-----F	5	---	2	2	---	---	---	---	2	---	1	---	---	---
66c-e	Other diseases of thyroid and parathyroid glands-----M	1	---	---	---	---	---	---	---	---	---	1	---	---	---
	-----F	1	---	1	1	---	---	---	---	---	---	---	---	---	---
67	Diseases of thymus gland-----M	12	1	2	1	1	3	2	---	1	---	2	---	2	1
	-----F	4	1	1	1	---	---	1	---	---	---	---	---	---	1
IV.—Diseases of the blood and blood-making organs-----															
	Male	8	---	---	---	1	---	---	1	---	---	4	---	3	---
	Female	6	---	---	---	3	---	2	---	---	---	3	---	---	---
70	Hemorrhagic conditions-----F	1	---	---	---	1	---	1	---	---	---	---	---	---	---
71a	Pernicious anemia-----M	1	---	---	---	---	---	---	---	---	1	---	---	---	---
71b	Other anemias-----M	1	---	---	---	---	---	---	---	---	1	---	---	---	---
72a	True leukemias-----M	4	---	---	---	1	---	---	---	---	1	---	---	2	---
	-----F	2	---	---	---	1	---	---	---	---	1	---	---	---	---
72b	Pseudoleukemias (Hodgkin's disease)-----M	2	---	---	---	1	---	---	---	---	1	---	---	1	---
	-----F	1	---	---	---	---	---	---	---	---	1	---	---	---	---
73	Diseases of spleen-----F	2	---	---	---	1	---	1	---	---	---	---	---	---	---
V.—Chronic poisonings and intoxications-----Male															
	-----	8	---	---	---	3	2	---	1	2	1	1	---	---	1
75	Alcoholism (acute or chronic)-----M	5	---	---	---	3	2	---	---	---	---	1	---	---	---
76	Chronic poisoning by other organic substances-----M	3	---	---	---	---	---	---	---	2	---	---	1	---	---
VI.—Diseases of the nervous system, etc. 1/-----Male															
	-----	145	12	7	6	1	27	11	2	14	10	71	6	11	1
	Female	96	23	10	8	2	22	11	2	9	2	33	1	4	1
78	Encephalitis (non-epidemic)-----M	1	---	---	---	---	---	---	---	---	---	1	---	---	---
79a	Simple meningitis-----M	2	---	---	---	---	2	---	---	2	---	---	---	---	---
	-----F	2	1	---	---	---	---	---	---	---	---	1	---	---	---
79b	Non-epidemic cerebrospinal meningitis-----M	1	1	---	---	---	---	---	---	---	---	---	---	---	1
	-----F	2	---	---	---	---	---	---	---	---	---	1	---	---	---
80	Progressive locomotor ataxia (tabes dorsalis)-----M	2	1	---	---	---	---	---	---	1	---	---	---	1	---
	-----F	1	1	---	---	---	---	---	---	---	---	---	---	---	---
81	Other diseases of spinal cord-----M	6	2	---	---	1	1	---	---	---	2	---	---	1	---
	-----F	1	---	---	---	---	---	---	---	1	---	---	---	---	---
82a	Cerebral hemorrhage-----M	106	6	4	3	1	19	9	---	10	8	59	3	7	---
	-----F	66	10	8	6	2	18	9	2	7	1	26	1	2	---
82b	Cerebral embolism and thrombosis-----M	3	---	---	---	---	---	---	---	---	---	3	---	---	---
	-----F	5	3	---	---	---	---	---	---	---	---	2	---	---	---
82d	Hemiplegia and other paralysis, cause unspecified-----M	1	---	---	---	---	---	---	---	---	---	---	---	---	1
	-----F	1	1	---	---	---	---	---	---	---	---	---	---	---	---
83	General paralysis of insane-----M	8	1	1	1	---	---	---	---	---	---	4	1	1	---
	-----F	5	4	1	1	---	---	---	---	---	---	---	---	---	---
84	Dementia praecox and other psychoses-----M	5	---	1	1	---	2	---	2	---	1	---	1	---	---
	-----F	3	---	---	---	2	1	---	1	---	1	---	---	---	---
85	Epilepsy-----M	3	---	---	---	1	1	---	---	---	---	2	---	---	---
	-----F	2	---	---	---	---	---	---	---	---	---	2	---	---	---
86	Convulsions (under 5 years)-----M	2	1	---	---	---	---	---	---	---	---	---	---	---	---
	-----F	2	---	---	---	1	1	---	---	---	---	---	---	1	---
87	Other diseases of nervous system-----M	1	---	---	---	---	---	---	---	---	---	---	1	---	---
	-----F	2	1	---	---	---	---	---	---	---	1	---	---	---	---
89a	Diseases of ear-----M	2	---	1	1	---	---	---	---	---	---	---	---	1	---
	-----F	3	1	1	1	---	---	---	---	---	---	1	---	---	---
89b	Diseases of mastoid process-----M	2	---	---	---	---	2	---	---	---	---	---	---	---	---
	-----F	1	1	---	---	---	---	---	---	---	---	---	---	---	---
VII.—Diseases of the circulatory system-----Male															
	-----	297	46	14	12	2	83	31	8	44	46	68	11	18	1
	Female	167	50	25	15	10	50	20	4	26	8	33	---	---	1
90	Pericarditis-----M	1	---	---	---	---	---	---	---	1	---	1	---	---	---
91a	Acute endocarditis-----M	4	1	---	---	---	1	---	---	1	---	1	---	---	---
	-----F	6	---	3	1	2	2	---	---	---	---	---	---	---	---
92a	Endocarditis, specified as chronic, etc. 1/-----M	30	3	3	2	1	8	3	2	3	3	8	---	4	1
	-----F	23	4	2	1	1	6	3	1	2	2	9	---	---	---
93a	Acute myocarditis-----M	13	1	1	1	---	2	2	---	---	1	6	---	2	---
	-----F	8	1	2	---	2	1	---	---	1	---	4	---	---	---
93c	Chronic myocarditis and myocardial degeneration-----M	165	35	7	6	1	40	19	1	20	32	38	9	6	---
	-----F	97	38	11	7	4	29	13	2	14	4	14	---	---	1
93d	Other diseases of myocardium-----M	4	---	---	---	---	2	---	---	1	1	1	---	---	---
	-----F	4	1	2	2	---	---	---	---	---	---	1	---	---	---
94a	Angina pectoris-----M	13	1	2	2	---	7	---	---	7	---	2	1	---	---
	-----F	5	---	1	1	---	2	---	---	2	1	1	---	---	---
94b	Diseases of coronary arteries-----M	28	2	1	1	---	13	2	1	10	3	6	1	2	---
	-----F	5	---	1	1	---	3	1	---	2	---	1	---	---	---
95a	Functional diseases of heart-----M	1	1	---	---	---	---	---	---	---	---	---	---	---	---
95b	Other and unspecified diseases of heart-----M	14	2	1	---	---	6	3	1	2	2	3	---	1	---
	-----F	7	2	1	1	---	2	1	---	1	---	2	---	---	---
96	Aneurysm (except of heart)-----M	3	---	---	---	---	---	---	---	---	---	2	---	---	---
	-----F	4	2	---	---	---	1	---	---	1	---	1	---	---	---
97	Arteriosclerosis (except coronary arteries)-----M	8	2	---	---	---	3	1	2	---	3	---	---	---	---
	-----F	5	2	---	---	---	3	---	---	1	---	---	---	---	---
98	Gangrene-----F	1	---	1	---	---	---	2	---	---	---	---	---	---	---
99	Other diseases of the arteries-----M	2	---	---	---	---	1	---	---	---	---	---	---	---	---
101	Diseases of lymphatic system (lymphangitis, etc.)-----M	1	---	---	---	---	---	1	---	---	---	---	---	1	---
	-----F	2	---	1	1	---	1	---	1	---	---	---	---	---	---
VIII.—Diseases of the respiratory system-----Male															
	-----	203	32	35	23	12	36	14	9	13	11	42	5	35	7
	Female	135	31	33	17	16	14	7	3	4	8	26	1	18	4
104a	Diseases of nasal fossae-----M	1	---	1	1	---	---	---	---	---	---	---	---	---	---
	-----F	1	---	1	1	---	---	---	---	---	---	---	---	---	---

1/ Refer to complete International List titles.

TABLE 6.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE, BY SEX AND RACE, IN THE TERRITORY OF HAWAII: 1935—Continued

List no.	CAUSE OF DEATH AND SEX	Total deaths	PART HAWAIIAN				CAUCASIAN				Chinese	Japanese	Korean	Filipino	All other
			Hawaiian	Total	Caucasian-Hawaiian	Asiatic-Hawaiian	Total	Portuguese	Puerto Rican	Other Caucasian					
VIII.—Diseases of the respiratory system—Con.															
104b	Diseases of nasal fossae and annexa—M	1													
	F	1				1	1					1			
105	Diseases of larynx—M	1													
106a	Acute bronchitis—M	6	1	2	1	1	1								
	F	5	1	1	1	1	1								
106b	Chronic bronchitis—M	7	1	1	1	1	1								
106c,d	Bronchitis, unspecified—F	1	1												
107a	Bronchopneumonia—M	88	9	24	15	9	15	7	2	6	4	14	1	17	
	F	72	17	22	12	10	4	2	1	5	11	11	10	3	
107b	Capillary bronchitis—M	1													
108	Lobar pneumonia—M	82	18	5	4	2	16	5	5	6	3	20	3	13	
	F	43	9	7	4	3	5	2	1	2	2	12	1	6	
110	Pleurisy—M	4													
	F	5	2	2	1	1									
111a	Pulmonary embolism and thrombosis—M	1													
111b	Pulmonary congestion, edema, hemorrhagic infarct—M	3	1												
	F	1	1												
112	Asthma—M	9													
	F	3													
114	Other diseases of respiratory system (except tuberculosis)—M	2		1	1										
IX.—Diseases of the digestive system—Male															
	Female	184	16	24	9	15	39	13	5	21	14	48	6	33	
		96	10	14	8	6	18	5	3	10	5	29	1	17	
115a	Diseases of pharynx, tonsils—M	5													
	F	2													
115b	Diseases of buccal cavity and annexa—M	6		2	1	1									
117a	Ulcer of stomach—M	19	1	1			5	1	1	3	1	7	2	2	
	F	6	2	2	1	1	1					1			
117b	Ulcer of duodenum—M	9	1				3					4	1		
	F	1										1			
118	Other diseases of stomach (except cancer)—M	1		1		1									
119	Diarrhea, enteritis (under 2 years)—M	52	8	15	6	9	5	2	2	1		8	15	1	
	F	27	4	3	2	1	1					7	12	1	
120	Diarrhea, enteritis (2 years and over)—M	15		2	1	1	3	2				1	5	3	
	F	15		2	1	1	1					1	9	1	
121	Appendicitis—M	16	2	1		1	3					3	3	2	
	F	12	2				4					4	1	1	
122a	Hernia—M	3	1				1					1			
	F	1		1	1										
122b	Intestinal obstruction—M	8					2	1				2	1	2	
	F	14	1	2		2	7	2	1	4		2		2	
123	Other diseases of intestines—M	1		1	1										
124	Cirrhosis of liver—M	33	3				8	1	1	6	5	14	1	2	
	F	5	1	1	1		1					2			
125a	Yellow atrophy of liver—M	1		1											
125b	Other diseases of liver—M	4					1	2				1		1	
	F	1						2							
126	Biliary calculi—M	4					2	1				1			
	F	2										1			
127	Other diseases of gall bladder, biliary passages—M	4					1					1	1	1	
	F	6		1	1		2	2			2			1	
128	Diseases of pancreas—M	1												1	
	F	1												1	
129	Peritonitis, cause not specified—M	3		1	1		1	1						1	
	F	2		1	1							1			
X.—Diseases of the genitourinary system—Male															
	Female	189	23	10	9	1	40	15	4	21	45	58	5	8	
		114	37	9	7	2	19	7	3	9	2	41	1	4	
130	Acute nephritis (including unspecified under 10 years)—M	7					1	1				2	3	1	
	F	2		1								1			
131	Chronic nephritis—M	168	22	10	9	1	33	11	4	18	42	54	5	2	
	F	102	33	6	6	2	16	6	2	8	2	37	1	4	
133	Other diseases of kidneys, ureters, etc. 1/—M	4		1			2	2				1			
	F	3					1					2			
134	Calculi of urinary passages—M	4												4	
136	Diseases of urethra, urinary abscess, etc.—M	1												1	
137	Diseases of prostate—M	5					4	1			3	1			
139a	Cysts of ovary—F	1										1			
139b	Other diseases of ovaries, etc. 1/—F	5		3			2	1	1						
139c	Diseases of uterus—F	1		1	1										
XI.—Diseases of pregnancy, childbirth, etc. 1/—Female															
		37	4	7	5	2	6	2		4	1	15		3	
140	Abortion with septic conditions—F	7	1	1	1		1	1				3		1	
141	Abortion without mention of septic conditions, etc. 1/—F	2		1	1							1			
142b	Ectopic gestation, septic conditions not mentioned—F	3										2		1	
144a	Placenta praevia—F	2										2			
144b	Other puerperal hemorrhages—F	4					1					3			
145a	Puerperal septicemia and pyemia (see exceptions)—F	9	2	2	2		2					1		2	
146	Puerperal albuminuria and eclampsia—F	5	1	2			2	1				1			
147	Other toxemias of pregnancy—F	2					1					1			
148	Puerperal phlegmasia alba dolens, embolus, etc. 1/—F	1		1	1										
149	Other accidents of childbirth—F	2										1			
XII.—Diseases of the skin and cellular tissue—Male															
	Female	13		1	1						2	5		5	
		4	1	1	1							1		1	
151	Furuncle, carbuncle—M	4										2		2	
	F	2		1	1									1	

1/ Refer to complete International List titles.

TABLE 6.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE, BY SEX AND RACE, IN THE TERRITORY OF HAWAII: 1935—Continued

List no.	CAUSE OF DEATH AND SEX	Total deaths	PART HAWAIIAN					CAUCASIAN					Korean	Filipino	All other	
			Ha-waian	Total				Total	Portu-guese	Puerto Rican	Other Cauca-sian	Chi-nese				Japa-nese
				Cauca-sian-Ha-waian	Asi-atic-Ha-waian											
XII.—Diseases of the skin and cellular tissue—Continued																
152	Phlegmon, acute abscess-----M	7	---	1	1	---	---	---	---	---	1	2	---	3	---	
	F	1	1	---	---	---	---	---	---	---	---	---	---	---	---	
153	Other diseases of skin and annexa, etc. 1/-----M	2	---	---	---	---	---	---	---	---	1	1	---	---	---	
	F	1	---	---	---	---	---	---	---	---	---	1	---	---	---	
XIII.—Diseases of the bones, etc. 1/-----Male																
		2	---	1	---	1	---	---	---	---	---	1	---	---	---	
155	Other diseases of bones (except tuberculosis)-----M	1	---	1	---	1	---	---	---	---	---	---	---	---	---	
156	Diseases of joints, other organs of locomotion-----M	1	---	---	---	---	---	---	---	---	1	---	---	---	---	
XIV.—Congenital malformations-----Male																
		34	1	5	2	3	6	---	1	5	2	12	1	5	2	
	Female	23	---	3	2	3	4	---	1	3	1	11	---	3	1	
157a	Congenital hydrocephalus-----M	4	1	1	---	1	---	---	---	---	---	2	---	---	---	
	F	3	---	---	---	1	---	---	---	1	---	1	---	1	---	
157b	Spina bifida and meningocele-----M	2	---	1	1	---	1	---	---	1	---	---	---	---	---	
	F	1	---	1	---	1	---	---	---	---	---	---	---	---	---	
157c	Congenital malformations of heart-----M	21	---	3	1	2	5	---	1	4	1	7	1	3	1	
	F	12	---	1	---	1	1	---	---	1	1	7	---	1	1	
157d	Other congenital malformations-----M	7	---	---	---	---	---	---	---	---	1	3	---	2	1	
	F	7	---	1	---	1	2	---	1	1	---	3	---	1	---	
XV.—Diseases of early infancy-----Male																
		123	7	33	16	17	24	9	4	11	7	32	---	14	6	
	Female	105	5	21	5	16	12	3	3	6	7	29	3	19	9	
158	Congenital debility-----M	9	---	1	1	3	1	---	1	---	1	5	---	1	---	
	F	6	---	3	---	3	---	---	---	---	---	1	---	2	---	
159	Premature birth-----M	76	4	21	11	10	15	5	1	9	6	17	---	8	5	
	F	73	3	14	4	10	9	3	2	4	6	20	2	14	5	
160	Injury at birth-----M	20	1	8	3	5	2	---	1	1	---	4	---	4	1	
	F	15	1	4	1	3	2	---	---	2	---	2	---	1	3	
161	Other diseases peculiar to early infancy-----M	19	2	3	1	2	6	4	1	1	---	6	---	2	---	
	F	11	1	---	---	1	---	---	1	---	1	6	---	1	1	
XVI.—Senility-----Male																
		7	---	---	---	---	---	2	---	1	3	---	---	---	---	
	Female	10	6	1	---	1	3	2	---	1	---	---	---	---	---	
XVII.—Violent and accidental deaths-----Male																
		269	17	17	9	8	79	14	15	50	14	85	11	41	5	
	Female	77	3	14	9	5	18	8	2	8	2	24	4	11	1	
163-171	Suicide-----M	47	2	2	1	1	11	---	1	10	2	20	6	4	---	
	F	17	---	4	2	2	5	2	---	5	---	7	1	---	---	
163	Suicide by solid or liquid poisons, etc. 1/-----M	13	1	---	---	---	---	---	1	4	---	4	2	1	---	
	F	8	---	2	---	2	2	1	---	1	---	4	---	---	---	
164	Suicide by poisonous gas-----M	1	---	---	---	---	1	---	---	1	---	---	---	---	---	
	F	1	---	---	---	---	---	---	---	---	---	---	1	---	---	
165	Suicide by hanging or strangulation-----M	16	---	1	---	1	---	---	---	---	1	9	4	1	---	
	F	3	---	---	---	---	1	---	---	1	---	2	---	---	---	
166	Suicide by drowning-----M	4	---	---	---	---	---	---	---	1	---	3	---	---	---	
167	Suicide by firearms-----M	6	---	1	---	---	2	---	---	2	---	3	---	---	---	
	F	2	---	---	---	---	2	1	---	1	---	---	---	---	---	
168	Suicide by cutting or piercing instruments-----M	5	1	---	---	---	1	---	---	1	---	1	---	2	---	
	F	1	---	---	---	---	---	---	---	---	---	1	---	---	---	
169	Suicide by jumping from high places-----M	1	---	---	---	---	1	---	---	1	---	---	---	---	---	
	F	1	---	1	1	---	---	---	---	---	---	---	---	---	---	
171	Suicide by other means-----M	1	---	---	---	---	1	---	---	1	---	---	---	---	---	
	F	1	---	1	1	---	---	---	---	---	---	---	---	---	---	
172-175	Homicide-----M	21	1	---	---	---	4	---	3	1	2	4	1	8	1	
	F	10	---	2	2	---	2	1	1	---	---	3	---	3	---	
173	Homicide by firearms-----M	7	1	---	---	---	1	---	---	1	---	1	---	4	---	
	F	2	---	---	---	---	1	---	1	---	---	1	---	---	---	
174	Homicide by cutting or piercing instruments-----M	8	---	---	---	---	3	---	3	---	2	1	---	2	---	
	F	4	---	---	---	---	---	---	---	---	---	1	---	3	---	
175	Homicide by other means-----M	6	---	---	---	---	---	---	---	---	---	2	1	2	1	
	F	4	---	2	2	---	1	1	---	---	---	1	---	---	---	
176-198	Accidental, other, or undefined-----M	201	14	15	8	7	64	14	11	39	10	61	4	29	4	
	F	50	3	8	5	3	11	5	1	5	2	14	3	8	1	
176	Attack by venomous animals-----M	1	---	---	---	---	---	---	---	---	---	1	---	---	---	
	F	1	---	1	---	1	---	---	---	---	---	---	---	---	---	
177	Poisoning by food-----M	1	---	---	---	---	---	---	---	---	---	1	---	---	---	
	F	2	---	---	---	---	---	---	---	---	---	1	---	1	---	
178	Accidental absorption of poisonous gas-----M	2	---	---	---	---	---	---	---	---	---	1	---	---	---	
	F	3	---	---	---	---	---	---	---	---	---	---	---	2	---	
	Not associated with symbols 201-214	2	---	---	---	---	---	---	---	---	---	1	---	2	---	
	F	3	---	---	---	---	---	---	---	---	---	---	---	2	---	
179	Other acute accidental poisonings (except gas)-----M	5	---	1	1	---	3	---	---	---	---	1	---	2	---	
	F	4	---	1	1	---	---	---	---	3	---	---	---	1	---	
180	Conflagration-----M	3	---	---	---	---	---	---	---	---	---	3	---	1	---	
181	Accidental burns (except conflagration)-----M	13	1	2	---	2	7	1	2	4	---	1	---	1	1	
	F	7	1	---	---	---	1	---	---	1	1	2	---	1	---	
	Not associated with symbols 201-214	12	1	2	---	2	6	1	2	3	---	1	---	1	1	
	F	7	1	---	---	---	1	---	---	1	1	2	---	1	---	
	Associated with symbols 201-214	1	---	---	---	---	1	---	---	1	---	---	---	---	---	
182	Accidental mechanical suffocation-----M	1	---	---	---	---	---	---	---	---	---	---	---	---	---	
	F	1	1	---	---	---	---	---	---	---	---	---	---	---	---	
183	Accidental drowning-----M	30	3	2	---	2	8	3	3	2	2	9	1	4	1	
	F	4	---	---	---	---	1	1	---	---	---	3	---	---	---	
	Not associated with symbols 201-214	26	3	2	---	2	5	3	1	1	2	9	1	4	---	
	F	4	---	---	---	---	1	1	---	---	---	3	---	---	---	
	Associated with symbols 201-214	4	---	---	---	---	3	---	---	1	---	---	---	---	---	
184	Traumatism by firearms-----M	2	---	---	---	---	1	1	---	---	---	---	---	---	1	
	F	2	---	---	---	---	---	---	---	---	---	---	---	---	---	

1/ Refer to complete International List titles.

MORTALITY STATISTICS

TABLE 6.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE, BY SEX AND RACE, IN THE TERRITORY OF HAWAII: 1935—Continued

List no.	CAUSE OF DEATH AND SEX	Total deaths	PART HAWAIIAN					CAUCASIAN			Chinese	Japanese	Korean	Filipino	All other
			Hawaiian	Total			Total	Portuguese	Puerto Rican	Other Caucasian					
				Caucasian Hawaiian	Asiatic Hawaiian										
XVII.—Violent and accidental deaths—Continued															
Accidental, other, or unspecified—Continued															
185	Traumatism by cutting or piercing instruments-----M-	3	---	---	---	---	2	1	---	1	1	---	---	---	
	F-	2	---	2	2	---	---	---	---	---	---	---	---	---	
	Not associated with symbols 201-214-----M-	2	---	---	---	---	1	---	---	1	1	---	---	---	
	F-	2	---	2	2	---	---	---	---	---	---	---	---	---	
	Associated with symbols 201-214-----M-	1	---	---	---	---	1	1	---	---	---	---	---	---	
186a	Traumatism by fall-----M-	45	---	3	2	1	12	2	1	9	3	15	1	10	
	F-	9	1	1	1	---	5	2	---	3	---	1	---	1	
	Not associated with symbols 201-214-----M-	27	---	3	2	1	7	2	---	5	1	10	---	6	
	F-	9	1	1	1	---	5	2	---	3	---	1	---	1	
	Associated with symbols 201-214-----M-	18	---	---	---	---	5	---	1	4	2	5	1	4	
186b	Traumatism by crushing, landslide-----M-	19	5	---	---	---	5	---	1	4	1	6	---	2	
	F-	6	---	3	1	---	1	---	1	---	---	4	---	1	
	Not associated with symbols 201-214-----M-	5	---	---	---	---	1	1	---	---	---	---	---	---	
	F-	5	---	---	---	---	---	---	---	---	---	---	---	---	
	Associated with symbols 201-214-----M-	14	---	2	---	---	4	---	1	3	1	6	---	1	
	F-	6	---	1	---	---	1	1	---	---	---	4	---	---	
187	Cataclysm-----M-	1	---	---	---	---	---	---	---	---	---	---	---	1	
	F-	3	---	---	---	---	---	---	---	---	1	---	---	1	
188	Injuries by animals-----M-	4	---	---	---	---	---	---	---	---	3	---	---	1	
193	Accidents due to electric currents-----M-	1	---	---	---	---	1	---	1	---	---	---	---	---	
	Not associated with symbols 201-214-----M-	1	---	---	---	---	1	---	1	---	---	---	---	---	
194a	Foreign bodies-----M-	1	---	---	---	---	1	---	1	---	---	---	---	---	
194b	Other accidents-----M-	69	5	7	5	2	24	6	2	16	2	22	2	7	
	F-	8	---	2	1	1	3	1	1	1	---	1	1	---	
	Not associated with symbols 201-214-----M-	14	1	3	2	1	2	---	---	2	---	7	---	1	
	Associated with symbols 201-214-----M-	55	4	4	3	1	22	6	2	14	2	15	2	6	
	F-	8	---	2	1	1	3	1	1	1	---	1	1	---	
XVIII.—Ill-defined causes of death-----Male															
200a	Cause of death ill-defined-----M-	1	---	---	---	---	---	---	---	---	---	---	---	1	
Supplemental Classification															
Sym- bol	Deaths tabulated under List numbers 178, 181, 183, 185, 186a, 186b, 193, 194b, as "Associated with symbols 201-214," are retabulated in the supplemental classification below.														
202	Accidents from agricultural machinery-----M-	1	---	---	---	---	1	---	1	---	---	---	---	---	
205	Other machinery accidents-----M-	12	---	---	---	---	2	1	---	1	---	6	---	4	
207	Other railroad accidents-----M-	2	---	---	---	---	---	---	---	---	---	1	---	1	
209	Other street car accidents-----M-	1	1	---	---	---	---	---	---	---	---	---	---	---	
210	Automobile accidents (primary)-----M-	57	5	3	2	1	18	5	3	10	4	19	3	5	
	F-	14	---	3	1	2	4	2	1	1	---	5	1	1	
211	Motorcycle accidents-----M-	3	---	---	---	---	2	1	---	1	---	---	---	1	
212	Other land transportation accidents-----M-	3	---	1	1	---	1	---	---	1	1	---	---	---	
213	Water transportation accidents-----M-	5	---	---	---	---	3	---	2	1	---	---	---	2	
214	Air transportation accidents-----M-	9	---	---	---	---	9	---	---	9	---	---	---	---	

TABLE 7.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM SELECTED CAUSES, BY AGE, IN THE TERRITORY OF HAWAII: 1935

The letters at the left of each age distribution refer to certain causes of death. These causes and their International List numbers are:

- AA - Typhoid and paratyphoid fever (1,2)
- AC - Measles (7)
- AD - Scarlet fever (8)
- AE - Whooping-cough (9)
- AF - Diphtheria (10)
- AG - Influenza (11)
- AK - Epidemic cerebrospinal meningitis (18)
- AL - Tuberculosis of the respiratory system (23)
- AN - Other forms of tuberculosis (24-32)
- AP - Syphilis (34)
- BA - Cancer and other malignant tumors (45-53)
- CB - Diabetes mellitus (59)
- DA - Cerebral hemorrhage and softening (82a,82c)
- EA - Diseases of the heart (90-95)
- FA - Bronchitis (106)
- FB - Bronchopneumonia (107)
- FC - Lobar and unspecified pneumonia (108,109)
- GD - Diarrhea and enteritis (119,120)
- GP - Appendicitis (121)
- GE - Hernia, intestinal obstruction (122)
- GF - Cirrhosis of the liver (124)
- HA - Nephritis (130-132)
- IA - Diseases of female genital organs (139)
- JA - Puerperal septicemia (140,142a,145)
- JB - Other puerperal causes (141,142b-144,146-150)
- LA - Suicide (163-171)
- LB - Homicide (172-175)
- LC - Automobile accidents (210)
- LD - Automobile-railroad train and street car collisions (206,208)
- LF - Other external causes (176-198) 1/
- ZB - All other causes 2/

CODE	All ages	Age Distribution																				Unk.						
		Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79		80 to 84	85 to 89	90 to 94	95 to 99	100 & over	
Total	3,306	622	93	44	26	15	68	56	79	120	139	144	154	146	186	223	239	275	208	173	145	87	41	10	7	4	2	
AA	10					1	2	2	1	1			2		1													
AC	1						1																					
AD																												
AE	11	10	1																									
AF	3			1				1	1																			
AG	54	16	3	2	2	1	4	3	2	2	4	3	2	2	1	1	1	2		3	2			1	1			
AK	4	1	1						2																			
AL	261	1			2		1	2	12	27	32	29	26	27	19	18	24	19	10	7	1	2	1	1				
AN	30	5	9	1	1			4	1	2	2	1	2	2	2	2	2	2										
AP	56	9				1	1		2			2	2	3	4	6	9	5	6	3	2	1						
BA	262		1				1		3	1	5	8	11	14	24	31	39	43	30	22	21	5	3					
CB	62								1	1	2	1	1	1	6	9	16	9	3	3	4	1						
DA	172	1							1		2		2	4	19	27	25	31	19	19	8	10	3					
EA	428	1	2		1	4	3	6	7	8	6	18	17	20	40	41	48	50	47	53	34	14	3	2	2	2	1	
FA	19	9	3		1											1	1	2	1	1	1							
FB	161	89	24	6		1	5	3	1	2	2		3		5	1	2	2	3	1	4	4	2	1				
FC	125	34	11	5	1	2	1	2	3	4	4	3	11	5	9	6	6	4	4	3	1	3	2	1				
GD	109	66	13	10	6	1	5	2	1	4	1		1	1							1	1						
GE	28			1			3	2	3	5	1	4	3	1				1	2	2								
GF	26	3	1	1			2		1		3	1	1	3	4	1	1	1	1	1	2							
HA	38								1	1	1	2	1	2	7	5	9	7	3	2	1							
IA	279				2	1	5	1	3	3	5	6	8	16	21	19	38	40	37	27	14	6	1	1	1			
JA	7									1	1	1	1	1	1			1										
JB	16								2	3	2	1	5	5	1													
LA	21								3	4	1	6	5	2														
LC	64							1	5	2	8	6	5	3	9	5	9	6	3	1	1							
LE	31				1		2	1	2	6	9	3	3	2	3	2												
LG	71	1	3	4	2		4	1	6	9	6	3	4	2	3	6	5	6	1	2	3							
LD																												
LF	180	8	9	5	4	5	14	7	6	21	16	17	11	11	6	11	8	6	3	4	3	1	3	1	1	1	1	
ZB	777	369	13	5	4	1	14	20	16	21	35	30	29	28	23	32	32	38	22	16	11	8	5	1	2	1	1	

1/ Excludes accidents associated with automobiles (206,208,210). 2/ Refer to complete International List titles.

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM SELECTED CAUSES, BY MONTH, IN THE TERRITORY OF HAWAII: 1935

(Numbers after causes of death correspond to those of the 1929 revision of the detailed International List)

CAUSE OF DEATH	Total deaths	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
Hawaii—all causes	3,306	294	280	309	261	295	274	258	252	228	277	278	300
Typhoid and paratyphoid fever (1,2)	10			1	1	1	2			1	1	3	
Smallpox (6)													
Measles (7)	1			1									
Scarlet fever (8)													
Whooping-cough (9)	11	1		2	4			2	1			1	
Diphtheria (10)	3												
Influenza (11)	54	5	2	2	2	3	2	1		1		10	25
Dysentery (13)	4	2		1				1					
Erysipelas (15)	7	2	1		1	2			1				
Lethargic encephalitis (17)	1										1		
Epidemic cerebrospinal meningitis (18)	4		1	2									1
Tuberculosis of the respiratory system (23)	261	19	15	35	25	24	21	31	21	17	19	24	10
Other forms of tuberculosis (24-32)	30	3	4	4	1	5	2	2	3	2	3	1	
Malaria (38)													
Diabetes mellitus (59)	62	7	2	6	5	5	6	2	5	10	7	5	2
Cerebral hemorrhage and softening (82a,82c)	172	18	12	14	17	13	20	19	11	13	9	15	11
Diseases of the heart (90-95)	428	41	54	30	35	45	34	28	34	25	36	28	38
Bronchitis (106)	19	1	4	3		1		4		1	1	2	2
Bronchopneumonia (107)	161	13	13	17	14	14	11	8	10	9	15	19	18
Lobar and unspecified pneumonia (108,109)	125	13	10	14	10	12	8	6	6	5	11	11	19
Diarrhea and enteritis (under 2 years) (119)	79	8	6	6	9	11	12	1	3	8	7	5	3
Diarrhea and enteritis (2 years and over) (120)	30	3	1	6	3	1	2	3	1		4	1	5
Nephritis (130-132)	279	28	26	23	23	26	19	24	22	19	17	25	27
Puerperal septicemia (140,142a,145)	16	3	2		3	2	1			1	1	1	1
Other puerperal causes (141,142b-144,146-150)	21	1	3	3	2	1	2	2		3	1	1	2
Suicide (163-171)	64	10	3	9	3	4	2	5	6	4	5	7	6
Automobile accidents (210)	71	8	8	6	6	5	9	7	4	6	4	7	3
Automobile-railroad train and street car collisions (206,208)													
Other external causes (176-198) 1/	211	9	22	22	17	54	23	12	13	10	18	13	16
All other causes 2/	1,182	101	91	102	80	86	98	99	111	93	113	99	109

1/ Excludes accidents associated with automobiles (206,208,210). 2/ Refer to complete International List titles.

PUERTO RICO

TABLE 1.—DEATHS (EXCLUSIVE OF STILLBIRTHS) BY RACE AND MONTH, IN PUERTO RICO: 1935

AREA AND RACE	Total deaths	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
		Puerto Rico-----Total-----	30,748	2,895	2,613	2,675	2,542	2,517	2,581	2,433	2,494	2,506	2,675
White-----	22,652	2,164	1,911	1,937	1,846	1,870	1,867	1,788	1,869	1,868	1,957	1,810	1,755
Other races--	8,096	729	702	738	696	647	714	645	625	640	718	615	637
Cities of 10,000 or more-----White-----	5,288	489	449	457	449	447	447	450	438	425	445	416	376
Other races--	2,360	196	213	222	203	160	230	188	164	197	214	183	170
Cities of 2,500 to 10,000-----White-----	2,262	218	195	184	200	213	187	201	158	193	189	158	166
Other races--	1,008	81	77	94	76	97	88	90	81	71	101	65	87
Rural-----White-----	15,102	1,457	1,267	1,296	1,197	1,210	1,233	1,137	1,273	1,250	1,323	1,236	1,223
Other races--	4,728	452	412	422	417	390	396	367	360	372	403	367	370
Cities of 10,000 or more													
Aguadilla-----White-----	183	16	14	15	11	7	19	22	15	16	22	14	12
Other races--	55	6	5	5	1	5	8	4	5	3	5	6	2
Arecibo-----White-----	345	24	32	30	22	36	23	32	27	30	34	29	26
Other races--	132	10	15	13	13	10	10	9	7	13	13	8	6
Bayamon-----White-----	280	24	21	30	16	15	15	12	19	14	21	16	17
Other races--	46	1	9	3	5	3	9	2	3	2	4	1	4
Caguas-----White-----	313	22	31	31	25	18	23	21	31	28	26	31	26
Other races--	213	25	21	22	21	12	16	15	14	16	24	17	9
Guayama-----White-----	338	35	21	21	24	37	43	33	33	22	25	19	25
Other races--	98	10	5	5	10	8	5	4	12	9	8	10	12
Mayaguez-----White-----	750	71	45	66	78	64	63	77	61	59	54	56	56
Other races--	370	31	25	30	25	25	25	40	32	40	41	24	32
Ponce-----White-----	1,216	107	105	90	103	101	121	99	80	108	102	100	100
Other races--	442	36	42	44	29	29	57	38	33	33	37	30	34
Rio Piedras-----White-----	359	51	42	41	25	34	21	23	29	22	30	24	17
Other races--	208	20	29	17	27	7	22	19	14	14	21	9	9
San Juan-----White-----	1,564	139	138	133	145	135	119	131	143	126	131	127	97
Other races--	796	57	62	63	72	61	78	55	64	62	61	78	62

TABLE 2.—DEATHS (EXCLUSIVE OF STILLBIRTHS) BY RACE AND AGE, IN PUERTO RICO: 1935

AREA AND RACE	All ages	Under 1 year	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 & over	Unk.		
		Puerto Rico-----Total-----	30,748	7,760	2,376	1,593	938	598	1,390	628	1,033	1,922	1,444	1,056	1,326	951	1,052	951	638	1,050	835	893	541	632	456	346	199	135	5
White-----	22,652	5,856	1,825	1,205	714	434	1,071	465	736	1,348	996	716	926	677	739	698	471	761	645	682	408	480	324	268	153	81	4		
Other races--	8,096	1,904	551	387	224	164	319	163	297	574	448	340	400	274	313	263	167	289	190	211	135	152	132	78	66	54	1		
Cities of 10,000 or more-----		5,288	1,274	285	152	94	62	142	94	219	402	291	238	299	228	238	185	150	190	190	177	107	105	76	45	29	16	----	
Cities of 2,500 to 10,000-----		2,360	562	109	92	51	17	68	39	92	204	141	122	137	93	111	78	68	89	64	63	45	31	39	22	15	8	----	
Rural-----		15,102	4,074	1,401	964	562	336	857	336	436	790	597	385	520	353	410	418	262	462	378	425	252	344	215	196	87	57	4	
Cities of 10,000 or more		4,728	1,146	380	267	145	124	216	104	174	289	250	179	214	132	150	148	74	152	97	118	68	99	73	43	40	35	1	
Aguadilla-----White-----	183	43	8	3	6	3	9	5	9	10	9	4	8	16	4	6	7	13	7	3	2	3	1	4	----	----	----	----	
Other races--	55	12	4	3	1	----	1	----	4	6	1	----	4	4	3	----	4	1	1	2	1	2	----	----	----	----	----	----	
Arecibo-----White-----	345	69	16	15	10	6	8	1	14	31	22	16	23	24	12	13	6	17	13	14	5	5	----	4	----	----	----	1	----
Other races--	132	29	7	4	1	----	1	7	7	10	7	10	7	6	5	2	4	6	4	5	1	3	4	2	4	----	----	----	----
Bayamon-----White-----	280	63	20	8	6	1	2	5	11	12	8	12	9	13	12	7	2	3	5	7	2	1	2	1	2	2	----	----	----
Other races--	46	4	1	2	2	1	3	1	1	8	2	1	2	2	1	3	----	2	1	2	1	2	1	2	1	2	----	----	----
Caguas-----White-----	313	70	13	5	9	3	14	6	15	28	22	18	23	6	15	6	11	6	11	8	9	3	7	1	1	2	----	----	----
Other races--	213	45	5	15	2	----	9	2	17	21	15	15	15	8	12	3	5	4	6	5	1	2	3	5	3	1	----	----	----
Guayama-----White-----	338	79	30	19	9	7	13	5	14	25	18	20	19	9	12	10	5	8	10	9	4	2	3	5	3	1	----	----	----
Other races--	98	25	5	4	----	1	3	----	3	11	6	3	7	2	3	8	4	3	4	1	2	3	----	----	----	----	----	----	----
Mayaguez-----White-----	750	168	38	51	13	5	21	13	26	55	46	33	47	31	25	27	16	19	36	30	16	18	13	6	6	1	----	----	----
Other races--	370	114	25	15	11	5	14	8	11	26	17	13	14	15	15	10	9	13	8	6	3	5	4	1	2	----	----	----	----
Ponce-----White-----	1,216	304	85	29	18	16	28	19	51	97	76	53	65	49	59	44	33	50	41	45	19	19	19	6	10	2	----	----	----
Other races--	442	88	23	12	8	5	10	4	13	42	34	28	29	21	21	20	11	21	12	14	13	7	8	3	4	1	3	1	----
Rio Piedras-----White-----	359	63	15	8	3	2	13	2	24	49	28	21	22	20	15	13	9	13	12	7	8	3	4	3	1	3	1	----	----
Other races--	208	47	11	15	9	1	7	6	11	17	14	9	10	10	6	5	6	6	3	2	3	4	1	1	3	1	----	----	----
San Juan-----White-----	1,564	415	80	35	22	18	34	39	55	85	63	61	82	60	84	59	61	59	55	54	42	48	25	14	6	8	----	----	----
Other races--	796	198	38	22	17	4	20	11	25	63	45	42	49	25	45	26	26	34	24	27	16	9	15	8	5	2	----	----	----

TABLE 3.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM SELECTED CAUSES, BY RACE, IN PUERTO RICO: 1935

(Numbers after causes of death correspond to those of the 1929 revision of the detailed International List)

CAUSE OF DEATH	Total death rate	Total deaths	White	Other races	CITIES OF 10,000 OR MORE		CITIES OF 2,500 TO 10,000		RURAL		CITIES OF 10,000 OR MORE			
					White	Other races	White	Other races	White	Other races	Aguadilla		Arecibo	
											White	Other races	White	Other races
All causes-----	1,797.8	30,748	22,652	8,096	5,288	2,350	2,262	1,008	15,102	4,728	183	55	345	132
Typhoid and paratyphoid fever-----1,2	5.4	93	68	25	46	14	6	3	16	8	2	1	1	-----
Smallpox-----6	0.1	2	2	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----
Measles-----7	1.2	21	16	5	2	1	2	-----	12	4	-----	-----	-----	-----
Whooping-cough-----9	20.2	346	288	58	35	13	13	3	242	42	-----	1	-----	-----
Diphtheria-----10	4.3	73	62	11	17	3	14	2	31	6	-----	-----	1	-----
Influenza-----11	15.3	261	168	93	29	20	13	7	126	66	5	2	-----	-----
Erysipelas-----15	1.1	18	14	4	2	-----	-----	-----	11	4	-----	-----	-----	-----
Tuberculosis of the respiratory system-----23	285.2	4,878	3,396	1,482	1,033	504	330	174	2,033	804	39	12	61	23
Tuberculosis of the meninges, etc. 1/-----24	2.0	34	23	11	11	8	8	2	4	1	-----	2	-----	-----
Other forms of tuberculosis-----25-32	10.7	183	129	54	40	19	18	9	71	26	-----	-----	1	-----
Syphilis-----34	31.5	538	371	167	104	62	57	26	210	79	3	2	2	8
Malaria-----38	121.8	2,083	1,505	578	337	127	108	51	1,060	400	23	9	14	3
Cancer and other malignant tumors-----45-53	49.3	844	622	222	245	69	90	28	287	105	3	-----	10	2
Rheumatism and gout-----56-58	1.3	23	19	4	4	1	2	1	13	2	-----	-----	-----	-----
Diabetes mellitus-----59	5.2	85	47	8	29	4	3	1	15	3	2	-----	1	-----
Cerebral hemorrhage and softening-----82a,82c	17.5	301	222	79	64	23	36	13	122	43	3	-----	4	2
Diseases of the heart-----90-95	98.6	1,686	1,206	480	354	154	158	81	694	235	9	4	19	13
Bronchitis-----106	45.1	737	504	133	89	41	44	8	471	84	6	1	1	2
Pneumonia (all forms)-----107-109	151.6	2,592	1,928	664	323	136	196	86	1,409	442	5	1	33	10
Diarrhea and enteritis (under 2 years)-----119	235.0	4,036	3,030	1,006	653	232	264	110	2,113	604	25	6	45	19
Diarrhea and enteritis (2 years and over)-----120	123.5	2,112	1,569	543	215	109	139	67	1,215	367	12	3	37	13
Appendicitis-----121	3.9	67	57	10	27	5	5	2	25	3	-----	-----	4	-----
Hernia, intestinal obstruction-----122	6.3	108	76	32	30	17	12	3	34	12	1	-----	-----	-----
Cirrhosis of the liver-----124	9.9	170	119	51	30	22	15	6	74	23	3	-----	-----	-----
Nephritis-----130-132	134.2	2,295	1,723	573	289	147	134	74	1,300	352	4	1	23	10
Puerperal septicemia-----140,142a,145	6.0	102	83	19	31	7	13	3	39	9	-----	1	-----	-----
Other puerperal causes-----141,142b-144,146-150	14.0	239	196	43	53	15	45	13	98	15	2	-----	7	-----
Congenital malformations and diseases of early infancy-----157-161	103.9	1,777	1,299	478	315	135	113	43	871	300	8	3	15	4
Suicide-----163-171	25.7	439	317	122	98	35	52	25	167	62	1	1	10	2
Homicide-----172-175	17.7	302	197	105	72	51	37	16	88	38	5	-----	2	3
Automobile accidents (primary)-----210	8.3	142	107	35	51	22	12	7	44	6	2	-----	8	3
Other external causes 2/-----176-198	22.3	382	251	131	82	43	27	19	142	69	4	-----	5	3
Unknown and ill-defined diseases-----199,200	40.1	685	582	103	21	8	10	3	551	92	-----	-----	1	-----
All other causes 1/-----	182.6	3,123	2,356	767	559	223	265	122	1,512	422	15	5	28	10

CITIES OF 10,000 OR MORE—Continued

CAUSE OF DEATH	Bayamón		Caguas		Guayama		Mayaguez		Ponce		Rio Piedras		San Juan	
	White	Other races	White	Other races	White	Other races	White	Other races	White	Other races	White	Other races	White	Other races
All causes-----	220	46	313	213	338	98	750	370	1,216	442	359	208	1,564	796
Typhoid and paratyphoid fever-----1,2	-----	-----	2	-----	-----	-----	-----	-----	3	2	3	-----	35	11
Smallpox-----6	-----	-----	1	1	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----
Measles-----7	-----	-----	1	1	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----
Whooping-cough-----9	2	-----	2	1	-----	-----	3	4	17	2	1	-----	9	4
Diphtheria-----10	-----	-----	1	1	-----	-----	2	1	5	2	1	-----	6	-----
Influenza-----11	-----	-----	2	1	6	1	-----	-----	-----	1	8	9	8	6
Erysipelas-----15	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	1	-----
Tuberculosis of the respiratory system-----23	51	7	53	53	70	22	170	75	269	103	105	45	215	164
Tuberculosis of the meninges, etc. 1/-----24	1	-----	1	-----	-----	-----	1	-----	3	-----	-----	-----	1	-----
Other forms of tuberculosis-----25-32	12	2	5	8	1	-----	9	8	30	11	6	6	33	26
Syphilis-----34	3	2	10	8	104	25	30	17	122	39	6	6	25	13
Malaria-----38	10	2	11	3	7	2	29	6	65	34	15	3	95	37
Cancer and other malignant tumors-----45-53	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----
Rheumatism and gout-----56-58	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----
Diabetes mellitus-----59	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----
Cerebral hemorrhage and softening-----82a,82c	1	-----	1	-----	-----	-----	2	-----	14	1	4	-----	15	3
Diseases of the heart-----90-95	9	3	13	8	8	2	54	26	96	5	7	1	22	10
Bronchitis-----106	1	1	2	4	29	7	8	3	32	25	12	12	64	54
Pneumonia (all forms)-----107-109	19	3	35	21	19	7	46	21	45	22	15	8	26	13
Diarrhea and enteritis (under 2 years)-----119	28	3	20	15	25	8	104	73	158	42	33	27	106	43
Diarrhea and enteritis (2 years and over)-----120	9	3	9	9	11	1	47	26	44	14	6	15	40	25
Appendicitis-----121	2	-----	1	-----	-----	-----	1	-----	4	-----	-----	-----	11	-----
Hernia, intestinal obstruction-----122	-----	-----	4	2	1	1	2	5	9	4	-----	-----	8	5
Cirrhosis of the liver-----124	1	-----	1	2	1	1	5	-----	1	6	3	5	11	8
Nephritis-----130-132	13	2	23	13	12	5	28	23	71	30	13	17	102	46
Puerperal septicemia-----140,142a,145	1	1	2	-----	-----	-----	6	-----	7	1	2	2	7	-----
Other puerperal causes-----141,142b-144,146-150	3	2	3	1	1	-----	4	1	12	2	3	2	18	7
Congenital malformations and diseases of early infancy-----157-161	21	1	15	10	7	4	44	24	70	22	20	4	115	63
Suicide-----163-171	5	-----	11	9	6	2	16	3	23	7	10	5	16	6
Homicide-----172-175	1	2	10	1	6	-----	12	6	12	11	12	2	12	26
Automobile accidents (primary)-----210	1	2	4	1	4	1	1	1	9	3	7	3	15	8
Other external causes 2/-----176-198	2	-----	2	3	2	1	8	3	18	7	8	6	33	20
Unknown and ill-defined diseases-----199,200	-----	-----	3	3	2	-----	2	1	6	1	1	1	6	2
All other causes 1/-----	24	10	56	28	12	7	99	34	88	30	32	19	205	80

1/Refer to complete International List titles.

2/Excludes accidents associated with automobiles (205,208,210).

TABLE 4.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE, IN CITIES AND RURAL AREAS, IN PUERTO RICO: 1935—Continued

List no.	CAUSE OF DEATH	Total deaths	IN CITIES OF—						List no.	CAUSE OF DEATH	Total deaths	IN CITIES OF—					
			10,000 or more		2,500 to 10,000		Rural					10,000 or more		2,500 to 10,000		Rural	
			White	Other races	White	Other races	White	Other races				White	Other races	White	Other races	White	Other races
	VII.—Diseases of the circulatory system—Contd.																
91b	Endocarditis, unspecified (under 45 years)-----	9	1	3	1	---	4	---	132	Nephritis, unspecified (10 years and over)-----	164	37	18	11	?	69	22
92a	Endocarditis, specified as chronic, etc.*-----	403	86	40	31	10	169	87	133	Other diseases of kidneys, ureters, etc.*-----	84	22	11	4	1	36	10
92b	Endocarditis, unspecified (45 years and over)-----	41	5	2	4	1	25	4	134	Calculi of urinary passages-----	2	1	---	---	---	---	1
93a	Acute myocarditis-----	32	11	2	2	2	12	3	135	Diseases of bladder (except tumors)-----	8	1	1	---	2	2	2
93b	Myocarditis, unspecified (under 45 years)-----	21	4	7	3	---	6	1	136	Diseases of urethra, urinary abscess, etc.-----	10	4	1	1	1	1	2
93c	Chronic myocarditis and myocardial degeneration-----	617	116	54	71	39	257	80	137	Diseases of prostate-----	13	6	5	---	---	2	---
93d	Other diseases of myocardium-----	146	21	9	15	14	71	16	138	Diseases of male genital organs, not specified as venereal-----	1	---	---	---	---	---	1
94b	Angina pectoris-----	107	34	9	9	3	40	12	139a	Cysts of ovary-----	3	2	---	---	---	---	1
94b	Diseases of coronary arteries-----	49	19	5	3	2	17	3	139b	Other diseases of ovaries, etc.*-----	9	3	1	1	---	4	---
95a	Functional diseases of heart-----	23	8	2	3	1	7	2	139c	Diseases of uterus-----	17	9	1	1	1	2	3
95b	Other and unspecified diseases of heart-----	199	44	22	15	8	71	39	139e	Other diseases of female genital organs-----	2	---	1	---	---	1	---
96	Aneurysm (except of heart)-----	16	6	---	2	---	6	2		XI.—Diseases of pregnancy, childbirth, etc.*-----	341	84	22	58	16	137	24
97	Arteriosclerosis (except coronary arteries)-----	383	64	18	22	22	195	62									
98	Gangrene-----	58	15	3	6	6	18	10									
99	Other diseases of arterioles-----	28	7	1	8	1	10	1	140	Abortion with septic conditions-----	9	4	---	2	---	2	1
100	Diseases of veins, etc.*-----	7	2	---	---	---	4	1	141	Abortion without mention of septic conditions, etc.*-----	10	---	3	3	---	3	1
101	Diseases of lymphatic system (lymphangitis, etc.)-----	6	1	1	---	---	4	---	142b	Ectopic gestation, septic conditions not mentioned-----	5	---	---	2	1	2	---
102	Idiopathic anomalies of blood-pressure-----	1	---	---	---	---	1	---	143	Other accidents of pregnancy (except hemorrhages)-----	1	---	---	---	---	1	---
103	Other diseases of circulatory system-----	3	2	---	---	---	1	---	144a	Placenta praevia-----	17	6	2	4	1	3	1
	VIII.—Diseases of the respiratory system-----	3,465	440	193	253	98	1,938	543	144b	Other puerperal hemorrhages-----	60	15	2	8	---	26	9
104b	Diseases of nasal fossae, antrum-----	4	4	---	---	---	---	---	145a	Puerperal septicemia and pyemia (see exceptions*)-----	93	27	7	11	3	37	8
105	Diseases of larynx-----	5	---	1	1	1	2	---	146	Puerperal albuminuria and eclampsia-----	104	21	7	21	4	48	3
105a	Acute bronchitis-----	451	52	22	20	6	300	51	147	Other toxemias of pregnancy-----	2	1	---	---	1	---	---
105b	Chronic bronchitis-----	54	3	5	9	---	33	4	148	Puerperal phlegmasia alba dolens, embolus, etc.*-----	10	3	---	1	1	5	---
105c,d	Bronchitis, unspecified-----	232	34	14	15	2	138	29	149	Other accidents of childbirth-----	30	7	1	6	5	10	1
107a	Bronchopneumonia-----	1,495	181	78	109	41	853	233		XII.—Diseases of the skin and cellular tissue-----	71	13	9	6	---	39	4
107b	Capillary bronchitis-----	147	14	7	17	6	75	28									
108	Lobar pneumonia-----	714	78	33	62	33	363	145	151	Furuncle, carbuncle-----	33	5	4	4	---	18	2
109	Pneumonia, unspecified-----	236	50	18	8	6	118	36	152	Phlegmon, acute abscess-----	23	5	4	4	---	11	1
110	Pleurisy-----	24	5	3	2	---	11	3	153	Other diseases of skin and antrum, etc.*-----	15	3	11	---	---	10	11
111a	Pulmonary embolism and thrombosis-----	12	4	3	---	1	4	---		XIII.—Diseases of the bones, etc.*-----	14	4	2	4	---	2	2
111b	Pulmonary congestion, edema, hemorrhagic infarct-----	50	5	3	3	---	16	4	154	Osteomyelitis-----	8	3	---	3	---	---	2
112	Aschma-----	42	3	3	6	---	23	5	155	Other diseases of bones (except tuberculosis)-----	1	---	1	---	---	---	---
114	Other diseases of respiratory system (except tuberculosis)-----	18	7	3	1	---	2	5	156	Diseases of joints, other organs of locomotion-----	5	1	1	1	---	2	---
	IX.—Diseases of the digestive system-----	6,830	1,018	476	472	199	3,606	1,059		XIV.—Congenital malformations-----	134	24	6	10	5	68	21
115a	Diseases of pharynx and tonsils-----	14	3	1	---	---	10	---	157a	Congenital hydrocephalus-----	19	5	2	---	1	10	1
115b	Diseases of buccal cavity and antrum-----	9	2	---	---	---	5	2	157b	Spina bifida and meningocele-----	17	3	---	1	1	6	4
116	Diseases of esophagus-----	2	1	---	---	---	1	---	157c	Congenital malformations of heart-----	29	6	1	2	1	15	4
117a	Ulcer of stomach-----	61	15	10	6	2	20	8	157d	Other congenital malformations-----	69	10	3	7	2	35	12
117b	Ulcer of duodenum-----	4	---	3	---	1	---	---		XV.—Diseases of early infancy-----	1,643	291	129	103	38	803	279
118	Other diseases of stomach (except cancer)-----	137	12	4	14	3	78	26	158	Congenital debility-----	1,210	197	100	65	26	596	228
119	Diarrhea, enteritis (under 2 years)-----	4,036	653	292	264	110	2,113	604	159	Premature birth-----	194	39	10	20	7	97	21
120	Diarrhea, enteritis (2 years and over)-----	2,112	215	109	139	67	1,215	367	160	Injury at birth-----	81	13	2	8	3	36	19
121	Appendicitis-----	67	27	5	5	2	25	3	161	Other diseases peculiar to early infancy-----	158	42	17	12	2	74	11
122a	Hemilia-----	20	7	3	4	1	5	---	162	XVI.—Senility-----	191	24	10	18	10	90	39
122b	Intestinal obstruction-----	88	23	14	8	2	29	12		XVII.—Violent and accidental deaths-----	1,265	303	151	128	67	441	175
123	Other diseases of intestines-----	40	12	7	6	3	9	3	163-171	Suicide-----	439	98	35	52	25	167	62
124	Cirrhosis of liver-----	170	30	22	15	6	74	23	163	Suicide by solid or liquid poisons, etc.*-----	182	42	20	29	11	60	20
125a	Yellow atrophy of liver-----	7	4	---	---	---	2	1	164	Suicide by poisonous gas-----	1	---	---	1	---	---	---
125b	Other diseases of liver-----	13	1	2	2	1	2	5	165	Suicide by hanging or strangulation-----	102	6	1	2	5	58	30
126	Biliary calculi-----	9	4	1	---	---	4	---	166	Suicide by drowning-----	12	2	---	---	---	7	3
127	Other diseases of gall-bladder, biliary passages-----	19	2	1	6	---	8	2	167	Suicide by firearms-----	116	41	9	18	6	35	7
128	Diseases of pancreas-----	2	1	---	---	---	1	---	168	Suicide by cutting or piercing instruments-----	6	1	1	1	---	3	---
129	Peritonitis, cause not specified-----	20	6	2	3	1	5	3		X.—Diseases of the genitourinary system-----	2,445	337	168	141	79	1,348	372
130	Acute nephritis (including unspecified under 10 years)-----	667	61	36	28	10	420	112									
131	Chronic nephritis-----	1,465	191	93	95	57	811	218									

* Refer to complete International List titles.

SUPPLEMENT-PUERTO RICO

TABLE 5.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM SELECTED CAUSES, BY AGE, IN PUERTO RICO: 1935

The letters at the left of each age distribution refer to certain causes of death. These causes and their International List numbers are:

- | | |
|--|--|
| AA - Typhoid and paratyphoid fever (1,2) | FC - Lobar and unspecified pneumonia (108,109) |
| AC - Measles (7) | GD - Diarrhoea and enteritis (119,120) |
| AD - Scarlet fever (8) | GE - Appendicitis (121) |
| AE - Whooping-cough (9) | GF - Hernia, intestinal obstruction (122) |
| AF - Diphtheria (10) | GH - Cirrhosis of the liver (124) |
| AG - Influenza (11) | HA - Nephritis (130-132) |
| AK - Epidemic cerebrospinal meningitis (13) | IA - Diseases of female genital organs (139) |
| AL - Tuberculosis of the respiratory system (23) | JA - Puerperal septicemia (140,142a,145) |
| AN - Other forms of tuberculosis (24-32) | JB - Other puerperal causes (141,142b-144,146-150) |
| AP - Syphilis (34) | LA - Suicide (163-171) |
| BA - Cancer and other malignant tumors (45-53) | LB - Homicide (172-175) |
| CB - Diabetes mellitus (59) | LC - Automobile accidents (210) |
| DA - Cerebral hemorrhage and softening (82a,82c) | LD - Automobile-railroad train and street car collisions (206,208) |
| EA - Diseases of the heart (90-95) | LF - Other external causes (176-198)1/ |
| FA - Bronchitis (106) | ZB - All other causes2/ |
| FB - Bronchopneumonia (107) | |

CODE	All ages	Under 1 year	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 & over	Unk.		
PUERTO RICO:																													
White	22,652	5,855	1,825	1,206	714	434	1,071	465	736	1,548	996	716	926	577	739	688	471	761	645	662	406	480	324	268	133	61	4		
AA	68						4	7	11	12	10	4	5	3	2	4	1	2	1	1									
AC	16	3	5	1	3		1		1																				
AD																													
AE	288	153	61	25	21	10	16						1																
AF	62	14	25	14	5		3						1																
AG	168	58	30	14	8	5	8	2	3	5	3	3	1	2		2	1	6	2	3	3	8		1					
AK																													
AL	3,396	26	32	24	12	14	49	63	342	706	511	348	360	226	227	145	87	91	54	39	17	10	8	1	2			2	
AN	152	20	9	10	2	3	14	13	5	14	7	9	9	7	11	7	1	3	2	2	1								
AP	371	203	4	7	4	1	1	1	4	11	7	12	23	9	13	23	11	7	13	4	4	5	3						
BA	622			1	2	1			2	7	9	15	39	53	67	74	55	84	68	57	36	23	11	11	4	3			
CB	47			1					1			2	2	4	1	4	7	10	3	3	3	3							
DA	222			1				1	2	3	3	2	9	11	16	23	21	30	24	22	17	14	14	7	2				
EA	1,206	3	1	8	4		2	6	10	21	21	24	48	32	63	77	52	135	129	150	90	117	77	74	36	25			
FA	604	326	102	52	23	12	20	8	1	3	2	1	2	3	5	5	1	3	5	7	6	6	5	3	1	2			
FB	1,249	509	214	116	68	31	75	25	6	14	10	9	10	14	8	16	12	16	18	23	7	21	9	11	5	2			
FC	679	130	58	24	26	20	48	20	23	35	28	17	35	29	36	25	23	19	24	15	10	14	8	8	4				
GD	4,599	2,177	853	514	298	154	280	42	11	19	18	9	26	16	17	10	13	24	25	35	19	19	16	11	8	5			
GE	57	8	1	1	1	1	8	3	4	6	8	3	4	2	2	2	2	2	1										
GF	76	26	4	1			5			2	4	2	4	2	10	4	4	2	4	1									
GH	119					1		1	2	4	3	5	13	17	13	10	8	11	9	7	7	6	1	1					
HA	1,723	64	57	106	72	62	183	69	38	43	42	34	63	57	67	77	54	101	89	132	69	86	65	50	28	15			
IA	23								1	4	2	4	5	1	2			1	1	1									
JA	83								5	23	27	12	10	6															
JB	196								25	57	42	29	25	9															
LA	317						1	2	52	85	49	29	34	11	14	13	4	11	3	6		1	1						
LB	197	4	2	1		1	1	2	27	52	32	19	20	9	11	5	3	6	1		1								
LC	107						12	10	10	18	10	7	5	6	4	2	3	5	6	3	3	1							
LD																													
LF	251	15	16	12	5	4	22	22	22	26	15	9	14	15	11	11	5	7	5	6	3	2	1	1				1	
ZB	5,754	2,117	350	272	159	114	338	168	128	177	130	108	159	133	130	149	104	184	159	165	109	143	100	88	40	29	1		
Other races	6,096	1,904	551	387	224	164	319	163	297	574	448	340	400	274	313	263	167	289	190	211	135	152	132	78	66	54	1		
AA	25						2	3	2	9	1	1	2	1		2	1	1											
AC	5	2	1	1		1																							
AD																													
AE	58	34	8	7	2	3	2	1																					
AF	11	4	3	3	1																								
AG	93	33	18	8	1		3			2	3	1	3	1	2	1	1	2	4	1	2		2		1	3	1		
AK																													
AL	1,482	14	8	6	2	9	8	35	138	293	253	174	174	91	100	68	25	32	22	11	10	3	4	1					
AN	65	4	4	4	2	2	10	4	9	7	2	1	3	3	3	1	2	1	1	1									
AP	167	82	4	8	1		1		5	5	4	5	6	5	10	2	7	5	4	7	1		2	1	1				
BA	222						1	1		1	3	5	7	6	24	24	21	24	38	15	19	10	10	8	2	2	1		
CB	8														1	2	1	1											
DA	79	1		1					1	1	2	5	7	7	4	3	12	5	14	3	5	6	1						
EA	480	1	2	2	2	3	6	7	9	6	18	26	20	28	34	23	52	39	46	31	36	32	22	22	13				
FA	132	73	14	11	6	1	10	1		1	1				2	3	1	1	1	3		1	2	1					
FB	393	159	67	38	27	9	23	5	4	4	5	3	5	2	4	2	9	4	3	2	9	4	1						
FC	271	39	11	12	2	4	13	9	8	23	19	18	22	16	20	10	10	11	5	5	3	4	3	1	3				
GD	1,549	715	291	168	101	67	75	11	7	7	7	7	8	7	10	7	5	14	3	8	9	7	5	4	3	2			
GE	10																												
GF	32	11	1		1	1	2			2	3	1		2	1		3		1	1									
GH	51						1	5	3	5	3	5	5	6	4	4	9			1									
HA	573	14	20	18	22	14	45	15	18	23	11	12	17	20	34	36	27	45	38	38	24	32	24	14					

MORTALITY STATISTICS

TABLE 6.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM SELECTED CAUSES, BY MONTH, IN PUERTO RICO: 1935

(Numbers after causes of death correspond to those of the 1929 revision of the detailed International List)

AREA AND CAUSE OF DEATH	Total deaths	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
PUERTO RICO (white)-----all causes	22,652	2,164	1,911	1,937	1,846	1,870	1,867	1,788	1,869	1,868	1,957	1,810	1,765
Typhoid and paratyphoid fever-----1,2	68	2	2	6	9	5	4	10	9	5	4	5	7
Smallpox-----6	2							1					1
Measles-----7	16	1	1	2	1		4	2		2	1		1
Scarlet fever-----8													
Whooping-cough-----9	288	56	23	36	21	23	14	29	10	19	19	22	16
Diphtheria-----10	62	5	6	2	1	5	2	6	5	10	5	8	7
Influenza-----11	168	22	18	10	9	14	4	3	10	20	23	20	15
Dysentery-----13	62	9	10	8	9	8	4	3	9	7	8	1	6
Erysipelas-----15	14		2	1	2	1	1	1	3				2
Lethargic encephalitis-----17													
Epidemic cerebrospinal meningitis-----18													
Tuberculosis of the respiratory system-----23	3,396	316	277	291	292	286	285	280	258	270	286	289	266
Other forms of tuberculosis-----24-32	1,52	14	11	19	14	18	8	10	9	16	8	14	11
Malaria-----38	1,505	134	118	105	119	128	137	122	131	128	131	123	129
Diabetes mellitus-----59	47	2	4	1	4	2	5	6	6	9	3	4	1
Cerebral hemorrhage and softening-----82a,82c	222	23	19	13	17	16	28	20	9	20	12	23	22
Diseases of the heart-----90-95	1,206	123	111	125	98	99	97	106	88	90	91	81	97
Bronchitis-----106	604	63	49	54	47	47	44	47	47	55	63	43	45
Bronchopneumonia-----107	1,249	127	114	101	107	97	82	80	91	110	143	107	90
Lobar and unspecified pneumonia-----108,109	679	62	79	59	62	42	51	58	39	51	61	63	52
Diarrhea and enteritis (under 2 years)-----119	3,030	289	247	252	239	265	301	254	253	249	271	207	203
Diarrhea and enteritis (2 years and over)-----120	1,569	154	130	148	122	92	139	118	163	148	119	133	103
Nephritis-----130-132	1,723	156	152	160	125	163	119	105	174	155	150	143	121
Puerperal septicemia-----140,142a,145	83	8	7	7	8	7	8	8	2	6	7	7	6
Other puerperal causes-----141,142b-144,146-150	196	20	11	21	23	22	11	11	15	14	25	7	16
Suicide-----163-171	317	25	22	21	30	30	33	30	26	22	24	24	30
Automobile accidents-----210	107	7	10	7	9	13	16	4	8	6	10	10	7
Automobile-train and street car collisions-----206,208													
Other external causes ^{1/} -----172-198	448	28	37	36	38	54	38	44	33	30	41	33	36
All other causes ^{2/} -----	5,419	518	451	452	440	433	432	429	465	430	453	441	475
PUERTO RICO (other races)-----all causes	8,096	729	702	738	696	647	714	645	625	640	718	615	627
Typhoid and paratyphoid fever-----1,2	25		2	2	1	2	6	2	5	4			1
Smallpox-----6													
Measles-----7	5		1		1			1	1	1			
Scarlet fever-----8													
Whooping-cough-----9	58	8	9	10	3	4	3	4	3	4	2	5	3
Diphtheria-----10	11			2	2		1	2		2		1	1
Influenza-----11	93	4	9	8	7	7	12	7	6	4	13	10	6
Dysentery-----13	32	5	2	3	6	3	1	1	1	5	3	1	1
Erysipelas-----15	4	1	1	1	1								
Lethargic encephalitis-----17													
Epidemic cerebrospinal meningitis-----18													
Tuberculosis of the respiratory system-----23	1,462	123	128	111	131	121	129	126	121	125	140	114	113
Other forms of tuberculosis-----24-32	65	6	6	14	5	3	3	7	4	5	4	3	5
Malaria-----38	578	54	48	45	43	45	57	55	53	51	45	39	45
Diabetes mellitus-----59	8	1	1	1		1	2			1			1
Cerebral hemorrhage and softening-----82a,82c	79	7	6	12	10	3	3	7	10	5	5	6	5
Diseases of the heart-----90-95	480	40	43	56	31	41	46	51	33	26	34	37	42
Bronchitis-----106	133	15	8	11	8	12	9	12	8	13	13	11	15
Bronchopneumonia-----107	393	45	43	30	29	34	26	27	27	27	43	29	23
Lobar and unspecified pneumonia-----108,109	271	42	35	16	29	8	22	14	14	19	29	20	23
Diarrhea and enteritis (under 2 years)-----119	1,005	86	83	92	92	115	79	82	64	83	77	61	61
Diarrhea and enteritis (2 years and over)-----120	543	52	38	56	40	45	47	50	39	50	49	35	43
Nephritis-----130-132	573	59	54	43	50	48	51	34	37	47	52	45	53
Puerperal septicemia-----140,142a,145	19	3	3	1	1	2	2	4	1				1
Other puerperal causes-----141,142b-144,146-150	43	3	3	2	4	6	3	4	1	8	3	2	4
Suicide-----163-171	122	11	10	10	11	9	12	12	7	5	9	14	12
Automobile accidents-----210	35	2	3	4	4	2	2	4	3	4	2	2	3
Automobile-train and street car collisions-----206,208													
Other external causes ^{1/} -----172-198	256	15	18	23	28	20	27	15	15	14	19	20	21
All other causes ^{2/} -----	1,802	147	148	185	159	136	135	126	154	146	171	146	147

1/ Excludes accidents associated with automobiles (206,208,210).
 2/ Refer to complete International List titles.

VIRGIN ISLANDS

TABLE 1.—ENUMERATED POPULATION OF THE VIRGIN ISLANDS, BY SEX AND RACE: 1930

AREA AND SEX	RACE					AREA AND SEX	RACE				
	Total	White	Negro	Mixed	Other races		Total	White	Negro	Mixed	Other races
Virgin Islands	22,012	2,010	17,243	2,719	40	St. John	765	18	653	94	
Male	10,203	1,155	7,841	1,182	29	Male	395	15	338	42	
Female	11,804	854	9,402	1,537	11	Female	370	3	315	52	
St. Croix	11,413	414	9,592	1,386	21	St. Thomas	9,834	1,578	6,998	1,239	19
Male	5,441	222	4,561	640	18	Male	4,372	919	2,942	500	11
Female	5,972	192	5,031	746	3	Female	5,462	659	4,056	739	8

TABLE 2.—DEATHS (EXCLUSIVE OF STILLBIRTHS) BY SEX, RACE, AND MONTH, IN THE VIRGIN ISLANDS: 1935

AREA, SEX, AND RACE	Total deaths	Month												
		Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	
Virgin Islands														
Male	237	25	19	16	27	24	12	31	10	21	17	19	16	
Female	255	23	13	14	19	21	28	30	24	25	20	19	19	
White														
Male	21	2	2	4	—	2	—	2	1	3	—	2	3	
Female	26	1	1	2	1	4	1	4	3	3	—	2	4	
Negro														
Male	201	23	15	11	25	21	12	27	6	17	17	17	10	
Female	187	16	10	11	16	15	23	20	17	21	14	15	9	
Mixed														
Male	15	2	2	1	2	1	—	2	3	1	—	—	3	
Female	42	6	2	1	2	2	4	6	4	1	6	2	6	
St. Croix														
Male	126	18	7	6	19	9	9	15	4	10	11	10	8	
Female	152	11	8	8	9	13	20	24	13	13	12	11	10	
White														
Male	3	1	—	—	—	—	—	1	—	—	—	—	1	
Female	8	—	—	—	—	1	1	2	2	1	—	1	—	
Negro														
Male	115	17	7	6	17	8	9	14	3	9	11	10	4	
Female	111	8	7	7	8	10	15	16	8	11	7	9	5	
Mixed														
Male	8	—	—	—	2	1	—	—	1	1	—	—	3	
Female	33	3	1	1	1	2	4	6	3	1	5	1	5	
St. John														
Male	8	—	1	2	1	—	—	2	—	—	—	—	2	
Female	9	2	—	—	—	—	3	1	—	1	1	1	—	
White														
Male	1	—	—	—	—	—	—	—	—	—	—	—	1	
Female	5	—	—	1	1	—	—	2	—	—	—	—	1	
Negro														
Male	8	1	—	—	—	—	3	1	—	1	1	1	—	
Female	2	—	1	1	—	—	—	—	—	—	—	—	—	
Mixed														
Male	2	—	—	—	—	—	—	—	—	—	—	—	—	
Female	1	1	—	—	—	—	—	—	—	—	—	—	—	
St. Thomas														
Male	103	7	11	8	7	15	3	14	6	11	6	9	6	
Female	94	10	5	6	10	8	5	5	11	11	7	7	9	
White														
Male	17	1	2	4	—	2	—	1	1	3	—	2	1	
Female	18	1	1	2	1	3	—	2	1	2	—	1	4	
Negro														
Male	81	6	8	4	7	13	3	11	3	8	6	7	5	
Female	68	7	3	4	8	5	5	3	9	9	6	5	4	
Mixed														
Male	5	—	1	—	—	—	—	2	2	—	—	—	—	
Female	8	2	1	—	1	—	—	—	1	—	1	1	1	

TABLE 3.—DEATHS (EXCLUSIVE OF STILLBIRTHS) BY SEX, RACE, AND AGE, IN THE VIRGIN ISLANDS: 1935

AREA, SEX, AND RACE	All ages	Age																			Unk.							
		Under 1	1	2	3	4	Under 5	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69		70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 & ov.
Virgin Islands																												
Male	237	59	6	—	1	—	66	7	2	5	4	8	6	5	13	12	12	24	13	15	12	23	7	3	—	—	—	
Female	255	53	6	5	1	—	65	1	3	6	5	7	5	7	6	13	14	12	9	16	28	28	15	11	1	3	—	
White																												
Male	21	4	—	—	—	—	4	1	—	—	1	1	1	1	1	3	2	2	—	1	3	—	—	—	—	—	—	
Female	26	5	—	2	—	—	7	—	1	1	1	1	—	—	—	1	1	1	1	1	3	1	2	3	1	—	—	
Negro																												
Male	201	48	6	—	1	—	55	5	2	4	3	6	5	4	12	11	9	20	11	15	9	20	7	3	—	—	—	
Female	187	42	4	2	1	—	49	1	2	4	4	5	5	7	6	11	10	9	6	10	20	21	9	5	—	3	—	
Mixed																												
Male	15	7	—	—	—	—	7	1	—	1	1	1	—	—	—	2	1	2	—	2	—	—	—	—	—	—	—	
Female	42	6	2	1	—	—	9	—	—	1	—	1	—	—	—	2	1	2	2	3	7	5	3	5	1	—	—	
St. Croix																												
Male	126	27	3	—	—	—	30	2	1	4	1	3	2	3	6	8	7	12	7	11	8	12	6	3	—	—	—	
Female	152	31	5	2	—	—	38	1	2	4	4	3	3	1	4	8	2	7	7	13	21	17	9	6	1	1	—	
White																												
Male	3	1	—	—	—	—	2	—	—	—	1	—	—	—	—	—	—	—	—	1	1	2	1	—	—	—	—	
Female	8	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Negro																												
Male	115	23	3	—	—	—	26	2	1	3	1	2	2	2	6	8	6	12	7	11	6	11	6	3	—	—	—	
Female	111	24	3	—	—	—	27	1	2	3	3	3	3	1	4	6	2	6	5	9	13	14	6	2	—	1	—	
Mixed																												
Male	8	4	—	—	—	—	4	—	—	1	—	1	—	—	—	—	—	—	—	2	—	—	—	—	—	—	—	
Female	33	6	2	1	—	—	9	—	—	1	—	—	—	—	2	—	1	2	3	7	1	2	4	1	—	—	—	
St. John																												
Male	8	1	—	—	—	—	1	—	—	—	—	—	1	1	—	—	2	—	1	1	1	1	—	—	—	—	—	
Female	9	4	—	—	—	—	4	—	—	—	—	—	—	—	—	—	1	1	—	—	—	1	1	—	—	1	—	
White																												
Male	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Female	5	—	—	—	—	—	—	—	—	—	—	—	—	1	1	—	—	—	—	1	1	1	—	—	—	—	—	
Negro																												
Male	8	4	—	—	—	—	4	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Female	2	1	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Mixed																												
Male	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Female	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
St. Thomas																												
Male	103	31	3	—	1	—	35	5	1	1	3	5	4	1	6	4	5	10	6	3	3	10	1	—	—	—	—	
Female	94																											

MORTALITY STATISTICS

TABLE 4.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE, BY RACE, IN THE VIRGIN ISLANDS: 1935

List no.	CAUSE OF DEATH	VIRGIN ISLANDS			ST. CROIX			ST. JOHN			ST. THOMAS			
		Total	White	Negro	Mixed	White	Negro	Mixed	White	Negro	Mixed	White	Negro	Mixed
	Total deaths (all causes)-----	492	47	388	57	11	226	41	1	13	3	35	149	13
	I.—Infectious and parasitic diseases-----	78	8	63	7	1	31	4	---	---	---	7	32	3
15	Acute poliomyelitis, acute polioencephalitis-----	1	---	1	---	---	1	---	---	---	---	---	---	---
22	Tetanus-----	2	1	1	---	---	1	---	---	---	---	1	---	---
23-32	Tuberculosis (all forms)-----	30	5	19	6	1	9	3	---	---	---	4	10	3
23	Tuberculosis of respiratory system-----	25	4	16	5	---	7	3	---	---	---	4	9	2
24	Tuberculosis of meninges and central nervous system-----	1	1	---	---	1	---	---	---	---	---	---	---	---
25	Tuberculosis of intestines and peritoneum-----	2	---	2	---	---	1	---	---	---	---	---	1	---
26	Tuberculosis of vertebral column-----	1	---	1	---	---	1	---	---	---	---	---	---	---
29	Tuberculosis of lymphatic system, etc.*-----	1	---	---	1	---	---	---	---	---	---	---	---	1
33	Leprosy-----	3	---	3	---	---	3	---	---	---	---	---	---	---
34	Syphilis-----	38	---	37	1	---	16	1	---	---	---	---	21	---
35	Purulent infection, septicemia (nonpuerperal)-----	1	1	---	---	---	---	---	---	---	---	1	---	---
38	Malaria-----	1	---	1	---	---	1	---	---	---	---	---	---	---
43	Mycoses-----	2	1	1	---	---	---	---	---	---	---	1	1	---
	II.—Cancers and other tumors-----	51	3	23	5	2	17	5	---	1	---	1	5	---
45-53	Cancer and other malignant tumors-----	30	3	22	5	2	16	5	---	1	---	1	5	---
46	Cancer of digestive tract and peritoneum-----	15	2	12	1	1	8	1	---	1	---	1	3	---
	Esophagus-----	5	---	5	---	---	4	---	---	---	---	---	1	---
	Stomach and duodenum-----	6	---	5	1	---	3	1	---	1	---	---	1	---
	Pancreas-----	1	---	1	---	---	---	---	---	---	---	---	1	---
	Other digestive tract and peritoneum-----	3	2	1	---	1	1	---	---	---	---	1	---	---
48	Cancer of uterus-----	5	---	3	2	---	3	2	---	---	---	---	---	---
49	Cancer of other female genital organs-----	3	---	2	1	---	2	1	---	---	---	---	---	---
50	Cancer of breast-----	3	---	2	1	---	1	---	---	---	---	---	1	---
51	Cancer of male genitourinary organs-----	2	---	2	---	---	1	1	---	---	---	---	1	---
52	Cancer of skin-----	1	1	---	---	1	---	---	---	---	---	---	---	---
53	Cancer of other or unspecified organs-----	1	---	1	---	---	1	---	---	---	---	---	---	---
54d,e	Nonmalignant tumors, other organs-----	1	---	1	---	---	1	---	---	---	---	---	---	---
	III.—Rheumatic diseases, etc.*-----	21	2	18	1	---	14	1	---	---	---	2	4	---
56	Acute rheumatic fever-----	1	---	1	---	---	---	---	---	---	---	---	---	---
57	Chronic rheumatism, osteoarthritis-----	1	---	1	---	---	1	---	---	---	---	---	---	---
59	Diabetes mellitus-----	1	---	---	1	---	---	1	---	---	---	---	---	---
62	Pellagra-----	16	2	14	---	---	10	---	---	---	---	2	4	---
66b	Exophthalmic goiter-----	2	---	2	---	---	2	---	---	---	---	---	---	---
	IV.—Diseases of the blood and blood-making organs-----	3	1	1	1	---	1	---	---	---	---	1	---	1
71e	Fernicious anemia-----	2	1	1	---	---	1	---	---	---	---	1	---	---
72a	True leukemias-----	1	---	---	1	---	---	---	---	---	---	---	---	1
	V.—Chronic poisonings and intoxications-----	1	---	---	1	---	---	1	---	---	---	---	---	---
77a	Chronic lead poisoning-----	1	---	---	1	---	---	1	---	---	---	---	---	---
	VI.—Diseases of the nervous system, etc.*-----	23	3	15	5	2	13	3	---	---	1	1	2	1
82a	Cerebral hemorrhage-----	18	2	12	4	1	10	2	---	---	1	1	2	1
82d	Hemiplegia and other paralysis, cause unspecified-----	1	---	1	---	---	1	---	---	---	---	---	---	---
84	Dementie praecox and other psychoses-----	1	---	---	1	---	---	1	---	---	---	---	---	---
89a	Diseases of ear-----	1	1	---	---	---	---	---	---	---	---	---	---	---
89b	Diseases of mastoid process-----	2	---	2	---	---	2	---	---	---	---	---	---	---
	VII.—Diseases of the circulatory system-----	106	9	87	10	5	69	6	---	1	---	4	27	4
90	Pericarditis-----	1	---	1	---	---	---	---	---	---	---	---	1	---
92a	Endocarditis, specified as chronic, etc.*-----	16	1	16	1	1	8	---	---	---	---	---	8	1
92c	Chronic myocarditis and myocardial degeneration-----	76	7	61	6	4	45	5	---	1	---	3	15	3
93d	Other diseases of myocardium-----	1	---	1	---	---	1	---	---	---	---	---	---	---
95b	Other and unspecified diseases of heart-----	1	---	1	---	---	---	---	---	---	---	---	1	---
96	Aneurysm (except of heart)-----	1	---	1	---	---	---	---	---	---	---	---	1	---
97	Arteriosclerosis (except coronary arteries)-----	7	1	5	1	---	4	1	---	---	---	1	1	---
102	Idiopathic anomalies of blood-pressure-----	1	---	1	---	---	1	---	---	---	---	---	---	---
	VIII.—Diseases of the respiratory system-----	59	2	30	7	1	15	6	---	---	---	1	15	1
107a	Bronchopneumonia-----	18	1	12	5	1	9	5	---	---	---	---	5	---
108	Lobar pneumonia-----	21	1	18	2	---	6	1	---	---	---	1	12	1
	IX.—Diseases of the digestive system-----	75	6	61	9	---	34	6	---	3	1	6	24	2
117a	Ulcer of stomach-----	1	---	1	---	---	---	---	---	---	---	---	1	---
118	Other diseases of stomach (except cancer)-----	1	---	1	---	---	---	---	---	---	---	---	1	---
119	Diarrhea, enteritis (under 2 years)-----	59	4	46	7	---	29	5	---	3	1	4	16	1
120	Diarrhea, enteritis (2 years and over)-----	4	1	3	---	---	---	---	---	---	---	1	3	---
122a	Hernia-----	2	---	2	---	---	2	---	---	---	---	---	---	---
122b	Intestinal obstruction-----	2	---	2	---	---	2	---	---	---	---	---	---	---
123	Other diseases of intestines-----	1	---	1	---	---	1	---	---	---	---	---	---	---
124	Cirrhosis of liver-----	4	---	3	1	---	1	---	---	---	---	---	5	---
127	Other diseases of gall-bladder, biliary passages-----	1	1	---	---	---	---	---	---	---	---	1	---	---
128	Diseases of pancreas-----	1	---	---	1	---	---	---	---	---	---	---	---	1
	X.—Diseases of the genitourinary system-----	58	8	46	4	---	17	2	1	6	1	7	23	1
130	Acute nephritis (including unspecified under 10 years)-----	2	---	2	---	---	---	---	---	---	---	---	2	---
131	Chronic nephritis-----	31	7	41	3	---	15	1	1	6	1	6	20	1
133	Other diseases of kidneys, ureters, etc.*-----	3	1	2	---	---	2	---	---	---	---	1	---	---
134	Calculi of urinary passages-----	1	---	---	1	---	---	1	---	---	---	---	---	---
135	Diseases of urethra, urinary abscess, etc.-----	1	---	1	---	---	---	---	---	---	---	---	1	---

* Refer to complete International List titles.

SUPPLEMENT-VIRGIN ISLANDS

363

TABLE 4.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE, BY RACE, IN THE VIRGIN ISLANDS: 1935—Continued

List no.	CAUSE OF DEATH	VIRGIN ISLANDS				ST. CROIX			ST. JOHN			ST. THOMAS		
		Total	White	Negro	Mixed	White	Negro	Mixed	White	Negro	Mixed	White	Negro	Mixed
	XI.—Diseases of pregnancy, childbirth, and the puerperal state—	5	1	4	---	---	3	---	---	---	---	1	1	---
140	Abortion with septic conditions-----	1	---	1	---	---	1	---	---	---	---	---	---	---
144b	Other puerperal hemorrhages-----	1	1	---	---	---	---	---	---	---	---	1	---	---
148	Puerperal phlegmasia alba dolens, embolus, sudden death (not specified as septic)-----	1	---	1	---	---	1	---	---	---	---	---	---	---
149	Other accidents of childbirth-----	2	---	2	---	---	1	---	---	---	---	---	1	---
	XII.—Diseases of the skin and cellular tissue-----	3	---	2	1	---	1	1	---	---	---	---	1	---
152	Erysipelas, acute abscess-----	2	---	2	---	---	1	---	---	---	---	---	1	---
153	Other diseases of skin and annexa, and of cellular tissue-----	1	---	---	1	---	---	1	---	---	---	---	---	---
	XIV.—Congenital malformations-----	4	2	2	---	---	---	---	---	---	---	2	2	---
157b	Spina bifida and meningocele-----	1	1	---	---	---	---	---	---	---	---	1	---	---
157c	Congenital malformations of heart-----	3	1	2	---	---	---	---	---	---	---	1	2	---
	XV.—Diseases of early infancy-----	24	1	20	3	---	10	3	---	1	---	1	9	---
158	Congenital debility-----	4	---	4	---	---	2	---	---	---	---	---	2	---
159	Premature birth-----	13	1	11	1	---	4	1	---	1	---	1	6	---
160	Injury at birth-----	1	---	---	1	---	---	1	---	---	---	---	---	---
161	Other diseases peculiar to early infancy-----	6	---	5	1	---	4	1	---	---	---	---	1	---
	XVII.—Violent and accidental deaths-----	19	1	15	3	---	10	3	---	1	---	1	4	---
172-	Homicide-----	1	---	1	---	---	1	---	---	---	---	---	---	---
173	Homicide by firearms-----	1	---	1	---	---	1	---	---	---	---	---	---	---
176-	Accidental, other, or undefined-----	16	1	14	3	---	9	3	---	1	---	1	4	---
181	Accidental burns (except conflagration)-----	2	---	2	---	---	---	---	---	---	---	---	2	---
	Not associated with symbols 201-214-----	2	---	2	---	---	---	---	---	---	---	---	---	---
183	Accidental drowning-----	3	---	3	---	---	2	---	---	1	---	---	---	---
	Not associated with symbols 201-214-----	3	---	3	---	---	2	---	---	1	---	---	---	---
185	Traumatism by cutting or piercing instruments-----	2	---	2	---	---	1	---	---	---	---	---	1	---
	Not associated with symbols 201-214-----	2	---	2	---	---	1	---	---	---	---	---	1	---
186a	Traumatism by fall-----	1	---	---	1	---	---	1	---	---	---	---	---	---
	Not associated with symbols 201-214-----	1	---	---	1	---	---	1	---	---	---	---	---	---
191	Excessive heat-----	1	1	---	---	---	---	---	---	---	---	1	---	---
194b	Other accidents-----	9	---	7	2	---	6	2	---	---	---	---	1	---
	Not associated with symbols 201-214-----	5	---	4	1	---	4	1	---	---	---	---	---	---
	Associated with symbols 201-214-----	4	---	3	1	---	2	1	---	---	---	---	1	---
	XVIII.—Ill-defined causes of death-----	1	---	1	---	---	1	---	---	---	---	---	---	---
200b	Causes of death not specified or unknown-----	1	---	1	---	---	1	---	---	---	---	---	---	---
Supplemental Classification														
Symbol	Deaths tabulated under List numbers 181, 183, 185, 186a, 194b, as "Associated with symbols 201-214," are retabulated in the supplemental classification below.													
210	Automobile accidents (primary)-----	4	---	3	1	---	2	1	---	---	---	---	1	---

MORTALITY STATISTICS

TABLE 5.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM SELECTED CAUSES, BY AGE, IN THE VIRGIN ISLANDS: 1935

The letters at the left of each age distribution refer to certain causes of death. These causes and their International List numbers are:

- AA - Typhoid and paratyphoid fever (1, 2)
- AC - Measles (7)
- AD - Scarlet fever (8)
- AE - Whooping-cough (9)
- AF - Diphtheria (10)
- AG - Influenza (11)
- AK - Epidemic cerebrospinal meningitis (18)
- AL - Tuberculosis of the respiratory system (23)
- AN - Other forms of tuberculosis (24 - 32)
- AP - Syphilis (34)
- BA - Cancer and other malignant tumors (45 - 53)
- CB - Diabetes mellitus (59)
- DA - Cerebral hemorrhage and softening (82a, 82c)
- EA - Diseases of the heart (90 - 95)
- FA - Bronchitis (105)
- FB - Bronchopneumonia (107)
- FC - Lobar and unspecified pneumonia (108, 109)
- GC - Diarrhea and enteritis (119, 120)
- GD - Appendicitis
- GE - Hernia, intestinal obstruction (122)
- GF - Cirrhosis of the liver (124)
- HA - Nephritis (130 - 132)
- IA - Diseases of female genital organs (139)
- JA - Puerperal septicemia (140, 142a, 145)
- JB - Other puerperal causes (141, 142b - 144, 146 - 150)
- LA - Suicide (163 - 171)
- LB - Homicide (172 - 175)
- LC - Automobile accidents (210)
- LD - Automobile - railroad train and street car collisions (206, 208)
- LF - Other external causes (176 - 198) 1/
- ZB - All other causes 2/

CODE	All ages	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 & over	Unk.	
Total	492	112	12	5	2		6	5	11	9	15	11	12	19	25	26	36	22	31	40	51	22	14	1	3			
AA																												
AC																												
AD																												
AE																												
AF																												
AG																												
AK																												
AL	25	1		1						2	2	7	2	2	1	2	3											
AN	5			1			3			1																		
AP	38	6						1	1	1	1	4	2	3	5	2	3	5	2	1	1							
BA	30												2		2	2	4	5	4	6	1	2	2	1				
CB	1																											
DA	18																											
EA	97	2					1		1	2		2		4	3	5	5	6	8	10	27	13	6			2		
FA																												
FB	18	10		1	1																4	1					1	
FC	21	5	4	1			1			1				3					1	1	2						1	
GC	63	55	4	1	1						1										1							
GD																												
GE	4													1														
GF	4														2		1											
HA	4											1							1	1								
IA	53											1		2	4	5	5	8		7	5	10	3	3				
JA	1									1																		
JB	4									1			2															
LA	1									1																		
LB	1									1																		
LC	4						1		1																			
LD													1															
LF	14		3				1	2	1		1		1	1	1													
ZB	91	33	1				1	2	2	1	2	1	1	1	5	8	8	3	6	7	6	2	1		1			

1/ Excludes accidents associated with automobiles (206, 208, 210).
 2/ Refer to complete International List titles.

TABLE 6.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM SELECTED CAUSES, BY MONTH, IN THE VIRGIN ISLANDS: 1935

(Numbers after causes of death correspond to those of the 1929 revision of the detailed International List)

CAUSE OF DEATH	Total deaths	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
Virgin Islands-----all causes	492	48	32	30	46	45	40	61	34	46	37	38	35
Typhoid and paratyphoid fever-----1,2													
Smallpox-----6													
Measles-----7													
Scarlet fever-----8													
Whooping-cough-----9													
Diphtheria-----10													
Influenza-----11													
Dysentery-----13													
Erysipelas-----15													
Lethargic encephalitis-----17													
Epidemic cerebrospinal meningitis-----18													
Tuberculosis of the respiratory system-----23	25	4	3	2	1	1	4	2		3	1	2	2
Other forms of tuberculosis-----24-32	5		1			2	1	1					
Malaria-----38	1						1						
Diabetes mellitus-----59	1												
Cerebral hemorrhage and softening-----82a, 82c	18	2	1		1	2		4	2		2	3	1
Diseases of the heart-----90-95	97	10	7	6	6	7	4	9	12	11	13	8	4
Bronchitis-----105													
Bronchopneumonia-----107	18		2		1	3	3	1	1	3	1	1	2
Lobar and unspecified pneumonia-----108, 109	21	1	1	1	3	3	1	2	1	3	3		2
Diarrhea and enteritis (under 2 years)-----119	59	2	3	1	9	7	5	10	5	4	2	7	1
Diarrhea and enteritis (2 years and over)-----120	4						1	1				1	1
Nephritis-----130-132	55	9	3	3	6	4	2	5	3	7	3	4	4
Puerperal septicemia-----140, 142a, 145	1							1					
Other puerperal causes-----141, 142b-144, 146-150	4	1	1										1
Suicide-----163-171	4									1			
Automobile accidents-----210	4												
Automobile-train and street car collisions-----206, 208	4	1								1	1		1
Other external causes-----1/ 172-198	15	2		3	2	3							
All other causes 2/-----	166	16	10	14	17	13	14	22	9	12	11	12	16

1/ Excludes accidents associated with automobiles (206, 208, 210).
 2/ Refer to complete International List titles.