

U. S. Bur. of the Census. 11th census, 1890,
DEPARTMENT OF THE INTERIOR,
CENSUS OFFICE.

ROBERT P. PORTER,
Superintendent.
Appointed April 20, 1889; resigned July 31, 1893.

CARROLL D. WRIGHT,
Commissioner of Labor in charge.
Appointed October 5, 1893.

REPORT

U. S. SOCIAL SECURITY BOARD

JAN 18 1940

ON

LIBRARY

VITAL AND SOCIAL STATISTICS

IN

THE UNITED STATES

AT THE

ELEVENTH CENSUS: 1890.

PART IV.—STATISTICS OF DEATHS.

JOHN S. BILLINGS, M. D.,
DEPUTY SURGEON-GENERAL, U. S. ARMY, EXPERT SPECIAL AGENT.



WASHINGTON, D. C.:
GOVERNMENT PRINTING OFFICE.
1895.

Ref,
HA201
, A15
1890
V.4
Pt. IV

CONTENTS—PART IV.

	Page.
Letter of transmittal of the Commissioner of Labor in charge to the Secretary of the Interior.....	v
TABLE 1.—Deaths in the United States, in registration states, and cities in registration states, at certain ages and groups of ages, with distinction of sex, color, nativity, parental nativity, and birthplaces of mothers, for the census year ending May 31, 1890.....	2-21
TABLE 2.—Deaths in the United States and deaths reported from registration sources, by color, nativity, parental nativity, age periods, and birthplaces of mothers, with distinction of sex, conjugal condition, and certain causes of death, for the census year ending May 31, 1890.....	24-29
TABLE 3.—Deaths in the United States, in each registration state, and in the rural part of each registration state, by age periods and certain causes of death, with distinction of conjugal condition, sex, color, nativity, parental nativity, and birthplaces of mothers, for the census year ending May 31, 1890.....	32-147
TABLE 4.—Total deaths in 54 registration cities, by age periods and certain causes of death, with distinction of conjugal condition, sex, color, nativity, parental nativity, and birthplaces of mothers, for the census year ending May 31, 1890.....	150-155
TABLE 5.—Deaths in the United States, each state, and state group, among the males engaged in certain occupations and classes of occupations, with distinction of color, nativity, parental nativity, and birthplaces of mothers, during the census year ending May 31, 1890.....	159-197
TABLE 6.—Deaths in the United States, each registration state, and the remainder of the United States, among the males engaged in certain occupations and classes of occupations, with distinction of color, birthplaces of mothers, and certain age periods, for the census year ending May 31, 1890.....	200-263
TABLE 7.—Deaths in the United States, reported from registration and nonregistration sources, in registration states, in cities in registration states, and in the rural part of registration states, among males engaged in certain occupations and classes of occupations, with distinction of color, nativity, and parental nativity, and with specification of certain causes of death, for the census year ending May 31, 1890.....	266-401
TABLE 8.—Deaths in the United States, each registration state, and the remainder of the United States, among females engaged in certain occupations, with distinction of color, birthplaces of mothers, and certain age periods, for the census year ending May 31, 1890.....	404-415
TABLE 9.—Deaths in the United States, reported from registration and nonregistration sources, in registration states, in cities in registration states, and in the rural part of registration states, among females engaged in certain occupations, with distinction of color, nativity, and parental nativity, and with specification of certain causes of death, for the census year ending May 31, 1890.....	418-449
TABLE 10.—Deaths from cancer in the United States, and reported from registration and nonregistration sources, by age groups, with distinction of sex, color, nativity, parental nativity, and birthplaces of mothers, and with specification of conjugal condition or location of cancer, for the census year ending May 31, 1890.....	453-488
TABLE 11.—Deaths from cancer in the United States, and reported from registration and nonregistration sources, among the males engaged in certain selected occupations and classes of occupations, by age groups, during the census year ending May 31, 1890.....	491-495
TABLE 12.—Deaths from cancer in the United States, and reported from registration and nonregistration sources, among the females engaged in certain selected occupations, by age groups, during the census year ending May 31, 1890....	499
TABLE 13.—Deaths during the 6 years ending May 31, 1890, at certain ages and from certain causes, with distinction of sex, color, nativity, parental nativity, and birthplaces of mothers.....	502-663
TABLE 14.—Deaths in the whole of the 6-year record from each specified disease and class of diseases, with distinction of age and sex, and specification of color and birthplaces of mothers, during the 6 years ending May 31, 1890.....	666-733
TABLE 15.—Deaths in the metropolitan district from each specified disease and class of diseases, with distinction of age and sex, and specification of color and birthplaces of mothers, during the 6 years ending May 31, 1890.....	736-767
TABLE 16.—Deaths in the state of New Jersey from each specified disease and class of diseases, with distinction of age and sex, and specification of color and birthplaces of mothers, during the 6 years ending May 31, 1890.....	770-801
TABLE 17.—Deaths in the cities in New Jersey from each specified disease and class of diseases, with distinction of age and sex, and specification of color and birthplaces of mothers, during the 6 years ending May 31, 1890.....	804-835
TABLE 18.—Deaths in the rural part of New Jersey from each specified disease and class of diseases, with distinction of age and sex, and specification of color and birthplaces of mothers, during the 6 years ending May 31, 1890.....	838-869
TABLE 19.—Deaths in each county and city in New Jersey from each specified disease and class of diseases, with distinction of sex, during the 6 years ending May 31, 1890.....	872-887

	Page
TABLE 20.—Deaths in the metropolitan district and in New Jersey from certain specified diseases and classes of diseases, by months and sex, with distinction of color and certain groups of ages, during the 6 years ending May 31, 1890...	890-937
TABLE 21.—Deaths in the metropolitan district and in New Jersey from certain causes and classes of causes, by conjugal condition and sex, with distinction of color, nativity, parental nativity, certain ages, and birthplaces of mothers, during the 6 years ending May 31, 1890.....	940-955
TABLE 22.—Deaths in the metropolitan district and in New Jersey among males engaged in certain occupations and classes of occupations, with distinction of color, birthplaces of mothers, and certain age periods, during the 6 years ending May 31, 1890.....	958-989
TABLE 23.—Deaths in the whole of the 6-year record, the metropolitan district, and the state of New Jersey, among males engaged in certain occupations and classes of occupations, with distinction of color, nativity, and parental nativity, and with specifications of certain causes of death, during the 6 years ending May 31, 1890.....	992-1015
TABLE 24.—Deaths in the metropolitan district and in New Jersey among females engaged in certain occupations, with distinction of color, birthplaces of mothers, and certain age periods, during the 6 years ending May 31, 1890...	1018-1025
TABLE 25.—Deaths in the whole of the 6-year record, the metropolitan district, and the state of New Jersey, among females engaged in certain occupations, with distinction of color, nativity, and parental nativity, and with specifications of certain causes of death, during the 6 years ending May 31, 1890.....	1028-1033

LETTER OF TRANSMITTAL.

DEPARTMENT OF THE INTERIOR,
CENSUS OFFICE,
WASHINGTON, D. C., December 6, 1894.

SIR:

I have the honor to transmit herewith Part IV of the Report on Vital and Social Statistics, containing the concluding tables of the general statistics of deaths. The first portion of this series is published in Part III. The analysis of the figures given herein will be found in Part I of this report.

I am, very respectfully, your obedient servant,

CARROLL D. WRIGHT,
Commissioner of Labor in charge.

Hon. HOKE SMITH,
Secretary of the Interior.

TABLE 1.

DEATHS IN THE UNITED STATES, IN REGISTRATION STATES, AND CITIES IN REGISTRATION STATES, AT CERTAIN AGES AND GROUPS OF AGES, WITH DISTINCTION OF SEX, COLOR, NATIVITY, PARENTAL NATIVITY, AND BIRTHPLACES OF MOTHERS, FOR THE CENSUS YEAR ENDED MAY 31, 1890.

VITAL AND SOCIAL STATISTICS.

TABLE 1.—DEATHS AT CERTAIN AGES AND GROUPS OF AGES, BY SEX, COLOR, NATIVITY,

	SEX, COLOR, NATIVITY, ETC.	AGE PERIODS.										
		All ages.	Under 1	1	2	3	4	Total under 5	5 to 10	10 to 15	15 to 20	20 to 25
1	THE UNITED STATES.											
1	Total	875,521	197,167	52,050	27,520	17,666	13,159	307,562	37,259	22,366	34,384	44,569
2	White	758,660	172,059	43,740	22,833	14,921	11,240	264,793	31,565	17,685	26,901	36,213
3	Native born	596,036	169,010	42,020	21,799	14,015	10,548	257,392	29,276	16,030	23,595	28,912
4	Both parents native	{ M. 160,596 F. 150,260	{ M. 41,196 F. 31,964	{ M. 11,084 F. 9,797	{ M. 6,039 F. 5,376	{ M. 3,761 F. 3,469	{ M. 2,721 F. 2,607	{ M. 64,301 F. 53,213	{ M. 7,832 F. 7,739	{ M. 4,532 F. 4,448	{ M. 6,081 F. 6,900	{ M. 7,143 F. 7,535
5	One or both parents foreign	{ M. 68,906 F. 59,762	{ M. 29,000 F. 22,721	{ M. 6,391 F. 5,715	{ M. 3,117 F. 2,919	{ M. 2,090 F. 1,928	{ M. 1,603 F. 1,493	{ M. 42,201 F. 34,781	{ M. 4,119 F. 4,004	{ M. 2,041 F. 2,025	{ M. 2,853 F. 2,963	{ M. 3,735 F. 3,508
6	Foreign born	{ M. 78,505 F. 61,566	{ M. 615 F. 535	{ M. 452 F. 460	{ M. 303 F. 326	{ M. 307 F. 277	{ M. 240 F. 229	{ M. 1,917 F. 1,827	{ M. 818 F. 733	{ M. 614 F. 641	{ M. 1,306 F. 1,353	{ M. 3,289 F. 2,811
7	Colored	116,861	25,108	8,310	4,687	2,745	1,919	42,769	5,694	4,681	7,483	8,356
8	Males	59,800	13,561	4,333	2,456	1,374	995	22,724	2,823	2,164	3,284	4,192
9	Females	57,061	11,547	3,972	2,231	1,371	924	20,045	2,866	2,517	4,199	4,164
	Birthplaces of mothers:											
10	United States	{ M. 221,965 F. 209,725	{ M. 57,082 F. 45,237	{ M. 16,023 F. 14,192	{ M. 8,796 F. 7,952	{ M. 5,437 F. 5,055	{ M. 3,924 F. 3,726	{ M. 91,267 F. 76,212	{ M. 11,301 F. 11,185	{ M. 6,989 F. 7,133	{ M. 9,425 F. 11,185	{ M. 11,136 F. 11,641
11	England and Wales	{ M. 12,364 F. 9,627	{ M. 2,002 F. 1,530	{ M. 443 F. 430	{ M. 235 F. 216	{ M. 175 F. 170	{ M. 156 F. 133	{ M. 3,016 F. 2,529	{ M. 335 F. 361	{ M. 209 F. 186	{ M. 293 F. 299	{ M. 438 F. 417
12	Scotland	{ M. 3,423 F. 2,566	{ M. 465 F. 346	{ M. 120 F. 93	{ M. 63 F. 38	{ M. 53 F. 43	{ M. 38 F. 34	{ M. 739 F. 554	{ M. 87 F. 90	{ M. 44 F. 50	{ M. 81 F. 78	{ M. 120 F. 117
13	Ireland	{ M. 38,148 F. 34,576	{ M. 4,943 F. 3,930	{ M. 1,193 F. 1,076	{ M. 607 F. 617	{ M. 335 F. 401	{ M. 336 F. 289	{ M. 7,464 F. 6,313	{ M. 374 F. 333	{ M. 529 F. 552	{ M. 1,188 F. 1,243	{ M. 2,373 F. 2,078
14	Germany	{ M. 37,981 F. 28,938	{ M. 7,759 F. 5,951	{ M. 1,647 F. 1,514	{ M. 813 F. 774	{ M. 645 F. 565	{ M. 466 F. 455	{ M. 11,330 F. 9,259	{ M. 1,347 F. 1,268	{ M. 686 F. 705	{ M. 999 F. 952	{ M. 1,438 F. 1,392
15	Canada	{ M. 8,783 F. 8,129	{ M. 3,027 F. 2,378	{ M. 603 F. 594	{ M. 317 F. 307	{ M. 205 F. 196	{ M. 154 F. 138	{ M. 4,306 F. 3,613	{ M. 404 F. 404	{ M. 220 F. 241	{ M. 345 F. 388	{ M. 413 F. 507
16	France	{ M. 1,642 F. 938	{ M. 197 F. 148	{ M. 36 F. 44	{ M. 22 F. 18	{ M. 15 F. 18	{ M. 14 F. 12	{ M. 234 F. 240	{ M. 35 F. 37	{ M. 22 F. 20	{ M. 30 F. 23	{ M. 55 F. 53
17	Scandinavia	{ M. 8,216 F. 6,443	{ M. 2,040 F. 1,493	{ M. 500 F. 457	{ M. 263 F. 239	{ M. 175 F. 167	{ M. 155 F. 149	{ M. 3,147 F. 2,505	{ M. 405 F. 413	{ M. 237 F. 246	{ M. 280 F. 314	{ M. 520 F. 408
18	Russia and Poland	{ M. 3,554 F. 2,671	{ M. 1,594 F. 1,193	{ M. 353 F. 300	{ M. 156 F. 150	{ M. 98 F. 76	{ M. 42 F. 67	{ M. 2,243 F. 1,736	{ M. 139 F. 133	{ M. 54 F. 37	{ M. 65 F. 70	{ M. 121 F. 80
19	Bohemia	{ M. 1,201 F. 1,012	{ M. 403 F. 335	{ M. 92 F. 82	{ M. 54 F. 44	{ M. 34 F. 26	{ M. 31 F. 31	{ M. 614 F. 513	{ M. 59 F. 64	{ M. 16 F. 23	{ M. 32 F. 36	{ M. 38 F. 40
20	Hungary	{ M. 624 F. 393	{ M. 252 F. 167	{ M. 46 F. 49	{ M. 20 F. 20	{ M. 19 F. 11	{ M. 9 F. 10	{ M. 346 F. 257	{ M. 10 F. 17	{ M. 5 F. 3	{ M. 22 F. 11	{ M. 27 F. 20
21	Italy	{ M. 2,532 F. 1,831	{ M. 939 F. 857	{ M. 317 F. 269	{ M. 120 F. 103	{ M. 56 F. 51	{ M. 42 F. 25	{ M. 1,474 F. 1,305	{ M. 59 F. 43	{ M. 25 F. 24	{ M. 39 F. 36	{ M. 102 F. 57
22	Other foreign countries	{ M. 6,155 F. 3,913	{ M. 1,248 F. 981	{ M. 232 F. 227	{ M. 137 F. 126	{ M. 90 F. 82	{ M. 68 F. 79	{ M. 1,825 F. 1,495	{ M. 172 F. 195	{ M. 99 F. 107	{ M. 170 F. 151	{ M. 277 F. 208
23	Unknown	{ M. 62,935 F. 53,130	{ M. 10,446 F. 8,337	{ M. 2,493 F. 2,213	{ M. 1,284 F. 1,139	{ M. 834 F. 734	{ M. 631 F. 581	{ M. 15,638 F. 13,104	{ M. 1,747 F. 1,672	{ M. 1,101 F. 1,051	{ M. 1,715 F. 1,927	{ M. 2,921 F. 2,754

STATISTICS OF DEATHS.

PARENTAL NATIVITY, AND BIRTHPLACES OF MOTHERS, FOR THE CENSUS YEAR ENDED MAY 31, 1890.

AGE PERIODS—continued.															
25 to 30	30 to 35	35 to 40	40 to 45	45 to 50	50 to 55	55 to 60	60 to 65	65 to 70	70 to 75	75 to 80	80 to 85	85 to 90	90 to 95	95 and over.	Un-known:
41,312	37,152	36,014	31,996	31,584	32,384	30,307	35,668	36,061	35,640	30,362	22,619	12,205	4,580	2,093	9,404
35,087	32,155	30,916	27,615	27,588	28,425	27,914	32,152	33,262	32,813	28,439	20,872	11,375	3,953	1,379	7,553
26,072	23,427	20,617	16,634	15,797	15,656	15,322	17,769	19,439	20,798	18,938	14,549	7,993	2,737	878	4,255
5,664	5,056	4,960	4,403	4,663	4,773	5,122	6,086	6,818	7,308	6,457	4,612	2,342	713	179	946
6,801	6,308	6,077	5,133	4,732	4,934	4,532	5,327	5,658	6,046	5,598	4,472	2,605	975	334	843
3,396	2,745	1,780	1,012	807	622	539	509	503	543	541	411	237	80	36	191
3,124	2,537	1,662	951	695	523	416	385	412	422	433	416	231	95	25	154
4,315	4,243	5,206	5,855	6,500	6,778	6,815	7,508	7,153	6,026	4,630	2,766	1,425	475	194	672
3,485	3,220	3,854	4,004	4,296	4,928	4,834	5,745	5,546	4,849	3,823	2,749	1,526	585	255	402
6,225	4,997	5,098	4,381	3,996	3,959	2,393	3,516	2,799	2,827	1,923	1,747	830	622	714	1,851
3,007	2,421	2,469	2,136	2,137	2,112	1,338	1,945	1,594	1,557	1,063	876	413	263	268	1,009
3,213	2,576	2,629	2,245	1,859	1,847	1,055	1,571	1,205	1,270	860	871	417	359	446	842
8,334	7,134	6,928	6,139	6,422	6,557	6,332	7,875	8,346	8,869	7,558	5,536	2,773	958	402	1,684
9,896	8,310	8,505	7,224	6,427	6,617	5,534	6,773	6,841	7,287	6,593	5,376	3,053	1,314	683	1,476
486	468	579	575	596	715	677	804	822	794	666	403	230	50	24	84
454	432	457	425	435	412	446	500	536	553	493	372	196	57	19	48
137	139	159	173	215	195	204	214	232	204	200	150	83	30	6	16
126	136	120	117	135	121	119	122	130	156	157	117	75	29	10	7
2,702	2,341	2,157	2,085	2,323	2,320	2,235	2,294	2,031	1,844	1,401	927	502	224	89	195
2,272	1,949	1,905	1,811	1,900	2,212	2,024	2,299	1,965	1,717	1,319	1,035	584	285	136	144
1,652	1,636	1,697	1,721	1,795	1,871	2,037	2,344	2,370	1,946	1,443	847	411	107	31	223
1,458	1,364	1,237	1,072	1,029	1,174	1,186	1,534	1,563	1,360	1,091	711	374	111	42	116
404	320	297	275	274	242	256	223	208	174	166	99	61	23	15	58
440	378	339	255	248	220	195	171	181	143	122	99	74	23	7	75
77	64	74	105	105	99	117	104	127	112	112	56	35	13	8	8
43	43	42	40	47	49	50	54	58	63	46	44	28	10	1	7
531	448	377	310	282	266	235	285	261	227	177	97	42	9	2	78
452	339	313	213	152	157	140	151	183	157	121	74	38	21	6	35
141	128	114	100	85	76	53	66	48	37	28	21	8	2	6	14
97	73	65	58	46	45	29	38	38	25	13	20	7	5	-----	6
40	46	41	41	40	39	33	33	37	41	20	17	8	2	-----	4
44	41	28	31	19	20	27	27	27	22	23	9	4	2	-----	7
55	33	22	19	24	17	8	3	6	11	2	2	1	-----	-----	11
19	12	10	5	6	8	5	6	4	-----	2	4	-----	-----	-----	4
138	126	122	89	86	64	40	50	37	32	12	8	3	3	1	22
51	54	59	50	27	21	16	24	22	14	11	7	2	2	1	5
365	396	430	403	330	325	265	251	260	195	166	32	41	10	17	76
199	174	184	139	121	116	118	163	145	115	99	70	49	17	20	28
2,979	2,976	2,867	2,556	2,515	2,687	2,608	3,212	3,396	3,696	3,294	2,539	1,297	454	152	2,485
2,700	2,649	2,501	2,118	1,944	2,068	1,874	2,386	2,620	2,868	2,707	2,257	1,358	531	234	1,807

VITAL AND SOCIAL STATISTICS.

TABLE 1.—DEATHS AT CERTAIN AGES AND GROUPS OF AGES, BY SEX, COLOR, NATIVITY, PARENTAL

SEX, COLOR, NATIVITY, ETC.		AGE PERIODS.										
		All ages.	Under 1	1	2	3	4	Total under 5	5 to 10	10 to 15	15 to 20	20 to 25
REGISTRATION STATES.												
1	Total	242,163	59,563	12,832	6,205	4,086	2,966	85,652	7,804	4,003	6,571	9,977
2	White	234,135	57,055	12,270	5,991	3,958	2,880	82,154	7,521	3,771	6,251	9,521
3	Native born	171,481	56,054	11,791	5,692	3,657	2,666	79,860	6,861	3,274	5,088	6,878
4	Both parents native	39,693	11,438	2,263	1,094	759	535	16,089	1,487	667	915-	1,166
5	One or both parents foreign	38,382	9,013	2,033	1,072	681	543	13,352	1,501	768	1,017	1,197
6	Foreign born	36,124	17,045	3,466	1,582	1,007	712	23,812	1,687	739	1,223-	1,901
7	Colored	8,028	2,508	562	214	123	86	3,498	283	237	320	456
8	Males	4,149	1,368	308	106	58	40	1,380	144	104	132	226
9	Females	3,879	1,140	254	108	70	46	1,618	139	133	188	230
Birthplaces of mothers:												
10	United States	48,901	15,372	3,079	1,463	975	697	21,586	1,946	903	1,159	1,536
11	England and Wales	47,076	12,223	2,757	1,424	913	703	18,020	1,912	993	1,375	1,577
12	Scotland	5,417	1,174	205	122	96	69	1,666	150	63	106	208
13	Ireland	4,549	953	220	96	79	57	1,405	155	70	115	169
14	Germany	1,626	308	59	30	23	24	449	40	20	33	60
15	Canada	1,326	226	51	23	22	16	338	30	22	35	52
16	France	26,097	4,099	957	480	313	256	6,105	630	362	812	1,705
17	Scandinavia	25,817	3,323	873	511	317	217	5,241	584	384	897	1,513
18	Russia and Poland	14,816	3,821	749	419	251	162	5,300	435	183	818	520
19	Bohemia	11,141	2,935	675	307	216	156	4,289	368	172	252	468
20	Hungary	5,315	2,190	417	201	130	96	3,034	209	105	193-	212
21	Italy	5,244	1,726	424	208	139	87	2,584	229	139	234	304
22	Other foreign countries	602	108	13	12	4	2	139	13	5	13	13
23	Unknown	417	83	16	9	6	3	117	14	6	8	13
24	Total	1,303	473	94	31	25	9	632	47	10	29	71
25	White	958	345	79	36	28	14	502	34	18	23	62
26	Native born	1,601	809	167	68	37	15	1,096	39	18	20	48
27	Both parents native	1,184	622	132	60	27	16	857	36	11	32	37
28	One or both parents foreign	271	121	19	10	5	3	153	7	4	4	10
29	Foreign born	240	107	25	8	4	7	151	4	1	4	8
30	Colored	372	177	31	12	14	6	240	8	3	17	9
31	Males	272	125	35	12	6	5	183	12	2	7	11
32	Females	2,004	857	295	100	49	36	1,337	49	21	28	67
33	United States	1,638	799	256	98	47	22	1,222	39	19	31	46
34	England and Wales	1,860	937	121	49	26	14	847	32	26	37	74
35	Scotland	1,393	512	111	47	32	23	725	42	22	44	60
36	Ireland	15,633	2,800	464	212	141	111	3,728	363	208	354	551
37	Germany	13,813	2,266	418	212	135	119	3,150	322	197	358	509
38	Canada											
39	France											
40	Scandinavia											
41	Russia and Poland											
42	Bohemia											
43	Hungary											
44	Italy											
45	Other foreign countries											
46	Unknown											
47	Total	168,564	47,821	10,182	4,850	3,182	2,284	63,319	5,640	2,597	4,335	7,173
48	White	162,079	45,677	9,726	4,674	3,072	2,216	65,365	5,412	2,423	4,086	6,813
49	Native born	113,188	44,830	9,354	4,454	2,325	2,032	63,545	4,891	2,048	3,169	4,652
50	Both parents native	22,258	8,092	1,558	773	537	365	11,324	923	333	447	605
51	One or both parents foreign	21,110	6,443	1,420	749	449	363	9,429	948	379	460	588
52	Foreign born	30,979	15,108	3,000	1,372	889	605	21,034	1,392	583	951	1,548
53	Colored	26,636	11,981	2,833	1,345	898	568	17,565	1,292	574	1,008	1,390
54	Males	24,091	171	148	103	110	90	622	256	173	417	1,048
55	Females	22,609	168	132	96	100	75	571	236	138	457	1,041
56	White	6,485	2,144	456	176	110	68	2,954	223	174	249	365
57	Males	3,348	1,162	253	89	47	29	1,580	113	77	107	181
58	Females	3,137	982	203	87	63	39	1,374	115	97	142	184
59	Birthplaces of mothers:											
60	United States	29,612	11,425	2,254	1,083	718	494	15,979	1,288	509	630	881
61	England and Wales	27,985	9,174	2,024	1,037	640	500	13,375	1,286	543	720	875
62	Scotland	3,952	995	158	100	82	52	1,387	116	48	65	153
63	Ireland	3,385	792	177	76	64	47	1,156	117	49	74	131
64	Germany	1,274	263	48	27	23	20	381	31	17	27	55
65	Canada	1,011	192	44	16	21	10	283	82	16	23	41
66	France	21,758	3,736	865	407	279	224	5,511	521	294	644	1,424
67	Scandinavia	21,989	3,048	790	453	279	197	4,767	502	323	725	1,290
68	Russia and Poland	12,922	3,515	686	285	238	146	4,870	383	143	275	458
69	Bohemia	9,737	2,687	625	201	144	101	3,037	323	133	221	424
70	Hungary	3,857	1,703	307	150	99	74	2,333	156	82	142	144
71	Italy	3,744	1,807	316	157	105	62	1,947	197	100	161	217
72	Other foreign countries	469	95	9	9	3	3	116	10	5	10	11
73	Unknown	316	70	14	1	1	3	96	9	2	4	10
74	Total	1,013	373	76	23	21	8	506	39	8	21	49
75	White	760	279	63	30	24	14	410	30	15	19	50
76	Native born	1,514	780	166	65	36	15	1,062	36	18	19	42
77	Both parents native	1,121	592	126	58	27	15	818	32	10	30	34
78	One or both parents foreign	255	115	19	8	4	3	149	7	4	4	8
79	Foreign born	237	105	25	8	4	7	149	4	1	4	9
80	Colored	341	169	30	12	13	6	230	7	2	16	6
81	Males	255	120	32	11	5	5	173	10	5	7	9
82	Females	1,875	820	285	98	43	36	1,282	49	19	27	62
83	United States	1,562	768	246	93	45	22	1,174	33	15	29	44
84	England and Wales	1,632	585	104	43	22	13	772	29	22	34	62
85	Scotland	1,227	465	97	42	29	23	656	40	20	36	52
86	Ireland	7,315	1,762	272	105	73	60	2,272	178	90	160	307
87	Germany	6,169	1,509	234	109	62	63	1,977	159	91	170	266

STATISTICS OF DEATHS.

NATIVITY, AND BIRTHPLACES OF MOTHERS, FOR THE CENSUS YEAR ENDED MAY 31, 1890—Continued.

AGE PERIODS—continued.															Un- known.	
25 to 30	30 to 35	35 to 40	40 to 45	45 to 50	50 to 55	55 to 60	60 to 65	65 to 70	70 to 75	75 to 80	80 to 85	85 to 90	90 to 95	95 and over.		
10,780	9,923	9,765	9,049	9,561	9,885	9,828	10,820	11,303	11,038	10,287	8,062	4,584	1,705	572	989	1
10,425	9,616	9,396	8,721	9,238	9,617	9,601	10,600	11,090	10,854	10,133	7,964	4,510	1,659	537	956	2
6,980	6,224	5,222	4,060	4,057	4,118	4,238	4,953	5,836	6,472	6,662	5,570	3,211	1,149	328	440	3
1,088	1,053	1,133	1,037	1,227	1,337	1,444	1,744	2,033	2,130	2,165	1,042	870	254	46	100	4
1,271	1,259	1,243	1,140	1,186	1,323	1,398	1,566	1,899	2,122	2,251	1,940	1,201	489	153	98	5
1,972	1,605	1,027	523	332	260	212	171	132	133	138	87	53	12	5	50	6
1,051	1,343	889	494	357	232	192	159	155	149	160	148	69	24	11	49	7
1,681	1,724	2,158	2,408	2,803	2,790	2,812	2,787	2,565	2,076	1,590	990	490	168	77	100	8
1,509	1,446	1,803	1,945	2,183	2,483	2,366	2,658	2,424	2,027	1,557	1,138	661	277	121	81	9
355	307	369	328	323	268	227	220	213	184	154	98	74	46	35	38	10
179	176	192	171	194	134	121	117	105	94	71	37	29	14	9	20	11
176	131	177	157	129	134	106	103	108	90	83	61	45	32	26	13	12
1,396	1,290	1,389	1,249	1,459	1,508	1,605	1,919	2,188	2,346	2,304	1,732	930	274	55	131	13
1,558	1,500	1,486	1,354	1,387	1,534	1,573	1,729	2,101	2,809	2,435	2,100	1,304	532	182	115	14
185	208	255	242	254	310	276	307	343	299	269	162	75	14	8	17	15
193	190	214	186	222	191	215	213	242	241	230	170	88	22	7	11	16
67	67	83	87	96	92	85	90	101	81	72	50	34	15	1	3	17
66	74	62	58	76	66	64	59	54	76	74	55	33	16	4	3	18
1,973	1,723	1,581	1,477	1,590	1,491	1,439	1,356	1,153	975	754	505	252	103	49	62	19
1,748	1,475	1,468	1,426	1,493	1,681	1,512	1,649	1,374	1,136	845	661	379	182	93	76	20
686	725	736	707	771	737	810	823	761	563	394	205	92	17	6	27	21
562	517	453	402	391	440	478	599	536	461	332	197	109	33	10	13	22
200	167	156	149	131	117	139	106	105	83	84	52	36	12	9	16	23
256	218	193	150	159	130	123	98	116	92	67	60	51	14	6	12	24
23	22	22	44	42	40	41	33	49	37	29	16	13	5	2	1	25
19	14	20	19	20	22	16	26	19	25	29	16	6	7	1	1	26
85	94	60	56	45	42	32	37	23	15	13	8	1	1	1	1	27
73	52	43	27	18	25	14	11	20	12	14	4	2	2	2	2	28
68	52	39	43	40	32	16	31	13	19	11	6	5	2	2	1	29
38	28	19	16	19	20	15	17	12	7	6	7	3	3	3	1	30
11	14	15	12	7	8	8	4	3	3	2	1	1	1	1	1	31
10	15	8	5	3	4	4	10	5	6	4	4	4	4	4	1	32
22	11	4	10	15	11	6	2	5	7	1	1	1	1	1	1	33
11	6	8	4	4	8	5	4	2	2	1	3	3	3	3	3	34
84	75	71	54	58	37	25	32	19	23	5	4	1	2	1	11	35
39	38	54	41	23	15	11	18	16	9	5	5	1	2	1	4	36
99	90	90	86	82	75	87	61	63	47	30	19	8	2	1	4	37
59	43	57	40	45	27	36	45	42	30	31	15	18	8	4	2	38
607	652	674	569	577	666	617	817	997	1,089	1,162	987	502	170	39	304	39
576	508	478	493	481	501	532	677	844	993	1,058	998	624	257	87	170	40
8,014	7,462	7,205	6,784	6,948	6,982	6,584	6,824	6,453	5,649	4,859	3,443	1,907	672	244	875	41
7,731	7,204	6,982	6,516	6,678	6,764	6,395	6,656	6,300	5,521	4,765	3,380	1,856	643	223	366	42
4,857	4,303	3,405	2,524	2,346	2,251	2,024	2,229	2,415	2,475	2,503	1,879	1,072	349	99	152	43
607	569	668	570	681	732	690	806	842	837	733	481	255	61	9	30	44
649	675	625	603	602	696	646	688	830	873	922	748	470	176	51	22	45
1,631	1,389	882	444	322	207	154	116	82	65	78	41	26	3	2	29	46
1,374	1,123	720	404	290	177	133	107	107	92	97	92	44	11	6	30	47
1,416	1,511	1,877	2,168	2,383	2,340	2,313	2,168	1,883	1,404	1,029	614	290	91	44	44	48
1,350	1,260	1,561	1,690	1,849	2,064	1,975	2,168	1,915	1,550	1,146	818	464	187	78	46	49
283	258	313	268	270	218	189	168	153	128	94	63	51	29	21	9	50
137	151	166	149	162	107	105	84	70	63	46	18	17	5	5	5	51
146	107	147	119	108	111	84	84	83	65	48	45	34	24	16	4	52
838	759	865	743	865	861	811	920	942	929	861	525	282	68	15	41	53
877	861	814	734	752	857	764	804	962	999	1,025	848	532	207	67	33	54
141	161	204	185	195	234	197	207	216	173	138	79	39	3	2	9	55
141	148	173	134	170	129	166	143	161	162	154	112	54	10	6	5	56
57	54	69	74	77	81	65	71	70	50	41	29	17	8	1	1	57
50	56	49	47	61	47	52	42	44	50	47	35	25	7	3	1	58
1,678	1,526	1,400	1,305	1,372	1,259	1,186	1,042	840	652	509	322	145	57	30	31	59
1,514	1,300	1,272	1,268	1,302	1,429	1,290	1,367	1,110	872	635	498	282	129	62	49	60
690	672	668	639	676	645	688	681	601	411	291	134	67	14	3	13	61
497	464	402	351	337	337	409	506	476	367	240	154	76	21	6	6	62
138	127	109	109	89	76	101	68	57	38	35	25	13	2	5	8	63
192	156	135	112	103	92	72	58	79	51	42	24	24	7	7	5	64
17	20	17	36	39	36	36	28	35	17	19	7	7	2	1	1	65
14	11	19	15	16	16	14	16	12	16	27	9	5	4	1	1	66
64	69	47	45	38	32	24	28	18	11	6	6	1	1	1	1	67
56	40	37	21	13	18	9	8	11	11	6	3	1	1	1	1	68
59	45	37	37	29	15	15	28	11	18	9	6	4	2	2	2	69
35	26	18	16	19	18	13	16	11	7	5	6	3	3	1	1	70
11	14	13	11	7	8	7	4	3	6	2	2	2	2	2	2	71
10	15	8	5	3	4	4	10	5	3	4	4	4	4	4	4	72
17	9	3	9	14	8	6	2	5	6	1	1	1	1	1	1	73
10	6	8	4	4	5	5	4	2	2	1	2	2	2	2	2	74
73	64	64	52	49	32	19	29	17	22	4	1	1	2	1	3	75
38	36	51	39	20	15	11	18	15	9	5	1	1	2	2	2	76
88	83	77	71	73	64	75	49	50	37	13	15	8	2	2	3	77
52	36	45	34	38	24	31	38	35	29	24	11	16	6	4	4	78
369	395	430	340													

VITAL AND SOCIAL STATISTICS.

TABLE 1.—DEATHS AT CERTAIN AGES AND GROUPS OF AGES, BY SEX, COLOR, NATIVITY, PARENTAL

SEX, COLOR, NATIVITY, ETC.		AGE PERIODS.										
		All ages.	Under 1	1	2	3	4	Total under 5	5 to 10.	10 to 15	15 to 20	20 to 25
CONNECTICUT.												
1	Total	14,470	2,951	591	341	238	173	4,294	511	226	431	658
2	White	14,161	2,878	575	334	231	170	4,188	496	218	416	635
3	Native born	10,733	2,839	562	317	217	160	4,095	443	186	331	457
4	Both parents native	3,050	691	127	58	39	31	946	111	41	84	88
5	One or both parents foreign	2,978	532	108	66	51	31	788	113	57	80	93
6	Foreign born	1,732	786	150	92	49	41	1,118	109	35	72	127
7	Colored	1,438	559	122	80	55	41	857	72	35	75	97
8	Males	1,655	11	1	7	4	4	27	18	11	40	95
9	Females	1,527	12	9	8	9	3	41	26	17	37	70
Birthplaces of mothers:												
10	United States	3,444	848	153	73	45	40	1,164	137	51	93	108
11	England and Wales	3,352	660	123	82	65	38	973	130	62	102	111
12	Scotland	318	74	9	9	3	3	98	12	5	11	23
13	Ireland	259	37	13	4	3	2	59	10	7	4	4
14	Germany	72	9	1	1	1	1	12	3	1	1	4
15	Canada	53	6	3	3	2	1	15	1	1	1	1
16	France	1,711	244	67	43	29	20	403	57	16	58	137
17	Scandinavia	1,647	178	48	36	26	22	310	42	26	65	114
18	Russia and Poland	471	139	11	10	3	10	173	9	7	15	16
19	Bohemia	342	89	18	12	6	4	129	9	6	12	14
20	Hungary	219	75	13	8	7	2	110	10	7	7	12
21	Italy	208	67	14	9	11	7	108	9	7	7	7
22	Other foreign countries	22	4	1	1	1	1	4	2	1	1	1
23	Unknown	13	3	1	1	1	1	3	1	1	1	1
CITIES IN CONNECTICUT.												
24	Total	6,834	1,592	324	179	130	99	2,324	262	98	193	346
25	White	6,636	1,545	311	174	124	96	2,250	250	95	186	332
26	Native born	4,694	1,531	305	172	115	87	2,210	218	79	142	214
27	Both parents native	1,018	291	55	26	18	15	405	45	10	30	21
28	One or both parents foreign	1,037	248	50	31	20	14	363	46	20	21	23
29	Foreign born	1,106	509	98	64	33	29	733	69	19	40	76
30	Colored	899	360	80	44	39	21	544	43	22	44	63
31	Males	954	4	1	3	4	4	11	13	5	24	63
32	Females	861	6	4	1	5	3	19	13	9	15	47
Birthplaces of mothers:												
33	United States	1,248	382	76	38	21	23	540	61	16	37	33
34	England and Wales	1,243	317	65	38	30	16	466	56	22	32	42
35	Scotland	174	44	3	6	3	1	57	10	3	3	12
36	Ireland	142	22	8	1	2	2	35	6	3	2	9
37	Germany	42	6	2	2	1	1	7	1	1	1	2
38	Canada	35	5	2	2	1	1	10	1	1	1	3
39	France	1,061	181	47	28	22	13	291	36	6	28	86
40	Scandinavia	995	121	31	20	13	8	203	24	15	32	71
41	Russia and Poland	325	101	7	3	3	3	129	14	4	13	11
42	Bohemia	241	69	14	6	4	2	101	8	3	9	11
43	Hungary	104	37	10	2	2	2	54	6	2	5	8
44	Italy	92	32	6	3	6	2	49	6	7	2	3
45	Other foreign countries	13	3	1	1	1	1	3	1	1	1	1
46	Unknown	6	2	1	1	1	1	2	1	1	1	1

STATISTICS OF DEATHS.

NATIVITY, AND BIRTHPLACES OF MOTHERS, FOR THE CENSUS YEAR ENDED MAY 31, 1890—Continued.

AGE PERIODS—continued.															
25 to 30	30 to 35	35 to 40	40 to 45	45 to 50	50 to 55	55 to 60	60 to 65	65 to 70	70 to 75	75 to 80	80 to 85	85 to 90	90 to 95	95 and over.	Un-known.
040	539	562	507	576	569	613	717	750	782	735	653	390	174	55	88
628	533	541	493	566	558	601	709	740	768	729	647	386	171	53	85
395	349	316	246	275	263	312	401	465	558	566	521	319	141	40	54
76	81	97	86	105	95	118	166	201	195	217	172	111	38	7	15
90	85	88	81	92	104	123	135	159	221	203	206	147	72	26	15
94	77	29	12	11	6	4	6	3	8	4	6	1	10	10	10
92	60	49	24	13	7	15	6	6	6	5	7	3	2	7	7
109	97	114	137	147	154	135	155	138	95	76	52	30	12	7	6
111	75	99	95	135	125	140	146	121	99	71	59	29	17	5	9
12	6	21	14	10	11	12	8	10	14	6	6	4	3	2	3
5	2	12	6	6	7	3	6	6	9	1	3	2	3	2	2
7	4	9	8	4	4	9	2	4	5	5	3	2	3	1	1
83	90	111	95	112	104	125	174	208	207	222	180	114	39	7	20
101	93	100	94	93	110	139	140	167	234	214	214	150	75	27	18
8	14	14	6	15	13	12	26	18	20	12	8	1	1	1	1
13	13	9	12	15	8	21	13	22	20	10	8	4	3	1	1
6	5	2	5	4	2	4	1	3	1	3	3	1	1	1	1
5	2	4	4	4	2	2	4	1	3	6	6	1	1	1	1
125	111	80	80	100	96	88	93	75	63	53	29	20	8	5	8
123	87	85	81	102	104	102	106	82	67	52	39	23	15	3	9
23	18	16	20	28	29	20	26	29	10	8	5	5	1	4	4
23	15	19	11	10	10	16	19	12	8	10	10	1	1	1	2
8	6	7	9	3	5	6	4	6	5	5	3	5	1	1	1
12	7	10	4	9	5	4	2	4	5	1	2	3	1	1	1
1	2	2	2	1	1	1	1	1	1	2	1	1	1	1	1
11	10	10	10	3	2	2	3	1	2	2	1	1	1	1	1
9	2	2	3	2	1	1	1	1	3	2	3	1	1	1	1
8	2	3	4	4	2	1	1	1	1	1	1	1	1	1	1
1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
4	2	3	1	1	1	1	1	1	1	1	1	1	1	1	1
8	1	3	2	2	1	3	1	1	1	2	1	23	7	4	14
2	2	5	3	3	3	1	3	5	64	64	65	40	22	5	6
1	2	2	2	3	2	25	37	53	71	80	75	23	7	4	14
31	31	42	28	25	44	37	53	42	64	64	75	40	22	5	6
32	22	27	25	35	20	25	45	42	71	80	75	40	22	5	6
319	292	283	274	303	289	309	314	311	250	255	210	93	55	16	38
311	288	270	264	294	282	299	310	305	245	252	206	93	54	15	35
177	170	134	103	118	110	121	141	161	152	171	143	64	40	10	16
21	18	34	34	45	35	38	54	62	45	54	30	25	8	2	2
25	27	22	32	28	43	49	51	60	53	63	61	22	17	5	1
56	55	18	8	8	2	3	2	3	2	1	3	1	1	7	7
58	44	23	15	7	5	7	3	3	4	4	4	1	1	4	4
65	66	73	89	88	86	82	85	71	42	41	25	13	6	2	4
61	48	58	61	84	76	87	78	66	44	32	33	13	8	3	6
8	4	13	10	9	7	10	4	6	5	3	4	1	1	1	3
4	1	5	6	6	3	3	2	2	5	1	1	1	1	1	2
4	3	8	4	3	4	7	2	4	2	2	3	1	1	1	1
24	26	40	41	50	38	43	57	62	51	56	32	25	8	2	6
31	32	32	37	31	49	58	54	64	59	66	67	22	19	6	3
5	10	10	3	8	5	9	11	10	7	4	5	1	1	1	1
5	8	5	6	1	5	5	4	10	12	4	3	1	1	1	1
2	4	4	2	1	1	2	2	5	2	2	4	2	2	1	1
75	80	52	61	61	58	57	50	37	23	27	14	8	3	2	6
74	59	59	51	65	67	62	62	50	26	25	21	13	8	2	6
11	13	11	13	18	17	13	18	17	8	7	2	4	4	2	2
13	12	10	9	4	4	15	9	4	5	6	8	1	1	1	2
4	3	4	3	2	4	2	1	2	2	1	1	1	1	1	1
3	4	3	3	4	3	1	1	2	2	1	1	1	1	1	1
6	1	5	5	1	1	1	1	1	1	1	2	2	1	1	1
1	2	1	1	3	3	1	1	2	3	3	1	1	1	1	1
1	2	1	1	1	1	1	1	1	1	1	1	1	1	1	1
2	2	1	1	1	1	1	1	1	1	1	1	1	1	1	1
6	1	1	1	2	1	1	1	1	1	1	1	1	1	1	1
2	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
1	2	1	1	1	1	1	1	1	1	1	1	1	1	1	1
2	2	1	1	1	1	1	1	1	1	1	1	1	1	1	1
6	1	5	1	3	1	1	1	1	1	1	1	1	1	1	1
2	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
20	14	1	9	3	22	17	21	26	26	23	23	8	4	2	8
16	13	12	13	21	13	13	19	15	24	32	24	10	9	1	3

VITAL AND SOCIAL STATISTICS.

TABLE 1.—DEATHS AT CERTAIN AGES AND GROUPS OF AGES, BY SEX, COLOR, NATIVITY, PARENTAL

SEX, COLOR, NATIVITY, ETC.		AGE PERIODS.										
		All ages.	Under 1	1	2	3	4	Total under 5	5 to 10	10 to 15	15 to 20	20 to 25
DELAWARE.												
1	Total	3,107	710	188	85	54	50	1,087	133	90	111	154
2	White	2,412	539	132	58	39	37	805	97	60	79	108
3	Native born	2,066	531	127	55	33	37	783	91	54	73	91
4	Both parents native	M. 407 F. 342	73 58	23 18	7 11	8 5	4 6	120 98	18 21	14 14	20 17	13 11
5	One or both parents foreign	M. 18 F. 20	5 5	1 3	1 1	1 1	1 1	8 9	1		1 2	2 2
6	Foreign born	M. 136 F. 105	1 1	1				4 3	3	2	1 3	11 3
7	Colored	695	171	56	27	15	13	282	36	30	32	46
8	Males	366	98	34	17	9	9	167	18	11	15	20
9	Females	329	73	22	10	6	4	115	18	19	17	26
Birthplaces of mothers:												
10	United States	M. 611 F. 536	124 92	42 29	12 17	11 7	10 8	199 153	28 31	21 30	26 28	26 27
11	England and Wales	M. 10 F. 9	1 3					1 3				1 1
12	Scotland	M. 2 F. 2										
13	Ireland	M. 21 F. 26		1 2		1		1 3		1	1 1	1 2
14	Germany	M. 8 F. 4	1 1	1			1	2 2	1			1 1
15	Canada	M. 2 F. 2					1	1				1 1
16	France	M. 1 F. 1		1				1				
17	Scandinavia	M. 1 F. 1	1					1				
18	Italy	M. 1 F. 1										
19	Other foreign countries	M. 1 F. 1										
20	Unknown	M. 305 F. 291	52 63	14 8	2 6	6 8	6 4	80 89	15 12	12 6	10 7	15 16
CITIES IN DELAWARE.												
21	Total	1,277	372	90	47	21	21	551	46	20	33	64
22	White	998	234	62	31	12	17	406	32	15	25	48
23	Native born	813	233	62	29	10	17	401	29	14	21	36
24	Foreign born	M. 102 F. 83	1				2	3 2	3	1	1 3	10 2
25	Colored	279	88	28	16	9	4	145	14	5	13	16
26	Males	150	48	18	12	5	2	85	6	2	7	7
27	Females	129	40	10	4	4	2	60	8	3	6	9
DISTRICT OF COLUMBIA.												
28	Total	5,955	1,883	325	128	77	73	2,491	184	134	192	307
29	White	3,062	793	147	47	31	36	1,054	88	46	71	143
30	Native born	2,512	785	146	47	31	36	1,045	88	46	65	124
31	Both parents native	M. 872 F. 770	300 241	51 59	19 16	18 9	10 13	398 338	36 31	12 19	22 22	36 26
32	One or both parents foreign	M. 264 F. 238	37 67	10 12	6 5	2 2	5 2	110 94	7 9	8 4	6 10	19 24
33	Foreign born	M. 321 F. 201		1				1			3 3	8 10
34	Colored	2,893	1,095	178	81	46	37	1,437	96	88	121	164
35	Males	1,473	600	103	33	18	19	778	45	37	44	71
36	Females	1,420	495	75	43	28	18	659	51	51	77	93
Birthplaces of mothers:												
37	United States	M. 2,414 F. 2,260	931 761	156 137	59 60	37 37	30 32	1,213 1,027	81 87	53 71	67 104	109 123
38	England and Wales	M. 51 F. 39	3 3					3 5			1 1	3 2
39	Scotland	M. 19 F. 14	1					1	1			
40	Ireland	M. 243 F. 189	16 17	5 2	2 2		4 4	27 26	5 2	1 1	5 3	15 19
41	Germany	M. 159 F. 99	30 16	2 3	2 1			34 21	1 1	3 2	1 4	6 8
42	Canada	M. 6 F. 4	1 1	1				3 2				1 1
43	France	M. 4 F. 5						1	1			1
44	Scandinavia	M. 3 F. 2										
45	Russia and Poland	M. 4 F. 5	2 5					2 5				
46	Hungary	M. 1 F. 1										
47	Italy	M. 5 F. 4	2 1					2 3				
48	Other foreign countries	M. 16 F. 10	2 1	1				3 2				
49	Unknown	M. 246 F. 153	56 38	6 9	1 1			63 48	4 2	3	3 2	13 7

STATISTICS OF DEATHS.

NATIVITY, AND BIRTHPLACES OF MOTHERS, FOR THE CENSUS YEAR ENDED MAY 31, 1890—Continued.

AGE PERIODS—continued.															
25 to 30	30 to 35	35 to 40	40 to 45	45 to 50	50 to 55	55 to 60	60 to 65	65 to 70	70 to 75	75 to 80	80 to 85	85 to 90	90 to 95	95 and over.	Un-known.
157	122	87	91	106	122	87	145	140	152	116	89	47	25	8	38
120	96	64	80	84	104	71	122	112	132	103	76	43	19	5	32
97	84	56	60	68	74	45	86	87	105	82	59	38	12	2	19
15	11	12	13	13	26	12	25	24	23	26	13	6	2		2
13	15	10	12	12	13	8	18	17	22	15	11	7	3		4
1	2				1			1		1	1				
1	1	1					2			1					
6	4	3	7	10	16	14	16	12	8	9	6	1	2	1	
7	4	4	7	5	9	10	11	7	13	5	5	3	5	1	
37	26	23	11	22	18	16	23	23	20	13	13	4	6	3	6
18	16	4	2	15	12	8	16	14	6	8	7	2	4		
19	10	19	9	7	6	8	7	14	14	5	6	2	2	3	3
															3
29	20	13	14	21	33	14	36	35	28	33	18	7	5		
27	22	19	18	17	17	12	25	25	31	18	14	9	4	3	5
				2	2	1	2	1			1				6
	1	1							2		1				
					2										
1	2		1	1	3	2	3		1	2					
1	1	1	2		3	1	7	1	2	1			1		
	1				3		1		1	1					
					1						1				
1			1												
19	10	10	6	7	16	5	16	15	14	12	17	10	3		13
13	10	7	6	4	9	7	13	16	24	17	14	4	2	1	14
66	55	36	43	54	87	44	42	47	49	31	23	17	10	4	
57	46	25	40	44	32	34	36	38	44	28	19	16	9	4	
45	40	19	30	32	16	15	20	21	29	18	10	12	3	2	
5	2	3	5	7	10	12	10	11	6	5	5	1	1	1	
7	4	3	5	5	6	7	6	9	9	5	4	3	5	1	
9	9	11	3	10	5	10	6	9	5	3	4	1	1		
3	7	3		7	3	6	5	4	1	2	1	1			
6	2	8	3	3	2	4	1	5	4	1	3		1		
245	213	243	230	252	271	217	214	201	196	156	105	63	20	16	5
131	141	131	119	152	176	154	144	140	135	114	74	38	7	2	2
110	115	99	91	98	109	87	92	92	100	71	48	25	3	2	2
30	32	34	23	33	40	31	30	33	35	24	19	3	1		2
24	36	30	31	26	32	27	22	25	29	22	14	10	2	2	
25	20	12	8	13	6	4	11	5	4	3	2	1			
19	14	13	5	4	7	7	2	8	4	4	4	2			
12	15	15	17	32	44	45	33	25	24	10	6	2			
7	11	13	10	18	20	21	21	14	9	19	16	7	2		
114	72	112	111	100	95	63	70	61	61	42	31	25	13	14	3
53	35	58	59	57	55	31	41	32	32	19	8	8	4	5	1
61	37	54	52	43	40	32	29	29	29	23	23	17	9	9	2
86	69	33	30	92	94	63	77	69	68	44	21	12	5	5	3
90	76	84	86	70	73	64	51	58	62	45	38	27	11	11	2
5	3	3	4	4	7	3	6	5	2	1		1			
1	1	3	3	1	1	3	1	3	3	5	6				
		1	1		2	3	2	4	3	2		1			
					1	1	2	2	2	1		1			
1	16	12	8	16	29	23	12	14	11	18	6	4	1		
20	14	18	4	9	17	15	13	8	5	6	8	5			
16	10	6	7	18	9	15	13	10	9	5	4				
7	4	3	4	10	7	4	6	4	2	10	5	1	1		
3			1						1						
1	2	1		3		3	1	1	1						
				1											
7	2	2		1		22	12	21	12	15		2			
6	8	8	14	20	7	7	9	9	10	7	9	4			

VITAL AND SOCIAL STATISTICS.

TABLE 1.—DEATHS AT CERTAIN AGES AND GROUPS OF AGES, BY SEX, COLOR, NATIVITY, PARENTAL

SEX, COLOR, NATIVITY, ETC.		AGE PERIODS.										
		All ages.	Under 1	1	2	3	4	Total under 5	5 to 10	10 to 15	15 to 20	20 to 25
MASSACHUSETTS.												
1	Total	45,112	10,802	2,168	1,112	697	587	15,946	1,479	804	1,357	2,009
2	White	44,482	10,659	2,103	1,100	686	561	15,109	1,452	782	1,327	1,970
3	Native born	32,747	10,498	2,001	1,028	625	516	14,668	1,304	641	1,003	1,313
4	Both parents native	7,662	1,728	333	156	105	87	2,409	247	125	158	235
5	One or both parents foreign	7,760	3,840	682	342	204	172	5,240	388	181	307	415
6	Foreign born	5,498	62	49	35	31	22	199	77	66	142	285
7	Colored	630	143	65	12	11	6	237	27	22	30	39
8	Males	325	79	36	5	2	3	125	10	10	13	21
9	Females	305	64	29	7	9	3	112	17	12	17	18
Birthplaces of mothers:												
10	United States	9,060	2,367	463	203	130	111	3,274	338	169	199	276
11	England and Wales	1,205	352	56	30	30	23	491	41	20	28	56
12	Scotland	366	85	12	11	11	4	123	11	4	14	15
13	Ireland	6,489	1,141	259	137	80	77	1,694	181	105	235	442
14	Germany	500	139	23	12	12	7	193	21	7	12	19
15	Canada	2,847	1,323	227	113	69	56	1,788	105	66	105	106
16	France	61	13	2	1	1	1	17	2	1	1	2
17	Scandinavia	255	115	18	9	5	4	147	10	1	11	12
18	Russia and Poland	186	77	11	6	1	1	96	5	2	1	14
19	Bohemia	12	6	1	1	1	1	62	2	1	4	7
20	Hungary	7	4	1	1	1	1	4	1	1	1	1
21	Italy	120	53	13	7	1	2	76	4	2	4	2
22	Other foreign countries	379	102	20	9	5	2	136	7	2	7	15
23	Unknown	1,402	181	14	13	5	3	216	14	16	20	33
CITIES IN MASSACHUSETTS.												
24	Total	35,930	9,505	1,876	969	600	483	13,433	1,221	647	1,094	1,619
25	White	35,370	9,370	1,816	958	591	477	13,212	1,196	628	1,070	1,584
26	Native born	25,256	9,226	1,721	894	595	437	12,813	1,061	502	779	1,002
27	Both parents native	5,057	1,331	245	125	88	67	1,906	130	91	102	151
28	One or both parents foreign	5,196	1,165	221	127	78	79	1,669	206	94	107	136
29	Foreign born	4,688	55	47	32	28	22	184	69	59	130	241
30	Colored	560	135	60	11	9	6	221	25	19	24	35
31	Males	286	74	33	4	1	3	115	9	8	11	18
32	Females	274	61	27	7	8	3	106	16	11	13	17
Birthplaces of mothers:												
33	United States	4,279	1,958	361	165	109	87	2,680	257	130	186	185
34	England and Wales	1,002	328	51	28	27	17	451	81	17	21	89
35	Scotland	308	74	11	10	8	3	106	11	2	13	15
36	Ireland	5,646	1,054	245	118	74	72	1,563	152	92	200	374
37	Germany	445	125	23	10	12	6	176	19	5	10	19
38	Canada	2,527	1,208	200	102	61	53	1,624	97	60	89	88
39	France	54	13	2	1	1	1	16	2	1	1	1
40	Scandinavia	226	105	17	7	5	4	134	9	1	10	9
41	Russia and Poland	123	74	11	6	1	1	98	6	3	1	14
42	Bohemia	9	4	1	1	1	1	53	4	2	1	4
43	Hungary	6	4	1	1	1	1	4	1	1	1	1
44	Italy	112	51	12	7	1	2	73	4	2	4	2
45	Other foreign countries	245	94	17	8	4	2	123	7	2	7	11
46	Unknown	1,048	147	9	8	5	3	172	12	7	12	26

STATISTICS OF DEATHS.

NATIVITY, AND BIRTHPLACES OF MOTHERS, FOR THE CENSUS YEAR ENDED MAY 31, 1890—Continued.

AGE PERIODS—continued.															
25 to 30	30 to 35	35 to 40	40 to 45	45 to 50	50 to 55	55 to 60	60 to 65	65 to 70	70 to 75	75 to 80	80 to 85	85 to 90	90 to 95	95 and over.	Un-known.
2,057	1,847	1,738	1,666	1,704	1,806	1,818	1,987	2,128	2,147	1,994	1,629	983	352	124	137
2,031	1,816	1,709	1,639	1,670	1,784	1,794	1,970	2,114	2,132	1,980	1,618	979	346	123	137
1,247	1,128	971	773	737	810	850	990	1,179	1,355	1,436	1,189	743	266	73	71
209	201	254	225	247	308	335	421	483	533	562	397	213	65	15	20
244	264	286	275	276	313	327	348	461	531	565	523	362	146	40	16
387	318	192	91	52	51	32	16	26	18	16	10	5	5	15	15
330	273	172	88	73	37	26	30	22	26	27	19	12	3	1	11
355	323	340	438	478	494	459	430	452	372	262	171	98	27	14	16
408	343	372	403	434	456	472	525	458	382	256	233	124	50	34	13
26	31	29	27	34	22	24	17	14	15	14	11	4	6	1	7
12	24	15	16	19	7	18	5	8	9	7	2	2	2	1	8
14	7	14	11	15	15	6	12	6	6	7	9	2	4	1	9
250	235	281	246	278	326	360	441	507	560	582	417	218	67	15	21
271	290	310	304	304	344	352	371	493	566	596	554	380	154	44	19
30	34	55	51	38	71	50	40	66	53	30	26	15	1	1	9
43	43	41	39	48	29	36	55	40	36	23	24	15	3	1	1
16	13	20	15	16	19	14	21	22	12	13	8	5	4	1	1
21	14	16	11	25	17	12	15	12	12	17	14	8	1	1	1
491	427	337	342	351	340	314	289	302	250	179	108	66	17	9	10
459	333	333	321	296	349	364	401	337	274	173	172	85	43	27	14
23	27	22	24	24	24	25	17	20	15	12	8	2	2	1	1
25	14	12	10	15	10	17	14	15	22	9	12	3	3	5	14
110	90	64	59	66	49	62	42	42	38	26	23	16	12	4	6
136	109	98	75	87	66	45	42	48	33	25	13	14	3	5	5
4	2	1	3	5	5	3	3	5	3	1	1	1	1	1	16
10	14	2	2	2	1	2	1	3	2	1	1	1	1	1	17
19	23	14	4	5	6	3	4	2	2	3	1	1	1	1	18
9	2	1	4	5	5	1	2	2	1	1	1	1	1	1	19
8	3	1	2	2	2	2	2	2	2	3	1	1	1	1	20
1	1	2	1	1	1	1	1	1	1	1	1	1	1	1	21
1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	22
7	4	5	3	3	1	1	2	1	4	1	1	1	1	1	23
3	3	5	2	4	1	1	1	1	1	3	3	1	2	2	24
15	17	8	8	6	8	8	13	7	13	2	1	1	1	2	25
7	3	8	4	9	1	6	4	4	4	6	100	57	15	4	26
42	55	58	63	63	74	75	102	108	119	139	100	57	15	4	27
54	40	35	60	48	49	50	97	94	136	146	149	100	37	15	16
1,724	1,525	1,448	1,360	1,375	1,448	1,380	1,520	1,515	1,435	1,279	980	502	180	71	84
1,700	1,495	1,419	1,338	1,344	1,430	1,359	1,508	1,503	1,423	1,268	975	589	175	70	84
1,005	866	768	573	529	586	532	650	724	794	829	639	407	119	33	45
154	131	187	142	171	216	206	264	276	288	284	175	97	23	4	9
172	181	194	203	180	213	184	210	271	302	314	260	190	64	18	10
333	270	173	77	41	48	25	13	25	11	12	9	3	2	1	12
282	233	155	78	65	32	22	23	19	21	22	16	9	2	1	8
306	297	296	334	403	427	394	367	351	292	190	129	76	18	10	10
371	314	333	360	389	399	424	473	410	325	227	102	100	37	26	11
24	30	29	22	31	18	21	12	12	12	11	5	3	5	1	30
10	23	15	14	18	6	15	2	6	7	6	5	2	1	1	31
14	7	14	8	13	12	6	10	6	5	5	5	1	4	1	32
192	163	212	158	199	229	225	280	296	309	300	189	101	24	4	10
196	205	218	225	204	238	201	229	298	331	333	293	212	72	19	13
25	31	43	45	31	58	37	35	49	39	17	14	11	1	1	8
38	39	36	30	43	23	29	43	33	27	24	22	12	1	1	1
13	10	18	13	12	18	9	18	16	11	9	8	4	2	1	35
17	11	12	10	23	13	12	14	12	9	16	12	6	1	1	1
424	375	305	301	302	307	273	245	239	193	133	85	53	14	6	5
411	343	301	292	271	313	334	368	391	233	157	141	71	33	21	9
20	25	21	22	21	25	21	18	15	13	9	5	2	2	1	1
24	12	9	14	11	7	14	11	13	21	7	8	2	2	1	37
95	79	54	50	55	36	57	36	29	21	17	13	7	1	4	5
119	95	91	66	73	56	37	34	45	28	21	10	11	2	4	5
2	2	1	2	5	5	3	3	4	3	3	1	1	1	1	39
1	1	2	1	2	1	2	1	2	3	2	1	1	1	1	40
9	13	7	8	5	4	5	6	5	5	1	1	1	1	1	41
15	21	13	4	4	5	2	4	2	2	1	1	1	1	1	42
7	2	1	3	4	3	1	2	2	2	1	1	1	1	1	43
7	3	1	2	2	3	2	2	2	2	2	1	1	1	1	44
1	1	2	1	1	1	1	1	1	1	1	1	1	1	1	45
1	1	2	1	1	1	1	1	1	1	1	1	1	1	1	46
5	4	4	3	3	1	1	1	1	3	1	1	1	1	1	47
3	3	4	2	4	1	1	1	1	1	1	1	1	1	1	48
13	16	6	6	4	8	8	10	6	11	2	1	1	1	2	49
5	1	5	3	8	1	5	3	3	4	6	75	30	10	2	45
34	41	50	56	56	57	58	81	77	74	104	75	10	10	2	14
46	29	31	44	36	39	43	76	68	98	108	99	67	18	10	9

VITAL AND SOCIAL STATISTICS.

TABLE 1.—DEATHS AT CERTAIN AGES AND GROUPS OF AGES, BY SEX, COLOR, NATIVITY, PARENTAL

SEX, COLOR, NATIVITY, ETC.		AGE PERIODS.										
		All ages.	Under 1	1	2	3	4	Total under 5	5 to 10	10 to 15	15 to 20	20 to 25
NEW JERSEY.												
1	Total	30,344	8,828	1,765	875	614	389	12,471	1,120	510	798	1,185
2	White	29,000	8,361	1,656	839	599	374	11,829	1,078	484	746	1,118
3	Native born	22,227	8,300	1,613	819	571	355	11,658	1,000	425	630	834
4	Both parents native	M. 6,138 F. 5,835	M. 2,216 F. 1,771	M. 400 F. 325	M. 180 F. 212	M. 144 F. 130	M. 84 F. 76	M. 3,024 F. 2,514	M. 257 F. 252	M. 90 F. 112	M. 136 F. 140	M. 176 F. 173
5	One or both parents foreign	M. 4,520 F. 3,908	M. 2,262 F. 1,771	M. 439 F. 411	M. 196 F. 210	M. 141 F. 142	M. 94 F. 88	M. 3,132 F. 2,622	M. 237 F. 233	M. 104 F. 101	M. 154 F. 159	M. 212 F. 174
6	Foreign born	M. 3,468 F. 2,862	M. 22 F. 15	M. 23 F. 10	M. 9 F. 10	M. 14 F. 14	M. 7 F. 10	M. 75 F. 59	M. 33 F. 39	M. 19 F. 33	M. 56 F. 49	M. 149 F. 109
7	Colored	1,344	467	109	36	15	15	642	42	26	47	72
8	Males	669	250	43	14	8	7	322	23	13	17	36
9	Females	675	217	66	22	7	8	320	19	13	30	36
Birthplaces of mothers:												
10	United States	M. 7,586 F. 7,178	M. 2,893 F. 2,282	M. 522 F. 458	M. 235 F. 274	M. 169 F. 163	M. 109 F. 100	M. 3,928 F. 3,277	M. 324 F. 318	M. 128 F. 137	M. 166 F. 191	M. 239 F. 228
11	England and Wales	M. 768 F. 676	M. 201 F. 174	M. 32 F. 28	M. 14 F. 15	M. 14 F. 10	M. 6 F. 9	M. 267 F. 236	M. 21 F. 29	M. 12 F. 16	M. 14 F. 18	M. 30 F. 21
12	Scotland	M. 220 F. 207	M. 70 F. 51	M. 10 F. 8	M. 4 F. 5	M. 3 F. 4	M. 3 F. 3	M. 90 F. 71	M. 11 F. 3	M. 4 F. 1	M. 7 F. 8	M. 8 F. 2
13	Ireland	M. 2,681 F. 2,571	M. 460 F. 410	M. 122 F. 112	M. 61 F. 59	M. 34 F. 42	M. 33 F. 19	M. 710 F. 642	M. 74 F. 82	M. 44 F. 46	M. 92 F. 92	M. 185 F. 148
14	Germany	M. 2,540 F. 1,908	M. 746 F. 563	M. 130 F. 134	M. 53 F. 68	M. 70 F. 51	M. 33 F. 34	M. 1,032 F. 850	M. 94 F. 87	M. 30 F. 46	M. 59 F. 49	M. 83 F. 66
15	Canada	M. 38 F. 46	M. 11 F. 11	M. 2 F. 6	M. 1 F. 2	M. 1 F. 1	M. 1 F. 1	M. 16 F. 21	M. 1 F. 3	M. 2 F. 1	M. 2 F. 1	M. 2 F. 4
16	France	M. 89 F. 60	M. 14 F. 12	M. 3 F. 2	M. 1 F. 1	M. 1 F. 1	M. 1 F. 1	M. 17 F. 16	M. 3 F. 2	M. 1 F. 1	M. 1 F. 2	M. 2 F. 4
17	Scandinavia	M. 145 F. 85	M. 61 F. 30	M. 11 F. 8	M. 5 F. 4	M. 4 F. 6	M. 4 F. 4	M. 81 F. 52	M. 2 F. 3	M. 2 F. 1	M. 2 F. 2	M. 4 F. 4
18	Russia and Poland	M. 113 F. 84	M. 57 F. 45	M. 17 F. 11	M. 5 F. 1	M. 3 F. 1	M. 3 F. 2	M. 82 F. 60	M. 2 F. 3	M. 1 F. 1	M. 2 F. 2	M. 4 F. 4
19	Bohemia	M. 9 F. 3	M. 5 F. 3	M. 1 F. 1	M. 1 F. 1	M. 1 F. 1	M. 1 F. 1	M. 6 F. 28	M. 3 F. 1	M. 1 F. 1	M. 2 F. 3	M. 4 F. 1
20	Hungary	M. 50 F. 28	M. 17 F. 14	M. 4 F. 6	M. 1 F. 1	M. 1 F. 1	M. 1 F. 1	M. 22 F. 150	M. 1 F. 4	M. 1 F. 2	M. 3 F. 5	M. 11 F. 8
21	Italy	M. 230 F. 176	M. 99 F. 93	M. 33 F. 18	M. 8 F. 14	M. 4 F. 6	M. 6 F. 3	M. 176 F. 133	M. 8 F. 5	M. 6 F. 3	M. 6 F. 6	M. 5 F. 8
22	Other foreign countries	M. 339 F. 278	M. 140 F. 108	M. 23 F. 23	M. 6 F. 11	M. 4 F. 5	M. 3 F. 8	M. 176 F. 155	M. 8 F. 11	M. 6 F. 7	M. 6 F. 7	M. 7 F. 7
23	Unknown	M. 1,264 F. 972	M. 154 F. 107	M. 23 F. 19	M. 9 F. 13	M. 7 F. 9	M. 3 F. 9	M. 196 F. 157	M. 14 F. 16	M. 13 F. 9	M. 23 F. 35	M. 63 F. 54
CITIES IN NEW JERSEY.												
24	Total	20,286	6,451	1,343	682	467	309	9,252	801	337	503	825
25	White	19,528	6,167	1,279	665	454	301	8,866	777	320	479	787
26	Native born	14,368	6,124	1,244	647	429	284	8,728	715	278	390	551
27	Both parents native	M. 3,237 F. 3,046	M. 1,381 F. 1,117	M. 271 F. 217	M. 125 F. 150	M. 90 F. 86	M. 61 F. 55	M. 1,928 F. 1,625	M. 157 F. 156	M. 43 F. 59	M. 62 F. 116	M. 91 F. 169
28	One or both parents foreign	M. 3,753 F. 3,203	M. 1,931 F. 1,491	M. 377 F. 354	M. 163 F. 190	M. 123 F. 117	M. 79 F. 80	M. 2,683 F. 2,232	M. 193 F. 183	M. 82 F. 78	M. 116 F. 116	M. 169 F. 137
29	Foreign born	M. 2,663 F. 2,218	M. 17 F. 10	M. 17 F. 9	M. 9 F. 8	M. 12 F. 13	M. 7 F. 8	M. 62 F. 48	M. 25 F. 33	M. 16 F. 26	M. 44 F. 37	M. 131 F. 90
30	Colored	758	284	64	17	13	8	386	24	11	24	38
31	Males	375	150	25	7	7	3	192	11	5	9	22
32	Females	383	134	39	10	6	5	194	13	6	15	16
Birthplaces of mothers:												
33	United States	M. 4,204 F. 3,922	M. 1,870 F. 1,479	M. 360 F. 307	M. 168 F. 196	M. 113 F. 111	M. 78 F. 73	M. 2,589 F. 2,166	M. 205 F. 211	M. 66 F. 72	M. 77 F. 94	M. 131 F. 110
34	England and Wales	M. 556 F. 506	M. 167 F. 141	M. 24 F. 23	M. 12 F. 13	M. 13 F. 7	M. 5 F. 7	M. 221 F. 191	M. 15 F. 20	M. 10 F. 9	M. 8 F. 11	M. 26 F. 13
35	Scotland	M. 175 F. 153	M. 56 F. 41	M. 9 F. 8	M. 4 F. 3	M. 2 F. 4	M. 3 F. 3	M. 74 F. 59	M. 9 F. 2	M. 4 F. 1	M. 6 F. 7	M. 8 F. 2
36	Ireland	M. 2,181 F. 2,087	M. 392 F. 360	M. 106 F. 102	M. 52 F. 51	M. 31 F. 36	M. 28 F. 18	M. 609 F. 567	M. 53 F. 65	M. 38 F. 37	M. 70 F. 66	M. 156 F. 123
37	Germany	M. 2,111 F. 1,563	M. 665 F. 478	M. 113 F. 118	M. 43 F. 62	M. 67 F. 47	M. 27 F. 29	M. 915 F. 734	M. 83 F. 73	M. 24 F. 39	M. 52 F. 42	M. 71 F. 54
38	Canada	M. 29 F. 42	M. 9 F. 11	M. 1 F. 4	M. 1 F. 2	M. 1 F. 1	M. 1 F. 1	M. 12 F. 19	M. 1 F. 3	M. 1 F. 1	M. 2 F. 1	M. 2 F. 4
39	France	M. 61 F. 38	M. 11 F. 7	M. 2 F. 2	M. 1 F. 1	M. 1 F. 1	M. 1 F. 1	M. 13 F. 10	M. 3 F. 2	M. 1 F. 1	M. 1 F. 2	M. 2 F. 2
40	Scandinavia	M. 99 F. 60	M. 46 F. 22	M. 6 F. 5	M. 4 F. 4	M. 3 F. 4	M. 3 F. 4	M. 59 F. 39	M. 2 F. 2	M. 1 F. 1	M. 1 F. 1	M. 2 F. 3
41	Russia and Poland	M. 98 F. 73	M. 49 F. 38	M. 17 F. 10	M. 5 F. 1	M. 3 F. 1	M. 3 F. 2	M. 74 F. 52	M. 2 F. 3	M. 1 F. 1	M. 1 F. 1	M. 2 F. 3
42	Bohemia	M. 4 F. 3	M. 2 F. 3	M. 1 F. 1	M. 1 F. 1	M. 1 F. 1	M. 1 F. 1	M. 3 F. 25	M. 3 F. 1	M. 1 F. 1	M. 1 F. 3	M. 2 F. 2
43	Hungary	M. 39 F. 23	M. 15 F. 11	M. 4 F. 5	M. 5 F. 1	M. 1 F. 1	M. 1 F. 1	M. 18 F. 132	M. 4 F. 3	M. 1 F. 1	M. 5 F. 3	M. 9 F. 5
44	Italy	M. 191 F. 150	M. 89 F. 81	M. 29 F. 15	M. 7 F. 13	M. 7 F. 5	M. 6 F. 2	M. 157 F. 116	M. 6 F. 3	M. 3 F. 5	M. 5 F. 6	M. 6 F. 5
45	Other foreign countries	M. 281 F. 220	M. 123 F. 84	M. 21 F. 20	M. 6 F. 11	M. 4 F. 3	M. 3 F. 8	M. 157 F. 126	M. 3 F. 10	M. 7 F. 7	M. 6 F. 6	M. 5 F. 5
46	Unknown	M. 792 F. 627	M. 123 F. 81	M. 18 F. 14	M. 5 F. 11	M. 5 F. 5	M. 3 F. 7	M. 154 F. 118	M. 10 F. 12	M. 11 F. 9	M. 15 F. 26	M. 41 F. 42

STATISTICS OF DEATHS.

NATIVITY, AND BIRTHPLACES OF MOTHERS, FOR THE CENSUS YEAR ENDED MAY 31, 1890—Continued.

AGE PERIODS—continued.															
25 to 30	30 to 35	35 to 40	40 to 45	45 to 50	50 to 55	55 to 60	60 to 65	65 to 70	70 to 75	75 to 80	80 to 85	85 to 90	90 to 95	95 and over.	Un-known.
1,308	1,148	1,186	1,038	1,147	1,167	1,115	1,194	1,204	1,137	1,124	784	417	142	52	102
1,267	1,096	1,135	993	1,092	1,128	1,082	1,156	1,162	1,108	1,087	768	401	136	45	94
859	722	609	460	480	477	476	527	612	654	736	559	296	85	30	48
172	162	151	133	179	158	179	209	245	270	271	194	96	15	9	12
207	170	178	154	154	138	183	205	229	240	295	232	128	49	16	16
234	168	83	41	20	19	27	17	15	18	16	6	7	2	3	5
181	118	89	47	30	22	22	11	19	11	50	20	7	4	6	6
175	200	268	295	350	336	336	340	280	227	174	85	37	10	6	6
166	145	220	209	238	237	242	266	250	190	143	109	64	32	9	3
41	52	51	45	55	39	33	38	42	29	37	16	16	6	7	8
17	28	27	21	33	19	18	17	17	18	17	8	8	2	3	3
24	24	24	24	22	20	15	21	25	11	20	8	8	4	4	3
208	199	182	158	213	182	209	284	270	291	298	203	106	19	11	18
250	207	214	183	183	211	207	227	259	258	340	251	146	54	19	20
25	32	33	33	34	40	35	41	41	48	37	15	9	1	1	11
26	25	42	24	34	22	28	22	28	32	38	21	9	4	1	1
8	5	6	11	10	9	9	6	11	11	7	5	1	1	1	12
10	11	10	10	17	9	8	11	12	6	7	5	4	2	4	13
196	160	163	141	162	151	161	148	91	70	61	37	19	5	4	7
167	120	149	146	150	172	143	187	125	75	62	47	34	22	7	5
123	110	107	104	132	113	109	134	115	86	60	23	10	1	10	14
88	70	66	56	59	82	64	83	84	70	36	30	14	5	2	2
2	2	3	1	1	1	1	2	2	1	3	2	1	1	1	15
3	3	2	1	1	1	1	2	1	1	3	2	1	1	1	16
4	2	2	11	8	8	5	3	8	7	6	1	1	1	1	17
3	2	2	2	1	1	2	7	2	5	6	4	1	1	1	18
2	10	8	5	3	9	4	1	6	2	1	4	1	1	1	19
7	7	4	3	3	3	3	3	1	1	1	1	1	1	1	20
4	6	2	4	2	1	1	2	1	1	1	1	1	1	1	21
4	3	1	1	1	1	1	2	1	1	1	1	1	1	1	22
3	4	3	3	2	1	1	1	1	1	1	1	1	1	1	23
1	1	4	8	8	3	7	3	3	4	1	1	1	1	1	24
2	11	4	5	2	3	7	2	3	1	1	1	1	1	1	25
1	3	7	5	2	2	2	3	3	1	2	1	2	1	1	26
16	13	13	9	12	10	16	10	13	10	7	2	2	2	1	27
15	6	11	4	7	2	9	8	7	6	5	3	2	2	1	28
87	83	103	74	76	81	54	73	65	77	67	56	24	9	3	29
52	53	49	42	40	40	41	38	60	78	76	69	35	10	2	30
931	811	826	720	807	732	730	694	619	549	475	326	168	61	20	49
907	776	793	697	769	760	709	675	596	539	468	318	160	60	19	47
603	470	355	258	265	247	226	222	222	243	252	186	95	33	8	21
89	75	87	57	87	79	70	80	74	91	79	46	23	5	2	3
105	89	72	65	77	83	77	79	79	88	88	34	39	19	5	6
183	139	64	32	24	12	15	10	5	5	7	4	4	1	1	7
143	85	63	40	24	16	18	6	8	8	18	11	3	3	1	8
146	162	225	251	292	271	274	239	187	141	109	47	21	6	5	9
139	122	184	168	196	225	192	199	177	143	97	75	44	16	6	1
24	35	33	23	38	22	21	19	23	10	7	8	8	1	1	2
9	20	17	9	22	13	13	6	9	5	4	4	4	4	1	1
15	15	16	14	16	9	8	13	14	5	3	4	4	1	1	32
109	101	106	70	111	97	96	89	87	96	83	51	28	5	2	5
135	112	95	81	99	95	93	93	92	98	105	93	45	20	5	8
20	21	26	25	25	26	23	28	24	26	18	6	3	1	1	33
19	3	34	18	18	23	22	17	20	23	25	16	6	1	1	34
6	3	3	11	9	8	9	4	8	5	3	3	1	1	1	35
7	7	9	9	12	6	7	6	8	3	3	2	4	2	4	36
168	139	134	121	141	123	133	105	59	44	42	23	9	3	4	2
140	101	118	129	128	130	115	99	91	59	36	28	24	14	5	3
93	97	92	90	109	94	87	94	56	56	44	16	8	1	1	8
69	55	55	43	49	65	50	65	56	51	27	24	8	1	1	2
1	2	3	1	1	1	1	1	1	1	1	1	1	1	1	37
3	3	1	1	1	1	1	1	1	1	1	1	1	1	1	38
2	2	1	1	1	1	1	1	1	1	1	1	1	1	1	39
1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	40
1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	41
1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	42
1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	43
1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	44
1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	45
14	11	9	6	10	7	13	7	10	7	5	2	3	1	1	1
13	5	7	2	3	1	6	2	4	4	2	2	3	1	1	46
66	61	73	55	49	49	27	43	34	26	33	21	10	2	1	12
42	42	31	30	23	27	28	23	33	37	35	31	17	11	1	6

TABLE 1.—DEATHS AT CERTAIN AGES AND GROUPS OF AGES, BY SEX, COLOR, NATIVITY, PARENTAL

SEX, COLOR, NATIVITY, ETC.		AGE PERIODS.										
		All ages.	Under 1	1	2	3	4	Total under 5	5 to 10	10 to 15	15 to 20	20 to 25
NEW YORK.												
1	Total	123, 117	30, 488	6, 942	3, 242	2, 118	1, 504	44, 294	3, 763	1, 887	3, 057	4, 897
2	White	121, 214	29, 977	6, 822	3, 197	2, 091	1, 492	43, 579	3, 709	1, 832	2, 990	4, 792
3	Native born	85, 592	29, 377	6, 575	3, 063	1, 942	1, 377	42, 334	3, 419	1, 635	2, 503	3, 538
4	Both parents native	17, 830	5, 760	1, 184	606	393	279	8, 222	709	333	407	514
5	One or both parents foreign	16, 809	4, 472	1, 103	549	348	281	6, 753	705	344	480	550
	Foreign born	19, 843	9, 049	1, 990	869	564	356	12, 828	847	384	619	1, 036
		16, 976	7, 235	1, 798	785	504	330	10, 652	776	362	644	919
6	Colored	1, 903	511	120	45	27	12	715	54	55	67	105
8	Males	1, 036	281	78	23	14	1	897	32	25	36	61
9	Females	867	230	42	22	13	11	818	22	30	31	44
Birthplaces of mothers:												
10	United States	21, 683	7, 397	1, 568	791	516	352	10, 624	894	423	513	659
	England and Wales	20, 372	5, 875	1, 432	708	452	353	8, 820	867	433	601	690
11	Scotland	2, 671	443	80	60	39	26	648	64	21	47	83
	Ireland	2, 171	352	83	40	38	29	542	60	22	48	82
12	Germany	824	117	29	11	12	15	184	10	10	11	25
	Canada	609	90	20	12	8	6	136	20	8	9	24
13	France	13, 519	2, 029	459	213	157	108	2, 971	287	182	366	821
	Scandinavia	13, 470	1, 581	444	224	149	102	2, 500	272	172	392	709
14	Russia and Poland	11, 054	2, 738	575	239	165	112	3, 829	298	130	225	394
	Bohemia	8, 318	2, 135	492	208	150	104	3, 089	249	111	180	356
15	Hungary	1, 012	267	77	36	22	14	416	40	12	34	47
	Italy	974	196	63	26	15	13	318	34	23	41	50
16	Other foreign countries	408	72	6	10	4	2	93	5	4	6	9
	Unknown	289	58	10	6	2	2	78	8	7	7	9
17	United States	693	219	50	12	14	8	303	27	7	9	36
	England and Wales	503	181	42	21	10	5	259	21	13	15	35
18	Scotland	1, 285	646	133	56	33	13	831	30	15	17	35
	Ireland	955	497	103	55	24	14	698	27	8	25	28
19	Germany	247	109	19	8	5	1	142	7	4	4	10
	Canada	221	102	24	7	4	7	144	3	1	4	7
20	France	277	136	26	6	13	5	186	7	1	11	4
	Scandinavia	224	102	26	9	5	5	147	10	2	7	10
21	Russia and Poland	1, 531	658	237	79	37	27	1, 038	36	15	16	53
	Bohemia	1, 253	601	213	71	37	17	939	30	11	22	36
22	Hungary	1, 122	360	69	33	15	10	467	15	17	18	44
	Italy	827	283	60	27	25	11	406	27	9	27	40
23	Other foreign countries	8, 977	1, 782	320	138	88	74	2, 402	217	111	207	313
	Unknown	7, 623	1, 462	272	131	79	70	2, 014	198	117	195	288
CITIES IN NEW YORK.												
24	Total	91, 016	26, 185	5, 823	2, 659	1, 760	1, 216	37, 643	2, 890	1, 245	2, 099	3, 719
25	White	89, 391	25, 729	5, 725	2, 619	1, 738	1, 206	37, 017	2, 843	1, 201	2, 045	3, 625
26	Native born	60, 402	25, 187	5, 516	2, 499	1, 602	1, 181	35, 905	2, 588	1, 041	1, 624	2, 542
27	Both parents native	10, 961	4, 446	872	445	301	203	6, 267	473	164	207	279
28	One or both parents foreign	9, 933	3, 454	815	403	239	194	5, 105	468	168	230	283
	Foreign born	17, 733	8, 459	1, 840	791	517	313	11, 925	734	302	497	836
		15, 089	6, 747	1, 664	712	469	304	9, 896	682	294	507	755
29	Colored	1, 625	456	98	40	22	10	626	47	44	54	94
31	Males	886	251	63	20	11	1	346	23	21	30	54
32	Females	739	205	35	20	11	9	280	19	23	24	40
Birthplaces of mothers:												
33	United States	14, 108	5, 901	1, 213	611	406	265	8, 396	623	226	285	392
	England and Wales	12, 852	4, 700	1, 105	534	332	254	6, 925	605	234	306	394
34	Scotland	1, 965	398	68	52	32	23	573	52	15	30	64
	Ireland	1, 607	306	67	32	34	24	463	48	16	28	64
35	Germany	667	110	25	10	12	14	171	10	10	7	24
	Canada	487	79	18	8	8	5	118	18	5	7	19
36	France	11, 663	1, 929	426	196	145	95	2, 791	250	146	310	727
	Scandinavia	11, 859	1, 510	417	207	141	100	2, 375	243	154	330	623
37	Russia and Poland	9, 324	2, 573	537	221	156	103	8, 590	265	107	198	350
	Bohemia	7, 434	2, 004	465	193	140	97	2, 899	221	86	163	330
38	Hungary	673	195	56	22	18	10	301	29	10	20	26
	Italy	611	138	42	21	12	10	223	22	14	23	28
39	Other foreign countries	383	66	5	8	3	1	82	5	4	6	8
	Unknown	229	54	10	5	1	2	77	7	1	4	6
40	United States	598	198	47	11	13	8	277	25	7	7	27
	England and Wales	446	167	39	21	10	5	242	20	11	14	29
41	Scotland	1, 247	636	132	54	32	13	867	29	15	17	33
	Ireland	922	431	104	54	24	13	676	27	8	25	27
42	Germany	240	138	19	7	4	1	139	7	4	4	9
	Canada	219	100	24	7	4	7	142	3	1	4	7
43	France	267	135	25	6	13	5	184	7	1	11	3
	Scandinavia	218	101	25	9	4	5	144	10	2	7	8
44	Russia and Poland	1, 486	650	234	78	36	27	1, 025	36	15	16	50
	Bohemia	1, 232	592	203	70	37	17	924	27	11	21	36
45	Hungary	1, 023	343	60	33	14	10	460	14	16	17	41
	Italy	765	272	57	25	25	11	390	26	8	23	36
46	Other foreign countries	4, 411	1, 294	218	81	54	47	1, 694	127	58	111	192
	Unknown	3, 650	1, 145	177	83	50	45	1, 500	124	65	105	161

STATISTICS OF DEATHS.

NATIVITY, AND BIRTHPLACES OF MOTHERS, FOR THE CENSUS YEAR ENDED MAY 31, 1890—Continued.

AGE PERIODS—continued.															
25 to 30	30 to 35	35 to 40	40 to 45	45 to 50	50 to 55	55 to 60	60 to 65	65 to 70	70 to 75	75 to 80	80 to 85	85 to 90	90 to 95	95 and over.	Un-known.
5,630	5,341	5,250	4,863	5,054	5,172	5,155	5,622	5,769	5,353	4,905	3,638	2,026	732	243	466
5,511	5,236	3,130	4,758	4,962	5,099	5,087	5,567	5,722	5,321	4,872	3,621	2,012	723	236	455
3,690	3,334	2,709	2,037	1,961	1,917	1,939	2,221	2,578	2,729	2,792	2,246	1,268	437	131	174
490	471	473	454	521	571	601	694	779	829	775	587	312	95	7	36
555	553	525	453	489	523	562	637	753	802	849	663	384	143	51	30
1,129	951	655	348	259	168	135	114	79	80	92	59	32	8	5	15
967	813	520	308	224	142	111	100	90	88	86	92	40	14	7	21
939	994	1,315	1,493	1,664	1,615	1,693	1,698	1,548	1,220	958	593	289	102	40	48
783	779	1,003	1,110	1,228	1,450	1,360	1,559	1,454	1,235	966	647	380	155	59	46
119	105	120	105	92	73	68	55	47	32	33	17	14	9	7	11
71	92	68	60	58	20	37	28	26	11	14	5	5	2	1	8
48	43	52	45	34	44	31	27	21	21	19	12	9	7	6	3
635	568	573	539	603	622	656	746	826	871	821	618	330	97	9	51
671	658	622	523	557	615	622	701	822	866	907	729	415	156	60	37
104	109	133	138	146	145	156	176	196	159	175	104	43	12	6	6
100	100	104	94	114	97	113	109	134	130	138	103	55	13	5	8
33	37	49	40	60	53	40	54	52	45	42	29	24	6	1	1
24	43	29	29	23	31	34	25	23	42	42	27	19	11	3	2
1,016	920	904	815	879	803	784	740	616	499	401	276	134	61	26	28
907	786	805	795	858	953	811	893	740	660	483	359	199	90	46	40
510	554	582	518	564	552	635	632	583	439	306	150	75	15	6	12
416	413	350	313	296	339	374	476	464	357	285	138	90	26	7	9
46	41	44	55	35	33	38	37	37	29	28	18	14	6	1	1
58	56	41	44	38	36	42	30	34	27	27	18	7	2	1	1
14	17	27	28	25	30	24	24	16	12	12	13	5	1	1	1
12	10	14	15	18	10	17	14	16	20	10	5	6	1	1	1
58	55	31	32	29	22	21	25	12	9	11	4	1	1	1	1
36	16	19	17	10	12	9	4	18	8	8	3	1	1	1	1
51	41	35	20	37	26	14	25	12	16	6	5	2	2	2	2
26	20	17	12	16	19	12	12	0	7	6	7	3	3	1	1
10	13	14	12	6	7	7	4	4	6	2	2	2	2	2	2
8	13	4	5	3	3	4	10	5	3	4	4	1	1	1	1
13	5	7	3	3	8	6	2	2	7	1	1	1	1	1	1
9	5	5	3	3	3	5	3	2	1	1	2	1	1	1	1
65	54	55	40	44	30	16	26	14	14	4	2	1	1	1	1
33	31	41	31	13	13	10	16	14	6	3	3	1	2	2	2
04	63	60	61	61	61	55	37	36	21	18	14	5	2	2	2
35	31	33	30	22	24	13	30	30	20	19	0	11	6	6	6
357	400	390	326	316	339	323	433	545	584	635	518	266	96	23	176
319	293	268	275	264	265	302	335	474	481	511	459	309	109	45	82
4,439	4,261	4,163	3,881	3,892	3,838	3,616	3,743	3,426	2,831	2,352	1,554	850	305	100	169
4,338	4,164	4,060	3,788	3,815	3,773	3,558	3,692	3,391	2,804	2,329	1,543	841	299	97	168
2,727	2,457	1,858	1,341	1,182	1,048	922	960	1,001	961	957	680	389	126	40	53
290	288	293	277	303	321	292	320	314	316	273	162	85	23	1	13
288	300	277	256	248	275	256	280	325	329	361	243	102	59	17	4
905	855	567	304	226	135	101	77	44	39	52	21	15	2	2	4
842	700	435	251	186	106	76	69	65	48	46	54	26	7	4	10
834	919	1,208	1,349	1,486	1,414	1,427	1,382	1,177	836	628	368	163	55	23	19
720	711	922	1,021	1,090	1,260	1,168	1,315	1,171	959	706	463	272	109	38	26
101	97	103	93	77	65	58	51	35	27	23	11	9	6	3	1
56	58	60	57	50	25	34	26	17	8	10	4	1	1	1	1
45	39	43	36	27	40	24	25	18	19	13	7	8	6	3	3
398	365	371	348	368	357	335	355	343	333	301	174	92	23	2	16
388	384	348	308	298	343	302	325	371	371	393	279	182	68	22	6
81	80	111	102	122	117	111	119	121	92	93	51	20	2	2	1
74	74	86	70	93	66	82	69	88	66	90	62	34	8	4	2
32	31	44	44	50	48	40	43	35	27	23	14	11	3	1	1
20	35	22	22	22	23	23	18	18	28	24	18	14	6	2	2
902	856	828	752	795	694	659	596	457	336	265	172	65	33	15	14
819	722	732	735	778	837	711	767	608	510	364	275	149	65	25	27
459	523	536	506	506	495	549	536	479	324	225	107	53	12	3	2
382	380	323	270	260	304	324	414	395	283	190	107	65	18	4	2
23	33	33	41	24	26	29	24	20	9	14	6	3	1	1	1
47	37	27	34	20	22	22	14	24	19	15	7	9	4	1	1
12	15	14	24	27	23	23	19	26	11	13	6	7	2	1	1
11	9	13	13	13	12	9	12	9	9	18	4	5	3	1	1
46	44	27	30	27	19	15	19	7	7	6	3	1	1	1	1
33	13	19	14	8	11	5	3	10	7	5	2	2	2	2	2
46	39	33	26	33	31	13	24	11	11	15	6	6	2	2	2
25	18	16	12	16	17	10	12	9	7	6	6	6	3	2	2
10	13	13	11	6	7	4	6	3	6	4	4	3	3	2	2
8	13	4	5	3	3	2	10	5	3	1	1	1	1	1	1
11	5	7	6	12	6	4	6	4	2	2	2	2	2	2	2
8	5	7	3	3	8	5	2	2	1	1	2	1	1	1	1
61	48	53	39	39	27	13	26	13	14	4	2	1	2	2	2
32	20	40	81	13	13	10	16	18	6	4	3	1	2	2	2
58	51	54	55	48	48	49	31	29	16	10	11	5	2	2	2
32	27	20	28	21	22	17	26	27	19	15	5	5	5	4	4
228	260	250	192	163	161	130	159	154	144	143	115	43	14	4	69
183	146	127	152	117	103	104	97	145	138	117	115	74	29	13	25

VITAL AND SOCIAL STATISTICS.

TABLE 1.—DEATHS AT CERTAIN AGES AND GROUPS OF AGES, BY SEX, COLOR, NATIVITY, PARENTAL

SEX, COLOR, NATIVITY, ETC.		AGE PERIODS.										
		All ages.	Under 1	1	2	3	4	Total under 5	5 to 10	10 to 15	15 to 20	20 to 25
RHODE ISLAND.												
1	Total	7,559	1,815	449	200	140	96	2,700	244	104	231	321
2	White	7,335	1,769	434	194	134	96	2,627	232	99	223	315
3	Native born.....	5,344	1,739	397	172	113	84	2,505	202	76	164	193
4	Both parents native.....	1,406	381	83	32	27	12	485	37	9	21	38
5	One or both parents foreign.....	1,430	251	67	24	16	16	379	50	26	33	34
6	Foreign born.....	1,287	627	124	56	31	29	867	57	15	41	62
7	Colored.....	1,131	512	121	58	34	25	750	56	21	64	55
8	Males.....	935	12	19	6	12	9	58	20	10	25	59
9	Females.....	1,004	16	17	15	8	3	59	10	13	32	61
10	Birthplaces of mothers:											
11	United States.....	1,659	421	105	47	39	16	628	55	15	23	44
12	England and Wales.....	1,653	323	87	32	23	9	485	72	31	44	38
13	Scotland.....	304	85	22	5	5	2	133	11	3	5	10
14	Ireland.....	281	87	26	6	1	1	122	7	4	11	11
15	Germany.....	87	21	5	1	1	2	29	3	2	4	6
16	Canada.....	76	17	4	1	2	2	25	1	1	4	5
17	France.....	979	160	30	14	9	11	224	18	8	40	76
18	Scandinavia.....	999	125	34	24	14	3	200	21	12	46	58
19	Russia and Poland.....	54	19	6	1	1	1	26	1	1	2	2
20	Bohemia.....	35	9	2	1	1	1	12	1	1	1	2
21	Italy.....	501	230	44	30	14	12	330	27	6	18	19
22	Other foreign countries.....	513	193	58	25	18	16	310	20	10	28	33
23	Unknown.....	4	8	1	1	1	1	1	1	1	1	1
24	Males.....	44	14	6	3	1	1	21	4	1	1	3
25	Females.....	39	15	3	3	1	1	21	1	1	1	2
26	Males.....	12	7	2	2	1	1	9	1	1	1	1
27	Females.....	11	8	2	2	1	1	10	1	1	1	1
28	Males.....	1	1	1	1	1	1	1	1	1	1	1
29	Females.....	1	1	1	1	1	1	1	1	1	1	1
30	Males.....	86	13	5	2	2	1	23	2	1	2	2
31	Females.....	32	18	3	3	2	1	26	1	2	2	3
32	Males.....	43	17	5	1	1	1	23	1	2	2	1
33	Females.....	30	14	1	2	1	1	18	1	2	5	5
34	Males.....	97	12	1	1	1	2	16	1	3	5	5
35	Females.....	61	7	1	1	1	1	8	2	2	2	2
CITIES IN RHODE ISLAND.												
36	Total	4,512	1,113	266	111	78	49	1,617	151	63	139	186
37	White	4,343	1,075	251	105	73	49	1,553	141	59	133	182
38	Native born.....	3,066	1,062	237	101	65	42	1,507	125	49	98	112
39	Both parents native.....	736	194	46	21	16	3	280	20	6	16	19
40	One or both parents foreign.....	746	152	39	11	13	8	223	30	12	17	13
41	Foreign born.....	820	333	83	29	17	18	530	36	12	23	46
42	Colored.....	731	326	68	39	19	12	464	37	18	39	34
43	Males.....	623	6	8	3	7	5	29	13	6	13	37
44	Females.....	627	7	6	1	1	2	17	3	4	20	33
45	Colored.....	169	38	15	6	5	1	64	10	4	6	4
46	Males.....	81	12	6	6	4	1	28	6	2	3	2
47	Females.....	88	26	9	1	1	1	36	4	2	3	2
48	Birthplaces of mothers:											
49	United States.....	920	260	67	32	25	5	389	34	11	18	21
50	England and Wales.....	913	213	56	18	15	10	312	45	16	24	15
51	Scotland.....	176	49	12	1	5	5	72	8	3	2	7
52	Ireland.....	153	50	11	1	1	1	64	1	3	8	5
53	Germany.....	52	12	2	1	1	1	16	1	1	1	5
54	Canada.....	44	11	3	1	2	2	16	1	1	1	2
55	France.....	729	123	25	8	3	10	169	13	8	25	55
56	Scandinavia.....	736	98	22	22	8	2	153	15	9	30	38
57	Russia and Poland.....	42	13	4	1	1	1	18	1	1	1	1
58	Bohemia.....	25	7	1	1	1	1	9	1	1	1	2
59	Italy.....	248	104	21	14	8	5	152	16	3	8	10
60	Other foreign countries.....	232	89	26	7	7	8	137	11	4	16	17
61	Unknown.....	2	2	1	1	1	1	1	1	1	1	1
62	Males.....	26	8	3	2	2	1	14	2	1	4	3
63	Females.....	19	10	3	1	1	1	10	1	1	1	2
64	Males.....	11	7	2	1	1	1	9	1	1	1	1
65	Females.....	8	6	1	1	1	1	7	1	1	1	1
66	Males.....	1	1	1	1	1	1	1	1	1	1	1
67	Females.....	1	1	1	1	1	1	1	1	1	1	1
68	Males.....	25	6	3	2	2	1	14	2	1	4	3
69	Females.....	19	12	2	1	1	1	16	1	1	2	1
70	Males.....	30	13	4	1	1	1	17	1	1	2	2
71	Females.....	24	11	1	1	1	1	14	1	2	1	1
72	Males.....	38	7	1	1	1	1	10	1	1	4	2
73	Females.....	23	2	1	1	1	1	2	2	1	1	1

VITAL AND SOCIAL STATISTICS.

TABLE 1.—DEATHS AT CERTAIN AGES AND GROUPS OF AGES, BY SEX, COLOR, NATIVITY, PARENTAL

SEX, COLOR, NATIVITY, ETC.		AGE PERIODS.										
		All ages.	Under 1	1	2	3	4	Total under 5	5 to 10	10 to 15	15 to 20	20 to 25
VERMONT.												
1	Total	5,425	800	160	91	60	46	1,157	190	133	204	195
2	White	5,412	798	159	91	60	46	1,154	190	133	204	194
3	Native born	4,556	767	146	79	52	40	1,084	168	124	186	171
4	Both parents native	661	78	16	13	9	6	122	27	17	25	23
5	One or both parents foreign	110	33	7	3	1	1	45	5	7	6	13
6	Foreign born	135	34	9	6	3	1	53	11	8	11	8
6	Foreign born	309	6	2	3	1	1	13	9	2	6	7
6	Foreign born	266	1	3	3	1	1	9	4	3	5	9
7	Colored	13	2	1				3				1
8	Males	5	1					1				1
9	Females	8	1	1				2				
Birthplaces of mothers:												
10	United States	698	87	16	16	9	6	134	30	17	27	23
11	England and Wales	760	64	26	5	8	4	107	25	25	29	34
11	England and Wales	34	3	1	1		1	6	1	2		
12	Scotland	32	3		1	1		5			3	
12	Scotland	14			1			1	2			
12	Scotland	15	1					1	2			
13	Ireland	151	3	1				4	2		4	10
13	Ireland	118	1	1	2			4		3	3	6
14	Germany	4	1					1				
14	Germany	2			2			2				
15	Canada	173	21	6	1	2	1	31	5	5	6	4
15	Canada	192	17	7	4	1	2	31	10	6	9	10
16	France	8	2		1			3	1			
16	France	2	1	1				2				
17	Scandinavia	3		1				1				2
17	Scandinavia	1									1	
18	Russia and Poland	2										
18	Russia and Poland											
19	Hungary	1										
19	Hungary											
20	Italy	3	1					1				
20	Italy	1	1					1				
21	Other foreign countries	1										
21	Other foreign countries	2	1					1				
22	Unknown	1,566	335	44	27	21	14	441	59	35	54	47
22	Unknown	1,643	258	56	30	18	18	330	53	38	68	54
CITIES IN VERMONT.												
23	Total	552	130	22	6	4	4	166	15	14	20	26
24	White	550	129	22	6	4	4	165	15	14	20	26
25	Native born	413	122	18	5	2	4	151	14	14	15	23
26	Both parents native	50	12	4	1	1	1	19	2	1	1	1
26	Both parents native	42	6	2				8	1		1	2
27	One or both parents foreign	26	11		2			13	1	2	2	3
27	One or both parents foreign	19	9	2	1			12	1	1	2	1
28	Foreign born	45	1	1				2			2	1
28	Foreign born	52		1				1			2	1
29	Colored	2	1					1				
30	Males											
31	Females	2	1					1				
Birthplaces of mothers:												
32	United States	57	15	4	2	1	1	23	2	1	1	2
32	United States	46	9	2				11	1	1	1	2
33	England and Wales	3			1			1				
33	England and Wales	2										
34	Scotland											
34	Scotland											
35	Ireland	36	1					1	1	1	1	2
35	Ireland	35	1	1				2			1	1
36	Germany	1	1		1			1				
36	Germany	1						1				
37	Canada	23	7	1				8		1	1	1
37	Canada	28	5	2				7	1		2	1
38	France											
38	France											
39	Scandinavia	1									1	1
39	Scandinavia	1										
40	Russia and Poland											
40	Russia and Poland											
41	Hungary	1										
41	Hungary											
42	Other foreign countries											
42	Other foreign countries	1	1					1				
43	Unknown	157	41	3	1	3	2	50	6	4	6	10
43	Unknown	159	40	9	1		1	60	4	6	6	7

TABLE 2.

**DEATHS IN THE UNITED STATES AND DEATHS REPORTED FROM REGISTRATION SOURCES,
BY COLOR, NATIVITY, PARENTAL NATIVITY, AGE PERIODS, AND BIRTHPLACES OF
MOTHERS, WITH DISTINCTION OF SEX, CONJUGAL CONDITION, AND CERTAIN
CAUSES OF DEATH, FOR THE CENSUS YEAR ENDED MAY 31, 1890.**

VITAL AND SOCIAL STATISTICS.

TABLE 2.—DEATHS BY SEX, COLOR, NATIVITY, PARENTAL NATIVITY, AGE PERIODS, BIRTHPLACES OF MOTHERS,

THE UNITED STATES.

SEX AND CONJUGAL CONDITION.	Aggregate.	WHITE.				Colored.	All ages.	Under 15	15 to 20	20 to 25	25 to 35	35 to 45
		Total.	Native born.		Foreign born.							
			Both parents native.	One or both parents foreign.								
1 All causes.....	875,521	758,660	310,856	128,668	140,071	116,861	875,521	367,187	34,384	44,569	78,464	68,010
2 Single.....	M.. 265,614 F.. 214,496	228,480 181,887	98,891 82,816	59,245 48,056	17,789 9,785	37,134 32,609	265,614 214,496	195,668 167,767	15,634 15,472	16,983 9,793	16,260 7,627	7,059 3,475
3 Married.....	M.. 137,009 F.. 118,033	122,656 104,241	49,289 44,757	7,827 9,117	42,627 29,852	14,353 13,842	137,009 118,033	9 5	199 2,220	3,155 10,050	17,344 26,901	22,154 23,992
4 Widowed.....	M.. 23,415 F.. 56,803	27,139 51,297	9,606 20,274	1,209 2,156	10,529 18,028	2,276 5,606	23,415 56,803	2 56	89 277	2 1,361	81 1,681	1,488 2,568
5 Divorced.....	M.. 604 F.. 580	258 450	256 273	27 27	109 54	66 80	604 580	2 4	19 36	2 112	71 89	85 89
6 Unknown.....	M.. 31,688 F.. 21,279	25,717 16,255	2,604 2,140	598 406	7,451 3,837	5,971 5,024	31,688 21,279	2,026 1,712	277 518	2,312 1,855	5,030 3,077	4,488 2,612
7 Consumption.....		102,199	84,173	31,593	13,368	20,829	102,199	7,525	8,887	14,804	25,523	17,195
8 Single.....	M.. 20,460 F.. 18,876	16,483 14,641	5,442 6,282	4,316 3,771	3,457 1,913	3,977 4,235	20,460 18,876	3,282 4,185	2,922 5,153	5,102 4,204	5,415 3,196	1,952 1,041
9 Married.....	M.. 20,895 F.. 25,380	18,083 21,582	6,679 9,693	1,859 2,064	6,313 5,040	2,862 3,798	20,895 25,380	38 485	38 3,223	816 8,718	4,975 6,109	5,778 6,480
10 Widowed.....	M.. 2,836 F.. 5,192	2,525 4,503	773 1,858	197 291	1,100 1,388	311 689	2,836 5,192	2 10	81 119	275 573	400 776	1,489 776
11 Divorced.....	M.. 91 F.. 110	70 85	46 55	6 6	9 10	9 25	91 110	1 2	9 13	27 39	14 23	14 23
12 Unknown.....	M.. 4,643 F.. 3,716	3,565 2,686	373 387	140 118	1,067 532	1,078 1,030	4,643 3,716	19 39	59 167	611 676	1,240 1,071	951 671
13 Cancer and tumor.....		20,984	19,744	7,695	1,188	6,760	20,984	525	174	240	1,188	2,721
14 Single.....	M.. 1,088 F.. 1,464	1,019 1,340	371 630	158 162	286 277	60 124	1,088 1,464	272 250	79 74	70 58	132 135	111 217
15 Married.....	M.. 5,131 F.. 7,089	4,972 6,640	1,916 2,804	223 394	2,029 2,185	159 449	5,131 7,089	3 12	3 59	24 531	207 1,467	511 1,467
16 Widowed.....	M.. 986 F.. 3,405	986 3,195	341 1,26	33 140	407 1,050	26 210	986 3,405	1 26	1 5	50 50	9 159	29 159
17 Divorced.....	M.. 26 F.. 35	25 34	12 27	2 9	7 268	1 48	26 35	1 1	1 13	2 56	7 9	4 9
18 Unknown.....	M.. 759 F.. 1,001	711 848	86 112	36 19	268 271	153	759 1,001	48 2	759 4	11 11	56 66	7 139
19 Diseases of the nervous system.....		89,974	81,469	33,045	12,880	13,575	89,974	40,366	1,969	1,864	3,798	4,677
20 Single.....	M.. 26,708 F.. 21,669	23,843 19,247	9,704 8,293	6,184 4,935	1,353 853	2,865 2,422	26,708 21,669	21,669 18,077	969 841	790 491	907 491	624 308
21 Married.....	M.. 9,746 F.. 14,969	9,069 14,045	3,929 5,981	570 695	2,579 4,296	324 977	9,746 14,969	9 10	96 110	285 840	1,062 1,414	95 1,414
22 Widowed.....	M.. 3,919 F.. 7,710	3,722 7,209	1,412 3,105	131 282	1,295 2,164	197 501	3,919 7,710	3 2	3 7	31 65	95 179	95 179
23 Divorced.....	M.. 73 F.. 59	68 57	32 35	4 2	13 6	5 2	73 59	5 2	5 18	9 240	9 316	9 316
24 Unknown.....	M.. 2,995 F.. 2,126	2,550 1,713	311 243	47 30	650 366	439 366	2,995 2,126	439 285	835 83	85 93	240 149	316 188
25 Diseases of the circulatory system.....		48,757	44,102	16,865	4,026	12,875	48,757	5,583	1,295	1,512	3,312	4,584
26 Single.....	M.. 6,062 F.. 5,300	6,092 4,827	2,283 1,048	1,306 1,048	1,003 633	570 473	6,062 5,300	2,982 2,561	583 623	513 430	609 366	502 266
27 Married.....	M.. 13,584 F.. 9,770	12,516 8,755	5,190 3,558	668 601	4,223 2,939	1,068 1,015	13,584 9,770	1 48	5 332	93 1,236	1,402 1,647	1,402 1,647
28 Widowed.....	M.. 3,284 F.. 6,109	3,058 5,521	1,173 2,140	134 203	1,068 1,993	226 588	3,284 6,109	1 5	1 12	38 49	98 207	98 207
29 Divorced.....	M.. 65 F.. 39	63 36	25 19	5 2	15 5	2 3	65 39	2 3	2 10	5 4	3 6	3 6
30 Unknown.....	M.. 2,343 F.. 1,601	1,992 1,242	245 183	33 26	662 334	351 359	2,343 1,601	19 20	10 21	63 61	170 132	263 190
31 Diseases of the digestive system.....		39,466	34,755	14,092	4,821	8,084	39,466	14,227	1,200	1,500	3,312	3,511
32 Single.....	M.. 10,275 F.. 8,090	8,669 6,786	3,965 3,293	2,180 1,602	678 457	1,606 1,304	10,275 8,090	7,768 6,300	573 520	481 351	534 318	289 160
33 Married.....	M.. 7,740 F.. 6,546	7,115 6,072	2,750 2,415	3,900 485	2,778 2,009	625 474	7,740 6,546	8 67	8 373	125 1,271	739 1,292	1,199 1,292
34 Widowed.....	M.. 1,865 F.. 2,777	1,281 2,602	430 1,003	57 104	57 989	84 175	1,865 2,777	4 3	4 8	20 61	69 143	69 143
35 Divorced.....	M.. 26 F.. 30	26 28	12 14	2 1	2 2	9 2	26 30	26 30	26 74	26 15	4 194	4 233
36 Unknown.....	M.. 1,573 F.. 1,044	1,315 861	120 90	34 16	414 223	258 183	1,573 1,044	74 85	15 14	87 70	194 171	233 117
37 Diseases of the urinary system.....		23,652	21,852	7,610	2,192	7,227	23,652	1,704	500	824	2,219	2,669
38 Single.....	M.. 3,145 F.. 1,843	2,877 1,695	986 635	619 392	630 311	268 148	3,145 1,843	966 728	257 185	290 178	457 213	306 151
39 Married.....	M.. 8,754 F.. 3,925	8,115 3,696	3,313 1,197	503 416	2,778 1,390	639 229	8,754 3,925	7 37	56 226	55 753	928 824	928 824
40 Widowed.....	M.. 2,133 F.. 1,895	2,020 1,794	756 531	129 85	765 872	113 101	2,133 1,895	2 1	2 7	24 38	96 120	96 120
41 Divorced.....	M.. 35 F.. 8	32 7	12 5	6 3	6 1	3 1	35 8	3 8	3 7	3 2	3 153	3 153
42 Unknown.....	M.. 1,380 F.. 534	1,181 435	132 43	30 13	355 110	199 99	1,380 534	7 3	4 9	37 28	140 77	153 87

STATISTICS OF DEATHS.

CONJUGAL CONDITION, AND CERTAIN CAUSES OF DEATH, FOR THE CENSUS YEAR ENDED MAY 31, 1890.

THE UNITED STATES.

				BIRTHPLACES OF MOTHERS.																	
45 to 55	55 to 65	65 and over.	Un-known.																		
				United States.	England and Wales.	Ireland.	Scotland.	France.	Germany.	Russia and Poland.	Canada.	Scandinavia.	Hungary.	Bohemia.	Italy.	Other foreign countries.	Un-known.				
63,968	65,975	143,560	9,404	431,690	21,991	72,724	5,994	2,640	66,979	6,225	16,912	14,659	1,017	2,213	4,363	10,068	116,115	1			
4,358	3,029	4,909	1,714	140,499	5,389	18,324	1,432	646	18,806	2,787	6,217	5,894	460	793	1,895	3,638	27,556	2			
2,431	2,138	4,595	1,188	119,656	3,999	13,488	990	397	13,701	2,077	5,168	3,834	289	684	1,432	2,159	20,712	3			
24,155	25,491	43,432	1,070	63,463	5,026	13,965	1,425	681	14,947	1,917	2,034	1,817	128	335	469	1,739	17,722	4			
18,819	15,666	19,278	1,152	59,041	3,482	11,826	938	358	9,953	2,151	1,817	70	219	322	1,144	15,233	5				
2,530	4,331	20,093	201	11,832	1,256	4,084	388	180	3,163	477	613	318	11	42	54	307	4,997	6			
5,280	9,004	37,919	338	25,669	1,821	8,190	560	192	4,477	88	427	20	81	68	461	8,816	7				
103	112	200	12	327	27	8	8	5	41	1	8	9	1	1	6	143	8				
102	75	104	8	359	5	23	2	1	27	5	6	6	1	1	2	92	9				
3,889	3,811	7,514	2,341	5,845	666	1,754	175	130	1,624	109	316	461	25	30	104	465	12,567	10			
2,301	2,318	5,516	1,370	4,999	320	1,040	76	50	340	36	194	159	4	28	8	147	8,227	11			
11,508	7,803	7,865	1,139	48,009	2,185	12,767	712	307	7,672	385	2,054	1,887	71	194	326	1,335	13,242	12			
864	406	348	169	9,044	415	3,359	149	66	1,578	98	440	471	21	45	96	471	2,102	13			
454	254	278	111	10,459	320	2,483	110	35	910	65	487	352	12	31	50	169	1,643	14			
4,237	2,970	2,535	146	9,351	607	2,448	180	101	2,393	104	365	355	20	63	81	307	2,228	15			
3,424	1,883	1,328	210	13,484	522	2,684	170	50	1,766	69	566	507	11	37	68	216	3,005	16			
568	575	890	17	1,054	99	558	32	12	337	10	41	34	1	4	8	38	355	17			
904	994	1,789	27	2,490	111	744	36	19	357	9	69	59	3	5	10	25	785	18			
19	8	10	3	67	4	5	1	1	7	1	1	1	1	1	1	1	9	19			
19	10	9	1	81	1	5	1	1	3	1	1	1	1	1	1	1	14	20			
640	436	424	263	961	69	300	21	16	218	25	44	73	2	6	11	69	1,638	21			
379	287	254	192	1,018	37	186	14	6	103	4	40	34	1	3	1	29	1,463	22			
4,430	4,898	6,501	217	9,034	773	2,102	234	94	2,203	80	329	321	17	46	47	253	3,206	23			
125	134	155	10	457	34	184	14	4	115	3	23	30	2	1	4	21	126	24			
242	225	249	14	771	39	161	13	9	80	2	29	17	2	5	5	11	174	25			
989	1,425	1,938	34	2,147	206	511	74	24	700	35	77	90	10	19	11	98	617	26			
2,049	1,691	1,223	57	3,416	283	642	62	30	751	23	129	113	2	14	20	59	861	27			
81	200	661	6	370	35	146	17	3	132	5	16	7	1	1	15	152	28	28			
530	821	1,817	22	1,519	119	402	38	16	297	5	35	34	1	6	3	36	535	29			
4	9	8	1	13	1	1	1	1	6	1	1	1	1	1	1	6	7	30			
12	6	6	1	28	28	28	28	28	28	28	28	28	28	28	28	28	28	28			
131	182	271	29	114	20	58	7	3	63	2	13	20	1	2	3	6	312	31			
267	205	283	44	199	32	57	9	5	59	5	7	10	1	3	1	9	416	32			
6,324	8,515	21,694	767	42,295	2,565	6,858	667	293	6,926	581	1,524	1,011	98	213	356	814	13,352	33			
495	403	707	144	13,123	597	1,635	134	53	2,040	272	575	397	47	92	163	293	3,014	34			
307	310	736	108	11,152	436	1,247	119	38	1,504	206	458	317	35	76	127	179	2,351	35			
2,261	3,290	6,827	99	6,983	594	1,290	168	88	1,475	43	178	127	6	19	32	157	2,395	36			
1,809	1,976	3,027	77	4,706	380	964	91	34	772	37	149	83	5	14	16	83	1,451	37			
252	583	2,936	19	1,618	196	486	53	36	368	6	39	21	1	5	5	29	771	38			
577	1,206	5,642	32	3,658	267	970	77	24	509	8	84	29	3	3	6	47	1,304	39			
6	18	30	1	37	2	5	2	1	5	1	1										

VITAL AND SOCIAL STATISTICS.

TABLE 2.—DEATHS BY SEX, COLOR, NATIVITY, PARENTAL NATIVITY, AGE PERIODS, BIRTHPLACES OF MOTHERS,

THE UNITED STATES—Continued.

SEX AND CONJUGAL CONDITION.	Aggregate.	WHITE.				Colored.	All ages.	Under 15	15 to 20	20 to 25	25 to 35	35 to 45
		Total.	Native born.		Foreign born.							
			Both parents native.	One or both parents foreign.								
1 Diseases of the female organs of generation.	2,895	2,324	1,102	199	456	571	2,895	52	191	219	605	690
2 Single.....	492	378	205	59	42	114	492	52	157	75	63	68
3 Married.....	1,843	1,529	763	121	317	314	1,843	27	120	470	470	527
4 Widowed.....	312	245	101	15	72	66	312	1	3	2	23	36
5 Divorced.....	7	6	5	—	—	1	7	—	—	1	2	—
6 Unknown.....	241	165	28	4	25	76	241	6	20	47	58	—
7 Suicides.....	3,932	3,816	1,071	286	1,477	116	3,932	31	178	405	742	713
8 Single.....	872	839	272	109	206	33	872	21	84	191	256	138
9 Married.....	260	249	98	34	49	11	260	10	51	77	47	21
10 Widowed.....	1,544	1,515	449	87	703	29	1,544	2	47	209	345	—
11 Divorced.....	403	391	113	34	137	12	403	6	40	123	34	—
12 Unknown.....	263	262	62	7	131	1	263	—	—	17	20	—
13 All other causes.....	543,662	466,425	197,783	89,758	68,788	77,237	543,662	297,174	20,040	23,201	37,765	31,250
14 Single.....	196,404	168,658	75,868	44,373	10,116	27,746	196,404	158,708	10,167	9,546	7,890	3,137
15 Married.....	156,502	132,724	61,331	36,053	5,250	23,776	156,502	135,604	7,838	3,920	2,798	1,243
16 Widowed.....	64,392	56,345	22,961	3,897	19,530	8,047	64,392	8	126	1,370	9,216	11,059
17 Divorced.....	58,381	46,567	20,180	3,882	13,276	6,814	58,381	5	1,442	5,392	12,737	10,623
18 Unknown.....	14,629	13,311	4,659	521	5,215	1,318	14,629	2	48	267	601	—
19 Single.....	29,305	26,132	10,205	1,030	9,477	2,173	29,305	33	115	492	987	—
20 Married.....	279	246	117	10	45	33	279	1	8	33	43	—
21 Widowed.....	281	186	106	16	30	45	281	—	19	53	32	—
22 Divorced.....	17,609	14,024	1,306	299	3,902	3,585	17,609	1,571	169	1,886	2,929	2,420
23 Unknown.....	10,930	8,232	1,050	177	1,947	2,698	10,930	1,278	260	879	1,350	1,150

REPORTED FROM REGISTRATION SOURCES.

1 All causes.....	409,125	378,184	90,600	82,599	94,568	30,941	409,125	177,714	11,560	17,609	36,475	32,347
2 Single.....	126,092	118,266	27,859	39,344	11,514	9,326	126,092	93,794	5,270	7,196	8,832	4,231
3 Married.....	101,529	93,423	24,142	32,101	7,112	8,106	101,529	80,184	3,206	4,301	4,048	1,926
4 Widowed.....	61,353	52,165	13,693	3,953	28,005	3,188	61,353	59	1,090	8,022	10,656	—
5 Divorced.....	49,194	46,541	10,855	4,867	20,174	2,653	49,194	544	3,467	10,999	9,889	—
6 Unknown.....	15,786	15,112	3,849	604	7,388	674	15,786	1	38	390	961	—
7 Consumption.....	31,963	30,184	8,534	1,146	13,932	1,779	31,963	13	112	741	1,580	—
8 Single.....	77	77	38	4	13	3	77	—	2	9	17	—
9 Married.....	88	85	54	3	10	3	88	—	2	20	19	—
10 Widowed.....	13,703	11,163	832	341	4,076	2,539	13,703	2,025	205	912	2,159	2,054
11 Divorced.....	9,341	7,168	714	236	2,344	2,173	9,341	1,711	262	689	1,255	1,014
12 Unknown.....	48,236	43,021	8,163	3,828	15,232	5,215	48,236	3,248	3,734	6,807	13,134	8,733
13 Single.....	11,083	9,724	1,653	3,066	2,606	1,364	11,083	1,439	1,359	2,678	3,345	1,269
14 Married.....	8,656	7,601	1,711	2,446	1,491	1,055	8,656	1,751	2,057	1,941	1,774	556
15 Widowed.....	10,250	9,473	1,702	1,134	4,615	777	10,250	14	352	2,647	2,750	—
16 Divorced.....	10,322	9,513	2,023	1,620	3,618	809	10,322	151	1,233	3,328	2,571	—
17 Unknown.....	1,664	1,540	270	144	124	124	1,664	—	17	160	333	—
18 Single.....	2,655	2,407	588	200	1,095	248	2,655	3	53	314	486	—
19 Married.....	9	9	6	—	2	—	9	—	1	3	—	—
20 Widowed.....	8	8	—	—	4	—	8	—	—	5	7	—
21 Divorced.....	17	17	—	—	—	—	17	—	—	—	—	—
22 Unknown.....	2,108	1,656	99	98	656	452	2,108	19	50	271	608	495
23 Cancer and tumor.....	1,437	1,081	93	69	334	386	1,467	39	100	261	450	257
24 Single.....	486	470	89	75	170	16	486	89	23	27	69	72
25 Married.....	806	730	254	96	223	26	806	67	26	21	69	145
26 Widowed.....	2,419	2,375	571	74	1,281	44	2,419	—	—	11	97	255
27 Divorced.....	3,444	3,349	993	209	1,455	95	3,444	3	22	257	740	—
28 Unknown.....	517	507	119	71	284	19	517	—	—	3	13	—
29 Single.....	2,083	1,962	578	79	327	86	2,083	—	—	3	31	99
30 Married.....	3	3	—	—	1	—	3	—	—	—	—	—
31 Widowed.....	8	8	—	—	—	—	8	—	—	—	—	—
32 Divorced.....	289	269	29	2	143	20	289	1	1	3	24	36
33 Unknown.....	427	374	52	12	170	53	427	2	1	5	32	59
34 Diseases of the nervous system.....	43,631	45,452	12,409	8,820	9,495	3,179	43,631	22,989	680	805	1,920	2,528
35 Single.....	14,672	13,670	3,441	4,359	873	1,002	14,672	12,194	335	352	488	367
36 Married.....	12,056	11,158	3,084	3,518	642	898	12,056	10,175	281	223	253	185
37 Widowed.....	7,573	7,277	2,180	343	2,946	296	7,573	—	5	35	452	844
38 Divorced.....	4,828	4,602	1,340	331	1,791	226	4,828	—	28	115	479	703
39 Unknown.....	2,242	2,174	632	65	937	63	2,242	—	2	2	26	59
40 Single.....	4,703	4,500	1,521	158	1,710	203	4,703	—	4	39	114	—
41 Married.....	9	9	4	1	1	—	9	—	—	—	4	—
42 Widowed.....	14	14	8	—	1	—	14	—	—	1	3	—
43 Divorced.....	1,462	1,226	133	21	379	236	1,462	335	14	29	119	163
44 Unknown.....	1,072	822	116	23	215	250	1,072	285	17	45	66	86

STATISTICS OF DEATHS.

CONJUGAL CONDITION, AND CERTAIN CAUSES OF DEATH, FOR THE CENSUS YEAR ENDED MAY 31, 1890—Continued.

THE UNITED STATES—Continued.

				BIRTHPLACES OF MOTHERS.															
45 to 55	55 to 65	65 and over.	Un-known.	United States.	England and Wales.	Ireland.	Scotland.	France.	Germany.	Russia and Poland.	Canada.	Scandinavia.	Hungary.	Bohemia.	Italy.	Other foreign countries.	Un-known.		
558	301	244	35	1,640	58	156	22	12	178	8	60	23	2	2	8	23	411	1	
40	23	11	3	320	10	30	5	1	21		12	3				2	50	2	
410	160	108	15	1,082	42	95	13	7	130	7	40	22	2	2	8	16	216	3	
70	81	95	3	160	5	25	4	4	17	1	6	3				5	43	4	
1		2		6													1	1	5
37	31	29	14	72	1	6			10		2						101	6	6
770	546	449	98	1,212	127	224	30	19	653	23	69	122	12	24	13	95	765	7	7
77	48	34	23	322	28	40	9	7	120	6	13	40	6	5	3	38	152	8	8
10	7	4	3	113	3	15	1		35	2	8	8		1	1	1	47	9	9
420	297	199	25	485	58.	97	10	6	319	11	31	48	3	17	4	36	209	10	10
83	45	17	5	130	15	31	4	1	58	1	6	10	3		2	4	92	11	11
55	63	106	2	67	9	26	3	4	53	1	3	3		1	1	5	45	12	12
24	21	31		37	3	6	1	1	12		2	3		1	1	1	17	13	13
2	3			1	2	1			1								1	2	14
2	1			7													1	3	15
79	53	52	33	38	8	4	2		48	2	5	9			1	9	161	16	16
18	8	6	7	12	1	4			5		1	1					37	17	17
26,827	27,290	74,017	6,089	279,827	12,642	38,687	3,269	1,448	39,362	4,570	11,194	9,882	728	1,517	3,252	6,282	68,834	18	18
1,912	1,286	2,511	1,247	107,595	3,854	11,400	987	444	13,357	2,224	4,784	4,089	355	603	1,521	2,487	19,898	19	19
907	844	2,466	873	88,653	2,890	8,190	655	288	10,163	1,672	3,863	2,987	236	543	1,185	1,671	14,961	20	20
11,073	10,622	19,834	575	30,909	2,307	6,576	610	297	6,214	289	842	1,065	66	155	254	795	8,349	21	21
7,040	6,101	9,416	620	27,245	1,520	4,870	391	161	4,475	236	903	934	34	122	152	556	7,128	22	22
1,037	1,783	10,767	124	5,939	609	1,980	194	84	1,515	26	170	197	6	20	33	144	2,582	23	23
1,681	3,828	21,717	203	13,295	929	4,222	306	91	2,361	45	299	253	9	47	31	240	4,570	24	24
51	43	94	6	153	10	11	4	2	12		3	6				2	73	25	25
42	29	49	5	153	3	13	2		16		3	4				1	34	26	26
1,873	1,729	3,964	1,568	3,269	362	923	88	63	829	61	159	255	19	12	71	301	7,117	27	27
911	1,034	3,200	868	2,616	158	502	32	18	420	17	108	92	3	15	5	85	4,122	28	28

REPORTED FROM REGISTRATION SOURCES.

31,788	32,225	67,080	2,127	117,222	12,100	58,090	3,433	1,395	38,475	4,297	11,770	4,123	811	1,192	3,977	4,991	45,318	1	1
2,541	1,509	2,122	537	38,243	3,130	15,083	891	354	11,756	1,969	4,397	1,690	364	467	1,739	1,987	12,255	2	2
1,449	1,302	2,757	356	32,948	2,511	11,649	629	288	8,720	1,495	3,848	1,210	262	403	1,379	1,127	9,357	3	3
11,089	11,729	17,897	211	15,819	2,528	10,286	723	365	7,732	379	1,139	520	97	149	406	851	7,250	4	4
8,963	7,132	8,579	221	12,908	1,739	9,337	486	184	5,071	302	1,377	442	55	97	286	456	5,508	5	5
1,632	2,609	10,097	58	4,348	724	3,242	232	101	1,796	41	216	62	10	17	55	128	2,416	6	6
3,273	5,360	20,800	84	9,937	1,116	6,968	379	118	2,709	60	433	101	19	45	63	226	4,477	7	7
15	12	21	1	41	3	5			2							1	17	8	8
18	16	13		57		7			3		1						12	9	9
1,833	1,538	2,554	422	1,529	234	910	62	33	459	37	207	76	4	6	43	181	2,504	10	10
975	958	2,240	237	1,392	115	653	30	18	227	13	152	22		3	6	34	1,522	11	11
5,596	3,618	3,193	233	11,380	1,266	10,559	440	167	4,663	258	1,446	517	57	110	293	805	5,222	12	12
540	242	161	55	2,532	275	2,790	100	41	1,066	67	310	154	14	23	85	344	1,179	13	13
248	143	158	28	2,517	180	2,083	75	16	526	41	353	87	11	16	47	90	876	14	14
2,132	1,385	926	35	2,191	363	1,983	106	57	1,516	71	252	102	17	44	73	187	999	15	15
1,935	718	443	43	2,582	274	2,232	91	24	1,004	50	391	132	10	24	63	98	1,112	16	16
981	348	419	6	347	64	493	27	9	223	8	29	10	1		8	24	1,167	17	17
504	492	800	3	753	62	669	24	14	224	7	51	17	3	2	9	20	340	18	18
3		2		6	1											1	1	19	19
2	3			8		3			1	1						3	3	20	20
309	180	134	42	222	34	183	12	3	67	11	33	14	1	1	7	35	295	21	21
142	107	90	21	222	13	123	5	3	36	2	27	1			1	6	250	22	22
2,363	2,580	3,124	48	3,000	396	1,552	132	62	1,176	56	196	86	12	23	42	124	1,335	23	23
75	61	67	3	105	17	85	7	2	48	3	10	4		2		11	60	24	24
158	153	154	5	283	29	144	7	3	48	1	20	5			5	46	106	25	25
539	707	802	8	618	81	323	34	16	365	28	47	24		9	9	26	288	26	26
1,006	845	555	16	1,039	143	432	36	22	408	15	76	35	1	7	19	7	65	27	27
47	133	313	3	126	25	106	12	2	70	4	9	3			1	7	65	28	28
344	520	1,036	5	658	77	334	29	11	207	4	24	9		5	3	23	294	29	29
1		2							1								2	30	30
3	1	1															1	31	31
65	72	86	1	35	5	31	3	2	13		6	2			1	2	52	32	32
125	88	108	7	69	14	38	4	4	16	1	4	4				5	78	33	33
3,595	4,644	11,219	251	15,412	1,509	5,517	405	155	4,317	441	1,127	357	88	143	322	433	5,988	34	34
280	222	368	66	4,583	359	1,362	90	21	1,381	208	436	156	42	75	145	153	1,887	35	35
203	204	478	54	4,038	266	1,102	91	26	1,027	157	356	120	31	54	121	109	1,138	36	36
1,268	1,726	3,213	30	2,431	322	960	85	49	865	33	113	39	6	6	29	81	1,143	37	37
967	989	1,524	23	1,530	219	742	47	16	437	28	99	19	4	6	14	40	662	38	38
177	358	1,617	9	695	124	379	34	25	216	5	29	5	1	2	4	13	424	39	39
895	816	3,321	14	1,722	180	813	50	17	322	8	61	12	3	5	5	31	757	40	40
1	1	3															2	41	41
4	4	3															5	42	42
184	204	379	35	204	25	93	7		45		20	6			3	3	289	43	43
120	120	313	20	197	14	64	1	2	24	2	13				1	3	176	44	44

TABLE 2.—DEATHS BY SEX, COLOR, NATIVITY, PARENTAL NATIVITY, AGE PERIODS, BIRTHPLACES OF MOTHERS, REPORTED FROM REGISTRATION SOURCES—Continued.

SEX AND CONJUGAL CONDITION.	Aggregate.	WHITE.				Colored.	All ages.	Under 15	15 to 20	20 to 25	25 to 35	35 to 45
		Total.	Native born.		Foreign born.							
			Both parents native.	One or both parents foreign.								
1 Diseases of the circulatory system.....	26,387	24,850	6,576	2,495	9,202	1,737	26,387	3,253	629	776	1,962	2,645
2 Single.....	M. 3,853	3,598	888	902	696	255	3,853	1,706	295	280	461	350
	F. 3,188	3,016	914	723	533	172	3,188	1,508	289	251	236	187
3 Married.....	M. 6,876	6,496	1,847	523	2,853	380	6,876	4	45	383	855	
	F. 4,843	4,585	1,164	330	2,098	258	4,843	21	135	651	791	
4 Widowed.....	M. 1,975	1,880	570	77	782	95	1,975		1	23	77	
	F. 3,764	3,515	1,005	105	1,612	249	3,764	2	4	34	150	
5 Divorced.....	M. 11	11	6	1	1		11			2	3	
	F. 10	10	6		2		10			3	1	
6 Unknown.....	M. 1,123	959	103	16	407	164	1,123	19	9	31	99	151
	F. 744	580	73	18	218	164	744	20	9	29	70	83
7 Diseases of the digestive system.....	17,994	16,721	3,910	2,705	5,608	1,273	17,994	5,610	502	686	1,774	1,898
8 Single.....	M. 4,292	3,897	955	1,217	451	395	4,292	3,005	239	212	317	190
	F. 3,429	3,110	855	919	347	319	3,429	2,446	218	197	199	99
9 Married.....	M. 3,559	3,415	727	190	1,826	144	3,559	2	44	370	603	
	F. 3,252	3,119	722	265	1,432	133	3,252	29	170	677	696	
10 Widowed.....	M. 728	702	158	28	395	26	728		2	10	42	
	F. 1,647	1,590	421	60	792	57	1,647		3	40	102	
11 Divorced.....	M. 2	2	1	1			2				2	
	F. 4	3	3			1	4				4	
12 Unknown.....	M. 623	520	37	18	234	103	623	74	8	30	90	104
	F. 458	363	31	7	131	95	458	85	6	28	69	55
13 Diseases of the urinary system.....	13,903	13,087	3,132	1,526	5,532	816	13,903	974	263	495	1,521	1,858
14 Single.....	M. 1,944	1,801	414	447	478	143	1,944	526	130	160	325	235
	F. 1,256	1,182	305	316	275	74	1,256	438	103	124	160	127
15 Married.....	M. 4,553	4,329	1,194	283	1,969	224	4,553	3	22	326	609	
	F. 2,625	2,512	540	312	1,177	113	2,625	18	137	528	576	
16 Widowed.....	M. 1,221	1,169	314	73	563	52	1,221		1	21	72	
	F. 1,416	1,353	232	70	793	63	1,416		4	33	96	
17 Divorced.....	M. 5	5	4				5				1	
	F. 1	1	1				1				1	
18 Unknown.....	M. 586	503	56	18	196	83	586	7	3	16	79	88
	F. 296	232	22	7	81	64	296	3	6	11	49	54
19 Diseases of the female organs of generation.....	1,028	924	251	87	302	104	1,028	7	34	81	251	265
20 Single.....	173	153	50	25	32	20	173	7	25	35	27	39
21 Married.....	634	594	163	52	204	40	634	8	38	191	184	
22 Widowed.....	146	128	34	7	52	18	146		1	13	19	
23 Divorced.....												
24 Unknown.....	75	49	4	3	14	26	75		1	7	20	23
25 Suicides.....	2,027	1,985	352	132	932	42	2,027	6	78	178	408	392
26 Single.....	M. 421	408	84	52	156	13	421	5	35	77	141	80
	F. 131	125	25	13	30	6	131	1	36	37	28	14
27 Married.....	M. 803	794	149	39	442	9	803		1	16	117	182
	F. 209	206	36	14	96	3	209		3	21	64	48
28 Widowed.....	M. 161	160	25	4	90	1	161			1	11	15
	F. 62	60	19	4	21	2	62			1	8	5
29 Divorced.....	M. 3	3	1		2		3				1	
	F. 2	2	1				2				1	
30 Unknown.....	M. 192	186	11	1	83	6	192	1	15	30	41	
	F. 43	41	2		12	2	43		2	11	7	7
31 All other causes.....	240,482	222,257	53,114	57,439	43,661	18,225	240,482	141,468	5,586	7,881	14,922	12,602
32 Single.....	M. 89,336	82,698	20,330	29,226	6,084	6,638	89,336	74,830	2,854	3,390	3,686	1,668
	F. 71,834	66,298	16,994	24,040	3,539	5,536	71,834	63,791	2,171	1,464	1,302	574
33 Married.....	M. 25,320	24,006	5,323	1,517	12,073	1,314	25,320	30	565	3,630	4,544	
	F. 19,037	18,061	3,899	1,734	8,303	976	19,037	283	1,506	4,324	3,580	
34 Widowed.....	M. 7,278	6,980	1,761	202	3,476	298	7,278	1	15	142	345	
	F. 15,532	14,979	4,085	463	7,030	853	15,532	8	39	229	509	
35 Divorced.....	M. 35	35	17	2	6		35			2	2	9
	F. 32	30	20	2	3		32			1	5	7
36 Unknown.....	M. 7,319	5,844	364	157	1,978	1,475	7,319	1,570	119	517	1,110	976
	F. 4,759	3,626	321	97	1,169	1,133	4,759	1,277	120	292	492	390

STATISTICS OF DEATHS.

CONJUGAL CONDITION, AND CERTAIN CAUSES OF DEATH, FOR THE CENSUS YEAR ENDED MAY 31, 1890—Continued.

REPORTED FROM REGISTRATION SOURCES—Continued.

45 to 55	55 to 65	65 and over.	Un-known.	BIRTHPLACES OF MOTHERS.															
				United States.	England and Wales.	Ireland.	Scotland.	France.	Germany.	Russia and Poland.	Canada.	Scandinavia.	Hungary.	Bohemia.	Italy.	Other foreign countries.	Un-known.		
3,521	4,391	9,009	141	7,788	986	4,161	282	124	2,478	122	550	149	27	33	108	301	3,497	1	
260	204	269	28	1,140	103	596	31	18	334	32	114	36	5	2	29	78	449	2	
158	175	364	20	1,120	73	551	22	5	226	20	89	32	4	5	12	17	271	3	
1,231	1,627	2,711	20	2,093	329	910	91	50	784	31	125	53	11	9	30	91	906	4	
1,009	1,022	1,189	25	1,361	193	870	57	19	548	26	124	28	3	8	20	54	577	5	
171	323	1,377	3	1,632	95	307	30	15	207	2	15	6	1	3	3	13	351	6	
366	703	2,499	6	1,189	145	793	41	9	319	9	51	4	3	5	9	28	542	7	
4	1	3	3	6	6	1	1	1	1	1	1	1	1	1	1	1	2	8	
1	3	3	3	6	6	1	1	1	1	1	1	1	1	1	1	1	2	9	
200	207	382	25	133	31	81	8	4	41	2	20	9	1	5	18	260	10		
121	126	272	14	108	17	52	2	4	13	11	9	1	1	5	2	189	11		
2,149	2,253	3,052	70	4,984	543	2,634	163	67	1,910	190	431	142	33	32	142	221	1,925	12	
131	91	89	18	1,356	92	471	33	11	424	66	110	42	18	11	44	63	424	13	
79	70	104	17	1,176	79	378	26	5	275	55	115	29	8	9	39	35	321	14	
780	861	887	7	829	131	591	37	21	516	30	69	33	3	6	32	54	375	15	
647	552	469	12	831	126	586	41	17	379	31	79	26	3	2	16	35	365	16	
94	176	402	2	180	34	158	6	3	109	7	7	3	1	2	5	6	76	17	
248	336	913	5	473	65	372	14	6	169	5	22	7	3	2	3	12	207	18	
2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	
112	108	93	4	75	11	41	4	3	25	1	15	1	1	3	9	77	19		
58	57	95	5	58	5	37	2	1	13	2	8	1	1	2	2	80	20		
2,241	2,412	4,084	55	3,723	554	2,854	172	74	1,500	81	203	87	18	34	74	189	1,537	21	
194	148	200	6	514	62	394	17	13	195	18	30	17	2	4	18	58	222	22	
108	87	106	3	382	30	292	9	7	95	10	24	7	1	5	10	18	118	23	
872	981	1,727	13	1,368	227	723	64	27	570	24	67	81	6	13	20	51	516	24	
535	454	367	10	650	100	653	38	15	290	18	44	20	6	7	14	21	229	25	
130	243	750	4	359	56	260	14	5	162	3	14	5	1	1	6	14	156	26	
243	329	705	6	333	57	465	20	5	156	3	16	1	2	3	5	14	132	27	
1	1	2	4	4	4	4	4	4	4	4	4	4	4	4	4	4	4	4	
1	1	2	4	4	4	4	4	4	4	4	4	4	4	4	4	4	4	4	
108	116	162	7	72	14	42	6	2	28	5	8	6	1	1	13	110	28		
49	53	65	6	40	8	25	4	4	4	4	4	4	1	1	1	53	29		
187	108	87	8	310	30	115	13	6	86	6	34	8	2	1	8	9	113	30	
20	12	8	4	62	4	23	2	11	11	8	1	1	2	1	1	23	31		
124	51	34	1	194	23	69	8	4	62	6	21	6	1	8	7	62	32		
32	42	38	1	44	3	19	3	2	11	4	4	1	1	1	1	19	33		
11	3	7	3	10	4	4	4	2	2	1	1	1	1	1	1	9	34		
432	276	232	25	391	64	140	13	9	342	16	40	31	9	9	9	58	351	35	
48	20	9	6	101	13	24	4	2	62	3	7	15	5	2	2	24	75		
8	5	1	1	31	3	11	1	1	18	2	6	2	1	1	1	31	36		
229	154	102	2	156	32	54	6	5	170	7	16	11	3	6	3	24	100		
45	19	9	1	39	3	24	2	2	33	1	6	2	1	1	3	46	37		
39	35	61	2	29	7	20	1	2	30	1	1	1	1	1	2	25	38		
12	12	24	1	20	2	5	1	1	8	1	1	1	1	1	1	12	39		
1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	12		
1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1		
42	26	25	12	11	3	1	1	1	19	2	4	4	4	4	4	4	49		
7	4	1	4	3	3	1	1	1	2	1	1	1	1	1	1	13	30		
11,704	11,943	33,080	1,296	70,234	6,752	30,558	1,813	730	22,003	3,127	7,743	2,746	565	807	2,979	2,851	25,355	31	
1,013	581	959	355	27,912	2,209	9,361	609	246	8,246	1,572	3,374	1,266	276	350	1,413	1,251	8,459	32	
467	453	1,385	227	23,330	1,817	7,065	397	160	6,494	1,209	2,877	927	207	319	1,144	853	6,473	33	
4,638	4,288	7,529	96	6,133	1,043	4,683	300	140	2,946	155	450	247	42	56	210	317	2,023	34	
2,095	2,482	3,938	89	4,622	653	3,679	186	67	1,910	127	537	174	25	42	131	172	2,066	35	
533	993	5,158	31	1,980	319	1,519	108	40	779	18	112	29	6	7	27	49	1,152	36	
1,129	2,110	11,464	44	4,745	525	3,408	198	54	1,293	24	204	50	8	28	28	96	2,174	37	
5	8	9	1	19	1	3	1	1	2	1	1	1	1	1	1	1	9	38	
9	3	6	2	22	2	2	2	2	2	2	2	2	2	2	2	2	3	39	
813	625	1,293	296	777	111	438	22	19	221	16	101	38	1	3	23	97	1,372	40	
342	400	1,289	157	685	44	310	12	4	112	6	88	15	1	2	8	16	724	41	

TABLE 3.

DEATHS IN THE UNITED STATES, IN EACH REGISTRATION STATE, AND IN THE RURAL PART OF EACH REGISTRATION STATE, BY AGE PERIODS AND CERTAIN CAUSES OF DEATH, WITH DISTINCTION OF CONJUGAL CONDITION, SEX, COLOR, NATIVITY, PARENTAL NATIVITY, AND BIRTHPLACES OF MOTHERS, FOR THE CENSUS YEAR ENDED MAY 31, 1890.

VITAL AND SOCIAL STATISTICS.

TABLE 3.—DEATHS BY SEX, CONJUGAL CONDITION, AGE PERIODS, AND THE UNITED STATES.

COLOR AND GENERAL NATIVITY.		AGE.									
		All ages.	Under 15	15 to 20	20 to 25	25 to 35	35 to 45	45 to 55	55 to 65	65 and over.	Un-known.
1	Total.....	875,521	367,187	34,384	44,569	78,464	68,010	63,968	65,975	143,560	9,404
2	Single.....	M. 265,614 F. 214,496	195,668 167,767	15,684 15,472	16,983 9,792	16,260 7,027	7,059 3,475	4,358 2,431	3,029 2,138	4,900 4,595	1,714 1,198
3	Married.....	M. 187,009 F. 118,083	7 9 5	199 2,220	3,155 10,050	17,844 26,901	22,154 23,992	24,155 18,819	25,491 15,666	43,432 19,278	1,070 1,152
4	Widowed.....	M. 29,415 F. 56,803	2 56	2 277	89 1,361	681 1,361	1,488 2,568	2,530 5,280	4,331 9,004	20,098 37,919	201 338
5	Divorced.....	M. 604 F. 530	4 4	36 2	71 36	85 112	108 89	102 102	112 75	200 104	12 8
6	Unknown.....	M. 31,688 F. 21,279	2,026 1,712	277 518	2,312 1,855	5,030 3,077	4,488 2,612	3,889 2,301	3,811 2,318	7,514 5,516	2,341 1,370
7	White.....	758,660	314,043	26,901	36,213	67,242	58,531	56,013	60,066	132,098	7,553
8	Single.....	M. 228,480 F. 181,887	168,642 142,976	12,506 11,988	14,166 8,034	14,398 6,522	6,189 3,005	3,873 2,197	2,779 1,974	4,536 4,242	1,391 949
9	Married.....	M. 122,656 F. 104,241	6 2 2	144 1,712	2,424 8,245	14,908 23,279	19,468 20,701	21,822 16,649	23,372 14,528	40,067 18,042	885 903
10	Widowed.....	M. 27,139 F. 51,297	2 35	2 201	68 1,097	582 1,304	1,304 2,050	2,256 4,527	3,978 8,111	18,786 35,111	163 265
11	Divorced.....	M. 538 F. 450	3 3	26 17	88 51	70 75	91 01	69 01	69 184	98 188	7 11
12	Unknown.....	M. 25,717 F. 16,255	1,339 1,078	177 333	1,691 1,341	4,019 2,298	3,633 1,946	3,181 1,763	3,258 1,893	6,537 4,593	1,879 1,010
13	Native born.....	596,086	302,698	23,595	28,912	49,499	37,251	31,453	33,091	85,332	4,255
14	Single.....	M. 205,943 F. 168,911	162,777 137,517	10,950 10,599	11,324 6,706	10,843 5,239	3,631 2,200	1,913 1,493	1,372 1,274	2,686 3,127	947 756
15	Married.....	M. 77,313 F. 71,825	6 1 1	131 1,507	1,981 6,731	10,896 17,044	11,910 14,399	11,789 10,365	13,207 8,614	26,895 11,655	498 609
16	Widowed.....	M. 15,856 F. 31,951	1 27	1 155	55 817	432 1,294	767 1,294	1,059 2,305	1,833 4,238	11,634 22,994	75 151
17	Divorced.....	M. 400 F. 379	1 3	14 3	41 26	79 79	56 58	69 78	70 54	142 76	7 5
18	Unknown.....	M. 13,710 F. 9,798	1,330 1,067	130 246	1,034 886	2,208 1,500	1,792 1,174	1,435 947	1,498 931	3,560 2,563	723 484
19	Both parents native.....	310,856	142,715	12,981	14,683	23,829	20,573	19,102	21,067	54,117	1,789
20	Single.....	M. 98,891 F. 82,816	77,232 65,416	5,989 5,880	5,743 3,383	4,300 2,509	1,652 1,253	988 972	800 877	1,738 2,156	449 370
21	Married.....	M. 49,239 F. 44,757	2 1 1	89 965	1,233 3,885	5,836 9,856	6,949 8,979	7,554 7,008	8,947 5,997	18,331 7,788	307 273
22	Widowed.....	M. 9,606 F. 20,274	1 18	1 87	24 391	200 391	398 645	558 1,392	1,057 2,639	7,328 14,970	40 82
23	Divorced.....	M. 256 F. 273	1 3	13 20	29 52	29 46	31 46	47 64	42 39	90 48	3 1
24	Unknown.....	M. 2,604 F. 2,140	31 33	10 34	135 160	355 301	333 287	289 230	302 257	942 726	147 112
25	One or both parents foreign.....	128,668	89,171	5,821	7,243	11,802	5,405	2,647	1,849	4,385	345
26	Single.....	M. 59,245 F. 48,056	48,313 40,769	2,834 2,748	3,277 2,058	3,415 1,575	795 415	209 140	108 83	162 171	132 97
27	Married.....	M. 7,827 F. 9,117	2 1 196	19 1,340	363 1,840	2,429 3,785	1,757 1,934	1,045 840	761 440	1,427 548	24 34
28	Widowed.....	M. 1,209 F. 2,156	5 5	9 33	9 189	125 208	138 208	128 203	195 258	668 1,255	6 5
29	Divorced.....	M. 27 F. 27	1 3	1 3	6 13	7 13	5 4	3 3	5 1	7 2	1 1
30	Unknown.....	M. 598 F. 406	46 41	5 14	85 74	166 99	97 52	44 32	39 19	87 58	29 17
31	Foreign born.....	140,071	6,600	2,659	6,100	15,263	18,919	22,592	24,952	42,002	1,074
32	Single.....	M. 17,789 F. 9,785	3,340 3,239	1,237 1,131	2,464 1,185	3,594 1,155	2,275 731	1,769 633	1,288 647	1,655 995	137 49
33	Married.....	M. 42,627 F. 29,852	1 1 160	12 1,939	409 4,837	3,697 4,837	7,115 5,911	9,134 5,904	9,699 5,007	12,365 5,928	193 165
34	Widowed.....	M. 10,529 F. 18,038	7 40	1 12	12 40	138 250	512 738	1,120 2,130	2,039 3,696	6,657 11,113	50 59
35	Divorced.....	M. 109 F. 54	1 1	2 3	7 13	7 13	5 4	3 3	5 1	7 2	1 1
36	Unknown.....	M. 7,451 F. 3,837	9 11 26	26 55	402 247	1,121 456	1,144 470	1,238 531	1,267 664	1,956 1,275	283 128
37	Colored.....	116,861	53,114	7,483	8,356	11,222	9,479	7,955	5,909	11,462	1,851
38	Single.....	M. 87,134 F. 32,609	27,026 24,791	3,123 3,484	2,817 1,759	1,862 1,105	870 470	485 234	250 164	373 353	323 249
39	Married.....	M. 14,353 F. 13,842	3 3 508	55 1,805	731 3,622	2,436 3,622	2,686 3,201	2,773 2,170	2,119 1,136	3,865 1,236	185 159
40	Widowed.....	M. 2,276 F. 5,506	21 21	21 76	99 264	184 518	184 753	274 893	353 2,908	1,307 3,908	38 73
41	Divorced.....	M. 66 F. 80	1 1	2 10	20 24	20 19	10 11	12 8	8 6	12 1	1 1
42	Unknown.....	M. 5,971 F. 5,024	687 684	100 185	621 514	1,011 779	855 666	705 538	553 425	977 923	462 360

VITAL AND SOCIAL STATISTICS.

TABLE 3.—DEATHS BY SEX, CONJUGAL CONDITION, AGE PERIODS, AND CERTAIN

THE UNITED STATES—Continued.

BIRTHPLACES OF MOTHERS.		AGE.									
		All ages.	Under 15	15 to 20	20 to 25	25 to 35	35 to 45	45 to 55	55 to 65	65 and over.	Un-known.
1	United States.....	431,690	204,087	20,610	22,777	34,174	28,796	26,023	26,564	65,499	3,160
2	Single.....	M. 140,499 F. 119,656	M. 109,335 F. 94,319	M. 9,245 F. 9,516	M. 8,591 F. 5,191	M. 5,952 F. 3,601	M. 2,228 F. 1,704	M. 1,804 F. 1,178	M. 1,001 F. 1,088	M. 2,106 F. 2,518	M. 737 F. 591
3	Married.....	M. 63,463 F. 59,041	M. 6 F. 4	M. 132 F. 1,490	M. 1,946 F. 5,768	M. 8,223 F. 13,594	M. 9,465 F. 12,197	M. 10,180 F. 9,198	M. 11,093 F. 7,233	M. 21,956 F. 9,148	M. 462 F. 409
4	Widowed.....	M. 11,832 F. 25,669	M. 1 F. 37	M. 43 F. 160	M. 291 F. 631	M. 553 F. 1,059	M. 780 F. 2,044	M. 1,370 F. 3,537	M. 8,722 F. 18,069	M. 72 F. 132	
5	Divorced.....	M. 327 F. 359	M. 2 F. 4	M. 15 F. 29	M. 49 F. 80	M. 45 F. 63	M. 59 F. 77	M. 50 F. 46	M. 102 F. 57	M. 5 F. 3	
6	Unknown.....	M. 5,845 F. 4,989	M. 216 F. 207	M. 45 F. 138	M. 541 F. 493	M. 953 F. 800	M. 776 F. 706	M. 656 F. 547	M. 693 F. 503	M. 1,556 F. 1,265	M. 409 F. 340
7	England and Wales.....	21,991	6,686	592	905	1,840	2,036	2,158	2,427	5,215	132
8	Single.....	M. 5,389 F. 3,999	M. 3,608 F. 3,073	M. 284 F. 292	M. 400 F. 197	M. 406 F. 170	M. 216 F. 86	M. 167 F. 48	M. 124 F. 53	M. 166 F. 103	M. 18 F. 7
9	Married.....	M. 5,026 F. 3,482	M. 9 F. 33	M. 63 F. 189	M. 449 F. 651	M. 786 F. 700	M. 925 F. 617	M. 1,064 F. 552	M. 1,707 F. 718	M. 23 F. 22	
10	Widowed.....	M. 1,256 F. 1,821	M. 2 F. 2	M. 25 F. 9	M. 44 F. 31	M. 56 F. 56	M. 145 F. 145	M. 286 F. 276	M. 1,288 F. 901	M. 9 F. 4	
11	Divorced.....	M. 5 F. 666	M. 1 F. 2	M. 1 F. 23	M. 2 F. 72	M. 4 F. 104	M. 5 F. 115	M. 2 F. 112	M. 11 F. 204	M. 2 F. 34	
12	Unknown.....	M. 320 F. 76	M. 3 F. 2	M. 2 F. 1	M. 22 F. 7	M. 33 F. 10	M. 40 F. 10	M. 37 F. 10	M. 53 F. 8	M. 115 F. 29	
13	Scotland.....	5,994	1,564	159	237	538	569	666	659	1,579	23
14	Single.....	M. 1,432 F. 990	M. 869 F. 692	M. 80 F. 74	M. 97 F. 51	M. 130 F. 82	M. 85 F. 29	M. 60 F. 24	M. 46 F. 14	M. 59 F. 42	M. 6 F. 2
15	Married.....	M. 1,425 F. 938	M. 3 F. 3	M. 18 F. 56	M. 121 F. 187	M. 210 F. 180	M. 278 F. 179	M. 288 F. 141	M. 506 F. 188	M. 4 F. 4	
16	Widowed.....	M. 385 F. 560	M. 1 F. 3	M. 1 F. 3	M. 6 F. 4	M. 13 F. 17	M. 42 F. 2	M. 47 F. 1	M. 273 F. 415	M. 1 F. 1	
17	Divorced.....	M. 8 F. 2	M. 1 F. 1	M. 1 F. 4	M. 10 F. 9	M. 19 F. 10	M. 28 F. 10	M. 36 F. 8	M. 63 F. 29	M. 4 F. 4	
18	Unknown.....	M. 175 F. 76	M. 1 F. 2	M. 1 F. 1	M. 4 F. 7	M. 10 F. 9	M. 19 F. 10	M. 28 F. 10	M. 36 F. 8	M. 63 F. 29	
19	Ireland.....	72,724	16,565	2,431	4,451	9,264	7,958	8,755	8,852	14,109	339
20	Single.....	M. 18,324 F. 13,488	M. 8,856 F. 7,682	M. 1,175 F. 1,160	M. 2,095 F. 1,364	M. 2,989 F. 1,290	M. 1,204 F. 592	M. 786 F. 418	M. 503 F. 399	M. 661 F. 553	M. 55 F. 30
21	Married.....	M. 13,965 F. 11,826	M. 9 F. 65	M. 9 F. 631	M. 186 F. 2,635	M. 1,700 F. 2,500	M. 2,504 F. 2,512	M. 3,012 F. 1,928	M. 2,831 F. 1,928	M. 3,661 F. 1,701	M. 60 F. 54
22	Widowed.....	M. 4,084 F. 8,199	M. 5 F. 2	M. 5 F. 19	M. 106 F. 182	M. 306 F. 500	M. 306 F. 500	M. 568 F. 1,215	M. 876 F. 1,803	M. 2,211 F. 4,448	M. 12 F. 30
23	Divorced.....	M. 21 F. 23	M. 4 F. 11	M. 2 F. 4	M. 2 F. 87	M. 4 F. 246	M. 4 F. 224	M. 5 F. 272	M. 6 F. 314	M. 3 F. 529	M. 1 F. 67
24	Unknown.....	M. 1,754 F. 1,040	M. 11 F. 16	M. 4 F. 16	M. 87 F. 65	M. 246 F. 111	M. 224 F. 118	M. 272 F. 164	M. 314 F. 187	M. 529 F. 336	M. 67 F. 29
25	Germany.....	66,979	24,595	1,951	2,880	6,110	5,727	5,869	7,101	12,407	339
26	Single.....	M. 18,806 F. 13,701	M. 13,355 F. 11,228	M. 989 F. 866	M. 1,199 F. 639	M. 1,370 F. 425	M. 644 F. 156	M. 382 F. 107	M. 347 F. 93	M. 444 F. 156	M. 76 F. 31
27	Married.....	M. 14,347 F. 9,953	M. 5 F. 76	M. 5 F. 675	M. 207 F. 675	M. 1,674 F. 2,184	M. 2,426 F. 1,892	M. 2,756 F. 1,592	M. 3,184 F. 1,669	M. 4,040 F. 1,820	M. 55 F. 45
28	Widowed.....	M. 3,163 F. 4,477	M. 7 F. 1	M. 7 F. 18	M. 50 F. 99	M. 132 F. 159	M. 132 F. 159	M. 283 F. 407	M. 560 F. 826	M. 2,110 F. 2,956	M. 21 F. 11
29	Divorced.....	M. 41 F. 27	M. 3 F. 8	M. 3 F. 5	M. 6 F. 73	M. 3 F. 188	M. 3 F. 213	M. 3 F. 242	M. 14 F. 276	M. 13 F. 548	M. 1 F. 71
30	Unknown.....	M. 1,624 F. 840	M. 8 F. 4	M. 5 F. 9	M. 73 F. 60	M. 188 F. 105	M. 213 F. 100	M. 242 F. 94	M. 276 F. 128	M. 548 F. 311	M. 71 F. 29
31	Canada.....	16,912	9,188	733	920	1,542	1,166	990	845	1,395	133
32	Single.....	M. 6,217 F. 5,166	M. 4,915 F. 4,245	M. 344 F. 337	M. 333 F. 244	M. 356 F. 170	M. 116 F. 71	M. 46 F. 32	M. 52 F. 14	M. 99 F. 37	M. 16 F. 16
33	Married.....	M. 1,917 F. 2,151	M. 5 F. 45	M. 5 F. 242	M. 57 F. 196	M. 302 F. 596	M. 333 F. 461	M. 387 F. 365	M. 343 F. 219	M. 438 F. 209	M. 7 F. 14
34	Widowed.....	M. 325 F. 613	M. 1 F. 3	M. 1 F. 3	M. 13 F. 21	M. 37 F. 35	M. 37 F. 63	M. 42 F. 115	M. 42 F. 368	M. 209 F. 368	M. 2 F. 5
35	Divorced.....	M. 8 F. 5	M. 1 F. 1	M. 1 F. 2	M. 1 F. 2	M. 1 F. 2	M. 1 F. 2	M. 1 F. 2	M. 1 F. 2	M. 1 F. 2	M. 1 F. 1
36	Unknown.....	M. 316 F. 194	M. 15 F. 13	M. 1 F. 3	M. 22 F. 18	M. 52 F. 29	M. 51 F. 27	M. 44 F. 13	M. 41 F. 18	M. 57 F. 34	M. 33 F. 39
37	France.....	2,640	638	53	103	227	261	300	325	713	15
38	Single.....	M. 646 F. 397	M. 340 F. 297	M. 30 F. 18	M. 41 F. 26	M. 66 F. 51	M. 39 F. 110	M. 40 F. 137	M. 32 F. 149	M. 56 F. 224	M. 2 F. 3
39	Married.....	M. 681 F. 358	M. 2 F. 2	M. 21 F. 2	M. 21 F. 5	M. 59 F. 1	M. 60 F. 12	M. 66 F. 18	M. 56 F. 31	M. 90 F. 127	M. 4 F. 2
40	Widowed.....	M. 180 F. 192	M. 1 F. 1	M. 1 F. 1	M. 1 F. 1	M. 1 F. 1	M. 1 F. 1	M. 1 F. 1	M. 1 F. 1	M. 1 F. 1	M. 1 F. 1
41	Divorced.....	M. 5 F. 1	M. 1 F. 1	M. 1 F. 1	M. 1 F. 1	M. 1 F. 1	M. 1 F. 1	M. 1 F. 1	M. 1 F. 1	M. 1 F. 1	M. 1 F. 1
42	Unknown.....	M. 130 F. 50	M. 1 F. 3	M. 1 F. 3	M. 7 F. 3	M. 19 F. 4	M. 20 F. 4	M. 15 F. 6	M. 19 F. 8	M. 46 F. 22	M. 3 F. 3

STATISTICS OF DEATHS.

CAUSES OF DEATH, FOR THE CENSUS YEAR ENDED MAY 31, 1890—Continued.

THE UNITED STATES—Continued.

CAUSE OF DEATH.														
All causes.	Alcoholism.	Consumption.	Cancer and tumor.	Suicide.	General diseases A.	Diseases of the nervous system.	Diseases of the circulatory system.	Diseases of the respiratory system.	Diseases of the digestive system.	Diseases of the urinary system.	Diseases of the female organs of generation.	Accidents and injuries.	All other causes.	Unknown.
431,690	602	48,009	9,034	1,212	103,299	42,295	21,271	67,907	19,070	9,332	1,640	19,039	65,836	23,144
140,499	167	9,044	457	322	43,336	13,123	2,934	22,776	5,771	1,253	320	8,529	23,691	9,096
119,656	11	10,459	771	113	39,621	11,152	2,632	18,632	4,758	798	320	3,480	18,990	7,919
63,463	300	9,351	2,147	485	7,990	6,983	6,212	10,706	3,402	3,974	4,446	4,446	5,482	1,985
59,041	26	13,484	3,416	130	7,337	4,706	4,582	7,810	2,943	1,453	1,082	958	9,047	2,017
11,832	60	1,054	370	67	1,003	1,618	1,388	1,856	516	880	410	2,220	2,220	890
25,669	6	2,490	1,519	37	2,336	3,658	2,690	4,518	1,190	630	160	554	4,949	932
327	7	67	13	1	38	37	28	45	14	14	28	28	23	12
359	2	81	28	7	40	38	21	47	18	7	6	8	38	18
5,845	20	961	114	38	864	535	417	867	276	235	532	532	603	383
4,999	3	1,018	199	12	684	445	367	650	182	88	72	94	793	392
21,991	103	2,185	773	127	3,905	2,565	1,716	3,744	1,036	889	58	1,248	3,243	399
5,389	29	415	34	28	1,473	597	181	914	185	95	446	446	903	89
3,999	3	320	39	3	1,362	436	116	644	140	45	93	93	709	79
5,026	32	607	206	58	436	594	573	906	234	397	441	416	416	76
3,482	6	522	283	15	302	380	363	547	217	135	42	84	529	52
1,256	12	99	35	9	82	196	156	224	53	99	57	57	200	34
1,821	3	111	119	3	144	267	218	342	103	66	5	56	364	40
27	2	4	2	2	2	2	5	2	3	1	1	1	3	1
5	1	1	1	1	1	1	1	1	1	1	1	1	1	1
666	16	69	20	8	69	59	73	111	35	40	1	85	61	1
320	37	32	32	1	34	34	30	54	16	11	1	5	57	8
5,994	40	772	234	30	954	667	480	1,004	295	285	22	304	848	119
1,432	13	149	14	9	346	134	50	240	55	34	128	228	32	
990	15	110	13	1	330	119	35	151	40	12	21	140	13	
1,425	4	180	74	10	107	168	176	253	87	120	88	107	35	
938	3	170	62	4	87	91	97	129	62	48	13	146	12	
388	3	32	17	3	25	53	50	61	14	25	17	76	12	
560	2	36	33	1	34	77	50	122	23	23	4	17	124	
8	2	1	1	1	2	5	1	1	1	1	1	1	1	
2	3	21	7	2	17	14	19	26	9	15	1	18	7	
175	14	9	9	2	8	9	2	14	2	8	2	7	1	
76	14	9	9	2	8	9	2	14	2	8	2	7	1	
72,724	636	12,767	2,102	224	10,199	6,858	5,310	13,487	3,284	3,336	156	3,743	9,738	884
18,394	200	3,359	124	40	3,774	1,635	740	3,086	565	461	1,427	2,702	211	
13,488	25	2,483	101	15	3,496	1,247	626	2,186	428	308	277	2,095	111	
13,965	184	2,448	511	97	1,290	958	1,300	3,022	315	928	1,209	1,025	178	
11,826	86	2,448	642	31	874	964	1,109	2,102	719	712	95	256	1,404	
4,084	47	558	146	26	241	486	377	791	193	318	194	647	60	
8,199	35	744	402	6	591	970	915	1,797	424	491	177	1,507	115	
21	1	5	1	1	2	5	1	1	1	1	5	2	1	
23	1	1	1	1	2	1	3	8	1	1	1	1	1	
1,754	48	300	58	4	171	157	151	310	78	83	173	187	34	
1,040	10	186	57	4	90	103	88	184	60	34	24	168	26	
66,979	241	7,672	2,203	653	13,514	6,926	4,234	10,826	3,461	2,290	178	3,049	10,234	1,498
18,806	68	1,578	115	120	5,599	2,040	516	2,933	790	290	1,084	3,219	454	
13,701	4	910	80	35	5,057	1,504	334	2,105	522	132	21	290	2,394	
14,347	116	2,393	700	319	1,170	1,475	1,408	2,483	926	912	1,050	1,134	261	
9,953	8	1,766	751	58	934	772	960	1,487	632	409	130	1,601	226	
3,163	20	337	132	55	177	368	320	537	186	250	185	582	64	
4,477	7	357	297	12	295	500	465	888	253	186	17	97	92	
41	7	6	6	1	3	3	7	4	3	2	3	1	1	
27	3	3	3	1	5	5	2	4	4	1	3	2	2	
1,624	17	218	63	48	174	160	128	276	94	84	146	164	52	
840	1	103	59	6	100	90	74	109	55	24	22	155	33	
16,912	39	2,054	329	69	4,282	1,524	780	2,609	635	327	60	690	2,926	588
6,217	14	440	23	13	1,956	575	170	969	168	44	351	1,263	231	
5,166	8	487	29	8	1,828	458	118	835	161	30	79	941	180	
1,917	18	365	77	31	1,677	178	180	298	116	123	159	156	44	
2,151	3	566	129	6	1,934	149	172	291	117	69	47	334	35	
325	1	41	16	3	26	39	25	46	11	20	15	74	8	
613	1	69	35	2	42	84	68	111	20	21	15	117	13	
8	1	1	1	1	1	1	1	1	1	1	1	1	1	
5	1	1	1	1	1	1	1	1	1	1	1	1	1	
316	2	44	13	5	41	26	34	34	21	14	20	1	34	
194	1	40	7	1	27	14	11	23	11	11	3	12	43	
2,640	11	307	94	19	388	293	222	450	137	108	12	133	399	67
646	1	66	4	7	146	53	32	108	23	18	42	133	14	
397	5	35	0	6	118	38	8	78	10	8	9	62	21	
931	5	101	24	6	60	39	82	123	40	43	44	54	11	
358	1	50	30	1	9	34	33	51	25	17	7	61	9	
180	1	12	3	4	31	30	25	32	9	7	9	33	3	
192	1	19	16	1	12	24	21	31	10	6	6	40	2	
5	1	1	1	1	1	1	1	1	1	1	1	1	1	
1	1	1	1	1	1	1	1	1	1	1	1	1	1	
130	2	16	3	1	10	8	15	21	18	7	15	10	5	
50	1	6	5	1	2	11	6	5	3	1	2	6	2	

VITAL AND SOCIAL STATISTICS.

TABLE 3.—DEATHS BY SEX, CONJUGAL CONDITION, AGE PERIODS, AND CERTAIN

PLACE BORN IN STATES—Continued.

BIRTHPLACES OF MOTHERS.		AGE.									
		All ages.	Under 15	15 to 20	20 to 25	25 to 35	35 to 45	45 to 55	55 to 65	65 and over	Un-known.
1	Scandinavia.....	14,659	6,958	594	928	1,770	1,213	857	811	1,415	113
2	Single.....	M 5,894	3,747	277	423	500	155	90	62	66	34
	F 3,934	3,169	296	195	171	57	23	12	16	15	
3	Married.....	M 2,034	1,366	2	46	363	424	378	359	453	9
	F 1,947	1,315	15	190	562	445	245	200	248	12	
4	Widowed.....	M 315	7	20	22	52	216	1
	F 427	1	3	107	24	20	58	295	
5	Divorced.....	M 9	1	1	2	4	
	F 6	2	2	
6	Unknown.....	M 461	2	1	51	108	37	57	45	76	34
	F 159	2	26	41	18	12	19	39	8	
7	Russia and Poland.....	6,225	4,897	135	201	439	337	252	186	258	20
8	Single.....	M 2,727	2,440	64	95	111	37	16	8	15	1
	F 2,077	1,356	58	30	18	3	5	3	2	2	
9	Married.....	M 1600	1	16	130	149	128	89	85	2
	F 469	31	47	144	109	70	44	43	1	
10	Widowed.....	M 358	2	4	4	12	36
	F 538	4	3	10	17	54
11	Divorced.....	M 1
	F 109	1	10	26	1	13	10	14	11	
12	Unknown.....	M 36	1	3	4	7	6	3	9	3
	F 109	
13	Bohemia.....	2,213	1,294	68	78	171	141	113	120	212	11
14	Single.....	M 793	659	31	39	21	13	6	3	4	1
	F 634	405	33	19	14	11	3	4	4	1	
15	Married.....	M 385	1	6	61	60	52	52	89
	F 219	3	19	62	48	24	30	36	3	
16	Widowed.....	M 42	1	2	7	7	25
	F 81	3	4	8	16	49	1
17	Divorced.....	M 1
	F 30	2	8	5	6	4	7	3	
18	Unknown.....	M 28	2	6	6	4	4	4	2
	F 28	
19	Hungary.....	1,017	638	33	47	119	56	55	22	32	15
20	Single.....	M 460	361	22	24	30	10	7	1	1	4
	F 299	277	10	10	1	1	1	
21	Married.....	M 128	3	44	24	31	10	14	2
	F 70	1	9	28	13	12	4	3	7	
22	Widowed.....	M 11	1	1	2	1	1	7
	F 20	
23	Divorced.....	M 1
	F 25	
24	Unknown.....	M 4	13	5	2	5
	F 4	1	
25	Italy.....	4,363	2,930	75	159	369	320	198	130	155	27
26	Single.....	M 1,895	1,558	39	79	99	61	33	12	11	3
	F 1,432	1,372	25	11	6	6	3	2	2	5	
27	Married.....	M 469	17	122	120	88	65	52	5
	F 322	10	45	93	99	31	23	23	21	
28	Widowed.....	M 61	1	3	10	13	10	26	1
	F 38	2	4	14	12	36	
29	Divorced.....	M 1
	F 104	5	40	20	16	3	7	13	
30	Unknown.....	M 3	1	1	3
	F 3	
31	Others.....	10,068	3,893	321	485	1,134	1,156	802	797	1,286	104
32	Single.....	M 3,632	2,005	166	213	419	371	183	83	89	19
	F 2,159	1,796	128	88	797	33	15	11	19	5	
33	Married.....	M 1,739	3	36	245	322	372	320	415	15
	F 1,144	102	268	239	149	169	182	13	
34	Widowed.....	M 307	8	16	17	59	204	3
	F 461	1	2	15	25	54	32	281	1	
35	Divorced.....	M 6	1
	F 2	
36	Unknown.....	M 405	1	27	39	113	82	51	63	39
	F 147	1	13	21	26	19	18	32	9	
37	Unknown.....	116,115	34,363	3,642	5,375	11,304	10,142	9,211	10,080	27,403	4,292
38	Single.....	M 27,556	18,422	1,640	1,735	2,070	1,056	716	495	849	523
	F 20,732	15,773	1,473	797	722	375	265	254	683	335	
39	Married.....	M 17,722	2	39	289	1,377	2,560	2,696	6,732	351
	F 15,233	299	1,487	3,273	2,331	2,184	1,961	2,992	496	
40	Widowed.....	M 4,937	11	89	158	363	3,672	65
	F 8,316	4	32	170	332	311	1,121	6,416	130	
41	Divorced.....	M 143	7	56	4
	F 32	
42	Unknown.....	M 12,337	32	56	385	1,318	1,702	1,398	1,497	3,519	1,540
	F 8,227	154	351	734	1,170	1,007	308	911	2,450	842	

STATISTICS OF DEATHS.

CAUSES OF DEATH, FOR THE CENSUS YEAR ENDED MAY 31, 1890—Continued.

THE UNITED STATES—Continued.

CAUSE OF DEATH.															
All causes.	Alcoholism.	Consumption.	Cancer and tumor.	Suicide.	General diseases A.	Diseases of the nervous system.	Diseases of the circulatory system.	Diseases of the respiratory system.	Diseases of the digestive system.	Diseases of the urinary system.	Diseases of the female organs of generation.	Accidents and injuries.	All other causes.	Unknown.	
14,659	36	1,887	321	122	3,951	1,011	475	2,338	677	256	28	832	1,939	786	1
5,394	8	471	30	40	1,845	397	97	860	224	46	-----	364	697	315	2
3,934	1	352	17	8	1,523	317	76	630	153	21	3	86	493	254	3
2,034	18	355	90	48	217	127	183	365	115	101	-----	244	152	69	4
1,917	3	507	113	10	307	83	97	257	111	40	22	33	371	63	5
318	2	34	7	3	27	21	23	64	16	17	-----	15	66	23	6
427	-----	59	34	3	30	29	19	77	18	9	3	7	103	36	7
9	-----	1	-----	-----	3	1	1	2	-----	-----	-----	-----	1	-----	8
6	-----	1	-----	-----	1	1	-----	2	-----	-----	-----	-----	1	-----	9
461	4	73	20	9	65	31	24	58	29	20	-----	78	30	20	10
159	-----	34	10	1	34	4	5	23	11	2	-----	5	25	5	11
6,225	8	385	80	23	1,682	581	166	998	313	99	8	370	1,247	265	12
2,787	3	98	3	6	323	272	40	477	125	19	-----	165	622	134	13
2,077	-----	65	2	2	743	206	27	347	93	10	-----	67	431	84	14
600	4	104	35	11	65	43	48	85	40	30	-----	81	41	13	15
469	-----	60	23	1	38	37	34	57	41	21	7	20	106	15	16
58	-----	10	5	1	1	6	4	7	1	5	-----	3	13	2	17
88	-----	9	5	-----	4	8	10	10	6	4	1	6	21	4	18
1	-----	1	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	19
109	1	25	2	2	6	6	3	11	2	8	-----	27	7	9	20
36	-----	4	5	-----	2	3	-----	4	5	2	-----	1	6	4	21
2,213	7	194	46	24	551	213	67	337	103	47	2	114	397	111	22
793	-----	45	1	5	238	92	6	126	35	6	-----	34	158	47	23
684	-----	31	-----	-----	253	76	10	107	19	5	-----	22	121	40	24
335	7	63	19	17	21	19	19	53	24	19	-----	30	34	10	25
219	-----	37	14	-----	23	14	13	29	9	8	2	10	48	12	26
42	-----	4	1	1	5	5	5	1	5	1	-----	5	8	1	27
81	-----	5	6	1	6	3	9	15	6	4	-----	5	21	-----	28
1	-----	-----	-----	-----	1	1	-----	-----	-----	-----	-----	-----	-----	-----	29
30	-----	6	2	-----	2	2	3	3	3	2	-----	5	1	1	30
28	-----	3	3	-----	3	1	2	2	2	2	-----	3	6	-----	31
1,017	-----	71	17	12	235	98	30	181	38	21	2	86	194	32	32
460	-----	21	2	6	113	47	7	85	20	2	-----	32	108	17	33
299	-----	12	2	-----	193	35	4	54	9	1	-----	14	60	6	34
128	-----	20	10	3	8	5	12	22	4	7	-----	28	7	1	35
70	-----	11	2	3	5	6	3	7	4	6	2	3	16	3	36
11	-----	1	-----	-----	1	1	1	4	1	1	-----	-----	1	-----	37
20	-----	3	-----	-----	3	3	3	7	2	2	-----	-----	2	-----	38
25	-----	2	1	-----	4	1	-----	2	-----	-----	-----	9	-----	4	39
4	-----	1	-----	-----	1	-----	-----	-----	-----	-----	-----	-----	-----	2	40
4,363	6	326	47	13	961	356	124	1,145	158	79	8	271	830	39	41
1,895	-----	96	4	3	471	163	37	508	52	19	-----	123	399	20	42
1,432	-----	50	5	1	408	127	14	417	40	10	-----	22	330	8	43
469	4	81	11	4	37	32	31	116	35	21	-----	84	13	6	44
322	-----	68	20	2	20	16	21	60	19	16	8	6	64	2	45
64	1	8	1	1	7	5	3	19	6	7	-----	1	4	1	46
68	-----	19	3	1	5	6	9	16	3	5	-----	1	9	-----	47
1	-----	1	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	48
104	1	11	3	1	13	6	9	14	3	-----	-----	33	8	2	49
8	-----	1	-----	-----	-----	1	-----	1	-----	1	-----	1	3	-----	50
10,068	32	1,335	253	95	2,147	814	528	1,676	460	278	23	593	1,440	394	51
3,638	10	471	21	33	945	293	116	592	137	75	-----	264	507	169	52
2,159	-----	169	11	1	816	179	33	369	72	21	2	51	367	68	53
1,730	13	307	96	36	151	157	159	293	106	83	-----	136	145	57	54
1,144	-----	216	59	4	112	83	98	168	78	34	16	24	225	27	55
307	2	38	15	5	20	29	33	56	15	28	-----	14	43	9	56
461	-----	35	36	1	38	47	53	86	27	17	-----	10	91	15	57
6	-----	1	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	1	58
2	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	59
465	6	69	6	9	49	16	26	90	18	20	-----	90	35	31	60
147	1	29	9	-----	16	10	9	22	5	-----	-----	3	22	17	61
116,115	491	13,242	3,206	765	22,865	13,352	7,578	16,771	5,225	3,502	411	6,609	17,334	4,764	62
27,556	122	2,102	126	152	8,030	3,014	852	3,939	1,009	403	-----	2,081	4,553	1,173	63
20,712	15	1,643	174	47	6,973	2,351	526	2,878	767	133	-----	572	3,599	924	64
17,732	131	2,223	617	209	1,335	2,395	1,863	2,757	914	1,142	-----	1,396	1,648	582	65
15,283	22	3,005	861	92	1,887	1,451	1,236	2,048	856	438	213	219	2,342	510	66
4,997	32	355	152	45	417	771	578	734	202	312	-----	138	1,043	163	67
8,816	11	785	535	17	756	1,304	942	1,432	393	227	43	132	1,807	321	68
143	3	9	6	3	9	9	18	19	2	15	-----	13	20	9	69
92	-----	14	7	2	7	7	9	9	10	-----	-----	2	7	5	70
12,567	143	1,638	312	161	1,787	1,208	931	1,776	629	571	-----	1,634	1,068	687	71
8,227	12	1,463	416	37	1,164	826	618	1,122	443	201	101	212	1,227	385	72

VITAL AND SOCIAL STATISTICS.

TABLE 3.—DEATHS BY SEX, CONJUGAL CONDITION, AGE PERIODS, AND CERTAIN REGISTRATION STATES.

COLOR AND GENERAL NATIVITY.		AGE.									
		All ages.	Under 15	15 to 20	20 to 25	25 to 35	35 to 45	45 to 55	55 to 65	65 and over.	Un-known.
1	Total.....	242,163	97,464	6,571	9,977	20,703	18,814	19,446	20,648	47,551	989
2	Single.....	M. 71,936 F. 58,806	52,501 44,840	3,096 3,115	4,300 2,690	5,365 2,587	2,460 1,308	1,504 1,013	974 948	1,515 2,157	221 148
3	Married.....	M. 39,201 F. 31,287	28 292	14 1,980	646 1,980	4,679 6,657	6,389 6,218	7,206 5,500	7,534 4,791	12,658 5,737	111 112
4	Widowed.....	M. 11,496 F. 28,037	28 3	14 66	248 442	682 1,029	1,138 2,230	1,138 12	1,788 12	7,589 15,517	37 55
5	Divorced.....	M. 64 F. 77	1 2	1 2	5 16	13 16	12 15	12 15	12 15	20 18	1
6	Unknown.....	M. 3,810 F. 2,449	70 53	11 26	157 121	457 247	493 256	525 303	555 336	1,333 1,012	209 95
7	White.....	234,135	93,446	6,251	9,521	20,041	18,117	18,855	20,201	46,747	956
8	Single.....	M. 69,103 F. 56,425	50,378 42,952	2,964 2,946	4,113 2,560	5,198 2,503	2,361 1,270	1,448 993	943 934	1,485 2,125	213 142
9	Married.....	M. 38,214 F. 30,463	28 275	14 1,892	613 1,892	4,518 6,471	6,122 5,991	6,987 5,362	7,381 4,708	12,400 5,684	105 110
10	Widowed.....	M. 11,263 F. 22,435	11 3	14 61	238 417	649 970	1,105 2,132	1,105 3,590	1,743 15,209	7,480 53	34 53
11	Divorced.....	M. 64 F. 75	1 2	1 2	5 16	13 16	12 15	12 13	12 13	20 13	1
12	Unknown.....	M. 3,714 F. 2,379	65 51	11 24	151 114	440 235	479 246	505 296	546 331	1,311 990	206 92
13	* Native born.....	171,481	89,995	5,088	6,873	13,204	9,282	8,175	9,191	29,228	440
14	Single.....	M. 61,014 F. 50,825	48,612 41,271	2,414 2,410	3,013 1,902	3,523 1,792	1,301 773	667 562	456 514	905 1,495	123 101
15	Married.....	M. 20,610 F. 17,506	24 220	24 1,309	424 1,309	2,310 4,280	2,857 3,232	2,929 2,527	3,478 2,326	8,042 3,580	46 52
16	Widowed.....	M. 5,931 F. 12,288	8 42	8 268	159 268	304 450	390 739	390 1,364	422 9,407	4,429 18	19 18
17	Divorced.....	M. 58 F. 66	1 2	1 2	5 14	12 25	10 13	9 10	9 10	20 13	1
18	Unknown.....	M. 1,839 F. 1,344	62 50	5 15	97 80	225 148	197 129	197 141	253 159	747 590	43 32
19	Both parents native.....	78,075	33,862	1,932	2,363	4,671	4,553	5,088	6,152	19,261	193
20	Single.....	M. 22,897 F. 20,041	18,223 15,602	904 912	953 630	962 649	540 391	370 367	805 374	589 1,066	51 50
21	Married.....	M. 12,391 F. 9,751	9 102	9 527	190 527	1,062 1,724	1,411 1,724	1,885 1,630	2,385 1,604	5,424 2,416	25 25
22	Widowed.....	M. 3,614 F. 7,922	2 15	2 15	48 204	88 204	136 455	209 896	383 6,254	2,828 8	8 8
23	Divorced.....	M. 38 F. 53	1 2	1 2	4 13	7 10	7 11	6 8	6 8	13 9	1
24	Unknown.....	M. 753 F. 615	20 17	2 3	20 23	65 54	76 55	93 61	109 82	352 310	16 10
25	One or both parents foreign.....	67,374	48,410	2,529	3,591	6,571	2,933	1,231	734	1,276	99
26	Single.....	M. 31,889 F. 25,821	26,196 22,139	1,211 1,220	1,674 1,045	2,055 906	500 270	124 86	48 38	47 84	34 33
27	Married.....	M. 3,391 F. 4,197	9 77	9 77	174 591	1,340 1,911	892 927	422 353	252 172	297 157	5 9
28	Widowed.....	M. 4,197 F. 542	5 18	5 18	89 127	89 161	108 128	78 128	68 135	193 457	1 1
29	Divorced.....	M. 4 F. 1	1 1	1 1	2 2	2 2	2 1	1 1	1 1	1 1	1
30	Unknown.....	M. 298 F. 204	42 33	3 9	48 36	93 50	48 25	17 21	14 6	23 18	10 6
31	Foreign born.....	58,113	2,511	1,069	2,486	6,420	8,404	10,258	10,623	16,161	181
32	Single.....	M. 7,115 F. 4,892	1,265 1,242	500 500	1,039 627	1,566 666	985 468	745 413	462 397	523 560	25 13
33	Married.....	M. 16,957 F. 12,473	4 52	4 52	184 558	1,644 2,144	3,175 2,674	3,049 2,761	3,806 2,314	4,157 1,935	38 35
34	Widowed.....	M. 5,090 F. 9,686	6 3	6 15	72 146	72 512	386 512	696 1,371	1,100 2,176	2,871 5,441	9 22
35	Divorced.....	M. 5 F. 9	2 2	2 2	2 2	2 2	2 2	2 2	2 2	2 2	2
36	Unknown.....	M. 1,183 F. 703	3 1	4 6	36 21	123 57	159 92	201 118	229 134	400 263	28 11
37	Colored.....	8,028	4,018	320	456	662	697	591	447	804	33
38	Single.....	M. 2,833 F. 2,381	2,123 1,888	132 169	187 130	167 84	99 38	56 20	31 14	30 32	8 6
39	Married.....	M. 987 F. 824	17 88	17 88	33 88	161 186	217 227	219 133	153 83	193 83	6 2
40	Widowed.....	M. 233 F. 602	5 5	5 5	6 25	10 25	33 59	33 98	45 105	109 308	3 2
41	Divorced.....	M. 2 F. 96	5 2	5 2	6 7	17 12	14 10	20 7	2 5	22 22	3 8
42	Unknown.....	M. 70 F. 70	2 2	2 2	7 7	12 12	10 10	7 7	5 5	22 22	8 8

STATISTICS OF DEATHS.

CAUSES OF DEATH, FOR THE CENSUS YEAR ENDED MAY 31, 1890—Continued.

REGISTRATION STATES.

CAUSE OF DEATH.														
All causes.	Alcoholism.	Consumption.	Cancer and tumor.	Suicide.	General diseases A.	Diseases of the nervous system.	Diseases of the circulatory system.	Diseases of the respiratory system.	Diseases of the digestive system.	Diseases of the urinary system.	Diseases of the female organs of generation.	Accidents and injuries.	All other causes.	Unknown.
242,163	987	29,580	6,688	1,043	43,838	28,549	17,108	40,505	10,214	9,517	570	9,050	42,238	2,306
71,936	292	6,990	272	231	18,774	7,588	2,344	11,795	2,259	1,268	-----	3,473	16,012	638
58,806	35	5,619	552	69	17,397	6,562	2,049	9,549	1,870	876	114	1,065	12,590	519
39,201	326	6,421	1,518	437	2,676	5,143	4,568	7,001	2,171	3,158	-----	2,449	2,956	377
31,287	117	6,578	2,279	112	2,374	3,268	3,232	4,694	2,015	1,859	359	605	3,515	280
11,496	88	1,198	362	97	678	1,698	1,479	1,948	486	945	-----	398	1,995	124
23,037	47	1,852	1,419	39	1,532	3,511	2,753	4,506	1,142	1,107	86	493	4,322	228
64	3	7	2	2	6	7	9	8	2	5	-----	4	6	3
77	2	15	8	1	4	14	4	10	4	-----	3	7	1	5
3,810	37	523	110	45	256	461	412	565	148	211	-----	505	448	89
2,449	10	377	166	10	201	297	254	429	117	88	-----	55	387	47
234,135	942	28,140	6,591	1,033	42,538	27,768	16,645	39,134	9,941	9,269	544	8,771	40,600	2,219
69,108	289	6,551	209	227	18,226	7,338	2,277	11,291	2,169	1,231	-----	3,344	15,281	610
56,425	34	5,277	546	65	16,797	6,331	1,991	9,120	1,798	857	107	1,020	11,991	491
38,214	321	6,155	1,498	435	2,606	5,038	4,454	6,328	2,128	3,078	-----	2,405	2,899	629
30,463	115	6,342	2,250	112	2,300	3,194	3,138	4,576	1,979	1,804	345	586	3,450	272
11,263	86	1,147	360	97	662	1,670	1,453	1,914	479	928	-----	391	1,953	120
22,435	46	1,781	1,388	39	1,493	3,432	2,664	4,414	1,123	1,075	82	481	4,197	220
64	3	7	2	2	6	7	9	8	2	5	-----	4	6	3
75	2	15	8	1	3	14	8	10	3	-----	3	6	7	1
3,714	37	499	109	45	253	454	401	552	146	210	-----	484	496	88
2,379	9	366	161	10	192	290	250	421	114	83	-----	53	375	45
171,481	456	17,742	3,830	559	36,664	21,301	10,466	27,425	6,510	5,241	343	5,201	34,137	1,606
61,014	178	4,731	176	135	16,348	6,706	1,802	9,925	1,888	872	-----	2,398	14,824	531
50,825	16	4,089	384	42	15,623	5,834	1,586	8,225	1,539	632	79	851	11,506	419
20,610	146	3,143	775	223	1,490	3,122	2,626	3,279	1,061	1,714	-----	1,090	1,705	236
17,506	55	3,852	1,360	64	1,353	2,023	1,742	2,313	1,077	941	208	296	2,061	161
5,931	34	491	170	45	331	978	888	1,170	226	486	-----	174	1,152	68
12,288	9	936	813	29	749	2,165	1,445	2,262	587	422	49	255	2,433	134
58	3	7	2	-----	6	7	9	6	2	5	-----	3	6	2
66	2	11	8	1	3	13	6	9	3	-----	2	2	7	1
1,839	11	268	57	16	145	273	212	279	73	123	-----	111	237	34
1,344	2	214	85	4	116	130	150	239	54	46	-----	21	206	20
78,075	145	7,139	2,466	305	14,721	10,757	6,006	12,257	3,346	2,869	214	2,337	14,758	755
22,897	39	1,420	30	68	6,337	2,748	771	3,543	759	366	-----	911	5,656	199
20,041	2	1,463	229	20	5,884	2,502	794	3,049	694	272	46	371	4,548	147
12,991	65	1,518	528	137	922	2,009	1,706	1,991	656	1,087	-----	592	1,033	167
9,751	12	1,793	902	25	765	1,237	1,061	1,330	646	498	136	156	1,090	100
3,614	17	248	114	24	216	601	544	581	146	303	-----	95	679	46
7,922	3	523	535	17	475	1,428	951	1,513	384	265	29	169	1,552	78
38	1	6	-----	-----	5	4	6	5	1	4	-----	1	3	2
53	2	8	7	1	3	8	6	6	3	-----	2	2	6	1
753	3	87	27	11	66	131	97	113	32	54	-----	34	93	10
615	1	73	44	2	48	99	70	121	25	20	-----	6	98	5
67,374	218	7,760	480	110	17,910	6,798	2,154	11,629	2,101	1,373	70	1,738	14,580	453
31,889	100	2,724	57	43	8,907	3,234	780	5,593	929	393	-----	1,076	7,326	227
25,821	11	2,132	78	15	8,330	2,729	620	4,526	691	280	21	363	5,862	163
3,391	57	1,037	67	31	247	297	273	632	162	257	-----	183	130	18
4,197	32	1,404	184	14	286	297	237	541	217	287	40	56	526	25
542	8	132	9	4	17	56	74	80	24	67	-----	23	47	1
1,027	4	181	71	2	67	141	89	130	55	66	7	18	138	8
4	1	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----
1	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----
298	5	86	2	1	31	25	13	49	17	16	-----	18	27	3
204	-----	64	12	-----	25	18	17	27	5	6	-----	1	24	3
58,113	447	9,962	2,605	410	5,256	5,960	5,807	11,117	3,267	3,348	194	2,941	5,819	480
7,115	103	1,739	89	71	1,186	551	432	1,233	252	330	-----	767	351	61
4,892	15	1,113	151	18	901	433	383	795	243	212	26	140	356	46
16,957	166	2,942	686	202	1,075	1,821	1,764	3,477	1,030	1,318	-----	1,220	1,134	122
12,473	57	2,409	859	44	915	1,113	1,333	2,195	872	836	184	278	1,333	95
5,090	49	639	136	48	314	652	537	998	246	424	-----	204	744	49
9,686	35	821	536	9	716	1,193	1,159	2,088	527	637	32	211	1,642	80
5	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----
9	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----
1,183	17	185	43	14	84	124	134	188	57	65	-----	107	146	19
703	5	110	55	2	55	72	63	140	40	26	-----	12	113	8
8,028	15	1,440	97	10	1,300	781	463	1,371	273	243	26	279	1,638	87
2,833	3	439	3	4	548	250	67	504	90	37	-----	129	731	28
2,381	1	342	6	4	540	231	53	429	72	19	7	45	599	28
987	5	266	20	2	70	105	114	173	43	80	-----	44	57	8
824	2	236	29	-----	74	74	94	118	36	55	14	19	65	8
223	2	51	2	-----	16	28	26	34	7	19	-----	7	37	4
602	1	71	31	-----	39	79	89	92	19	32	-----	12	125	8
-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----
2	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----
96	-----	24	1	-----	3	7	11	13	2	1	-----	21	12	1
70	1	11	5	-----	9	7	4	8	3	5	-----	2	12	2

VITAL AND SOCIAL STATISTICS.

TABLE 3.—DEATHS BY SEX, CONJUGAL CONDITION, AGE PERIODS, AND CERTAIN REGISTRATION STATES—Continued.

BIRTHPLACES OF MOTHERS.		AGE.									
		All ages.	Under 15	15 to 20	20 to 25	25 to 35	35 to 45	45 to 55	55 to 65	65 and over.	Un- known.
1	United States.....	95,977	45,365	2,534	3,113	5,744	5,469	5,888	6,826	20,792	246
2	Single.....	M. 30,191 F. 26,238	24,408 20,904	1,148 1,240	1,263 842	1,228 786	654 459	439 406	345 406	638 1,133	68 62
3	Married.....	M. 13,843 F. 11,137	9 130	238 677	1,310 2,066	1,704 2,039	2,165 1,852	2,611 1,753	5,775 2,591	31 29
4	Widowed.....	M. 3,964 F. 8,926	3 23	61 125	173 262	248 577	442 1,041	3,025 6,888	12 10
5	Divorced.....	M. 41 F. 55	1 2	4 13	8 10	8 11	6 10	13 9	1
6	Unknown.....	M. 862 F. 720	32 21	2 5	31 33	83 68	90 70	107 75	120 92	378 342	19 14
7	England and Wales.....	9,966	3,509	221	377	776	897	977	1,011	2,170	28
8	Single.....	M. 2,590 F. 2,091	1,877 1,628	102 107	178 86	162 85	100 51	63 30	49 33	50 66	5 2
9	Married.....	M. 2,063 F. 1,415	4 6	25 78	204 272	355 302	422 279	415 227	632 243	5 8
10	Widowed.....	M. 617 F. 964	2 2	15 15	23 35	35 95	50 154	431 661	1 1
11	Divorced.....	M. 2 F. 2
12	Unknown.....	M. 145 F. 79	2 2	3 3	12 8	19 12	19 9	28 14	56 30	6
13	Scotland.....	2,952	908	68	112	274	290	330	293	666	6
14	Single.....	M. 787 F. 559	508 397	32 35	53 28	60 42	41 17	27 16	21 8	23 15	2 1
15	Married.....	M. 613 F. 414	6 23	67 92	112 87	126 87	117 59	184 64	1 2
16	Widowed.....	M. 200 F. 330	1 1	3 3	12 12	25 33	29 54	130 227
17	Divorced.....	M. 46 F. 23	1 2	1	4 3	5 4	10 6	8 2	17 6
18	Unknown.....	M. 46 F. 23	1 2	1	4 3	5 4	10 6	8 2	17 6
19	Ireland.....	51,914	13,306	1,709	3,218	6,919	5,952	6,255	5,956	8,461	138
20	Single.....	M. 13,521 F. 10,654	7,088 6,197	805 845	1,507 1,004	2,213 999	838 502	480 347	256 316	316 424	18 20
21	Married.....	M. 8,992 F. 8,336	4 41	143 464	1,297 2,008	1,857 1,878	2,033 1,700	1,738 1,283	1,895 938	25 24
22	Widowed.....	M. 2,879 F. 6,325	4 17	88 161	263 450	469 1,036	682 1,482	1,866 3,159	7 19
23	Divorced.....	M. 4 F. 7	2 1	2 1	2 3
24	Unknown.....	M. 701 F. 495	9 12	3 10	51 23	98 54	98 63	97 88	119 78	214 149	12 13
25	Germany.....	25,957	10,747	565	983	2,490	2,298	2,348	2,715	3,766	40
26	Single.....	M. 7,930 F. 5,664	5,910 4,826	309 231	427 213	590 173	293 67	163 49	108 35	116 57	14 8
27	Married.....	M. 5,316 F. 3,454	3 20	82 237	761 338	1,032 671	1,135 571	1,208 597	1,089 518	6 2
28	Widowed.....	M. 1,309 F. 1,901	2 6	31 54	87 104	161 204	267 424	760 1,108	1 1
29	Divorced.....	M. 1 F. 1
30	Unknown.....	M. 260 F. 121	3 3	1 1	9 7	29 14	31 13	49 16	54 20	73 45	6 2
31	Canada.....	10,559	6,300	427	516	841	648	546	466	787	23
32	Single.....	M. 3,964 F. 3,522	3,333 2,939	192 201	168 152	161 113	51 48	15 22	22 11	13 32	9 4
33	Married.....	M. 998 F. 1,223	84 139	174 326	207 258	185 222	174 119	222 124	2 6
34	Widowed.....	M. 136 F. 390	6 16	18 23	25 45	29 76	117 220	1 1
35	Divorced.....	M. 1 F. 1
36	Unknown.....	M. 157 F. 103	15 13	1 3	10 11	26 18	29 14	23 9	20 15	29 24	4 1
37	France.....	1,019	294	21	26	78	105	124	116	253	2
38	Single.....	M. 236 F. 178	156 137	13 8	9 9	18 11	12 2	9 3	6 4	12 4	1
39	Married.....	M. 271 F. 129	4 2	23 21	47 27	66 23	60 23	71 28
40	Widowed.....	M. 84 F. 93	2 1	7 8	7 10	6 14	62 62
41	Divorced.....	M. 1 F. 1
42	Unknown.....	M. 11 F. 12	1	2	2	1	2 1	6 8

VITAL AND SOCIAL STATISTICS.

TABLE 3.—DEATHS BY SEX, CONJUGAL CONDITION, AGE PERIODS, AND CERTAIN REGISTRATION STATES—Continued.

BIRTHPLACES OF MOTHERS.		AGE.									
		All ages.	Under 15	15 to 20	20 to 25	25 to 35	35 to 45	45 to 55	55 to 65	65 and over.	Un-known.
1	Scandinavia.....	2,261	1,243	52	133	304	186	130	94	116	3
2	Single.....	M. 932 F. 661	M. 688 F. 554	M. 29 F. 22	M. 56 F. 23	M. 90 F. 38	M. 26 F. 9	M. 23 F. 2	M. 12 F. 2	M. 7 F. 5	M. 1 F. 1
3	Married.....	M. 297 F. 226	M. 297 F. 226	M. 1 F. 1	M. 33 F. 33	M. 81 F. 50	M. 6 F. 33	M. 2 F. 33	M. 9 F. 14	M. 22 F. 14	M. 33 F. 33
4	Widowed.....	M. 40 F. 59	M. 40 F. 59	M. 1 F. 1	M. 1 F. 1	M. 3 F. 3	M. 11 F. 11	M. 5 F. 5	M. 7 F. 7	M. 33 F. 33	M. 33 F. 33
5	Divorced.....	M. 1 F. 1	M. 1 F. 1	M. 1 F. 1	M. 1 F. 1	M. 1 F. 1	M. 1 F. 1	M. 1 F. 1	M. 1 F. 1	M. 1 F. 1	M. 1 F. 1
6	Unknown.....	M. 34 F. 12	M. 1 F. 1	M. 4 F. 1	M. 14 F. 3	M. 3 F. 3	M. 4 F. 3	M. 4 F. 2	M. 4 F. 2	M. 4 F. 2	M. 1 F. 1
7	Russia and Poland.....	2,785	2,057	52	85	186	117	111	79	96	2
8	Single.....	M. 1,273 F. 953	M. 1,152 F. 904	M. 19 F. 26	M. 39 F. 13	M. 39 F. 5	M. 11 F. 62	M. 7 F. 57	M. 2 F. 37	M. 4 F. 36	M. 1 F. 1
9	Married.....	M. 273 F. 176	M. 273 F. 176	M. 1 F. 6	M. 23 F. 23	M. 73 F. 59	M. 62 F. 34	M. 57 F. 29	M. 37 F. 18	M. 36 F. 7	M. 1 F. 1
10	Widowed.....	M. 30 F. 51	M. 30 F. 51	M. 1 F. 1	M. 2 F. 2	M. 2 F. 2	M. 3 F. 3	M. 4 F. 6	M. 6 F. 13	M. 15 F. 30	M. 7 F. 30
11	Divorced.....	M. 1 F. 25	M. 1 F. 1	M. 1 F. 1	M. 2 F. 6	M. 1 F. 6	M. 1 F. 4	M. 1 F. 2	M. 1 F. 2	M. 1 F. 3	M. 1 F. 1
12	Unknown.....	M. 3 F. 3	M. 3 F. 3	M. 1 F. 1	M. 1 F. 1	M. 1 F. 1	M. 1 F. 2	M. 1 F. 2	M. 1 F. 2	M. 1 F. 2	M. 1 F. 1
13	Bohemia.....	511	321	8	18	50	40	22	26	24	2
14	Single.....	M. 188 F. 171	M. 165 F. 156	M. 4 F. 4	M. 7 F. 4	M. 4 F. 4	M. 4 F. 21	M. 2 F. 11	M. 1 F. 11	M. 1 F. 7	M. 1 F. 1
15	Married.....	M. 73 F. 45	M. 73 F. 45	M. 3 F. 4	M. 20 F. 19	M. 21 F. 10	M. 11 F. 3	M. 11 F. 6	M. 11 F. 6	M. 11 F. 6	M. 1 F. 1
16	Widowed.....	M. 8 F. 24	M. 8 F. 24	M. 1 F. 1	M. 1 F. 2	M. 2 F. 3	M. 2 F. 3	M. 3 F. 7	M. 3 F. 7	M. 4 F. 9	M. 4 F. 9
17	Divorced.....	M. 1 F. 2	M. 1 F. 2	M. 1 F. 1	M. 1 F. 1	M. 1 F. 1	M. 1 F. 1	M. 1 F. 1	M. 1 F. 1	M. 1 F. 1	M. 1 F. 1
18	Unknown.....	M. 2 F. 2	M. 2 F. 2	M. 1 F. 1	M. 1 F. 1	M. 1 F. 1	M. 1 F. 1	M. 1 F. 1	M. 1 F. 1	M. 1 F. 1	M. 1 F. 1
19	Hungary.....	644	448	24	20	50	26	38	17	20	1
20	Single.....	M. 290 F. 211	M. 251 F. 197	M. 17 F. 6	M. 7 F. 6	M. 10 F. 1	M. 2 F. 10	M. 2 F. 22	M. 1 F. 7	M. 1 F. 10	M. 1 F. 1
21	Married.....	M. 73 F. 46	M. 73 F. 46	M. 1 F. 1	M. 5 F. 5	M. 15 F. 15	M. 10 F. 10	M. 11 F. 11	M. 2 F. 2	M. 2 F. 4	M. 2 F. 4
22	Widowed.....	M. 7 F. 15	M. 7 F. 15	M. 1 F. 1	M. 1 F. 1	M. 1 F. 1	M. 2 F. 2	M. 1 F. 1	M. 1 F. 7	M. 4 F. 4	M. 4 F. 4
23	Divorced.....	M. 1 F. 2	M. 1 F. 2	M. 1 F. 1	M. 1 F. 1	M. 1 F. 1	M. 1 F. 1	M. 1 F. 1	M. 1 F. 1	M. 1 F. 1	M. 1 F. 1
24	Unknown.....	M. 2 F. 2	M. 2 F. 2	M. 1 F. 1	M. 1 F. 1	M. 1 F. 1	M. 1 F. 1	M. 1 F. 1	M. 1 F. 1	M. 1 F. 1	M. 1 F. 1
25	Italy.....	3,642	2,687	59	113	236	220	182	86	94	15
26	Single.....	M. 1,603 F. 1,329	M. 1,407 F. 1,280	M. 28 F. 21	M. 52 F. 9	M. 60 F. 5	M. 28 F. 5	M. 16 F. 1	M. 5 F. 2	M. 5 F. 2	M. 2 F. 4
27	Married.....	M. 327 F. 248	M. 327 F. 248	M. 10 F. 10	M. 14 F. 37	M. 87 F. 71	M. 81 F. 86	M. 66 F. 22	M. 45 F. 14	M. 30 F. 8	M. 4 F. 4
28	Widowed.....	M. 46 F. 59	M. 46 F. 59	M. 1 F. 1	M. 1 F. 1	M. 3 F. 1	M. 10 F. 4	M. 9 F. 14	M. 6 F. 11	M. 17 F. 29	M. 17 F. 29
29	Divorced.....	M. 1 F. 2	M. 1 F. 2	M. 1 F. 1	M. 1 F. 1	M. 1 F. 1	M. 1 F. 1	M. 1 F. 1	M. 1 F. 1	M. 1 F. 1	M. 1 F. 1
30	Unknown.....	M. 28 F. 2	M. 28 F. 2	M. 1 F. 1	M. 1 F. 1	M. 9 F. 1	M. 6 F. 4	M. 4 F. 2	M. 1 F. 2	M. 3 F. 3	M. 5 F. 5
31	Others.....	3,253	1,694	81	184	291	273	229	229	318	4
32	Single.....	M. 1,211 F. 914	M. 905 F. 789	M. 35 F. 40	M. 60 F. 26	M. 91 F. 26	M. 56 F. 12	M. 38 F. 9	M. 15 F. 3	M. 11 F. 9	M. 1 F. 1
33	Married.....	M. 520 F. 298	M. 520 F. 298	M. 1 F. 4	M. 14 F. 33	M. 83 F. 69	M. 107 F. 70	M. 110 F. 39	M. 106 F. 46	M. 98 F. 37	M. 1 F. 1
34	Widowed.....	M. 94 F. 171	M. 94 F. 171	M. 1 F. 1	M. 1 F. 1	M. 6 F. 6	M. 7 F. 14	M. 6 F. 23	M. 24 F. 30	M. 51 F. 98	M. 51 F. 98
35	Divorced.....	M. 1 F. 2	M. 1 F. 2	M. 1 F. 1	M. 1 F. 1	M. 1 F. 1	M. 1 F. 1	M. 1 F. 1	M. 1 F. 1	M. 1 F. 1	M. 1 F. 1
36	Unknown.....	M. 35 F. 10	M. 35 F. 10	M. 1 F. 1	M. 1 F. 1	M. 9 F. 1	M. 6 F. 1	M. 3 F. 1	M. 3 F. 2	M. 10 F. 4	M. 3 F. 4
37	Unknown.....	29,446	7,968	712	1,060	2,343	2,214	2,225	2,648	9,807	474
38	Single.....	M. 6,786 F. 5,378	M. 4,299 F. 3,669	M. 346 F. 310	M. 442 F. 247	M. 607 F. 283	M. 336 F. 134	M. 208 F. 122	M. 131 F. 125	M. 317 F. 404	M. 100 F. 44
39	Married.....	M. 5,319 F. 3,881	M. 5,319 F. 3,881	M. 6 F. 42	M. 61 F. 213	M. 460 F. 671	M. 636 F. 656	M. 707 F. 588	M. 910 F. 600	M. 2,508 F. 1,071	M. 36 F. 40
40	Widowed.....	M. 2,022 F. 3,724	M. 2,022 F. 3,724	M. 1 F. 13	M. 1 F. 18	M. 29 F. 52	M. 69 F. 101	M. 125 F. 178	M. 198 F. 375	M. 1,585 F. 2,983	M. 15 F. 22
41	Divorced.....	M. 16 F. 12	M. 16 F. 12	M. 1 F. 1	M. 1 F. 1	M. 1 F. 1	M. 3 F. 4	M. 2 F. 1	M. 3 F. 2	M. 7 F. 4	M. 7 F. 4
42	Unknown.....	M. 1,490 F. 858	M. 1,490 F. 858	M. 2 F. 6	M. 47 F. 36	M. 162 F. 77	M. 199 F. 76	M. 201 F. 93	M. 192 F. 107	M. 534 F. 399	M. 153 F. 64

STATISTICS OF DEATHS.

CAUSES OF DEATH, FOR THE CENSUS YEAR ENDED MAY 31, 1890—Continued.

REGISTRATION STATES—Continued.

CAUSE OF DEATH.															
All causes.	Alcoholism.	Consumption.	Cancer and tumor.	Suicide.	General diseases A.	Diseases of the nervous system.	Diseases of the circulatory system.	Diseases of the respiratory system.	Diseases of the digestive system.	Diseases of the urinary system.	Diseases of the female organs of generation.	Accidents and injuries.	All other causes.	Unknown.	
2,261	4	295	34	20	609	195	83	352	72	62	4	109	403	19	1
932		91	1	6	300	82	21	141	21	10		43	211	5	2
661		46	1	1	242	65	14	112	19	7		13	183	3	3
297	3	57	10	10	22	26	23	56	18	23		41	8		4
226	1	74	13	2	22	12	13	20	11	15	3	7	31	2	3
40		7	1	1	5	4	5	4	1	4			7	1	4
59		12	5		6	6	2	12	2	1	1		10	2	5
34		8	1		8		4	4		2		5	1	1	6
12			2		4		1	3					2		
2,785	3	183	40	11	700	256	86	498	106	61	4	125	696	16	7
1,273	2	52	2	2	359	108	23	251	30	12		51	372	9	8
853		29	1	1	303	92	17	167	33	10		34	262	4	9
273	1	54	21	6	23	28	21	37	22	15		28	15	2	10
176		29	10		9	17	16	27	14	14	4	6	30		11
30		4	4	1	1	3	2	4	4	3		1	7	1	12
51		5	2		3	7	7	8	5	3		3	7		13
1		1													
25		8		1	2			4	1	4		2	3		
3		1			1				1						
511	1	68	7	5	125	33	17	93	8	22		14	117	1	14
188		13		2	63	13		30	3	4		4	55	1	15
171		6			57	13	4	39	1	3		1	47		16
73	1	30	2	3	2	5	5	9	3	7		4	2		17
45		17	3		1		4	6	1	5		1	7		18
8		1	1		1	2	1	1				2	1		19
24		2	1		1		2	8		3		2	5		20
2			1				1								
644		50	7	6	160	59	24	124	21	15	2	33	141	2	21
290		13	1	3	81	26	5	59	11	1		10	79	1	22
211		10			72	26	4	39	5	1		9	45		23
73		16	5	2	4	3	3	14	2	4		11	5		24
46		7	1	1	2	3	3	5	2	6		3	11		25
7		1			1	1	1	2	1	1			1		26
15		2				2	3	5		2			1		27
2		1								1					
3,642	3	256	34	6	844	287	87	1,018	126	69	7	146	748	16	28
1,603		75	3	1	423	130	23	449	40	15		72	367	5	29
1,329		46	3	2	373	116	12	400	36	10		47	311	4	30
827	3	58	6	1	24	22	19	92	29	20		22	6		31
248		58	18	1	13	10	19	42	13	12	7	6	47	2	32
46		7	1	1	3	4	2	15	3	6		1	2		33
59		9	3		5	4	8	15	3	5		1	6		34
28		3			3	1	4	4	2			7	4		35
2								1		1					36
3,253	13	410	78	32	677	329	171	588	135	104	5	107	592	12	37
1,211	6	120	7	13	322	119	23	211	39	16		49	281	5	38
914		67	4		277	98	13	180	23	15		16	220	1	39
520	5	118	28	15	37	53	61	88	35	30		25	22	3	40
298		63	16	2	22	28	39	46	25	14	4	5	34		41
94	2	20	3	2	3	8	9	18	2	12		5	9	1	42
171		14	18		10	22	22	35	9	14	1	3	21	2	43
35		4	1		5		4	9	1	3		4	4		44
10		4	1		1	1		1	1				1		45
29,446	127	3,192	1,002	205	4,409	4,072	2,588	3,997	1,198	1,155	62	1,734	5,184	521	46
6,786	45	653	39	45	1,727	741	266	871	229	140		586	1,324	120	47
5,338	6	546	86	11	1,531	626	177	708	165	92	15	140	1,124	111	48
5,319	32	629	210	64	356	882	687	711	270	403		399	595	81	49
3,881	13	707	288	29	322	519	440	497	231	178	31	92	483	51	50
2,022	11	132	51	19	115	361	302	255	61	133		66	491	25	51
3,724	4	255	239	11	222	652	453	622	159	104	13	83	852	52	52
10		1	2		1		2	1		1		2	3	1	53
12		3	1			5		2					1		54
1,490	13	144	36	20	72	182	159	196	40	73		332	172	51	55
858	3	122	50	6	63	102	99	134	43	31	3	34	139	29	56

VITAL AND SOCIAL STATISTICS.

TABLE 3.—DEATHS BY SEX, CONJUGAL CONDITION, AGE PERIODS, AND CERTAIN RURAL PART OF REGISTRATION STATES.

COLOR AND GENERAL NATIVITY.		AGE.									
		All ages.	Under 15.	15 to 20.	20 to 25.	25 to 35.	35 to 45.	45 to 55.	55 to 65.	65 and over.	Un-known.
1	Total.....	73,599	20,908	2,236	2,799	5,227	4,735	5,516	7,240	24,324	614
2	Single.....	M. 16,888 F. 14,201	M. 11,260 F. 9,648	M. 1,035 F. 1,066	M. 1,170 F. 732	M. 1,203 F. 662	M. 543 F. 349	M. 394 F. 314	M. 334 F. 318	M. 826 F. 1,025	M. 123 F. 87
3	Married.....	M. 14,324 F. 11,280	M. 8 F. 120	M. 8 F. 564	M. 1,116 F. 1,734	M. 1,439 F. 1,812	M. 1,926 F. 1,854	M. 2,689 F. 1,965	M. 6,879 F. 3,107	M. 81 F. 74	
4	Widowed.....	M. 4,836 F. 8,757	M. 2 F. 1	M. 2 F. 21	M. 60 F. 97	M. 136 F. 155	M. 225 F. 417	M. 485 F. 985	M. 3,901 F. 7,050	M. 27 F. 31	
5	Divorced.....	M. 37 F. 45	M. 1 F. 1	M. 1 F. 1	M. 2 F. 12	M. 6 F. 8	M. 8 F. 6	M. 5 F. 9	M. 14 F. 9	M. 1 F. 1	
6	Unknown.....	M. 1,944 F. 1,287	M. 1 F. 5	M. 62 F. 60	M. 177 F. 114	M. 168 F. 119	M. 237 F. 135	M. 233 F. 167	M. 892 F. 621	M. 124 F. 66	
7	White.....	72,056	20,246	2,165	2,708	5,106	4,619	5,413	7,150	24,059	590
8	Single.....	M. 16,339 F. 13,792	M. 10,902 F. 9,344	M. 1,010 F. 1,025	M. 1,130 F. 704	M. 1,169 F. 648	M. 533 F. 342	M. 386 F. 312	M. 328 F. 316	M. 815 F. 1,016	M. 116 F. 84
9	Married.....	M. 14,116 F. 11,108	M. 8 F. 115	M. 8 F. 550	M. 1,087 F. 1,751	M. 1,409 F. 1,739	M. 1,892 F. 1,850	M. 2,655 F. 1,942	M. 6,805 F. 3,084	M. 77 F. 72	
10	Widowed.....	M. 4,776 F. 8,638	M. 2 F. 1	M. 2 F. 19	M. 59 F. 95	M. 133 F. 152	M. 218 F. 404	M. 473 F. 972	M. 3,861 F. 6,965	M. 25 F. 29	
11	Divorced.....	M. 37 F. 44	M. 1 F. 1	M. 1 F. 1	M. 2 F. 12	M. 6 F. 8	M. 8 F. 6	M. 5 F. 9	M. 14 F. 9	M. 1 F. 1	
12	Unknown.....	M. 1,910 F. 1,251	M. 1 F. 5	M. 60 F. 58	M. 174 F. 189	M. 163 F. 113	M. 227 F. 130	M. 281 F. 164	M. 882 F. 608	M. 122 F. 61	
13	Native born.....	58,293	19,541	1,919	2,226	4,044	3,853	3,578	4,988	18,436	288
14	Single.....	M. 14,757 F. 12,729	M. 10,549 F. 8,902	M. 890 F. 917	M. 922 F. 595	M. 900 F. 541	M. 363 F. 285	M. 240 F. 249	M. 237 F. 254	M. 591 F. 802	M. 65 F. 64
15	Married.....	M. 10,413 F. 8,388	M. 8 F. 102	M. 8 F. 462	M. 149 F. 462	M. 853 F. 1,446	M. 939 F. 1,334	M. 1,240 F. 1,245	M. 1,837 F. 1,404	M. 38 F. 34	
16	Widowed.....	M. 3,444 F. 6,619	M. 1 F. 1	M. 1 F. 10	M. 1 F. 72	M. 1 F. 110	M. 6 F. 255	M. 7 F. 658	M. 4 F. 5,495	M. 1 F. 13	
17	Divorced.....	M. 35 F. 39	M. 1 F. 1	M. 1 F. 1	M. 1 F. 11	M. 8 F. 8	M. 5 F. 5	M. 5 F. 160	M. 9 F. 530	M. 1 F. 32	
18	Unknown.....	M. 1,057 F. 812	M. 2 F. 2	M. 40 F. 39	M. 93 F. 74	M. 85 F. 80	M. 112 F. 85	M. 97 F. 97	M. 411 F. 411	M. 24 F. 24	
19	Both parents native.....	34,707	10,521	1,025	1,170	2,171	2,057	2,377	3,322	11,923	141
20	Single.....	M. 7,973 F. 7,193	M. 5,658 F. 4,863	M. 465 F. 496	M. 457 F. 315	M. 421 F. 237	M. 211 F. 189	M. 162 F. 177	M. 164 F. 199	M. 402 F. 629	M. 33 F. 37
21	Married.....	M. 6,870 F. 5,395	M. 3 F. 60	M. 3 F. 60	M. 92 F. 267	M. 476 F. 830	M. 631 F. 830	M. 851 F. 844	M. 1,271 F. 957	M. 20 F. 18	
22	Widowed.....	M. 2,118 F. 4,263	M. 1 F. 1	M. 1 F. 12	M. 1 F. 38	M. 26 F. 63	M. 49 F. 108	M. 85 F. 432	M. 189 F. 3,544	M. 6 F. 0	
23	Divorced.....	M. 23 F. 32	M. 1 F. 1	M. 1 F. 1	M. 1 F. 10	M. 5 F. 6	M. 5 F. 4	M. 1 F. 5	M. 1 F. 6	M. 1 F. 11	
24	Unknown.....	M. 451 F. 389	M. 1 F. 1	M. 11 F. 14	M. 40 F. 30	M. 36 F. 37	M. 43 F. 33	M. 68 F. 46	M. 237 F. 228	M. 10 F. 10	
25	One or both parents foreign.....	9,759	5,970	570	653	1,054	483	235	224	530	40
26	Single.....	M. 4,249 F. 3,468	M. 3,229 F. 2,741	M. 271 F. 232	M. 308 F. 188	M. 316 F. 37	M. 64 F. 37	M. 15 F. 15	M. 18 F. 12	M. 15 F. 26	M. 13 F. 13
27	Married.....	M. 666 F. 850	M. 1 F. 10	M. 1 F. 101	M. 28 F. 101	M. 208 F. 197	M. 137 F. 83	M. 74 F. 61	M. 80 F. 76	M. 140 F. 74	M. 3 F. 4
28	Widowed.....	M. 141 F. 236	M. 1 F. 1	M. 1 F. 1	M. 1 F. 1	M. 9 F. 17	M. 11 F. 16	M. 15 F. 13	M. 11 F. 35	M. 1 F. 154	M. 1 F. 1
29	Divorced.....	M. 2 F. 1	M. 1 F. 1	M. 1 F. 1	M. 1 F. 1	M. 1 F. 1	M. 1 F. 1	M. 1 F. 1	M. 1 F. 1	M. 1 F. 1	M. 1 F. 1
30	Unknown.....	M. 87 F. 59	M. 17 F. 10	M. 17 F. 10	M. 29 F. 14	M. 12 F. 9	M. 8 F. 10	M. 3 F. 3	M. 14 F. 11	M. 4 F. 2	
31	Foreign born.....	11,413	470	195	397	883	1,108	1,622	1,999	4,643	91
32	Single.....	M. 1,277 F. 799	M. 217 F. 253	M. 91 F. 93	M. 177 F. 94	M. 226 F. 95	M. 151 F. 51	M. 123 F. 54	M. 84 F. 50	M. 186 F. 105	M. 17 F. 4
33	Married.....	M. 3,312 F. 2,417	M. 10 F. 1	M. 10 F. 1	M. 31 F. 75	M. 196 F. 274	M. 375 F. 339	M. 603 F. 533	M. 759 F. 499	M. 1,326 F. 616	M. 22 F. 21
34	Widowed.....	M. 1,171 F. 1,721	M. 1 F. 1	M. 1 F. 1	M. 1 F. 1	M. 14 F. 20	M. 43 F. 39	M. 60 F. 135	M. 185 F. 284	M. 858 F. 1,230	M. 4 F. 8
35	Divorced.....	M. 5 F. 5	M. 1 F. 1	M. 1 F. 1	M. 1 F. 1	M. 1 F. 1	M. 1 F. 1	M. 1 F. 1	M. 1 F. 1	M. 1 F. 1	M. 1 F. 1
36	Unknown.....	M. 497 F. 212	M. 8 F. 10	M. 8 F. 10	M. 42 F. 15	M. 42 F. 18	M. 72 F. 26	M. 89 F. 45	M. 231 F. 96	M. 13 F. 2	
37	Colored.....	1,543	662	71	91	121	116	103	90	265	24
38	Single.....	M. 499 F. 409	M. 358 F. 304	M. 25 F. 41	M. 40 F. 28	M. 34 F. 29	M. 10 F. 30	M. 8 F. 34	M. 6 F. 23	M. 11 F. 74	M. 7 F. 4
39	Married.....	M. 208 F. 177	M. 5 F. 5	M. 5 F. 5	M. 3 F. 14	M. 29 F. 33	M. 30 F. 53	M. 84 F. 24	M. 34 F. 23	M. 74 F. 23	M. 4 F. 2
40	Widowed.....	M. 60 F. 119	M. 1 F. 1	M. 1 F. 1	M. 1 F. 2	M. 1 F. 2	M. 3 F. 8	M. 7 F. 13	M. 7 F. 12	M. 40 F. 85	M. 2 F. 2
41	Divorced.....	M. 1 F. 1	M. 1 F. 1	M. 1 F. 1	M. 1 F. 1	M. 1 F. 1	M. 1 F. 1	M. 1 F. 1	M. 1 F. 1	M. 1 F. 1	M. 1 F. 1
42	Unknown.....	M. 34 F. 36	M. 2 F. 2	M. 2 F. 2	M. 2 F. 2	M. 3 F. 5	M. 5 F. 6	M. 10 F. 5	M. 2 F. 3	M. 10 F. 13	M. 2 F. 2

STATISTICS OF DEATHS.

CAUSES OF DEATH, FOR THE CENSUS YEAR ENDED MAY 31, 1890—Continued.

RURAL PART OF REGISTRATION STATES.

CAUSE OF DEATH.														
All causes.	Alcoholism.	Consumption.	Cancer and tumor.	Suicide.	General diseases A.	Diseases of the nervous system.	Diseases of the circulatory system.	Diseases of the respiratory system.	Diseases of the digestive system.	Diseases of the urinary system.	Diseases of the female organs of generation.	Accidents and injuries.	All other causes.	Unknown.
73,599	169	8,509	2,632	376	11,029	9,874	6,602	11,155	3,383	2,741	174	3,148	11,854	1,353
16,888	43	1,663	100	69	4,506	1,887	702	2,491	646	282	-----	1,185	3,005	354
14,201	2	1,581	203	22	4,100	1,754	604	2,062	569	193	34	341	2,431	305
14,324	68	1,775	639	157	1,055	2,106	1,901	2,199	754	1,112	-----	869	1,464	225
11,260	8	2,136	891	42	889	1,425	1,279	1,581	711	450	102	188	1,426	152
4,836	17	316	140	42	291	791	675	764	184	319	-----	152	1,063	82
8,757	6	600	504	15	560	1,486	1,075	1,550	389	221	32	214	1,973	132
37	3	4	2	2	4	2	6	4	-----	1	-----	3	4	2
45	1	9	6	-----	3	4	7	5	2	-----	-----	3	4	5
1,944	16	285	62	21	127	243	221	238	66	122	-----	211	267	67
1,287	5	185	85	6	94	168	135	211	62	41	6	32	217	40
72,056	163	8,209	2,606	373	11,409	9,725	6,505	10,912	3,318	2,696	170	3,084	11,587	1,299
16,889	41	1,576	98	68	4,416	1,855	690	2,394	626	274	-----	1,103	2,907	341
13,792	1	1,511	202	20	4,008	1,712	592	1,992	555	189	33	335	2,356	283
14,116	66	1,732	630	157	1,042	2,082	1,872	2,171	740	1,097	-----	863	1,448	221
11,103	8	2,077	884	42	876	1,403	1,262	1,562	704	443	101	184	1,410	147
4,776	17	309	140	42	287	781	669	757	181	315	-----	149	1,051	78
8,638	6	590	499	15	554	1,472	1,058	1,532	384	213	31	212	1,941	133
37	2	4	2	2	4	2	6	-----	-----	-----	-----	5	4	4
44	1	9	6	-----	3	7	4	5	1	-----	-----	5	4	1
1,910	16	222	61	21	126	246	219	287	66	122	-----	202	263	50
1,251	4	179	84	6	93	165	133	208	61	37	5	30	208	38
58,293	97	6,359	1,964	279	10,102	8,165	4,954	8,694	2,624	2,082	140	2,127	9,702	1,004
14,757	30	1,290	73	48	4,147	1,716	580	2,137	566	222	-----	846	2,801	301
12,729	-----	1,321	166	17	3,775	1,600	516	1,846	505	167	32	291	2,243	250
10,418	45	1,234	459	122	767	1,643	1,421	1,538	545	854	-----	543	1,085	157
8,388	4	1,608	674	34	659	1,130	923	1,139	510	343	80	125	1,055	104
3,444	7	190	100	28	200	573	525	523	126	230	-----	93	786	49
6,619	2	443	394	15	400	1,220	764	1,195	292	160	24	155	1,459	96
35	3	4	2	-----	4	2	6	-----	-----	-----	-----	3	4	2
39	1	7	6	-----	3	7	5	-----	-----	-----	-----	2	4	1
1,057	4	131	38	13	86	156	128	163	40	78	-----	54	140	26
812	1	122	52	2	61	113	89	144	39	27	4	15	125	18
34,707	53	3,583	1,272	162	5,631	5,071	3,124	5,393	1,645	1,364	103	1,207	5,580	519
7,973	11	623	41	26	2,216	965	326	1,188	312	139	-----	440	1,547	139
7,193	-----	702	99	11	2,030	963	340	1,063	304	103	25	177	1,255	116
6,670	26	761	314	77	532	1,109	948	1,060	361	584	-----	330	672	95
5,395	4	989	453	14	390	743	609	781	357	223	61	74	630	67
2,118	6	119	68	15	180	353	309	354	84	153	-----	52	444	31
4,263	2	285	249	8	258	799	496	788	189	112	15	103	905	51
23	1	4	2	-----	3	2	5	3	-----	-----	-----	1	2	2
32	1	5	5	-----	3	6	2	3	-----	-----	-----	2	3	1
451	1	49	17	10	42	68	49	71	19	35	-----	22	60	8
389	1	46	26	1	27	63	40	82	18	10	2	6	62	5
9,759	22	1,349	120	30	2,524	1,105	425	1,433	390	154	10	363	1,665	163
4,249	12	444	15	11	1,204	475	141	650	159	37	-----	225	789	87
3,408	-----	395	14	5	1,139	387	106	510	132	28	2	68	619	63
606	8	163	19	8	59	78	62	101	36	38	-----	46	45	3
950	-----	256	46	4	83	83	62	86	36	29	7	8	136	10
141	-----	19	2	-----	5	18	26	25	3	13	-----	6	23	-----
236	-----	27	15	1	17	46	18	43	18	5	-----	4	44	3
2	-----	-----	-----	-----	-----	-----	1	-----	-----	-----	-----	-----	-----	-----
1	-----	-----	-----	-----	-----	-----	-----	1	-----	-----	-----	-----	-----	-----
87	1	26	2	-----	10	8	4	10	3	4	-----	6	6	2
59	-----	19	7	-----	7	10	5	5	1	-----	-----	-----	3	1
11,413	56	1,623	541	69	1,076	1,254	1,318	1,900	607	521	27	691	1,529	201
1,277	10	251	23	11	202	109	89	201	49	42	-----	183	78	29
799	1	155	30	1	169	80	61	111	40	19	-----	37	75	20
3,312	17	466	145	31	247	379	407	590	177	211	-----	272	315	55
2,417	4	424	193	6	199	232	300	377	176	89	20	54	314	29
1,171	9	98	38	12	75	175	126	215	49	77	-----	50	221	26
1,721	4	130	77	-----	136	205	255	299	88	49	7	48	398	25
2	-----	-----	-----	2	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----
5	-----	2	-----	-----	-----	-----	2	-----	-----	-----	-----	-----	-----	-----
497	9	69	16	5	32	50	60	68	38	30	-----	44	84	12
212	2	28	19	1	16	24	18	39	10	4	-----	2	44	5
1,543	6	300	26	3	220	149	97	243	65	45	4	64	267	54
499	2	92	2	1	90	32	12	97	20	8	-----	32	98	13
409	1	70	1	2	92	42	12	70	14	4	-----	6	75	19
208	2	43	9	-----	13	24	29	28	14	15	-----	6	21	4
177	-----	59	7	-----	13	22	17	19	7	7	-----	4	16	5
60	-----	7	-----	-----	4	10	6	7	3	4	-----	3	12	4
119	-----	10	5	-----	6	14	17	18	5	3	-----	2	32	6
1	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----
34	-----	13	1	-----	1	2	2	1	-----	-----	-----	9	4	1
36	1	6	1	-----	1	3	2	3	1	4	-----	2	9	2

VITAL AND SOCIAL STATISTICS.

TABLE 3.—DEATHS BY SEX, CONJUGAL CONDITION, AGE PERIODS, AND CERTAIN RURAL PART OF REGISTRATION STATES—Continued.

BIRTHPLACES OF MOTHERS.		AGE.									
		All ages.	Under 15	15 to 20	20 to 25	25 to 35	35 to 45	45 to 55	55 to 65	65 and over.	Un-known.
1	United States.....	38,380	12,385	1,184	1,357	2,409	2,263	2,553	3,527	12,530	172
2	Single.....	M. 9,255 F. 8,267	6,664 5,721	526 585	536 366	484 326	230 203	178 182	176 195	418 649	43 40
3	Married.....	M. 7,282 F. 5,804	3 69	102 303	528 907	688 919	909 903	1,344 1,018	3,684 1,665	24 21
4	Widowed.....	M. 2,238 F. 4,544	27 42	55 68	91 182	200 463	1,846 3,767	9 8
5	Divorced.....	M. 25 F. 33	1 1	2 10	5 6	6 4	6 6	9 6	1 1
6	Unknown.....	M. 490 F. 443	1	16 18	48 35	43 46	57 42	72 52	250 236	13 13
7	England and Wales.....	2,629	636	82	98	185	201	249	303	861	14
8	Single.....	M. 532 F. 443	323 308	40 41	46 21	35 27	24 10	20 6	16 15	20 15	3
9	Married.....	M. 632 F. 435	1	8 16	46 63	74 75	100 89	129 72	271 115	3 5
10	Widowed.....	M. 234 F. 251	4 3	6 3	8 14	21 34	194 196	1 1
11	Divorced.....	M. 1 F. 1	1
12	Unknown.....	M. 66 F. 35	1 1	6 1	4 5	7 5	12 8	35 15	1
13	Scotland.....	667	148	18	16	57	51	64	68	240	5
14	Single.....	M. 128 F. 112	80 68	6 12	4 7	9 10	7 4	9 4	2 2	9 4	2 1
15	Married.....	M. 146 F. 113	1 4	12 21	16 19	18 24	26 16	72 28	1 1
16	Widowed.....	M. 63 F. 83	1 1	2	1 3	7 11	52 68
17	Divorced.....	M. 1 F. 1
18	Unknown.....	M. 15 F. 7	1 2	2 1	2 3	4	6 1
19	Ireland.....	8,167	1,388	340	504	901	707	893	1,061	2,315	58
20	Single.....	M. 1,847 F. 1,277	771 617	168 165	250 156	302 143	111 48	71 40	48 28	117 73	9 7
21	Married.....	M. 1,660 F. 1,410	7	15 55	154 232	187 262	301 238	360 262	628 293	15 11
22	Widowed.....	M. 563 F. 1,006	1 2	12 19	31 31	44 96	105 185	367 667	3 6
23	Divorced.....	M. 1 F. 4	1 2
24	Unknown.....	M. 268 F. 131	15 10	24 15	24 13	33 17	44 27	124 46	4 3
25	Germany.....	3,298	958	69	106	267	238	303	431	905	21
26	Single.....	M. 781 F. 541	522 436	38 31	52 22	67 13	30 10	16 9	17 2	33 14	6 4
27	Married.....	M. 744 F. 527	8 20	66 94	93 80	134 84	190 107	250 140	3 2
28	Widowed.....	M. 248 F. 300	3 6	4 10	17 20	36 49	188 214
29	Divorced.....	M. 1 F. 1	1
30	Unknown.....	M. 120 F. 35	2 2	13 5	9 2	20 3	25 3	48 20	5
31	Canada.....	2,958	1,515	124	155	228	183	186	167	385	15
32	Single.....	M. 967 F. 890	777 738	51 58	54 38	44 26	14 4	8 6	9 6	12 6	4 2
33	Married.....	M. 362 F. 431	14	13 45	52 91	62 85	59 83	55 56	119 52	2 5
34	Widowed.....	M. 87 F. 152	1	1 5	5 6	7 11	9 23	64 106	1
35	Divorced.....	M. 1 F. 1	1
36	Unknown.....	M. 42 F. 26	1 4	5 3	6 1	9 3	3 6	17 9	1
37	France.....	234	56	7	5	16	13	17	22	92	1
38	Single.....	M. 45 F. 43	26 30	3 4	1 3	5 2	2	1 1	2 3	4	1
39	Married.....	M. 58 F. 33	1	2 6	10 3	6 8	6 5	33 11
40	Widowed.....	M. 24 F. 16	1	2	21
41	Divorced.....	M. 1 F. 1	4
42	Unknown.....	M. 6 F. 9	1	2	5

STATISTICS OF DEATHS.

CAUSES OF DEATH, FOR THE CENSUS YEAR ENDED MAY 31, 1890—Continued.

RURAL PART OF REGISTRATION STATES—Continued.

CAUSE OF DEATH.															
All causes.	Alcoholism.	Consumption.	Cancer and tumor.	Suicide.	General diseases A.	Diseases of the nervous system.	Diseases of the circulatory system.	Diseases of the respiratory system.	Diseases of the digestive system.	Diseases of the urinary system.	Diseases of the female organs of generation.	Accidents and injuries.	All other causes.	Unknown.	
38,380	66	4,088	1,345	176	6,344	5,510	3,346	5,958	1,814	1,451	112	1,349	6,212	609	1
9,255	15	769	46	31	2,530	1,082	366	1,410	372	152	27	513	1,798	171	2
8,267	1	832	102	13	2,339	1,095	369	1,232	345	118	27	201	1,447	146	2
7,282	29	835	330	79	560	1,166	1,007	1,120	386	612	65	349	709	100	3
5,804	4	1,093	481	17	421	801	644	825	378	233	65	81	677	79	3
2,228	8	127	68	16	136	372	323	371	90	163	17	56	465	33	4
4,544	2	307	266	9	273	840	535	835	200	116	17	106	977	61	4
25	3	4	5	3	3	2	5	3	2	2	1	1	2	2	5
33	1	5	5	3	3	2	2	3	2	3	2	2	3	1	5
499	1	63	18	10	47	73	50	74	21	37	3	32	64	9	6
443	2	53	29	1	32	73	45	85	20	15	3	8	70	7	6
2,020	4	278	114	17	409	348	283	411	115	120	4	117	384	25	7
532	2	51	7	3	135	65	26	85	19	10	39	82	82	8	8
443	1	44	11	2	137	41	16	66	20	5	12	85	85	4	8
632	1	84	22	8	57	88	88	105	23	50	40	62	62	4	9
435	1	65	38	39	39	61	57	62	27	13	4	8	53	4	9
234	1	12	11	2	14	50	32	37	8	20	8	8	36	4	10
251	1	11	15	1	23	32	46	40	12	10	7	7	55	4	10
1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	11
66	1	8	1	1	1	9	10	13	5	5	3	3	3	1	12
35	1	3	9	1	4	2	8	3	1	2	3	3	3	1	12
667	1	71	26	1	99	86	78	95	40	30	3	30	98	9	13
128	1	6	1	1	33	19	6	21	6	1	14	19	1	14	
112	1	24	35	13	35	13	5	11	7	2	3	12	5	15	
146	1	15	21	25	9	21	25	22	8	12	5	13	13	5	
113	1	16	9	12	9	12	16	12	10	7	3	2	15	2	
63	1	4	2	10	1	10	12	11	2	3	4	14	14	1	
83	1	3	8	9	9	9	10	13	6	4	2	18	18	1	
15	1	2	2	3	2	2	3	2	1	1	2	2	2	18	
7	1	1	1	1	1	1	1	3	1	1	1	1	1	18	
8,167	50	1,494	277	24	1,051	841	672	1,356	371	286	12	463	1,144	126	19
1,847	12	394	23	7	355	175	79	283	61	47	164	215	32	20	
1,277	1	284	21	8	312	127	62	164	46	21	36	185	19	20	
1,060	13	264	65	8	124	174	178	323	91	90	150	157	23	21	
1,410	4	316	92	4	115	119	153	221	86	54	8	32	191	75	
563	7	66	12	4	34	76	47	120	22	30	24	108	13	22	
1,006	4	91	45	1	87	127	120	181	51	27	30	223	17	22	
1	1	2	1	1	1	1	1	1	1	1	1	1	1	23	
4	1	2	1	1	1	1	1	1	1	1	1	1	1	23	
268	8	53	11	17	17	25	25	36	8	15	26	38	6	24	
131	2	24	8	7	7	18	7	27	6	2	1	27	1	24	
3,298	11	378	111	37	524	369	323	522	169	121	8	159	500	66	25
781	3	68	2	4	220	81	40	126	28	8	56	126	19	26	
541	1	37	3	2	175	75	25	85	18	3	14	93	10	26	
744	6	124	34	17	46	81	87	118	49	52	50	65	15	27	
527	1	90	46	3	42	50	67	83	37	13	9	71	5	27	
248	1	17	9	6	15	27	36	41	13	21	11	45	6	28	
300	1	22	11	19	19	39	56	51	18	10	6	63	3	28	
1	1	1	1	1	1	1	1	1	1	1	1	1	1	29	
120	1	16	4	4	6	12	11	11	4	9	11	26	6	30	
35	1	4	2	1	1	4	4	7	2	2	1	11	2	30	
2,958	7	389	69	8	724	291	167	436	131	38	6	102	506	84	31
967	2	71	1	2	303	107	34	154	31	5	51	176	30	32	
890	1	76	4	2	322	79	26	143	40	4	10	148	35	32	
362	4	84	20	3	32	35	39	46	19	21	19	33	7	33	
431	1	119	32	45	45	32	36	52	26	5	6	70	5	33	
87	1	10	5	1	7	10	5	13	3	2	5	24	2	34	
152	1	14	6	9	9	19	17	23	8	1	5	44	4	34	
1	1	1	1	1	1	1	1	1	1	1	1	1	1	35	
42	1	6	1	2	2	6	6	4	3	3	6	8	1	36	
26	1	9	1	4	4	3	3	1	1	1	3	3	1	36	
234	1	23	16	44	44	25	18	42	8	15	11	30	2	37	
45	1	7	1	15	15	1	2	6	2	2	4	5	1	38	
43	1	2	1	18	18	5	5	7	1	1	4	6	1	38	
58	1	4	6	5	5	6	6	12	2	5	6	4	1	39	
33	1	6	5	3	3	2	2	3	1	1	1	6	4	39	
24	1	1	3	3	3	2	3	5	1	1	1	4	1	40	
16	1	1	4	4	4	4	4	7	1	1	1	3	1	40	
6	1	1	1	1	1	1	1	1	1	1	1	1	1	41	
9	1	1	2	1	1	1	2	1	1	1	1	1	1	42	

VITAL AND SOCIAL STATISTICS.

TABLE 3.—DEATHS BY SEX, CONJUGAL CONDITION, AGE PERIODS, AND CERTAIN RURAL PART OF REGISTRATION STATES—Continued.

BIRTHPLACES OF MOTHERS.		AGE.									
		All ages.	Under 15	15 to 20	20 to 25	25 to 35	35 to 45	45 to 55	55 to 65	65 and over.	Un-known.
1	Scandinavia.....	488	235	12	34	75	36	29	25	41	1
2	Single.....	M. 196 F. 124	M. 136 F. 99	M. 8 F. 4	M. 16 F. 7	M. 22 F. 7	M. 5 F. 3	M. 3 F. 11	M. 2 F. 12	M. 4 F. 7	M. 3 F. 1
3	Married.....	M. 64 F. 52	M. 3 F. 4	M. 14 F. 20	M. 8 F. 1	M. 1 F. 1	M. 3 F. 10	M. 4 F. 1	M. 12 F. 4	M. 6 F. 7	M. 11 F. 1
4	Widowed.....	M. 11 F. 17									
5	Divorced.....	M. 19 F. 5									
6	Unknown.....										
7	Russia and Poland.....	150	81	3	9	21	9	10	7	9	1
8	Single.....	M. 49 F. 47	M. 37 F. 44	M. 1 F. 1	M. 3 F. 1	M. 7 F. 1		M. 1 F. 4			
9	Married.....	M. 25 F. 12		M. 1 F. 1	M. 3 F. 2	M. 5 F. 4	M. 6 F. 1	M. 4 F. 1	M. 4 F. 2	M. 3 F. 1	M. 1 F. 1
10	Widowed.....	M. 1 F. 4						M. 1 F. 1		M. 2 F. 2	
11	Divorced.....	M. 12 F. 12				M. 4 F. 2	M. 2 F. 3			M. 2 F. 1	
12	Unknown.....										
13	Bohemia.....	19	11		1		3		1	1	2
14	Single.....	M. 11 F. 2	M. 9 F. 2		M. 1 F. 1						M. 1 F. 1
15	Married.....	M. 3 F. 1					M. 2 F. 1		M. 1 F. 1		M. 1 F. 1
16	Widowed.....	M. 1 F. 2					M. 1 F. 1			M. 1 F. 1	
17	Divorced.....	M. 1 F. 1									
18	Unknown.....										
19	Hungary.....	48	24	1	5	8	2	4		3	1
20	Single.....	M. 18 F. 14	M. 12 F. 12	M. 1 F. 3	M. 3 F. 1	M. 1 F. 6		M. 1 F. 2			M. 1 F. 1
21	Married.....	M. 10 F. 2			M. 1 F. 1	M. 6 F. 1	M. 2 F. 3	M. 2 F. 1			
22	Widowed.....	M. 2 F. 1								M. 2 F. 1	
23	Divorced.....	M. 1 F. 1									
24	Unknown.....							M. 1 F. 1			
25	Italy.....	205	115	3	7	25	14	16	9	6	10
26	Single.....	M. 80 F. 65	M. 57 F. 58	M. 1 F. 2	M. 5 F. 1	M. 6 F. 13	M. 5 F. 2	M. 2 F. 10	M. 2 F. 4		M. 2 F. 2
27	Married.....	M. 32 F. 9			M. 1 F. 3	M. 3 F. 3	M. 2 F. 3	M. 10 F. 2	M. 4 F. 3	M. 1 F. 2	M. 2 F. 4
28	Widowed.....	M. 6 F. 2						M. 1 F. 3		M. 2 F. 2	
29	Divorced.....	M. 11 F. 11				M. 3 F. 2	M. 2 F. 1			M. 1 F. 1	M. 4 F. 4
30	Unknown.....										
31	Others.....	394	155	11	20	32	46	30	36	63	1
32	Single.....	M. 123 F. 91	M. 82 F. 73	M. 3 F. 7	M. 10 F. 4	M. 11 F. 4	M. 8 F. 2	M. 5 F. 14	M. 1 F. 17	M. 3 F. 22	
33	Married.....	M. 77 F. 47		M. 1 F. 4	M. 2 F. 4	M. 5 F. 9	M. 17 F. 14	M. 5 F. 4	M. 17 F. 10	M. 22 F. 5	
34	Widowed.....	M. 18 F. 23				M. 1 F. 1	M. 1 F. 2	M. 1 F. 4	M. 4 F. 1	M. 11 F. 15	
35	Divorced.....	M. 10 F. 5				M. 1 F. 2	M. 2 F. 1		M. 2 F. 1	M. 4 F. 3	M. 1 F. 1
36	Unknown.....										
37	Unknown.....	15,962	3,201	382	487	1,003	964	1,162	1,578	6,873	312
38	Single.....	M. 2,356 F. 2,285	M. 1,759 F. 1,442	M. 189 F. 156	M. 189 F. 105	M. 210 F. 103	M. 107 F. 63	M. 79 F. 65	M. 59 F. 67	M. 212 F. 255	M. 52 F. 29
39	Married.....	M. 3,329 F. 2,404	M. 3,229 F. 2,349	M. 4 F. 23	M. 30 F. 109	M. 213 F. 333	M. 263 F. 343	M. 358 F. 359	M. 541 F. 413	M. 1,789 F. 791	M. 31 F. 28
40	Widowed.....	M. 1,310 F. 2,358			M. 1 F. 5	M. 10 F. 19	M. 23 F. 34	M. 55 F. 85	M. 97 F. 211	M. 1,145 F. 1,989	M. 13 F. 15
41	Divorced.....	M. 9 F. 6				M. 1 F. 2	M. 1 F. 2	M. 1 F. 1	M. 2 F. 2	M. 5 F. 3	
42	Unknown.....	M. 875 F. 591		M. 1 F. 4	M. 24 F. 24	M. 62 F. 52	M. 74 F. 49	M. 101 F. 59	M. 119 F. 69	M. 400 F. 234	M. 94 F. 50

CAUSES OF DEATH, FOR THE CENSUS YEAR ENDED MAY 31, 1890—Continued.

RURAL PART OF REGISTRATION STATES—Continued.

CAUSE OF DEATH.															
All causes.	Alcoholism.	Consumption.	Cancer and tumor.	Suicide.	General diseases A.	Diseases of the nervous system.	Diseases of the circulatory system.	Diseases of the respiratory system.	Diseases of the digestive system.	Diseases of the urinary system.	Diseases of the female organs of generation.	Accidents and injuries.	All other causes.	Unknown.	
488		65	6		135	54	25	58	21	7	1	27	79	10	1
186		26			65	22	5	21	8	1		8	37	3	2
124		10	1		46	17	3	10	6			4	24	3	3
64		3			6	9	4	17	4	1		13	2		3
52		14	3		5	4	6	4	3	3	1	1	8	1	4
11		1			3	1	2						3	1	4
17		2			3	1	1	4					4	2	5
19		4	1		5		3	1				1	1	1	6
5			1		2		1	1							6
150		12	3		45	15	12	23	7	1		10	18	4	7
49		3			16	4	3	7	3			4	6	3	8
47					19	6	4	9				1	7	1	9
25		2	2		5	4	3	3	1			4	1		9
12		3	1		1	1	1		3			1	1		10
1					1										10
4		1			1		1						1		11
12		3			2			4		1			2		12
19		2			6	1	2	3				1	4		13
11		1			5			1					4		14
2						1		1							14
3		1			1		1	1							15
1												1			16
2							1								16
															17
															18
48		3			12	3	1	4	6	2		11	5	1	19
18		1			6			1	3			3	4		20
14					6			2	2			3	1		20
10		1				1		1	1			5		1	21
2		1								1					21
2						1	1								22
1															22
															23
1										1					24
205		17	1		39	26	17	30	6	1		31	33	4	25
80		4			22	10	4	9	1			12	17	1	26
65		4	1		15	10	3	14	2			3	13		26
32		5			1	4	3	2	1	1		12	1	2	27
9		2				1	2	2				1	1	1	27
6		1					1	2	1			1		1	28
2							2								28
11		1			1	1	2	1	1			2	2		30
394		45	9	4	66	45	33	60	26	9		19	73	5	31
123		7		2	27	16	6	20	6	1		11	25	2	32
91		13			25	9	3	11	2	1		2	25		32
77		11	5	2	7	9	10	13	7	2		5	5	1	33
47		7	3		4	5	5	5	8	1			9		33
18		2	1		1	1	1	4	1	3		1	2	1	34
23		3	1		1	4	6	3	1	1			5	1	34
10		1			1		2	4	1				1		36
5		1			1	1			1				1		36
15,962	30	1,644	655	109	2,131	2,260	1,625	2,157	669	660	28	818	2,768	408	37
2,856	8	260	21	18	773	305	131	347	106	56		256	491	84	38
2,285		255	59	3	652	276	88	307	80	37	6	52	384	86	38
3,229	15	337	149	40	203	508	448	416	162	265		211	408	67	39
2,404		404	181	18	205	337	290	312	132	100	12	47	325	41	39
1,349	1	75	32	13	76	237	211	160	43	76		41	362	22	40
2,358		145	153	6	136	410	281	393	94	52	8	57	580	43	40
9			2		1			1		1		2	2		41
6		2				1		1					1		41
875	5	77	25	7	43	120	103	137	21	51		130	114	37	41
591	1	89	32	4	42	66	68	83	31	22		22	101	28	42

STATISTICS OF DEATHS.

CAUSES OF DEATH, FOR THE CENSUS YEAR ENDED MAY 31, 1890—Continued.

CONNECTICUT.

CAUSE OF DEATH.														
All causes.	Alcoholism.	Consumption.	Cancer and tumor.	Suicide.	General diseases .A.	Diseases of the nervous system.	Diseases of the circulatory system.	Diseases of the respiratory system.	Diseases of the digestive system.	Diseases of the urinary system.	Diseases of the female organs of generation.	Accidents and injuries.	All other causes.	Unknown.
14,470	83	1,743	412	50	2,702	1,688	966	2,306	686	491	43	611	2,581	108
3,872	16	398	14	9	1,094	339	115	575	150	41	-----	251	844	26
3,077	2	320	37	3	996	340	91	399	113	40	8	72	626	30
2,387	26	352	83	20	201	318	256	454	128	170	-----	142	218	19
1,940	12	364	136	1	165	241	176	291	156	94	27	26	242	9
643	6	52	18	3	43	106	73	113	25	43	-----	30	128	3
1,487	7	85	78	5	102	232	183	205	56	53	6	33	360	12
15	3	-----	-----	1	3	2	-----	1	-----	2	-----	1	2	-----
14	1	3	1	-----	-----	2	2	1	1	-----	-----	2	1	-----
615	8	106	14	7	51	70	55	98	33	32	-----	48	88	5
420	2	63	31	1	47	38	35	79	24	16	-----	6	72	4
14,161	82	1,680	409	50	2,654	1,649	939	2,259	678	478	42	601	2,534	106
3,782	16	378	14	9	1,083	326	100	559	146	39	-----	249	828	26
2,998	2	310	37	3	971	330	80	387	112	38	8	70	612	30
2,343	25	343	83	20	198	312	246	445	127	168	-----	141	216	10
1,899	12	351	135	1	160	237	174	287	155	90	26	26	237	8
637	6	51	18	3	43	105	72	112	25	43	-----	28	128	3
1,464	7	81	76	5	100	230	150	292	56	51	6	33	356	12
15	3	-----	-----	1	3	2	-----	1	-----	2	-----	1	2	-----
13	1	3	1	-----	-----	2	2	1	-----	2	-----	1	1	-----
600	8	101	14	7	50	69	53	97	33	32	-----	46	85	5
410	2	62	31	1	46	36	35	78	24	15	2	5	69	4
10,733	45	1,096	253	32	2,273	1,298	676	1,610	478	334	35	369	2,161	73
3,329	7	230	8	6	1,002	302	83	479	131	32	-----	174	805	20
2,709	1	250	22	2	903	304	74	354	94	32	7	52	589	25
1,483	20	177	45	12	129	216	179	259	82	125	-----	71	156	12
1,159	6	214	91	1	97	155	112	150	92	56	21	14	148	2
400	1	26	8	2	26	77	50	64	14	29	-----	16	84	2
1,013	1	53	54	5	59	171	120	192	35	26	5	22	263	7
13	3	-----	-----	-----	3	2	-----	-----	-----	2	-----	1	2	-----
10	1	1	1	-----	-----	2	2	1	-----	-----	-----	1	1	-----
349	4	55	8	3	24	42	30	63	17	22	-----	15	64	2
268	1	40	16	-----	30	27	26	48	13	10	2	3	49	3
6,028	18	556	193	22	1,091	788	461	918	290	236	25	189	1,209	32
1,471	3	112	6	3	446	133	41	200	60	18	-----	77	364	8
1,328	-----	122	19	1	408	156	45	177	57	19	7	25	285	7
1,116	9	117	36	10	96	168	140	191	57	101	-----	52	132	7
768	1	114	68	1	58	114	78	104	68	39	14	8	99	2
299	1	19	5	2	17	55	36	52	11	25	-----	7	67	2
761	1	39	41	4	43	120	91	145	25	18	3	16	210	6
8	1	-----	-----	-----	3	1	-----	-----	-----	2	-----	-----	1	-----
9	1	1	1	-----	-----	1	2	1	-----	-----	-----	1	1	-----
156	2	16	5	1	8	24	18	30	8	11	-----	3	30	-----
112	-----	16	12	-----	12	16	10	18	4	3	1	-----	20	-----
3,170	19	339	17	5	917	305	86	472	119	40	4	112	662	23
1,516	4	129	1	2	456	148	32	238	63	8	-----	73	354	8
1,119	1	108	2	1	403	121	21	153	29	10	-----	22	236	12
102	7	30	1	-----	9	8	3	21	7	6	-----	7	8	-----
205	5	68	6	-----	21	16	15	19	13	9	3	2	28	-----
19	-----	3	1	-----	2	2	4	2	-----	1	-----	3	-----	-----
35	-----	6	3	-----	1	2	5	9	-----	1	-----	-----	7	-----
1	1	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----
94	1	26	1	1	15	3	-----	18	3	2	-----	4	18	2
79	-----	19	2	-----	10	5	6	12	3	3	1	1	16	1
3,182	35	560	147	16	347	312	244	618	192	136	7	190	353	25
392	9	92	5	3	66	18	25	72	13	7	-----	57	21	4
264	1	57	14	-----	60	22	14	43	16	6	1	16	21	3
826	5	102	35	8	66	88	63	184	44	41	-----	64	59	7
714	6	134	43	-----	60	76	59	133	62	33	5	11	88	4
235	4	24	10	-----	16	26	21	47	11	12	-----	11	42	1
426	6	28	22	-----	40	54	34	93	20	24	1	11	89	4
2	-----	-----	-----	1	-----	-----	-----	1	-----	-----	-----	-----	-----	-----
3	-----	2	-----	-----	-----	-----	-----	-----	-----	-----	-----	1	-----	-----
210	4	41	5	3	25	21	21	28	16	9	-----	19	17	1
120	-----	20	13	1	14	7	7	27	10	4	-----	-----	16	1
309	1	63	3	-----	48	39	27	47	8	13	1	10	47	2
90	-----	20	-----	-----	11	13	6	16	4	2	-----	2	16	-----
79	-----	10	-----	-----	25	10	2	12	1	2	-----	2	14	1
44	1	9	-----	-----	3	6	10	9	1	2	-----	1	2	-----
41	-----	13	1	-----	5	4	2	4	1	4	1	-----	5	1
6	-----	1	-----	-----	-----	1	1	1	-----	-----	-----	2	-----	-----
23	-----	4	2	-----	2	2	4	3	-----	2	-----	-----	4	-----
1	-----	4	-----	-----	-----	-----	-----	-----	1	-----	-----	-----	-----	-----
15	-----	5	-----	-----	1	1	2	1	-----	-----	-----	2	3	-----
10	-----	1	-----	-----	1	2	-----	1	-----	1	-----	1	3	-----

STATISTICS OF DEATHS.

CAUSES OF DEATH, FOR THE CENSUS YEAR ENDED MAY 31, 1890—Continued.

CONNECTICUT—Continued.

CAUSE OF DEATH.														
All causes.	Alcoholism.	Consumption.	Cancer and tumor.	Suicide.	General diseases A.	Diseases of the nervous system.	Diseases of the circulatory system.	Diseases of the respiratory system.	Diseases of the digestive system.	Diseases of the urinary system.	Diseases of the female organs of generation.	Accidents and injuries.	All other causes.	Unknown.
6,796	24	647	198	23	1,281	877	512	1,026	323	254	26	215	1,352	38
1,765	4	136	6	4	519	165	55	247	80	21		90	428	10
1,566		138	19	1	502	184	52	212	61	21	7	30	529	10
1,180	12	134	36	10	99	181	150	200	59	103		54	135	7
843	1	134	70	1	67	119	85	111	73	45	15	9	110	3
311	1	20	5	2	18	57	38	55	11	25		9	68	2
806		44	43	4	48	125	100	150	26	21	3	17	219	6
10	3				3	1				2			1	
10	1	1	1		1	2		1	1			1	1	
178	2	22	5	1	11	26	19	31	8	12		4	37	
127		18	13		14	18	11	19	4	4	1	1	24	
577	5	71	25	2	92	77	49	84	27	28	1	22	91	3
163		19	1		38	20	6	21	5	1		11	41	
97	1	7	3	1	97	12	5	9	1			1	16	2
99		19	3	1	6	13	11	19	5	10		5	7	
95	1	16	8		3	9	9	14	10	9	1	2	13	
24	1		3		2	6	3	3	2	2		2	2	
56		5	5		2	10	8	12	2	4		1	6	1
1					2			1						
31	2	5	1		2	5	4	3	3	1			5	
11			1			2	3	2	1	1			1	
130	3	17	11	1	14	14	9	19	9	6		6	20	1
30	2	4		1	2	4	2	6	2			2	5	
29		6			3	4	2	3	3	1		2	3	
20		3	3		1	3	1	3	1	1			3	1
15	1	1	3		1	2	2	2	1	2			2	
12			1			1		4	1			1	4	
8			1			2		2		1			2	
10		1			2		2	2	1	1		1		
6		2	3										1	
3,358	35	619	87	5	556	314	170	638	167	103	10	159	473	22
859	9	143	4		207	72	26	161	31	11		62	128	5
624	1	115	9		182	60	18	86	19	11	1	14	103	5
523	7	101	17	2	44	45	28	139	30	21		45	89	4
509	7	135	28		47	60	42	95	49	24	7	7	67	1
102	3	23	4	1	13	17	18	33	5	9		8	27	1
323	5	25	16		32	39	19	74	15	17	1	8	69	3
1				1										
2		2												
166	3	47	3	1	17	12	13	27	7	4		14	17	1
129		28	6		14	8	6	23	11	6	1	1	23	2
813	4	103	23	7	191	88	49	117	44	26		35	121	5
256		23		2	89	20	9	34	12	1		14	49	3
104		12	1		63	24	4	19	6	1		4	30	
150	2	32	11	2	11	22	17	21	8	14		6	4	
115	1	21	6		14	11	11	19	8	5		1	17	1
24		2			2	2	1	5	5	1		2	6	
44	1	4	2		4	6	4	8	2	1		2	10	
1														
41		5	2	2	9	3	2	5	2	3		1	2	1
18		4	1	1	1		1	6	1			5	3	
427	2	51	9	2	121	36	12	72	19	4		18	76	5
137		10	1	1	46	12	1	24	6			9	27	
120		8	1		53	9	1	18	6	2		3	26	2
47	1	12	1		5	6	3	8	3			3	4	1
43	1	14	3		3	5	2	5	2	1		1	5	1
11		2	2		2		1	2	2				1	
14					2		3	3	1	1			4	
24		2		1	4	2		4	1			2	7	1
22		3	1		6	2	1	7					2	
35		3	3	1	7	2	2	4	2	2		3	5	1
10		1			4		2	1				1	1	
8					2	1		1		1			2	1
11		1	1	1	1	1		2		1		2	2	
4		1	1		1				1					
1														
1			1						1					

VITAL AND SOCIAL STATISTICS.

TABLE 3.—DEATHS BY SEX, CONJUGAL CONDITION, AGE PERIODS, AND CERTAIN CONNECTICUT—Continued.

BIRTHPLACES OF MOTHERS.		AGE.									
		All ages.	Under 15	15 to 20	20 to 25	25 to 35	35 to 45	45 to 55	55 to 65	65 and over.	Un-known.
1	Scandinavia.....	235	127	5	20	32	25	8	7	10	1
2	Single.....	M 100 F 61	74 52	3 2	11 2	9 4	2	1		1	
3	Married.....	M 33 F 21			1 3	10 6	17 5	2 3	2 1	1 2	1 2
4	Widowed.....	M 4 F 4				6	1		1	2	3
5	Divorced.....	M F							1		
6	Unknown.....	M 8 F 4	1		2 1	2 1		1 1	1	1	1
7	Russia and Poland.....		81	54	1	5	7	4	4	2	4
8	Single.....	M 32 F 29	26 27		2 1	3				1	
9	Married.....	M 12 F 3		1	1	1	3	4	1	2	
10	Widowed.....	M 1 F				2	1		1		
11	Divorced.....	M F									
12	Unknown.....	M 4 F	1		1	1				1	
13	Bohemia.....		8	5		2					1
14	Single.....	M 2 F 3	2 3								
15	Married.....	M F	3			2					1
16	Widowed.....	M F									
17	Divorced.....	M F									
18	Unknown.....	M F									
19	Hungary.....		54	38	3	1	6	1	2	1	1
20	Single.....	M 27 F 16	23 15	3	1						1
21	Married.....	M 7 F 1				5		2			
22	Widowed.....	M 1 F 1					1			1	
23	Divorced.....	M F							1		
24	Unknown.....	M 1 F				1					
25	Italy.....		130	92	6	2	11	9	5	1	2
26	Single.....	M 59 F 42	51 41	3		4	1				
27	Married.....	M 10 F 11		1	1	2	1	3	1	1	1
28	Widowed.....	M F		2	1	3	4	1			
29	Divorced.....	M F						1		1	
30	Unknown.....	M 6 F				2	3				1
31	Others.....		83	38	5	4	5	10	6	7	8
32	Single.....	M 36 F 18	23 15	3	3		4	1		2	
33	Married.....	M 12 F 11		1		1	3	2	3	1	3
34	Widowed.....	M F			1	2	1	3	4		
35	Divorced.....	M F									
36	Unknown.....	M 6 F		1		2	1			2	
37	Unknown.....		1,743	479	27	67	116	122	124	160	628
38	Single.....	M 396 F 291	262 217	14 12	37 15	30 13	14 5	8 4	7 6	16 13	8 1
39	Married.....	M 283 F 266		1	9	16 33	33 34	43 29	59 34	132 64	2
40	Widowed.....	M 93 F 229			1	1	1	7 9	7 17	77 198	1
41	Divorced.....	M 3 F 1						1		2	
42	Unknown.....	M 139 F 102			3 2	16 7	22 10	10 13	17 13	66 54	5 3

STATISTICS OF DEATHS.

CAUSES OF DEATH, FOR THE CENSUS YEAR ENDED MAY 31, 1890—Continued.

CONNECTICUT—Continued.

CAUSE OF DEATH.														
All causes.	Alcoholism.	Consumption.	Cancer and tumor.	Suicide.	General diseases A.	Diseases of the nervous system.	Diseases of the circulatory system.	Diseases of the respiratory system.	Diseases of the digestive system.	Diseases of the urinary system.	Diseases of the female organs of generation.	Accidents and injuries.	All other causes.	Unknown.
235		25	4		72	12	6	31	10	1		18	52	4
100		7			39	4	1	11	3	1		6	27	1
61		4	1		19	4		6	4			4	16	3
33		10			5	1	3	8				6		
21		3	1		4	1	1	2	2			1	6	
4			1			1							2	
4					1		1	1					1	
8		1			2	1		2	1			1		
4			1		2			1						
81		9		1	23	6	3	13	4	1		2	18	1
32		2		1	11	1	2	6					9	
29		1			10	3	1	4	1			1	8	
12		3			2	2		1	2				1	1
3		1						2				1		
1														
4		2							1	1				
8		1			2		2						3	
2					1								1	
3								1					2	
3		1			1			1						
54		5		1	12	7		8	1	1		6	13	
27		3			6	4		4	1			1	8	
16					5	1		3				2	5	
7		1		1	1							3		
1								1						
1						1				1				
1														
1														
1		1												
130		7	2		24	16	1	29	2	1		10	35	3
59					14	7	1	9				6	21	1
42		3	1		7	8		11	1			1	9	1
10		3			2	1		2		1		3		
11								5					3	1
2			1										1	
6		1			1			2	1				1	
83	1	12	1	1	18	8	7	12	1	2		7	13	
36	1	5			9	4		4		1		4	8	
18		2			6	1		2				3	4	
12		2	1	1	2			1					1	
11		2				3		3						
6		1			1			2	1	1				
1,743	9	173	49	6	289	231	146	251	77	62	6	110	309	25
396		45	2		109	26	10	47	10	5		45	91	6
291		24	2	1	100	29	8	27	11	3		7	73	6
233	4	31	10	2	25	41	39	50	20	19		15	22	5
206		35	16		22	33	21	31	10	8	4	5	19	2
93	1	5	2		8	21	12	10	3	6		7	18	
229	1	7	10	1	13	20	28	45	10	7	2	5	48	2
3						1						1	1	
1						1								
139	1	18	3	2	2	21	15	20	6	9		21	19	2
102	2	8	4		10	8	13	21	7	5		4	18	2

VITAL AND SOCIAL STATISTICS.

TABLE 3.—DEATHS BY SEX, CONJUGAL CONDITION, AGE PERIODS, AND CERTAIN RURAL PART OF CONNECTICUT.

COLOR AND GENERAL NATIVITY.		AGE.									
		All ages.	Under 15	15 to 20	20 to 25	25 to 35	35 to 45	45 to 55	55 to 65	65 and over.	Un-known.
1	Total.....	7,036	2,347	238	312	568	512	553	707	2,349	50
2	Single.....	M. 1,896	1,274	111	144	144	58	43	36	71	15
		F. 1,561	1,073	113	77	87	34	24	33	107	13
3	Married.....	M. 1,417	22	115	154	205	266	649	6
		F. 1,092	13	49	168	183	177	177	314	6
4	Widowed.....	M. 398	7	15	15	41	318	2
		F. 897	2	9	19	39	99	727	2
5	Divorced.....	M. 8	1	1	1	3	1	1
		F. 9	2	2	3	2
6	Unknown.....	M. 227	10	18	31	29	34	103	2
		F. 131	1	7	17	12	16	18	57	3
7	White.....	7,525	2,307	230	303	562	500	543	701	2,324	50
8	Single.....	M. 1,864	1,252	110	139	144	57	43	35	70	15
		F. 1,535	1,055	108	76	86	34	24	33	106	13
9	Married.....	M. 1,397	22	113	149	204	263	640	6
		F. 1,079	11	48	165	184	177	177	311	6
10	Widowed.....	M. 397	7	15	15	41	317	2
		F. 887	1	9	19	39	98	719	2
11	Divorced.....	M. 8	1	1	1	1	1
		F. 8	2	2	2	2
12	Unknown.....	M. 222	10	18	30	26	34	102	2
		F. 128	1	7	17	11	15	18	56	3
13	Native born.....	6,039	2,217	189	243	397	325	310	451	1,869	38
14	Single.....	M. 1,672	1,213	92	112	99	35	27	24	59	11
		F. 1,397	1,004	88	65	63	26	21	27	92	11
15	Married.....	M. 1,019	16	84	93	109	186	526	5
		F. 738	8	38	116	122	92	113	246	3
16	Widowed.....	M. 286	5	11	8	20	240	2
		F. 693	1	7	13	29	53	583	2
17	Divorced.....	M. 7	1	1	1	1	1
		F. 5	2	1	2
18	Unknown.....	M. 127	10	9	16	10	16	71
		F. 95	1	5	11	8	11	12	44	3
19	Both parents native.....	3,973	1,167	113	132	241	230	245	350	1,468	27
20	Single.....	M. 925	638	54	53	60	27	19	21	46	7
		F. 815	529	54	38	42	18	19	26	80	9
21	Married.....	M. 826	12	54	72	88	151	444	5
		F. 551	4	25	69	86	77	87	201	2
22	Widowed.....	M. 229	3	9	8	15	193	1
		F. 539	1	5	10	24	41	450	2
23	Divorced.....	M. 3	1	1
		F. 5	2	1	2
24	Unknown.....	M. 49	6	5	5	5	32
		F. 31	1	1	5	1	4	4	14	1
25	One or both parents foreign.....	1,165	796	63	85	115	45	15	16	24	6
26	Single.....	M. 564	441	32	44	34	5	3	1	1	3
		F. 431	355	28	22	18	7	1
27	Married.....	M. 43	4	20	8	2	3	6
		F. 79	3	8	31	21	4	7	4	1
28	Widowed.....	M. 9	2	1	1	5
		F. 16	2	1	2	2	8
29	Divorced.....	M. 1	1
		F. 1
30	Unknown.....	M. 9	3	4	1	1
		F. 18	4	4	1	2	1	1
31	Foreign born.....	1,367	70	38	55	152	164	227	244	412	5
32	Single.....	M. 165	27	16	23	42	21	15	10	11
		F. 123	43	19	11	21	8	3	5	12	1
33	Married.....	M. 358	5	26	55	93	76	102	1
		F. 331	3	10	48	60	83	63	62	2
34	Widowed.....	M. 106	2	4	5	21	74
		F. 183	2	6	10	45	120
35	Divorced.....	M. 1	1
		F. 3	1	2
36	Unknown.....	M. 71	4	5	9	13	16	23	1
		F. 26	2	6	1	3	6	8
37	Colored.....	111	40	8	9	6	12	5	6	25
38	Single.....	M. 32	22	1	6	1	1	1
		F. 26	18	5	1	1	1
39	Married.....	M. 20	2	5	1	3	9
		F. 13	2	1	3	4	3
40	Widowed.....	M. 1	1
		F. 10	1	1	8
41	Divorced.....	M. 1
		F. 1
42	Unknown.....	M. 5	1	3	1
		F. 3	1	1	1

CAUSES OF DEATH, FOR THE CENSUS YEAR ENDED MAY 31, 1890—Continued.

RURAL PART OF CONNECTICUT.

CAUSE OF DEATH.														
All causes.	Alcoholism.	Consumption.	Cancer and tumor.	Suicide.	General diseases A.	Diseases of the nervous system.	Diseases of the circulatory system.	Diseases of the respiratory system.	Diseases of the digestive system.	Diseases of the urinary system.	Diseases of the female organs of generation.	Accidents and injuries.	All other causes.	Unknown.
7,636	30	897	249	28	1,351	914	558	1,173	364	275	23	351	1,352	71
1,896	4	200	9	7	518	153	62	281	75	26		136	404	16
1,561		165	23	2	492	169	45	199	65	20	6	44	306	25
1,417	15	188	52	10	126	203	153	253	70	106		87	143	11
1,092	1	211	84		105	137	99	148	81	56	14	14	137	5
398	1	27	12	2	24	63	49	75	18	27		17	81	2
897	2	43	49	3	59	142	111	164	33	22	1	23	232	8
8	3			1	2							1	1	
9		2	1			1	1	1	1			2		
227	3	34	6	3	15	29	28	32	12	13		25	25	2
131	1	22	13		10	12	10	20	9	5	2	2	23	2
7,525	29	875	248	28	1,335	904	549	1,159	360	270	23	347	1,329	69
1,864	4	189	9	7	514	157	61	277	73	25		136	395	16
1,535		164	23	2	484	166	45	196	65	19	6	42	299	24
1,397	14	154	52	10	124	200	149	250	69	106		86	142	11
1,079	1	208	84		104	135	99	146	81	54	14	14	135	4
397	1	27	12	2	24	63	49	74	18	27		17	81	2
837	2	43	48	3	58	141	109	163	33	21	1	23	229	8
8	3			1	2							1	1	
8		2	1			1	1	1	1			2		
222	3	31	6	3	15	29	26	32	12	13		25	25	2
123	1	22	13		10	12	10	20	9	5	2	2	21	2
6,039	21	638	176	23	1,151	752	422	899	276	210	21	228	1,170	52
1,672	3	154	5	6	482	147	49	239	66	20		101	387	13
1,397		142	12	2	446	159	36	183	57	16	6	30	288	20
1,019	13	115	39	9	92	152	121	168	52	85		51	114	3
733	1	136	62		66	101	72	96	52	40	12	8	90	2
286		16	6	2	16	49	38	49	12	20		12	64	2
693		37	40	3	37	116	82	126	22	15	1	16	193	5
7	3				2							1	1	
5		1	1			1	1	1				1	1	
127	1	20	4	1	4	20	14	21	7	11		7	17	
95		18	7		6	7	9	16	8	3	2	1	16	2
3,973	11	403	136	16	668	522	307	593	192	160	17	147	776	25
925	2	82	4	3	262	81	27	133	40	13		58	213	7
815		86	10	1	245	98	27	105	38	13	6	17	163	6
826	7	89	32	7	75	128	100	128	42	70		43	101	4
551	1	94	47		41	81	54	75	44	29	9	6	68	2
229		12	3	2	11	37	30	41	10	19		7	55	2
539		29	32	3	28	83	61	96	14	13	1	14	161	4
3	1				2									
5		1	1			1	1	1				1	1	
49		4	3		3	10	5	9	2	3		1	9	
31		7	4		1	3	2	5	2		1		6	
1,165	5	151	11	3	334	116	36	165	47	14	1	45	224	13
564	1	56	1	2	165	54	16	81	24	3		30	127	4
431		47	1	1	147	48	5	63	17	3		8	82	9
43	3	9	1		6	2	2	10	2	3		4	1	
79		22	4		14	9	6	5	3	5		1	10	
9		2	1		1	1	2	1				1		
16		3			1	1	4	3	1				3	
1	1													
9		6	1			1	1	1				1		
13		6	2			1	1	1					1	
1,367	7	223	65	4	169	137	117	244	80	56	2	98	148	12
165	1	32	3	1	27	10	12	32	6	5		27	7	2
123		20	10		32	5	8	13	7	3		12	10	3
358	1	68	11	1	30	44	26	80	16	19		32	27	3
331		71	21		37	32	26	48	29	14	2	6	44	1
106	1	11	6		7	13	10	24	6	7		4	17	
183	2	11	8		21	23	24	35	10	5		7	35	2
1														
3		2		1										
71	2	9	1		11	6	11	8	5	1		1	6	1
28		4	5		4	4		4	1	2			2	
111	1	22	1		16	10	9	14	4	5		4	23	2
82		11			4	1	1	4	2	1			8	
26		1			8	3		3	1	1		2	7	1
20	1	4			2	3	4	3	1			1	1	
13		3			7	2		2		2			2	1
1								1						
10			1		1	1	2	1		1			3	
1														
5		3							1					
3								2				1	2	

VITAL AND SOCIAL STATISTICS.

TABLE 3.—DEATHS BY SEX, CONJUGAL CONDITION, AGE PERIODS, AND CERTAIN RURAL PART OF CONNECTICUT—Continued.

BIRTHPLACES OF MOTHERS.		AGE.									
		All ages.	Under 15	15 to 20	20 to 25	25 to 35	35 to 45	45 to 55	55 to 65	65 and over.	Un-known.
1	Scandinavia.....	152	86	3	11	22	13	8	3	6	
2	Single.....	M. 68 F. 42	52 34	2 1	5 2	8 4		1		1 1	
3	Married.....	M. 18 F. 12			1	4 4	10 3	2 3	1 1	1 1	
4	Widowed.....	M. 1 F. 4							1	1 3	
5	Divorced.....	M. 1 F. 4									
6	Unknown.....	M. 4 F. 3			2 1	1 1		1 1			
7	Russia and Poland.....	24	15	1	1	2	1	1	2	1	
8	Single.....	M. 11 F. 7	9 6			2					
9	Married.....	M. 5 F. 1		1	1		1	1	1 1	1	
10	Widowed.....	M. 1 F. 1									
11	Divorced.....	M. 1 F. 1									
12	Unknown.....	M. 1 F. 1									
13	Bohemia.....	2	1								1
14	Single.....	M. 1 F. 1	1								
15	Married.....	M. 1 F. 1									1
16	Widowed.....	M. 1 F. 1									
17	Divorced.....	M. 1 F. 1									
18	Unknown.....	M. 1 F. 1									
19	Hungary.....	15	10	1		2				1	1
20	Single.....	M. 6 F. 6	5 5	1							1
21	Married.....	M. 2 F. 1				2					
22	Widowed.....	M. 1 F. 1								1	
23	Divorced.....	M. 1 F. 1									
24	Unknown.....	M. 1 F. 1									
25	Italy.....	26	16	1		2	3	2	1		1
26	Single.....	M. 14 F. 5	11 5	1		1	1				
27	Married.....	M. 3 F. 2				1	1	1	1		
28	Widowed.....	M. 2 F. 2					1	1			
29	Divorced.....	M. 1 F. 1									
30	Unknown.....	M. 2 F. 1					1				1
31	Others.....	28	14	1	2	1	1	2	4	3	
32	Single.....	M. 13 F. 6	8 6	1	1			1		2	
33	Married.....	M. 5 F. 3				1	1	1	3		
34	Widowed.....	M. 3 F. 3					1		1		
35	Divorced.....	M. 1 F. 1									
36	Unknown.....	M. 1 F. 1								1	
37	Unknown.....	979	265	15	30	53	62	54	90	401	9
38	Single.....	M. 198 F. 168	139 126	7 7	18 5	8 6	5 1	3 2	3 2	11 13	4 1
39	Married.....	M. 157 F. 114			5	11	15	19	33	79	
40	Widowed.....	M. 53 F. 142		1		17	10	10	21	43	1
41	Divorced.....	M. 2 F. 2					2	3	4	129	1
42	Unknown.....	M. 91 F. 59			2	9 2	14 8	8 6	12 7	45 35	1 1

STATISTICS OF DEATHS.

CAUSES OF DEATH, FOR THE CENSUS YEAR ENDED MAY 31, 1890—Continued.

RURAL PART OF CONNECTICUT—Continued.

CAUSE OF DEATH.														
All causes.	Alcoholism.	Consumption.	Cancer and tumor.	Suicide.	General diseases A.	Diseases of the nervous system.	Diseases of the circulatory system.	Diseases of the respiratory system.	Diseases of the digestive system.	Diseases of the urinary system.	Diseases of the female organs of generation.	Accidents and injuries.	All other causes.	Unknown.
152		14	3		52	8	4	22	7	1		10	28	3
68		6			28	4	1	8	3	1		3	13	1
42		2	1		14	4		3	3			3	10	2
18		5			2		1	7				3		
12		1	1		3		1	2	1				3	
1													1	
4					1		1	1					1	
4														
3			1		2			1				1		
					2									
24		2			8	4	1	5					4	
11					3	1	1	3					3	
7					4	1		1					1	
5		1			1	2		1						
1		1												
2					2									
1					1									
1					1									
15					4	2		1	1			3	4	
6					2				1	1			3	
6					2							2	1	
2						1						1		
1						1								
26					3	3		3		1		5	10	1
14					2	2						3	7	
5					1	1						1	2	
3								1		1		1		
2								1						
28		5			6	5	2	3	1			3	3	
13		2			2	2		3				2	2	
6		1			3	1						1		
5		1			1		2						1	
3		1				2								
1									1					
979	5	92	33	4	152	121	88	153	40	37	3	54	179	18
198		18	1		54	13	5	27	2	3		22	50	3
163		12	2		57	13	4	17	3			5	45	5
157		17	7		11	21	21	32	9			4	15	4
114	3	21	10	2	13	14	13	17	5	13	3	1	11	1
53		2	2		5	12	8	7	2	5		5	8	
142		5	8		6	31	19	29	8	3		2	29	2
2												1	1	
91	1	12	1	2	1	13	11	14	5	8		13	9	1
59	1	5	2		5	4	7	10	6	3		1	18	2

VITAL AND SOCIAL STATISTICS.

TABLE 3.—DEATHS BY SEX, CONJUGAL CONDITION, AGE PERIODS, AND CERTAIN DELAWARE.

COLOR AND GENERAL NATIVITY.		AGE.									
		All ages.	Under 15	15 to 29	20 to 25	25 to 35	35 to 45	45 to 55	55 to 65	65 and over	Un-known.
1	Total.....	3,107	1,310	111	154	279	178	228	232	577	38
2	Single.....	M. 971 F. 763	M. 717 F. 593	M. 54 F. 53	M. 70 F. 52	M. 67 F. 27	M. 17 F. 9	M. 16 F. 7	M. 8 F. 4	M. 18 F. 13	M. 4 F. 5
3	Married.....	M. 511 F. 479	M. 479 F. 479	M. 4 F. 4	M. 20 F. 20	M. 99 F. 99	M. 82 F. 82	M. 73 F. 73	M. 65 F. 65	M. 132 F. 132	M. 4 F. 5
4	Widowed.....	M. 88 F. 155	M. 88 F. 155	M. 1 F. 1	M. 3 F. 3	M. 1 F. 3	M. 1 F. 1	M. 7 F. 7	M. 12 F. 22	M. 62 F. 120	M. 5 F. 1
5	Divorced.....	M. 82 F. 58	M. 82 F. 58	M. 3 F. 3	M. 13 F. 9	M. 9 F. 5	M. 11 F. 2	M. 10 F. 8	M. 31 F. 21	M. 5 F. 10	
6	Unknown.....	M. 82 F. 58	M. 82 F. 58	M. 3 F. 3	M. 13 F. 9	M. 9 F. 5	M. 11 F. 2	M. 10 F. 8	M. 31 F. 21	M. 5 F. 10	
7	White.....	2,412	962	79	108	216	144	188	193	490	32
8	Single.....	M. 720 F. 566	M. 521 F. 441	M. 39 F. 37	M. 52 F. 34	M. 54 F. 18	M. 15 F. 7	M. 12 F. 7	M. 6 F. 4	M. 17 F. 13	M. 4 F. 5
9	Married.....	M. 427 F. 390	M. 427 F. 390	M. 3 F. 3	M. 13 F. 13	M. 43 F. 83	M. 52 F. 58	M. 87 F. 63	M. 85 F. 54	M. 154 F. 114	M. 3 F. 2
10	Widowed.....	M. 74 F. 129	M. 74 F. 129	M. 1 F. 1	M. 2 F. 2	M. 1 F. 2	M. 5 F. 6	M. 11 F. 19	M. 5 F. 10	M. 3 F. 10	
11	Divorced.....	M. 65 F. 41	M. 65 F. 41	M. 3 F. 2	M. 10 F. 6	M. 7 F. 4	M. 8 F. 4	M. 7 F. 7	M. 25 F. 13	M. 5 F. 9	
12	Unknown.....	M. 65 F. 41	M. 65 F. 41	M. 3 F. 2	M. 10 F. 6	M. 7 F. 4	M. 8 F. 4	M. 7 F. 7	M. 25 F. 13	M. 5 F. 9	
13	Native born.....	2,066	928	73	91	181	116	142	131	385	19
14	Single.....	M. 671 F. 547	M. 501 F. 427	M. 36 F. 35	M. 42 F. 34	M. 45 F. 16	M. 14 F. 7	M. 10 F. 7	M. 5 F. 4	M. 15 F. 12	M. 3 F. 5
15	Married.....	M. 332 F. 291	M. 332 F. 291	M. 2 F. 2	M. 11 F. 11	M. 40 F. 71	M. 43 F. 46	M. 65 F. 46	M. 57 F. 34	M. 122 F. 79	M. 3 F. 2
16	Widowed.....	M. 66 F. 117	M. 66 F. 117	M. 1 F. 1	M. 2 F. 2	M. 1 F. 2	M. 4 F. 6	M. 4 F. 17	M. 8 F. 17	M. 51 F. 90	M. 3 F. 1
17	Divorced.....	M. 29 F. 13	M. 29 F. 13	M. 1 F. 1	M. 4 F. 3	M. 4 F. 3	M. 4 F. 2	M. 4 F. 2	M. 10 F. 6	M. 2 F. 2	
18	Unknown.....	M. 29 F. 13	M. 29 F. 13	M. 1 F. 1	M. 4 F. 3	M. 4 F. 3	M. 4 F. 2	M. 4 F. 2	M. 10 F. 6	M. 2 F. 2	
19	Both parents native.....	749	285	37	24	54	47	64	63	169	6
20	Single.....	M. 224 F. 180	M. 152 F. 138	M. 20 F. 17	M. 13 F. 9	M. 16 F. 5	M. 5 F. 2	M. 4 F. 3	M. 5 F. 2	M. 8 F. 6	M. 1 F. 3
21	Married.....	M. 98 F. 44	M. 98 F. 44	M. 1 F. 1	M. 23 F. 20	M. 19 F. 20	M. 32 F. 19	M. 25 F. 16	M. 51 F. 18	M. 1 F. 1	
22	Widowed.....	M. 61 F. 61	M. 61 F. 61	M. 1 F. 1	M. 1 F. 1	M. 2 F. 2	M. 3 F. 3	M. 8 F. 8	M. 49 F. 49	M. 1 F. 1	
23	Divorced.....	M. 2 F. 3	M. 2 F. 3	M. 1 F. 1	M. 1 F. 1	M. 1 F. 1	M. 1 F. 1	M. 1 F. 1	M. 2 F. 2	M. 1 F. 1	
24	Unknown.....	M. 2 F. 3	M. 2 F. 3	M. 1 F. 1	M. 1 F. 1	M. 1 F. 1	M. 1 F. 1	M. 1 F. 1	M. 2 F. 2	M. 1 F. 1	
25	One or both parents foreign.....	38	18	3	4	5	1	1	2	4	
26	Single.....	M. 14 F. 14	M. 9 F. 9	M. 1 F. 2	M. 2 F. 2	M. 1 F. 1	M. 1 F. 1	M. 1 F. 1	M. 1 F. 1	M. 1 F. 1	
27	Married.....	M. 4 F. 3	M. 4 F. 3	M. 1 F. 1	M. 1 F. 1	M. 1 F. 1	M. 1 F. 1	M. 1 F. 1	M. 2 F. 2	M. 1 F. 1	
28	Widowed.....	M. 3 F. 3	M. 3 F. 3	M. 1 F. 1	M. 1 F. 1	M. 1 F. 1	M. 1 F. 1	M. 1 F. 1	M. 1 F. 1	M. 1 F. 1	
29	Divorced.....	M. 3 F. 3	M. 3 F. 3	M. 1 F. 1	M. 1 F. 1	M. 1 F. 1	M. 1 F. 1	M. 1 F. 1	M. 1 F. 1	M. 1 F. 1	
30	Unknown.....	M. 3 F. 3	M. 3 F. 3	M. 1 F. 1	M. 1 F. 1	M. 1 F. 1	M. 1 F. 1	M. 1 F. 1	M. 1 F. 1	M. 1 F. 1	
31	Foreign born.....	241	12	4	14	21	21	40	51	78	
32	Single.....	M. 33 F. 8	M. 9 F. 3	M. 1 F. 2	M. 10 F. 2	M. 7 F. 2	M. 1 F. 1	M. 2 F. 1	M. 1 F. 1	M. 2 F. 1	
33	Married.....	M. 90 F. 39	M. 90 F. 39	M. 1 F. 1	M. 2 F. 2	M. 9 F. 9	M. 7 F. 11	M. 21 F. 14	M. 27 F. 20	M. 32 F. 32	
34	Widowed.....	M. 5 F. 5	M. 5 F. 5	M. 1 F. 1	M. 1 F. 1	M. 1 F. 1	M. 1 F. 1	M. 1 F. 1	M. 2 F. 2	M. 1 F. 5	
35	Divorced.....	M. 8 F. 3	M. 8 F. 3	M. 1 F. 1	M. 1 F. 1	M. 1 F. 1	M. 1 F. 1	M. 1 F. 1	M. 1 F. 1	M. 4 F. 1	
36	Unknown.....	M. 8 F. 3	M. 8 F. 3	M. 1 F. 1	M. 1 F. 1	M. 1 F. 1	M. 1 F. 1	M. 1 F. 1	M. 1 F. 1	M. 4 F. 1	
37	Colored.....	605	348	32	46	63	34	40	39	87	6
38	Single.....	M. 251 F. 197	M. 196 F. 152	M. 15 F. 16	M. 18 F. 18	M. 13 F. 9	M. 2 F. 2	M. 4 F. 2	M. 2 F. 1	M. 1 F. 26	
39	Married.....	M. 84 F. 89	M. 84 F. 89	M. 1 F. 1	M. 7 F. 7	M. 2 F. 16	M. 2 F. 24	M. 18 F. 10	M. 18 F. 11	M. 26 F. 18	M. 1 F. 2
40	Widowed.....	M. 14 F. 26	M. 14 F. 26	M. 1 F. 1	M. 1 F. 1	M. 1 F. 1	M. 1 F. 1	M. 2 F. 1	M. 1 F. 3	M. 8 F. 20	M. 2 F. 2
41	Divorced.....	M. 17 F. 17	M. 17 F. 17	M. 1 F. 1	M. 3 F. 3	M. 2 F. 3	M. 2 F. 1	M. 3 F. 2	M. 3 F. 1	M. 6 F. 8	M. 1 F. 1
42	Unknown.....	M. 17 F. 17	M. 17 F. 17	M. 1 F. 1	M. 3 F. 3	M. 2 F. 3	M. 2 F. 1	M. 3 F. 2	M. 3 F. 1	M. 6 F. 8	M. 1 F. 1

STATISTICS OF DEATHS.

CAUSES OF DEATH, FOR THE CENSUS YEAR ENDED MAY 31, 1890—Continued.

DELAWARE.

CAUSE OF DEATH.														
All causes.	Alcoholism.	Consumption.	Cancer and tumor.	Suicide.	General diseases A.	Diseases of the nervous system.	Diseases of the circulatory system.	Diseases of the respiratory system.	Diseases of the digestive system.	Diseases of the urinary system.	Diseases of the female organs of generation.	Accidents and injuries.	All other causes.	Unknown.
3,107	4	476	59	4	593	371	215	465	126	93	10	124	454	113
971	1	101	3	1	289	105	44	166	31	15		52	142	41
703	1	104	4		213	93	26	132	21	8	4	12	115	30
511	1	90	20	2	32	69	69	62	28	39		32	51	16
479	1	126	24	1	44	51	43	56	24	21	5	11	65	7
88		7			11	17	10	8	3	3		2	21	6
155		22	5		13	17	11	19	13	2	1	2	43	7
82		10			7	12	9	13	2	4		12	11	2
58		16	3		4	7	3	9	4	1		1	6	4
2,412	3	343	54	4	439	319	178	331	97	80	8	92	355	59
720	1	70	3	1	211	88	37	105	24	11		39	109	21
566		63	4		181	73	23	96	12	7	3	7	85	12
427	1	69	19	2	26	63	56	51	22	34		29	43	12
390	1	99	23	1	39	44	32	41	20	18	4	8	56	4
74		6			10	17	9	6	2	3			18	3
129		19	4		13	16	10	14	11	2	1	2	33	4
65		5			6	12	8	11	2	4		7	9	1
41		12	1		3	6	3	7	4	1			2	2
2,066	3	293	42	3	449	275	140	273	74	63	6	76	318	51
671	1	61	3		199	83	35	99	19	11		33	108	19
547		61	4		177	70	23	91	12	7	2	7	81	13
332	1	59	16	2	22	53	37	33	17	25		25	34	8
291	1	86	17	1	26	32	22	29	14	13	3	4	40	3
66		4			8	16	9	5	1	2			18	3
117		13	2		12	16	8	12	9	2	1	2	31	4
29		1			3	3	6	1		3		5	6	1
13		3			2	2		3	2					1
749	2	122	19	1	197	93	42	31	29	25	4	26	91	17
224	1	21	1		95	18	9	29	8	2		13	21	6
180		24	2		72	19	3	23	5	3	2	2	20	5
137	1	23	9	1	8	26	10	14	8	11		9	13	4
98		41	6		6	9	5	8	3	6	1	1	11	1
44		4			6	8	7	4	1	2			12	
61		9	1		10	12	7	1	4	1	1	1	13	1
2							1						1	
3								2						
38		7			6	2	3	9	1	3			7	
14					1	1	2	4	1	2			3	
14		4			4			4					2	
4		1				1	1			1				
3		1			1								1	
3		1						1					1	
241		31	10	1	23	30	31	32	16	14	2	14	29	3
33		6		1	7	4	2	4	3			5	1	
8		2			1	1		1					2	
90		10	3		4	10	16	15	5	9	1	4	8	3
89		11	6		13	11	9	9	6	4	1	4	15	
5		1			1	1		1	1				1	
5			1		1			1						
3					1	2	1		1			1	2	
3		1				1		1						
695	1	133	5		104	52	37	134	29	13	2	32	99	54
251		31			58	17	7	61	7	4		13	33	20
197	1	41			32	20	3	36	9	1	1	5	30	18
84		21	1		6	6	13	11	6	5		3	8	4
89		27	1		5	7	11	15	4	3	1	3	9	3
14		1			1		1	2	1			2	3	3
26		3	1			1	1	5	2				10	3
17		5			1		1	2				5	2	1
17		4	2		1	1		2				1	4	2

STATISTICS OF DEATHS.

CAUSES OF DEATH, FOR THE CENSUS YEAR ENDED MAY 31, 1890—Continued.

DELAWARE—Continued.

CAUSE OF DEATH.															
All causes.	Alcoholism.	Consumption.	Cancer and tumor.	Suicide.	General diseases A.	Diseases of the nervous system.	Diseases of the circulatory system.	Diseases of the respiratory system.	Diseases of the digestive system.	Diseases of the urinary system.	Diseases of the female organs of generation.	Accidents and injuries.	All other causes.	Unknown.	
1,147	3	204	24	1	260	111	59	144	50	33	6	42	157	53	1
349	1	38	1		126	23	12	59	14	4		19	37	15	2
291	1	48	2		99	24	5	35	10	3	3	3	38	20	3
192	1	40	10	1	10	29	15	21	13	15		10	20	7	4
142		54	8		6	12	10	13	5	8	2	2	18	4	5
56		4			7	8	8	6	2	2		2	15	2	4
88		13	2		10	13	8	6	6	1	1	1	23	4	5
14		3			1		1	1				4	3	1	6
15		4	1		1	2		3				1	3		6
19		2			2	3	2	4		1			5		7
3						1	1						1		8
3								2					1		8
7		1				1	1	2		1			1		9
4		1			1	1							1		9
2					1								1		10
															11
															12
2		2													13
															14
2		2													15
															16
															17
															18
47		10	2		7	3	2	7	3	4		1	7	1	19
7		1			1			1	1	2		1	1		20
7		3			2			1					2		20
7		2				1		1	1				2	1	21
12		2	1		4		1	1		1			1		21
4		1				1		1		1					22
6		1	1					2	1				1		22
															23
3						1	1						1		24
1								1							24
12		1			2	2	2	4	1						25
5					1		2	2							26
2					1			1							26
3						2		1							27
1									1						27
															28
															29
1		1													30
2								1	1						31
2								1	1						32
															33
															34
															35
															36
1					1										37
1					1										38
															39
															40
															41
															42

STATISTICS OF DEATHS.

CAUSES OF DEATH, FOR THE CENSUS YEAR ENDED MAY 31, 1890—Continued.

DELAWARE—Continued.

CAUSE OF DEATH.														
All causes.	Alcoholism.	Consumption.	Cancer and tumor.	Suicide.	General diseases A.	Diseases of the nervous system.	Diseases of the circulatory system.	Diseases of the respiratory system.	Diseases of the digestive system.	Diseases of the urinary system.	Diseases of the female organs of generation.	Accidents and injuries.	All other causes.	Unknown.
2					1								1	1
1													1	2
1					1									3
														4
														5
														6
														7
														8
														9
														10
														11
														12
														13
														14
														15
														16
														17
														18
														19
														20
														21
														22
														23
														24
1									1					25
														26
														27
														28
1									1					29
														30
1												1		31
1												1		32
														33
														34
														35
														36
596		85	9	2	108	60	32	93	32	16		21	100	38
149		20			44	12	2	14	11	2		8	22	14
136		16	1		43	11	3	30	6	2		1	19	4
77		11	3	1	4	8	9	11	2	4		6	13	5
61		12	2	1	6	5	4	11	2	2			13	3
27		2			3	8	2	1	1	1			6	4
59		8	2		2	4	3	11	6	1		1	18	3
														40
52		6			5	8	6	10	1	4		5	6	1
35		10	1		1	4	3	5	3	1			9	4

VITAL AND SOCIAL STATISTICS.

TABLE 3.—DEATHS BY SEX, CONJUGAL CONDITION, AGE PERIODS, AND CERTAIN RURAL PART OF DELAWARE. (a)

COLOR AND GENERAL NATIVITY.		AGE.									
		All ages.	Under 15	15 to 20	20 to 25	25 to 35	35 to 45	45 to 55	55 to 65	65 and over.	Un- known.
1	Total.....	1,830	693	73	90	158	99	137	146	396	38
2	Single.....	M. 517 F. 440	M. 363 F. 380	M. 37 F. 34	M. 38 F. 34	M. 35 F. 14	M. 9 F. 7	M. 9 F. 4	M. 7 F. 3	M. 15 F. 9	M. 4 F. 5
3	Married.....	M. 288 F. 220	M. 238 F. 220	M. 2 F. 8	M. 3 F. 8	M. 35 F. 50	M. 28 F. 42	M. 62 F. 37	M. 52 F. 35	M. 104 F. 42	M. 4 F. 4
4	Widowed.....	M. 88 F. 155	M. 1 F. 1	M. 1 F. 1	M. 3 F. 3	M. 1 F. 1	M. 7 F. 7	M. 12 F. 22	M. 12 F. 22	M. 62 F. 120	M. 5 F. 1
5	Divorced.....	M. 70 F. 52	M. 3 F. 3	M. 12 F. 8	M. 7 F. 4	M. 9 F. 2	M. 8 F. 7	M. 26 F. 18	M. 5 F. 10	M. 10 F. 10	
6	Unknown.....	M. 70 F. 52	M. 3 F. 3	M. 12 F. 8	M. 7 F. 4	M. 9 F. 2	M. 8 F. 7	M. 26 F. 18	M. 5 F. 10	M. 10 F. 10	
7	White.....	1,414	509	54	60	113	79	112	123	332	32
8	Single.....	M. 383 F. 328	M. 260 F. 249	M. 29 F. 24	M. 27 F. 21	M. 26 F. 8	M. 9 F. 5	M. 7 F. 4	M. 6 F. 3	M. 15 F. 9	M. 4 F. 3
9	Married.....	M. 234 F. 174	M. 234 F. 174	M. 1 F. 1	M. 1 F. 5	M. 24 F. 39	M. 27 F. 29	M. 51 F. 32	M. 45 F. 29	M. 85 F. 37	M. 3 F. 2
10	Widowed.....	M. 74 F. 129	M. 1 F. 1	M. 1 F. 1	M. 2 F. 2	M. 1 F. 1	M. 5 F. 6	M. 11 F. 19	M. 11 F. 19	M. 54 F. 100	M. 3 F. 1
11	Divorced.....	M. 56 F. 36	M. 3 F. 2	M. 9 F. 5	M. 5 F. 3	M. 7 F. 3	M. 6 F. 6	M. 21 F. 11	M. 5 F. 9	M. 11 F. 9	
12	Unknown.....	M. 56 F. 36	M. 3 F. 2	M. 9 F. 5	M. 5 F. 3	M. 7 F. 3	M. 6 F. 6	M. 21 F. 11	M. 5 F. 9	M. 11 F. 9	
13	Native born.....	1,253	484	52	55	96	67	94	96	290	19
14	Single.....	M. 359 F. 316	M. 247 F. 287	M. 27 F. 24	M. 26 F. 21	M. 22 F. 8	M. 8 F. 5	M. 7 F. 4	M. 5 F. 3	M. 14 F. 9	M. 3 F. 5
15	Married.....	M. 212 F. 150	M. 212 F. 150	M. 1 F. 1	M. 1 F. 5	M. 25 F. 36	M. 25 F. 25	M. 43 F. 26	M. 37 F. 22	M. 80 F. 33	M. 3 F. 2
16	Widowed.....	M. 66 F. 117	M. 1 F. 1	M. 1 F. 1	M. 2 F. 2	M. 1 F. 1	M. 4 F. 6	M. 8 F. 17	M. 8 F. 17	M. 51 F. 90	M. 3 F. 1
17	Divorced.....	M. 24 F. 9	M. 1 F. 1	M. 3 F. 2	M. 3 F. 2	M. 3 F. 1	M. 4 F. 1	M. 3 F. 1	M. 8 F. 5	M. 2 F. 2	
18	Unknown.....	M. 24 F. 9	M. 1 F. 1	M. 3 F. 2	M. 3 F. 2	M. 3 F. 1	M. 4 F. 1	M. 3 F. 1	M. 8 F. 5	M. 2 F. 2	
19	Both parents native.....	749	285	37	24	54	47	64	63	169	6
20	Single.....	M. 224 F. 180	M. 152 F. 133	M. 20 F. 17	M. 13 F. 9	M. 16 F. 10	M. 5 F. 19	M. 4 F. 32	M. 5 F. 25	M. 8 F. 51	M. 1 F. 1
21	Married.....	M. 137 F. 98	M. 137 F. 98	M. 1 F. 1	M. 1 F. 23	M. 10 F. 20	M. 19 F. 20	M. 32 F. 19	M. 25 F. 16	M. 51 F. 13	M. 1 F. 1
22	Widowed.....	M. 44 F. 61	M. 1 F. 1	M. 1 F. 1	M. 1 F. 1	M. 2 F. 3	M. 4 F. 3	M. 8 F. 8	M. 8 F. 8	M. 35 F. 49	M. 1 F. 1
23	Divorced.....	M. 2 F. 3	M. 1 F. 1	M. 1 F. 1	M. 1 F. 1	M. 1 F. 1	M. 1 F. 1	M. 1 F. 1	M. 1 F. 1	M. 2 F. 2	
24	Unknown.....	M. 2 F. 3	M. 1 F. 1	M. 1 F. 1	M. 1 F. 1	M. 1 F. 1	M. 1 F. 1	M. 1 F. 1	M. 1 F. 1	M. 2 F. 2	
25	One or both parents foreign.....	38	18	3	4	5	1	1	2	4	
26	Single.....	M. 14 F. 14	M. 9 F. 9	M. 1 F. 2	M. 2 F. 2	M. 1 F. 1	M. 1 F. 1	M. 1 F. 1	M. 1 F. 1	M. 1 F. 2	
27	Married.....	M. 4 F. 3	M. 4 F. 3	M. 1 F. 1	M. 1 F. 2	M. 1 F. 1	M. 1 F. 1	M. 1 F. 1	M. 1 F. 1	M. 2 F. 2	
28	Widowed.....	M. 3 F. 3	M. 3 F. 3	M. 1 F. 1	M. 1 F. 1	M. 1 F. 1	M. 1 F. 1	M. 1 F. 1	M. 1 F. 1	M. 1 F. 1	
29	Divorced.....	M. 2 F. 3	M. 1 F. 1	M. 1 F. 1	M. 1 F. 1	M. 1 F. 1	M. 1 F. 1	M. 1 F. 1	M. 1 F. 1	M. 1 F. 1	
30	Unknown.....	M. 2 F. 3	M. 1 F. 1	M. 1 F. 1	M. 1 F. 1	M. 1 F. 1	M. 1 F. 1	M. 1 F. 1	M. 1 F. 1	M. 1 F. 1	
31	Foreign born.....	56	3		2	3	5	12	16	15	
32	Single.....	M. 8 F. 1	M. 2 F. 1	M. 1 F. 1	M. 1 F. 2	M. 2 F. 1	M. 1 F. 1	M. 1 F. 1	M. 1 F. 1	M. 1 F. 1	
33	Married.....	M. 17 F. 14	M. 17 F. 14	M. 1 F. 1	M. 1 F. 1	M. 3 F. 1	M. 7 F. 3	M. 7 F. 2	M. 5 F. 7	M. 5 F. 1	
34	Widowed.....	M. 5 F. 5	M. 5 F. 5	M. 1 F. 1	M. 1 F. 1	M. 1 F. 1	M. 1 F. 1	M. 1 F. 1	M. 1 F. 1	M. 1 F. 5	
35	Divorced.....	M. 4 F. 2	M. 4 F. 2	M. 1 F. 1	M. 1 F. 1	M. 1 F. 1	M. 1 F. 1	M. 1 F. 1	M. 1 F. 1	M. 2 F. 2	
36	Unknown.....	M. 4 F. 2	M. 4 F. 2	M. 1 F. 1	M. 1 F. 1	M. 1 F. 1	M. 1 F. 1	M. 1 F. 1	M. 1 F. 1	M. 2 F. 2	
37	Colored.....	416	184	19	30	45	20	25	23	64	6
38	Single.....	M. 134 F. 112	M. 103 F. 81	M. 8 F. 10	M. 11 F. 13	M. 9 F. 6	M. 2 F. 2	M. 2 F. 1	M. 1 F. 1	M. 1 F. 1	
39	Married.....	M. 54 F. 46	M. 54 F. 46	M. 1 F. 1	M. 3 F. 3	M. 11 F. 11	M. 1 F. 13	M. 11 F. 5	M. 9 F. 6	M. 19 F. 5	M. 1 F. 2
40	Widowed.....	M. 14 F. 26	M. 14 F. 26	M. 1 F. 1	M. 1 F. 1	M. 1 F. 1	M. 1 F. 1	M. 1 F. 1	M. 1 F. 3	M. 8 F. 20	M. 2 F. 2
41	Divorced.....	M. 14 F. 16	M. 14 F. 16	M. 1 F. 1	M. 1 F. 1	M. 3 F. 3	M. 2 F. 1	M. 2 F. 2	M. 2 F. 1	M. 5 F. 7	M. 1 F. 1
42	Unknown.....	M. 14 F. 16	M. 14 F. 16	M. 1 F. 1	M. 1 F. 1	M. 3 F. 3	M. 2 F. 1	M. 2 F. 2	M. 2 F. 1	M. 5 F. 7	M. 1 F. 1

a For deaths in the rural part of Delaware by birthplaces of mothers, see birthplaces of mothers for the state; Wilmington, the only city in the state which was separately tabulated, did not report birthplaces of parents.

STATISTICS OF DEATHS.

CAUSES OF DEATH, FOR THE CENSUS YEAR ENDED MAY 31, 1890—Continued.

RURAL PART OF DELAWARE.

CAUSE OF DEATH.														
All causes.	Alcoholism.	Consumption.	Cancer and tumor.	Suicide.	General diseases A.	Diseases of the nervous system.	Diseases of the circulatory system.	Diseases of the respiratory system.	Diseases of the digestive system.	Diseases of the urinary system.	Diseases of the female organs of generation.	Accidents and injuries.	All other causes.	Unknown.
1,830	3	304	35	3	381	179	97	253	88	54	6	65	270	92
517	1	59	1		173	36	17	77	27	8		29	60	29
440	1	67	3		145	35	8	69	16	5	3	4	60	24
288	1	56	13	2	14	41	25	35	16	20		16	36	13
220		69	11	1	17	18	15	25	8	11	2	2	34	7
88		7			11	17	10	8	3	3		2	21	6
155		22	5		13	17	11	19	13	2	1	2	43	7
70		9			6	9	8	11	2	4		9	10	2
52		15	2		2	6	3	9	3	1		1	6	4
1,414	2	217	31	3	314	161	80	185	66	47	4	48	204	52
383	1	39	1		138	31	14	46	20	6		23	45	19
323		42	3		119	30	6	56	11	5	2	3	42	9
234	1	39	12	2	12	38	21	27	11	17		15	29	10
174		56	10	1	16	15	9	19	6	9	1	1	27	4
74		6			10	17	9	6	2	3			18	3
129		19	4		13	16	10	14	11	2	1	2	33	4
50		5			5	9	8	10	2	4		4	8	1
36		11	1		1	5	3	7	3	1			2	2
1,253	2	189	27	3	294	141	69	151	54	41	4	44	188	46
359	1	35	1		131	30	13	43	17	6		20	45	17
316		42	3		116	28	6	52	11	5	2	3	39	9
212	1	35	12	2	12	35	20	21	10	16		15	25	8
159		52	9	1	12	13	7	15	5	7	1	1	24	3
66		4			8	16	9	5	1	2			18	3
117		18	2		12	16	8	12	9	2	1	2	31	4
24		1			3	1	6			3		3	6	1
9		2				2		3	1				1	1
749	2	122	10	1	197	93	42	81	29	25	4	26	91	17
224	1	21	1		95	18	9	29	8	2		13	21	6
180		24	2		72	19	3	23	5	3	2	2	20	5
137	1	23	9	1	8	26	10	14	8	11		9	13	4
98		41	6		6	9	5	8	3	6	1	1	11	1
44		4			6	8	7	4	1	2			12	
61		9	1		10	12	7	1	4	1	1	1	13	1
2							1						1	
3						1		2						
38		7			6	2	3	9	1	3			7	
14					1	1	2	4	1	2			3	
14		4			4			4					2	
4		1				1	1			1			1	
3		1			1								1	
3		1						1					1	
56		9	2		8	6	4	8	5	3		2	8	1
8		1			2		1	1	1			2	1	
1						3	1	3	1	1			3	1
17		4			4	1	1	1	1	1			2	
14		2	1		1	1		1	1	1			1	
5		1			1	1		1	1	1			1	
5			1		1			1	1				1	
4						1	1		1				1	
2		1						1					1	
416	1	87	4		67	18	17	63	22	7	2	17	66	40
134		20			35	5	3	31	7	2		6	15	10
112	1	25			26	5	2	13	5		1	1	18	15
54		17	1		2	3	4	8	5	3		1	7	3
46		13			1	3	6	6	2	2	1	1	7	3
14		1			1		1	2	1			2	3	3
26		3	1			1	1	5	2				10	3
14		4			1			1				5	2	1
16		4	1		1	1		2				1	4	2

VITAL AND SOCIAL STATISTICS.

TABLE 3.—DEATHS BY SEX, CONJUGAL CONDITION, AGE PERIODS, AND CERTAIN DISTRICT OF COLUMBIA.

COLOR AND GENERAL NATIVITY,		AGE.									
		All ages.	Under 15	15 to 20	20 to 25	25 to 35	35 to 45	45 to 55	55 to 65	65 and over.	Un-known.
1	Total.....	5,955	2,809	192	307	458	473	523	431	757	5
2	Single.....	M. 2,053 F. 1,668	M. 1,503 F. 1,307	M. 78 F. 102	M. 120 F. 101	M. 132 F. 67	M. 67 F. 25	M. 67 F. 20	M. 41 F. 14	M. 46 F. 31	M. 1 F. 8
3	Married.....	M. 823 F. 571	M. 24 F. 11	M. 53 F. 11	M. 187 F. 7	M. 26 F. 13	M. 45 F. 4	M. 43 F. 84	M. 41 F. 88	M. 188 F. 279	
4	Widowed.....	M. 256 F. 513			M. 4 F. 1	M. 13 F. 1	M. 26 F. 1	M. 43 F. 1	M. 41 F. 6	M. 188 F. 279	
5	Divorced.....	M. 2 F. 1			M. 1 F. 1	M. 9 F. 7	M. 6 F. 2	M. 8 F. 6	M. 6 F. 6	M. 7 F. 5	M. 1
6	Unknown.....	M. 37 F. 31		M. 1 F. 1	M. 1 F. 3	M. 9 F. 7	M. 6 F. 2	M. 8 F. 6	M. 6 F. 6	M. 7 F. 5	M. 1
7	White.....	3,062	1,188	71	143	272	250	328	298	510	2
8	Single.....	M. 994 F. 727	M. 642 F. 546	M. 34 F. 32	M. 64 F. 45	M. 91 F. 40	M. 42 F. 16	M. 53 F. 15	M. 28 F. 10	M. 40 F. 23	
9	Married.....	M. 511 F. 325	M. 5 F. 5	M. 19 F. 5	M. 80 F. 14	M. 76 F. 29	M. 58 F. 23	M. 49 F. 28	M. 38 F. 97	M. 134 F. 97	M. 2
10	Widowed.....	M. 173 F. 296		M. 1 F. 3	M. 4 F. 5	M. 14 F. 21	M. 29 F. 43	M. 23 F. 51	M. 28 F. 173	M. 97 F. 173	
11	Divorced.....	M. 2 F. 1			M. 1 F. 1	M. 1 F. 1	M. 1 F. 1	M. 1 F. 1			
12	Unknown.....	M. 18 F. 15		M. 1 F. 1	M. 3 F. 1	M. 2 F. 1	M. 5 F. 4	M. 4 F. 6	M. 3 F. 2	M. 3 F. 2	
13	Native born.....	2,512	1,179	65	124	225	190	207	179	341	2
14	Single.....	M. 887 F. 689	M. 636 F. 543	M. 31 F. 29	M. 59 F. 36	M. 74 F. 35	M. 32 F. 12	M. 27 F. 11	M. 11 F. 5	M. 17 F. 18	
15	Married.....	M. 351 F. 247	M. 5 F. 5	M. 19 F. 5	M. 65 F. 1	M. 40 F. 4	M. 54 F. 13	M. 78 F. 17	M. 80 F. 28	M. 96 F. 58	M. 2
16	Widowed.....	M. 111 F. 206		M. 1 F. 1	M. 4 F. 5	M. 13 F. 17	M. 17 F. 28	M. 33 F. 33	M. 122 F. 122	M. 58 F. 122	
17	Divorced.....	M. 2 F. 1			M. 1 F. 1	M. 1 F. 1	M. 3 F. 1	M. 2 F. 5	M. 2 F. 1	M. 2 F. 1	
18	Unknown.....	M. 9 F. 9		M. 1 F. 1	M. 1 F. 1	M. 1 F. 1	M. 1 F. 1	M. 3 F. 5	M. 2 F. 1	M. 2 F. 1	
19	Both parents native.....	1,642	834	44	62	122	125	181	110	212	2
20	Single.....	M. 581 F. 469	M. 446 F. 388	M. 22 F. 19	M. 31 F. 16	M. 40 F. 20	M. 17 F. 7	M. 14 F. 7	M. 5 F. 4	M. 6 F. 8	
21	Married.....	M. 219 F. 165	M. 3 F. 3	M. 10 F. 1	M. 37 F. 8	M. 43 F. 12	M. 38 F. 8	M. 23 F. 9	M. 16 F. 37	M. 16 F. 37	M. 2
22	Widowed.....	M. 68 F. 131			M. 1 F. 3	M. 8 F. 13	M. 1 F. 17	M. 1 F. 18	M. 18 F. 80	M. 37 F. 80	
23	Divorced.....	M. 4 F. 5			M. 1 F. 1	M. 1 F. 1	M. 1 F. 1	M. 1 F. 4	M. 2 F. 2	M. 2 F. 2	
24	Unknown.....	M. 4 F. 5			M. 1 F. 1	M. 1 F. 1	M. 1 F. 1	M. 1 F. 4	M. 2 F. 2	M. 2 F. 2	
25	One or both parents foreign.....	502	232	16	43	78	38	30	24	41	
26	Single.....	M. 185 F. 148	M. 125 F. 107	M. 6 F. 9	M. 17 F. 15	M. 27 F. 9	M. 5 F. 3	M. 4 F. 1	M. 1 F. 13	M. 4 F. 10	
27	Married.....	M. 65 F. 56	M. 1 F. 1	M. 8 F. 1	M. 22 F. 8	M. 14 F. 2	M. 14 F. 1	M. 4 F. 2	M. 3 F. 2	M. 4 F. 4	
28	Widowed.....	M. 12 F. 33			M. 2 F. 2	M. 1 F. 1	M. 6 F. 6	M. 6 F. 6	M. 18 F. 18	M. 4 F. 18	
29	Divorced.....	M. 1 F. 1			M. 1 F. 1	M. 1 F. 1	M. 1 F. 1	M. 1 F. 1	M. 1 F. 1	M. 1 F. 1	
30	Unknown.....	M. 1 F. 1			M. 1 F. 1	M. 1 F. 1	M. 1 F. 1	M. 1 F. 1	M. 1 F. 1	M. 1 F. 1	
31	Foreign born.....	522	1	6	18	45	55	114	110	167	
32	Single.....	M. 102 F. 34	M. 1 F. 3	M. 3 F. 3	M. 5 F. 9	M. 18 F. 5	M. 9 F. 4	M. 20 F. 4	M. 17 F. 5	M. 23 F. 4	
33	Married.....	M. 154 F. 75	M. 3 F. 3	M. 8 F. 13	M. 21 F. 15	M. 39 F. 15	M. 17 F. 10	M. 17 F. 9	M. 46 F. 19	M. 37 F. 11	
34	Widowed.....	M. 59 F. 87		M. 1 F. 1	M. 1 F. 1	M. 4 F. 4	M. 10 F. 14	M. 10 F. 17	M. 9 F. 17	M. 39 F. 51	
35	Divorced.....	M. 6 F. 5			M. 1 F. 1	M. 1 F. 1	M. 1 F. 1	M. 1 F. 1	M. 2 F. 1	M. 1 F. 1	
36	Unknown.....	M. 6 F. 5			M. 1 F. 1	M. 1 F. 1	M. 1 F. 1	M. 1 F. 1	M. 2 F. 1	M. 1 F. 1	
37	Colored.....	2,893	1,621	121	164	186	223	195	133	247	3
38	Single.....	M. 1,059 F. 941	M. 860 F. 761	M. 44 F. 70	M. 56 F. 56	M. 41 F. 27	M. 25 F. 9	M. 14 F. 8	M. 13 F. 4	M. 6 F. 8	M. 1
39	Married.....	M. 312 F. 246	M. 6 F. 6	M. 15 F. 34	M. 38 F. 57	M. 70 F. 57	M. 35 F. 24	M. 44 F. 14	M. 20 F. 37	M. 22 F. 41	M. 1
40	Widowed.....	M. 83 F. 217		M. 1 F. 1	M. 3 F. 8	M. 12 F. 24	M. 14 F. 14	M. 13 F. 37	M. 13 F. 106	M. 41 F. 106	
41	Divorced.....	M. 19 F. 16		M. 1 F. 1	M. 2 F. 2	M. 6 F. 6	M. 4 F. 1	M. 3 F. 2	M. 2 F. 3	M. 4 F. 3	
42	Unknown.....	M. 19 F. 16		M. 1 F. 1	M. 2 F. 2	M. 6 F. 6	M. 4 F. 1	M. 3 F. 2	M. 2 F. 3	M. 4 F. 3	

STATISTICS OF DEATHS.

CAUSES OF DEATH, FOR THE CENSUS YEAR ENDED MAY 31, 1890—Continued.

DISTRICT OF COLUMBIA.

CAUSE OF DEATH.														
All causes.	Alcoholism.	Consumption.	Cancer and tumor.	Suicide.	General diseases A.	Diseases of the nervous system.	Diseases of the circulatory system.	Diseases of the respiratory system.	Diseases of the digestive system.	Diseases of the urinary system.	Diseases of the female organs of generation.	Accidents and injuries.	All other causes.	Unknown.
5,955	20	827	115	21	1,176	655	305	841	260	154	12	196	1,343	12
2,053	10	234	7	9	463	208	40	275	83	16		97	597	3
1,668	1	180	15		468	159	27	230	76	12		25	471	
823	8	163	16	8	85	128	90	127	40	68	4	38	50	2
571	4	150	32		68	51	54	71	24	26	4	12	61	4
256	2	40	8	2	22	41	24	39	9	21		8	38	2
513	3	52	32	1	57	57	56	87	21	11	4	11	120	1
2							1		1					
37	1	5	1	1	1	7	6	6	3			5	1	
31		3	4		7	3	1	6	2				5	
3,062	26	379	88	20	617	384	185	384	161	103	3	103	601	8
994	10	103	7	8	245	115	37	118	46	10		46	247	2
727	1	63	13		227	80	15	77	40	7	1	8	195	
511	7	80	13	8	54	87	59	70	25	48		27	31	2
325	3	79	22		39	33	26	38	22	16	1	8	36	
173	2	23	6	2	14	31	16	24	8	16		6	23	2
296	2	26	23	1	35	30	30	55	15	6	1	6	66	
2							1		1					
1							1							
18	1	4	1	1	1	4	1		3			2		
15		1	3		2	3		2	1				3	
2,512	19	307	59	13	562	295	141	295	126	71	1	78	539	6
887	8	78	2	6	232	98	26	104	38	7		43	243	2
689	1	55	11		222	71	14	72	37	7		6	193	
351	4	00	8	6	39	58	46	44	16	32		17	20	
247	3	08	14		31	26	20	27	18	9		6	23	1
111	1	19	5	1	9	17	11	13	6	11		2	15	
206	1	23	18		28	20	23	34	8	5	1	2	43	
2							1		1					
1							2							
9	1	3			1	2			1			2		
9		1	1		1	2		1	1				2	
1,642	10	178	43	7	409	154	89	200	86	50		54	357	5
581	3	42	1	3	171	55	13	66	26	6		30	163	2
409	1	31	9		166	37	8	50	25	6		4	132	
219	2	34	7	4	28	26	30	32	10	20		12	13	1
165	2	46	10		20	13	17	18	14	9		5	10	1
68	1	10	3		6	6	5	7	6	7		2	10	1
131	1	13	12		18	14	12	26	4	2		1	28	
4							1		1					
5		2	1			2		1					1	
502	3	85	9	2	89	67	31	57	29	9	1	11	109	
185	1	25		1	36	17	11	25	9	1		7	52	
148		22	1		38	18	6	16	9	1			37	
65	1	14	1	1	5	19	7	4	4	5		2	9	
56	1	18	3		7	7	3	6	2				2	
12		4	1			4		1		1			1	
33		2	3		2	2	4	5	4	1			8	
1									1					
1					1									
1														
522	6	69	29	6	49	83	42	87	34	32	2	20	61	2
102	2	25	5	2	10	16	11	14	7	3		3	4	
34		8	2		5	7	1	4	3			1	2	
154	2	19	5	2	15	29	11	26	9	16		8	11	1
75		9	8		8	7	6	11	4	7	1	2	12	
59	1	4	1	1	4	13	5	11	2	5		3	8	1
87	1	3	5	1	6	10	7	20	7	1		3	23	
0														
5		1	1			1	1		2					
			2		1			1					1	
2,893	3	448	27	1	559	271	120	457	108	51	9	93	742	4
1,059		131		1	223	93	9	157	37	6		51	350	1
941		117	2		241	79	12	153	36	5	3	17	276	
312	1	83	3		31	41	31	57	15	23		11	19	
246	1	71	10		29	18	28	33	12	10	3	4	25	2
83		17	2		8	10	8	15	1	5		2	15	
217	1	26	9		22	27	26	32	6	5	3	5	54	1
19		1				3	5	6				8	1	
16		2	1		5	1	1	4	1				2	

VITAL AND SOCIAL STATISTICS.

TABLE 3.—DEATHS BY SEX, CONJUGAL CONDITION, AGE PERIODS, AND CERTAIN BIRTHPLACES OF MOTHERS.—Continued.

BIRTHPLACES OF MOTHERS.			AGE.									
			All ages.	Under 15	15 to 20	20 to 25	25 to 35	35 to 45	45 to 55	55 to 65	65 and over.	Un-known.
1	Scandinavia.....		5				1	1	2	1		
2	Single.....	M	3				1		2			
		F										
3	Married.....	M	1					1				
		F										
4	Widowed.....	M	1							1		
		F										
5	Divorced.....	M										
		F										
6	Unknown.....	M										
		F										
7	Russia and Poland.....		9	7				1		1		
8	Single.....	M	2	2								
		F	5	5								
9	Married.....	M	2					1		1		
		F										
10	Widowed.....	M										
		F										
11	Divorced.....	M										
		F										
12	Unknown.....	M										
		F										
13	Bohemia.....											
14	Single.....	M										
		F										
15	Married.....	M										
		F										
16	Widowed.....	M										
		F										
17	Divorced.....	M										
		F										
18	Unknown.....	M										
		F										
19	Hungary.....		1					1				
20	Single.....	M										
		F										
21	Married.....	M										
		F										
22	Widowed.....	M	1					1				
		F										
23	Divorced.....	M										
		F										
24	Unknown.....	M										
		F										
25	Italy.....		9	5					1	1	2	
26	Single.....	M	3	2							1	
		F	3	3								
27	Married.....	M	2						1	1		
		F										
28	Widowed.....	M	1								1	
		F										
29	Divorced.....	M										
		F										
30	Unknown.....	M										
		F										
31	Others.....		26	5		5	3	4	4	5		
32	Single.....	M	7	3		2	1	1	1			
		F	3	2								
33	Married.....	M	4				1	1	2			
		F	2									
34	Widowed.....	M	4			1	1	1	1	2		
		F	5			1		1		3		
35	Divorced.....	M										
		F										
36	Unknown.....	M	1				1					
		F										
37	Unknown.....		399	120	5	20	27	34	55	49	89	
38	Single.....	M	129	70	3	12	6	11	10	7	10	
		F	75	50	1	5	2	3	3	1	7	
39	Married.....	M	71			1	6	5	20	16	23	
		F	29		1	1	7	5	4	4	17	
40	Widowed.....	M	34				3	3	6	8	17	
		F	44			1		3	6	10	24	
41	Divorced.....	M	1						1			
		F	1									
42	Unknown.....	M	11				1	3	5	2		
		F	4				1	1	1	1		

STATISTICS OF DEATHS.

CAUSES OF DEATH, FOR THE CENSUS YEAR ENDED MAY 31, 1890—Continued.

DISTRICT OF COLUMBIA—Continued.

CAUSE OF DEATH.														
All causes.	Alcoholism.	Consumption.	Cancer and tumor.	Suicide.	General diseases A.	Diseases of the nervous system.	Diseases of the circulatory system.	Diseases of the respiratory system.	Diseases of the digestive system.	Diseases of the urinary system.	Diseases of the female organs of generation.	Accidents and injuries.	All other causes.	Unknown.
5						2		1			1		1	1
3						2		1						2
1													1	3
1											1			4
														5
														6
9			1		1	2		1	2				2	7
2					1	1		1	2				2	8
5			1			1								9
2														10
														11
														12
														13
														14
														15
														16
														17
														18
1					1									19
														20
1					1									21
														22
														23
														24
9		1			1		1	2	1				3	25
3		1			1			2					1	26
3									1				1	27
2													1	28
1							1							29
														30
26		6	2	2	6	1	2	4	1				2	31
7				2	2			1	1				1	32
3					2		1							33
4		2	1		1									34
2		1				1	1	1					1	35
4		1	1					2						36
5		1			1									37
1		1												38
399	6	46	7	5	68	82	23	43	13	12		27	65	2
129	4	12	1	2	27	27	2	15	5			10	23	1
75		3	1		17	17		8	3			6	20	
71	1	12		1	7	13	11	7	2	7		5	5	
29		4	1		4	8		3	2			1	5	1
34		5	1	1	4	8	2	5		3		1	4	
44		8	3		8	4	7	4		2		1	7	
1						1								
1						1								
11	1	1		1	1	3		1				3		
4		1				1			1				1	

VITAL AND SOCIAL STATISTICS.

TABLE 3.—DEATHS BY SEX, CONJUGAL CONDITION, AGE PERIODS, AND CERTAIN MASSACHUSETTS—Continued.

BIRTHPLACES OF MOTHERS.		AGE.									
		All ages.	Under 15	15 to 20	20 to 25	25 to 35	35 to 45	45 to 55	55 to 65	65 and over.	Un- known.
1	Scandinavia.....	478	280	12	26	66	35	24	20	15	
2	Single.....	M. 197 F. 142	M. 153 F. 122	M. 11 F. 1	M. 8 F. 6	M. 10 F. 11	M. 5 F. 2	M. 3 F. 9	M. 1 F. 1	M. 1 F. 1	
3	Married.....	M. 50 F. 66			M. 3 F. 8	M. 11 F. 30	M. 12 F. 14	M. 10 F. 9	M. 10 F. 4	M. 4 F. 2	M. 4 F. 1
4	Widowed.....	M. 4 F. 14					M. 2 F. 2		M. 2 F. 3	M. 2 F. 7	
5	Divorced.....	M. F.									
6	Unknown.....	M. 4 F. 1			M. 1 F. 1	M. 3 F. 1					
7	Russia and Poland.....	232	168	5	11	22	8	8	7	2	1
8	Single.....	M. 117 F. 72	M. 103 F. 65	M. 1 F. 3	M. 4 F. 2	M. 7 F. 4		M. 2 F. 3	M. 1 F. 2		M. 1 F. 1
9	Married.....	M. 15 F. 20		M. 1 F. 1	M. 3 F. 1	M. 4 F. 11	M. 3 F. 3	M. 3 F. 2	M. 2 F. 2		
10	Widowed.....	M. F. 3							M. 1 F. 1	M. 2 F. 2	
11	Divorced.....	M. F.									
12	Unknown.....	M. 4 F. 1			M. 1 F. 1		M. 2 F. 1	M. 1 F. 1			
13	Bohemia.....	22	13		1	4	2	1			1
14	Single.....	M. 10 F. 5	M. 8 F. 5			M. 1 F. 1					M. -1 F. 1
15	Married.....	M. 2 F. 5			M. 1 F. 1	M. 1 F. 2		M. 1 F. 1			
16	Widowed.....	M. F.									
17	Divorced.....	M. F.									
18	Unknown.....	M. F.									
19	Hungary.....	9	5			1	1	1		1	
20	Single.....	M. 5 F. 1	M. 4 F. 1					M. 1 F. 1			
21	Married.....	M. 2 F. 1				M. 1 F. 1				M. 1 F. 1	
22	Widowed.....	M. F.									
23	Divorced.....	M. F.									
24	Unknown.....	M. F.									
25	Italy.....	231	167	6	4	17	15	9	4	9	
26	Single.....	M. 96 F. 91	M. 82 F. 85	M. 4 F. 2	M. 1 F. 1	M. 6 F. 2	M. 2 F. 1			M. 1 F. 1	
27	Married.....	M. 22 F. 16			M. 1 F. 1	M. 5 F. 4	M. 5 F. 4	M. 4 F. 4	M. 3 F. 1	M. 4 F. 1	
28	Widowed.....	M. 2 F. 4					M. 1 F. 1	M. 1 F. 1		M. 1 F. 3	
29	Divorced.....	M. F.									
30	Unknown.....	M. F.									
31	Others.....	490	277	16	26	42	28	24	31	44	2
32	Single.....	M. 194 F. 159	M. 145 F. 132	M. 7 F. 8	M. 14 F. 5	M. 19 F. 4	M. 3 F. 4	M. 2 F. 3	M. 2 F. 2	M. 2 F. 1	M. 2 F. 1
33	Married.....	M. 65 F. 84		M. 1 F. 1	M. 1 F. 6	M. 11 F. 6	M. 12 F. 7	M. 12 F. 5	M. 13 F. 4	M. 15 F. 5	M. 1 F. 9
34	Widowed.....	M. 14 F. 17					M. 1 F. 1	M. 2 F. 2	M. 5 F. 4	M. 9 F. 10	
35	Divorced.....	M. F.									
36	Unknown.....	M. 6 F. 1				M. 2 F. 2	M. 1 F. 1		M. 1 F. 1	M. 1 F. 1	M. 1 F. 1
37	Unknown.....	2,802	449	44	71	191	216	284	333	1,219	45
38	Single.....	M. 453 F. 376	M. 246 F. 203	M. 20 F. 22	M. 27 F. 19	M. 47 F. 29	M. 25 F. 11	M. 27 F. 9	M. 23 F. 23	M. 26 F. 52	M. 12 F. 8
39	Married.....	M. 603 F. 402		M. 2 F. 2	M. 3 F. 16	M. 36 F. 57	M. 69 F. 68	M. 75 F. 57	M. 121 F. 71	M. 298 F. 129	M. 1 F. 2
40	Widowed.....	M. 242 F. 569			M. 2 F. 1	M. 4 F. 4	M. 4 F. 10	M. 14 F. 25	M. 24 F. 55	M. 198 F. 474	
41	Divorced.....	M. 4 F. 2							M. 1 F. 1	M. 3 F. 3	
42	Unknown.....	M. 100 F. 51			M. 3 F. 2	M. 12 F. 4	M. 23 F. 5	M. 21 F. 5	M. 8 F. 7	M. 17 F. 22	M. 16 F. 6

STATISTICS OF DEATHS.

CAUSES OF DEATH, FOR THE CENSUS YEAR ENDED MAY 31, 1890—Continued.

MASSACHUSETTS—Continued.

CAUSE OF DEATH.														
All causes.	Alcoholism.	Consumption.	Cancer and tumor.	Suicide.	General diseases A.	Diseases of the nervous system.	Diseases of the circulatory system.	Diseases of the respiratory system.	Diseases of the digestive system.	Diseases of the urinary system.	Diseases of the female organs of generation.	Accidents and injuries.	All other causes.	Unknown.
478	1	66	7	5	129	41	12	65	20	12		22	92	6
197		21			63	18	5	27	6			5	50	2
142		7			54	16	1	23	3	2		5	30	1
50	1	11	2	5	2	2	1	6	5	7		7	1	
66		22	3		7	3	3	5	6	3		4	8	2
4		1			1		1	1						
14		3	2		1	2	1	2					2	1
4		1			1			1				1		
1													1	
232		17	4		69	18	7	25	9	3		8	66	6
117		7			34	8	2	10	4			4	44	4
72		2	1		31	5	1	8	3			1	18	2
15		1	2		2	1	1	4		1		3		
20		5	1		1	2	3	2	1	2			3	
3		1				2								
4		1			1			1					1	
1								1						
22		5		2	4	3	1	1	1	1			4	
10		1		1	3	1			1				3	
5		1			1	2							1	
2				1			1							
5		3						1		1				
9		1	1		3			1	1		1		1	
5					2			1	1				1	
1					1									
2		1	1								1			
1														
281		13	2	1	49	28	7	42	13	4	1	10	57	4
96		6			25	13	1	19	2			6	22	2
91		3			20	10	3	15	5	1		4	30	
22		2		1	4	2		6	3	2				2
16			2			1	3	1	2	1	1		5	
2		1						1						
4		1				2		1	1					
490		62	11	1	106	50	23	96	29	12		17	81	2
194		25	1	1	51	14	1	35	11	3		7	43	2
159		13	2		43	21	3	32	3	4		5	33	
65		12	1		6	8	11	17	5	1		2	2	
34		11	3		5	3	4	2	6					
14			2			2	1	4	1	2		2		
17		1	2			2	2	3	3	1		1	2	
6					1		1	2		1			1	
1								1						
2,802	23	268	133	25	269	437	312	363	104	115	9	166	504	74
453	4	51	4	4	98	48	26	37	15	10		47	94	15
376	2	44	11	3	63	38	20	39	9	3	3	13	110	18
603	7	54	25	6	38	113	83	88	26	44		42	72	5
402	4	64	34	3	24	69	44	45	25	21	5	12	48	4
242	2	11	7	5	10	49	44	37	6	16		7	46	2
569	2	26	43	2	26	110	79	101	20	17	1	12	121	9
4			1				1	1						1
2		1				1								
100	2	7	4	2	6	7	9	7	3	3		33	3	14
51		10	4		4	2	6	8		1			10	6

STATISTICS OF DEATHS.

CAUSES OF DEATH, FOR THE CENSUS YEAR ENDED MAY 31, 1890—Continued.

RURAL PART OF MASSACHUSETTS—Continued.

CAUSE OF DEATH.														
All causes.	Alcoholism.	Consumption.	Cancer and tumor.	Suicide.	General diseases A.	Diseases of the nervous system.	Diseases of the circulatory system.	Diseases of the respiratory system.	Diseases of the digestive system.	Diseases of the urinary system.	Diseases of the female organs of generation.	Accidents and injuries.	All other causes.	Un-known.
56		9			11	10	2	5	5	1		3	9	1
19		4			4	4		1	1				5	2
18		1			5	4		1	1			1	4	3
10		2			1	1		1	1			2	4	4
6		1			1			1	2					5
3						1								6
20		1	2		6		2	2	1			2	2	7
8					1		1		1			2	2	8
6					3		1	1						9
3			2		1									10
1		1												11
														12
2					1			1						13
														14
8					1								2	15
														16
3					1								2	17
														18
														19
1									1					20
														21
1									1					22
														23
														24
														25
10		4			1			1	2			1	1	26
6		2			1				1			1	1	27
2		2												28
1								1						29
														30
														31
62		9	3		13	5	3	11	6	3		1	8	32
21		3			7			2	2	1			6	33
18		3			4	2		5	1	1		1	2	34
8		1	1		1	1		3	1				2	35
8		1	1		1	1	1	2	1	1			2	36
5		2	1		1	1		1	1					37
2							2							38
729	3	65	46	7	71	109	88	97	27	21	1	47	115	32
104		19	3	1	25	6	6	9	4	1		14	13	38
76		3	3	1	14	13	5	13	2			2	16	39
154	3	3	9	1	8	25	29	20	6	13		16	12	40
110		21	13	1	10	18	14	13	9	3		2	13	41
72		3	3	2	3	15	13	8	2	2		2	17	42
154		5	12	1	8	30	18	28	4	1		5	37	
2			1					1						
1		1			1									
22		2			1	2		2				6		
25		8	2		2	1	1	3					7	

VITAL AND SOCIAL STATISTICS.

TABLE 3.—DEATHS BY SEX, CONJUGAL CONDITION, AGE PERIODS, AND CERTAIN

NEW HAMPSHIRE—Continued.

BIRTHPLACES OF MOTHERS.		AGE.									
		All ages.	Under 15	15 to 20	20 to 25	25 to 35	35 to 45	45 to 55	55 to 65	65 and over.	Un-known.
1	United States.....	3,511	928	86	110	221	236	260	365	1,291	14
2	Single.....	M. 761 F. 669	512 416	44 35	42 27	50 40	25 29	18 21	18 22	48 73	4
3	Married.....	M. 724 F. 583	6	36	43 74	70 94	89 89	131 109	385 172	3 3
4	Widowed.....	M. 224 F. 432	2 5	6 6	9 24	22 53	185 393
5	Divorced.....	M. 5 F. 4	1 2	1 1	1 1	2
6	Unknown.....	M. 32 F. 33	1	2	4 3	1 2	5 3	4 4	14 19	1 2
7	England and Wales.....	109	46	1	4	4	4	11	13	25	1
8	Single.....	M. 24 F. 30	19 27	2 1	1	1	1
9	Married.....	M. 24 F. 16	1	1 2	1 2	4 5	1 2	12 4
10	Widowed.....	M. 8 F. 5	1 3	7 2
11	Divorced.....	M. F.
12	Unknown.....	M. F. 2	1	1
13	Scotland.....	37	14	1	2	2	2	2	1	13
14	Single.....	M. 12 F. 6	9 5	1	2	1
15	Married.....	M. 3 F. 2	1	3
16	Widowed.....	M. 3 F. 5	1	1	1	1	1
17	Divorced.....	M. F.	1	1	3
18	Unknown.....	M. 4 F. 2	1	1	2
19	Ireland.....	592	170	22	37	72	62	70	54	99	6
20	Single.....	M. 152 F. 148	80 90	11 11	14 12	26 10	11 7	2 10	2 4	5 4	1
21	Married.....	M. 102 F. 77	1 7	16 11	19 12	23 18	14 13	29 15
22	Widowed.....	M. 23 F. 51	8 6	2 4	5 15	12 24	1
23	Divorced.....	M. 1 F. 1	1 1
24	Unknown.....	M. 25 F. 12	3	4 3	3 1	6 3	6 1	8 2	1 2
25	Germany.....	43	22	1	2	4	4	3	7
26	Single.....	M. 13 F. 11	11 11	1	1
27	Married.....	M. 11 F. 4	2 1	4	2	3 3
28	Widowed.....	M. F. 2	1	1
29	Divorced.....	M. F.
30	Unknown.....	M. 2 F.	1	1
31	Canada.....	1,027	699	52	51	63	51	32	30	42	7
32	Single.....	M. 423 F. 373	368 331	21 23	13 10	8 6	6 2	3	1	3
33	Married.....	M. 73 F. 109	6	8 18	15 23	16 22	7 15	13 7	14 11
34	Widowed.....	M. 6 F. 20	1	3	1 5	3	5 8
35	Divorced.....	M. F.
36	Unknown.....	M. 15 F. 8	2	1 1	4 1	1 1	4 1	3 1	1 2	1
37	France.....	7	4	1	2
38	Single.....	M. 4 F.	4
39	Married.....	M. F.
40	Widowed.....	M. 1 F.	1
41	Divorced.....	M. F.
42	Unknown.....	M. F. 2	1	1

VITAL AND SOCIAL STATISTICS.

TABLE 3.—DEATHS BY SEX, CONJUGAL CONDITION, AGE PERIODS, AND CERTAIN NEW HAMPSHIRE—Continued.

BIRTHPLACES OF MOTHERS.		AGE.										
		All ages.	Under 15	15 to 20	20 to 25	25 to 35	35 to 45	45 to 55	55 to 65	65 and over.	Un- known.	
1	Scandinavia.....	28	18	2	1	2		3	1	1		
2	Single.....	M 9 F 11	8	1								
3	Married.....	M 5 F 2	10	1		2		3	1			
4	Widowed.....	M F			1							
5	Divorced.....	M F										
6	Unknown.....	M 1 F								1		
7	Russia and Poland.....		1							1		
8	Single.....	M F										
9	Married.....	M 1 F								1		
10	Widowed.....	M F										
11	Divorced.....	M F										
12	Unknown.....	M F										
13	Bohemia.....											
14	Single.....	M F										
15	Married.....	M F										
16	Widowed.....	M F										
17	Divorced.....	M F										
18	Unknown.....	M F										
19	Hungary.....											
20	Single.....	M F										
21	Married.....	M F										
22	Widowed.....	M F										
23	Divorced.....	M F										
24	Unknown.....	M F										
25	Italy.....		4	1		1	1	1				
26	Single.....	M 1 F 3	1									
27	Married.....	M 3 F	1			1	1	1				
28	Widowed.....	M F										
29	Divorced.....	M F										
30	Unknown.....	M F										
31	Others.....		12	5		1		2	2	2		
32	Single.....	M 4 F 3	2		1		1					
33	Married.....	M 2 F 3	3				1		2	1		
34	Widowed.....	M F								1		
35	Divorced.....	M F										
36	Unknown.....	M F										
37	Unknown.....		1,703	205	30	45	84	101	125	181	888	44
38	Single.....	M 214 F 192	107	17	14	14	11	9	3	34	5	
39	Married.....	M 384 F 257	98	8	11	11	4	9	7	42	2	
40	Widowed.....	M 150 F 307		1	4	18	24	36	75	220	6	
41	Divorced.....	M 2 F 114		3	7	29	36	42	39	95	6	
42	Unknown.....	M 83 F		1	4	5	1	4	8	259	2	
					4	5	8	10	11	60	12	
					4	5	8	4	7	47	7	

STATISTICS OF DEATHS.

CAUSES OF DEATH, FOR THE CENSUS YEAR ENDED MAY 31, 1890—Continued.

NEW HAMPSHIRE—Continued.

CAUSE OF DEATH.														
All causes.	Alcohol-ism.	Consump-tion.	Cancer and tumor.	Suicide.	General diseases A.	Diseases of the nervous system.	Diseases of the circula-tory sys-tem.	Diseases of the respira-tory sys-tem.	Diseases of the diges-tive system.	Diseases of the urinary system.	Diseases of the female organs of genera-tion.	Acci-dents and injuries.	All other causes.	Un-known.
28			1		8	6	2	5		1		2	3	1
9					2	2		1				1	3	2
11					5	2		3				1		3
5					1	2	2							3
2			1							1				4
														5
														6
1								1						7
1									1					8
														9
1									1					10
														11
														12
														13
														14
														15
														16
														17
														18
														19
														20
														21
														22
														23
														24
4						1	1	1				1		25
														26
1						1						1		27
3								1						28
														29
														30
12				1	3	2	1	1	2	1				31
														32
4				1	1	1		1						33
3					2									34
2								1						35
2						1			1					36
3														37
1,703	4	146	92	14	181	264	199	208	83	56	3	76	816	61
214	1	13	3	2	49	23	11	37	9	4		16	32	14
192		19	4	1	47	32	8	19	6	3		5	38	10
384	1	86	20	5	22	73	56	28	26	24		29	55	9
257		37	23	2	22	38	30	30	11	9	3	6	37	9
150		7	4	1	9	27	29	14	6	4		3	45	1
307	1	15	29	1	17	48	41	42	15	7		5	76	10
														41
2		1				1								42
114	1	11	5	1	8	15	15	20	1	3		10	20	4
83		7	4	1	7	7	9	18	9	2		2	13	4

VITAL AND SOCIAL STATISTICS.

TABLE 3.—DEATHS BY SEX, CONJUGAL CONDITION, AGE PERIODS, AND CERTAIN RURAL PART OF NEW HAMPSHIRE.

COLOR AND GENERAL NATIVITY.		AGE.									
		All ages.	Under 15	15 to 20	20 to 25	25 to 35	35 to 45	45 to 55	55 to 65	65 and over.	Un-known.
1	Total.....	4,872	1,161	138	165	289	307	342	477	1,938	55
2	Single.....	M. 991 F. 845	M. 627 F. 534	M. 72 F. 52	M. 63 F. 38	M. 61 F. 41	M. 37 F. 25	M. 21 F. 28	M. 22 F. 24	M. 78 F. 100	M. 10 F. 3
3	Married.....	M. 1,014 F. 788	M. 584 F. 15	M. 9 F. 45	M. 68 F. 96	M. 84 F. 122	M. 110 F. 121	M. 177 F. 136	M. 559 F. 244	M. 7 F. 11	
4	Widowed.....	M. 345 F. 680	M. 5 F. 4	M. 1 F. 7	M. 3 F. 8	M. 5 F. 10	M. 3 F. 6	M. 13 F. 15	M. 29 F. 28	M. 76 F. 554	M. 1 F. 3
5	Divorced.....	M. 5 F. 4	M. 1 F. 1	M. 1 F. 1	M. 1 F. 1	M. 1 F. 1	M. 1 F. 1	M. 1 F. 1	M. 1 F. 1	M. 2 F. 2	M. 1 F. 1
6	Unknown.....	M. 106 F. 94	M. 1 F. 1	M. 7 F. 3	M. 8 F. 7	M. 8 F. 10	M. 10 F. 5	M. 5 F. 7	M. 57 F. 52	M. 11 F. 9	
7	White.....	4,856	1,154	138	165	289	303	340	477	1,935	55
8	Single.....	M. 986 F. 841	M. 622 F. 532	M. 72 F. 52	M. 63 F. 38	M. 61 F. 41	M. 37 F. 25	M. 21 F. 28	M. 22 F. 24	M. 78 F. 100	M. 10 F. 3
9	Married.....	M. 1,011 F. 787	M. 584 F. 13	M. 9 F. 45	M. 68 F. 96	M. 84 F. 121	M. 110 F. 121	M. 177 F. 136	M. 559 F. 244	M. 7 F. 11	
10	Widowed.....	M. 344 F. 678	M. 5 F. 4	M. 1 F. 1	M. 3 F. 8	M. 5 F. 10	M. 3 F. 6	M. 13 F. 15	M. 29 F. 28	M. 76 F. 553	M. 1 F. 3
11	Divorced.....	M. 5 F. 4	M. 1 F. 1	M. 1 F. 1	M. 1 F. 1	M. 1 F. 1	M. 1 F. 1	M. 1 F. 1	M. 1 F. 1	M. 2 F. 2	M. 1 F. 1
12	Unknown.....	M. 106 F. 94	M. 1 F. 1	M. 7 F. 3	M. 8 F. 7	M. 8 F. 10	M. 10 F. 5	M. 5 F. 7	M. 57 F. 52	M. 11 F. 9	
13	Native born.....	4,040	1,058	98	109	229	232	262	401	1,627	24
14	Single.....	M. 854 F. 729	M. 576 F. 482	M. 53 F. 37	M. 44 F. 28	M. 50 F. 37	M. 27 F. 21	M. 16 F. 22	M. 19 F. 17	M. 63 F. 84	M. 6 F. 1
15	Married.....	M. 841 F. 634	M. 482 F. 8	M. 5 F. 30	M. 50 F. 78	M. 65 F. 95	M. 86 F. 91	M. 145 F. 127	M. 202 F. 254	M. 4 F. 1	
16	Widowed.....	M. 299 F. 591	M. 5 F. 1	M. 1 F. 1	M. 3 F. 5	M. 5 F. 11	M. 11 F. 24	M. 25 F. 60	M. 490 F. 2	M. 1 F. 1	
17	Divorced.....	M. 5 F. 4	M. 1 F. 1	M. 1 F. 1	M. 1 F. 1	M. 1 F. 1	M. 1 F. 1	M. 1 F. 1	M. 1 F. 1	M. 2 F. 2	M. 1 F. 1
18	Unknown.....	M. 43 F. 40	M. 1 F. 1	M. 2 F. 3	M. 3 F. 3	M. 3 F. 4	M. 4 F. 4	M. 5 F. 1	M. 23 F. 23	M. 3 F. 5	
19	Both parents native.....	2,575	535	67	80	161	176	191	288	1,064	13
20	Single.....	M. 491 F. 429	M. 292 F. 245	M. 35 F. 28	M. 33 F. 19	M. 38 F. 27	M. 22 F. 18	M. 12 F. 17	M. 16 F. 15	M. 40 F. 62	M. 3 F. 3
21	Married.....	M. 589 F. 448	M. 2 F. 4	M. 25 F. 55	M. 33 F. 67	M. 54 F. 66	M. 65 F. 8	M. 101 F. 92	M. 381 F. 186	M. 3 F. 3	
22	Widowed.....	M. 187 F. 333	M. 5 F. 1	M. 1 F. 1	M. 3 F. 5	M. 5 F. 11	M. 11 F. 24	M. 25 F. 60	M. 254 F. 490	M. 1 F. 1	
23	Divorced.....	M. 5 F. 4	M. 1 F. 1	M. 1 F. 1	M. 1 F. 1	M. 1 F. 1	M. 1 F. 1	M. 1 F. 1	M. 1 F. 1	M. 2 F. 2	M. 1 F. 1
24	Unknown.....	M. 18 F. 22	M. 1 F. 1	M. 1 F. 1	M. 2 F. 1	M. 2 F. 2	M. 2 F. 2	M. 2 F. 1	M. 9 F. 14	M. 1 F. 2	
25	One or both parents foreign.....	512	416	18	13	26	12	7	6	12	2
26	Single.....	M. 250 F. 207	M. 226 F. 190	M. 10 F. 7	M. 6 F. 4	M. 6 F. 3	M. 1 F. 2	M. 1 F. 2	M. 1 F. 2	M. 1 F. 3	M. 1 F. 1
27	Married.....	M. 15 F. 23	M. 1 F. 1	M. 2 F. 6	M. 2 F. 5	M. 5 F. 6	M. 5 F. 3	M. 3 F. 1	M. 3 F. 3	M. 3 F. 3	M. 3 F. 3
28	Widowed.....	M. 5 F. 6	M. 1 F. 1	M. 1 F. 1	M. 1 F. 1	M. 1 F. 1	M. 1 F. 1	M. 1 F. 1	M. 1 F. 1	M. 2 F. 2	M. 1 F. 1
29	Divorced.....	M. 1 F. 1	M. 1 F. 1	M. 1 F. 1	M. 1 F. 1	M. 1 F. 1	M. 1 F. 1	M. 1 F. 1	M. 1 F. 1	M. 1 F. 1	M. 1 F. 1
30	Unknown.....	M. 4 F. 1	M. 1 F. 1	M. 1 F. 1	M. 1 F. 1	M. 1 F. 1	M. 1 F. 1	M. 1 F. 1	M. 1 F. 1	M. 1 F. 1	M. 1 F. 1
31	Foreign born.....	389	44	27	34	40	49	44	41	104	6
32	Single.....	M. 70 F. 51	M. 20 F. 24	M. 10 F. 12	M. 14 F. 4	M. 7 F. 3	M. 7 F. 10	M. 1 F. 3	M. 2 F. 3	M. 6 F. 1	M. 3 F. 1
33	Married.....	M. 111 F. 94	M. 5 F. 11	M. 5 F. 11	M. 14 F. 14	M. 14 F. 21	M. 17 F. 16	M. 22 F. 5	M. 38 F. 20	M. 2 F. 2	
34	Widowed.....	M. 19 F. 31	M. 1 F. 1	M. 1 F. 1	M. 1 F. 1	M. 1 F. 1	M. 2 F. 4	M. 2 F. 7	M. 15 F. 18	M. 1 F. 1	
35	Divorced.....	M. 1 F. 1	M. 1 F. 1	M. 1 F. 1	M. 1 F. 1	M. 1 F. 1	M. 1 F. 1	M. 1 F. 1	M. 1 F. 1	M. 1 F. 1	M. 1 F. 1
36	Unknown.....	M. 10 F. 3	M. 1 F. 1	M. 1 F. 1	M. 1 F. 1	M. 2 F. 1	M. 1 F. 1	M. 1 F. 1	M. 4 F. 2	M. 1 F. 1	
37	Colored.....	16	7				4	2		3	
38	Single.....	M. 5 F. 4	M. 5 F. 2				2				
39	Married.....	M. 3 F. 1	M. 1 F. 1				1			2	
40	Widowed.....	M. 1 F. 2	M. 1 F. 1				1			1	
41	Divorced.....	M. 1 F. 1	M. 1 F. 1				1				
42	Unknown.....	M. 1 F. 1	M. 1 F. 1				1				

STATISTICS OF DEATHS.

CAUSES OF DEATH, FOR THE CENSUS YEAR ENDED MAY, 31, 1890—Continued.

RURAL PART OF NEW HAMPSHIRE—Continued.

CAUSE OF DEATH.														
All causes.	Alcoholism.	Consumption.	Cancer and tumor.	Suicide.	General diseases A.	Diseases of the nervous system.	Diseases of the circulatory system.	Diseases of the respiratory system.	Diseases of the digestive system.	Diseases of the urinary system.	Diseases of the female organs of generation.	Accidents and injuries.	All other causes.	Unknown.
2,737	4	309	119	16	385	370	267	431	128	118	9	99	425	57
543		54	2	4	144	53	31	64	18	8		37	108	20
493		54	13		121	56	30	62	20	11	3	9	77	7
602	1	62	30	4	52	90	77	104	34	51		24	63	10
478		85	47	2	29	67	55	75	28	23	5	7	48	7
196	3	11	2	3	17	23	23	41	6	15		5	42	5
405		34	22	2	20	76	48	72	19	8	1	15	82	6
5		1				1		2					1	
3		1	1		1			6	2					
18		2	1			1	1	5	1			2	1	
24		5	1	1	1	3	2	5					3	2
51		7	1		7	7	6	8	1	1		1	10	2
13		1			4	2	1	3						2
8					2	1	2						3	
15		5	1			2	2			1			3	
9		1				1	1	3	1			1	2	
3								2					1	
3					1	1							1	
18		4			4	3	2	3	1				1	
5					1	2		2						
4					2	1	1	1	1					
2													1	
2		1						1						
3					1									
1														
1		1												
181	2	28	4		28	19	10	31	6	3		12	32	6
41	2	6			10	3		8	1			4	5	2
40		8			10	6	4	2					10	
42		5	3		2	6	2	9	5	2		5	2	1
23		3	1		1	1	2	6				1	7	1
12		2	1		1	1	1	2				1	4	1
13					3	2	1	1		1			3	1
1														
9		4			1			1				1	1	
16		2	1		1	1		2	3			2	3	1
3					1			2						
2									1			1		
7		1	1			1			2			1	1	
2													1	
1		1											2	
1														1
527		53	5	1	161	55	29	78	15	4	2	14	100	10
213		10		1	76	31	11	27	2			8	43	4
178		17	1		66	11	6	27	7	1		1	37	4
50		9	1		8	4	7	9	5	2		2	3	
65		16	1		11	7	4	8	1	1		1	13	1
3								2						1
13		1	2			2		3			1	2	2	
4							1							
1								2					1	
4		1			2	1								
2					2									
1						1								
1														
1		1												

VITAL AND SOCIAL STATISTICS.

TABLE 3.—DEATHS BY SEX, CONJUGAL CONDITION, AGE PERIODS, AND CERTAIN RURAL PART OF NEW HAMPSHIRE—Continued.

BIRTHPLACES OF MOTHERS.		AGE.										
		All ages.	Under 15	15 to 20	20 to 25	25 to 35	35 to 45	45 to 55	55 to 65	65 and over.	Un-known.	
1	Scandinavia.....	15	10		1	2		1		1		
2	Single.....	M.....	5	5								
		F.....	5	5								
3	Married.....	M.....	3			2		1				
		F.....	1		1							
4	Widowed.....	M.....										
		F.....										
5	Divorced.....	M.....										
		F.....										
6	Unknown.....	M.....								1		
		F.....	1									
7	Russia and Poland.....	1								1		
8	Single.....	M.....										
		F.....										
9	Married.....	M.....								1		
		F.....	1									
10	Widowed.....	M.....										
		F.....										
11	Divorced.....	M.....										
		F.....										
12	Unknown.....	M.....										
		F.....										
13	Bohemia.....											
14	Single.....	M.....										
		F.....										
15	Married.....	M.....										
		F.....										
16	Widowed.....	M.....										
		F.....										
17	Divorced.....	M.....										
		F.....										
18	Unknown.....	M.....										
		F.....										
19	Hungary.....											
20	Single.....	M.....										
		F.....										
21	Married.....	M.....										
		F.....										
22	Widowed.....	M.....										
		F.....										
23	Divorced.....	M.....										
		F.....										
24	Unknown.....	M.....										
		F.....										
25	Italy.....	4	1			1	1	1				
26	Single.....	M.....										
		F.....	1	1								
27	Married.....	M.....				1	1	1				
		F.....	3									
28	Widowed.....	M.....										
		F.....										
29	Divorced.....	M.....										
		F.....										
30	Unknown.....	M.....										
		F.....										
31	Others.....	6	4		1		1					
32	Single.....	M.....	3	2		1						
		F.....	2	2								
33	Married.....	M.....						1				
		F.....	1									
34	Widowed.....	M.....										
		F.....										
35	Divorced.....	M.....										
		F.....										
36	Unknown.....	M.....										
		F.....										
37	Unknown.....	1,312	144	25	36	57	63	95	134	724	34	
38	Single.....	M.....	163	76	16	10	9	8	6	3	32	3
		F.....	142	68	5	9	7	1	8	6	36	2
39	Married.....	M.....	239			3	13	11	27	51	180	4
		F.....	207		3	7	19	27	35	33	77	6
40	Widowed.....	M.....	127					1	4	7	114	1
		F.....	244				2	2	6	25	207	2
41	Divorced.....	M.....										
		F.....										
42	Unknown.....	M.....	73				2	6	3		43	9
		F.....	67		1	4	5	7	3	6	35	7

STATISTICS OF DEATHS.

CAUSES OF DEATH, FOR THE CENSUS YEAR ENDED MAY 31, 1890—Continued.

RURAL PART OF NEW HAMPSHIRE—Continued.

CAUSE OF DEATH.														
All causes.	Alcoholism.	Consumption.	Cancer and tumor.	Suicide.	General diseases A.	Diseases of the nervous system.	Diseases of the circulatory system.	Diseases of the respiratory system.	Diseases of the digestive system.	Diseases of the urinary system.	Diseases of the female organs of generation.	Accidents and injuries.	All other causes.	Un-known.
15					5	4	1	3		1			1	1
5					2	1		1					1	2
5					2	2		1						3
3					1	1	1				1			4
1														5
														6
1								1						7
1									1					8
														9
1									1					10
														11
														12
														13
														14
														15
														16
														17
														18
														19
														20
														21
														22
														23
														24
4						1	1	1				1		25
1							1							26
3							1	1				1		27
														28
														29
														30
6				1	2	1		1	1					31
3				1		1		1						32
2					2									33
1									1					34
														35
														36
1,312	2	113	75	12	137	193	153	163	57	45	2	51	253	46
163	1	12	3	2	37	18	9	30	5	3		9	26	8
142		15	3	1	35	22	6	15	6	2		3	27	7
239		28	19	4	16	50	39	21	20	22		13	44	7
207		28	21	1	19	30	23	23	5	8		5	29	8
127		7	3	1	5	17	27	13	5	3		3	42	1
214		11	22	1	13	40	34	33	8	5		4	65	8
														40
														41
73	1	5	2	1	5	12	7	17				7	13	3
67		7	2	1	7	4	8	11	8	2		1	12	4

VITAL AND SOCIAL STATISTICS.

TABLE 3.—DEATHS BY SEX, CONJUGAL CONDITION, AGE PERIODS, AND CERTAIN

NEW JERSEY.

COLOR AND GENERAL NATIVITY.		AGE.										
		All ages.	Under 15	15 to 20	20 to 25	25 to 35	35 to 45	45 to 55	55 to 65	65 and over.	Un-known.	
1	Total.....	30,344	14,101	793	1,185	2,456	2,224	2,314	2,309	4,860	102	
2	Single.....	M.....	9,720	7,583	380	516	602	229	155	101	132	22
		F.....	3,001	6,518	382	271	273	118	103	82	237	17
3	Married.....	M.....	4,751	2	2	112	644	823	953	907	1,297	16
		F.....	3,709	25	261	823	810	637	531	554	876	17
4	Widowed.....	M.....	1,355	1	1	35	30	126	229	418	1,673	8
		F.....	2,479	9	9	35	98	242	418	1	2	4
5	Divorced.....	M.....	4	1	1	1	1	1	1	1	2	
		F.....	3	1	1	1	1	1	1	1	2	
6	Unknown.....	M.....	239	2	12	35	57	39	27	50	17	
		F.....	80	1	3	8	9	9	12	37	1	
7	White.....	29,000	13,391	746	1,113	2,363	2,128	2,220	2,238	4,707	94	
8	Single.....	M.....	9,275	7,225	363	489	587	222	145	100	124	20
		F.....	7,578	6,166	355	256	261	115	99	81	230	15
9	Married.....	M.....	4,587	2	2	107	617	788	916	883	1,261	13
		F.....	3,556	24	242	790	770	661	513	539	539	17
10	Widowed.....	M.....	1,312	1	1	33	76	123	220	220	851	8
		F.....	2,385	8	8	33	93	230	401	1,617	3	
11	Divorced.....	M.....	4	1	1	1	1	1	1	1	2	
		F.....	3	1	1	1	1	1	1	1	2	
12	Unknown.....	M.....	225	2	8	34	55	37	26	46	17	
		F.....	75	2	2	7	9	9	12	35	1	
13	Native born.....	22,227	13,033	630	834	1,621	1,069	937	1,003	2,962	43	
14	Single.....	M.....	8,484	7,071	304	369	423	115	72	39	80	11
		F.....	7,084	6,012	304	199	193	74	65	40	184	13
15	Married.....	M.....	2,403	1	1	70	396	368	371	404	759	4
		F.....	2,082	21	185	545	429	303	259	332	332	14
16	Widowed.....	M.....	703	5	5	25	30	44	80	520	4	
		F.....	1,360	5	5	24	37	91	171	1,031	1	
17	Divorced.....	M.....	4	1	1	1	1	1	1	1	2	
		F.....	2	1	1	1	1	1	1	1	2	
18	Unknown.....	M.....	63	4	4	12	12	7	5	22	1	
		F.....	36	2	2	2	4	4	4	20	20	
19	Both parents native.....	11,973	6,249	276	349	711	616	679	776	2,239	28	
20	Single.....	M.....	3,371	3,371	136	142	136	49	44	29	57	7
		F.....	3,443	2,878	128	83	93	47	48	29	130	7
21	Married.....	M.....	1,635	12	34	187	213	261	306	632	2	
		F.....	1,358	12	272	272	262	221	221	267	8	
22	Widowed.....	M.....	490	2	5	16	23	28	50	389	2	
		F.....	1,015	2	12	20	63	135	782	1		
23	Divorced.....	M.....	3	1	1	1	1	1	1	2		
		F.....	2	1	1	1	1	1	1	2		
24	Unknown.....	M.....	39	5	6	6	4	3	3	20	1	
		F.....	17	3	3	3	3	3	3	8	8	
25	One or both parents foreign.....	8,428	6,429	313	386	701	260	101	77	152	9	
26	Single.....	M.....	4,070	3,473	154	185	214	32	7	2	1	2
		F.....	3,337	2,956	153	100	82	18	9	4	11	4
27	Married.....	M.....	392	6	71	23	168	86	38	36	41	
		F.....	466	6	71	209	108	34	16	20	2	
28	Widowed.....	M.....	44	2	14	3	3	3	6	17	1	
		F.....	102	2	8	10	9	13	60	60	1	
29	Divorced.....	M.....	1	1	1	1	1	1	1	1		
		F.....	1	1	1	1	1	1	1	1		
30	Unknown.....	M.....	14	4	6	6	3	1	3	20	1	
		F.....	3	1	1	1	1	1	1	2		
31	Foreign born.....	6,330	258	105	258	686	992	1,211	1,184	1,616	20	
32	Single.....	M.....	717	127	55	111	152	98	70	58	40	6
		F.....	447	131	46	53	65	38	31	40	43	
33	Married.....	M.....	2,098	1	1	34	209	405	527	467	448	7
		F.....	1,406	3	35	35	235	331	353	237	192	2
34	Widowed.....	M.....	584	1	7	7	44	79	138	312	3	
		F.....	986	3	3	9	56	138	225	554	1	
35	Divorced.....	M.....	1	1	1	1	1	1	1	1		
		F.....	1	1	1	1	1	1	1	1		
36	Unknown.....	M.....	69	3	7	7	16	10	13	19	1	
		F.....	22	2	2	2	4	3	5	8		
37	Colored.....	1,344	710	47	72	93	96	94	71	153	8	
38	Single.....	M.....	445	358	17	27	15	7	10	1	8	2
		F.....	423	352	27	15	12	3	4	1	7	2
39	Married.....	M.....	167	2	5	27	35	37	24	36	3	
		F.....	153	2	19	33	40	26	18	15	15	
40	Widowed.....	M.....	43	1	2	4	4	3	9	25	1	
		F.....	94	1	2	5	12	17	56	56		
41	Divorced.....	M.....	1	1	1	1	1	1	1	1		
		F.....	1	1	1	1	1	1	1	1		
42	Unknown.....	M.....	14	4	4	1	2	2	1	4	1	
		F.....	5	1	1	1	1	1	1	2		

STATISTICS OF DEATHS.

101

CAUSES OF DEATH, FOR THE CENSUS YEAR ENDED MAY 31, 1890—Continued.

NEW JERSEY.

All causes.	CAUSE OF DEATH.														
	Alcoholism.	Consumption.	Cancer and tumor.	Suicide.	General diseases A.	Diseases of the nervous system.	Diseases of the circulatory system.	Diseases of the respiratory system.	Diseases of the digestive system.	Diseases of the urinary system.	Diseases of the female organs of generation.	Accidents and injuries.	All other causes.	Unknown.	
30,344	93	3,388	687	117	5,655	4,279	1,920	4,808	1,346	1,031	63	1,219	5,556	182	1
9,720	26	752	19	24	2,373	1,299	281	1,500	309	128	489	2,479	41	2
8,001	3	576	48	9	2,344	1,057	267	1,283	231	102	6	119	1,924	32	3
4,754	36	850	165	51	364	707	501	788	281	351	373	248	39	4
3,709	8	840	244	13	287	450	376	522	305	194	41	44	360	25	5
1,355	10	185	45	13	90	263	161	218	56	117	44	167	10	6
2,479	3	179	161	1	176	483	311	463	145	119	16	53	346	23	7
4							2					2			8
3							1					2			9
239	6	24	1	5	12	10	12	1				1		10
80	1	12	4	1	9	10	8	24	11	14	93	21	6	11
								9	8	6	2	10		12
29,000	92	3,185	672	114	5,443	4,102	1,837	4,575	1,299	1,000	61	1,170	5,275	175	13
9,275	26	698	19	23	2,287	1,247	274	1,420	295	122	466	2,360	38	14
7,578	3	527	48	7	2,259	997	254	1,197	221	101	6	112	1,815	31	15
4,587	35	807	161	51	350	693	483	757	273	341	365	284	37	16
3,556	8	798	239	13	272	430	354	502	295	188	40	41	351	25	17
1,312	10	150	45	13	85	252	154	213	56	114	43	161	16	18
2,385	3	172	155	1	170	464	295	453	141	116	15	51	327	22	19
4							2					2			20
3							1					2			21
225	6	21	1	5	12	10	12	1				1		22
75	1	12	4	1	8	9	8	23	10	14	88	17	6	23
								9	8	4	2	9		24
22,227	46	2,118	393	57	4,808	3,302	1,165	3,319	860	599	40	648	4,757	115	25
8,484	18	537	16	15	2,162	1,177	225	1,277	272	89	331	2,331	34	26
7,084	3	427	34	5	2,142	954	217	1,115	195	82	5	92	1,783	30	27
2,408	15	420	76	25	202	415	284	339	129	190	145	143	20	28
2,688	4	537	139	7	162	266	174	251	153	113	26	20	223	13	29
703	5	72	26	4	43	162	88	92	30	63	20	90	8	30
1,360	1	109	99	1	87	318	163	232	74	52	9	27	174	9	31
4							2					2			32
2							1					2			33
63		12	1		6	4	4	1	4	3	10	6	1	34
36		4	2		4	6	3	5	3	2	1	6		35
											1	6		36
11,973	19	1,062	285	31	2,327	1,832	786	1,736	496	377	32	345	2,529	66	37
3,971	5	191	11	7	996	572	113	585	127	47	156	1,149	12	38
3,443	186	19	1	991	462	136	527	94	39	3	49	921	15	39
1,635	10	248	54	16	145	306	210	219	91	136	86	100	14	40
1,358	1	309	106	5	98	187	125	167	102	68	20	17	142	11	41
490	2	42	18	1	29	122	68	61	22	44	10	66	5	42
1,015	1	77	75	1	65	227	129	171	54	35	9	21	141	9	43
3							2					1			44
2							1					1			45
39		7	1		2	3	2	1	4	3	5	6		46
17		2	1		1	3	1	1	3	2		3		47
8,428	16	770	48	12	2,272	1,122	231	1,333	280	131	5	206	1,968	34	48
4,070	8	269	3	5	1,098	547	95	640	130	29	142	1,085	19	49
3,337	2	201	11	2	1,081	459	68	543	92	34	1	39	790	11	50
392	4	107	7	2	40	46	34	70	20	22	19	20	1	51
466	2	161	19	2	40	44	24	54	27	29	4	3	58	2	52
44		11	1	2	3	2	7	3	7	3	5		53
102		14	8		9	23	7	16	7	8	1	9		54
															55
															56
14		3			1		1	3	1	2	2			57
3		1			1							1		58
6,330	38	1,016	261	49	598	743	644	1,206	423	373	21	421	483	54	59
717	8	146	2	8	113	61	47	134	21	31	118	24	4	60
447	94	13	1	106	38	34	76	25	17	14	27	1	61
2,098	17	377	81	25	146	259	190	410	141	144	205	87	16	62
1,406	4	249	94	6	104	155	175	240	140	69	14	20	124	12	63
584	5	78	17	8	40	87	65	115	23	48	22	68	8	64
986	2	62	54		82	139	122	218	66	58	6	24	145	13	65
															66
1							1								67
60	2	5		1	5	3	6	14	4	4	18	6		68
22		5			2	1	4	4	3	1	2	2		69
1,344	1	203	15	3	212	177	83	233	47	31	2	40	281	7	70
445	54		1	86	52	7	80	14	6	23	119	3	71
423	49		2	85	60	13	86	10	1	7	109	1	72
167	1	43	4	2	14	14	18	31	8	10	8	14	2	73
153	42	5		15	20	22	20	10	6	3	9		74
43	5			5	11	7	5		3	1	6		75
94	7	6		6	19	16	10	4	3	2	19	1	76
															77
															78
															79
															80
14		3			1	1		1	1	2	5	4		81
5					1	1					1	1		82

STATISTICS OF DEATHS.

CAUSES OF DEATH, FOR THE CENSUS YEAR ENDED MAY 31, 1890—Continued.

NEW JERSEY—Continued.

CAUSE OF DEATH.														
All causes.	Alcoholism.	Consumption.	Cancer and tumor.	Suicide.	General diseases A.	Diseases of the nervous system.	Diseases of the circulatory system.	Diseases of the respiratory system.	Diseases of the digestive system.	Diseases of the urinary system.	Diseases of the female organs of generation.	Accidents and injuries.	All other causes.	Unknown.
230	1	25	5	1	64	25	7	41	7	7	1	8	37	1
186		8	1		30	11	3	20	1	2		3	27	
61		3			28	8	1	13	2	2			7	
31	1	4	2		2	5	1	7	3			5	1	
20		8	2		2	1	1	1	1	2	1		1	
8		2		1	1		1			1			1	1
1					1									
197		7		2	48	27	10	26	11	2		13	48	3
94		1			28	10	1	12	3	1		4	32	2
68		1		1	18	14	3	11	5			2	12	1
17		2		1	1	2	2	3	2			5	1	
14		3			1	1	3		2	1			3	
2							1		1					
2												2		
12		2			3		1	1		1		1	3	
6					3								3	
1										1				
2		1					1	1				1		
1		1												
78		5	1		28	10	2	11	3	2		11	4	1
36		1			13	5	1	7	2			4	2	
24		2			14	4		4	1			1	1	
13		2	1		1	4	1	2	1			6		
3										1			1	
1						1								
1										1				
406		21	1		88	41	15	79	22	3	1	31	100	4
182		7			44	19	5	33	10	2		17	45	
147		3	1		39	16		35	6			2	43	2
40		6			3	5	4	4	4	1		10	2	1
24		3			2	1	2	5	1		1		8	1
4		1					2	1	1				1	
5														
3		2							1			3		
2,236	18	346	74	21	236	347	184	284	102	122	3	205	274	20
491	5	96	2	3	76	57	19	57	17	17		52	88	2
337	1	44	6	2	73	44	19	49	9	12	1	10	63	4
469	4	74	17	8	20	81	50	59	23	39		58	30	6
327	1	81	21		29	44	32	36	26	22	2	5	28	
195	2	20	3		14	39	22	28	8	15		3	23	3
276		21	15		16	73	36	48	14	15		1	53	
108	4	7		4	4	4	3	3	3	1		64	6	5
32	1	3	3	1	4	5	3	4	2	1		2	3	

TABLE 3.—DEATHS BY SEX, CONJUGAL CONDITION, AGE PERIODS, AND CERTAIN RURAL PART OF NEW JERSEY.

COLORED AND GENERAL NATIVITY.		AGE.									
		All ages.	Under 15	15 to 20	20 to 25	25 to 35	35 to 45	45 to 55	55 to 65	65 and over.	Un- known.
1	Total	10,058	3,711	290	360	714	678	725	885	2,642	53
2	Single.....	M. 2,723 F. 2,806	M. 1,988 F. 1,723	M. 137 F. 143	M. 151 F. 92	M. 189 F. 87	M. 60 F. 49	M. 50 F. 45	M. 46 F. 34	M. 92 F. 125	M. 10 F. 8
3	Married.....	M. 1,789 F. 1,385	M. 1,384 F. 9	M. 29 F. 81	M. 170 F. 242	M. 222 F. 282	M. 279 F. 230	M. 343 F. 237	M. 733 F. 298	M. 13 F. 5	
4	Widowed.....	M. 634 F. 1,079	M. 4 F. 4	M. 3 F. 3	M. 1 F. 1	M. 5 F. 10	M. 25 F. 17	M. 33 F. 66	M. 81 F. 124	M. 485 F. 356	M. 6 F. 3
5	Divorced.....	M. 4 F. 3	M. 1 F. 1	M. 3 F. 3	M. 9 F. 9	M. 20 F. 20	M. 18 F. 18	M. 13 F. 13	M. 32 F. 2	M. 7 F. 7	
6	Unknown.....	M. 103 F. 32	M. 1 F. 1	M. 1 F. 1	M. 1 F. 1	M. 3 F. 3	M. 4 F. 4	M. 5 F. 5	M. 17 F. 17	M. 1 F. 1	
7	White.....	9,472	3,422	267	326	680	638	691	854	2,547	47
8	Single.....	M. 2,532 F. 2,130	M. 1,838 F. 1,584	M. 129 F. 129	M. 140 F. 53	M. 182 F. 81	M. 57 F. 49	M. 45 F. 43	M. 46 F. 33	M. 86 F. 121	M. 9 F. 7
9	Married.....	M. 1,713 F. 1,322	M. 1,322 F. 8	M. 28 F. 72	M. 101 F. 232	M. 206 F. 265	M. 263 F. 221	M. 332 F. 228	M. 708 F. 290	M. 10 F. 6	
10	Widowed.....	M. 612 F. 1,030	M. 4 F. 4	M. 3 F. 3	M. 1 F. 2	M. 5 F. 16	M. 23 F. 32	M. 32 F. 60	M. 76 F. 119	M. 23 F. 822	M. 5 F. 2
11	Divorced.....	M. 4 F. 3	M. 1 F. 1	M. 1 F. 1	M. 9 F. 9	M. 19 F. 19	M. 18 F. 18	M. 13 F. 13	M. 30 F. 15	M. 7 F. 1	
12	Unknown.....	M. 98 F. 28	M. 1 F. 1	M. 1 F. 1	M. 9 F. 9	M. 19 F. 3	M. 18 F. 4	M. 13 F. 5	M. 30 F. 15	M. 7 F. 1	
13	Native born.....	7,859	3,362	240	233	548	456	445	555	1,943	27
14	Single.....	M. 2,354 F. 2,022	M. 1,809 F. 1,553	M. 115 F. 118	M. 121 F. 68	M. 146 F. 64	M. 35 F. 41	M. 30 F. 35	M. 28 F. 25	M. 63 F. 111	M. 7 F. 7
15	Married.....	M. 1,213 F. 1,002	M. 1,002 F. 7	M. 24 F. 67	M. 123 F. 199	M. 149 F. 199	M. 169 F. 149	M. 217 F. 155	M. 527 F. 220	M. 4 F. 4	
16	Widowed.....	M. 436 F. 770	M. 4 F. 4	M. 2 F. 2	M. 3 F. 7	M. 13 F. 10	M. 22 F. 32	M. 45 F. 78	M. 350 F. 640	M. 3 F. 1	
17	Divorced.....	M. 4 F. 2	M. 1 F. 1	M. 1 F. 1	M. 5 F. 5	M. 5 F. 5	M. 5 F. 5	M. 4 F. 4	M. 18 F. 10	M. 1 F. 1	
18	Unknown.....	M. 39 F. 17	M. 1 F. 1	M. 1 F. 1	M. 5 F. 5	M. 5 F. 2	M. 5 F. 3	M. 4 F. 2	M. 18 F. 10	M. 1 F. 1	
19	Both parents native.....	5,690	2,281	148	173	353	335	353	461	1,567	19
20	Single.....	M. 1,580 F. 1,370	M. 1,243 F. 1,038	M. 74 F. 70	M. 68 F. 47	M. 76 F. 43	M. 21 F. 30	M. 22 F. 33	M. 21 F. 20	M. 50 F. 84	M. 5 F. 5
21	Married.....	M. 955 F. 788	M. 788 F. 4	M. 17 F. 40	M. 87 F. 135	M. 108 F. 156	M. 130 F. 121	M. 172 F. 143	M. 439 F. 185	M. 2 F. 4	
22	Widowed.....	M. 335 F. 617	M. 3 F. 3	M. 3 F. 1	M. 3 F. 5	M. 9 F. 8	M. 16 F. 26	M. 34 F. 67	M. 272 F. 509	M. 1 F. 1	
23	Divorced.....	M. 3 F. 2	M. 1 F. 1	M. 1 F. 1	M. 1 F. 1	M. 1 F. 1	M. 1 F. 1	M. 1 F. 1	M. 2 F. 2	M. 2 F. 2	
24	Unknown.....	M. 28 F. 12	M. 3 F. 1	M. 3 F. 1	M. 3 F. 1	M. 2 F. 1	M. 3 F. 2	M. 2 F. 2	M. 17 F. 7	M. 1 F. 1	
25	One or both parents foreign.....	1,472	968	81	80	150	61	25	28	77	2
26	Single.....	M. 649 F. 548	M. 510 F. 458	M. 38 F. 41	M. 39 F. 18	M. 51 F. 16	M. 7 F. 5	M. 1 F. 1	M. 2 F. 3	M. 1 F. 6	M. 1 F. 1
27	Married.....	M. 100 F. 123	M. 100 F. 2	M. 2 F. 19	M. 3 F. 52	M. 19 F. 26	M. 19 F. 26	M. 12 F. 10	M. 16 F. 22	M. 12 F. 12	
28	Widowed.....	M. 14 F. 33	M. 1 F. 1	M. 1 F. 1	M. 1 F. 2	M. 2 F. 2	M. 1 F. 1	M. 1 F. 4	M. 11 F. 24	M. 1 F. 1	
29	Divorced.....	M. 4 F. 1	M. 1 F. 1	M. 1 F. 1	M. 1 F. 1	M. 2 F. 2	M. 2 F. 2	M. 1 F. 1	M. 1 F. 1	M. 1 F. 1	
30	Unknown.....	M. 4 F. 1	M. 1 F. 1	M. 1 F. 1	M. 1 F. 1	M. 2 F. 2	M. 2 F. 2	M. 1 F. 1	M. 1 F. 1	M. 1 F. 1	
31	Foreign born.....	1,449	48	24	37	117	164	227	280	542	10
32	Single.....	M. 153 F. 95	M. 24 F. 24	M. 12 F. 11	M. 15 F. 14	M. 30 F. 16	M. 19 F. 8	M. 14 F. 7	M. 18 F. 7	M. 19 F. 8	M. 2 F. 2
33	Married.....	M. 467 F. 302	M. 34 F. 1	M. 3 F. 5	M. 34 F. 32	M. 55 F. 62	M. 95 F. 70	M. 108 F. 81	M. 167 F. 63	M. 5 F. 1	
34	Widowed.....	M. 162 F. 240	M. 2 F. 2	M. 2 F. 2	M. 2 F. 2	M. 2 F. 6	M. 9 F. 27	M. 10 F. 39	M. 81 F. 165	M. 1 F. 1	
35	Divorced.....	M. 1 F. 23	M. 1 F. 6	M. 1 F. 6	M. 1 F. 6	M. 4 F. 4	M. 4 F. 4	M. 1 F. 2	M. 8 F. 3	M. 1 F. 1	
36	Unknown.....	M. 23 F. 6	M. 1 F. 1	M. 1 F. 1	M. 1 F. 1	M. 4 F. 4	M. 4 F. 4	M. 2 F. 2	M. 8 F. 3	M. 1 F. 1	
37	Colored.....	586	289	23	34	34	40	34	31	95	6
38	Single.....	M. 191 F. 176	M. 150 F. 139	M. 8 F. 14	M. 11 F. 9	M. 7 F. 6	M. 3 F. 16	M. 5 F. 11	M. 2 F. 1	M. 6 F. 25	M. 1 F. 3
39	Married.....	M. 76 F. 63	M. 76 F. 1	M. 1 F. 9	M. 1 F. 10	M. 9 F. 17	M. 16 F. 9	M. 11 F. 9	M. 1 F. 8	M. 14 F. 34	
40	Widowed.....	M. 22 F. 49	M. 2 F. 2	M. 2 F. 2	M. 2 F. 1	M. 2 F. 1	M. 2 F. 6	M. 1 F. 5	M. 14 F. 34	M. 1 F. 1	
41	Divorced.....	M. 5 F. 4	M. 1 F. 1	M. 1 F. 1	M. 1 F. 1	M. 1 F. 1	M. 1 F. 1	M. 1 F. 1	M. 2 F. 2	M. 2 F. 2	
42	Unknown.....	M. 5 F. 4	M. 1 F. 1	M. 1 F. 1	M. 1 F. 1	M. 1 F. 1	M. 1 F. 1	M. 1 F. 1	M. 2 F. 2	M. 2 F. 2	

CAUSES OF DEATH, FOR THE CENSUS YEAR ENDED MAY 31, 1890—Continued.

RURAL PART OF NEW JERSEY.

CAUSE OF DEATH.														
All causes.	Alcoholism.	Consumption.	Cancer and tumor.	Suicide.	General diseases A.	Diseases of the nervous system.	Diseases of the circulatory system.	Diseases of the respiratory system.	Diseases of the digestive system.	Diseases of the urinary system.	Diseases of the female organs of generation.	Accidents and injuries.	All other causes.	Unknown.
10,058	24	1,186	291	53	1,583	1,587	830	1,371	479	377	27	444	1,737	69
2,723	5	246	8	13	633	350	98	335	101	41		172	706	15
2,306		228	18	2	619	308	109	336	79	32		45	518	11
1,789	8	255	73	25	139	321	247	227	93	145	1	132	313	16
1,385	2	327	95	5	87	207	137	193	110	57	15	15	128	7
634	6	53	19	8	34	153	86	94	25	47		15	87	7
1,079	1	65	71		71	237	142	177	62	40	11	27	166	9
4							2							
3							1							
103	2	10	1		7	7	3	1	5	12		35	12	4
32		2	1		3	4	5	3	4	3		1	6	
9,472	23	1,080	285	51	1,507	1,516	791	1,276	456	362	26	416	1,619	64
2,532	5	219	8	12	602	336	94	305	93	37		156	653	12
2,130		200	18	1	589	282	102	295	74	31	1	42	484	11
1,713	7	258	74	25	123	312	237	218	89	141		129	105	15
1,322	2	298	95	5	82	199	130	187	106	57	15	14	125	7
612	6	52	19	8	32	148	82	91	25	45		14	83	7
1,030	1	62	69		69	229	135	171	60	38	10	25	153	8
4							2					2		
3							1							
98	2	9	1		7	7	1	1	5	12		33	10	4
28		2	1		3	3	5	3	4	1		1	5	
7,859	11	859	202	35	1,374	1,288	596	1,041	360	280	18	267	1,482	46
2,354	3	189	8	9	576	314	79	282	89	34		117	644	10
2,022		175	15	1	568	271	89	284	68	27	1	35	478	10
1,213	4	165	44	18	91	231	176	151	64	106		70	85	8
1,002	1	238	67	4	63	161	92	127	73	47	10	11	101	7
436	2	37	13	3	21	115	63	60	16	32		9	60	5
770	1	47	54		50	190	93	131	45	26	7	17	103	6
4							2					2		
2							1							
39		7	1		4	3	1	2	3	7		6	5	
17		1			1	3	1	3	2	1			5	
5,690	8	576	172	22	945	951	464	780	260	220	18	387	1,052	34
1,530	2	98	6	5	388	224	50	198	60	24		30	440	5
1,370		104	12	1	379	185	66	204	45	20	1	24	322	6
955	3	124	35	12	80	180	143	120	49	88		50	65	6
788	1	175	61	3	41	128	76	104	56	35	10	10	81	7
335	1	31	10	1	15	88	50	45	12	26		5	47	4
617	1	39	47		41	141	75	105	34	20	7	13	88	6
3							2							
2							1							
28		4	1		1	2	1	2	2	6		4	1	
12		1				3	1	1	2	1			5	
1,472	2	197	10	3	355	195	59	173	65	29		44	337	3
049	1	70	2	2	169	69	22	75	23	7		26	180	3
548		54	2		167	75	17	65	20	7		10	134	
100	1	20	1		7	21	14	13	7	4		6	6	
123		48	4	1	11	14	5	13	8	6			13	
14		1				2	1	3	1	2			3	
33		2	1		1	14		4	5	2			3	
4														
1		2							1	1				
1,440	10	209	74	15	118	199	180	220	92	74	8	113	124	13
153	2	24		3	23	18	13	21	4	3		32	8	2
95		24	2		15	9	11	11	6	4		7	5	1
467	2	72	28	7	31	72	55	65	25	32		54	13	6
302	1	58	25	1	18	34	37	55	32	9	5	3	24	
162	4	15	5	4	9	31	19	27	7	12		5	22	2
240		14	14		19	34	39	38	15	9	3	8	45	2
1														
23	1	1			3	1	2	3	1	5		4	2	
6		1					3		2					
586	1	106	6	2	76	71	39	95	23	15	1	28	118	5
191		27		1	31	14	4	30	8	4		16	53	3
176		28		1	30	26	7	41	5	1		3	34	
76	1	17	4		6	9	10	9	4	4		3	8	1
63		29			5	8	7	6	4	4		1	3	
22		1			2	5	4	3	3	2		1	4	
49		3	2		2	8	7	6	2	2	1	2	13	1
5														
4		1										2	2	
										2			1	

STATISTICS OF DEATHS.

CAUSES OF DEATH, FOR THE CENSUS YEAR ENDED MAY 31, 1890—Continued.

RURAL PART OF NEW JERSEY—Continued.

CAUSE OF DEATH.														
All causes.	Alcoholism.	Consumption.	Cancer and tumor.	Suicide.	General diseases A.	Diseases of the nervous system.	Diseases of the circulatory system.	Diseases of the respiratory system.	Diseases of the digestive system.	Diseases of the urinary system.	Diseases of the female organs of generation.	Accidents and injuries.	All other causes.	Unknown.
6,638	10	721	183	26	1,097	1,070	524	927	304	239	19	222	1,255	41
1,919	2	140	6	8	463	254	59	247	72	27		99	532	10
1,670		142	12	2	439	223	75	264	57	22	1	28	394	6
1,064	4	146	41	12	87	192	164	131	56	94		55	75	7
877	1	213	62	3	47	140	83	113	63	36	10	11	88	7
363	2	32	10	1	17	94	54	50	13	29		6	51	4
690	1	42	51		43	156	85	118	39	22		15	103	7
3							2					1		
2								1					1	
33		5	1		1	2	1	2	2	6		7	6	
17		1				4	1	1	2	3			5	
382		38	11	1	56	59	34	55	17	15	3	21	70	2
80		5	1	1	13	8	6	11	3	2		5	24	1
82		8	2		23	7	2	9	3			5	23	
89		13	1		8	21	10	16	4	6		4	6	
57		11	2		7	9	6	7	5	1	3	1	5	
39			2		2	10	5	6		4		1	8	1
31		1	3		2	4	5	6	2	1		3	4	
4					1					1		2		
99		9	4		14	16	12	16	8	5		4	11	
23		1			6	4	1	2	1	1		1	6	
21		4			4	3	1	3	1	2		1	2	
16			1		1	7	2	3	1	1		1		
18		3	2		1	2	4	3	3	1		1		
5						2	2	3						
15			1		2	2	2	2	3	1		1	3	
1		1												
984	8	182	26	1	135	122	84	131	52	40	2	58	136	7
247	2	45	1	1	38	24	10	32	11	3		25	54	1
178		39			54	19	11	15	3	4		6	26	1
179	1	31	9		18	20	19	23	11	17		22	5	3
173	1	43	10		10	21	20	31	17	5		1	14	
60	3	13			3	13	3	9	1	3		2	10	
129		8	6		12	24	17	19	7	5	2	2	25	2
1							1	1						
14	1	2				1	2	2	1	3			2	
3		1					1	1	1					
774	4	103	34	13	129	95	67	108	44	31	2	35	106	3
193	1	20		1	59	21	7	26	4	4		11	37	2
158		11	1		48	23	8	16	8	2		3	38	
178	2	35	14	6	6	28	25	22	10	10		13	6	1
120		31	11	2	8	7	10	22	11	6	1	1	16	
52	1	2	3	4	3	7	4	10	5	6		2	5	
67		4	5		4	9	13	11	5	2	1	3	10	
6					1			1	1	1		2		
13					4	2		1				2	4	
6					2	1		1				1	1	
2					2	1						1	1	
3													1	
1													1	
1													1	
50		4	5		5	8	5	8	3	2		1	9	
9		1	1				1	2	1	1		1	3	
10			2		3	1	2	3	1				3	
15		2	2		2	1	2	3		1			1	
6		1	2				2	2					1	
4							2	1						
4							2							
2							2							

VITAL AND SOCIAL STATISTICS.

TABLE 3.—DEATHS BY SEX, CONJUGAL CONDITION, AGE PERIODS, AND CERTAIN
RURAL PART OF NEW JERSEY—Continued.

BIRTHPLACES OF MOTHERS.		AGE.									
		All ages.	Under 15	15 to 20	20 to 25	25 to 35	35 to 45	45 to 55	55 to 65	65 and over.	Un-known.
1	Scandinavia.....	71	36	3	3	9	6	7	2	5	
2	Single.....	M. 32	23	2	1	1	2	1	1	1	
		F. 16	13	1	1		1				
3	Married.....	M. 11			1	2	2	3	1	2	
		F. 9			1	5	1	3			
4	Widowed.....	M. 3				1				2	
		F. 3									
5	Divorced.....	M. 1									
		F. 1									
6	Unknown.....	M. 1									
		F. 1									
7	Russia and Poland.....	23	17	2	1	4		2	1	1	
8	Single.....	M. 11	9	1		1					
		F. 9	8			1					
9	Married.....	M. 6				2		2	1	1	
		F. 2		1	1	2					
10	Widowed.....	M. 1									
		F. 1									
11	Divorced.....	M. 1									
		F. 1									
12	Unknown.....	M. 1									
		F. 1									
13	Bohemia.....	5	3				1			1	
14	Single.....	M. 3	3								
		F. 3									
15	Married.....	M. 1									
		F. 1					1			1	
16	Widowed.....	M. 1									
		F. 1									
17	Divorced.....	M. 1									
		F. 1									
18	Unknown.....	M. 1									
		F. 1									
19	Hungary.....	18	8		2	3	1	1		1	
20	Single.....	M. 6	4		2						
		F. 4	4								
21	Married.....	M. 4				3	1				
		F. 4									
22	Widowed.....	M. 1									
		F. 1								1	
23	Divorced.....	M. 1									
		F. 1									
24	Unknown.....	M. 1						1			
		F. 1									
25	Italy.....	65	40	1	2	5	3	5	4	3	2
26	Single.....	M. 24	19		2	1	1		1		
		F. 22	21	1							
27	Married.....	M. 13				4		4	2	1	2
		F. 3					2	1			
28	Widowed.....	M. 2							1	1	
		F. 1								1	
29	Divorced.....	M. 1									
		F. 1									
30	Unknown.....	M. 1									
		F. 1									
31	Others.....	116	54	2	4	7	13	10	10	16	
32	Single.....	M. 29	24	1	1	3					
		F. 37	30	1	2	2	1	1			
33	Married.....	M. 26			1	1	6	5	5	8	
		F. 10				1	4	1	4		
34	Widowed.....	M. 2							1	1	
		F. 10					1	3		6	
35	Divorced.....	M. 1									
		F. 1									
36	Unknown.....	M. 1					1			1	
		F. 1									
37	Unknown.....	817	31	17	34	61	79	89	85	346	15
38	Single.....	M. 141	43	7	17	26	10	11	5	16	1
		F. 97	43	8	3	5	6	2	3	25	2
39	Married.....	M. 185			5	14	24	31	33	76	2
		F. 109		1	8	13	22	19	16	29	1
40	Widowed.....	M. 102					4	6	13	77	2
		F. 130			1		1	7	8	113	
41	Divorced.....	M. 1							1		
		F. 1									
42	Unknown.....	M. 43		1		3	11	11	5	6	6
		F. 9					1	2	1	4	1

STATISTICS OF DEATHS.

CAUSES OF DEATH, FOR THE CENSUS YEAR ENDED MAY 31, 1890—Continued.

RURAL PART OF NEW JERSEY—Continued.

CAUSE OF DEATH.														
All causes.	Alcoholism.	Consumption.	Cancer and tumor.	Suicide.	General diseases A.	Diseases of the nervous system.	Diseases of the circulatory system.	Diseases of the respiratory system.	Diseases of the digestive system.	Diseases of the urinary system.	Diseases of the female organs of generation.	Accidents and injuries.	All other causes.	Unknown.
71		12	1		15	13	4	9	2		1	2	11	1
32		5			6	5	2	4	1			1	8	
16		3			7	3	1						2	
11					1	4		4	1			1		
9		4	1		1	1		1			1		1	
3					1		1							1
28		1			8	5	2	5				4	3	
11					6	1	1	1				1	1	
9					1	3	1	3					1	
6						1		1				3		
2		1			1									
5					1		1					1	2	
3					1								2	
2							1					1		
16					6	1		1	1	1		6		
6					3				1			2		
4					3			1				4		
4														
						1								
1														
1										1				
65		2			17	11	6	7	2			11	8	1
24					10	3	2	1				4	4	
22					7	5		5	1			1	3	
13		2			7	2	1					6	1	1
3						1		1						
2						1		1						
1						1		1						
116		13	3	1	17	13	6	13	7	2		4	31	1
29		1			6	6	1		1			2	12	
37		4			8	3	1	6	2				13	
26		5	2	1	1	5	2	4	2			2	1	1
10		1	1		1	2		2	1				1	
2							1						1	
10		2				2	1	1					3	
1					1				1					
1														
817	2	101	24	11	79	167	85	90	39	42		73	91	13
141		28		2	20	23	8	8	6	4		19	22	1
67		17			20	13	9	14	3	1		1	13	4
185	1	21	2	6	5	38	22	20	8	17		20	16	3
103		19	4		12	23	13	13	10	7		1	7	
102		6	4	3	8	27	14	14	5	5		3	12	1
130		8	5		8	39	18	19	6	8		3	16	
1												1		
43	1	2			3	4			1			24	4	4
9			1		3		1	2				1	1	

VITAL AND SOCIAL STATISTICS.

TABLE 3.—DEATHS BY SEX, CONJUGAL CONDITION, AGE PERIODS, AND CERTAIN.

NEW YORK.

COLOR AND GENERAL NATIVITY.		AGE.									
		All ages.	Under 15	15 to 20	20 to 25	25 to 35	35 to 45	45 to 55	55 to 65	65 and over.	Un- known.
1	Total.....	123, 117	49, 944	3, 057	4, 897	10, 971	10, 113	10, 226	10, 777	22, 066	466
2	Single.....	M. 37, 342 F. 29, 468	27, 095 22, 849	1, 467 1, 424	2, 140 1, 266	2, 902 1, 253	1, 484 649	864 544	520 475	762 937	108 71
3	Married.....	M. 19, 895 F. 15, 682	16 141	16 1, 012	314 8, 492	2, 567 3, 142	3, 444 3, 142	3, 719 2, 752	3, 883 2, 496	5, 909 2, 668	43 39
4	Widowed.....	M. 6, 049 F. 11, 415	2	2 36	8 259	144 606	411 606	664 1, 227	1, 026 1, 967	3, 781 7, 289	15 29
5	Divorced.....	M. 8 F. 9				1 2	4 4		1 2	1 1	
6	Unknown.....	M. 2, 009 F. 1, 270	1 6	71 50	223 123	230 139	283 167	283 177	320 177	764 564	117 44
7	White.....	121, 214	49, 120	2, 990	4, 792	10, 747	9, 888	10, 061	10, 654	22, 507	455
8	Single.....	M. 36, 650 F. 23, 931	26, 641 22, 479	1, 431 1, 399	2, 087 1, 238	2, 833 1, 226	1, 440 637	851 537	511 467	754 923	102 70
9	Married.....	M. 19, 640 F. 15, 455	16 135	16 998	306 3, 442	2, 512 3, 084	3, 376 3, 084	3, 661 2, 715	3, 847 2, 384	5, 879 2, 653	43 39
10	Widowed.....	M. 5, 983 F. 11, 249	2	2 35	8 246	140 585	397 585	655 1, 195	1, 008 1, 941	3, 760 7, 217	15 28
11	Divorced.....	M. 8 F. 9				1 2	4 4		2 1	1 1	
12	Unknown.....	M. 1, 986 F. 1, 253	1 6	71 49	223 122	223 133	281 165	281 175	318 175	749 569	115 43
13	Native born.....	85, 592	47, 328	2, 503	3, 538	7, 024	4, 746	3, 878	4, 160	12, 181	174
14	Single.....	M. 32, 124 F. 26, 135	25, 744 21, 644	1, 194 1, 180	1, 529 965	1, 891 885	747 371	361 261	215 228	395 557	48 44
15	Married.....	M. 9, 391 F. 8, 322	14 103	14 691	229 2, 273	1, 510 2, 273	1, 441 1, 542	1, 349 1, 177	1, 513 1, 055	3, 319 1, 461	16 15
16	Widowed.....	M. 2, 672 F. 5, 131	2	2 27	5 153	91 264	189 264	199 323	297 601	1, 393 3, 757	7 6
17	Divorced.....	M. 8 F. 7				1 2	4 3		2 1	1 1	
18	Unknown.....	M. 1, 050 F. 752	1 6	53 39	130 88	114 80	114 80	120 88	161 87	445 349	23 15
19	Both parents native.....	34, 639	17, 066	887	1, 064	2, 069	1, 905	2, 109	2, 494	7, 029	66
20	Single.....	M. 11, 301 F. 9, 593	9, 264 7, 802	399 427	410 300	432 261	255 150	180 141	122 147	221 346	18 19
21	Married.....	M. 4, 812 F. 3, 968	7 53	7 225	92 773	465 690	566 690	781 665	947 666	1, 946 892	8 4
22	Widowed.....	M. 1, 358 F. 2, 387	2	2 11	11 34	23 101	64 176	84 176	158 348	1, 026 2, 216	2 1
23	Divorced.....	M. 4 F. 4				2 2	2 2		1 1	1 1	
24	Unknown.....	M. 407 F. 357	1 6	11 14	41 38	41 35	47 35	47 35	67 38	191 191	8 6
25	One or both parents foreign.....	36, 819	25, 849	1, 263	1, 955	3, 860	1, 331	793	460	772	36
26	Single.....	M. 17, 242 F. 13, 712	14, 059 11, 790	613 604	909 537	1, 162 483	332 143	88 55	37 25	34 50	8 15
27	Married.....	M. 2, 037 F. 2, 536	6 37	6 358	101 1, 178	815 554	563 554	269 219	153 101	168 85	2 4
28	Widowed.....	M. 377 F. 644		3 13	3 88	57 88	78 111	60 76	45 82	134 273	1 1
29	Divorced.....	M. 1 F. 1				1 1					
30	Unknown.....	M. 136 F. 84		3	23 11	46 26	24 15	10 16	9 3	19 9	5 1
31	Foreign born.....	33, 148	1, 101	443	1, 181	3, 495	4, 921	5, 957	6, 310	9, 646	94
32	Single.....	M. 3, 923 F. 2, 404	504 537	215 199	526 257	875 314	646 252	470 267	283 230	323 338	11 10
33	Married.....	M. 9, 893 F. 6, 889	2 25	2 295	76 1, 135	965 1, 135	1, 885 1, 495	2, 255 1, 495	2, 281 1, 300	2, 412 1, 125	17 14
34	Widowed.....	M. 3, 189 F. 5, 373	2	2 3	6 3	44 88	211 316	445 316	702 1, 316	1, 771 3, 269	4 15
35	Divorced.....	M. 2 F. 2				1 1		1 1			
36	Unknown.....	M. 611 F. 373		12 6	49 21	66 21	109 44	109 58	125 73	234 164	16 7
37	Colored.....	1, 903	824	67	105	224	225	165	123	159	11
38	Single.....	M. 692 F. 487	454 370	36 25	53 28	69 27	44 12	13 7	9 8	8 9	6 1
39	Married.....	M. 255 F. 197		6	8 14	55 50	68 58	58 37	36 22	30 10	
40	Widowed.....	M. 66 F. 166			1 1	4 13	14 21	9 32	18 26	21 72	
41	Divorced.....	M. 2 F. 2				1 1		1 1			
42	Unknown.....	M. 23 F. 17			5 1	2 1	2 6	7 2	2 2	5 4	2 1

CAUSES OF DEATH, FOR THE CENSUS YEAR ENDED MAY 31, 1890—Continued.

NEW YORK.

CAUSE OF DEATH.														
All causes.	Alcoholism.	Consumption.	Cancer and tumor.	Suicide.	General diseases A.	Diseases of the nervous system.	Diseases of the circulatory system.	Diseases of the respiratory system.	Diseases of the digestive system.	Diseases of the urinary system.	Diseases of the female organs of generation.	Accidents and injuries.	All other causes.	Unknown.
123, 117	529	14, 854	3, 186	572	22, 511	13, 822	8, 539	22, 154	5, 143	5, 598	288	4, 557	20, 587	797
37, 342	171	2, 619	143	125	9, 790	3, 835	1, 231	6, 750	1, 161	841		1, 714	7, 771	191
29, 468	23	2, 565	251	20	8, 868	3, 264	1, 016	5, 179	879	507	59	555	6, 121	152
19, 835	187	3, 324	730	246	1, 318	2, 361	2, 244	3, 737	1, 139	1, 734		1, 202	1, 471	152
15, 652	50	3, 243	1, 094	71	1, 165	1, 496	1, 617	2, 469	996	1, 101	185	351	1, 738	107
6, 049	50	679	183	51	337	818	750	1, 068	274	500		206	1, 014	59
11, 415	18	1, 032	633	20	793	1, 607	1, 305	2, 339	579	690	38	232	1, 997	82
8		1			2	2				2			1	
9		2			2	2							1	
2, 009	17	246	62	24	139	266	236	294	1	115		262	245	39
1, 270	4	183	89	6	99	171	140	216	50	48	6	35	208	15
121, 214	522	14, 465	3, 155	569	22, 259	13, 658	8, 423	21, 794	5, 082	5, 487	277	4, 491	20, 244	788
36, 650	168	3, 432	141	124	9, 670	3, 784	1, 210	6, 607	1, 137	831		1, 685	7, 621	190
28, 381	23	2, 433	247	28	8, 768	3, 221	1, 000	5, 080	867	501	56	545	6, 004	148
19, 640	186	3, 247	724	245	1, 306	2, 338	2, 221	3, 740	1, 129	1, 698		1, 189	1, 465	152
15, 455	58	3, 154	1, 087	71	1, 154	1, 478	1, 597	2, 440	992	1, 073	178	345	1, 723	105
5, 983	49	658	183	51	336	815	743	1, 050	271	550		206	1, 602	50
11, 249	18	1, 010	623	20	785	1, 585	1, 281	2, 337	573	672	38	220	1, 977	80
8		1			2	2				2			1	
9		2			2	2							1	
1, 986	17	238	62	24	130	264	233	292	1	114		256	244	39
1, 253	3	180	87	6	99	160	138	216	48	46	5	35	206	15
85, 592	225	8, 685	1, 580	264	19, 176	10, 062	4, 892	14, 892	3, 172	2, 732	155	2, 552	16, 646	559
32, 124	96	2, 433	84	63	8, 976	3, 459	948	5, 821	977	565		1, 189	7, 349	164
26, 135	7	1, 950	159	18	8, 209	2, 962	790	4, 586	754	348	38	455	5, 727	132
9, 391	73	1, 505	313	101	696	1, 263	1, 127	1, 625	511	795		492	793	97
8, 322	24	1, 844	583	37	676	866	337	1, 148	501	487	93	165	997	64
2, 672	17	125	69	19	125	392	403	411	107	239		78	535	30
5, 131	2	430	288	12	330	839	575	1, 006	256	205	20	100	1, 000	48
8		1			2	2				2			1	
7		1			1	1				1			1	
1, 050	5	141	34	11	95	168	125	159	37	66		60	130	19
752	1	113	49	3	67	110	87	134	28	25	4	13	113	5
34, 689	60	2, 937	886	123	7, 290	4, 577	2, 410	5, 842	1, 465	1, 237	74	1, 032	6, 462	294
11, 301	21	634	35	25	3, 240	1, 380	368	1, 946	369	200		407	2, 595	81
9, 593	1	619	84	9	2, 972	1, 222	342	1, 553	304	121	18	197	2, 076	72
4, 812	25	585	190	53	388	688	633	831	282	434		235	422	57
3, 968	5	705	337	9	357	455	444	553	264	212	50	78	465	34
1, 358	7	97	42	11	65	208	203	233	63	125		35	251	18
2, 887		211	160	6	184	502	326	595	151	119	5	54	559	21
2					1					1				
4		1			1					1			1	
407		46	15	9	52	63	53	59	16	24		29	42	8
357	1	39	23	1	31	58	41	72	15	9	1	6	60	
36, 819	116	4, 259	285	62	9, 643	3, 496	1, 250	6, 981	1, 131	949	49	901	7, 582	115
17, 242	50	1, 475	31	24	4, 825	1, 647	487	3, 368	488	291		533	4, 019	54
13, 712	5	1, 056	38	6	4, 415	1, 384	354	2, 629	359	175	13	188	3, 055	35
2, 087	36	620	41	19	146	155	168	422	99	183		104	81	7
2, 536	13	824	116	10	177	165	172	351	130	195	29	43	299	12
377	6	91	7	2	10	33	54	56	17	52		13	35	3
644	2	119	43	1	43	84	54	122	23	44	6	13	82	3
1					1									
136	4	35	1		15	18	5	23	9	10		7	7	2
84		30	8		12	9	6	10	1	2		1	4	1
33, 148	282	5, 558	1, 504	269	2, 650	3, 350	3, 335	6, 581	1, 826	2, 658	117	1, 575	3, 215	108
3, 923	68	1, 013	56	45	528	284	241	705	141	244		380	193	25
2, 404	14	499	81	9	407	221	201	427	107	146	16	77	187	12
9, 833	111	1, 699	393	138	582	1, 036	1, 054	2, 070	597	861		649	693	50
6, 889	32	1, 274	490	31	466	590	721	1, 256	471	571	83	171	696	37
3, 180	30	400	113	30	202	398	325	636	163	303		121	432	27
5, 873	16	541	318	7	437	703	680	1, 313	313	460	17	120	912	31
2		1			1									
611	9	81	25	8	33	73	78	98	19	37		48	90	12
373	2	50	28	1	25	44	35	71	15	16	1	9	72	4
1, 903	7	389	31	3	252	164	116	360	61	111	11	66	323	9
692	3	137	2	1	120	51	21	143	24	10		29	150	1
487		72	4	1	100	43	16	99	12	6	3	10	117	4
255	1	77	6	1	12	23	23	47	10	36		13	6	2
197	1	49	7		11	18	20	29	4	28		15	2	
66	1	21			1	3	7	8	3	10		12		
166		22	10		8	22	24	32	6	18		2	20	2
23		8			2	2		2		1		6	1	
17	1	3	2		2	2	2	2	2	2	1	2	2	

TABLE 3.—DEATHS BY SEX, CONJUGAL CONDITION, AGE PERIODS, AND CERTAIN
NEW YORK—Continued.

BIRTHPLACES OF MOTHERS.		AGE.									
		All ages.	Under 15	15 to 20	20 to 25	25 to 35	35 to 45	45 to 55	55 to 65	65 and over.	Un- known.
1	United States.....	42,055	22,061	1,114	1,349	2,532	2,262	2,397	2,725	7,527	88
2	Single.....	M. 14,457	11,941	505	537	558	308	199	139	241	29
	F. 12,257	10,120	538	385	321	179	157	162	373	22	
3	Married.....	M. 5,301	7	106	568	682	875	1,013	2,042	3	
	F. 4,483	63	275	912	799	754	724	951	5		
4	Widowed.....	M. 1,477	1	14	29	80	96	180	1,088	3	
	F. 3,235	1	52	120	221	396	2,430	2			
5	Divorced.....	M. 2						1			
	F. 4				2	2					
6	Unknown.....	M. 446	1	15	48	46	55	69	201	11	
	F. 393		16	42	45	40	41	201	8		
7	England and Wales.....	4,842	1,357	95	165	413	469	502	554	1,273	14
8	Single.....	M. 1,119	733	44	77	91	62	44	30	37	1
	F. 859	624	44	37	46	28	17	17	44	1	
9	Married.....	M. 1,108	3	4	107	185	209	232	366	2	
	F. 714	3	41	139	140	132	117	136	6		
10	Widowed.....	M. 363	1	1	9	14	30	55	254	1	
	F. 544		1	10	22	53	80	376	1		
11	Divorced.....	M. 81			2	6	10	8	15	38	
	F. 54			3	5	8	8	8	22	2	
12	Unknown.....										
13	Scotland.....	1,433	368	20	40	137	156	172	162	366	3
14	Single.....	M. 336	204	11	25	29	26	17	9	15	
	F. 224	164	9	11	16	4	5	5	9	1	
15	Married.....	M. 350			38	62	71	71	107	1	
	F. 196			12	47	45	32	27	32	1	
16	Widowed.....	M. 115			1	8	18	20	68		
	F. 177			1	2	6	19	27	122		
17	Divorced.....	M. 23				2	2	7	8	9	
	F. 12				2	3	3		4		
18	Unknown.....										
19	Ireland.....	26,989	6,384	753	1,530	3,629	3,319	3,493	3,228	4,580	68
20	Single.....	M. 6,804	3,440	364	717	1,140	505	290	158	178	6
	F. 5,186	2,944	366	437	486	270	234	186	251	12	
21	Married.....	M. 4,707	2		32	709	1,013	1,048	902	939	12
	F. 4,434	23	255	1,091	1,035	912	627	481	9		
22	Widowed.....	M. 1,633	1		3	51	159	233	403	770	3
	F. 3,621	1	10	95	268	625	849	1,760	13		
23	Divorced.....	M. 1				1					
	F. 1					1					
24	Unknown.....	M. 324			19	36	41	50	61	110	7
	F. 228		2	6	21	27	39	42	85	6	
25	Germany.....	19,372	7,712	405	750	1,893	1,793	1,751	2,117	2,930	21
26	Single.....	M. 5,810	4,263	223	337	448	244	122	78	91	4
	F. 4,079	3,449	165	164	130	58	39	24	45	5	
27	Married.....	M. 4,030	2		43	574	796	830	930	848	2
	F. 2,657	14	188	644	510	417	477	407	2		
28	Widowed.....	M. 1,032			2	24	75	129	216	583	
	F. 1,491		3	46	85	166	334	856	1		
29	Divorced.....	M. 1									
	F. 1										
30	Unknown.....	M. 182			7	18	15	35	43	58	6
	F. 91		1	3	9	10	13	15	39	1	
31	Canada.....	1,986	843	75	97	201	184	142	147	295	2
32	Single.....	M. 630	468	34	42	45	20	5	8	8	
	F. 493	375	38	24	27	10	3	6	10		
33	Married.....	M. 268			3	36	67	48	48	65	
	F. 293	3	22	73	62	57	39	36	1		
34	Widowed.....	M. 75			1	4	10	14	46		
	F. 159		1	10	8	11	24	105			
35	Divorced.....	M. 39			2	5	8	5	5	14	
	F. 29		3	4	5	5	3	3	11		
36	Unknown.....										
37	France.....	697	191	13	18	52	73	87	81	181	1
38	Single.....	M. 158	102	6	6	13	10	7	3	11	
	F. 119	89	7	7	7	1	3	1	4		
39	Married.....	M. 182			3	14	29	41	47	48	
	F. 93		1	14	2	23	16	3	19		
40	Widowed.....	M. 61			1	2	5	5	46		
	F. 70			1	1	7	7	9	44	1	
41	Divorced.....	M. 7									
	F. 7					1		1	5		
42	Unknown.....						1	1	1	4	

STATISTICS OF DEATHS.

CAUSES OF DEATH, FOR THE CENSUS YEAR ENDED MAY 31, 1890—Continued.

NEW YORK—Continued.

CAUSE OF DEATH.														
All causes.	Alcoholism.	Consumption.	Cancer and tumor.	Suicide.	General diseases A.	Diseases of the nervous system.	Diseases of the circulatory system.	Diseases of the respiratory system.	Diseases of the digestive system.	Diseases of the urinary system.	Diseases of the female organs of generation.	Accidents and injuries.	All other causes.	Unknown.
42,055	71	3,649	979	137	9,078	5,397	2,733	7,218	1,718	1,465	93	1,203	7,978	336
14,457	27	865	41	31	4,106	1,708	460	2,550	480	241	-----	486	3,366	96
12,257	1	802	94	11	3,786	1,517	413	2,078	386	161	23	288	2,662	85
5,301	27	696	204	56	417	747	677	929	299	480	-----	263	449	57
4,483	6	827	372	11	400	512	489	613	285	261	60	91	513	43
1,477	8	118	44	12	68	219	222	251	70	141	-----	36	270	18
3,235	6	242	181	6	206	553	370	662	161	143	8	59	611	28
2	-----	-----	-----	-----	1	-----	-----	-----	-----	1	-----	-----	-----	-----
4	-----	1	-----	-----	1	1	-----	-----	-----	-----	-----	-----	1	-----
446	-----	55	16	9	57	70	56	62	19	26	-----	24	44	5
393	2	43	27	1	37	65	46	73	17	11	2	6	62	1
4,842	25	507	176	28	785	570	452	879	200	284	14	182	713	27
1,119	7	117	8	3	289	100	36	210	27	39	-----	57	221	5
859	2	71	11	-----	267	92	25	159	21	20	3	13	173	2
1,108	11	144	29	18	80	128	167	212	50	109	-----	67	86	7
714	3	104	64	2	57	37	82	117	48	44	9	21	70	6
363	-----	29	13	3	30	60	52	59	19	32	-----	16	46	4
544	-----	25	41	1	57	86	67	98	29	29	2	5	102	2
81	2	10	1	1	2	10	15	16	4	6	-----	3	10	1
54	-----	7	9	-----	3	7	8	6	2	5	-----	-----	5	-----
1,433	15	185	42	7	204	161	120	269	66	95	8	50	204	7
336	5	44	1	1	76	29	13	72	13	10	-----	18	54	-----
224	-----	22	2	-----	75	36	7	31	6	2	1	2	40	-----
350	7	48	13	3	18	36	43	73	21	41	-----	17	27	3
196	-----	36	11	2	15	18	16	32	16	17	5	4	22	2
115	1	14	3	1	6	15	16	19	3	11	-----	5	20	1
177	1	15	12	-----	12	23	20	37	5	10	2	4	35	1
23	1	4	-----	-----	1	4	3	2	1	3	-----	-----	4	-----
12	-----	2	-----	-----	1	-----	2	3	1	1	-----	-----	2	-----
26,989	249	4,926	690	62	3,616	2,457	1,931	5,480	1,227	1,782	62	1,102	3,296	109
6,804	74	1,274	40	11	1,379	561	279	1,287	212	269	-----	382	1,016	20
5,186	10	872	66	3	1,249	496	279	917	181	172	12	97	814	12
4,707	75	945	135	23	271	135	429	1,119	267	409	-----	342	257	18
4,434	38	1,074	209	14	300	329	371	826	274	427	39	99	414	20
1,683	23	256	49	8	106	191	140	361	91	167	-----	68	211	12
3,621	15	409	161	3	276	398	388	857	186	315	9	81	505	18
1	-----	-----	-----	-----	1	1	-----	-----	-----	-----	-----	-----	-----	-----
1	-----	-----	-----	-----	1	1	-----	-----	-----	-----	-----	-----	-----	-----
324	6	52	14	-----	20	42	26	66	11	15	-----	28	37	7
228	2	44	16	-----	15	21	19	47	5	8	2	5	42	2
19,372	76	2,604	607	156	3,538	1,974	1,347	3,408	868	963	44	609	3,092	86
5,810	21	622	22	24	1,597	579	177	1,020	184	125	-----	221	1,196	22
4,079	1	275	23	8	1,384	404	125	694	101	53	7	58	933	13
4,030	37	823	179	84	233	436	414	738	255	362	-----	201	247	21
2,657	3	555	222	14	170	218	288	429	173	183	32	52	302	11
1,032	9	145	44	15	51	117	134	182	55	106	-----	37	129	8
1,491	2	142	105	4	89	187	186	307	90	111	5	24	234	5
182	3	26	7	6	9	22	19	22	5	15	-----	12	81	5
91	-----	16	5	1	5	11	4	16	5	3	-----	4	20	1
1,986	7	276	45	9	432	195	151	305	79	54	11	74	320	28
630	2	56	2	3	190	65	33	93	15	9	-----	31	122	9
493	-----	53	7	1	165	47	17	85	13	3	-----	7	84	8
263	4	54	10	3	25	20	26	45	13	22	-----	20	23	3
293	-----	73	16	1	26	17	40	42	19	9	7	7	32	4
75	-----	9	3	-----	5	10	6	11	1	5	-----	4	19	1
159	-----	18	6	1	13	25	16	24	11	6	-----	4	32	3
30	1	8	1	-----	3	8	7	2	4	-----	-----	1	4	-----
29	-----	5	-----	-----	5	3	6	3	3	-----	-----	-----	4	-----
697	2	95	33	1	87	76	58	128	25	44	3	25	119	1
158	-----	19	1	1	36	9	3	27	3	5	-----	7	47	-----
119	-----	13	1	-----	33	13	2	22	-----	5	-----	2	28	-----
182	1	33	9	-----	8	22	29	39	6	15	-----	10	10	-----
93	-----	12	12	-----	2	8	10	12	11	10	2	3	11	-----
61	1	7	1	-----	5	13	3	14	2	3	-----	3	7	-----
70	-----	10	6	-----	3	9	5	12	3	4	1	3	14	-----
7	-----	1	1	-----	-----	-----	-----	-----	-----	-----	-----	-----	1	-----
7	-----	2	2	-----	2	2	1	1	1	2	-----	-----	1	1

TABLE 3.—DEATHS BY SEX, CONJUGAL CONDITION, AGE PERIODS, AND CERTAIN BIRTHPLACES OF MOTHERS.—Continued.

BIRTHPLACES OF MOTHERS.		AGE.									
		All ages.	Under 15	15 to 20	20 to 25	25 to 35	35 to 45	45 to 55	55 to 65	65 and over.	Un-known.
1	Scandinavia.....	1,196	630	24	71	165	99	73	58	75	1
2	Single.....	M. 480 F. 353	M. 337 F. 293	M. 9 F. 14	M. 31 F. 18	M. 61 F. 18	M. 16 F. 3	M. 11 F. 2	M. 9 F. 2	M. 5 F. 3	M. 1 F. 3
3	Married.....	M. 170 F. 106	M. 170 F. 106	M. 1 F. 1	M. 4 F. 17	M. 43 F. 32	M. 41 F. 24	M. 36 F. 15	M. 29 F. 6	M. 17 F. 11	M. 17 F. 12
4	Widowed.....	M. 21 F. 39	M. 21 F. 39	M. 1 F. 2	M. 1 F. 2	M. 3 F. 2	M. 3 F. 9	M. 1 F. 3	M. 5 F. 2	M. 12 F. 23	M. 12 F. 23
5	Divorced.....	M. 1 F. 1	M. 1 F. 1	M. 1 F. 1	M. 1 F. 1	M. 1 F. 1	M. 1 F. 1	M. 1 F. 1	M. 1 F. 1	M. 1 F. 1	M. 1 F. 1
6	Unknown.....	M. 22 F. 5	M. 22 F. 5	M. 1 F. 1	M. 1 F. 1	M. 9 F. 3	M. 3 F. 3	M. 3 F. 2	M. 3 F. 2	M. 3 F. 1	M. 3 F. 1
7	Russia and Poland.....	2,240	1,650	42	63	138	93	94	63	87	1
8	Single.....	M. 1,016 F. 769	M. 926 F. 733	M. 16 F. 21	M. 32 F. 8	M. 24 F. 4	M. 9 F. 2	M. 5 F. 2	M. 2 F. 2	M. 2 F. 1	M. 1 F. 1
9	Married.....	M. 225 F. 137	M. 225 F. 137	M. 1 F. 4	M. 3 F. 20	M. 61 F. 40	M. 50 F. 28	M. 47 F. 25	M. 30 F. 14	M. 33 F. 6	M. 33 F. 6
10	Widowed.....	M. 29 F. 45	M. 29 F. 45	M. 1 F. 1	M. 1 F. 1	M. 2 F. 2	M. 2 F. 2	M. 4 F. 6	M. 6 F. 10	M. 15 F. 28	M. 15 F. 28
11	Divorced.....	M. 1 F. 1	M. 1 F. 1	M. 1 F. 1	M. 1 F. 1	M. 1 F. 1	M. 1 F. 1	M. 1 F. 1	M. 1 F. 1	M. 1 F. 1	M. 1 F. 1
12	Unknown.....	M. 15 F. 2	M. 15 F. 2	M. 1 F. 1	M. 1 F. 1	M. 5 F. 3	M. 3 F. 3	M. 3 F. 2	M. 1 F. 1	M. 2 F. 1	M. 2 F. 1
13	Bohemia.....	468	297	8	17	44	35	19	25	23	
14	Single.....	M. 170 F. 163	M. 149 F. 148	M. 4 F. 4	M. 7 F. 4	M. 3 F. 4	M. 4 F. 21	M. 2 F. 10	M. 1 F. 10	M. 1 F. 7	M. 1 F. 7
15	Married.....	M. 70 F. 36	M. 70 F. 36	M. 3 F. 3	M. 3 F. 3	M. 19 F. 15	M. 8 F. 8	M. 21 F. 2	M. 10 F. 6	M. 10 F. 6	M. 10 F. 6
16	Widowed.....	M. 6 F. 22	M. 6 F. 22	M. 1 F. 1	M. 1 F. 1	M. 1 F. 2	M. 1 F. 1	M. 1 F. 3	M. 1 F. 7	M. 3 F. 9	M. 3 F. 9
17	Divorced.....	M. 1 F. 1	M. 1 F. 1	M. 1 F. 1	M. 1 F. 1	M. 1 F. 1	M. 1 F. 1	M. 1 F. 1	M. 1 F. 1	M. 1 F. 1	M. 1 F. 1
18	Unknown.....	M. 1 F. 1	M. 1 F. 1	M. 1 F. 1	M. 1 F. 1	M. 1 F. 1	M. 1 F. 1	M. 1 F. 1	M. 1 F. 1	M. 1 F. 1	M. 1 F. 1
19	Hungary.....	501	353	18	14	32	20	31	16	17	
20	Single.....	M. 221 F. 170	M. 194 F. 150	M. 11 F. 6	M. 3 F. 5	M. 9 F. 1	M. 2 F. 7	M. 1 F. 18	M. 1 F. 7	M. 1 F. 9	M. 1 F. 9
21	Married.....	M. 51 F. 41	M. 51 F. 41	M. 1 F. 1	M. 1 F. 5	M. 9 F. 13	M. 7 F. 8	M. 18 F. 10	M. 7 F. 2	M. 9 F. 2	M. 9 F. 2
22	Widowed.....	M. 5 F. 13	M. 5 F. 13	M. 1 F. 1	M. 1 F. 1	M. 1 F. 1	M. 1 F. 2	M. 1 F. 1	M. 1 F. 6	M. 3 F. 3	M. 3 F. 3
23	Divorced.....	M. 1 F. 1	M. 1 F. 1	M. 1 F. 1	M. 1 F. 1	M. 1 F. 1	M. 1 F. 1	M. 1 F. 1	M. 1 F. 1	M. 1 F. 1	M. 1 F. 1
24	Unknown.....	M. 1 F. 1	M. 1 F. 1	M. 1 F. 1	M. 1 F. 1	M. 1 F. 1	M. 1 F. 1	M. 1 F. 1	M. 1 F. 1	M. 1 F. 1	M. 1 F. 1
25	Italy.....	2,789	2,069	38	89	183	167	100	68	66	9
26	Single.....	M. 1,235 F. 1,016	M. 1,089 F. 980	M. 16 F. 15	M. 41 F. 7	M. 45 F. 3	M. 23 F. 4	M. 13 F. 1	M. 4 F. 2	M. 2 F. 1	M. 2 F. 3
27	Married.....	M. 242 F. 194	M. 242 F. 194	M. 7 F. 7	M. 29 F. 1	M. 67 F. 60	M. 62 F. 64	M. 48 F. 15	M. 33 F. 13	M. 20 F. 6	M. 20 F. 6
28	Widowed.....	M. 89 F. 46	M. 89 F. 46	M. 1 F. 1	M. 1 F. 1	M. 3 F. 1	M. 8 F. 4	M. 9 F. 10	M. 5 F. 9	M. 13 F. 22	M. 13 F. 22
29	Divorced.....	M. 1 F. 1	M. 1 F. 1	M. 1 F. 1	M. 1 F. 1	M. 1 F. 1	M. 1 F. 1	M. 1 F. 1	M. 1 F. 1	M. 1 F. 1	M. 1 F. 1
30	Unknown.....	M. 15 F. 2	M. 15 F. 2	M. 1 F. 1	M. 1 F. 1	M. 4 F. 4	M. 2 F. 2	M. 4 F. 4	M. 2 F. 2	M. 2 F. 3	M. 2 F. 3
31	Others.....	1,949	961	45	84	183	184	161	140	191	
32	Single.....	M. 718 F. 513	M. 519 F. 442	M. 18 F. 24	M. 35 F. 15	M. 57 F. 18	M. 43 F. 5	M. 31 F. 4	M. 10 F. 1	M. 5 F. 4	M. 5 F. 4
33	Married.....	M. 332 F. 188	M. 332 F. 188	M. 3 F. 3	M. 24 F. 24	M. 53 F. 44	M. 70 F. 45	M. 76 F. 24	M. 63 F. 23	M. 56 F. 25	M. 56 F. 25
34	Widowed.....	M. 56 F. 120	M. 56 F. 120	M. 1 F. 1	M. 1 F. 1	M. 4 F. 4	M. 6 F. 12	M. 5 F. 17	M. 12 F. 23	M. 29 F. 64	M. 29 F. 64
35	Divorced.....	M. 1 F. 1	M. 1 F. 1	M. 1 F. 1	M. 1 F. 1	M. 1 F. 1	M. 1 F. 1	M. 1 F. 1	M. 1 F. 1	M. 1 F. 1	M. 1 F. 1
36	Unknown.....	M. 19 F. 6	M. 19 F. 6	M. 1 F. 1	M. 1 F. 1	M. 3 F. 3	M. 2 F. 1	M. 3 F. 1	M. 2 F. 1	M. 6 F. 2	M. 6 F. 2
37	Unknown.....	16,600	5,059	402	601	1,369	1,259	1,204	1,393	5,055	258
38	Single.....	M. 4,183 F. 3,267	M. 2,730 F. 2,329	M. 206 F. 173	M. 250 F. 144	M. 379 F. 173	M. 212 F. 87	M. 111 F. 75	M. 68 F. 68	M. 167 F. 191	M. 65 F. 27
39	Married.....	M. 2,859 F. 2,080	M. 2,859 F. 2,080	M. 1 F. 19	M. 37 F. 121	M. 269 F. 368	M. 359 F. 354	M. 302 F. 334	M. 463 F. 315	M. 1,352 F. 554	M. 16 F. 15
40	Widowed.....	M. 1,087 F. 1,832	M. 1,087 F. 1,832	M. 1 F. 5	M. 1 F. 5	M. 17 F. 31	M. 45 F. 62	M. 67 F. 85	M. 107 F. 191	M. 842 F. 1,447	M. 8 F. 11
41	Divorced.....	M. 5 F. 3	M. 5 F. 3	M. 1 F. 1	M. 1 F. 1	M. 1 F. 1	M. 1 F. 1	M. 1 F. 1	M. 1 F. 1	M. 1 F. 1	M. 1 F. 1
42	Unknown.....	M. 893 F. 441	M. 893 F. 441	M. 1 F. 3	M. 25 F. 18	M. 91 F. 40	M. 98 F. 39	M. 115 F. 55	M. 117 F. 62	M. 305 F. 195	M. 37 F. 29

STATISTICS OF DEATHS.

CAUSES OF DEATH, FOR THE CENSUS YEAR ENDED MAY 31, 1890—Continued.

NEW YORK—Continued.

CAUSE OF DEATH.														
All causes.	Alcoholism.	Consumption.	Cancer and tumor.	Suicide.	General diseases A.	Diseases of the nervous system.	Diseases of the circulatory system.	Diseases of the respiratory system.	Diseases of the digestive system.	Diseases of the urinary system.	Diseases of the female organs of generation.	Accidents and injuries.	All other causes.	Unknown.
1,190	2	164	15	14	309	99	53	204	32	37	2	56	204	5
480		52		6	151	38	11	78	10	6		26	100	2
383		25		1	127	32	12	65	7	3		3	73	1
170	1	30	5	5	11	15	16	35	10	14		22	6	
106	1	36	5	2	9	7	7	12	2	8	2	2	13	
21		3			2	3	3	3	1	3			3	
39		8	3		4	4		9	2	1			7	1
22		6	1		4		3	1		2		3	1	1
5		1	1		1		1	1					1	1
2,240	3	149	35	8	551	201	65	429	77	54	4	100	558	6
1,016	2	42	2	1	281	87	18	220	22	11		42	285	3
769		25			240	69	11	142	22	10		29	220	1
225	1	47	18	5	18	22	18	29	19	14		20	13	1
137		20	9		23	14	10	23	10	10	4	6	21	
20		4	4	1	1	3	2	4	4	3		3	7	
46		4	2		3	5	6	8		3		3	7	1
1		1												
15		5		1	1			3		3			2	
2		1				1								
468	1	60	7	3	116	30	14	89	7	20		13	107	1
170		12		1	56	12		30	2	4		4	48	1
163		5			56	11	4	38	1	3		1	44	
70	1	29	3	2	2	5	3	9	3	7		4	2	
36		13	3		1	2	4	4	1	3		1	7	
6					1			1				1	1	
22		1	1		1		2	7		3		2	5	
1														
501		39	5	5	116	42	22	103	16	12	1	16	123	1
221		9	1	3	60	17	4	46	7	1		5	68	
170		8			52	21	4	34	5	1		6	39	
51		12	3	1	3	7	7	12	1	4		2	5	1
41		7	1	1	1	3	3	4	2	5	1	3	10	
5		1					1	2	2					
13		2				1	3	5	1	1			1	
2,780	3	208	28	5	661	194	60	849	84	60	5	92	535	5
1,235		61	2	1	329	87	16	383	27	13		42	272	2
1,016		36	1	1	298	79	9	328	23	9		10	221	1
242	3	46	6	1	16	14	12	78	20	15		27	3	1
194		52	16	1	9	8	14	31	10	11	5	6	31	
39		6	1	1	2	4		13	2	6		1	2	1
46		7	2		5	2	5	13	2	5		1	4	
15					2		4	2				5	2	
2								1		1				
1,949	12	260	46	22	384	178	106	374	83	77	5	52	343	7
718	5	81	5	8	183	61	17	137	22	12		25	160	2
513		35	1		159	48	6	115	17	8		6	118	
332	5	80	17	11	20	34	36	50	25	25		12	15	2
188		36	10	2	12	12	25	32	15	11	4	4	25	
56	2	15		1	1	4	4	10	4	9		2	7	1
120		10	11		7	18	15	25	4	11	1	2	14	2
10		1	1		1		3	5		1		1	3	
6		2	1		1	1							1	
16,600	63	1,732	478	115	2,634	2,248	1,427	2,419	661	651	36	983	2,975	178
4,188	28	365	18	31	1,057	482	164	597	137	96		368	816	29
3,267	3	319	45	4	977	399	102	471	96	57	10	83	672	29
2,859	14	337	99	34	196	465	367	419	150	217		195	328	38
2,080	8	358	144	21	157	263	253	292	130	97	15	52	264	21
1,087	6	72	21	8	59	177	162	138	89	74		36	292	13
1,832		139	102	6	117	291	222	325	22	48	9	44	426	21
5		1			1	1			2	1			1	
3			1											
838	4	78	20	7	39	110	98	112	20	42		185	106	17
441		63	28	4	31	60	54	63	17	19	2	20	70	10

STATISTICS OF DEATHS.

CAUSES OF DEATH, FOR THE CENSUS YEAR ENDED MAY 31, 1890—Continued.

RURAL PART OF NEW YORK.

CAUSE OF DEATH.														
All causes.	Alcoholism.	Consumption.	Cancer and tumor.	Suicide.	General diseases A.	Diseases of the nervous system.	Diseases of the circulatory system.	Diseases of the respiratory system.	Diseases of the digestive system.	Diseases of the urinary system.	Diseases of the female organs of generation.	Accidents and injuries.	All other causes.	Unknown.
32, 101	50	3, 492	1, 109	174	4, 977	4, 361	3, 149	5, 053	1, 515	1, 246	71	1, 409	4, 916	570
6, 877	16	628	46	24	1, 886	838	318	1, 107	289	134	-----	493	958	141
5, 068	1	615	89	8	1, 070	783	252	850	215	80	-----	158	829	104
6, 469	25	744	249	74	499	875	897	1, 031	375	483	14	378	732	107
5, 086	3	862	381	25	409	651	641	714	316	203	43	96	679	72
2, 252	3	131	63	21	130	337	327	343	81	157	-----	78	540	46
3, 775	4	279	179	4	250	605	477	711	167	90	11	81	867	54
-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----
1, 196	8	137	44	14	81	158	152	172	38	74	-----	108	178	32
769	3	95	57	4	59	113	85	124	34	24	-----	22	132	14
31, 823	56	3, 443	1, 104	173	4, 934	4, 328	3, 134	5, 005	1, 505	1, 232	70	1, 399	4, 875	565
6, 774	14	608	45	24	1, 869	830	315	1, 079	286	134	-----	486	943	141
5, 005	1	606	88	7	1, 653	777	251	841	212	79	14	158	817	101
6, 443	25	743	249	74	498	872	891	1, 027	373	476	-----	378	730	107
5, 049	3	854	378	25	396	643	639	711	316	200	43	95	675	71
2, 239	3	128	63	21	129	335	327	343	80	156	-----	73	535	46
3, 758	4	277	179	4	247	602	475	707	166	90	11	81	866	53
-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----
1, 188	8	133	44	14	81	156	152	172	38	74	-----	106	178	32
758	2	93	57	4	59	112	84	124	33	22	-----	22	130	14
25, 190	34	2, 676	806	124	4, 400	3, 586	2, 278	3, 023	1, 191	906	57	935	3, 851	417
6, 084	13	497	31	15	1, 778	773	266	974	258	105	-----	359	888	122
5, 227	-----	549	74	6	1, 589	721	219	789	200	68	13	143	763	93
4, 652	16	530	176	54	360	687	640	715	274	358	-----	235	536	71
3, 818	2	681	282	20	312	512	453	516	234	148	32	62	510	49
1, 498	-----	79	45	14	73	224	241	217	55	104	-----	40	379	22
2, 674	-----	191	131	4	170	473	308	522	121	58	10	53	596	37
-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----
702	2	80	28	10	66	105	89	106	25	46	-----	81	96	18
531	1	68	38	1	45	85	62	89	23	18	-----	12	82	5
13, 795	14	1, 371	456	63	2, 483	1, 995	1, 252	2, 202	696	497	32	475	2, 029	230
3, 258	4	226	18	6	994	433	144	537	139	59	-----	163	468	67
2, 959	-----	270	38	4	889	427	132	438	124	43	9	89	440	56
2, 625	7	381	107	29	225	377	370	418	158	197	-----	129	255	42
2, 204	2	390	167	6	184	287	268	309	151	83	20	31	277	29
734	-----	32	30	8	38	108	113	117	35	56	-----	18	197	12
1, 442	-----	110	66	1	93	269	163	287	64	34	2	26	310	17
-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----
301	-----	35	10	9	37	44	33	44	12	19	-----	13	38	7
268	1	26	20	-----	22	49	29	52	12	6	-----	6	44	-----
3, 977	8	588	68	14	974	462	219	619	169	76	7	169	534	70
1, 546	4	162	6	4	448	183	58	255	70	15	-----	95	208	38
1, 271	-----	172	7	1	411	148	50	204	43	10	1	32	175	17
392	3	86	11	5	39	40	38	59	22	27	-----	28	32	2
441	-----	121	29	3	44	42	36	46	22	11	6	6	67	8
90	-----	9	1	1	3	10	20	14	1	10	-----	3	18	-----
137	-----	14	8	-----	12	26	12	30	5	-----	-----	1	27	2
-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----
62	1	13	1	-----	10	7	2	7	6	3	-----	-----	6	2
38	-----	11	5	-----	7	6	3	4	-----	-----	-----	-----	1	1
5, 475	19	655	257	35	422	598	728	926	274	271	11	311	848	120
524	1	101	14	3	60	41	30	84	21	22	-----	77	43	18
263	1	38	10	1	40	39	26	38	9	8	-----	10	89	4
1, 568	8	189	62	17	118	159	222	262	91	102	-----	119	168	31
1, 075	1	152	90	3	75	114	159	169	69	45	10	29	141	18
643	2	41	18	6	44	91	75	117	24	45	-----	28	130	22
918	-----	73	36	-----	63	161	150	150	44	27	1	22	227	15
-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----
338	5	46	14	4	13	37	45	48	9	20	-----	24	64	9
146	1	15	13	1	9	16	12	29	7	2	-----	2	36	3
278	3	49	5	1	43	33	15	48	10	14	1	10	41	5
103	2	20	1	-----	17	8	3	28	2	-----	-----	7	15	-----
63	-----	9	1	1	17	6	1	9	3	1	-----	-----	12	3
26	-----	1	-----	-----	1	3	6	4	2	7	-----	-----	2	-----
37	3	3	3	-----	4	8	2	3	-----	3	-----	1	4	1
13	-----	3	-----	-----	1	2	-----	-----	1	1	-----	-----	5	-----
17	-----	2	-----	-----	3	3	2	4	-----	-----	-----	-----	1	1
-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----
8	-----	4	-----	-----	-----	2	-----	-----	-----	-----	-----	2	-----	-----
11	1	2	-----	-----	-----	1	1	-----	1	2	-----	-----	2	-----

VITAL AND SOCIAL STATISTICS.

TABLE 3.—DEATHS BY SEX, CONJUGAL CONDITION, AGE PERIODS, AND CERTAIN BIRTHPLACES OF NEW YORK—Continued.

BIRTHPLACES OF MOTHERS.		AGE.									
		All ages.	Under 15	15 to 20	20 to 25	25 to 35	35 to 45	45 to 55	55 to 65	65 and over.	Un- known.
1	United States	15,095	5,047	523	563	997	887	1,031	1,408	4,573	66
2	Single.....	M. 3,711	2,691	225	207	180	94	72	60	155	18
		F. 3,329	2,356	262	153	117	72	61	76	216	16
3	Married.....	M. 2,764		3	49	214	259	366	524	1,342	7
		F. 2,360		33	122	401	359	376	428	636	5
4	Widowed.....	M. 774			10	16	16	27	67	652	2
		F. 1,532			9	15	22	65	158	1,261	2
5	Divorced.....	M. 1									
		F. 3				2	1				
6	Unknown.....	M. 325			11	36		35	52	155	8
		F. 296			12	22		29	34	156	8
7	England and Wales	1,270	190	37	37	98	100	104	173	520	11
8	Single.....	M. 191	93	16	16	17	16	8	8	16	1
		F. 164	97	20	7	14	4	4	7	11	
9	Married.....	M. 332		1	2	24	37	37	71	158	2
		F. 231			10	36	33	38	43	66	5
10	Widowed.....	M. 136				2	2	3	15	113	1
		F. 141				1	1	5	17	116	1
11	Divorced.....	M. 47			1	3					
		F. 28			1	1	3	4	8	27	1
12	Unknown.....	M. 47			1	3					
		F. 28			1	1	4	5	4	18	
13	Scotland.....	299	36	6	6	19	24	29	33	143	3
14	Single.....	M. 35	13	4	1	2	2	5	1	7	
		F. 42	23	2	4	4	2	2	1	3	1
15	Married.....	M. 79				5	6	8	16	43	1
		F. 49			1	7	11	7	8	14	1
16	Widowed.....	M. 35					1		2	32	
		F. 46						3	4	39	
17	Divorced.....	M. 8									
		F. 5				1	1	2	1	4	
18	Unknown.....	M. 8									
		F. 5				1	1	2	1	1	
19	Ireland.....	3,467	420	118	175	330	272	389	495	1,241	27
20	Single.....	M. 662	253	56	79	99	50	20	26	66	4
		F. 438	167	61	59	85	17	23	11	42	3
21	Married.....	M. 750			8	62	66	131	159	319	5
		F. 595		1	20	84	94	118	114	159	5
22	Widowed.....	M. 275			1	4	11	14	53	191	1
		F. 494				4	13	44	84	345	4
23	Divorced.....	M. 169			6	13	12	19	31	84	4
		F. 84			2	9	9	11	17	35	1
24	Unknown.....	M. 169			6	13	12	19	31	84	4
		F. 84			2	9	9	11	17	35	1
25	Germany.....	2,114	544	44	70	149	150	186	294	660	17
26	Single.....	M. 467	301	27	38	31	21	8	10	28	3
		F. 314	243	17	14	9	8	7	1	11	4
27	Married.....	M. 487			4	41	61	81	127	171	2
		F. 332			11	50	45	49	73	102	2
28	Widowed.....	M. 179			2	1	2	12	24	140	
		F. 207				5	6	12	35	148	1
29	Divorced.....	M. 97			2	9	5	14	21	41	5
		F. 31			1	3	2	3	3	19	
30	Unknown.....	M. 97			2	9	5	14	21	41	5
		F. 31			1	3	2	3	3	19	
31	Canada.....	702	244	32	43	61	49	50	58	163	2
32	Single.....	M. 194	128	14	20	18	5	2	3	4	
		F. 161	116	18	11	6		1	5	4	
33	Married.....	M. 90				11	16	12	15	35	1
		F. 119			9	20	20	27	20	22	1
34	Widowed.....	M. 35					2	1	3	20	
		F. 73				3	3	3	11	53	
35	Divorced.....	M. 20			1	2	2	3	1	11	
		F. 10			2	1	1	1		5	
36	Unknown.....	M. 20			1	2	2	3	1	11	
		F. 10			2	1	1	1		5	
37	France.....	135	20	3	4	5	9	12	13	69	
38	Single.....	M. 21	11		1	2	1	1	2	3	
		F. 17	9		3			1	1	1	
39	Married.....	M. 32				1	4	2	4	21	
		F. 25				2	2	7	4	10	
40	Widowed.....	M. 18					1		1	16	
		F. 12							1	11	
41	Divorced.....	M. 4								4	
		F. 6					1	1		4	
42	Unknown.....	M. 4								4	
		F. 6					1	1		4	

STATISTICS OF DEATHS.

CAUSES OF DEATH, FOR THE CENSUS YEAR ENDED MAY 31, 1890—Continued.

RURAL PART OF NEW YORK—Continued.

CAUSE OF DEATH.														
All causes.	Alcoholism.	Consumption.	Cancer and tumor.	Suicide.	General diseases A.	Diseases of the nervous system.	Diseases of the circulatory system.	Diseases of the respiratory system.	Diseases of the digestive system.	Diseases of the urinary system.	Diseases of the female organs of generation.	Accidents and injuries.	All other causes.	Unknown.
15,095	18	1,521	483	69	2,763	2,171	1,328	2,413	760	535	37	527	2,216	254
3,711	7	272	20	7	1,106	481	160	623	167	63		191	538	76
3,329		308	39	5	1,017	474	143	492	141	48	10	98	492	62
2,764	7	297	110	31	235	399	387	446	164	212		137	297	42
2,360	2	419	183	8	199	315	289	325	157	87	22	34	292	35
774		35	30	8	40	115	119	122	36	61		19	177	12
1,532		118	69	1	98	282	173	367	66	34	3	27	335	19
1					1									
3														
325		42	11	9	41	49	33	45	14	20		15	39	7
296	2	29	21		26	55	33	53	14	8	2	6	46	1
1,270	3	141	65	10	177	166	157	205	50	64	1	50	166	15
191	1	25	3	2	50	23	8	31	5	6		14	19	4
164		20	4		59	15	5	30	6	3		4	25	1
332	1	42	11	6	29	49	52	57	12	26		21	32	3
231		33	24		21	34	34	34	11	9	1	5	22	3
136		8	5	1	9	28	22	18	6	12		5	19	3
141		5	9		15	18	22	21	7	4		1	39	
47	1	5	1	1		7	8	12	2	3			6	1
28		3	8		3	1	6	2	1	1			3	
299		22	13		35	36	39	50	18	15	3	14	50	4
35		2			8	4	2	9	2			6	2	
42		7			14	5	1	6	3				13	1
79		5	4		3	9	15	13	7	7		2	6	2
49		5	3		3	4	7	4	4	4	3	2	8	2
35		1	2		1	7	5	5	2	2		3	9	
46		2	4		4	5	6	9	2	2		1	10	1
8					1	2	2	1					2	
5					1	1	1	3						
3,467	17	568	134	13	402	361	341	575	162	134	6	204	487	63
662	2	129	12	3	136	66	31	102	28	23		63	53	14
438		98	9		93	52	27	60	14	9		18	57	1
750	6	112	30	4	62	74	191	128	48	36		61	75	12
595	1	122	41	3	45	52	71	91	27	24	6	18	81	10
275	2	20	6	3	16	33	23	66	12	16		11	57	9
494		48	22		35	56	71	86	24	15		15	113	9
169	5	26	9		9	18	14	22	6	10		17	23	5
84	1	13	5		5	10	4	20	3	1		1	20	1
2,114	5	227	62	13	305	232	229	354	100	75	6	102	342	57
467	1	39	2		125	50	25	81	18	2		37	71	19
314	1	26	2	2	97	43	15	57	6			7	48	10
487	3	79	15	9	33	42	58	83	32	36		33	54	13
332		46	27	1	22	38	49	53	21	10	5	6	52	4
179		14	5	2	11	19	32	25	6	13		9	37	3
207		16	5		14	20	40	37	12	7	1	2	44	6
97		14	3	3	2	10	10	10	3	7		7	24	4
31		2		1	1	4		6	2			1	11	1
702	1	113	17	3	133	74	59	97	32	11		26	117	19
194		22	1	1	57	21	12	25	5	2		13	29	6
161		21			45	20	8	31	6	6		3	21	6
90	1	20	5	1	8	5	6	12	4	7		7	12	2
119		30	9		13	8	15	14	11	1		1	16	2
35		6	1	1	3	4	2	4		1			13	1
73		8	1		4	11	10	10	3			2	22	2
20		4			1	4	4	1	2			1	3	
10		3			2	1	2		1				1	
135		14	9		19	14	12	29	4	10		6	17	1
21		3	1		6	1		4	1	1		2	2	
17		2			7	3		4	1			1	1	
32		2			2	3	6	7	1	4		3	2	
25		5	2		1	1	2	1	1	4			5	
18			3		3	3	3	3	1	1			4	
12		1			4	2	3	6				1	2	
4			1				1							
6			2				1	1					1	

VITAL AND SOCIAL STATISTICS.

TABLE 3.—DEATHS BY SEX, CONJUGAL CONDITION, AGE PERIODS; AND CERTAIN RURAL PART OF NEW YORK—Continued.

BIRTHPLACES OF MOTHERS.		AGE.									
		All ages.	Under 15	15 to 20	20 to 25	25 to 35	35 to 45	45 to 55	55 to 65	65 and over.	Un-known.
1	Scandinavia.....	152	48	3	15	29	9	7	16	25	
2	Single.....	M. 55 F. 27	M. 28 F. 20	M. 2 F. 1	M. 8 F. 4	M. 11 F. 4	M. 2 F. 2		M. 1 F. 8	M. 3 F. 3	
3	Married.....	M. 21 F. 19			M. 2 F. 5	M. 4 F. 2	M. 2 F. 2		M. 8 F. 2	M. 3 F. 6	
4	Widowed.....	M. 4 F. 10				M. 1 F. 1	M. 1 F. 1		M. 1 F. 1	M. 3 F. 6	
5	Divorced.....	M. 15 F. 1			M. 1 F. 1	M. 8 F. 8		M. 2 F. 2		M. 2 F. 2	
6	Unknown.....								M. 2 F. 1		
7	Russia and Poland.....	71	37		3	10	6	4	4	6	1
8	Single.....	M. 17 F. 22	M. 15 F. 22		M. 2 F. 1						
9	Married.....	M. 10 F. 7			M. 1 F. 3	M. 3 F. 1	M. 4 F. 1		M. 2 F. 1	M. 1 F. 2	
10	Widowed.....	M. 1 F. 4						M. 1 F. 1		M. 1 F. 2	
11	Divorced.....	M. 1 F. 4									
12	Unknown.....	M. 10 F. 10				M. 4 F. 1	M. 1 F. 2			M. 2 F. 1	
13	Bohemia.....	9	5		1		2		1		
14	Single.....	M. 4 F. 2	M. 3 F. 2		M. 1 F. 1						
15	Married.....	M. 3 F. 1				M. 2 F. 1			M. 1 F. 1		
16	Widowed.....	M. 1 F. 1									
17	Divorced.....	M. 1 F. 1									
18	Unknown.....	M. 1 F. 1									
19	Hungary.....	16	6		3	3	1	2		1	
20	Single.....	M. 5 F. 4	M. 3 F. 3		M. 1 F. 1	M. 1 F. 1					
21	Married.....	M. 4 F. 2			M. 1 F. 1	M. 1 F. 1	M. 2 F. 2				
22	Widowed.....	M. 1 F. 1								M. 1 F. 1	
23	Divorced.....	M. 1 F. 1									
24	Unknown.....	M. 1 F. 1									
25	Italy.....	71	31	1	3	13	4	8	3	2	6
26	Single.....	M. 25 F. 22	M. 13 F. 18		M. 3 F. 1	M. 2 F. 7	M. 2 F. 1	M. 2 F. 4	M. 1 F. 2		M. 2 F. 2
27	Married.....	M. 11 F. 3				M. 7 F. 3		M. 4 F. 1			
28	Widowed.....	M. 3 F. 1						M. 1 F. 2		M. 1 F. 1	
29	Divorced.....	M. 1 F. 1									
30	Unknown.....	M. 6 F. 6				M. 1 F. 1	M. 1 F. 1	M. 1 F. 1		M. 1 F. 1	M. 2 F. 2
31	Others.....	161	47	5	7	15	18	14	17	38	
32	Single.....	M. 47 F. 23	M. 29 F. 18	M. 1 F. 3	M. 3 F. 1	M. 4 F. 1	M. 6 F. 3	M. 3 F. 1			
33	Married.....	M. 35 F. 24		M. 1 F. 1	M. 3 F. 3	M. 2 F. 5	M. 5 F. 5	M. 7 F. 1	M. 8 F. 4	M. 13 F. 5	
34	Widowed.....	M. 10 F. 11			M. 1 F. 1	M. 1 F. 1	M. 1 F. 1	M. 1 F. 1	M. 1 F. 1	M. 7 F. 8	
35	Divorced.....	M. 1 F. 1									
36	Unknown.....	M. 7 F. 4				M. 1 F. 1	M. 1 F. 1	M. 2 F. 1		M. 3 F. 2	
37	Unknown.....	8,539	1,491	186	248	542	538	660	908	3,807	164
38	Single.....	M. 1,443 F. 1,103	M. 851 F. 640	M. 95 F. 79	M. 91 F. 54	M. 118 F. 59	M. 67 F. 43	M. 39 F. 41	M. 35 F. 41	M. 114 F. 127	M. 33 F. 19
39	Married.....	M. 1,851 F. 1,320		M. 1 F. 10	M. 19 F. 59	M. 117 F. 181	M. 158 F. 180	M. 196 F. 213	M. 300 F. 232	M. 1,045 F. 436	M. 15 F. 9
40	Widowed.....	M. 781 F. 1,244		M. 1 F. 2	M. 1 F. 6	M. 7 F. 6	M. 19 F. 18	M. 31 F. 42	M. 57 F. 120	M. 659 F. 1,048	M. 7 F. 8
41	Divorced.....	M. 3 F. 2				M. 1 F. 1	M. 1 F. 1		M. 1 F. 1		
42	Unknown.....	M. 488 F. 304			M. 10 F. 12	M. 27 F. 27	M. 29 F. 22	M. 65 F. 33	M. 74 F. 43	M. 231 F. 145	M. 52 F. 21

CAUSES OF DEATH, FOR THE CENSUS YEAR ENDED MAY 31, 1890—Continued.

RURAL PART OF NEW YORK—Continued.

Table with columns: CAUSE OF DEATH, All causes., Alcoholism., Consump-tion., Cancer and tumor., Suicide., General diseases A., Diseases of the nervous system., Diseases of the circula-tory system., Diseases of the respira-tory system., Diseases of the digestive system., Diseases of the urinary system., Diseases of the female organs of genera-tion., Acci-dents and injuries., All other causes., Un-known. Rows 1-42.

TABLE 3.—DEATHS BY SEX, CONJUGAL CONDITION, AGE PERIODS, AND CERTAIN RHODE ISLAND.

COLOR AND GENERAL NATIVITY.		AGE.									
		All ages.	Under 15	15 to 20	20 to 25	25 to 35	35 to 45	45 to 55	55 to 65	65 and over.	Un-known.
1	Total	7,559	3,048	281	321	602	581	602	597	1,557	20
2	Single	M 2,227 F 1,937	M 1,621 F 1,427	M 93 F 124	M 152 F 98	M 164 F 82	M 78 F 44	M 43 F 50	M 27 F 29	M 43 F 100	M 6 F 8
3	Married	M 1,171 F 973	M 1,378 F 1,278	M 2 F 12	M 12 F 53	M 187 F 185	M 190 F 199	M 219 F 192	M 206 F 151	M 403 F 179	M 2 F 2
4	Widowed	M 364 F 738	M 1 F 1	M 1 F 1	M 1 F 1	M 4 F 19	M 25 F 25	M 30 F 78	M 52 F 114	M 249 F 549	M 2 F 2
5	Divorced	M 10 F 11	M 1 F 1	M 1 F 1	M 2 F 2	M 1 F 2	M 2 F 2	M 3 F 3	M 2 F 2	M 3 F 3	M 2 F 2
6	Unknown	M 49 F 31	M 1 F 1	M 3 F 1	M 6 F 1	M 8 F 5	M 5 F 2	M 5 F 8	M 17 F 12	M 5 F 2	M 2 F 2
7	White	7,335	2,958	223	315	583	559	585	578	1,515	19
8	Single	M 2,166 F 1,874	M 1,580 F 1,378	M 90 F 119	M 149 F 96	M 158 F 81	M 73 F 43	M 42 F 29	M 27 F 28	M 41 F 97	M 6 F 3
9	Married	M 1,132 F 949	M 1,378 F 1,278	M 2 F 12	M 12 F 52	M 131 F 179	M 183 F 193	M 212 F 188	M 198 F 149	M 392 F 174	M 2 F 2
10	Widowed	M 354 F 762	M 1 F 1	M 1 F 1	M 1 F 1	M 4 F 19	M 23 F 24	M 29 F 75	M 50 F 109	M 243 F 534	M 2 F 2
11	Divorced	M 10 F 10	M 1 F 1	M 1 F 1	M 2 F 2	M 1 F 2	M 2 F 2	M 3 F 3	M 2 F 2	M 3 F 3	M 2 F 2
12	Unknown	M 48 F 30	M 1 F 1	M 3 F 1	M 6 F 1	M 8 F 4	M 5 F 2	M 5 F 8	M 17 F 12	M 5 F 2	M 2 F 2
13	Native born	5,344	2,783	164	193	372	288	248	273	1,015	8
14	Single	M 1,895 F 1,621	M 1,491 F 1,292	M 64 F 90	M 100 F 55	M 116 F 54	M 49 F 27	M 25 F 16	M 16 F 14	M 29 F 70	M 5 F 3
15	Married	M 625 F 522	M 1,378 F 1,278	M 1 F 9	M 4 F 32	M 68 F 115	M 87 F 96	M 84 F 85	M 99 F 76	M 282 F 109	M 2 F 2
16	Widowed	M 299 F 437	M 1 F 1	M 1 F 1	M 1 F 1	M 1 F 11	M 11 F 14	M 6 F 29	M 21 F 41	M 170 F 342	M 2 F 2
17	Divorced	M 9 F 10	M 1 F 1	M 1 F 1	M 2 F 2	M 2 F 2	M 2 F 2	M 3 F 3	M 2 F 2	M 3 F 3	M 2 F 2
18	Unknown	M 7 F 9	M 1 F 1	M 3 F 1	M 6 F 1	M 8 F 4	M 5 F 2	M 5 F 8	M 17 F 12	M 5 F 2	M 2 F 2
19	Both parents native	2,836	986	54	72	152	171	208	245	946	2
20	Single	M 706 F 629	M 531 F 455	M 20 F 31	M 36 F 15	M 32 F 20	M 28 F 15	M 17 F 12	M 13 F 11	M 28 F 69	M 1 F 1
21	Married	M 503 F 387	M 1,378 F 1,278	M 1 F 2	M 2 F 17	M 28 F 60	M 47 F 66	M 71 F 78	M 92 F 64	M 262 F 100	M 2 F 2
22	Widowed	M 185 F 398	M 1 F 1	M 1 F 1	M 1 F 1	M 4 F 8	M 5 F 8	M 5 F 22	M 20 F 39	M 156 F 321	M 2 F 2
23	Divorced	M 9 F 10	M 1 F 1	M 1 F 1	M 2 F 2	M 2 F 2	M 2 F 2	M 3 F 3	M 2 F 2	M 3 F 3	M 2 F 2
24	Unknown	M 3 F 6	M 1 F 1	M 3 F 1	M 6 F 1	M 8 F 4	M 5 F 2	M 5 F 8	M 17 F 12	M 5 F 2	M 2 F 2
25	One or both parents foreign	2,393	1,766	105	117	215	103	33	16	32	6
26	Single	M 1,151 F 973	M 939 F 827	M 41 F 57	M 60 F 40	M 82 F 33	M 18 F 12	M 4 F 4	M 2 F 2	M 1 F 7	M 4 F 2
27	Married	M 100 F 122	M 1,378 F 1,278	M 1 F 7	M 2 F 15	M 28 F 55	M 47 F 23	M 71 F 6	M 92 F 6	M 262 F 100	M 2 F 2
28	Widowed	M 13 F 30	M 1 F 1	M 1 F 1	M 1 F 1	M 4 F 3	M 5 F 6	M 5 F 7	M 20 F 1	M 156 F 13	M 2 F 2
29	Divorced	M 9 F 10	M 1 F 1	M 1 F 1	M 2 F 2	M 2 F 2	M 2 F 2	M 3 F 3	M 2 F 2	M 3 F 3	M 2 F 2
30	Unknown	M 3 F 1	M 1 F 1	M 3 F 1	M 6 F 1	M 8 F 4	M 5 F 2	M 5 F 8	M 17 F 12	M 5 F 2	M 2 F 2
31	Foreign born	1,939	170	57	120	209	268	329	301	481	4
32	Single	M 258 F 248	M 88 F 82	M 24 F 29	M 48 F 40	M 41 F 27	M 21 F 16	M 15 F 13	M 10 F 14	M 11 F 27	M 4 F 2
33	Married	M 502 F 424	M 1,378 F 1,278	M 1 F 3	M 8 F 20	M 62 F 64	M 96 F 97	M 125 F 103	M 99 F 73	M 109 F 62	M 1 F 2
34	Widowed	M 144 F 323	M 1 F 1	M 1 F 1	M 1 F 1	M 3 F 8	M 17 F 10	M 23 F 46	M 28 F 68	M 73 F 190	M 2 F 2
35	Divorced	M 1 F 1	M 1 F 1	M 1 F 1	M 2 F 2	M 2 F 2	M 2 F 2	M 3 F 3	M 2 F 2	M 3 F 3	M 2 F 2
36	Unknown	M 30 F 9	M 1 F 1	M 3 F 1	M 6 F 1	M 8 F 4	M 5 F 2	M 5 F 8	M 17 F 12	M 5 F 2	M 2 F 2
37	Colored	224	90	8	6	19	22	17	19	42	1
38	Single	M 61 F 63	M 41 F 49	M 3 F 5	M 3 F 2	M 6 F 3	M 5 F 1	M 1 F 1	M 1 F 1	M 2 F 3	M 1 F 1
39	Married	M 39 F 24	M 1,378 F 1,278	M 1 F 1	M 2 F 1	M 28 F 6	M 47 F 6	M 71 F 4	M 92 F 2	M 262 F 100	M 2 F 2
40	Widowed	M 10 F 24	M 1 F 1	M 1 F 1	M 1 F 1	M 4 F 3	M 5 F 6	M 5 F 7	M 20 F 1	M 156 F 13	M 2 F 2
41	Divorced	M 9 F 10	M 1 F 1	M 1 F 1	M 2 F 2	M 2 F 2	M 2 F 2	M 3 F 3	M 2 F 2	M 3 F 3	M 2 F 2
42	Unknown	M 3 F 1	M 1 F 1	M 3 F 1	M 6 F 1	M 8 F 4	M 5 F 2	M 5 F 8	M 17 F 12	M 5 F 2	M 2 F 2

CAUSES OF DEATH, FOR THE CENSUS YEAR ENDED MAY 31, 1890—Continued.

RHODE ISLAND.

CAUSE OF DEATH.														
All causes.	Alcoholism.	Consumption.	Cancer and tumor.	Suicide.	General diseases A.	Diseases of the nervous system.	Diseases of the circulatory system.	Diseases of the respiratory system.	Diseases of the digestive system.	Diseases of the urinary system.	Diseases of the female organs of generation.	Accidents and injuries.	All other causes.	Unknown.
7,559	36	921	218	28	1,478	828	496	1,149	368	273	14	254	1,354	142
2,227	10	235	13	10	624	223	56	325	88	28		97	472	46
1,937		218	11	1	603	205	60	261	34	24	2	28	395	45
1,171	13	178	45	9	84	151	133	201	64	100		71	104	18
973	5	190	78	9	83	86	87	153	65	57	11	16	128	11
364	5	31	12	2	26	46	55	54	19	24		18	65	7
786	1	46	54	1	49	109	32	141	45	35	1	17	182	13
10		4			1	1	1	1		1		1		
11	1				2	3	3		1			1		
45		15	3	2	4	5	5	5	1	3		4	4	1
31	1	4	2		2	2	4	8	1	1		1	4	1
7,385	36	883	213	28	1,439	802	478	1,120	361	264	14	245	1,314	138
2,166	10	226	12	10	609	215	55	319	87	24		95	459	45
1,874		210	11	1	587	199	58	255	33	23	2	26	376	43
1,132	13	167	44	9	81	146	129	195	63	98		69	101	17
949	5	185	75	3	81	84	85	148	62	57	11	14	128	11
354	5	29	12	2	25	44	54	52	18	23		18	65	7
762	1	44	54	1	48	106	84	188	45	34	1	16	177	13
10		4			1	1	1	1		1		1		
10	1				1	3	3		1			1		
48		14	3	2	4	2	5	5	1	3		4	4	1
30	1	4	2		2	2	4	7	1	1		1	4	1
5,344	20	558	134	18	1,190	637	308	755	236	168	10	146	1,061	103
1,895	9	176	10	7	540	194	41	279	70	17		71	439	42
1,621		142	9	1	529	176	50	218	65	17	2	21	355	36
625	5	92	29	6	40	160	79	88	33	59		29	56	9
522	2	107	46	1	45	59	47	67	29	34	8	5	66	6
209	3	12	7	1	15	27	33	27	11	15		10	39	4
437		22	32	1	18	76	44	75	27	23		8	105	6
9		4			1	1	1	1		1				
10	1				1	3	3		1			1		
7		2		1		2	2			1		1		
9		1	1		1	1	3			1			1	
2,896	9	234	114	11	481	391	249	394	138	131	9	73	555	47
706	1	51	6	3	194	74	23	95	27	10		20	184	18
629		51	5		186	79	27	83	25	11	1	11	141	10
503	4	43	24	5	31	86	76	72	29	49		25	52	7
387		61	43	1	36	53	33	49	21	23	8	3	47	4
183	3	7	7	1	14	23	35	26	10	14		6	35	4
398		16	29	1	17	72	42	68	25	22		7	95	4
9		4			1	1	1	1		1				
10	1				1	3	3		1			1		
3						2	2			1				
6		1			1		2			1			1	
2,398	9	307	18	5	696	222	59	354	97	34	1	65	486	51
1,151	6	118	4	3	339	115	18	183	43	7		46	246	23
978		89	4	1	342	94	21	135	40	7	1	10	209	25
100	1	45	5	1	6	7	3	14	4	8		3	3	
122	2	44	2		8	3	9	16	7	10		1	18	2
13		4				2	2	1	1	1		3	1	
80		5	3		1	2		5	2	1		1	9	1
3		2										1		
1							1							
1,939	16	322	78	8	243	157	165	359	123	95	4	90	247	32
258	1	49	2	2	67	16	13	40	17	7		21	20	3
248		68	2		56	23	8	56	17	6		5	20	7
502	8	75	15	3	41	46	49	106	30	39		37	45	8
424	3	78	20	2	36	25	33	81	33	23	3	9	60	4
144	2	17	5	1	10	16	16	25	7	8		8	26	3
323	1	22	22		30	29	39	63	18	11	1	8	72	7
1												1		
30		10	3		5	2	1	4	1	1		1	4	
9	1	3					1	4						
224		38	5		39	26	18	29	7	9		9	40	4
61		9	1		15	8	1	6	1	4		2	13	1
63		8			16	6	2	6	1	1		2	19	2
39		11	1		3	5	4	6	1	2		2	3	1
24		5	3		2	2	2	5	3			2		
10		2			1	2	1	2	1	1				
24		2			1	3	8	3		1		1	5	
1					1									
1		1												
1								1						

VITAL AND SOCIAL STATISTICS.

TABLE 3.—DEATHS BY SEX, CONJUGAL CONDITION, AGE PERIODS, AND CERTAIN

RHODE ISLAND—Continued.

BIRTHPLACES OF MOTHERS.			AGE.									
			All ages.	Under 15	15 to 20	20 to 25	25 to 35	35 to 45	45 to 55	55 to 65	65 and over.	Un-known.
1	Scandinavia.....		83	48	2	5	12	6	5	2	2	1
2	Single.....	M	34	26	1	1	4		2			1
		F	28	22	1	1	2	1				
3	Married.....	M	8			2	2			1	2	
		F	10			1	3	2	3	1		
4	Widowed.....	M	2					2				
		F	1				1					
5	Divorced.....	M										
		F										
6	Unknown.....	M										
		F										
7	Russia and Poland.....		23	19			1	2			1	
8	Single.....	M	11	9			1				1	
		F	10	10								
9	Married.....	M	1					1				
		F	1					1				
10	Widowed.....	M										
		F										
11	Divorced.....	M										
		F										
12	Unknown.....	M										
		F										
13	Bohemia.....		1							1		
14	Single.....	M										
		F										
15	Married.....	M	1							1		
		F										
16	Widowed.....	M										
		F										
17	Divorced.....	M										
		F										
18	Unknown.....	M										
		F										
19	Hungary.....											
20	Single.....	M										
		F										
21	Married.....	M										
		F										
22	Widowed.....	M										
		F										
23	Divorced.....	M										
		F										
24	Unknown.....	M										
		F										
25	Italy.....		68	54		2	5	4	3			
26	Single.....	M	27	26			1					
		F	38	28								
27	Married.....	M	3			2	4	3	1			
		F	3					1	1			
28	Widowed.....	M	1					1				
		F	1						1			
29	Divorced.....	M										
		F										
30	Unknown.....	M										
		F										
31	Others.....		73	44	2	4	6	8	2	2	4	1
32	Single.....	M	29	23	1	2	2	1			1	
		F	23	21		1						
33	Married.....	M	11		1	1	3	3		1	2	
		F	6				1	3	2			
34	Widowed.....	M	2				1	1		1		
		F	1								1	
35	Divorced.....	M										
		F										
36	Unknown.....	M	1									1
		F										
37	Unknown.....		158	31	7	7	9	12	14	16	55	7
38	Single.....	M	48	19	5	5	3	6	6	2	1	1
		F	19	12	2	2	2	2		1		
39	Married.....	M	25				2	3	3	3	13	1
		F	17				1	2	1	6	7	
40	Widowed.....	M	12				1			1	10	
		F	11							1	10	
41	Divorced.....	M										
		F										
42	Unknown.....	M	12					3		1	5	3
		F	16					1	1	1	9	2

STATISTICS OF DEATHS.

CAUSES OF DEATH, FOR THE CENSUS YEAR ENDED MAY 31, 1890—Continued.

RHODE ISLAND—Continued.

CAUSE OF DEATH.														
All causes	Alcohol-ism.	Consump-tion.	Cancer and tumor.	Suicide.	General diseases A.	Diseases of the nervous system.	Diseases of the circula-tory sys-tem.	Diseases of the respira-tory sys-tem.	Diseases of the diges-tive system.	Diseases of the urinary system.	Diseases of the female organs of genera-tion.	Acci-dents and injuries.	All other causes.	Un-known.
83		14	2		24	9	3	5	3	4		3	13	3
34		3			14	5	1	3		1		2	5	2
28		2			9	3	1	2	3			1	5	3
8		2	1		1	1				2		1		
10		5	1				1			1			2	
2		1											1	
1		1											1	
23		1			8	2	1	4		1		2	4	
11					5	2		3				1		8
10					3		1	1				1	4	
1		1								1				9
1														10
1														11
1														12
1							1							13
1							1							14
1														15
1														16
1														17
1														18
1														19
1														20
1														21
1														22
1														23
1														24
68		5	1		21	6	2	16	3	1		2	11	
27			1		10	4		5	1			1	5	20
28		1			9	2		9	1			1	6	
8		1			1	2	2	1	1			1		27
3		3								1				
1					1			1						28
1														29
1														30
73		6	2	1	17	7	5	13	2			3	17	
29				1	10	2	2	9	2			1	2	32
23		1			5	4	1	1				1	10	
11		3	1		1	1	2	2				1		33
6					1			1					4	
2		1	1										1	34
1														35
1		1												36
158	2	21	3	4	18	31	12	13	2	4		16	25	8
48	2	8		2	9	8	1	1				8	8	1
19		2			2	4	2	1	1			1	6	1
25		4			3	7	1	2				3	1	2
17		3	1		1	3	1	2		2		1	3	3
12		1			1	3	3	2		1		1	3	1
11		1				3							1	40
12														41
11														42
12		2		2	1		2	1		1		2	1	
14			2		1	1	1	3	1			1	3	1

STATISTICS OF DEATHS.

CAUSES OF DEATH, FOR THE CENSUS YEAR ENDED MAY 31, 1890—Continued.

RURAL PART OF RHODE ISLAND.

CAUSE OF DEATH.															
All causes.	Alcoholism.	Consumption.	Cancer and tumor.	Suicide.	General diseases A.	Diseases of the nervous system.	Diseases of the circulatory system.	Diseases of the respiratory system.	Diseases of the digestive system.	Diseases of the urinary system.	Diseases of the female organs of generation.	Accidents and injuries.	All other causes.	Unknown.	
3,047	13	331	92	14	603	376	203	467	137	96	3	107	530	75	1
875	3	83	3	5	210	109	24	136	34	6		41	159	23	2
788		80	5	1	246	87	26	114	37	6		15	140	31	3
470	4	54	24	3	36	69	59	70	15	38		30	57	11	4
411	1	81	31	2	38	38	39	64	25	17	3	7	60	5	5
161	3	14	5		10	21	19	29	7	12		6	34	1	6
307		12	23	1	21	49	32	51	19	14		3	78	4	7
2		2													8
5	1				1	2						1			9
13		3		2	1		1			2		3	1		10
15	1	2	1		1	1	3	3		1		1	1		11
2,992	13	318	87	14	598	370	198	460	134	93	3	105	524	75	12
867	3	81	2	5	249	108	24	134	34	5		41	158	23	13
778		77	5	1	243	87	26	113	37	6		15	137	31	14
456	4	51	23	3	34	66	58	70	14	37		29	56	11	15
402	1	78	28	2	38	38	38	63	24	17	3	6	69	5	16
154	3	13	5		10	19	18	28	6	11		6	34	1	17
302		12	23	1	21	49	29	50	19	14		3	77	4	18
2		2													19
5	1				1	2						1			20
12		2		2	1		1			2		3	1		21
14	1	2	1		1	1	3	2		1		1	1		22
2,278	8	189	67	10	498	307	135	325	97	71	3	72	432	64	23
753	3	55	2	4	220	98	18	114	27	4		35	152	21	24
655		40	3	1	211	75	23	91	32	6		11	126	27	25
294	1	29	21	2	21	48	41	39	9	27		13	35	8	26
237		41	18	1	24	31	21	32	14	12	3	3	34	3	27
111	3	6	5		9	12	16	15	5	7		6	26	1	28
208		5	17	1	11	40	13	34	10	13		2	58	4	29
2		2													30
5	1				1	2						1			31
5		1		1	1		1			1		1			32
8		1	1		1	1	2			1			1		33
1,354	6	104	61	4	250	189	114	190	57	62	3	41	260	33	34
311	1	23	1	1	84	36	10	44	11	2		13	74	11	35
235		22	2		89	36	16	39	11	5		8	48	9	36
259	1	21	18	1	17	40	41	36	9	24		12	33	6	37
195		27	18	1	20	23	18	28	11	10	3	1	27	3	38
96	3	4	5		8	9	15	14	5	6		4	22	1	39
194		4	17	1	10	38	12	29	10	13		2	55	1	40
2		2													41
5	1				1	2						1			42
2							1			1					43
5		1			1		1			1			1		44
847		73	5	4	260	101	16	131	39	6		27	158	27	45
421		27	1	2	132	59	8	70	16	2		20	74	10	46
359		25	1	1	122	37	5	52	21	1		3	74	17	47
19		7	3	1	1	2		2		1		1	1		48
33		12			4	1	3	3	2	1		1	6		49
5		1						1		1		1	1		50
7					1	1		3		1		1	2		51
2															52
1		1					1					1			53
689	5	128	20	3	98	58	60	133	36	22		27	89	10	54
107		25		1	29	6	5	20	7	1		5	6	2	55
113		28	2		30	12	3	21	4			4	10	4	56
159		22	2	1	13	18	18	31	5	10		14	21	3	57
102	3	37	10	1	14	7	7	31	10	5		3	24	1	58
42	1	7			1	1	2	13	1	1		1	8		59
95		7	6		10	6	15	16	9	1		1	19		60
4															61
4	1	1			1		1	1		1			1		62
55		13	5		5	6	5	7	3	3		2	6		63
8		2	1			1		2		1			1		64
10		3			3			1					3		65
14		3	1		2	3	1	1	1	1		1	1		66
9		3	3					1	1	1		1			67
7		1				2	1	1	1	1			1		68
5							3	1							69
1															70
1		1						1							71

VITAL AND SOCIAL STATISTICS.

TABLE 3.—DEATHS BY SEX, CONJUGAL CONDITION, AGE PERIODS, AND CERTAIN RURAL PART OF RHODE ISLAND—Continued.

BIRTHPLACES OF MOTHERS.		AGE.									
		All ages.	Under 15	15 to 20	20 to 25	25 to 35	35 to 45	45 to 55	55 to 65	65 and over.	Un- known.
1	Scandinavia.....	33	24	2		5	5		1		1
2	Single.....	M. 15 F. 15	13 11	1 1		1 1		1			1
3	Married.....	M. 1 F. 5				1 2		2		1	
4	Widowed.....	M. 2 F.				2		2			
5	Divorced.....	M. F.									
6	Unknown.....	M. F.									
7	Russia and Poland.....		4	3		1					
8	Single.....	M. 1 F. 3				1					
9	Married.....	M. F.		3							
10	Widowed.....	M. F.									
11	Divorced.....	M. F.									
12	Unknown.....	M. F.									
13	Bohemia.....										
14	Single.....	M. F.									
15	Married.....	M. F.									
16	Widowed.....	M. F.									
17	Divorced.....	M. F.									
18	Unknown.....	M. F.									
19	Hungary.....										
20	Single.....	M. F.									
21	Married.....	M. F.									
22	Widowed.....	M. F.									
23	Divorced.....	M. F.									
24	Unknown.....	M. F.									
25	Italy.....		24	22	1		1				
26	Single.....	M. 10 F. 12	10 12								
27	Married.....	M. 1 F. 1			1		1				
28	Widowed.....	M. F.									
29	Divorced.....	M. F.									
30	Unknown.....	M. F.									
31	Others.....		19	10	2	2	4				1
32	Single.....	M. 9 F. 5	6 4		1	2	1				
33	Married.....	M. 2 F. 1		4	1		1				
34	Widowed.....	M. 1 F.					1				
35	Divorced.....	M. F.									
36	Unknown.....	M. 1 F.									1
37	Unknown.....		97	16	2	7	7	7	5	11	38
38	Single.....	M. 25 F. 14	8 8	1 1	5 2	1 2	4 2	3 1	1 3	1 12	1 6
39	Married.....	M. 19 F. 12				2 1		1 1		9 7	
40	Widowed.....	M. 11 F. 8				1 1			4 1		
41	Divorced.....	M. F.									
42	Unknown.....	M. 4 F. 4								2 1	2 1

STATISTICS OF DEATHS.

CAUSES OF DEATH, FOR THE CENSUS YEAR ENDED MAY 31, 1890—Continued.

RURAL PART OF RHODE ISLAND—Continued.

CAUSE OF DEATH.														
All causes.	Alcohol-ism.	Consump-tion.	Cancer and tumor.	Suicide.	General diseases A.	Diseases of the nervous system.	Diseases of the circula-tory sys-tem.	Diseases of the respira-tory sys-tem.	Diseases of the diges-tive system.	Diseases of the urinary system.	Diseases of the female organs of genera-tion.	Acci-dents and injuries.	All other causes.	Un-known.
-38		8			12	4	3	3	1			1	5	1
15		2			7	2	1	1					2	
15		2			5	2	1	2	1				1	
1		3					1					1	1	
5		1											1	
2														
4							1					2	1	
1												1		
3							1					1	1	
24		2			7	4	1	5	1				4	
10					5	4							1	
12					2			5	1				3	
1		1					1							
1		1												
19		2		1	2	3	2	3	1			1	4	
9				1	1	1	2	3	1				3	
5														
2					1							1		
1													1	
1		1												
1		1												
97	2	14	1	3	8	21	8	6	1	3		10	15	5
25	2	6		1	4	5	1					3	3	
14		2				3	2		1				4	
19		1			3	6	1					2	1	1
12		3				2		1					3	
11		1			1	4	1			1		1	3	1
8		1				1	2	2					1	
4				2								2		
4			1				1	1				1		

VITAL AND SOCIAL STATISTICS.

TABLE 3.—DEATHS BY SEX, CONJUGAL CONDITION, AGE PERIODS, AND CERTAIN VERMONT—Continued.

BIRTHPLACES OF MOTHERS.		AGE.									
		All ages.	Under 15	15 to 20	20 to 25	25 to 35	35 to 45	45 to 55	55 to 65	65 and over.	Un-known.
1	United States.....	1,458	338	56	62	117	81	117	147	530	10
2	Single.....	M. 277 F. 267	181 157	27 24	23 15	15 19	5 9	6 5	6 9	14 27	2
3	Married.....	M. 313 F. 295	5	5 19	20 55	26 37	48 59	53 35	158 92	3 2
4	Widowed.....	M. 90 F. 173	2 2	2 1	3 3	9 25	73 141	1 1
5	Divorced.....	M. 2 F. 4	3	1	1	1
6	Unknown.....	M. 16 F. 21	1	1	1	5 4	9 15	1
7	England and Wales.....	66	14	3	8	6	14	7	14
8	Single.....	M. 12 F. 9	9 5	3	1 1	2
9	Married.....	M. 13 F. 19	1 3	1 4	4 7	5	2 5
10	Widowed.....	M. 7 F. 3	3	1	2	4 3
11	Divorced.....	M. 1 F. 1	1	1
12	Unknown.....	M. 2 F. 1	1	1
13	Scotland.....	29	6	1	1	5	16
14	Single.....	M. 3 F. 3	3 3
15	Married.....	M. 6 F. 7	1	1	3	2
16	Widowed.....	M. 5 F. 5	2	2 5
17	Divorced.....	M. 1 F. 1
18	Unknown.....	M. 1 F. 1
19	Ireland.....	269	15	7	16	19	17	19	41	129	6
20	Single.....	M. 33 F. 23	8 7	4 3	9 3	6 3	1 1	1	4 5
21	Married.....	M. 78 F. 49	1 1	3 3	4 8	3	19	45 15	3 1
22	Widowed.....	M. 29 F. 39	1	3	4	24 30	1
23	Divorced.....	M. 1 F. 1
24	Unknown.....	M. 11 F. 7	2	2	1	1	6 1
25	Germany.....	6	3	1	1	1
26	Single.....	M. 1 F. 2	1 2
27	Married.....	M. 3 F. 3	1	1	1
28	Widowed.....	M. 1 F. 1
29	Divorced.....	M. 1 F. 1
30	Unknown.....	M. 1 F. 1
31	Canada.....	365	88	15	14	34	29	41	51	89	4
32	Single.....	M. 58 F. 68	41 47	6 8	2 3	4 3	2	3
33	Married.....	M. 86 F. 84	1	2 5	7 15	11 15	15	19	31 16	1 2
34	Widowed.....	M. 20 F. 29	1	1	3	14 20	1
35	Divorced.....	M. 1 F. 9	1
36	Unknown.....	M. 9 F. 10	2	2	3	1	3 2
37	France.....	10	6	1	1	1	1
38	Single.....	M. 4 F. 2	4 2
39	Married.....	M. 3 F. 3	1	1	1
40	Widowed.....	M. 1 F. 1
41	Divorced.....	M. 1 F. 1
42	Unknown.....	M. 1 F. 1	1

STATISTICS OF DEATHS.

CAUSES OF DEATH, FOR THE CENSUS YEAR ENDED MAY 31, 1890—Continued.

VERMONT—Continued.

CAUSE OF DEATH.															
All causes.	Alcoholism.	Consumption.	Cancer and tumor.	Suicide.	General diseases A.	Diseases of the nervous system.	Diseases of the circulatory system.	Diseases of the respiratory system.	Diseases of the digestive system.	Diseases of the urinary system.	Diseases of the female organs of generation.	Accidents and injuries.	All other causes.	Unknown.	
1,458	3	172	56	11	149	160	136	392	57	54	6	54	171	37	1
277		30	1	2	52	28	16	72	6	7		16	39	8	2
267		30	6		58	28	7	63	15	4	1	11	34	10	3
313	2	38	20	6	19	36	32	92	5	24		16	18	5	4
295		49	16	2	10	35	37	66	21	8	4	4	37	6	3
90		5	2	1	2	9	18	25	4	5		4	13	2	4
173	1	17	9		7	18	21	58	5	3	1	3	27	3	5
2							1							1	6
4		1	1		1			1						1	
16		1	1			3		5	1	3			1	1	
21		1				3	4	10					2	1	
66	1	8	4		12	7	7	10	1			9	6	1	7
12	1	1			2		1	2	1			2	1	1	8
9		1			5			1							
13		1	1		1	1	1	3				5	2		9
19		4	3		2	4	2	2				1	1		10
7						2	2					1	2		
3					1			1				1			11
2		1													12
1					1			1							
29		1	3		4	4	5	2	2	3		1	3	1	13
3					2							1			14
3					1	1		1							
6							1	1	1	1			1	1	15
7		1	1		1	2			1				1	1	16
5			2			1	1			1					17
5															18
269		43	10	1	15	28	31	45	11	14		15	53	3	19
33		7	1		4	1	1	6	1	3		5	4		20
23		10			3		1	5	1				3		
78		8	3		2	14	16	10	2	5		6	10	2	21
49		11	3		4	4	7	8	3	1			8		22
29		1	2	1	1	2	3	3		1		1	14		
39		3	1			5	1	10	2	2		2	12	1	
11		2			1		2	2	1	1		1	1		23
7		1				2		1	1	1			1		24
6				1	2			2							25
1					1										26
2				1	1			1							27
3															28
															29
															30
365		60	21	1	57	38	32	51	13	14	3	14	50	11	31
58		6			16	5	2	12	1	1		4	8	3	32
63		8		1	23	10	3	9	2		1	1	6	4	
86		22	8		7	6	12	7	4	9		5	6		
84		18	10		5	11	6	14	2	2	1	2	11	2	33
20		1	1		1	3	2	3	2	1		1	5		34
29		1	1		2	1	3	6	1	1			11	1	
1							1								35
9		1			1	1	2		1			1	2		36
10		3	1		2	1	1						1		
10			1		5			2	1			1			37
4					3							1			38
2			1		2			2							39
3															40
															41
1									1						42

VITAL AND SOCIAL STATISTICS.

TABLE 3.—DEATHS BY SEX, CONJUGAL CONDITION, AGE PERIODS, AND CERTAIN VERMONT—Continued.

BIRTHPLACES OF MOTHERS.		AGE.									
		All ages.	Under 15	15 to 20	20 to 25	25 to 35	35 to 45	45 to 55	55 to 65	65 and over.	Un-known.
1	Scandinavia.....	4	1	1	2						
2	Single.....	3	1		2						
3	Married.....	1		1							
4	Widowed.....										
5	Divorced.....										
6	Unknown.....										
7	Russia and Poland.....	2				1	1				
8	Single.....	1				1					
9	Married.....	1					1				
10	Widowed.....										
11	Divorced.....										
12	Unknown.....										
13	Bohemia.....										
14	Single.....										
15	Married.....										
16	Widowed.....										
17	Divorced.....										
18	Unknown.....										
19	Hungary.....	1				1					
20	Single.....	1				1					
21	Married.....										
22	Widowed.....										
23	Divorced.....										
24	Unknown.....										
25	Italy.....	4	2			1					1
26	Single.....	1	1								
27	Married.....	1	1								
28	Widowed.....										
29	Divorced.....										
30	Unknown.....	2				1					1
31	Others.....	2	1					1			
32	Single.....	1	1								
33	Married.....	1						1			
34	Widowed.....										
35	Divorced.....										
36	Unknown.....										
37	Unknown.....	3,200	1,006	122	101	220	173	196	264	1,087	40
38	Single.....	718	535	51	37	33	10	6	11	32	3
		645	471	54	20	24	11	11	10	43	1
39	Married.....	548		3	2	39	45	66	85	302	6
		502		12	24	89	81	66	86	150	8
40	Widowed.....	182				3	3	7	8	161	
		397			2	8	10	21	36	315	5
41	Divorced.....	2				1	1			1	
		3				1				2	
42	Unknown.....	116			3	13	5	7	21	52	10
		96		2	8	10	7	12	7	43	7

STATISTICS OF DEATHS.

CAUSES OF DEATH, FOR THE CENSUS YEAR ENDED MAY 31, 1890—Continued.

VERMONT—Continued.

CAUSE OF DEATH.															
All causes.	Alcoholism.	Consumption.	Cancer and tumor.	Suicide.	General diseases A.	Diseases of the nervous system.	Diseases of the circulatory system.	Diseases of the respiratory system.	Diseases of the digestive system.	Diseases of the urinary system.	Diseases of the female organs of generation.	Accidents and injuries.	All other causes.	Unknown.	
4		1			2	1								1	
3					2	1								2	
1		1												3	
														4	
														5	
														6	
														7	
2									2					8	
1									1					9	
1									1					10	
														11	
														12	
														13	
														14	
														15	
														16	
														17	
														18	
1								1						19	
1								1						20	
														21	
														22	
														23	
														24	
4		1				1							2	25	
1													1	26	
1													1	27	
														28	
														29	
2		1				1								30	
														31	
2									1				1	32	
1													1	33	
1									1					34	
														35	
														36	
8,209	2	375	157	13	606	372	253	324	124	117	5	130	616	115	37
718	1	44	8	1	258	58	31	66	25	6		32	159	38	38
645		74	16		209	52	15	64	24	12	1	15	124	39	39
548	1	70	37	7	41	81	71	47	21	47		46	68	11	40
502		113	46	2	57	56	50	47	25	18	2	10	66	10	41
182		9	6		7	27	28	22	8	15		3	54	2	42
397		30	35	1	23	69	37	44	12	7	1	10	122	6	43
2			1										1	1	44
3						1									45
116		14	4	1	6	14	11	22	6	10		9	12	7	46
96		20	4		5	14	10	12	3	2	1	5	18	2	47

STATISTICS OF DEATHS.

CAUSES OF DEATH, FOR THE CENSUS YEAR ENDED MAY 31, 1890—Continued.

RURAL PART OF VERMONT—Continued.

CAUSE OF DEATH.														
All causes.	Alcoholism.	Consumption.	Cancer and tumor.	Suicide.	General diseases A.	Diseases of the nervous system.	Diseases of the circulatory system.	Diseases of the respiratory system.	Diseases of the digestive system.	Diseases of the urinary system.	Diseases of the female organs of generation.	Accidents and injuries.	All other causes.	Unknown.
1,355	3	155	53	11	140	143	128	369	53	51	6	50	156	37
248		27	1	2	47	21	15	66	6	7		15	33	8
246		25	6		55	24	6	59	15	4	1	11	30	10
292	2	35	18	6	19	33	30	87	4	22		14	17	5
273		46	16	2	9	34	34	64	18	8	4	3	34	6
85		5	2	1	2	9	17	23	4	4		4	12	2
165	1	15	8		7	17	21	54	5	3	1	3	27	3
2														1
4		1	1		1			1						1
14			1			2		5	1	3			1	1
21		1				3	4	10					2	1
61	1	8	4		11	6	7	9	1			8	5	1
11	1	1			2		1	2	1			1	1	1
9		1			5			3						
13		1	1		1	1	1	1				5	2	
19		4	3		2	4	3	2				1	1	
5					1	1	2					1	1	
2												1	1	
2		1						1						
29		1	3		4	4	5	2	2	3		1	3	1
3					2							1		
3					1	1		1	1				1	1
6							1	1	1	1			1	
7		1	1		1	2	3						1	
5			2			1	1			1			1	
5										1				
198		30	8	1	12	19	23	35	9	9		10	39	3
24		4	1		4	1		6	1	2		3	2	
15		5			3		1	3	1				2	
63		5	3			10	13	10	2	5		4	9	2
39		10	2		3	3	5	5	2	1			8	
22		1	2	1	1	1	2	1	1			1	12	
24		2			1	3	1	7	2	1		2	5	1
6		2			1		1	2						
5		1				1		1	1				1	
4				1	1			1						1
1					1									
3				1				1						1
314		50	20	1	51	32	26	43	12	12	1	13	42	11
44		4			14	3	1	10	1	1		3	4	3
54		6		1	20	7	3	6	2			1	4	4
79		21	8		6	6	11	5	3	8		5	6	
75		15	9		5	10	5	13	2	1	1	2	10	2
20		1	1		1	3	2	3	2	1		1	5	
24			1		2	1	1	6	1	1			10	1
1							1							
7					1	1	1		1			1	2	
10		3	1		2	1	1						1	1
10			1		5			2	1			1		
4					3							1		
2					2									
3			1						2					
1														
1									1					

VITAL AND SOCIAL STATISTICS.

TABLE 3.—DEATHS BY SEX, CONJUGAL CONDITION, AGE PERIODS, AND CERTAIN RURAL PART OF VERMONT—Continued.

BIRTHPLACES OF MOTHERS.		AGE.											
		All ages.	Under 15	15 to 20	20 to 25	25 to 35	35 to 45	45 to 55	55 to 65	65 and over.	Un- known.		
1	Scandinavia.....	2	1		1								
2	Single.....	M 2	F 1		M 1								
3	Married.....	M	F		M								
4	Widowed.....	M	F		M								
5	Divorced.....	M	F		M								
6	Unknown.....	M	F		M								
7	Russia and Poland.....	2				1	1						
8	Single.....	M 1	F			M 1							
9	Married.....	M 1	F			M	1						
10	Widowed.....	M	F			M							
11	Divorced.....	M	F			M							
12	Unknown.....	M	F			M							
13	Bohemia.....												
14	Single.....	M	F										
15	Married.....	M	F										
16	Widowed.....	M	F										
17	Divorced.....	M	F										
18	Unknown.....	M	F										
19	Hungary.....												
20	Single.....	M	F										
21	Married.....	M	F										
22	Widowed.....	M	F										
23	Divorced.....	M	F										
24	Unknown.....	M	F										
25	Italy.....	4	2			1							1
26	Single.....	M 1	F 1										
27	Married.....	M 1	F 1										
28	Widowed.....	M	F										
29	Divorced.....	M	F										
30	Unknown.....	M 2	F			M 1							1
31	Others.....	1						1					
32	Single.....	M	F										
33	Married.....	M 1	F					1					
34	Widowed.....	M	F										
35	Divorced.....	M	F										
36	Unknown.....	M	F										
37	Unknown.....	2,893	876	110	84	190	151	177	239	1,029	37		
38	Single.....	M 633	F 475	45	31	20	7	6	9	29	2		
		M 554	F 401	48	17	19	8	10	8	42	1		
39	Married.....	M 497	F 3	3	2	53	38	59	79	277	6		
		M 462	F 12	12	21	75	73	59	81	192	8		
40	Widowed.....	M 376	F 2			2	3	7	8	156			
		M 377	F 8			8	10	19	32	302	4		
41	Divorced.....	M 1	F 1			1				1			
		M 3	F 3			1				2			
42	Unknown.....	M 102	F 88	2	4	12	5	5	18	48	10		
		M 88	F 2	2	7	10	7	12	4	40	6		

STATISTICS OF DEATHS.

CAUSES OF DEATH, FOR THE CENSUS YEAR ENDED MAY 31, 1890—Continued.

RURAL PART OF VERMONT—Continued.

CAUSE OF DEATH.															
All causes.	Alcoholism.	Consumption.	Cancer and tumor.	Suicide.	General diseases A.	Diseases of the nervous system.	Diseases of the circulatory system.	Diseases of the respiratory system.	Diseases of the digestive system.	Diseases of the urinary system.	Diseases of the female organs of generation.	Accidents and injuries.	All other causes.	Unknown.	
2					1	1								1	
2					1	1								2	
														3	
														4	
														5	
														6	
2									2					7	
1									1					8	
1									1					9	
														10	
														11	
														12	
														13	
														14	
														15	
														16	
														17	
														18	
														19	
														20	
														21	
														22	
														23	
														24	
4		1				1							2	25	
1													1	26	
1													1	27	
														28	
														29	
2		1				1								30	
														31	
1									1					32	
														33	
1									1					34	
														35	
														36	
2,893	1	347	148	10	585	322	230	298	106	104	4	119	557	112	37
633		38	6	1	233	50	26	57	22	5		29	129	87	38
554		65	14		173	40	12	58	23	11	1	14	104	38	39
497	1	66	35	4	38	66	66	45	16	42		43	65	10	40
462		108	43	2	52	50	44	43	24	15	1	9	61	10	41
176		8	6	1	7	27	26	21	8	15		3	52	2	42
377		29	35	1	22	62	37	41	9	6	1	10	118	6	43
1															44
3		1				1							1		45
102		12	4	1	6	13	9	21	3	8		7	11	7	46
88		20	4		4	13	9	12	1	2		4	16	2	47

TABLE 4.

TOTAL DEATHS IN 54 REGISTRATION CITIES, BY AGE PERIODS AND CERTAIN CAUSES OF DEATH, WITH DISTINCTION OF CONJUGAL CONDITION, SEX, COLOR, NATIVITY, PARENTAL NATIVITY, AND BIRTHPLACES OF MOTHERS, FOR THE CENSUS YEAR ENDED MAY 31, 1890.

VITAL AND SOCIAL STATISTICS.

TABLE 4.—DEATHS IN 54 CITIES (a) IN THE UNITED STATES, BY SEX, CONJUGAL CONDITION,

COLOR AND GENERAL NATIVITY.		AGE.									
		All ages.	Under 15	15 to 20	20 to 25	25 to 35	35 to 45	45 to 55	55 to 65	65 and over.	Un-known.
1	Total.....	256,641	123,845	6,800	11,116	24,008	21,353	20,254	18,762	29,715	788
2	Single.....	M. 85,535 F. 67,821	65,170 55,546	3,099 2,981	4,472 2,607	5,931 2,558	2,957 1,174	1,734 856	971 732	959 1,195	242 172
3	Married.....	M. 35,433 F. 28,453	38 306	694 2,198	5,351 7,133	7,232 6,154	7,559 4,903	6,800 3,766	7,684 3,909	75 84	
4	Widowed.....	M. 8,155 F. 16,961	1 11	30 69	271 479	682 1,124	1,153 2,275	1,649 3,409	4,352 9,568	17 26	
5	Divorced.....	M. 17 F. 24	1 1	1 1	3 6	5 6	4 8	2 3	3 3	3 3	
6	Unknown.....	M. 8,523 F. 5,719	1,717 1,412	167 197	605 440	1,453 823	1,379 640	1,192 570	887 543	1,014 1,031	109 68
7	White.....	234,371	113,007	5,890	9,820	21,806	19,208	18,545	17,612	27,793	690
8	Single.....	M. 78,333 F. 61,928	59,988 49,193	2,764 2,590	4,036 2,300	5,408 2,326	2,591 1,647	1,538 797	892 685	808 1,138	218 152
9	Married.....	M. 33,167 F. 26,538	31 256	590 1,962	4,929 6,604	6,672 5,665	7,070 4,608	6,401 3,024	7,310 3,744	65 75	
10	Widowed.....	M. 7,673 F. 15,679	1 6	29 57	245 411	616 961	1,065 2,056	1,554 3,185	4,150 8,979	13 24	
11	Divorced.....	M. 17 F. 24	1 1	1 1	3 6	5 6	4 8	2 3	3 3	3 3	
12	Unknown.....	M. 6,768 F. 4,244	1,207 949	104 138	489 347	1,227 647	1,117 498	974 425	748 428	811 760	91 52
13	Native born.....	164,434	109,568	4,654	6,617	13,217	8,336	6,060	5,078	10,511	393
14	Single.....	M. 69,237 F. 56,425	58,234 49,193	2,176 2,080	2,768 1,647	3,456 1,610	1,248 579	573 377	289 262	347 563	146 114
15	Married.....	M. 12,747 F. 11,810	25 179	388 1,240	2,763 3,948	2,602 2,491	2,221 1,534	1,930 1,029	2,795 1,349	23 40	
16	Widowed.....	M. 2,555 F. 5,077	3 3	19 36	150 256	261 425	316 570	415 835	1,889 3,530	5 12	
17	Divorced.....	M. 12 F. 21	1 1	1 1	4 5	4 4	3 3	1 1	3 3	3 3	
18	Unknown.....	M. 3,443 F. 2,507	1,201 940	83 108	290 228	617 411	454 143	315 182	182 182	273 262	28 25
19	Both parents native.....	36,002	21,941	758	1,034	2,080	1,937	1,965	1,921	4,336	80
20	Single.....	M. 13,878 F. 11,608	11,893 10,048	358 358	439 271	509 279	269 142	172 143	101 121	125 236	12 5
21	Married.....	M. 3,913 F. 3,046	4 37	77 230	450 737	639 662	779 512	772 407	1,158 458	4 3	
22	Widowed.....	M. 979 F. 2,395	3 3	3 5	20 37	76 119	108 222	151 335	619 1,677	2 2	
23	Divorced.....	M. 3 F. 13	1 1	1 1	2 2	2 2	1 6	1 2	1 1	1 1	
24	Unknown.....	M. 97 F. 75	4 1	4 4	8 8	15 8	18 13	15 16	37 25	4 4	
25	One or both parents foreign.....	57,094	43,504	1,809	2,575	4,989	2,217	884	468	616	32
26	Single.....	M. 27,734 F. 22,554	23,521 19,983	899 854	1,191 731	1,554 651	405 193	100 59	29 22	29 50	16 11
27	Married.....	M. 2,545 F. 3,112	9 55	145 475	1,056 1,512	713 665	309 246	169 97	144 59	8 8	
28	Widowed.....	M. 3,350 F. 682	3 1	5 13	74 105	83 127	60 99	54 92	83 245	8 8	
29	Divorced.....	M. 1 F. 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	
30	Unknown.....	M. 60 F. 46	1 4	1 5	10 5	21 16	19 10	3 8	2 3	4 2	2 2
31	Foreign born.....	66,933	2,606	1,172	3,076	8,155	10,410	12,127	13,292	16,950	145
32	Single.....	M. 8,240 F. 4,953	1,308 1,283	559 486	1,219 630	1,844 678	1,251 479	929 412	575 409	534 561	27 15
33	Married.....	M. 20,044 F. 14,416	5 72	206 707	2,101 2,585	3,987 3,096	4,752 3,023	4,510 2,556	4,447 2,352	36 25	
34	Widowed.....	M. 5,018 F. 9,862	1 3	9 19	92 149	345 521	785 1,470	1,123 2,325	2,707 5,365	6 10	
35	Divorced.....	M. 5 F. 3	1 1	1 1	2 1	2 2	1 2	1 1	1 1	1 1	
36	Unknown.....	M. 2,786 F. 1,600	6 9	17 29	179 107	498 205	512 216	542 263	516 277	502 482	14 12
37	Colored.....	22,270	10,838	910	1,296	2,202	2,145	1,709	1,150	1,922	98
38	Single.....	M. 7,202 F. 5,893	5,182 4,683	335 391	436 307	523 232	366 97	196 59	79 47	61 57	24 20
39	Married.....	M. 2,266 F. 1,915	7 50	95 236	422 529	489 489	560 295	489 142	309 165	374 165	10 9
40	Widowed.....	M. 482 F. 1,282	1 5	26 12	66 68	88 163	88 210	95 224	202 580	4 2	
41	Divorced.....	M. 1 F. 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	
42	Unknown.....	M. 1,755 F. 1,475	510 463	63 59	116 93	226 176	262 142	218 145	139 115	203 271	18 11

a The cities included in this table are Albany, N. Y.; Allegheny, Pa.; Atlanta, Ga.; Baltimore, Md.; Boston, Mass.; Bridgeport, Conn.; Brooklyn, N. Y.; Buffalo, N. Y.; Cambridge, Mass.; Charleston, S. C.; Chicago, Ill.; Cincinnati, Ohio; Cleveland, Ohio; Columbus, Ohio; Detroit, Mich.; Erie, Pa.; Evansville, Ind.; Fall River, Mass.; Fort Wayne, Ind.; Galveston, Tex.; Hartford, Conn.; Holyoke, Mass.; Indianapolis, Ind.; Jersey city, N. J.; Kansas city, Mo.; Lawrence,

STATISTICS OF DEATHS.

AGE PERIODS, AND CERTAIN CAUSES OF DEATH, FOR THE CENSUS YEAR ENDED MAY 31, 1890.

CAUSE OF DEATH.														
All causes.	Alcoholism.	Consumption.	Cancer and tumor.	Suicide.	General diseases A.	Diseases of the nervous system.	Diseases of the circulatory system.	Diseases of the respiratory system.	Diseases of the digestive system.	Diseases of the urinary system.	Diseases of the female organs of generation.	Accidents and injuries.	All other causes.	Unknown.
256,641	1,168	29,991	5,805	1,286	50,065	29,010	14,576	41,956	11,190	8,889	684	9,550	51,000	1,471
85,535	333	7,349	303	270	21,180	9,950	2,427	13,974	2,840	1,369		3,572	21,539	429
67,821	44	5,063	430	65	19,708	7,933	1,958	11,019	2,196	827	112	1,146	16,982	338
35,433	361	6,552	1,390	526	2,769	3,916	3,636	6,370	2,169	2,709		2,409	2,401	225
28,453	148	6,173	1,865	129	2,461	2,392	2,610	4,266	1,923	1,769	432	660	3,501	179
8,155	94	1,072	270	94	512	1,039	940	1,449	417	714		345	1,156	53
16,961	53	1,555	1,145	33	1,227	2,242	1,916	3,235	949	966	90	344	3,106	100
17				1	2	3	4	2	1	3		1		
24	1	6	1	2		2	2	3	1	1			5	
8,523	108	1,338	170	142	1,279	884	648	1,052	400	345		925	1,126	96
5,719	26	883	231	24	927	649	435	646	280	185	50	148	1,184	51
234,371	1,121	26,245	5,550	1,260	46,492	26,709	13,267	38,636	10,268	8,248	605	8,765	46,103	1,102
78,333	320	6,327	293	262	19,892	9,212	2,225	12,801	2,562	1,253		3,272	19,627	287
61,928	42	4,216	410	63	18,498	7,273	1,334	10,007	1,963	772	95	1,009	15,414	232
33,107	353	5,980	1,360	518	2,551	3,708	3,365	6,004	2,058	2,536		2,284	2,250	200
26,538	142	5,588	1,799	128	2,265	2,240	2,418	3,989	1,826	1,677	399	626	3,238	153
7,673	91	980	260	93	468	994	866	1,380	396	675		335	1,087	48
15,679	49	1,379	1,080	31	1,118	2,097	1,736	3,080	906	912	78	319	2,810	81
17				1	2	3	4	2	1	3		1		
24	1	6	1	2		2	2	3	1	1			5	
6,768	103	1,032	155	138	985	707	512	847	342	278		801	805	63
4,244	20	637	192	24	713	473	305	523	213	141	33	118	817	35
164,434	480	14,831	2,195	464	39,214	19,957	6,825	25,917	6,080	3,844	360	4,793	38,801	673
69,237	176	4,263	162	126	18,261	8,545	1,695	11,299	2,216	830		2,307	19,137	220
56,425	21	3,232	258	42	17,250	6,793	1,445	9,108	1,706	546	65	821	14,925	193
13,747	140	2,515	396	157	1,061	1,017	1,393	2,039	672	1,041		827	813	84
11,810	57	2,463	745	48	1,030	996	868	1,481	782	713	236	270	1,442	70
2,555	29	340	71	26	158	372	332	391	112	242		99	364	19
5,677	11	570	454	12	392	891	632	926	317	260	38	110	1,004	31
12				1	2	2	3	2	1	3				
21	1	4	1	2		2	2	2	1	1			5	
3,443	36	535	45	42	533	422	194	415	149	133		279	571	39
2,507	9	389	78	8	477	317	141	256	124	75	21	62	538	17
36,002	82	2,707	793	120	8,121	4,398	1,335	5,795	1,443	1,112	109	942	8,800	145
13,878	26	632	28	43	3,760	1,660	359	2,243	453	187		417	3,974	46
11,603	2	600	97	8	3,558	1,338	368	1,776	374	124	20	181	3,121	36
3,913	29	549	144	40	310	564	492	690	221	301		195	255	24
3,046	8	577	280	11	262	290	292	390	217	197	76	71	847	19
979	14	97	30	4	67	147	137	167	37	93		27	154	5
2,395	1	177	203	3	153	367	262	488	134	106	13	47	428	13
3										3				
13	1	2		1		1		2	1	1				
97	1	12	5	1	9	16	15	17	4	7		4	5	1
75		11	5		2	15	10	13	2	3			13	1
57,094	178	5,542	322	74	15,731	5,922	1,588	10,179	1,845	1,119	67	1,316	13,085	126
27,734	81	1,987	47	33	7,775	3,001	598	5,014	855	342		796	7,150	55
22,554	9	1,436	59	6	7,508	2,426	483	4,067	629	227	19	282	5,959	49
2,545	46	791	37	22	187	195	195	494	119	207		145	95	12
3,112	27	1,051	124	9	206	175	205	424	181	236	40	51	375	8
359	8	106	6	3	11	35	37	45	18	48		19	23	
682	4	139	44	1	43	80	64	117	37	51	7	14	80	1
1									1					
1														
60	3	1										7	1	
46		12	5		2	4	4	5	1	5		2	2	1
66,933	586	11,116	3,280	730	6,760	6,489	6,275	12,358	4,056	4,293	235	3,466	6,937	349
8,246	132	1,990	124	118	1,415	596	494	1,395	314	393		845	391	39
4,953	17	1,021	149	22	1,061	435	376	814	246	217	28	104	385	18
20,044	203	3,421	960	354	1,460	2,045	1,939	3,922	1,358	1,467		1,400	1,404	111
14,416	79	2,575	1,032	76	1,208	1,209	1,428	2,478	1,017	948	157	329	1,802	78
5,018	57	630	186	65	305	613	525	975	279	428		227	702	26
9,862	37	796	618	18	717	1,187	1,072	2,131	579	648	38	185	1,778	53
5						1		2				1		
3		2						1						
2,786	53	451	102	67	377	259	284	393	177	133		265	214	11
1,600	8	230	114	10	217	144	156	247	86	59	12	43	261	13
22,270	47	3,746	255	26	3,573	2,301	1,309	3,320	922	641	79	785	4,897	369
7,202	13	1,022	10	8	1,288	738	202	1,173	278	116		300	1,912	142
5,893	2	747	20	2	1,210	660	124	1,012	233	55	17	137	1,568	106
2,266	8	573	30	8	218	208	271	366	111	173		125	151	25
1,915	6	585	66	1	196	152	192	217	102	92	33	84	213	26
482	3	92	10	1	44	45	74	69	21	39		10	69	5
1,282	4	176	65	2	109	145	180	155	43	54		25	296	16
1,755	5	306	15	4	294	177	136	205	67	68		124	321	33
1,475	6	246	39		214	176	130	123	67	44	17	30	367	16

Mass.; Los Angeles, Cal.; Louisville, Ky.; Lowell, Mass.; Lynn, Mass.; Memphis, Tenn.; Milwaukee, Wis.; Minneapolis, Minn.; Mobile, Ala.; Newark, N. J.; New Haven, Conn.; New Orleans, La.; New York, N. Y.; Oakland, Cal.; Philadelphia, Pa.; Pittsburgh, Pa.; Reading, Pa.; Richmond, Va.; St. Louis, Mo.; St. Paul, Minn.; Salem, Mass.; San Antonio, Tex.; San Francisco, Cal.; Scranton, Pa.; Springfield, Mass.; Toledo, Ohio; Washington, D. C.; Wilmington, Del.; and Worcester, Mass.

STATISTICS OF DEATHS.

PERIODS, AND CERTAIN CAUSES OF DEATH, FOR THE CENSUS YEAR ENDED MAY 31, 1890—Continued.

CAUSE OF DEATH.														
All causes.	Alcoholism.	Consumption.	Cancer and tumor.	Suicide.	General diseases A.	Diseases of the nervous system.	Diseases of the circulatory system.	Diseases of the respiratory system.	Diseases of the digestive system.	Diseases of the urinary system.	Diseases of the female organs of generation.	Accidents and injuries.	All other causes.	Unknown.
52,550	102	4,641	951	138	11,875	6,211	2,636	8,474	2,083	1,499	150	1,358	12,203	229
20,726	32	1,955	36	54	5,486	2,429	515	3,348	696	251	-----	614	5,905	75
17,543	2	1,107	117	8	5,215	1,991	500	2,825	593	180	30	258	4,654	63
5,175	35	859	165	53	434	701	627	907	276	506	-----	252	381	29
4,272	11	934	331	11	393	379	409	534	288	275	100	90	487	30
1,266	10	150	37	7	94	174	174	203	51	120	-----	34	199	7
3,233	2	283	249	3	230	486	366	607	167	147	20	66	586	21
13	1	2	1	1	-----	-----	-----	-----	1	3	-----	-----	-----	-----
177	2	27	7	1	12	27	26	28	7	12	-----	12	13	3
141	1	24	8	-----	11	23	19	20	3	4	-----	2	25	1
6,691	42	691	199	32	1,228	774	476	1,171	304	335	19	276	1,114	30
1,901	14	169	8	6	470	209	57	333	48	49	-----	99	436	3
1,481	3	86	14	1	495	153	37	248	39	20	2	30	347	6
1,334	12	192	45	18	95	161	160	261	80	128	-----	83	84	10
920	4	147	73	2	79	101	94	136	75	67	14	29	100	5
332	5	43	11	3	26	47	43	59	15	26	-----	12	37	5
620	2	40	44	-----	55	92	73	121	39	40	3	8	102	1
1	-----	-----	-----	-----	-----	-----	-----	1	-----	-----	-----	-----	-----	-----
66	2	11	2	2	4	8	10	8	4	3	-----	9	3	-----
30	3	3	2	-----	4	3	4	4	2	2	-----	1	5	-----
1,914	25	261	79	9	310	200	134	318	82	115	8	70	294	9
528	9	72	6	3	124	41	13	86	20	15	-----	25	114	-----
360	-----	36	7	-----	118	48	14	51	9	5	2	6	62	2
405	9	64	20	3	29	42	40	34	17	45	-----	24	23	5
258	2	48	20	2	18	20	28	33	24	25	5	3	30	-----
124	2	19	8	1	9	18	16	16	4	8	-----	5	17	1
208	2	15	15	-----	12	29	19	45	6	13	1	6	44	1
22	1	5	2	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----
9	2	2	1	-----	-----	-----	-----	1	1	2	-----	1	3	-----
37,397	360	6,709	921	86	5,411	3,375	2,547	7,488	1,693	2,096	84	1,503	4,975	144
10,216	118	1,801	44	11	2,139	861	403	1,887	321	292	-----	555	1,755	29
7,847	20	1,262	93	2	2,011	722	382	1,357	256	212	19	132	1,957	22
6,332	98	1,281	195	38	392	563	510	1,550	369	498	-----	478	335	25
5,984	02	1,472	294	16	391	436	514	1,131	368	506	50	125	586	33
2,044	28	339	59	15	125	233	195	418	102	198	-----	96	229	7
4,500	25	469	210	4	317	507	493	1,058	251	365	14	98	667	22
2	-----	1	-----	-----	-----	-----	-----	1	-----	-----	-----	-----	-----	-----
257	5	47	12	-----	19	30	27	47	15	13	-----	22	18	2
215	4	37	14	-----	17	23	23	39	11	12	1	2	28	4
30,095	118	3,676	915	255	6,059	3,388	1,810	5,024	1,494	1,220	72	932	5,065	117
9,546	34	893	43	51	2,666	1,119	258	1,568	346	173	-----	384	2,040	21
7,118	2	416	37	15	2,516	824	174	1,127	228	81	11	98	1,574	15
5,895	52	1,200	285	126	368	642	575	1,037	405	448	-----	322	382	33
3,386	7	780	313	25	278	322	407	588	284	241	51	67	500	23
1,318	11	175	51	20	63	161	145	243	80	134	-----	50	169	7
2,044	5	169	172	8	129	237	221	415	133	130	8	36	368	13
1	-----	1	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----
186	6	27	7	10	12	21	21	32	13	9	-----	13	14	1
101	1	15	7	-----	7	12	9	14	5	4	2	3	18	4
4,869	12	589	67	19	1,255	462	214	727	166	112	20	153	1,054	19
1,949	4	151	4	3	584	178	49	287	48	18	-----	72	543	8
1,664	-----	143	11	3	563	165	38	267	46	12	6	17	389	4
439	3	99	17	7	32	47	50	57	29	32	-----	38	25	3
520	2	151	22	4	53	31	43	68	32	25	13	12	62	2
72	1	16	1	-----	6	10	3	11	1	8	-----	5	9	1
172	1	23	11	-----	13	23	21	31	5	12	1	6	24	1
37	1	4	-----	2	2	4	9	4	3	5	-----	2	1	-----
16	-----	2	1	-----	2	4	1	2	2	-----	-----	1	1	-----
936	3	126	37	7	111	92	88	170	45	46	6	39	164	2
273	-----	32	1	3	59	15	15	51	9	10	-----	11	66	1
151	-----	11	1	-----	31	16	4	34	3	5	-----	4	40	-----
244	2	49	9	4	7	32	37	47	13	17	-----	12	15	-----
117	-----	15	13	-----	5	7	7	15	14	8	-----	4	17	-----
48	1	6	2	-----	2	11	7	10	1	1	-----	1	6	-----
80	-----	10	8	-----	4	9	7	11	4	4	2	3	18	-----
16	-----	1	1	-----	8	-----	2	2	-----	1	-----	4	1	1
7	-----	2	2	-----	-----	-----	1	1	1	-----	-----	1	1	43

PERIODS, AND CERTAIN CAUSES OF DEATH, FOR THE CENSUS YEAR ENDED MAY 31, 1890—Continued.

CAUSE OF DEATH.														
All causes.	Alcoholism.	Consumption.	Cancer and tumor.	Suicide.	General diseases A.	Diseases of the nervous system.	Diseases of the circulatory system.	Diseases of the respiratory system.	Diseases of the digestive system.	Diseases of the urinary system.	Diseases of the female organs of generation.	Accidents and injuries.	All other causes.	Unknown.
2,817	6	358	58	25	779	229	98	427	91	64	7	131	536	8
1,188		103	4	12	367	99	27	188	29	13		57	281	2
844		61	2	1	326	83	22	132	17	5	1	13	177	4
342	4	74	19	10	40	20	24	54	21	23		39	13	1
302	2	93	22	2	33	14	18	30	14	14	5	14	6	1
36		6	3		3	3	3	3	3	4		4	5	
66		11	8		5	8	1	15	6	1	1	1	9	
32		4	1		3	2	3	2	1	4		10	2	
7					2			3				1	1	
3,868	4	220	51	12	1,008	401	102	717	170	75	6	142	947	13
1,790	2	58	3	1	507	195	25	349	59	17		61	516	6
1,352		36		1	458	139	15	260	49	10		38	343	3
331	2	62	26	6	22	28	26	54	29	23		28	21	4
267		43	13	1	16	25	25	38	28	17	6	8	47	
40		8	4	1		5	2	6		3		2	9	
52		6	4		2	7	8	8	4	3		3	7	
1		1												
14		4		2	1		1			2		1	3	
12		2	1		2	2		2	1			1	1	
1,149	4	103	21	7	294	141	20	204	31	34	1	28	251	1
451		22		2	120	74	2	31	10	4		10	116	1
402		16			186	53	5	74	9	5		5	99	
141	4	42	9	4	19	6	6	23	6	13		8	10	
88		20	6		10	6	8	13	2	7	1	2	13	
15		1	1	1	3	2	2	1	2	1		1	1	
43		1	5		5	5	5	11	2	3		2	9	
6		2			1		1	1					1	
3										1			2	
689		51	12	9	164	74	23	134	25	15	2	25	155	
308		12	2	5	76	36	4	60	15	2		10	86	
227		9			77	26	4	45	6	1		7	52	
76		16	9	3	5	5	9	14	1	5		5	4	
50		9	1	1	4	4	3	6	2	5		3	10	
8		1			1			4	1				1	
17		3				2	3	5		2			2	
3		1			1	1								
3,398	3	254	38	8	786	261	79	972	121	65	7	127	672	5
1,489		77	2	2	391	117	21	480	39	16		67	327	
1,209		39	3	1	345	101	7	376	34	9		12	278	4
327	3	64	9	8	24	20	23	89	26	16		40	9	1
248		53	18	1	16	12	18	44	13	12	7	5	47	
46		7	1		4	4	2	15	4	6		2	2	
54		7	3		5	5	6	13	3	5		1	6	
21		4	2		1	2	2	4	2			2	2	
4		1						1		1			1	
3,529	16	635	78	41	599	263	222	685	160	156	7	120	527	11
1,478	8	307	10	16	277	91	68	289	57	56		51	244	4
761		51	1		232	66	11	170	29	14	1	13	173	
606	6	149	27	20	46	53	66	89	36	40		33	37	4
305		66	17	2	21	21	39	49	20	18		8	37	2
76	2	18	3	1		8	8	14	2	8		8	8	
150		14	17		11	19	15	35	8	10		4	16	
1		1												
131		26		2	10	3	13	34	7	10		16	9	1
21		3	3		2	2	2	5	1				3	
15,579	110	1,866	317	149	2,632	1,856	885	2,014	616	480	44	957	3,501	152
5,703	38	588	25	38	1,175	610	190	781	174	119		363	1,551	51
4,111	10	311	20	14	1,055	470	82	538	120	47	9	96	1,303	36
2,039	24	339	72	36	152	321	241	232	105	135		198	149	15
1,522	11	369	104	19	118	147	121	156	119	71	28	57	185	17
545	9	59	11	7	29	89	74	92	21	48		23	74	9
898	3	95	65	5	63	148	114	120	52	35		23	162	7
4					1	1	2							
1					1	1								
530	13	56	8	27	19	48	51	50	12	13		185	36	12
226	2	49	12	3	20	21	10	25	13	12	1	12	41	5

TABLE 5.

**DEATHS IN THE UNITED STATES, EACH STATE AND STATE GROUP, AMONG THE MALES
ENGAGED IN CERTAIN OCCUPATIONS AND CLASSES OF OCCUPATIONS, WITH
DISTINCTION OF COLOR, NATIVITY, PARENTAL NATIVITY,
AND BIRTHPLACES OF MOTHERS, DURING THE
CENSUS YEAR ENDING MAY 31, 1890.**

STATISTICS OF DEATHS.

TABLE 5.—DEATHS AMONG THE MALES ENGAGED IN CERTAIN OCCUPATIONS AND CLASSES OF OCCUPATIONS, BY COLOR, NATIVITY, PARENTAL NATIVITY, AND BIRTHPLACES OF MOTHERS. (a)

STATES AND STATE GROUPS.	Total	Class A.	Class B.	Class C.	Class D.	Class E.	Class F.	Class G.	Class H. (b)	Farmers, planters, and over- seers.	Farm laborers.
THE UNITED STATES.											
Aggregate.....	183,315	7,121	7,081	9,336	2,413	3,008	32,070	36,430	35,578	66,211	9,007
White.....	164,742	6,818	7,026	9,209	2,357	2,529	24,259	35,016	13,921	58,843	4,764
Native born.....	106,319	5,427	5,410	5,991	1,124	1,268	9,542	19,478	7,801	46,172	4,106
Both parents native.....	63,616	3,354	2,633	3,433	456	472	4,505	9,673	3,859	32,146	3,085
One or both parents foreign.....	14,586	494	1,239	897	342	290	1,930	4,040	1,581	3,230	543
Foreign born.....	53,072	1,148	1,461	3,033	1,173	1,168	13,765	14,713	5,427	10,025	559
Colored.....	23,573	303	55	127	56	479	7,811	1,414	1,657	7,368	4,303
Birthplaces of mothers:											
United States.....	86,571	3,796	2,872	3,677	526	793	10,591	11,364	5,350	40,222	7,330
England and Wales.....	6,247	230	311	344	32	99	641	1,349	1,076	1,552	63
Ireland.....	21,325	333	956	1,025	433	556	7,128	5,170	2,603	2,945	176
Scotland.....	1,841	80	108	110	20	26	152	616	230	435	14
France.....	956	43	33	64	18	21	155	206	104	241	11
Germany.....	18,211	414	595	1,228	589	431	2,865	5,721	1,084	4,932	352
Russia and Poland.....	851	19	22	104	6	3	261	102	152	111	11
Canada.....	2,713	66	122	111	43	42	606	313	271	570	69
Scandinavia.....	3,510	43	74	72	40	24	755	580	388	1,316	218
Hungary.....	198	6	2	17	3		77	37	48	7	1
Bohemia.....	381	3	6	13	3		56	127	7	153	8
Italy.....	720	16	12	46	13	29	413	80	102	14	4
Other foreign countries.....	3,000	79	65	152	48	122	1,002	540	342	577	73
Unknown.....	23,942	1,470	955	1,179	286	475	3,954	4,662	2,501	12,784	676
ALABAMA.											
Total.....	3,960	143	57	105	16	18	521	248	262	2,097	493
White.....	1,988	117	57	102	15	14	40	173	122	1,206	92
Native born.....	1,716	109	47	80	10	12	47	133	30	1,088	90
Both parents native.....	1,113	64	23	53	6	5	25	74	30	744	80
One or both parents foreign.....	29	1	5	2	1	1	6	3	3	15	
Foreign born.....	99	1	5	15	1	2	5	28	25	17	
Colored.....	1,972	26		3	1	4	431	75	140	891	401
Birthplaces of mothers:											
United States.....	2,841	84	24	57	7	9	388	134	140	1,533	465
England and Wales.....	15			3				4	7	1	
Ireland.....	31		1	4		1	4	8	5	3	
Scotland.....	13			3				1	4	5	
France.....	2								2		
Germany.....	33		2	3			1	17		10	
Russia and Poland.....	2				1				2		
Canada.....	5		2					2	1		
Scandinavia.....	2			1				1			
Hungary.....											
Bohemia.....											
Italy.....											
Other foreign countries.....	2						2				
Unknown.....	950	47	22	30	7	5	125	69	81	536	28
GROUP 1.....	105	16	4	1		3	29	10	32	10	
White.....	77	15	4	1			14	7	25	8	
Native born.....	56	15	3			2	10	6	13	7	
Both parents native.....	23	4	1			1	5	2	6	4	
One or both parents foreign.....	2							2			
Foreign born.....	12			1		1		1	8	1	
Colored.....	28	1					15	3	7	2	
Birthplaces of mothers:											
United States.....	46	5	1			1	22	4	7	6	
England and Wales.....											
Ireland.....											
Scotland.....	1									1	
France.....											
Germany.....	3			1				2			
Russia and Poland.....	2								2		
Canada.....	2							1	1		
Scandinavia.....											
Hungary.....											
Bohemia.....											
Italy.....											
Other foreign countries.....											
Unknown.....	15	1	1				7		3	3	
GROUP 2.....	1,483	47	26	45	9	9	226	118	160	740	103
White.....	949	41	26	44	8	8	46	103	71	559	43
Native born.....	820	40	19	35	5	7	34	78	46	514	42
Both parents native.....	526	24	6	23	2	3	9	46	18	358	37
One or both parents foreign.....	13		1	1		1		2	2	6	
Foreign born.....	55		5	7		1	4	16	13	9	
Colored.....	534	6		1	1	1	189	15	89	181	60
Birthplaces of mothers:											
United States.....	951	27	7	25	3	5	143	58	82	505	96
England and Wales.....	8			2				1	4	1	
Ireland.....	19		1	2		1	2	5	5	3	
Scotland.....	9			2					4	3	
France.....	1								1		
Germany.....	21		2	1			1	12		5	
Russia and Poland.....											
Canada.....	2		2								
Scandinavia.....	1			1							
Hungary.....											
Bohemia.....											
Italy.....											
Other foreign countries.....	1						1				
Unknown.....	470	20	14	12	6	3	79	42	64	223	7

a For details of occupations by classes, see Table 6.

b Does not include farmers, planters, and overseers, and farm laborers.

TABLE 5.—DEATHS AMONG THE MALES ENGAGED IN CERTAIN OCCUPATIONS AND CLASSES OF OCCUPATIONS, BY COLOR, NATIVITY, PARENTAL NATIVITY, AND BIRTHPLACES OF MOTHERS—Continued.

STATES AND STATE GROUPS.	Total.	Class A.	Class B.	Class C.	Class D.	Class E.	Class F.	Class G.	Class H.	Farmers, planters, and overseers.	Farm laborers.
ALABAMA—Continued.											
GROUP 3.....	2,372	80	27	59	7	6	266	120	70	1,347	390
White.....	962	61	27	57	7	3	30	63	26	639	49
Native born.....	840	54	25	45	5	3	23	49	21	567	48
Both parents native.....	564	36	16	30	4	1	11	26	15	382	43
One or both parents foreign.....	14	1	1	1	1	1	1	2	1	9	1
Foreign born.....	32	1	1	7	1	1	1	11	4	7	7
Colored.....	1,410	19	1	2	1	3	236	57	44	708	341
Birthplaces of mothers:											
United States.....	1,844	52	16	32	4	3	223	72	51	1,022	369
England and Wales.....	7	1	1	1	1	1	1	3	3	5	1
Ireland.....	12	1	1	1	1	1	2	3	3	1	1
Scotland.....	3	1	1	1	1	1	1	1	1	1	1
France.....	1	1	1	1	1	1	1	1	1	1	1
Germany.....	9	1	1	1	1	1	1	3	1	5	1
Russia and Poland.....	1	1	1	1	1	1	1	1	1	1	1
Canada.....	1	1	1	1	1	1	1	1	1	1	1
Scandinavia.....	1	1	1	1	1	1	1	1	1	1	1
Hungary.....	1	1	1	1	1	1	1	1	1	1	1
Bohemia.....	1	1	1	1	1	1	1	1	1	1	1
Italy.....	1	1	1	1	1	1	1	1	1	1	1
Other foreign countries.....	1	1	1	1	1	1	1	1	1	1	1
Unknown.....	465	26	7	18	1	2	39	27	14	310	21
ARIZONA.											
Total.....	200	9	5	11	4	16	47	21	78	9	9
White.....	186	9	5	10	4	8	43	21	77	9	9
Native born.....	82	4	4	5	2	2	10	14	37	4	4
Both parents native.....	26	1	1	1	1	1	3	4	14	2	2
One or both parents foreign.....	5	1	1	1	1	1	1	1	3	1	1
Foreign born.....	82	2	1	5	2	5	29	5	29	4	4
Colored.....	14	1	1	1	1	8	4	1	1	1	1
Birthplaces of mothers:											
United States.....	36	1	1	1	1	8	3	5	15	2	2
England and Wales.....	6	1	1	1	1	1	1	1	3	1	1
Ireland.....	8	1	1	1	1	1	3	1	3	1	1
Scotland.....	2	1	1	1	1	1	1	1	2	1	1
France.....	3	1	1	1	1	1	1	1	1	1	1
Germany.....	11	1	1	2	1	2	1	2	3	1	1
Russia and Poland.....	2	1	1	1	1	1	1	1	1	1	1
Canada.....	2	1	1	1	1	1	1	1	1	1	1
Scandinavia.....	5	1	1	1	1	2	2	2	2	1	1
Hungary.....	1	1	1	1	1	1	1	1	1	1	1
Bohemia.....	1	1	1	1	1	1	1	1	1	1	1
Italy.....	1	1	1	1	1	1	1	1	1	1	1
Other foreign countries.....	49	2	2	2	2	1	26	1	17	2	2
Unknown.....	76	6	4	4	2	3	12	11	30	4	4
ARKANSAS.											
Total.....	3,573	141	88	77	18	16	286	198	95	2,395	309
White.....	2,632	131	88	75	18	13	116	177	67	1,839	158
Native born.....	2,365	115	80	61	14	9	83	139	51	1,713	150
Both parents native.....	1,275	60	20	37	7	4	42	70	20	900	115
One or both parents foreign.....	49	1	1	2	3	1	3	9	1	24	4
Foreign born.....	141	10	8	14	4	2	15	27	12	45	4
Colored.....	941	10	1	2	1	3	170	21	28	556	151
Birthplaces of mothers:											
United States.....	2,197	72	21	40	8	7	186	93	47	1,460	263
England and Wales.....	28	3	1	2	1	1	1	5	2	13	1
Ireland.....	49	3	3	3	3	1	10	8	7	10	1
Scotland.....	7	1	1	1	1	1	1	2	2	2	1
France.....	3	1	1	1	1	1	1	1	1	2	1
Germany.....	59	2	3	8	3	1	6	12	1	20	3
Russia and Poland.....	3	1	1	1	1	1	1	1	1	2	1
Canada.....	8	1	1	2	1	1	1	1	2	3	1
Scandinavia.....	3	1	1	1	1	1	1	1	1	1	1
Hungary.....	1	1	1	1	1	1	1	1	1	1	1
Bohemia.....	1	1	1	1	1	1	1	1	1	1	1
Italy.....	2	1	1	1	1	1	1	1	1	1	1
Other foreign countries.....	11	1	1	1	1	1	1	5	1	3	1
Unknown.....	1,203	58	8	21	3	6	82	72	35	879	39
GROUP 1.....	689	18	8	7	3	5	72	34	20	437	85
White.....	301	13	8	6	3	5	24	24	14	180	24
Native born.....	259	11	6	6	2	5	14	15	10	167	23
Both parents native.....	142	5	6	5	1	3	8	7	5	84	18
One or both parents foreign.....	5	1	1	1	1	1	1	1	1	4	1
Foreign born.....	17	1	2	1	1	1	2	5	2	3	1
Colored.....	388	5	1	1	1	1	48	10	6	257	61
Birthplaces of mothers:											
United States.....	496	9	6	6	1	3	53	15	10	318	75
England and Wales.....	5	1	1	1	1	1	1	1	2	2	1
Ireland.....	9	1	1	1	1	1	2	2	2	2	1
Scotland.....	1	1	1	1	1	1	1	1	1	1	1
France.....	2	1	1	1	1	1	1	1	1	1	1
Germany.....	1	1	1	1	1	1	1	1	1	1	1
Russia and Poland.....	1	1	1	1	1	1	1	1	1	1	1
Canada.....	1	1	1	1	1	1	1	1	1	1	1
Scandinavia.....	1	1	1	1	1	1	1	1	1	1	1
Hungary.....	1	1	1	1	1	1	1	1	1	1	1
Bohemia.....	1	1	1	1	1	1	1	1	1	1	1
Italy.....	1	1	1	1	1	1	1	1	1	1	1
Other foreign countries.....	1	1	1	1	1	1	1	1	1	1	1
Unknown.....	173	8	1	1	1	2	17	14	8	113	9

STATISTICS OF DEATHS.

TABLE 5.—DEATHS AMONG THE MALES ENGAGED IN CERTAIN OCCUPATIONS AND CLASSES OF OCCUPATIONS, BY COLOR, NATIVITY, PARENTAL NATIVITY, AND BIRTHPLACES OF MOTHERS—Continued.

STATES AND STATE GROUPS.	Total.	Class A.	Class B.	Class C.	Class D.	Class E.	Class F.	Class G.	Class H.	Farmers, planters, and overseers.	Farm laborers.
ARKANSAS—Continued.											
GROUP 2.....	2,884	123	30	70	15	11	214	164	75	1,958	224
White.....	2,331	118	30	69	15	8	92	153	53	1,659	134
Native born.....	2,106	104	24	55	12	4	69	124	41	1,546	127
Both parents native.....	1,133	55	14	32	6	1	34	63	15	816	97
One or both parents foreign.....	44	1	1	2	3	1	3	8	1	20	4
Foreign born.....	124	9	6	14	3	2	13	22	10	42	3
Colored.....	553	5	1	3	122	11	22	299	90
Birthplaces of mothers:											
United States.....	1,701	63	15	34	7	4	133	78	37	1,142	188
England and Wales.....	23	2	2	1	4	2	11	1
Ireland.....	40	3	3	3	3	1	8	6	5	8
Scotland.....	7	1	1	1	2	2
France.....	3	1	2
Germany.....	57	2	3	8	3	1	6	11	1	19	3
Russia and Poland.....	3	1	2
Canada.....	7	1	2	2	2
Scandinavia.....	2	1	1
Hungary.....
Bohemia.....
Italy.....	1	1
Other foreign countries.....	10	1	1	4	3	1
Unknown.....	1,030	50	8	20	2	4	65	58	27	766	30
CALIFORNIA.											
Total.....	5,119	251	279	314	140	124	1,461	850	834	799	67
White.....	4,465	247	271	291	137	100	952	833	785	783	63
Native born.....	2,191	179	183	135	50	43	343	391	311	525	34
Both parents native.....	671	59	48	40	12	5	85	91	73	246	12
One or both parents foreign.....	246	11	13	12	8	1	32	52	42	65	10
Foreign born.....	2,127	59	83	154	82	55	573	419	434	242	26
Colored.....	654	4	8	20	3	24	509	17	49	16	4
Birthplaces of mothers:											
United States.....	812	61	55	47	13	9	142	104	91	275	15
England and Wales.....	321	10	19	18	11	7	51	72	83	46	4
Ireland.....	678	13	24	23	23	16	219	127	138	79	11
Scotland.....	87	4	2	5	1	1	13	30	12	19
France.....	123	6	5	4	4	6	36	18	34	8	2
Germany.....	438	16	18	53	28	13	76	121	46	58	4
Russia and Poland.....	36	3	5	1	11	5	11
Canada.....	126	6	5	8	6	4	19	30	26	19	3
Scandinavia.....	125	2	6	1	3	2	36	31	31	11	2
Hungary.....
Bohemia.....	1	10	5	26	6	1
Italy.....	93	3	1	1	4	1	36
Other foreign countries.....	837	12	14	39	11	23	537	35	100	56	10
Unknown.....	1,406	117	124	85	34	42	266	270	234	219	15
GROUP 1.....	1,511	63	44	50	50	20	322	197	362	372	31
White.....	1,398	63	44	50	49	12	257	196	334	365	28
Native born.....	814	53	28	31	23	6	125	120	152	257	19
Both parents native.....	303	24	11	17	7	2	38	35	45	117	7
One or both parents foreign.....	103	3	3	4	4	13	19	22	30	5
Foreign born.....	510	8	14	17	22	6	116	68	153	99	7
Colored.....	113	1	8	65	1	28	7	3
Birthplaces of mothers:											
United States.....	360	24	14	21	8	3	55	40	54	133	8
England and Wales.....	119	2	5	3	7	1	15	16	45	23	2
Ireland.....	125	2	4	2	3	1	27	16	40	26	4
Scotland.....	22	4	4	5	8
France.....	38	1	1	9	7	13	4	2
Germany.....	115	5	2	5	6	2	24	25	19	26	1
Russia and Poland.....	4	3	1
Canada.....	44	2	1	3	1	6	6	11	12	2
Scandinavia.....	24	1	1	7	3	6	6
Hungary.....
Bohemia.....
Italy.....	24	4	1	6	1	10	2
Other foreign countries.....	136	1	3	7	54	6	44	13	8
Unknown.....	464	27	13	9	15	4	93	71	112	111	9
GROUP 2.....	3,608	188	235	264	90	104	1,139	653	472	427	36
White.....	3,067	184	227	244	88	88	695	637	451	418	35
Native born.....	1,377	126	152	104	27	37	218	271	159	268	15
Both parents native.....	368	35	37	23	5	3	47	56	28	129	5
One or both parents foreign.....	143	8	10	8	4	1	19	33	20	35	5
Foreign born.....	1,617	51	69	137	60	49	457	351	251	143	19
Colored.....	541	4	8	20	2	16	444	16	21	9	1
Birthplaces of mothers:											
United States.....	452	37	41	26	5	6	87	64	37	142	7
England and Wales.....	202	8	14	15	4	6	36	56	38	23	2
Ireland.....	553	11	20	26	20	15	192	111	98	53	7
Scotland.....	65	4	2	5	1	9	26	7	11
France.....	85	6	4	4	3	5	27	11	-21	4
Germany.....	323	11	16	53	22	11	52	96	27	32	3
Russia and Poland.....	32	3	5	1	8	5	10
Canada.....	82	6	3	7	3	3	13	24	15	7	1
Scandinavia.....	101	1	6	1	2	2	29	28	25	5	2
Hungary.....
Bohemia.....	1	1
Italy.....	69	3	1	6	3	1	30	4	16	4	1
Other foreign countries.....	701	11	14	39	8	16	483	29	56	33	7
Unknown.....	942	90	111	76	19	38	173	199	122	108	6

TABLE 5.—DEATHS AMONG THE MALES ENGAGED IN CERTAIN OCCUPATIONS AND CLASSES OF OCCUPATIONS, BY COLOR, NATIVITY, PARENTAL NATIVITY, AND BIRTHPLACES OF MOTHERS—Continued.

STATES AND STATE GROUPS.	Total.	Class A.	Class B.	Class C.	Class D.	Class E.	Class F.	Class G.	Class H.	Farmers, planters, and overseers.	Farm laborers.
COLORADO.											
Total	906	41	36	32	22	16	125	91	372	152	19
White	890	41	36	32	22	16	120	91	362	152	18
Native born	461	28	33	17	9	10	51	49	147	106	11
Both parents native	243	17	15	5	4	4	24	25	75	68	8
One or both parents foreign	61	3	7	4	2	4	4	3	20	13	1
Foreign born	323	10	2	9	11	5	50	29	153	38	5
Colored	16						5		10		1
Birthplaces of mothers:											
United States	268	17	16	4	4	4	30	26	88	70	9
England and Wales	99	1	1	6			5	6	69	10	
Ireland	88	1	2		3	2	25	6	44	5	
Scotland	20	2	3		2			3	5	5	
France	10				2	1	1		3	3	
Germany	57	3	1	5	3	3	9	9	8	11	5
Russia and Poland	2								2		
Canada	24	5	1		1		3	2	6	6	
Scandinavia	40	1			2	1	8	3	18	6	1
Hungary											
Bohemia											
Italy	17						6		11		
Other foreign countries	16			1		1	1	2	9	2	
Unknown	265	11	12	16	5	3	37	34	109	34	4
GROUP 1	318	21	20	18	10	8	68	37	55	77	4
White	314	21	20	18	10	8	64	37	55	77	4
Native born	191	15	17	8	5	5	32	17	33	55	4
Both parents native	101	10	8	1	2	2	16	9	16	34	3
One or both parents foreign	22	2	3	1	1	2	2		3	7	1
Foreign born	93	3	2	5	4	2	27	17	15	18	
Colored	4						4				
Birthplaces of mothers:											
United States	108	10	8	1	2	2	20	9	18	35	3
England and Wales	21		1	4		1	4	3	5	3	
Ireland	16				2		7	2	1	4	
Scotland	7	1	2					1		3	
France	2								2		
Germany	27		1	1	2	2	7	7	1	5	1
Russia and Poland											
Canada	12	3	1				2	1	1	4	
Scandinavia	14	1			1	1	5	1		5	
Hungary											
Bohemia											
Italy	8						3		5		
Other foreign countries	3			1				2			
Unknown	100	6	7	11	3	2	20	11	22	18	
GROUP 2	588	20	16	14	12	8	57	54	317	75	15
White	576	20	16	14	12	8	56	54	307	75	14
Native born	270	13	16	9	4	5	19	32	114	51	7
Both parents native	142	7	7	2	2	2	8	16	59	34	5
One or both parents foreign	39	1	4	3	1	2	2	3	17	6	
Foreign born	230	7		4	7	3	29	12	143	20	5
Colored	12						1		10		1
Birthplaces of mothers:											
United States	160	7	8	3	2	2	10	17	70	35	6
England and Wales	78	1		2			1	3	64	7	
Ireland	72	1	2		1	2	18	4	43	1	
Scotland	13	1	1					2	5	2	
France	8				2	1	1		1	3	
Germany	30	3		4	1	1	2	2	7	6	4
Russia and Poland	2								2		
Canada	12	2			1		1	1	5	2	1
Scandinavia	26				1		3	2	18	1	1
Hungary											
Bohemia											
Italy	9						3		6		
Other foreign countries	13					1	1		9	2	
Unknown	165	5	5	5	2	1	17	23	87	16	4
CONNECTICUT.											
Total	2,924	81	110	149	43	41	665	803	202	320	10
White	2,867	80	110	149	43	36	633	795	197	314	10
Native born	1,845	68	94	111	22	22	198	498	114	710	8
Both parents native	1,271	50	57	80	10	11	111	295	63	588	6
One or both parents foreign	269	4	24	15	12	7	54	103	31	18	1
Foreign born	985	10	16	38	20	14	423	288	79	95	2
Colored	57	1				5	32	8	5	6	
Birthplaces of mothers:											
United States	1,357	53	57	80	10	17	146	311	71	605	7
England and Wales	98	3	6	6	1	1	11	45	9	16	
Ireland	792	4	28	28	19	15	372	182	76	67	1
Scotland	31	1	1	3	1		2	17	3	3	
France	8						2	5			
Germany	159	3	1	12	8	2	26	81	8	18	
Russia and Poland	14			2			7	4	1		
Canada	53		1	1			16	27	2	4	1
Scandinavia	36		1		1		11	15	6	2	
Hungary	11						10			1	
Bohemia											
Italy	12						8	2	2		
Other foreign countries	16	1	2			1	5	7			
Unknown	337	15	13	17	3	4	49	107	24	104	1

STATISTICS OF DEATHS.

TABLE 5.—DEATHS AMONG THE MALES ENGAGED IN CERTAIN OCCUPATIONS AND CLASSES OF OCCUPATIONS, BY COLOR, NATIVITY, PARENTAL NATIVITY, AND BIRTHPLACES OF MOTHERS—Continued.

STATES AND STATE GROUPS.	Total.	Class A.	Class B.	Class C.	Class D.	Class E.	Class F.	Class G.	Class H.	Farmers, planters, and overseers.	Farm laborers.
CONNECTICUT—Continued.											
GROUP 1.....	1,852	61	73	111	34	30	445	538	146	407	7
White.....	1,807	61	73	111	34	26	419	530	141	405	7
Native born.....	1,134	50	61	85	19	16	115	333	85	364	6
Both parents native.....	680	33	32	60	7	6	48	171	45	273	5
One or both parents foreign.....	217	4	19	10	12	7	49	77	24	15	1
Foreign born.....	644	10	12	26	14	10	293	189	53	36	1
Colored.....	45					4	26	8	5	2	
Birthplaces of mothers:											
United States.....	752	35	32	60	7	11	77	187	52	286	5
England and Wales.....	60	3	4	4	1	1	7	27	5	8	
Ireland.....	549	4	22	19	17	12	266	126	50	32	1
Scotland.....	26	1		2			2	16	3	2	
France.....	5	1					1	3			
Germany.....	105	3	1	9	6	1	17	56	7	5	
Russia and Poland.....	9			1			5	2	1		
Canada.....	28		1				8	16	2	1	
Scandinavia.....	21		1			1	7	6	6		
Hungary.....	11						10			1	
Bohemia.....											
Italy.....	12						8	2	2		
Other foreign countries.....	14	1	2			1	4	6			
Unknown.....	260	13	10	16	3	3	33	91	18	72	1
GROUP 2.....	1,072	20	37	38	9	11	220	265	56	413	3
White.....	1,060	19	37	38	9	10	214	265	56	409	3
Native born.....	711	18	33	26	3	6	83	105	29	340	2
Both parents native.....	591	17	25	20	3	5	62	124	18	315	1
One or both parents foreign.....	52		5	5			5	26	7	3	1
Foreign born.....	341		4	12	6	4	130	99	26	59	1
Colored.....	12	1				1	6			4	
Birthplaces of mothers:											
United States.....	605	18	25	20	3	6	69	124	19	319	2
England and Wales.....	58		2	2			4	18	4	8	
Ireland.....	243		6	9	2	3	106	56	26	35	
Scotland.....	5		1	1	1		1	2		1	
France.....	3						1	2			
Germany.....	54			3	2	1	9	25	1	13	
Russia and Poland.....	5			1			2	2			
Canada.....	25			1	1		3	11		3	1
Scandinavia.....	15						4	9		2	
Hungary.....											
Bohemia.....											
Italy.....											
Other foreign countries.....	2						1	1			
Unknown.....	77	2	3	1		1	16	16	6	32	
DELAWARE.											
Total.....	711	15	22	49	8	6	205	139	52	197	18
White.....	573	14	22	49	8	2	102	134	47	186	9
Native born.....	444	12	21	40	4	1	47	100	39	171	9
Both parents native.....	203	4	6	13			16	33	14	109	8
One or both parents foreign.....	8	1			1		1	2	1	2	
Foreign born.....	103	1	1	8	4	1	49	28	5	6	
Colored.....	138	1				4	103	5	5	11	9
Birthplaces of mothers:											
United States.....	285	5	6	13		2	69	36	17	120	17
England and Wales.....	6	2		1			1	1	1	1	
Ireland.....	16				1		7	6	1	1	
Scotland.....	2									2	
France.....											
Germany.....	4			1				2		1	
Russia and Poland.....											
Canada.....	1									1	
Scandinavia.....	1								1		
Hungary.....											
Bohemia.....											
Italy.....	1						1				
Other foreign countries.....	1									1	
Unknown.....	121	3	4	9	1		22	10	10	61	1
DISTRICT OF COLUMBIA.											
Total.....	1,262	86	150	75	19	120	420	264	74	36	
White.....	814	78	145	68	15	106	95	234	42	31	
Native born.....	548	65	121	49	8	44	47	159	30	25	
Both parents native.....	322	44	91	35	1	21	21	78	16	15	
One or both parents foreign.....	115	7	16	9	7	9	14	50	3		
Foreign born.....	261	13	24	19	7	60	48	75	10	5	
Colored.....	448	8	5	7	4	23	334	30	32	5	
Birthplaces of mothers:											
United States.....	794	59	102	44	5	44	355	115	50	20	
England and Wales.....	37	1	7	1		6		21		1	
Ireland.....	173	3	9	14	6	40	47	48	5	1	
Scotland.....	12		2			3	1	6			
France.....	3						1	1			
Germany.....	107	6	13	8	7	18	10	38	4	3	
Russia and Poland.....	2		1	1							
Canada.....	1		1								
Scandinavia.....	3						2		1		
Hungary.....	1							1			
Bohemia.....											
Italy.....	1	1									
Other foreign countries.....	11	1	2	2	1	1		3	1		
Unknown.....	117	14	13	5		17	13	31	13	11	

TABLE 5.—DEATHS AMONG THE MALES ENGAGED IN CERTAIN OCCUPATIONS AND CLASSES OF OCCUPATIONS, BY COLOR, NATIVITY, PARENTAL NATIVITY, AND BIRTHPLACES OF MOTHERS—Continued.

STATES AND STATE GROUPS.	Total	Class A.	Class B.	Class C.	Class D.	Class E.	Class F.	Class G.	Class H.	Farmers, planters, and overseers.	Farm laborers.
FLORIDA.											
Total	1,077	58	17	56	10	14	203	153	105	399	62
White	629	53	16	55	8	6	40	109	63	260	19
Native born	524	43	13	44	6	3	33	83	38	243	18
Both parents native	344	29	9	26	2	3	22	52	19	171	11
One or both parents foreign	16	2	—	3	—	—	—	6	2	3	—
Foreign born	91	6	2	11	2	3	7	23	24	12	1
Colored	448	5	1	1	2	8	163	44	42	139	43
Birthplaces of mothers:											
United States	765	34	10	27	2	9	178	93	54	306	52
England and Wales	19	2	1	2	—	—	2	3	5	4	—
Ireland	10	2	—	1	1	—	1	—	2	3	—
Scotland	7	1	—	2	—	1	—	—	2	1	—
France	3	2	—	—	—	—	—	—	1	—	—
Germany	18	—	—	5	1	2	2	2	3	3	—
Russia and Poland	1	—	—	1	—	—	—	—	—	—	—
Canada	1	—	—	—	—	—	—	—	—	1	—
Scandinavia	12	1	—	1	—	—	2	1	6	1	—
Hungary	1	—	—	—	—	—	—	1	—	—	—
Bohemia	—	—	—	—	—	—	—	—	—	—	—
Italy	1	—	—	—	—	—	—	—	1	—	—
Other foreign countries	46	—	1	2	1	1	2	27	10	1	1
Unknown	193	16	5	15	5	1	16	26	21	79	9
GEORGIA.											
Total	4,242	162	95	177	7	32	561	395	202	1,944	667
White	2,274	151	92	166	7	15	65	251	82	1,300	145
Native born	2,047	140	78	138	5	8	47	211	64	1,216	140
Both parents native	1,713	117	58	107	4	4	38	168	51	1,031	135
One or both parents foreign	54	6	10	15	1	—	1	9	1	11	—
Foreign born	106	6	9	22	2	7	13	23	11	13	—
Colored	1,968	11	3	11	—	17	496	144	120	644	522
Birthplaces of mothers:											
United States	3,555	132	66	120	4	17	406	288	149	1,666	647
England and Wales	23	2	2	5	1	1	2	9	—	1	—
Ireland	57	1	8	12	2	8	10	11	4	6	—
Scotland	2	—	—	—	—	—	—	2	—	—	—
France	5	1	1	—	—	—	—	—	—	3	—
Germany	32	3	—	10	—	2	2	6	4	5	—
Russia and Poland	—	—	—	—	—	—	—	—	—	—	—
Canada	—	—	—	—	—	—	—	—	—	—	—
Scandinavia	4	—	—	—	—	—	—	1	3	—	—
Hungary	—	—	—	—	—	—	—	—	—	—	—
Bohemia	—	—	—	—	—	—	—	—	—	—	—
Italy	—	—	—	—	—	—	—	—	—	—	—
Other foreign countries	5	—	1	1	—	—	—	—	1	1	1
Unknown	467	20	9	19	—	3	75	46	22	254	19
GROUP 1	557	13	28	31	2	9	136	70	43	177	48
White	269	11	28	28	2	5	23	49	19	91	13
Native born	199	11	22	19	2	2	10	81	8	81	13
Both parents native	158	6	14	14	1	1	5	24	7	75	11
One or both parents foreign	22	2	7	4	—	—	—	5	1	1	—
Foreign born	54	—	5	9	—	—	11	14	9	3	—
Colored	288	2	—	3	—	4	113	21	24	86	35
Birthplaces of mothers:											
United States	440	8	16	18	1	6	112	46	30	159	44
England and Wales	14	—	1	2	1	1	2	7	—	—	—
Ireland	32	1	7	3	—	2	8	6	3	2	—
Scotland	—	—	—	—	—	—	—	—	—	—	—
France	3	1	1	—	—	—	—	—	—	1	—
Germany	17	—	—	6	—	—	—	4	4	1	—
Russia and Poland	—	—	—	—	—	—	—	—	—	—	—
Canada	—	—	—	—	—	—	—	—	—	—	—
Scandinavia	4	—	—	—	—	—	—	1	3	—	—
Hungary	—	—	—	—	—	—	—	—	—	—	—
Bohemia	—	—	—	—	—	—	—	—	—	—	—
Italy	—	—	—	—	—	—	—	—	—	—	—
Other foreign countries	1	—	1	—	—	—	—	—	—	—	—
Unknown	46	3	2	2	—	—	12	6	3	14	4
GROUP 2	1,144	78	23	47	1	10	164	121	51	562	87
White	808	75	22	47	1	5	21	94	20	475	48
Native born	743	68	18	40	1	2	19	87	17	446	45
Both parents native	590	53	16	30	1	1	18	73	11	344	43
One or both parents foreign	15	3	—	8	—	—	—	4	—	—	—
Foreign born	25	3	1	6	—	3	1	5	—	6	—
Colored	336	3	—	—	—	5	143	27	31	87	39
Birthplaces of mothers:											
United States	889	59	16	33	1	4	123	100	39	433	81
England and Wales	4	1	—	2	—	—	—	1	—	—	—
Ireland	13	—	1	6	—	1	1	2	—	2	—
Scotland	2	—	—	—	—	—	—	2	—	—	—
France	1	—	—	—	—	—	—	—	—	1	—
Germany	12	3	—	3	—	2	—	2	—	2	—
Russia and Poland	—	—	—	—	—	—	—	—	—	—	—
Canada	—	—	—	—	—	—	—	—	—	—	—
Scandinavia	—	—	—	—	—	—	—	—	—	—	—
Hungary	—	—	—	—	—	—	—	—	—	—	—
Bohemia	—	—	—	—	—	—	—	—	—	—	—
Italy	—	—	—	—	—	—	—	—	—	—	—
Other foreign countries	3	—	—	—	—	—	—	—	1	1	1
Unknown	220	15	6	3	—	3	40	14	11	123	9

STATISTICS OF DEATHS.

165

TABLE 5.—DEATHS AMONG THE MALES ENGAGED IN CERTAIN OCCUPATIONS AND CLASSES OF OCCUPATIONS, BY COLOR, NATIVITY, PARENTAL NATIVITY, AND BIRTHPLACES OF MOTHERS—Continued.

STATES AND STATE GROUPS.	Total.	Class A.	Class B.	Class C.	Class D.	Class E.	Class F.	Class G.	Class H.	Farmers, planters, and overseers.	Farm laborers.
GEORGIA—Continued.											
GROUP 3	2,541	71	44	99	4	13	261	204	108	1,205	532
White	1,197	65	42	91	4	5	21	108	43	734	84
Native born	1,105	61	38	79	2	4	18	93	39	689	82
Both parents native	965	58	28	63	2	2	15	71	33	612	81
One or both parents foreign	17	1	3	3						10	
Foreign born	27	3	3	7	2	1	1	4	2	4	
Colored	1,344	6	2	8		8	240	96	65	471	448
Birthplaces of mothers:											
United States	2,226	65	34	69	2	7	231	142	80	1,074	522
England and Wales	5	1	1	1				1		1	
Ireland	12			3	2			3	1	2	
Scotland							1				
France	1									1	
Germany	3			1						2	
Russia and Poland											
Canada											
Scandinavia											
Hungary											
Bohemia											
Italy											
Other foreign countries	1			1							
Unknown	201	2	1	14			23	26	8	117	10
IDAHO.											
Total	226	12	5	6	2	1	43	19	77	53	8
White	200	12	5	5	2	1	32	18	71	46	8
Native born	112	10	4	3	2		15	9	32	31	6
Both parents native	38	3	3	2	1		2	3	6	15	3
One or both parents foreign	18			1			3		6	3	3
Foreign born	56		1	2		1	10	5	22	13	2
Colored	26			1			11	1	6	7	
Birthplaces of mothers:											
United States	48										
England and Wales	15	3	3	2	1		2	4	7	20	6
Ireland	20			1			2	1	4	6	1
Scotland	3			2			2		14	2	
France	3								3		
Germany	7								1		
Russia and Poland	3		1			1	1	2	1	1	
Canada	3						2		1		
Scandinavia	10						1		1	1	
Hungary							3	2	1	4	
Bohemia											
Italy	3						2		1		
Other foreign countries	22			1			10		6	4	1
Unknown	91	9	1		1		18	10	37	15	
ILLINOIS.											
Total	10,983	420	438	600	193	145	1,907	2,339	303	3,824	314
White	10,735	416	436	599	191	127	1,775	2,327	784	3,784	296
Native born	5,932	311	310	323	79	51	569	992	355	2,703	239
Both parents native	2,990	175	99	129	24	12	235	361	119	1,603	143
One or both parents foreign	832	24	38	41	13	8	75	162	67	351	53
Foreign born	4,550	98	116	259	109	74	1,161	1,290	396	997	50
Colored	248	4	2	1	2	18	132	12	19	40	18
Birthplaces of mothers:											
United States	3,355	190	112	142	28	22	330	406	142	1,811	172
England and Wales	354	8	9	13	4	2	28	61	53	151	5
Ireland	751	14	12	24	11	4	181	103	105	276	21
Scotland	99	1	4	2			3	30	4	48	
France	53	3		1	1		4	14	5	22	
Germany	1,371	17	17	56	33	9	213	275	64	642	45
Russia and Poland	18		1	3			3	2	6	3	
Canada	61	2	1	4			3	14	3	27	2
Scandinavia	239		7	7	2	3	77	59	18	57	9
Hungary	3								3		
Bohemia	12										
Italy	9		1				5	5		2	
Other foreign countries	77	3	1	3	3		14	13	9	24	7
Unknown	1,422	59	40	61	12	11	188	215	78	709	49
GROUP 1	3,652	135	254	302	104	101	1,010	1,255	338	145	8
White	3,578	135	253	302	104	91	953	1,249	333	145	8
Native born	1,023	65	153	113	33	25	137	315	125	51	6
Both parents native	40	5	4	2			2	8	2	15	2
One or both parents foreign	36	1	2	1	1		2	7	5	13	4
Foreign born	2,498	68	95	182	71	66	809	917	198	90	2
Colored	74		1			10	52	6	5		
Birthplaces of mothers:											
United States	59	5	5	2		2	12	11	3	16	3
England and Wales	23		2		1	1	2	9	2	6	
Ireland	80			1			47	12	7	13	
Scotland	8			1			1	3	1	2	
France	4	1						1	1	1	
Germany	155	4	4	1	3	2	44	42	8	46	1
Russia and Poland	9		1	1			2	1	4		
Canada	6			1			2	3			
Scandinavia	45		1	2		1	18	13	4	1	
Hungary											
Bohemia	7						3	4			
Italy	1						1				
Other foreign countries	9						3	2		1	3
Unknown	87	2	8	9	1	1	24	28	7	7	

TABLE 5.—DEATHS AMONG THE MALES ENGAGED IN CERTAIN OCCUPATIONS AND CLASSES OF OCCUPATIONS, BY COLOR, NATIVITY, PARENTAL NATIVITY, AND BIRTHPLACES OF MOTHERS—Continued.

STATES AND STATE GROUPS.	Total.	Class A.	Class B.	Class C.	Class D.	Class E.	Class F.	Class G.	Class H.	Farmers, planters, and overseers.	Farm laborers.
ILLINOIS—Continued.											
GROUP 2.....	1,853	77	47	58	24	15	284	284	118	861	85
White.....	1,755	75	47	58	22	13	237	281	110	840	73
Native born.....	1,128	62	38	38	12	8	119	155	54	583	59
Both parents native.....	619	40	20	16	5	4	49	70	27	350	38
One or both parents foreign.....	214	9	9	16	5	3	22	45	16	77	12
Foreign born.....	576	10	9	19	9	4	112	119	47	237	10
Colored.....	98	2			2	2	47	3	8	21	13
Birthplaces of mothers:											
United States.....	753	44	22	19	8	6	93	84	37	386	54
England and Wales.....	81	3	4	4	1		2	19	12	35	1
Ireland.....	166	4	1	4	1	1	40	17	27	66	5
Scotland.....	20		2					11	2	5	
France.....	9	1			1		1	1		4	1
Germany.....	406	6	6	20	11	4	67	88	18	174	12
Russia and Poland.....	3						1			2	
Canada.....	15	1		2			3	2	1	6	
Scandinavia.....	35		2	2		1	14	13		3	
Hungary.....											
Bohemia.....	1									1	
Italy.....	3								3		
Other foreign countries.....	20	2	1				5	5	1	6	
Unknown.....	341	16	9	7	2	3	58	44	17	173	12
GROUP 3.....	5,478	208	137	240	65	29	613	800	347	2,818	221
White.....	5,402	206	136	239	65	23	580	797	341	2,799	216
Native born.....	3,781	184	119	172	34	18	313	522	176	2,069	174
Both parents native.....	2,831	130	75	111	19	8	184	283	90	1,328	103
One or both parents foreign.....	582	14	27	24	7	5	51	110	46	261	37
Foreign born.....	1,476	20	12	58	29	4	240	254	151	670	33
Colored.....	76	2	1	1		6	33	3	6	19	5
Birthplaces of mothers:											
United States.....	2,543	141	85	121	20	14	225	311	102	1,409	115
England and Wales.....	250	5	3	9	2	1	24	58	39	110	4
Ireland.....	505	10	11	19	10	3	94	74	71	197	16
Scotland.....	71	1	2	1			2	16	8	41	
France.....	40	1		1			3	12	4	17	2
Germany.....	810	7	7	35	19	3	102	145	38	422	32
Russia and Poland.....	6			2				1	2	1	
Canada.....	40	1	1	1			3	9	2	21	2
Scandinavia.....	159		4	3	2	1	45	23	14	53	9
Hungary.....	3										
Bohemia.....	4							2	1		
Italy.....	5		1				1	1	2		
Other foreign countries.....	48	1		3	3		6	6	8	17	4
Unknown.....	994	41	23	45	9	7	106	143	54	529	37
INDIANA.											
Total.....	5,629	225	102	226	76	56	671	873	292	2,879	229
White.....	5,432	221	102	226	76	44	583	863	284	2,861	222
Native born.....	4,423	195	91	179	46	35	413	607	215	2,432	210
Both parents native.....	2,862	129	58	116	21	18	238	348	114	1,655	167
One or both parents foreign.....	485	13	19	28	15	10	42	92	42	198	26
Foreign born.....	910	20	10	43	27	9	146	226	50	369	10
Colored.....	147	4				12	88	10	8	18	7
Birthplaces of mothers:											
United States.....	3,174	139	60	123	23	31	338	381	131	1,759	189
England and Wales.....	124	2	2	10	1	3	4	23	18	54	2
Ireland.....	225	8	4	5	9	5	41	39	24	88	2
Scotland.....	39	1	1	3			2	11	3	17	1
France.....	35			3	3		4	9	3	13	
Germany.....	757	15	16	39	24	9	109	189	33	307	16
Russia and Poland.....	12						5	3		4	
Canada.....	12	1		2	1		1	4	1	2	
Scandinavia.....	24			1			9	8	2	4	
Hungary.....											
Bohemia.....											
Italy.....											
Other foreign countries.....	50	3	2	3	2		3	9	1	25	2
Unknown.....	1,177	56	17	37	13	8	155	192	76	606	17
GROUP 1.....	233	7	6	13	4	6	60	47	14	71	5
White.....	226	7	6	13	4	3	57	47	14	70	5
Native born.....	118	6	6	9	1	3	17	21	12	39	4
Both parents native.....	61	5	5	4		1	7	11	3	21	4
One or both parents foreign.....	21		1	4			4	6	2	3	
Foreign born.....	102	1		4	3		36	25	1	31	1
Colored.....	7					3	3			1	
Birthplaces of mothers:											
United States.....	72	5	5	4		4	11	13	3	23	4
England and Wales.....	12			2			1	3	1	5	
Ireland.....	10			1			1	4		4	
Scotland.....	1			1							
France.....	2							1		1	
Germany.....	78	1	1	3	3	1	29	17	2	20	1
Russia and Poland.....	3						2			1	
Canada.....	1							1			
Scandinavia.....	11			1			6	2		2	
Hungary.....											
Bohemia.....											
Italy.....											
Other foreign countries.....	2							2			
Unknown.....	41	1		1	1	1	10	4	8	15	

STATISTICS OF DEATHS.

TABLE 5.—DEATHS AMONG THE MALES ENGAGED IN CERTAIN OCCUPATIONS AND CLASSES OF OCCUPATIONS, BY COLOR, NATIVITY, PARENTAL NATIVITY, AND BIRTHPLACES OF MOTHERS—Continued.

STATES AND STATE GROUPS.	Total.	Class A.	Class B.	Class C.	Class D.	Class E.	Class F.	Class G.	Class H.	Farmers, planters, and overseers.	Farm laborers.
INDIANA—Continued.											
GROUP 2	1,363	46	23	40	16	15	183	232	70	668	65
White	1,301	45	23	40	16	11	140	229	67	663	62
Native born	965	36	25	27	10	6	98	129	53	523	58
Both parents native	571	25	17	14	2	2	43	66	19	336	42
One or both parents foreign	164	5	5	9	5	3	17	28	15	66	11
Foreign born	317	8	2	13	6	5	41	85	11	132	4
Colored	62	1				4	43	3	3	5	3
Birthplaces of mothers:											
United States	674	27	20	15	3	7	94	72	26	358	52
England and Wales	38	1		2		2	1	11	3	17	1
Ireland	54	4	1	1		3	7	14	4	20	
Scotland	12	1		1			1	3		6	
France	11			2	1		1	4		2	
Germany	309	5	3	13	8	2	43	33	13	131	8
Russia and Poland	1									1	
Canada	3			1	1				1		
Scandinavia											
Hungary											
Bohemia											
Italy											
Other foreign countries	13	1		1			1	4		6	
Unknown	248	7	4	4	3	1	95	41	22	127	4
GROUP 3	4,033	172	68	173	56	35	428	594	208	2,140	159
White	3,955	169	68	173	56	30	386	587	203	2,128	155
Native born	3,340	153	60	143	35	26	298	457	150	1,870	143
Both parents native	2,230	99	34	98	19	15	183	271	92	1,298	121
One or both parents foreign	300	8	13	15	10	6	21	58	25	129	15
Foreign born	491	11	8	26	18	4	69	106	38	206	5
Colored	78	3				5	42	7	5	12	4
Birthplaces of mothers:											
United States	2,428	107	35	104	20	20	233	296	102	1,378	133
England and Wales	74	1	2	6	1	1	2	14	14	32	1
Ireland	161	4	3	3	9	2	33	21	20	64	2
Scotland	26		1	1			1	8	3	11	1
France	22			1			3	4	2	10	
Germany	370	9	12	23	13	6	37	89	18	156	7
Russia and Poland	8							3		2	
Canada	8	1		1			1	3		2	
Scandinavia	13						3	6	2	2	
Hungary											
Bohemia											
Italy											
Other foreign countries	85	2	2	2	2		2	3	1	19	2
Unknown	888	48	13	32	9	6	110	147	46	464	13
INDIAN TERRITORY.											
Total	34	1	1				5		1	26	
White	6	1					1			4	
Native born	6	1					1			4	
Both parents native	6	1					1			4	
One or both parents foreign											
Foreign born											
Colored	28		1				4		1	22	
Birthplaces of mothers:											
United States	34	1	1				5		1	26	
England and Wales											
Ireland											
Scotland											
France											
Germany											
Russia and Poland											
Canada											
Scandinavia											
Hungary											
Bohemia											
Italy											
Other foreign countries											
Unknown											
IOWA.											
Total	4,341	158	106	200	62	30	409	626	247	2,353	150
White	4,304	157	105	200	62	27	393	624	237	2,349	150
Native born	2,705	120	85	153	22	20	176	375	140	1,495	114
Both parents native	1,485	59	46	86	11	10	88	195	64	875	51
One or both parents foreign	508	11	16	36	8	1	43	71	27	247	48
Foreign born	1,416	27	14	35	36	5	186	222	79	779	33
Colored	37	1	1			3	16	2	10	4	
Birthplaces of mothers:											
United States	1,638	64	47	94	12	14	107	213	80	951	56
England and Wales	204	5	6	8	5		8	34	25	107	6
Ireland	416	9	3	16	10	2	64	36	30	235	11
Scotland	72	1	1	3	1		5	11	7	42	1
France	23	1		1				2	2	16	1
Germany	637	6	12	24	20	1	79	109	17	337	32
Russia and Poland	9	2		1						4	1
Canada	56	2	1	2			1	0	2	38	1
Scandinavia	225	4	3	4			24	37	8	122	22
Hungary	1								1		
Bohemia	44	1					8	6	3	24	2
Italy	3						1	1	1		
Other foreign countries	68	1		3	3	2	7	19	2	30	1
Unknown	834	50	21	41	6	7	76	120	62	435	18

TABLE 5.—DEATHS AMONG THE MALES ENGAGED IN CERTAIN OCCUPATIONS AND CLASSES OF OCCUPATIONS, BY COLOR, NATIVITY, PARENTAL NATIVITY, AND BIRTHPLACES OF MOTHERS—Continued.

STATES AND STATE GROUPS.	Total.	Class A.	Class B.	Class C.	Class D.	Class E.	Class F.	Class G.	Class H.	Farmers, planters, and overseers.	Farm laborers.
IOWA—Continued.											
GROUP 1.....	890	36	31	50	27	7	171	182	50	315	21
White.....	883	36	31	50	27	6	166	182	49	315	21
Native born.....	406	23	25	34	8	5	57	76	30	132	16
Both parents native.....	181	8	8	15	3	1	22	37	15	70	2
One or both parents foreign.....	119	5	3	12	4	1	28	19	4	35	14
Foreign born.....	491	8	5	15	18	1	101	98	15	165	5
Colored.....	7					1	5		1		
Birthplaces of mothers:											
United States.....	203	10	8	13	4	1	28	39	15	75	5
England and Wales.....	40	2	1	5			5	11	1	14	1
Ireland.....	117	1	1	7	5		32	8	5	52	6
Scotland.....	8				1			1		6	
France.....	6	1		1						8	1
Germany.....	244	4	4	8	11	1	49	65	9	86	7
Russia and Poland.....	1									1	
Canada.....	9						1	2		5	1
Scandinavia.....	22			1			7	7		7	
Hungary.....											
Bohemia.....	1									1	
Italy.....	1							1			
Other foreign countries.....	22	1		1		1	8	4	1	11	
Unknown.....	105	5	5	6	1	1	17	16	12	42	
GROUP 2.....	3,120	112	58	128	31	20	207	412	175	1,869	108
White.....	3,094	111	57	128	31	18	198	410	167	1,866	108
Native born.....	2,105	89	48	109	12	14	106	281	100	1,263	83
Both parents native.....	1,196	45	31	64	7	9	58	150	46	749	37
One or both parents foreign.....	349	5	11	20	4	1	17	46	21	190	34
Foreign born.....	882	17	6	14	16	3	74	115	57	558	22
Colored.....	26	1	1			2	9	2	8	3	
Birthplaces of mothers:											
United States.....	1,312	47	32	69	7	13	67	166	61	811	39
England and Wales.....	145	3	4	2	5		3	23	21	81	3
Ireland.....	271	7		6	5	1	27	23	23	174	5
Scotland.....	57	1	1	2			5	10	7	30	1
France.....	16							2	2	12	
Germany.....	350	2	7	14	8		23	38	6	223	24
Russia and Poland.....	8	2		1				1		3	1
Canada.....	41	2		2				7	2	28	
Scandinavia.....	191	3	3	2		1	14	29	6	114	19
Hungary.....	1								1		
Bohemia.....	43	1					8	6	3	23	2
Italy.....	2						1		1		
Other foreign countries.....	29			2	1	2	2	12	1	10	1
Unknown.....	654	44	11	30	4	4	52	95	41	360	13
GROUP 3.....	331	10	17	22	4	3	31	32	22	169	21
White.....	327	10	17	22	4	3	29	32	21	168	21
Native born.....	194	8	12	15	2	1	13	18	10	100	15
Both parents native.....	108	6	7	7	1		8	8	3	56	12
One or both parents foreign.....	40	1	2	4			3	6	2	22	
Foreign born.....	103	2	3	6	2	1	11	9	7	56	6
Colored.....	4						2		1	1	
Birthplaces of mothers:											
United States.....	123	7	7	7	1		12	8	4	65	12
England and Wales.....	19		1	1					3	12	2
Ireland.....	28	1	2	3		1	5	5	2	9	
Scotland.....	7			1						6	
France.....	1									1	
Germany.....	43		1	2	1		2	6	2	23	1
Russia and Poland.....											
Canada.....	6		1							5	
Scandinavia.....	12	1		1			3	1	2	1	3
Hungary.....											
Bohemia.....											
Italy.....											
Other foreign countries.....	17			2	1		2	3		9	
Unknown.....	75	1	5	5	1	2	7	9	9	33	8
KANSAS.											
Total.....	2,912	147	83	122	20	30	258	360	183	1,625	84
White.....	2,766	147	82	121	19	25	186	343	176	1,535	82
Native born.....	1,991	122	64	95	12	20	101	224	107	1,177	69
Both parents native.....	1,161	69	35	67	8	12	49	107	65	710	39
One or both parents foreign.....	191	14	4	4	1	2	9	16	11	117	13
Foreign born.....	673	20	13	21	6	4	76	103	52	363	10
Colored.....	146		1	1	1	5	72	17	7	40	2
Birthplaces of mothers:											
United States.....	1,373	73	39	71	9	19	115	132	76	792	47
England and Wales.....	122	10	3	5	1		6	16	15	66	
Ireland.....	172	7	3	1		1	36	16	15	83	5
Scotland.....	33	5	2	1			3	7	3	17	
France.....	13						2	5	2	8	
Germany.....	263	6	6	10	6		23	44	12	149	10
Russia and Poland.....	26		1	1			3	3	1	17	
Canada.....	37	2	1	2			3	3	3	21	
Scandinavia.....	63			2			5	4	5	48	4
Hungary.....											
Bohemia.....	12									12	
Italy.....	4	1					1	1	1		
Other foreign countries.....	36						1	10	2	23	
Unknown.....	738	43	28	29	4	7	60	119	46	384	13

TABLE 5.—DEATHS AMONG THE MALES ENGAGED IN CERTAIN OCCUPATIONS AND CLASSES OF OCCUPATIONS, BY COLOR, NATIVITY, PARENTAL NATIVITY, AND BIRTHPLACES OF MOTHERS—Continued.

STATES AND STATE GROUPS.	Total.	Class A.	Class B.	Class C.	Class D.	Class E.	Class F.	Class G.	Class H.	Farmers, planters, and overseers.	Farm laborers.
KANSAS—Continued.											
GROUP 1.....	2,515	125	76	103	19	27	244	329	164	1,353	75
White.....	2,375	125	75	102	18	22	175	312	157	1,316	73
Native born.....	1,701	103	58	79	12	17	93	204	99	975	61
Both parents native.....	986	56	31	53	8	9	43	96	60	594	36
One or both parents foreign.....	157	14	4	4	1	2	9	14	9	90	10
Foreign born.....	586	18	12	18	6	4	73	94	44	308	9
Colored.....	140	1	1	1	1	5	69	17	7	37	2
Birthplaces of mothers:											
United States.....	1,182	60	35	57	9	16	106	120	71	666	42
England and Wales.....	98	10	3	5	1		6	15	10	48	
Ireland.....	157	7	3			1	36	14	13	78	5
Scotland.....	34	5	2	1			3	6	3	14	
France.....	16					1	2	4	2	7	
Germany.....	237	4	5	10	6	2	23	40	11	128	8
Russia and Poland.....	17	1	1					3	1	12	
Canada.....	28	2	1	2			3	3	4	13	
Scandinavia.....	61			2			5	4	4	44	2
Hungary.....											
Bohemia.....	10									10	
Italy.....	4	1					1	1	1		
Other foreign countries.....	27						1	10	2	14	
Unknown.....	644	36	26	26	3	7	58	109	42	319	18
GROUP 2.....	397	22	7	19	1	3	14	31	19	272	9
White.....	391	22	7	10	1	3	11	31	19	269	9
Native born.....	290	19	6	16		3	8	20	8	202	3
Both parents native.....	175	13	4	14		3	6	11	5	116	3
One or both parents foreign.....	34							2	2	27	3
Foreign born.....	87	2	1	3			3	9	8	60	1
Colored.....	6						3			3	
Birthplaces of mothers:											
United States.....	191	13	4	14		3	9	12	5	126	5
England and Wales.....	24							1	5	18	
Ireland.....	15			1				2	2	10	
Scotland.....	4							1		3	
France.....	2							1		1	
Germany.....	31	2	1					4	1	21	2
Russia and Poland.....	9			1			3			5	
Canada.....	9								1	8	
Scandinavia.....	7								1	4	2
Hungary.....											
Bohemia.....	2									2	
Italy.....											
Other foreign countries.....	9									9	
Unknown.....	94	7	2	3	1		2	10	4	65	
KENTUCKY.											
Total.....	4,863	177	74	154	36	27	511	467	197	2,745	475
White.....	4,049	166	70	154	34	19	240	415	153	2,535	263
Native born.....	3,619	151	62	122	29	12	177	334	125	2,349	258
Both parents native.....	2,839	119	44	96	15	7	118	229	92	1,838	231
One or both parents foreign.....	166	12	10	9	10	2	16	45	15	43	4
Foreign born.....	239	8	3	26	4	6	39	63	18	70	2
Colored.....	814	11	4	2	2	8	271	52	44	210	212
Birthplaces of mothers:											
United States.....	3,658	138	51	99	17	14	362	286	142	2,117	432
England and Wales.....	29	4	1				1	10	2	11	
Ireland.....	112	5	6	9	3	2	25	23	9	28	2
Scotland.....	11	2		1	1		1	3	1	2	
France.....	11			3				1	1	5	1
Germany.....	191	3	5	17	10	6	27	62	13	47	1
Russia and Poland.....	1								1		
Canada.....	1									1	
Scandinavia.....	1										1
Hungary.....											
Bohemia.....	1			1							
Italy.....											
Other foreign countries.....	6			1			1	2		2	
Unknown.....	841	25	11	23	5	5	94	80	28	532	38
GROUP 1.....	714	38	6	11	2	2	53	32	37	471	62
White.....	667	36	6	11	2		35	31	29	459	53
Native born.....	589	32	4	8			27	25	25	410	52
Both parents native.....	492	25	3	6			21	21	21	343	52
One or both parents foreign.....	10		1					1	1	5	1
Foreign born.....	14	2			1		3	1	1	6	
Colored.....	47	2					18	1	8	12	4
Birthplaces of mothers:											
United States.....	541	29	3	6		2	35	22	29	358	57
England and Wales.....	4	1								3	
Ireland.....	5	1			1					2	1
Scotland.....											
France.....	1									1	
Germany.....	9		1					3	1	3	
Russia and Poland.....	1								1		
Canada.....											
Scandinavia.....											
Hungary.....											
Bohemia.....											
Italy.....											
Other foreign countries.....	1							1			
Unknown.....	152	7	2	5	1		15	8	6	104	4

TABLE 5.—DEATHS AMONG THE MALES ENGAGED IN CERTAIN OCCUPATIONS AND CLASSES OF OCCUPATIONS, BY COLOR, NATIVITY, PARENTAL NATIVITY, AND BIRTHPLACES OF MOTHERS—Continued.

STATES AND STATE GROUPS.	Total.	Class A.	Class B.	Class C.	Class D.	Class E.	Class F.	Class G.	Class H.	Farmers, planters, and overseers.	Farm laborers.
KENTUCKY—Continued.											
GROUP 2.....	1,131	45	27	54	21	16	136	182	60	520	70
White.....	997	44	26	54	21	13	84	172	53	484	46
Native born.....	817	40	22	34	18	8	54	119	38	440	44
Both parents native.....	586	28	14	26	8	4	28	71	26	343	38
One or both parents foreign.....	93	7	6	6	8	2	14	23	7	14	1
Foreign born.....	149	4	2	17	3	4	21	51	12	34	1
Colored.....	134	1	1	3	52	10	7	36	24
Birthplaces of mothers:											
United States.....	730	33	18	28	8	6	77	83	37	381	59
England and Wales.....	14	3	1	7	3
Ireland.....	47	1	3	3	1	12	14	5	8
Scotland.....	6	1	1	1	1	2
France.....	3	2	1
Germany.....	154	2	4	14	10	6	21	55	10	31	1
Russia and Poland.....
Canada.....
Scandinavia.....
Hungary.....
Bohemia.....	1	1
Italy.....
Other foreign countries.....	2	1	1
Unknown.....	174	5	2	5	2	4	24	21	8	94	0
GROUP 3.....	147	1	1	7	4	12	5	104	13
White.....	125	1	1	7	1	12	4	92	7
Native born.....	122	1	1	6	1	12	4	90	7
Both parents native.....	70	1	4	7	2	51	5
One or both parents foreign.....	3
Foreign born.....	3	1	2	1
Colored.....	22	2
Birthplaces of mothers:											
United States.....	95	1	1	4	3	8	3	65	10
England and Wales.....	1
Ireland.....	2
Scotland.....	1	2
France.....	1
Germany.....
Russia and Poland.....	1	1
Canada.....
Scandinavia.....
Hungary.....
Bohemia.....
Italy.....
Other foreign countries.....
Unknown.....	47	2	1	3	1	37	3
GROUP 4.....	2,871	93	40	82	13	9	318	241	95	1,650	330
White.....	2,260	85	37	82	11	6	120	200	67	1,500	152
Native born.....	2,091	78	35	74	11	4	95	178	58	1,409	140
Both parents native.....	1,691	66	28	60	7	3	69	130	43	1,151	136
One or both parents foreign.....	60	4	3	3	2	2	14	6	24	2
Foreign born.....	73	2	1	8	2	15	11	5	28	1
Colored.....	611	8	3	2	3	198	41	28	150	178
Birthplaces of mothers:											
United States.....	2,292	75	29	61	9	6	247	173	73	1,313	306
England and Wales.....	10	1	3	1	5
Ireland.....	58	3	3	6	1	2	13	9	4	16	1
Scotland.....	4	1	1	1	1
France.....	7	1	1	1	4
Germany.....	27	1	2	3	6	2	13
Russia and Poland.....
Canada.....	1	1
Scandinavia.....	1	1
Hungary.....
Bohemia.....
Italy.....
Other foreign countries.....	3	1	1	1
Unknown.....	468	13	7	11	2	1	54	48	13	297	22
LOUISIANA.											
Total.....	2,499	75	34	48	11	16	534	171	83	1,042	485
White.....	1,068	63	34	46	6	6	84	116	52	594	67
Native born.....	900	53	29	28	4	4	67	80	39	533	63
Both parents native.....	648	31	19	21	2	42	53	24	399	57
One or both parents foreign.....	39	2	2	3	1	7	9	1	12	1
Foreign born.....	107	4	2	17	2	2	13	30	8	28	3
Colored.....	1,431	12	5	10	450	55	31	448	418
Birthplaces of mothers:											
United States.....	1,056	42	19	24	4	10	429	103	50	820	455
England and Wales.....	4	2	1	1
Ireland.....	22	4	1	4	4	1	6	1
Scotland.....	2
France.....	40	3	3	8	1	4	8	1	11	1
Germany.....	40	1	6	6	18	2	7
Russia and Poland.....
Canada.....	3	1	1
Scandinavia.....	6	4
Hungary.....
Bohemia.....
Italy.....	4	1	1	1
Other foreign countries.....	12	1	2	5	2	2
Unknown.....	408	27	11	5	6	3	85	33	23	190	25

STATISTICS OF DEATHS.

TABLE 5.—DEATHS AMONG THE MALES ENGAGED IN CERTAIN OCCUPATIONS AND CLASSES OF OCCUPATIONS, BY COLOR, NATIVITY, PARENTAL NATIVITY, AND BIRTHPLACES OF MOTHERS—Continued.

STATES AND STATE GROUPS.	Total.	Class A.	Class B.	Class C.	Class D.	Class E.	Class F.	Class G.	Class H.	Farmers, planters, and overseers.	Farm laborers.
LOUISIANA—Continued.											
GROUP 1	997	39	18	29	6	9	268	98	44	323	168
White	501	30	18	28	4	6	53	71	30	233	28
Native born	413	25	16	15	3	4	42	50	22	210	26
Both parents native	329	16	13	11	2	2	28	37	15	181	20
One or both parents foreign	80	1	2	3	1	1	7	7	1	7	7
Foreign born	70	2	1	13	1	2	10	18	6	16	2
Colored	496	9	1	1	2	3	210	27	14	90	140
Birthplaces of mothers:											
United States	806	25	13	13	2	5	229	60	29	269	161
England and Wales	2	1						1			
Ireland	15			3	1	1	3	2	1	3	1
Scotland	2						1	1			
France	31	1	3	7		1	4	7		8	
Germany	24			4			5	11	1	3	
Russia and Poland	2										
Canada	4						1			1	
Scandinavia	2						1			3	
Hungary	4										
Bohemia	4										
Italy	5			1			1		1		1
Other foreign countries	100	11	2	1	3	1	17	16	9	35	5
Unknown											
GROUP 2	560	13	5	7		1	134	18	8	236	138
White	138	11	5	6			12	9	3	80	12
Native born	114	9	4	5			10	6	1	67	12
Both parents native	95	6	2	4			8	2	1	60	12
One or both parents foreign	1	1									
Foreign born	16	1	1	1			1	3	1	8	
Colored	422	2		1		1	123	9	5	156	126
Birthplaces of mothers:											
United States	439	7	2	5			91	9	5	194	126
England and Wales	2	1								1	
Ireland	3			1						2	
Scotland	6										
France	5	1						1	1	3	
Germany	5		1				1	1		2	
Russia and Poland											
Canada											
Scandinavia											
Hungary											
Bohemia											
Italy											
Other foreign countries	3							1			2
Unknown	102	4	2	1		1	42	6	2	34	10
GROUP 3	942	23	11	12	5	6	137	55	31	483	179
White	429	22	11	12	2		19	36	19	281	27
Native born	373	19	9	8	1		15	24	16	256	25
Both parents native	224	9	4	6			6	14	8	158	19
One or both parents foreign	8							2		5	1
Foreign born	21	1		3			2	9	1	4	1
Colored	513	1			3	6	118	19	12	202	152
Birthplaces of mothers:											
United States	711	10	4	6	2	5	109	34	16	357	168
England and Wales											
Ireland	4						1	2		1	
Scotland											
France	3	1		1							1
Germany	11			2				6	1	2	
Russia and Poland											
Canada	1							1			
Scandinavia	2						1			1	
Hungary											
Bohemia											
Italy											
Other foreign countries	4							1	2	1	
Unknown	206	12	7	3	3	1	26	11	12	121	10
MAINE.											
Total	3,206	98	90	173	23	37	414	602	331	1,372	66
White	3,194	98	90	173	23	35	409	600	329	1,371	66
Native born	2,739	89	83	161	18	26	247	477	292	1,287	59
Both parents native	2,202	64	52	121	17	16	159	354	232	1,138	49
One or both parents foreign	145	7	8	7		2	31	39	19	24	8
Foreign born	415	7	7	11	5	8	152	116	33	69	7
Colored	12					2	5	2	2	1	
Birthplaces of mothers:											
United States	2,264	66	55	122	18	17	166	371	241	1,156	52
England and Wales	56	3		1		2	4	25	9	12	
Ireland	214	4	5	8	1	1	112	42	15	25	1
Scotland	21	1	1				1	12	2	4	
France	8		1				4	3			
Germany	11		2			2	1	5	1		
Russia and Poland	2			1						1	
Canada	183	4	3	7	2	2	54	54	14	32	11
Scandinavia	15					2	4	3	2	4	
Hungary											
Bohemia											
Italy	2						1		1		
Other foreign countries	2					1			1		
Unknown	428	20	23	34	2	10	67	87	45	138	3

TABLE 5.—DEATHS AMONG THE MALES ENGAGED IN CERTAIN OCCUPATIONS AND CLASSES OF OCCUPATIONS, BY COLOR, NATIVITY, PARENTAL NATIVITY, AND BIRTHPLACES OF MOTHERS—Continued.

STATES AND STATE GROUPS.	Total.	Class A.	Class B.	Class C.	Class D.	Class E.	Class F.	Class G.	Class H.	Farmers, planters, and overseers.	Farm laborers.
MAINE—Continued.											
GROUP 1.....	2,124	59	63	111	13	33	240	473	266	332	34
White.....	2,115	59	63	111	13	32	236	471	265	331	34
Native born.....	1,810	52	56	100	11	23	140	361	236	797	34
Both parents native.....	1,433	36	39	84	10	14	97	268	193	710	32
One or both parents foreign.....	95	3	7	5	2	2	16	35	13	12	2
Foreign born.....	230	5	7	10	2	8	90	103	25	30	
Colored.....	9					1	4	2	1	1	
Birthplaces of mothers:											
United States.....	1,519	36	42	85	10	14	102	232	198	717	33
England and Wales.....	39	1		1		2	3	21	7	4	
Ireland.....	157	2	4	8	1	1	75	41	10	15	
Scotland.....	18	1	1			1		11	2	3	
France.....	5		1				1	3			
Germany.....	10		2			2		5	1		
Russia and Poland.....	2			1						1	
Canada.....	105	4	3	4	1	2	24	46	10	10	1
Scandinavia.....	8					2	1	2	2	1	
Hungary.....											
Bohemia.....											
Italy.....	1								1		
Other foreign countries.....	2				1	1			1		
Unknown.....	258	15	10	12	1	9	34	62	34	81	
GROUP 2.....	1,032	39	27	62	10	4	174	129	65	540	32
White.....	1,079	39	27	62	10	3	173	129	64	540	32
Native born.....	939	37	27	61	7	3	107	116	56	490	25
Both parents native.....	719	28	13	37	7	2	62	86	39	428	17
One or both parents foreign.....	50	4	1	2			15	4	6	12	6
Foreign born.....	135	2		1	3		62	13	8	39	7
Colored.....	3					1	1		1		
Birthplaces of mothers:											
United States.....	745	30	13	37	8	3	64	89	43	439	19
England and Wales.....	17	2					1	4	2	8	
Ireland.....	57	2	1				37	1	5	10	1
Scotland.....	3						1	1		1	
France.....	3						3				
Germany.....	1						1				
Russia and Poland.....											
Canada.....	78			3	1		30	3	4	22	10
Scandinavia.....	7						3	1		3	
Hungary.....											
Bohemia.....											
Italy.....	1						1				
Other foreign countries.....											
Unknown.....	170	5	13	22	1	1	33	25	11	57	2
MARYLAND.											
Total.....	3,706	133	213	251	61	57	813	911	426	626	215
White.....	2,899	125	212	238	56	44	408	876	317	555	68
Native born.....	2,046	99	180	160	27	36	198	563	231	491	61
Both parents native.....	955	45	31	46	10	6	92	158	102	410	55
One or both parents foreign.....	71	4	2	8	3	1	8	13	14	18	
Foreign born.....	784	20	27	73	28	8	197	303	74	49	5
Colored.....	807	8	1	13	5	13	405	35	109	71	147
Birthplaces of mothers:											
United States.....	1,404	53	32	49	10	8	244	174	152	481	201
England and Wales.....	15			2				6	5	1	1
Ireland.....	58		1	4	2		9	11	12	19	
Scotland.....	14			1			1	1	10	1	
France.....	3			1						2	
Germany.....	98	1	1	3	5		15	30	13	26	4
Russia and Poland.....											
Canada.....	1	1									
Scandinavia.....	1								1		
Hungary.....											
Bohemia.....											
Italy.....											
Other foreign countries.....	5	1		1		1				2	
Unknown.....	175	10	9	8	1	2	36	29	13	60	7
GROUP 1.....	3,285	112	203	232	60	54	720	824	373	506	201
White.....	2,510	104	202	219	55	41	341	789	265	437	57
Native born.....	1,726	79	173	142	26	33	144	492	199	383	51
Both parents native.....	707	29	25	33	9	4	45	103	82	329	48
One or both parents foreign.....	46	3	2	4	3		7	6	8	13	
Foreign born.....	730	19	26	72	28	8	168	288	56	41	4
Colored.....	775	8	1	13	5	13	379	35	108	69	144
Birthplaces of mothers:											
United States.....	1,122	35	26	36	9	5	178	116	130	396	191
England and Wales.....	9			2				2	3	1	1
Ireland.....	36		1	2	2		5	6	6	14	
Scotland.....	3						1	1		1	
France.....	2			1						1	
Germany.....	65	1		1	5		9	18	8	20	3
Russia and Poland.....											
Canada.....											
Scandinavia.....	1								1		
Hungary.....											
Bohemia.....											
Italy.....											
Other foreign countries.....	5	1		1		1				2	
Unknown.....	110	8	6	7	1	2	19	21	5	37	4

STATISTICS OF DEATHS.

TABLE 5.—DEATHS AMONG THE MALES ENGAGED IN CERTAIN OCCUPATIONS AND CLASSES OF OCCUPATIONS, BY COLOR, NATIVITY, PARENTAL NATIVITY, AND BIRTHPLACES OF MOTHERS—Continued.

STATES AND STATE GROUPS.	Total.	Class A.	Class B.	Class C.	Class D.	Class E.	Class F.	Class G.	Class H.	Farmers, planters, and overseers.	Farm laborers.
MARYLAND—Continued.											
GROUP 2	421	21	10	19	1	3	93	87	53	120	14
White.....	389	21	10	19	1	3	67	87	52	118	11
Native born.....	320	20	8	18	1	3	54	71	32	103	10
Both parents native.....	248	16	6	13	1	2	47	55	20	81	7
One or both parents foreign.....	25	1	1	4	1	1	9	7	6	5	1
Foreign born.....	54	1	1	1	1	1	9	15	18	8	3
Colored.....	32						26		1	2	
Birthplaces of mothers:											
United States.....	282	18	6	13	1	3	66	58	22	85	10
England and Wales.....	6							4	2		
Ireland.....	22			2			4	5	6	5	
Scotland.....	11			1					10		
France.....	1									1	
Germany.....	33		1	2						6	1
Russia and Poland.....							6	12	5		
Canada.....	1	1									
Scandinavia.....											
Hungary.....											
Bohemia.....											
Italy.....											
Other foreign countries.....											
Unknown.....	65	2	3	1			17	8	8	23	3
MASSACHUSETTS.											
Total	10,265	352	654	782	92	217	2,167	3,769	935	1,224	73
White.....	10,124	350	652	781	91	192	2,098	3,752	923	1,214	71
Native born.....	5,798	285	535	552	61	115	516	2,081	593	1,007	50
Both parents native.....	3,618	198	326	394	36	55	194	1,167	366	849	33
One or both parents foreign.....	1,484	40	167	99	16	41	260	650	164	35	12
Foreign born.....	4,242	61	114	225	30	77	1,571	1,631	315	197	21
Colored.....	141	2	2	1	1	25	69	17	12	10	2
Birthplaces of mothers:											
United States.....	3,910	208	353	407	40	70	267	1,264	337	876	38
England and Wales.....	477	11	26	27	5	9	56	276	36	30	1
Ireland.....	3,755	50	160	207	28	64	1,474	1,297	322	183	20
Scotland.....	164	6	10	16		2	17	90	15	7	1
France.....	34	1	1			2	11	16	2	1	
Germany.....	210	10	11	20	2	7	37	95	13	14	1
Russia and Poland.....	27	1		5			6	9	5		1
Canada.....	699	7	47	25	5	24	154	356	49	27	5
Scandinavia.....	75	1	7	1	1	1	12	40	11	1	
Hungary.....	3				1		1	1			
Bohemia.....	3						1	2			
Italy.....	32	1	2	4		2	17	5			1
Other foreign countries.....	109	5	1	9	1	12	29	32	14	6	
Unknown.....	767	51	36	61	9	24	85	286	81	129	5
GROUP 1	7,873	276	580	672	67	177	1,693	2,945	790	640	33
White.....	7,750	274	578	671	66	154	1,691	2,932	779	633	32
Native born.....	4,362	218	468	475	43	96	388	1,681	497	525	21
Both parents native.....	2,731	157	279	345	23	49	144	937	317	458	17
One or both parents foreign.....	1,184	31	155	87	11	35	199	508	131	24	3
Foreign born.....	3,342	55	107	194	23	58	1,236	1,282	271	105	11
Colored.....	123	2	2	1	1	23	62	13	11	7	1
Birthplaces of mothers:											
United States.....	2,981	165	305	356	30	63	208	1,018	337	479	20
England and Wales.....	393	10	23	22	5	9	47	225	32	19	1
Ireland.....	2,993	41	150	182	21	50	1,181	1,034	264	62	8
Scotland.....	136	5	10	12		2	13	73	14	6	1
France.....	25	1	1			2	8	11	2		
Germany.....	164	9	10	20	2	5	29	71	11	7	
Russia and Poland.....	22	1		5			3	3	5		
Canada.....	488	5	42	20	2	15	92	254	40	16	2
Scandinavia.....	62	1	7	1	1	1	10	30	10	1	
Hungary.....	2						1	2			
Bohemia.....	3						1	2			
Italy.....	26	1	2	3		2	13	5			
Other foreign countries.....	97	4	1	7	1	12	26	27	14	5	
Unknown.....	481	33	29	44	4	16	62	186	61	45	1
GROUP 2	2,392	76	74	110	25	40	474	824	145	584	40
White.....	2,374	76	74	110	25	38	467	820	144	581	39
Native born.....	1,436	67	67	77	18	19	128	453	96	432	29
Both parents native.....	837	41	47	49	8	6	50	230	49	391	16
One or both parents foreign.....	300	9	12	12	5	6	51	142	33	11	9
Foreign born.....	900	6	7	31	7	19	335	349	44	92	10
Colored.....	18					2	7	4	1	3	1
Birthplaces of mothers:											
United States.....	929	43	48	51	10	7	59	246	50	397	18
England and Wales.....	84	1	3	5			9	51	4	11	
Ireland.....	762	9	10	25	7	14	293	263	58	71	12
Scotland.....	28	1		4			4	17	1	1	
France.....	9						3	5		1	
Germany.....	46	1	1			2	8	24	2	7	1
Russia and Poland.....	5						3	1			1
Canada.....	211	2	5	5	3	9	62	102	9	11	3
Scandinavia.....	13						2	10	1		
Hungary.....	1						1				
Bohemia.....											
Italy.....	6			1			4				1
Other foreign countries.....	12	1		2			3	5		1	
Unknown.....	286	18	7	17	5	8	23	100	20	84	4

TABLE 5.—DEATHS AMONG THE MALES ENGAGED IN CERTAIN OCCUPATIONS AND CLASSES OF OCCUPATIONS, BY COLOR, NATIVITY, PARENTAL NATIVITY, AND BIRTHPLACES OF MOTHERS—Continued.

STATES AND STATE GROUPS.	Total.	Class A.	Class B.	Class C.	Class D.	Class E.	Class F.	Class G.	Class H.	Farmers, planters, and overseers.	Farm laborers.
MICHIGAN.											
Total	5,584	201	157	227	60	24	791	872	477	2,591	175
White	5,514	201	156	227	60	23	759	867	470	2,570	173
Native born	3,112	142	103	160	26	10	292	468	179	1,620	112
Both parents native	1,765	88	51	103	11	3	132	253	79	987	58
One or both parents foreign	632	18	31	27	8	5	84	106	58	255	40
Foreign born	2,178	46	45	60	39	11	400	368	261	884	59
Colored	70		1		1	1	32	5	7	21	2
Birthplaces of mothers:											
United States	1,987	100	56	106	13	4	177	281	86	1,094	70
England and Wales	421	10	14	12	1	4	30	83	51	208	8
Ireland	530	7	10	18	10	6	94	76	06	232	11
Scotland	141	3	11	5	2	1	13	26	11	68	1
France	48	3		1	1	1	12	9	4	16	1
Germany	707	10	18	28	13	2	98	142	35	329	32
Russia and Poland	86		2	2	3		32	2	36	7	2
Canada	369	15	9	11	9		93	60	40	111	21
Scandinavia	155	2	4	3	3		56	15	47	20	5
Hungary	1			1							
Bohemia	13	1					1	6		5	
Italy	12						1	1	9	1	
Other foreign countries	164	2	3	4	4	1	37	25	20	60	8
Unknown	950	48	30	36	10	5	147	146	72	440	16
GROUP 1	2,686	93	80	118	43	18	476	420	344	1,009	76
White	2,647	93	88	118	43	18	459	417	338	997	76
Native born	1,137	56	46	65	13	5	135	172	102	500	43
Both parents native	586	39	21	39	4	2	55	84	35	238	10
One or both parents foreign	319	6	16	15	6	3	47	53	43	108	22
Foreign born	1,421	33	33	48	28	11	300	236	219	475	33
Colored	39		1				17	3	6	12	
Birthplaces of mothers:											
United States	671	42	24	39	5	2	73	94	39	330	23
England and Wales	215	5	9	7	1	3	20	47	41	77	5
Ireland	293	3	8	10	8	6	54	43	48	108	1
Scotland	80	2	3	5	2	1	8	18	7	28	1
France	33	2		1	1	1	12	3	4	9	
Germany	452	8	11	22	9	2	75	93	27	187	18
Russia and Poland	78		2	2	3		28	1	36	4	2
Canada	262	11	8	10	6		74	39	30	73	11
Scandinavia	133	2	4	2	3		50	13	47	10	2
Hungary	1			1							
Bohemia	13	1					1	6		5	
Italy	10						1	1	9		
Other foreign countries	111	2	1	3	1	1	19	16	14	49	6
Unknown	334	15	14	16	5	2	62	47	42	129	2
GROUP 2	2,898	108	68	109	26	6	315	452	133	1,582	99
White	2,867	108	68	109	25	5	300	450	132	1,573	97
Native born	1,975	86	57	95	13	5	157	296	77	1,120	69
Both parents native	1,179	49	30	64	7	1	77	169	44	699	39
One or both parents foreign	313	12	15	12	2	2	37	53	16	147	18
Foreign born	752	13	7	12	11	1	100	132	42	409	26
Colored	31				1	1	15	2	1	9	2
Birthplaces of mothers:											
United States	1,316	58	32	67	8	2	104	187	47	764	47
England and Wales	206	5	5	5		1	10	36	10	131	3
Ireland	237	4	2	8	2		40	33	18	124	6
Scotland	61	1	3				5	8	4	40	
France	15	1		1	1			6		7	
Germany	255	2	7	6	4		23	49	8	142	14
Russia and Poland	8						4	1		3	
Canada	107	4	1	1	3		19	21	10	38	10
Scandinavia	22			1			6	2		10	3
Hungary											
Bohemia											
Italy	2							1		1	
Other foreign countries	53		2	1	3		19	9	6	11	2
Unknown	616	33	16	20	5	3	85	99	30	311	14
MINNESOTA.											
Total	3,083	86	93	103	53	20	454	404	147	1,564	159
White	3,071	86	93	103	53	20	447	404	145	1,561	159
Native born	1,042	55	57	59	19	11	38	162	63	463	65
Both parents native	469	26	30	33	8	6	32	79	22	221	12
One or both parents foreign	369	12	16	11	9	2	33	47	23	165	51
Foreign born	1,960	28	31	42	34	8	336	230	78	1,082	91
Colored	12						7		2	3	
Birthplaces of mothers:											
United States	533	31	35	33	10	7	40	88	26	248	15
England and Wales	107	6	4	4	1	3	9	19	7	53	1
Ireland	298	4	4	7	7		42	32	16	172	14
Scotland	42	2	1	2		1	7	5	2	20	2
France	20	1	2	2			1	5	2	7	
Germany	549	11	7	14	18	1	61	76	17	326	18
Russia and Poland	38			4			14	2	5	11	2
Canada	127	2	7	5	1	1	20	15	15	58	3
Scandinavia	1,010	9	20	14	13	3	195	106	30	522	93
Hungary	4						1			3	
Bohemia	38							6		23	1
Italy	1										
Other foreign countries	53	1	1	1	1	1	6	6	3	32	1
Unknown	263	19	12	17	2	3	49	44	24	89	4

TABLE 5.—DEATHS AMONG THE MALES ENGAGED IN CERTAIN OCCUPATIONS AND CLASSES OF OCCUPATIONS, BY COLOR, NATIVITY, PARENTAL NATIVITY, AND BIRTHPLACES OF MOTHERS—Continued.

STATES AND STATE GROUPS.	Total.	Class A.	Class B.	Class C.	Class D.	Class E.	Class F.	Class G.	Class H.	Farmers, planters, and overseers.	Farm laborers.
MINNESOTA—Continued.											
GROUP 1.....	1,248	43	60	48	26	15	257	228	76	465	30
White.....	1,242	43	60	48	26	15	253	228	74	465	30
Native born.....	429	25	35	26	10	9	48	30	37	144	15
Both parents native.....	190	13	19	14	4	4	19	40	12	62	3
One or both parents foreign.....	142	4	9	3	5	2	13	24	12	58	12
Foreign born.....	772	15	20	20	16	5	192	138	36	315	15
Colored.....	6						4		2		
Birthplaces of mothers:											
United States.....	215	15	21	14	6	5	25	43	14	68	4
England and Wales.....	43	4	3	2	1	3	5	11	2	12	
Ireland.....	150	2	3	2	4		24	20	9	81	5
Scotland.....	18	2				1	5	5		5	
France.....	6		2						2	2	
Germany.....	288	5	3	5	7	1	34	45	7	123	8
Russia and Poland.....	16			4			8			3	1
Canada.....	60	1	4	3			10	10		23	1
Scandinavia.....	345	2	15	6	7	2	110	63	8	112	10
Hungary.....	3						1			2	
Bohemia.....	4						1	2		1	
Italy.....	1						1				
Other foreign countries.....	16	1	1	1			4	3		5	1
Unknown.....	133	11	8	11	1	3	29	26	15	28	
GROUP 2.....	1,389	36	24	43	23	3	126	146	37	865	86
White.....	1,388	36	24	43	23	3	125	146	37	865	86
Native born.....	510	27	17	28	7	2	32	74	17	268	38
Both parents native.....	243	13	8	17	2	2	11	35	6	143	6
One or both parents foreign.....	181	6	6	6	4		16	21	8	84	30
Foreign born.....	864	9	7	15	16	1	91	70	18	591	46
Colored.....	1						1				
Birthplaces of mothers:											
United States.....	271	16	11	17	2	2	11	40	8	158	6
England and Wales.....	44		1	1			4	2		35	1
Ireland.....	136	1		4	2		17	12	6	85	9
Scotland.....	18			2			1		2	12	1
France.....	10	1					1	5		3	
Germany.....	283	5	3	8	11		25	28	8	187	8
Russia and Poland.....	8						1	2		4	1
Canada.....	39	1	3	1			1	5	4	23	1
Scandinavia.....	420	5	3	5	6		47	30	3	267	54
Hungary.....	1									1	
Bohemia.....	31						7	4		19	1
Italy.....	1										
Other foreign countries.....	32				1	1	2	2	1	25	
Unknown.....	96	7	3	5	1		9	16	5	46	4
GROUP 3.....	446	7	9	12	4	2	71	30	34	234	43
White.....	441	7	9	12	4	2	69	30	34	231	43
Native born.....	103	3	5	5	2		8	3	9	51	12
Both parents native.....	36		3	2	2		2	4	4	15	3
One or both parents foreign.....	46	2	1	2			4	2	3	23	9
Foreign born.....	324	4	4	7	2	2	53	22	24	176	30
Colored.....	5						2			3	
Birthplaces of mothers:											
United States.....	47		3	2	2		4	5	4	22	5
England and Wales.....	20	2		1				6	5	6	
Ireland.....	12	1	1	1	1				1	6	
Scotland.....	6		1				1			3	1
France.....	4									2	
Germany.....	28	1	1	2			2	3	2	16	2
Russia and Poland.....	14						5		5	4	
Canada.....	28			1	1	1	9		3	12	1
Scandinavia.....	245	2	2	3		1	38	13	9	143	34
Hungary.....	3									3	
Bohemia.....	3										
Italy.....	1										
Other foreign countries.....	5								2	2	
Unknown.....	34	1	1	1			11	2	3	15	
MISSISSIPPI.											
Total.....	3,690	108	51	90	10	6	459	185	128	2,110	543
White.....	1,609	82	49	84	7	1	94	126	61	1,033	72
Native born.....	1,388	73	40	58	4	1	55	88	44	955	70
Both parents native.....	970	44	27	36	4	1	32	58	27	683	58
One or both parents foreign.....	54	3	4	9			1	16	5	15	1
Foreign born.....	109	4	2	21			25	28	9	20	
Colored.....	2,081	26	2	6	3	5	365	59	67	1,077	471
Birthplaces of mothers:											
United States.....	2,914	73	32	43	7	6	363	116	91	1,679	504
England and Wales.....	12	1		1			1	3		6	
Ireland.....	57		1	9			14	11	5	16	
Scotland.....	9	2		1				4		2	
France.....	11			3			1	2	2	2	
Germany.....	41	1	3	9			7	15	4	2	
Russia and Poland.....	2			2							
Canada.....	4						2	2			
Scandinavia.....	5						1	1	2	1	
Hungary.....											
Bohemia.....											
Italy.....	2			1				1			
Other foreign countries.....	7			4				1		2	
Unknown.....	626	29	15	17	3		70	29	24	400	89

TABLE 5.—DEATHS AMONG THE MALES ENGAGED IN CERTAIN OCCUPATIONS AND CLASSES OF OCCUPATIONS, BY COLOR, NATIVITY, PARENTAL NATIVITY, AND BIRTHPLACES OF MOTHERS—Continued.

STATES AND STATE GROUPS.	Total.	Class A.	Class B.	Class C.	Class D.	Class E.	Class F.	Class G.	Class H.	Farmers, planters, and overseers.	Farm laborers.
MISSISSIPPI—Continued.											
GROUP 1.....	118	5	6	11			32	16	18	27	3
White.....	93	3	6	11			20	16	11	25	1
Native born.....	71	2	6	6			18	10	5	23	1
Both parents native.....	55	1	5	3			16	8	2	19	1
One or both parents foreign.....	6		1	3				2			
Foreign born.....	15	1		4				6	4		
Colored.....	25	2					12		7	2	2
Birthplaces of mothers:											
United States.....	80	3	6	4			26	8	9	21	3
England and Wales.....	2			1				1			
Ireland.....	4			2				1	1		
Scotland.....											
France.....	5	1		1				2	1		
Germany.....	5			2				2	1		
Russia and Poland.....											
Canada.....											
Scandinavia.....	1								1		
Hungary.....											
Bohemia.....											
Italy.....	1							1			
Other foreign countries.....	1							1			
Unknown.....	19	1		1			6		5	6	
GROUP 2.....	2,322	78	29	56	3	1	170	104	49	1,510	322
White.....	1,207	66	28	53	3		27	75	26	870	59
Native born.....	1,088	59	22	40	3		17	54	24	812	57
Both parents native.....	783	37	14	28	3		12	40	18	581	50
One or both parents foreign.....	31	1	2	3			1	5	4	14	1
Foreign born.....	41	2		9			3	12	1	14	
Colored.....	1,115	12	1	3		1	143	29	23	640	263
Birthplaces of mothers:											
United States.....	1,837	52	17	30	3	1	143	66	40	1,179	306
England and Wales.....	6	1						1		4	
Ireland.....	25			6			3	3	1	12	
Scotland.....	4	1						1		2	
France.....	4			1					1	2	
Germany.....	18		1	4			1	8	2	2	
Russia and Poland.....											
Canada.....	2							2			
Scandinavia.....	1							1			
Hungary.....											
Bohemia.....											
Italy.....	3			2						1	
Other foreign countries.....	3										
Unknown.....	422	24	11	13			23	22	5	308	16
GROUP 3.....	1,250	25	16	23	7	5	257	65	61	573	218
White.....	369	13	15	20	4	1	47	35	24	138	12
Native born.....	229	12	12	12	1	1	20	24	15	120	12
Both parents native.....	132	6	8	5	1	1	4	10	7	83	7
One or both parents foreign.....	17	2	1	3				9	1	1	
Foreign born.....	53	1	2	8			22	10	4	6	
Colored.....	941	12	1	3	3	4	210	30	37	435	206
Birthplaces of mothers:											
United States.....	907	18	9	9	4	5	194	42	42	479	195
England and Wales.....	4						1	1		2	
Ireland.....	28	1	1	1			11	7	3	4	
Scotland.....	5	1		1				3			
France.....	2			1			1				
Germany.....	18	1	2	3			6	5	1		
Russia and Poland.....	2			2							
Canada.....	2						2				
Scandinavia.....	3						1		1	1	
Hungary.....											
Bohemia.....											
Italy.....	1			1							
Other foreign countries.....	3			2						1	
Unknown.....	185	4	4	3	3		41	7	14	86	23
MISSOURI.											
Total.....	7,009	268	236	343	77	76	1,009	1,019	472	3,194	315
White.....	6,510	257	235	342	77	61	730	937	423	3,121	277
Native born.....	4,546	201	181	232	26	23	331	468	290	2,540	254
Both parents native.....	2,490	106	52	111	11	7	111	174	121	1,622	175
One or both parents foreign.....	340	10	9	15	2		21	41	20	182	40
Foreign born.....	1,654	42	50	103	50	35	374	495	115	410	10
Colored.....	499	11	1	1		15	279	32	49	73	38
Birthplaces of mothers:											
United States.....	2,870	119	54	121	11	11	258	206	137	1,731	222
England and Wales.....	94	3	4	5			4	15	14	47	2
Ireland.....	168	4	2	3	4	1	16	18	13	92	10
Scotland.....	33	1	2		1	1		4	4	20	
France.....	27		3	1			2	6	3	12	
Germany.....	547	10	7	16	6	1	36	92	19	334	26
Russia and Poland.....	4			1			2	1			
Canada.....	24	1		1			3	3	3	12	1
Scandinavia.....	18				1		4	3	3	6	1
Hungary.....	2			1			1				
Bohemia.....	2							2			
Italy.....	1							1			
Other foreign countries.....	23	1		1			1	6		12	2
Unknown.....	1,335	60	22	40	5	4	114	95	57	887	51

STATISTICS OF DEATHS.

TABLE 5.—DEATHS AMONG THE MALES ENGAGED IN CERTAIN OCCUPATIONS AND CLASSES OF OCCUPATIONS, BY COLOR, NATIVITY, PARENTAL NATIVITY, AND BIRTHPLACES OF MOTHERS—Continued.

STATES AND STATE GROUPS.	Total.	Class A.	Class B.	Class C.	Class D.	Class E.	Class F.	Class G.	Class H.	Farmers, planters, and overseers.	Farm laborers.
MISSOURI—Continued.											
GROUP 1	2,711	92	150	164	56	58	643	609	227	643	69
White	2,473	89	150	164	56	50	494	596	196	629	59
Native born	1,243	51	110	84	12	17	152	195	125	444	53
Both parents native	392	15	7	14	3	3	23	18	18	262	29
One or both parents foreign	94	5	5	8			7	7	7	46	14
Foreign born	1,164	33	38	80	43	32	328	391	70	147	2
Colored	238	3				8	159	13	31	14	10
Birthplaces of mothers:											
United States	452	16	7	16	3	3	52	19	20	275	41
England and Wales	18		2	2				1	1	12	
Ireland	31	1	2	1	1		5		2	15	4
Scotland											
France	10						2	1	1	6	
Germany	213	3	4	5	3		15	36	6	131	10
Russia and Poland											
Canada	5	1					1		2	1	
Scandinavia	3						1			2	
Hungary											
Bohemia											
Italy	1							1			
Other foreign countries	6							3		3	
Unknown	252	12	7	4	2		21	21	7	164	14
GROUP 2	1,838	75	24	53	7	4	132	157	124	1,164	98
White	1,788	75	24	53	7	3	109	151	122	1,150	94
Native born	1,532	68	21	48	5	1	88	116	99	1,000	86
Both parents native	981	42	15	34	2		44	79	67	632	66
One or both parents foreign	83	1		2	1		6	12	4	51	6
Foreign born	136	2	3	2	2	2	9	27	11	75	3
Colored	50					1	23	6	2	14	4
Birthplaces of mothers:											
United States	1,062	46	15	39	2		66	91	69	661	73
England and Wales	33		2	1			1	5	5	17	2
Ireland	49	1			2	1	3	7	4	29	2
Scotland	15		1		1	1		2	1	9	
France	6			1				1	1	3	
Germany	77	1		2			7	15	5	44	3
Russia and Poland	1							1			
Canada	4							1		3	
Scandinavia	2							1		1	
Hungary	1						1				
Bohemia											
Italy											
Other foreign countries	4	1								3	
Unknown	584	26	6	10	2	2	54	33	39	394	18
GROUP 3	1,024	40	18	46	4	3	54	76	45	679	59
White	996	39	17	45	4	2	40	76	44	674	55
Native born	843	33	16	39	2	1	27	57	25	592	51
Both parents native	695	24	13	25	1	1	16	36	18	422	39
One or both parents foreign	47	2		1			4	6	2	28	4
Foreign born	106	5		6	2	1	7	16	17	50	2
Colored	28	1	1	1		1	14		1	5	4
Birthplaces of mothers:											
United States	650	26	14	28	1	2	32	38	20	444	45
England and Wales	29	2					2	6	6	13	
Ireland	44			1			3	2	5	30	3
Scotland	11								3	8	
France	2							1	1		
Germany	26	3		2	1	1	2	3	1	8	
Russia and Poland											
Canada	9			1			1	1		5	1
Scandinavia	7				1		2		2	2	
Hungary	1			1							
Bohemia	1							1			
Italy											
Other foreign countries	8			1				1		4	2
Unknown	236	9	4	12	1		12	18	7	165	8
GROUP 4	1,436	61	44	80	10	11	180	177	76	708	89
White	1,253	54	44	80	10	6	97	164	61	668	69
Native born	928	49	34	61	7	4	64	100	41	564	64
Both parents native	522	25	17	38	5	3	28	41	18	306	41
One or both parents foreign	116	7	4	4	1		4	16	7	57	16
Foreign born	278	2	9	15	3		30	61	17	138	3
Colored	183	7				5	83	13	15	40	20
Birthplaces of mothers:											
United States	706	31	18	38	5	6	108	58	28	351	63
England and Wales	14	1		2			1	3	2	5	
Ireland	44	2		1	1		5	9	7	18	1
Scotland	7	1						2		3	
France	9		1					3		3	
Germany	231	3	3	7	2		12	33	7	151	13
Russia and Poland	3			1			2				
Canada	6						1	1	1	3	
Scandinavia	6						1	2	1	1	1
Hungary											
Bohemia	1							1			
Italy											
Other foreign countries	5						1	2		2	
Unknown	263	13	6	14			27	23	4	164	11

TABLE 5.—DEATHS AMONG THE MALES ENGAGED IN CERTAIN OCCUPATIONS AND CLASSES OF OCCUPATIONS, BY COLOR, NATIVITY, PARENTAL NATIVITY, AND BIRTHPLACES OF MOTHERS—Continued.

STATES AND STATE GROUPS.	Total	Class A.	Class B.	Class C.	Class D.	Class E.	Class F.	Class G.	Class H.	Farmers, planters, and overseers.	Farm laborers.
MONTANA.											
Total	422	13	7	12	14	12	74	46	182	58	4
White	407	13	7	12	14	8	71	45	180	58	4
Native born	197	8	4	8	5	2	25	25	77	39	4
Both parents native	73	3	1	6	1	2	11	6	24	17	2
One or both parents foreign	31			1	2		4	6	14	3	1
Foreign born	175	3	3	4	9	6	33	19	85	13	
Colored	15					4	3	1	2	5	
Birthplaces of mothers:											
United States	91	4	1	6	2	6	14	8	26	22	2
England and Wales	36		1	1	1	1	3	5	21	3	
Ireland	61	1	2		2	1	7	5	37	5	1
Scotland	10						3	2	4		
France	4				1		1		1	1	
Germany	33	2		1	1	2	5	7	14	1	
Russia and Poland	5			1			1	1	2		
Canada	19			2	2	2		1	8	4	
Scandinavia	24				2		13	2	7		
Hungary											
Bohemia											
Italy	3						1		1	1	
Other foreign countries	5						2		3		
Unknown	131	6	3	1	2		24	15	58	21	1
GROUP 1	45	1		1	2	2	3	7	17	11	1
White	45	1		1	2	2	3	7	17	11	1
Native born	26			1	1	1	1	3	9	9	1
Both parents native	13			1		1	1	1	2	7	
One or both parents foreign	3								2	1	
Foreign born	13				1	1	1	3	5	2	
Colored											
Birthplaces of mothers:											
United States	13			1		1	1	1	2	7	
England and Wales	2								1	1	
Ireland	7				1	1		1	3	1	
Scotland											
France											
Germany	4							1	3		
Russia and Poland											
Canada											
Scandinavia	2						1	1			
Hungary											
Bohemia											
Italy											
Other foreign countries											
Unknown	17	1			1		1	3	8	2	1
GROUP 2	377	12	7	11	12	10	71	39	165	47	3
White	362	12	7	11	12	6	68	38	163	42	3
Native born	171	8	4	7	4	1	24	22	68	30	3
Both parents native	60	3	1	5	1	1	10	5	22	10	2
One or both parents foreign	23			1	2		4	6	12	2	1
Foreign born	162	3	3	4	8	5	32	16	80	11	
Colored	15					4	3	1	2	5	
Birthplaces of mothers:											
United States	78	4	1	5	2	5	13	7	24	15	2
England and Wales	34		1	1	1	1	3	5	20	2	
Ireland	54	1	2		1		7	4	34	4	1
Scotland	10				1		3	2	4		
France	4				1		1		1	1	
Germany	29	2		1	1	2	5	6	11	1	
Russia and Poland	5			1			1	1	2		
Canada	19			2	2	2		1	8	4	
Scandinavia	22				2		12	1	7		
Hungary											
Bohemia											
Italy	3						1		1	1	
Other foreign countries	5						2		3		
Unknown	114	5	3	1	1		23	12	50	19	
NEBRASKA.											
Total	1,734	69	53	78	27	20	170	199	32	952	75
White	1,698	69	52	78	26	19	160	198	32	944	65
Native born	969	52	35	53	9	12	66	105	50	542	45
Both parents native	463	20	10	24	1	5	19	42	21	298	23
One or both parents foreign	137	8	1	5	2		6	16	7	79	13
Foreign born	682	11	12	21	17	4	76	84	23	367	17
Colored	41		1		1	10	10	1		8	10
Birthplaces of mothers:											
United States	540	21	10	26	2	12	22	47	25	339	36
England and Wales	59	5	2	1			6	6	2	36	1
Ireland	106	2		5	3	1	10	9	10	61	5
Scotland	20				1		2	5		12	
France	6									6	
Germany	233	5	2	7	6		12	29	4	157	11
Russia and Poland	16	1		1			1	1	1	11	
Canada	15						4	1	1	9	1
Scandinavia	108	1	2	4			11	10	1	72	7
Hungary	1									1	1
Bohemia	44		1	1	1			5	1	34	1
Italy	1										
Other foreign countries	20					1	1	2	1	14	1
Unknown	330	19	5	16	5	6	29	33	17	189	11

TABLE 5.—DEATHS AMONG THE MALES ENGAGED IN CERTAIN OCCUPATIONS AND CLASSES OF OCCUPATIONS, BY COLOR, NATIVITY, PARENTAL NATIVITY, AND BIRTHPLACES OF MOTHERS—Continued.

STATES AND STATE GROUPS.	Total.	Class A.	Class B.	Class C.	Class D.	Class E.	Class F.	Class G.	Class H.	Farmers, planters, and overseers.	Farm laborers.
NEBRASKA—Continued.											
GROUP 1	914	34	12	42	13	7	61	87	42	576	40
White.....	910	34	12	42	13	5	59	87	42	576	40
Native born.....	520	24	8	31	6	4	30	52	25	313	27
Both parents native.....	295	13	8	18	1	3	12	27	14	186	13
One or both parents foreign.....	75	4		2	1		2	10	5	42	9
Foreign born.....	359	7	3	9	7		23	34	14	250	12
Colored.....	4					2	2				
Birthplaces of mothers:											
United States.....	324	14	8	19	1	3	14	31	18	201	15
England and Wales.....	32	3	1				2	2	1	22	1
Ireland.....	62	1		5	1		6	2	5	39	3
Scotland.....	16						1	4		11	
France.....	2									2	
Germany.....	151	4	1	2	5		7	19	4	101	8
Russia and Poland.....	15	1		1			1	1	1	10	
Canada.....	9							4	1	4	
Scandinavia.....	69	1		2			7	5	1	48	5
Hungary.....	1									1	1
Bohemia.....	34		1	1	1			2	1	27	1
Italy.....											
Other foreign countries.....	17					1	1	1	1	12	1
Unknown.....	182	10	1	12	5	3	22	16	9	99	5
GROUP 2	533	22	37	33	14	9	100	87	30	181	20
White.....	503	22	36	33	13	8	92	86	30	173	10
Native born.....	266	17	26	20	3	4	35	38	19	97	7
Both parents native.....	85	5	2	5			6	6	4	58	4
One or both parents foreign.....	33	2	1	3	1		4	5		15	2
Foreign born.....	203	4	7	11	10	3	46	44	7	68	3
Colored.....	30		1		1	1	8	1		8	10
Birthplaces of mothers:											
United States.....	107	5	2	6	1		7	6	4	62	14
England and Wales.....	12	1					1	4		6	
Ireland.....	27						3	6	2	13	1
Scotland.....	3							1		1	
France.....	1									1	
Germany.....	59	1	1	5	1		3	7		38	3
Russia and Poland.....											
Canada.....	2									2	
Scandinavia.....	27		1	2			4	3		16	1
Hungary.....											
Bohemia.....	2							2			
Italy.....	1	1									
Other foreign countries.....	2									1	
Unknown.....	55		2	3			6	9	5	29	1
GROUP 3	287	13	4	3		13	9	25	10	195	15
White.....	280	13	4	3		6	9	25	10	195	15
Native born.....	183	11	1	2		4	1	15	6	132	11
Both parents native.....	83	2		1		2	1	9	3	59	6
One or both parents foreign.....	29	2						1	2	22	2
Foreign born.....	70		2	1		1	7	6	2	49	2
Colored.....	7					7					
Birthplaces of mothers:											
United States.....	109	2		1		9	1	10	3	76	7
England and Wales.....	15	1	1	1			3		1	8	
Ireland.....	17	1				1	1	1	3	9	1
Scotland.....	1						1				
France.....	3									3	
Germany.....	23						2	3		18	
Russia and Poland.....	1									1	
Canada.....	4									3	1
Scandinavia.....	12		1					2		8	1
Hungary.....											
Bohemia.....	8							1		7	
Italy.....											
Other foreign countries.....	1									1	
Unknown.....	93	9	2	1		3	1	8	3	61	5
NEVADA.											
Total	203	2	2	5	11	3	45	15	96	22	2
White.....	195	2	2	5	11	1	41	15	96	20	2
Native born.....	69	1	2	1	3		11	8	31	11	1
Both parents native.....	24			1	2		4	5	7	4	1
One or both parents foreign.....	17		2		1		4		8	2	
Foreign born.....	120	1		4	8	1	29	6	61	9	1
Colored.....	8					2	4			2	
Birthplaces of mothers:											
United States.....	31			1	2	1	7	5	7	7	1
England and Wales.....	34			1	2		2		25	3	1
Ireland.....	37	1	1	1	1		8	2	22	1	
Scotland.....	5						1	1	2	1	
France.....	6			1	1		1		3		
Germany.....	20				2	1	8	2	4	3	
Russia and Poland.....	2			1					1		
Canada.....	9		1				2		4	2	
Scandinavia.....	5						1		4		
Hungary.....											
Bohemia.....											
Italy.....	12				3		6		3		
Other foreign countries.....	8					1	5	1	1		
Unknown.....	34	1					4	4	20	5	

TABLE 5.—DEATHS AMONG THE MALES ENGAGED IN CERTAIN OCCUPATIONS AND CLASSES OF OCCUPATIONS, BY COLOR, NATIVITY, PARENTAL NATIVITY, AND BIRTHPLACES OF MOTHERS—Continued.

STATES AND STATE GROUPS.	Total.	Class A.	Class B.	Class C.	Class D.	Class E.	Class F.	Class G.	Class H.	Farmers, planters, and overseers.	Farm laborers.
NEW HAMPSHIRE.											
Total	1,828	68	46	63	21	13	242	439	77	844	15
White	1,826	68	46	63	21	12	242	439	77	843	15
Native born	1,445	63	41	56	17	9	110	344	59	734	12
Both parents native	959	42	21	40	13	6	54	223	43	506	12
One or both parents foreign	67	4	4	2	2	1	17	24	5	12	1
Foreign born	251	3	4	6	2	2	104	72	11	46	1
Colored	2					1				1	
Birthplaces of mothers:											
United States	1,001	42	25	43	12	6	56	236	44	525	12
England and Wales	24	1	1	1			1	12	2	7	
Ireland	154		4	2	2	3	69	40	9	25	
Scotland	9	1						6		2	
France	1						1				
Germany	8	1		1			2	4			
Russia and Poland											
Canada	94		1	3	2		40	25	4	18	1
Scandinavia	4						4				
Hungary											
Bohemia											
Italy	3						2			1	
Other foreign countries	3					1		2			
Unknown	527	24	15	13	5	3	67	114	18	266	2
GROUP 1	1,177	45	33	37	17	10	153	344	54	477	7
White	1,175	45	33	37	17	9	153	344	54	476	7
Native born	932	42	30	33	13	6	67	266	41	428	6
Both parents native	621	29	15	25	9	4	32	174	33	294	6
One or both parents foreign	48	4	1	1	1	1	11	21	2	7	
Foreign born	168	2	3	3	2	2	71	59	7	18	1
Colored	2					1				1	
Birthplaces of mothers:											
United States	647	29	19	26	9	4	32	182	33	307	6
England and Wales	21							11	2	7	
Ireland	114	1	2	1	3		54	34	4	13	
Scotland	3							3			
France	1						1				
Germany	7	1		1			1	4			
Russia and Poland											
Canada	56		1	1	2		23	21	3	4	1
Scandinavia	3						3				
Hungary											
Bohemia											
Italy	3					1		2			
Other foreign countries	3					2					
Unknown	322	15	9	7	5	2	39	87	12	146	
GROUP 2	651	23	13	26	4	3	89	95	23	307	8
White	651	23	13	26	4	3	89	95	23	307	8
Native born	513	21	11	23	4	3	43	78	18	306	6
Both parents native	338	13	6	15	3	2	22	49	10	212	6
One or both parents foreign	19			1	1		6	3	3	5	
Foreign born	83	1	1	3			33	13	4	28	
Colored											
Birthplaces of mothers:											
United States	354	13	6	17	3	2	24	54	11	218	6
England and Wales	3			1			1	1			
Ireland	40	1			1		15	6	5	12	
Scotland	6	1						3		2	
France											
Germany	1						1				
Russia and Poland											
Canada	38			2			17	4	1	14	
Scandinavia	1						1				
Hungary											
Bohemia											
Italy	3						2			1	
Other foreign countries											
Unknown	205	9	6	6		1	28	27	6	120	2
NEW JERSEY.											
Total	6,096	230	360	378	103	121	1,539	2,025	565	733	22
White	5,861	225	360	377	103	112	1,382	2,017	536	736	13
Native born	3,211	177	280	217	46	48	453	1,065	304	615	6
Both parents native	1,960	131	153	151	18	20	252	558	150	519	3
One or both parents foreign	705	24	82	38	19	21	102	315	74	30	
Foreign born	2,548	44	76	154	57	62	904	917	214	113	7
Colored	235	5		1			157	8	29	17	9
Birthplaces of mothers:											
United States	2,293	140	169	160	19	30	418	609	185	551	12
England and Wales	320	17	20	30	10	8	39	149	33	14	
Ireland	1,363	11	55	50	27	33	608	396	135	46	2
Scotland	67	5	9	4	1	1	9	31	3	3	1
France	49		2	2	2		11	23	4	5	
Germany	1,062	21	49	85	31	31	196	514	83	48	4
Russia and Poland	24		1	2			17	2	1	1	
Canada	13	1	5				3	3		1	
Scandinavia	55		1	1			23	16	10	4	
Hungary	17			1			9	3	1		
Bohemia	2						1	1	4		
Italy	58			2	2	5	40	6	2	1	
Other foreign countries	118	8	7	6	1	3	36	40	8	9	
Unknown	655	27	42	35	10	10	129	232	97	70	3

TABLE 5.—DEATHS AMONG THE MALES ENGAGED IN CERTAIN OCCUPATIONS AND CLASSES OF OCCUPATIONS, BY COLOR, NATIVITY, PARENTAL NATIVITY, AND BIRTHPLACES OF MOTHERS—Continued.

STATES AND STATE GROUPS.	Total.	Class A.	Class B.	Class C.	Class D.	Class E.	Class F.	Class G.	Class H.	Farmers, planters, and overseers.	Farm laborers.
NEW JERSEY—Continued.											
GROUP 1.....	4,629	175	303	315	82	98	1,168	1,569	451	457	11
White.....	4,450	170	303	314	82	91	1,048	1,564	429	444	5
Native born.....	2,351	180	235	180	39	40	313	804	254	353	3
Both parents native.....	1,370	93	133	124	11	15	160	414	125	293	2
One or both parents foreign.....	598	19	73	34	19	21	87	258	67	20	2
Foreign born.....	2,039	38	66	129	43	50	721	741	162	87	2
Colored.....	179	5	1	7	120	5	22	13	6
Birthplaces of mothers:											
United States.....	1,632	102	142	130	12	23	291	455	153	316	8
England and Wales.....	218	13	15	24	4	5	33	96	18	10
Ireland.....	1,104	8	50	43	22	29	495	320	105	32
Scotland.....	46	3	8	2	1	1	6	20	3	2
France.....	44	2	2	8	22	3	5
Germany.....	948	20	45	78	20	26	171	461	75	41	2
Russia and Poland.....	19	1	15	2	1
Canada.....	10	1	4	1	3	1
Scandinavia.....	42	1	1	16	11	10	3
Hungary.....	5	3	1
Bohemia.....	1	1
Italy.....	47	2	2	5	32	3	2	1
Other foreign countries.....	66	7	6	4	3	17	18	6	5
Unknown.....	447	21	29	29	10	6	80	156	75	40	1
GROUP 2.....	1,467	55	57	63	21	23	371	456	114	296	11
White.....	1,411	55	57	63	21	21	334	453	107	292	8
Native born.....	860	47	45	37	7	8	140	261	50	262	3
Both parents native.....	590	38	25	27	7	5	92	144	25	226	1
One or both parents foreign.....	107	5	9	4	15	57	7	10
Foreign born.....	509	6	10	25	14	12	183	176	52	26	5
Colored.....	56	2	37	3	7	4	3
Birthplaces of mothers:											
United States.....	661	38	27	30	7	7	127	154	32	235	4
England and Wales.....	102	4	5	6	6	3	6	53	15	4
Ireland.....	250	3	5	7	5	4	113	76	30	14	2
Scotland.....	21	2	1	2	3	11	1
France.....	5	3	1
Germany.....	114	1	4	7	2	5	25	53	8	7	2
Russia and Poland.....	5	2	2	1
Canada.....	3	1	2
Scandinavia.....	13	7	5	1
Hungary.....	12	1	6	2	3
Bohemia.....	1	1
Italy.....	11	8	3
Other foreign countries.....	52	1	1	2	1	19	22	2	4
Unknown.....	208	6	13	6	4	49	76	22	30	2
NEW MEXICO.											
Total.....	486	17	9	11	9	9	117	29	107	139	39
White.....	443	17	9	11	8	4	112	28	105	117	32
Native born.....	346	11	7	8	7	91	25	73	95	29
Both parents native.....	279	9	4	5	2	83	17	45	86	23
One or both parents foreign.....	14	4	2	1	5	1	1
Foreign born.....	62	3	1	3	1	2	12	3	17	17	3
Colored.....	43	1	5	5	1	2	22	7
Birthplaces of mothers:											
United States.....	320	9	4	5	2	5	87	18	47	108	35
England and Wales.....	6	1	1	4
Ireland.....	16	1	4	1	4	6
Scotland.....
France.....
Germany.....	2	1	1
Russia and Poland.....
Canada.....	1	1
Scandinavia.....	1	1
Hungary.....
Bohemia.....
Italy.....	1
Other foreign countries.....	48	1	2	1	10	4	9	17	4
Unknown.....	91	6	4	3	2	2	16	7	38	13	4
GROUP 1.....	143	7	3	1	2	41	8	37	34	10
White.....	142	7	3	1	2	41	8	37	33	10
Native born.....	122	4	2	1	39	8	32	26	10
Both parents native.....	100	3	1	37	6	21	22	10
One or both parents foreign.....
Foreign born.....	12	1	1	1	1	1	4	3
Colored.....	1	1
Birthplaces of mothers:											
United States.....	101	3	1	37	6	21	23	10
England and Wales.....	1	1
Ireland.....	2	1	1
Scotland.....
France.....
Germany.....	1	1
Russia and Poland.....
Canada.....
Scandinavia.....
Hungary.....
Bohemia.....
Italy.....
Other foreign countries.....	7	1	3	3
Unknown.....	31	4	2	3	2	12	8

TABLE 5.—DEATHS AMONG THE MALES ENGAGED IN CERTAIN OCCUPATIONS AND CLASSES OF OCCUPATIONS, BY COLOR, NATIVITY, PARENTAL NATIVITY, AND BIRTHPLACES OF MOTHERS—Continued.

STATES AND STATE GROUPS.	Total.	Class A.	Class B.	Class C.	Class D.	Class E.	Class F.	Class G.	Class H.	Farmers, planters, and overseers.	Farm laborers.
NEW MEXICO—Continued.											
GROUP 2	343	10	6	10	7	9	76	21	70	105	29
White.....	301	10	6	10	6	4	71	20	68	84	22
Native born.....	224	7	5	8	6	52	17	41	69	19
Both parents native.....	179	6	4	5	1	46	11	24	64	18
One or both parents foreign.....	14	4	2	1	5	1	1
Foreign born.....	50	2	2	2	11	3	13	14	3
Colored.....	42	1	5	1	2	21	7
Birthplaces of mothers:											
United States.....	219	6	4	5	1	5	50	12	26	85	25
England and Wales.....	5	1	1	3
Ireland.....	14	1	3	1	3	6
Scotland.....
France.....	1
Germany.....
Russia and Poland.....
Canada.....	1	1
Scandinavia.....	1
Hungary.....
Bohemia.....
Italy.....	1	1
Other foreign countries.....	41	1	1	1	10	4	6	14	4
Unknown.....	60	2	2	3	2	2	13	5	26	5
NEW YORK.											
Total	22,143	923	1,772	1,853	482	638	4,764	6,830	2,006	2,794	81
White.....	21,759	916	1,768	1,845	476	566	4,555	6,804	1,962	2,786	81
Native born.....	9,969	599	1,222	863	199	224	1,198	2,629	973	2,008	54
Both parents native.....	4,250	347	570	451	49	71	340	928	327	1,130	37
One or both parents foreign.....	3,472	126	537	236	119	112	530	1,169	430	152	11
Foreign born.....	11,366	301	537	962	274	336	3,247	4,085	948	651	25
Colored.....	384	7	4	8	6	72	209	26	44	8
Birthplaces of mothers:											
United States.....	4,833	376	636	498	63	103	562	1,026	397	1,133	39
England and Wales.....	1,100	66	119	110	14	29	141	392	100	124	5
Ireland.....	6,581	105	493	337	170	230	2,335	1,768	782	297	14
Scotland.....	374	20	43	36	4	7	29	169	32	34
France.....	207	13	13	17	5	38	94	11	16
Germany.....	4,600	146	263	500	183	133	722	2,141	273	229	10
Russia and Poland.....	270	9	10	51	2	65	111	18	4
Canada.....	274	5	19	16	3	3	71	94	27	33	3
Scandinavia.....	252	7	11	13	4	6	44	96	65	5	1
Hungary.....	56	6	2	9	1	11	26	1
Bohemia.....	78	4	3	5	3	62	1
Italy.....	337	8	6	20	2	21	220	43	10	1	1
Other foreign countries.....	434	21	25	47	4	53	69	173	29	13
Unknown.....	2,697	137	129	144	34	46	454	630	260	855	8
GROUP 1	13,827	570	1,413	1,364	366	511	3,105	4,820	1,458	216	4
White.....	13,515	564	1,409	1,358	361	451	2,934	4,798	1,424	212	4
Native born.....	4,887	307	918	532	134	155	608	1,462	645	124	2
Both parents native.....	1,748	175	422	259	24	46	121	423	190	87	1
One or both parents foreign.....	2,591	101	442	227	100	92	385	893	340	11
Foreign born.....	8,564	250	488	823	227	296	2,306	3,319	772	82	1
Colored.....	312	6	4	6	5	60	171	22	34	4
Birthplaces of mothers:											
United States.....	2,183	193	479	292	35	66	293	488	244	92	1
England and Wales.....	688	49	102	87	9	21	69	272	76	3
Ireland.....	5,095	90	426	326	149	198	1,766	1,457	641	41	1
Scotland.....	263	13	39	29	2	7	20	132	20	1
France.....	159	13	12	14	5	27	73	10	5
Germany.....	3,486	120	226	423	150	115	459	1,739	220	34
Russia and Poland.....	225	9	10	46	2	31	105	18	4
Canada.....	84	5	12	9	1	3	12	31	10	1
Scandinavia.....	215	6	10	12	3	6	34	81	63
Hungary.....	51	6	2	9	1	9	23	1
Bohemia.....	76	4	3	5	3	60	1
Italy.....	303	6	6	19	2	20	194	47	8	1
Other foreign countries.....	365	18	24	44	4	50	56	142	25	2
Unknown.....	634	38	62	49	10	18	132	170	121	32	2
GROUP 2	545	20	16	22	5	1	123	73	35	237	13
White.....	544	20	16	22	5	1	123	73	34	237	13
Native born.....	353	20	11	19	3	1	64	44	26	155	10
Both parents native.....	180	14	5	10	2	1	29	21	13	77	3
One or both parents foreign.....	68	2	6	3	1	19	9	6	20	2
Foreign born.....	104	3	3	3	2	53	24	4	72	3
Colored.....	1
Birthplaces of mothers:											
United States.....	204	15	5	12	2	1	34	26	15	84	10
England and Wales.....	22	1	4	3	1	11
Ireland.....	92	2	3	3	23	10	5	42	1
Scotland.....	11	1	9
France.....	4	3	1
Germany.....	6	1	2	1	2
Russia and Poland.....	1	1
Canada.....	74	1	1	1	36	15	1	18	2
Scandinavia.....
Hungary.....
Bohemia.....
Italy.....
Other foreign countries.....
Unknown.....	131	4	3	4	21	17	12	70

TABLE 5.—DEATHS AMONG THE MALES ENGAGED IN CERTAIN OCCUPATIONS AND CLASSES OF OCCUPATIONS, BY COLOR, NATIVITY, PARENTAL NATIVITY, AND BIRTHPLACES OF MOTHERS—Continued.

STATES AND STATE GROUPS.	Total.	Class A.	Class B.	Class C.	Class D.	Class E.	Class F.	Class G.	Class H.	Farmers, planters, and overseers.	Farm laborers.
NEW YORK—Continued.											
GROUP 3	701	27	33	36	12	12	153	134	45	247	2
White.....	693	27	33	34	12	12	148	134	45	246	2
Native born.....	483	20	29	23	7	5	77	97	29	194	2
Both parents native.....	246	12	11	14	4	2	27	40	10	126	
One or both parents foreign.....	59	1	5	2		2	7	18	10	13	1
Foreign born.....	172	7	2	9	4	5	58	33	11	43	
Colored.....	8			2			5			1	
Birthplaces of mothers:											
United States.....	262	13	11	16	5	2	31	43	11	130	
England and Wales.....	26	5	2	1	1	1	5	7		3	1
Ireland.....	121		3	2	2	5	46	23	16	24	
Scotland.....	17	1		1			2	4		9	
France.....											
Germany.....	48	1	2	5		1	5	11	5	18	
Russia and Poland.....	2			1				1			
Canada.....	1							1			
Scandinavia.....	1				1						
Hungary.....											
Bohemia.....											
Italy.....	2						2				
Other foreign countries.....	7			1			4	2			
Unknown.....	214	7	15	9	3	3	58	42	13	63	1
GROUP 4	2,373	101	109	149	45	36	526	585	185	615	22
White.....	2,359	101	109	149	44	34	517	583	185	615	22
Native born.....	1,145	75	87	78	20	20	108	267	93	387	10
Both parents native.....	495	50	40	38	4	6	34	87	34	200	2
One or both parents foreign.....	293	6	36	20	10	8	40	100	31	35	6
Foreign born.....	1,124	25	22	66	23	13	395	297	80	191	12
Colored.....	14				1		9	2			
Birthplaces of mothers:											
United States.....	544	51	45	44	5	10	47	93	35	212	2
England and Wales.....	143	4	6	6	3	2	28	36	11	43	4
Ireland.....	371	5	18	9	6	6	158	66	50	47	6
Scotland.....	32	1	3	1	2		4	12	6	3	
France.....	25		2				4	12		6	
Germany.....	635	19	21	54	21	10	163	222	26	93	6
Russia and Poland.....	40			2			33	5			
Canada.....	49		3	3	1		9	15	9	9	
Scandinavia.....	30			1			9	12	2	5	1
Hungary.....	1						1				
Bohemia.....	2							2			
Italy.....	18	1					14	1	1		1
Other foreign countries.....	33	1	1	2		1	7	9	3	9	
Unknown.....	450	19	11	25	7	7	49	100	42	188	2
GROUP 5	4,697	205	201	282	54	78	857	1,218	283	1,479	40
White.....	4,648	204	201	282	54	68	833	1,216	274	1,476	40
Native born.....	3,101	177	177	211	35	43	341	759	180	1,148	30
Both parents native.....	1,581	96	92	130	15	16	129	357	80	640	26
One or both parents foreign.....	461	16	48	34	8	10	79	149	43	72	2
Foreign born.....	1,342	19	22	61	18	22	435	412	81	263	9
Colored.....	49	1				10	24	2	9	3	
Birthplaces of mothers:											
United States.....	1,690	104	96	134	16	24	157	376	92	665	26
England and Wales.....	221	7	7	16	1	5	35	74	12	64	
Ireland.....	902	10	41	47	10	21	342	212	70	143	6
Scotland.....	51	5	1	5			3	20	5	12	
France.....	19			1			4	9	1	4	
Germany.....	425	6	14	17	12	7	93	163	22	82	4
Russia and Poland.....	2			1			1				
Canada.....	66		3	3	1		14	32	7	5	1
Scandinavia.....	6	1	1				1	3			
Hungary.....	4						1	3			
Bohemia.....											
Italy.....	14	1		1		1	10		1		
Other foreign countries.....	29	2				2	2	20	1	2	
Unknown.....	1,268	69	38	57	14	18	194	301	72	502	3
NORTH CAROLINA.											
Total	3,831	137	43	98	7	18	449	302	158	2,036	583
White.....	2,413	116	41	94	6	10	83	203	72	1,580	208
Native born.....	2,330	113	39	90	5	10	78	189	62	1,538	206
Both parents native.....	2,125	101	30	79	4	8	70	166	56	1,410	201
One or both parents foreign.....	25	4	1	3			1	4	1	11	
Foreign born.....	34	2	1	4	1		2	1	1	13	
Colored.....	1,418	21	2	4		8	366	99	86	456	375
Birthplaces of mothers:											
United States.....	3,490	124	33	83	5	14	384	264	140	1,868	575
England and Wales.....	10			1				2	1	6	
Ireland.....	2									1	
Scotland.....	18	4	1	1			1	4		7	
France.....	1								1		
Germany.....	11	1		3	1			3		3	
Russia and Poland.....											
Canada.....											
Scandinavia.....	2			1			1				
Hungary.....											
Bohemia.....											
Italy.....											
Other foreign countries.....	1								1		
Unknown.....	223	8	7	6	1	2	11	25	15	140	8

TABLE 5.—DEATHS AMONG THE MALES ENGAGED IN CERTAIN OCCUPATIONS AND CLASSES OF OCCUPATIONS, BY COLOR, NATIVITY, PARENTAL NATIVITY, AND BIRTHPLACES OF MOTHERS—Continued.

STATES AND STATE GROUPS.	Total.	Class A.	Class B.	Class C.	Class D.	Class E.	Class F.	Class G.	Class H.	Farmers, planters, and overseers.	Farm laborers.
NORTH CAROLINA—Continued.											
GROUP 1.	1,175	44	17	31	2	9	188	72	76	576	160
White	654	30	15	23	2	6	32	42	35	412	52
Native born	632	29	15	26	1	6	30	40	30	403	52
Both parents native	601	26	13	24	1	5	28	38	25	389	52
One or both parents foreign	11	2	1	2			1	1	1	3	
Foreign born	13	1		2	1		2	2	2	3	
Colored	521	14	2	3		3	156	30	41	164	108
Birthplaces of mothers:											
United States	1,122	41	16	27	1	8	183	69	65	552	160
England and Wales											
Ireland	1						1				
Scotland	6	1					1	1		3	
France	1								1		
Germany	6	1		3	1			1			
Russia and Poland											
Canada											
Scandinavia	1						1				
Hungary											
Bohemia											
Italy											
Other foreign countries	1								1		
Unknown	37	1	1	1		1	2	1	9	21	
GROUP 2.	1,933	57	22	47	4	7	225	186	60	977	343
White	1,129	50	22	46	3	3	32	123	21	735	94
Native born	1,038	49	20	45	3	3	32	114	19	720	93
Both parents native	990	45	16	38	2	3	26	99	19	652	90
One or both parents foreign	9	2						2		5	
Foreign born	12		1	1				4	1	5	
Colored	804	7		1	1	4	193	63	39	242	254
Birthplaces of mothers:											
United States	1,739	53	16	39	3	5	169	159	57	896	342
England and Wales	4							2	1	1	
Ireland	1									1	
Scotland	9	2	1	1				2		3	
France											
Germany	4							1		3	
Russia and Poland											
Canada											
Scandinavia											
Hungary											
Bohemia											
Italy											
Other foreign countries											
Unknown	103	2	3	4	1		5	18	2	62	6
GROUP 3.	723	36	4	20	1	2	36	44	22	433	75
White	630	36	4	20	1	1	19	38	16	433	62
Native born	600	35	4	19	1	1	16	35	13	415	61
Both parents native	534	30	1	17	1		16	29	12	369	59
One or both parents foreign	5			1				1		3	
Foreign born	9	1		1				2		5	
Colored	93					1	17	6	6	50	13
Birthplaces of mothers:											
United States	629	30	1	17	1	1	32	36	18	420	73
England and Wales	6			1						5	
Ireland											
Scotland	3	1						1		1	
France											
Germany	1							1			
Russia and Poland											
Canada											
Scandinavia	1			1							
Hungary											
Bohemia											
Italy											
Other foreign countries											
Unknown	83	5	3	1		1	4	6	4	57	2
NORTH DAKOTA.											
Total.	366	16	7	9	4	7	31	27	14	221	30
White	350	16	7	9	4	6	31	26	14	207	30
Native born	95	8	5	7		2	6	8	6	46	7
Both parents native	45	6	4	4			1	4	2	21	3
One or both parents foreign	33	1	1	2		1	4	2	3	15	4
Foreign born	243	8	2	2	3	2	21	15	8	159	23
Colored	16					1		1		14	
Birthplaces of mothers:											
United States	69	7	5	4		1	1	5	2	41	3
England and Wales	13								2	11	
Ireland	45			1		2	5	2	4	28	3
Scotland	12	2	1						1	7	1
France	7	1	1						2	2	1
Germany	39					1	3	5		28	1
Russia and Poland	6									5	1
Canada	37	1		1			4	2		24	5
Scandinavia	93	2		2	3		12	7	2	57	13
Hungary											
Bohemia	1									1	
Italy											
Other foreign countries	9	1					1	6	1	5	2
Unknown	30	1		1	1	3	5			12	

STATISTICS OF DEATHS.

TABLE 5.—DEATHS AMONG THE MALES ENGAGED IN CERTAIN OCCUPATIONS AND CLASSES OF OCCUPATIONS, BY COLOR, NATIVITY, PARENTAL NATIVITY, AND BIRTHPLACES OF MOTHERS—Continued.

STATES AND STATE GROUPS.	Total.	Class A.	Class B.	Class C.	Class D.	Class E.	Class F.	Class G.	Class H.	Farmers, planters, and overseers.	Farm laborers.
NORTH DAKOTA—Continued.											
GROUP 1.....	320	16	6	8	4	4	26	19	10	197	30
White.....	315	16	6	8	4	3	26	18	10	194	30
Native born.....	84	8	5	6	1	1	5	6	6	40	7
Both parents native.....	41	6	4	3	1	1	3	2	2	19	3
One or both parents foreign.....	29	1	1	2	1	1	2	3	3	13	4
Foreign born.....	223	8	1	2	3	19	11	4	4	152	23
Colored.....	5					1		1		3	
Birthplaces of mothers:											
United States.....	54	7	5	3		1	1	4	2	28	3
England and Wales.....	11								1	10	
Ireland.....	39			1			3	1		28	3
Scotland.....	11	2							1	7	1
France.....	7	1	1						2	2	1
Germany.....	30	1					2	3		23	1
Russia and Poland.....	6									5	1
Canada.....	37	1		1			4	2		24	5
Scandinavia.....	92	2		2	3		12	6		54	13
Hungary.....											
Bohemia.....	1									1	
Italy.....											
Other foreign countries.....	9	1				1	1			5	2
Unknown.....	23	1		1	1	3	3	3	1	10	
GROUP 2.....	39		1	1		3	3	6	4	21	
White.....	28		1	1		3	3	6	4	10	
Native born.....	8			1		1		1		5	
Both parents native.....	3			1				1		1	
One or both parents foreign.....	3					1				2	
Foreign born.....	16		1			2	1	3	4	5	
Colored.....	11									11	
Birthplaces of mothers:											
United States.....	14			1				1		12	
England and Wales.....	2								1	1	
Ireland.....	5					2	1	1	1		
Scotland.....	1		1								
France.....											
Germany.....	6					1		1		4	
Russia and Poland.....											
Canada.....											
Scandinavia.....	5							1	2	2	
Hungary.....											
Bohemia.....											
Italy.....											
Other foreign countries.....											
Unknown.....	6						2	2		2	
GROUP 3.....	7						2	2		3	
White.....	7						2	2		3	
Native born.....	3						1	1		1	
Both parents native.....	1									1	
One or both parents foreign.....	1										
Foreign born.....	4						1	1		2	
Colored.....							1				
Birthplaces of mothers:											
United States.....	1									1	
England and Wales.....											
Ireland.....	1							1			
Scotland.....											
France.....											
Germany.....	3						1	1		1	
Russia and Poland.....											
Canada.....											
Scandinavia.....	1									1	
Hungary.....											
Bohemia.....											
Italy.....											
Other foreign countries.....											
Unknown.....	1							1			
OHIO.											
Total.....	11,757	493	345	555	186	450	1,860	2,473	817	4,297	281
White.....	11,303	483	342	546	180	419	1,624	2,429	780	4,239	261
Native born.....	7,728	412	284	385	83	186	779	1,479	488	3,399	233
Both parents native.....	4,673	263	143	229	28	39	391	771	260	2,377	172
One or both parents foreign.....	1,274	49	62	62	37	22	149	342	108	409	34
Foreign born.....	3,326	63	52	153	97	200	806	916	269	746	24
Colored.....	454	10	3	9	6	31	236	44	37	58	20
Birthplaces of mothers:											
United States.....	5,380	289	158	249	37	65	633	865	308	2,576	200
England and Wales.....	491	12	16	21	6	8	60	139	76	147	6
Ireland.....	1,042	23	27	36	22	67	335	191	121	205	15
Scotland.....	102	3	2	4	1	4	7	34	16	31	
France.....	64	3		4	2	2	4	18	2	31	
Germany.....	2,311	48	52	118	86	123	418	735	126	579	26
Russia and Poland.....	28			3		1	14	5		1	
Canada.....	59	1	4	4	2	4	10	16	6	11	1
Scandinavia.....	10	1		4		4	3	4	1		
Hungary.....	14			5	1		6	1		1	
Bohemia.....	33			2			16	13		2	
Italy.....	15			1	1		10	1	2		
Other foreign countries.....	121	3		5	7	10	18	35	9	32	2
Unknown.....	2,035	108	83	101	18	165	308	397	144	660	31

TABLE 5.—DEATHS AMONG THE MALES ENGAGED IN CERTAIN OCCUPATIONS AND CLASSES OF OCCUPATIONS, BY COLOR, NATIVITY, PARENTAL NATIVITY, AND BIRTHPLACES OF MOTHERS—Continued.

STATES AND STATE GROUPS.	Total.	Class A.	Class B.	Class C.	Class D.	Class E.	Class F.	Class G.	Class H.	Farmers, planters, and overseers.	Farm laborers.
OHIO—Continued.											
GROUP 1	1,943	83	75	101	39	37	407	471	179	528	23
White.....	1,908	83	75	100	39	32	390	463	175	528	23
Native born.....	1,012	68	56	64	21	15	110	224	93	346	15
Both parents native.....	578	48	34	44	6	2	33	110	46	247	8
One or both parents foreign.....	259	6	14	8	13	11	47	78	32	43	7
Foreign born.....	857	14	18	36	18	17	270	233	76	109	6
Colored.....	35			1		5	17	8	4		
Birthplaces of mothers:											
United States.....	639	50	36	45	6	5	51	125	52	260	9
England and Wales.....	147	3	4	3	1	1	24	41	14	53	3
Ireland.....	236	1	11	6	1	4	100	48	42	22	1
Scotland.....	22	1	1	1			3	9	4	3	
France.....	6				2		1	1		2	
Germany.....	555	10	12	22	25	22	140	170	37	110	7
Russia and Poland.....	21		2	2			14	1	4		
Canada.....	28		2	1		1	5	11	2	6	
Scandinavia.....	3						2		1		
Hungary.....	13			4	1		6	1		1	
Bohemia.....	32			2			15	13		2	
Italy.....	4			1			2		1		
Other foreign countries.....	28	3		2	1		5	11	1	4	1
Unknown.....	209	15	9	12	2	4	39	40	21	65	2
GROUP 2	4,864	188	159	228	77	354	834	1,027	333	1,547	117
White.....	4,588	179	159	222	74	338	683	1,006	314	1,510	103
Native born.....	3,089	147	134	148	29	136	323	580	190	1,289	94
Both parents native.....	1,752	84	53	66	5	11	158	264	105	980	76
One or both parents foreign.....	399	17	24	31	9	6	29	120	33	124	6
Foreign born.....	1,404	28	24	69	45	169	352	405	110	193	9
Colored.....	276	9		6	3	16	151	21	19	37	14
Birthplaces of mothers:											
United States.....	2,106	97	57	76	9	25	307	300	131	1,014	90
England and Wales.....	124	4	6	7	1	7	15	31	28	25	
Ireland.....	421	12	8	15	8	57	135	75	46	57	8
Scotland.....	28					4	1	7	4	12	
France.....	30	2		2		2	1	11	1	11	
Germany.....	1,005	21	29	64	40	91	183	352	53	165	7
Russia and Poland.....	5		1	1		1		3			
Canada.....	9		1	1		3		2		1	
Scandinavia.....	1	1									
Hungary.....	1			1							
Bohemia.....											
Italy.....	3						2	1			
Other foreign countries.....	30			2	1	8	5	7	3	4	
Unknown.....	1,049	49	55	57	15	156	167	217	64	257	12
GROUP 3	4,950	222	111	226	70	59	619	975	305	2,222	141
White.....	4,807	221	108	224	67	49	551	960	291	2,201	135
Native born.....	3,827	197	94	173	33	35	346	665	196	1,764	124
Both parents native.....	2,843	131	56	119	17	26	200	397	109	1,200	88
One or both parents foreign.....	616	26	24	23	15	5	73	144	43	242	21
Foreign born.....	1,065	21	10	48	34	14	184	278	63	384	9
Colored.....	143	1	3	2	3	10	68	15	14	21	6
Birthplaces of mothers:											
United States.....	2,635	142	65	128	22	35	275	440	125	1,302	101
England and Wales.....	220	5	6	11	4		21	67	34	69	3
Ireland.....	385	10	8	15	13	6	100	68	33	126	6
Scotland.....	52	2	1	3	1		3	18	3	16	
France.....	28	1		2			2	4	1	18	
Germany.....	751	17	11	32	21	10	95	213	30	304	12
Russia and Poland.....	2							1		1	
Canada.....	22	1	1	2	2		5	3	3	4	1
Scandinavia.....	6					1	1	4			
Hungary.....											
Bohemia.....	1						1				
Italy.....	3						6		1		
Other foreign countries.....	63			1	5	2	8	17	5	24	1
Unknown.....	777	44	19	32	1	5	102	140	59	358	17
OKLAHOMA.											
Total	93	3	2	3		8	5	10	2	58	2
White.....	88	3	2	3		8	3	10	2	55	2
Native born.....	74	3	2	3		5	2	9	2	46	2
Both parents native.....	45	1	1	2		1	1	6	1	30	2
One or both parents foreign.....	5	1						1		3	
Foreign born.....	7						3	1		3	
Colored.....	5							2		3	
Birthplaces of mothers:											
United States.....	52	2	1	2		1	1	6	1	36	2
England and Wales.....	1							1			
Ireland.....	5						2	1		2	
Scotland.....											
France.....											
Germany.....	3						1			2	
Russia and Poland.....											
Canada.....											
Scandinavia.....											
Hungary.....											
Bohemia.....	1									1	
Italy.....											
Other foreign countries.....											
Unknown.....	31	1	1	1		4	4	2	1	17	

STATISTICS OF DEATHS.

TABLE 5.—DEATHS AMONG THE MALES ENGAGED IN CERTAIN OCCUPATIONS AND CLASSES OF OCCUPATIONS, BY COLOR, NATIVITY, PARENTAL NATIVITY, AND BIRTHPLACES OF MOTHERS—Continued.

STATES AND STATE GROUPS.	Total.	Class A.	Class B.	Class C.	Class D.	Class E.	Class F.	Class G.	Class H.	Farmers, planters, and overseers.	Farm laborers.
OREGON.											
Total	834	38	25	37	19	4	124	107	125	339	16
White	804	37	25	36	18	4	111	107	119	331	16
Native born	523	20	17	22	6	2	53	74	57	251	12
Both parents native	236	10	10	8	3	1	18	30	28	118	10
One or both parents foreign	79	2	3	7	1		15	17	14	18	2
Foreign born	209	5	6	13	10	1	47	29	43	54	1
Colored	30	1		1	1		13		6	8	
Birthplaces of mothers:											
United States	271	16	11	8	5	1	21	33	31	135	10
England and Wales	53		5	3	2		5	11	12	13	2
Ireland	60	1	2	2	3	1	17	10	16	8	
Scotland	19		1	3			5	2	2	6	
France	3				1				1	1	
Germany	75	2		9	5		12	13	9	24	1
Russia and Poland	3						2		1		
Canada	15		1	3			1	3	4	3	
Scandinavia	31	1		3			12	3	10	5	
Hungary	1							1			
Bohemia											
Italy	2						2				
Other foreign countries	30			1	1		17	1	5	5	
Unknown	271	18	5	8	2	2	30	30	34	139	3
GROUP 1	206	12	2	6	5	1	23	24	34	93	6
White	201	12	2	6	5	1	23	24	30	92	6
Native born	149	10	2	4			15	14	21	79	4
Both parents native	77	3	1	1			6	8	11	44	3
One or both parents foreign	17			1			2	2	3	8	1
Foreign born	36	2		2	5		7	9	5	6	
Colored	5								4	1	
Birthplaces of mothers:											
United States	87	6	1	1			7	9	12	48	3
England and Wales	8				1			3	1	2	1
Ireland	12				1		3	3	4	1	
Scotland	3							1		2	
France	2				1				1		
Germany	12	1		2	2		2	1	1	3	
Russia and Poland											
Canada	2			1				1			
Scandinavia	4						3	1			
Hungary											
Bohemia											
Italy											
Other foreign countries	6								4	2	
Unknown	79	5	1	2		1	8	5	11	35	2
GROUP 2	628	26	23	31	14	3	101	53	91	246	10
White	603	25	23	30	13	3	88	83	89	239	10
Native born	374	19	15	18	6	2	38	36	36	172	8
Both parents native	159	7	9	7	3	1	12	22	17	74	7
One or both parents foreign	62	2	3	6	1		13	15	11	10	1
Foreign born	173	3	6	11	5	1	40	20	38	48	1
Colored	25	1		1	1		13		2	7	
Birthplaces of mothers:											
United States	184	10	10	7	5	1	14	24	19	87	7
England and Wales	45		5	3	1		5	8	11	11	1
Ireland	48	1	2	2	2	1	14	7	12	7	
Scotland	16		1	3			5	1	2	4	
France	1									1	
Germany	63	1		7	3		10	12	8	21	1
Russia and Poland	3						2		1		
Canada	13		1				1	2	4	3	
Scandinavia	27	1		2			9	2	10	5	
Hungary	1							1			
Bohemia											
Italy	2						2				
Other foreign countries	24			1	1		17	1	1	3	
Unknown	201	13	4	6	2	1	22	25	23	104	1
PENNSYLVANIA.											
Total	15,177	536	583	832	189	277	3,240	4,033	2,068	3,186	233
White	14,757	528	582	828	187	237	2,952	4,014	2,025	3,177	227
Native born	9,058	430	485	568	102	133	1,454	2,571	1,018	2,676	216
Both parents native	5,560	262	198	211	44	43	853	1,218	505	2,061	175
One or both parents foreign	1,002	22	48	50	11	15	172	250	197	215	22
Foreign born	4,626	82	84	245	82	90	1,362	1,394	947	392	8
Colored	420	8	1	4	2	40	288	19	43	9	6
Birthplaces of mothers:											
United States	5,978	264	208	221	45	60	1,010	1,279	562	2,142	187
England and Wales	626	12	14	15	8	7	79	153	274	60	4
Ireland	1,429	22	31	53	22	20	448	246	362	213	7
Scotland	97	1	3	1		2	9	26	39	15	1
France	20		1	1			5	9	5	8	
Germany	1,158	19	20	53	26	30	287	356	144	210	13
Russia and Poland	89		1	5			38	4	41		
Canada	24		2				5	8	5	4	
Scandinavia	68		1	3			36	6	11	10	1
Hungary	68						35	3	30		
Bohemia	2			1					1		
Italy	61		2	3			40	8	13		
Other foreign countries	59			1		4	22	12	19	1	
Unknown	1,573	57	31	51	16	19	353	380	186	455	20

TABLE 5.—DEATHS AMONG THE MALES ENGAGED IN CERTAIN OCCUPATIONS AND CLASSES OF OCCUPATIONS, BY COLOR, NATIVITY, PARENTAL NATIVITY, AND BIRTHPLACES OF MOTHERS—Continued.

STATES AND STATE GROUPS.	Total.	Class A.	Class B.	Class C.	Class D.	Class E.	Class F.	Class G.	Class H.	Farmers, planters, and overseers.	Farm laborers.
PENNSYLVANIA—Continued.											
GROUP 1	5,542	209	137	168	58	59	-1,062	1,096	1,168	1,474	111
White.....	5,470	208	137	167	58	53	1,014	1,091	1,162	1,471	109
Native born.....	3,797	180	113	126	28	27	638	813	512	1,254	106
Both parents native.....	2,754	140	84	89	18	20	458	564	303	989	89
One or both parents foreign.....	443	9	14	15	4	5	72	96	123	97	8
Foreign born.....	1,436	22	18	36	26	20	315	231	611	155	2
Colored.....	72	1		1		6	48	5	6	3	2
Birthplaces of mothers:											
United States.....	2,922	145	87	93	18	26	513	591	329	1,026	94
England and Wales.....	365	8	8	4	6	2	30	59	211	37	
Ireland.....	620	13	9	20	11	5	145	72	257	86	2
Scotland.....	51		2				1	13	27	7	1
France.....	11			1			1	6	2	1	
Germany.....	403	6	4	13	10	13	72	116	78	85	6
Russia and Poland.....	58			1			17	1	39		
Canada.....	10						2	3	3	2	
Scandinavia.....	20			1			7	1	9	2	
Hungary.....	39						17	1	21		
Bohemia.....	2			1					1		
Italy.....	12		1				6		5		
Other foreign countries.....	24						6	5	12	1	
Unknown.....	672	24	13	20	5	7	134	150	88	223	8
GROUP 2	9,635	327	446	664	131	218	2,173	2,937	900	1,712	122.
White.....	9,287	320	445	661	129	184	1,938	2,923	803	1,700	118
Native born.....	5,861	250	372	442	74	111	1,816	1,758	506	1,422	110
Both parents native.....	2,806	112	114	122	26	23	395	654	202	1,072	86
One or both parents foreign.....	559	13	34	35	7	10	100	154	74	118	14
Foreign born.....	3,190	60	66	209	56	70	1,047	1,103	336	237	6
Colored.....	348	7	1	3	2	34	240	14	37	6	4
Birthplaces of mothers:											
United States.....	3,056	119	121	128	27	34	497	688	233	1,116	93
England and Wales.....	261	4	6	11	2	5	49	94	63	23	4
Ireland.....	809	9	22	38	11	15	303	174	105	127	5
Scotland.....	46	1	1	1		2	8	13	12	8	
France.....	18		1				4	3	3	7	
Germany.....	755	13	16	40	16	17	215	240	66	125	7
Russia and Poland.....	31		1	4			21	3	2		
Canada.....	14		2				3	5	2	2	
Scandinavia.....	48		1	2			29	5	2	8	1
Hungary.....	29						18	2	9		
Bohemia.....											
Italy.....	49		1	3			34	3	8		
Other foreign countries.....	35			1			16	7	7		
Unknown.....	901	33	18	31	11	12	224	230	98	232	12
RHODE ISLAND.											
Total.....	1,610	37	91	100	20	34	377	644	105	200	2
White.....	1,562	37	91	99	19	34	352	635	97	197	1
Native born.....	995	30	71	68	10	23	94	364	64	176	1
Both parents native.....	622	23	47	50	7	17	36	220	45	168	
One or both parents foreign.....	258	6	24	16	3	9	55	125	16	4	
Foreign born.....	650	7	19	31	9	6	253	271	31	20	
Colored.....	48			1	1		25	9	8	3	1
Birthplaces of mothers:											
United States.....	684	24	48	55	8	18	62	241	55	172	1
England and Wales.....	109	3	8	4	2	1	15	67	6	3	
Ireland.....	606	3	23	30	9	9	245	248	23	11	
Scotland.....	44		5	4			7	24	2	2	
France.....	2							1			
Germany.....	21	1	1	3		2	3	10	1		
Russia and Poland.....	3		1	1				1			
Canada.....	73	2	3	1	1	1	25	30	5	5	
Scandinavia.....	13	2					3	3			
Hungary.....											
Bohemia.....	1							1			
Italy.....	10	1					7	1		1	
Other foreign countries.....	13		1				5	5	1	1	
Unknown.....	31	1	1	2		2	5	10	4	5	1
SOUTH CAROLINA.											
Total.....	3,347	111	48	72	9	26	600	293	139	1,450	599
White.....	1,163	80	46	66	8	9	40	130	44	648	92
Native born.....	1,057	70	33	52	6	4	32	105	36	622	92
Both parents native.....	908	62	19	39	4	3	20	81	31	559	90
One or both parents foreign.....	53	4	12	8	1	1	10	2	2	15	
Foreign born.....	77	5	6	14	2	4	6	22	7	11	
Colored.....	2,184	31	2	6	1	17	560	163	95	802	507
Birthplaces of mothers:											
United States.....	3,088	94	23	47	5	20	574	246	124	1,361	594
England and Wales.....	8		1	2		1		3		1	
Ireland.....	56	4	6	8	2	4	5	15	4	8	
Scotland.....	7			2				1		4	
France.....	3	1						2			
Germany.....	31		9	6	1		2		1	5	
Russia and Poland.....	3			2				1			
Canada.....	1							1			
Scandinavia.....	4								3	1	
Hungary.....											
Bohemia.....											
Italy.....											
Other foreign countries.....	3	2							1		
Unknown.....	143	10	9	5	1	1	19	17	6	70	5

TABLE 5.—DEATHS AMONG THE MALES ENGAGED IN CERTAIN OCCUPATIONS AND CLASSES OF OCCUPATIONS, BY COLOR, NATIVITY, PARENTAL NATIVITY, AND BIRTHPLACES OF MOTHERS—Continued.

STATES AND STATE GROUPS.	Total.	Class A.	Class B.	Class C.	Class D.	Class E.	Class F.	Class G.	Class H.	Farmers, planters, and overseers.	Farm laborers.
SOUTH CAROLINA—Continued.											
GROUP 1	1,307	37	30	28	4	22	289	152	82	485	178
White.....	350	22	29	25	4	8	16	49	19	155	23
Native born.....	290	18	22	15	2	4	8	34	12	152	23
Both parents native.....	245	15	9	8	1	3	3	26	11	146	23
One or both parents foreign.....	24	2	9	4	1	1	5	5	7	2	
Foreign born.....	50	2	6	10	2	3	6	14	7	3	
Colored.....	957	15	1	3		14	273	103	63	330	155
Birthplaces of mothers:											
United States.....	1,197	30	12	11	1	17	273	128	72	475	178
England and Wales.....	6		1	2				2		1	
Ireland.....	35	3	4	5	2	4	5	9	3		
Scotland.....											
France.....	2							2			
Germany.....	23		8	6	1		2	5	1		
Russia and Poland.....	2			1				1			
Canada.....											
Scandinavia.....	3								3		
Hungary.....											
Bohemia.....											
Italy.....											
Other foreign countries.....	1								1		
Unknown.....	38	4	5	3		1	9	5	2	9	
GROUP 2	77	5		1			1	2	3	55	10
White.....	50	5		1				1	2	34	7
Native born.....	49	5		1				1	2	33	7
Both parents native.....	43	5		1				1	1	28	7
One or both parents foreign.....	1										
Foreign born.....	1									1	
Colored.....	27						1	1	1	21	3
Birthplaces of mothers:											
United States.....	69	5		1			1	2	2	48	10
England and Wales.....											
Ireland.....	1								1		
Scotland.....											
France.....											
Germany.....	1									1	
Russia and Poland.....											
Canada.....											
Scandinavia.....											
Hungary.....											
Bohemia.....											
Italy.....											
Other foreign countries.....											
Unknown.....	6									6	
GROUP 3	1,963	69	18	43	5	4	310	189	54	910	411
White.....	763	53	17	40	4	1	24	80	23	459	62
Native born.....	718	47	16	36	4		24	70	22	437	62
Both parents native.....	620	42	10	30	3		17	54	19	385	60
One or both parents foreign.....	28	2	3	4				5	1	13	
Foreign born.....	26	3		4		1		8		10	
Colored.....	1,200	16	1	3	1	3	286	59	31	451	349
Birthplaces of mothers:											
United States.....	1,322	59	11	35	4	3	300	116	50	838	406
England and Wales.....	2					1		1			
Ireland.....	20	1	2	3				6		8	
Scotland.....	7			2				1		4	
France.....	1	1									
Germany.....	7		1					2		4	
Russia and Poland.....	1			1							
Canada.....	1							1			
Scandinavia.....	1									1	
Hungary.....											
Bohemia.....											
Italy.....											
Other foreign countries.....	2	2									
Unknown.....	99	6	4	2	1		10	12	4	55	5
SOUTH DAKOTA.											
Total	652	21	14	16	7	7	33	65	62	399	23
White.....	608	20	14	16	7	7	32	65	51	363	28
Native born.....	250	13	8	10	4	2	11	33	14	143	13
Both parents native.....	132	7	6	5	1	1	4	16	6	81	5
One or both parents foreign.....	78	2		4	2		4	7	6	41	12
Foreign born.....	320	6	5	5	3	5	17	29	32	209	9
Colored.....	49	1					1		11	36	
Birthplaces of mothers:											
United States.....	189	8	6	5	1	1	4	17	17	125	5
England and Wales.....	38			1		1	1	3	10	21	1
Ireland.....	49	1	1	2		2	4	5	4	30	
Scotland.....	21			2			1	1	6	10	1
France.....	7								1	5	1
Germany.....	93	1		2	2	3	6	9	6	57	7
Russia and Poland.....	23	2	1				1			19	
Canada.....	23	3		2			1	3	1	13	
Scandinavia.....	108	1	2			1	7	11	8	70	8
Hungary.....											
Bohemia.....	11		1		1			1	1	5	2
Italy.....											
Other foreign countries.....	14							2	1	10	1
Unknown.....	76	5	3	2	1	1	8	13	7	34	2

TABLE 5.—DEATHS AMONG THE MALES ENGAGED IN CERTAIN OCCUPATIONS AND CLASSES OF OCCUPATIONS, BY COLOR, NATIVITY, PARENTAL NATIVITY, AND BIRTHPLACES OF MOTHERS—Continued.

STATES AND STATE GROUPS.	Total.	Class A.	Class B.	Class C.	Class D.	Class E.	Class F.	Class G.	Class H.	Farmers, planters, and overseers.	Farm laborers.
SOUTH DAKOTA—Continued.											
GROUP 1	382	9	9	9	3	1	16	45	10	260	20
White.....	382	9	9	9	3	1	16	45	10	260	20
Native born.....	158	7	5	6	2	1	4	23	6	98	12
Both parents native.....	77	2	4	1	1	1	1	11	3	51	4
One or both parents foreign.....	55	2	4	4	2	1	3	5	3	29	7
Foreign born.....	214	2	4	3	1	1	11	21	4	160	7
Colored.....											
Birthplaces of mothers:											
United States.....	84	2	4	1			1	12	3	57	4
England and Wales.....	25			1		1		3	1	17	1
Ireland.....	35	1		1	2		3	5	1	22	
Scotland.....	12			1			1	1	1	7	1
France.....	4								1	3	
Germany.....	64			2	1		3	4	1	47	6
Russia and Poland.....	19		1				1			17	
Canada.....	15	3		2			1	2		7	
Scandinavia.....	81		2				4	9	2	58	6
Hungary.....											
Bohemia.....	2		1							1	
Italy.....											
Other foreign countries.....	4							1		3	
Unknown.....	37	3	1	1			1	3		21	2
GROUP 2	161	10	4	6	3	5	6	13	4	102	8
White.....	135	9	4	6	3	5	6	13	4	77	8
Native born.....	64	4	3	4	1	1	3	8	2	32	6
Both parents native.....	34	4	2	4	1		1	3	1	17	1
One or both parents foreign.....	18						1	2	1	9	5
Foreign born.....	66	4		1	2	4	3	5	2	43	2
Colored.....	26	1								25	
Birthplaces of mothers:											
United States.....	62	5	2	4	1		1	3	1	44	1
England and Wales.....	3									3	
Ireland.....	8			1						7	
Scotland.....	1									1	
France.....	2									1	1
Germany.....	21	1			1	3	2	3	1	9	1
Russia and Poland.....	4	2								2	
Canada.....	4							1		3	
Scandinavia.....	21	1				1	2	2	1	12	2
Hungary.....											
Bohemia.....	8				1				1	4	2
Italy.....											
Other foreign countries.....	9							1		7	1
Unknown.....	18	1	2	1		1	1	3		9	
GROUP 3	109	2	1	1	1	1	11	7	48	37	
White.....	86	2	1	1	1	1	10	7	37	26	
Native born.....	34	2			1	1	4	2	6	18	
Both parents native.....	21	1				1	2	2	2	13	
One or both parents foreign.....	5								2	3	
Foreign born.....	40		1	1			3	3	26	6	
Colored.....	23						1	3	11	11	
Birthplaces of mothers:											
United States.....	43	1				1	2	2	13	24	
England and Wales.....	10								9	1	
Ireland.....	6		1				1		3	1	
Scotland.....	8			1					5	2	
France.....	1									1	
Germany.....	8						1	2	4	1	
Russia and Poland.....										1	
Canada.....	4								1	3	
Scandinavia.....	6						1		5		
Hungary.....											
Bohemia.....	1							1			
Italy.....											
Other foreign countries.....	1								1		
Unknown.....	21	1		1			6	2	7	4	
TENNESSEE.											
Total	5,024	179	81	136	18	35	432	439	304	2,795	555
White.....	3,631	153	78	131	17	15	155	343	168	2,290	281
Native born.....	3,345	145	73	110	14	10	137	286	139	2,152	279
Both parents native.....	2,587	104	49	79	6	9	97	181	98	1,717	252
One or both parents foreign.....	39	2	1	1			1	7	3	23	1
Foreign born.....	131	2	4	19	2	3	11	35	20	34	1
Colored.....	1,393	26	3	5	1	20	327	96	136	505	274
Birthplaces of mothers:											
United States.....	3,809	127	50	81	6	21	351	251	194	2,213	515
England and Wales.....	16	1						4	1	10	
Ireland.....	36		1	3	1	1	2	5	5	17	1
Scotland.....	4				1			1		2	
France.....	7			2				2		3	
Germany.....	26		2	3		1	2	7	4	7	
Russia and Poland.....											
Canada.....	2							1	1		
Scandinavia.....	2							1	1		
Hungary.....	1						1				
Bohemia.....											
Italy.....	3								3		
Other foreign countries.....	11	1	1	1			1	1	1	4	1
Unknown.....	779	34	9	14	7	3	42	75	40	519	36

TABLE 5.—DEATHS AMONG THE MALES ENGAGED IN CERTAIN OCCUPATIONS AND CLASSES OF OCCUPATIONS, BY COLOR, NATIVITY, PARENTAL NATIVITY, AND BIRTHPLACES OF MOTHERS—Continued.

STATES AND STATE GROUPS.	Total.	Class A.	Class B.	Class C.	Class D.	Class E.	Class F.	Class G.	Class H.	Farmers, planters, and overseers.	Farm laborers.
TENNESSEE—Continued.											
GROUP 1.....	1,869	55	37	49	10	12	177	183	187	971	188
White.....	1,532	51	35	48	9	5	80	153	104	907	140
Native born.....	1,433	50	33	41	7	2	71	135	91	863	140
Both parents native.....	1,167	38	25	33	4	1	57	100	69	712	128
One or both parents foreign.....	15	1	1	1	1	1	1	2	1	8	8
Foreign born.....	39	1	1	5	1	1	5	9	8	9	9
Colored.....	387	4	2	1	1	7	97	30	83	64	48
Birthplaces of mothers:											
United States.....	1,483	44	25	34	4	6	143	126	145	781	175
England and Wales.....	6							2	1	3	
Ireland.....	10			2	1	1	2	1	1	2	
Scotland.....	1									1	
France.....	3			1						2	
Germany.....	12		1	1			2	3	3	2	
Russia and Poland.....											
Canada.....	2							1	1		
Scandinavia.....	1							1			
Hungary.....	1						1				
Bohemia.....											
Italy.....	1								1		
Other foreign countries.....	6		1				1	1	1	2	
Unknown.....	286	11	4	6	3	3	16	35	25	171	12
GROUP 2.....	892	27	4	23	1	6	38	47	19	609	118
White.....	593	25	4	23	1	4	9	41	16	431	39
Native born.....	555	22	4	22	1	4	9	38	13	403	39
Both parents native.....	442	17	3	18		4	9	25	9	322	35
One or both parents foreign.....	4							1		3	
Foreign born.....	6			1					1	4	
Colored.....	299	2				2	29	6	3	178	79
Birthplaces of mothers:											
United States.....	739	19	3	18		6	37	31	13	502	110
England and Wales.....	2									2	
Ireland.....	7			1					1	5	
Scotland.....	1							1			
France.....											
Germany.....											
Russia and Poland.....											
Canada.....											
Scandinavia.....											
Hungary.....											
Bohemia.....											
Italy.....											
Other foreign countries.....											
Unknown.....	143	8	1	4	1		1	15	5	100	8
GROUP 3.....	639	25	15	25	4	6	84	60	39	321	60
White.....	395	18	15	22	4	3	33	44	17	219	20
Native born.....	326	18	13	12	4	2	27	28	8	195	19
Both parents native.....	211	10	9	4	2	2	11	7		149	17
One or both parents foreign.....	5								1	3	1
Foreign born.....	47		2	10		1	6	12	9	6	1
Colored.....	244	7		3		3	51	16	22	102	40
Birthplaces of mothers:											
United States.....	396	16	9	5	2	2	39	16	5	246	56
England and Wales.....	2							1		1	
Ireland.....	5		1						1	2	1
Scotland.....											
France.....	3			1				1		1	
Germany.....	6		1	2				1	1	1	
Russia and Poland.....											
Canada.....											
Scandinavia.....	1								1		
Hungary.....											
Bohemia.....											
Italy.....	1								1		
Other foreign countries.....	3			1						1	1
Unknown.....	91	5	1		1		6	11	1	64	2
GROUP 4.....	1,624	72	25	39	3	11	183	149	59	894	189
White.....	1,111	59	24	38	3	3	33	105	31	733	82
Native born.....	1,031	55	23	35	2	2	30	85	27	691	81
Both parents native.....	767	39	12	24			20	49	15	534	72
One or both parents foreign.....	15	1						4	1	9	
Foreign born.....	39	2		3	1	1		14	2	15	
Colored.....	513	13	1	1		8	150	44	28	161	107
Birthplaces of mothers:											
United States.....	1,191	48	13	24		7	132	78	31	684	174
England and Wales.....	6							1		4	
Ireland.....	14							4	2	8	
Scotland.....	2				1					1	
France.....	1										
Germany.....	8					1		3		4	
Russia and Poland.....											
Canada.....											
Scandinavia.....											
Hungary.....											
Bohemia.....											
Italy.....	1								1		
Other foreign countries.....	2	1								1	
Unknown.....	239	19	3	4	2		19	14	9	184	14

TABLE 5.—DEATHS AMONG THE MALES ENGAGED IN CERTAIN OCCUPATIONS AND CLASSES OF OCCUPATIONS, BY COLOR, NATIVITY, PARENTAL NATIVITY, AND BIRTHPLACES OF MOTHERS—Continued.

STATES AND STATE GROUPS.	Total.	Class A.	Class B.	Class C.	Class D.	Class E.	Class F.	Class G.	Class H.	Farmers, planters, and overseers.	Farm laborers.
TEXAS.											
Total	5,779	280	109	208	52	44	600	433	385	3,225	493
White	4,698	260	109	203	49	33	341	399	302	2,684	318
Native born	3,547	213	86	151	31	16	166	246	197	2,159	282
Both parents native	1,942	124	39	92	14	8	51	118	83	1,220	188
One or both parents foreign	174	7	17	9	3	1	14	19	16	69	19
Foreign born	763	29	14	33	13	12	139	105	66	325	22
Colored	1,081	20	5	5	3	11	259	34	33	541	175
Birthplaces of mothers:											
United States	2,985	149	45	100	17	19	240	152	118	1,786	359
England and Wales	64	4	2	4	2	1	9	9	8	24	1
Ireland	90	7	4	3	3	2	16	13	18	23	1
Scotland	20	2			1		1	6	2	8	
France	22			3			1	4		14	
Germany	321	13	14	19	7	3	11	45	10	186	13
Russia and Poland	14	1		4					1	6	2
Canada	10				1		4	2	1	2	
Scandinavia	25			1	1		3	1		18	1
Hungary											
Bohemia	11			1			2	1		10	1
Italy	5			5	1		96	26	36	86	16
Other foreign countries	277	6	3	58	15	13	177	156	122	1,054	95
Unknown	1,822	96	36								
GROUP 1	501	17	12	23	4	8	147	45	59	151	35
White	327	15	12	22	3	7	65	40	51	98	14
Native born	179	10	10	14	1	2	26	19	26	63	8
Both parents native	87	6	3	8		1	5	8	3	45	3
One or both parents foreign	22		4	1			5	3	3	2	4
Foreign born	131	4	2	8	2	5	28	20	25	31	6
Colored	174	2		1	1	1	82	5	8	53	21
Birthplaces of mothers:											
United States	228	8	6	9	1	2	59	14	14	91	24
England and Wales	8	1						1	5	1	
Ireland	8	1	1				1		4	1	
Scotland	2							1	1		
France	2							1		1	
Germany	33	1	1	3	1	1		6	3	16	1
Russia and Poland											
Canada	1						1				
Scandinavia											
Hungary											
Bohemia											
Italy	3			1			1		10	14	8
Other foreign countries	63			2			23	6	7	23	2
Unknown	35	4	1	2		1	34	7	11	23	2
GROUP 2	5,021	246	85	177	44	30	420	369	216	2,989	445
White	4,122	229	85	173	42	22	245	340	192	2,502	292
Native born	3,196	191	68	131	29	13	127	218	126	2,030	263
Both parents native	1,760	114	32	80	14	7	39	104	58	1,133	179
One or both parents foreign	142	7	11	8	3	1	3	15	10	66	13
Foreign born	578	23	9	30	9	5	95	78	37	277	15
Colored	899	17		4	2	8	175	29	24	487	153
Birthplaces of mothers:											
United States	2,650	136	35	87	16	15	173	132	80	1,648	323
England and Wales	50	3	1	4	1	1	8	7	2	22	1
Ireland	73	5	2	3	3		16	9	12	22	1
Scotland	16	2					1	5	1	7	
France	19			3			1	3		12	
Germany	280	11	11	16	6	2	11	38	6	167	12
Russia and Poland	14	1		4			2	2	1	6	2
Canada	8					1	2	1	1	2	
Scandinavia	25			1	1		3	2		18	1
Hungary										10	1
Bohemia	11						1	1			
Italy	2										
Other foreign countries	178	6	2	3	1	1	58	18	23	61	5
Unknown	1,650	82	32	52	13	10	135	144	82	1,010	90
GROUP 3	257	17	12	8	4	6	33	19	60	85	13
White	249	16	12	8	4	4	31	19	59	84	12
Native born	172	12	8	6	1	1	13	9	45	66	11
Both parents native	95	4	4	4			7	6	22	42	6
One or both parents foreign	10		2				1	1	3	1	2
Foreign born	54	2	3		2	2	16	7	4	17	1
Colored	8	1				2	2		1	1	1
Birthplaces of mothers:											
United States	107	5	4	4		2	8	6	24	47	7
England and Wales	6				1		1	1	1	1	
Ireland	9	1	1			1		4	2		
Scotland	2				1					1	
France	1									1	
Germany	8	1	2					1	1	3	
Russia and Poland											
Canada	1						1				
Scandinavia											
Hungary											
Bohemia											
Italy						1	15	2	3	11	3
Other foreign countries	36		1							21	
Unknown	87	10	3	4	2	2	8	5	29	21	8

STATISTICS OF DEATHS.

TABLE 5.—DEATHS AMONG THE MALES ENGAGED IN CERTAIN OCCUPATIONS AND CLASSES OF OCCUPATIONS, BY COLOR, NATIVITY, PARENTAL NATIVITY, AND BIRTHPLACES OF MOTHERS—Continued.

STATES AND STATE GROUPS.	Total.	Class A.	Class B.	Class C.	Class D.	Class E.	Class F.	Class G.	Class H.	Farmers, planters, and overseers.	Farm laborers.
UTAH.											
Total	410	16	9	9	2	3	81	64	77	136	13
White	405	16	9	9	2	3	79	64	75	135	13
Native born	152	13	4	3	2	1	29	16	32	44	8
Both parents native	42	4	1				9	3	8	15	2
One or both parents foreign	54	4		1	1		14	4	10	15	5
Foreign born	242	3	5	6		2	45	45	43	88	5
Colored	5						2		2	1	
Birthplaces of mothers:											
United States	53	5	1				11	3	11	18	4
England and Wales	140	2	3	3			25	26	23	56	2
Ireland	20				1		6	4	8	1	
Scotland	13	1	1				1	2	2	6	
France											
Germany	10	1		1		1	2	2	2	1	
Russia and Poland	1								1		
Canada	3							1		2	
Scandinavia	83	1	1	1		1	18	12	12	32	5
Hungary											
Bohemia											
Italy	7			2			2	1	2		
Other foreign countries	11	1					4		2	3	1
Unknown	69	5	3	2	1	1	12	13	14	17	1
VERMONT.											
Total	1,467	43	31	57	8	5	198	225	61	803	36
White	1,464	43	31	57	8	5	195	225	61	803	36
Native born	1,159	40	30	46	5	4	105	178	42	676	33
Both parents native	402	18	7	19	1	1	16	63	16	245	16
One or both parents foreign	35		3	2			5	6	3	11	5
Foreign born	230			9	2	1	72	40	15	88	3
Colored	3						3				
Birthplaces of mothers:											
United States	413	19	7	21	1	1	18	64	16	249	17
England and Wales	20							13	6	1	
Ireland	115		1	3	2	1	40	9	9	48	2
Scotland	7			1						5	
France	4			1				1		5	
Germany	3			1						3	
Russia and Poland	1			1				1			
Canada	106		2	3					2	38	5
Scandinavia	2						34	22	1		
Hungary	1						1		1		
Bohemia	1						1				
Italy											
Other foreign countries											
Unknown	795	24	21	26	5	3	103	115	27	459	12
VIRGINIA.											
Total	5,455	190	119	184	36	54	976	735	479	2,019	663
White	3,093	166	113	172	34	25	163	478	217	1,515	210
Native born	2,821	148	102	148	26	20	131	409	170	1,459	208
Both parents native	2,353	119	64	97	19	13	105	287	135	1,316	198
One or both parents foreign	40	1	3	7	1	1		8	3	12	4
Foreign born	175	12	5	18	7	5	24	51	32	21	
Colored	2,362	24	6	12	2	29	813	257	262	504	453
Birthplaces of mothers:											
United States	4,845	139	67	104	21	30	715	441	364	1,814	650
England and Wales	28	5		1	1		2	8	3	7	1
Ireland	57		4	7	2	4	13	9	8	9	
Scotland	11	1		2				5	1	2	
France	3			1				1		1	
Germany	28	1	1	4	1	1		12	1	7	
Russia and Poland	1							1			
Canada	5										
Scandinavia	7		1					1	5		
Hungary	10								9	1	
Bohemia											
Italy	3							1	1		
Other foreign countries											
Unknown	366	13	12	20	4	5	56	50	36	160	10
GROUP 1.											
Total	1,041	31	31	38	4	16	206	87	161	361	106
White	507	26	31	34	3	11	30	62	75	217	18
Native born	446	22	29	32	3	7	19	48	59	209	18
Both parents native	398	19	25	27	3	2	16	44	52	195	15
One or both parents foreign	10		2	2		1		1		2	2
Foreign born	46	2	1	1		4	9	12	11	6	
Colored	534	5		4	1	5	176	25	86	144	88
Birthplaces of mothers:											
United States	908	24	25	31	4	7	178	67	135	334	103
England and Wales	4	1							1	2	
Ireland	22		1	1		4	9	2	2	3	
Scotland	6	1						4		1	
France	2			1				1		1	
Germany	8		1	1		1		3	1	1	
Russia and Poland											
Canada	5								5		
Scandinavia	5		1					1	3		
Hungary											
Bohemia											
Italy	1							1			
Other foreign countries											
Unknown	80	5	3	4		4	19	8	14	20	8

TABLE 5.—DEATHS AMONG THE MALES ENGAGED IN CERTAIN OCCUPATIONS AND CLASSES OF OCCUPATIONS, BY COLOR, NATIVITY, PARENTAL NATIVITY, AND BIRTHPLACES OF MOTHERS—Continued.

STATES AND STATE GROUPS.	Total.	Class A.	Class B.	Class C.	Class D.	Class E.	Class F.	Class G.	Class H.	Farmers, planters, and overseers.	Farm laborers.
VIRGINIA—Continued.											
GROUP 2	2, 613	83	60	115	17	32	525	434	215	388	285
White.....	1, 228	69	63	108	16	12	58	243	74	545	40
Native born.....	1, 099	59	54	89	11	11	43	201	62	529	40
Both parents native.....	803	40	21	48	5	10	28	100	41	472	38
One or both parents foreign.....	12			3	1			3	1	3	1
Foreign born.....	85	7	4	16	5	1	12	20	6	5	
Colored.....	1, 385	14	6	7	1		467	191	141	293	245
Birthplaces of mothers:											
United States.....	1, 829	50	24	50	6	18	311	187	152	760	281
England and Wales.....	14	2		1			1	6	2	1	1
Ireland.....	17		2	4	1		2	4	2	2	
Scotland.....	2			2							
France.....	1									1	
Germany.....	9			2	1			4		2	
Russia and Poland.....											
Canada.....											
Scandinavia.....											
Hungary.....											
Bohemia.....											
Italy.....	1						1				
Other foreign countries.....											
Unknown.....	139	1	9	11	2		21	27	13	54	1
GROUP 3	1, 801	76	19	31	15	6	245	214	103	820	272
White.....	1, 358	71	19	30	15	2	75	178	68	753	152
Native born.....	1, 276	67	19	27	12	2	69	160	49	721	150
Both parents native.....	1, 152	60	18	22	11	1	61	143	42	649	145
One or both parents foreign.....	18	1	1	2				4	2	7	1
Foreign born.....	44	3		1	2		3	10	15	10	
Colored.....	443	5		1		4	170	41	35	67	120
Birthplaces of mothers:											
United States.....	1, 598	65	18	23	11	5	226	187	77	720	266
England and Wales.....	10	2			1		1	2		4	
Ireland.....	18	1	1	2	1		2	3	4	4	
Scotland.....	3							1	1	1	
France.....											
Germany.....	11	1		1				5		4	
Russia and Poland.....	1							1			
Canada.....											
Scandinavia.....	2								2		
Hungary.....	10								9	1	
Bohemia.....											
Italy.....	1								1		
Other foreign countries.....											
Unknown.....	147	7		5	2	1	16	15	9	86	6
WASHINGTON.											
Total.....	710	37	22	22	12	10	138	135	85	228	21
White.....	677	36	22	22	12	10	131	134	75	214	21
Native born.....	367	28	18	16	2	4	46	62	33	141	17
Both parents native.....	171	17	6	9		2	14	23	13	77	10
One or both parents foreign.....	39	3	1	1			7	10	3	11	3
Foreign born.....	259	6	2	6	7	5	73	67	28	62	3
Colored.....	33	1					7	1	10	14	
Birthplaces of mothers:											
United States.....	212	20	6	9		2	19	25	24	95	12
England and Wales.....	38	2	2	1	1		8	11	5	8	
Ireland.....	52						3	9	3	16	1
Scotland.....	20	2					1	9	3	5	1
France.....	3			1			2	1	3	1	
Germany.....	73	1	1	2		3	14	20	3	27	1
Russia and Poland.....	4						2	1	1		
Canada.....	28	2		3	2		5	6	6	3	1
Scandinavia.....	49					1	21	15	6	6	
Hungary.....											
Bohemia.....											
Italy.....	2						2				
Other foreign countries.....	19				1		7	5	3	4	
Unknown.....	205	10	13	6	5	3	37	33	30	63	5
GROUP 1	290	16	4	11	3	3	47	38	20	128	11
White.....	275	15	4	11	3	3	45	38	29	116	11
Native born.....	176	13	4	8		3	18	23	15	84	8
Both parents native.....	73	6		4		1	5	6	4	43	4
One or both parents foreign.....	16	1		1			2	3	1	8	
Foreign born.....	79	1		3	3		24	13	8	25	2
Colored.....	15	1					2			12	
Birthplaces of mothers:											
United States.....	92	7		4		1	7	8	5	56	4
England and Wales.....	5			1				2		2	
Ireland.....	16						8	1	2	5	
Scotland.....	5	1						1		3	
France.....	2							1	1		
Germany.....	27			1	1		4	5		15	1
Russia and Poland.....	1						1				
Canada.....	14	1		2	2		2	1	4	1	1
Scandinavia.....	18						8	4	2	2	
Hungary.....											
Bohemia.....											
Italy.....											
Other foreign countries.....	6						3			3	
Unknown.....	106	7	4	3		2	14	15	15	41	5

TABLE 5.—DEATHS AMONG THE MALES ENGAGED IN CERTAIN OCCUPATIONS AND CLASSES OF OCCUPATIONS, BY COLOR, NATIVITY, PARENTAL NATIVITY, AND BIRTHPLACES OF MOTHERS—Continued.

STATES AND STATE GROUPS.	Total.	Class A.	Class B.	Class C.	Class D.	Class E.	Class F.	Class G.	Class H.	Farmers, planters, and overseers.	Farm laborers.
WASHINGTON—Continued.											
GROUP 2	420	21	18	11	9	7	91	97	56	100	10
White.....	402	21	18	11	9	7	86	96	46	98	10
Native born.....	191	15	14	8	2	1	28	39	18	57	9
Both parents native.....	98	11	6	5		1	9	17	9	34	6
One or both parents foreign.....	23	2	1				5	7	2	3	3
Foreign born.....	180	5	2	3	4	5	49	54	20	37	1
Colored.....	18						5	1	10	2	
Birthplaces of mothers:											
United States.....	120	13	6	5		1	12	17	19	39	8
England and Wales.....	33	2	2				8	9	5	6	
Ireland.....	36						3	8	1	11	1
Scotland.....	15	1					1	8	2	2	1
France.....	6			1					2		
Germany.....	46	1	1	1	2	1	10	15	3	12	
Russia and Poland.....	3						1	1	1		
Canada.....	14	1		1			3	5	2	2	
Scandinavia.....	33					1	13	11	4	4	
Hungary.....											
Bohemia.....											
Italy.....	2						2				
Other foreign countries.....	13				1		4	5	2	1	
Unknown.....	99	3	9	3	5	1	23	18	15	22	
WEST VIRGINIA.											
Total	2,012	70	23	56	10	15	211	238	196	979	164
White.....	1,871	68	23	56	10	11	157	280	157	963	146
Native born.....	1,659	64	20	44	9	8	125	235	115	896	143
Both parents native.....	1,237	45	12	32	6	6	88	152	86	728	132
One or both parents foreign.....	95	2	2	5	1	1	9	34	7	30	4
Foreign born.....	162	3	1	8	1	2	24	36	37	48	2
Colored.....	141	2				4	54	8	39	16	18
Birthplaces of mothers:											
United States.....	1,440	48	13	33	6	10	137	163	113	765	147
England and Wales.....	32		2	1			2	12	12	3	
Ireland.....	89	1	1	5	2	1	14	15	15	34	1
Scotland.....	9	1				1	1	2	4		
France.....											
Germany.....	98	1		5		1	15	35	11	26	4
Russia and Poland.....	1			1							
Canada.....	3	1						1		1	
Scandinavia.....	1							1			
Hungary.....											
Bohemia.....											
Italy.....											
Other foreign countries.....	9	1		1				2	1	3	1
Unknown.....	330	17	7	10	2	2	42	57	35	147	11
GROUP 1	1,064	41	10	20	5	8	114	120	114	533	99
White.....	954	41	10	20	5	7	75	117	78	519	82
Native born.....	869	39	8	16	5	6	67	105	59	484	80
Both parents native.....	716	31	5	13	4	5	48	79	49	405	77
One or both parents foreign.....	32	1		1		1	2	6	3	17	1
Foreign born.....	64	1	1	2			5	9	18	27	1
Colored.....	110					1	39	3	36	14	17
Birthplaces of mothers:											
United States.....	820	32	5	13	4	5	84	82	76	428	91
England and Wales.....	12		1					3	6	2	
Ireland.....	41			3			6	6	8	18	
Scotland.....	5					1			4		
France.....											
Germany.....	24	1						4	2	15	2
Russia and Poland.....											
Canada.....	2	1						1			
Scandinavia.....	1							1			
Hungary.....											
Bohemia.....											
Italy.....											
Other foreign countries.....	3								1	2	
Unknown.....	156	7	4	4	1	2	24	23	17	68	6
GROUP 2	948	29	13	36	5	7	97	168	82	446	65
White.....	917	27	13	36	5	4	82	163	79	444	64
Native born.....	790	25	12	23	4	2	58	130	56	412	63
Both parents native.....	571	14	7	19	2	1	40	73	37	323	55
One or both parents foreign.....	63	1	2	4	1		7	28	4	13	3
Foreign born.....	98	2		6	1	2	19	27	19	21	1
Colored.....	31					3	15	5	3	2	1
Birthplaces of mothers:											
United States.....	620	16	8	20	2	5	53	81	42	337	56
England and Wales.....	20		1	1			2	9	6	1	
Ireland.....	48	1	1	2	2	1	8	9	7	16	1
Scotland.....	4	1					1	2			
France.....											
Germany.....	74			5		1	15	31	9	11	2
Russia and Poland.....	1			1							
Canada.....	1									1	
Scandinavia.....											
Hungary.....											
Bohemia.....											
Italy.....											
Other foreign countries.....	6	1		1				2		1	1
Unknown.....	174	10	3	6	1		18	34	18	79	6

TABLE 5.—DEATHS AMONG THE MALES ENGAGED IN CERTAIN OCCUPATIONS AND CLASSES OF OCCUPATIONS, BY COLOR, NATIVITY, PARENTAL NATIVITY, AND BIRTHPLACES OF MOTHERS—Continued.

STATES AND STATE GROUPS.	Total.	Class A.	Class B.	Class C.	Class D.	Class E.	Class F.	Class G.	Class H.	Farmers, planters, and overseers.	Farm laborers.
WISCONSIN.											
Total	4,732	143	127	165	95	25	744	778	297	2,187	171
White	4,689	142	127	165	95	24	730	775	295	2,165	171
Native born	1,788	87	83	87	28	14	163	294	121	805	106
Both parents native	773	44	32	40	10	4	55	114	45	413	16
One or both parents foreign	662	21	37	26	12	7	71	112	59	231	36
Foreign born	2,769	46	35	74	63	8	537	463	160	1,321	62
Colored	43	1				1	14	3	2	22	
Birthplaces of mothers:											
United States	894	51	36	43	10	6	76	127	52	466	27
England and Wales	278	11	7	9	1	1	16	57	25	144	7
Ireland	543	10	14	14	9	3	100	61	57	263	12
Scotland	72	3		2	1		4	17	4	38	3
France	31	1		3			6	8	1	12	
Germany	1,592	26	35	51	47	10	296	318	64	681	64
Russia and Poland	59	1		1	1		35	2	2	15	1
Canada	97	1	5	3	5		22	8	19	30	4
Scandinavia	460	7	6	9	5		83	57	33	222	38
Hungary	2						1			1	
Bohemia	71	2	1	2	1		13	17		34	1
Italy	5			1					3	1	
Other foreign countries	156	1		4	5	1	24	24	7	83	7
Unknown	469	28	23	23	10	4	67	81	30	196	7
GROUP 1.	1,479	47	69	67	41	14	361	360	91	406	23
White	1,473	47	69	67	41	14	355	360	91	406	23
Native born	402	20	49	25	8	6	53	102	34	90	15
Both parents native	124	8	15	7	1	1	22	28	9	33	
One or both parents foreign	195	3	21	7	6	2	22	52	21	46	15
Foreign born	1,037	25	17	40	32	7	295	252	53	308	8
Colored	6						6				
Birthplaces of mothers:											
United States	143	10	17	7	1	1	29	31	11	36	
England and Wales	62	4	2			1	8	22	2	23	
Ireland	165	6	11	5	3	1	47	28	20	49	
Scotland	9	2					1	4	1	2	
France	9	1					1	4	1	2	
Germany	743	11	20	34	30	7	194	205	37	188	17
Russia and Poland	27			1	1		23	2		1	
Canada	20	1	1		1		4	2	5	6	
Scandinavia	63	2	1	2			16	13	7	20	2
Hungary	1						1			1	
Bohemia	48	1	1	2			5	15		24	
Italy	1			1						1	
Other foreign countries	81			3	3	1	17	14	1	38	4
Unknown	107	9	18	11	2	3	16	25	7	18	
GROUP 2.	475	16	7	14	4	1	43	38	15	307	30
White	473	16	7	14	4	1	41	38	15	307	30
Native born	213	11	5	9	2	1	11	18	8	130	18
Both parents native	95	8	2	6	1	1	3	5	4	60	5
One or both parents foreign	66	2	3	2	1		4	5	3	35	11
Foreign born	250	5	2	5	2		27	18	6	173	12
Colored	2						2				
Birthplaces of mothers:											
United States	105	8	2	6	1	1	6	5	4	66	6
England and Wales	37			2			3	5	4	21	2
Ireland	40	1			1		4	1	2	30	1
Scotland	6	1						1		3	1
France	2									2	
Germany	83	2	1	3			6	5	1	61	4
Russia and Poland	11						4			7	
Canada	6		2					1		3	
Scandinavia	99	1	2	2	1		9	7	1	61	15
Hungary											
Bohemia	8	1			1		2			4	
Italy	1								1	1	
Other foreign countries	17	1					2	3	1	10	
Unknown	57	1		1			6	9	2	37	1
GROUP 3.	1,907	58	39	63	29	7	165	284	95	1,088	84
White	1,894	58	39	63	29	6	162	281	94	1,078	84
Native born	877	41	28	41	13	4	54	135	51	456	54
Both parents native	432	22	13	22	8	1	20	64	23	251	8
One or both parents foreign	289	12	9	14	2	3	25	45	19	116	44
Foreign born	974	10	10	20	16	1	102	140	42	604	29
Colored	13					1	3	3	1	5	
Birthplaces of mothers:											
United States	485	25	15	24	8	2	25	71	27	278	15
England and Wales	146	3	4	6			4	24	12	88	5
Ireland	277	3	2	8	3	1	84	32	19	165	10
Scotland	45			1			1	10	1	30	2
France	9			2						5	
Germany	550	11	10	11	11	3	68	87	21	298	30
Russia and Poland	3						2	1			
Canada	16			1	1		2	1	3	8	
Scandinavia	140	3	1	2	2		13	16	3	84	16
Hungary											
Bohemia	6							2		4	
Italy											
Other foreign countries	33			1	1	1	1	5		23	2
Unknown	197	13	7	7	3	1	15	33	9	105	4

STATISTICS OF DEATHS.

TABLE 5.—DEATHS AMONG THE MALES ENGAGED IN CERTAIN OCCUPATIONS AND CLASSES OF OCCUPATIONS, BY COLOR, NATIVITY, PARENTAL NATIVITY, AND BIRTHPLACES OF MOTHERS—Continued.

STATES AND STATE GROUPS.	Total.	Class A.	Class B.	Class C.	Class D.	Class E.	Class F.	Class G.	Class H.	Farmers, planters, and overseers.	Farm laborers.
WISCONSIN—Continued.											
GROUP 4	871	22	12	21	21	3	175	96	96	391	34
White	849	21	12	21	21	3	172	96	95	374	34
Native born	301	15	6	12	5	3	45	39	28	129	19
Both parents native	122	6	2	5	1	1	10	17	9	69	3
One or both parents foreign	112	4	4	3	3	2	20	10	16	34	16
Foreign born	508	6	6	9	13		113	53	59	236	13
Colored	22	1					3		1	17	
Birthplaces of mothers:											
United States	161	8	2	6		2	16	20	10	91	6
England and Wales	33	4	1	1	1		1	6	7	12	
Ireland	61		1	1	2	1	15	5	16	19	1
Scotland	12				1		3	1	3	4	
France	11			1			5	2		3	
Germany	216	2	4	3	6		28	21	5	134	13
Russia and Poland	18	2					6			7	1
Canada	55		2	2	3		10	4	11	13	4
Scandinavia	158	1	2	3	2		45	21	22	57	5
Hungary	1									1	
Bohemia	9									2	1
Italy	3						6				
Other foreign countries	25				1		4	2	3	12	1
Unknown	108	5		4	5		30	14	12	36	2
WYOMING.											
Total	143	1	7	7		7	22	17	64	15	3
White	138	1	7	7		6	22	17	60	15	3
Native born	61		4	5		1	5	11	22	11	2
Both parents native	26		3	4			1	3	7	7	1
One or both parents foreign	14			1				3	8	2	
Foreign born	59		1	1		4	14	5	30	3	1
Colored	5					1			4		
Birthplaces of mothers:											
United States	32		3	4		1	2	3	11	7	1
England and Wales	17		1	1		1	2	1	7	4	
Ireland	11					1	4	2	3	1	
Scotland	9							1	8		
France											
Germany	8					2	2	2	2		
Russia and Poland	7								6		1
Canada	1								1		
Scandinavia	15			1			6	2	6		
Hungary											
Bohemia											
Italy	1								1		
Other foreign countries	3								3		
Unknown	39	1	3	1		2	6	6	16	3	1
GROUP 1	19		2	1		3		1	10	2	
White	18		2	1		2		1	10	2	
Native born	9		1	1					6	1	
Both parents native	5		1	1					2	1	
One or both parents foreign	1								1		
Foreign born	6					2		1	2	1	
Colored	1					1					
Birthplaces of mothers:											
United States	7		1	1					3	1	
England and Wales	1					1				1	
Ireland											
Scotland	1								1		
France											
Germany	3								1		
Russia and Poland						2					
Canada											
Scandinavia	1										
Hungary								1			
Bohemia											
Italy											
Other foreign countries											
Unknown	6		1						5		
GROUP 2	124	1	5	6		4	22	16	54	13	3
White	120	1	5	6		4	22	16	50	13	3
Native born	52		3	4		1	5	11	16	10	2
Both parents native	21		2	3			1	3	5	6	1
One or both parents foreign	13			1				3	7	2	
Foreign born	58		1	1		2	14	4	28	2	1
Colored	4								4		
Birthplaces of mothers:											
United States	25		2	3			2	3	8	6	1
England and Wales	16		1	1			2	1	7	3	
Ireland	11					1	4	2	3	1	
Scotland	8							1	7		
France											
Germany	5								1		
Russia and Poland	7								6		1
Canada	1								1		
Scandinavia	14			1			6	1	6		
Hungary											
Bohemia											
Italy	1								1		
Other foreign countries	3								3		
Unknown	33	1	2	1		2	6	6	11	3	1

TABLE 6.

DEATHS IN THE UNITED STATES, EACH REGISTRATION STATE, AND THE REMAINDER OF
THE UNITED STATES, AMONG THE MALES ENGAGED IN CERTAIN OCCUPATIONS
AND CLASSES OF OCCUPATIONS, WITH DISTINCTION OF COLOR,
BIRTHPLACES OF MOTHERS, AND CERTAIN AGE PERIODS,
FOR THE CENSUS YEAR ENDING MAY 31, 1890.

STATISTICS OF DEATHS.

201

OCCUPATIONS, BY COLOR, BIRTHPLACES OF MOTHERS, AND CERTAIN AGE PERIODS.

CLASS B.							CLASS C.									
Total.	Stenographers and typewriters.	Accountants, bookkeepers, clerks, and copyists.	Bankers, brokers, and officials of companies.	Collectors, auctioneers, and agents.	Wholesale merchants and dealers.	News-paper carriers and news-boys.	Total.	Apothecaries, pharmacists, and dealers in chemicals and drugs.	Commercial travelers and salesmen.	Dealers in dry goods (retail).	Dealers in groceries (retail).	Dealers, not specified (retail).	Hucksters and peddlers.	Wine and liquor dealers (retail).	Wine and liquor dealers (wholesale).	
7,081	55	4,900	652	1,301	124	40	9,336	519	1,363	122	968	5,550	608	188	18	1
7,026	55	4,869	650	1,296	123	33	9,209	518	1,355	121	958	5,478	573	188	18	2
17		14				3	3	2					1			3
473	2	451	5	11		4	128	12	72	3	6	22	13			4
1,068	20	954	27	59	4	4	472	53	172	7	33	170	34	3		5
1,678	19	1,885	67	192	13	2	1,516	127	369	22	161	705	91	40	1	6
1,155	6	806	106	216	17	4	1,684	103	306	23	172	879	94	53	4	7
963	4	554	119	252	29	5	1,704	98	213	17	204	1,001	119	46	6	8
780	2	382	128	237	25	6	1,631	59	140	17	180	1,097	103	30	5	9
847	2	299	190	316	35	5	2,054	58	73	29	195	1,566	115	16	2	10
45		24	8	13			67	6	10	3	7	38	3			11
55		40	2	5	1	7	127	1	8	1	10	72	35			12
2		1				1										13
8		5				3	6									14
10		7				3	9									15
14		13		1			29									16
5		4		1			23	1	2							17
6		4		1			25		1							18
4		3		1			15			1						19
4		1		2			18									20
2		2		1			2		1							21
2,872	28	1,847	358	574	53	12	3,677	252	584	76	324	2,312	114	13	2	22
6		5		7		1	2	2								23
208	1	192	3	7		5	70	6	47	3	4	7	3			24
450	10	391	8	27	2	4	244	27	89	5	14	101	8			25
617	11	479	41	32	4		631	65	155	13	59	327	12			26
431	2	281	55	35	7	1	614	46	117	15	57	354	19	6		27
406	2	217	60	103	14	1	616	46	83	11	53	398	20	3	2	28
327	1	159	61	97	9		589	27	58	11	50	419	21	3		29
412	1	117	113	164	17		389	30	32	16	86	695	29	1		30
15		6	3	6			22	3	3	2	1	11	2			31
311	2	216	28	62	3		344	28	51	4	25	216	15	5		32
1		1					1									33
9		24	1	7			7	1								34
32		46	3	5			43	5	3							35
55	1	3		7			13	17	2		5			1		36
71		50	4	16	1		55	17			4	23	5	1		37
64	1	42	5	15	1		59	5	6		6	39	1	2		38
38		25	4	8	1		86	6	10	1	5	61	2	1		39
40		19	11	10			92	4	2	1	5	73	7			40
1				1			1	1								41
108	2	70	11	23	2		110	6	15	4	11	66	6	1	1	42
1		1					1									43
12	1	11					7	2	1				1			44
15		14			1		19	1	7			2	7			45
21		12	4	5			17		1			12	1	1		46
19	1	13		5			17	2	3			3	9			47
18		11	3	4			17		1			11	3			48
22		8	4	9	1		31	1		4		24				49
							1					1				50
956	6	782	46	107	10	5	1,025	27	122	9	170	503	111	32	1	52
2		2					1									53
88	1	83	2	1		1	8		3			3	1			54
182	4	171	1	6			47	4	18			11	2			55
299	1	270	5	21	1	1	197	7	33	2	8	78	4			56
134		108	6	18	1	1	207	6	22	1	30	95	22	25		57
102		70	8	19	5		223	5	29		3	110	29	18		58
82		41	15	23	2	1	170	4	9		1	96	17	9		59
67		37	9	19	1	1	168	1	7	2	26	108	19	5		60
							4		1			2				61
595	1	431	38	108	13	4	1,228	60	123	12	215	661	106	47	4	62
1		1					15									63
44		44					60	2	10			2				64
90		-79					164	5	25			4				65
160		137	5	8	1		219	11	19			31	6	1		66
105		78	6	21			219	14	33	3		35	19	10		67
73		49	5	22	3		267	12	22	4		58	19	14	1	68
69		28	15	18	7		283	8	11	1		52	29	11	1	69
52	1	20	5	22	1	3	224	7	6		3	33	19	5	1	70
1		1					6	1				4				71

VITAL AND SOCIAL STATISTICS.

TABLE 6.—DEATHS AMONG MALES ENGAGED IN CERTAIN OCCUPATIONS AND CLASSES OF

AREAS.	CLASS D.			CLASS E.							
	Total.	Hotel and boarding house keepers.	Saloon keepers, billiard and bowling saloon keepers, bartenders, and restaurant keepers.	Total.	Barbers and hair-dressers.	Janitors and sextons.	Laundress.	Nurses.	Police-men, watchmen, and detectives.	Soldiers, sailors, and marines (United States).	Undertakers.
THE UNITED STATES—Cont'd.											
1 Total	2, 413	645	1, 768	3, 008	841	283	182	68	820	665	149
2 White	2, 357	636	1, 721	2, 529	596	223	80	57	795	631	147
3 Under 15				1				1			
4 15 to 20	20	2	18	41	31	1	2	1	2	3	1
5 20 to 25	123	6	117	176	98	2	5	7	23	38	3
6 25 to 35	517	62	455	440	189	20	19	15	121	61	15
7 35 to 45	563	105	458	453	132	33	18	8	156	88	18
8 45 to 55	494	146	348	454	69	46	20	11	176	108	24
9 55 to 65	339	135	204	433	39	53	12	8	163	124	29
10 65 and over	276	173	103	513	33	66	3	6	143	205	57
11 Unknown	25	7	18	18	5	2	1		6	4	
12 Colored	56	9	47	479	245	60	102	11	25	34	2
13 Under 15				2				2			
14 15 to 20	1		1	8	7	1			1		
15 20 to 25	14	1	13	54	27	7	11	2	1	10	
16 25 to 35	8		8	107	51	7	34	1	3	11	
17 35 to 45	13	3	10	122	50	14	37	1	4	7	
18 45 to 55	11	2	9	82	40	16	15	2	5	1	1
19 55 to 65	6	2	4	46	28	7	3	2	7	1	
20 65 and over	2	1	1	49	27	11	1	3	4	2	1
21 Unknown	1		1	9	6	1			1		
22 Birthplaces of mothers: United States	526	263	263	793	312	99	29	22	180	85	66
23 Under 15				3				3			
24 15 to 20	5		5	18	14	1	1		1	1	
25 20 to 25	36	4	32	92	58	4	3	4	8	15	
26 25 to 35	89	20	69	157	91	6	8	4	26	19	3
27 35 to 45	102	42	60	128	57	15	4	2	26	18	6
28 45 to 55	97	46	51	128	41	22	5	1	41	13	5
29 55 to 65	87	60	27	111	23	21	6	3	31	8	19
30 65 and over	107	88	19	151	24	30	2	5	46	11	33
31 Unknown	3	3		5	4				1		
32 England and Wales	82	27	55	99	10	15	2	7	35	22	8
33 Under 15											
34 15 to 20				6	3					2	1
35 20 to 25	3		3	12	3			2	5	2	
36 25 to 35	10	1	9	15	3			1	5	3	
37 35 to 45	13	4	9	15	3	2	1	1	4	5	2
38 45 to 55	27	10	17	18		3	1	3	5	3	1
39 55 to 65	15	5	10	14		5			5	6	4
40 65 and over	13	7	6	23	1	5		1	10	1	
41 Unknown	1		1	1							
42 Scotland	20	8	12	26	1	5			10	8	2
43 Under 15											
44 15 to 20	1		1								
45 20 to 25				4		1			2	1	
46 25 to 35	1	1	3	2					1	1	
47 35 to 45	5	2	4	2					3	1	
48 45 to 55	7	3	4	4					1	1	
49 55 to 65	4		4	5	1	1			1	2	
50 65 and over	2	2		11		3			3	3	2
51 Unknown											
52 Ireland	433	67	366	556	49	48	20	11	262	143	23
53 Under 15											
54 15 to 20	3		3	6	5		1		7	11	1
55 20 to 25	34		34	39	17	1		2	47	14	7
56 25 to 35	146	12	134	91	13	4		2	58	14	3
57 35 to 45	118	12	106	103	8	15	5		54	31	5
58 45 to 55	72	21	51	114	3	13	5	3	58	27	1
59 55 to 65	35	12	23	90	2	6	3	2	38	46	6
60 65 and over	24	9	15	104	1	9	2	2			
61 Unknown	1	1									
62 Germany	589	99	490	431	172	25	9	6	74	129	16
63 Under 15											
64 15 to 20	2		2	10	8	1		1			
65 20 to 25	29	2	27	21	13		1		11	7	3
66 25 to 35	118	8	110	79	49	3	3	2	15	11	2
67 35 to 45	142	16	126	78	44	3	1	2	18	20	4
68 45 to 55	140	25	115	88	24	8	3	1	20	28	3
69 55 to 65	92	21	71	71	14	5	1		9	55	4
70 65 and over	60	26	34	83	10	5			1		
71 Unknown	6	1	5	1							

STATISTICS OF DEATHS.

OCCUPATIONS, BY COLOR, BIRTHPLACES OF MOTHERS, AND CERTAIN AGE PERIODS—Continued.

CLASS F.				CLASS G.														
Total.	Laborers (not specified).	Messenger boys.	Servants.	Total.	Artificial flower and paper box makers.	Bakers and confectioners.	Blacksmiths.	Bleachers, dyers, and scourers.	Bookbinders.	Boot and shoe makers.	Brassfounders and copper-smiths.	Brewers, distillers, and rectifiers.	Brick and tile makers and terra-cotta workers.	Butchers.	Cabinet makers and upholsterers.			
32,070	29,868	93	2,109	36,430	67	815	2,540	132	137	2,915	165	290	203	1,206	766	1		
24,259	23,026	79	1,154	35,016	66	803	2,317	130	137	2,827	163	283	167	1,174	754	2		
88	71	10	7	42	3	32	23	4	12	4	11	2	3	2	9	3		
1,141	1,034	35	72	977	6	59	102	10	11	30	23	18	22	32	32	4		
2,385	2,267	9	109	2,489	19	154	288	17	38	129	29	54	23	82	83	5		
4,412	4,131	10	271	5,539	14	148	337	21	23	293	29	64	23	243	111	6		
3,738	3,514	2	222	5,537	7	127	348	24	13	306	36	77	29	220	98	7		
3,733	3,550	4	179	5,552	9	137	429	24	14	403	27	77	13	213	112	8		
3,435	3,294	2	139	5,749	7	141	766	30	25	577	20	35	32	164	128	9		
5,019	4,867	6	146	8,893	1	5	24	1	1	1,075	12	32	39	208	253	10		
308	298	1	9	238						10		1	1	10	5	11		
7,811	6,842	14	955	1,414	1	12	223	2		88	2	7	36	32	12	12		
123	91	4	28	4													13	
690	601	5	74	46		2				1	1						14	
1,149	1,098		141	108		3	3			7				2			15	
1,576	1,337	2	237	201		1	17			12				9	5		16	
1,267	1,058	1	178	271		1	20			7				7	3		17	
1,050	928	2	120	282	1	2	47	1		18		3		6	1		18	
724	640		84	219		1	39	1		12		3		4	10		19	
1,119	1,034		85	316		2	83			31				3	1		20	
123	115		8	27			4							4	3		21	
10,591	9,623	40	928	11,364	14	90	1,022	16	33	878	32	33	75	290	158		22	
160	122	6	32	19														23
1,050	931	18	101	341	1	4	13	2	5	3	1		3	12	4		24	
1,664	1,526	4	134	841		11	47	1	3	46	9	3	15	31	11		25	
2,008	1,802	6	200	1,515	5	14	93	2	8	85	6	4	16	46	21		26	
1,471	1,325	1	145	1,512	4	11	116	2	3	83	7	6	9	49	12		27	
1,245	1,129	3	113	1,593	2	14	159	1	2	96	2	7	9	51	12		28	
1,037	950		87	1,844		10	179	5	5	150	3	9	9	48	23		29	
1,821	1,709	2	110	3,629	1	26	407	3	6	403	4	4	14	52	70		30	
185	129		6	70	1		8		1	2				1			31	
641	561	5	75	1,849	1	26	118	14	11	117	11	8	7	53	29		32	
28	26		2	1		2												33
59	53	2	4	40	1	2			1	2				2			34	
103	81	1	21	103		2	3			5		1	1	2			35	
101	85		16	208		1	8	1	2	4		1		6	1		36	
96	84	2	10	291		4	21	2	2	4		1		7	5		37	
106	95		11	324		2	19	6	1	17	4	1	2	8	5		38	
136	127		9	339		6	29		2	31	2	1	2	10	3		39	
12	10		2	537		9	38	5	3	52		3	2	18	14		40	
				6						1				1			41	
152	137	1	14	616	2	16	41	8	2	28	4		2	8	7		42	
2	1	1		13		1												43
8	7		1	24			2			1				1			44	
27	22		5	75	1		4			4							45	
27	26		1	101			5		1	3				1			46	
31	27		4	120			3			8			2	2			47	
24	23		1	123	1		7	14		5				1			48	
32	30		2	159			12	12		1				1	2		49	
1	1			1			4	1		7				2	5		50	
7,128	6,835	21	272	5,170	9	105	359	30	25	495	39	12	11	118	42		52	
9	8	1	8	8						1								53
165	149	3	28	186	1	5	1		3	10	4			2	2		54	
482	452	2	28	490	1	10	24	5	3	43	11	1	2	4	4		55	
1,078	1,018	3	57	1,131	3	25	59	4	8	90	7	4	3	42	5		56	
1,086	1,012	1	73	950	1	16	72	1	4	72	8		3	22	13		57	
1,303	1,254		49	861		18	59	7	4	97	5	2	2	19	8		58	
1,240	1,207	2	31	746	2	14	67	6	1	84	3		1	15	5		59	
1,728	1,639	4	25	776	1	17	73	7	2	96	1	3		14	7		60	
37	36		1	22			4			2							61	
2,865	2,686	7	172	5,721	14	307	289	19	26	494	39	168	16	376	250		62	
9	8	1		5														63
91	79	5	7	132		9	4		1		2	2		1			64	
193	178		15	323	1	14	11		1	7	2	8	1	23	7		65	
457	414		43	332	5	55	40		8	31	6	35		80	25		66	
423	391		32	947	4	63	39	6	5	42	12	41	1	78	36		67	
415	383		32	996	1	56	49	4	1	75	7	49	2	74	33		68	
494	468		26	1,129	2	65	61	6	2	142	6	17	4	58	62		69	
757	740		17	1,337	1	43	33	3	8	195	4	16	8	52	81		70	
26	25	1		20		2	2			2				1			71	

TABLE 6.—DEATHS AMONG MALES ENGAGED IN CERTAIN OCCUPATIONS AND CLASSES OF

AREAS.		CLASS G—continued.											
		Carpenters and joiners.	Cigar makers and tobacco workers.	Clock and watch-repairers, jewelers, and opticians.	Compositors, printers, and press-men.	Coopers.	Cotton mill operatives.	Electrotypers and stereotypers.	Engineers and firemen (not locomotive).	Flax mill operatives.	Gas works employes.	Glass blowers.	Glass workers.
THE UNITED STATES—Cont'd.													
1	Total	7,012	877	544	941	732	134	17	1,425	4	25	125	95
2	White	6,631	801	544	932	694	131	17	1,356	4	23	125	95
3	Under 15	1	3	3	3	3	3						1
4	15 to 20	69	38	16	71	7	24	1	30			9	12
5	20 to 25	230	89	48	161	18	26	5	126		2	18	12
6	25 to 35	798	205	115	247	73	20	4	296		1	80	24
7	35 to 45	916	154	100	171	84	16	3	283	1	5	20	14
8	45 to 55	1,078	136	80	122	103	11	1	261		6	19	12
9	55 to 65	1,294	100	73	68	142	12		199	1	6	13	7
10	65 and over	2,197	71	109	83	265	19	3	144	2	3	16	10
11	Unknown	58	5	3	6	2			17				8
12	Colored	381	76		9	38	3		69		2		
13	Under 15		2				1						
14	15 to 20	9	4		1	2							
15	20 to 25	18	13		1	1			5				
16	25 to 35	39	21		4	3			15				
17	35 to 45	51	11		6	6	2		25				
18	45 to 55	78	14		2	9			18		2		
19	55 to 65	75	7		8	8			7				
20	65 and over	102	3		1	9			3				
21	Unknown	9	1		1				1				
Birthplaces of mothers:													
22	United States	3,213	171	171	302	231	40	5	480	2	10	30	16
23	Under 15		3		1		4						1
24	15 to 20	39	14	7	27	3	7		21			5	3
25	20 to 25	141	23	13	55	10	13	2	59			4	3
26	25 to 35	338	51	30	86	19	5	1	119		1	6	4
27	35 to 45	414	22	23	45	17	7	2	91	-1		5	
28	45 to 55	469	23	30	36	25	4		83		6	5	
29	55 to 65	629	16	27	20	44	5		61		3	2	1
30	65 and over	1,155	17	41	29	115	4		47	1	3	3	1
31	Unknown	28	2		3				3				1
32	England and Wales	227	23	35	43	15	15	1	74		1	8	8
33	Under 15												
34	15 to 20	1		2	4				1				
35	20 to 25	8	1	1	3				9			2	
36	25 to 35	28	4	3	11	1	2		6				1
37	35 to 45	31	2	15	9	2	4	1	11				2
38	45 to 55	42	6	5	7	3	2		14			1	2
39	55 to 65	39	7	2	4	3	2		16			2	1
40	65 and over	77	3	7	5	6	5		16		1	3	2
41	Unknown	1							1				
42	Scotland	97	2	7	17	4	6		33	1	1		1
43	Under 15												
44	15 to 20						1						
45	20 to 25	3			1				1				
46	25 to 35	11	2	1	2	1			6				
47	35 to 45	10		3	4	1	1		6		1		
48	45 to 55	27			5		1		8				
49	55 to 65	19			3	1	2		7				
50	65 and over	27		3	2	1	1		5	1			1
51	Unknown												
52	Ireland	487	47	47	177	105	29	1	216	1	9	22	22
53	Under 15				2								
54	15 to 20	6	3	3	13		4		1			1	1
55	20 to 25	30	14	9	36	3	5		16		2	6	2
56	25 to 35	77	12	21	48	17	7		59			6	8
57	35 to 45	81	9	5	34	17	4	1	56		3	2	5
58	45 to 55	102	5	4	20	29	2		37		1	2	2
59	55 to 65	82	1	1	12	17	2		23	1	2	3	1
60	65 and over	108	3	3	11	22	5		19		1	2	2
61	Unknown	1		1	1								1
62	Germany	679	250	110	76	127	2	4	101		2	22	27
63	Under 15		1										
64	15 to 20	11	5	2	7	3			1			1	7
65	20 to 25	26	18	11	19	1			9			3	4
66	25 to 35	82	56	27	14	15		2	16			7	4
67	35 to 45	117	50	18	14	19	1	1	20			5	2
68	45 to 55	126	53	19	10	17			22		1	4	5
69	55 to 65	114	42	15	5	37	1		18		1	1	2
70	65 and over	201	25	18	7	35		1	14			1	3
71	Unknown	2	2						1				

STATISTICS OF DEATHS.

OCCUPATIONS, BY COLOR, BIRTHPLACES OF MOTHERS, AND CERTAIN AGE PERIODS—Continued.

CLASS G—continued.																
Gun-smiths, lock-smiths, and bell-hangers.	Harness and saddle makers and repairers, and trunk, valise, and leather-case makers.	Hat and cap makers.	Iron and steel workers.	Lead and zinc workers.	Leather curriers, dressers, finishers, and tanners.	Machinists.	Marble and stone cutters.	Masons (brick and stone).	Meat packers, curers, and picklers, canners, and fruit preservers.	Mill and factory operatives (textiles not specified).	Millers (flour and grist).	Painters, glaziers, and varnishers.	Paper hangers.	Paper mill operatives.	Photographers.	
157	522	334	1,084	20	408	1,618	680	2,105	14	1,236	656	2,122	98	118	149	1
155	510	333	1,065	20	398	1,611	678	1,980	13	1,183	641	2,070	95	118	149	2
3	10	6	55	1	5	59	13	30	2	17	1	1				3
5	38	27	125	1	32	172	36	81	2	146	5	60	2	8	8	4
21	80	77	207	6	64	306	120	210	1	170	16	170	11	12	20	5
20	75	73	200	4	54	279	175	283	2	229	52	423	25	27	35	6
24	90	48	178	4	57	277	115	342	3	143	90	437	22	19	23	7
21	102	44	138		63	236	98	350	3	134	99	360	13	12	33	8
61	119	56	153	5	122	272	117	674	2	133	113	311	9	16	18	9
	5	2	8		1	8	4	10		204	260	295	13	21	12	10
										7	5			3		11
2	3	1	19		10	7	8	125	1	53	15	52	3			12
																13
																14
																15
																16
1	1	1	5		2	1	4	26	1	10	4	10				17
1	1	1	1		2	1	1	15		8	2	8	2			18
								27		2	1	6	1			19
								2				1				20
																21
50	191	68	240	3	94	475	129	639	5	213	346	668	32	40	67	22
																23
1	2	2	24		7	20	1	15		3		2				24
6	18	8	31		9	55	13	34	1	29	4	22		3	5	25
3	25	8	36		7	71	22	62	2	32	8	61	4	2	8	26
4	22	16	33	2	9	76	30	67		39	33	118	4	9	19	27
8	35	10	36		11	69	15	93	1	20	48	133	7	11	8	28
28	58	16	29	1	18	78	16	90		16	49	95	6	5	14	29
			49		41	104	32	275	1	13	53	101	5	4	8	30
			1		1	2		3		58	150	132	6	5	5	31
										3	1	4		1		
9	28	17	83	2	13	124	54	106		150	26	132	4	12	7	32
																33
																34
																35
																36
1	4	2	20		3	22	15	9		10				1		37
1	3	2	12	1	2	29	13	17		16	2	5	2	1	1	38
2	8	2	10		2	17	11	19		24	6	24				39
5	6	7	17	1	6	29	8	44		29	4	27	1	3	3	40
										36	10	26	1	4	1	41
											1	1				42
																43
																44
																45
																46
																47
																48
																49
																50
																51
16	53	99	279	4	108	241	193	394	4	363	24	289	7	31	5	52
																53
1	1	2	8		4	9	3	3		5						54
1	2	9	36	1	13	33	7	12		55		3		2		55
2	14	32	57	1	21	70	33	58		64		18		7		56
1	8	21	57		18	39	57	68	1	88	2	100	4	10	3	57
4	9	12	51	1	17	42	36	78	1	51	2	70	2	5	1	58
6	13	13	45		19	25	29	71	2	38	5	43		3	1	59
1	6	8	24	1	16	23	27	103		36	2	36		3		60
			1				1	1		24	13	16	1	1		61
										2		3				
40	87	53	127	4	67	213	83	317	1	95	79	272	6	6	7	62
																63
1	4	1	5		1	11	4	5		1						64
	9	5	13		1	27	8	9		6		11	1		1	65
9	13	11	18	1	10	28	4	21		9	3	31			2	66
10	18	10	25	2	14	42	20	56		17	5	63	1	2	2	67
7	10	14	29		10	36	12	52		15	13	45	3	1		68
3	18	7	21		9	28	17	67	1	12	15	46				69
10	15	5	15	1	23	40	22	104		19	23	46			1	70
								3		16	20	29	1	3		71

VITAL AND SOCIAL STATISTICS.

TABLE 6.—DEATHS AMONG MALES ENGAGED IN CERTAIN OCCUPATIONS AND CLASSES OF

AREAS.	CLASS G—continued.									CLASS H.		
	Plasterers and white-washers.	Plumbers and gas and steam fitters.	Potters.	Rubber factory operatives.	Silk mill operatives.	Tailors.	Tinners and tinware makers.	Wheelwrights.	Woolen mill operatives.	Total.	Boatmen and canalmen.	Draymen, hackmen, teamsters, drivers, etc.
THE UNITED STATES—Cont'd.												
1 Total	486	442	106	57	85	1,801	533	287	139	90,856	363	3,059
2 White	400	435	104	57	85	1,791	526	277	139	77,528	302	2,666
3 Under 15.....			1			1			1	535	1	4
4 15 to 20.....	14	38	3	1	8	28	28	2	7	3,380	11	103
5 20 to 25.....	17	71	13	10	9	79	54	10	18	6,032	33	295
6 25 to 35.....	52	106	17	14	18	218	126	12	18	9,843	42	649
7 35 to 45.....	83	97	19	10	18	195	102	16	18	8,718	49	538
8 45 to 55.....	70	63	9	9	14	269	82	30	24	8,985	48	425
9 55 to 65.....	62	33	17	7	7	389	71	62	22	11,273	52	332
10 65 and over.....	95	25	25	6	11	602	60	142	31	27,753	63	301
11 Unknown.....	2	2				10	3	3		1,009	3	24
12 Colored.....	86	7	2			10	7	10		13,328	61	393
13 Under 15.....	1									320		1
14 15 to 20.....	3	1								1,324	5	27
15 20 to 25.....	4	1					1	1		1,751	15	52
16 25 to 35.....	6		1			3	4	1		2,045	15	83
17 35 to 45.....	16	3				2		1		1,710	8	82
18 45 to 55.....	15						2	2		1,735	6	57
19 55 to 65.....	21	2				1				1,471	4	42
20 65 and over.....	15		1			3		5		2,724	5	38
21 Unknown.....	5					1				248	3	5
Birthplaces of mothers:												
22 United States.....	183	70	19	8	7	203	141	134	23	52,952	163	960
23 Under 15.....	1									693		2
24 15 to 20.....	8	9			2	3	7	1	3	3,541	8	53
25 20 to 25.....	7	14	2		1	8	18	6	2	5,187	27	114
26 25 to 35.....	26	15	3	2	1	26	23	3	2	7,020	29	230
27 35 to 45.....	34	10	1	2	1	17	25	6	4	5,956	23	166
28 45 to 55.....	23	9	2		1	15	27	10	5	5,977	23	149
29 55 to 65.....	40	8	3	3		27	23	27	1	6,953	24	113
30 65 and over.....	42	5	8	1	1	106	18	80	6	17,177	26	121
31 Unknown.....	2					1		1		443	3	12
32 England and Wales.....	21	35	22	2	13	85	19	7	33	2,691	13	62
33 Under 15.....										10		
34 15 to 20.....	1	2			1		1		2	70		5
35 20 to 25.....	2	5	2		1	1			6	147	1	3
36 25 to 35.....	2	4	4	1	2	5	5		2	279	2	11
37 35 to 45.....	3	12	5		1	9	2	1	2	305	1	7
38 45 to 55.....	4	4	2	1	3	14	2	1	5	381		10
39 55 to 65.....	2	5	4		1	20	5	1	12	455	2	14
40 65 and over.....	7	3	5		4	36	4	4	4	1,009	7	12
41 Unknown.....										35		
42 Scotland.....	11	10	1	1	3	17	11	3	8	729	3	15
43 Under 15.....										2		
44 15 to 20.....						2				20		1
45 20 to 25.....		2					1			29		2
46 25 to 35.....	1	2				1	1	1		69		4
47 35 to 45.....	3	2	1		2	1	1		2	70	1	1
48 45 to 55.....	1	1		1	1	1	2		1	102	1	2
49 55 to 65.....	2	1				3	2	1	1	113	1	1
50 65 and over.....	4	2				9	4	1	4	315		4
51 Unknown.....										4		
52 Ireland.....	81	158	11	34	10	224	72	23	39	5,724	68	735
53 Under 15.....										8	1	
54 15 to 20.....	5	13	1		3	4	6	1	2	135	1	18
55 20 to 25.....	4	18	4	7	2	9	4	3	7	440	9	98
56 25 to 35.....	9	48	2	10	1	19	29	3	9	826	11	196
57 35 to 45.....	24	38	3		3	28	15	1	4	662	11	155
58 45 to 55.....	17	26		5		24	12	3	8	808	12	130
59 55 to 65.....	10	6	1	4		61	4	7	3	941	12	75
60 65 and over.....	11	9		3	1	78	2	5	6	1,850	6	61
61 Unknown.....	1					1				54		2
62 Germany.....	31	46	22	1	25	598	95	38	10	6,368	18	316
63 Under 15.....										32		1
64 15 to 20.....		5	1		1	6	8			210	2	8
65 20 to 25.....	4	8	1		3	16	9	1		394	2	27
66 25 to 35.....	4	13	4		7	58	27	3		678	1	74
67 35 to 45.....	5	9	4		6	53	16	5	2	703	5	63
68 45 to 55.....	6	4	3		2	105	10	6	2	791	1	48
69 55 to 65.....	7	5	3		3	165	13	11	2	1,170	2	51
70 65 and over.....	5	1	6	1	3	193	12	12	3	2,829	5	40
71 Unknown.....		1				2				61		4

OCCUPATIONS, BY COLOR, BIRTHPLACES OF MOTHERS, AND CERTAIN AGE PERIODS—Continued.

CLASS H—continued.															
Farmers, planters, and overseers.	Farm laborers.	Fishermen and oystermen.	Gardeners, florists, nurserymen, and vine growers.	Livery stable keepers and hostlers.	Lumbermen and raftsmen.	Miners (coal).	Miners (not specified).	Pilots.	Quarrymen.	Sailors.	Steam railroad employees (includes conductors, brakemen, engineers, and firemen).	Stock raisers, herders, and drovers.	Telegraph and telephone operators.	Telegraph and telephone linemen and electric light men.	
66,211	9,067	538	843	654	402	1,226	1,966	73	197	1,523	3,809	563	313	49	1
58,843	4,764	413	752	540	376	1,146	1,816	68	185	1,411	3,365	522	311	48	2
91	412	1	1	13	1	12	6	1	8	49	2	3	1	2	3
1,222	1,602	21	9	8	8	86	41	1	8	145	21	21	38	2	4
3,238	1,953	29	30	54	41	124	161	1	10	125	677	57	88	7	5
5,991	631	68	65	104	70	223	384	4	42	237	1,092	103	114	24	6
5,930	285	68	59	119	70	210	318	10	34	233	611	88	41	10	7
6,751	200	49	101	101	50	197	332	13	30	218	371	79	19	1	8
9,346	220	70	169	79	47	150	278	10	31	176	231	77	3	2	9
25,493	322	103	314	65	31	119	230	29	21	360	109	82	1	10	
731	39	4	4	5	8	25	66			13	67	12	6	2	11
7,308	4,303	125	91	114	26	80	150	5	12	112	444	41	2	1	12
26	283		1	1		1	1				5	1			13
236	949	12	2	7		10	11			6	51	8			14
632	787	18	2	19	5	13	41			23	133	10	1		15
1,037	596	29	10	22	7	26	36	1	4	35	129	9			16
1,040	402	27	10	20	4	13	22	1	4	18	57	1	1		17
1,201	338	13	10	18	5	10	13	2	3	14	9	9			18
1,092	269	5	11	11	3	4	10	1		9	9			1	19
1,974	607	19	44	14	1	2	6			6	6	2			20
130	72	2	1	2	1	1	10		1	1	18	1			21
40,222	7,380	343	207	264	197	313	348	29	57	472	1,610	222	159	6	22
75	605		1		1	4	2				5	2	1		23
1,034	2,135	31	5	14	3	44	22	1	2	22	126	18	23		24
2,747	1,511	39	7	34	26	50	70	1	6	44	415	41	55		25
4,780	966	63	21	48	36	89	89	3	16	62	505	36	53	2	26
4,603	542	56	14	47	31	49	50	4	11	49	254	30	18	3	27
4,507	426	32	21	44	25	42	47	4	8	60	147	36	6		28
6,063	866	38	36	33	25	21	31	9	9	70	84	30	2	1	29
15,700	753	81	101	40	47	19	35	7	4	163	53	25	30		30
307	76	3	1	4	3	3	2		1	2	21	4	1		31
1,552	63	7	75	23	10	279	353	1	19	97	93	28	12	4	32
1	2					4	2					1			33
18	11		1			16	6			7	3	1	1	1	34
50	14	1	3		1	17	23		2	7	20	3	2		35
92	10		5	1	2	58	56		2	11	19	3	6	1	36
112	12		7	7	1	40	63		6	14	20	6	1	2	37
173	4	3	10	5	2	54	85		1	13	15	5	1		38
203	5		17	5	2	46	59		5	19	6	6	1		39
822	5	3	32	5	2	36	46	1	3	25	8	2			40
16						2	13			1	2	1			41
485	14	3	20	2	6	54	53	5	4	23		5	1		42
3	6					1	4			1	1				43
10	2			1		3	4			1	6				44
34	2					7	4		1		6				45
24	2		1			9	7		1		2				46
63	1		2	1	2	9	7	2		4	14		1		47
82	1	1	1			11	12	2		5	3				48
266	2	1	4		2	12	8		1	2	3		1		49
3		1	12			6	9	1	1	9	1		1		50
2,945	176	39	161	149	24	210	310	5	46	133	640	28	49	11	52
2	2					2	1								53
32	25	1	1	1		13	8		4	1	23		7		54
89	40	3	7	16	1	17	16		2	13	109		18	2	55
206	41	7	8	26	9	25	57		8	16	187		17	7	56
190	13	7	10	36	4	40	56		3	24	99		6	1	57
326	10	7	21	32	3	50	69	1	13	31	98		4	1	58
573	17	8	43	23	2	35	59		8	21	57		3		59
1,493	26	6	71	14	5	25	41	2	8	25	57		11		60
29	2			1		3	3			2	11		1		61
4,932	352	16	157	35	12	92	104	2	20	87	192	22	8	3	62
7	24														63
75	104		1			8	1			4	6		1		64
222	66		5	6		7	5		1	6	40	4	2	1	65
422	49	5	15	7	1	14	14		4	14	54		4		66
478	24	2	8	3	4	21	20	1	7	20	40		6		67
611	18	3	29	9	3	16	16	1	3	13	18		1		68
961	26	2	36	5	3	17	30		2	9	19		6	1	69
2,112	40	4	61	5	1	9	17		3	16	12		4		70
44	1		2				1			5	3		1		71

VITAL AND SOCIAL STATISTICS.

TABLE 6.—DEATHS AMONG MALES ENGAGED IN CERTAIN OCCUPATIONS AND CLASSES OF

AREAS.	All selected occupations.	CLASS A.											
		Total.	Actors.	Architects, artists, etc.	Clergymen.	Dentists.	Engineers and surveyors.	Journalists.	Lawyers.	Musicians and teachers of music.	Physicians and surgeons.	Professors, authors, literary and scientific persons.	Teachers.
THE UNITED STATES—Cont'd.													
72 Birthplaces of mothers—Continued.													
Canada.....	2,713	66		1	15	4	3	6	9	2	19	3	4
73 Under 15.....	12												
74 15 to 20.....	163												
75 20 to 25.....	311	4											
76 25 to 35.....	551	17		1	4	1	1	2		5	1	1	2
77 35 to 45.....	410	14		1	1	3	2		5	2	3	1	
78 45 to 55.....	394	9		2	2				1		5	1	
79 55 to 65.....	345	15		4	4				3		5		
80 65 and over.....	513	7		4	4				1		1		1
81 Unknown.....	14												
82 Scandinavia.....	3,510	43		4	11		3		1	6	4	3	11
83 Under 15.....	12												
84 15 to 20.....	158	1											
85 20 to 25.....	422	4								1			3
86 25 to 35.....	797	9		2	2		1					1	3
87 35 to 45.....	559	7		1	2					2	1	1	
88 45 to 55.....	465	6		3	3			1			2		
89 55 to 65.....	443	9		1	1					3	1		3
90 65 and over.....	611	7			3							1	2
91 Unknown.....	43												
92 Other foreign countries.....	6,115	171	4	20	27	2	4	4	10	35	31	10	24
93 Under 15.....	15												
94 15 to 20.....	200	3		1						2			
95 20 to 25.....	480	10			1	1			2			2	1
96 25 to 35.....	1,261	22		5	1	1		3		6	1	1	4
97 35 to 45.....	1,226	26		4	3				3	6	5		2
98 45 to 55.....	988	32	2	3	6		1		1	5	8	2	5
99 55 to 65.....	772	29		3	5		1		3	6	4	3	4
100 65 and over.....	1,082	46	1	4	9		1	1	1	7	12	2	8
101 Unknown.....	91	3			2						1		
102 Unknown.....	28,942	1,470	17	27	291	54	42	49	287	37	458	29	179
103 Under 15.....	99												
104 15 to 20.....	834	1	1										
105 20 to 25.....	1,856	51			5	4	5		7	4	5	1	19
106 25 to 35.....	3,943	191	7	10	12	9	2	11	22	13	41	6	58
107 35 to 45.....	3,721	178	3	4	23	10	4	5	45	6	55	4	19
108 45 to 55.....	3,659	201	2	3	40	6	3	16	42	7	63	3	16
109 55 to 65.....	4,120	276	2	3	60	11	13	8	57	6	94	6	16
110 65 and over.....	9,748	517	1	7	146	13	13	5	101	1	184	6	40
111 Unknown.....	962	55			5	1	2	4	13		16	3	11

STATISTICS OF DEATHS.

OCCUPATIONS, BY COLOR, BIRTHPLACES OF MOTHERS, AND CERTAIN AGE PERIODS—Continued.

CLASS B.							CLASS C.									
Total.	Stenographers and typewriters.	Accountants, bookkeepers, clerks, and copyists.	Bankers, brokers, and officials of companies.	Collectors, auctioneers, and agents.	Wholesale merchants and dealers.	News-paper carriers and news-boys.	Total.	Apothecaries, pharmacists, and dealers in chemicals and drugs.	Commercial travelers and salesmen.	Dealers in dry goods (retail).	Dealers in groceries (retail).	Dealers, not specified (retail).	Hucksters and peddlers.	Wine and liquor dealers (retail).	Wine and liquor dealers (wholesale).	
122	1	93	3	21	1	3	111	9	21	1	12	60	7	1	72	
1		1				1									73	
15		14				1									74	
21	1	19				1	8					5			75	
36		29				1	34	4	2			15	1		76	
22		15		2	6		23	1	11	1	2	10	1		77	
17		9	1	7	5		17	4			4	10	2		78	
6		4		1	1		14	1			4	9	1		79	
4		2		2			14				1	11	1	1	80	
							1				1				81	
74		59	5	8	2		72	8	15		7	38	4		82	
1		1					5								83	
4		4					4	1			1		1		84	
14		14					20	3	2			2			85	
31		27		4			19	8	8			8	1		86	
10		5	1	3	1		13	2	4		3	10			87	
6		5		1			5	2			2	9			88	
4			4				6					5			89	
4		3			1							4	2		90	
140		97	7	30	3	3	396	13	22	4	32	216	98	9	92	
1						1	9		2			3	4		93	
10		10					21	2	4		2	4	8		94	
13		13					67	4	6		3	31	21	1	95	
36		32		4			76	2	3	2	3	45	15		96	
29		19	1	9			87	2	4	1	10	48	18	4	97	
17		7	2	6	1	1	63	2	1		3	45	9	2	98	
15		9		5		1	71	1	2		5	39	22	1	99	
18		6	4	6	2		2					1	1	1	100	
1		1													101	
955	9	625	93	204	21	3	1,179	72	173	7	79	771	66	6	102	
2		2		1			11	1	4			5	1		103	
45		44		6		1	32	6	12		3	7	4		104	
126	2	113	3	1	1		168	16	40		11	88	12		105	
209	4	167	9	27	2		186	15	39		8	113	6	1	106	
166	2	116	14	31	2	1	189	14	33	1	12	114	13	3	107	
120		74	13	29	4		227	8	32	2	19	150	12	2	108	
126	1	50	19	51	4	1	342	11	9	2	24	280	16	2	109	
137		45	30	54	8		24	1	4	1	2	14	2		110	
24		14	5	5											111	

VITAL AND SOCIAL STATISTICS.

TABLE G.—DEATHS AMONG MALES ENGAGED IN CERTAIN OCCUPATIONS AND CLASSES OF

AREAS.	CLASS D.			CLASS E.							
	Total.	Hotel and boarding house keepers.	Saloon keepers, billiard and bowling saloon keepers, bartenders, and restaurant keepers.	Total.	Barbers and hair-dressers.	Janitors and sextons.	Laund-ers.	Nurses.	Police-men, watch-men, and detect-ives.	Soldiers, sailors, and marines (United States).	Under-takers.
THE UNITED STATES—Cont'd.											
Birthplaces of mothers—Continued.											
72	Canada.....	43	11	32	42	14	6	4	6	11	1
73	Under 15.....										
74	15 to 20.....	2		2	4	2		1	1		
75	20 to 25.....	9		8	13	7		1	1		
76	25 to 35.....	1	1	3	4	3					
77	35 to 45.....	12	1	11	5	2	1			4	2
78	45 to 55.....	14	5	9	8	2	2		2	2	
79	55 to 65.....	4	2	2	7	1	2		1	3	
80	65 and over.....	2	2		5		1		1	2	1
81	Unknown.....										
82	Scandinavia.....	40	9	31	24	4	4	2	5	9	
83	Under 15.....										
84	15 to 20.....				4						
85	20 to 25.....	1		1	4	1			1	2	
86	25 to 35.....	8		8	8	3			1	3	
87	35 to 45.....	17	4	13	7	1		2	2	2	
88	45 to 55.....	2		2	3	1				2	
89	55 to 65.....	10	4	6					1		
90	65 and over.....	1	1		2		1				
91	Unknown.....	1		1							
92	Other foreign countries.....	91	20	71	175	49	8	85	1	10	21
93	Under 15.....										
94	15 to 20.....	2		2	1	1					
95	20 to 25.....	4		4	17	9		8			
96	25 to 35.....	14	3	11	45	14	2	28		1	1
97	35 to 45.....	23	4	19	59	14	1	34		4	
98	45 to 55.....	20	5	15	19	3		10		4	
99	55 to 65.....	12	2	10	17	6	3	4	1	1	
100	65 and over.....	13	6	7	16	2	2		1	11	
101	Unknown.....	3		3	1			1			
102	Unknown.....	286	94	192	475	112	30	10	11	77	21
103	Under 15.....										
104	15 to 20.....	5	1	4	9	6			1	1	1
105	20 to 25.....	9	1	8	24	7		2	2	10	1
106	25 to 35.....	67	13	54	75	37		1	2	17	2
107	35 to 45.....	62	17	45	84	29	4	3	2	34	3
108	45 to 55.....	53	16	37	78	3	1	2	2	33	6
109	55 to 65.....	45	19	26	77	7	4	1	2	46	2
110	65 and over.....	37	25	12	113	12	12	1	1	71	6
111	Unknown.....	8	2	6	15	6	2	1	4	2	

STATISTICS OF DEATHS.

OCCUPATIONS, BY COLOR, BIRTHPLACES OF MOTHERS, AND CERTAIN AGE PERIODS—Continued.

CLASS F.				CLASS G.												
Total.	Laborers (not specified).	Messenger boys.	Servants.	Total.	Artificial flower and paper box makers.	Bakers and confectioners.	Blacksmiths.	Bleachers, dyers, and scourers.	Bookbinders.	Boot and shoe makers.	Brassfounders and copper-smiths.	Brewers, distillers, and rectifiers.	Brick and tile makers and terra-cotta workers.	Butchers.	Cabinet makers and upholsterers.	
606	583		23	813	3	16	53	4	1	85	1		5	11	15	72
3	3			5												73
41	39		2	59		1	1			4						74
78	76		2	105	1	1	5	1		6				2	3	75
122	115		7	164		6	7	1		13				2	4	76
100	95		5	127		3	11		1	13	1		1	1	2	77
79	76		3	122	1	1	8	1		14				4	3	78
55	54		1	121	1	3	9			23			3	1	1	79
126	123		3	107		1	12	1		12			1	1	2	80
2	2			3												81
755	732		23	580		2	63	1	1	46	4		3	6	16	82
1	1			1												83
40	37		3	12												84
138	137		1	50			2			2					1	85
216	209		7	163			14			7				2	4	86
111	107		4	117		1	15	1	1	12	1			4	5	87
102	99		3	95		1	8			7					3	88
71	67		4	62			8			11	1		2		1	89
58	57		1	74			15			7			1		2	90
18	18			6			1									91
1,964	1,808	1	155	1,212	4	45	54	10	7	107	3	3	7	39	30	92
4	3		1	2			2			1				1		93
64	60		4	44	1					11				1		94
172	158		14	85		3				17		1		4		95
532	489		43	220		7	10	1	3	17			5	8	5	96
485	444		41	233	1	14	4	3	3	15	1			3	5	97
303	287	1	20	226	1	13	10	1	1	24	2	1		11	7	98
181	165		16	162	1	4	12	2		11		1	1	1	6	99
191	177		14	232		4	16	3		27		1	1	9	7	100
27	25		2	8						1				1		191
3,954	3,739	5	210	4,662	10	60	364	3	12	349	7	12	26	113	81	102
17	13	2	2	3			3						1			103
213	203	3	7	82		5	7			3			1	4		104
427	404		23	238	1	7	9	1		7		1	4	6	4	105
795	736		59	626	3	11	37		3	23	5		3	25	12	106
613	578		35	666	1	10	41	1	2	34		2	7	23	11	107
544	517		27	698	2	5	51		2	32	1	2	1	20	7	108
493	416		17	715		7	59		2	54	1	2	5	11	11	109
763	728		35	1,522	3	13	152	1	3	195		3	4	22	33	110
149	144		5	112		2	12			1		1	1	6	3	111

VITAL AND SOCIAL STATISTICS.

TABLE 6.—DEATHS AMONG MALES ENGAGED IN CERTAIN OCCUPATIONS AND CLASSES OF

AREAS.		CLASS G—continued.										
		Carpen- ters and joiners.	Cigar makers and tobacco workers.	Clock and watchre- pairers, jewelers, and opticians.	Compos- itors, printers, and press- men.	Coopers.	Cotton mill opera- tives.	Electro- typers and stere- otypers.	Engi- neers and firemen (not loco- motive).	Flax mill opera- tives.	Gas works em- ployés.	Glass blowers.
THE UNITED STATES—Cont'd.												
Birthplaces of mothers—Continued.												
72	Canada.....	211	3	14	20	13	23	34			1	2
73	Under 15.....	1										
74	15 to 20.....	1	1	1	1		10	2				
75	20 to 25.....	18		4	2	1	7	5				1
76	25 to 35.....	33	1	4	7	2	5	10				1
77	35 to 45.....	28		3	5	1		7				
78	45 to 55.....	39		1	4	2	1	4				
79	55 to 65.....	49			1	3		4			1	
80	65 and over.....	42	1		1	4		2				
81	Unknown.....			1								
82	Scandinavia.....	155	5	12	11	5	1	1	16		1	
83	Under 15.....											
84	15 to 20.....	5			1		1	2				
85	20 to 25.....	14		1	4	1		4			1	
86	25 to 35.....	47	4	4	3	2		5				
87	35 to 45.....	25		5	1	1		4				
88	45 to 55.....	25	1			1		5				
89	55 to 65.....	17		1	1			1				
90	65 and over.....	20		1	1							
91	Unknown.....	2										
92	Other foreign countries.....	141	127	33	17	15	2	29			8	8
93	Under 15.....											
94	15 to 20.....	3	6		5							
95	20 to 25.....	1	15	3		1	1	2				1
96	25 to 35.....	22	35	5	3	1		7			1	3
97	35 to 45.....	27	31	7	2	2		7			2	3
98	45 to 55.....	26	18	2	2		1	8			2	1
99	55 to 65.....	18	15	6	1	2		2			1	
100	65 and over.....	43	7	10	3	7		2			2	
101	Unknown.....	1			1			1				
102	Unknown.....	1,166	80	55	142	114	6	226		2	15	4
103	Under 15.....											
104	15 to 20.....	7	8		5	2	1	3			2	1
105	20 to 25.....	28	16	4	18			18			3	
106	25 to 35.....	122	16	9	40	8	1	44				
107	35 to 45.....	120	12	8	32	13	1	50		1	3	
108	45 to 55.....	173	14	11	18	11		43			1	1
109	55 to 65.....	217	8	11	12	16		36			3	1
110	65 and over.....	463	6	12	16	62	3	17		1	3	
111	Unknown.....	31			1	2		10				1

STATISTICS OF DEATHS.

OCCUPATIONS, BY COLOR, BIRTHPLACES OF MOTHERS, AND CERTAIN AGE PERIODS—Continued.

CLASS G—continued.																
Gun-smiths, lock-smiths, and bell hangers.	Harness and saddle makers and repairers, and trunk, valise, and leather-case makers.	Hat and cap makers.	Iron and steel workers.	Lead and zinc workers.	Leather curriers, dressers, finishers, and tanners.	Machinists.	Marble and stone cutters.	Masons (brick and stone).	Meat packers, carers, and picklers, canners, and fruit preservers.	Mill and factory operatives (textiles not specified).	Millers (flour and grist).	Painters, glaziers, and varnishers.	Paper hangers.	Paper mill operatives.	Photographers.	
1	8		8	1	7	39	11	34		83	9	37	1	3	4	72
			1			3				4						73
			2			8	2			24		3		1		74
			2	1	1	11	3	5		17		3			2	75
			3		3	7	2	7		15	1	11	1		1	76
			2		1	6	2	6		7	1	10			1	77
					1	2	2	6		5	3	7				78
			1		1	2	1	3		5	2	2		1		79
			2		1	2	1	5		6	2	1				80
								1						1		81
1	2	1	10	1	5	21	5	37		8	5	39		1	5	82
																83
			1		1	3	1			1		1				84
			2		3	7		3		3		4				85
			2	1	3	3	2	8		2		13			2	86
			4			3		6			3	4			2	87
						3	1	6		1	1	9		1		88
					1	2		7		1		6			1	89
			1				1	7			1	2				90
																91
6	8	12	17	2	12	34	21	52	2	26	13	58	2	1	8	92
																93
			2			3				1		3			1	94
			3		1	1		3		2	1	5			1	95
			3	1	2	6	6	6		4	2	6				96
			4		1	9	9	11	1	5		5				97
					1	8	1	6		2	3	14	1		2	98
			1		4	2	3	11	1	3		13		1	2	99
			3		3	5	2	15		6	3	8			1	100
			1		3					3	4	9			1	101
																102
22	89	53	103	2	26	224	65	266	1	67	118	338	14	16	34	102
																103
			6		1	3	3	6		2	1					104
			12		1	14	4	8		5	1	7		1		105
			26		3	43	16	22	1	8	3	20	2		2	106
			20		1	39	8	42		11	9	58	5	4		107
			15		1	43	15	34		6	13	72	4	1	8	108
			7		3	38	6	40		11	18	65	1	1	13	109
			15		14	38	12	110		5	20	52	1	2	3	110
			2			8	1	4		16	50	59	1	5	3	111
										3	3	5		1		

TABLE 6.—DEATHS AMONG MALES ENGAGED IN CERTAIN OCCUPATIONS AND CLASSES OF

AREAS.	CLASS G—continued.									CLASS H.		
	Plasterers and white-washers.	Plumbers and gas and steam fitters.	Potters.	Rubber factory operatives.	Silk mill operatives.	Tailors.	Tinners and tinware makers.	Wheelwrights.	Woolen mill operatives.	Total.	Boatmen and canalmen.	Draymen, hackmen, teamsters, drivers, etc.
THE UNITED STATES—Cont'd.												
72 Birthplaces of mothers—Continued.												
Canada	3	11		3	2	11	13	2	7	910	7	49
73 Under 15.....		1		1			1			3		
74 15 to 20.....		3		2	1	1			3	43	2	2
75 20 to 25.....		2			1	4	2		2	39		2
76 25 to 35.....	1	2			1	2	3		1	156	1	14
77 35 to 45.....	1	1				1	3		1	107	1	12
78 45 to 55.....		1				1	4		1	123	1	8
79 55 to 65.....		1				1	2	1		123	1	8
80 65 and over.....	1	1				2	1	1		248		3
81 Unknown.....										8	1	
82 Scandinavia.....	3	2	2	2		74	4	2	1	1,922	9	22
83 Under 15.....			1							9		
84 15 to 20.....				1		5	2			96		3
85 20 to 25.....		1		1		23	1			207	2	9
86 25 to 35.....	1	1		1		17	1	1		342	3	4
87 35 to 45.....		1				15			1	271	1	2
88 45 to 55.....	1	1				3				238	2	2
89 55 to 65.....						10	1	1		282	1	1
90 65 and over.....	1					1				459	1	1
91 Unknown.....										18		
92 Other foreign countries.....	11	6	2	1	21	137	15	5	1	1,966	4	44
93 Under 15.....					1	6	2			8		1
94 15 to 20.....	1	2				15	2			67	1	6
95 20 to 25.....			1			41	2			158	1	7
96 25 to 35.....					5	28	4			325	1	7
97 35 to 45.....	2	1		1	4	37	2			295	1	10
98 45 to 55.....	3	2			6	26	2			279	1	6
99 55 to 65.....	2	1			3	34	1	2		293	1	5
100 65 and over.....	2		1		2			3	1	495	1	
101 Unknown.....	1									46		
102 Unknown.....	76	33	15	5	3	106	75	52	10	15,961	62	388
103 Under 15.....						1	1			77		
104 15 to 20.....	1	2	1		1	10	8			468	2	19
105 20 to 25.....	2	5	3		1	7	13		1	949	7	36
106 25 to 35.....	7	4	3		1	5	14		3	1,812	4	83
107 35 to 45.....	17	9	3	3	1	8	12		1	1,766	8	92
108 45 to 55.....	17	7		1		8	13	7	1	1,776	13	52
109 55 to 65.....	8	4	2			8	10	1		2,221	9	45
110 65 and over.....	21	1	3	1		64	11	28	7	6,317	17	54
111 Unknown.....	3	1				3	3	2		575	2	7

STATISTICS OF DEATHS.

OCCUPATIONS, BY COLOR, BIRTHPLACES OF MOTHERS, AND CERTAIN AGE PERIODS—Continued.

CLASS H—continued.															
Farmers, planters, and overseers.	Farm laborers.	Fishermen and oystermen.	Gardeners, florists, nurserymen, and vine growers.	Livery stable keepers and hostlers.	Lumbermen and raftsmen.	Miners (coal).	Miners (not specified).	Pilots.	Quarrymen.	Sailors.	Steam railroad employes (includes conductors, brakemen, engineers, and firemen).	Stock raisers, herders, and drovers.	Telegraph and telephone operators.	Telegraph and telephone linemen and electric light men.	
570	69	13	11	8	34	2	29	2	5	45	52	8	4	2	73
12	3				1	1				3	7		1		73
19	19				3					3	11		2		74
44	17			2	3		5			3	15		1		75
69	11	6			10		8		2	14	3		2		76
47	6	2	1	4	5		7		2	10	7				77
84	6	2	1		8		4	1		5	8				78
94	3		2	2	2		3		1	3	2	2			79
218	3	3	7		4		1	1		7	1				80
2	1				1	1	1				1				81
1,316	218	11	8	8	18	16	99	3	9	125	51	6	1	2	82
4	5														83
20	58		1	2			2		1	3					84
75	64	2	1	1	7	2	17		4	9					85
176	51	3	2		6	1	36	1	1	34	18	1	1		86
167	10	4		3	4	8	22	2	2	28	11	3			87
184	9	1	1	2	4	3	10		1	17	6	1			88
245	8		1			2	8			8	5	1			89
425	12	1	2				2			14	1				90
11	1				1		2			1	1				91
1,103	108	23	60	10	7	111	241	1	14	101	69	63	6	1	92
19	6						1				1				93
51	33					4	3			2	2				94
108	20		2	1		22	22		1	13	10	3	1		95
139	14	4	11	4		36	65		5	29	25	14	2	1	96
165	10	6	12	2	2	25	46		2	17	18	7	3		97
196	6	6	9	1	1	11	35		3	15	11	9			98
413	11	2	12	1	3	2	28		2	13	4	12			99
12	6	5	14		1	2	23	1	1	12		11			100
	2			1		9	18				3	1			101
12,784	676	67	70	92	84	92	416	15	15	234	732	167	57	10	102
26	47	1				1	1					1			103
230	153	1	1	3	3	7	5			6	23	6	4		104
562	107	2	4	6	8	11	17			14	133	13	5		105
1,111	31	6	6	17	11	17	83		2	44	265	46	26	2	106
1,229	86	13	9	25	20	17	67	1	6	36	144	25	11	1	107
1,398	55	4	6	17	11	12	64	4	1	39	64	29	7		108
1,902	52	21	13	15	9	6	62	3	3	25	40	15		1	109
5,893	82	16	29	9	18	15	60	7		67	24	26			110
433	28	3	2	1	4	6	36			3	39	6	4	1	111

STATISTICS OF DEATHS.

OCCUPATIONS, BY COLOR, BIRTHPLACES OF MOTHERS, AND CERTAIN AGE PERIODS—Continued.

CLASS B.							CLASS C.									
Total.	Stenographers and typewriters.	Accountants, bookkeepers, clerks, and copyists.	Bankers, brokers, and officials of companies.	Collectors, auctioneers, and agents.	Wholesale merchants and dealers.	Newspaper carriers and newsboys.	Total.	Apothecaries, pharmacists, and dealers in chemicals and drugs.	Commercial travelers and salesmen.	Dealers in dry goods (retail).	Dealers in groceries (retail).	Dealers, not specified (retail).	Hucksters and peddlers.	Wine and liquor dealers (retail).	Wine and liquor dealers (wholesale).	
3,236	19	2,376	285	479	59	18	3,506	157	472	29	376	2,026	319	124	3	1
3,225	19	2,370	285	477	58	16	3,488	157	470	28	376	2,014	316	124	3	2
12		10				2	2	1					1			3
237		233	2	1		1	27	1	9		4	7	6			4
445	5	414	6	15	1	4	159	19	52	2	10	56	18	2		5
746	9	642	32	56	6	1	506	38	122	3	58	199	56	30		6
533	2	397	46	82	4	2	586	25	107	4	73	284	58	35		7
458	2	286	57	97	15	1	656	36	88	5	78	355	62	30	2	8
379		207	56	98	15	3	657	20	60	7	76	423	52	18	1	9
409	1	177	84	128	17	2	892	17	32	7	77	688	62	9		10
6		4	2				3					2	1			11
11		6		2	1	2	18		2	1		12	3			12
1						1										13
3		2				1	1					1				14
2		2					5					2				15
							3		2			3	1			16
3		1		1	1		3			1		2				17
1		1		1			3					2				18
1				1			3					2	1			19
							3					2	1			20
																21
1,408	12	961	174	223	27	6	1,321	79	203	13	91	834	46	5		22
4		3				1	1	1								23
90		89				1	8	1			2	1	1			24
184	2	170	4	4	1	3	65	7	24		2	29	2			25
264	7	208	22	24	3		152	19	49	1	9	70	5			26
218	2	158	30	24	3	1	188	12	45	2	13	108	7	1		27
221	1	135	38	41	6		231	13	39	3	14	148	9	2		28
188		105	26	50	7		235	10	25	4	19	166	9	2		29
231		91	53	80	7		440	11	18	3	32	362	14			30
3		2	1		7		1					1				31
187	1	136	15	33	2		180	7	35	3	8	112	13	2		32
6		6														33
17		14		3			3		1			2				34
33	1	29	2	1			24	1	10		2	8				35
40		29	1	10			26	1	10	2	2	11	4	1		36
40		26	3	10	1		31	3	4		3	19	1	1		37
19		15	3	3	1		50	2	8	1	2	35	2			38
32		17	9	6			46		2		1	37	6			39
																40
																41
70	2	51	5	10	2		64	4	10	2	7	36	4	1		42
1		1														43
10	1	9					5	2	1			1	1			44
11		10			1		14		6		2	4	1			45
13		9	2	2			12		2		2	9	1	1		46
12	1	8	3	3			9	2	2		1	4				47
13		8	2	2			9		1		1	6	1			48
10		5	1	3	1		15			2	1	12				49
																50
																51
773	2	661	31	67	8	4	721	15	37	7	125	324	85	77	1	52
2		2					1						1			53
76		74	2				7	2				3	2			54
153	1	149	1	2			37	15	1		6	8	3			55
245	1	223	5	14	1	1	146	4	24	1	25	57	13	23		56
117		97	4	14	1	1	152	3	20		23	64	17	25		57
79		58	4	12	4		154	3	17	3	29	65	20	16	1	58
56		32	11	11	1	1	112	2	6	1	24	54	17	8		59
46		26	4	14	1	1	111		3	1	18	72	12	5		60
							1					1				61
338	1	250	20	59	6	2	631	24	62	4	99	331	73	31	2	62
1		1														63
31		31					5		4		1					64
39		33	1	5			22	2	3		12	3	1			65
92		84	1	6	1		89	7	17		15	32	13	5		66
65		48	5	12			123	6	18	2	23	50	16	8		67
44		28	3	16	2		139	5	13		23	73	16	8	1	68
39		18	7	10	3	1	138	3	3	1	21	87	16	6	1	69
27	1	12	3	10		1	115	1	4	1	15	77	14	3		70

STATISTICS OF DEATHS.

OCCUPATIONS, BY COLOR, BIRTHPLACES OF MOTHERS, AND CERTAIN AGE PERIODS—Continued.

CLASS F.				CLASS G.												
Total.	Laborers (not specified).	Messenger boys.	Servants.	Total.	Artificial flower and paper box makers.	Bakers and confectioners.	Blacksmiths.	Bleachers, dyers, and scourers.	Bookbinders.	Boot and shoe makers.	Brassfounders and copper-smiths.	Brewers, distillers, and rectifiers.	Brick and tile makers and terra cotta workers.	Butchers.	Cabinet makers and upholsterers.	
10,586	9,723	51	812	15,138	44	410	733	77	87	1,469	111	99	37	454	318	I
9,654	9,044	46	564	15,035	43	408	727	77	87	1,452	110	99	34	452	314	2
13	11	2		15						3						3
289	251	21	17	466	1	11	9		6	23	5	2		12	5	4
735	680	6	49	1,074	4	24	20	8	4	94	21	7	1	28	12	5
1,633	1,484	6	143	2,505	13	81	98	8	28	193	22	18	8	106	44	6
1,585	1,450		135	2,489	10	79	108	11	15	161	23	17	6	83	49	7
1,632	1,585	3	94	2,480	5	73	120	18	8	223	18	30	2	81	52	8
1,475	1,404	2	69	2,456	7	76	119	20	7	278	10	12	10	62	58	9
2,231	2,170	6	55	3,524	3	64	245	12	19	473	11	13	7	80	92	10
61	59		2	26			3			4				1	11	
932	679	5	248	103	1	2	6			17	1		3	2	4	12
47	33	1	13	3						1						13
115	84		31	12		1				3	1		1	1		14
169	103	2	64	12		1	1			2						15
179	116	1	62	15			1						2		1	16
158	121	1	36	23	1		1			4			1			17
109	88		21	23						1					3	18
148	128		20	14			3			6						19
7	6		1	1												20
																21
1,953	1,645	22	286	3,902	10	37	203	7	23	476	24	3	12	96	54	22
5	4	1		2						2						23
107	81	10	16	103			5		2	8				3	3	24
213	177	2	34	240		4	5	1	1	28	8	1	1	7	3	25
313	238	4	71	473	4	8	13		8	58	5	2	2	17	9	26
321	254	1	66	503	3	5	15	1	2	47	4		4	10	3	27
287	241	2	44	543	2	6	30	1	2	54	2	1	1	20	4	28
248	220		28	650		2	29	3	3	77	1	1	1	15	9	29
446	418	2	26	1,381	1	12	104	1	5	201	4		3	24	23	30
13	12		1	7			2			1						31
263	223	5	35	976	1	16	42	9	9	57	10	4	1	18	14	32
7	5		2	1					1	2						33
19	15	2	2	29			1			3				1		34
38	25	1	12	63	1	1	5	1	1	5	2	1		1	1	35
42	37		5	168		2	8	1	2	3	2			3	2	36
47	41	2	4	196		2	9	6	1	7	4	1		3	4	37
42	37		5	163		5	9		1	13	1			2	2	38
64	60		4	242		5	10	1	3	23		2	1	8	4	39
4	3		1	2						1					1	40
																41
65	56	1	8	344	2	12	9	5	2	17	4		1	2	1	42
1		1		8		1				1						43
1	1			16			1			3						44
11	8		3	46	1		1	1	1	1						45
14	13		1	64			2			1			1			46
14	12		2	77		4				6						47
9	9			63	1	4	4	3		1						48
15	13		2	65		3	1	1	1	3	2			1	1	49
																50
																51
5,197	4,949	19	229	3,994	9	90	236	28	25	405	34	11	5	84	38	52
3	3			7						1						53
110	95	8	7	158	1	3	1		3	8	3			1	2	54
361	335	2	24	390	1	8	14	4	3	38	10	1		3	2	55
846	795	3	48	932	3	24	43	4	8	85	7		3	36	4	56
844	781		63	782	1	16	54	1	4	64	6		1	17	13	57
979	938		41	659		13	42	7	4	77	5	1	1	11	7	58
869	841	2	26	562	2	13	41	6	1	66	2	2		9	5	59
1,173	1,149	4	20	497	1	13	41	6	2	65	1	3		7	5	60
12	12			7						1						61
997	880	2	115	2,886	13	196	85	13	16	223	28	76	5	197	147	62
1	1			1												63
15	12	2	1	65		4	1				2	2		7		64
59	48		11	160	1	9	1			6	2	5		12	3	65
156	121		35	441	4	36	11		5	16	4	13		41	15	66
188	160		28	516	4	44	8	5	3	11	3	16		43	21	67
165	143		22	529	1	37	17	1		42	4	27		37	27	68
174	159		15	599	2	45	16	6	2	74	4	7		30	35	69
237	234	3	3	573	1	21	31	1	6	73	4		1	27	46	70
2	2			2						1						71

STATISTICS OF DEATHS.

OCCUPATIONS, BY COLOR, BIRTHPLACES OF MOTHERS, AND CERTAIN AGE PERIODS—Continued.

CLASS G—continued.															
Gun-smiths, lock-smiths, and bell hangers.	Harness and saddle makers and repairers, and trunk, valise, and leather-case makers.	Hat and cap makers.	Iron and steel workers.	Lead and zinc workers.	Leather curriers, dressers, finishers, and tanners.	Machinists.	Marble and stone cutters.	Masons (brick and stone).	Meat packers, curers, and picklers, canners, and fruit preservers.	Mill and factory operatives (textiles not specified).	Millers (flour and grist).	Painters, glaziers, and varnishers.	Paper hangers.	Paper mill operatives.	Photographers.
71	163	277	344	8	207	839	353	781	6	835	123	1,033	35	79	52
70	163	276	343	8	206	838	352	771	5	834	122	1,027	35	79	52
3	4	4	15		4	31	9	9		10					
4	11	22	30		17	78	15	33		111	2	17		8	3
11	22	70	50	1	33	139	56	92		129	4	56	3	11	6
14	29	65	61	3	33	152	104	125		168	6	216	8	12	9
11	24	43	60	2	31	139	61	133	2	109	10	222	10	11	7
10	36	34	65		31	139	61	133	1	94	23	198	4	8	16
17	37	36	62	1	41	137	52	129	1	86	18	169	4	13	6
		2			47	161	54	249	1	124	59	147	6	16	5
							1	1		3		2			
1		1	1		1	1	1	10	1	1	1	6			
								2		1					
		1	1		1	1		3	1						
1							1	4			1	2			
								1				1			
								4				2			
								1							
11	45	58	62		29	265	46	193	2	131	57	306	19	26	27
1	3	1	5			10	1	3		13	1	5		3	1
1	3	6	2			28		9		18	2	13		1	2
1	9	8	4			26	8	14		25	3	41	2	4	4
1	5	16	4		3	44	11	13	1	3	3	4	4	4	4
1	6	10	11		4	32	4	30		12	6	62	5	6	4
1	6	6	14		7	53	6	37		10	9	58	1	5	8
6	19	11	22		15	72	16	87	1	9	5	61	4	2	5
										44	31	65	3	5	3
												1			3
4	13	14	24	1	8	79	30	36		132	7	85	2	11	2
										1					
						3				9				1	
						4		4		15		4		2	
						13	3	6		15				1	
1	2	2	2		2	13	8	3		22	2	12		1	
					1	13	8	3		22		17		1	
						17	7	8		25	1	19	1		
						12	8	6		15		21		3	
3	3	5	5		3	17	4	9		30	4	12	1	3	
		2	15		5	31	26	21		28	3	20	1	4	1
										5					
						1				3					
						4	4	3		3					
						7	7	6		2					
						6	7	7		4					
						10	3	2		3					
						3	3	3		8					
13	38	98	150	1	101	176	161	291	3	338	15	236	6	24	4
1	1	2	7		4	5	3	3		5				2	
1	1	8	16		13	20	6	12		51		2		7	
2	10	32	29	1	20	52	25	49		61		15		6	
1	5	21	26		17	35	54	56		85	1	88	3	3	
3	7	12	30		14	29	28	53	1	47	1	62	2	3	1
5	11	18	29		19	17	26	52	1	35	5	35		2	
	3	8	13		14	18	19	60		31	1	24		3	
		2						1		21	7	10	1	1	
										2					
28	39	49	40	3	30	124	36	94		60	16	165	2	1	4
1	3	1	1			1		1		5					
						5		3		4					
7	3	9	2		6	18	6	4		13	1	35		1	
9	9	9	9	1	8	25	13	23		12	1	34		1	
3	2	14	8		7	22	3	18		7	4	34	2		
3	10	7	11		6	16	5	19		13	7	27			
5	7	4	7	1	3	25	5	26		5	3	16			

TABLE 6.—DEATHS AMONG MALES ENGAGED IN CERTAIN OCCUPATIONS AND CLASSES OF

AREAS.	CLASS G—continued.									CLASS H.		
	Plasterers and white-washers.	Plumbers and gas and steam fitters.	Potters.	Rubber factory operatives.	Silk mill operatives.	Tailors.	Tinners and tinware makers.	Wheelwrights.	Woolen mill operatives.	Total.	Boatmen and canalmen.	Draymen, hackmen, teamsters, drivers, etc.
REGISTRATION STATES—Cont'd.												
1 Total	124	279	41	56	78	872	208	102	95	12,005	174	1,864
2 White	109	278	41	56	78	871	207	102	95	11,788	171	1,809
3 Under 15.....										14	1	1
4 15 to 20.....	6	25	1	1	8	15	11	1	4	245	4	43
5 20 to 25.....	8	38	7	10	8	38	18	6	16	623	15	142
6 25 to 35.....	12	70	9	14	18	110	54	7	13	1,274	28	360
7 35 to 45.....	32	68	9	10	17	101	38	7	14	1,057	29	279
8 45 to 55.....	22	40	4	8	13	137	36	7	18	1,203	30	216
9 55 to 65.....	14	25	6	7	6	199	28	21	12	1,677	30	143
10 65 and over.....	15	17	5	6	8	271	22	53	18	5,625	33	123
11 Unknown.....										70	1	2
12 Colored.....	15	1				1	1			217	3	55
13 Under 15.....												
14 15 to 20.....		1								10		6
15 20 to 25.....										25		8
16 25 to 35.....	2					1				39	1	9
17 35 to 45.....	3									25	1	9
18 45 to 55.....	2						1			33	1	7
19 55 to 65.....	5									31		7
20 65 and over.....	2									49		7
21 Unknown.....	1									5		2
22 Birthplaces of mothers: United States.....	26	43	2	8	5	76	46	45	13	5,866	58	362
23 Under 15.....										8		
24 15 to 20.....	1	3			2	1	2		2	133		10
25 20 to 25.....	1	8				3	7	2	2	240	1	29
26 25 to 35.....	5	8	1	2		10	6	2	1	462	12	86
27 35 to 45.....	6	7	1	2	1	9	7	1	2	397	6	70
28 45 to 55.....	2	5			1	5	9	4	3	520	12	65
29 55 to 65.....	8	7		3		12	8	11	1	334	12	43
30 65 and over.....	4	5	1	1		36	7	25	2	3,049	15	48
31 Unknown.....										23		2
32 England and Wales.....	7	24	12	2	13	38	11	2	25	396	7	29
33 Under 15.....												
34 15 to 20.....	1	2			1					8		
35 20 to 25.....	2	4	1		1				5	21	1	
36 25 to 35.....	2	2	1	1	2	3	3		1	85	2	10
37 35 to 45.....	9	9	2		1	4	2	1	2	43	1	4
38 45 to 55.....	2	3	2	1	3	6	2		5	42		6
39 55 to 65.....	1	2	3		1	8	3		8	00	1	4
40 65 and over.....	1	2	2		4	17	1	1	4	187	2	5
41 Unknown.....												
42 Scotland.....	7	8	1	1	3	8	9	1	4	115	2	10
43 Under 15.....												
44 15 to 20.....						1				1		1
45 20 to 25.....		2								4		2
46 25 to 35.....	1	2				1	1	1		12		3
47 35 to 45.....	2	2	1		2	1	1		2	14	1	
48 45 to 55.....	1			1	1		2			14	1	1
49 55 to 65.....	1	1				3	2		1	11		1
50 65 and over.....	2	1				2	3		1	59		2
51 Unknown.....												
52 Ireland.....	55	142	8	34	10	179	53	15	34	2,035	50	612
53 Under 15.....										2	1	
54 15 to 20.....	3	13	1		3	4	5	1	2	38	1	13
55 20 to 25.....	4	16	3	7	2	8	2	2	7	206	8	89
56 25 to 35.....	6	45	2	10	1	15	22	2	9	384	10	176
57 35 to 45.....	22	33	1	5	3	24	10		4	292	10	134
58 45 to 55.....	11	23		5		21	11	2	7	299	8	106
59 55 to 65.....	4	6	1	4		50	2	3	2	293	9	53
60 65 and over.....	5	6		3	1	57	1	5	3	511	3	40
61 Unknown.....										10		1
62 Germany.....	10	33	10	1	22	373	49	16	2	710	10	174
63 Under 15.....										1		1
64 15 to 20.....		5			1	3	2			16	1	8
65 20 to 25.....	1	4			3	7	5			41	1	13
66 25 to 35.....	1	9	2		7	33	16	1	2	123	1	32
67 35 to 45.....	1	5	3		5	40	10		2	86	3	37
68 45 to 55.....	3	4	2		2	64	4		5	88	1	28
69 55 to 65.....	3	5	2		2	100	6			122	1	26
70 65 and over.....	1	1	1	1	2	122	6	3		227	2	11
71 Unknown.....										6		

STATISTICS OF DEATHS.

223

OCCUPATIONS, BY COLOR, BIRTHPLACES OF MOTHERS, AND CERTAIN AGE PERIODS—Continued.

CLASS H—continued.															
Farmers, planters, and overseers.	Farm laborers.	Fishermen and oystermen.	Gardeners, florists, nurserymen, and vine growers.	Livery stable keepers and hostlers.	Lumbermen and raftsmen.	Miners (coal).	Miners (not specified).	Pilots.	Quarrymen.	Sailors.	Steam railroad employes (includes conductors, brakemen, engineers, and firemen).	Stock raisers, herders, and drovers.	Telegraph and telephone operators.	Telegraph and telephone linemen and electric light men.	
7,671	257	351	321	285	43	3	72	25	62	693	761	20	80	23	1
7,610	236	149	315	245	43	3	71	24	61	670	758	20	80	23	2
8	4														3
72	50	2	2	4			1		4	24	30		9		4
174	25	10	12	24	2		6		5	45	135	2	23	3	5
357	27	27	27	42	5	1	12	1	12	95	234	4	20	13	6
367	18	25	24	57	8		15	4	8	30	125		14	4	7
586	30	17	42	40	6	1	13	2	11	101	103	2	2	1	8
1,134	23	28	76	43	8		10	4	12	96	63	5	1	2	9
4,870	56	40	182	34	13	1	12	13	9	223	58	7	1	1	10
42	3			1	1		2			6	11		1		11
61	21	2	6	40			1	1	1	23	3				12
2				2											13
2			1	9						5					14
9	7	1	1	4						7					15
4	1			6						2	1				16
4	2		2	9			1		1	6	1				17
9	3	1	1	7				1		1	1				18
30	6		1	3						2					19
1	2														20
															21
4,301	143	78	55	93	25		14	11	5	241	242	5	32	1	22
4	4			2											23
51	32	2		13					1	11	11		4		24
103	15	5	2	8			2			14	42	1	13		25
218	19	10	4	17	2		4		2	22	63		11	1	26
210	9	13	3	15	5		1			13	44		3		27
319	19	6	9	19	7		1		1	33	37		1		28
643	15	15	12	18	8		2	4		36	25	1			29
2,738	28	27	25	1	1		1	7	1	111	19	3			30
15	2									1	1				31
197	6	2	39	4			14	1	8	51	25	3	7	3	32
1	1		1							4	1				33
5	1	1	3							4	5				34
4			3						1	5	5		1		35
13	1		4				3		2	7	3		4		36
14	1	1	4	2			5		1	5	4		1	2	37
26			7	1			1		4	10	3		1		38
134	2		17				5	1		16	4	3	1		39
															40
58	2	1	14					2	3	14	8		1		41
															42
															43
1			1						1	1	1				44
3			1							4	3				45
4	1		1							4	3				46
7		1	1					1		1	1				47
6			2						1	1					48
37	1		9					1	1	7			1		49
															50
															51
629	39	35	122	115	5	1	31	4	29	76	251	4	23	9	52
1			1	1			1				7				53
5	3		5	14	1		2		3	5	45		3		54
20	4	3	6	24	2		4		3	8	30		8		55
39	7	7	7	27	1	1	7		2	11	36	2	8	7	56
40	4	6	17	22			6	2		21	38		4	1	57
61	5	6	36	17			5			16	20			1	58
122	1	8	50	10	1		5	2		15	23	2			59
236	14	5					1		5		2				60
5	1										2				61
313	15	5	51	24	4		2	1	3	51	52	1	1	3	62
															63
1	3		1	3						3	2				64
8			8	6	1					5	9			1	65
29		3	2	2	1					7	15		1		66
17	1		6	6	1			1	1	12	8			1	67
31			10	5	1		1			3	7				68
60	4	1	13	5	1		1			5	4			1	69
107	8		17	2					2	11	6	1			70
										5	1				71

VITAL AND SOCIAL STATISTICS.

TABLE 6.—DEATHS AMONG MALES ENGAGED IN CERTAIN OCCUPATIONS AND CLASSES OF

AREAS.	All selected occupations.	CLASS A.												
		Total.	Actors.	Architects, artists, etc.	Clergymen.	Dentists.	Engineers and surveyors.	Journalists.	Lawyers.	Musicians and teachers of music.	Physicians and surgeons.	Professors, authors, literary and scientific persons.	Teachers.	
REGISTRATION STATES—Cont'd.														
Birthplaces of mothers—Continued.														
72	Canada.....	1,314	15	1	4	2	1	1	1	1	2	2		
73	Under 15.....	5												
74	15 to 20.....	93												
75	20 to 25.....	146	1			1								
76	25 to 35.....	271	3	1	1	1								
77	35 to 45.....	201	3				1		1		1			
78	45 to 55.....	178	1					1			1			
79	55 to 65.....	172	6		2			1		2				
80	65 and over.....	244	1		1									
81	Unknown.....	4												
82	Scandinavia.....	441	10	3	1		1			2	1	1		
83	Under 15.....	1												
84	15 to 20.....	19												
85	20 to 25.....	48												
86	25 to 35.....	130	1	1										
87	35 to 45.....	90	2	1					1					
88	45 to 55.....	64												
89	55 to 65.....	50	4	1					1	1		1		
90	65 and over.....	39	3		1		1				1			
91	Unknown.....	3												
92	Other foreign countries.....	1,981	83	1	18	6		3	2	3	23	10	8	9
93	Under 15.....	3												
94	15 to 20.....	68	3		1					2				
95	20 to 25.....	171	6							3				
96	25 to 35.....	453	11		5			1	1	4		1	1	
97	35 to 45.....	401	15		4					3				
98	45 to 55.....	349	10		2	1		1		4		1	1	
99	55 to 65.....	249	17	1	2	2		1		2		2	2	
100	65 and over.....	277	21		3	3		1	1	5		4	3	1
101	Unknown.....	10						1		4		4	1	4
102	Unknown.....	6,047	296	10	15	58	14	10	7	62	11	80	9	20
103	Under 15.....	6												
104	15 to 20.....	132												
105	20 to 25.....	283	11			2	1	2		4	2			
106	25 to 35.....	655	27	5	3	1	2		1	5	2	4	1	3
107	35 to 45.....	662	31	2	2	1	4		1	6	3	8	1	3
108	45 to 55.....	693	33	1	2	6	2	2	1	5	1	10		3
109	55 to 65.....	853	53	1	2	13	2	1	3	13	2	13	2	1
110	65 and over.....	2,636	137	1	6	34	3		1	29	1	44	3	10
111	Unknown.....	77	4			1						1	2	

OCCUPATIONS, BY COLOR, BIRTHPLACES OF MOTHERS, AND CERTAIN AGE PERIODS—Continued.

CLASS B.							CLASS C.									
Total.	Stenographers and typewriters.	Accountants, bookkeepers, clerks, and copyists.	Bankers, brokers, and officials of companies.	Collectors, auctioneers, and agents.	Wholesale merchants and dealers.	Newspaper carriers and newsboys.	Total.	Apothecaries, pharmacists, and dealers in chemicals and drugs.	Commercial travelers and salesmen.	Dealers in dry goods (retail).	Dealers in groceries (retail).	Dealers, not specified (retail).	Hucksters and peddlers.	Wine and liquor dealers (retail).	Wine and liquor dealers (wholesale).	
79		63	1	12	1	2	49	3	10		8	23	5			72
1		1				1										73
13		12				1										74
13		12					5					2	1			75
21		17		4			15	1	5		2	6	1			76
16		11	1	4			8		3		2	2	1			77
10		6		4			6	2			2	3	1			78
4		3			1		9				3	5	1			79
1		1					6				1	5				80
																81
20		18		1	1		15	3	2		1	9				82
1		1														83
2		2					1				1					84
3		3														85
9		9					2	1				1				86
2		1		1			5	2				2				87
1		1					3	1				2				88
							3					3				89
2		1			1		1					1				90
																91
80		52	6	17	3	2	188	7	10		10	95	60	6		92
1						1										93
6		6					6					3	3			94
4		4					11		1			2	5	1		95
24		21					35	2	5			12	15			96
15		9	1	5			32	3				18	8			97
7		1		3			9	1			5	8				98
9		6	1	3	1	1	46		2		5	23	13	3		99
14		5	4	3	2		30	1	1			23	4	1		100
							28		1			14	12	1		101
274	1	176	32	54	9	2	312	13	50		23	196	28	2		102
2		2														103
13		12		1			10									104
24	1	21		1		1	33	3	4		1	11	3			105
47		41		4			33	3	7		3	9	9			106
44		33	2	9			35		9		3	18	4	1		107
45		27	8	8	2		37	2	10		3	18	4			108
49		19	9	18	2	1	63	2	16		5	41	3	1		109
47		19	10	13	5		123	5	4		8	106	5			110
3		2	1				1					1				111

STATISTICS OF DEATHS.

OCCUPATIONS, BY COLOR, BIRTHPLACES OF MOTHERS, AND CERTAIN AGE PERIODS—Continued.

CLASS G—continued.																
Gun-smiths, lock-smiths, and bell hangers.	Harness and saddle makers and repairers, and trunk, valise, and leather-case makers.	Hat and cap makers.	Iron and steel workers.	Lead and zinc workers.	Leather curriers, dressers, finishers, and tanners.	Machinists.	Marble and stone cutters.	Masons (brick and stone).	Meat packers, curers, and picklers, canners, and fruit preservers.	Mill and factory operatives (textiles not specified).	Millers (flour and grist).	Painters, glaziers, and varnishers.	Paper hangers.	Paper mill operatives.	Photographers.	
1	5		5	1	6	30	6	20		75	2	25		2	1	72
						3	1			4		2				73
	1		1			5		2		23		1		1		74
	1		1	1	1	10	1	5		15		8				75
	1				2	6	2	3		14		6			1	76
					1	4	1	5		6		1				77
			1		1	1	1	1		3		5				78
			2		1	1	1	1		4		2		1		79
1					1	1		4		6		1				80
																81
1	1	1	4	1	2	13	2	10		6		17			1	82
						1	1									83
						3		2		1						84
1			1	1	2	3	1	3		2						85
		1				2		1				5				86
			1			1		1				4			1	87
						1		1				4				88
						1		2		1		4				89
						2		1								90
																91
4	1	11	4		8	23	13	19	1	21	1	43	1	1	3	92
																93
1			1			2		2		1		2			1	94
		1				1		2		4		4			1	95
		3	2		1	3	3	3		5		3				96
		4	1		1	5	7	6	1	2		11				97
3		2			1	7	1	2		3		12			1	98
					4	1	1	2		5		6	1	1		99
					2	4	1	4		1		5				100
		1									1					101
																102
9	18	44	30	1	14	90	30	94		42	21	130	4	10	9	102
																103
			1			1	3	2		4		2		1		104
2		1	4		1	5	1	1		5	1	4	1	1	1	105
		2	5		3	9	6	4		6		20				106
		16	6		14	14	2	14		6		23	1	1		107
		10	2		21	21	9	7		6		23	1		6	108
		3	1		1	21	2	11		6		21		2		109
		6	4		1	21	2	11		9		21		5	2	110
		8	8		8	19	6	55		1		36			2	111
							1					1				111

TABLE 6.—DEATHS AMONG MALES ENGAGED IN CERTAIN OCCUPATIONS AND CLASSES OF

AREAS.	CLASS G—continued.								CLASS H.			
	Plasterers and white-washers.	Plumbers and gas and steam fitters.	Potters.	Rubber factory operatives.	Silk mill operatives.	Tailors.	Tinners and tinware makers.	Wheelwrights.	Woolen mill operatives.	Total.	Boatmen and carmen.	Draymen, hackmen, teamsters, drivers, etc.
REGISTRATION STATES—Cont'd.												
Birthplaces of mothers—Continued.												
72 Canada.....		7		3	2	7	9	1	6	231	4	23
73 Under 15.....												
74 15 to 20.....		1		1						13	2	2
75 20 to 25.....		1		2	1	1			2	17		1
76 25 to 35.....		1			1	2	1		2	37		9
77 35 to 45.....		1				1	2		1	30	1	7
78 45 to 55.....		1				1	3		1	23	1	1
79 55 to 65.....		1				1	2			28		3
80 65 and over.....		1				1	1	1		76		
81 Unknown.....										2		
82 Scandinavia.....		1	1	2		24			1	111	8	6
83 Under 15.....										2		
84 15 to 20.....										15		1
85 20 to 25.....				1		1				32	2	1
86 25 to 35.....		1		1		6				21	3	2
87 35 to 45.....			1			5				13	1	1
88 45 to 55.....						2			1	12	1	1
89 55 to 65.....						5				16	1	1
90 65 and over.....												
91 Unknown.....												
92 Other foreign countries.....	8	6		1	20	140	5	2	1	183	1	15
93 Under 15.....												
94 15 to 20.....	1	2			1	6	1			2		1
95 20 to 25.....						12	1			14		5
96 25 to 35.....					5	35				47		3
97 35 to 45.....	2	1		1	4	16	1			27		2
98 45 to 55.....	3	2			6	30	1			23		2
99 55 to 65.....	1	1			3	21	1			24		2
100 65 and over.....					1	20		2	1	44	1	
101 Unknown.....	1									2		
102 Unknown.....	11	13	7	4	3	26	25	20	9.	2,527	34	130
103 Under 15.....										2		
104 15 to 20.....	1						1			42		7
105 20 to 25.....		2		3	1	2	3			88	4	9
106 25 to 35.....	1		2		1	2	5	1		175	2	20
107 35 to 45.....	2	5	1	3	1	4	4		1	169	5	32
108 45 to 55.....	2	2				5	5		1	202	7	12
109 55 to 65.....	1	2				2	4	2		320	6	17
110 65 and over.....	4	1	1	1		15	3	16	7	1,497	9	23
111 Unknown.....										32	1	1

STATISTICS OF DEATHS.

OCCUPATIONS, BY COLOR, BIRTHPLACES OF MOTHERS, AND CERTAIN AGE PERIODS—Continued.

CLASS H—continued.															
Farmers, planters, and overseers.	Farm laborers.	Fishermen and oystermen.	Gardeners, florists, nurserymen, and vine growers.	Livery stable keepers and hostlers.	Lumbermen and raftsmen.	Miners (coal).	Miners (not specified).	Pilots.	Quarrymen.	Sailors.	Steam railroad employes (includes conductors, brakemen, engineers, and firemen).	Stock raisers, herders, and drovers.	Telegraph and telephone operators.	Telegraph and telephone linemen and electric light men.	
127	15	7	6	3	3	1	2	17	20	1	2	72
3	2	4	73
4	2	1	1	6	1	74
10	3	3	1	1	5	4	2	75
6	2	1	1	3	1	6	2	76
16	3	1	1	2	1	1	2	77
21	2	1	1	78
66	1	2	3	4	79
1	1	80
12	1	1	4	3	2	4	65	4	1	81
.....	1	1	82
.....	1	3	9	1	83
2	1	1	2	1	21	1	84
1	1	1	1	1	11	1	85
1	1	8	1	86
4	1	6	1	87
4	9	88
64	3	4	9	4	7	3	55	14	4	89
.....	90
.....	1	1	91
.....	4	92
1	1	7	93
6	2	2	1	3	4	3	14	7	2	94
7	4	1	1	6	4	2	95
6	1	1	2	12	2	96
8	1	9	3	97
34	1	1	1	6	98
2	99
1,960	33	18	21	37	6	2	3	4	3	121	133	7	11	4	100
.....	101
2	4	102
13	9	2	5	2	103
34	3	1	3	19	5	2	104
56	2	2	3	4	1	51	1	105
73	2	4	2	9	1	1	1	12	2	3	1	106
133	3	1	1	4	22	4	4	107
256	4	5	4	9	1	1	1	1	14	13	1	108
1,379	8	5	4	9	1	6	6	1	109
20	2	10	6	4	1	1	2	45	4	1	110
.....	6	111

TABLE 6.—DEATHS AMONG MALES ENGAGED IN CERTAIN OCCUPATIONS AND CLASSES OF

AREAS.	All selected occupations.	CLASS A.											
		Total.	Actors.	Architects, artists, etc.	Clergymen.	Dentists.	Engineers and surveyors.	Journalists.	Lawyers.	Musicians and teachers of music.	Physicians and surgeons.	Professors, authors, literary and scientific persons.	Teachers.
CONNECTICUT.													
1 Total.....	2,924	81		6	13	2	4		13	6	21	6	10
2 White.....	2,867	80		6	13	2	4		13	6	20	6	10
3 Colored.....	57	1									1		
Birthplaces of mothers:													
4 United States.....	1,357	53		3	11	2	1		8	3	15	3	7
5 England and Wales.....	98	3									1		
6 Scotland.....	81	1										1	
7 Ireland.....	792	4							2				2
8 Germany.....	159	3		1						1		1	
9 Canada.....	53												
10 Scandinavia.....	36												
11 Other foreign countries.....	61	2		1									1
12 Unknown.....	337	15		1	2		2		3	1	5	1	
DELAWARE.													
13 Total.....	711	15		1	3		1	3	1	1	5		
14 White.....	573	14		1	2		1	3	1	1	5		
15 Colored.....	138	1			1								
Birthplaces of mothers:													
16 United States.....	285	5			1		1		1	1	1		
17 England and Wales.....	6	2		1				1					
18 Scotland.....	2												
19 Ireland.....	16												
20 Germany.....	4												
21 Canada.....	1												
22 Scandinavia.....	1												
23 Other foreign countries.....	2												
24 Unknown.....	121	3			2						1		
DISTRICT OF COLUMBIA.													
25 Total.....	1,262	86	2	4	7	1	12	5	24	6	17	4	4
26 White.....	814	78	2	4	3	1	12	5	24	5	16	4	2
27 Colored.....	448	8			4					1	1		2
Birthplaces of mothers:													
28 United States.....	794	59	1	3	5		8	4	17	1	15	3	2
29 England and Wales.....	37	1		1									
30 Scotland.....	12												
31 Ireland.....	173	3			1				1				
32 Germany.....	107	6					1		2	2		1	
33 Canada.....	1												
34 Scandinavia.....	3												
35 Other foreign countries.....	18	3					1		1				1
36 Unknown.....	117	14	1		1	1	1	1	4	2	2	1	
MASSACHUSETTS.													
37 Total.....	10,265	352	13	38	55	15	13	24	48	26	80	23	17
38 White.....	10,124	350	13	37	55	15	13	24	48	25	80	23	17
39 Colored.....	141	2		1						1			
Birthplaces of mothers:													
40 United States.....	3,910	208	4	16	28	10	8	16	29	13	57	14	13
41 England and Wales.....	477	11		5	2			1	1	1	1		
42 Scotland.....	164	6			2			1			2	1	
43 Ireland.....	3,755	50	4	8	9		2	5	6	6	7	3	
44 Germany.....	210	10	1	3			1	1	1	2		1	
45 Canada.....	699	7			4	2					1		
46 Scandinavia.....	75	1		1									
47 Other foreign countries.....	208	8		1	2		1			3	1		
48 Unknown.....	767	51	4	4	8	3	1		11	1	11	4	4
NEW HAMPSHIRE.													
49 Total.....	1,828	68		1	16	3	4		15	3	23		3
50 White.....	1,826	68		1	16	3	4		15	3	23		3
51 Colored.....	2												
Birthplaces of mothers:													
52 United States.....	1,001	42			8	3	3		11	2	14		1
53 England and Wales.....	24												
54 Scotland.....	9	1											1
55 Ireland.....	154												
56 Germany.....	8	1					1						
57 Canada.....	94												
58 Scandinavia.....	4												
59 Other foreign countries.....	7												
60 Unknown.....	527	24		1	8				4	1	9		1

TABLE 6.—DEATHS AMONG MALES ENGAGED IN CERTAIN OCCUPATIONS AND CLASSES OF

AREAS.	CLASS D.			CLASS E.							
	Total.	Hotel and boarding house keepers.	Saloon keepers, billiard and bowling saloon keepers, bartenders, and restaurant keepers.	Total.	Barbers and hair-dressers.	Janitors and sextons.	Launderers.	Nurses.	Police-men, watchmen, and detectives.	Soldiers, sailors, and marines (United States).	Undertakers.
CONNECTICUT.											
1 Total.....	43	12	31	41	8	9	3		16		5
2 White.....	43	12	31	36	6	6	3		16		5
3 Colored.....				5	2	3					
Birthplaces of mothers:											
4 United States.....	10	7	3	17	3	6	1		4		3
5 England and Wales.....	1		1	1					1		
6 Scotland.....	1	1									
7 Ireland.....	19	2	17	15	3	3	1		6		2
8 Germany.....	8	2	6	2	1				1		
9 Canada.....	1		1								
10 Scandinavia.....				1	1						
11 Other foreign countries.....				1					1		
12 Unknown.....	3		3	4			1		3		
DELAWARE.											
13 Total.....	8	2	6	6	2		1		3		
14 White.....	8	2	6	2					2		
15 Colored.....				4	2		1		1		
Birthplaces of mothers:											
16 United States.....				2	1		1				
17 England and Wales.....											
18 Scotland.....											
19 Ireland.....	1		1								
20 Germany.....											
21 Canada.....											
22 Scandinavia.....											
23 Other foreign countries.....											
24 Unknown.....	1		1								
DISTRICT OF COLUMBIA.											
25 Total.....	19	3	16	120	12	2	3	4	26	81	1
26 White.....	15	2	13	106	2	1	2	1	20	79	1
27 Colored.....	4	1	3	23	10	1	1	3	6	2	
Birthplaces of mothers:											
28 United States.....	5	1	4	44	12	1	2	4	13	12	
29 England and Wales.....				6						5	
30 Scotland.....				3			1			3	
31 Ireland.....	6	2	4	40					6	34	
32 Germany.....	7		7	18					1	16	1
33 Canada.....											
34 Scandinavia.....											
35 Other foreign countries.....	1		1	1						1	
36 Unknown.....				17		1			6	10	
MASSACHUSETTS.											
37 Total.....	92	39	53	217	57	43	13	6	63	22	13
38 White.....	91	39	52	192	47	36	5	6	63	22	13
39 Colored.....	1		1	25	10	7	8				
Birthplaces of mothers:											
40 United States.....	40	23	12	70	15	19	3	2	23		8
41 England and Wales.....	5	2	3	9		2		2	3	1	1
42 Scotland.....				2					1		
43 Ireland.....	28	1	27	64	22	8	1		24	5	4
44 Germany.....	2		2	7	1	2	1		2	1	
45 Canada.....	5	2	3	24	10	5			5	4	
46 Scandinavia.....	1	1		1					1	1	
47 Other foreign countries.....	2		2	16	6	1	8		1	1	
48 Unknown.....	9	5	4	24	3	6		2	4	9	
NEW HAMPSHIRE.											
49 Total.....	21	16	5	13	8		1		6	1	2
50 White.....	21	16	5	12	3				6	1	2
51 Colored.....				1			1				
Birthplaces of mothers:											
52 United States.....	12	10	2	6	1				3		2
53 England and Wales.....											
54 Scotland.....											
55 Ireland.....	2	1	1	3	2				1		
56 Germany.....											
57 Canada.....	2	1	1								
58 Scandinavia.....											
59 Other foreign countries.....				1			1				
60 Unknown.....	5	4	1	3					2	1	

STATISTICS OF DEATHS.

OCCUPATIONS, BY COLOR, BIRTHPLACES OF MOTHERS, AND CERTAIN AGE PERIODS—Continued.

CLASS F.				CLASS G.												
Total.	Laborers (not specified).	Messenger boys.	Servants.	Total.	Artificial flower and paper box makers.	Bakers and confectioners.	Blacksmiths.	Bleachers, dyers, and scourers.	Bookbinders.	Boot and shoe makers.	Brassfounders and copper-smiths.	Brewers, distillers, and rectifiers.	Brick and tile makers and terracotta workers.	Butchers.	Cabinet makers and upholsterers.	
665	630	3	32	803		5	43	6	1	51	12	1	2	16	9	1
633	608	3	22	795		5	42	6	1	50	11	1	2	16	9	2
32	22		10	8			1			1	1					3
146	132	1	13	311		1	18	3		22	6		1	5	3	4
11	9		2	45		1	1			2	1			1		5
2	1		1	17												6
372	364	2	6	182		2	10	1		6	2		1	5	2	7
26	21		5	81		1	1	1		5	1			2	4	8
16	16			27						4				1		9
11	11			15				1							1	10
32	30		2	18					1							11
49	46		3	107			9			12	2			2	1	12
205	200		5	189		2	11	4	2	8				2	3	13
102	100		2	134		2	11	4	2	6				2	3	14
103	100		3	5						2						15
69	68		1	36			4		1	2						16
				1				1								17
7	5		2	6												18
				2		1				1						19
																20
1	1															21
22	22			10			1									22
																23
																24
420	353	11	65	264	1	11	5		8	27	1	1	5	7	9	25
95	84	6	5	234		11	3		8	20	1	1	2	6	6	26
334	269	5	60	30	1		2			7			3	1	3	27
355	287	7	61	115	1	3	4		1	11			4	4	7	28
1	1			21					3							29
47	42	4	1	48					2	7	1		1			30
10	9		1	38		8	1		1	5		1		2	1	31
2	2															32
1			1	5						1						33
13	12		1	31					1	3				1	1	34
																35
																36
2,107	2,030	10	118	3,769	9	77	163	26	8	669	23	10	5	41	73	37
2,098	2,001	10	87	3,752	9	76	163	26	8	665	23	10	5	41	73	38
69	38		31	17		1				4						39
267	226	4	37	1,264	5	15	54	1	3	286	5	1	2	20	25	40
56	53		3	276		3	12	2	1	19	3	3		3	3	41
17	14	1	2	90		5	3			8				1		42
1,474	1,426	5	43	1,297	2	31	62	16	3	244	11	3		11	20	43
37	35		2	95		8	2	2		7	2	2		1	3	44
154	145		9	356	2	7	17	3	1	46	1		2	1	2	45
12	11		1	40		2	2			5	1				10	46
65	58		7	65		2	1	1		10				2	3	47
85	71		14	286		6	10	1		44		1	1	4	7	48
242	234		8	439		8	31	8		78			2	5	2	49
242	234		8	439		8	31	8		78			2	5	2	50
																51
56	54		2	236		2	18	2		48			2	2		52
1	1			12		2	1									53
				6												54
69	69			40		1	2	1		2						55
2	2			4				4		2						56
40	38		2	25		2	2	1		1						57
4	4									5						58
3	2		1	2												59
67	64		3	114		1	8			20				3	2	60

TABLE 6.—DEATHS AMONG MALES ENGAGED IN CERTAIN OCCUPATIONS AND CLASSES OF

AREAS.		CLASS G—continued.										
		Carpenters and joiners.	Cigar makers and tobacco workers.	Clock and watch-repairers, and jewelers, and opticians.	Compositors, printers, and pressmen.	Coopers.	Cotton mill operatives.	Electrotypers and stereotypers.	Engineers and firemen (not locomotive).	Flax mill operatives.	Gas works employes.	Glass blowers.
CONNECTICUT.												
1	Total	118	10	11	15	11	3	20	1	2		2
2	White	118	10	11	15	11	3	20	1	2		2
3	Colored											
Birthplaces of mothers:												
4	United States	73	2	4	4	6		9	1			
5	England and Wales	5		1				1				
6	Scotland	3	1	1	1	1		3				1
7	Ireland	11	1	1	1		2	2		2		1
8	Germany	4	3	1	3	1		3				
9	Canada	1				1	1	1				
10	Scandinavia	3			1	1						
11	Other foreign countries	2										
12	Unknown	16	1	3	1	1		2				
DELAWARE.												
13	Total	28	4	1	4	2		6				
14	White	27	4	1	4	2		6				
15	Colored	1										
Birthplaces of mothers:												
16	United States	11			1			3				
17	England and Wales											
18	Scotland											
19	Ireland	1				1						
20	Germany											
21	Canada											
22	Scandinavia											
23	Other foreign countries											
24	Unknown	6						1				
DISTRICT OF COLUMBIA.												
25	Total	19	5	5	31	2		12				
26	White	16	5	5	31	2		11				
27	Colored	3						1				
Birthplaces of mothers:												
28	United States	10	2	2	16			7				
29	England and Wales	1		1	1			2				
30	Scotland				1	1						
31	Ireland	3			6			1				
32	Germany	1	3	1	1			1				
33	Canada				1							
34	Scandinavia											
35	Other foreign countries			1	2							
36	Unknown	4			4	1		1				
MASSACHUSETTS.												
37	Total	480	37	80	80	30	48	82	2	3	4	11
38	White	487	37	80	80	30	48	81	2	3	4	11
39	Colored	2						1				
Birthplaces of mothers:												
40	United States	235	9	47	26	10	5	32	1	1	1	1
41	England and Wales	16	2	6	8	1	6	1	1	1	1	3
42	Scotland	15			1		3					1
43	Ireland	70	9	10	31	14	19	26	1	1	2	4
44	Germany	1	9	3				1				
45	Canada	89		9	3	5	12	11				1
46	Scandinavia	3										
47	Other foreign countries	5	3	2	1		1					1
48	Unknown	55	5	3	5	5	1	8				
NEW HAMPSHIRE.												
49	Total	87	2	4	7	7	7	15				
50	White	87	2	4	7	7	7	15				
51	Colored											
Birthplaces of mothers:												
52	United States	50	2	3	5	3	2	9				
53	England and Wales						1					
54	Scotland											
55	Ireland	1			1	1	1	2				
56	Germany											
57	Canada	2										
58	Scandinavia											
59	Other foreign countries						1					
60	Unknown	25		1	1	3	2	4				

STATISTICS OF DEATHS.

OCCUPATIONS, BY COLOR, BIRTHPLACES OF MOTHERS, AND CERTAIN AGE PERIODS—Continued.

CLASS G—continued.																	
Gum-smiths, jock-smiths, and bell hangers.	Harness and saddle makers and repairers, and trunk, valise, and leather-case makers.	Hat and cap makers.	Iron and steel workers.	Lead and zinc workers.	Leather carriers, dressers, finishers, and tanners.	Machinists.	Marble and stone cutters.	Masons (brick and stone).	Meat packers, curers, and picklers, canners, and fruit preservers.	Mill and factory operatives (textiles not specified).	Millers (flour and grist).	Painters, glaziers, and varnishers.	Paper hangers.	Paper mill operatives.	Photographers.		
16	4	55	17		1	68	24	48	1	81	11	53		7	7	1	
15	4	54	17		1	67	24	47	1	81	11	52		7	7	2	
1		1				1		1				1				3	
3		20	5			31	8	20		19	3	23		2	3	4	
1		2	1			6		1		9		5		1		5	
5		1	1			4	1	2		3				1		6	
6		19	6			12	12	12	1	27	2	13		1		7	
		3	2			2	1	2		10	2	2		3		8	
						1		1		6	1	2				9	
		1				2	1	2		1		1			1	10	
1	4	9	2		1	10	1	6		1		1		1	1	11	
										5	3	7			2	12	
	1		13		4	8	3	5		4	6	10				13	
	1		13		4	8	2	5		4	5	10				14	
							1				1					15	
								2			4	4				16	
																17	
			3							1						18	
																19	
																20	
																21	
																22	
										1	1					23	
																24	
1		1	1		1	7	14	23	1		2	21	1		2	25	
1		1	1		1	7	14	20			2	21	1		2	26	
								3	1							27	
			1			5	1	8	1			8	1		2	28	
						1	7	2				3				29	
							2	1								30	
1					1	1	1	8				7				31	
												1				32	
																33	
							1									34	
		1						4			2	2				35	
																36	
9	28	19	81	2	108	235	70	154	1	435	7	233	16	48	9	37	
9	28	19	81	2	107	235	70	151	1	435	7	231	18	48	9	38	
					1			3				2				39	
4	13	5	20		20	37	17	50		59	5	97	12	16	7	40	
	2		5		3	22	7	4		79		10	1	5		41	
			3		1	8	4	3		15		5		2		42	
2	10	9	41	1	72	66	30	67	1	181	2	67	2	16		43	
1		3	2		1	5		2		18		6				44	
	2		3		3	20	3	12		49		14		2		45	
			1		1	2		3		3		6				46	
1					1	2		2		11		1				47	
1	1	2	6	1	6	23	7	11		20		27	1	7	2	48	
2	2	1	11		5	28	13	20		31	4	24		2		49	
2	2	1	11		5	28	13	20		31	4	24		2		50	
																	51
1	1	1	6		2	16	5	7		5	2	17		2		52	
								1		3							53
										1							54
			2		1	3	1	4		7	1	1					55
						1				1							56
			2							10							57
																	58
							1										59
1	1		1		2	8	1	8		4	1	6					60

TABLE 6.—DEATHS AMONG MALES ENGAGED IN CERTAIN OCCUPATIONS AND CLASSES OF

AREAS.	CLASS G—continued.									CLASS H.		
	Plaster-ers and white-washers.	Plumb-ers and gas and steam fitters.	Pot-ers.	Rubber factory oper-atives.	Silk mill oper-atives.	Tailors.	Tinners and tinware makers.	Wheel-wrights.	Woolen mill oper-atives.	Total.	Boatmen and canal-men.	Dray-men, hack-men, team-sters, drivers, etc.
CONNECTICUT.												
1 Total	1	11	1	13		20	14	6	5	1,032	1	52
2 White	1	11	1	13		20	14	6	5	1,021	1	52
3 Colored										11		
Birthplaces of mothers:												
4 United States		2		1		4	5	4		683	1	15
5 England and Wales		1				1	1		1	25		2
6 Scotland										6		
7 Ireland	1	5	1	9		5	1		3	144		30
8 Germany		1				6	4			26		1
9 Canada				1					1	7		1
10 Scandinavia						1				8		
11 Other foreign countries		1		1		3				4		
12 Unknown		1		1			3	2		129		3
DELAWARE.												
13 Total		2				2	2	2		267		4
14 White		2				2	2	2		242		3
15 Colored										25		1
Birthplaces of mothers:												
16 United States						1	1	2		154		
17 England and Wales										2		
18 Scotland										2		
19 Ireland										2		
20 Germany										1		
21 Canada										1		
22 Scandinavia										1		
23 Other foreign countries										1		
24 Unknown										72		1
DISTRICT OF COLUMBIA.												
25 Total	12	4				10	7	7		110	1	22
26 White	7	4				10	7	7		73		7
27 Colored	5									37	1	15
Birthplaces of mothers:												
28 United States	7					2	2	5		70	1	20
29 England and Wales						1				1		
30 Scotland										2		
31 Ireland	2	4				2		2		6		
32 Germany						4	3			7		
33 Canada										1		
34 Scandinavia										1		
35 Other foreign countries										1		
36 Unknown	3					1	2			24		2
MASSACHUSETTS.												
37 Total	20	55	2	23	7	107	37	19	63	2,232	4	329
38 White	17	55	2	23	7	107	37	19	63	2,208	4	325
39 Colored	3									24		4
Birthplaces of mothers:												
40 United States	2	6	1	2		20	11	15	9	1,301	3	126
41 England and Wales	1	10	1	2	3	8	3		16	67		3
42 Scotland	1			1		1	2	1	4	23		3
43 Ireland	14	30		13		49	9	1	25	475	1	148
44 Germany		2		1	2	6	1			28		4
45 Canada		5		1	2	3	7	1	4	81		14
46 Scandinavia				2		5			1	12		1
47 Other foreign countries	1					11		1	1	30		2
48 Unknown	1	2		1		4	4		3	215		28
NEW HAMPSHIRE.												
49 Total	1	1				13	2	8	8	936		16
50 White	1	1				13	2	8	8	935		16
51 Colored										1		
Birthplaces of mothers:												
52 United States		1				7	2	3	1	581		8
53 England and Wales						2			2	9		
54 Scotland										2		
55 Ireland	1									34		2
56 Germany						1				1		
57 Canada									1	23		
58 Scandinavia										1		
59 Other foreign countries										1		
60 Unknown						3		5	3	286		6

STATISTICS OF DEATHS:

OCCUPATIONS, BY COLOR, BIRTHPLACES OF MOTHERS, AND CERTAIN AGE PERIODS—Continued.

CLASS B.							CLASS C.									
Total.	Stenographers and typewriters.	Accountants, bookkeepers, clerks, and copyists.	Bankers, brokers, and officials of companies.	Collectors, auctioneers, and agents.	Wholesale merchants and dealers.	Newspaper carriers and newsboys.	Total.	Apothecaries, pharmacists, and dealers in chemicals and drugs.	Commercial travelers and salesmen.	Dealers in dry goods (retail).	Dealers in groceries (retail).	Dealers, not specified (retail).	Hucksters and peddlers.	Wine and liquor dealers (retail).	Wine and liquor dealers (wholesale).	
360	5	262	35	54	3	1	373	18	50	1	32	238	20	19		61
360	5	262	35	54	3	1	377	18	50	1	32	237	20	19		62
169	3	127	17	20	2		160	11	28	1	6	114				64
20		13	3	4			30	1	3		3	20	2	1		65
9		4	2	3			4				3	3	1			66
55		46	3	6			50		2		5	33	4	6		67
49	1	34	4	9		1	85	3	8		17	41	8	8		68
5		4														69
1				1			1					1				70
10		9	1				13				1	7	2	3		71
42	1	25	5	10	1		35	3	9			19	3	1		72
1,772	7	1,319	145	264	27	10	1,853	84	257	19	176	1,036	201	78	2	73
1,768	7	1,315	145	264	27	10	1,845	84	255	18	176	1,033	199	78	2	74
4		4					8		2	1		3	2			75
636	3	436	33	104	9	1	498	33	74	6	16	344	21	4		76
119		93	9	16	1		110	4	26	2	2	67	8	1		77
43		33	3	4	1		36	3	5	1	4	22		1		78
493	2	417	21	47	2	4	387	9	57	7	56	167	44	47		79
263		192	15	49	6	1	500	20	50	3	76	264	63	22	2	80
19		13		5	1		16	2	6		2	3	3			81
11		10		1	1		13	2	2		1	8				82
59		36	4	15	2	2	149	6	9		8	76	47	3		83
129		89	10	24	4	2	144	5	28		11	85	15			84
91		72	12	7			100	2	14		12	60	7	5		85
91		72	12	7			99	2	14		12	60	6	5		86
							1					1	1			87
43		34	10	4			55	1	10		6	36	2			88
8		7	1				4				1	3	1			89
5		4		1			4		1		2	2	1			90
23		21	1	1			30	1	3		5	14	3	4		91
1		1					3				2	2		1		92
3		3					1				1	1				93
2		1		1			1						1			94
1		1					2					2				95
																96
31		22	3	6			57	3	3	2	1	42	5	1		97
31		22	3	6			57	3	3	2	1	42	5	1		98
																99
7		4	1	2			21	1	1	2		16	1			100
							1					1				101
1		1					3	1				2				102
							1						1			103
2		2					3				1	2				104
																105
							2					1	1			106
21		15	2	4			26	1	2			20	2	1		107
																108

TABLE 6.—DEATHS AMONG MALES ENGAGED IN CERTAIN OCCUPATIONS AND CLASSES OF

AREAS.	CLASS D.			CLASS E.							
	Total.	Hotel and boarding house keepers.	Saloon keepers, billiard and bowling saloon keepers, bartenders, and restaurant keepers.	Total.	Barbers and hair-dressers.	Janitors and sextons.	Laund-ers.	Nurses.	Police-men, watch-men, and detect-ives.	Soldiers, sailors, and marines (United States).	Under-takers.
NEW JERSEY.											
61 Total	103	29	74	121	39	16	3	4	51	3	5
62 White	103	29	74	112	34	12	3	4	51	3	5
63 Colored				9	5	4					
Birthplaces of mothers:											
64 United States	19	11	8	30	10	10		1	8		1
65 England and Wales	10	1	9	8	2	1			5		
66 Scotland	1	1	1	1					1		
67 Ireland	27	5	22	33	1	3	1	1	23	2	2
68 Germany	31	6	25	31	18	2	1		9	1	
69 Canada											
70 Scandinavia											
71 Other foreign countries	5	1	4	8	7				4		
72 Unknown	10	4	6	10	1		1	2	1		2
NEW YORK.											
73 Total	482	93	389	638	154	78	62	21	246	34	43
74 White	476	93	383	566	140	69	15	21	244	34	43
75 Colored	6		6	72	14	9	47		2		
Birthplaces of mothers:											
76 United States	63	24	39	103	22	21	3	3	30	8	16
77 England and Wales	14	3	11	29	2	6	1	1	15	2	2
78 Scotland	4		4	7		4			2		1
79 Ireland	170	18	152	230	7	25	9	8	155	15	11
80 Germany	183	29	154	133	78	11	1	6	29	4	4
81 Canada	3	1	2	3	2						1
82 Scandinavia	4	2	2	6		2		1	3		
83 Other foreign countries	7	2	5	81	27	3	47		4		
84 Unknown	34	14	20	46	16	6	1	2	8	5	8
RHODE ISLAND.											
85 Total	20	6	14	34	11	3	1		8	5	6
86 White	19	5	14	34	11	3	1		8	5	6
87 Colored	1	1									
Birthplaces of mothers:											
88 United States	8	6	2	18	5	1			6	2	4
89 England and Wales	2		2	1	1						
90 Scotland											
91 Ireland	9		9	9	2	2			1	2	2
92 Germany				2							
93 Canada	1		1	1	1						
94 Scandinavia											
95 Other foreign countries				1			1				
96 Unknown				2					1	1	
VERMONT.											
97 Total	8	5	3	5	2	1	1		1		
98 White	8	5	3	5	2	1	1		1		
99 Colored											
Birthplaces of mothers:											
100 United States	1		1	1			1				
101 England and Wales											
102 Scotland											
103 Ireland	2	1	1	1		1					
104 Germany											
105 Canada											
106 Scandinavia											
107 Other foreign countries											
108 Unknown	5	4	1	3	2				1		

STATISTICS OF DEATHS.

OCCUPATIONS, BY COLOR, BIRTHPLACES OF MOTHERS, AND CERTAIN AGE PERIODS—Continued.

CLASS F.				CLASS G.												
Total.	Laborers (not specified).	Messenger boys.	Servants.	Total.	Artificial flower and paper box makers.	Bakers and confectioners.	Blacksmiths.	Bleachers, dyers, and scourers.	Bookbinders.	Boot and shoe makers.	Brassfounders and copper-smiths.	Brewers, distillers, and rectifiers.	Brick and tile makers and terra cotta workers.	Butchers.	Cabinet makers and upholsterers.	
1,539	1,462	5	72	2,025	8	65	107	7	4	148	11	12	9	74	34	61
1,382	1,333	5	44	2,017	8	64	105	7	4	147	11	12	9	74	34	62
157	129		28	8		1	2			1						63
418	382	2	33	609		5	37		2	47	3	2	1	22	4	64
39	35	1	3	149		2	7	2	1	8	1			4		65
9	9			31			1	1	1	2	1				3	66
608	591	1	16	396	2	9	32	1		27	2			13	1	67
196	185		11	514	3	43	14	2	1	42	4	10	3	27	21	68
3	3			3												69
23	22		1	16			1								1	70
114	111		3	75	1	3	3	1		4				1	2	71
129	123	1	5	232	2	3	12			18				8	2	72
4,764	4,247	22	495	6,830	25	234	320	19	62	465	62	74	13	295	179	73
4,555	4,148	22	385	6,804	25	234	319	19	62	463	62	74	13	295	179	74
209	99		110	26			1			2						75
562	423	8	131	1,026	4	9	49		15	54	8		1	37	12	76
141	112	4	25	392		8	16	1	4	26	5		1	10	8	77
29	24		5	169	2	7	5	1	2	5	3		1	1	1	78
2,335	2,171	7	157	1,768	5	44	115	5	20	109	18	8	2	51	13	79
722	624	2	96	2,141	10	135	67	8	14	161	21	62	2	165	116	80
71	67		4	94	1	2	8			10				5	2	81
44	39		5	96		2	5			4	1			1	5	82
406	365		41	514	2	17	10	4	4	43	3			11	15	83
454	422	1	31	630	1	10	45		3	53	3	4		14	7	84
377	362		15	644	1	6	31	7	1	17	2			8	9	85
352	343		9	635	1	6	31	7	1	17	2			7	8	86
25	19		6	9										1	1	87
62	54		8	241		2	13	1	1	5	2			4	3	88
15	13		2	67	1		3	3		1						89
7	7			24				2								90
245	241		4	248		3	14	1		10				4	4	91
3	3			10						1					2	92
25	25			30		1	1									93
3	3			5												94
12	11		1	9												95
5	5			10												96
198	196		2	225		2	22		1	6			1	6		97
195	193		2	225		2	22		1	6			1	6		98
3	3															99
18	18			64			6			1			1	2		100
				13			2			1		1				101
				1												102
40	40			9			1									103
1	1			1												104
34	34			22			4			2						105
1	1															106
1	1															107
103	101		2	115		2	9		1	2				4		108

TABLE 6.—DEATHS AMONG MALES ENGAGED IN CERTAIN OCCUPATIONS AND CLASSES OF

AREAS.	CLASS G.—continued.											
	Carpenters and joiners.	Cigar makers and tobacco workers.	Clock and watch repairers, jewelers, and opticians.	Compositors, printers, and pressmen.	Coopers.	Cotton mill operatives.	Electrotypers and stereotypers.	Engineers and firemen (not locomotive).	Flax mill operatives.	Gas works employes.	Glass blowers.	Glass workers.
NEW JERSEY.												
61 Total.....	295	30	61	43	19	6	1	72	1	3	20	8
62 White.....	294	30	61	43	19	6	1	72	1	3	20	8
63 Colored.....	1											
Birthplaces of mothers:												
64 United States.....	145	7	13	11	6			36		1	14	3
65 England and Wales.....	13	1	6	3		3	1	4				
66 Scotland.....	4			2				1				
67 Ireland.....	44	1	4	10	6	3		13	1	1	4	
68 Germany.....	47	17	27	8	1			7				4
69 Canada.....	1											
70 Scandinavia.....		1	2		1			1				
71 Other foreign countries.....	7	2	4	1	1			1				
72 Unknown.....	34	1	5	8	4			9		1	2	1
NEW YORK.												
73 Total.....	975	301	86	241	160	3	6	268		8	25	19
74 White.....	971	296	86	241	159	3	6	265		8	25	19
75 Colored.....	4	5			1			3				
Birthplaces of mothers:												
76 United States.....	262	20	15	63	24	1	2	54		3	3	2
77 England and Wales.....	53	14	7	14	3			17			2	
78 Scotland.....	24		3	8				10				
79 Ireland.....	189	22	8	91	62	1	1	103		4	2	6
80 Germany.....	223	133	34	33	43	1	3	39		1	11	5
81 Canada.....	24	1	2	2	1			3				1
82 Scandinavia.....	24	3	1	2				4				
83 Other foreign countries.....	34	86	14	6	5			14				5
84 Unknown.....	142	22	2	22	22			24			2	5
RHODE ISLAND.												
85 Total.....	30	2	55	5	3	1	1	15		2		1
86 White.....	29	2	55	5	3	1	1	14		2		1
87 Colored.....	1							1				
Birthplaces of mothers:												
88 United States.....	52	1	25	4	2		1	10		1		
89 England and Wales.....	2		6									
90 Scotland.....	3									1		
91 Ireland.....	12	1	17	1				4				1
92 Germany.....			3		1							
93 Canada.....	8		1									
94 Scandinavia.....			1									
95 Other foreign countries.....			2									
96 Unknown.....	3							1				
VERMONT.												
97 Total.....	78	2	4	5	5			10				
98 White.....	78	2	4	5	5			10				
99 Colored.....												
Birthplaces of mothers:												
100 United States.....	25	1	2	1	1			2				
101 England and Wales.....	1	1						1				
102 Scotland.....												
103 Ireland.....	1			1								
104 Germany.....												
105 Canada.....	7			1				4				
106 Scandinavia.....												
107 Other foreign countries.....												
108 Unknown.....	44		2	2	4			3				

TABLE 6.—DEATHS AMONG MALES ENGAGED IN CERTAIN OCCUPATIONS AND CLASSES OF

AREAS.	CLASS G—continued.									CLASS H.		
	Plasterers and white-washers.	Plumbers and gas and steam fitters.	Potters.	Rubber factory operatives.	Silk mill operatives.	Tailors.	Tinners and tinware makers.	Wheelwrights.	Woolen mill operatives.	Total.	Boatmen and canalmen.	Draymen, hackmen, teamsters, drivers, etc.
NEW JERSEY.												
61 Total	16	21	29	4	56	88	30	18	4	1,340	59	140
62 White	16	20	29	4	56	88	29	18	4	1,285	59	124
63 Colored		1					1			55		16
Birthplaces of mothers:												
64 United States	7	10	1	1	5	15	10	8	1	748	21	49
65 England and Wales	1		10		9	4	2		1	47	1	4
66 Scotland	1		1		3	1	1			7		
67 Ireland	2	7	6	1	9	12	4		1	133	15	32
68 Germany	2	2	3		14	49	10	7		135	5	31
69 Canada		1								1		
70 Scandinavia			1			2				14	3	1
71 Other foreign countries	1				13	1		1		35	1	5
72 Unknown	2	1	7	2	3	4	3	2	1	170	13	18
NEW YORK.												
73 Total	70	175	9	2	14	606	105	34	6	4,881	108	755
74 White	66	175	9	2	14	605	105	34	6	4,829	106	739
75 Colored	4					1				52	2	16
Birthplaces of mothers:												
76 United States	9	22		1		23	13	4	1	1,619	31	123
77 England and Wales	5	12	1			19	5	2	3	229	6	19
78 Scotland	5	8				4	5			66	2	6
79 Ireland	34	91	1	1	1	101	33	12		1,093	34	390
80 Germany	8	28	7		6	305	31	9	2	512	5	138
81 Canada		1				4	2			63	4	5
82 Scandinavia		1				14				71	5	4
83 Other foreign countries	4	5			7	122	5			105		8
84 Unknown	5	7				14	11	7		1,123	21	62
RHODE ISLAND.												
85 Total	4	8		14	1	22	8	3	6	307	1	30
86 White	1	8		14	1	22	8	3	6	295	1	27
87 Colored	3									12		3
Birthplaces of mothers:												
88 United States	1	2		3		3	1	2		223	1	16
89 England and Wales		1			1	3			2	9		1
90 Scotland						2	1			4		1
91 Ireland	1	5		10		8	5		4	39		9
92 Germany						1				1		
93 Canada				1						10		2
94 Scandinavia						2				3		
95 Other foreign countries	2					3				3		
96 Unknown							1	1		10		1
VERMONT.												
97 Total		2				4	3	5	3	900		16
98 White		2				4	3	5	3	900		16
99 Colored												
Birthplaces of mothers:												
100 United States						1	1	2	1	282		5
101 England and Wales										7		
102 Scotland										5		
103 Ireland						2	1			59		1
104 Germany						1						
105 Canada										45		1
106 Scandinavia										1		
107 Other foreign countries										3		
108 Unknown		2					1	3	2	493		9

TABLE 6.—DEATHS AMONG MALES ENGAGED IN CERTAIN OCCUPATIONS AND CLASSES OF

AREAS.	CLASS D.			CLASS E.							
	Total.	Hotel and boarding house keepers.	Saloon keepers, billiard and bowling saloon keepers, bartenders, and restaurant keepers.	Total.	Barbers and hair-dressers.	Janitors and sextons.	Laundrers.	Nurses.	Police-men, watchmen, and detectives.	Soldiers, sailors, and marines (United States).	Undertakers.
REMAINDER OF THE UNITED STATES—Continued.											
1 Total	1,617	440	1,177	1,804	553	131	94	33	400	519	74
2 White	1,573	433	1,140	1,464	351	95	50	25	384	487	72
3 Under 15				1				1			
4 15 to 20	11	2	9	32	24	1	1		2	3	1
5 20 to 25	60	5	55	111	60	1	3	4	13	30	
6 25 to 35	309	35	274	250	110	8	15	7	55	49	6
7 35 to 45	383	73	310	246	77	8	10	2	80	59	10
8 45 to 55	348	101	247	234	34	17	12	6	85	69	11
9 55 to 65	244	91	153	253	21	24	7	4	83	98	16
10 65 and over	193	119	74	319	20	34	1	1	60	175	28
11 Unknown	25	7	18	18	5	2	1		6	4	
12 Colored	44	7	37	340	202	36	44	8	16	32	2
13 Under 15				2				2			
14 15 to 20	1		1	8	7	1			1		
15 20 to 25	10	1	9	40	22	1	4	2	2	10	
16 25 to 35	7		7	79	45	5	15	1	2	11	
17 35 to 45	10	2	8	76	45	8	14	1	3	5	
18 45 to 55	9	2	7	57	33	3	8		4	3	1
19 55 to 65	5	2	3	32	22	4	1	1	3	2	
20 65 and over	1		1	37	22	1	1	1	2	2	1
21 Unknown	1		1	9	6	1	1		1		
22 Birthplaces of mothers: United States	368	176	192	502	243	41	18	12	93	63	32
23 Under 15				3				3			
24 15 to 20	4		4	17	14	1			1	1	
25 20 to 25	23	4	19	77	48	2	3	3	6	15	
26 25 to 35	69	16	53	122	73	4	6	1	20	17	1
27 35 to 45	76	31	45	81	41	6	3	1	17	10	3
28 45 to 55	71	32	39	73	30	8	2	1	24	9	4
29 55 to 65	56	37	19	50	15	7	3	1	10	5	9
30 65 and over	66	53	13	69	18	13	1	2	14	6	15
31 Unknown	3	3		5	4				1		
32 England and Wales	50	21	29	45	5	6		4	11	14	5
33 Under 15											
34 15 to 20	1		1	3	1				1	2	
35 20 to 25	4		4	5	2			1	1	1	
36 25 to 35	6		3	7	2				2	3	
37 35 to 45	18	3	9	9		2		3	1	1	2
38 45 to 55	11	4	7	5		3			1	1	
39 55 to 65	9	5	4	15		1			6	5	3
40 65 and over	1		1	1						1	
41 Unknown											
42 Scotland	14	6	8	13	1	1			6	4	1
43 Under 15											
44 15 to 20											
45 20 to 25				2					1	1	
46 25 to 35			1	1					1		
47 35 to 45	3	2	1	2					2		
48 45 to 55	6	2	4	2					1	1	
49 55 to 65	3		3	3	1				1	1	
50 65 and over	2	2		5		1			1	2	1
51 Unknown											
52 Ireland	169	37	132	161	12	6	8	2	46	85	2
53 Under 15											
54 15 to 20	1		1	3	2		1		1	7	
55 20 to 25	3		3	13	4			1	3	10	1
56 25 to 35	42	3	39	17	2		1		9	4	
57 35 to 45	45	7	38	17	3				6	14	
58 45 to 55	38	13	25	25	1	2	2	1	16	18	
59 55 to 65	23	6	17	37			2		11	32	1
60 65 and over	16	7	9	49		4	1				
61 Unknown	1	1									
62 Germany	358	62	296	238	72	10	6		32	107	11
63 Under 15											
64 15 to 20	1		1	7	6	1				7	
65 20 to 25	14	2	12	16	9					7	2
66 25 to 35	66	5	61	39	21		3		6	7	
67 35 to 45	87	7	80	38	17	2	1		9	8	1
68 45 to 55	82	14	68	32	11		2		4	13	2
69 55 to 65	61	16	45	40	5	3			7	22	3
70 65 and over	41	17	24	65	3	4			5	50	3
71 Unknown	6	1	5	1					1		

STATISTICS OF DEATHS.

251

OCCUPATIONS, BY COLOR, BIRTHPLACES OF MOTHERS, AND CERTAIN AGE PERIODS—Continued.

CLASS F.				CLASS G.												
Total.	Laborers (not specified).	Messenger boys.	Servants.	Total.	Artificial flower and paper box makers.	Bakers and confectioners.	Blacksmiths.	Bleachers, dyers, and scourers.	Bookbinders.	Boot and shoe makers.	Brass-founders and copper-smiths.	Brewers, distillers, and rectifiers.	Brick and tile makers and terra cotta workers.	Butchers.	Cabinet makers and upholsterers.	
21,484	20,145	42	1,297	21,292	23	405	1,807	55	50	1,446	54	101	166	752	448	1
14,605	13,982	33	590	19,981	23	395	1,590	53	50	1,375	53	184	133	722	440	2
75	60	8	7	27						1				2		3
852	783	14	55	511	2	21	14	4	6	7	6		3	20	4	4
1,650	1,587	3	60	1,415		35	73	2	7	35	7	11	21	54	25	5
2,779	2,647	4	123	3,034	6	73	105	9	10	100	7	36	21	137	54	6
2,153	2,064	2	87	3,048	4	69	223	10	8	145	13	47	22	137	62	7
2,101	2,015	1	85	3,072	2	51	223	6	5	180	9	47	11	132	60	8
1,960	1,890		70	3,293	2	64	310	4	7	299	10	23	22	102	70	9
2,788	2,697		91	5,369	4	77	521	18	6	602	1	19	32	128	161	10
247	239	1	7	212	1	5	21		1	6		1	1	10	4	11
6,879	6,163	9	707	1,311		10	217	2		71	1	7	33	30	8	12
123	91	4	23	4												13
633	563	4	61	43		2	3				1		2			14
1,034	924		110	96		2	10			4			8	4		15
1,407	1,234		173	189		1	16			10			8	7	3	16
1,083	972		116	196		1	19	1		7		3	4	6		17
892	807	1	84	259		2	46			14		1	4	9	1	18
615	552		63	196		1	39	1		11		3	3	1	2	19
971	906		65	302		2	30			25			4	3	2	20
116	109		7	26			4									21
8,638	7,978	18	642	7,462	4	53	819	9	10	402	8	30	63	194	99	22
155	118	5	32	17						1						23
943	850	8	85	238	1	4	8	2	3	2	1		3	9	1	24
1,451	1,349	2	100	601		7	42		2	18	1	2	14	24	8	25
1,695	1,564	2	129	1,042	1	6	80	2	27	1	1	4	14	29	12	26
1,150	1,071		79	1,009	1	6	101	1	1	36	3	6	5	39	9	27
958	888	1	69	1,050		8	129			42		6	8	31	8	28
789	730		59	1,194		8	150	2	2	73	2	8	8	35	14	29
1,375	1,291		84	2,248		14	303	2	1	202		4	11	28	47	30
122	117		5	63	1		6		1	1				1		31
378	338		40	873		10	76	5	2	60	1	4	6	35	15	32
21	21			17		2										33
40	38		2	40			2			2				1		34
65	56		9	90			3		1					5		35
59	48		11	123		2	13	1		1		1		4	3	36
49	43		6	128			10			10			2	5	1	37
64	58		6	176		1	20		1	18	1	1	2	8	1	38
72	67		5	295		4	28	4		29		1	1	10	10	39
8	7		1	4												40
																41
87	81		6	272		4	32	3		11			1	6	6	42
1	1			5												43
7	6		1	8			1							1		44
16	14		2	29			3			1				1		45
13	13			37			3			2			1	2		46
17	15		2	43			3			2				1		47
15	14		1	55		3	10	1		2				1		48
17	17			94		1	11			4					2	49
1	1			1			1								4	50
																51
1,931	1,886	2	43	1,176		15	123	2		90	5	1	6	34	4	52
6	5	1		1												53
55	54		1	28		2				2	1			1		54
121	117		4	100			10	1		5	1		2	1		55
232	223		9	199		1	16			5				6	1	56
242	231	1	10	168			18			8	2		2	5		57
324	316		8	202		5	17			20		1	1	8	1	58
371	366		5	184		1	26			18	1		1	6		59
555	550		5	279		4	32	1		31				7	2	60
25	24		1	15			4			1						61
1,868	1,806	5	57	2,835	1	111	204	6	10	271	11	92	11	179	103	62
8	7	1		4										1		63
76	67	3	6	67		5	3		1					2	1	64
134	130		4	163		5	10			1		3	1	11	4	65
301	293		8	391	1	19	29		3	15	2	22		39	10	66
295	231		4	431		19	31	1	2	31	4	25	1	35	15	67
250	240		10	467		19	32	3	1	33	3	22	2	37	11	68
320	309		11	530		20	45			68	2	10		38	27	69
520	506		14	764		22	52	2	2	122		10		25	35	70
24	23	1		18		2	2			1				1		71

TABLE 6.—DEATHS AMONG MALES ENGAGED IN CERTAIN OCCUPATIONS AND CLASSES OF

AREAS.	CLASS 6—continued.											
	Carpenters and joiners.	Cigar makers and tobacco workers.	Clock and watch repairers, jewelers, and opticians.	Compos- itors, printers, and press men.	Coopers.	Cotton mill operatives.	Electro- typers and stere- otypers.	Engi- neers and firemen (not loco- motive).	Flax mill oper- atives.	Gas works em- ployés.	Glass blowers.	Glass work- ers.
REMAINDER OF THE UNITED STATES—Continued.												
1 Total	4,843	484	237	510	484	66	7	925		7	76	54
2 White	4,474	413	237	501	447	63	7	862		5	76	54
3 Under 15.....	1	3		2		3						1
4 15 to 20.....	46	27	7	44	5	15		21			1	11
5 20 to 25.....	199	53	14	107	10	15	1	94			12	8
6 25 to 35.....	563	104	42	187	45	8	1	195		1	17	11
7 35 to 45.....	621	82	45	88	54	7	1	168		1	12	8
8 45 to 55.....	718	58	35	60	63	5	1	159		3	14	4
9 55 to 65.....	830	45	37	32	97	5		118			7	3
10 65 and over.....	1,450	30	56	25	171	5	3	90			13	5
11 Unknown.....	51	5	1	6	2			17				3
12 Colored.....	369	71		9	37	3		63		2		
13 Under 15.....		2				1						
14 15 to 20.....	9	4		1	2							
15 20 to 25.....	17	12			1			5				
16 25 to 35.....	38	20		4	3			15				
17 35 to 45.....	50	10			6	2		23				
18 45 to 55.....	74	14		2	9			10		2		
19 55 to 65.....	72	5			7			6				
20 65 and over.....	100	3		1	9			3				
21 Unknown.....	9	1		1				1				
Birthplaces of mothers:												
22 United States.....	2,341	127	60	171	179	41	1	318		4	12	10
23 Under 15.....		3		1		4						1
24 15 to 20.....	31	12	2	22	3	7		16			1	3
25 20 to 25.....	115	17	6	42	8	13		48			2	1
26 25 to 35.....	278	98	10	52	18	5		78		1	1	3
27 35 to 45.....	317	16	9	25	14	7	1	61			2	
28 45 to 55.....	355	16	10	17	23	3		50		3	4	
29 55 to 65.....	461	12	10	7	35	2		98				1
30 65 and over.....	759	11	13	2	78			24			2	
31 Unknown.....	25	2		3				3				1
32 England and Wales.....	136	5	8	17	11	4		47			5	4
33 Under 15.....												
34 15 to 20.....	1		1	2				1				
35 20 to 25.....	4	1		2				8			2	
36 25 to 35.....	14			4	1	1		4				1
37 35 to 45.....	16	1	5	2	2			8				1
38 45 to 55.....	20	1	1	3	1	1		7				
39 55 to 65.....	31	1		3	2	1		9			1	
40 65 and over.....	49	1	1	1	5	1		9			2	
41 Unknown.....	1							1				
42 Scotland.....	48	1	3	4	2	3		20				
43 Under 15.....												
44 15 to 20.....						1						
45 20 to 25.....	2			1								
46 25 to 35.....	4	1						3				
47 35 to 45.....	4			1	1			3				
48 45 to 55.....	13							4				
49 55 to 65.....	9			1	1	1		6				
50 65 and over.....	16		3	1		1		4				
51 Unknown.....												
52 Ireland.....	155	13	7	31	21	3		64		1	14	10
53 Under 15.....		2	2	1								1
54 15 to 20.....	1	6	4	7		1		5			4	2
55 20 to 25.....	6	4	1	9				19			3	2
56 25 to 35.....	20	4	1	3	4			11			2	2
57 35 to 45.....	21	3	1	3	2			11			3	2
58 45 to 55.....	27		1	3	4			13		1	2	1
59 55 to 65.....	25			3	2	1		7			1	
60 65 and over.....	54		1	2	9	1		9			2	1
61 Unknown.....	1			1								1
62 Germany.....	403	85	41	31	77	1	1	51		1	11	18
63 Under 15.....		1										6
64 15 to 20.....	5	3	1	3	2			1				4
65 20 to 25.....	15	7	2	12				6			3	2
66 25 to 35.....	52	17	8	7	6			8			3	1
67 35 to 45.....	62	13	9	3	13	1		8			1	3
68 45 to 55.....	74	15	7	4	10			10		1	1	1
69 55 to 65.....	57	13	5	7	24			8			1	1
70 65 and over.....	137	9	9	2	22			9			1	1
71 Unknown.....	1	2						1				

OCCUPATIONS, BY COLOR, BIRTHPLACES OF MOTHERS, AND CERTAIN AGE PERIODS—Continued.

CLASS G—continued.																
Gun-smiths, lock-smiths, and bell hangers.	Harness and saddle makers and repairers, and trunk, valise, and leather-case makers.	Hat and cap makers.	Iron and steel workers.	Lead and zinc workers.	Leather curriers, dressers, finishers, and tanners.	Machinists.	Marble and stone cutters.	Masons (brick and stone).	Meat packers, curers, and picklers, cannery, and fruit preservers.	Mill and factory operatives (textiles not specified).	Millers (flour and grist).	Painters, glaziers, and varnishers.	Paper hangers.	Paper mill operatives.	Photographers.	
86	359	57	740	12	201	779	333	1,324	8	401	533	1,089	63	39	97	1
85	355	57	722	12	192	773	326	1,209	8	349	510	1,043	60	39	97	2
			1			1				7	1	1				3
	6	2	40		1	28	4	21		35	3	45	2		5	4
1	27	5	95		15	94	21	48	2	41	12	114	8	1	14	5
10	58	7	157	3	31	167	64	118	1	61	46	207	17	15	26	6
6	46	8	139	3	21	127	71	158		34	80	215	12	8	16	7
13	66	5	118	2	26	138	54	209	2	40	76	162	9	4	17	8
11	66	10	73		22	99	46	221	2	47	95	142	5	3	12	9
44	82	20	91	4	75	111	63	425	1	80	201	148	7	5	7	10
	5		8		1	8	3	9		4	5	11		3		11
1	3		18		9	6	7	115		52	14	46	3			12
			4			1		4		5	1	1				13
			1		1		2	10		9		3				14
			7		1	1		20		10	4	10				15
					1	3	4	19		8	2	8				16
	1		5		3	1	1	23		10	2	7	2			17
	1				2			11		2	4	4	1			18
	1		1		1			26		6	1	12				19
								2		2		1				20
																21
39	146	10	178	3	65	210	83	446	3	82	289	362	13	14	40	22
			1							3		2				23
		1	19			10		12		16	3	17			4	24
		2	29		7	27	13	25	1	14	6	48	2	1	5	25
5	22		32		9	45	14	48	1	14	30	77			16	26
2	13		20	2	4	32	19	54		6	42	71	2	5	4	27
3	30		25		7	37	11	63	1	4	40	37	5		6	28
7	25	2	15		11	25	10	53		4	48	40	1	2	3	29
22	39	5	27	1	26	32	16	188		14	119	67	3		2	30
			1		1	2		3		2	1	3		1		31
5	15	3	59	1	5	45	24	70		18	19	47	2	1	5	32
																33
	1		3							1						34
			3			3	1	1		1					1	35
	4	1	13			4	3	6		2	2	1	2		1	36
	2		11		1	9	7	6		2	4	7			1	37
1	1		9		1	12	6	9		4	3	8				38
2	4		8			5	3	13		4	3	7			2	39
2	3	2	12	1	3	12	4	35		6	6	14		1	1	40
											1	1				41
																42
	2	1	10		3	12	26	26		2	10	13				43
																44
			1			1		1								45
	1		1			1		7								46
			1			2		10								47
	1		1		1	2		2								48
			1			4		3								49
			5		2	4		4								50
																51
3	15	1	129	3	7	65	32	103	1	25	9	53	1	7	1	52
																53
			1			4				4						54
	1	1	20			13	1			3						55
	4		28	1	1	18	8	9		3	1	12	1			56
	3		31		1	4	3	12		4	1	8		4		57
1	2		21	1	3	13	8	20		3		8		1		58
1	2		16			8	3	19	1	5	1	12				59
1	3		11	1	2	5	8	43		3	6	6				60
			1			1						3				61
12	48	4	87	1	37	89	47	223	1	35	63	107	4	5	3	62
																63
			4			6		4		1		7	1			64
			11		1	15		6		4	3	16			1	65
2	10	2	16		4	10	2	17		4	4	28	1	1	1	66
1	9	1	16	1	6	17	7	33		3	12	11	1	1		67
4	8		21		3	14	9	34	1	5	11	12				68
	8		10		3	12	12	48		6	16	19			1	69
5	8	1	8		20	15	17	78		11	17	13	1	3		70
			1					3				1				71

VITAL AND SOCIAL STATISTICS.

TABLE 6.—DEATHS AMONG MALES ENGAGED IN CERTAIN OCCUPATIONS AND CLASSES OF

AREAS.	CLASS G—continued.									CLASS H.		
	Plasterers and white-washers.	Plumbers and gas and steam fitters.	Potters.	Rubber factory operatives.	Silk mill operatives.	Tailors.	Tinners and tinware makers.	Wheelwrights.	Woolen mill operatives.	Total.	Boatmen and canalmen.	Draymen, hackmen, teamsters, drivers, etc.
1 REMAINDER OF THE UNITED STATES—Continued.												
1 Total.....	362	163	65	1	7	929	325	185	44	78,851	189	1,695
2 White.....	291	157	63	1	7	920	319	175	44	65,740	181	1,357
3 Under 15.....			1			1			1	521		3
4 15 to 20.....	8	13	2			13	17	1	3	3,135	7	60
5 20 to 25.....	9	33	6		1	41	36	4	2	5,409	18	153
6 25 to 35.....	40	36	8			108	72	5	5	8,569	14	289
7 35 to 45.....	56	34	10		1	94	64	9	4	7,661	20	254
8 45 to 55.....	48	23	5	1		132	46	23	6	7,782	18	209
9 55 to 65.....	48	8	11		1	190	43	41	10	9,596	22	189
10 65 and over.....	80	8	20		3	331	38	89	13	22,128	30	178
11 Unknown.....	2	2				10	3			939	2	22
12 Colored.....	71	6	2			9	6	10		13,111	58	338
13 Under 15.....	1									320		1
14 15 to 20.....	3									1,314	5	21
15 20 to 25.....	4	1				1	1	1		1,726	15	44
16 25 to 35.....	4		1			2	4	1		2,006	14	80
17 35 to 45.....	13	3				2		2		1,635	7	73
18 45 to 55.....	13						1	1		1,702	5	50
19 55 to 65.....	16	2				1				1,440	4	35
20 65 and over.....	13		1			3		5		2,675	5	81
21 Unknown.....	4					1				243	3	3
22 Birthplaces of mothers:												
United States.....	157	27	17		2	127	95	89	10	47,286	105	598
23 Under 15.....	1									690		2
24 15 to 20.....	8	6				2	5	1	1	3,408	8	34
25 20 to 25.....	6	6	2		1	5	11	4		4,947	26	85
26 25 to 35.....	21	7	2			16	17	1	1	6,558	17	144
27 35 to 45.....	23	3	1			8	18	2	2	5,559	17	96
28 45 to 55.....	21	4	2			10	18	9	2	5,457	11	84
29 55 to 65.....	32	1	3			15	15	16		6,119	12	70
30 65 and over.....	38		7		1	70	11	55	4	14,128	11	73
31 Unknown.....	2					1		1		420	3	10
32 England and Wales.....	14	11	10			47	8	5	8	2,295	6	33
33 Under 15.....										10		
34 15 to 20.....							1		2	62		5
35 20 to 25.....		1	1			1			1	126		3
36 25 to 35.....	2	2	2			2	2		1	244		1
37 35 to 45.....	3	3	3			5				262		3
38 45 to 55.....	2	1				8				339		4
39 55 to 65.....	1	3	1			12	2	1	4	395	1	10
40 65 and over.....	6	1	3			19	3	3		822	5	7
41 Unknown.....										35		
42 Scotland.....	4	2				9	2	2	4	614	1	5
43 Under 15.....										2		
44 15 to 20.....						1				19		
45 20 to 25.....							1			25		
46 25 to 35.....										57		1
47 35 to 45.....	1									56		1
48 45 to 55.....		1				1			1	88		1
49 55 to 65.....	1							1		107	1	
50 65 and over.....	2	1				7	1	1	3	256		2
51 Unknown.....										4		
52 Ireland.....	26	16	3			45	19	8	5	3,689	13	123
53 Under 15.....							1			6		
54 15 to 20.....	2						2			97		5
55 20 to 25.....		2	1			1	7	1		234	1	9
56 25 to 35.....	3	3				4	4	1		442	1	20
57 35 to 45.....	2	5	2			4	5	1		370	1	21
58 45 to 55.....	6	3				3	1	1	1	509	4	24
59 55 to 65.....	6					11	2	4	1	648	3	22
60 65 and over.....	6	3				21	1		3	1,339	3	21
61 Unknown.....	1					1				44		1
62 Germany.....	21	13	12		3	225	46	22	8	5,658	8	142
63 Under 15.....									1	31		
64 15 to 20.....			1			3	6			194	1	2
65 20 to 25.....	3	4	2			5	4			353	1	14
66 25 to 35.....	3	4	2			25	11	1		555		22
67 35 to 45.....	4	4	1		1	13	6	3		617	2	26
68 45 to 55.....	3		1			41	6	3	2	703		20
69 55 to 65.....	4		1			65	7	6	2	1,048	1	25
70 65 and over.....	4		5		1	71	6	9	3	2,102	3	29
71 Unknown.....		1				2				55		4

OCCUPATIONS, BY COLOR, BIRTHPLACES OF MOTHERS, AND CERTAIN AGE PERIODS—Continued.

CLASS H—continued.															
Farmers, planters, and overseers.	Farm laborers.	Fishermen and oystermen.	Gardeners, florists, nurserymen, and vine growers.	Livery stable keepers and hostlers.	Lumbermen and raftsmen.	Miners (coal).	Miners (not specified).	Pilots.	Quarrymen.	Sailors.	Steam railroad employees (includes conductors, brakemen, engineers, and firemen).	Stock raisers, herders, and drovers.	Telegraph and telephone operators.	Telegraph and telephone linemen and electric light men.	
58,540	8,810	387	522	369	359	1,223	1,894	48	135	830	3,048	543	233	26	1
51,233	4,528	264	437	295	333	1,143	1,745	44	124	741	2,607	502	231	25	2
83	408	1	1	9	1	12	6				2	3	1		3
1,150	1,552	19	7	8	8	86	40	1	4	25	115	21	29	2	4
3,064	1,023	19	18	30	39	124	155	1	14	30	542	55	65	4	5
5,634	604	41	38	62	65	222	372	3	30	142	858	99	85	11	6
5,613	267	43	35	62	62	210	303	6	26	153	486	88	27	6	7
6,165	170	32	59	61	44	196	319	11	19	117	268	77	17		8
8,212	197	42	93	36	39	150	268	6	19	30	169	72	2		9
20,633	266	63	182	31	68	118	218	16	12	137	111	75	7		10
689	36	4	4	4	7	25	64			7	56	12	5	2	11
7,307	4,282	123	85	74	26	80	149	4	11	39	441	41	2	1	12
26	283		1	1		1	1				5	1			13
234	949	12	2	5		10	11			6	51	8			14
630	787	18	1	10	5	13	41			18	133	10	1		15
1,028	589	28	9	18	7	26	36	1	4	28	129	9			16
1,036	401	27	10	14	4	13	21	1	4	16	56	1	1		17
1,197	336	13	8	9	5	10	13	2	2	8	35	9			18
1,083	266	4	10	4	3	4	10			8	8			1	19
1,944	601	10	43	11	1	2	6			4	6	2			20
129	70	2	1	2	1	1	10		1	1	18	1			21
35,921	7,237	265	152	171	172	313	334	18	52	231	1,368	217	127	5	22
71	601		1		1	4	2				5	2	1		23
983	2,103	20	5	12	3	44	22	1	1	11	115	18	10		24
2,644	1,496	34	5	21	26	50	63	1	6	30	40	40	42		25
4,562	947	53	17	40	34	81	85	3	14	40	373	36	42	1	26
4,399	533	43	11	30	26	46	46	4	11	36	442	30	15	3	27
4,583	407	26	12	29	23	42	46	4	7	27	210	30	5		28
5,420	351	23	24	14	18	21	29	3	9	34	110	29	2	1	29
12,062	725	54	76	22	39	19	34	2	3	52	59	22			30
292	74	3	1	3	2	3	2		1	1	20	4	1		31
1,355	57	5	36	19	10	279	339		11	46	68	25	5	1	32
1	2					4	2					1			33
17	10					16	6			3	2	1			34
45	13				1	17	23		2	3	15	3	1	1	35
88	10		2	1	2	58	56		1	6	34	3	2		36
99	11		3	5	1	46	60		4	7	17	6			37
159	3	2	6	4	2	54	80			8	11	5	1		38
242	5		10	5	2	46	58		1	9	3	3			39
688	3	3	15	4	2	36	41		3	9	4	2			40
16						2	13			1	2	1			41
427	12	2	6	2	6	54	53	3	1	9	28	5			42
3	1					1	3			1	1				43
9	6			1		5	4		1		5				44
31	2				1	7	9			1	3	2			45
20	1		1	1	2	9	7				11	1			46
56	1					11	12	2		4	2				47
76		1	2			12	8	1		1	3	1			48
229	1	1	3			6	9			2	2	1			49
3											1				50
															51
2,316	137	4	39	34	19	209	279	1	17	57	389	24	26	2	52
1	2					2	1								53
27	22	1				13	17		1	1	16		4		54
69	36					24	24			8	64		10	2	55
167	34		2	2		58	58		5	8	107	3	9		56
150	9	1	3	9	7	40	49		1	13	63	5	2		57
265	5	1	4	10	3	50	63	1	5	10	60	4			58
456	16		7	6	2	35	54		2	5	37	3			59
1,157	12	1	21	4	4	35	36		3	10	33	9			60
24	1			1		3	2			2	9		1		61
4,619	337	11	106	11	8	92	102	1	17	36	140	21	7		62
7	24														63
74	101		1			8	1			1	4		1		64
214	66		4	3		7	5		1	1	31	4	2		65
393	49	2	7	1		14	14		4	7	39		3		66
461	24	1	6	1	3	20	21		6	8	32	6			67
580	18	3	19	3	2	16	15	1	3	10	11	1	1		68
901	22	1	23		2	29	29		2	4	15	6			69
1,945	32	4	44	5	1	9	17		1	5	6	3			70
44	1		2				1				2	1			71

TABLE 6.—DEATHS AMONG MALES ENGAGED IN CERTAIN OCCUPATIONS AND CLASSES OF

AREAS.	All selected occupations.	CLASS A.												
		Total.	Actors.	Architects, artists, etc.	Clergymen.	Dentists.	Engineers and surveyors.	Journalists.	Lawyers.	Musicians and teachers of music.	Physicians and surgeons.	Professors, authors, literary and scientific persons.	Teachers.	
REMAINDER OF THE UNITED STATES—Continued.														
Birthplaces of mothers—Continued.														
72	Canada.....	1,399	51		11	2	2	5	8	1	17	1	4	
73	Under 15.....	7												
74	15 to 20.....	70												
75	20 to 25.....	165	3				1					1	1	
76	25 to 35.....	280	14		3	2		2			5		2	
77	35 to 45.....	209	11		1		1		5	1	3			
78	45 to 55.....	216	8		2				1		5			
79	55 to 65.....	173	9		2			2	2		3			
80	65 and over.....	269	6		3			1			1		1	
81	Unknown.....	10												
82	Scandinavia.....	3,069	33		1	10		2	1	4	3	2	10	
83	Under 15.....	11												
84	15 to 20.....	189	1				1							
85	20 to 25.....	374	4											
86	25 to 35.....	687	3							1			3	
87	35 to 45.....	489	5		2		1					1	3	
88	45 to 55.....	401	6		3				1	1	1			
89	55 to 65.....	593	5		1					2			2	
90	65 and over.....	572	4		2								2	
91	Unknown.....	43												
92	Other foreign countries.....	4,134	88	3	2	21	2	1	2	7	12	2	15	
93	Under 15.....	12												
94	15 to 20.....	132												
95	20 to 25.....	309	4		1	1			1			1		
96	25 to 35.....	808	11		1	1							4	
97	35 to 45.....	825	11	2	2			2	2	3	1		1	
98	45 to 55.....	630	22		6		1		1	3	7		3	
99	55 to 65.....	523	12		3				2	1	3		3	
100	65 and over.....	805	25	1	6				1	3	8	1	4	
101	Unknown.....	81	3		2						1			
102	Unknown.....	22,895	1,174	7	12	233	40	32	42	225	26	378	20	159
103	Under 15.....	93												
104	15 to 20.....	702	1	1										
105	20 to 25.....	1,573	40		3	3	3		3	2	5	1	19	
106	25 to 35.....	3,288	164	2	7	11	7	2	4	11	37	5	65	
107	35 to 45.....	3,059	147	1	2	22	6	4	10	17	47	3	16	
108	45 to 55.....	2,966	168	1	1	34	4	1	4	39	37	3	13	
109	55 to 65.....	3,267	223	1	1	47	9	15	5	37	6	4	15	
110	65 and over.....	7,062	380		1	112	10	8	4	44	4	81	30	
111	Unknown.....	885	51			4	1	2	4	13	15	1	11	

STATISTICS OF DEATHS.

OCCUPATIONS, BY COLOR, BIRTHPLACES OF MOTHERS, AND CERTAIN AGE PERIODS—Continued.

CLASS B.							CLASS C.									
Total.	Stenographers and typewriters.	Accountants, bookkeepers, clerks, and copyists.	Bankers, brokers, and officials of companies.	Collectors, auctioneers, and agents.	Wholesale merchants and dealers.	News-paper carriers and news-boys.	Total.	Apothecaries, pharmacists, and dealers in chemicals and drugs.	Commercial travelers and salesmen.	Dealers in dry goods (retail).	Dealers in groceries (retail).	Dealers, not specified (retail).	Hucksters and peddlers.	Wine and liquor dealers (retail).	Wine and liquor dealers (wholesale).	
43	1	30	2	9		1	62	6	11	1	4	37	2	1		72
2		2														73
8	1	7					3									74
15		12					19	3	6	1		3				75
6		4		1	1	1	15	1	4		2	9				76
7		3	1	1	3		11	2	1			8				77
2		1			1		5				1	7	1			78
3		1			2		8					4				79
							1				1	6	1	1		80
																81
54		41	5	7	1		57	5	13		6	29	4			82
2		2														83
11		11					4	1	2				1			84
22		18			4		4	1	3		1	2				85
8		4	1	2	1		18	2	3			7	1			86
5		4		1			14	1	2		3	8				87
4		2	4				10	1			2	7				88
2							2					2				89
							5					3	2			90
																91
60		45	1	13		1	208	6	12	4	22	121	38	3	2	92
4		4														93
9		9					3		2				1			94
12		11					10	3	3			2	3			95
14		10		1			32	1	1	2	3	19	6			96
10		6	1	4			44	1	3	1	4	27	7	1		97
6		3		3			41	2	2	1	5	25	5	1		98
4		1		2		1	33	1			3	22	5	1	1	99
1		1		3			43	1	1		5	25	10	1	1	100
							2					1	1			101
681	8	449	61	150	12	1	867	59	123	7	56	575	38	4	5	102
32		32					11	1	4							103
102	1	92	3	5	1		22	5	8		2	5	1			104
162	4	126	7	23	2		135	13	33		8	77	3			105
122	2	83	12	22	2	1	151	15	30		5	95	2	1		106
75		47	5	21	2		152	12	23	1	9	96	9	2	1	107
77	1	31	10	33	2		159	6	16	2	14	109	9		2	108
90		26	20	41	3		214	6	5	2	16	174	11	1	2	109
21		12	4	5			23	1	4	1	2	13	2			110
																111

VITAL AND SOCIAL STATISTICS.

TABLE 6.—DEATHS AMONG MALES ENGAGED IN CERTAIN OCCUPATIONS AND CLASSES OF

AREAS.—	CLASS D.			CLASS E.							
	Total.	Hotel and boarding house keepers.	Saloon keepers, billiard and bowling saloon keepers, bartenders, and restaurant keepers.	Total.	Barbers and hair-dressers.	Janitors and sextons.	Laund-ers.	Nurses.	Police-men, watch-men, and detect-ives.	Soldiers, sailors, and marines (United States).	Under-takers.
REMAINDER OF THE UNITED STATES—Continued.											
72 Birthplaces of mothers—Continued. Canada	31	7	24	14	1	1	4		1	7	
73 Under 15.....											
74 15 to 20.....											
75 20 to 25.....	1		1	1			1				
76 25 to 35.....	3		3	3			1			2	
77 35 to 45.....	10	1	9	2	1					1	
78 45 to 55.....	13	4	9	4		1	2		1		
79 55 to 65.....	2		2	2						2	
80 65 and over.....	2	2		2						2	
81 Unknown.....											
82 Scandinavia.....	35	6	29	16	3	2		1	2	8	
83 Under 15.....											
84 15 to 20.....											
85 20 to 25.....	1		1	3	1					2	
86 25 to 35.....	8		8	6	2	1			1	2	
87 35 to 45.....	15	3	12	4				1	1	2	
88 45 to 55.....	2		2	3		1			1	2	
89 55 to 65.....	7	2	5								
90 65 and over.....	1	1									
91 Unknown.....	1		1								
92 Other foreign countries.....	76	17	59	66	9	4	23	1	3	20	1
93 Under 15.....											
94 15 to 20.....	1		1								
95 20 to 25.....	4		4	1							
96 25 to 35.....	13	2	11	14	2	1	10			1	
97 35 to 45.....	21	4	17	21	3		10		3	4	1
98 45 to 55.....	14	3	11	8			4			4	
99 55 to 65.....	9	2	7	8	3	1	2	1		1	
100 65 and over.....	11	6	5	13	1	2				10	
101 Unknown.....	3		3	1			1				
102 Unknown.....	219	63	156	366	90	17	7	5	48	188	11
103 Under 15.....											
104 15 to 20.....	2	1	1	8	5				1	1	1
105 20 to 25.....	4		4	14	4		1	1	2	6	
106 25 to 35.....	49	7	42	59	31	1	1	2	6	16	2
107 35 to 45.....	49	11	38	58	21		2	1	6	26	2
108 45 to 55.....	42	9	33	54	7	5	1	1	12	27	1
109 55 to 65.....	37	14	23	62	6	1	1		11	42	1
110 65 and over.....	28	19	9	96	10	8			6	68	4
111 Unknown.....	8	2	6	15	6	2	1		4	2	

STATISTICS OF DEATHS.

OCCUPATIONS, BY COLOR, BIRTHPLACES OF MOTHERS, AND CERTAIN AGE PERIODS—Continued.

CLASS F.				CLASS G.												
Total.	Laborers (not specified).	Messenger boys.	Servants.	Total.	Artificial flower and paper box makers.	Bakers and confectioners.	Blacksmiths.	Bleachers, dyers, and scourers.	Bookbinders.	Boot and shoe makers.	Brassfounders and copper-smiths.	Brewers, distillers, and rectifiers.	Brick and tile makers and terra cotta workers.	Butchers.	Cabinet makers and upholsterers.	
263	255		8	256		4	18			18			1	4	3	72
3	3			1												73
20	19		1	13		1										74
42	41		1	35			1			1				1		75
62	60		2	45		1	3			5				1		76
45	44		1	43		1	4			2			1			77
34	33		1	39			2			2				1	1	78
20	19		1	38		1	3			5				1		79
36	35		1	40			5			3				1	2	80
1	1			2												81
655	639		16	408			54		1	37	2		2	5	7	82
1	1			1												83
33	31		2	5												84
129	123		1	30												85
180	133		6	106			10			5				2	1	86
94	92		2	79			15		1	9	1			3	1	87
82	80		2	68			7			6					1	88
60	57		3	45			7			10					1	89
49	49			68			13			7			1		1	90
18	18			6			1								1	91
1,329	1,229	1	99	524	1	23	40	4	2	49		3	5	28	10	92
2	1		1	2												93
44	41		3	15	1		1							1		94
103	92		11	34												95
365	336		29	83		3	7			2		1		2	2	96
350	326		24	96		8	2		2	3				3	2	97
208	194	1	13	80		6	8	1		11		1		8	3	98
113	105		8	73		3	10			5		1		1	1	99
123	115		8	135		2	12	3		17				6	2	100
21	19		2	6						1				1		101
3,027	2,873	3	151	3,127	7	38	270	2	7	197	2	7	20	77	61	102
15	12	1	2	3												103
170	162	2	6	52		2	3			2				1		104
357	339		18	173	1	7	7			3		1		3	3	105
632	590		42	450	2	7	29		1	14	1	1	1	17	7	106
473	449		24	462		7	28	1	1	23		1	5	15	9	107
432	412		20	469		1	37		2	17	1	2	1	15	6	108
327	316		11	481		6	49		2	33			4	7	7	109
502	478		24	932	3	6	106	1	1	104			4	14	26	110
119	115		4	105		2	11			1		1	1	6	3	111

VITAL AND SOCIAL STATISTICS.

TABLE 6.—DEATHS AMONG MALES ENGAGED IN CERTAIN OCCUPATIONS AND CLASSES OF

AREAS.	CLASS G—continued.											
	Carpenters and joiners.	Cigar makers and tobacco workers.	Clock and watch-repairers, jewelers, and opticians.	Compos-itors, printers, and press-men.	Coopers.	Cotton mill operatives.	Electro-typers and stereotypers.	Engi-neers and firemen (not loco-motive).	Flax mill oper-atives.	Gas. works employés.	Glass blowers.	Glass work-ers.
REMAINDER OF THE UNITED STATES—Continued.												
Birthplaces of mothers—Continued.												
72 Canada	79	2	2	9	6	10		15			1	
73 Under 15	1											
74 15 to 20		1				6						
75 20 to 25	9			1	1	2		3				
76 25 to 35	8		1	3		1		3				
77 35 to 45	9		1	3				4				
78 45 to 55	15			2	2	1		2				
79 55 to 65	16				2			2			1	
80 65 and over	21	1			1			1				
81 Unknown												
82 Scandinavia	125	1	8	8	8			11			1	
83 Under 15												
84 15 to 20	4											
85 20 to 25	11			3				1				
86 25 to 35	36	1	4	2	1			3			1	
87 35 to 45	20		2	1	1			3				
88 45 to 55	19				1			3				
89 55 to 65	13		1	1								
90 65 and over	20		1	1				1				
91 Unknown	2											
92 Other foreign countries	93	34	10	7	9			12			6	2
93 Under 15												
94 15 to 20	3	1		3								
95 20 to 25		10	1					1				
96 25 to 35	15	8	1	1	1			5				
97 35 to 45	18	7	1	1				1			2	2
98 45 to 55	16	2	1		2			3			2	
99 55 to 65	13	3	1					1			1	
100 65 and over	29	3	5	1	5						1	
101 Unknown	1			1				1				
102 Unknown	837	51	39	99	74	3	2	173		1	8	3
103 Under 15												
104 15 to 20	5	7		4	1			2				1
105 20 to 25	26	11	2	18				17			1	
106 25 to 35	101	11	6	27	6	1		39				
107 35 to 45	90	8	4	24	10	1		37		1	2	
108 45 to 55	122	9	7	11	7		1	36				
109 55 to 65	154	3	10	7	11			20			2	1
110 65 and over	311	2	10	7	37	1	1	12			3	
111 Unknown	28			1	2			10				1

STATISTICS OF DEATHS.

OCCUPATIONS, BY COLOR, BIRTHPLACES OF MOTHERS, AND CERTAIN AGE PERIODS—Continued.

CLASS G—continued.																
Gun-smiths, lock-smiths, and bell hangers.	Harness and saddle makers and repairers, and trunk, valise, and leather-case makers.	Hat and cap makers.	Iron and steel workers.	Lead and zinc workers.	Leather curriers, dressers, finishers, and tanners.	Machinists.	Marble and stone cutters.	Masons (brick and stone).	Meat packers, curers, and picklers, canners, and fruit preservers.	Mill and factory operatives (textiles not specified).	Millers (flour and grist).	Painters, glaziers, and varnishers.	Paper hangers.	Paper mill operatives.	Photographers.	
	3		3		1	9	5	14		8	7	12	1	1	3	72
			1				1			1		1				73
	1		1			3	2	3		2		2			2	74
	2		1		1	1	2	2		1	1	3	1		1	75
						2	1	4		1	1	4				76
						1		1		2	2	2				77
						1	1	2		1	2	2				78
						1	1	1		1	1					79
								1						1		80
	1		6		3	8	3	27		2	5	22		1	4	81
																82
	1				1			1		1		1				83
					1	4	1	5				4				84
			2			1		5				8				85
			3			2	1	5		1	3				2	86
					1	1		5			1	5		1	1	87
								5				2				88
			1				1	6			1	2			1	89
												2				90
												2				91
2	7	1	13	2	4	11	8	33	1	5	12	15	1		5	92
																93
	3		1		1	1		1		1	1	1				94
			3		2	3	3	3		2	2	1				95
1	1		1	1		4	2	5			3					96
	1			1		1		4							2	97
	2		1			1	2	9	1	1	1	1			1	98
1		1	3		1	1	1	11		2	3	2			1	99
			1								3	4			1	100
																101
13	71	9	73	1	12	134	35	172	1	25	97	208	10	6	25	102
																103
	2		5		1	2		4		2	1					104
	2		8			9	3	7		1		5				105
	6	1	21			25	10	18	1	3	1	16	1		1	106
	8	1	14		1	34	6	28		5	9	38	4	4	5	107
	12	1	13			22	6	27			13	49	3		8	108
2	1		3		2	17	4	29		5	16	42		1	7	109
1	22	1	7	1	2	19	6	55			16	31	1		3	110
10	15	5			6	6		4		7	38	23	1		1	111
	4		2							2	3	4		1		

VITAL AND SOCIAL STATISTICS.

TABLE 6.—DEATHS AMONG MALES ENGAGED IN CERTAIN OCCUPATIONS AND CLASSES OF

AREAS.	CLASS G.—continued.									CLASS H.		
	Plaster-ers and white-washers.	Plumb-ers and gas and steam fitters.	Pot-tery.	Rubber factory oper-atives.	Silk-mill oper-atives.	Tailors.	Timers and tin-ware makers.	Wheel-wrights.	Woollen mill oper-atives.	Total.	Boatmen and canal-men.	Dray-men, hack-men, team-sters, drivers, etc.
REMAINDER OF THE UNITED STATES—Continued.												
Birthplaces of mothers—Continued.												
72 Canada.....	3	4				4	4	1	1	1679	3	26
73 Under 15.....										3		
74 15 to 20.....							1			35		1
75 20 to 25.....		2							1	72		5
76 25 to 35.....	1	1				2	1			119	1	5
77 35 to 45.....	1	1				1	1			77		5
78 45 to 55.....						1	1			100		7
79 55 to 65.....								1		95	1	5
80 65 and over.....	1					1				172		3
81 Unknown.....										6	1	
82 Scandinavia.....	3	1	1			50	4	2		1,811	1	16
83 Under 15.....			1							9		
84 15 to 20.....										94		
85 20 to 25.....						4	2			162		2
86 25 to 35.....	1					13	1			310		8
87 35 to 45.....						11		1		250		2
88 45 to 55.....	1	1				10				225		1
89 55 to 65.....						1				270	1	2
90 65 and over.....	1					10	1	1		443		
91 Unknown.....						1				18		1
92 Other foreign countries.....	3		2		1	47	10	3		1,788	3	29
93 Under 15.....										8		
94 15 to 20.....							1			65		
95 20 to 25.....			1			3	2			144	1	3
96 25 to 35.....						6	2			278		4
97 35 to 45.....						12	3			263	1	8
98 45 to 55.....						7	1			256		5
99 55 to 65.....	1					5	1	2		269	1	4
100 65 and over.....	2		1		1	14	1	1		451		5
101 Unknown.....										44		
102 Unknown.....	65	20	8	1		80	50	32	1	73,434	28	258
103 Under 15.....										75		
104 15 to 20.....		2	1			1				426	2	12
105 20 to 25.....	2	3				8	5			861	3	27
106 25 to 35.....	6	3	1			5	8			1,537	3	54
107 35 to 45.....	15	4	2			5	10			1,537	3	60
108 45 to 55.....	15	5		1		3	7	6		1,574	6	40
109 55 to 65.....	7	2	2			6	9	6	1	1,901	3	28
110 65 and over.....	17		2			49	8	12		4,820	8	31
111 Unknown.....	3	1				3	3	2		543	1	6

STATISTICS OF DEATHS.

OCCUPATIONS, BY COLOR, BIRTHPLACES OF MOTHERS, AND CERTAIN AGE PERIODS—Continued.

CLASS H—continued.														
Farmers, planters, and overseers.	Farm laborers.	Fishermen and oyster-men.	Gardeners, florists, nursery-men, and vine growers.	Livery stable keepers and hostlers.	Lumbermen and raftsmen.	Miners (coal).	Miners (not specified).	Pilots.	Quarrymen.	Sailors.	Steam railroad employes (includes conductors, brakemen, engineers, and firemen).	Stock raisers, herders, and drovers.	Telegraph and telephone operators.	Telegraph and telephone linemen and electric light men.
443	54	6	5	5	31	2	28	2	3	28	32	8	3	72
9	3				1									73
40	17			2	2	1	4			3	3		1	74
59	15				10		8			2	5		1	75
41	8	3		1	5		7		1	9	11		1	76
68	4	1		1	6		4		1	4	5		3	77
73	3	1		2	2		3	1		4	6		3	78
152	1		1	1	4		2		1	3	1	2	1	79
1	2	1	4		1	1	1	1		3	1			80
	1					1	1							81
1,304	217	10	4	5	18	16	99	1	5	60	47	6	1	82
4	5													83
29	58		1	1			2		1	2				84
75	64			1	7	2	17		1	11	8			85
174	50	2			6	1	36		1	13	18		1	86
186	10	4		2	4	8	22	1	1	17	10	3		87
193	9	1	1	1		3	10		1	9	5	1		88
241	8		1			2	8			2	4	1		89
421	12	1	1				2			5	1			90
11	1				1		2			1	1			91
1,039	105	19	51	6	7	111	234	1	11	46	55	63	2	92
19	6						1				1			93
50	33					4	3			1	2			94
102	20		2	1		22	21		1	6	10	3		95
132	12	2	10	1		36	61		2	15	18	14	1	96
159	10	6	8	1	2	25	45		2	11	9	7		97
188	5	5	8	1	1	11	35		3	3	11	9	1	98
379	11	2	10	1	3	2	28		2	4	1	12		99
10	6	4	13		1	2	22	1	1	6	3	11		100
	2			1		9	18					1		101
10,824	643	49	49	55	78	90	413	11	12	113	599	160	46	102
24	47	1				1	1					1		103
217	149	1	1	1	3	7	5			2	18	6		104
523	104	1	3	2	8	11	38			9	108	12	2	105
1,055	79	4	3	13	11	17	33		2	25	214	44	5	106
1,156	64	9	7	16	19	17	66	1	5	24	121	25	23	107
1,265	52	3	5	13	10	11	64	3	2	17	51	27	7	108
1,652	48	16	9	6	9	6	61	2	1	11	34	14	6	109
4,514	74	11	19	3	14	14	60	5	2	22	20	25		110
413	26	3	2	1	4	6	35			3	33	6	3	111

TABLE 7.

DEATHS IN THE UNITED STATES, REPORTED FROM REGISTRATION AND NONREGISTRATION SOURCES, IN REGISTRATION STATES, IN CITIES IN REGISTRATION STATES, AND IN THE RURAL PART OF REGISTRATION STATES, AMONG MALES ENGAGED IN CERTAIN OCCUPATIONS AND CLASSES OF OCCUPATIONS, WITH DISTINCTION OF COLOR, NATIVITY, AND PARENTAL NATIVITY, AND WITH SPECIFICATION OF CERTAIN CAUSES OF DEATH, FOR THE CENSUS YEAR ENDING MAY 31, 1890.

VITAL AND SOCIAL STATISTICS.

TABLE 7.—DEATHS AMONG MALES ENGAGED IN CERTAIN OCCUPATIONS AND CLASSES OF OCCUPATIONS, CAUSES OF

AREAS.	All selected occupations.	CLASS A.											
		Total.	Actors.	Architects, artists, etc.	Clergymen.	Dentists.	Engineers and surveyors.	Journalists.	Lawyers.	Musicians and teachers of music.	Physicians and surgeons.	Professors, authors, literary and scientific persons.	Teachers.
THE UNITED STATES.													
1 Total.....	183,315	7,121	73	261	1,402	197	218	275	1,235	360	1,965	185	950
2 White.....	164,742	6,818	71	259	1,235	196	216	275	1,226	342	1,945	182	871
3 Native born.....	106,319	5,427	53	144	953	178	161	210	1,079	157	1,648	135	709
4 Both parents native.....	63,616	3,354	14	71	571	104	96	121	674	75	1,058	76	494
5 One or both parents foreign.....	14,586	494	18	31	72	14	17	29	77	40	113	19	64
6 Foreign born.....	53,072	1,148	13	114	242	13	50	50	106	178	211	41	130
7 Colored.....	23,573	303	2	2	167	1	2	9	18	20	3	79
8 Typhoid fever.....	3,992	231	4	17	40	10	7	14	45	13	51	6	74
9 Malarial fever.....	4,418	143	3	34	4	5	5	19	6	36	5	31
10 Lead poison.....	69	2	1	1	5
11 Rheumatism.....	1,585	61	19	2	2	1	10	2	18	2	7
12 Dropsy.....	3,077	78	28	2
13 Heart disease.....	14,970	681	11	24	140	21	24	27	116	34	216	15	53
14 Consumption.....	32,315	1,124	19	71	167	28	30	67	152	86	221	30	253
15 Diabetes.....	993	62	1	3	11	3	1	1	13	3	15	1	10
16 Diseases of the nervous system.....	17,796	994	8	30	223	29	32	27	196	43	300	21	83
17 Diseases of the respiratory system.....	31,516	1,061	10	35	236	31	29	33	168	52	315	22	130
18 Diseases of the liver.....	3,264	156	4	37	3	5	1	34	15	42	4	11
19 Ascites.....	257	5	3	2
20 Other diseases of the digestive system.....	5,929	259	1	8	52	8	14	7	47	9	75	4	34
21 Bright's disease.....	5,070	268	2	13	30	12	6	15	68	14	84	7	17
22 Other diseases of the urinary system.....	5,247	250	2	6	59	8	9	13	37	5	80	4	27
23 Diseases of the bones and joints.....	538	17	4	1	3	6	3
24 Burns.....	313	4	1	1	1	1
25 Injuries by machinery.....	186	2	1
26 Suicides.....	2,247	98	3	9	5	6	2	4	21	9	24	3	12
27 Other accidents and injuries.....	17,328	330	4	10	45	5	10	17	67	13	85	20	54
28 Cancer of the stomach.....	1,747	50	2	15	1	2	1	8	2	15	1	3
29 Cancer of the liver.....	396	28	3	5	1	6	1	7	1	4
30 Cancer of the head, face, and neck.....	596	19	6	4	6	2
31 Cancer of the abdomen.....	273	8	1	1	2	1	1	2
32 Cancer of the mouth, tongue, and throat.....	302	17	1	1	5	1	7	1	1
33 Unknown causes.....	4,819	159	2	33	5	8	10	29	5	47	5	15

STATISTICS OF DEATHS.

WITH DISTINCTION OF COLOR, NATIVITY, PARENTAL NATIVITY, AND WITH SPECIFICATION OF CERTAIN DEATH.

CLASS B.							CLASS C.									
Total.	Stenographers and typewriters.	Accountants, bookkeepers, clerks, and copyists.	Bankers, brokers, and officials of companies.	Collectors, auctioneers, and agents.	Wholesalemerchants and dealers.	News-paper carriers and newsboys.	Total.	Apothecaries, pharmacists, and dealers in chemicals and drugs.	Commercial travelers and salesmen.	Dealers in dry goods (retail).	Dealers in groceries (retail).	Dealers, not specified (retail).	Hucksters and peddlers.	Wine and liquor dealers (retail).	Wine and liquor dealers (wholesale).	
7,081	55	4,909	652	1,301	124	40	9,336	519	1,363	122	968	5,550	608	188	18	1
7,026	55	4,869	650	1,296	123	33	9,209	518	1,355	121	958	5,478	573	188	18	2
5,410	46	3,769	527	964	91	13	5,991	397	1,031	94	517	3,563	222	57	5	3
2,633	25	1,676	343	538	48	8	3,433	234	539	69	305	2,183	88	13	2	4
1,239	11	1,029	57	124	12	6	897	65	193	12	103	428	60	36		5
1,461	6	995	106	304	31	19	3,033	112	289	26	431	1,700	338	128		6
55		40	2	5	1	7	127	1	8	1	10	72	35			7
368	3	306	19	36	4		434	32	109	4	41	219	25	4		8
115		80	11	22	2		161	11	28	2	11	101	6	2		9
52	1	37	3	5	1		66	9	9		8	43	5	1		11
30		20	1	8		1	68	3	4	2	7	46	6			12
560	2	331	86	124	16	1	934	43	82	17	100	616	62	12	2	13
1,830	22	1,512	65	205	17	9	1,570	114	335	22	150	303	111	34	1	14
53	1	26	10	13	3		71	1	8		6	52		3		15
781	7	471	94	189	14	6	1,210	61	147	13	108	787	72	17	5	16
1,092	5	762	110	198	14	3	1,442	81	183	25	191	814	105	37	1	17
121		63	13	34	5	1	269	11	29	4	30	163	14	16	2	18
4		2	1	1			6	2			1	3				19
239	2	155	25	51	6		350	23	49	3	44	206	18	6	1	20
259		159	24	66	8	2	344	12	34	5	35	224	19	15		21
183	2	104	29	45	8		294	8	19	1	32	208	19	7		22
19		15	2	2			31	2	4		5	17	3			23
8		7		1			8		2			6				24
153	2	101	13	33	1	3	146	26	32	4	7	62	13	2		25
353	5	242	34	83	9	10	484	25	91	7	54	256	40	7	3	26
46		16	15	14	1		94	1	4		12	67	7	3		28
8		3	2	3			30	1	6		4	17	1	1		29
9		7	1	1			17	2	2		1	12				30
10		6	2	1	1		22	1	1		3	16	2			31
12		6	3	3			24	4	4		3	12	3	1	1	32
71	2	48	7	14			152	12	25	3	8	98	5	1		33

STATISTICS OF DEATHS.

OCCUPATIONS, WITH DISTINCTION OF COLOR, NATIVITY, PARENTAL NATIVITY, ETC.—Continued.

CLASS F.				CLASS G.											
Total.	Laborers (not specified).	Messenger boys.	Servants.	Total.	Artificial flower and paper box makers.	Bakers and confectioners.	Blacksmiths.	Bleachers, dyers, and scourers.	Bookbinders.	Boot and shoe makers.	Brassfounders and copper-smiths.	Brewers, distillers, and rectifiers.	Brick and tile makers and terracotta workers.	Butchers.	Cabinet makers and upholsterers.
32,070	29,868	93	2,109	36,430	67	815	2,540	132	137	2,915	165	290	203	1,206	766
24,259	23,026	79	1,154	35,016	66	803	2,317	130	137	2,827	163	283	167	1,174	754
9,542	8,975	57	510	19,478	40	245	1,363	32	85	1,421	82	59	108	582	307
4,503	4,269	23	213	9,673	11	71	778	14	29	772	26	24	47	241	132
1,910	1,784	18	128	4,040	15	93	219	8	32	257	36	25	12	174	76
13,765	13,133	22	610	14,713	26	538	892	98	51	1,346	80	213	54	573	430
7,811	6,842	14	955	1,414	1	12	223	2		88	2	7	36	32	12
1,650	1,568	8	74	1,543	3	45	96	6	5	48	4	10	18	60	18
655	610	3	42	490	1	4	49			20	1	3	3	20	8
14	13		1	47						1	1				
226	210		16	280		7	17		1	17		8	4	6	5
455	429		26	402		5	42			44	1	7	4	10	5
2,227	2,060	6	161	3,170	3	72	234	11	9	306	15	22	12	95	68
6,473	5,850	20	603	7,696	27	187	403	28	50	554	63	59	34	222	190
82	74		8	161		3	18		1	14			1	4	2
2,528	2,368	10	150	3,797	1	95	277	12	13	386	16	24	15	140	79
5,417	5,097	11	339	5,621	9	129	422	20	24	456	28	47	35	164	134
465	432	3	30	698	1	16	54	4	1	52	2	7	3	29	18
49	44		5	23			2			1		4			1
829	772	1	56	1,166	1	18	91	2	2	78	3	7	4	47	31
723	666	3	60	1,139	3	38	82	4	2	108	2	5	7	40	21
704	650		54	1,076	4	26	63	7	9	97	4	9	5	27	24
85	78		7	98		1	8			10			1	1	2
90	84	1	5	70		3	3	1		2				3	2
48	47		1	59		2	2							1	2
312	287	2	23	524	2	18	36	3		35	1	8	2	24	14
3,766	3,578	18	170	2,672	4	32	174	14	4	124	9	22	23	100	26
242	232		10	367		9	25	1	1	32	1	2	1	11	11
58	58			122		2	9		2	10		3	1	6	1
84	81		3	94		1	5		1	4		2		2	2
33	31		2	78		6	4			5	2	2	2	2	1
36	36			82		1	4			8		2		2	2
739	751		38	579		10	57	2	1	44		2	2	14	7

VITAL AND SOCIAL STATISTICS.

TABLE 7.—DEATHS AMONG MALES ENGAGED IN CERTAIN OCCUPATIONS AND CLASSES OF

AREAS.	CLASS G—continued.											
	Carpenters and joiners.	Cigar makers and tobacco workers.	Clock and watch repairers, jewelers, and opticians.	Compositors, printers, and pressmen.	Coopers.	Cotton mill operatives.	Electrotypers and stereotypers.	Engineers and firemen (not locomotive).	Flax mill operatives.	Gas works employes.	Glass blowers.	Glass workers.
THE UNITED STATES—Continued.												
1 Total	7,012	877	544	941	732	134	17	1,425	4	25	125	95
2 White	6,681	801	544	932	694	131	17	1,356	4	23	125	95
3 Native born	4,508	389	321	685	366	67	11	843	1	12	86	52
4 Both parents native	2,783	115	160	269	190	46	5	400	1	8	25	14
5 One or both parents foreign	434	128	89	200	51	17	2	142		2	37	31
6 Foreign born	1,923	389	211	219	312	62	6	471	3	11	35	40
7 Colored	381	76		9	38	3		69		2		
8 Typhoid fever	362	24	18	38	10	17		79		2	6	8
9 Malarial fever	140	5	9	10	10	3		24			3	
10 Lead poison	1			2								
11 Rheumatism	63	9	7	2	3	1		9				1
12 Dropsy	111	8		2	13	2		9				
13 Heart disease	630	60	41	69	67	9		112	1	3	7	8
14 Consumption	1,160	313	143	341	121	31	5	246	1	5	48	34
15 Diabetes	35	2	2	5	1			8				
16 Diseases of the nervous system	807	72	75	84	74	9	3	117		2	13	8
17 Diseases of the respiratory system	1,022	130	78	127	125	17	7	184	1	4	16	14
18 Diseases of the liver	134	9	8	16	24	1		20			2	2
19 Ascites	5	1		3	1							
20 Other diseases of the digestive system	230	24	17	29	24	5		47		1	2	4
21 Bright's disease	192	28	18	29	23	4		44		1	1	1
22 Other diseases of the urinary system	223	26	12	25	27	2		34			2	1
23 Diseases of the bones and joints	24	2	1	3	3			3			1	
24 Burns	5		1	1	1	1		18				
25 Injuries by machinery	11							15				
26 Suicides	78	19	13	11	11	1	1	11			2	2
27 Other accidents and injuries	579	39	34	54	40	10	1	268		1	12	6
28 Cancer of the stomach	88	8	6	1	14	4		11			1	
29 Cancer of the liver	15	2	1	2	1			4				
30 Cancer of the head, face, and neck	30	2		2	6							
31 Cancer of the abdomen	15		2	1	1			4				
32 Cancer of the mouth, tongue, and throat	19	3	3	1	3	1		3			1	
33 Unknown causes	146	8	6	6	14	2		23		2	1	

STATISTICS OF DEATHS.

OCCUPATIONS, WITH DISTINCTION OF COLOR, NATIVITY, PARENTAL NATIVITY, ETC.—Continued.

CLASS G—continued.																
Gun-smiths, lock-smiths, and bell hangers.	Harness and saddle makers and repairers, and trunk, valise, and leather-case makers.	Hat and cap makers.	Iron and steel workers.	Lead and zinc workers.	Leather curriers, dressers, finishers, and tanners.	Machinists.	Marble and stone cutters.	Masons (brick and stone).	Meat packers, curers, and picklers, canners, and fruit preservers.	Mill and factory operatives (textiles not specified).	Millers (flour and grist).	Painters, glaziers, and varnishers.	Paper hangers.	Paper mill operatives.	Photographers.	
157	522	334	1,084	20	408	1,618	686	2,105	14	1,236	656	2,122	98	118	149	1
155	519	333	1,065	20	398	1,611	678	1,980	13	1,183	641	2,070	95	118	149	2
79	337	202	575	7	183	964	276	972	7	498	476	1,335	81	71	110	3
45	179	61	212	3	82	436	120	508	4	180	320	590	25	36	64	4
13	53	76	192	2	48	241	79	175	1	204	41	297	14	17	16	5
71	165	125	467	13	212	601	391	962	6	670	147	687	14	46	29	6
2	8	1	19		10	7	8	125	1	53	15	52	3			7
2	17	17	84		21	92	25	79		82	21	64	5	13	6	8
1	6	5	12	1	2	25	8	31		15	14	14	1	2	1	9
			1	2		1						37				10
2	3	4	7		5	6	6	23		10	3	20			2	11
4	3	1			5	7	3	32		4	9	18			2	12
15	42	22	79	1	40	150	47	199	1	103	67	177	9	12	12	13
27	131	112	238	6	71	381	216	364	5	330	81	517	26	20	45	14
	3		3		2	10		4		6	5	8		2	2	15
18	58	29	83	1	46	166	43	232	2	87	80	217	4	9	17	16
29	77	47	188	2	67	262	131	327	4	172	117	298	25	19	24	17
5	11	5	22		8	31	19	43		18	14	35	2	2		18
												1				19
2	13	9	29		12	66	21	67		39	30	58	3	5	3	20
5	18	9	29	3	11	43	19	56		27	20	92	5	3	3	21
9	11	7	23		11	43	22	57	1	34	13	60	2	2	5	22
		2			1	5	1	10			3					23
1			4			4		1		2	3					24
	1	1	4			6		1		5	6					25
2	15	1	11	1	4	24	5	28	1	16	4	40	2	1	2	26
9	28	14	113	1	24	113	46	181		88	35	195	3	13	8	27
	8	4	7		8	13	5	26		6	10	11	1	1		28
2	2	1	4		1	9	1	12		3	3	4				29
	2		1			2	2	15		1	4	5				30
1	3	1	2		1	3		3		2	2	4	1			31
1	2	2	1			3		3		3	2	4				32
2	9	1	19		4	12	10	50		17	19	31		3	1	33

VITAL AND SOCIAL STATISTICS.

TABLE 7.—DEATHS AMONG MALES ENGAGED IN CERTAIN OCCUPATIONS AND CLASSES OF

AREAS.	CLASS G—continued.									CLASS H.		
	Plaster- ers and white- washers.	Plumb- ers - and gas and steam fitters.	Pot- ters.	Rubber factory oper- atives.	Silk mill oper- atives.	Tailors.	Tinners and tinware makers.	Wheel- wrights.	Woolen mill oper- atives.	Total.	Boatmen and canal- men.	Dray- men, hack- men, team- sters, drivers, etc.
THE UNITED STATES—Continued.												
1 Total	486	442	106	57	85	1,801	533	287	139	90,856	363	3,059
2 White	400	435	104	57	85	1,791	526	277	139	77,528	302	2,666
3 Native born	254	273	44	22	26	419	344	194	64	58,079	201	1,610
4 Both parents native	119	57	16	7	6	179	127	116	20	39,090	109	647
5 One or both parents foreign	48	146	10	13	17	112	93	20	32	5,354	40	466
6 Foreign born	135	157	54	32	59	1,355	167	77	73	16,611	84	939
7 Colored	86	7	2			10	7	10		13,328	61	393
8 Typhoid fever	13	23	4	6	3	47	21	10	10	4,560	14	162
9 Malarial fever	8	7	1			10	8	3	2	2,793	9	50
10 Lead poison		1								6		
11 Rheumatism	10	5	1	1		12	6	1		857	4	25
12 Dropsy	5	1	2	1		25	5	5		1,988	4	30
13 Heart disease	41	39	6	3	12	157	34	41	7	6,918	24	230
14 Consumption	117	125	26	16	20	342	139	43	33	12,496	51	648
15 Diabetes		1	1			9	2	3	4	538	1	9
16 Diseases of the nervous system	41	37	7	4	8	190	41	39	16	7,951	41	238
17 Diseases of the respiratory system	74	77	23	7	15	279	101	34	19	15,059	56	535
18 Diseases of the liver	11	4	1			48	9	4	3	1,381	7	46
19 Ascites						3				165		2
20 Other diseases of the digestive system	23	10	1	1	2	72	16	13	4	2,916	12	84
21 Bright's disease	18	16	3	1	5	65	21	8	6	2,155	8	77
22 Other diseases of the urinary system	11	10	4		2	86	11	17	3	2,585	10	86
23 Diseases of the bones and joints	2					6				270		6
24 Burns		2		1	2	3	1			127	1	5
25 Injuries by machinery				1		1				76		3
26 Suicides	7	3			5	42	14	3	1	900		28
27 Other accidents and injuries	38	30	11	8	3	68	53	13	4	9,314	79	413
28 Cancer of the stomach	2	2		1	3	25	5	1		897	1	25
29 Cancer of the liver	2	1	1			15	1			184		2
30 Cancer of the head, face, and neck				1		4			2	363	1	8
31 Cancer of the abdomen				1	1	4			1	116		3
32 Cancer of the mouth, tongue, and throat	3					5	1	1		121		2
33 Unknown causes	7	1	2		1	26	4	4	9	2,949	4	30

STATISTICS OF DEATHS.

OCCUPATIONS, WITH DISTINCTION OF COLOR, NATIVITY, PARENTAL NATIVITY, ETC.—Continued.

CLASS E—continued.															
Farmers, planters, and overseers.	Farm laborers.	Fishermen and oystermen.	Gardeners, florists, nurserymen, and vine growers.	Livery stable keepers and hostlers.	Lumbermen and raftsmen.	Miners (coal).	Miners (not specified).	Pilots.	Quarrymen.	Sailors.	Steam railroad employes (includes conductors, brakemen, engineers, and firemen).	Stock raisers, herders, and drovers.	Telegraph and telephone operators.	Telegraph and telephone linemen and electric light men.	
66,211	9,067	538	843	654	402	1,226	1,966	73	197	1,523	3,809	563	313	49	1
58,843	4,764	413	752	540	376	1,146	1,816	68	185	1,411	3,365	522	311	48	2
46,172	4,106	310	252	322	272	407	617	50	69	696	2,348	340	273	34	3
32,146	3,085	224	128	167	167	225	250	23	45	400	1,154	176	141	3	4
3,230	543	31	54	54	28	115	128	6	16	57	467	32	76	11	5
10,625	559	87	485	206	89	708	1,042	15	108	651	789	138	23	13	6
7,868	4,303	125	91	114	26	80	150	5	12	112	444	41	2	1	7
2,967	804	21	32	37	25	87	106	2	8	69	186	18	20	2	8
1,976	536	10	13	6	11	21	25	1	1	30	79	15	8	2	9
2						1	3								10
689	74	5	7	5	4	8	6	1		11	16	1	1		11
1,588	239	17	17	2	5	15	32	2	1	5	18	13			12
5,605	313	31	98	43	22	60	93	8	15	145	171	36	24		13
8,555	1,623	99	116	158	49	89	205	11	35	265	412	64	107	9	14
457	37	2	2	4	2		6	1	1	7	5	2	2		15
6,376	408	39	76	54	29	50	120	13	10	161	193	26	25	2	16
11,991	1,604	80	134	100	56	214	422	10	27	188	417	80	39	6	17
1,110	79	7	18	17	7	11	14	1	2	24	28	7	3		18
128	25	1	2		1	1	2				1	2			19
2,340	238	12	28	26	17	27	40		3	17	55	14	3		20
1,774	83	13	24	20	12	7	23	3	3	46	39	12	6		21
2,160	121	17	23	15	11	17	24	2	4	47	38	5	5		22
216	23	1	2	2		4	5			2	2	2			23
75	16			1	1	4	7		4	1	11	1			24
51	19									1	1				24
674	78	2	11	15	2	9	17		1	13	30	13	7		25
4,178	1,028	84	33	63	32	493	570	6	61	234	1,772	154	35	24	26
769	19	2	20	5	4	7	14			14	13	4			27
107	2	2	2	2	2	3	4			6	2				28
315	8	3	3	2	1	4	4			6	5				29
96	3		3			3	3	1		1	1	2			30
98	3		4	1		1	1		1	5	4	1			31
2,288	390	14	18	5	9	16	60	2	5	17	60	24	7		32
															33

TABLE 7.—DEATHS AMONG MALES ENGAGED IN CERTAIN OCCUPATIONS AND CLASSES OF

AREAS.	All selected occupations.	CLASS A.											
		Total.	Actors.	Architects, artists, etc.	Clergy-men.	Dentists.	Engineers and surveyors.	Journalists.	Lawyers.	Musicians and teachers of music.	Physicians and surgeons.	Professors, authors, literary and scientific persons.	Teachers.
REGISTRATION RECORD.													
1 Total.....	71,346	2,799	59	201	442	84	112	159	551	242	660	121	168
2 White.....	66,891	2,733	57	200	408	83	112	159	548	232	651	120	168
3 Native born.....	34,157	1,940	41	99	281	74	79	113	469	89	510	84	101
4 Both parents native.....	14,942	991	8	89	138	41	43	57	250	35	280	46	54
5 One or both parents foreign.....	7,278	237	16	25	23	5	10	17	46	29	41	13	12
6 Foreign born.....	31,398	731	12	100	120	8	92	42	70	139	119	32	57
7 Colored.....	4,455	66	2	1	34	1			3	10	9	1	5
8 Typhoid fever.....	2,574	81	1	10	8	7	1	9	14	9	10	5	7
9 Malarial fever.....	715	36		2	2		3	4	6	3	9	3	4
10 Lead poison.....	43	2		1					1				
11 Rheumatism.....	400	19			6				3	2	5	2	1
12 Dropsy.....	456	13			1				4	1			
13 Heart disease.....	6,539	324	10	22	57	8	16	21	57	29	77	11	16
14 Consumption.....	14,504	410	13	50	46	15	17	40	64	53	63	15	29
15 Diabetes.....	332	27	1	1	4	1	1	1	5	2	8	1	2
16 Diseases of the nervous system.....	7,711	420	7	26	78	10	15	13	94	31	114	13	24
17 Diseases of the respiratory system.....	11,799	439	9	30	78	16	16	18	81	38	119	13	21
18 Diseases of the liver.....	1,459	72		4	12	2	4	1	18	12	15	3	1
19 Ascites.....	44	1									1		
20 Other diseases of the digestive system.....	2,099	88		3	15	3	5	2	21	6	20	3	5
21 Bright's disease.....	2,409	132	2	11	11	5	5	12	33	10	33	6	4
22 Other diseases of the urinary system.....	2,370	114	2	5	19	4	6	7	16	3	41	4	7
23 Diseases of the bones and joints.....	158	6			2				1		2		1
24 Burns.....	112	2			1		1						
25 Injuries by machinery.....	34												
26 Suicides.....	983	45	2	9	1	4	1	1	10	6	5	2	4
27 Other accidents and injuries.....	5,667	116	2	6	14	1	3	6	31	10	22	13	8
28 Cancer of the stomach.....	650	20		1	7		2		3	1	5	1	2
29 Cancer of the liver.....	217	16		3	3				1	1	5	1	2
30 Cancer of the head, face, and neck.....	163	5		1	1				1		2		1
31 Cancer of the abdomen.....	129	2		1	1		1						
32 Cancer of the mouth, tongue, and throat.....	148	10	1	1	1				3	1	3	1	
33 Unknown causes.....	729	31		1	4	2	3	3	9	1	4	2	2
REGISTRATION STATES.													
34 Total.....	48,306	1,835	38	148	285	58	75	101	345	159	420	89	117
35 White.....	46,850	1,811	38	147	275	57	75	101	345	155	415	88	115
36 Native born.....	25,325	1,339	31	72	200	53	58	72	303	68	345	59	78
37 Both parents native.....	13,607	857	8	34	126	36	38	49	205	33	239	40	49
38 One or both parents foreign.....	6,413	208	15	25	18	4	10	15	37	27	35	12	10
39 Foreign born.....	20,636	440	6	74	70	3	17	28	38	85	57	26	36
40 Colored.....	1,456	24		1	10	1				4	5	1	2
41 Typhoid fever.....	1,408	50		8	4	4	1	8	7	5	4	4	5
42 Malarial fever.....	410	21		1			2	3	4	1	5	2	3
43 Lead poison.....	21	2		1					1				
44 Rheumatism.....	318	14			5				2	2	3	1	1
45 Dropsy.....	273	8			1				2		5		
46 Heart disease.....	4,604	208	6	14	40	5	9	15	31	19	47	10	12
47 Consumption.....	9,764	256	12	37	24	11	12	25	39	34	37	7	18
48 Diabetes.....	244	21	1	1	2	1	1	3	3	2	7	1	2
49 Diseases of the nervous system.....	5,550	293	6	20	52	5	12	6	64	24	78	8	18
50 Diseases of the respiratory system.....	8,284	297	4	23	56	10	11	13	52	27	74	11	16
51 Diseases of the liver.....	885	37		3	7	1	2	1	11	5	4	3	
52 Ascites.....	23	1									1		
53 Other diseases of the digestive system.....	1,412	57		6	7	1	4	2	14	4	12	3	4
54 Bright's disease.....	1,787	92	1	8	10	5	4	7	21	10	18	5	3
55 Other diseases of the urinary system.....	1,728	86	2	4	12	4	5	5	11	2	31	4	6
56 Diseases of the bones and joints.....	98	2									1		1
57 Burns.....	57	1			1								
58 Injuries by machinery.....	21												
59 Suicides.....	545	29	1	5		4	1	5	6	6	3	2	2
60 Other accidents and injuries.....	3,512	65		5	7	1	1	2	20	4	12	9	4
61 Cancer of the stomach.....	399	10		1	3		1		1		2		2
62 Cancer of the liver.....	131	11		3	2				1		3	1	1
63 Cancer of the head, face, and neck.....	119	3							1		1		1
64 Cancer of the abdomen.....	81	1		1									
65 Cancer of the mouth, tongue, and throat.....	100	7	1	1	1				2		2	1	
66 Unknown causes.....	445	15			3	1	1	1	-4		2	1	2

STATISTICS OF DEATHS.

OCCUPATIONS, WITH DISTINCTION OF COLOR, NATIVITY, PARENTAL NATIVITY, ETC.—Continued.

CLASS B.							CLASS C.									
Total.	Stenographers and typewriters.	Accountants, bookkeepers, clerks, and copyists.	Bankers, brokers, and officials of companies.	Collectors, auctioneers, and agents.	Wholesale merchants and dealers.	News-paper carriers and newsboys.	Total.	Apothecaries, pharmacists, and dealers in chemicals and drugs.	Commercial travelers and salesmen.	Dealers in dry goods (retail).	Dealers in groceries (retail).	Dealers, not specified (retail).	Hucksters and peddlers.	Wine and liquor dealers (retail).	Wine and liquor dealers (wholesale).	
4,887	32	3,558	386	794	85	32	5,481	244	805	36	563	3,197	463	160	13	1
4,854	32	3,535	384	792	84	27	5,408	244	802	35	562	3,149	443	160	13	2
3,611	26	2,668	308	544	57	8	3,008	171	555	20	228	1,838	149	44	3	3
1,471	14	990	182	254	30	1	1,391	82	207	12	109	999	45	7		4
974	6	842	37	79	5	5	543	33	120	5	56	249	50	30		5
1,182	4	820	71	243	26	18	2,336	70	236	14	330	1,274	289	115	8	6
33		23	2	2	1	5	73		3	1	1	48	20			7
202	2	172	10	17	1		189	15	51		19	82	19	3		8
59		49		10			52	2	10	1	2	31	4	2		9
31		26	2	2	1		40	6			5	24	4	1		10
14		10	1	2		1	20	4			1	14	1			11
403	1	254	53	83	11	1	605	18	59	4	64	402	50	6	2	13
1,333	16	1,137	42	119	12	7	920	51	201	7	91	453	87	29	1	14
40		21	8	8	3		45	1	3		4	34		3		15
531	3	346	53	112	12	5	761	34	83	5	69	499	52	16	3	16
701	2	587	66	126	7	3	890	46	122	9	116	478	84	34	1	17
82		46	11	21	3	1	173	7	21	1	20	99	10	13	2	18
3		2		1			4				1	3				19
168	2	112	14	35	5		207	10	36	2	23	116	15	4	1	20
200		126	19	48	6	1	229	3	24	2	26	146	14	14		21
138		81	19	32	6		214	5	17		18	150	17	7		22
9		8		1			14	1	2			7	1			23
5		5					2		1			1				24
114	2	76	10	22	1	3	86	5	17	1	2	50	9	2		25
226	3	149	24	39	5	6	214	8	45	1	22	108	24	5	1	26
31		15	5	10	1		62	1	2		8	45	5	1		28
4		2	1	1			20	3			2	13	1	1		29
5		4		1			11	1	1		1	9				30
7		6		1			17	1	1		3	11	2			31
10		5	2	3			21	4	4		2	10	3	1	1	32
30		22	3	5			53	8	10	2	4	28	1			33
3,236	19	2,376	285	479	59	18	3,506	157	472	29	376	2,026	319	124	3	34
3,225	19	2,370	285	477	58	16	3,488	157	470	28	376	2,014	316	124	3	35
2,415	16	1,797	230	327	37	8	2,002	112	338	17	161	1,230	109	35		36
1,283	11	872	165	209	25	1	1,233	73	183	12	90	823	42	5		37
887	5	748	35	60	4	5	1,467	27	104	5	46	209	46	30		38
791	2	560	53	147	21	3	1,452	44	129	11	212	762	203	88	3	39
11		6		2	1	2	18		2	1		12	3			40
108	1	90	7	9	1		105	8	25		14	44	12	2		41
30		24	6	6			32	1	7		1	19	2	2		42
24		19	2	2	1		28		3		4	18	2	1		43
4		3					5		1			3	1			44
280	1	185	36	49	8	1	393	13	36	3	38	270	29	4		46
916	10	792	31	68	9	6	589	38	118	7	61	277	65	23		47
27		12	7	7	1		36	1	3		3	26		3		48
888	1	232	42	68	11	4	479	16	48	4	43	309	47	11	1	49
562	1	418	52	88	6	2	625	33	81	8	91	325	59	28		50
53		34	7	11	1		101	5	11	1	11	58	5	8	2	51
1		1					2					2				52
107	1	75	9	20	2		144	5	27	2	17	77	13	3		53
185		80	13	37	4	1	167	2	16	2	19	102	12	14		54
96		58	14	21	3		146	4	8		14	103	11	6		55
4		4					8	1	1			4				56
3		3					1		1							57
62	2	40	9	11			45	2	7			30	5	1		58
145	2	93	18	26	3	3	110	4	24		13	55	11	3		59
18		7	4	6	1		40	1	2		6	27	3	1		61
3		1	1	1			13		1		1	9	1	1		62
2		2					6		1			5				63
4		3					9				2	7				64
6		3	1	2			12		3			7	2			65
14		11	2	1			27	4	4	1	3	14	1			66

VITAL AND SOCIAL STATISTICS.

TABLE 7.—DEATHS AMONG MALES ENGAGED IN CERTAIN OCCUPATIONS AND CLASSES OF

AREAS.	CLASS D.			CLASS E.							
	Total.	Hotel and boarding house keepers.	Saloon keepers, billiard and bowling saloon keepers, bartenders, and restaurant keepers.	Total.	Barbers and hair-dressers.	Janitors and sextons.	Laund-ers.	Nurses.	Police-men, watch-men, and detect-ives.	Soldiers, sailors, and marines (United States).	Under-takers.
REGISTRATION RECORD—Continued.											
1 Total	1,342	282	1,060	1,871	508	225	144	54	653	194	98
2 White	1,816	279	1,037	1,593	384	180	59	50	640	188	92
3 Native born	562	162	400	751	191	86	27	23	282	75	67
4 Both parents native	150	87	63	224	35	39	10	3	82	19	31
5 One or both parents foreign	208	23	185	234	82	19	5	3	95	14	16
6 Foreign born	743	113	630	822	185	94	32	26	353	108	24
7 Colored	26	3	23	278	124	45	85	4	13	6	1
8 Typhoid fever	20	3	17	58	24	3	7	3	13	7	1
9 Malarial fever	12	2	10	17	5	1	1		7	2	1
10 Lead poison											
11 Rheumatism	10	3	7	13	3	3	2		4	1	
12 Dropsy	8	1	7	7	4				3		
13 Heart disease	105	35	70	177	48	26	10	5	61	18	9
14 Consumption	315	41	274	421	156	36	69	5	102	40	13
15 Diabetes	8	4	4	9	2	2			5		
16 Diseases of the nervous system	126	43	83	186	42	18	5	5	74	28	14
17 Diseases of the respiratory system	262	49	213	338	72	55	14	12	139	25	21
18 Diseases of the liver	72	17	55	52	13	6	2		16	7	3
19 Ascites				2	1						
20 Other diseases of the digestive system	36	6	30	58	13	10	3	3	17	7	5
21 Bright's disease	49	13	36	58	9	9	3	1	25	6	5
22 Other diseases of the urinary system	41	11	30	58	11	8	3	2	25	4	5
23 Diseases of the bones and joints	3		3	6	2		1		1	1	
24 Burns				1				1			
25 Injuries by machinery											
26 Suicides	25	4	21	44	13	6	4	4	9	3	1
27 Other accidents and injuries	74	12	62	123	25	15	7		62	13	1
28 Cancer of the stomach	7	2	5	10	2		2		4	2	
29 Cancer of the liver	5		5	5		1		1	2		1
30 Cancer of the head, face, and neck	1	1		5		1	1		2	1	
31 Cancer of the abdomen				5				2	2		1
32 Cancer of the mouth, tongue, and throat	1		1	3	1				2		
33 Unknown causes	12	2	10	17	6	2			6	1	2
REGISTRATION STATES—Continued.											
34 Total	796	205	591	1,204	288	152	88	35	420	146	75
35 White	784	203	581	1,065	245	128	30	32	411	144	75
36 Native born	372	133	239	495	107	63	15	14	185	55	56
37 Both parents native	134	82	52	202	23	35	8	7	75	18	31
38 One or both parents foreign	179	23	156	200	64	17	4	2	83	14	16
39 Foreign born	405	67	338	559	135	65	15	17	222	87	18
40 Colored	12	2	10	139	43	24	58	3	9	2	
41 Typhoid fever	11	3	8	33	14	1	2	2	9	4	1
42 Malarial fever	8	2	6	11	3	1	1		4	1	1
43 Lead poison											
44 Rheumatism	5	2	3	9	1	3	1		3	1	
45 Dropsy	4		4	4	3				1		
46 Heart disease	56	25	31	118	25	19	5	3	42	15	9
47 Consumption	196	32	164	269	94	21	45	1	68	31	9
48 Diabetes	5	2	3	5		2			3		
49 Diseases of the nervous system	78	33	45	126	24	16	2	3	49	22	10
50 Diseases of the respiratory system	155	33	122	230	49	36	10	9	89	19	18
51 Diseases of the liver	44	14	30	35	9	6	1		11	6	2
52 Ascites											
53 Other diseases of the digestive system	24	4	20	38	5	6	3	3	12	5	4
54 Bright's disease	38	9	29	38	7	4	1	1	18	3	4
55 Other diseases of the urinary system	27	9	18	41	6	6	1	2	17	4	5
56 Diseases of the bones and joints	1		1	5	2		1		1		
57 Burns				1					1		
58 Injuries by machinery											
59 Suicides	10	3	7	22	9	3	2	1	6	1	
60 Other accidents and injuries	42	9	33	69	13	13	4		32	6	1
61 Cancer of the stomach	3		3	7	1		2		2	2	
62 Cancer of the liver	4		4	4		1		1	2		
63 Cancer of the head, face, and neck	1	1		4			1		2	1	
64 Cancer of the abdomen				3				2			1
65 Cancer of the mouth, tongue, and throat	1		1	2	1				1		
66 Unknown causes	7	2	5	9	1	1			4	1	2

STATISTICS OF DEATHS.

OCCUPATIONS, WITH DISTINCTION OF COLOR, NATIVITY, PARENTAL NATIVITY, ETC.—Continued.

CLASS F.				CLASS G.												
Total.	Laborers (not specified).	Messenger boys.	Servants.	Total.	Artificial flower and paper box makers.	Bakers and confectioners.	Blacksmiths.	Bleachers, dyers, and scourers.	Bookbinders.	Boot and shoe makers.	Brass-founders and copper-smiths.	Brewers, distillers, and rectifiers.	Brick and tile makers and terra cotta workers.	Butchers.	Cabinet makers and upholsterers.	
17,278	15,949	68	1,261	22,493	57	639	1,059	107	116	1,982	155	199	101	763	536	1
14,403	13,571	62	770	22,031	56	632	1,029	106	116	1,937	153	199	86	754	531	2
3,915	3,622	44	249	10,450	32	169	466	20	71	903	76	25	50	319	165	3
1,191	1,116	14	61	3,988	7	38	206	6	21	444	23	3	11	87	54	4
1,170	1,068	14	88	2,762	15	70	96	5	30	197	33	13	3	111	52	5
10,133	9,616	18	509	11,226	24	454	547	86	45	1,004	77	172	34	429	356	6
2,875	2,378	6	491	462	1	7	30	1		45	2		15	9	5	7
743	701	6	36	855	2	30	32	4	3	27	3	8	9	38	12	8
198	184	1	13	195	1	4	13			9	1	2	2	12	5	9
11	10		1	30						1						10
98	89		9	147					1	10		5		3	1	11
125	119		6	125			4	5		16	1	1	1	5	2	12
							4	6								
1,377	1,262	5	110	1,999	3	51	109	8	8	212	14	16	7	52	45	13
3,676	3,274	17	385	5,287	22	159	191	23	43	416	60	45	18	151	147	14
37	33		4	85		2	8			8			1	1	2	15
1,474	1,373	6	95	2,391	1	71	129	11	11	255	15	16	10	101	49	16
3,156	2,942	6	208	3,611	8	109	184	19	22	327	23	36	14	104	100	17
297	273	2	22	464	1	14	26	4	1	42	1	5	1	22	13	18
17	16		1	10			1			1		2			1	19
465	434	1	30	676	1	13	35	2	1	43	3	3	2	28	21	20
531	478	3	50	747	3	31	30	4	2	72	2	3	5	31	16	21
486	443		43	740	3	20	31	5	8	73	4	7	2	16	16	22
48	44		4	45			2			4					1	23
40	35	1	4	48		3		1						3	1	24
15	14		1	16												25
161	147	2	12	355	2	19	19	3		25	1	6	1	12	12	26
1,723	1,626	13	84	1,458	2	23	53	8	3	86	8	11	16	48	17	27
128	123		5	222		6	12	1	1	22	1	1	1	9	10	28
42	42			91		2	5		2	7		3	1	6	1	29
42	41		1	46		1	1		1	3				2	2	30
28	26		2	54		1	1			4	2	1	2	1	1	31
26	26			52		3	3			4		2		1	1	32
223	210		13	171		5	10	1		17		1	1	5	1	33
10,586	9,723	51	812	15,138	44	410	733	77	87	1,469	111	99	37	454	318	34
9,654	9,044	46	564	15,035	43	408	727	77	87	1,452	110	99	34	452	314	35
2,768	2,557	30	181	7,421	25	106	358	12	53	765	55	13	16	216	108	36
1,040	971	14	55	3,574	7	32	186	6	19	432	20	2	9	83	45	37
1,038	941	14	83	2,444	15	59	83	5	28	188	30	9	3	95	47	38
6,674	6,281	16	377	7,407	18	293	357	65	34	667	55	84	16	236	201	39
932	679	5	248	103	1	2	6			17	1		3	2	4	40
350	328	4	18	468	2	13	15	1	3	18		1	3	15	4	41
98	94	1	3	116	1	1	10			6				6	1	42
4	4			15												43
62	55		7	95		2	2			7		3		1	1	44
57	53		4	64			3			10	1			1		45
851	777	4	70	1,400	3	34	76	7	6	157	11	6	1	33	31	46
2,273	1,999	17	257	3,663	18	104	134	14	29	335	45	22	5	97	95	47
24	21		3	54		2	5			7			1	1	2	48
953	891	6	61	1,695	1	47	93	10	9	199	13	8	4	62	30	49
2,005	1,861	5	139	2,508	8	75	129	11	18	244	19	22	2	59	63	50
157	139	2	16	269	1	7	17	1	1	24		4	1	11	9	51
7	7			6						1		1			1	52
287	261	1	25	438	1	7	28	1	1	34	3	2	1	18	10	53
349	312	3	34	573	2	26	25	4	2	54	2	3	3	23	11	54
312	232		30	528	2	17	22	5	5	47	4	4	1	9	9	55
24	23		1	34			1			4						56
25	22		2	20				1								57
6	5		1	12		1										58
73	71		7	187			8	2		14		2	1	8	2	59
1,067	1,016	5	46	905	2	11	43	8	3	65	4	3	9	23	7	60
63	62		1	133		3	6	1		15	1			4	5	61
20	20			54		2	3		2	4		1		6	1	62
32	31		1	34		1	1		1	2					2	63
17	15		2	34		4	1			2				1	1	64
20	20			34		1	1			3		1			1	65
103	102		6	106		2	7	1		8			1	3		66

TABLE 7.—DEATHS AMONG MALES ENGAGED IN CERTAIN OCCUPATIONS AND CLASSES OF

AREAS.		CLASS a—continued.											
		Carpenters and joiners.	Cigar makers and tobacco workers.	Clock and watch-repairers, and jewelers, and opticians.	Compositors, printers, and pressmen.	Coopers.	Cotton mill operatives.	Electrotypers and stereotypers.	Engineers and firemen (not locomotive).	Flax mill operatives.	Gas works employees.	Glass blowers.	Glass workers.
REGISTRATION RECORD—Continued.													
1	Total	3,294	630	398	670	419	80	14	878	4	20	90	65
2	White	3,209	606	398	667	404	80	14	847	4	20	90	65
3	Native born	1,848	254	223	459	152	26	9	478	1	10	67	32
4	Both parents native	944	44	110	185	54	9	5	195	1	7	13	7
5	One or both parents foreign	208	93	68	154	32	15	2	84		2	29	19
6	Foreign born	1,293	343	171	190	242	53	5	354	3	10	21	32
7	Colored	85	24		3	15			31				
8	Typhoid fever	144	15	14	21	7	7		46		2	6	1
9	Malarial fever	85	3	2	5	4	1		10			3	
10	Lead poison				1								
11	Rheumatism	22	4	5	1	1			5				1
12	Dropsy	26	3		1	3			2				
13	Heart disease	300	48	30	55	40	8		31	1	3	5	5
14	Consumption	575	231	120	257	77	18	4	185	1	4	36	27
15	Diabetes	16	2		3				5				
16	Diseases of the nervous system	434	51	53	55	48	5	1	78		2	9	7
17	Diseases of the respiratory system	492	94	63	98	70	10	7	128	1	3	13	9
18	Diseases of the liver	75	5	6	10	12	1		11			2	1
19	Ascites		1		2								
20	Other diseases of the digestive system	107	18	12	19	13	2		27		1	1	3
21	Bright's disease	88	23	15	25	13	3		29				
22	Other diseases of the urinary system	117	23	10	21	15	2		31			2	1
23	Diseases of the bones and joints	12	2		1	1			3				
24	Burns	3		1		1			13				
25	Injuries by machinery	2				1	1		3				
26	Suicides	35	15	10	9	5	1		9			2	2
27	Other accidents and injuries	274	20	18	28	21	7	1	130		1	7	2
28	Cancer of the stomach	40	8	5		10	4		6				
29	Cancer of the liver	6	1		2	1			3				
30	Cancer of the head, face, and neck	10	2		2	2							
31	Cancer of the abdomen	7			1	1							
32	Cancer of the mouth, tongue, and throat	9	1	3	1	3	1		3				
33	Unknown causes	25	4	2	3	4			10		1	1	
REGISTRATION STATES—Continued.													
34	Total	2,169	393	307	431	248	68	10	500	4	18	49	41
35	White	2,157	388	307	431	247	68	10	494	4	18	49	41
36	Native born	1,310	146	185	296	105	23	6	267	1	9	38	19
37	Both parents native	831	38	105	117	49	8	4	150	1	6	15	5
38	One or both parents foreign	182	79	63	137	24	13	2	71		2	18	14
39	Foreign born	806	239	121	132	134	44	4	221	3	9	10	22
40	Colored	12	5			1			6				
41	Typhoid fever	80	6	9	11	1	6		23		1	4	
42	Malarial fever	16	3	2	4	2			3			1	
43	Lead poison												
44	Rheumatism	17	2	4	1	1			4				
45	Dropsy	15	1			2			1				
46	Heart disease	206	29	26	35	28	8		45	1	3	2	5
47	Consumption	376	148	99	156	44	15	4	101	1	4	21	19
48	Diabetes	10			1				3				
49	Diseases of the nervous system	312	32	37	32	35	4	1	52		2	5	2
50	Diseases of the respiratory system	387	65	54	66	42	8	5	78	1	2	7	9
51	Diseases of the liver	43	3	3	8	4	1		6			1	
52	Ascites	1											
53	Other diseases of the digestive system	70	10	8	16	6	2		12		1	1	
54	Bright's disease	71	19	13	19	10	3		17				
55	Other diseases of the urinary system	83	16	9	19	8	2		21			2	1
56	Diseases of the bones and joints	9	1						3				
57	Burns	1				1	1		5				
58	Injuries by machinery	1							3				
59	Suicides	15	6	6	5	2	1		3			2	1
60	Other accidents and injuries	171	10	14	17	10	5		68		1	2	1
61	Cancer of the stomach	25	5	4		5	3		2				
62	Cancer of the liver	5	1		1	1			2				
63	Cancer of the head, face, and neck	8	1		2	2							
64	Cancer of the abdomen	5			1	1			2				
65	Cancer of the mouth, tongue, and throat	5	1	1	1	2	1		1				
66	Unknown causes	14	3	2	2	4			1		1		

TABLE 7.—DEATHS AMONG MALES ENGAGED IN CERTAIN OCCUPATIONS AND CLASSES OF

AREAS.	CLASS G—continued.									CLASS H.		
	Plasterers and white-washers.	Plumbers and gas and steam fitters.	Potters.	Rubber factory operatives.	Silk mill operatives.	Tailors.	Tinners and tinware makers.	Wheelwrights.	Woolen mill operatives.	Total.	Boatmen and canalmen.	Draymen, hackmen, teamsters, drivers, etc.
REGISTRATION RECORD—Continued.												
1 Total.....	243	395	59	56	79	1,343	349	136	106	15,195	220	2,129
2 White.....	195	389	58	56	70	1,336	346	135	100	14,533	208	1,920
3 Native born.....	92	243	18	22	24	233	214	83	43	9,920	136	1,043
4 Both parents native.....	22	89	2	7	4	76	46	44	11	5,536	58	312
5 One or both parents foreign.....	22	138	6	13	17	77	69	9	21	1,150	37	389
6 Foreign born.....	101	143	35	32	55	1,098	129	49	61	4,155	57	843
7 Colored.....	48	6	1			7	3	1		642	17	209
8 Typhoid fever.....	6	19		6	3	32	9	4	8	426	7	100
9 Malarial fever.....	3	4				8	4		1	140	4	24
10 Lead poison.....		1										
11 Rheumatism.....	3	5	1	1		10	4	1		103	3	17
12 Dropsy.....	2	1	1	1		9	2	2		144		8
13 Heart disease.....	25	35	4	3	11	120	20	17	7	1,549	19	182
14 Consumption.....	63	117	20	16	19	268	104	26	29	2,142	35	501
15 Diabetes.....		1				6	1		3	81	1	5
16 Diseases of the nervous system.....	19	33	4	4	8	147	27	21	11	1,822	23	166
17 Diseases of the respiratory system.....	35	71	14	7	14	217	65	14	14	2,312	30	332
18 Diseases of the liver.....	6	3	1			35	8		3	247	6	40
19 Ascites.....						2				7		
20 Other diseases of the digestive system.....	13	10		1	2	57	8	5	2	401	8	62
21 Bright's disease.....	12	14	3	1	4	53	18	4		463	7	65
22 Other diseases of the urinary system.....	4	10	2		2	70	9	13	3	579	6	72
23 Diseases of the bones and joints.....	1					4				27		6
24 Burns.....		2			1	2	1			14		4
25 Injuries by machinery.....				1						3		
26 Suicides.....	2	3			5	33	10	2	1	153		18
27 Other accidents and injuries.....	15	24	4	8	3	52	33	5	2	1,733	44	248
28 Cancer of the stomach.....		2		1	3	19	3			170	1	15
29 Cancer of the liver.....			1			15	1			32		7
30 Cancer of the head, face, and neck.....				1		3			1	48	1	7
31 Cancer of the abdomen.....				1	1	2			1	16		3
32 Cancer of the mouth, tongue, and throat.....	1					4	1	1		25		2
33 Unknown causes.....	2	1				8	1		6	192		11
REGISTRATION STATES—Continued.												
34 Total.....	124	279	41	56	78	872	208	102	95	12,005	174	1,364
35 White.....	109	278	41	56	78	871	207	102	95	11,738	171	1,309
36 Native born.....	44	174	12	22	24	159	124	69	39	8,513	112	759
37 Both parents native.....	15	35	2	7	4	67	40	43	11	5,234	53	237
38 One or both parents foreign.....	19	125	6	13	17	67	59	8	20	1,020	33	362
39 Foreign born.....	65	103	25	32	54	710	82	31	54	2,908	50	529
40 Colored.....	15	1				1	1			217	3	55
41 Typhoid fever.....		8		6	3	12	5	2	7	233	5	58
42 Malarial fever.....	2	3				6	2		1	94	2	15
43 Lead poison.....		1										
44 Rheumatism.....	2	3	1	1		5				81	1	9
45 Dropsy.....	1	1	1	1		3	1	2		127		3
46 Heart disease.....	12	20	1	3	11	80	11	13	5	1,298	15	96
47 Consumption.....	33	94	14	16	19	177	64	18	27	1,602	26	342
48 Diabetes.....						4	1		72	1	1	3
49 Diseases of the nervous system.....	11	19	3	4	8	94	20	17	8	1,563	21	106
50 Diseases of the respiratory system.....	12	54	12	7	13	155	41	12	14	1,902	22	267
51 Diseases of the liver.....	2	2				20	5		3	189	4	24
52 Ascites.....						1				6		
53 Other diseases of the digestive system.....	5	7		1	2	38	5	3	2	317	8	39
54 Bright's disease.....	6	12	2	1	4	36	12	4		395	5	51
55 Other diseases of the urinary system.....	1	10	2		2	50	7	12	3	492	6	54
56 Diseases of the bones and joints.....	1					4				20		4
57 Burns.....					1	1				6		1
58 Injuries by machinery.....				1						3		
59 Suicides.....	1	3			5	13	5	1	1	112		10
60 Other accidents and injuries.....	12	10	3	8	3	32	14	4	2	1,109	40	138
61 Cancer of the stomach.....		2		1	3	12	3			125	1	7
62 Cancer of the liver.....			1			6				22		
63 Cancer of the head, face, and neck.....				1		2			1	37	1	5
64 Cancer of the abdomen.....				1	1	2			1	13		2
65 Cancer of the mouth, tongue, and throat.....	1					3				18		1
66 Unknown causes.....	1	1				5			6	159		8

TABLE 7.—DEATHS AMONG MALES ENGAGED IN CERTAIN OCCUPATIONS AND CLASSES OF

AREAS.		All selected occupations.	CLASS A.														
			Total.	Actors.	Architects, artists, etc.	Clergymen.	Dentists.	Engineers and surveyors.	Journalists.	Lawyers.	Musicians and teachers of music.	Physicians and surgeons.	Professors, authors, literary and scientific persons.	Teachers.			
REGISTRATION CITIES IN REGISTRATION STATES.																	
1	Total.....	32,071	1,292	36	119	146	41	58	82	264	143	260	74	69			
2	White.....	30,922	1,272	36	118	140	40	58	82	264	139	255	73	67			
3	Native born.....	13,785	665	30	51	89	36	43	56	224	57	193	45	36			
4	Both parents native.....	6,176	540	8	20	59	26	25	38	156	27	138	29	25			
5	One or both parents foreign.....	5,357	172	14	21	11	2	9	14	32	23	30	11	5			
6	Foreign born.....	16,813	388	5	67	50	3	15	25	38	31	48	26	30			
7	Colored.....	1,149	20		1	6	1				4	5	1	2			
8	Typhoid fever.....	956	34		6	2	3	1	6	4	5	3	3	1			
9	Malarial fever.....	277	17		1			2	3	4		4	2	1			
10	Lead poison.....	17	1							1							
11	Rheumatism.....	211	8			2					1	3	1	1			
12	Dropsy.....	82	3							1		2					
13	Heart disease.....	2,823	139	5	11	18	5	9	11	26	16	25	3	5			
14	Consumption.....	7,431	197	12	29	15	10	7	29	30	31	27	6	10			
15	Diabetes.....	123	12	1	1	1				3	2	3		1			
16	Diseases of the nervous system.....	3,370	199	6	14	23	3	11	5	47	20	52	6	12			
17	Diseases of the respiratory system.....	5,876	210	4	19	29	9	8	10	38	26	49	9	9			
18	Diseases of the liver.....	645	30		3	5	1	1		3	5	4	3				
19	Ascites.....	10															
20	Other diseases of the digestive system.....	939	44		5	5		3	2	13	3	8	3	2			
21	Bright's disease.....	1,233	65	1	3	2	1	3	7	17	10	12	3	2			
22	Other diseases of the urinary system.....	1,130	61	2	3	7	2	3	4	10	2	19	3	4			
23	Diseases of the bones and joints.....	67	1									1					
24	Burns.....	43															
25	Injuries by machinery.....	17															
26	Suicides.....	361	22	1	5		3	1		5	4	1	2				
27	Other accidents and injuries.....	2,304	44		4	2		1	2	14	4	4	9	4			
28	Cancer of the stomach.....	223	4							1		1		2			
29	Cancer of the liver.....	95	6		3	1				1		2		1			
30	Cancer of the head, face, and neck.....	75	2							1				1			
31	Cancer of the abdomen.....	54															
32	Cancer of the mouth, tongue, and throat.....	73	5							2		2	1				
33	Unknown causes.....	186	9			2	1	1		2		1	1	1			
RURAL PART OF REGISTRATION STATES.																	
34	Total.....	16,235	543	2	29	139	17	17	19	81	16	160	15	48			
35	White.....	15,923	539	2	29	135	17	17	19	81	16	160	15	48			
36	Native born.....	11,540	474	1	21	111	17	15	16	79	11	147	14	42			
37	Both parents native.....	7,431	308		14	67	10	13	13	49	6	101	11	24			
38	One or both parents foreign.....	1,056	36	1	4	7	2	1	5	4	5	5	1	5			
39	Foreign born.....	3,823	52	1	7	20		2	3		4	9		6			
40	Colored.....	307	4			4											
41	Typhoid fever.....	452	16		2	2	1		2	3		1	1	4			
42	Malarial fever.....	133	4								1	1		2			
43	Lead poison.....	4	1		1												
44	Rheumatism.....	107	6			3				2	1						
45	Dropsy.....	191	5			1				1		3					
46	Heart disease.....	1,781	69	1	3	22			4	5	3	22	2	7			
47	Consumption.....	2,333	59		8	9	1	5	5	9	3	10	1	8			
48	Diabetes.....	116	9		1	1		1				4	1	1			
49	Diseases of the nervous system.....	2,130	94		6	29	2	11	1	17	4	26	2	6			
50	Diseases of the respiratory system.....	2,403	87		4	27	1	3	3	14	1	25	2	7			
51	Diseases of the liver.....	240	7			2		11	1	3							
52	Ascites.....	13	1									1					
53	Other diseases of the digestive system.....	473	13		1	2	1	1	1	1	1	4	4	2			
54	Bright's disease.....	554	26			8	4	1		4		6	2	1			
55	Other diseases of the urinary system.....	598	25		1	5	2		1	1		12	1	2			
56	Diseases of the bones and joints.....	31	1														
57	Burns.....	14	1			1											
58	Injuries by machinery.....	4															
59	Suicides.....	184	7				1				2	2		2			
60	Other accidents and injuries.....	1,208	21		1	5	1			6		8					
61	Cancer of the stomach.....	171	6		1	3		1				1					
62	Cancer of the liver.....	36	3			1						1	1				
63	Cancer of the head, face, and neck.....	44	1									1					
64	Cancer of the abdomen.....	27	1			1											
65	Cancer of the mouth, tongue, and throat.....	27	2		1	1											
66	Unknown causes.....	259	6			1			1	2		1		1			

STATISTICS OF DEATHS.

OCCUPATIONS, WITH DISTINCTION OF COLOR, NATIVITY, PARENTAL NATIVITY, ETC.—Continued.

CLASS B.							CLASS C.									
Total.	Stenographers and typewriters.	Accountants, bookkeepers, clerks, and copyists.	Bankers, brokers, and officials of companies.	Collectors, auctioneers, and agents.	Wholesale merchants and dealers.	News-paper carriers and newsboys.	Total.	Apothecaries, pharmacists, and dealers in chemicals and drugs.	Commercial travelers and salesmen.	Dealers in dry goods (retail).	Dealers in groceries (retail).	Dealers, not specified (retail).	Hucksters and peddlers.	Wine and liquor dealers (retail).	Wine and liquor dealers (wholesale).	
2,734	13	2,046	205	403	50	17	2,823	123	401	22	324	1,548	282	121	2	1
2,723	13	2,040	205	401	49	15	2,808	123	399	21	324	1,537	281	121	2	2
1,978	11	1,503	164	262	31	7	1,462	83	272	11	124	845	87	35		3
1,017	8	693	123	169	19		834	53	142	6	57	546	25	5		4
777	3	682	27	56	4	5	430	25	95	5	45	185	45	30		5
735	2	529	41	137	18	8	1,334	35	125	10	199	687	190	56	2	6
11		6		2	1	2	15		2	1		11	1			7
86	1	70	6	8	1		86	8	21		13	32	10	2		8
26		21		5			22	1	6		1	11	1	2		9
21		16	2	2	1		24		3		4	14	2	1		10
2		2					3					2	1			11
240	1	164	24	43	7	1	317	10	33	2	29	212	27	4		13
783	7	680	22	61	3	5	507	30	102	6	58	225	63	23		14
17		6	5	5	1		26		61		3	18		3		15
287	1	195	27	51	9	4	375	15	41	2	35	232	38	11		16
502	1	378	43	72	6	2	534	25	72	7	84	266	52	28		17
47		30	5	11	1		84	5	10	1	10	45	4	8	1	18
93		1					109	2	23	2	14	55	10	3		19
93		67	8	17	1		131	1	13	1	17	75	12	12		20
115		69	8	34	3	1	116	4	8		12	76	10	6		21
84		53	11	17	3		4	1	1		1					22
3		3					1									23
3		3					1									24
55	2	36	7	10			32	1	4			22	4	1		25
105		71	11	18	2	3	76	3	17			36	9	3		26
15		6	3	5	1		29	1	1			17	3	1		27
2		1	1				11		1			7	1	1		28
2		2					6		1			1				29
3		3					8		1			5		1		30
6		3					11		3			7				31
9		7		1			14	3	3			6	2			32
				1								7	1			33
502	6	330	80	76	9	1	683	34	71	7	52	478	37	3	1	34
502	6	330	80	76	9	1	680	34	71	7	52	477	35	3	1	35
437	5	294	66	65	6	1	540	24	66	6	37	385	22			36
206	3	174	42	40	6	1	399	20	41	6	33	282	17			37
80	2	66	8	4			37	2	9		1	24	1			38
56		31	12	10	3		118	9	4	1	13	75	13	2	1	39
							3					1	2			40
22		20	1	1			19		4		1	12	2			41
4		3		1			10		1			8	1			42
3		3					4					4				43
2		1	1				2		1			1				44
																45
40		21	12	6	1		76	3	3	1	9	58	2			46
133	3	112	9	7	1	1	82	8	16	1	3	53	2			47
10		6	2	2			10	1	1			8				48
71		37	15	17	2		104	1	7	2	8	77	9			49
60		40	9	11			91	8	9	1	7	59	7			50
6		4	2				17		1		1	13	1		1	51
							2					2				52
14	1	8	1	3	1		35	3	4		3	22	3			53
20		11	5	3	1		36	1	3	1	2	27		2		54
12		5	3	4			30				2	27	1			55
1		1					4				1	3				56
																57
7		4	2	1			13	1	3			8	1			58
40	2	22	7	8	1		34	1	7		5	19	2			59
																60
3		1	1	1			11		1			10				61
1		1		1			2					2				62
							1									63
							1					1				64
							1					1				65
5		4	1				13	1	1	1	3	7				66

TABLE 7.—DEATHS AMONG MALES ENGAGED IN CERTAIN OCCUPATIONS AND CLASSES OF

AREAS.	CLASS D.			CLASS E.							
	Total.	Hotel and boarding house keepers.	Saloon keepers, billiard and bowling saloon keepers, bartenders, and restaurant keepers.	Total.	Barbers and hair-dressers.	Janitors and sextons.	Laundrers.	Nurses.	Police-men, watchmen, and detectives.	Soldiers, sailors, and marines (United States).	Undertakers.
REGISTRATION CITIES IN REGISTRATION STATES—Continued.											
1 Total	647	115	532	1,054	251	181	79	26	388	180	49
2 White	636	114	522	925	212	110	24	23	379	123	49
3 Native born	270	65	205	403	85	51	13	11	165	45	33
4 Both parents native	79	40	39	143	18	26	6	6	62	15	15
5 One or both parents foreign	158	16	142	186	57	16	4	2	81	11	15
6 Foreign born	362	49	313	514	125	59	11	12	211	81	15
7 Colored	11	1	10	129	39	21	55	3	9	2	
8 Typhoid fever	6	2	4	29	13	1	2	1	9	3	
9 Malarial fever	7	1	6	10	3		1		4	1	1
10 Lead poison											
11 Rheumatism	5	2	3	3	1	3	1		3		
12 Dropsy	3		3	3							
13 Heart disease	40	13	27	103	22	17	3	2	38	13	8
14 Consumption	173	20	153	247	80	21	44	1	66	29	6
15 Diabetes	5	2	3	5					3		
16 Diseases of the nervous system	50	14	36	103	21	11	1	3	47	20	5
17 Diseases of the respiratory system	186	25	111	203	43	31	9	6	84	16	14
18 Diseases of the liver	37	8	29	32	8	5	1		10	6	2
19 Ascites											
20 Other diseases of the digestive system	19		19	35	5	5	2	3	11	5	4
21 Bright's disease	29	5	24	31	7	4	1		15	3	1
22 Other diseases of the urinary system	19	3	16	35	5	6		2	15	4	3
23 Diseases of the bones and joints	1		1	5	2		1	1	1		
24 Burns				1				1			
25 Injuries by machinery											
26 Suicides	9	2	7	19	9	2	2		6		
27 Other accidents and injuries	36	7	29	55	9	10	3		28	4	1
28 Cancer of the stomach	3		3	6	1		1		2	2	
29 Cancer of the liver	4		4	4		1		1	2		
30 Cancer of the head, face, and neck	1	1	4	4			1		2	1	
31 Cancer of the abdomen			2	2				2			
32 Cancer of the mouth, tongue, and throat	1		2	2	1				1		
33 Unknown causes	3		3	4	1	1			2		
RURAL PART OF REGISTRATION STATES—Continued.											
34 Total	149	90	59	150	37	21	9	9	32	16	26
35 White	148	89	59	140	33	18	6	9	32	16	26
36 Native born	102	63	34	92	22	12	2	3	20	10	23
37 Both parents native	55	42	13	54	10	9	2	1	13	3	16
38 One or both parents foreign	21	7	14	14	7	1			2	3	1
39 Foreign born	43	13	25	45	10	6	4	5	11	6	3
40 Colored	1	1		10	4	3	3				
41 Typhoid fever	5	1	4	4	1			1		1	1
42 Malarial fever	1	1		1		1					
43 Lead poison											
44 Rheumatism			1	1						1	
45 Dropsy	1		1	1							
46 Heart disease	16	12	4	15	3	2	2	1	4	2	1
47 Consumption	23	12	11	22	14		1		2	2	3
48 Diabetes											
49 Diseases of the nervous system	23	19	9	18	3	5	1		2	2	5
50 Diseases of the respiratory system	19	8	11	27	6	5	1	3	5	3	4
51 Diseases of the liver	7	6	1	3	1	1			1		
52 Ascites											
53 Other diseases of the digestive system	5	4	1	3		1	1		1		
54 Bright's disease	9	4	5	7				1	3		3
55 Other diseases of the urinary system	8	6	2	6	1		1		2		2
56 Diseases of the bones and joints											
57 Burns											
58 Injuries by machinery											
59 Suicides	1	1		3		1		1		1	
60 Other accidents and injuries	6	2	4	14	4	3		1	4	2	
61 Cancer of the stomach				1			1				
62 Cancer of the liver											
63 Cancer of the head, face, and neck											
64 Cancer of the abdomen				1							1
65 Cancer of the mouth, tongue, and throat											
66 Unknown causes	4	2	2	5					2	1	2

STATISTICS OF DEATHS.

285

OCCUPATIONS, WITH DISTINCTION OF COLOR, NATIVITY, PARENTAL NATIVITY, ETC.—Continued.

CLASS F.				CLASS G.												
Total.	Laborers (not specified).	Messenger boys.	Servants.	Total.	Artificial flower and paper box makers.	Bakers and confectioners.	Blacksmiths.	Bleachers, dyers, and scourers.	Bookbinders.	Boot and shoe makers.	Brassfounders and copper-smiths.	Brewers, distillers, and rectifiers.	Brick and tile makers and terra cotta workers.	Butchers.	Cabinet makers and upholsterers.	
7,824	7,042	46	736	11,618	42	377	459	56	83	1,015	97	92	21	379	282	1
7,077	6,529	41	507	11,531	41	375	454	56	83	1,001	97	92	18	377	278	2
1,567	1,384	27	156	4,987	25	98	163	8	50	438	46	10	10	156	82	3
391	336	12	43	2,048	7	28	65	3	16	214	13	2	6	50	26	4
852	761	13	78	2,109	15	57	62	5	28	146	30	7	1	84	44	5
5,436	5,075	14	347	6,485	16	270	285	48	33	553	51	80	8	221	191	6
747	513	5	229	87	1	2	5			14			3	2	4	7
241	220	4	17	350	2	17	10	1	2	13		1		14	3	8
69	65	1	3	95	1	1	6			4				4	1	9
4	4			12												10
50	43		7	76		1	2			4		3		1	1	11
26	24		2	32						4				1		12
605	539	4	62	1,011	3	33	38	4	5	98	10	6	1	25	22	13
1,759	1,508	14	237	2,993	17	96	96	11	29	238	39	18	2	85	88	14
15	12		3	85		2	3			5					1	15
679	620	5	54	1,220	1	44	54	9	8	140	11	8	4	51	25	16
1,620	1,487	5	128	2,020	8	69	95	7	18	178	19	22	2	54	61	17
132	114	2	16	221	1	7	12	1	1	17		3	1	11	9	18
3	3			5						1		1			1	19
212	191	1	20	335	1	6	23		1	20	3	1		15	8	20
276	242	2	32	461	2	24	17	3	2	42	1	2	1	19	9	21
236	209		27	419	2	16	13	5	5	35	4	4	1	8	8	22
17	16		1	28						4						23
18	15	1	2	16				1								24
5	4		1	12		1										25
53	47		6	142		5	5	1		7		2	1	5	1	26
745	700	5	40	686	2	10	30	5	2	50	4	3	5	16	6	27
39	38		1	102		3	4	1		12	1			4	5	28
15	15			46		1	3		2	3		1		6	1	29
26	25		1	22		1			1	2					1	30
11	10		1	26		3	1			1				1	1	31
14	14			25		1	1			3		1		1	1	32
52	40		3	67		1	2			5			1	1		33
2,762	2,681	5	76	3,520	2	33	274	21	4	454	14	7	16	75	36	34
2,577	2,515	5	57	3,504	2	33	273	21	4	451	13	7	16	75	36	35
1,201	1,173	3	25	2,434		8	195	4	3	327	9	3	6	60	26	36
649	635	2	12	1,526		4	121	3	3	218	7		3	33	19	37
186	180	1	5	335		2	21			42		2	2	11	3	38
1,238	1,206	2	30	972	2	23	72	17	1	114	4	4	8	15	10	39
185	166		19	16			1			3	1					40
109	108		1	118		1	5		1	5			3	1	1	41
29	29			21			4			2				2		42
				3												43
12	12			19		1				3						44
31	29		2	32			3			6	1					45
246	238		8	339		1	38	3	1	59	1			8	9	46
514	491	3	20	670	1	8	33	3		97	6	4	3	12	7	47
9	9			19			2			2			1		1	48
279	271	1	7	475		3	39	1	1	59	2			11	5	49
385	374		11	488		6	34	4		66				5	2	50
25	25			48			5			7		1				51
4	4			1												52
75	70		5	103		1	5	1		14		1	1	3	2	53
73	70	1	2	112		2	8	1		12	1	1	2	4	2	54
76	73		3	109		1	9			12				1	1	55
7	7			6			1									56
7	7			4		1										57
1	1															58
25	24		1	45		1	3	1		7				3	1	59
322	316		6	219		1	13	3	1	15			4	7	1	60
24	24			31			2			3						61
5	5			8		1				1						62
6	6			12			1								1	63
6	5		1	8		1				1						64
6	6			9												65
56	53		3	39		1	5	1		3				2		66

TABLE 7.—DEATHS AMONG MALES ENGAGED IN CERTAIN OCCUPATIONS AND CLASSES OF

AREAS.		CLASS G—continued.											
		Carpenters and joiners.	Cigar makers and tobacco workers.	Clock and watch-repairers, jewelers, and opticians.	Compositors, printers, and pressmen.	Coopers.	Cotton-mill operatives.	Electrotypers and stereotypers.	Engineers and firemen (not locomotive).	Flax-mill operatives.	Gas-works employes.	Glass blowers.	Glass workers.
REGISTRATION CITIES IN REGISTRATION STATES—Continued.													
1	Total	1,387	358	260	391	189	42	10	417	3	15	33	34
2	White	1,377	353	260	391	188	42	10	412	3	15	33	34
3	Native born	679	122	148	264	61	12	6	205	6	22	16	4
4	Both parents native	407	27	77	99	23	2	4	113	4	2	4	4
5	One or both parents foreign	134	73	58	133	23	10	2	60	2	14	12	4
6	Foreign born	683	228	112	124	126	30	4	203	3	9	10	18
7	Colored	10	5			1			5				
8	Typhoid fever	56	5	7	11	1	4		15		1	2	
9	Malarial fever	13	3	2	3	2			3				
10	Lead poison												
11	Rheumatism	12	2	3	1	1			4				
12	Dropsy	6	1			1							
13	Heart disease	124	27	22	33	24	7		38	1	8	1	3
14	Consumption	265	133	86	142	36	11	4	91		2	15	17
15	Diabetes	8			1				2				
16	Diseases of the nervous system	189	28	29	25	26	3	1	41		2	3	2
17	Diseases of the respiratory system	217	60	46	61	35	4	5	68	1	2	4	8
18	Diseases of the liver	27	3	3	7	4			6			1	
19	Ascites		1		1								
20	Other diseases of the digestive system	42	7	5	14	3	2		10		1	1	
21	Bright's disease	45	19	12	18	7	2		16				
22	Other diseases of the urinary system	56	15	9	17	6	1		20			2	1
23	Diseases of the bones and joints	6	1						3				
24	Burns						1		4				
25	Injuries by machinery	1							3				
26	Suicides	12	6	5	4	1			2			2	1
27	Other accidents and injuries	115	10	11	15	8	3		49		1	2	1
28	Cancer of the stomach	17	5	4		4	1		2				
29	Cancer of the liver	5			1	1			1				
30	Cancer of the head, face, and neck	4	1		1	2							
31	Cancer of the abdomen	3			1	1			2				
32	Cancer of the mouth, tongue, and throat	3	1	1	1	2							
33	Unknown causes	6	3	2	2	3			1		1		
RURAL PART OF REGISTRATION STATES—Continued.													
34	Total	782	35	47	40	59	26		83	1	3	16	7
35	White	780	35	47	40	59	26		82	1	3	16	7
36	Native born	631	24	37	32	44	11		62	1	3	15	3
37	Both parents native	424	11	28	18	26	6		37	1	2	11	1
38	One or both parents foreign	48	6	5	4	1	3		11			4	2
39	Foreign born	123	11	9	8	8	14		18				4
40	Colored	2							1				
41	Typhoid fever	24	1	2			2		8			2	
42	Malarial fever	3			1							1	
43	Lead poison												
44	Rheumatism	5		1									
45	Dropsy	9				1			1				
46	Heart disease	82	2	4	2	4	1		7			1	2
47	Consumption	111	15	13	14	8	4		10	1	2	6	2
48	Diabetes	2							1				
49	Diseases of the nervous system	123	4	8	7	9	1		11			2	
50	Diseases of the respiratory system	120	5	8	5	7	4		10			3	1
51	Diseases of the liver	16			1		1						
52	Ascites												
53	Other diseases of the digestive system	28	3	3	2	3			2				
54	Bright's disease	26		1	1	3	1		1				
55	Other diseases of the urinary system	27	1		2	2	1		1				
56	Diseases of the bones and joints	3											
57	Burns	1				1			1				
58	Injuries by machinery												
59	Suicides	3		1	1	1	1		1				
60	Other accidents and injuries	56		3	2	2	2		19				
61	Cancer of the stomach	8				1	2						
62	Cancer of the liver								1				
63	Cancer of the head, face, and neck	4			1								
64	Cancer of the abdomen	2											
65	Cancer of the mouth, tongue, and throat	2					1		1				
66	Unknown causes	8				1							

TABLE 7.—DEATHS AMONG MALES ENGAGED IN CERTAIN OCCUPATIONS AND CLASSES OF

AREAS.	CLASS G—continued:									CLASS H.		
	Plasterers and white-washers.	Plumbers and gas and steam fitters.	Potters.	Rubber factory operatives.	Silk mill operatives.	Tailors.	Tinners and tinware makers.	Wheelwrights.	Woolen mill operatives.	Total.	Boatmen and canalmen.	Draymen, hackmen, teamsters, drivers, etc.
REGISTRATION CITIES IN REGISTRATION STATES—Continued.												
1 Total	117	262	37	37	70	785	162	57	51	4,079	120	1,216
2 White	103	261	37	37	70	784	162	57	51	3,950	117	1,168
3 Native born	40	158	12	15	23	123	93	30	19	2,253	70	654
4 Both parents native	12	29	2	5	4	44	22	16	4	1,110	31	224
5 One or both parents foreign	19	118	6	9	16	62	54	6	13	673	24	347
6 Foreign born	63	102	21	20	47	660	69	27	32	1,000	39	502
7 Colored	14	1				1				129	3	48
8 Typhoid fever		5		5	3	12	3	1	2	124	4	51
9 Malarial fever	2	3				6	1			31	1	10
10 Lead poison	1	1								19	1	3
11 Rheumatism	2	3		1		5				10		1
12 Dropsy		1										
13 Heart disease	11	18	1	3	10	70	10	7	3	368	10	85
14 Consumption	35	90	12	10	16	166	51	11	17	772	21	315
15 Diabetes						3	1			13	1	3
16 Diseases of the nervous system	11	19	2	1	7	30	12	11	5	452	11	93
17 Diseases of the respiratory system	11	51	12	4	12	140	34	8	8	651	14	244
18 Diseases of the liver	2	2				20	3		2	62	3	21
19 Ascites										1		
20 Other diseases of the digestive system	5	7		1	2	35	3	1	1	92	5	32
21 Bright's disease	6	11	2	1	3	29	12	3		124	3	44
22 Other diseases of the urinary system	1	10	2		2	47	6	6	1	160	5	51
23 Diseases of the bones and joints	1					4				8		4
24 Burns					1	1				4		1
25 Injuries by machinery				1								
26 Suicides	1	2			4	12	3	1	1	29		7
27 Other accidents and injuries	11	10	3	6	3	31	12	1	1	357	26	121
28 Cancer of the stomach		2			3	11	2			30	1	7
29 Cancer of the liver			1			6				5		
30 Cancer of the head, face, and neck				1		1			1	12	1	4
31 Cancer of the abdomen				1	1	2				4		1
32 Cancer of the mouth, tongue, and throat	1					2				9		1
33 Unknown causes	1	1				1			5	28		5
RURAL PART OF REGISTRATION STATES—Continued.												
34 Total	7	17	4	19	8	87	46	45	44	7,926	54	148
35 White	6	17	4	19	8	87	45	45	44	7,838	54	141
36 Native born	4	16		7	1	36	31	39	20	6,260	42	105
37 Both parents native	3	6		2		23	18	27	7	4,174	22	63
38 One or both parents foreign		7		4	1	5	5	2	7	347	9	15
39 Foreign born	2	1	4	12	7	50	13	4	23	1,299	11	27
40 Colored	1						1			88		7
41 Typhoid fever		3		1			2	1	5	159	1	7
42 Malarial fever							1		1	63	1	5
43 Lead poison												
44 Rheumatism							1	2		62		1
45 Dropsy			1	1			1			117		2
46 Heart disease	1	2			1	10	1	6	2	930	5	11
47 Consumption	3	4	2	6	3	11	13	7	10	830	5	27
48 Diabetes						1			2	59		
49 Diseases of the nervous system			1	3	1	14	8	6	3	1,111	10	13
50 Diseases of the respiratory system	1	3		3	1	15	7	4	6	1,251	8	23
51 Diseases of the liver							2		1	127	1	3
52 Ascites						1				5		
53 Other diseases of the digestive system					1	3	2	2	1	225	3	7
54 Bright's disease		1			1	7		1		271	2	7
55 Other diseases of the urinary system						3	1	6	2	332		3
56 Diseases of the bones and joints										12		
57 Burns										2		
58 Injuries by machinery										3		
59 Suicides		1			1	1	2			33		3
60 Other accidents and injuries	1			2		1	2	3	1	552	14	17
61 Cancer of the stomach				1		1	1			95		
62 Cancer of the liver										17		
63 Cancer of the head, face, and neck						1				25		1
64 Cancer of the abdomen										9		1
65 Cancer of the mouth, tongue, and throat						1				9		
66 Unknown causes						4			1	131		3

STATISTICS OF DEATHS.

OCCUPATIONS, WITH DISTINCTION OF COLOR, NATIVITY, PARENTAL NATIVITY, ETC.—Continued.

CLASS H—continued.															
Farmers, planters, and overseers.	Farm laborers.	Fishermen and oystermen.	Gardeners, florists, nurserymen, and vine growers.	Livery stable keepers and hostlers.	Lumbermen and raftsmen.	Miners (coal).	Miners (not specified).	Pilots.	Quarrymen	Sailors.	Steam railroad employes (includes conductors, brakemen, engineers, and firemen).	Stock raisers, herders, and drovers.	Telegraph and telephone operators.	Telegraph and telephonemen and electric light men.	
1,034	27	90	226	227	14	3	20	23	33	410	548	11	55	22	1
1,018	27	88	222	194	14	3	19	22	32	393	545	11	55	22	2
711	13	56	51	82	8	3	6	17	4	171	344	5	46	12	3
460	11	30	25	37	4		4	9		108	145	3	13	1	4
39	1	17	16	27	2	1	2	5	4	24	132	1	24	7	5
275	13	31	170	109	6		13	5	28	212	181	6	9	10	6
16		2	4	33			1	1	1	17	3				7
14		3	4	9			2		2	16	14	1	2	2	8
11			1							3	4			1	9
5			2	1			1			1	1				10
5		1		1						1	1				11
133	3	7	24	13			1	3	3	48	32	1	5		13
101	7	23	42	67	1		2	4	10	65	85	1	22	6	14
6		1							2	1	1				15
192	2	10	29	19	2	2	5	3	2	41	35	1	5		16
132	4	13	40	46	3	1	4	4	5	63	63	5	9	1	17
14	1	3	4	6						6	2	1	1		18
31		1	1	5	1					5	3				19
26		4	4	9	1		1	1	1	15	11				20
45		5	7	6	3			2	2	18	15		1		21
							1								22
2				2				1			1				23
											1				24
9			1	4						4	3		1		25
57	2	8	10	14	1		2	3	6	61	231		4	11	26
12			3	3						3	1				28
3			1							1	1				29
2							1	1		2	1				30
2	1									2	2				31
2			1	1						2	2				32
12	1		2	1						3	3		1		33
6,637	230	61	95	58	29		52	2	29	283	213	9	25	1	34
6,592	209	61	93	51	29		52	2	29	277	213	9	25	1	35
5,411	160	54	39	39	26		13	1	8	178	155	8	20	1	36
3,669	104	46	21	16	20		6	1	5	108	80	2	11		37
225	28	1	8	9	1		5		2	8	30		5	1	38
946	46	6	54	10	3		38		19	89	47	1	2		39
45	21		2	7						6					40
122	4	2	3	2	4		1		2	7	3		1		41
46	3		2							5	1				42
53	1	1		1	1					2	2				43
107	2	1	2	1	1					1	1				44
821	14	3	14	7	3		4		2	30	13	3			46
619	55	9	9	18	2		4		3	49	21		9		47
51	2	1		1	1		1			2					48
971	18	8	16	3	3		7	2	1	45	9		5		49
1,073	34	8	11	7	6		13		4	37	19	2	5	1	50
109	1			3	1		1		1	5	2				51
4			1							1	3				52
197	6	2		2			2			1	3				53
230	10	2	3	1			2		1	11	1		1		54
311	4	2	1	2			1			7	1				55
10	1									1					56
2															57
3															58
66	5		4	1			1			1	2				59
305	28	3	3	4	5		13		11	23	120	3	3		60
91	1									3					61
13	1	1		1						1					62
19	1	1								2	1				63
5		1	2				1								64
9															65
117	2		2							6	1				66

TABLE 7.—DEATHS AMONG MALES ENGAGED IN CERTAIN OCCUPATIONS AND CLASSES OF

AREAS.	All selected occupations.	CLASS A.											
		Total.	Actors.	Architects, artists, etc.	Clergymen.	Dentists.	Engineers and surveyors.	Journalists.	Lawyers.	Musicians and teachers of music.	Physicians and surgeons.	Professors, authors, literary and scientific persons.	Teachers.
CONNECTICUT.													
1 Total.....	2,924	81		6	13	2	4		13	6	21	6	10
2 White.....	2,867	80		6	13	2	4		13	6	20	6	10
3 Native born.....	1,845	68		4	13	2	3		12	4	18	4	8
4 Both parents native.....	1,271	50		3	11	2	1		8	3	13	3	6
5 One or both parents foreign.....	269	4							1		2		1
6 Foreign born.....	985	10		2			1		1	2		2	2
7 Colored.....	57	1									1		
8 Typhoid fever.....	104	3					1		1				1
9 Malarial fever.....	42	4							1	1	1		1
10 Lead poison.....	2												
11 Rheumatism.....	33	2			1						1		
12 Dropsy.....	24												
13 Heart disease.....	265	6			2						2	1	1
14 Consumption.....	478	9		1		1	1			3	2	1	1
15 Diabetes.....	20	1									1		
16 Diseases of the nervous system.....	346	13			5		2		1	1	2	1	1
17 Diseases of the respiratory system.....	510	13		2		1			2	1	5	1	1
18 Diseases of the liver.....	62	1							1				
19 Ascites.....													
20 Other diseases of the digestive system.....	87	3		1					1			1	
21 Bright's disease.....	94	5		1					1			1	1
22 Other diseases of the urinary system.....	79	5		1	1				1		2		
23 Diseases of the bones and joints.....	4	1											1
24 Burns.....	3												
25 Injuries by machinery.....	2												
26 Suicides.....	23												
27 Other accidents and injuries.....	238	3							2		1		
28 Cancer of the stomach.....	28												
29 Cancer of the liver.....	6												
30 Cancer of the head, face, and neck.....	9												
31 Cancer of the abdomen.....	6												
32 Cancer of the mouth, tongue, and throat.....	5	1			1								
33 Unknown causes.....	21	1							1				
CITIES IN CONNECTICUT.													
34 Total.....	1,192	49		4	4	2	3		10	1	14	6	5
35 White.....	1,162	48		4	4	2	3		10	1	13	6	5
36 Native born.....	587	38		2	4	2	2		9	1	11	4	3
37 Both parents native.....	314	28		2	4	2			6	1	8	3	2
38 One or both parents foreign.....	158	4							1		2		1
39 Foreign born.....	561	8		2			1		1			2	2
40 Colored.....	30	1									1		
41 Typhoid fever.....	35	2					1		1				1
42 Malarial fever.....	23	3							1		1		
43 Lead poison.....	2												
44 Rheumatism.....	15	1									1		
45 Dropsy.....	6												
46 Heart disease.....	95	2									1	1	1
47 Consumption.....	232	6		1		1				1	2		1
48 Diabetes.....	8	1									1		
49 Diseases of the nervous system.....	129	6			2		2		1		1	1	1
50 Diseases of the respiratory system.....	219	8		1		1			2		3	1	
51 Diseases of the liver.....	32												
52 Ascites.....													
53 Other diseases of the digestive system.....	34	3		1					1			1	1
54 Bright's disease.....	34	5		1					1			1	1
55 Other diseases of the urinary system.....	28	2							1		1		
56 Diseases of the bones and joints.....	1												
57 Burns.....	1												
58 Injuries by machinery.....	1												
59 Suicides.....	10												
60 Other accidents and injuries.....	101	1							1				
61 Cancer of the stomach.....	8												
62 Cancer of the liver.....	2												
63 Cancer of the head, face, and neck.....	6												
64 Cancer of the abdomen.....	3												
65 Cancer of the mouth, tongue, and throat.....	2												
66 Unknown causes.....	6	1							1				

STATISTICS OF DEATHS.

OCCUPATIONS, WITH DISTINCTION OF COLOR, NATIVITY, PARENTAL NATIVITY, ETC.—Continued.

CLASS B.							CLASS C.								
Total.	Stenographers and typewriters.	Accountants, bookkeepers, clerks, and copyists.	Bankers, brokers, and officials of companies.	Collectors, auctioneers, and agents.	Whole-sale merchants and dealers.	News-paper carriers and newsboys.	Total.	Apothecaries, pharmacists, and dealers in chemicals and drugs.	Commercial travelers and salesmen.	Dealers in dry goods (retail).	Dealers in groceries (retail).	Dealers, not specified (retail).	Hucksters and peddlers.	Wine and liquor dealers (retail).	Wine and liquor dealers (wholesale).
110		78	16	13	2	1	149	11	20		12	90	12	4	1
110		78	16	13	2	1	149	11	20		12	90	12	4	2
94		67	15	10	1	1	111	10	18		8	66	8	1	3
57		38	11	6	1	1	80	6	13		4	51	5	1	4
24		23	1				15	3	3		2	5	2		5
16		11	1	3	1		38	1	2		4	24	4	3	6
															7
5		4		1			4		1			2	1		8
							4		1			3			9
1		1					2				1	1			10
1		1													11
															12
6		5	1				14		3		1	10			13
35		31		2	1	1	22	3	4			15			14
1		1					3					3			15
14		6	5	2	1		13	1			2	7	3		16
21		14	4	3			30	3	5		3	16	3		17
2		1	1				8	1	1		1	3	1	1	18
5		1	2				8	1			2	4	1		19
3		2		1			6					5	1		20
							7		2		1	3	1		21
							1					1			22
															23
															24
2		1	1												25
5		4		1			6		2			4			26
															27
															28
															29
															30
							1					1			31
							1	1							32
															33
64		45	11	8			88	8	13		8	48	7	4	34
64		45	11	8			88	8	13		8	48	7	4	35
53		36	11	6			60	7	11		5	33	3	1	36
30		20	7	3			38	3	8		2	23	1	1	37
15		14	1				12	3	2		2	3	2		38
11		9		2			23	1	2		3	15	4	3	39
															40
2		2					3		1			1	1		41
							2		1			1			42
1		1					2				1	1			43
1		1													44
															45
5		4	1				8		2			6			46
17		15		2			12	2	1			9			47
1		1					1					1			48
7		4	2	1			5	1			2	1	1		49
15		10	4	1			17	2	3		2	9	1		50
							6	1	1		1	1	1	1	51
3		1	1	1			1					1	1		52
1				1			5					4	1		53
							6		2			2	1		54
															55
															56
															57
2		1	1				2		1			1			58
3		2		1											59
															60
															61
															62
															63
															64
															65
							1	1							66

TABLE 7.—DEATHS AMONG MALES ENGAGED IN CERTAIN OCCUPATIONS AND CLASSES OF

AREAS.		CLASS G—continued.										
		Carpenters and joiners.	Cigar makers and tobacco workers.	Clock and watch repairers, jewelers, and opticians.	Compositors, printers, and pressmen.	Coopers.	Cotton mill operatives.	Electrotypers and stereotypers.	Engineers and firemen (not locomotive).	Flax mill operatives.	Gas works employes.	Glass blowers.
CONNECTICUT—Continued.												
1	Total	118	10	11	15	11	3	20	1	2		2
2	White	118	10	11	15	11	3	20	1	2		2
3	Native born	93	4	8	12	6		13	1	1		1
4	Both parents native	72	2	4	4	6		9	1			
5	One or both parents foreign	6	1	2	7			2		1		1
6	Foreign born	24	6	3	3	4	3	7		1		1
7	Colored											
8	Typhoid fever	2										
9	Malarial fever				1	1						
10	Lead poison											
11	Rheumatism	4		1								
12	Dropsy	2										
13	Heart disease	15	2	1		1						
14	Consumption	17	3	5	7		2	5	1			2
15	Diabetes											
16	Diseases of the nervous system	24	2	2	2	1		3				
17	Diseases of the respiratory system	14	2		1	1		1				
18	Diseases of the liver	2			1							
19	Ascites											
20	Other diseases of the digestive system	7		1				2				
21	Bright's disease	3		1		1						
22	Other diseases of the urinary system	1										
23	Diseases of the bones and joints	1										
24	Burns											
25	Injuries by machinery											
26	Suicides	1	1									
27	Other accidents and injuries	8			2	2		7		1		
28	Cancer of the stomach						1					
29	Cancer of the liver											
30	Cancer of the head, face, and neck											
31	Cancer of the abdomen											
32	Cancer of the mouth, tongue, and throat											
33	Unknown causes									1		
CITIES IN CONNECTICUT—Continued.												
34	Total	46	6	7	10	6	1	11		2		2
35	White	46	6	7	10	6	1	11		2		2
36	Native born	28	2	5	8	3		6		1		1
37	Both parents native	22	1	2	2	3		4				
38	One or both parents foreign	2		2	6					1		1
39	Foreign born	18	4	2	2	3	1	5		1		1
40	Colored											
41	Typhoid fever											
42	Malarial fever					1						
43	Lead poison											
44	Rheumatism	2		1								
45	Dropsy	2										
46	Heart disease	3	1			1						
47	Consumption	9	2	4	5		1	4				2
48	Diabetes											
49	Diseases of the nervous system	11	1	1	1			2				
50	Diseases of the respiratory system	7	1		1	1		1				
51	Diseases of the liver	1			1							
52	Ascites											
53	Other diseases of the digestive system	2						1				
54	Bright's disease			1								
55	Other diseases of the urinary system											
56	Diseases of the bones and joints	1										
57	Burns											
58	Injuries by machinery											
59	Suicides		1									
60	Other accidents and injuries	4			2			2		1		
61	Cancer of the stomach											
62	Cancer of the liver											
63	Cancer of the head, face, and neck											
64	Cancer of the abdomen											
65	Cancer of the mouth, tongue, and throat											
66	Unknown causes									1		

VITAL AND SOCIAL STATISTICS.

TABLE 7.—DEATHS AMONG MALES ENGAGED IN CERTAIN OCCUPATIONS AND CLASSES OF

AREAS.	CLASS G—continued.									CLASS H.		
	Plasterers and white-washers.	Plumbers and gas and steam fitters.	Potters.	Rubber factory operatives.	Silk mill operatives.	Tailors.	Tinners and tinware makers.	Wheelwrights.	Woolen mill operatives.	Total.	Boatmen and canalmen.	Draymen, hackmen, teamsters, drivers, etc.
CONNECTICUT—Continued.												
1 Total	1	11	1	13		20	14	6	5	1,032	1	52
2 White	1	11	1	13		20	14	6	5	1,021	1	52
3 Native born		6		5		4	8	6	1	832	1	25
4 Both parents native		2		1		4	5	4		657	1	15
5 One or both parents foreign		3		3			1		1	50		7
6 Foreign born	1	5	1	8		16	5		4	176		27
7 Colored										11		
8 Typhoid fever		3		1						26		3
9 Malarial fever										16		
10 Lead poison										11		
11 Rheumatism			1							10		
12 Dropsy												
13 Heart disease						3		1	1	110		4
14 Consumption		2		4		1	3		1	106	1	16
15 Diabetes										11		
16 Diseases of the nervous system		1				3	3	1		141		1
17 Diseases of the respiratory system		1		5			1	1	2	175		14
18 Diseases of the liver		2								15		
19 Ascites						2				22		2
20 Other diseases of the digestive system						1				32		
21 Bright's disease							3			42		2
22 Other diseases of the urinary system						1	1	1				
23 Diseases of the bones and joints										1		
24 Burns										1		
25 Injuries by machinery				1						1		
26 Suicides										8		
27 Other accidents and injuries				1		1	1			77		3
28 Cancer of the stomach										16		
29 Cancer of the liver										1		
30 Cancer of the head, face, and neck										5		
31 Cancer of the abdomen						1				2		
32 Cancer of the mouth, tongue, and throat	1									2		
33 Unknown causes		1								13		
CITIES IN CONNECTICUT—Continued.												
34 Total	1	9		5		14	6	5		217		34
35 White	1	9		5		14	6	5		213		34
36 Native born		4		2		1	4	5		139		14
37 Both parents native		2		1		1	2	3		84		5
38 One or both parents foreign		2					1			23		4
39 Foreign born	1	5		3		13	2			68		20
40 Colored										4		
41 Typhoid fever		1								3		1
42 Malarial fever										5		
43 Lead poison												
44 Rheumatism										2		
45 Dropsy										1		
46 Heart disease						3		1		21		3
47 Consumption		2		1		1				37		11
48 Diabetes										3		
49 Diseases of the nervous system		1				2	1	1		32		1
50 Diseases of the respiratory system		1		3						30		9
51 Diseases of the liver		2								4		
52 Ascites												
53 Other diseases of the digestive system						1				2		1
54 Bright's disease							3			3		
55 Other diseases of the urinary system							1	1		10		2
56 Diseases of the bones and joints												
57 Burns												
58 Injuries by machinery				1								
59 Suicides										1		
60 Other accidents and injuries										27		1
61 Cancer of the stomach										2		
62 Cancer of the liver												
63 Cancer of the head, face, and neck										2		
64 Cancer of the abdomen						1				1		
65 Cancer of the mouth, tongue, and throat	1									1		
66 Unknown causes		1								2		

STATISTICS OF DEATHS.

OCCUPATIONS, WITH DISTINCTION OF COLOR, NATIVITY, PARENTAL NATIVITY, ETC.—Continued.

CLASS B.							CLASS C.								
Total.	Stenographers and typewriters.	Accountants, bookkeepers, clerks, and copyists.	Bankers, brokers, and officials of companies.	Collectors, auctioneers, and agents.	Wholesale merchants and dealers.	News-paper carriers and newsboys.	Total.	Apothecaries, pharmacists, and dealers in chemicals and drugs.	Commercial travelers and salesmen.	Dealers in dry goods (retail).	Dealers in groceries (retail).	Dealers, not specified (retail).	Hucksters and peddlers.	Wine and liquor dealers (retail).	Wine and liquor dealers (wholesale).
46		33	5	5	2	1	61	3	7		4	42	5		1
46		33	5	5	2	1	61	3	7		4	42	5		2
41		31	4	4	1	1	51	3	7		3	33	5		3
27		18	4	3	1	1	42	3	5		2	28	4		4
9		9		1			3		1			2			5
5		2	1	1	1		10				1	9			6
															7
3		2		1			1					1			8
							2					2			9
															10
															11
															12
1		1			1	1	6		1		1	4			13
18		16					10	1	3			6			14
							2					2			15
7		2	3	1	1		8					6	2		16
6		4		2			13	1	2		1	7	2		17
															18
2		1	1				2					2			19
															20
2		2	1	1			7	1			2	3	1		21
2		2					1					1			22
							1					1			23
															24
															25
2		2					4		1			3			26
															27
															28
															29
															30
							1					1			31
															32
															33
22		14	3	5			49	2	5		5	36	1		34
															35
22		14	3	5			49	2	5		5	36	1		36
															37
21		13	3	5			40	2	5		4	29			38
6		4	1	1			13		1		1	11			39
															40
1		1					8				1	6	1		41
															42
							3	1	1			1			43
							1					1			44
															45
4		1	2	1			8					8			46
5		4		1			5		2		1	2			47
							1					1			48
2		2					9				2	7			49
3		2		1			4					4			50
															51
							1					1			52
1		1					2					2			53
1				1			3				1	2			54
							1					1			55
															56
							1				1				57
1		1													58
1		1							1		1				59
															60
							2				2				61
															62
															63
															64
															65
							2		1						66

TABLE 7.—DEATHS AMONG MALES ENGAGED IN CERTAIN OCCUPATIONS AND CLASSES OF

AREAS.	CLASS G—continued.									CLASS H.		
	Plaster- ers and white- washers.	Plumb- ers and gas and steam fitters.	Pot- ters.	Rubber factory oper- atives.	Silk mill oper- atives	Tailors.	Tinners and tinware makers.	Wheel- wrights.	Woolen mill op- eratives.	Total.	Boatmen and canal- men.	Dray- men, hack- men, team- sters, drivers, etc.
RURAL PART OF CONNECTICUT—Continued.												
1 Total		2	1	8		6	8	1	5	815	1	18
2 White		2	1	8		6	8	1	5	808	1	18
3 Native born		2		8		3	4	1	1	693	1	11
4 Both parents native						3	3	1		573	1	10
5 One or both parents foreign		1		8					1	27		1
6 Foreign born			1	5		3	3		4	108		7
7 Colored										7		
8 Typhoid fever		2		1						23		2
9 Malarial fever										11		
10 Lead poison												
11 Rheumatism										9		
12 Dropsy			1							9		
13 Heart disease									1	89		1
14 Consumption				8			3		1	69	1	5
15 Diabetes										8		
16 Diseases of the nervous system						1	2			109		
17 Diseases of the respiratory system				2			1	1	2	145		5
18 Diseases of the liver										11		
19 Ascites												
20 Other diseases of the digestive system						1				20		1
21 Bright's disease						1				29		
22 Other diseases of the urinary system										32		
23 Diseases of the bones and joints										1		
24 Burns										1		
25 Injuries by machinery										1		
26 Suicides										7		
27 Other accidents and injuries				1		1	1			50		2
28 Cancer of the stomach										14		
29 Cancer of the liver										1		
30 Cancer of the head, face, and neck										3		
31 Cancer of the abdomen										1		
32 Cancer of the mouth, tongue, and throat										1		
33 Unknown causes										11		
DELAWARE—Continued.												
34 Total		2				2	2	2		267		4
35 White		2				2	2	2		242		3
36 Native born		2				1	2	2		219		3
37 Both parents native						1	1	2		181		
38 One or both parents foreign										3		
39 Foreign born						1				11		
40 Colored										25		1
41 Typhoid fever								1		9		1
42 Malarial fever										6		
43 Lead poison												
44 Rheumatism										1		
45 Dropsy										9		
46 Heart disease										24		1
47 Consumption		1					2			47		1
48 Diabetes										1		
49 Diseases of the nervous system										89		1
50 Diseases of the respiratory system						1				29		
51 Diseases of the liver										7		
52 Ascites												
53 Other diseases of the digestive system										8		
54 Bright's disease			1			1				11		
55 Other diseases of the urinary system										1		
56 Diseases of the bones and joints										1		
57 Burns												
58 Injuries by machinery												
59 Suicides												
60 Other accidents and injuries										20		
61 Cancer of the stomach										1		
62 Cancer of the liver												
63 Cancer of the head, face, and neck												
64 Cancer of the abdomen												
65 Cancer of the mouth, tongue, and throat												
66 Unknown causes										9		

STATISTICS OF DEATHS.

OCCUPATIONS, WITH DISTINCTION OF COLOR, NATIVITY, PARENTAL NATIVITY, ETC.—Continued.

CLASS H—continued.														
Farmers, planters, and overseers.	Farm laborers.	Fishermen and oystermen.	Gardeners, florists, nurserymen, and vine growers.	Livery stable keepers and hostlers.	Lumbermen and raftsmen.	Miners (coal).	Miners (not specified).	Pilots.	Quarrymen.	Sailors.	Steam railroad employes (includes conductors, brakemen, engineers, and firemen).	Stock raisers, herders, and drovers.	Telegraph and telephone operators.	Telegraph and telephonemen and electric light men.
715	7	5	4	6			5	1	5	23	23		2	1
711	7	5	4	5			5	1	5	21	23		2	2
627	6	5	2	5				1	2	16	16		1	3
531	4	3	1	2				1	1	12	7			4
16	1			2					1	1	4		1	5
79	1		2				5		3	4	6		1	6
4				1						2				7
18			2							1				8
11														9
8										1				10
8	1													11
81	1						1		1	2	2			12
50	2	1		2					2	4	1		1	13
7									1	1				14
102		1	1	1			1	1	1	4	1		1	15
128		2							1	1	4			16
10										1				17
16				2			1							18
29										1				19
30		1												20
1														21
1														22
1														23
7							1		1	3	10			24
33														25
14														26
2				1										27
1											1			28
1														29
1										1	1			30
9														31
197	18	2	3	3					2	18	18	1	1	32
186	9	2	3	2					1	16	18	1	1	33
171	9	2	1	2						14	16	1		34
109	8	2								9	3			35
2			1											36
6			2						1	1	1			37
11	9			1										38
7									1	2				39
5	1												1	40
1														41
8	1													42
16			2	1						2	1	1		43
37	5			1					1	2				44
1														45
34									1	3				46
21	2	2								2	2			47
7														48
7	1													49
11														50
1				1										51
														52
														53
														54
														55
														56
														57
														58
8	1		1							5	14			59
1														60
														61
														62
														63
														64
														65
7	2													66

STATISTICS OF DEATHS.

OCCUPATIONS, WITH DISTINCTION OF COLOR, NATIVITY, PARENTAL NATIVITY, ETC.—Continued.

CLASS B.							CLASS C.								
Total.	Stenographers and typewriters.	Accountants, bookkeepers, clerks, and copyists.	Bankers, brokers, and officials of companies.	Collectors, auctioneers, and agents.	Wholesale merchants and dealers.	News-paper carriers and newsboys.	Total.	Apothecaries, pharmacists, and dealers in chemicals and drugs.	Commercial travelers and salesmen.	Dealers in dry goods (retail).	Dealers in groceries (retail).	Dealers, not specified (retail).	Hucksters and peddlers.	Wine and liquor dealers (retail).	Wine and liquor dealers (wholesale).
12		8	1	3			25	2	3		4	16			1
12		8	1	3			25	2	3		4	16			2
11		7	1	3			19	2	3		3	11			3
															4
1		1					6				1	5			5
															6
															7
							1	1							8
							1					1			9
															10
															11
															12
1			1				6					6			13
4		4					3		2		1				14
							1					1			15
1		1			1		6				2	4			16
2		1					3					3			17
															18
															19
1				1			1				1				20
															21
															22
															23
															24
															25
1		1					1		1						26
															27
															28
															29
															30
															31
							1	1							32
															33
															34
10		6	2	2			24		2		1	20	1		35
															36
10		6	2	2			21		2		1	18			37
6		4	1	1			13		1		1	11			38
															39
							2					1	1		40
															41
															42
															43
															44
															45
3		1	1	1			2					2			46
1				1			2					2			47
															48
1		1					3					3			49
1							1					1			50
															51
1		1					2					2			52
							2					2			53
							1					1			54
															55
							1					1			56
															57
1		1					1				1				58
															59
							2					2			60
															61
															62
															63
															64
															65
							1		1						66

VITAL AND SOCIAL STATISTICS.

TABLE 7.—DEATHS AMONG MALES ENGAGED IN CERTAIN OCCUPATIONS AND CLASSES OF

AREAS.	CLASS G—continued.									CLASS H.		
	Plasterers and white-washers.	Plumbers and gas and steam fitters.	Potters.	Rubber factory operatives.	Silk mill operatives.	Tailors.	Tinners and tinware makers.	Wheelwrights.	Woolen mill operatives.	Total.	Boatmen and canalmen.	Draymen, hackmen, teamsters, drivers, etc.
CITIES IN DELAWARE—Continued.												
1	Total	2				1	1			31		2
2	White	2				1	1			29		2
3	Native born	2					1			26		2
4	Both parents native											
5	One or both parents foreign									3		
6	Foreign born					1						
7	Colored									2		1
8	Typhoid fever									1		1
9	Malarial fever											
10	Lead poison											
11	Rheumatism											
12	Dropsy											
13	Heart disease									4		
14	Consumption	1					1			4		1
15	Diabetes											
16	Diseases of the nervous system									3		1
17	Diseases of the respiratory system					1				2		
18	Diseases of the liver									1		
19	Ascites											
20	Other diseases of the digestive system											
21	Bright's disease	1								2		
22	Other diseases of the urinary system											
23	Diseases of the bones and joints									1		
24	Burns											
25	Injuries by machinery											
26	Suicides											
27	Other accidents and injuries									10		
28	Cancer of the stomach											
29	Cancer of the liver											
30	Cancer of the head, face, and neck											
31	Cancer of the abdomen											
32	Cancer of the mouth, tongue, and throat											
33	Unknown causes											
RURAL PART OF DELAWARE—Continued.												
34	Total					1	1	2		236		1
35	White					1	1	2		213		1
36	Native born					1	1	2		193		1
37	Both parents native					1	1	2		131		
38	One or both parents foreign									3		
39	Foreign born									8		
40	Colored									23		
41	Typhoid fever							1		8		
42	Malarial fever									6		
43	Lead poison											
44	Rheumatism									1		
45	Dropsy									9		
46	Heart disease									20		1
47	Consumption						1			43		
48	Diabetes									1		
49	Diseases of the nervous system									36		
50	Diseases of the respiratory system									27		
51	Diseases of the liver									6		
52	Ascites											
53	Other diseases of the digestive system									8		
54	Bright's disease					1				9		
55	Other diseases of the urinary system									1		
56	Diseases of the bones and joints											
57	Burns											
58	Injuries by machinery											
59	Suicides											
60	Other accidents and injuries									19		
61	Cancer of the stomach									1		
62	Cancer of the liver											
63	Cancer of the head, face, and neck											
64	Cancer of the abdomen											
65	Cancer of the mouth, tongue, and throat											
66	Unknown causes									9		

TABLE 7.—DEATHS AMONG MALES ENGAGED IN CERTAIN OCCUPATIONS AND CLASSES OF

AREAS.	CLASS D.			CLASS E.							
	Total.	Hotel and boarding house keepers.	Saloon keepers, billiard and bowling saloon keepers, bartenders, and restaurant keepers.	Total.	Barbers and hair-dressers.	Janitors and sextons.	Laund-ers.	Nurses.	Police-men, watch-men, and detect-ives.	Soldiers, sailors, and marines (United States).	Under-takers.
DISTRICT OF COLUMBIA—Continued.											
1 Total	19	3	16	129	12	2	3	4	26	81	1
2 White	15	2	13	106	2	1	2	1	20	79	1
3 Native born	8	1	7	44	2	1	2	1	13	24	1
4 Both parents native	1		1	21	2		1	1	8	9	
5 One or both parents foreign	7	1	6	9			1		1	6	1
6 Foreign born	7	1	6	60					6	54	
7 Colored	4	1	3	23	10	1	1	3	6	2	
8 Typhoid fever				6	2				3	1	
9 Malarial fever				2	1				1		
10 Lead poison											
11 Rheumatism											
12 Dropsy											
13 Heart disease				15	1				4	9	1
14 Consumption	6		6	26	4	1			2	19	
15 Diabetes											
16 Diseases of the nervous system	1	1		24	1	1		1	6	15	
17 Diseases of the respiratory system	5	1	4	19	1		2	1	3	12	
18 Diseases of the liver	2		2	3						3	
19 Ascites											
20 Other diseases of the digestive system	1		1	7			1	1	1	4	
21 Bright's disease											
22 Other diseases of the urinary system				5	1			1	1	2	
23 Diseases of the bones and joints											
24 Burns											
25 Injuries by machinery											
26 Suicides	1		1								
27 Other accidents and injuries				4					3	1	
28 Cancer of the stomach											
29 Cancer of the liver											
30 Cancer of the head, face, and neck											
31 Cancer of the abdomen											
32 Cancer of the mouth, tongue, and throat											
33 Unknown causes											
MASSACHUSETTS—Continued.											
34 Total	92	39	53	217	57	43	13	6	63	22	13
35 White	91	39	52	192	47	36	5	6	63	22	13
36 Native born	61	34	27	115	28	25	4	4	34	10	10
37 Both parents native	36	26	10	55	6	14	3	2	22	8	8
38 One or both parents foreign	16	3	13	41	21	7	1		8	2	2
39 Foreign born	30	5	25	77	19	11	1	2	29	12	3
40 Colored	1		1	25	10	7	8				
41 Typhoid fever				9	5		1		2	1	
42 Malarial fever	1	1		1					1		
43 Lead poison											
44 Rheumatism	1	1		2			1		1		
45 Dropsy	1		1								
46 Heart disease	13	7	6	24	3	5	1	1	11	1	2
47 Consumption	26	6	20	56	26	6	9		7	7	1
48 Diabetes				1		1					
49 Diseases of the nervous system	9	5	4	16	2	4		1	7	1	1
50 Diseases of the respiratory system	8	2	6	37	8	11		1	11	1	5
51 Diseases of the liver	5	3	2	8		2			2	2	2
52 Ascites											
53 Other diseases of the digestive system	4		4	6	2	2			1		1
54 Bright's disease	5	4	1	5	1	1			2	1	
55 Other diseases of the urinary system	2	1	1	7	1	3			3		
56 Diseases of the bones and joints											
57 Burns											
58 Injuries by machinery											
59 Suicides				3	1		1		1	1	
60 Other accidents and injuries	5	3	2	9	1	3			3	1	1
61 Cancer of the stomach				3	1					2	
62 Cancer of the liver	1		1								
63 Cancer of the head, face, and neck	1	1		1						1	
64 Cancer of the abdomen				1				1			
65 Cancer of the mouth, tongue, and throat				1					1		
66 Unknown causes	1		1	3	1				2		

STATISTICS OF DEATHS.

OCCUPATIONS, WITH DISTINCTION OF COLOR, NATIVITY, PARENTAL NATIVITY, ETC.—Continued.

CLASS F.				CLASS G.												
Total.	Laborers (not specified).	Messenger boys.	Servants.	Total.	Artificial flower and paper box makers.	Bakers and confectioners.	Blacksmiths.	Bleachers, dyers, and scourers.	Bookbinders.	Boot and shoe makers.	Brassfounders and copper-smiths.	Brewers, distillers, and rectifiers.	Brick and tile makers and terracotta workers.	Butchers.	Cabinet makers and upholsterers.	
429	353	11	65	264	1	11	5		8	27	1	1	5	7	9	1
95	84	6	5	234		11	3		8	20	1	1	2	6	6	2
21	41	3	3	159		3	2		5	10			1	4	5	3
14	18	2	1	78		3	2		1	4			1	2	2	4
48	12	1	1	50					3	3				1	2	5
	43	3	2	75		8	1		3	10	1	1	1	2	1	6
334	269	5	60	30	1		2			7			3	1	3	7
29	22	2	5	14		2			1							8
12	12			5												9
5	3		2	2						1						10
3	2		1													11
20	25		4	15						3						12
126	94	3	29	67		3	2		2	7			1	2	1	13
48	43	3	2	1												14
66	56	1	9	45		3			1	6			1	3	3	15
				35		1	1		1	4			1		3	16
7	6		1	4			1									17
7	5		2	3												18
10	8	1	1	9	1	1										19
6	6			14			1			2						20
1	1			1												21
				1												22
2	2		2	2												23
33	36	1	2	14						2			1	1	1	24
1	1			1												25
1	1			1												26
1	1			1												27
				2												28
				2												29
2,167	2,039	10	118	3,769	9	77	163	26	8	669	23	10	5	41	73	34
2,098	2,001	10	37	3,752	9	76	163	26	8	665	23	10	5	41	73	35
516	473	6	37	2,084	7	34	84	5	5	441	13	3	3	28	43	36
194	176	3	15	1,167	5	13	50		3	264	5		2	18	23	37
260	241	3	16	650	2	15	24	4	2	134	8	3		6	15	38
1,571	1,517	4	50	1,631	2	41	77	21	3	216	10	6	2	13	28	39
69	38		31	17		1				4						40
74	78		1	141		2	4			9			1	3	2	41
6	6			14			2			1					1	42
1	1			4												43
11	11			16			2			1						44
11	10		1	19			1			4	1					45
202	188		14	413	1	9	16	1		68	4				8	46
463	420	6	37	906	3	27	35	3	3	188	10	2		9	23	47
4	4			23		1	3			2					2	48
210	203		7	453	1	11	19	4	2	94	2	1		9	6	49
422	408		14	561		7	21	3	2	103	5	2		5	13	50
21	20		1	56			6			8				1	1	51
2	2			1												52
53	48	1	4	113		2	9			18				1	1	53
59	50			106		3	4	1		18			1	3	2	54
43	39		4	100	2	3	6	1		15				1	2	55
7	7			10						1						56
	7	1		7												57
11	9		2	2			5	2								58
138	188	2	8	236	2	2	8	6	1	34		1	1	1	1	59
14	14			33		1				7					2	61
4	4			11		1	1			1						62
8	8			6												63
6	5		1	13						1						64
6	6			9						1		1			1	65
32	29		3	36		1	1			3			1			66

TABLE 7.—DEATHS AMONG MALES ENGAGED IN CERTAIN OCCUPATIONS AND CLASSES OF

AREAS.	CLASS G—continued.											
	Carpenters and joiners.	Cigar makers and tobacco workers.	Clock and watch repairers, jewelers, and opticians.	Compositors, printers, and pressmen.	Coopers.	Cotton mill operatives.	Electrotypers and stereotypers.	Engineers and firemen (not locomotive).	Flax mill operatives.	Gas works employees.	Glass blowers.	Glass workers.
DISTRICT OF COLUMBIA—Continued.												
1 Total	19	5	5	31	2			12				
2 White	16	5	5	31	2			11				
3 Native born	14	2	3	27	2			8				
4 Both parents native	6	2	2	16				6				
5 One or both parents foreign	4		1	7	1			1				
6 Foreign born	2	3	2	4				3				
7 Colored	3							1				
8 Typhoid fever				3				3				
9 Malarial fever	1											
10 Lead poison												
11 Rheumatism												
12 Dropsy												
13 Heart disease	1			2				1				
14 Consumption	2	2	1	10				3				
15 Diabetes	1											
16 Diseases of the nervous system	4	1	2	5				2				
17 Diseases of the respiratory system	2			6	1			1				
18 Diseases of the liver	1			1								
19 Ascites												
20 Other diseases of the digestive system				1								
21 Bright's disease	1			1								
22 Other diseases of the urinary system	1	2						1				
23 Diseases of the bones and joints												
24 Burns												
25 Injuries by machinery												
26 Suicides			1									
27 Other accidents and injuries												
28 Cancer of the stomach												
29 Cancer of the liver	1											
30 Cancer of the head, face, and neck	1											
31 Cancer of the abdomen												
32 Cancer of the mouth, tongue, and throat												
33 Unknown causes												
MASSACHUSETTS—Continued.												
34 Total	480	37	80	80	39	48	2	82	2	3	4	11
35 White	487	37	80	80	39	48	2	81	2	3	4	11
36 Native born	303	21	66	51	16	15	1	46		2	3	4
37 Both parents native	224	6	44	22	10	5	1	28		1		1
38 One or both parents foreign	28	11	17	25	1	9		13		1	3	3
39 Foreign born	178	15	14	29	23	33	1	33	2	1	1	7
40 Colored	2							1				
41 Typhoid fever	21	2	5			5		1		1		
42 Malarial fever	1											
43 Lead poison												
44 Rheumatism	2											
45 Dropsy	1											
46 Heart disease	64	4	6	9	7	7		11	1	1		3
47 Consumption	72	12	26	30	4	11	1	13			1	5
48 Diabetes	4							1				
49 Diseases of the nervous system	91	2	9	9	7	4		6			1	
50 Diseases of the respiratory system	67	6	12	6	4	7	1	12				2
51 Diseases of the liver	5	1	1	3		1		1				
52 Ascites				1								
53 Other diseases of the digestive system	12		3	3	1	1		3			1	
54 Bright's disease	13	1	3		2	2		2				
55 Other diseases of the urinary system	16	1	5	1	2			4			1	1
56 Diseases of the bones and joints	5							1				
57 Burns						1		1				
58 Injuries by machinery								2				
59 Suicides	2	1	1		1			1				
60 Other accidents and injuries	33	1	1	2	1	4		11				
61 Cancer of the stomach	9		2		1	2						
62 Cancer of the liver	1			1	1							
63 Cancer of the head, face, and neck	1	1		2								
64 Cancer of the abdomen	3			1	1			1				
65 Cancer of the mouth, tongue, and throat	2					1						
66 Unknown causes	2	1	1	1	2							

STATISTICS OF DEATHS.

OCCUPATIONS, WITH DISTINCTION OF COLOR, NATIVITY, PARENTAL NATIVITY, ETC.—Continued.

CLASS G—continued.																
Gun-smiths, lock-smiths, and bell hangers.	Harness and saddle makers and repairers, and trunk, valise, and leather-case makers.	Hat and cap makers.	Iron and steel workers.	Lead and zinc workers.	Leather curriers, dressers, finishers, and tanners.	Machinists.	Marble and stone cutters.	Masons (brick and stone).	Meat packers, curers, and picklers, canners, and fruit preservers.	Mill and factory operatives (textiles not specified).	Millers (flour and grist).	Painters, glaziers, and varnishers.	Paper hangers.	Paper mill operatives.	Photographers.	
1		1	1		1	7	14	23	1		2	21	1		2	1
1		1	1		1	7	14	20			2	21	1		2	2
		1	1			6	3	16			2	17	1		1	3
						5	1	4				8			1	4
						1	2	8				7			1	5
						1	1	4				4				6
								3	1							7
								2								8
								1			1	1				9
																10
																11
																12
						1	1	1				1				13
						1	4	8	1			7				14
																15
						1	2	2				4			2	16
							3					3				17
																18
						1		1								19
																20
1		1			1		1	1				1	1			21
																22
								1								23
																24
																25
																26
						2		4				1				27
																28
																29
																30
																31
																32
								1								33
9	28	19	81	2	108	235	70	154	1	425	7	233	16	48	9	34
9	28	19	81	2	107	235	70	151	1	435	7	231	16	48	9	35
4	19	10	39	2	47	145	27	73		163	5	166	14	27	8	36
4	12	5	19		18	80	17	48		56	5	91	10	14	7	37
4	6	3	15	1	22	45	3	13		93		49	2	6		38
4	9	9	41		30	86	43	78	1	267	2	63	2	21		39
					1			3				2				40
			2		3	10	2	4		39	1	4		7		41
	1					1				4				1		42
																43
1					1	1	1	3		2		4				44
						2	1	1		1		1				45
1	1	4	11		16	30	6	13		44	1	28	3	5	1	46
2	8	4	20	2	18	54	23	23		115	1	45	5	4	2	47
						4				1				1		48
	3	3	10		13	19	6	24		34		19		6	3	49
1	4	1	14		18	39	12	24	1	63	1	39	4	10	2	50
2						5		6		7		3		1		51
																52
			2		6	9	4	7		16		3		2		53
		3	3		3	6	2	4		6		14		2		54
					2	8		3		8		5				55
																56
1			1			1	1	1								57
											1	1				58
	1				2	2		2		6		4				59
	4	2	5		10	13	4	12		22	2	20		3		60
		1	1		2	2				2						61
						3						1				62
	1							1								63
	1		1							1						64
										2						65
					2	3	3	5		4		1		2		66

TABLE 7.—DEATHS AMONG MALES ENGAGED IN CERTAIN OCCUPATIONS AND CLASSES OF

AREAS.	CLASS G—continued.									CLASS H.		
	Plaster-ers and white-washers.	Plumb-ers and gas and steam fitters.	Pot-ter-s.	Rubber factory oper-atives.	Silk-mill oper-atives.	Tailors.	Tinners and tinware makers.	Wheel-wrights.	Woolen mill oper-atives.	Total.	Boatmen and canal-men.	Dray-men, hack-men, team-sters, drivers, etc.
DISTRICT OF COLUMBIA—Continued.												
1 Total	12	4				10	7	7		110	1	22
2 White	7	4				10	7	7		73		7
3 Native born	7	2				3	6	6		55		7
4 Both parents native	2					2	2	5		31		4
5 One or both parents foreign	2	2					2	1		3		1
6 Foreign born		2				7	1	1		15		
7 Colored	5									37	1	15
8 Typhoid fever						1				8		4
9 Malarial fever	1									2		1
10 Lead poison												
11 Rheumatism		1								2		
12 Dropsy												
13 Heart disease	2	1								8		2
14 Consumption	2	2					4	2		17	1	5
15 Diabetes												
16 Diseases of the nervous system	2					3		1		20		1
17 Diseases of the respiratory system	1					2		2		22		5
18 Diseases of the liver	1											
19 Ascites												
20 Other diseases of the digestive system						1				3		
21 Bright's disease	1						1			2		
22 Other diseases of the urinary system						1				4		
23 Diseases of the bones and joints												
24 Burns						1						
25 Injuries by machinery												
26 Suicides								1		1		
27 Other accidents and injuries								2		11		4
28 Cancer of the stomach												
29 Cancer of the liver												
30 Cancer of the head, face, and neck										1		
31 Cancer of the abdomen												
32 Cancer of the mouth, tongue, and throat												
33 Unknown causes	1											
MASSACHUSETTS—Continued.												
34 Total	20	55	2	23	7	107	37	19	63	2,232	4	329
35 White	17	55	2	23	7	107	37	19	63	2,208	4	325
36 Native born	3	31	1	9	2	31	23	15	26	1,650	3	225
37 Both parents native		5	1	1		17	9	14	9	1,248	3	116
38 One or both parents foreign	3	23		7	2	9	10	1	13	211		86
39 Foreign born	14	24	1	14	5	76	14	4	37	533	1	94
40 Colored	3									24		4
41 Typhoid fever		1		2		3	1		6	51		21
42 Malarial fever						1			1	5		
43 Lead poison												
44 Rheumatism						2				12		1
45 Dropsy		1				2		1		12		1
46 Heart disease	1	3		3	1	7	6	3	2	247		22
47 Consumption	6	24		6	1	26	12	3	19	800		80
48 Diabetes						1			2	12		1
49 Diseases of the nervous system	2	4		2		12	6	3	6	311		26
50 Diseases of the respiratory system	2	12	1	2	2	18	5	1	7	348		60
51 Diseases of the liver						1	1		2	36	1	4
52 Ascites												
53 Other diseases of the digestive system	2	2				2		2	1	64		11
54 Bright's disease	1	1		1		4	2	1	1	62		9
55 Other diseases of the urinary system		2				5	1	1	2	100	1	7
56 Diseases of the bones and joints										5		1
57 Burns										2		
58 Injuries by machinery										1		
59 Suicides		1				1			1	22		2
60 Other accidents and injuries	4	1		4	1	7		2	1	190	1	32
61 Cancer of the stomach		1								29		4
62 Cancer of the liver										8		
63 Cancer of the head, face, and neck				1						8		3
64 Cancer of the abdomen				1					1	1		
65 Cancer of the mouth, tongue, and throat				1						2		
66 Unknown causes									3	32		6

STATISTICS OF DEATHS.

321

OCCUPATIONS, WITH DISTINCTION OF COLOR, NATIVITY, PARENTAL NATIVITY, ETC.—Continued.

CLASS H—continued.														
Farmers, planters, and overseers.	Farm laborers.	Fishermen and oystermen.	Gardeners, florists, nurserymen, and vine growers.	Livery stable keepers and hostlers.	Lumbermen and raftsmen.	Miners (coal).	Miners (not specified).	Pilots.	Quarrymen.	Sailors.	Steam railroad employes (includes conductors, brakemen, engineers, and firemen).	Stock raisers, herders, and drovers.	Telegraph and telephone operators.	Telegraph and telephone linemen and electric light men.
36		2	13	15		2	1			3	8	1	1	1
31		2	9	5		2				6	8	1	1	1
25		2	3	4		2				5	5		1	1
15		2	2	1						2	4		1	
5			6	1						1	1	1		
5			3	10			1			2				
2				2										
			1											
1				1										
3			2	1										
4		1	1	2						2		1		
9			3	2		2				1	2			
6			3	5						2			1	
3														
1							1							
1		1	1							1				
				1										
											6			1
										1				
1,224	73	55	73	71	5		10	5	22	193	151	5	8	4
1,214	71	55	73	68	5		10	5	22	189	150	5	8	4
1,007	50	33	20	40	4		3	5	5	133	110	2	8	2
849	33	26	15	26	4			4	2	105	59	2	4	
35	12	3	2	8			3		3	13	41		4	1
197	21	21	53	28	1		6		17	51	38	3	4	2
10	2			3						4	1			
10	1	2		2					3	7	4			1
4										1				
8		1	1	1										
11														
160	6	5	8	7				2	1	22	12	1	1	
104	18	9	7	15	1		1		9	28	21		5	2
8		1							1	1				
210	7	6	11	9	1		2			23	11			
194	7	8	9	13	1		6		3	20	24	3		
20		1	1	2						5	1		1	
41	1	1	2	1	1					3	3			
36	2	2	2	3					1	6	1			
72	1		3	4	1					8	3			
2	1			1										
2														
1														
13	1									3	2			
54	12	5	1	3			1	1	3	17	59			1
20	1		2	1						1				
4	1	1								2				
4								1						
1														
2														
17			1	1						5	2			

TABLE 7.—DEATHS AMONG MALES ENGAGED IN CERTAIN OCCUPATIONS AND CLASSES OF

AREAS.	CLASS D.			CLASS E.								
	Total.	Hotel and boarding house keepers.	Saloon keepers, billiard and bowling saloon keepers, bartenders, and restaurant keepers.	Total.	Barbers and hair-dressers.	Janitors and sextons.	Laund-ers.	Nurses.	Police-men, watch-men, and detect-ives.	Soldiers, sailors, and marines (United States).	Under-takers.	
CITIES IN MASSACHUSETTS—Continued.												
1	Total.....	72	25	47	192	50	33	12	6	52	22	12
2	White.....	71	25	46	168	40	31	5	6	52	22	12
3	Native born.....	43	21	22	99	23	21	4	4	28	10	9
4	Both parents native.....	23	15	8	44	5	11	3	2	16	7	7
5	One or both parents foreign.....	14	3	11	37	17	7	1	2	8	2	2
6	Foreign born.....	28	4	24	69	17	10	1	2	24	12	3
7	Colored.....	1		1	24	10	7	7				
8	Typhoid fever.....				9	5		1		2	1	
9	Malarial fever.....	1	1		1					1		
10	Lead poison.....											
11	Rheumatism.....	1	1		2			1		1		
12	Dropsy.....	1		1								
13	Heart disease.....	10	4	6	21	3	5	1	1	8	1	2
14	Consumption.....	23	5	18	48	20	6	8		6	7	1
15	Diabetes.....			2	1		1					
16	Diseases of the nervous system.....	4	2	2	13	2	3		1	6	1	
17	Diseases of the respiratory system.....	6	1	5	36	8	11		1	10	1	5
18	Diseases of the liver.....	2		2	7		2			1	2	2
19	Ascites.....											
20	Other diseases of the digestive system.....	4		4	5	2	1			1		1
21	Bright's disease.....	4	3	1	5	1	1			2	1	
22	Other diseases of the urinary system.....	2	1	1	7	1	3			3		
23	Diseases of the bones and joints.....											
24	Burns.....											
25	Injuries by machinery.....											
26	Suicides.....				3	1		1		1		
27	Other accidents and injuries.....	3	2	1	6		1			3	1	1
28	Cancer of the stomach.....				3	1					2	
29	Cancer of the liver.....	1		1								
30	Cancer of the head, face, and neck.....	1	1		1						1	
31	Cancer of the abdomen.....				1				1			
32	Cancer of the mouth, tongue, and throat.....				1					1		
33	Unknown causes.....	1		1	2	1				1		
RURAL PART OF MASSACHUSETTS—Continued.												
34	Total.....	20	14	6	25	7	5	1		11		1
35	White.....	20	14	6	24	7	5			11		1
36	Native born.....	18	13	5	16	5	4			6		1
37	Both parents native.....	13	11	2	11	1	3			6		1
38	One or both parents foreign.....	2		2	4	4						
39	Foreign born.....	2	1	1	8	2	1			5		
40	Colored.....				1			1				
41	Typhoid fever.....											
42	Malarial fever.....											
43	Lead poison.....											
44	Rheumatism.....											
45	Dropsy.....											
46	Heart disease.....	3	3		3					3		
47	Consumption.....	3	1	2	8	6		1		1		
48	Diabetes.....											
49	Diseases of the nervous system.....	5	3	2	3		1			1		1
50	Diseases of the respiratory system.....	2	1	1	1					1		
51	Diseases of the liver.....	3	3		1					1		
52	Ascites.....											
53	Other diseases of the digestive system.....				1		1					
54	Bright's disease.....	1	1									
55	Other diseases of the urinary system.....											
56	Diseases of the bones and joints.....											
57	Burns.....											
58	Injuries by machinery.....											
59	Suicides.....											
60	Other accidents and injuries.....	2	1	1	3	1	2					
61	Cancer of the stomach.....											
62	Cancer of the liver.....											
63	Cancer of the head, face, and neck.....											
64	Cancer of the abdomen.....											
65	Cancer of the mouth, tongue, and throat.....											
66	Unknown causes.....				1					1		

TABLE 7.—DEATHS AMONG MALES ENGAGED IN CERTAIN OCCUPATIONS AND CLASSES OF

AREAS.	CLASS G—continued.									CLASS H.		
	Plasterers and white-washers.	Plumbers and gas and steam fitters.	Potters.	Rubber factory operatives.	Silk mill operatives.	Tailors.	Tinners and tinware-makers.	Wheelwrights.	Woolen-mill operatives.	Total.	Boatmen and canalmen.	Draymen, hackmen, teamsters, drivers, etc.
CITIES IN MASSACHUSETTS—Continued.												
1 Total	20	51	2	18	7	95	28	8	33	1,100	2	293
2 White	17	51	2	18	7	95	28	8	33	1,089	2	290
3 Native born	3	28	1	8	2	25	16	6	13	721	1	195
4 Both parents native	4	4	1	1		12	4	5	4	469	1	94
5 One or both parents foreign	3	21		7	2	8	9	1	9	158		81
6 Foreign born	14	23	1	10	5	70	12	2	20	357	1	90
7 Colored	3									11		3
8 Typhoid fever		1		2		3	1		2	37		20
9 Malarial fever						1				2		
10 Lead poison												
11 Rheumatism						2				3		1
12 Dropsy		1				2				1		
13 Heart disease	1	3		3	1	7	6	2	1	126		20
14 Consumption	6	23		5	1	23	10	1	12	174		70
15 Diabetes						1				3		1
16 Diseases of the nervous system	2	4		1		11	4	3	4	134		23
17 Diseases of the respiratory system	2	10	1	1	2	16	3	1	4	169		56
18 Diseases of the liver						1			1	19	1	4
19 Ascites												
20 Other diseases of the digestive system	2	2				2			1	31		9
21 Bright's disease	1	1		1		3	2			27		7
22 Other diseases of the urinary system		2				4		1		39	1	7
23 Diseases of the bones and joints										2		1
24 Burns										1		
25 Injuries by machinery												
26 Suicides						1			1	10		2
27 Other accidents and injuries	4	1		3	1	7			1	111		29
28 Cancer of the stomach		1								11		4
29 Cancer of the liver										3		
30 Cancer of the head, face, and neck				1						4		2
31 Cancer of the abdomen				1					1			
32 Cancer of the mouth, tongue, and throat										1		
33 Unknown causes									3	14		4
RURAL PART OF MASSACHUSETTS—Continued.												
34 Total		4		5		12	9	11	30	1,132	2	36
35 White		4		5		12	9	11	30	1,119	2	35
36 Native born		3		1		6	7	9	13	929	2	30
37 Both parents native		1				5	5	9	5	788	2	22
38 One or both parents foreign		2				1	1	1	4	53		5
39 Foreign born		1		4		6	2	2	17	176		4
40 Colored										13		1
41 Typhoid fever									4	14		1
42 Malarial fever									1	3		
43 Lead poison												
44 Rheumatism										9		
45 Dropsy								1		11		1
46 Heart disease								1	1	121		2
47 Consumption		1		1		8	2	2	7	126		10
48 Diabetes									2	9		
49 Diseases of the nervous system				1		1	2		2	177		3
50 Diseases of the respiratory system		2		1		2	2		3	179		4
51 Diseases of the liver							1		1	17		
52 Ascites												
53 Other diseases of the digestive system									2	33		2
54 Bright's disease						1		1		35		2
55 Other diseases of the urinary system						1	1		2	61		
56 Diseases of the bones and joints										3		
57 Burns										1		
58 Injuries by machinery										1		
59 Suicides		1								12		
60 Other accidents and injuries				1				2		79	1	3
61 Cancer of the stomach										18		
62 Cancer of the liver										5		
63 Cancer of the head, face, and neck										4		1
64 Cancer of the abdomen										1		
65 Cancer of the mouth, tongue, and throat										1		
66 Unknown causes										18		2

STATISTICS OF DEATHS.

329

OCCUPATIONS, WITH DISTINCTION OF COLOR, NATIVITY, PARENTAL NATIVITY, ETC.—Continued.

CLASS H—continued.															
Farmers, planters, and overseers.	Farm laborers.	Fishermen and oystermen.	Gardeners, florists, nurserymen, and vine growers.	Livery stable keepers and hostlers.	Lumbermen and raftsmen.	Miners (coal).	Miners (not specified).	Pilots.	Quarrymen.	Sailors.	Steam road employes (includes conductors, brakemen, engineers, and firemen).	Stock raisers, herders, and drovers.	Telegraph and telephone operators.	Telegraph and telephone linemen and electric light men.	
377	10	35	62	55	4		2	5	17	106	117	4	7	4	1
376	10	35	62	53	4		2	5	17	102	116	4	7	4	2
291	4	17	15	30	3			5	3	64	83	1	7	2	3
225	3	10	10	20	3			4		44	42	1	3	4	4
14	1	3	2	6					3	8	35		4	1	5
88	6	17	47	23	1		2		14	37	31	3		2	6
1				2						4	1				7
4		2		2					2	2	4			1	8
2															9
1			1												10
1															11
1															12
57	2	4	7	7				2	1	15	9	1	1		13
33	2	5	5	9					3	20	16		4	2	14
1															15
60	2	4	9	7	1		2			12	8				16
51	1	6	9	11	1				3	12	17	2			17
6		1	1	1						3	1		1		18
14		1	1	1	1					2	2				19
9		1	2	2	1				1	4	1				20
16			3	3	1					5	3				21
				1											22
1															23
2				1						3	2				24
17		4	1	2				1	1	9	46			1	25
4			2	1											26
2										1					27
1								1							28
1															29
1															30
4			1	1						2	2				31
															32
847	63	20	11	16	1		8		5	87	34	1	1		33
838	61	20	11	15	1		8		5	87	34	1	1		34
716	46	16	5	10	1		3		2	69	27	1	1		35
624	30	16	5	6	1				2	61	17	1	1		36
21	11			2			3			5	6				37
114	15	4	6	5			4		3	14	7				38
9	2			1											39
6	1								1	5					40
2										1					41
7		1		1											42
10															43
															44
103	4	1	1							7	3				45
71	16	4	2	6	1		1		1	8	5		1		46
7		1								1					47
144	5	2	2	2						16	3				48
143	6	2		2			6			8	7	1			49
14				1						2					50
27	1		1							1	1				51
27	2			1						2					52
56	1			1						3					53
2	1														54
1															55
11	1														56
37	12	1		1			1		2	8	13				57
16	1									1					58
2	1	1								1					59
3															60
1															61
1															62
1															63
1															64
1															65
13										3					66

TABLE 7.—DEATHS AMONG MALES ENGAGED IN CERTAIN OCCUPATIONS AND CLASSES OF

AREAS.	CLASS G—continued.									CLASS H.		
	Plaster-ers and white-washers.	Plumb-ers and gas and steam fitters.	Pot-ter.	Rubber factory oper-atives.	Silk mill oper-atives.	Tailors.	Tinners and tinware makers.	Wheel-wrights.	Woolen mill oper-atives.	Total.	Boatmen and canal-men.	Dray-men, hack-men, team-sters, drivers, etc.
NEW HAMPSHIRE—Continued.												
1 Total	1	1				13	2	8	8	936		16
2 White	1	1				13	2	8	8	935		16
3 Native born		1				10	2	8	3	805		13
4 Both parents native		1				7	1	3	1	561		8
5 One or both parents foreign									1	17		
6 Foreign born	1					3			3	58		2
7 Colored										1		
8 Typhoid fever									1	9		1
9 Malarial fever							1			2		1
10 Lead poison												
11 Rheumatism										5		
12 Dropsy								1		19		
13 Heart disease	1					3		1		108		1
14 Consumption								1	1	83		2
15 Diabetes										5		
16 Diseases of the nervous system						4		2	1	135		2
17 Diseases of the respiratory system						2			2	156		2
18 Diseases of the liver						1	1		1	19		1
19 Ascites												
20 Other diseases of the digestive system										27		
21 Bright's disease						1				26		2
22 Other diseases of the urinary system		1				1		1		33		1
23 Diseases of the bones and joints										1		
24 Burns										1		
25 Injuries by machinery										8		
26 Suicides										60		1
27 Other accidents and injuries								1				
28 Cancer of the stomach										6		
29 Cancer of the liver										1		
30 Cancer of the head, face, and neck										4		
31 Cancer of the abdomen										1		1
32 Cancer of the mouth, tongue, and throat										3		
33 Unknown causes									2	18		
CITIES IN NEW HAMPSHIRE—Continued.												
34 Total		1				6	1	1	4	87		7
35 White		1				6	1	1	4	87		7
36 Native born		1				4	1	1	2	70		5
37 Both parents native		1				3	1			38		3
38 One or both parents foreign									1	8		
39 Foreign born						2			2	8		1
40 Colored												
41 Typhoid fever										1		1
42 Malarial fever												
43 Lead poison												
44 Rheumatism												
45 Dropsy												
46 Heart disease						3				15		1
47 Consumption										9		1
48 Diabetes												
49 Diseases of the nervous system						1		1	1	13		1
50 Diseases of the respiratory system									1	8		1
51 Diseases of the liver						1	1		1			
52 Ascites												
53 Other diseases of the digestive system												
54 Bright's disease										3		1
55 Other diseases of the urinary system		1				1				4		
56 Diseases of the bones and joints												
57 Burns												
58 Injuries by machinery												
59 Suicides												
60 Other accidents and injuries										11		
61 Cancer of the stomach										1		
62 Cancer of the liver												
63 Cancer of the head, face, and neck												
64 Cancer of the abdomen												
65 Cancer of the mouth, tongue, and throat												
66 Unknown causes									1	1		

STATISTICS OF DEATHS.

337

OCCUPATIONS, WITH DISTINCTION OF COLOR, NATIVITY, PARENTAL NATIVITY, ETC.—Continued.

CLASS H—continued.

Farmers, planters, and overseers.	Farm laborers.	Fishermen and oystermen.	Gardeners, florists, nurserymen, and vine growers.	Livery stable keepers and hostlers.	Lumbermen and raftsmen.	Miners (coal).	Miners (not specified).	Pilots.	Quarrymen.	Sailors.	Steam railroad employes (includes conductors, brakemen, engineers, and firemen).	Stock raisers, herders, and drovers.	Telegraph and telephone operators.	Telegraph and telephone linemen and electric light men.
844	15	7	3	5	3		1		1	11	29		1	1
843	15	7	3	5	3		1		1	11	29		1	2
734	12	7	1	4	3					8	22		1	3
506	12	7	1	4	1					7	14		1	4
12											5			5
46	1		2				1		1	2	3			6
1														7
5											2			8
1	1													9
5														10
17		1			1									11
99	1	1	1	1	1					1	2			13
70	4			2						1	4			14
5														15
128					1		1			1	1		1	16
148	2	2								1	1			17
16				2										18
26											1			19
23										1				20
21	1													21
1														22
1														23
1														24
8														25
38	5		1						1		14			26
5											1			27
1														28
3	1													29
17														30
3														31
17										1				32
														33
54	2	2	2	1					1	6	12			34
54	2	2	2	1					1	6	12			35
46	2	2	1	1						5	8			36
21	2	2	1	1						4	4			37
5			1						1		3			38
3										1	1			39
														40
														41
														42
														43
														44
														45
10			1	1						1	1			46
5	1									1	1			47
														48
12														49
5		2												50
														51
														52
1										1				53
4														54
														55
														56
														57
														58
2	1		1						1		6			59
														60
											1			61
														62
														63
														64
														65
										1				66

TABLE 7.—DEATHS AMONG MALES ENGAGED IN CERTAIN OCCUPATIONS AND CLASSES OF

AREAS.	All selected occupations.	CLASS A.											
		Total.	Actors.	Architects, artists, etc.	Clergy-men.	Dentists.	Engineers and surveyors.	Journalists.	Lawyers.	Musicians and teachers of music.	Physicians and surgeons.	Professors, authors, literary and scientific persons.	Teachers.
RURAL PART OF NEW HAMPSHIRE.													
1 Total.....	1,447	47			13	1	2		12	1	15		3
2 White.....	1,445	47			13	1	2		12	1	15		3
3 Native born.....	1,184	43			11	1	1		12	1	15		2
4 Both parents native.....	823	31			7	1	1		9	1	11		1
5 One or both parents foreign.....	35												
6 Foreign born.....	150	2					1						1
7 Colored.....	2												
8 Typhoid fever.....	38	1							1				
9 Malarial fever.....	6												
10 Lead poison.....	1												
11 Rheumatism.....	10												
12 Dropsy.....	22												
13 Heart disease.....	149	4			2								2
14 Consumption.....	162	6			3				3				
15 Diabetes.....	8												
16 Diseases of the nervous system.....	208	5			1	1			1		2		
17 Diseases of the respiratory system.....	227	9			2				5		2		
18 Diseases of the liver.....	30	1							1				
19 Ascites.....													
20 Other diseases of the digestive system.....	43												
21 Bright's disease.....	43	1			1								
22 Other diseases of the urinary system.....	49	2									1		1
23 Diseases of the bones and joints.....	2												
24 Burns.....	2												
25 Injuries by machinery.....	1												
26 Suicides.....	13	2											
27 Other accidents and injuries.....	88	2			2					1	1		
28 Cancer of the stomach.....	12	2						1			1		
29 Cancer of the liver.....	2												
30 Cancer of the head, face, and neck.....	6												
31 Cancer of the abdomen.....	3												
32 Cancer of the mouth, tongue, and throat.....	4												
33 Unknown causes.....	27												
NEW JERSEY.													
34 Total.....	6,096	230		18	48	6	13	8	44	10	56	15	12
35 White.....	5,861	225		18	44	6	13	8	44	9	56	15	12
36 Native born.....	3,211	177		8	32	5	9	6	40	6	51	12	8
37 Both parents native.....	1,960	131		3	25	4	5	5	23	5	43	9	4
38 One or both parents foreign.....	705	24		2	3		3	1	5	1	5	2	2
39 Foreign born.....	2,548	44		9	12		4	2	4	3	4	3	3
40 Colored.....	235	5			4					1			
41 Typhoid fever.....	236	10		2	1			1	2	1		3	
42 Malarial fever.....	68	2							1		1		
43 Lead poison.....	1												
44 Rheumatism.....	26												
45 Dropsy.....	38	1									1		
46 Heart disease.....	505	24		3	5		1	2	3	1	7	1	1
47 Consumption.....	1,247	30		2	5	2	3	1	5	3	6	1	2
48 Diabetes.....	24	2			1		1						
49 Diseases of the nervous system.....	793	41		5	7		1	1	10		13	2	2
50 Diseases of the respiratory system.....	980	34		2	12		2	1	4	1	7	3	2
51 Diseases of the liver.....	110	4			4								
52 Ascites.....	5												
53 Other diseases of the digestive system.....	194	8		1	1			2	2	2	2		
54 Bright's disease.....	205	8		1	2	1		1	1	1	1	2	
55 Other diseases of the urinary system.....	198	7					1		1	1	3	1	
56 Diseases of the bones and joints.....	12												
57 Burns.....	8												
58 Injuries by machinery.....	3												
59 Suicides.....	77	6							1				1
60 Other accidents and injuries.....	602	8			1		1	1	3		2		
61 Cancer of the stomach.....	47	2		1	1								
62 Cancer of the liver.....	16	2			1				1				
63 Cancer of the head, face, and neck.....	17	1			1								1
64 Cancer of the abdomen.....	11												
65 Cancer of the mouth, tongue, and throat.....	13	1									1		
66 Unknown causes.....	54	5			1				2		1		1

TABLE 7.—DEATHS AMONG MALES ENGAGED IN CERTAIN OCCUPATIONS AND CLASSES OF

AREAS.	CLASS D.			CLASS E.							
	Total.	Hotel and boarding house keepers.	Saloon keepers, billiard and bowling saloon keepers, bartenders, and restaurant keepers.	Total.	Barbers and hair-dressers.	Janitors and sextons.	Laund-ers.	Nurses.	Police-men, watch-men, and detect-ives.	Soldiers, sailors, and marines (United States).	Under-takers.
RURAL PART OF NEW HAMPSHIRE—Continued.											
1 Total	13	11	2	7	1		1		4		1
2 White	13	11	2	6	1				4		1
3 Native born	11	9	2	5	1				3		1
4 Both parents native	7	6	1	4	1				2		1
5 One or both parents foreign	2	1	1								
6 Foreign born											
7 Colored				1			1				
8 Typhoid fever											
9 Malarial fever											
10 Lead poison											
11 Rheumatism											
12 Dropsy											
13 Heart disease	2	2		1					1		
14 Consumption	2	1	1	1					1		
15 Diabetes											
16 Diseases of the nervous system	5	5		1					1		
17 Diseases of the respiratory system											
18 Diseases of the liver											
19 Ascites											
20 Other diseases of the digestive system				1			1				
21 Bright's disease	1	1		1					1		
22 Other diseases of the urinary system	1	1		1	1						
23 Diseases of the bones and joints											
24 Burns											
25 Injuries by machinery											
26 Suicides											
27 Other accidents and injuries	1		1								
28 Cancer of the stomach											
29 Cancer of the liver											
30 Cancer of the head, face, and neck											
31 Cancer of the abdomen											
32 Cancer of the mouth, tongue, and throat											
33 Unknown causes											
NEW JERSEY—Continued.											
34 Total	103	29	74	121	39	16	3	4	51	3	5
35 White	103	29	74	112	34	12	3	4	51	3	5
36 Native born	46	18	28	48	14	6	1	2	22		3
37 Both parents native	18	11	7	20	4	6		1	8		1
38 One or both parents foreign	19	3	16	21	10				10		1
39 Foreign born	57	11	46	62	20	6	2	1	29	3	1
40 Colored				9	5	4					
41 Typhoid fever	4	2	2	5	3			1	1		
42 Malarial fever	1	1		2					1		1
43 Lead poison											
44 Rheumatism											
45 Dropsy	1		1	1	1						
46 Heart disease	9	4	5	7	3	2			2		
47 Consumption	19	4	15	21	9	1	1		9		1
48 Diabetes											
49 Diseases of the nervous system	19	8	11	17	5	4			6		1
50 Diseases of the respiratory system	19		19	23	8	3	1	1	8	1	1
51 Diseases of the liver	6	3	3	4	2	2					
52 Ascites											
53 Other diseases of the digestive system	2		2	6	1	1			4		
54 Bright's disease	2	1	1	5	1				3		1
55 Other diseases of the urinary system	5	1	4	4				1	2	1	
56 Diseases of the bones and joints				1	1						
57 Burns											
58 Injuries by machinery											
59 Suicides	1		1	2				1	1		
60 Other accidents and injuries	4		4	10	4				6		
61 Cancer of the stomach	1		1								
62 Cancer of the liver				2		1			1		
63 Cancer of the head, face, and neck											
64 Cancer of the abdomen											
65 Cancer of the mouth, tongue, and throat											
66 Unknown causes	3	1	2	1		1					

STATISTICS OF DEATHS.

OCCUPATIONS, WITH DISTINCTION OF COLOR, NATIVITY, PARENTAL NATIVITY, ETC.—Continued.

CLASS F.				CLASS G.												
Total.	Laborers (not specified).	Messenger boys.	Servants.	Total.	Artificial flower and paper box makers.	Bakers and confectioners.	Blacksmiths.	Bleachers, dyers, and scourers.	Bookbinders.	Boot and shoe makers.	Brassfounders and copper-smiths.	Brewers, distillers, and rectifiers.	Brick and tile makers and terra cotta workers.	Butchers.	Cabinet makers and upholsterers.	
162	155		7	295		3	26	4		69				2	1	1
162	155		7	295		3	26	4		69				2	1	2
80	76		4	244		1	23	1		63				2	1	3
47	45		2	166		1	14	1		44						4
7	7			15			2			5						5
55	52		3	37		2	3	3		4						6
																7
16	15		1	12		1	1			1						8
1	1			2			1									9
				1												10
2	2			2						1						11
1	1			2												12
13	12		1	25			1	1		6						13
17	15		2	54			3			19						14
				1			1									15
21	20		1	45		1	6			8						16
21	20		1	41		1	1	2		11						17
4	4			4												18
																19
2	2			10			1	1		3						20
3	3			10			2			1						21
3	3			10			1			3						22
1	1			1												23
1	1			1												24
2	2			1												25
14	14			17			4			3				1		26
3	3			1												27
1	1			1												28
2	2			1												29
1	1			1												30
2	2			1												31
3	3			5			1			3						32
																33
1,539	1,462	5	72	2,025	8	65	107	7	4	148	11	12	9	74	34	34
1,882	1,333	5	44	2,017	8	64	105	7	4	147	11	12	9	74	34	35
453	438	3	12	1,065	4	14	57		2	74	4	2	2	42	10	36
252	216	1	5	558		3	31		2	41	2	2	1	18	4	37
102	97	1	4	315	2	10	15			14				17	4	38
904	872	2	30	917	4	48	46	7	2	71	7	10	6	32	24	39
157	129		28	8		1	2			1						40
62	58	1	3	85		5	2			3		1		3		41
19	19			27		1	1			3				3		42
1	1															43
4	4			10		1				1				1		44
11	10		1	8						2						45
106	100	1	5	159		3	10		3	14	2			4	4	46
336	316		20	498	4	19	25	2		30	2	2	2	17	15	47
4	4			6						2						48
159	150	1	8	245		4	13	2		26	2	1	1	8	1	49
263	254		9	340	2	15	19	1	1	22	3	2		4	2	50
17	16	1		41		3	1			3				1	3	51
1	1			2						1						52
47	42		5	61		1	3			2						53
49	44	1	4	61			5			1				4	1	54
44	41		3	60			2	1		4		1		1		55
				6												56
3	3			5		1										57
2	2			1												58
14	13		1	27		2	1			1			1	4	1	59
199	194		5	147		3	9			7	2	2	3	4	1	60
10	10			21		1	1	1		2						61
3	3			5		1				2						62
3	3			6												63
2	2			4												64
5	5			5												65
15	14		1	20		1	2			1				1		66

TABLE 7.—DEATHS AMONG MALES ENGAGED IN CERTAIN OCCUPATIONS AND CLASSES OF

AREAS.		CLASS G—continued.											
		Carpenters and joiners.	Cigar makers and tobacco workers.	Clock and watch repairers, jewelers, and opticians.	Compositors, printers, and pressmen.	Coopers.	Cotton-mill operatives.	Electrotypers and stereotypers.	Engineers and firemen (not locomotive).	Flax mill operatives.	Gas works employes.	Glass blowers.	Glass workers.
RURAL PART OF NEW HAMPSHIRE—Continued.													
1	Total	64	2	4	3	5	7		6				
2	White	64	2	4	3	5	7		6				
3	Native born	60	2	3	3	5	4		6				
4	Both parents native	43	2	3	2	2	2		4				
5	One or both parents foreign	1					1		1				
6	Foreign born	1					2						
7	Colored												
8	Typhoid fever						1		1				
9	Malarial fever												
10	Lead poison												
11	Rheumatism												
12	Dropsy	1											
13	Heart disease	7							1				
14	Consumption	6	1	1	1				1				
15	Diabetes												
16	Diseases of the nervous system	12	1	2	2	2							
17	Diseases of the respiratory system	11		1			1		2				
18	Diseases of the liver	3											
19	Ascites												
20	Other diseases of the digestive system	1											
21	Bright's disease	3											
22	Other diseases of the urinary system	3											
23	Diseases of the bones and joints												
24	Burns					1							
25	Injuries by machinery												
26	Suicides						1						
27	Other accidents and injuries	2					1		1				
28	Cancer of the stomach												
29	Cancer of the liver												
30	Cancer of the head, face, and neck												
31	Cancer of the abdomen												
32	Cancer of the mouth, tongue, and throat												
33	Unknown causes												
NEW JERSEY—Continued.													
34	Total	295	30	61	43	19	6	1	72	1	3	20	8
35	White	294	30	61	43	19	6	1	72	1	3	20	8
36	Native born	192	16	31	26	9	2		49		2	19	5
37	Both parents native	140	7	12	10	6			36		1	12	3
38	One or both parents foreign	22	8	14	11	1	2		5			6	2
39	Foreign born	100	14	30	14	10	4	1	23	1	1		3
40	Colored	1											
41	Typhoid fever	21	1	4	1	1			2			3	
42	Malarial fever	2	1	2		1			1				
43	Lead poison												
44	Rheumatism	3											
45	Dropsy	2											
46	Heart disease	25	3	1	2	5	1		6		1	1	1
47	Consumption	61	10	20	14	2	2		10			8	2
48	Diabetes	1							1				
49	Diseases of the nervous system	38	3	5	3	2			12		1	2	
50	Diseases of the respiratory system	43	7	16	8	2		1	13	1		5	1
51	Diseases of the liver	4			2	1						1	
52	Ascites												
53	Other diseases of the digestive system	12			3	2	1		1				
54	Bright's disease	9		6	2				2				
55	Other diseases of the urinary system	5		2	1	2	1		5				
56	Diseases of the bones and joints	1	1										
57	Burns	1							1				
58	Injuries by machinery												
59	Suicides	2											
60	Other accidents and injuries	38	1	3	2				9				1
61	Cancer of the stomach	4											
62	Cancer of the liver	1											
63	Cancer of the head, face, and neck	1											
64	Cancer of the abdomen	2											
65	Cancer of the mouth, tongue, and throat	1											
66	Unknown causes	2	1	1	1				1				

VITAL AND SOCIAL STATISTICS.

TABLE 7.—DEATHS AMONG MALES ENGAGED IN CERTAIN OCCUPATIONS AND CLASSES OF

AREAS.	CLASS G—continued.									CLASS H.		
	Plasterers and white-washers.	Plumbers and gas and steam fitters.	Potters.	Rubber factory operatives.	Silk mill operatives.	Tailors.	Tinners and tinware makers.	Wheelwrights.	Woolen mill operatives.	Total.	Boatmen and canalmen	Draymen, hackmen, teamsters, drivers, etc.
RURAL PART OF NEW HAMPSHIRE—Continued.												
1 Total	1					7	1	7	4	849		9
2 White	1					7	1	7	4	848		9
3 Native born						6	1	7	1	735		8
4 Both parents native						4		3	1	523		5
5 One or both parents foreign										9		
6 Foreign born	1					1			1	50		1
7 Colored										1		
8 Typhoid fever									1	8		
9 Malarial fever							1			2		1
10 Lead poison												
11 Rheumatism										5		
12 Dropsy								1		19		
13 Heart disease	1							1		93		
14 Consumption								1	1	74		1
15 Diabetes										5		
16 Diseases of the nervous system						3		1		122		1
17 Diseases of the respiratory system						2			1	148		1
18 Diseases of the liver										19		1
19 Ascites												
20 Other diseases of the digestive system										27		
21 Bright's disease						1				23		1
22 Other diseases of the urinary system								1		29		1
23 Diseases of the bones and joints										1		
24 Burns										1		
25 Injuries by machinery										8		
26 Suicides										49		1
27 Other accidents and injuries								1				
28 Cancer of the stomach										5		
29 Cancer of the liver										1		
30 Cancer of the head, face, and neck										4		
31 Cancer of the abdomen										1		1
32 Cancer of the mouth, tongue, and throat										3		
33 Unknown causes									1	17		
NEW JERSEY—Continued.												
34 Total	16	21	29	4	56	88	30	18	4	1,340	50	140
35 White	16	20	29	4	56	88	29	18	4	1,285	59	124
36 Native born	11	16	9	1	18	23	15	11	2	925	36	72
37 Both parents native	7	7	1	1	4	13	9	8		672	21	30
38 One or both parents foreign	2	9	4		11	6	4	1	1	104	5	27
39 Foreign born	5	3	16	1	38	64	14	7	2	334	21	49
40 Colored		1					1			55		16
41 Typhoid fever		1			3	1	1			38	1	8
42 Malarial fever						1	1			11		3
43 Lead poison												
44 Rheumatism						1				9	1	3
45 Dropsy										14		
46 Heart disease	3	3	1		8	5	2	3		143	5	6
47 Consumption	1	8	11	3	12	19	8	3	2	182	6	27
48 Diabetes										7		
49 Diseases of the nervous system	3		3		7	10	2	4		212	12	18
50 Diseases of the respiratory system		2	9		9	12	9	3		179	8	20
51 Diseases of the liver						2				18		2
52 Ascites						1				1		
53 Other diseases of the digestive system		1			2	3	1			41	3	6
54 Bright's disease		1	1		4	2				50	2	5
55 Other diseases of the urinary system					2	8	1	3		55		7
56 Diseases of the bones and joints	1									2		2
57 Burns					1							
58 Injuries by machinery												
59 Suicides					3	1	2			15		3
60 Other accidents and injuries	3	1	3	1	1	6	1		1	195	13	19
61 Cancer of the stomach					2	3	1			7		1
62 Cancer of the liver						1				1		
63 Cancer of the head, face, and neck										7		
64 Cancer of the abdomen					1				1	4		
65 Cancer of the mouth, tongue, and throat										1		
66 Unknown causes						2				6		

TABLE 7.—DEATHS AMONG MALES ENGAGED IN CERTAIN OCCUPATIONS AND CLASSES OF

AREAS.	All selected occupations.	CLASS A.											
		Total.	Actors.	Architects, artists, etc.	Clergymen.	Dentists.	Engineers and surveyors.	Journalists.	Lawyers.	Musicians and teachers of music.	Physicians and surgeons.	Professors, authors, literary and scientific persons.	Teachers.
CITIES IN NEW JERSEY.													
1 Total.....	3,687	112		9	19	3	8	2	27	9	22	7	6
2 White.....	3,569	110		9	18	3	8	2	27	8	22	7	6
3 Native born.....	1,572	77		4	14	2	4	1	23	5	17	4	3
4 Both parents native.....	734	54		2	12	1	1	1	16	4	14	2	1
5 One or both parents foreign.....	529	16			2		3		4	1	3	2	1
6 Foreign born.....	1,938	30		5	4		4	1	4	3	4	3	2
7 Colored.....	118	2			1					1			
8 Typhoid fever.....	159	5		1					1	1		2	
9 Malarial fever.....	40	1							1				
10 Lead poison.....	17												
11 Rheumatism.....	17												
12 Dropsy.....	17												
13 Heart disease.....	256	10		2	1		1		3	1	2		
14 Consumption.....	342	19		1	2	2	1	1	4	3	3	1	1
15 Diabetes.....	11												
16 Diseases of the nervous system.....	400	19		2	1		1		5		7	1	2
17 Diseases of the respiratory system.....	677	11			4		1		1	1	3	1	
18 Diseases of the liver.....	77	3			3								
19 Ascites.....	3												
20 Other diseases of the digestive system.....	121	5		1					2	1	1		
21 Bright's disease.....	116	2		1	1								
22 Other diseases of the urinary system.....	107	3					1			1	1		
23 Diseases of the bones and joints.....	8												
24 Burns.....	6												
25 Injuries by machinery.....	3												
26 Suicides.....	38	3					1		1				
27 Other accidents and injuries.....	377	4			1		1	1	1				
28 Cancer of the stomach.....	24												
29 Cancer of the liver.....	12	2			1				1				
30 Cancer of the head, face, and neck.....	7	1											1
31 Cancer of the abdomen.....	5												
32 Cancer of the mouth, tongue, and throat.....	8	1									1		
33 Unknown causes.....	31	3			1				1		1		
RURAL PART OF NEW JERSEY.													
34 Total.....	2,409	118		9	29	3	5	6	17	1	34	8	6
35 White.....	2,292	115		9	26	3	5	6	17	1	34	8	6
36 Native born.....	1,639	100		4	18	3	5	5	17	1	34	8	5
37 Both parents native.....	1,226	77		1	13	3	4	4	12	1	29	7	3
38 One or both parents foreign.....	176	8		2	1			1	1		2		1
39 Foreign born.....	610	14		4	8			1					1
40 Colored.....	117	3			3								
41 Typhoid fever.....	77	5		1	1				1			1	
42 Malarial fever.....	23	1									1		
43 Lead poison.....	9												
44 Rheumatism.....	9												
45 Dropsy.....	21	1									1		
46 Heart disease.....	249	14		1	4			2			5	1	1
47 Consumption.....	405	11		1	3		2		1		3		1
48 Diabetes.....	13	2				1	1						1
49 Diseases of the nervous system.....	393	22		3	6			1	5		6	1	
50 Diseases of the respiratory system.....	303	23		2	8		1	1	3		4	2	2
51 Diseases of the liver.....	33	1			1								
52 Ascites.....	2												
53 Other diseases of the digestive system.....	73	3			1					1	1		
54 Bright's disease.....	89	6			1	1			1		1	2	
55 Other diseases of the urinary system.....	91	4							1		2	1	
56 Diseases of the bones and joints.....	4												
57 Burns.....	2												
58 Injuries by machinery.....													
59 Suicides.....	39	3				1							1
60 Other accidents and injuries.....	225	4							2		2		
61 Cancer of the stomach.....	23	2		1	1								
62 Cancer of the liver.....	4												
63 Cancer of the head, face, and neck.....	10												
64 Cancer of the abdomen.....	6												
65 Cancer of the mouth, tongue, and throat.....	5												
66 Unknown causes.....	23	2							1				1

OCCUPATIONS, WITH DISTINCTION OF COLOR, NATIVITY, PARENTAL NATIVITY, ETC.—Continued.

CLASS B.							CLASS C.									
Total.	Stenographers and typewriters.	Accountants, bookkeepers, clerks, and copyists.	Bankers, brokers, and officials of companies.	Collectors, auctioneers, and agents.	Wholesale merchants and dealers.	News-paper carriers and newsboys.	Total.	Apothecaries, pharmacists, and dealers in chemicals and drugs.	Commercial travelers and salesmen.	Dealers in dry goods (retail).	Dealers in groceries (retail).	Dealers, not specified (retail).	Hucksters and peddlers.	Wine and liquor dealers (retail).	Wine and liquor dealers (wholesale).	
214	2	152	15	41	3	1	266	12	42	1	25	149	19	18	1
214	2	152	15	41	3	1	266	12	42	1	25	149	19	18	2
153	1	114	10	25	3	133	11	32	1	4	79	3	3	3
80	1	57	7	13	2	82	8	20	1	2	51	2	3	4
56	48	2	6	28	1	6	2	14	2	3	5
58	1	35	5	16	1	129	1	9	21	60	14	15	6
.....	7
16	15	1	7	3	4	8
2	2	2	1	9
.....	10
.....	11
.....	12
15	9	1	5	22	1	2	3	15	1	13
50	45	1	9	1	43	4	12	4	19	2	2	14
1	1	1	1	15
22	1	16	2	3	42	3	3	1	33	2	3	16
43	34	3	5	1	48	1	5	9	24	4	5	17
.....	18
5	3	1	1	9	1	1	1	4	1	1	19
.....	20
5	1	2	2	16	4	2	9	1	21
7	3	2	10	1	1	7	1	22
4	4	2	11	1	1	1	5	1	2	23
.....	24
.....	25
3	1	2	4	4	26
14	6	1	7	9	4	3	2	27
.....	28
1	1	3	1	2	29
.....	1	1	30
.....	31
1	1	1	1	32
.....	33
146	3	110	20	13	112	6	8	7	89	1	1	34
146	3	110	20	13	111	6	8	7	88	1	1	35
127	2	87	17	11	84	3	7	4	70	36
78	2	61	8	7	69	2	5	4	58	37
26	21	5	10	1	9	38
18	13	3	2	25	3	1	3	16	1	1	39
.....	40
.....	41
8	7	1	1	1	42
2	2	43
.....	44
1	1	1	1	45
.....	46
3	3	17	3	13	1	47
42	1	37	2	2	20	1	5	1	13	48
2	2	1	1	49
21	13	4	4	15	1	1	13	50
20	16	3	1	11	2	9	51
.....	52
2	2	4	4	53
.....	1	1	54
2	2	6	1	1	4	55
7	5	1	1	6	5	56
1	1	7	2	5	57
.....	58
1	1	1	1	59
.....	60
3	3	3	3	2	1	1	61
10	2	2	6	1	1	4	62
.....	63
1	1	1	64
.....	65
1	1	2	2	66

TABLE 7.—DEATHS AMONG MALES ENGAGED IN CERTAIN OCCUPATIONS AND CLASSES OF

AREAS.	CLASS G—continued.									CLASS H.		
	Plasterers and white-washers.	Plumbers and gas and steam fitters.	Potters.	Rubber factory operatives.	Silk mill operatives.	Tailors.	Tinners and tinware makers.	Wheelwrights.	Woolen mill operatives.	Total.	Boatmen and canalmen.	Draymen, hackmen, teamsters, drivers, etc.
-CITIES IN NEW JERSEY—Continued.												
1 Total	14	15	26	3	48	65	20	10	3	453	36	125
2 White	14	14	26	3	48	65	20	10	3	424	36	110
3 Native born	10	10	9	1	17	13	10	5	1	238	21	62
4 Both parents native	6	3	1	1	4	8	5	2		115	11	26
5 One or both parents foreign	2	7	4		10	4	3	1		66	5	26
6 Foreign born	4	3	13		31	52	10	5	2	175	13	46
7 Colored		1								29		15
8 Typhoid fever					3	1				20	1	8
9 Malarial fever						1	1			1		1
10 Lead poison						1				4	1	3
11 Rheumatism										4		
12 Dropsy										4		
13 Heart disease	3	2	1		7	2	1	2		27	2	4
14 Consumption	7	9	2		9	15	7	2	2	75	5	26
15 Diabetes												
16 Diseases of the nervous system	3		2		6	5		2		46	4	16
17 Diseases of the respiratory system		1	9		8	9	7	2		69	5	18
18 Diseases of the liver						2				6		2
19 Ascites										1		
20 Other diseases of the digestive system		1			2	1				13	3	5
21 Bright's disease			1		3	2				14	1	5
22 Other diseases of the urinary system					2	7	1	1		13		5
23 Diseases of the bones and joints	1									2		2
24 Burns					1							
25 Injuries by machinery					2	1	1			4		2
26 Suicides					1	6	1			109	7	17
27 Other accidents and injuries	2	1	3	1	1							
28 Cancer of the stomach					2	2				1		1
29 Cancer of the liver						1						
30 Cancer of the head, face, and neck									1	2	1	
31 Cancer of the abdomen					1					1		
32 Cancer of the mouth, tongue, and throat										1		
33 Unknown causes						1				1		
RURAL PART OF NEW JERSEY—Continued.												
34 Total	2	6	3	1	8	23	10	8	1	337	23	15
35 White	2	6	3	1	8	23	9	8	1	861	23	14
36 Native born	1	6			1	10	5	6	1	687	15	10
37 Both parents native	1	4				5	4	6		557	10	4
38 One or both parents foreign		2			1	2	1		1	38		1
39 Foreign born	1	2	3	1	7	12	4	2		159	8	3
40 Colored							1			26		1
41 Typhoid fever		1						1		18		
42 Malarial fever										10		2
43 Lead poison												
44 Rheumatism										5		
45 Dropsy										10		
46 Heart disease		1			1	3	1	1		116	3	2
47 Consumption	1	1	2	1	3	4	1	1		107	1	1
48 Diabetes										7		
49 Diseases of the nervous system			1		1	5	2	2		166	8	2
50 Diseases of the respiratory system		1			1	3	2	1		110	3	2
51 Diseases of the liver										12		
52 Ascites						1						
53 Other diseases of the digestive system						2	1			28		1
54 Bright's disease		1			1					36	1	
55 Other diseases of the urinary system						1		2		42		2
56 Diseases of the bones and joints												
57 Burns												
58 Injuries by machinery												
59 Suicides					1		1			11		1
60 Other accidents and injuries	1								1	86	6	2
61 Cancer of the stomach						1	1			6		
62 Cancer of the liver										1		
63 Cancer of the head, face, and neck										5		
64 Cancer of the abdomen										3		
65 Cancer of the mouth, tongue, and throat												
66 Unknown causes						1				5		

STATISTICS OF DEATHS.

OCCUPATIONS, WITH DISTINCTION OF COLOR, NATIVITY, PARENTAL NATIVITY, ETC.—Continued.

CLASS H—continued.															
Farmers, planters, and overseers.	Farm laborers.	Fishermen and oystermen.	Gardeners, florists, nurserymen, and vine growers.	Livery stable keepers and hostlers.	Lumbermen and raftsmen.	Miners (coal).	Miners (not specified).	Pilots.	Quarrymen.	Sailors.	Steam railroad employes (includes conductors, brakemen, engineers, and firemen).	Stock raisers, herders, and drovers.	Telegraph and telephone operators.	Telegraph and telephone linemen and electric light men.	
70	2	8	20	21			4	3	5	35	113	3	5	3	1
66	2	7	20	14			4	3	5	34	112	3	5	3	2
30		7	2	4			2	3	1	14	75	2	4	2	3
27		4	1				2	2		10	29		2	1	4
3			1	1				1	1	1	24	1	2		5
27	2		17	9			2		4	19	33	1	1	1	6
4		1		7						1	1				7
2		1	1	1			1			1	2	1		1	8
															9
															10
3				1											11
															12
9		1	2	8			1	3	1	2	7				13
9	2	2	1							2	12		2		14
10		1	2	3					1	3	8		1		15
11			7				2		1	6	14		1		16
			1	1						1					17
			1	1									1		18
3			1	1											19
1			2	1							4				20
3		1		1					2		2				21
															22
															23
			1	1											24
5		2		2						14	61			1	25
															26
															27
															28
1				1						1					29
															30
1															31
															32
															33
683	20	14	21	10	4		33	1	2	17	36		7	1	34
670	11	14	20	8	4		33	1	2	17	36		7	1	35
576	3	11	6	6	4		6		1	11	27		7	1	36
492	3	7	3	2	4		4		1	8	13		6		37
27		1	2				1				4		1		38
86	5	2	14	2			27		1	5	6				39
13	9		1	2											40
14		1			2		1								41
6	1									1					42
4											1				43
10															44
															45
93	3	1	4	2	1		3			3	1				46
87	4	3	1	2			2				2		4		47
5	1						1								48
136	3	1	4		1		5	1		2	2				49
83	1	2	4	3			5		1	3	1		1	1	50
															51
11							1								52
23	2	1	1				1								53
26	3	1	1	1			2			2					54
36							1				1				55
															56
															57
7			1	1							1				58
33	1	1					10		1	4	27		1		59
															60
6															61
1		1													62
4			2												63
1															64
															65
2			1							2					66

TABLE 7.—DEATHS AMONG MALES ENGAGED IN CERTAIN OCCUPATIONS AND CLASSES OF

AREAS.	All selected occupations.	CLASS A.											
		Total	Actors.	Architects, artists, etc.	Clergymen.	Dentists.	Engineers and surveyors.	Journalists.	Lawyers.	Musicians and teachers of music.	Physicians and surgeons.	Professors, authors, literary and scientific persons.	Teachers.
NEW YORK.													
1 Total.....	22,143	923	23	76	129	25	25	58	179	100	202	41	65
2 White.....	21,759	916	23	76	128	24	25	58	179	99	199	40	65
3 Native born.....	9,969	599	18	30	82	22	21	36	150	31	148	21	40
4 Both parents native.....	4,250	347	4	10	49	11	13	23	102	11	89	11	24
5 One or both parents foreign.....	3,472	126	10	16	8	3	3	8	25	17	20	9	7
6 Foreign born.....	11,366	301	4	46	44	2	4	21	26	67	44	18	25
7 Colored.....	384	7			1	1				1	3	1	
8 Typhoid fever.....	472	18		2	1	2		5	2	3	1		2
9 Malarial fever.....	204	9					2	1	1		2	1	2
10 Lead poison.....	11	2		1				1	1				1
11 Rheumatism.....	146	6			2			1	1		1		1
12 Dropsy.....	95	4			1			1	1		2		
13 Heart disease.....	2,601	107	4	8	17		2	7	23	15	22	4	5
14 Consumption.....	4,730	123	10	19	12	6	2	14	19	13	16	4	8
15 Diabetes.....	106	12	1	1	2			2	2	1	3	1	1
16 Diseases of the nervous system.....	2,275	135	3	7	7	1	7	2	30	16	38	3	11
17 Diseases of the respiratory system.....	4,098	175	2	15	31	4	4	8	32	21	43	4	11
18 Diseases of the liver.....	430	19			2	1		1	5	5	3	2	
19 Ascites.....	11	1									1		
20 Other diseases of the digestive system.....	629	25		1	4		2	1	6	1	6		4
21 Bright's disease.....	980	58	1	5	6	3	4	6	12	7	11	2	1
22 Other diseases of the urinary system.....	902	43	1	2	8	4		4	6	1	13	2	2
23 Diseases of the bones and joints.....	46	1									1		
24 Burns.....	18												
25 Injuries by machinery.....	11												
26 Suicides.....	271	14		4		1			2	4	1	1	1
27 Other accidents and injuries.....	1,485	35		4	2				8	4	8	6	3
28 Cancer of the stomach.....	172	3			1				1				1
29 Cancer of the liver.....	63	5		2							2		1
30 Cancer of the head, face, and neck.....	48												
31 Cancer of the abdomen.....	31												
32 Cancer of the mouth, tongue, and throat.....	47	3							1		1	1	
33 Unknown causes.....	148	5			2	1		1					1
CITIES IN NEW YORK.													
34 Total.....	16,555	715	22	71	79	17	21	49	150	94	132	38	42
35 White.....	16,206	708	22	71	78	16	21	49	150	93	129	37	42
36 Native born.....	6,232	425	17	26	42	14	18	28	122	28	90	19	21
37 Both parents native.....	2,280	256	4	7	27	9	11	17	86	11	59	9	16
38 One or both parents foreign.....	3,059	107	9	16	6	2	2	8	21	14	17	9	3
39 Foreign born.....	9,819	274	4	45	35	2	3	20	26	65	35	18	21
40 Colored.....	349	7			1	1				1	3	1	
41 Typhoid fever.....	335	16		2	1	2		4	2	3	1		1
42 Malarial fever.....	146	7					2	1	1		2	1	
43 Lead poison.....	10	1						1	1				1
44 Rheumatism.....	110	3			1				1		1		1
45 Dropsy.....	20	2							1		1		
46 Heart disease.....	1,351	78	3	7	11		2	6	18	13	11	4	3
47 Consumption.....	4,038	106	10	18	10	5	2	11	16	13	12	4	5
48 Diabetes.....	67	8	1	1	1			2	2	1	2		
49 Diseases of the nervous system.....	1,581	103	3	7	9		7	2	26	14	25	2	8
50 Diseases of the respiratory system.....	3,269	137	2	15	19	3	2	7	29	21	28	4	7
51 Diseases of the liver.....	346	17			1	1			5	5	3	2	
52 Ascites.....	4												
53 Other diseases of the digestive system.....	467	17			3		1	1	5	1	4		2
54 Bright's disease.....	732	45	1	5	1	1	3	6	10	7	8	2	1
55 Other diseases of the urinary system.....	679	33	1	2	5	2		3	6	1	9	2	2
56 Diseases of the bones and joints.....	35	1									1		
57 Burns.....	15												
58 Injuries by machinery.....	11												
59 Suicides.....	204	12		4		1			2	3	1	1	
60 Other accidents and injuries.....	1,075	28		4	1				6	4	4	6	3
61 Cancer of the stomach.....	118	2							1				1
62 Cancer of the liver.....	58	5		2							2		1
63 Cancer of the head, face, and neck.....	36												
64 Cancer of the abdomen.....	24												
65 Cancer of the mouth, tongue, and throat.....	41	3							1		1	1	
66 Unknown causes.....	26	3			1	1							1

STATISTICS OF DEATHS.

OCCUPATIONS, WITH DISTINCTION OF COLOR, NATIVITY, PARENTAL NATIVITY, ETC.—Continued.

CLASS B.							CLASS C.									
Total.	Stenographers and typewriters.	Accountants, bookkeepers, clerks, and copyists.	Bankers, brokers, and officials of companies.	Collectors, auctioneers, and agents.	Wholesale merchants and dealers.	News-paper carriers and newsboys.	Total.	Apothecaries, pharmacists, and dealers in chemicals and drugs.	Commercial travelers and salesmen.	Dealers in dry goods (retail).	Dealers in groceries (retail).	Dealers, not specified (retail).	Hucksters and peddlers.	Wine and liquor dealers (retail).	Wine and liquor dealers (wholesale).	
1,772	7	1,319	145	264	27	10	1,853	84	257	19	176	1,036	201	78	2	1
1,768	7	1,315	145	264	27	10	1,845	84	255	18	176	1,033	199	78	2	2
1,222	6	924	110	164	14	4	803	49	154	9	44	527	57	23		3
570	2	384	77	99	8		451	30	63	5	16	315	18	4		4
537	4	458	26	44	3	2	286	15	66	4	20	136	26	19		5
537	1	387	33	97	13	6	952	34	99	9	129	494	140	55	2	6
4		4					8		2	1		3	2			7
45		38	3	4			40	2	8		5	20	4	1		8
19		13		6			19	1	4			11	2	1		9
13		11		2			17		2		2	11	1	1		10
							1		1							11
156	1	110	16	23	5	1	188	8	20	1	15	121	20	3		13
511	4	442	20	38	4	3	337	20	62	6	34	145	52	18		14
11		2	4	4	1		16		1		2	11		2		15
177		114	18	40	3	2	245	12	26	2	18	152	27	7	1	16
322	1	240	31	47	2	1	357	17	51	6	45	180	40	18		17
36		23	5	7	1		51	3	7	1	4	31	1	3	1	18
60		44	4	12			69	3	14	2	9	33	6	2		19
87		56	10	18	2	1	99	1	12	1	8	55	11	11		20
61		37	9	14	1		84		5		8	65	4	2		21
1		1					3	1	1			1				22
1		1														23
33	1	21	3	8			23	1	3			16	2	1		24
72		51	7	11	1	2	50	2	9		7	24	7	1		25
7		3	1	2	1		20		2		3	11	3	1		26
2		1	1				7		1		1	4	1			27
2		2					2					2				28
2		2					5				1	4				29
5		3		2			7		1			4	2			30
5		4	1				10		1		3	6				31
																32
																33
1,626	5	1,229	125	234	23	10	1,633	69	236	18	163	882	186	77	2	34
1,622	5	1,225	125	234	23	10	1,626	69	234	17	163	879	185	77	2	35
1,100	4	847	94	139	12	4	706	33	135	8	40	411	51	23		36
508	1	347	68	86	6		349	21	55	4	13	239	13	4		37
507	3	436	23	40	3	2	278	14	64	4	20	131	26	19		38
518	1	376	31	93	11	6	915	31	98	9	122	467	132	54	2	39
4		4					7		2	1		3	1			40
40		33	3	4			34	2	7		5	15	4	1		41
17		12		5			14	1	3			8	1	1		42
12		10		2			16		2		2	10	1	1		43
																44
																45
141	1	103	12	20	4	1	167	5	19	1	15	105	19	3		46
474	2	413	17	35	4	3	318	17	62	6	34	131	50	18		47
9		2	4	2	1		14		2		2	10		2		48
154		102	15	33	2	2	205	11	23	1	14	123	25	7	1	49
304	1	232	27	41	2	1	325	15	48	6	43	159	36	18		50
34		22	4	7	1		47	3	6	1	4	28	1	3	1	51
55		40	4	11			62	2	13	2	8	30	5	2		52
80		52	8	18	1	1	88	1	11	1	8	45	11	11		53
55		34	8	12	1		73		5		8	54	4	2		54
1		1					3	1	1			1				55
1		1														56
32	1	21	2	8			19	1	3			12	2	1		57
60		42	7	8	1	2	39	2	6		5	20	5	1		58
7		3	1	2	1		17		1		3	9	3	1		59
2		1					7		1		1	4	1			60
2		2					2					2				61
2		2					5				1	4				62
5		3		2			7		1			4	2			63
4		3	1				5		1			4	2			64
												4				65
												4				66

STATISTICS OF DEATHS.

OCCUPATIONS, WITH DISTINCTION OF COLOR, NATIVITY, PARENTAL NATIVITY, ETC.—Continued.

CLASS F.				CLASS G.												
Total.	Laborers (not specified).	Messenger boys.	Servants.	Total.	Artificial flower and paper box makers.	Bakers and confectioners.	Blacksmiths.	Bleachers, dyers, and scourers.	Bookbinders.	Boot and shoe makers.	Brassfounders and copper-smiths.	Brewers, distillers, and rectifiers.	Brick and tile makers and terra cotta workers.	Butchers.	Cabinet makers and upholsterers.	
4,764	4,247	22	495	6,830	25	234	320	19	62	465	62	74	13	295	179	1
4,555	4,148	22	385	6,804	25	234	319	19	62	463	62	74	13	295	179	2
1,198	1,075	15	108	2,629	13	43	120	1	37	125	28	8	5	110	38	3
340	307	7	26	928	2	8	45		11	49	6			34	11	4
530	466	7	57	1,169	10	29	37	1	23	30	19	6	1	62	22	5
3,247	2,967	7	273	4,085	12	187	191	18	25	331	34	65	2	185	139	6
209	99		110	26			1			2						7
102	96	1	5	138	2	8	4		2	4			1	7	2	8
46	44		2	52		1	5			1				3		9
1	1			8												10
28	23		5	44		1									1	11
20	19		1	22			1			2						12
365	322	3	40	598	2	20	28	2	3	57	5	6		23	18	13
1,034	872	7	155	1,709	10	49	52	5	22	79	27	17	1	63	48	14
14	11		3	17						2						15
404	363	1	40	673		24	33	2	6	52	6	6	1	35	17	16
976	878	4	94	1,238	6	48	68	3	12	92	9	18	1	44	43	17
75	63	1	11	130	1	4	6		1	11		4	1	7	4	18
2	2			3								1			1	19
125	112		13	194	1	4	13		1	8	2	2	1	12	8	20
193	164	1	28	324	1	21	12	2	2	30	1	3	2	15	6	21
181	160		21	288		12	10	2	5	19	4	3	1	7	7	22
14	13		1	14						3						23
10	8		2	4												24
3	2		1	8												25
30	25		4	93		1										26
450	418	2	30	349		4	21	1	1	4	2		3	3	1	27
25	24		1	64		1	4			5	1			4	2	28
7	7			31			2		2	1				6	1	29
13	12		1	18		1	1		1	2		1			1	30
5	5			12		1	1		1					1	1	31
9	9			13		1	1			1						32
30	37		2	27			1			1				2		33
3,812	3,322	22	468	5,826	24	224	231	15	60	369	59	71	6	264	170	34
3,023	3,236	22	365	5,801	24	224	230	15	60	368	59	71	6	264	170	35
783	667	15	101	1,950	13	43	59	1	36	67	27	7	3	87	31	36
165	136	7	22	579	2	8	16		10	20	6			22	6	37
469	406	7	56	1,078	10	29	29	1	23	25	19	6	1	56	21	38
2,797	2,529	7	261	3,806	11	179	167	14	24	297	32	63	3	177	137	39
189	86		103	25			1			1						40
72	66	1	5	113	2	8	4		1	3				7	2	41
33	31		2	46		1	5			1				2		42
1	1			8												43
25	20		5	38			1			2				1	1	44
10	10			7								3				45
263	224	3	36	470	2	20	16	1	3	36	5	6		16	15	46
384	277	7	150	1,552	10	48	39	4	22	67	25	17		60	48	47
8	5		3	13					2	2						48
311	273	1	37	552		24	28	2	5	42	6	6	1	34	14	49
316	252	4	90	1,107	6	46	57	2	12	81	9	18	1	42	42	50
65	53	1	11	114	1	4	3		1	8		3	1	7	4	51
1	1			3											1	52
102	92		10	166	1	4	10		1	5	2	1		11	7	53
174	146	1	27	287	1	19	11	2	2	25	1	2		13	6	54
148	128		20	251		12	7	2	5	15	4	3	1	6	7	55
9	8		1	13						3						56
7	5		2	4												57
3	2		1	8		1										58
25	21		4	85		4	1		3	3		2		3	1	59
340	310	2	28	292		5	17		1	13	2		2	10	3	60
19	18		1	56		1	3			5	1			4	2	61
6	6			31			2			1		1		6	1	62
12	11		1	14		1			2	2					1	63
4	4			10		3	1							1	1	64
6	6			12		1	1			1						65
6	6			10		1	1			1						66

TABLE 7.—DEATHS AMONG MALES ENGAGED IN CERTAIN OCCUPATIONS AND CLASSES OF

AREAS.	CLASS G—continued.											
	Carpenters and joiners.	Cigar makers and tobacco workers.	Clock and watch repairers, jewelers, and opticians.	Composers, printers, and pressmen.	Coopers.	Cotton mill operatives.	Electrotypers and stereotypers.	Engineers and firemen (not locomotive).	Flax mill operatives.	Gas works employees.	Glass blowers.	Glass workers.
NEW YORK—Continued.												
1 Total	975	301	86	241	160	3	6	268	8	25	19	
2 White	971	296	86	241	159	3	6	265	8	25	19	
3 Native born	478	95	29	163	59	2	4	116	3	16	9	
4 Both parents native	248	17	15	55	21	1	2	49	3	3	1	
5 One or both parents foreign	113	58	12	87	21	1	2	48	5	9	8	
6 Foreign born	472	199	57	78	94	1	2	145	5	9	10	
7 Colored	4	5			1			3				
8 Typhoid fever	32	2		7				12		1		
9 Malarial fever	10	3		3				2		1		
10 Lead poison												
11 Rheumatism	7	2	1	1	1			4				
12 Dropsy	7	1			1			1				
13 Heart disease	82	20	13	21	12			20		1		
14 Consumption	136	118	25	86	35		2	62	2	12	10	
15 Diabetes	4			1				4				
16 Diseases of the nervous system	117	21	10	8	22		1	26	1	2	2	
17 Diseases of the respiratory system	161	43	17	42	32		3	45	2	2	6	
18 Diseases of the liver	23	2	2	1	3			5				
19 Ascites		1						4				
20 Other diseases of the digestive system	32	10		7	2			4	1			
21 Bright's disease	33	18	1	16	7			13				
22 Other diseases of the urinary system	47	13	2	17	4	1		11		1		
23 Diseases of the bones and joints	2							2				
24 Burns								2				
25 Injuries by machinery	1				1			1				
26 Suicides	10	4	3	4	1			2		2	1	
27 Other accidents and injuries	69	7	5	11	7			33		2		
28 Cancer of the stomach	9	5			4			2				
29 Cancer of the liver	2	1						1				
30 Cancer of the head, face, and neck	5				2							
31 Cancer of the abdomen								1				
32 Cancer of the mouth, tongue, and throat	1	1	1	1	2							
33 Unknown causes	9	1			2							
CITIES IN NEW YORK—Continued.												
34 Total	695	284	79	227	127	2	6	247	7	22	18	
35 White	691	279	79	227	126	2	6	244	7	22	18	
36 Native born	265	83	23	151	37	1	4	100	2	13	8	
37 Both parents native	134	14	10	48	10		2	43	2	1	1	
38 One or both parents foreign	88	55	12	87	20	1	2	43	5	9	7	
39 Foreign born	419	194	56	76	88	1	2	142	5	9	10	
40 Colored	4	5			1			3				
41 Typhoid fever	23	2		7				8		1		
42 Malarial fever	8	2		3				2				
43 Lead poison												
44 Rheumatism	5	2		1	1			4				
45 Dropsy	1	1			1							
46 Heart disease	55	19	12	20	11			19	1	1		
47 Consumption	156	112	23	81	28		2	59	1	11	9	
48 Diabetes	3			1								
49 Diseases of the nervous system	77	20	9	6	18		1	24	1	2	2	
50 Diseases of the respiratory system	119	47	17	41	26		3	41	2	2	6	
51 Diseases of the liver	16	2	2		3			5				
52 Ascites		1						4				
53 Other diseases of the digestive system	24	7		7	1			4	1			
54 Bright's disease	24	13	1	16	5			13				
55 Other diseases of the urinary system	34	12	2	15	3	1		11		1		
56 Diseases of the bones and joints	1							2				
57 Burns								2				
58 Injuries by machinery	1				1			1				
59 Suicides	8	4	3	3	1			1		2	1	
60 Other accidents and injuries	50	7	4	10	7			20		2		
61 Cancer of the stomach	8	5			3			2				
62 Cancer of the liver	2	1						1				
63 Cancer of the head, face, and neck	2				2							
64 Cancer of the abdomen								1				
65 Cancer of the mouth, tongue, and throat	1	1	1	1	2							
66 Unknown causes	2	1			1							

STATISTICS OF DEATHS.

OCCUPATIONS, WITH DISTINCTION OF COLOR, NATIVITY, PARENTAL NATIVITY, ETC.—Continued.

CLASS G—continued.																
Gun-smiths, lock-smiths, and bell hangers.	Harness and saddle makers and repairers, and trunk, valise, and leather-case makers.	Hat and cap makers.	Iron and steel workers.	Lead and zinc workers.	Leather curriers, dressers, finishers, and tanners.	Machinists.	Marble and stone cutters.	Masons (brick and stone).	Meat packers, curers, and picklers, canners, and fruit preservers.	Mill and factory operatives (textiles not specified).	Millers (flour and grist).	Painters, glaziers, and varnishers.	Paper hangers.	Paper mill operatives.	Photographers.	
33	89	85	153	6	47	268	183	378	2	76	72	524	12	16	25	1
33	89	85	152	6	47	268	183	377	2	75	72	522	12	16	25	2
7	37	43	65	1	16	125	57	137		37	44	233	8	9	18	3
2	19	12	13		4	49	9	45		10	26	84	2	2	11	4
2	14	21	41	1	8	57	36	57		22	6	97	3	5	6	5
25	50	41	84	5	31	139	125	231	2	37	28	280	4	7	7	6
			1					1		1		2				7
1	8	1	2		2	6	1	6		1		12		1	1	8
		1				5	3	4		1	1	1				9
		3				1		3		1	1	7				10
			1				1	4		1		5				11
								1				1				12
5	9	7	12	1	7	24	13	34		10	8	43		2	1	13
5	17	30	44	2	11	87	59	84		19	13	155	5	5	6	14
			2			1				1	1					15
5	12	8	9		2	34	10	30		3	9	55	2	1	4	16
6	13	13	30	1	7	40	40	68	1	6	11	96	2	2	6	17
		1	2			5	10	7			1	8	1			18
		3	2		1	11	5	7		3	4	5				19
2	7	3	9	2	2	3	9	15		6	1	31	1		2	20
2	3	3	7		2	7	6	10	1	6	2	21		1	1	21
			1									1				23
			1					1								24
			1					1		2						25
			1					5		2		12		1	1	26
3	3	2	12		1	11	10	32		6	5	22		2	1	27
			1									3				28
2			1			1		3				1				29
						1		1				1				30
						1		1				1				31
						1		3				1				32
						1		3				2				33
29	72	82	136	5	36	238	162	305	2	66	30	457	10	6	21	34
29	72	82	135	5	36	238	162	304	2	65	30	455	10	6	21	35
3	24	40	54	1	9	108	46	95		29	10	185	6	4	15	36
	8	12	7		1	38	4	25		6	5	61	2		8	37
2	12	20	40	1	6	54	35	54		21	2	90	3	3	6	38
25	47	41	79	4	27	126	116	204	2	85	20	266	4	2	6	39
			1					1		1		2				40
1	7	1	2			4	1	6		1		10			1	41
		1				4	3	4		1	1					42
												7				43
		3				1		3			1	3				44
								3								45
4	8	7	12	1	3	19	10	23		9	3	34			1	46
5	14	30	42	1	10	82	54	73		18	8	140	5	3	4	47
			2			1				1						48
3	9	7	9		2	28	8	20		3	2	50	1		4	49
6	11	12	24	1	7	38	38	61	1	5	4	85	2	1	6	50
		1	2			5	10	7				1		1		51
																52
																53
2	2	2	2		1	9	4	7		3	3	5				54
1	6	3	8	2	1	3	8	13		4	1	28	1		2	55
	2	3	6		2	7	5	7	1	5		20			1	56
			1													57
			1					1								58
			1							2						59
3	3	2	12		1	7	9	22		6	1	11		1	1	60
			1			1						2				61
2			1			1		1				1				62
						1		1				1				63
						1		1								64
						1		1				1				65
						1		2				2				66

TABLE 7.—DEATHS AMONG MALES ENGAGED IN CERTAIN OCCUPATIONS AND CLASSES OF

AREAS.	CLASS G—continued.										CLASS H.		
	Plasterers and white-washers.	Plumbers and gas and steam fitters.	Potters.	Rubber factory operatives.	Silk mill operatives.	Tailors.	Tinners and tinware makers.	Wheelwrights.	Woolen mill operatives.	Total.	Boatmen and canalmen.	Draymen, hackmen, teamsters, drivers, etc.	
NEW YORK—Continued.													
1 Total	70	175	9	2	14	606	105	34	6	4,881	108	755	
2 White	66	175	9	2	14	605	105	34	6	4,829	106	739	
3 Native born	22	107	2	1	4	81	59	13	1	3,035	71	384	
4 Both parents native	6	18	1	1	1	19	11	3	1	1,491	27	96	
5 One or both parents foreign	16	89	2	1	3	50	37	5	1	593	28	237	
6 Foreign born	44	68	7	1	10	523	46	19	5	1,624	28	347	
7 Colored	4					1				52	2	18	
8 Typhoid fever		3				6	1	1		114	4	19	
9 Malarial fever	1	3				4				49	2	8	
10 Lead poison		1				2				29		4	
11 Rheumatism	2	2				2				45		1	
12 Dropsy						1							
13 Heart disease	4	19			2	61	3	4	1	500	10	56	
14 Consumption	26	52	3		5	128	32	8	2	737	17	205	
15 Diabetes						3	1			28	1	2	
16 Diseases of the nervous system	4	14			1	59	9	5		549	9	54	
17 Diseases of the respiratory system	9	36	2		2	115	24	4	2	796	14	159	
18 Diseases of the liver	1					16	3			76	3	15	
19 Ascites						4				4			
20 Other diseases of the digestive system	3	4				31	4	1		126	6	19	
21 Bright's disease	4	9	1			25	6	3		171	3	29	
22 Other diseases of the urinary system	1	6	2			34	4	3		207	4	37	
23 Diseases of the bones and joints						4				8		1	
24 Burns										2		1	
25 Injuries by machinery													
26 Suicides	1	2				10	2			47		5	
27 Other accidents and injuries	5	8		2	1	17	9	1		462	26	75	
28 Cancer of the stomach		1			1	8	1			48	1	2	
29 Cancer of the liver			1			5				6			
30 Cancer of the head, face, and neck						1				10		2	
31 Cancer of the abdomen						1				5		1	
32 Cancer of the mouth, tongue, and throat						1				8		1	
33 Unknown causes						3				56		2	
CITIES IN NEW YORK—Continued.													
34 Total	67	170	9	2	14	576	92	26	6	1,951	81	711	
35 White	63	170	9	2	14	575	92	26	6	1,912	79	699	
36 Native born	19	102	2	1	4	75	49	7	1	926	48	358	
37 Both parents native	4	17	1	1	1	17	7	1		340	19	86	
38 One or both parents foreign	15	85	2	1	3	49	34	3	1	403	19	230	
39 Foreign born	44	68	7	1	10	499	43	19	5	944	25	338	
40 Colored	4					1				39	2	12	
41 Typhoid fever		3				6	1	1		47	3	16	
42 Malarial fever	1	3				4				20	1	7	
43 Lead poison		1				2				8		4	
44 Rheumatism	2	2				2				4		1	
45 Dropsy						1							
46 Heart disease	4	12			2	54	3	2	1	154	8	52	
47 Consumption	25	50	3		5	124	26	6	2	443	15	197	
48 Diabetes						2	1			7	1	2	
49 Diseases of the nervous system	4	14			1	55	7	3		180	7	48	
50 Diseases of the respiratory system	8	36	2		2	109	23	3	2	341	9	154	
51 Diseases of the liver	1					16	2			29	2	14	
52 Ascites													
53 Other diseases of the digestive system	3	4				31	3	1		40	2	16	
54 Bright's disease	4	9	1			23	6	3		68	2	27	
55 Other diseases of the urinary system	1	6	2			34	4	3		86	4	37	
56 Diseases of the bones and joints						4				3		1	
57 Burns										2		1	
58 Injuries by machinery													
59 Suicides	1	2				10	2			12		3	
60 Other accidents and injuries	5	8		2	1	17	8	1		258	19	69	
61 Cancer of the stomach		1			1	8	1			13	1	2	
62 Cancer of the liver			1			5				2			
63 Cancer of the head, face, and neck						1				3		2	
64 Cancer of the abdomen						1				2		1	
65 Cancer of the mouth, tongue, and throat						1				6		1	
66 Unknown causes										8		1	

TABLE 7.—DEATHS AMONG MALES ENGAGED IN CERTAIN OCCUPATIONS AND CLASSES OF

AREAS.	CLASS D.			CLASS E.							
	Total	Hotel and boarding house keepers.	Saloon keepers, billiard and bowling saloon keepers, bartenders, and restaurant keepers.	Total	Barbers and hairdressers.	Janitors and sextons.	Laundrers.	Nurses.	Police-men, watchmen, and detectives.	Soldiers, sailors, and marines (United States).	Undertakers.
RURAL PART OF NEW YORK—Continued.											
1 Total	59	36	23	69	11	7	4	6	8	13	20
2 White	59	36	28	69	11	7	4	6	8	13	20
3 Native born	36	23	13	45	9	4	1	2	3	9	17
4 Both parents native	15	11	4	22	4	2	1	1	2	2	11
5 One or both parents foreign	8	4	4	6	1	1	1	1	1	3	3
6 Foreign born	22	12	10	23	1	3	3	4	5	4	3
7 Colored											
8 Typhoid fever	1		1	1						1	
9 Malarial fever				1		1					
10 Lead poison				1						1	
11 Rheumatism				1						1	
12 Dropsy											
13 Heart disease	6	3	3	3			1	1		1	
14 Consumption	10	4	6	8	3					2	3
15 Diabetes											
16 Diseases of the nervous system	7	6	1	9		2	1			2	4
17 Diseases of the respiratory system	8	4	4	17	5	2		2	2	2	4
18 Diseases of the liver	3	2	1								
19 Ascites											
20 Other diseases of the digestive system	4	4		1					1		
21 Bright's disease	3	1	2	5				1	1		3
22 Other diseases of the urinary system	3	3		2					1		1
23 Diseases of the bones and joints											
24 Burns											
25 Injuries by machinery											
26 Suicides	1	1		2		1				1	
27 Other accidents and injuries	3	1	2	6	1		1		2	2	
28 Cancer of the stomach				1			1				
29 Cancer of the liver											
30 Cancer of the head, face, and neck											
31 Cancer of the abdomen				1							1
32 Cancer of the mouth, tongue, and throat											
33 Unknown causes	3	1	2	3						1	2
RHODE ISLAND—Continued.											
34 Total	20	6	14	34	11	3	1		8	5	6
35 White	19	5	14	34	11	3	1		8	5	6
36 Native born	10	5	5	28	10	2			7	3	6
37 Both parents native	7	5	2	17	5	1			6	2	3
38 One or both parents foreign	3		3	9	5	1			1		3
39 Foreign born	9		9	6	1	1	1		1	2	
40 Colored	1	1									
41 Typhoid fever											
42 Malarial fever											
43 Lead poison											
44 Rheumatism				1		1					
45 Dropsy				1					1		
46 Heart disease	2	2		4	1				1	1	1
47 Consumption	4	1	3	6	5						1
48 Diabetes											
49 Diseases of the nervous system	3		3	1					1		
50 Diseases of the respiratory system	4	2	2	4		1			1	1	1
51 Diseases of the liver	1		1	1					1		
52 Ascites											
53 Other diseases of the digestive system				1							1
54 Bright's disease				1	1						
55 Other diseases of the urinary system	1	1		2	1		1				
56 Diseases of the bones and joints											
57 Burns											
58 Injuries by machinery											
59 Suicides				1					1		
60 Other accidents and injuries	2		2	3	1	1				1	
61 Cancer of the stomach											
62 Cancer of the liver											
63 Cancer of the head, face, and neck											
64 Cancer of the abdomen											
65 Cancer of the mouth, tongue, and throat											
66 Unknown causes				2					2		

TABLE 7.—DEATHS AMONG MALES ENGAGED IN CERTAIN OCCUPATIONS AND CLASSES OF

AREAS.	CLASS G—continued.								CLASS H.			
	Plasterers and white-washers.	Plumbers and gas and steam fitters.	Potters	Rubber factory operatives.	Silk mill operatives.	Tailors.	Tinners and tinware makers.	Wheelwrights.	Woolen mill operatives.	Total.	Boatmen and canalmen.	Draymen, hackmen, teamsters, drivers, etc.
RURAL PART OF NEW YORK—Continued.												
1 Total	3	5				30	13	8		2,930	27	44
2 White	3	5				30	13	8		2,917	27	40
3 Native born	3	5				6	10	6		2,109	23	26
4 Both parents native	2	1				2	4	2		1,154	8	10
5 One or both parents foreign		2				1	3	2		190	9	7
6 Foreign born						24	3			680	3	9
7 Colored										13		4
8 Typhoid fever										67	1	3
9 Malarial fever										29	1	1
10 Lead poison												
11 Rheumatism										21		
12 Dropsy										41		
13 Heart disease		1				7		2		346	2	4
14 Consumption	1	2				4	6	2		294	2	8
15 Diabetes						1				21		
16 Diseases of the nervous system						4	2	2		369	2	6
17 Diseases of the respiratory system	1					6	1	1		455	5	5
18 Diseases of the liver							1			47	1	1
19 Ascites										4		
20 Other diseases of the digestive system							1			86	3	3
21 Bright's disease						2				103	1	2
22 Other diseases of the urinary system										121	1	
23 Diseases of the bones and joints										5		
24 Burns												
25 Injuries by machinery												
26 Suicides										35		2
27 Other accidents and injuries							1			204	7	6
28 Cancer of the stomach										35		
29 Cancer of the liver										4		
30 Cancer of the head, face, and neck										7		
31 Cancer of the abdomen										3		
32 Cancer of the mouth, tongue, and throat										2		
33 Unknown causes						3				48		1
RHODE ISLAND—Continued.												
34 Total	4	8		14	1	22	8	3	6	307	1	30
35 White	1	8		14	1	22	8	3	6	295	1	27
36 Native born	1	7		6		5	6	3	3	241	1	17
37 Both parents native		2		3		3	1	2		213	1	13
38 One or both parents foreign	1	5		3		2	4	3		20		3
39 Foreign born		1		8	1	17	2	3		51		9
40 Colored	3									12		3
41 Typhoid fever				3		1	1			11		1
42 Malarial fever										2		2
43 Lead poison												
44 Rheumatism				1						4		
45 Dropsy				1			1			2		1
46 Heart disease	1					1			1	31		4
47 Consumption	3	4		3	1	2	2	1	2	33	1	5
48 Diabetes										3		
49 Diseases of the nervous system				2		3		1		37		2
50 Diseases of the respiratory system		3				3	1		1	42		1
51 Diseases of the liver										6		1
52 Ascites												
53 Other diseases of the digestive system				1						10		1
54 Bright's disease						1				8		6
55 Other diseases of the urinary system		1				1		1	1	10		6
56 Diseases of the bones and joints										1		
57 Burns												
58 Injuries by machinery												
59 Suicides						1	1			1		
60 Other accidents and injuries						1	1			31		2
61 Cancer of the stomach				1		1	1			5		
62 Cancer of the liver												
63 Cancer of the head, face, and neck						1						
64 Cancer of the abdomen												
65 Cancer of the mouth, tongue, and throat						2				1		
66 Unknown causes									1	7		

STATISTICS OF DEATHS.

OCCUPATIONS, WITH DISTINCTION OF COLOR, NATIVITY, PARENTAL NATIVITY, ETC.—Continued.

CLASS H—continued.

Farmers, planters, and overseers.	Farm laborers.	Fishermen and oystermen.	Gardeners, florists, nurserymen, and vine growers.	Livery stable keepers and hostlers.	Lumbermen and raftsmen.	Miners (coal).	Miners (not specified).	Pilots.	Quarrymen.	Sailors.	Steam railroad employes (includes conductors, brakemen, engineers, and firemen).	Stock raisers, herders, and drovers.	Telegraph and telephone operators.	Telegraph and telephone linemen and electric light men.
2,464	73	9	46	17	18	5	4	129	80	5	9	1		
2,459	73	9	46	15	18	5	4	127	80	5	9	2		
1,827	50	9	20	11	15	4	1	61	52	4	6	3		
1,034	33	7	9	2	12	2	2	9	25	1	2	4		
137	11	4	5	1	1	1	1	2	11	2	2	5		
522	22	26	3	3	1	1	2	64	23	1	1	6		
5				2				2				7		
55	2		1	2	2			1				8		
20	1		2					3	1			9		
19								1	1			10		
38			2	1				1	1			11		
308	1		5	2	1			16	5	1		12		
211	16	1	4	6		1		35	8		2	13		
19	1				1							14		
319	7	2	7	1	1	1		19	2		2	15		
396	12		6	1	5	1		18	4		2	16		
39					1			1	2	2		17		
3			1							1		18		
75	2	1	1							1		19		
85	4		2					1	7	1		20		
116	2							3	3			21		
4								1				22		
24	3		3		1			1	1	1		23		
114	8		2	3	5	1		3	49	3	2	24		
33								2				25		
4								2				26		
5								2				27		
2								1				28		
2												29		
46			1									30		
200	2	10	15	6				1	23	16	1	2	31	
197	1	10	14	3									32	
176	1	10	4	2				1	22	16	1	2	33	
168		9	3	1					16	12			34	
4		1	1						14	4			35	
20			10	1					1	8		2	36	
3	1		1	3					5	4	1		37	
3		1							1				38	
4													39	
1													40	
23			1	1					5	1			41	
18		1	3	2									42	
2			1	1					2	1			43	
24	1	2	4						2				44	
28	1		4	1					3	1	1		45	
4		1							5				46	
9													47	
2													48	
9		1											49	
													50	
													51	
													52	
													53	
													54	
													55	
													56	
													57	
													58	
													59	
													60	
													61	
													62	
													63	
													64	
													65	
													66	

TABLE 7.—DEATHS AMONG MALES ENGAGED IN CERTAIN OCCUPATIONS AND CLASSES OF

AREAS.	CLASS D.			CLASS E.							
	Total	Hotel and boarding house keepers.	Saloon keepers, billiard and bowling saloon keepers, bartenders, and restaurant keepers.	Total	Barbers and hairdressers.	Janitors and sextons.	Launderers.	Nurses.	Police-men, watchmen, and detectives.	Soldiers, sailors, and marines (United States).	Undertakers.
CITIES IN RHODE ISLAND—Continued.											
1 Total	13	2	11	25	9	3			6	3	4
2 White	13	2	11	25	9	3			6	3	4
3 Native born	7	2	5	22	9	2			5	2	4
4 Both parents native	4	2	2	12	4	1			5	1	1
5 One or both parents foreign	3		3	9	5	1			1	1	3
6 Foreign born	6		6	3		1					
7 Colored											
8 Typhoid fever											
9 Malarial fever											
10 Lead poison											
11 Rheumatism				1		1					
12 Dropsy											
13 Heart disease				2	1				1		
14 Consumption	3		3	5	4						1
15 Diabetes											
16 Diseases of the nervous system	2		2	1					1		
17 Diseases of the respiratory system	3	2	1	4		1			1	1	1
18 Diseases of the liver	1		1	1					1		
19 Ascites											
20 Other diseases of the digestive system				1							1
21 Bright's disease	1			1	1						
22 Other diseases of the urinary system				1	1						
23 Diseases of the bones and joints											
24 Burns											
25 Injuries by machinery											
26 Suicides				1					1		
27 Other accidents and injuries	2		2	3	1	1				1	
28 Cancer of the stomach											
29 Cancer of the liver											
30 Cancer of the head, face, and neck											
31 Cancer of the abdomen											
32 Cancer of the mouth, tongue, and throat											
33 Unknown causes				1					1		
RURAL PART OF RHODE ISLAND—Continued.											
34 Total	7	4	3	9	2		1		2	2	2
35 White	6	3	3	9	2		1		2	2	2
36 Native born	3	3		6	1				2	1	2
37 Both parents native	3	3		5	1				1	1	2
38 One or both parents foreign											
39 Foreign born	3		3	3	1		1			1	
40 Colored	1	1									
41 Typhoid fever											
42 Malarial fever											
43 Lead poison											
44 Rheumatism											
45 Dropsy				1					1		
46 Heart disease	2	2		2						1	1
47 Consumption	1	1		1	1						
48 Diabetes											
49 Diseases of the nervous system	1		1								
50 Diseases of the respiratory system	1		1								
51 Diseases of the liver											
52 Ascites											
53 Other diseases of the digestive organs											
54 Bright's disease											
55 Other diseases of the urinary system	1	1		1			1				
56 Diseases of the bones and joints											
57 Burns											
58 Injuries by machinery											
59 Suicides											
60 Other accidents and injuries											
61 Cancer of the stomach											
62 Cancer of the liver											
63 Cancer of the head, face, and neck											
64 Cancer of the abdomen											
65 Cancer of the mouth, tongue, and throat											
66 Unknown causes				1					1		

STATISTICS OF DEATHS.

OCCUPATIONS, WITH DISTINCTION OF COLOR, NATIVITY, PARENTAL NATIVITY, ETC.—Continued.

CLASS F.				CLASS G.											
Total.	Laborers (not specified).	Messenger boys.	Servants.	Total.	Artificial flower and paper box makers.	Bakers and confectioners.	Blacksmiths.	Bleachers, dyers, and scourers.	Bookbinders.	Boot and shoe makers.	Brassfounders and copper-smiths.	Brewers, distillers, and rectifiers.	Brick and tile makers and terra cotta workers.	Butchers.	Cabinet makers and upholsterers.
266	252		14	411	1	5	21	2	1	16	2			5	9
247	239		8	405	1	5	21	2	1	16	2			4	8
55	52		9	225	1	4	5		1	5	2			3	6
10	9		1	125		2	5		1	4	2			1	2
45	43		2	96	1	2				1				2	4
191	186		5	180		1	16	2		11				1	2
19	13		6	6										1	1
10	10			19			1								
3	8			4			1			1					
5	5			7											
1	1														
13	13			46			7			3					
52	40		8	110	1	2	3	1	1	2				2	5
1	1			1			1								
22	20		2	33			1			2	2			1	1
50	46		4	65		1	3			1				1	2
7	5		2	10			1								
10	9		1	12											
9	9			9			1								
10	10			16		1		1		8					
1	1														
1	1			1											
3	3			8											
21	20		1	27						1				1	
1	1			5											
2	2			1											
2	2			1											
1	1			2						1					
7	7			3											
111	110		1	233		1	10	5		1				3	
105	104		1	230		1	10	5		1				3	
39	38		1	139			9	1		1				3	
26	25		1	104			7	1		1				2	
10	10			29			2							1	
65	65			91		1	1	4						1	
6	6			3											
4	4			4			1								
2	2														
				1											
				3											
				2											
9	9			17			1	1							
23	23			46			3	1						1	
1	1			1											
5	5			34		1	2							2	
18	17		1	41											
				1											
2	2			5											
2	2			7				1							
6	6			6											
1	1														
2	2			4											
9	9			19											
				1											
				2											
				1											
				2											
				1											
				2											
				1											
1	1			3				1							

VITAL AND SOCIAL STATISTICS.

TABLE 7.—DEATHS AMONG MALES ENGAGED IN CERTAIN OCCUPATIONS AND CLASSES OF

AREAS.	CLASS G—continued.								CLASS H.			
	Plasterers and white-washers.	Plumbers and gas and steam fitters.	Potters.	Rubber factory operatives.	Silk mill operatives.	Tailors.	Tinners and tinware makers.	Wheelwrights.	Woolen mill operatives.	Total.	Boatmen and canalmen.	Draymen, hackmen, teamsters, drivers, etc.
CITIES IN RHODE ISLAND—Continued.												
1 Total	3	8		9	1	17	6		5	95		20
2 White	1	8		9	1	17	6		5	88		18
3 Native born	1	7		3		2	5		2	53		10
4 Both parents native		2		1		1	1			39		6
5 One or both parents foreign	1	5		2		1	4		2	12		3
6 Foreign born		1		6	1	15	1		3	33		7
7 Colored	2									7		2
8 Typhoid fever				3		1	1			6		
9 Malarial fever										1		1
10 Lead poison												
11 Rheumatism				1								
12 Dropsy												
13 Heart disease	1					1			1	9		3
14 Consumption	2	4		2	1	2	2		1	10		4
15 Diabetes												
16 Diseases of the nervous system						3				11		2
17 Diseases of the respiratory system		3				3	1		1	10		1
18 Diseases of the liver										2		1
19 Ascites										2		1
20 Other diseases of the digestive system				1						4		4
21 Bright's disease									1	3		
22 Other diseases of the urinary system		1										
23 Diseases of the bones and joints										1		
24 Burns												
25 Injuries by machinery												
26 Suicides						1	1			17		1
27 Other accidents and injuries												
28 Cancer of the stomach						1	1			1		
29 Cancer of the liver												
30 Cancer of the head, face, and neck												
31 Cancer of the abdomen						1						
32 Cancer of the mouth, tongue, and throat									1	1		
33 Unknown causes												
RURAL PART OF RHODE ISLAND—Continued.												
34 Total	1			5		5	2	3	1	212	1	10
35 White				5		5	2	3	1	207	1	9
36 Native born				3		3	1	3	1	188	1	7
37 Both parents native				2		2		2		174	1	7
38 One or both parents foreign				1		1			1	8		
39 Foreign born				2		2	1			18		2
40 Colored	1									5		1
41 Typhoid fever										5		1
42 Malarial fever										1		1
43 Lead poison										4		
44 Rheumatism										2		1
45 Dropsy				1			1					
46 Heart disease									1	22		1
47 Consumption	1			1					1	23	1	1
48 Diabetes										3		
49 Diseases of the nervous system				2					1	26		
50 Diseases of the respiratory system										32		
51 Diseases of the liver										4		
52 Ascites										8		
53 Other diseases of the digestive system						1				4		2
54 Bright's disease						1				7		
55 Other diseases of the urinary system									1			
56 Diseases of the bones and joints												
57 Burns												
58 Injuries by machinery												
59 Suicides						1	1			14		1
60 Other accidents and injuries												
61 Cancer of the stomach				1						4		
62 Cancer of the liver												
63 Cancer of the head, face, and neck												
64 Cancer of the abdomen												
65 Cancer of the mouth, tongue, and throat						1				1		
66 Unknown causes										6		

TABLE 7.—DEATHS AMONG MALES ENGAGED IN CERTAIN OCCUPATIONS AND CLASSES OF

AREAS.	CLASS G—continued.								CLASS H.			
	Plasterers and white-washers.	Plumbers and gas and steam fitters.	Potters.	Rubber factory operatives.	Silk mill operatives.	Tailors.	Tinners and tinware makers.	Wheelwrights.	Wooden mill operatives.	Total.	Boatmen and canalmen.	Draymen, hackmen, teamsters, drivers, etc.
VERMONT—Continued.												
1	Total	2				4	3	5	3	900		16
2	White	2				4	3	5	3	900		16
3	Native born	2				1	3	5	3	751		13
4	Both parents native					1	1	2	1	277		5
5	One or both parents foreign						1			19		1
6	Foreign born					3				106		1
7	Colored											
8	Typhoid fever						1			17		
9	Malarial fever									1		
10	Lead poison									8		1
11	Rheumatism									16		
12	Dropsy											
13	Heart disease							1		127		
14	Consumption	1				1	1			97		1
15	Diabetes								1	5		
16	Diseases of the nervous system									119		1
17	Diseases of the respiratory system					2	1	1		155		6
18	Diseases of the liver									12		1
19	Ascites									1		
20	Other diseases of the digestive system								1	16		
21	Bright's disease									33		
22	Other diseases of the urinary system							2		40		
23	Diseases of the bones and joints									2		
24	Burns											
25	Injuries by machinery											
26	Suicides									10		
27	Other accidents and injuries									54		2
28	Cancer of the stomach									13		
29	Cancer of the liver									5		
30	Cancer of the head, face, and neck									2		
31	Cancer of the abdomen											
32	Cancer of the mouth, tongue, and throat									1		
33	Unknown causes									18		
CITIES IN VERMONT—Continued.												
34	Total	2				1	1			35		1
35	White	2				1	1			35		1
36	Native born	2					1			25		1
37	Both parents native									3		
38	One or both parents foreign						1					
39	Foreign born					1				6		
40	Colored											
41	Typhoid fever									1		
42	Malarial fever											
43	Lead poison											
44	Rheumatism											
45	Dropsy											
46	Heart disease									4		
47	Consumption	1				1	1			3		
48	Diabetes											
49	Diseases of the nervous system									13		
50	Diseases of the respiratory system											
51	Diseases of the liver									1		
52	Ascites									1		
53	Other diseases of the digestive system									1		
54	Bright's disease									1		
55	Other diseases of the urinary system									1		
56	Diseases of the bones and joints											
57	Burns											
58	Injuries by machinery											
59	Suicides									1		
60	Other accidents and injuries									3		
61	Cancer of the stomach									1		
62	Cancer of the liver											
63	Cancer of the head, face, and neck											
64	Cancer of the abdomen											
65	Cancer of the mouth, tongue, and throat											
66	Unknown causes									1		

STATISTICS OF DEATHS.

OCCUPATIONS, WITH DISTINCTION OF COLOR, NATIVITY, PARENTAL NATIVITY, ETC.—Continued.

CLASS H—continued.														
Farmers, planters, and overseers.	Farm laborers.	Fishermen and oystermen.	Gardeners, florists, nurserymen, and vine growers.	Livery stable keepers and hostlers.	Lumbermen and raftsmen.	Miners (coal).	Miners (not specified).	Pilots.	Quarrymen.	Sailors.	Steam railroad employes (includes conductors, brakemen, engineers, and firemen).	Stock raisers, herders, and drovers.	Telegraph and telephone operators.	Telegraph and telephone linemen and electric lightmen.
803	36		6	2	3				12	1	15	2	4	1
803	36		6	2	3				12	1	15	2	4	2
676	33		4	2	3				2	1	11	2	4	3
245	16		2		2				1	1	4		1	4
11	5								1				1	5
88	3		2						9		3			6
														7
15									1		1			8
1														9
5	1				1									10
15											1			11
117	5		2	1							1	1		12
81	10		1		1						2		1	13
5														14
112	2		1						1		1		1	15
133	10				1				1	1	1	1	1	16
10	1													17
1														18
16														19
31	1												1	20
40														21
2														22
														23
9	1													24
37	2		1						6		6			25
														26
13														27
5														28
2														29
														30
1														31
18														32
														33
28	2		2								2			34
														35
28	2		2								2			36
21	1		1								1			37
3														38
4	1		1											39
														40
														41
1														42
														43
														44
														45
3	1													46
1	1		1											47
														48
12											1			49
														50
1														51
1														52
1														53
1														54
														55
														56
1														57
1			1								1			58
														59
1														60
														61
														62
														63
														64
1														65
														66

TABLE 7.—DEATHS AMONG MALES ENGAGED IN CERTAIN OCCUPATIONS AND CLASSES OF

AREAS.	All selected occupations.	CLASS A.											
		Total.	Actors.	Architects, artists, etc.	Clergymen.	Dentists.	Engineers and surveyors.	Journalists.	Lawyers.	Musicians and teachers of music.	Physicians and surgeons.	Professors, authors, literary and scientific persons.	Teachers.
RURAL PART OF VERMONT.													
1 Total.....	1,335	36			10	2	1	2	12		7		2
2 White.....	1,332	36			10	2	1	2	12		7		2
3 Native born.....	1,068	34			9	2	1	2	11		7		2
4 Both parents native.....	383	16			2	2	1	2	4		5		
5 One or both parents foreign.....	28												
6 Foreign born.....	200												
7 Colored.....	3												
8 Typhoid fever.....	34	2							1				1
9 Malarial fever.....	2												
10 Lead poison.....													
11 Rheumatism.....	10	1							1				
12 Dropsy.....	18												
13 Heart disease.....	168	2			1						1		
14 Consumption.....	170	3			1			1			1		
15 Diabetes.....	12	1									1		
16 Diseases of the nervous system.....	152	12			3		1		6		1		1
17 Diseases of the respiratory system.....	280	5			2			1	2				
18 Diseases of the liver.....	13												
19 Ascites.....	1												
20 Other diseases of the digestive system.....	29	1				1							
21 Bright's disease.....	51												
22 Other diseases of the urinary system.....	49												
23 Diseases of the bones and joints.....	4												
24 Burns.....													
25 Injuries by machinery.....	1												
26 Suicides.....	15												
27 Other accidents and injuries.....	96	1			1								
28 Cancer of the stomach.....	19												
29 Cancer of the liver.....	8	1									1		
30 Cancer of the head, face, and neck.....	2												
31 Cancer of the abdomen.....	1	1											
32 Cancer of the mouth, tongue, and throat.....	2				1								
33 Unknown causes.....	22	1							1				

VITAL AND SOCIAL STATISTICS.

TABLE 7.—DEATHS AMONG MALES ENGAGED IN CERTAIN OCCUPATIONS AND CLASSES OF

AREAS.	CLASS G—continued.								CLASS H.			
	Plasterers and white-washers.	Plumbers and gas and steam fitters.	Potters.	Rubber factory operatives.	Silk mill operatives.	Tailors.	Tinners and tinware makers.	Wheelwrights.	Woolen mill operatives.	Total.	Boatmen and canalmen.	Draymen, hackmen, teamsters, drivers, etc.
RURAL PART OF VERMONT—Continued.												
1 Total						3	2	5	3	865		15
2 White						3	2	5	3	865		15
3 Native born						1	2	5	3	726		12
4 Both parents native						1	1	2	1	274		5
5 One or both parents foreign										19		1
6 Foreign born						2				100		1
7 Colored												
8 Typhoid fever							1			16		
9 Malarial fever										1		
10 Lead poison										8		1
11 Rheumatism										16		
12 Dropsy												
13 Heart disease								1		123		
14 Consumption										94		1
15 Diabetes										5		
16 Diseases of the nervous system									1	106		1
17 Diseases of the respiratory system						2	1	1		155		6
18 Diseases of the liver										11		1
19 Ascites										1		
20 Other diseases of the digestive system									1	15		
21 Bright's disease										32		
22 Other diseases of the urinary system								2		39		
23 Diseases of the bones and joints										2		
24 Burns												
25 Injuries by machinery										9		
26 Suicides										51		2
27 Other accidents and injuries												
28 Cancer of the stomach										12		
29 Cancer of the liver										5		
30 Cancer of the head, face, and neck										2		
31 Cancer of the abdomen												
32 Cancer of the mouth, tongue, and throat										1		
33 Unknown causes										17		

TABLE 7.—DEATHS AMONG MALES ENGAGED IN CERTAIN OCCUPATIONS AND CLASSES OF

AREAS.	All selected occupations.	CLASS A.											
		Total.	Actors.	Architects, artists, etc.	Clergymen.	Dentists.	Engineers and surveyors.	Journalists.	Lawyers.	Musicians and teachers of music.	Physicians and surgeons.	Professors, authors, literary and scientific persons.	Teachers.
OTHER REGISTRATION CITIES.													
1 Total.....	23,040	964	21	53	157	26	37	58	206	83	240	32	51
2 White.....	20,041	922	19	53	133	26	37	58	203	77	236	32	48
3 Native born.....	8,832	601	10	27	81	21	21	41	166	21	165	25	23
4 Both parents native.....	1,335	134		5	12	5	5	8	45	2	41	6	5
5 One or both parents foreign.....	865	29	1		5	1		2	9	2	6	1	2
6 Foreign born.....	10,702	291	6	26	50	5	15	14	32	54	62	6	21
7 Colored.....	2,999	42	2		24				3	6	4		3
8 Typhoid fever.....	1,166	31	1	2	4	3		1	7	4	6	1	2
9 Malarial fever.....	305	15		1	2			1	2	2	4	1	1
10 Lead poison.....	22												
11 Rheumatism.....	142	5			1				1		2	1	
12 Dropsy.....	183	5							2	1	2		
13 Heart disease.....	1,935	116	4	8	17	3	7	6	26	10	30	1	4
14 Consumption.....	4,740	154	6	13	22	4	5	15	25	19	26	8	11
15 Diabetes.....	88	6		2				1	2		1		
16 Diseases of the nervous system.....	2,161	127	1	6	21	5	3	7	30	7	36	5	6
17 Diseases of the respiratory system.....	3,515	142	5	7	22	6	5	5	29	11	45	2	5
18 Diseases of the liver.....	574	85		1	5	1	2		7	7	11		1
19 Ascites.....	21												
20 Other diseases of the digestive system.....	637	31		2	8	2	1		7	2	8		1
21 Bright's disease.....	622	40	1	3	1		1	5	12		15	1	1
22 Other diseases of the urinary system.....	642	23		1	7		1	2	5	1	10		1
23 Diseases of the bones and joints.....	60	4			2				1		1		
24 Burns.....	55	1					1						
25 Injuries by machinery.....	13												
26 Suicides.....	438	16	1	4	1			1	5		2		2
27 Other accidents and injuries.....	2,155	51	2	1	7		2	4	11	6	10	4	4
28 Cancer of the stomach.....	251	10			4			1				1	
29 Cancer of the liver.....	86	7			1				2	1	2		1
30 Cancer of the head, face, and neck.....	44	2			1						1		
31 Cancer of the abdomen.....	43	1						1					
32 Cancer of the mouth, tongue, and throat.....	48	3							1	1	1		
33 Unknown causes.....	284	10		1	1	1	2	2	5	1	2	1	
REMAINDER OF THE UNITED STATES.													
34 Total.....	116,969	4,322	14	60	960	113	106	116	684	118	1,305	64	782
35 White.....	97,851	4,085	14	59	827	113	104	116	678	110	1,294	62	708
36 Native born.....	72,162	3,487	12	45	672	104	32	97	610	68	1,138	51	608
37 Both parents native.....	48,074	2,363	6	32	433	63	53	64	424	40	778	30	440
38 One or both parents foreign.....	7,308	257	2	6	49	9	7	12	31	11	72	6	52
39 Foreign born.....	21,734	417	1	14	122	5	18	8	36	39	92	9	73
40 Colored.....	19,118	237		1	133		2		6	8	11	2	74
41 Typhoid fever.....	6,418	200	3	7	32	3	6	5	31	4	41	1	67
42 Malarial fever.....	3,703	112		1	32	4	2	1	13	3	27	2	27
43 Lead poison.....	26												
44 Rheumatism.....	1,125	42			13	2	2	1	7		13		4
45 Dropsy.....	2,621	65			27			2	6	2	20		7
46 Heart disease.....	8,431	357	1	2	83	13	8	6	59	5	139	4	37
47 Consumption.....	17,811	714	1	21	121	13	13	27	88	33	158	15	224
48 Diabetes.....	661	35		2	7	2			8	1	7		8
49 Diseases of the nervous system.....	10,085	574	1	4	147	19	17	14	102	12	186	8	64
50 Diseases of the respiratory system.....	19,717	622	1	5	158	15	13	15	87	14	196	9	109
51 Diseases of the liver.....	1,305	84			25	1	1		16	3	27	1	10
52 Ascites.....	213	4			3						1		
53 Other diseases of the digestive system.....	3,330	171	1		37	5	9	5	26	3	55	1	29
54 Bright's disease.....	2,661	136		2	19	7	1	3	35	4	51	1	13
55 Other diseases of the urinary system.....	2,877	136		1	40	4	3	6	21	2	39		20
56 Diseases of the bones and joints.....	380	11			2	1			2		4		2
57 Burns.....	201	2				1							1
58 Injuries by machinery.....	152								1				1
59 Suicides.....	1,264	53	1	4	4	2	1	3	11	3	10	1	8
60 Other accidents and injuries.....	11,661	214	2	4	31	4	7	11	36	3	63	7	46
61 Cancer of the stomach.....	1,097	30		1	8	1		1	7	1	10		1
62 Cancer of the liver.....	179	10			2	1			3		2		2
63 Cancer of the head, face, and neck.....	433	14			5				3		4		2
64 Cancer of the abdomen.....	144	6							3		1		2
65 Cancer of the mouth, tongue, and throat.....	154	7							2		4		1
66 Unknown causes.....	4,090	123		1	29	3	5	7	20	4	43	3	13

STATISTICS OF DEATHS.

OCCUPATIONS, WITH DISTINCTION OF COLOR, NATIVITY, PARENTAL NATIVITY, ETC.—Continued.

CLASS B.							CLASS C.									
Total.	Stenographers and typewriters.	Accountants, bookkeepers, clerks, and copyists.	Bankers, brokers, and officials of companies.	Collectors, auctioneers, and agents.	Wholesale merchants and dealers.	News-paper carriers and newsboys.	Total.	Apothecaries, pharmacists, and dealers in chemicals and drugs.	Commercial travelers and salesmen.	Dealers in dry goods (retail).	Dealers in groceries (retail).	Dealers, not specified (retail).	Hucksters and peddlers.	Wine and liquor dealers (retail).	Wine and liquor dealers (wholesale).	
1,651	13	1,182	101	315	26	14	1,975	87	333	7	187	1,171	144	36	10	1
1,629	13	1,165	99	315	26	11	1,920	87	332	7	186	1,135	137	36	10	2
1,196	10	871	78	217	20	-----	1,006	59	217	3	67	608	40	9	3	3
188	3	113	17	45	5	-----	158	9	24	-----	10	101	3	2	-----	4
117	1	94	2	19	1	-----	76	6	16	-----	10	40	4	-----	-----	5
391	2	260	18	96	5	10	884	26	107	3	118	512	86	27	5	6
22	-----	17	2	-----	-----	3	55	-----	1	-----	1	36	17	-----	-----	7
94	1	82	3	8	-----	-----	84	7	26	-----	5	38	7	1	-----	8
29	-----	25	-----	4	-----	-----	20	1	3	1	1	12	2	-----	-----	9
7	-----	7	-----	-----	-----	-----	12	-----	3	-----	1	6	2	-----	-----	10
10	-----	7	-----	2	-----	1	15	-----	3	-----	1	11	-----	-----	-----	11
123	-----	69	17	34	3	-----	212	5	23	1	26	132	21	2	2	13
417	6	345	11	51	3	1	331	13	83	-----	30	176	22	6	1	14
13	-----	9	1	1	2	-----	9	-----	-----	-----	1	8	-----	-----	-----	15
173	2	114	11	44	1	1	282	18	35	1	26	190	5	5	2	16
220	1	169	14	43	1	1	265	13	41	1	25	153	25	6	1	17
20	-----	12	4	10	2	1	72	2	10	-----	9	41	5	5	-----	18
2	-----	1	-----	1	-----	-----	2	-----	-----	-----	1	1	-----	-----	-----	19
61	1	87	5	15	3	-----	63	5	9	-----	6	33	2	1	1	20
65	-----	46	6	11	2	-----	62	1	8	-----	7	44	2	-----	-----	21
42	-----	23	5	11	3	-----	68	1	9	-----	4	47	6	1	-----	22
5	-----	4	-----	1	-----	-----	6	-----	1	-----	1	3	1	-----	-----	23
2	-----	2	-----	-----	-----	-----	1	-----	-----	-----	-----	1	-----	-----	-----	24
52	-----	36	1	11	1	3	41	3	10	1	2	20	4	1	-----	25
81	-----	56	6	13	2	3	104	4	21	1	9	53	13	2	1	26
13	-----	8	1	4	-----	-----	22	-----	-----	-----	2	18	2	-----	-----	27
1	-----	1	-----	-----	-----	-----	7	-----	2	-----	1	4	-----	-----	-----	28
3	-----	2	-----	1	-----	-----	5	-----	-----	-----	1	4	-----	-----	-----	29
3	-----	2	-----	1	-----	-----	8	-----	1	-----	1	4	-----	-----	-----	30
4	-----	2	-----	1	-----	-----	9	-----	1	-----	2	3	2	1	-----	31
16	-----	11	1	4	-----	-----	26	4	6	1	1	14	-----	-----	1	32
2,194	23	1,351	266	507	39	8	3,855	275	558	86	405	2,353	145	28	5	34
2,172	23	1,334	266	504	39	6	3,801	274	553	86	396	2,329	130	28	5	35
1,799	20	1,101	219	420	34	5	2,983	226	476	74	289	1,830	73	13	2	36
1,162	11	686	161	284	18	2	2,042	152	332	57	196	1,254	43	6	2	37
265	5	187	20	45	7	1	354	32	73	7	47	179	10	6	-----	38
279	2	175	35	61	5	1	697	42	53	12	101	426	49	13	1	39
22	-----	17	-----	3	-----	2	54	1	5	-----	9	24	15	-----	-----	40
166	1	134	9	19	3	-----	245	17	58	4	22	137	6	1	-----	41
56	-----	31	11	12	2	-----	109	9	18	1	9	70	2	-----	-----	42
21	1	11	6	3	-----	-----	26	-----	3	-----	3	19	1	-----	-----	43
16	-----	10	6	6	-----	-----	48	3	-----	2	6	32	5	-----	-----	44
157	1	77	33	41	5	-----	329	25	23	13	36	214	12	6	-----	46
497	6	375	23	86	5	2	650	63	134	15	50	350	24	5	-----	47
13	1	5	2	5	-----	-----	26	5	-----	-----	2	18	-----	-----	1	48
250	4	125	41	77	2	1	449	27	64	8	39	288	20	1	2	49
301	3	175	44	72	7	-----	552	35	66	16	75	336	21	3	-----	50
39	-----	17	7	13	2	-----	96	4	8	3	10	64	4	3	-----	51
1	-----	1	-----	-----	-----	-----	2	-----	-----	-----	-----	-----	-----	-----	-----	52
71	-----	43	11	16	1	-----	143	13	13	1	21	90	3	2	-----	53
59	-----	32	5	18	2	1	115	9	10	3	9	78	5	1	-----	54
50	2	23	10	13	2	-----	80	3	2	1	14	58	2	-----	-----	55
10	-----	7	2	1	-----	-----	17	1	2	-----	2	10	2	-----	-----	56
3	-----	2	-----	-----	-----	-----	6	-----	1	-----	-----	5	-----	-----	-----	57
39	-----	25	3	11	-----	-----	60	1	15	3	5	32	4	-----	-----	58
157	2	93	10	44	4	4	270	18	46	6	32	148	16	2	2	60
15	-----	1	10	4	-----	-----	32	-----	2	-----	4	22	2	2	-----	61
4	-----	1	1	2	-----	-----	10	1	3	-----	2	4	-----	-----	-----	62
4	-----	3	1	-----	-----	-----	6	2	1	-----	-----	3	-----	-----	-----	63
3	-----	2	-----	1	-----	-----	5	-----	-----	-----	-----	5	-----	-----	-----	64
2	-----	1	1	-----	-----	-----	3	-----	-----	-----	1	2	-----	-----	-----	65
41	2	26	4	9	-----	-----	99	4	15	1	4	70	4	1	-----	66

TABLE 7.—DEATHS AMONG MALES ENGAGED IN CERTAIN OCCUPATIONS AND CLASSES OF

AREAS.	CLASS D.			CLASS E.							
	Total.	Hotel and boarding house keepers.	Saloon keepers, billiard and bowling saloon keepers, bartenders, and restaurant keepers.	Total.	Barbers and hair-dressers.	Janitors and sextons.	Laund-ers.	Nurses.	Police-men, watch-men, and detect-ives.	Soldiers, sailors, and marines (United States).	Under-takers.
OTHER REGISTRATION CITIES—Con-tinued.											
1 Total	546	77	469	667	220	73	56	19	233	48	18
2 White	532	76	450	528	139	52	29	18	229	44	17
3 Native born	180	29	161	256	84	23	12	9	97	20	11
4 Both parents native	16	5	11	22	7	4	2	1	7	1	
5 One or both parents foreign	29		29	34	18	2	1	1	12		
6 Foreign born	338	46	292	263	50	29	17	9	181	21	6
7 Colored	14	1	13	139	81	21	27	1	4	4	1
8 Typhoid fever	9		9	25	10	2	5	1	4	3	
9 Malarial fever	4		4	6	2				3	1	
10 Lead poison											
11 Rheumatism	5	1	4	4	2		1		1		
12 Dropsy	4	1	3	3	1				2		
13 Heart disease	49	10	39	59	23	7	5	2	19	3	
14 Consumption	119	9	110	152	62	15	24	4	34	9	4
15 Diabetes	3	2	1	4	2				2		
16 Diseases of the nervous system	48	10	38	60	18	2	3	2	25	6	4
17 Diseases of the respiratory system	107	16	91	108	23	19	4	3	50	6	3
18 Diseases of the liver	28	3	25	17	9		1		5	1	1
19 Ascites				2	1	1					
20 Other diseases of the digestive system	12	2	10	20	8	4			5	2	1
21 Bright's disease	11	4	7	20	5	5	2		7	3	1
22 Other diseases of the urinary system	14	2	12	17	5	2	2		8		
23 Diseases of the bones and joints	2		2	1						1	
24 Burns											
25 Injuries by machinery											
26 Suicides	15	1	14	22	9	3		3	3	2	
27 Other accidents and injuries	32	3	29	54	12	2	3		30	7	
28 Cancer of the stomach	4	2	2	3	1				2		
29 Cancer of the liver	1		1	1							1
30 Cancer of the head, face, and neck				1		1					
31 Cancer of the abdomen				2							
32 Cancer of the mouth, tongue, and throat				1					1		
33 Unknown causes	5		5	8	5	1			2		
REMAINDER OF THE UNITED STATES—Continued.											
34 Total	1,071	363	708	1,137	333	58	38	14	167	471	56
35 White	1,041	357	684	936	212	43	21	7	155	443	55
36 Native born	562	228	334	517	159	25	12	4	100	176	41
37 Both parents native	306	161	145	243	92	16	7	1	70	32	30
38 One or both parents foreign	134	28	106	56	26	2	4	1	11	9	3
39 Foreign born	480	117	313	346	42	17	7	2	41	223	14
40 Colored	36	6	24	201	121	15	17	7	12	28	1
41 Typhoid fever	37	7	30	41	11	2	3	1	5	17	2
42 Malarial fever	8	3	5	19	7		1	2	4	4	1
43 Lead poison											
44 Rheumatism	16	2	14	4	3					1	
45 Dropsy	21	7	14	20	7		1	2	5	2	3
46 Heart disease	86	40	46	112	21	4	1	1	8	74	3
47 Consumption	181	37	144	209	111	9	8	2	18	56	5
48 Diabetes	2	1	1	7	1						
49 Diseases of the nervous system	98	44	54	125	23	5	1	1	22	60	13
50 Diseases of the respiratory system	159	51	108	135	37	14	5	2	25	42	10
51 Diseases of the liver	40	11	29	10	4	1	1		1	1	2
52 Ascites	2			1					1		
53 Other diseases of the digestive system	33	17	16	43	16	1	1		5	19	1
54 Bright's disease	33	15	23	31	6	1		1	5	18	
55 Other diseases of the urinary system	29	14	15	22	5	3			2	11	1
56 Diseases of the bones and joints	5	1	4	4	3						
57 Burns	4		4	1					1		
58 Injuries by machinery									1		
59 Suicides	19	4	15	26	3	1		1	4	14	
60 Other accidents and injuries	78	32	46	103	21	3	6		35	30	2
61 Cancer of the stomach	14	7	7	20	1	2			1	15	1
62 Cancer of the liver	1		1	5		1			1	3	
63 Cancer of the head, face, and neck	2		2	2						2	
64 Cancer of the abdomen	1	1									
65 Cancer of the mouth, tongue, and throat				6	1	1				4	
66 Unknown causes	-30	3	22	61	11	1			2	46	1

STATISTICS OF DEATHS.

OCCUPATIONS, WITH DISTINCTION OF COLOR, NATIVITY, PARENTAL NATIVITY, ETC.—Continued.

CLASS F.				CLASS G.												
Total.	Laborers (not specified)	Messenger boys.	Servants.	Total.	Artificial flower and paper box makers.	Bakers and confectioners.	Blacksmiths.	Bleachers, dyers, and scourers.	Bookbinders.	Boot and shoe makers.	Brass-founders and copper smiths.	Brewers, distillers, and rectifiers.	Brick and tile makers and terra cotta workers.	Butchers.	Cabinet makers and upholsterers.	
6,692	6,226	17	449	7,355	13	229	326	30	29	513	44	100	64	309	218	1
4,749	4,527	16	206	6,996	13	224	302	29	29	485	43	100	52	302	217	2
1,147	1,065	14	68	3,029	7	63	108	8	18	138	21	12	34	103	57	3
151	145		6	414		6	20		2	12	3		2	4	9	4
132	127		5	318		11	13		2	9	3			16	5	5
3,469	3,335	2	132	3,819	6	161	190	21	11	337	22	4	18	193	155	6
1,943	1,699	1	243	350		5	24	1		28	1		12	7	1	7
393	373	2	18	387		12	17	3		9	3	7	6	23	8	8
100	90		10	79		3	3			3	1	2	2	6	4	9
7	6		1	15						1	1					10
36	34		2	52		2	3		1	3		2				11
68	66		2	61		4	3			6		1		2	2	12
526	485	1	40	599		17	33	1		55	3	10	6	19	14	13
1,403	1,275		128	1,024	4	55	57	9	14	81	15	23	13	54	52	14
13	12		1	31			3		1	1				1	15	15
516	482		34	696		24	36	1	2	56	2	8	6	39	19	16
1,151	1,081	1	69	1,103		34	55	8	4	83	9	14	12	45	37	17
140	134		6	195		7	9	3		18	1	1		11	4	18
10	9		1	4			1									19
178	173		5	238		6	7	1		9		1	1	10	11	20
182	166		16	174	1	5	5			18			1	8	5	21
174	161		13	212	1	3	9			26		3	1	7	7	22
24	21		3	11			1									23
15	13		2	28		2									1	24
9	9			4												25
83	76	2	5	168	2	8	11	1		11	1	4		4	10	26
656	610	8	38	553		12	10			21	4	8	7	25	10	27
65	61		4	89		3	6		1	7		1	1	5	5	28
22	22			37			2			3		2				29
10	10			12						1				2		30
11	11			20		2				2	2		2			31
6	6			13		1	2			1		1				32
115	108		7	65		3	3			9		1		2	1	33
14,792	13,919	25	848	13,937	10	176	1,481	25	21	933	10	91	102	443	230	34
9,856	9,455	17	384	12,935	10	171	1,288	24	21	890	10	84	81	420	223	35
5,627	5,353	13	261	9,028	8	76	897	12	14	518	6	34	58	263	142	36
3,314	3,153	9	152	5,685	4	33	572	3	8	328	3	22	36	154	78	37
760	716	4	40	1,278		23	123	3	2	60	3	12	9	68	24	38
3,622	3,517	4	101	3,487	2	84	345	12	6	342	3	46	20	144	74	39
4,936	4,464	8	464	952		5	193	1		43		7	21	23	7	40
907	867	2	38	688	1	15	64	2	2	21	1	2	9	22	6	41
457	426	2	29	205			36			11		1	1	8	3	42
3	3			17												43
128	121		7	133		3	12			7		3	4	3	4	44
380	310		20	277		1	86			28		6	3	5	3	45
850	798	1	51	1,171		21	125	3	1	94	1	6	5	43	23	46
2,797	2,576	3	213	2,409	5	28	212	5	7	138	3	14	16	71	43	47
45	41		4	76		1	10			6				3		48
1,054	995	4	55	1,406		24	148	1	2	131	1	8	5	39	30	49
2,291	2,155	5	131	2,010	1	20	238	1	2	129		11	21	60	34	50
168	159		8	234		2	28			10	1	2	2	7	5	51
32	28		4	13			1					2				52
364	338		26	490		5	56		1	35		4	2	19	10	53
198	188		10	392		7	52			36		2	2	9	5	54
218	207		11	336	1	6	32	2	1	24		2	3	11	8	55
37	34		3	53		1	6			6			1	1	1	56
50	49		1	22			3			2						57
83	83			43		1	2			10		2				58
151	140		11	169		4	17			10		2	1	12	2	59
2,043	1,952	5	86	1,215	2	9	121	6	1	38	1	11	7	52	9	60
114	109		5	145		3	13			10		1		2	1	61
16	16			31			4			3						62
42	40		2	48			4			1						63
5	5			24			3			1		1		1		64
10	10			30			1			4					1	65
566	541		25	408		5	47	1	1	27		1	1	9	6	66

TABLE 7.—DEATHS AMONG MALES ENGAGED IN CERTAIN OCCUPATIONS AND CLASSES OF

AREAS.		CLASS G—continued.										
		Carpenters and joiners.	Cigar makers and tobacco workers.	Clock and watch-repairers, jewelers, and opticians.	Compos-itors, printers, and press-men.	Coop-ers.	Cotton mill opera-tives.	Electro-typers and stereo-typers.	Engi-neers and firemen (not loco-motive).	Flax mill opera-tives.	Gas-works em-ployés.	Glass blow-ers.
OTHER REGISTRATION CITIES—Con- tinued.												
1	Total	1,125	237	91	239	171	12	4	378	2	41	24
2	White	1,052	218	91	236	157	12	4	353	2	41	24
3	Native born	538	108	38	163	47	3	3	211	1	29	13
4	Both parents native	113	6	5	18	5	1	1	45	1	3	2
5	One or both parents foreign	26	14	5	17	8	2		13		11	5
6	Foreign born	487	104	50	58	108	9	1	133	1	11	10
7	Colored	73	19		3	14			25			
8	Typhoid fever	64	9	5	10	6	1		23	1	2	1
9	Malarial fever	19			1	2	1		7		2	
10	Lead poison				1							
11	Rheumatism	5	2	1			1		1			1
12	Dropsy	11	2		1	1			1			
13	Heart disease	94	19	4	20	12			36			
14	Consumption	199	83	21	101	33	3		64		15	8
15	Diabetes	6	2		2				2			
16	Diseases of the nervous system	122	19	16	23	13	1		26		4	5
17	Diseases of the respiratory system	155	29	9	32	23	2	2	50	1	6	
18	Diseases of the liver	32	2	3	2	8			5		1	1
19	Ascites				1	1						
20	Other diseases of the digestive system	37	8	4	3	7			15			3
21	Bright's disease	17	4	2	6	8			12			
22	Other diseases of the urinary system	34	7	1	2	7			10			
23	Diseases of the bones and joints	3	1		1	1						
24	Burns	2		1					8			
25	Injuries by machinery	1										
26	Suicides	20	9	4	4	3		1	6			1
27	Other accidents and injuries	103	10	4	11	11	2	1	62		5	1
28	Cancer of the stomach	15	3	1		5	1		4			
29	Cancer of the liver	1			1				1			
30	Cancer of the head, face, and neck	2	1									
31	Cancer of the abdomen	2							1			
32	Cancer of the mouth, tongue, and throat	4		2		1			1			
33	Unknown causes	11	1		1				9		1	
REMAINDER OF THE UNITED STATES—Continued.												
34	Total	3,718	247	146	271	313	54	3	547	5	35	30
35	White	3,422	195	146	265	290	51	3	509	3	35	30
36	Native born	2,660	135	98	226	214	41	2	365	2	19	20
37	Both parents native	1,339	71	50	134	136	37		205	1	7	7
38	One or both parents foreign	226	35	21	46	19	2		53		8	12
39	Foreign born	630	56	40	29	70	9	1	117	1	14	8
40	Colored	296	52		6	23	3		38	2		
41	Typhoid fever	218	9	4	17	3	10		33			7
42	Malarial fever	105	2	7	5	6	2		14			
43	Lead poison	1			1							
44	Rheumatism	41	5	2	1	2			4			
45	Dropsy	85	5		1	10	2		7			
46	Heart disease	380	12	11	14	27	1		31		2	3
47	Consumption	585	82	23	84	44	13	1	81	1	12	7
48	Diabetes	19	2		2	1			3			
49	Diseases of the nervous system	373	21	22	29	26	4	2	39		4	1
50	Diseases of the respiratory system	540	36	15	29	55	7		56	1	3	5
51	Diseases of the liver	59	4	2	6	12			9			1
52	Ascites	5			1	1						
53	Other diseases of the digestive system	123	6	5	10	11	3		20		1	1
54	Bright's disease	104	5	3	4	5	1		15	1	1	1
55	Other diseases of the urinary system	106	3	2	4	12			3			
56	Diseases of the bones and joints	12		1	2	2					1	
57	Burns	2			1				5			
58	Injuries by machinery	9							12			
59	Suicides	43	4	3	2	6			2			
60	Other accidents and injuries	305	19	16	26	19	3		138		5	4
61	Cancer of the stomach	48		1	1	4			5		1	
62	Cancer of the liver	9	1	1					1			
63	Cancer of the head, face, and neck	20				4						
64	Cancer of the abdomen	8		2					1			
65	Cancer of the mouth, tongue, and throat	10	2						1		1	
66	Unknown causes	121	4	4	3	10	2		13	1		

STATISTICS OF DEATHS.

399

OCCUPATIONS, WITH DISTINCTION OF COLOR, NATIVITY, PARENTAL NATIVITY, ETC.—Continued.

CLASS G—continued.																	
Gun-smiths, lock-smiths, and bell hangers.	Harness and saddle makers and repairers, and trunk, valise, and leather-case makers.	Hat and cap makers.	Iron and steel workers.	Lead and zinc workers.	Leather curriers, dressers, finishers, and tanners.	Machinists.	Marble and stone cutters.	Masons (brick and stone).	Meat packers, curers, and picklers, canners, and fruit preservers.	Mill and factory operatives (textiles not specified).	Millers (flour and grist).	Painters, glaziers, and varnishers.	Paper hangers.	Paper mill operatives.	Photographers.		
20	86	36	313	4	98	358	117	389	5	249	50	443	41	6	30	1	
20	85	36	304	4	97	356	115	354	5	218	49	428	40	6	30	2	
7	46	23	131		31	185	37	120	3	79	20	259	34	5	21	3	
2	6	3	10		2	29	4	19	1	8	5	35	1		4	4	
1	5		28			28	3	14		3	3	27	1		3	5	
13	37	11	166	4	65	159	77	225	2	4	29	156	6	1	3	6	
	1		9		1	2	2	35		31	1	15	1			7	
	2		37		7	27	6	19		13	1	19	1		1	8	
		1	2			2	1	4		4		2				9	
	1				2	1		4		1		10				10	
		1	2		1	1		7		1		2				11	
																12	
1	6	3	17		5	31	1	31	1	22	4	38	4		1	13	
7	26	13	65		14	81	43	77	3	64	10	103	7	1	11	14	
1	1					2		1		1		4				15	
3	3	2	27	1	5	28	9	33	1	15	6	45	2		3	16	
4	21	3	53	1	15	60	19	63		31	10	59	13	1	4	17	
		1	11		7	5	6	11		6	2	12		1		18	
	5	2	9		3	16	3	12		4	3	18	3	1	1	19	
	4		4	1	3	6		9		7	3	9	2		2	20	
	1		9		4	11	5	12		5	2	11	2	1	2	21	
		1	1			1										22	
			2			3				1		1				23	
			1			1						1				24	
1	1		6			6	3	10		4		8	1		1	25	
	5		23		6	25	5	41		22	3	49	2		2	26	
					1											27	
		1	4		1	5	1	7		1	1	3	1		1	28	
			3		4	4		3		1	1	2			1	29	
		1	1		1	2		2		1			1		1	30	
						2		1				2	1			31	
	1		5		1			3		4						32	
												2				33	
66	273	21	427	8	103	421	216	935	3	152	483	646	22	33	67	34	
65	271	21	418	8	95	417	211	855	3	131	470	615	20	33	67	35	
48	210	14	277	4	68	297	118	489	3	79	375	479	19	21	49	36	
34	131	6	145	3	53	158	72	311	2	50	261	273	8	14	35	37	
2	24	2	88		8	59	25	63	1	15	32	78	6	3	4	38	
15	50	6	130	4	25	99	88	342		48	79	119	1	11	11	39	
	2		9		8	4	5	80		21	13	31	2			40	
	5		37		4	29	10	41		11	19	23	4	5	3	41	
1	4		9	1	2	11		21		3	12	10			1	42	
			1	1								13				43	
1	2				1	4	2	9		1	2	8			1	44	
4	3		3		3	4	1	20			9	11			1	45	
7	22	2	30		11	25	19	98		10	47	39	2	3	5	46	
5	65	5	92	2	16	88	62	133	1	26	52	155	6	6	21	47	
	2		1		1	2		3		2	4	4		1		48	
7	33	3	22		18	44	13	121		11	55	55		1	4	49	
14	31	2	66		18	67	41	123	1	21	92	71	5	5	11	50	
2	11		8			5	3	13			9	8	1			51	
												1				52	
1	5	1	13		1	18	4	38		5	22	24			2	53	
	6		11		3	12	7	25		3	15	21	1		1	54	
5	5		7		1	9	6	23		4	9	14			2	55	
					1	1		8			3	1				56	
			2								1	1				57	
			2			5				3	6			2		58	
	9		2		1	5		7	1		10					59	
6	16	1	58	1	2	44	21	74		13	23	70	1	6	5	60	
	4		1		4	2	4	15		2	7	5				61	
	2				1	1		3			2	3				62	
	1							9			3	3				63	
1	1		1					1			1	1				64	
											2	3				65	
2	7		11		1	7	4	33		6	17	26		1	1	66	

TABLE 7.—DEATHS AMONG MALES ENGAGED IN CERTAIN OCCUPATIONS AND CLASSES OF

AREAS.	CLASS G—continued.								CLASS H.			
	Plasterers and white-washers.	Plumbers and gas and steam fitters.	Potters.	Rubber factory operatives.	Silk mill operatives.	Tailors.	Timmers and tinware makers.	Wheelwrights.	Woolen mill operatives.	Total.	Boatmen and canalmen.	Draymen, hackmen, teamsters, drivers, etc.
OTHER REGISTRATION CITIES—Continued.												
1 Total.....	119	116	18		1	471	141	34	11	3,190	46	705
2 White.....	86	111	17		1	465	139	33	11	2,765	32	611
3 Native born.....	48	69	6			74	90	14	4	1,407	24	284
4 Both parents native.....	7	4				9	6	1		252	5	25
5 One or both parents foreign.....	5	13				10	10	1	1	130	4	27
6 Foreign born.....	36	40	10		1	388	47	18	7	1,247	7	314
7 Colored.....	33	5	1			6	2	1		425	14	154
8 Typhoid fever.....	6	11				20	4	2	1	143	2	42
9 Malarial fever.....	1	1				2	2			52	2	9
10 Lead poison.....												
11 Rheumatism.....	1	2	1			5	4	1		21	2	8
12 Dropsy.....	2					6	1			17		5
13 Heart disease.....	13	15	3			40	9	4	2	251	4	66
14 Consumption.....	25	23	6			91	40	8	2	540	9	159
15 Diabetes.....		1				2			1	9		2
16 Diseases of the nervous system.....	8	14	1			53	7	4	3	258	2	60
17 Diseases of the respiratory system.....	23	17	2		1	62	24	2		410	8	115
18 Diseases of the liver.....	4	1	1			15	3			58	2	16
19 Ascites.....						1				1		
20 Other diseases of the digestive system.....	8	3				19	3	2		34		23
21 Bright's disease.....	6	2	1			17	6			68	2	14
22 Other diseases of the urinary system.....	3					20	2	1		37	1	18
23 Diseases of the bones and joints.....										7		2
24 Burns.....		2				1	1			8		3
25 Injuries by machinery.....												
26 Suicides.....	1					20	5	1		41		8
27 Other accidents and injuries.....	3	14	1			20	19	1		624	4	110
28 Cancer of the stomach.....						7				45		3
29 Cancer of the liver.....						9	1			10		2
30 Cancer of the head, face, and neck.....						1				11		2
31 Cancer of the abdomen.....										3		1
32 Cancer of the mouth, tongue, and throat.....						1	1	1		7		1
33 Unknown causes.....	1					3	1			33		3
REMAINDER OF THE UNITED STATES—Continued.												
34 Total.....	243	47	47	1	6	458	184	151	33	75,661	143	980
35 White.....	205	46	46	1	6	455	180	142	33	62,975	99	746
36 Native born.....	162	30	26		2	186	130	111	21	48,159	65	507
37 Both parents native.....	97	18	14		2	103	81	72	9	33,554	51	335
38 One or both parents foreign.....	26	8	4			35	24	11	11	4,204	3	77
39 Foreign born.....	34	14	19		4	257	38	28	12	12,456	27	146
40 Colored.....	38	1	1			3	4	9		12,686	44	134
41 Typhoid fever.....	7	4	4			15	12	6	2	4,134	7	62
42 Malarial fever.....	5	3	1			2	4	3	1	2,647	5	26
43 Lead poison.....										6		
44 Rheumatism.....	7					2	2			755	1	8
45 Dropsy.....	3		1			16	3	3		1,844	4	22
46 Heart disease.....	16	4	2		1	37	14	24		5,369	5	68
47 Consumption.....	54	8	6		1	74	35	17	4	10,354	16	147
48 Diabetes.....		1				3	1	3	1	457		4
49 Diseases of the nervous system.....	22	4	3			43	14	18	5	6,129	18	72
50 Diseases of the respiratory system.....	39	6	9		1	62	36	20	5	13,647	26	153
51 Diseases of the liver.....	5	1				13	1	4		1,134	1	6
52 Ascites.....						1		1		158		2
53 Other diseases of the digestive system.....	10		1			15	8	8	2	2,515	4	22
54 Bright's disease.....	6	2			1	12	3	4	6	1,692	1	12
55 Other diseases of the urinary system.....	7		2			16	2	4		2,006	4	14
56 Diseases of the bones and joints.....	1					2				243		2
57 Burns.....					1	1				113	1	1
58 Injuries by machinery.....							1			73		3
59 Suicides.....	5					9	4	1		747		10
60 Other accidents and injuries.....	23	6	7			16	20	8	2	7,581	35	165
61 Cancer of the stomach.....	2					6	2	1		727		10
62 Cancer of the liver.....	2	1								102		
63 Cancer of the head, face, and neck.....						1			1	315		1
64 Cancer of the abdomen.....						2				100		
65 Cancer of the mouth, tongue, and throat.....	2					1				96		
66 Unknown causes.....	5		2		1	18	3	4	3	2,757	4	19

STATISTICS OF DEATHS.

OCCUPATIONS, WITH DISTINCTION OF COLOR, NATIVITY, PARENTAL NATIVITY, ETC.—Continued.

CLASS H—continued.															
Farmers, planters, and overseers.	Farm laborers.	Fishermen and oystermen.	Gardeners, florists, nurserymen, and vine growers.	Livery stable keepers and hostlers.	Lumbermen and raftsmen.	Miners (coal).	Miners (not specified).	Pilots.	Quarrymen.	Sailors.	Steam railroad employes (includes conductors, brakemen, engineers, and firemen).	Stock raisers, herders, and drovers.	Telegraph and telephone operators.	Telegraph and telephone linemen and electric light men.	
723	21	41	145	114	36	71	102	14	10	382	642	24	38	16	1
656	13	26	128	88	34	70	80	14	9	334	594	22	38	16	2
366	8	12	27	43	18	14	33	11	3	96	413	8	31	16	3
111	3	2	4	4	5	3	3	1	1	3	77	1	6	1	4
24	1	2	2	2	3	2	6	3	6	6	49	1	4	1	5
254	5	13	98	45	16	54	42	3	6	216	155	13	6	1	6
67	8	15	17	26	2	1	22	1	1	48	48	2	1	1	7
27	3	1	8	5	2	1	2	1	1	19	31	1	1	1	8
14	1	1	2	1	1	1	1	1	1	7	13	1	1	1	9
2	1	1	1	1	1	1	1	1	1	2	2	1	1	1	10
8	1	1	1	1	1	1	1	1	1	1	1	1	1	1	11
66	1	5	14	6	3	7	8	2	1	33	27	2	6	2	13
96	5	13	20	25	6	6	12	1	1	82	81	6	11	2	14
3	1	2	1	1	1	1	1	1	1	1	1	1	1	1	15
85	1	2	7	10	2	1	11	2	3	33	39	1	3	1	16
84	2	3	19	18	4	16	13	1	3	47	64	5	7	2	17
16	1	1	5	2	1	1	1	1	1	4	9	1	1	1	18
22	1	1	3	8	1	2	3	1	2	7	11	1	1	1	19
21	2	1	6	1	3	2	2	2	1	9	11	1	1	1	20
33	1	3	6	1	1	3	2	1	1	13	4	1	1	1	21
4	1	1	1	1	1	1	1	1	1	1	1	1	1	1	22
1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	23
8	1	1	1	1	1	1	1	1	1	1	1	1	1	1	24
65	3	4	6	10	5	23	20	1	1	4	11	3	5	10	25
18	1	1	6	1	1	1	1	1	1	5	5	1	1	1	26
1	1	1	1	1	1	1	1	1	1	2	1	1	1	1	27
5	1	1	1	1	1	1	1	1	1	1	1	1	1	1	28
2	1	1	1	1	1	1	1	1	1	1	1	1	1	1	29
1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	30
13	1	1	3	1	1	1	3	1	1	1	1	1	1	1	31
1	1	1	4	1	1	1	1	1	1	1	1	1	1	1	32
57,817	8,789	346	377	255	323	1,152	1,792	34	125	448	2,406	519	195	10	34
50,577	4,515	238	309	207	299	1,073	1,665	30	115	407	2,013	480	193	9	35
39,684	3,925	188	185	158	220	390	565	21	54	251	1,436	319	176	5	36
27,906	2,967	146	78	110	138	225	237	12	39	181	852	170	106	1	37
2,942	513	13	28	16	22	111	118	1	10	19	256	30	43	2	38
9,150	495	37	163	42	64	654	949	7	55	134	406	118	6	3	39
7,240	4,274	108	68	48	24	79	127	4	10	41	393	39	2	1	40
2,804	797	16	17	21	19	87	101	2	4	27	138	16	16	1	41
1,905	532	9	6	5	11	21	24	1	1	15	61	15	8	1	42
2	1	1	1	1	1	1	1	1	1	1	1	1	1	1	43
629	72	4	4	2	2	7	5	1	1	6	12	1	1	1	44
1,468	237	14	14	1	4	14	32	2	1	3	16	12	1	1	45
4,535	295	16	46	17	16	53	80	3	9	34	99	30	13	1	46
7,739	1,556	54	39	43	40	83	187	7	21	69	225	57	65	1	47
397	35	1	1	2	1	4	4	1	1	5	4	2	2	1	48
5,128	477	19	24	22	22	47	97	6	7	42	110	24	12	2	49
10,702	1,564	56	64	29	43	197	392	6	15	41	271	68	18	2	50
971	77	3	9	6	6	10	12	1	1	9	15	6	2	1	51
124	25	1	1	1	1	1	1	1	1	1	1	1	1	1	52
2,090	232	8	19	11	15	25	35	1	4	33	13	3	3	1	53
1,497	71	6	7	9	8	7	23	1	1	11	23	11	5	1	54
1,771	116	7	12	6	7	14	20	1	1	9	17	5	3	1	55
202	27	1	2	1	1	4	4	1	1	1	1	2	1	1	56
70	16	1	1	1	1	4	7	1	1	1	7	1	1	1	57
48	19	1	1	1	1	1	1	1	1	1	1	1	1	1	58
591	73	1	6	6	6	9	15	1	1	4	14	15	4	1	59
3,751	995	69	19	35	71	470	535	3	43	32	1,134	143	23	3	60
643	18	2	11	2	3	7	13	1	1	3	7	3	1	1	61
90	1	1	1	1	2	2	2	1	1	2	2	2	1	1	62
289	7	2	3	1	4	4	4	2	2	2	2	2	2	1	63
87	2	1	1	1	1	1	2	1	1	1	4	1	1	1	64
86	3	1	1	1	1	1	1	1	1	2	2	1	1	1	65
2,146	337	13	10	4	8	16	57	2	5	8	48	24	6	1	66

TABLE 8.

DEATHS IN THE UNITED STATES, EACH REGISTRATION STATE, AND THE REMAINDER OF THE UNITED STATES, AMONG FEMALES ENGAGED IN CERTAIN OCCUPATIONS, WITH DISTINCTION OF COLOR, BIRTHPLACES OF MOTHERS, AND CERTAIN AGE PERIODS, FOR THE CENSUS YEAR ENDING MAY 31, 1890.

TABLE 8.—DEATHS AMONG FEMALES ENGAGED IN CERTAIN OCCUPATIONS,

AREAS.	All selected occupations.	Musicians and teachers of music.	Teachers in schools.	Stenographers and typewriters.	Accountants, bookkeepers, clerks, and copyists.	Hotel and boarding house keepers.	Laundresses.	Nurses and midwives.
THE UNITED STATES.								
1 Total.....	42,914	146	1,317	40	278	123	1,305	718
2 White.....	31,293	138	1,225	40	278	117	288	446
3 Under 15 years.....	355				1			2
4 15 to 20.....	2,898	17	116	9	47		8	6
5 20 to 25.....	4,008	27	322	18	100	1	21	22
6 25 to 35.....	4,902	48	361	9	71	8	47	37
7 35 to 45.....	3,595	22	142	2	27	21	62	41
8 45 to 55.....	3,578	14	84	2	18	27	62	56
9 55 to 65.....	3,711	6	60		7	24	45	106
10 65 and over.....	8,006	3	68		3	34	40	169
11 Unknown.....	300	1	12		4	2	3	7
12 Colored.....	11,621	8	92			6	1,017	272
13 Under 15 years.....	348						3	19
14 15 to 20.....	1,703	3	15				49	44
15 20 to 25.....	1,735	1	39			1	124	17
16 25 to 35.....	2,045	3	27				204	19
17 35 to 45.....	1,668	1	6			1	205	13
18 45 to 55.....	1,310		2			2	106	22
19 55 to 65.....	1,038		1			1	107	30
20 65 and over.....	1,601		2			1	150	102
21 Unknown.....	173						9	6
22 Birthplaces of mothers: United States.....	24,864	95	845	18	112	56	848	389
23 Under 15 years.....	565						3	19
24 15 to 20.....	3,136	15	94	3	20		47	46
25 20 to 25.....	3,496	14	230	7	36	1	111	24
26 25 to 35.....	3,927	39	240	4	26	5	174	27
27 35 to 45.....	2,977	15	98	2	14	8	169	21
28 45 to 55.....	2,608	8	51	2	8	11	132	28
29 55 to 65.....	2,479	2	36		4	12	88	58
30 65 and over.....	5,479	1	45		1	18	117	161
31 Unknown.....	197	1	1		3	1	7	5
32 England and Wales.....	851	7	37	1	12	4	4	30
33 Under 15 years.....	3							
34 15 to 20.....	56		2				1	
35 20 to 25.....	98	2	14		5			1
36 25 to 35.....	133	2	15		4			3
37 35 to 45.....	104		1		2	2		4
38 45 to 55.....	97	1	2		2	1		3
39 55 to 65.....	119	1	1			1		8
40 65 and over.....	233	1	2		1		2	11
41 Unknown.....	8						1	
42 Scotland.....	260	1	8	1	3	1	1	9
43 Under 15 years.....	2							
44 15 to 20.....	18							
45 20 to 25.....	29		4					
46 25 to 35.....	42	1	2	1	1			
47 35 to 45.....	31							1
48 45 to 55.....	37		1		2		1	2
49 55 to 65.....	33					1		1
50 65 and over.....	67		1					5
51 Unknown.....	1							
52 Ireland.....	4,910	8	116	10	52	22	121	46
53 Under 15 years.....	20				1			
54 15 to 20.....	304	2	8	3	9		2	
55 20 to 25.....	674	2	42	5	22		9	3
56 25 to 35.....	896	1	38	2	18	1	16	5
57 35 to 45.....	687	3	14		1	5	24	4
58 45 to 55.....	699		6		1	8	27	9
59 55 to 65.....	685		3		1	4	26	12
60 65 and over.....	924		3			4	17	13
61 Unknown.....	21		2					
62 Germany.....	2,279	10	43		21	6	25	40
63 Under 15 years.....	34							1
64 15 to 20.....	260		4		7			1
65 20 to 25.....	314	3	9		6		1	2
66 25 to 35.....	334	3	17		7		4	2
67 35 to 45.....	239	1	5		7		6	2
68 45 to 55.....	256	1	5			1	6	7
69 55 to 65.....	276	2	3			3	5	12
70 65 and over.....	557					2	3	13
71 Unknown.....	9							
72 Canada.....	691	4	24	3	9	3	6	9
73 Under 15 years.....	10							
74 15 to 20.....	103		1		2			
75 20 to 25.....	141		9	1	5		1	
76 25 to 35.....	151	2	7	1	1			
77 35 to 45.....	84	1	3			1	1	2
78 45 to 55.....	78		1			2	1	4
79 55 to 65.....	48	1	1				1	1
80 65 and over.....	66		1		1		2	1
81 Unknown.....	5		1					

TABLE 6.—DEATHS AMONG FEMALES ENGAGED IN CERTAIN OCCUPATIONS, BY

AREAS.		All selected occupations.	Musicians and teachers of music.	Teachers in schools.	Stenographers and typewriters.	Accountants, bookkeepers, clerks, and copyists.	Hotel and boarding house keepers.	Laundresses.	Nurses and midwives.
THE UNITED STATES—Continued.									
1	Birthplaces of mothers—Continued.								
	Scandinavia.....	662		15		4	1	5	6
2	Under 15 years.....	13							
3	15 to 20.....	125		5		1			
4	20 to 25.....	130		8		2			
5	25 to 35.....	149		1			1	3	4
6	35 to 45.....	58						2	
7	45 to 55.....	53				1			
8	55 to 65.....	34		1					1
9	65 and over.....	90							1
10	Unknown.....	10							
11	Other foreign countries.....	661	1	15		3		20	7
12	Under 15 years.....	14							
13	15 to 20.....	75		1		2		2	
14	20 to 25.....	311		3				4	1
15	25 to 35.....	106		4				4	
16	35 to 45.....	102		1		1		7	4
17	45 to 55.....	64	1	3				1	1
18	55 to 65.....	80		1				1	
19	65 and over.....	104		2				1	1
20	Unknown.....	5							
21	Unknown.....	5,675	13	140	4	40	24	100	104
22	Under 15 years.....	36							1
23	15 to 20.....	313	2	14		2		3	2
24	20 to 25.....	514	3	36	3	17		4	3
25	25 to 35.....	787	2	33	1	10	1	17	6
26	35 to 45.....	663	3	15		5	5	25	6
27	45 to 55.....	677	2	14		5	5	22	13
28	55 to 65.....	712		7			3	8	29
29	65 and over.....	7,769	1	13			9	19	38
30	Unknown.....	204		8		1	1	2	6
REGISTRATION STATES.									
31	Total.....	9,945	23	251	13	114	37	240	185
32	White.....	9,267	23	240	13	114	37	138	169
33	Under 15 years.....	31				1			
34	15 to 20.....	573	1	13	3	19		3	1
35	20 to 25.....	1,011	3	53	6	32		8	10
36	25 to 35.....	1,604	5	61	3	34		19	16
37	35 to 45.....	1,293	6	38		12	10	31	19
38	45 to 55.....	1,263	4	27	1	10	11	31	13
39	55 to 65.....	1,172	4	15		3	10	25	50
40	65 and over.....	2,287		32		3	4	20	53
41	Unknown.....	33		1			2	1	2
42	Colored.....	678		11				102	16
43	Under 15 years.....	3							
44	15 to 20.....	54		1				2	1
45	20 to 25.....	94		4				9	1
46	25 to 35.....	113		2				11	2
47	35 to 45.....	125		2				28	2
48	45 to 55.....	90						16	1
49	55 to 65.....	76						15	2
50	65 and over.....	122		2				21	7
51	Unknown.....	1							
52	Birthplaces of mothers:								
	United States.....	3,430	12	167	4	44	11	105	69
53	Under 15 years.....	9							
54	15 to 20.....	173		10		8		2	1
55	20 to 25.....	301	1	35	2	9		10	4
56	25 to 35.....	485	4	36	1	12		11	6
57	35 to 45.....	433	3	28		6	3	27	8
58	45 to 55.....	412	2	22	1	4	1	18	3
59	55 to 65.....	431	2	12		2	5	17	15
60	65 and over.....	1,189		24		1	1	20	32
61	Unknown.....	6					1		
62	England and Wales.....	344	1	7	1	9	1	1	13
63	Under 15 years.....	2							
64	15 to 20.....	21			1				
65	20 to 25.....	37	1	2		3			1
66	25 to 35.....	59		2		3			2
67	35 to 45.....	59				2	1		2
68	45 to 55.....	43							1
69	55 to 65.....	43		1					4
70	65 and over.....	73		2		1		1	3
71	Unknown.....	2							

TABLE 8.—DEATHS AMONG FEMALES ENGAGED IN CERTAIN OCCUPATIONS, BY

AREAS.		All selected occupations.	Musicians and teachers of music.	Teachers in schools.	Stenographers and typewriters.	Accountants, bookkeepers, clerks, and copyists.	Hotel and boarding house keepers.	Laundresses.	Nurses and midwives.
REGISTRATION STATES—Continued.									
Birthplaces of mothers—Continued.									
1	Scotland	117			1	3			5
2	Under 15 years	1							
3	15 to 20	7							
4	20 to 25	11							
5	25 to 35	21			1	1			
6	35 to 45	18							1
7	45 to 55	20				2			
8	55 to 65	16							1
9	65 and over	22							3
10	Unknown	1							
11	Ireland	3,612	4	41	5	37	11	102	34
12	Under 15 years	11				1			
13	15 to 20	225	1	2	2	7		2	
14	20 to 25	469	1	11	3	14		7	3
15	25 to 35	693		16		13		14	4
16	35 to 45	574	2	8			5	21	2
17	45 to 55	571		2		1	3	24	8
18	55 to 65	498					2	20	9
19	65 and over	562		2			1	14	8
20	Unknown	9							
21	Germany	625	4	7		5	1	11	16
22	Under 15 years	2							
23	15 to 20	43				2			1
24	20 to 25	75		1					1
25	25 to 35	129	1	2		2		3	1
26	35 to 45	97		2				3	1
27	45 to 55	104	1	1				3	3
28	55 to 65	78	2	1		1	1	2	4
29	65 and over	96							5
30	Unknown	1							
31	Canada	460	1	5	2	7	3	3	5
32	Under 15 years	5							
33	15 to 20	86				2			
34	20 to 25	86		3	1	3			
35	25 to 35	111		2	1	1			1
36	35 to 45	56	1				1	1	3
37	45 to 55	55					2		1
38	55 to 65	27							
39	65 and over	34				1		2	
40	Unknown								
41	Scandinavia	73				1			2
42	Under 15 years								
43	15 to 20	9							
44	20 to 25	15							
45	25 to 35	20							1
46	35 to 45	14							
47	45 to 55	9				1			
48	55 to 65	3							1
49	65 and over	2							
50	Unknown	1							
51	Other foreign countries	241	1	3				7	4
52	Under 15 years	3							
53	15 to 20	22							
54	20 to 25	38		1					
55	25 to 35	52		1				1	
56	35 to 45	56						5	3
57	45 to 55	23	1						1
58	55 to 65	21							
59	65 and over	26		1				1	
60	Unknown								
61	Unknown	1,080		19		8	10	11	36
62	Under 15 years	1							
63	15 to 20	41		2				1	
64	20 to 25	71		2		3			2
65	25 to 35	147		4		2		1	3
66	35 to 45	111		2		1		2	1
67	45 to 55	110		2		2	5	2	2
68	55 to 65	130		1			2	1	17
69	65 and over	405		5			2	3	9
70	Unknown	14		1			1	1	3

STATISTICS OF DEATHS.

COLOR, BIRTHPLACES OF MOTHERS, AND CERTAIN AGE PERIODS—Continued.

Servants.	Artificial flower and paper box makers.	Cigar makers and tobacco workers.	Cotton mill operatives.	Flax mill operatives.	Mill and factory operatives (textiles not specified).	Milliners.	Dress-makers.	Seamstresses.	Sewing machine operators.	Silk mill operatives.	Woolen mill operatives.	Telegraph and telephone operators.	Other selected occupations.	
78	1	1	1		12		4	5			1		5	1
2					1						1		1	2
7	1	1			3			1						3
13					3		2	1						4
14							1	1						5
13					2		1	1						6
12			1		1		1	1						7
17					1									8
								1						9
														10
2,453	23	9	31		361	14	146	74	2	11	23	6	225	11
1	1		1		5								2	12
87	6		9		62	1	18	3		3	7		20	13
219	4	2	7		106		29	8	1	4	3	3	44	14
417	6	4	6		91	3	41	20	1	7	7	3	46	15
383	5	1	3		43	5	31	14		1	2	1	40	16
449	1		3		25	2	15	12		1	2		23	17
407			2		20	1	10	8			1		17	18
478		1			7	2	7	9					33	19
6					2						1			20
421	5	4			14	7	28	15		5	1		81	21
1					4		1							22
23	1				3		5	2		2			3	23
46	1				3	2	5	5		2	1		7	24
83	3	1			3	2	3	6		1			18	25
63		2			1	1	6	1					17	26
72					2	2	3						17	27
56							2	1					8	28
76					1		3						11	29
1														30
229	1		23		81	2	29	8			3	1	57	31
17			1		3								1	32
38			11		41		2	1			1		11	33
64	1		3		18	2	7	3					8	34
25			8		6		6	2			1		14	35
36					2		4	1					10	36
24					1		1					1	8	37
25					2		1						1	38
													4	39
														40
54					4		2	2						41
8					1									42
11					1		1							43
15							1						2	44
12					1			1					2	45
5														46
2													3	47
1														48
					1								1	49
														50
136	3	13	1		12	1	14	4		8			34	51
8	3	2			1		2			1			1	52
19		2			2		1			1			4	53
26		2	1		5	1	6	1		2			5	54
38		6			2			2		3			5	55
12		2						1					7	56
11		1			1		2						5	57
22					1		3			1			5	58
													2	59
														60
753		2	1		22	11	34	33		2	1	3	84	61
1					2		1							62
25					6	1	5	3					6	63
44					7	3	11	5		1			6	64
101		1			5	1	5	6			1		8	65
74		1	1		1	1	5	4			1	3	8	66
76					1	2	3	3		1			10	67
91					1	1	3	5					8	68
334						3	5	7					37	69
7							1						1	70

TABLE 8.—DEATHS AMONG FEMALES ENGAGED IN CERTAIN OCCUPATIONS, BY

AREAS.	All selected occupations.	Musicians and teachers of music.	Teachers in schools.	Stenographers and typewriters.	Accountants, bookkeepers, clerks, and copyists.	Hotel and boarding house keepers.	Laundresses.	Nurses and midwives.
CONNECTICUT.								
1 Total.....	823	1	16		3	3	12	20
2 White.....	796	1	15		3	3	10	19
3 Colored.....	27		1				2	1
Birthplaces of mothers:								
4 United States.....	302	1	13		1		2	11
5 England and Wales.....	28							3
6 Scotland.....	12							2
7 Ireland.....	280		1		1	1	10	2
8 Germany.....	37							
9 Canada.....	31							
10 Scandinavia.....	9							
11 Other foreign countries.....	8		1					
12 Unknown.....	116		1		1	2		2
DELAWARE.								
13 Total.....	111		3		1		2	2
14 White.....	77		2		1			2
15 Colored.....	34		1				2	
Birthplaces of mothers:								
16 United States.....	71				1		2	
17 England and Wales.....								
18 Scotland.....								
19 Ireland.....	9							
20 Germany.....	1							
21 Canada.....								
22 Scandinavia.....								
23 Other foreign countries.....								
24 Unknown.....	26		1					1
DISTRICT OF COLUMBIA.								
25 Total.....	465		11		13		61	20
26 White.....	150		5		13		1	7
27 Colored.....	315		6				60	13
Birthplaces of mothers:								
28 United States.....	383		9		9		59	14
29 England and Wales.....	2							
30 Scotland.....	3							1
31 Ireland.....	40				1			1
32 Germany.....	15				1		1	
33 Canada.....	1				1			
34 Scandinavia.....	1				1			1
35 Other foreign countries.....	5						1	
36 Unknown.....	15		2		1			3
MASSACHUSETTS.								
37 Total.....	2,732	5	70	4	36	12	32	36
38 White.....	2,687	5	69	4	36	12	26	35
39 Colored.....	45		1				6	1
Birthplaces of mothers:								
40 United States.....	806	5	51	1	12	5	8	14
41 England and Wales.....	94			1	1		1	2
42 Scotland.....	41				1			
43 Ireland.....	1,222		8		16	2	19	7
44 Germany.....	35		1		1			1
45 Canada.....	294		5	2	5	3	1	3
46 Scandinavia.....	15							
47 Other foreign countries.....	28		1					1
48 Unknown.....	197		4		1	2	3	8
NEW HAMPSHIRE.								
49 Total.....	589		16		5	1	1	6
50 White.....	586		16		5	1	1	6
51 Colored.....	3							
Birthplaces of mothers:								
52 United States.....	337		13		5			4
53 England and Wales.....	4							
54 Scotland.....								
55 Ireland.....	57		1					
56 Germany.....	1							
57 Canada.....	29						1	
58 Scandinavia.....								
59 Other foreign countries.....	3							
60 Unknown.....	158		2			1		2
NEW JERSEY.								
61 Total.....	1,804	1	17	2	11	4	10	19
62 White.....	1,693	1	17	2	11	4	5	19
63 Colored.....	111						5	
Birthplaces of mothers:								
64 United States.....	677	1	14	1	3	1	4	9
65 England and Wales.....	81		1		1			
66 Scotland.....	23							1
67 Ireland.....	530		1	1	1	1	3	5
68 Germany.....	220				2		1	2
69 Canada.....	8							
70 Scandinavia.....	9				1			
71 Other foreign countries.....	65							1
72 Unknown.....	191		1		3	2	2	1

TABLE 8.—DEATHS AMONG FEMALES ENGAGED IN CERTAIN OCCUPATIONS, BY

AREAS.		All selected occupations.	Musicians and teachers of music.	Teachers in schools.	Stenographers and typewriters.	Accountants, bookkeepers, clerks, and copyists.	Hotel and boarding house keepers.	Laundresses.	Nurses and midwives.
NEW YORK.									
1	Total	2,740	16	104	7	43	15	118	74
2	White	2,610	16	102	7	43	15	93	73
3	Colored	130		2				25	1
Birthplaces of mothers:									
4	United States	589	5	55	2	12	4	29	13
5	England and Wales	108	1	6		7	1		8
6	Scotland	28			1	2			1
7	Ireland	1,239	4	28	4	18	7	68	18
8	Germany	315	4	6		2	1	9	13
9	Canada	42	1			1			1
10	Scandinavia	35							1
11	Other foreign countries	123	1	1				6	2
12	Unknown	256		8		1	2	5	17
RHODE ISLAND.									
13	Total	429		8		1	1	3	5
14	White	419		8		1	1	2	5
15	Colored	10						1	
Birthplaces of mothers:									
16	United States	127		6		1	1	1	2
17	England and Wales	24							
18	Scotland	7							
19	Ireland	217		2				2	1
20	Germany	1							
21	Canada	39							1
22	Scandinavia	4							
23	Other foreign countries	4							
24	Unknown	6							1
VERMONT.									
25	Total	252		6		1	1	1	3
26	White	249		6		1	1		3
27	Colored	3						1	
Birthplaces of mothers:									
28	United States	147		6					2
29	England and Wales	3							
30	Scotland	3							
31	Ireland	18							
32	Germany	1							
33	Canada	16							
34	Scandinavia	4							
35	Other foreign countries	4							
36	Unknown	65				1	1	1	1
REMAINDER OF THE UNITED STATES.									
37	Total	32,969	123	1,066	27	164	86	1,065	533
38	White	22,026	115	985	27	164	80	150	277
Under 15 years									
39	Under 15 years	324							2
40	15 to 20	2,265	16	103	6	28		5	5
41	20 to 25	2,997	24	329	12	68	1	13	12
42	25 to 35	3,293	43	300	6	37	8	28	21
43	35 to 45	2,302	16	104	2	15	11	31	22
44	45 to 55	2,315	10	57	1	8	16	31	38
45	55 to 65	2,539	2	45		4	14	20	56
46	65 and over	5,719	3	36			30	20	116
47	Unknown	287	1	11		4		2	5
48	Colored	10,943	8	81			6	915	256
Under 15 years									
49	Under 15 years	345						3	19
50	15 to 20	1,649	3	14				47	43
51	20 to 25	1,641	1	35			1	115	16
52	25 to 35	1,932	3	25				193	17
53	35 to 45	1,548	1	4			1	177	11
54	45 to 55	1,220		2			2	150	21
55	55 to 65	962		1			1	92	23
56	65 and over	1,479					1	129	95
57	Unknown	172						9	6
Birthplaces of mothers:									
58	United States	21,425	83	678	14	68	45	743	320
Under 15 years									
59	Under 15 years	556						3	19
60	15 to 20	2,963	15	84	3	12		45	45
61	20 to 25	3,195	13	245	5	27	1	101	20
62	25 to 35	3,442	35	204	3	14	5	163	21
63	35 to 45	2,544	12	70	2	6	5	142	13
64	45 to 55	2,196	6	29	1	4	10	114	25
65	55 to 65	2,048		24		2	7	71	43
66	65 and over	4,290	1	21			17	97	129
67	Unknown	191	1	1		3		7	5

STATISTICS OF DEATHS.

COLOR, BIRTHPLACES OF MOTHERS, AND CERTAIN AGE PERIODS—Continued.

Servants.	Artificial flower and paper box makers.	Cigar makers and tobacco workers.	Cotton mill operatives.	Flax mill operatives.	Mill and factory operatives (textiles not specified).	Milliners.	Dress-makers.	Seamstresses.	Sewing machine operators.	Silk mill operatives.	Woolen mill operatives.	Telegraph and telephone operators.	Other selected occupations.	
1,564	25	24			51	22	181	129	2	2	2	8	353	1
1,469	25	24			51	22	177	128	2	2	2	8	351	2
95							4	1					2	3
298	1				11	5	40	23			1		90	4
51					1	1	9	7					16	5
17	1	1					2	1					2	6
798	16	7			28	5	75	57	2		1	4	99	7
168	4	3			2	6	23	12					62	8
16					3	1	6	2				1	9	9
25					1		1	1					6	10
55	3	11			2		12	4		2			29	11
136		2			3	4	13	22				3	40	12
281	1		1		91		10	2					25	13
272	1		1		91		10	2					25	14
9														15
89					16		1						10	16
15					2								1	17
4					3			1						18
141			1		53		9	1					7	19
1														20
22	1				8								7	21
2					2									22
3					1									23
4					1									24
195			1		2	1	10	6			1		24	25
193			1		2	1	10	6			1		24	26
2														27
117					1	1	5	4			1		10	28
2													1	29
3													2	30
14								2						31
11			1					3					1	32
48					1									33
								2						34
														35
														36
21,103	6	59	66		174	219	663	702		4	16	11	6,882	37
16,199	6	38	66		150	218	631	615		4	15	11	2,275	38
254		2	6		6	1	3	2		1	1		46	39
1,767		10	26		28	14	54	63		3	7		137	40
1,928	2	14	16		42	53	140	129			6		305	41
2,108	3	8	12		25	38	186	140		1			334	42
1,583	1	2	3		8	39	86	85			1		291	43
1,689		1	1		16	24	69	69					284	44
1,971			1		10	23	44	53					296	45
4,723					15	26	43	69					638	46
176		1	1				6	5					54	47
4,904		21			24	1	52	87			1		4,607	48
131					5		4	9					192	49
721		4			6		4	14			1		799	50
730		6			1	1	10	18					722	51
821		6			3		6	20					837	52
662		2			4		5	9					655	53
546		1			3		5	9					481	54
467					2		2	5					363	55
768		2			3			12					470	56
68							1						88	57
13,158	2	27	32		69	136	339	418		2	7	5	5,279	58
304		2	4		4		1	2					217	59
1,790		9	13		10	9	27	43					842	60
1,771		11	9		12	34	82	76		2			784	61
1,824	2	4	4		9	25	95	97					937	62
1,416					2	26	52	57					739	63
1,335		1	1		7	15	38	46					563	64
1,385			1		7	16	20	36					436	65
3,230					9	11	21	58					696	66
103							3	3					65	67

VITAL AND SOCIAL STATISTICS.

TABLE 8.—DEATHS AMONG FEMALES ENGAGED IN CERTAIN OCCUPATIONS, BY

AREAS.		All selected occupations.	Musicians and teachers of music.	Teachers in schools.	Stenographers and typewriters.	Accountants, bookkeepers, clerks, and copyists.	Hotel and boarding house keepers.	Laundresses.	Nurses and midwives.
REMAINDER OF THE UNITED STATES—Continued.									
Birthplaces of mothers—Continued.									
1	England and Wales	507	6	30		3	3	3	17
2	Under 15 years	1							
3	15 to 20	35		2				1	
4	20 to 25	61	1	12		2			
5	25 to 35	74	2	13		1			1
6	35 to 45	45		1			1		2
7	45 to 55	49	1	2			1		2
8	55 to 65	76	1				1		4
9	65 and over	160	1					1	8
10	Unknown	6						1	
11	Scotland	143	1	8			1	1	4
12	Under 15 years	1							
13	15 to 20	11							
14	20 to 25	18		4					
15	25 to 35	21	1	2					
16	35 to 45	13							
17	45 to 55	17		1				1	2
18	55 to 65	17					1		
19	65 and over	45		1					2
20	Unknown								
21	Ireland	1,298	4	75	5	15	11	19	12
22	Under 15 years	9							
23	15 to 20	79	1	6	1	2			
24	20 to 25	205	1	31	2	3			
25	25 to 35	203	1	22	2	5	1	2	1
26	35 to 45	113	1	6				3	2
27	45 to 55	123		4				3	1
28	55 to 65	187		3			2	6	3
29	65 and over	362		1			3	3	5
30	Unknown	12		2					
31	Germany	1,654	6	36		16	5	14	24
32	Under 15 years	32							1
33	15 to 20	217		4		5			
34	20 to 25	239	3	8		6		1	1
35	25 to 35	205	2	15		5		1	1
36	35 to 45	142	1	3				3	1
37	45 to 55	152		4			1	3	4
38	55 to 65	193		2			2	3	8
39	65 and over	461					2	3	8
40	Unknown	8							
41	Canada	231	3	19	1	2		3	4
42	Under 15 years	5							
43	15 to 20	22		1	1				
44	20 to 25	55	2	6		2		1	
45	25 to 35	40		5					1
46	35 to 45	23		3					1
47	45 to 55	23		1				1	
48	55 to 65	21	1	1				1	1
49	65 and over	32		1					1
50	Unknown	5		1					
51	Scandinavia	589		15		3	1	5	4
52	Under 15 years	13							
53	15 to 20	116		5		1			
54	20 to 25	115		8		2			
55	25 to 35	129		1			1	3	3
56	35 to 45	44						2	
57	45 to 55	44							
58	55 to 65	31		1					
59	65 and over	83							1
60	Unknown	9							
61	Other foreign countries	420		12		3		13	3
62	Under 15 years	11							
63	15 to 20	53		1		2		2	
64	20 to 25	73		2				4	1
65	25 to 35	54		3		1		3	
66	35 to 45	46		1				2	1
67	45 to 55	41		3				1	
68	55 to 65	59		1				1	
69	65 and over	73		1					1
70	Unknown	5							
71	Unknown	4,645	13	121	4	32	14	89	68
72	Under 15 years	35							1
73	15 to 20	272	2	12		2		2	2
74	20 to 25	443	3	34	3	14		4	1
75	25 to 35	640	2	29	1	8	1	16	3
76	35 to 45	552	3	13		4	5	23	5
77	45 to 55	507	2	12		3		20	11
78	55 to 65	532		6				7	12
79	65 and over	1,364	1	8			1	16	29
80	Unknown	190		7		1		1	4

STATISTICS OF DEATHS.

COLOR, BIRTHPLACES OF MOTHERS, AND CERTAIN AGE PERIODS—Continued.

Servants.	Artificial flower and paper box makers.	Cigar makers and tobacco workers.	Cotton mill operatives.	Flax mill operatives.	Mill and factory operatives (textiles not specified).	Milliners.	Dress-makers.	Seamstresses.	Sewing machine operators.	Silk mill operatives.	Woolen mill operatives.	Telegraph and telephone operators.	Other selected occupations.	
331			2		6	10	28	2					66	1
1														2
21			2			1	6	1					1	3
31					2	1	5	1					6	4
30					3	2	8						14	5
33						3	1						4	6
38						1	2						2	7
60							1						9	8
114					1	2	5						28	9
3													2	10
107			2			2	3	5			1		8	11
														12
10						1					1			13
13													1	14
15													3	15
8			2			1	1	1						16
10							1	1					1	17
15													1	18
36							1	3					2	19
														20
899	1	5	8		15	14	61	40		1	4		109	21
														22
6			1				1						1	22
47			4		1		4	3					8	23
99	1	2	1		12	3	15	14	1	1			12	24
116		2	1		2	2	25	9		1			13	25
73		1	1		2	4	2	5					13	26
94						1	1	3					11	27
150						1	1	3					18	28
306						3	7	2					32	29
8							1						1	30
1,257	1	5	4		5	11	49	38			1	1	181	31
														32
20													2	32
181		1			2	1	6	6					10	33
168		1	2		1	5	12	13			1		17	34
134		2	2			2	16	8				1	17	35
98	1				1	1	4	4					25	36
106						1	7	1					25	37
145					1		4	3					30	38
390						1		3					54	39
6		1											1	40
														41
130			13		6	3	12	4			2		29	41
														42
4			1										1	42
12			5		1						1		8	43
24			4		3		3	1			1		4	44
20			3				4	1					5	45
13						1	1	2					1	46
16					1	1	2						5	47
12													1	48
25							1						4	49
4														50
470					1	1	19	8					62	51
														52
13							3						7	52
100							6						5	53
89						1	10	4					8	54
101								1					6	55
34								2					10	56
33								1					5	57
25													17	58
70													4	59
5														60
284		1				2	15	7				1	79	61
														62
5							1	2				1	6	63
38							6	3					9	64
47		1					1						7	65
39							4	1					6	66
30						1							6	67
29						1							17	68
38							1						20	69
55							1						2	70
3														71
3,221		6	4		20	29	60	107		1		1	855	71
														72
19			2		1		1			1			12	72
191					2	1	1	11					44	73
277		3			3	6	8	19					68	74
412		2	1		4	2	15	18					126	75
353		1			2	2	12	21				1	107	76
373					3	4	7	15					117	77
425					1	6	11	12					101	78
1,065					4	8	2	9					215	79
106			1				3	2					65	80

TABLE 9

DEATHS IN THE UNITED STATES, REPORTED FROM REGISTRATION AND NONREGISTRATION SOURCES, IN REGISTRATION STATES, IN CITIES IN REGISTRATION STATES, AND IN THE RURAL PART OF REGISTRATION STATES, AMONG FEMALES ENGAGED IN CERTAIN OCCUPATIONS, WITH DISTINCTION OF COLOR, NATIVITY, AND PARENTAL NATIVITY, AND WITH SPECIFICATION OF CERTAIN CAUSES OF DEATH, FOR THE CENSUS YEAR ENDING MAY 31, 1890.

TABLE 9.—DEATHS AMONG FEMALES ENGAGED IN CERTAIN OCCUPATIONS, WITH DISTINCTION OF COLOR,

AREAS.	All selected occupations.	Musicians and teachers of music.	Teachers in schools.	Stenographers and typewriters.	Accountants, bookkeepers, clerks, and copyists.	Hotel and boarding house keepers.	Laundresses.	Nurses and midwives.
THE UNITED STATES.								
1 Total.....	42,914	146	1,317	40	278	123	1,305	718
2 White.....	31,293	138	1,225	40	278	117	288	446
3 Native born.....	23,234	125	1,110	36	236	78	121	271
4 Both parents native.....	14,005	81	716	16	101	51	50	141
5 One or both parents foreign.....	3,418	29	229	12	85	5	30	26
6 Foreign born.....	7,939	10	90	4	33	34	154	153
7 Colored.....	11,621	8	92			6	1,017	272
8 Typhoid fever.....	2,209	13	96	2	22	3	42	32
9 Malarial fever.....	1,270	2	40	1	3	2	32	29
10 Lead poison.....	2		1					
11 Rheumatism.....	352	1	6	1	2		13	11
12 Dropsy.....	1,005	2	9		1	2	31	19
13 Heart disease.....	3,204	3	60	3	20	13	144	66
14 Consumption.....	10,023	54	461	20	102	11	326	104
15 Diabetes.....	104		10	1	1		2	
16 Diseases of the nervous system.....	3,599	18	82	5	13	12	104	82
17 Diseases of the respiratory system.....	6,106	11	190	1	34	20	181	106
18 Diseases of the liver.....	490	1	9		2	3	12	13
19 Ascites.....	76		2				2	2
20 Other diseases of the digestive system.....	1,319	2	36	1	8	11	31	17
21 Bright's disease.....	574	5	22		6	3	20	11
22 Other diseases of the urinary system.....	501	1	14		3	3	20	8
23 Diseases of the bones and joints.....	110		2		1		3	
24 Burns.....	189	2	2				9	5
25 Injuries by machinery.....	1							
26 Suicides.....	178	2	5	2	2	3	2	3
27 Other accidents and injuries.....	883	6	29	2	14		17	20
28 Diseases of the female organs of generation.....	529	3	20	1	4	1	22	11
29 Affections connected with pregnancy.....	1,461	2	19		1	3	45	5
30 Cancer of the stomach.....	299		8		2	1	6	4
31 Cancer of the uterus.....	389	2	7		2	6	20	12
32 Cancer of the breast.....	227		2			1	4	4
33 Cancer of the liver.....	85		4		2		1	
34 Cancer of the head, face, and neck.....	73						3	1
35 Cancer of the abdomen.....	73		2					2
36 Cancer of the mouth, tongue, and throat.....	37							
37 Unknown causes.....	1,561	1	18		6	4	56	32
REGISTRATION RECORD.								
38 Total.....	13,654	36	381	10	171	52	559	323
39 White.....	11,613	34	361	19	171	40	180	259
40 Native born.....	6,141	26	313	17	141	25	56	131
41 Both parents native.....	2,846	13	143	4	49	13	10	56
42 One or both parents foreign.....	1,567	7	61	8	65	2	25	13
43 Foreign born.....	5,209	8	43	2	26	20	120	119
44 Colored.....	2,041	2	20			3	379	64
45 Typhoid fever.....	510	3	25	2	13	2	9	18
46 Malarial fever.....	152		7		2	1	9	5
47 Lead poison.....	1		1					
48 Rheumatism.....	97	1	1		1		9	5
49 Dropsy.....	111	1	2			1	8	2
50 Heart disease.....	1,286	1	29	2	9	7	81	34
51 Consumption.....	3,270	9	115	11	67	4	121	43
52 Diabetes.....	40		3				1	
53 Diseases of the nervous system.....	1,413	3	34	1	9	2	48	48
54 Diseases of the respiratory system.....	1,923	3	49		19	6	88	48
55 Diseases of the liver.....	189		5		2		5	4
56 Ascites.....	13						1	
57 Other diseases of the digestive system.....	527	1	9	1	6	6	16	8
58 Bright's disease.....	343	2	9		4	1	14	7
59 Other diseases of the urinary system.....	285	1	10		3	1	15	4
60 Diseases of the bones and joints.....	31				1		1	
61 Burns.....	59		1				6	2
62 Injuries by machinery.....	1							
63 Suicides.....	72	3	2		1	2	1	3
64 Other accidents and injuries.....	295	3	7	1	10	1	9	13
65 Diseases of the female organs of generation.....	154	2	13	1	3		5	7
66 Affections connected with pregnancy.....	258	1				1	13	2
67 Cancer of the stomach.....	111		3		1	1	8	3
68 Cancer of the uterus.....	167	1	2		1	3	10	6
69 Cancer of the breast.....	69		1				2	2
70 Cancer of the liver.....	51		1		2		1	
71 Cancer of the head, face, and neck.....	22						1	1
72 Cancer of the abdomen.....	41		1					2
73 Cancer of the mouth, tongue, and throat.....	11							
74 Unknown causes.....	146		2		1		7	2

NATIVITY, AND PARENTAL NATIVITY, AND WITH SPECIFICATION OF CERTAIN CAUSES OF DEATH.

Servants.	Artificial flower and paper box makers.	Cigar-makers and tobacco workers.	Cotton mill operatives.	Flax mill operatives.	Mill and factory operatives (textiles not specified).	Mill-ners.	Dress-makers.	Seam-stresses.	Sewing machine operators.	Silk mill operatives.	Woolen mill operatives.	Telegraph and telephone operators.	Other selected occupations.	
27,834	43	89	129		805	285	1,064	938	3	38	52	25	7,682	1
22,415	43	68	129		780	284	1,017	846	3	38	51	24	3,063	2
15,823	30	44	72		402	239	758	691	3	20	34	18	2,123	3
10,497	4	14	34		131	102	390	400	1	5	8	7	1,196	4
1,940	24	20	34		218	88	242	125	2	13	25	4	326	5
5,794	13	21	56		366	85	235	130		17	16	6	772	6
5,419		21			25	1	47	92			1	1	4,619	7
1,350	3	6	14		65	34	72	53		7	4	1	390	8
688	1	1	3		18	4	19	25			2	2	398	9
1														10
276		1			8	2	11	7					53	11
639		1			4	4	14	21					258	12
2,174	2	1	7		44	20	58	62		4	1	1	515	13
6,149	17	35	48		302	69	358	309	1	22	29	9	1,507	14
72		1	1		1	2	2	1		2	1		10	15
2,601	1	4	4		55	25	73	55		1	1	1	403	16
4,073	7	15	20		114	88	127	111	2	1	3	2	1,050	17
340	1	1	1		6	4	13	9					75	18
41					2	1	1	1			1		24	19
896	2	3	7		30	14	26	31			1	2	191	20
372	1		3		14	5	27	15					70	21
333	1	2	3		10	3	10	13				2	78	22
77							4	3					20	23
124			1		2		3	3					38	24
1														25
116		1			5	2	5	5					25	26
506			2		18	6	25	20			1		215	27
310		1	1		3	3	12	14					123	28
873		3	5		5	5	22	15				2	456	29
229		1			1	5	8	8			1		25	30
256	1				2	4	10	11					56	31
166					4	2	10	7					27	32
57		1			2		3	1				1	13	33
57							3	3					6	34
55					1		4	2					6	35
32						1	1						4	36
886		1	1		15	7	13	19			3		499	37
8,952	39	48	73		701	89	564	373	3	34	37	17	1,183	38
7,592	39	41	73		684	89	528	350	3	34	37	16	1,054	39
3,704	26	20	30		324	72	343	246	3	16	21	10	617	40
1,948	2	1	4		78	36	113	91	1	3	3	3	265	41
693	22	11	25		203	15	140	60	2	12	17	2	184	42
3,706	13	19	43		355	16	174	97	2	17	15	6	410	43
1,360		7			17		36	23				1	129	44
267	2	2	8		52	10	30	14		4	2	1	46	45
85	1		1		13		6	6				2	14	46
61					8	1	3	3					5	47
81					2		3	4					7	48
881	2	1	5		40	8	32	34		4		1	115	50
1,919	14	19	25		271	20	182	131	1	22	24	5	267	51
29		1	1		1					2			3	52
1,030	1	2	8		50	8	46	23		1			107	53
1,267	7	9	14		99	9	83	41	2	1	2	1	175	54
131	1	1	1		5	2	7	3					22	55
8					2								1	56
362	2	1	4		26	4	22	15			1		41	57
225	1		3		14	3	19	9					32	58
193	1	1			9	2	5	9				2	29	59
20							2	1					6	60
43					2		1	1					4	61
39		1			4	1	3	1					13	62
173			1		13	2	13	10					89	63
92		1	1		3		5	7					14	65
206		1	2		4		10	1				1	16	66
79		1			1	2	2	4					10	67
117	1				2	2	3	9			1		10	68
50							2	2					4	69
37					2		2						6	70
17							1						2	71
23					1	1	3	1					4	72
11														73
94		1			12	4	3				3		17	74

TABLE 9.—DEATHS AMONG FEMALES ENGAGED IN CERTAIN OCCUPATIONS, WITH DISTINCTION OF COLOR,

AREAS.	All selected occupations.	Musicians and teachers of music.	Teachers in schools.	Stenographers and typewriters.	Accountants, bookkeepers, clerks, and copyists.	Hotel and boarding house keepers.	Laundresses.	Nurses and midwives.
REGISTRATION STATES.								
1 Total.....	9,945	23	251	13	114	37	240	185
2 White.....	9,267	23	240	13	114	37	138	169
3 Native born.....	4,894	17	214	11	93	20	34	94
4 Both parents native.....	2,629	10	149	3	36	10	7	49
5 One or both parents foreign.....	1,407	6	46	7	52	2	21	11
6 Foreign born.....	4,195	6	23	2	20	15	102	69
7 Colored.....	678		11				102	16
8 Typhoid fever.....	336	1	14		9	1	4	7
9 Malarial fever.....	88		5		2	1	2	4
10 Lead poison.....	1		1					
11 Rheumatism.....	60		1		1		2	1
12 Dropsy.....	75		1			1	3	1
13 Heart disease.....	949		19	1	6	4	40	20
14 Consumption.....	2,384	6	76	9	47	2	51	20
15 Diabetes.....	86		3				1	
16 Diseases of the nervous system.....	1,078	3	23	1	6	2	24	28
17 Diseases of the respiratory system.....	1,463	2	32		11	6	37	53
18 Diseases of the liver.....	147		4		2		4	3
19 Ascites.....	8							
20 Other diseases of the digestive system.....	392		7		4	4	4	3
21 Bright's disease.....	257	2	7		3	1	8	5
22 Other diseases of the urinary system.....	226	1	8		3	1	11	3
23 Diseases of the bones and joints.....	25				1			
24 Burns.....	34						2	
25 Injuries by machinery.....								
26 Suicides.....	42		1			2		1
27 Other accidents and injuries.....	202	1	2	1	4	1	4	9
28 Diseases of the female organs of generation.....	95	1	6	1	2		3	5
29 Affections connected with pregnancy.....	163	1					4	
30 Cancer of the stomach.....	77		1		1		3	2
31 Cancer of the uterus.....	116	1	1		1	3	3	3
32 Cancer of the breast.....	53		1				2	2
33 Cancer of the liver.....	38				2		1	
34 Cancer of the head, face, and neck.....	13							1
35 Cancer of the abdomen.....	35		1					2
36 Cancer of the mouth, tongue, and throat.....	10							
37 Unknown causes.....	96		1		1			
CITIES IN REGISTRATION STATES.								
38 Total.....	6,607	19	142	11	100	28	223	126
39 White.....	6,042	19	132	11	100	28	129	111
40 Native born.....	2,513	14	111	9	80	13	29	53
41 Both parents native.....	1,093	8	65	2	30	7	4	25
42 One or both parents foreign.....	1,107	5	35	7	47	1	21	9
43 Foreign born.....	3,487	5	20	2	19	14	99	57
44 Colored.....	565		10				94	15
45 Typhoid fever.....	248	1	8				4	5
46 Malarial fever.....	59		4		2		2	2
47 Lead poison.....								
48 Rheumatism.....	39				1		2	
49 Dropsy.....	25					1	2	
50 Heart disease.....	630		9	1	6	3	37	13
51 Consumption.....	1,755	6	49	7	40	2	50	17
52 Diabetes.....	20		1				1	
53 Diseases of the nervous system.....	638	3	11	1	6	2	22	20
54 Diseases of the respiratory system.....	948		16		9	6	34	22
55 Diseases of the liver.....	104				2		3	2
56 Ascites.....	4							
57 Other diseases of the digestive system.....	261		5		4	1	4	2
58 Bright's disease.....	196	2	5		3	1	8	3
59 Other diseases of the urinary system.....	182	1	5		3	1	11	3
60 Diseases of the bones and joints.....	14				1			
61 Burns.....	24						2	
62 Injuries by machinery.....								
63 Suicides.....	29		1			1		1
64 Other accidents and injuries.....	130	1	2	1	4	1	2	3
65 Diseases of the female organs of generation.....	69		3	1			3	4
66 Affections connected with pregnancy.....	113						4	
67 Cancer of the stomach.....	47				1		3	
68 Cancer of the uterus.....	87	1	1		1	3	2	2
69 Cancer of the breast.....	34						2	1
70 Cancer of the liver.....	26				2		1	
71 Cancer of the head, face, and neck.....	8							
72 Cancer of the abdomen.....	25		1					2
73 Cancer of the mouth, tongue, and throat.....	3							
74 Unknown causes.....	48				1			

STATISTICS OF DEATHS.

NATIVITY, AND PARENTAL NATIVITY, AND WITH SPECIFICATION OF CERTAIN CAUSES OF DEATH—Continued.

Servants.	Artificial flower and paper box makers.	Cigar makers and tobacco workers.	Cotton mill operatives.	Flax mill operatives.	Mill and factory operatives (textiles not specified).	Milliners.	Dress-makers.	Seamstresses.	Sewing machine operators.	Silk mill operatives.	Woolen mill operatives.	Telegraph and telephone operators.	Other selected occupations.	
6,731	87	30	63		631	66	401	236	3	84	36	14	800	1
6,216	37	30	63		630	66	386	231	3	84	36	13	788	2
3,069	24	14	23		294	51	249	153	3	16	20	3	487	3
1,826	2	1	3		75	29	97	74	1	3	3	3	248	4
618	22	11	20		200	12	123	50	2	12	17	2	173	5
3,019	13	16	40		332	15	130	73		17	15	5	284	6
515					1		15	5				1	12	7
181	2		7		48	6	18	7		4	1	1	25	8
47	1		1		11		3	3				1	7	9
42					6		2	2					3	10
59					2		2	3					3	11
675	2	1	5		36	5	26	24		4		1	30	13
1,418	14	13	20		239	14	132	77	1	22	24	4	195	14
27					1					2			2	15
809		2			46	8	30	13		1			77	16
989	6	6	11		89	6	63	85	2	1	2	1	131	17
105	1		1		5	2	5	2					13	18
5					2						1		1	19
277	2	1	4		25	3	17	9			1	2	29	20
172	1		3		13	2	16	4					20	21
161	1				8	2	4	6				2	15	22
17							2	1					4	23
28					2			1					1	24
26					3		2	2					6	25
125			1		12	2	10	6					24	26
58			1		2		3	4					9	27
140			2		3		3	1					10	28
58		1			1	2	1	1			1		5	29
85	1				2	2	2	3					9	30
37					2		5	1					3	31
29					2								4	32
9							1						2	33
24					1	1	3	1					2	34
10													2	35
71					11	3	1				3		5	36
4,269	35	27	43		430	41	302	173	2	31	11	12	532	37
3,853	35	27	43		479	41	287	168	2	31	11	11	524	38
1,348	22	12	13		204	27	164	101	2	16	4	6	285	39
616		1			30	13	2	46		3		2	109	40
458	22	10	12		161	9	101	44	2	12	4	2	145	41
2,463	13	15	30		272	14	120	64		15	7	5	233	42
416					1		15	5				1	8	43
186	2		6		35	5	13	4		4		1	16	44
32	1				4		3	3				1	5	45
27					5		1	2					1	46
17					2		1	2					1	47
430	2	1	4		23	2	21	20		2		1	50	48
1,016	13	12	13		182	7	100	58		22	8	3	150	49
14					1					2			1	50
452		2			33	4	23	12					47	51
600	6	5	7		75	5	45	22	2	1		1	92	52
77			1		3	2	3	2					9	53
3					1									54
181	2	1	3		20	2	13	6				1	16	55
125	1		3		12	1	16	2					14	56
125	1				8	2	4	4				2	12	57
9							1	1					2	58
13					2			1					1	59
17					3		1						5	60
78			1		9	1	8	5					14	61
42			1		2		3	3					7	62
95		1	1		3		2	1					6	63
36		1			1	2	1	1			1		1	64
60	1				2	1	1	2					9	65
22					2		3	1					3	66
18					2								3	67
7							1						2	68
13					1		1						2	69
3														70
36					6	2					2		1	71

TABLE 9.—DEATHS AMONG FEMALES ENGAGED IN CERTAIN OCCUPATIONS, WITH DISTINCTION OF COLOR,

AREAS.		All selected occupations.	Musicians and teachers of music.	Teachers in schools.	Stenographers and typewriters.	Accountants, bookkeepers, clerks, and copyists.	Hotel and boarding house keepers.	Lanndresses.	Nurses and midwives.
RURAL PART OF REGISTRATION STATES.									
1	Total.....	3,338	4	100	2	14	9	17	59
2	White.....	3,225	4	108	2	14	9	9	58
3	Native born.....	2,381	3	103	2	13	7	5	41
4	Both parents native.....	1,626	2	84	1	6	3	3	24
5	One or both parents foreign.....	300	1	11		5	1		2
6	Foreign born.....	729	1	3		1	1	3	12
7	Colored.....	113		1				8	1
8	Typhoid fever.....	83		6		1	1		2
9	Malarial fever.....	20		1			1		2
10	Lead poison.....	1		1					1
11	Rheumatism.....	21		1					1
12	Dropsy.....	50		1				1	1
13	Heart disease.....	319		10			1	3	7
14	Consumption.....	629		27	2	7		1	3
15	Diabetes.....	16		2					
16	Diseases of the nervous system.....	440		12				2	8
17	Diseases of the respiratory system.....	515	2	16		2		3	11
18	Diseases of the liver.....	43		4				1	1
19	Ascites.....	4							
20	Other diseases of the digestive system.....	131		2			3		1
21	Bright's disease.....	61		2					2
22	Other diseases of the urinary system.....	44		3					
23	Diseases of the bones and joints.....	11							
24	Burns.....	10							
25	Injuries by machinery.....								
26	Suicides.....	13					1		
27	Other accidents and injuries.....	72						2	6
28	Diseases of the female organs of generation.....	26	1	3		2			1
29	Affections connected with pregnancy.....	52	1						
30	Cancer of the stomach.....	30		1				1	2
31	Cancer of the uterus.....	29							1
32	Cancer of the breast.....	10		1					1
33	Cancer of the liver.....	12							
34	Cancer of the head, face, and neck.....	5							1
35	Cancer of the abdomen.....	10							
36	Cancer of the mouth, tongue, and throat.....	7							
37	Unknown causes.....	48		1					
CONNECTICUT.									
38	Total.....	823	1	16		3	3	12	20
39	White.....	796	1	15		3	3	10	19
40	Native born.....	475	1	15		3	2		14
41	Both parents native.....	267	1	13		1			9
42	One or both parents foreign.....	98		1		1			2
43	Foreign born.....	312					1	10	5
44	Colored.....	27		1				2	1
45	Typhoid fever.....	28		1			1		
46	Malarial fever.....	15							
47	Lead poison.....	1		1					
48	Rheumatism.....	10							
49	Dropsy.....	8					1		
50	Heart disease.....	72		1				2	
51	Consumption.....	170		6		2		2	1
52	Diabetes.....	5							
53	Diseases of the nervous system.....	108		1				1	7
54	Diseases of the respiratory system.....	118	1	1			1	2	4
55	Diseases of the liver.....	13		1				1	
56	Ascites.....	3							
57	Other diseases of the digestive system.....	33							
58	Bright's disease.....	26							1
59	Other diseases of the urinary system.....	8						1	1
60	Diseases of the bones and joints.....	4							
61	Burns.....								
62	Injuries by machinery.....								
63	Suicides.....	1							
64	Other accidents and injuries.....	16						1	2
65	Diseases of the female organs of generation.....	6		1				1	
66	Affections connected with pregnancy.....	16						1	
67	Cancer of the stomach.....	10							
68	Cancer of the uterus.....	11							
69	Cancer of the breast.....	7							
70	Cancer of the liver.....	1							
71	Cancer of the head, face, and neck.....	1							
72	Cancer of the abdomen.....	4							
73	Cancer of the mouth, tongue, and throat.....								
74	Unknown causes.....	3							

TABLE 9.—DEATHS AMONG FEMALES ENGAGED IN CERTAIN OCCUPATIONS, WITH DISTINCTION OF COLOR.

AREAS.		All selected occupations.	Musicians and teachers of music.	Teachers in schools.	Stenographers and typewriters.	Accountants, bookkeepers, clerks, and copyists.	Hotel and boarding house keepers.	Laundresses.	Nurses and midwives.
CITIES IN CONNECTICUT.									
1	Total.....	417		5		1	2	11	9
2	White.....	398		4		1	2	9	9
3	Native born.....	201		4		1	1		6
4	Both parents native.....	101		3					4
5	One or both parents foreign.....	53				1			1
6	Foreign born.....	193					1	9	3
7	Colored.....	19		1				2	
8	Typhoid fever.....	11							
9	Malarial fever.....	6							
10	Lead poison.....						1		
11	Rheumatism.....	6							
12	Dropsy.....	4							
13	Heart disease.....	33		1				2	
14	Consumption.....	34		2		1		2	1
15	Diabetes.....	2							
16	Diseases of the nervous system.....	60						1	5
17	Diseases of the respiratory system.....	57					1	2	
18	Diseases of the liver.....	6						1	
19	Ascites.....	1							
20	Other diseases of the digestive system.....	20							
21	Bright's disease.....	13							
22	Other diseases of the urinary system.....	4						1	1
23	Diseases of the bones and joints.....	3							
24	Burns.....								
25	Injuries by machinery.....								
26	Suicides.....								
27	Other accidents and injuries.....	4							
28	Diseases of the female organs of generation.....	3						1	
29	Affections connected with pregnancy.....	11						1	
30	Cancer of the stomach.....	5							
31	Cancer of the uterus.....	8							
32	Cancer of the breast.....	3							
33	Cancer of the liver.....								
34	Cancer of the head, face, and neck.....	1							
35	Cancer of the abdomen.....	3							
36	Cancer of the mouth, tongue, and throat.....								
37	Unknown causes.....								
RURAL PART OF CONNECTICUT.									
38	Total.....	406	1	11		2	1	1	11
39	White.....	398	1	11		2	1	1	10
40	Native born.....	274	1	11		2	1		8
41	Both parents native.....	166	1	10		1			5
42	One or both parents foreign.....	45		1					1
43	Foreign born.....	119						1	2
44	Colored.....	8							1
45	Typhoid fever.....	17		1			1		
46	Malarial fever.....	9							
47	Lead poison.....	1		1					
48	Rheumatism.....	4							
49	Dropsy.....	4							
50	Heart disease.....	39							
51	Consumption.....	32		4		1			
52	Diabetes.....	3							
53	Diseases of the nervous system.....	48		1					2
54	Diseases of the respiratory system.....	61		1					4
55	Diseases of the liver.....	7		1					
56	Ascites.....	2							
57	Other diseases of the digestive system.....	13							
58	Bright's disease.....	13							1
59	Other diseases of the urinary system.....	4							
60	Diseases of the bones and joints.....	1							
61	Burns.....								
62	Injuries by machinery.....								
63	Suicides.....	1							
64	Other accidents and injuries.....	12						1	2
65	Diseases of the female organs of generation.....	3		1					
66	Affections connected with pregnancy.....	5							
67	Cancer of the stomach.....	5							
68	Cancer of the uterus.....	3							
69	Cancer of the breast.....	4							
70	Cancer of the liver.....	1							
71	Cancer of the head, face, and neck.....								
72	Cancer of the abdomen.....	1							
73	Cancer of the mouth, tongue, and throat.....								
74	Unknown causes.....	3							

TABLE 9.—DEATHS AMONG FEMALES ENGAGED IN CERTAIN OCCUPATIONS, WITH DISTINCTION OF COLOR,

AREAS.		All selected occupations.	Musicians and teachers of music.	Teachers in schools.	Stenographers and typewriters.	Accountants, bookkeepers, clerks, and copyists.	Hotel and boarding house keepers.	Laundresses.	Nurses and midwives.
RURAL PART OF DELAWARE.									
1	Total.....	108		2		1		2	1
2	White.....	74		1		1			1
3	Native born.....	61		1		1			
4	Both parents native.....	42				1			
5	One or both parents foreign.....	2							
6	Foreign born.....	8							
7	Colored.....	34		1				2	
8	Typhoid fever.....	5							
9	Malarial fever.....								
10	Lead poison.....								
11	Rheumatism.....								
12	Dropsy.....	2							
13	Heart disease.....	7							1
14	Consumption.....	36				1			
15	Diabetes.....	1							
16	Diseases of the nervous system.....	11		1				1	
17	Diseases of the respiratory system.....	12						1	
18	Diseases of the liver.....								
19	Ascites.....								
20	Other diseases of the digestive system.....	3							
21	Bright's disease.....	3							
22	Other diseases of the urinary system.....	1							
23	Diseases of the bones and joints.....								
24	Burns.....	1							
25	Injuries by machinery.....								
26	Suicides.....								
27	Other accidents and injuries.....								
28	Diseases of the female organs of generation.....	1							
29	Affections connected with pregnancy.....	8							
30	Cancer of the stomach.....								
31	Cancer of the uterus.....	3							
32	Cancer of the breast.....	1							
33	Cancer of the liver.....								
34	Cancer of the head, face, and neck.....								
35	Cancer of the abdomen.....								
36	Cancer of the mouth, tongue, and throat.....								
37	Unknown causes.....	3							
DISTRICT OF COLUMBIA.									
38	Total.....	465		11		13		61	20
39	White.....	150		5		13		1	7
40	Native born.....	99		5		11			5
41	Both parents native.....	65		3		6			1
42	One or both parents foreign.....	20				4			1
43	Foreign born.....	49				2		1	2
44	Colored.....	315		6				60	13
45	Typhoid fever.....	27		3		1		1	1
46	Malarial fever.....	14		1				2	1
47	Lead poison.....								
48	Rheumatism.....	4				1			
49	Dropsy.....	2						2	
50	Heart disease.....	43				1		15	
51	Consumption.....	113		3		3		8	3
52	Diabetes.....	3		1					
53	Diseases of the nervous system.....	48		1		1		6	5
54	Diseases of the respiratory system.....	59				2		6	4
55	Diseases of the liver.....	4							
56	Ascites.....								
57	Other diseases of the digestive system.....	17				1			1
58	Bright's disease.....	5		1				2	
59	Other diseases of the urinary system.....	3							1
60	Diseases of the bones and joints.....								
61	Burns.....	4						2	
62	Injuries by machinery.....								
63	Suicides.....	1							
64	Other accidents and injuries.....	7							1
65	Diseases of the female organs of generation.....	9						2	2
66	Affections connected with pregnancy.....	12						1	
67	Cancer of the stomach.....	2							
68	Cancer of the uterus.....	8				1			
69	Cancer of the breast.....	4						2	
70	Cancer of the liver.....	3				1			
71	Cancer of the head, face, and neck.....								
72	Cancer of the abdomen.....	3							
73	Cancer of the mouth, tongue, and throat.....								
74	Unknown causes.....	2							

TABLE 9.—DEATHS AMONG FEMALES ENGAGED IN CERTAIN OCCUPATIONS, WITH DISTINCTION OF COLOR,

AREAS.		All selected occupations.	Musicians and teachers of music.	Teachers in schools.	Stenographers and typewriters.	Accountants, bookkeepers, clerks, and copyists.	Hotel and boarding house keepers.	Laundresses.	Nurses and midwives.
MASSACHUSETTS.									
1	Total.....	2,732	5	70	4	36	12	32	36
2	White.....	2,687	5	69	4	36	12	26	35
3	Native born.....	1,384	5	62	3	32	7	8	22
4	Both parents native.....	726	4	48	1	11	4	2	42
5	One or both parents foreign.....	488		10	2	20	1	4	1
6	Foreign born.....	1,280		7	1	4	5	18	13
7	Colored.....	45		1				6	1
8	Typhoid fever.....	89		1		2		1	1
9	Malarial fever.....	11		1					1
10	Lead poison.....								
11	Rheumatism.....	17		1					
12	Dropsy.....	18						1	
13	Heart disease.....	310		6	1	2	2	4	6
14	Consumption.....	703	1	24	2	16	1	7	6
15	Diabetes.....	11							
16	Diseases of the nervous system.....	273	1	5		3	1	2	3
17	Diseases of the respiratory system.....	390		7		3	1	7	3
18	Diseases of the liver.....	40		1				2	
19	Ascites.....	2							
20	Other diseases of the digestive system.....	104		1		2		1	1
21	Bright's disease.....	53	1	3		1	1		1
22	Other diseases of the urinary system.....	42		3				3	
23	Diseases of the bones and joints.....	8							
24	Burns.....	8							
25	Injuries by machinery.....								
26	Suicides.....	15		1			1		
27	Other accidents and injuries.....	50		1	1	1			
28	Diseases of the female organs of generation.....	24		3		1			1
29	Affections connected with pregnancy.....	23							
30	Cancer of the stomach.....	21		1					1
31	Cancer of the uterus.....	18	1				2		1
32	Cancer of the breast.....	9							
33	Cancer of the liver.....	13				1			
34	Cancer of the head, face, and neck.....	4							
35	Cancer of the abdomen.....	8							
36	Cancer of the mouth, tongue, and throat.....	1							
37	Unknown causes.....	36				1			
CITIES IN MASSACHUSETTS.									
38	Total.....	2,086	5	52	4	34	10	28	26
39	White.....	2,048	5	51	4	34	10	23	25
40	Native born.....	909	5	45	3	30	5	6	13
41	Both parents native.....	332	4	32	1	11	3		7
42	One or both parents foreign.....	411		9	2	19		4	1
43	Foreign born.....	1,126		6	1	4	5	17	12
44	Colored.....	38		1				5	1
45	Typhoid fever.....	76				2		1	
46	Malarial fever.....	6		1					1
47	Lead poison.....								
48	Rheumatism.....	15							
49	Dropsy.....	8							
50	Heart disease.....	230		5	1	2	2	3	3
51	Consumption.....	574	1	19	2	15	1	7	6
52	Diabetes.....	8							
53	Diseases of the nervous system.....	198	1	5		3	1	2	2
54	Diseases of the respiratory system.....	310		4		3	1	6	2
55	Diseases of the liver.....	32						2	
56	Ascites.....	1							
57	Other diseases of the digestive system.....	81		1		2		1	1
58	Bright's disease.....	45	1	2		1	1		1
59	Other diseases of the urinary system.....	36		2				3	
60	Diseases of the bones and joints.....	4							
61	Burns.....	7							
62	Injuries by machinery.....								
63	Suicides.....	12		1					
64	Other accidents and injuries.....	37		1	1	1			
65	Diseases of the female organs of generation.....	19		2					1
66	Affections connected with pregnancy.....	22							
67	Cancer of the stomach.....	11							
68	Cancer of the uterus.....	12	1				2		1
69	Cancer of the breast.....	6							
70	Cancer of the liver.....	11				1			
71	Cancer of the head, face, and neck.....	4							
72	Cancer of the abdomen.....	6							
73	Cancer of the mouth, tongue, and throat.....								
74	Unknown causes.....	23				1			

TABLE 9.—DEATHS AMONG FEMALES ENGAGED IN CERTAIN OCCUPATIONS, WITH DISTINCTION OF COLOR.

AREAS.	All selected occupations.	Musicians and teachers of music.	Teachers in schools.	Stenographers and typewriters.	Accountants, bookkeepers, clerks, and copyists.	Hotel and boarding house keepers.	Laundresses.	Nurses and midwives.
RURAL PART OF MASSACHUSETTS.								
1 Total.....	646		18		2	2	4	10
2 White.....	639		18		2	2	3	10
3 Native born.....	475		17		2	2	2	9
4 Both parents native.....	344		16			1	2	5
5 One or both parents foreign.....	77		1		1	1		
6 Foreign born.....	154		1				1	1
7 Colored.....	7						1	
8 Typhoid fever.....	13		1					1
9 Malarial fever.....	5							
10 Lead poison.....	2		1					
11 Rheumatism.....	2							
12 Dropsy.....	10						1	
13 Heart disease.....	80		1				1	3
14 Consumption.....	123		5		1			
15 Diabetes.....	3							
16 Diseases of the nervous system.....	75							1
17 Diseases of the respiratory system.....	80		3				1	1
18 Diseases of the liver.....	8		1					
19 Ascites.....	1							
20 Other diseases of the digestive system.....	23							
21 Bright's disease.....	8		1					
22 Other diseases of the urinary system.....	6		1					
23 Diseases of the bones and joints.....	4							
24 Burns.....	1							
25 Injuries by machinery.....	3							
26 Suicides.....	3					1		
27 Other accidents and injuries.....	13							
28 Diseases of the female organs of generation.....	5		1		1			
29 Affections connected with pregnancy.....	6							
30 Cancer of the stomach.....	10		1					1
31 Cancer of the uterus.....	6							
32 Cancer of the breast.....	3							
33 Cancer of the liver.....	2							
34 Cancer of the head, face, and neck.....	2							
35 Cancer of the abdomen.....	2							
36 Cancer of the mouth, tongue, and throat.....	1							
37 Unknown causes.....	13							
NEW HAMPSHIRE.								
38 Total.....	589		16		5	1	1	6
39 White.....	586		16		5	1	1	6
40 Native born.....	458		14		5			6
41 Both parents native.....	319		13		5			4
42 One or both parents foreign.....	22		1					
43 Foreign born.....	80						1	
44 Colored.....	3							
45 Typhoid fever.....	10				1			
46 Malarial fever.....								
47 Lead poison.....	1							
48 Rheumatism.....	1							
49 Dropsy.....	15		1					
50 Heart disease.....	63		2					1
51 Consumption.....	89		2		1			1
52 Diabetes.....	2							
53 Diseases of the nervous system.....	93		1		1			
54 Diseases of the respiratory system.....	82		4				1	
55 Diseases of the liver.....	6				1			
56 Ascites.....								
57 Other diseases of the digestive system.....	20							
58 Bright's disease.....	9							
59 Other diseases of the urinary system.....	6		1					
60 Diseases of the bones and joints.....	3							
61 Burns.....	3							
62 Injuries by machinery.....	2							
63 Suicides.....	2							
64 Other accidents and injuries.....	12							
65 Diseases of the female organs of generation.....	4				1			
66 Affections connected with pregnancy.....	8							
67 Cancer of the stomach.....	3							
68 Cancer of the uterus.....	5							1
69 Cancer of the breast.....	3		1					
70 Cancer of the liver.....	3							
71 Cancer of the head, face, and neck.....	1							
72 Cancer of the abdomen.....	1							
73 Cancer of the mouth, tongue, and throat.....	1							
74 Unknown causes.....	10							

STATISTICS OF DEATHS.

NATIVITY, AND PARENTAL NATIVITY, AND WITH SPECIFICATION OF CERTAIN CAUSES OF DEATH—Continued.

Servants.	Artificial flower and paper box makers.	Cigar makers and tobacco workers.	Cotton mill operatives.	Flax mill operatives.	Mill and factory operatives (textiles not specified).	Milliners.	Dress-makers.	Seamstresses.	Sewing machine operators.	Silk mill operatives.	Woolen mill operatives.	Telegraph and telephone operators.	Other selected occupations.	
468	1	2	13		24	4	24	12	1		19	1	41	1
462	1	2	13		24	4	24	12	1		19	1	41	2
337	1	1	8		16	4	21	10	1		12	1	31	3
257	1		1		10	4	13	7	1			1	25	4
35		1	7		6		6	1			12		6	5
118		1	5		8		2	2			7		8	6
6														7
5					2		2				1		1	8
1			1		2								1	9
1														10
9														11
61			1		4	1	1						7	12
78	1		4		10	2	6	4	1		12	1	4	13
8														14
8							3	1						15
66		1	3		1		3	3			2		4	16
55							2						7	17
4					1									18
17			1			1		1			1			19
6											1		2	20
4								1					1	21
2							1							22
1													1	23
1														24
12													1	25
2														26
5			1											27
7													1	28
6														29
3													1	30
3														31
2														32
1							1							33
1							1							34
11					1		1							35
														36
														37
449			5		36	7	18	5			2		38	38
446			5		36	7	18	5			2		38	39
356			1		13	7	15	5			2		34	40
251			1		7	4	8	4			1		21	41
9			4		4	4	2	4			1		5	42
47					23		1						4	43
3														44
6			1		6	1	1						3	45
														46
					1									47
11					1			1					1	48
														49
55					2	1							2	50
55			2		10	1	6	3			2		6	51
2														52
75					7	2	3	1					3	53
67					3	1	2						4	54
8					1									55
15					1		1						3	56
6					1								2	57
5					1									58
3														59
3														60
3														61
2														62
8					1	1							2	63
														64
3														65
6													2	66
3														67
3							1							68
1							1							69
2													1	70
1														71
														72
1					1									73
9														74

TABLE 9.—DEATHS AMONG FEMALES ENGAGED IN CERTAIN OCCUPATIONS, WITH DISTINCTION OF COLOR,

AREAS.		All selected occupations.	Musicians and teachers of music.	Teachers in schools.	Stenographers and typewriters.	Accountants, bookkeepers, clerks, and copyists.	Hotel and boarding house keepers.	Lanndresses.	Nurses and midwives.
CITIES IN NEW HAMPSHIRE.									
1	Total.....	91				2	1		2
2	White.....	91				2	1		2
3	Native born.....	54				2			2
4	Both parents native.....	31				2			1
5	One or both parents foreign.....	5							
6	Foreign born.....	35							
7	Colored.....								
8	Typhoid fever.....	3							
9	Malarial fever.....								
10	Lead poison.....								
11	Rheumatism.....								
12	Dropsy.....	3							
13	Heart disease.....	12							
14	Consumption.....	17							
15	Diabetes.....								
16	Diseases of the nervous system.....	15				1			
17	Diseases of the respiratory system.....	6							
18	Diseases of the liver.....	3				1			
19	Ascites.....								
20	Other diseases of the digestive system.....	4							
21	Bright's disease.....	5							
22	Other diseases of the urinary system.....	1							
23	Diseases of the bones and joints.....								
24	Burns.....								
25	Injuries by machinery.....								
26	Suicides.....								
27	Other accidents and injuries.....	2							
28	Diseases of the female organs of generation.....								
29	Affections connected with pregnancy.....	3							
30	Cancer of the stomach.....	1							
31	Cancer of the uterus.....	2							1
32	Cancer of the breast.....								
33	Cancer of the liver.....	1							
34	Cancer of the head, face, and neck.....								
35	Cancer of the abdomen.....								
36	Cancer of the mouth, tongue, and throat.....								
37	Unknown causes.....								
RURAL PART OF NEW HAMPSHIRE.									
38	Total.....	498		16		3		1	4
39	White.....	495		16		3		1	4
40	Native born.....	404		14		3			4
41	Both parents native.....	288		13		3			3
42	One or both parents foreign.....	17		1					
43	Foreign born.....	45						1	
44	Colored.....	3							
45	Typhoid fever.....	16				1			
46	Malarial fever.....								
47	Lead poison.....								
48	Rheumatism.....	1							
49	Dropsy.....	12		1					
50	Heart disease.....	51		2					1
51	Consumption.....	72		2		1			1
52	Diabetes.....	2							
53	Diseases of the nervous system.....	78		1					
54	Diseases of the respiratory system.....	76		4				1	
55	Diseases of the liver.....	3							
56	Ascites.....								
57	Other diseases of the digestive system.....	16							
58	Bright's disease.....	4							
59	Other diseases of the urinary system.....	5		1					
60	Diseases of the bones and joints.....	3							
61	Burns.....	3							
62	Injuries by machinery.....								
63	Suicides.....	2							
64	Other accidents and injuries.....	10							
65	Diseases of the female organs of generation.....	4				1			
66	Affections connected with pregnancy.....	5							
67	Cancer of the stomach.....	2							
68	Cancer of the uterus.....	3							
69	Cancer of the breast.....	3		1					
70	Cancer of the liver.....	2							
71	Cancer of the head, face, and neck.....	1							
72	Cancer of the abdomen.....								
73	Cancer of the mouth, tongue, and throat.....	1							
74	Unknown causes.....	10							

TABLE 9.—DEATHS AMONG FEMALES ENGAGED IN CERTAIN OCCUPATIONS, WITH DISTINCTION OF COLOR,

AREAS.	All selected occupations.	Musicians and teachers of music.	Teachers in schools.	Stenographers and typewriters.	Accountants, bookkeepers, clerks, and copyists.	Hotel and boarding house keepers.	Laundresses.	Nurses and midwives.
NEW JERSEY.								
1 Total.....	1,804	1	17	2	11	4	10	19
2 White.....	1,693	1	17	2	11	4	5	19
3 Native born.....	905	1	16	2	9	3	1	10
4 Both parents native.....	545	1	13	1	2	1		8
5 One or both parents foreign.....	204		2		6			1
6 Foreign born.....	759		1		1	1	4	9
7 Colored.....	111						5	
8 Typhoid fever.....	72		1				1	
9 Malarial fever.....	17					1		1
10 Lead poison.....								
11 Rheumatism.....	9							1
12 Dropsy.....	6							
13 Heart disease.....	166		1			1	2	1
14 Consumption.....	391		3	2	4		2	1
15 Diabetes.....	6							
16 Diseases of the nervous system.....	241		2				2	3
17 Diseases of the respiratory system.....	283		4		3	1	1	4
18 Diseases of the liver.....	41						1	2
19 Ascites.....	2							
20 Other diseases of the digestive system.....	87		2		1	1		1
21 Bright's disease.....	42							
22 Other diseases of the urinary system.....	51	1	1					
23 Diseases of the bones and joints.....	2					1		
24 Burns.....	6							
25 Injuries by machinery.....								
26 Suicides.....	6							
27 Other accidents and injuries.....	28		1		1			1
28 Diseases of the female organs of generation.....	12							
29 Affections connected with pregnancy.....	45							
30 Cancer of the stomach.....	19						1	1
31 Cancer of the uterus.....	24							1
32 Cancer of the breast.....	10							
33 Cancer of the liver.....	9							
34 Cancer of the head, face, and neck.....	3							1
35 Cancer of the abdomen.....	8							1
36 Cancer of the mouth, tongue, and throat.....	4							
37 Unknown causes.....	16							
CITIES IN NEW JERSEY.								
38 Total.....	1,180	1	9		7	1	7	9
39 White.....	1,065	1	9		7	1	4	9
40 Native born.....	461	1	8		6	1		6
41 Both parents native.....	218	1	6		2			4
42 One or both parents foreign.....	156		1		3			1
43 Foreign born.....	585		1				4	3
44 Colored.....	65						3	
45 Typhoid fever.....	62		1				1	
46 Malarial fever.....	12							
47 Lead poison.....								
48 Rheumatism.....	4							
49 Dropsy.....	1							
50 Heart disease.....	103		1				2	1
51 Consumption.....	268		1		3		2	1
52 Diabetes.....	2							
53 Diseases of the nervous system.....	126						1	2
54 Diseases of the respiratory system.....	187		3		1	1	1	3
55 Diseases of the liver.....	29							1
56 Ascites.....	1							
57 Other diseases of the digestive system.....	51				1			
58 Bright's disease.....	31							
59 Other diseases of the urinary system.....	34	1						
60 Diseases of the bones and joints.....	1				1			
61 Burns.....	4							
62 Injuries by machinery.....								
63 Suicides.....	4							
64 Other accidents and injuries.....	15		1		1			
65 Diseases of the female organs of generation.....	8							
66 Affections connected with pregnancy.....	37							
67 Cancer of the stomach.....	10							
68 Cancer of the uterus.....	20							
69 Cancer of the breast.....	7							
70 Cancer of the liver.....	4							
71 Cancer of the head, face, and neck.....	1							
72 Cancer of the abdomen.....	6							1
73 Cancer of the mouth, tongue, and throat.....	1							
74 Unknown causes.....	11							

TABLE 9.—DEATHS AMONG FEMALES ENGAGED IN CERTAIN OCCUPATIONS, WITH DISTINCTION OF COLOR,

AREAS.		All selected occupations.	Musicians and teachers of music.	Teachers in schools.	Stenographers and typewriters.	Accountants, bookkeepers, clerks, and copyists.	Hotel and boarding house keepers.	Laundresses.	Nurses and midwives.
RURAL PART OF NEW JERSEY.									
1	Total.....	674		8	2	4	3	3	10
2	White.....	628		8	2	4	3	1	10
3	Native born.....	444		8	2	3	2	1	4
4	Both parents native.....	327		7	1		1		4
5	One or both parents foreign.....	48		1		3			
6	Foreign born.....	174				1	1		6
7	Colored.....	46						2	
8	Typhoid fever.....	10							
9	Malarial fever.....	5					1		1
10	Lead poison.....								
11	Rheumatism.....	5							1
12	Dropsy.....	5							
13	Heart disease.....	63					1		
14	Consumption.....	128		2	2	1			
15	Diabetes.....	4							
16	Diseases of the nervous system.....	115		2				1	1
17	Diseases of the respiratory system.....	96		1		2			1
18	Diseases of the liver.....	12						1	1
19	Ascites.....	1							
20	Other diseases of the digestive system.....	36		2			1		
21	Bright's disease.....	11							1
22	Other diseases of the urinary system.....	17		1					
23	Diseases of the bones and joints.....	1							
24	Burns.....	2							
25	Injuries by machinery.....								
26	Suicides.....	2							
27	Other accidents and injuries.....	13							1
28	Diseases of the female organs of generation.....	4							
29	Affections connected with pregnancy.....	8							
30	Cancer of the stomach.....	9						1	1
31	Cancer of the uterus.....	4							1
32	Cancer of the breast.....	3							1
33	Cancer of the liver.....	5							
34	Cancer of the head, face, and neck.....	2							
35	Cancer of the abdomen.....	2							1
36	Cancer of the mouth, tongue, and throat.....	3							
37	Unknown causes.....	5							
NEW YORK.									
38	Total.....	2,740	16	104	7	43	15	118	74
39	White.....	2,610	16	102	7	43	15	93	73
40	Native born.....	1,099	10	87	6	30	6	25	20
41	Both parents native.....	417	4	47	1	9	4	5	12
42	One or both parents foreign.....	472	6	30	5	21	1	17	5
43	Foreign born.....	1,465	6	15	1	13	8	66	39
44	Colored.....	180		2				25	1
45	Typhoid fever.....	34	1	8		4		1	4
46	Malarial fever.....	21		3		2			
47	Lead poison.....								
48	Rheumatism.....	16						2	
49	Dropsy.....	8							
50	Heart disease.....	246		9		3		17	11
51	Consumption.....	730	5	29	5	19	1	32	8
52	Diabetes.....	5		2					
53	Diseases of the nervous system.....	240	2	11	1	1	1	11	8
54	Diseases of the respiratory system.....	388	1	15		3	3	18	15
55	Diseases of the liver.....	32		1		1			1
56	Ascites.....								
57	Other diseases of the digestive system.....	99		4			2	3	
58	Bright's disease.....	101	1	3		2		6	3
59	Other diseases of the urinary system.....	109		3		3	1	7	1
60	Diseases of the bones and joints.....	5							
61	Burns.....	11							
62	Injuries by machinery.....								
63	Suicides.....	13					1		1
64	Other accidents and injuries.....	76	1			2	1	3	5
65	Diseases of the female organs of generation.....	38	1	2	1				2
66	Affections connected with pregnancy.....	35	1						
67	Cancer of the stomach.....	19				1		2	
68	Cancer of the uterus.....	40		1			1	1	
69	Cancer of the breast.....	16						3	1
70	Cancer of the liver.....	7							
71	Cancer of the head, face, and neck.....	4						1	
72	Cancer of the abdomen.....	9		1					1
73	Cancer of the mouth, tongue, and throat.....	4							
74	Unknown causes.....	10		1					

TABLE 9.—DEATHS AMONG FEMALES ENGAGED IN CERTAIN OCCUPATIONS, WITH DISTINCTION OF COLOR,

AREAS.		All selected occupations.	Musicians and teachers of music.	Teachers in schools.	Stenographers and typewriters.	Accountants, bookkeepers, clerks, and copyists.	Hotel and boarding house keepers.	Laundresses.	Nurses and midwives.
CITIES IN NEW YORK.									
1	Total.....	2,185	13	61	7	41	13	112	57
2	White.....	2,065	13	59	7	41	13	90	56
3	Native born.....	701	8	46	6	28	5	28	19
4	Both parents native.....	188	1	19	1	8	3	4	8
5	One or both parents foreign.....	408	3	24	5	20	1	17	4
6	Foreign born.....	1,346	5	13	1	13	8	66	36
7	Colored.....	120		2				22	1
8	Typhoid fever.....	66	1	4		4		1	3
9	Malarial fever.....	17		2		2			
10	Lead poison.....								
11	Rheumatism.....	9						2	
12	Dropsy.....	1							
13	Heart disease.....	195		2		3		15	9
14	Consumption.....	634	5	22	5	17	1	31	6
15	Diabetes.....	3							
16	Diseases of the nervous system.....	174	2	5	1	1	1	11	6
17	Diseases of the respiratory system.....	291		9		3	3	18	11
18	Diseases of the liver.....	27				1			1
19	Ascites.....								
20	Other diseases of the digestive system.....	80		4			1	3	
21	Bright's disease.....	90	1	2		2		6	2
22	Other diseases of the urinary system.....	99		3		3	1	7	1
23	Diseases of the bones and joints.....	5							
24	Burns.....	9							
25	Injuries by machinery.....								
26	Suicides.....	11					1		1
27	Other accidents and injuries.....	63	1			2	1	2	2
28	Diseases of the female organs of generation.....	29		1	1				1
29	Affections connected with pregnancy.....	26						2	
30	Cancer of the stomach.....	17				1		1	
31	Cancer of the uterus.....	35		1			1	3	
32	Cancer of the breast.....	13							1
33	Cancer of the liver.....	6						1	
34	Cancer of the head, face, and neck.....	2							
35	Cancer of the abdomen.....	7		1					1
36	Cancer of the mouth, tongue, and throat.....	2							
37	Unknown causes.....	2							
RURAL PART OF NEW YORK.									
38	Total.....	555	3	43		2	2	6	17
39	White.....	545	3	43		2	2	3	17
40	Native born.....	398	2	41		2	1	2	10
41	Both parents native.....	229	1	28		1	1	1	4
42	One or both parents foreign.....	64	1	6		1		1	1
43	Foreign born.....	119	1	2					3
44	Colored.....	10						3	
45	Typhoid fever.....	18		4					1
46	Malarial fever.....	4		1					
47	Lead poison.....								
48	Rheumatism.....	7							
49	Dropsy.....	7							
50	Heart disease.....	51		7				2	2
51	Consumption.....	96		7		2		1	2
52	Diabetes.....	2		2					
53	Diseases of the nervous system.....	66		6					2
54	Diseases of the respiratory system.....	97	1	6					4
55	Diseases of the liver.....	5		1					
56	Ascites.....								
57	Other diseases of the digestive system.....	19					1		
58	Bright's disease.....	11		1					1
59	Other diseases of the urinary system.....	10							
60	Diseases of the bones and joints.....								
61	Burns.....	2							
62	Injuries by machinery.....								
63	Suicides.....	2							
64	Other accidents and injuries.....	13						1	3
65	Diseases of the female organs of generation.....	9	1	1					1
66	Affections connected with pregnancy.....	9	1						
67	Cancer of the stomach.....	2							
68	Cancer of the uterus.....	5							
69	Cancer of the breast.....	3							
70	Cancer of the liver.....	1							
71	Cancer of the head, face, and neck.....	2							
72	Cancer of the abdomen.....	2							
73	Cancer of the mouth, tongue, and throat.....	2							
74	Unknown causes.....	8		1					

TABLE 9.—DEATHS AMONG FEMALES ENGAGED IN CERTAIN OCCUPATIONS, WITH DISTINCTION OF COLOR,

AREAS.		All selected occupations.	Musicians and teachers of music.	Teachers in schools.	Stenographers and typewriters.	Accountants, bookkeepers, clerks, and copyists.	Hotel and boarding house keepers.	Laundresses.	Nurses and midwives.
RHODE ISLAND.									
1	Total.....	429		8		1	1	3	5
2	White.....	419		8		1	1	2	5
3	Native born.....	200		8		1	1		4
4	Both parents native.....	111		6		1	1		2
5	One or both parents foreign.....	84		2					1
6	Foreign born.....	218						2	1
7	Colored.....	10						1	
8	Typhoid fever.....	8							1
9	Malarial fever.....	10							1
10	Lead poison.....								
11	Rheumatism.....	1							
12	Dropsy.....	12							
13	Heart disease.....	25					1		
14	Consumption.....	105		6		1			
15	Diabetes.....	1							
16	Diseases of the nervous system.....	30						1	2
17	Diseases of the respiratory system.....	71						1	1
18	Diseases of the liver.....	9		1					
19	Ascites.....								
20	Other diseases of the digestive system.....	17							
21	Bright's disease.....	10							
22	Other diseases of the urinary system.....	6							
23	Diseases of the bones and joints.....	1							
24	Burns.....								
25	Injuries by machinery.....								
26	Suicides.....	2							
27	Other accidents and injuries.....	7							
28	Diseases of the female organs of generation.....								
29	Affections connected with pregnancy.....	8							
30	Cancer of the stomach.....	2						1	
31	Cancer of the uterus.....	4							
32	Cancer of the breast.....	1							
33	Cancer of the liver.....	2							
34	Cancer of the head, face, and neck.....								
35	Cancer of the abdomen.....	2							
36	Cancer of the mouth, tongue, and throat.....								
37	Unknown causes.....	13							
CITIES IN RHODE ISLAND.									
38	Total.....	201		3		1	1	3	2
39	White.....	194		3		1	1	2	2
40	Native born.....	66		3		1	1		1
41	Both parents native.....	13		2		1	1		
42	One or both parents foreign.....	53		1					1
43	Foreign born.....	128						2	1
44	Colored.....	7						1	
45	Typhoid fever.....	2							1
46	Malarial fever.....	4							
47	Lead poison.....								
48	Rheumatism.....	1							
49	Dropsy.....	5							
50	Heart disease.....	12					1		
51	Consumption.....	60		2		1			
52	Diabetes.....	1							
53	Diseases of the nervous system.....	8						1	
54	Diseases of the respiratory system.....	34						1	1
55	Diseases of the liver.....	3							
56	Ascites.....								
57	Other diseases of the digestive system.....	7							
58	Bright's disease.....	5							
59	Other diseases of the urinary system.....	5							
60	Diseases of the bones and joints.....	1							
61	Burns.....								
62	Injuries by machinery.....								
63	Suicides.....	1							
64	Other accidents and injuries.....	2							
65	Diseases of the female organs of generation.....								
66	Affections connected with pregnancy.....	1							
67	Cancer of the stomach.....	1						1	
68	Cancer of the uterus.....	2							
69	Cancer of the breast.....	1							
70	Cancer of the liver.....	1							
71	Cancer of the head, face, and neck.....								
72	Cancer of the abdomen.....								
73	Cancer of the mouth, tongue, and throat.....								
74	Unknown causes.....	10							

TABLE 9.—DEATHS AMONG FEMALES ENGAGED IN CERTAIN OCCUPATIONS, WITH DISTINCTION OF COLOR,

AREAS.		All selected occupations.	Musicians and teachers of music.	Teachers in schools.	Stenographers and typewriters.	Accountants, bookkeepers, clerks, and copyists.	Hotel and boarding house keepers.	Laundresses.	Nurses and midwives.
RURAL PART OF RHODE ISLAND.									
1	Total.....	228		5					3
2	White.....	225		5					3
3	Native born.....	134		5					3
4	Both parents native.....	98		4					2
5	One or both parents foreign.....	32		1					
6	Foreign born.....	90							
7	Colored.....	3							
8	Typhoid fever.....	6							
9	Malarial fever.....	6							1
10	Lead poison.....								
11	Rheumatism.....								
12	Dropsy.....	7							
13	Heart disease.....	13							
14	Consumption.....	45		4					
15	Diabetes.....								
16	Diseases of the nervous system.....	22							2
17	Diseases of the respiratory system.....	37							
18	Diseases of the liver.....	6		1					
19	Ascites.....								
20	Other diseases of the digestive system.....	10							
21	Bright's disease.....	5							
22	Other diseases of the urinary system.....	1							
23	Diseases of the bones and joints.....								
24	Burns.....								
25	Injuries by machinery.....								
26	Suicides.....	1							
27	Other accidents and injuries.....	5							
28	Diseases of the female organs of generation.....								
29	Affections connected with pregnancy.....	7							
30	Cancer of the stomach.....	1							
31	Cancer of the uterus.....	2							
32	Cancer of the breast.....								
33	Cancer of the liver.....	1							
34	Cancer of the head, face, and neck.....								
35	Cancer of the abdomen.....	2							
36	Cancer of the mouth, tongue, and throat.....								
37	Unknown causes.....	3							
VERMONT.									
38	Total.....	252		6		1	1	1	3
39	White.....	249		6		1	1		3
40	Native born.....	211		6		1	1		3
41	Both parents native.....	137		6					1
42	One or both parents foreign.....	17							
43	Foreign born.....	25							
44	Colored.....	3						1	
45	Typhoid fever.....	4				1			
46	Malarial fever.....								
47	Lead poison.....	2							
48	Rheumatism.....	4							
49	Dropsy.....	4							1
50	Heart disease.....	17							
51	Consumption.....	47		3					
52	Diabetes.....	2						1	
53	Diseases of the nervous system.....	24		1					
54	Diseases of the respiratory system.....	59		1					1
55	Diseases of the liver.....	2							
56	Ascites.....	1							
57	Other diseases of the digestive system.....	12					1		
58	Bright's disease.....	7							
59	Other diseases of the urinary system.....								
60	Diseases of the bones and joints.....	2							
61	Burns.....	1							
62	Injuries by machinery.....								
63	Suicides.....	2							
64	Other accidents and injuries.....	6							
65	Diseases of the female organs of generation.....	1							
66	Affections connected with pregnancy.....	5							
67	Cancer of the stomach.....	1							
68	Cancer of the uterus.....	3							
69	Cancer of the breast.....	2							1
70	Cancer of the liver.....								
71	Cancer of the head, face, and neck.....								
72	Cancer of the abdomen.....	1							
73	Cancer of the mouth, tongue, and throat.....								
74	Unknown causes.....	3							

NATIVITY, AND PARENTAL NATIVITY, AND WITH SPECIFICATION OF CERTAIN CAUSES OF DEATH—Continued.

Servants.	Artificial flower and paper box makers.	Cigar makers and tobacco workers.	Cotton mill operatives.	Flax mill operatives.	Mill and factory operatives (textiles not specified).	Milliners.	Dress-makers.	Seamstresses.	Sewing machine operators.	Silk mill operatives.	Woolen mill operatives.	Telegraph and telephone operators.	Other selected occupations.	
158			1		51								10	1
155			1		51								10	2
90			1		27								8	3
71					14								7	4
16			1		13								1	5
65					23								2	6
3														7
4					2									8
2					3									9
														10
6													1	11
11					1									12
23					16								1	13
													2	14
17					2									15
25			1		10								1	16
5													1	17
														18
7					2									19
4					1								1	20
1														21
														22
														23
														24
1														25
3					1								1	26
														27
7														28
1														29
2														30
														31
														32
1														33
2														34
														35
					3									36
														37
195			1		2	1	10	6			1		24	38
198			1		2	1	10	6			1		24	39
163					2	1	8	5			1		20	40
108					1	1	5	4			1		10	41
13													1	42
19			1					2					3	43
2														44
3														45
														46
1														47
3													1	48
														49
11							1	1					4	50
31			1		1	1	3	1					6	51
1														52
28							1	1					3	53
53							2						2	54
2														55
1														56
8					1									57
7														58
														59
1														60
1														61
														62
1							1							63
5								1						64
														65
5														66
3													1	67
1														68
														69
														70
								1						71
														72
														73
2											1			74

TABLE 9.—DEATHS AMONG FEMALES ENGAGED IN CERTAIN OCCUPATIONS, WITH DISTINCTION OF COLOR,

AREAS.		All selected occupations.	Musicians and teachers of music.	Teachers in schools.	Stenographers and typewriters.	Accountants, bookkeepers, clerks, and copyists.	Hotel and boarding house keepers.	Laundresses.	Nurses and midwives.
CITIES IN VERMONT.									
1	Total.....	29				1		1	
2	White.....	28				1			
3	Native born.....	20				1			
4	Both parents native.....	5							
5	One or both parents foreign.....	2							
6	Foreign born.....	5							
7	Colored.....	1						1	
8	Typhoid fever.....	1				1			
9	Malarial fever.....								
10	Lead poison.....								
11	Rheumatism.....								
12	Dropsy.....	1							
13	Heart disease.....	2							
14	Consumption.....	6							
15	Diabetes.....	1						1	
16	Diseases of the nervous system.....	9							
17	Diseases of the respiratory system.....	3							
18	Diseases of the liver.....								
19	Ascites.....	1							
20	Other diseases of the digestive system.....	1							
21	Bright's disease.....	1							
22	Other diseases of the urinary system.....								
23	Diseases of the bones and joints.....								
24	Burns.....								
25	Injuries by machinery.....								
26	Suicides.....								
27	Other accidents and injuries.....								
28	Diseases of the female organs of generation.....	1							
29	Affections connected with pregnancy.....	1							
30	Cancer of the stomach.....								
31	Cancer of the uterus.....								
32	Cancer of the breast.....								
33	Cancer of the liver.....								
34	Cancer of the head, face, and neck.....								
35	Cancer of the abdomen.....								
36	Cancer of the mouth, tongue, and throat.....								
37	Unknown causes.....								
RURAL PART OF VERMONT.									
38	Total.....	223		6			1		3
39	White.....	221		6			1		3
40	Native born.....	191		6			1		3
41	Both parents native.....	132		6					1
42	One or both parents foreign.....	15							
43	Foreign born.....	20							
44	Colored.....	2							
45	Typhoid fever.....	3							
46	Malarial fever.....								
47	Lead poison.....								
48	Rheumatism.....	2							
49	Dropsy.....	3							1
50	Heart disease.....	15							
51	Consumption.....	41		3					
52	Diabetes.....	1							
53	Diseases of the nervous system.....	25		1					
54	Diseases of the respiratory system.....	56		1					1
55	Diseases of the liver.....	2							
56	Ascites.....								
57	Other diseases of the digestive system.....	11					1		
58	Bright's disease.....	6							
59	Other diseases of the urinary system.....								
60	Diseases of the bones and joints.....	2							
61	Burns.....	1							
62	Injuries by machinery.....								
63	Suicides.....	2							
64	Other accidents and injuries.....	6							
65	Diseases of the female organs of generation.....								
66	Affections connected with pregnancy.....	4							
67	Cancer of the stomach.....	1							
68	Cancer of the uterus.....	3							
69	Cancer of the breast.....	2							1
70	Cancer of the liver.....								
71	Cancer of the head, face, and neck.....								
72	Cancer of the abdomen.....								
73	Cancer of the mouth, tongue, and throat.....	1							
74	Unknown causes.....	3							

TABLE 9.—DEATHS AMONG FEMALES ENGAGED IN CERTAIN OCCUPATIONS, WITH DISTINCTION OF COLOR.

AREAS.	All selected occupations.	Musicians and teachers of music.	Teachers in schools.	Stenographers and typewriters.	Accountants, bookkeepers, clerks, and copyists.	Hotel and boarding house keepers.	Laundresses.	Nurses and midwives.
OTHER REGISTRATION CITIES.								
1 Total.....	3,709	13	130	6	57	15	319	138
2 White.....	2,346	11	121	6	57	12	42	90
3 Native born.....	1,247	9	99	6	48	5	22	37
4 Both parents native.....	217	3	14	1	13	3	3	7
5 One or both parents foreign.....	160	1	15	1	13	4	4	2
6 Foreign born.....	1,013	2	20	6	6	5	18	50
7 Colored.....	1,363	2	9			3	277	48
8 Typhoid fever.....	174	2	11	2	4	1	5	11
9 Malarial fever.....	64		2				7	1
10 Lead poison.....								
11 Rheumatism.....	37						7	4
12 Dropsy.....	36	1	1				5	1
13 Heart disease.....	337	1	10	1	3	3	41	14
14 Consumption.....	386	3	39	2	20	2	70	23
15 Diabetes.....	4							
16 Diseases of the nervous system.....	335		11		3		24	20
17 Diseases of the respiratory system.....	460	1	17		8		51	15
18 Diseases of the liver.....	42		1				1	1
19 Ascites.....	5						1	
20 Other diseases of the digestive system.....	135	1	2	1	2	2	12	5
21 Bright's disease.....	86		2		1		6	2
22 Other diseases of the urinary system.....	59		2				4	1
23 Diseases of the bones and joints.....	6						1	
24 Burns.....	25		1				4	2
25 Injuries by machinery.....								
26 Suicides.....	30	1	1		1		1	2
27 Other accidents and injuries.....	93	2	5		6		5	4
28 Diseases of the female organs of generation.....	59	1	7		1		2	2
29 Affections connected with pregnancy.....	93					1	9	2
30 Cancer of the stomach.....	34		2			1		1
31 Cancer of the uterus.....	51		1				7	3
32 Cancer of the breast.....	16							
33 Cancer of the liver.....	13		1					
34 Cancer of the head, face, and neck.....	9						1	
35 Cancer of the abdomen.....	6							
36 Cancer of the mouth, tongue, and throat.....	1							
37 Unknown causes.....	50		1				7	2
REMAINDER OF UNITED STATES.								
38 Total.....	29,260	110	936	21	107	71	746	395
39 White.....	19,680	104	864	21	107	63	108	187
40 Native born.....	16,093	99	797	19	95	53	65	140
41 Both parents native.....	11,159	68	553	12	52	38	40	85
42 One or both parents foreign.....	1,851	22	159	4	20	3	5	13
43 Foreign born.....	2,730	2	47	2	7	14	34	34
44 Colored.....	9,580	6	72			3	638	208
45 Typhoid fever.....	1,699	10	71		9	1	33	14
46 Malarial fever.....	1,113	2	33	1	1	1	23	24
47 Lead poison.....	1							
48 Rheumatism.....	255	1	5	1	1		4	6
49 Dropsy.....	894	1	7		1	1	23	17
50 Heart disease.....	1,913	2	37	1	11	6	63	32
51 Consumption.....	6,753	45	346	9	35	7	205	61
52 Diabetes.....	64		7	1	1		1	
53 Diseases of the nervous system.....	2,186	15	48	4	4	10	56	34
54 Diseases of the respiratory system.....	4,183	8	141	1	15	14	93	58
55 Diseases of the liver.....	301	1	4			3	7	9
56 Ascites.....	63		2				1	2
57 Other diseases of the digestive system.....	792	1	27		2	5	15	9
58 Bright's disease.....	231	3	13		2	2	6	4
59 Other diseases of the urinary system.....	216		4			2	5	4
60 Diseases of the bones and joints.....	79		2				2	
61 Burns.....	130	2	1				3	3
62 Injuries by machinery.....	1							
63 Suicides.....	106	1	3	2	1	1	1	
64 Other accidents and injuries.....	583	3	22	1	4	1	8	7
65 Diseases of the female organs of generation.....	375	1	7		1	1	17	4
66 Affections connected with pregnancy.....	1,203	1	19		1	2	32	3
67 Cancer of the stomach.....	183		5		1		3	1
68 Cancer of the uterus.....	222	1	5		1	3	10	6
69 Cancer of the breast.....	158		1		1	1	2	2
70 Cancer of the liver.....	34		3					
71 Cancer of the head, face, and neck.....	51						2	
72 Cancer of the abdomen.....	32		1					
73 Cancer of the mouth, tongue, and throat.....	26							
74 Unknown causes.....	1,415	1	13		5	4	49	30

NATIVITY, AND PARENTAL NATIVITY, AND WITH SPECIFICATION OF CERTAIN CAUSES OF DEATH—Continued.

Servants.	Artificial flower and paper box makers.	Cigar makers and tobacco workers.	Cotton mill operatives.	Flax mill operatives.	Mill and factory operatives (textiles not specified).	Milliners.	Dress-makers.	Seamstresses.	Sewing machine operators.	Silk mill operatives.	Woolen mill operatives.	Telegraph and telephone operators.	Other selected occupations.	
2,221	2	18	10		70	23	163	137			1	3	383	1
1,376	2	11	10		54	23	142	119			1	3	266	2
635	2	6	7		30	21	94	93			1	2	130	3
112			1		3	7	16	17					17	4
75			5		3	3	17	10					11	5
687		3	3		23	1	44	24				1	126	6
845		7			16		21	18					117	7
86		2	1		4	4	12	7			1		21	8
38					2		3	3				1	7	9
19					2	1	1	1					2	10
22							1	1					4	11
206					4	3	6	10					35	13
501		6	5		32	6	50	54				1	72	14
2			1										1	15
221	1				4		16	5					30	16
278	1	3	3		10	3	20	6					44	17
26		1					2	1					9	18
3													1	10
85					1	1	5	6					12	20
53					1	1	3	5					12	21
32		1			1		1	3					14	22
3													2	23
15													3	24
13		1			1	1	1						7	25
48					1		3	4					15	26
34		1			1		2	3					5	28
66					1		7					1	6	29
21							1	3					5	30
32							1	6					1	31
13							1	1					1	32
8							2						2	33
8													2	34
4													2	35
1													12	36
23		1			1	1	2						12	37
18,882	4	41	56		104	196	500	565		4	15	8	6,499	38
14,823	4	27	56		96	195	489	496		4	14	8	2,009	39
12,119	4	24	42		78	167	415	445		4	13	8	1,506	40
8,559	2	13	30		53	126	277	309		2	5	4	931	41
1,247	2	9	9		15	23	102	65		1	8	2	142	42
2,088		2	13		11	19	61	33			1		362	43
4,059		14			8	1	11	60			1		4,490	44
1,083	1	4	6		13	24	42	39		3	2		344	45
603		1	2		5	4	13	19			2		384	46
1							8	4					48	47
175		1			2	1	4	17					251	48
558		1				4	11						48	49
1,293			2		4	12	26	28			1		400	50
4,230	3	16	23		31	49	176	178			5	4	1,330	51
43							2	1			1		7	52
1,571		2	4		5	17	27	32				1	356	53
2,806		6	6		15	29	44	70			1	1	875	54
209					1	2	6	6					53	55
33						1	1	1					23	56
534		2	3		4	10	14	16					150	57
147						2	8	6					38	58
140		1			1	1	5	4					49	59
57							2	2					14	60
81			1				3	2					34	61
1													12	62
77			1		1	1	2	4					12	63
333					5	4	12	10			1		176	64
218						3	7	7					109	65
667		2	3		1	5	12	14			1		440	66
150						3	6	4					15	67
139						2	7	2					46	68
116					2	2	4	5					23	69
20		1					1	1				1	7	70
40							2	3					4	71
27							1	1					2	72
21						1							4	73
792			1		3	3	10	19					482	74

TABLE 10.

**DEATHS FROM CANCER IN THE UNITED STATES, AND REPORTED FROM REGISTRATION AND
NONREGISTRATION SOURCES, BY AGE GROUPS, WITH DISTINCTION OF CONJUGAL
CONDITION, SEX, COLOR, NATIVITY, PARENTAL NATIVITY, AND BIRTH-
PLACES OF MOTHERS, AND WITH SPECIFICATION OF LOCATION
OF CANCER, FOR THE CENSUS YEAR ENDING MAY 31, 1890.**

STATISTICS OF DEATHS.

TABLE 10.—DEATHS FROM CANCER, BY AGE GROUPS, WITH DISTINCTION OF SEX, COLOR, NATIVITY, PARENTAL NATIVITY, AND BIRTHPLACES OF MOTHERS, DURING THE CENSUS YEAR ENDING MAY 31, 1890.

THE UNITED STATES.

COLOR, NATIVITY, PARENTAL NATIVITY, AND BIRTHPLACES OF MOTHERS.	All ages.	Under 20 years.	20 to 25	25 to 30	30 to 35	35 to 40	40 to 45	45 to 50	50 to 55	55 to 60	60 to 65	65 to 70	70 to 75	75 and over.	Unknown.
Aggregate.....	18,536	319	455	316	606	960	1,412	1,812	2,192	2,124	2,359	2,153	1,687	2,255	186
White.....	17,529	276	432	273	537	856	1,302	1,703	2,070	2,049	2,266	2,090	1,632	2,177	166
Native born.....	10,786	259	404	298	376	547	782	991	1,167	1,144	1,250	1,256	1,076	1,550	86
Both parents native.....	M.. 2,368 F.. 4,387	74 74	22 31	40 64	55 136	73 239	99 376	115 488	196 584	245 463	302 517	367 448	323 395	446 550	11 22
One or both parents foreign.....	M.. 317 F.. 608	30 28	10 13	20 26	21 54	22 76	18 73	26 81	20 61	22 57	29 32	33 22	26 30	40 54 1
Foreign born.....	M.. 2,722 F.. 3,438	5 10	7 16	27 37	37 105	97 190	164 322	257 403	330 499	399 452	458 491	392 394	280 222	253 274	16 23
Colored.....	1,007	43	23	43	69	104	110	109	122	75	93	63	55	78	20
Males.....	222	17	11	9	16	16	21	18	19	13	23	18	12	27	4
Females.....	785	26	12	34	53	88	89	93	103	62	70	45	43	51	16
Birthplaces of mothers:															
United States.....	M.. 2,655 F.. 5,184	102 102	28 41	50 99	68 185	91 318	117 455	131 577	216 684	264 547	338 587	402 499	347 446	490 612	13 32
England and Wales.....	M.. 266 F.. 427	3 3	1 4	5 12	3 21	7 46	18 67	19 54	31 61	38 52	39 41	38 52	32 38	43 46	2 4
Scotland.....	M.. 89 F.. 169	1 1	1 1	2 4	4 4	4 4	4 4	4 4	4 4	4 4	4 4	4 4	4 4	4 4	1 1
Ireland.....	M.. 746 F.. 1,151	3 3	3 3	14 14	14 42	28 86	35 130	64 136	82 159	99 173	106 142	115 141	84 97	97 98	2 3
Germany.....	M.. 910 F.. 1,063	12 9	6 5	9 14	11 38	32 71	55 100	71 104	108 156	141 128	160 149	140 130	101 77	98 80	3 2
Canada.....	M.. 117 F.. 177	6 2	1 5	3 4	4 12	5 16	8 18	8 31	11 19	13 12	13 17	13 10	14 12	12 17	2 2
France.....	M.. 56 F.. 128	1 4	1 3	1 3	1 14	1 17	1 13	1 12	1 15	1 23	1 12	1 10	1 5	1 4	1 1
Scandinavia.....	M.. 42 F.. 42	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1
Russia and Poland.....	M.. 30 F.. 20	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1
Bohemia.....	M.. 22 F.. 12	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1
Hungary.....	M.. 4 F.. 14	2 2	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1
Italy.....	M.. 24 F.. 120	2 2	2 2	3 3	3 6	3 6	3 10	3 8	3 20	3 21	3 13	3 15	3 8	3 8	1 1
Other foreign countries.....	M.. 106 F.. 1,066	3 14	2 13	3 11	3 26	3 30	4 42	4 64	5 80	6 109	6 132	5 163	5 127	6 219	1 36
Unknown.....	M.. 1,302 F.. 1,066	20 14	13 13	24 11	58 26	81 30	125 42	176 64	206 80	197 109	223 132	175 163	171 127	275 219	58 36
SINGLE.....	1,883	304	81	86	97	141	181	148	180	150	175	136	107	131	16
White.....	1,752	267	68	77	81	125	127	144	171	145	168	132	103	129	15
Native born.....	1,227	251	59	58	61	82	71	91	102	99	100	81	64	99	9
Both parents native.....	M.. 250 F.. 485	73 71	16 15	17 11	13 19	17 24	7 32	13 44	14 53	10 48	23 45	16 35	6 41	23 45	2 2
One or both parents foreign.....	M.. 85 F.. 104	8 27	8 9	13 8	10 7	5 12	2 9	4 5	3 6	1 9	4 2	5 5
Foreign born.....	M.. 234 F.. 246	5 9	5 3	9 9	6 13	15 26	22 31	17 31	24 37	25 17	40 26	27 21	13 18	15 9	2 1
Colored.....	131	37	13	9	16	16	4	4	9	5	7	4	4	2	1
Males.....	43	15	9	2	5	1	1	2	3	2	2	1	2
Females.....	88	22	4	7	11	15	3	2	6	5	5	3	2	2	1
Birthplaces of mothers:															
United States.....	M.. 300 F.. 578	97 97	21 18	21 19	16 29	17 33	8 36	14 45	16 59	11 56	25 41	16 43	12 49	24 49	2 3
England and Wales.....	M.. 24 F.. 31	3 3	1 1	1 3	3 3	3 3	1 6	1 2	3 5	4 1	2 2	2 3	3 3	1 1
Scotland.....	M.. 10 F.. 9	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1
Ireland.....	M.. 93 F.. 139	3 3	2 6	8 4	7 6	5 16	7 23	6 19	11 14	8 9	12 14	9 11	7 8	10 8	1 1
Germany.....	M.. 87 F.. 58	12 8	6 2	6 5	4 4	4 7	5 3	5 5	3 7	3 6	20 7	3 4	3 4	1 4
Canada.....	M.. 15 F.. 22	6 2	2 1	1 1	3 3	4 4	1 1	4 1	3 3	1 1	1 1	2
France.....	M.. 6 F.. 24	1 4	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1
Scandinavia.....	M.. 12 F.. 12	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1
Russia and Poland.....	M.. 2 F.. 2	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1
Bohemia.....	M.. 2 F.. 2	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1
Hungary.....	M.. 2 F.. 2	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1
Italy.....	M.. 3 F.. 4	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1
Other foreign countries.....	M.. 12 F.. 8	1 3	1 1	2 1	2 1	2 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1
Unknown.....	M.. 86 F.. 147	14 17	4 4	1 2	4 4	6 9	9 9	4 14	12 14	15 15	15 10	11 10	3 11	4 22	2 4

TABLE 10.—DEATHS FROM CANCER, BY AGE GROUPS, WITH DISTINCTION OF SEX, COLOR, NATIVITY, PARENTAL NATIVITY, AND BIRTHPLACES OF MOTHERS, DURING THE CENSUS YEAR ENDING MAY 31, 1890—Continued.

THE UNITED STATES—Continued.

COLOR, NATIVITY, PARENTAL NATIVITY, AND BIRTHPLACES OF MOTHERS.	All ages.	Under 20 years.	20 to 25	25 to 30	30 to 35	35 to 40	40 to 45	45 to 50	50 to 55	55 to 60	60 to 65	65 to 70	70 to 75	75 and over.	Un-known.
MARRIED	10,971	11	53	185	410	678	1,051	1,280	1,449	1,432	1,425	1,244	852	828	73
White.....	10,480	7	47	164	372	621	977	1,214	1,389	1,389	1,381	1,217	833	802	67
Native born.....	6,421	6	33	119	259	396	594	703	807	786	783	750	503	581	41
Both parents native.....	1,711	1	5	22	34	47	82	93	158	214	238	207	243	270	7
One or both parents foreign.....	2,588	3	16	43	109	189	308	374	417	306	303	221	162	125	12
Foreign born.....	191	1	2	7	8	16	15	19	15	17	22	26	17	27	1
Males.....	352	1	4	18	40	56	52	56	41	33	18	5	19	8	1
Females.....	1,868	2	14	26	71	122	204	254	298	306	261	173	130	7	
Males.....	1,971	1	10	25	79	142	242	289	298	285	265	185	75	65	10
Females.....	491	4	6	21	38	57	74	66	60	43	44	27	19	26	6
Males.....	116	2	1	2	8	8	12	8	10	11	19	11	7	15	2
Females.....	375	2	5	19	30	49	62	58	50	32	25	16	12	11	4
Birthplaces of mothers:															
United States.....	1,898	3	6	25	43	60	94	105	174	230	270	326	256	298	8
Males.....	3,019	5	20	66	140	243	371	431	474	356	337	244	178	138	16
Females.....	190														
England and Wales.....	256			5	6	17	33	57	33	25	29	20	10	12	1
Males.....	68														
Females.....	54			1	3	1	5	14	8	8	8	5	3	2	1
Scotland.....	465			1	5	22	24	50	54	72	67	69	52	42	2
Males.....	587			2	10	29	59	76	83	98	65	50	16	20	3
Females.....	642			3	6	26	43	57	93	111	102	102	62	36	1
Germany.....	675	1	3	8	32	60	85	84	103	91	95	61	32	19	1
Males.....	75			1	4	4	4	10	6	12	7	11	10	5	1
Females.....	116			3	8	11	15	23	16	10	9	6	8	4	1
France.....	29							3	3	5	1	1			1
Males.....	19			1	1	2	2	9	2	6	4		1		1
Females.....	81			2	7	1	9	14	8	9	12	9	3	7	
Scandinavia.....	103			2	3	12	14	10	11	19	10	8	3		
Males.....	33					1	3	5	5	2	5	2	5	2	
Females.....	18					1	1	4	3	5	1	2	1	1	
Russia and Poland.....	17					2	1	1	1	3	3	2	2	2	
Males.....	13			1						1	3	1	3	2	1
Females.....	9					1	2	2	1	1	2				
Hungary.....	2								1						
Males.....	8							2	2	2	2	1			
Females.....	18			1	5	1	6	2	1	1	1				
Italy.....	87			1	4	2	7	8	17	17	8	10	7	5	
Males.....	54			1	2	4	12	7	7	3	12	3		2	1
Females.....	561			5	14	17	19	40	42	71	84	90	69	99	10
Unknown.....	773	1	5	17	32	47	81	90	107	100	113	68	50	45	17
Males.....															
Females.....															
WIDOWED	4,047	1	4	13	41	67	106	212	351	383	551	591	589	1,112	26
White.....	3,888	1	2	12	39	57	91	196	328	365	521	568	565	1,072	21
Native born.....	2,383	1	1	10	28	38	57	125	172	185	289	330	371	766	10
Both parents native.....	314			1	4	3	4	7	16	9	28	42	63	137	
One or both parents foreign.....	32			7	5	20	25	58	88	100	156	174	133	368	4
Males.....	134				6	1	9	16	11	14	12	12	10	36	
Females.....	374					5	7	8	22	47	62	70	67	83	3
Foreign born.....	972			1	2	10	12	25	56	127	126	160	154	112	4
Males.....	209			2	1	2	10	15	16	23	18	30	23	40	5
Females.....	24					2	3	2	2	2	2	4	1	8	
Males.....	185			2	1	2	8	12	14	23	16	28	19	23	5
Females.....															
Birthplaces of mothers:															
United States.....	841			1	4	4	6	8	16	11	29	47	66	149	
Males.....	1,382			2	7	27	33	74	112	118	182	193	212	407	8
Females.....	84				1	1	1	1	1	5	6	6	6	12	
England and Wales.....	111				3	1	4	7	12	12	15	13	15	28	1
Males.....	15									1		4	3	7	
Females.....	36								3	7	5	3	5	11	
Scotland.....	135					1	1	4	12	11	19	29	22	36	
Males.....	375				6	8	17	32	55	61	56	44	30	64	2
Females.....	117				1	2	4	4	3	16	20	22	20	18	1
Germany.....	275			1	2	4	6	11	36	26	44	55	33	57	
Males.....	16								1	3	2	1	3	5	1
Females.....	33				1	1	1	4		8	3	3	3	11	1
France.....	6														
Males.....	16							1	3	1	3	2	2	4	
Females.....	6								1	1	1	1	1	1	
Scandinavia.....	28				1	2		1	2	2	1	1	6	4	10
Males.....	5							1	1	1	1	1	1		
Females.....	5							2	1	1	1	1			
Russia and Poland.....	6								2	1	1	1	1		
Males.....	2														
Females.....	15							1	2	4	3	2	1	2	
Italy.....	35				1	1	1	2	7	5	9	4	2	4	
Males.....	139				1	1	1	2	5	7	3	10	21	19	70
Females.....	499	1		1	2	7	11	26	32	40	55	69	79	162	9

TABLE 10.—DEATHS FROM CANCER, BY AGE GROUPS, WITH DISTINCTION OF SEX, COLOR, NATIVITY, PARENTAL NATIVITY, AND BIRTHPLACES OF MOTHERS, DURING THE CENSUS YEAR ENDING MAY 31, 1890—Continued.

THE UNITED STATES—Continued.

COLOR, NATIVITY, PARENTAL NATIVITY, AND BIRTHPLACES OF MOTHERS.	All ages.	Under 20 years.	20 to 25	25 to 30	30 to 35	35 to 40	40 to 45	45 to 50	50 to 55	55 to 60	60 to 65	65 to 70	70 to 75	75 and over.	Un-known.
DIVORCED.....	54				2	4	7	4	11	5	7	6	3	4	1
White.....	52				2	4	6	4	11	5	7	6	3	3	1
Native born.....	44				2	4	4	3	11	3	7	6	2	2	
Both parents native.....	M. 11 F. 24				2	2	4	2	8	2	4	2			
One or both parents foreign.....	M. 1 F. 1														
Foreign born.....	M. 5 F. 1						1			2			1	1	
Colored.....	2						1							1	
Males.....	1														1
Females.....	1						1								
Birthplaces of mothers:															
United States.....	M. 12 F. 25				2	2	4	2	9	2	4	2			1
Ireland.....	M. 1 F. 1									1					
Germany.....	M. 4 F. 1						1			1			1	1	
Unknown.....	M. 5 F. 7						2	1				2	1	1	1
CONJUGAL CONDITION UNKNOWN.....	1,581	3	17	32	56	70	117	168	201	154	201	176	136	180	70
White.....	1,407	1	15	20	43	49	101	145	171	145	189	167	128	171	62
Native born.....	711	1	11	11	26	27	56	69	75	71	71	89	76	102	26
Both parents native.....	M. 82 F. 102		1		4	4	6	1	6	10	9	12	11	16	2
One or both parents foreign.....	M. 9 F. 18			3	1	4	7	10	18	8	10	16	9	13	4
Foreign born.....	M. 241 F. 249			4	5	6	12	28	30	27	50	34	17	24	4
Colored.....	174	2	2	12	13	21	16	23	30	9	13	9	8	9	8
Males.....	38		1	5	3	5	5	4	6			2	2	3	2
Females.....	136	2	1	7	10	16	11	19	24	9	12	7	6	6	6
Birthplaces of mothers:															
United States.....	M. 104 F. 180		1	3	5	8	9	3	8	10	10	13	13	18	3
England and Wales.....	M. 18 F. 29		1	7	7	13	11	25	30	16	15	19	13	18	5
Scotland.....	M. 7 F. 9						3	1	4	1	3	4	1	1	1
Ireland.....	M. 32 F. 50			1	2	3	4	4	5	7	8	8	3	11	4
Germany.....	M. 60 F. 55						2	5	9	7	18	11	4	3	1
Canada.....	M. 11 F. 6			1			1	1	10	5	7	10	8	4	1
France.....	M. 3 F. 5						1	1	1	1		1	1	2	1
Scandinavia.....	M. 17 F. 9			1	2	1	1	3	1	1	3	1	1	2	1
Russia and Poland.....	M. 2 F. 5			1			1	1	1		1			1	
Bohemia.....	M. 1 F. 3					1							1		
Hungary.....	M. 1 F. 1				1								1		
Italy.....	M. 3 F. 1							1		1			1		
Other foreign countries.....	M. 6 F. 8			1	1		2	2	1		1	2		1	
Unknown.....	M. 275 F. 376		1	4	6	6	14	15	19	28	33	39	35	45	22

TABLE 10.—DEATHS FROM CANCER, BY AGE GROUPS, WITH DISTINCTION OF SEX, COLOR, NATIVITY, PARENTAL NATIVITY, AND BIRTHPLACES OF MOTHERS, DURING THE CENSUS YEAR ENDING MAY 31, 1890—Continued.

THE UNITED STATES—Continued.

COLOR, NATIVITY, PARENTAL NATIVITY, AND BIRTHPLACES OF MOTHERS.	All ages.	Under 20 years.	20 to 25	25 to 30	30 to 35	35 to 40	40 to 45	45 to 50	50 to 55	55 to 60	60 to 65	65 to 70	70 to 75	75 and over.	Unknown.
FORM OF CANCER.															
Cancer of the stomach.....	4,308	47	41	58	104	189	282	359	477	537	653	623	471	426	41
White.....	4,155	40	37	50	96	172	267	350	459	523	636	610	461	411	38
Native born.....	2,175	35	25	33	59	94	122	164	207	223	296	338	287	270	17
Both parents native.....	M. 680 F. 693	7 10	5 6	8 10	14 22	14 34	20 49	38 62	71 78	86 70	102 94	119 97	115 71	87 34	4 6
One or both parents foreign.....	M. 81 F. 304	5 6	2 3	2 3	6 6	4 15	5 6	15 14	9 5	8 8	9 11	10 10	13 10	8 13
Foreign born.....	M. 1,072 F. 793	4 1	1 7	10 6	16 21	40 35	75 63	103 74	123 116	177 106	191 136	149 109	105 59	70 52	18 8
Colored.....	153	7	4	8	8	17	15	9	18	9	17	13	10	15	3
Males.....	66	3	2	6	4	5	8	4	4	6	6	5	3	8	2
Females.....	87	4	2	2	4	12	7	5	14	3	11	8	7	7	1
Birthplaces of mothers:															
United States.....	M. 774 F. 790	12 14	7 7	14 12	17 26	19 45	24 54	41 66	76 91	92 77	113 105	129 111	126 81	99 94	5 7
England and Wales.....	M. 80 F. 72	1	1	3	6	6	6	9	13	10	6	11	10
Scotland.....	M. 38 F. 18	1	1	3	2	2	1	2	3	2
Ireland.....	M. 212 F. 229	2	2	7	8	14	18	20	32	33	35	30	19	1
Germany.....	M. 414 F. 298	4	1	3	4	4	11	21	27	49	71	87	67	47	1
Canada.....	M. 39 F. 30	4	2	2	3	1	1	2	1	3	7	5	3	3	1
France.....	M. 10 F. 11	1	1	1	2	2	2	2	1
Scandinavia.....	M. 71 F. 45	1	1	5	5	7	11	4	11	11	6	2	6	2
Russia and Poland.....	M. 23 F. 8	4	2	3	4	3	5	3	3	4	2	1
Bohemia.....	M. 8 F. 11	2	2	4	1	1	1
Hungary.....	M. 7 F. 4	1	2	2	2	1
Italy.....	M. 4 F. 4	1	2	1	1	2
Other foreign countries.....	M. 58 F. 26	1	1	1	2	1	6	4	7	14	6	8	6	1	1
Unknown.....	M. 306 F. 267	3 4	2 6	2 3	3 4	11 14	16 17	23 17	28 19	30 31	41 33	64 31	39 33	36 44	8 6
Cancer of the breast.....	1,714	9	10	21	56	98	152	208	261	210	200	161	129	180	19
White.....	1,591	8	8	17	46	86	137	194	242	200	191	152	126	167	17
Native born.....	1,084	8	7	13	37	58	86	122	164	133	129	97	91	129	10
Both parents native.....	M. 36 F. 666	2 1	2	4	1	6	3	2	2	3	6	7
One or both parents foreign.....	M. 4 F. 85	1	1	8	11	5	11	17	12	2	7	5	3	2
Foreign born.....	M. 34 F. 433	1	3	2	6	26	45	69	57	59	58	47	29	4
Colored.....	123	1	2	4	10	12	15	14	19	10	9	9	3	13	2
Males.....	6	1	1	1	2	1
Females.....	117	1	2	4	9	12	14	13	17	10	9	9	3	12	2
Birthplaces of mothers:															
United States.....	M. 44 F. 787	2 1	2	1	5	2	8	3	2	3	6	10
England and Wales.....	M. 3 F. 60	1	1	5	6	16	8	1	4	5	6	8
Scotland.....	M. 2 F. 16	1	3	3	1	3	1	2
Ireland.....	M. 11 F. 177	1	1	8	15	19	27	30	29	14	15	6	10	2
Germany.....	M. 8 F. 131	1	3	8	12	15	20	15	18	17	12	9	1
Canada.....	M. 1 F. 13	2	2	1	2	2	1	1	1
France.....	M. 1 F. 3	2	1
Scandinavia.....	M. 3 F. 19	1	2	1	2	2	5	2	3	1
Russia and Poland.....	M. 4 F. 1	1	1	2
Bohemia.....	M. 1 F. 1	1
Hungary.....	M. 1 F. 1	1
Italy.....	M. 2 F. 3	1	1
Other foreign countries.....	M. 9 F. 10	2	1	1	3	1	2	2	1	1	2
Unknown.....	M. 9 F. 232	2 2	1	7	14	13	19	31	29	40	15	22	31	8

STATISTICS OF DEATHS.

TABLE 10.—DEATHS FROM CANCER, BY AGE GROUPS, WITH DISTINCTION OF SEX, COLOR, NATIVITY, PARENTAL NATIVITY, AND BIRTHPLACES OF MOTHERS, DURING THE CENSUS YEAR ENDING MAY 31, 1890—Continued.

THE UNITED STATES—Continued.

COLOR, NATIVITY, PARENTAL NATIVITY, AND BIRTHPLACES OF MOTHERS.	All ages.	Under 20 years.	20 to 25	25 to 30	30 to 35	35 to 40	40 to 45	45 to 50	50 to 55	55 to 60	60 to 65	65 to 70	70 to 75	75 and over.	Un-known.
FORM OF CANCER—Continued.															
Cancer of the liver.....	1,293	12	9	14	30	56	97	125	167	180	202	183	108	102	8
White.....	1,263	12	8	14	29	53	91	120	162	177	199	181	108	101	8
Native born.....	624	11	7	11	19	30	42	50	73	78	84	83	67	65	4
Both parents native.....	M. 149	3		2	4	2	6	8	17	15	28	28	19	14	3
One or both parents foreign.....	F. 210	3	1	3	5	10	14	20	32	18	24	29	27	24	
M. 22	1	3	1		4			2	2	2	2	2	3		
F. 43	2	1	1		6	5	4	3	5	6	3	2	1	4	
Foreign born.....	M. 269	1		2	3	11	21	35	38	36	51	39	21	10	1
F. 333		1		1	4	11	26	33	48	60	58	53	17	21	
Colored.....	30		1		1	3	6	5	5	3	3	2		1	
Males.....	15		1		1	1	4	4	2		2				
Females.....	15					2	2	1	3	3	1	2		1	
Birthplaces of mothers:															
United States.....	M. 162	4	1	2	4	8	9	10	18	15	29	29	20	15	3
F. 235	4	1	4	7	13	17	20	37	22	26	30	27	27		
England and Wales.....	M. 20					2	2	5	3	2	4	1	1		
F. 27				1	1		3	6	4	6	2	2	2	2	
Scotland.....	M. 7							1	1	1	1	1	1		
F. 9								1	4	1	4	1	1	2	
Ireland.....	M. 56			2		6	7	4	9	14	7	3	4	4	
F. 101					1	6	13	11	15	20	14	10	6	5	
Germany.....	M. 102		2		1	8	7	10	17	16	16	16	6	2	1
F. 121	1		1	4	6	8	14	16	24	13	23	3	3	8	
Canada.....	M. 7		1	1			2	2	1	1	1	1	1	1	
F. 12			1	1			2	1	1	1	1	1	2	1	
France.....	M. 1						1	1							
F. 8									1	2	2			1	
Scandinavia.....	M. 13					4	3	2	1	1	1	2			
F. 7					1	1		1	2	1	1	1			
Russia and Poland.....	M. 3								1	1	1		2		
F. 2															
Bohemia.....	M. 1						1			1					
F. 1												1			
Hungary.....	M. 2					1					1				
F. 2									1						
Italy.....	M. 4					1		1			1		1		
F. 2					1				1						
Other foreign countries.....	M. 10	1				1	1		4		2	1			
F. 6									1		3	2			
Unknown.....	M. 81		1	1	3	2	3	5	5	16	12	15	8	8	2
F. 78					2	1	7	7	7	11	12	8	9	12	2
Cancer of the uterus.....	2,510	9	13	65	146	226	338	371	396	290	267	149	109	97	34
White.....	2,202	6	6	51	122	186	298	324	363	260	240	133	97	88	28
Native born.....	1,437	5	5	39	82	122	199	208	218	171	152	87	66	67	16
Both parents native.....	829	3	4	15	40	68	115	117	140	90	104	48	39	41	5
One or both parents foreign.....	134		1	10	14	24	25	27	49	13	3	4	2	1	1
Foreign born.....	675	1	1	8	37	57	91	103	124	80	81	42	26	19	5
Colored.....	308		3	7	14	40	40	47	33	30	27	16	12	9	6
Birthplaces of mothers:															
United States.....	1,086	6	10	31	58	103	145	158	165	121	125	59	48	48	9
England and Wales.....	89			2	7	4	16	14	14	12	8	5	3	3	1
Scotland.....	20			1	2	2	1	5	2	4		2		1	
Ireland.....	212		1	2	14	23	30	38	30	30	27	10	4	3	2
Germany.....	209			4	12	22	33	21	41	20	26	12	12	6	
Canada.....	42				6	4	5	9	5	5	2	1	1	1	1
France.....	13						1	4	3	2		1	1	1	1
Scandinavia.....	16				3	3	2	6			1	1			
Russia and Poland.....	4								2				1	1	
Bohemia.....	2					1					1				
Italy.....	8					1	4	1	1		1				
Other foreign countries.....	25	1		1	1	2	3	2	5	4	3	2			1
Unknown.....	414	1		8	18	25	43	52	66	57	42	33	26	21	17

TABLE 10.—DEATHS FROM CANCER, BY AGE GROUPS, WITH DISTINCTION OF SEX, COLOR, NATIVITY, PARENTAL NATIVITY, AND BIRTHPLACES OF MOTHERS, DURING THE CENSUS YEAR ENDING MAY 31, 1890—Continued.

THE UNITED STATES—Continued.

COLOR, NATIVITY, PARENTAL NATIVITY, AND BIRTHPLACES OF MOTHERS.	All ages.	Under 20 years.	20 to 25	25 to 30	30 to 35	35 to 40	40 to 45	45 to 50	50 to 55	55 to 60	60 to 65	65 to 70	70 to 75	75 and over.	Un-known.
FORM OF CANCER—Continued.															
Cancer of the abdomen	923	23	8	31	37	52	60	100	105	97	112	110	92	87	9
White	893	23	7	30	34	50	59	95	101	95	111	106	90	84	8
Native born	529	23	4	21	25	28	40	40	57	53	63	63	51	56	5
Both parents native	M. 137 F. 191	7 3	2 3	5 5	3 7	8 12	11 11	9 16	15 24	19 16	18 27	17 27	11 23	17 19	1
One or both parents foreign	M. 23 F. 24	4 1	1 1	4 3	3 1	2 1	3 6	3 1	3 2	3 1	2 1	2 1	1 1	4	
Foreign born	M. 142 F. 187		2 1	2 6	3 5	11 9	7 12	21 26	14 27	14 25	19 23	17 25	20 13	12 15	
Colored	30		1	1	3	2	1	5	4	2	1	4	2	3	1
Males	18		1		2	1		4	3	2	1	2		1	1
Females	12			1	1	1	1	1	1			2	2	2	
Birthplaces of mothers:															
United States	M. 158 F. 209	9 3	2	7 6	5 8	10 12	11 12	12 16	16 27	22 16	14 28	19 29	11 27	20 24	1
England and Wales	M. 12 F. 25			1		1		1			5	4	5	1	
Scotland	M. 7 F. 7			1			1				3	1	1	1	
Ireland	M. 39 F. 54		1	1 3	3	2 3	1 10	5 4	3 10	5 8	6 5	4 5	5 1	3 5	
Germany	M. 43 F. 44		1	2		3 2	8 4	5 3	3 6	4 9	2 5	5 6	6 4	4 2	
Canada	M. 4 F. 10				1	1		1	3		2		1	1	
France	M. 4 F. 9			1		1							2	2	
Scandinavia	M. 6 F. 2	2			1	1	1	2	1	1		1			
Russia and Poland	M. 2 F. 2		1					1			1				
Bohemia	M. 1 F. 2									1				2	
Italy	M. 2 F. 2			1			1	1	1						
Other foreign countries	M. 6 F. 6			1	1		1	1	1	1	2	1	1		
Unknown	M. 57 F. 70	1 2	1	2 3	1 5	3	2 3	7 7	8 8	4 5	9 11	7 7	10	6 5	3 4
Cancer of the bladder	124	2		2	2	2	7	8	15	11	22	22	15	15	1
White	120	2		2	2	2	7	7	15	11	22	22	14	13	1
Native born	63	2		1	2	2	2	2	7	4	11	13	11	6	
Both parents native	M. 33 F. 9	2		1		1	1	2	4	3	9	4	7	1	
One or both parents foreign	M. 3 F. 2								1		1	1	1		
Foreign born	M. 35 F. 20						2 3	5	6	5	8	4	2	3	
Colored	4							1					1	2	
Males	3												1	2	
Females	1							1							
Birthplaces of mothers:															
United States	M. 37 F. 12	2					1	2	4	3	9	5	9	2	
England and Wales	M. 6 F. 2			1		1		1	1	1	1	2	1	3	
Scotland	M. 2 F. 1						1			1		1			
Ireland	M. 6 F. 6							2	1	2	2	1	1		
Germany	M. 10 F. 7						1	1	3	2	3	1	1		
Canada	M. 1 F. 1						1			1	1	2		3	
Scandinavia	M. 1 F. 1										1				
Other foreign countries	M. 2 F. 2						2								
Unknown	M. 11 F. 2			1	2		1		2			3		1	1

TABLE 10.—DEATHS FROM CANCER, BY AGE GROUPS, WITH DISTINCTION OF SEX, COLOR, NATIVITY, PARENTAL NATIVITY, AND BIRTHPLACES OF MOTHERS, DURING THE CENSUS YEAR ENDING MAY 31, 1890—Continued.

THE UNITED STATES—Continued.

COLOR, NATIVITY, PARENTAL NATIVITY, AND BIRTHPLACES OF MOTHERS.	All ages.	Under 20 years.	20 to 25	25 to 30	30 to 35	35 to 40	40 to 45	45 to 50	50 to 55	55 to 60	60 to 65	65 to 70	70 to 75	75 and over.	Un-known.
FORM OF CANCER—Continued.															
Cancer of the brain.....	51			1	1	5	5	2	3	8	9	2	7	8	
White.....	49			1	1	5	5	2	3	8	8	1	7	8	
Native born.....	27			1		3	5	1		3	3		4	7	
Both parents native.....	M. 4 F. 8							1					1	2	
One or both parents foreign.....	M. 4 F. 1			1		2	3				1		1	1	
Foreign born.....	M. 17 F. 5				1	2		1	2	5	4		2	1	
Colored.....	2										1	1			
Males.....	2										1	1			
Females.....															
Birthplaces of mothers:															
United States.....	M. 6 F. 8			1		2	3	1			1	1	1	2	
England and Wales.....	M. 3 F. 2					1					1			1	
Scotland.....	M. 2 F. 2						1						1		
Ireland.....	M. 4 F. 1					1				1	2				
Germany.....	M. 4 F. 3						1		2	1	1				
Scandinavia.....	M. 1 F. 1							1	1				1		
Italy.....	M. 1 F. 1				1										
Other foreign countries.....	M. 2 F. 2									1				1	
Unknown.....	M. 2 F. 6									1	1		2	2	
Cancer of the eye.....	73	25				1	2	2	1	5	3	10	7	15	8
White.....	72	24				1	2	2	1	5	2	10	7	15	3
Native born.....	61	24				1	2	1		3		9	5	13	3
Both parents native.....	M. 23 F. 12	8 6				1				1		4	2	5	1
One or both parents foreign.....	M. 5 F. 5	4 2					1			1		1	1	1	1
Foreign born.....	M. 7 F. 3							1		1	1	1	2	2	
Colored.....	1	1													
Males.....		1													
Females.....	1														
Birthplaces of mothers:															
United States.....	M. 23 F. 15	8 9				1	1			1		4	2	5	1
England and Wales.....	M. 1 F. 1						1			1			1	1	1
Ireland.....	M. 1 F. 1	1												1	
Germany.....	M. 4 F. 1	2								1		1		1	
Canada.....	M. 1 F. 1												1		
France.....	M. 1 F. 1													1	
Scandinavia.....	M. 1 F. 1	1													
Other foreign countries.....	M. 1 F. 1													1	
Unknown.....	M. 7 F. 6	2							1			1	1	4	1

TABLE 10.—DEATHS FROM CANCER, BY AGE GROUPS, WITH DISTINCTION OF SEX, COLOR, NATIVITY, PARENTAL NATIVITY, AND BIRTHPLACES OF MOTHERS, DURING THE CENSUS YEAR ENDING MAY 31, 1890—Continued.

THE UNITED STATES—Continued.

COLOR, NATIVITY, PARENTAL NATIVITY, AND BIRTHPLACES OF MOTHERS.	All ages.	Under 20 years.	20 to 25	25 to 30	30 to 35	35 to 40	40 to 45	45 to 50	50 to 55	55 to 60	60 to 65	65 to 70	70 to 75	75 and over.	Un-known.
FORM OF CANCER—Continued.															
Cancer of the genitals.....	46	1	1	1	5	4	3	2	3	5	9	6	6
White.....	41	1	1	1	3	4	3	2	3	4	7	6	6
Native born.....	24	1	1	1	2	1	2	1	3	1	6	2	3
Both parents native.....	M. 2
One or both parents foreign.....	F. 1	1	1	1	1	2
Foreign born.....	M. 1
Foreign born.....	F. 13	1	1	1	1	1	4	2
Colored.....	5	2
Males.....	1
Females.....	4	2
Birthplaces of mothers:															
United States.....	M. 3
United States.....	F. 10	1	1	2
England and Wales.....	M. 1
England and Wales.....	F. 1
Ireland.....	M. 5
Ireland.....	F. 1
Germany.....	M. 1
Germany.....	F. 8
Canada.....	M. 1
Canada.....	F. 1
Unknown.....	M. 3
Unknown.....	F. 5
Cancer of the head, face, and neck.....	1,206	32	9	11	19	25	49	70	96	103	124	150	143	360	15
White.....	1,157	24	8	8	15	20	45	67	92	101	120	150	140	353	14
Native born.....	746	23	7	5	10	13	30	38	40	57	71	95	101	245	11
Both parents native.....	M. 324	8	1	2	5	6	15	16	20	30	30	46	43	102
Both parents native.....	F. 167	6	1	2	3	6	9	9	10	20	13	22	04	3
One or both parents foreign.....	M. 37	2	1	2	2	2	2	3	1	4	8	6	6
One or both parents foreign.....	F. 18	3	1	1	1	1	2	7
Foreign born.....	M. 251	1	2	2	5	11	17	33	34	28	37	26	54	1
Foreign born.....	F. 116	1	2	2	4	9	11	9	16	16	8	37	1
Colored.....	49	8	1	3	4	5	4	3	4	2	4	3	7	1
Males.....	19	2	1	1	4	2	1	1	2	2	1
Females.....	30	6	2	3	3	2	4	2	1	6
Birthplaces of mothers:															
United States.....	M. 352	10	1	3	8	8	16	17	21	33	33	49	46	107
United States.....	F. 192	11	1	1	2	4	9	11	12	9	21	18	23	71	4
England and Wales.....	M. 13
England and Wales.....	F. 10
Scotland.....	M. 4
Scotland.....	F. 10
Ireland.....	M. 123	1	2	1	5	4	5	17	14	13	21	10	29	1
Ireland.....	F. 54	1	1	1	3	3	5	4	4	4	6	3	19
Germany.....	M. 53	1	1	1	5	8	9	6	6	10	5
Germany.....	F. 31	2	2	3	4	3	2	11
Canada.....	M. 13
Canada.....	F. 4
France.....	M. 2
France.....	F. 1
Scandinavia.....	M. 8	1
Scandinavia.....	F. 4
Russia and Poland.....	M. 1
Russia and Poland.....	F. 1
Bohemia.....	M. 1
Bohemia.....	F. 1
Italy.....	M. 1
Italy.....	F. 1
Other foreign countries.....	M. 9
Other foreign countries.....	F. 3
Unknown.....	M. 140	1	1	2	1	3	3	13	16	14	17	14	49	6
Unknown.....	F. 63	3	1	2	4	2	1	4	7	7	29	3

STATISTICS OF DEATHS.

TABLE 10.—DEATHS FROM CANCER, BY AGE GROUPS, WITH DISTINCTION OF SEX, COLOR, NATIVITY, PARENTAL NATIVITY, AND BIRTHPLACES OF MOTHERS, DURING THE CENSUS YEAR ENDING MAY 31, 1890—Continued.

THE UNITED STATES—Continued.

COLOR, NATIVITY, PARENTAL NATIVITY, AND BIRTHPLACES OF MOTHERS.	All ages.	Under 20 years.	20 to 25	25 to 30	30 to 35	35 to 40	40 to 45	45 to 50	50 to 55	55 to 60	60 to 65	65 to 70	70 to 75	75 and over.	Un-known.
FORM OF CANCER—Continued.															
Cancer of the larynx	46			1	2	1	1	3	7	9	10	6	3	1	2
White	44			1	2	1	1	3	6	9	10	6	3		2
Native born	18			1	1	1		2	3	4	4	1			1
Both parents native	{ M. 5					1					2	2			
One or both parents foreign	{ F. 2									1	1				
Foreign born	{ M. 1							1							
Foreign born	{ F. 1							1							
Colored	2								1						1
Males	2								1						1
Females															
Birthplaces of mothers:															
United States	{ M. 6					1					2	2			1
England and Wales	{ F. 3								1	1	1				
Ireland	{ M. 1							1							
Ireland	{ F. 3							1					2		
Germany	{ M. 2						1		1	1	1	3	1		
Germany	{ F. 9				1					2	1				
Russia and Poland	{ M. 1								1						
Russia and Poland	{ F. 1								1						
Unknown	{ M. 3											1			2
Unknown	{ F. 1								1						
Cancer of the lower extremities	87	8	4	3	5		5	2	6	7	11	12	7	17	
White	78	8	3	2	5		5	2	5	7	9	11	7	14	
Native born	47	7	2	2	4		4	2	3	3	4	5	3	8	
Both parents native	{ M. 14	1		1	2		1					3	1	5	
One or both parents foreign	{ F. 15	2					2		1	2	1	2	1	3	
Foreign born	{ M. 7	3	1		1		1		1						
Foreign born	{ F. 3		1							1					
Colored	9		1	1					1		2	1		3	
Males	4		1									1		2	
Females	5			1					1		2			1	
Birthplaces of mothers:															
United States	{ M. 17	1		1	2		1					4	1	7	
United States	{ F. 20	2					3	1	2	2	3	2	1	4	
England and Wales	{ M. 2								1	1					
England and Wales	{ F. 1												1		
Ireland	{ M. 5				1					1	1	1	1	1	
Ireland	{ F. 8		1		1				1	2			1	2	
Germany	{ M. 9	2					1	1			2	1		1	
Germany	{ F. 3		1								1	2			
France	{ M. 1									1					
France	{ F. 1														
Scandinavia	{ M. 1											1			
Scandinavia	{ F. 1														
Other foreign countries	{ M. 1	1													
Other foreign countries	{ F. 1		1												
Unknown	{ M. 5				1						3		1		
Unknown	{ F. 6	1		1					2				1	1	

TABLE 10.—DEATHS FROM CANCER, BY AGE GROUPS, WITH DISTINCTION OF SEX, COLOR, NATIVITY, PARENTAL NATIVITY, AND BIRTHPLACES OF MOTHERS, DURING THE CENSUS YEAR ENDING MAY 31, 1890—Continued.

THE UNITED STATES—Continued.

COLOR, NATIVITY, PARENTAL NATIVITY, AND BIRTHPLACES OF MOTHERS.	All ages.	Under 20 years.	20 to 25	25 to 30	30 to 35	35 to 40	40 to 45	45 to 50	50 to 55	55 to 60	60 to 65	65 to 70	70 to 75	75 and over.	Un-known.
FORM OF CANCER—Continued.															
Cancer of the lungs.....	79	2	4	2	6	3	5	12	14	9	14	8	3	2	
White.....	74	2	4	2	6	3	5	12	12	9	12	3	3	1	
Native born.....	42	2	3	2	1	2	3	5	9	5	6		3	1	
Both parents native.....	M. 12 F. 15	1	1	1		1	1	1	2	3	1	3		1	
One or both parents foreign.....	M. 1 F. 3		1		1			1			1				
Foreign born.....	M. 11 F. 18		1		4		2	3	2	3	2	3			
Colored.....	5								2		2			1	
Males.....	3								2		2			1	
Females.....	2														
Birthplaces of mothers:															
United States.....	M. 16 F. 17	1	1	1		1	1	1	2	2	3	1	1	1	
England and Wales.....	M. 2 F. 2									1	1				
Ireland.....	M. 1 F. 8						1	1	1	3	2				
Germany.....	M. 5 F. 2				1			3	1		1	1			
Canada.....	M. 4 F. 1		1					1	1		1				
Other foreign countries.....	M. 1 F. 4				1				1		1		1	1	
Unknown.....	M. 4 F. 6		1					1	3		1		1	1	
All other cancers.....	4,870	123	42	81	152	244	342	444	515	512	559	566	478	772	40
White.....	4,627	104	39	72	134	223	315	425	485	497	536	553	457	752	34
Native born.....	3,251	97	36	52	101	156	210	304	327	328	341	381	333	571	14
Both parents native.....	M. 730 F. 1,379	29 33	11 12	16 17	17 36	33 75	27 104	27 166	45 167	66 157	85 136	114 141	94 136	166 196	1
One or both parents foreign.....	M. 85 F. 155	8 11	2 2	5 7	6 15	5 12	4 21	9 21	4 20	6 11	9 8	7 2	1 8	19 17	
Foreign born.....	M. 503 F. 689	1 7	1 1	8 9	7 19	20 41	26 68	38 71	65 80	62 91	81 93	79 76	55 51	58 79	3
Colored.....	243	19	3	9	18	21	26	19	30	15	23	13	21	20	6
Males.....	64	9	3		4	6	6	1	6	1	7	8	4	8	1
Females.....	179	10		9	14	15	20	18	24	14	16	5	17	12	5
Birthplaces of mothers:															
United States.....	M. 823 F. 1,587	41 43	13 12	17 27	21 50	41 92	34 129	31 188	54 192	71 177	99 157	125 148	98 154	176 212	2
England and Wales.....	M. 65 F. 118			1	1	5	15	14	13	14	15	11	10	15	2
Scotland.....	M. 19 F. 30						1	1	1	3	3	2		3	
Ireland.....	M. 180 F. 250	2	2	4	2	8	4	14	24	23	27	23	20	24	
Germany.....	M. 156 F. 177	1	1	3	3	6	9	11	18	20	23	25	19	16	1
Canada.....	M. 34 F. 57	2		4	7	11	18	17	22	16	25	20	14	10	
France.....	M. 5 F. 14						2	2	2	2	4	1	1	1	
Scandinavia.....	M. 13 F. 46		1		7	7	3	1	1	4	6	2	6	3	6
Russia and Poland.....	M. 6 F. 3						1	1		1	1	1		1	
Bohemia.....	M. 3 F. 1		1	1								1	1		
Hungary.....	M. 2 F. 3		2					1		1		1			
Italy.....	M. 17 F. 3			1	2	1	1	1	1	2	3	3	1	3	
Other foreign countries.....	M. 26 F. 337	1 6	1 3	1 2	10	9	11	18	20	26	42	47	47	88	8
Unknown.....	M. 580 F. 580	4	5	7	15	13	35	61	60	54	64	65	56	120	15

STATISTICS OF DEATHS.

TABLE 10.—DEATHS FROM CANCER, BY AGE GROUPS, WITH DISTINCTION OF SEX, COLOR, NATIVITY, PARENTAL NATIVITY, AND BIRTHPLACES OF MOTHERS, DURING THE CENSUS YEAR ENDING MAY 31, 1890—Continued.

REGISTRATION RECORD.

COLOR, NATIVITY, PARENTAL NATIVITY, AND BIRTHPLACES OF MOTHERS.	All ages.	Under 20 years.	20 to 25	25 to 30	30 to 35	35 to 40	40 to 45	45 to 50	50 to 55	55 to 60	60 to 65	65 to 70	70 to 75	75 and over.	Un- known.
Aggregate.....	9,657	97	68	155	325	525	782	1,021	1,202	1,181	1,269	1,108	821	1,059	44
White.....	9,273	91	57	133	293	482	741	980	1,149	1,157	1,231	1,080	801	1,036	42
Native born.....	4,831	83	41	83	184	266	380	468	513	535	562	541	476	681	18
Both parents native.....	M. 722	9	5	10	13	20	23	43	64	76	95	122	94	147	1
F. 1,782	21	9	17	41	94	150	176	219	212	224	180	194	244	1	
One or both parents foreign.....	M. 117	11	3	11	12	13	7	9	12	9	10	9	3	8	1
F. 345	10	7	14	42	53	47	50	27	29	14	12	16	23	1	
Foreign born.....	M. 1,710	3	5	16	24	73	109	174	233	267	288	227	157	129	5
F. 2,494	5	10	29	76	134	240	313	386	335	349	284	144	182	7	
Colored.....	384	6	11	22	32	43	41	41	53	24	38	28	20	23	2
Males.....	88	1	5	5	8	7	9	9	8	5	8	9	2	11	1
Females.....	296	5	6	17	24	36	32	32	45	19	30	19	18	12	1
Birthplaces of mothers:															
United States.....	M. 797	14	6	14	15	27	27	48	68	82	104	135	97	159	1
F. 2,039	27	13	29	57	120	171	200	259	238	249	200	216	259	1	
England and Wales.....	M. 118			1	2	4	9	10	15	16	17	11	15	17	1
F. 244	2		3	8	12	27	42	36	19	32	23	14	25		
Scotland.....	M. 50				1	3	3	6	3	5	9	9	4	10	
F. 71	1		2	3	3	4	11	10	13	6	5	4	9		
Ireland.....	M. 487	2	2	10	11	24	23	45	66	71	67	71	47	48	
F. 931	3	6	12	34	72	104	118	181	148	107	80	44	71	1	
Germany.....	M. 449	4	2	6	7	17	35	37	64	73	78	63	40	22	1
F. 625	2		7	26	42	62	62	95	77	90	82	37	43		
Canada.....	M. 67	4	1	2	2	4	8	5	13	9	7	5	7		
F. 110		2	3	8	11	10	22	9	13	8	8	7	8	1	
France.....	M. 19						2	3	4	2	8				
F. 37			1	1	1	4	3	3	5	3	3	5	2	1	
Scandinavia.....	M. 33			1	2	3	3	2	2	7	4	3	1	4	
F. 49	1	1	2	6	4	3	5	7	9	1	5	3	2		
Russia and Poland.....	M. 32		1		1	3	2	2	5	3	5	1	5	2	
F. 19						2	2	2	6	3	2	1	1		
Bohemia.....	M. 9					2	1	1	3	1	2	1	1		
F. 12						1	1	3	2	2	2	1	1		
Hungary.....	M. 10		1		1	1	2		1	1	1				
F. 1															
Italy.....	M. 11				1	1	2	1	2	3	1	1			
F. 24		1	1	6	3	6	3	2	3	2	2				
Other foreign countries.....	M. 60	1	1	2	4	2	4	4	10	12	6	9	3	2	
F. 55		2	3	3	2	8	4	6	6	11	4	1	4	1	
Unknown.....	M. 445	4	4	3	14	17	14	27	33	45	60	77	56	87	4
F. 847	6	7	7	29	30	66	95	81	82	109	82	83	152	18	
SINGLE.....	1,034	91	38	46	54	95	87	99	121	92	104	68	64	70	5
White.....	988	86	32	42	47	86	86	97	116	91	101	66	63	70	5
Native born.....	623	79	27	27	33	50	45	54	62	59	55	37	39	52	4
Both parents native.....	M. 61	9	4	4	4	5	1	7	6	2	6	6	2	5	
F. 229	19	7	3	7	11	19	23	27	23	26	11	27	21		
One or both parents foreign.....	M. 38	11	2	8	7	3	1	2	2	1	2	2	1	1	
F. 64	10	5	3	6	11	6	5	5	3	2	3		5		
Foreign born.....	M. 135	3	3	6	4	11	16	12	20	14	19	9	10	8	
F. 205	4	2	8	9	23	23	27	32	20	15	25	18	12	7	
Colored.....	46	5	6	4	7	9	1	2	5	1	3	2	1		
Males.....	13	1	4	1	2	1		1	2			1			
Females.....	33	4	2	3	5	8	1	1	3	1	3	1	1		
Birthplaces of mothers:															
United States.....	M. 70	14	4	5	4	5	1	7	7	2	6	6	3	6	
F. 260	25	8	4	11	14	21	23	30	30	29	14	28	23		
England and Wales.....	M. 12				2	1	1	2	2	3		1	2		
F. 23	2			2	3	2	2	5			2	2	1		
Scotland.....	M. 5														
F. 1			1	1						1	1	1			
Ireland.....	M. 41	2	1	6	5	5	5	8	5	8	5	2	3	5	
F. 129	3	4	4	5	2	16	23	17	13	9	14	10	3	8	
Germany.....	M. 36	4	2	2	2	4	4	1	3	2	7	3	2		
F. 36	2	2	2	2	5	1	1	5	5	5	3	3	4		
Canada.....	M. 7				1	1	1							1	
F. 16		1	1	2	4		3	3	1				1		
France.....	M. 2														
F. 2						1					2				
Scandinavia.....	M. 4				1	1				1				1	
F. 4	1							1				1			
Russia and Poland.....	M. 2		1				1					1			
F. 1															
Hungary.....	M. 2				1						1				
F. 1															
Italy.....	M. 2							1			1				
F. 4		1		1	1										
Other foreign countries.....	M. 6	1	1	2	1			1							
F. 3		1	1	1				1							
Unknown.....	M. 43	4	3	1	2	5	6	2	4	4	2	5	3	1	
F. 99	5	3	2	3	5	5	5	9	12	12	7	5	18	2	

TABLE 10.—DEATHS FROM CANCER, BY AGE GROUPS, WITH DISTINCTION OF SEX, COLOR, NATIVITY, PARENTAL NATIVITY, AND BIRTHPLACES OF MOTHERS, DURING THE CENSUS YEAR ENDING MAY 31, 1890—Continued.

REGISTRATION RECORD—Continued.

COLOR, NATIVITY, PARENTAL NATIVITY, AND BIRTHPLACES OF MOTHERS.	All ages.	Under 20 years.	20 to 25	25 to 30	30 to 35	35 to 40	40 to 45	45 to 50	50 to 55	55 to 60	60 to 65	65 to 70	70 to 75	75 and over.	Un-known.
MARRIED	5,501	4	22	86	215	357	568	686	762	760	721	587	365	349	19
White	5,346	4	18	79	199	339	542	664	745	751	705	580	361	341	18
Native born.....	2,705	3	10	49	119	185	272	301	338	348	325	204	223	228	10
Both parents native.....	M. 516 F. 949	2	1	6	8	13	19	32	50	65	74	90	69	88	1
One or both parents foreign.....	M. 65 F. 193	1	1	3	3	9	5	8	9	7	7	7	2	5	1
Foreign born.....	M. 1,182 F. 1,356	1	2	8	19	53	81	137	178	197	197	153	92	63	2
Colored	155	4	7	16	18	26	22	17	9	16	7	4	8	1	
Males.....	44	1	1	4	3	5	5	2	4	7	5	7	1	1	
Females.....	111	3	7	12	15	21	17	15	5	9	2	4	7	1	
Birthplaces of mothers:															
United States.....	M. 565 F. 1,066	2	4	7	10	19	21	36	52	70	82	100	69	96	1
England and Wales.....	M. 76 F. 136	1	1	1	1	2	7	8	11	11	12	7	10	6	1
Scotland.....	M. 22 F. 35	1	1	1	2	1	3	3	6	7	3	5	1	5	1
Ireland.....	M. 301 F. 454	1	4	4	18	15	34	43	52	39	42	28	21	21	1
Germany.....	M. 335 F. 378	1	1	4	14	26	33	58	60	57	47	21	14	14	1
Canada.....	M. 45 F. 69	1	2	2	6	6	8	15	6	9	6	4	4	3	1
France.....	M. 13 F. 20	1	1	1	1	2	2	1	4	4	1	5	1	1	1
Scandinavia.....	M. 24 F. 32	1	2	5	3	3	3	4	4	7	2	3	1	3	1
Russia and Poland.....	M. 13 F. 9	1	1	1	3	1	1	3	2	4	2	5	1	2	1
Bohemia.....	M. 7 F. 8	1	1	1	1	2	1	1	1	1	1	1	1	1	1
Hungary.....	M. 1 F. 7	1	1	1	1	1	1	1	1	1	1	1	1	1	1
Italy.....	M. 18 F. 45	1	1	5	3	1	3	4	9	9	4	7	3	2	1
Other foreign countries.....	M. 25 F. 284	1	3	4	8	10	5	22	22	35	47	50	36	46	1
Unknown.....	M. 9 F. 376	1	3	4	18	22	51	55	48	43	51	29	20	20	4
WIDOWED	2,428	3	6	27	41	68	145	223	271	346	373	338	579	8	
White	2,321	2	5	26	37	60	137	206	259	330	358	327	566	8	
Native born.....	1,228	1	4	18	24	33	76	78	108	151	175	191	367	2	
Both parents native.....	M. 116 F. 544	1	3	2	11	11	27	30	52	67	83	91	167	1	
One or both parents foreign.....	M. 12 F. 77	1	1	6	7	7	13	4	7	5	7	7	14	1	
Foreign born.....	M. 263 F. 774	1	1	8	4	9	22	52	107	128	124	85	129	1	
Colored	107	1	1	1	4	8	8	17	12	16	15	11	13	1	
Males.....	11	1	1	1	3	7	7	17	11	15	13	10	10	1	
Females.....	96	1	1	1	1	1	1	1	1	1	2	1	3	1	
Birthplaces of mothers:															
United States.....	M. 195 F. 628	1	3	3	13	13	33	45	63	76	96	105	177	1	
England and Wales.....	M. 25 F. 72	1	2	2	3	3	5	10	7	12	7	8	18	1	
Scotland.....	M. 10 F. 28	1	1	1	1	1	1	3	6	3	3	3	8	1	
Ireland.....	M. 97 F. 314	1	6	6	15	29	49	58	40	36	28	14	47	1	
Germany.....	M. 64 F. 195	1	1	4	5	11	24	16	36	41	21	35	5	1	
Canada.....	M. 9 F. 22	1	1	1	1	4	2	2	6	2	2	2	3	1	
France.....	M. 2 F. 11	1	1	1	1	1	1	1	1	1	1	2	2	1	
Scandinavia.....	M. 3 F. 9	1	1	1	1	1	1	1	1	1	1	1	2	1	
Russia and Poland.....	M. 4 F. 4	1	1	1	1	1	1	1	1	1	1	1	1	1	
Bohemia.....	M. 5 F. 5	1	1	1	1	1	1	1	1	1	1	1	1	1	
Italy.....	M. 2 F. 7	1	1	1	1	1	1	1	1	1	1	1	1	1	
Other foreign countries.....	M. 22 F. 63	1	1	1	1	1	1	1	1	1	1	1	1	1	
Unknown.....	M. 3 F. 289	1	3	3	3	5	16	15	22	34	41	45	101	4	

TABLE 10.—DEATHS FROM CANCER, BY AGE GROUPS, WITH DISTINCTION OF SEX, COLOR, NATIVITY, PARENTAL NATIVITY, AND BIRTHPLACES OF MOTHERS, DURING THE CENSUS YEAR ENDING MAY 31, 1890—Continued.

REGISTRATION RECORD—Continued.

COLOR, NATIVITY, PARENTAL NATIVITY, AND BIRTHPLACES OF MOTHERS.	All ages.	Under 20 years.	20 to 25	25 to 30	30 to 35	35 to 40	40 to 45	45 to 50	50 to 55	55 to 60	60 to 65	65 to 70	70 to 75	75 and over.	Un-known.
FORM OF CANCER:															
Cancer of the stomach.....	2,014	12	19	23	43	106	132	194	238	253	309	282	211	186	6
White.....	1,957	12	17	19	41	96	127	190	227	250	303	276	211	182	6
Native born.....	801	9	11	11	18	40	43	66	65	77	109	119	115	117	1
Both parents native.....	M. 192 F. 216	2 3	3	1	1	4	4	14	21	24	25	35	29	32
One or both parents foreign.....	M. 24 F. 49	1 1	2	4	4	1	2	2	3	1	1	2	1	1
Foreign born.....	M. 584 F. 526	2 1	1	5	8	27	43	65	75	99	103	73	54	27	2
Colored.....	57		2	4	2	10	5	4	11	3	6	6		4
Males.....	27			3	2	3	3	3	4	2	2	3		2
Females.....	30		2	1		7	2	1	7	1	4	3		2
Birthplaces of mothers:															
United States.....	M. 210 F. 239	3 4	4	4	1	5	4	14	28	26	28	38	30	31
England and Wales.....	M. 24 F. 29			2	2	3	2	1	2	3	2	2	2	5
Scotland.....	M. 15 F. 7				1	1	2	4	1	1	2	2	1	2
Ireland.....	M. 122 F. 171			2	2	6	8	13	17	20	15	20	13	6
Germany.....	M. 171 F. 176		1	1	3	15	14	19	26	28	24	18	8	10
Canada.....	M. 159 F. 17			1	3	10	9	16	21	32	39	22	22	5
Franco.....	M. 16 F. 8	2	1		1	1	1	1	1	4	3	1	2	2
Scandinavia.....	M. 19 F. 16			1	1	3	1	2	2	1	5	2		2
Russia and Poland.....	M. 6 F. 16	1				2	2	2	3	2	3	1	1	1
Bohemia.....	M. 7 F. 3								2	2	1	1	1	1
Hungary.....	M. 5 F. 7						2		1	1		1		
Italy.....	M. 2 F. 4		1		2			1			2			
Other foreign countries.....	M. 27 F. 13			1	1	1	2	2	3	7	2	5	2	2
Unknown.....	M. 130 F. 103	1 1	2	1	1	3	4	9	13	8	23	28	21	11	2
Cancer of the breast.....	839	1	3	10	29	44	77	105	124	109	109	72	67	84	5
White.....	799		3	8	24	41	72	103	117	106	103	69	66	82	5
Native born.....	464		2	5	18	25	38	49	58	62	64	35	43	62	3
Both parents native.....	M. 7 F. 241			1	7	7	22	22	31	29	40	10	28	35
One or both parents foreign.....	M. 1 F. 48		1	1	7	9	3	6	7	6	1	2	2	3
Foreign born.....	M. 15 F. 306		1		2	16	32	53	54	43	34	31	17	18	1
Colored.....	40	1		2	5	3	5	2	7	3	6	3	1	2
Males.....	1							1						
Females.....	39	1		2	5	3	5	1	7	3	6	3	1	2
Birthplaces of mothers:															
United States.....	M. 9 F. 276		1	1	11	10	23	1	24	37	34	45	23	31
England and Wales.....	M. 1 F. 33				1	3	2	11	3	1	2	2	3	5
Scotland.....	M. 1 F. 9						1	2	3	1		1	1	1
Ireland.....	M. 5 F. 144		1	1	7	12	15	23	25	25	10	10	6	9
Germany.....	M. 2 F. 72			1	3	5	8	6	1	11	7	1	6	4
Canada.....	M. 1 F. 5				1	1	1	1			1			
Scandinavia.....	M. 4 F. 1			1					1			2		
Russia and Poland.....	M. 1 F. 1							1						
Hungary.....	M. 1 F. 1		1											
Italy.....	M. 2 F. 1							1			1			
Other foreign countries.....	M. 7 F. 7					1	3	1	1	1	1			
Unknown.....	M. 2 F. 90				2	4	5	10	11	9	17	7	7	16	2

TABLE 10.—DEATHS FROM CANCER, BY AGE GROUPS, WITH DISTINCTION OF SEX, COLOR, NATIVITY, PARENTAL NATIVITY, AND BIRTHPLACES OF MOTHERS, DURING THE CENSUS YEAR ENDING MAY 31, 1890—Continued.

REGISTRATION RECORD—Continued.

COLOR, NATIVITY, PARENTAL NATIVITY, AND BIRTHPLACES OF MOTHERS.	All-ages.	Under 20 years.	20 to 25	25 to 30	30 to 35	35 to 40	40 to 45	45 to 50	50 to 55	55 to 60	60 to 65	65 to 70	70 to 75	75 and over.	Un-known.
FORM OF CANCER—Continued.															
Cancer of the abdomen.....	574	12	3	18	23	34	31	62	68	77	62	69	57	54	4
White.....	554	12	2	17	21	33	31	60	66	76	61	65	55	52	3
Native born.....	282	12	1	9	16	16	16	21	31	35	27	34	30	33	1
Both parents native.....	M. 47 F. 99	1 2	2 3	1 2	3 6	2 3	4 7	6 14	8 12	2 13	5 14	4 13	9 10
One or both parents foreign.....	M. 12 F. 19	1 1	1 3	1 1	2 1	1 5	1 2	1 1	1 1	2 2
Foreign born.....	M. 108 F. 149	1	2	2	10	6	14	12	14	15	10	14	8
Colored.....	20	1	1	2	1	2	2	1	1	4	2	2	1
Males.....	10	1	1	1	1	1	1	2	1	1
Females.....	10	1	1	1	1	1	2	2	1
Birthplaces of mothers:															
United States.....	M. 57 F. 114	2 2	3 4	2 3	4 6	2 3	4 7	6 17	9 12	3 14	7 16	4 17	11 13
England and Wales.....	M. 9 F. 16	1	1	5	4	2	3	1
Scotland.....	M. 4 F. 6	1	1	1	1	1
Ireland.....	M. 26 F. 49	1	3	2	2	10	4	8	4	4	2	1	4
Germany.....	M. 28 F. 31	1	3	3	6	2	4	1	4	2	3	4
Canada.....	M. 2 F. 5	1	2	1	1	1
France.....	M. 4 F. 3	1	1	1	2
Scandinavia.....	M. 3 F. 3	1	1	1	1	2
Russia and Poland.....	M. 2 F. 1	1	1	1
Bohemia.....	M. 1 F. 1	1	1
Italy.....	M. 2 F. 2	1	1	1	1	1
Other foreign countries.....	M. 3 F. 5	1	1	1	1	1
Unknown.....	M. 22 F. 36	1	3	1	1	4	3	4	3	4	8	5	3
Cancer of the bladder.....	81	1	1	2	5	4	11	10	15	13	9	10
White.....	79	1	1	2	5	4	11	10	15	13	9	8
Native born.....	37	1	1	2	1	5	3	6	7	6	5
Both parents native.....	M. 14 F. 9	1	3	2	4	2	3	2
One or both parents foreign.....	M. 1 F. 2	1	1	1	2
Foreign born.....	M. 24 F. 18	1	4	4	5	6	2	2	3
Colored.....	2	2
Males.....	2	2
Females.....
Birthplaces of mothers:															
United States.....	M. 15 F. 11	1	1	3	2	4	2	3	1	2
England and Wales.....	M. 2 F. 2	1	1	1	1
Scotland.....	M. 2 F. 1	1	1
Ireland.....	M. 5 F. 6	2	1	2	2	1	1
Germany.....	M. 7 F. 5	1	1	2	3	1	1	2
Canada.....	M. 1 F. 1	1	1	1	1
Other foreign countries.....	M. 1 F. 1	1
Unknown.....	M. 6 F. 1	1	1	1	1	2	1

STATISTICS OF DEATHS.

TABLE 10.—DEATHS FROM CANCER, BY AGE GROUPS, WITH DISTINCTION OF SEX, COLOR, NATIVITY, PARENTAL NATIVITY, AND BIRTHPLACES OF MOTHERS, DURING THE CENSUS YEAR ENDING MAY 31, 1890—Continued.

REGISTRATION RECORD—Continued.

COLOR, NATIVITY, PARENTAL NATIVITY, AND BIRTHPLACES OF MOTHERS.	All ages.	Under 20 years.	20 to 25	25 to 30	30 to 35	35 to 40	40 to 45	45 to 50	50 to 55	55 to 60	60 to 65	65 to 70	70 to 75	75 and over.	Un-known.
FORM OF CANCER—Continued.															
Cancer of the lower extremities.....	36	3	3	1	3		2		3	4	6	4	3	4	
White.....	34	3	2		3		2		3	4	6	4	3	4	
Native born.....	15	3	1		2		1		2	1	1	1	2	1	
Both parents native.....	M 3 F 5				1			1			1		1	1	
One or both parents foreign.....	M 2 F 2		1						1						
Foreign born.....	M 10 F 9		1		1		1		1	2	4	2	1	1	2
Colored.....	2		1	1											
Males.....	1		1												
Females.....	1			1											
Birthplaces of mothers:															
United States.....	M 3 F 5		1		1			1				1	1		
England and Wales.....	M 1 F 1								1				1		
Ireland.....	M 2 F 7			1	1				1	2					2
Germany.....	M 4 F 1		1				1				2				
France.....	M 1 F 1									1					
Scandinavia.....	M 1 F 1											1			
Other foreign countries.....	M 1 F 1		1												
Unknown.....	M 1 F 1				1				1						
Cancer of the mouth, tongue, and throat.....	338	3	4	3	6	9	21	26	38	53	55	42	25	50	3
White.....	327	3	1	2	6	8	20	25	37	51	54	42	25	50	3
Native born.....	129	3	1	2	4	2	11	12	11	14	16	17	5	30	1
Both parents native.....	M 43 F 30		1		1	1	2	5	4	5	7	3	2	11	
One or both parents foreign.....	M 11 F 2				2	1	2	2	3	3	2	5	2	11	
Foreign born.....	M 170 F 24				1	4	7	12	23	32	36	22	16	16	1
Colored.....	11		3	1		1	1	1	1	2	1				
Males.....	6		2	1		1		1		1					
Females.....	5		1				1		1	1	1				
Birthplaces of mothers:															
United States.....	M 48 F 34		1	1	1	1	2	6	4	6	7	5	2	11	
England and Wales.....	M 10 F 2		1	1			1		2	2	3	1	1	11	
Scotland.....	M 3 F 1										1	2			
Ireland.....	M 49 F 7				1		2	4	9	7	8	8	3	7	
Germany.....	M 36 F 5				2		1	2	3	8	8	3	4	3	
Canada.....	M 13 F 1					1	1	2	1	4	1		2	1	
France.....	M 2 F 1														
Scandinavia.....	M 1 F 1										1		1		
Russia and Poland.....	M 4 F 1					1			1						
Bohemia.....	M 2 F 1								1		1				
Hungary.....	M 1 F 1										1				
Italy.....	M 1 F 6				1					2			1	1	
Other foreign countries.....	M 23 F 8			2			2	2	1	5	1	2	1	6	1
Unknown.....								1			2	2		2	1

TABLE 10.—DEATHS FROM CANCER, BY AGE GROUPS, WITH DISTINCTION OF SEX, COLOR, NATIVITY, PARENTAL NATIVITY, AND BIRTHPLACES OF MOTHERS, DURING THE CENSUS YEAR ENDING MAY 31, 1890—Continued.

REGISTRATION RECORDED—Continued.

COLOR, NATIVITY, PARENTAL NATIVITY, AND BIRTHPLACES OF MOTHERS.	All ages.	Under 20 years.	20 to 25	25 to 30	30 to 35	35 to 40	40 to 45	45 to 50	50 to 55	55 to 60	60 to 65	65 to 70	70 to 75	75 and over	Un-known.
FORM OF CANCER—Continued.															
Cancer of the ovaries	35	2		2	1	4		6	10	2	4	1	1	2	
White	34	2		2	1	4		6	10	2	4	1	1	1	
Native born	22	2		1		3		4	5	2	3	1		1	
Both parents native	12	1						2	4	1	2	1			1
One or both parents foreign	2	1				1									
Foreign born	12			1	1	1		2	5				1		
Colored	1														1
Birthplaces of mothers:															
United States	13	2						2	4	1	2	1		1	
England and Wales	1								1						
Ireland	5			1		1		1	1		1		1		
Germany	3					1		1	1						
Scandinavia	1								1						
Unknown	4							2	1		1				
Cancer of the penis	8						1	3	1			1	1	1	
White	8						1	3	1			1	1	1	
Native born	1							1							
Both parents native	1							1							
One or both parents foreign															
Foreign born	7						1	2	1			1	1	1	
Colored															
Birthplaces of mothers:															
United States	1							1							
England and Wales	2							1							1
Ireland	2							1							
Germany	2						1	1	1			1			
Cancer of the rectum	304	2	4	10	15	18	17	32	28	37	41	48	27	24	1
White	296	2	4	9	15	17	16	31	26	36	41	48	26	24	1
Native born	154	1	2	5	11	14	9	11	10	19	21	24	12	15	
Both parents native	32		1		2	1	2	2	1	2	5	7	6	3	
One or both parents foreign	37			1	1	2	4	3	2	7	5	4	3	5	
Males	11			1	2	2	2	2	2	1	2	1			
Females	7				2	2	1			1	1	2			
Foreign born	81	1	1	3	2	2	3	13	9	11	11	15	8	3	
Males	56		1	1	1	1	4	6	6	6	9	9	6	5	
Females															
Colored	8			1		1	1	1	2	1			1		
Males	2			1						1					
Females	6					1	1	1	2				1		
Birthplaces of mothers:															
United States	34		1		2	1	2	2	1	3	5	8	6	3	
Males	45			1	1	2	5	3	4	3	5	6	5	5	
Females	10			1				1	2	2	1	1	2		
England and Wales	6						2				2	1		1	
Males	5								1		1	1	1	1	
Females															
Scotland	27				3	4	1	4		4	2	5	1	1	
Males	21		1	1	1	1	1	1	3	1	4	5	3	3	
Females	16									1	1	3	2	1	
Germany	11			1		1	2	3	2	1	1	5	2	1	
Males															
Females															
Canada	2							1			1				
Males	5										1				
Females	1											4			
France															
Males															
Females															
Scandinavia	3		1		1								1		
Males	2				1										
Females	3							1							
Russia and Poland	1								2						
Males															
Females															
Bohemia	1						1		1						
Males	2							1							
Females	1											1			
Other foreign countries	1														
Males	15				1	1			1	3	1	6		3	
Females	18	1	1	1	1	2		3	1	1	4			2	1

TABLE 10.—DEATHS FROM CANCER, BY AGE GROUPS, WITH DISTINCTION OF SEX, COLOR, NATIVITY, PARENTAL NATIVITY, AND BIRTHPLACES OF MOTHERS, DURING THE CENSUS YEAR ENDING MAY 31, 1890—Continued.

REGISTRATION RECORD—Continued.

COLOR, NATIVITY, PARENTAL NATIVITY, AND BIRTHPLACES OF MOTHERS.	All ages.	Under 20 years.	20 to 25	25 to 30	30 to 35	35 to 40	40 to 45	45 to 50	50 to 55	55 to 60	60 to 65	65 to 70	70 to 75	75 and over.	Un-known.
FORM OF CANCER—Continued.															
Cancer of the testicles.....	6				1	2	1						2		
White.....	6				1	2	1						2		
Native born.....	1				1										
Both parents native.....															
One or both parents foreign.....															
Foreign born.....	5					2	1						2		
Colored.....															
Birthplaces of mothers:															
Ireland.....	2												2		
Germany.....	2					1	1								
Cancer of the upper extremities.....	37			2	2	3		2	4	2	4	2	2	14	
White.....	36			2	2	3		2	4	2	4	2	2	13	
Native born.....	15			1	1	1		1	2		1		1	7	
Both parents native.....	4			1										3	
One or both parents foreign.....	5							1	2		1			1	
M.....					1										
F.....	1														
Foreign born.....	8			1	1	2		1	1	1	3	1	1	4	
M.....	12			1	1	2		1	1	1	3	1	1	1	
F.....	1														
Colored.....	1													1	
Males.....	1													1	
Females.....															
Birthplaces of mothers:															
United States.....	6			1										5	
M.....	5							1	2		1			1	
F.....	1													1	
England and Wales.....	3								1					2	
M.....	2													1	
F.....	1													1	
Ireland.....	4									1		1	1	1	
M.....	4											1	1	1	
F.....	4					1		1	1			1	1	1	
Scandinavia.....	1			1											
M.....	1					1									
F.....	1														
Unknown.....	2													2	
Cancer of the lungs.....	56	2	1	1	6	2	4	9	10	8	7	2	3	1	
White.....	54	2	1	1	6	2	4	9	9	8	6	2	3	1	
Native born.....	27	2		1	1	1	2	3	7	4	2		3	1	
Both parents native.....	6	1		1				1	1	2					
One or both parents foreign.....	10	1				1	2	1	2	1	1		1		
M.....															
F.....	1				1										
Foreign born.....	7				1			2	3	1	1	2			
M.....	18		1		4		2	3	3	3	3				
F.....	2														
Colored.....	2								1		1				
Males.....	1										1				
Females.....	1								1						
Birthplaces of mothers:															
United States.....	7	1		1				1	1	2	1				
M.....	11	1				1	2	1	3	1	1		1		
F.....	2									1	1				
England and Wales.....	2										1				
M.....															
F.....															
Ireland.....	7						1	1	1	3	1				
M.....	2														
F.....	2					1		1					1		
Germany.....	2							1							
M.....															
F.....															
Canada.....	3							1	1			1			
M.....	1												1		
F.....	1														
Other foreign countries.....	1				1										
M.....	2								1					1	
F.....	6							1	3					1	1

TABLE 10.—DEATHS FROM CANCER, BY AGE GROUPS, WITH DISTINCTION OF SEX, COLOR, NATIVITY, PARENTAL NATIVITY, AND BIRTHPLACES OF MOTHERS, DURING THE CENSUS YEAR ENDING MAY 31, 1890—Continued.

REGISTRATION RECORDED—Continued..

COLOR, NATIVITY, PARENTAL NATIVITY, AND BIRTHPLACES OF MOTHERS.	All ages.	Under 20 years.	20 to 25	25 to 30	30 to 35	35 to 40	40 to 45	45 to 50	50 to 55	55 to 60	60 to 65	65 to 70	70 to 75	75 and over.	Un-known.
FORM OF CANCER—Continued.															
All other cancers.....	2, 415	33	15	37	66	106	190	232	263	287	291	282	224	378	11
White.....	2, 340	29	15	30	61	99	182	227	254	285	284	279	213	372	10
Native born.....	1, 511	26	14	18	44	62	115	144	155	170	166	181	151	261	4
Both parents native.....	M. 234		4	2	8	10	8	9	13	18	32	45	28	57	
One or both parents foreign.....	F. 605	8	3	4	10	29	54	61	66	88	62	64	62	94	
Foreign born.....	M. 27	4	1	3	1	3	2	2	3	4	4	1	6	2	
Colored.....	F. 78	2	1	3	9	5	11	11	6	5	4	1	6	9	
Foreign born.....	M. 308	3	1	4	6	12	17	24	44	47	48	45	25	35	1
Colored.....	F. 435	3	1	7	8	22	45	51	53	61	57	46	28	53	
Males.....	17	1			1	2	3				1	3	2	4	
Females.....	58	3		7	4	5	5	5	9	2	6		9	2	1
Birthplaces of mothers:															
United States.....	M. 256	2	4	2	3	14	10	10	19	19	35	48	30	60	
England and Wales.....	F. 673	9	3	10	12	34	61	68	75	93	71	65	72	100	
Scotland.....	M. 30						3	4	2	4	7	2	4	3	1
Ireland.....	F. 63	1		1	1	2	7	7	9	6	9	8	3	9	
Germany.....	M. 12						1	1	1	2	2	1	1	4	
Canada.....	F. 21	1					2	4	3	3	3		2	3	
France.....	M. 122	1		4	1	6	3	10	17	19	17	17	13	14	
Scandinavia.....	F. 189	1	1	4	6	11	20	24	20	29	22	19	12	20	
Russia and Poland.....	M. 64	1		1	2	2	5	3	12	11	6	12	3	6	
Hungary.....	F. 70	1		1	3	3	7	8	5	6	11	7	5	11	
Italy.....	M. 23	2				1	1	2	3	4	3	3		4	
Other foreign countries.....	F. 38			3	1	5	4	8	5	2	3	2	2	3	
Unknown.....	M. 3							1			1		1		
Females.....	F. 5						2	1					1	1	
Russia and Poland.....	M. 2				1						1		2	1	
Hungary.....	F. 11				3	1			2	1		1	2	1	
Italy.....	M. 3							1				1		1	
Other foreign countries.....	F. 3				1	1	1								
Unknown.....	M. 6				1	1				2	2				
Females.....	F. 9		1	1		3	3	1						1	
Males.....	M. 160	3	1	2	6	4	4	11	10	10	25	21	24	38	1
Females.....	F. 341	2	3	3	9	7	25	44	31	31	36	36	31	77	6

NONREGISTRATION RECORD.

Aggregate.....	8, 879	222	87	161	281	485	630	791	990	943	1, 090	1, 045	866	1, 196	142
White.....	8, 256	185	75	140	244	374	561	723	921	892	1, 085	1, 010	831	1, 141	124
Native born.....	5, 955	176	63	115	192	281	402	523	654	609	688	715	600	869	68
Both parents native.....	M. 1, 646	65	17	30	42	53	76	72	132	169	207	245	229	299	10
One or both parents foreign.....	F. 2, 005	53	22	47	95	145	226	312	365	251	293	268	201	306	21
Foreign born.....	M. 200	19	7	12	9	9	11	17	8	13	19	24	23	32	
Colored.....	F. 263	18	6	12	12	23	26	31	34	28	18	10	14	31	
Foreign born.....	M. 1, 012	2	2	11	13	24	55	83	97	132	170	165	123	124	11
Colored.....	F. 944	5	6	8	29	56	82	90	113	117	142	110	78	92	16
Males.....	134	16	6	4	8	9	12	7	11	8	15	9	10	16	3
Females.....	489	21	6	17	29	52	57	61	58	43	40	26	25	39	15
Birthplaces of mothers:															
United States.....	M. 1, 858	86	22	36	53	64	90	83	148	182	234	267	250	331	12
England and Wales.....	F. 3, 145	75	23	70	123	198	284	377	425	309	338	299	230	353	31
Scotland.....	M. 148		1	3	1	3	9	9	16	17	22	23	17	26	1
Ireland.....	F. 133	1		2	4	9	19	24	18	22	20	15	24	21	4
Germany.....	M. 49					2	1	5	3	7	9	10	4	7	1
Canada.....	F. 38		1		1	1	5	6	3	3	4	3	5	6	
France.....	M. 259	1	1	4	3	4	12	19	16	28	39	44	37	49	2
Scandinavia.....	F. 220		2	2	8	14	16	18	28	24	36	31	7	27	7
Russia and Poland.....	M. 461	8	4	3	4	15	20	34	44	68	82	79	61	37	2
Hungary.....	F. 438	7	5	7	12	29	38	42	61	51	59	48	40	37	2
Italy.....	M. 50	2		3	2	3	4	3	2	5	4	6	9	5	2
Other foreign countries.....	F. 67	2	3	1	4	5	8	9	10	4	4	2	5	9	1
Unknown.....	M. 9					1		2		1	1	1		3	
Females.....	F. 19				2		4	4		4				2	
Russia and Poland.....	M. 95	4	1	1	7	4	10	17	9	7	13	9	3	8	2
Hungary.....	F. 103	4	2	1	8	13	9	7	8	14	11	11	6	8	1
Italy.....	M. 10				1		2	2	1		1	3			
Other foreign countries.....	F. 11	1		1			3	1	1	1	2			1	
Unknown.....	M. 10										2		2	2	
Males.....	F. 3	2									1		1	1	
Females.....	M. 2				1			1							
Italy.....	F. 3										1				
Other foreign countries.....	M. 60	1	1	1	2	1	6	4	10	9	7	6	5	6	1
Unknown.....	F. 51	3			2	2	6	8	10	4	10	5	1	2	
Males.....	M. 621	10	9	8	12	13	28	37	47	64	72	86	71	132	32
Females.....	F. 955	14	6	17	29	51	59	81	125	115	114	93	88	123	40

STATISTICS OF DEATHS.

TABLE 10.—DEATHS FROM CANCER, BY AGE GROUPS, WITH DISTINCTION OF SEX, COLOR, NATIVITY, PARENTAL NATIVITY, AND BIRTHPLACES OF MOTHERS, DURING THE CENSUS YEAR ENDING MAY 31, 1890—Continued.

NONREGISTRATION RECORD—Continued.

COLOR, NATIVITY, PARENTAL NATIVITY, AND BIRTHPLACES OF MOTHERS.	All ages.	Under 20 years.	20 to 25	25 to 30	30 to 35	35 to 40	40 to 45	45 to 50	50 to 55	55 to 60	60 to 65	65 to 70	70 to 75	75 and over.	Un-known.
SINGLE.....	849	213	43	40	43	46	44	49	59	58	71	68	43	61	11
White.....	764	181	36	35	34	39	41	47	55	54	67	66	40	59	10
Native born.....	604	172	32	31	28	32	26	37	40	40	45	44	25	47	5
Both parents native.....	M.. 189 F.. 256	64 52	12 8	13 8	9 12	12 13	6 13	6 21	8 26	8 20	17 19	10 24	4 14	18 24	2 2
One or both parents foreign.....	M.. 47 F.. 40	19 17	6 4	5 5	5 1	2 1	1 3	4 3	1 1	1 6	2 2	2 2	3 1	1 1
Foreign born.....	M.. 99 F.. 41	2 5	2 1	3 1	2 4	4 3	6 8	5 4	4 5	11 2	21 1	18 3	12 1	7 2	2 1
Colored.....	85	32	7	5	9	7	3	2	4	4	4	2	3	2	1
Males.....	30	14	5	1	3	1	1	1	2	2
Females.....	55	18	2	4	6	7	2	1	3	4	2	2	1	2	1
Birthplaces of mothers:															
United States.....	M.. 230 F.. 318	83 72	17 10	16 15	12 18	12 19	7 15	7 22	9 29	9 26	19 21	10 27	9 15	13 26	2 3
England and Wales.....	M.. 8 F.. 4	1	1	1	1	1	4	1	1	1	3	2	1
Scotland.....	M.. 4 F.. 6	1	1	1	1	1
Ireland.....	M.. 32 F.. 10	1	1	2	1	2	1	3	3	4	7	4	3	1
Germany.....	M.. 51 F.. 22	8 6	4 2	3 1	2 2	2	1	4	2	4	13	5	6	1
Canada.....	M.. 8 F.. 6	2 2	1	1	1	2	1	2	1	1
France.....	M.. 1 F.. 4	1	1	2	1
Scandinavia.....	M.. 20 F.. 8	4 4	1 1	1	2	1	3	1	2	1	2	1	1
Russia and Poland.....	M.. 1 F.. 2	1 1	1
Bohemia.....	M.. 1 F.. 2	1 1	1
Hungary.....	M.. 2 F.. 1	2 1	1
Italy.....	M.. 6 F.. 6	1 3	1	1	1	1	1	1	1
Other foreign countries.....	M.. 43 F.. 48	10 12	1 1	2	1	3	2	8	3	3	6	6	3	1
MARRIED.....	5,470	7	31	99	195	321	483	594	687	672	704	657	487	479	54
White.....	5,134	3	29	85	173	282	435	550	644	638	676	637	472	461	49
Native born.....	3,716	3	23	70	140	211	322	402	469	438	458	456	340	353	31
Both parents native.....	M.. 1,195 F.. 1,639	1 1	4 14	16 32	26 78	34 120	63 192	61 254	108 270	149 179	164 177	207 143	174 91	182 77	6 11
One or both parents foreign.....	M.. 126 F.. 159	1 1	4 2	4 7	7 11	7 21	10 20	11 28	6 25	10 15	15 11	19 3	15 10	22 5
Foreign born.....	M.. 686 F.. 615	5	6	7	18	41	67	76	101	109	108	81	67	5
Colored.....	336	4	2	14	22	39	48	44	43	34	28	20	15	18	5
Males.....	72	2	2	4	5	7	3	8	7	12	6	7	8	1
Females.....	264	2	2	12	18	34	41	41	35	27	16	14	8	10	4
Birthplaces of mothers:															
United States.....	M.. 1,333 F.. 1,953	3 3	4 16	18 47	33 100	41 158	73 239	69 298	122 308	160 218	188 199	226 163	187 102	202 87	7 15
England and Wales.....	M.. 114 F.. 120	2	2	8	13	21	15	14	13	9	15	8	1
Scotland.....	M.. 36 F.. 19	1	1	1	4	3	3	6	6	2	2	1
Ireland.....	M.. 164 F.. 133	1	1	4	9	16	11	20	28	27	24	21	2
Germany.....	M.. 307 F.. 297	3	3	10	27	52	38	39	51	45	55	41	22	1
Canada.....	M.. 30 F.. 47	2	1	2	5	7	2	3	3	1	5	6	2
France.....	M.. 6 F.. 9	1	2	2	1	1	1	1	1
Scandinavia.....	M.. 57 F.. 71	1	1	5	11	7	11	6	4	10	6	2	4
Russia and Poland.....	M.. 7 F.. 5	1	2	2	1	1	2
Bohemia.....	M.. 8 F.. 6	1	1	1	2	2	1	1
Hungary.....	M.. 1 F.. 1	1	1
Italy.....	M.. 1 F.. 1	1
Other foreign countries.....	M.. 42 F.. 29	1	1	1	1	4	4	8	8	4	3	4	3
Unknown.....	M.. 277 F.. 397	1	3	6	25	14	18	20	36	37	40	33	53	9

TABLE 10.—DEATHS FROM CANCER, BY AGE GROUPS, WITH DISTINCTION OF SEX, COLOR, NATIVITY, PARENTAL NATIVITY, AND BIRTHPLACES OF MOTHERS, DURING THE CENSUS YEAR ENDING MAY 31, 1890—Continued.

NONREGISTRATION RECORDED—Continued.

COLOR, NATIVITY, PARENTAL NATIVITY, AND BIRTHPLACES OF MOTHERS.	All ages.	Under 20 years.	20 to 25	25 to 30	30 to 35	35 to 40	40 to 45	45 to 50	50 to 55	55 to 60	60 to 65	65 to 70	70 to 75	75 and over.	Un-known.
WIDOWED	1,619	1	1	7	14	26	38	67	128	112	205	218	251	533	18
White	1,517	1		7	13	20	31	59	122	106	191	210	238	506	13
Native born.....	1,155	1		6	10	14	24	49	94	77	138	155	180	399	8
Both parents native.....	M. 198 F. 644			1	3	2	3	4	11	4	17	22	43	88	
One or both parents foreign.....	M. 20 F. 57			4	3	9	14	31	58	48	89	91	92	201	4
Foreign born.....	M. 111 F. 198					1	2	1	5	8	17	19	23	34	1
Colored	102		1		1	6	7	8	6	6	14	8	13	27	5
Males.....	13					1	2	1		1	1	2		5	
Females.....	89		1		1	5	5	7	6	5	13	6	13	22	5
Birthplaces of mothers:															
United States.....	M. 216 F. 754			1	3	3	5	4	11	5	18	24	45	97	
England and Wales.....	M. 9 F. 39		1	4	4	14	20	41	67	55	106	97	107	230	8
Scotland.....	M. 5 F. 8				1	1	1	2	2	5	3	6	7	10	1
Ireland.....	M. 38 F. 61						2	2	3	1	2	3	6	8	
Germany.....	M. 53 F. 80			1		1	1	3	12	5	12	10	11	17	2
Canada.....	M. 7 F. 11				1		1		12	10	8	14	12	22	
France.....	M. 1 F. 5								1		2		1	6	
Scandinavia.....	M. 3 F. 19					1	1		1	2				1	
Russia and Poland.....	M. 1 F. 1								1	2		4	3	8	
Bohemia.....	M. 1 F. 1								1	1					
Other foreign countries.....	M. 8 F. 13						1	1	2	1	1	1	1	2	
Unknown.....	M. 76 F. 210	1		1	4	4	6	10	17	18	21	28	34	61	5
DIVORCED	41				1	3	6	4	8	5	6	4	1	2	1
White	39				1	3	5	4	8	5	6	4	1	1	1
Native born.....	32				1	3	3	3	8	3	6	4	1		
Both parents native.....	M. 11 F. 16					2	1	2	2	2	4	1			
One or both parents foreign.....	M. 1 F. 1				1	1	3	2	5	1	2				
Foreign born.....	M. 4 F. 1						1			2				1	
Colored	2					1								1	
Males.....	1													1	
Females.....	1					1									
Birthplaces of mothers:															
United States.....	M. 12 F. 17				1	2	3	2	6	2	4	1		1	
Ireland.....	M. 1 F. 1					1				1	2				
Germany.....	M. 3 F. 3						1			1				1	
Unknown.....	M. 3 F. 5						2	1				1	1		1

STATISTICS OF DEATHS.

479

TABLE 10.—DEATHS FROM CANCER, BY AGE GROUPS, WITH DISTINCTION OF SEX, COLOR, NATIVITY, PARENTAL NATIVITY, AND BIRTHPLACES OF MOTHERS, DURING THE CENSUS YEAR ENDING MAY 31, 1890—Continued.

NONREGISTRATION RECORD—Continued.

COLOR, NATIVITY, PARENTAL NATIVITY, AND BIRTHPLACES OF MOTHERS.	All ages.	Under 20 years.	20 to 25	25 to 30	30 to 35	35 to 40	40 to 45	45 to 50	50 to 55	55 to 60	60 to 65	65 to 70	70 to 75	75 and over.	Un-known.
CONJUGAL CONDITION UNKNOWN	900	1	12	15	28	39	59	77	108	96	104	98	84	121	58
White	802		10	13	23	30	49	63	92	89	95	93	80	114	51
Native born	448		8	8	13	21	27	32	43	51	41	56	54	70	24
Both parents native	M 53 F 50		1		4	3	4		3	6	5	6	8	11	2
One or both parents foreign	M 7 F 7			3	1	2	4	4	6	3	6	9	4	4	4
Foreign born	M 112 F 90			2	4	1	3	5	10	12	23	20	7	15	3
Colored	98	1	2	2	5	9	10	14	16	7	9	5	4	7	7
Males	18		1	1	1	3	2	2	2			1	1	2	2
Females	80	1	1	1	4	6	8	12	14	7	9	4	3	5	5
Birthplaces of mothers:															
United States	M 67 F 103		1	1	5	6	5	2	4	6	5	7	9	13	3
England and Wales	M 13 F 16		1	4	5	6	7	14	15	9	10	11	6	10	5
Scotland	M 4 F 5														
Ireland	M 24 F 16			1	1		1	2	1	2	1	4	1	2	1
Germany	M 47 F 39						1	4	8	7	12	9	3	2	1
Canada	M 5 F 3			1				3	3	3	4	8	7	2	1
France	M 1 F 1											1		2	1
Scandinavia	M 15 F 5				1	1	1	3	1	1	2	1	1	2	1
Russia and Poland	M 2 F 4				1		1	1			1			1	
Bohemia	M 1 F 3					1							1		
Hungary	M 1 F 1														
Italy	M 1 F 1									1					
Other foreign countries	M 4 F 3						1	2			1	1		1	
Unknown	M 222 F 295		7	5	3	5	11	13	16	24	26	27	26	39	20
FORM OF CANCER.															
Cancer of the stomach	2,284	35	22	35	61	83	150	165	239	284	344	341	260	240	85
White	2,198	28	20	31	55	76	140	160	232	278	333	334	250	229	32
Native born	1,374	26	14	22	41	54	79	98	142	151	187	219	172	158	16
Both parents native	M 498 F 477		5	5	7	13	10	16	24	50	62	77	84	86	4
One or both parents foreign	M 67 F 55		4	2	2	3	3	3	6	6	8	8	12	7	6
Foreign born	M 488 F 267		2		5	8	13	32	38	48	88	76	51	43	6
Colored	96	7	2	4	6	7	10	5	7	6	11	7	10	11	3
Males	39	3	2	3	2	2	5	1		4	4	2	3	6	2
Females	57	4		1	4	5	5	4	7	2	7	5	7	5	1
Birthplaces of mothers:															
United States	M 564 F 551		9	7	10	16	14	20	27	53	66	85	91	96	5
England and Wales	M 56 F 43		10	3	10	23	30	44	47	73	56	71	80	42	7
Scotland	M 23 F 11				1	1	3	4	5	7	10	8	3	4	
Ireland	M 90 F 58														
Germany	M 238 F 129			1	1	2	7	11	11	28	39	49	45	16	1
Canada	M 22 F 14		1	1	3	4	5	10	8	17	19	23	14	11	1
France	M 5 F 3		2		2			2	2	1	1	2	2	2	1
Scandinavia	M 52 F 29				4	2	6	9	4	6	9	4	2	4	2
Russia and Poland	M 7 F 2		3	1	2	1	2	2	2	2	2	1	1	2	
Bohemia	M 5 F 4						1					1	1	1	
Hungary	M 2 F 2				1				1						
Italy	M 2 F 2			1						1					
Other foreign countries	M 31 F 13		1				4	2	4	7	4	3	4	1	1
Unknown	M 176 F 164		2	2	1	2	3	12	14	15	22	18	96	18	6

TABLE 10.—DEATHS FROM CANCER, BY AGE GROUPS, WITH DISTINCTION OF SEX, COLOR, NATIVITY, PARENTAL NATIVITY, AND BIRTHPLACES OF MOTHERS, DURING THE CENSUS YEAR ENDING MAY 31, 1890—Continued.

NONREGISTRATION RECORD—Continued.

COLOR, NATIVITY, PARENTAL NATIVITY, AND BIRTHPLACES OF MOTHERS.	All ages.	Under 20 years.	20 to 25	25 to 30	30 to 35	35 to 40	40 to 45	45 to 50	50 to 55	55 to 60	60 to 65	65 to 70	70 to 75	75 and over.	Un-known.
FORM OF CANCER—Continued.															
Cancer of the uterus.....	1,038	7	8	31	52	89	135	149	161	126	105	58	42	49	26
White.....	851	4	4	21	42	63	111	124	142	106	88	50	35	41	20
Native born.....	676	3	4	19	33	47	81	101	111	84	69	43	26	34	11
Both parents native.....	481	2	4	11	25	37	71	73	79	52	57	23	18	24	5
One of both parents foreign.....	35			4	2	4	7	5	3	6		3	1		
Foreign born.....	115	1		1	7	11	15	14	15	15	15	5	7	6	3
Colored.....	187	3	4	10	10	26	24	25	19	20	17	8	7	8	6
Birthplaces of mothers:															
United States.....	656	5	8	24	36	61	91	99	94	71	72	30	25	31	9
England and Wales.....	28			1	3	2	3	1	3	6	2	2	2	2	1
Scotland.....	2							1		1					
Ireland.....	29				1	1	5	3	4	5	5	3			2
Germany.....	52			1	2	6	9	7	6	8	5	2	4	2	
Canada.....	11				1	2	1	1	4				1	1	
France.....	1														
Scandinavia.....	8				2	2	1	3	1						
Russia and Poland.....	1													1	
Bohemia.....	1					1									
Other foreign countries.....	11	1				1	2	2	1		3	1			
Unknown.....	238	1		5	7	13	23	32	43	35	13	20	10	12	14
Cancer of the abdomen.....	349	11	5	13	14	18	29	38	37	20	50	41	35	33	5
White.....	339	11	5	13	13	17	28	35	35	19	50	41	35	32	5
Native born.....	247	11	3	12	9	12	24	19	26	18	36	29	21	23	4
Both parents native.....	90	6	2	3	2	5	9	5	9	11	11	12	7	8	
One or both parents foreign.....	11	3		3	5	6	8	9	10	4	14	13	10	9	1
Foreign born.....	34		1		1	1	1	7	2						
Males.....	38		1		2	3	3	4	4	1	4	7	6	4	5
Females.....	5						1				1			2	
Colored.....	10				1	1	1	3	2	1				1	
Males.....	8				1	1		3	2	1					
Females.....	2						1							1	
Birthplaces of mothers:															
United States.....	101	7	2	4	3	6	9	8	10	13	11	12	7	9	
England and Wales.....	3	1		2	5	6	9	9	10	4	14	13	10	11	1
Scotland.....	9							2			3	1	1	1	
Ireland.....	3						1				1		2		
Germany.....	13			1		1	1	2	1	1	2	2	1	2	
Canada.....	5					1	2	3	1		1	3	3	1	
Scandinavia.....	15		1				2	1	1		1	1	2	1	
Russia and Poland.....	13		2		1	1	2	1	2		1			1	
Bohemia.....	2							1	2						
Other foreign countries.....	6	2			1	1	1		1						
Unknown.....	3														
Males.....	1				1									1	
Females.....	1														
Other foreign countries.....	3								1						
Unknown.....	35	1			2	1	2	1	7	6	1	1	5	1	3
Males.....	34			3	2	2	3	3	5	1	8	3	2	3	1
Females.....															

STATISTICS OF DEATHS.

TABLE 10.—DEATHS FROM CANCER, BY AGE GROUPS, WITH DISTINCTION OF SEX, COLOR, NATIVITY, PARENTAL NATIVITY, AND BIRTHPLACES OF MOTHERS, DURING THE CENSUS YEAR ENDING MAY 31, 1890—Continued.

NONREGISTRATION RECORD—Continued.

COLOR, NATIVITY, PARENTAL NATIVITY, AND BIRTHPLACES OF MOTHERS.	All ages.	Under 20 years.	20 to 25	25 to 30	30 to 35	35 to 40	40 to 45	45 to 50	50 to 55	55 to 60	60 to 65	65 to 70	70 to 75	75 and over.	Un-known.
FORM OF CANCER—Continued.															
Cancer of the eye.....	52	18				1	2			4		6	5	13	3
White.....	51	17				1	2			4		6	5	13	3
Native born.....	45	17				1	2			2		5	3	12	3
Both parents native.....	M. 18 F. 11	6 6				1				1 1		3	1 1	5 1	1 1
One or both parents foreign.....	M. 3 F. 4	2 1					1							3	
Foreign born.....	M. 5 F. 1									1 1		1	2	1	
Colored.....	1	1													
Males.....															
Females.....	1	1													
Birthplaces of mothers:															
United States.....	M. 19 F. 13	6 8				1	1			1 1		3	1 1	5 1	1 1
England and Wales.....	M. 1 F. 1						1						1	1	
Ireland.....	M. 1 F. 1									1 1					
Germany.....	M. 3 F. 1	1								1		1		1	
Canada.....	M. 1 F. 1												1		
France.....	M. 1 F. 1													1	
Scandinavia.....	M. 1 F. 1	1													
Other foreign countries.....	M. 1 F. 1													1	
Unknown.....	M. 4 F. 5	2										2	1	3	1
Cancer of the genitals.....	13						2	1		1	2	3	2	2	
White.....	12						2	1		1	2	2	2	2	
Native born.....	5									1	1	2		1	
Both parents native.....	M. 1 F. 3										1 1	1		1	
One or both parents foreign.....	M. 1 F. 1														
Foreign born.....	M. 4 F. 4							1			1		2		
Colored.....	1											1			
Males.....															
Females.....	1											1			
Birthplaces of mothers:															
United States.....	M. 1 F. 3										1 1	1		1	
England and Wales.....	M. 1 F. 1												1		
Germany.....	M. 3 F. 1							1		1			1		
Unknown.....	M. 2 F. 3						1			1		1		1	

TABLE 10.—DEATHS FROM CANCER, BY AGE GROUPS, WITH DISTINCTION OF SEX, COLOR, NATIVITY, PARENTAL NATIVITY, AND BIRTHPLACES OF MOTHERS, DURING THE CENSUS YEAR ENDING MAY 31, 1890—Continued.

NONREGISTRATION RECORD—Continued.

COLOR, NATIVITY, PARENTAL NATIVITY, AND BIRTHPLACES OF MOTHERS.		All ages.	Under 20 years.	20 to 25	25 to 30	30 to 35	35 to 40	40 to 45	45 to 50	50 to 55	55 to 60	60 to 65	65 to 70	70 to 75	75 and over.	Un-known.
FORM OF CANCER—Continued.																
Cancer of the head, face, and neck		757	24	3	5	11	14	26	41	55	71	74	94	98	229	12
White		728	17	3	3	10	12	25	38	52	69	73	94	95	226	11
Native born		550	16	3	2	7	11	23	25	29	51	55	69	74	176	9
Both parents native		M 264 F 128	8 5	1	1	4	6	12	13	14	28	25	37	36	70	2
One or both parents foreign		M 26 F 10	1	1	1	1	1	2	1	1	1	4	7	4	4	6
Foreign born		M 108 F 42			1	1	1	2	6	10	14	11	18	15	28	1
Colored		29	7		2	1	2	1	3	3	2	1		3	3	1
Males		12	2		1	1	2		1		2	1		2		1
Females		17	5		1		1		2	3				1	3	1
Birthplaces of mothers:																
United States		M 289 F 147	10 9	1	2	6	8	12	14	15	31	28	40	39	83	3
England and Wales		M 25 F 6						1	1	1	4	3	1	4	2	
Scotland		M 7 F 3				1						1	1			
Ireland		M 46 F 17		1	1			1	2	3	5	1	1	4	15	1
Germany		M 30 F 15				1	1		3	5	4	3	3	3	2	
Canada		M 8 F 1						1	1		1		1	1	2	
France		M 1 F 6													1	
Scandinavia		M 6 F 4	1		1					1	1			1	3	
Russia and Poland		M F										1				
Bohemia		M F													1	
Other foreign countries		M 5 F 1						1	1	1	1			1		
Unknown		M 100 F 44	1 3	1		1	1	3	3	12	12	11	9	11	32	6
Cancer of the larynx		16				1	1		1	1	2	3	3	1	1	2
White		15				1	1		1	1	2	3	3	1		2
Native born		8					1			1	2	2	1			1
Both parents native		M 4 F 1					1				1	2				
One or both parents foreign		M F														
Foreign born		M 4 F 2				1			1			1	2	1		
Colored		1													1	
Males		1													1	
Females																
Birthplaces of mothers:																
United States		M 5 F 1					1			1	2				1	
England and Wales		M F														
Ireland		M 1 F 1												1		
Germany		M 3 F 1				1						1	2			
Unknown		M 3 F 1								1			1			2

STATISTICS OF DEATHS.

TABLE 10.—DEATHS FROM CANCER, BY AGE GROUPS, WITH DISTINCTION OF SEX, COLOR, NATIVITY, PARENTAL NATIVITY, AND BIRTHPLACES OF MOTHERS, DURING THE CENSUS YEAR ENDING MAY 31, 1890—Continued.

NONREGISTRATION RECORD—Continued.

COLOR, NATIVITY, PARENTAL NATIVITY, AND BIRTHPLACES OF MOTHERS.	All ages.	Under 20 years.	20 to 25	25 to 30	30 to 35	35 to 40	40 to 45	45 to 50	50 to 55	55 to 60	60 to 65	65 to 70	70 to 75	75 and over.	Un-known.
FORM OF CANCER—Continued.															
Cancer of the lower extremities.....	51	5	1	2	2	3	2	3	3	5	8	4	13		
White.....	44	5	1	2	2	3	2	2	3	3	7	4	10		
Native born.....	32	4	1	2	2	3	2	1	2	3	4	1	7		
Both parents native.....	M. 11 F. 10	1		1	1	1	1	1	1	2	2		5		
One or both parents foreign.....	M. 5 F. 1	2	1		1	1	1						2		
Foreign born.....	M. 5 F. 3								1		1	1	2		
Colored.....	7								1		2	1	3		
Males.....	3											1	2		
Females.....	4								1		2		1		
Birthplaces of mothers:															
United States.....	M. 14 F. 15	1		1	1	1	2	1	2	2	3		7		
England and Wales.....	M. 1 F. 3	1							1	1	2		3		
Ireland.....	M. 1 F. 1				1							1	1		
Germany.....	M. 5 F. 2	1	1					1			1		1		
Other foreign countries.....	M. 1 F. 1	1									2				
Unknown.....	M. 4 F. 5	1		1					1		3	1	1		
Cancer of the mouth, tongue, and throat.....	304	15	4	4	9	7	18	20	26	31	43	36	35	50	6
White.....	289	11	4	3	9	7	17	17	24	30	43	35	34	49	6
Native born.....	208	11	3	3	9	7	12	13	16	19	29	27	22	34	3
Both parents native.....	M. 91 F. 54	2	1	1	5	4	7	2	9	6	15	13	11	14	1
One or both parents foreign.....	M. 8 F. 11	3	1	1	2	3	3	6	5	4	5	8	6	8	1
Foreign born.....	M. 56 F. 21	1			1	2	1	2	2	1	2			2	1
Colored.....	15	4		1			1	3	2	1		1	1	1	
Males.....	7	3					1		1				1	1	
Females.....	8	1		1			3		1	1		1			
Birthplaces of mothers:															
United States.....	M. 101 F. 68	5	1	1	5	4	8	3	10	6	16	13	12	16	1
England and Wales.....	M. 6 F. 6	5	1	2	3	4	4	9	6	5	7	10	6	9	1
Scotland.....	M. 3 F. 1								1	1	1	2	1	2	1
Ireland.....	M. 18 F. 6		1				1	1	1	2	2	1	5	5	
Germany.....	M. 28 F. 9	2				2	3	2	1	6	3	3	4	4	
Canada.....	M. 1 F. 1	1							1	2	1	1	2		
Scandinavia.....	M. 1 F. 3							1	1					1	1
Russia and Poland.....	M. 1 F. 2								1		1				
Bohemia.....	M. 1 F. 2	1									1				
Other foreign countries.....	M. 1 F. 2								1						
Unknown.....	M. 37 F. 11	1	1	1	1	1	1	3	1	5	5	4	4	10	1
Cancer of the ovaries.....	14		1	1	3	1		1		3	2		2		
White.....	14		1	1	3	1		1		3	2		2		
Native born.....	9			1	2	1				3	1		1		
Both parents native.....	6			1		1				2	1		1		
One or both parents foreign.....	1									1					
Foreign born.....	3		1								1		1		
Colored.....															
Birthplaces of mothers:															
United States.....	7			1		1				3	1		1		
Ireland.....	1										1				
Germany.....	1														
Canada.....	1			1									1		
Unknown.....	4				3			1							

TABLE 10.—DEATHS FROM CANCER, BY AGE GROUPS, WITH DISTINCTION OF SEX, COLOR, NATIVITY, PARENTAL NATIVITY, AND BIRTHPLACES OF MOTHERS, DURING THE CENSUS YEAR ENDING MAY 31, 1890—Continued.

NONREGISTRATION RECORD—Continued.

COLOR, NATIVITY, PARENTAL NATIVITY, AND BIRTHPLACES OF MOTHERS.	All ages.	Under 20 years.	20 to 25	25 to 30	30 to 35	35 to 40	40 to 45	45 to 50	50 to 55	55 to 60	60 to 65	65 to 70	70 to 75	75 and over.	Un-known.
FORM OF CANCER—Continued.															
Cancer of the upper extremities.....	45	2	1		2	3			5	2	5	3	5	16	1
White.....	43	2	1		2	3			5	2	5	2	4	16	1
Native born.....	36	2	1		2	2			5	2	3	2	3	14	
Both parents native.....	{ M 17 F 11	2		1	1				1		1	2	2	9	
One or both parents foreign.....	{ M 1 F 1					1			4		1			4	1
Foreign born.....	{ M 4 F 2					1					2			2	
Colored.....	2											1	1		
Males.....	2											1	1		
Females.....															
Birthplaces of mothers:															
United States.....	{ M 20 F 11	2		1		1			1		1	3	3	10	
England and Wales.....	{ M 1 F 1								4		1			4	
Ireland.....	{ M 2 F 1						1							2	
Germany.....	{ M 2 F 1						1						1		
Canada.....	{ M 1 F 1										1				
Unknown.....	{ M 4 F 3					1	1			2	1		1		1
Cancer of the lungs.....	23		3	1		1	1	3	4	1	7	1		1	
White.....	20		3	1		1	1	3	3	1	6	1			
Native born.....	15		3	1		1	1	2	2	1	4				
Both parents native.....	{ M 6 F 5		1			1	1	1	1	1	1				
One or both parents foreign.....	{ M 1 F 2			1				1			1				
Foreign born.....	{ M 4 F 1							1	1		1	1			
Colored.....	3								1		1			1	
Males.....	2										1			1	
Females.....	1								1						
Birthplaces of mothers:															
United States.....	{ M 9 F 6		1			1	1		1	1	2	1		1	
Ireland.....	{ M 1 F 1			1				1	2		2				
Germany.....	{ M 3 F 1							2			1				
Canada.....	{ M 1 F 1			1							1				
Unknown.....	{ M 2 F 1			1							1				

TABLE 11.

**DEATHS FROM CANCER IN THE UNITED STATES, AND REPORTED FROM REGISTRATION
AND NONREGISTRATION SOURCES, AMONG THE MALES ENGAGED IN CERTAIN
SELECTED OCCUPATIONS AND CLASSES OF OCCUPATIONS, BY AGE
GROUPS, DURING THE CENSUS YEAR ENDING MAY 31, 1890.**

STATISTICS OF DEATHS.

TABLE 11.—DEATHS FROM CANCER AMONG THE MALES ENGAGED IN CERTAIN SELECTED OCCUPATIONS AND CLASSES OF OCCUPATIONS, BY AGE GROUPS, DURING THE CENSUS YEAR ENDING MAY 31, 1890.

OCCUPATIONS.	All ages.	Under 20 years.	20 to 25	25 to 30	30 to 35	35 to 40	40 to 45	45 to 50	50 to 55	55 to 60	60 to 65	65 to 70	70 to 75	75 and over.	Un-known.
THE UNITED STATES.															
All selected occupations.....	5,005	19	43	80	127	183	272	374	480	630	720	749	573	709	46
Class A	184		1	4	5	3	4	9	18	20	38	24	25	32	1
Actors.....	1									1					
Architects, artists, etc.....	6					1			1	1		1			
Clergymen.....	44		1	1	1	1		3	4	4	7	3	10	9	
Dentists.....	6			1					1	1	1		1	1	
Engineers and surveyors.....	7				1			1		2	1		1	1	
Journalists.....	2									1					
Lawyers.....	38				1		3	2	5	4	7	7	4	4	1
Musicians and teachers of music.....	6							1			4			1	
Physicians and surgeons.....	51				1		1	1	5	2	13	8	7	13	
Professors, authors, literary and scientific persons.....	4			1						2	1				
Teachers.....	19			1	1	1		1	1	2	3	5	1	3	
Class B	131	1	5	2	10	5	15	16	15	19	16	19	4	3	1
Stenographers and typewriters.....	65	1	4	2	9	3	11	9	7	8	6	4	1		
Accountants, bookkeepers, clerks, and copyists.....	28				1			1	5	6	3	6	1	2	
Bankers, brokers, and officials of companies.....	34		1			2	1	5	3	5	6	8	2		1
Collectors, auctioneers, and agents.....	4							1			1	1		1	
Wholesale merchants and dealers.....															
Newspaper carriers and newsboys.....															
Class C	278		1	1	9	13	10	34	40	44	47	32	26	20	1
Apothecaries, pharmacists, and dealers in chemicals and drugs.....	6							1	2	1		1			1
Commercial travelers and salesmen.....	23					1	2	3	5	7	3	1	1		
Dealers in dry goods (retail).....	3				1			1	1					1	
Dealers in groceries (retail).....	37			1	1		1	6	7	5	10	3	2	1	
Dealers, not specified (retail).....	181				5	3	7	19	23	20	27	25	21	17	
Hucksters and peddlers.....	19		1		2	3	3	2	1	4	4		2	1	
Wine and liquor dealers (retail).....	8					1		2		1	3	1			
Wine and liquor dealers (wholesale).....	1											1			
Class D	51					3	4	10	3	10	8	7	2	2	
Hotel and boarding house keepers.....	20							3	2	6	2	4	1	2	
Saloon keepers, billiard and bowling saloon keepers, bartenders, and restaurant keepers.....	31					5	4	7	1	4	6	3	1		
Class E	95		1	1	3	7	8	5	10	11	9	14	14	11	1
Barbers and hairdressers.....	18				2	1	3	2	1	2		1		1	
Janitors and sextons.....	11				1			1	2	1	2	1	1	2	
Lamblers.....	4		1			2	1								
Nurses.....	3			1						1			1		
Police men, watchmen, and detectives.....	21					1	2	1	2	1	5	4	3	1	1
Soldiers, sailors, and marines (United States).....	35					1	2		5	5	2	8	7	5	
Undertakers.....	8				2			1		1			2	2	
Class F	674	5	4	16	23	29	43	63	74	96	89	101	62	61	8
Laborers (not specified).....	650	5	3	15	23	28	43	59	71	92	86	97	61	59	8
Messenger boys.....															
Servants.....	24		1	1		1		4	3	4	3	4	1	2	
Class G	1,010	4	5	13	22	52	73	95	104	140	170	130	91	103	8
Artificial flower and paper box makers.....	1										1				
Bakers and confectioners.....	26		1			5	3	4	3	4	3	2		1	
Blacksmiths.....	71					4	3	3	4	8	11	7	10	9	2
Bleachers, dyers, and scourers.....	1										1				
Bookbinders.....	6				1		1			1	2	1			
Boot and shoe makers.....	89					1	7	3	9	16	21	9	8	10	
Brassfounders and coppersmiths.....	3					2		1							
Brewers, distillers, and rectifiers.....	12			1		1		4	2	1	3				
Brick and tile makers and terra-cotta workers.....	5							2	1	1	1		1		
Butchers.....	27				1	3	5	6	2	3	6	1			
Cabinet makers and upholsterers.....	22								2	6					
Carpenters and joiners.....	222	2		2	2	10	11	17	26	32	31	32	22	34	1
Cigar makers and tobacco workers.....	24					2	1	3	4	5	5	3	1		
Clock and watch repairers, jewelers, and opticians.....	14				1		3	1	2	1	1	3	2		
Compositors, printers, and pressmen.....	12			1	1	1	1	1		3	1			3	
Coopers.....	38			2	3		1		3	4	9	4	2	5	
Cotton mill operatives.....	5						1		1	2	1				
Electrotypers and stereotypers.....															
Engineers and firemen (not locomotive).....	29			1		4	1	2	5	5	3	4	1	2	1
Flax mill operatives.....															
Gas works employes.....															
Glass blowers.....	2								1					1	
Glass workers.....															
Gunsmiths, locksmiths, and bell hangers.....	5						3							1	
Harness and saddle makers and repairers, and trunk, valise, and leather-case makers.....	17				1		1	1	1	3	5	1	2	1	2

TABLE 11.—DEATHS FROM CANCER AMONG THE MALES ENGAGED IN CERTAIN SELECTED OCCUPATIONS AND CLASSES OF OCCUPATIONS, BY AGE GROUPS, DURING THE CENSUS YEAR ENDING MAY 31, 1890—Continued.

OCCUPATIONS.	All ages.	Under 20 years.	20 to 25	25 to 30	30 to 35	35 to 40	40 to 45	45 to 50	50 to 55	55 to 60	60 to 65	65 to 70	70 to 75	75 and over.	Un-known.
THE UNITED STATES—Continued.															
Class G—Continued.															
Hat and cap makers	11					1	1	2		4		1	1	1	
Iron and steel workers	20		1	1		1	4		1	3	4	1	1	3	
Lead and zinc workers	16				1	2	2			2	1	2	4	3	
Leather curriers, dressers, finishers, and tanners.	40	1	1		2	2	4	3	4	2	4	8	7	1	
Machinists	13				1	1	2			3	4		1	1	
Marble and stone cutters	75			2		3	3	9	5	8	15	14	8	6	2
Masons (brick and stone)															
Meat packers, curers and picklers, canners, and fruit preservers.	25		1		2	1	2	3	2	3	3	2	3	3	
Mill and factory operatives (textiles not specified).	27				1	1	2	2	1	2	3	7	3	5	
Millers (flour and grist)															
Painters, glaziers, and varnishers	45	1	1			3	4	3	7	6	9	9	1	1	
Paper hangers	3				1				1		1				
Paper mill operatives	1									1					
Photographers	3							1		2					
Plasterers and whitewashers	12				2	1	1	1	2			2		2	1
Plumbers and gas and steam fitters	5				1	1	1					1	1		
Potters	1									1					
Rubber factory operatives	5								1		1			1	
Silk mill operatives	4			1						2			1		
Tailors	65				1	1	2	8	11	11	11	7	7	5	1
Tinners and tinware makers	7					1		2				1		1	
Wheelwrights	3										1	1	1		
Woolen mill operatives	3							1			1			1	
Class H	2,582	9	26	43	55	69	115	142	216	290	343	422	349	477	26
Boatmen and canalmen	2										1		1		
Draymen, hackmen, teamsters, drivers, etc.	66		1	3	2	4	9	3	11	5	10	10	5	3	
Farmers, planters, and overseers	2,195	3	18	25	44	49	76	111	171	247	285	376	316	454	20
Farm laborers	62	6	6	6	2	2	7	2	7	2	6	2	8	3	3
Fishermen and oystermen	14			2		1	1	1		4	1	2	1	1	3
Gardeners, florists, nurserymen, and vine growers.	43			1			1	2	7	4	6	11	6	5	
Livery stable keepers and hostlers	20				2	1	1	3	2	2	4	3	2	2	
Lumbermen and raftsmen	15					1	5	1	3			2	2	2	
Miners (coal)	19		1	1	1	2	2	3	1	4	2		1	1	
Miners (not specified)	40				1	3	3	7	5	5	9	3	4		
Pilots	3									1		1		1	
Quarrymen	1									1					
Sailors	51		3	2	1	1	4	7	6	11	8	8	2	5	1
Steam railroad employes (includes conductors, brakemen, engineers, and firemen).	41			2	1	4	9	5	2	6	5	3	1	2	1
Stock raisers, herders, and drovers	8					1				2	3	1			1
Telegraph and telephone operators	2					1				1					
Telegraph and telephone linemen and electric light men.															
REGISTRATION RECORD.															
All selected occupations	2,007	2	14	28	49	91	113	180	224	281	311	286	195	226	17
Class A	77			1	2	2	2	5	7	12	14	9	7	16	
Actors	1									1					
Architects, artists, etc.	5									1		1	1		
Clergymen	18				1	1		1	4	2	2	1	2	4	
Dentists	2										1			1	
Engineers and surveyors	4				1					2				1	
Journalists	1									1					
Lawyers	14						2	2	1	1			2	2	
Musicians and teachers of music	5							1			3	1	2	1	
Physicians and surgeons	18									1	3	5	2	7	
Professors, authors, literary and scientific persons.	3			1						2					
Teachers	6							1	1	1	2	1			
Class B	90		2	1	8	4	11	12	10	14	11	11	4	2	
Stenographers and typewriters															
Accountants, bookkeepers, clerks, and copyists	51		2	1	8	3	9	7	5	7	5	3	1		
Bankers, brokers, and officials of companies	13						2	3	3	3	1	2	1	1	
Collectors, auctioneers, and agents	23					1	2	5	2	4	4	5	2		
Wholesale merchants and dealers	3									4	1	1		1	
Newspaper carriers and newsboys															
Class C	188		1	1	3	10	6	24	29	27	30	25	20	12	
Apothecaries, pharmacists, and dealers in chemicals and drugs.	2								1			1			
Commercial travelers and salesmen	17					1	2	2	3	4	3	1	1		
Dealers in dry goods (retail)															
Dealers in groceries (retail)	28			1			1	5	6	4	6	3	1	1	
Dealers, not specified (retail)	118				1	6	3	12	17	18	16	18	16	11	
Hucksters and peddlers	16		1		2	2	2	3	2	1	3	2	2		
Wine and liquor dealers (retail)	6					1		2			2	1	2		
Wine and liquor dealers (wholesale)	1										1	1			

STATISTICS OF DEATHS.

TABLE 11.—DEATHS FROM CANCER AMONG THE MALES ENGAGED IN CERTAIN SELECTED OCCUPATIONS AND CLASSES OF OCCUPATIONS, BY AGE GROUPS, DURING THE CENSUS YEAR ENDING MAY 31, 1890—Continued.

OCCUPATIONS.	All ages.	Under 20 years.	20 to 25	25 to 30	30 to 35	35 to 40	40 to 45	45 to 50	50 to 55	55 to 60	60 to 65	65 to 70	70 to 75	75 and over.	Un-known.
REGISTRATION RECORD—Continued.															
Class D.....	25					3	2	5	1	5	5	4			
Hotel and boarding house keepers.....	8							1	1	3	2	1			
Saloon keepers, billiard and bowling saloon keepers, bartenders, and restaurant keepers.....	17					3	2	4	1	2	3	3			
Class E.....	44		1	1	2	3	4	2	5	7	6	6	5	2	
Barbers and hairdressers.....	5				1				1	2		1			
Janitors and sextons.....	5				1				1	1	2			1	
Laundresses.....	4		1			2	1								
Nurses.....	3			1						1			1		
Policemen, watchmen, and detectives.....	17						2	1	1	1	4	4	3	1	
Soldiers, sailors, and marines (United States).....	7						1		3	2		1			
Undertakers.....	3					1		1					1		
Class F.....	389	1	3	8	16	19	29	35	50	61	48	55	33	30	1
Laborers (not specified).....	378	1	2	7	16	19	29	33	49	59	47	53	32	30	1
Messenger boys.....															
Servants.....	11		1	1				2	1	2	1	2	1		
Class G.....	625	1	4	8	10	35	41	65	79	89	116	72	50	52	3
Artificial flower and paper box makers.....	1										1				
Bakers and confectioners.....	21		1			5	3	2				2			
Blacksmiths.....	32					2	3	4	1	2	3	4	5	7	1
Bleachers, dyers, and scourers.....	1										1				
Bookbinders.....	6				1		1			1	2	1			
Boot and shoe makers.....	60					1	4	5	9	13	14	8	3	3	
Brassfounders and coppersmiths.....	3					2		1							
Brewers, distillers, and rectifiers.....	3							3			2				
Brick and tile makers and terra cotta workers.....	4							2		1	1	1			
Butchers.....	19					2	4	5	1	3	3	1			
Cabinet makers and upholsterers.....	20								6		4	4	3	1	
Carpenters and joiners.....	98			1		5	5	9	14	11	18	10	9	15	1
Cigar makers and tobacco workers.....	20					2		2	4	5	4	1	1		
Clock and watch repairers, jewelers, and opticians.....	10				1		2		2	1	1	3			
Compositors, printers, and pressmen.....	10				1	1	1	1		2	1			3	
Coopers.....	22			1	1		1		3	2	7	4	1	2	
Cotton mill operatives.....	5						1		1	2	1				
Electrotypers and stereotypers.....															
Engineers and firemen (not locomotive).....	18					3		2	3	4	2	2		2	
Flax mill operatives.....															
Gas works employes.....															
Glass blowers.....															
Glass workers.....															
Gunsmiths, locksmiths, and bell hangers.....	3						3								
Harness and saddle makers and repairers, and trunk, valise, and leather-case makers.....	9						1			1	3	2		2	
Hat and cap makers.....	11					1	1	2		4		1	1	1	
Iron and steel workers.....	17			1		1	3		1	3	4		1	3	
Lead and zinc workers.....															
Leather curriers, dressers, finishers, and tanners.....	9			1		2				2	1	1	1	1	
Machinists.....	34	1	1		1	2	3	3	4	3	3	6	7		
Marble and stone cutters.....	6				1					2	2		1		
Masons (brick and stone).....	43			2		2		6	5	3	10	7	5	3	
Meat packers, curers and picklers, canners, and fruit preservers.....															
Mill and factory operatives (textiles not specified).....	22		1		2	1	2	3	2	2	3	1	2	3	
Millers (flour and grist).....	7							2			1	3	1		
Painters, glaziers, and varnishers.....	24		1			1		1	5	3	7	6			
Paper hangers.....	3				1				1		1				
Paper mill operatives.....	1								1						
Photographers.....	3							1		2					
Plasterers and whitewashers.....	2								1			1			
Plumbers and gas and steam fitters.....	4				1	1	1						1		
Potters.....	1									1					
Rubber factory operatives.....	5			1					1		1		1	1	
Silk mill operatives.....	4		1							2			1		
Tailors.....	51						1	6	10	10	8	4	7	4	1
Tinners and tinware makers.....	5					1		2			1		1		
Wheelwrights.....	1												1		
Woolen mill operatives.....	2							1							
Class H.....	560		3	8	8	15	18	32	43	66	81	104	76	112	3
Boatmen and canalmen.....	2										1		1		
Draymen, hackmen, teamsters, drivers, etc.....	47		1	3	2	2	6	3	7	4	7	7	4	1	
Farmers, planters, and overseers.....	394		2	3	3	7	3	22	22	41	49	76	63	103	1
Farm laborers.....	7					1		1	1		1	1	1	1	
Fishermen and oystermen.....	6			1						2	1	1	1	1	
Gardeners, florists, nurserymen, and vine growers.....	22								4	4	3	8	2	1	
Livery stable keepers and hostlers.....	13					1		1	1	2	4	3	1		
Lumbermen and raftsmen.....	3								1				1	1	
Miners (coal).....	3					1				1	1				

TABLE 11.—DEATHS FROM CANCER AMONG THE MALES ENGAGED IN CERTAIN SELECTED OCCUPATIONS AND CLASSES OF OCCUPATIONS, BY AGE GROUPS, DURING THE CENSUS YEAR ENDING MAY 31, 1890—Continued.

OCCUPATIONS.	All ages.	Under 20 years.	20 to 25	25 to 30	30 to 35	35 to 40	40 to 45	45 to 50	50 to 55	55 to 60	60 to 65	65 to 70	70 to 75	75 and over.	Un-known.
REGISTRATION RECORD—Continued.															
Class H—Continued.															
Miners (not specified).....	11				1	1	2	1		2	1	1			
Pilots.....	3									1		1		1	
Quarrymen.....															
Sailors.....	37			1	2	1	1	3	6	5	9	5	1	2	1
Steam railroad employes (includes conductors, brakemen, engineers, and firemen).....	20			1		1	6	1	1	3	3	1	1	1	1
Stock raisers, herders, and drovers.....															
Telegraph and telephone operators.....	1									1					
Telegraph and telephone linemen and electric light men.....															
NONREGISTRATION RECORD.															
All selected occupations.....	2,998	17	29	52	73	92	159	194	256	340	409	463	378	483	39
Class A.....															
Actors.....	1														
Architects, artists, etc.....	26							2	1	2	5	2	8	5	
Clergymen.....	4		1	1					1	1			1		
Dentists.....	3							1			1		1		
Engineers and surveyors.....	1														
Journalists.....	24								1						
Lawyers.....	1														
Musicians and teachers of music.....	33														
Physicians and surgeons.....	1														
Professors, authors, literary and scientific persons.....	13			1	1	1					1	1	4	1	3
Teachers.....	41	1	3	1	2	1	4	4	5	5	5	8		1	1
Class B.....															
Stenographers and typewriters.....	14	1	2	1	1		2	2	2	1	1	1			
Accountants, bookkeepers, clerks, and copyists.....	15						1	1	2	2	2	2	4	1	
Bankers, brokers, and officials of companies.....	11		1				1	1	1	1	1	2	3		1
Collectors, auctioneers, and agents.....	1														
Wholesale merchants and dealers.....															
Newspaper carriers and newsboys.....	90				6	3	4	10	11	17	17	7	6	8	1
Class C.....															
Apothecaries, pharmacists, and dealers in chemicals and drugs.....	4								1	1					1
Commercial travelers and salesmen.....	6								1	2	3				
Dealers in dry goods (retail).....	3								1	1				1	
Dealers in groceries (retail).....	9								1	1	4		1		
Dealers, not specified (retail).....	63				4	2	4	7	6	11	11	7	5	6	
Hucksters and peddlers.....	3					1					1			1	
Wine and liquor dealers (retail).....	2									1					
Wine and liquor dealers (wholesale).....															
Class D.....															
Hotel and boarding house keepers.....	12						2	2	5	2	5	3	3	2	2
Saloon keepers, billiard and bowling saloon keepers, bartenders, and restaurant keepers.....	14						2	2	3	1	2	3	1	2	
Class E.....															
Barbers and hairdressers.....	8				1	1	3	2						1	1
Janitors and sextons.....	6							1	2			1	1	1	
Laundresses.....															
Nurses.....	4														
Policemen, watchmen, and detectives.....	23					1	1		2	3	2	7	7	5	1
Soldiers, sailors, and marines (United States).....	5					1			1	1		1	1	2	
Undertakers.....															
Class F.....															
Laborers (not specified).....	272	4	1	8	7	10	14	28	24	35	41	46	29	31	7
Messenger boys.....	13						1	2	2	2	2	2	2	2	
Servants.....	385	3	1	5	12	17	32	30	25	51	54	58	41	51	5
Class G.....															
Artificial flower and paper box makers.....	5														
Bakers and confectioners.....	39					2	5	4	3	6	6	3	7	2	1
Blacksmiths.....															
Bleachers, dyers, and scourers.....															
Bookbinders.....	29							3	3		3	7	1	5	7
Brassfounders and coppersmiths.....	4			1		1		1			1				
Brewers, distillers, and rectifiers.....	1														
Brick and tile makers and terra cotta workers.....	3				1	1	1	1	1						
Butchers.....	2														
Cabinet makers and upholsterers.....	124	2		1	2	5	6	8	12	21	13	22	13	19	
Carpenters and joiners.....	4							1			1	2			
Cigar makers and tobacco workers.....	4							1	1						
Clock and watch repairers, jewelers, and opticians.....	2			1											
Compositors, printers, and pressmen.....										1					

TABLE 12.

**DEATHS FROM CANCER IN THE UNITED STATES, AND-REPORTED FROM REGISTRATION AND
NONREGISTRATION SOURCES, AMONG THE FEMALES ENGAGED IN CERTAIN
SELECTED OCCUPATIONS, BY AGE GROUPS, DURING THE
CENSUS YEAR ENDING MAY 31, 1890.**

TABLE 13.

DEATHS DURING THE 6 YEARS ENDING MAY 31, 1890, AT CERTAIN AGES AND FROM CERTAIN CAUSES, WITH DISTINCTION OF SEX, COLOR, NATIVITY, PARENTAL NATIVITY, AND BIRTHPLACES OF MOTHERS.

[The 6-year record comprises the Metropolitan District in New York, including the cities therein; the state of New Jersey; the cities of Baltimore, Md., Boston, Mass., Philadelphia, Pa., and the District of Columbia.]

TABLE 13.—DEATHS DURING THE 6 YEARS ENDING MAY 31, 1890, AT CERTAIN AGES AND FROM CERTAIN CAUSES,

SUMMARY.

LOCALITIES	All ages.	AGE.										
		Months.					Years.					
		Under 3	3 to 6	6 to 9	9 to 12	Total under 12	Under 5	5 to 15	15 to 25	25 to 65	65 and over.	Un- known.
1 Aggregate	846,383	140,222	45,738	36,091	29,373	251,424	369,284	42,220	53,925	269,126	108,777	3,051
2 Males	444,067	79,087	24,499	19,009	15,266	137,861	198,785	21,124	26,541	145,607	50,238	1,772
3 Females	402,316	61,135	21,239	17,082	14,107	113,563	170,499	21,096	27,384	123,519	58,539	1,279
4 White	795,354	129,916	42,510	33,581	27,620	233,627	344,775	39,446	49,755	254,576	103,957	2,845
5 Native born	584,792	128,527	41,531	32,747	26,889	229,694	336,482	38,340	38,144	119,233	52,848	1,745
6 Both parents native	M. 105,938 F. 95,913	28,556 17,501	7,036 5,789	5,264 4,602	4,046 3,748	39,902 31,640	56,948 47,328	6,035 5,922	4,986 5,244	23,079 21,763	14,130 15,477	207 179
7 One or both parents foreign	M. 116,622 F. 102,424	30,564 23,418	9,724 8,327	8,020 7,112	6,796 6,084	55,104 44,941	81,636 69,583	7,853 7,943	8,468 8,329	17,261 14,741	1,331 1,762	73 66
8 Foreign born	M. 104,812 F. 95,823	70 64	136 104	167 152	206 177	579 497	2,420 2,074	1,500 1,466	5,508 5,675	71,839 59,649	23,162 26,728	238 231
9 Colored	51,029	10,306	3,228	2,510	1,753	17,797	24,509	2,774	4,170	14,550	4,820	206
10 Males	25,452	5,625	1,682	1,308	886	9,501	12,846	1,268	1,773	7,462	1,981	122
11 Females	25,577	4,681	1,546	1,202	867	8,296	11,663	1,506	2,397	7,088	2,839	84
Birthplaces of mothers:												
12 United States	M. 134,574 F. 123,358	31,094 23,631	9,390 7,814	7,122 6,303	5,479 5,078	53,085 42,826	76,034 64,058	7,975 8,115	6,485 7,119	28,385 26,352	15,479 17,485	266 219
13 England and Wales	M. 12,728 F. 11,134	1,675 1,339	532 465	428 351	347 345	2,982 2,500	4,459 3,784	480 596	615 4,021	4,981 2,100	2,127 1,181	18 81
14 Ireland	M. 79,093 F. 80,880	8,434 6,460	2,557 2,185	2,005 1,882	1,815 1,663	14,811 12,190	23,257 20,292	3,357 3,468	6,558 6,883	37,443 37,885	8,897 12,262	18 90
15 Scotland	M. 4,008 F. 3,410	497 341	108 134	108 100	83	1,851 1,658	1,298 1,014	180 143	235 202	1,662 1,367	629 678	4 6
16 France	M. 2,065 F. 1,574	253 219	78	58	40	461 393	430 548	604 69	82 64	953 608	347 284	4 1
17 Germany	M. 58,918 F. 46,383	9,006 6,891	3,144 2,735	2,573 2,256	2,036 1,803	16,759 13,685	24,289 20,668	2,656 2,502	3,341 3,120	22,691 14,716	5,881 5,349	60 28
18 Russia and Poland	M. 4,906 F. 3,777	1,395 980	311 242	287 263	337 288	2,330 1,743	3,389 2,696	203 175	203 221	896 553	189 126	2 1
19 Canada	M. 3,911 F. 3,967	753 595	294 244	231 180	182 169	1,460 1,088	2,222 1,911	265 308	265 384	339 1,141	956 1,222	1 1
20 Scandinavia	M. 3,187 F. 2,405	564 444	208 186	157 179	158 133	1,087 942	1,645 1,455	143 136	183 178	1,085 561	131 73	1 2
21 Hungary	M. 1,118 F. 1,087	351 244	83 69	83 94	98 75	617 502	931 757	51 59	67 71	231 180	37 20	1 1
22 Bohemia	M. 1,693 F. 1,373	391 281	160 126	141 97	109 93	801 597	1,140 910	57 44	51 68	373 283	71 67	1 1
23 Italy	M. 8,457 F. 6,538	1,979 1,533	585 437	418 552	598 475	3,780 2,997	5,898 4,086	325 297	385 290	1,619 812	217 147	13 6
24 Other foreign countries	M. 6,645 F. 4,743	1,252 906	397 339	353 230	274 235	2,276 1,710	3,179 2,510	224 253	383 332	2,361 1,224	486 421	12 3
25 Unknown	M. 25,057 F. 18,264	3,539 2,968	1,195 1,089	765 712	490 475	7,725 5,244	10,045 6,825	1,610 1,484	1,443 1,078	10,908 5,975	3,909 3,768	467 134
26 Cities	766,758	129,534	42,147	33,485	27,266	232,382	341,844	37,703	48,820	246,178	89,778	2,435
27 Males	401,414	72,847	22,540	17,569	14,135	127,091	183,647	18,851	23,984	133,299	40,267	1,366
28 Females	365,344	56,687	19,607	15,866	13,181	105,291	158,197	18,852	24,836	112,879	49,511	1,069
29 White	719,158	119,719	39,105	31,049	25,610	215,483	318,705	35,146	45,000	232,500	85,524	2,283
30 Native born	520,510	118,381	38,165	30,245	24,910	211,701	310,685	32,200	33,890	103,768	38,525	1,436
31 Both parents native	M. 81,326 F. 73,594	19,245 14,583	5,802 4,822	4,335 3,870	3,328 3,152	32,710 26,377	47,135 39,031	4,676 4,587	3,572 3,737	17,811 15,836	8,050 9,066	76 87
32 One or both parents foreign	M. 110,922 F. 97,171	29,317 22,475	9,271 7,911	7,709 6,804	6,513 5,822	52,810 43,012	78,248 66,629	4,527 4,380	5,327 5,280	16,318 13,837	1,019 1,438	58 51
33 Foreign born	M. 98,587 F. 91,097	68 55	124 97	159 141	194 171	545 464	2,841 2,000	1,428 1,405	5,329 5,484	68,207 57,028	21,040 24,975	242 205
34 Colored	47,600	9,815	3,042	2,386	1,666	16,899	23,139	2,557	3,820	18,678	4,254	152
35 Males	23,676	5,355	1,583	1,239	840	9,017	12,120	1,159	1,607	7,023	1,678	89
36 Females	23,924	4,460	1,459	1,147	816	7,882	11,019	1,398	2,213	6,655	2,576	63
Birthplaces of mothers:												
37 United States	M. 107,496 F. 98,662	26,332 20,278	7,971 6,698	6,054 5,455	4,671 4,891	45,028 36,822	64,932 55,212	6,430 6,541	4,892 5,389	22,047 19,952	9,094 11,460	111 108
38 England and Wales	M. 11,383 F. 10,070	1,552 1,238	484 453	397 323	321 320	2,754 2,314	4,135 3,511	434 533	594 545	4,482 3,657	1,728 1,813	10 11
39 Ireland	M. 74,798 F. 76,710	8,097 6,230	2,446 2,087	1,942 1,815	1,743 1,586	14,228 11,718	22,315 19,437	3,132 3,238	6,211 6,536	35,001 36,108	7,479 11,276	60 65
40 Scotland	M. 3,720 F. 3,132	475 314	131 123	103 91	98 78	802 606	1,227 859	170 130	225 190	1,553 1,270	546 599	3 4
41 France	M. 1,868 F. 1,407	232 201	75 67	53 52	40 38	400 358	553 497	63 55	78 61	889 548	288 245	1 1
42 Germany	M. 55,437 F. 43,754	8,594 6,580	2,986 2,585	2,408 2,146	1,928 1,703	15,976 13,014	23,173 19,687	2,409 2,321	3,150 2,961	13,359 13,865	5,244 4,638	42 26
43 Russia and Poland	M. 4,794 F. 3,706	1,370 960	305 232	233 227	334 286	2,292 1,705	3,336 2,643	193 176	217 183	861 545	179 127	1 1
44 Canada	M. 3,826 F. 3,894	736 584	291 237	229 167	178 167	1,434 1,165	2,132 1,878	261 301	333 382	932 1,117	115 215	3 1
45 Scandinavia	M. 2,874 F. 2,253	528 415	199 167	143 171	144 126	1,014 879	1,539 1,359	131 129	152 170	959 527	93 66	2 1
46 Hungary	M. 1,267 F. 1,062	341 239	80 88	95 92	83 72	599 491	907 740	49 57	60 71	214 176	36 18	1 1
47 Bohemia	M. 1,672 F. 1,362	385 279	159 125	141 97	108 91	793 592	1,129 902	57 44	48 67	368 281	69 61	1 1
48 Italy	M. 8,269 F. 6,419	1,959 1,509	528 428	612 537	595 472	3,694 2,946	5,843 4,914	319 283	364 283	1,528 793	208 141	7 4
49 Other foreign countries	M. 6,341 F. 4,576	1,215 885	384 326	338 223	268 235	2,205 1,669	3,081 2,444	214 238	364 318	2,240 1,174	435 399	7 3
50 Unknown	M. 20,162 F. 14,914	3,177 2,672	1,081 935	646 603	421 414	5,275 4,624	6,530 5,899	403 358	1,157 887	9,198 5,022	2,551 2,675	273 73

TABLE 13.—DEATHS DURING THE 6 YEARS ENDING MAY 31, 1890, AT CERTAIN AGES AND FROM CERTAIN CAUSES,

SUMMARY—Continued.

LOCALITIES.	All ages.	AGE.										
		Months.					Years.					
		Under 3	3 to 6	6 to 9	9 to 12	Total under 12	Under 5	5 to 15	15 to 25	25 to 65	65 and over.	Un-known.
1 Rural.....	77,550	10,633	3,518	2,571	2,026	18,748	26,858	4,436	4,961	22,164	13,528	603
2 Males.....	41,151	6,213	1,916	1,399	1,081	10,609	14,827	2,225	2,454	11,661	9,588	396
3 Females.....	36,399	4,420	1,602	1,172	945	8,139	12,031	2,211	2,507	10,503	8,940	207
4 White.....	74,220	10,144	3,393	2,448	1,933	17,863	25,516	4,219	4,628	21,324	17,983	550
5 Native born.....	63,125	10,093	3,300	2,419	1,903	17,715	25,262	4,064	4,187	15,197	14,108	307
6 Both parents native.....	M. 24,503	4,305	1,227	921	705	7,158	9,754	1,352	1,351	5,350	6,066	130
F. 22,254	2,968	958	723	590	524	5,294	7,648	1,381	1,504	5,926	5,703	92
7 One or both parents foreign.....	M. 5,527	1,236	432	293	261	2,222	3,259	510	510	926	307	15
F. 5,113	933	410	295	245	1,883	2,852	544	478	900	324	15	
8 Foreign born.....	M. 5,623	2	12	8	12	34	78	70	221	3,262	1,943	49
F. 4,562	9	7	10	6	32	73	58	181	2,520	1,706	24	
9 Colored.....	3,330	489	180	123	93	835	1,342	217	333	840	545	53
10 Males.....	1,701	270	94	69	43	476	711	109	151	411	287	32
11 Females.....	1,629	219	86	54	50	409	631	108	132	429	258	21
Birthplaces of mothers:												
12 United States.....	M. 26,897	4,750	1,405	1,054	792	8,001	11,008	1,534	1,536	6,307	6,373	154
F. 24,534	3,342	1,104	833	677	5,950	8,761	1,566	1,734	6,898	6,024	111	
13 England and Wales.....	M. 1,251	122	47	30	21	220	310	46	67	458	367	3
F. 1,041	99	31	24	24	173	261	62	69	357	285	7	
14 Ireland.....	M. 3,975	332	100	56	65	553	378	213	332	1,633	849	20
F. 4,003	228	96	65	70	459	770	216	329	1,711	954	23	
15 Scotland.....	M. 268	27	14	4	4	48	70	10	14	100	73	1
F. 272	22	11	3	5	51	72	13	11	95	79	2	
16 Franco.....	M. 191	20	3	5	1	29	49	12	3	64	55	2
F. 162	18	10	4	1	23	43	14	3	58	39	2	
17 Germany.....	M. 3,344	411	152	99	100	762	1,087	134	133	1,263	609	18
F. 2,568	308	148	107	94	657	955	176	154	330	451	2	
18 Russia and Poland.....	M. 95	24	10	4	3	37	52	6	5	21	10	1
F. 70	20	6	2	2	38	52	2	4	8	4	4	
19 Canada.....	M. 74	17	2	1	4	24	37	4	5	18	10	1
F. 69	10	7	2	2	21	30	7	2	23	7	7	
20 Scandinavia.....	M. 206	34	19	13	13	102	102	12	14	63	15	6
F. 144	26	19	7	6	69	80	7	8	33	6	6	
21 Hungary.....	M. 49	10	3	3	2	18	24	2	7	15	1	1
F. 19	5	1	2	1	11	15	2	2	3	2	2	
22 Bohemia.....	M. 11	2	1	1	1	6	11	3	4	1	1	1
F. 181	20	7	6	3	36	53	6	19	89	9	5	
23 Italy.....	M. 114	24	9	14	3	70	11	7	18	6	2	5
F. 257	37	11	15	6	50	65	10	12	96	39	5	
24 Other foreign countries.....	M. 163	21	13	7	41	65	15	14	47	22	22	2
F. 4,944	408	156	109	62	735	1,056	186	258	1,480	1,177	187	
25 Unknown.....	F. 3,175	268	142	93	56	579	833	120	181	920	1,061	60
26 Unlocated.....	2,075	55	73	85	81	294	532	81	144	734	471	13
27 Males.....	1,502	27	43	41	50	161	311	48	103	647	383	10
28 Females.....	573	28	30	44	31	133	271	33	41	137	88	3
29 White.....	1,976	53	67	84	77	281	554	81	127	752	450	12
30 Native born.....	1,157	53	66	83	76	273	535	76	61	268	215	2
31 Both parents native.....	M. 109	6	7	8	13	34	59	10	7	18	14	1
F. 65	5	9	9	6	29	49	4	3	1	8	8	
32 One or both parents foreign.....	M. 173	11	21	13	22	72	129	15	7	17	5	
F. 140	10	6	13	17	46	102	19	15	4	4	2	
33 Foreign born.....	M. 602	1	1	1	1	1	1	2	48	370	179	2
F. 164	1	1	1	1	1	1	3	10	101	47	2	
34 Colored.....	99	2	6	1	4	13	28	17	32	21	1	
35 Males.....	75	5	5	3	8	15	15	15	23	16	1	
36 Females.....	24	2	1	1	5	13	13	2	4	5	1	
Birthplaces of mothers:												
37 United States.....	M. 181	12	14	14	16	56	99	11	17	31	22	1
F. 112	11	12	15	10	48	85	8	6	2	11	11	
38 England and Wales.....	M. 94	1	1	1	5	14	14	1	7	41	32	
F. 23	2	1	4	1	8	12	1	1	7	2	2	
39 Ireland.....	M. 320	5	11	7	7	30	64	12	15	159	69	1
F. 167	2	2	2	7	13	35	14	18	66	32	2	
40 Scotland.....	M. 20	1	1	1	1	1	1	1	1	9	10	
F. 6	1	1	1	1	1	1	1	1	2	4	4	
41 Franco.....	M. 5	1	1	1	1	2	2	3	3	2	2	
F. 197	1	6	6	8	21	29	3	8	69	28	28	
42 Germany.....	M. 61	3	2	3	6	14	26	2	5	18	10	
F. 17	1	1	1	1	1	1	1	1	14	1	1	
43 Russia and Poland.....	M. 11	1	1	1	1	2	1	1	6	1	1	
F. 4	1	1	1	1	2	3	3	4	1	23	1	
44 Scandinavia.....	M. 107	2	1	1	1	4	4	17	63	1	23	
F. 8	1	1	1	1	3	6	6	1	2	1	1	
45 Hungary.....	M. 2	1	1	1	1	1	1	1	1	1	1	
F. 2	1	1	1	1	1	1	1	1	1	1	1	
46 Bohemia.....	M. 7	1	1	1	1	1	2	2	2	2	1	
F. 5	1	1	1	1	2	3	3	2	7	12	12	
47 Other foreign countries.....	M. 47	2	2	2	2	2	2	2	2	2	2	
F. 4	1	1	1	1	1	1	1	1	1	1	1	
48 Unknown.....	M. 551	4	8	10	13	35	89	21	28	225	181	7
F. 175	8	12	16	5	41	98	6	10	33	32	32	

STATISTICS OF DEATHS.

WITH DISTINCTION OF SEX, COLOR, NATIVITY, PARENTAL NATIVITY, AND BIRTHPLACES OF MOTHERS—Continued.

SUMMARY—Continued.

Table with columns for 'All causes.' and various causes of death: Scarlet fever, Typhoid fever, Malarial fever, Diphtheria, Croup, Diarrheal diseases, Consumption, Pneumonia, Measles, Whooping cough, Cancer and tumor, Heart disease and dropsy, Child-birth and puerperal diseases, Diseases of the liver, Diseases of the nervous system, Diseases of the urinary organs, Old age, Still-born, All other causes, and Unknown. The table is organized into rows, with a 'CAUSE OF DEATH.' heading at the top and a list of numbers on the right side.

TABLE 13.—DEATHS DURING THE 6 YEARS ENDING MAY 31, 1890, AT CERTAIN AGES AND FROM CERTAIN CAUSES, METROPOLITAN DISTRICT—Continued.

LOCALITIES.	AGE.											
	All ages.	Months.					Years.					
		Under 3	3 to 6	6 to 9	9 to 12	Total under 12	Under 5	5 to 15	15 to 25	25 to 65	65 and over.	Un-known.
1 Rural	27,321	3,365	1,410	1,015	776	6,566	9,954	1,760	1,582	8,290	5,528	198
2 Males	14,598	1,935	733	539	410	3,617	5,403	890	896	4,583	2,753	133
3 Females	12,723	1,430	677	476	366	2,949	4,551	870	746	3,716	2,775	65
4 White	26,425	3,237	1,361	975	754	6,327	9,593	1,690	1,507	8,046	5,402	187
5 Native born	19,432	3,186	1,335	957	730	6,213	9,413	1,590	1,227	4,026	3,105	71
6 Both parents native.....	M. 4,904	826	284	218	167	1,495	2,212	344	258	1,115	959	16
7 One or both parents foreign.....	F. 4,553	618	265	188	135	1,206	1,868	360	252	1,062	1,002	9
8 Foreign born	M. 3,070	609	273	187	167	1,296	1,979	303	242	452	85	9
9 Colored	F. 2,773	488	254	186	167	1,095	1,729	322	219	399	94	10
10 Males	M. 3,525	1	5	3	10	19	47	42	144	2,148	1,120	24
11 Females	F. 2,923	5	2	6	3	16	43	36	110	1,665	1,059	10
12 Birthplaces of mothers:												
13 United States	M. 5,808	988	364	287	205	1,854	2,765	418	304	1,267	1,034	20
14 England and Wales	F. 5,372	762	326	238	172	1,498	2,325	449	304	1,200	1,080	14
15 Ireland	M. 599	50	21	13	13	97	142	25	28	236	167	1
16 Scotland	F. 505	41	19	9	13	82	125	28	32	183	134	3
17 France	M. 2,478	137	64	40	40	331	548	129	172	1,109	507	13
18 Germany	F. 2,467	109	65	44	40	267	472	125	160	1,091	609	10
19 Russia and Poland.....	M. 141	13	5	3	4	25	38	7	8	61	27
20 Canada	F. 150	17	5	5	4	31	44	9	10	49	36	2
21 Scandinavia	M. 120	10	3	2	17	35	10	7	39	25	1
22 Hungary	F. 106	13	5	4	20	32	12	2	39	21
23 Bohemia	M. 2,112	236	106	63	65	470	698	113	106	827	357	11
24 Italy	F. 1,563	177	93	73	66	409	616	110	75	504	257	1
25 Other foreign countries.....	M. 58	16	3	3	1	23	34	3	3	14	3	1
Unknown	F. 47	13	5	4	2	24	35	2	8	2
.....	M. 41	11	1	1	3	16	23	3	4	8	3
.....	F. 44	5	5	2	2	14	18	5	2	17	2
.....	M. 105	14	6	10	10	40	49	3	3	39	6
.....	F. 67	9	11	3	4	27	39	4	5	18	1
.....	M. 13	1	2	2	4	1	3	5
.....	F. 9	1	1	3	5	1	2	1
.....	M. 10	2	1	3	3	4	3	3
.....	F. 8	1	1	1	3	3	6	1	1
.....	M. 93	8	3	4	3	18	27	1	9	49	4	3
.....	F. 49	8	2	3	13	23	5	6	11	2	2
.....	M. 124	8	7	5	5	25	38	3	5	58	18	2
.....	F. 75	7	6	3	16	28	10	5	20	12
.....	M. 2,896	382	149	105	60	696	998	174	176	868	599	81
.....	F. 2,261	268	134	88	52	542	783	112	142	573	618	33

STATISTICS OF DEATHS.

WITH DISTINCTION OF SEX, COLOR, NATIVITY, PARENTAL NATIVITY, AND BIRTHPLACES OF MOTHERS—Continued.

METROPOLITAN DISTRICT—Continued.

CAUSE OF DEATH.																				
All causes.	Scarlet fever.	Typhoid fever.	Malarial fever.	Diphtheria.	Croup.	Diarrheal diseases.	Consumption.	Pneumonia.	Measles.	Whooping cough.	Cancer and tumor.	Heart disease and dropsy.	Child-birth and puerperal diseases.	Diseases of the liver.	Diseases of the nervous system.	Diseases of the urinary organs.	Old age.	Still-born.	All other causes.	Unknown.
27,321	408	295	457	1,193	361	2,745	3,131	2,147	190	196	632	1,574	190	366	3,621	1,222	537	563	7,144	329
14,598	211	175	215	554	198	1,430	1,670	1,158	109	88	227	805	-----	221	1,924	733	226	341	4,093	220
12,723	197	120	242	639	163	1,315	1,461	989	81	108	425	769	190	145	1,697	489	311	222	3,051	109
26,425	405	283	436	1,168	350	2,660	2,980	2,070	186	183	639	1,518	182	362	3,513	1,191	512	554	6,902	320
10,432	382	205	312	1,121	344	2,318	1,932	1,379	180	184	353	888	128	174	2,704	704	279	554	5,109	182
4,904	85	73	75	236	65	530	459	392	28	32	80	275	-----	60	762	226	65	198	1,235	23
4,553	78	40	82	274	71	450	452	338	33	42	152	272	58	44	648	149	98	136	1,109	27
3,070	82	34	40	200	91	459	322	214	46	39	16	59	-----	16	395	67	9	113	829	39
2,773	73	25	65	244	67	440	285	148	27	36	34	65	46	14	347	66	11	75	637	18
3,525	8	34	59	15	6	138	578	342	1	1	103	314	-----	116	403	233	91	-----	964	69
2,923	12	39	59	22	4	168	423	311	2	1	171	235	52	71	360	174	129	-----	616	29
896	3	12	21	25	5	85	151	77	4	8	13	56	8	4	108	31	25	9	242	9
474	-----	7	8	14	3	47	77	41	4	4	3	32	-----	2	51	16	15	8	137	5
422	3	5	13	11	2	38	74	36	-----	4	10	24	8	2	57	15	10	1	105	4
5,808	107	84	87	283	86	663	554	457	39	44	85	307	-----	63	874	249	72	216	1,500	38
5,372	92	48	99	333	86	565	543	389	39	52	165	290	69	46	767	175	111	140	1,322	32
590	8	5	12	17	5	39	57	49	-----	6	9	48	-----	12	89	54	11	12	154	12
595	7	14	10	26	6	43	57	40	1	2	27	31	9	9	66	18	12	4	116	7
2,478	28	31	42	59	23	164	443	232	21	14	48	151	-----	49	230	157	49	40	621	26
2,467	35	20	50	72	16	205	393	233	9	11	33	177	44	49	296	129	82	23	537	13
141	2	2	2	2	3	10	14	12	1	-----	3	8	-----	1	20	8	3	3	45	2
150	4	4	5	6	-----	8	16	17	-----	5	14	1	-----	2	20	6	4	5	32	1
120	3	3	1	12	3	11	14	6	1	-----	3	11	-----	6	19	2	1	-----	23	1
106	-----	-----	3	15	3	13	6	5	2	-----	14	9	-----	8	6	-----	-----	2	17	-----
2,112	25	17	31	80	37	217	268	172	13	9	39	116	-----	51	235	103	23	39	533	54
1,593	17	21	38	88	23	195	150	116	8	12	56	92	27	19	196	53	21	31	378	22
58	-----	-----	3	3	1	8	4	6	1	-----	1	1	-----	10	1	-----	-----	1	20	2
47	-----	-----	4	1	2	8	1	2	1	-----	1	1	-----	7	7	-----	-----	3	15	-----
41	-----	-----	1	1	-----	4	2	1	-----	1	1	-----	-----	1	6	2	1	4	12	-----
44	1	-----	2	1	-----	7	2	1	-----	1	1	-----	-----	3	3	1	1	1	13	-----
105	1	2	2	3	1	12	6	9	-----	-----	-----	1	-----	3	18	-----	1	1	43	2
67	2	-----	2	3	-----	16	6	4	-----	2	3	2	-----	7	7	3	-----	1	15	-----
13	-----	1	-----	-----	-----	3	1	1	-----	-----	-----	-----	-----	2	-----	-----	-----	-----	5	-----
9	-----	-----	-----	-----	-----	3	1	1	-----	-----	-----	-----	-----	2	-----	-----	-----	-----	2	-----
10	-----	-----	-----	-----	-----	1	3	1	-----	-----	-----	-----	-----	-----	-----	-----	-----	1	4	-----
8	-----	-----	-----	1	1	1	-----	-----	-----	-----	-----	-----	-----	1	1	-----	-----	-----	2	-----
93	-----	-----	1	5	-----	9	7	9	3	-----	1	5	-----	1	10	1	-----	-----	40	1
49	-----	1	-----	5	2	9	3	8	-----	1	2	2	-----	8	8	1	-----	1	10	-----
124	1	1	1	1	5	15	14	14	-----	-----	5	-----	-----	2	13	3	1	2	36	-----
75	6	1	-----	4	3	8	14	5	-----	-----	-----	2	-----	6	6	2	1	1	18	-----
2,896	36	29	35	88	34	274	233	189	30	14	33	145	2	32	348	153	64	22	1,007	80
2,261	33	11	28	85	21	234	269	174	20	24	67	141	31	17	310	95	79	10	579	33

TABLE 13.—DEATHS DURING THE 6 YEARS ENDING MAY 31, 1890, AT CERTAIN AGES AND FROM CERTAIN CAUSES, METROPOLITAN DISTRICT IN NEW YORK.

Table with columns: LOCALITIES, AGE (All ages, Months, Years), and rows listing categories like Aggregate (a), Males, Females, White, Colored, Birthplaces of mothers (United States, England and Wales, Ireland, etc.), and Cities. Each row contains death counts for various age groups and causes.

a Includes unlocated, given on pages 504 and 505.

STATISTICS OF DEATHS.

511

WITH DISTINCTION OF SEX, COLOR, NATIVITY, PARENTAL NATIVITY, AND BIRTHPLACES OF MOTHERS—Continued.

METROPOLITAN DISTRICT IN NEW YORK.

CAUSE OF DEATH.																			Un- known.	1		
All causes.	Scar- lot fever.	Ty- phoid fever.	Mal- arial fever.	Diph- theria.	Croup.	Diar- rheal dis- eases.	Con- sump- tion.	Pneu- monia.	Measles.	Whoop- ing cough.	Can- cer and tumor.	Heart dis- ease and dropsy.	Child- birth and puer- peral dis- eases.	Dis- eases of the liver.	Dis- eases of the nervous sys- tem.	Dis- eases of the uri- nary or- gans.	Old age.	Still- born.			All other causes.	
399,424	6,825	3,340	4,140	16,766	7,665	42,896	50,226	36,981	4,858	4,357	8,034	19,298	3,378	4,795	36,242	21,113	3,848	26,934	97,061	667	1	
212,464 186,960	3,388 3,437	1,958 1,382	2,017 2,123	8,320 8,446	4,101 3,564	22,218 20,678	27,766 22,460	20,503 16,473	2,510 2,348	1,962 2,395	2,643 5,391	9,793 9,505	3,378	2,674 2,121	19,532 16,710	11,603 9,510	1,356 2,492	15,357 11,577	54,354 42,707	404 263	2 3	
301,630	6,795	3,296	4,054	16,652	7,626	42,258	48,587	36,246	4,822	4,256	7,918	18,836	3,319	4,743	35,567	20,637	3,752	26,443	95,178	645	4	
264,410 46,321 41,702 84,996 74,287 64,187 57,746	6,282 1,054 1,002 1,983 2,078 241 237	1,695 346 251 542 428 951 637	2,579 484 508 705 749 702 758	15,559 2,444 2,520 5,054 5,045 447 456	7,174 1,041 946 2,723 2,327 194 183	36,584 5,373 4,927 12,833 11,550 2,205 2,641	23,996 3,376 3,077 8,343 7,323 13,841 10,522	21,893 3,376 3,302 7,504 6,064 7,793 5,924	4,341 557 587 1,547 1,436 142 124	4,078 636 715 1,144 1,438 35 47	2,527 407 1,099 213 562 1,884 3,467	7,856 1,875 1,721 1,746 1,795 5,445 5,416	1,439 466 466 904 323 1,692 1,874	1,622 395 297 4,392 6,037 5,886 1,412	24,269 5,037 1,389 2,055 1,918 6,649 5,659	8,146 2,029 1,389 2,055 1,918 6,649 5,659	1,240 270 601 42 96 898 1,588	26,443 4,485 3,431 3,495 7,280 15,002 11,541	66,318 12,585 10,527 21,238 16,875 15,002 11,541	369 64 54 76 59 130 83	404 263	2 3
7,794	30	44	86	114	39	638	1,639	735	36	101	116	462	59	52	675	476	96	491	1,883	22	9	
4,161 3,633	12 18	24 20	41 45	55 59	25 14	333 300	1,003 836	394 341	22 14	41 60	35 81	229 233	59	32	234 341	258 218	41 55	279 212	987 896	11 11	10 11	
61,328 55,537 8,225 7,147 54,107 55,538 2,590 2,138 1,615 1,220 46,038 36,869 4,298 3,233 1,203 1,094 2,466 1,869 1,143 973 1,661 1,348 7,286 5,651 5,484 3,901 15,020 10,877	1,442 1,385 122 128 697 714 44 29 15 18 61 639 91 101 30 36 49 24 27 15 20 65 27 20 28 58 69 70 104 109	431 322 96 67 404 413 30 27 15 19 539 353 28 22 15 8 50 28 6 7 15 5 63 27 34 61 30 104 65	611 655 82 110 604 727 82 97 49 387 376 18 22 15 22 50 35 103 3 4 11 8 30 39 32 111 152	3,382 3,469 255 111 687 609 95 17 18 21 976 817 187 138 7 41 23 48 46 37 48 74 112 67 108 6 2 7 7 11 5 6 212 214 176 93 324 364	1,471 1,305 111 105 687 609 95 17 18 21 976 817 187 138 7 41 23 48 46 37 48 74 112 67 108 6 2 7 7 11 5 6 212 214 176 93 324 364	7,497 6,796 671 658 3,078 4,322 150 377 254 132 130 5,201 4,655 595 474 195 125 357 357 326 155 187 282 184 843 488 705 349 653 868 398 372 1,589 1,331	5,103 4,452 711 72 71 6 10,515 10,184 254 132 130 6,756 4,125 502 36 13 77 33 30 32 32 25 21 22 16 359 60 81 34 39 128 108 254	789 4,452 711 72 71 6 10,515 10,184 254 132 130 861 352 502 53 13 77 33 30 32 32 25 21 22 16 359 60 81 34 39 128 108 254	870 1,031 64 152 306 677 476 15 22 6 13 812 402 1,338 35 62 76 69 52 102 30 31 11 30 24 42 38 148 49 250 161 107 660 463	465 1,268 128 536 500 2,743 3,586 43 103 33 72 2,498 2,099 122 118 9 69 26 13 52 26 30 30 21 11 57 158 71 34 154 111	2,281 2,168 583 120 100 2,743 1,056 1,044 45 180 54 39 22 786 3,967 21 9 260 16 83 22 22 7 18 29 12 148 65 43 553 107 447 245 322 107 452	6,419 5,672 844 728 3,930 4,571 235 198 221 161 112 47 29 119 4,182 3,067 1,664 351 21 9 260 16 83 22 22 7 18 29 12 148 65 43 553 107 447 245 322 107 452	2,462 1,815 654 935 2,930 4,452 198 133 112 112 64 2,640 1,664 1,351 108 62 4 96 8 210 65 10 5 786 609 488 27 157 32 826 452	314 676 76 146 434 1,002 31 27 161 47 20 76 268 3,067 351 587 1,008 416 65 4 146 8 132 210 70 159 403 5 116 283 2,138 609 1,527 1,244 4 781 4,998 3,106	6,026 4,619 435 349 2,495 1,761 120 629 649 4 87 58 360 1 260 2 10,718 7,593 5,006 44 672 325 1 259 612 409 3 374 210 403 1 283 1 8 5 1,527 1,244 4 781 4,998 3,106	16,552 13,960 73 22 13,099 11,629 53 61 1 458 360 1 260 2 10,718 7,593 5,006 44 672 325 1 259 612 409 3 374 210 403 1 283 1 8 5 1,527 1,244 4 781 4,998 3,106	85 50 13 14 15 16 17 18 19 20 21 22 23 24 25 26 27 28 29 30 31 32 33 34 35 36 37 38 39 40 41 42 43 44 45 46 47 48 49 50					

TABLE 13.—DEATHS DURING THE 6 YEARS ENDING MAY 31, 1890, AT CERTAIN AGES AND FROM CERTAIN CAUSES, METROPOLITAN DISTRICT IN NEW YORK—Continued.

LOCALITIES.	All ages.	AGE.										
		Months.					Years.					
		Under 3	3 to 6	6 to 9	9 to 12	Total under 12	Under 5	5 to 15	15 to 25	25 to 65	65 and over.	Un-known.
1 Rural	19,317	2,147	1,091	755	544	4,477	6,854	1,273	1,115	5,819	4,093	163
2 Males	10,215	1,228	586	397	291	2,452	3,697	628	576	3,190	2,016	108
3 Females	9,102	919	495	358	253	2,025	3,157	645	539	2,629	2,077	55
4 White	18,570	2,056	989	720	528	4,293	6,567	1,213	1,048	5,604	3,982	156
5 Native born	13,415	2,022	969	704	513	4,208	6,430	1,188	839	2,714	2,237	57
6 Both parents native	2,919	416	187	146	117	866	1,300	200	149	650	609	11
7 One or both parents foreign	2,855	323	166	123	82	694	1,103	242	159	673	672	6
8 Foreign born	1,894	414	184	128	113	839	1,225	212	151	269	64	7
9 Colored	747	91	42	35	16	184	287	60	67	215	111	7
10 Males	396	51	23	23	6	103	166	24	36	112	55	3
11 Females	351	40	19	12	10	81	121	36	31	103	56	4
12 Birthplaces of mothers:												
13 United States	3,637	542	250	197	147	1,136	1,730	258	188	769	677	15
14 England and Wales	3,511	430	217	166	110	923	1,465	318	200	782	736	10
15 Ireland	1,840	119	49	29	29	226	374	92	114	830	420	10
16 Scotland	1,898	79	43	36	37	195	342	97	121	826	506	6
17 France	88	4	2	3	2	11	21	3	6	40	18	2
18 Germany	88	6	2	4	1	13	21	6	6	31	22	2
19 Russia and Poland	77	7	1	3	3	11	23	7	4	27	15	1
20 Canada	67	6	3	1	1	10	20	9	2	22	14	1
21 Scandinavia	82	9	5	8	7	29	34	3	7	35	3	3
22 Hungary	53	4	10	2	4	20	30	3	5	1+5	1	1
23 Bohemia	13	1	1	1	1	2	4	1	3	5	2	2
24 Italy	8	1	1	1	1	1	2	3	3	3	1	1
25 Other foreign countries	63	3	2	3	1	9	10	1	7	41	2	3
26 Unknown	29	6	2	2	3	8	14	3	4	4	6	2
27 Brooklyn city	112,467	19,164	6,313	5,193	4,351	35,026	52,906	6,339	6,594	34,571	11,970	81
28 Males	58,601	10,771	3,330	2,722	2,294	19,117	28,456	3,108	3,233	18,433	5,263	53
29 Females	53,866	8,393	2,983	2,476	2,057	15,909	24,450	3,231	3,311	16,138	6,708	28
30 White	110,616	18,905	6,193	5,091	4,270	34,459	52,094	6,220	6,435	33,987	11,806	74
31 Native born	79,084	18,374	6,152	5,052	4,217	34,295	51,418	5,745	4,841	12,811	4,248	21
32 Both parents native	16,813	4,431	1,261	1,007	795	7,494	10,800	996	612	2,911	1,439	5
33 One or both parents foreign	15,744	3,429	1,127	868	726	6,150	9,223	1,059	675	2,760	2,024	2
34 Foreign born	23,258	5,904	1,957	1,611	1,412	10,884	16,433	1,772	1,657	3,197	193	6
35 Colored	20,992	4,637	1,742	1,521	1,249	9,149	14,167	1,820	1,684	3,009	306	6
36 Males	15,940	9	17	22	29	77	841	229	798	11,175	3,387	10
37 Females	15,188	8	21	16	21	66	302	241	778	9,718	4,140	9
38 Birthplaces of mothers:												
39 United States	21,197	5,506	1,678	1,328	1,075	9,587	14,061	1,347	790	3,401	1,592	6
40 England and Wales	19,906	4,284	1,482	1,170	960	7,896	11,979	1,430	926	3,313	2,250	3
41 Ireland	2,889	344	109	87	64	604	936	113	161	1,160	517	2
42 Scotland	2,630	280	87	74	82	523	813	146	129	973	563	1
43 France	14,379	1,694	460	379	368	2,901	4,619	681	1,129	6,497	1,445	8
44 Germany	15,049	1,280	415	365	321	2,331	3,975	749	1,201	6,960	2,155	9
45 Russia and Poland	830	90	25	24	16	155	274	40	51	326	139	2
46 Canada	671	58	31	19	19	127	196	35	33	280	127	1
47 Scandinavia	249	20	8	8	6	42	65	14	7	104	59	1
48 Hungary	187	21	6	5	5	38	59	9	7	69	43	1
49 Bohemia	12,937	2,015	747	664	531	3,957	5,782	664	740	4,609	1,138	4
50 Italy	10,853	1,037	687	609	468	3,401	5,102	621	695	3,235	1,197	3
51 Other foreign countries	336	93	28	13	25	164	225	11	15	76	9	1
52 Unknown	245	70	22	17	15	124	181	13	13	32	6	1
53 Males	401	68	26	12	18	124	195	19	38	122	27	1
54 Females	374	52	15	12	16	95	153	19	31	132	39	1
55 Birthplaces of mothers:												
56 United States	1,241	259	85	67	64	475	736	64	62	346	33	3
57 England and Wales	1,035	193	85	71	59	413	643	69	77	215	30	1
58 Ireland	32	7	2	2	1	12	19	1	2	9	1	1
59 Scotland	24	7	2	3	4	16	19	1	1	3	1	1
60 France	31	2	1	2	2	7	17	1	1	10	4	1
61 Germany	29	5	1	1	1	7	18	1	2	5	3	1
62 Russia and Poland	929	243	68	59	73	443	654	39	34	170	32	2
63 Canada	757	202	58	65	56	381	595	42	19	85	18	1
64 Scandinavia	942	138	52	43	29	262	382	48	63	373	74	2
65 Hungary	712	95	48	40	30	213	313	38	52	221	88	1
66 Bohemia	2,208	287	41	34	22	384	491	67	191	1,230	198	81
67 Italy	1,394	204	44	25	21	294	404	58	125	615	186	6

TABLE 13.—DEATHS DURING THE 6 YEARS ENDING MAY 31, 1890, AT CERTAIN AGES AND FROM CERTAIN CAUSES, METROPOLITAN DISTRICT IN NEW YORK—Continued.

LOCALITIES.	AGE.											
	All ages.	Months.					Years.					
		Under 3	3 to 6	6 to 9	9 to 12	Total under 12	Under 5	5 to 15	15 to 25	25 to 65	65 and over.	Un-known.
1 Flatbush town.....	1,186	162	47	50	47	306	482	86	65	380	164	9
2 Males.....	625	87	26	20	25	158	266	38	32	210	76	3
3 Females.....	561	75	21	30	22	148	216	48	33	170	88	6
4 White.....	1,146	153	46	50	45	294	465	84	59	371	159	8
5 Native born.....	779	152	46	49	44	291	460	79	44	133	57	6
6 Both parents native.....	M 137 F 148	M 18 F 23	M 9 F 9	M 10 F 9	M 10 F 3	M 47 F 44	M 78 F 62	M 11 F 17	M 5 F 10	M 29 F 27	M 14 F 31	M 1 F 1
7 One or both parents foreign.....	M 188 F 183	M 34 F 40	M 16 F 9	M 8 F 19	M 11 F 17	M 69 F 85	M 131 F 126	M 19 F 25	M 12 F 10	M 22 F 17	M 3 F 2	M 1 F 3
8 Foreign born.....	M 191 F 169	M 40 F 19	M 9 F 5	M 19 F 8	M 17 F 1	M 85 F 2	M 126 F 1	M 25 F 3	M 10 F 8	M 17 F 125	M 2 F 54	M 3 F 1
9 Colored.....	40	9	1		2	12	17	2	6	9	5	1
10 Males.....	22	6			1	8	10	1	3	5	3	
11 Females.....	18	3	1		1	4	7	1	3	4	2	1
12 Birthplaces of mothers:												
13 United States.....	M 190 F 196	M 30 F 33	M 12 F 10	M 11 F 14	M 12 F 6	M 65 F 63	M 112 F 96	M 17 F 20	M 7 F 14	M 35 F 31	M 19 F 33	M 2 F 2
14 England and Wales.....	M 44 F 34	M 2 F 2	M 2 F 2	M 1 F 2	M 2 F 4	M 7 F 4	M 12 F 10	M 3 F 2	M 3 F 12	M 18 F 6	M 11 F 6	M 1 F 1
15 Ireland.....	M 200 F 193	M 16 F 19	M 8 F 5	M 5 F 8	M 4 F 9	M 33 F 41	M 65 F 55	M 9 F 15	M 14 F 11	M 35 F 32	M 20 F 29	M 1 F 1
16 Scotland.....	M 8 F 7	M 1 F 1	M 1 F 1	M 1 F 3	M 1 F 3	M 1 F 3	M 2 F 3	M 1 F 1	M 1 F 2	M 3 F 2	M 3 F 3	M 1 F 1
17 France.....	M 2 F 3	M 1 F 1	M 1 F 1	M 1 F 1	M 1 F 1	M 2 F 2	M 2 F 2	M 1 F 1	M 1 F 1	M 1 F 1	M 1 F 1	M 1 F 1
18 Germany.....	M 76 F 66	M 10 F 9	M 2 F 2	M 2 F 3	M 2 F 4	M 16 F 18	M 25 F 25	M 5 F 7	M 2 F 1	M 29 F 25	M 14 F 8	M 1 F 1
19 Russia and Poland.....	M 3 F 4	M 1 F 1	M 1 F 1	M 1 F 1	M 1 F 1	M 1 F 1	M 2 F 2	M 1 F 1	M 1 F 1	M 1 F 1	M 1 F 1	M 1 F 1
20 Canada.....	M 3 F 4	M 1 F 1	M 1 F 1	M 1 F 1	M 1 F 1	M 1 F 1	M 2 F 2	M 1 F 1	M 1 F 1	M 1 F 1	M 1 F 1	M 1 F 1
21 Scandinavia.....	M 4 F 2	M 1 F 1	M 1 F 1	M 1 F 1	M 1 F 1	M 1 F 1	M 2 F 1	M 1 F 1	M 1 F 1	M 1 F 1	M 1 F 1	M 1 F 1
22 Hungary.....	M 3 F 4	M 1 F 1	M 1 F 1	M 1 F 1	M 1 F 1	M 1 F 1	M 2 F 2	M 1 F 1	M 1 F 1	M 1 F 1	M 1 F 1	M 1 F 1
23 Bohemia.....	M 5 F 5	M 1 F 1	M 1 F 1	M 1 F 1	M 1 F 1	M 1 F 1	M 2 F 2	M 1 F 1	M 1 F 1	M 1 F 1	M 1 F 1	M 1 F 1
24 Italy.....	M 5 F 5	M 1 F 1	M 1 F 1	M 1 F 1	M 1 F 1	M 1 F 1	M 2 F 2	M 1 F 1	M 1 F 1	M 1 F 1	M 1 F 1	M 1 F 1
25 Other foreign countries.....	M 2 F 6	M 1 F 1	M 1 F 1	M 1 F 1	M 1 F 1	M 2 F 1	M 2 F 2	M 1 F 1	M 1 F 1	M 1 F 1	M 3 F 7	M 1 F 1
26 Unknown.....	M 31 F 45	M 28 F 9	M 3 F 3	M 1 F 2	M 3 F 1	M 32 F 15	M 44 F 20	M 7 F 4	M 6 F 4	M 30 F 12	M 3 F 7	M 1 F 1
27 Flatlands town.....	484	63	24	27	15	129	219	49	31	116	67	2
28 Males.....	254	32	11	13	5	61	114	25	20	58	36	1
29 Females.....	230	31	13	14	10	68	105	24	11	58	31	1
30 White.....	449	53	24	24	14	120	205	43	23	108	63	2
31 Native born.....	361	57	24	23	14	118	202	43	24	49	42	1
32 Both parents native.....	M 105 F 102	M 18 F 17	M 7 F 6	M 5 F 7	M 4 F 3	M 34 F 33	M 63 F 53	M 6 F 12	M 9 F 2	M 12 F 20	M 15 F 15	M 1 F 1
33 One or both parents foreign.....	M 52 F 53	M 8 F 7	M 3 F 5	M 4 F 3	M 1 F 5	M 16 F 20	M 32 F 32	M 12 F 7	M 4 F 6	M 3 F 6	M 1 F 2	M 1 F 1
34 Foreign born.....	M 45 F 33	M 7 F 3	M 3 F 5	M 3 F 3	M 5 F 5	M 20 F 20	M 32 F 32	M 7 F 1	M 6 F 2	M 6 F 24	M 6 F 6	M 1 F 1
35 Colored.....	35	5		3	1	9	14	6	3	8	4	
36 Males.....	16	2		1		3	7	2	2	4	1	
37 Females.....	19	3		2	1	6	7	4	1	4	3	
38 Birthplaces of mothers:												
39 United States.....	M 132 F 135	M 19 F 21	M 7 F 7	M 6 F 10	M 5 F 7	M 37 F 45	M 75 F 71	M 14 F 17	M 11 F 4	M 16 F 24	M 16 F 19	M 1 F 1
40 England and Wales.....	M 2 F 2	M 2 F 2	M 2 F 2	M 1 F 1	M 1 F 1	M 2 F 2	M 2 F 2	M 2 F 2	M 1 F 1	M 1 F 1	M 1 F 1	M 1 F 1
41 Ireland.....	M 21 F 26	M 2 F 1	M 2 F 1	M 1 F 1	M 1 F 1	M 5 F 4	M 8 F 8	M 2 F 2	M 1 F 2	M 6 F 12	M 4 F 1	M 1 F 1
42 Scotland.....	M 3 F 1	M 1 F 1	M 1 F 1	M 1 F 1	M 1 F 1	M 1 F 1	M 2 F 2	M 1 F 1	M 1 F 1	M 1 F 1	M 1 F 1	M 1 F 1
43 France.....	M 1 F 47	M 1 F 3	M 1 F 5	M 1 F 3	M 1 F 2	M 6 F 11	M 13 F 15	M 4 F 3	M 4 F 4	M 20 F 16	M 6 F 4	M 4 F 4
44 Germany.....	M 47 F 42	M 3 F 5	M 1 F 3	M 2 F 2	M 1 F 1	M 6 F 11	M 13 F 15	M 4 F 3	M 4 F 4	M 20 F 16	M 6 F 4	M 4 F 4
45 Russia and Poland.....	M 3 F 4	M 1 F 1	M 1 F 1	M 1 F 1	M 1 F 1	M 1 F 1	M 2 F 2	M 1 F 1	M 1 F 1	M 1 F 1	M 1 F 1	M 1 F 1
46 Canada.....	M 3 F 4	M 1 F 1	M 1 F 1	M 1 F 1	M 1 F 1	M 1 F 1	M 2 F 2	M 1 F 1	M 1 F 1	M 1 F 1	M 1 F 1	M 1 F 1
47 Scandinavia.....	M 3 F 4	M 1 F 1	M 1 F 1	M 1 F 1	M 1 F 1	M 1 F 1	M 2 F 2	M 1 F 1	M 1 F 1	M 1 F 1	M 1 F 1	M 1 F 1
48 Hungary.....	M 3 F 4	M 1 F 1	M 1 F 1	M 1 F 1	M 1 F 1	M 1 F 1	M 2 F 2	M 1 F 1	M 1 F 1	M 1 F 1	M 1 F 1	M 1 F 1
49 Bohemia.....	M 5 F 5	M 1 F 1	M 1 F 1	M 1 F 1	M 1 F 1	M 1 F 1	M 2 F 2	M 1 F 1	M 1 F 1	M 1 F 1	M 1 F 1	M 1 F 1
50 Italy.....	M 5 F 5	M 1 F 1	M 1 F 1	M 1 F 1	M 1 F 1	M 1 F 1	M 2 F 2	M 1 F 1	M 1 F 1	M 1 F 1	M 1 F 1	M 1 F 1
Other foreign countries.....	M 4 F 6	M 1 F 1	M 1 F 1	M 1 F 1	M 1 F 1	M 2 F 1	M 2 F 2	M 1 F 1	M 1 F 1	M 1 F 1	M 3 F 7	M 1 F 1
Unknown.....	M 37 F 23	M 5 F 4	M 1 F 2	M 3 F 1	M 1 F 1	M 9 F 8	M 13 F 11	M 5 F 1	M 3 F 1	M 8 F 5	M 7 F 6	M 1 F 1

WITH DISTINCTION OF SEX, COLOR, NATIVITY, PARENTAL NATIVITY, AND BIRTHPLACES OF MOTHERS—Continued.

METROPOLITAN DISTRICT IN NEW YORK—Continued.

CAUSE OF DEATH.																				
All causes.	Scarlet fever.	Typhoid fever.	Malarial fever.	Diphtheria.	Croup.	Diar-rheal dis-eases.	Con-sump-tion.	Pneu-monia.	Measles.	Whoop-ing cough.	Cancer and tumor.	Heart dis-ease and dropsy.	Child-birth and puer-peral dis-eases.	Dis-eases of the liver.	Dis-eases of the nerv-ous sys-tem.	Dis-eases of the uri-nary or-gans.	Old age.	Still-born.	All other causes.	Un-known.
1,186	26	10	15	83	12	145	145	95	6	11	20	62	13	16	137	57	15	14	298	6
625	17	6	7	35	7	72	82	53	5	3	7	23	6	76	31	4	8	175	3	
501	9	4	8	48	5	73	63	42	1	3	13	34	13	61	26	11	6	123	3	
1,140	26	10	14	80	12	140	138	92	6	11	19	61	12	16	132	56	14	14	287	6
773	26	2	10	73	12	120	80	45	6	10	8	19	7	8	100	26	8	14	203	2
137	7	1	1	12	2	23	12	10	1	1	2	3	2	2	20	8	1	8	30	1
148	2	1	3	19	1	22	12	3	1	2	4	10	4	3	17	4	6	2	31	1
188	9	4	4	15	5	31	22	10	4	2	2	2	2	2	29	3	4	4	48	1
183	6	2	2	22	4	32	18	12	5	2	2	2	2	1	22	5	4	4	44	1
191	4	4	1	1	1	10	33	27	1	4	4	19	2	3	17	16	3	3	50	2
169	3	2	4	4	9	9	24	20	1	7	7	22	5	5	14	14	3	3	34	2
40	1	3	3	5	7	3	1	1	1	1	1	1	1	5	1	1	1	1	11	1
22	1	2	2	3	5	2	2	2	1	1	1	1	1	3	1	1	1	1	5	1
18	1	1	1	2	2	2	2	2	1	1	1	1	1	2	1	1	1	1	6	1
190	10	1	2	20	2	30	18	12	1	1	3	4	2	29	9	1	1	43	1	
196	3	1	5	25	1	33	15	5	1	4	4	11	5	3	24	5	7	3	40	1
44	1	1	1	4	1	9	3	8	1	1	1	4	2	2	2	1	1	9	1	
34	2	2	4	7	2	5	4	2	1	1	1	3	3	3	3	3	1	5	1	
200	2	2	5	7	2	19	33	21	3	1	1	14	1	1	22	9	2	2	56	1
193	3	1	3	11	2	20	25	25	3	3	3	14	4	6	21	12	1	2	37	1
8	2	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	2	2	1
7	2	2	2	2	1	1	1	1	1	1	1	1	1	1	1	1	1	3	1	1
3	3	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
76	3	1	2	2	8	13	5	5	1	1	1	3	1	13	5	2	1	16	1	1
66	2	4	1	8	8	6	3	3	1	4	5	2	2	6	3	1	1	20	2	1
3	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	2	1
4	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	2	1	1
4	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	2	1	1
2	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
5	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
5	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
2	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
6	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
91	1	1	5	4	2	2	12	5	3	3	3	3	1	7	4	4	4	44	1	1
45	1	1	1	7	1	9	9	6	1	1	1	1	1	6	3	1	1	9	9	1
484	6	5	13	29	12	68	44	35	10	3	5	19	7	1	54	12	6	155	1	1
254	4	4	9	12	8	32	22	23	3	1	1	10	1	29	7	2	87	1	1	1
230	2	1	4	17	4	36	22	12	7	2	4	9	7	1	25	5	4	68	1	1
449	6	5	11	26	12	62	35	29	10	3	4	19	7	1	49	12	6	152	1	1
361	6	5	8	26	12	59	19	24	9	3	3	13	3	1	46	8	3	113	1	1
105	2	1	3	6	4	16	7	9	3	1	1	3	1	16	5	2	30	1	1	1
102	2	1	2	9	3	13	7	7	4	1	1	5	1	11	3	2	30	1	1	1
52	2	1	2	4	2	8	2	5	1	1	1	1	1	5	5	1	19	1	1	1
53	2	2	6	15	1	15	7	3	1	1	1	1	2	6	2	1	21	1	1	1
45	1	1	1	1	1	1	7	3	1	1	1	4	2	2	2	2	22	1	1	1
33	1	1	1	8	2	8	8	2	1	1	1	2	4	1	2	2	11	1	1	1
35	2	3	6	9	6	9	9	6	1	1	1	1	1	5	3	3	3	1	1	1
16	1	1	1	3	4	4	4	2	1	1	1	1	1	1	1	1	1	1	1	1
19	1	1	1	2	3	3	5	4	1	1	1	1	1	4	1	1	1	2	1	1
132	3	2	4	8	5	21	11	13	3	1	2	3	1	18	5	3	36	1	1	1
135	2	1	3	12	3	20	12	8	4	1	2	5	1	17	3	2	43	1	1	1
7	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	3	1	1	1
2	1	1	1	1	1	1	3	5	1	1	1	1	2	1	1	1	10	1	1	1
21	1	1	1	1	1	1	5	1	1	1	1	1	2	1	1	1	11	1	1	1
26	1	1	1	1	1	1	2	2	1	1	1	1	1	1	1	1	1	1	1	1
3	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
47	1	3	4	5	4	4	4	3	1	1	1	4	1	4	2	2	1	17	1	1
42	1	3	3	9	3	9	3	1	1	1	2	1	3	4	2	2	1	14	1	1
43	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
44	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
3	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
4	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
37	2	1	2	4	2	4	2	2	2	1	1	2	1	1	1	1	1	3	1	1
23	1	1	1	1	1	4	2	2	2	1	1	1	1	3	1	1	1	15	1	1
25	1	1	1	1	1	4	2	2	2	1	1	1	1	5	1	1	1	4	1	1

TABLE 13.—DEATHS DURING THE 6 YEARS ENDING MAY 31, 1890, AT CERTAIN AGES AND FROM CERTAIN CAUSES, METROPOLITAN DISTRICT IN NEW YORK—Continued.

LOCALITIES.		AGE.											
		All ages.	Months.					Years.					
			Under 3	3 to 6	6 to 9	9 to 12	Total under 12	Under 5	5 to 15	15 to 25	25 to 65	65 and over.	Un-known.
1	Gravesend town.....	735	86	51	60	25	222	305	55	51	234	89	1
2	Males.....	416	49	19	34	10	112	157	85	32	144	47	1
3	Females.....	319	37	32	26	15	110	148	20	19	90	42	
4	White.....	681	79	49	55	24	207	285	50	42	217	86	1
5	Native born.....	512	79	49	52	24	204	282	47	34	98	50	1
6	Both parents native.....	M. 87	15	3	12	1	31	41	7	6	23	10	
	F.....	F. 86	10	13	6	5	34	48	6	4	16	12	
7	One or both parents foreign.....	M. 116	22	12	13	5	52	80	14	11	11		
	F.....	F. 106	19	15	15	10	59	78	10	6	11	1	
8	Foreign born.....	M. 95			1		1	1	2	5	67	20	
	F.....	F. 64			1		1	1	3	3	45	14	
9	Colored.....	54	7	2	5	1	15	20	5	9	17	3	
10	Males.....	35	4	1	3	1	9	12	4	7	10	2	
11	Females.....	19	3	1	2		6	8	1	2	7	1	
	Birthplaces of mothers:												
12	United States.....	M. 135	25	9	21	2	57	73	11	12	28	11	
	F.....	F. 114	17	14	9	6	46	64	2	6	21	14	
13	England and Wales.....	M. 21	1	1			1	1			13	3	
	F.....	F. 18	1	2		1	4	6			10	2	
14	Ireland.....	M. 96	5	5	3	3	16	29	7	9	39	12	
	F.....	F. 82	7	4	7	2	20	28	6	4	35	9	
15	Scotland.....	M. 8	1				1	1		1	6		
	F.....	F. 3	1				1	1			1	1	
16	France.....	M. 3		1			1	1			2		
	F.....	F. 3		1			1	1			13	3	
17	Germany.....	M. 36	3		3		7	14	4	2	7	2	
	F.....	F. 33	6	2	5	6	19	22	1	1	7	2	
18	Russia and Poland.....	M. 4	1		1		2	2			1		
	F.....	F. 1											
19	Canada.....	M. 2	1				1	1		1			
	F.....	F. 2		1			1	1	1				
20	Scandinavia.....	M. 6			2	2	4	4			2		
	F.....	F. 2		2			2	2					
21	Hungary.....	M. 1									1		
	F.....	F. 1											
22	Bohemia.....	M. 3	1				1	1			1	1	
	F.....	F. 1		1			1	1					
23	Italy.....	M. 6	2				2	4			2		
	F.....	F. 4					1	1					
24	Other foreign countries.....	M. 96	9	3	4	3	19	25	10	6	38	16	1
	F.....	F. 59	6	5	5		16	22	2	6	14	15	
25	Unknown.....												
26	New Utrecht town.....	747	86	42	34	19	181	274	51	53	249	110	10
27	Males.....	438	57	27	16	13	113	158	23	35	165	49	8
28	Females.....	309	29	15	18	6	68	116	28	18	84	61	2
29	White.....	733	81	41	32	19	173	265	50	52	247	109	10
30	Native born.....	502	78	41	32	17	168	257	44	42	101	58	
31	Both parents native.....	M. 105	16	7	4	3	30	48	6	7	29	15	
	F.....	F. 89	11	4	9	2	26	42	8	5	15	19	
32	One or both parents foreign.....	M. 130	29	15	10	8	62	83	10	16	19	2	
	F.....	F. 87	9	9	7	3	28	54	15	7	10	1	
33	Foreign born.....	M. 110				1	1	1	2	6	77	24	
	F.....	F. 87						3	4	3	51	26	
34	Colored.....	14	5	1	2		8	9	1	1	2	1	
35	Males.....	8	3	1	1		5	6	1		1		
36	Females.....	6	2		1		3	3		1	1	1	
	Birthplaces of mothers:												
37	United States.....	M. 141	27	12	8	4	51	77	7	9	32	16	
	F.....	F. 121	15	8	13	4	40	65	9	8	19	20	
38	England and Wales.....	M. 26	2	4	1	1	8	9	2	2	11	2	
	F.....	F. 12		1	1		2	4		2	3	3	
39	Ireland.....	M. 32	5	2	1	3	11	17	4	11	36	14	
	F.....	F. 84	3	1			4	11	11	5	38	19	
40	Scotland.....	M. 5									5		
	F.....	F. 3									1	2	
41	France.....	M. 2										2	
	F.....	F. 2										2	
42	Germany.....	M. 67	11	2	2	2	17	22	6	3	2	5	
	F.....	F. 31	3	3	2	1	9	16	3	1	9	2	
43	Russia and Poland.....	M. 1		1			1	1				2	
	F.....	F. 4											
44	Canada.....	M. 2	1				1	2			1	1	
	F.....	F. 1						1	1				
45	Scandinavia.....	M. 15	2	1	2	2	7	7		3	5		
	F.....	F. 5						2	1		2		
46	Hungary.....	M. 2											
	F.....	F. 1											
47	Bohemia.....	M. 2								1	1		
	F.....	F. 1									1		
48	Italy.....	M. 1									1		
	F.....	F. 1									1		
49	Other foreign countries.....	M. 3		1	1		2	3			4		
	F.....	F. 3							2		1		
50	Unknown.....	M. 86	9	4	1	1	15	20	4	6	39	9	8
	F.....	F. 45	8	2	2	1	13	17	1	2	8	15	2

STATISTICS OF DEATHS.

WITH DISTINCTION OF SEX, COLOR, NATIVITY, PARENTAL NATIVITY, AND BIRTHPLACES OF MOTHERS—Continued.

METROPOLITAN DISTRICT IN NEW YORK—Continued.

CAUSE OF DEATH.																				
All causes.	Scarlet fever.	Typhoid fever.	Malarial fever.	Diphtheria.	Croup.	Diarrheal diseases.	Consumption.	Pneumonia.	Measles.	Whooping cough.	Cancer and tumor.	Heart disease and dropsy.	Child-birth and puerperal diseases.	Diseases of the liver.	Diseases of the nervous system.	Diseases of the urinary organs.	Old age.	Still-born.	All other causes.	Unknown.
735	7	6	15	43	4	145	74	44	2	5	9	42	3	7	88	29	3	3	204	2
416	4	5	11	27	3	67	41	23	1	3	2	25	3	1	47	19	2	3	131	1
319	3	1	4	16	1	78	33	21	1	2	7	17	3	6	41	10	1	1	73	1
661	6	6	13	43	3	139	65	40	2	5	9	40	2	7	80	28	2	2	187	2
512	6	5	10	42	2	127	39	33	2	5	2	23	2	2	58	14	2	2	134	2
87	1	1	1	8	1	15	3	10	1	1	2	6	1	8	9	3	2	2	32	1
88	1	1	1	4	1	24	6	7	1	1	2	6	1	8	8	3	1	1	21	1
116	3	2	3	13	2	31	6	7	1	1	2	4	1	13	3	3	1	1	27	1
106	1	1	2	10	1	38	9	4	1	1	2	1	1	13	2	2	1	1	19	1
95	1	1	2	1	1	5	5	2	1	1	2	11	1	14	9	5	1	1	29	1
64	1	1	2	1	1	5	7	5	1	1	5	6	1	4	7	5	1	1	18	1
54	1	2	2	1	1	6	9	4	1	1	1	2	1	8	1	1	1	1	17	1
35	1	2	2	1	1	5	7	2	1	1	1	1	1	4	1	1	1	1	10	1
19	1	1	1	1	1	1	2	2	1	1	1	1	1	4	1	1	1	1	7	1
135	1	3	3	7	1	26	6	16	2	2	2	3	2	14	4	1	3	3	45	1
114	2	1	1	10	1	27	8	10	1	1	2	8	2	12	4	1	1	1	28	1
21	2	1	1	1	1	1	3	1	1	1	2	1	1	4	1	1	1	1	8	1
18	1	2	3	1	2	4	1	3	1	1	2	1	1	3	3	3	1	1	3	1
96	1	3	3	6	1	12	5	3	1	1	2	6	3	15	7	5	1	1	20	1
82	1	2	2	5	1	17	10	4	1	1	2	3	3	9	5	1	1	1	21	1
8	1	1	1	1	1	1	1	1	1	1	2	1	1	1	1	1	1	1	3	1
3	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
36	1	1	1	2	1	10	3	3	1	1	1	4	1	3	1	1	1	1	12	1
33	1	1	1	1	1	10	2	3	1	1	1	2	1	5	1	1	1	1	7	1
4	1	1	1	1	1	10	2	3	1	1	1	1	1	5	1	1	1	1	1	1
2	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
2	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
6	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
2	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
3	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
6	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
4	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
96	1	4	7	3	10	12	11	4	1	1	7	3	1	9	3	1	1	1	37	1
59	1	2	3	7	14	11	4	4	1	1	3	1	1	11	2	1	1	1	12	1
747	20	6	12	29	7	76	58	52	5	6	13	45	7	8	98	26	3	2	252	16
438	8	4	8	15	3	43	33	23	1	4	6	22	4	4	55	15	5	2	168	13
309	12	2	4	14	4	32	25	20	4	2	7	23	7	4	43	11	4	1	84	3
733	20	6	12	29	7	75	57	52	5	6	12	44	6	8	95	26	3	2	246	16
502	17	4	7	28	7	66	40	33	5	6	5	17	5	2	63	13	6	2	173	3
105	2	1	2	4	1	10	8	11	1	3	1	3	3	1	15	2	1	1	38	1
89	3	1	2	4	1	8	10	4	2	2	3	3	3	3	13	3	2	2	28	1
130	3	1	2	8	1	11	11	9	1	1	1	2	2	1	21	1	1	2	47	1
87	6	1	3	9	1	18	5	6	1	1	4	4	1	7	2	2	1	1	21	1
110	1	1	3	1	1	6	8	8	1	1	4	15	1	2	11	10	2	1	38	1
87	2	1	2	1	1	3	8	11	1	1	3	12	1	4	18	3	1	1	18	1
14	1	1	1	1	1	1	1	1	1	1	1	1	1	1	3	1	1	1	6	1
8	1	1	1	1	1	1	1	1	1	1	1	1	1	1	2	1	1	1	4	1
6	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	2	1
141	3	1	2	6	1	17	12	11	3	4	2	3	4	1	22	2	1	1	52	1
121	3	1	1	7	1	13	11	8	3	2	3	5	4	1	17	4	2	1	37	1
26	1	1	1	1	1	3	2	4	1	1	1	2	1	3	3	1	1	1	9	1
12	1	1	1	1	1	4	9	3	1	1	2	4	1	2	2	6	2	1	5	1
82	2	2	3	2	1	6	8	9	1	1	2	8	1	3	12	6	2	1	27	1
84	4	1	1	2	1	6	8	9	1	1	2	8	1	3	16	3	1	1	18	1
5	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	2	1
3	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
2	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
2	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
7	1	1	1	1	1	9	5	5	1	1	2	6	1	1	2	2	1	1	24	1
3	1	1	1	1	1	7	3	3	1	1	1	3	1	1	4	1	1	1	4	1
1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
4	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
2	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
15	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
5	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
2	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
7	1	1	1	1	1	2	1	1	1	1	1	1	1	1	1	1	1	1	2	1
3	1	1	1	1	1	7	5	1	1	1	1	1	1	6	3	1	1	1	42	12
86	1	1	1	1	1	7	1	1	1	1	1	1	1	1	6	3	2	1	42	12
45	1	1	1	1	1	6	1	2	1	1	1	4	2	4	4	3	1	1	17	3

TABLE 13.—DEATHS DURING THE 6 YEARS ENDING MAY 31, 1890, AT CERTAIN AGES AND FROM CERTAIN CAUSES, METROPOLITAN DISTRICT IN NEW YORK—Continued.

LOCALITIES.	All ages.	AGE.										
		Months.					Years.					
		Under 3	3 to 6	6 to 9	9 to 12	Total under 12	Under 5	5 to 15	15 to 25	25 to 65	65 and over.	Un-known.
1 Kings county, unlocated	1,659	223	83	49	39	394	481	6	60	643	455	14
2 Males	886	128	38	24	19	209	252	5	33	371	216	9
3 Females	773	95	45	25	20	185	229	1	27	272	239	5
4 White	1,633	217	81	48	38	384	470	6	60	634	450	13
5 Native born	664	205	78	45	35	363	447	4	26	133	51	3
6 Both parents native	M. 29	13	4	4	1	22	27	1	1	1	1	
F. 23	6	9	1		16	19			3		1	
7 One or both parents foreign	M. 57	23	7	4	7	41	53		1	3		
F. 56	16	8	5	9	38	53		1	1	1	1	
8 Foreign born	M. 470					1		1	14	272	181	2
F. 433			1		1	1		16	209	206	1	1
9 Colored	26	6	2	1	1	10	11			9	5	1
10 Males	14	4	1		1	6	7			6	1	
11 Females	12	2	1	1		4	4			3	4	1
12 Birthplaces of mothers:												
13 United States	M. 42	18	5	4	2	29	35		1	5	1	
F. 40	12	13	2	2	29	34			4	2		
14 England and Wales	M. 34	1			1	3	2	1	2	17	12	
F. 31				2	3	5			4	16	11	1
15 Ireland	M. 274	8	1	3	5	17	24		4	143	97	1
F. 365	6	4	3	5	18	28		10	102	165		
16 Scotland	M. 9	1			1	1	1		1	6	1	
F. 4									2	2		
17 France	M. 4									1		
F. 1										1		
18 Germany	M. 150	6	2		1	9	12		3	73	61	1
F. 55	4		1	1	6	8	3		4	18	25	
19 Russia and Poland	M. 7	1	1		2	2	2		1	3	1	
F. 3		1	1		1	1	1		1	1	1	
20 Canada	M. 4	1		1	2	2	2			2	2	
F. 7										6	1	
21 Scandinavia	M. 18	2	1		4	4	4		2	10	3	
F. 4		1	1		1	1	2					
22 Hungary	M. 1				1	1	1					
F. 1												
23 Bohemia	M. 10		1		1	1	1		1	7	1	
F. 3	2				2	2	2			1		
24 Italy	M. 12	1	1		1	1	1		2	6	3	
F. 5	1				1	1	1		1	2	1	
25 Other foreign countries	M. 322	90	26	16	10	142	168	4	17	92	34	7
F. 254	70	26	17	10	123	149	1	10	59	31	4	
26 Unknown	M. 322	90	26	16	10	142	168	4	17	92	34	7
F. 254	70	26	17	10	123	149	1	10	59	31	4	
27 Flushing town	811	87	31	27	12	157	241	45	60	268	192	5
28 Males	425	51	19	15	6	91	134	15	37	144	92	3
29 Females	386	36	12	12	6	66	107	30	23	124	100	2
30 White	716	78	29	24	11	142	206	40	51	235	179	5
31 Native born	530	77	29	24	11	141	203	38	41	138	108	2
32 Both parents native	M. 46	5	2		1	8	11	2	4	16	13	
F. 51	8	1	2		11	15	3	1	12	20		
33 One or both parents foreign	M. 29	6	3	2		11	15		2	9	1	
F. 33	6	3	4	1	14	18	1	5	8	1		
34 Foreign born	M. 89					1	1	1	7	47	32	1
F. 84						1	1	3	45	33	1	
35 Colored	95	9	2	3	1	15	35	5	9	33	13	
36 Males	52	5	2	3	1	11	21	1	5	19	6	
37 Females	43	4				4	14	4	4	14	7	
38 Birthplaces of mothers:												
39 United States	M. 84	7	5	3	2	17	28	3	8	28	17	
F. 82	12	1	3	2	16	27	7	3	3	20	25	
40 England and Wales	M. 13	1			1	1	1			5	7	1
F. 9										4	4	
41 Ireland	M. 61	2	1	1		3	4		6	30	21	
F. 63	1	1	1		3	3	4		4	34	25	1
42 Scotland	M. 3									2	1	
F. 1												
43 France	M. 2									2		
F. 1												
44 Germany	M. 26	3		1		4	5	1	2	16	2	
F. 23	3		2	1	6	6	7	1	3	13	4	
45 Russia and Poland	M. 4						2		1			1
F. 1							1					
46 Canada	M. 1								1			
F. 1												
47 Scandinavia	M. 1		1			1	1					
F. 1		1				1	1					
48 Hungary	M. 1											
F. 1												
49 Bohemia	M. 1											
F. 1												
50 Italy	M. 2	1				1	1		1			
F. 2	1					1	1					
51 Other foreign countries	M. 3		1			1	2	1		1		
F. 2						1	2					
52 Unknown	M. 228	38	12	11	4	65	93	10	20	60	44	1
F. 191	18	8	6	5	37	53	63	21	12	53	41	1

TABLE 13.—DEATHS DURING THE 6 YEARS ENDING MAY 31, 1890, AT CERTAIN AGES AND FROM CERTAIN CAUSES,

METROPOLITAN DISTRICT IN NEW YORK—Continued.

LOCALITIES.	AGE.											
	All ages.	Months.					Years.					
		Under 3	3 to 6	6 to 9	9 to 12	Total under 12	Under 5	5 to 15	15 to 25	25 to 65	65 and over.	Un-known.
1 College Point village.....	527	56	29	27	26	138	222	40	39	139	86	1
2 Males.....	266	29	12	15	13	69	111	17	16	72	49	1
3 Females.....	261	27	17	12	13	69	111	23	23	67	37	
4 White.....	527	56	29	27	26	138	222	40	39	139	86	1
5 Native born.....	326	56	29	27	26	138	220	38	33	31	4	
6 Both parents native.....	M. 32	7	1	4		12	26	3	2			
F. 31	5	5	3	3	16	25	1	2	3	1		
7 One or both parents foreign.....	M. 108	18	11	8	12	49	74	13	9	12		
F. 116	20	11	6	9	46	75	17	15	9			
8 Foreign born.....	M. 109						1	4	4	56	48	
F. 89							1	2	2	50	34	
9 Colored.....												
10 Males.....												
11 Females.....												
12 Birthplaces of mothers:												
United States.....	M. 48	8	5	4	3	20	39	5	2	1	1	
F. 58	11	8	4	7	30	48	4	3	3			
13 England and Wales.....	M. 3											
F. 3	1				1	1			2			
14 Ireland.....	M. 21	1	1	1	1	5	7	3	1	7	3	
F. 23	2	1	1	1	1	5	5	2	3	10	8	
15 Scotland.....	M. 1									1		
F. 1												
16 France.....	M. 1									1		
F. 1												
17 Germany.....	M. 167	15	4	7	7	33	52	8	11	53	43	
F. 141	10	8	4	5	27	43	14	13	45	26		
18 Russia and Poland.....	M. 1											
F. 1	1				1	1						
19 Canada.....	M. 1											
F. 1												
20 Scandinavia.....	M. 1										1	
F. 1												
21 Hungary.....	M. 1											
F. 1												
22 Bohemia.....	M. 1											
F. 1												
23 Italy.....	M. 1											
F. 1												
24 Other foreign countries.....	M. 7		2		1	3	3		1	2	1	
F. 4	1		1		2	3	3		1	1		
25 Unknown.....	M. 17	4			1	8	10	1	1	4		1
F. 25	2	1	3	1	7	10	8	4	5	3		
26 Flushing village.....	317	31	15	7	6	59	97	18	25	102	73	2
27 Males.....	165	19	8	3	2	32	50	9	16	47	42	1
28 Females.....	152	12	7	4	4	27	47	9	9	55	31	1
29 White.....	289	26	12	6	6	59	85	16	23	94	69	2
30 Native born.....	204	26	12	6	6	50	85	16	18	48	36	1
31 Both parents native.....	M. 24	1	1	2	1	5	8	1		8	7	
F. 27	3	1		1	5	9	3			6	8	
32 One or both parents foreign.....	M. 19	3			1	3	8	3	4	3	1	
F. 11						4	4	2	4	1		
33 Foreign born.....	M. 37								4	16	16	1
F. 44									1	27	16	
34 Colored.....	28	5	3	1		9	12	2	2	8	4	
35 Males.....	15	3	2			5	7	1	1	3	3	
36 Females.....	13	2	1	1		4	5	1	1	5	1	
37 Birthplaces of mothers:												
United States.....	M. 36	4	2	1	1	9	13	2	2	11	8	
F. 40	5	2	2	1	1	9	15	4	2	9	9	
38 England and Wales.....	M. 6									2	3	1
F. 6										4	2	
39 Ireland.....	M. 37	2				2	6	1	4	13	13	
F. 37								2	3	19	13	
40 Scotland.....	M. 2	1				1	1				1	
F. 2												
41 France.....	M. 2						1			1		
F. 6								1	1	4		
42 Germany.....	M. 4								1	2	1	
F. 4												
43 Russia and Poland.....	M. 1								1			
F. 1												
44 Canada.....	M. 1											
F. 1												
45 Scandinavia.....	M. 1											
F. 1												
46 Hungary.....	M. 1											
F. 1												
47 Bohemia.....	M. 1											
F. 1												
48 Italy.....	M. 1											
F. 1												
49 Other foreign countries.....	M. 1						1		1			
F. 2												
50 Unknown.....	M. 76	12	6	1	1	20	40	5	7	2	17	
F. 59	7	5	3	3	18	30	2	3	17	6		

STATISTICS OF DEATHS.

WITH DISTINCTION OF SEX, COLOR, NATIVITY, PARENTAL NATIVITY, AND BIRTHPLACES OF MOTHERS—Continued.

METROPOLITAN DISTRICT IN NEW YORK—Continued.

CAUSE OF DEATH.																					
All causes.	Scarlet fever.	Typhoid fever.	Malarial fever.	Diphtheria.	Croup.	Diarrheal diseases.	Consumption.	Pneumonia.	Measles.	Whooping cough.	Cancer and tumor.	Heart disease and dropsy.	Child-birth and puerperal diseases.	Diseases of the liver.	Diseases of the nervous system.	Diseases of the urinary organs.	Old age.	Still-born.	All other causes.	Unknown.	
527	28	2	15	25	6	60	51	43	7	4	11	32	6	12	63	22	5		122	13	1
266	11	1	4	12	3	26	26	25		3	5	11		5	35	12			73	12	2
261	17	1	11	13	3	34	25	18	7	1	6	21	6	7	28	10	3		49	1	3
527	28	2	15	25	6	60	51	43	7	4	11	32	6	12	63	22	5		122	13	4
326	28	2	10	25	6	54	28	27	6	4	3	6	3	1	35	9	1		70	7	5
32	3			2	2	4	2	2		2					6	1			7	1	6
31		1	1	1	1	8	1	7	2		1		1		7	1			7		7
108	8	1	2	9	1	17	7	11		1		2			14	3			27	4	7
116	15		6	11	3	21	11	10	4	1		2	2		6	3			20	1	1
109			2			3	15	10			4	3		5	15	8	2		33	3	8
89			3			3	8	6	1		4	18	3	6	13	5	2		17	4	8
																					9
																					10
																					11
48	7			4	2	7	2	3		2					8	1			11	1	12
58	2	1	2	4	2	13	1	6	2	1	1		1		8	2			12		13
3						1										1			1		14
21		1	1				1	2			1	1			2	1	1		4	1	15
28			3	4		2	4	1			1	2	1		2		2		5		16
1																			1		17
1																					18
167	4		3	7	1	15	17	14		1	4	8		4	25	9	1		48	6	19
141	12		5	4	1	17	14	7	5		2	18	3	6	16	6			24	1	20
1																			1		21
1																					22
																					23
																					24
7						1	2	1											2	1	25
4																			2		26
17	1			1		2	2	2				1							6	3	27
25	2		1	1		2	5	2			1	1		1	2	1	1		5		28
317		3	5	6	2	31	37	20	1	3	16	35		4	51	24	4	2	70	3	29
165		2	1	3	1	21	10	8		2	5	17		1	27	17	2	1	35	3	30
152		1	4	3	1	10	18	12	1	1	11	18		3	24	7	2	1	35		31
289		2	4	6	2	31	36	20	1	3	15	32		4	46	22	4	2	58	1	32
204		2	3	5	2	27	24	13	1	3	8	19		1	36	13	3	2	41	1	33
24		1		2		5	1	1			1	3			6	2			2		34
27		1					1	2	1	1	2	4			5			1	9		35
19						1	6	1		2					5				4		36
11				1			2	3							5				4		37
37			1			3	4	3				1		1	3	6	1		1	7	38
44			1	1		1	8	3			2	5		2	7	3			8		39
28		1	1				1				1	3			5	2			12	2	40
15																					41
13		1	1				1				1	3			3	2			6	2	42
																			6		43
86		2		2		5	2	2			1	3			9	2			6	2	44
40		1		1			2	2	1			6			6	1		1	15		45
6							1							1	2				2		46
6											3	2			5				3		47
37						3	7	2		2		5			5	4	1		0		48
37			1	1		1	8	4			2	6		1	5	3			5		49
2												1							1		50
2							1	1				1							2		
6							1	1						1	1						
4																					
1																					
1																					
1																					
1																					
1																					
2							1	1				1									
1							1	1													
76			1	1	1	12	8	3			2	7			1	9	1	1	18	1	
59			3	1	1	9	6	5			3	5		1	11	1	2		11	1	

TABLE 13.—DEATHS DURING THE 6 YEARS ENDING MAY 31, 1890, AT CERTAIN AGES AND FROM CERTAIN CAUSES,

METROPOLITAN DISTRICT IN NEW YORK—Continued.

LOCALITIES.		AGE.											
		All ages.	Months.					Years.					Un-known.
			Under 3	3 to 6	6 to 9	9 to 12	Total under 12	Under 5	5 to 15	15 to 25	25 to 65	65 and over.	
1	Whitestone village.....	208	28	16	7	7	58	87	15	13	51	39	3
2	Males.....	118	15	12	5	5	37	56	8	5	24	18	2
3	Females.....	95	13	4	2	2	21	31	7	8	27	21	1
4	White.....	206	28	16	7	6	57	86	14	13	51	39	3
5	Native born.....	162	28	16	7	6	57	85	14	12	26	23	2
6	Both parents native.....	M. 23 F. 19	3 6	4 1	1 1	3 1	11 7	16 11	1	2	5	4 1	4 1
7	One or both parents foreign.....	M. 19 F. 10	6 2	4 2	1 1	1 1	12 5	14 7	1	2	1	1 1	1 1
8	Foreign born.....	M. 19 F. 20	2	2	1		5				11 12	7 8	1
9	Colored.....	2				1	1	1	1				
10	Males.....	1							1				
11	Females.....	1				1	1	1					
	Birthplaces of mothers:												
12	United States.....	M. 29 F. 20	5 7	5	1	3	14 8	20 12	2	1	2	4 5	4 1
13	England and Wales.....	M. 3 F. 2										2 2	1
14	Ireland.....	M. 11 F. 13	3 1	1			4 2	4 3	1		3 1	3 5	3
15	Scotland.....	M. 1 F. 1									1	1	
16	France.....	M. 1 F. 1									1	1	
17	Germany.....	M. 15 F. 12	1	1	1	1	4 2	5 3		1	7 7	2 1	
18	Russia and Poland.....	M. 1 F. 1									1	1	
19	Canada.....	M. 1 F. 1											
20	Scandinavia.....	M. 1 F. 1											
21	Hungary.....	M. 1 F. 1											
22	Bohemia.....	M. 1 F. 1											
23	Italy.....	M. 1 F. 1		1			1	1					
24	Other foreign countries.....	M. 1 F. 1										1	
25	Unknown.....	M. 51 F. 46	6 5	4 2	3	1 2	14 9	26 13	5 7	3 4	10 10	6 11	1 1
26	Hempstead town.....	1,837	211	90	66	52	410	644	146	98	471	448	30
27	Males.....	955	118	44	39	32	233	337	72	42	256	227	21
28	Females.....	882	93	46	27	20	186	307	74	56	215	221	9
29	White.....	1,792	206	86	62	51	405	626	143	97	457	439	30
30	Native born.....	1,516	201	83	59	49	392	609	139	84	327	343	14
31	Both parents native.....	M. 480 F. 443	77 48	20 26	23 13	17 11	137 98	202 166	42 49	25 25	99 106	106 96	6 1
32	One or both parents foreign.....	M. 86 F. 108	17 19	9 7	1 5	12 6	39 37	54 59	10 12	3 9	9 20	9 8	1
33	Foreign born.....	M. 112 F. 68		1			1	2	1	4	73 34	32 30	2
34	Colored.....	45	5	4	4	1	14	18	3	1	14	9	
35	Males.....	28	4	3	4	1	12	14	2		6	6	
36	Females.....	17	1	1			2	4	1	1	8	3	
	Birthplaces of mothers:												
37	United States.....	M. 532 F. 500	84 53	26 31	27 15	22 15	159 119	231 197	50 55	25 26	106 119	113 102	7 1
38	England and Wales.....	M. 24 F. 23		1			3	2		1	13	8	
39	Ireland.....	M. 57 F. 55	9 5	1 3			10 8	13 14	4 2	1 5	28 19	11 15	
40	Scotland.....	M. 2 F. 2									1	1	
41	France.....	M. 3 F. 2		1			1	1				2	
42	Germany.....	M. 73 F. 46	1 4	5 1	1 3	5 1	12 9	15 14	2 3	5 5	36 15	13 9	2
43	Russia and Poland.....	M. 1 F. 1									1		
44	Canada.....	M. 1 F. 4	1				1	1			1		
45	Scandinavia.....	M. 3 F. 3	2			1	3	3					
46	Hungary.....	M. 1 F. 1		1			1	1					
47	Bohemia.....	M. 1 F. 1											
48	Italy.....	M. 1 F. 1					1	1			1		
49	Other foreign countries.....	M. 6 F. 2					1	1			4	1	
50	Unknown.....	M. 253 F. 245	21 22	11 10	11 9	4 3	47 44	70 73	15 12	10 19	68 47	78 86	12 8

TABLE 13.—DEATHS DURING THE 6 YEARS ENDING MAY 31, 1890, AT CERTAIN AGES AND FROM CERTAIN CAUSES, METROPOLITAN DISTRICT IN NEW YORK.—Continued.

LOCALITIES.	AGE.											
	Allages.	Months.					Years.					
		Under 3	3 to 6	6 to 9	9 to 12	Total under 12	Under 5	5 to 15	15 to 25	25 to 65	65 and over.	Un-known.
1 Hempstead village.....	181	25	6	5	11	47	66	12	12	51	38	2
2 Males.....	95	18	5	1	5	20	38	4	8	27	18	
3 Females.....	86	7	1	4	6	18	28	8	4	24	20	2
4 White.....	172	23	6	5	9	43	62	12	10	49	37	2
5 Native born.....	139	22	6	5	7	40	57	11	8	38	25	
6 Both parents native.....	M 48 F 38	11 3	3 1		2 1	16 7	21 12	3 2	5 1	10 13	9 10	
7 One or both parents foreign.....	M 9 F 11	2 2	2 2	1 2	2 2	5 4	8 7		1 3			
8 Foreign born.....	M 3 F 8								2	4 4	2 2	2
9 Colored.....	9	2			2	4	4		2	2	1	
10 Males.....	1				1	1	1					
11 Females.....	8	2			1	3	3		2	2	1	
Birthplaces of mothers:												
12 United States.....	M 55 F 50	14 5	3 1	1 2	3 3	21 11	27 17	3 5	6 1	10 16	11 9	
13 England and Wales.....	M 2 F 4		2			2	2					
14 Ireland.....	M 4 F 6						1 1		1	1 1	1 1	1
15 Scotland.....	M F											
16 France.....	M F											
17 Germany.....	M 7 F 5	1			1	1	2 2		1	3 1	1 1	1
18 Russia and Poland.....	M F											
19 Canada.....	M F											
20 Scandinavia.....	M F											
21 Hungary.....	M F											
22 Bohemia.....	M F											
23 Italy.....	M F											
24 Other foreign countries.....	M 1 F 1						1 1					
25 Unknown.....	M 26 F 20	3 2			2 2	5 4	5 5	2	2	13 3	7 7	
26 Far Rockaway village.....	123	6	14	8	4	32	43	9	9	43	17	2
27 Males.....	65	2	11	4		17	22	3	6	26	7	1
28 Females.....	58	4	3	4	4	15	21	6	3	17	10	1
29 White.....	123	6	14	8	4	32	43	9	9	43	17	2
30 Native born.....	83	6	14	8	4	32	37	14	4	19	9	
31 Both parents native.....	M 17 F 14		6	1		7	9		1	5	2	
32 One or both parents foreign.....	M 13 F 11	1	1	2	1	4	6	2	2	4	1	
33 Foreign born.....	M 17 F 15	1			1	2	4	3	2	13	1	
34 Colored.....												
35 Males.....												
36 Females.....												
Birthplaces of mothers:												
37 United States.....	M 19 F 19	1 3	6	1	3	8	11 9		1	5 3	2 3	
38 England and Wales.....	M 3 F 1							1	1	1	1	
39 Ireland.....	M 15 F 13			2		2	3 1	1	2	10 5	1 5	
40 Scotland.....	M F											
41 France.....	M F											
42 Germany.....	M 4 F 7							1	1	3 4	2	
43 Russia and Poland.....	M F											
44 Canada.....	M 1 F									1		
45 Scandinavia.....	M F											
46 Hungary.....	M F											
47 Bohemia.....	M F											
48 Italy.....	M F											
49 Other foreign countries.....	M 4 F								1	2	1	
50 Unknown.....	M 19 F 18	1 1	5 3	1 2	1	7 7	8 11	1 1	2 1	4 4	3 1	1

TABLE 13.—DEATHS DURING THE 6 YEARS ENDING MAY 31, 1890, AT CERTAIN AGES AND FROM CERTAIN CAUSES, METROPOLITAN DISTRICT IN NEW YORK—Continued.

LOCALITIES.	AGE.											
	All ages.	Months.					Years.					
		Under 3	3 to 6	6 to 9	9 to 12	Total under 12	Under 5	5 to 15	15 to 25	25 to 65	65 and over.	Un-known.
1 Jamaica town.....	1,078	181	64	40	36	271	478	112	48	249	186	5
2 Males.....	543	74	31	18	22	145	256	47	25	127	86	2
3 Females.....	535	57	33	22	14	126	222	65	23	122	100	3
4 White.....	1,046	128	60	37	34	259	462	110	45	244	181	4
5 Native born.....	819	128	60	36	38	257	453	99	36	127	101	3
6 Both parents native.....	M. 187	81	17	5	9	62	108	16	9	33	21	
	F. 180	27	13	8	5	51	96	19	7	32	26	
7 One or both parents foreign.....	M. 139	32	10	8	9	59	101	16	7	7	4	1
	F. 143	18	12	7	7	44	84	37	8	12	2	
8 Foreign born.....	M. 120						4	5	6	61	44	
	F. 91			1		1	3	3	3	51	31	
9 Colored.....	32	3	4	3	2	12	16	2	3	5	5	1
10 Males.....	19	1	2	1	1	5	9	2	2	4	2	
11 Females.....	13	2	2	2	1	7	7		1	1	3	1
12 Birthplaces of mothers:												
12 United States.....	M. 226	37	19	8	11	75	134	19	10	38	25	
	F. 216	33	13	11	6	63	117	27	8	34	30	
13 England and Wales.....	M. 14						1	2		4	7	
	F. 10									5	3	
14 Ireland.....	M. 28	1				1	6	2	3	7	10	
	F. 42		3			3	7	3	5	17	10	
15 Scotland.....	M. 3						1		1		1	
	F. 2										2	
16 France.....	M. 40	5		2		7	17	6	4	8	4	1
	F. 30	4	1	1		6	14	8		7	1	
17 Germany.....	M. 129	21	8	2	5	36	53	10	5	39	22	
	F. 119	10	7	6	6	29	50	20	6	29	14	
18 Russia and Poland.....	M. 3									3		
	F. 1									1		
19 Canada.....	M. 1				1	1	1					
	F. 6		1		1	2	2	1		2	1	
20 Scandinavia.....	M. 1											
	F. 1											
21 Hungary.....	M. 1									1		
	F. 1											
22 Bohemia.....	M. 1											
	F. 1											
23 Italy.....	M. 2			1		1	1			1		
	F. 1											
24 Other foreign countries.....	M. 12		1	1	1	3	5	1		5	1	
	F. 3					1	1			1	1	
25 Unknown.....	M. 84	10	3	4	4	21	37	7	2	21	16	1
	F. 106	10	8	4	4	23	31	4	4	26	38	3
26 Jamaica village.....	505	53	31	22	22	128	186	25	25	151	118	
27 Males.....	257	28	20	10	13	71	108	7	9	73	60	
28 Females.....	248	25	11	12	9	57	78	18	16	78	58	
29 White.....	458	49	29	22	21	121	173	22	22	137	104	
30 Native born.....	359	49	29	22	20	120	171	21	21	75	71	
31 Both parents native.....	M. 86	14	7	4	3	28	46	3	2	15	20	
	F. 87	14	2	5	4	25	35	6	5	20	21	
32 One or both parents foreign.....	M. 36	9	6		4	19	28	2	2	4		
	F. 34	5	4	2	4	15	18	5	5	6		
33 Foreign born.....	M. 58								1	34	23	
	F. 38						1	1		27	9	
34 Colored.....	47	4	2		1	7	13	3	3	14	14	
35 Males.....	21	2	1		1	4	7	1	2	6	5	
36 Females.....	26	2	1			3	6	2	1	8	9	
37 Birthplaces of mothers:												
37 United States.....	M. 110	19	10	4	4	37	58	4	4	20	24	
	F. 111	16	3	5		28	42	10	6	26	27	
38 England and Wales.....	M. 7				1	1	1	1		1	4	
	F. 3						1			1	1	
39 Ireland.....	M. 45	1	1		1	3	6	1	2	21	15	
	F. 28	1	1		2	4	4	2	3	16	3	
40 Scotland.....	M. 1											
	F. 1											
41 France.....	M. 3		1			1	1			2		
	F. 3				1	1	1			2		
42 Germany.....	M. 34	5	2		3	10	15		1	14	4	
	F. 31	4	1	2	1	8	10	2	2	13	4	
43 Russia and Poland.....	M. 2		1			1	1			1		
	F. 1											
44 Canada.....	M. 1										1	
	F. 1						1					
45 Scandinavia.....	M. 1						1					
	F. 2		1			1	1			1		
46 Hungary.....	M. 1											
	F. 1											
47 Bohemia.....	M. 1											
	F. 1											
48 Italy.....	M. 1											
	F. 1											
49 Other foreign countries.....	M. 1											
	F. 1											
50 Unknown.....	M. 57	3	6	6	4	19	26	1	2	15	13	
	F. 67	4	4	5	1	14	18	4	5	18	22	

STATISTICS OF DEATHS.

WITH DISTINCTION OF SEX, COLOR, NATIVITY, PARENTAL NATIVITY, AND BIRTHPLACES OF MOTHERS—Continued.

METROPOLITAN DISTRICT IN NEW YORK—Continued.

CAUSE OF DEATH.																				
All causes.	Scarlet fever.	Typhoid fever.	Malarial fever.	Diphtheria.	Croup.	Diarrheal diseases.	Consumption.	Pneumonia.	Measles.	Whooping cough.	Cancer and tumor.	Heart disease and dropsey.	Child-birth and puerperal diseases.	Diseases of the liver.	Diseases of the nervous system.	Diseases of the urinary organs.	Old age.	Still-born.	All other causes.	Un-known.
1,078	17	9	11	116	32	116	122	79	12	3	24	54	8	8	123	34	21	8	261	20
543	8	4	5	46	20	54	67	46	6	10	23	7	66	18	8	6	143	6
585	9	5	6	70	12	62	55	33	6	3	14	31	8	1	57	16	13	2	118	14
1,046	17	8	11	116	32	111	111	79	11	3	24	53	8	8	122	33	20	8	251	20
819	16	4	11	108	29	98	73	65	11	3	10	33	5	3	101	16	11	8	199	15
187	2	1	3	15	6	20	16	21	1	3	6	32	1	2	4	49	4
180	5	1	2	21	7	16	14	13	1	4	9	22	5	3	2	46	3
156	5	2	2	21	9	17	9	13	3	3	4	15	1	1	37
143	3	1	4	38	4	22	5	13	5	2	13	25
120	1	3	2	2	5	25	7	6	8	5	10	4	30
91	1	1	4	7	11	6	8	8	11	5	18	5
32	1	5	11	1	1	1	1	1	10
19	5	10	1	1	1	6
13	1	1	1	1	1	4
226	4	1	3	16	10	25	25	24	2	3	6	1	36	3	2	4	57	4
216	5	2	2	27	8	25	16	15	1	1	4	10	4	1	25	6	3	2	55	4
14	2	1	1	2	1	1	2	2	1	2
10	1	2	1	1	1
28	3	1	8	3	2	4	1	5
42	1	1	1	1	3	7	1	2	1	1	6	2	1	11	2
3	1	1
2	1	4	1	1	2	5	7
40	1	9	2	5	4	1	1	2	2	2
30	13	1	5	2	2	3	1	1
129	3	1	1	9	3	6	21	9	2	2	2	7	3	11	7	1	1	42
119	2	1	1	21	2	13	10	9	4	2	3	8	2	12	2	2	24	1
3	1	2
1	1
1
6	1	2	2	1	1
.....
1	1
.....
2	1	1
12	1	2	2	1	2	3
3	1	1	1
84	1	7	2	15	7	5	1	1	6	1	8	2	2	23
106	1	6	1	13	16	7	2	10	1	11	5	5	1	23	2
505	1	4	11	22	7	60	72	22	1	4	13	32	4	5	66	30	13	2	113	23
257	2	7	9	6	30	40	12	2	4	9	5	27	17	6	1	70	10
248	1	2	4	13	1	30	32	10	1	2	9	23	4	39	13	7	1	43	13
458	1	2	10	21	6	58	65	20	1	4	12	29	4	4	62	24	11	2	100	22
350	1	2	9	20	6	56	44	14	4	8	14	3	3	52	15	5	2	85	16
86	5	4	9	7	4	1	2	3	1	14	6	1	25	2
87	1	1	3	1	14	10	3	2	4	4	2	15	4	16	5
30	4	1	10	5	2	3	1	8	3
84	6	6	2	1	5	1	8
58	1	16	5	4	2	6	1	5	13	2
38	1	2	5	1	1	2	8	1	5	4	3	2	4
47	2	1	1	1	2	7	2	1	3	1	4	6	2	13	1
21	1	1	5	1	1	6	1
26	2	1	2	2	1	1	3	4	2	1	7
110	11	11	5	1	2	3	2	14	10	34	3
111	1	2	2	6	1	15	12	4	2	4	6	2	20	6	1	23	5
7	1	1	2	2	1
3	1
3	3	12	3	2	1	1	3	2	2	10	3
45	1	2	2	5	2	2	3	1	2	3	4
28	2
3	1	1	1
3	1	1
84	1	1	3	8	4	1	3	4	2	1	1	6	1
31	2	4	6	1	1	4	1	5	1	1	1	4
2	1	1
1
1
2
57	2	4	3	11	8	3	1	2	5	2	2	17	3
67	2	7	9	3	2	8	11	2	5	1	10	4

TABLE 13.—DEATHS DURING THE 6 YEARS ENDING MAY 31, 1890, AT CERTAIN AGES AND FROM CERTAIN CAUSES, METROPOLITAN DISTRICT IN NEW YORK.—Continued.

LOCALITIES.	All ages.	AGE.										
		Months.					Years.					
		Under 3	3 to 6	6 to 9	9 to 12	Total under 12	Under 5	5 to 15	15 to 25	25 to 65	65 and over.	Un-known.
1 Long Island city.....	3,473	403	239	176	174	992	1,674	254	210	959	351	22
2 Males.....	1,797	227	115	100	93	535	878	113	122	504	160	20
3 Females.....	1,676	176	124	76	81	457	796	141	88	455	194	2
4 White.....	3,459	399	238	176	174	987	1,669	252	210	953	353	22
5 Native born.....	2,373	391	230	174	165	960	1,612	222	151	303	82	3
6 Both parents native.....	M. 245	49	23	27	19	118	187	14	5	26	12	1
F. 236	35	31	19	16	101	174	16	4	28	14	3	
7 One or both parents foreign.....	M. 615	110	55	43	47	255	442	52	58	66	2	1
F. 573	79	53	38	43	213	391	77	46	55	4	1	
8 Foreign born.....	M. 504	1	1	1	2	2	13	12	28	330	119	2
F. 500	2	2	3	3	5	12	15	25	303	142	1	
9 Colored.....	14	4	1			5	5	2		6	1	
10 Males.....	8	3				3	3			4	1	
11 Females.....	6	1	1			2	2	2		2		
12 Birthplaces of mothers:												
13 United States.....	M. 333	72	33	31	28	164	261	18	6	32	15	1
F. 317	48	41	25	21	135	232	32	8	30	15		
14 England and Wales.....	M. 74	8	4	3	4	19	33	5	1	26	9	
F. 54	3	1	1	6	11	19	5	2	21	7		
15 Ireland.....	M. 450	22	13	11	15	61	127	26	47	196	53	1
F. 473	22	12	11	14	59	124	37	33	209	69	1	
16 Scotland.....	M. 32	6	3	2	2	11	17	3	1	7	4	
F. 24	1	1			1	4	2	2	9	3		
17 France.....	M. 8				1	1	1			3	3	
F. 10	2	1		1	4	5			2	3		
18 Germany.....	M. 386	45	22	18	11	96	162	24	29	133	38	3
F. 355	32	25	15	19	91	159	26	24	96	50		
19 Russia and Poland.....	M. 8				1	1	4			4		
F. 8	2		1		3	4	1		3			
20 Canada.....	M. 8					2	4			1		
F. 10						5	2		1			
21 Scandinavia.....	M. 11	2			1	3	5		1	5		
F. 18	2	1			3	6	2		3	6		
22 Hungary.....	M. 1									1		
F. 16	3	1	1	1	6	7			6	3		
23 Bohemia.....	M. 10		4		4	9	1	2	4	1		
F. 18	1	1	2	1	4	9	3		5	2		
24 Italy.....	M. 10	1	1	1	2	5	7		1	3	6	
F. 24	3	2	5	2	12	15			3	7	2	
25 Other foreign countries.....	M. 18	3	1	1		5	7	2		7	2	
F. 428	64	35	29	27	155	232	34	36	81	27	18	
26 Unknown.....	M. 363	61	36	21	18	136	215	33	12	66	36	1
F. 1,908	243	145	109	72	569	879	151	91	517	258	12	
27 Males.....	1,025	150	74	55	47	326	478	70	53	300	116	8
28 Females.....	883	93	71	54	25	243	401	81	38	217	142	4
29 White.....	1,865	242	144	107	71	564	865	146	88	506	249	11
30 Native born.....	1,336	239	140	106	71	556	849	138	70	184	90	5
31 Both parents native.....	M. 199	45	20	12	14	91	131	19	3	31	14	1
F. 177	27	11	11	10	59	95	14	8	25	33	2	
32 One or both parents foreign.....	M. 321	72	33	27	23	155	224	28	24	36	9	
F. 320	49	39	29	12	129	220	45	15	38	1	1	
33 Foreign born.....	M. 281					4	3	10	189	72	3	
F. 218	1		1		2	4	3	8	119	33	1	
34 Colored.....	43	1	1	2	1	5	14	5	3	11	9	1
35 Males.....	19			1		1	7	1	1	5	4	1
36 Females.....	24	1	1	1	1	4	7	4	2	6	5	
37 Birthplaces of mothers:												
38 United States.....	M. 279	56	30	19	20	125	189	24	6	38	20	2
F. 258	39	19	19	15	92	149	25	12	32	38	2	
39 England and Wales.....	M. 31	2	1	1	2	6	7		3	12	9	
F. 33		2	1	2	3	8	3		1	12	9	
40 Ireland.....	M. 95	8	1	2	3	14	21	6	6	45	15	2
F. 112	3	1	4	1	9	23	14	7	46	22	2	
41 Scotland.....	M. 6					2	1			3	1	
F. 11	2				2	4	1		4	4		
42 France.....	M. 4									2		
F. 4										2		
43 Germany.....	M. 366	44	22	15	12	93	133	21	19	144	48	1
F. 286	28	25	16	5	77	117	21	10	80	48	1	
44 Russia and Poland.....	M. 13	5	2	2		7	11		2	2		
F. 12	2	1	1	1	5	9		1	2			
45 Canada.....	M. 1											
F. 3	2		1		3	3						
46 Scandinavia.....	M. 4		2			2	3	1				
F. 4		2			2	3						
47 Hungary.....	M. 6					1				3		
F. 4		1			1	3			1			
48 Bohemia.....	M. 3									3		
F. 3									1			
49 Italy.....	M. 10					1	1		1	5		
F. 2				1		1	1		1	1	1	
50 Other foreign countries.....	M. 208	33	20	15	10	78	112	13	15	41	19	3
F. 154	19	20	12	3	54	82	16	4	31	21	21	

TABLE 13.—DEATHS DURING THE 6 YEARS ENDING MAY 31, 1890, AT CERTAIN AGES AND FROM CERTAIN CAUSES, METROPOLITAN DISTRICT IN NEW YORK—Continued.

LOCALITIES.	All ages.	AGE.										
		Months.					Years.					
		Under 3	3 to 6	6 to 9	9 to 12	Total under 12	Under 5	5 to 15	15 to 25	25 to 65	65 and over.	Un-known.
1 North Hempstead town.....	772	90	34	25	22	171	260	39	49	221	195	8
2 Males.....	402	48	18	16	11	93	140	18	18	115	103	8
3 Females.....	370	42	16	9	11	78	120	21	31	106	92	8
4 White.....	678	78	26	19	22	145	221	32	39	198	180	8
5 Native born.....	558	78	26	19	22	145	220	32	35	128	140	3
6 Both parents native.....	M. 138 F. 155	16 22	8 8	6 5	4 6	34 41	50 56	3 8	8 8	35 40	41 43	1
7 One or both parents foreign.....	M. 63 F. 48	20 7	4 3	2 1	5 2	31 13	47 29	8 5	1 4	6 7	3	1
8 Foreign born.....	M. 59 F. 40	1	34	23	1
9 Colored.....	94	12	8	6	26	39	7	10	23	15
10 Males.....	53	7	3	4	14	23	3	6	13	8
11 Females.....	41	5	5	2	12	16	4	4	10	7
Birthplaces of mothers:												
12 United States.....	M. 189 F. 200	24 23	11 12	11 7	4 6	50 53	75 77	6 11	13 13	48 52	46 47	1
13 England and Wales.....	M. 8 F. 10	1	2	2	1	1	4	6
14 Ireland.....	M. 55 F. 39	8 3	1	1	1	13	19 7	5 3	19	12	9
15 Scotland.....	M. 1 F. 1	5	1	17	9
16 France.....	M. 1 F. 1	1
17 Germany.....	M. 32 F. 23	4 1	2	6	10	2	15	3	2
18 Russia and Poland.....	M. 2 F. 3	1 1	2	2	2	10	3
19 Canada.....	M. 3 F. 1	2	3
20 Scandinavia.....	M. 1 F. 2	1	1
21 Hungary.....	M. 1 F. 1
22 Bohemia.....	M. 1 F. 1
23 Italy.....	M. 2 F. 2	2
24 Other foreign countries.....	M. 4 F. 4	1	1	1	1	2
25 Unknown.....	M. 105 F. 92	10 8	4 1	4 1	2 3	20 13	29 21	4 5	4 14	20 22	34 30	5
26 Oyster Bay town.....	1,261	110	78	33	36	257	391	68	75	377	343	7
27 Males.....	623	62	42	16	16	136	209	29	31	179	171	4
28 Females.....	638	48	36	17	20	121	182	39	44	198	172	3
29 White.....	1,155	97	71	30	33	231	353	56	69	345	325	7
30 Native born.....	891	97	71	30	31	229	348	51	62	209	220	1
31 Both parents native.....	M. 231 F. 248	18 22	23 16	7 5	6 7	54 50	82 72	11 16	9 21	61 64	68 74	1
32 One or both parents foreign.....	M. 100 F. 100	24 15	5 8	2 7	7 9	38 39	57 60	5 7	11 14	16 18	11
33 Foreign born.....	M. 120 F. 125	1	1	2	5	60	50	2
34 Colored.....	106	13	7	3	3	26	38	12	6	32	18
35 Males.....	46	7	4	3	14	19	4	1	12	10
36 Females.....	60	6	3	3	12	19	8	5	20	8
Birthplaces of mothers:												
37 United States.....	M. 292 F. 314	31 30	27 22	10 5	9 10	77 67	115 102	15 24	12 26	71 79	79 82
38 England and Wales.....	M. 28 F. 27	1 4	1	4	3	8	13
39 Ireland.....	M. 85 F. 96	12 4	2	1	1	16	21	2	6	34	21	1
40 Scotland.....	M. 3 F. 7	11	20	5	6	44	21
41 France.....	M. 1 F. 1	4	2
42 Germany.....	M. 65 F. 65	3 3	2	1	2	8	13	5	3	25	19
43 Russia and Poland.....	M. 2 F. 2	1 1	10	14	1	3	29	18
44 Canada.....	M. 3 F. 1	1	2	1
45 Scandinavia.....	M. 2 F. 7	2	2
46 Hungary.....	M. 1 F. 1
47 Bohemia.....	M. 1 F. 1
48 Italy.....	M. 1 F. 1
49 Other foreign countries.....	M. 4 F. 4	1	1	1	2
50 Unknown.....	M. 137 F. 114	14 6	11 8	4 5	2 2	31 21	51 31	7 7	2 5	35 32	37 37	2

TABLE 13.—DEATHS DURING THE 6 YEARS ENDING MAY 31, 1890, AT CERTAIN AGES AND FROM CERTAIN CAUSES,

METROPOLITAN DISTRICT IN NEW YORK—Continued.

LOCALITIES.	All ages.	AGE.										
		Months.					Years.					
		Under 3	3 to 6	6 to 9	9 to 12	Total under 12	Under 5	5 to 15	15 to 25	25 to 65	65 and over.	Un-known.
1 Sea Cliff village.....	39	5	5		2	12	18	2	2	10	7	
2 Males.....	21	4	2		2	8	10	1	2	4	4	
3 Females.....	18	1	3			4	8	1		6	3	
4 White.....	39	5	5		2	12	18	2	2	10	7	
5 Native born.....	34	5	5		2	12	18	2	2	5	7	
6 Both parents native.....	M 11 F 9	2	2		1	5	6			1	4	
7 One or both parents foreign.....	M 1 F 1	1	1			2	5			1	3	
8 Foreign born.....	M 1 F 2					1	1					
9 Colored.....												
10 Males.....												
11 Females.....												
Birthplaces of mothers:												
12 United States.....	M 11 F 3	2	2		1	5	6			1	4	
13 England and Wales.....	M F					2	5			1	3	
14 Ireland.....	M F		1			1	1			1		
15 Scotland.....	M F	1								1		
16 France.....	M F									1		
17 Germany.....	M F	1									1	
18 Russia and Poland.....	M F											
19 Canada.....	M F											
20 Scandinavia.....	M F											
21 Hungary.....	M F											
22 Bohemia.....	M F											
23 Italy.....	M F											
24 Other foreign countries.....	M F	1	1			1	1					
25 Unknown.....	M 7 F 6	1	1		1	2	3	1	2	1	3	
26 Queens county, unlocated.....	118	1		1		2	5	3	4	50	51	5
27 Males.....	91						1	3	2	41	39	5
28 Females.....	27	1		1		2	4		2	9	12	
29 White.....	103			1		1	4	3	3	44	45	4
30 Native born.....	44			1		1	4	3	2	16	19	
31 Both parents native.....	M 6 F 3							3		2	1	
32 One or both parents foreign.....	M 2 F 1						1			1	1	
33 Foreign born.....	M 43 F 9								1	23	19	
34 Colored.....	15	1				1	1		1	6	6	1
35 Males.....	11									5	5	1
36 Females.....	4	1				1	1		1	1	1	
Birthplaces of mothers:												
37 United States.....	M 13 F 5	1				1	3	3	1	6	4	
38 England and Wales.....	M F	3							1	1	1	
39 Ireland.....	M 21 F 4									13	8	
40 Scotland.....	M F	1								1	3	
41 France.....	M F										1	
42 Germany.....	M 17 F 5									10	7	
43 Russia and Poland.....	M F									3	2	
44 Canada.....	M F	1		1		1	1					
45 Scandinavia.....	M F											
46 Hungary.....	M F											
47 Bohemia.....	M F	1									1	
48 Italy.....	M F											
49 Other foreign countries.....	M F	1									1	
50 Unknown.....	M 34 F 12						1		1	11	16	5

STATISTICS OF DEATHS.

WITH DISTINCTION OF SEX, COLOR, NATIVITY, PARENTAL NATIVITY, AND BIRTHPLACES OF MOTHERS—Continued.

METROPOLITAN DISTRICT IN NEW YORK—Continued.

CAUSE OF DEATH.																				
All causes.	Scarlet fever.	Typhoid fever.	Malarial fever.	Diphtheria.	Croup.	Diar-rheal dis-eases.	Con-sump-tion.	Pneu-monia.	Measles.	Whoop-ing cough.	Cancer and tumor.	Heart disease and dropsy.	Child birth and puer-peral dis-eases.	Dis-eases of the liver.	Dis-eases of the nervous system.	Dis-eases of the urinary organs.	Old age.	Still-born.	All other causes.	Un-known.
39	1					9	1	3			1	6	1		9		1		7	1
21	1					5						4			6		1		4	2
18						4	1	3			1	2	1		3				3	3
39	1					9	1	3			1	6	1		9		1		7	4
34	1					9	1	3			1	3	1		8		1		6	5
11						3						2			5		1			6
9						3		2			1	2			3					7
1						1													1	7
1												1							1	8
2												2								8
																				9
																				10
																				11
11						3						2			5		1			12
9						3		2			1				3					13
																				14
2												1							1	14
1												1							1	15
1												1								16
																				17
1												1								17
																				18
																				19
																				20
																				21
																				22
																				23
1						1														23
																				24
7	1					1						1			1				3	24
6						1	1	1											2	25
118			1	5	1	7	15	8			5	19		2	17	6	5		24	3
																				26
91				4		5	15	7			3	12		2	13	3	5		19	3
27			1	1	1	2		1			2	7			4	3			5	27
103			1	5	1	7	74	8			4	13		2	16	5	4		20	3
																				28
44				5	1	3	2	1			3	5		1	8	4	2		7	2
6				3								1				1			1	1
3				1	1															31
2							1								1					32
1																			1	32
43						3	12	6				6		1	7		2		6	32
9			1			1		1			1	2			1	1			1	33
																				34
15							1				1	6			1	1	1		4	34
																				35
11							1				1	3			1	1	1		3	35
4												3							1	36
																				36
13				3			1					4			1		1		2	37
5				1	1							1				1			1	37
3															2					38
																				38
21						2	10	3				2			2		1		1	39
4						1		1			1	1								39
1							1													40
																				41
17						1	1	3				3		1	2		1		5	41
5			1									1			1	1			1	42
																				42
																				43
																				43
1																			1	44
																				44
																				45
																				46
1												1								47
																				48
																				48
1															1					49
																				49
34				1		2	1	1			3	2		1	5	3	2		11	2
12						1					1	4			3	1			2	50

TABLE 13.—DEATHS DURING THE 6 YEARS ENDING MAY 31, 1890, AT CERTAIN AGES AND FROM CERTAIN CAUSES, METROPOLITAN DISTRICT IN NEW YORK—Continued.

	LOCALITIES.	Allages.	AGE.											
			Months.					Years.						
			Under 3	3 to 6	6 to 9	9 to 12	Total under 12	Under 5	5 to 15	15 to 25	25 to 65	65 and over.	Un-known.	
1	New York city.....	250,359	44,156	13,750	11,549	9,567	79,022	117,993	10,476	14,509	84,975	22,200	206	
2	Males.....	134,233	24,956	7,484	6,062	5,020	43,522	63,791	5,317	7,336	47,556	10,094	139	
3	Females.....	116,126	19,200	6,266	5,487	4,547	35,500	54,202	5,159	7,173	37,419	12,106	67	
4	White.....	245,567	43,337	13,500	11,360	9,425	77,622	116,126	10,313	14,100	82,982	21,851	195	
5	Native born.....	160,097	42,309	12,779	10,743	8,940	74,771	110,694	8,921	9,198	25,944	5,285	55	
6	Both parents native.....	M. 24,432	6,209	1,786	1,358	1,060	10,413	15,320	1,208	860	5,190	1,845	9	
7	One or both parents foreign.....	F. 21,101	4,757	1,471	1,281	1,029	8,538	12,953	1,171	831	4,011	2,127	8	
8	Foreign born.....	M. 57,303	16,184	4,780	4,067	3,497	28,523	41,898	3,246	3,612	8,159	3,668	20	
9	Foreign born.....	F. 49,271	13,296	3,984	3,619	3,060	22,959	35,413	3,163	3,533	6,629	511	12	
10	Foreign born.....	M. 42,983	31	61	93	108	293	1,297	704	2,384	31,056	7,524	23	
11	Foreign born.....	F. 38,382	26	51	73	91	241	1,074	660	2,469	25,163	8,990	26	
12	Colored.....	4,792	819	250	189	142	1,400	1,867	163	409	1,993	349	11	
13	Males.....	2,626	453	140	96	78	767	997	30	282	1,190	122	5	
14	Females.....	2,166	366	110	93	64	633	870	33	177	803	227	6	
15	Birthplaces of mothers:													
16	United States.....	M. 33,763	8,885	2,568	1,969	1,544	14,966	22,087	1,773	1,252	6,570	2,068	18	
17	England and Wales.....	F. 29,565	6,894	2,115	1,902	1,502	12,413	18,829	1,781	1,228	5,259	2,505	13	
18	Ireland.....	M. 4,474	671	185	160	142	1,158	1,719	153	219	1,810	572	1	
19	Scotland.....	F. 3,847	522	183	131	127	963	1,467	180	199	1,456	564	1	
20	France.....	M. 35,721	3,905	1,106	916	844	6,881	10,519	1,312	2,750	17,880	3,243	17	
21	Germany.....	F. 36,654	3,037	944	857	697	5,535	9,152	1,311	2,933	18,661	5,179	18	
22	Russia and Poland.....	M. 1,542	190	51	46	45	330	486	53	80	716	202	1	
23	Canada.....	F. 1,290	144	49	46	25	264	408	49	86	508	239	1	
24	Scandinavia.....	M. 1,210	167	48	37	27	279	388	37	52	596	166	1	
25	Hungary.....	F. 923	143	49	39	24	255	349	38	42	867	127	1	
26	Bohemia.....	M. 30,378	4,731	1,582	1,240	975	8,528	12,407	1,177	1,731	12,312	2,742	9	
27	Italy.....	F. 23,432	3,534	1,312	1,121	878	6,845	10,436	1,114	1,591	7,798	2,484	9	
28	Other foreign countries.....	M. 3,863	1,109	229	235	267	1,840	2,676	162	182	684	158	1	
29	Unknown.....	F. 2,928	774	165	165	238	1,342	2,068	137	183	428	111	1	
30	Castleton town.....	1,551	174	101	68	43	386	508	111	87	496	253	6	
31	Males.....	750	89	49	35	20	193	297	48	41	249	118	6	
32	Females.....	792	85	52	33	23	193	301	63	46	247	135	6	
33	White.....	1,542	171	100	67	43	381	593	110	86	494	253	6	
34	Native born.....	1,049	169	95	66	42	372	578	104	69	209	89	6	
35	Both parents native.....	M. 169	23	14	11	11	59	91	15	7	38	18	6	
36	One or both parents foreign.....	F. 186	20	9	18	5	47	76	20	11	49	30	6	
37	Foreign born.....	M. 222	33	23	12	3	76	125	23	21	47	6	6	
38	Foreign born.....	F. 214	37	23	12	11	83	128	25	16	39	6	6	
39	Foreign born.....	M. 224	1	1	1	1	4	2	3	4	136	77	2	
40	Foreign born.....	F. 241						4	3	11	138	85	2	
41	Colored.....	9	3	1	1		5	5	1	1	2			
42	Males.....	6	2	1	1		4	4	1		1			
43	Females.....	3	1				1	1			1			
44	Birthplaces of mothers:													
45	United States.....	M. 212	30	18	13	13	74	118	19	10	44	21	6	
46	England and Wales.....	F. 215	29	12	13	6	60	92	24	14	53	32	6	
47	Ireland.....	M. 65	4	3	2		9	15	2	2	29	17	6	
48	Scotland.....	F. 49	7	1	1		9	12	3	3	20	11	1	
49	France.....	M. 252	16	13	3		32	51	15	17	119	49	1	
50	Germany.....	F. 260	13	5	4	6	28	53	11	14	113	64	3	
51	Russia and Poland.....	M. 11	1	1	1		3	4	2		4	2	6	
52	Canada.....	F. 25	1	2	1		4	5	2	3	7	3	6	
53	Scandinavia.....	M. 3					2	2			1	1	6	
54	Hungary.....	F. 5					1	1			3	1	6	
55	Bohemia.....	M. 53	8	2	1	2	13	20	1	2	20	9	1	
56	Italy.....	F. 54	2	10	4	1	17	27	5	3	15	4	6	
57	Other foreign countries.....	M. 1		1	1		2	2					6	
58	Unknown.....	F. 7					1	2			3	2	6	
59	Castleton town.....	142	27	11	12	5	55	77	6	10	27	18	4	
60	Males.....	156	29	20	8	8	65	95	15	8	24	14	4	

STATISTICS OF DEATHS.

WITH DISTINCTION OF SEX, COLOR, NATIVITY, PARENTAL NATIVITY, AND BIRTHPLACES OF MOTHERS—Continued.

METROPOLITAN DISTRICT IN NEW YORK—Continued.

Table with columns for Cause of Death (All causes, Scarlet fever, Typhoid fever, Malarial fever, Diphtheria, Croup, Diarrheal diseases, Consumption, Pneumonia, Measles, Whooping cough, Cancer and tumor, Heart disease and dropsy, Child-birth and puerperal diseases, Diseases of the liver, Diseases of the nervous system, Diseases of the urinary organs, Old age, Still-born, All other causes, Unknown) and rows of numerical data.

TABLE 13.—DEATHS DURING THE 6 YEARS ENDING MAY, 31, 1890, AT CERTAIN AGES AND FROM CERTAIN CAUSES.

METROPOLITAN DISTRICT IN NEW YORK—Continued.

LOCALITIES.	AGE.											
	All ages.	Months.					Years.					
		Under 3	3 to 6	6 to 9	9 to 12	Total under 12	Under 5	5 to 15	15 to 25	25 to 65	65 and over.	Un-known.
1 Middletown town	67	7	4		2	13	17	3	4	28	12	3
2 Males	36	3	3		2	8	10	2	3	17	2	2
3 Females	31	4	1			5	7	1	1	11	10	1
4 White	67	7	4		2	13	17	3	4	28	12	3
5 Native born	39	7	4		2	13	17	2	3	11	4	2
6 Both parents native.....	M. 4 F. 7	1 1	1 1		1 1	3 1	3 2			1 3		
7 One or both parents foreign.....	M. 13 F. 5	2 2	1		1	4 2	6 3	2	2	3 1		1
8 Foreign born	M. 14 F. 11					2	3		1	11 6	2 6	
9 Colored												
10 Males												
11 Females												
12 Birthplaces of mothers:												
13 United States	M. 6 F. 10	1 1	2		1	4 2	4 3			2 8	2	1
14 England and Wales	M. 4 F. 8						1	2			1	
15 Ireland	M. 6 F. 7						1		2	5 3	1	
16 Scotland	M. 1 F. 1									1		
17 France	M. 11 F. 5	1 1			1	2 1	3 1		1	7 2	2	
18 Germany	M. 1 F. 1	1 1				1 1	1 1					
19 Russia and Poland	M. 1 F. 1											
20 Canada	M. 1 F. 1											
21 Scandinavia	M. 1 F. 1											
22 Hungary	M. 1 F. 1											
23 Bohemia	M. 1 F. 1											
24 Italy	M. 1 F. 1											
25 Other foreign countries	M. 2 F. 5		1			1 2	1 2			1 2 2	1	2
26 Unknown	M. 2 F. 7	2				1 2	1 2		1			
27 Edgewater village	1,563	184	74	81	49	388	596	89	79	538	251	10
28 Males	831	115	44	40	22	221	308	41	44	300	180	8
29 Females	732	69	30	41	27	167	288	48	35	238	121	2
30 White	1,541	183	74	80	48	385	590	88	79	526	249	9
31 Native born	965	182	74	79	48	383	585	84	65	176	54	1
32 Both parents native.....	M. 154 F. 153	35 22	16 7	12 17	9 13	72 59	96 97	13 13	2 4	28 25	15 14	
33 One or both parents foreign.....	M. 252 F. 224	54 31	25 20	23 17	12 11	114 79	161 146	16 25	30 17	42 34	3 2	
34 Foreign born	M. 310 F. 252	1		1		2	4	3	5	200 145	99 83	3 1
35 Colored	22	1		1	1	3	6	1		12	2	1
36 Males	9	1		1		2	3	1		4		1
37 Females	13				1	1	3			8	2	
38 Birthplaces of mothers:												
39 United States	M. 206 F. 203	49 30	21 10	22 18	9 15	101 73	134 125	17 19	3 6	94 86	18 17	
40 England and Wales	M. 36 F. 26	4	1		3	8	8	2	1	13	11	1
41 Ireland	M. 177 F. 169	8 5	3 3	2 5	2 3	15 16	26 26	4 5	15 12	90 78	42 47	1
42 Scotland	M. 7 F. 5	1				1	3			4		
43 France	M. 7 F. 7		1			2	4			4	2	
44 Germany	M. 255 F. 204	25 17	13 10	10 8	5 6	53 41	76 79	7 9	17 10	112 75	41 31	2
45 Russia and Poland	M. 3 F. 1	1			1	2	2			1		
46 Canada	M. 1 F. 3			1		1	1			1		
47 Scandinavia	M. 14 F. 7	1	2		2	3 2	5 5	1		8 2		
48 Hungary	M. 2 F. 2									1	1	
49 Bohemia	M. 1 F. 1											
50 Italy	M. 7 F. 6		1	1		2	2	1		2	2	
51 Other foreign countries	M. 8 F. 11	2	1	1	2	3 4	3 4	1		3 1	3 1	
52 Unknown	M. 108 F. 90	24 15	3 3	4 5	2 2	33 25	48 37	8 10	8	27 24	12 13	6 1

STATISTICS OF DEATHS.

WITH DISTINCTION OF SEX, COLOR, NATIVITY, PARENTAL NATIVITY, AND BIRTHPLACES OF MOTHERS—Continued.

METROPOLITAN DISTRICT IN NEW YORK—Continued.

CAUSE OF DEATH.																					
All causes.	Scarlet fever.	Typhoid fever.	Malarial fever.	Diphtheria.	Croup.	Diarrheal diseases.	Consumption.	Pneumonia.	Measles.	Whooping cough.	Cancer and tumor.	Heart disease and dropsy.	Child-birth and puerperal diseases.	Diseases of the liver.	Diseases of the nervous system.	Diseases of the urinary organs.	Old age.	Still-born.	All other causes.	Unknown.	
67		1	2	1		10	9	2		2	1	3	1		8	2	1		22	2	1
36		1	2			5	4	1		1		1			3	2			14	2	2
31				1		5	5	1		1	1	2	1		5	1			8		3
67		1	2	1		10	9	2		2	1	3	1		8	2	1		22	2	4
39			2	1		9	6	2		2			1		4		1		10	1	5
4						1		1		1			1		1		1		1		6
7				1		2	1	1		1			1		1		1		5	1	7
13			2			2	2								1				1		8
5						1	1					1			1				1		8
14						2	2					1			1				1		8
15						1	1				1	1			3				7		8
11						3	1								1				4		18
5						1															19
1																					20
																					21
																					22
																					23
																					24
2						1	1								1				1	1	25
5		1				3	2								1				2		25
7																					25
1,563	18	19	31	72	17	156	164	132	7	12	46	80	16	27	233	65	19	1	430	18	26
831	7	11	15	30	8	82	90	72	4	5	18	48		17	126	34	6	1	245	12	27
732	11	8	16	42	9	74	74	60	3	7	28	32	16	10	107	31	13		185	6	28
1,541	18	19	30	72	17	156	163	130	7	12	46	78	14	27	231	65	18	1	420	17	29
965	18	11	18	70	17	139	88	73	7	11	9	23	7	7	168	25	5	1	260	8	30
154	2		2	9	3	20	5	11	2	1	3	6	2	2	35	5	1	1	44	2	31
153	5	1	5	14	1	21	11	13	1	3	4	2	1		31	4	3		33		31
252	5	4	2	14	3	48	36	19	2	3	2	6		1	36	4			65	2	32
224	6	3	4	23	8	42	15	14	2	3		2	5	1	29	7	1		57	2	32
310		5	7	2		9	41	32			13	32		9	39	22	5		88	6	33
252		3	5			7	33	24		1	24	22	7	9	24	18	8		65	2	33
22			1				1	2				2	2		2		1		10	1	34
9				1				1							2				5		35
13							1	1				2	2				1		5	1	36
206	4		3	10	3	31	6	21	2	2	5	7		2	40	5	1	1	60	3	37
203	7	1	5	18	1	27	13	17	1	3	4	5	4		41	5	4		46	1	37
36						4	5	5			1	4			2	2			12		38
26	1	3	4				2	2		1	4	6		1	2	2			10		38
177	1	3	4	5	1	9	34	22	2		1	4		1	19	9	5		46	1	39
169	2	4	3	7		11	24	19		1	10	7	6	4	14	12	4		40	3	39
7	1					1		1				1		1	1				2		40
5	1											1			1				1	5	40
7												1			1				1		41
7			1					3			1	1			1				64	5	41
255		6	5	9	1	26	31	15		1	6	8		4	44	11			55	1	42
204		1	4	11	6	27	20	8	2	1	8	11	5	4	25	11	4		1		42
3						1	1														43
1			1																		43
1																					44
3										1		1									44
14						3	2					1			2						45
7		1				3	1					1			1						45
2															2						46
															2						46
															2						47
7				1		1	1								1						48
6						1	1	1							1						48
8					1	1	1	1							1						49
11				1	2	1	1	2							1						49
108		2	3	5	2	6	9	8		1		4		4	14	3			45	2	50
90		1	2	5		4	13	8				4	1	4	22	2	1		28	1	50

TABLE 13.—DEATHS DURING THE 6 YEARS ENDING MAY 31, 1890, AT CERTAIN AGES AND FROM CERTAIN CAUSES,

METROPOLITAN DISTRICT IN NEW YORK—Continued.

LOCALITIES.	AGE.											
	All ages.	Months.					Years.					
		Under 3	3 to 6	6 to 9	9 to 12	Total under 12	Under 5	5 to 15	15 to 25	25 to 65	65 and over.	Un-known.
1 Northfield town.....	389	34	22	11	15	82	123	23	24	108	110	1
2 Males.....	211	21	13	6	7	47	68	12	12	53	65	1
3 Females.....	178	13	9	5	8	35	55	11	12	55	45	
4 White.....	374	32	21	11	15	79	118	20	22	105	108	1
5 Native born.....	288	32	20	10	15	77	115	18	20	59	76	
6 Both parents native.....	M. 91 F. 80	7 5	4 2	3 4	3 5	17 16	27 27	4 3	7 5	21 19	32 26	
7 One or both parents foreign.....	M. 32 F. 29	8 5	3 5	1 1	3 1	15 11	22 18	5 3	2 3	2 4	1 1	
8 Foreign born.....	M. 41 F. 38	1 1	1 1	1 1	2 2	2 2	2 2	1 1	2 2	20 24	17 13	
9 Colored.....	15	2	1			3	5	3	2	3	2	
10 Males.....	5		1			1	2		1	2		
11 Females.....	10	2				2	3	3	1	1	2	
12 Birthplaces of mothers:												
13 United States.....	M. 99 F. 93	10 9	7 2	3 4	3 5	23 20	33 35	4 5	7 7	23 20	32 28	
14 England and Wales.....	M. 5 F. 9	1 1	1 1	1 1		3 2	3 2			2 2	5 5	
15 Ireland.....	M. 27 F. 30	3 1	3 3		1	4 4	7 9	1 2	2 2	8 13	9 4	
16 Scotland.....	M. 6 F. 2						1		1	4	4	
17 France.....	M. 1 F. 1									1	1	
18 Germany.....	M. 26 F. 20	1 1	1 1	1 1		3 3	5 4	5 2	2	8 10	6 4	
19 Russia and Poland.....	M. 1 F. 1											
20 Canada.....	M. 1 F. 1											
21 Scandinavia.....	M. 2 F. 1				1	1	1			1		
22 Hungary.....	M. 1 F. 1									1		
23 Bohemia.....	M. 1 F. 1											
24 Italy.....	M. 1 F. 1											
25 Other foreign countries.....	M. 1 F. 1				1	1	1					
26 Unknown.....	M. 44 F. 22	6 1	4 2	1 1	1 2	12 6	17 7	2 2		8 7	16 3	1
27 Port Richmond village.....	418	44	20	14	14	92	143	33	21	134	86	1
28 Males.....	217	23	14	4	8	49	78	17	11	71	39	1
29 Females.....	201	21	6	10	6	43	65	16	10	63	47	
30 White.....	413	44	20	13	14	91	141	33	21	133	84	1
31 Native born.....	325	44	20	13	14	91	141	33	16	82	52	1
32 Both parents native.....	M. 106 F. 83	14 11	7 4	2 3	2 3	25 21	40 30	11 7	4 3	32 21	19 22	
33 One or both parents foreign.....	M. 49 F. 37	5 5	6 1	1 3	5 3	17 12	27 19	6 8	4 2	11 7	1 1	1
34 Foreign born.....	M. 36 F. 49	3 5	1 1	3 3	3 3	12 12	19 19	8	1	21 29	14 17	
35 Colored.....	5			1		1	2			1	2	
36 Males.....	3					1	1				2	
37 Females.....	2			1		1				1		
38 Birthplaces of mothers:												
39 United States.....	M. 119 F. 90	14 12	8 3	2 5	5 3	29 23	48 33	11 9	5 3	34 22	21 23	
40 England and Wales.....	M. 11 F. 9	1 1		1 1		1 1	2 1		1 3	3 4	5 1	
41 Ireland.....	M. 35 F. 46	4 1	2 2	1 1		7 3	11 6	4 2	2 4	14 22	4 12	
42 Scotland.....	M. 5 F. 2	1 1	1 1			1 1	2 2	1 1		2 1	2 1	
43 France.....	M. 2 F. 2									1 1	1 1	
44 Germany.....	M. 13 F. 15		1			1 3	1 4		1 1	7 6	4 3	1
45 Russia and Poland.....	M. 2 F. 1	2		1		1 1	1 1			1 1		
46 Canada.....	M. 1 F. 1				1	1		1				
47 Scandinavia.....	M. 3 F. 3		1			1 2	2 2			1 1		
48 Hungary.....	M. 1 F. 1						1					
49 Bohemia.....	M. 1 F. 1											
50 Italy.....	M. 1 F. 1											
51 Other foreign countries.....	M. 1 F. 1									1		
52 Unknown.....	M. 26 F. 30	4 5	1 1	1 3	1	7 9	11 15		3 2	8 6	4 6	

STATISTICS OF DEATHS.

539

WITH DISTINCTION OF SEX, COLOR, NATIVITY, PARENTAL NATIVITY, AND BIRTHPLACES OF MOTHERS—Continued.

METROPOLITAN DISTRICT IN NEW YORK—Continued.

CAUSE OF DEATH.																				
All causes.	Scarlet fever.	Typhoid fever.	Malarial fever.	Diphtheria.	Croup.	Diarrheal diseases.	Consumption.	Pneumonia.	Measles.	Whooping cough.	Cancer and tumor.	Heart disease and dropsy.	Child-birth and puerperal disease.	Diseases of the liver.	Diseases of the nervous system.	Diseases of the urinary organs.	Old age.	Still-born.	All other causes.	Unknown.
389	6	6	6	15	3	35	57	44	1	7	19	25	4	7	47	15	3		82	7
211	2	4	4	5	1	23	28	21		5	8	17		3	30	12			48	5
178	4	2	2	10	2	12	29	23	1	2	11	8	4	4	17	3	3		39	2
374	6	6	6	15	3	35	53	42	1	6	19	24	4	7	45	15	2		78	7
288	5	4	6	13	3	31	38	32	1	6	12	16	3	4	38	12	2		56	6
91	1		2	1	1	5	10	15		2	4	8	2	2	12	9			17	2
80	1		2	5	1	3	13	10		1	5	3	2	2	12	2	2		12	2
32		2		2		4	5	1				2	1		5	1			7	6
29	1			3	1	2	7	3		2		2	1		1	1			6	2
41		1				3	7	3		1		6			5	2			10	
38	1	1				2	8	7				2	1	2	2				11	
15							4	2		1		1			2		1		4	
5							2			1					1				1	
10							2	2				1			1		1		3	
99	1		2	1	1	7	12	15		2	4	8		2	15	9			18	2
93	1		2	6	1	9	15	13		1	5	4	2	2	13	2	3		14	1
5						2	1	2				1		1	1				2	
9						5	4	2			1	2			3	1			2	
27		1		2		5	4	2			3	2			3	1			4	
30	2			1	1	6	2	4		1	1	2		2	1	1			3	
6															1				3	
2		1					1													
1							1													
1												1								
26		2		1		2	6	1				3			3	1			7	
20				1		1	4	2			1	3			2				7	1
2																				
2								1												
1																				
44	1	1	2	1		6	3	2		3	1	3			7	1			10	3
22	1	1		2		2	2	1	1		3				1				8	
418	18	6	6	21		38	51	41	4	9	9	22	4	10	45	20	1		108	5
217	8	4	1	14		20	29	19	2	5	5	12		5	17	15	1		57	3
201	10	2	5	7		18	22	22	2	4	4	10	4	5	28	5			51	2
413	18	6	6	21		38	49	41	4	9	9	22	4	10	44	19	1		107	5
325	18	5	6	20		35	30	32	4	9	5	17	2	6	35	13	1		85	2
106	3		1	10		10	12	11		2	4	6		3	7	4	1		31	1
83	2	2	3	4		7	6	10	1	3		5	1	1	13	4			21	
49	5	3		3		7	6	4	1	3		5			5	2			10	
37	5		1	2		4	3	1	1			3	1	1	3	3			12	
36		1		1		1	7	2			1	3		2	3	6			8	1
49				1		2	12	7			3	2	2	2	5				12	2
5							2								1	1			1	
3							2												1	
2															1	1				
119	3	1	1	10		14	15	11	1	3	4	6		3	7	4	1		34	1
90	2	2	4	5		7	6	11	1	3		6		1	15	5			21	
11	1	2					2	1				6		1	2	1			1	
9	1			1			5	1				2			3	5			3	
35	2	1		3		2	4	1			2	2			4	1			8	1
46	3					4	13	1						3	4				11	1
5	1			1			1	6							1				1	
2																				
13							3					1		1	1				1	
15						2	1	2	1			1		2	2				3	1
2						1													5	
1												1							1	
1																			1	
1																			1	
3																			1	
3															1				2	
2																			1	
1																			1	
1																			1	
1																			1	
26							3		1			3			2	3			7	1
80	3		1	1		5	1	4		1	2			1	5				6	

VITAL AND SOCIAL STATISTICS.

TABLE 13.—DEATHS DURING THE 6 YEARS ENDING MAY 31, 1890, AT CERTAIN AGES AND FROM CERTAIN CAUSES,

METROPOLITAN DISTRICT IN NEW YORK—Continued.

LOCALITIES.	AGE.											
	All ages.	Months.					Years.					
		Under 3	3 to 6	6 to 9	9 to 12	Total under 12	Under 5	5 to 15	15 to 25	25 to 65	65 and over.	Un-known.
1 Southfield town.....	94	8	9	2	1	20	25	2	6	31	28	2
2 Males.....	49	4	4		1	9	11	2	4	16	14	2
3 Females.....	45	4	5	2		11	14	2	2	15	14	
4 White.....	90	7	8	2	1	18	22	2	6	30	28	2
5 Native born.....	62	7	8	2	1	18	22	2	5	13	20	
6 Both parents native.....	M. 13 F. 10	1 2	2 2		1	3 5	3 6		1	3	6 4	
7 One or both parents foreign.....	M. 9 F. 9	2 1	1 2		1	4 4	6 5	1		2 1	2 2	
8 Foreign born.....	M. 11 F. 12			1		4	5		1	6 9	4 2	1
9 Colored.....	4	1	1			2	3			1		
10 Males.....	1											
11 Females.....	3	1	1			2	3			1		
12 Birthplaces of mothers:												
13 United States.....	M. 16 F. 16	2 4	3 3		1	5 8	5 10		1	4 1	6 5	
14 England and Wales.....	M. 1 F. 11									1 5		1
15 Ireland.....	M. 10 F. 10	2	1		1	3 1	4 2			5 5	1 2	
16 Scotland.....	M. 1 F. 1											
17 France.....	M. 1 F. 8						1	1		3	1	
18 Germany.....	M. 4 F. 1		1	1		2	2		1	1	3	
19 Russia and Poland.....	M. 1 F. 1									1		
20 Canada.....	M. 1 F. 1											
21 Scandinavia.....	M. 1 F. 1											
22 Hungary.....	M. 1 F. 1									1		
23 Bohemia.....	M. 1 F. 1											
24 Italy.....	M. 1 F. 1											
25 Other foreign countries.....	M. 1 F. 1											
26 Unknown.....	M. 14 F. 11		1			1	1	1	3	4 5	4 6	1
26 Westfield town.....	500	49	29	23	11	111	205	54	17	119	105	
27 Males.....	302	27	12	13	3	55	117	46	7	73	59	
28 Females.....	198	22	17	9	8	56	88	8	10	46	46	
29 White.....	466	47	24	21	11	103	189	53	16	110	98	
30 Native born.....	360	47	23	21	10	101	183	47	15	62	53	
31 Both parents native.....	M. 83 F. 71	12 8	4 4	5 6	1 2	22 19	29 32	6 2	1 5	25 15	22 17	
32 One or both parents foreign.....	M. 48 F. 41	7 5	4 9	7 2	2 5	20 21	36 32	7 2	1 2	4 5	4 23	
33 Foreign born.....	M. 55 F. 38					21	32	3	1	25 17	23 21	
34 Colored.....	34	2	5	1		8	16	1	1	9	7	
35 Males.....	15	2	2			4	9			3	3	
36 Females.....	19		3	1		4	7	1	1	6	4	
37 Birthplaces of mothers:												
38 United States.....	M. 97 F. 93	14 9	5 9	5 7	1 1	25 26	37 42	6 3	2 6	29 21	23 21	
39 England and Wales.....	M. 5 F. 7									3 3	1 2	
40 Ireland.....	M. 37 F. 25	1	1		1	2 1	2 8			11 6	13 13	
41 Scotland.....	M. 3 F. 3									1	2	
42 France.....	M. 49 F. 32		2 6	6 2	2 3	16 15	24 20	2	1	14 9	8 3	
43 Russia and Poland.....	M. 2 F. 2		1			1	1				1	
44 Canada.....	M. 1 F. 1							1				
45 Scandinavia.....	M. 1 F. 1									1		
46 Hungary.....	M. 1 F. 1						1					
47 Bohemia.....	M. 1 F. 1											
48 Italy.....	M. 1 F. 1											
49 Other foreign countries.....	M. 2 F. 1									1	1	
50 Unknown.....	M. 111 F. 31	7 8	4 1	2	2	13 11	46 18	33 3	3 2	16 4	13 4	

WITH DISTINCTION OF SEX, COLOR, NATIVITY, PARENTAL NATIVITY, AND BIRTHPLACES OF MOTHERS—Continued.

METROPOLITAN DISTRICT IN NEW YORK—Continued.

CAUSE OF DEATH.																				
All causes.	Scarlet fever.	Typhoid fever.	Malarial fever.	Diphtheria.	Croup.	Diarrheal diseases.	Consumption.	Pneumonia.	Measles.	Whooping cough.	Cancer and tumor.	Heart disease and dropsy.	Child-birth and puerperal diseases.	Diseases of the liver.	Diseases of the nervous system.	Diseases of the urinary organs.	Old age.	Still-born.	All other causes.	Unknown.
94		1	5			7	5	4			4	8		3	12	1	3	1	39	1
49		1	2			4	2	3			1	3		1	7	1			23	1
45			3			3	3	1			3	5		2	5		3	1	16	3
90		1	5			7	5	4			4	8		3	12	1	3		36	4
62		1	3			7	3	3			3	5		1	11	1	2		22	5
13		1				3		1							3				5	2
10			1			2					1				3		1		2	6
9						1						1			1				6	7
9						1						1			1				4	7
11						1	1					1			1				7	8
12						1	1	1			1	3			1		1		3	8
4																		1	3	9
1																		1	2	10
3																			1	11
16		1				3		1			1				3		1		8	12
16			1			2	1								4		1	1	5	12
1												1							8	13
11						1	1				1	3			1		1		4	14
10																			4	14
1																				15
8						1		1				1			1				4	16
4			1				1							1	1				2	17
1			1																2	18
																				19
																				20
																				21
1														1						22
																				23
																				24
14			2				1	2			1	2			2	1			3	25
11							1				1	1		1	1		1		5	25
500	1	3	14	9	17	73	58	34	9	9	5	15	3	9	74	16	11		139	1
302		2	9	5	12	42	38	22	8	6		10		6	42	9	7		83	1
198	1	1	5	4	5	31	20	12	1	3	5	5	3	3	32	7	4		56	1
406	1	2	12	8	17	65	55	33	9	9	4	15	3	8	73	13	8		131	1
360	1	1	9	8	17	56	39	24	7	9	3	9	3	5	59	10	6		94	30
83		1	3	2	2	11	15	5		1	1	5		2	11	3	4		18	31
71				4	2	5	9	5		2	2	3		1	13	3	1		19	31
48			2	4	4	12	3	2	3	4				7	7				11	32
41	1		2		1	15	1	1	3	1	1		1	7	7				10	32
55			1			5	9	6				4		2	7		2		19	33
38		1	2			4	5	3			1	2		1	4	1	2		12	33
34		1	2	1		8	3	1			1			1	2	3	3		8	34
15		1	1	1		4					1				1	2	2		5	35
19			1			4	3	1			1			1	2	1			3	36
97		2	4	2	2	15	15	5		1		5		2	11	4	4		25	37
93			1	4	3	11	12	2		2	4	3		2	15	5	2		22	37
5						1	2					1			2				3	38
7						4	1					1			1				3	38
37			2		2	4	7	3	1	1		3		1	3		1		10	39
25	1					4	4	2			1	1			3		1		7	39
3		1						1											1	40
49			1		2	10	3	4	1	3				1	8	1			15	41
32			3			10	1							7	1	1	1		9	42
2										1									1	43
2																			1	43
1																			1	44
1			1																1	45
1						1													1	46
2								1						1						47
111			2	3	6	13	11	10	6	1		1		2	18	3	3		31	49
31					2	4	2	3	1	1					6	1			12	50

TABLE 13.—DEATHS DURING THE 6 YEARS ENDING MAY 31, 1890, AT CERTAIN AGES AND FROM CERTAIN CAUSES,

METROPOLITAN DISTRICT IN NEW YORK—Continued.

LOCALITIES.		AGE.											
		All ages.	Months.					Years.					
			Under 3	3 to 6	6 to 9	9 to 12	Total under 12	Under 5	5 to 15	15 to 25	25 to 65	65 and over.	Un-known.
1	Tottenville village.....	200	27	7	6	4	44	61	12	13	71	43	
2	Males.....	101	14	3	1	3	21	28	6	9	35	23	
3	Females.....	99	13	4	5	1	23	33	6	4	36	20	
4	White.....	194	24	7	6	4	41	58	12	11	70	43	
5	Native born.....	163	24	7	6	4	41	58	12	10	49	34	
6	Both parents native.....	M. 40 F. 50	4 6	3 1	1 2	1	9	13 17	4 5	1 3	12 16	10 9	
7	One or both parents foreign.....	M. 12 F. 3	7 1	1		2	9	10	1	1			
8	Foreign born.....	M. 15 F. 8	1				2			1	10	4	
9	Colored.....	6	3				3	3		2	1		
10	Males.....	2								1	1		
11	Females.....	4	3				3	3		1			
Birthplaces of mothers:													
12	United States.....	M. 48 F. 53	6 8	3 1	1 2	3	13 11	17 19	5 5	3 4	13 16	10 9	
13	England and Wales.....	M. 3 F. 6						1			1	1	
14	Ireland.....	M. 5 F. 1								1	2	2	
15	Scotland.....	M. 1 F. 1										1	
16	France.....	M. 4 F. 1										4	
17	Germany.....	M. 4 F. 1										1	
18	Russia and Poland.....	M. 1 F. 1											
19	Canada.....	M. 1 F. 1	1				1	1					
20	Scandinavia.....	M. 2 F. 1	1	1			1	1			1		
21	Hungary.....	M. 1 F. 1											
22	Bohemia.....	M. 1 F. 1											
23	Italy.....	M. 1 F. 1											
24	Other foreign countries.....	M. 4 F. 2	2	1			2	2			1	1	
25	Unknown.....	M. 34 F. 35	4	2	3	1	4	6	1	5	13	9	
26	Richmond county, unlocated.....	940	16	8	8	3	35	52	17	70	499	297	5
27	Males.....	838	9	5	4	1	19	28	8	63	463	273	3
28	Females.....	102	7	3	4	2	16	24	9	7	36	24	2
29	White.....	901	16	8	8	3	35	52	17	61	481	285	5
30	Native born.....	418	16	8	7	3	34	49	16	17	139	146	1
31	Both parents native.....	M. 14 F. 8	4 1	1	1		4	5		3	5	1	
32	One or both parents foreign.....	M. 22 F. 12	2 2	4 1	3 1	2	9	14	1	1	6		
33	Foreign born.....	M. 421 F. 47	2		1		6	8	2	1	1	1	
34	Colored.....	39					1	1	1	38	260	122	1
35	Males.....	37								9	17	11	
36	Females.....	2									1	1	
Birthplaces of mothers:													
37	United States.....	M. 30 F. 15	7 4	1 1	2		8	10		7	8	5	
38	England and Wales.....	M. 71 F. 6	1 1		1		1	1		5	36	29	
39	Ireland.....	M. 116 F. 30	1	1			2	4	1	3	81	26	1
40	Scotland.....	M. 16 F. 2		1			1	2		3	18	5	1
41	France.....	M. 5 F. 1	1				1	1			1	4	
42	Germany.....	M. 73 F. 14		2	3	2	5	6	1	8	40	19	
43	Russia and Poland.....	M. 15 F. 1					2	3		1	14	5	
44	Canada.....	M. 9 F. 1						1		1	6	1	
45	Scandinavia.....	M. 98 F. 1								16	59	23	
46	Hungary.....	M. 1 F. 1										1	
47	Bohemia.....	M. 1 F. 1											
48	Italy.....	M. 1 F. 1			1		1	1					
49	Other foreign countries.....	M. 42 F. 2		1			1	1		7	23	11	
50	Unknown.....	M. 363 F. 30	1	1	1	1	2	4	7	15	187	148	2

STATISTICS OF DEATHS.

543

WITH DISTINCTION OF SEX, COLOR, NATIVITY, PARENTAL NATIVITY, AND BIRTHPLACES OF MOTHERS—Continued.

METROPOLITAN DISTRICT IN NEW YORK—Continued.

CAUSE OF DEATH.																					
All causes.	Scarlet fever.	Typhoid fever.	Malarial fever.	Diphtheria.	Croup.	Diarrheal diseases.	Consumption.	Pneumonia.	Measles.	Whooping cough.	Cancer and tumor.	Heart disease and dropsy.	Child-birth and puerperal diseases.	Diseases of the liver.	Diseases of the nervous system.	Diseases of the urinary organs.	Old age.	Still-born.	All other causes.	Unknown.	
200	2	2	3	14	3	17	32	5		3	3	12	1	2	21	14	7		59	1	
101			1	6	2	5	15	3		1	2	7		2	11	9	2		35	2	
99	2	2	2	8	1	12	17	2		2	1	5	1		10	5	5		24	3	
194	2	2	3	14	3	16	31	5		3	3	11	1	2	21	12	7		58	4	
163	2	1	2	14	3	14	28	3		3	3	8	1	1	18	8	6		48	5	
40			1	5	1	1	9			1	1	3	1	1	2	3	1		11	6	
50	2	1	1	6	1	5	8	1			1	1	1		7	3	1		11	7	
12						1	1			2					1				9	8	
8						1	1	1				2		1	2	3	1		1	6	
15	1					1	1												3	3	
8						1	1					2							1	3	
6						1	1					1				2			1	9	
2						1	1									1				10	
4						1						1				1				11	
48			1	5	1	2	10			1	1	3		1	3	4	1		15	12	
53	2	1	1	6	1	5	8	1			1	2	1	1	7	4	1		12	13	
3						1									1				1	18	
6						1									1				1	13	
5						1	1	1											2	14	
1							1												1	14	
4																3			1	15	
1																			1	16	
1																			1	17	
1																			1	18	
1																			1	19	
2							1												1	20	
																			1	21	
																			1	22	
																			1	23	
4															1				3	24	
2																			1	24	
34				1	1	2	3	2			1	4			6	2	1		11	25	
35		1		2	1	6	7					3			3	4	4		9	25	
940	3	10	21	4	1	42	187	68	1		26	83	2	36	129	62	28		232	5	
838	2	10	18	2		33	180	60	1		26	77		33	122	61	22		186	5	
102	1		3	2	1	9	7	8				6	2	3	7	1	6		46	28	
901	3	10	21	4	1	41	173	63	1		26	75	2	35	124	59	27		231	5	
418	3	4	6	2	1	26	53	28	1		12	34		12	69	30	16		118	3	
14	1	1				3		1				2							6	31	
8					1			2											5	31	
23	1					4	3		1										12	1	
12				1		4		1							2				4	32	
421		6	11	2		13	112	33			14	36		20	53	27	9		85	2	
47			2	1		2	5	2				5	2	3	1	1	2		21	33	
39						1	14	5				8		1	5	3	1		1	34	
37						1	14	4				8		1	5	3	1			35	
2							1	1											1	36	
30	1	1				5	3	2	1			4			3				10	37	
15					1	2		2							1				9	37	
71						2	15	4							11	6	1		16	38	
6						1					3	8			1	1			3	38	
6						1									1	1			3	38	
116	1		5	1		1	41	5			6	4		5	12	5	1		28	39	
30			2	1		1	4	3				2	1	1	1	1			14	39	
16						1	3	1			2	1		1	2	4	1		1	1	
2																			1	40	
5						1									2		2		1	41	
73		1	2			4	14	3			1	6		3	12	5	1		21	42	
14				1		2						1		2					6	42	
15			1			1	7	3							1				2	43	
9		1				2	3	1							2					44	
1												1								44	
98		4	3			4	23	13			1	11		1	7	6	2		22	45	
1							1													1	45
																					46
																					47
1						1															48
42						1	14	4			1	5			6	3	1		7	49	
2						1						1									49
363		3	7	1		11	57	24			12	38		13	67	34	14		80	50	
30	1		1			1	2	3				1			4	4	4		13	50	

TABLE 13.—DEATHS DURING THE 6 YEARS ENDING MAY 31, 1890, AT CERTAIN AGES AND FROM CERTAIN CAUSES;

METROPOLITAN DISTRICT IN NEW YORK—Continued.

LOCALITIES.		AGE.											
		All ages.	Months.					Years.					
			Under 3	3 to 6	6 to 9	9 to 12	Total under 12	Under 5	5 to 15	15 to 25	25 to 65	65 and over.	Un-known.
1	Bedfordtown.....	78	1	1	1	3	9	6	4	22	32	5	
2	Males.....	26					2	2	2	10	9	1	
3	Females.....	52	1	1	1	3	7	4	2	12	23	4	
4	White.....	76	1	1	1	3	9	6	4	21	32	4	
5	Native born.....	59	1		1	2	8	6	4	14	27		
6	Both parents native.....	15					2		1	4	6		
		27	1			1	5	3	1	5	13		
7	One or both parents foreign.....	2						1		1			
		1								1			
8	Foreign born.....	1								1			
		4								3		1	
9	Colored.....	2								1		1	
10	Males.....	1								1			
11	Females.....	1										1	
	Birthplaces of mothers:												
12	United States.....	14					2				6		
		28	1			1	5	3	1	5	13	1	
13	England and Wales.....												
14	Ireland.....	3						1					
		5								2		1	
15	Scotland.....									4			
16	France.....												
17	Germany.....												
18	Russia and Poland.....												
19	Canada.....												
20	Scandinavia.....												
21	Hungary.....												
22	Bohemia.....												
23	Italy.....												
24	Other foreign countries.....												
25	Unknown.....	9						1	1	3	8	1	
		19		1	1	2	2	1	1	3	10	2	
26	Cortlandtown.....	682	64	32	28	17	136	232	53	83	225	138	4
27	Males.....	378	36	18	14	12	80	135	24	14	134	67	4
28	Females.....	304	28	14	9	5	56	97	29	19	91	71	
29	White.....	682	64	32	23	17	136	232	50	33	225	138	4
30	Native born.....	540	64	32	23	17	136	230	49	28	143	90	
31	Both parents native.....	170	27	11	8	8	54	86	11	8	97	28	
		159	15	7	5	3	30	53	14	10	49	32	
32	One or both parents foreign.....	62	6	5	5	4	20	35	5	2	13	3	
		63	10	6	3	2	21	33	9	6	17	2	
33	Foreign born.....	87						1	1		60	22	1
		42								2	17	23	
34	Colored.....												
35	Males.....												
36	Females.....												
	Birthplaces of mothers:												
37	United States.....	183	29	12	9	8	58	96	12	8	37	30	
		171	19	7	6	4	36	61	15	11	49	35	
38	England and Wales.....	8	1			1	2	2	1		4	1	
		10	2	1			3	4		1	2	3	
39	Ireland.....	83			1	2	5	12	2	2	46	20	1
		67	3	3	1	1	8	12	7	6	23	19	
40	Scotland.....	4				1	1	1			2	1	
		2						2					
41	France.....	3			1		1	1	1		1		
42	Germany.....	27	3	1	1		5	7		2	17	1	
		10	1	1			2	4			4	2	
43	Russia and Poland.....	1									1		
44	Canada.....	1									1		
		2						2					
45	Scandinavia.....	3		1			1	1	1		1		
		2						1			1		
46	Hungary.....	1									1		
		2			1		1	1	1				
47	Bohemia.....												
48	Italy.....	1									1		
49	Other foreign countries.....	2									2		
50	Unknown.....	61	3	2	2		7	15	7	3	20	14	3
		38	3	1	1		5	10	3	1	12	12	

STATISTICS OF DEATHS.

WITH DISTINCTION OF SEX, COLOR, NATIVITY, PARENTAL NATIVITY, AND BIRTHPLACES OF MOTHERS—Continued.

METROPOLITAN DISTRICT IN NEW YORK—Continued.

CAUSE OF DEATH.																				
All causes.	Scarlet fever.	Typhoid fever.	Malarial fever.	Diphtheria.	Croup.	Diarrheal diseases.	Consumption.	Pneumonia.	Measles.	Whooping cough.	Cancer and tumor.	Heart disease and dropsy.	Childbirth and puerperal diseases.	Diseases of the liver.	Diseases of the nervous system.	Diseases of the urinary organs.	Old age.	Still-born.	All other causes.	Unknown.
78			1	6	3	3	5	5			2	9	4		15	4	5		16	1
26			1	2	2		2	2			1	5			3	1			6	2
52				4	1	3	3	3			1	4	4		12	3	1		10	3
76			1	6	3	3	5	5			2	8	4		15	3	5		16	4
59				6	2	3	4	3			1	6	2		14	2	4		12	5
13					1			1				3			3	1	1		4	6
27				4	1	1	3	2			1	1			7	1	1		5	7
2				1			1						1				1			8
1								1					1						2	9
1												1					1			10
1																				11
14					1			1				4			3		1		4	12
28				4	1	1	3	2			1	1			7	2	1		5	13
3				1			1	1							1					14
5													2						2	15
																				16
																				17
																				18
																				19
																				20
																				21
																				22
																				23
																				24
9			1	1	1		1	1			1	1	2		4	1	3		2	25
19						2						3							3	26
682	15	2	20	42	6	59	86	58	7	10	22	37	7	10	75	19	15	1	187	4
378	6	1	11	16	5	38	37	43	5	6	9	15		5	39	12	6	1	120	3
304	9	1	9	26	1	21	49	15	2	4	13	22	7	5	36	7	9		67	1
682	15	2	20	42	6	59	86	58	7	10	22	37	7	10	75	19	15	1	187	4
540	15	2	16	41	6	53	63	43	7	10	19	29	6	4	62	13	10	1	131	4
170	2	1	5	11	5	25	12	19	4	5	4	9		1	23	2	2	1	37	2
159	6	1	6	12	1	15	24	7	2	2	9	15	2	2	18	5	3		29	31
62	2		2	4		11	8	8	1	1	1	1		6	3				15	32
63	3		2	9		4	11	1		2	1	1	4	7	1				17	33
87			3			1	16	9			2	3		3	5		1		39	34
42			1				7	5				4	1	3	6	1	3		11	35
																				36
																				37
183	2	1	5	12	5	27	12	22	5	6	4	9		1	25	2	2	1	40	2
171	6	1	7	13	1	15	25	8	2	3	9	15	2	2	20	5	3		34	38
8						2		1				1				1			3	39
10				1		1	3	1				1			2	2			2	40
83	1		5	2		3	17	10			3	2		2	4	5	1		28	41
67	2		1	6		2	14	3			1	4	5	2	7	1	3		16	42
4				1			1								2				1	43
2	1			1			1													44
3	1			1			1													45
																				46
27						4	5	3						1	3	2			9	47
10				1				1				1		1	2				4	48
1																			1	49
1																				50
1																				51
2																				52
3																				53
2																				54
1																				55
1																				56
1																				57
1																				58
2																				59
61	2		1	1		2	1	7			2	3		1	5	2	3		30	1
38				4		2	7	2			3	2		4	4	3			10	1

TABLE 13.—DEATHS DURING THE 6 YEARS ENDING MAY 31, 1890, AT CERTAIN AGES AND FROM CERTAIN CAUSES, METROPOLITAN DISTRICT IN NEW YORK—Continued.

LOCALITIES.	Allages.	AGE.										
		Months.					Years.					
		Under 3	3 to 6	6 to 9	9 to 12	Total under 12	Under 5	5 to 15	15 to 25	25 to 65	65 and over.	Un-known.
1 Peekskill village.....	872	73	46	26	15	160	257	49	63	293	209	1
2 Males.....	422	40	23	16	9	88	134	20	31	146	91	
3 Females.....	450	33	23	10	6	72	123	29	32	147	118	1
4 White.....	847	73	46	25	15	159	256	46	60	283	201	1
5 Native born.....	724	73	46	25	15	159	255	43	53	207	165	1
6 Both parents native.....	M. 223 F. 245	M. 25 F. 13	M. 15 F. 18	M. 12 F. 8	M. 8 F. 5	M. 60 F. 44	M. 84 F. 73	M. 11 F. 13	M. 13 F. 17	M. 63 F. 85	M. 52 F. 57	
7 One or both parents foreign.....	M. 42 F. 56	M. 12 F. 9	M. 5 F. 2	M. 3 F. 1		M. 20 F. 12	M. 35 F. 27	M. 4 F. 7	M. 6 F. 4	M. 13 F. 12	M. 4 F. 5	M. 1 F. 1
8 Foreign born.....	M. 43 F. 54											
9 Colored.....	25			1		1	1	3	3	10	8	
10 Males.....	12			1		1	1	2	1	5	3	
11 Females.....	13							1	2	5	5	
12 Birthplaces of mothers:												
13 United States.....	M. 252 F. 268	M. 27 F. 17	M. 17 F. 19	M. 14 F. 9	M. 8 F. 5	M. 66 F. 50	M. 92 F. 80	M. 15 F. 16	M. 16 F. 19	M. 72 F. 62	M. 57 F. 61	
14 England and Wales.....	M. 15 F. 13	M. 1 F. 1				M. 1 F. 1	M. 2 F. 1			M. 3 F. 3	M. 2 F. 5	M. 1 F. 1
15 Ireland.....	M. 50 F. 64	M. 5 F. 4	M. 2	M. 1		M. 8 F. 4	M. 18 F. 9	M. 2 F. 4	M. 4 F. 5	M. 25 F. 31	M. 10 F. 15	
16 Scotland.....	M. 2 F. 6									M. 2 F. 2		
17 France.....	M. 1 F. 1									M. 1 F. 1		
18 Germany.....	M. 15 F. 33	M. 1 F. 3		M. 1		M. 2 F. 3	M. 3 F. 6			M. 9 F. 3	M. 3 F. 2	
19 Russia and Poland.....	M. 4 F. 1	M. 3 F. 1				M. 3 F. 1	M. 4 F. 1					
20 Canada.....	M. 1 F. 1									M. 1 F. 1		
21 Scandinavia.....	M. 2 F. 3		M. 1 F. 1			M. 1 F. 1	M. 2 F. 2					
22 Hungary.....	M. 1 F. 1											
23 Bohemia.....	M. 1 F. 1											
24 Italy.....	M. 2 F. 1		M. 1			M. 1	M. 1		M. 1			
25 Other foreign countries.....	M. 1 F. 1											
26 Unknown.....	M. 69 F. 81	M. 3 F. 11	M. 2 F. 3	M. 1 F. 1	M. 1 F. 1	M. 6 F. 16	M. 12 F. 23	M. 3 F. 5	M. 8 F. 5	M. 27 F. 15	M. 19 F. 33	
27 East Chester town.....	368	42	26	16	12	96	181	18	26	109	81	3
28 Males.....	188	19	17	9	5	50	70	10	9	57	40	2
29 Females.....	180	23	9	7	7	46	61	8	17	52	41	1
30 White.....	361	41	26	16	11	94	127	18	26	106	81	3
31 Native born.....	224	40	26	16	11	93	125	16	16	86	30	1
32 Both parents native.....	M. 86 F. 96	M. 4 F. 5	M. 2 F. 3	M. 6 F. 2	M. 2 F. 2	M. 14 F. 12	M. 18 F. 15	M. 4 F. 4	M. 2 F. 2	M. 4 F. 10	M. 7 F. 8	M. 1 F. 1
33 One or both parents foreign.....	M. 46 F. 44	M. 5 F. 9	M. 3 F. 3	M. 1 F. 4	M. 6 F. 4	M. 18 F. 20	M. 28 F. 27	M. 15 F. 3	M. 12 F. 8	M. 10 F. 16	M. 1 F. 6	
34 Foreign born.....	M. 70 F. 59	M. 1 F. 9				M. 1 F. 4	M. 1 F. 1		M. 1 F. 4	M. 36 F. 34	M. 23 F. 20	
35 Colored.....	7	1			1	2	4			3		
36 Males.....	2						1			1		
37 Females.....	5	1			1	2	3			2		
38 Birthplaces of mothers:												
39 United States.....	M. 50 F. 46	M. 6 F. 6	M. 6 F. 4	M. 8 F. 5	M. 3 F. 2	M. 23 F. 17	M. 31 F. 21	M. 4 F. 6	M. 2 F. 2	M. 5 F. 9	M. 7 F. 8	M. 1 F. 1
40 England and Wales.....	M. 9 F. 7	M. 2 F. 1				M. 2 F. 4	M. 2 F. 6			M. 3 F. 4	M. 6 F. 15	
41 Ireland.....	M. 59 F. 64	M. 1 F. 1	M. 3 F. 1			M. 4 F. 4	M. 28 F. 9	M. 15 F. 1	M. 15 F. 9	M. 12 F. 30	M. 10 F. 15	
42 Scotland.....	M. 1 F. 3									M. 1 F. 2		
43 France.....	M. 2 F. 2											
44 Germany.....	M. 23 F. 47	M. 1 F. 3	M. 2 F. 1		M. 2 F. 1	M. 5 F. 6	M. 6 F. 8		M. 1 F. 1	M. 12 F. 3	M. 4 F. 4	
45 Russia and Poland.....	M. 1 F. 1											
46 Canada.....	M. 1 F. 1											
47 Scandinavia.....	M. 1 F. 1											
48 Hungary.....	M. 3 F. 3											
49 Bohemia.....	M. 1 F. 1											
50 Italy.....	M. 2 F. 1											
51 Other foreign countries.....	M. 1 F. 3											
52 Unknown.....	M. 23 F. 37	M. 10 F. 8	M. 6 F. 3	M. 1 F. 1	M. 1 F. 1	M. 17 F. 13	M. 21 F. 17		M. 1 F. 3	M. 6 F. 3	M. 4 F. 13	M. 1 F. 1

STATISTICS OF DEATHS.

WITH DISTINCTION OF SEX, COLOR, NATIVITY, PARENTAL NATIVITY, AND BIRTHPLACES OF MOTHERS—Continued.

METROPOLITAN DISTRICT IN NEW YORK—Continued.

CAUSE OF DEATH.																				
All causes.	Scarlet fever.	Typhoid fever.	Malarial fever.	Diphtheria.	Croup.	Diarrheal diseases.	Consumption.	Pneumonia.	Measles.	Whooping cough.	Cancer and tumor.	Heart disease and dropsy.	Child-birth and puerperal diseases.	Diseases of the liver.	Diseases of the nervous system.	Diseases of the urinary organs.	Old age.	Still-born.	All other causes.	Unknown.
872	8	6	21	35	18	84	122	62	7	10	29	72	8	7	33	32	21	2	238	7
422	2	2	9	16	11	47	50	41	4	1	8	36	3	3	40	13	4	1	132	2
450	6	4	12	19	7	37	72	21	3	9	21	36	8	4	43	19	17	1	106	5
847	8	6	21	33	17	84	119	58	7	10	29	70	8	7	79	28	19	2	237	5
724	7	6	19	32	17	83	101	46	7	10	22	58	6	5	72	23	15	2	188	5
233	2	2	6	8	3	33	26	20	4	1	4	26	3	3	23	6	1	1	56	1
245	5	3	6	12	4	22	41	8	1	8	16	15	3	2	22	8	9	1	57	3
62	1	1	2	6	4	8	8	2	2	2	2	2	3	1	3	1	2	1	20	7
56	1	1	2	3	1	6	12	2	2	2	2	1	2	2	5	5	2	2	11	1
55	1	1	1	1	1	7	10	7	5	2	4	2	2	2	3	2	1	3	26	8
54	1	1	1	1	1	1	10	5	5	2	3	8	2	2	2	3	3	1	15	8
25				2	1		3	4				2			4	4	2		1	2
12				1	1		2	2				1			1	2	2			
13				1			1	2				1			3	2			1	2
252		2	7	10	6	37	32	22	4	1	4	27	3	2	24	9	3		60	1
283	5	3	6	13	4	24	44	11	1	8	16	17	3	2	1	11	9		63	4
15		1				1	1	4			1				2				7	1
13				2		1			2		1	2			1	2	1		4	1
4	1														1				1	1
1												1							3	1
1															2				1	1
2						1									1				1	1
3						1		1								1			1	1
2					1		1													1
1																				1
69					3	5	8	6				5			10	1			30	1
81			4	8	2	8	7	3		1	2	10	1		12	1	3	1	22	1
368	1	4	8	8	5	46	43	44	2	4	6	18	2	6	41	24	7	1	97	1
188	1	2	3	3	4	23	24	25		1	2	6		4	20	15	1		54	
180		2	5	5	1	23	19	19	2	3	4	12	2	2	21	9	6	1	43	1
361	1	4	8	8	5	46	40	43	2	4	6	18	2	6	40	24	7	1	95	1
224	1	3	6	7	5	43	15	23	2	4	1	7	1	1	25	12	3	1	63	1
86	1	2		2	1	6	2	2				2			4	4			7	
36				3		5	3	3				2			6	2	1		8	
40				1	1	9	4	5							8	2			13	
44		1	2		1	11	4	1	1	2	1	1			3	1		1	14	
70						1	15	13			2	3			5	8	1		19	
59		1	3	1		1	9	7			3	8	1	2	9	2	2		11	
7							3	1							1				2	
2							2													2
5							1	1							1				2	
50	1	2		2	1	12	4	5				2			8	4			9	
46				1	1	7	4	5		1		2			8				11	
9				1	1		1	1				1			3	2	1		1	
7				1	1		2	2		1		2			2	2			1	
59				1	1	2	13	8			1	2			3	7	1		17	
64		1	1	1	1	5	11	4	1		2	5	1	2	10	3	1	1	15	
1							1	1												
3				1			1	1				1								
2							1	1												
2							1	1												
23				1		1	2	5			1	1			2	1			9	
17				1		4	1	2				2			1		1		5	
1						1													1	
1						1									1				1	
1																			1	
1																			1	
3							1	1							1					
1						1													1	
1								1											1	
2								1											1	
1																			1	
1																			1	
33					2	7	1	2				1			2	1			15	
87				1	2	6	2	2	1	1		1	1	1	2	4	3		8	1

TABLE 13.—DEATHS DURING THE 6 YEARS ENDING MAY 31, 1890, AT CERTAIN AGES AND FROM CERTAIN CAUSES, METROPOLITAN DISTRICT IN NEW YORK—Continued.

LOCALITIES.	AGE.											
	All ages.	Months.					Years.					
		Under 3	3 to 6	6 to 9	9 to 12	Total under 12	Under 5	5 to 15	15 to 25	25 to 65	65 and over.	Un-known.
1 Mount Vernon village.....	858	124	66	48	20	267	357	48	38	243	170	2
2 Males.....	427	63	31	26	14	134	184	23	13	122	83	2
3 Females.....	431	61	35	22	15	133	173	25	25	121	87	2
4 White.....	849	121	66	48	29	264	354	48	38	238	169	2
5 Native born.....	584	93	52	41	25	211	295	46	31	120	92	2
6 Both parents native.....	M. 105 F. 117	17 16	8 11	12 5	5 5	42 37	59 54	9 7	7	19 27	18 22	2
7 One or both parents foreign.....	M. 63 F. 72	8 9	5 9	5 5	3 1	24 24	37 35	7 8	4 9	13 18	2 2	2
8 Foreign born.....	M. 115 F. 82	1				1	1 2	1	4 1	65 50	45 28	2
9 Colored.....	9	3				3	3			5	1	
10 Males.....	5	3				3	3			2		
11 Females.....	4									3	1	
12 Birthplaces of mothers:												
13 United States.....	M. 134 F. 134	24 16	12 13	15 5	6 6	57 40	78 62	13 11	2 7	22 31	19 23	
14 England and Wales.....	M. 14 F. 11	2				2	1 5	1		5 8	5 5	
15 Ireland.....	M. 40 F. 44	3	2	1		6	6 7		3	25 21	6 10	
16 Scotland.....	M. 6 F. 5								1	4 4	3 1	
17 France.....	M. 3 F. 2								1	1 1	1 1	
18 Germany.....	M. 78 F. 63	3 3	1 3	5 3	1	10 9	11 10	3 1	2 5	36 35	26 12	
19 Russia and Poland.....	M. 1 F. 1	1				1	1				1	
20 Canada.....	M. 1 F. 4		1			1	2 1			2		
21 Scandinavia.....	M. 1 F. 1						1			1		
22 Hungary.....	M. 1 F. 1									1		
23 Bohemia.....	M. 1 F. 1									1		
24 Italy.....	M. 1 F. 1	1				1	1					
25 Other foreign countries.....	M. 7 F. 2			1	1	1 1	2 1			4	1	
26 Unknown.....	M. 139 F. 164	35 36	13 16	6 12	6 9	65 73	84 85	7 10	5 8	23 26	18 35	2
27 Greenburg town.....	255	31	18	8	5	62	91	17	20	71	53	3
28 Males.....	141	19	13	6	2	40	55	7	9	43	25	2
29 Females.....	114	12	5	2	3	22	36	10	11	28	28	1
30 White.....	251	31	18	8	5	62	91	17	18	70	53	2
31 Native born.....	184	31	16	8	5	60	89	16	16	31	31	1
32 Both parents native.....	M. 37 F. 26	5 6	3 1	4 2	1 1	13 8	16 10	2 7	1 2	8 4	10 2	1
33 One or both parents foreign.....	M. 23 F. 21	6 2	1 2	2 1	1	10 5	13 11	3 2	2 2	4 4	4 1	1
34 Foreign born.....	M. 28 F. 28	2		1		5	11	1	2	17 16	8 12	
35 Colored.....	4								2	1		1
36 Males.....	4								2	1		1
37 Females.....												
38 Birthplaces of mothers:												
39 United States.....	M. 44 F. 34	7 7	4 2	4 1	1 1	16 11	20 16	2 8	1 3	10 5	10 2	1
40 England and Wales.....	M. 3 F. 3						1			2		
41 Ireland.....	M. 27 F. 28	3 1		1		4 1	6 2	3	1	10 11	7 12	
42 Scotland.....	M. 1 F. 5									5	1	
43 France.....	M. 1 F. 6		1			1	1			4	1	
44 Germany.....	M. 1 F. 4					1	1			3		
45 Russia and Poland.....	M. 1 F. 1											
46 Canada.....	M. 1 F. 1											
47 Scandinavia.....	M. 1 F. 1											
48 Hungary.....	M. 2 F. 2			1		1	1	1				
49 Bohemia.....	M. 1 F. 1											
50 Italy.....	M. 4 F. 1	1			1	2	2		1	1		1
51 Other foreign countries.....	M. 1 F. 2									1		
52 Unknown.....	M. 52 F. 41	7 4	9 2	1	2	16 9	24 16	1 2	5 5	15 4	6 14	1

STATISTICS OF DEATHS.

WITH DISTINCTION OF SEX, COLOR, NATIVITY, PARENTAL NATIVITY, AND BIRTHPLACES OF MOTHERS—Continued.

METROPOLITAN DISTRICT IN NEW YORK—Continued.

CAUSE OF DEATH.																				
All causes.	Scarlet fever.	Typhoid fever.	Malarial fever.	Diphtheria.	Croup.	Diar-rheal dis-eases.	Con-sump-tion.	Pneu-monia.	Measles.	Whoop-ing cough.	Cancer and tumor.	Heart dis-ease and dropsy.	Child-birth and puer-eral dis-eases.	Dis-eases of the liver.	Dis-eases of the nervous system.	Dis-eases of the urinary organs.	Old age.	Still-born.	All other causes.	Un-known.
858	11	10	11	45	10	125	82	70	1	10	16	36	12	8	96	44	20	4	244	3
427	6	5	2	17	4	60	44	30	1	6	6	16	7	46	24	7	3	133	1	
431	5	5	9	28	6	65	38	31		4	10	20	12	50	20	13	1	111	2	
840	11	10	11	45	10	125	79	70	1	10	16	36	12	8	96	44	20	3	239	3
584	11	8	9	41	10	88	49	46	1	9	5	20	8	6	60	27	13	3	167	3
105	5	1		4		16	13	8		1		4			11	6	1	2	33	
117	3	3	3	12	2	13	9	5		1		5	3		10	3	6	1	37	1
63	1	1	2	5	2	10	5	7	1	2					5	1	1		21	
72	1	2		4	3	13	6	6		1		2	4		12	2			16	
115		2				4	16	12			4	3	4	2	16	11	4		36	
82			1	2		5	11	9			7	7	4		15	3	3		15	
9							3											1	5	
5							1											1	3	
4							2												2	
134	6	1	1	6		18	17	9		3		4		13	6	1	3	46		
134	4	3	3	15	3	15	10	6		1		5	3	14	3	6	1	41	1	
14				1		1	1					2		3	1	2		4		
40		1	1	2	1	1	1	1			2	1		2	1	1		3		
44		1	1	1	1	4	3	7			3	1	2	6	2	2		10		
8							1	2			1			1	1	1		2		
5								1			1		1	2	1					
3								1			1		1	1	1					
2								1				1		1	1					
78		2		1		10	9	8	1		1	5		1	3	1		22		
63		1		1		6	12	4		1	3	6	5	2	9	3		12		
1								1				1								
1				1		1								1					1	
1					1														1	
1																			1	
1																			1	
1																			1	
7						1	1									1			4	
2						1	8	12			2	4							1	
139		1		8	2	30	12	11		3	3	6	1	5	14	7	1	41	1	
164			5	10	1	37	8	11		2	3	6	1	1	15	12	4	42	1	
255	6	3	8	7		25	20	19	1		3	14	2	1	42	6	4	93	1	
141	4	2	3	2		16	8	13	1		2	7			22	3	2	55	1	
114	2	1	5	5		9	12	6			1	7	2	1	20	3	2	38		
251	6	3	8	7		23	20	18	1		3	14	2	1	42	6	4	92	1	
184	6	3	5	7		20	15	12	1		2	10	1		35	2	2	62	1	
37	1	1	1			4	4	1			1	5			7	1	1	10		
26	1			1		2	1	1			1	1			2			15		
23	1	1				4	2	2			1	1			3			7		
21			2	3		1	4	1				1			3			7		
28			1			1	2	5				1			2		1	15		
28			2			1	3					2			1	1	1	10		
4						2		1											1	
4						2		1											1	
44	1	1	1	1		6	4	2	1			5			9	1	1	11		
34	1			3		3	1	1			1	1			3	1		19		
3							1								1					
27			1			1	1	5							3	1		16		
23			2			1	6					1	1		4	1	1	10		
1			1				1					1					1		2	
1																				
6			1			1									1				4	
4															4					
2		1				1														
4						1						1			1				1	
1								1											1	
2																			1	
52	3	1	1	1		7	2	5			2	1			7			22	1	
41	1	1	1	2		5	4	5				4	1		9	1	1	6		

VITAL AND SOCIAL STATISTICS.

TABLE 13.—DEATHS DURING THE 6 YEARS ENDING MAY 31, 1890, AT CERTAIN AGES AND FROM CERTAIN CAUSES, METROPOLITAN DISTRICT IN NEW YORK—Continued.

LOCALITIES.	AGE.	AGE.											
		All ages.	Months.					Years.					
			Under 3	3 to 6	6 to 9	9 to 12	Total under 12	Under 5	5 to 15	15 to 25	25 to 65	65 and over.	Un-known.
1 Dobbs Ferry village.....		183	16	10	6	6	38	61	4	18	64	35	1
2 Males.....		103	6	4	3	5	18	36	2	7	36	22	
3 Females.....		80	10	6	3	1	20	25	2	11	28	13	1
4 White.....		179	14	9	6	6	35	58	4	18	68	35	1
5 Native born.....		122	14	8	6	6	34	57	4	15	30	16	
6 Both parents native.....	M	23	3		1		4	10	1	1	7	4	
	F	25	4	3	1		8	10	1	4	5	5	
7 One or both parents foreign.....	M	30	2	2	2	5	11	20	1	3	5	1	
	F	18	5	2	1	1	9	12	1	2	2	1	
8 Foreign born.....	M	33		1			1	1			19	13	
	F	24								3	14	6	1
9 Colored.....		4	2	1			3	3			1		
10 Males.....		3	1	1			2	2			1		
11 Females.....		1	1				1	1					
12 Birthplaces of mothers:													
13 United States.....	M	33	4	3	2	2	9	16	1	1	10	5	5
	F	29	6	1	1		10	13	1	4	5	6	
14 England and Wales.....	M	4				1	1	2				2	
	F	3		1			1	1					
15 Ireland.....	M	36	1	3	1		6	9	1	2	19	8	
	F	25	3	1		1	5	6	1	2	11	4	1
16 Scotland.....	M	3						1			1	1	
	F	2									1	1	
17 France.....	M	1								1			
	F	1											
18 Germany.....	M	8	1			1	1	4			2	2	
	F	6					2	2		2	1	1	
19 Russia and Poland.....	M	1								1			
	F	1									1		
20 Canada.....	M												
	F												
21 Scandinavia.....	M	1	1				1	1					
	F												
22 Hungary.....	M												
	F												
23 Bohemia.....	M												
	F												
24 Italy.....	M												
	F												
25 Other foreign countries.....	M	14									3	4	4
	F	13		1	1		2	3			2	7	1
26 Unknown.....	M												
	F												
27 Hastings upon Hudson village.....		163	16	2	1	3	22	52	13	14	57	27	
28 Males.....		73	5	2		2	9	25	8	7	28	10	
29 Females.....		85	11		1	1	13	27	5	7	29	17	
30 White.....		161	16	2	1	3	22	52	13	13	57	26	
31 Native born.....		114	16	2	1	3	22	52	12	11	27	12	
32 Both parents native.....	M	23	3	1			4	11	2	2	6	2	
	F	28	4			1	5	10	1	3	9	5	
33 One or both parents foreign.....	M	27	1	1		2	4	12	6	4	4	1	
	F	23	7		1		8	14	2	2	4	1	
34 Foreign born.....	M	24									15	7	
	F	22							1	2	14	7	
35 Colored.....		2									1	1	
36 Males.....		1								1			
37 Females.....		1										1	
38 Birthplaces of mothers:													
39 United States.....	M	26	3	1			4	11	3	2	8	2	
	F	35	7		1	1	9	16	1	3	10	5	
40 England and Wales.....	M	3										3	
	F												
41 Ireland.....	M	32	1	1		1	3	11	3	3	13	2	
	F	28	2				2	6	1	3	12	6	
42 Scotland.....	M												
	F												
43 France.....	M	1										1	
	F												
44 Germany.....	M	10				1	1	1	2	1	4	2	
	F	7	1				1	1		1	3	2	
45 Russia and Poland.....	M												
	F												
46 Canada.....	M	1									1		
	F	1	1				1	1					
47 Scandinavia.....	M												
	F	1								1			
48 Hungary.....	M												
	F												
49 Bohemia.....	M												
	F												
50 Italy.....	M												
	F												
51 Other foreign countries.....	M												
	F	2									2		
52 Unknown.....	M	5					1				2		
	F	11	1					2	2	1	2	4	

STATISTICS OF DEATHS.

WITH DISTINCTION OF SEX, COLOR, NATIVITY, PARENTAL NATIVITY, AND BIRTHPLACES OF MOTHERS—Continued.

METROPOLITAN DISTRICT IN NEW YORK—Continued.

CAUSE OF DEATH.																				
All causes.	Scarlet fever.	Typhoid fever.	Malarial fever.	Diphtheria.	Croup.	Diarrheal diseases.	Consumption.	Pneumonia.	Measles.	Whooping cough.	Cancer and tumor.	Heart disease and dropsy.	Child-birth and puerperal diseases.	Diseases of the liver.	Diseases of the nervous system.	Diseases of the urinary organs.	Old age.	Still-born.	All other causes.	Unknown.
183	2	2	12	2	2	14	21	11		1	4	8	3	2	24	10	4		61	1
103	1	2	7	2	2	9	9	6		1		3		1	13	7	2		38	2
80	1		5			5	12	5			4	5	3	1	11	3	2		23	3
179	2	2	12	2	2	13	20	11		1	4	8	3	2	24	10	4		59	4
122	2	2	9	2	2	9	12	9		1	2	4	2		18	3			45	5
23	1		2	1		3	1	4				1			4				6	6
25	1		2			3	4	1				1			5				6	6
30		1	3	1	2	3	2	1				1			4	1			13	7
18			1			2	2	1							4				8	7
33			1			2	4	1				1			4				9	7
24			2			2	4	1			2	2		1	4	7	2		9	8
4						1	1						1	1	2	2			5	8
3						1	1												2	9
1																			1	10
33	1		3	1		5	2	4				1			4				12	11
29	1		2			3	4	1				1			7				8	12
4					1	1	1					1			1				1	13
39				1		1	6					1			4	5	1		1	14
25			3			1	4				1	2			2	1	1		14	14
3								1							1				8	15
2																				16
1			1		1	1							1		3		1		1	17
8							1					1					1		3	18
6											1								1	18
1																			1	19
1																				20
1																			1	21
14							1								1					22
13		1	1				2			1					1				9	23
163	4	1	5	13	1	10	18	7	2	2	3	11	2	4	21	9	3		47	24
78	2	1	2	8		1	10	4		2		3			10	5	1		29	25
85	2		3	5	1	9	8	3	2		3	8	2	4	11	4	2		18	26
161	4		5	13	1	10	18	7	2	2	3	11	2	4	20	9	3		47	27
114	4		4	13	1	9	10	5	1	2	2	7	2	2	14	5			33	28
23			1	3			2	1				2			4	2			8	29
28				1		5	2	2		1		4		2	2				6	30
27	1		1	5		1	3	1		2		1		1	1				10	31
23	1		1	3	1	3	2	1			1		1		3	1			5	32
32							4	2				1			4	2			8	33
24			1			1	4			1		3		2	3	1			5	34
2		1													1					35
1		1																		36
1															1					37
26	1		1	3			3	1				2			4	2			9	38
35	1		1	1		6	2	2			1	4		2	4				9	39
3															1				2	40
32			1	5		1	5	3				1			2	2			10	41
28	1		1	1	1	1	5	1	1	2		1	1	2	2	2	2		6	42
1																	1			43
10	1			1			1				1	2			2	1			6	44
7															1					45
1						1														46
1						1														47
1						1														48
2											1									49
5		1					1								1				1	50
11			1	2								1			4	1			2	50

TABLE 13.—DEATHS DURING THE 6 YEARS ENDING MAY 31, 1890, AT CERTAIN AGES AND FROM CERTAIN CAUSES,

METROPOLITAN DISTRICT IN NEW YORK—Continued:

LOCALITIES.	All ages.	AGE.										
		Months.					Years.					
		Under 3	3 to 6	6 to 9	9 to 12	Total under 12	Under 5	5 to 15	15 to 25	25 to 65	65 and over.	Un-known.
1 Irvington upon Hudson village.....	83	11	5	7	4	27	34	8	6	19	16	
2 Males.....	53	8	3	3	2	16	22	5	5	11	10	
3 Females.....	30	3	2	4	2	11	12	3	1	8	6	
4 White.....	83	11	5	7	4	27	34	8	6	19	16	
5 Native born.....	63	11	4	7	4	26	33	8	4	11	7	
6 Both parents native.....	M. 12 F. 3	1 1	1	2		4	6 1	2 1		2 1	2 1	
7 One or both parents foreign.....	M. 11 F. 3	3		1		4	6 1	2 1	1	2 1		
8 Foreign born.....	M. 9 F. 7								1	3 4	5 3	
9 Colored.....												
10 Males.....												
11 Females.....												
12 Birthplaces of mothers:												
13 United States.....	M. 14 F. 4	2 1	1	2		5 2	8 2	2 1		2	2 1	
14 England and Wales.....	M. 2 F. 1										2	
15 Ireland.....	M. 11 F. 9	1				1 1	2 1	2 1	2	4 5	1 2	
16 Scotland.....	M. 1 F. 1									1	1	
17 France.....	M. 1 F. 1			1		1	1					
18 Germany.....	M. 3 F. 1	1				1	1				2	
19 Russia and Poland.....	M. 1 F. 1											
20 Canada.....	M. 1 F. 1											
21 Scandinavia.....	M. 1 F. 1											
22 Hungary.....	M. 1 F. 1											
23 Bohemia.....	M. 1 F. 1											
24 Italy.....	M. 1 F. 1											
25 Other foreign countries.....	M. 1 F. 1											
26 Unknown.....	M. 21 F. 16	4 2	2 2	4	2	8 8	10 9	1 1	3 1	4 3	3 2	
27 Tarrytown village.....	304	30	17	10	7	64	89	19	12	104	77	3
28 Males.....	168	18	9	8	4	39	54	13	5	55	40	1
29 Females.....	136	12	8	2	3	25	35	6	7	49	37	2
30 White.....	286	28	15	9	5	57	82	16	11	99	76	2
31 Native born.....	218	28	15	9	5	57	81	16	11	64	45	1
32 Both parents native.....	M. 36 F. 32	3 5	1 3	2 1	1	7 9	10 10	2	2	13 7	9 7	
33 One or both parents foreign.....	M. 20 F. 13	5 1	3 2	2	2	12 3	16 6	2 2	3	1 2	1	
34 Foreign born.....	M. 24 F. 24									13 14	11 8	1
35 Colored.....	18	2	2	1	2	7	7	3	1	5	1	1
36 Males.....	10	1	2	1		4	4	2	1	2	1	
37 Females.....	8	1			2	3	3	1		3		1
38 Birthplaces of mothers:												
39 United States.....	M. 46 F. 39	5 6	3 3	3 1	1 1	12 11	17 12	4 2	2	14 16	9 7	
40 England and Wales.....	M. 7 F. 6	1	1			2	1		1	3 1	3 1	1
41 Ireland.....	M. 21 F. 21	2	2	2	1	7 1	7 3	2	2	10 1	6 2	
42 Scotland.....	M. 3 F. 1									1	2 1	
43 France.....	M. 1 F. 1											
44 Germany.....	M. 7 F. 2	1				1	1			4 2	2	
45 Russia and Poland.....	M. 1 F. 1											
46 Canada.....	M. 1 F. 1											
47 Scandinavia.....	M. 1 F. 1											
48 Hungary.....	M. 1 F. 1											
49 Bohemia.....	M. 1 F. 1											
50 Italy.....	M. 1 F. 1						1					
51 Other foreign countries.....	M. 1 F. 1											
52 Unknown.....	M. 84 F. 65	10 5	4 3	3 1	2 2	19 11	27 17	7 4	3 2	27 19	19 22	1 1

WITH DISTINCTION OF SEX, COLOR, NATIVITY, PARENTAL NATIVITY, AND BIRTHPLACES OF MOTHERS—Continued.

METROPOLITAN DISTRICT IN NEW YORK—Continued.

CAUSE OF DEATH.																				
All causes.	Scarlet fever.	Typhoid fever.	Malarial fever.	Diphtheria.	Croup.	Diarrheal diseases.	Consumption.	Pneumonia.	Measles.	Whooping cough.	Cancer and tumor.	Heart disease and dropsy.	Child-birth and puerperal diseases.	Diseases of the liver.	Diseases of the nervous system.	Diseases of the urinary organs.	Old age.	Still-born.	All other causes.	Unknown.
83	1		6	2	1	13	7	3	1	1		2	1	2	13	2		1	27	
53			4	2	1	7	3	3		1		2		2	6	1		1	22	
30	1					6	4						1	2	7	1			5	
83	1		6	2	1	13	7	3	1	1		2	1	2	13	2		1	27	
63	1		5	2	1	13	3	2	1	1		1		1	9	1		1	22	
12						3				1		1							4	
3															2				1	
11			1		1	1	1								2			1	4	
3						2													4	
9	1		1					1				1			2	1			3	
7							3							1	2				1	
14			1	1		3		2		1		1			3				5	
4												1			1				1	
2																				
11			1		1		1								2	1		1	4	
9	1					2	3							1	1				1	
1															1				1	
1						1									1					
1								1												
3									1										2	
21			2	1		3	2								2				11	
16			2			4	1		1			1	1	2	2	1			3	
304	4		13	13	1	26	38	21		4	14	21	1	9	44	19	6	1	67	2
163	3		6	8	1	17	19	12		2	3	13		4	21	12	3	1	41	2
136	1		7	5		9	19	9		2	11	8	1	5	23	7	3		26	
280	4		12	12		24	36	19		4	14	20	1	8	44	18	6	1	61	2
218	4		10	11		21	23	16		4	6	15	1	3	38	12	4	1	48	1
36	1		1	1		2	4	4				1		4	4	2	3		13	
32				1		2	5	1			3	2	1	1	7	3	3		7	
20			1			7	1					1		4	4	1			5	
13			2				4	3		1		1		4	4	1			2	
24			1			2	4	1			1	2		1	3	3			5	
24			1	1		1	7	2			1	2		3	2		2		5	1
24																			4	
18			1	1	1	2	2	2				1		1					6	
10				1	1		1	1						1					4	
8			1			2	1	1				1							2	
46	1		1			3	4	5				1		1	6	2	3		16	
39			2	1	1	4	6	1			3	2	1	1	7	3			9	
7						1	1							2	2		1		2	1
6			1			1		1						1	1		1		1	
21			1			1				1				1	1				1	
21			1			5	3	3		1	1	1		2	2	3	1		3	
3							1								1	1			3	
1								1												
7			1			1						1		1					3	
2							1								1					
1															1					
84	2		3	6		7	10	6		1	2	10		2	10	6		1	17	1
65	1		3	4		4	6	3		2	6	5		3	11	3	1		13	

STATISTICS OF DEATHS.

WITH DISTINCTION OF SEX, COLOR, NATIVITY, PARENTAL NATIVITY, AND BIRTHPLACES OF MOTHERS—Continued.

METROPOLITAN DISTRICT IN NEW YORK—Continued.

CAUSE OF DEATH.																					
All causes.	Scarlet fever.	Typhoid fever.	Malarial fever.	Diphtheria.	Croup.	Diarrheal diseases.	Consumption.	Pneumonia.	Measles.	Whooping cough.	Cancer and tumor.	Heart disease and dropsy.	Childbirth and puerperal diseases.	Diseases of the liver.	Diseases of the nervous system.	Diseases of the urinary organs.	Old age.	Still-born.	All other causes.	Unknown.	
91	8		1	1		7	10	7	1	1	3	9			10	5	4	2	20	2	1
45	5					5	4	4				6			1	3	3	1	12		2
46	3		1	1		2	6	3	1	1	3	3			9	2	1	1	8	1	3
83	8		1	1		5	9	0	1	1	3	8			9	5	4	2	18	2	4
60	8		1	1		5	7	5	1	1	3	6			6	5	4	2	12	2	5
16	1					1	2	1				2			1	3	2		3		6
15	2					1	2	2			2	1			2	1	1		1		7
7	3					2		1											1		7
6	1		1	1											1				1		8
8							1	1				1							5		8
4							1	1							3				1		9
8						2	1	1				1			1				2		9
4						1	1	1											1		10
4						1	1	1				1			1				1		11
21	2					2	3	2				2			1	3	2		4		12
21	2			1		2	2	2			2	2			4	1	1		1		12
6						1	1	2				1							1		13
7			1												3				2		14
1																			1		15
3	1																		2		16
																					17
																					18
																					19
																					20
																					21
																					22
3						1													2		23
																					24
11	2					1						3					1	1	2		25
18	1						4	1	1	1	1	1			2	1			5		25
34						2	2	3			2	3		1	7	2			11	1	26
																					27
18						2	1	3			1	3			3	1			6	1	27
16						1	1				1			1	4	1			5		28
33						2	2	3			2	3		1	6	2			11	1	29
																					30
28						2	1	2			2	3		1	6	2			8	1	30
12						1	1				1	2			3	1			3	1	31
8						1		1						1	3				2		31
1																					32
																					33
2							1												2		33
2																			1		33
1															1						34
																					35
1															1						35
																					36
12						1	1					2			3	1			3	1	37
9								1			1			1	4				2		37
1																			1		38
1																			1		38
1																					39
																					40
																					41
1						1															42
1							1														42
																					43
																					44
																					45
																					46
																					47
																					48
																					49
3											1	1							1		50
5								2							1				2		50

TABLE 13.—DEATHS DURING THE 6 YEARS ENDING MAY 31, 1890, AT CERTAIN AGES AND FROM CERTAIN CAUSES,

METROPOLITAN DISTRICT IN NEW YORK—Continued.

LOCALITIES.		AGE.											
		All ages.	Months.					Years.					
			Under 3	3 to 6	6 to 9	9 to 12	Total under 12	Under 5	5 to 15	15 to 25	25 to 65	65 and over.	Un-known.
1	Mamaroneck town.....	237	18	10	8	5	41	72	16	16	88	45	
2	Males.....	132	14	7	5	3	29	47	7	9	50	19	
3	Females.....	105	4	3	3	2	12	25	9	7	38	26	
4	White.....	230	16	10	8	5	39	68	15	15	87	45	
5	Native born.....	167	16	10	8	5	39	67	15	13	39	33	
6	Both parents native.....	M 42 F 36	5 2	6 2	2 2	1 1	14 4	18 6	3 4	2 2	10 13	9 11	
7	One or both parents foreign.....	M 27 F 25	4 1	1 1	3 2	1 1	8 5	17 14	3 4	5 3	2 3	1 3	
8	Foreign born.....	M 34 F 26						1		1	26	6	
9	Colored.....	7	2				2	4	1	1	1		
10	Males.....	3	1				1	3					
11	Females.....	4	1				1	1	1	1			
Birthplaces of mothers:													
12	United States.....	M 51 F 48	6 3	6 3	3 3	2 2	17 6	26 12	4 6	2 3	10 15	9 12	
13	England and Wales.....	M 3 F 3						1			1	1	
14	Ireland.....	M 28 F 29	4		1 2	1 1	5 3	10 6	1 2	5 2	12 14	5	
15	Scotland.....	M 2 F 1			1		1	2		1			
16	France.....	M 2 F 2		1			1	1			1	1	
17	Germany.....	M 14 F 6		1			1	1			9	4	
18	Russia and Poland.....	M F											
19	Canada.....	M F									2		
20	Scandinavia.....	M 4 F						1	1	1	1		
21	Hungary.....	M F											
22	Bohemia.....	M F											
23	Italy.....	M 1 F									1		
24	Other foreign countries.....	M 2 F									1	1	
25	Unknown.....	M 25 F 14	4		1	1	5	7	1	1	4	12	2
26	Mount Pleasant town.....	248	28	7	5	9	49	73	12	17	63	78	5
27	Males.....	135	20	3	1	6	30	45	9	9	32	36	4
28	Females.....	113	8	4	4	3	19	28	3	8	31	42	1
29	White.....	245	28	7	5	9	49	73	12	17	62	76	5
30	Native born.....	212	28	7	5	9	49	73	12	16	42	65	4
31	Both parents native.....	M 60 F 59	3 6		1 1	1 1	4 9	23 15	4 2	5 3	12 17	17 21	1
32	One or both parents foreign.....	M 20 F 16	4 1	1 3	1 2	1 2	7 8	11 11	4 1	2 2	3 10	1 3	
33	Foreign born.....	M 13 F 12									6	5	
34	Colored.....	3									1	2	
35	Males.....	2										2	
36	Females.....	1									1		
Birthplaces of mothers:													
37	United States.....	M 67 F 67	11 6	1	2	5	16	26	4	5	14	18	1
38	England and Wales.....	M 3 F		1			1	2				1	
39	Ireland.....	M 19 F 15	1		1	2	2	3	4	2	8	2	
40	Scotland.....	M 1 F 1		1			1	1			5	3	
41	France.....	M F											
42	Germany.....	M 4 F	1				1	2			2		
43	Russia and Poland.....	M F											
44	Canada.....	M 1 F 1						1					
45	Scandinavia.....	M 1 F 2		1			1	1			1		
46	Hungary.....	M F											
47	Bohemia.....	M F											
48	Italy.....	M 1 F									1		
49	Other foreign countries.....	M 2 F						1				1	
50	Unknown.....	M 39 F 30	7 1	2		1	10	11	1	2	6	15	4

STATISTICS OF DEATHS.

WITH DISTINCTION OF SEX, COLOR, NATIVITY, PARENTAL NATIVITY, AND BIRTHPLACES OF MOTHERS—Continued.

METROPOLITAN DISTRICT IN NEW YORK—Continued.

CAUSE OF DEATH.																				
All causes.	Scarlet fever.	Typhoid fever.	Malarial fever.	Diphtheria.	Croup.	Diarrheal diseases.	Consumption.	Pneumonia.	Measles.	Whooping cough.	Cancer and tumor.	Heart-disease and dropsy.	Child-birth and puerperal diseases.	Diseases of the liver.	Diseases of the nervous system.	Diseases of the urinary organs.	Old age.	Still-born.	All other causes.	Unknown.
237	11	4	6	5	2	19	28	14		3	8	12		5	33	10	6	1	69	1
132	6	2	1	1	2	9	11	10		2	2	5		3	18	7	1	1	50	1
105	5	2	5	4		10	17	4		1	6	7		2	15	3	5		19	
230	11	4	5	5	1	19	26	13		3	8	12		5	32	10	6	1	68	1
167	11	2	5	5	1	17	18	7		3	5	10		3	22	6	5	1	46	
42	1					6	6	2			2	2			7	3	1		12	
86		1	2	1		4	5	1			3	4		1	6	1	1		6	
27	5	1	1	1	1	2	4			2		1		4	4			1	3	
25	5		2	1		1	2			1		2		3	1		1		5	
34		1					4	1				2		2	5				17	
20		1				2	8	1			3	2		5	5		1		4	
7			1		1		2	1						1					1	
3					1			1											1	
4			1				2								1					
51	2				1	7	6	3		1	2	3			8	3	1		14	
48	2	1	3	2		4	8	1			3	6		1	8	1	2		6	
3										1		1		1						
3							1			1		1								
23	4	1	1			1	4	2				1		5	1	1		1	6	
29	2	1				2	7	1		1		1		6	1				8	
2						1								1						
1	1																		1	
2			1								1									
2			1			1	1	1						1		2			8	
14			1			1	1	1						1	1	1				
6																				
2				1	1						1								1	
4																			2	
1																			1	
2																				
25							1	3						1	2				17	1
14					2	3		1				1		1			2		4	
248	3	1	3	7	7	16	28	25	2	4	10	17	3	3	26	12	4		76	1
135	1	1	1	4	5	8	12	14	1	4	2	11		2	12	9	2		45	1
113	2		2	3	2	8	16	11	1		8	6	3	1	14	3	2		31	
245	3	1	3	7	7	16	28	25	2	4	10	16	3	3	26	11	3		76	1
212	3	1	2	7	7	15	24	20	2	4	7	12	2	3	23	11	3		65	1
60	1	1	1	1	2	3	5	6	1	2	1	5		1	4	5	1		21	
50	1		1	3	1	4	9	4	1		3		1		10	2	1		18	
20				2	3	3	4	1		1					1				5	
16	1				1	2	4	2							1				5	
13			1			1	1	1				2			2				5	
12						1	1	1				1			1				5	
3												1					1	1		
2												1					1			
1																				
67	1	1		1	2	3	7	6	1	2	1	5		1	5	6	1		24	
60	1		1	3	1	4	9	4	1		3		1		10	2	1		19	
3					1	1		2											2	
19					2	1	4	1		1		2		1					4	
15						1	4	1			2	1		2					4	
1					1														1	
1																				
4						1													3	
1																				
1						1		1												
1																				
2																				
1																				
1																				
1																				
2																				
1																				
39				1		1		6		1	1	4			5	3	1		13	1
30						3	3	5			3	5	1	1	2	1	1		4	

STATISTICS OF DEATHS.

WITH DISTINCTION OF SEX, COLOR, NATIVITY, PARENTAL NATIVITY, AND BIRTHPLACES OF MOTHERS—Continued.

METROPOLITAN DISTRICT IN NEW YORK—Continued.

CAUSE OF DEATH.

All causes.	Scarlet fever.	Typhoid fever.	Malarial fever.	Diphtheria.	Croup.	Diarrheal diseases.	Consumption.	Pneumonia.	Measles.	Whooping cough.	Cancer and tumor.	Heart disease and dropsy.	Child-birth and puerperal diseases.	Diseases of the liver.	Diseases of the nervous system.	Diseases of the urinary organs.	Old age.	Still-born.	All other causes.	Unknown.	
16			1	1		2	1					1			3	1			5	1	1
10			1			1						1			1	1			4	1	2
6				1		1	1								2				1		3
14			1	1		2	1					1			3	1			3	1	4
9			1			2	1					1			1				3		5
1																			1		6
2						1	1														7
3															1	1					8
2				1											1						9
2																			2		10
3																			2		11
2															1	1			3		12
1																					13
3						1	1								1					1	14
3																					15
1																					16
3																					17
1				1																	18
1																					19
1																					20
1																					21
1																					22
1																					23
4			1			1						1							1		24
2															1				1		25
231			7	7	3	12	24	25		4	5	15	4	2	38	10	11		61	3	26
131			6	4		6	8	15		2	1	9		2	27	4	8		33	1	27
100			1	3	3	6	16	10		2	4	6	4	11	11	6	3		23	2	28
229			7	7	3	12	23	25		4	5	14	4	2	38	10	11		61	3	29
195			7	7	3	12	23	20		3	4	13	3	1	35	8	10		45	1	30
63			5	2		3	6	9		1	1	7	1	1	16	1	3		9		31
50				1	1	5	5	6		1	3	4		1	6	4	2		12		32
10				1		2	1	1				1							4		33
13				2	1		3			1	1		3	1					1		34
20								2		1	1			1		1	1		13		35
7								2					1		1				2		36
2							1					1									37
1																					38
1																					39
66			5	2		4	13	9		1		8		1	16	1	3		10		40
55				3	1	5	7	6		1	4	4		1	6	4	2		12		41
3				1			1						1		2	1			1		42
5					1					1	1	1					1				43
16							2	2					2	1					9		44
6																					45
1						1															46
1																			1		47
2																					48
4								1		1									1		49
1																					50
2																			2		51
4																			1		52
1																					53
2																					54
4																					55
1																					56
2																					57
1																					58
2																					59
1																					60
40			1	1		1	2	3						11	2		4		14	1	61
28			1		1	1	6	2				2		3	1		1		8	2	62

VITAL AND SOCIAL STATISTICS.

TABLE 13.—DEATHS DURING THE 6 YEARS ENDING MAY 31, 1890, AT CERTAIN AGES AND FROM CERTAIN CAUSES, METROPOLITAN DISTRICT IN NEW YORK—Continued.

LOCALITIES.	Allages.	AGE.										
		Months.					Years.					
		Under 3	3 to 6	6 to 9	9 to 12	Total under 12	Under 5	5 to 15	15 to 25	25 to 65	65 and over.	Un-known.
1 New Rochelle town.....	51	4		1	1	6	12	3	4	18	14	
2 Males.....	30	4		1		5	7	3		10	8	
3 Females.....	21				1	1	5		2	8	6	
4 White.....	49	4		1	1	6	12	3	4	17	18	
5 Native born.....	32	4		1	1	6	12	3	3	5	9	
6 Both parents native.....	M. 10 F. 6	1		1		2	2	1		3	4	
7 One or both parents foreign.....	M. 8 F. 6	3				3	3	2	1	2	1	
8 Foreign born.....	M. 11 F. 6				1	1	5		2	7	3	
9 Colored.....	2									1	1	
10 Males.....												
11 Females.....	2									1	1	
12 Birthplaces of mothers:												
13 United States.....	M. 11 F. 8	2		1		3	3	1		3	4	
14 England and Wales.....	M. 2 F. 2							1			1	
15 Ireland.....	M. 11 F. 7	1				1	3	1	2	4	1	
16 Scotland.....	M. 1 F. 1								1	5	1	
17 France.....	M. 1 F. 3		1			1	1			3	1	
18 Germany.....	M. 1 F. 3				1	1	1			1		
19 Russia and Poland.....	M. 1 F. 1											
20 Canada.....	M. 1 F. 1											
21 Scandinavia.....	M. 1 F. 1											
22 Hungary.....	M. 1 F. 1											
23 Bohemia.....	M. 1 F. 1											
24 Italy.....	M. 1 F. 1											
25 Other foreign countries.....	M. 1 F. 1										1	
26 Unknown.....	M. 1 F. 1										1	
26 New Rochelle village.....	607	67	31	32	9	139	212	44	37	185	127	2
27 Males.....	331	40	14	19	4	77	123	19	22	112	53	2
28 Females.....	276	27	17	13	5	62	89	25	15	73	74	
29 White.....	589	62	30	30	8	130	202	43	35	182	125	2
30 Native born.....	401	62	30	30	8	130	199	33	25	80	59	
31 Both parents native.....	M. 96 F. 90	14	3	8	1	26	44	5	3	22	22	
32 One or both parents foreign.....	M. 104 F. 74	23	9	10	2	44	69	11	9	13	2	
33 Foreign born.....	M. 96 F. 85	12	11	7	4	34	45	11	7	7	4	
34 Colored.....	18	5	1	2	1	9	10	1	2	3	2	
35 Males.....	10	3	1	1	1	6	6	1	1	2		
36 Females.....	8	2		1		3	4		1	1	2	
37 Birthplaces of mothers:												
38 United States.....	M. 121 F. 112	19	5	13	3	40	63	8	4	24	22	
39 England and Wales.....	M. 17 F. 13	3	1			4	7	9	4	7	3	
40 Ireland.....	M. 97 F. 81	11	4	2	1	18	27	9	10	30	12	
41 Scotland.....	M. 4 F. 2	1		2	3	13	15	10	6	29	21	
42 France.....	M. 3 F. 4		1			1	1			3	2	
43 Germany.....	M. 42 F. 31	3	2	4	1	9	14	1	4	11	12	
44 Russia and Poland.....	M. 1 F. 1					6	8	2	3	9	9	
45 Canada.....	M. 1 F. 2							1	1	1		
46 Scandinavia.....	M. 1 F. 1								1			
47 Hungary.....	M. 1 F. 1											
48 Bohemia.....	M. 1 F. 1											
49 Italy.....	M. 9 F. 5	1			1	1	4			4		1
50 Other foreign countries.....	M. 12 F. 4	2	1			3	4	1		7	1	
51 Unknown.....	M. 25 F. 21	1	1			1	1	2	4	15	13	1

STATISTICS OF DEATHS.

WITH DISTINCTION OF SEX, COLOR, NATIVITY, PARENTAL NATIVITY, AND BIRTHPLACES OF MOTHERS—Continued.

METROPOLITAN DISTRICT IN NEW YORK—Continued.

CAUSE OF DEATH.																					
All causes.	Scarlet fever.	Typhoid fever.	Malarial fever.	Diphtheria.	Croup.	Diarrheal diseases.	Consumption.	Pneumonia.	Measles.	Whooping cough.	Cancer and tumor.	Heart disease and dropsy.	Child-birth and puerperal diseases.	Diseases of the liver.	Diseases of the nervous system.	Diseases of the urinary organs.	Old age.	Still-born.	All other causes.	Un-known.	
51			3	1		5	7	6		1	1	2			5		1		17	2	1
30			1	1		2	3	3		1		2			3		1		11	2	2
21			2			3	4	3			1				2				6		3
49			2	1		5	6	6		1	1	2			5		1		17	2	4
32				1		5	3	3		1					5		1		11	2	5
10						1		1							3				5	2	6
6				1		2		2		1					1				3		7
8						2		2		1									1		8
6			1			2		2				2			1				1		7
11			1			2		1											5		8
6			1			1		2			1								1		8
2							1														9
2			1				1														10
11																					11
8			1			1	1	1							3				6	2	12
2				1			1								1				3		13
2						1	2	2											1		13
11			1			2	2	2											2		14
7						1	3	1			1	2							1		14
																					15
																					16
4							1			1											17
3			1					1							1				2		17
																					18
																					19
																					20
																					21
																					22
																					23
1																			1		24
1																	1				24
1																			1		25
607	2	8	6	49	7	56	54	56	3	6	18	24	7	5	59	29	7	4	194	13	26
331	1	6	2	23	5	31	30	29	2	5	3	12		3	31	15	4	2	118	9	27
276	1	2	4	26	2	25	24	27	1	1	15	12	7	2	28	14	3	2	76	4	28
589	2	8	6	49	6	56	53	54	3	5	18	23	7	4	57	28	7	3	188	12	29
401	2	4	4	41	6	51	32	23	3	5	11	9	4	1	38	13	3	3	140	8	30
96		1		4	2	12	7	5	2	1	1	2			14	4	1	1	36	3	31
90			2	14	1	10	7	8			6		2		10	4	1		25		31
104	1	1	1	16	2	16	8	5		3		2			7	3		1	35	2	32
74	1	1	1	6	1	12	9	2		1	2	2	2	1	6	1		1	25	2	32
96		3	1	3		2	14	16		1	1	6	2	2	9	7		2	29	1	33
85		1	1	5		3	6	14			6	8	3	1	10	8	2		15	2	33
18					1		1	2		1		1			2	1		1	6	1	34
10																					35
8					1		1	1		1		1			2	1		1	4	1	35
																			2		36
121		1	1	6	4	17	9	7	2	3	1	2		1	15	5	1	1	43	4	37
112			2	16	2	11	9	9		1	7	1	2		12	4	1	1	32	2	37
17				2			1	2		1	1	1			1				7	2	38
18							1	3				1			2			1	3		38
97		2		10	1	6	15	12		2	3	3		1	6	6	1	1	31	1	39
81	1	1	2	5		10	9	10			3	6	1		7	6	1	1	17	2	39
4				1											1				2		40
2																					41
3		1										1			1						41
4		1		2		1	5	1				3			1	1	1		12		42
42	1	1		1		2	3	1			4	1			4	4	1		10		42
31															5	1					43
								1													44
1				2																	44
2												1									45
1																					46
																					47
9				1			1	1							1				5		48
5								1				1			1				1		48
12			1	1		1	1	2							2				4		49
4			1	1											1				2		49
25		1				1		2			1	2			1		1		14	2	50
21				1		1		2			1	1			1				9		50

TABLE 12.—DEATHS DURING THE 6 YEARS ENDING MAY 31, 1890, AT CERTAIN AGES AND FROM CERTAIN CAUSES, METROPOLITAN DISTRICT IN NEW YORK.—Continued.

LOCALITIES.	AGE.											
	Allages.	Months.					Years.					
		Under 3	3 to 6	6 to 9	9 to 12	Total under 12	Under 5	5 to 15	15 to 25	25 to 65	65 and over.	Un-known.
1 North Castle town.....	104	15	4		1	20	33	7	5	24	33	2
2 Males.....	56	9	2		1	12	22	4	5	9	16	
3 Females.....	48	6	2			8	11	3		15	17	2
4 White.....	98	14	3		1	18	30	6	5	22	33	2
5 Native born.....	89	14	3		1	18	30	6	5	18	29	1
6 Both parents native.....	M. 27 F. 27	5 5	1 1		1	6 6	12 7	2 3	3	3 6	7 11	
7 One or both parents foreign.....	M. 4 F. 2	2 2		1		2 1	3 2		1			
8 Foreign born.....	M. 2 F. 4									1 3	1 1	
9 Colored.....	6	1	1			2	3	1		2		
10 Males.....	6	1	1			2	3	1		2		
11 Females.....												
Birthplaces of mothers:												
12 United States.....	M. 35 F. 27	7 5	2 1		1	10 6	18 7	2 3	3	4 6	8 11	
13 England and Wales.....	M. 1 F. 4		1			1	1			1	1	
14 Ireland.....	M. 4 F. 3								1	1	1	
15 Scotland.....	M. 1 F. 1											
16 France.....	M. 1 F. 1									1		
17 Germany.....	M. 1 F. 1											
18 Russia and Poland.....	M. 1 F. 1											
19 Canada.....	M. 1 F. 1											
20 Scandinavia.....	M. 1 F. 1		1			1	1					
21 Hungary.....	M. 1 F. 1											
22 Bohemia.....	M. 1 F. 1											
23 Italy.....	M. 1 F. 1											
24 Other foreign countries.....	M. 1 F. 1											
25 Unknown.....	M. 17 F. 15	1 1				1 1	3 2	2	1	4 6	7 5	2
26 North Salem town.....	56	2	2	3		7	10	3	1	20	22	
27 Males.....	26		1	2		3	5			7	14	
28 Females.....	30	2	1	1		4	5	3	1	13	8	
29 White.....	56	2	2	3		7	10	3	1	20	22	
30 Native born.....	46	2	2	3		7	10	3	1	15	17	
31 Both parents native.....	M. 15 F. 15		1	2		3 2	3 2	3		5 6	7 4	
32 One or both parents foreign.....	M. 1 F. 1		1			1 1	1 1				4	
33 Foreign born.....	M. 4 F. 5									1 3	3 2	
34 Colored.....												
35 Males.....												
36 Females.....												
Birthplaces of mothers:												
37 United States.....	M. 16 F. 15		1	2		3 2	3 2	3		5 6	8 4	
38 England and Wales.....	M. 1 F. 4											
39 Ireland.....	M. 5 F. 5			1		1	1			2	3 2	
40 Scotland.....	M. 1 F. 1											
41 France.....	M. 1 F. 1									1		
42 Germany.....	M. 1 F. 1											
43 Russia and Poland.....	M. 1 F. 1											
44 Canada.....	M. 1 F. 1											
45 Scandinavia.....	M. 1 F. 1											
46 Hungary.....	M. 1 F. 1											
47 Bohemia.....	M. 1 F. 1											
48 Italy.....	M. 1 F. 1											
49 Other foreign countries.....	M. 1 F. 1											
50 Unknown.....	M. 5 F. 9					1	1 2		1	1 4	3 2	

STATISTICS OF DEATHS

WITH DISTINCTION OF SEX, COLOR, NATIVITY, PARENTAL NATIVITY, AND BIRTHPLACES OF MOTHERS.—Continued.

METROPOLITAN DISTRICT OF NEW YORK.—Continued.

CAUSE OF DEATH.																				
All causes.	Scarlet fever.	Typhoid fever.	Malarial fever.	Diphtheria.	Croup.	Diarrheal diseases.	Consumption.	Pneumonia.	Measles.	Whooping cough.	Cancer and tumor.	Heart disease and dropsy.	Child-birth and puerperal diseases.	Diseases of the liver.	Diseases of the nervous system.	Diseases of the urinary organs.	Old age.	Still-born.	All other causes.	Unknown.
104	2	1	1	4		8	9	3		2	2	7		1	25	3	9	1	25	1
56	2	1	1	2		4	4	1		1	1	3		1	10	2	3		20	
48				2		4	5	2		1	1	4			15	1	6	1	5	1
98	2	1		4		7	9	3		2	2	7			24	3	9	1	23	1
89	2	1		4		7	5	3		2	2	6			22	2	9	1	22	1
27	1					3	1	1		1	1	2			5	1	3		8	
27				2		3	1	1		1	1	2			8	1	5	1	2	1
4	1					1									1				2	
2															1					
2															1					
4							2					1							1	
6			1			1								1	1				2	
6			1			1								1	1				2	
35	2					4	2	1		1	1	2			6	1	3		12	
27				2		3	1	1			1	2			8		5	1	2	1
1															1					
4							1								1				1	
4							1					1			1				1	
3																				
1																				
1																				
1						1														
17		1	1	2			1					1			3				7	
15							2	1		1		1			6	1	1		2	
56	1	3	1	1		4	8	3			1	5	1	4	8	1	2	1	11	1
26		1	1	1		3	3	2			1	4		1	4				6	1
30	1	2	1	1		1	5	1				1		3	4	1	2	1	5	
56	1	3	1	1		4	8	3			1	5	1	4	8	1	2	1	11	1
46	1	3		1		4	6	3			1	5	1	2	7	1	1	1	8	1
15						3	1	2			1	3		1	2				1	1
15		2		1		1	3				1	1		1	2			1	2	1
1								1											1	
1																			1	
4							2								1					
5			1											2			1		1	
16						3	1	2			1	3		1	2				2	1
15		2		1		1	3					1		1	2			1	2	1
4							1								1					
5			1					1						2			1		2	
1																				
1																			1	
5		1										1			1				2	
9	1						2								2		1		2	2

VITAL AND SOCIAL STATISTICS.

TABLE 13.—DEATHS DURING THE 6 YEARS ENDING MAY 31, 1890, AT CERTAIN AGES AND FROM CERTAIN CAUSES, METROPOLITAN DISTRICT IN NEW YORK—Continued.

LOCALITIES.		AGE.											
		All ages.	Months.					Years.					
			Under 3	3 to 6	6 to 9	9 to 12	Total under 12	Under 5	5 to 15	15 to 25	25 to 65	65 and over.	Un-known.
1	Ossining town	123	9	2	4		15	22	3	15	51	31	1
2	Males	77	5		2		7	9	2	12	34	19	1
3	Females	46	4	2	2		8	13	1	3	17	12	
4	White	117	8	2	4		14	21	3	12	49	31	1
5	Native born	81	3	2	4		14	21	2	7	25	26	
6	Both parents native	M. 19 F. 20	3 2	1	1 1		4 3	5 4		2	8	5	
7	One or both parents foreign	M. 8 F. 7	2		1		3	4		2	2	2	
8	Foreign born	M. 26 F. 6			1		1	5		4	20	2	
9	Colored	6	1				1	1		3	2		
10	Males	3					1			3			
11	Females	3	1				1			2			
Birthplaces of mothers:													
12	United States	M. 24 F. 27	4 3	1	1 2		5 6	7 9		4 1	7 10	6 5	
13	England and Wales	M. 7 F. 9					1				8	2	
14	Ireland	M. 9 F. 6	1				1	1			3	2	
15	Scotland	M. 1 F. 1									1		
16	France	M. 1 F. 2									1	1	
17	Germany	M. 2 F. 1						1					
18	Russia and Poland	M. 1 F. 1											
19	Canada	M. 1 F. 1									1		
20	Scandinavia	M. 1 F. 1								1			
21	Hungary	M. 1 F. 1								1			
22	Bohemia	M. 1 F. 1											
23	Italy	M. 7 F. 1			1		1	1		1	5		
24	Other foreign countries	M. 1 F. 2									2		
25	Unknown	M. 22 F. 9		1	1		2	2	2	4	5	10	1
26	Singsing village	796	75	28	40	21	164	259	44	54	251	187	1
27	Males	388	40	18	25	11	94	143	20	24	131	69	1
28	Females	408	35	10	15	10	70	116	24	30	120	118	
29	White	775	72	28	39	20	159	248	43	53	247	183	1
30	Native born	609	72	28	39	20	159	246	43	46	143	130	1
31	Both parents native	M. 171 F. 190	19 23	11 6	19 9	6 3	55 41	84 67	9 14	12 13	38 40	27 56	1
32	One or both parents foreign	M. 83 F. 87	14 12	7 4	5 5	5 6	31 27	45 39	5 10	9 11	21 49	8 21	
33	Foreign born	M. 72 F. 88					27	1		1	51	31	
34	Colored	21	3		1	1	5	11	1	1	4	4	
35	Males	12	3				3	5	1	1	3	2	
36	Females	9			1	1	2	6			1	2	
Birthplaces of mothers:													
37	United States	M. 202 F. 220	26 23	12 7	21 11	8 5	67 46	101 83	11 16	14 14	42 42	33 65	1
38	England and Wales	M. 17 F. 22	2 2	3			5	6	1		9	6	
39	Ireland	M. 93 F. 113	6 9	3 3	3 4	2 3	14 19	21 23	3 6	9 9	46 51	14 24	
40	Scotland	M. 1 F. 4									3	1	
41	France	M. 1 F. 1											
42	Germany	M. 12 F. 10	2			1	2	4	2	1	7	1	
43	Russia and Poland	M. 1 F. 1									4	1	
44	Canada	M. 1 F. 2						1					
45	Scandinavia	M. 4 F. 3	1			1	1	2			2	1	
46	Hungary	M. 1 F. 1											
47	Bohemia	M. 1 F. 1											
48	Italy	M. 3 F. 2				1	1	1		1	2		
49	Other foreign countries	M. 2 F. 5									2	2	
50	Unknown	M. 20 F. 35	3 1		1		4	7	5	1	22	15	

STATISTICS OF DEATHS.

WITH DISTINCTION OF SEX, COLOR, NATIVITY, PARENTAL NATIVITY, AND BIRTHPLACES OF MOTHERS—Continued.

METROPOLITAN DISTRICT IN NEW YORK—Continued.

CAUSE OF DEATH.																				
All causes.	Scarlet fever.	Typhoid fever.	Marial fever.	Diphtheria.	Croup.	Diar-rheal dis-eases.	Con-sump-tion.	Pneu-monia.	Measles.	Whoop-ing cough.	Cancer and tumor.	Heart dis-ease and dropsy.	Child-birth and puer-peral dis-eases.	Dis-eases of the liver.	Dis-eases of the nerv-ous sys-tem.	Dis-eases of the uri-nary or-gans.	Old age.	Still-born.	All other causes.	Un-known.
123		1	2	3		6	15	6		1	1	6	3	1	21	2	1		53	1
77			1			4	7	5				2		1	15	2	1		38	1
46		1	1	3		2	8	1		1	1	4	3		6				15	3
117		1	2	3		6	15	4		1	1	6	3	1	19	2	1		51	4
81			2	3		4	11	4		1		5	2	1	16	2			29	5
19						1	3	3				1			5				5	1
20			1	1		1	5					2	1		2				7	6
8						1	1								2				4	
7				1			1			1					1				3	7
26		1				2	3					1			3				17	8
6							1				1	1							2	
								2							2				2	9
3								1											2	10
3								1							2					11
24						2	3	4				1			5				8	12
27			1	3		1	5	1				2	1		5				8	
7							1								1				5	13
9							2												3	14
6							2												1	15
1																			1	16
2										1		1			1					17
1																				18
																				19
1																			1	20
1						1							1							21
1																				22
7							1								1				5	23
1		1																	2	24
2																			1	25
1																			10	
22			1			1	1	1				2	1	1	6	2	1		3	26
9															1				10	
796	3	6	10	34	12	58	112	32	5	6	28	59	5	10	99	25	20	4	264	4
388	2	1	5	17	9	36	55	20	2	3	6	31		5	46	11	4	3	130	2
408	1	5	5	17	3	22	57	12	3	3	22	28	5	5	53	14	16	1	134	2
775	3	6	10	33	12	58	109	32	5	5	28	56	5	9	99	25	19	4	253	4
609	3	3	9	32	12	54	74	24	5	5	17	42	3	5	75	18	15	4	206	3
171	2	1	3	10	3	19	16	7	2	2	3	13		2	19	7	3	1	56	2
190	1	1	3	7	3	11	19	6	1	1	11	14	2	1	24	6	7	1	71	1
83			1	4	6	13	15	4		1		4		1	5			2	27	
87		1	2	9		9	18		1	2		2	1	1	11	1	1		28	
72			1	1		3	18				3	4		2	10	3			22	
88		3				1	16	3			8	10	2	2	13	4	4		21	1
21				1			3			1		3		1			1		11	
12							2					2					1		7	
9				1		1	1			1		1		1				4		35
202	2	1	3	12	3	24	18	7	2		3	15		2	21	7	4	1	71	2
220	1	1	3	11	3	12	22	6	2	3	11	15	2	3	30	6	8	1	80	1
22				1		1	3	2				3		2	4	1		1	6	
17							3					1	1		2		1		7	
93			2	2	4	8	24	5			2	1		2	8	2			29	
113		3	1	4		9	26	1			5	4	1	3	14	4	3		29	
1							2												1	
1															1				1	
1																			1	
12						1	4	1			1				2				3	
10		1		2			1					1			1	1			3	
1																				
2																			1	
4																			1	
3																			1	
3						1		1											1	
2												1								
2																				
50				2		1	4	4			1				11	1			18	
35						1	2	3	1		3	9			5	3	4		12	

STATISTICS OF DEATHS.

WITH DISTINCTION OF SEX, COLOR, NATIVITY, PARENTAL NATIVITY, AND BIRTHPLACES OF MOTHERS—Continued.

METROPOLITAN DISTRICT IN NEW YORK—Continued.

CAUSE OF DEATH.																					
All causes.	Scarlet fever.	Typhoid fever.	Malarial fever.	Diphtheria.	Croup.	Diarrheal diseases.	Consumption.	Pneumonia.	Measles.	Whooping cough.	Cancer and tumor.	Heart disease and dropsy.	Child-birth and puerperal diseases.	Diseases of the liver.	Diseases of the nervous system.	Diseases of the urinary organs.	Old age.	Still-born.	All other causes.	Unknown.	
232	1	1	4	7	4	25	32	23	2	1	7	20	3	3	22	6	1	2	66	2	
119			1	2	2	13	15	13	2		3	9		2	12	3	1		39	2	
113	1	1	3	5	2	12	17	10		1	4	11	3	1	10	3		2	27	3	
230	1	1	4	7	4	24	32	23	2	1	7	20	3	3	22	6	1	2	65	2	
177	1	1	4	7	4	20	25	18	2	1	4	15	1	3	16	4	1	2	46	2	
43			1	1	2	6	4	5			1	3			6	1	1		12		
51	1		1	3	2	6	8	5			2	9			2	1		2	9	6	
20				1		3	5	4				2			2	1			1		
20			1	1		2	1	2				1			3	1			6	7	
26				2		4	4	3			1	3			2	2			11	8	
16						2	2	2			2	2			2	2			4		
2						1													1	9	
2						1													1	10	
51			1	1	2	7	5	7			1	4			7	1			14	12	
57	1		1	3	2	7	8	5			2	9			3	2	1	2	12		
9				1		1	2	1				1			1				3	13	
10				2		1	1	4				3			2				5		
14						1	1	2			1	2			2				3		
13			1			1	4	2			1	2			2				2	14	
1															1					15	
9							1	2											4	16	
5								2			1			1		1			1	17	
1																			1	18	
3						1													2	19	
																					20
																					21
																					22
																					23
1																1			1	24	
1						4	3	1	2		1	1			2	1			15	25	
31			1			4	7	1		1	1	1		1	2	1			8		
26						4													8	1	
19			2				3	1			1	1			6		1		4	26	
10							2					1			5				2	27	
9			2				1	1			1			1	1		1		2	28	
19			2				3	1			1	1			6		1		4	29	
18			2				2	1			1	1			6		1		4	30	
6			1				1								3		1		1	31	
5															1				2	32	
																					33
																					34
																					35
																					36
6			1				1					1			3		1		1	37	
5															1				2	38	
																					39
																					40
																					41
																					42
																					43
																					44
																					45
																					46
																					47
																					48
																					49
4			1				1	1			1			2					1	50	

VITAL AND SOCIAL STATISTICS.

TABLE 13.—DEATHS DURING THE 6 YEARS ENDING MAY 31, 1890, AT CERTAIN AGES AND FROM CERTAIN CAUSES, METROPOLITAN DISTRICT IN NEW YORK—Continued.

LOCALITIES.	AGE.											
	All ages.	Months.					Years.					
		Under 3	3 to 6	6 to 9	9 to 12	Total under 12	Under 5	5 to 15	15 to 25	25 to 65	65 and over.	Un-known.
1 Rye town.....	362	30	20	7	7	64	109	28	28	106	88	3
2 Males.....	186	17	9	6	1	33	56	14	15	58	40	3
3 Females.....	176	13	11	1	6	31	53	14	13	48	48	
4 White.....	342	29	20	6	6	61	103	27	25	99	85	3
5 Native born.....	251	29	20	6	6	61	101	25	22	43	58	2
6 Both parents native.....	M. 60	9	2	1	1	13	20	7	5	12	15	1
F. 74	3	7	1	4	15	26	7	4	16	21		
7 One or both parents foreign.....	M. 30	4	3	3	10	18	2	5	3	2		
F. 30	4	2		1	7	16	4	5	2	3		
8 Foreign born.....	M. 44					1			2	29	12	
F. 42						1	1	1	25	14		
9 Colored.....	20	1		1	1	3	6	1	3	7	3	
10 Males.....	11			1		1	3	1	1	4	2	
11 Females.....	9	1			1	2	3		2	3	1	
12 Birthplaces of mothers:												
13 United States.....	M. 77	9	2	3	1	15	26	10	6	18	16	1
F. 86	5	8	1	4	18	30	8	6	18	24		
14 England and Wales.....	M. 7	1				1	3	1		1	2	
F. 9	2				2	3	1		3	2		
15 Ireland.....	M. 38		1	1		2	5		4	20	9	
F. 40		1		1	2	8	3	5	19	5		
16 Scotland.....	M. 1					1					1	
F. 4	1					2		1				
17 France.....	M. 2										2	
F. 15	3	2			5	6		2	4	3		
18 Germany.....	M. 8						1			3	4	
F. 8												
19 Russia and Poland.....	M. 1											
F. 1												
20 Canada.....	M. 1											
F. 1												
21 Scandinavia.....	M. 1											
F. 1												
22 Hungary.....	M. 1											
F. 1												
23 Bohemia.....	M. 1											
F. 1												
24 Italy.....	M. 8			1		1	1		1	6		
F. 2						1			1	1		
25 Other foreign countries.....	M. 1									1		
F. 1										1		
26 Unknown.....	M. 39	4	4	1		9	14	3	2	8	10	2
F. 24	5	2		1	8	8	2	1	3	10		
27 Port Chester village.....	316	38	22	14	9	83	121	19	19	98	58	1
28 Males.....	167	19	12	8	8	47	72	11	10	48	25	1
29 Females.....	149	19	10	6	1	36	49	8	9	50	33	
30 White.....	312	38	22	14	9	83	118	19	18	98	58	1
31 Native born.....	233	38	22	14	9	83	116	18	13	52	31	
32 Both parents native.....	M. 45	8	5	1	2	16	20	4	2	11	8	
F. 54	8	3			11	13	3	1	25	12		
33 One or both parents foreign.....	M. 57	9	7	5	6	27	43	4	3	6	1	
F. 43	10	7	4	1	22	31	5	4	3			
34 Foreign born.....	M. 35					1	1		2	23	8	
F. 37								3	20	14		
35 Colored.....	4						3		1			
36 Males.....	3						3					
37 Females.....	1								1			
38 Birthplaces of mothers:												
39 United States.....	M. 60	8	6	3	4	21	32	5	3	11	9	
F. 59	10	4			14	16	3	2	26	12		
40 England and Wales.....	M. 7	1		1		2	4	1		1	1	
F. 8		1		1	2	3			1	3		
41 Ireland.....	M. 37	3	3		1	7	13	3	1	16	4	
F. 38	4	1	2		7	12	1	4	12	9		
42 Scotland.....	M. 3									2	1	
F. 1										1		
43 France.....	M. 1											
F. 1												
44 Germany.....	M. 22	4	3	1	1	9	11	1	1	7	2	
F. 17		3		1	1	4	6	2	1	4	4	
45 Russia and Poland.....	M. 1			1		1						
F. 1												
46 Canada.....	M. 1											
F. 2								1		1		
47 Scandinavia.....	M. 3	1	1			2	2			1		
F. 3												
48 Hungary.....	M. 1											
F. 1												
49 Bohemia.....	M. 1											
F. 1												
50 Italy.....	M. 1					1	1					
F. 1		1				2	4		1	2		
51 Other foreign countries.....	M. 7				1	3	4			1		
F. 25	2			1	1	3	6			8		
52 Unknown.....	M. 5			2	1	5	4	1	3	8	8	1
F. 15	1			2		3	5	1	1	7		

TABLE 13.—DEATHS DURING THE 6 YEARS ENDING MAY 31, 1890, AT CERTAIN AGES AND FROM CERTAIN CAUSES, METROPOLITAN DISTRICT IN NEW YORK—Continued.

	LOCALITIES.	AGE.											
		Allages.	Months.					Years.					
			Under 3	3 to 6	6 to 9	9 to 12	Total under 12	Under 5	5 to 15	15 to 25	25 to 65	65 and over.	Un-known.
1	Scarsdale town.....	22	2		1		3	3	2	1	7	8	1
2	Males.....	13	2		1		3	3	1	1	4	4	
3	Females.....	9							1		3	4	1
4	White.....	21	2		1		3	3	2	1	7	7	1
5	Native born.....	21	2		1		3	3	2	1	7	7	1
6	Both parents native.....	8								1	4	3	
7	One or both parents foreign.....	3			1		1	1	1		2	3	
8	Foreign born.....	2									1	1	1
9	Colored.....	1										1	
10	Males.....												
11	Females.....	1										1	
	Birthplaces of mothers:												
12	United States.....	10							1	1	4	4	
13	England and Wales.....	7							1		2	4	
14	Ireland.....	1			1		1	1			1		
15	Scotland.....												
16	France.....												
17	Germany.....												
18	Russia and Poland.....												
19	Canada.....												
20	Scandinavia.....												
21	Hungary.....												
22	Bohemia.....												
23	Italy.....												
24	Other foreign countries.....												
25	Unknown.....	2	2			2	2	2					1
26	Somers town.....	53	2	1	2		5	7	4	2	17	20	3
27	Males.....	25	2	1	1		4	5	2		7	9	2
28	Females.....	28			1		1	2	2	2	10	11	1
29	White.....	51	2	1	2		5	7	4	1	16	20	3
30	Native born.....	44	2	1	2		5	7	3	1	13	18	2
31	Both parents native.....	12	1		1		2	2	1		4	5	
32	One or both parents foreign.....	17					2	1	2	1	6	7	
33	Foreign born.....	5	1	1			2	3			1	1	
34	Colored.....	2					1	1					
35	Males.....	1											
36	Females.....	1								1			
	Birthplaces of mothers:												
37	United States.....	14	1		1		2	2	2		5	5	
38	England and Wales.....	19						1	2	2	6	7	1
39	Ireland.....	1										1	
40	Scotland.....	1											
41	France.....												
42	Germany.....	3	1				1	2					1
43	Russia and Poland.....	2			1		1	1			1		
44	Canada.....												
45	Scandinavia.....												
46	Hungary.....												
47	Bohemia.....												
48	Italy.....												
49	Other foreign countries.....												
50	Unknown.....	7		1			1	1			2	3	1
		6									2	4	

STATISTICS OF DEATHS.

WITH DISTINCTION OF SEX, COLOR, NATIVITY, PARENTAL NATIVITY, AND BIRTHPLACES OF MOTHERS—Continued.

METROPOLITAN DISTRICT IN NEW YORK—Continued.

CAUSE OF DEATH.																				
All causes.	Scarlet fever.	Typhoid fever.	Malarial fever.	Diphtheria.	Croup.	Diarrheal diseases.	Consumption.	Pneumonia.	Measles.	Whooping cough.	Cancer and tumor.	Heart disease and dropsy.	Child-birth and puerperal diseases.	Diseases of the liver.	Diseases of the nervous system.	Diseases of the urinary organs.	Old age.	Still born.	All other causes.	Unknown.
22				1		4	1	2				2		1	3		1	1	5	1
13						2	1					2		1	1		1	1	4	
9				1		2		2						2	2				1	1
21				1		3	1	2				2		1	3		1	1	5	1
21						3	1	2				2		1	3		1	1	5	1
8				1		3	1	2				2		1	3		1	1	5	1
8						1	1					2		1	1		1		2	
6				1		1	1	1				2		1	2		1		1	1
3						2													1	
2								1												1
1						1														
1						1														
10						1	1					2		1	1		1		3	
7				1		2		1							2				1	
1						1		1												
1																				
2																				
1																				
53	1		2	2	1	2	6	2			4	11			7	2	1		12	
25					1	1	1				1	7			4	2			8	
28	1		2	2		1	5	2			3	4			3		1		4	
51	1		2	2	1	2	5	2			4	10			7	2	1		12	
44	1		2	2	1	1	4	2			3	10			6	2			10	
12											1	4			1	2			4	
17	1		2	2			3	1			2	3			2				1	
5					1	1	1					1			1				1	
1																			1	
1																			1	
2							1					1							1	
2							1					1							1	
1																				
1							1													
14																				
19	1		2	2			4	1			1	5			1	2			5	
1																			2	
1							1													
1							1													
3					1										1					
2											1	1							1	
7						1						1			2				3	
6						1		1				1			1		1		1	

TABLE 13.—DEATHS DURING THE 6 YEARS ENDING MAY 31, 1890, AT CERTAIN AGES AND FROM CERTAIN CAUSES.

METROPOLITAN DISTRICT IN NEW YORK.—Continued.

LOCALITIES.	All ages.	AGE.										
		Months.					Years.					
		Under 3	3 to 6	6 to 9	9 to 12	Total under 12	Under 5	5 to 15	15 to 25	25 to 65	65 and over.	Un- known.
1 White Plains town.....	312	30	9	13	7	59	79	28	20	98	84	3
2 Males.....	151	19	5	6	4	34	42	15	11	47	34	2
3 Females.....	161	11	4	7	3	25	37	13	9	51	50	1
4 White.....	304	30	9	13	7	59	78	27	19	94	83	3
5 Native born.....	217	30	9	13	7	59	78	27	13	63	61	
6 Both parents native.....	M. 51 F. 74	9 6	2 3	3 3	2 3	16 12	19 19	6 5	4 3	13 23	9 24	
7 One or both parents foreign.....	M. 28 F. 21	7 4	3 2	3 1	2 1	14 7	15 9	7 4	3 5	6 2	6 1	
8 Foreign born.....	M. 32 F. 21	4 1	2 1	1 1	1 1	7 2	9 3	4 1	1 1	16 13	14 7	1 1
9 Colored.....	8						1	1	1	4	1	
10 Males.....	4						1		1	2	1	
11 Females.....	4							1		2	1	
Birthplaces of mothers:												
12 United States.....	M. 59 F. 78	10 6	2 1	4 4	2 3	18 13	21 20	7 6	5 3	17 24	9 25	
13 England and Wales.....	M. 5 F. 1	1 1		1 1		2 1	2 1			2 1	1 1	
14 Ireland.....	M. 36 F. 33	2 4	2 1		1	5 5	5 6	4 3	1 5	15 13	10 5	1 1
15 Scotland.....	M. 2 F. 1	1 1				1 1	1 1			1 1	1 1	
16 France.....	M. 2 F. 2									1 1	1 1	
17 Germany.....	M. 5 F. 2	1 1			1	2 1	3 1			1 1	1 1	
18 Russia and Poland.....	M. 1 F. 1										1 1	
19 Canada.....	M. 1 F. 1										1 1	
20 Scandinavia.....	M. 1 F. 1										1 1	
21 Hungary.....	M. 1 F. 1									1 1		
22 Bohemia.....	M. 1 F. 1										1 1	
23 Italy.....	M. 1 F. 1		1			1	1					
24 Other foreign countries.....	M. 4 F. 4	4 1	1 2	1 3		6 6	10 9	4 4	5 1	10 12	11 17	1
25 Unknown.....												
26 Yonkers city.....	3,349	629	215	156	115	1,115	1,533	176	242	1,014	380	4
27 Males.....	1,782	381	119	93	53	646	869	92	128	524	180	3
28 Females.....	1,567	248	96	63	62	469	664	84	114	490	214	1
29 White.....	3,233	615	214	153	112	1,094	1,505	173	235	991	375	4
30 Native born.....	2,377	614	213	151	111	1,089	1,489	161	165	400	161	1
31 Both parents native.....	M. 510 F. 451	156 97	50 42	32 18	21 24	259 181	335 247	29 20	19 12	78 104	49 62	
32 One or both parents foreign.....	M. 656 F. 555	184 129	62 50	57 36	29 32	332 247	458 353	47 54	69 56	87 73	4 13	
33 Foreign born.....	M. 464 F. 490	1 1	1 1	1 1	1 1	2 2	8 7	5 7	40 30	316 269	94 117	1
34 Colored.....	66	14	1	3	3	21	28	3	7	23	5	
35 Males.....	35	11	1	1	1	14	18	1	1	12	3	
36 Females.....	31	3		2	1	7	10	2	6	11	2	
Birthplaces of mothers:												
37 United States.....	M. 617 F. 556	190 113	59 48	38 26	26 33	313 220	412 300	32 30	21 23	98 137	54 71	
38 England and Wales.....	M. 123 F. 110	24 14	6 4	3 4	3 7	41 29	55 45	5 9	9 9	35 33	19 15	
39 Ireland.....	M. 605 F. 591	87 59	30 26	25 17	13 15	332 117	458 176	47 38	69 50	87 232	4 74	1
40 Scotland.....	M. 35 F. 29	6 5	2 2			8 7	10 10	2 2	1 1	8 5	7 5	1
41 France.....	M. 12 F. 4	2 1	1 1			4 1	4 1			1 1	2 2	
42 Germany.....	M. 116 F. 91	25 23	3 7	1 2	3 3	42 35	58 46	3 2	7 6	33 20	15 17	
43 Russia and Poland.....	M. 12 F. 5	2 1		2		7 1	3 3			2 1	2 1	
44 Canada.....	M. 4 F. 6	3 2	1 1			4 5	4 6			3 1		
45 Scandinavia.....	M. 6 F. 6	2 1	1 1		1	5 2	6 3			1 1	1 1	
46 Hungary.....	M. 17 F. 24	5 10	4 2	3 2	1	13 15	14 17		3	4		
47 Bohemia.....	M. 9 F. 9	3 3	2 2			5 1	5 1			1 1		
48 Italy.....	M. 3 F. 3	1 1				2 2	2 2			1 1		
49 Other foreign countries.....	M. 21 F. 17	3 2	4 2	3 2	1	10 7	14 12		1	6 3		
50 Unknown.....	M. 20 F. 137	29 19	6 4	6 6	2 3	32 32	51 47	10 1	17 6	98 57	26 26	2

WITH DISTINCTION OF SEX, COLOR, NATIVITY, PARENTAL NATIVITY, AND BIRTHPLACES OF MOTHERS—Continued.

METROPOLITAN DISTRICT IN NEW YORK—Continued.

CAUSE OF DEATH.																				
All causes	Scarlet fever.	Typhoid fever.	Malarial fever.	Diphtheria.	Group.	Diar-rheal dis-eases	Con-sump-tion.	Pneumonia.	Measles.	Whoop-ing cough.	Cancer and tumor.	Heart dis-ease and drop-sy.	Child-birth and puer-peral dis-eases.	Dis-eases of the liver.	Dis-eases of the nerv-ous sys-tem.	Dis-eases of the urinary or-gans.	Old age.	Still-born.	All other causes.	Un-known.
312	8	2	2	6	21	33	31	4	13	22	3	2	53	10	7	3	91	1
151	3	2	2	11	19	16	2	2	8	1	23	5	4	2	51
161	5	2	4	10	14	15	2	11	14	3	1	30	5	3	1	40	1
304	8	2	2	6	21	33	30	3	13	19	2	2	53	9	7	3	90	1
247	8	1	2	5	21	28	25	3	10	15	1	2	45	6	3	3	69
51	2	1	2	5	10	6	1	4	7	1	12
74	3	2	6	5	8	2	4	7	1	14	3	2	17
28	4	4	1	1	5	16
21	1	2	6	3	1	2	2	11
32	1	3	3	1	2	4	3	3	12
21	1	2	1	2	2	3	1	7
8	1	1	3	1	1	1
4	1	1	2
4	1	1
59	2	1	2	5	11	7	1	1	6	7	1	15
78	3	2	6	5	8	2	4	9	1	15	1	2	17
5	1	2
1	1
36	1	3	5	3	1	1	4	1	1	14
33	1	7	2	2	2	3	12	1
2	1	1	1
1	1
2	1	1	1	1
2	1	1	2
5	1	1
2	1	2
1
1
41	1	2	3	5	1	9	17
43	1	1	2	1	5	5	3	1	11	1	1	10
3,349	50	26	43	89	55	415	430	209	17	37	78	150	22	26	346	161	78	202	904	11
1,782	22	11	22	50	27	235	203	121	7	16	19	71	16	179	82	24	120	549	8
1,567	28	15	21	39	28	180	227	88	10	21	59	79	22	10	167	79	54	82	355	3
3,233	50	26	42	89	54	410	414	207	17	36	76	146	22	26	339	157	77	195	889	11
2,377	48	13	28	82	54	373	253	125	16	36	39	60	11	12	255	74	40	195	654	9
510	9	1	5	23	6	96	36	26	1	6	7	12	3	58	20	8	43	149	1
451	12	4	7	10	9	54	37	22	1	7	14	19	5	1	59	20	21	38	110	1
656	11	2	11	24	19	109	81	39	6	8	2	13	4	61	11	67	185
555	14	4	4	24	19	97	84	30	8	12	8	8	4	2	50	14	4	40	129
464	1	6	8	3	19	76	49	8	32	8	42	44	13	149	2
430	1	7	8	4	18	85	31	1	29	47	11	6	42	38	23	79
66	1	1	5	16	2	1	2	4	7	4	1	7	15
35	1	4	4	1	1	2	3	2	1	6	10
31	1	1	1	12	1	1	1	2	4	2	1	5
617	10	1	5	25	9	112	46	28	1	7	9	16	4	73	22	10	55	183	1
556	12	4	8	16	12	68	56	23	2	11	17	24	6	1	73	24	23	47	128	1
123	1	2	1	2	4	13	9	4	3	1	9	3	17	7	2	5	40
110	3	2	1	3	2	14	18	8	3	5	10	1	2	8	5	3	4	17
605	8	3	12	15	8	66	116	56	3	3	4	25	5	45	28	6	31	170
581	10	7	10	16	11	63	122	36	6	4	22	24	10	4	48	31	19	17	121	1
35	1	1	2	1	5	4	2	2	1	4	4	4	6
29	2	4	1	7
12	4	1	2	3
4	1	2
118	1	2	2	5	4	12	13	11	2	2	2	2	14	6	2	14	24
91	2	1	1	1	13	8	3	2	3	6	1	11	5	6	24
12	1	1	1	3	1	1	2	2	2
5	1	1	1
5	1	1
4
6	1	3	2
6	1
17	1	1	4	1	1	1	1	5
24	5	2	1	2	12
9	2	1	1	1	2
3	1	1	1	1
21	3	2	2	1	4
17	1	1	2	3	1	4
204	1	4	1	8	12	10	2	1	14	1	18	12	2	4	108	6
137	1	1	1	10	15	5	1	8	12	4	2	16	10	5	3	41	2

TABLE 13.—DEATHS DURING THE 6 YEARS ENDING MAY 31, 1890, AT CERTAIN AGES AND FROM CERTAIN CAUSES, METROPOLITAN DISTRICT IN NEW YORK—Continued.

	LOCALITIES.	All ages.	AGE.										
			Months.					Years.					Un-known.
			Under 3	3 to 6	6 to 9	9 to 12	Total under 12	Under 5	5 to 15	15 to 25	25 to 65	65 and over.	
1	Yorktown town	199	13	6	3	4	26	41	9	14	58	74	3
2	Males	116	8	5	2	2	17	23	5	9	33	45	1
3	Females	83	5	1	1	2	9	18	4	5	25	29	2
4	White	194	13	6	3	4	26	40	9	14	55	73	3
5	Native born	162	13	6	3	4	26	40	9	11	45	56	1
6	Both parents native	M 52 F 41	6 2	4 1	1 1	1 1	12 4	14 8	4 2	4 4	12 15	22 12	1
7	One or both parents foreign	M 10 F 11	1 2	1	1	1	2 4	2 8	2	3	4 1	1	1
8	Foreign born	M 19 F 7					4	8		3	6 1	9 5	1 1
9	Colored	5						1			3	1	
10	Males	3						1			1	1	
11	Females	2									2		
	Birthplaces of mothers:												
12	United States	M 59 F 44	7 3	4 1	1	1	13 5	17 9	4 2	1 4	13 17	24 12	1
13	England and Wales	M 6 F 12				1	1	2			1	5	1
14	Ireland	M 12 F 7						2	1		6 2	4 2	
15	Scotland	M 1 F 2											
16	France	M 1 F 3		1			1 2	1 2			1	1	
17	Germany	M 2 F 3			1		1 2	1 2			1	1	
18	Russia and Poland	M 1 F 1											
19	Canada	M 1 F 1									1		
20	Scandinavia	M 1 F 2											
21	Hungary	M 1 F 1								2			
22	Bohemia	M 1 F 1											
23	Italy	M 3 F 1						1			1	1	1
24	Other foreign countries	M 2 F 2							1			1	
25	Unknown	M 31 F 22	1 1		1	1	3 1	5 2	1	3	10 6	12 13	1
26	Westchester county, unlocated	1,017	38	65	76	78	257	525	61	70	235	123	3
27	Males	573	18	38	37	49	142	282	37	38	143	71	2
28	Females	444	20	27	39	29	115	243	24	32	92	52	1
29	White	972	37	59	75	74	245	498	61	63	227	120	3
30	Native born	695	37	58	75	73	243	482	57	42	63	50	1
31	Both parents native	M 89 F 54	2 4	7 8	8 8	13 6	30 26	54 42	7 3	4 3	11 6	12 6	1
32	One or both parents foreign	M 149 F 127	9 8	17 5	15 12	22 15	63 40	115 93	14 17	6 14	10 3	4	
33	Foreign born	M 138 F 108						1	2	9	87	38	1
34	Colored	45	1	6	1	4	12	27		7	8	3	
35	Males	27		5		3	8	15		6	6		
36	Females	18	1	1	1	1	4	12		1	2	3	
	Birthplaces of mothers:												
37	United States	M 138 F 92	5 6	13 11	14 13	16 10	48 40	89 73	8 6	10 5	17	13	1
38	England and Wales	M 20 F 17		1 1	1 5	1 5	7 7	13 29		1	4	2	
39	Ireland	M 183 F 133	5 1	10 1	2 7	2 7	40 29	93 33	17 13	14 15	3 47	35 24	1
40	Scotland	M 3 F 4			1 1		1 1	1 1			1	2	
41	France	M 1 F 5			1 4		1 8	1 16			2	2	
42	Germany	M 47 F 42	1 3	1 2	3 3	1 4	16 12	23 23	3 1		19 11	2 3	
43	Russia and Poland	M 2 F 1					1 1	1 1		1			
44	Canada	M 2 F 2		1	1		2 2	2 2					
45	Scandinavia	M 9 F 7	2 1		1 1	1 1	4 3	4 6		1	4	1	
46	Hungary	M 2 F 2									2	1	
47	Bohemia	M 1 F 1									1		
48	Italy	M 7 F 4						2		2	2	1	1
49	Other foreign countries	M 4 F 2			1		1	2			2	2	
50	Unknown	M 154 F 133	4 7	8 11	9 16	12 5	33 39	84 87	14 1	12 8	27 20	17 17	

STATISTICS OF DEATHS.

577

WITH DISTINCTION OF SEX, COLOR, NATIVITY, PARENTAL NATIVITY, AND BIRTHPLACES OF MOTHERS—Continued.

METROPOLITAN DISTRICT IN NEW YORK—Continued.

CAUSE OF DEATH.																				
All causes.	Scar-let fever.	Ty-phoid fever.	Ma-larial fever.	Diph-theria.	Croup.	Diar-rheal dis-eases.	Con-sump-tion.	Pneu-monia.	Measles.	Whoop-ing cough.	Cancer and tumor.	Heart dis-ease and dropsy.	Child-birth and puer-peral dis-eases.	Dis-eases of the liver.	Dis-eases of the nerv-ous sys-tem.	Dis-eases of the uri-nary or-gans.	Old age.	Still-born.	All other causes.	Un-known.
199	2	2	5	4	1	19	19	18	1	1	3	9	2	5	34	10	8	1	54	1
116	1	2	2	1	1	11	12	9	1	1	3	4	2	1	24	8	4		36	1
83	1	2	3	3	1	8	7	9			3	5	2	4	10	2	4	1	18	3
194	2	2	5	4	1	19	17	18	1	1	3	9	1	5	33	10	8	1	53	1
162	2	2	4	4	1	17	14	14	1	1	3	8	1	5	30	8	5	1	41	5
52				1		7	4	3				3			13	4	2		15	6
41	1	1	3	1		3	4	4			1	4	1	3	4	1	2	1	7	7
10					1	1		2							2		1		5	8
11				1		1		2							1				8	
19			1			1		2							1				2	
7							2	2											3	
5							2								1				1	9
3							2												1	10
2																				11
59				1		7	7	3				3			14	4	2		17	12
44	1	1	3	1		3	4	4	1		1	4	2	3	5	1	2	1	8	
6						1		1							3	1	1		1	
4				1		1		1				1			1		1		1	
12				1	1	1	2	3							2				1	
7						1	1	1							1				3	14
2																				15
3																			1	16
1																			2	17
2																			1	18
3																			2	19
1																			1	20
2																			2	21
3																			2	22
1																			1	23
2																			1	24
31	1		1			2	3	2		1				1	7	1	2		11	25
22		1		1		2	2	1			2	1		1	4				4	
1,017	12	4	10	42	10	157	191	106	14	73	9	24	2	1	37	32	19		220	4
573	9	4	9	19	8	84	96	67	5	37	4	19			37	20	15		137	3
444	3		1	23	2	73	95	39	9	36	5	5	2	1	50	12	4		83	1
972	12	4	10	41	9	151	181	102	13	68	7	24	2	1	84	31	19		209	4
695	9	2	7	41	9	122	113	79	11	64	2	12			51	20	8		144	1
89	1	1	3	3	3	10	14	11		8	1	1			10	3			19	1
54				7	1	14	4	9		3					4	2			10	31
149	6		1	13	1	26	19	20	2	14	1	3			5	7			31	32
127				15	1	23	29	9	2	11		1			9	4			23	33
138	1	2	2			15	26	14			1	9			11	6	8		43	
108			1			14	37	3	1		4	2	2		19	3	2		19	1
45				1	1	6	10	4	1	5	2				3	1			11	34
27					1	3	8	3	1	3	1				1	1			5	35
18				1		3	2	1		2	1				2				6	36
138	1	1	3	3	4	19	25	17		14	2	1			11	1	3		32	1
92	2			11	1	21	12	12		5					6	1			21	
20				4		4	1	1		3	1				1	6			2	
17				7		7	7	1		1					1	1			2	
183	5	2	1	7	1	24	32	25	2	1		4			8	1	8		48	1
133				4	1	17	38	11	2	4		1		1	24	5	2		23	
3				1		2													1	40
4				2																41
1				1																42
5						6	2	3		3		6			5	3			12	43
47	1			3		8	5	1		3		1	1		2	1			9	44
42				2		3	13	1		4		1								45
2						1														46
1																				47
2				1		2		1		1		1								48
9			2			2		1		1										49
7				2				1		1										50
2						2														51
2						2														52
1						2														53
7	1						3	1							1				1	54
4			1	1								1	1						2	55
4							1				2				1					
2																				
154	1	1	3	3	3	27	26	18	3	9		5			10	4	4		35	1
133	1					19	22	14	7	19	2	2			16	4	2		25	

TABLE 12.—DEATHS DURING THE 6 YEARS ENDING MAY 31, 1890, AT CERTAIN AGES AND FROM CERTAIN CAUSES, NEW JERSEY.

LOCALITIES.	AGE.	AGE.										
		All ages.	Months.					Years.				
			Under 3	3 to 6	6 to 9	9 to 12	Total under 12	Under 5	5 to 15	15 to 25	25 to 65	65 and over.
1 Aggregate	163,493	27,185	8,392	6,315	5,063	46,955	68,124	9,433	10,814	47,759	26,510	853
2 Males	87,001	15,729	4,601	3,433	2,651	26,414	37,389	4,798	5,382	25,699	13,197	541
3 Females	76,492	11,456	3,791	2,882	2,412	20,541	30,735	4,640	5,432	22,060	13,313	312
4 White	158,101	26,302	8,100	6,092	4,902	45,396	65,841	9,102	10,326	46,242	25,810	780
5 Native born	130,278	26,247	8,046	6,042	4,847	45,182	65,231	8,684	8,892	28,539	18,480	452
6 Both parents native	47,522	10,101	2,907	2,083	1,581	16,672	23,235	2,862	2,590	10,803	7,861	171
7 One or both parents foreign	18,470	4,865	1,453	1,168	840	12,718	18,779	2,770	2,822	10,277	7,864	154
8 Foreign born	14,490	18	34	21	28	101	301	201	717	9,667	3,529	75
9 Colored	5,392	883	292	223	161	1,559	2,283	381	488	1,517	700	73
10 Males	2,746	501	154	120	86	861	1,205	173	210	750	356	52
11 Females	2,646	382	138	103	75	698	1,078	158	278	767	344	21
Birthplaces of mothers:												
12 United States	51,892	11,077	3,225	2,339	1,758	18,399	25,702	3,199	2,870	11,629	8,226	206
13 England and Wales	46,800	7,918	2,591	1,985	1,610	14,104	20,934	3,081	3,178	11,124	8,298	175
14 Ireland	3,162	454	144	109	77	784	1,128	180	184	1,117	588	8
15 Scotland	2,689	360	114	83	72	634	903	161	172	894	549	10
16 France	11,715	1,830	354	266	245	2,254	3,575	608	1,148	5,035	1,310	39
17 Germany	11,529	1,059	334	250	200	1,903	3,166	608	1,095	4,904	1,054	42
18 Russia and Poland	860	143	42	23	27	235	336	43	51	278	151	3
19 Canada	776	90	31	22	25	175	254	31	42	281	160	2
20 Scandinavia	337	44	13	6	7	63	89	14	12	143	77	1
21 Hungary	267	36	11	9	5	63	82	12	9	97	66	1
22 Bohemia	10,977	1,792	628	503	411	3,336	4,701	605	605	3,802	1,229	31
23 Italy	8,604	1,379	539	365	337	2,620	3,868	507	600	2,480	1,075	14
24 Other foreign countries	303	84	22	16	17	139	215	12	10	55	11	1
25 Unknown	260	73	21	22	18	134	193	15	11	30	6	1
26 Cities	105,260	18,099	5,905	4,499	3,581	32,684	48,120	6,270	6,968	31,414	12,075	413
27 Males	56,065	10,744	3,221	2,431	1,861	18,257	26,259	3,196	3,504	17,228	5,625	253
28 Females	49,195	7,955	2,684	2,068	1,720	14,427	21,861	3,074	3,464	14,186	6,450	160
29 White	102,451	18,214	5,751	4,364	3,497	31,826	46,892	6,096	6,746	30,522	11,809	386
30 Native born	80,568	18,176	5,715	4,327	3,457	31,675	46,399	5,758	5,544	16,056	6,609	202
31 Both parents native	25,938	6,212	1,867	1,308	993	10,380	14,781	1,388	1,388	5,403	2,404	52
32 One or both parents foreign	23,267	4,558	1,522	1,168	980	8,173	12,224	1,631	1,477	5,024	2,333	68
33 Foreign born	13,013	16	23	18	20	75	201	166	559	6,173	2,681	27
34 Colored	2,809	485	154	135	84	858	1,228	174	222	892	266	27
35 Males	1,441	282	83	74	49	488	660	88	95	451	124	23
36 Females	1,368	203	71	61	35	370	568	86	127	441	142	4
Birthplaces of mothers:												
37 United States	28,572	6,869	2,070	1,482	1,113	11,534	16,429	1,923	1,592	6,091	2,530	67
38 England and Wales	25,727	5,006	1,704	1,318	1,043	9,071	13,638	1,833	1,654	5,518	3,010	74
39 Ireland	2,312	352	109	86	62	609	890	109	139	825	345	4
40 Scotland	1,994	287	95	70	55	507	722	116	121	669	360	6
41 France	9,580	1,176	303	239	203	1,927	3,071	487	930	4,182	881	29
42 Germany	9,424	910	281	221	227	1,639	2,738	489	887	4,079	1,206	25
43 Russia and Poland	680	125	30	22	21	198	287	41	43	211	96	2
44 Canada	592	78	22	18	19	137	203	24	37	224	108	1
45 Scandinavia	223	31	11	4	4	50	63	9	7	106	37	1
46 Hungary	172	24	4	6	6	40	54	7	8	61	41	1
47 Bohemia	9,004	1,520	536	446	350	2,852	4,020	499	488	3,105	870	22
48 Italy	7,035	1,163	457	310	282	2,212	3,296	463	491	1,977	795	13
49 Other foreign countries	256	73	19	15	14	121	192	8	8	45	3	1
50 Unknown	226	61	15	19	17	112	171	13	9	29	4	1
51 Males	140	33	6	3	7	40	67	13	12	37	10	1
52 Females	143	27	6	5	3	41	61	12	11	42	14	1
53 Cities	269	67	20	18	12	117	154	12	11	74	18	1
54 Males	196	34	14	16	10	74	121	16	12	38	9	1
55 Females	115	36	3	7	5	51	81	1	12	20	1	1
56 Bohemia	86	18	9	4	4	35	59	5	7	14	1	1
57 Italy	9	2	2	1	1	4	5	1	1	2	1	1
58 Other foreign countries	585	182	35	44	24	285	411	18	36	94	25	1
59 Unknown	417	135	28	35	23	221	319	17	17	49	12	1
60 Males	487	92	35	32	21	180	234	20	30	155	45	3
61 Females	393	72	28	21	11	132	199	29	21	99	45	1
62 Cities	3,833	186	42	33	19	280	355	55	255	2,281	765	122
63 Unknown	2,785	140	21	25	20	206	277	48	188	1,383	850	39

WITH DISTINCTION OF SEX, COLOR, NATIVITY, PARENTAL NATIVITY, AND BIRTHPLACES OF MOTHERS—Continued.

NEW JERSEY.

All causes.	CAUSE OF DEATH.																				Un- known.	
	Scar- let fever.	Ty- phoid fever.	Ma- larial fever.	Diph- theria.	Croup.	Diar- rheal dis- eases.	Con- sump- tion.	Pneu- monia.	Measles.	Whoop- ing cough.	Can- cer and tu- mor.	Heart dis- ease and drop- sy.	Child- birth and puer- peral dis- eases.	Dis- eases of the liver.	Dis- eases of the nervous sys- tem.	Dis- eases of the uri- nary or- gans.	Old age.	Still- born.	All other causes.			
163,493	2,262	3,948	1,684	5,708	3,103	14,832	19,275	11,166	603	1,113	3,483	9,092	1,048	1,884	23,661	5,332	2,640	10,265	42,276	618	1	
87,001 76,492	1,107 1,155	2,186 1,762	800 884	2,807 2,901	1,632 1,421	7,470 6,862	10,000 9,275	6,001 5,165	282 321	488 625	1,262 2,221	4,561 4,531	1,048	1,093 791	12,649 11,012	3,113 2,219	1,089 1,551	6,147 4,118	23,920 18,356	344 274	2 3	
158,101	2,241	3,803	1,617	5,644	3,066	13,967	18,364	10,730	585	1,033	3,412	8,699	1,016	1,847	22,938	5,161	2,528	9,977	40,885	588	4	
130,278 47,522 42,666 18,470 16,282 14,490 12,253	2,164 620 644 424 450 40 34	2,965 1,169 990 375 301 486 342	1,273 442 497 136 151 164 174	5,497 1,704 1,787 370 508 62 77	2,977 982 832 625 508 42 42	12,932 4,399 3,932 2,243 2,043 490 515	13,642 4,572 4,769 1,777 1,063 2,643 1,964	8,001 2,777 2,906 1,262 1,005 1,500 1,167	564 153 162 111 181 8 12	1,027 284 370 161 200 2 3	2,235 632 1,197 78 155 456 696	6,162 2,420 2,388 464 455 464 1,246 1,230	727 529 366 464 119 86 221 373 300	1,156 529 1,061 6,493 2,520 316 1,791 1,556	19,465 7,364 6,493 6,493 2,520 316 1,791 1,556	3,575 1,610 1,610 816 40 73 398 645	1,689 592 816 40 73 324 496	9,977 4,077 2,641 1,790 1,293 3,881 2,641	33,833 13,040 10,460 5,065 3,995 3,881 2,641	416 156 136 56 40 74 74	5 6 7 8 9	
5,392	21	145	67	64	37	365	911	436	18	80	71	393	32	37	723	171	112	288	1,391	30	9	
2,746 2,646	12 9	71 74	31 36	34 30	19 18	195 170	437 474	239 197	7 11	36 44	21 50	181 212	----- 32	27 10	367 356	104 67	51 61	175 113	721 670	18 12	10 11	
51,832 46,800 3,102 2,689 11,715 11,529	679 692 48 48 176 200	1,267 1,089 97 52 320 263	485 547 25 31 187 138	1,853 1,930 76 54 284 312	1,061 910 54 39 221 183	4,793 4,349 217 211 724 791	5,050 5,321 332 220 2,018 1,906	3,139 2,906 8 10 1,192 1,017	176 191 8 10 37 51	347 442 17 21 51 82	655 1,258 52 119 174 303	2,626 2,637 209 181 603 755	----- 506	562 385 55 32 155 187	7,973 7,088 165 94 454 439	1,723 1,743 38 60 163 279	634 877 182 135 524 404	4,374 2,834 30 155 668 404	14,252 11,547 839 669 3,051 2,558	182 148 19 18 49 55	12 13 14	
800 776 297 337 10,977 8,604	13 18 4 2 144 143	21 7 9 4 282 86	10 16 1 8 439 424	23 11 12 3 203	12 11 3 4 203	71 67 21 27 1,146 959	96 78 26 46 1,325 574	78 60 25 17 778 574	2 1 3 3	2 1 2 4	3 2 3 2	51 21 31 26	2 1 2 5	14 17 16 10	129 34 32 24	34 6 5 8	6 33 24 33	51 223 190 1	223 3 190 1	15 16		
303 260 183 174 393 287 151 102 20	4 5 6 4 7 13 1 1 2	4 4 2 3 11 3 3 1 4	1 1 2 2 4 4 1 1 2	13 6 5 11 7 11 5 4 2	6 4 2 2 7 11 5 2 3	45 42 16 24 48 39 20 27 3	11 20 11 24 41 21 10 5 1	21 20 11 10 41 21 30 5 1	3 4 2 2	2 2 1 1	2 2 1 1	2 3 2 1	8 6 5 3	10 7 8 4	2 2 3 2	6 4 4 1	2 2 2 1	18 18 34 24 15 19 5	93 70 58 44 66 52 25 1	3 3 1 1 2 2 1	17 18 19 20 21 22	
703 502 651 507 5,714 3,987	2 5 8 10 14 20	12 4 20 7 158 79	4 3 15 10 42 29	27 14 15 13 15 29	21 8 12 13 15 25	63 61 81 69 220 205	35 21 75 40 952 607	64 57 40 30 382 288	9 13 3 1 2 5	6 8 7 5 5 2	7 5 9 18 127 202	18 9 24 25 405 364	----- 10	11 2 7 12 87 53	92 60 93 12 313 639	8 4 8 6 313 211	2 2 8 12 136 178	74 61 48 26 97 66	242 149 182 123 1,842 890	6 6 4 4 47 17	23 24 25	
105,260	1,609	2,610	1,010	4,156	2,347	9,397	12,281	7,558	437	696	2,010	5,076	694	1,167	14,754	3,385	1,204	6,864	27,666	339	26	
50,065 49,195	769 840	1,432 1,178	473 537	2,040 2,116	1,264 1,023	4,877 4,520	6,606 5,675	4,136 3,422	202 235	301 395	722 1,288	2,497 2,579	----- 694	680 487	7,896 6,858	1,891 1,494	439 765	4,064 2,800	15,593 12,073	183 156	27 28	
102,451	1,599	2,520	982	4,118	2,322	9,194	11,823	7,317	428	663	1,971	4,881	673	1,148	14,356	3,285	1,107	6,707	28,959	329	29	
80,568 25,938 23,267 14,941 13,013 11,413 9,807	1,534 873 411 350 381 34 29	1,816 717 554 283 240 410 216	717 296 258 103 106 121 142	4,000 1,130 1,205 817 810 53 37	2,248 684 582 525 436 32 37	8,406 2,469 2,504 1,835 1,237 2,162 396	7,985 2,448 2,327 1,070 89 1,238 961	5,052 1,505 1,407 1,070 89 832 1,238 961	413 102 105 127 113 7 8	660 155 255 198 53 109 359 546	1,053 989 1,030 53 341 937 952	2,956 939 1,030 343 341 937 952	432 249 215 88 180 296 239	603 3,954 167 2,063 1,725 1,370 1,207	1,965 757 573 247 241 719 539	585 163 292 15 39 215 361	6,707 2,398 1,610 4,048 3,250 3,007 2,129	21,492 7,380 5,967 4,048 3,250 3,007 2,129	201 71 49 36 33 54 63	30 31 32 33		
2,800	10	81	28	38	25	203	458	241	9	33	39	195	21	19	393	100	37	157	707	10	34	
1,441 1,368	5 5	36 45	10 18	16 22	13 12	112 91	235 223	144 97	2 7	14 19	9 30	83 112	----- 21	16 3	205 193	55 45	17 20	94 63	369 388	6 4	35 36	
28,572 25,727 2,312 1,994 9,580 9,424	415 452 41 35 156 173	682 617 72 39 268 231	244 286 15 23 112 115	1,239 1,325 58 71 242 250	745 643 40 31 182 160	2,720 2,540 162 105 595 648	2,705 2,601 252 196 1,595 1,517	1,750 1,576 166 120 1,047 858	115 125 7 7 33 43	188 240 13 18 43 74	263 553 40 85 139 240	1,090 1,167 148 185 479 577	----- 241	269 174 36 18 116 156	4,355 3,855 365 280 1,139 1,090	822 627 109 75 368 370	175 313 21 37 112 212	2,583 1,731 1,355 1,087 4,433 2,139	8,130 6,608 625 487 2,481 2,139	82 53 7 7 40 49	37 38 39	
680 592 223 172 9,004 7,035	11 12 1 2 115 124	17 6 7 3 213 62	8 12 5 3 61 62	21 8 7 5 379 365	12 8 13 12 222 178	55 48 34 21 964 790	63 42 20 12 1,100 646	63 42 20 12 646 471	1 1 1 1 30 32	2 1 1 1 39 37	16 26 16 7 152 201	36 39 17 16 437 354	----- 5	9 76 9 2 149 85	26 97 25 16 368 370	12 16 12 5 296 202	3 16 3 4 60 76	45 24 35 25 1,619 410	175 135 108 433 2,481 2,139	53 53 7 7 2,481 2,139	40 49	40 41 42
256 226 140 143 269 136 115 86 9 585	4 5 6 4 8 12 2 1 1	3 2 3 3 181 66	----- 2 2 3 3 23 27	13 14 5 4 11 11 6 4 1	6 6 2 11 7 9 5 4 21	38 34 18 20 36 21 15 19 3	11 4 7 20 20 18 10 4 1	19 18 8 23 30 42 704 215	2 3 2 2 2 2 2 1 6	1 2 2 1 16 4 8 149	2 3 2 7 244 244	----- 53	6 5 7 15 20 3 73 38	9 45 68 59 221 473	79 8 11 9 9 221 473	2 3 2 2 58 101	69 55 33 21 89 60	188 129 145 95 1,221 686	3 2 2 2 22 11	48 49 50		

TABLE 13.—DEATHS DURING THE 6 YEARS ENDING MAY 31, 1890, AT CERTAIN AGES AND FROM CERTAIN CAUSES,
NEW JERSEY—Continued.

LOCALITIES.	All ages.	AGE.										
		Months.					Years.					
		Under 3	3 to 6	6 to 9	9 to 12	Total under 12	Under 5	5 to 15	15 to 25	25 to 65	65 and over.	Un-known.
1 Rural	58,233	8,486	2,487	1,816	1,482	14,271	20,004	3,163	3,846	16,345	14,435	440
2 Males	30,986	4,085	1,380	1,002	700	8,157	11,130	1,597	1,878	8,471	7,572	288
3 Females	27,297	3,501	1,107	814	692	6,114	8,874	1,566	1,968	7,874	6,863	152
4 White	55,650	8,088	2,349	1,728	1,405	13,570	18,949	3,006	3,580	15,720	14,001	394
5 Native born	49,710	8,071	2,381	1,715	1,390	13,507	18,832	2,926	3,348	12,483	11,871	250
6 Both parents native	M. 21,584 F. 19,399	3,889 2,640	1,040 792	775 600	588 508	6,292 4,540	8,454 6,545	1,152 1,139	1,202 1,345	5,200 5,253	5,457 5,031	119 86
7 One or both parents foreign	M. 3,529 F. 3,219	822 630	248 229	165 158	148 130	1,383 1,147	1,964 1,659	298 308	359 327	657 639	243 280	8 6
8 Foreign born	M. 3,077 F. 2,446	2 8	11 6	5 6	8 6	26 26	51 50	42 33	113 108	1,726 1,342	1,116 901	29 17
9 Colored	2,583	398	138	88	77	701	1,055	157	266	625	434	46
10 Males	1,305	219	71	46	37	373	545	85	115	299	232	29
11 Females	1,278	179	67	42	40	328	510	72	151	326	202	17
12 Birthplaces of mothers:												
12 United States	M. 23,260 F. 21,073	4,208 2,912	1,155 887	857 667	645 567	6,365 5,033	9,273 7,296	1,276 1,248	1,338 1,524	5,533 5,616	5,696 5,238	139 101
13 England and Wales	M. 850 F. 695	102 73	35 19	23 18	15 17	175 127	238 181	30 45	45 51	292 225	243 189	2 4
14 Ireland	M. 2,135 F. 2,105	213 149	51 53	27 29	36 33	327 264	504 428	121 119	218 208	853 885	429 448	10 17
15 Scotland	M. 180 F. 184	18 21	12 9	1 4	6 4	37 38	49 51	7 7	8 5	60 64	55 57	1 1
16 France	M. 114 F. 95	13 12	2 7	2 3	1 1	18 23	26 28	5 5	5 1	37 36	40 25	1 1
17 Germany	M. 1,973 F. 1,569	272 216	92 82	59 55	61 55	484 408	681 572	110 104	117 109	697 508	359 280	9 1
18 Russia and Poland	M. 47 F. 34	11 12	3 6	1 3	3 1	18 22	23 27	4 2	2 2	10 1	8 2	1 1
19 Canada	M. 43 F. 31	12 7	1 2	1 2	1 2	14 11	20 16	1 2	1 1	12 8	9 5	1 1
20 Scandinavia	M. 124 F. 91	25 24	4 9	5 5	6 2	40 40	68 60	9 4	7 3	28 19	12 5	1 1
21 Hungary	M. 36 F. 16	10 5	2 1	2 1	2 2	16 9	20 12	1 1	4 1	10 1	1 2	1 1
22 Bohemia	M. 11 F. 3	5 1	1 1	1 1	1 2	7 2	9 2	1 1	1 1	1 1	1 1	1 1
23 Italy	M. 118 F. 85	17 18	5 7	3 14	2 3	27 42	43 56	6 8	12 3	48 32	7 6	2 1
24 Other foreign countries	M. 164 F. 114	31 19	7 11	12 6	3 3	53 36	68 54	8 7	8 9	53 32	22 12	5 1
25 Unknown	M. 1,881 F. 1,202	48 32	10 14	10 7	8 6	70 59	108 91	19 14	113 53	832 471	690 544	119 29
26 Atlantic county, rural	1,461	235	66	52	43	396	533	66	97	368	393	4
27 Males	782	132	39	25	19	215	288	30	44	191	225	4
28 Females	679	103	27	27	24	181	245	36	53	177	168	1
29 White	1,445	233	66	52	43	394	530	65	95	363	368	4
30 Native born	1,286	233	66	52	43	394	528	61	90	299	305	3
31 Both parents native	M. 581 F. 523	114 89	36 22	22 19	17 22	189 152	255 205	24 28	28 47	117 130	155 113	2 1
32 One or both parents foreign	M. 68 F. 73	16 14	3 5	3 8	2 2	24 29	28 38	4 4	10 3	17 17	9 11	1 1
33 Foreign born	M. 92 F. 62	4 2	1 1	1 1	1 1	7 6	9 7	2 2	2 2	39 23	46 35	1 1
34 Colored	16	2	1	1	1	2	3	1	2	5	5	1
35 Males	10	2	1	1	1	2	2	1	1	4	3	1
36 Females	6	1	1	1	1	1	1	1	1	1	2	1
37 Birthplaces of mothers:												
37 United States	M. 602 F. 540	118 92	36 23	24 20	17 22	195 157	264 211	30 30	48	122 132	160 119	2 1
38 England and Wales	M. 13 F. 9	1 1	1	1	1	1	1	1	1	3 4	5 6	1 1
39 Ireland	M. 11 F. 10	1	1	1	1	1	1	1	1	5 5	6 5	1 1
40 Scotland	M. 4 F. 4	1	1	1	1	1	1	1	1	2 1	2 3	1 1
41 France	M. 1 F. 1	1	1	1	1	1	1	1	1	1	1	1
42 Germany	M. 77 F. 70	8 5	2 1	1	1	11 7	11 9	2 3	7 2	30 24	27 22	1 1
43 Russia and Poland	M. 1 F. 1	1	1	1	1	1	1	1	1	1	1	1
44 Canada	M. 1 F. 1	1	1	1	1	1	1	1	1	1	1	1
45 Scandinavia	M. 1 F. 1	1	1	1	1	1	1	1	1	1	1	1
46 Hungary	M. 1 F. 1	1	1	1	1	1	1	1	1	1	1	1
47 Bohemia	M. 1 F. 1	1	1	1	1	1	1	1	1	1	1	1
48 Italy	M. 23 F. 23	4 5	1 2	1 6	1 1	6 1	10 19	3 2	3 1	5 5	1 4	1 1
49 Other foreign countries	M. 11 F. 5	1 1	1	1	1	1	1	1	1	1	1	1
50 Unknown	M. 44 F. 22	1 1	1	1	1	1	1	1	1	20 8	19 12	1 1

TABLE 13.—DEATHS DURING THE 6 YEARS ENDING MAY 31, 1890, AT CERTAIN AGES AND FROM CERTAIN CAUSES,
NEW JERSEY—Continued.

LOCALITIES.	AGE.											
	All ages.	Months.					Years.					
		Under 3	3 to 6	6 to 9	9 to 12	Total under 12	Under 5	5 to 15	15 to 25	25 to 65	65 and over.	Un-known.
1 Atlantic city.....	1,501	271	105	83	43	502	661	62	97	468	209	4
2 Males.....	785	150	59	42	22	273	348	37	42	245	111	2
3 Females.....	716	121	46	41	21	229	313	25	55	223	98	2
4 White.....	1,315	227	91	72	39	429	562	57	82	416	195	3
5 Native born.....	1,168	227	91	72	39	429	559	56	73	328	150	2
6 Both parents native.....	M. 458 F. 444	M. 107 F. 84	M. 37 F. 38	M. 31 F. 31	M. 14 F. 16	M. 189 F. 169	M. 245 F. 230	M. 25 F. 22	M. 18 F. 29	M. 117 F. 109	M. 52 F. 54	M. 1 F. 1
7 One or both parents foreign.....	M. 91 F. 66	M. 19 F. 8	M. 11 F. 3	M. 5 F. 3	M. 5 F. 4	M. 40 F. 13	M. 45 F. 26	M. 6 F. 3	M. 7 F. 12	M. 22 F. 18	M. 11 F. 7	M. 1 F. 1
8 Foreign born.....	M. 78 F. 62	M. 19 F. 8	M. 11 F. 3	M. 5 F. 3	M. 5 F. 4	M. 40 F. 13	M. 45 F. 26	M. 6 F. 3	M. 7 F. 12	M. 22 F. 18	M. 11 F. 7	M. 1 F. 1
9 Colored.....	186	44	14	11	4	73	99	5	15	52	14	1
10 Males.....	86	17	9	5	3	34	45	5	6	24	5	1
11 Females.....	100	27	5	6	1	39	54	9	9	28	9	1
12 Birthplaces of mothers:												
13 United States.....	M. 566 F. 553	M. 131 F. 112	M. 49 F. 45	M. 37 F. 39	M. 17 F. 19	M. 234 F. 215	M. 304 F. 290	M. 30 F. 23	M. 26 F. 41	M. 145 F. 137	M. 50 F. 62	M. 2 F. 1
14 England and Wales.....	M. 23 F. 14	M. 2 F. 1	M. 2 F. 1	M. 1 F. 1	M. 1 F. 1	M. 4 F. 2	M. 7 F. 3	M. 1 F. 1	M. 1 F. 1	M. 7 F. 7	M. 2 F. 2	M. 1 F. 1
15 Ireland.....	M. 39 F. 44	M. 5 F. 2	M. 2 F. 1	M. 1 F. 1	M. 1 F. 1	M. 8 F. 3	M. 9 F. 6	M. 3 F. 3	M. 5 F. 3	M. 13 F. 24	M. 9 F. 11	M. 1 F. 1
16 Scotland.....	M. 5 F. 4	M. 1 F. 1	M. 1 F. 1	M. 1 F. 1	M. 1 F. 1	M. 3 F. 3	M. 3 F. 3	M. 3 F. 3	M. 3 F. 3	M. 2 F. 2	M. 2 F. 2	M. 1 F. 1
17 France.....	M. 3 F. 4	M. 3 F. 4	M. 3 F. 4	M. 3 F. 4	M. 3 F. 4	M. 3 F. 4	M. 3 F. 4	M. 3 F. 4	M. 3 F. 4	M. 3 F. 4	M. 3 F. 4	M. 3 F. 4
18 Germany.....	M. 49 F. 33	M. 7 F. 4	M. 3 F. 3	M. 1 F. 1	M. 2 F. 2	M. 13 F. 4	M. 13 F. 7	M. 2 F. 1	M. 3 F. 5	M. 19 F. 13	M. 12 F. 7	M. 1 F. 1
19 Russia and Poland.....	M. 1 F. 1	M. 1 F. 1	M. 1 F. 1	M. 1 F. 1	M. 1 F. 1	M. 1 F. 1	M. 1 F. 1	M. 1 F. 1	M. 1 F. 1	M. 1 F. 1	M. 1 F. 1	M. 1 F. 1
20 Canada.....	M. 1 F. 1	M. 1 F. 1	M. 1 F. 1	M. 1 F. 1	M. 1 F. 1	M. 1 F. 1	M. 1 F. 1	M. 1 F. 1	M. 1 F. 1	M. 1 F. 1	M. 1 F. 1	M. 1 F. 1
21 Scandinavia.....	M. 1 F. 1	M. 1 F. 1	M. 1 F. 1	M. 1 F. 1	M. 1 F. 1	M. 1 F. 1	M. 1 F. 1	M. 1 F. 1	M. 1 F. 1	M. 1 F. 1	M. 1 F. 1	M. 1 F. 1
22 Hungary.....	M. 1 F. 1	M. 1 F. 1	M. 1 F. 1	M. 1 F. 1	M. 1 F. 1	M. 1 F. 1	M. 1 F. 1	M. 1 F. 1	M. 1 F. 1	M. 1 F. 1	M. 1 F. 1	M. 1 F. 1
23 Bohemia.....	M. 1 F. 1	M. 1 F. 1	M. 1 F. 1	M. 1 F. 1	M. 1 F. 1	M. 1 F. 1	M. 1 F. 1	M. 1 F. 1	M. 1 F. 1	M. 1 F. 1	M. 1 F. 1	M. 1 F. 1
24 Italy.....	M. 6 F. 7	M. 1 F. 2	M. 1 F. 1	M. 2 F. 1	M. 1 F. 1	M. 3 F. 3	M. 4 F. 4	M. 1 F. 1	M. 1 F. 1	M. 1 F. 1	M. 1 F. 1	M. 1 F. 1
25 Other foreign countries.....	M. 6 F. 3	M. 1 F. 1	M. 1 F. 1	M. 1 F. 1	M. 1 F. 1	M. 1 F. 1	M. 1 F. 1	M. 1 F. 1	M. 1 F. 1	M. 1 F. 1	M. 1 F. 1	M. 1 F. 1
26 Unknown.....	M. 86 F. 53	M. 3 F. 3	M. 2 F. 2	M. 1 F. 1	M. 1 F. 1	M. 7 F. 1	M. 7 F. 2	M. 6 F. 4	M. 51 F. 33	M. 22 F. 12	M. 12 F. 7	M. 2 F. 2
27 Bergen county.....	4,160	575	212	150	122	1,059	1,471	243	232	1,221	909	34
28 Males.....	2,199	341	108	78	69	596	788	113	156	655	467	21
29 Females.....	1,961	234	104	72	53	463	683	131	126	566	442	13
30 White.....	3,945	547	199	144	111	1,061	1,366	230	264	1,162	875	28
31 Native born.....	3,292	543	198	137	109	987	1,364	220	229	794	667	18
32 Both parents native.....	M. 1,263 F. 1,123	M. 226 F. 148	M. 70 F. 53	M. 46 F. 42	M. 47 F. 29	M. 389 F. 272	M. 497 F. 388	M. 65 F. 82	M. 77 F. 68	M. 325 F. 305	M. 295 F. 272	M. 4 F. 8
33 One or both parents foreign.....	M. 378 F. 376	M. 95 F. 70	M. 30 F. 42	M. 25 F. 22	M. 15 F. 18	M. 165 F. 152	M. 232 F. 235	M. 32 F. 39	M. 38 F. 33	M. 56 F. 48	M. 18 F. 20	M. 2 F. 1
34 Foreign born.....	M. 324 F. 277	M. 1 F. 2	M. 1 F. 1	M. 3 F. 2	M. 3 F. 2	M. 4 F. 6	M. 6 F. 11	M. 4 F. 5	M. 21 F. 13	M. 193 F. 154	M. 97 F. 94	M. 3 F. 1
35 Colored.....	215	28	13	6	11	58	85	13	18	59	34	6
36 Males.....	113	18	6	3	7	34	47	9	9	27	18	3
37 Females.....	102	10	7	3	4	24	38	4	9	32	16	3
38 Birthplaces of mothers:												
39 United States.....	M. 1,418 F. 1,284	M. 253 F. 168	M. 83 F. 67	M. 51 F. 49	M. 56 F. 38	M. 443 F. 322	M. 570 F. 465	M. 81 F. 92	M. 89 F. 81	M. 358 F. 342	M. 313 F. 293	M. 7 F. 11
40 England and Wales.....	M. 67 F. 55	M. 6 F. 4	M. 1 F. 4	M. 2 F. 2	M. 1 F. 1	M. 11 F. 15	M. 17 F. 20	M. 3 F. 2	M. 4 F. 8	M. 28 F. 12	M. 15 F. 13	M. 1 F. 1
41 Ireland.....	M. 145 F. 154	M. 21 F. 11	M. 7 F. 10	M. 3 F. 3	M. 5 F. 4	M. 36 F. 23	M. 51 F. 49	M. 7 F. 11	M. 20 F. 12	M. 50 F. 54	M. 17 F. 27	M. 1 F. 1
42 Scotland.....	M. 25 F. 26	M. 2 F. 2	M. 4 F. 4	M. 1 F. 1	M. 1 F. 1	M. 2 F. 7	M. 7 F. 10	M. 2 F. 2	M. 2 F. 2	M. 7 F. 7	M. 7 F. 6	M. 1 F. 1
43 France.....	M. 17 F. 12	M. 3 F. 1	M. 2 F. 2	M. 1 F. 1	M. 1 F. 1	M. 3 F. 3	M. 4 F. 4	M. 4 F. 4	M. 5 F. 5	M. 4 F. 4	M. 3 F. 3	M. 1 F. 1
44 Germany.....	M. 288 F. 270	M. 43 F. 30	M. 14 F. 11	M. 13 F. 11	M. 8 F. 10	M. 78 F. 62	M. 101 F. 101	M. 15 F. 20	M. 22 F. 15	M. 96 F. 89	M. 51 F. 42	M. 3 F. 1
45 Russia and Poland.....	M. 1 F. 5	M. 1 F. 1	M. 1 F. 1	M. 1 F. 1	M. 1 F. 1	M. 3 F. 5	M. 1 F. 5	M. 1 F. 1	M. 1 F. 1	M. 1 F. 1	M. 1 F. 1	M. 1 F. 1
46 Canada.....	M. 5 F. 7	M. 1 F. 3	M. 1 F. 1	M. 1 F. 1	M. 1 F. 1	M. 2 F. 3	M. 4 F. 5	M. 1 F. 1	M. 1 F. 1	M. 1 F. 1	M. 1 F. 1	M. 1 F. 1
47 Scandinavia.....	M. 8 F. 4	M. 1 F. 1	M. 1 F. 1	M. 1 F. 1	M. 1 F. 1	M. 2 F. 1	M. 4 F. 1	M. 4 F. 1	M. 1 F. 1	M. 2 F. 2	M. 2 F. 2	M. 1 F. 1
48 Hungary.....	M. 2 F. 2	M. 2 F. 2	M. 2 F. 2	M. 2 F. 2	M. 2 F. 2	M. 2 F. 2	M. 2 F. 2	M. 2 F. 2	M. 2 F. 2	M. 2 F. 2	M. 2 F. 2	M. 2 F. 2
49 Bohemia.....	M. 3 F. 1	M. 1 F. 1	M. 1 F. 1	M. 1 F. 1	M. 1 F. 1	M. 2 F. 1	M. 2 F. 1	M. 2 F. 1	M. 2 F. 1	M. 2 F. 1	M. 2 F. 1	M. 2 F. 1
50 Italy.....	M. 21 F. 8	M. 1 F. 1	M. 1 F. 1	M. 1 F. 1	M. 1 F. 1	M. 8 F. 9	M. 8 F. 14	M. 1 F. 2	M. 4 F. 3	M. 14 F. 6	M. 2 F. 3	M. 1 F. 1
51 Other foreign countries.....	M. 29 F. 27	M. 5 F. 6	M. 2 F. 2	M. 4 F. 2	M. 4 F. 2	M. 10 F. 6	M. 9 F. 10	M. 2 F. 2	M. 2 F. 2	M. 8 F. 8	M. 3 F. 3	M. 1 F. 1
52 Unknown.....	M. 170 F. 108	M. 3 F. 1	M. 1 F. 2	M. 2 F. 1	M. 2 F. 1	M. 6 F. 4	M. 10 F. 5	M. 1 F. 1	M. 14 F. 4	M. 33 F. 47	M. 51 F. 51	M. 11 F. 1

STATISTICS OF DEATHS.

WITH DISTINCTION OF SEX, COLOR, NATIVITY, PARENTAL NATIVITY, AND BIRTHPLACES OF MOTHERS—Continued.

NEW JERSEY—Continued.

CAUSE OF DEATH.																				
All causes.	Scarlet fever.	Typhoid fever.	Malarial fever.	Diphtheria.	Croup.	Diarrheal diseases.	Consumption.	Pneumonia.	Measles.	Whooping cough.	Cancer and tumor.	Heart disease and dropsy.	Child-birth and puerperal diseases.	Diseases of the liver.	Diseases of the nervous system.	Diseases of the urinary organs.	Old age.	Still-born.	All other causes.	Unknown.
1,501	6	32	4	19	14	162	164	61	4	10	24	129	13	18	235	60	31	100	414	1
785	2	11	1	10	6	84	88	32	1	4	10	60	13	12	121	32	15	54	242	2
716	4	21	3	9	8	78	76	29	3	6	14	69	13	6	114	28	16	46	172	3
1,315	6	31	3	19	12	146	138	54	3	9	24	106	12	18	210	53	29	86	355	4
1,168	6	28	3	19	12	142	123	49	3	9	17	86	10	14	184	42	19	86	315	5
458	2	7	1	10	3	54	47	24	1	4	4	19	7	7	79	14	6	41	135	6
444	4	16	2	6	6	62	47	17	2	4	8	30	7	3	65	14	10	37	103	7
91	1	1	1	3	2	10	10	4	1	1	2	10	3	3	11	3	2	4	30	8
66	2	2	2	3	2	9	7	1	1	1	1	7	2	2	12	1	4	19	24	
78	1	1	1	3	2	4	9	1	1	3	3	12	2	2	12	5	5	24	10	
62	2	2	2	3	2	4	6	4	4	4	4	8	2	2	14	5	5	10	10	
186	1	1	1	2	2	16	26	7	1	1	2	23	1	2	25	7	2	14	59	9
80	1	1	1	2	2	10	15	1	1	1	6	6	1	13	4	1	6	28	10	
100	1	1	1	6	6	6	11	6	1	1	1	17	1	12	3	1	8	31	11	
566	2	7	1	10	5	68	64	26	1	4	4	25	0	96	19	7	49	169	12	
553	4	18	3	6	8	72	58	24	3	5	9	49	8	76	17	11	44	134	13	
23	1	1	1	2	2	1	2	2	1	1	1	2	1	5	5	1	1	9	7	
14	1	1	1	1	1	2	4	3	1	1	3	4	1	2	3	2	1	16	7	
30	1	1	1	2	2	2	4	3	1	1	2	4	1	5	5	4	1	7	14	
44	2	2	2	2	2	2	2	3	1	1	2	9	1	8	4	4	1	6	15	
5	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	16	
4	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	17	
4	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	18	
49	1	1	1	2	1	3	9	5	1	1	1	11	1	1	3	2	3	2	17	
33	1	1	1	2	1	3	7	1	1	1	1	11	1	1	10	1	1	7	18	
1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	19	
1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	20	
1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	21	
0	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	22	
7	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	23	
6	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	24	
3	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	25	
86	2	2	2	2	2	8	1	1	1	1	1	16	1	2	8	7	2	2	29	
53	2	2	2	2	2	7	9	1	1	1	2	9	3	1	13	5	2	13	25	
4,160	63	89	77	133	44	372	452	303	24	32	91	276	32	46	652	147	84	175	1,057	26
2,199	32	47	43	64	25	183	242	161	9	10	39	148	19	358	83	42	103	587	27	
1,961	31	42	34	69	19	189	210	142	15	22	52	128	32	294	64	42	72	470	28	
3,945	62	82	76	131	44	356	415	279	24	27	87	260	31	630	139	78	170	1,000	29	
3,292	61	66	61	128	43	331	323	226	21	26	60	187	24	33	543	115	58	170	810	30
1,263	19	24	28	47	10	111	119	86	5	3	24	77	9	9	227	54	24	71	324	31
1,123	17	18	21	42	13	98	118	83	4	13	26	73	21	14	176	40	21	50	272	32
378	11	9	7	15	14	49	36	26	3	5	1	15	5	5	55	5	2	28	91	33
376	12	12	4	24	6	66	31	19	7	4	2	9	2	4	54	8	4	21	86	
324	10	5	5	1	12	52	28	28	2	2	9	37	5	5	40	12	12	100	1	
277	6	8	3	3	10	34	22	22	2	2	17	31	7	7	39	12	6	71	1	
215	1	7	1	2	16	37	24	24	5	4	16	1	1	22	8	6	5	57	2	34
113	1	3	1	2	7	22	14	14	2	1	8	8	1	11	6	2	4	29	35	
102	4	4	4	9	15	10	15	10	3	3	8	8	1	11	2	4	4	28	36	
1,418	23	28	30	50	11	123	141	104	7	5	25	87	10	247	60	26	77	363	37	
1,284	17	24	22	43	14	118	137	97	7	18	29	82	22	199	44	26	52	313	38	
67	1	2	1	2	2	5	5	6	1	1	7	7	4	11	4	4	2	15	38	
55	1	2	1	1	2	6	6	2	1	1	1	3	1	10	1	1	5	17	39	
145	3	3	4	3	3	11	32	6	1	1	7	7	1	15	1	3	5	49	40	
154	5	3	2	8	12	19	11	11	1	1	3	16	1	18	3	3	3	42	41	
25	2	1	1	4	4	3	2	2	1	1	1	1	1	3	1	1	1	6	42	
26	1	1	1	2	1	4	2	1	1	1	1	3	2	2	2	1	1	4	4	
17	1	1	1	2	2	2	2	1	1	1	3	3	2	2	1	1	1	6	4	
12	1	1	1	2	4	4	2	1	1	1	1	3	2	2	1	1	1	6	4	
288	3	9	3	7	7	26	30	24	2	7	25	25	4	4	6	9	14	67	41	
270	4	11	5	13	4	35	26	15	4	1	11	10	7	4	43	7	6	60	42	
1	1	1	1	1	2	2	1	1	1	1	1	1	1	1	1	1	1	1	1	
5	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	
5	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	
7	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	
8	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	
4	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	
2	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	
3	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	
1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	
21	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	
8	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	
29	2	2	2	2	2	5	5	2	2	2	1	1	1	2	2	2	2	3	2	
27	2	2	2	2	2	4	24	13	2	2	4	15	1	3	3	2	4	7	7	
170	2	2	2	1	3	8	24	13	9	1	7	15	1	3	3	2	4	55	2	
168	1	2	2	2	3	6	13	9	1	1	4	18	1	1	16	5	7	21	2	

TABLE 13.—DEATHS DURING THE 6 YEARS ENDING MAY 31, 1890, AT CERTAIN AGES AND FROM CERTAIN CAUSES,

NEW JERSEY—Continued.

LOCALITIES.	All ages.	AGE.										
		Months.					Years.					
		Under 3	3 to 6	6 to 9	9 to 12	Total under 12	Under 5	5 to 15	15 to 25	25 to 65	65 and over.	Un-known.
1 Burlington county, rural.....	4,209	621	182	124	119	1,046	1,406	230	266	1,121	1,147	39
2 Males.....	2,172	360	104	67	61	592	783	101	121	568	579	20
3 Females.....	2,037	261	78	57	58	454	623	129	145	553	568	19
4 White.....	4,034	601	175	120	117	1,013	1,350	218	247	1,069	1,113	37
5 Native born.....	3,850	601	175	120	116	1,012	1,349	218	241	989	1,021	29
6 Both parents native.....	M 1,749	316	89	58	52	515	672	86	92	444	443	12
F 1,653	225	72	50	54	401	540	115	116	425	447	10	
7 One or both parents foreign.....	M 158	30	10	6	6	51	74	7	19	38	30	
F 138	21	3	6	2	32	43	6	12	43	23	1	
8 Foreign born.....	M 81									35	45	1
F 76				1	1	1		4	34	35	2	
9 Colored.....	175	20	7	4	2	33	56	12	19	52	34	2
10 Males.....	82	9	4	3	1	17	24	6	8	24	18	2
11 Females.....	93	11	3	1	1	16	32	6	11	28	16	
12 Birthplaces of mothers:												
13 United States.....	M 1,847	331	94	63	55	513	711	94	100	467	462	13
F 1,787	240	76	52	55	423	580	121	130	457	469	10	
14 England and Wales.....	M 42	2	3	1	1	7	8		5	12	17	
F 25	5					6			1	6	9	
15 Ireland.....	M 80	13	2		2	17	21	4	6	27	22	1
F 91	7	1	1	1	10	13	1	9	39	28	1	
16 Scotland.....	M 7	1				2	2			1	4	
F 3										2	1	
17 France.....	M 3	1				1	1			1	1	
F 6								1		2		
18 Germany.....	M 69	6	3	3	2	14	26		6	26	11	
F 64	7		3	2	12	17	2	5	22	17	1	
19 Russia and Poland.....	M 2	1				1	1					
F 2												
20 Canada.....	M 2										2	
F 3											1	
21 Scandinavia.....	M 1		1			1	1			1		
F 1												
22 Hungary.....	M											
F												
23 Bohemia.....	M											
F												
24 Italy.....	M 1								1			
F												
25 Other foreign countries.....	M 6	1				1	2			2	1	1
F 2										1	1	
26 Unknown.....	M 112	4	1		1	6	10	3	3	32	58	6
F 76	2				2	2	5	2	23	40	6	6
27 Bordentown city.....	578	73	19	9	19	120	163	17	56	197	150	1
28 Males.....	278	37	13	5	11	63	86	7	24	95	65	1
29 Females.....	300	36	6	4	8	54	77	10	26	102	85	
30 White.....	550	70	19	9	16	114	154	17	47	188	143	1
31 Native born.....	493	70	19	9	16	114	154	17	42	158	122	
32 Both parents native.....	M 212	36	12	4	8	60	78	6	17	64	47	
F 221	31	6	3	7	47	66	7	19	73	56		
33 One or both parents foreign.....	M 13	1		1	1	2	2	1	2	5	3	
F 22	2			1	1	4	7	2	2	8	3	
34 Foreign born.....	M 24								2	15	7	
F 28									2	12	14	
35 Colored.....	28	3			3	6	9		3	9	7	
36 Males.....	13	1			3	4	6		1	4	2	
37 Females.....	15	2			2	2	3		2	5	5	
38 Birthplaces of mothers:												
39 United States.....	M 223	37	12	4	11	64	84	6	18	67	48	
F 234	33	6	3	7	49	69	7	21	77	60	2	
40 England and Wales.....	M 2									1		
F 1										16	7	
41 Ireland.....	M 30	1	1			2	2	1	4	16	11	
F 35						1	2	2	4	16		
42 Scotland.....	M 3	1		1		2	2				1	
F												
43 France.....	M 1									1		
F 4										3	1	
44 Germany.....	M 4				1	1	3			1	2	
F 6												
45 Russia and Poland.....	M											
F												
46 Canada.....	M											
F												
47 Scandinavia.....	M											
F												
48 Hungary.....	M											
F												
49 Bohemia.....	M											
F												
50 Italy.....	M											
F												
51 Other foreign countries.....	M 19									9	7	1
F 20	1					1	1	1	1	6	11	

STATISTICS OF DEATHS.

WITH DISTINCTION OF SEX, COLOR, NATIVITY, PARENTAL NATIVITY, AND BIRTHPLACES OF MOTHERS—Continued.

NEW JERSEY—Continued.

CAUSE OF DEATH.																						
All- causes.	Scar- let fever.	Ty- phoid fever.	Ma- larial fever.	Diph- theria.	Croup.	Diar- rheal dis- eases.	Con- sump- tion.	Pneu- monia.	Measles.	Whoop- ing cough.	Cancer and tumor.	Heart dis- ease and dropsy.	Child- birth and puer- peral dis- eases.	Dis- eases of the liver.	Dis- eases of the nerv- ous sys- tem.	Dis- eases of the uri- nary or- gans.	Old age.	Still- born.	All other causes.	Un- known.		
4,209	53	156	28	87	42	370	466	247	4	38	112	322	25	52	616	119	158	219	1,069	26	1	
2,172	23	83	14	40	20	201	193	132	2	15	42	167	25	34	322	82	61	180	599	12	2	
2,037	30	73	14	47	22	169	273	115	2	23	70	155	18	18	294	37	97	89	470	14	3	
4,034	52	153	25	87	41	359	429	240	3	32	108	309	24	52	593	117	149	213	1,026	22	4	
3,850	52	148	22	86	41	348	416	233	3	32	93	278	22	49	566	108	135	213	983	22	5	
1,749	16	73	9	37	15	173	147	110	1	11	22	125	27	27	258	65	43	116	488	8	6	
1,653	28	62	8	43	18	142	214	102	2	18	53	115	20	16	247	38	67	77	377	11	7	
158	6	6	1	3	4	13	19	9		1	1	11	2	2	16	2	2	11	49	2	7	
138	1	2	1	3	1	12	21	4		2	3	11	2	2	19	3	6	7	34		8	
81		6	1			5	2	3			5	13		3	16	8	5		18			
76		2	2	1		6	8	4			8	15		6	6	9	9		13			
175	1	8	8		1	11	87	7	1	6	4	13	1		23	2	9	6	49	4	9	
82		1	1			3	18	6	1	3	1	9			12	2	3		17	2	10	
93	1	2	2		1	8	19	1		3	3	4	1		11	6	3	3	26	2	11	
1,847	17	74	10	38	15	179	162	118	2	14	34	136		27	270	67	45	120	508	11	12	
1,767	29	65	10	44	19	152	237	103	2	22	56	122	22	16	261	33	73	89	405	13	13	
42		2				2	3	1			1	4		1	7	3	1	1	16		14	
25						2	2	1			2	2	1		3	1	3	2	6		14	
80	2	2		1	1	5	10	5			3	8			10	2	1	8	22	2	14	
91		3		1		8	13	3			5	15	2		8	1	6	2	20		15	
7						1		1							1		1	2	1		15	
3							1								2					1	16	
3															1						16	
6											2				1		1			1	17	
69	3	3	1	1	3	6	7	2			2	6			8	5	3	1	15	1	17	
64	1	3		1	1	6	7	4			2	6			8	1	3	1	18		17	
2															2							18
2																	1					18
3																			1			19
1																			1			19
							2												1			20
																			1			20
																			1			21
																			1			21
																			1			22
																						22
																						23
1		1																				23
																						24
6						1		1				1								3		24
2																	1			1		24
112	1	1	2		1	7	11	4			2	12		2	23	4	11		31		25	
76		1	1		2	1	11	4			3	10			11	1	10		19	1	25	
578	1	11	11	9	7	45	83	30	1	5	15	36	5	3	95	19	14	23	153	7	26	
278	1	7	7	6	2	27	32	10		2	4	17		2	39	13	7	16	83	3	27	
300		4	4	3	5	18	51	20	1	3	11	19	5	1	56	6	7	13	70	4	28	
550	1	11	11	9	7	40	83	30	1	5	15	31	4	3	89	18	13	23	144	7	29	
493	1	9	11	9	7	36	78	27	1	5	13	26	4	3	76	15	12	28	128	4	30	
212	1	5	5	6	2	19	28	8		2	4	11	2	2	28	10	6	16	58	1	31	
221		4	3	1	4	13	39	15	1	3	9	13	4	1	39	4	4	11	51	2	31	
13			2		1	1	1								1	1			7		32	
22			1	1	1	2	8	2							2	1	1		3		32	
24		2				3	2	1				3			4	1			7	1	33	
28						1	2	2			2	2			7	2	1		8	1	33	
																						34
						5						5	1		6	1	1		9		34	
																						35
13						4						2			3	1			3		35	
15						1						3	1		3		1		6		36	
223	1	5	5	6	2	23	28	8		2	4	12		2	30	11	6	16	61	1	37	
234		4	3	1	4	13	40	15	1	3	9	16	5	1	42	4	4	11	56	2	37	
2												1			1	1					38	
1												1										38
30		1	2			4	3	1				2			4	1			11	1	39	
35			1	1		1	9	3				2			7	2		1	7	1	39	
																						40
3																	1					40
1																						41
4								1												3		41
6																1				2		42
					1																	43
																						44
																						45
																						46
																						47
																						48
																						49
10		1					1								4		1			8	1	50
20				1		2	1	1				1			6		2		5	1		50

TABLE 13.—DEATHS DURING THE 6 YEARS ENDING MAY 31, 1890, AT CERTAIN AGES AND FROM CERTAIN CAUSES,

NEW JERSEY—Continued.

LOCALITIES.	All ages.	AGE.										
		Months.					Years.					
		Under 3	3 to 6	6 to 9	9 to 12	Total under 12	Under 5	5 to 15	15 to 25	25 to 65	65 and over.	Un-known.
1 Burlington city	1,037	148	41	30	30	249	357	69	73	301	227	10
2 Males	547	92	23	15	18	148	200	30	45	152	115	5
3 Females	490	56	18	15	12	101	157	39	28	149	112	5
4 White	973	138	40	28	27	233	335	63	70	279	216	10
5 Native born	909	138	40	28	27	233	335	63	66	245	195	5
6 Both parents native	M. 442 F. 382	84 44	21 17	11 12	15 12	131 85	179 137	23 32	32 22	113 101	98 87	2 3
7 One or both parents foreign	M. 26 F. 32	3 5	1 1	1 2	3	7 8	7 10	4 3	6 3	6 13	8 3	1
8 Foreign born	M. 29 F. 25	3 5	1 1	1 2	3	7 8	7 10	4 3	6 3	6 13	8 12	1 2
9 Colored	64	10	1	2	3	16	22	6	3	22	11	
10 Males	29	4	1	1	3	9	13	2	1	8	5	
11 Females	35	6				7	9	4	2	14	6	
Birthplaces of mothers:												
12 United States	M. 479 F. 420	88 51	22 17	13 13	18 12	141 93	193 147	26 36	34 25	125 115	99 93	2 4
13 England and Wales	M. 7 F. 8	1 4				1 4	1 4		2 3	3 3	1 1	
14 Ireland	M. 35 F. 35	1 1	1 1	2 1		4 3	4 5	2 2	7 2	12 19	9 6	1 1
15 Scotland	M. 1 F. 1										1	
16 France	M. 1 F. 3									1	1	
17 Germany	M. 3 F. 8			1		1	1	1		4	3	
18 Russia and Poland	M. 1 F. 1										1	
19 Canada	M. 1 F. 1											
20 Scandinavia	M. 1 F. 1											
21 Hungary	M. 1 F. 1											
22 Bohemia	M. 1 F. 1										1	
23 Italy	M. 1 F. 1											
24 Other foreign countries	M. 2 F. 2	1 1				1 1	1 1			1 1		
25 Unknown	M. 20 F. 17	1 1				1 1	1 1	1 1	2 1	10 7	4 8	2
26 Camden county, rural	2,371	412	132	84	80	708	988	121	143	611	488	20
27 Males	1,252	238	77	46	50	411	553	63	75	298	250	13
28 Females	1,119	174	55	38	30	297	435	58	68	313	238	7
29 White	1,962	341	107	72	63	583	789	103	111	512	433	14
30 Native born	1,784	341	107	71	63	582	787	102	104	426	358	7
31 Both parents native	M. 791 F. 695	174 119	57 33	29 27	29 20	289 199	383 282	43 39	47 42	167 175	144 155	2 2
32 One or both parents foreign	M. 107 F. 106	24 20	7 9	9 5	9 2	49 36	63 50	6 9	6 5	21 29	11 13	
33 Foreign born	M. 91 F. 57	20 3	9 1	5 1	2	36 1	50 2	9 2	6 2	29 47	13 38	1
34 Colored	409	71	25	12	17	125	199	18	32	99	55	6
35 Males	203	39	12	8	12	71	105	8	15	40	32	3
36 Females	206	32	13	4	5	54	94	10	17	59	23	3
Birthplaces of mothers:												
37 United States	M. 1,004 F. 908	221 152	71 47	37 33	43 26	372 258	504 382	56 60	60 61	206 229	175 182	3 4
38 England and Wales	M. 34 F. 40	2 5	1 2	2 1	2	7 8	8 13	1 1	2 2	12 17	11 7	
39 Ireland	M. 44 F. 32	3 4	2 4	2 1	2	7 4	9 6	3 1	4 1	17 14	11 10	
40 Scotland	M. 10 F. 2	1 1	1 1	1		3	3	1	1	3	2	
41 France	M. 8 F. 8	1 1				1	1		1	3	2	1
42 Germany	M. 52 F. 52	8 9	1 7	5 1	1 1	15 18	19 22	2 3	1	20 17	10 10	
43 Russia and Poland	M. 3 F. 3	1 1		1	2	3	4 1	2		1	1	
44 Canada	M. 1 F. 2									1 1	1	
45 Scandinavia	M. 1 F. 1											
46 Hungary	M. 1 F. 1											
47 Bohemia	M. 1 F. 1											
48 Italy	M. 4 F. 4			1		1	2	1		4		
49 Other foreign countries	M. 5 F. 5			1		1	2			1	2	
50 Unknown	M. 84 F. 77	1 4	1 1	1 1	2	2 8	3 9		6 4	31 34	35 27	9 3

STATISTICS OF DEATHS.

WITH DISTINCTION OF SEX, COLOR, NATIVITY, PARENTAL NATIVITY, AND BIRTHPLACES OF MOTHERS—Continued.

NEW JERSEY—Continued.

CAUSE OF DEATH.

All causes.	Scarlet fever.	Typhoid fever.	Malarial fever.	Diphtheria.	Croup.	Diar-rheal dis-eases.	Con-sump-tion.	Pneu-monia.	Measles.	Whoop-ing cough.	Cancer and tumor.	Heart dis-ease and dropsy.	Child-birth and puer-peral dis-eases.	Dis-eases of the liver.	Dis-eases of the nerv-ous sys-tem.	Dis-eases of the uri-nary or-gans.	Old age.	Still-born.	All other causes.	Un-known.	
1,037	14	27	8	52	18	70	112	61	1	3	29	72	5	18	107	29	25	52	269	5	
547	7	15	4	20	10	37	53	30	1	1	15	33	5	9	89	16	12	35	156	4	
490	7	12	4	32	8	33	59	31	2	2	14	39	5	9	78	13	13	17	113	1	
973	14	24	8	50	18	67	100	55	3	3	29	65	5	18	158	26	25	51	252	5	
909	14	24	5	49	18	65	91	48	3	3	27	57	5	16	153	25	23	51	231	4	
442	7	11	1	18	10	32	35	22	1	1	12	25	5	8	74	13	9	34	127	3	
382	7	8	4	29	8	27	40	21	2	2	11	28	4	8	63	11	8	14	88	1	
26	3	3	1	1	1	1	5	1	1	1	1	2	1	1	5	1	2	1	7	7	
32	1	1	1	2	1	1	3	3	1	1	1	1	1	1	5	3	2	2	5	2	
29	1	1	3	1	1	1	3	3	1	1	1	4	1	1	4	1	1	1	8	8	
25	1	1	1	1	1	1	4	4	1	1	1	4	1	1	4	1	1	1	8	8	
64	3	2	2	3	12	6	1	1	7	9	3	17	9	3	1	17	9	17	17	9	
29	3	2	2	2	4	4	1	2	3	2	2	5	3	2	9	2	9	9	9	10	
35	3	1	1	1	1	1	8	2	1	1	1	5	6	1	6	1	1	8	8	11	
479	7	11	1	20	10	35	41	26	1	1	12	26	8	8	80	15	9	34	139	12	
420	7	11	4	29	8	27	48	24	2	2	11	32	4	8	70	12	8	15	99	3	
7	1	1	1	1	1	1	2	2	1	1	1	1	1	1	2	1	2	2	2	13	
8	1	1	1	1	1	1	7	1	1	1	1	5	1	1	5	1	1	2	2	14	
35	3	1	2	2	1	1	7	1	1	1	1	4	1	1	3	1	1	10	10	14	
35	1	1	1	1	1	1	7	5	1	1	1	4	1	1	3	1	1	8	8	14	
1	1	1	1	1	1	1	2	1	1	1	1	4	1	1	3	1	1	8	8	15	
1	1	1	1	1	1	1	2	1	1	1	1	1	1	1	1	1	1	2	2	16	
3	1	1	1	1	1	1	2	1	1	1	1	1	1	1	1	1	1	2	2	17	
8	1	1	1	1	1	1	2	1	1	1	1	1	1	1	1	1	1	2	2	18	
1	1	1	1	1	1	1	2	1	1	1	1	1	1	1	1	1	1	2	2	19	
1	1	1	1	1	1	1	2	1	1	1	1	1	1	1	1	1	1	2	2	20	
1	1	1	1	1	1	1	2	1	1	1	1	1	1	1	1	1	1	2	2	21	
1	1	1	1	1	1	1	2	1	1	1	1	1	1	1	1	1	1	2	2	22	
1	1	1	1	1	1	1	2	1	1	1	1	1	1	1	1	1	1	2	2	23	
2	1	1	1	1	1	1	2	1	1	1	1	1	1	1	1	1	1	2	2	24	
20	1	1	1	1	1	1	5	1	1	1	1	1	1	1	2	1	2	5	5	25	
17	1	1	1	1	1	1	2	1	1	1	1	1	1	1	2	1	2	2	2	25	
2,371	20	86	11	56	35	225	275	116	5	30	46	171	10	24	396	53	38	152	616	6	
1,252	11	48	8	24	23	125	120	50	1	11	16	88	12	12	214	35	18	94	340	27	
1,119	9	38	3	32	12	100	155	57	4	19	30	83	10	12	182	18	20	58	276	5	
1,982	19	73	5	53	34	192	209	88	3	18	42	144	9	20	333	44	30	129	513	4	
1,784	19	65	4	52	33	175	193	78	3	18	34	123	9	19	301	34	25	120	468	2	
791	10	23	2	23	19	75	70	39	5	11	50	11	7	7	130	22	12	73	215	31	
695	7	26	1	24	7	61	87	33	3	9	16	54	7	9	118	9	9	43	171	1	
107	1	6	1	4	4	16	8	3	1	1	1	6	1	1	77	1	2	7	33	32	
106	1	2	1	4	3	13	17	1	1	1	2	7	2	1	15	2	1	6	27	27	
91	1	7	1	1	1	7	9	6	3	1	1	14	1	1	14	7	3	6	19	2	
57	1	1	1	1	1	7	4	3	2	2	5	7	1	1	11	3	2	14	14	33	
409	1	13	6	3	1	33	66	23	2	12	4	27	1	4	63	9	8	23	103	2	
203	5	5	1	3	1	21	27	10	1	5	15	15	2	2	36	5	1	14	54	2	
206	8	8	1	3	1	12	39	18	1	7	4	12	1	2	27	4	7	9	49	36	
1,004	11	34	7	23	20	100	95	49	1	10	12	63	9	9	168	26	13	89	272	2	
908	8	34	2	27	8	72	125	52	4	16	21	65	9	11	149	12	16	53	223	1	
34	1	3	2	2	1	2	1	5	1	1	1	3	1	1	8	1	2	2	5	38	
40	1	4	2	1	2	2	7	2	1	2	2	4	1	1	6	1	1	1	10	8	
44	1	1	1	1	1	4	9	2	1	1	3	3	1	1	7	2	1	2	8	39	
32	1	1	1	1	1	4	6	1	1	1	1	3	1	1	4	1	1	3	7	40	
10	1	1	1	1	1	1	1	1	1	1	1	3	1	1	1	1	1	1	3	1	40
2	1	1	1	1	1	1	1	1	1	1	1	3	1	1	1	1	1	1	1	1	41
8	1	1	1	1	1	1	2	1	1	1	1	3	1	1	1	1	1	1	3	1	41
52	4	1	1	1	1	6	4	2	1	1	6	6	1	1	6	2	1	1	16	1	42
52	2	1	2	2	2	10	3	1	2	4	4	4	1	1	6	1	2	1	13	1	42
5	1	1	1	1	1	1	1	1	1	1	1	4	1	1	2	1	1	1	1	1	43
3	1	1	1	1	1	1	1	1	1	1	1	4	1	1	2	1	1	1	1	1	43
1	1	1	1	1	1	1	1	1	1	1	1	4	1	1	2	1	1	1	1	1	44
2	1	1	1	1	1	1	1	1	1	1	1	4	1	1	2	1	1	1	1	1	44
1	1	1	1	1	1	1	1	1	1	1	1	4	1	1	2	1	1	1	1	1	45
4	1	1	1	1	1	1	1	1	1	1	1	4	1	1	2	1	1	1	1	1	46
4	1	1	1	1	1	1	1	1	1	1	1	4	1	1	2	1	1	1	1	1	47
5	1	1	1	1	1	1	1	1	1	1	1	4	1	1	2	1	1	1	1	1	48
81	2	1	1	1	1	8	8	1	3	3	8	8	1	1	22	3	1	27	27	1	49
77	1	1	1	1	1	11	13	2	2	2	7	7	1	1	16	2	1	20	20	1	50

TABLE 13.—DEATHS DURING THE 6 YEARS ENDING MAY 31, 1890, AT CERTAIN AGES AND FROM CERTAIN CAUSES.

NEW JERSEY—Continued.

LOCALITIES.	All ages.	AGE.										
		Months.					Years.					
		Under 3	3 to 6	6 to 9	9 to 12	Total under 12	Under 5	5 to 15	15 to 25	25 to 65	65 and over.	Un-known.
1 Camden city.....	7,266	1,367	507	286	226	2,386	3,307	476	509	2,060	879	35
2 Males.....	3,784	778	287	156	123	1,344	1,814	258	238	1,049	396	29
3 Females.....	3,482	589	220	130	103	1,042	1,493	218	271	1,011	483	6
4 White.....	6,569	1,228	464	245	201	2,138	2,946	425	455	1,879	830	34
5 Native born.....	6,111	1,227	462	245	201	2,135	2,936	417	431	1,604	709	14
6 Both parents native.....	M 2,733	608	237	112	97	1,054	1,415	203	170	677	261	7
F 2,492	453	173	93	73	797	1,126	163	196	666	335	6	
7 One or both parents foreign.....	M 351	81	23	20	13	137	184	29	25	89	24	
F 375	73	26	14	16	129	193	21	30	95	36		
8 Foreign born.....	M 210	1				1	2	2	11	138	55	2
F 197	1					1	5	6	11	117	58	
9 Colored.....	697	139	43	41	25	248	361	51	54	181	49	1
10 Males.....	358	80	24	24	11	139	198	23	22	88	26	1
11 Females.....	339	59	19	17	14	109	163	23	32	93	23	
12 Birthplaces of mothers:												
13 United States.....	M 3,133	704	265	140	111	1,220	1,648	228	196	766	287	8
F 2,372	524	194	116	88	92	921	1,314	194	291	707	360	6
14 England and Wales.....	M 95	11	5	3	2	21	25	2	6	44	18	
F 95	12	4	2	4	22	29	7	3	36	20		
15 Ireland.....	M 154	14	2	6		23	34	7	9	80	24	
F 184	16	3	3		1	23	39	6	13	92	34	
16 Scotland.....	M 16	2	1		1	4	6	2	2	6		
F 13	2					2	4		3	3	1	
17 France.....	M 10	1				2	2		1	4	3	
F 3							2		1	1		
18 Germany.....	M 180	34	10	4	6	54	70	15	8	60	27	
F 187	23	15	6	8	52	76	10	15	15	57	29	
19 Russia and Poland.....	M 8	2	1	2	1	4	6		1	1		
F 8	2	1	1			4	5		1	2		
20 Canada.....	M 4		1			1	5		1	1	1	1
F 7						2	5		1	1	1	
21 Scandinavia.....	M 5						1			3	1	
F 5	1	1				2	4			1	1	
22 Hungary.....	M											
F												
23 Bohemia.....	M											
F												
24 Italy.....	M 6	1			1	1	2		1	2	1	
F 3	1	1			1	3	3					
25 Other foreign countries.....	M 15	1	1	1	1	4	7	1	1	5	1	
F 15	2		1		3	5	5		2	4	3	
26 Unknown.....	M 153	8	1	1	1	10	12	3	12	78	34	20
F 90	4	1	1	1	7	7	7		3	46	34	
27 Gloucester city.....	780	139	41	26	29	235	351	47	67	237	78	
28 Males.....	435	84	21	17	17	139	203	23	30	131	48	
29 Females.....	345	55	20	9	12	96	148	24	37	106	30	
30 White.....	779	139	41	26	29	235	351	47	67	236	78	
31 Native born.....	657	139	41	26	29	235	350	45	63	150	49	
32 Both parents native.....	M 269	59	13	12	8	92	141	20	18	63	27	
F 199	34	14	9	9	66	103	19	18	46	13	4	
33 One or both parents foreign.....	M 93	24	8	5	9	46	59	2	11	16	5	
F 84	21	5		3	29	42	4	15	20	3		
34 Foreign born.....	M 62					1	1	1	1	44	16	
F 54							1	3	37	13		
35 Colored.....	1									1		
36 Males.....												
37 Females.....	1									1		
38 Birthplaces of mothers:												
39 United States.....	M 282	61	13	14	11	99	153	20	18	64	27	
F 216	38	17	9	10	74	117	20	18	48	13		
40 England and Wales.....	M 26	5	1	1	1	8	10	1	1	10	4	
F 20	7	2	1	1	10	11		3	5	1		
41 Ireland.....	M 82	9	6	1	3	10	23	2	9	37	11	
F 84	6			1	7	12	1	13	44	14		
42 Scotland.....	M 6	2			1	3	3		2	2	1	
F 3	1				1	1	1	1	1	1		
43 France.....	M 3									3		
F 3												
44 Germany.....	M 16	5		1		6	9		1	3	3	
F 11	3				3	5	2		1	2	1	
45 Russia and Poland.....	M 1					1	1					
F 2										1		
46 Canada.....	M 1				1	1	1			1		
F 1												
47 Scandinavia.....	M											
F												
48 Hungary.....	M											
F												
49 Bohemia.....	M											
F												
50 Italy.....	M 1		1			1	1					
F												
51 Other foreign countries.....	M 3						1		1	1		
F 1										1		
52 Unknown.....	M 14	1				1	1			11	2	
F 8		1				1	2		1	4	1	

TABLE 13.—DEATHS DURING THE 6 YEARS ENDING MAY 31, 1890, AT CERTAIN AGES AND FROM CERTAIN CAUSES, NEW JERSEY—Continued.

LOCALITIES.	AGE.											
	All ages.	Months.					Years.					
		Under 3	3 to 6	6 to 9	9 to 12	Total under 12	Under 5	5 to 15	15 to 25	25 to 65	65 and over.	Un-known.
1 Cape May county.....	1,072	179	44	38	20	281	360	48	62	263	332	7
2 Males.....	579	103	28	23	10	164	206	29	29	129	182	4
3 Females.....	493	76	16	15	10	117	154	19	33	134	150	3
4 White.....	1,003	162	41	36	19	258	329	43	60	252	314	5
5 Native born.....	961	162	41	36	19	258	329	42	60	235	290	5
6 Both parents native.....	M. 448	85	24	20	9	138	173	21	21	94	136	3
F. 419	63	14	14	9	100	133	19	32	117	116	2	
7 One or both parents foreign.....	M. 31	8	2	1	1	12	14	2	2	7	6	
F. 20	5		1		6	7		1	4	8		
8 Foreign born.....	M. 22								8	14		
F. 11									4	7		
9 Colored.....	69	17	3	2	1	23	31	5	2	11	18	2
10 Males.....	42	10	2	2		14	19	5	2	6	9	1
11 Females.....	27	7	1		1	9	12			5	9	1
12 Birthplaces of mothers:												
13 United States.....	M. 503	95	28	23	9	155	197	26	24	104	148	4
F. 454	71	15	15	10	111	143	19	32	125	127	3	
14 England and Wales.....	M. 9	3				3	3			3	3	
F. 6										2	4	
15 Ireland.....	M. 18	3				3	3	1	1	5	3	
F. 14	4				4	4		1	4	8	5	
16 Scotland.....	M. 1										1	
F. 1											1	
17 France.....	M. 1											
F. 6	2				2	2			2	2		
18 Germany.....	M. 4									1	3	
F. 4												
19 Russia and Poland.....	M. 1	1				1	1					
F. 1					1	1						
20 Canada.....	M. 1											
F. 1												
21 Scandinavia.....	M. 1											
F. 1												
22 Hungary.....	M. 1											
F. 1												
23 Bohemia.....	M. 1											
F. 1												
24 Italy.....	M. 1											
F. 1												
25 Other foreign countries.....	M. 2							1			1	
F. 2												
26 Unknown.....	M. 39									15	19	
F. 13		1			1	1	1	1	4	2	10	
27 Cumberland county, rural.....	1,935	326	86	67	38	517	703	84	127	514	493	14
28 Males.....	1,019	182	48	46	23	299	405	44	53	239	271	7
29 Females.....	916	144	38	21	15	218	298	40	74	275	222	7
30 White.....	1,826	308	77	63	33	486	653	77	121	487	476	12
31 Native born.....	1,749	308	77	63	33	486	653	76	120	447	444	9
32 Both parents native.....	M. 815	166	39	37	22	264	345	38	43	181	204	4
F. 741	121	32	20	13	186	252	34	64	214	172	5	
33 One or both parents foreign.....	M. 53	9	3	4	1	17	28	1	5	11	8	
F. 49	10	2	1	2	15	23	2	4	4	15	5	
34 Foreign born.....	M. 36									20	16	
F. 29								1		16	12	
35 Colored.....	109	18	9	4		31	50	7	6	27	17	2
36 Males.....	62	7	5	4		16	29	5	3	11	13	1
37 Females.....	47	11	4			15	21	2	3	16	4	1
38 Birthplaces of mothers:												
39 United States.....	M. 883	173	45	42	22	282	379	43	48	193	215	5
F. 806	136	37	20	14	207	282	37	68	233	180	6	
40 England and Wales.....	M. 20	1				3	5	1	2	6	6	
F. 21	1		1		2	3	3	1		9	8	
41 Ireland.....	M. 12					1	1		1	5	5	
F. 11	1			1	2	2		2	2	4	3	
42 Scotland.....	M. 3				1	1	1			2		
F. 5	1				1	1	1			4		
43 France.....	M. 2	1		1		2	2					
F. 1										1		
44 Germany.....	M. 19	4	1			5	6			7	6	
F. 10	3				3	3		1		5	1	
45 Russia and Poland.....	M. 1											
F. 2							2					
46 Canada.....	M. 2											
F. 2		1			1	1	1				1	
47 Scandinavia.....	M. 1											
F. 2										1		
48 Hungary.....	M. 1											
F. 1												
49 Bohemia.....	M. 1											
F. 1												
50 Italy.....	M. 10	2	1			3	4			5	1	
F. 9	2				2	2	4	1		2	2	
51 Other foreign countries.....	M. 4	1				1	2			1	1	
F. 1							1					
52 Unknown.....	M. 63		1	1		2	2		2	20	37	2
F. 48							1	3	16	27	2	

STATISTICS OF DEATHS.

WITH DISTINCTION OF SEX, COLOR, NATIVITY, PARENTAL NATIVITY, AND BIRTHPLACES OF MOTHERS—Continued.

NEW JERSEY—Continued.

CAUSE OF DEATH.																				
All causes.	Scarlet fever.	Typhoid fever.	Malarial fever.	Diphtheria.	Croup.	Diarrheal diseases.	Consumption.	Pneumonia.	Measles.	Whooping cough.	Cancer and tumor.	Heart disease and dropsy.	Childbirth and puerperal diseases.	Diseases of the liver.	Diseases of the nervous system.	Diseases of the urinary organs.	Old age.	Still-born.	All other causes.	Unknown.
1,072	14	34	7	13	12	80	102	60	2	13	38	83	7	13	216	27	28	76	233	14
579	8	16	4	7	8	39	51	38		7	12	49		6	108	19	14	42	142	9
493	6	18	3	6	4	41	51	22	2	6	26	34	7	7	108	8	14	34	91	5
1,003	13	32	7	13	12	76	94	56	2	13	38	77	7	11	199	26	27	72	216	12
961	13	32	7	13	12	76	91	56	2	13	35	69	7	11	192	24	26	72	202	8
448	7	12	4	5	8	35	41	32		7	11	31		2	79	15	10	35	110	4
419	6	18	3	6	4	36	46	22	2	6	23	26	7	7	84	8	12	28	71	4
31		1		2		2	2					4		2	9		1	4	4	4
20						3						1			7			4	4	4
22							1					4			3			4	4	8
11							2				1	2			2		1	4	2	1
69	1	2				4	8	4				6			2	17	1	1	4	17
42	1	2				2	6	4				5		2	6	1	1	3	7	2
27						2	2					1			11			1	10	
503	8	14	4	7	8	37	48	36		7	11	38		4	92	16	10	38	119	6
454	6	18	3	6	4	39	47	22	2	6	24	28	7	7	99	8	12	30	82	4
9		1				1									2			2	3	
6						1	1					6			4			2	2	2
18						1						1			1			2	2	2
14						1					2	1			1		1	4	3	1
1															1				1	
1																	1			
0							1								1		1		2	
4							2					1					1		1	
1						1									1					
1															1					
2												1			1					
39		1					1	2				4			10	2	3		15	1
13							2					4			3		1		3	
1,935	25	43	14	42	22	158	263	115	5	17	52	113	14	30	293	69	57	151	440	12
1,019	15	26	9	24	14	87	123	59	2	9	17	55		18	157	39	35	91	233	6
916	10	17	5	18	8	71	140	56	3	8	35	58	14	12	136	30	22	60	207	6
1,826	22	42	11	39	21	154	240	109	5	15	52	107	13	30	286	67	52	145	404	12
1,749	22	41	11	39	21	150	222	103	5	15	45	100	13	28	281	63	48	145	387	10
815	13	21	6	21	11	76	84	46	2	6	15	40		17	136	31	20	84	182	4
741	9	16	3	17	8	59	108	43	3	5	29	46	12	9	106	24	17	52	171	4
53		2	1		2	6	9	1		2		2			7	2	1	4	14	
49		1		1		3	10	6		2		1			10	1	1	4	7	1
36		1				2	9	4		1		5			3	2	1	4	5	1
29						2	6	1				1			1	2	2	1	7	1
109	3	1	3	3	1	4	23	6		2		6	1		7	2	5	6	36	
62	2	1	2	3	1	15	4	4		1		3			2	1	4	3	20	
47	1		1			4	8	2		1		3	1		5	1	1	3	16	
883	15	23	8	24	12	79	100	50	2	7	15	42		17	140	31	23	87	204	4
806	10	17	4	17	8	66	119	47	3	7	29	50	13	10	114	25	18	56	189	4
20		2			2	1	7	1				1			1	1	1	1	3	
21				1		2	3	1			3				3		2		5	1
12						1	2	2				1			1				4	
11						1	5	1					1		1			1	2	
3						1	1							1					1	
5							1								1				1	
2						1									1				1	
1						1		1							1				1	
19						1	3			1		2			4	1	1	1	4	
10						1	2	1			1				1			2	1	
2						1									1				1	
2															1				1	
1										1	1								1	
2															1				1	
10			1				2					2			1			1	2	1
9							1	2				1			2			1	1	1
4								1		1					1			1	1	1
1															1				1	1
63		1				3	8					7			9	4	10		14	1
48			1			2	9	3				7		2	13	8	2		6	

TABLE 13.—DEATHS DURING THE 6 YEARS ENDING MAY 31, 1890, AT CERTAIN AGES AND FROM CERTAIN CAUSES,

NEW JERSEY—Continued.

LOCALITIES.	AGE.											
	All ages.	Months.					Years.					
		Under 3	3 to 6	6 to 9	9 to 12	Total under 12	Under 5	5 to 15	15 to 25	25 to 65	65 and over.	Un-known.
1 Bridgeton city.....	1,092	212	77	32	25	346	479	40	73	273	215	12
2 Males.....	566	134	43	20	19	216	280	15	38	127	101	5
3 Females.....	526	78	34	12	6	180	199	25	35	146	114	7
4 White.....	1,045	205	74	29	23	331	459	39	68	259	209	11
5 Native born.....	1,009	203	73	28	23	327	455	39	67	245	193	10
6 Both parents native.....	M. 433 F. 421	M. 114 F. 65	M. 39 F. 31	M. 18 F. 10	M. 16 F. 6	M. 187 F. 112	M. 238 F. 198	M. 14 F. 24	M. 29 F. 26	M. 80 F. 114	M. 69 F. 83	M. 3 F. 6
7 One or both parents foreign.....	M. 34 F. 20	M. 9 F. 6	M. 1 F. 1			M. 9 F. 7	M. 15 F. 12		M. 3 F. 3	M. 12 F. 4	M. 4 F. 1	M. 1 F. 4
8 Foreign born.....	M. 14 F. 9	M. 1 F. 1				M. 1 F. 1	M. 1 F. 1			M. 9 F. 3	M. 4 F. 6	M. 4 F. 6
9 Colored.....	47	7	3	3	2	15	20	1	5	14	6	1
10 Males.....	27	4	2	2	2	10	10	1	3	8	4	1
11 Females.....	20	3	1	1		5	10		2	6	2	
12 Birthplaces of mothers:												
12 United States.....	M. 466 F. 448	M. 122 F. 70	M. 41 F. 32	M. 20 F. 11	M. 18 F. 6	M. 201 F. 119	M. 254 F. 182	M. 15 F. 24	M. 34 F. 30	M. 89 F. 120	M. 71 F. 86	M. 3 F. 6
13 England and Wales.....	M. 5 F. 5	M. 1 F. 1				M. 1 F. 1	M. 1 F. 1			M. 2 F. 2	M. 2 F. 2	M. 1 F. 1
14 Ireland.....	M. 4 F. 4	M. 2 F. 2	M. 1 F. 1			M. 3 F. 3	M. 4 F. 4		M. 1 F. 1		M. 1 F. 1	
15 Scotland.....	M. 2 F. 1	M. 1 F. 1				M. 1 F. 1	M. 2 F. 1					
16 France.....	M. 1 F. 22	M. 3 F. 1				M. 3 F. 1	M. 5 F. 2			M. 13 F. 3	M. 4 F. 3	
17 Germany.....	M. 9 F. 1	M. 1 F. 1				M. 1 F. 1	M. 1 F. 1					
18 Russia and Poland.....	M. 1 F. 1	M. 1 F. 1				M. 1 F. 1	M. 1 F. 1					
19 Canada.....	M. 2 F. 2	M. 1 F. 1				M. 1 F. 1	M. 2 F. 2					
20 Scandinavia.....	M. 1 F. 1	M. 1 F. 1				M. 1 F. 1	M. 1 F. 1					
21 Hungary.....	M. 1 F. 1	M. 1 F. 1				M. 1 F. 1	M. 1 F. 1					
22 Bohemia.....	M. 1 F. 1	M. 1 F. 1				M. 1 F. 1	M. 1 F. 1					
23 Italy.....	M. 1 F. 1	M. 1 F. 1				M. 1 F. 1	M. 1 F. 1					
24 Other foreign countries.....	M. 1 F. 1	M. 1 F. 1				M. 1 F. 1	M. 1 F. 1					
25 Unknown.....	M. 62 F. 58	M. 5 F. 4	M. 1 F. 1	M. 1 F. 1	M. 1 F. 1	M. 7 F. 6	M. 13 F. 9	M. 1 F. 1	M. 3 F. 4	M. 21 F. 20	M. 23 F. 23	M. 2 F. 1
26 Millville city.....	1,929	180	53	54	45	332	477	62	82	253	151	4
27 Males.....	541	114	31	29	21	195	272	30	35	119	85	
28 Females.....	488	66	22	25	24	137	205	32	47	134	66	4
29 White.....	1,016	179	53	54	45	331	474	61	81	247	149	4
30 Native born.....	973	179	53	54	45	331	474	60	79	225	131	4
31 Both parents native.....	M. 467 F. 419	M. 105 F. 64	M. 28 F. 21	M. 26 F. 21	M. 18 F. 21	M. 177 F. 127	M. 248 F. 187	M. 26 F. 30	M. 29 F. 39	M. 96 F. 113	M. 68 F. 47	M. 3 F. 3
32 One or both parents foreign.....	M. 42 F. 31	M. 8 F. 2	M. 3 F. 1	M. 3 F. 4	M. 3 F. 3	M. 17 F. 10	M. 23 F. 16	M. 3 F. 1	M. 5 F. 5	M. 8 F. 5	M. 3 F. 4	M. 3 F. 4
33 Foreign born.....	M. 23 F. 19	M. 2 F. 1	M. 1 F. 1	M. 1 F. 1	M. 1 F. 1	M. 1 F. 1	M. 1 F. 1	M. 1 F. 1	M. 1 F. 1	M. 11 F. 10	M. 11 F. 7	M. 1 F. 1
34 Colored.....	13	1				1	3	1	1	6	2	
35 Males.....	5	1				1	1	1		2	1	
36 Females.....	8						2		1	4	1	
37 Birthplaces of mothers:												
37 United States.....	M. 482 F. 434	M. 110 F. 65	M. 29 F. 21	M. 26 F. 22	M. 18 F. 22	M. 133 F. 130	M. 256 F. 193	M. 27 F. 30	M. 29 F. 40	M. 101 F. 117	M. 69 F. 51	M. 3 F. 3
38 England and Wales.....	M. 14 F. 10	M. 2 F. 2	M. 2 F. 2	M. 1 F. 1	M. 3 F. 3	M. 10 F. 10	M. 4 F. 4		M. 2 F. 3	M. 4 F. 7	M. 1 F. 6	M. 1 F. 1
39 Ireland.....	M. 16 F. 13			M. 1 F. 1	M. 1 F. 1	M. 2 F. 2	M. 3 F. 3		M. 3 F. 3	M. 7 F. 7	M. 5 F. 5	M. 1 F. 1
40 Scotland.....	M. 3 F. 1					M. 1 F. 1	M. 1 F. 1		M. 1 F. 1		M. 1 F. 1	
41 France.....	M. 1 F. 18	M. 2 F. 1				M. 2 F. 3	M. 5 F. 4	M. 3 F. 1	M. 3 F. 3	M. 3 F. 2	M. 1 F. 3	M. 1 F. 3
42 Germany.....	M. 13 F. 10	M. 1 F. 1			M. 1 F. 1	M. 3 F. 3	M. 4 F. 4					
43 Russia and Poland.....	M. 1 F. 1					M. 1 F. 1	M. 1 F. 1					
44 Canada.....	M. 1 F. 1					M. 1 F. 1	M. 1 F. 1			M. 1 F. 1		
45 Scandinavia.....	M. 1 F. 1					M. 1 F. 1	M. 1 F. 1					
46 Hungary.....	M. 1 F. 1					M. 1 F. 1	M. 1 F. 1					
47 Bohemia.....	M. 1 F. 1					M. 1 F. 1	M. 1 F. 1					
48 Italy.....	M. 1 F. 1			M. 1 F. 1		M. 1 F. 1	M. 1 F. 1					
49 Other foreign countries.....	M. 2 F. 8					M. 2 F. 8	M. 2 F. 8		M. 1 F. 1	M. 1 F. 4	M. 4 F. 4	M. 1 F. 6
50 Unknown.....	M. 8 F. 10					M. 8 F. 10	M. 8 F. 10		M. 1 F. 1	M. 4 F. 2	M. 4 F. 6	M. 1 F. 1

STATISTICS OF DEATHS.

WITH DISTINCTION OF SEX, COLOR, NATIVITY, PARENTAL NATIVITY, AND BIRTHPLACES OF MOTHERS—Continued.

NEW JERSEY—Continued.

CAUSE OF DEATH.

All causes.	Scarlet fever.	Typhoid fever.	Malarial fever.	Diphtheria.	Croup.	Diar- rheal dis- eases.	Con- sumption.	Pneu- monia.	Measles.	Whoop- ing cough.	Can- cer and tumor.	Heart dis- ease and dropsy.	Child- birth and puer- peral dis- eases.	Dis- eases of the liver.	Dis- eases of the nerv- ous sys- tem.	Dis- eases of the uri- nary or- gans.	Old age.	Still- born.	All other causes.	Un- known.	
1,092	7	23	3	12	11	111	150	75	4	4	29	70	1	17	162	36	19	84	270	4	
566	2	9	2	8	7	53	67	36	2	2	13	35		9	80	22	8	51	157	3	
526	5	14	1	4	4	58	83	39	2	2	16	35	1	8	82	14	11	33	113	1	
1,045	7	22	3	12	11	107	139	68	4	3	28	69	1	17	155	35	16	82	263	3	
1,009	7	20	3	12	11	106	137	66	4	3	24	68	1	15	148	32	16	82	252	2	
433	2	7	2	8	7	46	46	21	1	1	7	29		6	54	18	5	47	124	2	
421	5	8	1	4	3	50	69	29	1	1	9	28	1	6	64	11	9	29	92	1	
34						5	8	1				1		1	3	2		2	11	7	
20						4	1	1			1	1		1	3			3	4	4	
14						4	1	1			2	1		1	3			1	5	5	
9								1				1		1	3			1	2	2	
47		1				4	11	7		1	1	1			7	1	3	2	7	1	
27						2	7	6		1		1			3	1	2	2	2	10	
20		1				2	4	1			1				4		1	5	1	11	
466	2	7	2	8	7	49	53	27	1	2	10	30		6	56	20	6	49	132	2	
448	5	11	1	4	3	51	74	30	2	2		29	1	6	70	11	10	30	97	1	
5							1					1			2			1	1	13	
5		1										1			1			2	2	14	
4												1			1					15	
4						1												2		16	
2							1												1	16	
1																			1	17	
1																			1	18	
22						2	4				1			2	2			2	7	17	
9						2		1				1			1				3	18	
1																			1	19	
2							2													20	
																				21	
																				22	
1															1					23	
1																			1	24	
1																				25	
62		2					8	7	1		5	3		1	19		2	12	1	25	
58		2				4	9	8			5	5		2	8		1	12	1	26	
1,029	3	30	10	35	47	105	152	52	4	10	30	57	2	20	111	19	26	78	236	2	
541	2	16	4	13	24	53	67	32	2	2	6	33		11	60	9	14	50	137	1	
488	1	14	6	17	23	52	85	20	2	8	24	24	2	9	51	10	12	23	99	1	
1,016	3	29	10	35	47	105	148	52	4	9	28	56	2	19	111	18	26	77	235	2	
973	3	27	9	35	47	104	144	45	4	9	27	52	2	17	104	18	22	77	226	1	
467	2	12	4	16	20	46	58	25	1	2	3	26		8	54	7	11	46	126	1	
419	1	12	3	17	20	49	73	16	2	5	18	22	2	7	39	10	8	28	86	1	
42		2		2	4	5	6	2			2	2			4		1	3	8	32	
31			2		3	3	6	1		2	1	1			4		1		5	33	
23		2			3	1	1	4			1	4			2		3		2	1	
19			1				3	3							5		1		6		
13							4			1	2	1						1		34	
																					35
5							2														36
8		1					2			1	2	1							1		37
482	2	12	4	16	21	48	61	27	1	2	3	28		8	54	8	11	47	129	1	
434	1	13	3	17	20	50	75	16	2	6	21	23	2	7	41	10	8	28	90	2	
14					1	2	4								4			2	2	38	
10					2	1	4			1					1			1	2	39	
16		2				1	3										2		1	40	
18			2			1	3			1					4		1		4	41	
3																				42	
1			1																	43	
1																					44
18		1			1		3	1	2	1					2		1	1	3	45	
10					1		1	2							2		1	1	2	46	
																					47
																					48
1																			1		49
2							1														50
8						2		2				1		1					1		51
10							1				2				3		2		1		52

TABLE 13.—DEATHS DURING THE 6 YEARS ENDING MAY 31, 1890, AT CERTAIN AGES AND FROM CERTAIN CAUSES,

NEW JERSEY—Continued.

LOCALITIES.	All ages.	AGE.										
		Months.					Years.					
		Under 3	3 to 6	6 to 9	9 to 12	Total under 12	Under 5	5 to 15	15 to 25	25 to 65	65 and over.	Un-known.
1 Essex county, rural	4,073	620	171	115	101	1,007	1,431	247	256	1,198	923	18
2 Males	2,134	362	85	64	54	565	789	126	134	630	444	11
3 Females	1,939	258	86	51	47	442	642	121	122	568	479	7
4 White	3,965	589	165	111	95	960	1,369	238	252	1,172	917	17
5 Native born	3,384	588	163	111	93	955	1,362	230	228	835	716	13
6 Both parents native	M. 1,303 F. 1,184	249 179	51 61	41 35	30 27	371 302	522 443	84 78	78 67	319 305	295 288	5 3
7 One or both parents foreign	M. 886 F. 318	93 60	30 20	18 15	18 16	159 111	222 155	31 34	38 29	83 61	11 38	1 1
8 Foreign born	M. 286 F. 280	1 1	1 1	1 1	2 2	3 1	4 2	6 2	7 17	174 155	93 103	2 1
9 Colored	108	31	6	4	6	47	62	9	4	26	6	1
10 Males	50	17	2	3	3	25	31	5	1	9	4	1
11 Females	58	14	4	1	3	22	31	4	3	17	2	1
12 Birthplaces of mothers:												
13 United States	M. 1,396 F. 1,276	276 200	59 67	47 33	35 33	417 338	582 493	91 85	83 72	337 326	298 296	5 4
14 England and Wales	M. 100 F. 87	17 6	5 3	3 1	3 1	28 11	33 13	5 7	3 5	35 33	24 29	1 2
15 Ireland	M. 235 F. 238	37 12	7 9	6 2	3 4	53 27	84 57	17 14	29 22	105 95	19 48	1 2
16 Scotland	M. 31 F. 25	5 4	2 1	1 1	2 2	9 5	10 7	3 2	1 2	11 4	6 10	1 1
17 France	M. 6 F. 7	1 2	1 1	1 1	1 1	4 4	4 4	1 1	1 1	2 2	1 1	1 1
18 Germany	M. 167 F. 125	19 20	11 4	5 3	5 8	40 35	57 39	8 9	7 10	58 40	36 27	1 1
19 Russia and Poland	M. 6 F. 7	2 4	2 1	1 1	1 1	3 5	3 7	1 1	1 1	1 1	1 2	1 1
20 Canada	M. 3 F. 3	1 1	1 1	1 1	1 1	2 2	2 2	1 1	1 1	1 1	1 1	1 1
21 Scandinavia	M. 4 F. 5	1 2	1 1	1 1	2 4	4 4	4 4	1 1	1 1	1 1	1 1	1 1
22 Hungary	M. 1 F. 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1
23 Bohemia	M. 4 F. 4	1 1	1 1	2 2	1 1	3 3	3 3	1 1	1 1	3 3	1 1	1 1
24 Italy	M. 5 F. 5	2 2	2 2	2 2	1 1	2 2	2 2	1 1	1 1	1 1	1 1	1 1
25 Other foreign countries	M. 156 F. 157	3 4	3 1	2 1	1 1	6 6	9 11	1 3	11 10	74 65	57 67	4 1
26 Newark city	25,671	4,296	1,389	1,090	866	7,641	11,544	1,537	1,625	8,000	2,879	86
27 Males	13,942	2,476	770	566	461	4,273	6,324	769	826	4,582	1,381	60
28 Females	11,729	1,820	619	524	405	3,368	5,220	768	799	3,418	1,498	26
29 White	25,115	4,208	1,358	1,061	855	7,482	11,316	1,497	1,576	7,816	2,832	78
30 Native born	19,695	4,204	1,353	1,058	850	7,465	11,259	1,450	1,348	4,222	1,378	38
31 Both parents native	M. 7,276 F. 6,268	1,669 1,200	517 414	380 358	305 260	2,871 2,232	4,269 3,519	494 478	387 383	1,609 1,284	505 593	12 11
32 One or both parents foreign	M. 2,722 F. 2,319	681 547	219 179	161 143	139 129	1,200 998	1,772 1,482	210 238	266 214	442 345	26 33	6 7
33 Foreign born	M. 2,976 F. 2,347	1 2	2 2	2 1	4 1	9 4	30 21	28 17	111 114	2,078 1,466	718 723	11 6
34 Colored	556	88	31	29	11	159	228	40	49	184	47	8
35 Males	286	53	15	17	5	90	120	21	19	96	23	7
36 Females	270	35	16	12	6	69	108	19	30	88	24	1
37 Birthplaces of mothers:												
38 United States	M. 7,719 F. 6,674	1,782 1,266	548 447	405 381	321 274	3,056 2,368	4,529 3,732	536 514	413 417	1,701 1,378	528 621	14 12
39 England and Wales	M. 393 F. 325	44 37	9 10	6 11	15 4	74 62	100 76	19 19	24 23	163 127	86 80	1 1
40 Ireland	M. 1,477 F. 1,464	119 122	35 18	22 24	15 23	191 187	298 287	52 63	144 124	803 750	173 235	3 5
41 Scotland	M. 98 F. 82	13 10	5 2	3 3	2 3	23 15	23 22	8 2	8 4	32 43	18 11	2 2
42 France	M. 28 F. 26	1 2	1 1	1 1	1 1	3 3	5 5	1 1	1 1	10 10	9 9	6 7
43 Germany	M. 2,800 F. 2,036	371 282	145 118	109 76	84 81	709 557	1,051 834	121 138	171 138	1,119 631	341 288	6 7
44 Russia and Poland	M. 33 F. 34	14 12	2 2	1 3	1 1	18 17	26 26	2 2	2 2	4 4	1 1	1 1
45 Canada	M. 17 F. 19	4 3	1 1	1 1	1 1	6 4	8 5	1 1	1 1	8 8	4 4	1 1
46 Scandinavia	M. 13 F. 17	4 1	1 1	1 1	2 2	4 4	5 2	1 1	1 4	7 4	3 3	1 1
47 Hungary	M. 9 F. 18	1 4	1 1	1 1	1 1	4 4	5 9	1 1	1 4	4 4	2 2	1 1
48 Bohemia	M. 4 F. 4	1 1	1 1	1 1	1 1	4 4	4 4	1 1	1 1	2 2	1 1	1 1
49 Italy	M. 156 F. 131	38 32	8 9	12 17	6 8	64 66	103 98	7 7	3 6	37 14	6 5	1 1
50 Other foreign countries	M. 103 F. 51	15 8	1 2	1 1	6 2	23 13	33 25	5 4	8 4	47 12	10 6	1 1
51 Unknown	M. 1,083 F. 852	70 42	14 9	7 10	7 10	98 71	127 99	17 18	59 70	642 430	209 234	29 1

STATISTICS OF DEATHS.

595

WITH DISTINCTION OF SEX, COLOR, NATIVITY, PARENTAL NATIVITY, AND BIRTHPLACES OF MOTHERS—Continued.

NEW JERSEY—Continued.

CAUSE OF DEATH.																					
All causes.	Scarlet fever.	Typhoid fever.	Malarial fever.	Diphtheria.	Croup.	Diarrheal diseases.	Consumption.	Pneumonia.	Measles.	Whooping cough.	Cancer and tumor.	Heart disease and dropsy.	Child-birth and puerperal diseases.	Diseases of the liver.	Diseases of the nervous system.	Diseases of the urinary organs.	Old age.	Still-born.	All other causes.	Unknown.	
4,073	51	87	46	155	41	264	490	237	13	16	122	304	20	62	670	188	64	280	950	13	
2,134	27	53	21	77	21	139	269	125	8	8	42	149	32	331	110	22	180	514	6	2	
1,939	24	34	25	78	20	125	221	112	5	8	80	155	20	30	339	78	42	100	436	7	
3,965	51	82	44	152	40	254	478	232	13	14	120	298	20	61	655	184	61	274	919	13	
3,384	50	70	38	151	39	232	388	181	13	14	87	227	16	41	572	151	48	274	783	9	
1,303	21	39	14	59	13	77	144	72	4	3	20	97	16	16	205	72	12	130	304	1	
1,184	13	19	17	61	15	82	124	68	2	7	47	83	10	16	202	41	25	78	267	7	
386	6	4	2	13	7	43	61	18	4	3	5	8	3	3	56	14	2	41	96	7	
318	8	6	5	16	4	22	39	12	3	3	11	15	5	5	55	12	4	21	75	7	
286	6	6	5	1	1	12	45	23	3	3	16	33	13	13	38	17	4	4	69	8	
280	1	6	1	1	1	7	44	25	3	3	15	36	4	7	44	16	8	4	65	8	
108	5	2	3	1	10	12	12	5	2	2	6	6	1	15	4	3	6	31	4	9	
50	3	2	3	2	2	3	3	2	1	1	1	5	1	9	1	2	6	17	1	10	
58	2	2	2	3	1	8	9	3	1	1	2	5	1	6	3	1	1	14	1	11	
1,396	22	42	14	63	13	86	155	76	4	5	21	98	16	221	73	13	140	333	1	12	
1,276	13	22	20	62	16	94	135	72	4	8	50	88	12	215	46	25	79	291	7	13	
100	1	2	3	7	7	10	10	3	4	1	5	8	2	13	8	1	7	24	2	13	
87	3	5	2	3	3	12	5	5	2	2	5	5	5	4	4	3	7	16	16	14	
255	2	5	3	4	4	16	52	16	2	2	6	9	1	5	13	2	6	19	6	14	
338	3	2	4	8	3	6	40	19	2	2	6	9	3	3	43	15	4	8	50	15	
31	1	1	1	1	2	3	2	5	1	1	2	3	2	1	5	1	2	6	7	15	
25	1	1	1	2	1	2	2	1	1	1	2	2	2	1	5	1	2	7	3	16	
0	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	16	
7	1	1	2	4	3	17	23	11	1	2	6	13	7	3	7	1	10	30	1	17	
167	1	4	1	3	1	4	17	8	1	1	2	15	2	7	4	1	5	38	2	18	
125	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	2	2	18	
6	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	2	2	19	
7	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	2	2	19	
3	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	2	2	20	
3	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	2	2	20	
4	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	2	2	20	
5	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	2	2	20	
1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	2	2	21	
4	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	2	2	22	
4	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	2	2	22	
5	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	2	2	23	
5	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	2	2	23	
150	1	2	2	2	6	25	13	6	2	17	2	33	7	4	1	7	4	41	1	24	
157	3	1	1	2	10	14	14	6	9	23	3	42	8	7	4	7	1	28	1	25	
25,671	219	643	264	1,302	520	2,200	3,195	1,614	95	127	516	1,184	144	296	3,973	891	146	1,525	6,746	71	
13,942	99	351	123	639	280	1,143	1,857	931	45	52	201	616	179	2,157	508	54	942	3,728	39	27	
11,729	120	292	141	663	240	1,057	1,388	683	50	75	315	568	144	1,816	385	92	583	3,018	32	28	
25,115	219	620	257	1,296	513	2,162	3,106	1,568	95	117	509	1,152	141	292	3,888	864	146	1,502	6,599	69	
19,695	215	439	200	1,280	503	1,987	2,171	1,119	92	115	239	652	94	137	3,109	498	66	1,502	5,240	37	
7,276	66	148	70	419	192	676	740	424	26	34	69	254	53	1,202	197	17	637	2,034	18	30	
6,268	79	143	62	448	166	630	615	339	26	39	114	217	47	37	1,031	146	39	371	1,683	11	
2,722	29	59	16	203	77	352	332	171	16	10	15	57	20	381	42	1	261	676	4	32	
2,519	33	60	17	192	63	280	256	118	22	26	16	55	34	13	333	44	1	186	567	3	
2,976	2	114	28	6	5	78	607	263	2	1	105	248	88	441	215	33	33	725	15	33	
2,347	2	67	29	9	5	95	321	179	1	1	164	243	46	64	325	144	46	589	17	33	
556	23	7	6	7	38	89	46	10	7	32	3	4	85	27	23	147	2	34	2	34	
286	9	2	5	3	20	45	28	5	2	12	3	3	43	16	10	86	1	35	1	35	
270	14	5	1	4	13	44	18	5	5	20	5	5	20	11	13	61	1	36	1	36	
7,719	70	160	74	437	203	716	786	465	27	39	71	266	56	1,277	208	17	669	2,157	21	37	
6,674	81	160	89	470	176	663	666	362	23	48	120	235	38	1,095	158	39	394	1,783	11	37	
393	4	13	7	11	3	19	54	29	1	6	27	27	7	75	24	7	20	34	2	38	
325	1	8	2	7	2	16	43	17	2	3	18	32	8	53	13	5	14	75	2	38	
1,477	6	52	14	41	13	65	305	146	3	1	38	86	25	171	78	7	51	369	6	39	
1,464	5	34	15	43	13	76	232	113	5	10	58	102	36	28	163	70	19	52	383	7	
98	1	2	1	6	1	6	14	12	2	1	2	1	4	4	17	7	5	20	2	40	
82	2	1	3	3	6	6	4	3	2	4	4	4	3	11	4	1	2	28	3	40	
28	2	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	5	5	41	
26	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	9	9	41	
2,809	14	76	15	118	49	284	423	193	10	6	56	140	51	426	110	17	130	683	8	42	
2,036	27	67	16	114	43	215	233	112	7	6	71	112	20	26	307	68	18	88	475	11	
33	2	2	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	9	8	43	
34	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	11	5	43	
17	2	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	5	44	
19	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	6	44	
13	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	4	45	
17	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	4	45	
9	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	4	46	
18	2	3	3	3	2	2	2	2	1	3	1	1	1	2	1	1	1	1	3	46	
4	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	3	46	
156	4	2	9	4	12	11	9	4	3	1	2	2	7	17	4	13	54	1	47	47	
131	1	1	7	3	19	8	10	6	3	1	1	1	2	11	1	11	43	1	48	48	
103	1	5	3	3	7	20	3	3	3	2	4	4	2	17	4	3	25	1	49	49	
51	1	2	4	1	3	2	2	2	2	1	1	3	2	16	2	2	9	1	9	49	
1,093	2	34	10	10	28	230	62	62	1	2	24	84	27	146	68	4	33	313	2	50	
852	6	14	14	9	50	137	56	1	4	4	39	65	17	142	65	10	13	191	1	50	

TABLE 13.—DEATHS DURING THE 6 YEARS ENDING MAY 31, 1890, AT CERTAIN AGES AND FROM CERTAIN CAUSES;

NEW JERSEY—Continued.

LOCALITIES.	AGE.	AGE.											
		All ages.	Months.					Years.					
			Under 3	3 to 6	6 to 9	9 to 12	Total under 12	Under 5	5 to 15	15 to 25	25 to 65	65 and over.	Un-known.
1 Newark city—Ward 1.....		1,260	177	55	40	38	310	457	56	88	449	202	8
2 Males.....		660	100	29	22	22	173	248	25	39	247	96	5
3 Females.....		600	77	26	18	16	137	209	31	49	202	106	3
4 White.....		1,233	171	53	40	37	301	448	54	88	437	199	7
5 Native born.....		1,008	170	52	40	37	290	445	51	77	300	130	5
6 Both parents native.....	M.	400	70	20	18	18	126	182	18	25	124	48	3
	F.	370	62	18	14	14	108	166	24	22	98	59	1
7 One or both parents foreign.....	M.	91	20	6	3	3	32	50	5	7	22	7	
	F.	79	10	6	4	2	22	35	4	15	21	3	1
8 Foreign born.....	M.	117		1			1	2	1	4	78	32	
	F.	101						2	2	7	57	35	
9 Colored.....		27	6	2		1	9	9	2		12	3	1
10 Males.....		13	6			1	7	7	1		3	2	
11 Females.....		14		2			2	2	1		9	1	1
12 Birthplaces of mothers:													
13 United States.....	M.	421	76	22	18	20	136	194	20	25	128	51	3
	F.	385	63	20	14	14	111	169	25	22	108	59	2
14 England and Wales.....	M.	33	1	1	1	1	3	5	1	1	17	9	
	F.	30	2	1	1	1	4	6		4	11	9	
15 Ireland.....	M.	77	4	1	2	1	8	15	2	6	43	11	
	F.	84	1	1	1		3	3	2	12	45	17	
16 Scotland.....	M.	7						1			2	4	
	F.	7	1	1		1	3	3			4	4	
17 France.....	M.												
	F.												
18 Germany.....	M.	58	10	1		1	12	19	2	2	25	10	
	F.	41	5	3	1	1	10	14	3	4	13	6	1
19 Russia and Poland.....	M.	1		1			1	1					
	F.												
20 Canada.....	M.	1									1		
	F.	3						1		1			
21 Scandinavia.....	M.												
	F.	2									2		
22 Hungary.....	M.												
	F.												
23 Bohemia.....	M.												
	F.												
24 Italy.....	M.	8	4	2			6	6			2		
	F.	4	1		1		2	3	1				
25 Other foreign countries.....	M.	4	1				1	1			2	1	
	F.	1											
26 Unknown.....	M.	50	4	1	1		6	6		5	27	10	2
	F.	43	4				4	5		6	19	13	
27 Ward 2.....		1,375	229	70	48	36	383	545	77	75	483	191	4
28 Males.....		750	127	41	21	14	203	287	38	41	287	94	3
29 Females.....		625	102	29	27	22	180	258	39	34	196	97	1
30 White.....		1,297	223	64	41	35	363	512	71	66	459	185	4
31 Native born.....		1,018	223	64	41	35	363	509	71	62	267	107	2
32 Both parents native.....	M.	402	88	29	11	11	139	202	24	22	110	44	
	F.	361	74	20	19	15	128	183	27	21	82	47	1
33 One or both parents foreign.....	M.	100	33	9	5	3	50	60	11	7	26	3	1
	F.	86	23	5	4	5	37	53	8	7	16	2	
34 Foreign born.....	M.	161					2	2		4	112	42	1
	F.	112					1	1		4	76	35	
35 Colored.....		78	6	6	7	1	20	33	6	9	24	6	
36 Males.....		41	2	2	5		9	16	2	6	15	2	
37 Females.....		37	4	4	2	1	11	17	4	3	9	4	
38 Birthplaces of mothers:													
39 United States.....	M.	443	90	32	16	11	149	219	28	27	123	46	
	F.	400	77	25	22	16	140	201	31	24	92	51	1
40 England and Wales.....	M.	16	2				2	2		1	9	4	
	F.	15	2				2	2		2	6	5	
41 Ireland.....	M.	69	8	2	1	1	12	14	2	3	38	10	2
	F.	82	8	1	1	1	11	17	3	2	45	15	
42 Scotland.....	M.	6	1				1	2		1	1	2	
	F.	3									2	1	
43 France.....	M.	3											
	F.	2											
44 Germany.....	M.	128	18	6	1	2	27	33	6	4	66	19	
	F.	64	8	3	2	4	17	23	3	3	26	9	
45 Russia and Poland.....	M.	1		1			1	1					
	F.	1											
46 Canada.....	M.	3									3		
	F.	1									1		
47 Scandinavia.....	M.	1								1			
	F.	1									1		
48 Hungary.....	M.	1	1				1	1					
	F.												
49 Bohemia.....	M.												
	F.												
50 Italy.....	M.	10	3		3		6	9	1				
	F.	11	3				3	8	2			1	
51 Other foreign countries.....	M.	6								1	2	2	
	F.	2	1				1	1			1		
52 Unknown.....	M.	64	4				4	6	1	3	43	10	1
	F.	43	3		2	1	6	6	6	3	21	13	

STATISTICS OF DEATHS.

WITH DISTINCTION OF SEX, COLOR, NATIVITY, PARENTAL NATIVITY, AND BIRTHPLACES OF MOTHERS—Continued.

NEW JERSEY—Continued.

CAUSE OF DEATH.																				
All causes.	Scarlet fever.	Typhoid fever.	Malarial fever.	Diphtheria.	Croup.	Diarrheal diseases.	Consumption.	Pneumonia.	Measles.	Whooping cough.	Cancer and tumor.	Heart disease and dropsy.	Child-birth and puerperal diseases.	Diseases of the liver.	Diseases of the nervous system.	Diseases of the urinary organs.	Old age.	Still-born.	All other causes.	Unknown.
1,260	6	31	14	44	23	81	176	87	4	7	35	75	11	20	196	35	11	56	344	4
680	4	19	7	17	11	38	92	55	1	3	12	34	13	104	18	2	37	191	2	
600	2	12	7	27	12	43	84	32	3	4	23	41	7	92	17	9	19	153	2	
1,233	6	29	14	43	23	81	167	86	4	7	34	74	11	20	194	35	11	56	334	4
1,008	6	23	12	42	22	76	131	65	4	7	20	50	10	160	25	9	56	276	3	
400	2	12	6	13	7	30	48	31	2	3	6	18	4	74	10	1	28	108	1	
370	2	7	4	19	11	30	45	18	2	3	12	18	7	54	10	7	17	101	1	
91	2	1	1	4	3	4	13	6	1	1	1	3	3	11	1	7	7	107	2	
79	1	1	1	5	1	7	13	5	1	1	1	7	2	11	3	1	1	27	1	
117	3	3	2	1	1	2	22	15	2	3	10	11	5	14	7	1	1	19	1	
101	3	2	2	1	1	3	14	6	1	1	3	12	1	18	3	1	1	22	1	
27	2	1	1	1	1	1	9	1	1	1	1	1	1	2	2	1	1	10	1	
13	1	1	1	1	1	1	3	1	1	1	1	1	1	1	1	1	1	8	1	
14	1	1	1	1	1	1	6	1	1	1	1	1	1	1	1	1	1	2	1	
421	2	13	6	14	7	31	51	31	2	2	6	18	4	76	10	1	28	120	1	
385	2	8	4	20	11	30	51	19	3	3	13	19	7	55	11	7	17	103	1	
33	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	11	1	
30	1	1	1	1	1	1	2	1	1	1	2	2	1	6	3	2	2	5	1	
77	1	3	1	2	1	1	18	10	4	2	2	4	2	5	3	1	2	23	1	
84	1	3	2	2	1	3	14	5	1	3	3	10	2	12	3	1	1	18	1	
7	1	1	1	1	1	1	1	1	1	1	1	1	1	2	1	1	1	2	1	
7	1	1	1	1	1	1	1	1	1	1	1	1	1	2	1	1	1	1	1	
58	1	1	1	2	2	1	7	6	1	1	1	5	3	8	2	1	4	13	1	
41	1	1	1	3	2	3	4	1	1	1	4	6	3	7	1	1	1	11	1	
1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	
1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	
3	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	
2	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	
8	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	
4	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	
4	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	
1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	
50	2	2	1	1	1	1	12	3	2	2	2	4	1	5	1	1	2	18	1	
43	1	1	1	1	1	1	8	2	1	1	1	4	1	10	1	1	1	11	1	
1,375	11	32	19	58	19	105	168	83	4	6	34	90	7	208	58	10	88	356	4	
750	5	13	7	24	14	50	101	53	2	5	10	49	11	127	27	6	49	194	3	
625	6	19	12	34	5	55	87	30	2	1	24	41	7	81	31	4	39	162	1	
1,297	11	27	18	58	19	100	156	73	4	2	34	87	6	199	54	10	87	336	3	
1,018	11	20	15	58	17	92	103	52	4	2	15	53	4	157	36	7	87	279	3	
402	5	4	6	15	10	35	38	19	1	1	3	28	3	71	11	4	36	113	1	
361	6	7	6	24	5	36	34	15	1	1	10	20	1	48	18	2	31	96	1	
106	3	3	2	11	2	11	15	6	1	1	1	1	2	15	1	1	13	26	1	
86	4	2	10	8	1	8	9	3	1	1	1	1	3	10	4	1	7	23	1	
161	4	1	1	2	2	1	35	16	1	1	6	19	4	28	10	2	2	31	2	
112	3	2	6	1	1	6	16	5	1	1	13	15	2	14	7	1	1	24	1	
78	5	1	5	5	12	10	12	10	4	4	3	1	2	9	4	1	1	20	1	
41	1	1	1	1	1	1	7	7	4	4	1	2	2	4	2	1	1	11	1	
37	4	1	1	4	4	5	5	3	1	1	2	1	1	5	2	1	1	9	1	
443	5	5	6	15	11	36	44	26	1	4	3	29	4	76	13	4	36	124	1	
400	6	11	7	24	5	40	39	18	1	1	10	22	2	54	20	2	32	106	1	
16	2	2	2	2	2	2	2	2	1	1	1	1	1	6	2	1	1	4	1	
15	1	1	1	1	1	1	1	1	1	1	1	2	1	2	2	1	1	5	1	
69	1	1	3	2	2	2	15	11	1	1	3	5	4	9	2	1	3	15	1	
82	1	1	4	4	1	6	15	4	1	1	3	5	4	7	3	1	4	19	1	
6	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	
3	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	
3	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	
2	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	
128	4	1	1	5	2	3	26	9	1	1	3	8	2	18	4	1	8	27	1	
64	3	1	3	3	3	5	5	2	1	1	5	6	1	10	5	1	3	12	1	
1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	
1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	
1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	
1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	
10	1	1	2	1	1	1	2	2	1	1	1	1	1	1	1	1	1	3	1	
11	1	1	3	1	1	1	1	1	1	1	1	1	1	1	1	1	1	5	1	
5	1	1	1	1	1	1	2	1	1	1	1	1	1	1	1	1	1	2	1	
2	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	
64	1	1	1	1	1	2	11	5	1	1	5	4	3	14	5	1	1	17	1	
43	1	1	1	1	1	3	4	5	1	1	3	4	1	6	1	1	1	13	1	

TABLE 13.—DEATHS DURING THE 6 YEARS ENDING MAY 31, 1890, AT CERTAIN AGES AND FROM CERTAIN CAUSES, NEW JERSEY—Continued.

LOCALITIES.	All ages.	AGE.										
		Months.					Years.					
		Under 3	3 to 6	6 to 9	9 to 12	Total under 12	Under 5	5 to 15	15 to 25	25 to 65	65 and over.	Un-known.
1 Newark city—Ward 3.....	1,077	190	52	30	30	302	430	61	60	344	179	3
2 Males.....	586	107	30	14	16	167	240	27	32	199	87	1
3 Females.....	491	83	22	16	14	135	190	34	28	145	92	2
4 White.....	1,030	182	48	28	29	287	409	58	55	329	176	3
5 Native born.....	858	182	48	28	29	287	409	58	50	219	119	3
6 Both parents native.....	M. 854	82	24	11	13	130	183	18	21	86	45	1
7 One or both parents foreign.....	F. 311	55	16	11	11	93	133	23	20	87	47	1
8 Foreign born.....	M. 72	17	4	2	2	25	43	8	3	16	2	
	F. 66	25	4	3	2	34	45	9	2	5	4	1
	M. 105								3	71	31	
	F. 66								2	39	25	
9 Colored.....	47	8	4	2	1	15	21	3	5	15	3	
10 Males.....	24	5	2	1	1	9	11	1	3	8	1	
11 Females.....	23	3	2	1		6	10	2	2	7	2	
12 Birthplaces of mothers:												
13 United States.....	M. 381	88	26	12	14	140	196	20	24	94	46	1
	F. 337	59	18	12	12	101	146	25	22	93	50	1
14 England and Wales.....	M. 17	1				1	3	1	1	11	1	
	F. 13	2				2	2	3		3	5	
15 Ireland.....	M. 28	1				1	2		3	17	6	
	F. 32	3	1			4	4	3	1	17	6	1
16 Scotland.....	M. 2	2				2	2					
	F. 3									3		
17 France.....	M. 2	1				1	2					
	F. 106	13	2	2	2	19	32	6	2	46	20	
18 Germany.....	M. 62	16	3	2	1	22	29	3	3	17	10	
	F. 1					1	1					
19 Russia and Poland.....	M. 1	1				1	1				1	
	F. 1											
20 Canada.....	M. 1											
	F. 1											
21 Scandinavia.....	M. 1									1		
	F. 1											
22 Hungary.....	M. 1											
	F. 1											
23 Bohemia.....	M. 1									1		
	F. 1											
24 Italy.....	M. 1			1		1	1			1		
	F. 2					2	2					
25 Other foreign countries.....	M. 1	1	1			1	1				1	
	F. 45	2				2	2		2	28	13	
26 Unknown.....	M. 38			1	1	2	4		2	12	20	
	F. 38											
27 Ward 4.....	1,195	171	63	41	33	308	500	64	73	408	149	1
28 Males.....	699	99	34	20	16	169	259	31	30	245	74	
29 Females.....	556	72	29	21	17	139	241	33	43	163	75	1
30 White.....	1,163	166	63	39	31	299	488	61	69	399	145	1
31 Native born.....	927	166	63	39	31	299	486	57	60	226	97	1
32 Both parents native.....	M. 343	74	28	14	9	125	181	18	18	97	29	
	F. 327	56	21	13	8	98	180	20	23	58	46	
33 One or both parents foreign.....	M. 89	21	5	5	6	37	62	7	4	15	1	
	F. 90	13	6	6	7	32	50	10	8	15	6	1
34 Foreign born.....	M. 136					2	2	3	6	90	29	
	F. 90							1	3	68	18	
35 Colored.....	32	5		2	2	9	12	3	4	9	4	
36 Males.....	18	3		1	1	4	6	2	1	5	4	
37 Females.....	14	2		2	1	5	6	1	3	4		
38 Birthplaces of mothers:												
39 United States.....	M. 363	80	28	14	10	132	190	20	19	102	32	
	F. 348	60	21	15	10	106	189	21	26	65	47	
40 England and Wales.....	M. 16	1				2	3		1	11	1	
	F. 14		1			2	2			7	4	
41 Ireland.....	M. 77	3	2	1	1	7	10	7	2	48	10	
	F. 60	2	2		1	5	11	1	2	39	7	
42 Scotland.....	M. 4									3	1	
	F. 1					1	1					
43 France.....	M. 2											
	F. 1									1	1	
44 Germany.....	M. 64	8	2	2	3	15	24	1	5	23	11	
	F. 51	5	1	2	4	12	17	7	6	15	6	
45 Russia and Poland.....	M. 1									1		
	F. 3									2	1	
46 Canada.....	M. 1									1		
	F. 1									1		
47 Scandinavia.....	M. 1											
	F. 1								1			
48 Hungary.....	M. 1											
	F. 1											
49 Bohemia.....	M. 1											
	F. 1											
50 Italy.....	M. 32	5	1	2	1	9	22	2	1	6	1	
	F. 19	2	1	4	1	8	14	2		2		
51 Other foreign countries.....	M. 4					2	2			1	1	
	F. 3	1	1			2	2		1	1		
52 Unknown.....	M. 75	2		1		4	9	1	1	48	16	
	F. 54	1	2			3	5	1	7	32	9	

TABLE 13.—DEATHS DURING THE 6 YEARS ENDING MAY 31, 1890, AT CERTAIN AGES AND FROM CERTAIN CAUSES, NEW JERSEY—Continued.

LOCALITIES.	AGE.											
	All ages.	Months.					Years.					
		Under 3	3 to 6	6 to 9	9 to 12	Total under 12	Under 5	5 to 15	15 to 25	25 to 65	65 and over.	Un-known.
1 Newark city—Ward 4—Sanitary district A (a) ..	898	124	49	29	23	225	359	53	60	308	118
2 Males	475	70	27	14	11	122	185	25	24	183	58
3 Females	423	54	22	15	12	103	174	28	36	125	60
4 White	876	122	49	27	21	219	350	51	58	301	116
5 Native born	706	122	49	27	21	219	349	49	50	175	83
6 Both parents native	258	53	23	10	7	93	138	14	13	70	23
7 One or both parents foreign	43	15	3	4	3	25	39	7	4	12	1
8 Foreign born	101	10	4	3	4	21	33	9	8	14	5
9 Colored	22	2	2	2	6	9	2	2	7	2
10 Males	12	1	1	1	2	4	2	1	3	2
11 Females	10	1	2	1	4	5	1	4	
12 Birthplaces of mothers:												
13 United States	273	56	23	10	8	97	144	16	14	74	25
14 England and Wales	13	1	1	1	1	1	1	6	4
15 Ireland	64	3	1	1	1	6	9	2	38	3
16 Scotland	4	1	1	1	1
17 France	51	7	2	2	2	13	20	1	5	17	8
18 Germany	42	4	1	2	3	10	13	6	6	13	4
19 Russia and Poland	1	1	1
20 Canada	1	1	1
21 Scandinavia	1	1
22 Hungary
23 Bohemia
24 Italy	11	1	1	1	2	6	1	4
25 Other foreign countries	3	1	1	2	1	2	1	1	1
26 Unknown	53	2	1	3	4	1	1	34	13
27 Sanitary district B (b)	297	47	14	12	10	83	141	11	13	100	31	1
28 Males	164	29	7	6	5	47	74	6	6	62	16
29 Females	133	18	7	6	5	36	67	5	7	38	15	1
30 White	287	44	14	12	10	80	138	10	11	98	29	1
31 Native born	221	44	14	12	10	80	137	8	10	51	14	1
32 Both parents native	85	21	5	4	2	32	43	4	5	27	6
33 One or both parents foreign	72	14	5	3	3	24	49	3	4	11	5
34 Foreign born	26	6	2	3	3	12	23	3
35 Colored	10	3	3	3	1	2	2	2
36 Males	6	2	2	2	2	2
37 Females	4	1	1	1	1	2
38 Birthplaces of mothers:												
39 United States	90	24	5	4	2	35	46	4	5	28	7
40 England and Wales	3	1	1	1	2	1	1
41 Ireland	13	1	1	1	1	10	2
42 Scotland	23	1	1	1	3	5	14	4
43 France	1	1
44 Germany	13	1	1	1	2	4	6	3
45 Russia and Poland	9	1	2	4	1	2	2
46 Canada	1	1
47 Scandinavia
48 Hungary
49 Bohemia
50 Italy	21	4	1	1	1	7	16	2	2	1
51 Other foreign countries	11	1	1	3	1	6	3	2	1
52 Unknown	22	1	1	5	14	3
53	11	1	8	2

a. Bounded by Morris canal, Pennsylvania railroad, and Fair and Broad streets.

TABLE 13.—DEATHS DURING THE 6 YEARS ENDING MAY 31, 1890, AT CERTAIN AGES AND FROM CERTAIN CAUSES, NEW JERSEY—Continued.

LOCALITIES.	All ages.	AGE.										
		Months.					Years.					
		Under 3	3 to 6	6 to 9	9 to 12	Total under 12	Under 5	5 to 15	15 to 25	25 to 65	65 and over.	Un-known.
1 Newark city—Ward 5.....	993	186	46	36	24	292	399	69	83	323	112	7
2 Males.....	577	121	25	20	14	180	242	31	42	200	59	3
3 Females.....	416	65	21	16	10	112	157	38	41	123	53	4
4 White.....	979	184	45	36	24	289	394	68	80	319	111	7
5 Native born.....	770	184	45	36	24	289	393	66	69	179	57	6
6 Both parents native.....	M. 332 F. 240	94 49	18 15	15 13	11 8	138 85	185 117	24 27	22 23	75 47	24 23	2 3
7 One or both parents foreign.....	M. 81 F. 72	25 15	7 5	4 3	3 2	39 25	52 39	5 10	17 12	17 8	2 27	1
8 Foreign born.....	M. 121 F. 84	15	5	3	2	25	1	1	7	4	53	26
9 Colored.....	14	2	1			3	5	1	3	4	1	
10 Males.....	6	1				1	2	1	1	2		
11 Females.....	8	1	1			2	3	2	2	1		
12 Birthplaces of mothers:												
13 United States.....	M. 341 F. 240	97 49	18 15	15 13	11 8	141 85	189 117	25 27	23	77 47	25 23	2 3
14 England and Wales.....	M. 22 F. 12	3 1	1	1	1	4 3	4 3	2 3	1	9 1	6 5	
15 Ireland.....	M. 79 F. 70	7 3	4 2	1 1	1	12 7	19 11	2 2	9 12	44 35	5 9	1
16 Scotland.....	M. 6 F. 4	1				1	2 1	1	1	2	1	
17 France.....	M. 1 F. 1									1	1	
18 Germany.....	M. 66 F. 45	12 5	3 1	1 1	1	17 7	22 13	1 5	6 3	30 12	7 12	
19 Russia and Poland.....	M. 1 F. 1	1				1	1					
20 Canada.....	M. 3 F. 3	2				2	2			1		
21 Scandinavia.....	M. 1 F. 1											
22 Hungary.....	M. 2 F. 2	1				1	1			1		
23 Bohemia.....	M. 4 F. 3		1		2	3 3	3 3			1		
24 Italy.....	M. 3 F. 3	1	1		1	3 3	3 3			1		
25 Other foreign countries.....	M. 3 F. 1					2	1		1	1	1	
26 Unknown.....	M. 54 F. 34	1 2	1	1		2 3	2 4	2 1	2 2	36 23	13 4	1
27 Ward 6.....	2,897	490	210	162	125	987	1,500	200	167	779	246	5
28 Males.....	1,580	291	109	81	71	552	830	91	83	461	111	4
29 Females.....	1,317	199	101	81	54	435	670	109	84	318	135	1
30 White.....	2,877	486	208	159	125	978	1,487	200	167	773	245	5
31 Native born.....	2,254	486	208	159	125	978	1,480	196	133	376	67	2
32 Both parents native.....	M. 767 F. 651	185 128	61 60	54 53	43 33	343 274	517 424	51 59	30 34	141 109	27 25	1
33 One or both parents foreign.....	M. 457 F. 350	100 66	48 38	24 28	28 19	200 151	300 227	38 45	38 22	61 84	1 1	1
34 Foreign born.....	M. 335 F. 283	66 28	38	28	19	151	151	2	11	238	79	2
35 Colored.....	20	4	2	3		9	13			6	1	
36 Males.....	11	3		3		6	7			4		
37 Females.....	9	1	2			3	6			2	1	
38 Birthplaces of mothers:												
39 United States.....	M. 814 F. 692	195 133	66 66	60 57	45 33	366 289	550 451	57 64	31 36	148 113	27 28	1
40 England and Wales.....	M. 30 F. 29	5 2		2	1	6 4	8 5	2 4	3 2	13 12	4 6	
41 Ireland.....	M. 89 F. 86	8 9	3	1 3	1	13 13	16 18	5 5	11 8	49 40	8 15	
42 Scotland.....	M. 4 F. 6		1			1	2 1			2 5		
43 France.....	M. 1 F. 3	1				1	1		1		1	
44 Germany.....	M. 547 F. 392	68 48	39 32	19 17	23 17	149 114	228 168	25 32	33 27	201 108	58 56	2 1
45 Russia and Poland.....	M. 8 F. 7	3 2	1	1	1	4 4	7 6		1		1	
46 Canada.....	M. 3 F. 3	2				2	3			1	1	
47 Scandinavia.....	M. 1 F. 2	1				1	1				2	
48 Hungary.....	M. 1 F. 4		1			1	1			1		
49 Bohemia.....	M. 4 F. 4											
50 Italy.....	M. 9 F. 8	3		1	1	4	8			1	2	
51 Other foreign countries.....	M. 13 F. 5	2		1	1	2	2	2		9	1	
52 Unknown.....	M. 60 F. 80	3 4	1		2	3 7	3 10	3	5	38	13	1

WITH DISTINCTION OF SEX, COLOR, NATIVITY, PARENTAL NATIVITY, AND BIRTHPLACES OF MOTHERS—Continued.

NEW JERSEY—Continued.

CAUSE OF DEATH.																				
All causes.	Scarlet fever.	Typhoid fever.	Malarial fever.	Diphtheria.	Croup.	Diar-rheal dis-eases.	Con-sump-tion.	Pneu-monia.	Measles.	Whoop-ing cough.	Cancer and tumor.	Heart dis-ease and dropsy.	Child-birth and puer-peral dis-eases.	Dis-eases of the liver.	Dis-eases of the nerv-ous sys-tem.	Dis-eases of the uri-nary or-gans.	Old age.	Still-born.	All other causes.	Un-known.
993	7	19	8	41	18	81	138	59	3	3	13	51	7	8	142	52	4	75	261	3
577	4	9	1	22	8	48	86	39			8	25		6	86	27	1	49	156	2
416	3	10	7	19	10	33	52	20	3	3	5	26	7	2	56	25	3	26	105	1
979	7	18	8	41	18	80	135	58	3	3	13	50	7	8	137	52	4	74	260	3
770	7	15	8	41	18	73	89	40	3	3	6	31	4	1	112	29	2	74	213	1
332	2	6	1	13	7	36	36	19			2	12			52	8		39	98	1
227	2	7	6	13	7	23	25	12	2	2	2	12			32	6	2	20	54	1
84	2			8	1	8	12	4			1	1			10	3		10	25	1
72		1	1	6	3	6	8	2	1	1	1	2	3		9	1		3	24	1
121		2				4	32	14			5	9			15	12	1		22	1
84		1				3	13	4			2	9	3		10	11	1		24	1
14		1				1	3	1				1			5			1	1	1
6							2								3				1	
8						1	1	1				1			2			1		
341							1													
240	2	6	1	13	7	36	39	19				13			54	8		39	101	1
22		8	6	14	8	24	26	13	2	2	2	13			34	6	2	21	51	3
12	1						5					3			3	3	1	2	3	3
79							1					1			1			1	3	3
70	1	1	1	4	1	4	21	12			3	1			9	6		2	14	1
6				2		1	15	5		1	2	4	4		5	6			21	1
4								1							1	1			1	1
4															1				1	1
1															1				1	1
1															1				1	1
66		1		3	1	4	11	4			1	6			7	2		5	20	1
45				4	1	4	2	1	1			5	2		8	4	1	1	9	1
1						1												1		
1																			3	
3																				
2		1				1														
4						1									2				1	
3															1				2	
3																1			2	
1																			1	
54		1		1		2	10	3			2	3			10	6			14	1
34						1	7	1				3			4	9			5	
2,897	28	70	37	178	71	360	306	176	9	7	60	116	21	38	467	84	12	119	725	13
1,580	14	36	16	95	38	204	188	98	3	3	23	57		25	240	54	6	60	386	5
1,317	14	34	21	83	33	156	118	78	6	4	37	59	21	13	227	30	6	30	339	8
2,877	28	69	37	178	71	356	305	172	9	6	60	116	21	37	465	83	12	116	723	13
2,254	27	40	33	177	70	330	204	126	9	6	19	61	14	19	383	40	3	116	573	4
767	10	10	8	52	28	112	72	32	3	1	10	25		8	125	19		57	194	1
651	6	17	12	45	21	89	49	41	4	2	7	17	4	5	120	8	2	20	180	2
437	4	8	6	42	10	75	39	38		2		8		5	69	7		29	95	
330	6	3	6	37	11	50	31	12		1	1	6		3	60	3		9	82	1
335		17	2	1		14	68	24			13	21		11	43	26	6		85	4
283	1	12	2		1	12	33	22			28	34	6	6	38	17	3		63	5
20		1				4	1	4		1				1	2	1		3	2	
11						2	1	3								1		2	1	
9						2		1		1				1	2			1	1	
814	10	11	8	58	29	122	75	41	3	1	10	25		9	133	19		60	198	2
692	6	17	13	48	23	95	49	43	5		7	19	5	6	127	8		21	193	2
30		2	1	1		4	4	4			1	1			3	1	1	4	7	
29	1	1	1	1		2	3	7			5	3	3		2	2		6	6	
89	1	2	2	4		3	17	7				5		3	14	4		2	25	
86		5	1	3	1	3	14	6			4	6	1		16	4	2	2	17	1
4	1						1	1			1									
6								1											3	
1																		1		
3															1				2	
547	2	14	4	30	8	73	74	39		2	8	20		12	81	25	5	16	131	3
392	6	7	5	27	8	46	44	20	1		14	24	9	5	64	10	1	6	90	5
8								3							2			2	1	
7				1		1									3			1	1	
3		1						2										1	1	
3																			1	
1																			1	
1																			1	
2																			1	
1																			1	
4		1		1						1									1	
9																				
8		1		1	1	2												2	2	
8						2		1											3	
13		3	1			1	3	1							1				2	
5				1	1										2				1	
60		3				2	14	3			3	6			2				2	
80	1	2	2	1		7	7	5			5	7	3	1	11	5	1	1	13	21

TABLE 12.—DEATHS DURING THE 6 YEARS ENDING MAY 31, 1890, AT CERTAIN AGES AND FROM CERTAIN CAUSES,

NEW JERSEY—Continued.

LOCALITIES.		AGE.											
		All ages.	Months.					Years.					
			Under 3	3 to 6	6 to 9	9 to 12	Total under 12	Under 5	5 to 15	15 to 25	25 to 65	65 and over.	Un-known.
1	Newark city—Ward 7.....	1,581	247	86	54	44	431	665	100	112	567	130	7
2	Males.....	809	133	44	31	25	233	346	47	50	301	61	4
3	Females.....	772	114	42	23	19	198	319	53	62	266	69	3
4	White.....	1,552	245	83	53	44	425	655	97	109	557	128	6
5	Native born.....	1,174	245	83	53	44	425	654	94	104	271	48	3
6	Both parents native.....	M. 438 F. 383	M. 106 F. 77	M. 31 F. 32	M. 22 F. 16	M. 18 F. 11	M. 177 F. 136	M. 267 F. 225	M. 34 F. 35	M. 20 F. 28	M. 98 F. 75	M. 18 F. 19	M. 1 F. 1
7	One or both parents foreign.....	M. 142 F. 150	M. 18 F. 33	M. 10 F. 9	M. 8 F. 6	M. 7 F. 8	M. 43 F. 56	M. 65 F. 80	M. 10 F. 14	M. 24 F. 24	M. 39 F. 31	M. 3 F. 1	M. 1 F. 1
8	Foreign born.....	M. 183 F. 192	M. 1 F. 2	M. 5 F. 5	M. 1 F. 1	M. 1 F. 1	M. 1 F. 2	M. 1 F. 2	M. 2 F. 1	M. 5 F. 5	M. 145 F. 138	M. 36 F. 44	M. 1 F. 2
9	Colored.....	29	2	3	1		6	10	3	3	10	2	1
10	Males.....	13	1	2			3	3	2	1	4	2	1
11	Females.....	16	1	1			3	7	1	2	6		
Birthplaces of mothers:													
12	United States.....	M. 459 F. 398	M. 107 F. 78	M. 35 F. 33	M. 23 F. 17	M. 19 F. 11	M. 184 F. 139	M. 275 F. 232	M. 37 F. 36	M. 24 F. 30	M. 102 F. 79	M. 20 F. 20	M. 1 F. 1
13	England and Wales.....	M. 26 F. 27	M. 1 F. 1	M. 2 F. 2	M. 1 F. 1	M. 2 F. 1	M. 5 F. 8	M. 8 F. 10	M. 1 F. 2	M. 2 F. 2	M. 8 F. 7	M. 6 F. 6	M. 1 F. 1
14	Ireland.....	M. 188 F. 209	M. 9 F. 13	M. 3 F. 2	M. 3 F. 3	M. 1 F. 4	M. 16 F. 22	M. 25 F. 33	M. 6 F. 11	M. 6 F. 17	M. 116 F. 123	M. 22 F. 24	M. 1 F. 1
15	Scotland.....	M. 5 F. 5	M. 2 F. 2	M. 1 F. 1	M. 1 F. 1	M. 1 F. 1	M. 2 F. 2	M. 2 F. 2	M. 1 F. 1	M. 1 F. 1	M. 3 F. 3	M. 1 F. 2	M. 1 F. 1
16	France.....	M. 3 F. 3	M. 1 F. 1	M. 1 F. 1	M. 1 F. 1	M. 1 F. 1	M. 1 F. 1	M. 1 F. 1	M. 1 F. 1	M. 1 F. 1	M. 1 F. 1	M. 1 F. 1	M. 1 F. 1
17	Germany.....	M. 69 F. 63	M. 7 F. 10	M. 2 F. 5	M. 3 F. 1	M. 3 F. 3	M. 15 F. 19	M. 20 F. 30	M. 2 F. 2	M. 1 F. 9	M. 38 F. 17	M. 8 F. 9	M. 1 F. 1
18	Russia and Poland.....	M. 1 F. 1	M. 1 F. 1	M. 1 F. 1	M. 1 F. 1	M. 1 F. 1	M. 1 F. 1	M. 1 F. 1	M. 1 F. 1	M. 1 F. 1	M. 1 F. 1	M. 1 F. 1	M. 1 F. 1
19	Canada.....	M. 2 F. 2	M. 1 F. 1	M. 1 F. 1	M. 1 F. 1	M. 1 F. 1	M. 1 F. 1	M. 1 F. 1	M. 1 F. 1	M. 1 F. 1	M. 1 F. 1	M. 1 F. 1	M. 1 F. 1
20	Scandinavia.....	M. 2 F. 2	M. 1 F. 1	M. 1 F. 1	M. 1 F. 1	M. 1 F. 1	M. 1 F. 1	M. 1 F. 1	M. 1 F. 1	M. 1 F. 1	M. 1 F. 1	M. 1 F. 1	M. 1 F. 1
21	Hungary.....	M. 1 F. 1	M. 1 F. 1	M. 1 F. 1	M. 1 F. 1	M. 1 F. 1	M. 1 F. 1	M. 1 F. 1	M. 1 F. 1	M. 1 F. 1	M. 1 F. 1	M. 1 F. 1	M. 1 F. 1
22	Bohemia.....	M. 1 F. 1	M. 1 F. 1	M. 1 F. 1	M. 1 F. 1	M. 1 F. 1	M. 1 F. 1	M. 1 F. 1	M. 1 F. 1	M. 1 F. 1	M. 1 F. 1	M. 1 F. 1	M. 1 F. 1
23	Italy.....	M. 3 F. 3	M. 1 F. 2	M. 1 F. 1	M. 1 F. 1	M. 1 F. 1	M. 2 F. 3	M. 3 F. 3	M. 2 F. 2	M. 1 F. 1	M. 2 F. 2	M. 1 F. 1	M. 1 F. 1
24	Other foreign countries.....	M. 4 F. 2	M. 2 F. 2	M. 1 F. 1	M. 1 F. 1	M. 1 F. 1	M. 1 F. 1	M. 1 F. 1	M. 1 F. 1	M. 1 F. 1	M. 1 F. 1	M. 1 F. 1	M. 1 F. 1
25	Unknown.....	M. 52 F. 55	M. 8 F. 3	M. 1 F. 1	M. 1 F. 1	M. 1 F. 1	M. 10 F. 3	M. 11 F. 7	M. 1 F. 1	M. 5 F. 4	M. 32 F. 34	M. 8 F. 9	M. 1 F. 1
26	Ward 8.....	2,017	273	91	86	66	516	845	129	141	651	248	3
27	Males.....	1,024	157	57	42	29	285	439	71	77	342	93	2
28	Females.....	993	116	34	44	37	231	406	58	64	309	155	1
29	White.....	1,978	270	90	84	66	510	834	122	140	634	245	3
30	Native born.....	1,636	270	89	84	64	507	829	117	128	406	154	2
31	Both parents native.....	M. 622 F. 604	M. 115 F. 89	M. 47 F. 24	M. 28 F. 31	M. 18 F. 25	M. 208 F. 169	M. 328 F. 299	M. 50 F. 44	M. 44 F. 26	M. 154 F. 142	M. 45 F. 72	M. 1 F. 1
32	One or both parents foreign.....	M. 174 F. 152	M. 40 F. 24	M. 9 F. 9	M. 13 F. 11	M. 9 F. 11	M. 71 F. 55	M. 103 F. 92	M. 12 F. 11	M. 22 F. 10	M. 37 F. 32	M. 7 F. 7	M. 1 F. 1
33	Foreign born.....	M. 171 F. 167	M. 1 F. 1	M. 1 F. 1	M. 1 F. 1	M. 2 F. 1	M. 2 F. 1	M. 3 F. 3	M. 5 F. 5	M. 7 F. 5	M. 119 F. 106	M. 38 F. 53	M. 1 F. 1
34	Colored.....	39	3	1	2		6	11	7	1	17	3	
35	Males.....	20	2	1	1		4	5	4	1	9	1	
36	Females.....	19	1	1	1		2	6	3		8	2	
Birthplaces of mothers:													
37	United States.....	M. 652 F. 683	M. 120 F. 91	M. 48 F. 24	M. 29 F. 32	M. 19 F. 25	M. 216 F. 172	M. 341 F. 311	M. 54 F. 48	M. 46 F. 46	M. 163 F. 152	M. 47 F. 75	M. 1 F. 1
38	England and Wales.....	M. 44 F. 48	M. 3 F. 3	M. 1 F. 1	M. 2 F. 2	M. 3 F. 1	M. 9 F. 7	M. 14 F. 10	M. 3 F. 3	M. 3 F. 3	M. 23 F. 23	M. 12 F. 9	M. 1 F. 1
39	Ireland.....	M. 129 F. 129	M. 11 F. 6	M. 3 F. 4	M. 3 F. 3	M. 3 F. 3	M. 15 F. 16	M. 23 F. 22	M. 5 F. 5	M. 15 F. 6	M. 69 F. 69	M. 27 F. 27	M. 3 F. 3
40	Scotland.....	M. 39 F. 33	M. 7 F. 5	M. 3 F. 3	M. 2 F. 2	M. 1 F. 1	M. 13 F. 6	M. 17 F. 11	M. 3 F. 3	M. 1 F. 1	M. 13 F. 13	M. 7 F. 7	M. 1 F. 1
41	France.....	M. 2 F. 2	M. 1 F. 1	M. 1 F. 1	M. 1 F. 1	M. 1 F. 1	M. 1 F. 1	M. 1 F. 1	M. 1 F. 1	M. 1 F. 1	M. 1 F. 1	M. 1 F. 1	M. 1 F. 1
42	Germany.....	M. 78 F. 67	M. 8 F. 7	M. 2 F. 2	M. 5 F. 4	M. 2 F. 5	M. 17 F. 18	M. 22 F. 35	M. 4 F. 4	M. 8 F. 8	M. 31 F. 19	M. 15 F. 6	M. 6 F. 6
43	Russia and Poland.....	M. 1 F. 1	M. 1 F. 1	M. 1 F. 1	M. 1 F. 1	M. 1 F. 1	M. 1 F. 1	M. 1 F. 1	M. 1 F. 1	M. 1 F. 1	M. 1 F. 1	M. 1 F. 1	M. 1 F. 1
44	Canada.....	M. 3 F. 4	M. 1 F. 1	M. 1 F. 1	M. 1 F. 1	M. 1 F. 1	M. 2 F. 2	M. 3 F. 2	M. 1 F. 1	M. 1 F. 1	M. 1 F. 1	M. 1 F. 1	M. 1 F. 1
45	Scandinavia.....	M. 1 F. 1	M. 1 F. 1	M. 1 F. 1	M. 1 F. 1	M. 1 F. 1	M. 1 F. 1	M. 1 F. 1	M. 1 F. 1	M. 1 F. 1	M. 1 F. 1	M. 1 F. 1	M. 1 F. 1
46	Hungary.....	M. 1 F. 1	M. 1 F. 1	M. 1 F. 1	M. 1 F. 1	M. 1 F. 1	M. 1 F. 1	M. 1 F. 1	M. 1 F. 1	M. 1 F. 1	M. 1 F. 1	M. 1 F. 1	M. 1 F. 1
47	Bohemia.....	M. 1 F. 1	M. 1 F. 1	M. 1 F. 1	M. 1 F. 1	M. 1 F. 1	M. 1 F. 1	M. 1 F. 1	M. 1 F. 1	M. 1 F. 1	M. 1 F. 1	M. 1 F. 1	M. 1 F. 1
48	Italy.....	M. 20 F. 14	M. 5 F. 1	M. 2 F. 2	M. 2 F. 2	M. 2 F. 1	M. 9 F. 6	M. 13 F. 10	M. 2 F. 2	M. 1 F. 1	M. 5 F. 2	M. 2 F. 2	M. 1 F. 1
49	Other foreign countries.....	M. 2 F. 2	M. 1 F. 1	M. 1 F. 1	M. 1 F. 1	M. 1 F. 1	M. 1 F. 1	M. 1 F. 1	M. 1 F. 1	M. 1 F. 1	M. 1 F. 1	M. 1 F. 1	M. 1 F. 1
50	Unknown.....	M. 56 F. 61	M. 2 F. 2	M. 1 F. 1	M. 1 F. 1	M. 1 F. 1	M. 3 F. 4	M. 4 F. 5	M. 1 F. 1	M. 4 F. 3	M. 35 F. 28	M. 12 F. 25	M. 1 F. 1

STATISTICS OF DEATHS.

605

WITH DISTINCTION OF SEX, COLOR, NATIVITY, PARENTAL NATIVITY, AND BIRTHPLACES OF MOTHERS—Continued.

NEW JERSEY—Continued.

CAUSE OF DEATH.																				
All causes.	Scarlet fever.	Typhoid fever.	Malarial fever.	Diphtheria.	Croup.	Diarrheal diseases.	Consumption.	Pneumonia.	Measles.	Whooping cough.	Cancer and tumor.	Heart disease and dropsy.	Child-birth and puerperal diseases.	Diseases of the liver.	Diseases of the nervous system.	Diseases of the urinary organs.	Old age.	Still-born.	All other causes.	Unknown.
1,581	19	39	13	77	35	121	218	88	7	8	28	88	15	19	216	64	9	103	408	6
809	13	21	6	41	20	50	111	46	2	2	14	41	7	7	112	37	3	68	210	5
772	6	18	7	36	15	71	107	42	5	6	14	47	15	12	104	27	6	35	198	1
1,552	19	38	13	76	35	119	210	88	7	8	28	86	15	19	212	61	9	103	400	6
1,174	18	27	9	75	35	109	154	59	7	7	13	46	10	8	149	35	2	103	305	3
438	9	6	4	29	17	33	44	22	1	2	5	15	2	2	56	17	1	55	118	3
383	2	8	3	25	13	45	42	19	3	2	6	18	4	1	48	8	1	21	114	3
142	4	6	2	12	2	11	30	7	1	1	3	6	2	2	18	4	1	10	31	1
150	2	4	2	9	2	16	22	9	2	1	6	5	2	2	21	3	1	14	30	1
183	1	5	2	1	1	5	27	16	1	1	8	18	2	2	34	13	2	14	49	2
192	1	6	2	1	1	5	29	12	1	1	7	21	5	2	28	13	5	14	46	1
29	1	1	1	1	1	2	8	1	1	1	1	2	1	1	4	3	1	1	8	1
13	1	1	1	1	1	1	2	1	1	1	1	2	1	1	2	1	1	1	4	1
16	1	1	1	1	1	1	6	1	1	1	1	2	1	1	2	1	1	1	4	1
450	9	9	4	26	18	34	46	25	1	2	5	17	4	2	60	17	1	55	123	3
393	2	8	3	20	13	46	47	19	3	2	6	18	1	1	50	10	1	21	118	3
26	2	1	1	3	2	4	4	2	1	1	1	4	1	1	8	2	1	7	9	1
27	1	1	1	3	1	2	4	1	1	2	2	1	1	3	3	3	2	2	7	1
188	1	5	1	8	4	10	36	12	1	7	7	12	4	4	22	11	2	6	49	2
209	2	6	2	4	1	9	36	14	2	2	2	16	8	6	30	10	3	5	52	1
5	1	1	1	1	1	2	2	1	1	1	1	1	1	1	1	1	1	1	2	1
5	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	2	1
3	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	2	1
4	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	2	1
2	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	2	1
52	1	3	1	1	1	12	12	2	1	2	1	6	3	1	5	5	3	3	12	8
55	1	1	1	1	1	4	12	2	2	2	2	5	3	3	9	3	1	1	8	1
2,017	16	67	28	117	31	141	264	133	10	16	45	98	16	22	317	70	20	68	534	4
1,024	5	35	13	58	17	70	162	74	4	7	16	48	11	13	158	37	6	44	255	2
993	11	32	15	59	14	71	102	59	6	9	29	50	16	9	159	33	14	24	279	2
1,978	16	66	28	116	29	140	255	129	10	16	44	95	16	22	311	68	20	68	525	4
1,636	16	58	23	114	29	126	204	94	10	16	25	68	11	11	266	42	13	68	448	4
622	2	22	6	47	13	47	86	42	2	6	7	24	5	5	105	12	2	34	159	1
604	10	23	11	44	10	45	57	28	6	8	13	23	4	3	103	17	8	19	170	2
174	3	7	2	9	3	14	29	14	2	1	1	6	1	1	24	2	1	10	45	1
152	1	4	2	14	3	17	18	6	1	2	2	4	4	1	16	6	1	5	47	1
171	1	5	4	1	1	7	15	15	1	6	6	15	4	7	20	20	4	4	35	1
187	3	1	1	1	1	6	19	20	1	13	17	17	5	4	25	6	3	4	44	1
39	1	1	1	1	2	1	9	4	1	1	3	3	1	1	6	2	1	1	9	1
20	1	1	1	1	1	1	8	1	1	1	1	3	1	1	4	1	1	1	5	1
19	1	1	1	1	1	1	3	1	1	1	1	3	1	1	4	1	1	1	4	1
652	3	22	7	48	15	51	93	45	2	6	7	24	5	5	109	12	2	34	166	1
638	10	24	12	45	11	46	61	32	6	8	14	26	4	3	107	18	8	19	177	2
44	3	3	1	2	1	3	4	2	1	1	2	6	1	1	7	4	1	1	8	1
48	1	1	1	1	1	3	7	5	1	2	5	1	1	1	9	2	2	1	11	1
129	1	4	3	1	1	5	21	16	1	2	8	2	2	2	15	10	2	4	23	1
129	1	3	2	2	1	7	14	16	1	1	8	7	3	2	15	8	1	1	40	1
39	1	1	1	1	1	3	5	4	1	1	1	3	2	2	6	2	2	2	10	1
33	1	1	1	2	1	2	3	4	1	1	2	2	2	1	5	1	1	1	11	1
2	1	1	1	2	3	4	11	5	1	3	4	1	1	2	9	5	1	3	1	1
78	1	4	1	9	3	8	9	5	2	2	3	4	2	9	1	1	1	2	23	1
67	1	1	1	1	1	1	9	5	1	1	2	3	1	9	1	1	1	2	15	1
3	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	2	1
4	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	2	1
1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	2	1
1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	2	1
20	1	1	1	1	1	3	4	2	1	1	2	1	1	1	1	1	1	1	7	1
14	1	1	1	1	1	1	1	1	1	1	1	2	1	1	1	1	1	1	6	1
2	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	6	1
56	1	1	1	1	1	1	13	2	1	3	6	5	3	2	9	4	2	16	16	1
61	1	1	1	1	1	3	7	1	1	1	1	5	3	2	13	4	2	18	18	1

TABLE 13.—DEATHS DURING THE 6 YEARS ENDING MAY 31, 1890, AT CERTAIN AGES AND FROM CERTAIN CAUSES,

NEW JERSEY—Continued.

LOCALITIES.	All ages.	AGE.										
		Months.					Years.					
		Under 3	3 to 6	6 to 9	9 to 12	Total under 12	Under 5	5 to 15	15 to 25	25 to 65	65 and over.	Un-known.
1 Newark city—Ward 8, Sanitary district A (a).....	699	107	25	22	15	169	261	37	42	227	131	1
2 Males	347	64	13	9	7	93	138	21	21	126	40	1
3 Females	352	43	12	13	8	76	123	16	21	101	91	
4 White	685	106	25	20	15	166	256	36	42	220	130	1
5 Native born	587	106	25	20	14	165	253	34	38	167	95	
6 Both parents native.....	222	50	11	5	5	71	104	14	14	66	24	
7 One or both parents foreign.....	226	34	12	9	6	61	94	18	17	57	45	
8 Foreign born.....	51	13	2	3	1	19	29	4	4	14	4	
9 Colored.....	41	9		3	1	13	22	3	1	11	10	
10 Males	47				1	1	1	2	2	32	25	
11 Females	49						2		2	20		
12 Birthplaces of mothers:												
13 United States.....	233	51	11	6	6	74	108	15	14	71	25	
14 England and Wales.....	19	1		2		3	5		1	7	4	
15 Ireland.....	20	2		2		4	4		2	6	8	
16 Scotland.....	30	4				4	7		2	17	2	
17 France.....	35	3		1		4	7		3	15	10	
18 Germany.....	21	4	2		1	7	9		1	9	2	
19 Russia and Poland.....	13	1				1	4		1	3	5	
20 Canada.....	1	1				1	1					
21 Scandinavia.....	2	1				1	1				1	
22 Hungary.....	1											
23 Bohemia.....	1											
24 Italy.....	2	1				1	1			1		
25 Other foreign countries.....												
26 Unknown.....	21				1	1	1		1	13	5	1
27 Sanitary district B (b).....	32						2		1	11	18	
28 Males	1,318	166	66	64	51	347	534	92	99	424	117	2
29 Females	677	93	44	33	22	192	301	50	56	216	53	1
30 White	641	73	22	31	29	155	233	42	43	203	64	1
31 Native born	1,293	164	65	64	51	344	578	86	93	414	115	2
32 Both parents native.....	1,049	164	64	64	50	342	576	83	90	239	59	2
33 One or both parents foreign.....	400	65	36	23	13	137	224	36	30	88	21	1
34 Foreign born.....	373	55	12	22	19	108	205	31	29	85	27	1
35 Colored.....	123	27	7	10	8	52	74	8	18	23	8	
36 Males	111	15	9	8	10	42	70	9	9	21	3	
37 Females	124				1	1	1	3	5	27	28	
38 Birthplaces of mothers:	118					1	1		3	86	28	
39 United States.....	25	2	1			3	6	6	1	10	2	
40 England and Wales.....	10	1				2	2		3	4	2	
41 Ireland.....	15	1				1	4		3	6		
42 Scotland.....												
43 France.....	419	69	37	23	13	142	233	39	32	92	22	1
44 Germany.....	400	57	12	22	19	110	213	35	29	93	29	1
45 Russia and Poland.....	25	2	1		3	6	9		1	8	3	
46 Canada.....	28	1	1		1	3	6		4	17	4	
47 Scandinavia.....	99	7	3	1		11	16	3	13	60	7	
48 Hungary.....	94	3	4	2	3	12	15	2	6	54	17	
49 Bohemia.....	18	3	1	2		6	8	2	1	6	1	
50 Italy.....	20	4			1	5	7	1		10	2	
51 Other foreign countries.....	2											
52 Unknown.....	59	6	2	4	2	14	16	3	3	24	13	
53 Males	50	5	2	4	4	15	28	4	3	12	3	
54 Females												
55 Birthplaces of mothers:												
56 United States.....	2					1	2					
57 England and Wales.....	2					1	1					
58 Ireland.....	1											
59 Scotland.....	1											
60 France.....	18	4		2	2	8	12	2		4		
61 Germany.....	14	1	2	2	1	6	10			2	2	
62 Russia and Poland.....	2				1	1	2					
63 Canada.....	35	2		1		3	3		3	22	7	
64 Scandinavia.....	29	2		1		3	3		2	17	7	
65 Hungary.....												
66 Bohemia.....												
67 Italy.....												
68 Other foreign countries.....												
69 Unknown.....												

a Bounded by Second and Passaic rivers, Clark street, Bloomfield avenue, line of the Eleventh ward, and Bloomfield and Bellevue townships.

WITH DISTINCTION OF SEX, COLOR, NATIVITY, PARENTAL NATIVITY, AND BIRTHPLACES OF MOTHERS—Continued.

NEW JERSEY—Continued.

CAUSE OF DEATH.																					
All causes.	Scarlet fever.	Typhoid fever.	Malarial fever.	Diphtheria.	Croup.	Diarrheal diseases.	Consumption.	Pneumonia.	Measles.	Whooping cough.	Cancer and tumor.	Heart disease and dropsy.	Child-birth and puerperal diseases.	Diseases of the liver.	Diseases of the nervous system.	Diseases of the urinary organs.	Old age.	Still-born.	All other causes.	Unknown.	
699	4	21	13	31	5	48	86	55	1	3	17	40	3	8	103	25	12	41	181	2	1
347	1	11	6	15	2	24	56	30			8	18		2	45	16	2	27	84		2
352	3	10	7	16	3	24	30	25	1	3	9	22	3	6	58	9	10	14	97	2	3
695	4	21	13	30	4	48	81	54	1	3	17	40	3	8	102	24	12	41	177	2	4
587	4	18	10	28	4	43	68	42	1	3	11	29	2	5	89	19	9	41	159	2	5
222		5	4	11	1	16	26	18			5	9			34	7	1	21	58		
226	2	7	4	11	3	15	17	17	1	3	3	12	1	3	40	6	6	10	63	2	6
51	1	4	2	2		5	5	4			1	2		1	4	2	1	6	13		
41	1	1	1	1		4	6	1			1	2		1	3	1		4	11		7
47	1	1	1	1		2	8	7			1	2		2	4	5			7		
49		2	1	1		2	5	5			5	5	1	1	9		2		10		8
14				1	1		5	1							1	1			4		9
10				1	1		5								1	1			2		10
4								1							1				2		11
233		5	3	12	2	16	40	18			5	9			36	7	1	21	58		12
233	2	7	5	11	3	15	18	19	1	3	3	12	1	3	40	6	6	30	66	2	
19		1	1	1		2	1	1			1	3			3	2		1	3		13
20		1	1	1		1	2	2			1	2			3	3	2	1	5		
30		1	1	1		3	7	6			2	1			2	2	1	1	6		14
35	1	2	2	1		3	4	3			2	3			4	4	1	1	9		15
21	1	1	1	2		3	2	2			1	2	1	1	1	1		2	5		16
13			1	2		1	1	1			1	2	1	1	1	1			2		17
19	1	2	1	2		1	1	2				2			4	1		1	4		18
17				2		1	3	1							1			1	5		19
1											1								1		20
2							1														21
1																					22
2						1													1		23
21		1				1	4	1			1	3			2	2			6		24
39			1			3	2				1	3	1	1	6	2	2		10		25
1,318	12	46	15	86	26	93	178	78	9	13	28	58	13	14	214	45	8	27	353	2	26
677	4	24	7	43	15	45	106	44	4	7	8	30		11	113	21	4	17	171	2	27
641	8	22	8	43	11	47	72	34	5	6	20	28	13	3	101	24	4	10	182		28
1,293	12	45	15	86	25	92	174	75	9	13	27	55	13	14	209	44	8	27	348	2	29
1,049	12	40	13	86	25	83	186	52	9	13	14	34	9	6	177	23	4	27	284	2	30
400	2	17	4	36	12	31	50	24	2	6	2	15		5	71	5	1	13	103	1	31
378	8	16	7	33	7	30	40	11	5	5	10	11	3		63	11	2	9	107		
123	2	3	3	7	3	9	24	10	2	1		4			20			4	32	1	32
111		3	1	10	3	13	12	5		1	1	2	4		13	5	1	1	36		
124		4	2			5	24	8			5	9			16	15	3	1	28		
118		1				4	14	15			8	12	4		16	6	1		34		33
25		1			1	1	4	3			1	3			5	1			5		34
10						1	3	1							2				3		35
15		1			1		1	2			1	3			3	1			2		36
419	3	17	4	36	13	35	53	27	2	6	2	15		5	73	5	1	13	108	1	37
400	8	17	7	34	8	31	43	13	5	5	11	14	3		67	12	2	9	111		
23		2		1	1	1	3	1				3			4	2	1		5		38
25						2	5	3			1	3	1	1	6				6		
99	1	3	2	1	1	5	24	10			1	7			13	7	1	3	17		39
94		1	1	1		4	10	13		1	6	4	3	1	11	7	1		31	1	
18				1			3	2				4			5	1			5		40
20		1				1	2						1		4	1	1		9		
2													1						1		41
59		2		2		3	10	3			3	2			8	4	1	1	19		42
50		1		7	3	7	6	4			2	3			5	1		1	10		43
2															1						44
2			1			1													1		45
1												1									46
1												1									47
18				1		2	4		2	1					1				6		48
14				1		1	1								1				6		49
2															1						50
35			1				9	1			2	3			7	2			10		
29							5	1			1	2			7				8		

Bounded by Bloomfield avenue, Clark street, Passaic river, Eighth avenue, and Morris canal.

TABLE 13.—DEATHS DURING THE 6 YEARS ENDING MAY 31, 1890, AT CERTAIN AGES AND FROM CERTAIN CAUSES, NEW JERSEY—Continued.

LOCALITIES.	All ages.	AGE.										
		Months.					Years.					
		Under 3	3 to 6	6 to 9	9 to 12	Total under 12	Under 5	5 to 15	15 to 25	25 to 65	65 and over.	Un-known.
1 Newark city—Ward 9.....	949	133	36	33	23	225	323	40	70	335	178	3
2 Males.....	496	76	19	16	10	121	175	17	33	187	76	3
3 Females.....	453	57	17	17	13	104	148	23	32	148	102	
4 White.....	902	126	32	30	21	209	302	38	64	320	177	1
5 Native born.....	756	125	32	30	21	208	301	38	56	239	121	1
6 Both parents native.....	M. 320 F. 304	55 44	12 14	12 14	8 9	87 81	134 116	14 19	25 16	105 91	41 62	1
7 One or both parents foreign.....	M. 46 F. 47	15 8	4 2	2 2	1 2	22 14	27 20	1 3	5 6	10 15	3 3	
8 Foreign born.....	M. 79 F. 66	1				1	1		3	49	26	
9 Colored.....	47	7	4	3	2	16	21	2	6	15	1	2
10 Males.....	24	5	3	2		10	12	1	1	8		2
11 Females.....	23	2	1	1	2	6	9	1	5	7	1	
12 Birthplaces of mothers:												
13 United States.....	M. 345 F. 328	62 47	15 15	14 15	8 11	99 88	148 127	16 20	27 21	111 97	43 61	2
14 England and Wales.....	M. 23 F. 15	1	2		1	2	4		1	10	8	
15 Ireland.....	M. 22 F. 30	2				2	3		1	14	4	
16 Scotland.....	M. 3 F. 3							1		1	2	
17 France.....	M. 2 F. 1									1	1	
18 Germany.....	M. 57 F. 45	10 4	3	2	1	15 7	16 11	1 1	5 4	25 16	10 13	
19 Russia and Poland.....	M. 1 F. 1	1				1	1					
20 Canada.....	M. 1 F. 1									1		
21 Scandinavia.....	M. 1 F. 1											
22 Hungary.....	M. 1 F. 1											
23 Bohemia.....	M. 1 F. 1											
24 Italy.....	M. 2 F. 1				1	1	2					
25 Other foreign countries.....	M. 1 F. 2										1	
26 Unknown.....	M. 39 F. 28				1	1	1		4	24	9	1
27 Ward 10.....	1,864	305	93	72	63	533	847	119	130	579	182	7
28 Males.....	1,071	133	52	40	35	310	491	69	65	346	94	6
29 Females.....	793	122	41	32	28	223	356	50	65	233	88	1
30 White.....	1,783	288	92	70	63	513	810	115	124	553	175	6
31 Native born.....	1,448	288	91	70	61	510	802	115	113	928	86	4
32 Both parents native.....	M. 597 F. 464	136 88	37 32	29 26	22 19	224 165	354 262	49 33	30 38	126 95	37 35	1
33 One or both parents foreign.....	M. 201 F. 121	38 24	14 8	10 5	11 9	73 46	114 68	17 15	25 15	42 23	1	2
34 Foreign born.....	M. 195 F. 135				2	2	5		8	136	45	1
35 Colored.....	81	17	1	2		20	37	4	6	26	7	1
36 Males.....	36	8		1		9	16		1	12	4	1
37 Females.....	45	9	1	1		11	21	2	5	14	3	
38 Birthplaces of mothers:												
39 United States.....	M. 643 F. 515	149 98	39 36	30 28	23 20	241 182	381 290	52 35	31 43	137 108	40 38	2
40 England and Wales.....	M. 28 F. 14	6 1			2	8	10		2	9	7	
41 Ireland.....	M. 138 F. 95	8 4	3	3	1	15 10	28 18	4	20	74	12	
42 Scotland.....	M. 6 F. 3				1	1	2			1	1	2
43 France.....	M. 2 F. 1									2		
44 Germany.....	M. 179 F. 100	15 15	10 5	7 1	7 4	39 25	63 36	10 10	11 5	74 38	20 11	1
45 Russia and Poland.....	M. 1 F. 1											
46 Canada.....	M. 1 F. 1									1		
47 Scandinavia.....	M. 3 F. 3							1	1		1	
48 Hungary.....	M. 1 F. 1	1				1	1					
49 Bohemia.....	M. 6 F. 3	1				1	2	1		3		
50 Italy.....	M. 8 F. 3	1				1	2			3		
51 Other foreign countries.....	M. 3 F. 3	1				1	4			1	1	
52 Unknown.....	M. 59 F. 54	1				1	1	1	1	42	13	1

STATISTICS OF DEATHS.

609

WITH DISTINCTION OF SEX, COLOR, NATIVITY, PARENTAL NATIVITY, AND BIRTHPLACES OF MOTHERS--Continued.

NEW JERSEY--Continued.

CAUSE OF DEATH.																				
All causes.	Scarlet fever.	Typhoid fever.	Malarial fever.	Diphtheria.	Croup.	Diar-rheal diseases.	Con-sump-tion.	Pneu-monia.	Measles.	Whoop-ing cough.	Cancer and tumor.	Heart disease and dropsy.	Child-birth and puer-peral diseases.	Dis-eases of the liver.	Dis-eases of the nervous system.	Dis-eases of the urinary organs.	Old age.	Still-born.	All other causes.	Un-known.
949	5	29	10	33	9	62	142	57	3	3	22	53	4	10	144	33	7	62	260	1
496	1	16	1	18	3	31	77	34	1	1	8	26	4	4	79	20	3	37	135	1
453	4	13	9	15	6	31	65	23	2	2	14	27	4	6	65	13	4	25	125	3
902	5	26	8	33	9	58	134	54	3	3	22	50	4	10	135	31	7	62	247	1
756	5	21	7	32	9	53	117	42	3	3	16	36	4	4	114	25	4	62	198	1
320	1	10	1	15	3	20	48	19	1	1	4	17	1	1	55	13	2	31	79	1
304	4	5	6	14	5	21	47	11	1	2	7	16	3	3	44	7	2	21	85	3
46	1	1	1	2	1	3	8	6	1	1	1	1	1	1	4	3	2	6	13	7
47	1	1	1	1	1	6	4	5	1	1	3	3	1	1	6	3	1	4	9	8
79	2	2	1	4	1	4	10	7	1	1	3	6	1	1	11	5	1	1	26	8
66	3	3	1	1	1	1	7	5	1	1	3	8	1	1	10	1	2	1	23	9
47	3	2	1	1	1	4	8	3	1	1	3	3	1	1	9	2	1	1	13	10
24	1	2	2	1	1	4	2	1	1	1	1	1	1	1	6	1	1	1	8	11
23	2	2	2	1	1	6	6	2	1	1	2	2	1	1	3	1	1	1	5	12
345	11	7	8	15	3	24	50	20	1	1	4	17	1	1	62	14	2	31	88	1
328	4	7	1	14	5	21	53	13	1	2	7	17	3	3	48	8	2	21	91	2
23	1	1	1	1	1	2	3	2	1	1	1	1	1	1	5	2	1	1	4	13
15	1	1	1	1	1	2	2	1	1	1	1	3	1	1	3	1	1	1	4	14
22	2	2	2	1	1	4	4	3	1	1	1	1	1	1	1	2	2	2	7	15
30	2	2	2	1	1	3	3	4	1	1	2	2	2	2	3	1	3	3	6	16
3	1	1	1	1	1	1	1	2	1	1	1	1	1	1	1	1	1	1	2	17
3	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	18
2	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	19
2	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	20
1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	21
1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	22
39	2	2	2	1	1	2	13	1	1	1	4	4	1	1	3	1	1	1	11	23
28	1	1	1	1	1	3	3	1	1	1	4	4	1	1	5	2	1	1	5	24
1,864	19	50	19	101	47	133	254	128	5	14	30	67	5	19	318	67	5	99	478	6
1,071	9	34	10	56	25	76	156	74	3	7	11	35	11	168	41	1	63	287	4	27
793	10	16	9	45	22	57	98	54	2	7	19	32	5	150	26	4	36	191	2	28
1,788	19	47	18	99	44	128	243	121	5	13	29	62	5	304	65	5	96	455	6	29
1,448	19	38	12	99	42	118	179	94	5	13	16	40	4	13	244	40	4	96	370	2
507	8	17	7	45	15	43	57	37	1	4	2	9	8	8	95	19	4	51	178	1
464	7	8	3	32	17	35	52	32	1	5	9	14	2	5	87	8	4	26	116	1
201	1	4	1	10	6	26	41	9	2	3	1	7	1	1	28	5	10	10	47	3
121	3	5	2	10	3	13	11	11	1	1	2	5	2	2	22	4	8	20	20	3
195	1	8	1	10	2	5	43	20	1	1	6	14	1	3	34	15	1	39	39	3
135	1	4	1	10	2	5	21	6	1	1	7	8	1	3	25	10	1	43	43	1
81	3	1	2	3	3	5	11	7	1	1	1	5	1	3	14	2	3	23	23	34
36	2	1	2	1	2	2	4	4	1	1	1	4	1	7	7	2	1	14	9	35
45	1	1	2	2	2	3	7	3	1	1	1	1	1	7	7	1	2	9	9	36
643	8	19	7	46	16	47	61	40	1	4	2	10	8	105	19	4	52	197	1	37
515	7	9	4	34	19	40	58	36	1	6	10	17	3	97	10	4	28	126	1	38
28	1	1	1	1	1	2	5	1	1	1	1	1	1	7	3	1	1	5	2	39
14	1	1	1	1	1	1	2	1	1	1	1	1	1	5	1	1	1	2	1	40
138	1	6	1	3	5	5	43	12	1	1	3	8	1	12	7	1	1	31	1	41
95	1	1	1	3	2	4	14	6	1	1	4	7	1	11	6	1	1	33	1	42
6	1	1	1	1	1	1	1	1	1	1	1	1	1	2	2	1	1	2	1	43
3	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	44
2	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	45
1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	46
1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	47
6	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	48
3	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	49
3	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	50
59	5	2	1	1	1	1	14	5	1	1	3	4	1	2	7	4	1	13	4	50
54	1	2	1	1	1	2	12	4	1	1	3	3	1	15	3	1	1	11	1	51

VITAL AND SOCIAL STATISTICS.

TABLE 13.—DEATHS DURING THE 6 YEARS ENDING MAY 31, 1890, AT CERTAIN AGES AND FROM CERTAIN CAUSES, NEW JERSEY—Continued.

LOCALITIES.	All ages.	AGE.										
		Months.					Years.					
		Under 3	3 to 6	6 to 9	9 to 12	Total under 12	Under 5	5 to 15	15 to 25	25 to 65	65 and over.	Un-known.
1 Newark city, Ward 11.....	1,190	188	50	52	34	324	529	88	78	349	144	2
2 Males.....	650	111	25	29	19	184	296	51	40	190	72	1
3 Females.....	540	77	25	23	15	140	233	37	38	159	72	1
4 White.....	1,182	188	48	52	34	322	525	86	78	347	144	2
5 Native born.....	970	188	48	52	33	321	524	85	71	199	90	1
6 Both parents native.....	M. 397	85	21	25	14	145	224	30	23	82	38	
F. 322	59	22	18	8	107	177	26	18	65	35	1	
7 One or both parents foreign.....	M. 103	23	3	4	5	35	64	16	13	10		
F. 94	18	2	5	6	31	54	10	12	18			
8 Foreign born.....	M. 117							1	3	35	27	1
F. 93					1			4	61	27		
9 Colored.....	8		2			2	4	2		2		
10 Males.....	6		1			1	3	2		1		
11 Females.....	2		1			1	1			1		
12 Birthplaces of mothers:												
13 United States.....	M. 407	86	22	25	14	147	231	32	23	83	38	
F. 333	62	23	18	10	113	185	26	18	67	36	1	
14 England and Wales.....	M. 25	6		1	1	8	8	2		8	7	
F. 15	1	1	1		2	2	2			6	5	
15 Ireland.....	M. 86	4	1	1	1	7	16	6	8	42	13	1
F. 75	7				1	8	17	5	8	36	9	
16 Scotland.....	M. 2										1	
F. 4					1	1	2			1	1	
17 France.....	M. 2							1				
F. 1												
18 Germany.....	M. 78	12	2	2	3	19	35	7	6	27	3	
F. 67	3	1	4	2	10	21	3	7	7	26	10	
19 Russia and Poland.....	M. 1											
F. 1												
20 Canada.....	M. 1										1	
F. 1												
21 Scandinavia.....	M. 1									1		
F. 1												
22 Hungary.....	M. 1											
F. 1												
23 Bohemia.....	M. 1											
F. 1												
24 Italy.....	M. 2						1				1	
F. 4	4					4	4					
25 Other foreign countries.....	M. 3										3	
F. 1											1	
26 Unknown.....	M. 43	3				3	5	2	2	24	10	
F. 40	1			1	2	2	2	1	4	22	11	
26 Ward 12.....	2,778	454	198	128	131	911	1,434	169	150	847	174	4
27 Males.....	1,558	282	117	73	71	543	814	89	82	481	88	4
28 Females.....	1,220	172	81	55	60	368	620	80	68	366	86	
29 White.....	2,769	454	198	126	131	909	1,431	169	149	844	172	4
30 Native born.....	2,116	454	197	125	131	907	1,426	161	117	350	55	1
31 Both parents native.....	M. 740	138	67	51	45	351	529	51	28	123	18	
F. 571	107	46	35	33	221	377	41	28	101	24		
32 One or both parents foreign.....	M. 374	87	43	19	21	170	257	30	34	49	3	1
F. 307	62	33	16	24	135	218	31	20	36	2		
33 Foreign born.....	M. 372	1		1		2	3	4	18	283	62	2
F. 275							2	8	14	201	55	
34 Colored.....	9			2		2	3		1	3	2	
35 Males.....	5			1		1	2			1	2	
36 Females.....	4			1		1	1		1	2		
37 Birthplaces of mothers:												
38 United States.....	M. 762	192	67	54	46	359	535	55	29	125	18	
F. 596	109	51	36	35	231	391	46	30	104	25		
39 England and Wales.....	M. 30	1	2		2	5	7	2	3	14	4	
F. 15	1		1		2	2	3	2	1	5	4	
40 Ireland.....	M. 268	27	12	5	5	49	85	10	29	126	15	3
F. 249	28	4	9	5	46	76	10	16	128	19		
41 Scotland.....	M. 3		1			1	1	2				
F. 5						1	1		1	3		
42 France.....	M. 3									3		
F. 3												
43 Germany.....	M. 350	50	28	13	12	103	140	13	16	144	37	
F. 235	27	23	6	15	71	117	16	12	71	19		
44 Russia and Poland.....	M. 2					1						
F. 1										1		
45 Canada.....	M. 1	1				1	1					
F. 1												
46 Scandinavia.....	M. 2	1				1	1			1		
F. 2						1	1			1		
47 Hungary.....	M. 1				1	1	1					
F. 3							1		1	1		
48 Bohemia.....	M. 1											
F. 3												
49 Italy.....	M. 12	2	1			3	9	1	1	1		
F. 4	1				1	2	2		1	1		
50 Other foreign countries.....	M. 5									3	1	
F. 6						2	4	1	1	1		
Unknown.....	M. 119	7	6	1	5	19	32	6	3	64	13	1
F. 104	4	2	3	4	13	24	5	6	6	50	19	

STATISTICS OF DEATHS.

611

WITH DISTINCTION OF SEX, COLOR, NATIVITY, PARENTAL NATIVITY, AND BIRTHPLACES OF MOTHERS—Continued.

NEW JERSEY—Continued.

CAUSE OF DEATH.																				
All causes.	Scarlet fever.	Typhoid fever.	Malarial fever.	Diphtheria.	Croup.	Diar-rheal dis-eases.	Con-sump-tion.	Pneu-monia.	Measles.	Whoop-ing cough.	Cancer and tumor.	Heart dis-ease and dropsy.	Child-birth and puer-peral dis-eases.	Dis-eases of the liver.	Dis-eases of the nervous sys-tem.	Dis-eases of the urinary or-gans.	Old age.	Still-born.	All other causes.	Un-known.
1,190	9	33	22	76	18	109	148	74	11	8	18	62	3	18	182	38	5	64	287	5
650	2	16	14	37	12	58	77	39	9	2	5	38	3	15	97	16	1	39	169	4
540	7	17	8	39	6	51	71	35	2	6	13	24	3	3	85	22	4	25	118	1
1,182	9	33	22	76	17	109	147	71	11	8	18	60	3	18	181	38	5	64	287	5
970	9	27	17	76	16	101	108	57	11	8	10	38	3	10	142	27	1	64	240	5
397	2	8	10	24	5	41	38	21	6	1	2	24	5	5	58	9	1	34	104	4
322	6	10	6	28	5	37	28	22	1	3	7	10	2	2	56	10	2	22	66	1
103	5	5	1	11	6	13	12	6	3	1	1	3	1	1	8	5	5	5	32	7
94	2	2	4	11	1	9	17	4	1	3	3	1	1	7	11	3	3	3	28	8
117	2	2	4	11	1	4	21	5	4	3	3	12	1	7	26	5	4	28	28	8
98	4	1	1	11	1	4	18	9	1	5	5	10	1	1	13	5	4	18	18	9
8					1		1	3				2			1					10
6							1	3				1								11
2												1								12
407	2	8	10	24	6	42	39	25	6	1	2	25		5	58	9	1	34	106	4
333	6	11	6	28	5	37	29	22	2	4	7	10	2	2	59	11	2	22	69	1
25						2	2	2				1		1	6	1		2	7	13
15		1				2	3			1	1	1		2	1	2		2	2	14
86		3	1	6	1	5	20	5	1	2	2	2		2	10	2		21	7	15
75		2	1	6	1	5	17	7		1	2	2		2	8	5	3	14	14	16
2						1									1				1	17
4						1									1				1	18
2							1												1	19
1		3	1	2	5	9	7	4	1	1	1	2		3	12	2	3	22	22	20
78		1		4		5	12	2			2	6		1	11	1	1	3	21	21
67																				18
1																			1	19
1		1																		20
																				21
																				22
2								1	1											23
4																		3	1	24
3							2												1	25
1							6	4				1			10	2			10	26
43		1	1	2		1	9	4			1	3		4	5	3			10	27
40		2						4											10	28
2,778	29	68	17	130	60	277	287	249	11	19	51	112	20	26	457	83	4	97	774	7
1,553	13	39	8	59	33	147	167	144	6	8	21	61		12	278	46	2	63	447	4
1,220	16	29	9	71	27	130	120	105	5	11	30	51	20	14	179	37	2	34	327	3
2,769	29	68	17	130	60	277	285	249	11	19	51	111	20	26	453	83	4	97	772	7
2,116	23	37	10	128	59	254	191	160	11	19	17	51	10	8	369	44	2	97	615	6
740	9	8	4	30	24	76	53	56	4	5	6	18		2	154	15	2	47	223	4
571	8	15	4	42	15	70	50	40	1	2	2	14	7	2	87	14		21	171	2
374	1	7	2	26	8	59	36	31	2	1	6	8		2	61	5		15	108	3
307	7	4	2	23	9	42	26	25	3	3	1	7	2	2	49	5		13	81	3
372	1	21	2	1		10	64	54			13	34		8	49	24		6	91	4
275		10	5	1	1	13	28	35			21	25	10	10	33	15	2		65	1
9							2					1			4				2	34
5							1								2				2	35
4							1					1			2				2	36
762	9	8	4	33	25	78	56	57	5	5	6	18		2	160	16	2	47	227	4
596	9	16	4	47	15	73	51	42	1	4	6	16		2	91	14	2	21	175	2
30	1	2		2	2	2	7	3			1	1			5	2			4	3
15		1		1		1	1	3				1			4	1			3	38
268		15	3	12	3	16	40	32			4	13		3	33	9		6	79	3
249	1	4	2	8	4	19	30	28	2	5	10	13	7	7	23	9	1	6	69	1
3				1		1	1								1				1	40
5						1									1				1	41
3						1									1				1	42
350	1	10	1	8	4	44	43	40	1	1	7	19		7	61	12		8	83	4
295	5	6	2	10	5	26	19	18	1	1	8	13	3	3	43	6	1	6	59	2
2								1							1			1	1	43
1																			1	44
1																			1	45
2						1						1			1				1	46
2													1						1	47
1																			1	48
12				1		1	1	1											9	49
4						1		2							1				2	50
5						1					1	2			4				2	51
6						1					1	8			16	6			40	52
119	2	4	1	2	1	6	19	9		2	3	8		2	16	6		1	40	53
104	1	1	1	5	3	7	18	12	1	1	5	7		2	12	6			20	54

TABLE 13.—DEATHS DURING THE 6 YEARS ENDING MAY 31, 1890, AT CERTAIN AGES AND FROM CERTAIN CAUSES,

NEW JERSEY—Continued.

LOCALITIES.	AGE.											
	All ages.	Months.					Years.					
		Under 3	3 to 6	6 to 9	9 to 12	Total under 12	Under 5	5 to 15	15 to 25	25 to 65	65 and over.	Un-known.
1 Newark city—Ward 12, Sanitary district A (a)	2,333	396	165	106	111	778	1,215	139	130	695	150	4
2 Males	1,323	240	100	60	59	459	685	73	70	413	78	4
3 Females	1,010	156	65	46	52	319	530	66	60	282	72	
4 White	2,330	396	165	105	111	777	1,214	139	130	694	140	4
5 Native born	1,791	396	164	104	111	775	1,210	133	100	296	51	1
6 Both parents native	M. 625 F. 473	159 97	55 32	41 28	36 27	291 184	434 310	41 33	25 26	107 83	18 21	
7 One or both parents foreign	M. 315 F. 270	74 56	33 31	17 14	19 22	148 123	218 196	25 26	27 18	41 28	3 2	1
8 Foreign born	M. 322 F. 212		1	1		2	3 1	4 2	17 13	243 151	53 45	2
9 Colored	3			1		1	1			1	1	
10 Males	2					1				1	1	
11 Females	1			1		1	1					
12 Birthplaces of mothers:												
13 United States	M. 641 F. 493	163 99	55 36	42 29	37 28	297 192	444 322	45 38	26 27	108 84	18 22	
14 England and Wales	M. 20 F. 13		2		1	3	5 2	1 1	3 1	10 5	1 4	
15 Ireland	M. 215 F. 198	21 25	10 3	5 7	4 5	40 40	62 66	7 8	23 15	107 94	13 15	3
16 Scotland	M. 2 F. 1		1			1	1		1	1		
17 France	M. 1 F. 1									1		
18 Germany	M. 320 F. 213	45 24	25 23	12 6	12 14	94 67	130 109	13 13	15 11	127 63	35 17	
19 Russia and Poland	M. 2 F. 1		1			1	2			1		
20 Canada	M. 1 F. 1											
21 Scandinavia	M. 2 F. 2	1				1	1			1		
22 Hungary	M. 1 F. 2		1		1	1	1			1		
23 Bohemia	M. 1 F. 1											
24 Italy	M. 12 F. 2	2 1	1		1	3 2	9 2	1	1	1		
25 Other foreign countries	M. 5 F. 5					2	4	1	1	3	1	
26 Unknown	M. 102 F. 80	7 4	6 2	1 3	4 4	18 13	30 24	5 5	1 4	55 33	10 14	1
27 Sanitary district B (b)	445	58	33	22	20	133	219	30	20	152	24	
28 Males	235	42	17	13	12	84	129	16	12	68	10	
29 Females	210	16	16	9	8	49	90	14	8	84	14	
30 White	439	58	33	21	20	132	217	30	19	150	23	
31 Native born	325	58	33	21	20	132	216	28	17	60	4	
32 Both parents native	M. 115 F. 98	29 10	12 5	10 7	9 6	60 37	86 67	10 8	3 2	16 18	3	
33 One or both parents foreign	M. 59 F. 37	13 6	2 2	2 2	2 2	22 12	39 22	5 5	7 2	8 8		
34 Foreign born	M. 50 F. 63											
35 Colored	6			1		1	2		1	2	1	
36 Males	3			1		1	2			1	1	
37 Females	3								1	2		
38 Birthplaces of mothers:												
39 United States	M. 121 F. 103	29 10	12 15	12 7	9 7	62 39	91 69	10 8	3 3	17 20		
40 England and Wales	M. 10 F. 2	1			1	2	2	1		4	3	
41 Ireland	M. 53 F. 51	6 3	2 1		1	9 6	23 10	3 2	6 1	19 34	2 4	
42 Scotland	M. 1 F. 4							1		3		
43 France	M. 1 F. 2									2		
44 Germany	M. 30 F. 22	5 3	3	1		9 4	10 8		1 1	17 8	2 2	
45 Russia and Poland	M. 1 F. 1		1			1	1					
46 Canada	M. 1 F. 1											
47 Scandinavia	M. 1 F. 1											
48 Hungary	M. 1 F. 1							1				
49 Bohemia	M. 1 F. 1											
50 Italy	M. 1 F. 2								1	1		
51 Other foreign countries	M. 1 F. 1									1		
52 Unknown	M. 17 F. 24				1	1	2	1	2	9 17	3 5	

a Bounded by Passaic river, the Meadows, and Hamburg, Lang, Elm, Sanford, Lafayette, and Polk streets.

STATISTICS OF DEATHS.

WITH DISTINCTION OF SEX, COLOR, NATIVITY, PARENTAL NATIVITY, AND BIRTHPLACES OF MOTHERS—Continued.

NEW JERSEY—Continued.

CAUSE OF DEATH.																					
All causes.	Scarlet fever.	Typhoid fever.	Malarial fever.	Diphtheria.	Croup.	Diar-rheal dis-eases.	Con-sump-tion.	Pneu-monia.	Measles.	Whoop-ing cough.	Cancer and tumor.	Heart dis-ease and dropsy.	Child-birth and puer-peral dis-cases.	Dis-eases of the liver.	Dis-eases of the nerv-ous sys-tem.	Dis-eases of the uri-nary or-gans.	Old age.	Still-born.	All other causes.	Un-known.	
2,333	27	63	12	108	49	235	237	202	10	17	40	92	15	21	381	66	4	89	659	6	1
1,323	12	36	6	49	27	130	138	120	5	7	17	54	11	236	37	2	58	374	4	2	
1,010	15	27	6	59	22	105	99	82	5	10	23	38	15	145	29	2	31	285	2	3	
2,330	27	63	12	108	49	235	236	202	10	17	40	92	15	379	66	4	89	659	6	4	
1,791	26	33	8	107	48	216	160	127	10	17	12	44	6	7	309	37	2	89	528	5	
625	8	7	4	27	20	63	46	41	4	4	6	16	1	132	14	2	44	182	4	6	
473	7	13	3	35	11	55	44	31	1	1	4	12	4	67	11	10	19	152	1	7	
315	1	6	1	19	6	55	30	27	1	1	1	7	1	50	5	13	90	74	8	8	
270	7	4	1	19	8	36	19	22	3	8	10	30	1	44	4	12	12	81	1	9	
322	1	20	1	1	1	10	50	50	1	1	18	17	9	43	17	2	49	49	1	10	
212	10	3	1	1	1	9	24	25	1	1	1	17	6	20	12	2	1	1	1	11	
3							1							2							12
2							1							1							13
1														1							14
641	8	7	4	30	21	65	49	42	4	4	6	16	1	136	14	2	44	184	4	15	
493	8	14	3	40	11	57	44	33	1	3	4	13	4	69	11	10	10	156	1	16	
20	1	2	2	2	2	2	5	2	1	1	1	1	1	1	1	1	1	3	3	17	
13	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	
215	1	13	1	6	1	14	33	28	3	3	11	11	3	26	6	5	5	65	1	18	
198	1	4	5	5	3	15	23	21	2	5	9	8	5	20	8	1	5	57	1	19	
2						1								1							
1														1							
1														1							
320	1	10	1	8	4	42	33	38	1	1	6	16	7	57	11	7	7	77	1	20	
213	5	6	2	9	5	23	17	17	1	1	8	12	3	39	4	1	6	53	1	21	
2								1						1							
1														1							
2														1							
2						1								1							
1														1							
2														1							
12				1			1	1						1					9		
2						1								1					2		
5						1						2		4					2		
5						1						2		4					2		
102	2	4	2	2	1	6	17	8	2	2	2	8		13	4		1	32	1	22	
80	1	1	1	5	3	7	14	8	1	1	2	3	2	9	4			16	1	23	
445	2	5	5	22	11	42	50	47	1	2	11	20	5	76	17		8	115	1	24	
235	1	3	2	10	6	17	29	24	1	1	4	7	1	42	9		5	73	1	25	
210	1	2	3	12	5	25	21	23	1	1	7	13	5	34	8		3	42	1	26	
489	2	5	5	22	11	42	49	47	1	2	11	19	5	74	17		8	113	1	27	
325	2	4	2	21	11	38	31	33	1	2	5	7	4	60	7		8	87	1	28	
115	1	1	1	3	4	13	7	15	1	1	2	2	1	22	1		3	41	1	29	
98	1	2	1	7	4	15	6	9	1	1	2	2	3	20	3		2	19	1	30	
59	1	1	1	7	2	4	6	4	1	1	1	1	1	11	1		2	18	1	31	
37				4	1	6	7	3	1	1	1	1	1	5	1		1	7	1	32	
50		1	1	4	1	4	14	4	1	1	3	4	1	6	7		1	10	1	33	
63			2	1		4	4	10	1	1	3	8	1	7	3			16	1	34	
6							1							2				2		35	
3							1							1							
3							1							1							
121	1	1	1	3	4	13	7	15	1	1	2	2	3	24	2		3	43	1	36	
103	1	2	1	7	4	16	7	9	1	1	2	3	3	22	3		2	19	1	37	
10							2	1			1			4	1			1		38	
2				1	2	2	7	4			1	2		1	1			1			
53		2	2	6	2	2	7	7			1	2		7	3			14		39	
51				3	1	4	7	7			1	5	2	3	1			12		40	
1				1			1	1						1				1		41	
4						1	1	1						1				1		42	
2							1	1						1				1		43	
30				1		2	10	2			1	3		4	1			6		44	
22						3	2	1			1	1		4	2			6		45	
1														4				1		46	
1							1							1						47	
2								2						1						48	
1											1			3	2					49	
17							2	1			1			3	2				8	50	
24							4	4			3	4		8	2				4		

5 Bounded by Passaic river and Polk, Lafayette, Sanford, Elm, and Madison streets.

VITAL AND SOCIAL STATISTICS.

TABLE 13.—DEATHS DURING THE 6 YEARS ENDING MAY 31, 1890, AT CERTAIN AGES AND FROM CERTAIN CAUSES, NEW JERSEY—Continued.

LOCALITIES.	Allages.	AGE.										
		Months.					Years.					
		Under 3	3 to 6	6 to 9	9 to 12	Total under 12	Under 5	5 to 15	15 to 25	25 to 65	65 and over.	Un-known.
1 Newark city—Ward 13.....	3,506	585	217	202	163	1,167	1,846	230	202	881	334	13
2 Males.....	1,881	304	120	102	92	618	980	110	113	506	158	8
3 Females.....	1,625	281	97	100	71	549	866	114	89	375	176	5
4 White.....	3,457	576	212	198	159	1,145	1,822	224	200	869	329	13
5 Native born.....	2,656	575	211	197	159	1,142	1,809	215	168	376	83	5
6 Both parents native.....	M. 852	133	74	48	55	370	585	64	41	130	21	1
7 One or both parents foreign.....	F. 759	168	59	61	48	336	537	56	31	100	35	2
8 Foreign born.....	M. 516	100	41	52	34	227	364	41	54	53	8	1
9 Colored.....	F. 458	109	36	35	21	201	312	52	87	54	1	2
10 Males.....	M. 435	1	1	1	2	5	5	6	17	289	115	3
11 Females.....	F. 357	9	5	4	4	22	6	6	15	199	181	3
12 Birthplaces of mothers:												
13 United States.....	M. 907	204	80	51	59	394	625	70	42	135	84	1
14 England and Wales.....	F. 810	177	63	67	50	357	569	64	38	106	38	3
15 Ireland.....	M. 18	3	1	1	1	6	3	1	1	5	5	1
16 Scotland.....	F. 12	4	1	1	2	6	10	5	5	18	8	1
17 France.....	M. 42	5	1	1	2	6	7	3	5	20	10	1
18 Germany.....	F. 46	1	1	1	1	4	1	1	1	1	1	1
19 Russia and Poland.....	M. 2	1	1	1	1	1	1	1	1	1	1	1
20 Canada.....	F. 1	1	1	1	1	1	1	1	1	1	1	1
21 Scandinavia.....	M. 5	1	1	1	1	1	1	1	1	1	1	1
22 Hungary.....	F. 4	1	1	1	1	1	1	1	1	1	1	1
23 Bohemia.....	M. 5	1	1	1	1	1	1	1	1	1	1	1
24 Italy.....	F. 1	1	1	1	1	1	1	1	1	1	1	1
25 Other foreign countries.....	M. 6	2	1	1	4	9	15	1	1	11	1	2
26 Unknown.....	F. 2	1	1	1	1	4	9	2	2	6	20	3
27 Ward 14.....	M. 101	5	1	1	1	7	7	2	5	41	21	3
28 Males.....	F. 72	3	1	1	1	5	5	5	5	41	21	2
29 Females.....	559	98	37	25	15	175	242	30	32	160	93	2
30 White.....	549	97	37	25	15	174	240	30	29	155	93	2
31 Native born.....	M. 470	97	37	25	15	174	240	30	24	104	71	1
32 Both parents native.....	F. 185	47	13	10	6	76	106	10	9	39	21	1
33 One or both parents foreign.....	M. 189	28	17	13	6	64	88	12	10	43	35	1
34 Foreign born.....	F. 32	11	3	2	2	16	22	3	3	4	4	1
35 Colored.....	M. 34	10	4	2	1	17	23	5	2	25	9	1
36 Males.....	F. 36	1	1	1	1	4	4	2	3	26	12	1
37 Females.....	10	1	1	1	1	4	4	3	5	12	5	1
38 Birthplaces of mothers:												
39 United States.....	M. 195	50	14	10	7	81	112	10	10	42	21	1
40 England and Wales.....	F. 197	28	18	13	6	63	91	12	13	45	35	1
41 Ireland.....	M. 7	1	1	1	1	4	2	1	1	2	2	1
42 Scotland.....	F. 13	2	1	1	1	5	5	2	1	7	5	1
43 France.....	M. 18	2	1	1	1	5	2	1	1	7	5	1
44 Germany.....	F. 25	4	1	1	1	7	7	1	1	10	5	1
45 Russia and Poland.....	M. 1	1	1	1	1	4	4	1	1	1	1	1
46 Canada.....	F. 1	1	1	1	1	4	4	1	1	1	1	1
47 Scandinavia.....	M. 1	1	1	1	1	4	4	1	1	1	1	1
48 Hungary.....	F. 1	1	1	1	1	4	4	1	1	1	1	1
49 Bohemia.....	M. 2	1	1	1	1	5	5	1	1	8	4	1
50 Italy.....	F. 2	1	1	1	1	5	5	1	1	8	4	1
Other foreign countries.....	M. 22	5	1	1	1	7	11	2	1	11	4	1
Unknown.....	F. 24	3	2	1	1	7	9	2	1	9	4	1
51 Males.....	M. 2	1	1	1	1	5	5	1	1	14	8	1
52 Females.....	F. 3	1	1	1	1	5	5	1	1	9	10	1

TABLE 13.—DEATHS DURING THE 6 YEARS ENDING MAY 31, 1890, AT CERTAIN AGES AND FROM CERTAIN CAUSES.

NEW JERSEY—Continued.

LOCALITIES.	All ages.	AGE.										
		Months.					Years.					
		Under 3	3 to 6	6 to 9	9 to 12	Total under 12	Under 5	5 to 15	15 to 25	25 to 65	65 and over.	Un-known.
1 Newark city—Ward 15.....	1,100	191	66	59	35	351	513	74	76	332	104	1
2 Males.....	558	111	39	31	13	194	275	32	35	160	56	
3 Females.....	542	80	27	28	22	157	238	42	41	172	48	1
4 White.....	1,088	189	66	58	35	348	507	74	74	329	103	1
5 Native born.....	870	189	66	57	35	347	501	71	60	189	49	
6 Both parents native.....	M. 306 F. 282	73 51	27 14	22 16	9 12	131 93	186 148	27 32	19 14	53 66	21 22	
7 One or both parents foreign.....	M. 107 F. 127	29 28	11 12	7 10	4 10	51 60	71 82	8 8	9 14	23 22	1 1	
8 Foreign born.....	M. 112 F. 106			1		1	4 2	1 2	4 10	72 68	31 23	1
9 Colored.....	12	2		1		3	6		2	3	1	
10 Males.....	6	2		1		3	5			1		
11 Females.....	6						1		2	2	1	
Birthplaces of mothers:												
12 United States.....	M. 317 F. 291	76 51	28 14	24 16	9 13	197 94	194 152	28 32	20 16	54 69	21 22	
13 England and Wales.....	M. 32 F. 34	5 4	3	1	1	10	12		1	8	11	
14 Ireland.....	M. 71 F. 81	6 7		2	1	9	12	1	5	16	7	
15 Scotland.....	M. 2 F. 3			1		1	2			3		
16 France.....	M. 2 F. 2									1	1	
17 Germany.....	M. 70 F. 53	12 6	5 8	1 3	1 4	19 21	30 25	2 1	5 5	25 17	8 5	
18 Russia and Poland.....	M. 1 F. 1	1				1	1					
19 Canada.....	M. 1 F. 1	1				1				1		
20 Scandinavia.....	M. 1 F. 1	1				1	1		1			
21 Hungary.....	M. 1 F. 1											
22 Bohemia.....	M. 1 F. 1						1					
23 Italy.....	M. 23 F. 43	4 10	2 4	2 6	1 3	9 23	14 33		4	7	2	
24 Other foreign countries.....	M. 3 F. 2								1	2		
25 Unknown.....	M. 36 F. 30	7 1	1 1	2		8 4	9 5	1 1	3 1	18 19	5 4	
26 Sanitary district A: (a).....	501	70	36	29	19	154	239	33	38	155	36	
27 Males.....	260	40	23	13	8	84	126	18	16	78	22	
28 Females.....	241	30	13	16	11	70	113	15	22	77	14	
29 White.....	495	69	36	28	19	152	235	33	38	154	35	
30 Native born.....	386	69	36	27	10	151	232	31	31	81	11	
31 Both parents native.....	M. 134 F. 111	27 18	15 5	9 9	4 5	55 37	83 65	14 10	9 6	22 27	6 3	
32 One or both parents foreign.....	M. 55 F. 63	9 11	7 8	2 5	4 6	22 30	33 43	2 4	5 9	14 7	1 1	
33 Foreign born.....	M. 57 F. 52			1		1	3	1	1	33	14	
34 Colored.....	6	1		1		2	4			1	1	
35 Males.....	3	1		1		2	3					
36 Females.....	3						1			1	1	
Birthplaces of mothers:												
37 United States.....	M. 138 F. 115	28 18	15 5	10 9	4 5	57 37	86 67	15 10	9 6	22 29	6 3	
38 England and Wales.....	M. 11 F. 12	1 3	2	1	1	4	4		1	2	4	
39 Ireland.....	M. 32 F. 35	1 1		1	1	2	4	1	1	23	3	
40 Scotland.....	M. 2 F. 2			1		1	2			2		
41 France.....	M. 1 F. 1									1	1	
42 Germany.....	M. 49 F. 45	5 5	4 8	1 3	1 4	11 20	19 24	1 1	4 4	20 13	5 3	
43 Russia and Poland.....	M. 1 F. 1											
44 Canada.....	M. 1 F. 1	1				1	1					
45 Scandinavia.....	M. 1 F. 1	1				1	1		1			
46 Hungary.....	M. 1 F. 1											
47 Bohemia.....	M. 1 F. 1						1					
48 Italy.....	M. 6 F. 10	1 2	1	1	1	4	5			1	1	
49 Other foreign countries.....	M. 1 F. 1						8			1		
50 Unknown.....	M. 17 F. 20	3 1	1	2		4 3	4 4	1 1	1 1	8 12	3 2	

a Bounded by Eighth, Nesbit and Central avenues and Morris

STATISTICS OF DEATHS.

WITH DISTINCTION OF SEX, COLOR, NATIVITY, PARENTAL NATIVITY, AND BIRTHPLACES OF MOTHERS—Continued.

NEW JERSEY—Continued.

CAUSE OF DEATH.																				
All causes.	Scarlet fever.	Typhoid fever.	Malarial fever.	Diphtheria.	Croup.	Diarrheal diseases.	Consumption.	Pneumonia.	Measles.	Whooping cough.	Cancer and tumor.	Heart disease and dropsy.	Child-birth and puerperal diseases.	Diseases of the liver.	Diseases of the nervous system.	Diseases of the urinary organs.	Old age.	Still-born.	All other causes.	Unknown.
1,100	8	27	7	56	26	114	143	56	11	7	16	48	9	14	147	42	6	46	313	4
558	4	16	3	20	9	66	72	31	4	2	7	21	9	7	79	20	2	34	160	1
542	4	11	4	36	17	48	71	25	7	5	9	27	7	7	68	22	4	12	153	3
1,088	8	27	7	56	26	111	142	56	11	7	16	48	9	14	146	41	6	46	307	4
870	8	20	5	55	26	103	103	36	9	6	10	22	4	5	121	23	2	46	265	1
306	3	9	3	14	8	42	26	14	1	1	2	8	1	1	48	7	1	25	93	3
282	3	4	2	20	12	24	33	12	1	3	4	5	2	1	42	9	1	8	87	3
107	1	2	6	6	1	16	13	5	2	2	3	2	1	1	12	3	1	7	33	3
127	1	4	6	6	5	18	18	2	5	2	1	3	1	1	12	1	1	4	42	1
112	4	4	2	1	5	24	11	1	1	1	2	2	9	4	15	9	1	25	1	1
106	3	2	1	3	3	15	9	9	1	1	4	17	5	5	10	9	3	17	17	2
12	3	1	1	1	3	1	1	1	1	1	1	1	1	1	1	1	1	1	6	9
6	2	1	1	1	2	1	1	1	1	1	1	1	1	1	1	1	1	1	3	10
6	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	3	11
317	3	10	3	14	8	45	26	14	1	1	2	8	2	1	50	7	1	25	98	12
291	3	4	2	29	13	25	34	12	1	4	4	5	2	1	42	9	1	8	92	13
32	2	2	2	2	2	4	2	3	1	1	3	6	2	1	7	4	1	1	9	14
34	1	1	1	1	2	2	2	2	1	1	3	3	2	1	4	4	1	3	8	15
71	4	3	2	4	5	15	8	8	1	1	4	2	2	1	6	5	1	4	16	16
81	3	2	4	3	3	16	6	6	1	1	1	9	3	1	6	2	1	3	19	17
2	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	18
2	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	19
2	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	20
70	1	1	4	2	9	12	2	2	1	1	1	2	1	1	12	4	1	4	18	21
53	1	1	2	1	12	10	2	2	1	1	1	4	1	1	5	3	1	10	10	22
1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	23
1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	24
1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	25
23	1	1	1	1	1	5	3	2	1	1	1	2	1	2	1	2	1	2	9	26
43	1	1	1	1	1	4	4	2	5	1	1	1	1	2	2	2	1	18	2	27
3	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	2	28
2	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	2	29
36	1	1	1	1	1	14	4	1	2	1	1	2	3	3	3	2	2	7	5	30
30	1	1	1	1	1	2	4	2	2	1	1	3	1	1	6	4	2	5	7	31
501	6	8	1	28	14	65	74	27	5	4	7	22	6	5	67	10	2	12	128	1
260	3	4	8	6	37	43	15	3	1	4	9	3	3	33	9	9	9	72	1	32
241	3	4	1	20	8	28	31	12	2	3	3	13	6	2	34	10	2	3	56	2
495	6	8	1	28	14	63	74	27	5	4	7	22	6	5	67	18	2	12	125	1
386	6	5	28	14	58	51	17	4	4	5	8	3	3	54	10	12	104	30	33	
194	2	2	4	6	18	15	6	1	1	1	3	2	2	20	4	6	45	31	34	
111	2	2	15	4	11	13	6	2	1	1	2	1	2	19	3	2	29	32	35	
55	1	1	4	4	12	8	3	1	1	3	1	1	1	5	2	3	11	33	36	
63	1	3	5	4	14	10	2	2	1	1	2	4	1	1	7	3	1	14	34	37
57	2	2	4	1	4	16	6	1	1	2	4	3	1	1	7	3	2	12	9	38
52	1	1	1																	

TABLE 13.—DEATHS DURING THE 6 YEARS ENDING MAY 31, 1890, AT CERTAIN AGES AND FROM CERTAIN CAUSES, NEW JERSEY—Continued.

LOCALITIES.	All ages.	AGE.										
		Months.					Years.					
		Under 3	3 to 6	6 to 9	9 to 12	Total under 12	Under 5	5 to 15	15 to 25	25 to 65	65 and over.	Un-known.
1 Newark city—Ward 15, Sanitary district B (a).	599	121	30	30	16	197	274	41	38	177	68	1
2 Males	298	71	16	18	5	110	149	14	19	82	34	
3 Females	301	50	14	12	11	87	125	27	19	95	34	1
4 White	593	120	30	30	16	196	272	41	36	175	68	1
5 Native born	484	120	30	30	16	196	269	40	29	108	38	
6 Both parents native	M. 172 F. 171	46 33	12 9	13 7	5 7	78 56	103 83	13 22	10 8	31 39	15 19	
7 One or both parents foreign	M. 52 F. 64	20 17	4 4	5 5		29 30	38 39	1 4	4 5	9 15	1 13	
8 Foreign born	M. 55 F. 54						1 2		3 4	34 38	17 13	1
9 Colored	6	1				1	2		2	2		
10 Males	3	1				1	2			1		
11 Females	3								2	1		
12 Birthplaces of mothers:												
13 United States	M. 179 F. 176	48 33	13 9	14 7	5 8	80 57	108 85	13 22	11 10	32 40	15 19	
14 England and Wales	M. 21 F. 22	4 1	1	1		6 1	8 2			6 13	7 6	
15 Ireland	M. 30 F. 46	5 6		2		7 7	8 10		4 3	22 25	6 4	1
16 Scotland	M. 1 F. 1									1		
17 France	M. 1 F. 21		1			8 1	11 1	1	1	5 4	3 2	
18 Germany	M. 8 F. 1	1				1	1					
19 Russia and Poland	M. 1 F. 1									1		
20 Canada	M. 1 F. 1											
21 Scandinavia	M. 1 F. 1											
22 Hungary	M. 1 F. 1											
23 Bohemia	M. 1 F. 1											
24 Italy	M. 17 F. 33	3 8	1 4	1 5		5 19	9 25			6 2	2	
25 Other foreign countries	M. 2 F. 19					2 4	2 5		4 2	1 10	2 2	
26 Unknown	M. 10 F. 10	4	1			1	1			7	2	
27 Unlocated	1,330	379	19	22	6	426	469	31	88	513	213	16
28 Males	829	214	13	14	6	247	272	21	44	351	126	15
29 Females	501	165	6	8		179	197	10	44	162	87	1
30 White	1,276	363	19	22	6	410	452	30	84	492	205	13
31 Native born	M. 764 F. 221	362 78	19 8	22 10	6 5	409 101	451 115	25 12	56 10	187 66	44 18	1
32 Both parents native	M. 143 F. 148	67 104	5 2	5 3		77 109	93 118	1 3	13 8	28 18	8 1	
33 One or both parents foreign	M. 106 F. 301	79 179		3 3		82 82	84 84	3 3	8 14	11 195	1 89	
34 Foreign born	M. 179 F. 179							1	12	98	68	
35 Colored	54	16				16	17	1	4	21	8	3
36 Males	31	8				8	9		3	14	2	3
37 Females	23	8				8	8	1	1	7	6	
38 Birthplaces of mothers:												
39 United States	M. 269 F. 171	110 84	8 5	10 6	6	134 95	149 111	12 2	12 14	77 33	19 11	
40 England and Wales	M. 26 F. 19	7 9				7 9	7 9	1	1	11 7	6 2	
41 Ireland	M. 96 F. 111	16 18		1		17 18	18 19	1	6	45 42	26 39	
42 Scotland	M. 6 F. 6	2				2	2			2	2	
43 France	M. 1 F. 4									1 3		
44 Germany	M. 183 F. 82	42 34	1	2		45 35	53 36	2	8	90 30	30 9	
45 Russia and Poland	M. 6 F. 3	5 2				5 2	5 2		5	1		
46 Canada	M. 1 F. 1											
47 Scandinavia	M. 3 F. 2	1				1	1			1 2	1	
48 Hungary	M. 1 F. 1									1		
49 Bohemia	M. 1 F. 1									1		
50 Italy	M. 16 F. 7	7 5	1			8 6	8 6		1	7 1		
51 Other foreign countries	M. 15 F. 3	4 1		1		4 1	4 1	2	2	6 1	1	
52 Unknown	M. 206 F. 97	20 11	3 1	1		24 12	25 12	3 4	14 12	108 48	47 25	15 1

a Bounded by Eighth avenue, High street, and Nesbit avenue.

STATISTICS OF DEATHS.

WITH DISTINCTION OF SEX, COLOR, NATIVITY, PARENTAL NATIVITY, AND BIRTHPLACES OF MOTHERS—Continued.

NEW JERSEY—Continued.

CAUSE OF DEATH.																				
All causes.	Scarlet fever.	Typhoid fever.	Malarial fever.	Diphtheria.	Croup.	Diar-rheal dis-eases.	Con-sump-tion.	Pneu-monia.	Measles.	Whoop-ing cough.	Cancer and tumor.	Heart dis-ease and dropsy.	Child-birth and puer-peral dis-eases.	Dis-eases of the liver.	Dis-eases of the nervous sys-tem.	Dis-eases of the urinary or-gans.	Old age.	Still-born.	All other causes.	Un-known.
590	2	19	6	28	12	49	69	29	6	3	9	26	3	9	80	23	4	34	185	3
298	1	12	3	12	3	29	20	16	1	1	3	12		4	46	11	2	25	88	
301	1	7	3	16	9	20	40	13	5	2	6	14	3	5	34	12	2	9	97	3
593	2	19	6	28	12	48	68	29	6	3	9	26	3	9	79	23	4	34	182	3
484	2	15	5	27	12	45	52	19	5	2	5	14	1	2	67	13	2	34	161	1
172	1	7	3	10	2	24	11	8			1	5			28	3		19	48	
171	1	4	2	14	8	13	20	6	1	1	3	3		1	23	6	1	6	58	
62		2		2	1	4	5	2	1	1	1	1			7	1		4	22	
64		1		1	1	4	8	3	3	1	1	3	1		7	1		3	28	1
55		2				1	4	8			2	5		3	8	6		1	13	
54		2	1	1		2	8	5	1	1	2	7	2	4	4	4	1		8	2
6						1	1								1				3	
3						1	1								1				2	
3						1	1								1				1	
179	1	8	3	10	2	25	11	8			1	5		1	29	3	1	19	52	
176	1	4	2	14	8	14	21	6	1	2	3	3		1	23	6	1	6	60	
21						1	1	2				6			5				6	
22		1			1	1	1	1			3	3		1	2	3			5	
39		2				1	7	4			2	3		1	4	5	1	2	10	
46		1	1	1		2	9	3			3	5	2	1	4	1	3	3	11	
1														1						
1								1												
21				1	1	2	3		1						5	2		2	6	
8							3		1						1	1			3	
1															1					
1															1					
17		1		1		3	2	1		1		2		1	1				9	
33				1			3	1	4				1		2				16	
2																			2	
2		1				1														
19		1					7	1				1		1	2			2	3	
10							3	2				1		1	1				2	
1,830	2	28	4	13	5	37	190	50			32	63	5	17	176	62	17	324	305	
829		19	2	7	2	19	123	36			17	39		14	115	45	8	185	198	
501	2	9	2	6	3	18	67	14			15	24	5	3	61	17	9	139	107	
1,276	2	27	4	13	5	37	183	46			32	61	5	16	171	59	17	311	287	
764	2	6	1	12	5	26	98	23			6	20	2		89	23	2	311	143	
221		4	1	5	10	10	26	10			1	7			35	8	1	59	54	
143	2	1		4	2	7	15	7			3	4	1		18	1		54	31	
148		1		2	2	2	9	4			1				11	1		99	16	
106				1	1	3	11	2				1			6	3		70	8	
301		14	1			5	65	13			15	20		12	53	25	5		73	
179		7	2	1		6	24	9			11	18	3	3	25	10	9		51	
54		1					7	4				2		1	5	3		13	18	
31							5	3				2		1	2	3		7	8	
23		1					2	1						3				6	10	
269		4	1	5		10	29	12			1	8		1	39	10	1	37	61	
171	2	2		4	3	7	17				3	4	1		21	1		69	37	
26							4					1		3	5	2	1	6	5	
19							4					1			3			7	3	
96		3				1	15	5			4	4		4	19	8		14	19	
111		2	1			3	14	3			8	10	1	1	9	6	6	17	30	
6							1								2			2	1	
1							1					1			1				1	
4								1				1			1					
182		9		2	2	5	27	9			8	10		1	22	9	3	40	36	
82		4		1		2	10	1			3	3	1	1	10	3	1	29	13	
6		1										1					5			
3								1				1						1		
2							1								1					
1				1			1				1									
2							1													
1							1													
10							1	1			1					2		7	4	
7						1	1	1										5	1	
3		1					7								1			4	1	
3							1	1										1	1	
206		1	1			3	37	7			2	16		5	27	14	3	19	71	
97		1	1			5	20	7			1	4	1	1	16	6	2	9	23	

TABLE 13.—DEATHS DURING THE 6 YEARS ENDING MAY 31, 1890, AT CERTAIN AGES AND FROM CERTAIN CAUSES,

NEW JERSEY—Continued.

LOCALITIES.	All ages.	AGE.										
		Months.					Years.					
		Under 3	3 to 6	6 to 9	9 to 12	Total under 12	Under 5	5 to 15	15 to 25	25 to 65	65 and over.	Un-known.
1 Orange city	2,331	414	116	94	73	697	1,006	126	156	771	266	6
2 Males	1,251	222	60	46	37	365	525	69	90	438	125	4
3 Females	1,080	192	56	48	36	332	481	57	66	333	141	2
4 White	2,241	399	110	88	71	668	967	114	150	745	259	6
5 Native born	1,768	398	109	87	70	664	959	108	118	418	163	2
6 Both parents native	M. 572	129	27	21	18	195	285	37	26	154	70	
F. 502	104	34	24	20	182	253	34	21	122	71	1	
7 One or both parents foreign	M. 334	82	27	21	18	148	213	20	39	54	7	1
F. 276	78	20	21	14	133	200	16	23	36	1	1	
8 Foreign born	M. 250	1		1		2	4	4	17	184	38	3
F. 218		1			1	2	4	2	14	140	57	1
9 Colored	90	15	6	6	2	29	39	12	6	26	7	
10 Males	45	8	5	3	1	17	19	7	1	15	3	
11 Females	45	7	1	3	1	12	20	5	5	11	4	
12 Birthplaces of mothers:												
13 United States	M. 644	144	36	29	20	229	327	48	29	166	74	
F. 577	119	39	31	23	212	300	39	27	135	75	1	
14 England and Wales	M. 39	7	1	3	6	12	1	1	21	4		
F. 31	7			2	10	11	1	4	3	7		
15 Ireland	M. 276	35	10	9	14	68	100	12	39	104	20	1
F. 257	35	8	8	5	56	93	12	21	105	25	1	
16 Scotland	M. 13	5	1		6	8			3	1		
F. 7	1				1	1			4	2		
17 France	M. 1							1		1	2	
F. 3												
18 Germany	M. 114	21	9	5	1	36	48	4	7	45	9	1
F. 97	20	7	7	6	40	60	5	7	19	6		
19 Russia and Poland	M. 4		1			1	1		1	1	1	
F. 2												
20 Canada	M. 5					1	1			1	1	
F. 4					1	1	2			3	1	
21 Scandinavia	M. 1									1		
F. 1				1		1	1					
22 Hungary	M. 1											
F. 1												
23 Bohemia	M. 1									1		
F. 1										2		
24 Italy	M. 25	11	1		1	13	19	1	3	3		
F. 13	7	1	1		9	10	2		1	1		
25 Other foreign countries	M. 5	1				1	2		1	1	1	
F. 2		2			4	5	2	8	93	19	2	
26 Unknown	M. 123	2				4	5		7	53	22	
F. 86	3				3	4	4					
27 Gloucester county	2,954	438	158	94	92	782	1,121	153	191	760	708	21
28 Males	1,568	279	94	48	38	459	632	84	101	370	372	9
29 Females	1,386	159	64	46	54	323	489	69	90	390	336	12
30 White	2,814	408	148	87	85	728	1,052	149	172	739	683	19
31 Native born	2,674	406	148	87	85	726	1,048	148	169	672	625	12
32 Both parents native	M. 1,274	233	77	46	33	339	548	70	78	238	286	4
F. 1,111	132	55	37	46	270	418	54	59	310	268	7	
33 One or both parents foreign	M. 113	25	10	4	39	46	11	15	24	17		
F. 112	13	5	4	2	24	36	13	15	32	16		
34 Foreign born	M. 77	1				2	1	1	35	36	2	
F. 50					1	1		1	25	21	2	
35 Colored	140	30	10	7	7	54	69	4	19	21	25	2
36 Males	62	19	6	2	1	28	33	2	5	8	12	2
37 Females	78	11	4	5	6	26	36	2	14	13	13	
38 Birthplaces of mothers:												
39 United States	M. 1,346	255	86	48	35	424	589	75	84	296	296	6
F. 1,202	144	59	43	52	298	454	58	75	326	282	7	
40 England and Wales	M. 20	4	1			5	7		5	7	1	
F. 14					1	1			3	9		
41 Ireland	M. 65	9	2		2	13	14	1	9	22	19	
F. 61	3	1			2	4	9	4	10	25	11	2
42 Scotland	M. 3									1	2	
F. 1												
43 France	M. 1					1	1			1	2	
F. 3												
44 Germany	M. 74	3	5		1	14	18	7	6	23	20	
F. 56	6	4	1		11	14	7	3	20	12		
45 Russia and Poland	M. 1									1		
F. 1				1		1	1					
46 Canada	M. 1									1	1	
F. 3		1				1	1			1	1	
47 Scandinavia	M. 3					1	2					
F. 3					1	1	2			1		
48 Hungary	M. 1											
F. 1												
49 Bohemia	M. 1									1		
F. 2		1		1		2	2					
50 Italy	M. 1										1	
F. 1		1				1	1					
Other foreign countries	M. 4					1	1		1	1	1	
F. 1						1	1					
51 Unknown	M. 52	1				1	1	1	2	19	27	2
F. 37	3					3	3		13	18	8	

STATISTICS OF DEATHS.

WITH DISTINCTION OF SEX, COLOR, NATIVITY, PARENTAL NATIVITY, AND BIRTHPLACES OF MOTHERS—Continued.

NEW JERSEY—Continued.

CAUSE OF DEATH.

All causes.	Scarlet fever.	Typhoid fever.	Malarial fever.	Diphtheria.	Croup.	Diar-rheal dis-eases.	Con-sump-tion.	Pneu-monia.	Measles.	Whoop-ing cough.	Can-cer and tumor.	Heart dis-ease and dropsy.	Child-birth and puer-peral dis-eases.	Dis-eases of the liver.	Dis-eases of the nerv-ous sys-tem.	Dis-eases of the uri-nary or-gans.	Old age.	Still-born.	All other causes.	Un-known.
2,331	25	46	7	74	44	221	299	212	8	27	54	112	17	16	275	121	19	154	590	10
1,251	13	17	4	37	25	113	193	112	3	11	21	57	9	159	67	6	79	316	4	
1,080	12	29	3	37	19	108	101	100	5	16	33	55	17	116	54	13	75	274	6	
2,241	23	45	6	74	43	212	286	199	8	21	53	109	14	15	267	117	17	151	571	10
1,768	22	30	5	71	41	181	204	152	8	21	39	70	7	8	211	60	9	151	470	8
572	7	7	2	26	8	41	75	45	3	2	11	23	3	3	73	26	2	57	158	3
502	5	10	1	28	8	53	39	49	2	3	21	22	3	1	60	17	5	45	129	1
334	5	5	2	8	15	46	45	31	6	3	3	12	4	2	43	7	20	83	1	
276	5	4	2	8	10	38	23	18	3	9	3	8	3	1	25	8	29	78	3	
250	1	4	1	2	1	19	54	25	3	3	6	20	3	2	31	30	3	52	78	3
218	11	1	1	1	1	12	27	22	2	8	19	7	4	25	26	5	47	47	2	
90	2	1	1	1	1	9	13	13	1	6	1	3	3	1	8	4	2	3	19	1
45	1	1	1	1	1	5	8	6	2	1	1	3	1	5	2	1	2	10	1	
45	2	1	1	1	1	4	5	7	1	4	1	3	3	3	2	1	1	9	1	
644	9	9	2	23	10	48	82	54	3	5	12	24	4	81	29	3	60	178	3	
577	7	10	2	29	19	62	47	58	4	9	22	26	6	66	19	6	47	145	1	
39	1	1	1	1	1	5	3	4	1	1	1	5	1	5	2	1	2	8	1	
81	1	3	3	1	6	1	1	1	1	1	1	4	1	1	1	1	2	9	1	
276	2	3	1	5	6	29	54	27	3	3	3	18	2	35	17	2	9	59	1	
257	3	7	1	1	6	24	33	18	1	5	4	12	6	27	24	3	12	64	1	
13	1	1	1	1	1	3	2	2	1	1	1	1	1	2	1	1	3	1	1	
7	1	1	1	1	1	2	1	1	1	1	1	1	1	1	1	1	1	1	1	
1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	
1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	
114	1	3	1	6	5	13	17	9	1	1	2	3	1	1	14	9	4	32	1	
97	1	2	1	1	2	13	8	11	1	1	2	5	1	9	9	11	25	1		
4	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	
2	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	
5	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	
4	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	
1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	
1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	
1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	
25	1	1	1	1	2	2	2	2	1	1	1	2	1	4	2	2	3	9	4	
13	1	1	1	1	1	1	1	2	1	1	1	1	1	2	2	1	2	4	2	
5	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	
2	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	
123	6	1	1	2	1	12	37	17	1	1	3	4	1	14	8	2	24	21	1	
80	1	1	1	1	1	4	11	7	1	3	3	8	4	8	7	2	21	21	1	
2,654	40	75	18	39	66	298	355	143	3	28	60	221	18	52	493	58	67	164	749	7
1,568	23	45	4	18	44	154	170	66	14	15	113	23	260	47	38	115	413	6		
1,386	17	30	14	21	22	144	185	77	3	14	45	108	18	29	233	11	29	49	336	1
2,814	40	72	17	39	65	286	337	133	2	24	57	208	15	50	474	58	65	154	711	7
2,674	39	70	16	39	65	278	321	122	2	24	53	189	15	49	452	53	56	154	671	6
1,274	22	36	3	16	40	129	134	52	3	8	14	88	20	20	218	39	26	99	325	5
1,111	14	21	10	20	18	121	143	58	2	10	36	78	14	25	190	8	22	45	272	1
113	5	1	2	2	2	12	19	4	4	2	1	5	1	1	12	3	1	7	35	1
112	3	5	2	1	4	13	20	4	2	1	1	11	1	2	14	2	2	2	24	1
77	1	2	1	1	6	9	7	6	1	2	1	9	1	1	10	4	6	6	22	1
50	1	1	1	1	2	7	7	5	3	1	2	10	1	1	10	1	3	10	10	1
140	3	1	1	1	1	12	18	10	1	4	3	13	3	2	19	2	10	38	38	1
62	2	1	1	1	1	5	6	3	2	2	6	6	1	10	1	1	8	17	17	1
78	1	1	1	1	1	7	12	7	1	2	3	7	3	9	9	2	2	21	21	1
1,346	22	38	3	16	43	135	140	55	11	14	94	17	21	228	39	27	108	347	5	
1,202	14	25	11	20	18	130	158	67	3	12	39	85	17	203	8	23	46	295	1	
20	1	1	1	1	1	1	1	1	1	1	1	1	1	5	3	1	6	6	4	1
14	1	1	1	1	1	3	3	1	1	1	1	1	1	4	4	1	4	4	4	1
65	3	4	1	3	7	16	16	4	2	2	3	3	1	5	1	4	4	15	15	1
61	4	1	1	3	4	13	13	5	1	1	1	10	1	8	1	4	4	11	11	1
3	1	1	1	1	1	1	1	1	1	1	1	1	1	8	1	1	2	2	2	1
1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
3	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
74	1	4	1	2	1	10	8	2	1	1	1	9	1	7	3	2	2	20	20	1
56	2	1	1	1	1	6	8	1	1	1	1	9	1	6	2	1	1	16	16	1
1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
3	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
3	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
3	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
4	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
52	1	1	1	1	1	1	3	2	1	1	1	6	1	13	1	4	1	19	19	1
37	1	1	1	1	1	1	2	3	1	1	6	2	1	10	2	2	1	8	8	1

VITAL AND SOCIAL STATISTICS.

TABLE 13.—DEATHS DURING THE 6 YEARS ENDING MAY 31, 1890, AT CERTAIN AGES AND FROM CERTAIN CAUSES,

NEW JERSEY—Continued.

LOCALITIES.	All ages.	AGE.										
		Months.					Years.					
		Under 3	3 to 6	6 to 9	9 to 12	Total under 12	Under 5	5 to 15	15 to 25	25 to 65	65 and over.	Un-known.
1 Henderson county, rural.....	3,931	598	208	145	181	1,082	1,669	211	240	1,282	512	17
2 Males.....	2,249	345	112	78	65	600	917	138	126	763	293	14
3 Females.....	1,682	253	96	67	66	482	752	104	85	519	219	3
4 White.....	3,890	592	207	144	181	1,074	1,657	239	207	1,270	503	14
5 Native born.....	2,638	586	208	142	124	1,055	1,821	222	160	477	152	1
6 Both parents native.....	M. 482 F. 514	161 116	46 38	31 80	20 26	258 210	390 322	60 40	31 26	146 84	55 42	3
7 One or both parents foreign.....	M. 686 F. 561	162 125	59 53	41 34	36 36	298 248	462 381	60 52	53 39	100 77	10 12	1
8 Foreign born.....	M. 698 F. 527	1 3	3 1	2 2	4 3	8 9	16 18	8 9	29 15	438 332	200 151	2 2
9 Colored.....	41	6	1	1	1	8	12	1	4	12	9	3
10 Males.....	28	5	1	1	1	7	10	1	1	8	5	3
11 Females.....	13	1	1	1	1	1	2	1	3	4	4	3
12 Birthplaces of mothers:												
13 United States.....	M. 775 F. 585	180 132	55 42	43 34	23 20	301 237	453 377	69 48	33 32	161 92	59 48	1
14 England and Wales.....	M. 98 F. 72	13 9	4 4	3 5	4 5	24 20	37 32	4 4	3 9	35 18	19 9	1
15 Ireland.....	M. 383 F. 381	31 18	8 13	5 6	8 8	52 45	90 77	20 11	29 17	174 170	68 55	2 2
16 Scotland.....	M. 22 F. 37	4 3	1 3	1 1	3	12 12	16 9	1 3	2 3	14 10	4 12	1
17 France.....	M. 42 F. 574	3 78	5 35	1 18	1 21	8 152	8 235	3 31	3 33	15 203	6 71	1
18 Germany.....	M. 439 F. 4	65 1	23 1	18 1	19	125 5	194 2	29 2	20	137 2	59	1
19 Russia and Poland.....	M. 4 F. 4	1 1	1	1	1	3 3	5 5	2 2	1	2 2	1	1
20 Canada.....	M. 7 F. 3	1 1	1	1	1	5 7	5 7	2 1	1	2 4	3	1
21 Scandinavia.....	M. 19 F. 9	4 3	1	1	1	7 3	11 5	1	1	4 3	3	1
22 Hungary.....	M. 2 F. 1	1	1	1	1	1 1	1 1	1	1	1	1	1
23 Bohemia.....	M. 1 F. 1	1	1	1	1	1 1	1 1	1	1	1	1	1
24 Italy.....	M. 26 F. 16	4 1	1 1	1 2	2	8 2	16 8	1 1	2 1	5 11	2 1	2
25 Other foreign countries.....	M. 26 F. 21	2 3	3 4	2 2	1	8 9	10 15	1 1	1	4 20	1 55	2 9
26 Unknown.....	M. 277 F. 131	19 8	3 5	4 2	5 1	31 16	41 30	6 3	4	146 59	55 34	9 1
27 Bayonne city.....	2,194	465	136	117	102	820	1,238	156	136	526	134	6
28 Males.....	1,202	272	83	65	55	475	694	84	78	287	55	4
29 Females.....	992	193	53	52	47	345	542	72	58	239	79	2
30 White.....	2,178	462	134	117	101	814	1,226	156	134	524	132	6
31 Native born.....	1,711	462	133	116	99	810	1,201	144	86	208	75	2
32 Both parents native.....	M. 379 F. 292	102 62	31 17	18 10	15 13	166 102	238 159	33 29	14 13	63 58	30 33	1
33 One or both parents foreign.....	M. 550 F. 476	166 129	51 34	47 41	39 32	303 236	437 363	42 40	33 23	35 43	3 6	1
34 Foreign born.....	M. 252 F. 206	1 3	1	1	2	1 3	11 14	8 3	28 20	186 133	19 36	1
35 Colored.....	16	3	2	1	1	6	10	2	2	2	2	1
36 Males.....	8	3	2	1	1	4	7	1	1	2	2	1
37 Females.....	8	2	1	1	1	2	3	1	1	2	2	1
38 Birthplaces of mothers:												
39 United States.....	M. 431 F. 339	119 71	39 23	23 14	19 16	200 124	280 192	37 33	16 15	67 63	30 35	1
40 England and Wales.....	M. 57 F. 51	8 8	3 1	6 6	1 1	18 16	31 25	3 2	3 2	17 16	3 5	1
41 Ireland.....	M. 389 F. 367	76 56	20 14	13 17	14 17	121 104	192 177	30 22	35 22	121 118	11 27	1
42 Scotland.....	M. 11 F. 7	3 1	3 1	2 1	2	5 2	6 3	1	1	4 2	1 1	1
43 France.....	M. 4 F. 169	1 35	1 3	1 15	1 15	2 78	2 103	1 11	1 3	1 41	1 6	1
44 Germany.....	M. 132 F. 16	32 7	7 2	7 1	9	56 8	84 9	9 12	12	21 6	6	1
45 Russia and Poland.....	M. 10 F. 12	4 4	1	1	2	6 6	9 9	2	1	1	1	1
46 Canada.....	M. 16 F. 10	2 1	2 1	2 2	2	8 5	10 9	2	2	4 1	4	1
47 Scandinavia.....	M. 33 F. 32	13 9	1 5	2	2	16 17	27 24	3	2	3 3	3	1
48 Hungary.....	M. 4 F. 1	2	1	1	1	3 3	3	1	1	1	1	1
49 Bohemia.....	M. 23 F. 16	8 5	4 1	4 2	2	18 9	13	1	1	5 3	3	1
50 Italy.....	M. 16 F. 32	5 2	1	2	1	9 2	13 3	1	1	2 8	2	3
51 Other foreign countries.....	M. 32 F. 19	2 2	2	2	1	2 2	2 3	1	1	2 8	4	1

STATISTICS OF DEATHS.

623

WITH DISTINCTION OF SEX, COLOR, NATIVITY, PARENTAL NATIVITY, AND BIRTHPLACES OF MOTHERS—Continued.

NEW JERSEY—Continued.

CAUSE OF DEATH.

All causes.	Scarlet fever.	Typhoid fever.	Malarial fever.	Diphtheria.	Croup.	Diarrheal diseases.	Consumption.	Pneumonia.	Measles.	Whooping cough.	Cancer and tumor.	Heart disease and dropsy.	Child-birth and puerperal diseases.	Diseases of the liver.	Diseases of the nervous system.	Diseases of the urinary organs.	Old age.	Still-born.	All other causes.	Unknown.
3,981	37	46	51	179	65	342	491	327	18	21	69	172	18	64	594	128	84	202	1,016	7
2,249	18	26	32	96	33	185	298	170	12	12	28	94	-----	42	355	69	42	113	618	6
1,682	19	20	19	83	32	157	193	157	6	9	41	73	18	22	239	59	42	89	398	1
3,890	37	46	50	179	65	340	486	322	18	21	69	171	16	64	589	127	81	202	1,000	7
2,633	32	29	28	171	61	298	244	187	17	21	25	74	10	21	406	61	22	202	720	4
682	5	5	11	40	10	72	60	44	2	5	6	19	-----	9	127	15	9	53	188	-----
514	6	2	4	35	14	49	38	39	4	4	6	20	6	3	75	12	6	43	148	-----
686	10	14	3	49	19	78	59	54	10	7	3	13	-----	6	96	11	3	53	195	3
561	10	6	8	48	17	81	50	43	1	5	7	10	4	3	84	15	1	43	135	-----
693	3	5	16	6	3	21	140	64	-----	-----	13	50	-----	27	110	36	28	-----	169	1
527	2	12	6	2	1	19	95	70	1	-----	26	47	6	16	69	30	31	-----	89	1
41	-----	-----	1	-----	-----	2	5	5	-----	-----	-----	1	2	-----	5	1	3	-----	16	-----
23	-----	-----	1	-----	-----	2	3	4	-----	-----	-----	1	-----	-----	4	1	2	-----	10	-----
13	-----	-----	-----	-----	-----	2	2	1	-----	-----	-----	-----	2	-----	1	-----	1	-----	6	-----
775	6	8	13	45	14	81	64	53	5	6	6	21	-----	10	141	18	10	60	214	-----
585	7	3	4	39	13	61	42	42	4	4	6	20	9	3	88	13	7	44	171	-----
98	1	2	3	2	2	5	8	8	-----	2	-----	5	-----	1	21	5	3	3	25	-----
72	2	3	2	7	4	4	3	4	1	-----	4	1	2	-----	7	1	1	2	21	-----
363	2	9	4	9	4	14	83	35	2	3	-----	22	-----	11	53	16	12	12	84	1
331	3	7	3	7	3	19	63	45	-----	1	6	26	2	8	43	12	13	9	61	-----
22	-----	-----	1	-----	-----	2	2	2	-----	-----	-----	3	-----	-----	6	3	1	3	11	-----
37	-----	-----	1	-----	-----	1	4	1	-----	-----	-----	5	-----	3	10	-----	-----	-----	7	-----
37	-----	1	1	-----	-----	1	3	4	-----	-----	1	5	-----	-----	2	3	-----	-----	4	-----
32	-----	-----	-----	2	1	4	3	2	-----	1	-----	5	-----	-----	2	-----	5	-----	7	-----
574	8	3	6	28	9	54	70	55	3	1	11	22	-----	12	79	20	5	25	160	3
439	5	7	6	22	5	46	52	44	-----	3	14	19	3	7	64	20	5	24	92	-----
4	-----	-----	-----	-----	-----	1	-----	-----	-----	-----	-----	-----	-----	-----	1	-----	-----	-----	2	-----
4	-----	-----	-----	-----	-----	1	-----	-----	-----	-----	-----	-----	-----	-----	1	-----	-----	-----	1	-----
7	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	1	-----	-----	-----	1	-----
3	-----	-----	-----	-----	-----	-----	-----	-----	-----	1	-----	-----	-----	-----	-----	-----	-----	-----	2	-----
19	1	-----	1	-----	-----	3	2	2	-----	-----	1	-----	-----	-----	3	-----	1	-----	4	-----
9	-----	-----	-----	-----	-----	2	2	2	-----	-----	-----	-----	-----	-----	2	-----	-----	-----	-----	-----
2	-----	-----	-----	-----	-----	1	-----	-----	-----	-----	-----	-----	-----	-----	1	-----	-----	-----	-----	-----
1	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----
26	-----	-----	5	-----	-----	5	1	1	2	-----	-----	1	-----	-----	4	-----	-----	-----	6	-----
16	-----	-----	-----	2	1	2	-----	2	-----	-----	1	-----	-----	-----	4	-----	-----	1	2	-----
20	-----	-----	1	-----	-----	5	3	2	-----	-----	-----	1	-----	-----	4	-----	-----	2	7	-----
21	1	-----	-----	2	2	5	-----	-----	-----	-----	-----	-----	-----	-----	2	-----	-----	-----	5	-----
277	-----	3	2	5	1	16	61	11	-----	-----	6	17	-----	2	32	10	7	5	97	2
131	1	-----	3	3	5	9	23	8	-----	-----	5	4	-----	1	19	5	15	3	31	-----
2,194	31	59	36	100	65	206	165	173	9	30	21	65	18	12	275	49	20	166	682	12
1,202	13	39	18	49	38	105	72	101	2	15	5	25	-----	6	148	28	7	101	410	7
992	18	20	18	51	27	101	93	72	7	15	16	30	18	6	127	21	13	62	272	5
2,178	31	59	35	99	65	205	165	170	9	30	20	65	17	12	274	49	20	164	677	12
1,711	31	26	24	93	63	191	93	103	8	30	8	34	8	8	233	28	8	164	551	7
379	5	6	5	15	13	33	19	20	1	2	1	8	-----	4	56	11	2	37	140	1
292	8	2	4	12	11	27	22	17	1	2	5	9	5	2	37	6	3	24	93	2
550	8	8	6	31	25	67	22	38	1	13	-----	1	-----	1	67	5	-----	64	183	1
476	10	8	9	35	14	64	29	28	5	13	-----	8	3	1	72	6	2	34	191	3
252	-----	23	6	3	4	31	41	26	-----	-----	3	19	-----	1	25	12	4	-----	77	-----
206	-----	10	5	3	2	10	40	26	1	-----	9	12	9	3	16	9	8	-----	42	-----
16	-----	-----	1	1	-----	1	-----	3	-----	-----	1	-----	-----	-----	1	-----	-----	2	5	-----
8	-----	-----	-----	-----	-----	-----	-----	2	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----
8	-----	-----	1	-----	-----	1	-----	1	-----	-----	1	-----	-----	-----	1	-----	-----	2	3	-----
431	6	6	7	16	14	40	19	25	1	4	1	8	-----	4	61	12	-----	41	163	1
339	8	2	4	16	12	32	23	21	1	2	6	10	6	2	46	7	3	25	111	2
57	-----	1	1	3	1	4	6	3	-----	2	-----	2	-----	-----	11	-----	-----	1	19	-----
51	1	-----	2	4	-----	5	4	5	-----	-----	3	3	1	-----	5	-----	-----	1	15	-----
389	4	17	7	18	15	22	26	42	1	5	-----	15	-----	1	47	12	2	29	125	1
367	6	6	12	21	12	29	39	34	2	9	5	10	10	3	45	10	9	16	88	1
11	-----	-----	-----	1	-----	4	1	2	-----	-----	-----	-----	-----	-----	1	-----	-----	-----	2	-----
7	-----	-----	-----	-----	-----	1	-----	-----	-----	1	-----	2	-----	-----	1	-----	-----	-----	2	-----
3	-----	-----	-----	-----	-----	1	-----	-----	-----	-----	-----	1	-----	-----	-----	-----	-----	-----	-----	-----
4	-----	-----	-----	-----	-----	1	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----
160	1	3	1	5	5	20	12	17	-----	-----	-----	6	-----	-----	14	1	1	13	63	2
132	-----	-----	-----	-----	-----	17	19	10	3	2	2	2	-----	-----	18	-----	-----	10	29	1
16	-----	-----	-----	-----	-----	3	-----	1	-----	-----	-----	-----	-----	-----	4	-----	-----	-----	5	-----
10	-----	-----	-----	-----	-----	1	-----	-----	-----	-----	-----	-----	-----	-----	1	-----	-----	-----	3	-----
12	2	-----	-----	2	1	1	-----	-----	-----	-----	-----	-----	-----	-----	1	-----	-----	-----	3	-----
4	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	2	-----
16	-----	-----	-----	-----	-----	1	-----	5	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	2	-----
10	-----	-----	-----	-----	-----	1	-----	-----	-----	-----	-----	-----	-----	-----	1	-----	-----	-----	3	-----
33	-----	-----	-----	-----	-----	5	-----	3	-----	-----	-----	-----	-----	-----	4	-----	-----	-----	6	-----
32	-----	-----	-----	-----	-----	5	-----	1	-----	-----	-----	-----	-----	-----	6	-----	-----	-----	11	-----
4	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----
1	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----
23	-----	1	-----	-----	-----	4	-----	1	-----	-----	-----	1	-----	-----	3	-----	-----	4	6	-----
16	-----	-----	-----	-----	-----	6	-----	3	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	4	-----
38	-----	-----	-----	-----	-----	2	-----	3	-----	-----	-----	-----	-----	-----	3	-----	-----	-----	13	-----
38	-----	-----	-----	-----	-----	2	-----	3	-----	-----	-----	-----	-----	-----	2	-----	-----	-----	5	-----
19	-----	-----	-----	-----	-----	3	-----	3	-----	-----	-----	-----	-----	-----	2	-----	-----	-----	5	-----

TABLE 13.—DEATHS DURING THE 6 YEARS ENDING MAY 31, 1890, AT CERTAIN AGES AND FROM CERTAIN CAUSES,

NEW JERSEY—Continued.

	LOCALITIES.	AGE.											
		Allages.	Months.					Years.					
			Under 3	3 to 6	6 to 9	9 to 12	Total under 12	Under 5	5 to 15	15 to 25	25 to 65	65 and over.	Un-known.
1	Harrison city.....	1,236	195	82	37	53	367	588	96	93	368	88	3
2	Males.....	650	108	42	22	20	192	308	52	44	201	42	3
3	Females.....	586	87	40	15	33	175	280	44	49	167	46	
4	White.....	1,234	195	82	37	53	367	588	96	93	367	88	2
5	Native born.....	937	193	80	37	53	363	574	88	74	161	39	1
6	Both parents native.....	262	47	18	11	13	89	155	26	8	55	17	1
7	One or both parents foreign.....	233	37	22	11	14	84	141	18	15	47	12	
8	Foreign born.....	229	56	22	11	7	96	140	21	30	33	5	
9	Males.....	198	45	17	4	19	89	132	23	20	18	5	
10	Females.....	142	2	1			3	8	5	6	103	20	
11	Total.....	151		1			1	6	3	13	100	29	
12	Colored.....	2									1		1
13	Males.....	2									1		1
14	Females.....	2											
15	Birthplaces of mothers:												
16	United States.....	280	52	21	12	14	99	167	28	10	56	17	2
17	Males.....	248	41	24	11	15	91	152	20	12	47	13	
18	Females.....	67	11	5	2	1	19	37	5	2	16	7	
19	England and Wales.....	57	16	4	1	3	24	31	3	4	12	7	
20	Males.....	179	23	5	4	2	34	52	10	28	76	13	
21	Females.....	175	14	5	1	9	29	52	13	29	67	20	
22	Ireland.....	24	8	2			10	14	3	1	6		
23	Males.....	31	6	2	1	1	10	15	1	3	12		
24	Females.....	2		1			1						
25	Scotland.....	60	10	6	3	3	22	29	6	3	20	2	
26	Males.....	49	7	5		3	15	24	6	2	14	3	
27	Females.....	1					1						
28	Russia and Poland.....	1				1	1	1			1		
29	Males.....	1					1	1			1		
30	Females.....	1	1				1	1			1		
31	Canada.....	1					1	1			1		
32	Males.....	1					1	1			1		
33	Females.....	1					1	1			1		
34	Scandinavia.....	1					1	1			1		
35	Males.....	1					1	1			1		
36	Females.....	1					1	1			1		
37	Hungary.....	1					1	1			1		
38	Males.....	1					1	1			1		
39	Females.....	1					1	1			1		
40	Bohemia.....	1					1	1			1		
41	Males.....	2	1				1	1			1		
42	Females.....	3	1			1	2	2	1		1		
43	Italy.....	1					1	2			1		
44	Males.....	1					1	2			1		
45	Females.....	30	3	1			4	5			21	1	
46	Other foreign countries.....	19	1		1		2	2			14	2	
47	Males.....	19	1		1		2	2			14	2	
48	Females.....	1					2	2			1		
49	Unknown.....	30	3	1			4	5			21	3	1
50	Males.....	19	1		1		2	2			14	2	
51	Females.....	1					2	2			1		
52	Hoboken city.....	6,227	1,166	355	304	248	2,073	3,082	339	305	1,976	461	4
53	Males.....	3,429	700	200	174	120	1,194	1,712	175	183	1,161	197	1
54	Females.....	2,798	466	155	130	128	879	1,370	164	182	815	264	3
55	White.....	6,213	1,165	355	304	246	2,070	3,075	339	305	1,974	461	4
56	Native born.....	4,330	1,159	347	286	243	2,045	3,010	303	259	686	120	2
57	Both parents native.....	939	237	74	57	81	449	641	51	33	174	40	
58	One or both parents foreign.....	745	167	55	49	49	320	482	56	35	128	43	1
59	Foreign born.....	1,400	400	118	113	86	717	1,022	105	90	177	6	
60	Males.....	1,190	291	99	76	7	543	847	91	94	136	21	1
61	Females.....	1,042	4	7	3	1	15	33	19	54	793	143	
62	Total.....	831	2	1	5	2	10	31	17	52	534	197	
63	Colored.....	9	1			2	3	7			2		
64	Males.....	5	1			2	3	4			1		
65	Females.....	4					3	3			1		
66	Birthplaces of mothers:												
67	United States.....	1,066	312	90	69	40	511	744	63	35	181	43	
68	Males.....	850	186	67	59	59	371	568	64	37	134	46	1
69	Females.....	73	16	1	1	1	19	27	3	5	32	6	
70	England and Wales.....	90	8	4	2	7	21	33	5	7	29	16	
71	Males.....	702	86	19	13	18	141	221	36	58	351	36	
72	Females.....	672	51	19	19	15	104	198	33	62	306	73	
73	Ireland.....	36	4	1	2	2	9	13	2	1	13	7	
74	Males.....	25	2	1	2	2	9	9	1	1	11	4	
75	Females.....	18	3	2	1	1	5	6	1	1	10		
76	Scotland.....	26	7				7	9			7		
77	Males.....	1,243	227	79	76	52	434	585	63	62	470	68	
78	Females.....	960	178	56	42	40	316	469	52	63	275	95	1
79	Russia and Poland.....	6	2				1	2			3		
80	Males.....	6	2				2	5			1		
81	Females.....	16	3				3	6		2	5		
82	Canada.....	12	5		1	1	7	8		2	1		
83	Males.....	24	6		1	1	8	11		2	6		
84	Females.....	23	5	2	1	1	9	15	2		3		
85	Scandinavia.....	5	2				2	4			1		
86	Males.....	3					1	1			1		
87	Females.....	1					1	1			1		
88	Hungary.....	1					1	1			1		
89	Males.....	102	28	6	5	6	45	74	2	7	12	7	
90	Females.....	62	12	5	4	4	25	41	5	5	11		
91	Other foreign countries.....	19	4	2			6	7	1	2	6	3	
92	Males.....	15	2				2	4			4		
93	Females.....	114	8	1	1		10	12		3	72	21	1
94	Total.....	54	6				6	7		1	33	12	1

STATISTICS OF DEATHS.

WITH DISTINCTION OF SEX, COLOR, NATIVITY, PARENTAL NATIVITY, AND BIRTHPLACES OF MOTHERS—Continued.

NEW JERSEY—Continued.

CAUSE OF DEATH.																				
All causes.	Scarlet fever.	Typhoid fever.	Malarial fever.	Diphtheria.	Croup.	Diarrheal diseases.	Consumption.	Pneumonia.	Measles.	Whooping cough.	Cancer and tumor.	Heart disease and dropsy.	Childbirth and puerperal diseases.	Diseases of the liver.	Diseases of the nervous system.	Diseases of the urinary organs.	Old age.	Still-born.	All other causes.	Unknown.
1,236	18	37	39	59	44	77	133	82	6	20	19	34	11	18	210	18	4	60	344	3
650	10	19	22	24	20	36	74	43	6	13	6	16	-----	8	116	13	2	34	187	1
586	8	18	17	35	24	41	59	39	-----	7	13	13	11	10	94	5	2	26	157	2
1,234	18	37	39	59	44	77	133	82	6	20	19	34	11	18	209	18	4	60	343	3
937	17	22	24	57	40	65	85	42	6	20	7	16	8	6	174	11	1	60	274	2
262	3	5	9	14	11	14	21	11	3	5	3	4	2	2	60	4	1	15	76	1
233	1	5	5	14	15	15	20	10	-----	5	3	4	3	1	39	4	-----	15	73	1
229	6	6	6	9	7	16	30	10	3	8	1	3	2	2	36	3	-----	17	66	-----
198	7	6	3	20	7	19	12	3	-----	2	-----	5	5	1	37	-----	1	11	55	-----
142	1	8	6	1	2	5	22	20	-----	-----	2	9	-----	4	18	6	1	-----	37	-----
151	-----	7	9	1	2	7	26	20	-----	-----	10	9	3	8	17	1	2	-----	28	1
2	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	1	-----	-----	-----	1	-----
2	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	1	-----	-----	-----	1	-----
280	3	5	10	14	11	15	21	13	4	6	3	5	-----	2	63	4	1	18	81	1
248	3	5	5	15	16	18	20	10	-----	6	3	4	3	1	39	4	-----	15	80	1
67	4	2	1	2	4	3	6	3	1	-----	-----	2	2	2	10	2	-----	2	23	-----
57	1	1	4	4	3	3	4	4	-----	-----	2	4	2	2	10	-----	-----	5	16	-----
179	1	6	5	4	2	10	38	17	-----	5	2	5	2	2	29	5	1	7	40	-----
175	3	10	7	11	5	15	24	15	1	3	3	3	5	6	21	1	1	3	35	1
24	-----	-----	2	2	3	1	1	2	-----	-----	-----	2	2	2	2	-----	-----	1	8	-----
31	-----	-----	-----	-----	2	1	6	3	-----	-----	2	1	-----	-----	5	-----	-----	3	8	-----
2	-----	1	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	1	-----
60	2	4	3	2	-----	4	3	4	1	2	-----	3	-----	-----	10	1	-----	3	18	-----
49	1	2	4	4	-----	1	1	3	-----	-----	2	1	1	1	14	-----	-----	-----	14	-----
1	-----	-----	-----	-----	-----	-----	1	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----
1	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----
2	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----
1	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	2	-----
1	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	1	-----
1	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	1	-----
1	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	1	-----
2	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----
3	-----	-----	-----	-----	1	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----
1	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----
1	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----
30	-----	1	-----	-----	-----	2	4	4	-----	-----	-----	-----	-----	-----	2	-----	-----	2	12	-----
19	-----	-----	-----	-----	-----	4	4	4	-----	-----	-----	-----	-----	-----	4	-----	-----	3	3	-----
6,227	49	112	31	334	200	651	705	454	37	41	117	269	33	83	777	207	61	522	1,516	28
3,249	21	65	12	171	105	329	400	257	15	18	49	142	-----	52	440	108	21	336	875	13
2,798	28	47	19	163	95	322	305	197	22	23	63	127	33	31	337	99	40	186	641	15
6,218	49	112	31	334	199	650	705	451	37	41	117	268	33	83	776	206	61	522	1,515	28
4,330	46	53	15	315	184	585	331	291	30	40	37	87	19	27	584	98	13	522	1,041	13
939	14	17	-----	57	38	94	62	59	6	6	9	13	-----	13	134	31	2	125	256	3
745	15	7	3	53	38	99	58	51	4	8	17	16	7	4	104	20	4	60	176	1
1,400	6	14	6	106	60	201	110	99	6	11	4	31	4	5	193	21	1	203	320	3
1,190	11	13	6	99	47	189	90	80	14	14	6	23	12	5	140	24	3	120	281	4
1,042	1	33	6	6	6	32	219	96	3	-----	36	93	-----	34	110	56	15	-----	287	7
831	2	26	10	11	9	33	152	64	4	1	44	87	13	22	80	52	33	-----	179	9
9	-----	-----	-----	-----	1	1	-----	3	-----	-----	-----	1	-----	-----	1	-----	-----	-----	1	-----
5	-----	-----	-----	-----	-----	1	-----	-----	-----	-----	-----	1	-----	-----	1	-----	-----	-----	1	-----
4	-----	-----	-----	-----	1	-----	-----	2	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----
1,066	14	17	-----	71	47	113	67	71	6	7	9	15	-----	14	156	32	3	130	291	3
850	16	7	4	68	42	113	59	63	6	8	17	17	8	4	120	21	4	66	205	2
73	-----	-----	-----	3	-----	3	8	5	-----	-----	3	8	-----	-----	10	6	1	9	17	-----
90	-----	2	4	3	1	16	8	5	-----	-----	4	6	2	-----	14	7	-----	3	14	-----
702	1	20	5	25	17	41	148	65	5	4	10	34	-----	15	80	26	6	44	154	2
672	3	16	6	27	14	55	114	45	6	7	15	51	8	17	59	34	15	22	156	2
36	-----	1	-----	4	-----	4	-----	2	-----	-----	-----	4	-----	-----	4	-----	-----	1	11	-----
25	-----	1	-----	1	-----	1	2	4	-----	-----	-----	1	-----	-----	2	-----	-----	1	8	-----
18	-----	1	-----	1	-----	1	1	3	-----	-----	-----	-----	-----	-----	3	-----	-----	-----	3	-----
26	-----	-----	-----	-----	2	2	4	-----	-----	-----	-----	4	-----	-----	3	-----	-----	2	7	-----
1,248	5	19	6	60	34	143	142	84	4	6	25	66	-----	17	153	36	2	118	319	1
960	7	19	5	58	30	117	94	61	10	7	28	43	11	10	120	33	13	74	212	4
6	-----	-----	-----	-----	-----	2	1	-----	-----	-----	-----	-----	-----	-----	1	-----	-----	-----	2	-----
6	1	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	3	-----
16	1	-----	-----	1	-----	1	-----	2	-----	-----	-----	3	-----	-----	1	-----	-----	1	3	-----
12	-----	-----	-----	2	2	2	1	1	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	1	-----
24	-----	1	-----	3	1	1	1	-----	-----	-----	-----	-----	-----	-----	1	-----	-----	-----	3	-----
23	1	-----	-----	1	3	2	3	2	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	8	-----
5	-----	-----	-----	2	-----	1	1	-----	-----	-----	-----	-----	-----	-----	2	-----	-----	-----	1	-----
3	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	1	-----	-----	-----	-----	-----
102	-----	1	-----	3	4	13	3	15	-----	-----	1	2	-----	2	14	-----	1	17	25	1
62	-----	-----	-----	1	1	9	6	11	-----	-----	1	1	1	1	10	-----	-----	6	14	-----
19	-----	3	-----	1	-----	2	-----	-----	-----	-----	-----	2	-----	1	1	-----	-----	1	6	-----
15	-----	-----	-----	1	1	1	-----	2	-----	-----	2	2	-----	2	2	-----	-----	-----	2	-----
114	-----	2	1	1	1	5	22	10	-----	-----	1	8	-----	2	9	-----	7	8	31	2
54	-----	2	-----	-----	-----	3	11	4	-----	-----	1	2	-----	6	6	-----	3	6	11	1

STATISTICS OF DEATHS.

WITH DISTINCTION OF SEX, COLOR, NATIVITY, PARENTAL NATIVITY, AND BIRTHPLACES OF MOTHERS—Continued.

NEW JERSEY—Continued.

Table with columns: CAUSE OF DEATH, All causes, Scarlet fever, Typhoid fever, Malarial fever, Diphtheria, Croup, Diarrheal diseases, Consumption, Pneumonia, Measles, Whooping cough, Cancer and tumor, Heart disease and dropsy, Child-birth and puerperal diseases, Diseases of the liver, Diseases of the nervous system, Diseases of the urinary organs, Old age, Still-born, All other causes, Unknown. Rows are numbered 1-50.

TABLE 12.—DEATHS DURING THE 6 YEARS ENDING MAY 31, 1890, AT CERTAIN AGES AND FROM CERTAIN CAUSES,

NEW JERSEY—Continued.

LOCALITIES.	All ages.	AGE.										
		Months.					Years.					
		Under 3	3 to 6	6 to 9	9 to 12	Total under 12	Under 5	5 to 15	15 to 25	25 to 65	65 and over.	Un-known.
1 Jersey city—Aldermanic district 2.....	5,415	876	265	226	210	1,577	2,616	325	379	1,771	320	4
2 Males.....	2,884	497	141	113	113	864	1,418	182	200	944	187	3
3 Females.....	2,531	379	124	113	97	713	1,198	143	179	827	183	1
4 White.....	5,366	873	264	222	209	1,568	2,598	322	372	1,752	318	4
5 Native born.....	3,688	872	261	221	207	1,561	2,571	302	268	472	74	1
6 Both parents native.....	M. 580	155	48	33	33	269	410	48	23	81	18	
F. 526	133	46	37	25	241	380	37	18	71	24	1	
7 One or both parents foreign.....	M. 1,372	339	88	78	78	533	978	122	117	147	8	
F. 1,186	243	77	72	71	463	798	93	105	182	8		
8 Foreign born.....	M. 853	1	3	1	1	5	19	8	51	671	103	1
F. 812	1	1	1	1	2	8	12	51	600	141		
9 Colored.....	49	3	1	4	1	9	18	3	7	19	2	
10 Males.....	25	1	1	1	1	3	7	3	2	11	2	
11 Females.....	24	2	1	3		6	11	5	5	8		
12 Birthplaces of mothers:												
United States.....	M. 692	171	53	41	45	310	487	64	26	94	21	
F. 629	148	53	46	31	278	456	41	22	84	25	1	
England and Wales.....	M. 104	19	4	4	1	28	51	6	10	33	4	
F. 65	14	2	2	1	19	37	3	3	15	7		
Ireland.....	M. 1,438	208	52	35	42	337	533	37	129	568	70	1
F. 1,357	141	46	48	50	285	489	67	134	560	107		
Scotland.....	M. 32	5	1	1	2	9	16	2	3	10	1	
F. 23	1			1	2	3	3	1	1	14	4	
France.....	M. 11	2	1			3	4			6	1	
F. 3				1	2	3						
Germany.....	M. 296	55	15	16	17	103	155	17	14	92	18	
F. 234	41	16	9	8	74	125	22	9	63	15		
Russia and Poland.....	M. 51	9	3	3	2	17	42	3		6		
F. 33	5	4	3	3	15	23	5	1	4			
Canada.....	M. 11	3	3	1		4	6	1	1	2	1	
F. 11	3	2			5	7	1		2	1		
Scandinavia.....	M. 11	2	1	2		5	7			4		
F. 12	2	1	3		5	9			3			
Hungary.....	M. 1					1						
F. 1												
Bohemia.....	M. 1											
F. 1												
Italy.....	M. 66	21	9	7	3	40	56	1	3	5	1	
F. 50	21	1	1	3	26	37	2	2	9			
Other foreign countries.....	M. 6			1	1	2	3			3		
F. 3	1				1	3						
Unknown.....	M. 165	2	2	2		6	7	1	14	121	20	2
F. 106	1				1	1	1	1	7	73	24	
26 Aldermanic district 3.....	3,657	666	192	139	113	1,110	1,727	241	258	1,097	331	3
27 Males.....	1,866	365	108	76	58	605	918	122	119	568	138	1
28 Females.....	1,791	301	86	63	55	505	809	119	139	529	193	2
29 White.....	3,607	654	191	137	111	1,093	1,704	240	254	1,080	326	3
30 Native born.....	2,746	652	191	137	111	1,091	1,696	231	205	474	139	1
31 Both parents native.....	M. 685	178	56	35	26	295	433	54	27	124	47	
F. 627	152	46	31	25	254	386	43	29	112	57		
32 One or both parents foreign.....	M. 693	177	49	40	30	296	464	65	59	94	11	
F. 661	143	39	30	30	242	405	68	82	96	9	1	
33 Foreign born.....	M. 414	1				1	4	2	26	310	72	
F. 439						3	6	22	294	114		
34 Colored.....	50	12	1	2	2	17	23	1	4	17	5	
35 Males.....	24	8	1		2	11	14		1	7	2	
36 Females.....	26	4		2		6	9	1	3	10	3	
37 Birthplaces of mothers:												
United States.....	M. 737	208	64	43	30	345	506	60	33	138	50	
F. 726	174	55	36	32	297	455	51	36	125	59		
England and Wales.....	M. 82	9	5	4	3	21	34	5	8	24	11	
F. 81	10	3	4	1	18	27	5	8	27	14		
Ireland.....	M. 562	70	19	14	16	119	212	30	51	239	30	
F. 619	64	14	15	12	105	198	41	60	249	70	1	
Scotland.....	M. 33	3	2			5	9	2	4	12	6	
F. 32	4	1	1		6	9	3	5	13	2		
France.....	M. 7	1				1	1			5	1	
F. 1												
Germany.....	M. 224	52	12	10	6	80	108	17	13	66	20	
F. 204	32	10	5	6	53	81	14	24	61	24		
Russia and Poland.....	M. 16	4			4	9	1		5	1		
F. 15	5	1	2	1	9	10	1	2	2			
Canada.....	M. 9	1			1	2	4	2	3	3	1	
F. 11	2				2	6	1		3	1		
Scandinavia.....	M. 15	6	1	1		8	9		2	2	1	
F. 12	2			1	3	5	2		1	4		
Hungary.....	M. 1								1			
F. 1												
Bohemia.....	M. 1											
F. 1												
Italy.....	M. 20	9		3	2	14	18	1		1		
F. 12	6	1		1	8	11			1			
Other foreign countries.....	M. 7	2	1		4	4	3				2	
F. 1					2	3					1	
Unknown.....	M. 103	1		1		2	2	1	9	73	16	1
F. 77	2	1		1	4	7	1	3	43	22	1	

TABLE 13.—DEATHS DURING THE 6 YEARS ENDING MAY 31, 1890, AT CERTAIN AGES AND FROM CERTAIN CAUSES, NEW JERSEY—Continued.

LOCALITIES.	AGE.											
	All ages.	Months.					Years.					
		Under 3	3 to 6	6 to 9	9 to 12	Total under 12	Under 5	5 to 15	15 to 25	25 to 65	65 and over.	Un-known.
1 Jersey city—Aldermanic district 4.....	4,413	750	295	208	178	1,431	2,160	295	262	1,299	394	2
2 Males.....	2,338	443	155	109	89	796	1,165	154	126	694	196	1
3 Females.....	2,076	307	140	99	89	635	995	141	136	605	198	1
4 White.....	4,395	746	293	205	178	1,422	2,150	293	261	1,295	394	2
5 Native born.....	3,098	745	290	202	176	1,413	2,121	272	202	416	86	1
6 Both parents native.....	M 603	187	60	44	30	321	441	37	23	78	24	
F 513	119	51	36	32	233	365	40	18	59	30		
7 One or both parents foreign.....	M 1,020	251	91	62	57	461	696	102	78	186	8	
F 916	186	88	58	57	389	618	89	80	121	12	1	
8 Foreign born.....	M 670	1	2		2	5	16	10	24	458	161	1
F 615		1	2		3	11	12	35	412	145		
9 Colored.....	17	4	2	3		9	10	2	1	4		
10 Males.....	13	3	2	2		7	7	2		4		
11 Females.....	4	1	1	1		2	3		1			
Birthplaces of mothers:												
12 United States.....	M 729	221	71	54	88	384	539	56	25	84	25	
F 635	135	66	46	40	287	448	62	23	62	40		
13 England and Wales.....	M 95	13	10		5	28	46	5	4	28	12	
F 72	9	2	3	2	16	29	8	6	19	10		
14 Ireland.....	M 470	50	12	10	12	84	143	26	46	216	39	
F 505	43	23	5	14	85	141	18	55	239	52		
15 Scotland.....	M 40	11	1	2		13	19	1	1	11	8	
F 20	6	1			7	8	2		6	4		
16 France.....	M 46	9	5	2	1	17	24	2		16	4	
F 80	4	2	2	4	12	14	3	1	7	4	1	
17 Germany.....	M 812	131	52	37	33	253	362	53	44	208	85	
F 698	103	41	40	26	210	324	43	45	217	69		
18 Russia and Poland.....	M 6	1	1			2	4			2		
F 10	2		1	2	5	6	1	1	2			
19 Canada.....	M 3	1			1	1	1	1	1	1		
F 9	1				1	4	2		2	1		
20 Scandinavia.....	M 11	2	1	1		4	9		2			
F 7		2			2	3	2	1	1			
21 Hungary.....												
22 Bohemia.....								1				
23 Italy.....	M 15	2	1	1		4	8	3	3	1		
F 7		1			1	4	4		2	1		
24 Other foreign countries.....	M 15	1	2	1	1	4	4	3	2	5	1	
F 14	3	1		1	5	9		1	4			
25 Unknown.....	M 93	1		1		2	6	3	1	60	22	1
F 69	1	1	2		4	5		3	44	17		
26 Aldermanic district 5.....	2,513	436	115	92	67	710	1,088	194	151	798	280	2
27 Males.....	1,347	249	65	52	34	400	604	94	85	441	121	2
28 Females.....	1,166	187	50	40	33	310	484	100	66	357	159	
29 White.....	2,451	431	112	91	65	689	1,067	192	147	771	272	2
30 Native born.....	1,904	429	112	91	65	697	1,059	184	124	392	143	2
31 Both parents native.....	M 547	131	32	31	12	206	308	43	22	127	45	2
F 503	102	24	20	16	162	253	44	27	112	67		
32 One or both parents foreign.....	M 451	113	52	20	20	185	278	48	45	75	5	
F 366	78	24	20	17	139	214	49	27	64	12		
33 Foreign born.....	M 298						5	3	12	213	65	
F 241	1				1	2	5	10	161	63		
34 Colored.....	62	5	3	1	2	11	21	2	4	27	8	
35 Males.....	29	3	1	1	2	7	11		2	14	2	
36 Females.....	33	2	2			4	10	2	2	13	6	
Birthplaces of mothers:												
37 United States.....	M 626	143	38	33	15	229	353	52	28	144	47	2
F 587	116	32	24	21	193	304	51	29	128	75		
38 England and Wales.....	M 96	12	3	2	4	21	34	3	3	42	14	
F 78	10	2	1	1	14	20	4	6	28	20		
39 Ireland.....	M 338	50	11	8	6	75	122	16	82	144	24	
F 287	38	8	9	9	64	95	31	16	123	22		
40 Scotland.....	M 18	2				2	3	2	2	7	4	
F 17						2	2	1		9	5	
41 France.....	M 6									4	1	
F 5										4		
42 Germany.....	M 176	34	11	9	9	63	77	18	11	57	13	
F 113	16	8	4	2	30	49	11	12	31	10		
43 Russia and Poland.....	M 1	1				1	1					
F 2					1	2						
44 Canada.....	M 7	3				3	4					
F 9	1		1		1	1	1	1	1	4	2	
45 Scandinavia.....	M 12	1	1	1		2	4	1	1	5	1	
F 6					2	4		1	1			
46 Hungary.....												
47 Bohemia.....												
48 Italy.....	M 6	2				2	2		2	1	1	
F 1												
49 Other foreign countries.....	M 5					1	1		1	1	2	
F 3	1				1	2	3		3	1	1	
50 Unknown.....	M 56	2				2	3		3	36	14	
F 58	4				4	5	1		29	23		

STATISTICS OF DEATHS.

WITH DISTINCTION OF SEX, COLOR, NATIVITY, PARENTAL NATIVITY, AND BIRTHPLACES OF MOTHERS—Continued.

NEW JERSEY—Continued.

CAUSE OF DEATH.																				
All causes.	Scarlet fever.	Typhoid fever.	Marial fever.	Diphtheria.	Croup.	Diarrheal diseases.	Consumption.	Pneumonia.	Measles.	Whooping cough.	Cancer and tumor.	Heart disease and dropsy.	Child-birth and puerperal diseases.	Diseases of the liver.	Diseases of the nervous system.	Diseases of the urinary organs.	Old age.	Still-born.	All other causes.	Unknown.
4,412	68	107	56	243	167	418	470	441	13	41	83	143	31	52	584	132	47	231	1,075	10
2,336	30	60	22	124	95	213	241	234	6	21	29	72	33	306	81	16	134	613	5	
2,076	38	47	34	119	71	205	223	207	7	20	54	71	31	278	51	31	97	462	5	
4,395	68	107	56	243	167	418	467	439	13	41	83	143	31	580	130	47	230	1,070	10	
3,098	65	54	34	230	161	378	229	274	13	41	19	56	16	412	53	12	230	800	5	
603	10	14	4	34	28	59	32	50	3	10	3	14	4	84	13	1	58	180	2	
518	15	8	6	43	20	68	26	45	1	7	5	10	4	80	5	9	43	122	6	
1,020	20	20	10	84	64	127	83	88	3	11	4	15	8	132	15	8	75	259	2	
916	20	12	14	68	48	122	78	88	6	13	6	17	12	110	16	2	54	226	7	
070	26	8	4	4	4	25	123	92			22	43		32	49	15		155	1	
615	3	27	14	8	2	15	113	73			42	43	15	85	28	19		109	4	
17							3	2						4	2		1	5		
18							2	2						3	2		1	3		
4							1							1				2		
729	11	17	5	51	32	71	33	65	4	13	3	17		4	16	1	60	223	2	
635	16	8	9	53	33	81	31	54	2	8	5	12	4	102	5	10	43	158		
95	1	5		7	2	9	10	8			1	3		17	6		5	18		
72	1	2		2	2	2	6	6		1	1	3		13	4		1	4		
470	5	19	11	12	14	23	75	75	1	1	5	13		48	20	7	17	119	1	
505	9	18	11	11	10	26	92	54	2	4	5	22	6	64	15	10	15	108	2	
40				1	1	1	6	4				2		9	3		3	4		
46				3	1	6	6	4			1	3		3	1		3	5		
30				1	5	3	3	3				1		5	1		3	14		
812	18	15	6	43	41	91	99	63	1	6	15	32		107	30	7	43	182		
698	11	16	8	42	24	85	69	73	2	6	27	31	16	80	22	4	30	145	2	
8				2		2	2							2				1		
10				1		1	1	3						2				1		
3				2		1	1				1	1		1				3		
9				3	2	2	1					1		1				2		
11	1		1	3		1								1				1		
15				2	1		1	1		1				2			1	5		
7		1	1	1	1	1	1	4			1			2				3		
15				2	1	1	3	1						2				5		
14		1		1	1	6	8	8			4	1		14	5			6		
93		2		1	1	1	22	7			4	4	2	9	4	5		41	1	
69		1				1		8			4	4		4		1		9		
2,513	75	117	27	89	44	183	253	230	13	17	68	109	16	356	91	31	126	636	7	
1,347	32	57	15	48	24	100	140	125	7	4	23	59		13	198	50	16	359	5	
1,166	43	60	12	41	20	83	113	105	6	13	45	50	16	158	41	15	54	277	2	
2,451	74	116	27	89	44	179	244	226	13	17	65	105	16	346	87	29	126	617	6	
1,904	71	84	21	87	43	161	146	161	13	17	38	63	11	13	294	46	12	497	4	
547	16	21	7	21	14	46	37	41	5	3	9	22		4	91	20	4	83	2	
503	16	32	3	19	7	38	35	41	2	12	20	10	5	4	75	15	3	132	1	
451	14	19	4	25	9	46	39	40		1	2	13		3	67	5	1	121	1	
366	25	9	7	22	13	31	29	35	1	1	5	12	6	1	52	5	2	85		
298	1	15	4	2	1	6	56	39			12	17		32	23	11	6	72	1	
241	2	16	2			12	41	25			15	25	5	23	18	6		44	1	
62	1	1				4	9	4			3	4		10	4	2		19	1	
29	1	1				2	4	3						5	1			9	1	
33						2	5	1			3	2		5	3	2		10		
626	19	23	7	23	18	51	45	48	6	3	9	26		104	21	4	40	172	3	
587	20	34	5	25	9	44	43	46	5	12	22	14	5	90	18	5	30	155	1	
96	2	3	4	4	2	4	12	9			4	7		11	8	1	4	24		
78	4	2	1	3	1	2	6	7			4	8	1	11	6	5	5	16		
338	9	20	4	8	3	23	42	41	1		6	17		42	10	4	17	88	1	
287	13	16	5	5	7	22	38	32	1	1	6	17	4	29	9	2	13	63	1	
18				1		2	2				2	2		3	2	1	1	3		
6				2		1	1				2	1		2	2	1		1		
5				1		1	1				1	2		1	1			1		
178	1	6	3	10	1	17	21	17		1	1	4		26	3	3	9	47	1	
113	4	3	1	6	3	13	10	9			3	5	4	15	3	1	5	26	1	
1						1														
2								1										1		
7	1					2	1											3		
9	1	1				3	2							2				1		
12				1		4	1					1		2				1		
6	1					1	2							2				2		
6				1				1			1							1		
1							1	2										1		
5							1	1							1			1		
3							10	6			1	2						19		
56		2	1			1	10	6				2		8	4	3		19		
58		3				1	8	4			6	5		9	3	6		12		

TABLE 13.—DEATHS DURING THE 6 YEARS ENDING MAY 31, 1890, AT CERTAIN AGES AND FROM CERTAIN CAUSES,

NEW JERSEY—Continued.

LOCALITIES.	All ages.	AGE.										
		Months.					Years.					
		Under 3	3 to 6	6 to 9	9 to 12	Total under 12	Under 5	5 to 15	15 to 25	25 to 65	65 and over.	Un-known.
Jersey city—Aldermanic district 6.....	3,766	645	209	155	120	1,129	1,695	279	295	1,082	413	2
2 Males.....	1,921	300	106	88	59	613	912	135	146	553	167	2
3 Females.....	1,845	285	103	67	61	516	783	144	149	523	246	
4 White.....	3,712	640	206	153	117	1,116	1,676	277	289	1,061	407	2
5 Native born.....	2,836	640	205	153	117	1,115	1,666	263	239	502	166	
6 Both parents native.....	M 722 F 686	M 177 F 141	M 61 F 45	M 33 F 35	M 29 F 24	M 300 F 245	M 444 F 371	M 51 F 57	M 38 F 35	M 133 F 145	M 56 F 78	
7 One or both parents foreign.....	M 700 F 669	M 180 F 140	M 43 F 56	M 52 F 32	M 28 F 36	M 303 F 264	M 452 F 396	M 76 F 76	M 75 F 83	M 103 F 102	M 3 F 12	
8 Foreign born.....	M 420 F 443	M 5 F 1	M 1 F 1	M 1 F 1	M 1 F 1	M 1 F 1	M 3 F 7	M 5 F 9	M 24 F 25	M 290 F 260	M 98 F 142	
9 Colored.....	54	5	3	2	3	13	19	2	6	21	6	
10 Males.....	32	3	2	2	2	9	12	1	3	13	3	
11 Females.....	22	2	1	1	1	4	7	1	3	8	3	
Birthplaces of mothers:												
12 United States.....	M 322 F 785	M 197 F 160	M 68 F 55	M 39 F 43	M 32 F 31	M 336 F 289	M 512 F 438	M 62 F 66	M 44 F 42	M 145 F 158	M 59 F 83	
13 England and Wales.....	M 124 F 123	M 22 F 17	M 5 F 6	M 6 F 2	M 3 F 2	M 36 F 27	M 57 F 46	M 5 F 13	M 8 F 6	M 42 F 37	M 12 F 21	
14 Ireland.....	M 493 F 504	M 78 F 52	M 16 F 18	M 18 F 13	M 11 F 15	M 123 F 98	M 181 F 147	M 34 F 36	M 46 F 65	M 195 F 197	M 37 F 59	
15 Scotland.....	M 40 F 47	M 5 F 2	M 2 F 1	M 2 F 1	M 2 F 1	M 7 F 4	M 10 F 7	M 4 F 3	M 5 F 1	M 12 F 17	M 9 F 19	
16 France.....	M 8 F 7	M 1 F 2	M 1 F 1	M 1 F 1	M 1 F 1	M 1 F 2	M 1 F 3	M 1 F 1	M 1 F 1	M 1 F 1	M 1 F 2	
17 Germany.....	M 291 F 272	M 47 F 39	M 13 F 20	M 18 F 8	M 11 F 10	M 89 F 77	M 121 F 118	M 27 F 21	M 24 F 22	M 87 F 74	M 32 F 37	
18 Russia and Poland.....	M 6 F 6	M 3 F 3	M 3 F 3	M 3 F 3	M 3 F 3	M 3 F 3	M 3 F 3	M 3 F 3	M 3 F 3	M 3 F 3	M 3 F 3	
19 Canada.....	M 16 F 8	M 3 F 1	M 3 F 1	M 2 F 1	M 1 F 1	M 6 F 3	M 8 F 2	M 1 F 1	M 3 F 3	M 3 F 2	M 1 F 2	
20 Scandinavia.....	M 21 F 17	M 7 F 5	M 3 F 1	M 3 F 1	M 3 F 3	M 10 F 9	M 12 F 12	M 1 F 1	M 1 F 1	M 6 F 3	M 2 F 3	
21 Hungary.....	M 1 F 1	M 1 F 1	M 1 F 1	M 1 F 1	M 1 F 1	M 1 F 1	M 1 F 1	M 1 F 1	M 1 F 1	M 1 F 1	M 1 F 1	
22 Bohemia.....	M 1 F 1	M 1 F 1	M 1 F 1	M 1 F 1	M 1 F 1	M 1 F 1	M 1 F 1	M 1 F 1	M 1 F 1	M 1 F 1	M 1 F 1	
23 Italy.....	M 4 F 5	M 2 F 1	M 1 F 1	M 1 F 1	M 1 F 1	M 3 F 1	M 4 F 4	M 1 F 1	M 1 F 1	M 1 F 1	M 1 F 1	
24 Other foreign countries.....	M 6 F 5	M 1 F 1	M 1 F 1	M 1 F 1	M 1 F 1	M 1 F 1	M 1 F 1	M 1 F 1	M 1 F 1	M 4 F 3	M 3 F 3	
25 Unknown.....	M 89 F 65	M 2 F 2	M 1 F 1	M 1 F 1	M 2 F 2	M 2 F 2	M 2 F 2	M 2 F 1	M 12 F 6	M 59 F 81	M 25 F 12	2
26 Unlocated.....	941	388	4	4	7	408	429	33	56	357	54	12
27 Males.....	631	212	2	4	4	222	238	20	44	287	33	9
28 Females.....	310	176	2	3	3	181	191	13	12	70	21	3
29 White.....	925	360	4	4	7	395	421	32	56	351	53	12
30 Native born.....	588	379	4	4	6	393	417	27	30	95	17	2
31 Both parents native.....	M 121 F 87	M 61 F 60	M 2 F 1	M 3 F 1	M 1 F 1	M 67 F 62	M 72 F 67	M 4 F 4	M 6 F 1	M 33 F 8	M 7 F 7	
32 One or both parents foreign.....	M 170 F 110	M 115 F 85	M 1 F 1	M 1 F 1	M 2 F 2	M 118 F 88	M 127 F 91	M 9 F 7	M 12 F 5	M 21 F 5	M 1 F 1	
33 Foreign born.....	M 229 F 65	M 85 F 1	M 1 F 1	M 2 F 1	M 1 F 1	M 1 F 1	M 1 F 1	M 3 F 3	M 19 F 5	M 172 F 49	M 25 F 11	
34 Colored.....	16	8				8	8	1		6	1	
35 Males.....	10	5				5	5	1		3	1	
36 Females.....	6	3				3	3			3		
Birthplaces of mothers:												
37 United States.....	M 147 F 108	M 80 F 78	M 2 F 1	M 3 F 1	M 1 F 1	M 86 F 80	M 92 F 85	M 6 F 4	M 7 F 1	M 35 F 11	M 7 F 7	
38 England and Wales.....	M 38 F 16	M 14 F 8	M 8 F 8	M 10 F 2	M 2 F 2	M 14 F 10	M 16 F 10	M 3 F 3	M 2 F 2	M 16 F 4	M 2 F 2	1
39 Ireland.....	M 151 F 77	M 32 F 26	M 1 F 1	M 1 F 1	M 2 F 2	M 35 F 26	M 40 F 28	M 7 F 7	M 16 F 6	M 79 F 28	M 9 F 7	1
40 Scotland.....	M 6 F 3	M 2 F 1	M 1 F 1	M 1 F 1	M 1 F 1	M 2 F 1	M 2 F 1	M 2 F 1	M 2 F 1	M 4 F 1	M 1 F 1	
41 France.....	M 3 F 3	M 1 F 1	M 1 F 1	M 1 F 1	M 1 F 1	M 1 F 1	M 1 F 1	M 1 F 1	M 1 F 1	M 1 F 1	M 1 F 1	
42 Germany.....	M 75 F 43	M 37 F 26	M 1 F 1	M 1 F 1	M 1 F 1	M 37 F 27	M 38 F 28	M 1 F 4	M 4 F 4	M 26 F 10	M 6 F 1	
43 Russia and Poland.....	M 9 F 9	M 8 F 8	M 8 F 8	M 8 F 8	M 8 F 8	M 8 F 8	M 8 F 8	M 8 F 8	M 8 F 8	M 8 F 8	M 8 F 8	
44 Canada.....	M 2 F 2	M 1 F 1	M 1 F 1	M 1 F 1	M 1 F 1	M 1 F 1	M 1 F 1	M 1 F 1	M 1 F 1	M 1 F 1	M 1 F 1	
45 Scandinavia.....	M 12 F 12	M 4 F 4	M 4 F 4	M 4 F 4	M 4 F 4	M 5 F 5	M 5 F 5	M 5 F 5	M 5 F 5	M 6 F 6	M 6 F 6	
46 Hungary.....	M 1 F 1	M 1 F 1	M 1 F 1	M 1 F 1	M 1 F 1	M 1 F 1	M 1 F 1	M 1 F 1	M 1 F 1	M 1 F 1	M 1 F 1	
47 Bohemia.....	M 1 F 1	M 1 F 1	M 1 F 1	M 1 F 1	M 1 F 1	M 1 F 1	M 1 F 1	M 1 F 1	M 1 F 1	M 1 F 1	M 1 F 1	
48 Italy.....	M 8 F 3	M 2 F 3	M 3 F 3	M 3 F 3	M 3 F 3	M 2 F 3	M 2 F 3	M 2 F 3	M 2 F 3	M 3 F 3	M 3 F 3	
49 Other foreign countries.....	M 6 F 4	M 1 F 3	M 1 F 3	M 1 F 3	M 1 F 3	M 1 F 3	M 1 F 3	M 1 F 3	M 1 F 3	M 4 F 1	M 1 F 1	
50 Unknown.....	M 173 F 53	M 30 F 30	M 30 F 30	M 30 F 30	M 30 F 30	M 30 F 30	M 32 F 32	M 3 F 2	M 10 F 1	M 111 F 23	M 9 F 3	8 2

STATISTICS OF DEATHS.

WITH DISTINCTION OF SEX, COLOR, NATIVITY, PARENTAL NATIVITY, AND BIRTHPLACES OF MOTHERS—Continued.

NEW JERSEY—Continued.

CAUSE OF DEATH.																				
All causes.	Scarlet fever.	Typhoid fever.	Malarial fever.	Diphtheria	Croup.	Diar- rheal dis- eases.	Con- sumption.	Pneu- monia.	Measles.	Whoop- ing cough.	Cancer and tumor.	Heart dis- ease and dropsy.	Child- birth and puer- peral dis- eases.	Dis- eases of the liver.	Dis- eases of the nerv- ous sys- tem.	Dis- eases of the uri- nary or- gans.	Old age.	Still- born.	All other causes.	Un- known.
3,766	116	137	49	174	77	312	364	309	21	28	73	201	31	48	483	95	51	221	970	6
1,921	55	87	17	86	40	160	176	169	15	12	22	101	31	22	247	49	18	118	524	3
1,845	61	50	32	88	37	152	188	140	6	10	51	100	31	26	236	46	33	103	446	3
3,712	116	135	46	173	77	304	358	301	21	28	72	193	31	48	474	94	50	220	960	6
2,836	112	101	32	167	77	278	231	197	21	28	33	101	19	19	363	55	12	220	766	4
722	18	30	8	48	16	64	44	49	8	5	3	31	7	5	108	18	4	55	207	1
686	28	13	17	42	21	53	45	50	3	8	19	26	7	5	91	20	6	56	179	3
709	36	29	4	37	24	80	64	53	7	7	2	12	4	4	72	6	2	68	209	3
669	30	24	3	40	16	81	71	39	3	8	4	23	12	3	84	11	2	46	166	3
420	1	21	4	1	4	9	62	53	3	8	14	49	12	11	57	24	14	93	166	2
443	3	13	10	4	4	17	64	46	3	8	25	48	12	17	53	14	24	93	166	2
54	2	3	1	1	1	8	6	8	1	1	3	3	1	9	1	1	1	10	93	1
32	2	1	1	1	1	6	2	7	1	1	1	3	1	4	1	1	1	6	10	1
22	2	2	1	1	1	2	4	1	1	1	1	3	1	5	1	1	1	4	4	1
822	23	35	9	59	20	77	46	62	9	7	4	35	5	115	13	4	55	238	1	12
785	31	14	19	47	24	70	51	52	4	11	20	28	8	7	105	21	7	59	207	1
124	5	8	1	2	2	8	4	11	2	1	1	12	1	2	16	2	1	10	37	1
123	5	3	1	10	3	12	11	8	1	1	4	6	1	4	17	1	6	7	27	1
493	16	17	6	9	14	32	52	67	2	1	9	25	4	4	56	11	6	29	124	2
594	18	22	6	13	6	33	75	45	1	2	9	28	10	9	61	17	13	19	116	1
40	1	3	1	3	1	6	4	4	1	1	3	3	1	1	7	1	1	8	13	1
47	3	2	1	3	1	2	3	5	1	1	1	7	1	1	7	4	1	1	13	1
8	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
7	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
291	8	13	1	13	1	32	37	14	1	2	2	13	1	5	31	13	6	19	80	1
272	3	7	5	13	4	29	35	19	1	1	10	20	8	8	31	2	4	14	57	2
6	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
6	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
16	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
8	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
21	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
17	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
4	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
4	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
5	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
6	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
5	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
89	10	1	1	1	1	3	10	7	1	1	3	9	1	5	15	3	2	24	3	24
65	1	1	1	1	1	4	6	3	1	1	5	8	1	1	9	1	2	17	3	25
941	1	19	2	7	4	16	89	44	7	16	4	6	44	32	7	369	269	5	26	26
631	1	12	1	6	3	12	61	32	3	8	4	8	4	5	30	20	4	205	226	3
310	7	1	1	1	1	4	28	12	4	8	4	8	4	1	14	12	3	164	43	2
925	1	19	2	7	4	15	88	42	7	15	3	6	44	31	7	362	268	4	29	29
588	1	5	1	6	4	8	36	15	1	4	2	1	25	10	2	362	104	1	30	30
121	1	1	1	2	1	3	8	2	1	2	1	1	7	2	4	58	29	1	31	31
87	1	1	1	1	1	1	3	2	1	1	1	1	4	1	2	50	8	1	31	31
170	1	2	2	2	2	3	8	4	1	1	3	2	3	3	112	32	75	14	32	32
110	2	2	1	1	1	1	8	19	3	5	1	1	5	2	75	14	4	103	17	2
220	9	4	1	5	2	13	8	8	3	5	1	1	14	13	8	4	1	103	17	2
65	4	1	1	2	2	2	13	8	3	5	1	1	3	8	1	1	1	17	17	2
16	1	1	1	1	1	1	1	2	1	1	1	1	1	1	1	1	1	7	1	1
10	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	5	1	35
6	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	2	1	36
147	1	1	1	3	1	4	9	9	1	2	1	2	7	3	77	31	1	77	31	1
108	1	1	1	1	1	1	3	2	1	2	1	2	4	1	76	10	2	10	10	1
38	1	1	1	1	1	1	3	5	1	2	1	2	1	1	14	2	2	7	7	1
16	4	3	1	1	1	5	23	7	1	3	1	3	2	2	4	6	2	32	59	2
151	4	3	1	1	1	1	14	7	2	1	1	1	1	1	5	1	1	21	17	2
77	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	2	4	4
6	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
3	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
3	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
75	1	2	1	1	1	6	2	2	1	1	1	1	7	4	1	35	17	8	17	1
43	1	1	1	1	1	3	1	1	1	1	1	1	2	1	23	8	1	23	8	1
9	1	1	1	1	1	1	1	1	1	1	1	1	1	1	7	1	1	7	1	1
2	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
2	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
12	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
8	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
3	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
0	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
4	6	1	1	1	2	17	7	7	1	1	1	1	2	10	7	29	89	5	49	49
173	1	1	1	1	2	17	6	3	1	1	1	1	2	3	7	29	89	5	49	49
53	1	1	1	1	1	6	1	3	1	1	1	1	1	3	1	29	89	5	49	49

VITAL AND SOCIAL STATISTICS.

TABLE 13.—DEATHS DURING THE 6 YEARS ENDING MAY 31, 1890, AT CERTAIN AGES AND FROM CERTAIN CAUSES, NEW JERSEY—Continued.

	LOCALITIES.	All ages.	AGE.										
			Months.					Years.					
			Under 3	3 to 6	6 to 9	9 to 12	Total under 12	Under 5	5 to 15	15 to 25	25 to 65	65 and over.	Un-known.
1	Union town.....	1,372	296	93	69	62	520	741	95	60	355	121
2	Males.....	778	179	51	45	42	317	441	45	33	193	66
3	Females.....	594	117	42	24	20	203	300	50	27	162	55
4	White.....	1,368	296	93	69	62	520	741	94	60	352	121
5	Native born.....	987	296	93	67	62	518	731	79	47	108	22
6	Both parents native.....	M. 215	30	16	15	14	125	165	14	7	21	8
7	One or both parents foreign.....	F. 157	47	14	9	8	78	105	14	5	25	8
8	Foreign born.....	M. 345	98	35	28	28	189	269	26	15	32	3
9	Males.....	F. 287	70	28	14	12	124	189	25	20	30	3
10	Females.....	M. 214	1	1	1	1	1	5	4	11	139	55
11	Colored.....	F. 167	1	1	1	1	1	5	11	2	105	44
12	Colored.....	4	1	3
13	Males.....	2	1	1
14	Females.....	2	2
15	Birthplaces of mothers:
16	United States.....	M. 233	88	19	17	16	140	133	16	8	23	8
17	England and Wales.....	F. 132	55	16	12	8	91	125	15	5	27	10
18	Ireland.....	M. 11	2	7	3	1	3	6	1	1	2	1
19	Scotland.....	F. 49	10	4	1	1	21	27	4	4	12	6
20	France.....	M. 50	4	2	2	2	5	8	4	7	27	4
21	Germany.....	F. 6	1	1	1	1	3	2	1	1	1	1
22	Russia and Poland.....	M. 10	1	1	2	2	3	5	1	1	1	2
23	Canada.....	F. 437	71	24	22	23	140	206	26	18	145	42
24	Scandinavia.....	M. 300	51	19	12	10	92	139	26	14	90	31
25	Hungary.....	F. 1	1	1	1	1	2	2	2	14	90	31
26	Bohemia.....	M. 2	1	1	1	1	1	1	1	1	1	1
27	Italy.....	F. 1	1	1	1	1	1	1	1	1	1	1
28	Other foreign countries.....	M. 4	1	1	1	1	1	2	5	1	2	1
29	Unknown.....	F. 5	2	5	2	7	7	7	1	1	3	5
30	Hunterdon county.....	3,252	459	103	62	56	679	910	112	181	907	1,117	25
31	Males.....	1,638	271	55	37	31	394	509	62	83	448	573	13
32	Females.....	1,564	188	47	25	25	285	401	50	98	459	544	12
33	White.....	3,205	452	99	61	54	666	892	111	176	892	1,111	23
34	Native born.....	3,060	452	99	61	54	666	891	111	172	827	1,043	16
35	Both parents native.....	M. 1,467	250	49	37	29	358	469	51	68	370	504	5
36	One or both parents foreign.....	F. 1,372	173	41	23	21	258	360	44	81	398	479	10
37	Foreign born.....	M. 68	16	5	1	1	22	28	9	10	13	8
38	Males.....	F. 83	12	3	1	3	19	31	6	10	24	12
39	Females.....	M. 81	1	1	1	1	3	1	6	2	38	40
40	Colored.....	F. 53	1	1	1	1	1	2	2	2	23	28
41	Males.....	24	5	1	1	1	7	10	1	2	9	6	2
42	Females.....	23	2	2	1	1	6	8	3	6	6
43	Birthplaces of mothers:
44	United States.....	M. 1,499	258	50	37	30	375	484	54	70	379	505	7
45	England and Wales.....	F. 1,410	178	44	24	23	269	375	45	84	408	488	10
46	Ireland.....	M. 23	3	1	1	1	4	5	1	1	5	7
47	Scotland.....	F. 16	1	1	1	1	2	3	1	1	5	7
48	France.....	M. 77	3	2	1	1	6	8	7	9	29	24
49	Germany.....	F. 76	3	2	1	1	6	14	5	11	24	23
50	Russia and Poland.....	M. 4	1	1	1	1	1	1	1	1	2	2
51	Canada.....	F. 2	1	1	1	1	1	1	1	1	1	1
52	Scandinavia.....	M. 1	1	1	1	1	1	1	1	1	1	1
53	Hungary.....	F. 1	1	1	1	1	1	1	1	1	1	1
54	Bohemia.....	M. 1	1	1	1	1	1	1	1	1	1	1
55	Italy.....	F. 1	1	1	1	1	1	1	1	1	1	1
56	Other foreign countries.....	M. 2	1	1	1	1	2	2	2	1	22	24	6
57	Unknown.....	F. 2	1	1	1	1	2	2	2	1	10	18	2

STATISTICS OF DEATHS.

WITH DISTINCTION OF SEX, COLOR, NATIVITY, PARENTAL NATIVITY, AND BIRTHPLACES OF MOTHERS—Continued.

NEW JERSEY—Continued.

CAUSE OF DEATH.																						
All causes.	Scarlet fever.	Typhoid fever.	Malarial fever.	Diphtheria.	Croup.	Diarrheal diseases.	Consumption.	Pneumonia.	Measles.	Whooping cough.	Cancer and tumor.	Heart disease and dropsy.	Child-birth and puerperal diseases.	Diseases of the liver.	Diseases of the nervous system.	Diseases of the urinary organs.	Old age.	Still-born.	All other causes.	Unknown.		
1,372	17	22	11	115	39	157	138	130	6	8	23	66	12	20	160	30	5	138	274	1	1	
778	8	12	6	65	24	86	73	83	4	4	11	35	12	16	95	16	5	82	157	1	2	
594	9	10	5	50	15	71	65	47	2	4	12	31	13	4	65	14	5	56	117	1	3	
1,368	16	22	11	115	39	157	137	130	6	8	23	65	12	20	160	29	5	138	274	1	4	
987	15	10	8	107	35	149	76	73	6	8	3	17	8	9	121	14	5	138	189	1	5	
215	4	2	2	16	9	29	7	18	2	1	1	5	3	3	33	3	5	35	44	1	6	
157	4	1	1	14	5	24	13	9	1	1	2	3	1	2	25	1	5	22	30	1	7	
345	3	3	1	45	14	52	28	33	2	3	2	4	1	4	41	6	4	45	60	1	7	
267	4	4	5	30	7	44	28	13	1	4	10	25	7	22	4	4	4	34	55	1	8	
214	7	3	3	3	1	5	38	32	1	10	25	23	4	9	21	7	5	34	53	1	8	
167	1	5	5	5	3	3	23	25	1	10	10	23	4	2	18	8	5	32	32	1	8	
4	1						1					1				1					9	
2	1						1					1									10	
2																					11	
238	5	3	2	18	9	31	8	22	2	2	1	6		4	34	3		38	49	1	12	
182	4	1		16	5	29	13	12	1		2	4	1	2	27	3		24	38		13	
12				2		1	3	1				4			1			1	2		14	
11				1		2	3	5		1	1	1			1		1	1	6	12	15	
49		2		6		3	7	4		1	1	1			5			6	12		16	
50		2		4	1	2	12	4		1	1	3		1	5	2	1	2	10		17	
6						1	1	1				1			1			2	2		18	
7							1	2							1			1	2		19	
10		1	1	2	1	2	1	2			1				1			1	2		20	
437	3	6	4	36	14	44	51	51	1	1	3	23		11	52	12		33	87		21	
300	5	7	4	27	5	31	33	25	1	3	5	19	11	1	27	9	2	26	59		22	
2								1										1	1		23	
1																					24	
1																					25	
4								1													26	
5																					27	
9																					28	
15								1													29	
10								1													30	
9								2													31	
3,252	89	60	33	53	36	189	395	164	6	23	119	261	19	39	606	105	89	221	778	17	32	
1,688	23	36	15	24	21	105	171	81	1	7	50	127		30	322	74					33	
1,564	16	24	18	29	15	84	224	83	5	16	69	134	19	9	284	31	40	118	434	9	34	
3,205	39	59	22	53	36	188	387	161	6	22	118	256	19	39	599	105	88	217	765	16	35	
3,060	80	56	31	52	35	184	363	152	6	22	109	249	18	39	563	100	83	217	721	16	36	
1,467	19	30	11	21	20	97	142	71	1	7	42	116		27	282	68	35	105	367	6	37	
1,372	11	23	16	26	12	78	194	71	4	15	59	118	16	8	248	26	45	95	300	7	38	
68	4	2	3	2	3	8	8	4			3	3		2	3	1	1	9	23	1	39	
83	5	1	1	3	2	5	15	4			2	7			9	2	1	9	17	1	40	
81		3		1		4	17	5			4	3			16	4	2	4	22	1	41	
53						7	7	4			5	4			12	1	3	3	14	1	42	
47		1	1			1	8	3		1	1	5			7		1	4	18	1	43	
24						1	2	2													1	44
23						6	6	1													1	45
1,409	19	32	11	22	20	98	144	73	1	7	43	117		28	287	68	35	110	377	7	46	
1,410	12	23	16	26	12	79	201	73	4	16	59	123	16	9	252	27	46	96	313	7	47	
23		1	1	1		1	4	1				1			4	1	1	2	5	1	48	
16							3	1				3			2	1	1	1	3	1	49	
77	4	1	2	1		4	16	4			2	3		1	8	3	1	2	23	1	50	
76	4	1	2	3	2	3	16	4			2	4	2		10	1	3	3	16	1	51	
4																			1	1	52	
4																			1	1	53	
2																			1	1	54	
24		1	1			1	2	2			1	1			6	1		2	8	1	55	
21					1	1	1	2			2	1	1		6	1		1	4	1	56	
3																			1	1	57	
2																			1	1	58	
1																			1	1	59	
1																			1	1	60	
2																			1	1	61	
2																			1	1	62	
53					1		5	4				5		1	17	1	2		16	1	63	
32						1	2	3			8	3		12	12	2		5	5	1	64	

TABLE 13.—DEATHS DURING THE 6 YEARS ENDING MAY 31, 1890, AT CERTAIN AGES AND FROM CERTAIN CAUSES, NEW JERSEY—Continued.

LOCALITIES.	AGE.											
	All ages.	Months.					Years.					Un-known.
		Under 3	3 to 6	6 to 9	9 to 12	Total under 12	Under 5	5 to 15	15 to 25	25 to 65	65 and over.	
1 Mercer county, rural.....	2,470	277	84	66	39	466	653	134	184	786	673	35
2 Males.....	1,320	146	39	37	19	241	343	71	99	438	345	24
3 Females.....	1,150	131	45	29	20	225	315	63	85	348	328	11
4 White.....	2,287	247	78	58	39	422	595	120	171	736	633	32
5 Native born.....	2,031	246	77	58	39	420	586	115	163	591	558	18
6 Both parents native.....	M. 878	109	33	30	18	190	269	50	59	246	247	7
7 One or both parents foreign.....	F. 783	103	35	24	17	179	248	45	54	202	230	4
8 Foreign born.....	M. 90	19	4	4		27	33	12	19	22	3	1
	F. 67	12	4		2	18	25	8	13	14	6	1
	M. 119						4	1	2	70	37	5
	F. 109	1	1			2	4	3	6	64	31	1
9 Colored.....	183	30	6	8		44	63	14	13	50	40	3
10 Males.....	95	16	2	3		21	31	7	6	27	23	1
11 Females.....	88	14	4	5		23	32	7	7	23	17	2
12 Birthplaces of mothers:												
13 United States.....	M. 969	126	35	33	17	211	300	57	65	271	268	8
	F. 873	117	40	28	17	202	283	53	63	222	246	6
14 England and Wales.....	M. 32	4	1			5	7	2	1	16	6	
	F. 26	1	1	1	1	4	8	2	2	8	6	
15 Ireland.....	M. 94	8	2			11	15	7	16	40	15	1
	F. 85	7			1	8	9	5	10	41	18	2
16 Scotland.....	M. 6	1	1			2	2			1	3	
	F. 7	1	1			2	2			1	4	
17 France.....	M. 1								1			
	F. 1											
18 Germany.....	M. 36	4		1		5	9	3	1	16	7	
	F. 26	3	2			5	7	2	1	11	5	
19 Russia and Poland.....	M. 2	1				1	1			1		
	F. 1								1			
20 Canada.....	M. 1									1		
	F. 3				1	1	1			2		
21 Scandinavia.....	M. 2	1				1	1				1	
	F. 1								1			
22 Hungary.....	M. 1											
	F. 1											
23 Bohemia.....	M. 5			1		1	1			4		
	F. 4					1	1	1		1		1
24 Other foreign countries.....	M. 167	2			1	3	6	1	14	86	49	14
	F. 128	1	1		1	3	5		8	64	48	3
25 Unknown.....												
26 Trenton city.....	5,181	1,005	238	244	170	1,707	2,301	262	347	1,467	744	60
27 Males.....	2,764	583	156	125	92	956	1,254	128	176	812	372	22
28 Females.....	2,417	422	132	119	78	751	1,047	134	171	655	372	38
29 White.....	4,995	981	280	242	164	1,667	2,247	250	331	1,400	711	56
30 Native born.....	4,227	976	278	238	157	1,649	2,219	236	288	975	475	34
31 Both parents native.....	M. 1,582	393	110	78	60	641	846	95	101	363	174	3
	F. 1,428	298	87	82	54	521	722	89	95	325	180	17
32 One or both parents foreign.....	M. 463	156	37	33	19	245	322	21	31	76	16	3
	F. 399	105	36	28	15	184	264	28	36	55	12	4
33 Foreign born.....	M. 356	1		1	4	6	8	6	17	215	105	5
	F. 290		2		2	4	7	5	17	155	100	6
34 Colored.....	186	24	8	2	6	40	54	12	16	67	33	4
35 Males.....	94	15	3	2	4	24	32	4	12	31	13	2
36 Females.....	92	9	5		2	16	22	8	4	36	20	2
37 Birthplaces of mothers:												
38 United States.....	M. 1,696	425	118	80	65	688	906	100	113	390	183	4
	F. 1,549	315	93	87	56	551	763	99	100	365	203	19
39 England and Wales.....	M. 196	38	11	11	4	64	84	10	12	59	30	1
	F. 150	22	14	10	6	52	72	4	10	52	19	2
40 Ireland.....	M. 259	30	5	4	7	46	70	7	20	117	43	2
	F. 233	24	5	3	6	38	58	12	24	88	46	5
41 Scotland.....	M. 16	3	1		2	7	7			6	3	
	F. 17	2			2	4	6		1	4	5	
42 France.....	M. 3								1		2	
	F. 3											
43 Germany.....	M. 213	37	14	14	8	73	97	7	12	65	23	4
	F. 190	38	17	7	2	64	95	14	13	44	22	2
44 Russia and Poland.....	M. 13	6		1	1	8	10	1	1	1		
	F. 6	2	1	1	1	5	5			1		
45 Canada.....	M. 4	3				3	4					
	F. 3											
46 Scandinavia.....	M. 15	9	1	1		11	12			3		
	F. 8	1		2		3	5			2	1	
47 Hungary.....	M. 17	10	1	2		13	14	1		1	1	
	F. 13	6		4		10	12	1				
48 Bohemia.....	M. 7	2				2	2			1	2	
	F. 8	2	1			3	4			1	2	
49 Other foreign countries.....	M. 322	20	5	11	4	40	47	1	17	166	80	11
	F. 234	10	1	5	5	21	27	3	22	98	74	10

STATISTICS OF DEATHS.

WITH DISTINCTION OF SEX, COLOR, NATIVITY, PARENTAL NATIVITY, AND BIRTHPLACES OF MOTHERS—Continued.

NEW JERSEY—Continued.

CAUSE OF DEATH.																				
All causes.	Scarlet fever.	Typhoid fever.	Marial fever.	Diphtheria.	Croup.	Diarrheal diseases.	Consumption.	Pneumonia.	Measles.	Whooping cough.	Cancer and tumor.	Heart disease and dropsy.	Child-birth and puerperal diseases.	Diseases of the liver.	Diseases of the nervous system.	Diseases of the urinary organs.	Old age.	Still-born.	All other causes.	Un-known.
2,470	14	52	27	81	28	171	349	134	3	13	55	166	13	12	441	78	72	107	648	6
1,320	7	31	11	38	14	78	187	69	3	6	22	80	7	7	242	45	29	61	389	1
1,150	7	21	16	43	14	93	162	65	7	33	86	13	5	5	199	33	43	46	259	5
2,287	14	47	24	80	27	164	317	119	3	12	53	148	13	11	410	75	66	100	599	5
2,031	13	41	23	78	24	151	274	105	3	12	44	115	10	10	376	61	54	100	532	5
878	5	18	8	31	9	67	111	45	3	4	17	46	5	5	153	28	15	47	266	5
733	7	15	11	34	11	65	94	43	3	6	25	56	10	3	136	20	23	40	181	3
90	3	3	2	6	2	7	13	4	1	1	1	1	1	1	18	1	1	8	25	3
67	1	1	1	6	2	3	12	4	1	1	1	1	1	1	8	5	1	5	14	7
119	5	5	2	6	2	7	23	10	2	2	3	16	1	1	15	7	5	5	30	8
109	1	1	1	2	1	9	17	2	2	6	6	15	2	1	16	6	6	6	24	8
183	5	3	1	1	1	7	33	15	1	2	18	1	1	1	31	3	6	7	49	9
95	3	1	1	1	1	1	15	4	1	2	11	7	1	1	16	3	2	4	23	10
88	2	2	1	1	6	17	17	11	1	2	7	7	1	1	15	4	1	4	21	11
969	5	21	9	31	10	67	126	49	3	5	19	54	6	6	167	31	17	54	295	12
873	7	17	13	36	11	71	111	53	6	6	26	62	10	3	151	20	27	41	204	4
32	1	1	1	1	2	3	3	1	1	1	2	2	1	1	9	3	1	2	8	13
26	1	1	1	3	2	3	3	1	1	1	1	4	1	1	1	1	1	1	5	5
94	2	2	2	3	2	4	24	7	2	2	2	9	1	1	11	1	2	2	27	14
85	2	2	3	3	2	4	15	3	1	1	2	7	1	1	14	6	2	4	19	14
6	1	1	1	1	1	1	2	3	1	1	1	1	1	1	1	1	1	1	2	15
7	1	1	1	1	2	2	2	4	1	1	1	2	1	1	1	1	1	1	2	16
1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	17
36	3	2	2	2	2	2	2	4	1	1	1	2	1	1	6	2	1	1	9	17
26	1	1	1	1	4	4	4	3	1	1	1	4	1	1	1	2	1	1	6	17
2	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	18
1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	19
3	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	20
2	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	21
1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	22
5	1	1	1	1	1	1	1	1	1	1	1	1	1	1	2	1	1	1	3	23
4	1	1	1	1	1	1	1	1	1	1	1	1	1	1	2	1	1	1	1	24
167	2	3	2	1	1	7	28	8	2	2	12	9	2	1	44	9	9	1	46	25
128	3	2	1	1	1	7	28	6	1	4	9	9	2	1	30	4	10	1	22	1
5,181	30	95	43	158	83	557	641	298	32	40	96	272	42	51	699	140	88	339	1,458	19
2,764	15	48	19	68	42	282	370	143	13	16	35	137	29	34	386	90	30	197	831	10
2,417	15	47	24	90	41	275	271	155	19	24	61	135	42	19	313	50	58	142	627	9
4,995	30	89	39	155	82	543	605	288	31	38	92	258	41	49	676	135	82	335	1,408	19
4,227	30	80	30	151	79	503	473	215	30	33	68	192	29	34	573	104	49	335	1,199	15
1,582	14	25	10	53	27	168	188	65	8	12	19	77	14	14	235	42	15	136	467	7
1,428	14	27	12	66	25	175	148	80	13	16	30	73	18	9	177	29	22	113	376	5
469	1	13	2	13	13	70	39	27	4	3	2	12	3	3	56	10	7	57	142	2
399	1	7	4	16	12	56	32	21	5	7	3	8	4	3	64	7	1	28	120	32
356	4	3	2	2	1	18	64	29	1	7	8	32	11	11	41	23	9	21	110	33
290	4	6	2	2	1	18	42	31	1	7	14	26	11	2	45	5	2	1	59	3
186	6	4	3	3	1	14	36	10	1	2	4	14	1	2	23	5	6	4	50	34
94	1	2	1	1	1	7	23	6	1	1	4	6	1	2	11	3	2	3	26	35
92	5	2	3	3	7	7	13	4	1	1	4	8	1	2	12	2	4	1	24	36
1,696	14	26	12	54	29	179	207	70	8	13	19	83	16	16	249	45	15	144	506	7
1,549	14	34	14	70	26	188	162	87	15	17	34	81	19	10	194	31	25	116	407	5
1,196	8	1	1	1	3	21	18	9	2	2	3	9	3	3	25	10	18	18	65	38
159	1	2	8	5	5	21	16	10	1	3	5	8	3	2	26	5	1	5	39	39
259	2	2	4	4	4	23	42	21	2	2	3	15	4	4	34	11	5	7	76	2
233	1	2	5	4	2	18	32	24	2	1	7	10	6	2	32	5	11	7	61	1
16	1	1	1	1	2	2	2	1	1	1	1	1	1	2	2	1	1	1	6	40
17	1	1	1	1	3	3	2	1	1	1	1	1	1	1	4	1	1	1	4	41
3	1	1	1	1	1	1	1	1	1	1	1	1	1	1	4	1	1	1	3	42
213	7	1	5	5	5	22	27	16	1	1	3	14	4	4	20	9	1	14	63	43
190	5	3	3	6	5	20	18	10	1	3	2	11	3	2	29	2	5	9	54	2
13	1	1	1	1	1	3	1	1	1	1	1	1	1	1	2	1	1	1	1	43
6	1	1	1	1	1	1	1	1	1	1	1	1	1	1	2	1	1	1	2	44
4	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	3	45
3	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	46
15	4	4	4	4	4	4	4	4	4	4	4	4	4	4	4	4	4	4	4	47
8	4	4	4	4	4	4	4	4	4	4	4	4	4	4	4	4	4	4	4	48
17	1	1	2	4	4	4	4	8	1	1	1	1	1	1	1	1	1	1	2	49
13	1	1	1	1	1	1	2	1	1	1	1	1	1	1	1	1	1	1	1	50
7	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	50
8	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	50
322	5	3	2	2	3	21	70	20	6	6	15	15	8	5	48	15	8	1	102	1
234	5	3	2	2	3	18	40	21	6	6	13	24	8	5	22	7	15	1	50	1

VITAL AND SOCIAL STATISTICS.

TABLE 12.—DEATHS DURING THE 6 YEARS ENDING MAY 31, 1890, AT CERTAIN AGES AND FROM CERTAIN CAUSES, NEW JERSEY—Continued.

LOCALITIES.	All ages.	AGE.										
		Months.					Years.					
		Under 3	3 to 6	6 to 9	9 to 12	Total under 12	Under 5	5 to 15	15 to 25	25 to 65	65 and over.	Un-known.
1 Middlesex county, rural.....	2,933	421	121	92	79	713	1,039	165	205	826	655	43
2 Males.....	1,621	258	72	47	45	422	595	93	111	438	346	38
3 Females.....	1,312	163	49	45	34	291	444	72	94	388	309	5
4 White.....	2,827	406	117	89	77	689	1,002	161	188	803	634	39
5 Native born.....	2,403	406	115	88	75	684	992	150	164	574	501	22
6 Both parents native.....	M. 976	166	55	34	28	283	293	61	54	230	226	12
7 F. 813	96	25	34	24	179	278	46	51	234	200	4	
8 One or both parents foreign.....	M. 273	81	15	10	14	120	172	19	29	40	11	2
9 F. 232	59	20	10	9	98	140	23	27	82	10	7	
10 Foreign born.....	M. 213			1	2	3	5	10	12	118	67	1
11 F. 164		2			2	5	1	9	92	57		
12 Colored.....	106	15	4	3	2	24	37	4	17	23	21	4
13 Males.....	56	8	2	2	1	13	20	3	12	8	9	4
14 Females.....	50	7	2	1	1	11	17	1	5	15	12	
15 Birthplaces of mothers:												
16 United States.....	M. 1,050	185	57	38	31	311	433	65	66	237	235	14
17 F. 881	110	28	37	26	201	309	50	56	249	213	4	
18 England and Wales.....	M. 29	1				2	3	1	4	7	14	
19 F. 26	4				4	4	2		11	9		
20 Ireland.....	M. 200	23	5	3	3	34	53	14	21	77	33	2
21 F. 200	24	4	3	5	36	56	14	21	73	36		
22 Scotland.....	M. 8					1			1	3	4	
23 F. 3		1			1	1			1	1		
24 France.....	M. 10	1			1	2	1		1	4	3	
25 F. 4					4	3			3	3		
26 Germany.....	M. 139	29	6		8	43	61	7	11	41	18	1
27 F. 85	13	10	3	3	29	37	2	12	23	11		
28 Russia and Poland.....	M. 6	1		1		2	4			2		
29 F. 5	1	2			3	3		1		1		
30 Canada.....	M. 2									2		
31 F. 1										1		
32 Scandinavia.....	M. 23	9	2	1	1	13	18	3	2	4	1	
33 F. 29	8	4	2	1	13	23	1	1	4			
34 Hungary.....	M. 6			2	1	3	3	1	2	2		
35 F. 2	2				2	2						
36 Bohemia.....	M. 1											
37 F. 1												
38 Italy.....	M. 19	5		2		7	12	1	1	4	1	
39 F. 14	2		1		3	3	3	1	1	3	1	
40 Other foreign countries.....	M. 122	2	1			3	4		5	55	37	21
41 F. 63	1				1	3	3	1	2	20	36	1
42 New Brunswick city.....	2,302	311	126	85	75	597	852	153	199	651	421	26
43 Males.....	1,195	179	64	52	33	328	467	80	104	345	185	14
44 Females.....	1,107	132	62	33	42	269	385	73	95	306	236	12
45 White.....	2,220	298	118	83	73	572	819	150	192	617	418	24
46 Native born.....	1,873	298	118	83	72	571	817	145	132	427	287	15
47 Both parents native.....	M. 762	138	51	36	24	249	356	57	62	176	107	4
48 F. 797	108	44	23	35	212	308	51	63	147	134	4	
49 One or both parents foreign.....	M. 159	24	9	14	7	54	15	29	32	5	5	
50 F. 135	21	12	6	7	46	58	14	21	32	9	1	
51 Foreign born.....	M. 160				1	1	2	7	89	58	2	
52 F. 153						2	2	2	83	64	2	
53 Colored.....	82	13	8	2	2	25	33	3	7	34	3	2
54 Males.....	41	11	3	1	1	16	20	1	2	16	1	1
55 Females.....	41	2	5	1	1	9	13	2	5	18	2	1
56 Birthplaces of mothers:												
57 United States.....	M. 817	150	54	39	27	270	384	60	65	194	110	4
58 F. 754	110	49	23	35	222	323	53	69	164	137	5	
59 England and Wales.....	M. 25	2		1	2	5	5	3	3	10	4	
60 F. 16		1	1	1	3	3		1	5	6		
61 Ireland.....	M. 158	8	3	3	1	15	25	3	23	71	36	
62 F. 171	11	4		3	13	23	7	15	79	46	1	
63 Scotland.....	M. 5			1		1			3	1		
64 F. 5					1	1			4	1		
65 France.....	M. 1	1				1	1			1		
66 F. 1					1	1				1		
67 Germany.....	M. 87	10	6	3	3	27	33	8	8	23	10	
68 F. 64	6	7	3	3	19	24	6	6	17	11		
69 Russia and Poland.....	M. 1											
70 F. 2					1	1				1		
71 Canada.....	M. 2	1				1	1					
72 F. 3					2	3						
73 Scandinavia.....	M. 1	1				1	1					
74 F. 1												
75 Hungary.....	M. 1	1				1	1					
76 F. 1												
77 Bohemia.....	M. 3									2	1	
78 F. 2					1	1				1		
79 Italy.....	M. 4			1		1	1			2	1	
80 F. 2										1	1	
81 Other foreign countries.....	M. 3									1	2	
82 F. 4										1	1	
83 Unknown.....	M. 90	6	1			7	10	6	5	40	21	8
84 F. 87	1	1			2	6	4	4	4	34	33	6

STATISTICS OF DEATHS.

WITH DISTINCTION OF SEX, COLOR, NATIVITY, PARENTAL NATIVITY, AND BIRTHPLACES OF MOTHERS—Continued.

NEW JERSEY—Continued.

CAUSE OF DEATH.																				
All causes.	Scarlet fever.	Typhoid fever.	Malarial fever.	Diphtheria.	Croup.	Diarrheal diseases.	Consumption.	Pneumonia.	Measles.	Whooping cough.	Cancer and tumor.	Heart disease and dropsy.	Childbirth and puerperal diseases.	Diseases of the liver.	Diseases of the nervous system.	Diseases of the urinary organs.	Old age.	Still-born.	All other causes.	Unknown.
2,933	49	65	38	54	70	303	346	174	6	21	59	174	19	32	373	118	77	170	769	16
1,621	29	41	16	28	41	160	173	87	3	10	23	95	19	185	72	32	100	495	12	
1,312	20	24	22	26	29	143	173	87	3	11	36	79	10	183	46	45	70	274	4	
2,827	43	65	37	52	69	293	330	162	5	20	58	167	18	30	364	112	76	162	744	15
2,403	46	53	34	50	67	273	292	135	5	20	46	139	14	24	313	94	56	162	596	14
976	12	21	9	20	26	112	105	50	2	7	19	62	14	14	115	43	24	67	263	5
813	11	15	16	17	19	86	102	60	2	9	23	50	9	6	121	35	26	39	163	1
273	14	11	2	4	12	32	21	9	1	3	8	8	4	2	24	9	30	87	6	
232	9	6	3	7	8	39	23	10	1	3	3	8	4	2	35	2	26	44	2	
213	2	9	2	2	2	7	31	17	1	2	2	14	2	2	30	12	3	78	2	
164	3	1	1	1	1	12	32	9	1	1	9	12	4	4	18	6	15	39	3	
106	1	1	2	1	1	10	16	12	1	1	1	7	1	2	9	6	1	8	25	1
56	1	1	2	1	1	7	8	8	1	1	1	2	1	2	4	5	1	3	12	10
50	1	1	1	1	1	3	8	4	1	1	1	5	1	2	5	1	1	5	13	11
1,050	15	21	9	23	29	120	113	57	2	8	19	65	15	119	48	25	72	285	5	
881	11	15	17	20	20	90	110	66	2	10	24	55	10	7	133	35	26	46	182	2
29	1	1	1	1	1	1	2	2	1	1	1	2	1	1	7	1	1	10	6	1
26	1	2	1	1	1	4	1	1	1	1	1	2	1	1	6	1	1	1	6	1
200	4	8	3	2	6	13	34	13	1	1	1	4	1	2	18	1	10	60	2	
200	4	3	2	3	4	19	34	12	1	1	7	10	3	5	26	6	10	42	3	
8	1	1	1	1	1	1	1	1	1	1	1	2	1	1	1	1	1	1	1	
3	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	
10	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	
4	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	
139	5	7	1	1	5	14	9	4	1	1	1	6	1	17	4	1	9	5	2	
85	2	4	2	1	1	17	14	1	1	1	3	3	2	5	4	1	8	16	2	
6	1	1	1	1	1	1	1	2	1	1	1	1	1	1	1	1	1	4	1	
5	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	
2	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	
1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	
19	3	3	1	1	3	2	2	1	1	1	1	1	1	2	3	3	2	6	3	
14	2	3	3	1	3	3	9	6	2	2	1	11	1	2	16	3	4	59	1	
122	3	3	1	1	2	3	11	4	1	1	2	4	1	7	7	3	6	19	1	
63	1	1	1	1	2	3	11	4	1	1	2	4	1	7	7	3	6	19	1	
2,302	21	57	14	89	50	242	275	169	3	16	69	136	8	38	292	120	27	107	559	10
1,195	12	30	5	51	23	127	149	69	11	22	61	27	141	64	9	61	329	4		
1,107	9	27	9	38	27	115	126	100	3	5	47	75	8	11	151	56	18	46	230	6
2,220	21	53	14	86	50	233	264	162	3	14	66	129	7	38	283	116	27	102	537	10
1,873	20	50	13	82	50	222	215	124	3	14	45	100	6	23	239	94	18	102	443	5
762	7	19	4	33	19	86	76	39	7	7	11	39	16	16	99	43	5	46	211	2
707	5	17	8	27	21	83	76	52	3	3	27	45	3	3	96	38	11	33	159	1
159	2	8	1	10	4	23	32	9	3	3	3	5	2	2	17	3	8	8	27	
135	2	2	1	8	3	16	18	14	1	4	3	3	1	4	11	3	12	31	2	
160	1	3	3	10	27	10	27	15	3	6	12	12	5	5	16	11	4	49	1	
153	2	1	1	1	6	19	19	20	1	1	12	17	1	3	22	9	5	32	3	
82	4	3	3	4	4	11	7	7	2	3	7	1	1	9	4	5	22	22	34	
41	1	1	1	1	1	1	4	3	1	2	1	2	1	3	2	2	5	16	35	
41	3	3	2	2	3	3	7	4	3	4	3	5	1	1	6	2	5	6	36	
817	8	20	4	36	19	92	80	43	8	13	13	41	17	105	45	5	51	228	2	
754	5	20	8	32	21	92	83	57	3	4	28	50	4	102	39	11	33	158	1	
25	3	3	1	1	1	2	2	2	1	1	1	1	1	6	2	2	7	7	3	
16	1	1	1	1	1	1	1	1	1	1	1	1	1	2	3	3	3	3	3	
158	4	1	1	3	19	37	37	19	1	4	4	12	1	11	3	3	2	31	2	
171	1	3	3	3	11	24	24	24	1	8	1	16	2	17	4	4	5	38	3	
5	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	2	2	
5	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	
2	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	
1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	
87	1	2	8	3	1	12	17	1	2	2	5	3	1	12	2	1	1	18	1	
64	1	3	3	3	2	6	7	5	1	5	5	4	1	11	1	1	4	10	1	
1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	
2	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	
3	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	
1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	
3	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	
2	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	
4	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	
4	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	
3	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	
90	3	1	4	1	1	1	1	4	1	2	1	3	4	6	7	1	2	36	1	
87	2	3	4	3	3	3	14	12	1	4	2	5	2	17	6	2	1	17	1	

TABLE 13.—DEATHS DURING THE 6 YEARS ENDING MAY 31, 1890, AT CERTAIN AGES AND FROM CERTAIN CAUSES, NEW JERSEY—Continued.

	LOCALITIES.	AGE.											
		All ages.	Months.					Years.					
			Under 3	3 to 6	6 to 9	9 to 12	Total under 12	Under 5	5 to 15	15 to 25	25 to 65	65 and over.	Un-known.
1	Perth Amboy city.....	1,033	199	62	61	38	360	525	64	51	284	105	4
2	Males.....	579	112	36	32	22	202	289	28	23	176	55	3
3	Females.....	454	87	26	29	16	158	236	36	23	108	50	1
4	White.....	1,025	196	61	59	38	354	519	64	50	283	105	4
5	Native born.....	845	196	60	59	38	353	513	61	40	155	73	3
6	Both parents native.....	M. 277 F. 256	49 50	15 12	15 12	11 8	90 82	139 131	24 23	12 14	77 53	24 34	1 1
7	One or both parents foreign.....	M. 169 F. 129	60 36	18 14	16 16	11 8	105 74	140 101	4 10	7 6	12 8	5 4	1 1
8	Foreign born.....	M. 112 F. 60	1 1	1	1	1	1	3 2	3	2	8 44	23 9	1
9	Colored.....	8	3	1	2	6	6	6	1	1	1	1	1
10	Males.....	6	3	1	1	5	5	5	1	1	1	1	1
11	Females.....	2	1	1	1	1	1	1	1	1	1	1	1
	Birthplaces of mothers:												
12	United States.....	M. 290 F. 264	56 52	17 12	17 14	11 8	101 86	151 136	24 23	13 14	77 55	24 35	1 1
13	England and Wales.....	M. 15 F. 7	2 1	1 2	1	1	4 3	6 4	1	2	2	2	2
14	Ireland.....	M. 83 F. 62	10 6	4	2	3	19 8	30 20	1	4	32 24	14 9	2
15	Scotland.....	M. 1 F. 1	1	1	1	1	1	1	1	1	1	1	1
16	France.....	M. 2 F. 2	1	1	1	1	1	1	1	1	1	1	1
17	Germany.....	M. 43 F. 34	10 10	2 4	2 3	2 3	16 20	21 22	1 2	3 1	13 8	5 1	1
18	Russia and Poland.....	M. 10 F. 7	8 1	1	1	1	5 3	7 1	1	1	7 2	3 1	1
19	Canada.....	M. 5 F. 2	1 1	1	1	1	2 2	2 2	1	1	2	1	1
20	Scandinavia.....	M. 50 F. 34	13 7	6 5	7 6	2 2	28 20	34 24	1	1	12 7	2 1	1
21	Hungary.....	M. 17 F. 6	5 2	1	2	1	8 3	14 5	1	1	2	1	1
22	Bohemia.....	M. 1 F. 1	1	1	1	1	1	1	1	1	1	1	1
23	Italy.....	M. 1 F. 1	1	1	1	1	1	1	1	1	1	1	1
24	Other foreign countries.....	M. 33 F. 26	9 7	5 1	2	2	16 12	21 15	1 5	1	8 6	2	1
25	Unknown.....	M. 28 F. 9	1 1	1	1	1	2 1	2 1	2	2	20 3	4 4	1
26	Monmouth county, rural.....	6,173	915	283	213	195	1,606	2,250	387	435	1,665	1,395	41
27	Males.....	3,243	542	165	115	106	928	1,249	203	206	837	716	32
28	Females.....	2,930	373	118	98	89	678	1,001	184	229	828	679	9
29	White.....	5,755	856	256	198	176	1,486	2,074	363	388	1,571	1,326	38
30	Native born.....	5,369	854	255	198	176	1,483	2,070	358	368	1,382	1,172	19
31	Both parents native.....	M. 2,503 F. 2,269	451 313	130 95	101 73	90 72	772 553	1,038 821	169 148	143 155	601 610	540 581	12 4
32	One or both parents foreign.....	M. 247 F. 229	46 32	19 10	10 13	9 4	84 59	105 90	21 19	29 35	66 62	25 22	1 1
33	Foreign born.....	M. 179 F. 166	32 1	10 1	13 1	4	59 1	90 1	19 3	7 7	89 90	79 63	2 3
34	Colored.....	418	59	27	15	19	120	176	24	52	94	69	3
35	Males.....	214	35	15	4	7	61	94	10	23	49	36	2
36	Females.....	204	24	12	11	12	59	82	14	29	45	33	1
	Birthplaces of mothers:												
37	United States.....	M. 2,741 F. 2,495	492 343	148 108	108 85	97 85	845 621	1,147 920	183 162	167 187	657 657	574 564	13 5
38	England and Wales.....	M. 68 F. 49	4 2	3	1	1	7 3	7 6	2 5	6 3	20 19	33 14	1
39	Ireland.....	M. 202 F. 217	24 9	7 5	4 5	5	40 20	55 34	11 12	21 29	69 96	46 44	2
40	Scotland.....	M. 12 F. 17	1 1	1	1	1	2 1	3 1	1	1	4 4	4 11	1
41	France.....	M. 6 F. 5	1 1	1	1	1	2 2	2 2	1	1	2 2	1 1	1
42	Germany.....	M. 68 F. 54	6 11	3 2	3 5	3	15 20	16 21	3 3	4 4	34 20	10 6	1
43	Russia and Poland.....	M. 8 F. 2	2 1	2	2	2	4 2	4 2	2	1	1	1	1
44	Canada.....	M. 5 F. 2	1 1	1	1	1	2 1	2 1	1	1	2	2	1
45	Scandinavia.....	M. 6 F. 9	1 1	1	1	1	1 2	1 5	1	1	4 3	1	1
46	Hungary.....	M. 2 F. 1	1 1	1	1	1	2 1	2 1	1	1	1	1	1
47	Bohemia.....	M. 1 F. 2	1 1	1	1	1	1 2	1 1	1	1	1	1	1
48	Italy.....	M. 2 F. 6	1 1	1	1	1	1 1	1 1	1	1	1	1	1
49	Other foreign countries.....	M. 5 F. 117	1 9	1	1	1	1 10	1 11	1	1	1	1	1
50	Unknown.....	M. 71 F. 71	3 3	1 1	1	1	6 6	7 7	2	2	24	37	17

STATISTICS OF DEATHS

641

WITH DISTINCTION OF SEX, COLOR, NATIVITY, PARENTAL NATIVITY, AND BIRTHPLACES OF MOTHERS—Continued.

NEW JERSEY—Continued.

CAUSE OF DEATH.																				
All causes.	Scarlet fever.	Typhoid fever.	Malarial fever.	Diphtheria.	Croup.	Diarrheal diseases.	Consumption.	Pneumonia.	Measles.	Whooping cough.	Cancer and tumor.	Heart disease and dropsy.	Child-birth and puerperal diseases.	Diseases of the liver.	Diseases of the nervous system.	Diseases of the urinary organs.	Old age.	Still-born.	All other causes.	Unknown.
1,033	23	17	22	31	30	98	107	74	3	12	12	43	7	5	157	30	12	45	299	6
579	10	10	13	12	17	43	66	51	1	3	7	20	3	78	20	6	23	191	5	
454	13	7	9	19	13	55	41	23	2	9	5	23	7	2	79	10	6	22	108	1
1,025	23	17	22	31	30	96	106	72	3	12	12	43	7	5	157	30	12	43	298	6
845	21	12	16	31	28	91	72	53	3	12	5	26	4	4	142	22	7	43	249	4
277	4	5	5	10	14	22	34	14	1	1	2	9	2	1	45	9	2	8	91	4
256	6	6	6	16	9	26	22	12	1	2	3	11	2	2	44	5	3	15	65	1
169	5	1	4	3	3	18	8	20	1	2	2	1	1	1	24	6	1	13	57	4
129	6	1	1	3	2	25	7	7	1	7	1	4	2	1	26	2	1	6	30	1
112	1	4	4	2	2	1	23	15	1	4	5	10	3	1	7	5	3	3	33	1
60	1	4	2	2	2	3	10	4	2	2	2	7	3	1	8	3	3	10	18	1
8						2	1	2										2	1	9
6						1		2										2	1	10
2						1	1													11
290	4	5	5	10	14	23	34	16	1	1	2	9		1	46	9	2	12	96	12
264	6	6	6	16	9	28	23	13	1	2	3	11	2	2	46	5	3	15	67	1
15	1				2	1	3	1				1		2	2			5	2	13
7						4	10	15		1	3	3			8	8	2	3	20	14
83	3	2	3	1	2	4	9	5	1	1	1	1	2		10	3	3	13	13	1
62						3													1	15
1																				16
1																				17
2																				18
43	1	1	3		1	2	4	2		1	1	3			6			2	17	17
34					1	6	4	2		1	2	2			11			2	3	18
10						1	4	2				1			1			2	3	19
7						3				2								2	2	20
5							2									1			2	21
2												1			1					22
50			1	1		7	5	8			1	1			7			2	17	23
34	2				1	6	3	3		1	1	1			3	2		2	9	24
17					2	2	3	2		1					1			2	6	25
6						3		1				2			1					26
1							1								1					27
33	3	2				4	3	2				1			3	1	1	2	10	28
26	2			1		3				3		4	1		4		2	2	6	29
28			1			4	2	2				1			4	1	1	1	13	30
9						2						1			1			1	4	31
6,173	54	112	97	178	72	664	751	424	18	60	147	382	36	67	843	234	150	378	1,466	40
3,243	27	71	47	94	43	348	359	198	8	26	43	188		40	464	147	55	228	826	26
2,930	27	41	50	84	29	316	392	226	10	34	99	194	36	27	379	87	95	150	640	14
5,755	54	105	89	172	70	638	672	391	14	53	141	349	35	67	796	217	136	352	1,367	37
5,369	54	96	85	170	69	610	624	371	14	52	132	316	32	54	742	198	116	352	1,252	30
2,503	27	51	35	76	39	289	250	170	5	22	38	142		28	370	112	36	194	610	18
2,269	23	35	41	72	24	246	267	173	8	27	86	149	26	21	293	69	70	124	508	12
247	8	5	11	3	3	35	41	7		1	3	7		3	33	9	3	16	62	32
229	4	1	2	9	3	35	49	14	1	2	4	8	5	2	25	4	3	17	41	1
179	6	2	2	1	1	12	22	6		3	3	18		8	24	10	8		57	2
166	2	2	2	1		15	26	12		1	5	14	3	4	26	6	8		39	2
418		7	8	6	2	26	79	33	4	7	6	33	1		47	17	14	26	99	3
214		5	3	5		16	35	10	3	3	4	14			24	11	4	17	57	3
204		2	5	1	2	10	44	23	1	4	2	19	1		23	6	10	9	42	3
2,741	27	57	38	83	39	305	288	180	8	26	42	151		28	395	124	40	215	671	21
2,495	23	37	46	74	27	259	311	193	9	31	88	170		21	320	76	36	137	551	12
68		2	1		1	4	7	1		1	1	6		2	12	9	3	3	17	1
49	1		1	1	1	4	2	2		3	3	3			9	1	3	1	3	1
202		6	4	7	3	24	38	10			3	5		5	26	2	5	7	56	1
217	2	3	3	6		28	57	17	1	3	3	13		6	23	3	8	5	32	1
12						1	1	1				2			4				3	1
17						3						2			4				4	1
6												1			1				2	1
5												1			1				2	1
68		2	2	1		5	10				2	6			1			2	9	1
54				2		8	8	4			2	2			2			5	1	1
8						3						2			5			2	1	1
2																				1
5																				1
2																				1
2																				1
6																				1
9																				1
2																				1
1																				1
1																				1
2																				1
2																				1
6																				1
5																				1
17																				1
71																				1

TABLE 13.—DEATHS DURING THE 6 YEARS ENDING MAY 31, 1890, AT CERTAIN AGES AND FROM CERTAIN CAUSES, NEW JERSEY—Continued.

LOCALITIES.	All ages.	AGE.										
		Months.					Years.					
		Under 3	3 to 6	6 to 9	9 to 12	Total under 12	Under 5	5 to 15	15 to 25	25 to 65	65 and over.	Un-known.
1 Long Branch town	559	90	28	27	24	169	225	42	26	168	87	11
2 Males	292	45	16	13	10	84	111	18	12	92	50	9
3 Females	267	45	12	14	14	85	114	24	14	76	37	2
4 White	520	83	27	23	21	154	207	40	23	155	84	11
5 Native born	452	83	27	22	21	153	205	39	23	117	66	2
6 Both parents native	M. 180	31	10	9	8	58	73	15	9	51	31	1
7 One or both parents foreign	F. 173	35	10	5	10	60	80	16	9	45	22	1
8 Foreign born	M. 42	10	3	4	1	18	27	2	2	7	4	
	F. 39	6	2	4	2	14	21	6	2	9	1	
	M. 34							1		18	10	5
	F. 26			1		1	2			17	7	
9 Colored	39	7	1	4	3	15	18	2	3	13	3	
10 Males	22	4	1		1	6	9		1	10	2	
11 Females	17	3		4	2	9	9	2	2	3	1	
Birthplaces of mothers:												
12 United States	M. 207	36	11	11	9	67	86	15	10	61	34	1
	F. 191	39	10	9	13	71	92	18	11	46	23	1
13 England and Wales	M. 9	1	1			2	2			3	4	
	F. 13			1		1	2	3		6	2	
14 Ireland	M. 24	3		1		4	9	2	2	9	2	
	F. 25	2	1	2		5	9	2		11	3	
15 Scotland	M. 3			1		1	2	1				
	F. 3											
16 France	M. 3									2	1	
	F. 2									7	2	
17 Germany	M. 25	3	2		1	6	7			6	5	
	F. 12	1		1		2	3	1	1	6	2	
18 Russia and Poland	M. 1											
	F. 1											
19 Canada	M. 1											
	F. 3						1	1	1			
20 Scandinavia	M. 1											
	F. 1											
21 Hungary	M. 1			1		1	1					
	F. 1											
22 Bohemia	M. 1											
	F. 1											
23 Italy	M. 2	2				2	2					
	F. 4	2		1		3	3			1		
24 Other foreign countries	M. 1		1			1	1				3	3
	F. 17		2			2	2			9	7	1
25 Unknown	M. 15	1				1	2		1	4	7	1
	F. 15											
26 Morris county, rural	4,294	588	170	141	93	992	1,405	273	292	1,226	1,078	20
27 Males	2,323	343	92	85	53	573	785	138	139	659	586	16
28 Females	1,971	245	78	56	40	419	620	135	153	567	492	4
29 White	4,218	581	165	139	92	977	1,386	269	282	1,200	1,062	19
30 Native born	3,686	581	162	139	91	973	1,381	263	258	928	848	8
31 Both parents native	M. 1,590	267	70	71	50	458	619	104	89	382	389	7
32 One or both parents foreign	F. 1,413	181	57	46	30	314	484	95	100	376	358	
33 Foreign born	M. 288	74	17	12	3	106	153	26	27	56	26	
	F. 256	57	18	8	8	91	118	36	34	48	19	1
	M. 302	3				3	3	3	12	160	119	5
	F. 206						1	3	10	105	87	
34 Colored	76	7	5	2	1	15	19	4	10	26	16	1
35 Males	38	1	2	1		4	7	4	3	12	12	
36 Females	38	6	3	1	1	11	12		7	14	4	1
Birthplaces of mothers:												
37 United States	M. 1,673	276	78	77	51	482	654	112	93	400	407	7
	F. 1,490	196	69	48	34	341	517	103	108	394	367	1
38 England and Wales	M. 156	28	9	4	1	42	63	6	4	53	29	
	F. 124	19	4	3	2	28	41	14	9	31	28	1
39 Ireland	M. 208	15	2		1	18	28	10	20	91	57	2
	F. 199	16	4	3	1	24	30	13	25	80	51	
40 Scotland	M. 9	1				1	1			2	6	
	F. 15	1				1	1			11	3	
41 France	M. 11	1				1	1	1		4	5	
	F. 3	1				1	1			1	1	
42 Germany	M. 72	12		1		13	17	6	6	22	21	
	F. 51	6	2		2	10	12	2	7	17	18	
43 Russia and Poland	M. 1					1	1					
	F. 1		1			1	1					
44 Canada	M. 5	2				2	2			2	1	
	F. 5											
45 Scandinavia	M. 20	4	1	1		6	10	2	3	4	1	
	F. 10	2	2			4	6	2		1	1	
46 Hungary	M. 9	1				1	1		2	5	1	
	F. 9											
47 Bohemia	M. 1				1	1	1					
	F. 1											
48 Italy	M. 5	1	1			2	2			2	1	
	F. 4	3		1		4	4					
49 Other foreign countries	M. 11	2	1	1		4	4		1	5	1	
	F. 7		2			2	3		1	2		
50 Unknown	M. 143			1		1	2		3	69	57	5
	F. 66	1		1		2	3	1	3	80	27	2

TABLE 13.—DEATHS DURING THE 6 YEARS ENDING MAY 31, 1890, AT CERTAIN AGES AND FROM CERTAIN CAUSES,

NEW JERSEY—Continued:

LOCALITIES.	All ages.	AGE.										
		Months.					Years.					
		Under 3	3 to 6	6 to 9	9 to 12	Total under 12	Under 5	5 to 15	15 to 25	25 to 65	65 and over.	Un-known.
1 Morristown city.....	951	93	49	35	19	196	306	71	61	286	226	1
2 Males.....	458	48	26	15	8	97	160	33	25	134	105	1
3 Females.....	493	45	23	20	11	99	146	38	36	152	121	
4 White.....	911	87	48	34	18	187	288	68	60	279	215	1
5 Native born.....	801	87	48	34	18	187	287	65	54	226	168	1
6 Both parents native.....	M. 311	31	17	13	8	69	116	23	16	89	66	1
F. 349	32	15	17	9	73	111	30	24	104	80		
7 One or both parents foreign.....	M. 64	12	9	1		22	32	7	7	11	7	
F. 81	11	6	3	1	21	26	4	7	15	9		
8 Foreign born.....	M. 51					1		1	27	22		
F. 57							2	5	26	24		
9 Colored.....	40	6	1	1	1	9	18	3	1	7	11	
10 Males.....	23	5	1	1		6	11	1	1	5	5	
11 Females.....	17	1			1	3	7			2	6	
12 Birthplaces of mothers:												
13 United States.....	M. 337	38	19	15	8	80	132	25	17	92	70	1
F. 368	33	16	17	10	56	118	32	24	100	88		
14 England and Wales.....	M. 17					2	4	2	1	5	5	
F. 14		3	1			4	4	1		4	5	
15 Ireland.....	M. 69	7	4			11	18	4	6	22	19	
F. 72	5	4		1		12	15	4	8	28	17	
16 Scotland.....	M. 3	1	1			2	3					
F. 6									1	2	3	
17 France.....	M. 1					1				1	1	
F. 1		1				1	1	1	5	5	2	
18 Germany.....	M. 13			1		3	4	1	1	5	1	
F. 13		1	1								2	
19 Russia and Poland.....	M. 1											
F. 1												
20 Canada.....	M. 1											
F. 1												
21 Scandinavia.....	M. 1											
F. 1												
22 Hungary.....	M. 1											
F. 1												
23 Bohemia.....	M. 1											
F. 1												
24 Italy.....	M. 1	1				1	1					
F. 2	1					1	2					
25 Other foreign countries.....	M. 5					1	1			3	1	
F. 3	1					1	1		1	1	1	
26 Unknown.....	M. 13					2	2	2		7	9	
F. 13	1	1				2	2	1	5	5	5	
27 Ocean county.....	1,498	210	56	48	26	340	472	64	122	457	371	12
28 Males.....	706	125	36	35	14	200	265	27	52	229	216	7
29 Females.....	792	85	20	23	12	140	207	37	70	228	155	5
30 White.....	1,438	208	56	48	26	338	470	63	120	456	367	12
31 Native born.....	1,432	208	56	48	26	338	470	63	120	428	341	10
32 Both parents native.....	M. 699	117	35	24	13	189	247	25	48	195	178	6
F. 635	78	20	21	11	130	195	36	63	202	135	4	
33 One or both parents foreign.....	M. 35	7	1	1	1	10	15	2	3	10	5	
F. 37	5		1	1	1	7	9		3	16	7	
34 Foreign born.....	M. 34									16	13	
F. 15										9	6	
35 Colored.....	10	2				2	2	1	2	1	4	
36 Males.....	5					2			1	1	3	
Females.....	5	2				2	2	1	1		1	
37 Birthplaces of mothers:												
38 United States.....	M. 508	118	35	24	14	191	249	25	50	196	182	6
F. 649	81	20	22	11	134	199	37	65	206	138	4	
39 England and Wales.....	M. 19	1				1	3	1	1	7	7	
F. 5									2	3	7	
40 Ireland.....	M. 16	2				2	3		1	9	6	
F. 22	3					3	5		1	9	7	
41 Scotland.....	M. 4					1	1		1	2	1	
F. 4				1		1	1			3	1	
42 France.....	M. 2						1				1	
F. 4										3	1	
43 Germany.....	M. 12	2				2	3	1		6	2	
F. 8	1					1	1	1	1	3	3	
44 Russia and Poland.....	M. 1											
F. 1												
45 Canada.....	M. 1											
F. 1												
46 Scandinavia.....	M. 2	1				1	1				1	
F. 1												
47 Hungary.....	M. 1											
F. 1												
48 Bohemia.....	M. 1											
F. 1												
49 Italy.....	M. 1											
F. 1												
50 Other foreign countries.....	M. 6		1	1		2	2			2	2	
F. 1						1	1			1	1	
51 Unknown.....	M. 27	1				1	3			9	14	1
F. 10				1		1	1	1	1	6	6	1

TABLE 13.—DEATHS DURING THE 6 YEARS ENDING MAY 31, 1890, AT CERTAIN AGES AND FROM CERTAIN CAUSES, NEW JERSEY—Continued.

LOCALITIES.	AGE.											
	All ages.	Months.					Years.					
		Under 3	3 to 6	6 to 9	9 to 12	Total under 12	Under 5	5 to 15	15 to 25	25 to 65	65 and over.	Un-known.
1 Passaic county, rural.....	1,109	207	50	49	38	344	464	61	81	278	221	4
2 Males.....	601	118	30	21	23	192	253	81	43	151	122	1
3 Females.....	508	89	20	28	15	152	211	30	38	127	99	3
4 White.....	1,098	205	49	48	38	340	456	59	79	274	221	4
5 Native born.....	922	204	48	47	38	337	449	55	69	187	160	2
6 Both parents native.....	M. 359	83	23	12	8	126	161	20	24	75	79	
F. 294	56	9	15	11	91	123	13	23	75	59	1	
7 One or both parents foreign.....	M. 125	32	7	8	15	62	83	8	14	14	6	
F. 121	32	8	12	4	56	80	14	8	15	4		
8 Foreign born.....	M. 93	1				1	2	2	4	53	32	
F. 73		1	1		2	3	2	6	33	28	1	
9 Colored.....	16	2	1	1		4	8	2	2	4		
10 Males.....	9	2		1		3	5	1	1	2		
11 Females.....	7		1			1	3	1	1	2		
12 Birthplaces of mothers:												
13 United States.....	M. 379	88	23	13	9	133	173	21	27	79	79	
F. 316	61	10	16	11	98	137	14	24	80	60	1	
14 England and Wales.....	M. 33	4		3	3	10	10	1	6	6	10	
F. 22	4				4	5	2		10	5		
15 Ireland.....	M. 47	2	1	1	1	5	12	2	5	18	9	1
F. 51	7	1	1	1	10	15	2	5	19	9	1	
16 Scotland.....	M. 11		3		2	5	6		1	2	2	
F. 11			1		1	2	1		6	2		
17 France.....	M. 1	1				1	1					
F. 5	1	1			2	3				2		
18 Germany.....	M. 84	13	2	4	7	26	34	5	3	29	13	
F. 68	9	5	8	2	24	35	9	7	6	11		
19 Russia and Poland.....	M. 1	1				1	1					
F. 1	1				1	1						
20 Canada.....	M. 1									1		
F. 1												
21 Scandinavia.....	M. 5	1				1	1	1		3		
F. 1			1		1	1						
22 Hungary.....	M. 6	2	1			3	6					
F. 3	1			1	2	2	1					
23 Bohemia.....	M. 3	1				1	1			2		
F. 1	1				1	1						
24 Italy.....	M. 13	5			1	6	6	1	1	3	2	
F. 14	3	2	1		6	7	1	2	2	2		
25 Other foreign countries.....	M. 17					2	2			9	6	
F. 14	1	1			2	2			3	8	1	
26 Passaic city.....	1,211	241	84	59	52	436	630	67	85	299	124	6
27 Males.....	616	134	40	32	25	231	329	34	38	150	62	3
28 Females.....	595	107	44	27	27	205	301	33	47	149	62	3
29 White.....	1,184	235	82	56	52	425	616	66	84	290	122	6
30 Native born.....	970	235	82	56	51	424	601	59	63	161	81	5
31 Both parents native.....	M. 263	56	15	12	12	95	139	19	14	57	33	1
F. 271	65	14	11	14	104	152	8	22	55	33	1	
32 One or both parents foreign.....	M. 215	73	24	18	13	123	172	10	12	17	3	1
F. 189	35	23	15	11	89	129	21	11	21	5	2	
33 Foreign born.....	M. 103				1	1	8	3	11	62	19	
F. 106					1	7	4	10	63	22		
34 Colored.....	27	6	2	3		11	14	1	1	9	2	
35 Males.....	16	5		2		7	8	1	1	5	1	
36 Females.....	11	1	2	1		4	6			4	1	
37 Birthplaces of mothers:												
38 United States.....	M. 294	66	16	15	13	110	160	22	15	62	34	1
F. 306	67	20	14	15	116	174	12	23	61	35	1	
39 England and Wales.....	M. 24	5		2		7	9	1	1	10	3	
F. 24	5	2			7	8	1		12	3		
40 Ireland.....	M. 75	12	4	4	3	23	30	1	11	25	8	
F. 73	8	3	2	4	17	22	7	8	27	9		
41 Scotland.....	M. 17	6		1		7	8	3	1	2	3	
F. 19	3	2	1	2	8	9	1	2	6		1	
42 France.....	M. 3	1				1	1					
F. 1												
43 Germany.....	M. 107	30	9	6	5	50	74	6	4	19	4	
F. 95	12	9	8	2	31	49	9	6	22	8	1	
44 Russia and Poland.....	M. 4	2				2	4					
F. 6	1	1			2	4	1	1				
45 Canada.....	M. 5					3	3			2		
F. 5	1	1			2	4			1			
46 Scandinavia.....	M. 5	2				3	3		1	1	1	
F. 4	1			1	2	3						
47 Hungary.....	M. 20	4		2		8	14		1	4		1
F. 12	1	2		1	4	10	1		1			
48 Bohemia.....	M. 2	1		1		2	2					
F. 1												
49 Italy.....	M. 28	7	5	1	2	15	19		4	5		
F. 19	2	4	2	1	9	11	1		18	3		
50 Other foreign countries.....	M. 32		1			1	2		1	4	9	1
F. 31	6			1	7	7		6	15	3		

STATISTICS OF DEATHS.

647

WITH DISTINCTION OF SEX, COLOR, NATIVITY, PARENTAL NATIVITY, AND BIRTHPLACES OF MOTHERS—Continued.

NEW JERSEY—Continued.

CAUSE OF DEATH.																				
All causes.	Scarlet fever.	Typhoid fever.	Malarial fever.	Diphtheria.	Croup.	Diarrheal diseases.	Consumption.	Pneumonia.	Measles.	Whooping cough.	Cancer and tumor.	Heart disease and dropsy.	Child-birth and puerperal diseases.	Diseases of the liver.	Diseases of the nervous system.	Diseases of the urinary organs.	Old age.	Still-born.	All other causes.	Unknown.
1,109	8	22	22	24	25	95	123	67	2	4	21	79	5	12	151	31	26	87	303	2
601	5	10	11	11	11	45	62	46	1	2	10	43	4	84	18	8	50	179	1	
508	3	12	11	13	14	50	61	21	1	2	11	36	5	67	13	18	37	124	1	
1,093	8	22	22	24	25	95	120	66	2	4	21	78	5	12	149	31	26	86	295	2
922	8	17	18	22	25	86	94	48	2	4	12	64	4	6	133	22	16	86	253	2
350	3	7	7	8	6	18	34	24	3	1	5	30	3	50	11	5	39	106	1	
294	3	6	4	5	6	32	33	12	1	2	5	25	4	2	47	7	9	24	67	1
125	2	1	2	1	5	22	11	9	1	1	4	4	4	20	1	1	10	36	1	
121	2	3	5	8	8	12	12	2	1	1	1	1	1	13	2	2	13	40	1	
93	2	2	2	1	1	5	13	12	1	1	5	7	1	8	6	3	3	28	1	
73	3	2	2	1	1	4	13	6	1	1	4	7	1	6	3	7	1	12	1	
16							3	1				1			2		1	8		
9							1	1				1			1		1	5		
7							2	1				1			1		1	3		
379	3	7	8	8	7	19	36	25	1	1	5	32		3	53	11	5	40	114	1
316	3	6	4	5	7	34	37	13	1	2	5	25	4	2	49	7	9	25	77	1
33		1				6	4	3			1	2			4		3	7	4	
22		2		1	2	2	3	1			1	1		1	3		2	4		
47					2	3	7	5			1	4		1	7		1	15		
51		2		1	1	3	9	3			1	4	1	1	1		1	12		
11				1	1	2	1	1		1		2		3	5		1	3		
11					1	1						2						2		
5						14		8			1	2			1		1	2		
84	2	2	1	6	5	8	8	2			2	3		1	5		2	5	25	
68						8						2			5		5	4	15	
1																		1	1	
1																			1	
1																			1	
5							2	1											1	
1																			1	
6																			1	
3			1												3				3	
3																			1	
13						2		1							1				1	
14			1			2	2	2				1			1		1		7	
17				1		4	4	1				1			5		1		4	
14						2					3	3		1	1		1		5	
14																			2	
1,211	13	35	14	38	30	141	106	52	7	10	18	44	12	11	185	41	14	89	349	2
616	4	19	6	15	15	74	64	32	5	5	6	16		8	84	18	7	52	186	
595	9	16	8	23	15	67	42	20	2	5	12	23	12	3	101	23	7	37	163	2
1,184	13	35	13	38	30	138	100	52	7	10	18	43	12	11	179	40	14	88	341	2
970	13	25	7	36	29	125	64	41	7	10	13	33	4	8	139	28	9	88	290	1
263	4	13	2	6	5	34	21	12	1	1	2	9	4	4	34	9	4	29	73	
271	4	7	4	7	6	27	19	11	2	3	6	13	1	1	46	10	2	24	78	
215	1	1	1	7	9	33	13	12	4	4	1	1	1	2	23	4		22	78	
189	5	3		15	9	29	8	4	4	2	3	7	3	1	28	3	2	13	52	1
103		5	3	2	1	3	24	6	2	2	2	4	3	2	20	3	2	26	52	1
106		5	3			10	12	5			3	6	8	1	19	8	3	22	26	1
27			1			3	6					1			6	1		1	8	
16						3	5					1			1	1		1	4	
11						1	1								5			4	4	
294	4	13	2	6	7	40	26	13	1	1	2	10		4	36	10	4	30	85	
306	5	7	5	13	7	29	21	13	2	3	6	14	1	1	53	11	2	24	89	1
24						5		2			1	1			6		2	2	7	
24		1	1	2	1	4		1				4	1		2	1	1	2	5	
75		1	3	1	1	7	14	6			1	3		3	12	3	4	15		
73	1	2	1	1	3	9	14	1		1	2	3	3	9	9	1	2	15		
17		1	1			1		1				3		1	4		3	5		
19		1				5		2					1		5			4		
3														1				1		
1																			1	
107		1		5	4	13	8	6	3	2	1				13	2	1	6	41	
85	1	3	1	8	3	13	2	4			3	4	4	1	12	5	1	6	24	
4				1	1	1									1			1	1	
6	1					1							1		2			2	2	
5	1						1								1			1	1	
5																		1	1	
5		1								1								1	1	
4										1								2	2	
20				1	2	2		1		1					2			10	5	
12						2									4			5		
2																			1	
28		1				6	2	2	1						3			5	8	
19				1	1	3	7	2				1	2		7	1		1	5	
32						1	1	2							7	1		9	9	
31		1		1		1	3	7			1	3	1		6	3		11	11	

STATISTICS OF DEATHS.

649

WITH DISTINCTION OF SEX, COLOR, NATIVITY, PARENTAL NATIVITY, AND BIRTHPLACES OF MOTHERS—Continued.

NEW JERSEY—Continued.

CAUSE OF DEATH.																				
All causes.	Scarlet fever.	Typhoid fever.	Malarial fever.	Diphtheria.	Croup.	Diarrheal diseases.	Consumption.	Pneumonia.	Measles.	Whooping cough.	Cancer and tumor.	Heart disease and dropsy.	Child-birth and puerperal diseases.	Diseases of the liver.	Diseases of the nervous system.	Diseases of the urinary organs.	Old age.	Still-born.	All other causes.	Un-known.
9,531	239	152	72	223	178	925	1,178	598	22	46	196	509	82	78	1,327	312	178	654	2,550	12
4,977	117	87	28	112	109	498	614	308	12	22	65	247	46	706	158	65	368	1,406	9	2
4,554	122	65	44	111	69	427	564	290	10	24	131	282	82	621	154	113	288	1,144	3	3
9,406	239	148	71	222	178	914	1,157	589	22	46	195	495	81	77	1,314	310	174	647	2,515	12
6,949	220	99	49	211	167	816	682	342	22	46	87	261	50	35	1,043	159	67	647	1,940	6
1,803	47	27	9	61	47	194	178	84	7	15	16	76	16	16	266	38	16	201	504	1
1,684	52	29	17	56	27	148	182	102	7	14	75	23	5	5	268	38	32	153	425	1
1,625	54	17	11	48	54	233	124	68	5	7	37	8	6	6	267	30	2	159	499	2
1,487	64	13	12	50	38	222	131	62	8	9	16	39	23	8	200	36	5	126	427	2
1,207	15	29	7	7	5	51	239	127	1	1	88	108	18	22	132	71	38	315	315	3
1,149	3	18	14	3	5	45	224	106	1	1	67	118	31	20	130	67	69	229	229	2
125	4	1	1	1	1	11	21	9	1	1	1	14	1	1	13	2	4	7	35	35
67	4	1	1	1	1	7	13	4	1	1	1	4	1	1	6	1	4	5	16	16
58	1	1	1	1	1	4	8	5	1	1	1	10	1	1	7	1	2	2	19	19
1,085	53	30	11	65	51	217	193	93	7	13	16	81	17	299	41	20	211	561	1	12
1,849	57	30	18	62	30	164	197	113	2	19	35	85	5	298	40	33	164	472	1	1
480	13	6	2	12	12	7	51	30	2	2	9	24	3	80	23	7	27	138	1	13
449	10	4	3	14	7	41	47	22	2	22	28	15	7	57	15	13	26	115	1	1
338	13	8	5	5	21	67	150	69	3	9	48	11	11	117	31	21	42	220	1	14
887	21	12	6	9	11	80	162	74	3	22	69	15	99	99	43	39	24	188	1	1
186	6	4	3	1	1	17	21	14	2	4	11	4	1	21	7	4	19	52	2	15
181	7	4	3	4	3	18	24	9	1	1	6	11	4	22	4	4	9	49	1	1
30	1	1	1	1	1	4	3	1	1	1	2	2	2	3	2	1	3	10	6	16
28	1	1	1	1	1	1	4	1	1	1	1	1	1	5	2	1	1	6	6	1
780	29	16	5	25	16	100	73	39	1	10	39	10	5	95	18	7	41	210	1	17
618	20	5	9	11	13	82	64	33	3	13	23	17	5	86	21	6	34	171	1	1
8	1	1	1	1	1	1	1	1	1	1	1	1	1	2	2	2	2	2	2	18
8	1	1	1	1	1	1	1	1	1	1	1	1	1	2	2	2	2	2	2	19
11	1	1	1	1	1	1	1	1	1	1	1	1	1	2	2	2	2	2	2	20
20	1	1	1	1	1	1	1	1	1	1	1	1	1	3	3	3	3	3	3	21
8	1	1	1	1	1	1	1	1	1	1	1	1	1	3	3	3	3	3	3	22
4	1	1	1	1	1	1	1	1	1	1	1	1	1	3	3	3	3	3	3	23
1	1	1	1	1	1	1	1	1	1	1	1	1	1	3	3	3	3	3	3	24
1	1	1	1	1	1	1	1	1	1	1	1	1	1	3	3	3	3	3	3	25
79	1	1	1	1	2	9	4	7	1	1	1	1	1	12	1	1	11	29	1	26
44	1	1	1	1	4	4	4	3	1	1	1	4	1	1	1	1	12	15	1	27
157	3	3	5	3	3	27	14	10	1	1	5	4	1	22	3	2	8	49	1	28
155	1	2	3	5	4	24	24	7	1	1	7	5	1	17	4	1	7	43	1	29
455	3	17	1	1	3	12	98	42	1	12	37	88	5	52	29	7	4	125	3	30
312	4	8	2	1	1	12	38	25	1	1	23	38	3	32	23	15	5	76	1	31
1,803	10	59	24	31	34	155	216	86	3	14	37	118	11	18	264	53	72	116	469	13
925	5	26	19	12	15	87	82	44	2	7	11	58	6	135	39	37	78	253	9	32
878	5	33	5	19	19	68	134	42	1	7	26	60	11	129	14	35	38	216	4	33
1,584	10	51	22	31	33	138	175	70	3	11	36	104	11	16	247	46	63	106	399	12
1,528	10	49	21	31	33	138	166	67	3	11	34	100	11	15	287	40	59	106	385	12
732	5	22	15	12	13	71	56	32	2	6	10	50	3	117	25	27	68	193	6	34
694	4	25	5	17	18	58	91	32	1	5	22	46	11	111	10	28	32	170	3	35
30	1	1	1	2	2	7	7	1	1	1	2	3	1	1	4	2	4	6	1	36
32	1	1	1	1	1	8	8	1	1	1	1	3	1	4	4	2	1	4	1	37
25	1	1	1	1	1	3	3	1	1	1	1	1	1	4	4	3	4	4	1	38
19	1	1	1	1	1	5	5	2	1	1	1	2	1	4	4	3	4	6	1	39
210	8	2	1	1	1	17	41	16	3	3	1	14	2	17	7	9	10	70	1	40
106	3	2	1	1	1	10	13	10	1	1	6	6	1	6	5	6	5	37	1	41
113	5	5	1	1	1	7	28	6	2	2	1	8	1	11	2	3	5	33	1	42
841	5	25	17	12	13	82	68	42	2	7	10	56	4	124	31	33	73	230	7	43
807	4	30	5	17	19	65	118	38	1	7	23	55	11	115	12	31	37	204	3	44
5	1	1	1	1	1	1	1	1	1	1	1	1	1	2	1	1	1	1	1	45
5	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	46
15	1	1	1	1	1	5	5	2	1	1	1	1	1	2	3	1	1	2	3	47
21	1	1	1	1	1	10	10	2	1	1	1	1	1	4	4	1	1	3	3	48
22	1	1	1	1	1	1	1	1	1	1	1	1	1	4	4	1	1	1	1	49
19	1	1	1	1	1	2	3	1	1	1	1	1	1	1	1	1	1	1	1	50
2	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	51
2	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	52
2	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	53
2	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	54
2	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	55
6	1	1	1	1	1	1	3	1	1	1	1	1	1	6	3	1	1	1	1	56
32	1	1	1	1	1	1	3	1	1	1	1	1	1	6	2	1	2	13	1	57
23	1	1	1	1	1	1	3	1	1	1	1	1	1	6	3	2	2	5	5	58

TABLE 13.—DEATHS DURING THE 6 YEARS ENDING MAY 31, 1890, AT CERTAIN AGES AND FROM CERTAIN CAUSES,

NEW JERSEY—Continued.

	LOCALITIES.	AGE.											
		All ages.	Months.					Years.					
			Under 3	3 to 6	6 to 9	9 to 12	Total under 12	Under 5	5 to 15	15 to 25	25 to 65	65 and over.	Un-known.
1	Salem city.....	706	144	28	23	10	205	292	41	59	136	169	9
2	Males.....	349	81	20	11	6	118	163	15	26	66	74	5
3	Females.....	357	63	8	12	4	87	129	26	33	70	95	4
4	White.....	627	128	21	21	9	179	258	35	51	122	160	6
5	Native born.....	600	128	21	21	9	179	253	34	47	111	150	5
6	Both parents native.....	M. 274	72	14	10	5	101	138	13	17	47	57	2
7	One or both parents foreign.....	F. 284	47	7	10	4	68	104	18	24	54	81	3
8	Foreign born.....	M. 14	4				4	4	1	3	3	3	
9	Colored.....	F. 16	4		1		5	5	1	3	4	3	
10	Males.....	F. 9							1	2	3	3	
11	Females.....												
12	Birthplaces of mothers:												
13	United States.....	M. 314	77	20	11	6	114	158	14	21	54	62	5
14	England and Wales.....	F. 322	59	8	11	4	82	124	23	28	59	85	3
15	Ireland.....	M. 2	1				1	1				1	
16	Scotland.....	F. 5							1		2	1	
17	France.....	M. 12	1				1	1		3	3	4	
18	Germany.....	F. 11							4		4	3	
19	Russia and Poland.....	M. 1										1	
20	Canada.....	F. 1										1	
21	Scandinavia.....	M. 1											
22	Hungary.....	F. 1											
23	Bohemia.....	M. 1											
24	Italy.....	F. 1	1				1	1					
25	Other foreign countries.....	M. 8											
26	Unknown.....	F. 9									4	3	
27	Somerset county.....												
28	Males.....	2,672	340	91	63	63	562	763	146	200	754	799	10
29	Females.....	1,844	197	42	32	36	307	424	69	90	362	365	4
30	White.....	1,328	143	49	31	32	255	339	77	110	392	404	6
31	Native born.....	2,528	330	87	55	67	539	717	132	179	723	769	8
32	Both parents native.....	M. 2,276	330	86	54	67	537	713	131	169	593	664	6
33	One or both parents foreign.....	F. 980	166	29	26	28	249	336	47	55	242	297	3
34	Foreign born.....	M. 959	105	35	20	22	182	237	54	71	278	316	3
35	Colored.....	F. 131	25	9	1	8	43	62	14	18	21	16	
36	Males.....	M. 154	28	12	7	9	56	71	15	21	34	13	
37	Females.....	F. 116	1	1	1		2	3		4	58	51	
38	Birthplaces of mothers:	F. 123						1	1	6	64	50	1
39	United States.....	M. 144	10	4	8	1	23	46	14	21	31	30	2
40	England and Wales.....	F. 70	4	3	4		11	21	7	9	20	13	
41	Ireland.....	M. 74	6	1	4	1	12	25	7	12	11	17	2
42	Scotland.....	F. 1,064	173	36	30	30	269	367	59	64	261	310	3
43	France.....	M. 1,046	116	38	25	23	202	271	64	84	288	335	4
44	Germany.....	F. 26	2	2			2	3		1	7	15	
45	Russia and Poland.....	M. 31	2	1	2	2	7	7		2	12	10	
46	Canada.....	F. 85	4	1	1	1	7	17	3	11	31	23	
47	Scandinavia.....	M. 120	8	1	1	2	11	15	9	19	52	24	1
48	Hungary.....	F. 6	1				1	1			2	3	
49	Bohemia.....	M. 4						1			2	1	
50	Italy.....	F. 1										1	
51	Other foreign countries.....	M. 8		1		1	2	2			2	4	
52	Unknown.....	F. 73	8	1	1	3	13	17	5	5	29	17	
53	Males.....	M. 68	11	3	2	2	18	24	4	4	21	15	
54	Females.....	F. 3		1			1	1			1	1	
55	Birthplaces of mothers:	M. 2									1	1	
56	United States.....	F. 2											
57	England and Wales.....	M. 5	1			1	2	2					
58	Ireland.....	F. 5	4	1			1	1					
59	Scotland.....	M. 7											
60	France.....	F. 8											
61	Germany.....	M. 3											
62	Russia and Poland.....	F. 3											
63	Canada.....	M. 8											
64	Scandinavia.....	F. 1											
65	Hungary.....	M. 1											
66	Bohemia.....	F. 3											
67	Italy.....	M. 8		1		1	2	6		1			
68	Other foreign countries.....	F. 7		3		1	6	6					
69	Unknown.....	M. 1		1		1	1	1					
70	Males.....	F. 60		1		1	1	1			7	24	1
71	Females.....	M. 28		1			2	2		1	9	15	1

STATISTICS OF DEATHS.

WITH DISTINCTION OF SEX, COLOR, NATIVITY, PARENTAL NATIVITY, AND BIRTHPLACES OF MOTHERS—Continued.

NEW JERSEY—Continued.

CAUSE OF DEATH.																				
All causes.	Scarlet fever.	Typhoid fever.	Malarial fever.	Diphtheria.	Croup.	Diarrheal diseases.	Consumption.	Pneumonia.	Measles.	Whooping cough.	Cancer and tumor.	Heart disease and dropsy.	Child-birth and puerperal diseases.	Diseases of the liver.	Diseases of the nervous system.	Diseases of the urinary organs.	Old age.	Still-born.	All other causes.	Unknown.
706	8	27	9	36	9	52	90	29	2	3	20	35	7	8	81	18	18	74	175	5
349	5	13	2	16	4	28	39	14	2	2	5	18	7	4	43	12	6	42	92	4
357	3	14	7	20	5	24	51	15	2	1	15	17	7	4	38	6	12	32	83	1
627	6	24	9	36	9	48	76	22	2	3	20	28	6	8	73	16	18	64	155	4
600	6	19	8	36	9	46	72	21	2	3	18	27	6	7	71	14	16	64	151	4
274	4	9	1	16	3	24	24	8	2	2	5	12	7	3	34	9	4	38	75	3
284	2	9	6	20	5	18	39	12	2	2	10	14	6	3	32	4	10	20	70	1
14	1	1				1	5	1						4	2	1		2	2	7
16						1	3			1	3			1	1		2		1	2
16						1	3					1		1	2		2		2	2
9						1	1				2				1				1	1
79	2	3				4	14	7				7	1		8	2		10	20	1
40	1	1				3	7	5				4			4	1		2	11	1
39	1	2				1	7	2				3			4	1		8	9	1
314	5	11	1	16	3	27	32	13		2	5	16		3	38	10	4	40	86	4
322	3	11	6	20	5	19	45	14	2		10	17	7	4	35	5	10	29	79	1
2																		1	1	1
5																			1	1
12																			1	1
11																			1	1
1																			1	1
1																			1	1
11																			1	1
8																			1	1
1																			1	1
1																			1	1
1																			1	1
8																			1	1
9																			1	1
2,672	43	39	33	68	36	233	337	159	7	16	94	209	12	27	374	112	57	132	675	9
1,344	21	19	16	36	22	112	142	75	3	7	39	110		17	182	61	22	81	376	3
1,328	22	20	17	32	14	121	195	84	4	9	55	99	12	10	192	51	35	51	299	6
2,528	41	36	31	64	36	229	299	145	7	14	92	198	12	25	359	108	56	130	638	8
2,276	40	33	28	64	36	216	271	130	7	14	69	165	6	23	325	94	46	130	573	6
980	13	14	12	27	12	86	88	52	3	4	26	74		16	144	44	17	71	275	2
959	16	17	10	23	12	88	128	57	4	8	40	78	4	6	135	46	27	42	226	2
131	6	1	2	8	10	18	18	7		3	7	7			11	1		10	28	
154	5	1	4	6	2	23	33	9		1	4	4	2	1	22	1	1	5	34	
116	1	1	1			4	14	5			8	16			13	10	3		41	
123	1	2	2			8	14	10			15	16			20	3	6		16	2
144	2	3	2	4		4	38	14		2	2	11		2	15	4	1	2	37	1
70	2	3	1	1		3	18	8		2	2	5		1	3	3	1		17	
74			1	3		1	20	6				6		1	12	1		2	20	1
1,064	15	17	14	31	13	92	107	61	3	7	28	80		17	147	45	18	72	295	3
1,046	16	17	13	26	12	92	145	64	4	9	40	79	4	7	148	46	28	47	246	2
26			1			1	2	1			2	2			5	3	1		7	
31			1			4	4	3			3	2		1	3	1	1		8	
85	3			1	5	15	4	4			2	10			8	5	1	2	23	
120	3	1	2	3		31	31	5			5	12			21	1	4	2	15	1
6						1	1	1			3				1	1			1	
4																			1	
1																			1	
8																			4	
73	3	1	1	2	3	5	8	4			6	9			8	2	1	2	19	
68	2		2	2	2	5	8	7			6	3	1	2	10	2	1	1	13	1
3						1													2	
2						1													1	
2						1													1	
5						1													1	
1						1													1	
1						1													1	
7						2													3	
8						5													1	
3						1													1	
3						1													1	
3						1													1	
3						1													1	
7	1			1	1	2						1			1			1	3	
1						1						1			1			1	1	
1						1						1			1			1	1	
5						1						1			1			1	2	
60						1		4			1	7			11	5	2		20	1
28						2	6	2				1			4	1	1		9	1

TABLE 12.—DEATHS DURING THE 6 YEARS ENDING MAY 31, 1890, AT CERTAIN AGES AND FROM CERTAIN CAUSES,

NEW JERSEY—Continued.

LOCALITIES.	AGE.											
	All ages.	Months.					Years.					
		Under 3	3 to 6	6 to 9	9 to 12	Total under 12	Under 5	5 to 15	15 to 25	25 to 65	65 and over.	Un-known.
1 Sussex county	1,788	220	58	42	24	344	466	70	134	519	569	30
2 Males	975	142	40	27	13	222	284	32	57	253	328	21
3 Females	813	78	18	15	11	122	182	38	77	266	241	9
4 White	1,778	219	58	42	24	343	465	67	134	517	565	30
5 Native born	1,719	219	58	42	24	343	465	66	133	483	548	24
6 Both parents native..... M	868	134	39	25	13	211	208.	26	48	216	295	15
F	718	74	15	15	9	113	170	34	67	227	212	8
7 One or both parents foreign..... M	40	7	1	2		10	15	3	3	9	10	
F	37	4	3		2	9	12	3	7	10	5	
8 Foreign born..... M	28								1	19	6	2
F	24									14	9	1
9 Colored	10	1				1	1	3		2	4	
10 Males	3	1				1	1	2				
11 Females	7							1		2	4	
Birthplaces of mothers:												
12 United States..... M	878	138	39	26	13	216	274	28	49	216	296	15
F	729	75	16	15	9	115	172	35	68	228	218	8
13 England and Wales..... M	15			1		1	3			8	4	
F	8	1	1			2	3	1	1	1	2	
14 Ireland..... M	27	2				2	2	3	3	13	6	
F	30				1	1	2	2	1	15	9	1
15 Scotland..... M	2		1			1	1					1
F	2									1	1	
16 France..... M												
F												
17 Germany..... M	9	1				1	2			3	3	1
F	14	1	1			2	2		4	7	1	
18 Russia and Poland..... M	1									1		
F												
19 Canada..... M	2						1					
F	2	1				1	2	1				
20 Scandinavia..... M	1				1	1	1					
F												
21 Hungary..... M												
F												
22 Bohemia..... M												
F												
23 Italy..... M	2	1				1	1				1	
F												
24 Other foreign countries..... M	1									1		
F												
25 Unknown..... M	38								5	11	18	4
F	27								3	14	10	
26 Union county, rural.....	1,385	196	46	42	37	321	447	80	74	404	372	8
27 Males	717	110	25	21	20	176	245	35	31	215	184	7
28 Females	668	86	21	21	17	145	202	45	43	189	188	1
29 White	1,336	184	45	41	36	308	425	76	69	391	368	7
30 Native born	1,136	184	44	41	36	305	423	72	65	283	291	2
31 Both parents native..... M	409	74	14	13	14	115	150	13	13	101	125	2
F	399	46	10	13	11	89	119	27	22	101	130	
32 One or both parents foreign..... M	135	31	10	8	5	54	82	17	10	21	5	
F	128	30	10	7	6	53	69	13	10	31	5	
33 Foreign born..... M	110						1		2	59	44	1
F	77		1			1	1	1	2	42	30	1
34 Colored	49	12	1	1	1	15	22	4	5	13	4	1
35 Males	20	4	1		1	6	11	1		6	1	1
36 Females	29	8		1		9	11	3	5	7	3	
Birthplaces of mothers:												
37 United States..... M	442	81	16	14	17	128	170	15	20	108	126	3
F	442	60	11	16	11	98	141	30	28	108	135	
38 England and Wales..... M	30	5	3			8	11	1	2	11	5	
F	33	3		1	2	6	8	1	3	14	7	
39 Ireland..... M	84	9	2	2	2	15	27	7	5	31	13	1
F	86	9	2	3	3	17	25	7	3	40	11	
40 Scotland..... M	9	1	1			2	4		1	1	3	
F	7	1				1	2	1		3	1	
41 France..... M	4									1	3	
F	4									1	1	
42 Germany..... M	63	9	2	5	1	17	22	8	2	20	11	
F	46	9	7		1	17	20	4	4	9	9	
43 Russia and Poland..... M	3	1				1	1	1			1	
F	1		1			1	1					
44 Canada..... M	2					1	1				1	
F		1										
45 Scandinavia..... M	6						4		1		1	
F	2	1				1	1				1	
46 Hungary..... M												
F												
47 Bohemia..... M	1						1					
F												
48 Italy..... M	2					1				2		
F	1	1					1					
49 Other foreign countries..... M	5	2	1			3	3			2		
F	2									2		
50 Unknown..... M	66	1				1	1	2	1	39	20	3
F	44	2				2	2	2	4	12	23	1

STATISTICS OF DEATHS.

WITH DISTINCTION OF SEX, COLOR, NATIVITY, PARENTAL NATIVITY, AND BIRTHPLACES OF MOTHERS—Continued.

NEW JERSEY—Continued.

CAUSE OF DEATH.																					
All causes.	Scarlet fever.	Typhoid fever.	Malarial fever.	Diphtheria.	Croup.	Diarrheal diseases.	Consumption.	Pneumonia.	Measles.	Whooping cough.	Cancer and tumor.	Heart disease and dropsy.	Child-birth and puerperal diseases.	Diseases of the liver.	Diseases of the nervous system.	Diseases of the urinary organs.	Old age.	Still-born.	All other causes.	Unknown.	
1,783	15	48	15	30	7	124	223	155	3	15	54	148	16	18	295	59	36	86	433	9	1
975	10	25	6	13	3	66	107	75	1	9	16	67	13	172	39	18	67	259	9	2	
813	5	23	9	17	4	58	115	80	2	6	38	81	5	123	20	18	19	174	9	3	
1,778	15	48	13	29	7	124	221	154	3	15	54	146	16	18	295	59	36	85	431	9	4
1,719	15	46	12	29	7	121	213	146	3	15	52	141	16	15	290	57	33	85	415	8	5
868	10	22	5	11	3	59	94	63	2	9	15	60	10	155	35	15	63	233	6	6	
718	5	23	6	16	4	52	100	66	2	6	33	72	14	110	14	15	19	158	6	7	
40	1	1	1	1	1	4	3	5	1	1	2	2	1	9	2	1	3	6	2	7	
37	2	2	1	1	1	3	7	6	1	1	2	3	1	4	2	1	1	7	9	7	
28	1	1	1	1	1	1	4	5	1	1	3	3	1	2	2	1	1	9	7	7	
24	1	1	1	1	1	2	4	2	1	1	2	2	1	2	2	2	2	4	4	8	
10	1	1	1	1	1	1	1	1	1	1	1	2	1	1	1	1	1	1	2	9	
3	1	1	1	1	1	1	1	1	1	1	1	2	1	1	1	1	1	1	2	10	
7	1	1	1	1	1	1	1	1	1	1	1	2	1	1	1	1	1	1	2	11	
878	10	22	6	12	3	61	94	64	9	15	62	10	156	35	15	65	233	6	12		
729	5	23	7	16	4	52	102	67	2	6	34	74	14	110	14	15	19	162	6		
15	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1		
8	2	2	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1		
27	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1		
30	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1		
2	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1		
2	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1		
9	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1		
14	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1		
1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1		
2	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1		
2	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1		
1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1		
38	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1		
27	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1		
1,385	15	34	26	44	13	88	153	94	6	8	43	105	8	11	191	55	28	78	374	6	26
717	6	18	13	20	8	51	75	44	4	4	16	47	6	102	32	12	51	203	5	27	
668	9	16	13	24	5	37	83	59	2	4	27	58	8	89	23	16	27	171	1	28	
1,336	15	31	25	44	13	88	149	91	6	7	42	101	8	11	184	54	28	72	362	5	29
1,136	15	26	17	43	13	87	113	73	6	7	34	86	7	7	158	40	20	72	309	3	30
409	2	9	5	11	5	32	29	21	2	2	10	37	3	55	23	8	43	110	2	31	
399	5	8	8	12	1	22	42	34	1	3	20	33	5	55	10	9	15	111	1	32	
135	4	3	2	8	3	17	15	8	2	1	1	3	3	21	1	1	7	38	1	33	
123	4	2	1	11	4	13	22	5	1	1	5	5	2	15	2	1	6	31	1	34	
110	1	4	5	11	1	1	24	12	1	1	4	4	1	13	5	3	3	32	1	35	
77	1	2	2	1	1	1	11	6	1	1	4	11	1	11	8	5	5	15	1	36	
49	3	1	1	1	1	1	9	3	1	1	1	4	1	7	1	1	6	12	1	37	
20	1	1	1	1	1	1	3	1	1	1	1	1	1	4	1	1	1	5	1	38	
29	2	2	1	1	1	1	6	2	1	1	1	3	1	3	1	1	5	7	1	39	
442	3	10	7	11	5	34	32	23	2	4	10	39	3	61	24	8	45	118	3	40	
442	5	11	8	12	1	22	48	58	1	3	21	36	5	60	19	10	21	127	3	41	
30	3	1	1	1	1	3	7	7	1	1	2	2	2	8	2	2	2	5	1	42	
33	2	2	2	5	2	5	7	7	1	1	2	2	2	7	3	2	4	4	1	43	
84	2	2	2	5	2	16	16	7	4	3	2	1	3	3	1	4	2	27	1	44	
86	1	1	1	3	2	18	18	4	1	1	1	7	3	10	5	1	1	17	1	45	
9	1	1	1	1	1	2	2	2	1	1	1	1	1	3	1	1	1	2	1	46	
7	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	3	1	47	
4	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	3	1	48	
4	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	3	1	49	
63	1	2	3	1	1	6	8	5	2	1	1	3	1	11	2	1	1	16	1	50	
46	1	1	1	2	1	4	6	4	1	1	4	5	1	5	1	1	5	9	1	51	
3	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	52	
1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	53	
2	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	54	
1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	55	
2	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	56	
5	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	57	
2	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	58	
66	4	4	2	2	2	2	4	3	3	3	1	2	1	11	3	2	23	10	2	59	
44	2	2	1	1	1	2	2	3	3	2	2	6	1	6	5	2	10	10	2	60	

TABLE 13.—DEATHS DURING THE 6 YEARS ENDING MAY 31, 1890, AT CERTAIN AGES AND FROM CERTAIN CAUSES,

NEW JERSEY—Continued.

LOCALITIES.	All ages.	AGE.										
		Months.					Years.					
		Under 3	3 to 6	6 to 9	9 to 12	Total under 12	Under 5	5 to 15	15 to 25	25 to 65	65 and over.	Un- known.
1 Elizabeth city.....	4,540	820	261	181	147	1,409	2,076	267	294	1,287	604	12
2 Males.....	2,433	490	135	103	76	804	1,146	134	162	710	271	10
3 Females.....	2,107	330	126	78	71	605	930	133	132	577	333	2
4 White.....	4,461	809	258	177	145	1,389	2,040	263	290	1,257	600	11
5 Native born.....	3,475	805	258	177	144	1,384	2,022	245	237	631	337	3
6 Both parents native.....	1,151	306	73	64	46	489	699	66	61	229	96
7 One or both parents foreign.....	1,021	211	77	50	48	386	565	78	55	177	146
8 Foreign born.....	619	173	60	37	28	298	419	52	60	82	5	1
9 Colored.....	79	11	3	4	2	20	36	4	4	30	4	1
10 Males.....	85	7	1	2	2	10	15	3	2	12	2	1
11 Females.....	44	4	2	2	2	10	21	1	2	18	2
12 Birthplaces of mothers:												
13 United States.....	1,227	332	81	67	48	528	748	74	65	242	98
14 England and Wales.....	1,091	220	81	52	50	403	603	84	59	195	150
15 Ireland.....	79	12	6	3	3	21	30	4	7	21	11
16 Scotland.....	55	6	2	1	1	10	19	4	1	27	10
17 France.....	456	59	18	13	8	98	147	26	47	179	56	1
18 Germany.....	457	46	20	13	9	88	140	23	45	197	52
19 Russia and Poland.....	23	1	2	1	1	4	8	4	1	9	1
20 Canada.....	14	1	1	1	2	3	3	1	3	4	2
21 Scandinavia.....	13	1	1	1	1	1	1	1	1	3	2
22 Hungary.....	6	2	1	1	1	2	2	1	1	3	1
23 Bohemia.....	385	64	23	17	17	121	174	19	23	185	34
24 Italy.....	259	40	19	8	5	72	120	14	16	66	43
25 Other foreign countries.....	12	6	3	1	1	7	3	2	2	2	
26 Unknown.....	6	1	1	1	1	3	3	1	1	1	2
27 Plainfield city.....	1,094	165	59	54	20	298	411	53	65	313	248	4
28 Males.....	550	97	35	31	11	174	233	29	34	148	103	3
29 Females.....	544	68	24	23	9	124	178	24	31	165	145	1
30 White.....	1,039	153	55	52	19	279	385	52	60	295	243	4
31 Native born.....	918	153	55	52	19	279	384	50	57	223	204
32 Both parents native.....	359	71	22	22	9	124	164	19	22	84	70
33 One or both parents foreign.....	382	46	13	19	5	88	129	15	22	103	103
34 Foreign born.....	80	17	8	6	1	32	47	7	9	11	6
35 Colored.....	55	12	4	2	1	19	26	1	5	18	5
36 Males.....	28	9	4	1	1	15	16	1	1	8	2
37 Females.....	27	3	1	1	1	4	10	4	4	10	3
38 Birthplaces of mothers:												
39 United States.....	392	81	26	24	10	141	184	20	24	92	72
40 England and Wales.....	415	52	18	20	5	95	143	17	27	118	110
41 Ireland.....	12	2	1	1	1	1	3	1	5	3
42 Scotland.....	18	2	1	1	1	3	3	11	4
43 France.....	76	8	7	3	1	19	27	6	6	25	10	2
44 Germany.....	53	0	6	1	1	17	21	6	4	13	8	1
45 Russia and Poland.....	7	1	1	1	1	1	2	1	1	1	3
46 Canada.....	6	1	1	1	1	3	3	1	2
47 Scandinavia.....	2	1	1	1	1	1	1	1	1
48 Hungary.....	4	1	1	1	1	1	1	1	1
49 Bohemia.....	21	6	1	1	1	7	10	1	1	5	4
50 Italy.....	13	2	1	1	1	2	2	1	1	7	3
51 Other foreign countries.....	1	1	1	1	1	1	1	1	1
52 Unknown.....	37	1	1	2	1	3	5	1	1	18	11	1

STATISTICS OF DEATHS.

WITH DISTINCTION OF SEX, COLOR, NATIVITY, PARENTAL NATIVITY, AND BIRTHPLACES OF MOTHERS—Continued.

NEW JERSEY—Continued.

CAUSE OF DEATH.																				
All causes.	Scarlet fever.	Typhoid fever.	Malarial fever.	Diphtheria.	Croup.	Diar-rheal dis-eases.	Con-sump-tion.	Pneu-monia.	Measles.	Whoop-ing cough.	Cancer and tumor.	Heart dis-ease and dropsy.	Child-birth and puer-peral dis-eases.	Dis-eases of the liver.	Dis-eases of the nervous system.	Dis-eases of the urinary organs.	Old age.	Still-born.	All other causes.	Un-known.
4,540	49	66	64	200	86	403	467	355	18	35	80	247	30	41	679	138	58	290	1,229	5
2,433	27	42	35	99	37	207	258	198	4	18	30	121	28	28	352	80	16	194	686	1
2,107	22	24	29	101	49	196	209	157	14	17	50	126	30	13	327	58	42	96	543	4
4,461	49	65	63	196	84	394	454	348	17	33	80	244	30	40	664	136	58	286	1,215	5
3,475	47	47	46	195	83	354	307	228	16	33	50	141	21	20	542	87	21	286	946	5
1,151	12	16	16	62	20	110	96	75	2	14	12	35	12	10	182	28	1	131	329	6
1,021	11	8	17	67	22	99	72	65	7	11	21	51	8	4	167	21	13	63	293	1
619	13	10	9	33	16	71	57	45	2	3	2	25	2	4	94	16	3	60	159	7
503	11	8	3	32	23	67	56	27	4	5	7	12	10	2	74	8	3	32	117	2
514	2	13	10	1	1	18	85	62	1	11	11	50	13	55	26	14	22	154	97	8
439	1	5	7	1	1	22	59	55	1	1	19	50	9	7	63	22	22	97	97	8
79	1	1	1	4	2	9	13	7	1	2	3	3	1	1	15	2	4	14	14	9
35	1	1	1	2	1	2	5	3	1	1	1	2	1	1	8	1	3	6	6	10
44	1	1	1	2	1	7	8	4	1	1	1	1	1	1	7	1	1	8	8	11
1,227	15	17	16	64	22	118	101	80	3	15	12	39	11	11	197	32	1	142	342	12
1,051	12	10	18	74	24	109	81	69	9	13	21	54	8	5	178	22	13	66	304	1
79	3	2	3	3	1	5	6	5	1	1	3	11	1	1	16	2	2	5	19	13
55	1	1	1	1	1	4	6	9	1	1	3	3	1	1	11	1	2	1	9	13
456	3	11	11	15	6	25	65	53	6	6	36	29	11	4	53	17	8	15	128	14
457	4	5	5	13	10	37	73	50	3	13	29	11	5	5	57	18	10	11	101	2
23	1	1	2	2	1	1	3	3	1	1	3	3	1	4	4	2	1	4	4	15
13	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	16
6	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	17
385	4	6	6	12	8	41	49	34	1	2	3	19	5	8	50	10	3	20	109	17
259	5	5	3	12	8	31	24	13	1	1	8	14	5	1	46	8	8	14	58	18
12	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	19
6	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	20
10	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	21
3	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	22
1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	23
18	2	1	1	1	2	2	1	1	1	1	1	1	1	1	4	1	1	1	5	24
7	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	3	25
16	1	1	1	1	1	2	4	2	1	1	1	1	1	1	3	1	1	1	3	26
190	4	1	1	1	2	11	27	21	1	1	7	12	4	3	19	16	4	64	1	27
174	3	1	1	1	2	5	19	10	2	2	5	23	4	1	27	3	9	54	1	28
1,094	15	20	13	20	17	90	129	75	8	27	76	5	12	168	51	21	65	278	4	29
550	9	10	6	6	14	48	67	32	1	6	28	28	5	5	86	26	6	40	158	2
544	6	10	7	14	3	42	62	43	7	21	48	5	7	82	25	15	25	120	2	30
1,039	15	18	13	20	17	87	121	71	8	23	75	5	12	158	48	20	62	264	2	31
918	14	17	13	20	17	87	94	60	8	16	64	3	7	143	40	14	62	227	2	32
359	8	5	6	2	8	33	38	23	2	2	20	3	2	52	18	2	33	106	1	33
382	0	8	6	12	8	34	39	30	4	10	37	3	5	57	17	10	14	90	1	34
80	1	1	1	4	5	11	8	3	1	1	4	1	4	7	1	1	4	22	1	35
57	2	1	1	2	1	6	4	3	3	2	2	2	2	3	7	2	11	12	1	36
63	1	1	1	2	1	6	16	6	5	2	4	4	2	3	6	5	3	16	8	37
54	1	1	1	1	1	11	11	5	5	5	7	7	2	2	8	3	3	8	8	38
55	2	2	2	3	3	8	8	4	4	4	1	1	1	10	3	1	3	14	2	39
28	2	2	2	2	2	4	4	2	2	2	4	1	1	5	1	1	3	8	1	40
27	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	41
392	8	7	6	2	9	36	42	25	2	2	20	3	2	59	19	2	36	115	2	42
415	6	8	6	13	1	35	44	32	4	14	38	3	5	63	19	11	15	98	1	43
12	1	1	1	1	1	1	2	1	1	1	1	1	1	4	4	2	2	23	1	44
18	1	1	1	1	1	1	3	1	1	1	1	1	1	4	2	1	2	11	1	45
76	1	1	1	3	2	6	14	3	3	1	1	1	1	11	4	2	3	23	1	46
53	1	1	1	1	1	4	5	4	1	1	3	1	1	9	1	2	5	11	1	47
7	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	3	1	48
6	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	2	1	49
2	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	50
21	1	1	1	1	1	3	3	1	1	1	1	1	1	5	1	1	1	3	1	51
13	1	1	1	1	1	1	2	1	1	1	4	2	2	5	3	1	1	11	6	52
2	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	53
4	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	54
1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	55
1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	56
37	1	1	1	1	1	2	5	2	2	2	2	2	2	1	6	3	1	1	11	57
33	1	1	1	1	2	1	7	4	4	4	4	4	4	1	5	1	1	6	6	58

STATISTICS OF DEATHS.

657

WITH DISTINCTION OF SEX, COLOR, NATIVITY, PARENTAL NATIVITY, AND BIRTHPLACES OF MOTHERS—Continued.

NEW JERSEY—Continued.

CAUSE OF DEATH.																				
All causes.	Scarlet fever.	Typhoid fever.	Malarial fever.	Diphtheria.	Croup.	Diar-rheal dis-eases.	Con-sump-tion.	Pneu-monia.	Measles.	Whoop-ing cough.	Cancer and tumor.	Heart dis-ease and dropsy.	Child-birth and puer-peral dis-eases.	Dis-eases of the liver.	Dis-eases of the nerv-ous sys-tem.	Dis-eases of the uri-nary or-gans.	Old age.	Still-born.	All other causes.	Un-known.
781	20	26	5	19	11	42	112	72		9	21	58	4	10	122	21	17	32	177	3
401	11	13	3	14	5	19	67	38		3	5	23		9	59	9	4	18	99	2
380	9	13	2	5	6	23	45	34		6	16	35	4	1	63	12	13	14	78	1
731	19	26	5	19	10	39	100	68		9	20	55	4	9	115	20	15	29	166	3
628	19	22	4	19	9	36	84	61		9	12	43	3	5	102	15	12	29	130	3
235	7	9	2	12	4	11	41	19		3	2	10		4	36	5	1	14	54	1
217	6	9	2	4	3	15	19	15		3	3	21	2		45	6	6	11	47	
39	3	2		1		4	7	4				1			7	1		3	7	
35		1		1	2	3	4	7		3	1	1			3	1		1	5	1
50		3				7	7	3			2	1			5	1			17	
48		1			1	1	9	3			6	6	1		8	4		2	6	
50	1				1	3	12	4			1	3			7	1	2	3	11	
27	1				1	1	5	4				1			5		2	1	5	
23					2	2	7				1	2			2	1		2	6	
263	8	9	2	13	5	13	45	22		3	2	11			40	6	2	15	60	2
243	6	9	2	4	3	17	26	19		3	4	23	2		47	7	6	13	52	
8	1					1	1	1				1			1				4	
4						2	7	1				2			1			1	1	
24		1	1			2	7	2			1	1			1		1	1	5	
26		1				2	2	2			3	1			1		1		3	
4							2	1				1			1				1	
4							1					1			1				1	
1							1					1			1				1	
28	1	2				2	1	2			2	1			8			2	7	
23		2		1		1	1	5			2	2	1		2				3	
1																		1	1	
2																			1	
1																			1	
2																			1	
1																			1	
68																			1	
75	3	1			2	2	10	11			2	7			9	3	1		20	
2,690	51	52	29	42	33	213	309	167	8	11	70	193	23	34	408	93	66	178	683	27
1,429	22	29	12	21	13	109	157	90	4	5	22	116			18	67	31	107	381	14
1,261	29	23	17	21	20	104	152	77	4	6	48	77	23	16	197	26	35	71	302	13
2,687	50	51	29	41	32	212	307	165	8	11	70	190	23	34	404	93	66	178	676	27
2,535	50	50	28	41	31	209	297	152	8	11	62	172	22	31	384	87	59	173	639	24
1,216	19	23	11	15	9	98	132	75	4	4	15	97		16	181	57	24	96	325	10
1,087	25	21	14	20	17	91	137	61	4	5	40	66	22	13	169	21	30	61	259	11
87	3			5	3	7	15	4			1	3			7	2	2	10	24	
90	3	1	3		2	11	10	9		1	1	2			11	4		10	20	1
75						2	8	8			5	10			9	6		3	21	1
48		1	1		1	1	2	4			3	7	1	2	9		6		11	
23	1	1		1	1	1	2	2				3			4				7	
13		1		1	1	1		1				3			2				3	
10							2								2				4	
1,242	19	29	11	16	10	101	186	76	4	4	15	100		16	184	57	25	97	332	10
1,113	27	21	14	20	17	91	141	66	4	5	40	67	22	14	173	22	23	62	268	11
15	1						2								2			3	4	
17			1				3				1	1			1		2	5	6	
67					2	4	12	6		1	2	8			5	4	3	2	16	1
56	1	1	2		1	3	2	6			2	3			11	2	4	3	14	1
4												2						1	1	
7					1	2					1	2						2	1	
45	1		1	3	1	2	5	2			3	1			6	1		4	14	
29	1	1			1	2	4	2				4			4	1		2	5	
1																			1	
9																			1	
8	1							3				1							1	
2						2	1			1					1			1	1	
1						1									2				1	
1																			1	
1																			1	
2																			1	
49						1	2	2			2	4			13	3	2		10	3
27				1	1	1	1	2			2	2			6	1	1		7	1

VITAL AND SOCIAL STATISTICS.

TABLE 13.—DEATHS DURING THE 6 YEARS ENDING MAY 31, 1890, AT CERTAIN AGES AND FROM CERTAIN CAUSES, NEW JERSEY—Continued.

LOCALITIES.	AGE.											
	All ages.	Months.					Years.					
		Under 3	3 to 6	6 to 9	9 to 12	Total under 12	Under 5	5 to 15	15 to 25	25 to 65	65 and over.	Un-known.
1 Phillipsburg city.....	929	185	48	35	27	295	422	58	62	240	145	2
2 Males.....	471	108	28	20	11	167	228	28	21	123	71
3 Females.....	458	77	20	15	16	128	194	30	41	117	74	2
4 White.....	921	183	48	35	27	293	419	58	62	236	144	2
5 Native born.....	840	183	48	35	27	293	419	57	61	187	115	1
6 Both parents native.....	M. 377	98	25	17	10	150	202	22	17	83	53
	F. 382	69	18	15	15	117	173	27	37	85	54	1
7 One or both parents foreign.....	M. 39	7	2	3	1	13	21	5	3	8	2
	F. 32	6	2	1	1	9	14	3	4	8	3
8 Foreign born.....	M. 45	26	15
	F. 37	22	14	1
9 Colored.....	8	2	2	3	4	1
10 Males.....	5	1	4
11 Females.....	3	2	2	2	1
Birthplaces of mothers:												
12 United States.....	M. 391	104	25	19	10	153	211	24	17	86	53
	F. 389	71	18	15	15	119	181	27	38	85	57	1
13 England and Wales.....	M. 10	1	1	7	2
	F. 6	1	1	1	4
14 Ireland.....	M. 30	3	1	4	4	2	1	12	8
	F. 29	3	1	4	5	1	1	14	8
15 Scotland.....	M. 1	1
	F. 1
16 France.....	M. 1
	F. 1
17 Germany.....	M. 31	2	1	3	7	1	1	15	7
	F. 26	2	1	3	5	2	2	13	4
18 Russia and Poland.....	M. 1
	F. 1
19 Canada.....	M. 1
	F. 1
20 Scandinavia.....	M. 2	1	1
	F. 2	1	1	2
21 Hungary.....	M. 1
	F. 1
22 Bohemia.....	M. 1
	F. 1
23 Italy.....	M. 1	1
	F. 1
24 Other foreign countries.....	M. 1	1
	F. 1	2
25 Unknown.....	M. 5	1	1	2	2	1
	F. 4	2	1	1

VITAL AND SOCIAL STATISTICS.

TABLE 13.—DEATHS DURING THE 6 YEARS ENDING MAY 31, 1890; AT CERTAIN AGES AND FROM CERTAIN CAUSES, BALTIMORE AND BOSTON.

LOCALITIES.		AGE.													
		All ages.	Months.					Years.							
			Under 3	3 to 6	6 to 9	9 to 12	Total under 12	Under 5	5 to 15	15 to 25	25 to 65	65 and over.	Un- known.		
1	Baltimore city.....	56,052	10,840	3,348	2,559	2,043	18,790	26,196	2,484	3,402	16,084	7,796		
2	Males.....	28,544	6,188	1,760	1,318	1,063	10,329	14,125	1,229	1,557	8,265	3,368		
3	Females.....	27,508	4,652	1,588	1,241	980	8,461	12,071	1,255	1,935	7,819	4,428		
4	White.....	42,743	7,758	2,363	1,816	1,553	13,490	18,951	1,841	2,559	12,646	6,746		
5	Native born.....	33,461	7,722	2,339	1,787	1,521	13,369	18,660	1,722	2,208	7,493	3,380		
6	Foreign born.....	M. 4,643 F. 4,252	4 2	6	4 9	11 10	25 21	91 94	55 55	143 188	2,742 2,207	1,807 1,708		
7	Colored.....	13,309	3,082	985	743	490	5,300	7,245	643	933	3,438	1,050		
8	Males.....	6,501	1,720	521	386	244	2,871	3,865	277	349	1,620	390		
9	Females.....	6,808	1,362	464	357	246	2,429	3,380	366	584	1,818	660		
Birthplaces of persons:															
10	United States.....	M. 23,522 F. 23,037	6,165 4,635	1,739 1,578	1,307 1,222	1,042 967	10,253 8,402	13,966 11,924	1,168 1,193	1,388 1,735	5,274 5,516	1,726 2,669		
11	England and Wales.....	M. 203 F. 154		1			1	2	2	10	121	68		
12	Ireland.....	M. 1,117 F. 1,240						5	1	22	687	402		
13	Scotland.....	M. 66 F. 45						2	4	34	717	483		
14	France.....	M. 22 F. 24						1		3	25	16		
15	Germany.....	M. 2,915 F. 2,561	4 2	3	4 8	9 8	20 18	68 75	39 86	73 112	1,665 1,252	1,070 1,086		
16	Russia and Poland.....	M. 78 F. 64					1	8	4	14	43	9		
17	Canada.....	M. 21 F. 8						4	6	11	38	5		
18	Scandinavia.....	M. 22 F. 8							2	5	14	1		
19	Hungary.....	M. 1 F. 1									1	1		
20	Bohemia.....	M. 77 F. 64		1		1	2	6	3	10	48	10		
21	Italy.....	M. 49 F. 20		1			1	5	3	8	41	7		
22	Other foreign countries.....	M. 105 F. 67				1	1	1	2	6	8	4		
23	Unknown.....	M. 346 F. 216	19 15	15 10	7 10	10 3	51 38	68 53	6 7	17 12	221 94	34 50		
24	Boston city.....	60,021	7,028	2,945	2,243	1,901	14,117	21,791	2,928	4,411	21,850	9,085	26		
25	Males.....	30,248	3,884	1,628	1,205	962	7,679	11,650	1,411	2,136	11,181	3,858	12		
26	Females.....	29,773	3,144	1,317	1,038	939	6,438	10,141	1,517	2,275	10,649	5,177	14		
27	White.....	58,431	6,856	2,857	2,156	1,842	13,711	21,130	2,841	4,285	21,236	8,913	26		
28	Native born.....	39,180	6,741	2,809	2,113	1,800	13,463	20,517	2,494	2,897	9,075	4,133	9		
29	Both parents native.....	M. 7,288 F. 7,018	1,014 758	419 311	305 261	253 230	1,991 1,560	2,920 2,403	357 287	339 316	2,275 2,261	1,394 1,749	3		
30	One or both parents foreign.....	M. 11,727 F. 10,641	2,409 1,924	1,056 852	804 679	644 641	4,913 4,096	4,913 6,635	825 594	1,081 1,101	1,756 1,756	152 1,956	9		
31	Foreign born.....	M. 8,816 F. 10,029	4 8	7	15 20	19 16	46 51	227 214	173 163	631 745	5,822 6,119	2,780	8		
32	Colored.....	1,590	172	88	87	59	406	661	87	126	594	122		
33	Males.....	844	102	42	39	29	212	347	30	57	361	49		
34	Females.....	746	70	46	48	30	194	314	57	69	233	73		
Birthplaces of mothers:															
35	United States.....	M. 9,633 F. 9,316	1,556 1,279	658 510	492 398	378 369	3,084 2,556	4,523 3,872	511 572	452 448	2,654 2,482	1,510 1,940	3 2		
36	England and Wales.....	M. 1,076 F. 1,073	124 108	58 52	50 39	38 37	270 236	424 381	39 63	50 69	420 387	143 173		
37	Ireland.....	M. 12,034 F. 12,692	1,085 828	433 358	340 312	270 290	2,128 1,783	3,404 3,029	510 534	1,129 1,247	5,569 5,706	1,418 2,167	4 9		
38	Scotland.....	M. 467 F. 435	53 27	19 18	10 6	10 13	92 64	137 107	23 20	28 28	197 198	71 81	1 1		
39	France.....	M. 84 F. 56	10 9	6 3	3 1	3 1	20 14	25 20	1 1	5 23	43 23	10 12		
40	Germany.....	M. 1,094 F. 889	112 102	52 45	41 46	28 32	233 225	375 341	51 36	69 60	448 308	143 144	3		
41	Russia and Poland.....	M. 281 F. 266	74 43	27 23	17 23	22 15	140 104	210 196	15 9	14 11	38 46	4 4		
42	Canada.....	M. 2,492 F. 2,675	500 409	217 181	167 130	128 112	1,012 832	1,538 1,324	189 216	228 294	495 724	42 116		
43	Scandinavia.....	M. 312 F. 241	47 28	30 13	18 24	19 10	109 80	167 130	17 12	16 19	103 75	9 5		
44	Italy.....	M. 426 F. 360	67 64	39 26	23 23	33 33	162 146	293 254	13 20	23 13	74 60	23 40		
45	Other foreign countries.....	M. 471 F. 324	64 45	32 31	34 20	24 18	154 114	226 181	14 19	33 20	158 74	13 30		
46	Unknown.....	M. 1,858 F. 1,446	192 202	57 52	15 16	11 9	275 279	328 306	28 16	79 65	440 566	492	1 1		

STATISTICS OF DEATHS.

WITH DISTINCTION OF SEX, COLOR, NATIVITY, PARENTAL NATIVITY, AND BIRTHPLACES OF MOTHERS—Continued.

BALTIMORE AND BOSTON.

CAUSE OF DEATH.																				
All causes.	Scarlet fever.	Typhoid fever.	Malarial fever.	Diphtheria.	Croup.	Diarrheal diseases.	Consumption.	Pneumonia.	Measles.	Whooping cough.	Cancer and tumor.	Heart disease and dropsy.	Child-birth and puerperal diseases.	Diseases of the liver.	Diseases of the nervous system.	Diseases of the urinary organs.	Old age.	Still-born.	All other causes.	Unknown.
56,052	296	971	943	1,188	677	6,179	7,323	8,875	733	501	1,308	2,895	504	503	6,747	1,618	954	4,281	14,377	179
28,544	164	539	454	590	364	8,095	3,533	2,064	357	240	424	1,374	306	3,444	948	314	2,522	7,733	79	2
27,508	132	432	489	598	313	8,084	3,790	1,811	376	261	884	1,521	197	3,303	670	640	1,759	6,644	100	3
42,743	274	776	749	1,116	612	4,794	5,141	2,747	615	308	1,136	2,178	379	449	5,369	1,323	810	3,034	10,792	141
33,461	264	560	494	1,066	590	4,310	3,708	2,059	599	304	610	1,303	278	243	4,210	855	366	3,034	8,512	96
4,643	6	119	117	22	6	215	771	361	5	2	208	408	128	578	301	173	173	1,210	13	6
4,252	4	91	120	27	6	235	625	309	7	2	307	449	100	540	152	268	268	894	30	6
18,809	22	195	194	72	65	1,385	2,182	1,128	118	193	172	717	125	54	1,378	295	144	1,247	3,585	38
6,501	16	103	91	33	30	692	991	602	61	97	27	316	25	674	154	37	723	1,815	14	8
6,808	6	92	103	39	85	693	1,191	526	57	96	145	401	29	704	141	107	524	1,770	24	9
23,522	157	413	330	567	352	2,861	2,712	1,681	351	233	213	940	178	2,332	628	140	2,522	6,342	65	10
23,037	128	339	356	571	303	2,828	3,131	1,491	366	259	566	1,051	116	2,742	512	365	1,759	5,679	69	10
203	3	6	2	1	1	7	30	16	7	7	3	19	1	24	22	3	3	64	38	11
154	1	6	3	1	1	10	18	7	7	6	6	12	4	31	7	6	6	38	2	12
1,117	26	22	37	4	59	218	107	86	1	1	47	85	25	145	65	48	48	272	2	12
1,240	22	37	4	4	59	218	107	86	1	1	79	135	14	30	38	81	81	271	8	12
66	1	1	1	1	4	12	2	2	2	2	3	11	1	1	3	4	4	21	1	13
45	1	1	1	1	4	8	3	3	3	3	8	1	1	6	3	3	3	6	1	13
22	1	1	1	1	6	1	1	1	1	2	3	3	1	1	4	3	3	3	3	14
24	1	1	1	1	3	3	3	3	3	3	3	3	1	1	3	3	3	10	1	14
2,915	5	76	82	16	4	145	434	213	4	1	136	274	91	380	188	116	742	8	15	
2,561	2	52	84	20	4	144	339	189	5	2	210	270	56	327	102	167	530	19	15	
78	4	4	1	1	1	7	19	5	5	5	5	3	4	4	5	5	17	3	16	
64	1	1	2	1	3	15	6	3	1	3	3	5	13	4	1	1	10	2	16	
21	1	1	1	1	1	6	2	2	2	2	1	1	1	1	1	1	6	1	17	
8	1	1	1	1	1	2	2	2	2	2	1	1	1	1	1	1	1	1	18	
22	1	1	1	1	1	2	2	2	2	2	1	1	1	1	1	1	1	1	19	
8	1	1	1	1	1	2	2	2	2	2	1	1	1	1	1	1	1	1	20	
1	1	1	1	1	1	2	2	2	2	2	1	1	1	1	1	1	1	1	21	
77	5	1	1	1	2	15	5	5	1	4	2	3	5	6	6	6	27	1	20	
64	4	2	2	1	1	10	6	6	2	2	8	8	3	3	3	3	12	1	21	
49	1	1	1	1	1	4	3	3	1	1	2	2	2	2	2	2	26	1	21	
20	1	1	3	1	1	3	2	2	2	1	1	2	1	1	1	3	5	1	22	
105	1	1	3	1	6	20	12	12	2	2	10	2	1	6	8	1	34	1	22	
67	1	1	2	1	5	8	10	10	1	4	7	2	2	9	1	5	11	1	23	
346	7	6	1	6	19	41	18	18	1	3	23	7	33	14	1	1	172	1	23	
216	2	4	4	4	21	33	11	11	3	10	18	1	4	21	5	7	71	1	23	
60,021	639	981	44	2,427	703	5,387	9,717	5,566	292	490	1,849	3,780	375	589	6,127	2,133	1,106	725	16,355	236
30,248	308	551	24	1,178	358	2,679	4,797	2,940	149	213	520	1,812	297	3,134	1,245	381	414	9,126	122	25
29,773	331	430	20	1,249	345	2,708	4,920	2,626	143	277	1,329	1,968	292	2,993	883	725	311	7,729	114	26
58,431	634	947	41	2,407	696	5,277	9,337	5,398	289	464	1,826	3,668	367	586	6,003	2,076	1,094	706	16,388	227
39,130	583	465	24	2,206	662	4,629	5,054	3,153	264	456	862	1,905	165	282	4,268	1,086	413	706	11,812	135
7,288	93	97	11	340	79	583	659	627	29	58	144	581	78	1,035	391	112	126	2,213	27	28
7,018	86	75	4	328	82	567	714	612	21	64	468	476	71	67	839	215	182	80	1,985	24
11,727	187	156	3	708	249	1,644	1,761	956	102	140	40	321	58	1,088	202	9	260	3,804	41	30
10,541	214	120	5	804	249	1,504	1,711	756	102	192	116	316	88	43	939	164	198	2,973	31	30
8,816	23	272	8	99	20	224	2,044	1,139	10	3	304	721	142	759	531	225	2,248	44	31	
10,029	28	208	9	97	13	358	2,215	1,083	11	5	655	1,018	201	161	932	452	461	2,093	39	31
1,590	5	34	3	20	7	110	380	168	3	26	23	112	8	3	124	57	12	19	467	9
844	3	16	1	12	6	57	207	98	1	11	6	65	2	66	40	3	10	237	3	33
746	2	18	2	8	1	53	173	70	2	15	17	47	1	58	17	9	9	230	6	34
9,653	128	121	13	459	118	915	918	821	45	86	161	679	88	1,282	446	118	166	3,056	33	35
9,216	114	108	7	472	117	886	959	793	32	103	508	561	80	1,135	250	206	117	2,754	38	35
1,076	16	25	2	37	22	113	140	101	5	5	14	59	21	129	44	13	15	311	4	36
1,073	14	17	1	54	23	98	154	107	10	8	57	70	13	102	39	31	9	253	3	36
12,084	100	255	6	366	114	864	2,724	1,344	42	67	206	609	130	985	471	182	122	3,335	52	37
12,692	124	195	7	391	118	954	2,825	1,177	48	96	496	974	180	146	1,082	440	361	2,938	50	37
467	5	12	1	18	4	35	90	42	3	2	12	25	3	48	15	8	7	136	1	38
435	4	7	1	17	2	29	78	33	3	3	32	33	14	4	38	16	4	109	1	38
84	2	7	1	3	1	13	13	8	3	3	2	6	2	3	4	4	2	21	1	39
56	1	1	1	1	5	8	8	8	1	7	7	3	1	3	1	2	1	16	1	39
1,094	8	19	1	54	8	117	177	94	8	11	46	68	12	122	62	15	10	258	4	40
839	9	15	4	49	11	130	115	59	2	13	42	69	10	97	26	14	9	203	3	40
231	4	4	1	24	7	38	20	20	1	1	2	9	1	26	2	2	12	108	2	41
266	6	3	3	33	6	46	11	21	9	3	3	6	5	1	25	3	4	79	2	41
2,492	28	56	4	147	49	323	331	195	21	29	22	72	11	224	52	2	46	876	8	42
2,675	41	49	4	179	46	298	495	217	18	36	71	98	46	13	266	44	12	37	701	4
312	5	9	1	15	8	48	27	3	2	3	11	11	2	20	9	9	9	103	2	43
241	8	6	1	13	5	43	38	21	5	6	7	5	2	1	15	6	2	4	59	1
426	7	10	2	20	14	36	31	69	16	6	9	7	1	47	10	7	7	136	1	44
360	6	3	3	18	9	38	30	40	16	5	6	6	7	5	34	3	1	117	2	45
471	3	10	1	13	8	69	85	33	1	3	5	34	3	39	17	1	4	141	2	45
324	2	3	1	11	7	54	43	30	1	4	7	12	2	26	9	7	6	97	1	46
1,858	2	30	1	22	6	108	230	186	4	1	41	171	25	204	113	42	14	645	13	46
1,446	8	24	1	12																

TABLE 13.—DEATHS DURING THE 6 YEARS ENDING MAY 31, 1890, AT CERTAIN AGES AND FROM CERTAIN CAUSES,

PHILADELPHIA AND DISTRICT OF COLUMBIA.

LOCALITIES.	All ages.	AGE.										
		Months.					Years.					
		Under 3	3 to 6	6 to 9	9 to 12	Total under 12	Under 5	5 to 15	15 to 25	25 to 65	65 and over.	Un-known.
1 Philadelphia.....	134, 878	21, 317	7, 198	5, 363	4, 817	38, 195	54, 604	6, 486	9, 411	42, 825	19, 938	1, 614
2 Males.....	68, 963	11, 666	3, 710	2, 747	2, 145	20, 268	28, 590	3, 294	4, 587	22, 803	8, 844	845
3 Females.....	65, 915	9, 651	3, 488	2, 616	2, 172	17, 927	26, 014	3, 192	4, 824	20, 022	11, 094	769
4 White.....	127, 556	20, 132	6, 746	4, 992	4, 077	35, 947	51, 479	6, 096	8, 787	40, 497	19, 170	1, 527
5 Native born.....	103, 507	20, 091	6, 709	4, 969	4, 051	35, 820	51, 167	5, 895	7, 423	26, 114	11, 732	1, 121
6 Foreign born.....	M. 11, 034 F. 10, 439	4 2	6 5	7 4	7 9	24 20	100 76	78 83	614 605	7, 022 5, 875	3, 077 3, 671	143 129
7 Colored.....	7, 322	1, 185	452	371	240	2, 248	3, 125	390	624	2, 328	768	87
8 Males.....	3, 441	581	227	192	96	1, 096	1, 520	184	270	1, 144	275	48
9 Females.....	3, 881	604	225	179	144	1, 152	1, 605	206	354	1, 184	493	39
Birthplaces of persons:												
10 United States.....	M. 56, 193 F. 54, 363	11, 639 9, 633	3, 639 3, 471	2, 733 2, 605	2, 135 2, 156	20, 196 17, 865	28, 412 25, 870	3, 198 3, 085	3, 884 4, 146	14, 681 13, 586	5, 399 7, 097	619 579
11 England and Wales.....	M. 1, 174 F. 962	2 1	2 1	6 1	4 2	12 5	34 14	20 19	73 66	68 511	364 343	15 9
12 Ireland.....	M. 5, 579 F. 6, 397	1 1	2 2	1 1	1 3	4 23	19 23	18 23	301 340	3, 537 3, 571	1, 613 2, 279	91 101
13 Scotland.....	M. 205 F. 201	1 1	1 1	1 1	2 1	5 1	5 1	4 8	15 17	120 109	56 63	5 3
14 France.....	M. 80 F. 53	1 1	1 1	1 1	1 1	4 1	24 2	19 4	162 4	2, 244 25	939 22	25 10
15 Germany.....	M. 3, 413 F. 2, 547	3 3	3 1	1 1	2 2	4 6	24 24	19 145	162 1, 453	2, 244 1, 453	939 891	25 10
16 Scandinavia.....	M. 71 F. 17	1 1	1 1	1 1	1 1	2 1	11 7	8 3	81 13	1, 071 77	366 15	83 3
17 Italy.....	M. 209 F. 114	1 1	1 1	1 1	1 1	3 2	8 11	7 6	16 31	123 242	57 49	2 3
18 Other foreign countries.....	M. 1, 697 F. 213	23 1	15 1	7 1	3 1	48 3	78 8	18 7	81 16	1, 071 123	366 57	83 2
19 Unknown.....	M. 1, 108 F. 1, 108	16 16	12 12	7 7	8 8	43 43	68 68	23 23	72 72	559 559	325 325	61 61
20 District of Columbia.....	32, 515	6, 376	1, 785	1, 325	968	10, 454	14, 022	1, 770	2, 481	9, 861	4, 346	35
21 Males.....	16, 847	3, 515	924	695	511	5, 645	7, 402	849	1, 080	5, 414	2, 083	19
22 Females.....	15, 668	2, 861	861	630	457	4, 809	6, 620	921	1, 401	4, 447	2, 263	16
23 White.....	16, 893	2, 611	803	582	421	4, 417	5, 934	810	1, 159	6, 109	2, 863	18
24 Native born.....	14, 006	2, 601	795	578	416	4, 390	5, 890	800	1, 064	4, 277	1, 960	15
25 Both parents native.....	M. 4, 807 F. 4, 467	987 742	301 244	211 190	142 155	1, 641 1, 331	2, 174 1, 871	276 261	303 345	1, 423 1, 308	621 676	5 6
26 One or both parents foreign.....	M. 1, 429 F. 1, 364	295 226	60 92	54 60	46 35	455 413	608 566	109 107	159 169	445 368	105 153	3 1
27 Foreign born.....	M. 1, 692 F. 1, 104	1 1	1 1	1 1	1 2	3 3	8 9	7 3	16 48	123 1, 071	57 366	2 83
28 Colored.....	15, 622	3, 765	982	743	547	6, 037	8, 088	960	1, 322	3, 752	1, 433	17
29 Males.....	7, 760	2, 041	501	395	299	3, 236	4, 238	430	527	1, 917	639	9
30 Females.....	7, 862	1, 724	481	348	248	2, 801	3, 850	530	795	1, 835	844	8
Birthplaces of mothers:												
31 United States.....	M. 11, 761 F. 11, 705	3, 010 2, 454	782 711	599 539	443 407	4, 834 4, 111	6, 355 5, 698	711 789	768 1, 015	2, 858 2, 837	1, 055 1, 356	14 10
32 England and Wales.....	M. 265 F. 225	15 15	6 6	2 2	3 4	26 27	38 37	4 5	10 10	148 85	65 37	1
33 Ireland.....	M. 1, 287 F. 1, 061	78 57	14 30	17 16	13 9	122 112	167 160	40 40	96 113	690 515	244 233	1
34 Scotland.....	M. 91 F. 61	2 2	1 1	1 1	1 1	4 4	6 6	1 3	6 3	55 26	23 25	1
35 France.....	M. 29 F. 31	2 1	1 1	1 1	1 1	2 2	2 2	1 1	2 1	17 15	7 12	1
36 Germany.....	M. 809 F. 521	82 49	17 22	19 20	10 8	128 99	166 127	25 26	45 51	426 216	146 161	1
37 Russia and Poland.....	M. 24 F. 18	10 6	1 6	1 2	1 1	11 14	12 15	1 1	1 1	9 3	3 3	1
38 Canada.....	M. 33 F. 24	7 6	1 1	1 1	1 1	9 9	18 12	1 1	1 1	10 5	4 3	1
39 Scandinavia.....	M. 16 F. 8	2 2	1 1	1 1	1 1	3 2	4 2	1 1	1 1	10 5	1 1	1
40 Hungary.....	M. 1 F. 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1
41 Bohemia.....	M. 1 F. 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1
42 Italy.....	M. 42 F. 25	8 6	1 2	1 1	3 2	13 8	15 16	1 1	4 1	17 4	5 3	1
43 Other foreign countries.....	M. 71 F. 84	6 1	3 2	1 1	2 1	12 3	13 4	1 1	1 6	35 15	21 8	1
44 Unknown.....	M. 2, 465 F. 1, 954	293 261	99 80	55 49	34 27	481 417	606 540	65 57	145 197	1, 136 721	509 435	4 4

STATISTICS OF DEATHS.

663

WITH DISTINCTION OF SEX, COLOR, NATIVITY, PARENTAL NATIVITY, AND BIRTHPLACES OF MOTHERS—Continued.

PHILADELPHIA AND DISTRICT OF COLUMBIA.

CAUSE OF DEATH.

All causes.	Scarlet fever.	Typhoid fever.	Malarial fever.	Diphtheria.	Group.	Diarrheal diseases.	Consumption.	Pneumonia.	Measles.	Whooping cough.	Cancer and tumor.	Heart disease and dropsy.	Child-birth and puerperal diseases.	Diseases of the liver.	Diseases of the nervous system.	Diseases of the urinary organs.	Old age.	Still-born.	All other causes.	Unknown.		
134,878	1,538	4,061	422	2,956	2,800	9,141	17,442	9,613	625	667	3,205	8,565	589	1,615	18,669	4,386	2,698	6,891	38,413	587	1	
68,963	742	2,148	222	1,389	1,434	4,507	8,968	4,970	316	286	1,022	4,224	589	945	9,671	2,546	921	3,989	20,324	339	2	
65,915	791	1,913	200	1,567	1,366	4,034	8,474	4,643	309	381	2,133	4,341	589	670	8,998	1,840	1,777	2,902	18,089	248	3	
127,556	1,510	3,915	404	2,894	2,756	8,730	16,136	8,925	600	601	3,101	7,988	561	1,592	17,755	4,128	2,585	6,486	36,326	563	4	
108,507	1,463	2,951	333	2,838	2,724	8,005	11,923	7,051	588	596	1,921	5,491	389	990	15,106	2,873	1,480	6,486	29,922	377	5	
11,034	14	514	87	21	12	308	2,012	899	6	2	399	1,139	163	331	1,201	653	365	3,046	74	6	
10,489	22	378	28	23	13	350	1,695	805	3	2	689	1,131	281	1,160	450	660	2,581	55	
7,322	23	146	18	62	44	411	1,306	688	25	66	104	577	28	23	914	258	113	405	2,087	24	7	
3,441	13	70	7	30	21	179	645	325	14	33	25	281	10	449	132	23	220	954	10	8	
3,881	10	76	11	32	23	232	661	363	11	33	79	296	28	13	465	126	90	185	1,133	14	9	
56,193	724	1,588	181	1,363	1,419	4,155	6,601	3,955	309	283	572	2,921	587	8,291	1,774	524	3,989	16,731	226	10	
54,363	762	1,514	168	1,336	1,349	4,248	6,554	3,765	304	379	1,447	3,110	416	426	7,702	1,330	1,067	2,902	15,211	173	
1,174	3	68	3	3	4	38	176	91	1	1	32	135	32	150	33	3	323	12	
962	4	44	3	3	3	31	132	80	1	34	103	13	24	124	36	45	226	6	11	
5,579	7	205	11	4	2	161	1,064	493	4	181	547	151	587	345	224	1,555	28	
6,337	14	171	11	9	2	207	1,139	498	2	372	643	79	145	691	271	480	1,567	35	12	
205	3	10	2	1	3	42	18	3	16	7	28	13	4	54	1	
201	1	0	1	1	8	32	14	12	20	5	2	25	12	11	50	13	
80	2	10	6	1	12	3	12	4	6	19	
53	3	11	3	2	6	1	6	4	2	10	14	
3,418	193	16	7	3	91	600	228	1	155	383	122	374	198	87	928	27	
2,547	2	143	10	8	6	94	325	175	1	198	328	52	53	286	105	113	638	10	15	
71	10	1	4	13	5	3	2	5	6	1	21	
17	5	5	2	4	1	1	1	3	16	
209	11	3	3	3	1	42	28	1	5	16	1	15	10	65	
114	6	1	4	14	18	5	9	10	1	5	10	3	27	17	
342	1	16	2	2	9	82	32	9	32	9	34	14	6	90	
213	1	8	2	1	1	3	38	15	12	21	4	5	22	11	62	18	
1,697	4	43	4	5	3	43	388	114	1	51	160	27	175	119	32	538	39	
1,108	7	21	4	7	4	36	224	73	2	46	101	9	13	136	50	295	20	19	
32,515	274	925	571	515	235	3,128	4,945	2,113	175	358	686	1,685	259	293	3,710	779	261	2,612	8,940	51	20	
16,847	121	477	268	245	128	1,597	2,423	1,138	81	161	208	845	185	2,070	495	101	1,457	4,818	24	21	
15,668	153	448	303	270	107	1,531	2,517	975	94	197	478	840	259	108	1,040	284	160	1,155	4,122	27	22	
16,893	214	557	282	342	151	1,691	2,325	965	107	137	514	959	134	226	2,044	512	146	1,028	4,520	39	23	
14,006	213	460	229	338	150	1,584	1,852	778	105	137	367	672	109	147	1,641	382	104	1,028	3,783	27	24	
4,807	68	160	78	129	54	540	523	279	32	44	67	229	64	579	173	31	374	1,374	9	
4,467	82	154	83	131	47	486	578	249	39	58	195	207	66	28	469	100	43	297	1,143	12	25	
1,429	27	51	25	35	24	137	247	78	13	12	15	70	23	162	34	5	121	349	1	
1,364	25	52	23	33	19	164	242	73	10	14	39	54	28	10	145	18	9	98	308	26	
1,692	1	60	25	1	1	91	302	111	67	155	49	262	98	19	447	
1,104	36	28	3	57	163	71	1	80	125	25	29	124	35	23	301	3	27	
15,622	60	363	289	173	84	1,437	2,620	1,148	68	221	172	726	125	67	1,666	267	115	1,584	4,420	12	28	
7,760	19	182	126	74	45	718	1,198	607	33	101	39	317	38	871	153	40	889	2,308	2	29	
7,862	41	186	163	99	39	719	1,422	541	35	120	133	409	125	29	795	114	75	695	2,112	10	30	
11,761	91	324	203	218	106	1,209	1,512	830	70	140	99	474	100	1,313	267	53	1,311	3,405	11	31	
11,705	126	325	250	236	95	1,181	1,782	765	79	181	305	532	178	56	1,208	193	96	1,042	3,055	20	
265	2	13	4	20	86	23	1	9	21	6	40	15	3	7	63	2	
225	8	9	1	4	20	27	14	19	11	2	2	29	8	6	62	32	
1,237	12	40	17	8	7	82	276	93	5	3	22	98	29	141	44	14	32	311	3	
1,061	14	45	18	13	5	73	234	63	2	4	46	81	20	17	107	26	19	23	248	3	33	
91	1	1	7	18	5	4	8	4	14	5	2	19	
29	1	6	8	3	1	2	7	3	7	5	2	18	34	
61	3	3	1	1	2	2	4	1	10	
31	4	4	3	3	4	1	4	1	5	35	
809	7	30	11	10	5	54	121	35	3	2	29	61	21	129	39	2	214	2	36	
521	4	21	6	12	53	68	34	2	1	27	47	15	11	60	9	5	34	126	
24	3	2	2	1	2	1	3	4	6	
18	3	1	6	37	
33	3	3	8	
16	2	2	11	
24	3	2	5	
8	1	1	2	
3	1	1	2	
1	40
1
42	2	2	4	3	1	3	5	1	13	42
25	1	4
71	5	11	7	7
84	7
2,465	7	62	31	8	6	209	439	139	3	14	39	168	21	396	96	26	740	6	43	
1,954	8	46	15	6	3	178	385	88	11	9	70	152	17	214	41	36	584	4	44	

TABLE 14.

DEATHS IN THE WHOLE OF THE 6-YEAR RECORD FROM EACH SPECIFIED DISEASE AND CLASS OF DISEASES, WITH DISTINCTION OF AGE AND SEX, AND SPECIFICATION OF COLOR AND BIRTHPLACES OF MOTHERS, DURING THE 6 YEARS ENDING MAY 31, 1890.

[The 6-year record comprises the State of New Jersey and the Metropolitan District in New York, including the cities therein; Baltimore, Md., Boston, Mass., Philadelphia, Pa., and the District of Columbia.]

TABLE 14.—DEATHS IN THE WHOLE 6-YEAR RECORD FROM EACH SPECIFIED DISEASE AND CLASS OF DISEASES, WITH DISTINCTION OF AGE AND SEX, DURING THE 6 YEARS ENDING MAY 31, 1890.

AGGREGATE.

CAUSE OF DEATH.	All ages.	Under 1 year.	Total under 5 years.	5 to 10	10 to 15	15 to 20	20 to 25	25 to 30	30 to 35	35 to 40	40 to 45	45 to 50	50 to 55	55 to 60	60 to 65	65 and over and un-known.
All causes.....	846,333	251,424	369,284	29,016	13,204	20,587	33,333	33,193	34,754	35,886	33,504	32,725	32,517	29,631	31,916	111,228
Males.....	444,067	137,861	198,735	14,604	6,520	9,809	16,732	19,789	18,526	19,546	18,819	18,609	17,641	16,066	16,611	52,010
Females.....	402,316	113,563	170,499	14,412	6,684	10,778	16,606	18,404	16,228	16,340	14,685	14,116	14,876	13,565	15,305	59,818
Unknown causes.....	2,338	525	640	48	32	31	63	90	89	95	99	115	121	100	185	650
Males.....	1,312	283	352	30	15	17	31	47	50	51	65	72	73	63	86	360
Females.....	1,026	242	288	18	17	14	32	43	39	44	34	43	48	37	79	290
I.—General diseases:																
General diseases—A.....	171,646	66,017	116,165	13,617	4,070	3,908	4,602	4,090	2,982	2,633	2,344	2,213	2,200	2,126	2,321	8,265
Males.....	87,165	34,657	59,914	6,453	1,903	1,878	2,426	2,231	1,569	1,367	1,254	1,188	1,180	1,059	1,088	3,700
Females.....	84,481	31,360	56,251	7,159	2,167	2,030	2,176	1,859	1,413	1,316	1,090	1,075	1,030	1,067	1,233	4,565
1. Smallpox.....	{ M. 405 F. 261	{ 61 51	{ 135 133	{ 35 32	{ 15 12	{ 27 14	{ 46 19	{ 38 14	{ 27 7	{ 27 8	{ 19 5	{ 19 9	{ 8 4	{ 6 1	{ 3 1	{ 10 3
2. Measles.....	{ M. 3,695 F. 3,591	{ 1,020 940	{ 3,414 2,235	{ 200 243	{ 23 28	{ 13 20	{ 11 19	{ 18 5	{ 5 7	{ 11 6	{ 1 3	{ 3 1	{ 3 3	{ 3 3	{ 3 4	{ 2 4
3. Scarlet fever.....	{ M. 5,830 F. 5,999	{ 391 372	{ 4,073 4,000	{ 1,264 1,466	{ 267 254	{ 74 84	{ 52 69	{ 47 47	{ 13 28	{ 14 17	{ 6 8	{ 2 7	{ 4 2	{ 2 1	{ 1 1	{ 11 15
4. Diphtheria.....	{ M. 14,529 F. 15,031	{ 1,015 897	{ 10,146 3,939	{ 3,396 3,939	{ 551 784	{ 152 201	{ 93 93	{ 50 54	{ 26 37	{ 24 27	{ 27 22	{ 7 22	{ 11 14	{ 8 11	{ 3 8	{ 35 46
5. Whooping cough.....	{ M. 3,350 F. 4,136	{ 1,875 2,075	{ 3,248 3,944	{ 85 141	{ 3 15	{ 3 4	{ 2 4	{ 2 3	{ 1 2	{ 1 5	{ 2 3	{ 1 3	{ 1 2	{ 1 3	{ 2 4	{ 6 12
6. Fever.....	{ M. 37 F. 34	{ 3 2	{ 9 7	{ 3 1	{ 3 1	{ 3 1	{ 7 1	{ 3 1	{ 3 5	{ 2 3	{ 1 3	{ 3 2	{ 2 2	{ 2 3	{ 3 4	{ 3 2
7. Cerebro-spinal fever.....	{ M. 1,513 F. 1,284	{ 361 317	{ 868 758	{ 202 166	{ 102 94	{ 75 66	{ 47 43	{ 47 24	{ 27 23	{ 30 22	{ 22 13	{ 20 16	{ 21 13	{ 11 12	{ 18 11	{ 28 23
8. Typhoid fever.....	{ M. 7,859 F. 6,367	{ 55 51	{ 348 292	{ 359 347	{ 447 510	{ 1,021 1,095	{ 1,519 1,131	{ 1,273 772	{ 774 512	{ 516 397	{ 396 289	{ 268 243	{ 264 189	{ 180 148	{ 147 143	{ 347 299
9. Diarrheal diseases.....	{ M. 22,845 F. 22,177	{ 12,780 11,085	{ 16,361 14,453	{ 528 467	{ 230 222	{ 195 198	{ 253 312	{ 317 358	{ 291 328	{ 367 350	{ 366 383	{ 429 457	{ 476 526	{ 497 559	{ 534 726	{ 2,001 2,333
10. Cholera infantum.....	{ M. 18,721 F. 17,320	{ 15,415 14,079	{ 18,699 17,307													{ 22 13
11. Malarial fever.....	{ M. 3,785 F. 4,019	{ 280 225	{ 899 816	{ 288 284	{ 192 190	{ 209 270	{ 264 273	{ 260 299	{ 213 221	{ 186 221	{ 206 188	{ 155 167	{ 175 163	{ 147 184	{ 158 167	{ 433 576
12. Erysipelas.....	{ M. 1,534 F. 1,341	{ 511 527	{ 570 596	{ 22 12	{ 14 17	{ 32 28	{ 31 36	{ 59 35	{ 57 40	{ 69 42	{ 92 47	{ 97 91	{ 92 57	{ 75 57	{ 76 66	{ 243 247
13. Septicæmia.....	{ M. 1,008 F. 1,226	{ 106 110	{ 217 188	{ 48 40	{ 41 25	{ 56 35	{ 50 133	{ 53 183	{ 61 147	{ 64 141	{ 52 74	{ 55 50	{ 70 50	{ 62 46	{ 60 36	{ 119 78
14. Venereal diseases.....	{ M. 1,146 F. 845	{ 707 560	{ 776 624	{ 5 5	{ 3 3	{ 7 8	{ 29 27	{ 53 35	{ 54 33	{ 48 39	{ 42 25	{ 39 11	{ 25 13	{ 19 6	{ 18 4	{ 28 12
15. Others of this group.....	{ M. 903 F. 850	{ 77 69	{ 151 137	{ 23 16	{ 15 13	{ 14 7	{ 22 16	{ 13 23	{ 20 21	{ 15 23	{ 32 22	{ 40 26	{ 32 43	{ 51 36	{ 68 65	{ 407 402
General diseases—B.....	15,130	9,555	10,200	90	23.	62	132	510	613	732	653	513	475	316	245	516
Males.....	8,933	5,079	5,400	48	15	31	106	370	465	568	435	397	349	236	164	299
Females.....	6,197	4,476	4,800	42	8	31	76	140	148	164	168	116	126	80	81	217
1. Parasitic diseases.....	{ M. 36 F. 29	{ 5 1	{ 25 18	{ 6 9	{ 2 1				{ 1 1					{ 1 1		
2. Alcoholism.....	{ M. 2,320 F. 824	{ 7 2	{ 12 3	{ 5 3	{ 4 2	{ 8 2	{ 75 23	{ 316 103	{ 409 131	{ 500 137	{ 434 137	{ 333 83	{ 233 93	{ 191 46	{ 114 39	{ 131 46
3. Lead poison.....	{ M. 82 F. 10	{ 1 1	{ 2 2		{ 2 1	{ 3 1	{ 6 1	{ 11 1	{ 12 3	{ 11 3	{ 10 1	{ 7 1	{ 6 1	{ 6 1	{ 3 1	{ 5 1
4. Other poisons.....	{ M. 497 F. 325	{ 50 30	{ 101 89	{ 14 10	{ 4 3	{ 14 19	{ 17 36	{ 36 24	{ 38 17	{ 49 25	{ 31 23	{ 41 15	{ 49 20	{ 30 14	{ 23 12	{ 50 18
5. Inanition.....	{ M. 5,498 F. 5,009	{ 5,017 4,442	{ 5,262 4,633	{ 23 23	{ 3 5	{ 6 8	{ 8 11	{ 7 12	{ 5 18	{ 7 4	{ 10 7	{ 11 17	{ 11 13	{ 8 20	{ 24 30	{ 113 153
General diseases—C.....	119,788	92,542	96,034	301	121	107	118	142	166	188.	205	227	375	472	1,044	20,238
Males.....	63,024	52,213	53,949	147	54	43	50	50	61	77	92	87	155	200	442	7,617
Females.....	56,764	40,329	42,085	154	67	64	68	92	105	111	113	140	220	272	602	12,621
1. Premature birth.....	{ M. 8,036 F. 6,251	{ 8,025 6,247	{ 8,036 6,251													
2. Stillborn.....	{ M. 29,886 F. 21,822	{ 29,886 21,822	{ 29,886 21,822													
3. Malformation.....	{ M. 1,043 F. 804	{ 1,005 786	{ 1,026 786	{ 5 8	{ 3 3	{ 2 2	{ 2 1	{ 1 1	{ 1 1	{ 2 2	{ 1 1	{ 1 1	{ 1 1	{ 1 1		{ 4 2
4. Debility and atrophy.....	{ M. 19,897 F. 20,542	{ 13,297 11,502	{ 15,001 13,226	{ 142 146	{ 54 64	{ 41 64	{ 48 68	{ 49 92	{ 61 104	{ 77 109	{ 91 113	{ 86 139	{ 154 220	{ 200 271	{ 372 473	{ 3,521 5,453
5. Old age.....	{ M. 4,162 F. 7,345														{ 70 129	{ 4,092 7,216

STATISTICS OF DEATHS.

667

TABLE 14.—DEATHS IN THE WHOLE 6-YEAR RECORD FROM EACH SPECIFIED DISEASE AND CLASS OF DISEASES, WITH DISTINCTION OF AGE AND SEX, DURING THE 6 YEARS ENDING MAY 31, 1890—Continued.

AGGREGATE—Continued.

CAUSE OF DEATH.	All ages.	Under 1 year.	Total under 5 years.	5 to 10	10 to 15	15 to 20	20 to 25	25 to 30	30 to 35	35 to 40	40 to 45	45 to 50	50 to 55	55 to 60	60 to 65	65 and over and un-known.
I.—General diseases—Continued.																
General diseases—D.....	149,988	8,364	16,435	2,275	2,271	8,027	15,597	17,475	14,763	13,744	11,713	10,880	8,994	7,358	6,816	14,140
Males.....	75,364	4,632	8,973	1,097	819	3,357	7,593	8,845	7,741	7,170	6,155	5,519	4,533	3,767	3,393	6,412
Females.....	74,624	3,732	7,462	1,178	1,452	4,670	8,004	8,630	7,022	6,574	5,558	4,861	4,461	3,591	3,423	7,728
1. Rheumatism.....	{ M.. 1,611 F.. 1,637	{ 33 20	{ 87 57	{ 79 93	{ 81 94	{ 86 85	{ 65 65	{ 93 78	{ 94 92	{ 104 88	{ 100 92	{ 134 105	{ 120 130	{ 106 107	{ 131 135	{ 331 416
2. Scrofula and tuberc.....	{ M.. 1,434 F.. 1,234	{ 707 552	{ 1,034 845	{ 74 49	{ 37 50	{ 26 33	{ 33 32	{ 35 45	{ 22 27	{ 23 19	{ 19 32	{ 25 19	{ 18 15	{ 24 17	{ 18 17	{ 46 34
3. Leprosy.....	{ M.. 3 F.. 1	{ 1 1	{ 1 1		{ 1 1							{ 1 1				
4. Consumption.....	{ M.. 57,492 F.. 51,436	{ 1,103 934	{ 2,396 2,177	{ 450 599	{ 493 1,124	{ 3,057 4,365	{ 7,291 7,656	{ 8,451 8,085	{ 7,292 6,270	{ 6,574 5,393	{ 5,434 3,951	{ 4,562 2,971	{ 3,332 2,361	{ 2,606 1,718	{ 2,110 1,507	{ 3,394 3,259
5. Hydrocephalus.....	{ M.. 5,667 F.. 4,519	{ 2,439 1,981	{ 4,844 3,905	{ 373 323	{ 115 74	{ 51 38	{ 34 21	{ 55 34	{ 27 13	{ 34 20	{ 24 18	{ 24 12	{ 23 9	{ 12 15	{ 10 13	{ 38 27
6. Cancer.....	{ M.. 5,472 F.. 11,723	{ 15 14	{ 49 42	{ 13 18	{ 8 17	{ 24 24	{ 57 89	{ 32 219	{ 149 444	{ 247 853	{ 377 1,231	{ 515 1,508	{ 698 1,619	{ 729 1,437	{ 809 1,409	{ 1,715 2,813
7. Tumor.....	{ M.. 607 F.. 763	{ 18 9	{ 38 27	{ 14 8	{ 18 9	{ 18 15	{ 27 25	{ 31 41	{ 45 36	{ 45 52	{ 38 68	{ 62 82	{ 57 93	{ 51 59	{ 54 76	{ 109 172
8. Anæmia.....	{ M.. 423 F.. 621	{ 94 72	{ 130 105	{ 13 20	{ 2 18	{ 13 47	{ 15 48	{ 12 41	{ 15 38	{ 19 32	{ 23 38	{ 31 34	{ 26 37	{ 25 25	{ 32 30	{ 67 108
9. Dropsy.....	{ M.. 1,135 F.. 1,488	{ 47 31	{ 106 89	{ 39 45	{ 31 33	{ 25 31	{ 22 21	{ 30 32	{ 22 38	{ 49 69	{ 58 79	{ 53 100	{ 88 100	{ 85 168	{ 99 126	{ 430 646
10. Diabetes.....	{ M.. 1,034 F.. 812	{ 13 11	{ 28 19	{ 10 14	{ 22 23	{ 41 17	{ 30 29	{ 44 41	{ 58 51	{ 64 36	{ 63 39	{ 95 45	{ 105 84	{ 112 96	{ 111 99	{ 251 219
11. Others of this group.....	{ M.. 466 F.. 382	{ 160 106	{ 257 193	{ 22 18	{ 10 10	{ 15 15	{ 17 18	{ 11 14	{ 16 13	{ 11 12	{ 18 9	{ 12 14	{ 15 11	{ 17 8	{ 14 14	{ 31 33
12. Others of this class.....	{ M.. 20 F.. 8	{ 3 1	{ 4 2		{ 1 1			{ 2 1				{ 5 1				{ 1 1
II.—Diseases of the nervous system.....																
	95,156	28,836	43,938	2,759	1,291	1,199	1,392	1,676	2,012	2,581	2,820	3,270	3,884	4,103	4,893	19,338
Males.....	50,500	15,917	23,719	1,463	679	604	715	920	1,177	1,517	1,627	1,830	2,104	2,163	2,584	9,898
Females.....	44,656	12,919	20,219	1,296	612	595	677	756	835	1,064	1,193	1,440	1,780	1,940	2,309	9,440
1. Inflammation of the brain.....	{ M.. 11,349 F.. 9,485	{ 4,060 3,301	{ 7,811 6,771	{ 830 699	{ 313 300	{ 214 209	{ 225 174	{ 230 169	{ 253 158	{ 252 165	{ 231 131	{ 211 145	{ 199 113	{ 159 91	{ 125 78	{ 296 282
2. Apoplexy.....	{ M.. 9,962 F.. 9,588	{ 159 140	{ 243 228	{ 30 23	{ 24 21	{ 40 46	{ 80 90	{ 165 137	{ 263 188	{ 420 289	{ 547 443	{ 706 614	{ 937 800	{ 935 985	{ 1,301 1,198	{ 4,211 4,466
3. Paralysis.....	{ M.. 5,620 F.. 5,859	{ 63 74	{ 179 168	{ 43 39	{ 28 32	{ 32 34	{ 45 46	{ 93 86	{ 155 104	{ 230 156	{ 262 197	{ 314 237	{ 365 356	{ 432 427	{ 573 572	{ 2,869 3,385
4. Tetanus and trismus nascentium.....	{ M.. 1,426 F.. 870	{ 1,003 725	{ 1,041 750	{ 40 12	{ 60 9	{ 48 10	{ 34 8	{ 35 9	{ 31 12	{ 27 15	{ 17 11	{ 35 12	{ 17 5	{ 12 7	{ 11 2	{ 18 8
5. Epilepsy.....	{ M.. 938 F.. 791	{ 61 59	{ 127 110	{ 41 43	{ 49 41	{ 87 66	{ 104 62	{ 71 55	{ 78 67	{ 84 74	{ 57 48	{ 41 49	{ 39 32	{ 39 33	{ 33 24	{ 88 87
6. Convulsions.....	{ M.. 11,709 F.. 10,223	{ 8,621 7,106	{ 11,161 9,562	{ 219 236	{ 47 58	{ 33 52	{ 21 63	{ 29 52	{ 25 50	{ 26 33	{ 19 22	{ 21 16	{ 21 16	{ 16 7	{ 17 15	{ 54 41
7. Mental diseases.....	{ M.. 845 F.. 821			{ 1 1	{ 2 4	{ 13 15	{ 33 40	{ 57 52	{ 76 50	{ 91 70	{ 95 90	{ 86 64	{ 79 63	{ 48 69	{ 69 65	{ 190 233
8. Diseases of the brain.....	{ M.. 7,180 F.. 5,758	{ 1,853 1,446	{ 2,957 2,467	{ 211 192	{ 132 118	{ 112 120	{ 131 127	{ 186 125	{ 226 130	{ 300 176	{ 295 179	{ 304 193	{ 315 230	{ 329 235	{ 330 263	{ 1,352 1,203
9. Diseases of the spinal cord.....	{ M.. 1,172 F.. 808	{ 88 63	{ 183 152	{ 39 31	{ 20 15	{ 19 24	{ 28 29	{ 41 41	{ 61 46	{ 70 57	{ 82 50	{ 89 59	{ 111 71	{ 114 61	{ 101 59	{ 214 113
10. Others of this class.....	{ M.. 299 F.. 453	{ 9 5	{ 17 11	{ 9 20	{ 4 14	{ 6 19	{ 9 38	{ 13 30	{ 9 30	{ 17 29	{ 22 22	{ 23 31	{ 21 29	{ 19 25	{ 24 33	{ 106 122
III.—Diseases of the circulatory system.....																
	48,829	4,495	5,196	1,082	1,328	1,432	1,479	1,890	2,136	2,726	2,954	3,423	3,727	3,731	4,864	13,361
Males.....	25,051	2,510	2,903	509	556	735	738	891	1,133	1,393	1,618	1,828	1,965	1,964	2,241	6,577
Females.....	23,778	1,985	2,293	573	772	697	741	999	1,003	1,333	1,336	1,595	1,762	1,767	2,623	6,784
1. Angina pectoris.....	{ M.. 752 F.. 555			{ 2 3	{ 4 5	{ 5 4	{ 3 11	{ 9 23	{ 23 24	{ 35 36	{ 48 29	{ 66 42	{ 61 54	{ 82 36	{ 95 79	{ 319 209
2. Aneurism.....	{ M.. 704 F.. 267			{ 2 2	{ 1 1	{ 5 5	{ 8 3	{ 8 3	{ 34 18	{ 58 31	{ 91 23	{ 101 48	{ 105 20	{ 96 22	{ 73 52	{ 78 64
3. Diseases of the heart.....	{ M.. 21,474 F.. 21,218	{ 668 530	{ 1,011 801	{ 501 562	{ 549 760	{ 719 681	{ 721 714	{ 842 954	{ 1,042 949	{ 1,256 1,248	{ 1,459 1,274	{ 1,640 1,489	{ 1,790 1,675	{ 1,796 1,691	{ 2,074 1,993	{ 6,065 6,427
4. Others of this class.....	{ M.. 2,121 F.. 1,738	{ 1,642 1,455	{ 1,892 1,492	{ 6 6	{ 3 6	{ 3 7	{ 6 6	{ 10 12	{ 10 12	{ 11 18	{ 10 10	{ 8 16	{ 18 13	{ 13 18	{ 20 29	{ 115 84

TABLE 14.—DEATHS IN THE WHOLE 6-YEAR RECORD FROM EACH SPECIFIED DISEASE AND CLASS OF DISEASES, WITH DISTINCTION OF AGE AND SEX, DURING THE 6 YEARS ENDING MAY 31, 1890—Continued.

AGGREGATE—Continued.

CAUSE OF DEATH.	All ages.	Under 1 year.	Total under 5 years.	5 to 10	10 to 15	15 to 20	20 to 25	25 to 30	30 to 35	35 to 40	40 to 45	45 to 50	50 to 55	55 to 60	60 to 65	65 and over and unknown.
IV.—Diseases of the respiratory system.	130,105	31,057	64,370	5,440	1,358	2,054	3,205	3,917	4,017	4,405	4,454	4,556	4,912	4,589	5,256	17,572
Males	69,027	16,971	34,465	2,763	641	1,031	1,893	2,365	2,375	2,699	2,706	2,758	2,701	2,471	2,614	7,545
Females.....	61,078	14,086	29,905	2,677	717	1,023	1,312	1,552	1,642	1,706	1,748	1,798	2,211	2,118	2,642	10,027
1. Croup	{ M. 8,067 F. 7,116	{ 1,025 877	{ 6,745 5,840	{ 1,144 1,035	{ 63 76	{ 16 14	{ 14 13	{ 11 6	{ 7 4	{ 9 5	{ 11 8	{ 6 8	{ 10 13	{ 4 6	{ 5 10	{ 22 28
2. Laryngitis.....	{ M. 1,047 F. 898	{ 152 127	{ 684 629	{ 125 120	{ 18 21	{ 11 11	{ 20 16	{ 23 18	{ 19 17	{ 36 15	{ 22 12	{ 19 8	{ 20 6	{ 14 6	{ 8 4	{ 28 15
3. Bronchitis.....	{ M. 14,940 F. 15,237	{ 6,771 5,732	{ 10,068 8,977	{ 263 223	{ 59 67	{ 84 109	{ 143 133	{ 160 177	{ 156 166	{ 183 168	{ 233 226	{ 266 266	{ 361 378	{ 375 414	{ 496 634	{ 2,089 3,293
4. Pneumonia.....	{ M. 37,621 F. 31,693	{ 6,717 5,526	{ 13,975 12,012	{ 1,070 1,106	{ 426 482	{ 809 765	{ 1,523 994	{ 1,915 1,162	{ 1,924 1,269	{ 2,127 1,293	{ 2,141 1,298	{ 2,080 1,310	{ 1,949 1,539	{ 1,739 1,435	{ 1,705 1,684	{ 4,247 5,344
5. Pleurisy.....	{ M. 1,406 F. 1,023	{ 88 70	{ 215 159	{ 35 39	{ 20 15	{ 51 35	{ 90 51	{ 108 74	{ 113 65	{ 118 68	{ 86 51	{ 96 57	{ 102 48	{ 72 59	{ 96 64	{ 204 238
6. Asthma.....	{ M. 627 F. 603	{ 31 25	{ 44 30	{ 5 8	{ 3 2	{ 1 4	{ 1 6	{ 7 9	{ 14 9	{ 30 21	{ 31 26	{ 50 34	{ 54 55	{ 55 69	{ 70 73	{ 262 317
7. Others of this class.....	{ M. 5,319 F. 4,448	{ 2,187 1,729	{ 2,734 2,258	{ 121 96	{ 52 54	{ 68 85	{ 102 99	{ 141 106	{ 142 112	{ 191 136	{ 182 121	{ 241 115	{ 205 172	{ 212 129	{ 234 173	{ 694 792
V.—Diseases of the digestive system.....	33,786	6,231	8,921	777	730	893	1,234	1,546	1,633	1,870	2,015	2,239	2,268	2,136	2,121	5,403
Males	17,010	3,480	4,917	480	404	485	506	646	680	827	1,012	1,154	1,148	1,148	1,104	2,549
Females.....	16,776	2,751	4,004	347	326	408	728	900	953	1,043	1,003	1,085	1,120	988	1,017	2,854
1. Dentition.....	{ M. 1,446 F. 1,306	{ 871 778	{ 1,444 1,306													2
2. Angina.....	{ M. 338 F. 257	{ 76 54	{ 202 152	{ 48 46	{ 14 17	{ 8 -3	{ 8 7	{ 5 3	{ -10 1	{ 5 6	{ 2 4	{ 2 1	{ 7 4	{ 10 4	{ 4 4	{ 13 9
3. Diseases of the stomach.....	{ M. 3,030 F. 3,423	{ 648 559	{ 922 835	{ 67 88	{ 32 47	{ 44 66	{ 62 115	{ 87 156	{ 122 177	{ 149 191	{ 155 148	{ 177 190	{ 195 224	{ 218 183	{ 207 219	{ 593 784
4. Obstruction of the bowels.....	{ M. 1,058 F. 992	{ 243 151	{ 299 198	{ 31 13	{ 33 20	{ 53 26	{ 48 32	{ 55 39	{ 42 41	{ 45 47	{ 54 58	{ 54 66	{ 52 80	{ 58 57	{ 68 87	{ 166 228
5. Hernia.....	{ M. 736 F. 636	{ 96 14	{ 105 17	{ 4 1	{ 2 1	{ 11 1	{ 26 4	{ 32 12	{ 31 13	{ 30 38	{ 34 43	{ 59 83	{ 56 61	{ 74 76	{ 71 84	{ 201 203
6. Other diseases of the bowels.....	{ M. 317 F. 232	{ 73 56	{ 100 66	{ 4 4	{ 1 7	{ 9 7	{ 11 9	{ 16 15	{ 13 7	{ 21 13	{ 17 10	{ 15 17	{ 19 15	{ 25 5	{ 24 7	{ 42 50
7. Jaundice.....	{ M. 528 F. 441	{ 346 226	{ 359 242	{ 6 1	{ 2 2	{ 1 2	{ 2 9	{ 7 2	{ 7 8	{ 9 5	{ 11 9	{ 13 16	{ 15 17	{ 16 12	{ 17 27	{ 63 79
8. Inflammation and abscess of the liver.....	{ M. 1,068 F. 975	{ 48 29	{ 69 42	{ 21 10	{ 18 11	{ 15 9	{ 33 21	{ 50 49	{ 81 43	{ 86 69	{ 93 93	{ 113 95	{ 91 109	{ 92 106	{ 88 91	{ 218 227
9. Other diseases of the liver.....	{ M. 3,904 F. 2,763	{ 61 49	{ 100 75	{ 25 16	{ 22 11	{ 26 18	{ 55 45	{ 123 102	{ 173 156	{ 233 200	{ 432 290	{ 500 342	{ 516 328	{ 479 302	{ 416 270	{ 754 604
10. Peritonitis.....	{ M. 2,696 F. 4,036	{ 208 159	{ 343 254	{ 179 130	{ 227 179	{ 258 243	{ 198 458	{ 217 486	{ 104 461	{ 154 411	{ 149 295	{ 157 218	{ 134 195	{ 114 171	{ 131 154	{ 271 381
11. Ascites.....	{ M. 131 F. 206	{ 6 4	{ 14 10	{ 5 4	{ 2 5	{ 1 7	{ 6 4	{ 2 2	{ 7 9	{ 4 15	{ 10 13	{ 11 17	{ 11 16	{ 15 14	{ 13 19	{ 30 71
12. Others of this class.....	{ M. 1,758 F. 1,509	{ 804 672	{ 960 807	{ 40 34	{ 51 27	{ 59 26	{ 57 24	{ 52 34	{ 30 37	{ 41 44	{ 55 40	{ 53 40	{ 52 61	{ 47 62	{ 65 55	{ 196 218
VI.—Diseases of the urinary system and male organs of generation.	35,361	497	1,579	762	440	700	1,253	1,866	2,215	2,699	2,865	3,076	3,280	2,955	3,229	8,442
Males	19,950	303	900	387	228	302	549	914	1,113	1,450	1,563	1,787	1,828	1,715	1,941	5,273
Females.....	15,411	194	679	375	212	398	704	952	1,102	1,249	1,302	1,289	1,452	1,240	1,288	3,169
1. Bright's disease.....	{ M. 9,541 F. 8,104			{ 127 131	{ 105 98	{ 158 221	{ 287 365	{ 446 485	{ 578 589	{ 791 690	{ 840 723	{ 956 751	{ 1,027 826	{ 941 721	{ 999 729	{ 2,277 1,775
2. Calculus, urinary.....	{ M. 79 F. 26	{ 3 2	{ 5 3	{ 1 1	{ 1 4		{ 1 1	{ 2 2	{ 5 4	{ 2 1	{ 5 7	{ 3 3	{ 5 5	{ 3 3	{ 12 1	{ 54 6
3. Diseases of the kidney.....	{ M. 7,732 F. 6,356	{ 239 161	{ 802 616	{ 238 222	{ 108 106	{ 119 147	{ 223 286	{ 406 389	{ 471 443	{ 577 517	{ 615 473	{ 721 565	{ 677 565	{ 597 461	{ 653 480	{ 1,525 1,149
4. Diseases of the bladder.....	{ M. 1,412 F. 276	{ 11 4	{ 17 6	{ 4 2	{ 4 5	{ 10 8	{ 13 19	{ 18 8	{ 17 15	{ 19 11	{ 31 15	{ 43 16	{ 59 19	{ 89 19	{ 159 83	{ 929 117
5. Others of this class.....	{ M. 1,186 F. 639	{ 50 27	{ 76 54	{ 17 20	{ 10 6	{ 11 25	{ 25 44	{ 43 57	{ 42 58	{ 61 41	{ 63 44	{ 67 60	{ 80 47	{ 85 36	{ 118 45	{ 508 122
VII.—Diseases of the female organs of generation.	1,743	2	5	1	6	54	147	224	211	252	197	171	156	79	86	154
1. Ovarian tumors.....	479				1	5	20	36	36	56	57	53	60	41	42	72
2. Ovarian diseases.....	142				2	1	3	17	16	17	20	18	11	6	9	17
3. Uterine tumors.....	293						4	17	23	48	52	48	20	18	30	
4. Uterine diseases.....	261					12	42	54	41	30	33	18	11	5	7	
5. Others of this class.....	508	2	5	1	3	36	73	100	95	101	64	30	26	7	10	
VIII.—Affections connected with pregnancy.	6,153				5	367	1,423	1,674	1,237	948	404	49	9	11	1	25
1. Abortion.....	433				1	16	82	124	126	97	34	2		1		
2. Childbirth.....	1,447				1	55	231	385	323	283	142	17	1	2		7
3. Puerperal septicaemia.....	3,391				3	207	909	956	680	465	170	25	4	8	1	13
4. Extra-uterine pregnancy.....	29						3	8	9	8	1					
5. Others of this class.....	803					89	198	201	149	95	57	5	4			5

STATISTICS OF DEATHS.

669

TABLE 14.—DEATHS IN THE WHOLE 6-YEAR RECORD FROM EACH SPECIFIED DISEASE AND CLASS OF DISEASES, WITH DISTINCTION OF AGE AND SEX, DURING THE 6 YEARS ENDING MAY 31, 1890—Continued.

AGGREGATE—Continued.

CAUSE OF DEATH.	All ages.	Under 1 year.	Total under 5 years.	5 to 10	10 to 15	15 to 20	20 to 25	25 to 30	30 to 35	35 to 40	40 to 45	45 to 50	50 to 55	55 to 60	60 to 65	65 and over and unknown.
IX.—Diseases of the bones and joints	1,737	66	231	303	227	182	117	100	71	82	39	77	61	75	42	180
Males.....	984	33	186	159	133	78	75	64	37	45	48	51	41	45	19	53
Females.....	753	33	45	144	94	54	42	36	34	37	41	26	20	30	23	77
1. Diseases of the spine.....	{ M. 449 F. 364	{ 16 20	{ 34 46	{ 85 78	{ 57 46	{ 38 23	{ 37 20	{ 37 20	{ 12 19	{ 19 18	{ 16 22	{ 16 12	{ 13 8	{ 12 12	{ 5 9	{ 18 31
2. Diseases of the bones.....	{ M. 252 F. 163	{ 7 5	{ 21 17	{ 18 18	{ 30 15	{ 16 8	{ 20 10	{ 8 4	{ 17 12	{ 10 12	{ 21 10	{ 23 6	{ 18 7	{ 16 10	{ 11 7	{ 23 27
3. Diseases of the hip joint.....	{ M. 196 F. 152	{ 5 3	{ 21 22	{ 51 41	{ 45 30	{ 22 19	{ 15 10	{ 16 8	{ 5 2	{ 5 3	{ 3 5	{ 3 4	{ 3 1	{ 4 4	{ 3 7	{ 3 15
4. Others of this class.....	{ M. 87 F. 74	{ 5 5	{ 10 10	{ 5 7	{ 1 3	{ 2 4	{ 3 2	{ 3 4	{ 3 1	{ 11 4	{ 8 4	{ 9 4	{ 7 4	{ 13 5	{ 3 7	{ 9 15
X.—Diseases of the skin	1,819	482	631	43	32	49	67	78	67	70	90	95	108	108	100	281
Males.....	975	259	339	28	18	27	35	37	38	28	45	57	54	67	60	142
Females.....	844	223	292	15	14	22	32	41	29	42	45	38	54	41	40	189
1. Abscess.....	{ M. 601 F. 524	{ 147 131	{ 213 180	{ 23 12	{ 18 13	{ 18 19	{ 24 30	{ 32 37	{ 28 24	{ 20 22	{ 35 30	{ 31 22	{ 34 25	{ 35 21	{ 29 15	{ 61 64
2. Carbuncle.....	{ M. 152 F. 91	{ 4 4	{ 4 7	{ 1 1	{ 4 1	{ 6 1	{ 2 2	{ 8 2	{ 3 1	{ 6 2	{ 5 7	{ 14 9	{ 16 15	{ 27 14	{ 21 9	{ 38 24
3. Others of this class.....	{ M. 222 F. 239	{ 108 88	{ 122 105	{ 4 3	{ 5 1	{ 5 2	{ 3 2	{ 2 2	{ 2 4	{ 2 8	{ 5 8	{ 12 7	{ 4 14	{ 5 6	{ 10 16	{ 43 51
XI.—Diseases of the absorbent system	279	20	52	13	2	9	11	16	12	20	23	17	29	21	16	38
Males.....	143	12	29	3	1	3	5	8	6	9	11	11	17	8	6	26
Females.....	136	8	23	10	1	6	6	8	6	11	12	6	12	13	10	12
1. Addison's disease.....	{ M. 48 F. 49	{ 1 1	{ 1 1	{ 1 1	{ 1 5	{ 3 4	{ 1 4	{ 2 3	{ 7 3	{ 10 7	{ 5 3	{ 7 3	{ 3 5	{ 3 5	{ 3 5	{ 6 2
2. Diseases of the spleen.....	{ M. 33 F. 21	{ 2 2	{ 8 3	{ 2 2	{ 1 1	{ 1 1	{ 4 1	{ 1 1	{ 1 1	{ 1 2	{ 3 1	{ 3 1	{ 3 2	{ 2 2	{ 1 1	{ 9 4
3. Others of this class.....	{ M. 62 F. 66	{ 10 8	{ 21 19	{ 3 7	{ 1 1	{ 2 1	{ 2 1	{ 3 3	{ 3 3	{ 1 7	{ 3 3	{ 7 2	{ 7 5	{ 3 5	{ 2 5	{ 11 6
XII.—Accidents and injuries	32,525	2,735	4,887	1,505	1,268	1,563	2,448	2,899	2,530	2,791	2,579	2,304	1,858	1,451	1,217	3,225
Males.....	24,629	1,512	2,789	1,092	1,054	1,218	2,010	2,401	2,081	2,345	2,138	1,920	1,493	1,160	869	2,059
Females.....	7,896	1,223	2,098	413	214	345	438	498	449	446	441	384	365	291	348	1,166
1. Burns and scalds.....	{ M. 1,145 F. 1,335	{ 62 46	{ 574 433	{ 71 155	{ 17 61	{ 46 76	{ 53 77	{ 77 75	{ 52 70	{ 49 55	{ 38 52	{ 40 55	{ 33 49	{ 22 27	{ 21 40	{ 110 52
2. Drowned.....	{ M. 4,198 F. 460	{ 27 17	{ 144 82	{ 413 44	{ 402 38	{ 318 53	{ 367 47	{ 392 26	{ 316 22	{ 391 15	{ 353 30	{ 321 12	{ 232 18	{ 138 16	{ 101 14	{ 310 43
3. Exposure and neglect.....	{ M. 157 F. 96	{ 53 64	{ 59 67	{ 2 1	{ 1 1	{ 3 5	{ 5 1	{ 5 1	{ 1 2	{ 13 2	{ 15 1	{ 9 3	{ 6 3	{ 9 2	{ 6 2	{ 23 12
4. Gunshot wounds.....	{ M. 394 F. 54	{ 1 5	{ 14 5	{ 14 3	{ 39 1	{ 55 10	{ 63 7	{ 52 6	{ 41 5	{ 33 6	{ 25 4	{ 17 2	{ 12 1	{ 14 1	{ 6 1	{ 22 2
5. Homicide.....	{ M. 538 F. 159	{ 7 7	{ 9 11	{ 7 3	{ 18 2	{ 39 16	{ 96 18	{ 34 22	{ 63 16	{ 70 15	{ 47 13	{ 40 11	{ 23 9	{ 12 3	{ 11 9	{ 19 11
6. Infanticide.....	{ M. 44 F. 52	{ 44 52	{ 44 52													
7. Injuries by machinery.....	{ M. 50 F. 1			{ 2 2	{ 2 1	{ 4 1	{ 5 8	{ 9 9	{ 7 7	{ 4 4	{ 4 4	{ 2 2	{ 1 1			{ 2
8. Railroad accidents.....	{ M. 3,075 F. 274	{ 4 17	{ 40 17	{ 84 15	{ 131 14	{ 163 14	{ 435 19	{ 441 25	{ 316 19	{ 317 21	{ 284 17	{ 209 22	{ 155 10	{ 116 17	{ 104 22	{ 275 42
9. Suffocation.....	{ M. 1,323 F. 828	{ 712 561	{ 769 612	{ 18 15	{ 15 8	{ 16 23	{ 41 26	{ 59 14	{ 49 19	{ 63 11	{ 54 7	{ 42 8	{ 41 11	{ 28 17	{ 32 13	{ 96 44
10. Suicide by shooting.....	{ M. 986 F. 52				{ 1 3	{ 34 3	{ 110 11	{ 126 12	{ 125 10	{ 115 6	{ 97 3	{ 87 3	{ 79 3	{ 92 2	{ 58 1	{ 62 1
11. Suicide by drowning.....	{ M. 124 F. 37				{ 1 2	{ 1 4	{ 7 12	{ 4 4	{ 17 5	{ 22 2	{ 11 6	{ 17 5	{ 13 2	{ 11 3	{ 3 3	{ 9 1
12. Suicide by poison.....	{ M. 585 F. 331		{ 3	{ 2	{ 2	{ 21 40	{ 54 60	{ 59 50	{ 62 42	{ 68 31	{ 68 25	{ 69 20	{ 58 29	{ 43 8	{ 37 6	{ 57 19
13. Other suicides.....	{ M. 1,189 F. 234				{ 1 1	{ 23 8	{ 56 16	{ 78 26	{ 120 24	{ 126 25	{ 136 32	{ 159 20	{ 181 24	{ 129 20	{ 68 12	{ 162 26
14. Sunstroke.....	{ M. 1,229 F. 312	{ 68 55	{ 96 77	{ 17 14	{ 11 1	{ 13 6	{ 93 15	{ 132 19	{ 157 15	{ 184 12	{ 164 21	{ 141 11	{ 73 17	{ 47 24	{ 33 21	{ 68 59
15. Surgical operations.....	{ M. 347 F. 561	{ 39 9	{ 54 20	{ 12 9	{ 14 7	{ 16 15	{ 15 45	{ 23 74	{ 23 73	{ 19 80	{ 26 76	{ 32 59	{ 27 41	{ 26 24	{ 22 13	{ 33 25
16. Wounds.....	{ M. 472 F. 109	{ 5 12	{ 31 33	{ 22 4	{ 27 4	{ 41 3	{ 37 5	{ 46 4	{ 26 8	{ 43 5	{ 43 7	{ 40 6	{ 28 6	{ 20 4	{ 18 4	{ 50 16
17. Other accidents and injuries.....	{ M. 8,773 F. 3,001	{ 491 400	{ 965 689	{ 428 151	{ 372 76	{ 420 75	{ 573 87	{ 816 140	{ 702 119	{ 831 160	{ 773 147	{ 693 147	{ 589 145	{ 452 123	{ 349 137	{ 819 755

TABLE 14.—DEATHS IN THE WHOLE 6-YEAR RECORD FROM EACH SPECIFIED DISEASE AND CLASS OF DISEASES, WITH DISTINCTION OF AGE AND SEX, DURING THE 6 YEARS ENDING MAY 31, 1890—Continued.

WHITE.

CAUSE OF DEATH.	All ages.	Under 1 year.	Total under 5 years.	5 to 10	10 to 15	15 to 20	20 to 25	25 to 30	30 to 35	35 to 40	40 to 45	45 to 50	50 to 55	55 to 60	60 to 65	65 and over and un-known.
All causes.....	795,354	233,627	344,775	27,897	12,049	18,850	30,905	35,852	32,768	33,598	31,578	30,830	30,893	28,440	30,617	106,802
Males.....	418,615	128,360	185,939	13,836	6,020	9,127	15,641	18,677	17,539	18,368	17,756	17,558	16,803	15,466	15,978	49,907
Females.....	376,739	105,267	158,836	13,561	6,029	9,723	15,264	17,175	15,229	15,230	13,822	13,272	14,090	12,974	14,639	56,895
Unknown causes.....	2,203	482	588	44	31	27	62	85	81	90	91	105	116	97	154	692
Males.....	1,254	264	333	28	15	14	30	43	46	49	59	69	71	62	81	354
Females.....	949	218	255	16	16	13	32	42	35	41	32	36	45	35	73	278
I.—General diseases:																
General diseases—A.....	163,358	62,205	110,651	13,127	3,798	3,629	4,324	3,876	2,839	2,521	2,201	2,088	2,158	2,022	2,281	7,893
Males.....	83,088	32,718	57,122	6,231	1,778	1,758	2,310	2,126	1,506	1,295	1,173	1,075	1,121	1,012	1,042	3,539
Females.....	80,270	29,487	53,529	6,896	2,020	1,871	2,014	1,750	1,333	1,226	1,028	1,013	1,037	1,010	1,189	4,354
1. Smallpox.....	{ M.. 382 F.. 258	{ 60 51	{ 134 133	{ 34 32	{ 14 12	{ 24 13	{ 38 18	{ 33 13	{ 26 7	{ 27 8	{ 9 5	{ 17 9	{ 7 4	{ 6 1	{ 3 1	{ 10 3
2. Measles.....	{ M.. 3,557 F.. 3,461	{ 974 907	{ 3,288 3,123	{ 191 231	{ 23 29	{ 10 19	{ 11 17	{ 18 11	{ 5 6	{ 5 11	{ 1 6	{ 3 1	{ 3 3	{ 1 3	{ 1 2	{ 2 4
3. Scarlet fever.....	{ M.. 5,755 F.. 5,913	{ 386 366	{ 4,034 3,951	{ 1,237 1,443	{ 262 246	{ 74 62	{ 51 69	{ 46 43	{ 13 28	{ 6 17	{ 6 8	{ 1 7	{ 4 2	{ 2 1	{ 1 1	{ 15 15
4. Diphtheria.....	{ M.. 14,291 F.. 14,764	{ 1,000 877	{ 10,023 9,652	{ 3,322 3,349	{ 527 745	{ 144 189	{ 91 88	{ 50 49	{ 26 39	{ 22 37	{ 27 20	{ 7 20	{ 10 14	{ 6 11	{ 3 7	{ 33 44
5. Whooping cough.....	{ M.. 3,031 F.. 3,768	{ 1,730 1,920	{ 2,939 3,597	{ 75 122	{ 3 15	{ 3 3	{ 2 4	{ 2 3	{ 1 1	{ 1 5	{ 2 3	{ 1 2	{ 1 1	{ 1 1	{ 2 2	{ 6 12
6. Fever.....	{ M.. 35 F.. 32	{ 3 2	{ 8 6	{ 3 1	{ 3 1	{ 3 1	{ 6 1	{ 3 1	{ 3 5	{ 2 2	{ 1 3	{ 3 2	{ 2 2	{ 1 3	{ 4 4	{ 3 2
7. Cerebro-spinal fever.....	{ M.. 1,450 F.. 1,212	{ 343 305	{ 833 723	{ 193 154	{ 95 89	{ 71 62	{ 45 85	{ 46 23	{ 25 21	{ 27 19	{ 20 13	{ 19 16	{ 21 13	{ 10 12	{ 18 11	{ 27 21
8. Typhoid fever.....	{ M.. 7,393 F.. 5,901	{ 50 46	{ 309 261	{ 319 306	{ 396 456	{ 946 1,003	{ 1,454 1,053	{ 1,213 722	{ 742 434	{ 491 372	{ 375 274	{ 252 222	{ 247 182	{ 176 138	{ 142 140	{ 331 238
9. Diarrheal diseases.....	{ M.. 21,779 F.. 21,119	{ 12,159 10,501	{ 15,556 13,711	{ 499 442	{ 215 209	{ 191 189	{ 239 238	{ 303 339	{ 231 314	{ 352 330	{ 341 363	{ 415 442	{ 463 509	{ 481 533	{ 513 707	{ 1,930 2,733
10. Cholera infantum.....	{ M.. 17,608 F.. 16,211	{ 14,458 13,129	{ 17,587 16,199													{ 21 12
11. Malarial fever.....	{ M.. 3,488 F.. 3,659	{ 252 200	{ 812 731	{ 266 245	{ 173 167	{ 187 242	{ 253 245	{ 241 284	{ 206 202	{ 174 204	{ 186 174	{ 144 154	{ 158 149	{ 136 166	{ 149 157	{ 403 539
12. Erysipelas.....	{ M.. 1,483 F.. 1,299	{ 496 516	{ 553 584	{ 21 11	{ 14 16	{ 32 28	{ 30 34	{ 57 33	{ 55 39	{ 67 41	{ 89 44	{ 93 59	{ 89 55	{ 72 56	{ 74 62	{ 237 237
13. Septicæmia.....	{ M.. 987 F.. 1,163	{ 104 102	{ 215 178	{ 47 40	{ 39 24	{ 55 30	{ 49 127	{ 52 173	{ 57 140	{ 62 130	{ 51 72	{ 54 72	{ 63 50	{ 61 44	{ 00 33	{ 117 75
14. Venereal diseases.....	{ M.. 1,002 F.. 731	{ 631 499	{ 687 551	{ 3 4	{ 2 3	{ 7 5	{ 22 19	{ 51 33	{ 49 26	{ 38 32	{ 36 22	{ 31 7	{ 21 12	{ 15 6	{ 15 3	{ 25 8
15. Others of this group.....	{ M.. 847 F.. 779	{ 72 66	{ 144 129	{ 21 16	{ 15 12	{ 14 6	{ 19 16	{ 13 23	{ 20 20	{ 15 18	{ 29 19	{ 35 25	{ 31 21	{ 46 31	{ 62 62	{ 333 361
General diseases—B.....	13,662	8,374	8,901	80	21	59	180	501	603	711	629	492	459	306	237	433
Males.....	8,124	4,430	4,695	43	14	29	105	365	460	553	465	383	333	229	160	285
Females.....	5,538	3,944	4,206	37	7	30	75	136	143	158	164	109	121	77	77	198
1. Parasitic diseases.....	{ M.. 27 F.. 25	{ 5 1	{ 17 16	{ 5 7	{ 2 1				{ 1 1	{ 1 1				{ 1 1		
2. Alcoholism.....	{ M.. 2,743 F.. 796	{ 7 2	{ 11 3	{ 5 5	{ 4 2	{ 6 2	{ 75 27	{ 312 101	{ 407 109	{ 486 125	{ 417 135	{ 324 78	{ 274 89	{ 186 45	{ 112 36	{ 124 46
3. Lead poison.....	{ M.. 81 F.. 10	{ 1 1	{ 2 2		{ 2 1	{ 3 1	{ 6 1	{ 11 1	{ 12 3	{ 10 3	{ 10 1	{ 7 1	{ 6 1	{ 6 1	{ 3 1	{ 5 1
4. Other poisons.....	{ M.. 478 F.. 314	{ 45 30	{ 93 85	{ 13 10	{ 4 3	{ 14 18	{ 17 36	{ 35 24	{ 35 17	{ 49 25	{ 29 23	{ 41 13	{ 49 19	{ 29 13	{ 22 12	{ 43 16
5. Inanition.....	{ M.. 4,795 F.. 4,593	{ 4,373 3,910	{ 4,574 4,100	{ 20 20	{ 2 4	{ 6 8	{ 7 11	{ 7 10	{ 5 17	{ 7 4	{ 9 5	{ 11 17	{ 9 13	{ 7 19	{ 23 29	{ 103 136
General diseases—C.....	111,408	85,992	89,151	265	113	99	111	138	158	175	191	211	348	443	974	19,031
Males.....	58,798	48,643	50,224	131	43	41	46	47	60	75	86	82	145	192	423	7,193
Females.....	52,610	37,349	38,927	134	65	58	65	91	98	100	105	129	203	251	551	11,833
1. Premature birth.....	{ M.. 7,624 F.. 5,839	{ 7,614 5,835	{ 7,624 5,839													
2. Stillborn.....	{ M.. 27,590 F.. 20,084	{ 27,590 20,084	{ 27,590 20,084													
3. Malformation.....	{ M.. 1,003 F.. 774	{ 971 729	{ 987 756	{ 4 8	{ 3 3	{ 2 2	{ 2 2	{ 1 1		{ 1 1		{ 1 1		{ 1 1		{ 4 2
4. Debility and atrophy.....	{ M.. 18,614 F.. 18,965	{ 12,468 10,701	{ 14,023 12,248	{ 127 126	{ 48 62	{ 39 58	{ 44 65	{ 46 91	{ 60 97	{ 75 98	{ 85 105	{ 81 128	{ 144 203	{ 192 250	{ 355 432	{ 3,295 5,002
5. Old age.....	{ M.. 3,967 F.. 6,948														{ 68 119	{ 3,899 6,829

STATISTICS OF DEATHS.

671

TABLE 14.—DEATHS IN THE WHOLE 6-YEAR RECORD FROM EACH SPECIFIED DISEASE AND CLASS OF DISEASES, WITH DISTINCTION OF AGE AND SEX, DURING THE 6 YEARS ENDING MAY 31, 1890—Continued.

WHITE—Continued.

CAUSE OF DEATH.	All ages.	Under 1 year.	Total under 5 years.	5 to 10	10 to 15	15 to 20	20 to 25	25 to 30	30 to 35	35 to 40	40 to 45	45 to 50	50 to 55	55 to 60	60 to 65	65 and over and un-known.
I.—General diseases—Continued.																
General diseases—D.....	138,743	7,767	14,780	1,825	1,799	7,151	14,213	16,213	13,796	12,735	10,930	9,762	8,508	7,054	6,541	13,436
Males	69,965	4,324	8,144	880	661	3,027	6,972	8,247	7,258	6,631	5,748	5,175	4,292	3,597	3,244	6,089
Females	68,778	3,443	6,636	945	1,138	4,124	7,241	7,966	6,538	6,104	5,182	4,587	4,216	3,457	3,297	7,347
1. Rheumatism.....	{ M. 1,520 F. 1,508	{ 31 19	{ 82 53	{ 77 85	{ 78 89	{ 79 74	{ 59 61	{ 88 70	{ 91 86	{ 97 83	{ 95 83	{ 122 100	{ 117 118	{ 100 98	{ 125 125	{ 310 383
2. Scrofula and tabes.....	{ M. 1,284 F. 1,024	{ 652 500	{ 913 716	{ 43 29	{ 24 31	{ 21 27	{ 29 25	{ 29 37	{ 18 25	{ 22 13	{ 17 29	{ 22 17	{ 14 13	{ 21 17	{ 17 16	{ 44 29
3. Leprosy	{ M. 2 F. 1	{ 1 1	{ 1 1			{ 1 1						{ 1 1				
4. Consumption	{ M. 53,012 F. 46,878	{ 974 806	{ 1,964 1,715	{ 319 410	{ 364 850	{ 2,745 3,850	{ 6,693 6,918	{ 7,875 7,466	{ 6,831 5,843	{ 6,060 4,994	{ 5,062 3,671	{ 4,268 2,788	{ 3,177 2,219	{ 2,477 1,633	{ 2,003 1,449	{ 3,174 3,072
5. Hydrocephalus	{ M. 5,398 F. 4,325	{ 2,345 1,899	{ 4,637 3,744	{ 338 304	{ 105 68	{ 47 34	{ 33 21	{ 51 32	{ 26 12	{ 33 20	{ 24 18	{ 22 12	{ 22 9	{ 11 15	{ 12 10	{ 37 26
6. Cancer.....	{ M. 5,245 F. 11,263	{ 15 14	{ 47 41	{ 11 18	{ 8 15	{ 23 23	{ 54 79	{ 79 201	{ 143 406	{ 238 812	{ 362 1,171	{ 497 1,443	{ 684 1,554	{ 716 1,410	{ 793 1,364	{ 1,600 2,726
7. Tumor.....	{ M. 581 F. 718	{ 18 9	{ 35 25	{ 13 8	{ 18 9	{ 18 13	{ 26 25	{ 30 37	{ 42 34	{ 44 49	{ 38 61	{ 61 77	{ 55 86	{ 48 59	{ 50 74	{ 103 161
8. Anæmia.....	{ M. 407 F. 598	{ 88 67	{ 121 97	{ 12 19	{ 2 15	{ 13 46	{ 14 48	{ 12 14	{ 14 37	{ 18 32	{ 23 36	{ 30 32	{ 26 37	{ 24 25	{ 32 29	{ 66 105
9. Dropsy	{ M. 1,007 F. 1,326	{ 45 25	{ 93 70	{ 35 41	{ 31 28	{ 24 27	{ 18 18	{ 27 30	{ 21 33	{ 44 55	{ 46 65	{ 46 60	{ 75 86	{ 72 102	{ 89 118	{ 386 593
10. Diabetes.....	{ M. 1,013 F. 792	{ 13 10	{ 23 17	{ 10 14	{ 20 23	{ 41 16	{ 28 29	{ 44 40	{ 56 49	{ 64 34	{ 62 38	{ 89 44	{ 104 81	{ 111 90	{ 108 98	{ 248 219
11. Others of this group.....	{ M. 427 F. 337	{ 140 92	{ 220 155	{ 22 16	{ 10 10	{ 15 14	{ 16 17	{ 11 13	{ 15 13	{ 11 12	{ 18 9	{ 12 14	{ 15 11	{ 17 7	{ 14 14	{ 31 32
12. Others of this class.....	{ M. 19 F. 8	{ 3 1	{ 4 2		{ 1 1		{ 2 1	{ 1 1			{ 1 1	{ 5 3	{ 3 2		{ 1 1	{ 1 1
II.—Diseases of the nervous system.....	89,676	26,614	40,967	2,611	1,211	1,117	1,304	1,553	1,899	2,447	2,665	3,059	3,646	3,935	4,691	18,571
Males	47,739	14,689	22,115	1,381	640	564	677	858	1,111	1,443	1,539	1,717	2,004	2,091	2,497	9,102
Females	41,937	11,915	18,852	1,230	571	553	627	695	788	1,004	1,126	1,342	1,642	1,844	2,194	9,469
1. Inflammation of the brain.....	{ M. 10,943 F. 9,150	{ 3,920 3,194	{ 7,545 6,544	{ 790 674	{ 301 285	{ 200 198	{ 212 168	{ 218 159	{ 246 154	{ 240 159	{ 226 127	{ 203 137	{ 192 107	{ 157 91	{ 122 75	{ 291 272
2. Apoplexy	{ M. 9,598 F. 9,051	{ 154 136	{ 233 221	{ 29 21	{ 24 41	{ 38 75	{ 41 84	{ 152 127	{ 246 172	{ 400 269	{ 519 411	{ 672 562	{ 893 795	{ 962 931	{ 1,268 1,135	{ 4,087 4,261
3. Paralysis.....	{ M. 5,347 F. 5,468	{ 58 72	{ 164 160	{ 39 36	{ 25 31	{ 31 31	{ 44 37	{ 89 77	{ 146 96	{ 217 144	{ 244 181	{ 287 233	{ 341 317	{ 412 398	{ 548 537	{ 2,760 3,190
4. Tetanus and trismus nascentium.....	{ M. 1,199 F. 700	{ 821 566	{ 856 588	{ 38 12	{ 52 8	{ 42 9	{ 31 7	{ 32 8	{ 27 12	{ 25 14	{ 12 11	{ 29 12	{ 15 4	{ 12 7	{ 10 10	{ 18 6
5. Epilepsy.....	{ M. 1,870 F. 752	{ 59 58	{ 118 106	{ 39 41	{ 47 40	{ 83 65	{ 102 56	{ 66 50	{ 70 62	{ 77 73	{ 49 47	{ 35 47	{ 38 30	{ 36 33	{ 28 20	{ 82 82
6. Convulsions.....	{ M. 10,702 F. 9,350	{ 7,826 6,451	{ 10,202 8,743	{ 200 214	{ 40 54	{ 31 47	{ 20 60	{ 25 45	{ 25 46	{ 24 29	{ 19 22	{ 20 14	{ 20 15	{ 15 6	{ 13 13	{ 48 40
7. Mental diseases.....	{ M. 803 F. 786			{ 1 1	{ 2 4	{ 12 14	{ 34 38	{ 56 49	{ 72 49	{ 87 69	{ 92 88	{ 81 63	{ 72 62	{ 47 68	{ 64 61	{ 133 220
8. Diseases of the brain.....	{ M. 6,858 F. 5,480	{ 1,767 1,374	{ 2,807 2,341	{ 201 182	{ 127 105	{ 102 108	{ 123 114	{ 172 115	{ 212 124	{ 288 164	{ 277 170	{ 281 187	{ 307 217	{ 320 226	{ 321 258	{ 1,320 1,169
9. Diseases of the spinal cord.....	{ M. 1,134 F. 771	{ 85 61	{ 174 140	{ 35 30	{ 18 10	{ 19 23	{ 28 27	{ 39 37	{ 58 45	{ 68 56	{ 80 48	{ 87 57	{ 106 69	{ 112 61	{ 101 58	{ 209 110
10. Others of this class.....	{ M. 285 F. 429	{ 9 3	{ 16 9	{ 9 19	{ 4 13	{ 6 17	{ 8 36	{ 9 28	{ 9 28	{ 17 27	{ 21 21	{ 22 30	{ 20 26	{ 18 23	{ 22 33	{ 104 119
III.—Diseases of the circulatory system.....	45,883	4,382	5,041	1,035	1,265	1,383	1,398	1,756	1,952	2,440	2,699	3,118	3,453	3,519	4,153	12,671
Males	23,642	2,446	2,816	490	528	713	704	830	1,025	1,251	1,476	1,667	1,826	1,870	2,146	6,300
Females	22,241	1,936	2,225	545	737	670	694	926	1,427	1,189	1,223	1,451	1,627	1,649	2,007	6,371
1. Angina pectoris.....	{ M. 731 F. 523			{ 2 3	{ 4 5	{ 4 4	{ 3 10	{ 9 23	{ 22 21	{ 30 32	{ 46 27	{ 64 39	{ 61 50	{ 81 34	{ 91 75	{ 314 205
2. Aneurism.....	{ M. 630 F. 231			{ 2 2	{ 1 1	{ 7 5	{ 3 3	{ 30 7	{ 51 16	{ 77 25	{ 90 18	{ 94 36	{ 85 18	{ 63 19	{ 50 21	{ 75 60
3. Diseases of the heart.....	{ M. 20,213 F. 19,782	{ 640 508	{ 961 761	{ 482 535	{ 522 725	{ 699 654	{ 687 669	{ 735 882	{ 942 878	{ 1,137 1,114	{ 1,331 1,169	{ 1,501 1,361	{ 1,663 1,547	{ 1,713 1,579	{ 1,986 1,882	{ 5,804 6,026
4. Others of this class.....	{ M. 2,068 F. 1,700	{ 1,806 1,428	{ 1,855 1,464	{ 6 5	{ 2 6	{ 3 7	{ 6 12	{ 6 14	{ 10 12	{ 7 18	{ 9 9	{ 8 15	{ 17 12	{ 13 17	{ 19 29	{ 107 80

TABLE 14.—DEATHS IN THE WHOLE 6-YEAR RECORD FROM EACH SPECIFIED DISEASE AND CLASS OF DISEASES, WITH DISTINCTION OF AGE AND SEX, DURING THE 6 YEARS ENDING MAY 31, 1890—Continued.

WHITE—Continued.

CAUSE OF DEATH.	All ages.	Under 1 year.	Total under 5 years.	5 to 10	10 to 15	15 to 20	20 to 25	25 to 30	30 to 35	35 to 40	40 to 45	45 to 50	50 to 55	55 to 60	60 to 65	65 and over and unknown.
IV.—Diseases of the respiratory system.	122,620	28,761	59,834	5,173	1,240	1,912	2,967	3,720	3,799	4,136	4,246	4,327	4,727	4,432	5,077	17,030
Males	65,159	15,771	32,100	2,644	589	968	1,765	2,256	2,255	2,546	2,570	2,612	2,585	2,393	2,521	7,295
Females	57,461	12,990	27,674	2,529	651	944	1,202	1,464	1,544	1,590	1,676	1,715	2,142	2,039	2,556	9,735
1. Croup	{ M. 7,921 F. 6,986	{ 973 830	{ 6,623 5,727	{ 1,126 1,073	{ 60 74	{ 16 14	{ 14 12	{ 10 5	{ 6 4	{ 9 4	{ 11 8	{ 6 8	{ 9 13	{ 4 6	{ 5 10	{ 22 28
2. Laryngitis	{ M. 1,024 F. 878	{ 142 118	{ 666 616	{ 124 119	{ 17 21	{ 11 11	{ 19 15	{ 23 18	{ 19 15	{ 34 14	{ 22 12	{ 19 7	{ 20 6	{ 14 6	{ 8 4	{ 28 14
3. Bronchitis	{ M. 12,976 F. 14,236	{ 6,284 5,300	{ 9,247 8,159	{ 242 203	{ 50 59	{ 78 99	{ 140 129	{ 152 171	{ 150 153	{ 180 159	{ 222 230	{ 255 261	{ 353 375	{ 371 405	{ 489 616	{ 2,047 3,217
4. Pneumonia	{ M. 35,356 F. 29,655	{ 6,197 5,036	{ 12,820 10,905	{ 1,005 1,003	{ 393 435	{ 751 706	{ 1,412 905	{ 1,829 1,101	{ 1,331 1,199	{ 2,017 1,214	{ 2,039 1,241	{ 1,977 1,251	{ 1,807 1,496	{ 1,683 1,389	{ 1,647 1,629	{ 4,085 5,184
5. Pleurisy	{ M. 1,343 F. 977	{ 86 67	{ 211 155	{ 32 37	{ 19 14	{ 50 34	{ 87 47	{ 103 69	{ 109 59	{ 110 67	{ 82 48	{ 89 54	{ 93 44	{ 69 55	{ 91 60	{ 198 234
6. Asthma	{ M. 563 F. 603	{ 30 21	{ 40 26	{ 4 8	{ 2 1	{ 1 4	{ ----- 5	{ 7 8	{ 14 8	{ 24 19	{ 26 22	{ 41 31	{ 50 50	{ 51 58	{ 63 68	{ 240 295
7. Others of this class	{ M. 4,976 F. 4,126	{ 2,059 1,618	{ 2,553 2,036	{ 111 86	{ 48 47	{ 61 76	{ 93 89	{ 132 92	{ 126 106	{ 172 113	{ 168 115	{ 225 103	{ 193 158	{ 201 123	{ 218 169	{ 675 763
V.—Diseases of the digestive system.	31,997	5,719	8,110	729	694	832	1,153	1,465	1,569	1,733	1,930	2,158	2,207	2,078	2,061	5,223
Males	16,130	3,193	4,476	404	334	469	473	612	655	799	971	1,112	1,119	1,119	1,076	2,461
Females	15,867	2,526	3,634	325	310	363	680	853	914	934	959	1,046	1,088	959	985	2,762
1. Dentition	{ M. 1,219 F. 1,126	{ 737 686	{ 1,218 1,126	{ ----- -----	{ ----- -----	{ ----- -----	{ ----- -----	{ ----- -----	{ ----- -----	{ ----- -----	{ ----- -----	{ ----- -----	{ ----- -----	{ ----- -----	{ ----- -----	{ 1 -----
2. Angina	{ M. 322 F. 244	{ 74 48	{ 197 142	{ 45 45	{ 12 17	{ 7 3	{ 6 7	{ 5 3	{ 9 1	{ 5 6	{ 2 4	{ 2 1	{ 7 4	{ 10 -----	{ 4 3	{ 11 8
3. Diseases of the stomach	{ M. 2,887 F. 3,241	{ 618 531	{ 873 784	{ 61 78	{ 29 42	{ 42 63	{ 57 109	{ 85 150	{ 113 170	{ 144 173	{ 146 137	{ 171 176	{ 187 215	{ 212 173	{ 200 212	{ 567 759
4. Obstruction of the bowels	{ M. 988 F. 947	{ 225 144	{ 277 188	{ 28 13	{ 29 19	{ 49 21	{ 43 31	{ 52 34	{ 39 40	{ 43 44	{ 53 55	{ 48 64	{ 49 55	{ 55 84	{ 159 220	
5. Hernia	{ M. 679 F. 623	{ 83 13	{ 90 15	{ 3 1	{ 2 -----	{ 11 1	{ 23 3	{ 28 12	{ 28 12	{ 23 38	{ 29 43	{ 51 80	{ 53 59	{ 70 76	{ 69 82	{ 194 201
6. Other diseases of the bowels	{ M. 306 F. 215	{ 69 50	{ 93 60	{ 4 4	{ 1 5	{ 9 5	{ 11 8	{ 15 13	{ 13 7	{ 20 13	{ 17 10	{ 15 15	{ 19 13	{ 24 25	{ 24 7	{ 41 50
7. Jaundice	{ M. 511 F. 418	{ 334 210	{ 847 226	{ 5 1	{ 2 2	{ 1 1	{ 1 7	{ 6 2	{ 7 8	{ 9 5	{ 11 9	{ 13 16	{ 15 27	{ 16 10	{ 16 26	{ 62 78
8. Inflammation and abscess of the liver	{ M. 1,086 F. 948	{ 48 27	{ 68 40	{ 20 9	{ 18 11	{ 15 8	{ 31 20	{ 45 49	{ 79 41	{ 86 65	{ 92 91	{ 110 94	{ 88 107	{ 81 104	{ 84 89	{ 209 220
9. Other diseases of the liver	{ M. 3,819 F. 2,711	{ 60 47	{ 96 67	{ 24 14	{ 19 10	{ 23 17	{ 51 44	{ 119 97	{ 171 156	{ 276 200	{ 419 283	{ 488 339	{ 510 325	{ 472 297	{ 414 267	{ 737 595
10. Peritonitis	{ M. 2,601 F. 3,812	{ 193 152	{ 332 243	{ 174 126	{ 221 175	{ 253 216	{ 189 425	{ 207 460	{ 160 436	{ 146 388	{ 141 275	{ 150 208	{ 129 188	{ 110 165	{ 126 146	{ 263 361
11. Ascites	{ M. 116 F. 183	{ 6 4	{ 10 9	{ 4 3	{ 1 3	{ 1 4	{ 5 3	{ 1 2	{ 6 8	{ 3 13	{ 9 12	{ 11 13	{ 11 14	{ 15 14	{ 12 19	{ 27 66
12. Others of this class	{ M. 1,646 F. 1,399	{ 741 614	{ 875 734	{ 36 31	{ 50 26	{ 58 24	{ 56 23	{ 49 31	{ 30 35	{ 39 39	{ 52 40	{ 53 40	{ 51 57	{ 44 60	{ 63 50	{ 190 209
VI.—Diseases of the urinary system and male organs of generation.	38,837	478	1,514	724	417	655	1,197	1,784	2,124	2,592	2,747	2,901	3,116	2,850	3,036	8,130
Males	19,109	290	858	367	217	290	530	879	1,069	1,388	1,503	1,638	1,732	1,647	1,858	5,083
Females	14,728	188	656	357	200	365	667	905	1,055	1,204	1,244	1,213	1,384	1,203	1,228	3,047
1. Bright's disease	{ M. 9,139 F. 7,737	{ ----- -----	{ ----- -----	{ 119 125	{ 98 93	{ 155 207	{ 278 340	{ 430 459	{ 557 560	{ 754 662	{ 815 693	{ 900 703	{ 971 788	{ 908 700	{ 960 693	{ 2,194 1,709
2. Calculus, urinary	{ M. 75 F. 34	{ 3 2	{ 4 3	{ 1 -----	{ 1 -----	{ 4 -----	{ 1 -----	{ 1 2	{ 4 4	{ 2 1	{ 5 3	{ ----- 3	{ 5 4	{ 3 3	{ 12 6	
3. Diseases of the kidney	{ M. 7,411 F. 6,088	{ 229 156	{ 765 596	{ 228 213	{ 104 100	{ 112 132	{ 216 277	{ 391 369	{ 454 429	{ 554 436	{ 535 497	{ 688 449	{ 646 540	{ 565 447	{ 622 454	{ 1,471 1,030
4. Diseases of the bladder	{ M. 1,366 F. 265	{ 11 4	{ 17 6	{ 4 1	{ 4 2	{ 10 4	{ 13 8	{ 16 18	{ 16 8	{ 18 15	{ 18 10	{ 39 14	{ 56 15	{ 89 19	{ 154 31	
5. Others of this class	{ M. 1,118 F. 604	{ 47 26	{ 72 51	{ 15 18	{ 10 5	{ 9 22	{ 22 41	{ 41 57	{ 38 54	{ 60 40	{ 58 38	{ 61 44	{ 54 37	{ 82 34	{ 110 44	{ 486 119
VII.—Diseases of the female organs of generation.	1,597	2	5	1	6	47	133	205	195	232	183	154	133	78	76	144
1. Ovarian tumors	447	-----	-----	-----	1	4	18	30	33	55	56	48	51	41	87	67
2. Ovarian diseases	137	-----	-----	-----	2	1	3	15	15	16	19	18	11	6	17	
3. Uterine tumors	257	-----	-----	-----	-----	-----	2	14	22	41	28	45	42	19	28	
4. Uterine diseases	236	-----	-----	-----	-----	10	38	48	38	27	21	17	10	5	16	
5. Others of this class	520	2	5	1	3	32	67	92	37	93	59	26	24	7	8	
VIII.—Affections connected with pregnancy.	5,776	-----	-----	-----	4	301	1,339	1,594	1,170	893	334	45	9	11	1	25
1. Abortion	435	-----	-----	-----	-----	14	74	113	113	87	31	2	-----	1	-----	
2. Childbirth	1,343	-----	-----	-----	1	45	217	360	298	283	135	14	1	2	7	
3. Puerperal septicæmia	3,239	-----	-----	-----	3	171	866	931	608	446	163	25	4	8	13	
4. Extra-uterine pregnancy	22	-----	-----	-----	-----	-----	2	4	9	6	1	-----	-----	-----		
5. Others of this class	737	-----	-----	-----	-----	71	180	186	142	91	54	4	4	-----	5	

STATISTICS OF DEATHS.

673

TABLE 14.—DEATHS IN THE WHOLE 6-YEAR RECORD FROM EACH SPECIFIED DISEASE AND CLASS OF DISEASES, WITH DISTINCTION OF AGE AND SEX, DURING THE 6 YEARS ENDING MAY 31, 1890—Continued.

WHITE—Continued.

CAUSE OF DEATH.	All ages.	Under 1 year.	Total under 5 years.	5 to 10	10 to 15	15 to 20	20 to 25	25 to 30	30 to 35	35 to 40	40 to 45	45 to 50	50 to 55	55 to 60	60 to 65	65 and over and un-known.
IX.—Diseases of the bones and joints.....	1,617	62	218	290	209	122	105	93	67	79	79	66	59	70	41	119
Males	911	32	128	151	125	73	67	59	35	44	40	42	41	42	18	46
Females	706	30	90	139	84	49	38	34	32	35	39	24	18	28	23	73
1. Diseases of the spine..... {M..	418	16	79	81	53	35	33	35	12	19	14	13	13	11	4	16
{F..	338	18	43	75	39	20	18	18	18	17	21	12	7	12	9	29
2. Diseases of the bones..... {M..	226	7	20	18	28	14	17	6	15	9	17	17	18	15	11	21
{F..	152	4	16	18	15	7	9	4	11	12	9	5	6	8	7	25
3. Diseases of the hip joint.. {M..	186	4	19	47	43	22	15	15	5	5	3	3	3	4	-----	2
{F..	144	3	21	39	28	18	9	8	2	2	5	4	1	3	-----	4
4. Others of this class..... {M..	81	5	10	5	1	2	2	3	3	11	6	9	7	12	3	7
{F..	72	5	10	7	2	4	2	4	1	4	4	3	4	5	7	15
X.—Diseases of the skin.....	1,738	465	611	42	29	47	65	74	61	62	85	86	104	102	99	271
Males	934	248	327	28	16	25	34	34	34	24	44	52	52	63	60	141
Females	804	217	284	14	13	22	31	40	27	38	41	34	52	39	39	130
1. Abscess	569	139	204	23	16	16	23	29	25	16	34	27	33	38	29	61
{F..	504	127	174	11	13	19	29	36	23	29	29	20	24	20	15	62
2. Carbuncle	151	4	4	1	-----	4	6	2	8	6	5	14	16	26	21	38
{F..	88	4	7	-----	-----	1	2	1	2	6	8	15	14	9	-----	23
3. Others of this class..... {M..	214	105	119	4	-----	5	5	3	1	2	5	11	3	4	10	42
{F..	212	86	103	3	-----	2	2	2	3	7	6	6	13	5	15	45
XI.—Diseases of the absorbent system.....	273	19	50	13	2	9	11	15	11	19	23	17	29	21	16	37
Males	139	11	28	3	1	3	5	7	5	8	11	11	17	8	6	26
Females	134	8	22	10	1	6	6	8	6	11	12	6	12	13	10	11
1. Addison's disease	46	-----	-----	-----	-----	1	3	-----	2	6	10	5	7	3	3	6
{F..	48	-----	-----	1	1	5	4	4	3	3	7	3	5	5	5	2
2. Diseases of the spleen	33	2	8	-----	-----	-----	-----	4	1	1	1	3	3	2	1	9
{F..	21	-----	3	2	-----	1	1	1	1	1	2	1	2	3	-----	4
3. Others of this class..... {M..	60	9	20	3	1	2	2	3	2	1	-----	3	7	3	2	11
{F..	65	8	19	7	-----	-----	1	3	3	7	3	2	5	5	5	5
XII.—Accidents and injuries	30,966	2,305	4,354	1,438	1,210	1,460	2,343	2,780	2,444	2,683	2,495	2,241	1,816	1,422	1,179	3,101
Males	23,623	1,291	2,513	1,055	1,004	1,153	1,923	2,314	2,020	2,262	2,071	1,873	1,460	1,141	846	1,988
Females	7,343	1,014	1,841	383	206	307	420	466	424	421	424	368	356	281	333	1,113
1. Burns and scalds..... {M..	1,083	57	539	67	16	44	52	74	49	45	36	37	33	21	19	51
{F..	1,220	44	406	135	58	62	73	63	65	49	49	52	47	24	37	97
2. Drowned	4,024	27	143	309	380	294	350	377	299	372	341	315	225	134	97	298
{F..	450	17	81	43	37	51	47	25	22	15	29	12	17	16	13	42
3. Exposure and neglect.... {M..	114	21	24	1	1	3	5	5	1	12	14	9	6	7	6	20
{F..	41	21	23	-----	-----	-----	-----	1	2	-----	1	2	3	2	-----	7
4. Gunshot wounds	357	-----	1	13	35	53	52	45	38	23	21	17	12	14	6	22
{F..	51	-----	5	3	1	9	7	4	5	6	4	2	1	1	2	2
5. Homicide..... {M..	477	7	9	7	13	30	79	76	57	65	44	35	22	12	11	17
{F..	141	6	10	3	2	13	15	17	14	14	13	11	9	3	9	8
6. Infanticide..... {M..	15	15	15	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----
{F..	24	24	24	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----
7. Injuries by machinery.... {M..	47	-----	-----	2	2	4	5	8	8	6	3	4	2	1	-----	2
{F..	1	-----	-----	1	-----	1	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----
8. Railroad accidents..... {M..	2,997	4	38	80	125	164	424	433	314	308	274	205	152	112	101	267
{F..	253	-----	16	15	13	14	17	25	17	19	15	20	9	16	21	41
9. Suffocation	1,235	647	702	18	15	16	40	57	48	59	52	39	41	27	29	92
{F..	740	494	541	13	8	17	26	12	18	11	6	8	10	15	13	42
10. Suicide by shooting..... {M..	979	-----	-----	-----	1	33	108	124	124	115	97	87	79	92	58	61
{F..	51	-----	-----	-----	-----	3	10	12	10	6	3	3	-----	2	1	1
11. Suicide by drowning..... {M..	121	-----	-----	-----	1	1	7	12	17	21	11	17	13	10	3	8
{F..	36	-----	-----	-----	-----	2	4	4	4	2	6	5	2	3	3	1
12. Suicide by poison	583	-----	3	2	21	54	50	58	62	68	68	69	58	42	37	57
{F..	325	-----	-----	1	39	59	48	40	31	25	20	29	8	6	6	19
13. Other suicides..... {M..	1,172	-----	-----	-----	1	23	55	75	113	125	135	157	130	129	68	161
{F..	231	-----	-----	-----	1	8	16	26	23	24	32	20	24	20	12	25
14. Sunstroke..... {M..	1,201	65	92	16	11	12	92	128	156	180	150	140	72	46	33	64
{F..	299	52	71	14	1	6	15	19	15	12	20	9	17	23	21	51
15. Surgical operations..... {M..	330	38	53	10	14	16	14	22	28	17	24	28	27	26	20	31
{F..	535	9	20	7	7	13	42	68	70	76	73	58	39	24	13	25
16. Wounds..... {M..	439	4	30	20	26	35	33	41	23	40	42	37	27	19	17	49
{F..	100	11	31	3	4	3	4	4	6	5	5	6	6	4	4	15
17. Other accidents and inju- {M..	3,449	406	864	420	361	404	553	787	687	807	750	677	561	449	341	788
{F..	2,840	336	613	147	73	66	85	135	113	151	143	140	143	120	179	732

TABLE 14.—DEATHS IN THE WHOLE 6-YEAR RECORD FROM EACH SPECIFIED DISEASE AND CLASS OF DISEASES, WITH DISTINCTION OF AGE AND SEX, DURING THE 6 YEARS ENDING MAY 31, 1890.—Continued.

COLORED.

CAUSE OF DEATH.	All ages.	Under 1 year.	Total under 5 years.	5 to 10	10 to 15	15 to 20	20 to 25	25 to 30	30 to 35	35 to 40	40 to 45	45 to 50	50 to 55	55 to 60	60 to 65	65 and over and unknown.
All causes.....	51,029	17,797	24,509	1,619	1,155	1,737	2,433	2,341	1,986	2,238	1,926	1,895	1,624	1,191	1,299	5,026
Males.....	25,452	9,501	12,846	768	500	682	1,091	1,112	987	1,178	1,063	1,051	838	600	633	2,103
Females.....	25,577	8,296	11,663	851	655	1,055	1,342	1,229	999	1,110	863	844	786	591	666	2,923
Unknown causes.....	185	43	52	4	1	4	1	5	8	5	8	10	5	3	11	18
Males.....	58	19	19	2	—	3	1	4	4	2	6	3	2	1	5	6
Females.....	77	24	33	2	1	1	—	1	4	3	2	7	3	2	6	12
I.—General diseases:																
General diseases—A.....	8,288	3,812	5,514	490	272	279	278	214	143	162	143	125	102	104	90	372
Males.....	4,077	1,939	2,792	227	125	120	116	105	63	72	81	63	59	47	46	161
Females.....	4,211	1,873	2,722	263	147	159	162	109	80	90	62	62	43	57	44	211
1. Smallpox.....	{ M. 23 F. 8	{ 1 —	{ 1 —	{ 1 —	{ 1 —	{ 3 1	{ 8 1	{ 5 1	{ 1 —	{ — —	{ — —	{ 2 —	{ 1 —	{ — —	{ — —	{ — —
2. Measles.....	{ M. 138 F. 130	{ 46 33	{ 126 112	{ 9 12	{ — 2	{ 3 1	{ — 2	{ — —	{ — 1	{ — —	{ — —	{ — —	{ — —	{ — —	{ — —	{ — —
3. Scarlet fever.....	{ M. 75 F. 86	{ 5 6	{ 39 49	{ 27 23	{ 5 8	{ — 2	{ 1 —	{ 1 4	{ — —	{ 1 —	{ — —	{ 1 —	{ — —	{ — —	{ — —	{ — —
4. Diphtheria.....	{ M. 238 F. 267	{ 15 20	{ 123 109	{ 74 90	{ 24 39	{ 8 12	{ 2 5	{ 2 5	{ — —	{ 2 —	{ — 2	{ 2 —	{ 1 —	{ 2 —	{ — 1	{ 2 2
5. Whooping cough.....	{ M. 319 F. 368	{ 145 155	{ 309 347	{ 10 19	{ — —	{ — 1	{ — —	{ — —	{ — —	{ — —	{ — —	{ 1 —	{ — —	{ — —	{ — —	{ — —
6. Fever.....	{ M. 2 F. 2	{ — —	{ 1 —	{ — —	{ — —	{ — —	{ 1 —	{ — —	{ — —	{ — —	{ — —	{ — —	{ — —	{ — —	{ — —	{ — —
7. Cerebro-spinal fever.....	{ M. 68 F. 72	{ 18 12	{ 35 35	{ 9 12	{ 7 5	{ 4 4	{ 2 8	{ 1 1	{ 2 2	{ 3 3	{ 2 —	{ 1 —	{ — —	{ 1 —	{ — —	{ 1 2
8. Typhoid fever.....	{ M. 466 F. 466	{ 5 5	{ 39 31	{ 40 41	{ 51 54	{ 75 92	{ 65 78	{ 60 50	{ 32 28	{ 25 25	{ 21 15	{ 16 21	{ 17 7	{ 4 10	{ 5 3	{ 16 11
9. Diarrheal diseases.....	{ M. 1,066 F. 1,058	{ 621 584	{ 805 742	{ 29 25	{ 15 13	{ 4 9	{ 14 24	{ 14 19	{ 10 14	{ 15 20	{ 25 20	{ 14 15	{ 13 17	{ 16 21	{ 21 19	{ 71 100
10. Cholera infantum.....	{ M. 1,113 F. 1,109	{ 957 950	{ 1,112 1,108	{ — —	{ — —	{ — —	{ — —	{ — —	{ — —	{ — —	{ — —	{ — —	{ — —	{ — —	{ — —	{ 1 1
11. Malarial fever.....	{ M. 297 F. 360	{ 28 25	{ 87 85	{ 22 39	{ 19 23	{ 22 28	{ 11 28	{ 19 15	{ 7 19	{ 12 17	{ 20 14	{ 11 13	{ 17 14	{ 11 18	{ 9 10	{ 30 37
12. Erysipelas.....	{ M. 51 F. 42	{ 15 11	{ 17 12	{ 1 —	{ — 1	{ — —	{ 2 2	{ 2 2	{ 2 1	{ 2 3	{ 3 3	{ 4 2	{ 3 2	{ 3 1	{ 2 4	{ 11 10
13. Septicæmia.....	{ M. 21 F. 63	{ 2 3	{ 2 10	{ 1 —	{ 2 1	{ 1 5	{ 1 6	{ 1 10	{ 4 7	{ 2 11	{ 1 2	{ 1 3	{ 2 —	{ 1 2	{ — 3	{ 2 3
14. Venereal diseases.....	{ M. 144 F. 114	{ 76 61	{ 89 73	{ 2 1	{ 1 —	{ — 3	{ 7 8	{ 2 2	{ 5 7	{ 10 7	{ 6 3	{ 8 4	{ 4 1	{ 4 —	{ 3 1	{ 3 4
15. Others of this group.....	{ M. 56 F. 71	{ 5 3	{ 7 8	{ 2 —	{ — 1	{ 1 1	{ — 3	{ — —	{ — 1	{ — 5	{ 3 3	{ 5 1	{ 1 2	{ 5 5	{ 6 3	{ 24 41
General diseases—B.....	1,468	1,181	1,299	10	2	3	2	9	10	21	24	21	16	10	8	33
Males.....	809	649	705	5	1	2	1	5	5	15	20	14	11	7	4	14
Females.....	659	532	594	5	1	1	1	4	5	6	4	7	5	3	4	19
1. Parasitic diseases.....	{ M. 9 F. 4	{ — —	{ 8 2	{ 1 2	{ — —	{ — —	{ — —	{ — —	{ — —	{ — —	{ — —	{ — —	{ — —	{ — —	{ — —	{ — —
2. Alcoholism.....	{ M. 77 F. 28	{ — —	{ 1 —	{ — —	{ — —	{ 2 —	{ — 1	{ 4 2	{ 2 4	{ 14 6	{ 17 2	{ 14 5	{ 9 4	{ 5 1	{ 2 3	{ 7 —
3. Lead poison.....	{ M. 1 F. —	{ — —	{ — —	{ — —	{ — —	{ — —	{ — —	{ — —	{ — —	{ 1 —	{ — —	{ — —	{ — —	{ — —	{ — —	{ — —
4. Other poisons.....	{ M. 19 F. 11	{ 5 —	{ 8 4	{ 1 —	{ — —	{ — 1	{ — —	{ 1 —	{ 3 —	{ — 2	{ — —	{ 2 —	{ — 1	{ 1 1	{ 1 —	{ 2 2
5. Inanition.....	{ M. 703 F. 616	{ 644 532	{ 688 588	{ 3 3	{ 1 1	{ — —	{ 1 —	{ 2 1	{ — —	{ 1 2	{ — —	{ 2 —	{ 2 1	{ 1 1	{ 1 1	{ 5 17
General diseases—C.....	8,380	6,550	6,883	36	8	8	7	4	8	13	14	16	27	29	70	1,257
Males.....	4,226	3,570	3,725	16	6	2	4	3	1	2	6	5	10	8	19	419
Females.....	4,154	2,980	3,158	20	2	6	3	1	7	11	8	11	17	21	51	838
1. Premature birth.....	{ M. 412 F. 412	{ 411 412	{ 412 412	{ — —	{ — —	{ — —	{ — —	{ — —	{ — —	{ — —	{ — —	{ — —	{ — —	{ — —	{ — —	{ — —
2. Stillborn.....	{ M. 2,296 F. 1,738	{ 2,296 1,738	{ 2,296 1,738	{ — —	{ — —	{ — —	{ — —	{ — —	{ — —	{ — —	{ — —	{ — —	{ — —	{ — —	{ — —	{ — —
3. Malformation.....	{ M. 40 F. 30	{ 34 29	{ 39 30	{ 1 —	{ — —	{ — —	{ — —	{ — —	{ — —	{ — —	{ — —	{ — —	{ — —	{ — —	{ — —	{ — —
4. Debility and atrophy.....	{ M. 1,283 F. 1,577	{ 829 801	{ 978 978	{ 15 20	{ 6 2	{ 2 6	{ 4 3	{ 3 1	{ 1 7	{ 2 11	{ 6 8	{ 5 11	{ 10 17	{ 8 21	{ 17 41	{ 226 451
5. Old age.....	{ M. 195 F. 397	{ — —	{ — —	{ — —	{ — —	{ — —	{ — —	{ — —	{ — —	{ — —	{ — —	{ — —	{ — —	{ — —	{ 2 10	{ 193 387

STATISTICS OF DEATHS.

675

TABLE 14.—DEATHS IN THE WHOLE 6-YEAR RECORD FROM EACH SPECIFIED DISEASE AND CLASS OF DISEASES, WITH DISTINCTION OF AGE AND SEX, DURING THE 6 YEARS ENDING MAY 31, 1890—Continued.

COLORED—Continued.

CAUSE OF DEATH.	All ages.	Under 1 year.	Total under 5 years.	5 to 10	10 to 15	15 to 20	20 to 25	25 to 30	30 to 35	35 to 40	40 to 45	45 to 50	50 to 55	55 to 60	60 to 65	65 and over and unknown.
I.—General diseases—Continued.																
General diseases—D.....	11,245	597	1,655	450	472	876	1,384	1,262	967	1,009	783	618	486	304	275	704
Males	5,399	308	829	207	158	330	621	593	483	539	407	344	241	170	149	323
Females	5,846	289	826	243	314	546	763	664	484	470	376	274	245	134	126	381
1. Rheumatism.....	{ M 91 F 129	{ 2 1	{ 5 4	{ 2 8	{ 3 5	{ 7 11	{ 6 4	{ 5 8	{ 3 6	{ 7 5	{ 5 9	{ 12 5	{ 3 12	{ 6 9	{ 6 10	{ 21 38
2. Scrofula and tubercles.....	{ M 200 F 210	{ 55 52	{ 121 129	{ 31 20	{ 13 19	{ 5 6	{ 4 7	{ 6 8	{ 4 2	{ 4 6	{ 1 3	{ 2 2	{ 3 2	{ 4 2	{ 3 1	{ 1 5
3. Leprosy.....	{ M 1 F				{ 1											
4. Consumption.....	{ M 4,480 F 4,558	{ 129 128	{ 432 462	{ 131 189	{ 129 274	{ 312 515	{ 598 738	{ 576 619	{ 461 427	{ 514 399	{ 372 280	{ 294 183	{ 205 142	{ 129 85	{ 107 58	{ 220 187
5. Hydrocephalus.....	{ M 269 F 194	{ 94 82	{ 207 161	{ 35 19	{ 10 6	{ 4 4	{ 1 1	{ 4 2	{ 1 1	{ 1 1		{ 2	{ 1	{ 1	{ 1	{ 1 1
6. Cancer.....	{ M 127 F 460		{ 2 1	{ 2		{ 1 1	{ 3 10	{ 3 18	{ 6 38	{ 9 41	{ 15 60	{ 18 65	{ 14 65	{ 13 27	{ 16 45	{ 25 87
7. Tumor.....	{ M 26 F 45		{ 3 2	{ 1			{ 1 2	{ 1 4	{ 3 2	{ 1 3	{ 1 7	{ 1 5	{ 2 7	{ 3 2	{ 4 2	{ .6 11
8. Anæmia.....	{ M 16 F 23	{ 6 5	{ 9 8	{ 1 1	{ 3		{ 1		{ 1 1	{ 1				{ 1		{ 1 3
9. Dropsy.....	{ M 128 F 162	{ 2 6	{ 13 19	{ 4 4	{ 5 5	{ 1 4	{ 4 3	{ 3 2	{ 1 5	{ 5 14	{ 12 14	{ 7 11	{ 11 14	{ 13 6	{ 10 8	{ 44 53
10. Diabetes.....	{ M 21 F 20		{ 2 2		{ 2		{ 2		{ 2 2		{ 1 1	{ 6 1	{ 1 3	{ 1 6	{ 3 1	{ 3
11. Others of this group.....	{ M 39 F 45	{ 20 14	{ 37 38				{ 1 1	{ 1 1		{ 1						{ 1
12. Others of this class.....	{ M 1 F														{ 1	
II.—Diseases of the nervous system.....																
	5,480	2,222	2,971	148	80	82	88	123	113	134	155	211	238	168	202	767
Males	2,761	1,213	1,604	82	39	40	38	62	66	74	83	113	100	72	87	296
Females	2,719	1,004	1,367	66	41	42	50	61	47	60	67	98	138	96	115	471
1. Inflammation of the brain.....	{ M 406 F 335	{ 140 107	{ 266 227	{ 40 25	{ 12 15	{ 14 11	{ 13 6	{ 12 10	{ 7 4	{ 12 6	{ 5 4	{ 8 8	{ 7 7	{ 2 2	{ 3 3	{ 5 10
2. Apoplexy.....	{ M 364 F 537	{ 5 4	{ 10 7	{ 1 2		{ 2 5	{ 5 6	{ 13 10	{ 17 16	{ 20 20	{ 28 32	{ 34 52	{ 44 65	{ 33 54	{ 33 63	{ 124 205
3. Paralysis.....	{ M 273 F 391	{ 5 2	{ 15 8	{ 4 3	{ 3 1	{ 1 3	{ 1 9	{ 4 8	{ 9 8	{ 13 12	{ 18 16	{ 27 24	{ 24 39	{ 20 29	{ 25 35	{ 109 195
4. Tetanus and trismus nascentium.....	{ M 237 F 170	{ 182 159	{ 185 162	{ 2	{ 3 1	{ 6 1	{ 3 1	{ 3 1	{ 4 1	{ 2 1	{ 5 1	{ 6	{ 2			{ 2
5. Epilepsy.....	{ M 68 F 39	{ 2 1	{ 9 4	{ 2 2	{ 2 1	{ 4 1	{ 2 6	{ 5 5	{ 8 5	{ 7 1	{ 8 1	{ 6 2	{ 1 2	{ 3	{ 5 4	{ 6 5
6. Convulsions.....	{ M 1,007 F 873	{ 795 655	{ 959 819	{ 19 22	{ 7 4	{ 2 5	{ 1 3	{ 4 7		{ 2 4		{ 1 2	{ -1 1	{ 1 1	{ 4 1	{ 6 1
7. Mental diseases.....	{ M 42 F 35					{ 1 1	{ 4 2	{ 1 3	{ 4 1	{ 4 1	{ 3 2	{ 5 1	{ 7 6	{ 1 1	{ 5 4	{ 7 13
8. Diseases of the brain.....	{ M 322 F 278	{ 86 72	{ 150 126	{ 10 10	{ 5 13	{ 10 12	{ 8 13	{ 14 10	{ 14 6	{ 12 12	{ 18 9	{ 23 6	{ 8 13	{ 9 9	{ 9 5	{ 32 34
9. Diseases of the spinal cord.....	{ M 38 F 37	{ 3 2	{ 9 12	{ 4 1	{ 2 5		{ 2	{ 2 4	{ 3 1	{ 2 1	{ 2 2	{ 2 2	{ 5 2	{ 2		{ 5 3
10. Others of this class.....	{ M 14 F 24		{ 1 2		{ 1 1		{ 1 2	{ 4 2		{ 2 2		{ 1 1	{ 1 3	{ 1 2	{ 2 2	{ 2 3
III.—Diseases of the circulatory system.....																
	2,946	113	155	47	63	49	81	134	184	286	255	305	274	212	211	690
Males	1,409	64	87	19	28	22	34	61	108	142	142	161	139	94	95	277
Females	1,537	49	68	28	35	27	47	73	76	144	143	144	135	118	116	413
1. Angina pectoris.....	{ M 21 F 27						{ 1			{ 1 3	{ 5 4	{ 2 3		{ 1 2	{ 4 4	{ 5 4
2. Aneurism.....	{ M 74 F 36						{ 1		{ 4 1	{ 7 2	{ 14 6	{ 11 5	{ 11 12	{ 10 2	{ 2 1	{ 3 4
3. Diseases of the heart.....	{ M 1,261 F 1,436	{ 23 22	{ 50 40	{ 19 27	{ 27 35	{ 20 27	{ 34 45	{ 57 72	{ 100 71	{ 119 134	{ 128 105	{ 148 128	{ 127 128	{ 83 112	{ 88 111	{ 261 401
4. Others of this class.....	{ M 53 F 33	{ 36 27	{ 37 28		{ 1						{ 4	{ 1	{ 1	{ 1	{ 1	{ 8 4

TABLE 14.—DEATHS IN THE WHOLE 6-YEAR RECORD FROM EACH SPECIFIED DISEASE AND CLASS OF DISEASES, WITH DISTINCTION OF AGE AND SEX, DURING THE 6 YEARS ENDING MAY 31, 1890—Continued.

COLORED—Continued.

CAUSE OF DEATH.	All ages.	Under 1 year.	Total under 5 years.	5 to 10	10 to 15	15 to 20	20 to 25	25 to 30	30 to 35	35 to 40	40 to 45	45 to 50	50 to 55	55 to 60	60 to 65	65 and over and un-known.
IV.—Diseases of the respiratory system.	7,485	2,296	4,536	267	118	142	238	197	218	269	208	229	185	157	179	542
Males	3,868	1,200	2,305	119	52	63	128	109	120	153	136	146	116	78	98	250
Females	3,617	1,096	2,231	148	66	79	110	88	98	116	72	83	69	79	86	292
1. Croup	{ M 146 F 130	{ 52 47	{ 122 113	{ 18 12	{ 3 2			{ 1 1		{ 1 1			{ 1 1			
2. Laryngitis	{ M 23 F 20	{ 10 9	{ 18 18	{ 1 1	{ 1 1			{ 1 1		{ 2 2						1
3. Bronchitis	{ M 964 F 1,001	{ 487 432	{ 821 818	{ 21 20	{ 9 8	{ 6 10	{ 3 4	{ 8 6	{ 6 13	{ 8 9	{ 11 2	{ 11 5	{ 8 3	{ 4 9	{ 7 18	{ 41 76
4. Pneumonia	{ M 2,265 F 2,038	{ 520 490	{ 1,155 1,107	{ 65 103	{ 33 47	{ 49 59	{ 111 89	{ 86 61	{ 93 70	{ 110 79	{ 102 57	{ 103 59	{ 82 49	{ 56 49	{ 58 55	{ 162 160
5. Pleurisy	{ M 63 F 46	{ 2 3	{ 4 4	{ 3 2	{ 1 1	{ 1 1	{ 3 4	{ 5 5	{ 4 6	{ 8 1	{ 4 3	{ 7 3	{ 9 4	{ 3 4	{ 5 4	{ 6 4
6. Asthma	{ M 64 F 60	{ 1 4	{ 4 4	{ 1 1	{ 1 1			{ 1 1		{ 6 2	{ 5 4	{ 9 3	{ 4 5	{ 4 11	{ 7 5	{ 22 22
7. Others of this class	{ M 343 F 322	{ 128 111	{ 181 172	{ 10 10	{ 4 7	{ 7 9	{ 9 10	{ 9 14	{ 16 6	{ 19 23	{ 14 6	{ 16 12	{ 12 14	{ 11 6	{ 16 4	{ 19 29
V.—Diseases of the digestive system.	1,789	512	811	48	36	61	81	81	64	87	85	81	61	58	60	175
Males	880	287	441	26	20	16	33	34	25	28	41	42	29	29	28	88
Females	909	225	370	22	16	45	48	47	39	59	44	39	32	29	32	87
1. Dentition	{ M 227 F 180	{ 134 92	{ 226 180													1
2. Angina	{ M 16 F 18	{ 2 6	{ 5 10	{ 3 1	{ 2 1	{ 1 1	{ 2 2		{ 1 1							{ 2 1
3. Diseases of the stomach	{ M 143 F 182	{ 30 28	{ 49 51	{ 6 10	{ 3 5	{ 2 3	{ 5 6	{ 2 6	{ 9 7	{ 5 18	{ 9 11	{ 6 14	{ 8 9	{ 6 10	{ 7 7	{ 26 25
4. Obstruction of the bowels	{ M 70 F 45	{ 18 7	{ 22 10	{ 3 1	{ 4 1	{ 4 5	{ 5 1	{ 3 5	{ 3 1	{ 2 3	{ 1 3	{ 6 2	{ 3 1	{ 2 3	{ 4 3	{ 7 8
5. Hernia	{ M 57 F 13	{ 13 1	{ 15 2	{ 1 1				{ 3 1	{ 4 1	{ 3 1	{ 2 1	{ 5 3	{ 8 2	{ 3 2	{ 4 2	{ 7 2
6. Other diseases of the bowels	{ M 11 F 17	{ 4 6	{ 7 6		{ 2 2		{ 1 1	{ 2 2		{ 1 1		{ 2 2	{ 2 2			1
7. Jaundice	{ M 17 F 23	{ 12 16	{ 12 16	{ 1 1			{ 1 2	{ 1 1								{ 1 1
8. Inflammation and abscess of the liver	{ M 32 F 27	{ 2 2	{ 1 2	{ 1 1		{ 1 1	{ 2 1	{ 5 2	{ 2 2		{ 1 4	{ 3 1	{ 3 2	{ 2 2	{ 1 2	{ 4 2
9. Other diseases of the liver	{ M 85 F 52	{ 1 2	{ 4 8	{ 1 2	{ 3 1	{ 3 1	{ 4 1	{ 4 5	{ 2 5	{ 7 4	{ 13 7	{ 12 3	{ 6 3	{ 7 5	{ 2 3	{ 17 9
10. Peritonitis	{ M 95 F 224	{ 10 7	{ 11 11	{ 5 4	{ 6 4	{ 5 27	{ 9 33	{ 10 26	{ 4 25	{ 8 23	{ 8 10	{ 7 10	{ 5 7	{ 4 6	{ 5 8	{ 8 20
11. Ascites	{ M 15 F 23		{ 4 1	{ 1 1	{ 1 2		{ 1 3	{ 1 1	{ 1 1	{ 1 2	{ 1 1					{ 3 5
12. Others of this class	{ M 112 F 110	{ 63 58	{ 85 73	{ 4 3	{ 1 1	{ 2 1	{ 1 1	{ 3 3	{ 2 2	{ 3 5			{ 1 4	{ 3 2	{ 2 5	{ 6 9
VI.—Diseases of the urinary system and male organs of generation.	1,524	19	65	33	23	45	56	82	91	107	118	175	164	105	143	312
Males	841	13	42	20	11	12	19	35	44	62	60	99	96	68	83	190
Females	683	6	23	13	12	33	37	47	47	45	58	76	68	37	60	122
1. Bright's disease	{ M 402 F 367			{ 8 6	{ 7 5	{ 3 14	{ 9 25	{ 16 26	{ 21 29	{ 37 28	{ 34 30	{ 56 48	{ 56 38	{ 33 21	{ 39 31	{ 83 66
2. Calculus, urinary	{ M 4 F 2		{ 1 1													2
3. Diseases of the kidney	{ M 321 F 268	{ 10 5	{ 37 20	{ 10 9	{ 4 6	{ 7 15	{ 7 9	{ 15 20	{ 17 14	{ 23 16	{ 20 20	{ 33 24	{ 31 25	{ 32 14	{ 31 26	{ 54 50
4. Diseases of the bladder	{ M 46 F 11							{ 2 1	{ 2 1	{ 1 1	{ 1 1	{ 4 1	{ 1 6	{ 1 3	{ 5 2	{ 29 3
5. Others of this class	{ M 68 F 35	{ 3 1	{ 4 3	{ 2 2	{ 1 1	{ 2 3	{ 3 3	{ 2 3	{ 4 4	{ 1 1	{ 5 6	{ 6 3	{ 1 3	{ 3 2	{ 8 1	{ 22 3
VII.—Diseases of the female organs of generation.	146					7	14	19	16	20	14	17	18	1	10	10
1. Ovarian tumors	32						1	2		3	1	5	9		5	5
2. Ovarian diseases	5								2	1	1	1				
3. Uterine tumors	36							2	3	1	7	7	6	1	2	2
4. Uterine diseases	25						2	4	3	3	3	2	1	1	1	2
5. Others of this class	48						4	6	8	8	8	5	4	2	2	1
VIII.—Affections connected with pregnancy.	377				1	66	84	80	67	55	20	4				
1. Abortion	48				1	2	8	11	13	10	3					
2. Childbirth	104					10	14	25	25	20	7	3				
3. Puerperal septicæmia	152					36	43	25	22	19	7					
4. Extra-uterine pregnancy	7						1	4		2						
5. Others of this class	66					18	18	15	7	4	3	1				

STATISTICS OF DEATHS.

677

TABLE 14.—DEATHS IN THE WHOLE 6-YEAR RECORD FROM EACH SPECIFIED DISEASE AND CLASS OF DISEASES, WITH DISTINCTION OF AGE AND SEX, DURING THE 6 YEARS ENDING MAY 31, 1890—Continued.

COLORED—Continued.

CAUSE OF DEATH.	All ages.	Under 1 year.	Total under 5 years.	5 to 10	10 to 15	15 to 20	20 to 25	25 to 30	30 to 35	35 to 40	40 to 45	45 to 50	50 to 55	55 to 60	60 to 65	65 and over and un-known.
IX.—Diseases of the bones and joints.....	120	4	13	13	18	10	12	7	4	3	10	11	2	5	1	11
Males	73	1	8	8	8	5	8	5	2	1	8	9		3	1	7
Females.....	47	3	5	5	10	5	4	2	2	2	2	2	2	2		4
1. Diseases of the spine..... { M. 31			5	4	4	3	4	2			2	3		1	1	2
{ F. 26		2	3	3	7	3	2	2	1	1	1		1			2
2. Diseases of the bones..... { M. 26			1		2	2	3	2	2	1	4	6		1		2
{ F. 11		1	1		1	1	1	2	1	1	1	1	1	2		2
3. Diseases of the hip joint... { M. 10			2	4	2			1								1
{ F. 8		1	1	2	2	1	1									
4. Others of this class..... { M. 6					1		1				2			1		2
{ F. 2												1				
X.—Diseases of the skin.....	81	17	20	1	3	2	2	4	6	8	5	9	4	6	1	10
Males	41	11	12		2	2	1	3	4	4	1	5	2	4		1
Females.....	40	6	8	1	1		1	1	2	4	4	4	2	2	1	9
1. Abscess..... { M. 32			8		2	2	1	3	3	4	1	4	1	2		
{ F. 20		4	6	1			1	1	1	3	1	2	1	1		2
2. Carbuncle..... { M. 1																1
{ F. 3											1	1				
3. Others of this class..... { M. 8			3						1				1	1		1
{ F. 17		2	2		1			1	1	1	2	1	1	1	1	6
XI.—Diseases of the absorbent system.....	6	1	2					1	1	1						1
Males	4	1	1					1	1	1						
Females.....	2		1													1
1. Addison's disease..... { M. 2								1		1						
{ F. 1			1													
2. Diseases of the spleen... { M. 2																
{ F. 1																
3. Others of this class..... { M. 2		1	1						1							1
{ F. 1																
XII.—Accidents and injuries.....	1,559	430	533	67	58	103	105	119	86	108	84	63	42	29	38	124
Males	1,006	221	276	37	50	65	87	87	61	83	67	47	33	19	23	71
Females.....	553	209	257	30	8	38	18	32	25	25	17	16	9	10	15	53
1. Burns and scalds..... { M. 62		5	35	4	1	2	1	3	3	4	2	3		1	2	1
{ F. 115		2	27	20	3	14	4	9	5	6	3	3	2	3	3	13
2. Drowned..... { M. 174			1	14	22	24	17	15	17	19	12	6	7	4	4	12
{ F. 10			1	1	1	2		1		1	1	1	1	1	1	1
3. Exposure and neglect... { M. 42		32	35	1						1	1			2		3
{ F. 55		43	44				1			2		1			2	5
4. Gunshot wounds..... { M. 37				1	4	2	11	7	3	5	4					
{ F. 3					1	1	2	2	3	5	4					
5. Homicide..... { M. 61					5	9	17	8	6	5	3	5	1			2
{ F. 13		1	1			3	3	5	2	1						3
6. Infanticide..... { M. 29		29	29													
{ F. 23		23	28													
7. Injuries by machinery... { M. 3									1	1	1					
{ F. 3																
8. Railroad accidents..... { M. 78			2	4	6	4	11	8	2	9	10	4	3	4	3	8
{ F. 16			1	1	1	4	2	2	2	2	2	2	1	1	1	1
9. Suffocation..... { M. 88		65	67				1	2	1	4	2	3		1	3	4
{ F. 88		67	71	2		6	2	2	1	1	1		1	2		2
10. Suicide by shooting..... { M. 7						1	2	2	1							1
{ F. 1							1									
11. Suicide by drowning..... { M. 3										1				1		1
{ F. 1									1							
12. Suicide by poison..... { M. 2							1	1	2					1		
{ F. 6								2	2							
13. Other suicides..... { M. 17							1	3	7	1	1	2	1			1
{ F. 3								1	1	1						1
14. Sunstroke..... { M. 28		3	4	1		1	1	4	1	4	5	1	1	1		4
{ F. 13		3	6								1	2	1	1		3
15. Surgical operations..... { M. 17		1	1	2			1	1		2	2	4			2	2
{ F. 26				2		2	3	6	3	4	3	1	2			
16. Wounds..... { M. 33		1	1	2	1	6	4	5	3	3	1	3	1	1	1	1
{ F. 9		1	2	1			1	2	2	2	2	1	1	1	1	1
17. Other accidents and inju- { M. 324		85	101	8	11	16	20	29	15	24	23	16	19	3	8	31
ries. { F. 161		64	76	4	3	9	2	5	6	9	4	7	2	3	8	23

VITAL AND SOCIAL STATISTICS.

TABLE 12.—DEATHS IN THE WHOLE 6-YEAR RECORD FROM EACH SPECIFIED DISEASE AND CLASS OF DISEASES, WITH DISTINCTION OF AGE AND SEX, DURING THE 6 YEARS ENDING MAY 31, 1890—Continued.

REEMPLACEMENT OF MOTHERS—UNITED STATES.

CAUSE OF DEATH.	All ages.	Under 1 year.	Total under 5 years.	5 to 10	10 to 15	15 to 20	20 to 25	25 to 30	30 to 35	35 to 40	40 to 45	45 to 50	50 to 55	55 to 60	60 to 65	65 and over and un-known.
All causes.....	257,932	95,911	140,092	11,301	4,789	6,044	7,510	7,789	6,866	7,084	6,521	6,490	6,489	6,418	7,130	33,459
Males.....	134,574	53,085	76,084	5,632	2,343	2,780	3,655	3,747	3,411	3,552	3,445	3,517	3,496	3,409	3,748	15,745
Females.....	123,358	42,826	64,058	5,669	2,446	3,264	3,855	3,992	3,455	3,532	3,076	2,973	2,993	2,949	3,382	17,714
Unknown causes.....	590	191	240	19	11	14	10	9	16	18	12	23	20	12	35	151
Males.....	311	98	122	12	5	10	2	4	9	5	5	15	14	8	20	80
Females.....	279	95	118	7	6	4	8	5	7	13	7	8	6	4	15	71
I.—General diseases:																
General diseases—A.....	60,138	24,319	43,136	5,625	1,639	1,301	1,122	951	673	609	550	512	466	473	541	2,540
Males.....	30,663	12,919	22,447	2,657	770	606	570	493	347	289	283	240	269	220	270	1,202
Females.....	29,475	11,400	20,689	2,968	869	695	552	458	326	320	267	272	197	253	271	1,338
1. Smallpox.....	{ M. 76 F. 42	{ 17 9	{ 32 25	{ 5 4	{ 2 1	{ 2 1	{ 11 4	{ 6 3	{ 6 3	{ 4 4	{ 2 2	{ 3 1	{ 1 1	{ 1 1	{ 1 1	{ 1 2
2. Measles.....	{ M. 1,080 F. 1,013	{ 293 255	{ 933 896	{ 63 73	{ 9 8	{ 7 8	{ 5 5	{ 1 3	{ 2 3	{ 4 8	{ 4 4	{ 1 1	{ 1 1	{ 2 2	{ 2 2	{ 2 2
3. Scarlet fever.....	{ M. 2,340 F. 2,318	{ 150 135	{ 1,611 1,527	{ 539 594	{ 121 106	{ 24 33	{ 13 17	{ 12 14	{ 3 3	{ 5 3	{ 6 6	{ 1 2	{ 1 1	{ 1 1	{ 1 1	{ 6 3
4. Diphtheria.....	{ M. 5,912 F. 6,107	{ 385 340	{ 3,933 3,795	{ 1,462 1,724	{ 300 364	{ 70 87	{ 26 36	{ 23 24	{ 8 14	{ 9 16	{ 10 9	{ 8 8	{ 4 5	{ 1 5	{ 2 5	{ 11 15
5. Whooping cough.....	{ M. 1,443 F. 1,757	{ 842 981	{ 1,403 1,673	{ 36 66	{ 1 7	{ 3 3	{ 2 2	{ 1 1	{ 1 1	{ 1 1	{ 1 1	{ 1 1	{ 1 1	{ 1 1	{ 1 1	{ 3 1
6. Fever.....	{ M. 14 F. 4	{ 1 1	{ 4 2	{ 2 2	{ 2 2	{ 3 3	{ 3 3	{ 3 3	{ 1 1	{ 1 1	{ 1 1	{ 1 1	{ 1 1	{ 1 1	{ 1 1	{ 2 2
7. Cerebro-spinal fever.....	{ M. 623 F. 514	{ 175 156	{ 407 339	{ 74 50	{ 30 29	{ 30 17	{ 10 16	{ 12 7	{ 9 8	{ 8 4	{ 4 1	{ 6 10	{ 7 5	{ 4 8	{ 7 3	{ 15 8
8. Typhoid fever.....	{ M. 2,143 F. 1,844	{ 30 20	{ 162 126	{ 132 115	{ 146 195	{ 326 347	{ 331 267	{ 284 177	{ 177 112	{ 112 98	{ 91 83	{ 61 74	{ 74 45	{ 47 43	{ 54 45	{ 145 147
9. Diarrheal diseases.....	{ M. 7,423 F. 7,055	{ 4,597 3,959	{ 5,900 5,254	{ 192 186	{ 69 65	{ 49 66	{ 71 59	{ 57 81	{ 52 58	{ 61 68	{ 74 75	{ 79 90	{ 84 81	{ 87 103	{ 111 120	{ 546 749
10. Cholera infantum.....	{ M. 6,981 F. 6,157	{ 5,814 5,070	{ 6,973 6,153													{ 8 4
11. Malarial fever.....	{ M. 1,312 F. 1,459	{ 151 114	{ 440 403	{ 109 118	{ 67 72	{ 69 110	{ 74 86	{ 64 90	{ 51 64	{ 51 65	{ 57 50	{ 87 47	{ 49 28	{ 30 61	{ 35 52	{ 179 213
12. Erysipelas.....	{ M. 409 F. 383	{ 165 180	{ 192 203	{ 8 6	{ 4 3	{ 9 6	{ 6 8	{ 6 4	{ 7 4	{ 8 7	{ 16 10	{ 14 14	{ 17 7	{ 17 9	{ 14 15	{ 91 82
13. Septicæmia.....	{ M. 268 F. 343	{ 40 33	{ 61 57	{ 17 16	{ 13 9	{ 12 13	{ 8 38	{ 14 43	{ 17 30	{ 9 37	{ 14 19	{ 14 17	{ 18 10	{ 9 11	{ 19 11	{ 43 26
14. Venereal diseases.....	{ M. 339 F. 249	{ 223 169	{ 251 192	{ 2 3	{ 2 1	{ 2 3	{ 10 10	{ 12 7	{ 9 12	{ 16 10	{ 8 4	{ 10 5	{ 6 1	{ 5 1	{ 3 1	{ 2 1
15. Others of this group.....	{ M. 290 F. 230	{ 26 29	{ 42 44	{ 9 4	{ 8 4	{ 4 1	{ 2 4	{ 2 4	{ 5 8	{ 2 3	{ 3 4	{ 10 4	{ 8 8	{ 18 11	{ 25 18	{ 152 113
General diseases—B.....	3,891	2,831	3,035	38	11	14	36	72	95	112	103	77	73	54	43	128
Males.....	2,293	1,582	1,685	22	7	8	17	55	71	87	80	62	58	40	27	73
Females.....	1,598	1,249	1,349	16	4	6	19	17	24	25	23	15	15	14	16	55
1. Parasitic diseases.....	{ M. 15 F. 11	{ 1 1	{ 11 6	{ 3 4	{ 1 1											
2. Alcoholism.....	{ M. 408 F. 76	{ 3 1	{ 5 1				{ 1 3	{ 6 7	{ 40 13	{ 62 13	{ 68 12	{ 66 7	{ 48 6	{ 47 2	{ 35 7	{ 16 5
3. Lead poison.....	{ M. 11 F. 2				{ 1 1		{ 1 1	{ 3 1		{ 1 1	{ 2 1	{ 1 1	{ 1 1			{ 1 1
4. Other poisons.....	{ M. 171 F. 127	{ 29 14	{ 52 38	{ 10 4	{ 3 3	{ 4 4	{ 6 13	{ 10 9	{ 7 5	{ 16 10	{ 10 9	{ 12 5	{ 7 7	{ 5 5	{ 6 4	{ 23 11
5. Inanition.....	{ M. 1,688 F. 1,382	{ 1,549 1,234	{ 1,618 1,304	{ 9 8	{ 2 1	{ 3 1	{ 4 3	{ 2 1	{ 2 6	{ 2 1	{ 2 1	{ 1 1	{ 3 2	{ 8 7	{ 25 5	{ 39 39
General diseases—C.....	43,869	36,636	37,894	105	41	38	26	36	35	52	34	56	70	81	171	5,280
Males.....	23,810	20,812	21,457	42	17	13	9	12	10	19	15	23	34	31	76	2,052
Females.....	20,059	15,824	16,437	63	24	25	17	24	25	33	19	33	36	50	95	3,178
1. Premature birth.....	{ M. 3,736 F. 2,840	{ 3,730 2,838	{ 3,736 2,840													
2. Stillborn.....	{ M. 11,877 F. 8,612	{ 11,877 8,612	{ 11,877 8,612													
3. Malformation.....	{ M. 461 F. 375	{ 446 355	{ 455 364	{ 1 6		{ 2 2		{ 1 1					{ 1 1			{ 2 2
4. Debility and atrophy.....	{ M. 6,617 F. 6,377	{ 4,759 4,019	{ 5,389 4,621	{ 41 57	{ 17 22	{ 13 25	{ 8 17	{ 11 24	{ 10 25	{ 19 33	{ 15 19	{ 23 33	{ 33 36	{ 31 49	{ 67 79	{ 940 1,337
5. Old age.....	{ M. 1,119 F. 1,855														{ 9 16	{ 1,110 1,839

STATISTICS OF DEATHS.

TABLE 14.—DEATHS IN THE WHOLE 6-YEAR RECORD FROM EACH SPECIFIED DISEASE AND CLASS OF DISEASES, WITH DISTINCTION OF AGE AND SEX, DURING THE 6 YEARS ENDING MAY 31, 1890—Continued.

BIRTHPLACE OF MOTHERS—UNITED STATES—Continued.

CAUSE OF DEATH.	All ages.	Under 1 year.	Total under 5 years.	5 to 10	10 to 15	15 to 20	20 to 25	25 to 30	30 to 35	35 to 40	40 to 45	45 to 50	50 to 55	55 to 60	60 to 65	65 and over and un-known.
I.—General diseases—Continued.																
General diseases—D.....	37,629	3,506	6,972	912	862	2,331	3,516	3,567	2,950	2,723	2,303	2,132	1,925	1,612	1,577	4,247
Males.....	17,944	1,960	3,757	421	312	929	1,653	1,728	1,449	1,319	1,101	1,045	876	771	736	1,847
Females.....	19,685	1,636	3,215	491	550	1,402	1,863	1,839	1,501	1,404	1,202	1,087	1,049	841	841	2,400
1. Rheumatism.....	{ M. 496 F. 448	{ 23 11	{ 47 25	{ 37 44	{ 35 31	{ 30 28	{ 18 18	{ 19 21	{ 23 19	{ 28 19	{ 21 19	{ 24 16	{ 28 23	{ 29 23	{ 40 24	{ 117 134
2. Scrofula and tuberc.....	{ M. 579 F. 505	{ 301 251	{ 446 369	{ 39 24	{ 16 19	{ 7 16	{ 12 9	{ 9 10	{ 4 6	{ 3 7	{ 6 13	{ 7 4	{ 4 3	{ 8 8	{ 4 3	{ 14 14
3. Leprosy.....	{ M. 1 F. —	{ — —	{ — —	{ — —	{ 1 —	{ — —	{ — —	{ — —	{ — —	{ — —	{ — —	{ — —	{ — —	{ — —	{ — —	{ — —
4. Consumption.....	{ M. 12,139 F. 12,236	{ 467 405	{ 1,006 929	{ 173 257	{ 182 434	{ 828 1,239	{ 1,575 1,777	{ 1,637 1,698	{ 1,345 1,315	{ 1,179 1,113	{ 960 787	{ 864 632	{ 626 484	{ 503 346	{ 421 318	{ 840 907
5. Hydrocephalus.....	{ M. 2,260 F. 1,863	{ 1,027 852	{ 2,015 1,667	{ 132 119	{ 37 24	{ 15 10	{ 6 2	{ 13 8	{ 7 8	{ 7 2	{ 2 3	{ 2 2	{ 6 4	{ 2 2	{ 2 2	{ 14 8
6. Cancer.....	{ M. 1,243 F. 3,094	{ 9 9	{ 22 23	{ 4 5	{ 1 5	{ 8 8	{ 11 23	{ 15 41	{ 32 100	{ 46 195	{ 54 295	{ 93 363	{ 138 424	{ 149 365	{ 162 372	{ 498 875
7. Tumor.....	{ M. 137 F. 245	{ 3 6	{ 11 14	{ 4 —	{ 6 —	{ 4 4	{ 4 4	{ 1 15	{ 8 7	{ 9 9	{ 10 19	{ 13 20	{ 8 3	{ 10 19	{ 16 29	{ 33 61
8. Anæmia.....	{ M. 153 F. 233	{ 36 35	{ 56 46	{ 7 10	{ 1 7	{ 6 16	{ 3 11	{ 4 18	{ 4 10	{ 8 9	{ 5 15	{ 7 11	{ 8 14	{ 10 7	{ 4 10	{ 30 49
9. Dropsy.....	{ M. 435 F. 576	{ 25 18	{ 42 47	{ 15 16	{ 14 16	{ 8 15	{ 8 8	{ 11 11	{ 9 13	{ 15 21	{ 19 28	{ 7 25	{ 24 23	{ 23 40	{ 46 40	{ 194 262
10. Diabetes.....	{ M. 351 F. 302	{ 7 6	{ 14 12	{ 6 11	{ 14 12	{ 18 11	{ 11 8	{ 14 15	{ 14 21	{ 21 14	{ 13 22	{ 28 11	{ 30 21	{ 36 29	{ 37 39	{ 95 76
11. Others of this group.....	{ M. 145 F. 129	{ 60 42	{ 96 81	{ 4 5	{ 4 2	{ 5 5	{ 4 3	{ 5 2	{ 3 2	{ 3 4	{ 1 —	{ — 3	{ 3 5	{ 1 2	{ 4 2	{ 12 13
12. Others of this class.....	{ M. 5 F. 4	{ 2 1	{ 2 2	{ — —	{ 1 —	{ — —	{ 1 —	{ — —	{ — —	{ — —	{ — 1	{ — —	{ 1 —	{ — —	{ — —	{ 1 —
II.—Diseases of the nervous system.																
Diseases of the nervous system.....	32,095	11,110	17,009	984	458	341	333	371	469	538	643	739	892	1,074	1,314	6,910
Males.....	16,992	6,169	9,236	503	227	165	160	194	259	316	352	409	495	583	715	3,378
Females.....	15,103	4,941	7,773	481	201	176	173	177	210	222	291	330	397	491	599	3,532
1. Inflammation of the brain.....	{ M. 4,104 F. 3,525	{ 1,657 1,321	{ 3,166 2,706	{ 292 274	{ 94 94	{ 55 61	{ 45 43	{ 53 38	{ 60 37	{ 50 41	{ 55 32	{ 55 29	{ 38 21	{ 31 25	{ 27 24	{ 83 90
2. Apoplexy.....	{ M. 2,758 F. 2,624	{ 55 35	{ 78 63	{ 6 8	{ 7 7	{ 11 6	{ 16 17	{ 32 31	{ 52 39	{ 95 74	{ 107 106	{ 144 129	{ 205 191	{ 285 232	{ 343 287	{ 1,377 1,434
3. Paralysis.....	{ M. 1,987 F. 2,100	{ 26 35	{ 84 77	{ 22 13	{ 12 15	{ 11 15	{ 13 18	{ 22 24	{ 26 33	{ 40 44	{ 09 49	{ 86 71	{ 97 99	{ 130 114	{ 178 166	{ 1,197 1,362
4. Tetanus and trismus nas-centium.....	{ M. 597 F. 403	{ 463 347	{ 434 364	{ 16 5	{ 23 2	{ 17 7	{ 9 3	{ 3 1	{ 6 6	{ 6 3	{ 4 2	{ 9 3	{ 7 1	{ 2 2	{ 3 —	{ 8 4
5. Epilepsy.....	{ M. 284 F. 224	{ 25 15	{ 55 32	{ 10 21	{ 18 15	{ 26 14	{ 24 16	{ 21 13	{ 22 19	{ 28 23	{ 14 15	{ 9 10	{ 11 7	{ 8 8	{ 4 4	{ 31 27
6. Convulsions.....	{ M. 4,224 F. 3,613	{ 3,113 2,518	{ 4,045 3,409	{ 67 70	{ 15 23	{ 7 18	{ 9 16	{ 12 11	{ 9 18	{ 9 8	{ 5 6	{ 7 7	{ 7 5	{ 5 4	{ 8 7	{ 19 11
7. Mental diseases.....	{ M. 143 F. 172	{ — —	{ — —	{ — —	{ 1 5	{ 2 9	{ 9 9	{ 5 9	{ 11 11	{ 10 11	{ 14 20	{ 10 10	{ 17 12	{ 8 14	{ 12 10	{ 44 60
8. Diseases of the brain.....	{ M. 2,453 F. 2,075	{ 782 634	{ 1,224 1,035	{ 71 75	{ 49 35	{ 31 38	{ 27 32	{ 35 35	{ 54 29	{ 60 49	{ 61 44	{ 72 42	{ 74 41	{ 84 61	{ 106 73	{ 510 466
9. Diseases of the spinal cord.....	{ M. 351 F. 226	{ 45 32	{ 91 63	{ 15 10	{ 7 5	{ 5 8	{ 5 6	{ 9 8	{ 17 5	{ 14 9	{ 19 11	{ 12 15	{ 32 13	{ 26 22	{ 24 17	{ 75 34
10. Others of this class.....	{ M. 86 F. 141	{ 3 4	{ 9 4	{ 4 5	{ 1 4	{ — 4	{ 3 13	{ 2 7	{ 2 13	{ 4 10	{ 4 6	{ 5 14	{ 7 6	{ 5 9	{ 6 11	{ 34 35
III.—Diseases of the circulatory system.																
Diseases of the circulatory system.....	13,124	1,794	2,085	393	429	344	286	379	398	565	605	683	770	858	993	4,336
Males.....	6,833	1,000	1,155	186	183	181	144	169	199	267	322	363	443	490	540	2,241
Females.....	6,241	794	930	207	246	163	142	210	199	298	283	320	327	368	453	2,095
1. Angina pectoris.....	{ M. 281 F. 213	{ — —	{ — —	{ 2 3	{ 2 —	{ — 3	{ — 2	{ 3 9	{ 4 9	{ 5 8	{ 15 8	{ 17 16	{ 12 14	{ 31 13	{ 32 21	{ 153 105
2. Aneurism.....	{ M. 167 F. 61	{ — —	{ — —	{ 1 —	{ — —	{ 3 —	{ 2 —	{ 5 3	{ 12 3	{ 15 6	{ 24 6	{ 28 11	{ 18 1	{ 21 4	{ 8 4	{ 31 21
3. Diseases of the heart.....	{ M. 5,625 F. 5,322	{ 292 234	{ 424 354	{ 180 200	{ 180 242	{ 178 156	{ 140 136	{ 160 196	{ 179 184	{ 242 232	{ 279 267	{ 316 289	{ 411 309	{ 433 347	{ 494 421	{ 2,009 1,939
4. Others of this class.....	{ M. 810 F. 645	{ 708 560	{ 731 576	{ 4 3	{ 1 2	{ — 3	{ 2 4	{ 1 2	{ 4 3	{ 5 2	{ 4 2	{ 2 4	{ 2 3	{ 5 4	{ 6 7	{ 43 30

TABLE 14.—DEATHS IN THE WHOLE 6-YEAR RECORD FROM EACH SPECIFIED DISEASE AND CLASS OF DISEASES, WITH DISTINCTION OF AGE AND SEX, DURING THE 6 YEARS ENDING MAY 31, 1890—Continued.

BIRTHPLACE OF MOTHERS—UNITED STATES—Continued.

CAUSE OF DEATH.	All ages.	Under 1 year.	Total under 5 years.	5 to 10	10 to 15	15 to 20	20 to 25	25 to 30	30 to 35	35 to 40	40 to 45	45 to 50	50 to 55	55 to 60	60 to 65	65 and over and unknown.
IV.—Diseases of the respiratory system.	38,616	11,573	23,526	2,022	463	548	648	664	767	803	769	785	872	830	1,032	4,887
Males	20,202	6,343	12,659	1,081	212	266	391	376	428	498	454	459	477	437	493	2,021
Females	18,414	5,230	10,867	991	251	282	257	288	339	305	315	326	395	393	539	2,866
1. Croup	M. 2,756 F. 2,427	M. 839 F. 282	M. 2,283 F. 1,953	M. 417 F. 410	M. 32 F. 29	M. 8 F. 4	M. 6 F. 3	M. 1 F. 2	M. 2 F. 1	M. 2 F. 2	M. 1 F. 1	M. 4 F. 3	M. 3 F. 3	M. 3 F. 3	M. 3 F. 3	M. 9 F. 7
2. Laryngitis	M. 404 F. 369	M. 54 F. 57	M. 282 F. 250	M. 55 F. 52	M. 9 F. 16	M. 2 F. 6	M. 4 F. 6	M. 3 F. 7	M. 5 F. 4	M. 7 F. 6	M. 11 F. 6	M. 7 F. 3	M. 5 F. 1	M. 2 F. 3	M. 2 F. 3	M. 10 F. 6
3. Bronchitis	M. 5,022 F. 4,862	M. 2,729 F. 2,817	M. 4,058 F. 3,579	M. 128 F. 85	M. 17 F. 20	M. 25 F. 38	M. 23 F. 24	M. 27 F. 30	M. 35 F. 25	M. 34 F. 25	M. 24 F. 30	M. 36 F. 36	M. 54 F. 45	M. 49 F. 47	M. 61 F. 85	M. 461 F. 780
4. Pneumonia	M. 9,893 F. 8,916	M. 2,276 F. 1,846	M. 4,841 F. 4,137	M. 363 F. 397	M. 132 F. 156	M. 203 F. 195	M. 314 F. 196	M. 305 F. 210	M. 349 F. 257	M. 392 F. 291	M. 362 F. 240	M. 334 F. 239	M. 352 F. 301	M. 321 F. 281	M. 360 F. 337	M. 1,265 F. 1,689
5. Pleurisy	M. 301 F. 270	M. 33 F. 24	M. 81 F. 52	M. 12 F. 10	M. 2 F. 7	M. 8 F. 9	M. 19 F. 6	M. 9 F. 13	M. 20 F. 15	M. 15 F. 5	M. 7 F. 7	M. 20 F. 9	M. 18 F. 11	M. 9 F. 15	M. 22 F. 23	M. 59 F. 38
6. Asthma	M. 120 F. 113	M. 15 F. 10	M. 19 F. 10	M. 2 F. 4	M. 1 F. 1	M. 1 F. 1	M. 1 F. 1	M. 4 F. 1	M. 6 F. 1	M. 6 F. 2	M. 11 F. 5	M. 7 F. 7	M. 8 F. 13	M. 9 F. 6	M. 47 F. 60	
7. Others of this class	M. 1,706 F. 1,457	M. 897 F. 694	M. 1,095 F. 881	M. 54 F. 33	M. 20 F. 22	M. 25 F. 20	M. 25 F. 21	M. 30 F. 25	M. 24 F. 24	M. 44 F. 35	M. 44 F. 28	M. 50 F. 33	M. 37 F. 27	M. 48 F. 31	M. 39 F. 32	M. 170 F. 236
V.—Diseases of the digestive system.	9,239	2,398	3,489	305	265	275	287	344	324	380	381	383	386	426	427	1,617
Males	4,708	1,871	1,941	175	150	145	113	129	184	155	183	204	193	235	224	727
Females	4,531	1,027	1,498	130	115	130	174	215	190	225	198	179	193	191	203	890
1. Dentition	M. 583 F. 500	M. 348 F. 297	M. 582 F. 500													M. 1 F. 1
2. Angina	M. 122 F. 95	M. 30 F. 21	M. 80 F. 56	M. 22 F. 17	M. 6 F. 8	M. 1 F. 2	M. 3 F. 3	M. 1 F. 2	M. 3 F. 2	M. 3 F. 2	M. 1 F. 1	M. 3 F. 3	M. 3 F. 3	M. 28 F. 44	M. 3 F. 40	M. 172 F. 266
3. Diseases of the stomach	M. 739 F. 904	M. 210 F. 163	M. 292 F. 259	M. 16 F. 30	M. 9 F. 11	M. 12 F. 19	M. 12 F. 27	M. 13 F. 32	M. 23 F. 34	M. 29 F. 45	M. 30 F. 33	M. 33 F. 23	M. 28 F. 44	M. 42 F. 36	M. 28 F. 40	M. 172 F. 266
4. Obstruction of the bowels	M. 319 F. 290	M. 103 F. 69	M. 125 F. 89	M. 10 F. 4	M. 9 F. 7	M. 16 F. 10	M. 14 F. 8	M. 9 F. 14	M. 9 F. 10	M. 12 F. 9	M. 11 F. 14	M. 12 F. 13	M. 10 F. 13	M. 16 F. 9	M. 15 F. 27	M. 51 F. 64
5. Hernia	M. 168 F. 98	M. 44 F. 2	M. 52 F. 3	M. 1 F. 1	M. 3 F. 1	M. 4 F. 1	M. 6 F. 2	M. 7 F. 2	M. 6 F. 7	M. 4 F. 6	M. 14 F. 12	M. 7 F. 5	M. 11 F. 8	M. 8 F. 9	M. 45 F. 45	
6. Other diseases of the bowels	M. 73 F. 61	M. 20 F. 22	M. 32 F. 23	M. 2 F. 2	M. 3 F. 3	M. 1 F. 3	M. 3 F. 3	M. 3 F. 3	M. 3 F. 3	M. 4 F. 2	M. 2 F. 6	M. 2 F. 3	M. 4 F. 1	M. 1 F. 1	M. 15 F. 12	
7. Jaundice	M. 172 F. 130	M. 123 F. 81	M. 126 F. 86	M. 2 F. 1	M. 1 F. 1	M. 2 F. 2	M. 5 F. 2	M. 2 F. 2	M. 2 F. 1	M. 1 F. 1	M. 2 F. 4	M. 2 F. 4	M. 2 F. 3	M. 5 F. 5	M. 4 F. 5	M. 22 F. 20
8. Inflammation and abscess of the liver	M. 255 F. 221	M. 16 F. 12	M. 21 F. 17	M. 9 F. 4	M. 9 F. 5	M. 4 F. 1	M. 7 F. 3	M. 13 F. 12	M. 15 F. 6	M. 12 F. 11	M. 10 F. 17	M. 18 F. 11	M. 21 F. 19	M. 21 F. 19	M. 21 F. 21	M. 74 F. 75
9. Other diseases of the liver	M. 792 F. 518	M. 32 F. 31	M. 52 F. 41	M. 13 F. 4	M. 7 F. 4	M. 6 F. 3	M. 9 F. 8	M. 19 F. 18	M. 19 F. 14	M. 33 F. 25	M. 74 F. 37	M. 87 F. 41	M. 74 F. 42	M. 96 F. 56	M. 89 F. 53	M. 209 F. 172
10. Peritonitis	M. 824 F. 1,165	M. 98 F. 65	M. 163 F. 106	M. 31 F. 56	M. 88 F. 66	M. 31 F. 79	M. 47 F. 114	M. 45 F. 121	M. 44 F. 114	M. 45 F. 111	M. 36 F. 73	M. 26 F. 57	M. 32 F. 48	M. 19 F. 46	M. 33 F. 33	M. 79 F. 141
11. Ascites	M. 29 F. 48	M. 1 F. 2	M. 4 F. 4	M. 4 F. 3	M. 2 F. 3	M. 1 F. 1	M. 1 F. 1	M. 1 F. 1	M. 2 F. 1	M. 3 F. 2	M. 2 F. 6	M. 2 F. 4	M. 4 F. 1	M. 3 F. 3	M. 2 F. 1	M. 6 F. 19
12. Others of this class	M. 632 F. 501	M. 346 F. 262	M. 412 F. 314	M. 15 F. 15	M. 19 F. 8	M. 19 F. 8	M. 18 F. 8	M. 14 F. 9	M. 11 F. 7	M. 8 F. 11	M. 10 F. 8	M. 10 F. 4	M. 14 F. 11	M. 14 F. 10	M. 16 F. 12	M. 52 F. 76
VI.—Diseases of the urinary system and male organs of generation.	8,320	208	615	269	149	214	234	355	410	504	509	608	607	658	684	2,454
Males	4,919	129	343	185	79	84	125	161	194	252	300	374	374	421	450	1,622
Females	3,401	79	267	134	70	130	159	194	216	252	209	234	233	237	234	832
1. Bright's disease	M. 2,281 F. 1,743			M. 46 F. 52	M. 36 F. 33	M. 47 F. 78	M. 61 F. 92	M. 76 F. 101	M. 116 F. 112	M. 148 F. 142	M. 180 F. 117	M. 205 F. 144	M. 217 F. 129	M. 234 F. 149	M. 233 F. 185	M. 677 F. 459
2. Calculus, urinary	M. 26 F. 6	M. 1 F. 6	M. 2 F. 6													M. 14 F. 1
3. Diseases of the kidney	M. 1,826 F. 1,396	M. 106 F. 70	M. 310 F. 243	M. 83 F. 72	M. 40 F. 34	M. 31 F. 42	M. 55 F. 53	M. 66 F. 75	M. 66 F. 91	M. 89 F. 100	M. 103 F. 79	M. 141 F. 75	M. 131 F. 82	M. 144 F. 75	M. 139 F. 81	M. 499 F. 359
4. Diseases of the bladder	M. 487 F. 90	M. 6 F. 1	M. 10 F. 1	M. 2 F. 1	M. 1 F. 1	M. 2 F. 3	M. 5 F. 6	M. 8 F. 2	M. 7 F. 3	M. 10 F. 3	M. 4 F. 3	M. 12 F. 4	M. 7 F. 4	M. 23 F. 8	M. 10 F. 29	M. 48 F. 143
5. Others of this class	M. 299 F. 166	M. 16 F. 8	M. 26 F. 18	M. 4 F. 9	M. 2 F. 3	M. 2 F. 7	M. 3 F. 13	M. 11 F. 11	M. 10 F. 11	M. 11 F. 6	M. 11 F. 10	M. 16 F. 11	M. 13 F. 13	M. 18 F. 9	M. 29 F. 8	
VII.—Diseases of the female organs of generation.	543	1	3		4	17	43	57	47	80	74	57	55	23	25	58
1. Ovarian tumors	155				1	2	6	10	6	21	26	16	18	11	15	23
2. Ovarian diseases	87				1		3	9	7	6	8	7	4	3	2	7
3. Uterine tumors	93						1	4	6	17	15	14	17	5	5	14
4. Uterine diseases	80					4	14	10	10	8	8	11	6	2	2	11
5. Others of this class	147	1	3		2	11	19	24	18	28	17	9	10	2	1	3
VIII.—Affections connected with pregnancy.	1,347				2	120	324	372	262	173	65	9	2	6	1	11
1. Abortion	103					5	11	28	28	21	8	1		1		4
2. Childbirth	305				1	20	52	91	73	45	18		1			6
3. Puerperal septicaemia	724				1	62	208	202	122	80	26	5		5	1	4
4. Extra-uterine pregnancy	10						1	3	1	5						1
5. Others of this class	205					33	52	48	33	16	13	3	1			1

TABLE 14.—DEATHS IN THE WHOLE 6-YEAR RECORD FROM EACH SPECIFIED DISEASE AND CLASS OF DISEASES, WITH DISTINCTION OF AGE AND SEX, DURING THE 6 YEARS ENDING MAY 31, 1890—Continued.

BIRTHPLACE OF MOTHERS—ENGLAND AND WALES.

CAUSE OF DEATH.	All ages.	Under 1 year.	Total under 5 years.	5 to 10	10 to 15	15 to 20	20 to 25	25 to 30	30 to 35	35 to 40	40 to 45	45 to 50	50 to 55	55 to 60	60 to 65	65 and over and un-known.
All causes.....	28,862	5,482	8,243	738	838	450	833	977	1,061	1,182	1,152	1,188	1,181	1,103	1,158	4,258
Males.....	12,728	2,982	4,459	317	163	230	438	486	540	629	661	675	676	635	679	2,140
Females.....	11,134	2,500	3,784	421	175	220	395	491	521	553	491	513	505	468	479	2,118
Unknown causes.....	69	8	9	1	1			5	5	8	6	3	2	3	7	19
Males.....	41	2	3	1	1			3	4	3	6	1		2	4	13
Females.....	28	6	6					2	1	5		2	2	1	3	6
I.—General diseases:																
General diseases—A.....	4,594	1,523	2,799	410	121	86	113	124	109	94	92	78	78	79	77	334
Males.....	2,300	790	1,439	171	59	46	57	71	52	48	48	41	43	40	39	146
Females.....	2,294	733	1,360	239	62	40	56	53	57	46	44	37	35	39	38	188
1. Smallpox.....	{M. 15 F. 5}	{1 1}	{4 2}	{ 1}	{2 1}	{1 1}	{2 1}	{1 1}	{1 1}	{1 1}	{1 1}	{1 1}		{1 1}		
2. Measles.....	{M. 85 F. 91}	{16 21}	{80 82}	{5 4}	{1 1}		{3 3}		{1 1}							
3. Scarlet fever.....	{M. 188 F. 190}	{12 15}	{126 116}	{42 51}	{12 8}	{3 5}	{2 3}	{1 4}	{1 2}	{1 1}						
4. Diphtheria.....	{M. 368 F. 456}	{20 19}	{253 261}	{91 142}	{12 34}	{5 4}	{1 1}	{1 1}	{2 3}	{1 1}	{3 3}	{2 1}	{1 1}	{1 1}	{1 1}	{1 2}
5. Whooping cough.....	{M. 87 F. 105}	{51 60}	{84 102}	{2 2}			{1 1}									
6. Fever.....	{M. 3 F. 3}		{1 1}					{1 1}			{1 1}			{1 1}		
7. Cerebro-spinal fever.....	{M. 45 F. 34}	{3 7}	{26 18}	{5 4}	{5 1}	{1 4}	{1 3}	{2 3}		{1 1}			{3 3}		{1 1}	{1 2}
8. Typhoid fever.....	{M. 231 F. 150}	{1 2}	{7 8}	{7 9}	{15 7}	{30 14}	{40 22}	{37 19}	{22 20}	{15 14}	{13 10}	{14 5}	{10 6}	{7 3}	{1 2}	{13 11}
9. Diarrheal diseases.....	{M. 563 F. 581}	{276 239}	{349 316}	{12 11}	{7 5}	{3 5}	{1 11}	{11 12}	{14 11}	{11 12}	{15 15}	{17 18}	{13 15}	{15 22}	{18 22}	{77 106}
10. Cholera infantum.....	{M. 458 F. 406}	{364 338}	{458 405}													{1 1}
11. Malarial fever.....	{M. 118 F. 151}	{2 8}	{17 19}	{5 11}	{6 5}	{3 5}	{8 6}	{10 7}	{7 9}	{8 13}	{9 10}	{3 8}	{3 10}	{3 8}	{11 6}	{15 34}
12. Erysipelas.....	{M. 49 F. 49}	{9 13}	{11 16}			{1 1}	{1 1}	{3 6}	{1 3}	{4 1}	{6 2}	{1 2}	{6 2}	{3 2}	{2 2}	{12 11}
13. Septicæmia.....	{M. 37 F. 24}	{1 1}	{5 3}	{2 2}	{1 1}		{1 2}	{1 2}	{3 4}	{4 4}	{1 2}	{2 3}	{3 1}	{4 1}	{6 1}	{5 2}
14. Venereal diseases.....	{M. 28 F. 18}	{13 9}	{15 9}			{1 1}	{1 1}	{3 1}	{1 4}	{2 2}	{1 1}	{1 1}		{1 1}		{2 2}
15. Others of this group.....	{M. 80 F. 31}	{1 1}	{3 3}					{1 1}		{2 2}	{1 1}		{2 1}		{1 3}	{20 19}
General diseases—B.....	329	171	184	1		1	3	12	16	21	18	23	17	10	8	15
Males.....	197	78	86	1		1	1	7	14	16	17	17	13	9	7	8
Females.....	132	93	98				2	5	2	5	1	6	4	1	1	7
1. Parasitic diseases.....																
2. Alcoholism.....	{M. 80 F. 22}						{1 1}	{4 1}	{11 2}	{14 5}	{14 1}	{13 5}	{7 4}	{7 1}	{7 1}	{2 2}
3. Lead poison.....	{M. 8 F. 8}							{2 2}			{2 2}	{2 2}	{1 1}			{1 1}
4. Other poisons.....	{M. 23 F. 9}	{1 1}	{4 3}			{1 1}		{1 2}	{3 3}	{2 2}	{1 1}	{1 1}	{5 1}	{2 1}		{3 1}
5. Inanition.....	{M. 36 F. 101}	{77 92}	{82 95}	{1 1}				{2 2}				{1 1}				{2 4}
General diseases—C.....	2,744	2,009	2,092	3	1	1	5	3	5	5	5	6	5	12	16	585
Males.....	1,397	1,125	1,162		1	1	2		1	3	2	1	3	3	7	211
Females.....	1,347	884	930	3			3	3	4	2	3	5	2	9	9	374
1. Premature birth.....	{M. 190 F. 146}	{190 146}	{190 146}													
2. Stillborn.....	{M. 639 F. 499}	{639 499}	{639 499}													
3. Malformation.....	{M. 30 F. 14}	{30 13}	{30 13}									{1 1}				
4. Debility and atrophy.....	{M. 408 F. 448}	{266 226}	{303 272}		{1 3}	{1 3}	{2 3}		{1 4}	{3 2}	{2 3}	{1 4}	{3 2}	{3 9}	{6 7}	{82 136}
5. Old age.....	{M. 180 F. 240}															{139 238}

TABLE 14.—DEATHS IN THE WHOLE 6-YEAR RECORD FROM EACH SPECIFIED DISEASE AND CLASS OF DISEASES, WITH DISTINCTION OF AGE AND SEX, DURING THE 6 YEARS ENDING MAY 31, 1890—Continued.

BIRTHPLACE OF MOTHERS—ENGLAND AND WALES—Continued.

CAUSE OF DEATH.	All ages.	Under 1 year.	Total under 5 years.	5 to 10	10 to 15	15 to 20	20 to 25	25 to 30	30 to 35	35 to 40	40 to 45	45 to 50	50 to 55	55 to 60	60 to 65	65 and over and unknown.
I.—General diseases—Continued.																
General diseases—D.....	4,078	175	337	32	39	151	356	400	391	400	356	355	296	254	212	499
Males	2,082	100	185	18	13	58	139	205	193	208	189	176	159	140	110	289
Females	1,996	75	152	14	26	93	167	195	198	192	167	179	137	114	102	260
1. Rheumatism	{ M. 62 F. 64	-----	2	3	1	2	1	3	4	2	4	5	9	5	6	20
2. Scrofula and tubercles	{ M. 26 F. 23	13 10	20 18	-----	2	3	-----	-----	-----	1	-----	-----	-----	1	-----	2
3. Leprosy	{ M. ----- F. -----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----
4. Consumption	{ M. 1,514 F. 1,222	20 23	36 48	7 3	3 18	52 87	182 159	189 178	178 163	178 151	168 104	142 74	113 74	96 53	63 36	107 74
5. Hydrocephalus	{ M. 143 F. 85	61 37	118 74	9 6	4 1	2	1	2	1	2	1	1	2	1	-----	1
6. Cancer	{ M. 205 F. 470	-----	-----	1	1	2	1	6	4	16	9	16	21	24	34	72
7. Tumor	{ M. 22 F. 25	1	3	1	-----	2	2	1	1	-----	2	3	4	2	2	5
8. Anæmia	{ M. 16 F. 19	3 2	5 4	-----	-----	1	-----	1	1	2	1	2	1	2	1	3
9. Dropsy	{ M. 28 F. 31	1	1	-----	1	-----	1	1	1	2	4	3	1	3	4	12
10. Diabetes	{ M. 52 F. 43	-----	1	1	2	1	2	2	2	5	3	5	5	7	2	18
11. Others of this group	{ M. 14 F. 9	3 1	4 2	1	-----	1	1	-----	1	1	1	3	2	1	1	1
12. Others of this class	{ M. ----- F. -----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----
II.—Diseases of the nervous system.....																
	2,761	574	892	62	33	24	46	40	66	93	99	115	137	159	203	792
Males	1,528	334	516	26	18	13	27	21	38	50	49	66	73	84	120	427
Females	1,233	240	376	36	15	11	19	19	28	43	50	49	64	75	83	365
1. Inflammation of the brain. { M. 253 F. 231	111 85	209 152	18 19	9 4	3 2	12 4	6 4	11 6	16 7	6 6	9 9	11 5	12 4	10 1	21 13	
2. Apoplexy	{ M. 391 F. 357	5 4	6 7	-----	-----	2	1	2	5	9	18	22	31	30	59	208
3. Paralysis	{ M. 201 F. 196	1 3	4 4	-----	-----	1	1	2	8	5	5	6	13	13	25	118
4. Tetanus and trismus nascentium. { M. 35 F. 14	25 12	25 12	4	1	-----	1	-----	1	-----	1	-----	-----	-----	2	1	-----
5. Epilepsy	{ M. 32 F. 34	2	2	1	3	4	4	3	3	2	1	2	1	3	1	3
6. Convulsions	{ M. 210 F. 172	153 112	202 154	3 8	2	-----	2	1	1	-----	1	-----	-----	2	1	2
7. Mental diseases	{ M. 29 F. 21	-----	-----	-----	-----	1	1	2	-----	1	5	6	3	3	2	6
8. Diseases of the brain	{ M. 211 F. 159	37 19	63 39	4 4	2 5	2 2	7 5	4 4	6 3	10 8	9 14	10 7	8 4	12 9	16 11	58 44
9. Diseases of the spinal cord { M. 51 F. 40	2 3	5 6	3	1	-----	1	2	2	3	5	3	10	4	7	4	5
10. Others of this class	{ M. 15 F. 9	-----	-----	-----	1	-----	-----	-----	1	1	2	1	2	1	2	6
III.—Diseases of the circulatory system.....																
	1,709	98	113	23	40	37	40	58	67	103	115	131	136	147	169	530
Males	901	54	63	6	16	17	20	23	36	55	63	64	78	83	106	271
Females	808	44	50	17	24	20	20	35	31	48	52	67	58	64	63	259
1. Angina pectoris	{ M. 37 F. 12	-----	-----	1	-----	-----	-----	2	-----	2	1	3	4	4	4	18
2. Aneurism	{ M. 23 F. 21	-----	-----	1	-----	-----	-----	1	5	4	2	6	1	-----	3	1
3. Diseases of the heart	{ M. 797 F. 731	12 9	21 14	6 16	15 24	17 20	19 20	22 32	31 28	49 42	60 49	55 62	73 55	79 61	99 60	251 248
4. Others of this class	{ M. 44 F. 44	42 35	42 36	-----	-----	-----	1	-----	1	1	2	1	-----	1	1	1

TABLE 14.—DEATHS IN THE WHOLE 6-YEAR RECORD FROM EACH SPECIFIED DISEASE AND CLASS OF DISEASES, WITH DISTINCTION OF AGE AND SEX, DURING THE 6 YEARS ENDING MAY 31, 1890—Continued.

BIRTHPLACE OF MOTHERS—ENGLAND AND WALES—Continued.

CAUSE OF DEATH.	All ages.	Under 1 year.	Total under 5 years.	5 to 10	10 to 15	15 to 20	20 to 25	25 to 30	30 to 35	35 to 40	40 to 45	45 to 50	50 to 55	55 to 60	60 to 65	65 and over and un-known.
IV.—Diseases of the respiratory system.	3,784	721	1,468	126	31	58	97	95	140	170	154	171	190	180	183	721
Males	2,049	390	791	56	17	34	60	54	88	105	94	111	116	108	94	321
Females	1,735	331	677	70	14	24	37	41	52	65	60	60	74	72	89	400
1. Croup	{ M. 187 F. 171	{ 15 25	{ 149 147	{ 33 20	{ .. 2	{ 1 ..	{ .. 1	{	{	{ 1 1	{ 1 ..	{ 1 ..	{ 1 1	{	{	{
2. Laryngitis	{ M. 31 F. 24	{ 5 ..	{ 19 15	{ 4 5	{ .. 1	{	{ 1 ..	{	{ 1 1	{ 1 1	{	{	{ 2 2	{ 2 ..	{	{ 2 ..
3. Bronchitis	{ M. 427 F. 431	{ 168 149	{ 249 229	{ 4 6	{ 1 1	{ 2 ..	{ 6 4	{ 3 5	{ 4 6	{ 4 4	{ 4 8	{ 17 8	{ 11 6	{ 23 12	{ 21 20	{ 78 122
4. Pneumonia	{ M. 1,176 F. 929	{ 146 107	{ 303 226	{ 14 34	{ 13 10	{ 28 20	{ 48 29	{ 47 32	{ 73 41	{ 80 52	{ 83 44	{ 78 47	{ 88 59	{ 71 47	{ 59 58	{ 191 230
5. Pleurisy	{ M. 49 F. 39	{ 3 4	{ 4 6	{ .. 2	{ 1 ..	{ 2 1	{ 4 1	{ 1 1	{ 5 3	{ 6 3	{ .. 1	{ 4 1	{ 3 2	{ 3 2	{ 5 2	{ 11 14
6. Asthma	{ M. 27 F. 26	{ 1 2	{ 1 2	{	{	{	{	{ 1 ..	{	{ 3 ..	{ 2 1	{ 1 1	{ 3 2	{ 3 4	{ 5 1	{ 12 11
7. Others of this class	{ M. 152 F. 115	{ 52 44	{ 66 52	{ 1 3	{ 2 ..	{ 1 3	{ 1 2	{ 2 3	{ 6 1	{ 10 5	{ 4 6	{ 10 2	{ 8 4	{ 6 7	{ 8 4	{ 27 23
V.—Diseases of the digestive system.	1,074	123	182	20	18	26	25	44	54	60	75	92	85	87	75	231
Males	555	62	97	7	7	17	13	18	20	24	36	46	46	50	47	127
Females	519	66	85	13	11	9	12	26	34	36	39	46	39	37	28	104
1. Dentition	{ M. 28 F. 22	{ 15 17	{ 28 22	{	{	{	{	{	{	{	{	{	{	{	{	{
2. Angina	{ M. 6 F. 8	{ 1 1	{ 4 2	{ .. 3	{	{	{ .. 1	{	{	{	{	{	{	{	{ .. 1	{ 1 2
3. Diseases of the stomach	{ M. 83 F. 96	{ 8 16	{ 16 19	{ 1 1	{ 2 ..	{ 3 2	{ 3 3	{ 5 4	{ 1 6	{ 2 3	{ 4 5	{ 3 6	{ 4 6	{ 12 6	{ 6 3	{ 25 29
4. Obstruction of the bowels	{ M. 39 F. 18	{ 6 1	{ 7 3	{ 1 1	{ 1 1	{ 2 1	{ 3 1	{ 2 1	{ 2 ..	{ 1 2	{ 4 2	{ 1 ..	{ .. 1	{ 3 1	{ 6 3	{ 6 2
5. Hernia	{ M. 36 F. 21	{ 2 ..	{ 2 ..	{	{	{ 1 1	{ 1 ..	{ 1 1	{ 1 1	{ .. 2	{ 1 1	{ 6 3	{ 2 2	{ 5 2	{ 5 2	{ 11 8
6. Other diseases of the bowels	{ M. 4 F. 6	{ .. 3	{ 1 3	{	{	{	{	{	{ .. 1	{ .. 1	{ .. 1	{	{	{	{ .. 1	{ .. 1
7. Jaundice	{ M. 13 F. 7	{ 4 3	{ 4 3	{ 2 ..	{	{	{	{	{	{ 1 1	{	{ 1 ..	{	{ 2 ..	{ 1 ..	{ 2 3
8. Inflammation and abscess of the liver	{ M. 44 F. 41	{ 1 1	{ 1 1	{ .. 1	{ .. 1	{ 1 1	{	{ 1 1	{ 3 2	{ 1 4	{ 5 6	{ 8 2	{ 7 6	{ 4 2	{ 5 5	{ 8 9
9. Other diseases of the liver	{ M. 145 F. 96	{	{	{	{ 1 ..	{ 2 ..	{	{ 4 5	{ 7 11	{ 11 9	{ 11 12	{ 15 11	{ 29 9	{ 13 10	{ 14 8	{ 43 27
10. Peritonitis	{ M. 99 F. 134	{ 5 5	{ 12 8	{ 3 5	{ 3 5	{ 6 3	{ 7 6	{ 7 15	{ 6 18	{ 4 11	{ 9 9	{ 10 20	{ 3 9	{ 8 12	{ 5 5	{ 16 8
11. Ascites	{ M. 2 F. 3	{	{	{	{ 1 1	{ 1 ..	{	{	{	{	{	{ 1 1	{ 1 1	{ 1 ..	{	{ 2 3
12. Others of this class	{ M. 56 F. 62	{ 20 19	{ 22 24	{ .. 2	{ 3 ..	{ 3 ..	{ .. 2	{ 2 1	{ .. 2	{ 3 4	{ 1 2	{ 2 3	{ 1 5	{ 3 3	{ 3 2	{ 13 12
VI.—Diseases of the urinary system and male organs of generation.	1,414	15	40	14	16	9	35	71	68	96	111	127	156	117	153	401
Males	878	10	28	5	4	6	16	32	27	47	74	82	91	77	104	235
Females	536	5	12	9	12	3	19	39	41	49	37	45	65	40	49	116
1. Bright's disease	{ M. 411 F. 234	{	{	{ .. 1	{ 1 6	{ 3 3	{ 8 9	{ 15 22	{ 17 20	{ 22 25	{ 53 22	{ 41 24	{ 48 36	{ 46 22	{ 44 27	{ 113 67
2. Calculus, urinary	{ M. 2 F. 2	{	{	{	{	{	{	{	{	{	{	{	{ 1 1	{	{	{ 1 1
3. Diseases of the kidney	{ M. 340 F. 225	{ 9 5	{ 27 11	{ 5 8	{ 3 6	{ 3 ..	{ 8 10	{ 15 14	{ 8 20	{ 21 21	{ 18 14	{ 37 20	{ 38 27	{ 24 17	{ 45 18	{ 88 39
4. Diseases of the bladder	{ M. 80 F. 13	{ 1 ..	{ 1 ..	{	{	{	{	{	{ 2 ..	{ 1 1	{ 2 ..	{ 2 ..	{ 1 3	{ 4 1	{ 8 4	{ 8 25
5. Others of this class	{ M. 45 F. 12	{	{ 1 ..	{	{	{	{	{ 3 ..	{ 1 1	{ 2 2	{ 1 1	{ 4 1	{ 3 1	{ 3 1	{ 4 1	{ 1 1
VII.—Diseases of the female organs of generation.	53					1	4	6	9	5	4	2	8	2	4	8
1. Ovarian tumors	15						1	2	4	1	1			1	2	4
2. Ovarian diseases	6								1	1	3	2	1		1	2
3. Uterine tumors	12							1					5		1	2
4. Uterine diseases	5						1	1	1					1	1	1
5. Others of this class	15					1	2	2	4	3			2			1
VIII.—Affections connected with pregnancy.	201					9	47	48	44	36	15	1	1			
1. Abortion	17						3	3	5	6						
2. Childbirth	46					3	8	11	11	10	3					
3. Puerperal septicæmia	112					5	32	23	20	16	10	1				
4. Extra-uterine pregnancy	2									1						
5. Others of this class	24					1	4	5	8	3	2		1			

STATISTICS OF DEATHS.

685

TABLE 14.—DEATHS IN THE WHOLE 6-YEAR RECORD FROM EACH SPECIFIED DISEASE AND CLASS OF DISEASES, WITH DISTINCTION OF AGE AND SEX, DURING THE 6 YEARS ENDING MAY 31, 1890—Continued.

BIRTHPLACE OF MOTHERS—ENGLAND AND WALES—Continued.

CAUSE OF DEATH.	All ages.	Under 1 year.	Total under 5 years.	5 to 10	10 to 15	15 to 20	20 to 25	25 to 30	30 to 35	35 to 40	40 to 45	45 to 50	50 to 55	55 to 60	60 to 65	65 and over and un-known.
IX.—Diseases of the bones and joints.....	53	4	7	6	5	4	2	2	2	3	2	8	5	3
Males.....	36	2	4	5	4	3	1	1	1	3	1	6	2	3
Females.....	17	2	3	1	1	1	1	1	1	1	2	3
1. Diseases of the spine.....	{ M. 17 F. 7	{ 2 1	{ 1 1	{ 4 1	{ 1 1	{ 1 1	{ 1 1	{ 1 1	{ 2 1	{ 2 2	2
2. Diseases of the bones.....	{ M. 11 F. 4	{ 1 1	{ 2 1	3	{ 1 1	{ 1 1	{ 1 1	{ 4 1	{ 1 1
3. Diseases of the hip joint.....	{ M. 4 F. 3	{ 1 1	2	{ 1 1
4. Others of this class.....	{ M. 4 F. 3	{ 1 1	1	1	2	1
X.—Diseases of the skin.....	62	10	13	3	1	4	7	3	3	5	4	19
Males.....	36	8	9	2	3	2	1	2	4	13
Females.....	26	2	4	3	1	2	4	1	2	3	6
1. Abscess.....	{ M. 20 F. 17	{ 5 1	{ 6 3	2	2	2	1	2	3	4
2. Carbuncle.....	{ M. 8 F. 3	1	2	1	1	5
3. Others of this class.....	{ M. 8 F. 6	{ 3 1	{ 3 1	1	1	1	4
XI.—Diseases of the absorbent system.....	13	1	2	2	1	1	4	1	1	1
Males.....	5	3	1
Females.....	8	1	2	2	1	1	1
1. Addison's disease.....	{ M. 5 F. 4	{ 1 1	{ 1 1	{ 1 1	{ 3 1	1
2. Diseases of the spleen.....	{ M. F.
3. Others of this class.....	{ M. F.
XII.—Accidents and injuries.....	924	49	108	37	32	42	57	66	83	85	88	79	58	43	46	100
Males.....	723	29	78	22	22	33	50	51	66	67	74	67	46	35	36	76
Females.....	201	20	30	15	10	9	7	15	17	18	14	12	12	8	10	24
1. Burns and scalds.....	{ M. 36 F. 29	{ 3 1	{ 22 5	{ 4 7	1	{ 1 2	{ 1 3	2	1	1	1	2
2. Drowned.....	{ M. 107 F. 11	{ 1 1	{ 11 2	{ 7 3	8	13	14	10	12	6	5	5	4	2	5	5
3. Exposure and neglect.....	{ M. F.	1	1
4. Gunshot wounds.....	{ M. 8 F. 2	1	2	1	1	1	1	1
5. Homicide.....	{ M. 5 F. 10	1	1	2	1	1	3	2	1
6. Infanticide.....	{ M. F.
7. Injuries by machinery.....	{ M. 4 F.	1	2	1
8. Railroad accidents.....	{ M. 79 F. 7	1	1	4	6	9	6	7	8	10	5	5	1	1	16
9. Suffocation.....	{ M. 33 F. 20	{ 13 11	{ 17 11	{ 1 1	1	3	2	2	2	2	2	2
10. Suicide by shooting.....	{ M. 29 F. 2	4	3	2	3	4	2	3	4	2	2
11. Suicide by drowning.....	{ M. 6 F. 1	2	1	1	1	1
12. Suicide by poison.....	{ M. 32 F. 6	1	2	1	2	7	7	4	3	1	2	4
13. Other suicides.....	{ M. 35 F. 7	1	1	5	4	7	2	2	2	3	8
14. Sunstroke.....	{ M. 30 F. 5	1	2	2	2	6	5	6	2	3	1	1	2
15. Surgical operations.....	{ M. 16 F. 24	1	1	1	2	3	3	4	3	1	5	2	1	2
16. Wounds.....	{ M. 17 F. 3	1	2	2	2	5	2	3
17. Other accidents and injuries.....	{ M. 284 F. 74	{ 10 6	{ 24 10	{ 8 5	{ 5 5	9	19	19	23	29	29	36	19	18	16	30

TABLE 14.—DEATHS IN THE WHOLE 6-YEAR RECORD FROM EACH SPECIFIED DISEASE AND CLASS OF DISEASES, WITH DISTINCTION OF AGE AND SEX, DURING THE 6 YEARS ENDING MAY 31, 1890—Continued.

BIRTHPLACE OF MOTHERS—IRELAND.

CAUSE OF DEATH.	All ages.	Under 1 year.	Total under 5 years.	5 to 10	10 to 15	15 to 20	20 to 25	25 to 30	30 to 35	35 to 40	40 to 45	45 to 50	50 to 55	55 to 60	60 to 65	65 and over and unknown.
All causes.....	150,973	27,001	43,549	4,473	2,352	4,515	8,926	11,016	9,703	10,119	9,646	9,584	9,452	7,769	8,039	20,830
Males.....	79,093	14,811	23,257	2,225	1,132	2,079	4,479	5,692	4,993	5,149	5,008	4,949	4,447	3,673	3,532	8,478
Females.....	80,880	12,190	20,292	2,248	1,220	2,436	4,447	5,324	4,710	4,970	4,638	4,635	5,005	4,096	4,507	12,352
Unknown causes.....	322	49	58	6	4	5	16	22	19	14	19	22	26	25	24	62
Males.....	161	30	37	3	1	5	11	11	12	9	8	13	11	12	10	29
Females.....	161	19	21	3	3	5	11	11	7	5	11	9	15	13	14	33
I.—General diseases:																
General diseases—A.....	26,223	7,454	15,347	2,121	613	571	918	880	617	573	509	581	640	571	627	1,655
Males.....	12,719	3,900	7,814	994	279	257	470	450	304	276	234	265	282	246	227	621
Females.....	13,504	3,554	7,533	1,127	334	314	448	430	313	297	275	316	358	325	400	1,034
1. Smallpox.....	{ M. 58 F. 23	{ 4 3	{ 11 5	{ 1 2	{ 1 1	{ 2 1	{ 10 3	{ 10 3	{ 10 2	{ 5 1	{ 3 1	{ 6 4	{ 1 1			
2. Measles.....	{ M. 509 F. 527	{ 124 111	{ 467 469	{ 29 41	{ 3 5	{ 1 5	{ 3 2	{ 5 3	{ 1 1				{ 1 1			
3. Scarlet fever.....	{ M. 935 F. 1,052	{ 59 61	{ 707 704	{ 191 243	{ 37 44	{ 13 19	{ 12 17	{ 12 12	{ 6 2	{ 5 6	{ 2 3		{ 1 1			{ 1 1
4. Diphtheria.....	{ M. 2,273 F. 2,336	{ 141 114	{ 1,619 1,540	{ 519 611	{ 74 114	{ 18 23	{ 17 12	{ 10 11	{ 4 2	{ 2 5	{ 5 4		{ 1 2		{ 3 3	{ 4 6
5. Whooping cough.....	{ M. 512 F. 658	{ 254 287	{ 492 617	{ 19 32		{ 3 3		{ 1 2							{ 1 1	{ 1 2
6. Fever.....	{ M. 3 F. 9		{ 1 1				{ 1 1	{ 1 1					{ 2 1	{ 1 1	{ 2 2	{ 1 1
7. Cerebro-spinal fever.....	{ M. 242 F. 254	{ 57 55	{ 140 137	{ 28 34	{ 15 17	{ 10 17	{ 6 9	{ 10 4	{ 5 7	{ 5 9	{ 7 4	{ 5 3	{ 5 3	{ 1 1	{ 2 3	{ 3 3
8. Typhoid fever.....	{ M. 1,079 F. 921	{ 3 2	{ 28 19	{ 33 28	{ 44 44	{ 107 128	{ 263 195	{ 203 141	{ 109 102	{ 76 71	{ 60 50	{ 44 36	{ 40 36	{ 24 17	{ 19 21	{ 29 33
9. Diarrheal diseases.....	{ M. 3,431 F. 4,025	{ 1,384 1,186	{ 1,842 1,661	{ 105 76	{ 39 51	{ 43 41	{ 63 85	{ 89 108	{ 79 102	{ 96 107	{ 79 135	{ 119 180	{ 152 219	{ 147 215	{ 138 284	{ 440 761
10. Cholera infantum.....	{ M. 2,217 F. 2,115	{ 1,729 1,587	{ 2,217 2,115													
11. Malarial fever.....	{ M. 764 F. 900	{ 28 21	{ 134 113	{ 56 47	{ 54 43	{ 49 65	{ 68 76	{ 67 89	{ 56 54	{ 38 52	{ 39 47	{ 39 56	{ 38 55	{ 37 52	{ 28 51	{ 61 100
12. Erysipelas.....	{ M. 245 F. 230	{ 53 59	{ 58 70	{ 5 2	{ 4 5	{ 1 7	{ 6 14	{ 15 3	{ 16 9	{ 19 11	{ 17 9	{ 26 12	{ 20 15	{ 16 18	{ 14 16	{ 28 39
13. Septicæmia.....	{ M. 121 F. 169	{ 6 8	{ 17 17	{ 4 8	{ 6 2	{ 9 6	{ 10 20	{ 8 31	{ 6 21	{ 12 19	{ 5 10	{ 10 5	{ 13 8	{ 7 9	{ 7 5	{ 7 8
14. Venereal diseases.....	{ M. 145 F. 107	{ 48 40	{ 58 44	{ 2 2		{ 2 1	{ 8 8	{ 15 14	{ 10 7	{ 15 12	{ 7 10	{ 8 2	{ 7 5	{ 4 1	{ 6 1	{ 3 2
15. Others of this group.....	{ M. 135 F. 178	{ 10 9	{ 24 21	{ 1 3	{ 3 4	{ 2 2	{ 3 5	{ 5 9	{ 2 5	{ 3 5	{ 10 5	{ 8 8	{ 6 11	{ 10 9	{ 13 13	{ 45 78
General diseases—B.....	2,238	643	680	12	2	11	63	207	221	256	226	150	146	95	71	89
Males.....	1,436	333	356	7	2	8	43	149	161	190	150	105	98	63	44	60
Females.....	802	310	324	5	3	3	20	58	60	66	76	45	48	32	27	29
1. Parasitic diseases.....	{ M. 3 F. 3		{ 2 2	{ 1 1												
2. Alcoholism.....	{ M. 981 F. 386	{ 1 1	{ 3 3	{ 1 1	{ 2 2	{ 2 2	{ 40 11	{ 139 53	{ 154 54	{ 178 60	{ 145 71	{ 99 41	{ 89 37	{ 54 26	{ 34 17	{ 41 16
3. Lead poison.....	{ M. 28 F. 2					{ 3 3		{ 4 1	{ 4 1	{ 6 1	{ 3 1	{ 2 1	{ 2 1	{ 2 1	{ 1 1	{ 1 1
4. Other poisons.....	{ M. 55 F. 57	{ 5 7	{ 13 17	{ 3 2		{ 2 3	{ 2 8	{ 5 2	{ 2 4	{ 6 5	{ 1 4	{ 3 3	{ 6 5	{ 3 2	{ 5 2	{ 4 4
5. Inanition.....	{ M. 869 F. 854	{ 327 303	{ 338 314	{ 2 2		{ 1 1	{ 1 1	{ 1 2	{ 1 2		{ 1 1	{ 1 1	{ 1 6	{ 4 4	{ 4 8	{ 14 13
General diseases—C.....	14,554	9,652	10,057	32	14	14	20	28	25	34	38	39	82	98	266	3,807
Males.....	7,147	5,463	5,659	15	6	4	9	11	7	13	13	11	23	33	86	1,257
Females.....	7,407	4,189	4,398	17	8	10	11	17	18	21	25	28	59	65	180	2,550
1. Premature birth.....	{ M. 930 F. 752	{ 930 752	{ 930 752													
2. Stillborn.....	{ M. 3,173 F. 2,278	{ 3,173 2,278	{ 3,173 2,278													
3. Malformation.....	{ M. 138 F. 108	{ 133 105	{ 135 108	{ 2 2			{ 1 1									
4. Debility and atrophy.....	{ M. 2,113 F. 2,608	{ 1,227 1,054	{ 1,421 1,260	{ 13 17	{ 6 8	{ 4 10	{ 8 11	{ 11 17	{ 7 13	{ 13 21	{ 13 25	{ 11 28	{ 23 59	{ 33 65	{ 62 109	{ 488 960
5. Old age.....	{ M. 793 F. 1,661														{ 24 71	{ 769 1,590

STATISTICS OF DEATHS.

687

TABLE 14.—DEATHS IN THE WHOLE 6-YEAR RECORD FROM EACH SPECIFIED DISEASE AND CLASS OF DISEASES, WITH DISTINCTION OF AGE AND SEX, DURING THE 6 YEARS ENDING MAY 31, 1890—Continued.

BIRTHPLACE OF MOTHERS—IRELAND—Continued.

CAUSE OF DEATH.	All ages.	Under 1 year.	Total under 5 years.	5 to 10	10 to 15	15 to 20	20 to 25	25 to 30	30 to 35	35 to 40	40 to 45	45 to 50	50 to 55	55 to 60	60 to 65	65 and over and unknown.
I.—General diseases—Continued.																
General Diseases—D	37,731	976	2,060	328	465	2,084	4,505	5,188	4,284	4,022	3,408	2,926	2,413	1,828	1,618	2,602
Males	18,279	547	1,120	157	156	860	2,174	2,565	2,186	1,966	1,684	1,480	1,138	890	755	1,148
Females	19,452	429	940	171	309	1,224	2,331	2,623	2,098	2,056	1,724	1,446	1,275	938	863	1,454
1. Rheumatism	{ M. 369	5	5	12	18	19	16	31	29	26	24	41	29	23	31	65
F. 485	1	6	14	24	13	17	18	24	24	29	39	48	52	40	56	105
2. Scrofula and tabes	{ M. 147	74	102	5	4	6	4	2	4	6	3	2	1	2	3	6
F. 130	52	83	5	5	4	2	5	4	6	3	2	2	3	4	4	4
3. Leprosy	{ M.
F.
4. Consumption	{ M. 15,533	136	279	65	98	809	2,118	2,480	2,092	1,849	1,563	1,270	906	696	560	748
F. 15,149	110	256	79	253	1,165	2,248	2,505	1,926	1,770	1,339	992	797	539	491	789	
5. Hydrocephalus	{ M. 824	311	682	59	26	7	9	12	7	4	6	5	4	2	1	1
F. 675	253	563	59	11	11	7	8	2	1	7	2	1	1	1	1	
6. Cancer	{ M. 994	1	3	2	3	2	6	20	30	51	69	121	161	134	136	256
F. 2,425	441
7. Tumor	{ M. 85	2	3	2	1	2	6	6	6	9	5	8	10	9	5	13
F. 135	20
8. Anæmia	{ M. 74	11	14	3	1	6	1	3	5	4	9	4	7	5	12
F. 123	15
9. Dropsy	{ M. 80	6	6	2	5	4	2	5	2	5	2	9	10	4	5	19
F. 156	2	5	2	3	3	2	2	7	8	12	15	11	12	17	57	
10. Diabetes	{ M. 120	1	1	1	1	8	3	8	11	10	9	12	11	14	7	24
F. 118	20
11. Others of this group	{ M. 51	11	24	6	2	4	2	1	2	3	2	1	4
F. 50	10	14	3	1	2	5	6	1	3	3	4	2	1	3	2
12. Others of this class	{ M. 2	1	1	1
F. 1
II.—Diseases of the nervous system.																
General Diseases—D	14,004	2,693	4,557	409	212	215	305	358	417	578	654	810	931	851	1,015	2,692
Males	6,871	1,483	2,471	220	109	113	153	197	218	315	343	392	409	347	444	1,140
Females	7,133	1,205	2,086	189	103	102	152	161	199	263	311	418	522	504	571	1,552
1. Inflammation of the brain	{ M. 1,720	449	1,019	134	67	43	57	46	48	62	55	40	53	28	28	40
F. 1,427	381	838	103	58	41	41	28	40	48	39	54	32	23	15	56	
2. Apoplexy	{ M. 1,774	17	29	6	10	16	49	59	105	131	175	198	167	240	589
F. 2,296	12	20	1	6	12	22	38	57	87	142	195	273	283	325	835	
3. Paralysis	{ M. 690	5	11	3	4	4	7	14	20	30	43	49	59	66	74	306
F. 903	2	10	5	3	2	5	18	18	27	47	70	85	102	124	387	
4. Tetanus and trismus nascentium	{ M. 187	99	99	6	11	12	7	17	6	4	3	12	1	2	2	5
F. 74	59	62	1	
5. Epilepsy	{ M. 156	9	12	7	11	22	20	12	9	9	10	13	8	5	8	10
F. 180	5	16	9	6	16	23	11	10	12	13	13	9	9	11	22	
6. Convulsions	{ M. 1,069	700	952	26	3	3	3	4	1	3	3	3	3	3	2
F. 919	590	834	30	3	3	10	8	5	7	4	2	4	4	5	
7. Mental diseases	{ M. 127	4	3	8	10	17	9	10	15	12	10	29
F. 213	2	11	14	12	14	24	14	18	20	25	53
8. Diseases of the brain	{ M. 980	193	328	32	11	9	30	32	51	66	66	68	57	52	53	134
F. 875	153	269	33	21	19	24	21	33	39	32	49	73	53	51	158	
9. Diseases of the spinal cord	{ M. 191	10	21	6	2	4	10	13	12	17	21	19	14	11	23	19
F. 182	3	16	5	2	4	9	9	16	19	19	14	17	21	12	17	
10. Others of this class	{ M. 23	2	2	2	2	2	3	4	1	4	6
F. 64	3	6	4	4	10	2	2	6	3	14	
III.—Diseases of the circulatory system.																
General Diseases—D	10,088	443	519	186	270	358	440	535	560	696	767	913	957	867	921	2,099
Males	4,495	252	293	83	102	167	222	244	265	294	382	419	402	371	368	883
Females	5,593	191	226	103	168	191	218	291	295	402	385	494	555	496	553	1,216
1. Angina pectoris	{ M. 82	1	1	2	3	2	6	8	15	7	9	11	17
F. 101	5	5	5	11	10	15	11	4	23	
2. Aneurism	{ M. 150	2	12	11	23	22	21	20	15	12	12
F. 66	2	2	6	8	6	6	7	8	12	
3. Diseases of the heart	{ M. 4,033	49	86	83	101	163	218	228	252	264	350	382	372	344	343	845
F. 5,220	37	68	103	168	187	210	280	279	275	375	367	467	535	483	528	1,169
4. Others of this class	{ M. 230	203	207	1	1	1	2	1	3	3	2	9
F. 206	154	158	1	1	4	5	8	2	6	2	5	12	

TABLE 14.—DEATHS IN THE WHOLE 6-YEAR RECORD FROM EACH SPECIFIED DISEASE AND CLASS OF DISEASES, WITH DISTINCTION OF AGE AND SEX, DURING THE 6 YEARS ENDING MAY 31, 1890—Continued.

BIRTHPLACE OF MOTHERS—IRELAND—Continued.

CAUSE OF DEATH.	All ages.	Under 1 year.	Total under 5 years.	5 to 10	10 to 15	15 to 20	20 to 25	25 to 30	30 to 35	35 to 40	40 to 45	45 to 50	50 to 55	55 to 60	60 to 65	65 and over and unknown.
IV.—Diseases of the respiratory system.	28,369	4,086	8,434	826	263	542	1,011	1,432	1,354	1,526	1,639	1,697	1,861	1,605	1,764	4,415
Males	14,485	2,246	4,491	420	119	266	602	884	810	877	939	941	918	700	775	1,683
Females	13,884	1,840	3,943	406	144	276	409	548	544	649	700	756	943	845	989	2,732
1. Croup	M. 1,009 F. 915	98 89	814 728	170 152	11 11	5 3	1 4	2 2	1 1	2 1	2 2	3 3	4 4	2 2	1 2	2
2. Laryngitis	M. 166 F. 154	25 14	105 108	20 19	3 1	3	4 4	8 3	4 3	7 4	3 2	3 2	3 2	2 2	2	1 4
3. Bronchitis	M. 3,205 F. 4,080	1,008 872	1,493 1,377	43 42	10 15	27 40	58 59	68 88	58 76	74 83	112 136	112 148	153 220	153 234	213 215	631 1,237
4. Pneumonia	M. 8,826 F. 7,515	826 636	1,786 1,440	171 172	85 100	199 209	486 302	727 394	681 414	706 409	748 502	748 539	657 620	534 540	473 573	875 1,211
5. Pleurisy	M. 379 F. 285	15 8	23 23	2 8	4 4	22 10	29 17	42 29	34 18	38 29	32 21	26 21	41 15	20 27	22 18	39 45
6. Asthma	M. 115 F. 191	1 2	1 4	1	1	1	1	5	3	10 6	5 10	14 14	11 23	11 12	17 22	44 89
7. Others of this class	M. 785 F. 744	273 219	314 263	14 12	6 13	10 13	24 22	37 28	30 28	40 27	37 27	38 29	53 59	40 30	49 49	93 144
V.—Diseases of the digestive system.	6,754	626	939	88	113	149	276	387	423	480	557	701	670	560	507	904
Males	3,028	340	510	47	68	73	112	169	171	191	254	300	275	257	214	387
Females	3,726	286	429	41	45	76	164	218	252	289	303	401	395	303	293	517
1. Dentition	M. 155 F. 141	88 71	155 141													
2. Angina	M. 48 F. 29	10 5	28 15	5 6	4 3		1	3	1	1	1	1	1	1		2 1
3. Diseases of the stomach	M. 587 F. 785	53 60	85 90	11 7	7 9	5 16	18 37	30 49	41 51	38 59	47 46	62 75	59 83	55 55	40 76	89 132
4. Obstruction of the bowels	M. 158 F. 189	18 14	27 19	4 4	6 5	3 5	3 7	11 7	6 10	7 11	13 12	16 18	17 20	11 20	10 15	24 36
5. Hernia	M. 145 F. 166	14 14	14		1	2	4	8	5	5	9	11	16	13	20	37 44
6. Other diseases of the bowels	M. 32 F. 24	11 7	14 8	1	1	1	2	3		1	1	2	1	3	5	2 3
7. Jaundice	M. 49 F. 80	25 25	26 26		1	1	1		4	1	4	3	3	2	3	6 18
8. Inflammation and abscess of the liver	M. 209 F. 299	10 1	12 6	2 2	3 1	1	12 6	13 17	20 17	24 24	25 29	22 42	16 50	16 36	11 27	32 42
9. Other diseases of the liver	M. 902 F. 1,015	4 2	7 2	2 2	3 1	6 6	20 15	45 44	61 76	76 105	108 124	131 175	122 134	117 108	84 84	120 139
10. Peritonitis	M. 486 F. 730	29 18	43 24	18 15	38 21	47 41	43 89	49 82	32 32	30 73	28 57	38 49	23 57	27 39	28 38	42 63
11. Ascites	M. 14 F. 17						1	2	1	1		3	4	2	1	2 5
12. Others of this class	M. 243 F. 251	78 83	99 98	5 4	6 3	8 7	9 5	10 10	4 7	6 5	19 16	11 12	13 18	10 17	12 15	31 34
VI.—Diseases of the urinary system and male organs of generation.	10,256	45	180	138	102	187	388	678	819	958	1,015	1,076	1,166	862	869	1,808
Males	4,899	26	108	61	58	85	173	321	378	467	460	539	514	408	410	917
Females	5,357	19	82	77	44	102	215	357	441	491	555	537	652	454	459	891
1. Bright's disease	M. 2,435 F. 2,890			21 27	22 23	39 57	86 114	153 175	193 231	252 269	230 302	290 310	290 365	232 260	210 255	412 502
2. Calculus, urinary	M. 11 F. 10						1	1	2	1	1	2	1	1	4	
3. Diseases of the kidney	M. 2,063 F. 2,302	20 15	100 77	40 43	30 20	38 41	79 90	158 163	166 191	197 207	209 247	234 207	200 274	148 134	151 193	313 360
4. Diseases of the bladder	M. 217 F. 56	1 2	1 2		2	3	2	5	3	6	8	10	18	14	30	115
5. Others of this class	M. 173 F. 99	5 2	7 3	2	4	3	6	5	9	12	12	5	6	14	17	73 11
VII.—Diseases of the female organs of generation.	297	1	2			8	19	37	42	45	34	38	24	13	16	19
1. Ovarian tumors	80						3	3	8	7	11	16	10	7	6	9
2. Ovarian diseases	22						3	3	2	5	2	3	2	1	1	3
3. Uterine tumors	53						1	5	3	9	4	11	8	2	6	4
4. Uterine diseases	38						8	8	4	7	5	4	1	1	1	3
5. Others of this class	104	1	2			8	7	18	25	17	12	4	4	2	2	
VIII.—Affections connected with pregnancy.	1,474				1	44	321	438	313	249	92	11	3	1		1
1. Abortion	105					1	22	28	31	16	7					
2. Childbirth	413					10	68	109	91	83	47	5				
3. Puerperal septicæmia	750				1	20	179	250	144	118	30	6	1	1		
4. Extra-uterine pregnancy	2								2							
5. Others of this class	204					13	52	51	45	32	8		2			1

STATISTICS OF DEATHS.

689

TABLE 14.—DEATHS IN THE WHOLE 6-YEAR RECORD FROM EACH SPECIFIED DISEASE AND CLASS OF DISEASES, WITH DISTINCTION OF AGE AND SEX, DURING THE 6 YEARS ENDING MAY 31, 1890—Continued.

BIRTHPLACE OF MOTHERS—IRELAND—Continued.

CAUSE OF DEATH.	All ages.	Under 1 year.	Total under 5 years.	5 to 10	10 to 15	15 to 20	20 to 25	25 to 30	30 to 35	35 to 40	40 to 45	45 to 50	50 to 55	55 to 60	60 to 65	65 and over and un-known.
IX.—Diseases of the bones and joints...	412	6	36	74	55	25	35	39	20	22	22	21	15	10	10	28
Males	217	2	20	29	33	15	20	27	8	13	9	10	9	7	5	12
Females	195	4	16	45	22	10	15	12	12	9	13	11	6	3	5	16
1. Diseases of the spine..... {M..	111	2	17	16	17	8	14	17	1	5	1	5	5	1		4
{F..	99	4	12	27	8	4	8	7	6	3	8	5	2		1	8
2. Diseases of the bones..... {M..	56		1	5	7	2	4	4	7	3	7	3	2	1	3	7
{F..	36			5	3	2	3	1	4	3	3	2	1	1	2	6
3. Diseases of the hip joint. {M..	33		2	8	8	5	1	6		1		1	1			1
{F..	37		3	12	10	3	3	1	1			1	1			1
4. Others of this class..... {M..	17				1		1			4	1	1	1	5	2	1
{F..	23		1	1	1	1	1	3	1	2	2	3	2	2	2	1
X.—Diseases of the skin.....	313	42	65	2	9	12	14	10	15	16	17	22	25	22	22	62
Males	138	18	33	2	3	5	6	5	8	6	9	12	7	9	7	26
Females	175	24	32		6	7	8	5	7	10	8	10	18	13	15	36
1. Abscess	81	12	24	2	3	5	3	4	5	5	6	6	5	2	2	9
{F..	99	14	19		6	7	7	5	5	6	5	4	7	7	2	19
2. Carbuncle..... {M..	20		1						2	1	3	3	2	4	2	3
{F..	29	1	1						1	1	1	2	6	6	6	5
3. Others of this class..... {M..	37	6	9				3	1	1			3		3	3	14
{F..	47	9	12				1	1	1	3	2	4	5	7	7	12
XI.—Diseases of the absorbent system.....	49	2	9	2	1	1	1	5	3	3	6	6	5	3		4
Males	22	1	4	1		1		2	1		3	5	1	1		3
Females	27	1	5	1	1		1	3	2	3	3	1	4	2		1
1. Addison's disease..... {M..	5					1					2	2				
{F..	9				1			2	1	1	1		2			1
2. Diseases of the spleen..... {M..	5		1					1			1	1				1
{F..	6		2							1	1	1	1	1		
3. Others of this class..... {M..	12	1	3	1				1	1			2	1	1		2
{F..	12	1	3	1			1	1	1	1	1	1	1	1		
XII.—Accidents and injuries.....	6,889	283	587	249	228	289	594	772	571	647	643	571	483	358	309	533
Males	5,196	165	341	186	196	225	490	657	464	532	520	457	360	269	187	312
Females	1,693	118	246	63	32	64	104	115	107	115	123	114	128	89	122	271
1. Burns and scalds..... {M..	186	3	68	7	1	9	12	18	10	10	9	11	6	6	10	9
{F..	266	4	42	11	11	17	21	23	23	12	12	19	20	9	13	33
2. Drowned..... {M..	709	1	14	65	61	43	73	83	59	65	54	70	38	36	18	30
{F..	81	1	13	8	3	10	8	3	1	6	8	2	5	2	4	8
3. Exposure and neglect..... {M..	17						3	1		4	2	1	1	2	2	1
{F..	6	2	2						1	1	1	2				
4. Gunshot wounds..... {M..	49			4	8	7	6	2	6	2	4	3	2	1	3	1
{F..	2					1				1						
5. Homicide..... {M..	166		1		3	11	42	26	19	15	17	14	6	4	4	4
{F..	38	1	1	1	1	2	3	5	6	8	4	2	1	4	3	1
6. Infanticide..... {M..	2	2	2													
{F..																
7. Injuries by machinery..... {M..	14				1		1	1	2	2	1	3	2			1
{F..																
8. Railroad accidents..... {M..	683		7	22	28	32	106	118	60	65	69	47	38	27	26	38
{F..	57		2	4	2	3	3	4	1	7	5	2	4	9	9	11
9. Suffocation..... {M..	223	96	103	5		4	9	20	13	11	17	9	12	7	5	8
{F..	143	75	84	4	1	7	12	3	7	4	2	3	3	2	4	7
10. Suicide by shooting..... {M..	62				1	2	2	5	12	4	4	6	8	5	2	4
{F..	3						9	1	1							
11. Suicide by drowning..... {M..	15						3	3	2			4	1	2		
{F..	7						1	1		1	2	2				
12. Suicide by poison..... {M..	64		1			3	2	6	6	6	11	2	4	11	3	9
{F..	71		1		1	6	9	11	10	7	3	5	7	5	3	5
13. Other suicides..... {M..	105					2	3	15	7	11	12	22	14	11	2	6
{F..	29					2	2	4	4	6	2	1	4	2	1	3
14. Sunstroke..... {M..	436	13	17	4	1	6	51	66	59	60	60	47	25	13	8	19
{F..	94	7	12	2		1	6	6	5	7	9	4	13	9	3	18
15. Surgical operations..... {M..	79	6	10	2	3	2	3	6	6	5	10	2	7	11	5	7
{F..	99	2	3	1	1	1	14	15	10	15	10	9	4	5	6	5
16. Wounds..... {M..	91		7	6	7	7	11	4	10	10	6	7	4	4	5	6
{F..	26	1	2	1	1	1	2	2	1	3	3	4	3	3	3	3
17. Other accidents and injuries..... {M..	2,295	44	117	70	83	97	160	276	199	202	240	210	189	129	94	169
{F..	771	25	85	32	12	15	21	39	37	41	61	62	65	48	76	177

TABLE 14.—DEATHS IN THE WHOLE 6-YEAR RECORD FROM EACH SPECIFIED DISEASE AND CLASS OF DISEASES, WITH DISTINCTION OF AGE AND SEX, DURING THE 6 YEARS ENDING MAY 31, 1890—Continued.

BIRTHPLACE OF MOTHERS—SCOTLAND.

CAUSE OF DEATH.	All ages.	Under 1 year.	Total under 5 years.	5 to 10	10 to 15	15 to 20	20 to 25	25 to 30	30 to 35	35 to 40	40 to 45	45 to 50	50 to 55	55 to 60	60 to 65	65 and over and un-known.
All causes.....	7,418	1,509	2,312	217	106	153	234	365	379	401	392	371	376	354	391	1,317
Males.....	4,008	851	1,298	120	60	77	158	181	191	220	225	214	210	196	225	683
Females.....	3,410	658	1,014	97	46	76	126	184	188	181	167	157	166	158	166	634
Unknown causes.....	11	1	1	2			1							2		5
Males.....	8	1	1	1										1		5
Females.....	3			1			1							1		
I.—General diseases:																
General diseases—A.....	1,319	899	794	104	31	31	35	35	24	23	21	18	24	20	33	121
Males.....	705	216	432	50	16	17	24	23	10	15	12	10	13	14	18	51
Females.....	614	183	362	54	15	14	11	12	14	13	9	8	11	6	15	70
1. Smallpox.....	{ M 4 F 3		1			1		1	1	1						
2. Measles.....	{ M 33 F 19	9 6	28 17	2 2				2				1				
3. Scarlet fever.....	{ M 62 F 46	6 2	44 29	14 12	3 2	1	1			1						
4. Diphtheria.....	{ M 134 F 111	7 2	93 67	28 32	6 7	1 2	4		1 1		1			1		1
5. Whooping cough.....	{ M 20 F 23	11 13	19 26	1 1								1				
6. Fever.....	{ M F															
7. Cerebro-spinal fever.....	{ M 10 F 6	3 2	7 2	1	1	1			1			1				1
8. Typhoid fever.....	{ M 64 F 44		1 2	1 2	2 3	8 4	13 5	14 4	6 7	5 4	4 4	1 4	2 4	4 1	2 2	1 2
9. Diarrheal diseases.....	{ M 177 F 163	74 67	97 95	1 2	2 1	4 3	1	3	1	3	2	4	8	5	10	33 39
10. Cholera infantum.....	{ M 116 F 109	90 84	116 109													
11. Malarial fever.....	{ M 38 F 39	2	10 5	2 2	2 1	1 3	3 2	1 4	1 1	5 4	1 2	2 1		2	3	5 12
12. Erysipelas.....	{ M 18 F 11	9 1	9 3			1 1	1	1	1	1			1	2	3	1 4
13. Septicæmia.....	{ M 12 F 6			1			1	2	1	1	2	1	2	1		2 1
14. Venereal diseases.....	{ M 11 F 9	5 5	6 6							1	1			1		2
15. Others of this group.....	{ M 6 F 15	1	1 1				1		1		1		2	1	1	2 10
General diseases—B.....	108	41	42		1		2	8	5	9	9	8	10	5	5	4
Males.....	75	25	26		1		1	6	3	5	6	7	7	5	5	3
Females.....	33	16	16				1	2	2	4	3	1	3		1	1
1. Parasitic diseases.....	{ M 1 F		1													
2. Alcoholism.....	{ M 42 F 12				1		1	4	3	5	5	7	7	3	5	1
3. Lead poison.....	{ M 1 F 1						1							1		
4. Other poisons.....	{ M 3 F 2							1		1	1			1		
5. Inanition.....	{ M 28 F 18	25 16	25 16					1	1							2 1
General diseases—C.....	792	546	566		2				2	2	4	1	5	3	8	199
Males.....	423	319	332		1				1	1	2		2	1	4	79
Females.....	369	227	234		1				1	1	2	1	3	2	4	120
1. Premature birth.....	{ M 56 F 37	56 37	56 37													
2. Stillborn.....	{ M 180 F 126	180 126	180 126													
3. Malformation.....	{ M 17 F 3	17 3	17 3													
4. Debility and atrophy.....	{ M 123 F 124	66 61	79 68		1 1				1 1	1 1	2 2		2 3	1	4 3	32 42
5. Old age.....	{ M 47 F 79														1	47 78

STATISTICS OF DEATHS.

TABLE 14.—DEATHS IN THE WHOLE 6-YEAR RECORD FROM EACH SPECIFIED DISEASE AND CLASS OF DISEASES, WITH DISTINCTION OF AGE AND SEX, DURING THE 6 YEARS ENDING MAY 31, 1890—Continued.

BIRTPPLACE OF MOTHERS—SCOTLAND—Continued.

CAUSE OF DEATH.	All ages.	Under 1 year.	Total under 5 years.	5 to 10	10 to 15	15 to 20	20 to 25	25 to 30	30 to 35	35 to 40	40 to 45	45 to 50	50 to 55	55 to 60	60 to 65	65 and over and un-known.
I.—General diseases—Continued.																
General diseases—D.....	1,459	55	99	12	14	57	139	147	156	144	137	128	104	91	84	147
Males	755	33	60	5	5	26	69	75	87	77	79	68	47	42	49	66
Females	704	22	39	7	9	31	70	72	69	67	58	60	57	49	35	81
1. Rheumatism	{ M. 13 F. 23		1	1	1			1	2	3	1	2	3	3	3	4 6
2. Scrofula and tabes	{ M. 4 F. 7	2 2	3 5			1						2				
3. Leprosy	{ M. F.															
4. Consumption	{ M. 581 F. 451	9 6	15 11		4 5	22 26	67 69	71 67	81 63	71 52	70 41	51 29	40 28	28 17	22 14	39 29
5. Hydrocephalus	{ M. 45 F. 23	19 14	37 23	3 2	1 1	1 2	1	1				1				
6. Cancer	{ M. 71 F. 166		1			2		3	4 4	3 10	5 15	7 25	6 26	10 25	16 16	19 40
7. Tumor	{ M. 9 F. 4					1		2		1		2	1		1	1 1
8. Anæmia	{ M. 5 F. 8					1	1	1			1	2		1	2	
9. Dropsy	{ M. 4 F. 5								1		1	1		2	1	2
10. Diabetes	{ M. 16 F. 7			1	1					1 1	1	3		1	6 1	3 2
11. Others of this group	{ M. 7 F. 4	3	3	1	1					1	1			1	1	1
12. Others of this class	{ M. F.			1												
II.—Diseases of the nervous system.....	794	161	271	23	13	5	9	11	16	27	33	26	43	46	55	216
Males	426	84	145	12	8	2	5	4	4	14	15	15	25	27	30	120
Females	368	77	126	11	5	3	4	7	12	13	18	11	18	19	25	96
1. Inflammation of the brain	{ M. 87 F. 96	23 32	60 61	6 9	3 4	2 1	2	1		3 4	1 4	3 1	2 1	1 1	2	3 4
2. Apoplexy	{ M. 126 F. 90			1		1		2	3	3	3	7	12	16	16	65 44
3. Paralysis	{ M. 57 F. 43		1				1		3	3	3	3	4	4	8	34 27
4. Tetanus and trismus nas-centium	{ M. 9 F. 2	8 2	8 2		1											
5. Epilepsy	{ M. 11 F. 11		1 2		1	1	1	2	1	2	1		2	2	1	1 1
6. Convulsions	{ M. 60 F. 46	43 32	57 44	2	1					1 1						
7. Mental diseases	{ M. 7 F. 9								1 2		1 1	1		1	1	5 3
8. Diseases of the brain	{ M. 54 F. 52	8 9	15 15	3 1	2		1 1	1 3		1 3	5 3	2 2	5 2	7 1	2 5	10 14
9. Diseases of the spinal cord	{ M. 14 F. 14	2 1	3 2	1	1		1		1	1	1	2	3	2	3	1 1
10. Others of this class	{ M. 1 F. 5					1		1			1					1 2
III.—Diseases of the circulatory system.....	546	27	30	8	11	11	13	22	33	29	23	53	39	50	59	165
Males	295	18	20	5	8	7	7	4	19	21	17	26	24	21	31	85
Females	251	9	10	3	3	4	6	18	14	8	6	27	15	29	28	80
1. Angina pectoris	{ M. 5 F. 7							1	1	1			1	1	1	2 2
2. Aneurism	{ M. 10 F. 1										4 1	3	1	1	1	
3. Diseases of the heart	{ M. 260 F. 234	5 4	7 5	5 3	8 3	7 4	7 6	4 16	19 13	20 8	12 5	23 26	21 15	20 27	27 26	80 77
4. Others of this class	{ M. 20 F. 9	13 5	13 5					1			1		1	1	2	3 1

TABLE 14.—DEATHS IN THE WHOLE 6-YEAR RECORD FROM EACH SPECIFIED DISEASE AND CLASS OF DISEASES, WITH DISTINCTION OF AGE AND SEX, DURING THE 6 YEARS ENDING MAY 31, 1890—Continued.

BIRTHPLACE OF MOTHERS—SCOTLAND—Continued.

CAUSE OF DEATH.	All ages.	Under 1 year.	Total under 5 years.	5 to 10	10 to 15	15 to 20	20 to 25	25 to 30	30 to 35	35 to 40	40 to 45	45 to 50	50 to 55	55 to 60	60 to 65	65 and over and un-known.
IV.—Diseases of the respiratory system.	1,153	232	415	38	5	18	30	51	45	51	56	55	62	46	64	217
Males	645	127	223	28	1	12	22	33	27	30	33	33	41	31	34	97
Females	508	105	192	10	4	6	8	18	18	21	23	22	21	15	30	120
1. Croup	{ M. 51 F. 30	{ 6 6	{ 40 27	{ 9 3				1					1			
2. Laryngitis	{ M. 4 F. 4		{ 2 3	{ 1				1	1							
3. Bronchitis	{ M. 131 F. 141	{ 57 47	{ 77 70	{ 2 1	{ 1 2		2 1	2 1	3 1	2 1	4 3	5 2	4 4	4 4	5 7	24 45
4. Pneumonia	{ M. 391 F. 283	{ 44 38	{ 80 73	{ 17 4	{ 2	{ 11 6	{ 18 5	{ 28 16	{ 20 16	{ 27 17	{ 25 19	{ 25 16	{ 29 15	{ 26 10	{ 25 19	{ 60 65
5. Pleurisy	{ M. 13 F. 10		{ 1	{ 1		{ 1	{ 1	{ 1	{ 1	{ 1	{ 2	{ 1			{ 1	{ 4 1
6. Asthma	{ M. 4 F. 3	{ 1	{ 1									1		1	1	1
7. Others of this class	{ M. 51 F. 37	{ 19 14	{ 22 19				2 1	2 1	2 1	2 1	4 4	4 2	4 4	1 1	2 3	8 9
V.—Diseases of the digestive system....	343	28	45	7	10	6	14	16	15	20	32	24	25	30	22	77
Males	159	19	30	3	4	3	7	6	4	12	13	13	13	15	12	24
Females	184	9	15	4	6	3	7	10	11	8	19	11	12	15	10	53
1. Dentition	{ M. 11 F. 3	{ 7 2	{ 11 3													
2. Angina	{ M. 2 F. 2	{ 1	{ 2 1													1
3. Diseases of the stomach	{ M. 19 F. 46		{ 1 3	{ 1 2		1	3	1	2	3	2	4	4	2	3	6 19
4. Obstruction of the bowels	{ M. 13 F. 9	{ 3 1	{ 3 1		1	1	2	2		2		1			1	4 4
5. Hernia	{ M. 4 F. 9	{ 1	{ 1							1	1	1		1	1	2 4
6. Other diseases of the bowels	{ M. 3 F. 3	{ 2	{ 2										1	1	1	1
7. Jaundice	{ M. 6 F. 4	{ 2 1	{ 2 1		1						1		1		1	
8. Inflammation and abscess of the liver	{ M. 6 F. 14										3 4	1 1		1 1	3	1 5
9. Other diseases of the liver	{ M. 54 F. 33		{ 1	{ 1			1	2	2	3	5 8	8 2	10 4	8 5	3 3	11 9
10. Peritonitis	{ M. 23 F. 48	{ 1 2	{ 3 3	{ 1 1	{ 3 5	{ 2 1	{ 1 4	{ 1 8	{ 1 7	{ 3 3	{ 2 4	{ 2 1	{ 1 1	{ 2 2	{ 1 1	7
11. Ascites	{ M. 1 F. 2									1				1		1
12. Others of this class	{ M. 17 F. 11	{ 4 1	{ 6 1	{ 1		1	3	1	1	1	1	1	2	1	1	2 3
VI.—Diseases of the urinary system and male organs of generation.	438	4	11	5	3	7	13	22	28	42	36	31	39	41	37	123
Males	252	1	5	4	2	3	5	9	13	19	22	21	21	24	24	80
Females	186	3	6	1	1	4	8	13	15	23	14	10	18	17	13	43
1. Bright's disease	{ M. 106 F. 93				2 1	1 3	1 2	6 6	3 8	9 8	9 9	11 4	9 12	13 7	14 6	28 27
2. Calculus, urinary	{ M. 1 F. 1	{ 1	{ 1													
3. Diseases of the kidney	{ M. 113 F. 83	{ 4 2	{ 4 5	{ 4 1		2 1	4 5	2 6	10 5	8 13	11 5	8 6	11 6	8 9	9 5	32 16
4. Diseases of the bladder	{ M. 18 F. 4	{ 2					1				2	2	1	2	1	10
5. Others of this class	{ M. 15 F. 5	{ 1	{ 1					1	1	1	2			1		10
VII.—Diseases of the female organs of generation.	23					1		1	5	3	3	3	1		3	3
1. Ovarian tumors	6							1					1		1	3
2. Ovarian diseases	4					1					1				1	
3. Uterine tumors	6								3	1		2				
4. Uterine diseases	1									1						
5. Others of this class	6								1	1	2	1			1	
VIII.—Affections connected with pregnancy.	87					5	8	26	24	15	8	1				
1. Abortion	9							4	3	2						
2. Childbirth	31							8	8	7						
3. Puerperal septicaemia	39					4	3	10	12	6		1				
4. Extra-uterine pregnancy																
5. Others of this class	8					1	1	4	1		1					

STATISTICS OF DEATHS.

TABLE 14.—DEATHS IN THE WHOLE 6-YEAR RECORD FROM EACH SPECIFIED DISEASE AND CLASS OF DISEASES, WITH DISTINCTION OF AGE AND SEX, DURING THE 6 YEARS ENDING MAY 31, 1890—Continued.

BIRTHPLACE OF MOTHERS—SCOTLAND—Continued.

CAUSE OF DEATH.	All ages.	Under 1 year.	Total under 5 years.	5 to 10	10 to 15	15 to 20	20 to 25	25 to 30	30 to 35	35 to 40	40 to 45	45 to 50	50 to 55	55 to 60	60 to 65	65 and over and unknown.
IX.—Diseases of the bones and joints...	13		1	2	1	1		2					3		2	1
Males	8		1		1			1					3		1	1
Females	5			2		1		1							1	
1. Diseases of the spine..... {M..	5				1											
{F..	2			2				1					2		1	
2. Diseases of the bones..... {M..	3		1										1			1
{F..	2					1		1								
3. Diseases of the hip joint.. {M..																
{F..																
4. Others of this class..... {M..	1														1	
{F..																
X.—Diseases of the skin.....	15	2	4	1		1	2				1	1		1	1	3
Males	9	1	2			1	2					1			1	2
Females	6	1	2	1							1			1		1
1. Abscess..... {M..	5		1			1	1					1				1
{F..	4			1							1			1		1
2. Carbuncle..... {M..	3						1								1	1
{F..																
3. Others of this class..... {M..	1	1	1													
{F..	2	1	2													
XI.—Diseases of the absorbent system.....	1						1									
Males							1									
Females	1															
1. Addison's disease..... {M..	1						1									
{F..																
2. Diseases of the spleen..... {M..																
{F..																
3. Others of this class..... {M..																
{F..																
XII.—Accidents and injuries.....	316	13	33	15	15	10	17	24	26	31	29	22	21	19	18	36
Males	248	7	21	12	13	6	16	20	23	26	26	20	14	15	16	20
Females	68	6	12	3	2	4	1	4	3	5	3	2	7	4	2	16
1. Burns and scalds..... {M..	13		5			1		1	1		1	1				2
{F..	10		2	1	1	2		1	1							2
2. Drowned..... {M..	43			9	5	2	5	4	3	4	4	5			1	
{F..	2					1										1
3. Exposure and neglect..... {M..	2					1										1
{F..	1															1
4. Gunshot wounds..... {M..	2										1	1				
{F..																
5. Homicide..... {M..	4								1	1	1	1				
{F..	2											1	1			
6. Infanticide..... {M..	1	1	1													
{F..																
7. Injuries by machinery..... {M..																
{F..																
8. Railroad accidents..... {M..	23		2		1		1	3	3	5	1	1		3	2	1
{F..	4			1			1							1	1	
9. Suffocation..... {M..	8	4	4						1	1	2				1	
{F..	5	4	4													
10. Suicide by shooting..... {M..	10								1	1		1	1	1	3	2
{F..																
11. Suicide by drowning..... {M..																
{F..																
12. Suicide by poison..... {M..	10			1			1	1		1	1	1	1	2	1	1
{F..	1								1							
13. Other suicides..... {M..	8							2	1	1	1	1				1
{F..	3							2	1	1	1	1				
14. Sunstroke..... {M..	12						1	1		2	1	3	1	1	1	1
{F..	2															2
15. Surgical operations..... {M..	2									2	1	1				1
{F..	5									2	1	1				1
16. Wounds..... {M..	2									2						
{F..																
17. Other accidents and injuries.	110	3	10	2	7	2	8	8	13	9	12	5	9	8	7	10
{M..																
{F..	32	1	5	1	1	1		2	2	2	1	6	3	1	9	

STATISTICS OF DEATHS.

TABLE 14.—DEATHS IN THE WHOLE 6-YEAR RECORD FROM EACH SPECIFIED DISEASE AND CLASS OF DISEASES, WITH DISTINCTION OF AGE AND SEX, DURING THE 6 YEARS ENDING MAY 31, 1890—Continued.

BIRTHPLACE OF MOTHERS—FRANCE—Continued.

CAUSE OF DEATH.	All ages.	Under 1 year.	Total under 5 years.	5 to 10	10 to 15	15 to 20	20 to 25	25 to 30	30 to 35	35 to 40	40 to 45	45 to 50	50 to 55	55 to 60	60 to 65	65 and over and unknown.
I.—General diseases—Continued.																
General diseases—D.....	724	25	40	5	8	22	35	57	75	93	100	71	56	47	34	81
Males.....	415	18	28	2	5	10	15	26	46	52	47	52	31	30	19	42
Females.....	309	7	12	3	3	12	20	31	29	41	53	19	25	17	15	39
1. Rheumatism.....	{ M. 16 F. 9			1		1	1		2	1	2	3	1	1	1	4
2. Scrofula and tubercles.....	{ M. 3 F. 3	1	2								1					1
3. Leprosy.....	{ M. . F. .															
4. Consumption.....	{ M. 216 F. 168	3	6	1	4	9	14	26	42	48	39	44	19	20	14	20
5. Hydrocephalus.....	{ M. 19 F. 15	12	18	2	1	2				1						
6. Cancer.....	{ M. 38 F. 94					1	2	1	1	1	2	3	7	7	4	13
7. Tumor.....	{ M. 1 F. 5										1		1	1	2	
8. Anemia.....	{ M. 3 F. 2	2	2													1
9. Dropsy.....	{ M. 6 F. 5									3			1	1		1
10. Diabetes.....	{ M. 10 F. 8					1			1	1	1	1	3			3
11. Others of this group.....	{ M. 3 F. 2										1	1		1	1	1
12. Others of this class.....	{ M. . F. .															
II.—Diseases of the nervous system																
	381	67	92	4	4	4	7	10	11	17	15	15	23	29	38	112
Males.....	219	33	48	2	1	4	3	3	5	14	9	9	15	15	19	72
Females.....	162	34	44	2	3	4	4	7	6	3	6	6	8	14	19	40
1. Inflammation of the brain.....	{ M. 38 F. 33	10	17	1	1	2			1	4	3		2	3	1	3
2. Apoplexy.....	{ M. 79 F. 60						3	1	2	2	2	7	6	4	10	42
3. Paralysis.....	{ M. 25 F. 13	1	1					1	1	3			2	2	4	13
4. Tetanus and trismus nascentium.....	{ M. 4 F. 3	3	3							1						1
5. Epilepsy.....	{ M. 3 F. 1		1					1								1
6. Convulsions.....	{ M. 25 F. 14	17	23	1											1	
7. Mental diseases.....	{ M. 3 F. 9						1	3	1	1	1					1
8. Diseases of the brain.....	{ M. 36 F. 25	3	5			2			1	1	3	3	3	4	3	10
9. Diseases of the spinal cord.....	{ M. 6 F. 2								1				2	1		3
10. Others of this class.....	{ M. 3 F. .							1						1		1
III.—Diseases of the circulatory system:																
	306	10	11	5	6	4	7	12	6	24	19	31	33	36	31	81
Males.....	175	4	4	3	2	2	4	5	4	14	15	18	19	22	22	41
Females.....	131	6	7	2	4	2	3	7	2	10	4	13	14	14	9	40
1. Angina pectoris.....	{ M. 7 F. 2									3		2		1		1
2. Aneurism.....	{ M. 3 F. 3									1	1	1	1		1	
3. Diseases of the heart.....	{ M. 161 F. 118	2	2	3	2	2	4	5	4	11	14	15	18	21	21	39
4. Others of this class.....	{ M. 4 F. 8	2	2	2	4	2	3	6	2	9	4	11	12	14	8	40

TABLE 14.—DEATHS IN THE WHOLE 6-YEAR RECORD FROM EACH SPECIFIED DISEASE AND CLASS OF DISEASES, WITH DISTINCTION OF AGE AND SEX, DURING THE 6 YEARS ENDING MAY 31, 1890—Continued.

BIRTHPLACE OF MOTHERS—FRANCE—Continued.

CAUSE OF DEATH.	All ages.	Under 1 year.	Total under 5 years.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 and over and unknown.
IV.—Diseases of the respiratory system.	509	88	182	16	3	8	9	12	12	21	26	26	32	27	21	114
Males	295	50	94	7	2	8	6	9	7	10	23	16	20	18	16	59
Females	214	38	88	9	1		3	3	5	11	3	10	12	9	5	55
1. Croup	{ M. 21 F. 26	{ 3 3	{ 18 22	{ 1 4	{	{ 1	{ 1	{	{	{	{	{	{	{	{	{
2. Laryngitis	{ M. 6 F. 1	{	{ 2 1	{ 2	{	{	{	{	{	{	{	{	{	{	{	{ 1 1
3. Bronchitis	{ M. 64 F. 47	{ 20 17	{ 29 24	{	{ 2	{ 1	{ 1	{ 1	{ 1	{ 1	{ 4	{ 1	{ 2	{ 3	{ 1	{ 20 16
4. Pneumonia	{ M. 168 F. 118	{ 19 12	{ 37 34	{ 4 1	{ 2 1	{ 6	{ 4	{ 8	{ 5	{ 6	{ 18	{ 14	{ 15	{ 12	{ 9	{ 28 34
5. Pleurisy	{ M. 6 F. 6	{	{	{ 1	{	{	{ 1	{	{ 2	{	{	{ 2	{	{	{	{ 1
6. Asthma	{ M. 5 F. 1	{	{	{	{	{	{	{	{	{	{	{	{ 2	{	{ 1	{ 2 1
7. Others of this class	{ M. 25 F. 15	{ 8 6	{ 8 7	{ 1	{	{	{	{	{	{ 1	{ 1	{ 1	{ 1	{ 1	{ 5	{ 7 4
V.—Diseases of the digestive system.	166	10	14	2	2	2	2	8	4	17	18	12	19	14	18	34
Males	99	3	3	1	1	1	1	5	2	11	12	10	13	6	14	19
Females	67	7	11	1	1	1	1	3	2	6	6	2	6	8	4	15
1. Dentition	{ M. 1 F. 2	{ 1 1	{ 1 2	{	{	{	{	{	{	{	{	{	{	{	{	{
2. Angina	{ M. 2 F. 1	{	{ 1	{ 1	{	{	{	{	{	{	{	{	{	{	{	{
3. Diseases of the stomach	{ M. 12 F. 8	{	{ 2	{	{ 1	{	{ 1	{ 2	{	{ 2	{ 1	{ 1	{ 1	{ 1	{ 1	{ 3 2
4. Obstruction of the bowels	{ M. 5 F. 3	{ 1	{ 1	{	{	{	{	{	{	{ 1	{ 1	{	{	{	{ 1	{ 2 1
5. Hernia	{ M. 5 F. 6	{	{	{	{	{	{	{	{	{	{ 1	{ 1	{ 2	{	{ 2	{ 2 2
6. Other diseases of the bowels	{ M. 1 F. 1	{	{	{	{	{	{	{	{	{	{	{	{	{ 1	{	{
7. Jaundice	{ M. 1 F. 2	{	{ 2	{	{	{	{	{	{	{	{	{	{	{	{	{ 1
8. Inflammation and abscess of the liver	{ M. 7 F. 8	{	{	{	{ 1	{	{	{ 1	{ 1	{ 2	{ 1	{	{ 1	{ 1	{ 2	{ 1 2
9. Other diseases of the liver	{ M. 48 F. 14	{	{	{	{	{	{	{ 1	{ 2	{ 5	{ 3	{ 7	{ 8	{ 3	{ 7	{ 7 3
10. Peritonitis	{ M. 14 F. 17	{ 2	{ 2	{ 1	{ 1	{ 1	{ 1	{ 2	{ 2	{ 2	{ 1	{ 1	{ 1	{ 2	{ 1	{ 2 1
11. Ascites	{ M. 1 F. 1	{	{	{	{	{	{	{	{	{	{	{	{	{	{	{
12. Others of this class	{ M. 5 F. 5	{ 1	{ 1	{	{	{	{	{	{	{	{ 1	{	{ 1	{	{ 2	{ 1 4
VI.—Diseases of the urinary system and male organs of generation.	209	5	7	3	2	2	1	9	5	12	14	18	23	23	29	61
Males	133	1	2	1	2			4	1	8	7	13	17	17	22	39
Females	76	4	5	2		2	1	5	4	4	7	5	6	6	7	22
1. Bright's disease	{ M. 54 F. 41	{	{	{ 1	{ 1	{ 1	{ 1	{ 4	{ 2	{ 4	{ 4	{ 5	{ 7	{ 10	{ 11	{ 10 11
2. Calculus, urinary	{ M. 1 F. 1	{ 1	{ 1	{	{	{	{	{	{	{	{	{	{	{	{	{ 1
3. Diseases of the kidney	{ M. 53 F. 26	{ 1	{ 2	{ 1	{ 1	{ 1	{	{ 2	{ 1	{ 3	{ 3	{ 7	{ 8	{ 4	{ 8	{ 14 9
4. Diseases of the bladder	{ M. 21 F. 4	{	{	{	{	{	{	{ 1	{	{ 1	{	{	{ 1	{ 3	{ 3	{ 13 2
5. Others of this class	{ M. 4 F. 4	{ 1 2	{ 1 2	{	{	{	{	{	{ 1	{ 1	{ 1	{	{ 1	{	{	{ 1
VII.—Diseases of the female organs of generation.	16					1		2	2	1	4	2				4
1. Ovarian tumors	5								1	1	1					2
2. Ovarian diseases	1									1	1					
3. Uterine tumors	3							1			1					
4. Uterine diseases	3															
5. Others of this class	7					1		1	1		1					2
VIII.—Affections connected with pregnancy.	29					1	5	7	9	6		1				
1. Abortion	1									1						
2. Childbirth	3									2						
3. Puerperal septicæmia	21					1	3	6	7	3		1				
4. Extra-uterine pregnancy	1							1								
5. Others of this class	3						2	1	1							

STATISTICS OF DEATHS.

TABLE 14.—DEATHS IN THE WHOLE 6-YEAR RECORD FROM EACH SPECIFIED DISEASE AND CLASS OF DISEASES, WITH DISTINCTION OF AGE AND SEX, DURING THE 6 YEARS ENDING MAY 31, 1890—Continued.

BIRTHPLACE OF MOTHERS—FRANCE—Continued.

CAUSE OF DEATH.	All ages.	Under 1 year.	Total under 5 years.	5 to 10	10 to 15	15 to 20	20 to 25	25 to 30	30 to 35	35 to 40	40 to 45	45 to 50	50 to 55	55 to 60	60 to 65	65 and over and unknown.
IX.—Diseases of the bones and joints.....	12		2				1		1	3	1		2		2	
Males.....	7		1				1		1	2	1		2		1	
Females.....	5		1												1	
1. Diseases of the spine..... {M. 1	1		1													
{F. 4										2	1				1	
2. Diseases of the bones..... {M. 3	3												2		1	
{F. 3																
3. Diseases of the hip joint..... {M. 2	2						1		1							
{F. 1	1		1													
4. Others of this class..... {M. 1	1									1						
{F. 1																
X.—Diseases of the skin.....	12			2				1		1		1	2	2	1	2
Males.....	7							1		1			1	2	1	1
Females.....	5			2								1	1			1
1. Abscess..... {M. 5	5							1		1			1	2		
{F. 4	4			2									1			1
2. Carbuncle..... {M. 1	1											1				
{F. 1	1															
3. Others of this class..... {M. 1	1														1	
{F. 1																
XI.—Diseases of the absorbent system.....	2					1		1								
Males.....	1					1										
Females.....	1							1								
1. Addison's disease..... {M. 1	1															
{F. 1																
2. Diseases of the spleen..... {M. 1	1															
{F. 1																
3. Others of this class..... {M. 1	1					1										
{F. 1								1								
XII.—Accidents and injuries.....	141	6	12	3	2	7	8	10	11	12	11	10	13	13	9	20
Males.....	112	3	9	2	2	5	8	9	9	7	11	6	10	11	6	17
Females.....	29	3	3	1		2		1	2	5	4	4	3	2	3	3
1. Burns and scalds..... {M. 6	6		2	1		1		1		1						
{F. 4	4							1	1	1		1				
2. Drowned..... {M. 13	13			1		1		1		1	2		3	1		3
{F. 3	3			1		1									1	
3. Exposure and neglect..... {M. 1	1														1	
{F. 1																
4. Gunshot wounds..... {M. 1	1															1
{F. 1																
5. Homicide..... {M. 2	2								1	1						
{F. 2																
6. Infanticide..... {M. 1	1															
{F. 1																
7. Injuries by machinery..... {M. 1	1															
{F. 1																
8. Railroad accidents..... {M. 15	15		1		2	1	2				1	1		2	2	3
{F. 15																
9. Suffocation..... {M. 7	7	1	1					1		1	1		1	1		1
{F. 3	3	2	2													
10. Suicide by shooting..... {M. 12	12					1	1	1	3		2	1	2			1
{F. 4	4								1					2	1	
11. Suicide by drowning..... {M. 1	1															
{F. 1																
12. Suicide by poison..... {M. 6	6							1		1	1	1	1		1	
{F. 2	2								1							
13. Other suicides..... {M. 5	5						1	1			1	1	1			
{F. 1	1												1			
14. Sunstroke..... {M. 6	6	1	2						1			1	1		1	
{F. 1	1														1	
15. Surgical operations..... {M. 2	2						1									1
{F. 6	6					1			3		1				1	1
16. Wounds..... {M. 1	1															1
{F. 1																
17. Other accidents and injuries..... {M. 35	35	1	3			1	3	3	4	2	3	1	1	7	1	6
{F. 5	5	1	1									2				2

TABLE 14.—DEATHS IN THE WHOLE 6-YEAR RECORD FROM EACH SPECIFIED DISEASE AND CLASS OF DISEASES, WITH DISTINCTION OF AGE AND SEX, DURING THE 6 YEARS ENDING MAY 31, 1890—Continued.

BIRTHPLACE OF MOTHERS—GERMANY.

CAUSE OF DEATH.	All ages.	Under 1 year.	Total under 5 years.	5 to 10	10 to 15	15 to 20	20 to 25	25 to 30	30 to 35	35 to 40	40 to 45	45 to 50	50 to 55	55 to 60	60 to 65	65 and over and un-known.
All causes.....	105,801	30,444	44,957	3,682	1,476	2,438	4,023	4,922	4,736	4,701	4,512	4,456	4,634	4,661	4,785	11,313
Males.....	58,918	16,759	24,239	1,898	753	1,300	2,041	2,693	2,771	2,911	2,861	2,920	2,889	2,853	2,793	5,941
Females.....	46,883	13,685	20,668	1,784	718	1,138	1,982	2,229	1,965	1,790	1,651	1,536	1,745	1,808	1,992	5,377
Unknown causes.....	209	45	58	3	4	3	7	8	7	11	7	13	14	12	28	39
Males.....	128	22	32	1	1	1	6	3	2	5	4	10	11	11	15	26
Females.....	81	23	26	2	3	2	1	5	5	6	3	3	3	1	13	13
I.—General diseases:																
General diseases—A.....	23,814	10,219	17,084	1,871	444	438	496	457	391	342	286	280	299	281	320	325
Males.....	12,404	5,448	8,899	914	213	227	267	260	211	186	167	162	170	162	177	398
Females.....	11,410	4,771	8,194	957	231	211	229	197	180	156	119	118	129	119	143	427
1. Smallpox.....	{ M. 43 F. 42	{ 10 7	{ 21 17	{ 6 6	{ 1 2	{ 1 3	{ 2 3	{ 3 2	{ 1 2	{ 1 2	{ 1 1	{ 1 3	{ 3 1	{ 1 1	{ 1 1	{ 1 1
2. Measles.....	{ M. 412 F. 395	{ 114 92	{ 378 356	{ 29 31	{ 1 3			{ 3 1		{ 2 2						{ 1 1
3. Scarlet fever.....	{ M. 790 F. 855	{ 43 44	{ 528 589	{ 194 203	{ 33 34	{ 11 7	{ 9 9	{ 6 3	{ 6 6			{ 1 1	{ 1 1			{ 1 1
4. Diphtheria.....	{ M. 2,176 F. 2,195	{ 143 126	{ 1,536 1,473	{ 525 572	{ 55 82	{ 26 30	{ 12 16	{ 2 4	{ 2 7	{ 3 3	{ 4 3		{ 2 1	{ 3 2	{ 1 2	{ 5 4
5. Whooping cough.....	{ M. 373 F. 462	{ 220 203	{ 369 449	{ 2 3	{ 1 1				{ 1 1	{ 3 3						{ 2 2
6. Fever.....	{ M. 2 F. 4	{ 1 1	{ 1 1					{ 1 1			{ 1 1				{ 1 1	{ 1 1
7. Cerebro-spinal fever.....	{ M. 207 F. 142	{ 44 27	{ 108 86	{ 28 20	{ 9 11	{ 11 8	{ 6 5	{ 9 2	{ 5 3	{ 9 2	{ 5 1	{ 6 6	{ 2 2	{ 2 2	{ 6 1	{ 1 3
8. Typhoid fever.....	{ M. 850 F. 614	{ 3 3	{ 20 23	{ 35 33	{ 43 42	{ 114 102	{ 159 106	{ 138 74	{ 87 50	{ 75 41	{ 42 29	{ 37 31	{ 35 26	{ 23 19	{ 24 17	{ 18 21
9. Diarrheal diseases.....	{ M. 3,370 F. 3,371	{ 2,439 2,058	{ 2,999 2,528	{ 57 39	{ 36 32	{ 29 23	{ 35 30	{ 33 43	{ 48 49	{ 48 55	{ 45 42	{ 58 42	{ 66 57	{ 81 63	{ 81 81	{ 249 237
10. Cholera infantum.....	{ M. 2,648 F. 2,426	{ 2,243 2,048	{ 2,646 2,426													{ 2 2
11. Malarial fever.....	{ M. 485 F. 463	{ 26 26	{ 97 77	{ 29 39	{ 19 21	{ 16 30	{ 23 37	{ 35 41	{ 36 36	{ 22 31	{ 36 24	{ 28 18	{ 30 19	{ 24 14	{ 30 23	{ 55 53
12. Erysipelas.....	{ M. 225 F. 158	{ 63 65	{ 67 76	{ 3 2	{ 3 3	{ 9 3	{ 6 4	{ 11 4	{ 12 5	{ 16 5	{ 17 5	{ 16 12	{ 16 8	{ 14 3	{ 15 6	{ 20 20
13. Septicæmia.....	{ M. 95 F. 119	{ 7 12	{ 17 22	{ 2 3	{ 5 1	{ 7 2	{ 4 13	{ 4 17	{ 6 14	{ 6 9	{ 6 10	{ 4 6	{ 10 11	{ 7 5	{ 7 3	{ 10 3
14. Venereal diseases.....	{ M. 126 F. 71	{ 79 50	{ 84 56			{ 2 2	{ 1 1	{ 2 2	{ 3 3	{ 3 3	{ 1 1		{ 2 2	{ 2 2	{ 3 3	{ 4 2
15. Others of this group.....	{ M. 102 F. 93	{ 14 9	{ 20 15	{ 4 1	{ 3 2	{ 3 1	{ 3 3	{ 3 4	{ 4 2	{ 1 3	{ 4 6	{ 10 4	{ 3 3	{ 5 5	{ 8 11	{ 31 33
General diseases—B.....	1,010	496	526	3	3	7	19	51	65	74	67	77	36	35	21	26
Males.....	686	259	275	3	3	2	14	40	57	66	60	72	35	29	14	19
Females.....	324	237	251			5	5	11	8	8	7	5	1	6	7	7
1. Parasitic diseases.....	{ M. 2 F. 3		{ 2 2	{ 1 1	{ 1 1									{ 1 1		
2. Alcoholism.....	{ M. 332 F. 34	{ 1 1	{ 1 1		{ 1 1		{ 10 9	{ 35 9	{ 49 4	{ 59 6	{ 53 4	{ 57 2	{ 28 2	{ 19 4	{ 8 2	{ 12 3
3. Lead poison.....	{ M. 15 F. 2		{ 1 1		{ 1 1		{ 1 1	{ 1 1	{ 2 2	{ 2 2	{ 3 3	{ 2 1	{ 1 1	{ 1 1		
4. Other poisons.....	{ M. 62 F. 32	{ 2 2	{ 9 5			{ 1 4	{ 3 4	{ 4 2	{ 6 4	{ 5 2	{ 2 2	{ 11 2	{ 6 1	{ 8 2	{ 4 2	{ 3 2
5. Inanition.....	{ M. 275 F. 253	{ 256 234	{ 265 243			{ 1 1					{ 2 1	{ 2 2			{ 1 3	{ 4 2
General diseases—C.....	12,509	10,398	10,654	18	8	13	9	10	12	14	18	16	31	40	95	1,571
Males.....	6,789	5,853	5,976	11	7	8	3	5	5	9	9	7	13	22	52	672
Females.....	5,720	4,545	4,678				6	5	7	5	9	9	18	18	43	899
1. Premature birth.....	{ M. 704 F. 490	{ 704 489	{ 704 490													
2. Stillborn.....	{ M. 3,740 F. 2,867	{ 3,740 2,867	{ 3,740 2,867													
3. Malformation.....	{ M. 90 F. 79	{ 84 71	{ 87 76			{ 2 2						{ 1 1				
4. Debility and atrophy.....	{ M. 1,379 F. 1,302	{ 1,325 1,118	{ 1,445 1,245	{ 11 5	{ 8 8	{ 3 3	{ 3 6	{ 5 5	{ 5 6	{ 9 5	{ 9 9	{ 6 9	{ 13 18	{ 22 18	{ 33 34	{ 310 426
5. Old age.....	{ M. 376 F. 482														{ 14 9	{ 362 473

STATISTICS OF DEATHS.

699

TABLE 14.—DEATHS IN THE WHOLE 6-YEAR RECORD FROM EACH SPECIFIED DISEASE AND CLASS OF DISEASES, WITH DISTINCTION OF AGE AND SEX, DURING THE 6 YEARS ENDING MAY 31, 1890—Continued.

BIRTHPLACE OF MOTHERS—GERMANY—Continued.

CAUSE OF DEATH.	All ages.	Under 1 year.	Total under 5 years.	5 to 10	10 to 15	15 to 20	20 to 25	25 to 30	30 to 35	35 to 40	40 to 45	45 to 50	50 to 55	55 to 60	60 to 65	65 and over and un-known.
I.—General diseases—Continued.																
General diseases—D.....	19,167	1,129	1,936	207	158	849	1,800	2,252	2,051	1,773	1,639	1,398	1,329	1,179	1,031	1,565
Males.....	11,083	627	1,076	110	68	420	952	1,279	1,259	1,094	1,024	876	810	696	586	838
Females.....	8,084	502	860	97	90	429	848	973	792	679	615	522	519	483	445	727
1. Rheumatism.....	{ M. 277 F. 170	{ 2 5	{ 10 8	{ 15 7	{ 10 10	{ 14 10	{ 11 13	{ 17 9	{ 17 12	{ 15 11	{ 17 8	{ 20 10	{ 30 12	{ 20 12	{ 25 8	{ 56 40
2. Scrofula and tabes.....	{ M. 151 F. 124	{ 100 81	{ 131 112	{ 3 1	{ 1 1		{ 1 1	{ 1 3	{ 2 2	{ 2 1				{ 4 1	{ 2 1	{ 3 2
3. Leprosy.....	{ M. F.															
4. Consumption.....	{ M. 8,379 F. 5,232	{ 112 99	{ 215 181	{ 35 47	{ 37 62	{ 379 405	{ 912 805	{ 1,227 918	{ 1,193 705	{ 1,001 530	{ 882 403	{ 701 205	{ 590 239	{ 450 205	{ 344 167	{ 413 270
5. Hydrocephalus.....	{ M. 774 F. 586	{ 376 297	{ 659 524	{ 47 34	{ 13 7	{ 5 1	{ 4 1	{ 8 1	{ 4 1	{ 9 2	{ 4 2	{ 5 2	{ 6 1	{ 3 3	{ 1 2	{ 6 6
6. Cancer.....	{ M. 1,069 F. 1,597	{ 1 1	{ 5 2	{ 1 1	{ 1 2	{ 3 3	{ 10 14	{ 11 29	{ 24 55	{ 45 115	{ 93 184	{ 107 190	{ 144 236	{ 181 225	{ 166 225	{ 273 323
7. Tumor.....	{ M. 73 F. 67	{ 2 1	{ 4 1	{ 1 1		{ 3 2	{ 4 4	{ 5 3	{ 6 3	{ 6 3	{ 3 5	{ 7 9	{ 8 8	{ 8 7	{ 4 6	{ 14 14
8. Anæmia.....	{ M. 39 F. 46	{ 4 6	{ 9 6	{ 2 3	{ 1 2	{ 3 5	{ 1 4	{ 1 1	{ 1 4	{ 2 4	{ 1 4	{ 6 4	{ 2 1	{ 2 2	{ 4 2	{ 4 5
9. Dropsy.....	{ M. 88 F. 91	{ 9 1	{ 12 5	{ 4 4	{ 1 2	{ 3 2	{ 2 2	{ 3 1	{ 1 3	{ 5 6	{ 4 7	{ 3 2	{ 8 8	{ 6 5	{ 8 10	{ 28 36
10. Diabetes.....	{ M. 166 F. 128	{ 1 2	{ 1 2		{ 3 1	{ 3 1	{ 6 4	{ 5 4	{ 10 4	{ 7 5	{ 12 5	{ 23 6	{ 18 20	{ 19 21	{ 27 21	{ 32 34
11. Others of this group.....	{ M. 66 F. 41	{ 20 10	{ 30 19	{ 2 2	{ 1 2	{ 2 2	{ 2 2	{ 1 2	{ 1 4	{ 2 2	{ 6 2	{ 3 3	{ 4 2		{ 3 3	{ 4 2
12. Others of this class.....	{ M. F.	{ 1 2										{ 1 2				
II.—Diseases of the nervous system.....																
	10,229	3,199	4,607	274	197	141	146	186	259	308	347	415	512	595	640	1,662
Males.....	5,841	1,818	2,525	139	66	69	75	113	176	209	235	275	322	343	378	916
Females.....	4,388	1,381	2,082	135	71	72	71	73	83	99	112	140	190	252	262	746
1. Inflammation of the brain.....	{ M. 1,386 F. 1,081	{ 514 382	{ 900 768	{ 78 83	{ 31 38	{ 27 26	{ 27 12	{ 36 24	{ 41 20	{ 37 12	{ 37 16	{ 37 14	{ 34 17	{ 35 8	{ 20 15	{ 46 28
2. Apoplexy.....	{ M. 1,495 F. 1,101	{ 7 9	{ 15 20	{ 4 4	{ 4 2	{ 5 9	{ 12 15	{ 29 9	{ 52 26	{ 69 25	{ 100 41	{ 115 70	{ 163 104	{ 157 168	{ 234 162	{ 536 446
3. Paralysis.....	{ M. 453 F. 341	{ 8 8	{ 15 14	{ 5 7	{ 5 4	{ 4 4	{ 5 6	{ 6 8	{ 21 8	{ 32 10	{ 29 12	{ 42 16	{ 39 25	{ 51 29	{ 51 44	{ 148 154
4. Tetanus and trismus nascentium.....	{ M. 137 F. 99	{ 98 77	{ 100 79	{ 3 1	{ 6 2	{ 6 2	{ 4 1	{ 1 4	{ 4 1	{ 1 4	{ 2 4	{ 3 4		{ 2 3	{ 3 1	{ 2 1
5. Epilepsy.....	{ M. 110 F. 81	{ 7 6	{ 12 11	{ 9 5	{ 4 7	{ 9 13	{ 13 8	{ 6 3	{ 10 5	{ 11 8	{ 7 2	{ 2 4	{ 5 4	{ 8 4	{ 2 2	{ 12 5
6. Convulsions.....	{ M. 1,263 F. 1,048	{ 1,009 789	{ 1,225 1,004	{ 16 19	{ 5 3	{ 2 3		{ 2 4	{ 5 5	{ 1 2	{ 1 2		{ 2 1		{ 1 2	{ 2 2
7. Mental diseases.....	{ M. 100 F. 100				{ 1 1	{ 1 3	{ 3 6	{ 6 4	{ 7 4	{ 11 12	{ 13 17	{ 14 15	{ 11 12	{ 8 6	{ 9 4	{ 16 16
8. Diseases of the brain.....	{ M. 679 F. 406	{ 165 108	{ 242 174	{ 21 10	{ 8 13	{ 11 9	{ 8 11	{ 23 8	{ 24 7	{ 27 17	{ 29 11	{ 38 7	{ 49 15	{ 46 19	{ 37 22	{ 114 83
9. Diseases of the spinal cord.....	{ M. 195 F. 95	{ 10 2	{ 15 11	{ 3 4	{ 1 2	{ 2 2	{ 2 4	{ 4 7	{ 9 5	{ 17 9	{ 15 8	{ 21 6	{ 19 10	{ 33 13	{ 19 8	{ 35 8
10. Others of this class.....	{ M. 23 F. 36		{ 1 1		{ 1 1	{ 2 1	{ 1 4		{ 3 7	{ 3 3	{ 2 2	{ 2 4		{ 1 2	{ 2 4	{ 5 3
III.—Diseases of the circulatory system.....																
	6,310	347	428	118	180	212	200	267	334	371	410	485	574	627	707	1,397
Males.....	3,480	187	241	56	76	115	100	138	196	222	250	293	341	358	376	718
Females.....	2,830	160	187	62	104	97	100	129	138	149	160	192	233	269	331	679
1. Angina pectoris.....	{ M. 88 F. 51							{ 1 3	{ 3 2	{ 3 3	{ 9 5	{ 12 4	{ 16 4	{ 12 3	{ 8 13	{ 24 11
2. Aneurism.....	{ M. 103 F. 34					{ 1 1	{ 3 1	{ 4 2	{ 10 2	{ 12 4	{ 15 2	{ 9 7	{ 17 3	{ 17 4	{ 7 8	{ 8 8
3. Diseases of the heart.....	{ M. 3,107 F. 2,575	{ 44 33	{ 92 52	{ 55 62	{ 76 102	{ 114 96	{ 96 95	{ 131 123	{ 131 132	{ 205 141	{ 225 152	{ 271 179	{ 304 223	{ 325 258	{ 359 308	{ 673 652
4. Others of this class.....	{ M. 182 F. 170	{ 143 127	{ 149 135	{ 1 2			{ 1 4	{ 2 2	{ 2 2	{ 2 1	{ 1 1	{ 1 2	{ 4 3	{ 4 4	{ 2 7	{ 13 8

TABLE 14.—DEATHS IN THE WHOLE 6-YEAR RECORD FROM EACH SPECIFIED DISEASE AND CLASS OF DISEASES, WITH DISTINCTION OF AGE AND SEX, DURING THE 6 YEARS ENDING MAY 31, 1890—Continued.

BIRTHPLACE OF MOTHERS—GERMANY—Continued.

CAUSE OF DEATH.	All ages.	Under 1 year.	Total under 5 years.	5 to 10	10 to 15*	15 to 20	20 to 25	25 to 30	30 to 35	35 to 40	40 to 45	45 to 50	50 to 55	55 to 60	60 to 65	65 and over and unknown.
IV.—Diseases of the respiratory system.	16,427	3,542	7,807	748	181	266	391	506	504	582	538	594	686	726	794	2,094
Males	9,309	1,952	4,280	403	91	146	234	306	302	408	363	416	388	465	452	1,055
Females	7,118	1,590	3,527	345	90	120	157	200	202	174	175	178	248	261	342	1,039
1. Croup	{ M. 1,249 F. 1,031	{ 150 102	{ 1,044 847	{ 172 148	{ 8 14	{ 2 3	{ 1 1	{ 2 1	{ 1 1	{ 3 1	{ 5 2	{ 3 3	{ 3 3	{ 2 1	{ 1 3	{ 5 4
2. Laryngitis	{ M. 190 F. 117	{ 20 18	{ 120 93	{ 17 14	{ 2 1	{ 3 2	{ 1 1	{ 5 3	{ 6 1	{ 11 6	{ 6 5	{ 5 3	{ 3 2	{ 5 5	{ 2 2	{ 4 1
3. Bronchitis	{ M. 1,914 F. 1,621	{ 739 621	{ 1,088 942	{ 26 32	{ 7 5	{ 6 5	{ 19 9	{ 17 16	{ 24 9	{ 23 13	{ 38 18	{ 45 24	{ 59 39	{ 71 52	{ 103 94	{ 388 363
4. Pneumonia	{ M. 5,086 F. 3,707	{ 792 649	{ 1,737 1,461	{ 166 142	{ 62 64	{ 119 99	{ 190 129	{ 252 159	{ 240 176	{ 338 141	{ 267 132	{ 312 130	{ 275 171	{ 341 176	{ 269 203	{ 518 524
5. Pleurisy	{ M. 234 F. 133	{ 12 13	{ 34 27	{ 10 5	{ 5 2	{ 9 8	{ 17 8	{ 18 13	{ 16 8	{ 18 6	{ 19 6	{ 10 6	{ 11 5	{ 12 7	{ 22 5	{ 33 27
6. Asthma	{ M. 93 F. 89	{ 2 5	{ 4 6			{ 1 1		{ 2 1	{ 1 1	{ 2 3	{ 6 2	{ 7 5	{ 11 4	{ 9 10	{ 13 11	{ 38 46
7. Others of this class	{ M. 543 F. 420	{ 228 182	{ 258 211	{ 12 4	{ 7 4	{ 7 4	{ 6 9	{ 10 7	{ 14 8	{ 13 9	{ 22 15	{ 34 10	{ 29 24	{ 25 15	{ 42 26	{ 69 74
V.—Diseases of the digestive system.	4,553	719	985	99	110	129	168	204	212	266	293	348	380	349	379	631
Males	2,508	397	538	57	63	85	70	85	95	139	175	214	219	207	224	337
Females	2,045	322	447	42	47	44	98	119	117	127	118	134	161	142	155	294
1. Dentition	{ M. 145 F. 164	{ 90 106	{ 145 164													
2. Angina	{ M. 41 F. 26	{ 8 4	{ 27 15	{ 5 5	{ 1 2	{ 1 1	{ 1 1		{ 2 1		{ 1 1			{ 3 3		{ 1 1
3. Diseases of the stomach	{ M. 394 F. 338	{ 89 82	{ 119 106	{ 12 10	{ 1 5	{ 8 5	{ 12 13	{ 4 13	{ 12 15	{ 25 14	{ 17 9	{ 21 21	{ 36 19	{ 27 19	{ 35 28	{ 65 61
4. Obstruction of the bowels	{ M. 122 F. 113	{ 30 14	{ 35 20	{ 3 1	{ 5 2	{ 7 7	{ 5 3	{ 6 3	{ 4 8	{ 5 8	{ 3 8	{ 3 10	{ 4 11	{ 6 9	{ 13 8	{ 18 22
5. Hernia	{ M. 143 F. 122	{ 8 1	{ 8 1		{ 1 1	{ 1 1	{ 4 1	{ 7 2	{ 6 3	{ 9 7	{ 3 8	{ 17 18	{ 13 18	{ 18 16	{ 20 19	{ 36 30
6. Other diseases of the bowels	{ M. 19 F. 11	{ 4 1	{ 4 2	{ 1 1			{ 1 1			{ 2 1	{ 3 1	{ 1 1	{ 1 2	{ 2 2	{ 1 1	{ 3 2
7. Jaundice	{ M. 61 F. 44	{ 49 21	{ 50 22	{ 1 1			{ 1 1		{ 1 1		{ 1 1	{ 1 2		{ 1 2	{ 3 2	{ 3 8
8. Inflammation and abscess of the liver	{ M. 183 F. 145	{ 5 1	{ 8 3	{ 2 2	{ 2 3		{ 3 5	{ 5 7	{ 15 7	{ 14 11	{ 14 20	{ 23 12	{ 18 17	{ 25 19	{ 20 15	{ 31 29
9. Other diseases of the liver	{ M. 758 F. 341	{ 2 2	{ 5 4	{ 3 2	{ 2 5		{ 4 5	{ 20 10	{ 31 18	{ 55 17	{ 100 28	{ 112 39	{ 119 49	{ 99 45	{ 105 105	{ 103 74
10. Peritonitis	{ M. 390 F. 547	{ 21 16	{ 32 29	{ 27 20	{ 38 28	{ 47 29	{ 32 64	{ 34 78	{ 20 58	{ 17 62	{ 18 39	{ 25 21	{ 22 30	{ 19 22	{ 16 27	{ 43 40
11. Ascites	{ M. 13 F. 19	{ 1 1	{ 1 1				{ 2 2			{ 2 2		{ 2 3	{ 1 2	{ 1 1	{ 2 4	{ 4 5
12. Others of this class	{ M. 239 F. 175	{ 90 74	{ 104 81	{ 3 4	{ 13 9	{ 18 4	{ 8 4	{ 8 4	{ 4 8	{ 12 6	{ 9 3	{ 9 7	{ 5 7	{ 6 9	{ 9 7	{ 31 22
VI.—Diseases of the urinary system and male organs of generation.	5,060	69	222	114	64	87	173	266	277	353	417	433	479	520	565	1,090
Males	3,104	43	119	58	30	45	77	152	169	227	268	276	308	329	361	685
Females	1,956	26	103	56	34	42	96	114	108	126	149	157	171	191	204	405
1. Bright's disease	{ M. 1,457 F. 978			{ 13 16	{ 11 16	{ 25 20	{ 39 45	{ 73 54	{ 78 61	{ 110 65	{ 131 75	{ 147 80	{ 167 94	{ 164 111	{ 184 124	{ 315 217
2. Calculus, urinary	{ M. 7 F. 4		{ 1 1									{ 1 1		{ 1 1		{ 3 3
3. Diseases of the kidney	{ M. 1,379 F. 914	{ 35 25	{ 107 97	{ 42 39	{ 16 17	{ 18 15	{ 35 45	{ 73 57	{ 88 44	{ 113 55	{ 129 70	{ 119 72	{ 131 73	{ 141 77	{ 141 74	{ 226 177
4. Diseases of the bladder	{ M. 174 F. 29	{ 2 1	{ 4 2	{ 1 1		{ 2 1	{ 1 1	{ 1 1	{ 2 2	{ 2 3	{ 4 3	{ 5 2	{ 7 2	{ 20 2	{ 23 2	{ 102 6
5. Others of this class	{ M. 87 F. 31	{ 6 3	{ 7 3	{ 2 1	{ 3 1		{ 2 2	{ 5 2	{ 1 3	{ 2 3	{ 4 3	{ 5 2	{ 2 2	{ 4 2	{ 11 3	{ 39 5
VII.—Diseases of the female organs of generation.	180			1		4	23	26	31	25	18	14	13	12	9	10
1. Ovarian tumors	41						3	4	4	5	6	4	1	4	3	7
2. Ovarian diseases	22						3	1	4	4	2	2	3	1	1	2
3. Uterine tumors	30						1	2	3	2	1	7	4	8	1	
4. Uterine diseases	27					1	4	8	5	3	3	1	1	2	2	
5. Others of this class	66			1		3	12	11	15	11	6	1	4			
VIII.—Affections connected with pregnancy.	1,105					46	263	300	223	184	97	8	1	2		1
1. Abortion	96					2	15	24	26	20	9					
2. Childbirth	260					4	37	70	54	56	34			1		
3. Puerperal septicaemia	626					33	182	175	122	71	37			1		1
4. Extra-uterine pregnancy	5						1	1	2	1						
5. Others of this class	118					7	28	30	19	16	17	1				

STATISTICS OF DEATHS.

TABLE 1A.—DEATHS IN THE WHOLE 6-YEAR RECORD FROM EACH SPECIFIED DISEASE AND CLASS OF DISEASES, WITH DISTINCTION OF AGE AND SEX, DURING THE 6 YEARS ENDING MAY 31, 1890—Continued.

BIRTHPLACE OF MOTHERS—GERMANY—Continued.

CAUSE OF DEATH.	All ages.	Under 1 year.	Total under 5 years.	5 to 10	10 to 15	15 to 20	20 to 25	25 to 30	30 to 35	35 to 40	40 to 45	45 to 50	50 to 55	55 to 60	60 to 65	65 and over and un-known.
IX.—Diseases of the bones and joints.....	224	10	26	36	28	17	17	8	9	13	10	13	8	9	8	22
Males.....	126	4	14	21	15	9	9	4	7	8	6	10	5	7	5	6
Females.....	98	6	12	15	13	8	8	4	2	5	4	3	3	2	3	16
1. Diseases of the spine..... {M..	46	3	6	10	6	3	5	1	1	4	2	2	4		1	1
{F..	35		5	5	4	4	1	2	2	3	2	1	1	1	1	3
2. Diseases of the bones..... {M..	37	2	3	4	3	3	2		3	1	3	4	1	4	3	3
{F..	30	1	1	4	3	2	3	1		1	1	2	2	1	1	8
3. Diseases of the hip joint.. {M..	23		1	5	6	3	2		1	2	1	1				1
{F..	20	1	4	5	5	2	3	1								1
4. Others of this class..... {M..	20	2	4	2				2	2	1		3		3	1	2
{F..	13	1	2	1	1		1	1	1	1	1			1	1	4
X.—Diseases of the skin.....	272	83	99	5	2	4	14	14	6	7	11	15	22	18	22	33
Males.....	138	38	41	4		2	9	5	3		6	11	12	12	14	19
Females.....	134	45	58	1	2	2	5	9	3	7	5	4	10	6	8	14
1. Abscess..... {M..	66	16	18	2		1	6	4	2		4	4	4	8	7	6
{F..	79	22	29		2	2	4	9	3	6	4	2	5	2	4	7
2. Carbuncle..... {M..	33	1	1	1		1	2	1	1			5	6	4	5	6
{F..	11	1	2									1	3	3	1	1
3. Others of this class..... {M..	39	21	22	1			1				2	2	2		2	7
{F..	44	22	27	1			1			1	1	1	2	1	3	6
XI.—Diseases of the absorbent system.....	37	6	9				2		2	4	1	2	8	5	2	2
Males.....	20	3	5				1		1	2	1		6	1	1	2
Females.....	17	3	4				1		1	2		2	2	4	1	
1. Addison's disease..... {M..	9						1		1	1	1		2	1	1	1
{F..	5						1					1	1	2		
2. Diseases of the spleen..... {M..	4		2										1			1
{F..	2													1		
3. Others of this class..... {M..	7	3	3						1				3			
{F..	10	3	4						2				1	1	1	
XII.—Accidents and injuries.....	4,189	182	456	185	157	222	295	367	353	394	353	345	292	251	169	350
Males.....	3,302	108	277	124	132	174	224	303	288	336	293	298	249	211	138	255
Females.....	887	74	179	61	25	48	71	64	65	58	60	47	43	40	31	95
1. Burns and scalds..... {M..	155	6	30	11	2	4	5	12	8	7	7	5	4	5	2	3
{F..	109	12	66	22	6	8	11	7	6	9	11	5	3	1	2	12
2. Drowned..... {M..	424	2	16	33	52	49	32	48	20	33	25	28	21	20	12	35
{F..	56		5	1	4	10	6	3	3	1	8	3	2	6	1	3
3. Exposure and neglect..... {M..	3	1	1					1				1				
{F..	1	1	1													
4. Gunshot wounds..... {M..	52		1	1	7	5	7	6	6	6	1	4	2	4	1	2
{F..	9		1				1	1	2		2	2	1	1	1	
5. Homicide..... {M..	65	1	1	3	4	7	6	8	10	7	7	3	4	1	2	2
{F..	18		2			2	3	3	1		2	2		1	1	1
6. Infanticide..... {M..	1		1													
{F..	1	1	1													
7. Injuries by machinery..... {M..	9						1	3	3	1				1		
{F..																
8. Railroad accidents..... {M..	223	1	3	9	13	20	20	26	20	22	19	10	14	16	8	23
{F..	26		2	2	2		1	1	1	2		3	2	3	5	
9. Suffocation..... {M..	114	40	46	2	3	5	9	2	6	5	7	5	5	4	4	11
{F..	51	21	23		2	1	5	4	5	1		3	3	1	3	
10. Suicide by shooting..... {M..	325					7	26	40	33	40	36	33	30	39	17	24
{F..	13					2	5		2	1	2	1				
11. Suicide by drowning..... {M..	30						3	6	4	4	4	3	3	1	1	1
{F..	10					2		1	2		2	1		1	1	
12. Suicide by poison..... {M..	160					10	16	20	9	17	17	21	15	13	7	15
{F..	32					9	16	9	13	9	7	4	8	1	6	
13. Other suicides..... {M..	333					6	20	14	35	33	32	41	38	39	23	52
{F..	50					1	3	7	4	4	6	6	7	7	3	2
14. Sunstroke..... {M..	187	9	10	2	2	1	9	14	25	36	25	26	14	11	5	7
{F..	43	8	11	5		1	3	4	5	2	2	2	3	3	4	3
15. Surgical operations..... {M..	51	9	12		3	1	2	2	7	2	4	7	5		5	1
{F..	74	1	2	1	1	2	7	11	12	13	8	6	4	1	1	5
16. Wounds..... {M..	55	1	2	2	3	8	6	7	1	6	3	4	6	3	2	2
{F..	3				1				2							
17. Other accidents and injuries..... {M..	1,116	38	106	61	43	51	62	94	101	117	106	107	88	54	49	77
{F..	276	30	65	30	9	10	10	13	9	14	12	12	11	14	13	54

TABLE 14.—DEATHS IN THE WHOLE 6-YEAR-RECORD FROM EACH SPECIFIED DISEASE AND CLASS OF DISEASES, WITH DISTINCTION OF AGE AND SEX, DURING THE 6 YEARS ENDING MAY 31, 1890—Continued.

BIRTHPLACE OF MOTHERS—RUSSIA AND POLAND—Continued.

CAUSE OF DEATH.	All ages.	Under 1 year.	Total under 5 years.	5 to 10	10 to 15	15 to 20	20 to 25	25 to 30	30 to 35	35 to 40	40 to 45	45 to 50	50 to 55	55 to 60	60 to 65	65 and over and un-known.
IV.—Diseases of the respiratory system..	1,752	691	1,419	48	12	21	22	21	20	29	21	18	22	18	18	63
Males	1,026	411	815	29	6	10	10	10	14	23	15	14	17	10	12	41
Females	726	280	604	19	6	11	12	11	6	6	6	4	5	8	6	22
1. Croup	{ M.. 184 F.. 150	{ 40 30	{ 170 143	{ 14 7												
2. Laryngitis	{ M.. 13 F.. 9	{ 1 1	{ 8 8	{ 3 		1				1			1			
3. Bronchitis	{ M.. 202 F.. 140	{ 131 80	{ 178 126	{ 2 3		1	1	1	1	1		1	1		4 2	12 6
4. Pneumonia	{ M.. 544 F.. 389	{ 200 147	{ 407 298	{ 8 7	6 6	8 9	7 11	6 10	12 6	18 5	12 6	9 4	13 4	8 6	4 4	26 13
5. Pleurisy	{ M.. 19 F.. 12	{ 1 2	{ 8 7	{ 2 2		1	1			1		2	2		2	1
6. Asthma	{ M.. 5 F.. 2	{ 2 	{ 2 					1			1	1				1
7. Others of this class	{ M.. 59 F.. 24	{ 36 20	{ 42 22			1	2	2	1	2	2	1	1	1	2	2 1
V.—Diseases of the digestive system	297	97	133	13	7	12	12	16	15	11	10	15	9	12	5	27
Males	163	54	74	7	4	7	4	10	7	5	8	6	6	6	2	17
Females	134	43	59	6	3	5	8	6	8	6	2	9	3	6	3	10
1. Dentition	{ M.. 16 F.. 5	{ 9 3	{ 18 5													
2. Angina	{ M.. 4 F.. 5	{ 2 1	{ 3 5					1								
3. Diseases of the stomach	{ M.. 20 F.. 23	{ 10 9	{ 14 12		1	1		1			1		1			3 6
4. Obstruction of the bowels	{ M.. 19 F.. 12	{ 2 4	{ 4 7			4	1	1	2	2		2	2		1	1 2
5. Hernia	{ M.. 12 F.. 9	{ 3 	{ 3 			1		1	1		1	3	1	2	1	4 1
6. Other diseases of the bowels	{ M.. 1 F.. 2	{ 1 	{ 1 							1						
7. Jaundice	{ M.. 5 F.. 5	{ 4 5	{ 5 5													
8. Inflammation and abscess of the liver	{ M.. 5 F.. 2	{ 1 	{ 1 			1				1		1	2			
9. Other diseases of the liver	{ M.. 12 F.. 6								1		4	1	1	1	1	4 1
10. Peritonitis	{ M.. 39 F.. 43	{ 6 6	{ 11 8	4 4	3 2	2 2	2 7	6 4	2 8		2 1	1 4		2 2	1	3
11. Ascites	{ M.. 1 F.. 1											1				
12. Others of this class	{ M.. 30 F.. 21	{ 17 14	{ 17 16	3 2	1		1	1	1	1		1		1	1	2
VI.—Diseases of the urinary system and male organs of generation.	261	6	40	12	3	5	24	5	21	18	21	12	23	20	14	43
Males	145	4	19	7	2	3	7	2	11	9	11	8	15	8	11	32
Females	116	2	21	5	1	2	17	3	10	9	10	4	8	12	3	11
1. Bright's disease	{ M.. 55 F.. 41			2	1	2	3	1	2	4	4	4	2	8	5	13 5
2. Calculus, urinary	{ M.. 1 F.. 1															1
3. Diseases of the kidney	{ M.. 82 F.. 71	{ 3 1	{ 18 20	5 5	1 1	1 2	3 10	1 2	9 5	5 5	7 3	6 1	7 3	3 6	3 2	13 6
4. Diseases of the bladder	{ M.. 6 F.. 1						1									5
5. Others of this class	{ M.. 1 F.. 4	{ 1 1	{ 1 1				1		1		1					
VII.—Diseases of the female organs of generation.	21					2	4	3	3	4	1	2	2			
1. Ovarian tumors	3							1					2			
2. Ovarian diseases	2								1			1				
3. Uterine tumors	2									1						
4. Uterine diseases	7					1	2		2		1					
5. Others of this class	7					1	2	2		2						
VIII.—Affections connected with pregnancy.	128				1	7	37	34	25	21	3					
1. Abortion	5						1	2	1	1						
2. Childbirth	25						4	9	6	6						
3. Puerperal septicæmia	85				1	2	30	20	17	13	3					
4. Extra-uterine pregnancy	1								1							
5. Others of this class	11					5	2	3		1						

STATISTICS OF DEATHS.

705

TABLE 14.—DEATHS IN THE WHOLE 6-YEAR RECORD FROM EACH SPECIFIED DISEASE AND CLASS OF DISEASES, WITH DISTINCTION OF AGE AND SEX, DURING THE 6 YEARS ENDING MAY 31, 1890—Continued.

BIRTHPLACE OF MOTHERS—RUSSIA AND POLAND—Continued.

CAUSE OF DEATH.	All ages.	Under 1 year.	Total under 5 years.	5 to 10	10 to 15	15 to 20	20 to 25	25 to 30	30 to 35	35 to 40	40 to 45	45 to 50	50 to 55	55 to 60	60 to 65	65 and over and unknown.
IX.—Diseases of the bones and joints.....	16	3	5	5	2	2	1				1					
Males	10	2	2	3	1	2	1				1					
Females	6	1	3	2	1											
1. Diseases of the spine..... {M..	3				1	1	1									
{F..																
2. Diseases of the bones..... {M..	3			1		1					1					
{F..	3		1	1	1											
3. Diseases of the hip joint.. {M..	1			1												
{F..	2		1													
4. Others of this class..... {M..	3	2	2	1												
{F..	1	1	1													
X.—Diseases of the skin	24	10	10.		1		3	2	2	1	1		1	1		2
Males	13	4	4				2	2	1				1	1		2
Females	11	6	6		1		1	1	1	1						
1. Abscess	11	4	4				2	2	1					1		1
{F..	8	4	4		1		1	1	1	1						
2. Carbuncle	2												1			1
{F..	2	1	1								1					
2. Others of this class..... {M..	1	1	1													
{F..	1															
XI.—Diseases of the absorbent system.....	3		3													
Males	1		1													
Females	2		2													
1. Addison's disease..... {M..																
{F..																
2. Diseases of the spleen.. {M..	1		1													
{F..																
3. Others of this class..... {M..																
{F..	2		2													
XII.—Accidents and injuries	311	38	96	35	15	22	23	24	16	20	20	12	11	2	3	7
Males	206	23	55	22	8	12	19	18	12	17	18	10	8	1	2	4
Females	105	15	41	13	7	10	9	6	4	3	2	2	3	1	1	3
1. Burns and scalds..... {M..	27	4	16			1	3	3		2	1		1			
{F..	38	2	17	3	4	4	5	2		2	1					
2. Drowned..... {M..	9			3		2		1			1	1	1			1
{F..	5			3		1										
3. Exposure and neglect... {M..	1		1													
{F..																
4. Gunshot wounds..... {M..	1							1								
{F..	1					1										
5. Homicide..... {M..	7			1	1	1				1		1	1		1	
{F..	1			1												
6. Infanticide..... {M..																
{F..																
7. Injuries by machinery... {M..																
{F..																
8. Railroad accidents..... {M..	18			2	3		1	2	3	3	3	1				
{F..	2		1										1			
9. Suffocation..... {M..	15	6	7		1		1	3	1	1		1				
{F..	11	6	9				1	1	1	1					1	
10. Suicide by shooting..... {M..	11					2	3	1	1	1	1	1	1			
{F..																
11. Suicide by drowning..... {M..																
{F..																
12. Suicide by poison..... {M..	3						3		3		2					
{F..	5					2	2	1								
13. Other suicides..... {M..	12					1		2	2	1	2	1	1			2
{F..	5					1	1	1	1	1	1	1	1			
14. Sunstroke..... {M..	6	1	2					1	1		1			1		
{F..																
15. Surgical operations..... {M..	15	8	9			1	1				2	1	1			
{F..	9	1	2	1				1	2	1		2	1			
16. Wounds..... {M..	7			2		1				1	2	1				
{F..																
17. Other accidents and inju- {M..	69	4	20	14	3	3	7	4		6	4	3	2		1	2
{F..	28	6	12	5	3	1	1	1	2	2	4	3	1	1		2

STATISTICS OF DEATHS.

707

TABLE 14.—DEATHS IN THE WHOLE 6-YEAR RECORD FROM EACH SPECIFIED DISEASE AND CLASS OF DISEASES, WITH DISTINCTION OF AGE AND SEX, DURING THE 6 YEARS ENDING MAY 31, 1890—Continued.

BIRTHPLACE OF MOTHERS—CANADA—Continued.

CAUSE OF DEATH.	All ages.	Under 1 year.	Total under 5 years.	5 to 10	10 to 15	15 to 20	20 to 25	25 to 30	30 to 35	35 to 40	40 to 45	45 to 50	50 to 55	55 to 60	60 to 65	65 and over and un-known.
I.—General diseases—Continued.																
General diseases—D	1,654	130	301	40	36	133	242	199	182	152	111	70	49	43	41	55
Males	789	78	176	21	14	57	112	69	73	61	48	27	23	21	24	13
Females	915	52	125	19	22	76	130	130	109	91	63	43	26	22	17	42
1. Rheumatism..... {M. 12		1	2	2			1		1	2		2			2	
{F. 16			1		1	3		1	1	1	2	1			1	4
2. Scrofula and tabes..... {M. 13		6	9		1				1	1					1	
{F. 13		4	8	1		1			1						2	
3. Leprosy..... {M. .																
{F. .																
4. Consumption..... {M. 522		27	50	6	8	56	106	64	68	56	45	19	19	13	9	3
{F. 653		12	38	9	20	70	125	118	98	65	44	22	13	10	6	15
5. Hydrocephalus..... {M. 131		42	112	12	3		1	2				1				
{F. 89		35	75	7	1	1		1		3						
6. Cancer..... {M. 37				1			2	2	2	2	3	1	6	9	7	
{F. 116		1	2				1	7	6	17	14	19	12	10	8	20
7. Tumor..... {M. 6					2		1		1							1
{F. 6							1			1	2					2
8. Anæmia..... {M. 2													1	1		
{F. 9								2	3	2		1	1			
9. Dropsy..... {M. 5		1	1							1		1			2	
{F. 6				1		1	1			1	1					1
10. Diabetes..... {M. 6										1			1	1	1	2
{F. 5				1					1	1				2		
11. Others of this group..... {M. 5		1	2			1	1				1					
{F. 2			1				1									
12. Others of this class..... {M. .																
{F. .																
II.—Diseases of the nervous system.																
	716	255	444	34	21	6	13	20	8	23	13	19	21	19	17	58
Males	343	130	223	16	13	2	6	7	4	10	7	13	7	7	9	19
Females.....	373	125	221	18	8	4	7	13	4	13	6	6	14	12	8	39
1. Inflammation of the brain. {M. 143		51	109	11	7	1	2	3	1	3	1	2	1	1		1
{F. 137		55	111	7	4	1		6	1	3		1	2			1
2. Apoplexy..... {M. 40		1	1		1			2	2	3	3	7	4	3	5	9
{F. 52		1	1	1				2	1	4	4	2	5	6	6	20
3. Paralysis..... {M. 13			2								2	2			4	3
{F. 21							1	1		2	1	3	2	1	10	
4. Tetanus and trismus nascentium. {M. 2		1	1		1											
{F. 7		3	3	2						1		1				
5. Epilepsy..... {M. 5					1	1	1			1				1		
{F. 5		1	1	2	1						1					
6. Convulsions..... {M. 93		63	87	3	1			1					1			
{F. 96		60	91	3			2									
7. Mental diseases..... {M. 6							1			3	1	1	1			
{F. 4										1				1	1	
8. Diseases of the brain..... {M. 29		12	20	1	1		2					1		1		3
{F. 36		4	10	2	2	3	3	3	1	2			3	2		6
9. Diseases of the spinal cord {M. 10		2	3	1	1		1	1	1					1		1
{F. 11		1	4	1		1	1	1		1		1	1			1
10. Others of this class..... {M. 2																2
{F. 4					1				1					1		1
III.—Diseases of the circulatory system.																
	348	57	65	11	20	12	18	19	20	23	20	26	25	17	17	55
Males	171	29	35	6	7	9	7	9	9	11	11	10	10	11	11	25
Females.....	177	28	30	5	13	3	11	10	11	12	9	16	15	6	6	30
1. Angina pectoris..... {M. 3										1	1		1			1
{F. 5								1	2		1					
2. Aneurism..... {M. 3					1				2		1					1
{F. 3																
3. Diseases of the heart..... {M. 147		13	18	6	6	9	7	9	7	10	9	10	9	11	11	25
{F. 152		13	15	5	12	3	11	9	9	12	8	15	14	5	6	28
4. Others of this class..... {M. 18		16	17		1											
{F. 17		15	15									1	1			

TABLE 14.—DEATHS IN THE WHOLE 6-YEAR RECORD FROM EACH SPECIFIED DISEASE AND CLASS OF DISEASES, WITH DISTINCTION OF AGE AND SEX, DURING THE 6 YEARS ENDING MAY 31, 1890—Continued.

BIRTHPLACE OF MOTHERS—CANADA—Continued.

CAUSE OF DEATH.	All ages.	Under 1 year.	Total under 5 years.	5 to 10	10 to 15	15 to 20	20 to 25	25 to 30	30 to 35	35 to 40	40 to 45	45 to 50	50 to 55	55 to 60	60 to 65	65 and over and unknown.
IV.—Diseases of the respiratory system.	1,207	367	735	71	13	21	43	29	51	40	43	33	24	25	22	57
Males	604	209	395	30	4	7	13	15	30	16	21	16	14	9	14	15
Females	603	158	340	41	9	14	25	14	21	24	22	17	10	16	8	42
1. Croup	{ M 60 F 71	{ 6 10	{ 49 64	{ 9 7					{ 1 1							
2. Laryngitis	{ M 7 F 9	{ 1 2	{ 4 7	{ 1 2		{ 1 1										{ 1 1
3. Bronchitis	{ M 177 F 167	{ 98 80	{ 152 132	{ 3 4	{ 1 2	{ 3 3	{ 1 1	{ 2 2		{ 4 3	{ 2 2	{ 1 3	{ 2 5	{ 2 2	{ 2 2	{ 7 11
4. Pneumonia	{ M 291 F 306	{ 69 55	{ 148 122	{ 13 27	{ 2 6	{ 5 9	{ 16 21	{ 12 11	{ 22 14	{ 13 17	{ 15 19	{ 13 12	{ 10 6	{ 7 13	{ 9 5	{ 6 24
5. Pleurisy	{ M 13 F 11	{ 2 1	{ 3 1	{ 1 1	{ 1 1	{ 1 1	{ 1 2	{ 1 1	{ 2 2		{ 1 3	{ 1 1	{ 1 1			
6. Asthma	{ M 2 F 4		{ 1 1					{ 1 1						{ 1 1		{ 2 2
7. Others of this class	{ M 54 F 35	{ 33 11	{ 38 15	{ 3 1			{ 1 1		{ 3 4	{ 2 1	{ 1 3		{ 2 3		{ 3 1	{ 1 5
V.—Diseases of the digestive system.	277	75	103	7	6	16	13	18	23	16	16	10	8	12	9	15
Males	128	42	58	3	5	7	6	5	3	6	5	6	5	6	2	6
Females	149	33	45	4	1	9	12	13	15	10	11	4	3	6	7	9
1. Dentition	{ M 14 F 13	{ 10 8	{ 14 13													
2. Angina	{ M 6 F 1	{ 1 1	{ 4 1		{ 1 1	{ 1 1										
3. Diseases of the stomach	{ M 22 F 17	{ 5 2	{ 9 3	{ 1 1		{ 1 2		{ 1 1	{ 2 4	{ 3 1	{ 1 1	{ 1 1	{ 1 1	{ 1 1	{ 1 2	{ 2 1
4. Obstruction of the bowels	{ M 9 F 8	{ 4 4	{ 5 4			{ 1 1	{ 1 1	{ 1 1				{ 1 1		{ 1 1		{ 1 1
5. Hernia	{ M 6 F 5	{ 1 1	{ 1 1					{ 1 1	{ 2 2			{ 1 1	{ 1 1			{ 1 1
6. Other diseases of the bowels	{ M 2 F 1	{ 1 1	{ 1 1				{ 1 1									
7. Jaundice	{ M 12 F 6	{ 9 6	{ 9 6								{ 1 1	{ 1 1				{ 1 1
8. Inflammation and abscess of the liver	{ M 4 F 7	{ 1 1	{ 1 1						{ 1 1	{ 1 2			{ 1 1	{ 2 2	{ 1 1	{ 1 1
9. Other diseases of the liver	{ M 12 F 13	{ 1 1	{ 1 2	{ 1 1		{ 2 2	{ 1 1	{ 2 2		{ 2 2	{ 1 1	{ 3 3	{ 2 1	{ 1 1	{ 1 1	{ 2 2
10. Peritonitis	{ M 23 F 61	{ 3 2	{ 5 3	{ 1 3	{ 4 1	{ 2 6	{ 3 10	{ 1 10	{ 3 9	{ 2 5	{ 1 6	{ 1 1		{ 1 3	{ 2 2	{ 2 2
11. Ascites	{ M 1 F 1								{ 1 1		{ 1 1					
12. Others of this class	{ M 17 F 16	{ 9 7	{ 10 10	{ 1 1		{ 1 1		{ 1 1		{ 2 2				{ 2 1	{ 1 1	{ 2 2
VI.—Diseases of the urinary system and male organs of generation.	211	8	15	9	3	4	16	21	12	13	21	13	13	17	12	42
Males	122	6	10	6	2	2	12	10	3	6	12	9	10	7	8	25
Females	89	2	5	3	1	2	4	11	9	7	9	4	3	10	4	17
1. Bright's disease	{ M 47 F 45			{ 1 1	{ 1 1	{ 1 1	{ 5 3	{ 3 3	{ 3 4	{ 2 3	{ 4 7	{ 5 4	{ 6 6	{ 4 6	{ 3 3	{ 9 11
2. Calculus, urinary																
3. Diseases of the kidney	{ M 53 F 37	{ 4 1	{ 3 4	{ 5 2		{ 1 2	{ 7 1	{ 7 7		{ 4 4	{ 6 2	{ 4 2	{ 4 3		{ 3 3	{ 4 5
4. Diseases of the bladder	{ M 4 F 5	{ 2 1	{ 2 1					{ 1 1			{ 1 1				{ 1 1	{ 1 1
5. Others of this class	{ M 1 F 3								{ 2 2							
VII.—Diseases of the female organs of generation.	29					2	3	5	2	4	4	5	3	1		
1. Ovarian tumors	10					1	2	2	1			1	3			
2. Ovarian diseases	1										1	1				
3. Uterine tumors	6									1	1	3		1		
4. Uterine diseases	1							1	1	3	2	1				
5. Others of this class	11					1	1	2	1							
VIII.—Affections connected with pregnancy.	74					3	20	22	13	14	2					
1. Abortion	10					1	1	3	2	3						
2. Childbirth	22						6	7	4	5						
3. Puerperal septicæmia	31					1	10	7	7	4	2					
4. Extra-uterine pregnancy																
5. Others of this class	11					1	3	5		2						

STATISTICS OF DEATHS

TABLE 14.—DEATHS IN THE WHOLE 6-YEAR RECORD FROM EACH SPECIFIED DISEASE AND CLASS OF DISEASES, WITH DISTINCTION OF AGE AND SEX, DURING THE 6 YEARS ENDING MAY 31, 1890—Continued.

BIRTHPLACE OF MOTHERS—CANADA—Continued.

CAUSE OF DEATH.	All ages.	Under 1 year.	Total under 5 years.	5 to 10	10 to 15	15 to 20	20 to 25	25 to 30	30 to 35	35 to 40	40 to 45	45 to 50	50 to 55	55 to 60	60 to 65	65 and over and unknown.
IX.—Diseases of the bones and joints.....	28	1	5	8	2	4	3	1	1	1	1	1
Males.....	19	5	5	2	3	1	1	1	1
Females.....	9	1	3	1	3	1
1. Diseases of the spine..... {M F	7 4	2	2	1	1	1	1	1
2. Diseases of the bones..... {M F	2	1	1
3. Diseases of the hip joint. {M F	8 5	1	2	3	1	2	2
4. Others of this class..... {M F	2	1	1
X.—Diseases of the skin.....	13	5	7	1	1	1	1	1	1
Males.....	8	2	4	1	1	1	1
Females.....	5	3	3	1	1
1. Abscess..... {M F	6 3	2 2	4 2	1	1	1
2. Carbuncle..... {M F	1	1
3. Others of this class..... {M F	2 1 1 1	1	1
XI.—Diseases of the absorbent system.....	7	1	1	1	2	1	2
Males.....	3	1	1	1	1
Females.....	4	2	1	1
1. Addison's disease..... {M F	1 2	1	1
2. Diseases of the spleen..... {M F	1	1
3. Others of this class..... {M F	2 1	1	1	1	1
XII.—Accidents and injuries.....	276	30	50	18	10	20	33	32	25	27	12	12	14	7	5	5
Males.....	202	16	25	15	13	16	25	27	18	22	8	9	11	6	4	3
Females.....	74	14	25	3	3	4	8	5	7	5	4	3	3	1	1	2
1. Burns and scalds..... {M F	6 8	2 5	2	2	1	2
2. Drowned..... {M F	28 2	1	4	4	6	3	2	1	2	2	1	1	1
3. Exposure and neglect..... {M F
4. Gunshot wounds..... {M F	2 2	1	1	1
5. Homicide..... {M F	5 1	1	1	1	2	1	1
6. Infanticide..... {M F	1	1	1
7. Injuries by machinery..... {M F
8. Railroad accidents..... {M F	41 3	1 1	2	3	3	11	6	6	7	1	1
9. Suffocation..... {M F	14 9	8 7	9 8	1	1	1	1	1	1
10. Suicide by shooting..... {M F	5	1	1	2	1
11. Suicide by drowning..... {M F	3	1	1	1
12. Suicide by poison..... {M F	6 10	1	3	1	3	2	1	1
13. Other suicides..... {M F	9 1	1	3	1	2	1	1
14. Sunstroke..... {M F	4	1	2	1
15. Surgical operations..... {M F	7 12	1	2	1	1	1	2	1	3	2	2	1	1	1
16. Wounds..... {M F	2	1	1
17. Other accidents and injuries. {M F	70 25	6 6	9 10	7	4	4	2	10	9	8	3	3	6	3	2	2

STATISTICS OF DEATHS.

TABLE 14.—DEATHS IN THE WHOLE 6-YEAR RECORD FROM EACH SPECIFIED DISEASE AND CLASS OF DISEASES, WITH DISTINCTION OF AGE AND SEX, DURING THE 6 YEARS ENDING MAY 31, 1890—Continued.

BIRTHPLACE OF MOTHERS—SCANDINAVIA—Continued.

CAUSE OF DEATH.	All ages.	Under 1 year.	Total under 5 years.	5 to 10	10 to 15	15 to 20	20 to 25	25 to 30	30 to 35	35 to 40	40 to 45	45 to 50	50 to 55	55 to 60	60 to 65	65 and over and unknown.
I.—General diseases—Continued.																
General diseases—D.....	912	79	141	17	11	37	99	142	110	91	79	52	42	30	29	32
Males.....	518	44	85	10	3	15	49	77	63	52	47	31	28	20	17	21
Females.....	394	35	56	7	8	22	50	65	47	39	32	21	14	10	12	11
1. Rheumatism.....	{ M.. 10 F.. 7	1	3			2			1	2	1	2	1			1
2. Scrofula and tabes.....	{ M.. 14 F.. 12	8	11			1		1				1	1			1
3. Leprosy.....	{ M.. 1 F.. 1	1	1													
4. Consumption.....	{ M.. 412 F.. 293	11	25	6	1	13	48	73	61	49	43	26	25	14	15	13
5. Hydrocephalus.....	{ M.. 46 F.. 31	19	41	3	1		2	1								
6. Cancer.....	{ M.. 22 F.. 37			1				1	2	1	3	1	1	6	2	5
7. Tumor.....	{ M.. 2 F.. 5	1	1	1				1			1				1	1
8. Anæmia.....	{ M.. 1 F.. 5	1	1	1		1	1				1					
9. Dropsy.....	{ M.. 1 F.. 1					1										
10. Diabetes.....	{ M.. 2 F.. 1				1				1			1				
11. Others of this group.....	{ M.. 6 F.. 2	3	3	1			1						1			
12. Others of this class.....	{ M.. 2 F.. 1							1				1				
II.—Diseases of the nervous system.....																
	488	176	312	17	11	4	9	8	10	18	18	9	19	13	17	23
Males.....	297	100	174	7	6	2	4	5	8	13	16	9	14	12	11	16
Females.....	191	76	138	10	5	2	5	3	2	5	2	2	5	1	6	7
1. Inflammation of the brain.....	{ M.. 103 F.. 83	38	77	6	4	2	2	1	1	2	2		2	1	1	2
2. Apoplexy.....	{ M.. 41 F.. 18	1	2		1		1	1	1	4	5	4	5	4	7	10
3. Paralysis.....	{ M.. 25 F.. 6	1	1	1	1		1	1	4	2	3	1	4	3	2	3
4. Tetanus and trismus nascentium.....	{ M.. 10 F.. 5	8	8							1	1					
5. Epilepsy.....	{ M.. 5 F.. 3	1	1			1		1		1	2		1			
6. Convulsions.....	{ M.. 65 F.. 50	42	65	1			1									
7. Mental diseases.....	{ M.. 4 F.. 2						1			1	1			1		
8. Diseases of the brain.....	{ M.. 35 F.. 22	11	21	1			1	1	3	1	1	2	2	2	1	1
9. Diseases of the spinal cord.....	{ M.. 9 F.. 1		2							1	1	2		2	1	
10. Others of this class.....	{ M.. 2 F.. 1					1									1	
III.—Diseases of the circulatory system.....																
	206	25	28	7	7	7	7	13	15	12	20	23	16	12	15	24
Males.....	145	14	16	3	2	4	4	8	10	9	18	17	13	8	12	21
Females.....	61	11	12	4	5	3	3	5	5	3	2	6	3	4	3	3
1. Angina pectoris.....	{ M.. 1 F.. 1										1					
2. Aneurism.....	{ M.. 10 F.. 1							1		2	3	3	1			
3. Diseases of the heart.....	{ M.. 120 F.. 49	1	3	3	2	4	4	7	10	7	14	13	12	8	12	21
4. Others of this class.....	{ M.. 14 F.. 11	13	13					1				1			3	3

STATISTICS OF DEATHS.

713

TABLE 14.—DEATHS IN THE WHOLE 6-YEAR RECORD FROM EACH SPECIFIED DISEASE AND CLASS OF DISEASES, WITH DISTINCTION OF AGE AND SEX, DURING THE 6 YEARS ENDING MAY 31, 1890—Continued.

BIRTPPLACE OF MOTHERS—SCANDINAVIA—Continued.

CAUSE OF DEATH.	All ages.	Under 1 year.	Total under 5 years.	5 to 10	10 to 15	15 to 20	20 to 25	25 to 30	30 to 35	35 to 40	40 to 45	45 to 50	50 to 55	55 to 60	60 to 65	65 and over and un-known.
IX.—Diseases of the bones and joints.	16	1	1	3	5			2	2	1			1			1
Males	11	1	1	2	3			2	1				1			1
Females	5			1	2				1	1						
1. Diseases of the spine. {M. F.	10 4	1	1	2 1	2 2			2	1 1				1			1
2. Diseases of the bones. {M. F.	1									1						
3. Diseases of the hip joint. {M. F.	1				1											
4. Others of this class. {M. F.																
X.—Diseases of the skin	4	2	2					1			1					
Males	1										1					
Females	3	2	2					1								
1. Abscess {M. F.	1 2	1	1					1			1					
2. Carbuncle {M. F.																
3. Others of this class. {M. F.	1	1	1													
XI.—Diseases of the absorbent system.																
Males																
Females																
1. Addison's disease. {M. F.																
2. Diseases of the spleen. {M. F.																
3. Others of this class. {M. F.																
XII.—Accidents and injuries	257	13	27	3	3	12	19	45	41	31	23	20	13	8	6	6
Males	219	8	15	2	3	10	19	38	40	28	21	16	10	7	6	4
Females	38	5	12	1		2		7	1	3	2	4	3	1		2
1. Burns and scalds. {M. F.	4 8		3 4					1		1		1	1			
2. Drowned {M. F.	50 1	1	2 1			3	5	15	8	7	3	3	2		2	
3. Exposure and neglect. {M. F.	1										1					
4. Gunshot wounds. {M. F.	1			1												
5. Homicide. {M. F.	1								1							
6. Infanticide. {M. F.																
7. Injuries by machinery. {M. F.	3						1		1	1						
8. Railroad accidents. {M. F.	20 1				2	2	3	2	2	2	3		1	2		1
9. Suffocation. {M. F.	8 1	3	4					1		1	1	1				
10. Suicide by shooting. {M. F.	16 1						2		1	4	1	2	2	1	3	1
11. Suicide by drowning. {M. F.	1									1						
12. Suicide by poison. {M. F.	3 1							1	2				1			
13. Other suicides. {M. F.	16 5					1	1	1 2	2	3 1	2	4 1	1	1		1
14. Sunstroke. {M. F.	16 1			1			1		7	3	3	1	1			
15. Surgical operations. {M. F.	3 5							1 2	1	1		1	1			
16. Wounds. {M. F.	1	1	1													
17. Other accidents and injuries. {M. F.	76 13	4 4	6 6	1	1	4 1	6	18	12 1	7 1	6 1	5	3 1	2	3	2 2

TABLE 14.—DEATHS IN THE WHOLE 6-YEAR RECORD FROM EACH SPECIFIED DISEASE AND CLASS OF DISEASES, WITH DISTINCTION OF AGE AND SEX, DURING THE 6 YEARS ENDING MAY 31, 1890—Continued.

BEEFEEPLACE OF MOTHERS—HUNGARY—Continued.

CAUSE OF DEATH.	All ages.	Under 1 year.	Total under 5 years.	5 to 10	10 to 15	15 to 20	20 to 25	25 to 30	30 to 35	35 to 40	40 to 45	45 to 50	50 to 55	55 to 60	60 to 65	65 and over and unknown.
IV.—Diseases of the respiratory system..	488	188	386	15	2	7	9	6	10	7	8	5	4	6	9	14
Males	285	108	223	7	4	6	4	5	5	6	4	2	4	6	9	
Females.....	203	80	163	8	2	3	3	2	5	2	2	1	2	2	3	5
1. Croup.....	{ M. 51 F. 41	{ 10 7	{ 47 35	{ 2 4	{ 1	{ 	{ 	{ 1 	{ 	{ 	{ 	{ 	{ 	{ 	{ 	{
2. Laryngitis.....	{ M. 7 F. 6	{ 5 2	{ 6 6	{ 	{ 	{ 	{ 	{ 1 	{ 	{ 	{ 	{ 	{ 	{ 	{ 	{
3. Bronchitis.....	{ M. 46 F. 32	{ 29 19	{ 39 29	{ 1 	{ 	{ 	{ 1 	{ 	{ 	{ 1 	{ 1 	{ 	{ 2 	{ 	{ 1 	{ 2 1
4. Pneumonia.....	{ M. 161 F. 113	{ 53 47	{ 118 67	{ 4 4	{ 1	{ 3 3	{ 4 2	{ 3 1	{ 5 4	{ 5 	{ 5 	{ 4 1	{ 2	{ 4 2	{ 3 2	{ 3 4
5. Pleurisy.....	{ M. 4 F. 2	{ 3 	{ 3 	{ 	{ 	{ 	{ 1 	{ 	{ 	{ 1 	{ 1 	{ 	{ 	{ 	{ 	{
6. Asthma.....	{ M. F.	{ 	{ 	{ 	{ 	{ 	{ 	{ 	{ 	{ 	{ 	{ 	{ 	{ 	{ 	{
7. Others of this class.....	{ M. 16 F. 9	{ 8 5	{ 10 6	{ 	{ 	{ 1 	{ 1	{ 	{ 1 	{ 	{ 1 	{ 	{ 	{ 	{ 1 	{ 4
V.—Diseases of the digestive system.....	74	31	37	3		4	1	6	5	2	4	4	3		2	3
Males.....	44	20	25	2				2	2	2	3	2	3			3
Females.....	30	11	12	1		4	1	4	3		1	2			2	
1. Dentition.....	{ M. 1 F. 1	{ 1 1	{ 1 1	{ 	{ 	{ 	{ 	{ 	{ 	{ 	{ 	{ 	{ 	{ 	{ 	{
2. Angina.....	{ M. 1 F. 1	{ 1 1	{ 1 1	{ 	{ 	{ 	{ 	{ 	{ 	{ 	{ 	{ 	{ 	{ 	{ 	{
3. Diseases of the stomach.....	{ M. 7 F. 8	{ 4 4	{ 4 5	{ 	{ 	{ 	{ 	{ 1 	{ 	{ 	{ 1	{ 	{ 	{ 	{ 2	{ 2
4. Obstruction of the bowels.....	{ M. F.	{ 1	{ 1	{ 	{ 	{ 	{ 	{ 	{ 	{ 	{ 	{ 	{ 	{ 	{ 	{
5. Hernia.....	{ M. 3 F.	{ 	{ 	{ 	{ 	{ 	{ 	{ 1 	{ 	{ 1 	{ 1 	{ 	{ 	{ 	{ 	{
6. Other diseases of the bowels.....	{ M. F.	{ 	{ 	{ 	{ 	{ 	{ 	{ 	{ 	{ 	{ 	{ 	{ 	{ 	{ 	{
7. Jaundice.....	{ M. 7 F. 1	{ 7 1	{ 7 1	{ 	{ 	{ 	{ 	{ 	{ 	{ 	{ 	{ 	{ 	{ 	{ 	{
8. Inflammation and abscess of the liver.....	{ M. 2 F. 1	{ 	{ 	{ 	{ 	{ 	{ 	{ 1 	{ 	{ 1 	{ 	{ 	{ 1 	{ 	{ 	{
9. Other diseases of the liver.....	{ M. 9 F.	{ 2 	{ 3 	{ 	{ 	{ 	{ 	{ 	{ 2 	{ 	{ 1 	{ 1 	{ 1 	{ 	{ 	{ 1
10. Peritonitis.....	{ M. 7 F. 14	{ 3 2	{ 4 2	{ 1 1	{ 	{ 4 	{ 1 	{ 3 	{ 2 	{ 	{ 	{ 1 	{ 1 	{ 	{ 	{
11. Ascites.....	{ M. F.	{ 	{ 	{ 	{ 	{ 	{ 	{ 	{ 	{ 	{ 	{ 	{ 	{ 	{ 	{
12. Others of this class.....	{ M. 7 F. 3	{ 3 1	{ 5 1	{ 1 	{ 	{ 	{ 	{ 	{ 1 	{ 	{ 1 	{ 	{ 	{ 	{ 	{
VI.—Diseases of the urinary system and male organs of generation.	50	6	9	2		1	2	1	3	3	8	3	2	7	3	6
Males.....	29	4	6	1			1		1	2	5	2	1	5	1	4
Females.....	21	2	3	1		1	1	1	2	1	3	1	1	2	2	2
1. Bright's disease.....	{ M. 10 F. 7	{ 	{ 	{ 	{ 	{ 	{ 1 	{ 	{ 	{ 1 	{ 2 	{ 2 	{ 	{ 2 	{ 	{ 2 1
2. Calculus, urinary.....	{ M. 2 F.	{ 	{ 	{ 1 	{ 	{ 	{ 	{ 1 	{ 	{ 	{ 1 	{ 	{ 1 	{ 1 	{ 2 	{ 1 1
3. Diseases of the kidney.....	{ M. 13 F. 14	{ 3 2	{ 5 3	{ 1 	{ 	{ 1 	{ 1 	{ 	{ 2 	{ 1 	{ 3 2	{ 	{ 1 	{ 2 	{ 	{ 1 1
4. Diseases of the bladder.....	{ M. 2 F.	{ 	{ 	{ 	{ 	{ 	{ 	{ 	{ 2 	{ 1 	{ 	{ 1 	{ 	{ 	{ 1 	{
5. Others of this class.....	{ M. 2 F.	{ 1 	{ 1 	{ 	{ 	{ 	{ 	{ 	{ 	{ 	{ 	{ 	{ 	{ 	{ 	{
VII.—Diseases of the female organs of generation.	6					1	2	1	1	1						
1. Ovarian tumors.....	1									1						
2. Ovarian diseases.....																
3. Uterine tumors.....																
4. Uterine diseases.....	1					1										
5. Others of this class.....	4						2	1	1							
VIII.—Affections connected with pregnancy.	41					3	10	13	5	7	3					
1. Abortion.....	3															
2. Childbirth.....	9						1	2								
3. Puerperal septicaemia.....	26					1	7	5	6	5						
4. Extra-uterine pregnancy.....						2										
5. Others of this class.....	3							2			1					

STATISTICS OF DEATHS.

717

TABLE 1A.—DEATHS IN THE WHOLE 6-YEAR RECORD FROM EACH SPECIFIED DISEASE AND CLASS OF DISEASES, WITH DISTINCTION OF AGE AND SEX, DURING THE 6 YEARS ENDING MAY 31, 1890—Continued.

BIRTHPLACE OF MOTHERS—HUNGARY—Continued.

CAUSE OF DEATH.	All ages.	Under 1 year.	Total under 5 years.	5 to 10	10 to 15	15 to 20	20 to 25	25 to 30	30 to 35	35 to 40	40 to 45	45 to 50	50 to 55	55 to 60	60 to 65	65 and over and unknown.
IX.—Diseases of the bones and joints....	7		1		1		2		2				1			
Males.....	6		1		1		2		1				1			
Females.....	1								1							
1. Diseases of the spine.....	1						1									
2. Diseases of the bones.....	3						1		1				1			
3. Diseases of the hip joint.....	2		1		1											
4. Others of this class.....																
X.—Diseases of the skin.....	8	3	5									1	1			1
Males.....	6	2	4									1	1			
Females.....	2	1	1													1
1. Abscess.....	2	1	1										1			
2. Carbuncle.....	1											1				
3. Others of this class.....	3	2	3													1
XI.—Diseases of the absorbent system.....	1							1								
Males.....	1							1								
Females.....																
1. Addison's disease.....																
2. Diseases of the spleen.....	1							1								
3. Others of this class.....																
XII.—Accidents and injuries.....	104	12	30	10	2	12	3	11	9	6	9	3	2	1		1
Males.....	72	6	16	6	1	10	6	7	8	6	8	2	1	1		
Females.....	32	6	14	4	1	2	2	4	1	1	1	1	1			1
1. Burns and scalds.....	10	1	5			1	1			1	2					
2. Drowned.....	2							1			2					
3. Exposure and neglect.....	2	1	2													
4. Gunshot wounds.....	1					1										
5. Homicide.....	1										1					
6. Infanticide.....																
7. Injuries by machinery.....																
8. Railroad accidents.....	5			1					3				1			
9. Suffocation.....	4	2	2			1		1		1						
10. Suicide by shooting.....	2					1		1	1							
11. Suicide by drowning.....																
12. Suicide by poison.....	3					1	1		1							
13. Other suicides.....	4					1				1		1		1		
14. Sunstroke.....	1											1				
15. Surgical operations.....	4	2	2	1		1		1				1	1			1
16. Wounds.....	2						1				1					
17. Other accidents and injuries.....	34	1	7	4	1	4	3	6	3	3	3					
	9	2	4	2	1		1		1							

TABLE 14.—DEATHS IN THE WHOLE 6-YEAR RECORD FROM EACH SPECIFIED DISEASE AND CLASS OF DISEASES, WITH DISTINCTION OF AGE AND SEX, DURING THE 6 YEARS ENDING MAY 31, 1890—Continued.

BERNESE PLACE OF BROTHERS—BOHEMIA—Continued.

CAUSE OF DEATH.	All ages.	Under 1 year.	Total under 6 years.	5 to 10	10 to 15	15 to 20	20 to 25	25 to 30	30 to 35	35 to 40	40 to 45	45 to 50	50 to 55	55 to 60	60 to 65	65 and over and un-known.
IV.—Diseases of the respiratory system.	532	212	418	15	3	6	6	6	9	9	5	8	6	9	14	23
Males	290	124	228	6	2	4	4	2	5	4	3	4	3	5	8	12
Females	242	88	185	9	1	2	2	4	4	5	2	4	3	4	6	11
1. Croup	M 48 F 46	7 4	48 42	4 2		1							1			1
2. Laryngitis	M 5 F 1	2	4 1									1				
3. Bronchitis	M 89 F 63	62 43	76 57	1	1		1	1		1	1				1	6 5
4. Pneumonia	M 128 F 116	42 32	93 75	1 6	1	3 1	3 2	1 4	3 4	3 4	2 4	3 3	2 3	3 3	6 6	5 4
5. Pleurisy	M 2 F 3		2						1						1	1
6. Asthma	M 3 F 1								1		1			1		
7. Others of this class	M 15 F 12	11 8	12 8			1				1	1			1 1		1
V.—Diseases of the digestive system.	58	14	18			1	4	2	1	3	6	6	4	1	3	7
Males	31	9	12				1	1	1	2	4	4	3	1	1	1
Females	25	5	6			1	3	1		1	2	2	1		2	6
1. Dentition	M 1 F 1	1 1	1 1													
2. Angina	M F															
3. Diseases of the stomach	M 4 F 1	2	4													1
4. Obstruction of the bowels	M 3 F 2	2	2					1	1						1	
5. Hernia	M 1 F 1		1										1			
6. Other diseases of the bowels	M F										1					
7. Jaundice	M F															
8. Inflammation and abscess of the liver	M 8 F 5						1			2	1	3		1	1	3
9. Other diseases of the liver	M 4 F 6						2			1	1		2		1	1
10. Peritonitis	M 1 F 2					1		1			1					1
11. Ascites	M 1 F						1									
12. Others of this class	M 7 F 6	4 4	5 4									1	1			1
VI.—Diseases of the urinary system and male organs of generation.	110	4	15	2		1	2	8	9	10	7	10	14	8	8	16
Males	65	1	6	1				5	4	10	6	7	10	4	2	10
Females	45		9	1		1	2	3	5	1	1	3	4	4	6	6
1. Bright's disease	M 40 F 20			1 1			1	3 1	3 2	8 1	4 2	4 2	7 1	2 4	1 1	7 6
2. Calculus, urinary	M 2 F	1	1													
3. Diseases of the kidney	M 22 F 23		5 9				1	2 2	1 2	1 2	2 1	3 1	3 3	2	4	3
4. Diseases of the bladder	M F															
5. Others of this class	M 1 F 2								1						1 1	
VII.—Diseases of the female organs of generation.	6							1	1	3						1
1. Ovarian tumors	1									1						
2. Ovarian diseases																
3. Uterine tumors																
4. Uterine diseases	1							1								
5. Others of this class	4								1	2						1
VIII.—Affections connected with pregnancy.	21					1	5	5	3	6	1					
1. Abortion	1								1							
2. Childbirth	6						1	1		3	1					
3. Puerperal septicæmia	12					1	3	4	2	2						
4. Extra-uterine pregnancy																
5. Others of this class	2						1			1						

STATISTICS OF DEATHS.

721

TABLE 14.—DEATHS IN THE WHOLE 6-YEAR RECORD FROM EACH SPECIFIED DISEASE AND CLASS OF DISEASES, WITH DISTINCTION OF AGE AND SEX, DURING THE 6 YEARS ENDING MAY 31, 1890—Continued.

BIRTHPLACE OF MOTHERS—BOHEMIA—Continued.

CAUSE OF DEATH.	All ages.	Under 1 year.	Total under 5 years.	5 to 10	10 to 15	15 to 20	20 to 25	25 to 30	30 to 35	35 to 40	40 to 45	45 to 50	50 to 55	55 to 60	60 to 65	65 and over and un-known.
IX.—Diseases of the bones and joints.....	5		2	1	1						1					
Males	1			1												
Females	4		2		1						1					
1. Diseases of the spine..... {M	1			1												
{F	1				1											
2. Diseases of the bones..... {M																
{F	3		2								1					
3. Diseases of the hip joint... {M																
{F																
4. Others of this class..... {M																
{F																
X.—Diseases of the skin.....	10	1	2				1			2		1		3	1	
Males	6		1							1		1		2	1	
Females	4	1	1				1							1		
1. Abscess	3		1							1					1	
{M	3		1							1					1	
{F	4	1	1				1									
2. Carbuncle	3											1		2		
{M												1		2		
{F	3															
3. Others of this class..... {M																
{F																
XI.—Diseases of the absorbent system.....																
Males																
Females																
1. Addison's disease																
{M																
{F																
2. Diseases of the spleen..... {M																
{F																
3. Others of this class..... {M																
{F																
XII.—Accidents and injuries.....	77	4	16	7	1	4	3	7	8	3	6	7	3	3	2	7
Males	58	2	9	7	1	1	2	7	8	2	3	7	2	3	1	5
Females	19	2	7			3	1			1	3		1		1	2
1. Burns and scalds..... {M	2		1	1												
{F	5		2			1					1				1	
2. Drowned	7		1	2		1		1		1						1
{M	7		1	2		1		1		1						1
{F	1		1													
3. Exposure and neglect... {M																
{F																
4. Gunshot wounds																
{M																
{F																
5. Homicide..... {M	1								1							
{F																
6. Infanticide..... {M																
{F																
7. Injuries by machinery... {M																
{F																
8. Railroad accidents..... {M	3						1		1		1				1	
{F	1															
9. Suffocation..... {M	1		1			1										
{F	3	1	2													
10. Suicide by shooting..... {M	7						1	2	2					1		1
{F	1									1						
11. Suicide by drowning..... {M																
{F																
12. Suicide by poison..... {M	2					1			1			1				
{F	1															
13. Other suicides..... {M	9							1	1		1	4		1		1
{F	1															1
14. Sunstroke..... {M	4	1	3									1				
{F																
15. Surgical operations..... {M	1	1	1													
{F	2										2					
16. Wounds..... {M																
{F																
17. Other accidents and inju- {M	21		2	4	1		1	2	3		2	1	2	1		2
{F	4	1	2										1			1

TABLE 14.—DEATHS IN THE WHOLE 6-YEAR RECORD FROM EACH SPECIFIED DISEASE AND CLASS OF DISEASES, WITH DISTINCTION OF AGE AND SEX, DURING THE 6 YEARS ENDING MAY 31, 1890—Continued.

BIRTHPLACE OF MOTHERS—ITALY.

CAUSE OF DEATH.	All ages.	Under 1 year.	Total under 5 years.	5 to 10	10 to 15	15 to 20	20 to 25	25 to 30	30 to 35	35 to 40	40 to 45	45 to 50	50 to 55	55 to 60	60 to 65	65 and over and unknown.
All causes.....	14,995	6,727	10,884	457	165	239	436	472	422	408	351	239	224	144	171	383
Males.....	8,457	3,730	5,898	239	86	129	256	289	278	275	226	170	165	96	120	230
Females.....	6,538	2,997	4,986	218	79	110	180	183	144	133	125	69	59	48	51	153
Unknown causes.....	25	5	10			1		2	1	5		1	1		1	3
Males.....	14		5						1	3		1			1	3
Females.....	11	5	5			1		2		2			1			
I.—General diseases:																
General diseases—A.....	3,846	1,723	3,342	155	27	28	57	41	34	38	24	19	23	13	12	33
Males.....	2,073	932	1,762	81	12	15	33	30	23	30	18	15	14	8	12	20
Females.....	1,773	791	1,580	74	15	13	24	11	11	8	6	4	9	5		13
1. Smallpox.....	{ M. 14 F. 5	{ 4 2	{ 7 3			1	1	2		2			1			
2. Measles.....	{ M. 384 F. 359	{ 115 116	{ 366 344	11 10	1 1			4			1					1
3. Scarlet fever.....	{ M. 76 F. 69	{ 13 10	{ 66 58	8 8			1 2						1			
4. Diphtheria.....	{ M. 259 F. 255	{ 37 24	{ 218 217	30 30	6 3	1 1	4		1				1	1		1
5. Whooping cough.....	{ M. 72 F. 94	{ 33 39	{ 70 93	1	1 1											
6. Fever.....	{ M. 2 F. }	{ }	{ 1										1			
7. Cerebro-spinal fever.....	{ M. 35 F. 26	{ 15 7	{ 23 19	4 2	1 1		2 1	1 2		2		1				2
8. Typhoid fever.....	{ M. 85 F. 35	{ 1	{ 15 8	5 4	4	8 4	18 10	10 3	12 4	7 1	5	3	1	1	2	
9. Diarrheal diseases.....	{ M. 572 F. 481	{ 351 298	{ 503 436	13 14	2 2	1 2	2 5	4 2	1 2	8 2	7 2	6 1	4 2	3 2	7	11 9
10. Cholera infantum.....	{ M. 372 F. 327	{ 270 240	{ 372 325													2
11. Malarial fever.....	{ M. 65 F. 37	{ 8 2	{ 28 20	8 3	1 1	3	1	1	5 1	3 2	1 1	3 2	3 3	3 3	3	5
12. Erysipelas.....	{ M. 61 F. 54	{ 44 36	{ 45 39			1 1	2 2	3 3	2 2	3 1	2 1	1 1	2 3			
13. Septicæmia.....	{ M. 16 F. 4	{ 2	{ 4 1	1	1	1	1	2		5	2		1			
14. Venereal diseases.....	{ M. 48 F. 19	{ 35 15	{ 39 17				1	2	2			1			2	1
15. Others of this group.....	{ M. 12 F. 8	{ 4 2	{ 5 5	1 1		2		1	1		1			1		1
General diseases—B.....	147	115	128	1	2				6	2	4	1	1	1	1	
Males.....	83	65	73	1					6	2	4		1		1	
Females.....	59	50	55		2							1		1		
1. Parasitic diseases.....	{ M. 8 F. 4	{ 2 1	{ 6 4	1					1							
2. Alcoholism.....	{ M. 8 F. 2	{ }	{ }						3	1	2		1		1	
3. Lead poison.....	{ M. } F. }	{ }	{ }													
4. Other poisons.....	{ M. 6 F. }	{ 1	{ 1						2	1	2					
5. Inanition.....	{ M. 66 F. 53	{ 62 49	{ 66 51		2											
General diseases—C.....	2,392	2,245	2,331	3	2	1	1	2	4	1	2	2	1	1	6	35
Males.....	1,326	1,249	1,298	2	1	1	1	1	3	1	2	2	1	1	3	12
Females.....	1,066	996	1,035	1	1			1	1	1	2	2	1	1	3	23
1. Premature birth.....	{ M. 175 F. 138	{ 174 138	{ 175 138													
2. Stillborn.....	{ M. 872 F. 689	{ 872 689	{ 872 689													
3. Malformation.....	{ M. 30 F. 32	{ 28 31	{ 30 32													
4. Debility and atrophy.....	{ M. 240 F. 196	{ 175 138	{ 219 176	2 1	1 1	1	1	1 1	3 1	1	2	2		1	2	4 12
5. Old age.....	{ M. 9 F. 11	{ }	{ }												1	8 11

TABLE 14.—DEATHS IN THE WHOLE 6-YEAR RECORD FROM EACH SPECIFIED DISEASE AND CLASS OF DISEASES, WITH DISTINCTION OF AGE AND SEX, DURING THE 6 YEARS ENDING MAY 31, 1890—Continued.

BIRTHPLACE OF MOTHERS—ITALY—Continued.

CAUSE OF DEATH.	All ages.	Under 1 year.	Total under 5 years.	5 to 10	10 to 15	15 to 20	20 to 25	25 to 30	30 to 35	35 to 40	40 to 45	45 to 50	50 to 55	55 to 60	60 to 65	65 and over and un-known.
IV.—Diseases of the respiratory system.	4,220	1,629	3,320	125	32	36	70	96	87	77	82	55	62	31	42	105
Males	2,405	906	1,783	59	18	22	54	74	62	59	64	42	55	19	28	66
Females	1,815	723	1,537	66	14	14	16	22	25	18	18	13	7	12	14	39
1. Croup	{ M. 284 F. 281	{ 64 37	{ 264 216	{ 17 15					1	1					1	
2. Laryngitis	{ M. 26 F. 23	{ 4 5	{ 24 20	{ 1 2	1			1								
3. Bronchitis	{ M. 822 F. 728	{ 468 382	{ 768 682	{ 10 7	4 3	1 2	1 3	2 5	6	4 2	1 2	2 3	4 1	1 1	1 3	17 14
4. Pneumonia	{ M. 1,136 F. 748	{ 296 250	{ 631 554	{ 31 38	14 9	19 12	49 12	66 16	47 24	49 14	60 15	39 10	47 5	16 8	22 8	46 23
5. Pleurisy	{ M. 42 F. 15	{ 8 1	{ 16 7			1	3	3	5	4	2	1	2	2	2	1
6. Asthma	{ M. 3 F. 5	{ 1 1	{ 1 1						1		1				1	
7. Others of this class	{ M. 92 F. 65	{ 65 47	{ 79 57	1	1	1	1	2	2	1	1		2	1	1	2 2
V.—Diseases of the digestive system.	385	124	189	10	9	7	8	23	23	22	16	13	20	17	12	16
Males	227	68	108	8	4	3	5	11	13	16	10	8	13	9	9	10
Females	158	56	81	2	5	4	3	12	10	6	6	5	7	8	3	6
1. Dentition	{ M. 17 F. 9	{ 9 8	{ 17 9													
2. Angina	{ M. 6 F. 4	{ 1 1	{ 5 3						1	1						
3. Diseases of the stomach	{ M. 41 F. 35	{ 16 17	{ 28 27	1	1				1	1	1	1	1	1	1	4 1
4. Obstruction of the bowels	{ M. 15 F. 5	{ 2 2	{ 4 3					1	1	3	1		2	2	1	
5. Hernia	{ M. 13 F. 4	{ 3 2	{ 3 2	1			1	1			1		1	2	2	1
6. Other diseases of the bowels	{ M. 3 F. 4	{ 1 2	{ 2 3						1	1						
7. Jaundice	{ M. 21 F. 4	{ 17 4	{ 18 4							1	1	1				
8. Inflammation and abscess of the liver	{ M. 14 F. 7	{ 1 1	{ 1 1	3		1		2	3	1		1	1	1	1	2
9. Other diseases of the liver	{ M. 35 F. 14		{ 1 1	1	1	1		2	4	5	4	3	7	3	2	2 4
10. Peritonitis	{ M. 38 F. 50	{ 4 7	{ 13 12	2 1	2 4	2 2	3 2	5 6	2 9	4 3	2 4	1 2	2 3	1		1
11. Ascites	{ M. 1 F. 1													1		
12. Others of this class	{ M. 24 F. 21	{ 14 12	{ 18 16				1 1	1	1		1			2	2	1
VII.—Diseases of the urinary system and male organs of generation.	285	8	56	22	5	5	13	17	15	27	24	19	20	8	14	40
Males	171	5	29	12	4	2	9	10	14	15	13	14	10	6	9	24
Females	114	3	27	10	1	3	4	7	1	12	11	5	10	2	5	16
1. Bright's disease	{ M. 56 F. 49			3	1	1	4	4	4	5	5	5	6	1	3	14 12
2. Calculus, urinary	{ M. 104 F. 61	{ 4 3	{ 28 25	9 7	3	1	4	4	10	10	8	7	4	4	5	7 3
3. Diseases of the kidney	{ M. 7 F. 3	{ 1 1	{ 1 1					1	1		1		2	1	2	3 1
4. Diseases of the bladder	{ M. 4 F. 1		{ 1 1				1	1				1			1	1
5. Others of this class	{ M. 1 F. 1		{ 1 1									1				
VII.—Diseases of the female organs of generation.	16					1	3	4	4	3						1
1. Ovarian tumors	3							1	1	1						
2. Ovarian diseases																
3. Uterine tumors																
4. Uterine diseases	4					1	1	1	1							
5. Others of this class	9						2	2	2	2						1
VIII.—Affections connected with pregnancy.	176					17	44	45	29	27	11	2	1			
1. Abortion	3						1	1	1							
2. Childbirth	24					1	7	7	3	6						
3. Puerperal septicæmia	137					14	34	34	22	20	10	2	1			
4. Extra-uterine pregnancy																
5. Others of this class	12					2	2	3	4	1						

TABLE 14.—DEATHS IN THE WHOLE 6-YEAR RECORD FROM EACH SPECIFIED DISEASE AND CLASS OF DISEASES, WITH DISTINCTION OF AGE AND SEX, DURING THE 6 YEARS ENDING MAY 31, 1890—Continued.

BIRTHPLACE OF MOTHERS—ITALY—Continued.

CAUSE OF DEATH.	All ages.	Under 1 year.	Total under 5 years.	5 to 10	10 to 15	15 to 20	20 to 25	25 to 30	30 to 35	35 to 40	40 to 45	45 to 50	50 to 55	55 to 60	60 to 65	65 and over and un-known.
IX.—Diseases of the bones and joints.....	27	2	7	7	4		2	3	1	1	2					
Males.....	18	1	4	4	3		1	3	1		2					
Females.....	9	1	3	3	1		1		1	1						
1. Diseases of the spine.....	{ M. 6 F. 4	{ 1 1	{ 2 1	{ 1 1	{ 2 1		{ 1 1		{ 1 1							
2. Diseases of the bones.....	{ M. 5 F. 1		{ 1 1	{ 2 1	{ 1 1		{ 1 1									
3. Diseases of the hip joint.....	{ M. 6 F. 3		{ 1 1	{ 1 1	{ 1 1		{ 1 1	{ 2 2			1					
4. Others of this class.....	{ M. 1 F. 1			{ 1 1							1					
X.—Diseases of the skin.....	34	12	18	2	1		1	3	3		4					2
Males.....	21	9	13	2				2	2		1					1
Females.....	13	3	5		1		1	1	1		3					1
1. Abscess.....	{ M. 17 F. 11	{ 7 2	{ 11 3	{ 2 1			{ 1 1	{ 2 1	{ 1 1		{ 1 3					1
2. Carbuncle.....	{ M. 1 F. 1								1							
3. Others of this class.....	{ M. 3 F. 2	{ 2 1	{ 2 2													1
XI.—Diseases of the absorbent system.....	4	2	2					1		1						
Males.....	3	1	1					1		1						
Females.....	1	1	1													
1. Addison's disease.....	{ M. 1 F. 1															
2. Diseases of the spleen.....	{ M. 2 F. 1	{ 1 1	{ 1 1							1						
3. Others of this class.....	{ M. 1 F. 1	{ 1 1	{ 1 1					1								
XII.—Accidents and injuries.....	488	32	88	28	16	25	59	58	51	62	35	21	15	7	8	15
Males.....	408	20	54	20	12	20	54	52	50	58	31	19	15	5	8	10
Females.....	80	12	34	8	4	5	5	6	1	4	4	2		2		5
1. Burns and scalds.....	{ M. 22 F. 23	{ 1 3	{ 19 16	{ 2 5	{ 1 1	{ 1 1		{ 1 1								
2. Drowned.....	{ M. 26 F. 2		{ 1 1	{ 3 1	{ 2 1	{ 3 1	{ 6 1	{ 3 1	{ 1 1	{ 5 1				1		1
3. Exposure and neglect.....	{ M. 1 F. 1		{ 1 1													
4. Gunshot wounds.....	{ M. 3 F. 1						2	1								
5. Homicide.....	{ M. 40 F. 5			1		1	7	6	4	12	1	3	2	1	1	1
6. Infanticide.....	{ M. 1 F. 1															
7. Injuries by machinery.....	{ M. 1 F. 1					1										
8. Railroad accidents.....	{ M. 87 F. 4		2	2	2	3	12	15	17	18	8	7	2	2		2
9. Suffocation.....	{ M. 24 F. 8	{ 11 7	{ 11 7	{ 1 1	{ 1 1		1	2	1	3	1	1	1		1	1
10. Suicide by shooting.....	{ M. 15 F. 1					1	2	4	2	4	1				1	
11. Suicide by drowning.....	{ M. 3 F. 1							1		1					1	
12. Suicide by poison.....	{ M. 5 F. 4						2	2		1		2			1	1
13. Other suicides.....	{ M. 4 F. 2									3			1			1
14. Sunstroke.....	{ M. 17 F. 1	{ 2 1	{ 4 1	{ 1 1			3	1	2	2	2	2				
15. Surgical operations.....	{ M. 2 F. 4		{ 1 1		1					1	1					
16. Wounds.....	{ M. 7 F. 1			1			4					1	1			1
17. Other accidents and injuries.....	{ M. 151 F. 26	{ 6 2	{ 17 8	{ 10 2	{ 6 3	{ 10 2	{ 17 1	{ 19 2	{ 22 1	{ 15 1	{ 16 1	{ 3 1	{ 8 1	{ 1 2	{ 3 1	{ 4 3

TABLE 14.—DEATHS IN THE WHOLE 6-YEAR RECORD FROM EACH SPECIFIED DISEASE AND CLASS OF DISEASES, WITH DISTINCTION OF AGE AND SEX, DURING THE 6 YEARS ENDING MAY 31, 1890—Continued.

BIRTHPLACE OF MOTHERS—OTHER FOREIGN COUNTRIES.

CAUSE OF DEATH.	All ages.	Under 1 year.	Total under 5 years.	5 to 10	10 to 15	15 to 20	20 to 25	25 to 30	30 to 35	35 to 40	40 to 45	45 to 50	50 to 55	55 to 60	60 to 65	65 and over and un-known.
All causes.....	11,388	3,986	5,689	354	123	265	450	568	486	508	496	409	402	367	359	922
Males.....	6,645	2,276	3,179	162	62	138	245	355	316	335	336	292	266	243	213	498
Females.....	4,743	1,710	2,510	192	61	127	205	213	170	173	150	117	136	124	141	424
Unknown causes.....	13	5	5	1			1		1						1	4
Males.....	10	4	4	1											1	4
Females.....	3	1	1				1		1							
I.—General diseases:																
General diseases—A.....	2,669	1,326	2,053	153	34	50	50	68	36	23	43	26	19	17	24	73
Males.....	1,434	713	1,087	63	17	25	33	50	30	12	30	18	14	7	17	31
Females.....	1,235	613	966	90	17	25	17	18	6	11	13	8	5	10	7	42
1. Smallpox.....	{ M. 5 F. 1	{ 1 1	{ 1 1	{ 2 	{	{	{	{ 1 	{	{	{	{ 1 	{	{	{	{
2. Measles.....	{ M. 62 F. 48	{ 14 12	{ 58 46	{ 2 2	{ 1 	{	{	{ 1 	{	{	{	{	{	{	{	{
3. Scarlet fever.....	{ M. 73 F. 82	{ 9 7	{ 62 59	{ 10 20	{ 3 1	{ 1 	{ 1 	{ 1 2	{	{	{	{	{	{	{	{
4. Diphtheria.....	{ M. 201 F. 209	{ 32 16	{ 157 155	{ 31 45	{ 5 5	{ 1 2	{ 1 	{ 2 	{ 2 	{ 1 	{ 1 	{	{	{	{	{ 2
5. Whooping cough.....	{ M. 44 F. 47	{ 25 25	{ 41 46	{ 3 1	{	{	{	{	{	{	{	{	{	{	{	{
6. Fever.....	{ M. 1 F. 1	{	{ 1 	{	{	{	{	{	{ 1 	{	{	{	{	{	{	{
7. Cerebro-spinal fever.....	{ M. 23 F. 16	{ 5 7	{ 13 11	{ 3 3	{	{ 1 	{ 1 	{ 1 1	{ 2 	{ 1 	{ 1 	{ 1 	{	{	{	{
8. Typhoid fever.....	{ M. 96 F. 49	{	{ 4 2	{ 3 7	{ 4 4	{ 14 13	{ 15 5	{ 25 6	{ 13 1	{ 4 5	{ 3 1	{ 4 4	{	{ 1 	{ 2 1	{ 4
9. Diarrheal diseases.....	{ M. 474 F. 398	{ 315 265	{ 389 319	{ 6 6	{ 2 2	{ 5 4	{ 2 6	{ 10 5	{ 7 2	{ 3 2	{ 9 7	{ 6 4	{ 6 1	{ 5 8	{ 9 2	{ 15 30
10. Cholera infantum.....	{ M. 328 F. 295	{ 287 250	{ 328 295	{	{	{	{	{	{	{	{	{	{	{	{	{
11. Malarial fever.....	{ M. 43 F. 45	{ 2 5	{ 4 6	{ 2 6	{ 2 4	{ 2 3	{ 8 5	{ 6 2	{ 3 2	{ 2 2	{ 6 3	{	{ 2 3	{ 2 2	{ 4 2	{ 2 5
12. Erysipelas.....	{ M. 39 F. 28	{ 16 17	{ 18 18	{	{ 1 	{ 3 	{	{ 3 1	{ 2 	{ 1 	{ 5 	{ 2 	{ 3 	{	{ 1 1	{ 3 4
13. Septicæmia.....	{ M. 9 F. 2	{	{ 1 	{ 1 	{	{	{ 1 1	{ 1 1	{ 1 1	{ 1 1	{ 1 1	{	{ 1 	{	{ 1 1	{ 1 1
14. Venereal diseases.....	{ M. 22 F. 7	{ 7 6	{ 8 6	{	{	{	{	{ 3 	{	{ 1 	{ 5 	{ 4 	{ 1 	{	{	{ 1
15. Others of this group.....	{ M. 9 F. 7	{ 1 1	{ 2 2	{	{	{	{ 1 	{	{	{	{ 1 	{ 1 	{ 1 1	{ 1 1	{ 1 1	{ 3 3
General diseases—B.....	133	79	81	1	1		1	5	5	6	7	5	7	5	5	4
Males.....	92	48	43		1		1	5	3	6	5	5	6	5	3	4
Females.....	41	31	33	1					2	6	2	5	1	5	2	
1. Parasitic diseases.....	{ M. 1 F. 1	{	{ 1 	{	{	{	{	{	{	{	{	{	{	{	{	{
2. Alcoholism.....	{ M. 32 F. 3	{	{	{	{	{	{	{ 3 	{ 2 1	{ 6 	{ 4 2	{ 5 	{ 5 	{ 3 	{ 2 	{ 2
3. Lead poison.....	{ M. 1 F. 1	{	{	{	{	{	{	{	{	{	{	{	{	{	{	{
4. Other poisons.....	{ M. 13 F. 4	{ 1 	{ 1 1	{	{ 1 	{	{ 1 	{ 2 1	{ 1 1	{	{ 1 	{	{ 1 1	{ 2 1	{ 1 1	{ 2
5. Inanition.....	{ M. 47 F. 33	{ 47 31	{ 47 31	{ 1 	{	{	{	{	{	{	{	{	{	{	{ 1 	{
General diseases—C.....	1,561	1,375	1,407	3				2	1	4	2	1		4	4	133
Males.....	883	801	812	1				1		3	1	1				60
Females.....	678	574	595	2				1	1	1	1			3	3	73
1. Premature birth.....	{ M. 99 F. 71	{ 99 70	{ 99 71	{	{	{	{	{	{	{	{	{	{	{	{	{
2. Stillborn.....	{ M. 540 F. 371	{ 540 371	{ 540 371	{	{	{	{	{	{	{	{	{	{	{	{	{
3. Malformation.....	{ M. 12 F. 7	{ 11 7	{ 12 7	{	{	{	{	{	{	{	{	{	{	{	{	{
4. Debility and atrophy.....	{ M. 196 F. 184	{ 151 126	{ 161 146	{ 1 2	{	{	{	{ 1 1	{ 1 1	{ 3 1	{ 1 1	{ 1 	{	{ 3 1	{ 1 2	{ 24 29
5. Old age.....	{ M. 36 F. 45	{	{	{	{	{	{	{	{	{	{	{	{	{	{ 1 	{ 36 44

TABLE 14.—DEATHS IN THE WHOLE 6-YEAR RECORD FROM EACH SPECIFIED DISEASE AND CLASS OF DISEASES, WITH DISTINCTION OF AGE AND SEX, DURING THE 6 YEARS ENDING MAY 31, 1890—Continued.

BIRTHPLACE OF MOTHERS—OTHER FOREIGN COUNTRIES—Continued.

CAUSE OF DEATH.	All ages.	Under 1 year.	Total under 5 years.	5 to 10	10 to 15	15 to 20	20 to 25	25 to 30	30 to 35	35 to 40	40 to 45	45 to 50	50 to 55	55 to 60	60 to 65	65 and over and unknown.
IV.—Diseases of the respiratory system..	1,851	541	1,088	75	12	31	43	57	54	47	65	57	55	54	43	170
Males	1,070	314	609	36	5	15	30	44	34	33	47	44	35	35	22	80
Females	781	227	479	39	7	16	13	13	20	14	18	13	20	18	21	90
1. Croup	{ M. 146 F. 113	{ 27 9	{ 128 89	{ 16 21				{ 1 1				{ 1 1		{ 1 1		
2. Laryngitis	{ M. 13 F. 6	{ 5 2	{ 12 5	{ 1 1												
3. Bronchitis	{ M. 206 F. 168	{ 108 82	{ 156 123	{ 4 3	{ 1 1	{ 1 1	{ 2 1	{ 1 1	{ 2 2	{ 2 2	{ 1 1	{ 1 1	{ 4 7	{ 7 1	{ 6 4	{ 20 24
4. Pneumonia	{ M. 606 F. 433	{ 144 106	{ 275 228	{ 15 14	{ 3 6	{ 14 15	{ 24 11	{ 34 9	{ 30 19	{ 27 14	{ 40 15	{ 36 12	{ 27 11	{ 25 15	{ 12 13	{ 44 51
5. Pleurisy	{ M. 16 F. 14	{ 1 1	{ 3 3			{ 1 1	{ 2 1	{ 1 2	{ 1 1	{ 2 2			{ 2 1	{ 1 1	{ 3 3	{ 1 4
6. Asthma	{ M. 6 F. 8				{ 1 1					{ 1 1			{ 1 1	{ 1 1	{ 1 1	{ 3 4
7. Others of this class	{ M. 77 F. 39	{ 29 27	{ 35 31		{ 1 1		{ 2 1	{ 7 1	{ 1 1	{ 1 1	{ 4 4	{ 6 6	{ 1 1	{ 3 3	{ 4 4	{ 12 7
V.—Diseases of the digestive system ..	407	93	124	11	6	7	15	17	15	27	30	26	27	28	25	49
Males	246	52	73	7	6	3	7	8	9	16	20	21	17	20	17	22
Females	161	41	51	4		4	8	9	6	11	10	5	10	8	8	37
1. Dentition	{ M. 20 F. 11	{ 10 9	{ 20 11													
2. Angina	{ M. 7 F. 1		{ 1 1	{ 1 1					{ 1 1	{ 1 1						{ 3 3
3. Diseases of the stomach	{ M. 38 F. 29	{ 16 14	{ 20 17		{ 1 1			{ 2 1		{ 2 1	{ 2 1	{ 1 1	{ 1 1	{ 2 1	{ 3 1	{ 5 6
4. Obstruction of the bowels	{ M. 15 F. 11	{ 3 2	{ 3 2			{ 1 1	{ 1 1	{ 1 1	{ 3 1	{ 2 1	{ 1 1	{ 2 1		{ 1 1	{ 1 1	{ 1 2
5. Hernia	{ M. 11 F. 9	{ 2 2	{ 2 2			{ 1 1	{ 1 1	{ 1 1	{ 1 1	{ 1 1	{ 1 1	{ 1 1	{ 2 1	{ 1 1	{ 1 1	{ 2 4
6. Other diseases of the bowels	{ M. 1 F. 2										{ 1 1					{ 1 1
7. Jaundice	{ M. 3 F. 3	{ 3 2	{ 3 2								{ 1 1					
8. Inflammation and abscess of the liver	{ M. 21 F. 6	{ 1 1	{ 3 3	{ 1 1	{ 1 1		{ 1 1			{ 1 1	{ 3 3	{ 5 5	{ 2 1	{ 2 1	{ 1 1	{ 1 2
9. Other diseases of the liver	{ M. 58 F. 23	{ 1 2	{ 2 2			{ 1 1	{ 1 1	{ 2 1	{ 1 1	{ 6 3	{ 7 4	{ 7 2	{ 10 3	{ 9 3	{ 6 3	{ 7 5
10. Peritonitis	{ M. 37 F. 37	{ 3 1	{ 4 1	{ 3 2	{ 4 2	{ 1 2	{ 2 4	{ 3 6	{ 3 4	{ 4 3	{ 4 4	{ 2 4	{ 2 3	{ 1 3	{ 2 3	{ 2 3
11. Ascites	{ M. 1 F. 1												{ 1 1			
12. Others of this class	{ M. 34 F. 23	{ 13 13	{ 15 15	{ 2 1	{ 1 1	{ 1 1	{ 1 1	{ 1 1	{ 1 1		{ 2 1	{ 3 1		{ 4 1	{ 2 1	{ 1 4
VI.—Diseases of the urinary system and male organs of generation.	451	13	36	14	6	7	13	14	32	36	31	46	36	34	47	99
Males	274	10	28	4	2	1	1	9	19	23	15	37	20	23	30	62
Females	177	3	8	10	4	6	12	5	13	13	16	9	16	11	17	37
1. Bright's disease	{ M. 108 F. 88			{ 2 3	{ 1 1	{ 1 1	{ 2 2	{ 3 3	{ 6 10	{ 8 8	{ 7 9	{ 16 4	{ 12 12	{ 15 7	{ 9 8	{ 29 20
2. Calculus, urinary	{ M. 3 F. 3								{ 1 1	{ 1 1						
3. Diseases of the kidney	{ M. 127 F. 84	{ 5 3	{ 26 8	{ 2 6	{ 2 3	{ 1 5	{ 10 10	{ 3 2	{ 6 3	{ 8 5	{ 6 7	{ 19 5	{ 7 4	{ 4 3	{ 16 9	{ 18 14
4. Diseases of the bladder	{ M. 17 F. 3							{ 1 1			{ 1 1					{ 2 4
5. Others of this class	{ M. 19 F. 2	{ 2 2	{ 2 2	{ 1 1			{ 1 1	{ 1 1	{ 2 1	{ 1 1			{ 1 1	{ 2 1	{ 4 1	{ 4 1
VII.—Diseases of the female organs of generation.	23					1	5	4	5	1	3	1	2		1	
1. Ovarian tumors	5							1	1	1			2			
2. Ovarian diseases	5						1	1	1							
3. Uterine tumors	2								1			1				
4. Uterine diseases	5						2	2	1							
5. Others of this class	6					1	2	1	1						1	
VIII.—Affections connected with pregnancy.	117					6	36	35	14	23	3					
1. Abortion	5							1	1	3						
2. Childbirth	16							4	5	3						
3. Puerperal septicæmia	87					6	29	24	9	17						
4. Extra-uterine pregnancy																
5. Others of this class	9						2	6	1							

TABLE 14.—DEATHS IN THE WHOLE 6-YEAR RECORD FROM EACH SPECIFIED DISEASE AND CLASS OF DISEASES, WITH DISTINCTION OF AGE AND SEX, DURING THE 6 YEARS ENDING MAY 31, 1890—Continued.

BIRTHPLACE OF MOTHERS—OTHER FOREIGN COUNTRIES—Continued.

CAUSE OF DEATH.	All ages.	Under 1 year.	Total under 5 years.	5 to 10	10 to 15	15 to 20	20 to 25	25 to 30	30 to 35	35 to 40	40 to 45	45 to 50	50 to 55	55 to 60	60 to 65	65 and over and un-known.
IX.—Diseases of the bones and joints	27	1	2	4	3	4	3	1	2			3	1	3		1
Males.....	15			2	1	2	2		1			3	1	3		1
Females.....	12	1	2	2	2	2	1	1	1							
1. Diseases of the spine.....	{ M. 3 F. 6			1	1		1	1	1			1		1		1
2. Diseases of the bones.....	{ M. 7 F. 3	1	1	1		1			1			2	1	1		
3. Diseases of the hip joint.....	{ M. 4 F. 2			1		1	1							1		
4. Others of this class.....	{ M. 1 F. 1		1				1									
X.—Diseases of the skin	30	8	12	1		2	1	1	3	1	3	2	2		1	1
Males.....	18	2	4	1		1	1		3	1	3	1			1	
Females.....	14	6	8			1		1				1	2			1
1. Abscess.....	{ M. 9 F. 11	1	2	1			1		1	1	3		2			1
2. Carbuncle.....	{ M. 2 F. 1			1					1						1	
3. Others of this class.....	{ M. 5 F. 2	1	2			1			1			1				
XI.—Diseases of the absorbent system	5						1						3			1
Males.....	3												2			1
Females.....	2						1						1			
1. Addison's disease.....	{ M. 1 F. 1						1						1			
2. Diseases of the spleen.....	{ M. 1 F. 1															1
3. Others of this class.....	{ M. 1 F. 1												1			
XII.—Accidents and injuries	411	23	60	14	8	25	30	55	45	37	22	30	18	26	16	25
Males.....	327	13	37	11	7	20	20	45	38	34	17	28	15	22	15	18
Females.....	84	10	23	3	1	5	10	10	7	3	5	2	3	4	1	7
1. Burns and scalds.....	{ M. 22 F. 15	1	12			4		1	3	1		1				
2. Drowned.....	{ M. 36 F. 4		1	1	2	5	6	3		3	1	4	2	3	3	1
3. Exposure and neglect.....	{ M. 1 F. 1															
4. Gunshot wounds.....	{ M. 2 F. 1					2										
5. Homicide.....	{ M. 11 F. 2					1		3	2	1	1	2				1
6. Infanticide.....	{ M. 1 F. 1	1	1													
7. Injuries by machinery.....	{ M. 1 F. 1					1				1						
8. Railroad accidents.....	{ M. 22 F. 1		1	1	1		1	4	5	1	1	1	2	1	1	2
9. Suffocation.....	{ M. 14 F. 6	7	7				1	1	1	2	1			1		
10. Suicide by shooting.....	{ M. 36 F. 1					1	5	4	7	6	1	3	2	4	3	
11. Suicide by drowning.....	{ M. 4 F. 1										2	2				
12. Suicide by poison.....	{ M. 7 F. 5					1	2	2	1	1	1	2		1	1	
13. Other suicides.....	{ M. 35 F. 5					1	1	3	6	7	3	2	2	5	1	4
14. Sunstroke.....	{ M. 20 F. 2	1	2				1	3	4	2	1	4	1			2
15. Surgical operations.....	{ M. 7 F. 13	1	1			1	2	3	1	1	2		2	1		1
16. Wounds.....	{ M. 4 F. 1		1					1					1			1
17. Other accidents and injuries.....	{ M. 106 F. 28	3	12	9	4	6	5	20	9	9	5	6	3	7	6	5

TABLE 14.—DEATHS IN THE WHOLE 6-YEAR RECORD FROM EACH SPECIFIED DISEASE AND CLASS OF DISEASES, WITH DISTINCTION OF AGE AND SEX, DURING THE 6 YEARS ENDING MAY 31, 1890—Continued.

BIRTHPLACE OF MOTHERS—UNKNOWN—Continued.

CAUSE OF DEATH.	All ages.	Under 1 year.	Total under 5 years.	5 to 10	10 to 15	15 to 20	20 to 25	25 to 30	30 to 35	35 to 40	40 to 45	45 to 50	50 to 55	55 to 60	60 to 65	65 and over and un-known.
I.—General diseases—Continued.																
General diseases—D	7,621	329	647	78	97	297	672	905	778	745	637	571	475	404	406	909
Males	4,185	171	354	44	38	126	354	490	439	435	376	360	272	216	234	438
Females	3,436	158	293	34	59	171	318	406	339	310	261	211	203	188	172	471
1. Rheumatism	{ M 84 F 93	2	1	1	2	3	3	5	3	4	5	8	6	14	8	20
2. Scrofula and tuberc.	{ M 68 F 36	27	40	1	3	1	4	2	4	2	2	1	1	2	2	3
3. Leprosy	{ M 1 F											1				
4. Consumption	{ M 3,355 F 2,403	62	153	25	28	118	394	480	412	409	323	309	215	148	159	242
5. Hydrocephalus	{ M 161 F 130	60	120	16	3	1	1	1	2	2	3	2	2	2	2	2
6. Cancer	{ M 313 F 584	2	4	1	1	2	4	6	12	8	33	26	33	30	43	110
7. Tumor	{ M 35 F 38	1	1		1	1	2	2	4	3	1	4	4	2	5	14
8. Anæmia	{ M 17 F 27	5	5		1		2	2	1	2	3	1	2		2	5
9. Dropsy	{ M 72 F 73	2	2		1		3	1	4	3	3	3	6	11	5	34
10. Diabetes	{ M 42 F 27	1	2				2	2	2	3	3	4	4	4	7	11
11. Others of this group	{ M 33 F 28	13	20	1	1	1	1	1	2		3	1		3	1	2
12. Others of this class	{ M 1 F						1									1
II.—Diseases of the nervous system																
.....	4,834	689	898	54	32	62	119	168	225	268	258	313	330	288	335	1,484
Males	2,891	347	486	34	19	40	78	111	157	190	184	204	216	189	204	779
Females	1,943	292	412	20	13	22	41	57	68	78	74	109	114	99	131	705
1. Inflammation of the brain.	{ M 368 F 242	98	171	16	6	7	13	17	21	25	15	18	16	15	11	17
2. Apoplexy	{ M 778 F 587	4	6	1	2	5	7	7	21	33	46	55	79	85	94	337
3. Paralysis	{ M 601 F 364	2	5	1		2	6	21	34	60	51	54	45	43	38	241
4. Tetanus and trismus nascentium.	{ M 50 F 22	24	26	1	3	2	2	4	2		2	4	3		1	
5. Epilepsy	{ M 147 F 81	2	6	3	4	13	24	18	18	10	12	11	6	6	4	12
6. Convulsions	{ M 253 F 212	183	221	3	1	1	3	3	2	1	3	5	3	2	2	3
7. Mental diseases	{ M 266 F 180			1		3	13	23	33	33	32	28	13	11	19	49
8. Diseases of the brain	{ M 332 F 211	33	50	7	1	6	7	13	18	22	15	20	30	24	24	95
9. Diseases of the spinal cord	{ M 72 F 41	1	1	2	2	1	1	2	7	3	6	7	12	2	10	16
10. Others of this class	{ M 24 F 23				1		2	3	1	3	2	2	2	1	1	9
III.—Diseases of the circulatory system.																
.....	2,586	77	88	21	33	42	61	94	133	168	190	170	215	185	249	937
Males	1,487	51	55	7	17	22	39	51	80	113	121	102	127	101	156	496
Females	1,099	26	33	14	16	20	22	43	53	55	69	68	88	84	93	441
1. Angina pectoris	{ M 62 F 25							2	1	2	1	5	5	4	13	28
2. Aneurism	{ M 50 F 11					1			4	9	10	4	7	5	3	7
3. Diseases of the heart	{ M 1,332 F 1,036	24	27	7	17	21	39	49	73	103	109	92	114	92	138	451
4. Others of this class	{ M 43 F 27	27	28				1	1	1			1	1		2	10

TABLE 14.—DEATHS IN THE WHOLE 6-YEAR RECORD FROM EACH SPECIFIED DISEASE AND CLASS OF DISEASES, WITH DISTINCTION OF AGE AND SEX, DURING THE 6 YEARS ENDING MAY 31, 1890—Continued.

BIRTHPLACE OF MOTHERS—UNKNOWN—Continued.

CAUSE OF DEATH.	All ages.	Under 1 year.	Total under 5 years.	5 to 10	10 to 15	15 to 20	20 to 25	25 to 30	30 to 35	35 to 40	40 to 45	45 to 50	50 to 55	55 to 60	60 to 65	65 and over and un-known.
IV.—Diseases of the respiratory system.	5,319	1,382	2,141	91	32	59	139	170	200	217	247	256	226	210	235	1,096
Males	2,924	688	1,092	56	14	34	92	110	130	145	170	171	130	138	141	501
Females.....	2,395	694	1,049	35	18	25	47	60	70	72	77	85	96	72	94	595
1. Croup.....	{ M.. 164 F.. 121	{ 29 24	{ 139 96	{ 17 16	{ .. 2	{	{ 1 ..	{ .. 1	{ .. 1	{	{ 2 ..	{	{ 2 1	{ 2 1	{ .. 1	{ 1 3
2. Laryngitis.....	{ M.. 27 F.. 19	{ 8 7	{ 9 12	{ 1 1	{ .. 1	{ 1 1	{ 3 1	{ .. 1	{ .. 1	{ .. 1	{	{ .. 1	{ 3 ..	{	{	{ 5 ..
3. Bronchitis.....	{ M.. 440 F.. 522	{ 163 182	{ 215 236	{ 8 3	{ 2 1	{ 1 2	{ 4 4	{ 9 3	{ 3 1	{ 8 3	{ 13 7	{ 8 10	{ 16 15	{ 12 13	{ 18 19	{ 123 205
4. Pneumonia.....	{ M.. 1,895 F.. 1,474	{ 398 407	{ 615 617	{ 27 12	{ 9 13	{ 29 18	{ 76 32	{ 85 49	{ 98 56	{ 115 55	{ 137 59	{ 128 62	{ 92 67	{ 96 52	{ 98 62	{ 290 320
5. Pleurisy.....	{ M.. 84 F.. 56	{ 4 9	{ 10 12	{ 2 ..	{ 2 1	{ .. 1	{ 2 5	{ 10 3	{ 12 5	{ 5 5	{ 8 5	{ 9 2	{ 4 4	{ 6 1	{ 3 3	{ 11 9
6. Asthma.....	{ M.. 30 F.. 24	{ 1 ..	{ 1 ..	{	{	{	{ 1 ..	{	{ 1 ..	{	{	{ 1 1	{ .. 4	{ 6 1	{ 4 3	{ 17 13
7. Others of this class.....	{ M.. 284 F.. 179	{ 90 65	{ 103 76	{ 1 3	{ 1 ..	{ 3 3	{ 6 4	{ 6 4	{ 17 5	{ 14 8	{ 10 6	{ 24 10	{ 13 5	{ 16 4	{ 16 6	{ 54 45
V.—Diseases of the digestive system.	1,490	195	257	13	11	35	54	68	82	111	96	103	105	103	97	355
Males	828	96	129	8	4	25	22	42	39	48	57	63	69	63	57	202
Females.....	662	99	128	5	7	10	32	26	43	63	39	40	36	40	40	153
1. Dentition.....	{ M.. 28 F.. 38	{ 14 27	{ 28 38	{	{	{	{	{	{	{	{	{	{	{	{	{
2. Angina.....	{ M.. 11 F.. 6	{ 2 3	{ 3 5	{ 1 ..	{	{ 1 ..	{ 2 ..	{	{	{	{ 1 ..	{	{ 2 ..	{	{	{ 1 ..
3. Diseases of the stomach.....	{ M.. 151 F.. 132	{ 18 17	{ 19 23	{ 1 1	{ .. 2	{ 3 ..	{ 3 3	{ 3 4	{ 8 10	{ 7 11	{ 6 3	{ 11 7	{ 11 7	{ 8 7	{ 14 6	{ 57 48
4. Obstruction of the bowels.....	{ M.. 48 F.. 34	{ 4 3	{ 6 4	{	{ 1 ..	{ 2 1	{ 1 1	{ 3 2	{ 1 2	{ 4 4	{ 3 2	{ 5 2	{ 4 3	{ 2 1	{ 3 3	{ 13 9
5. Hernia.....	{ M.. 55 F.. 36	{ 4 1	{ 4 1	{ 1 ..	{	{ 1 ..	{ 2 1	{ 3 1	{ 6 ..	{ 4 3	{ 6 1	{ 4 5	{ 5 3	{ 5 6	{ 4 3	{ 10 12
6. Other diseases of the bowels.....	{ M.. 15 F.. 9	{ 5 1	{ 6 1	{ .. 2	{	{ 1 ..	{ .. 1	{	{ 1 ..	{ 1 1	{ 1 ..	{ 2 1	{ .. 1	{ 1 ..	{ 1 ..	{ 1 2
7. Jaundice.....	{ M.. 18 F.. 16	{ 12 10	{ 12 11	{	{	{	{ 1 ..	{	{	{	{	{ .. 1	{ 1 ..	{	{ 2 ..	{ 3 3
8. Inflammation and abscess of the liver.....	{ M.. 59 F.. 39	{ .. 2	{ .. 2	{	{	{ 1 ..	{	{ 4 1	{ 5 3	{ 2 5	{ 5 4	{ 9 3	{ 5 1	{ 4 4	{ 6 5	{ 18 11
9. Other diseases of the liver.....	{ M.. 210 F.. 123	{ 2 ..	{ 4 4	{ 2 ..	{ 1 1	{ 3 ..	{ 3 3	{ 7 7	{ 9 11	{ 17 7	{ 20 8	{ 18 9	{ 26 14	{ 29 11	{ 11 12	{ 60 36
10. Peritonitis.....	{ M.. 143 F.. 158	{ 3 5	{ 6 6	{ 2 1	{ 2 3	{ 9 9	{ 8 22	{ 16 10	{ 8 15	{ 9 27	{ 11 15	{ 10 9	{ 14 7	{ 13 8	{ 9 5	{ 25 21
11. Ascites.....	{ M.. 6 F.. 12	{ 2 ..	{ 2 2	{	{	{	{ 1 ..	{	{ 1 ..	{ 1 2	{ 2 2	{ 2 ..	{	{	{ 1 ..	{ 3 ..
12. Others of this class.....	{ M.. 84 F.. 59	{ 30 30	{ 39 31	{ .. 1	{ .. 1	{ 4 ..	{ 2 ..	{ 6 1	{ .. 2	{ 3 3	{ 4 4	{ 3 2	{ 2 ..	{ 1 2	{ 6 4	{ 14 8
VI.—Diseases of the urinary system and male organs of generation.	2,103	23	56	14	11	35	67	109	138	168	176	189	186	154	197	603
Males	1,248	14	34	9	4	11	32	62	90	111	114	124	116	104	132	405
Females.....	755	9	22	5	7	24	35	47	48	57	62	65	70	50	65	198
1. Bright's disease.....	{ M.. 595 F.. 372	{	{	{ 6 2	{ 1 1	{ 4 9	{ 15 11	{ 27 24	{ 39 26	{ 58 29	{ 58 34	{ 57 39	{ 61 34	{ 54 23	{ 57 40	{ 158 100
2. Calculus, urinary.....	{ M.. 7 F.. 1	{ .. 1	{ .. 1	{	{	{	{	{ .. 1	{ .. 1	{	{	{	{ .. 1	{	{ .. 1	{ 2 1
3. Diseases of the kidney.....	{ M.. 545 F.. 344	{ 12 9	{ 31 22	{ 3 3	{ 3 6	{ 7 14	{ 13 24	{ 33 20	{ 41 22	{ 47 26	{ 48 26	{ 55 23	{ 45 35	{ 42 25	{ 52 21	{ 125 77
4. Diseases of the bladder.....	{ M.. 115 F.. 17	{	{	{	{	{	{ 2 ..	{	{ 3 ..	{	{ 1 1	{ 2 2	{ 7 1	{ 5 1	{ 13 2	{ 82 12
5. Others of this class.....	{ M.. 86 F.. 21	{ 1 ..	{ 2 ..	{	{	{ 1 ..	{ 2 ..	{ 1 3	{ 6 ..	{ 6 2	{ 7 1	{ 10 2	{ 2 1	{ 3 1	{ 9 2	{ 88 8
VII.—Diseases of the female organs of generation.	90	1	8	11	6	14	7	11	14	8	4	6
1. Ovarian tumors.....	28	1	1	1	5	1	2	7	4	3	3
2. Ovarian diseases.....	6	1	1	1	1	1	1	1	1	1	1
3. Uterine tumors.....	18	1	3	3	3	6	1	1	1	1
4. Uterine diseases.....	10	3	2	1	1	1	1	1	1	1
5. Others of this class.....	28	1	7	6	2	4	2	4	1	1	1	1
VIII.—Affections connected with pregnancy.	223	20	56	49	45	37	13	1	..	1	..	1
1. Abortion.....	22	2	5	6	5	2	2
2. Childbirth.....	53	2	6	14	16	11	3	1
3. Puerperal septicaemia.....	110	9	35	21	23	14	6	1	1
4. Extra-uterine pregnancy.....	1	1
5. Others of this class.....	37	7	10	7	1	10	2

STATISTICS OF DEATHS.

733

TABLE 14.—DEATHS IN THE WHOLE 6-YEAR RECORD FROM EACH SPECIFIED DISEASE AND CLASS OF DISEASES, WITH DISTINCTION OF AGE AND SEX, DURING THE 6 YEARS ENDING MAY 31, 1890—Continued.

BIRTHPLACE OF MOTHERS—UNKNOWN—Continued.

CAUSE OF DEATH.	All ages.	Under 1 year.	Total under 5 years.	5 to 10	10 to 15	15 to 20	20 to 25	25 to 30	30 to 35	35 to 40	40 to 45	45 to 50	50 to 55	55 to 60	60 to 65	65 and over and unknown.
IX.—Diseases of the bones and joints.....	109	4	14	21	8	6	8	4	5	4	16	8	1	6	1	7
Males	62	2	9	8	6	2	5	1	3	3	9	6	1	4	5
Females.....	47	2	5	13	2	4	3	3	2	1	7	2	2	1	2
1. Diseases of the spine.....	{ M. 21	3	4	3	2	1	1	2	2	1	1	1
F.....	20	2	7	1	3	2
2. Diseases of the bones.....	{ M. 26	1	2	1	1	1	2	2	6	3	1	3	4
F.....	9	1	1	1	1	1	2	2	1	1
3. Diseases of the hip joint.....	{ M. 10	1	3	3	2	1	1	1
F.....	14	5	1	1	1	1	2	2
4. Others of this class.....	{ M. 5	1	1	1	1	1
F.....	4	1	2	1	1
X.—Diseases of the skin.....	92	20	24	2	2	5	6	3	4	6	3	6	9	4	18
Males	56	8	10	1	1	4	3	3	3	4	2	2	8	3	12
Females.....	36	12	14	1	1	1	3	1	2	1	4	1	1	6
1. Abscess.....	{ M. 38	5	6	1	1	4	3	1	3	4	1	2	5	3	4
F.....	21	6	7	1	1	3	1	2	1	2	3
2. Carbuncle.....	{ M. 9	1	2	3	4
F.....	3	1	1
3. Others of this class.....	{ M. 9	3	4	1	4
F.....	12	6	7	1	1	1	2
XI.—Diseases of the absorbent system.....	9	1	1	2	1	1	3
Males	5	1	1	3
Females.....	4	1	2	1
1. Addison's disease.....	{ M. 3	1	1	1
F.....	2	1
2. Diseases of the spleen.....	{ M. 1	1	1
F.....	1
3. Others of this class.....	{ M. 1	1	1
F.....	1
XII.—Accidents and injuries.....	3,534	268	386	49	49	102	236	305	327	408	356	316	246	151	113	540
Males	3,002	141	184	41	45	78	212	262	292	379	327	288	221	128	93	452
Females.....	532	127	152	8	4	24	24	43	35	29	29	28	25	23	20	88
1. Burns and scalds.....	{ M. 69	4	17	2	4	4	6	3	6	4	3	3	1	1	15
F.....	50	2	5	2	1	3	2	4	9	2	1	1	4	1	15
2. Drowned.....	{ M. 1,058	15	27	21	23	24	53	74	114	138	147	118	84	32	23	175
F.....	81	7	14	1	1	6	7	5	6	1	5	6	4	3	4	18
3. Exposure and neglect.....	{ M. 52	22	22	1	2	5	3	3	4	2	2	8
F.....	26	21	21	1	1	3
4. Gunshot wounds.....	{ M. 36	1	3	5	9	3	4	2	2	6
F.....
5. Homicide.....	{ M. 38	1	1	1	10	4	4	6	1	4	2	2	3
F.....	16	2	2	3	2	1	3	2	1	1	1
6. Infanticide.....	{ M. 35	35	35
F.....	43	43	43
7. Injuries by machinery.....	{ M. 4	1	1	1	1
F.....
8. Railroad accidents.....	{ M. 556	1	4	4	10	67	70	63	75	56	49	35	12	23	87
F.....	34	2	1	2	6	1	6	2	3	1	3	2	5
9. Suffocation.....	{ M. 106	35	38	3	6	11	12	10	5	3	2	2	14
F.....	51	24	27	1	2	4	3	1	1	1	1	1	2	5	2
10. Suicide by shooting.....	{ M. 105	3	8	10	19	18	10	7	9	4	7	10
F.....	1	1
11. Suicide by drowning.....	{ M. 24	2	3	3	3	3	1	5	4
F.....	7	2	1	1	1	1
12. Suicide by poison.....	{ M. 48	1	8	4	2	6	3	5	6	1	4	8
F.....	29	2	3	9	5	2	1	2	4	1
13. Other suicides.....	{ M. 126	3	8	3	8	10	13	16	20	15	4	21
F.....	15	1	3	1	2	3	3	1	2
14. Sunstroke.....	{ M. 84	6	10	1	2	6	7	12	13	14	1	4	1	13
F.....	17	7	8	1	1	2	1	2	1	1
15. Surgical operations.....	{ M. 21	2	1	1	3	1	1	1	1	3	2	1	4
F.....	25	1	1	2	1	5	4	3	5	1	1	2
16. Wounds.....	{ M. 33	2	5	2	4	10	4	2	4
F.....	8	2	1	1	1	1	2
17. Other accidents and injuries.....	{ M. 607	23	33	11	12	26	41	52	52	78	52	56	48	44	22	80
F.....	129	20	27	4	1	5	7	4	11	7	5	7	6	9	36

TABLE 15.

**DEATHS IN THE METROPOLITAN DISTRICT FROM EACH SPECIFIED DISEASE AND CLASS
OF DISEASES, WITH DISTINCTION OF AGE AND SEX, AND SPECIFICATION
OF COLOR AND BIRTHPLACES OF MOTHERS, DURING
THE 6 YEARS ENDING MAY 31, 1890.**

[The Metropolitan District comprises New York city, Brooklyn, Kings, Queens, Richmond, and Westchester counties in New York;
Hudson and Essex counties, including the cities therein, and Passaic city and Paterson in New Jersey.]

TABLE 15.—DEATHS IN THE METROPOLITAN DISTRICT FROM EACH SPECIFIED DISEASE AND CLASS OF DISEASES, WITH DISTINCTION OF AGE AND SEX, DURING THE 6 YEARS ENDING MAY 31, 1890.

AGGREGATE.

CAUSE OF DEATH	All ages.	Under 1 year.	Total under 5 years.	5 to 10	10 to 15	15 to 20	20 to 25	25 to 30	30 to 35	35 to 40	40 to 45	45 to 50	50 to 55	55 to 60	60 to 65	65 and over and unknown.
All causes.....	481,329	148,111	222,321	17,215	6,831	10,452	13,124	21,906	20,262	21,066	19,974	19,219	10,007	16,861	17,485	50,606
Males.....	256,484	81,554	120,214	8,689	3,398	5,203	9,284	11,621	11,144	11,843	11,576	11,171	10,425	9,311	9,114	23,491
Females.....	224,845	66,557	102,107	8,526	3,433	5,249	8,840	10,285	9,118	9,223	8,398	8,048	8,582	7,550	8,371	27,115
Unknown causes.....	924	199	254	31	14	18	31	39	37	33	36	47	54	40	50	234
Males.....	539	103	141	17	7	10	15	21	23	17	24	32	35	27	32	133
Females.....	385	96	113	14	7	8	16	18	14	16	12	15	19	24	18	96
I.—General diseases:																
General diseases—A.....	105,916	42,207	76,537	8,562	2,005	1,684	2,155	2,037	1,513	1,400	1,250	1,222	1,224	1,124	1,281	3,913
Males.....	54,215	22,351	39,719	4,085	953	825	1,159	1,117	811	744	701	638	634	553	603	1,073
Females.....	51,701	19,856	36,818	4,477	1,052	859	996	920	702	656	558	584	590	571	678	2,240
1. Smallpox.....	{ M. 840 F. 215	{ 53 39	{ 116 110	{ 28 26	{ 13 10	{ 21 13	{ 85 15	{ 32 11	{ 26 6	{ 22 6	{ 8 3	{ 16 8	{ 8 3	{ 4 1	{ 2 1	{ 9 3
2. Measles.....	{ M. 2,700 F. 2,532	{ 744 694	{ 2,510 2,332	{ 147 152	{ 9 14	{ 6 9	{ 7 9	{ 12 4	{ 2 3	{ 2 3	{ 1 2	{ 2 1	{ 2 2	{ 1 1	{ 1 1	{ 2 1
3. Scarlet fever.....	{ M. 4,039 F. 4,160	{ 264 254	{ 2,891 2,881	{ 850 974	{ 156 150	{ 43 44	{ 36 42	{ 32 29	{ 10 15	{ 7 10	{ 4 3	{ 1 4	{ 3 2	{ 1 1	{ 1 1	{ 5 5
4. Diphtheria.....	{ M. 10,083 F. 10,207	{ 750 637	{ 7,355 6,974	{ 2,205 2,547	{ 295 389	{ 78 92	{ 51 51	{ 24 34	{ 12 27	{ 11 19	{ 18 13	{ 5 13	{ 5 7	{ 4 7	{ 2 8	{ 18 26
5. Whooping cough.....	{ M. 2,199 F. 2,684	{ 1,219 1,307	{ 2,133 2,565	{ 56 98	{ 3 5	{ 2 2	{ 2 4	{ 3 3	{ 2 2	{ 4 4	{ 1 1	{ 1 1	{ 1 1	{ 1 1	{ 2 2	{ 2 3
6. Fever.....	{ M. 22 F. 18	{ 1 1	{ 5 3	{ 3 3	{ 3 3	{ 3 3	{ 4 1	{ 3 1	{ 3 1	{ 1 1	{ 1 3	{ 3 2	{ 1 1	{ 1 2	{ 1 2	{ 1 1
7. Cerebro-spinal fever.....	{ M. 1,036 F. 867	{ 260 227	{ 654 555	{ 129 105	{ 42 48	{ 41 41	{ 24 26	{ 37 13	{ 17 13	{ 20 18	{ 16 10	{ 16 9	{ 13 6	{ 7 7	{ 12 9	{ 9 12
8. Typhoid fever.....	{ M. 3,017 F. 2,214	{ 23 14	{ 135 98	{ 123 116	{ 148 158	{ 375 339	{ 601 394	{ 495 283	{ 304 206	{ 224 155	{ 107 110	{ 114 88	{ 98 73	{ 70 46	{ 68 53	{ 95 95
9. Diarrheal diseases.....	{ M. 15,397 F. 14,515	{ 9,334 7,984	{ 11,770 10,270	{ 324 250	{ 130 122	{ 102 103	{ 153 165	{ 190 214	{ 194 183	{ 226 204	{ 216 215	{ 254 272	{ 287 314	{ 273 330	{ 297 417	{ 981 1,456
10. Cholera infantum.....	{ M. 10,532 F. 9,579	{ 8,662 7,800	{ 10,525 9,574													{ 7 5
11. Malarial fever.....	{ M. 2,393 F. 2,547	{ 169 140	{ 602 547	{ 177 178	{ 121 125	{ 110 178	{ 175 186	{ 181 199	{ 146 144	{ 117 146	{ 132 117	{ 98 107	{ 107 101	{ 99 107	{ 100 106	{ 228 306
12. Erysipelas.....	{ M. 911 F. 799	{ 351 357	{ 387 406	{ 13 7	{ 8 10	{ 20 18	{ 19 25	{ 33 20	{ 33 20	{ 45 16	{ 60 28	{ 59 37	{ 48 34	{ 36 31	{ 41 31	{ 109 116
13. Septicæmia.....	{ M. 395 F. 435	{ 42 36	{ 82 66	{ 19 17	{ 15 11	{ 17 11	{ 22 53	{ 23 72	{ 19 48	{ 33 44	{ 23 29	{ 27 21	{ 33 21	{ 22 12	{ 23 12	{ 33 17
14. Venereal diseases.....	{ M. 703 F. 482	{ 429 322	{ 458 353	{ 1 3	{ 1 2	{ 3 6	{ 19 14	{ 44 22	{ 35 19	{ 30 24	{ 32 13	{ 25 5	{ 16 7	{ 9 4	{ 15 2	{ 15 8
15. Others of this group.....	{ M. 448 F. 447	{ 50 44	{ 96 84	{ 10 9	{ 12 8	{ 9 3	{ 11 11	{ 12 14	{ 13 15	{ 7 11	{ 22 12	{ 18 16	{ 15 23	{ 28 35	{ 36 35	{ 159 187
General diseases—B.....	6,122	3,246	3,439	36	10	31	103	322	376	415	393	282	263	160	128	164
Males.....	3,850	1,723	1,821	21	8	16	66	239	294	331	297	227	204	129	85	112
Females.....	2,272	1,523	1,618	15	2	15	37	83	82	84	96	55	59	31	43	52
1. Parasitic diseases.....	{ M. 20 F. 16	{ 3 1	{ 13 12	{ 4 4	{ 1 1					{ 1 1				{ 1 1		
2. Alcoholism.....	{ M. 1,689 F. 453	{ 1 1	{ 2 2	{ 2 2	{ 4 4	{ 4 2	{ 52 18	{ 202 68	{ 261 64	{ 299 70	{ 265 78	{ 194 44	{ 173 44	{ 107 25	{ 67 22	{ 57 18
3. Lead poison.....	{ M. 64 F. 7	{ 1 1	{ 2 2		{ 1 1	{ 2 1	{ 4 1	{ 10 1	{ 10 1	{ 8 1	{ 8 1	{ 5 1	{ 5 1	{ 5 1	{ 1 1	{ 5 1
4. Other poisons.....	{ M. 248 F. 155	{ 19 15	{ 47 46	{ 7 6	{ 2 10	{ 5 10	{ 9 17	{ 23 10	{ 20 12	{ 22 13	{ 19 15	{ 24 6	{ 23 7	{ 15 3	{ 12 6	{ 20 4
5. Inanition.....	{ M. 1,829 F. 1,641	{ 1,700 1,506	{ 1,759 1,558	{ 8 5		{ 5 2	{ 1 1	{ 4 4	{ 2 6	{ 2 3	{ 5 3	{ 4 4	{ 3 8	{ 1 1	{ 5 15	{ 30 30
General diseases—C.....	65,250	54,632	56,317	111	47	46	52	64	76	76	84	80	132	185	423	7,557
Males.....	35,056	30,874	31,722	54	17	21	22	25	29	41	43	35	57	76	179	2,735
Females.....	30,194	23,758	24,595	57	30	25	30	39	47	35	41	45	75	109	244	4,822
1. Premature birth.....	{ M. 4,698 F. 3,553	{ 4,691 3,550	{ 4,698 3,553													
2. Stillborn.....	{ M. 18,519 F. 13,783	{ 18,519 13,783	{ 18,519 13,783													
3. Malformation.....	{ M. 630 F. 523	{ 656 497	{ 670 513	{ 3 5			{ 2 2	{ 1 1		{ 1 1		{ 1 1				{ 2 2
4. Debility and atrophy.....	{ M. 9,485 F. 9,305	{ 7,003 5,923	{ 7,835 6,746	{ 51 52	{ 17 28	{ 21 25	{ 20 30	{ 24 39	{ 29 46	{ 41 34	{ 42 41	{ 34 44	{ 57 75	{ 76 109	{ 132 153	{ 1,106 1,833
5. Old age.....	{ M. 1,674 F. 3,030														{ 47 91	{ 1,627 2,939

STATISTICS OF DEATHS.

737

TABLE 15.—DEATHS IN THE METROPOLITAN DISTRICT FROM EACH SPECIFIED DISEASE AND CLASS OF DISEASES, WITH DISTINCTION OF AGE AND SEX, DURING THE 6 YEARS ENDING MAY 31, 1890—Continued.

AGGREGATE—Continued.

CAUSE OF DEATH.	All ages.	Under 1 year.	Total under 5 years.	5 to 10	10 to 15	15 to 20	20 to 25	25 to 30	30 to 35	35 to 40	40 to 45	45 to 50	50 to 55	55 to 60	60 to 65	65 and over and unknown.
I.—General diseases—Continued.																
General diseases—D.....	81,597	5,247	9,864	1,104	1,067	4,025	8,283	9,748	8,376	7,801	6,815	5,824	5,039	4,024	3,587	6,090
Males	42,867	2,981	5,446	548	409	1,815	4,180	5,175	4,602	4,272	3,741	3,232	2,648	2,152	1,813	2,834
Females	38,730	2,316	4,418	556	658	2,210	4,053	4,573	3,774	3,529	3,074	2,592	2,391	1,872	1,774	3,256
1. Rheumatism	{ M.. 1,015 F.. 961	{ 22 13	{ 61 38	{ 51 55	{ 49 51	{ 54 43	{ 38 42	{ 62 41	{ 63 57	{ 63 57	{ 63 50	{ 88 70	{ 86 82	{ 68 69	{ 81 82	{ 188 224
2. Scrofula and tabes.....	{ M.. 713 F.. 591	{ 446 330	{ 606 476	{ 21 17	{ 9 13	{ 9 8	{ 10 9	{ 5 14	{ 8 12	{ 8 5	{ 5 2	{ 2 8	{ 3 2	{ 8 7	{ 8 6	{ 11 12
3. Leprosy	{ M.. 1 F.. 1	{ 1 1	{ 1 1													
4. Consumption.....	{ M.. 33,017 F.. 26,689	{ 626 539	{ 1,279 1,129	{ 217 259	{ 239 512	{ 1,662 2,078	{ 4,021 3,872	{ 4,959 4,814	{ 4,350 3,385	{ 3,949 2,898	{ 3,361 2,213	{ 2,706 1,597	{ 2,006 1,296	{ 1,508 915	{ 1,185 806	{ 1,575 1,415
5. Hydrocephalus.....	{ M.. 3,638 F.. 2,362	{ 1,648 1,318	{ 3,188 2,554	{ 217 172	{ 65 40	{ 27 15	{ 17 17	{ 26 12	{ 18 18	{ 19 9	{ 14 8	{ 13 6	{ 14 2	{ 5 4	{ 5 4	{ 10 10
6. Cancer	{ M.. 2,939 F.. 6,088	{ 7 5	{ 26 19	{ 5 11	{ 5 8	{ 17 16	{ 36 51	{ 58 126	{ 95 246	{ 144 468	{ 220 715	{ 296 812	{ 408 869	{ 435 761	{ 417 747	{ 777 1,239
7. Tumor	{ M.. 276 F.. 285	{ 7 5	{ 16 13	{ 5 3	{ 9 3	{ 10 4	{ 17 8	{ 15 15	{ 19 15	{ 21 24	{ 16 23	{ 27 32	{ 24 40	{ 23 26	{ 19 22	{ 55 55
8. Anæmia.....	{ M.. 208 F.. 285	{ 57 31	{ 74 47	{ 6 13		{ 9 19	{ 9 27	{ 7 16	{ 9 18	{ 11 19	{ 8 18	{ 17 14	{ 13 18	{ 14 11	{ 8 10	{ 23 49
9. Dropsy.....	{ M.. 255 F.. 311	{ 16 9	{ 31 21	{ 7 10	{ 11 7	{ 9 10	{ 7 5	{ 10 5	{ 5 8	{ 22 17	{ 11 18	{ 13 16	{ 20 26	{ 25 21	{ 25 29	{ 59 118
10. Diabetes	{ M.. 524 F.. 447	{ 9 9	{ 13 14	{ 6 7	{ 16 11	{ 10 10	{ 17 13	{ 22 20	{ 26 20	{ 30 24	{ 31 23	{ 50 28	{ 62 47	{ 57 52	{ 54 61	{ 121 117
11. Others of this group.....	{ M.. 271 F.. 203	{ 91 55	{ 150 105	{ 18 8	{ 5 7	{ 8 4	{ 7 11	{ 10 8	{ 8 5	{ 5 8	{ 12 3	{ 8 9	{ 11 7	{ 9 5	{ 10 7	{ 15 16
12. Others of this class.....	{ M.. 11 F.. 7	{ 2 1	{ 2 1		{ 1 1			{ 1 1	{ 1 1			{ 3 2	{ 1 2	{ 1 1		{ 1 1
II.—Diseases of the nervous system.....																
	47,761	14,889	23,000	1,487	626	550	716	860	1,123	1,408	1,583	1,769	2,094	2,211	2,442	7,892
Males	25,704	8,326	12,563	779	310	295	390	504	671	859	932	1,008	1,137	1,170	1,281	3,860
Females	21,997	6,563	10,432	708	316	255	326	356	452	549	651	761	957	1,041	1,161	4,032
1. Inflammation of the brain { M.. 6,896 F.. 5,731	{ 2,472 2,003	{ 4,815 4,178	{ 472 427	{ 163 179	{ 113 108	{ 128 86	{ 130 81	{ 149 101	{ 156 92	{ 149 78	{ 137 96	{ 140 63	{ 103 52	{ 86 49	{ 155 141	
2. Apoplexy	{ M.. 5,276 F.. 5,015	{ 72 62	{ 105 100	{ 14 9	{ 9 10	{ 23 21	{ 42 49	{ 105 72	{ 158 104	{ 239 162	{ 333 277	{ 419 345	{ 539 517	{ 574 602	{ 729 686	{ 1,988 2,061
3. Paralysis.....	{ M.. 2,161 F.. 2,063	{ 27 29	{ 78 61	{ 19 19	{ 13 12	{ 13 11	{ 23 18	{ 43 33	{ 81 49	{ 136 53	{ 146 79	{ 155 113	{ 158 152	{ 192 172	{ 203 205	{ 896 1,085
4. Tetanus and trismus nas- centium.....	{ M.. 693 F.. 383	{ 521 381	{ 538 341	{ 18 6	{ 22 6	{ 21 3	{ 13 2	{ 15 3	{ 14 2	{ 11 6	{ 8 2	{ 15 5	{ 1 1	{ 7 3	{ 5 1	{ 5 2
5. Epilepsy	{ M.. 537 F.. 488	{ 44 53	{ 89 93	{ 27 30	{ 31 26	{ 59 39	{ 66 44	{ 38 26	{ 43 39	{ 48 36	{ 36 24	{ 24 26	{ 18 20	{ 24 22	{ 15 15	{ 41 37
6. Convulsions.....	{ M.. 5,626 F.. 4,674	{ 4,255 3,370	{ 5,434 4,460	{ 90 98	{ 14 19	{ 4 13	{ 5 14	{ 16 12	{ 12 20	{ 8 9	{ 7 6	{ 7 4	{ 6 3	{ 6 1	{ 5 4	{ 12 11
7. Mental diseases	{ M.. 478 F.. 500				{ 1 2	{ 6 7	{ 23 28	{ 42 36	{ 46 33	{ 67 48	{ 64 60	{ 40 44	{ 41 42	{ 29 43	{ 31 34	{ 79 123
8. Diseases of the brain.....	{ M.. 3,246 F.. 2,500	{ 878 674	{ 1,388 1,117	{ 109 88	{ 43 43	{ 41 25	{ 68 49	{ 79 51	{ 116 54	{ 147 74	{ 137 87	{ 144 79	{ 153 105	{ 159 101	{ 134 122	{ 528 495
9. Diseases of the spinal cord { M.. 727 F.. 457	{ 55 34	{ 115 78	{ 26 23	{ 13 8	{ 11 9	{ 18 24	{ 29 28	{ 45 34	{ 49 45	{ 55 27	{ 56 34	{ 69 44	{ 67 36	{ 60 32	{ 114 45	
10. Others of this class.....	{ M.. 124 F.. 176	{ 2 2	{ 6 4	{ 4 8	{ 2 11	{ 4 9	{ 4 12	{ 7 14	{ 7 16	{ 10 13	{ 9 9	{ 8 17	{ 6 10	{ 7 9	{ 8 12	{ 42 32
III.—Diseases of the circulatory system.....																
	25,563	2,053	2,432	643	816	828	873	1,100	1,253	1,579	1,683	1,961	2,101	2,060	2,282	5,947
Males	13,235	1,161	1,384	294	347	432	449	519	679	836	972	1,028	1,140	1,106	1,152	2,897
Females	12,328	892	1,048	349	469	396	429	581	574	743	711	933	961	954	1,130	3,050
1. Angina pectoris.....	{ M.. 366 F.. 261			{ 2 1	{ 2 2		{ 5 2	{ 5 17	{ 15 15	{ 19 19	{ 27 18	{ 41 23	{ 33 26	{ 43 14	{ 44 40	{ 133 80
2. Aneurism	{ M.. 407 F.. 157					{ 5 3	{ 6 2	{ 18 4	{ 40 11	{ 62 17	{ 63 17	{ 58 28	{ 53 12	{ 44 15	{ 27 14	{ 31 32
3. Diseases of the heart.....	{ M.. 11,439 F.. 11,057	{ 264 193	{ 460 325	{ 287 346	{ 344 465	{ 426 388	{ 441 414	{ 494 551	{ 621 543	{ 752 697	{ 877 669	{ 925 871	{ 1,043 915	{ 1,015 915	{ 1,069 1,060	{ 2,665 2,898
4. Others of this class.....	{ M.. 1,023 F.. 853	{ 897 699	{ 924 723	{ 5 1	{ 1 1			{ 2 9	{ 3 5	{ 3 10	{ 3 7	{ 5 11	{ 4 8	{ 11 10	{ 4 16	{ 48 40

TABLE 15.—DEATHS IN THE METROPOLITAN DISTRICT FROM EACH SPECIFIED DISEASE AND CLASS OF DISEASES, WITH DISTINCTION OF AGE AND SEX, DURING THE 6 YEARS ENDING MAY 31, 1890—Continued.

AGGREGATE—Continued.

CAUSE OF DEATH.	All ages.	Under 1 year.	Total under 5 years.	5 to 10	10 to 15	15 to 20	20 to 25	25 to 30	30 to 35	35 to 40	40 to 45	45 to 50	50 to 55	55 to 60	60 to 65	65 and over and un-known.
IV.—Diseases of the respiratory system..	81,243	20,321	41,451	3,225	765	1,206	1,983	2,533	2,581	2,837	2,895	2,970	3,163	2,858	3,197	9,529
Males	43,736	11,137	22,848	1,633	381	640	1,216	1,598	1,570	1,775	1,804	1,815	1,736	1,571	1,581	4,018
Females.....	37,507	9,184	19,103	1,542	384	566	767	935	1,011	1,062	1,091	1,155	1,427	1,287	1,616	5,511
1. Croup	{ M. 5,080 F. 4,390	{ 643 511	{ 4,288 3,675	{ 691 613	{ 35 36	{ 8 7	{ 7 8	{ 5 6	{ 4 4	{ 6 4	{ 9 6	{ 6 5	{ 6 9	{ 4 4	{ 5 7	{ 7 7
2. Laryngitis	{ M. 707 F. 558	{ 109 79	{ 490 410	{ 68 75	{ 12 13	{ 9 4	{ 6 8	{ 13 10	{ 12 8	{ 24 7	{ 16 3	{ 15 5	{ 12 4	{ 10 3	{ 6 2	{ 14 6
3. Bronchitis.....	{ M. 10,071 F. 10,193	{ 4,635 3,932	{ 6,840 6,044	{ 171 139	{ 33 35	{ 52 63	{ 104 81	{ 117 133	{ 107 107	{ 116 104	{ 166 176	{ 136 194	{ 250 278	{ 259 286	{ 344 437	{ 1,328 2,116
4. Pneumonia.....	{ M. 23,980 F. 19,233	{ 4,313 3,549	{ 8,993 7,606	{ 669 656	{ 263 270	{ 505 439	{ 993 598	{ 1,327 742	{ 1,285 808	{ 1,455 841	{ 1,443 805	{ 1,405 852	{ 1,272 995	{ 1,151 862	{ 1,016 1,001	{ 2,203 2,758
5. Pleurisy	{ M. 938 F. 656	{ 75 55	{ 169 123	{ 25 27	{ 12 10	{ 34 23	{ 67 32	{ 70 45	{ 83 42	{ 78 50	{ 66 31	{ 63 33	{ 65 31	{ 40 39	{ 62 40	{ 104 130
6. Asthma	{ M. 290 F. 345	{ 19 15	{ 24 18	{ 1 3	{ 1 2			{ 4 6	{ 8 4	{ 14 7	{ 15 17	{ 24 23	{ 27 31	{ 27 34	{ 37 39	{ 108 159
7. Others of this class.....	{ M. 2,670 F. 2,132	{ 1,338 1,043	{ 1,544 1,227	{ 58 29	{ 25 20	{ 32 28	{ 39 38	{ 61 44	{ 73 38	{ 82 49	{ 89 53	{ 116 43	{ 104 79	{ 80 59	{ 111 90	{ 256 335
V.—Diseases of the digestive system.....	18,300	3,365	4,795	420	404	476	669	856	908	1,086	1,178	1,314	1,338	1,191	1,163	2,502
Males	9,855	1,862	2,669	234	226	275	283	391	401	477	614	702	676	630	603	1,174
Females.....	8,945	1,503	2,126	186	178	201	386	465	507	609	564	612	662	561	560	1,328
1. Dentition.....	{ M. 722 F. 642	{ 421 384	{ 722 642													
2. Angina.....	{ M. 199 F. 137	{ 39 24	{ 127 82	{ 26 27	{ 8 9	{ 3 1	{ 3 3	{ 4 2	{ 7 2	{ 2 1	{ 1 2	{ 1 1	{ 4 2	{ 5 2	{ 3 1	{ 5 6
3. Diseases of the stomach.....	{ M. 1,540 F. 1,724	{ 360 321	{ 507 456	{ 30 30	{ 10 22	{ 27 38	{ 36 64	{ 53 71	{ 74 91	{ 77 100	{ 82 68	{ 98 112	{ 100 118	{ 103 88	{ 87 119	{ 256 347
4. Obstruction of the bowels.....	{ M. 521 F. 437	{ 123 80	{ 155 108	{ 11 7	{ 15 11	{ 24 13	{ 20 14	{ 22 20	{ 22 23	{ 26 29	{ 30 30	{ 29 30	{ 30 30	{ 26 26	{ 35 41	{ 66 96
5. Hernia	{ M. 461 F. 363	{ 61 6	{ 66 37	{ 2 2	{ 2 2	{ 9 1	{ 14 1	{ 19 10	{ 21 10	{ 21 23	{ 22 24	{ 33 51	{ 37 38	{ 42 50	{ 53 55	{ 115 94
6. Other diseases of the bowels.....	{ M. 102 F. 72	{ 24 24	{ 39 27	{ 3 2	{ 2 2	{ 5 1	{ 1 1	{ 3 6	{ 3 2	{ 7 3	{ 7 5	{ 4 3	{ 3 8		{ 7 1	{ 11 11
7. Jaundice.....	{ M. 247 F. 205	{ 175 113	{ 181 117	{ 4 1				{ 1 4	{ 1 3	{ 3 2	{ 8 5	{ 7 8	{ 5 7	{ 6 7	{ 11 9	{ 20 31
8. Inflammation and abscess of the liver.....	{ M. 669 F. 607	{ 19 14	{ 23 21	{ 12 7	{ 10 3	{ 4 3	{ 19 15	{ 23 31	{ 47 28	{ 55 50	{ 65 60	{ 82 64	{ 72 77	{ 73 63	{ 60 61	{ 114 124
9. Other diseases of the liver.....	{ M. 2,293 F. 1,700	{ 24 21	{ 41 35	{ 14 9	{ 10 4	{ 13 12	{ 30 30	{ 89 66	{ 118 105	{ 173 152	{ 289 184	{ 316 213	{ 329 211	{ 276 164	{ 236 164	{ 354 323
10. Peritonitis	{ M. 1,510 F. 2,035	{ 113 101	{ 209 153	{ 105 82	{ 134 104	{ 143 117	{ 123 236	{ 132 241	{ 87 223	{ 84 221	{ 74 156	{ 88 100	{ 64 112	{ 64 94	{ 67 79	{ 136 167
11. Ascites.....	{ M. 41 F. 63	{ 3 1	{ 3 3	{ 3 2	{ 1 2		{ 4 2		{ 2 1		{ 3 4	{ 4 6	{ 3 6	{ 4 4	{ 6 5	{ 8 22
12. Others of this class.....	{ M. 1,050 F. 860	{ 495 414	{ 591 475	{ 24 22	{ 36 20	{ 42 14	{ 33 16	{ 30 16	{ 19 20	{ 29 24	{ 33 26	{ 35 24	{ 29 34	{ 22 37	{ 38 25	{ 89 107
VI.—Diseases of the urinary system and male organs of generation.	23,833	351	1,124	504	294	437	845	1,351	1,559	1,968	2,046	2,201	2,329	2,009	2,138	5,023
Males	13,110	212	624	246	147	185	376	658	798	1,058	1,114	1,288	1,244	1,154	1,242	2,976
Females.....	10,723	139	500	258	147	252	469	693	761	910	932	913	1,085	855	896	2,052
1. Bright's disease.....	{ M. 6,124 F. 5,505			{ 74 82	{ 57 67	{ 90 136	{ 177 230	{ 310 344	{ 391 403	{ 557 476	{ 581 505	{ 603 521	{ 637 604	{ 621 500	{ 610 507	{ 1,306 1,130
2. Calculus, urinary.....	{ M. 41 F. 20	{ 3 2	{ 5 3	{ 1 1		{ 3 3	{ 1 1	{ 2 2	{ 4 2	{ 2 1	{ 1 2		{ 3 3	{ 1 2	{ 8 1	{ 11 2
3. Diseases of the kidney.....	{ M. 5,710 F. 4,833	{ 176 122	{ 570 468	{ 165 167	{ 82 78	{ 86 104	{ 179 222	{ 318 311	{ 367 334	{ 464 409	{ 489 405	{ 576 367	{ 503 457	{ 452 331	{ 490 363	{ 969 817
4. Diseases of the bladder.....	{ M. 746 F. 149	{ 6 3	{ 11 5	{ 2 1	{ 1 1	{ 5 2	{ 8 6	{ 10 12	{ 12 2	{ 10 11	{ 17 7	{ 22 7	{ 32 6	{ 55 12	{ 86 14	{ 475 63
5. Others of this class.....	{ M. 489 F. 216	{ 27 12	{ 38 24	{ 4 3	{ 7 1	{ 1 10	{ 11 11	{ 19 24	{ 24 20	{ 25 13	{ 26 13	{ 27 16	{ 19 15	{ 25 10	{ 48 11	{ 215 40
VII.—Diseases of the female organs of generation.	903	1	2	1	4	23	76	112	123	136	102	93	81	36	46	68
1. Ovarian tumors.....	234				1	1	8	19	18	32	26	30	29	14	20	36
2. Ovarian diseases.....	102				1	1	7	12	14	13	16	11	9	4	6	8
3. Uterine tumors.....	153						2	12	12	24	15	30	27	12	11	13
4. Uterine diseases.....	110					8	17	25	17	12	14	8	4	1	2	2
5. Others of this class.....	304	1	2	1	2	18	42	44	62	55	81	14	12	5	7	9
VIII.—Affections connected with pregnancy.	3,929				2	202	954	1,123	770	591	243	26	6	6	1	5
1. Abortion	271					7	47	70	73	56	17					
2. Childbirth.....	912				1	27	160	263	133	173	91		1	1		
3. Puerperal septicæmia.....	2,240				1	122	628	649	418	290	105	7	2	4	1	4
4. Extra-uterine pregnancy.....	16						1	4	6	5						
5. Others of this class.....	490					46	118	137	90	62	30	3	3			1

STATISTICS OF DEATHS.

739

TABLE 15.—DEATHS IN THE METROPOLITAN DISTRICT FROM EACH SPECIFIED DISEASE AND CLASS OF DISEASES, WITH DISTINCTION OF AGE AND SEX, DURING THE 6 YEARS ENDING MAY 31, 1890—Continued.

AGGREGATE—Continued.

CAUSE OF DEATH.	All ages.	Under 1 year.	Total under 5 years.	5 to 10	10 to 15	15 to 20	20 to 25	25 to 30	30 to 35	35 to 40	40 to 45	45 to 50	50 to 55	55 to 60	60 to 65	65 and over and unknown.
IX.—Diseases of the bones and joints....	1,072	40	150	210	159	69	70	49	44	49	56	45	38	43	27	63
Males.....	606	18	85	105	93	38	46	33	25	31	30	28	12	27	14	25
Females.....	466	22	65	105	66	31	24	16	19	18	26	17	26	16	13	38
1. Diseases of the spine..... {M..	257	6	48	53	25	17	20	18	7	11	9	9	12	6	2	10
{F..	216	13	29	56	30	12	12	9	10	9	13	8	3	8	6	11
2. Diseases of the bones..... {M..	167	4	14	17	24	8	11	7	13	7	14	11	9	11	10	11
{F..	109	3	12	15	12	6	7	3	7	5	7	4	5	6	5	15
3. Diseases of the hip joint... {M..	125	3	15	32	33	11	13	7	3	4	2	1	1	2	1	1
{F..	93	2	15	30	22	10	4	1	1	2	2	2	1	1	1	3
4. Others of this class..... {M..	57	5	8	3	1	2	2	1	2	9	5	7	4	8	2	3
{F..	48	4	9	4	2	3	1	3	1	2	4	3	3	2	2	9
X.—Diseases of the skin.....	1,075	324	415	24	14	23	44	47	35	34	57	47	64	53	60	158
Males.....	569	173	221	15	5	12	24	16	22	11	32	30	30	32	39	80
Females.....	506	151	194	9	9	11	20	31	13	23	25	17	34	21	21	78
1. Abscess..... {M..	329	94	133	11	5	8	15	14	13	9	24	13	19	18	19	28
{F..	311	86	114	7	9	10	18	28	10	13	19	10	13	10	7	38
2. Carbuncle..... {M..	88	3	3	1	1	2	5	1	7	2	5	7	9	12	13	21
{F..	53	4	7	1	1	1	2	1	1	1	4	4	11	9	6	10
3. Others of this class..... {M..	152	76	85	3	2	2	4	1	2	2	3	10	2	2	7	31
{F..	142	61	73	2	2	2	2	1	2	4	5	3	10	2	8	30
XI.—Diseases of the absorbent system.....	167	15	36	10	1	3	8	8	6	13	18	10	21	11	3	19
Males.....	82	9	20	2	1	2	3	2	5	2	5	6	14	2	2	14
Females.....	85	6	16	8	1	2	6	5	4	8	9	4	7	9	1	5
1. Addison's disease..... {M..	28	1	1	1	1	1	1	1	3	1	8	2	7	1	1	3
{F..	28	1	1	1	1	1	4	3	2	1	5	2	3	5	1	3
2. Diseases of the spleen... {M..	20	1	6	1	1	1	1	1	1	1	1	1	2	1	1	6
{F..	15	1	3	1	1	1	1	1	1	1	1	1	1	2	1	2
3. Others of this class..... {M..	34	8	14	2	1	1	2	1	1	1	3	5	5	2	1	5
{F..	42	6	13	6	1	1	2	2	6	2	2	1	3	2	1	3
XII.—Accidents and injuries.....	17,669	1,221	2,505	847	603	826	1,307	1,607	1,482	1,640	1,526	1,323	1,060	850	651	1,437
Males.....	13,500	674	1,446	606	405	638	1,056	1,322	1,217	1,386	1,263	1,102	844	682	488	955
Females.....	4,169	547	1,059	241	198	188	251	285	265	254	263	226	216	168	163	482
1. Burns and scalds..... {M..	596	28	314	37	4	21	27	36	21	26	23	18	17	12	13	27
{F..	609	33	225	77	25	40	43	39	32	28	27	25	31	11	13	53
2. Drowned..... {M..	2,253	20	82	191	167	147	170	212	178	231	211	201	130	84	53	196
{F..	239	7	44	18	18	26	23	10	13	8	20	6	8	12	8	25
3. Exposure and neglect... {M..	45	5	7	2	3	2	3	4	1	5	6	4	5	3	3	2
{F..	21	10	12	1	1	1	1	2	2	1	1	2	2	1	3	
4. Gunshot wounds..... {M..	168	3	3	3	19	24	29	22	15	11	9	10	6	9	3	8
{F..	22	1	3	1	5	5	2	2	1	3	1	2	1	1	1	1
5. Homicide..... {M..	341	5	6	7	12	22	63	51	37	49	28	26	18	7	7	8
{F..	89	4	7	2	2	8	10	11	8	11	11	10	3	1	3	2
6. Infanticide..... {M..	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
{F..	11	11	11	11	11	11	11	11	11	11	11	11	11	11	11	11
7. Injuries by machinery... {M..	42	2	2	2	2	4	4	6	7	6	2	4	2	1	1	2
{F..	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
8. Railroad accidents..... {M..	1,342	1	18	39	63	76	168	181	144	152	134	87	67	59	47	107
{F..	106	1	8	7	5	1	8	9	6	12	6	10	4	10	8	12
9. Suffocation..... {M..	673	307	337	16	8	10	26	43	38	41	39	24	25	17	14	35
{F..	400	249	278	8	6	17	20	11	16	7	3	6	8	10	7	12
10. Suicide by shooting..... {M..	686	1	1	1	1	26	75	80	90	79	66	61	56	68	42	42
{F..	36	1	11	1	1	2	8	7	6	5	3	2	2	1	1	
11. Suicide by drowning..... {M..	58	7	7	7	7	7	9	7	8	8	8	6	5	5	2	1
{F..	20	20	20	2	2	2	2	1	2	5	3	3	1	2	1	1
12. Suicide by poison..... {M..	351	2	2	1	1	13	35	31	27	38	44	38	33	27	23	38
{F..	217	1	1	1	1	25	35	34	32	20	15	15	17	5	5	13
13. Other suicides..... {M..	666	15	15	15	15	32	47	72	72	76	85	77	73	33	33	84
{F..	114	3	3	3	3	6	17	12	13	14	11	10	10	5	5	13
14. Sunstroke..... {M..	763	44	66	10	4	8	61	79	102	117	102	87	45	30	18	34
{F..	190	36	52	9	3	3	7	10	11	9	17	7	14	14	9	28
15. Surgical operations..... {M..	231	34	45	8	11	9	7	16	21	12	20	19	18	19	15	11
{F..	392	7	15	6	5	10	35	56	52	54	48	41	27	15	11	17
16. Wounds..... {M..	223	1	7	17	16	23	22	21	11	20	26	14	16	7	10	13
{F..	45	5	11	1	3	3	5	3	4	2	3	2	3	3	1	4
17. Other accidents and inju- {M..	5,061	228	561	275	187	238	327	484	446	519	469	418	324	261	205	347
{F..	1,588	185	393	112	43	45	47	75	68	82	89	86	88	73	89	298

TABLE 15.—DEATHS IN THE METROPOLITAN DISTRICT FROM EACH SPECIFIED DISEASE AND CLASS OF DISEASES, WITH DISTINCTION OF AGE AND SEX, DURING THE 6 YEARS ENDING MAY 31, 1890—Continued.

WHITE.

CAUSE OF DEATH.	All ages.	Under 1 year.	Total under 5 years.	5 to 10	10 to 15	15 to 20	20 to 25	25 to 30	30 to 35	35 to 40	40 to 45	45 to 50	50 to 55	55 to 60	60 to 65	65 and over and unknown.
All causes.....	472, 239	145, 489	218, 683	16, 945	6, 649	10, 155	17, 641	21, 335	19, 767	20, 534	19, 540	18, 830	18, 630	16, 575	17, 209	49, 747
Males.....	251, 643	80, 111	118, 257	8, 548	3, 814	5, 064	9, 023	11, 296	10, 852	11, 529	11, 812	10, 942	10, 223	9, 160	8, 987	23, 136
Females.....	220, 596	65, 378	100, 425	8, 397	3, 335	5, 091	8, 618	10, 039	8, 915	9, 005	8, 228	7, 888	8, 407	7, 415	8, 222	26, 611
Unknown causes.....	898	193	248	30	14	15	30	39	35	33	35	45	53	40	53	228
Males.....	526	99	137	16	7	7	14	21	23	17	24	31	35	27	31	136
Females.....	372	94	111	14	7	8	16	18	12	16	11	14	18	13	22	92
I.—General diseases:																
General diseases—A.....	104, 510	41, 543	75, 588	8, 466	1, 968	1, 651	2, 112	1, 996	1, 489	1, 370	1, 240	1, 208	1, 210	1, 099	1, 267	3, 846
Males.....	53, 497	21, 996	39, 223	4, 040	937	810	1, 136	1, 094	798	729	689	629	627	543	596	1, 646
Females.....	51, 013	19, 547	36, 365	4, 426	1, 031	841	976	902	691	641	551	579	583	556	671	2, 200
1. Smallpox.....	{ M.. 322 F.. 213	{ 52 39	{ 115 110	{ 27 26	{ 12 10	{ 19 12	{ 30 14	{ 28 11	{ 25 6	{ 22 6	{ 8 3	{ 14 8	{ 7 3	{ 4 1	{ 2 1	{ 9 3
2. Measles.....	{ M.. 2, 677 F.. 2, 516	{ 734 691	{ 2, 492 2, 318	{ 143 150	{ 9 14	{ 5 9	{ 7 9	{ 12 4	{ 2 3	{ 2 3	{ 1 2	{ 2 1	{ 2 2	{ 1 1	{ 1 1	{ 2 2
3. Scarlet fever.....	{ M.. 4, 025 F.. 4, 139	{ 364 252	{ 2, 883 2, 870	{ 847 967	{ 155 147	{ 43 44	{ 35 42	{ 31 29	{ 10 15	{ 7 10	{ 4 3	{ 1 4	{ 3 2	{ 1 2	{ 1 1	{ 5 5
4. Diphtheria.....	{ M.. 10, 023 F.. 10, 138	{ 745 634	{ 7, 322 6, 942	{ 2, 186 2, 527	{ 289 382	{ 78 90	{ 51 49	{ 24 31	{ 12 27	{ 10 19	{ 18 13	{ 5 13	{ 4 7	{ 4 7	{ 2 7	{ 18 24
5. Whooping cough.....	{ M.. 2, 148 F.. 2, 613	{ 1, 195 1, 279	{ 2, 085 2, 501	{ 53 86	{ 3 5	{ 2 2	{ 2 4	{ 3 3	{ 2 2	{ 4 4	{ 1 1	{ 1 1	{ 1 1	{ 1 1	{ 2 2	{ 3 3
6. Fever.....	{ M.. 22 F.. 18	{ 1 1	{ 5 3	{ 3 3	{ 3 3	{ 3 3	{ 4 1	{ 3 1	{ 3 1	{ 3 1	{ 1 3	{ 3 2	{ 1 1	{ 1 2	{ 1 2	{ 1 1
7. Cerebro-spinal fever.....	{ M.. 1, 022 F.. 849	{ 256 224	{ 647 541	{ 128 104	{ 41 46	{ 39 41	{ 24 26	{ 33 13	{ 17 12	{ 19 13	{ 16 10	{ 15 9	{ 13 6	{ 6 7	{ 12 9	{ 9 12
8. Typhoid fever.....	{ M.. 2, 971 F.. 2, 175	{ 23 14	{ 131 95	{ 121 111	{ 145 157	{ 267 333	{ 597 389	{ 487 276	{ 300 203	{ 222 151	{ 164 110	{ 112 87	{ 95 73	{ 69 44	{ 68 53	{ 93 93
9. Diarrheal diseases.....	{ M.. 15, 196 F.. 14, 331	{ 9, 209 7, 873	{ 11, 616 10, 139	{ 319 247	{ 129 119	{ 102 101	{ 148 160	{ 188 210	{ 191 183	{ 222 201	{ 211 212	{ 253 270	{ 285 313	{ 270 323	{ 293 416	{ 969 1, 437
10. Cholera infantum.....	{ M.. 10, 338 F.. 9, 419	{ 8, 498 7, 656	{ 10, 331 9, 415													{ 7 4
11. Malarial fever.....	{ M.. 2, 346 F.. 2, 490	{ 166 137	{ 592 536	{ 171 172	{ 119 120	{ 108 173	{ 169 183	{ 176 198	{ 143 138	{ 115 144	{ 130 115	{ 97 106	{ 107 96	{ 95 103	{ 98 104	{ 226 302
12. Erysipelas.....	{ M.. 903 F.. 792	{ 347 355	{ 383 404	{ 12 7	{ 8 10	{ 20 18	{ 19 24	{ 33 19	{ 32 20	{ 45 16	{ 60 27	{ 59 37	{ 48 33	{ 35 31	{ 41 30	{ 108 116
13. Septicæmia.....	{ M.. 392 F.. 425	{ 42 34	{ 82 64	{ 10 17	{ 14 11	{ 17 11	{ 22 52	{ 22 71	{ 19 47	{ 32 42	{ 23 29	{ 27 20	{ 33 21	{ 22 12	{ 28 12	{ 32 16
14. Venereal diseases.....	{ M.. 675 F.. 466	{ 417 316	{ 446 346	{ 1 3	{ 1 2	{ 3 4	{ 17 12	{ 42 22	{ 34 19	{ 26 22	{ 30 13	{ 23 5	{ 16 7	{ 9 4	{ 14 1	{ 13 6
15. Others of this group.....	{ M.. 437 F.. 429	{ 47 42	{ 93 81	{ 10 9	{ 12 8	{ 9 3	{ 11 11	{ 12 14	{ 13 15	{ 7 9	{ 22 11	{ 18 16	{ 15 19	{ 27 21	{ 36 34	{ 152 178
General diseases—B.....	6, 019	3, 177	3, 364	35	10	31	102	318	375	412	387	280	261	159	125	160
Males.....	3, 795	1, 687	1, 784	21	8	16	66	236	293	328	292	227	202	128	85	109
Females.....	2, 224	1, 490	1, 580	14	2	15	36	82	82	84	95	53	59	31	40	51
1. Parasitic diseases.....	{ M.. 20 F.. 16	{ 3 1	{ 13 12	{ 4 4	{ 1 1				{ 1 1					{ 1 1		
2. Alcoholism.....	{ M.. 1, 674 F.. 448	{ 1 1	{ 2 2	{ 2 2	{ 4 4	{ 4 2	{ 52 17	{ 200 67	{ 260 64	{ 296 70	{ 260 73	{ 194 43	{ 171 44	{ 107 25	{ 67 20	{ 55 18
3. Lead poison.....	{ M.. 64 F.. 7	{ 1 1	{ 2 2		{ 1 1	{ 2 1	{ 4 1	{ 10 1	{ 10 1	{ 8 1	{ 8 1	{ 5 1	{ 5 1	{ 5 1	{ 1 1	{ 5 5
4. Other poisons.....	{ M.. 245 F.. 154	{ 18 15	{ 46 46	{ 7 6	{ 2 10	{ 5 17	{ 9 17	{ 22 10	{ 20 12	{ 22 13	{ 19 15	{ 21 5	{ 23 7	{ 14 3	{ 12 6	{ 20 4
5. Inanition.....	{ M.. 1, 792 F.. 1, 599	{ 1, 665 1, 473	{ 1, 723 1, 520	{ 8 4	{ 5 2	{ 1 2	{ 4 1	{ 4 4	{ 2 6	{ 2 2	{ 5 2	{ 4 4	{ 3 8	{ 1 3	{ 5 14	{ 29 29
General diseases—C.....	64, 124	53, 746	55, 394	104	45	46	52	63	74	74	81	80	128	179	413	7, 391
Males.....	34, 450	30, 372	31, 203	50	15	21	22	24	28	40	40	35	56	75	178	2, 672
Females.....	29, 665	23, 374	24, 191	54	30	25	30	39	46	34	41	45	72	104	235	4, 719
1. Premature birth.....	{ M.. 4, 622 F.. 3, 503	{ 4, 616 3, 500	{ 4, 622 3, 503													
2. Stillborn.....	{ M.. 18, 204 F.. 13, 547	{ 18, 204 13, 547	{ 18, 204 13, 547													
3. Malformation.....	{ M.. 670 F.. 514	{ 648 488	{ 660 504	{ 3 5	{ 2 2		{ 2 1	{ 1 1			{ 1 1	{ 1 1				{ 2 2
4. Debility and atrophy.....	{ M.. 9, 339 F.. 9, 132	{ 6, 904 5, 339	{ 7, 717 6, 637	{ 47 49	{ 15 28	{ 21 25	{ 20 30	{ 23 39	{ 28 45	{ 40 33	{ 39 41	{ 34 44	{ 56 72	{ 75 104	{ 132 149	{ 1, 092 1, 336
5. Old age.....	{ M.. 1, 624 F.. 2, 969														{ 46 86	{ 1, 578 2, 883

TABLE 15.—DEATHS IN THE METROPOLITAN DISTRICT FROM EACH SPECIFIED DISEASE AND CLASS OF DISEASES, WITH DISTINCTION OF AGE AND SEX, DURING THE 6 YEARS ENDING MAY 31, 1890—Continued.

WHITE—Continued.

CAUSE OF DEATH.	All ages.	Under 1 year.	Total under 5 years.	5 to 10	10 to 15	15 to 20	20 to 25	25 to 30	30 to 35	35 to 40	40 to 45	45 to 50	50 to 55	55 to 60	60 to 65	65 and over and unknown.
I.—General diseases—Continued.																
General diseases—D.....	79,841	5,121	9,602	1,043	987	3,566	7,975	9,437	8,123	7,553	6,644	5,709	4,940	3,955	3,524	5,983
Males	41,563	2,861	5,301	518	376	1,742	4,036	4,995	4,437	4,115	3,627	3,162	2,501	2,107	1,775	2,781
Females	37,778	2,260	4,301	525	611	2,124	3,939	4,442	3,686	3,438	3,017	2,547	2,349	1,848	1,749	3,202
1. Rheumatism.....	{ M 996 F 938	{ 22 13	{ 61 37	{ 51 54	{ 49 51	{ 52 39	{ 36 41	{ 59 40	{ 62 56	{ 61 55	{ 63 47	{ 87 70	{ 86 82	{ 66 66	{ 79 82	{ 184 218
2. Scrofula and tabes.....	{ M 684 F 562	{ 437 318	{ 589 456	{ 17 15	{ 8 10	{ 8 8	{ 9 9	{ 3 12	{ 7 12	{ 8 4	{ 5 2	{ 2 8	{ 2 2	{ 7 7	{ 8 6	{ 11 11
3. Leprosy.....	{ M F	{ }	{ }	{ }	{ }	{ }	{ }	{ }	{ }	{ }	{ }	{ }	{ }	{ }	{ }	{ }
4. Consumption.....	{ M 31,912 F 25,959	{ 607 520	{ 1,233 1,080	{ 196 234	{ 211 470	{ 1,593 1,997	{ 3,885 3,762	{ 4,786 4,193	{ 4,190 3,308	{ 3,799 2,818	{ 3,251 2,176	{ 2,641 1,567	{ 1,958 1,274	{ 1,476 901	{ 1,159 793	{ 1,584 1,389
5. Hydrocephalus.....	{ M 3,560 F 2,818	{ 1,613 1,295	{ 3,118 2,517	{ 212 169	{ 63 39	{ 27 18	{ 17 15	{ 25 11	{ 18 7	{ 19 9	{ 14 8	{ 13 6	{ 14 2	{ 5 4	{ 5 4	{ 10 9
6. Cancer.....	{ M 2,993 F 6,002	{ 7 5	{ 26 19	{ 5 11	{ 5 8	{ 16 16	{ 34 50	{ 57 124	{ 94 239	{ 142 461	{ 216 702	{ 294 801	{ 401 854	{ 480 755	{ 410 738	{ 773 1,224
7. Tumor.....	{ M 271 F 277	{ 7 5	{ 15 13	{ 5 3	{ 9 3	{ 10 4	{ 17 8	{ 15 16	{ 19 14	{ 21 24	{ 16 23	{ 27 29	{ 24 38	{ 23 26	{ 18 22	{ 52 54
8. Anæmia.....	{ M 201 F 282	{ 54 31	{ 71 47	{ 6 13	{ 6 6	{ 9 19	{ 8 27	{ 7 16	{ 8 17	{ 10 19	{ 8 16	{ 17 14	{ 13 18	{ 13 11	{ 8 10	{ 23 49
9. Dropsy.....	{ M 243 F 294	{ 15 8	{ 29 20	{ 7 10	{ 11 6	{ 9 9	{ 6 4	{ 10 5	{ 5 8	{ 20 16	{ 11 17	{ 13 15	{ 19 23	{ 22 21	{ 23 26	{ 114
10. Diabetes.....	{ M 517 F 446	{ 9 9	{ 13 14	{ 6 7	{ 14 11	{ 10 10	{ 16 13	{ 22 20	{ 25 20	{ 30 24	{ 31 22	{ 57 28	{ 62 47	{ 56 52	{ 54 61	{ 121 117
11. Others of this group.....	{ M 265 F 192	{ 88 54	{ 144 96	{ 13 8	{ 5 7	{ 8 4	{ 7 10	{ 10 8	{ 8 5	{ 5 8	{ 12 3	{ 8 9	{ 11 7	{ 9 4	{ 10 7	{ 15 16
12. Others of this class.....	{ M 11 F 7	{ 2 1	{ 2 1	{ 1 1	{ 1 1	{ 1 1	{ 1 1	{ 1 1	{ 1 1	{ 1 1	{ 1 1	{ 1 1	{ 1 1	{ 1 1	{ 1 1	{ 1
II.—Diseases of the nervous system.....																
	46,912	14,621	22,614	1,457	617	532	695	834	1,098	1,390	1,551	1,734	2,037	2,177	2,497	7,769
Males	25,340	8,165	12,350	764	306	284	381	486	657	850	914	991	1,114	1,159	1,266	3,818
Females.....	21,572	6,456	10,264	693	311	248	314	348	441	540	637	743	923	1,018	1,141	3,951
1. Inflammation of the brain.....	{ M 6,788 F 5,647	{ 2,432 1,984	{ 4,743 4,124	{ 463 418	{ 161 178	{ 108 105	{ 127 82	{ 124 79	{ 148 99	{ 155 146	{ 146 76	{ 135 93	{ 138 63	{ 103 52	{ 85 48	{ 152
2. Apoplexy.....	{ M 5,204 F 4,882	{ 72 61	{ 105 99	{ 14 9	{ 8 10	{ 22 21	{ 40 48	{ 99 71	{ 155 101	{ 237 158	{ 325 269	{ 412 337	{ 531 495	{ 568 537	{ 721 670	{ 1,967 2,007
3. Paralysis.....	{ M 2,128 F 2,015	{ 26 29	{ 77 59	{ 19 19	{ 13 12	{ 13 11	{ 22 16	{ 43 32	{ 30 48	{ 134 82	{ 143 77	{ 154 111	{ 151 146	{ 190 164	{ 205 205	{ 884 1,063
4. Tetanus and trismus nascentium.....	{ M 674 F 377	{ 506 325	{ 523 335	{ 18 6	{ 22 6	{ 20 3	{ 13 2	{ 15 3	{ 13 2	{ 11 6	{ 7 2	{ 14 5	{ 1 1	{ 7 3	{ 5 1	{ 5 2
5. Epilepsy.....	{ M 524 F 477	{ 44 53	{ 86 92	{ 27 29	{ 31 25	{ 56 39	{ 66 42	{ 38 25	{ 41 38	{ 36 46	{ 22 26	{ 17 24	{ 23 18	{ 26 22	{ 15 15	{ 40 36
6. Convulsions.....	{ M 5,512 F 4,584	{ 4,162 3,303	{ 5,327 4,373	{ 37 96	{ 13 19	{ 4 13	{ 5 14	{ 14 12	{ 12 19	{ 8 9	{ 7 6	{ 7 4	{ 6 3	{ 6 1	{ 4 4	{ 12 11
7. Mental diseases.....	{ M 471 F 493	{ }	{ }	{ }	{ 1 2	{ 6 7	{ 21 27	{ 41 35	{ 45 33	{ 66 48	{ 64 58	{ 43 43	{ 41 41	{ 29 43	{ 30 34	{ 79 122
8. Diseases of the brain.....	{ M 3,205 F 2,465	{ 867 665	{ 1,370 1,101	{ 107 86	{ 43 42	{ 40 32	{ 66 48	{ 79 50	{ 114 53	{ 145 73	{ 137 87	{ 140 76	{ 151 103	{ 157 101	{ 133 129	{ 523 493
9. Diseases of the spinal cord.....	{ M 713 F 460	{ 54 34	{ 113 77	{ 25 22	{ 12 6	{ 11 9	{ 18 23	{ 28 27	{ 42 33	{ 48 45	{ 54 27	{ 56 34	{ 66 44	{ 66 36	{ 60 32	{ 114 45
10. Others of this class.....	{ M 121 F 172	{ 2 2	{ 6 4	{ 4 8	{ 2 11	{ 4 8	{ 3 12	{ 5 14	{ 7 15	{ 10 13	{ 9 9	{ 8 16	{ 6 9	{ 7 9	{ 8 12	{ 42 32
III.—Diseases of the circulatory system.....																
	24,991	2,031	2,406	637	805	819	866	1,065	1,209	1,512	1,632	1,904	2,047	2,014	2,246	5,829
Males	12,953	1,146	1,365	292	343	425	442	498	654	801	942	999	1,114	1,087	1,138	2,253
Females.....	12,038	885	1,041	345	462	394	424	567	711	711	690	905	933	927	1,108	2,976
1. Angina pectoris.....	{ M 362 F 256	{ }	{ }	{ 2 1	{ 2 2	{ 1	{ 2 5	{ 5 17	{ 14 14	{ 18 18	{ 26 18	{ 41 22	{ 33 25	{ 43 14	{ 43 40	{ 133 79
2. Aneurism.....	{ M 389 F 145	{ }	{ }	{ 1 1	{ 1 1	{ 5 3	{ 6 2	{ 17 4	{ 38 10	{ 56 15	{ 62 15	{ 56 25	{ 49 11	{ 43 14	{ 27 14	{ 30 30
3. Diseases of the heart.....	{ M 11,189 F 10,791	{ 253 190	{ 450 322	{ 285 342	{ 340 458	{ 419 386	{ 434 409	{ 474 537	{ 599 526	{ 724 663	{ 849 650	{ 898 848	{ 1,021 889	{ 997 890	{ 1,056 1,038	{ 2,643 2,828
4. Others of this class.....	{ M 1,013 F 846	{ 888 695	{ 915 919	{ 5 1	{ 1 1	{ 1 4	{ 8	{ 2 9	{ 3 5	{ 3 10	{ 5 7	{ 4 10	{ 11 8	{ 4 9	{ 12 16	{ 47 89

TABLE 15.—DEATHS IN THE METROPOLITAN DISTRICT FROM EACH SPECIFIED DISEASE AND CLASS OF DISEASES, WITH DISTINCTION OF AGE AND SEX, DURING THE 6 YEARS ENDING MAY 31, 1890—Continued.

WHITE—Continued.

CAUSE OF DEATH.	All ages.	Under 1 year.	Total under 5 years.	5 to 10	10 to 15	15 to 20	20 to 25	25 to 30	30 to 35	35 to 40	40 to 45	45 to 50	50 to 55	55 to 60	60 to 65	65 and over and unknown.
IV.—Diseases of the respiratory system.	79,714	19,870	40,613	3,177	745	1,185	1,921	2,524	2,525	2,763	2,844	2,900	3,114	2,821	3,161	9,412
Males	42,922	10,908	21,924	1,652	371	628	1,179	1,564	1,538	1,727	1,769	1,772	1,701	1,552	1,568	3,977
Females	36,792	8,962	18,689	1,525	374	557	742	960	987	1,036	1,075	1,128	1,413	1,269	1,593	5,435
1. Croup	{ M. 5,051 F. 4,369	{ 641 504	{ 4,267 3,658	{ 685 612	{ 34 36	{ 8 7	{ 7 7	{ 5 4	{ 2 4	{ 6 3	{ 9 6	{ 6 5	{ 6 9	{ 4 4	{ 5 7	{ 7 7
2. Laryngitis	{ M. 702 F. 553	{ 108 76	{ 486 406	{ 67 74	{ 12 13	{ 9 4	{ 6 8	{ 13 10	{ 12 8	{ 24 7	{ 16 3	{ 15 5	{ 12 4	{ 10 3	{ 6 2	{ 14 6
3. Bronchitis	{ M. 9,841 F. 9,949	{ 4,516 3,828	{ 6,652 5,853	{ 161 186	{ 31 33	{ 51 60	{ 103 80	{ 116 131	{ 107 103	{ 115 103	{ 161 176	{ 182 191	{ 246 277	{ 253 284	{ 343 431	{ 1,315 2,091
4. Pneumonia	{ M. 23,509 F. 18,843	{ 4,285 3,463	{ 8,813 7,431	{ 656 644	{ 258 264	{ 496 433	{ 959 577	{ 1,299 724	{ 1,259 790	{ 1,413 813	{ 1,419 792	{ 1,372 838	{ 1,245 984	{ 1,185 848	{ 1,006 985	{ 2,179 2,715
5. Pleurisy	{ M. 917 F. 619	{ 74 55	{ 167 123	{ 25 27	{ 11 9	{ 34 23	{ 65 31	{ 68 44	{ 80 41	{ 77 50	{ 62 30	{ 62 32	{ 64 31	{ 40 39	{ 61 39	{ 101 130
6. Asthma	{ M. 286 F. 337	{ 19 15	{ 24 18	{ 1 3	{ 1 1	-----	-----	{ 4 6	{ 8 3	{ 14 7	{ 15 16	{ 23 23	{ 27 30	{ 27 33	{ 37 39	{ 105 155
7. Others of this class	{ M. 2,616 F. 2,092	{ 1,315 1,021	{ 1,515 1,200	{ 57 29	{ 24 19	{ 30 28	{ 39 37	{ 59 41	{ 70 38	{ 78 48	{ 87 52	{ 112 43	{ 101 78	{ 73 58	{ 110 90	{ 256 331
V.—Diseases of the digestive system.	18,013	3,294	4,705	413	399	464	654	845	892	1,072	1,151	1,299	1,319	1,173	1,155	2,472
Males	9,199	1,823	2,619	230	222	269	274	384	392	475	599	690	665	621	599	1,160
Females	8,814	1,471	2,086	183	177	195	380	461	500	597	552	609	654	552	556	1,312
1. Dentition	{ M. 703 F. 632	{ 409 378	{ 703 632	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----
2. Angina	{ M. 197 F. 186	{ 39 23	{ 127 81	{ 26 27	{ 7 9	{ 3 1	{ 3 3	{ 4 2	{ 7 1	{ 2 2	{ 1 1	{ 1 2	{ 4 2	{ 5 1	{ 3 1	{ 4 6
3. Diseases of the stomach	{ M. 1,512 F. 1,698	{ 351 316	{ 497 450	{ 30 29	{ 10 22	{ 27 37	{ 35 63	{ 53 71	{ 77 90	{ 77 96	{ 97 65	{ 98 111	{ 98 117	{ 100 83	{ 87 119	{ 253 345
4. Obstruction of the bowels	{ M. 513 F. 479	{ 122 79	{ 154 106	{ 11 7	{ 15 10	{ 23 12	{ 19 14	{ 31 19	{ 21 23	{ 26 28	{ 30 30	{ 28 30	{ 28 39	{ 26 25	{ 35 40	{ 66 96
5. Hernia	{ M. 446 F. 361	{ 57 6	{ 62 7	{ 2 7	{ 2 1	{ 9 1	{ 14 1	{ 19 10	{ 20 10	{ 21 23	{ 20 24	{ 35 50	{ 37 38	{ 40 50	{ 52 54	{ 113 94
6. Other diseases of the bowels	{ M. 101 F. 71	{ 23 23	{ 38 26	{ 3 2	-----	{ 5 1	{ 1 1	{ 3 6	{ 3 2	{ 7 3	{ 7 5	{ 4 3	{ 3 3	-----	{ 7 1	{ 11 11
7. Jaundice	{ M. 245 F. 201	{ 174 110	{ 180 114	{ 3 1	-----	-----	{ 3 3	{ 1 1	{ 1 3	{ 3 2	{ 3 5	{ 8 7	{ 5 17	{ 6 7	{ 11 9	{ 20 31
8. Inflammation and abscess of the liver	{ M. 657 F. 600	{ 19 13	{ 28 20	{ 11 7	{ 10 3	{ 4 3	{ 18 14	{ 27 31	{ 46 27	{ 55 50	{ 65 60	{ 82 63	{ 70 77	{ 72 62	{ 59 61	{ 110 122
9. Other diseases of the liver	{ M. 2,269 F. 1,689	{ 24 21	{ 40 34	{ 14 9	{ 9 12	{ 15 30	{ 30 30	{ 88 65	{ 117 105	{ 173 152	{ 284 183	{ 312 213	{ 325 208	{ 274 191	{ 235 162	{ 353 321
10. Peritonitis	{ M. 1,481 F. 2,043	{ 114 98	{ 205 150	{ 104 80	{ 133 104	{ 141 113	{ 113 233	{ 129 239	{ 85 218	{ 83 215	{ 71 148	{ 85 100	{ 63 109	{ 64 93	{ 66 79	{ 134 162
11. Ascites	{ M. 38 F. 60	{ 3 1	{ 3 3	{ 2 3	{ 1 2	-----	{ 3 2	{ 2 1	-----	{ 2 4	{ 3 4	{ 4 6	{ 3 5	{ 4 4	{ 6 5	{ 7 20
12. Others of this class	{ M. 1,037 F. 844	{ 488 403	{ 582 463	{ 24 22	{ 35 20	{ 42 14	{ 33 16	{ 29 16	{ 19 20	{ 28 23	{ 33 26	{ 35 24	{ 29 34	{ 21 37	{ 38 25	{ 89 104
VI.—Diseases of the urinary system and male organs of generation.	23,308	348	1,108	502	283	426	829	1,321	1,529	1,928	2,000	2,131	2,265	1,968	2,077	4,931
Males	12,823	210	614	246	144	181	369	647	783	1,032	1,094	1,248	1,208	1,124	1,211	2,922
Females	10,485	138	494	256	144	245	460	674	746	896	906	883	1,057	844	866	2,009
1. Bright's disease	{ M. 6,096 F. 5,391	-----	-----	{ 74 82	{ 54 66	{ 89 131	{ 176 223	{ 306 338	{ 385 396	{ 544 471	{ 572 495	{ 645 499	{ 668 593	{ 668 496	{ 601 493	{ 1,284 1,108
2. Calculus, urinary	{ M. 38 F. 20	{ 3 2	{ 4 3	{ 1 1	-----	{ 3 1	{ 1 1	{ 1 2	{ 3 2	{ 2 1	-----	{ 2 2	{ 3 3	{ 1 2	{ 8 1	{ 10 2
3. Diseases of the kidney	{ M. 5,558 F. 4,710	{ 175 121	{ 563 463	{ 165 165	{ 82 76	{ 83 102	{ 173 220	{ 312 290	{ 361 326	{ 451 400	{ 478 391	{ 555 359	{ 487 441	{ 495 324	{ 468 347	{ 945 797
4. Diseases of the bladder	{ M. 737 F. 146	{ 6 3	{ 11 5	{ 2 1	{ 1 1	{ 5 2	{ 8 6	{ 11 11	{ 11 19	{ 12 23	{ 10 15	{ 17 6	{ 21 7	{ 31 19	{ 35 25	{ 47 48
5. Others of this class	{ M. 484 F. 213	{ 26 12	{ 36 23	{ 4 3	{ 7 1	{ 1 10	{ 11 11	{ 19 24	{ 23 20	{ 25 23	{ 26 26	{ 27 24	{ 17 14	{ 19 10	{ 12 11	{ 213 40
VII.—Diseases of the female organs of generation.	869	1	2	1	4	27	73	109	118	131	97	87	73	36	44	67
1. Ovarian tumors	222	-----	-----	-----	1	1	7	19	16	32	25	29	24	14	18	36
2. Ovarian diseases	100	-----	-----	-----	1	1	7	12	14	12	15	11	9	4	6	8
3. Uterine tumors	146	-----	-----	-----	-----	-----	2	12	11	22	14	26	24	12	11	12
4. Uterine diseases	107	-----	-----	-----	-----	7	17	23	17	12	14	8	4	1	2	2
5. Others of this class	294	1	2	1	2	13	40	43	60	53	29	13	12	5	7	9
VIII.—Affections connected with pregnancy.	3,857	-----	-----	-----	2	189	933	1,110	756	584	239	26	6	6	1	5
1. Abortion	267	-----	-----	-----	-----	7	47	69	71	55	17	-----	-----	-----	-----	-----
2. Childbirth	895	-----	-----	-----	1	26	153	257	179	175	90	7	1	1	-----	-----
3. Puerperal septicæmia	2,198	-----	-----	-----	1	112	613	645	411	287	102	16	2	4	1	4
4. Extra-uterine pregnancy	16	-----	-----	-----	-----	-----	1	4	6	5	-----	-----	-----	-----	-----	-----
5. Others of this class	481	-----	-----	-----	-----	44	114	135	89	62	30	3	3	-----	-----	1

STATISTICS OF DEATHS.

743

TABLE 15.—DEATHS IN THE METROPOLITAN DISTRICT FROM EACH SPECIFIED DISEASE AND CLASS OF DISEASES, WITH DISTINCTION OF AGE AND SEX, DURING THE 6 YEARS ENDING MAY 31, 1890—Continued.

WHITE—Continued.

CAUSE OF DEATH.	All ages.	Under 1 year.	Total under 5 years.	5 to 10	10 to 15	15 to 20	20 to 25	25 to 30	30 to 35	35 to 40	40 to 45	45 to 50	50 to 55	55 to 60	60 to 65	65 and over and unknown.
IX.—Diseases of the bones and joints.....	1,053	39	148	207	154	67	68	48	44	49	55	44	38	41	27	63
Males.....	595	18	84	102	91	38	44	32	25	31	30	27	26	26	14	25
Females.....	458	21	64	105	63	29	24	16	19	18	25	17	12	15	13	38
1. Diseases of the spine..... {M..	255	6	48	52	35	17	19	18	7	11	9	9	12	6	2	10
{F..	210	12	28	56	27	11	12	9	10	9	12	8	3	8	6	11
2. Diseases of the bones..... {M..	163	4	14	17	23	8	11	6	13	7	14	10	9	10	10	11
{F..	108	3	12	15	12	6	7	3	7	5	7	4	5	5	5	15
3. Diseases of the hip joint... {M..	121	3	14	30	32	11	13	7	3	4	2	1	1	2	1
{F..	92	2	15	30	22	9	4	1	1	2	2	2	1	3
4. Others of this class..... {M..	56	5	8	3	1	2	1	1	2	9	5	7	4	8	2	3
{F..	48	4	9	4	2	3	1	3	1	2	4	3	3	2	2	9
X.—Diseases of the skin.....	1,061	322	413	23	13	22	44	46	34	32	55	47	64	52	60	156
Males.....	564	172	220	15	4	11	24	16	21	10	32	30	30	32	39	80
Females.....	497	150	193	8	9	11	20	30	13	22	23	17	34	20	21	76
1. Abscess..... {M..	325	93	132	11	4	7	15	14	13	8	24	13	19	18	19	28
{F..	307	85	113	6	9	10	18	27	10	18	19	10	13	10	7	37
2. Carbuncle..... {M..	88	3	3	1	2	5	1	7	2	5	7	9	12	13	21
{F..	53	4	7	1	2	1	1	1	4	11	9	6	10
3. Others of this class..... {M..	151	76	85	3	2	4	1	1	3	10	2	2	7	31
{F..	137	61	73	2	2	1	2	3	3	3	10	1	8	29
XI.—Diseases of the absorbent system.....	166	15	36	10	1	3	8	8	6	12	13	10	21	11	3	19
Males.....	81	9	20	2	1	2	3	2	4	9	6	14	2	2	14
Females.....	85	6	16	8	1	2	6	5	4	8	9	4	7	9	1	5
1. Addison's disease..... {M..	27	1	1	1	2	8	2	7	1	1	3
{F..	28	1	1	1	4	3	2	1	5	2	3	5
2. Diseases of the spleen... {M..	20	1	6	1	1	1	1	2	1	1	6
{F..	15	3	1	1	1	1	2	1	1	2	2
3. Others of this class..... {M..	34	8	14	2	1	2	1	1	3	5	5
{F..	42	6	13	6	1	2	2	6	2	1	3	2	1	3
XII.—Accidents and injuries.....	17,408	1,168	2,441	840	597	812	1,279	1,572	1,460	1,619	1,511	1,317	1,054	844	646	1,416
Males.....	13,326	645	1,413	600	490	631	1,034	1,296	1,201	1,370	1,251	1,095	840	677	485	943
Females.....	4,082	523	1,028	240	107	181	245	276	259	249	260	223	214	167	161	473
1. Burns and scalds..... {M..	586	27	311	37	4	21	26	36	19	25	22	17	17	12	13	26
{F..	654	33	224	76	25	38	41	37	30	28	27	25	30	11	13	49
2. Drowned..... {M..	2,238	20	82	191	167	145	169	211	177	229	211	200	128	83	53	192
{F..	239	7	44	18	18	26	23	10	13	8	20	6	8	12	8	25
3. Exposure and neglect... {M..	44	5	7	2	3	4	1	5	6	4	5	3	3	1
{F..	19	10	11	2	1	3
4. Gunshot wounds..... {M..	163	3	19	24	26	21	15	11	8	10	6	9	3	8
{F..	22	3	1	5	2	2	1	1	3	1	2	1	1	
5. Homicide..... {M..	322	5	6	7	11	21	57	48	35	47	27	23	18	7	7	8
{F..	84	3	6	2	2	7	10	10	6	11	11	10	3	1	3	2
6. Infanticide..... {M..	1	1	1
{F..	11	11	11
7. Injuries by machinery... {M..	42	2	2	4	4	6	7	6	2	4	2	1	2
{F..	1	1
8. Railroad accidents..... {M..	1,321	1	18	37	62	75	164	179	143	150	130	87	67	57	46	106
{F..	104	8	7	5	1	8	9	6	11	6	10	4	9	8	12
9. Suffocation..... {M..	659	297	327	16	8	10	26	42	38	40	33	24	25	16	14	35
{F..	398	241	270	8	6	16	20	11	16	7	3	6	7	10	7	11
10. Suicide by shooting..... {M..	681	1	26	74	78	89	79	66	61	56	68	42	41
{F..	36	2	8	7	6	5	3	2	2	1
11. Suicide by drowning... {M..	58	7	9	7	8	8	6	5	5	2	1
{F..	20	2	2	1	2	5	3	1	2	1	1
12. Suicide by poison..... {M..	350	2	1	1	13	35	31	27	38	44	38	33	26	23	38
{F..	215	1	25	34	33	32	20	15	15	17	5	5	13
13. Other suicides..... {M..	658	15	31	47	65	72	76	85	77	73	33	84
{F..	113	3	6	17	12	13	14	11	10	10	5	12
14. Sunstroke..... {M..	760	44	65	10	4	8	61	78	102	116	102	87	45	30	18	34
{F..	186	35	50	9	3	7	10	11	9	16	6	14	14	9	28
15. Surgical operations... {M..	226	34	45	7	11	9	6	16	21	12	19	18	18	19	15	10
{F..	377	7	15	6	5	8	33	52	50	51	47	40	27	15	11	17
16. Wounds..... {M..	218	1	7	16	16	23	20	20	11	20	25	14	16	7	10	13
{F..	44	5	11	1	3	4	3	4	2	3	2	3	3	1	4
17. Other accidents and injuries.	4,999	210	542	273	184	235	325	470	444	512	467	417	322	261	203	344
{F..	1,559	171	375	112	42	44	47	74	68	81	38	34	38	73	38	295

STATISTICS OF DEATHS.

TABLE 15.—DEATHS IN THE METROPOLITAN DISTRICT FROM EACH SPECIFIED DISEASE AND CLASS OF DISEASES, WITH DISTINCTION OF AGE AND SEX, DURING THE 6 YEARS ENDING MAY 31, 1890—Continued.

COLORED—Continued.

CAUSE OF DEATH.	All ages.	Under 1 year.	Total under 5 years.	5 to 10	10 to 15	15 to 20	20 to 25	25 to 30	30 to 35	35 to 40	40 to 45	45 to 50	50 to 55	55 to 60	60 to 65	65 and over and unknown.
I.—General diseases—Continued.																
General diseases—D.....	2,256	126	262	61	80	159	258	311	253	248	171	115	99	69	63	107
Males.....	1,304	70	145	30	33	73	144	180	165	157	114	70	57	45	38	53
Females.....	952	56	117	31	47	86	114	131	88	91	57	45	42	24	25	54
1. Rheumatism.....	{ M. 19 F. 23		1	1		2	2	3	1	2		1		2	2	4
2. Scrofula and tubercles.....	{ M. 29 F. 29	9 12	17 20	4 2	1 3	1	1	2	1				1	1		1
3. Leprosy.....	{ M. F.															
4. Consumption.....	{ M. 1,105 F. 780	19 19	46 49	21 25	28 42	69 81	136 110	173 124	160 77	150 80	110 37	65 30	48 22	32 14	26 13	41 26
5. Hydrocephalus.....	{ M. 78 F. 44	35 23	70 37	5 3	2 1			1	1							1
6. Cancer.....	{ M. 36 F. 83					1	2	1	1	2	4	2	7	5	7	4
7. Tumor.....	{ M. 5 F. 8		1					1	1						1	3
8. Anæmia.....	{ M. 7 F. 3	3	3				1		1	1				1		1
9. Dropsy.....	{ M. 12 F. 17	1 1	2 1		1	1	1			2	1	1	1	3	2	1
10. Diabetes.....	{ M. 7 F. 1				2		1		1			2		1		
11. Others of this group.....	{ M. 6 F. 11	3 1	6 9				1								1	
12. Others of this class.....	{ M. F.															
II.—Diseases of the nervous system.....																
	849	268	386	30	9	18	21	26	25	18	32	35	57	34	35	123
Males.....	424	161	218	15	4	11	9	18	14	9	18	17	23	11	15	42
Females.....	425	107	168	15	5	7	12	8	11	9	14	18	34	23	20	81
1. Inflammation of the brain.....	{ M. 108 F. 84	40 24	72 54	9 9	2 1	5 3	1 4	6 2	1 2	1 2	3 2	2 3	2		1	3
2. Apoplexy.....	{ M. 72 F. 133		1			1	2	6	3	2	8	7	8	6	8	21
3. Paralysis.....	{ M. 33 F. 48	1	1				1	2	1	2	3	1	7	2	3	12
4. Tetanus and trismus nascentium.....	{ M. 19 F. 6	15 6	15 6			1			1		1	1				
5. Epilepsy.....	{ M. 13 F. 11		3		1	3		2	1		2	1	1			1
6. Convulsions.....	{ M. 114 F. 90	93 67	107 87	3	1			2	1						1	
7. Mental diseases.....	{ M. 7 F. 7						2	1	1	1		1			1	
8. Diseases of the brain.....	{ M. 41 F. 35	11 9	18 16	2	1	1	2	1	1	2		4	2	2	1	5
9. Diseases of the spinal cord.....	{ M. 14 F. 7	1	2	1	1		1	1	3	1	1		3	1		
10. Others of this class.....	{ M. 3 F. 4					1	1	2				1	1			
III.—Diseases of the circulatory system.....																
	572	22	26	6	11	9	12	35	44	67	51	57	54	46	36	118
Males.....	282	15	19	2	4	7	7	21	25	35	30	29	26	19	14	44
Females.....	290	7	7	4	7	2	5	14	19	32	21	28	28	27	22	74
1. Angina pectoris.....	{ M. 4 F. 5								1	1	1				1	1
2. Aneurism.....	{ M. 18 F. 12							1	2	6	1	2	4	1		1
3. Diseases of the heart.....	{ M. 250 F. 266	6 3	10 3	2 4	4 7	7 2	7 5	20 14	22 17	28 29	28 19	27 23	22 26	18 25	13 22	42 70
4. Others of this class.....	{ M. 10 F. 7	9 4	9 4									1		1		1

TABLE 15.—DEATHS IN THE METROPOLITAN DISTRICT FROM EACH SPECIFIED DISEASE AND CLASS OF DISEASES, WITH DISTINCTION OF AGE AND SEX, DURING THE 6 YEARS ENDING MAY 31, 1890—Continued.

COLORED—Continued.

CAUSE OF DEATH.	All ages.	Under 1 year.	Total under 5 years.	5 to 10	10 to 15	15 to 20	20 to 25	25 to 30	30 to 35	35 to 40	40 to 45	45 to 50	50 to 55	55 to 60	60 to 65	65 and over and un-known.
IV.—Diseases of the respiratory system.	1,529	451	838	48	20	21	62	59	56	74	51	61	49	37	36	117
Males	814	229	424	31	10	12	37	34	32	48	35	43	35	19	18	41
Females	715	222	414	17	10	9	25	25	24	26	16	18	14	18	23	76
1. Croup	{ M. 29 F. 21	{ 7 7	{ 21 17	{ 6 1	{ 1 1		{ 1 1	{ 1 1		{ 1 1						
2. Laryngitis	{ M. 5 F. 5	{ 1 3	{ 4 4	{ 1 1												
3. Bronchitis	{ M. 230 F. 244	{ 119 104	{ 188 191	{ 10 3	{ 2 2	{ 1 3	{ 1 1	{ 1 2		{ 1 4	{ 5 1	{ 4 3	{ 4 1	{ 1 2	{ 1 6	{ 11 25
4. Pneumonia	{ M. 471 F. 590	{ 78 86	{ 180 175	{ 13 12	{ 5 6	{ 9 6	{ 34 21	{ 28 18	{ 26 18	{ 42 23	{ 24 13	{ 33 14	{ 27 11	{ 16 14	{ 10 16	{ 24 43
5. Pleurisy	{ M. 21 F. 7	{ 1 7	{ 2 7		{ 1 1		{ 2 1	{ 2 1	{ 3 1	{ 1 1	{ 4 1	{ 1 1	{ 1 1		{ 1 1	{ 3 4
6. Asthma	{ M. 4 F. 8								{ 1 1		{ 1 1		{ 1 1			{ 3 4
7. Others of this class	{ M. 54 F. 40	{ 23 22	{ 29 27	{ 1 1	{ 1 1	{ 2 2		{ 2 3	{ 3 3	{ 4 1	{ 2 1	{ 4 1	{ 3 1	{ 2 1	{ 1 1	{ 4 4
V.—Diseases of the digestive system.	287	71	90	7	5	12	15	11	16	14	27	15	19	18	8	30
Males	156	39	50	4	4	6	9	7	9	2	15	12	11	9	4	14
Females	131	32	40	3	1	6	6	4	7	12	12	3	8	9	4	16
1. Dentition	{ M. 19 F. 10	{ 12 6	{ 19 10													
2. Angina	{ M. 2 F. 1	{ 1 1	{ 1 1		{ 1 1											{ 1 1
3. Diseases of the stomach	{ M. 23 F. 26	{ 9 5	{ 10 6		{ 1 1	{ 1 1	{ 1 1		{ 3 1	{ 4 4	{ 5 3	{ 1 1	{ 2 1	{ 3 5		{ 3 2
4. Obstruction of the bowels	{ M. 8 F. 8	{ 1 1	{ 1 2		{ 1 1	{ 1 1	{ 1 1	{ 1 1		{ 1 1		{ 1 1	{ 2 1	{ 1 1	{ 1 1	
5. Hernia	{ M. 15 F. 2	{ 4 2	{ 4 2						{ 1 1		{ 2 1	{ 3 1		{ 2 1	{ 1 1	{ 2 2
6. Other diseases of the bowels	{ M. 1 F. 1	{ 1 1	{ 1 1													
7. Jaundice	{ M. 2 F. 4	{ 1 3	{ 1 3	{ 1 1			{ 1 1									
8. Inflammation and abscess of the liver	{ M. 12 F. 7	{ 1 1	{ 1 1	{ 1 1			{ 1 1	{ 1 1	{ 1 1			{ 1 1	{ 2 1	{ 1 1	{ 1 1	{ 4 2
9. Other diseases of the liver	{ M. 24 F. 11		{ 1 1		{ 1 1	{ 3 3		{ 1 1	{ 1 1		{ 5 1	{ 4 1	{ 4 3	{ 2 1	{ 1 2	{ 1 2
10. Peritonitis	{ M. 29 F. 42	{ 4 3	{ 4 3	{ 1 2	{ 1 4	{ 2 4	{ 5 3	{ 3 2	{ 2 5	{ 1 6	{ 3 8	{ 3 3	{ 1 3	{ 1 1	{ 1 1	{ 2 5
11. Ascites	{ M. 3 F. 3			{ 1 1			{ 1 1							{ 1 1		{ 1 2
12. Others of this class	{ M. 13 F. 16	{ 7 11	{ 9 12		{ 1 1			{ 1 1		{ 1 1				{ 1 1		{ 3 3
VI.—Diseases of the urinary system and male organs of generation.	530	3	16	2	6	11	16	30	30	40	46	70	64	41	61	97
Males	287	2	10		3	4	7	11	15	26	20	40	36	30	31	54
Females	243	1	6	2	3	7	9	19	15	14	26	30	28	11	30	43
1. Bright's disease	{ M. 118 F. 114				{ 3 1	{ 1 5	{ 1 7	{ 4 6	{ 6 7	{ 13 5	{ 9 10	{ 18 22	{ 19 11	{ 13 4	{ 9 14	{ 22 22
2. Calculus, urinary	{ M. 3 F. 3		{ 1 1						{ 1 1							{ 1 1
3. Diseases of the kidney	{ M. 152 F. 123	{ 1 9	{ 7 5		{ 2 2	{ 3 2	{ 6 2	{ 6 12	{ 6 8	{ 13 9	{ 11 14	{ 21 8	{ 16 16	{ 17 7	{ 22 16	{ 24 20
4. Diseases of the bladder	{ M. 9 F. 3							{ 1 1			{ 1 1		{ 1 1			{ 5 1
5. Others of this class	{ M. 5 F. 3	{ 1 3	{ 2 1						{ 1 1		{ 1 1		{ 1 1			{ 2 2
VII.—Diseases of the female organs of generation.	39					1	3	3	5	5	5	6	8		2	1
1. Ovarian tumors	12						1		2		1	1	5		2	
2. Ovarian diseases	2								1	1	1					
3. Uterine tumors	12								1	2	1	4	3			1
4. Uterine diseases	3					1		2	2	2	2	1				
5. Others of this class	10						2	1	2	2	2	1				
VIII.—Affections connected with pregnancy.	72					13	21	13	14	7	4					
1. Abortion	4							1	2							
2. Childbirth	17					1	2	6	4	3	1					
3. Puerperal septicaemia	42					10	15	4	7	3	3					
4. Extra-uterine pregnancy																
5. Others of this class	9					2	4	2	1							

STATISTICS OF DEATHS.

747

TABLE 15.—DEATHS IN THE METROPOLITAN DISTRICT FROM EACH SPECIFIED DISEASE AND CLASS OF DISEASES, WITH DISTINCTION OF AGE AND SEX, DURING THE 6 YEARS ENDING MAY 31, 1890—Continued.

COLORED—Continued.

CAUSE OF DEATH.	All ages.	Under 1 year.	Total under 5 years.	5 to 10	10 to 15	15 to 20	20 to 25	25 to 30	30 to 35	35 to 40	40 to 45	45 to 50	50 to 55	55 to 60	60 to 65	65 and over and un-known.
IX.—Diseases of the bones and joints.	19	1	2	3	5	2	2	1			1	1		2		
Males	11		1	3	2		2	1				1		1		
Females	8	1	1		3	2					1			1		
1. Diseases of the spine..... {M. 2				1			1									
{F. 6		1	1		3	1					1					
2. Diseases of the bones..... {M. 4					1			1				1		1		
{F. 1														1		
3. Diseases of the hip joint.. {M. 4			1	2	1											
{F. 1						1										
4. Others of this class..... {M. 1							1									
{F. 1																
X.—Diseases of the skin.	14	2	2	1	1	1		1	1	2	2			1		2
Males	5	1	1		1	1			1	1						
Females	9	1	1	1				1		1	2			1		2
1. Abscess	4	1	1	1	1	1				1						1
{M. 4		1	1	1												
{F. 4		1	1	1												
2. Carbuncle..... {M. 1																
{F. 1																
3. Others of this class..... {M. 1									1							
{F. 5										1	2			1		1
XI.—Diseases of the absorbent system.	1									1						
Males	1									1						
Females																
1. Addison's disease..... {M. 1										1						
{F. 1																
2. Diseases of the spleen..... {M. 1																
{F. 1																
3. Others of this class..... {M. 1																
{F. 1																
XII.—Accidents and injuries.	261	53	64	7	6	14	28	35	23	21	15	11	6	6	5	21
Males	174	29	33	6	5	7	22	26	16	16	12	7	4	5	8	12
Females	87	24	31	1	1	7	6	9	6	5	3	4	2	1	2	9
1. Burns and scalds..... {M. 10		1	3				1		2	1	1	1				1
{F. 15			1	1		2	2	2	2	1			1			4
2. Drowned	15					2	1	1	1	2		1	2	1		4
{M. 15																
{F. 15																
3. Exposure and neglect... {M. 1			1													1
{F. 2																
4. Gunshot wounds	5						3	1			1					
{M. 5																
{F. 5																
5. Homicide..... {M. 19			1		1	1	6	3	2	2	1	3				
{F. 5		1	1		1	1	1	1	2	2						
6. Infanticide																
{M. 1																
{F. 1																
7. Injuries by machinery... {M. 1																
{F. 1																
8. Railroad accidents..... {M. 21				2	1	1	4	2	1	2	4			2	1	1
{F. 2										1				1		
9. Suffocation..... {M. 14		10	10							1	1			1		1
{F. 11		8	8			1							1			
10. Suicide by shooting..... {M. 5							1	2	1							1
{F. 1																
11. Suicide by drowning..... {M. 1																
{F. 2																
12. Suicide by poison..... {M. 1							1	1						1		
{F. 2																
13. Other suicides..... {M. 8							1		7							1
{F. 1																
14. Sunstroke..... {M. 3			1					1		1						
{F. 4		1	2								1	1				
15. Surgical operations..... {M. 5				1			1				1	1				1
{F. 15						2	2	4	2	3	1	1				
16. Wounds..... {M. 5				1			2	1			1					
{F. 1							1									
17. Other accidents and inju- {M. 62		18	19	2	3	3	2	14	2	7	2	1	2	2	2	3
{F. 20		14	18		1	1		1		1	1	2		1		

STATISTICS OF DEATHS.

TABLE 15.—DEATHS IN THE METROPOLITAN DISTRICT FROM EACH SPECIFIED DISEASE AND CLASS OF DISEASES, WITH DISTINCTION OF AGE AND SEX, DURING THE 6 YEARS ENDING MAY 31, 1890—Continued.

BIRTHPLACE OF MOTHERS—UNITED STATES—Continued.

CAUSE OF DEATH.	All ages.	Under 1 year.	Total under 5 years.	5 to 10	10 to 15	15 to 20	20 to 25	25 to 30	30 to 35	35 to 40	40 to 45	45 to 50	50 to 55	55 to 60	60 to 65	65 and over and unknown.
I.—General diseases—Continued.																
General diseases—D.....	19,156	2,388	4,497	456	382	1,126	1,720	1,880	1,534	1,432	1,147	1,006	923	764	701	1,598
Males.....	9,598	1,312	2,463	215	152	479	853	980	798	753	591	514	439	275	314	672
Females.....	9,558	1,076	2,024	241	230	647	867	900	736	679	556	492	484	389	387	926
1. Rheumatism.....	{ M 267 F 237	{ 17 6	{ 35 18	{ 21 20	{ 19 13	{ 17 16	{ 10 10	{ 14 8	{ 10 11	{ 13 9	{ 10 6	{ 11 8	{ 20 16	{ 13 12	{ 23 14	{ 51 66
2. Scrofula and tabes.....	{ M 327 F 263	{ 215 159	{ 291 216	{ 12 9	{ 5 5	{ 2 5	{ 6 4	{ 2 5	{ 2 3	{ 1 2	{ 1 1	{ 1 3	{ 1 4	{ 2 4	{ 1 1	{ 1 5
3. Leprosy.....	{ M F															
4. Consumption.....	{ M 6,340 F 5,701	{ 268 230	{ 548 481	{ 84 104	{ 79 183	{ 429 602	{ 814 826	{ 929 837	{ 748 643	{ 683 540	{ 529 352	{ 439 278	{ 311 210	{ 245 157	{ 186 135	{ 316 353
5. Hydrocephalus.....	{ M 1,589 F 1,303	{ 730 622	{ 1,455 1,196	{ 84 75	{ 22 14	{ 9 5	{ 2 1	{ 5 3	{ 4 5	{ 2 1	{ 1 1				{ 1 1	{ 3 1
6. Cancer.....	{ M 555 F 1,520	{ 3 3	{ 13 10	{ 1 3	{ 1 3	{ 4 3	{ 3 12	{ 11 25	{ 15 58	{ 27 100	{ 30 161	{ 40 179	{ 69 216	{ 81 186	{ 68 193	{ 192 371
7. Tumor.....	{ M 76 F 90	{ 1 3	{ 7 8	{ 2 3	{ 5 3	{ 3 4		{ 5 5	{ 4 10	{ 4 9	{ 6 6	{ 5 15	{ 5 7	{ 6 8	{ 6 8	{ 18 18
8. Anæmia.....	{ M 85 F 105	{ 25 16	{ 34 22	{ 3 6		{ 5 4	{ 2 5	{ 3 6	{ 3 5	{ 4 5	{ 4 8	{ 4 4	{ 4 9	{ 7 2	{ 2 4	{ 10 24
9. Dropsy.....	{ M 91 F 103	{ 7 5	{ 11 11	{ 3 6	{ 6 3	{ 3 5	{ 3 4	{ 3 2	{ 3 3	{ 8 3	{ 4 6	{ 1 3	{ 4 8	{ 7 6	{ 10 5	{ 25 41
10. Diabetes.....	{ M 172 F 157	{ 6 5	{ 9 9	{ 4 5	{ 10 6	{ 3 6	{ 7 2	{ 8 8	{ 6 7	{ 9 8	{ 6 12	{ 14 9	{ 21 8	{ 13 13	{ 14 25	{ 48 39
11. Others of this group.....	{ M 93 F 76	{ 39 26	{ 59 52	{ 1 3	{ 4 2	{ 4 1	{ 1 3	{ 5 1	{ 2 1				{ 3 2	{ 1 2	{ 3 1	{ 8 7
12. Others of this class.....	{ M 3 F 3	{ 1 1	{ 1 1		{ 1 1		{ 1 1				{ 1 1					{ 1 1
II.—Diseases of the nervous system.....																
	17,710	7,039	10,938	673	223	1,433	154	139	255	273	337	361	425	534	563	2,637
Males.....	9,420	3,394	5,941	351	107	73	74	107	146	159	187	199	241	291	305	1,239
Females.....	8,290	3,145	4,997	322	116	70	80	82	109	114	150	162	184	243	263	1,398
1. Inflammation of the brain.....	{ M 2,878 F 2,506	{ 1,186 969	{ 2,295 2,006	{ 214 200	{ 52 63	{ 31 31	{ 21 26	{ 35 18	{ 39 23	{ 26 17	{ 37 19	{ 31 17	{ 27 12	{ 16 14	{ 19 14	{ 35 41
2. Apoplexy.....	{ M 1,315 F 1,275	{ 33 28	{ 47 45	{ 4 4	{ 2 4	{ 5 2	{ 10 6	{ 19 18	{ 31 18	{ 48 35	{ 59 60	{ 73 62	{ 114 99	{ 155 126	{ 166 151	{ 582 645
3. Paralysis.....	{ M 664 F 740	{ 10 15	{ 42 34	{ 11 5	{ 4 6	{ 3 7	{ 7 8	{ 7 8	{ 9 16	{ 22 15	{ 23 21	{ 39 29	{ 38 35	{ 51 47	{ 57 51	{ 341 460
4. Tetanus and trismus nascentium.....	{ M 274 F 164	{ 236 148	{ 247 156	{ 7 2	{ 2 2	{ 5 2			{ 2 1	{ 4 1	{ 2 1				{ 1 1	{ 1 1
5. Epilepsy.....	{ M 134 F 110	{ 14 12	{ 32 24	{ 7 15	{ 12 8	{ 14 4	{ 13 5	{ 9 3	{ 10 10	{ 9 14	{ 5 6	{ 1 5	{ 6 4	{ 2 2	{ 3 2	{ 11 8
6. Convulsions.....	{ M 2,592 F 2,165	{ 1,932 1,571	{ 2,505 2,082	{ 47 42	{ 8 10	{ 1 5	{ 1 4	{ 8 3	{ 4 7	{ 5 2	{ 3 2	{ 2 2	{ 1 1	{ 2 1	{ 2 2	{ 3 3
7. Mental diseases.....	{ M 72 F 86					{ 1 2	{ 4 7	{ 3 5	{ 7 6	{ 7 5	{ 7 9	{ 7 7	{ 8 7	{ 10 8	{ 7 3	{ 14 27
8. Diseases of the brain.....	{ M 1,234 F 1,044	{ 448 378	{ 700 605	{ 44 41	{ 21 12	{ 10 13	{ 12 14	{ 17 17	{ 29 18	{ 30 17	{ 26 23	{ 36 23	{ 27 16	{ 40 28	{ 41 29	{ 201 188
9. Diseases of the spinal cord.....	{ M 220 F 131	{ 33 22	{ 68 43	{ 14 9	{ 5 3	{ 3 3	{ 4 3	{ 8 7	{ 13 3	{ 7 5	{ 12 4	{ 6 7	{ 17 8	{ 15 13	{ 10 7	{ 38 13
10. Others of this class.....	{ M 37 F 69	{ 2 2	{ 5 2	{ 3 4	{ 1 3		{ 1 2	{ 1 5	{ 1 3	{ 2 7	{ 1 4	{ 3 5	{ 1 10	{ 3 4	{ 2 4	{ 13 13
III.—Diseases of the circulatory system.....																
	6,832	1,090	1,268	274	297	208	165	219	238	324	308	374	393	438	458	1,868
Males.....	2,607	619	719	130	131	108	85	104	117	159	168	191	233	267	247	948
Females.....	3,225	471	549	144	166	100	80	115	121	165	140	183	160	171	211	920
1. Angina pectoris.....	{ M 122 F 97			{ 2 1					{ 1 6	{ 4 5	{ 3 4	{ 5 4	{ 8 6	{ 8 9	{ 16 13	{ 65 41
2. Aneurism.....	{ M 90 F 33					{ 2 1	{ 1 1	{ 2 1	{ 9 3	{ 10 3	{ 14 6	{ 14 8	{ 10 10	{ 14 2	{ 4 4	{ 10 9
3. Diseases of the heart.....	{ M 2,873 F 2,697	{ 142 114	{ 223 183	{ 124 143	{ 130 164	{ 106 97	{ 84 78	{ 101 107	{ 103 112	{ 146 167	{ 148 128	{ 163 167	{ 213 151	{ 237 161	{ 230 195	{ 855 854
4. Others of this class.....	{ M 522 F 398	{ 477 357	{ 491 366	{ 4 1	{ 1 1					{ 1 1		{ 1 2	{ 2 2		{ 3 2	{ 18 16

TABLE 15.—DEATHS IN THE METROPOLITAN DISTRICT FROM EACH SPECIFIED DISEASE AND CLASS OF DISEASES, WITH DISTINCTION OF AGE AND SEX, DURING THE 6 YEARS ENDING MAY 31, 1890—Continued.

BIRTHPLACE OF MOTHERS—UNITED STATES—Continued.

CAUSE OF DEATH.	All ages.	Under 1 year.	Total under 5 years.	5 to 10	10 to 15	15 to 20	20 to 25	25 to 30	30 to 35	35 to 40	40 to 45	45 to 50	50 to 55	55 to 60	60 to 65	65 and over and un-known.
IV.—Diseases of the respiratory system..	25,059	8,143	16,687	1,335	242	307	397	417	468	466	445	456	504	432	548	2,355
Males	13,284	4,461	9,009	696	122	153	243	243	269	293	285	275	287	234	253	922
Females	11,775	3,682	7,678	639	120	154	154	174	199	173	160	181	217	198	295	1,433
1. Croup	{ M.. 1,970 F.. 1,752	{ 226 198	{ 1,656 1,456	{ 284 269	{ 19 13	{ 1 1	{ 3 2	{ 1 2	{ .. 2	{ .. 2	{ .. 2	{ 1 1	{ 3 1	{ .. 2	{ 1 1	{ 2 1
2. Laryngitis	{ M.. 278 F.. 231	{ 38 34	{ 212 168	{ 26 36	{ 7 8	{ 1 2	{ 2 2	{ 2 5	{ 2 2	{ 4 1	{ 9 1	{ 5 5	{ 3 3	{ 1 1	{ 1 2	{ 3 2
3. Bronchitis	{ M.. 3,493 F.. 3,301	{ 1,997 1,702	{ 2,952 2,594	{ 82 48	{ 9 10	{ 17 20	{ 15 17	{ 16 16	{ 20 22	{ 17 14	{ 17 20	{ 23 24	{ 34 24	{ 31 24	{ 33 40	{ 227 428
4. Pneumonia	{ M.. 6,376 F.. 5,527	{ 1,572 1,266	{ 3,417 2,869	{ 262 265	{ 75 78	{ 118 117	{ 200 121	{ 209 132	{ 219 156	{ 250 140	{ 233 124	{ 204 142	{ 218 173	{ 182 151	{ 193 220	{ 596 839
5. Pleurisy	{ M.. 194 F.. 154	{ 30 18	{ 70 41	{ 9 6	{ .. 3	{ 5 3	{ 15 4	{ 5 5	{ 15 9	{ 8 4	{ 5 5	{ 16 6	{ 9 6	{ 5 6	{ 10 14	{ 22 42
6. Asthma	{ M.. 49 F.. 49	{ 11 5	{ 14 5	{ 1 3	{ .. 3	{ .. 3	{ .. 1	{ 1 1	{ 1 1	{ 3 1	{ 1 1	{ 2 2	{ 3 2	{ 3 5	{ 4 8	{ 15 25
7. Others of this class	{ M.. 924 F.. 761	{ 537 459	{ 688 545	{ 32 12	{ 12 8	{ 11 11	{ 8 7	{ 10 13	{ 10 9	{ 13 12	{ 19 7	{ 23 6	{ 17 11	{ 12 9	{ 12 15	{ 57 96
V.—Diseases of the digestive system.....	5,044	1,535	2,188	190	156	189	157	178	186	193	194	193	196	202	209	663
Males	2,632	866	1,237	106	90	80	69	77	84	75	100	107	104	115	110	278
Females	2,412	669	951	84	66	59	88	101	102	118	94	86	92	87	99	385
1. Dentition	{ M.. 339 F.. 303	{ 199 179	{ 339 303	{	{	{	{	{	{	{	{	{	{	{	{	{
2. Angina	{ M.. 91 F.. 63	{ 19 12	{ 61 38	{ 16 14	{ 4 5	{	{ .. 1	{ 1 1	{ 3 1	{	{	{	{ 2 2	{ 2 1	{ 2 1	{ .. 1
3. Diseases of the stomach	{ M.. 424 F.. 451	{ 166 114	{ 227 169	{ 7 13	{ 2 7	{ 9 11	{ 6 13	{ 6 9	{ 18 19	{ 12 19	{ 16 10	{ 17 15	{ 13 16	{ 20 19	{ 9 18	{ 62 113
4. Obstruction of the bowels	{ M.. 154 F.. 160	{ 59 43	{ 72 54	{ 4 4	{ 4 2	{ 7 6	{ 6 1	{ 6 6	{ 2 5	{ 3 6	{ 3 8	{ 6 6	{ 6 9	{ 6 2	{ 9 15	{ 20 36
5. Hernia	{ M.. 90 F.. 34	{ 26 2	{ 31 2	{	{	{ 2 1	{ 1 1	{ 1 1	{ 5 1	{ 3 2	{ 3 1	{ 7 4	{ 3 2	{ 4 5	{ 7 3	{ 23 13
6. Other diseases of the bowels	{ M.. 43 F.. 29	{ 12 13	{ 21 13	{ 2 ..	{ .. 1	{ 3 1	{	{ 2 3	{ 2 1	{	{ 2 1	{ .. 1	{ 1 2	{ 3 1	{ .. 1	{ 7 5
7. Jaundice	{ M.. 91 F.. 70	{ 69 50	{ 71 52	{ 1 ..	{ .. 1	{	{ 1 1	{ 1 1	{	{	{ 1 ..	{ 2 4	{ 2 1	{ 2 2	{ 2 2	{ 9 8
8. Inflammation and abscess of the liver	{ M.. 134 F.. 112	{ 9 9	{ 11 12	{ 5 3	{ 7 1	{	{ 6 3	{ 9 6	{ 7 2	{ 8 7	{ 7 6	{ 9 8	{ 12 7	{ 12 10	{ 12 12	{ 29 35
9. Other diseases of the liver	{ M.. 400 F.. 262	{ 15 16	{ 22 22	{ 7 2	{ 4 2	{ 5 2	{ 4 4	{ 4 14	{ 18 8	{ 21 15	{ 47 20	{ 46 23	{ 43 25	{ 52 26	{ 43 27	{ 79 77
10. Peritonitis	{ M.. 444 F.. 604	{ 49 44	{ 93 68	{ 51 36	{ 54 41	{ 43 33	{ 34 61	{ 31 64	{ 26 62	{ 23 64	{ 13 42	{ 12 23	{ 12 24	{ 9 14	{ 15 10	{ 28 53
11. Ascites	{ M.. 15 F.. 21	{ 1 1	{ 1 2	{ 3 ..	{ 1 1	{ 1 1	{	{ .. 1	{ 1 1	{	{ 2 2	{ 1 2	{ .. 1	{ 2 2	{ 2 3	{ 2 10
12. Others of this class	{ M.. 407 F.. 303	{ 242 186	{ 288 216	{ 10 12	{ 14 5	{ 11 5	{ 11 4	{ 6 1	{ 8 3	{ 5 4	{ 6 4	{ 7 4	{ 10 3	{ 3 7	{ 9 3	{ 19 34
VI.—Diseases of the urinary system and male organs of generation.	5,234	159	477	188	104	134	135	248	268	372	349	389	400	406	397	1,317
Males	3,011	98	264	94	55	51	85	108	131	188	204	242	245	262	256	826
Females	2,223	61	213	94	49	83	100	140	137	184	145	147	155	144	141	491
1. Bright's disease	{ M.. 1,337 F.. 1,095	{	{	{ 31 34	{ 26 24	{ 27 52	{ 34 61	{ 50 73	{ 69 73	{ 109 99	{ 119 77	{ 121 90	{ 145 86	{ 142 88	{ 126 81	{ 338 257
2. Calculus, urinary	{ M.. 15 F.. 5	{ 1 ..	{ 2 ..	{	{	{ 1 ..	{ 1 ..	{	{	{ 1 ..	{	{	{ 1 2	{ 1 1	{ 2 2	{ 6 ..
3. Diseases of the kidney	{ M.. 1,275 F.. 1,001	{ 84 54	{ 238 200	{ 61 55	{ 23 25	{ 21 28	{ 46 37	{ 50 55	{ 51 59	{ 71 82	{ 75 60	{ 106 51	{ 90 60	{ 103 48	{ 96 54	{ 239 187
4. Diseases of the bladder	{ M.. 233 F.. 43	{ 3 1	{ 6 1	{ 1 1	{ .. 1	{ 1 1	{ 3 4	{ 3 4	{ 2 2	{ 2 1	{ 3 2	{ 6 2	{ 3 2	{ 3 2	{ 4 4	{ 174 24
5. Others of this class	{ M.. 151 F.. 79	{ 10 6	{ 18 12	{ 1 4	{ 1 ..	{ 1 2	{ 1 2	{ 5 5	{ 9 5	{ 6 1	{ 6 6	{ 9 4	{ 6 6	{ 7 5	{ 12 2	{ 69 23
VII.—Diseases of the female organs of generation.	289	..	1	..	4	9	21	28	25	46	41	32	31	11	17	23
1. Ovarian tumors	85	1	1	2	7	3	14	12	10	9	4	11	11
2. Ovarian diseases	39	1	..	3	7	5	4	7	3	3	2	2	2
3. Uterine tumors	54	3	3	3	9	5	11	11	2	3	7
4. Uterine diseases	27	4	2	3	2	3	5	3	2	1	2	2
5. Others of this class	84	..	1	..	2	4	14	8	12	16	12	5	6	2	1	1
VIII.—Affections connected with pregnancy.	745	1	54	200	219	143	85	80	5	2	3	1	2
1. Abortion	50	3	6	11	15	11	3
2. Childbirth	169	1	9	39	57	29	24	9	..	1
3. Puerperal septicæmia	399	27	126	113	75	37	18	3
4. Extra-uterine pregnancy	5	1	1	3
5. Others of this class	122	15	29	37	23	10	5	2	1

STATISTICS OF DEATHS.

TABLE 15.—DEATHS IN THE METROPOLITAN DISTRICT FROM EACH SPECIFIED DISEASE AND CLASS OF DISEASES, WITH DISTINCTION OF AGE AND SEX, DURING THE 6 YEARS ENDING MAY 31, 1890—Continued.

BIRTHPLACE OF MOTHERS—UNITED STATES—Continued.

CAUSE OF DEATH.	All ages.	Under 1 year.	Total under 5 years.	5 to 10	10 to 15	15 to 20	20 to 25	25 to 30	30 to 35	35 to 40	40 to 45	45 to 50	50 to 55	55 to 60	60 to 65	65 and over and un-known.
IX.—Diseases of the bones and joints	310	16	61	67	59	23	11	7	6	10	13	6	5	15	9	18
Males.....	178	8	38	36	34	13	8	6	2	7	9	5	2	7	3	8
Females.....	132	8	23	31	25	10	3	1	4	3	4	1	3	8	6	10
1. Diseases of the spine..... {M	77	4	24	20	10	7	2	3	1	1	4	1	2	1	3	3
{F	69	5	10	18	14	5	3	2	2	1	2	1	2	5	3	3
2. Diseases of the bones..... {M	39	1	6	2	11	1	2	2	3	3	3	1	1	2	3	3
{F	26	1	5	3	5	1	2	1	2	1	1	1	1	3	2	2
3. Diseases of the hip joint... {M	48	2	7	14	13	4	4	1	1	1	1	1	1	1	1	1
{F	25	1	6	8	6	4	4	1	1	1	1	1	1	1	1	1
4. Others of this class..... {M	14	1	1	1	1	1	1	1	2	2	3	1	3	1	1	1
{F	12	1	2	2	1	1	1	1	1	1	1	1	1	1	1	4
X.—Diseases of the skin	346	151	188	9	4	8	8	15	7	5	13	12	12	6	12	47
Males.....	190	90	108	6	3	4	4	2	5	5	8	7	6	6	8	23
Females.....	156	61	80	3	1	4	4	13	2	5	5	5	6	6	4	24
1. Abscess..... {M	115	50	65	4	3	2	2	2	4	4	6	5	6	2	4	10
{F	102	37	52	2	1	4	4	11	2	4	3	4	1	2	2	12
2. Carbuncle..... {M	21	2	2	1	1	1	2	1	1	1	1	1	3	4	4	6
{F	12	1	2	1	1	1	1	1	1	1	1	1	1	1	1	4
3. Others of this class..... {M	54	38	41	2	2	1	1	1	1	1	1	2	2	1	1	7
{F	42	23	26	1	1	1	1	1	1	1	2	2	2	1	1	8
XI.—Diseases of the absorbent system	61	4	11	5	2	2	2	2	2	5	6	2	6	6	1	11
Males.....	29	3	8	2	2	2	2	1	2	2	2	1	4	1	1	7
Females.....	32	1	3	5	2	2	2	1	2	3	4	1	2	5	4	4
1. Addison's disease..... {M	9	1	1	1	1	1	1	1	1	2	2	3	1	3	1	1
{F	10	1	1	1	1	1	1	1	1	2	2	1	1	3	1	1
2. Diseases of the spleen... {M	7	1	1	1	1	1	1	1	1	1	1	1	1	1	1	3
{F	7	1	1	1	1	1	1	1	1	1	1	1	1	1	1	2
3. Others of this class..... {M	13	3	7	4	4	1	1	1	3	1	1	1	1	1	1	3
{F	15	1	2	4	4	1	1	1	3	1	1	1	1	1	1	2
XII.—Accidents and injuries	3,665	582	1,063	314	174	186	243	251	215	210	212	178	132	123	97	267
Males.....	2,518	323	608	235	139	143	183	187	161	154	154	130	100	98	76	150
Females.....	1,147	259	455	79	35	43	60	64	54	56	58	48	32	25	21	117
1. Burns and scalds..... {M	146	11	107	13	1	1	4	2	2	2	3	5	3	1	1	4
{F	169	8	74	30	5	8	8	6	2	6	7	4	5	3	1	10
2. Drowned..... {M	323	2	22	78	44	31	26	31	18	16	15	9	13	6	6	8
{F	48	2	13	6	10	3	6	2	2	1	2	2	1	1	1	1
3. Exposure and neglect... {M	10	3	4	1	1	1	1	1	1	1	1	1	1	1	1	1
{F	7	2	3	1	1	1	1	1	1	1	1	1	1	1	1	1
4. Gunshot wounds..... {M	47	1	3	1	5	5	10	7	3	3	6	2	1	3	1	2
{F	12	1	3	1	2	2	1	2	1	1	1	1	1	1	1	1
5. Homicide..... {M	54	3	4	2	4	4	9	8	4	7	4	4	1	2	1	1
{F	14	2	3	2	4	2	2	1	2	1	3	3	1	1	1	1
6. Infanticide..... {M	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
{F	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
7. Injuries by machinery... {M	8	1	2	2	1	2	1	1	1	1	1	1	1	1	1	1
{F	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
8. Railroad accidents..... {M	252	1	6	17	15	21	31	40	23	24	20	11	11	14	3	16
{F	18	1	1	3	2	2	2	1	2	2	2	3	1	2	1	1
9. Suffocation..... {M	235	165	175	7	3	2	5	7	5	6	3	3	4	2	4	9
{F	159	127	141	3	1	2	2	2	1	1	1	1	1	2	1	1
10. Suicide by shooting... {M	121	12	10	23	15	13	12	9	9	9	9	8	9	9	9	7
{F	12	1	1	2	5	1	2	5	1	2	1	1	1	1	1	1
11. Suicide by drowning... {M	3	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
{F	2	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
12. Suicide by poison..... {M	55	1	1	1	1	5	8	7	6	5	4	8	6	5	5	3
{F	36	1	1	1	1	5	7	7	3	5	3	3	1	1	1	1
13. Other suicides..... {M	82	1	1	1	1	1	2	8	12	7	11	11	9	6	5	11
{F	16	1	1	1	1	1	1	3	2	1	2	2	2	1	1	5
14. Sunstroke..... {M	60	10	18	5	1	3	3	3	2	6	5	3	5	3	4	2
{F	30	13	19	3	2	5	12	19	21	17	21	15	14	8	4	5
15. Surgical operations... {M	65	7	10	4	3	3	4	4	3	5	4	9	5	5	3	3
{F	154	3	7	3	2	5	12	19	21	17	21	15	14	8	4	6
16. Wounds..... {M	49	2	4	6	5	7	6	2	4	1	5	1	3	1	1	4
{F	10	1	5	1	1	1	2	1	1	1	1	1	1	1	1	1
17. Other accidents and inju- {M	1,005	121	258	100	56	56	49	57	65	59	64	54	31	43	35	78
{F	459	99	185	33	14	16	14	14	16	19	16	19	8	9	11	85

STATISTICS OF DEATHS.

753

TABLE 15.—DEATHS IN THE METROPOLITAN DISTRICT FROM EACH SPECIFIED DISEASE AND CLASS OF DISEASES, WITH DISTINCTION OF AGE AND SEX, DURING THE 6 YEARS ENDING MAY 31, 1890—Continued.

BIRTHPLACE OF MOTHERS—ENGLAND AND WALES—Continued.

CAUSE OF DEATH.	All ages.	Under 1 year.	Total under 5 years.	5 to 10	10 to 15	15 to 20	20 to 25	25 to 30	30 to 35	35 to 40	40 to 45	45 to 50	50 to 55	55 to 60	60 to 65	65 and over and un-known.
I.—General diseases—Continued.																
General diseases—D.....	3,196	142	269	25	26	113	293	325	311	308	296	267	225	203	162	373
Males	1,675	86	149	17	9	48	159	166	159	163	162	138	118	110	85	186
Females.....	1,521	56	120	8	17	65	134	159	152	139	134	129	107	93	77	187
1. Rheumatism.....	{ M. 50 F. 48	1	2	1	2	1	2	3	1	4	4	8	5	5	14
2. Scrofula and tabes.....	{ M. 19 F. 23	12 9	18 16	1	3	1	1	1
3. Leprosy.....	{ M. F.
4. Consumption.....	{ M. 1,221 F. 939	16 15	28 36	7 2	1 11	43 61	153 127	153 144	146 126	146 109	142 84	111 52	78 61	74 45	53 30	86 51
5. Hydrocephalus.....	{ M. 116 F. 65	53 29	94 60	8 2	4 1	1	1	2	1	1	1	2	1	1
6. Cancer.....	{ M. 168 F. 359	1	1	2	1	5	4	13	8	14	19	19	25	53
7. Tumor.....	{ M. 19 F. 18	2	1	2	2	1	1	2	2	3	2	5
8. Anæmia.....	{ M. 14 F. 14	3 1	5 3	1	1	1	2	1	1	1	1	3
9. Dropsy.....	{ M. 12 F. 14	1	1	1	1	1	1	2	1	1	2	4
10. Diabetes.....	{ M. 44 F. 34	1	1	1	1	2	1	2	5	3	3	5	6	1	15
11. Others of this group.....	{ M. 12 F. 7	2	3	1	1	1	1	1	1	1	1	1	1
12. Others of this class.....	{ M. F.
II.—Diseases of the nervous system																
.....	2,108	453	710	46	28	16	36	30	50	70	73	89	103	121	153	583
Males	1,153	265	404	20	15	10	23	17	27	39	34	50	57	61	87	309
Females.....	955	188	306	26	13	6	13	13	23	31	39	39	46	60	66	274
1. Inflammation of the brain.....	{ M. 288 F. 191	94 68	169 129	14 15	7 3	3 1	8 3	5 3	9 5	12 5	6 5	7 3	11 5	10 2	7	20
2. Apoplexy.....	{ M. 295 F. 284	5 4	5 5	1	2	2	5	12	19	24	21	45	159	
3. Paralysis.....	{ M. 124 F. 136	1 3	3 3	1	1	5	3	3	4	11	8	16	69	
4. Tetanus and trismus nascentium.....	{ M. 31 F. 12	22 11	22 11	4	1	1	2	1	
5. Epilepsy.....	{ M. 27 F. 23	2	1	3	3	4	1	3	2	2	1	3	1	
6. Convulsions.....	{ M. 156 F. 135	115 87	151 123	2 4	2	1	1	1	1	1	2	
7. Mental diseases.....	{ M. 22 F. 15	1	1	2	1	5	5	2	2	2	
8. Diseases of the brain.....	{ M. 156 F. 114	27 11	48 29	3 3	1 4	2 1	7 2	4 3	3 3	9 3	4 9	7 4	6 2	9 7	10 9	43 35
9. Diseases of the spinal cord.....	{ M. 42 F. 33	1 2	4 4	3	1	1	2	2	3	5	3	5	3	5	4	5
10. Others of this class.....	{ M. 12 F. 7	1	1	1	1	1	1	1	6	
III.—Diseases of the circulatory system.																
.....	1,383	77	91	22	31	31	35	50	52	87	98	104	107	123	133	419
Males	727	42	51	5	14	15	18	19	31	49	54	47	61	68	83	212
Females.....	656	35	40	17	17	16	17	31	21	38	44	57	46	55	50	207
1. Angina pectoris.....	{ M. 31 F. 9	1	2	2	1	2	3	4	3	15
2. Aneurism.....	{ M. 17 F. 11	1	1	5	3	2	3	1	1	1
3. Diseases of the heart.....	{ M. 647 F. 600	11 6	20 10	5 16	13 17	15 16	18 17	18 29	26 21	44 34	51 41	42 54	57 43	64 53	79 48	195 201
4. Others of this class.....	{ M. 32 F. 36	31 29	31 30	2	1	1	1	1

TABLE 15.—DEATHS IN THE METROPOLITAN DISTRICT FROM EACH SPECIFIED DISEASE AND CLASS OF DISEASES, WITH DISTINCTION OF AGE AND SEX, DURING THE 6 YEARS ENDING MAY 31, 1890—Continued.

BIRTHPLACE OF MOTHERS—ENGLAND AND WALES—Continued.

CAUSE OF DEATH.	All ages.	Under 1 year.	Total under 5 years.	5 to 10	10 to 15	15 to 20	20 to 25	25 to 30	30 to 35	35 to 40	40 to 45	45 to 50	50 to 55	55 to 60	60 to 65	65 and over and unknown.
IV.—Diseases of the respiratory system.	3,054	578	1,181	100	25	42	83	80	122	144	180	143	146	136	149	573
Males	1,654	315	640	44	16	27	50	46	80	87	82	89	89	82	76	246
Females	1,400	263	541	56	9	15	33	34	42	57	48	54	57	54	73	327
1. Croup	{ M. 145 F. 127	{ 10 17	{ 116 110	{ 25 15						{ 1 1	{ 1 1	{ 1 1	{ 1 1			
2. Laryngitis	{ M. 26 F. 20	{ 3 2	{ 17 12	{ 3 4	{ 1 1				{ 1 1				{ 1 1	{ 2 2		2
3. Bronchitis	{ M. 335 F. 351	{ 134 118	{ 194 182	{ 3 4	{ 1 1	{ 2 2	{ 4 3	{ 3 4	{ 3 3	{ 3 3	{ 3 8	{ 15 7	{ 8 4	{ 18 8	{ 16 17	62 104
4. Pneumonia	{ M. 979 F. 751	{ 121 85	{ 259 186	{ 12 28	{ 13 8	{ 24 12	{ 42 26	{ 41 27	{ 67 31	{ 67 47	{ 73 33	{ 64 43	{ 72 45	{ 53 35	{ 49 48	146 181
5. Pleurisy	{ M. 37 F. 34	{ 3 4	{ 3 5		{ 1 2	{ 1 1	{ 4 1		{ 4 3	{ 6 2		{ 3 1	{ 1 2	{ 3 1	{ 4 2	7 12
6. Asthma	{ M. 19 F. 22	{ 1 2	{ 1 2							{ 2 1	{ 2 1		{ 2 2	{ 2 4	{ 1 3	9 10
7. Others of this class	{ M. 113 F. 95	{ 43 37	{ 53 44	{ 1 3	{ 1 1	{ 2 2	{ 2 2	{ 2 2	{ 6 1	{ 7 3	{ 3 5	{ 6 2	{ 4 2	{ 4 6	{ 6 3	20 20
V.—Diseases of the digestive system.	832	101	141	18	15	13	15	34	40	50	63	73	62	71	55	177
Males	415	47	74	7	6	12	8	14	14	18	20	38	31	39	30	95
Females	417	54	67	11	9	6	7	20	26	32	34	35	31	32	25	82
1. Dentition	{ M. 21 F. 19	{ 11 14	{ 21 19													
2. Angina	{ M. 6 F. 7	{ 1 1	{ 3 2	{ 3 3											{ 1 1	1 2
3. Diseases of the stomach	{ M. 65 F. 75	{ 5 14	{ 11 16	{ 2 1	{ 2 2	{ 1 1	{ 1 1	{ 5 4	{ 1 6		{ 4 3	{ 1 5	{ 2 4	{ 11 4	{ 5 3	20 21
4. Obstruction of the bowels	{ M. 25 F. 18	{ 4 1	{ 5 1		{ 1 1	{ 1 1	{ 3 1	{ 1 1	{ 2 1	{ 2 1	{ 2 1			{ 3 1	{ 1 3	4 1
5. Hernia	{ M. 25 F. 19	{ 1 1	{ 1 1			{ 1 1	{ 1 1			{ 1 2		{ 5 3	{ 1 1	{ 2 2	{ 4 2	9 7
6. Other diseases of the bowels	{ M. 4 F. 4		{ 1 2							{ 1 1	{ 1 1					
7. Jaundice	{ M. 9 F. 6	{ 4 2	{ 4 2	{ 2 2												1 3
8. Inflammation and abscess of the liver	{ M. 33 F. 35			{ 1 1	{ 1 1	{ 1 1		{ 1 1	{ 2 2	{ 1 4	{ 4 5	{ 7 2	{ 4 5	{ 4 1	{ 4 5	6 7
9. Other diseases of the liver	{ M. 105 F. 83					{ 2 2		{ 2 5	{ 5 9	{ 9 12	{ 10 10	{ 12 10	{ 20 7	{ 9 10	{ 8 6	30 22
10. Peritonitis	{ M. 74 F. 101	{ 4 5	{ 9 7	{ 3 4	{ 3 4	{ 3 2	{ 3 5	{ 5 11	{ 4 11	{ 3 7	{ 7 7	{ 10 11	{ 2 9	{ 5 11	{ 4 4	13 8
11. Ascites	{ M. 2 F. 6				{ 1 1											2 2
12. Others of this class	{ M. 46 F. 49	{ 17 15	{ 19 18	{ 1 1	{ 2 3		{ 1 1	{ 2 1	{ 3 1		{ 1 2	{ 2 3	{ 1 4	{ 2 3	{ 2 2	9 9
VI.—Diseases of the urinary system and male organs of generation.	1,218	13	87	13	16	6	29	65	59	86	88	113	137	105	129	335
Males	755	8	25	5	4	6	13	23	24	41	59	72	80	68	90	240
Females	483	5	12	8	12		16	37	35	45	29	41	57	37	39	95
1. Bright's disease	{ M. 351 F. 236				{ 1 6	{ 3 3	{ 6 7	{ 11 22	{ 14 15	{ 19 22	{ 41 16	{ 36 22	{ 43 30	{ 43 20	{ 38 22	96 53
2. Calculus, urinary	{ M. 1 F. 297															1 74
3. Diseases of the kidney	{ M. 206 F. 64	{ 5 5	{ 11 11	{ 5 7	{ 3 6	{ 3 3	{ 7 9	{ 15 13	{ 8 19	{ 19 20	{ 15 12	{ 32 18	{ 35 26	{ 19 16	{ 39 15	34 46
4. Diseases of the bladder	{ M. 11 F. 41															7 23
5. Others of this class	{ M. 11 F. 9		{ 1 1						{ 2 2	{ 1 1	{ 2 1	{ 4 1		{ 2 1	{ 4 4	
VII.—Diseases of the female organs of generation.	40						4	5	6	4	3	1	6	1	4	6
1. Ovarian tumors	11						1	2	1					1	2	4
2. Ovarian diseases	4								1			1	1		1	
3. Uterine tumors	9							1			3		3		1	1
4. Uterine diseases	2						1									
5. Others of this class	14						2	2	4	3			2			1
VIII.—Affections connected with pregnancy.	170					8	41	43	37	27	13	1				
1. Abortion	11						3	2	3	3						
2. Childbirth	35						6	10	10	4	3					
3. Puerperal septicaemia	101					5	29	25	17	16	8	1				
4. Extra-uterine pregnancy	2							1		1						
5. Others of this class	21					1	3	5	7	3	2					

STATISTICS OF DEATHS.

755

TABLE 15.—DEATHS IN THE METROPOLITAN DISTRICT FROM EACH SPECIFIED DISEASE AND CLASS OF DISEASES, WITH DISTINCTION OF AGE AND SEX, DURING THE 6 YEARS ENDING MAY 31, 1890—Continued.

BIRTHPLACE OF MOTHERS—ENGLAND AND WALES—Continued.

CAUSE OF DEATH.	All ages.	Under 1 year.	Total under 5 years.	5 to 10	10 to 15	15 to 20	20 to 25	25 to 30	30 to 35	35 to 40	40 to 45	45 to 50	50 to 55	55 to 60	60 to 65	65 and over and unknown.
IX.—Diseases of the bones and joints.	46		4	5	6	2	4	1	2	2	3	2	7	5		3
Males	31		2	3	5	1	3	1	1	1	3	1	5	2		3
Females	15		2	2	1	1	1	1	1	1	1	1	2	3		
1. Diseases of the spine	{ M. 14 F. 7		{ 2 1	{ 1 1		{ 1 1	{ 1 1	{ 1 1	{ 1 1	{ 1 1	{ 2 1	{ 1 1		{ 2 2		2
2. Diseases of the bones	{ M. 10 F. 4		{ 1 1	{ 2 3		{ 1 1			{ 1 1			{ 1 1	{ 3 1			
3. Diseases of the hip joint	{ M. 3 F. 2			{ 1 1	{ 2 1		{ 1 1									
4. Others of this class	{ M. 4 F. 2					{ 1 1					{ 1 1		{ 2 1			1
X.—Diseases of the skin.	46	9	12					3	1	3	6	1	2	2	3	13
Males	29	7	8							2	2	1	1	2	3	10
Females	17	2	4					3	1	1	4	1	1	2	3	3
1. Abscess	{ M. 15 F. 12	{ 4 1	{ 5 3					2		1	4	1	1	2	2	3
2. Carbuncle	{ M. 7 F. 1							1		2	1					4
3. Others of this class	{ M. 7 F. 4	{ 3 1	{ 3 1						1						1	3
XI.—Diseases of the absorbent system.	11	1	2	2			1				4		1			1
Males	4										3		1			
Females	7	1	2	2			1				1					1
1. Addison's disease	{ M. 4 F. 3			{ 1 1			{ 1 1				{ 3 1		{ 1 1			
2. Diseases of the spleen	{ M. 1 F. 1															
3. Others of this class	{ M. 7 F. 4	{ 3 1	{ 3 1						1							3
XII.—Accidents and injuries.	704	37	79	33	22	34	38	56	63	71	66	53	46	36	33	64
Males	555	19	56	18	15	25	35	45	53	57	55	48	39	29	28	52
Females	149	18	23	15	7	9	3	11	15	14	11	10	7	7	5	12
1. Burns and scalds	{ M. 30 F. 20	{ 2 1	{ 17 2	{ 4 7	{ 1 3		{ 1 1	{ 1 2			2		1	1	1	1
2. Drowned	{ M. 70 F. 5	{ 1 1	{ 10 1	{ 5 1	{ 4 1	{ 9 1	{ 9 1	{ 8 1	{ 7 1	{ 5 1	{ 5 1	{ 2 1	{ 3 1	{ 1 1	{ 2 1	
3. Exposure and neglect	{ M. 1 F. 1											1				
4. Gunshot wounds	{ M. 7 F. 2					{ 2 1	{ 1 1	{ 1 1		1		1	1			
5. Homicide	{ M. 5 F. 9				{ 1 1			{ 1 1		1	1		2			1
6. Infanticide	{ M. 1 F. 1															
7. Injuries by machinery	{ M. 3 F. 3							2	1							
8. Railroad accidents	{ M. 51 F. 5				3	4	6	6	6	5	3	2	4	1	1	10
9. Suffocation	{ M. 20 F. 17	{ 6 9	{ 8 9	{ 1 1		{ 1 1			2	1		2	2	2	1	1
10. Suicide by shooting	{ M. 26 F. 2						3	3	2	3	3	2	3	4	2	1
11. Suicide by drowning	{ M. 3 F. 3								1			1	1			
12. Suicide by poison	{ M. 26 F. 6		1			2			2	7	1	6	2	3		3
13. Other suicides	{ M. 29 F. 4					1		1	4	4	5	2	1	2	2	7
14. Sunstroke	{ M. 27 F. 4	1	2	2				2	6	5	5	2	2	1	1	1
15. Surgical operations	{ M. 13 F. 22	1	1		1	1		3	3			1		2	1	
16. Wounds	{ M. 13 F. 2	1	1	1	2			1			2	2			2	3
17. Other accidents and injuries.	{ M. 231 F. 51	8 6	17 10	7 5	4 4	3 2	15	16 5	19	25 5	23 5	28 1	16 4	15 1	13 3	25 6

TABLE 15.—DEATHS IN THE METROPOLITAN DISTRICT FROM EACH SPECIFIED DISEASE AND CLASS OF DISEASES, WITH DISTINCTION OF AGE AND SEX, DURING THE 6 YEARS ENDING MAY 31, 1890.—Continued.

BIRTHPLACE OF MOTHERS—IRELAND.

CAUSE OF DEATH.	All ages.	Under 1 year.	Total under 5 years.	5 to 10	10 to 15	15 to 20	20 to 25	25 to 30	30 to 35	35 to 40	40 to 45	45 to 50	50 to 55	55 to 60	60 to 65	65 and over and unknown.
All causes.....	126,822	21,929	35,387	3,556	1,831	3,377	6,849	8,577	7,687	8,128	7,917	7,818	7,686	6,151	6,369	15,489
Males.....	62,774	12,065	18,947	1,780	875	1,592	3,427	4,394	3,965	4,140	4,119	4,045	3,581	2,922	2,795	6,192
Females.....	64,048	9,864	16,440	1,776	956	1,785	3,422	4,183	3,722	3,988	3,798	3,773	4,105	3,229	3,574	9,297
Unknown causes.....	183	22	25	5	1	4	8	17	11	8	13	13	12	18	11	37
Males.....	92	13	16	2	1	4	2	10	9	5	7	8	5	9	4	14
Females.....	91	9	9	3	—	—	6	7	2	3	6	5	7	9	7	23
I.—General diseases:																
General diseases—A.....	21,123	5,876	12,498	1,719	467	443	713	678	483	468	423	482	522	453	512	1,262
Males.....	10,242	3,081	6,390	819	209	193	356	348	242	222	196	212	221	186	182	466
Females.....	10,881	2,795	6,108	900	258	250	357	330	241	246	227	270	301	267	330	796
1. Smallpox.....	{ M 57 F 23	{ 4 3	{ 10 5	{ 1 2	{ 1 1	{ 2 1	{ 10 3	{ 10 3	{ 5 2	{ 3 1	{ 6 4	{ 1 —	{ — —	{ — —	{ — —	{ — —
2. Measles.....	{ M 460 F 472	{ 110 99	{ 420 422	{ 28 38	{ 3 5	{ 1 4	{ 2 1	{ 5 1	{ 1 —	{ — —	{ — —	{ — —	{ — —	{ — —	{ — —	{ — —
3. Scarlet fever.....	{ M 850 F 880	{ 52 49	{ 619 585	{ 166 204	{ 30 37	{ 9 18	{ 8 14	{ 9 10	{ 4 2	{ 3 5	{ 2 —	{ 3 —	{ 1 —	{ — —	{ — —	{ 1 —
4. Diphtheria.....	{ M 1,833 F 1,852	{ 120 88	{ 1,332 1,253	{ 407 470	{ 51 79	{ 12 15	{ 13 8	{ 6 8	{ 3 1	{ 2 4	{ 4 2	{ 4 —	{ 1 —	{ — —	{ 2 —	{ 3 5
5. Whooping cough.....	{ M 430 F 540	{ 205 231	{ 413 506	{ 16 28	{ 1 —	{ — —	{ 1 —	{ 2 —	{ — —	{ — —	{ — —	{ — —	{ — —	{ — —	{ 1 —	{ 1 —
6. Fever.....	{ M 3 F 6	{ — 1	{ — 1	{ 1 —	{ — —	{ — —	{ 1 1	{ 1 —	{ — —	{ — —	{ — —	{ 2 —	{ 1 —	{ 1 —	{ — —	{ — —
7. Cerebro-spinal fever.....	{ M 214 F 235	{ 51 51	{ 122 130	{ 28 31	{ 10 14	{ 10 17	{ 6 8	{ 8 2	{ 3 7	{ 5 7	{ 7 4	{ 5 3	{ 5 3	{ 1 3	{ 2 4	{ 2 2
8. Typhoid fever.....	{ M 709 F 627	{ — —	{ 16 12	{ 22 15	{ 27 27	{ 75 81	{ 177 142	{ 127 92	{ 78 67	{ 51 54	{ 43 35	{ 26 28	{ 24 26	{ 15 12	{ 15 17	{ 13 19
9. Diarrhœal diseases.....	{ M 2,822 F 3,296	{ 1,141 963	{ 1,541 1,375	{ 89 57	{ 31 44	{ 30 37	{ 58 70	{ 81 92	{ 66 82	{ 81 91	{ 68 116	{ 98 148	{ 128 187	{ 113 175	{ 107 235	{ 381 587
10. Cholera infantum.....	{ M 1,675 F 1,598	{ 1,287 1,202	{ 1,675 1,598	{ — —	{ — —	{ — —	{ — —	{ — —	{ — —	{ — —	{ — —	{ — —	{ — —	{ — —	{ — —	{ — —
11. Malarial fever.....	{ M 696 F 830	{ 26 19	{ 127 107	{ 52 46	{ 48 41	{ 44 65	{ 59 72	{ 65 81	{ 51 49	{ 35 40	{ 36 42	{ 34 53	{ 32 49	{ 35 47	{ 24 43	{ 54 86
12. Erysipelas.....	{ M 187 F 183	{ 40 45	{ 44 54	{ 4 1	{ 2 4	{ — 6	{ 4 13	{ 10 1	{ 13 7	{ 13 9	{ 16 9	{ 24 11	{ 14 14	{ 9 15	{ 11 12	{ 23 27
13. Septicæmia.....	{ M 87 F 113	{ 2 4	{ 11 8	{ 3 6	{ 4 1	{ 6 4	{ 8 13	{ 8 22	{ 3 14	{ 10 12	{ 2 7	{ 8 5	{ 9 5	{ 5 5	{ 5 5	{ 4 6
14. Venereal diseases.....	{ M 113 F 82	{ 36 31	{ 41 34	{ 1 —	{ — 1	{ 2 —	{ 7 7	{ 13 9	{ 8 6	{ 14 11	{ 6 7	{ 6 1	{ 5 3	{ 2 1	{ 6 —	{ 2 2
15. Others of this group.....	{ M 106 F 144	{ 7 9	{ 19 18	{ 1 2	{ 3 3	{ 2 2	{ 3 5	{ 5 7	{ 2 4	{ 3 4	{ 9 4	{ 5 7	{ 4 9	{ 6 8	{ 11 11	{ 33 60
General diseases—B.....	1,663	446	481	10	2	8	47	161	171	188	176	116	121	70	54	55
Males.....	1,084	235	252	7	2	6	32	114	125	142	116	83	82	50	35	38
Females.....	579	211	229	3	—	2	15	50	46	46	60	33	39	20	19	17
1. Parasitic diseases.....	{ M 3 F 3	{ — —	{ 2 2	{ 1 1	{ — —	{ — —	{ — —	{ — —	{ — —	{ — —	{ — —	{ — —	{ — —	{ — —	{ — —	{ — —
2. Alcoholism.....	{ M 754 F 230	{ 1 —	{ 2 —	{ 1 —	{ 2 —	{ 2 —	{ 31 8	{ 101 45	{ 119 41	{ 132 42	{ 114 55	{ 78 30	{ 73 28	{ 45 19	{ 22 11	{ 22 11
3. Lead poison.....	{ M 24 F 1	{ — —	{ — —	{ — —	{ — —	{ 2 —	{ — —	{ 4 1	{ 4 —	{ 5 —	{ 2 —	{ 1 —	{ 2 —	{ 2 —	{ 1 —	{ 1 —
4. Other poisons.....	{ M 41 F 43	{ 5 4	{ 9 12	{ 3 1	{ — —	{ 1 2	{ — 7	{ 5 2	{ 1 3	{ 5 4	{ — 4	{ 3 2	{ 6 5	{ 2 —	{ 2 —	{ 4 —
5. Inanition.....	{ M 262 F 242	{ 220 207	{ 239 215	{ 2 1	{ — —	{ 1 —	{ 1 —	{ 1 2	{ 1 1	{ 2 —	{ — —	{ 1 1	{ 1 6	{ 1 1	{ 3 7	{ 11 6
General diseases—C.....	11,666	8,220	8,583	26	9	11	17	18	17	23	28	28	54	68	194	2,643
Males.....	5,874	4,072	4,823	12	3	4	8	6	4	11	11	10	18	20	61	843
Females.....	5,832	3,548	3,707	14	6	7	9	12	13	12	17	18	36	48	133	1,800
1. Premature birth.....	{ M 754 F 621	{ 754 621	{ 754 621	{ — —	{ — —	{ — —	{ — —	{ — —	{ — —	{ — —	{ — —	{ — —	{ — —	{ — —	{ — —	{ — —
2. Stillborn.....	{ M 2,909 F 2,064	{ 2,909 2,064	{ 2,909 2,064	{ — —	{ — —	{ — —	{ — —	{ — —	{ — —	{ — —	{ — —	{ — —	{ — —	{ — —	{ — —	{ — —
3. Malformation.....	{ M 108 F 87	{ 103 84	{ 105 87	{ 2 —	{ — —	{ — —	{ — —	{ 1 —	{ — —	{ — —	{ — —	{ — —	{ — —	{ — —	{ — —	{ — —
4. Debility and atrophy.....	{ M 1,529 F 1,873	{ 906 779	{ 1,055 935	{ 10 14	{ 3 6	{ 4 7	{ 7 9	{ 6 12	{ 4 13	{ 11 12	{ 11 17	{ 10 18	{ 18 36	{ 20 48	{ 43 71	{ 327 675
5. Old age.....	{ M 534 F 1,187	{ — —	{ — —	{ — —	{ — —	{ — —	{ — —	{ — —	{ — —	{ — —	{ — —	{ — —	{ — —	{ — —	{ 18 62	{ 516 1,125

TABLE 15.—DEATHS IN THE METROPOLITAN DISTRICT FROM EACH SPECIFIED DISEASE AND CLASS OF DISEASES, WITH DISTINCTION OF AGE AND SEX, DURING THE 6 YEARS ENDING MAY 31, 1890—Continued.

BIRTHPLACE OF MOTHERS—IRELAND—Continued.

CAUSE OF DEATH.	All ages.	Under 1 year.	Total under 5 years.	5 to 10	10 to 15	15 to 20	20 to 25	25 to 30	30 to 35	35 to 40	40 to 45	45 to 50	50 to 55	55 to 60	60 to 65	65 and over and unknown.
IV.—Diseases of the respiratory system.	22,905	3,344	6,834	680	223	430	222	1,200	1,102	1,249	1,353	1,402	1,536	1,295	1,395	3,404
Males	11,727	1,829	3,646	341	106	220	490	736	662	724	772	778	750	619	619	1,264
Females	11,178	1,515	3,188	339	117	210	332	464	440	525	581	624	786	676	776	2,140
1. Croup	M 835 F 758	M 89 F 75	M 672 F 606	M 142 F 124	M 9 F 8	M 4 F 2	M 1 F 4	M 1 F 1	M 2 F 1	M 2 F 1	M 2 F 2	M 2 F 2	M 4 F 4	M 2 F 2	M 1 F 2	1
2. Laryngitis	M 182 F 125	M 20 F 12	M 85 F 85	M 15 F 16	M 3 F 1	M 3 F 1	M 1 F 4	M 5 F 2	M 3 F 3	M 6 F 3	M 2 F 2	M 3 F 2	M 3 F 2	M 2 F 2	M 2 F 2	1
3. Bronchitis	M 2,533 F 3,312	M 805 F 703	M 1,190 F 1,076	M 33 F 36	M 8 F 12	M 23 F 33	M 56 F 47	M 65 F 84	M 48 F 65	M 53 F 67	M 87 F 119	M 91 F 125	M 125 F 186	M 120 F 190	M 173 F 261	506 1,012
4. Pneumonia	M 7,161 F 6,040	M 672 F 538	M 1,413 F 1,186	M 139 F 181	M 77 F 85	M 165 F 156	M 393 F 248	M 608 F 332	M 559 F 333	M 589 F 409	M 619 F 414	M 617 F 445	M 536 F 522	M 442 F 427	M 375 F 444	629 908
5. Pleurisy	M 303 F 232	M 13 F 6	M 21 F 19	M 1 F 6	M 4 F 4	M 16 F 9	M 21 F 13	M 33 F 23	M 28 F 15	M 31 F 24	M 28 F 16	M 23 F 13	M 35 F 13	M 15 F 23	M 18 F 14	29 37
6. Asthma	M 100 F 156	M 1 F 2	M 1 F 4				M 1 F 1	M 4 F 3	M 2 F 4	M 8 F 4	M 5 F 9	M 13 F 14	M 10 F 19	M 10 F 9	M 15 F 17	36 71
7. Others of this class	M 613 F 554	M 229 F 179	M 264 F 212	M 11 F 6	M 5 F 7	M 9 F 9	M 18 F 15	M 24 F 18	M 21 F 19	M 30 F 17	M 29 F 19	M 31 F 20	M 41 F 40	M 30 F 25	M 38 F 38	63 109
V.—Diseases of the digestive system.	5,453	496	759	61	89	123	230	317	350	415	466	559	553	436	402	693
Males	2,419	267	410	30	53	61	96	144	143	158	213	244	219	187	166	295
Females	3,034	229	349	31	36	62	134	173	207	257	253	315	334	249	236	398
1. Dentition	M 120 F 108	M 73 F 51	M 129 F 108													
2. Angina	M 37 F 22	M 8 F 2	M 22 F 10	M 4 F 5	M 3 F 2		M 1 F 1	M 2 F 1		M 1 F 1	M 1 F 1	M 1 F 1	M 1 F 1	M 1 F 1	M 1 F 1	1 1
3. Diseases of the stomach	M 456 F 649	M 43 F 53	M 74 F 82	M 7 F 6	M 6 F 6	M 4 F 16	M 15 F 31	M 27 F 38	M 35 F 43	M 28 F 52	M 37 F 39	M 49 F 62	M 43 F 71	M 38 F 43	M 28 F 62	65 98
4. Obstruction of the bowels	M 127 F 139	M 13 F 11	M 20 F 15	M 3 F 1	M 5 F 5	M 3 F 4	M 2 F 6	M 11 F 6	M 6 F 9	M 6 F 10	M 12 F 10	M 12 F 12	M 15 F 14	M 9 F 14	M 6 F 9	17 24
5. Hernia	M 122 F 136	M 11 F 11	M 11 F 11		M 1 F 1	M 2 F 2	M 4 F 4	M 7 F 4	M 4 F 4	M 5 F 7	M 7 F 11	M 9 F 17	M 13 F 15	M 9 F 22	M 18 F 23	32 33
6. Other diseases of the bowels	M 17 F 16	M 4 F 4	M 7 F 5			M 1 F 1	M 1 F 2			M 1 F 1	M 1 F 1	M 2 F 4		M 1 F 4	M 3 F 2	1 2
7. Jaundice	M 36 F 63	M 16 F 20	M 17 F 21				M 1 F 1		M 3 F 3	M 2 F 1	M 4 F 3	M 2 F 3	M 2 F 8	M 1 F 2	M 3 F 7	5 14
8. Inflammation and abscess of the liver	M 172 F 266	M 6 F 1	M 8 F 4	M 2 F 2	M 2 F 1		M 9 F 5	M 10 F 14	M 18 F 16	M 23 F 23	M 21 F 25	M 19 F 38	M 13 F 46	M 13 F 30	M 10 F 23	25 39
9. Other diseases of the liver	M 753 F 862	M 3 F 2	M 6 F 2	M 1 F 2	M 3 F 1	M 6 F 4	M 18 F 15	M 42 F 38	M 51 F 69	M 66 F 97	M 97 F 107	M 111 F 136	M 104 F 117	M 87 F 92	M 64 F 72	97 110
10. Peritonitis	M 373 F 554	M 22 F 15	M 30 F 20	M 10 F 11	M 27 F 18	M 38 F 33	M 38 F 70	M 38 F 62	M 25 F 56	M 22 F 59	M 21 F 43	M 30 F 36	M 17 F 43	M 21 F 32	M 25 F 26	31 45
11. Ascites	M 6 F 12							M 1 F 1		M 1 F 1		M 3 F 3	M 2 F 2	M 1 F 1	M 2 F 2	4
12. Others of this class	M 191 F 207	M 63 F 70	M 86 F 82	M 3 F 3	M 6 F 3	M 7 F 5	M 8 F 5	M 7 F 3	M 3 F 6	M 5 F 5	M 14 F 13	M 8 F 7	M 9 F 16	M 6 F 14	M 8 F 12	21 28
VI.—Diseases of the urinary system and male organs of generation.	9,051	37	157	122	33	162	338	597	732	862	969	970	1,029	752	776	1,562
Males	4,257	21	90	53	43	71	149	274	337	421	408	491	442	355	359	764
Females	4,794	16	67	69	40	91	189	323	395	441	501	479	587	397	417	798
1. Bright's disease	M 2,165 F 2,593			M 19 F 23	M 15 F 21	M 33 F 50	M 74 F 99	M 136 F 154	M 181 F 210	M 232 F 239	M 206 F 275	M 267 F 275	M 251 F 331	M 201 F 231	M 187 F 230	363 455
2. Calculus, urinary	M 6 F 8								M 1 F 2			M 1 F 1	M 1 F 1	M 1 F 1	M 1 F 1	1 1
3. Diseases of the kidney	M 1,807 F 2,079	M 16 F 13	M 84 F 63	M 34 F 44	M 24 F 18	M 34 F 38	M 69 F 82	M 130 F 151	M 144 F 174	M 173 F 192	M 185 F 220	M 215 F 192	M 173 F 159	M 136 F 159	M 133 F 178	272 322
4. Diseases of the bladder	M 154 F 41	M 1 F 1	M 1 F 1		M 1 F 1	M 2 F 1	M 1 F 1	M 7 F 1	M 4 F 3	M 5 F 3	M 6 F 3	M 6 F 2	M 14 F 3	M 11 F 4	M 25 F 5	25 12
5. Others of this class	M 125 F 73	M 4 F 2	M 5 F 3	M 2 F 2	M 1 F 1		M 5 F 7	M 4 F 10	M 7 F 8	M 11 F 7	M 10 F 4	M 3 F 9	M 4 F 6	M 7 F 3	M 12 F 3	54 8
VII.—Diseases of the female organs of generation.	245	1	1			7	13	28	37	39	25	35	22	9	12	17
1. Ovarian tumors	61						1	1	7	7	7	15	9	4	2	8
2. Ovarian diseases	21						3	3	2	5	2	3	2	1	1	2
3. Uterine tumors	47						1	4	2	3	3	10	7	2	6	4
4. Uterine diseases	29						5	8	3	4	4	4	4	1	1	4
5. Others of this class	87	1	1			7	6	12	23	15	9	3	4	2	2	3
VIII.—Affections connected with pregnancy.	1,212				1	37	265	371	245	206	74	9	2	1		1
1. Abortion	80					1	16	24	23	13	3					
2. Childbirth	321					8	56	85	65	65	39	3				
3. Puerperal septicæmia	648				1	18	153	217	119	105	28	6		1		
4. Extra-uterine pregnancy	2							2	2							
5. Others of this class	161					10	40	45	36	23	4		2			1

STATISTICS OF DEATHS.

759

TABLE 15.—DEATHS IN THE METROPOLITAN DISTRICT FROM EACH SPECIFIED DISEASE AND CLASS OF DISEASES, WITH DISTINCTION OF AGE AND SEX, DURING THE 6 YEARS ENDING MAY 31, 1890—Continued.

BIRTHPLACE OF MOTHERS—IRELAND—Continued.

CAUSE OF DEATH.	All ages.	Under 1 year.	Total under 5 years.	5 to 10	10 to 15	15 to 20	20 to 25	25 to 30	30 to 35	35 to 40	40 to 45	45 to 50	50 to 55	55 to 60	60 to 65	65 and over and un-known.
IX.—Diseases of the bones and joints.....	319	6	20	61	46	18	25	27	16	16	18	19	11	8	7	18
Males	167	2	15	25	25	10	16	18	7	12	7	8	7	6	4	7
Females	152	4	14	36	21	8	9	9	9	4	11	11	4	2	3	11
1. Diseases of the spine..... {M.....	84	2	12	14	12	5	10	11	1	4	1	5	5	1	3
{F.....	75	4	11	22	8	2	5	5	4	1	6	5	1	5
2. Diseases of the bones..... {M.....	45	1	4	5	2	4	4	6	3	5	2	1	1	3	4
{F.....	33	5	3	2	3	1	3	2	3	2	1	1	2	5
3. Diseases of the hip joint... {M.....	24	2	7	7	3	1	3	1
{F.....	29	2	9	9	3	1	1	1	1	1	1
4. Others of this class..... {M.....	14	1	1	4	1	1	1	4	1
{F.....	15	1	1	1	2	1	2	3	2	1	1
X.—Diseases of the skin.....	241	35	54	1	6	7	14	7	11	11	14	14	19	17	15	51
Males	106	18	32	1	2	3	6	4	6	3	8	6	6	5	6	18
Females	135	17	22	4	4	8	3	5	8	6	8	13	12	9	33
1. Abscess..... {M.....	61	12	24	1	2	3	3	3	3	3	5	2	4	1	2	5
{F.....	74	10	13	4	4	7	3	3	5	4	4	4	6	1	16
2. Carbuncle..... {M.....	13	3	1	2	2	2	1
{F.....	23	1	1	1	1	1	4	6	4	5
3. Others of this class..... {M.....	32	6	8	3	1	1	3	2	2	12
{F.....	33	6	8	1	1	2	2	3	5	4	4	12
XI.—Diseases of the absorbent system.....	39	1	8	2	1	1	1	3	2	3	6	6	3	3
Males	19	1	4	1	1	1	3	5	1	3
Females	20	4	1	1	1	3	1	3	3	1	2
1. Addison's disease..... {M.....	5	1	2	2
{F.....	7	1	2	1	1	1	1
2. Diseases of the spleen... {M.....	4	1	1	1	1	1
{F.....	5	2	1
3. Others of this class..... {M.....	10	1	3	1	1	2	1	2
{F.....	8	2	1	1	1	1	1	1
XII.—Accidents and injuries.....	5,283	195	439	185	167	219	452	577	447	516	521	440	379	287	242	412
Males	3,963	105	236	134	143	171	377	486	350	427	423	350	276	213	150	218
Females	1,320	90	203	51	24	48	75	91	88	89	98	90	103	74	92	194
1. Burns and scalds..... {M.....	137	2	50	5	6	10	13	6	9	8	6	4	5	9	6
{F.....	193	4	35	9	8	14	14	16	16	9	7	14	17	5	10	24
2. Drowned..... {M.....	537	1	8	45	41	29	57	65	45	53	47	54	26	27	14	26
{F.....	59	11	7	3	7	4	2	1	5	6	3	2	3	5
3. Exposure and neglect... {M.....	12	2	1	2	1	1	1	2	2
{F.....	3	1	1	1
4. Gunshot wounds..... {M.....	35	2	7	6	5	1	4	2	2	3	1	1	1
{F.....	2	1	1
5. Homicide..... {M.....	130	3	8	34	22	12	12	13	12	6	3	3	2
{F.....	27	1	1	1	1	3	4	2	7	3	2	1	1
6. Infanticide..... {M.....	1	1	1
{F.....
7. Injuries by machinery... {M.....	14	1	1	1	2	2	1	3	2	1
{F.....
8. Railroad accidents..... {M.....	422	3	10	21	22	68	62	32	38	49	30	25	17	21	24
{F.....	36	2	1	1	3	1	1	5	4	2	3	6	7
9. Suffocation..... {M.....	157	51	57	5	3	6	18	13	9	13	9	10	6	4	4
{F.....	110	53	60	3	1	7	10	3	7	3	1	3	2	1	4	5
10. Suicide by shooting..... {M.....	54	1	1	7	5	11	4	4	6	6	3	2	4
{F.....	2	1
11. Suicide by drowning... {M.....	6	3	2	1
{F.....	4	1	2	1
12. Suicide by poison..... {M.....	49	1	3	2	4	3	5	10	1	3	8	2	7
{F.....	54	2	5	9	8	4	3	5	6	4	3	5
13. Other suicides..... {M.....	78	2	3	11	7	7	9	15	10	8	2	4
{F.....	21	1	2	3	5	1	1	3	2	1	2
14. Sunstroke..... {M.....	360	12	14	3	1	6	42	54	50	51	53	33	22	12	6	13
{F.....	37	7	12	1	1	4	5	5	6	9	4	11	9	3	17
15. Surgical operations... {M.....	56	5	8	2	3	5	5	4	8	5	9	4	3
{F.....	33	2	3	1	1	1	12	14	8	12	7	7	3	4	6	4
16. Wounds..... {M.....	76	6	6	7	7	8	4	8	8	5	5	4	3	4	4
{F.....	22	1	1	1	2	2	2	1	3	2	3	3	3	3	3
17. Other accidents and inju- {M.....	1,839	33	93	56	59	78	130	214	165	221	197	172	150	107	77	120
{F.....	612	22	73	28	8	14	15	33	34	32	50	49	53	41	55	122

TABLE 15.—DEATHS IN THE METROPOLITAN DISTRICT FROM EACH SPECIFIED DISEASE AND CLASS OF DISEASES, WITH DISTINCTION OF AGE AND SEX, DURING THE 6 YEARS ENDING MAY 31, 1890—Continued.

BIRTHPLACE OF MOTHERS—GERMANY.

CAUSE OF DEATH.	All ages.	Under 1 year.	Total under 5 years.	5 to 10	10 to 15	15 to 20	20 to 25	25 to 30	30 to 35	35 to 40	40 to 45	45 to 50	50 to 55	55 to 60	60 to 65	65 and over and un-known.
All causes.....	97,701	23,621	42,372	3,444	1,322	2,243	3,705	4,530	4,426	4,389	4,220	4,116	4,265	4,282	4,373	10,014
Males.....	54,639	15,766	22,894	1,774	674	1,199	1,884	2,475	2,600	2,728	2,687	2,700	2,657	2,614	2,533	5,220
Females.....	43,062	12,855	19,478	1,670	648	1,044	1,821	2,055	1,826	1,661	1,533	1,416	1,608	1,668	1,840	4,794
Unknown causes.....	184	40	51	3	4	3	7	7	6	10	6	12	13	10	19	33
Males.....	113	19	28	1	1	1	6	3	2	4	4	9	10	9	13	22
Females.....	71	21	23	2	3	2	1	4	4	6	2	3	3	1	6	11
I.—General diseases:																
General diseases—A.....	22,226	9,643	16,169	1,741	376	388	431	410	353	308	263	261	261	253	293	716
Males.....	11,584	5,158	8,425	852	182	200	234	229	190	170	157	151	149	142	161	342
Females.....	10,642	4,485	7,744	889	194	188	200	181	163	138	106	110	112	111	132	374
1. Smallpox.....	{ M 43 F 42	{ 10 7	{ 21 17	{ 6 6	{ 1 2	{ 1 3	{ 2 3	{ 3 2	{ 1 2	{ 1 1	{ 1 1	{ 1 1	{ 1 1	{ 1 1	{ 1 1	{ 1 1
2. Measles.....	{ M 391 F 384	{ 108 90	{ 360 348	{ 27 30	{ 1 3			{ 2 1								{ 1 1
3. Scarlet fever.....	{ M 747 F 820	{ 42 42	{ 501 573	{ 185 191	{ 33 29	{ 10 7	{ 8 7	{ 6 3		{ 2 2			{ 1 1			{ 1 1
4. Diphtheria.....	{ M 2,053 F 2,064	{ 137 122	{ 1,466 1,404	{ 486 529	{ 45 70	{ 24 26	{ 11 13	{ 2 4	{ 2 7	{ 3 3	{ 4 1		{ 2 1	{ 2 2	{ 1 2	{ 5 4
5. Whooping cough.....	{ M 348 F 436	{ 202 187	{ 344 423	{ 2 8	{ 1 1				{ 1 1	{ 3 3					{ 2 2	
6. Fever.....	{ M 2 F 3							{ 1 1			{ 1 1				{ 1 1	{ 1 1
7. Cerebro-spinal fever.....	{ M 201 F 128	{ 44 25	{ 107 81	{ 27 17	{ 8 8	{ 11 8	{ 4 4	{ 8 2	{ 5 2	{ 9 2	{ 5 2	{ 6 2	{ 2 2	{ 2 2	{ 6 1	{ 1 3
8. Typhoid fever.....	{ M 724 F 522	{ 3 2	{ 19 19	{ 30 30	{ 35 33	{ 94 87	{ 135 89	{ 116 64	{ 74 41	{ 65 35	{ 37 25	{ 34 27	{ 28 21	{ 20 19	{ 22 16	{ 15 16
9. Diarrheal diseases.....	{ M 3,671 F 3,197	{ 2,353 1,984	{ 2,888 2,437	{ 56 38	{ 33 25	{ 28 20	{ 32 30	{ 33 40	{ 46 47	{ 44 46	{ 42 37	{ 53 40	{ 58 50	{ 71 57	{ 73 76	{ 214 254
10. Cholera infantum.....	{ M 2,451 F 2,208	{ 2,078 1,871	{ 2,450 2,208													{ 1 1
11. Malarial fever.....	{ M 444 F 437	{ 24 25	{ 89 76	{ 24 34	{ 18 20	{ 15 30	{ 27 35	{ 34 41	{ 33 36	{ 22 29	{ 35 23	{ 28 17	{ 27 17	{ 20 14	{ 26 20	{ 46 45
12. Erysipelas.....	{ M 213 F 150	{ 61 64	{ 65 74	{ 3 2	{ 2 3	{ 9 4	{ 6 4	{ 11 4	{ 11 4	{ 16 4	{ 16 4	{ 15 11	{ 15 7	{ 13 8	{ 14 6	{ 17 19
13. Septicæmia.....	{ M 84 F 99	{ 7 11	{ 16 17	{ 2 3	{ 4 1	{ 5 1	{ 4 10	{ 4 14	{ 6 12	{ 4 9	{ 6 10	{ 3 6	{ 8 9	{ 7 3	{ 6 2	{ 9 2
14. Venereal diseases.....	{ M 120 F 66	{ 76 47	{ 80 53			{ 2 2	{ 3 1	{ 7 2	{ 8 2	{ 3 2	{ 6 2	{ 2 2	{ 2 2	{ 2 2	{ 3 2	{ 4 2
15. Others of this group.....	{ M 92 F 86	{ 13 8	{ 19 14	{ 4 1	{ 2 2	{ 3 1	{ 2 3	{ 2 4	{ 4 2	{ 4 3	{ 1 6	{ 4 4	{ 9 3	{ 3 5	{ 4 10	{ 8 23
General diseases—B.....	895	429	455	3	2	7	18	46	62	66	62	71	33	31	17	22
Males.....	618	227	241		2	2	14	36	54	60	56	67	32	25	12	17
Females.....	277	202	214	3		5	4	10	8	6	6	4	1	6	5	5
1. Parasitic diseases.....	{ M 2 F 3		{ 2 2	{ 1 1										{ 1 1		
2. Alcoholism.....	{ M 305 F 31				{ 1 1		{ 10 10	{ 32 9	{ 46 4	{ 54 5	{ 50 3	{ 52 2	{ 26 4	{ 17 4	{ 7 2	{ 10 2
3. Lead poison.....	{ M 13 F 2	{ 1 1	{ 1 1				{ 1 1	{ 1 1	{ 2 2	{ 2 2	{ 3 1	{ 2 1	{ 1 1	{ 1 1		
4. Other poisons.....	{ M 54 F 27	{ 1 2	{ 7 5			{ 1 4	{ 3 3	{ 3 1	{ 6 4	{ 4 1	{ 1 2	{ 11 1	{ 5 1	{ 6 2	{ 4 1	{ 3 1
5. Inanition.....	{ M 244 F 214	{ 226 199	{ 234 206			{ 1 1	{ 1 1				{ 2 1	{ 2 1			{ 1 2	{ 4 2
General diseases—C.....	11,687	9,846	10,081	18	7	10	8	10	10	13	17	14	27	37	85	1,350
Males.....	6,343	5,535	5,647	11		3	3	5	4	9	9	6	11	21	45	569
Females.....	5,344	4,311	4,434	7	7	7	5	5	6	4	8	8	16	16	40	781
1. Premature birth.....	{ M 656 F 453	{ 656 452	{ 656 453													
2. Stillborn.....	{ M 3,574 F 2,752	{ 3,574 2,752	{ 3,574 2,752													
3. Malformation.....	{ M 82 F 77	{ 78 70	{ 81 74		{ 2 2					{ 1 1		{ 1 1				
4. Debility and atrophy.....	{ M 1,709 F 1,648	{ 1,227 1,037	{ 1,336 1,153	{ 11 5		{ 3 7	{ 3 5	{ 5 5	{ 4 5	{ 9 4	{ 9 8	{ 5 8	{ 11 16	{ 21 16	{ 32 31	{ 260 376
5. Old age.....	{ M 322 F 414														{ 13 9	{ 309 405

STATISTICS OF DEATHS.

TABLE 15.—DEATHS IN THE METROPOLITAN DISTRICT FOR EACH SPECIFIED DISEASE AND CLASS OF DISEASES, WITH DISTINCTION OF AGE AND SEX, DURING THE 6 YEARS ENDING MAY 31, 1890—Continued.

BIRTHPLACE OF MOTHERS—GERMANY—Continued.

CAUSE OF DEATH.	All ages.	Under 1 year.	Total under 5 years.	5 to 10	10 to 15	15 to 20	20 to 25	25 to 30	30 to 35	35 to 40	40 to 45	45 to 50	50 to 55	55 to 60	60 to 65	65 and over and un-known.
I.—General diseases—Continued.																
General diseases—D.....	17,737	1,074	1,845	190	151	732	1,659	2,082	1,920	1,665	1,528	1,287	1,232	1,079	936	1,381
Males.....	10,272	593	1,020	101	65	395	889	1,191	1,184	1,027	963	809	748	630	527	723
Females.....	7,465	481	825	89	86	337	770	891	736	638	565	478	484	449	409	658
1. Rheumatism.....	{ M. 256 F. 155	{ 2 5	{ 10 8	{ 15 7	{ 9 9	{ 14 9	{ 10 13	{ 15 8	{ 15 10	{ 15 10	{ 17 6	{ 20 10	{ 25 10	{ 19 12	{ 23 7	{ 49 36
2. Scrofula and tabes.....	{ M. 142 F. 118	{ 93 79	{ 123 107	{ 3 1	{ 1 1		{ 1 1	{ 1 3	{ 2 2					{ 4 1	{ 2 1	{ 2 2
3. Leprosy.....	{ M. F.															
4. Consumption.....	{ M. 7,804 F. 4,824	{ 101 92	{ 198 169	{ 30 42	{ 36 61	{ 354 365	{ 853 729	{ 1,142 843	{ 1,122 656	{ 940 499	{ 831 374	{ 651 269	{ 550 227	{ 411 194	{ 311 154	{ 375 242
5. Hydrocephalus.....	{ M. 739 F. 569	{ 363 287	{ 631 509	{ 44 33	{ 13 7	{ 5 1	{ 4 1	{ 8 1	{ 4 1	{ 9 2	{ 4 2	{ 3 2	{ 6 1	{ 2 2	{ 1 2	{ 5 6
6. Cancer.....	{ M. 951 F. 1,474	{ 1 1	{ 5 2	{ 1 1	{ 1 1	{ 8 10	{ 12 11	{ 27 27	{ 23 53	{ 41 108	{ 85 170	{ 96 176	{ 132 209	{ 161 209	{ 148 210	{ 229 293
7. Tumor.....	{ M. 61 F. 57		{ 2 1	{ 1 1		{ 3 2	{ 3 4	{ 5 2	{ 6 2	{ 6 3	{ 3 3	{ 6 7	{ 7 8	{ 5 6	{ 3 5	{ 11 12
8. Anæmia.....	{ M. 32 F. 41	{ 4 5	{ 9 5	{ 2 3	{ 2 2	{ 3 4	{ 1 1	{ 2 1	{ 1 1	{ 1 4	{ 1 4	{ 5 4	{ 2 1	{ 1 2	{ 2 1	{ 3 4
9. Dropsy.....	{ M. 70 F. 66	{ 8 1	{ 11 5	{ 3 2	{ 1 1	{ 3 2		{ 3 1	{ 1 2	{ 5 5	{ 4 4	{ 3 1	{ 6 6	{ 6 3	{ 6 7	{ 17 27
10. Diabetes.....	{ M. 151 F. 122	{ 1 2	{ 1 2		{ 3 1	{ 3 1	{ 5 4	{ 4 3	{ 3 3	{ 6 5	{ 11 5	{ 21 5	{ 16 18	{ 18 21	{ 26 20	{ 28 34
11. Others of this group.....	{ M. 65 F. 37	{ 20 9	{ 30 17	{ 2 2	{ 1 2	{ 2 2	{ 2 2	{ 1 1	{ 1 4		{ 2 2	{ 5 3	{ 3 2	{ 4 2	{ 5 2	{ 4 2
12. Others of this class.....	{ M. F.											{ 1 2				
II.—Diseases of the nervous system.....																
	9,250	2,933	4,235	251	120	127	133	166	234	277	317	368	466	544	573	1,439
Males.....	5,293	1,680	2,340	126	56	64	68	103	160	191	219	240	295	314	332	787
Females.....	3,955	1,253	1,895	125	64	63	65	63	74	86	98	128	171	230	241	652
1. Inflammation of the brain.....	{ M. 1,299 F. 1,019	{ 488 358	{ 852 723	{ 72 78	{ 28 37	{ 25 25	{ 27 11	{ 33 23	{ 36 20	{ 35 8	{ 34 16	{ 34 14	{ 30 14	{ 32 8	{ 19 15	{ 42 27
2. Apoplexy.....	{ M. 1,365 F. 1,002	{ 7 6	{ 15 16	{ 3 4	{ 2 1	{ 5 7	{ 8 15	{ 28 9	{ 50 21	{ 65 21	{ 97 36	{ 106 66	{ 150 97	{ 149 156	{ 212 154	{ 475 400
3. Paralysis.....	{ M. 365 F. 269	{ 8 6	{ 14 10	{ 4 7	{ 4 4	{ 4 3	{ 4 5	{ 4 6	{ 17 7	{ 27 9	{ 25 8	{ 32 13	{ 36 21	{ 42 26	{ 42 34	{ 110 116
4. Tetanus and trismus nascentium.....	{ M. 120 F. 84	{ 89 69	{ 91 69	{ 3 6	{ 2 4	{ 4 1	{ 3 3		{ 3 1		{ 2 3			{ 2 2		{ 2 1
5. Epilepsy.....	{ M. 99 F. 77	{ 7 6	{ 12 11	{ 8 4	{ 4 7	{ 9 13	{ 13 8	{ 6 3	{ 10 5	{ 9 7	{ 4 2	{ 2 3	{ 5 4	{ 6 4	{ 1 2	{ 10 4
6. Convulsions.....	{ M. 1,156 F. 941	{ 923 714	{ 1,124 904	{ 13 17	{ 3 3	{ 2 2		{ 2 2	{ 3 4	{ 5 2	{ 1 1	{ 1 1			{ 1 2	{ 2 2
7. Mental diseases.....	{ M. 89 F. 94				{ 1 1	{ 1 3	{ 3 6	{ 6 3	{ 6 4	{ 10 12	{ 13 16	{ 11 14	{ 10 11	{ 7 6	{ 8 4	{ 13 14
8. Diseases of the brain.....	{ M. 597 F. 351	{ 149 93	{ 217 154	{ 20 9	{ 6 8	{ 11 6	{ 7 10	{ 20 6	{ 21 6	{ 24 14	{ 27 10	{ 30 6	{ 44 12	{ 43 14	{ 30 19	{ 97 77
9. Diseases of the spinal cord.....	{ M. 187 F. 88	{ 9 1	{ 14 8	{ 3 4	{ 1 1	{ 2 2	{ 2 4	{ 4 5	{ 9 5	{ 16 9	{ 14 7	{ 20 6	{ 19 10	{ 32 12	{ 19 8	{ 32 8
10. Others of this class.....	{ M. 18 F. 30		{ 1 2		{ 1 1	{ 1 1	{ 1 3		{ 3 3		{ 2 2	{ 1 3		{ 1 2	{ 4 4	{ 4 3
III.—Diseases of the circulatory system.....																
	5,769	309	387	113	164	198	193	241	315	352	384	449	531	576	635	1,231
Males.....	3,165	164	215	53	67	107	97	123	185	212	234	270	313	331	334	624
Females.....	2,604	145	172	60	97	91	96	118	130	140	150	179	218	245	301	607
1. Angina pectoris.....	{ M. 78 F. 47								{ 3 2	{ 3 3	{ 8 5	{ 11 4	{ 14 4	{ 12 3	{ 8 12	{ 19 9
2. Aneurism.....	{ M. 95 F. 33					{ 1 1	{ 3 1	{ 4 1	{ 10 2	{ 12 3	{ 13 2	{ 8 7	{ 15 3	{ 14 4	{ 7 3	{ 8 8
3. Diseases of the heart.....	{ M. 2,831 F. 2,367	{ 85 30	{ 81 49	{ 52 60	{ 67 96	{ 106 90	{ 94 91	{ 118 112	{ 171 125	{ 195 133	{ 212 142	{ 250 166	{ 280 208	{ 302 234	{ 317 279	{ 586 582
4. Others of this class.....	{ M. 161 F. 157	{ 129 115	{ 134 123	{ 1 1				{ 1 2	{ 1 1	{ 2 1	{ 1 1	{ 1 2	{ 4 3	{ 3 4	{ 2 7	{ 11 8

TABLE 15.—DEATHS IN THE METROPOLITAN DISTRICT FROM EACH SPECIFIED DISEASE AND CLASS OF DISEASES, WITH DISTINCTION OF AGE AND SEX, DURING THE 6 YEARS ENDING MAY 31, 1890—Continued.

BIRTHPLACE OF MOTHERS—GERMANY—Continued.

CAUSE OF DEATH.	All ages.	Under 1 year.	Total under 5 years.	5 to 10	10 to 15	15 to 20	20 to 25	25 to 30	30 to 35	35 to 40	40 to 45	45 to 50	50 to 55	55 to 60	60 to 65	65 and over and un-known.
IV.—Diseases of the respiratory system.	15,494	3,367	7,480	708	170	240	370	477	486	558	513	561	594	673	745	1,910
Males	8,777	1,855	4,060	380	85	138	222	285	290	394	345	397	363	429	418	961
Females	6,717	1,512	3,420	328	85	111	148	182	196	164	168	164	231	244	327	949
1. Croup	{ M. 1,187 F. 972	{ 143 97	{ 997 800	{ 160 140	{ 7 12	{ 2 3	{ 1 1	{ 2 1	{ 1 1	{ 2 1	{ 5 2	{ 3 3	{ 3 3	{ 2 3	{ 1 3	{ 4 4
2. Laryngitis	{ M. 176 F. 110	{ 27 17	{ 110 88	{ 17 13	{ 2 1	{ 3 1	{ 1 1	{ 3 2	{ 6 1	{ 11 1	{ 5 1	{ 5 5	{ 2 2	{ 5 5	{ 2 2	{ 4 1
3. Bronchitis	{ M. 1,788 F. 1,532	{ 702 585	{ 1,029 895	{ 25 31	{ 6 4	{ 6 5	{ 18 7	{ 17 15	{ 23 9	{ 23 11	{ 36 18	{ 41 22	{ 55 37	{ 63 48	{ 90 90	{ 356 340
4. Pneumonia	{ M. 4,819 F. 3,511	{ 753 622	{ 1,649 1,407	{ 156 137	{ 60 62	{ 112 91	{ 180 124	{ 244 148	{ 230 172	{ 325 134	{ 256 126	{ 299 120	{ 258 158	{ 320 196	{ 257 104	{ 473 472
5. Pleurisy	{ M. 226 F. 127	{ 11 12	{ 32 26	{ 10 5	{ 5 2	{ 8 8	{ 17 7	{ 17 11	{ 16 8	{ 18 6	{ 19 5	{ 10 6	{ 11 5	{ 10 7	{ 21 4	{ 31 27
6. Asthma	{ M. 87 F. 33	{ 2 5	{ 4 6			{ 1 1		{ 2 1	{ 1 3	{ 2 3	{ 5 2	{ 7 5	{ 10 4	{ 9 10	{ 12 11	{ 35 40
7. Others of this class	{ M. 494 F. 382	{ 217 174	{ 239 198	{ 12 2	{ 5 4	{ 6 3	{ 5 8	{ 10 5	{ 13 6	{ 13 8	{ 19 15	{ 32 8	{ 27 22	{ 20 18	{ 35 25	{ 58 65
V.—Diseases of the digestive system.	4,185	655	904	94	102	123	164	188	194	244	277	321	347	319	348	560
Males	2,316	353	492	56	57	80	68	80	90	126	161	201	201	191	207	308
Females	1,869	297	412	38	45	43	96	108	104	118	116	117	146	128	141	252
1. Dentition	{ M. 136 F. 148	{ 82 96	{ 136 148													
2. Angina	{ M. 37 F. 25	{ 6 4	{ 24 15	{ 5 4	{ 1 2	{ 1 1	{ 1 1		{ 2 1			{ 1 1		{ 2 1		{ 1 1
3. Diseases of the stomach	{ M. 358 F. 313	{ 81 80	{ 108 103	{ 12 7	{ 1 4	{ 8 5	{ 12 13	{ 4 11	{ 12 14	{ 23 13	{ 14 9	{ 19 19	{ 30 19	{ 25 15	{ 33 27	{ 57 54
4. Obstruction of the bowels	{ M. 114 F. 103	{ 27 13	{ 32 19	{ 3 1	{ 5 2	{ 7 7	{ 5 3	{ 5 2	{ 4 8	{ 5 8	{ 8 8	{ 3 8	{ 3 10	{ 3 8	{ 5 7	{ 13 19
5. Hernia	{ M. 129 F. 113	{ 8 1	{ 8 1		{ 1 1	{ 1 1	{ 4 2	{ 6 2	{ 6 3	{ 9 6	{ 3 8	{ 14 18	{ 12 16	{ 16 16	{ 19 18	{ 30 25
6. Other diseases of the bowels	{ M. 16 F. 10	{ 4 1	{ 4 1	{ 1 1				{ 1 1		{ 1 1		{ 2 1	{ 1 1	{ 2 2		{ 3 2
7. Jaundice	{ M. 52 F. 37	{ 41 19	{ 42 20	{ 1 1								{ 1 1	{ 1 1		{ 3 2	{ 3 5
8. Inflammation and abscess of the liver	{ M. 172 F. 134	{ 3 1	{ 6 2	{ 1 1	{ 2 1	{ 3 3	{ 3 5	{ 5 7	{ 14 7	{ 13 11	{ 13 19	{ 22 12	{ 18 16	{ 24 16	{ 20 14	{ 28 25
9. Other diseases of the liver	{ M. 708 F. 310	{ 2 1	{ 5 3	{ 3 2	{ 1 5		{ 3 5	{ 20 10	{ 29 12	{ 50 17	{ 95 28	{ 110 33	{ 112 44	{ 92 42	{ 96 40	{ 92 69
10. Peritonitis	{ M. 363 F. 497	{ 21 16	{ 31 28	{ 27 20	{ 34 27	{ 44 28	{ 31 62	{ 32 70	{ 19 52	{ 13 56	{ 16 38	{ 24 16	{ 20 24	{ 18 20	{ 14 24	{ 40 32
11. Ascites	{ M. 13 F. 15	{ 1 1	{ 1 1					{ 2 2				{ 2 2	{ 2 2	{ 1 1	{ 2 2	{ 4 4
12. Others of this class	{ M. 218 F. 164	{ 82 66	{ 95 72	{ 3 4	{ 12 9	{ 16 4	{ 8 4	{ 7 4	{ 4 8	{ 12 5	{ 7 3	{ 8 7	{ 4 7	{ 5 9	{ 7 7	{ 30 21
VI.—Diseases of the urinary system and male organs of generation.	4,795	66	214	108	59	81	155	261	263	343	403	415	452	488	538	1,015
Males	2,929	40	113	53	28	39	70	149	162	221	260	262	289	308	343	632
Females	1,866	26	101	55	31	42	85	112	101	122	143	153	163	180	195	383
1. Bright's disease	{ M. 1,363 F. 923			{ 11 16	{ 9 13	{ 20 20	{ 36 37	{ 72 54	{ 72 57	{ 107 63	{ 125 72	{ 140 77	{ 156 89	{ 150 107	{ 171 118	{ 294 205
2. Calculus, urinary	{ M. 5 F. 4		{ 1 1									{ 1 1		{ 1 1		{ 1 1
3. Diseases of the kidney	{ M. 1,329 F. 880	{ 33 25	{ 102 95	{ 39 38	{ 16 17	{ 18 17	{ 31 43	{ 71 55	{ 87 42	{ 111 54	{ 127 67	{ 114 71	{ 124 71	{ 137 70	{ 138 71	{ 214 169
4. Diseases of the bladder	{ M. 159 F. 28	{ 2 1	{ 4 2	{ 1 1		{ 1 1	{ 1 4	{ 1 1	{ 2 3	{ 2 3	{ 2 3	{ 4 2	{ 6 1	{ 19 2	{ 21 3	{ 93 6
5. Others of this class	{ M. 73 F. 26	{ 5 3	{ 6 3	{ 2 1	{ 3 1		{ 5 1	{ 5 2	{ 1 2	{ 1 2	{ 4 2	{ 4 2	{ 2 2	{ 2 2	{ 11 3	{ 30 3
VII.—Diseases of the female organs of generation.	169			1		4	20	26	29	22	18	11	9	11	8	10
1. Ovarian tumors	41						3	4	4	5	6	4	1	4	3	7
2. Ovarian diseases	21						3	1	4	3	2	2	3	1	1	2
3. Uterine tumors	25						1	2	2	2	1	4	4	7	1	1
4. Uterine diseases	26					1	4	8	5	3	2	1	1	1	1	1
5. Others of this class	56			1		3	9	11	14	9	6	1		2		
VIII.—Affections connected with pregnancy.	1,040					46	252	284	268	150	89	8	1	1		1
1. Abortion	93					2	15	24	25	19	8					
2. Childbirth	242					4	36	65	49	53	31	4				
3. Puerperal septicæmia	589					3	173	167	115	61	84	3	1	1		1
4. Extra-uterine pregnancy	5						1	1	2	1	1					
5. Others of this class	111					7	27	27	17	16	16	1				

STATISTICS OF DEATHS.

763

TABLE 15.—DEATHS IN THE METROPOLITAN DISTRICT FROM EACH SPECIFIED DISEASE AND CLASS OF DISEASES, WITH DISTINCTION OF AGE AND SEX, DURING THE 6 YEARS ENDING MAY 31, 1890—Continued.

BIRTHPLACE OF MOTHERS—GERMANY—Continued.

CAUSE OF DEATH.	All ages.	Under 1 year.	Total under 5 years.	5 to 10	10 to 15	15 to 20	20 to 25	25 to 30	30 to 35	35 to 40	40 to 45	45 to 50	50 to 55	55 to 60	60 to 65	65 and over and un-known.
IX.—Diseases of the bones and joints.....	209	10	26	36	25	17	15	6	8	12	9	12	8	7	8	20
Males.....	117	4	14	21	14	9	8	3	7	7	5	9	5	5	5	5
Females.....	92	6	12	15	11	8	7	3	1	5	4	3	3	2	3	15
1. Diseases of the spine..... {M	42	3	6	10	5	3	4	1	1	3	1	2	4	1	1	1
{F	32	3	5	5	4	4	1	1	1	3	2	1	1	1	1	2
2. Diseases of the bones..... {M	37	2	3	4	3	3	2	3	3	1	3	4	1	4	3	3
{F	30	1	1	4	3	2	3	1	1	1	1	2	2	1	1	8
3. Diseases of the hip joint..... {M	23	1	1	5	6	3	2	1	1	2	1	1	1	1	1	1
{F	17	1	4	5	3	2	2	1	1	1	1	1	1	1	1	1
4. Others of this class..... {M	15	2	4	2	1	1	1	1	2	1	2	2	1	1	1	1
{F	13	1	2	1	1	1	1	1	1	1	1	1	1	1	1	4
X.—Diseases of the skin.....	253	78	93	5	2	3	12	12	6	7	11	12	21	18	21	30
Males.....	131	36	39	4	2	2	8	3	3	7	6	10	12	12	14	18
Females.....	122	42	54	1	2	1	4	9	3	7	5	2	9	6	7	12
1. Abscess..... {M	61	15	17	2	1	1	5	2	2	4	4	4	4	8	7	5
{F	69	20	26	2	2	1	3	9	3	6	4	1	4	2	3	5
2. Carbuncle..... {M	32	1	2	1	1	2	1	1	1	1	4	6	4	5	6	1
{F	11	1	1	1	1	1	1	1	1	1	1	3	3	1	1	6
3. Others of this class..... {M	38	20	21	1	1	1	1	1	1	2	2	2	2	1	2	7
{F	42	21	26	1	1	1	1	1	1	1	1	2	2	1	3	6
XI.—Diseases of the absorbent system.....	35	6	9	1	1	1	1	2	4	1	2	8	4	2	2	2
Males.....	18	3	5	1	1	1	1	1	2	1	2	6	4	1	2	2
Females.....	17	3	4	1	1	1	1	1	2	1	2	2	2	1	1	2
1. Addison's disease..... {M	7	1	1	1	1	1	1	1	1	1	1	2	1	1	1	1
{F	5	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
2. Diseases of the spleen..... {M	4	1	2	1	1	1	1	1	1	1	1	1	1	1	1	1
{F	2	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
3. Others of this class..... {M	7	3	3	1	1	1	1	1	1	1	1	3	1	1	1	1
{F	10	3	4	1	1	1	1	1	1	1	1	1	1	1	1	1
XII.—Accidents and injuries.....	3,773	165	423	173	140	205	264	314	330	358	322	312	262	231	145	294
Males.....	2,961	94	253	116	117	159	197	255	268	305	267	266	223	197	121	215
Females.....	812	71	168	57	23	46	67	59	62	53	55	46	39	34	24	79
1. Burns and scalds..... {M	143	6	77	10	2	4	4	10	7	7	6	4	4	5	1	2
{F	155	11	61	19	6	8	11	6	9	9	10	5	3	1	1	9
2. Drowned..... {M	345	1	13	29	44	42	26	39	16	27	19	25	16	17	8	24
{F	48	1	5	29	3	9	6	2	3	1	6	3	2	5	3	3
3. Exposure and neglect..... {M	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
{F	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
4. Gunshot wounds..... {M	43	1	1	6	5	7	5	6	4	4	3	2	2	3	1	1
{F	5	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
5. Homicide..... {M	61	1	1	3	4	7	6	8	9	7	6	2	4	1	2	1
{F	18	1	2	2	2	3	3	3	1	2	2	2	1	1	1	1
6. Infanticide..... {M	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
{F	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
7. Injuries by machinery..... {M	8	1	1	1	1	1	1	2	3	1	1	1	1	1	1	1
{F	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
8. Railroad accidents..... {M	165	2	2	7	11	16	14	13	18	20	15	5	9	13	4	13
{F	18	2	2	2	2	2	2	1	2	2	3	2	2	2	1	1
9. Suffocation..... {M	106	35	41	2	3	5	9	2	6	5	7	4	4	4	3	11
{F	47	19	21	2	2	1	4	4	5	1	1	3	3	3	1	2
10. Suicide by shooting..... {M	305	12	12	6	2	25	38	31	35	35	32	28	39	15	21	21
{F	12	1	1	1	1	4	4	2	1	2	1	1	1	1	1	1
11. Suicide by drowning..... {M	26	9	9	3	2	5	4	4	3	3	2	3	1	1	1	1
{F	9	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
12. Suicide by poison..... {M	146	77	77	8	15	16	9	14	9	17	18	15	12	7	15	6
{F	77	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
13. Other suicides..... {M	310	45	45	6	15	12	34	31	32	37	38	38	38	20	47	47
{F	45	1	1	1	3	7	3	4	6	5	6	6	6	3	1	1
14. Sunstroke..... {M	174	9	10	2	2	1	8	11	24	34	24	24	12	10	5	7
{F	48	8	11	5	1	1	3	4	5	2	2	2	3	3	4	3
15. Surgical operations..... {M	48	9	12	3	1	1	2	7	1	3	7	5	5	5	1	1
{F	68	1	2	1	1	2	7	11	12	11	7	6	4	1	3	3
16. Wounds..... {M	50	1	2	2	3	8	5	5	1	6	3	4	6	3	2	2
{F	3	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
17. Other accidents and injuries..... {M	1,030	32	97	61	39	50	58	86	93	110	97	99	77	50	47	66
{F	257	30	62	30	8	9	10	13	9	12	11	12	10	11	11	49

TABLE 15.—DEATHS IN THE METROPOLITAN DISTRICT FROM EACH SPECIFIED DISEASE AND CLASS OF DISEASES, WITH DISTINCTION OF AGE AND SEX, DURING THE 6 YEARS ENDING MAY 31, 1890—Continued.

BIRTHPLACE OF MOTHERS—ITALY.

CAUSE OF DEATH.	All ages.	Under 1 year.	Total under 5 years.	5 to 10	10 to 15	15 to 20	20 to 25	25 to 30	30 to 35	35 to 40	40 to 45	45 to 50	50 to 55	55 to 60	60 to 65	65 and over and un-known.
All causes.....	13,888	6,284	10,160	428	146	215	403	437	384	373	322	212	199	130	159	320
Males.....	7,841	3,507	5,525	225	80	114	230	264	252	255	211	154	145	85	112	189
Females.....	6,047	2,777	4,635	208	66	101	173	173	132	118	111	58	54	45	47	131
Unknown causes.....	17	4	8					2	1	2		1	1		1	1
Males.....	10		4						1	2		1			1	1
Females.....	7	4	4					2					1			
I.—General diseases:																
General diseases—A.....	3,587	1,599	3,126	146	22	22	51	38	31	35	23	18	22	11	11	31
Males.....	1,999	877	1,659	75	10	10	29	27	20	23	18	14	13	7	11	18
Females.....	1,648	722	1,467	71	12	12	22	11	11	7	5	4	9	4	13	13
1. Smallpox.....	{ M. 14 F. 5	{ 4 2	{ 7 3	{ 1	{ 	{ 1 	{ 1 	{ 2 	{ 	{ 2 	{ 	{ 	{ 1 	{ 	{ 	{
2. Measles.....	{ M. 367 F. 339	{ 111 108	{ 350 326	{ 10 10	{ 1 	{ 1	{ 2	{ 4 	{ 	{ 	{ 1 	{ 	{ 	{ 	{ 	{ 1
3. Scarlet fever.....	{ M. 66 F. 61	{ 9 8	{ 57 52	{ 7 6	{ 	{ 1	{ 1 2	{ 	{ 	{ 	{ 	{ 	{ 1 	{ 	{ 	{
4. Diphtheria.....	{ M. 234 F. 236	{ 34 20	{ 198 199	{ 27 29	{ 4 3	{ 1 1	{ 4 	{ 1	{ 	{ 	{ 	{ 	{ 1 	{ 1 	{ 	{ 1
5. Whooping cough.....	{ M. 66 F. 88	{ 29 38	{ 64 87	{ 1 1	{ 	{ 	{ 	{ 	{ 	{ 	{ 	{ 	{ 	{ 	{ 	{
6. Fever.....	{ M. 2 F. 2	{ }	{ 1 }	{ }	{ }	{ }	{ }	{ }	{ }	{ }	{ }	{ }	{ 1 }	{ }	{ }	{ }
7. Cerebro-spinal fever.....	{ M. 31 F. 23	{ 13 6	{ 20 17	{ 3 2	{ 1 }	{ }	{ 2 1	{ 1 2	{ }	{ 2 }	{ 1	{ }	{ }	{ }	{ }	{ 2 }
8. Typhoid fever.....	{ M. 71 F. 30	{ }	{ 13 3	{ 5 4	{ 4	{ 4 3	{ 15 8	{ 9 3	{ 10 4	{ 7 }	{ 5 }	{ 2 }	{ 1 }	{ 1	{ }	{ }
9. Diarrheal diseases.....	{ M. 556 F. 458	{ 339 282	{ 490 414	{ 13 14	{ 2 1	{ 1 2	{ 2 5	{ 4 2	{ 1 2	{ 7 2	{ 7 2	{ 6 1	{ 4 2	{ 3 2	{ 6 }	{ 10 9
10. Cholera infantum.....	{ M. 342 F. 291	{ 247 208	{ 342 289	{ }	{ }	{ }	{ }	{ }	{ }	{ }	{ }	{ }	{ }	{ }	{ }	{ 2 }
11. Malarial fever.....	{ M. 62 F. 37	{ 8 2	{ 26 20	{ 8 3	{ 1 1	{ 3	{ 1 1	{ 1 }	{ 5 1	{ 3 2	{ 1 1	{ 3 2	{ 3 3	{ 3 3	{ 3 3	{ 4 }
12. Erysipelas.....	{ M. 57 F. 52	{ 42 34	{ 43 37	{ }	{ 1	{ 1 1	{ 2 2	{ 3 3	{ 1 2	{ 3 1	{ 2 1	{ 1 1	{ 1 3	{ }	{ }	{ }
13. Septicæmia.....	{ M. 12 F. 4	{ 2 }	{ 4 1	{ 1 1	{ }	{ }	{ 1 }	{ 1 }	{ }	{ 4 2	{ 2 }	{ }	{ 1 }	{ }	{ }	{ }
14. Venereal diseases.....	{ M. 47 F. 16	{ 35 12	{ 39 14	{ }	{ }	{ }	{ }	{ 2 1	{ 2 1	{ 1	{ }	{ 1 }	{ }	{ }	{ 2 }	{ 1 }
15. Others of this group.....	{ M. 12 F. 8	{ 4 2	{ 5 5	{ 1 1	{ }	{ 2 }	{ }	{ 1 }	{ 1 }	{ 1	{ }	{ 1 }	{ }	{ 1 }	{ }	{ 1 }
General diseases—B.....	141	110	122	1	2				6	2	4	1	1	1	1	
Males.....	87	64	72	1					6	2	4		1		1	
Females.....	54	46	50		2							1		1		
1. Parasitic diseases.....	{ M. 8 F. 3	{ 2 1	{ 6 3	{ 1 }	{ }	{ }	{ }	{ }	{ 1 }	{ }	{ }	{ }	{ }	{ }	{ }	{ }
2. Alcoholism.....	{ M. 8 F. 2	{ }	{ }	{ }	{ }	{ }	{ }	{ }	{ 3 }	{ 1 2	{ 1	{ 1 }	{ }	{ 1 }	{ }	{ }
3. Lead poison.....	{ M. 8 F. 2	{ }	{ }	{ }	{ }	{ }	{ }	{ }	{ }	{ }	{ }	{ }	{ }	{ }	{ }	{ }
4. Other poisons.....	{ M. 6 F. 2	{ 1 }	{ 1 }	{ }	{ }	{ }	{ }	{ }	{ 2 }	{ 1 2	{ }	{ }	{ }	{ }	{ }	{ }
5. Inanition.....	{ M. 65 F. 49	{ 61 45	{ 65 47	{ }	{ 2 }	{ }	{ }	{ }	{ }	{ }	{ }	{ }	{ }	{ }	{ }	{ }
General diseases—C.....	2,257	2,127	2,207	3	2	1	1	2	3	1	2	2	1		5	27
Males.....	1,260	1,193	1,234	2	1	1	1	1	2	1	2	2			3	10
Females.....	997	934	973	1	1			1	1				1		2	17
1. Premature birth.....	{ M. 161 F. 121	{ 160 121	{ 161 121	{ }	{ }	{ }	{ }	{ }	{ }	{ }	{ }	{ }	{ }	{ }	{ }	{ }
2. Stillborn.....	{ M. 848 F. 659	{ 848 659	{ 848 659	{ }	{ }	{ }	{ }	{ }	{ }	{ }	{ }	{ }	{ }	{ }	{ }	{ }
3. Malformation.....	{ M. 28 F. 30	{ 26 29	{ 28 30	{ }	{ }	{ }	{ }	{ }	{ }	{ }	{ }	{ }	{ }	{ }	{ }	{ }
4. Debility and atrophy.....	{ M. 215 F. 179	{ 159 125	{ 197 163	{ 2 1	{ 1 1	{ 1 }	{ 1 1	{ 1 1	{ 2 1	{ 1 2	{ 2 2	{ 2 }	{ 1	{ }	{ 2 2	{ 3 9
5. Old age.....	{ M. 8 F. 8	{ }	{ }	{ }	{ }	{ }	{ }	{ }	{ }	{ }	{ }	{ }	{ }	{ }	{ 1 }	{ 7 8

TABLE 15.—DEATHS IN THE METROPOLITAN DISTRICT FROM EACH SPECIFIED DISEASE AND CLASS OF DISEASES, WITH DISTINCTION OF AGE AND SEX, DURING THE 6 YEARS ENDING MAY 31, 1890—Continued.

BIRTHPLACE OF MOTHERS—ITALY—Continued.

CAUSE OF DEATH.	All ages.	Under 1 year.	Total under 5 years.	5 to 10	10 to 15	15 to 20	20 to 25	25 to 30	30 to 35	35 to 40	40 to 45	45 to 50	50 to 55	55 to 60	60 to 65	65 and over and unknown.
IV.—Diseases of the respiratory system.	3,960	1,540	3,118	118	29	35	65	93	80	72	78	52	56	30	42	92
Males	2,251	855	1,870	58	17	21	49	72	56	55	61	40	49	18	28	57
Females	1,709	685	1,448	60	12	14	16	21	24	17	17	12	7	12	14	35
1. Croup	{ M. 267 F. 219	{ 61 33	{ 249 205	{ 16 14						{ 1 					{ 1 	
2. Laryngitis	{ M. 22 F. 19	{ 4 5	{ 20 16	{ 1 2	{ 1 			{ 1 								
3. Bronchitis	{ M. 775 F. 691	{ 438 361	{ 723 646	{ 10 7	{ 4 3	{ 1 2	{ 3 3	{ 2 5	{ 6 	{ 4 2	{ 1 2	{ 3 3	{ 4 1	{ 1 1	{ 1 3	{ 13 16
4. Pneumonia	{ M. 1,057 F. 698	{ 280 239	{ 587 519	{ 31 33	{ 13 7	{ 18 12	{ 45 12	{ 64 15	{ 43 23	{ 45 13	{ 57 14	{ 37 9	{ 42 5	{ 15 8	{ 22 8	{ 38 20
5. Pleurisy	{ M. 42 F. 15	{ 8 1	{ 16 7		{ 3 		{ 1 	{ 3 1	{ 3 5	{ 1 2	{ 4 	{ 2 1	{ 1 2	{ 2 1	{ 2 1	{ 1
6. Asthma	{ M. 3 F. 5	{ 1 1	{ 1 1						{ 1 		{ 1 			{ 2 	{ 1 1	
7. Others of this class	{ M. 85 F. 62	{ 63 45	{ 74 54		{ 1 1	{ 1 	{ 1 	{ 2 1	{ 1 1	{ 1 1	{ 1 		{ 1 1	{ 1 1	{ 1 1	{ 2 2
V.—Diseases of the digestive system.	345	115	178	10	6	5	6	19	22	17	15	12	17	13	12	13
Males	211	65	104	8	3	3	4	10	13	14	9	8	11	7	9	8
Females	134	50	74	2	3	2	2	9	9	3	6	4	6	6	3	5
1. Dentition	{ M. 17 F. 6	{ 9 5	{ 17 6													
2. Angina	{ M. 6 F. 3	{ 1 1	{ 5 3						{ 1 							
3. Diseases of the stomach	{ M. 37 F. 33	{ 15 16	{ 27 26	{ 1 	{ 1 				{ 1 3		{ 1 1		{ 1 1	{ 1 1	{ 1 1	{ 3 1
4. Obstruction of the bowels	{ M. 12 F. 5	{ 3 2	{ 4 3						{ 1 1	{ 2 	{ 1 1		{ 1 1	{ 1 1	{ 1 1	
5. Hernia	{ M. 12 F. 4	{ 3 2	{ 3 2	{ 1 				{ 1 		{ 1 1			{ 1 	{ 2 1	{ 2 1	{ 1
6. Other diseases of the bowels	{ M. 2 F. 4	{ 2 2	{ 1 3						{ 1 1							
7. Jaundice	{ M. 21 F. 4	{ 17 4	{ 18 4							{ 1 1	{ 1 1	{ 1 				
8. Inflammation and abscess of the liver	{ M. 14 F. 5			{ 3 				{ 2 3	{ 3 1		{ 1 1		{ 1 1	{ 2 1	{ 1 1	{ 2
9. Other diseases of the liver	{ M. 32 F. 10		{ 1 1	{ 1 1		{ 1 		{ 1 2	{ 4 5	{ 3 3	{ 3 1	{ 7 1	{ 3 1	{ 3 1	{ 2 1	{ 2 3
10. Peritonitis	{ M. 37 F. 40	{ 4 6	{ 13 10	{ 2 1	{ 2 3	{ 2 1	{ 3 1	{ 5 3	{ 2 8	{ 4 2	{ 2 4	{ 1 2	{ 1 3			{ 1
11. Ascites	{ M. 1 F. 1													{ 1 		
12. Others of this class	{ M. 21 F. 19	{ 13 12	{ 16 16				{ 1 1	{ 1 1			{ 1 1				{ 2 	
VI.—Diseases of the urinary system and male organs of generation.	269	7	53	22	4	5	12	17	15	27	22	18	18	8	12	36
Males	158	4	26	12	4	2	8	10	14	15	12	13	8	6	7	21
Females	111	3	27	10			4	7	1	12	10	5	10	2	5	15
1. Bright's disease	{ M. 53 F. 47			{ 3 3	{ 1 	{ 1 1	{ 4 3	{ 4 2	{ 4 5	{ 5 5	{ 5 5	{ 5 4	{ 4 8	{ 1 2	{ 2 3	{ 14 11
2. Calculus, urinary	{ M. 1 F. 1															
3. Diseases of the kidney	{ M. 97 F. 60	{ 4 3	{ 26 25	{ 9 7	{ 3 	{ 1 2	{ 3 1	{ 4 5	{ 10 1	{ 10 6	{ 7 5	{ 7 1	{ 4 2	{ 4 1	{ 4 2	{ 5 3
4. Diseases of the bladder	{ M. 4 F. 3		{ 1 					{ 1 1		{ 1 						{ 1
5. Others of this class	{ M. 4 F. 1		{ 1 1									{ 1 				
VII.—Diseases of the female organs of generation.	15					1	3	4	3	3						1
1. Ovarian tumors	3							1	1	1						
2. Ovarian diseases																
3. Uterine tumors																
4. Uterine diseases	4					1	1	1	1							
5. Others of this class	8						2	2	1	2						1
VIII.—Affections connected with pregnancy.	168					17	43	45	26	24	10	2	1			
1. Abortion	3						1	1			1					
2. Childbirth	22						1	6	7	2	6					
3. Puerperal septicæmia	131						14	34	34	20	17	9	2	1		
4. Extra-uterine pregnancy																
5. Others of this class	12					2	2	3	4	1						

STATISTICS OF DEATHS.

TABLE 15.—DEATHS IN THE METROPOLITAN DISTRICT FROM EACH SPECIFIED DISEASE AND CLASS OF DISEASES, WITH DISTINCTION OF AGE AND SEX, DURING THE 6 YEARS ENDING MAY 31, 1890—Continued.

BIRTEPLACE OF MOTHERS—ITALY—Continued.

CAUSE OF DEATH.	All ages.	Under 1 year.	Total under 5 years.	5 to 10	10 to 15	15 to 20	20 to 25	25 to 30	30 to 35	35 to 40	40 to 45	45 to 50	50 to 55	55 to 60	60 to 65	65 and over and un-known.
IX.—Diseases of the bones and joints....	26	1	6	7	4	2	3	1	1	2
Males.....	17	3	4	3	1	3	1	2
Females.....	9	1	3	3	1	1	1
1. Diseases of the spine..... {M.....	5	1	1	2	1
{F.....	4	1	1	1	1	1
2. Diseases of the bones..... {M.....	5	1	2	1	1
{F.....	1	1
3. Diseases of the hip joint..... {M.....	6	1	1	1	2	1
{F.....	3	1	1	1
4. Others of this class..... {M.....	1	1
{F.....	1	1
X.—Diseases of the skin.....	32	11	17	2	1	1	3	3	3	2
Males.....	20	8	12	2	1	2	2	1	1
Females.....	12	3	5	1	1	1	1
1. Abscess..... {M.....	16	6	10	2	2	1	1
{F.....	10	2	3	1	1	1	1	2	1
2. Carbuncle..... {M.....	1	1
{F.....
3. Others of this class..... {M.....	3	2	2	1
{F.....	2	1	2
XI.—Diseases of the absorbent system.....	4	2	2	1	1
Males.....	3	1	1	1	1
Females.....	1	1	1
1. Addison's disease..... {M.....
{F.....
2. Diseases of the spleen..... {M.....	2	1	1	1
{F.....
3. Others of this class..... {M.....	1	1
{F.....	1	1	1
XII.—Accidents and injuries.....	419	27	78	23	14	22	49	46	45	57	31	16	12	6	8	12
Males.....	348	18	49	15	11	17	44	42	44	53	27	15	12	4	8	7
Females.....	71	9	29	8	3	5	5	4	1	4	4	1	2	5
1. Burns and scalds..... {M.....	20	1	18	2
{F.....	21	3	15	5	1
2. Drowned..... {M.....	22	2	2	2	6	2	1	5	1	1
{F.....	2	1	1
3. Exposure and neglect..... {M.....
{F.....
4. Gunshot wounds..... {M.....	3	2	1
{F.....
5. Homicide..... {M.....	38	1	1	7	5	4	12	1	2	2	1	1	1
{F.....	5	2	1	1	1
6. Infanticide..... {M.....
{F.....
7. Injuries by machinery..... {M.....	1	1
{F.....
8. Railroad accidents..... {M.....	58	2	2	3	6	8	12	9	7	6	1	1	1
{F.....	2	1	1
9. Suffocation..... {M.....	22	9	9	1	1	1	2	1	3	1	1	1	1
{F.....	6	5	5	1
10. Suicide by shooting..... {M.....	13	1	1	4	2	3	1	1
{F.....
11. Suicide by drowning..... {M.....	3	1	1	1
{F.....
12. Suicide by poison..... {M.....	2	2	2
{F.....	4
13. Other suicides..... {M.....	4	3	1
{F.....	2	1
14. Sunstroke..... {M.....	15	2	4	3	1	2	2	1	2
{F.....	1	1
15. Surgical operations..... {M.....	1	1
{F.....	4	1	1	2
16. Wounds..... {M.....	6	3	1	1	1
{F.....	1	1
17. Other accidents and injuries..... {M.....	140	6	16	9	6	9	15	18	22	15	15	3	6	1	3	3
{F.....	23	1	6	2	2	2	1	2	1	1	1	2	3

TABLE 16.

DEATHS IN THE STATE OF NEW JERSEY FROM EACH SPECIFIED DISEASE AND CLASS OF DISEASES, WITH DISTINCTION OF AGE AND SEX, AND SPECIFICATION OF COLOR AND BIRTHPLACES OF MOTHERS, DURING THE 6 YEARS ENDING MAY 31, 1890.

TABLE 16.—DEATHS IN THE STATE OF NEW JERSEY FROM EACH SPECIFIED DISEASE AND CLASS OF DISEASES, WITH DISTINCTION OF AGE AND SEX, DURING THE 6 YEARS ENDING MAY 31, 1890.

AGGREGATE.

CAUSE OF DEATH.	All ages.	Under 1 year.	Total under 5 years.	5 to 10	10 to 15	15 to 20	20 to 25	25 to 30	30 to 35	35 to 40	40 to 45	45 to 50	50 to 55	55 to 60	60 to 65	65 and over and unknown.
All causes.....	163,498	46,955	68,124	6,159	3,274	4,568	6,246	6,636	5,690	6,096	5,695	5,836	5,862	5,618	6,326	27,863
Males.....	87,001	26,414	37,389	3,148	1,645	2,152	3,230	3,422	3,009	3,224	3,158	3,295	3,163	3,030	3,398	13,738
Females.....	76,492	20,541	30,735	3,011	1,629	2,416	3,016	3,214	2,681	2,872	2,537	2,541	2,699	2,588	2,928	13,025
Unknown causes.....	618	168	209	13	11	11	14	20	21	31	18	22	29	20	40	159
Males.....	344	89	111	6	6	5	3	10	15	13	10	15	17	12	26	95
Females.....	274	79	98	7	5	6	11	10	6	18	8	7	12	8	14	64
I.—General diseases:																
General diseases—A.....	32,027	10,772	18,950	2,940	1,172	1,057	996	846	618	620	555	544	506	483	546	2,194
Males.....	16,418	5,802	9,921	1,401	534	502	530	457	360	298	298	260	272	247	258	1,080
Females.....	15,609	4,970	9,029	1,539	638	555	466	389	258	322	257	284	234	236	288	1,114
1. Smallpox.....	{ M.. 12 F.. 6	{ 1 2	{ 6 3	{ 1 1			{ 2 1		{ 1 1			{ 1 1		{ 1 1		{ 1 1
2. Measles.....	{ M.. 282 F.. 321	{ 66 74	{ 246 260	{ 20 28	{ 4 7	{ 3 6	{ 2 3	{ 3 2	{ 2 3	{ 2 5		{ 1 2		{ 2 1		{ 2 2
3. Scarlet fever.....	{ M.. 1,107 F.. 1,155	{ 74 67	{ 686 702	{ 274 304	{ 93 81	{ 21 26	{ 11 16	{ 5 8	{ 3 5	{ 3 5	{ 4 2		{ 1 2	{ 1 1		{ 5 3
4. Diphtheria.....	{ M.. 2,807 F.. 2,901	{ 180 141	{ 1,746 1,611	{ 754 884	{ 181 264	{ 62 63	{ 21 20	{ 13 9	{ 5 7	{ 6 9	{ 3 1		{ 2 5	{ 4 5	{ 2 4	{ 8 14
5. Whooping cough.....	{ M.. 488 F.. 625	{ 304 320	{ 470 591	{ 16 24	{ 6 1				{ 1 1			{ 1 1				{ 2 2
6. Fever.....	{ M.. 6 F.. 5	{ 1 1	{ 2 2	{ 1 1		{ 1 1						{ 1 1				{ 1 1
7. Cerebro-spinal fever.....	{ M.. 380 F.. 266	{ 87 70	{ 188 143	{ 41 27	{ 20 21	{ 24 13	{ 12 12	{ 10 6	{ 12 7	{ 10 5	{ 7 5	{ 15 7	{ 11 4	{ 6 6	{ 11 5	{ 13 5
8. Typhoid fever.....	{ M.. 2,186 F.. 1,762	{ 21 16	{ 116 94	{ 99 85	{ 120 149	{ 280 313	{ 363 251	{ 306 186	{ 195 100	{ 134 114	{ 120 95	{ 87 85	{ 92 53	{ 61 45	{ 55 58	{ 158 129
9. Diarrheal diseases.....	{ M.. 3,707 F.. 3,642	{ 1,739 1,461	{ 2,319 2,030	{ 110 111	{ 58 63	{ 41 53	{ 43 49	{ 53 66	{ 56 51	{ 69 76	{ 83 84	{ 73 111	{ 85 102	{ 95 101	{ 110 137	{ 507 608
10. Cholera infantum.....	{ M.. 3,763 F.. 3,220	{ 3,091 2,600	{ 3,754 3,216													{ 9 4
11. Malarial fever.....	{ M.. 800 F.. 884	{ 75 66	{ 174 170	{ 58 51	{ 37 33	{ 44 57	{ 47 49	{ 40 62	{ 47 43	{ 39 48	{ 41 33	{ 31 35	{ 40 32	{ 31 45	{ 33 42	{ 138 184
12. Erysipelas.....	{ M.. 293 F.. 236	{ 82 76	{ 100 93	{ 5 3	{ 1 6	{ 9 6	{ 6 11	{ 8 1	{ 11 4	{ 11 8	{ 8 10	{ 21 13	{ 12 11	{ 16 9	{ 7 8	{ 78 55
13. Septicæmia.....	{ M.. 304 F.. 362	{ 29 26	{ 52 50	{ 15 16	{ 14 6	{ 13 9	{ 13 47	{ 14 44	{ 18 28	{ 18 44	{ 22 19	{ 18 17	{ 22 22	{ 19 16	{ 27 13	{ 39 31
14. Venereal diseases.....	{ M.. 75 F.. 67	{ 42 40	{ 46 45	{ 1 1		{ 1 1	{ 1 4	{ 4 2	{ 4 4	{ 5 3	{ 2 2	{ 4 1		{ 2 1	{ 2 2	{ 3 2
15. Others of this group.....	{ M.. 208 F.. 155	{ 10 10	{ 16 19	{ 7 5	{ 5 2	{ 3 3	{ 3 3	{ 1 3	{ 5 5	{ 1 4	{ 8 4	{ 9 6	{ 7 4	{ 11 6	{ 11 17	{ 121 75
General diseases—B.....	2,473	1,628	1,744	29	7	14	35	45	56	86	81	76	68	51	48	133
Males.....	1,460	903	964	18	4	8	19	29	43	69	61	58	45	33	28	81
Females.....	1,013	725	780	11	3	6	16	16	13	17	20	18	23	18	20	52
1. Parasitic diseases.....	{ M.. 3 F.. 4		{ 1 1	{ 1 2	{ 1 1											
2. Alcoholism.....	{ M.. 333 F.. 85	{ 4 1	{ 7 1			{ 1 1	{ 10 2	{ 21 7	{ 36 9	{ 58 11	{ 53 17	{ 47 10	{ 32 13	{ 27 3	{ 15 5	{ 26 6
3. Lead poison.....	{ M.. 7 F.. 3				{ 1 1		{ 1 1			{ 1 1					{ 1 1	{ 1 1
4. Other poisons.....	{ M.. 139 F.. 92	{ 23 14	{ 43 30	{ 9 1	{ 2 2	{ 5 4	{ 4 11	{ 5 6	{ 5 3	{ 8 4	{ 6 3	{ 10 3	{ 9 6	{ 6 7	{ 7 4	{ 20 8
5. Inanition.....	{ M.. 978 F.. 829	{ 876 710	{ 913 748	{ 8 8		{ 2 1	{ 5 2		{ 2 3	{ 2 1	{ 2 1	{ 1 4	{ 4 4		{ 5 11	{ 34 38
General diseases—C.....	24,661	18,471	19,291	78	38	33	30	40	40	54	50	63	39	90	194	4,566
Males.....	13,451	10,701	11,112	36	14	17	13	12	13	24	22	28	43	37	101	1,979
Females.....	11,210	7,770	8,179	42	24	17	17	28	27	30	28	35	46	53	93	2,587
1. Premature birth.....	{ M.. 1,694 F.. 1,297	{ 1,693 1,295	{ 1,694 1,297													
2. Stillborn.....	{ M.. 6,147 F.. 4,118	{ 6,147 4,118	{ 6,147 4,118													
3. Malformation.....	{ M.. 150 F.. 122	{ 140 110	{ 144 113			{ 2 1	{ 1 1				{ 1 1		{ 1 1			{ 1 2
4. Debility and atrophy.....	{ M.. 4,371 F.. 4,122	{ 2,721 2,247	{ 3,127 2,651	{ 36 37	{ 14 23	{ 15 21	{ 12 17	{ 12 28	{ 13 27	{ 24 29	{ 21 28	{ 28 35	{ 42 46	{ 37 53	{ 84 73	{ 906 1,054
5. Old age.....	{ M.. 1,089 F.. 1,551														{ 17 20	{ 1,072 1,531

TABLE 16.—DEATHS IN THE STATE OF NEW JERSEY FROM EACH SPECIFIED DISEASE AND CLASS OF DISEASES, WITH DISTINCTION OF AGE AND SEX, DURING THE 6 YEARS ENDING MAY 31, 1890—Continued.

AGGREGATE—Continued.

CAUSE OF DEATH.	All ages.	Under 1 year.	Total under 5 years.	5 to 10	10 to 15	15 to 20	20 to 25	25 to 30	30 to 35	35 to 40	40 to 45	45 to 50	50 to 55	55 to 60	60 to 65	65 and over and un-known.
I.—General diseases—Continued.																
General diseases—D.....	27,281	1,389	2,508	375	440	1,606	2,795	2,991	2,402	2,259	1,941	1,893	1,640	1,428	1,413	3,590
Males.....	13,554	762	1,362	179	178	629	1,358	1,509	1,212	1,160	970	998	815	725	735	1,724
Females.....	13,727	627	1,146	196	262	977	1,437	1,482	1,190	1,099	971	895	825	703	678	1,866
1. Rheumatism.....	{M.. 314 F.. 313}	{5 4}	{15 7}	{12 17}	{24 14}	{15 14}	{10 9}	{16 12}	{15 10}	{23 15}	{15 15}	{22 16}	{18 27}	{26 24}	{25 27}	{78 109}
2. Scrofula and tabes.....	{M.. 219 F.. 196}	{96 89}	{135 122}	{6 3}	{10 9}	{4 8}	{7 5}	{9 7}	{3 5}	{4 3}	{7 12}	{5 2}	{1 3}	{9 6}	{4 3}	{15 8}
3. Leprosy.....	{M.. 1 F..}											{1 }				
4. Consumption.....	{M.. 10,000 F.. 9,275}	{198 165}	{381 336}	{77 100}	{103 198}	{556 910}	{1,304 1,376}	{1,427 1,383}	{1,185 1,063}	{1,042 906}	{835 676}	{812 561}	{586 427}	{476 336}	{439 292}	{827 711}
5. Hydrocephalus.....	{M.. 858 F.. 656}	{395 304}	{713 559}	{74 42}	{18 11}	{11 1}	{4 4}	{11 3}	{4 3}	{9 2}	{2 2}	{5 2}	{9 5}	{3 3}	{2 5}	{13 12}
6. Cancer.....	{M.. 1,158 F.. 2,033}	{4 2}	{10 8}	{1 2}	{1 1}	{10 7}	{11 15}	{12 27}	{26 55}	{37 119}	{77 193}	{92 250}	{128 267}	{138 245}	{176 255}	{439 589}
7. Tumor.....	{M.. 104 F.. 188}	{4 4}	{7 5}	{3 1}	{2 1}	{2 3}	{3 6}	{2 9}	{5 5}	{9 11}	{3 14}	{16 16}	{8 22}	{10 17}	{11 21}	{23 57}
8. Anæmia.....	{M.. 117 F.. 160}	{21 23}	{36 30}	{4 5}	{1 3}	{3 12}	{2 8}	{4 14}	{3 9}	{5 7}	{3 11}	{12 8}	{8 7}	{7 6}	{5 6}	{24 34}
9. Dropsy.....	{M.. 506 F.. 657}	{19 17}	{33 41}	{18 16}	{12 18}	{12 14}	{9 7}	{17 11}	{17 17}	{7 29}	{17 35}	{18 33}	{14 46}	{29 45}	{47 55}	{238 290}
10. Diabetes.....	{M.. 232 F.. 205}	{6 6}	{11 11}	{2 7}	{7 7}	{15 5}	{6 7}	{11 16}	{13 21}	{14 9}	{8 11}	{18 6}	{19 18}	{25 20}	{22 14}	{61 53}
11. Others of this group.....	{M.. 45 F.. 42}	{14 13}	{21 26}	{2 3}		{1 3}	{2 }		{1 2}		{2 1}	{1 1}	{3 3}	{2 1}	{4 }	{6 2}
12. Others of this class.....	{M.. F.. 2}		{1 }													{1 }
II.—Diseases of the nervous system.....	23,661	6,999	10,728	634	355	306	312	364	456	540	583	693	834	929	1,191	5,736
Males.....	12,649	3,942	5,864	312	193	157	169	192	269	311	315	374	435	492	639	2,927
Females.....	11,012	3,057	4,864	322	162	149	143	172	187	229	268	319	399	437	552	2,809
1. Inflammation of the brain.....	{M.. 2,608 F.. 2,059}	{925 698}	{1,734 1,403}	{164 152}	{81 68}	{45 45}	{55 42}	{50 44}	{70 32}	{54 39}	{62 31}	{60 39}	{46 31}	{49 22}	{43 23}	{95 88}
2. Apoplexy.....	{M.. 2,228 F.. 2,093}	{17 20}	{29 36}	{4 4}	{6 8}	{12 10}	{15 8}	{34 19}	{44 38}	{88 47}	{92 97}	{120 120}	{154 183}	{208 210}	{280 244}	{1,142 1,069}
3. Paralysis.....	{M.. 1,812 F.. 1,847}	{23 23}	{57 60}	{14 16}	{13 15}	{11 13}	{16 12}	{22 25}	{23 30}	{41 34}	{54 51}	{67 75}	{81 100}	{121 105}	{170 174}	{1,117 1,137}
4. Tetanus and trismus nas-centium.....	{M.. 328 F.. 184}	{173 120}	{190 139}	{12 7}	{25 2}	{21 5}	{11 2}	{7 2}	{11 7}	{6 5}	{5 5}	{15 6}	{8 1}	{3 2}	{6 }	{8 4}
5. Epilepsy.....	{M.. 221 F.. 162}	{9 3}	{20 9}	{2 6}	{11 9}	{23 17}	{28 12}	{17 14}	{19 16}	{24 20}	{13 10}	{11 9}	{11 8}	{7 7}	{7 3}	{28 22}
6. Convulsions.....	{M.. 3,229 F.. 2,764}	{2,303 1,790}	{3,034 2,524}	{67 82}	{17 23}	{10 16}	{11 12}	{12 14}	{13 21}	{7 13}	{8 9}	{8 6}	{8 5}	{9 2}	{6 10}	{19 17}
7. Mental diseases.....	{M.. 200 F.. 226}				{1 2}	{6 3}	{8 9}	{9 14}	{20 13}	{15 21}	{18 21}	{17 14}	{25 17}	{12 23}	{14 20}	{55 69}
8. Diseases of the brain.....	{M.. 1,803 F.. 1,492}	{474 391}	{770 667}	{48 44}	{37 34}	{24 20}	{20 26}	{32 29}	{54 22}	{63 45}	{52 36}	{62 38}	{78 40}	{72 52}	{87 65}	{404 364}
9. Diseases of the spinal cord.....	{M.. 175 F.. 121}	{16 10}	{25 24}	{1 7}	{2 1}	{4 5}	{4 5}	{6 7}	{9 5}	{11 5}	{10 6}	{12 8}	{19 10}	{7 12}	{23 8}	{42 18}
10. Others of this class.....	{M.. 45 F.. 64}	{2 2}	{5 2}			{1 4}	{1 5}	{3 3}	{1 3}	{2 3}	{1 2}	{2 4}	{5 4}	{4 2}	{3 5}	{17 21}
III.—Diseases of the circulatory system.....	9,321	988	1,156	182	259	262	222	282	303	414	447	538	644	650	773	3,189
Males.....	4,845	555	648	95	113	124	116	122	140	198	249	277	345	322	406	1,690
Females.....	4,476	433	508	87	146	138	106	160	163	216	198	261	299	328	367	1,499
1. Angina pectoris.....	{M.. 287 F.. 212}			{2 3}	{3 3}	{1 1}	{1 2}	{5 6}	{3 7}	{8 12}	{21 13}	{27 18}	{18 19}	{28 15}	{37 19}	{133 94}
2. Aneurism.....	{M.. 71 F.. 44}					{1 1}	{1 }		{3 5}	{9 4}	{5 8}	{10 1}	{11 1}	{7 1}	{1 4}	{23 13}
3. Diseases of the heart.....	{M.. 4,055 F.. 3,874}	{191 164}	{269 228}	{92 81}	{110 142}	{121 132}	{110 100}	{115 146}	{129 146}	{179 196}	{221 178}	{239 230}	{314 275}	{284 307}	{364 339}	{1,508 1,374}
4. Others of this class.....	{M.. 432 F.. 346}	{364 269}	{379 280}	{1 1}		{1 4}	{4 4}	{2 7}	{5 5}	{2 4}	{2 3}	{1 5}	{2 4}	{3 5}	{4 5}	{26 18}

TABLE 16.—DEATHS IN THE STATE OF NEW JERSEY FROM EACH SPECIFIED DISEASE AND CLASS OF DISEASES, WITH DISTINCTION OF AGE AND SEX, DURING THE 6 YEARS ENDING MAY 31, 1890—Continued.

AGGREGATE—Continued.

CAUSE OF DEATH.	All ages.	Under 1 year.	Total under 5 years.	5 to 10	10 to 15	15 to 20	20 to 25	25 to 30	30 to 35	35 to 40	40 to 45	45 to 50	50 to 55	55 to 60	60 to 65	65 and over and un-known.
IV.—Diseases of the respiratory system.	22,652	4,829	10,705	1,221	324	423	494	583	559	653	702	727	797	795	892	3,777
Males	12,003	2,672	5,783	657	133	204	300	334	309	330	421	458	438	430	460	1,691
Females	10,649	2,157	4,922	564	186	219	194	249	250	273	281	269	359	365	432	2,086
1. Croup	M.. 1,682 F.. 1,421	190 146	1,316 1,094	304 262	28 28	6 4	5 3	1 2	1 1	1 2	2 2	2 2	6 4	1 4	5	9 10
2. Laryngitis	M.. 342 F.. 290	42 32	210 190	50 40	9 13	3 6	6 5	5 7	6 4	11 6	7 5	4 3	9 2	3 2	3 2	16 5
3. Bronchitis	M.. 2,697 F.. 2,639	1,132 959	1,731 1,496	81 54	12 15	16 33	29 24	21 35	22 33	30 29	41 34	48 41	62 53	64 71	97 93	443 623
4. Pneumonia	M.. 6,001 F.. 5,165	951 732	2,025 1,707	189 176	72 112	150 144	225 137	263 170	247 182	288 207	321 207	334 197	310 247	303 238	293 279	981 1,162
5. Pleurisy	M.. 180 F.. 161	5 7	23 20	2 6	3 5	6 6	13 7	15 10	13 9	12 9	8 5	11 4	9 7	5 8	18 12	42 53
6. Asthma	M.. 111 F.. 97	9 3	11 3	1 3	1 1	1		4	1	7	5	12	10	7	9	44 57
7. Others of this class	M.. 990 F.. 876	343 278	467 412	30 23	14 12	23 25	22 18	25 25	19 21	31 22	37 26	47 18	32 33	47 32	40 33	156 176
V.—Diseases of the digestive system.	6,510	1,028	1,462	167	188	217	240	315	271	341	368	359	407	415	441	1,319
Males	3,272	595	834	93	100	113	100	123	107	141	169	185	195	225	236	646
Females	3,238	433	628	74	88	104	140	187	164	200	199	174	212	190	205	673
1. Dentition	M.. 119 F.. 107	72 55	119 107													
2. Angina	M.. 82 F.. 66	18 14	58 36	12 12	3 7	1 2			2					1 1	2 1	2 3
3. Diseases of the stomach	M.. 599 F.. 690	129 123	179 177	9 21	7 12	10 17	16 14	17 27	12 21	27 41	23 23	26 28	35 50	44 29	35 41	159 183
4. Obstruction of the bowels	M.. 204 F.. 207	48 31	58 42	5 8	4 8	9 5	7 7	11 10	8 10	7 8	10 11	10 10	12 15	11 15	13 19	39 47
5. Hernia	M.. 142 F.. 114	18 11	21 1	1		5 1	4 1	5 3	6 1	5 8	2 9	11 14	10 12	16 10	15 11	41 43
6. Other diseases of the bowels	M.. 34 F.. 32	9 6	10 6	1	1	1	2	2	2	4	2		1 3	2 2	1 1	8 7
7. Jaundice	M.. 113 F.. 84	70 36	72 40	2	1			3		2		2	1	4	6	20 19
8. Inflammation and abscess of the liver	M.. 231 F.. 192	10 4	15 10	8 3	4 4	3	6	8	13	11	16	19	19	17	25	67 57
9. Other diseases of the liver	M.. 749 F.. 515	18 15	32 17	6 2	6 3	4 4	10 5	16 16	21 27	41 35	71 49	80 51	81 47	96 61	92 56	193 142
10. Peritonitis	M.. 737 F.. 1,001	63 47	115 76	46 32	70 49	75 66	46 106	61 120	41 93	37 90	39 67	34 50	32 44	26 48	35 40	90 120
11. Ascites	M.. 14 F.. 26	1 1	1		1	2			1	2	1	1	1	2	2	5 11
12. Others of this class	M.. 248 F.. 204	135 101	154 115	4 3	5 3	4 6	9 1	5 2	7 4	7 7	5 6	3 3	2 4	5 5	11 9	32 36
VI.—Diseases of the urinary system and male organs of generation.	5,322	92	295	159	90	123	183	225	272	326	350	396	397	423	465	1,628
Males	3,113	56	167	76	50	52	82	105	135	156	205	229	219	243	285	1,109
Females	2,219	36	128	83	40	71	101	120	137	170	145	167	178	180	180	519
1. Bright's disease	M.. 1,548 F.. 1,168			29 32	22 23	30 39	46 50	55 60	87 79	85 95	122 81	146 94	135 95	160 112	141 112	490 296
2. Calculus, urinary	M.. 5 F.. 1							1					1			5
3. Diseases of the kidney	M.. 1,005 F.. 829	45 29	153 115	44 42	23 14	17 26	33 36	37 43	42 44	59 55	72 53	61 55	62 66	55 59	31 54	266 167
4. Diseases of the bladder	M.. 381 F.. 64	6 1	7 1	1	1	3	1	5	1	4	1	11	13	17	44	272
5. Others of this class	M.. 173 F.. 153	5 5	7 11	2 9	4 3	2 4	2 12	8 12	5 12	8 14	5 11	8 12	11 10	8 7	19 8	76 28
VII.—Diseases of the female organs of generation.	225	1	2			9	22	21	21	26	26	22	20	7	15	34
1. Ovarian tumors	57						4	2	1	4	8	7	5	4	9	13
2. Ovarian diseases	11							1	2				1		4	
3. Uterine tumors	19							1	2	3	2	3	1	2	5	
4. Uterine diseases	84					1	14	11	9	9	9	5	5	4	9	
5. Others of this class	54	1	2			8	4	7	6	11	3	4	6		3	
VIII.—Affections connected with pregnancy.	1,048				3	63	269	280	184	172	56	8	1	4		8
1. Abortion	31					1	3	9	8	6	4					
2. Childbirth	209				1	10	32	53	53	41	15					4
3. Puerperal septicemia	747				2	44	213	204	117	118	35	7		4		3
4. Extra-uterine pregnancy																
5. Others of this class	61					8	21	14	6	7	2	1	1			1

STATISTICS OF DEATHS.

773

TABLE 16.—DEATHS IN THE STATE OF NEW JERSEY FROM EACH SPECIFIED DISEASE AND CLASS OF DISEASES, WITH DISTINCTION OF AGE AND SEX, DURING THE 6 YEARS ENDING MAY 31, 1890—Continued.

AGGREGATE—Continued.

CAUSE OF DEATH.	All ages.	Under 1 year.	Total under 5 years.	5 to 10	10 to 15	15 to 20	20 to 25	25 to 30	30 to 35	35 to 40	40 to 45	45 to 50	50 to 55	55 to 60	60 to 65	65 and over and unknown.
IX.—Diseases of the bones and joints.....	201	10	25	19	28	20	16	11	12	14	8	13	5	8	5	17
Males.....	109	6	15	12	19	8	11	6	5	7	3	6	4	4	2	7
Females.....	92	4	10	7	9	12	5	5	7	7	5	7	1	4	3	10
1. Diseases of the spine..... {M.....	57	3	8	9	6	6	3	4	4	2	1	1	1	2		2
{F.....	51	4	8	4	9	5	3	3	5	3	3	4	1	2	2	2
2. Diseases of the bones..... {M.....	29	2	2		6		4	1	1	1	1	3	2	2	1	5
{F.....	16		1	1	1	3			1	3	1			1	1	3
3. Diseases of the hip joint..... {M.....	18		3	3	4	2	1	2		1		1	1			3
{F.....	22		1	2	2	4	2	2	1		1	3		1		
4. Others of this class..... {M.....	5	1	2							1		1			1	
{F.....	3									1						2
X.—Diseases of the skin.....	301	60	88	8	7	16	10	17	9	12	12	18	20	19	15	50
Males.....	169	33	47	7	4	6	4	9	5	3	5	12	9	15	12	31
Females.....	132	27	41	1	3	10	6	8	4	9	7	6	11	4	3	19
1. Abscess..... {M.....	124	24	37	6	4	3	3	8	2	1	5	10	7	11	7	20
{F.....	91	14	27	1	3	9	6	7	2	7	7	5	5	2	2	8
2. Carbuncle..... {M.....	26	1	1			1	1		3	1		2	2	4	5	6
{F.....	17	1	2			1	1	1				1	6	2		4
3. Others of this class..... {M.....	19	8	9	1		2		1		1					1	5
{F.....	24	12	12						2	2						7
XI.—Diseases of the absorbent system.....	41		3	2	1	1	1	4	4		7	2	3		4	9
Males.....	21		2		1		1	1	1		5	2	2		1	5
Females.....	20		1	2		1		3	3		2	1	1		3	4
1. Addison's disease..... {M.....	12					1	1		1		5	2	2			1
{F.....	8		1					2	2			1			1	
2. Diseases of the spleen..... {M.....	4			1				1			1					3
{F.....	4															2
3. Others of this class..... {M.....	5		2		1										1	1
{F.....	8			1				1	1		1			2	2	
XII.—Accidents and injuries.....	7,141	520	958	332	351	402	607	592	462	548	491	462	402	296	284	954
Males.....	5,503	298	559	256	291	327	524	508	395	464	425	393	324	245	209	673
Females.....	1,548	222	399	76	60	75	83	84	67	84	66	69	78	51	75	281
1. Burns and scalds..... {M.....	260	13	134	19	3	14	13	19	9	6	10	9	3	3	6	12
{F.....	236	6	97	27	7	9	10	10	9	7	10	7	8	6	6	23
2. Drowned..... {M.....	1,095	7	60	132	132	98	108	98	60	68	66	61	49	26	20	117
{F.....	171	6	29	14	22	26	20	5	5	6	10	2	8	4	5	15
3. Exposure and neglect..... {M.....	47	4	6			1	2	1	1	7	5	5	1	3	2	13
{F.....	13	5	5					1	1	1	1	1	1	1		3
4. Gunshot wounds..... {M.....	142		1	6	15	18	16	18	11	14	15	7	6	4	2	9
{F.....	14		2		1	2	1	1	2	2	1					2
5. Homicide..... {M.....	52	1	3		4	3	4	5	7	7	4	5	5	5	1	4
{F.....	30	1	2			2	2	2	1	3		4	2	2	6	4
6. Infanticide..... {M.....	3	3	3													
{F.....	1	1	1													
7. Injuries by machinery..... {M.....	15			1	2	1	3	1	3	1	1	1				1
{F.....																
8. Railroad accidents..... {M.....	1,399	4	14	26	65	97	198	189	125	148	104	91	76	50	53	163
{F.....	112		8	7	6	2	11	15	6	10	4	10	5	3	8	17
9. Suffocation..... {M.....	272	170	183	4	4	2	10	7	4	8	9	3	8	4	10	16
{F.....	161	115	125	3	2	3	7	1	3	2	2	1	1	4	1	7
10. Suicide by shooting..... {M.....	148					4	11	10	24	23	13	10	18	11	10	14
{F.....	8					1	2	2	1		1				1	1
11. Suicide by drowning..... {M.....	22					1	2	1	4	6	1		1	2	1	5
{F.....	10						1	1	1	1					2	1
12. Suicide by poison..... {M.....	89		3	2		4	9	8	7	4	7	11	13	4	5	12
{F.....	42					3	5	6	6	2	5	4	5	1	1	4
13. Other suicides..... {M.....	253					9	16	11	15	21	31	33	31	23	17	46
{F.....	46					2	4	3	5	4	6	5	8	1	3	5
14. Sunstroke..... {M.....	140	3	4	5	1	1	14	15	13	17	18	24	6	9	3	10
{F.....	29	5	6	3	1	1	1	2		3		2	5	2	3	
15. Surgical operations..... {M.....	10				1	1	1			1			1	2		3
{F.....	11							2	1		3	1				3
16. Wounds..... {M.....	151	1	5	7	6	9	15	18	6	7	16	17	8	8	9	20
{F.....	28	1	9	1	2	1	1		1	1		2	2	1	1	6
17. Other accidents and injuries..... {M.....	1,495	92	143	54	58	65	108	107	106	126	125	116	103	91	70	228
{F.....	636	82	115	21	19	22	17	33	25	43	24	32	36	23	40	187

TABLE 16.—DEATHS IN THE STATE OF NEW JERSEY FROM EACH SPECIFIED DISEASE AND CLASS OF DISEASES, WITH DISTINCTION OF AGE AND SEX, DURING THE 6 YEARS ENDING MAY 31, 1890—Continued.

WHITE.

CAUSE OF DEATH.	All ages.	Under 1 year.	Total under 5 years.	5 to 10	10 to 15	15 to 20	20 to 25	25 to 30	30 to 35	35 to 40	40 to 45	45 to 50	50 to 55	55 to 60	60 to 65	65 and over and un-known.
All causes.....	158,101	45,396	65,841	5,972	3,130	4,344	5,982	6,436	5,490	5,881	5,500	5,620	5,685	5,459	6,171	26,590
Males.....	84,255	25,553	36,184	3,047	1,573	2,059	3,113	3,325	2,923	3,107	3,054	3,191	3,078	2,944	3,327	13,330
Females.....	73,846	19,843	29,657	2,925	1,557	2,285	2,869	3,111	2,567	2,774	2,446	2,429	2,607	2,515	2,844	13,260
Unknown causes.....	588	158	197	12	11	10	14	20	20	30	17	20	27	19	36	155
Males.....	326	82	104	6	6	4	3	10	14	13	10	13	17	11	22	98
Females.....	262	76	93	6	5	6	11	16	6	17	7	7	10	8	14	62
I.—General diseases:																
General diseases—A.....	31,187	10,447	18,441	2,385	1,141	1,023	967	829	596	599	539	525	496	463	536	2,147
Males.....	15,999	5,629	9,663	1,373	519	485	520	449	351	289	286	251	267	237	254	1,055
Females.....	15,188	4,818	8,778	1,012	622	538	447	380	245	310	253	274	229	223	282	1,092
1. Smallpox.....	{ M. 12 F. 6	{ 1 2	{ 6 3	{ 1	{ 	{ 	{ 2 1	{ 	{ 1 	{ 	{ 	{ 1 	{ 	{ 1 	{ 	{ 1
2. Measles.....	{ M. 275 F. 310	{ 64 73	{ 239 251	{ 20 27	{ 4 7	{ 3 6	{ 2 3	{ 3 2	{ 2 2	{ 2 5	{ 2	{ 1	{ 	{ 2 	{ 	{ 2
3. Scarlet fever.....	{ M. 1,095 F. 1,146	{ 73 67	{ 680 697	{ 270 301	{ 91 80	{ 21 26	{ 11 16	{ 5 8	{ 3 5	{ 3 4	{ 2 2	{ 	{ 1 	{ 1 	{ 	{ 5 3
4. Diphtheria.....	{ M. 2,773 F. 2,871	{ 177 140	{ 1,729 1,594	{ 744 877	{ 180 261	{ 58 62	{ 20 20	{ 13 9	{ 5 7	{ 6 9	{ 3 1	{ 4	{ 2 5	{ 4 5	{ 2 4	{ 7 13
5. Whooping cough.....	{ M. 452 F. 581	{ 285 304	{ 435 549	{ 15 22	{ 1 6	{ 	{ 	{ 	{ 1 	{ 1	{ 	{ 1 	{ 	{ 	{ 	{ 2
6. Fever.....	{ M. 6 F. 5	{ 1 1	{ 2 2	{ 1 	{ 	{ 1 	{ 1 1	{ 	{ 	{ 	{ 	{ 	{ 	{ 	{ 	{
7. Cerebro-spinal fever.....	{ M. 373 F. 256	{ 86 68	{ 186 137	{ 41 26	{ 18 20	{ 23 12	{ 12 12	{ 10 6	{ 11 7	{ 5 10	{ 7 5	{ 15 7	{ 11 4	{ 5 6	{ 11 5	{ 13 4
8. Typhoid fever.....	{ M. 2,115 F. 1,688	{ 19 15	{ 111 88	{ 93 76	{ 115 141	{ 269 308	{ 357 238	{ 301 179	{ 191 95	{ 130 109	{ 114 91	{ 84 83	{ 87 58	{ 59 42	{ 54 57	{ 150 128
9. Diarrheal diseases.....	{ M. 3,623 F. 2,560	{ 1,698 1,418	{ 2,264 1,977	{ 106 109	{ 55 61	{ 40 50	{ 46 48	{ 52 65	{ 54 50	{ 67 74	{ 80 84	{ 72 108	{ 85 98	{ 94 99	{ 107 134	{ 501 603
10. Cholera infantum.....	{ M. 3,652 F. 3,132	{ 3,000 2,528	{ 3,644 3,128	{ 	{ 	{ 	{ 	{ 	{ 	{ 	{ 	{ 	{ 	{ 	{ 	{ 8 4
11. Malarial fever.....	{ M. 769 F. 848	{ 69 62	{ 160 159	{ 56 49	{ 35 32	{ 44 55	{ 46 48	{ 39 61	{ 46 39	{ 47 37	{ 33 33	{ 29 32	{ 40 31	{ 29 42	{ 33 42	{ 136 178
12. Erysipelas.....	{ M. 288 F. 236	{ 82 74	{ 100 91	{ 5 3	{ 1 6	{ 9 6	{ 6 11	{ 7 1	{ 11 4	{ 11 8	{ 8 10	{ 21 13	{ 12 11	{ 15 9	{ 7 8	{ 75 55
13. Septicæmia.....	{ M. 303 F. 351	{ 28 23	{ 51 47	{ 15 16	{ 14 6	{ 13 9	{ 13 46	{ 14 44	{ 18 26	{ 18 26	{ 22 19	{ 18 17	{ 22 22	{ 19 16	{ 27 12	{ 39 29
14. Venereal diseases.....	{ M. 64 F. 51	{ 37 33	{ 41 36	{ 	{ 	{ 1 1	{ 1 1	{ 4 2	{ 3 4	{ 4 2	{ 1 2	{ 3 	{ 1	{ 1 	{ 2 2	{ 3
15. Others of this group.....	{ M. 199 F. 147	{ 9 10	{ 15 19	{ 7 5	{ 5 2	{ 3 3	{ 3 3	{ 1 3	{ 5 5	{ 1 3	{ 8 4	{ 7 6	{ 7 4	{ 9 4	{ 11 16	{ 117 71
General diseases—B.....	2,332	1,563	1,676	27	7	14	34	45	56	84	78	74	64	48	46	129
Males.....	1,409	866	925	18	4	8	18	29	43	68	58	58	43	31	28	73
Females.....	973	697	751	9	3	6	16	16	13	16	20	16	21	17	18	51
1. Parasitic diseases.....	{ M. 3 F. 4	{ 	{ 1 1	{ 1 2	{ 1 	{ 1	{ 	{ 	{ 	{ 	{ 	{ 	{ 	{ 	{ 	{
2. Alcoholism.....	{ M. 325 F. 81	{ 4 1	{ 7 1	{ 	{ 	{ 1 1	{ 10 2	{ 21 7	{ 36 9	{ 57 10	{ 50 17	{ 47 9	{ 30 12	{ 25 3	{ 15 4	{ 26 6
3. Lead poison.....	{ M. 7 F. 3	{ 	{ 	{ 	{ 1 	{ 	{ 1 	{ 3 	{ 	{ 1 1	{ 	{ 1 	{ 	{ 	{ 1 	{ 1
4. Other poisons.....	{ M. 135 F. 90	{ 22 14	{ 41 30	{ 9 1	{ 2 2	{ 5 4	{ 4 11	{ 5 6	{ 5 3	{ 8 4	{ 6 3	{ 10 2	{ 9 5	{ 6 7	{ 7 4	{ 18 8
5. Inanition.....	{ M. 939 F. 795	{ 840 682	{ 876 719	{ 8 6	{ 1	{ 2 	{ 4 2	{ 4 3	{ 2 1	{ 2 1	{ 2 	{ 1 4	{ 4 4	{ 7	{ 5 10	{ 33 37
General diseases—C.....	23,846	17,916	18,673	73	36	37	29	40	37	52	49	59	86	87	187	4,401
Males.....	13,022	10,891	10,772	35	12	16	13	12	13	23	21	27	40	36	90	1,903
Females.....	10,824	7,025	7,901	38	24	21	16	28	24	29	28	32	46	51	88	2,498
1. Premature birth.....	{ M. 1,652 F. 1,260	{ 1,651 1,258	{ 1,652 1,260	{ 	{ 	{ 	{ 	{ 	{ 	{ 	{ 	{ 	{ 	{ 	{ 	{
2. Stillborn.....	{ M. 5,972 F. 4,005	{ 5,972 4,005	{ 5,972 4,005	{ 	{ 	{ 	{ 	{ 	{ 	{ 	{ 	{ 	{ 	{ 	{ 	{
3. Malformation.....	{ M. 146 F. 118	{ 137 106	{ 140 109	{ 5	{ 1 	{ 2 	{ 1 	{ 	{ 	{ 1 	{ 	{ 	{ 1 	{ 	{ 	{ 1 2
4. Debility and atrophy.....	{ M. 4,214 F. 3,951	{ 2,631 2,156	{ 3,008 2,527	{ 35 33	{ 12 23	{ 14 21	{ 12 16	{ 12 28	{ 13 24	{ 23 28	{ 20 28	{ 27 32	{ 39 46	{ 36 51	{ 82 68	{ 881 1,026
5. Old age.....	{ M. 1,038 F. 1,490	{ 	{ 	{ 	{ 	{ 	{ 	{ 	{ 	{ 	{ 	{ 	{ 	{ 	{ 17 20	{ 1,021 1,470

STATISTICS OF DEATHS.

775

TABLE 16.—DEATHS IN THE STATE OF NEW JERSEY FROM EACH SPECIFIED DISEASE AND CLASS OF DISEASES, WITH DISTINCTION OF AGE AND SEX, DURING THE 6 YEARS ENDING MAY 31, 1890—Continued.

WHITE—Continued.

CAUSE OF DEATH.	All ages.	Under 1 year.	Total under 5 years.	5 to 10	10 to 15	15 to 20	20 to 25	25 to 30	30 to 35	35 to 40	40 to 45	45 to 50	50 to 55	55 to 60	60 to 65	65 and over and unknown.
I.—General diseases—Continued.																
General diseases—D.....	26,108	1,333	2,386	332	392	1,496	2,644	2,880	2,292	2,175	1,866	1,825	1,585	1,384	1,387	3,464
Males.....	13,000	738	1,306	158	161	590	1,287	1,453	1,168	1,111	935	967	792	698	719	1,655
Females.....	13,108	595	1,080	174	231	906	1,357	1,427	1,124	1,064	931	858	793	686	668	1,809
1. Rheumatism.....	{ M 305 F 301	{ 5 4	{ 15 7	{ 11 17	{ 24 13	{ 15 13	{ 9 9	{ 16 12	{ 15 10	{ 22 12	{ 15 15	{ 20 15	{ 18 25	{ 25 21	{ 25 27	{ 75 105
2. Scrofula and tabes.....	{ M 200 F 181	{ 92 83	{ 128 111	{ 4 2	{ 6 9	{ 3 8	{ 7 4	{ 7 7	{ 3 5	{ 3 3	{ 7 11	{ 5 2	{ 1 2	{ 9 6	{ 3 3	{ 14 8
3. Leprosy.....	{ M 1 F 1											1				
4. Consumption.....	{ M 9,563 F 8,801	{ 188 151	{ 354 300	{ 61 80	{ 92 172	{ 518 842	{ 1,236 1,298	{ 1,874 1,331	{ 1,095 1,001	{ 997 881	{ 805 642	{ 788 538	{ 568 411	{ 460 330	{ 429 288	{ 786 687
5. Hydrocephalus.....	{ M 840 F 640	{ 387 297	{ 698 545	{ 53 42	{ 18 11	{ 11 1	{ 4 4	{ 11 3	{ 3 2	{ 9 2	{ 2 4	{ 4 2	{ 9 5	{ 3 3	{ 2 5	{ 13 11
6. Cancer.....	{ M 1,139 F 1,995	{ 4 2	{ 9 8	{ 1 2	{ 1 1	{ 10 7	{ 11 14	{ 12 25	{ 25 54	{ 37 116	{ 74 191	{ 91 241	{ 126 260	{ 135 242	{ 173 253	{ 434 581
7. Tumor.....	{ M 102 F 176	{ 4 4	{ 7 5	{ 3 1	{ 2 2	{ 2 2	{ 3 6	{ 2 9	{ 4 5	{ 9 10	{ 3 14	{ 16 14	{ 8 18	{ 10 17	{ 11 21	{ 22 53
8. Anæmia.....	{ M 113 F 152	{ 20 21	{ 33 28	{ 4 5	{ 1 3	{ 3 11	{ 2 8	{ 4 13	{ 3 9	{ 4 7	{ 3 11	{ 12 7	{ 8 7	{ 7 6	{ 5 5	{ 24 32
9. Dropsy.....	{ M 469 F 618	{ 19 15	{ 33 39	{ 17 15	{ 12 14	{ 12 14	{ 7 7	{ 16 11	{ 7 16	{ 16 24	{ 16 32	{ 12 32	{ 33 44	{ 22 42	{ 45 52	{ 221 276
10. Diabetes.....	{ M 226 F 201	{ 6 6	{ 11 11	{ 2 7	{ 5 7	{ 15 5	{ 6 7	{ 11 16	{ 12 20	{ 14 8	{ 8 11	{ 17 6	{ 18 18	{ 25 18	{ 22 14	{ 60 53
11. Others of this group.....	{ M 42 F 41	{ 13 12	{ 18 25	{ 2 3		{ 1 3	{ 2 2		{ 1 2		{ 2 1	{ 1 1	{ 3 3	{ 2 1	{ 4 1	{ 6 2
12. Others of this class.....	{ M 1 F 1		1													1
II.—Diseases of the nervous system.																
	22,938	6,732	10,302	613	339	293	295	355	449	527	569	663	807	911	1,162	5,593
Males.....	12,282	3,806	5,669	300	182	149	164	189	263	304	309	362	421	481	623	2,861
Females.....	10,656	2,946	4,633	313	157	144	131	166	186	223	260	301	386	430	534	2,732
1. Inflammation of the brain.....	{ M 2,540 F 2,016	{ 901 686	{ 1,694 1,377	{ 156 143	{ 77 65	{ 42 44	{ 54 39	{ 50 42	{ 69 32	{ 53 38	{ 61 30	{ 57 38	{ 45 30	{ 48 22	{ 43 23	{ 91 83
2. Apoplexy.....	{ M 2,176 F 2,019	{ 16 20	{ 27 36	{ 4 4	{ 6 8	{ 12 10	{ 14 7	{ 31 18	{ 42 38	{ 86 44	{ 91 92	{ 117 110	{ 146 179	{ 203 207	{ 275 236	{ 1,122 1,030
3. Paralysis.....	{ M 1,765 F 1,792	{ 23 23	{ 56 59	{ 14 16	{ 12 15	{ 11 11	{ 16 10	{ 22 24	{ 26 29	{ 39 33	{ 52 49	{ 64 70	{ 80 80	{ 118 101	{ 170 167	{ 1,085 1,115
4. Tetanus and trismus nascentium.....	{ M 313 F 177	{ 166 115	{ 183 134	{ 12 7	{ 22 2	{ 20 5	{ 10 2	{ 7 1	{ 10 7	{ 6 2	{ 5 5	{ 13 6	{ 8 1	{ 3 2		{ 8 3
5. Epilepsy.....	{ M 215 F 157	{ 8 3	{ 18 8	{ 2 4	{ 11 9	{ 23 17	{ 27 12	{ 17 14	{ 19 16	{ 23 20	{ 13 10	{ 11 9	{ 10 8	{ 7 7	{ 7 7	{ 27 21
6. Convulsions.....	{ M 3,103 F 2,647	{ 2,214 1,711	{ 2,919 2,414	{ 64 70	{ 15 23	{ 9 15	{ 11 21	{ 12 14	{ 13 21	{ 7 13	{ 8 9	{ 8 5	{ 7 5	{ 8 2	{ 4 10	{ 18 16
7. Mental diseases.....	{ M 196 F 221				{ 1 3	{ 5 8	{ 8 8	{ 9 14	{ 20 13	{ 15 20	{ 18 21	{ 17 13	{ 24 17	{ 23 23	{ 12 20	{ 55 67
8. Diseases of the brain.....	{ M 1,757 F 1,446	{ 460 376	{ 742 639	{ 47 44	{ 36 32	{ 22 29	{ 19 23	{ 32 28	{ 54 22	{ 62 45	{ 50 36	{ 61 38	{ 78 39	{ 72 52	{ 85 63	{ 397 356
9. Diseases of the spinal cord.....	{ M 173 F 118	{ 16 10	{ 25 24	{ 1 7	{ 2 1	{ 4 5	{ 4 4	{ 6 7	{ 9 5	{ 11 5	{ 10 6	{ 12 8	{ 18 10	{ 7 12	{ 23 8	{ 41 16
10. Others of this class.....	{ M 44 F 63	{ 2 2	{ 5 2			{ 1 5	{ 1 5	{ 3 4	{ 1 3	{ 2 3	{ 1 2	{ 5 4	{ 5 4	{ 3 2	{ 3 5	{ 17 20
III.—Diseases of the circulatory system.																
	8,976	962	1,125	178	249	256	213	270	286	379	423	509	617	625	744	3,102
Males.....	4,684	541	629	92	109	122	112	118	133	179	235	265	333	312	396	1,649
Females.....	4,292	421	496	86	140	134	101	152	153	200	188	244	284	313	348	1,453
1. Angina pectoris.....	{ M 285 F 208			{ 2 3	{ 3 3	{ 1 1	{ 1 2	{ 5 6	{ 3 7	{ 8 11	{ 21 13	{ 27 18	{ 18 18	{ 28 15	{ 36 18	{ 132 93
2. Aneurism.....	{ M 65 F 42			{ 2 2		{ 1 1		{ 1 1	{ 3 5	{ 8 4	{ 4 4	{ 9 6	{ 9 1	{ 7 1	{ 4 1	{ 23 13
3. Diseases of the heart.....	{ M 3,911 F 3,701	{ 183 157	{ 256 221	{ 89 80	{ 106 136	{ 120 128	{ 106 95	{ 111 138	{ 122 136	{ 162 181	{ 208 168	{ 228 215	{ 304 261	{ 274 292	{ 355 321	{ 1,470 1,329
4. Others of this class.....	{ M 423 F 341	{ 358 264	{ 373 275	{ 1 1		{ 1 4	{ 4 4	{ 2 7	{ 5 5	{ 1 4	{ 2 3	{ 1 5	{ 2 4	{ 3 5	{ 4 5	{ 24 12

TABLE 16.—DEATHS IN THE STATE OF NEW JERSEY FROM EACH SPECIFIED DISEASE AND CLASS OF DISEASES, WITH DISTINCTION OF AGE AND SEX, DURING THE 6 YEARS ENDING MAY 31, 1890—Continued.

WHITE—Continued.

CAUSE OF DEATH.	All ages.	Under 1 year.	Total under 5 years.	5 to 10	10 to 15	15 to 20	20 to 25	25 to 30	30 to 35	35 to 40	40 to 45	45 to 50	50 to 55	55 to 60	60 to 65	65 and over and un-known.
IV.—Diseases of the respiratory system.	21,849	4,616	10,229	1,133	806	405	474	569	546	632	679	700	772	775	878	3,701
Males	11,583	2,551	5,541	635	131	196	290	325	304	368	409	440	423	419	454	1,648
Females	10,266	2,065	4,688	548	175	209	184	244	242	264	270	260	349	356	424	2,053
1. Croup	M. 1,663 F. 1,403	M. 186 F. 142	M. 1,304 F. 1,080	M. 299 F. 259	M. 27 F. 28	M. 6 F. 4	M. 5 F. 2	M. 1 F. 2	M. 1 F. 1	M. 1 F. 1	M. 2 F. 2	M. 2 F. 2	M. 5 F. 4	M. 1 F. 4	M. 1 F. 5	M. 9 F. 10
2. Laryngitis	M. 339 F. 287	M. 41 F. 32	M. 208 F. 190	M. 50 F. 39	M. 8 F. 13	M. 3 F. 6	M. 6 F. 4	M. 5 F. 7	M. 6 F. 6	M. 11 F. 6	M. 7 F. 5	M. 4 F. 2	M. -9 F. 2	M. 3 F. 2	M. 3 F. 2	M. 16 F. 5
3. Bronchitis	M. 2,594 F. 2,523	M. 1,081 F. 925	M. 1,645 F. 1,406	M. 75 F. 51	M. 10 F. 15	M. 16 F. 31	M. 29 F. 23	M. 21 F. 33	M. 22 F. 31	M. 30 F. 29	M. 39 F. 33	M. 48 F. 41	M. 62 F. 58	M. 64 F. 70	M. 97 F. 91	M. 436 F. 611
4. Pneumonia	M. 5,762 F. 4,968	M. 902 F. 694	M. 1,910 F. 1,607	M. 181 F. 188	M. 70 F. 102	M. 144 F. 137	M. 217 F. 181	M. 255 F. 167	M. 243 F. 176	M. 278 F. 200	M. 312 F. 197	M. 320 F. 190	M. 298 F. 240	M. 294 F. 233	M. 290 F. 274	M. 950 F. 1,146
5. Pleurisy	M. 174 F. 156	M. 5 F. 6	M. 23 F. 18	M. 2 F. 6	M. 3 F. 5	M. 6 F. 6	M. 12 F. 7	M. 14 F. 10	M. 13 F. 9	M. 12 F. 9	M. 8 F. 5	M. 11 F. 4	M. 8 F. 6	M. 5 F. 7	M. 17 F. 12	M. 40 F. 52
6. Asthma	M. 106 F. 90	M. 8 F. 3	M. 9 F. 3	M. 1 F. 1	M. 1 F. 1	M. 1 F. 1	M. 1 F. 1	M. 4 F. 1	M. 1 F. 7	M. 5 F. 2	M. 10 F. 3	M. 10 F. 6	M. 7 F. 9	M. 9 F. 7	M. 43 F. 55	
7. Others of this class	M. 945 F. 839	M. 328 F. 263	M. 442 F. 384	M. 27 F. 22	M. 13 F. 11	M. 21 F. 24	M. 21 F. 17	M. 25 F. 25	M. 18 F. 21	M. 29 F. 20	M. 36 F. 26	M. 45 F. 18	M. 31 F. 33	M. 45 F. 31	M. 33 F. 33	M. 154 F. 174
V.—Diseases of the digestive system.	6,342	1,066	1,428	163	184	205	230	307	263	332	354	350	402	406	430	1,288
Males	3,185	582	813	90	97	111	97	123	104	137	161	181	193	219	232	627
Females	3,157	424	615	73	87	94	133	184	159	195	193	169	209	187	198	661
1. Dentition	M. 115 F. 104	M. 69 F. 53	M. 115 F. 104													
2. Angina	M. 82 F. 66	M. 18 F. 14	M. 58 F. 36	M. 12 F. 12	M. 3 F. 7	M. 1 F. 2	M. 2 F. 2	M. 1 F. 1	M. 2 F. 1	M. 1 F. 1	M. 1 F. 1	M. 1 F. 1	M. 1 F. 1	M. 2 F. 1	M. 1 F. 1	M. 2 F. 3
3. Diseases of the stomach	M. 585 F. 676	M. 126 F. 122	M. 175 F. 174	M. 9 F. 20	M. 7 F. 12	M. 10 F. 17	M. 15 F. 14	M. 17 F. 27	M. 11 F. 21	M. 27 F. 40	M. 22 F. 24	M. 26 F. 27	M. 35 F. 50	M. 43 F. 29	M. 34 F. 38	M. 154 F. 183
4. Obstruction of the bowels	M. 196 F. 199	M. 48 F. 29	M. 56 F. 40	M. 5 F. 7	M. 3 F. 7	M. 8 F. 4	M. 7 F. 7	M. 11 F. 8	M. 7 F. 10	M. 7 F. 8	M. 10 F. 11	M. 9 F. 9	M. 11 F. 15	M. 11 F. 15	M. 13 F. 18	M. 38 F. 47
5. Hernia	M. 136 F. 114	M. 17 F. 1	M. 20 F. 1			M. 5 F. 1	M. 4 F. 1	M. 4 F. 3	M. 6 F. 1	M. 5 F. 8	M. 1 F. 9	M. 10 F. 14	M. 10 F. 12	M. 16 F. 10	M. 15 F. 11	M. 40 F. 43
6. Other diseases of the bowels	M. 34 F. 31	M. 9 F. 5	M. 10 F. 5	M. 1 F. 1	M. 1 F. 1	M. 2 F. 1	M. 2 F. 2	M. 2 F. 2	M. 2 F. 2	M. 4 F. 2	M. 2 F. 2	M. 3 F. 3	M. 1 F. 5	M. 2 F. 2	M. 1 F. 1	M. 8 F. 7
7. Jaundice	M. 113 F. 83	M. 70 F. 35	M. 72 F. 39	M. 2 F. 1	M. 1 F. 1		M. 1 F. 1	M. 3 F. 1		M. 2 F. 2	M. 2 F. 4	M. 2 F. 1	M. 1 F. 8	M. 4 F. 1	M. 6 F. 8	M. 20 F. 19
8. Inflammation and abscess of the liver	M. 224 F. 189	M. 10 F. 4	M. 15 F. 10	M. 8 F. 3	M. 4 F. 4	M. 3 F. 3	M. 6 F. 1	M. 6 F. 6	M. 12 F. 7	M. -11 F. 7	M. 15 F. 22	M. 19 F. 13	M. 19 F. 25	M. 17 F. 17	M. 25 F. 18	M. 64 F. 56
9. Other diseases of the liver	M. 729 F. 509	M. 18 F. 15	M. 31 F. 16	M. 6 F. 2	M. 6 F. 3	M. 3 F. 4	M. 5 F. 9	M. 15 F. 16	M. 21 F. 35	M. 39 F. 47	M. 68 F. 51	M. 79 F. 47	M. 80 F. 47	M. 93 F. 60	M. 91 F. 54	M. 183 F. 142
10. Peritonitis	M. 719 F. 961	M. 66 F. 47	M. 112 F. 76	M. 44 F. 32	M. 69 F. 49	M. 75 F. 58	M. 45 F. 99	M. 60 F. 119	M. 41 F. 88	M. 36 F. 86	M. 37 F. 63	M. 33 F. 47	M. 32 F. 42	M. 25 F. 47	M. 33 F. 40	M. 77 F. 115
11. Ascites	M. 12 F. 24	M. 1 F. 1	M. 1 F. 1		M. 1 F. 1		M. 2 F. 1		M. -1 F. 2	M. 2 F. 4	M. 1 F. 1	M. 1 F. 1	M. 1 F. 1	M. 2 F. 1	M. 2 F. 2	M. 4 F. 10
12. Others of this class	M. 240 F. 201	M. 131 F. 99	M. 149 F. 113	M. 4 F. 3	M. 4 F. 3	M. 4 F. 6	M. 9 F. 1	M. 5 F. 2	M. 2 F. 4	M. 6 F. 7	M. 5 F. 6	M. 3 F. 3	M. 2 F. 4	M. 4 F. 5	M. 11 F. 8	M. 32 F. 36
VI.—Diseases of the urinary system and male organs of generation.	5,161	87	289	154	87	118	178	218	265	319	339	377	381	412	451	1,573
Males	3,009	53	163	72	48	49	80	102	130	151	202	219	212	238	277	1,066
Females	2,152	34	126	82	39	69	98	116	135	168	137	158	169	174	174	507
1. Bright's disease	M. 1,494 F. 1,131			M. 27 F. 31	M. 21 F. 22	M. 30 F. 37	M. 44 F. 50	M. 54 F. 60	M. 34 F. 78	M. 81 F. 95	M. 121 F. 77	M. 138 F. 89	M. 131 F. 89	M. 157 F. 108	M. 136 F. 107	M. 470 F. 288
2. Calculus, urinary	M. 5 F. 6															M. 5 F. 5
3. Diseases of the kidney	M. 973 F. 806	M. 43 F. 27	M. 150 F. 113	M. 43 F. 42	M. 22 F. 14	M. 14 F. 26	M. 33 F. 35	M. 36 F. 40	M. 41 F. 43	M. 58 F. 54	M. 70 F. 51	M. 59 F. 51	M. 60 F. 64	M. 53 F. 57	M. 80 F. 53	M. 254 F. 163
4. Diseases of the bladder	M. 369 F. 63	M. 6 F. 1	M. 7 F. 1	M. 1 F. 1	M. 1 F. 2	M. 2 F. 2	M. 2 F. 2	M. 3 F. 7	M. 1 F. 4	M. 1 F. 8	M. 1 F. 10	M. 1 F. 11	M. 1 F. 9	M. 1 F. 8	M. 1 F. 8	M. 28 F. 74
5. Others of this class	M. 107 F. 147	M. 4 F. 5	M. 6 F. 11	M. 1 F. 9	M. 4 F. 3	M. 2 F. 4	M. 2 F. 10	M. 7 F. 12	M. 4 F. 12	M. 8 F. 13	M. 10 F. 9	M. 11 F. 12	M. 8 F. 9	M. 11 F. 7	M. 19 F. 8	M. 28 F. 28
VII.—Diseases of the female organs of generation.	215	1	2			8	22	20	20	23	26	22	20	7	14	31
1. Ovarian tumors	54						4	2	1	4	8	7	5	4	8	11
2. Ovarian diseases	10							1	1	1	3	3	1		4	4
3. Uterine tumors	19								1	2	3	2	3	1	2	5
4. Uterine diseases	80					1	14	10	11	6	9	9	5	2	4	9
5. Others of this class	52	1	2			7	4	7	6	11	3	4	6			2
VIII.—Affections connected with pregnancy.	1,016				3	56	261	270	181	169	55	8	1	4		8
1. Abortion	30					1	3	9	7	6	4					
2. Childbirth	199				1	9	30	50	39	15						4
3. Puerperal septicaemia	728				2	39	207	198	117	34	7			4		3
4. Extra-uterine pregnancy																
5. Others of this class	59					7	21	13	6	7	2	1	1			1

STATISTICS OF DEATHS.

777

TABLE 16.—DEATHS IN THE STATE OF NEW JERSEY FROM EACH SPECIFIED DISEASE AND CLASS OF DISEASES, WITH DISTINCTION OF AGE AND SEX, DURING THE 6 YEARS ENDING MAY 31, 1890—Continued.

WHITE—Continued.

CAUSE OF DEATH.	All ages.	Under 1 year.	Total under 5 years.	5 to 10	10 to 15	15 to 20	20 to 25	25 to 30	30 to 35	35 to 40	40 to 45	45 to 50	50 to 55	55 to 60	60 to 65	65 and over and unknown.
IX.—Diseases of the bones and joints.....	197	10	25	18	28	20	14	11	12	14	8	12	5	8	5	17
Males	108	6	15	11	19	8	10	6	5	7	3	5	4	4	2	7
Females	91	4	10	7	9	12	4	5	7	7	5	7	1	4	3	10
1. Diseases of the spine..... {M..	56	3	8	8	9	6	6	3	4	4	2	1	1	2		2
{F..	50	4	8	4	6	5	2	3	5	3	3	4	1	2		2
2. Diseases of the bones..... {M..	27	2	2		6		3	1	1	1	1	2	2	2	1	5
{F..	16		1	1	1	3			1	3	1		2	1	1	3
3. Diseases of the hip joint.. {M..	18		3	3	4	2	1	2		1		1	1			3
{F..	22		1	2	2	4	2	2	1		1	3		1		
4. Others of this class..... {M..	5	1	2							1		1			1	
{F..	3									1						2
X.—Diseases of the skin	297	60	87	8	6	16	10	16	9	11	12	18	20	19	15	50
Males	166	33	47	7	3	6	4	8	5	2	5	12	9	15	12	31
Females	131	27	40	1	3	10	6	8	4	9	7	6	11	4	3	19
1. Abscess	121	24	37	6	3	3	3	7	2	2	5	10	7	11	7	20
{F..	90	14	26	1	3	9	6	7	2	7	7	5	5	2	2	8
2. Carbuncle	26	1	1			1	1		3	1		2	2	4	5	6
{F..	17	1	2			1	1	1				1	6	2		4
3. Others of this class..... {M..	19	8	9	1		2		1		1						5
{F..	24	12	12						2	2					1	7
XI.—Diseases of the absorbent system.....	40		2	2	1	1	1	4	4		7	2	3		4	9
Males	21		2		1		1	1	1		5	2	2		1	5
Females	19			2		1		3	3		2		1		3	4
1. Addison's disease..... {M..	12						1		1		5	2	2			1
{F..	7					1		2	2				1		1	
2. Diseases of the spleen..... {M..	4							1								3
{F..	4			1							1					2
3. Others of this class..... {M..	5		2		1										1	1
{F..	8			1				1	1		1				2	2
XII.—Accidents and injuries	6,959	485	919	324	340	386	596	582	454	535	479	456	399	291	276	922
Males	5,463	275	535	250	281	315	514	500	389	455	415	389	322	243	203	652
Females	1,496	210	384	74	59	71	82	82	65	80	64	67	77	48	73	270
1. Burns and scalds..... {M..	258	13	133	19	3	14	13	19	9	6	10	9	3	3	5	12
{F..	228	6	97	26	7	8	10	10	8	5	10	7	8	6	6	20
2. Drowned	1,062	7	60	127	127	91	105	96	58	66	66	60	49	25	20	112
{F..	170	6	28	14	22	26	20	5	5	6	10	2	8	4	5	15
3. Exposure and neglect..... {M..	45	4	6			1	2	1	1	6	5	5	1	3	2	12
{F..	13	5	5					1	1		1	1	1	1		3
4. Gunshot wounds..... {M..	137		1	6	14	18	15	17	11	14	13	7	6	4	2	9
{F..	14		2		1	2	1	1	2	2	1					2
5. Homicide..... {M..	43	1	3		3	2	4	5	6	7	4	5		5	1	3
{F..	27	1	2			2	2	2	1	3		4	2	2	6	1
6. Infanticide..... {M..	2	2	2													
{F..	1	1	1													
7. Injuries by machinery..... {M..	15			1	2	1	3	1	3	1	1	1				1
{F..																
8. Railroad accidents..... {M..	1,371	4	14	26	62	96	194	187	124	146	100	90	75	49	52	156
{F..	107		7	7	6	2	10	15	6	9	4	10	4	2	8	17
9. Suffocation..... {M..	259	161	174	4	4	2	10	7	4	8	9	2	8	4	8	15
{F..	153	108	118	3	2	2	7	1	3	2	2	1	1	4	1	7
10. Suicide by shooting..... {M..	146					3	11	10	24	23	13	10	18	11	10	13
{F..	8					1	2	2	1			1			1	
11. Suicide by drowning..... {M..	21						1	1	4	5	1		1	2	1	5
{F..	10						2	1	1	1	1			2	1	1
12. Suicide by poison..... {M..	89		3	2		4	9	8	7	4	7	11	13	4	5	12
{F..	40					2	5	5	6	2	5	4	5	1	1	4
13. Other suicides..... {M..	251					9	16	11	15	21	30	33	30	23	17	46
{F..	46					2	4	3	5	4	6	5	3	1	3	5
14. Sunstroke..... {M..	139	3	4	5	1	1	14	15	13	17	17	24	6	9	3	10
{F..	20	5	6	3	1	1	1	2	2	3	3	2	2	5	2	3
15. Surgical operations..... {M..	10				1	1	1			1			1	2		3
{F..	11							2	1	1	3	1				3
16. Wounds..... {M..	140	1	5	6	6	8	15	18	6	7	16	17	8	8	9	20
{F..	28	1	9	1	2	1	1	1	1	1	2	2	2	1	1	6
17. Other accidents and injuries..... {M..	1,461	79	130	54	58	64	101	104	104	123	123	115	103	91	68	223
{F..	611	77	109	20	18	21	17	32	24	41	22	30	36	21	38	182

TABLE 16.—DEATHS IN THE STATE OF NEW JERSEY FROM EACH SPECIFIED DISEASE AND CLASS OF DISEASES, WITH DISTINCTION OF AGE AND SEX, DURING THE 6 YEARS ENDING MAY 31, 1890—Continued.

COLORED—Continued.

CAUSE OF DEATH	All ages.	Under 1 year.	Total under 5 years.	5 to 10	10 to 15	15 to 20	20 to 25	25 to 30	30 to 35	35 to 40	40 to 45	45 to 50	50 to 55	55 to 60	60 to 65	65 and over and un-known.
IX.—Diseases of the bones and joints.....	4			1			2					1				
Males.....	3			1			1					1				
Females.....	1						1									
1. Diseases of the spine.....	{ M. 1 F. 1			1			1									
2. Diseases of the bones.....	{ M. 2 F. 0						1					1				
3. Diseases of the hip joint.....	{ M. 0 F. 0															
4. Others of this class.....	{ M. 0 F. 0															
X.—Diseases of the skin.....	4		1		1			1		1						
Males.....	3				1			1		1						
Females.....	1		1													
1. Abscess.....	{ M. 3 F. 1				1			1		1						
2. Carbuncle.....	{ M. 0 F. 0															
3. Others of this class.....	{ M. 0 F. 0															
XI.—Diseases of the absorbent system.....	1		1													
Males.....	1															
Females.....	0		1													
1. Addison's disease.....	{ M. 0 F. 1															
2. Diseases of the spleen.....	{ M. 0 F. 0															
3. Others of this class.....	{ M. 0 F. 0															
XII.—Accidents and injuries.....	182	35	39	8	11	16	11	10	8	13	12	6	3	5	8	32
Males.....	130	23	24	6	10	12	10	8	6	9	10	4	2	2	6	21
Females.....	52	12	15	2	1	4	1	2	2	4	2	2	1	3	2	11
1. Burns and scalds.....	{ M. 2 F. 8		1	1		1			1	2					1	3
2. Drowned.....	{ M. 33 F. 1			5	5	7	3	2	2	2		1		1		5
3. Exposure and neglect.....	{ M. 2 F. 0									1						1
4. Gunshot wounds.....	{ M. 5 F. 0				1		1	1			2					
5. Homicide.....	{ M. 4 F. 3				1	1			1							3
6. Infanticide.....	{ M. 1 F. 0	1	1													
7. Injuries by machinery.....	{ M. 0 F. 0															
8. Railroad accidents.....	{ M. 28 F. 5				3	1	4	2	1	2	4	1	1	1	1	7
9. Suffocation.....	{ M. 13 F. 8	9	9			1						1			2	1
10. Suicide by shooting.....	{ M. 2 F. 0					1										1
11. Suicide by drowning.....	{ M. 1 F. 0									1						
12. Suicide by poison.....	{ M. 2 F. 0					1		1								
13. Other suicides.....	{ M. 2 F. 0										1		1			
14. Sunstroke.....	{ M. 1 F. 0										1					
15. Surgical operations.....	{ M. 0 F. 0															
16. Wounds.....	{ M. 2 F. 0			1		1										
17. Other accidents and injuries.....	{ M. 34 F. 25	13	13	1	1	1	2	3	2	3	2	1		2	2	5

TABLE 16.—DEATHS IN THE STATE OF NEW JERSEY FROM EACH SPECIFIED DISEASE AND CLASS OF DISEASES, WITH DISTINCTION OF AGE AND SEX, DURING THE 6 YEARS ENDING MAY 31, 1890—Continued.

BIRTHPLACE OF MOTHERS—UNITED STATES.

CAUSE OF DEATH.	All ages.	Under 1 year.	Total under 5 years.	5 to 10	10 to 15	15 to 20	20 to 25	25 to 30	30 to 35	35 to 40	40 to 45	45 to 50	50 to 55	55 to 60	60 to 65	65 and over and un-known.
All causes.....	98,632	32,508	46,636	4,136	2,144	2,789	3,259	3,222	2,796	2,812	2,571	2,628	2,670	2,741	3,223	16,905
Males.....	51,832	18,399	25,702	2,131	1,068	1,266	1,604	1,622	1,387	1,373	1,318	1,399	1,401	1,445	1,684	8,432
Females.....	46,800	14,104	20,934	2,005	1,076	1,523	1,655	1,700	1,409	1,439	1,253	1,229	1,269	1,296	1,539	8,473
Unknown causes.....	330	112	139	7	9	9	7	6	9	12	6	8	13	6	19	80
Males.....	182	57	69	4	5	5	1	3	6	4	3	6	10	4	15	47
Females.....	148	55	70	3	4	4	6	3	3	8	3	2	3	2	4	33
I.—General diseases:																
General diseases—A.....	20,268	7,168	12,485	1,949	786	694	561	479	314	306	277	271	243	253	276	1,374
Males.....	10,375	3,381	6,544	944	357	329	295	253	178	141	139	116	142	115	124	698
Females.....	9,893	3,287	5,941	1,005	429	365	266	226	136	165	138	155	101	138	152	676
1. Smallpox.....	{ M.. 6 F.. 5	{ 1 2	{ 2 3	{ 1 1			{ 1 2					{ 1 1				{ 1 1
2. Measles.....	{ M.. 176 F.. 191	{ 42 41	{ 149 150	{ 13 18	{ 4 5	{ 3 5	{ 2 2	{ 1 2	{ 2 1	{ 2 4				{ 2 2		{ 2 2
3. Scarlet fever.....	{ M.. 679 F.. 692	{ 50 45	{ 411 410	{ 178 182	{ 59 51	{ 11 17	{ 7 11	{ 3 7	{ 1 5	{ 2 2	{ 1 2		{ 1 1	{ 1 1		{ 4 2
4. Diphtheria.....	{ M.. 1,853 F.. 1,930	{ 121 91	{ 1,133 1,065	{ 499 580	{ 132 184	{ 45 46	{ 14 15	{ 10 5	{ 4 5	{ 4 7			{ 2 4	{ 2 4	{ 1 3	{ 2 3
5. Whooping cough.....	{ M.. 347 F.. 442	{ 221 233	{ 335 419	{ 11 17	{ 4 4				{ 1 1							{ 1 1
6. Fever.....	{ M.. 6 F.. 1	{ 1 1	{ 2 1	{ 1 1		{ 1 1							{ 1 1			
7. Cerebro-spinal fever.....	{ M.. 248 F.. 170	{ 62 50	{ 127 97	{ 32 17	{ 13 11	{ 19 6	{ 6 7	{ 4 4	{ 5 3	{ 5 3	{ 2 1	{ 6 7	{ 7 4	{ 4 5	{ 7 3	{ 11 2
8. Typhoid fever.....	{ M.. 1,267 F.. 1,089	{ 17 12	{ 84 75	{ 76 55	{ 81 110	{ 180 203	{ 195 144	{ 166 108	{ 102 50	{ 64 64	{ 55 54	{ 37 46	{ 53 20	{ 32 30	{ 33 36	{ 109 85
9. Diarrheal diseases.....	{ M.. 2,289 F.. 2,228	{ 1,132 939	{ 1,530 1,348	{ 82 80	{ 34 36	{ 22 38	{ 33 29	{ 26 33	{ 19 24	{ 27 29	{ 42 40	{ 35 52	{ 39 38	{ 43 52	{ 52 66	{ 305 358
10. Cholera infantum.....	{ M.. 2,504 F.. 2,121	{ 2,064 1,718	{ 2,499 2,118													{ 5 3
11. Malarial fever.....	{ M.. 485 F.. 547	{ 60 48	{ 127 120	{ 33 36	{ 23 19	{ 31 39	{ 25 26	{ 23 39	{ 25 29	{ 25 29	{ 21 18	{ 15 21	{ 17 10	{ 12 23	{ 13 22	{ 90 111
12. Erysipelas.....	{ M.. 177 F.. 145	{ 56 52	{ 71 63	{ 3 3	{ 1 3	{ 5 3	{ 5 4	{ 3 4	{ 4 2	{ 4 3	{ 4 7	{ 7 8	{ 7 4	{ 8 5	{ 8 3	{ 55 37
13. Septicæmia.....	{ M.. 165 F.. 199	{ 22 17	{ 35 30	{ 10 13	{ 8 5	{ 8 6	{ 3 23	{ 10 20	{ 10 11	{ 3 23	{ 10 11	{ 8 11	{ 13 10	{ 6 7	{ 11 7	{ 30 22
14. Venereal diseases.....	{ M.. 44 F.. 45	{ 26 28	{ 29 33	{ 1 1		{ 1 1	{ 1 4	{ 1 2	{ 2 3	{ 4 3	{ 1 1	{ 2 1		{ 1 1		{ 1 1
15. Others of this group.....	{ M.. 129 F.. 88	{ 6 6	{ 10 9	{ 5 3	{ 2 1	{ 3 1	{ 1 2	{ 1 1	{ 3 3	{ 1 1	{ 1 2	{ 4 2	{ 3 2	{ 7 6	{ 6 11	{ 32 44
General diseases—B.....	1,622	1,178	1,262	25	5	8	22	16	26	34	27	32	28	27	27	33
Males.....	957	674	717	16	3	5	10	11	20	27	22	24	22	15	17	48
Females.....	665	504	545	9	2	3	12	5	6	7	5	8	6	12	10	35
1. Parasitic diseases.....	{ M.. 3 F.. 3		{ 1 1	{ 1 1	{ 1 1											
2. Alcoholism.....	{ M.. 136 F.. 27	{ 3 1	{ 5 1			{ 1 1	{ 4 2	{ 8 1	{ 17 3	{ 21 4	{ 18 3	{ 17 3	{ 15 3	{ 13 2	{ 9 3	{ 8 2
3. Lead poison.....	{ M.. 2 F.. 2							{ 1 1								{ 1 1
4. Other poisons.....	{ M.. 94 F.. 64	{ 20 11	{ 35 23	{ 8 1	{ 2 2	{ 3 2	{ 2 8	{ 2 4	{ 2 2	{ 4 2	{ 3 2	{ 7 3	{ 4 3	{ 2 4	{ 5 2	{ 15 6
5. Inanition.....	{ M.. 722 F.. 571	{ 651 492	{ 676 520	{ 7 7		{ 1 1	{ 4 2		{ 1 1	{ 2 1	{ 1 1		{ 3 2		{ 3 5	{ 24 27
General diseases—C.....	16,732	13,015	13,572	62	23	24	21	24	22	36	23	40	46	44	94	2,696
Males.....	9,326	7,627	7,915	26	13	10	8	9	7	14	10	18	24	18	51	1,203
Females.....	7,406	5,388	5,657	36	15	14	13	15	15	22	13	22	22	26	43	1,493
1. Premature birth.....	{ M.. 1,265 F.. 966	{ 1,264 964	{ 1,265 966													
2. Stillborn.....	{ M.. 4,374 F.. 2,334	{ 4,374 2,334	{ 4,374 2,334													
3. Malformation.....	{ M.. 96 F.. 92	{ 91 84	{ 94 85	{ 4 4	{ 1 1								{ 1 1			{ 1 2
4. Debility and atrophy.....	{ M.. 2,957 F.. 2,637	{ 1,898 1,506	{ 2,182 1,772	{ 26 32	{ 13 14	{ 10 14	{ 8 13	{ 9 15	{ 7 15	{ 14 22	{ 10 13	{ 18 22	{ 23 22	{ 18 26	{ 46 33	{ 573 619
5. Old age.....	{ M.. 634 F.. 877														{ 5 5	{ 629 872

TABLE 16.—DEATHS IN THE STATE OF NEW JERSEY FROM EACH SPECIFIED DISEASE AND CLASS OF DISEASES, WITH DISTINCTION OF AGE AND SEX, DURING THE 6 YEARS ENDING MAY 31, 1890—Continued.

BIRTHPLACE OF MOTHERS—UNITED STATES—Continued.

CAUSE OF DEATH.	All ages.	Under 1 year.	Total under 5 years.	5 to 10	10 to 15	15 to 20	20 to 25	25 to 30	30 to 35	35 to 40	40 to 45	45 to 50	50 to 55	55 to 60	60 to 65	65 and over and unknown.
I.—General diseases—Continued.																
General diseases—D.....	15,345	1,024	1,848	271	312	978	1,511	1,570	1,248	1,124	939	919	868	737	765	2,255
Males	7,231	545	972	128	130	362	698	758	600	539	418	439	401	354	375	1,057
Females.....	8,114	479	876	143	182	616	813	812	648	585	521	480	467	383	390	1,198
1. Rheumatism.....	{ M.. 180 F.. 177	{ 4 4	{ 11 6	{ 9 11	{ 19 9	{ 7 8	{ 5 4	{ 7 8	{ 5 5	{ 16 7	{ 6 6	{ 7 6	{ 9 14	{ 15 12	{ 16 10	{ 48 71
2. Scrofula and tabes.....	{ M.. 163 F.. 156	{ 65 73	{ 101 97	{ 5 3	{ 9 8	{ 2 7	{ 7 5	{ 7 4	{ 1 3	{ 2 2	{ 5 9	{ 4 1	{ 1 3	{ 6 5	{ 3 1	{ 10 8
3. Leprosy.....	{ M..... F.....															
4. Consumption.....	{ M.. 5,050 F.. 5,321	{ 146 130	{ 282 283	{ 54 78	{ 72 136	{ 316 565	{ 663 777	{ 713 756	{ 554 581	{ 472 477	{ 358 345	{ 352 303	{ 234 238	{ 225 172	{ 219 170	{ 486 460
5. Hydrocephalus.....	{ M.. 585 F.. 468	{ 281 219	{ 492 410	{ 36 28	{ 13 9	{ 6 1	{ 3 1	{ 6 2	{ 4 2	{ 5 1	{ 1 1	{ 2 1	{ 4 3	{ 2 1	{ 1 4	{ 11 6
6. Cancer.....	{ M.. 603 F.. 1,132	{ 4 2	{ 10 8	{ 1 1		{ 6 4	{ 6 10	{ 6 9	{ 16 24	{ 18 61	{ 30 110	{ 47 129	{ 65 147	{ 64 139	{ 80 144	{ 254 346
7. Tumor.....	{ M.. 52 F.. 126	{ 1 4	{ 4 5	{ 3 2		{ 1 2	{ 1 4		{ 2 2	{ 4 9	{ 1 11	{ 8 9	{ 3 17	{ 5 8	{ 6 16	{ 12 37
8. Anæmia.....	{ M.. 74 F.. 114	{ 16 20	{ 25 25	{ 3 3		{ 3 10	{ 1 5	{ 2 9	{ 2 5	{ 4 5	{ 1 9	{ 4 5	{ 4 5	{ 4 3	{ 2 4	{ 19 24
9. Dropsy.....	{ M.. 343 F.. 453	{ 15 15	{ 24 34	{ 13 11	{ 10 14	{ 8 13	{ 6 5	{ 10 8	{ 6 10	{ 9 16	{ 12 20	{ 6 22	{ 18 31	{ 15 31	{ 33 33	{ 173 209
10. Diabetes.....	{ M.. 155 F.. 132	{ 5 3	{ 8 7	{ 2 6	{ 5 4	{ 12 3	{ 4 3	{ 7 10	{ 9 14	{ 9 6	{ 4 10	{ 9 4	{ 12 11	{ 18 11	{ 15 8	{ 41 35
11. Others of this group.....	{ M.. 26 F.. 33	{ 8 9	{ 15 20	{ 2 2		{ 1 3	{ 2 1		{ 1 2				{ 1 2		{ 1 1	{ 3 1
12. Others of this class.....	{ M..... F.....															
II.—Diseases of the nervous system.....																
	15,061	4,799	7,416	406	235	197	169	179	238	261	273	322	392	469	640	3,864
Males	7,973	2,682	4,037	203	126	94	87	90	129	137	146	174	207	254	341	1,948
Females.....	7,088	2,117	3,379	203	109	103	82	89	109	124	127	148	185	215	299	1,916
1. Inflammation of the brain.....	{ M.. 1,632 F.. 1,367	{ 629 490	{ 1,187 982	{ 111 103	{ 49 42	{ 27 29	{ 25 21	{ 27 24	{ 36 17	{ 19 18	{ 26 14	{ 28 13	{ 18 14	{ 16 11	{ 13 16	{ 50 63
2. Apoplexy.....	{ M.. 1,197 F.. 1,147	{ 14 14	{ 22 25	{ 3 3	{ 4 5	{ 6 5	{ 8 5	{ 13 8	{ 15 22	{ 37 28	{ 41 44	{ 51 53	{ 68 79	{ 111 94	{ 134 109	{ 684 667
3. Paralysis.....	{ M.. 1,236 F.. 1,298	{ 16 21	{ 48 51	{ 11 10	{ 8 13	{ 7 11	{ 11 10	{ 12 16	{ 17 19	{ 16 23	{ 28 28	{ 34 43	{ 46 57	{ 76 64	{ 109 113	{ 813 840
4. Tetanus and trismus nascentium.....	{ M.. 203 F.. 132	{ 110 88	{ 127 102	{ 8 4	{ 15 1	{ 13 5	{ 6 2	{ 1 1	{ 5 6	{ 3 2	{ 2 3	{ 7 3	{ 6 1	{ 1 1	{ 3 3	{ 6 4
5. Epilepsy.....	{ M.. 126 F.. 89	{ 9 3	{ 17 8	{ 1 4	{ 6 6	{ 13 9	{ 13 6	{ 8 7	{ 11 8	{ 16 11	{ 6 4	{ 8 4	{ 4 3	{ 3 4	{ 4 1	{ 16 14
6. Convulsions.....	{ M.. 2,150 F.. 1,821	{ 1,530 1,184	{ 2,024 1,677	{ 41 41	{ 10 19	{ 7 13	{ 8 14	{ 8 9	{ 13 8	{ 6 5	{ 3 5	{ 6 4	{ 6 4	{ 4 2	{ 5 6	{ 14 9
7. Mental diseases.....	{ M.. 63 F.. 77				{ 1 1	{ 1 2	{ 3 4	{ 1 3	{ 6 7	{ 4 7	{ 6 9	{ 5 3	{ 7 7	{ 3 6	{ 5 5	{ 21 23
8. Diseases of the brain.....	{ M.. 1,237 F.. 1,047	{ 363 307	{ 591 515	{ 28 30	{ 31 22	{ 18 23	{ 11 15	{ 17 17	{ 27 15	{ 28 26	{ 28 18	{ 31 18	{ 39 35	{ 34 28	{ 57 38	{ 297 267
9. Diseases of the spinal cord.....	{ M.. 97 F.. 69	{ 9 8	{ 16 17		{ 2 4	{ 2 4	{ 1 2	{ 2 3	{ 4 1	{ 6 2	{ 6 2	{ 3 4	{ 10 5	{ 4 3	{ 9 6	{ 32 15
10. Others of this class.....	{ M.. 32 F.. 41	{ 2 2	{ 5 2	{ 2 3		{ 2 2	{ 1 3	{ 1 1	{ 2 1		{ 3 1	{ 1 3	{ 3 1	{ 2 2	{ 5 5	{ 15 14
III.—Diseases of the circulatory system.....																
	5,381	752	875	127	157	137	109	136	145	199	215	244	280	326	400	2,031
Males	2,807	424	490	66	67	68	52	55	64	91	115	134	144	175	212	1,074
Females.....	2,574	328	385	61	90	69	57	81	81	108	100	110	136	151	188	957
1. Angina pectoris.....	{ M.. 170 F.. 124			{ 2 3	{ 2 2		{ 1 1	{ 2 4		{ 4 5	{ 12 3	{ 11 10	{ 4 7	{ 17 9	{ 20 8	{ 96 68
2. Aneurism.....	{ M.. 34 F.. 21					{ 1 1	{ 1 1	{ 1 1	{ 1 1	{ 5 3	{ 2 4	{ 5 1	{ 6 1	{ 1 1	{ 1 2	{ 11 8
3. Diseases of the heart.....	{ M.. 2,283 F.. 2,184	{ 157 129	{ 210 179	{ 63 56	{ 65 87	{ 67 65	{ 49 54	{ 52 74	{ 59 72	{ 80 102	{ 99 92	{ 117 93	{ 133 126	{ 155 140	{ 188 175	{ 946 869
4. Others of this class.....	{ M.. 320 F.. 245	{ 267 199	{ 280 206	{ 1 1		{ 3 3	{ 2 2	{ 1 2	{ 4 3	{ 2 1	{ 2 2	{ 1 3	{ 1 2	{ 2 2	{ 3 3	{ 21 14

TABLE 16.—DEATHS IN THE STATE OF NEW JERSEY FROM EACH SPECIFIED DISEASE AND CLASS OF DISEASES, WITH DISTINCTION OF AGE AND SEX, DURING THE 6 YEARS ENDING MAY 31, 1890—Continued.

BIRTHPLACE OF MOTHERS—UNITED STATES—Continued.

CAUSE OF DEATH.	All ages.	Under 1 year.	Total under 5 years.	5 to 10	10 to 15	15 to 20	20 to 25	25 to 30	30 to 35	35 to 40	40 to 45	45 to 50	50 to 55	55 to 60	60 to 65	65 and over and un-known.
IV.—Diseases of the respiratory system.	13,092	3,285	7,128	822	214	235	210	229	250	259	261	267	304	326	408	2,179
Males	6,809	1,816	3,862	434	92	105	127	123	125	144	146	156	157	169	197	972
Females	6,283	1,469	3,266	388	122	130	83	106	125	115	115	111	147	157	211	1,207
1. Croup	M.. 1,061 F.. 910	M.. 124 F.. 95	M.. 827 F.. 683	M.. 200 F.. 186	M.. 21 F.. 20	M.. 2 F.. 1	M.. 2 F.. 2				M.. 2 F.. 2	M.. 1 F.. 1	M.. 3 F.. 1	M.. 2 F.. 2	M.. 3 F.. 3	M.. 6 F.. 4
2. Laryngitis	M.. 199 F.. 195	M.. 23 F.. 22	M.. 122 F.. 118	M.. 34 F.. 29	M.. 7 F.. 12	M.. 1 F.. 6	M.. 2 F.. 3	M.. 2 F.. 5	M.. 3 F.. 4	M.. 4 F.. 3	M.. 5 F.. 4	M.. 4 F.. 2	M.. 3 F.. 1	M.. 1 F.. 2	M.. 1 F.. 2	M.. 10 F.. 4
3. Bronchitis	M.. 1,649 F.. 1,561	M.. 783 F.. 660	M.. 1,208 F.. 1,013	M.. 60 F.. 36	M.. 10 F.. 9	M.. 13 F.. 25	M.. 15 F.. 9	M.. 7 F.. 18	M.. 9 F.. 18	M.. 11 F.. 10	M.. 10 F.. 13	M.. 14 F.. 17	M.. 21 F.. 21	M.. 18 F.. 21	M.. 30 F.. 42	M.. 223 F.. 311
4. Pneumonia	M.. 3,139 F.. 2,906	M.. 628 F.. 483	M.. 1,339 F.. 1,126	M.. 113 F.. 116	M.. 46 F.. 68	M.. 73 F.. 74	M.. 91 F.. 58	M.. 94 F.. 70	M.. 97 F.. 89	M.. 111 F.. 89	M.. 106 F.. 82	M.. 108 F.. 78	M.. 115 F.. 109	M.. 122 F.. 104	M.. 134 F.. 134	M.. 590 F.. 709
5. Pleurisy	M.. 89 F.. 97	M.. 4 F.. 7	M.. 16 F.. 16	M.. 1 F.. 3	M.. 1 F.. 3	M.. 3 F.. 6	M.. 5 F.. 1	M.. 3 F.. 3	M.. 7 F.. 4	M.. 2 F.. 2	M.. 2 F.. 2	M.. 3 F.. 1	M.. 3 F.. 6	M.. 1 F.. 6	M.. 14 F.. 8	M.. 28 F.. 40
6. Asthma	M.. 51 F.. 49	M.. 7 F.. 2	M.. 8 F.. 2	M.. 1 F.. 2	M.. 1 F.. 1			M.. 1 F.. 1	M.. 1 F.. 1	M.. 2 F.. 2	M.. 3 F.. 3	M.. 6 F.. 3	M.. 2 F.. 3	M.. 3 F.. 6	M.. 4 F.. 4	M.. 20 F.. 27
7. Others of this class	M.. 621 F.. 565	M.. 247 F.. 200	M.. 342 F.. 298	M.. 25 F.. 16	M.. 7 F.. 9	M.. 13 F.. 17	M.. 12 F.. 10	M.. 16 F.. 10	M.. 8 F.. 10	M.. 14 F.. 13	M.. 20 F.. 14	M.. 21 F.. 9	M.. 10 F.. 13	M.. 24 F.. 16	M.. 14 F.. 18	M.. 95 F.. 112
V.—Diseases of the digestive system.	3,592	673	965	119	118	142	125	150	123	151	165	150	156	197	210	821
Males	1,807	399	555	67	63	71	47	61	49	60	76	82	71	101	107	397
Females	1,785	274	410	52	55	71	78	89	74	91	89	68	85	96	103	424
1. Dentition	M.. 77 F.. 61	M.. 43 F.. 30	M.. 77 F.. 61													
2. Angina	M.. 49 F.. 44	M.. 12 F.. 10	M.. 33 F.. 24	M.. 8 F.. 8	M.. 2 F.. 4	M.. 2 F.. 2	M.. 1 F.. 1	M.. 1 F.. 1	M.. 2 F.. 2		M.. 1 F.. 1		M.. 1 F.. 1	M.. 1 F.. 1	M.. 1 F.. 1	M.. 1 F.. 2
3. Diseases of the stomach	M.. 311 F.. 387	M.. 81 F.. 73	M.. 104 F.. 115	M.. 3 F.. 12	M.. 4 F.. 4	M.. 5 F.. 8	M.. 7 F.. 5	M.. 7 F.. 18	M.. 3 F.. 10	M.. 11 F.. 20	M.. 10 F.. 13	M.. 12 F.. 12	M.. 12 F.. 19	M.. 23 F.. 15	M.. 12 F.. 18	M.. 98 F.. 123
4. Obstruction of the bowels	M.. 125 F.. 126	M.. 36 F.. 28	M.. 44 F.. 35	M.. 3 F.. 5	M.. 4 F.. 5	M.. 6 F.. 4	M.. 5 F.. 5	M.. 5 F.. 8	M.. 5 F.. 7	M.. 4 F.. 7	M.. 7 F.. 6	M.. 5 F.. 4	M.. 5 F.. 6	M.. 5 F.. 4	M.. 3 F.. 12	M.. 24 F.. 28
5. Hernia	M.. 72 F.. 56	M.. 14 F.. 1	M.. 17 F.. 1	M.. 1 F.. 1		M.. 3 F.. 1	M.. 1 F.. 1	M.. 3 F.. 1	M.. 3 F.. 1	M.. 3 F.. 3	M.. 1 F.. 5	M.. 6 F.. 6	M.. 3 F.. 1	M.. 6 F.. 3	M.. 5 F.. 6	M.. 20 F.. 28
6. Other diseases of the bowels	M.. 21 F.. 16	M.. 4 F.. 3	M.. 5 F.. 3		M.. 1 F.. 1	M.. 2 F.. 1	M.. 1 F.. 1	M.. 1 F.. 1	M.. 1 F.. 1	M.. 2 F.. 2	M.. 1 F.. 1	M.. 1 F.. 2	M.. 1 F.. 2	M.. 1 F.. 1	M.. 1 F.. 1	M.. 7 F.. 4
7. Jaundice	M.. 69 F.. 49	M.. 43 F.. 23	M.. 44 F.. 26	M.. 1 F.. 1	M.. 1 F.. 1			M.. 3 F.. 3		M.. 2 F.. 1	M.. 1 F.. 1	M.. 1 F.. 1	M.. 3 F.. 3	M.. 3 F.. 4	M.. 2 F.. 4	M.. 12 F.. 14
8. Inflammation and abscess of the liver	M.. 122 F.. 104	M.. 8 F.. 4	M.. 10 F.. 7	M.. 6 F.. 3	M.. 3 F.. 4	M.. 2 F.. 2	M.. 3 F.. 3	M.. 7 F.. 4	M.. 7 F.. 3	M.. 3 F.. 2	M.. 3 F.. 11	M.. 7 F.. 3	M.. 7 F.. 12	M.. 9 F.. 9	M.. 9 F.. 9	M.. 46 F.. 37
9. Other diseases of the liver	M.. 371 F.. 232	M.. 16 F.. 13	M.. 29 F.. 15	M.. 6 F.. 2	M.. 3 F.. 3	M.. 4 F.. 2	M.. 5 F.. 3	M.. 7 F.. 5	M.. 9 F.. 4	M.. 16 F.. 9	M.. 28 F.. 14	M.. 36 F.. 14	M.. 25 F.. 14	M.. 39 F.. 33	M.. 45 F.. 29	M.. 119 F.. 85
10. Peritonitis	M.. 426 F.. 565	M.. 51 F.. 27	M.. 87 F.. 60	M.. 36 F.. 25	M.. 43 F.. 32	M.. 47 F.. 48	M.. 20 F.. 63	M.. 26 F.. 54	M.. 17 F.. 46	M.. 18 F.. 48	M.. 22 F.. 30	M.. 15 F.. 26	M.. 16 F.. 23	M.. 7 F.. 27	M.. 22 F.. 20	M.. 50 F.. 73
11. Ascites	M.. 8 F.. 14	M.. 1 F.. 1	M.. 1 F.. 1			M.. 2 F.. 2					M.. 1 F.. 4			M.. 2 F.. 1	M.. 3 F.. 6	
12. Others of this class	M.. 156 F.. 131	M.. 91 F.. 62	M.. 104 F.. 72	M.. 3 F.. 2	M.. 3 F.. 2	M.. 2 F.. 3	M.. 5 F.. 1	M.. 2 F.. 2	M.. 2 F.. 3	M.. 1 F.. 6	M.. 3 F.. 3	M.. 1 F.. 1	M.. 4 F.. 4	M.. 5 F.. 3	M.. 8 F.. 5	M.. 17 F.. 24
VI.—Diseases of the urinary system and male organs of generation.	2,867	60	190	103	47	79	83	123	138	139	142	177	169	214	238	1,020
Males	1,724	40	107	52	29	33	43	56	65	58	84	107	99	131	152	708
Females	1,143	20	83	51	18	46	45	67	73	81	58	70	70	83	86	312
1. Bright's disease	M.. 377 F.. 611			M.. 20 F.. 23	M.. 10 F.. 8	M.. 19 F.. 27	M.. 26 F.. 25	M.. 26 F.. 39	M.. 48 F.. 39	M.. 36 F.. 50	M.. 54 F.. 30	M.. 71 F.. 38	M.. 66 F.. 33	M.. 86 F.. 51	M.. 87 F.. 56	M.. 328 F.. 187
2. Calculus, urinary	M.. 5 F.. 5												M.. 1 F.. 1			M.. 4 F.. 4
3. Diseases of the kidney	M.. 506 F.. 391	M.. 33 F.. 16	M.. 97 F.. 74	M.. 29 F.. 21	M.. 16 F.. 7	M.. 12 F.. 15	M.. 15 F.. 10	M.. 18 F.. 19	M.. 15 F.. 25	M.. 17 F.. 23	M.. 25 F.. 21	M.. 26 F.. 22	M.. 22 F.. 22	M.. 26 F.. 12	M.. 35 F.. 19	M.. 153 F.. 86
4. Diseases of the bladder	M.. 230 F.. 41	M.. 3 F.. 1	M.. 4 F.. 1	M.. 1 F.. 1	M.. 1 F.. 1	M.. 2 F.. 1	M.. 1 F.. 1	M.. 5 F.. 2	M.. 1 F.. 2	M.. 5 F.. 2	M.. 2 F.. 2	M.. 2 F.. 3	M.. 6 F.. 5	M.. 4 F.. 6	M.. 18 F.. 4	M.. 173 F.. 20
5. Others of this class	M.. 106 F.. 100	M.. 4 F.. 3	M.. 6 F.. 8	M.. 2 F.. 7	M.. 2 F.. 3	M.. 2 F.. 3	M.. 1 F.. 9	M.. 7 F.. 7	M.. 2 F.. 7	M.. 2 F.. 6	M.. 3 F.. 7	M.. 4 F.. 7	M.. 4 F.. 7	M.. 7 F.. 5	M.. 12 F.. 5	M.. 50 F.. 19
VII.—Diseases of the female organs of generation.	144	1	2			5	16	16	11	13	16	15	11	3	8	28
1. Ovarian tumors	37						3	2		2	7	3	3	2	5	10
2. Ovarian diseases	8								2	1	1	1	1			4
3. Uterine tumors	13								1	1	2	2	2		2	4
4. Uterine diseases	57					1	10	7	7	6	4	7	5	1	1	8
5. Others of this class	29	1	2			4	3	7	1	4	2	3	1			2
VIII.—Affections connected with pregnancy.	506				2	42	127	138	87	68	26	4		4		8
1. Abortion	15					1	2	3	5	1	3					4
2. Childbirth	91				1	8	7	23	26	17	5					3
3. Puerperal septicemia	369				1	27	108	106	52	48	17	3		4		3
4. Extra-uterine pregnancy																
5. Others of this class	31					6	10	6	4	2	1	1				1

TABLE 16.—DEATHS IN THE STATE OF NEW JERSEY FROM EACH SPECIFIED DISEASE AND CLASS OF DISEASES, WITH DISTINCTION OF AGE AND SEX, DURING THE 6 YEARS ENDING MAY 31, 1890—Continued.

BIRTHPLACE OF MOTHERS—UNITED STATES—Continued.

CAUSE OF DEATH.	All ages.	Under 1 year.	Total under 5 years.	5 to 10	10 to 15	15 to 20	20 to 25	25 to 30	30 to 35	35 to 40	40 to 45	45 to 50	50 to 55	55 to 60	60 to 65	65 and over and unknown.
IX.—Diseases of the bones and joints.....	117	8	20	8	20	13	8	6	5	4	5	5	3	7	3	10
Males.....	62	4	12	7	13	5	6	4	1	1	2	2	2	3	1	3
Females.....	55	4	8	1	7	8	2	2	4	3	3	3	1	4	2	7
1. Diseases of the spine..... {M.....	30	3	7	4	6	3	2	1	1	1	2		1	1		1
{F.....	28	4	6		5	3	2		2	1	1	2	1	2	1	2
2. Diseases of the bones..... {M.....	16	1	1		5		3	1				1		2	1	2
{F.....	11		1		1	1			1	2	1			-1	1	2
3. Diseases of the hip joint... {M.....	14		3	3	2	2	1	2					1			
{F.....	14		1	1	1	4		2	1		1			1		1
4. Others of this class..... {M.....	2		1									1				
{F.....	2															2
X.—Diseases of the skin.....	188	40	63	6	4	11	3	10	6	7	4	11	10	8	11	34
Males.....	110	24	36	5	3	4	1	5	3	2	2	6	7	7	10	19
Females.....	78	16	27	1	1	7	2	5	3	5	2	5	3	1	1	15
1. Abscess..... {M.....	84	18	29	4	3	2	1	4	2	1	2	5	5	6	5	15
{F.....	53	8	18	1	1	7	2	4	2	3	2	5	1		1	6
2. Carbuncle..... {M.....	12							1				1	2	1	5	2
{F.....	9		1										2	1		4
3. Others of this class..... {M.....	14	6	7	1		2		1		1						2
{F.....	16	8	8						1	2						5
XI.—Diseases of the absorbent system.....	29		3	2	1	1	1	2	2		4	2	3		3	5
Males.....	16		2		1		1	1	1		3	2	2		1	2
Females.....	13		1	2		1	1	1	1		1	1	1		2	3
1. Addison's disease..... {M.....	9						1		1		3	2	2			
{F.....	5		1			1		1					1			
2. Diseases of the spleen... {M.....	2							1								1
{F.....	4			1							1					2
3. Others of this class..... {M.....	5		2		1										1	1
{F.....	4			1											2	1
XII.—Accidents and injuries.....	3,358	388	668	229	206	214	281	238	172	199	188	161	144	120	121	417
Males.....	2,453	226	384	179	166	175	228	193	139	155	152	133	113	99	81	256
Females.....	905	162	284	50	40	39	53	45	33	44	36	28	31	21	40	161
1. Burns and scalds..... {M.....	136	11	85	12	1	4	5	8	4	1	2	4	1	1	2	6
{F.....	137	3	63	18	6	5	6	6	2	4	4	2	1	3	4	13
2. Drowned..... {M.....	497	5	38	97	82	62	59	36	18	20	23	21	11	10	5	15
{F.....	88	2	19	10	15	9	15	2	4	4	3	2	2	1	1	3
3. Exposure and neglect... {M.....	18	2	3			1	1	1	1	1	3	2		1		4
{F.....	6	2	2				1	1	1				1			1
4. Gunshot wounds..... {M.....	69		1	3	9	11	10	10	4	5	11	1	1			3
{F.....	8		1		1	1	1			1	1					2
5. Homicide..... {M.....	23	1	2		3	3	1	3	1	2	2	1		3		2
{F.....	11		1		1	1	2	1					1		2	3
6. Infanticide..... {M.....	2	2	2													
{F.....	1	1	1													
7. Injuries by machinery... {M.....	2			1	1											
{F.....																
8. Railroad accidents..... {M.....	482	3	7	16	27	46	65	70	40	45	31	27	24	17	17	50
{F.....	49		5	3	5	1	6	7	3	4	2	4	3	1	1	4
9. Suffocation..... {M.....	182	129	139	3	4	1	6	2	1	3	1	2	4	1	4	11
{F.....	106	83	93	2	1		2		1	1			2	1	1	3
10. Suicide by shooting... {M.....	58					2	6	6	10	9	4	3	6	4	4	4
{F.....	4					1		1			1					1
11. Suicide by drowning... {M.....	7						2	1		4	1				1	2
{F.....	5									1						
12. Suicide by poison..... {M.....	32		1	1		1	4	2	4	1	2	2	8	2	2	2
{F.....	22					2	4	3	1	1	5	1	3	1	1	
13. Other suicides..... {M.....	97					3	5	7	3	5	13	13	12	13	6	17
{F.....	30					1	3	1	4	2	4	2	6	3	3	4
14. Sunstroke..... {M.....	27	3	4	1	1		3	1	1	4	3	2	3	3	1	3
{F.....	14	4	4	2	1					1				2	1	
15. Surgical operations... {M.....	4				1									1		2
{F.....	8							2		1	3					2
16. Wounds..... {M.....	60	1	4	5	3	7	4	4	3		3	7	3	4	3	10
{F.....	12	1	6	1									1		1	3
17. Other accidents and injuries..... {M.....	757	69	98	40	34	34	59	43	49	55	53	48	40	39	37	128
{F.....	404	66	89	14	11	18	12	20	16	25	14	18	13	11	24	119

STATISTICS OF DEATHS.

787

TABLE 16.—DEATHS IN THE STATE OF NEW JERSEY FROM EACH SPECIFIED DISEASE AND CLASS OF DISEASES, WITH DISTINCTION OF AGE AND SEX, DURING THE 6 YEARS ENDING MAY 31, 1890—Continued.

BIRTHPLACE OF MOTHERS—ENGLAND AND WALES—Continued.

CAUSE OF DEATH.	All ages.	Under 1 year.	Total under 5 years.	5 to 10	10 to 15	15 to 20	20 to 25	25 to 30	30 to 35	35 to 40	40 to 45	45 to 50	50 to 55	55 to 60	60 to 65	65 and over and un-known.
I.—General diseases—Continued.																
General diseases—D.....	931	27	55	6	6	41	103	74	78	86	77	89	65	56	59	136
Males.....	470	17	37	2	2	15	52	40	40	43	31	39	41	32	34	62
Females.....	461	10	18	4	4	26	51	34	38	43	46	50	24	24	25	74
1. Rheumatism.....	{ M. 11 F. 13		1	1	1			1		1	1	2		1	2	4
2. Scrofula and tabes.....	{ M. 7 F. 5	3 2	4 2		1					1	1				1	1
3. Leprosy.....	{ M. F.															
4. Consumption.....	{ M. 382 F. 271	4 1	6 4	1 1		14 23	49 49	34 32	38 30	35 31	28 29	30 20	30 9	24 13	18 7	25 21
5. Hydrocephalus.....	{ M. 27 F. 9	8 3	23 6	1 1		1				1		1				
6. Cancer.....	{ M. 46 F. 109						1	1		3 7	2 13	2 24	5 11	4 8	10 11	18 30
7. Tumor.....	{ M. 6 F. 10				1			1	1				3	1		5
8. Anæmia.....	{ M. 5 F. 9	2	3			1		1	1			2	1		1	1
9. Dropsy.....	{ M. 21 F. 24		1		1		1	1		1 3	3	2	2	2	3	10 11
10. Diabetes.....	{ M. 12 F. 10		1		1	1	1	1	1	1		2		1	1	3 3
11. Others of this group.....	{ M. 3 F. 1	2 1	2 1									1				
12. Others of this class.....	{ M. F.															
II.—Diseases of the nervous system.....	889	216	314	19	11	9	14	9	20	29	29	31	35	50	58	261
Males.....	515	137	191	8	6	4	10	5	11	18	17	18	12	33	35	147
Females.....	374	79	123	11	5	5	4	4	9	11	12	13	23	17	23	114
1. Inflammation of the brain.....	{ M. 106 F. 57	33 24	56 38	5 4	4 2		5	2	4	8	3	2		4	5	8 4
2. Apoplexy.....	{ M. 111 F. 95	2 1	3 3				1		3	3	4	4	3	9	17	65 48
3. Paralysis.....	{ M. 78 F. 78	1 1	1 2			1			2	1	2	4	2	7	8	50 47
4. Tetanus and trismus nascentium.....	{ M. 11 F. 2	7 2	7 2		1			1		1				1		
5. Epilepsy.....	{ M. 9 F. 7		1	1	1	1	1	1		1	1	1		2		1
6. Convulsions.....	{ M. 106 F. 76	77 44	98 63	3 5	1		1	1	1		1			2	1	2 2
7. Mental diseases.....	{ M. 10 F. 8					1	1	1		1	3	1	2	1	1	2 3
8. Diseases of the brain.....	{ M. 73 F. 44	16 7	24 15		1	1	1	1	1	3	4	4	3	7	5	18 8
9. Diseases of the spinal cord.....	{ M. 10 F. 6	1	1		1		2			2		3	1	1		1 2
10. Others of this class.....	{ M. 1 F. 1										1		1			
III.—Diseases of the circulatory system.....	400	39	42	2	11	10	10	9	15	18	23	35	31	24	43	127
Males.....	221	24	26	1	4	4	7	4	7	7	13	16	19	13	33	67
Females.....	179	15	16	1	7	6	3	5	8	11	10	19	12	11	10	60
1. Angina pectoris.....	{ M. 11 F. 3											1	2	1	3	4 1
2. Aneurism.....	{ M. 1 F. 6			1					2	1		1				2
3. Diseases of the heart.....	{ M. 188 F. 157	4 4	6 5	1	4	4	6	4	7	7	13	14	17	12	30	63 57
4. Others of this class.....	{ M. 21 F. 13	20 11	20 11				1	1	1							

TABLE 16.—DEATHS IN THE STATE OF NEW JERSEY FROM EACH SPECIFIED DISEASE AND CLASS OF DISEASES, WITH DISTINCTION OF AGE AND SEX, DURING THE 6 YEARS ENDING MAY 31, 1890—Continued.

BIRTHPLACE OF MOTHERS—ENGLAND AND WALES—Continued.

CAUSE OF DEATH.	All ages.	Under 1 year.	Total under 5 years.	5 to 10	10 to 15	15 to 20	20 to 25	25 to 30	30 to 35	35 to 40	40 to 45	45 to 50	50 to 55	55 to 60	60 to 65	65 and over and unknown.
IV.—Diseases of the respiratory system.	802	136	315	31	8	13	20	17	21	35	29	25	40	40	39	169
Males	455	79	184	14	4	7	14	11	12	21	16	19	26	29	19	82
Females	347	57	131	17	4	6	6	6	9	14	13	6	14	14	20	87
1. Croup	{ M 54 F 39	{ 6 8	{ 45 35	{ 7 2	{ 1	{ 1 	{ 	{ 	{ 	{ 	{ 	{ 	{ 1 1	{ 	{ 	{
2. Laryngitis	{ M 12 F 5	{ 2 	{ 7 3	{ 2 2	{ 	{ 	{ 1 	{ 	{ 	{ 	{ 	{ 	{ 	{ 	{ 	{ 2
3. Bronchitis	{ M 116 F 99	{ 37 23	{ 59 46	{ 2 3	{ 	{ 	{ 1 1	{ 1 1	{ 1 1	{ 1 2	{ 2 2	{ 3 1	{ 6 2	{ 8 2	{ 7 6	{ 25 35
4. Pneumonia	{ M 220 F 165	{ 21 17	{ 53 35	{ 3 10	{ 3 3	{ 6 5	{ 10 5	{ 9 3	{ 10 9	{ 14 11	{ 13 11	{ 14 3	{ 16 10	{ 17 8	{ 10 12	{ 42 40
5. Pleurisy	{ M 8 F 2	{ 	{ 1 	{ 	{ 	{ 	{ 1 	{ 	{ 	{ 1 	{ 	{ 	{ 1 	{ 	{ 	{ 4 2
6. Asthma	{ M 6 F 4	{ 	{ 	{ 	{ 	{ 	{ 	{ 1 	{ 	{ 1 	{ 	{ 1 1	{ 1 	{ 	{ 	{ 2 3
7. Others of this class	{ M 39 F 33	{ 13 9	{ 19 12	{ 	{ 1 	{ 	{ 1 	{ 2	{ 1 	{ 4 3	{ 1 	{ 1 1	{ 1 1	{ 1 4	{ 2 2	{ 7 7
V.—Diseases of the digestive system.	254	30	40	7	7	6	9	9	10	17	16	16	18	21	25	53
Males	140	19	26	3	3	5	4	5	3	9	7	6	10	16	17	26
Females	114	11	14	4	4	1	5	4	7	8	9	10	8	5	8	27
1. Dentition	{ M 5 F 1	{ 5 1	{ 5 	{ 	{ 	{ 	{ 	{ 	{ 	{ 	{ 	{ 	{ 	{ 	{ 	{
2. Angina	{ M 1 F 2	{ 	{ 1 	{ 1 	{ 	{ 	{ 1 	{ 	{ 	{ 	{ 	{ 	{ 	{ 	{ 	{
3. Diseases of the stomach	{ M 22 F 27	{ 4 6	{ 7 8	{ 	{ 1 	{ 1 	{ 1 1	{ 1 1	{ 	{ 2 1	{ 	{ 1 	{ 1 2	{ 1 2	{ 3 1	{ 6 8
4. Obstruction of the bowels	{ M 12 F 5	{ 1 	{ 2 1	{ 1 	{ 	{ 2 	{ 	{ 1 	{ 	{ 	{ 1 	{ 	{ 1 	{ 1 	{ 1 1	{ 1
5. Hernia	{ M 9 F 3	{ 	{ 	{ 	{ 	{ 	{ 	{ 	{ 	{ 1 	{ 1 	{ 1 	{ 1 	{ 3 	{ 1 	{ 3 1
6. Other diseases of the bowels	{ M 1 F 1	{ 	{ 	{ 	{ 	{ 	{ 	{ 	{ 	{ 1 	{ 	{ 	{ 	{ 	{ 	{
7. Jaundice	{ M 6 F 3	{ 3 	{ 3 	{ 1 	{ 	{ 	{ 	{ 	{ 	{ 	{ 	{ 	{ 	{ 1 	{ 1 	{
8. Inflammation and abscess of the liver	{ M 11 F 12	{ 	{ 	{ 	{ 	{ 1 	{ 	{ 	{ 	{ 	{ 3 2	{ 2 1	{ 2 2	{ 	{ 2 2	{ 1 4
9. Other diseases of the liver	{ M 38 F 20	{ 	{ 	{ 	{ 	{ 	{ 	{ 1 1	{ 1 4	{ 4 3	{ 1 3	{ 3 2	{ 6 1	{ 5 3	{ 6 3	{ 12 9
10. Peritonitis	{ M 27 F 35	{ 1 	{ 3 	{ 1 2	{ 1 2	{ 2 	{ 3 3	{ 3 2	{ 2 6	{ 1 4	{ 2 3	{ 2 6	{ 1 3	{ 4 1	{ 1 1	{ 3 2
11. Ascites	{ M 3 F 3	{ 	{ 	{ 	{ 1 	{ 	{ 	{ 	{ 	{ 	{ 	{ 	{ 	{ 	{ 	{ 2
12. Others of this class	{ M 8 F 6	{ 5 4	{ 5 4	{ 	{ 2 	{ 	{ 	{ 	{ 	{ 1 	{ 	{ 	{ 	{ 	{ 	{ 1
VI.—Diseases of the urinary system and male organs of generation.	259	2	5	4	4	2	6	7	6	15	25	20	24	21	32	88
Males	165	2	4	1	1	2	3	3	8	16	16	14	11	23	63	
Females	94	1	1	3	4	1	4	4	3	7	9	4	10	10	9	25
1. Bright's disease	{ M 86 F 54	{ 	{ 	{ 1 1	{ 3 3	{ 1 	{ 1 2	{ 2 1	{ 2 3	{ 6 5	{ 12 5	{ 10 4	{ 7 3	{ 7 6	{ 9 4	{ 29 13
2. Calculus, urinary	{ M 1 F 1	{ 	{ 	{ 	{ 	{ 	{ 	{ 	{ 	{ 	{ 	{ 	{ 	{ 	{ 	{
3. Diseases of the kidney	{ M 49 F 33	{ 2 	{ 4 	{ 1 2	{ 1 	{ 	{ 1 2	{ 1 2	{ 	{ 3 3	{ 4 3	{ 5 6	{ 7 4	{ 3 4	{ 6 4	{ 15 6
4. Diseases of the bladder	{ M 22 F 3	{ 	{ 	{ 	{ 	{ 	{ 	{ 	{ 1 	{ 1 	{ 	{ 	{ 	{ 	{ 7 1	{ 14 1
5. Others of this class	{ M 8 F 3	{ 	{ 1 	{ 	{ 	{ 	{ 	{ 	{ 	{ 	{ 1 	{ 1 	{ 	{ 1 	{ 1 	{ 5
VII.—Diseases of the female organs of generation.	7					1			2	1	1			1		1
1. Ovarian tumors	1								1							
2. Ovarian diseases	1										1					
3. Uterine tumors																
4. Uterine diseases	2													1		1
5. Others of this class	3					1			1	1						
VIII.—Affections connected with pregnancy.	61					3	15	15	11	12	4		1			
1. Abortion	4							1	1	2						
2. Childbirth	17							3	3	4						
3. Puerperal septicaemia	37					1	8	10	7	6	4					
4. Extra-uterine pregnancy																
5. Others of this class	3						1	1					1			

TABLE 16.—DEATHS IN THE STATE OF NEW JERSEY FROM EACH SPECIFIED DISEASE AND CLASS OF DISEASES, WITH DISTINCTION OF AGE AND SEX, DURING THE 6 YEARS ENDING MAY 31, 1890—Continued.

BIRTHPLACE OF MOTHERS—ENGLAND AND WALES—Continued.

CAUSE OF DEATH.	All ages.	Under 1 year.	Total under 5 years.	5 to 10	10 to 15	15 to 20	20 to 25	25 to 30	30 to 35	35 to 40	40 to 45	45 to 50	50 to 55	55 to 60	60 to 65	65 and over and unknown.
IX.—Diseases of the bones and joints.....	6			1		1				1		1	1	1		
Males.....	6			1		1				1		1	1	1		
Females.....																
1. Diseases of the spine..... {M	4			1		1				1				1		
{F																
2. Diseases of the bones..... {M	2											1	1			
{F																
3. Diseases of the hip joint..... {M																
{F																
4. Others of this class..... {M																
{F																
X.—Diseases of the skin.....	9							1	1	1	2	2		2		
Males.....	2								1	1		1	1			
Females.....	7							1	1		2	1		2		
1. Abscess..... {M	1							1			2	1		2		
{F	5															
2. Carbuncle..... {M	1									1		1				
{F	1															
3. Others of this class..... {M	1								1							
{F																
XI.—Diseases of the absorbent system.....	3								1		1					1
Males.....	1										1					1
Females.....	2								1							
1. Addison's disease..... {M	1								1		1					
{F	1															
2. Diseases of the spleen..... {M																
{F																
3. Others of this class..... {M																
{F	1															1
XII.—Accidents and injuries.....	275	15	35	9	21	16	14	21	23	16	24	21	11	8	13	43
Males.....	207	8	25	7	15	13	13	15	17	12	22	17	8	6	8	29
Females.....	68	7	10	2	6	3	1	6	6	4	2	4	3	2	5	14
1. Burns and scalds..... {M	14		9	1	1	1		1				1	1	1	1	1
{F	6		1													
2. Drowned..... {M	48	1	6	5	7	5	5	3	4	1	1	2	2		2	5
{F	9	1	2		3		1	1	1							1
3. Exposure and neglect..... {M	1										1					
{F																
4. Gunshot wounds..... {M	5				1	1	1	1		1						
{F	1															
5. Homicide..... {M												2				
{F	2															
6. Infanticide..... {M																
{F																
7. Injuries by machinery..... {M	2						1		1							
{F																
8. Railroad accidents..... {M	47				3	6	5	3	4	5	6	3	3	1		8
{F	5								2							3
9. Suffocation..... {M	6	4	4												1	1
{F	7	4	4						2					1		
10. Suicide by shooting..... {M	2										1	1				
{F																
11. Suicide by drowning..... {M	2								2						1	
{F	1															
12. Suicide by poison..... {M	5		1								1	3				
{F																
13. Other suicides..... {M	11								3		4		1		1	2
{F	1															1
14. Sunstroke..... {M				1											1	
{F	2															
15. Surgical operations..... {M	1															1
{F																
16. Wounds..... {M	9				2			2			2	2			1	
{F	2				1											1
17. Other accidents and injuries. {M	54	3	5	1	1	1	1	6	3	5	6	6	2	4	2	11
{F	32	2	3		2	1		4	1	4	2	1	2	1	3	8

TABLE 16.—DEATHS IN THE STATE OF NEW JERSEY FROM EACH SPECIFIED DISEASE AND CLASS OF DISEASES, WITH DISTINCTION OF AGE AND SEX, DURING THE 6 YEARS ENDING MAY 31, 1890—Continued.

BIRTHPLACE OF MOTHERS—IRELAND.

CAUSE OF DEATH.	All ages.	Under 1 year.	Total under 5 years.	5 to 10	10 to 15	15 to 20	20 to 25	25 to 30	30 to 35	35 to 40	40 to 45	45 to 50	50 to 55	55 to 60	60 to 65	65 and over and un-known.
All causes.....	23,244	4,157	6,741	754	462	810	1,433	1,412	1,162	1,342	1,235	1,347	1,290	1,123	1,088	3,045
Males.....	11,715	2,254	3,575	374	234	378	770	724	614	680	652	703	606	545	511	1,340
Females.....	11,529	1,903	3,166	380	228	432	663	688	548	662	583	644	684	578	577	1,696
Unknown causes.....	104	19	24	2	1	3	9	5	3	5	5	9	8	8	22
Males.....	49	10	14	1	6	4	1	2	3	3	4	4	7
Females.....	55	9	10	2	3	3	1	2	3	2	6	4	4	15
I.—General diseases:																
General diseases—A.....	3,017	898	1,908	344	142	182	214	147	120	114	102	125	114	103	104	243
Males.....	1,905	460	966	155	59	61	118	61	71	57	48	61	55	56	43	94
Females.....	2,012	438	942	189	83	71	96	86	49	57	54	64	59	52	61	149
1. Smallpox.....	{ M. 2	2
F.....
2. Measles.....	{ M. 37	6	34	3
F.....	51	11	45	3	1	1	1
3. Scarlet fever.....	{ M. 176	7	114	39	14	3	3	2	2
F.....	200	9	128	50	12	5	2	1
4. Diphtheria.....	{ M. 284	12	190	78	13	5	2	1
F.....	312	16	171	101	26	6	3	1	1	3
5. Whooping cough.....	{ M. 51	29	50	1
F.....	82	36	75	4	2	1
6. Fever.....	{ M. 2	1
F.....
7. Cerebro-spinal fever.....	{ M. 54	8	26	2	4	3	2	2	3	2	5	2	2
F.....	36	9	16	5	6	2	3	1	1	2
8. Typhoid fever.....	{ M. 320	2	15	11	7	31	82	40	32	22	21	16	15	9	6	13
F.....	268	2	5	9	16	40	50	37	22	18	16	16	9	8	8	14
9. Diarrheal diseases.....	{ M. 403	120	176	10	8	7	6	10	16	19	11	17	20	26	23	54
F.....	480	104	156	14	12	6	10	18	13	17	23	31	31	26	31	92
10. Cholera infantum.....	{ M. 321	255	321
F.....	311	235	311
11. Malarial fever.....	{ M. 137	4	15	11	10	9	17	5	15	6	5	8	11	7	6	12
F.....	148	2	15	1	5	7	15	15	5	9	11	9	12	12	13	19
12. Erysipelas.....	{ M. 41	10	11	2	1	1	1	3	2	8	1	5	1	5
F.....	34	10	10	2	1	6	2	1	1	2	8
13. Septicæmia.....	{ M. 53	3	7	3	2	2	5	1	3	5	3	7	5	4	3	3
F.....	55	1	4	1	1	2	8	10	5	9	2	3	2	4	3	1
14. Venereal diseases.....	{ M. 9	4	4	1	1	1	1	1
F.....	6	2	2	1	1
15. Others of this group.....	{ M. 17	1	1	1	2	1	3	2	6
F.....	27	1	4	1	1	1	2	2	1	2	2	2	2	9
General diseases—B.....	290	129	142	4	1	8	14	14	10	27	11	18	11	6	15
Males.....	173	63	75	2	1	7	9	9	15	15	8	9	7	4	12
Females.....	117	61	67	2	1	5	5	4	12	3	9	4	2	3
1. Parasitic diseases.....	{ M. 1	1
F.....
2. Alcoholism.....	{ M. 80	1	4	9	8	13	15	8	7	6	2	7
F.....	32	4	5	3	11	2	5	1	1
3. Lead poison.....	{ M. 1	1
F.....	1
4. Other poisons.....	{ M. 12	1	4	1	2	1	1	1	1
F.....	9	2	5	1	1	2
5. Inanition.....	{ M. 80	67	70	1	1	1	1	1	1	4
F.....	74	59	62	1	1	1	4	1	2	2
General diseases—C.....	2,540	1,650	1,746	8	3	5	4	8	4	9	9	14	19	16	41	654
Males.....	1,251	911	956	4	1	2	3	2	4	2	4	5	4	14	250
Females.....	1,289	739	790	4	2	3	1	6	4	5	7	10	14	12	27	404
1. Premature birth.....	{ M. 147	147	147
F.....	118	118	118
2. Stillborn.....	{ M. 524	524	524
F.....	404	404	404
3. Malformation.....	{ M. 14	13	13	1
F.....	8	7	8
4. Debility and atrophy.....	{ M. 403	227	272	4	1	2	2	2	4	2	4	5	4	8	83
F.....	480	210	260	4	2	3	1	6	4	5	7	10	14	12	15	137
5. Old age.....	{ M. 163	6	157
F.....	279	12	267	

STATISTICS OF DEATHS.

791

TABLE 16.—DEATHS IN THE STATE OF NEW JERSEY FROM EACH SPECIFIED DISEASE AND CLASS OF DISEASES, WITH DISTINCTION OF AGE AND SEX, DURING THE 6 YEARS ENDING MAY 31, 1890—Continued.

BIRTHPLACE OF MOTHERS—IRELAND—Continued.

CAUSE OF DEATH.	All ages.	Under 1 year.	Total under 5 years.	5 to 10	10 to 15	15 to 20	20 to 25	25 to 30	30 to 35	35 to 40	40 to 45	45 to 50	50 to 55	55 to 60	60 to 65	65 and over and un-known.
I.—General diseases—Continued.																
General diseases—D.....	4,867	97	202	40	62	322	646	631	490	483	414	415	296	254	200	412
Males	2,413	58	117	18	21	126	323	326	247	249	210	222	129	123	103	195
Females	2,454	39	85	22	41	196	323	305	243	234	204	193	167	132	92	217
1. Rheumatism.....	{ M. 54			1	3	6	2	6	3	4	3	5	4	4	3	10
	{ F. 59			4	1	2	2	3	2	3	4	4	6	5	8	15
2. Scrofula and tabes.....	{ M. 16	10	11	1		1			1					1		1
	{ F. 13	3	5		1	1		2		1	1	1		1		
3. Leprosy.....	{ M.															
	{ F.															
4. Consumption.....	{ M. 2,018	15	33	8	14	115	319	311	239	230	189	186	92	88	76	118
	{ F. 1,906	10	23	10	33	189	310	290	221	205	160	131	102	80	47	105
5. Hydrocephalus.....	{ M. 75	23	63	5	3	1		2		1						
	{ F. 55	23	50	2	1		1				1					
6. Cancer.....	{ M. 157						1	3	2	9	12	17	19	22	23	49
	{ F. 282			1		1	3	7	11	21	27	44	49	31	25	62
7. Tumor.....	{ M. 17	1	1				1			3	1	5	1	1	2	2
	{ F. 21						1	1	1	1	2	3	2	3	2	5
8. Anemia.....	{ M. 14	2	4	1							1	3	3	1		1
	{ F. 14		1	1		1	1		2		1	1	1	2	1	2
9. Dropsy.....	{ M. 41		3	2	1	1		3		2	1	4	7	3	4	10
	{ F. 75	1	3	2	3	1	2	3	3	3	7	8	5	7	7	24
10. Diabetes.....	{ M. 17					2		1	2		2	2	3	2		3
	{ F. 26	1	2	1	2	1	3	2	3		1	1	1	3	2	4
11. Others of this group.....	{ M. 4	2	2								1					1
	{ F. 3	1	1	1									1			
12. Others of this class.....	{ M.															
	{ F.															
II.—Diseases of the nervous system.....																
	2,755	616	1,050	101	46	44	51	58	69	109	105	147	161	160	138	466
Males	1,382	346	563	51	24	30	25	31	44	66	56	64	70	61	85	212
Females	1,373	270	487	50	22	14	26	27	25	43	49	83	91	99	103	254
1. Inflammation of the brain.....	{ M. 315	75	170	25	11	10	9	4	11	11	14	11	11	8	8	12
	{ F. 262	64	157	17	11	5	9	5	4	12	6	16	3	5	3	9
2. Apoplexy.....	{ M. 280		1		2	2	3	7	10	19	19	20	28	26	46	99
	{ F. 350	1	2	1	2	2	2	5	4	11	21	36	43	52	56	113
3. Paralysis.....	{ M. 131	2	3		1	1	2	3	1	7	4	7	11	12	14	64
	{ F. 203		3	3	2		2	5	4	6	7	17	23	21	27	84
4. Tetanus and trismus nascentium.....	{ M. 52	18	18	2	5	7	2	5	2	2	2	5	1			1
	{ F. 15	7	9	1				1	1		2		1			
5. Epilepsy.....	{ M. 22				3	4		1	1	3	2	2	2	1	2	1
	{ F. 21		1		1	2	1	3	2	2	3	1	2	1	1	2
6. Convulsions.....	{ M. 325	205	300	11	2	1	2	1	1	1	2	2		1	1	1
	{ F. 292	161	252	17	1	2	3	2	2	4	2	1	1	3	2	2
7. Mental diseases.....	{ M. 25					2	1	3		2	3		6	3	1	4
	{ F. 29			1			1	1	2	3	1	1	1	4	1	13
8. Diseases of the brain.....	{ M. 207	44	68	12	1	2	5	4	16	20	14	14	11	10	7	27
	{ F. 178	36	60	11	5	3	5	4	3	5	6	10	14	11	10	31
9. Diseases of the spinal cord.....	{ M. 23	2	3	1		1	1	3	2	1		2			6	3
	{ F. 18	1	3				2	2	1		1	1	1	5	2	
10. Others of this class.....	{ M. 2						1	1				1				
	{ F. 5							1	1				2			
III.—Diseases of the circulatory system.....																
	1,414	67	87	28	43	64	50	66	61	90	84	118	144	122	134	323
Males	643	36	50	15	19	24	28	29	28	27	41	46	71	50	57	158
Females	771	31	37	13	24	40	22	37	33	63	43	72	73	72	77	165
1. Angina pectoris.....	{ M. 37				1	1	1	3	1	2	2	6	3	5	5	7
	{ F. 48						1	2	1	6	7	8	5	2	5	11
2. Aneurism.....	{ M. 14					1			1	1	2	2		3		5
	{ F. 10								1	2	1	1			2	2
3. Diseases of the heart.....	{ M. 562	12	25	15	18	22	27	25	26	24	37	38	67	42	51	145
	{ F. 680	10	15	13	24	38	21	33	31	52	35	62	67	69	69	151
4. Others of this class.....	{ M. 30	24	25			1		1					1		1	1
	{ F. 33	21	22			1		2		3		1	1	1	1	1

TABLE 16.—DEATHS IN THE STATE OF NEW JERSEY FROM EACH SPECIFIED DISEASE AND CLASS OF DISEASES, WITH DISTINCTION OF AGE AND SEX, DURING THE 6 YEARS ENDING MAY 31, 1890—Continued.

BIRTHPLACE OF MOTHERS—IRELAND—Continued.

CAUSE OF DEATH.	All ages.	Under 1 year.	Total under 5 years.	5 to 10	10 to 15	15 to 20	20 to 25	25 to 30	30 to 35	35 to 40	40 to 45	45 to 50	50 to 55	55 to 60	60 to 65	65 and over and un-known.
IV.—Diseases of the respiratory system.	3,882	521	1,291	152	50	104	151	180	157	191	216	217	235	219	209	510
Males	1,991	283	674	85	10	54	94	101	91	104	126	129	114	108	99	193
Females.....	1,891	238	617	67	31	50	57	79	66	87	90	88	121	111	110	317
1. Croup	{ M 221 F 183	{ 17 4	{ 175 147	{ 36 26	{ 4 2	{ 3 2	{ 1 1				{ 2 1			{ 1 1		{ 2 1
2. Laryngitis	{ M 43 F 49	{ 4 3	{ 28 37	{ 5 5	{ 1 1	{ 1 1	{ 1 1	{ 2 1	{ 1 1	{ 2 2	{ 1 1					{ 1 1
3. Bronchitis.....	{ M 361 F 451	{ 115 100	{ 171 166	{ 8 9	{ 1 5	{ 2 5	{ 7 10	{ 8 14	{ 7 13	{ 12 13	{ 14 11	{ 20 14	{ 14 25	{ 21 33	{ 21 29	{ 60 104
4. Pneumonia.....	{ M 1,192 F 1,017	{ 110 84	{ 254 219	{ 31 20	{ 10 20	{ 40 39	{ 76 38	{ 88 52	{ 78 44	{ 77 63	{ 101 70	{ 97 67	{ 82 77	{ 78 71	{ 71 67	{ 109 170
5. Pleurisy.....	{ M 30 F 26		{ 2 2		{ 1 1	{ 2 1	{ 4 3	{ 2 4	{ 2 3	{ 2 6	{ 3 3	{ 2 1	{ 5 1	{ 1 1		{ 4 4
6. Asthma.....	{ M 20 F 22	{ 1 1	{ 1 1	{ 1 1						{ 3 1	{ 1 1	{ 2 4	{ 4 4	{ 1 1	{ 1 3	{ 8 11
7. Others of this class.....	{ M 124 F 143	{ 37 31	{ 44 45	{ 5 6	{ 2 3	{ 6 4	{ 5 4	{ 6 8	{ 3 6	{ 8 3	{ 4 7	{ 8 6	{ 8 12	{ 7 6	{ 6 8	{ 12 25
V.—Diseases of the digestive system.....	1,072	105	149	12	32	37	50	71	56	81	81	96	112	89	77	185
Males	462	53	78	8	20	15	26	27	19	26	26	41	41	46	25	64
Females.....	610	52	71	4	12	22	24	44	37	55	55	55	71	37	52	71
1. Dentition.....	{ M 13 F 17	{ 7 9	{ 13 17													
2. Angina.....	{ M 10 F 5	{ 3 3	{ 8 3		{ 1 2											{ 1 1
3. Diseases of the stomach.....	{ M 109 F 151	{ 15 16	{ 23 19	{ 2 2	{ 3 4	{ 2 7	{ 4 5	{ 8 10	{ 5 8	{ 5 13	{ 5 8	{ 8 12	{ 9 22	{ 10 5	{ 4 17	{ 21 19
4. Obstruction of the bowels.....	{ M 25 F 38	{ 4 1	{ 4 1	{ 1 1		{ 1 1	{ 1 2	{ 3 2			{ 1 1	{ 3 4	{ 4 4	{ 1 7	{ 1 4	{ 5 6
5. Hernia.....	{ M 14 F 16	{ 1 1	{ 1 1				{ 2 2			{ 1 1	{ 3 1	{ 1 1	{ 2 4	{ 2 1	{ 3 1	{ 4 3
6. Other diseases of the bowels.....	{ M 4 F 6	{ 1 2	{ 1 2					{ 1 1						{ 1 2		{ 1 1
7. Jaundice.....	{ M 11 F 14	{ 5 5	{ 5 5							{ 1 1	{ 3 3	{ 1 1	{ 1 1		{ 1 3	{ 3 1
8. Inflammation and abscess of the liver.....	{ M 27 F 36		{ 1 2	{ 1 1			{ 3 1		{ 2 1	{ 3 2	{ 2 4	{ 3 7	{ 1 11	{ 3 3	{ 2 2	{ 5 3
9. Other diseases of the liver.....	{ M 117 F 137	{ 1 1	{ 2 1				{ 3 1	{ 5 5	{ 4 18	{ 8 18	{ 14 22	{ 18 21	{ 17 18	{ 25 11	{ 9 11	{ 12 19
10. Peritonitis.....	{ M 107 F 160	{ 6 3	{ 8 5	{ 3 2	{ 15 3	{ 12 11	{ 11 16	{ 9 26	{ 8 15	{ 7 16	{ 4 13	{ 7 9	{ 6 9	{ 4 9	{ 5 11	{ 8 15
11. Ascites.....	{ M 1 F 2									{ 1 1			{ 1 1			
12. Others of this class.....	{ M 24 F 28	{ 10 13	{ 12 16	{ 1 1			{ 2 2		{ 2 2			{ 1 1		{ 1 1	{ 3 3	{ 4 4
VI.—Diseases of the urinary system and male organs of generation.	893	3	86	21	16	24	47	39	64	91	82	87	89	82	63	152
Males	454	1	19	9	11	11	23	17	32	40	44	40	43	38	31	96
Females.....	439	2	17	12	5	13	24	22	32	51	38	47	46	44	32	56
1. Bright's disease.....	{ M 234 F 232			{ 4 4	{ 6 4	{ 6 7	{ 12 12	{ 12 10	{ 17 19	{ 21 25	{ 25 22	{ 26 27	{ 26 27	{ 28 31	{ 10 17	{ 41 27
2. Calculus, urinary.....	{ M 3 F 3						{ 1 1									
3. Diseases of the kidney.....	{ M 153 F 175	{ 2 1	{ 18 17	{ 5 7	{ 3 1	{ 2 5	{ 10 9	{ 5 11	{ 14 9	{ 17 21	{ 16 15	{ 10 16	{ 12 17	{ 8 11	{ 11 14	{ 22 22
4. Diseases of the bladder.....	{ M 44 F 7		{ 1 1				{ 1 1				{ 2 1		{ 3 4		{ 7 1	{ 26 3
5. Others of this class.....	{ M 23 F 22			{ 1 1	{ 2 2		{ 1 2		{ 1 4		{ 3 4	{ 1 3	{ 1 2	{ 2 1	{ 3 1	{ 7 4
VII.—Diseases of the female organs of generation.	32					2	4		3	7	5	5	1		3	2
1. Ovarian tumors.....	8									1	1	3			2	1
2. Ovarian diseases.....																
3. Uterine tumors.....	2									1						1
4. Uterine diseases.....	15						4		2	2	4	2			1	
5. Others of this class.....	7					2			1	3			1			
VIII.—Affections connected with pregnancy.	218				1	5	63	58	40	39	11	1				
1. Abortion.....	3							1		2						
2. Childbirth.....	50															
3. Puerperal septicemia.....	153				1	3	10	11	14	8	6					
4. Extra-uterine pregnancy.....							4	44	25	27	5	1				
5. Others of this class.....	12					1	6	2	1	2						

TABLE 16.—DEATHS IN THE STATE OF NEW JERSEY FROM EACH SPECIFIED DISEASE AND CLASS OF DISEASES, WITH DISTINCTION OF AGE AND SEX, DURING THE 6 YEARS ENDING MAY 31, 1890—Continued.

BIRTHPLACE OF MOTHERS—IRELAND—Continued.

CAUSE OF DEATH.	All ages.	Under 1 year.	Total under 5 years.	5 to 10	10 to 15	15 to 20	20 to 25	25 to 30	30 to 35	35 to 40	40 to 45	45 to 50	50 to 55	55 to 60	60 to 65	65 and over and un-known.
IX.—Diseases of the bones and joints.....	38		3	6	4	2	6	4	2	4		4				3
Males	20		1	2	3	1	5	2	1	2		1				2
Females.....	18		2	4	1	1	1	2	1	2		3				1
1. Diseases of the spine..... {M..	14		1	2	2	1	4	2	1							1
{F..	14		2	3	1	1	1	2	1	1		2				
2. Diseases of the bones..... {M..	5				1		1			1		1				1
{F..	1			1												
3. Diseases of the hip joint.. {M..	1									1						1
{F..	2											1				
4. Others of this class..... {M..																
{F..	1									1						
X.—Diseases of the skin.....	35	6	9		2	3	3	2		1	2	2	3	4		4
Males	16	2	4		1	1		1			1	2		3		3
Females.....	19	4	5		1	2	3	1	1	1	1		3	1		1
1. Abscess..... {M..	11	2	4		1	1		1			1	2		1		
{F..	12	1	2		1	2	3	1		1	1		1			
2. Carbuncle..... {M..	3													2		1
{F..	4	1	1										2	1		
3. Others of this class..... {M..	2															2
{F..	3	2	2													1
XI.—Diseases of the absorbent system.....	3							1	1		1					
Males	1										1					
Females.....	2							1	1							
1. Addison's disease..... {M..	1										1					
{F..	1							1								
2. Diseases of the spleen..... {M..																
{F..																
3. Others of this class..... {M..										1						
{F..	1															
XII.—Accidents and injuries.....	1,184	46	94	36	60	65	133	124	76	101	91	100	89	56	55	104
Males	955	26	58	25	55	52	118	112	68	89	80	82	66	46	41	63
Females.....	229	20	36	11	5	13	15	12	8	12	11	18	23	10	14	41
1. Burns and scalds..... {M..	32		14	3		3	1	5	2		1	1			1	1
{F..	34	1	9	4		2	1	1	2	1	1	2	5	2		4
2. Drowned..... {M..	146		6	10	18	8	17	17	13	14	6	13	10	8	1	5
{F..	27	1	3		2	6	3			1	5	1	5	1	1	
3. Exposure and neglect..... {M..	6						1			3						1
{F..	1	1	1													
4. Gunshot wounds..... {M..	25			2	5	4	2		2	1	3	3	2		1	
{F..																
5. Homicide..... {M..	10		1				2		3	1	1	1				1
{F..	4									2					2	
6. Infanticide..... {M..																
{F..																
7. Injuries by machinery..... {M..	6				1		1		1	1		1				1
{F..																
8. Railroad accidents..... {M..	311		3	3	18	19	62	46	18	31	27	21	18	14	13	18
{F..	24		1	3		1	2	3		3	1	1		1	4	4
9. Suffocation..... {M..	38	19	20			1	3	3		1	3		2	1	3	1
{F..	22	13	13	1		1	3			2						2
10. Suicide by shooting..... {M..	6					1	1		1			1	1	1		
{F..	2						1		1							
11. Suicide by drowning..... {M..							1							1		
{F..	2															
12. Suicide by poison..... {M..	9		1			1		1			2	1	1		1	
{F..	5							2			1					2
13. Other suicides..... {M..	14						1		2	3	1	2	1	1	1	1
{F..	3							1			1	1				
14. Sunstroke..... {M..	52			2		1	5	5	3	5	8	13	2	1	1	6
{F..	7					1		1		1		2	2	2		
15. Surgical operations..... {M..	1													1		
{F..	1															
16. Wounds..... {M..	36			2	1	1	3	8	2	2	2	4	3	2	2	4
{F..	9		1		1	1	1			1		1	1	1		1
17. Other accidents and injuries, {M..	261	7	13	3	12	13	18	27	20	27	26	21	25	15	17	24
{F..	90	4	8	3	2	1	4	4	5	3	2	10	9	4	7	28

TABLE 16.—DEATHS IN THE STATE OF NEW JERSEY FROM EACH SPECIFIED DISEASE AND CLASS OF DISEASES, WITH DISTINCTION OF AGE AND SEX, DURING THE 6 YEARS ENDING MAY 31, 1890—Continued.

BIRTHPLACE OF MOTHERS—SCOTLAND—Continued.

CAUSE OF DEATH.	All ages.	Under 1 year.	Total under 5 years.	5 to 10	10 to 15	15 to 20	20 to 25	25 to 30	30 to 35	35 to 40	40 to 45	45 to 50	50 to 55	55 to 60	60 to 65	65 and over and unknown.
I.—General diseases—Continued.																
General diseases—D.....	262	8	18	3	2	18	20	24	21	19	24	24	16	25	14	34
Males.....	137	3	8	1	2	7	11	10	15	9	18	11	7	12	8	13
Females.....	125	5	10	2	1	11	9	14	6	10	6	13	9	13	6	16
1. Rheumatism.....	{ M F	1 1	1											1		
2. Scrofula and tabes.....	{ M F	2 1	1			1										
3. Leprosy.....	{ M F															
4. Consumption.....	{ M F	96 78	2	1 5	2	5 10	10 9	10 13	14 6	8 9	15 5	10 7	4 5	6 3	3 1	8 5
5. Hydrocephalus.....	{ M F	6 5	1 3	4 4	1 1	1										
6. Cancer.....	{ M F	19 33				1		1		1	2 1	6	3 4	4 7	2 3	8 9
7. Tumor.....	{ M F	2													1	1
8. Anæmia.....	{ M F	2 1			1		1							1		
9. Dropsy.....	{ M F	2 4						1			1			2	1	1
10. Diabetes.....	{ M F	5 2							1					1	2	1
11. Others of this group.....	{ M F	2	1	1							1					
12. Others of this class.....	{ M F															
II.—Diseases of the nervous system.....																
	231	56	91	6	4	3	5	5	3	6	9	5	10	7	13	64
Males.....	139	31	52	3	4	2	3	2	2	2	3	2	5	4	5	40
Females.....	102	25	39	3	1	2	2	3	1	4	6	3	5	3	8	24
1. Inflammation of the brain.....	{ M F	26 22	7 11	16 15	1 2	1 1	2 1	1		1	1	1	1			1 2
2. Apoplexy.....	{ M F	30 21					1		1			1	2	3	2	20 9
3. Paralysis.....	{ M F	20 15						1		1			1	2	2	15 8
4. Tetanus and trismus nascentium.....	{ M F	4	3	3		1										
5. Epilepsy.....	{ M F	2					1	1								
6. Convulsions.....	{ M F	30 19	19 11	28 18	2					1						
7. Mental diseases.....	{ M F	1 1							1						1	
8. Diseases of the brain.....	{ M F	15 17	2 3	5 6		2			2	1	1	3	1	2	1	3 4
9. Diseases of the spinal cord.....	{ M F	2 3			1						1		1	1	1	
10. Others of this class.....	{ M F	1 2				1										1 1
III.—Diseases of the circulatory system.....																
	120	8	9	2	2	6	1	7	5	5	1	10	9	12	10	41
Males.....	58	5	6	2	2	4	1	2	2	3	1	3	5	4	2	21
Females.....	62	3	3	2	2	2	1	5	3	2	1	7	4	8	8	20
1. Angina pectoris.....	{ M F	2 6							1					1	2	2 2
2. Aneurism.....	{ M F	2											1	1		
3. Diseases of the heart.....	{ M F	49 52	1	1 1	2	2 4	1	2 4	2 2	3 2	1	3 6	4 4	3 7	2 6	19 13
4. Others of this class.....	{ M F	5 4	5 2	5 2				1				1				

STATISTICS OF DEATHS.

TABLE 16.—DEATHS IN THE STATE OF NEW JERSEY FROM EACH SPECIFIED DISEASE AND CLASS OF DISEASES, WITH DISTINCTION OF AGE AND SEX, DURING THE 6 YEARS ENDING MAY 31, 1890—Continued.

BIRTHPLACE OF MOTHERS—SCOTLAND—Continued.

CAUSE OF DEATH.	All ages.	Under 1 year.	Total under 5 years.	5 to 10	10 to 15	15 to 20	20 to 25	25 to 30	30 to 35	35 to 40	40 to 45	45 to 50	50 to 55	55 to 60	60 to 65	65 and over and un-known.
IX.—Diseases of the bones and joints...	3			1		1							1			
Males	1												1			
Females.....	2			1		1										
1. Diseases of the spine..... { M.	1			1												
{ F.																
2. Diseases of the bones..... { M.	1					1							1			
{ F.	1															
3. Diseases of the hip joint.. { M.																
{ F.																
4. Others of this class..... { M.																
{ F.																
X.—Diseases of the skin.....																
Males																
Females.....																
1. Abscess..... { M.																
{ F.																
2. Carbuncle..... { M.																
{ F.																
3. Others of this class..... { M.																
{ F.																
XI.—Diseases of the absorbent system.....																
Males																
Females.....																
1. Addison's disease..... { M.																
{ F.																
2. Diseases of the spleen..... { M.																
{ F.																
3. Others of this class..... { M.																
{ F.																
XII.—Accidents and injuries.....	74	4	8	5	2	2	2	5	5	9	3	1	8	9	3	12
Males	48	2	5	4	1	1	1	3	4	7	3	1	3	6	2	7
Females.....	26	2	3	1	1	1	1	2	1	2	3	1	5	3	1	5
1. Burns and scalds..... { M.	3					1					1	1				
{ F.	4		1		1			1	1							
2. Drowned..... { M.	8			3				1		2	2					1
{ F.	2					1										
3. Exposure and neglect... { M.																1
{ F.	1															
4. Gunshot wounds..... { M.																
{ F.																
5. Homicide..... { M.																
{ F.																
6. Infanticide..... { M.																
{ F.																
7. Injuries by machinery... { M.																
{ F.																
8. Railroad accidents..... { M.	9		1		1			2		2				2	1	
{ F.	3			1			1								1	
9. Suffocation..... { M.	1	1	1													
{ F.	2	2	2													
10. Suicide by shooting... { M.	3															2
{ F.																
11. Suicide by drowning... { M.																
{ F.																
12. Suicide by poison..... { M.	3			1										1		1
{ F.																
13. Other suicides..... { M.	2									1			1			
{ F.																
14. Sunstroke..... { M.	1													1		
{ F.																
15. Surgical operations... { M.																
{ F.																
16. Wounds..... { M.	1									1						
{ F.																
17. Other accidents and inju- { M.	17	1	3				1		4	1			2	1	1	4
{ F.	14							1		2			5	3		3

TABLE 16.—DEATHS IN THE STATE OF NEW JERSEY FROM EACH SPECIFIED DISEASE AND CLASS OF DISEASES, WITH DISTINCTION OF AGE AND SEX, DURING THE 6 YEARS ENDING MAY 31, 1890.—Continued.

BIRTHPLACE OF MOTHERS—GERMANY.

CAUSE OF DEATH.	All ages.	Under 1 year.	Total under 5 years.	5 to 10	10 to 15	15 to 20	20 to 25	25 to 30	30 to 35	35 to 40	40 to 45	45 to 50	50 to 55	55 to 60	60 to 65	65 and over and un-known.
All causes.....	19,581	5,956	8,569	790	336	503	702	876	726	793	751	735	792	761	848	2,349
Males.....	10,977	3,336	4,701	414	195	262	343	481	412	479	490	496	479	450	515	1,260
Females.....	8,604	2,620	3,868	376	191	241	359	395	314	314	261	239	313	311	333	1,089
Unknown causes.....	69	15	20	2	1	1	1	3	3	5	1	5	3	2	8	14
Males.....	34	9	12	1	2	2	8
Females.....	35	6	8	2	1	1	3	1	3	1	3	2	1	3	6
I.—General diseases:																
General diseases—A.....	4,353	1,671	2,776	413	144	130	112	92	85	90	67	72	67	49	74	132
Males.....	2,308	912	1,487	198	68	63	54	61	51	43	38	46	35	31	39	95
Females.....	2,045	759	1,289	215	76	67	58	31	34	48	29	26	32	18	35	87
1. Smallpox.....	{ M 2 F 1	2	1
2. Measles.....	{ M 40 F 30	13 9	38 29	1 5	1	1	2
3. Scarlet fever.....	{ M 144 F 143	10 7	87 92	38 38	13 12	4	1	1
4. Diphtheria.....	{ M 439 F 424	27 22	274 240	126 139	22 29	7 7	4 4	1 1	1 1	2 1	2 1
5. Whooping cough.....	{ M 48 F 46	32 21	48 44	1	1
6. Fever.....	{ M 1 F 1	1	1
7. Cerebro-spinal fever.....	{ M 43 F 29	11 4	22 14	6 5	1 3	1 1	2 2	2 1	1 1	2 1	1 1	3	2
8. Typhoid fever.....	{ M 262 F 225	6 10	7 11	14 15	36 49	35 34	38 20	28 12	24 16	16 11	19 15	13 10	5 4	10 7	11 11
9. Diarrheal diseases.....	{ M 567 F 490	319 281	395 341	11 7	11 11	8 5	7 2	10 4	11 6	7 15	7 12	12 6	13 9	13 7	10 17	52 48
10. Cholera infantum.....	{ M 579 F 469	478 384	577 469	2
11. Malarial fever.....	{ M 86 F 81	7 10	16 19	7 8	2 5	2 3	3 5	3 1	5 5	2 7	8	4	5	6	6	17 16
12. Erysipelas.....	{ M 27 F 24	4 7	5 11	2	2	2	2	1	3	2	2	3	3 4
13. Septicæmia.....	{ M 40 F 53	3 5	8 11	3	3	3	2	3	4	4	1	2	2	5
14. Venereal diseases.....	{ M 9 F 5	5 5	6 5	1	1	1
15. Others of this group.....	{ M 22 F 15	3 1	3 3	2	2	2	1	4	1	2	7 6
General diseases—B.....	232	160	171	1	3	2	3	7	10	8	12	3	2	4	6
Males.....	137	85	94	1	1	1	3	5	8	6	10	2	2	1	3
Females.....	95	72	77	2	1	2	2	2	2	1	3	3
1. Parasitic diseases.....	{ M 32 F 4	1	1	1	1	5	7	4	8	2	1	2 1
3. Lead poison.....	{ M 2 F 1	1	1	1
4. Other poisons.....	{ M 11 F 11	1 1	3 2	1	2	1	1	2	1	1
5. Inanition.....	{ M 92 F 79	86 71	90 75	1	1	2	1 1
General diseases—C.....	2,664	2,113	2,199	6	6	7	4	2	3	5	6	3	10	9	31	373
Males.....	1,462	1,209	1,250	4	3	1	3	4	2	4	4	22	165
Females.....	1,202	904	949	2	6	4	3	2	3	2	2	1	6	5	9	208
1. Premature birth.....	{ M 160 F 114	160 114	160 114
2. Stillborn.....	{ M 668 F 480	668 480	668 480
3. Malformation.....	{ M 19 F 13	16 11	17 12	2
4. Debility and atrophy.....	{ M 524 F 483	365 299	405 343	4 1	1 4	1 3	3 2	4 2	2 1	4 6	4 5	20 8	78 97
5. Old age.....	{ M 91 F 112	2 1	89 111

STATISTICS OF DEATHS.

799

TABLE 16.—DEATHS IN THE STATE OF NEW JERSEY FROM EACH SPECIFIED DISEASE AND CLASS OF DISEASES, WITH DISTINCTION OF AGE AND SEX, DURING THE 6 YEARS ENDING MAY 31, 1890—Continued.

BIRTHPLACE OF MOTHERS—GERMANY—Continued.

CAUSE OF DEATH.	All ages.	Under 1 year.	Total under 5 years.	5 to 10	10 to 15	15 to 20	20 to 25	25 to 30	30 to 35	35 to 40	40 to 45	45 to 50	50 to 55	55 to 60	60 to 65	65 and over and unknown.
I.—General diseases—Continued.																
General diseases—D.....	3,165	160	262	37	33	154	310	395	296	280	266	212	200	190	195	385
Males	1,790	93	151	20	14	74	157	207	161	170	169	137	122	112	114	182
Females	1,375	67	111	17	19	80	153	188	135	110	97	75	78	78	81	153
1. Rheumatism.....	{ M. 41 F. 25		2	2	1	2	2	2	6	1	2	3	4	2	3	9
2. Scrofula and tabes	{ M. 15 F. 14	10	11					1		1				2		1
3. Leprosy	{ M. F.															
4. Consumption.....	{ M. 1,325 F. 926	19	33	7	8	65	151	198	150	157	141	106	89	73	64	83
5. Hydrocephalus.....	{ M. 115 F. 73	55	92	8	2	1	1	3		1		2	2	1	1	2
6. Cancer	{ M. 187 F. 238				1	3	1	1	2	3	19	17	20	26	39	56
7. Tumor	{ M. 15 F. 19	2	2					1	1	2	1	4	2	3	2	6
8. Anæmia.....	{ M. 14 F. 10	1	4		1		2	1	1	1	1	3		1	1	2
9. Dropsy.....	{ M. 49 F. 45	4	5	3	3	2	1	2		3	3	4	1	5	2	19
10. Diabetes	{ M. 23 F. 20	1	1		2	1	1		3	1	1	4		4	1	8
11. Others of this group	{ M. 6 F. 5	1	1										2	1	2	3
12. Others of this class.....	{ M. F.															1
II.—Diseases of the nervous system.....	2,622	972	1,371	75	39	30	32	50	63	49	76	74	104	113	138	408
Males	1,458	544	739	36	21	15	17	32	41	29	42	59	56	67	84	229
Females	1,164	428	632	39	18	15	15	18	22	20	34	24	48	46	54	179
1. Inflammation of the brain.....	{ M. 351 F. 230	133	224	17	6	3	9	11	12	3	9	6	11	11	12	17
2. Apoplexy	{ M. 287 F. 235	1	2	1	2	2	2	8	11	13	18	19	25	28	38	118
3. Paralysis.....	{ M. 137 F. 106	3	4	3	3	2	1	3	5	6	9	10	4	11	19	57
4. Tetanus and trismus nascentium.....	{ M. 37 F. 26	22	22	1	3	1	2		1		1	2		1	3	1
5. Epilepsy	{ M. 16 F. 14			1	1	2	2	2		1			2	1		5
6. Convulsions.....	{ M. 447 F. 423	346	428	9	4	1	4	1	3		1					2
7. Mental diseases	{ M. 13 F. 13						1	1	4		4	3	2	1	1	3
8. Diseases of the brain.....	{ M. 147 F. 97	36	56	4	3	2	1	7	4	5	3	8	10	12	9	23
9. Diseases of the spinal cord.....	{ M. 20 F. 16	3	3			1			1	1	2	2	2	2	2	4
10. Others of this class.....	{ M. 3 F. 4			1		1			1							1
III.—Diseases of the circulatory system.....	1,066	86	102	16	38	34	33	38	45	52	51	79	101	107	100	270
Males	603	46	54	8	17	17	18	20	23	34	37	48	63	56	54	154
Females	463	40	48	8	21	17	15	18	22	18	14	31	38	51	46	116
1. Angina pectoris.....	{ M. 34 F. 15				1				1		4	6	7	3	3	10
2. Aneurism	{ M. 12 F. 5								2	1		1	4	2		3
3. Diseases of the heart.....	{ M. 519 F. 406	14	21	8	17	17	17	20	21	32	33	41	52	50	51	139
4. Others of this class.....	{ M. 38 F. 37	32	33				1	1	1					1		2

TABLE 16.—DEATHS IN THE STATE OF NEW JERSEY FROM EACH SPECIFIED DISEASE AND CLASS OF DISEASES, WITH DISTINCTION OF AGE AND SEX, DURING THE 6 YEARS ENDING MAY 31, 1890—Continued.

BIRTHPLACE OF MOTHERS—GERMANY—Continued.

CAUSE OF DEATH.	All ages.	Under 1 year.	Total under 5 years.	5 to 10	10 to 15	15 to 20	20 to 25	25 to 30	30 to 35	35 to 40	40 to 45	45 to 50	50 to 55	55 to 60	60 to 65	65 and over and unknown.
IV.—Diseases of the respiratory system.	2,766	562	1,308	159	89	44	60	90	60	96	88	100	107	116	116	388
Males	1,581	312	710	96	18	23	28	53	39	69	61	72	70	72	75	195
Females.....	1,185	250	598	63	21	21	32	37	21	27	22	28	37	44	41	193
1. Croup.....	{M.. 260 F.. 203	{33 12	{199 163	{51 29	{4 3	{1 1	{1 1	{1 1	{1 2	{1 3	{1 1	{2 1	{1 1	{1 1	{1 1	{3 1
2. Laryngitis.....	{M.. 55 F.. 29	{10 6	{35 23	{4 2	{1 1	{1 1	{1 1	{1 1	{2 1	{3 1	{1 1	{1 1	{2 1	{2 1	{1 1	{1 1
3. Bronchitis.....	{M.. 332 F.. 265	{120 99	{182 153	{7 6	{1 1	{1 1	{4 2	{4 2	{1 2	{2 5	{8 2	{7 3	{12 7	{11 7	{26 7	{67 68
4. Pneumonia.....	{M.. 778 F.. 574	{120 106	{252 218	{33 23	{10 14	{17 16	{22 25	{39 28	{32 14	{56 18	{41 16	{51 22	{47 25	{45 27	{36 27	{97 101
5. Pleurisy.....	{M.. 31 F.. 17	{1 1	{4 1	{1 2	{1 1	{1 1	{1 1	{6 2	{1 2	{4 1	{2 1	{2 1	{1 1	{3 2	{3 1	{3 2
6. Asthma.....	{M.. 16 F.. 12	{1 1	{1 1	{1 1	{1 1	{1 1	{1 1	{2 1	{1 1	{1 1	{1 1	{1 1	{2 1	{1 1	{2 1	{5 8
7. Others of this class.....	{M.. 109 F.. 85	{28 27	{37 40	{1 1	{3 3	{3 3	{3 3	{4 4	{3 3	{2 2	{8 2	{9 2	{7 4	{10 5	{7 4	{19 13
V.—Diseases of the digestive system.	922	153	214	22	25	20	29	55	46	42	57	57	79	65	77	184
Males	494	86	119	13	12	12	9	20	22	22	34	33	46	34	53	64
Females.....	428	67	95	9	13	7	20	35	24	20	23	24	33	31	24	70
1. Dentition.....	{M.. 16 F.. 22	{14 11	{16 22	{1 1	{1 1	{1 1	{1 1	{1 1	{1 1	{1 1	{1 1	{1 1	{1 1	{1 1	{1 1	{1 1
2. Angina.....	{M.. 19 F.. 10	{3 10	{14 6	{4 3	{1 1	{1 1	{1 1	{1 1	{1 1	{1 1	{1 1	{1 1	{1 1	{1 1	{1 1	{1 1
3. Diseases of the stomach.....	{M.. 87 F.. 66	{23 22	{35 27	{3 5	{3 3	{1 1	{1 3	{3 3	{6 1	{5 2	{5 1	{5 1	{9 3	{4 3	{8 2	{7 11
4. Obstruction of the bowels.....	{M.. 18 F.. 26	{5 2	{5 4	{1 1	{1 1	{1 1	{1 1	{1 1	{1 1	{1 1	{2 2	{1 1	{1 4	{1 3	{4 1	{3 9
5. Hernia.....	{M.. 26 F.. 19	{2 19	{2 19	{1 19	{1 19	{1 19	{1 19	{2 19	{1 19	{1 19	{1 19	{3 19	{2 19	{3 19	{3 19	{8 5
6. Other diseases of the bowels.....	{M.. 2 F.. 4	{1 4	{1 4	{1 4	{1 4	{1 4	{1 4	{1 4	{1 4	{1 4	{1 4	{1 4	{1 4	{1 4	{1 4	{1 4
7. Jaundice.....	{M.. 14 F.. 14	{11 4	{11 5	{1 5	{1 5	{1 5	{1 5	{1 5	{1 5	{1 5	{1 5	{1 5	{1 5	{1 5	{1 5	{2 3
8. Inflammation and abscess of the liver.....	{M.. 42 F.. 25	{2 25	{3 1	{1 1	{1 1	{1 1	{1 1	{2 1	{3 1	{3 1	{3 1	{4 1	{6 1	{4 1	{7 2	{8 7
9. Other diseases of the liver.....	{M.. 127 F.. 71	{1 1	{1 1	{1 1	{2 1	{1 1	{2 1	{3 1	{6 1	{4 1	{16 1	{12 11	{22 7	{16 11	{23 7	{21 13
10. Peritonitis.....	{M.. 100 F.. 144	{5 10	{9 12	{5 1	{10 8	{9 4	{5 14	{13 27	{8 12	{6 12	{6 12	{7 5	{5 7	{5 7	{4 7	{8 16
11. Ascites.....	{M.. 4 F.. 4	{1 4	{1 4	{1 4	{1 4	{1 4	{1 4	{1 4	{1 4	{1 4	{1 4	{1 4	{1 4	{1 4	{1 4	{2 2
12. Others of this class.....	{M.. 39 F.. 23	{19 17	{22 17	{1 17	{1 17	{1 17	{1 17	{1 17	{2 17	{2 17	{2 17	{2 17	{1 17	{1 17	{2 17	{5 3
VI.—Diseases of the urinary system and male organs of generation.	620	16	40	25	18	6	23	29	28	42	44	50	56	58	61	140
Males	363	9	23	11	9	4	6	19	16	26	27	31	30	31	37	93
Females.....	257	7	17	14	9	2	17	10	12	16	17	19	26	27	24	47
1. Bright's disease.....	{M.. 167 F.. 125	{1 125	{1 125	{4 2	{5 7	{2 1	{2 8	{9 3	{11 7	{11 9	{14 12	{19 10	{17 15	{19 15	{17 16	{37 21
2. Calculus, urinary.....	{M.. 1 F.. 1	{1 1	{1 1	{1 1	{1 1	{1 1	{1 1	{1 1	{1 1	{1 1	{1 1	{1 1	{1 1	{1 1	{1 1	{1 1
3. Diseases of the kidney.....	{M.. 152 F.. 117	{7 7	{21 17	{7 11	{4 2	{2 2	{4 8	{9 5	{5 5	{13 3	{13 5	{10 8	{10 9	{11 11	{15 8	{23 22
4. Diseases of the bladder.....	{M.. 32 F.. 7	{1 1	{1 1	{1 1	{1 1	{1 1	{1 1	{1 1	{1 1	{2 1	{2 1	{1 1	{1 1	{1 1	{1 1	{1 1
5. Others of this class.....	{M.. 11 F.. 8	{1 8	{1 8	{1 8	{1 8	{1 8	{1 8	{1 8	{1 8	{2 8	{2 8	{1 8	{1 8	{1 8	{1 8	{5 2
VII.—Diseases of the female organs of generation.	21					1	1	2	5	3		1	4	1	2	1
1. Ovarian tumors.....	2											1				1
2. Ovarian diseases.....	1													1		
3. Uterine tumors.....	7							2	2	1						
4. Uterine diseases.....	11					1	1	2	3	2			4		2	
5. Others of this class.....																
VIII.—Affections connected with pregnancy.	147					9	38	41	21	29	8	1				
1. Abortion.....	4							2		1	1					
2. Childbirth.....	29							6	8	5	8					
3. Puerperal septicæmia.....	103					8	32	28	15	20	4	1				
4. Extra-uterine pregnancy.....																
5. Others of this class.....	6					1		3	1		1					

STATISTICS OF DEATHS.

TABLE 16.—DEATHS IN THE STATE OF NEW JERSEY FROM EACH SPECIFIED DISEASE AND CLASS OF DISEASES, WITH DISTINCTION OF AGE AND SEX, DURING THE 6 YEARS ENDING MAY 31, 1890—Continued.

BIRTHPLACE OF MOTHERS—GERMANY—Continued.

CAUSE OF DEATH.	All ages.	Under 1 year.	Total under 5 years.	5 to 10	10 to 15	15 to 20	20 to 25	25 to 30	30 to 35	35 to 40	40 to 45	45 to 50	50 to 55	55 to 60	60 to 65	65 and over and un-known.
IX.—Diseases of the bones and joints	19	2	2	1	1	3	2	1	4	1	1	2	1
Males	9	2	2	1	1	3	1	1
Females	10	1	2	2	1	1	1	1	1
1. Diseases of the spine..... {M	4	1	1	2
{F	4	1	1	1	1
2. Diseases of the bones..... {M	1	1	1	1	1
{F	3	1
3. Diseases of the hip joint.. {M	1	2	1
{F	3	1
4. Others of this class..... {M	3	1	1	1	1
{F
X.—Diseases of the skin	35	9	10	1	3	1	2	2	2	3	3	2	6
Males	22	5	5	1	3	1	1	2	1	3	1	4
Females.....	13	4	5	2	1	2	2	1	2
1. Abscess..... {M	15	3	3	2	1	1	1	1	3	1	2
{F	10	3	4	2	1	1	1	1	1	1
2. Carbuncle..... {M	6	1	1	1	1	1	2
{F	1	1
3. Others of this class..... {M	1	1	1	1
{F	2	1	1
XI.—Diseases of the absorbent system	1	1
Males	1	1
Females.....
1. Addison's disease..... {M
{F
2. Diseases of the spleen..... {M	1	1
{F
3. Others of this class..... {M
{F
XII.—Accidents and injuries	879	37	94	34	41	60	52	74	64	84	81	66	55	46	38	90
Males	715	21	55	27	35	47	48	65	52	71	71	61	48	37	31	67
Females.....	164	16	39	7	6	13	4	9	12	13	10	5	7	9	7	23
1. Burns and scalds..... {M	34	1	15	3	1	1	3	1	3	1	3	1	1	1
{F	33	2	15	4	1	1	1	1	4	1	1	1	3
2. Drowned..... {M	138	1	9	12	17	15	8	16	6	8	12	7	5	4	4	15
{F	20	1	1	2	7	1	2	1	3	1	1
3. Exposure and neglect..... {M	2	1	1	1
{F	1	1	1
4. Gunshot wounds..... {M	24	1	2	1	1	3	4	1	3	2	3	1	2
{F	4	1	1	2
5. Homicide..... {M	8	1	1	1	1	1	1	1	1
{F	4	1	1	1	1
6. Infanticide..... {M
{F
7. Injuries by machinery..... {M	3	1	1	1
{F
8. Railroad accidents..... {M	131	1	2	4	9	14	12	18	11	12	11	8	6	7	5	12
{F	10	1	1	1	1	1	1	1	2
9. Suffocation..... {M	24	10	11	1	1	1	2	4	1	1	1	1
{F	11	7	7	1	1	1	2
10. Suicide by shooting..... {M	49	1	1	3	7	9	6	3	9	2	4	4
{F	1	1
11. Suicide by drowning..... {M	4	1	1	1	1
{F	4	1	1	1	1
12. Suicide by poison..... {M	19	2	2	4	1	1	2	3	2	1	2
{F	11	1	1	1	1	3	1	1	1	2	1
13. Other suicides..... {M	66	3	5	3	2	9	5	10	5	4	8	12
{F	8	1	1	1	1	2	1	1	1
14. Sunstroke..... {M	27	1	3	4	4	6	5	1	1	2
{F	6	1	2	1	1	1	1	1
15. Surgical operations..... {M	2	1	1	1
{F	2
16. Wounds..... {M	16	1	1	2	2	2	1	1	2	2	1	1
{F
17. Other accidents and inju- {M	168	7	16	5	7	7	9	9	13	14	20	22	15	10	4	17
{F	49	5	10	2	3	2	3	3	5	3	1	2	3	12

TABLE 17.

**DEATHS IN THE CITIES IN NEW JERSEY FROM EACH SPECIFIED DISEASE AND CLASS OF
DISEASES, WITH DISTINCTION OF AGE AND SEX, AND SPECIFICATION
OF COLOR AND BIRTHPLACES OF MOTHERS, DURING
THE 6 YEARS ENDING MAY 31, 1890.**

TABLE 17.—DEATHS IN THE CITIES IN NEW JERSEY FROM EACH SPECIFIED DISEASE AND CLASS OF DISEASES, WITH DISTINCTION OF AGE AND SEX, DURING THE 6 YEARS ENDING MAY 31, 1890.

AGGREGATE.

CAUSE OF DEATH.	All ages.	Under 1 year.	Total under 5 years.	5 to 10	10 to 15	15 to 20	20 to 25	25 to 30	30 to 35	35 to 40	40 to 45	45 to 50	50 to 55	55 to 60	60 to 65	65 and over and un-known.
All causes.....	105,260	32,634	48,120	4,277	1,093	2,858	4,110	4,582	3,911	4,197	3,883	3,944	3,784	3,510	3,603	12,488
Males.....	56,065	18,257	26,259	2,161	1,035	1,358	2,146	2,413	2,125	2,309	2,220	2,293	2,061	1,919	1,888	5,878
Females.....	49,195	14,427	21,861	2,116	958	1,500	1,964	2,169	1,786	1,888	1,663	1,651	1,723	1,591	1,715	6,610
Unknown causes.....	339	83	104	10	6	8	11	15	14	18	10	18	19	16	17	73
Males.....	183	48	60	4	3	3	2	7	11	9	5	12	9	10	8	40
Females.....	156	35	44	6	3	5	9	8	3	9	5	6	10	6	9	33
I.—General diseases:																
General diseases—A.....	21,416	7,354	13,301	2,026	691	646	676	592	442	429	368	356	306	290	336	957
Males.....	10,894	3,913	6,889	936	325	299	361	319	255	209	207	191	161	149	160	433
Females.....	10,522	3,441	6,412	1,090	366	347	315	273	187	220	161	165	145	141	176	524
1. Smallpox.....	{ M. 3 F. 3		2 1	1			1									1
2. Measles.....	{ M. 202 F. 235	42 92	184 209	12 18	2 1	1 1	1 1	2 1		3		1				
3. Scarlet fever.....	{ M. 769 F. 840	48 48	498 532	179 225	60 49	11 12	8 8	3 5	3 2		3 1				1	4 3
4. Diphtheria.....	{ M. 2,040 F. 2,116	125 97	1,349 1,268	531 635	99 139	26 25	10 12	7 6	2 6	2 6	2 2		2 1	3 4	2 3	5 10
5. Whooping cough.....	{ M. 301 F. 395	187 201	293 380	7 12	1 1						1					1
6. Fever.....	{ M. 5 F. 4	1 1	2 1	1			1		1			1			1	
7. Cerebro-spinal fever.....	{ M. 257 F. 172	62 52	139 101	28 16	13 12	17 10	6 9	9 4	8 2	5 1	5 4	10 2	4 1	3 3	8 3	2 4
8. Typhoid fever.....	{ M. 1,432 F. 1,178	9 7	66 63	59 69	87 98	180 217	252 177	220 132	133 75	99 77	92 64	61 53	54 35	34 25	34 25	61 61
9. Diarrheal diseases.....	{ M. 2,395 F. 2,341	1,257 1,062	1,613 1,416	62 67	81 87	29 28	33 28	32 47	47 37	52 59	49 54	55 70	51 63	57 66	67 87	217 232
10. Cholera infantum.....	{ M. 2,482 F. 2,179	2,028 1,752	2,478 2,177													4 2
11. Malarial fever.....	{ M. 473 F. 537	39 45	110 111	41 31	21 21	24 40	32 33	26 40	33 31	26 31	27 18	21 17	26 22	19 23	19 28	48 91
12. Erysipelas.....	{ M. 179 F. 149	54 59	67 72	3 2	4 4	4 4	4 8	5 1	9 1	7 4	7 5	17 9	6 7	11 4	5 4	34 24
13. Septicæmia.....	{ M. 195 F. 247	19 19	39 34	9 12	8 3	5 6	11 37	11 34	12 23	13 32	14 11	17 10	13 14	14 10	17 8	12 13
14. Venereal diseases.....	{ M. 60 F. 42	35 29	38 33	1		1	1	3	4	4	1	4		1	2	1
15. Others of this group.....	{ M. 101 F. 84	7 7	11 14	3 2	3 1	1 3	2	1	4	1	7	5	5	7	6	45 32
General diseases—B.....	1,716	1,174	1,251	16	4	12	19	35	46	62	62	45	45	28	32	59
Males.....	932	622	662	10	3	7	13	23	34	51	42	34	31	19	15	38
Females.....	734	552	589	6	1	5	6	12	12	11	20	11	14	9	17	21
1. Parasitic diseases.....	{ M. 4 F. 4		1	2		1										
2. Alcoholism.....	{ M. 224 F. 66	1	2			1	8	16	28	48	35	28	20	16	10	17 3
3. Lead poison.....	{ M. 7 F. 1			1				3		1		1			1	1
4. Other poisons.....	{ M. 76 F. 51	7 11	19 19	5	2	4	2	4	4	5	6	5	8	3	2	7 2
5. Inanition.....	{ M. 675 F. 612	614 541	641 569	5 4	2 1	3	3	2	2	2	1	1	3	3	2	13 16
General diseases—C.....	16,210	12,882	13,495	56	19	21	14	27	25	36	37	39	56	58	104	2,223
Males.....	8,754	7,370	7,666	30	8	9	9	6	6	13	16	19	25	26	54	862
Females.....	7,456	5,512	5,829	26	11	12	5	21	19	18	21	20	31	32	50	1,361
1. Premature birth.....	{ M. 1,199 F. 941	1,198 939	1,199 941													
2. Stillborn.....	{ M. 4,064 F. 2,800	4,064 2,800	4,064 2,800													
3. Malformation.....	{ M. 107 F. 76	101 74	104 74	1			1			1	1					1
4. Debility and atrophy.....	{ M. 2,945 F. 2,874	2,007 1,699	2,299 2,014	30 25	8 11	9 12	8 5	6 21	6 19	13 17	15 21	19 20	25 31	26 32	42 34	434 612
5. Old age.....	{ M. 439 F. 765														12 16	427 749

STATISTICS OF DEATHS.

TABLE 17.—DEATHS IN THE CITIES IN NEW JERSEY FROM EACH SPECIFIED DISEASE AND CLASS OF DISEASES, WITH DISTINCTION OF AGE AND SEX, DURING THE 6 YEARS ENDING MAY 31, 1890—Continued.

AGGREGATE—Continued.

CAUSE OF DEATH.	All ages.	Under 1 year.	Total under 5 years.	5 to 10	10 to 15	15 to 20	20 to 25	25 to 30	30 to 35	35 to 40	40 to 45	45 to 50	50 to 55	55 to 60	60 to 65	65 and over and unknown.
I.—General diseases—Continued.																
General diseases—D	16,889	913	1,667	231	253	1,002	1,794	1,992	1,614	1,515	1,282	1,256	1,024	871	792	1,596
Males	8,689	516	933	112	107	411	890	1,055	856	821	667	694	584	458	407	744
Females	8,200	397	734	119	146	591	904	937	758	694	615	562	490	413	385	852
1. Rheumatism	{ M.. 175 F.. 180	{ 3 2	{ 8 4	{ 7 12	{ 13 6	{ 8 6	{ 6 5	{ 11 8	{ 10 4	{ 16 6	{ 8 10	{ 17 10	{ 12 20	{ 15 17	{ 10 17	{ 34 55
2. Scrofula and tabes	{ M.. 136 F.. 119	{ 65 55	{ 93 75	{ 3 1	{ 5 5	{ 1 6	{ 3 4	{ 6 4	{ 2 2	{ 2 2	{ 4 7	{ 4 1	{ 1 2	{ 4 4	{ 3 2	{ 5 4
3. Leprosy	{ M. F.															
4. Consumption	{ M.. 6,606 F.. 5,675	{ 123 104	{ 245 211	{ 50 60	{ 59 116	{ 376 554	{ 862 862	{ 997 886	{ 808 679	{ 745 578	{ 574 434	{ 569 347	{ 332 256	{ 307 209	{ 247 165	{ 385 318
5. Hydrocephalus	{ M.. 600 F.. 434	{ 276 197	{ 511 372	{ 36 27	{ 13 5	{ 6 1	{ 1 4	{ 10 1	{ 3 2	{ 5 2	{ 2 3	{ 2 2	{ 2 4	{ 1 1	{ 2 4	{ 4 8
6. Cancer	{ M.. 652 F.. 1,193	{ 3 1	{ 6 3		{ 1 1	{ 7 6	{ 6 11	{ 9 15	{ 13 46	{ 26 83	{ 50 121	{ 62 164	{ 88 154	{ 90 142	{ 102 159	{ 192 288
7. Tumor	{ M.. 70 F.. 95	{ 2 1	{ 4 2	{ 2 1	{ 2 1	{ 2 2	{ 3 2	{ 2 3	{ 3 2	{ 5 3	{ 3 9	{ 11 7	{ 4 11	{ 8 10	{ 6 8	{ 15 25
8. Anæmia	{ M.. 71 F.. 89	{ 17 14	{ 25 17	{ 3 2	{ 1 2	{ 1 4	{ 2 6	{ 3 10	{ 3 5	{ 3 2	{ 3 6	{ 9 5	{ 6 4	{ 3 4	{ 1 4	{ 3 18
9. Dropsy	{ M.. 221 F.. 284	{ 11 10	{ 19 26	{ 9 11	{ 6 8	{ 8 9	{ 4 4	{ 10 2	{ 4 9	{ 12 11	{ 15 19	{ 7 17	{ 22 23	{ 17 18	{ 22 19	{ 66 103
10. Diabetes	{ M.. 181 F.. 110	{ 5 6	{ 7 8	{ 1 3	{ 7 3	{ 2 2	{ 3 6	{ 7 8	{ 9 9	{ 7 3	{ 6 6	{ 12 4	{ 13 11	{ 13 8	{ 12 7	{ 32 32
11. Others of this group	{ M.. 27 F.. 19	{ 11 7	{ 15 15	{ 1 1		{ 1 1			{ 1 1		{ 2 1	{ 1 1			{ 2 2	{ 3 3
12. Others of this class	{ M. F.		{ 1													{ 1
II.—Diseases of the nervous system.																
	14,754	5,149	7,886	482	218	178	192	239	283	355	390	438	515	573	623	2,382
Males	7,896	2,932	4,358	235	118	88	102	131	167	214	209	235	261	298	322	1,158
Females	6,858	2,217	3,528	247	100	90	90	108	116	141	181	203	254	275	301	1,224
1. Inflammation of the brain	{ M.. 1,960 F.. 1,509	{ 704 514	{ 1,324 1,055	{ 128 118	{ 51 46	{ 34 30	{ 40 31	{ 38 27	{ 49 25	{ 47 24	{ 44 24	{ 46 28	{ 35 19	{ 37 18	{ 32 13	{ 55 51
2. Apoplexy	{ M.. 1,203 F.. 1,209	{ 13 17	{ 21 27	{ 2 3	{ 3 4	{ 9 7	{ 11 5	{ 26 14	{ 27 24	{ 59 35	{ 70 75	{ 81 81	{ 99 123	{ 136 144	{ 153 146	{ 506 521
3. Paralysis	{ M.. 738 F.. 824	{ 15 10	{ 33 34	{ 10 11	{ 9 7	{ 4 8	{ 12 5	{ 12 12	{ 14 18	{ 25 17	{ 26 31	{ 40 46	{ 43 56	{ 58 64	{ 73 89	{ 374 426
4. Tetanus and trismus nascentium	{ M.. 208 F.. 109	{ 120 73	{ 132 86	{ 8 5	{ 15 2	{ 11 3	{ 7 1	{ 5 1	{ 8 2	{ 5 2	{ 3 2	{ 7 4	{ 4 1	{ 1 1	{ 1 1	{ 1
5. Epilepsy	{ M.. 90 F.. 70	{ 3 1	{ 9 4	{ 2 5	{ 7 2	{ 10 8	{ 10 7	{ 8 7	{ 7 7	{ 9 9	{ 6 3	{ 1 3	{ 4 2	{ 5 3	{ 2 3	{ 10 7
6. Convulsions	{ M.. 2,406 F.. 2,000	{ 1,739 1,330	{ 2,285 1,850	{ 50 61	{ 12 16	{ 3 8	{ 6 12	{ 9 10	{ 7 12	{ 4 8	{ 5 4	{ 3 5	{ 5 1	{ 7 7	{ 2 3	{ 8 10
7. Mental diseases	{ M.. 96 F.. 123				{ 1 2	{ 1 2	{ 3 7	{ 5 9	{ 11 7	{ 8 14	{ 12 9	{ 9 6	{ 12 12	{ 6 13	{ 7 8	{ 21 35
8. Diseases of the brain	{ M.. 1,090 F.. 917	{ 326 268	{ 523 459	{ 34 35	{ 18 21	{ 14 17	{ 11 15	{ 21 18	{ 38 16	{ 51 29	{ 37 29	{ 43 24	{ 49 29	{ 41 27	{ 38 34	{ 167 164
9. Diseases of the spinal cord	{ M.. 92 F.. 68	{ 12 4	{ 19 13	{ 1 6	{ 2 1	{ 2 3	{ 2 5	{ 5 7	{ 5 4	{ 6 3	{ 5 3	{ 4 5	{ 8 8	{ 4 6	{ 14 3	{ 15 2
10. Others of this class	{ M.. 13 F.. 29		{ 2				{ 2 2	{ 1 3			{ 1 1	{ 1 1	{ 2 3			{ 1 8
III.—Diseases of the circulatory system.																
	5,385	597	704	116	184	181	165	208	229	299	303	371	421	391	434	1,379
Males	2,725	329	391	61	83	82	91	89	111	149	170	191	229	195	216	667
Females	2,660	268	313	55	101	99	74	119	118	150	133	180	192	196	218	712
1. Angina pectoris	{ M.. 149 F.. 127			{ 1 1	{ 1 2	{ 1 1	{ 1 1	{ 4 4	{ 3 3	{ 5 7	{ 15 10	{ 20 13	{ 15 14	{ 13 10	{ 20 15	{ 50 46
2. Aneurism	{ M. F.			{ 1		{ 1			{ 2	{ 8	{ 4	{ 7	{ 6	{ 7		{ 6
3. Diseases of the heart	{ M.. 2,276 F.. 2,295	{ 106 105	{ 160 143	{ 59 53	{ 82 99	{ 79 95	{ 89 71	{ 84 109	{ 101 108	{ 134 139	{ 150 116	{ 164 157	{ 207 175	{ 172 182	{ 195 196	{ 600 652
4. Others of this class	{ M.. 258 F.. 213	{ 223 163	{ 231 170	{ 1		{ 1 2		{ 1 2	{ 5 4	{ 2	{ 3		{ 1 3	{ 3 4	{ 1 4	{ 11 9

TABLE 17.—DEATHS IN THE CITIES IN NEW JERSEY FROM EACH SPECIFIED DISEASE AND CLASS OF DISEASES, WITH DISTINCTION OF AGE AND SEX, DURING THE 6 YEARS ENDING MAY 31, 1890—Continued.

AGGREGATE—Continued.

CAUSE OF DEATH.	All ages.	Under 1 year.	Total under 5 years.	5 to 10	10 to 15	15 to 20	20 to 25	25 to 30	30 to 35	35 to 40	40 to 45	45 to 50	50 to 55	55 to 60	60 to 65	65 and over and un-known.
IV.—Diseases of the respiratory system.	15,581	3,401	7,822	883	188	286	350	457	416	496	533	561	576	560	555	1,889
Males	8,380	1,890	4,227	438	88	139	223	281	242	305	331	357	322	312	277	793
Females	7,201	1,511	3,595	400	100	147	136	176	174	191	202	204	254	248	278	1,096
1. Croup	{ M 1,264 F 1,083	{ 132 103	{ 999 854	{ 220 192	{ 16 11	{ 3 3	{ 3 3	{ 1 2	{ 1 1	{ 1 1	{ 2 2	{ 2 2	{ 3 2	{ 1 2	{ 4 4	{ 4 4
2. Laryngitis	{ M 262 F 212	{ 35 18	{ 173 148	{ 34 29	{ 6 10	{ 1 5	{ 3 2	{ 3 3	{ 4 4	{ 8 3	{ 7 2	{ 2 2	{ 6 1	{ 3 1	{ 2 1	{ 10 1
3. Bronchitis	{ M 1,891 F 1,806	{ 797 677	{ 1,250 1,069	{ 60 34	{ 7 9	{ 11 22	{ 24 20	{ 16 23	{ 19 24	{ 23 23	{ 36 26	{ 42 37	{ 51 44	{ 57 51	{ 68 65	{ 227 359
4. Pneumonia	{ M 4,136 F 3,422	{ 677 524	{ 1,469 1,240	{ 137 126	{ 48 60	{ 104 99	{ 170 97	{ 222 123	{ 196 130	{ 232 140	{ 249 149	{ 261 150	{ 221 177	{ 214 164	{ 172 176	{ 441 591
5. Pleurisy	{ M 114 F 99	{ 4 6	{ 17 15	{ 1 6	{ 2 3	{ 4 2	{ 12 5	{ 14 7	{ 10 6	{ 11 8	{ 8 5	{ 7 3	{ 6 4	{ 8 6	{ 7 6	{ 12 23
6. Asthma	{ M 61 F 50	{ 4 3	{ 5 3	{ 1 2				{ 3 3		{ 6 6	{ 3 2	{ 8 8	{ 2 6	{ 4 5	{ 7 3	{ 16 27
7. Others of this class	{ M 652 F 529	{ 241 180	{ 314 266	{ 21 11	{ 9 7	{ 16 16	{ 11 9	{ 22 18	{ 12 9	{ 24 17	{ 27 16	{ 35 8	{ 27 19	{ 30 19	{ 21 23	{ 83 91
V.—Diseases of the digestive system.	4,043	695	976	99	117	125	168	230	195	237	243	251	279	234	270	619
Males	2,034	397	555	58	60	73	71	100	72	94	116	130	135	133	148	289
Females	2,009	298	421	41	57	52	97	130	123	143	127	121	144	101	122	330
1. Dentition	{ M 57 F 60	{ 36 30	{ 57 60													
2. Angina	{ M 61 F 37	{ 14 9	{ 46 25	{ 7 6	{ 1 4				{ 2 2					{ 1 1	{ 1 1	{ 2 2
3. Diseases of the stomach	{ M 374 F 442	{ 102 97	{ 140 132	{ 6 12	{ 5 10	{ 8 12	{ 12 11	{ 12 17	{ 10 18	{ 17 27	{ 11 14	{ 19 24	{ 23 42	{ 25 15	{ 22 26	{ 64 82
4. Obstruction of the bowels	{ M 121 F 112	{ 32 19	{ 37 26	{ 5 4	{ 2 4	{ 1 3	{ 5 3	{ 7 6	{ 6 5	{ 2 5	{ 8 7	{ 6 4	{ 7 8	{ 7 7	{ 9 8	{ 19 26
5. Hernia	{ M 38 F 68	{ 9 8	{ 12 8	{ 1 1		{ 4 4	{ 2 1	{ 3 3	{ 3 5	{ 3 5	{ 1 6	{ 8 9	{ 6 9	{ 9 7	{ 12 5	{ 23 23
6. Other diseases of the bowels	{ M 18 F 21	{ 5 4	{ 5 4	{ 1 1		{ 2 1	{ 2 2	{ 2 2	{ 1 1	{ 4 4	{ 1 1		{ 1 5		{ 1 1	{ 1 4
7. Jaundice	{ M 65 F 51	{ 43 20	{ 44 23	{ 1 1			{ 1 1			{ 2 1	{ 2 3	{ 2 1	{ 1 7	{ 1 1	{ 4 6	{ 9 9
8. Inflammation and abscess of the liver	{ M 160 F 109	{ 9 1	{ 12 4	{ 5 2	{ 3 2	{ 2 2	{ 5 1	{ 6 3	{ 9 5	{ 7 7	{ 13 10	{ 16 11	{ 13 17	{ 12 8	{ 21 10	{ 36 29
9. Other diseases of the liver	{ M 455 F 327	{ 11 7	{ 18 7	{ 1 1	{ 4 3	{ 3 3	{ 7 3	{ 13 13	{ 13 23	{ 27 28	{ 51 35	{ 54 36	{ 59 29	{ 59 39	{ 54 32	{ 92 76
10. Peritonitis	{ M 480 F 655	{ 42 41	{ 76 62	{ 29 18	{ 44 32	{ 51 30	{ 34 75	{ 53 84	{ 23 70	{ 24 65	{ 28 46	{ 22 32	{ 22 28	{ 18 22	{ 19 31	{ 32 60
11. Ascites	{ M 8 F 14	{ 1 1	{ 1 1		{ 1 1		{ 2 2		{ 1 1	{ 1 1	{ 3 3	{ 1 1		{ 1 1	{ 2 1	{ 2 5
12. Others of this class	{ M 147 F 113	{ 94 69	{ 108 77	{ 3 1	{ 1 1	{ 2 3	{ 4 2	{ 3 2		{ 6 4	{ 3 3	{ 3 2			{ 3 3	{ 10 14
VI.—Diseases of the urinary system and male organs of generation.	3,385	56	213	112	59	81	124	180	198	256	257	269	277	282	281	796
Males	1,891	32	123	49	30	33	55	81	105	127	151	159	148	150	169	511
Females	1,494	24	90	63	29	48	69	99	93	129	106	110	129	132	112	285
1. Bright's disease	{ M 930 F 754			{ 19 25	{ 11 14	{ 19 29	{ 27 34	{ 43 49	{ 64 50	{ 69 70	{ 36 61	{ 59 56	{ 84 64	{ 99 83	{ 80 69	{ 230 150
2. Calculus, urinary	{ M 2 F 3						{ 1 1					{ 1 1				{ 1 1
3. Diseases of the kidney	{ M 698 F 604	{ 24 19	{ 112 81	{ 30 33	{ 17 13	{ 12 18	{ 27 28	{ 30 36	{ 36 33	{ 49 44	{ 60 36	{ 46 43	{ 48 56	{ 37 43	{ 57 37	{ 137 103
4. Diseases of the bladder	{ M 175 F 39	{ 4 1	{ 5 1			{ 2 1	{ 2 1	{ 2 3	{ 1 2	{ 2 4	{ 2 3	{ 3 7	{ 10 4	{ 7 4	{ 21 3	{ 118 17
5. Others of this class	{ M 36 F 94	{ 4 4	{ 6 8	{ 5 5	{ 2 2	{ 1 1	{ 5 10		{ 6 8	{ 4 11	{ 4 9	{ 7 7	{ 5 5	{ 7 5	{ 11 3	{ 25 15
VII.—Diseases of the female organs of generation.	117					6	10	15	14	15	12	13	8	2	9	13
1. Ovarian tumors	27						1	2	1	2	2	4	2		7	6
2. Ovarian diseases	6							1	1	1			1		1	1
3. Uterine tumors	7									1	2	1	1	1	1	1
4. Uterine diseases	47					1	5	9	6	7	5	5	2	1	2	4
5. Others of this class	30					5	4	3	6	5	1	3	2			1
VIII.—Affections connected with pregnancy.	694				2	34	187	203	119	106	35	5		2		1
1. Abortion	20						2	8	4	3	3					
2. Childbirth	137				1	3	28	38	32	24	10					1
3. Puerperal septicæmia	500				1	26	146	146	79	74	21	5		2		
4. Extra uterine pregnancy																
5. Others of this class	37					5	11	11	4	5	1					

STATISTICS OF DEATHS.

TABLE 17.—DEATHS IN THE CITIES IN NEW JERSEY FROM EACH SPECIFIED DISEASE AND CLASS OF DISEASES, WITH DISTINCTION OF AGE AND SEX, DURING THE 6 YEARS ENDING MAY 31, 1890—Continued.

AGGREGATE—Continued.

CAUSE OF DEATH.	All ages.	Under 1 year.	Total under 5 years.	5 to 10	10 to 15	15 to 20	20 to 25	25 to 30	30 to 35	35 to 40	40 to 45	45 to 50	50 to 55	55 to 60	60 to 65	65 and over and unknown.
IX.—Diseases of the bones and joints.....	128	6	15	16	17	12	12	7	8	10	6	10	2	3	3	7
Males.....	73	5	11	9	12	4	8	4	4	5	3	5	2	2	2	2
Females.....	55	1	4	7	5	8	4	3	4	5	3	5	1	1	1	5
1. Diseases of the spine..... {M. 38	2	6	7	6	2	5	2	2	3	2	1	2	1	1	1	1
{F. 26	1	3	4	3	2	2	2	3	1	2	2	3	1	1	1	1
2. Diseases of the bones..... {M. 17	2	2	1	3	2	1	1	1	1	1	1	2	1	1	1	1
{F. 13	1	1	1	1	3	1	1	1	3	1	1	1	1	1	1	2
3. Diseases of the hip joint.. {M. 14	2	2	2	3	2	1	1	1	1	1	1	1	1	1	1	2
{F. 14	1	1	2	1	3	2	1	1	1	1	1	1	1	1	1	1
4. Others of this class..... {M. 4	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
{F. 2	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
X.—Diseases of the skin.....	184	45	69	7	5	11	9	8	4	4	11	10	9	11	8	18
Males.....	103	24	35	6	3	3	4	3	3	1	5	8	5	9	7	11
Females.....	81	21	34	1	2	8	5	5	1	3	6	2	4	2	1	7
1. Abscess..... {M. 80	20	30	5	3	3	3	3	1	1	1	2	2	4	6	4	7
{F. 59	10	22	1	2	7	5	5	2	2	5	6	2	3	1	1	3
2. Carbuncle..... {M. 15	1	1	1	1	1	1	1	2	2	2	2	1	1	3	3	3
{F. 7	1	2	1	1	1	1	1	1	1	1	1	1	1	1	1	2
3. Others of this class..... {M. 8	3	4	1	2	2	2	1	1	1	1	1	1	1	1	1	1
{F. 15	10	10	1	1	1	1	1	1	1	1	1	1	1	1	1	2
XI.—Diseases of the absorbent system.....	19	1	1	1	1	1	2	3	5	1	1	1	1	1	1	5
Males.....	9	1	1	1	1	1	2	3	4	1	1	1	1	1	1	3
Females.....	10	1	1	1	1	1	2	3	1	1	1	1	1	1	1	2
1. Addison's disease..... {M. 6	4	4	1	1	1	1	1	2	4	1	1	1	1	1	1	1
{F. 4	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
2. Diseases of the spleen..... {M. 2	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	2
{F. 1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
3. Others of this class..... {M. 1	5	1	1	1	1	1	1	1	1	1	1	1	1	1	1	2
{F. 5	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
XII.—Accidents and injuries.....	4,400	329	616	222	230	254	370	372	301	359	329	302	246	189	139	471
Males.....	3,452	179	348	168	195	207	317	314	259	306	294	258	193	158	103	327
Females.....	948	150	268	54	33	47	53	58	42	53	35	44	48	31	36	144
1. Burns and scalds..... {M. 165	7	88	14	2	11	7	11	5	4	4	7	6	2	1	2	5
{F. 162	5	73	18	3	6	6	9	6	3	7	6	6	6	6	2	11
2. Drowned..... {M. 663	4	32	84	86	56	61	55	39	42	45	39	33	15	11	71	
{F. 83	5	13	11	11	12	10	1	3	3	6	5	5	1	2	8	
3. Exposure and neglect... {M. 21	2	3	2	2	2	1	1	1	2	4	2	1	1	1	3	
{F. 8	4	4	1	1	1	1	1	1	1	1	1	1	1	1	1	
4. Gunshot wounds..... {M. 83	6	2	2	3	9	10	9	8	7	6	4	4	2	1	5	
{F. 6	1	1	1	1	2	1	1	1	1	1	1	1	1	1	1	
5. Homicide..... {M. 26	1	2	1	1	3	2	4	4	4	3	3	1	2	1	2	
{F. 16	1	1	1	1	1	1	1	1	2	3	3	1	2	2	1	
6. Infanticide..... {M. 2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2
{F. 2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2
7. Injuries by machinery... {M. 12	1	1	1	2	1	2	3	1	1	1	1	1	1	1	1	1
{F. 12	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
8. Railroad accidents..... {M. 903	1	7	19	50	64	126	119	84	98	77	57	44	37	30	91	
{F. 70	3	3	5	3	3	3	10	3	7	2	7	4	2	6	10	
9. Suffocation..... {M. 184	107	114	3	3	6	4	3	7	9	1	5	3	1	5	2	
{F. 104	72	79	2	1	6	1	3	2	1	1	1	1	3	1	2	
10. Suicide by shooting... {M. 89	3	1	1	1	5	5	16	16	9	8	12	7	3	7	7	
{F. 3	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	
11. Suicide by drowning... {M. 14	4	1	1	1	1	1	4	4	1	1	1	1	1	1	1	
{F. 4	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	
12. Suicide by poison..... {M. 51	2	1	3	3	4	3	2	5	2	5	7	2	1	1	7	
{F. 31	1	1	2	2	6	5	2	4	2	4	3	3	2	1	4	
13. Other suicides..... {M. 136	19	6	10	6	10	6	10	17	20	18	18	18	10	7	14	
{F. 19	1	1	2	2	2	2	2	3	1	4	1	1	1	1	3	
14. Sunstroke..... {M. 111	4	1	1	1	11	11	10	15	17	18	6	7	3	7	7	
{F. 21	4	5	1	1	1	2	2	3	3	2	2	4	4	1	1	
15. Surgical operations... {M. 6	1	1	1	1	1	1	2	1	1	1	1	1	1	1	1	
{F. 7	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	
16. Wounds..... {M. 84	6	6	4	4	9	12	2	4	9	9	4	6	5	8	8	
{F. 19	6	6	1	2	1	1	1	1	1	1	1	1	1	1	3	
17. Other accidents and inju- {M. 922	55	96	34	43	47	55	73	66	82	80	85	61	62	36	102	
{F. 395	59	84	16	14	18	13	23	18	26	14	18	23	11	22	95	

TABLE 17.—DEATHS IN THE CITIES IN NEW JERSEY FROM EACH SPECIFIED DISEASE AND CLASS OF DISEASES, WITH DISTINCTION OF AGE AND SEX, DURING THE 6 YEARS ENDING MAY 31, 1890—Continued.

WHITE.

CAUSE OF DEATH.	All ages.	Under 1 year.	Total under 5 years.	5 to 10	10 to 15	15 to 20	20 to 25	25 to 30	30 to 35	35 to 40	40 to 45	45 to 50	50 to 55	55 to 60	60 to 65	65 and over and un-known.
All causes.....	102,451	31,826	46,892	4,169	1,927	2,759	3,987	4,466	3,787	4,061	3,772	3,812	3,686	3,420	3,518	12,195
Males.....	54,624	17,769	25,599	2,109	999	1,317	2,092	2,359	2,066	2,231	2,158	2,230	2,011	1,867	1,855	5,731
Females.....	47,827	14,057	21,293	2,060	928	1,442	1,895	2,107	1,721	1,830	1,614	1,582	1,675	1,553	1,663	6,464
Unknown causes.....	329	80	101	10	6	7	11	15	13	18	10	17	17	15	17	72
Males.....	177	47	59	4	3	2	2	7	10	9	5	11	9	9	8	39
Females.....	152	33	42	6	3	5	9	8	3	9	5	6	8	6	9	33
I.—General diseases:																
General diseases—A.....	20,975	7,175	13,027	2,000	677	629	661	530	430	410	361	346	302	277	330	939
Males.....	10,682	3,815	6,753	923	319	289	355	314	251	203	201	186	159	144	157	423
Females.....	10,293	3,360	6,274	1,072	358	340	306	266	179	213	160	160	143	133	173	516
1. Smallpox.....	{ M. 3 F. 3		2 1	1			1									1
2. Measles.....	{ M. 200 F. 228	41 61	182 203	12 17	2 1	1 1	1 1	2		1	3		1			
3. Scarlet fever.....	{ M. 764 F. 835	47 48	494 529	179 224	59 48	11 12	8 8	3 5	3 2	3 2	3 1				1	4 3
4. Diphtheria.....	{ M. 2,024 F. 2,094	123 96	1,340 1,253	527 632	98 137	25 24	9 12	7 6	2 6	2 6	2 6		2 1	3 4	2 3	5 9
5. Whooping cough.....	{ M. 287 F. 376	178 196	279 363	7 10	1 1						1					1
6. Fever.....	{ M. 5 F. 4	1 1	2 1	1			1					1			1	
7. Cerebro-spinal fever.....	{ M. 254 F. 165	61 51	133 96	28 15	13 12	16 10	6 9	9 4	8 2	5 1	5 4	10 2	4 1	2 3	8 3	2 3
8. Typhoid fever.....	{ M. 1,396 F. 1,133	8 7	64 60	57 61	83 94	173 212	249 169	216 127	131 73	97 74	88 63	60 51	52 35	33 22	34 32	59 60
9. Diarrheal diseases.....	{ M. 2,342 F. 2,298	1,229 1,038	1,576 1,387	62 67	31 36	28 27	32 27	32 46	46 36	50 57	47 54	54 68	51 62	56 65	64 84	213 282
10. Cholera infantum.....	{ M. 2,423 F. 2,131	1,973 1,709	2,419 2,129													4 2
11. Malarial fever.....	{ M. 463 F. 519	38 44	106 106	40 29	21 21	24 40	31 33	25 39	33 28	25 30	27 18	20 16	26 21	19 21	19 28	48 89
12. Erysipelas.....	{ M. 177 F. 149	54 59	67 72	3 2	4 4	4 8	4 8	5 1	9 1	7 4	7 5	17 9	6 7	11 4	5 4	32 24
13. Septicæmia.....	{ M. 195 F. 243	19 18	39 33	9 12	8 3	5 6	11 37	11 34	12 21	13 32	14 11	17 10	13 14	14 10	17 8	12 12
14. Venereal diseases.....	{ M. 53 F. 35	32 25	35 27			1 1	1 1	3 1	3 4	3 1	1 1	3		1	2	
15. Others of this group.....	{ M. 96 F. 80	6 7	10 14	3 2	3 1	2 3	2	1 3	4 4	1 3	7 3	4 2	5 2	6 4	6 8	43 31
General diseases—B.....	1,666	1,133	1,210	14	4	12	19	35	46	61	61	44	44	28	30	58
Males.....	953	596	636	10	3	7	13	23	34	50	41	34	30	19	15	38
Females.....	713	537	574	4	1	5	6	12	12	11	20	10	14	9	15	20
1. Parasitic diseases.....	{ M. 4 F. 1		1	2		1										
2. Alcoholism.....	{ M. 221 F. 65	1	2			1	8	16	28	42	34	28	19	16	10	17 3
3. Lead poison.....	{ M. 7 F. 1				1			3		1		1			1	1
4. Other poisons.....	{ M. 76 F. 50	7 11	19 19	5	2	4	2	4	4	5	6	5	8	3	2	7 2
5. Inanition.....	{ M. 649 F. 593	588 526	615 554	5	2	2	3	1	2	2	1	1	3	4	2	13 15
General diseases—C.....	15,784	12,566	13,147	53	18	21	14	27	23	34	37	38	54	57	99	2,162
Males.....	8,532	7,194	7,475	29	7	9	9	6	6	17	16	19	23	26	53	837
Females.....	7,252	5,372	5,672	24	11	12	5	21	17	17	21	19	31	31	46	1,325
1. Premature birth.....	{ M. 1,176 F. 924	1,175 922	1,176 924													
2. Stillborn.....	{ M. 3,970 F. 2,737	3,970 2,737	3,970 2,737													
3. Malformation.....	{ M. 105 F. 72	100 70	102 70	1			1			1						1
4. Debility and atrophy.....	{ M. 2,859 F. 2,774	1,949 1,643	2,227 1,941	29 23	7 11	9 12	8 5	6 21	6 17	17 16	15 21	19 19	23 31	26 31	41 30	426 596
5. Old age.....	{ M. 422 F. 745														12 16	410 729

STATISTICS OF DEATHS.

TABLE 17.—DEATHS IN THE CITIES IN NEW JERSEY FROM EACH SPECIFIED DISEASE AND CLASS OF DISEASES, WITH DISTINCTION OF AGE AND SEX, DURING THE 6 YEARS ENDING MAY 31, 1890—Continued.

WHITE—Continued.

CAUSE OF DEATH.	All ages.	Under 1 year.	Total under 5 years.	5 to 10	10 to 15	15 to 20	20 to 25	25 to 30	30 to 35	35 to 40	40 to 45	45 to 50	50 to 55	55 to 60	60 to 65	65 and over and un-known.
I.—General diseases—Continued.																
General diseases—D.....	16,312	885	1,612	204	233	957	1,728	1,932	1,550	1,466	1,245	1,214	999	845	779	1,548
Males.....	8,406	505	907	101	100	396	857	1,028	826	790	647	676	522	439	400	717
Females.....	7,906	380	705	103	133	561	871	904	724	676	598	538	477	406	379	831
1. Rheumatism.....	{ M.. 171 F.. 178	{ 3 2	{ 8 4	{ 7 12	{ 13 6	{ 8 6	{ 6 5	{ 11 8	{ 10 4	{ 16 6	{ 8 10	{ 16 9	{ 12 19	{ 14 17	{ 10 17	{ 32 55
2. Scrofula and tuberc.....	{ M.. 129 F.. 109	{ 63 51	{ 90 68	{ 3 5	{ 4 6	{ 3 3	{ 5 4	{ 2 2	{ 2 2	{ 4 7	{ 4 1	{ 1 1	{ 4 4	{ 3 2	{ 4 2	{ 4 4
3. Leprosy.....	{ M..... F.....
4. Consumption.....	{ M.. 6,371 F.. 5,452	{ 119 99	{ 281 199	{ 40 45	{ 55 106	{ 362 525	{ 829 830	{ 972 855	{ 781 646	{ 715 564	{ 557 420	{ 555 333	{ 373 251	{ 294 206	{ 212 162	{ 865 310
5. Hydrocephalus.....	{ M.. 591 F.. 425	{ 272 192	{ 505 365	{ 35 27	{ 13 5	{ 6 1	{ 1 4	{ 10 1	{ 2 1	{ 5 2	{ 2 3	{ 1 2	{ 4 2	{ 1 1	{ 2 4	{ 4 7
6. Cancer.....	{ M.. 643 F.. 1,168	{ 3 1	{ 6 3 1	{ 1 6	{ 7 11	{ 6 14	{ 9 9	{ 12 46	{ 26 80	{ 49 119	{ 62 158	{ 87 150	{ 88 140	{ 100 157	{ 190 283
7. Tumor.....	{ M.. 70 F.. 90	{ 2 1	{ 4 2	{ 2 1	{ 2 1	{ 2 1	{ 3 2	{ 2 3	{ 3 2	{ 5 7	{ 3 9	{ 11 9	{ 4 11	{ 8 10	{ 6 8	{ 15 24
8. Anæmia.....	{ M.. 68 F.. 85	{ 16 13	{ 23 18	{ 3 2	{ 1 2	{ 1 4	{ 2 6	{ 3 9	{ 3 5	{ 2 2	{ 3 6	{ 9 4	{ 6 4	{ 3 4	{ 1 4	{ 8 17
9. Dropsy.....	{ M.. 210 F.. 269	{ 11 8	{ 19 24	{ 9 11	{ 6 5	{ 8 9	{ 4 4	{ 9 2	{ 9 9	{ 12 10	{ 13 18	{ 6 17	{ 20 27	{ 14 17	{ 22 18	{ 64 98
10. Diabetes.....	{ M.. 127 F.. 109	{ 5 6	{ 7 8	{ 1 3	{ 5 3	{ 2 2	{ 3 6	{ 7 8	{ 8 9	{ 7 3	{ 6 6	{ 11 4	{ 13 11	{ 13 7	{ 12 7	{ 32 32
11. Others of this group.....	{ M.. 26 F.. 19	{ 11 7	{ 14 15	{ 1 1 1 1 1 1 1 2 1 1 2 1 2 3
12. Others of this class.....	{ M..... F.....
II.—Diseases of the nervous system.																
Diseases of the nervous system.....	14,356	5,003	7,674	461	208	172	184	234	278	346	382	423	500	560	605	2,329
Males.....	7,691	2,849	4,239	223	110	85	102	130	163	210	206	231	253	290	316	1,133
Females.....	6,665	2,154	3,435	238	98	87	82	104	115	136	176	192	247	270	289	1,196
1. Inflammation of the brain.....	{ M.. 1,917 F.. 1,483	{ 689 508	{ 1,301 1,040	{ 120 114	{ 48 46	{ 33 29	{ 40 26	{ 38 25	{ 48 25	{ 46 23	{ 43 23	{ 44 28	{ 34 18	{ 37 18	{ 32 13	{ 53 51
2. Apoplexy.....	{ M.. 1,174 F.. 1,171	{ 13 17	{ 20 27	{ 2 3	{ 3 4	{ 9 7	{ 11 5	{ 25 13	{ 25 24	{ 58 33	{ 69 72	{ 80 74	{ 95 121	{ 132 141	{ 151 140	{ 494 507
3. Paralysis.....	{ M.. 725 F.. 799	{ 15 10	{ 38 34	{ 10 11	{ 8 7	{ 4 7	{ 12 4	{ 12 11	{ 14 17	{ 24 16	{ 26 30	{ 40 44	{ 42 53	{ 56 62	{ 73 85	{ 366 418
4. Tetanus and trismus nascentium.....	{ M.. 201 F.. 106	{ 116 70	{ 128 83	{ 8 5	{ 14 2	{ 10 3	{ 7 1	{ 5 1	{ 7 2	{ 5 2	{ 3 2	{ 7 4	{ 4 1	{ 1 1	{ 1 1	{ 1 1
5. Epilepsy.....	{ M.. 82 F.. 66	{ 3 1	{ 8 4	{ 2 3	{ 7 2	{ 10 8	{ 10 7	{ 8 7	{ 7 7	{ 9 9	{ 6 3	{ 1 3	{ 3 2	{ 5 3	{ 2 2	{ 10 6
6. Convulsions.....	{ M.. 2,330 F.. 1,937	{ 1,684 1,285	{ 2,216 1,792	{ 47 58	{ 10 16	{ 3 8	{ 6 12	{ 9 10	{ 7 12	{ 4 8	{ 5 4	{ 3 4	{ 5 1	{ 6 3	{ 1 3	{ 8 9
7. Mental diseases.....	{ M.. 95 F.. 120 1	{ 1 2	{ 3 6	{ 5 9	{ 11 7	{ 8 13	{ 12 9	{ 9 5	{ 12 12	{ 6 13	{ 6 8	{ 6 8	{ 21 35
8. Diseases of the brain.....	{ M.. 1,058 F.. 888	{ 317 259	{ 507 442	{ 33 35	{ 17 19	{ 13 16	{ 11 12	{ 21 17	{ 38 16	{ 50 29	{ 36 29	{ 42 24	{ 49 28	{ 41 27	{ 36 33	{ 164 161
9. Diseases of the spinal cord.....	{ M.. 91 F.. 67	{ 12 4	{ 19 13	{ 1 6	{ 2 1	{ 2 3	{ 2 4	{ 5 7	{ 5 4	{ 6 3	{ 5 2	{ 4 5	{ 7 8	{ 4 6	{ 14 3	{ 15 2
10. Others of this class.....	{ M.. 12 F.. 28 3 4 2 3 1 1 2 1 1 3 2 2 7
III.—Diseases of the circulatory system.																
Diseases of the circulatory system.....	5,207	588	694	114	178	180	160	204	218	271	287	353	406	380	415	1,347
Males.....	2,649	324	385	59	81	81	88	88	106	136	161	183	223	191	209	658
Females.....	2,558	264	309	55	97	99	72	116	112	135	126	170	183	189	206	689
1. Angina pectoris.....	{ M.. 149 F.. 125	{ 1 1	{ 1 2	{ 1 1	{ 1 1	{ 4 4	{ 3 3	{ 5 6	{ 15 10	{ 20 13	{ 15 14	{ 13 10	{ 20 14	{ 50 46
2. Aneurism.....	{ M.. 39 F.. 23 1 1 1 1 2 3 1 4 5 5 7 3 5
3. Diseases of the heart.....	{ M.. 2,204 F.. 2,198	{ 101 102	{ 154 140	{ 57 53	{ 80 95	{ 79 95	{ 86 69	{ 83 106	{ 96 106	{ 123 123	{ 141 109	{ 156 149	{ 202 166	{ 168 175	{ 188 185	{ 591 629
4. Others of this class.....	{ M.. 257 F.. 212	{ 223 162	{ 231 169	{ 1 1 2 2 2 6 4 3 3 3 3 4 4 9

TABLE 17.—DEATHS IN THE CITIES IN NEW JERSEY FROM EACH SPECIFIED DISEASE AND CLASS OF DISEASES, WITH DISTINCTION OF AGE AND SEX, DURING THE 6 YEARS ENDING MAY 31, 1890—Continued.

WHITE—Continued.

CAUSE OF DEATH.	All ages.	Under 1 year.	Total under 5 years.	5 to 10	10 to 15	15 to 20	20 to 25	25 to 30	30 to 35	35 to 40	40 to 45	45 to 50	50 to 55	55 to 60	60 to 65	65 and over and un-known.
IV.—Diseases of the respiratory system.	15,152	3,297	7,576	860	181	276	348	449	408	483	516	541	560	551	545	1,858
Males	8,138	1,820	4,094	467	93	135	217	274	238	297	322	344	311	305	273	778
Females	7,014	1,477	3,482	393	88	141	131	175	170	186	194	197	249	246	272	1,080
1. Croup	{ M. 1,251 F. 1,071	{ 130 101	{ 991 846	{ 225 189	{ 15 11	{ 3 3	{ 3 2	{ 1 2	{ 1 1	{ 1 1	{ 1 2	{ 2 2	{ 3 3	{ 1 2	{ 1 4	{ 4 4
2. Laryngitis	{ M. 261 F. 211	{ 34 18	{ 172 148	{ 34 28	{ 6 10	{ 1 5	{ 3 2	{ 3 3	{ 4 4	{ 8 3	{ 7 2	{ 2 2	{ 6 1	{ 3 1	{ 2 1	{ 10 1
3. Bronchitis	{ M. 1,835 F. 1,749	{ 770 665	{ 1,204 1,024	{ 56 34	{ 6 9	{ 11 21	{ 24 20	{ 16 28	{ 19 23	{ 23 23	{ 34 25	{ 42 37	{ 51 44	{ 57 51	{ 68 68	{ 224 352
4. Pneumonia	{ M. 3,992 F. 3,325	{ 644 509	{ 1,401 1,192	{ 181 123	{ 46 59	{ 101 95	{ 165 93	{ 216 122	{ 193 127	{ 226 186	{ 243 142	{ 251 143	{ 211 173	{ 208 163	{ 170 172	{ 430 585
5. Pleurisy	{ M. 111 F. 95	{ 4 5	{ 17 14	{ 1 6	{ 2 3	{ 4 2	{ 11 5	{ 13 7	{ 10 6	{ 11 8	{ 8 5	{ 7 3	{ 6 3	{ 3 5	{ 7 6	{ 11 22
6. Asthma	{ M. 60 F. 49	{ 4 3	{ 5 3	{ 1 2				{ 3 3		{ 6 6	{ 3 2	{ 7 2	{ 8 6	{ 4 5	{ 7 3	{ 16 26
7. Others of this class	{ M. 628 F. 514	{ 234 176	{ 304 255	{ 19 11	{ 8 6	{ 15 15	{ 11 9	{ 22 18	{ 11 9	{ 22 16	{ 26 16	{ 33 8	{ 26 19	{ 29 19	{ 19 23	{ 83 90
V.—Diseases of the digestive system.	3,958	684	961	98	115	119	163	222	188	232	234	244	275	231	266	610
Males	1,990	392	547	57	59	72	69	95	70	92	111	126	133	131	147	281
Females	1,968	292	414	41	56	47	94	127	118	140	123	118	142	100	119	329
1. Dentition	{ M. 56 F. 58	{ 35 28	{ 56 58													
2. Angina	{ M. 61 F. 37	{ 14 9	{ 46 25	{ 7 6	{ 1 4				{ 2 2				{ 1 1	{ 1 1	{ 1 1	{ 2 2
3. Diseases of the stomach	{ M. 368 F. 437	{ 101 96	{ 138 180	{ 6 12	{ 5 10	{ 8 12	{ 11 11	{ 12 17	{ 9 18	{ 17 26	{ 10 14	{ 19 23	{ 23 42	{ 25 25	{ 22 25	{ 63 82
4. Obstruction of the bowels	{ M. 116 F. 106	{ 32 18	{ 37 25	{ 5 3	{ 1 3	{ 1 2	{ 5 3	{ 7 4	{ 5 5	{ 2 5	{ 8 7	{ 5 4	{ 6 8	{ 7 7	{ 9 7	{ 18 26
5. Hernia	{ M. 83 F. 68	{ 9 9	{ 12 12			{ 4 4	{ 2 1	{ 3 2	{ 3 3	{ 5 5	{ 5 6	{ 7 9	{ 6 9	{ 9 7	{ 12 5	{ 21 23
6. Other diseases of the bowels	{ M. 18 F. 20	{ 5 3	{ 5 3			{ 2 1	{ 2 2	{ 2 2	{ 1 1	{ 4 4	{ 1 1		{ 1 5	{ 1 1	{ 1 1	{ 1 4
7. Jaundice	{ M. 65 F. 51	{ 43 20	{ 44 23	{ 1 1			{ 1 1	{ 1 1		{ 2 1	{ 1 3	{ 2 1	{ 1 7	{ 1 1	{ 4 6	{ 9 9
8. Inflammation and abscess of the liver	{ M. 155 F. 108	{ 9 1	{ 12 4	{ 5 2	{ 3 2	{ 2 2	{ 5 1	{ 4 3	{ 9 5	{ 7 7	{ 12 10	{ 16 11	{ 13 16	{ 12 8	{ 21 10	{ 34 29
9. Other diseases of the liver	{ M. 444 F. 325	{ 11 7	{ 18 7	{ 1 1	{ 4 3	{ 2 3	{ 7 3	{ 12 13	{ 13 23	{ 26 23	{ 49 34	{ 53 36	{ 58 39	{ 58 39	{ 53 31	{ 90 76
10. Peritonitis	{ M. 473 F. 632	{ 41 41	{ 74 62	{ 29 18	{ 44 32	{ 51 26	{ 33 72	{ 52 83	{ 28 65	{ 24 63	{ 28 43	{ 21 30	{ 22 27	{ 17 21	{ 19 31	{ 31 59
11. Ascites	{ M. 8 F. 14	{ 1 1	{ 1 1		{ 1 1		{ 2 2		{ 1 1	{ 1 1	{ 3 3	{ 1 1		{ 1 1	{ 2 2	{ 2 5
12. Others of this class	{ M. 143 F. 112	{ 92 68	{ 105 76	{ 3 1	{ 1 1	{ 2 3	{ 4 2	{ 3 2		{ 5 4	{ 3 3	{ 3 2	{ 1 2		{ 3 3	{ 10 14
VI.—Diseases of the urinary system and male organs of generation.	3,285	58	209	111	58	79	122	175	192	250	249	255	265	272	275	773
Males	1,836	31	121	49	29	32	55	78	100	123	149	151	143	146	167	493
Females	1,449	27	88	62	29	47	67	97	92	127	100	104	122	126	108	280
1. Bright's disease	{ M. 896 F. 731			{ 19 24	{ 10 14	{ 19 23	{ 27 34	{ 42 49	{ 61 50	{ 65 70	{ 85 58	{ 93 53	{ 82 60	{ 96 79	{ 79 66	{ 218 146
2. Calculus, urinary	{ M. 2 F. 3						{ 1 1					{ 1 1				{ 1 1
3. Diseases of the kidney	{ M. 684 F. 587	{ 24 17	{ 111 79	{ 30 33	{ 17 13	{ 11 18	{ 27 27	{ 29 34	{ 35 32	{ 49 43	{ 59 35	{ 44 40	{ 46 54	{ 36 41	{ 56 36	{ 134 102
4. Diseases of the bladder	{ M. 171 F. 39	{ 4 1	{ 5 1			{ 2 2		{ 2 2	{ 1 2	{ 2 4	{ 7 3	{ 9 4	{ 7 4	{ 1 1	{ 21 3	{ 115 17
5. Others of this class	{ M. 83 F. 89	{ 3 4	{ 5 8	{ 5 5	{ 2 2		{ 1 4	{ 5 10	{ 3 8	{ 7 10	{ 5 7	{ 7 7	{ 5 4	{ 7 5	{ 11 3	{ 25 15
VII.—Diseases of the female organs of generation.	115					6	10	14	14	14	12	13	8	2	9	13
1. Ovarian tumors	27						1	2	1	2	2	4	2		7	6
2. Ovarian diseases	6							1	1	1	2	1	1		1	1
3. Uterine tumors	7									1	2	1	1	1	1	1
4. Uterine diseases	45					1	5	8	6	6	5	5	2	1	2	4
5. Others of this class	30					5	4	3	6	5	1	3	2		1	1
VIII.—Affections connected with pregnancy.	673				2	30	181	196	117	105	34	5		2		1
1. Abortion	19						2	8	3	3	8					
2. Childbirth	130				1	2	26	35	31	24	10					1
3. Puerperal septicæmia	487				1	23	142	142	79	73	20	5		2		
4. Extra-uterine pregnancy																
5. Others of this class	37					5	11	11	4	5	1					

TABLE 17.—DEATHS IN THE CITIES IN NEW JERSEY FROM EACH SPECIFIED DISEASE AND CLASS OF DISEASES, WITH DISTINCTION OF AGE AND SEX, DURING THE 6 YEARS ENDING MAY 31, 1890—Continued.

WHITE—Continued.

CAUSE OF DEATH.	All ages.	Under 1 year.	Total under 5 years.	5 to 10	10 to 15	15 to 20	20 to 25	25 to 30	30 to 35	35 to 40	40 to 45	45 to 50	50 to 55	55 to 60	60 to 65	65 and over and unknown.
IX.—Diseases of the bones and joints....	127	6	15	16	17	12	11	7	8	10	6	10	2	3	3	7
Males	73	5	11	9	12	4	8	4	4	5	3	5	2	2	2	2
Females	54	1	4	7	5	8	3	3	4	5	3	5	1	1	1	5
1. Diseases of the spine..... {M..	38	2	6	7	6	2	5	2	3	2	2	1	1	1	1	1
{F..	25	1	3	4	3	2	1	2	3	1	2	3	1	1	1	1
2. Diseases of the bones..... {M..	17	2	2	3	3	2	2	1	1	1	1	2	1	1	1	1
{F..	13	1	1	1	3	1	1	1	3	1	1	1	1	1	1	2
3. Diseases of the hip joint.. {M..	14	2	2	2	3	2	1	1	1	1	1	1	1	1	1	2
{F..	14	1	1	2	1	3	2	1	1	1	1	2	1	1	1	2
4. Others of this class..... {M..	4	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
{F..	2	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
X.—Diseases of the skin.....	181	45	68	7	4	11	9	8	4	3	11	10	9	11	8	18
Males	101	24	35	6	2	3	4	3	3	5	8	5	4	9	7	11
Females	80	21	33	1	2	8	5	5	1	3	6	2	4	2	1	7
1. Abscess..... {M..	78	20	30	5	2	7	3	3	1	5	8	4	4	6	4	7
{F..	58	10	21	1	2	7	5	5	2	6	8	3	3	1	4	3
2. Carbuncle..... {M..	15	1	1	1	1	1	1	2	2	1	1	1	1	3	3	3
{F..	7	1	2	1	1	1	1	1	1	1	1	1	1	1	1	2
3. Others of this class..... {M..	8	3	4	1	2	2	2	2	2	2	2	2	2	2	2	1
{F..	15	10	10	1	1	1	1	1	1	1	1	1	1	1	1	2
XI.—Diseases of the absorbent system ..	19	1	1	1	1	1	2	3	5	1	1	1	1	1	1	5
Males	9	1	1	1	1	1	2	3	4	1	1	1	1	1	1	3
Females	10	1	1	1	1	1	2	3	1	1	1	1	1	1	1	2
1. Addison's disease..... {M..	6	1	1	1	1	1	1	1	4	1	1	1	1	1	1	1
{F..	4	1	1	1	1	1	1	2	1	1	1	1	1	1	1	1
2. Diseases of the spleen..... {M..	2	1	1	1	1	1	1	1	1	1	1	1	1	1	1	2
{F..	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
3. Others of this class..... {M..	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	2
{F..	5	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
XII.—Accidents and injuries.....	4,312	311	597	220	226	247	366	366	295	352	322	209	244	186	137	455
Males	3,387	167	336	167	191	202	313	309	255	299	287	259	197	156	101	318
Females	925	144	261	53	35	45	53	57	40	53	35	43	47	30	36	137
1. Burns and scalds..... {M..	165	7	88	14	2	11	7	11	5	4	7	6	2	1	2	5
{F..	159	5	73	18	3	6	6	9	5	3	7	6	6	6	2	9
2. Drowned..... {M..	646	4	32	33	77	53	61	54	37	40	45	38	33	14	11	68
{F..	83	5	13	11	11	12	10	1	37	3	6	8	5	1	2	8
3. Exposure and neglect..... {M..	20	2	3	3	3	3	2	1	1	1	4	2	1	1	1	3
{F..	8	4	4	4	4	4	4	1	1	1	1	1	1	1	1	1
4. Gunshot wounds..... {M..	79	2	2	2	8	12	8	9	9	8	5	6	4	2	1	5
{F..	6	1	1	1	1	2	1	1	1	1	1	1	1	1	1	1
5. Homicide..... {M..	26	1	2	2	1	3	2	4	4	4	4	3	2	2	1	1
{F..	14	1	1	1	1	1	1	1	1	2	2	3	1	2	2	1
6. Infanticide..... {M..	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2
{F..	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2
7. Injuries by machinery..... {M..	12	1	1	1	2	1	2	3	1	1	1	1	1	1	1	1
{F..	12	1	1	1	2	1	2	3	1	1	1	1	1	1	1	1
8. Railroad accidents..... {M..	887	1	7	19	49	63	123	119	83	96	75	57	44	36	29	87
{F..	68	1	3	5	3	3	8	10	3	7	2	7	3	1	6	10
9. Suffocation..... {M..	157	101	108	3	3	6	4	3	7	9	5	3	5	3	1	5
{F..	100	69	76	2	1	2	6	1	3	2	1	1	1	3	2	2
10. Suicide by shooting..... {M..	88	1	1	1	1	1	5	5	16	16	9	8	12	7	3	6
{F..	3	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
11. Suicide by drowning..... {M..	13	1	1	1	1	1	1	1	4	3	1	1	1	1	1	1
{F..	4	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
12. Suicide by poison..... {M..	51	2	2	1	3	3	9	4	3	2	5	7	5	2	1	7
{F..	30	1	1	1	2	3	3	5	5	2	2	4	3	1	4	4
13. Other suicides..... {M..	134	6	6	6	10	6	10	6	10	17	19	18	17	10	7	14
{F..	19	1	1	1	2	2	2	2	3	3	1	4	1	1	3	3
14. Sunstroke..... {M..	110	4	4	4	1	1	11	11	10	15	16	18	6	7	3	7
{F..	21	1	1	1	1	1	1	1	2	3	3	2	2	4	1	1
15. Surgical operations..... {M..	6	1	1	1	1	1	1	2	1	1	1	1	1	2	1	1
{F..	7	1	1	1	1	1	1	1	1	1	1	1	1	1	1	2
16. Wounds..... {M..	84	2	6	6	4	4	9	12	2	4	9	9	4	6	5	8
{F..	19	1	1	1	2	1	1	1	1	1	1	1	1	1	1	3
17. Other accidents and inju- {M..	907	49	90	34	43	46	55	70	65	81	79	85	61	62	35	101
{F..	384	56	80	15	14	17	13	23	17	26	14	17	23	11	22	92

STATISTICS OF DEATHS.

TABLE 17.—DEATHS IN THE CITIES IN NEW JERSEY FROM EACH SPECIFIED DISEASE AND CLASS OF DISEASES, WITH DISTINCTION OF AGE AND SEX, DURING THE 6 YEARS ENDING MAY 31, 1890—Continued.

COLORED—Continued.

CAUSE OF DEATH.	All ages.	Under 1 year.	Total under 5 years.	5 to 10	10 to 15	15 to 20	20 to 25	25 to 30	30 to 35	35 to 40	40 to 45	45 to 50	50 to 55	55 to 60	60 to 65	65 and over and un-known.
I.—General diseases—Continued.																
General diseases—D.....	577	23	55	27	20	45	66	60	64	49	37	42	25	26	13	48
Males.....	283	11	26	11	7	15	33	27	30	31	20	18	12	19	7	27
Females.....	294	17	29	16	13	30	33	33	34	18	17	24	13	7	6	21
1. Rheumatism.....	{ M. 4 F. 2											1 1	1			2
2. Scrofula and tabes.....	{ M. 7 F. 10	2 4	3 7	1	1	1	1	1					1			1
3. Leprosy.....	{ M. 2 F. 2															
4. Consumption.....	{ M. 235 F. 223	4 5	14 12	10 15	4 10	14 20	33 33	25 31	27 33	30 14	17 14	14 14	9 5	13 3	5 3	20 8
5. Hydrocephalus.....	{ M. 9 F. 9	4 5	6 7	1					1 1			1				1
6. Cancer.....	{ M. 9 F. 25							1	1	3	2	6	4	2	2	2 5
7. Tumor.....	{ M. 5 F. 5					1							2	1		1
8. Anæmia.....	{ M. 3 F. 4	1 1	2 1					1		1		1				1
9. Dropsy.....	{ M. 11 F. 15	2	2		3			1		1	2	1	2	3	1	2 5
10. Diabetes.....	{ M. 4 F. 1				2				1			1		1		
11. Others of this group.....	{ M. 1 F. 1		1													
12. Others of this class.....	{ M. 1 F. 1															
II.—Diseases of the nervous system.....																
	398	146	212	21	10	6	8	5	5	9	8	15	15	13	18	53
Males.....	205	83	119	12	8	3	3	1	4	4	3	4	8	8	6	25
Females.....	193	63	133	9	2	3	5	4	1	5	5	11	7	5	12	23
1. Inflammation of the brain.....	{ M. 43 F. 26	15 6	23 15	8 4	3	1	2	1	1	1	1	2	1	1		2
2. Apoplexy.....	{ M. 20 F. 38		1					1	2	1	1	3	4	4	6	12 14
3. Paralysis.....	{ M. 13 F. 25			1		1	1	1	1	1	1	2	3	2	4	8 8
4. Tetanus and trismus nascentium.....	{ M. 7 F. 3	4 3	4 3		1	1			1							
5. Epilepsy.....	{ M. 2 F. 4		1		2								1		1	1
6. Convulsions.....	{ M. 76 F. 63	55 45	69 58	3 3	2							1		1	1	1
7. Mental diseases.....	{ M. 1 F. 3						1			1		1				1
8. Diseases of the brain.....	{ M. 32 F. 29	9 9	21 17	1	1	1	3	1		1	1	1	1		2 1	3 3
9. Diseases of the spinal cord.....	{ M. 1 F. 1						1						1			
10. Others of this class.....	{ M. 1 F. 1													1		1
III.—Diseases of the circulatory system.....																
	178	9	10	2	6	1	5	4	11	23	16	18	15	11	19	32
Males.....	76	5	6	2	2	1	3	1	5	13	9	8	6	4	7	9
Females.....	102	4	4		4		2	3	6	15	7	10	9	7	12	23
1. Angina pectoris.....	{ M. 2 F. 2									1					1	
2. Aneurism.....	{ M. 3 F. 2					1				1			1			
3. Diseases of the heart.....	{ M. 72 F. 97	5 3	6 3	2	2		3	1	5	11	9	8	5	4	7	9 23
4. Others of this class.....	{ M. 1 F. 1	1	1							1						

STATISTICS OF DEATHS.

TABLE 17.—DEATHS IN THE CITIES IN NEW JERSEY FROM EACH SPECIFIED DISEASE AND CLASS OF DISEASES, WITH DISTINCTION OF AGE AND SEX, DURING THE 6 YEARS ENDING MAY 31, 1890—Continued.

COLORED—Continued.

CAUSE OF DEATH.	All ages.	Under 1 year.	Total under 6 years.	5 to 10	10 to 15	15 to 20	20 to 25	25 to 30	30 to 35	35 to 40	40 to 45	45 to 50	50 to 55	55 to 60	60 to 65	65 and over and unknown.	
IX.—Diseases of the bones and joints	1						1										
Males.....							1										
Females.....	1																
1. Diseases of the spine.....	{ M F }	1					1										
2. Diseases of the bones.....	{ M F }																
3. Diseases of the hip joint.....	{ M F }																
4. Others of this class.....	{ M F }																
X.—Diseases of the skin	3		1		1					1							
Males.....	2				1					1							
Females.....	1		1														
1. Abscess.....	{ M F }	2 1			1					1							
2. Carbuncle.....	{ M F }																
3. Others of this class.....	{ M F }																
XI.—Diseases of the absorbent system																	
Males.....																	
Females.....																	
1. Addison's disease.....	{ M F }																
2. Diseases of the spleen.....	{ M F }																
3. Others of this class.....	{ M F }																
XII.—Accidents and injuries	88	18	19	2	4	7	4	6	6	7	7	3	2	3	2	16	
Males.....	65	12	12	1	4	5	4	5	4	7	7	2	1	2	2	9	
Females.....	23	6	7	1		2		1	2			1	1	1		7	
1. Burns and scalds.....	{ M F }	3							1							2	
2. Drowned.....	{ M F }	17			1	3	3		1	2		1		1		3	
3. Exposure and neglect.....	{ M F }	1								1							
4. Gunshot wounds.....	{ M F }	4					1	1			2						
5. Homicide.....	{ M F }	2														2	
6. Infanticide.....	{ M F }																
7. Injuries by machinery.....	{ M F }																
8. Railroad accidents.....	{ M F }	16 2				1	1	3		1	2	2		1	1	1	4
9. Suffocation.....	{ M F }	7 4	6 3	6 3			1					1					
10. Suicide by shooting.....	{ M F }	1														1	
11. Suicide by drowning.....	{ M F }	1								1							
12. Suicide by poison.....	{ M F }	1						1									
13. Other suicides.....	{ M F }	2									1		1				
14. Sunstroke.....	{ M F }	1									1						
15. Surgical operations.....	{ M F }																
16. Wounds.....	{ M F }																
17. Other accidents and injuries.	{ M F }	15 11	6 3	6 4			1 1		3 1	1 1	1 1	1 1			1	1 8	

TABLE 17.—DEATHS IN THE CITIES IN NEW JERSEY FROM EACH SPECIFIED DISEASE AND CLASS OF DISEASES, WITH DISTINCTION OF AGE AND SEX, DURING THE 6 YEARS ENDING MAY 31, 1890—Continued.

BIRTPPLACE OF MOTHERS—UNITED STATES.

CAUSE OF DEATH.	All ages.	Under 1 year.	Total under 5 years.	5 to 10	10 to 15	15 to 20	20 to 25	25 to 30	30 to 35	35 to 40	40 to 45	45 to 50	50 to 55	55 to 60	60 to 65	65 and over and un-known.
All causes.....	54,299	20,605	30,067	2,647	1,109	1,465	1,721	1,901	1,551	1,546	1,314	1,349	1,300	1,297	1,345	5,681
Males.....	28,572	11,534	16,429	1,847	576	658	874	978	795	788	699	748	702	701	680	2,597
Females.....	25,727	9,071	13,638	1,800	533	807	847	923	756	758	615	601	604	596	665	3,084
Unknown causes.....	135	41	54	5	5	7	5	2	6	4	2	4	4	5	4	28
Males.....	82	25	31	3	3	3	1	5	3	2	3	3	3	4	4	17
Females.....	53	16	23	2	2	4	4	2	1	1	1	1	1	1	4	11
I.—General diseases:																
General diseases—A.....	11,934	4,403	7,898	1,239	398	362	817	296	183	172	133	132	113	119	129	443
Males.....	6,005	2,331	4,056	570	187	170	173	158	96	76	63	69	68	52	60	202
Females.....	5,929	2,072	3,842	669	211	192	144	138	87	96	65	63	45	67	69	241
1. Smallpox.....	{ M. 1 F. 3		1	1			1									1
2. Measles.....	{ M. 115 F. 125	25 36	105 114	6 9	2	1	1			2						
3. Scarlet fever.....	{ M. 415 F. 452	28 31	261 279	107 127	31 23	5 7	5 5	2 4	1 2	1	1				1	3 2
4. Diphtheria.....	{ M. 1,239 F. 1,325	75 57	816 796	322 400	66 84	15 15	5 7	5 3	1 4	1 4	1		2 1	1 3	2 3	2 5
5. Whooping cough.....	{ M. 188 F. 240	122 130	184 234	4 6												
6. Fever.....	{ M. 5 F. 1	1	2	1			1					1				
7. Cerebro-spinal fever.....	{ M. 147 F. 97	39 35	87 63	20 7	7 5	12 4	1 5	4 3	2 1	1 1		3 1	2 1	1 2	5 1	2 1
8. Typhoid fever.....	{ M. 682 F. 617	9 6	44 50	40 42	53 67	102 117	116 80	108 67	52 32	41 86	29 30	18 23	26 16	14 15	15 14	24 28
9. Diarrheal diseases.....	{ M. 1,275 F. 1,259	748 632	951 857	39 44	13 18	14 16	21 14	12 24	13 17	14 21	17 20	23 24	18 15	18 27	27 32	95 130
10. Cholera infantum.....	{ M. 1,445 F. 1,281	1,191 1,043	1,443 1,280													2 1
11. Malarial fever.....	{ M. 244 F. 286	25 33	68 77	21 21	10 10	15 26	16 16	17 24	14 18	13 15	14 6	9 6	9 5	7 10	6 13	25 39
12. Erysipelas.....	{ M. 87 F. 75	31 37	42 46	1 2	1 1	1 2	3 1	1 3	3 1	1 2	3 2	5 4	3 2	4 1		20 12
13. Septicæmia.....	{ M. 85 F. 107	13 11	24 18	6 9	4 3	3 3	2 15	7 11	6 8	1 13	4 4	7 4	6 5	4 3	4 2	7 9
14. Venereal diseases.....	{ M. 35 F. 27	21 18	24 22	1		1	1	1	2	3		2				
15. Others of this group.....	{ M. 42 F. 35	3 3	5 5	2 1	1 1	1 1	1 1	2 1	1 2	1 1	1	1	2	3	1 3	21 14
General diseases—B.....	1,038	309	362	13	2	6	9	10	17	18	15	11	15	12	17	31
Males.....	584	440	466	8	2	4	5	7	12	16	10	8	13	6	8	19
Females.....	454	369	396	5	2	2	4	3	5	2	5	3	2	6	9	12
1. Parasitic diseases.....	{ M. 3 F. 1		1	1		1										
2. Alcoholism.....	{ M. 68 F. 16	1	2			1	2	4	10	13	6	6	8	5	5	6 1
3. Lead poison.....	{ M. 2 F. 1							1								1
4. Other poisons.....	{ M. 43 F. 33	5 8	14 14	4	2	2	1	2	1	1	3	2	3	1	2	5 1
5. Inanition.....	{ M. 471 F. 402	434 361	450 381	4 4		1	2		1	2	1		2	1	1	7 10
General diseases—C.....	9,851	8,275	8,668	40	11	10	7	15	13	20	13	20	22	23	31	958
Males.....	5,463	4,783	4,980	20	7	5	4	5	3	8	5	10	12	10	17	377
Females.....	4,388	3,492	3,688	20	4	5	3	10	10	12	8	10	10	13	14	581
1. Premature birth.....	{ M. 827 F. 649	826 647	827 649													
2. Stillborn.....	{ M. 2,533 F. 1,731	2,533 1,731	2,533 1,731													
3. Malformation.....	{ M. 66 F. 55	63 55	65 55													1
4. Debility and atrophy.....	{ M. 1,812 F. 1,640	1,311 1,059	1,505 1,253	20	7	5	4	5	3	8	5	10	12	10	15	203 272
5. Old age.....	{ M. 175 F. 313														2	173 509

STATISTICS OF DEATHS.

TABLE 17.—DEATHS IN THE CITIES IN NEW JERSEY FROM EACH SPECIFIED DISEASE AND CLASS OF DISEASES, WITH DISTINCTION OF AGE AND SEX, DURING THE 6 YEARS ENDING MAY 31, 1890—Continued.

BIRTHPLACE OF MOTHERS—UNITED STATES—Continued.

CAUSE OF DEATH.	All ages.	Under 1 year.	Total under 5 years.	5 to 10	10 to 15	15 to 20	20 to 25	25 to 30	30 to 35	35 to 40	40 to 45	45 to 50	50 to 55	55 to 60	60 to 65	65 and over and un-known.
I.—General diseases—Continued.																
General diseases—D.....	7,682	619	1,136	150	154	521	775	863	665	506	461	467	429	345	325	745
Males	3,745	332	605	72	68	199	374	457	350	305	207	237	210	177	150	334
Females	3,887	287	531	78	86	322	401	406	315	291	254	230	219	168	175	411
1. Rheumatism.....	{ M.. 70	{ 2	{ 5	{ 4	{ 8	{ 1	{ 2	{ 4	{ 2	{ 9	{ 2	{ 3	{ 3	{ 7	{ 3	{ 17
F.. 82	{ 2	{ 4	{ 7	{ 3	{ 1	{ 1	{ 4	{ 1	{ 2	{ 5	{ 3	{ 10	{ 6	{ 8	{ 27	
2. Scrofula and tabes.....	{ M.. 93	{ 38	{ 64	{ 2	{ 4	{ 1	{ 3	{ 5	{ 1	{ 1	{ 2	{ 3	{ 1	{ 1	{ 3	{ 2
F.. 88	{ 43	{ 57	{ 1	{ 4	{ 5	{ 4	{ 1	{ 1	{ 1	{ 4	{ 2	{ 2	{ 3	{ 1	{ 4	
3. Leprosy.....	{ M.. ..	{ ..	{ ..	{ ..	{ ..	{ ..	{ ..	{ ..	{ ..	{ ..	{ ..	{ ..	{ ..	{ ..	{ ..	{ ..
F.. ..	{ ..	{ ..	{ ..	{ ..	{ ..	{ ..	{ ..	{ ..	{ ..	{ ..	{ ..	{ ..	{ ..	{ ..	{ ..	
4. Consumption.....	{ M.. 2,705	{ 78	{ 164	{ 31	{ 37	{ 182	{ 361	{ 430	{ 328	{ 270	{ 177	{ 192	{ 148	{ 120	{ 90	{ 175
F.. 2,601	{ 75	{ 153	{ 44	{ 68	{ 299	{ 381	{ 387	{ 286	{ 239	{ 166	{ 139	{ 115	{ 85	{ 77	{ 162	
5. Hydrocephalus.....	{ M.. 376	{ 182	{ 323	{ 23	{ 8	{ 3	{ 1	{ 6	{ 3	{ 3	{ 1	{ 1	{ 1	{ ..	{ ..	{ 3
F.. 295	{ 139	{ 264	{ 17	{ 4	{ 1	{ ..	{ ..	{ 1	{ 1	{ 1	{ ..	{ ..	{ ..	{ ..	{ 3	
6. Cancer.....	{ M.. 236	{ 3	{ 6	{ ..	{ ..	{ 4	{ 1	{ 3	{ 4	{ 9	{ 12	{ 25	{ 37	{ 30	{ 34	{ 71
F.. 506	{ 1	{ 3	{ ..	{ ..	{ 3	{ 6	{ 2	{ 15	{ 38	{ 53	{ 68	{ 61	{ 61	{ 69	{ 124	
7. Tumor.....	{ M.. 27	{ ..	{ 2	{ 2	{ 2	{ 1	{ 1	{ ..	{ 1	{ 1	{ 1	{ 4	{ 1	{ 4	{ 1	{ 6
F.. 47	{ 1	{ 2	{ ..	{ ..	{ 1	{ 1	{ 1	{ 1	{ 5	{ 7	{ 5	{ 7	{ 3	{ 5	{ 10	
8. Anæmia.....	{ M.. 38	{ 12	{ 15	{ 2	{ ..	{ 1	{ 1	{ 1	{ 2	{ 3	{ 1	{ 3	{ 3	{ 1	{ ..	{ 5
F.. 54	{ 12	{ 14	{ 1	{ 1	{ 2	{ 3	{ 7	{ 2	{ 2	{ 4	{ 3	{ 3	{ 1	{ 2	{ 9	
9. Dropsy.....	{ M.. 117	{ 7	{ 11	{ 6	{ 4	{ 4	{ 3	{ 5	{ 3	{ 6	{ 9	{ 2	{ 8	{ 5	{ 13	{ 38
F.. 145	{ 8	{ 19	{ 6	{ 5	{ 8	{ 3	{ ..	{ 4	{ 3	{ 9	{ 8	{ 14	{ 8	{ 6	{ 52	
10. Diabetes.....	{ M.. 70	{ 4	{ 5	{ 1	{ 5	{ 2	{ 1	{ 3	{ 5	{ 3	{ 2	{ 4	{ 8	{ 9	{ 6	{ 16
F.. 55	{ 3	{ 4	{ 2	{ 1	{ 1	{ 2	{ 4	{ 5	{ ..	{ 5	{ 3	{ 4	{ 1	{ 4	{ 19	
11. Others of this group.....	{ M.. 13	{ 6	{ 10	{ 1	{ ..	{ ..	{ ..	{ ..	{ 1	{ ..	{ ..	{ ..	{ ..	{ ..	{ ..	{ 1
F.. 12	{ 3	{ 10	{ ..	{ ..	{ ..	{ 1	{ ..	{ ..	{ ..	{ ..	{ 1	{ ..	{ ..	{ ..	{ ..	
12. Others of this class.....	{ M.. ..	{ ..	{ 1	{ ..	{ ..	{ ..	{ ..	{ ..	{ ..	{ ..	{ ..	{ ..	{ ..	{ ..	{ ..	{ 1
F.. 2	{ ..	{ ..	{ ..	{ ..	{ ..	{ ..	{ ..	{ ..	{ ..	{ ..	{ ..	{ ..	{ ..	{ ..	{ ..	
II.—Diseases of the nervous system.....																
	8,210	3,272	5,077	288	124	97	87	92	127	135	145	158	184	224	255	1,217
Males	4,355	1,835	2,787	147	64	40	41	48	68	75	74	89	98	119	135	570
Females	3,855	1,437	2,290	141	60	57	46	44	59	60	71	69	86	105	120	647
1. Inflammation of the brain.....	{ M.. 1,114	{ 439	{ 843	{ 81	{ 23	{ 18	{ 15	{ 17	{ 22	{ 15	{ 14	{ 21	{ 11	{ 8	{ 9	{ 17
F.. 924	{ 341	{ 694	{ 74	{ 25	{ 17	{ 15	{ 12	{ 12	{ 7	{ 10	{ 6	{ 5	{ 8	{ 7	{ 32	
2. Apoplexy.....	{ M.. 468	{ 10	{ 15	{ 1	{ 2	{ 3	{ 6	{ 8	{ 8	{ 19	{ 25	{ 26	{ 31	{ 55	{ 58	{ 211
F.. 505	{ 12	{ 18	{ 2	{ 2	{ 2	{ 2	{ 4	{ 13	{ 18	{ 29	{ 27	{ 40	{ 53	{ 48	{ 247	
3. Paralysis.....	{ M.. 398	{ 8	{ 29	{ 7	{ 5	{ 1	{ 8	{ 5	{ 7	{ 6	{ 11	{ 17	{ 19	{ 27	{ 36	{ 215
F.. 452	{ 8	{ 27	{ 5	{ 6	{ 7	{ 4	{ 5	{ 10	{ 11	{ 11	{ 20	{ 24	{ 32	{ 44	{ 246	
4. Tetanus and trismus nascentium.....	{ M.. 110	{ 69	{ 81	{ 4	{ 8	{ 5	{ 2	{ ..	{ 2	{ 2	{ 1	{ 1	{ 2	{ ..	{ ..	{ 1
F.. 76	{ 52	{ 62	{ 3	{ 1	{ 3	{ 1	{ ..	{ 2	{ 1	{ 2	{ 1	{ ..	{ ..	{ ..	{ ..	
5. Epilepsy.....	{ M.. 39	{ 3	{ 7	{ 1	{ 4	{ 3	{ 3	{ 3	{ 3	{ 4	{ 2	{ ..	{ 1	{ 2	{ 1	{ 5
F.. 32	{ 1	{ 4	{ 3	{ 1	{ 4	{ 3	{ 2	{ 3	{ 4	{ 1	{ ..	{ 1	{ 1	{ 1	{ 4	
6. Convulsions.....	{ M.. 1,490	{ 1,069	{ 1,417	{ 32	{ 7	{ 1	{ 3	{ 5	{ 4	{ 4	{ 1	{ 3	{ 3	{ 4	{ 2	{ 4
F.. 1,215	{ 821	{ 1,146	{ 25	{ 12	{ 6	{ 7	{ 5	{ 4	{ 2	{ 1	{ 3	{ ..	{ ..	{ 1	{ 3	
7. Mental diseases.....	{ M.. 31	{ ..	{ ..	{ ..	{ 1	{ ..	{ 1	{ ..	{ 4	{ 2	{ 3	{ 3	{ 6	{ 3	{ 1	{ 7
F.. 35	{ ..	{ ..	{ ..	{ ..	{ 2	{ 3	{ 2	{ 4	{ 3	{ 3	{ 1	{ 4	{ 3	{ 2	{ 8	
8. Diseases of the brain.....	{ M.. 661	{ 231	{ 382	{ 21	{ 12	{ 9	{ 3	{ 9	{ 15	{ 19	{ 16	{ 17	{ 20	{ 16	{ 23	{ 99
F.. 574	{ 199	{ 331	{ 22	{ 13	{ 13	{ 8	{ 10	{ 10	{ 13	{ 13	{ 10	{ 8	{ 8	{ 14	{ 101	
9. Diseases of the spinal cord.....	{ M.. 43	{ 6	{ 11	{ ..	{ 2	{ ..	{ ..	{ 1	{ 2	{ 4	{ 1	{ 1	{ 4	{ 2	{ 5	{ 10
F.. 29	{ 3	{ 8	{ 5	{ ..	{ 2	{ 2	{ 2	{ 3	{ 1	{ 1	{ 1	{ 3	{ ..	{ 1	{ 2	
10. Others of this class.....	{ M.. 6	{ ..	{ 2	{ ..	{ ..	{ 1	{ ..	{ ..	{ ..	{ ..	{ ..	{ ..	{ 1	{ 2	{ ..	{ 1
F.. 13	{ ..	{ ..	{ 2	{ ..	{ ..	{ 1	{ 1	{ 1	{ ..	{ 1	{ ..	{ 1	{ ..	{ 2	{ 4	
III.—Diseases of the circulatory system.....																
	2,457	426	498	73	97	78	65	82	94	130	110	132	136	145	164	653
Males	1,227	234	274	39	45	36	34	33	42	61	64	71	64	82	82	300
Females	1,230	192	224	34	52	42	31	49	52	69	46	61	72	63	82	353
1. Angina pectoris.....	{ M.. 59	{ ..	{ ..	{ 1	{ ..	{ ..	{ ..	{ 1	{ ..	{ 1	{ 7	{ 8	{ 5	{ 5	{ 6	{ 27
F.. 58	{ ..	{ ..	{ ..	{ 2	{ 1	{ ..	{ ..	{ 2	{ 1	{ 3	{ 1	{ 5	{ 5	{ 6	{ 25	
2. Aneurism.....	{ M.. 15	{ ..	{ ..	{ ..	{ ..	{ 1	{ 1	{ ..	{ ..	{ 4	{ 1	{ 2	{ 2	{ 1	{ ..	{ 3
F.. 11	{ ..	{ ..	{ ..	{ ..	{ ..	{ ..	{ ..	{ 1	{ ..	{ 3	{ 3	{ ..	{ ..	{ 1	{ 3	
3. Diseases of the heart.....	{ M.. 973	{ 81	{ 114	{ 37	{ 45	{ 35	{ 33	{ 31	{ 38	{ 54	{ 55	{ 61	{ 58	{ 74	{ 76	{ 262
F.. 1,022	{ 75	{ 102	{ 33	{ 50	{ 40	{ 31	{ 31	{ 46	{ 48	{ 66	{ 40	{ 52	{ 66	{ 56	{ 73	{ 319
4. Others of this class.....	{ M.. 180	{ 153	{ 160	{ 1	{ ..	{ ..	{ ..	{ 1	{ 4	{ 2	{ 1	{ ..	{ 1	{ 2	{ ..	{ 8
F.. 139	{ 117	{ 122	{ ..	{ ..	{ 1	{ ..	{ 1	{ 2	{ ..	{ 2	{ 1	{ 1	{ 1	{ 2	{ 6	

TABLE 17.—DEATHS IN THE CITIES IN NEW JERSEY FROM EACH SPECIFIED DISEASE AND CLASS OF DISEASES, WITH DISTINCTION OF AGE AND SEX, DURING THE 6 YEARS ENDING MAY 31, 1890.—Continued.

REPLACE OF MOTHERS—UNITED STATES—Continued.

CAUSE OF DEATH.	All ages.	Under 1 year.	Total under 5 years.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 and over and un-known.
IV.—Diseases of the respiratory system.	7,687	2,080	4,750	550	98	131	115	145	150	156	151	162	160	170	177	772
Males	4,083	1,159	2,592	296	47	55	74	89	79	91	90	95	86	96	83	310
Females	3,604	921	2,158	254	51	76	41	56	71	65	61	67	74	74	94	462
1. Croup	M. 745 F. 643	M. 74 F. 58	M. 585 F. 500	M. 143 F. 126	M. 12 F. 7	M. 1 F. 1	M. 2 F. 2	M. 2 F. 2	M. 2 F. 2	M. 2 F. 2	M. 2 F. 2	M. 2 F. 2	M. 2 F. 2	M. 2 F. 2	M. 2 F. 2	M. 2 F. 2
2. Laryngitis	M. 140 F. 129	M. 17 F. 9	M. 96 F. 84	M. 21 F. 18	M. 4 F. 9	M. 5 F. 5	M. 1 F. 1	M. 1 F. 3	M. 1 F. 4	M. 2 F. 1	M. 5 F. 1	M. 2 F. 1	M. 1 F. 1	M. 1 F. 1	M. 1 F. 1	M. 5 F. 1
3. Bronchitis	M. 1,035 F. 899	M. 510 F. 429	M. 815 F. 664	M. 43 F. 17	M. 5 F. 3	M. 8 F. 14	M. 11 F. 6	M. 3 F. 7	M. 8 F. 11	M. 6 F. 7	M. 8 F. 8	M. 10 F. 14	M. 14 F. 5	M. 13 F. 7	M. 12 F. 18	M. 79 F. 118
4. Pneumonia	M. 1,750 F. 1,576	M. 394 F. 303	M. 876 F. 729	M. 72 F. 80	M. 23 F. 28	M. 38 F. 45	M. 51 F. 30	M. 68 F. 40	M. 62 F. 51	M. 72 F. 47	M. 61 F. 44	M. 67 F. 46	M. 62 F. 59	M. 68 F. 53	M. 57 F. 59	M. 173 F. 267
5. Pleurisy	M. 38 F. 47	M. 3 F. 6	M. 10 F. 11	M. 3 F. 3	M. 1 F. 1	M. 2 F. 2	M. 4 F. 4	M. 3 F. 1	M. 4 F. 2	M. 1 F. 2	M. 2 F. 1	M. 1 F. 3	M. 1 F. 3	M. 5 F. 5	M. 3 F. 3	M. 6 F. 15
6. Asthma	M. 20 F. 21	M. 3 F. 2	M. 3 F. 2	M. 1 F. 2	M. 2 F. 2	M. 2 F. 2	M. 2 F. 2	M. 2 F. 2	M. 2 F. 2	M. 1 F. 2	M. 2 F. 2	M. 3 F. 2	M. 1 F. 1	M. 1 F. 1	M. 3 F. 1	M. 5 F. 12
7. Others of this class	M. 355 F. 289	M. 158 F. 114	M. 207 F. 168	M. 16 F. 8	M. 3 F. 5	M. 7 F. 9	M. 6 F. 2	M. 14 F. 5	M. 4 F. 3	M. 9 F. 10	M. 12 F. 6	M. 12 F. 2	M. 6 F. 6	M. 13 F. 6	M. 6 F. 10	M. 40 F. 49
V.—Diseases of the digestive system.	1,759	394	556	64	63	67	70	91	71	80	84	80	78	84	83	288
Males	896	232	319	39	34	39	27	42	24	32	44	43	37	42	40	134
Females	863	162	237	25	29	28	43	49	47	43	40	37	41	42	43	154
1. Dentition	M. 32 F. 29	M. 18 F. 14	M. 32 F. 20	M. 4 F. 2	M. 1 F. 1	M. 2 F. 3	M. 4 F. 3	M. 3 F. 3	M. 2 F. 7	M. 5 F. 9	M. 2 F. 4	M. 7 F. 8	M. 6 F. 13	M. 9 F. 7	M. 3 F. 6	M. 32 F. 33
2. Angina	M. 34 F. 19	M. 9 F. 6	M. 24 F. 15	M. 4 F. 2	M. 1 F. 1	M. 2 F. 2	M. 3 F. 2	M. 4 F. 4	M. 3 F. 3	M. 2 F. 1	M. 5 F. 3	M. 7 F. 1	M. 6 F. 3	M. 9 F. 3	M. 3 F. 5	M. 32 F. 33
3. Diseases of the stomach	M. 151 F. 185	M. 58 F. 51	M. 72 F. 75	M. 1 F. 5	M. 2 F. 3	M. 3 F. 4	M. 4 F. 3	M. 3 F. 3	M. 2 F. 7	M. 5 F. 9	M. 2 F. 4	M. 7 F. 8	M. 6 F. 13	M. 9 F. 7	M. 3 F. 6	M. 32 F. 33
4. Obstruction of the bowels	M. 64 F. 57	M. 21 F. 16	M. 24 F. 19	M. 3 F. 2	M. 2 F. 2	M. 3 F. 2	M. 3 F. 4	M. 3 F. 3	M. 3 F. 3	M. 1 F. 1	M. 5 F. 3	M. 3 F. 1	M. 3 F. 2	M. 3 F. 1	M. 5 F. 5	M. 12 F. 12
5. Hernia	M. 34 F. 24	M. 5 F. 2	M. 8 F. 2	M. 1 F. 1	M. 2 F. 2	M. 2 F. 2	M. 2 F. 2	M. 1 F. 1	M. 1 F. 1	M. 3 F. 2	M. 1 F. 2	M. 4 F. 4	M. 1 F. 1	M. 2 F. 2	M. 4 F. 2	M. 6 F. 12
6. Other diseases of the bowels	M. 9 F. 7	M. 1 F. 1	M. 1 F. 1	M. 2 F. 1	M. 1 F. 1	M. 2 F. 1	M. 1 F. 1	M. 1 F. 1	M. 2 F. 1	M. 2 F. 1	M. 2 F. 1	M. 1 F. 2	M. 1 F. 2	M. 1 F. 1	M. 1 F. 1	M. 1 F. 1
7. Jaundice	M. 31 F. 21	M. 21 F. 9	M. 21 F. 11	M. 4 F. 2	M. 3 F. 2	M. 1 F. 1	M. 3 F. 1	M. 5 F. 2	M. 3 F. 2	M. 2 F. 2	M. 2 F. 4	M. 5 F. 3	M. 4 F. 6	M. 6 F. 3	M. 6 F. 2	M. 25 F. 13
8. Inflammation and abscess of the liver	M. 77 F. 42	M. 7 F. 1	M. 8 F. 2	M. 4 F. 2	M. 3 F. 2	M. 1 F. 1	M. 3 F. 1	M. 5 F. 1	M. 3 F. 2	M. 2 F. 2	M. 2 F. 4	M. 5 F. 3	M. 4 F. 6	M. 6 F. 3	M. 6 F. 2	M. 25 F. 13
9. Other diseases of the liver	M. 161 F. 111	M. 9 F. 5	M. 15 F. 5	M. 1 F. 1	M. 2 F. 3	M. 3 F. 2	M. 3 F. 2	M. 5 F. 4	M. 4 F. 4	M. 8 F. 6	M. 20 F. 7	M. 17 F. 7	M. 12 F. 2	M. 17 F. 17	M. 16 F. 13	M. 38 F. 38
10. Peritonitis	M. 221 F. 304	M. 25 F. 21	M. 48 F. 37	M. 22 F. 14	M. 25 F. 18	M. 27 F. 18	M. 12 F. 36	M. 22 F. 33	M. 8 F. 30	M. 9 F. 27	M. 12 F. 16	M. 6 F. 14	M. 10 F. 13	M. 3 F. 10	M. 7 F. 13	M. 10 F. 25
11. Ascites	M. 3 F. 6	M. 1 F. 1	M. 1 F. 1	M. 1 F. 1	M. 1 F. 1	M. 1 F. 1	M. 1 F. 1	M. 1 F. 1	M. 1 F. 1	M. 1 F. 1	M. 1 F. 1	M. 1 F. 1	M. 1 F. 1	M. 1 F. 1	M. 1 F. 1	M. 1 F. 1
12. Others of this class	M. 79 F. 53	M. 58 F. 37	M. 66 F. 42	M. 3 F. 1	M. 1 F. 1	M. 1 F. 1	M. 1 F. 1	M. 2 F. 2	M. 1 F. 1	M. 1 F. 3	M. 2 F. 1	M. 2 F. 1	M. 2 F. 1	M. 1 F. 1	M. 1 F. 1	M. 4 F. 6
VI.—Diseases of the urinary system and male organs of generation.	1,449	31	127	65	29	47	52	87	91	92	77	93	95	108	109	377
Males	822	20	73	30	17	20	24	38	47	36	46	58	57	62	67	247
Females	627	11	54	35	12	27	28	49	44	56	31	35	38	46	42	130
1. Bright's disease	M. 420 F. 323	M. 2 F. 2	M. 12 F. 16	M. 5 F. 4	M. 10 F. 19	M. 13 F. 17	M. 17 F. 29	M. 23 F. 33	M. 23 F. 32	M. 28 F. 14	M. 36 F. 14	M. 36 F. 14	M. 40 F. 19	M. 39 F. 28	M. 128 F. 75	M. 128 F. 75
2. Calculus, urinary	M. 2 F. 2	M. 2 F. 2	M. 2 F. 2	M. 2 F. 2	M. 2 F. 2	M. 2 F. 2	M. 2 F. 2	M. 2 F. 2	M. 2 F. 2	M. 2 F. 2	M. 2 F. 2	M. 2 F. 2	M. 2 F. 2	M. 2 F. 2	M. 2 F. 2	M. 2 F. 2
3. Diseases of the kidney	M. 283 F. 235	M. 15 F. 8	M. 65 F. 48	M. 18 F. 15	M. 11 F. 6	M. 9 F. 8	M. 11 F. 8	M. 14 F. 14	M. 12 F. 16	M. 11 F. 17	M. 17 F. 12	M. 16 F. 12	M. 13 F. 14	M. 14 F. 15	M. 10 F. 9	M. 53 F. 37
4. Diseases of the bladder	M. 76 F. 22	M. 2 F. 1	M. 3 F. 1	M. 3 F. 1	M. 1 F. 1	M. 1 F. 1	M. 2 F. 1	M. 2 F. 1	M. 2 F. 1	M. 1 F. 1	M. 4 F. 2	M. 3 F. 3	M. 4 F. 4	M. 4 F. 4	M. 4 F. 4	M. 55 F. 10
5. Others of this class	M. 41 F. 47	M. 3 F. 2	M. 5 F. 5	M. 4 F. 2	M. 1 F. 2	M. 1 F. 2	M. 3 F. 3	M. 5 F. 2	M. 3 F. 3	M. 4 F. 4	M. 5 F. 5	M. 3 F. 3	M. 2 F. 3	M. 4 F. 3	M. 5 F. 3	M. 10 F. 8
VII.—Diseases of the female organs of generation.	56					2	6	10	4	5	6	6	4		4	9
1. Ovarian tumors	12							2			2				4	4
2. Ovarian diseases	4							1			1				1	1
3. Uterine tumors	2										1					
4. Uterine diseases	25					1	3	5	2	4	1	3	2			4
5. Others of this class	13					1	3	3	1	1	1	2	1			
VIII.—Affections connected with pregnancy.	241				1	17	64	77	41	27	10	1		2		1
1. Abortion	7							1	2		2					
2. Childbirth	42				1	3	5	12	13		5					1
3. Puerperal septicemia	179					10	56	59	24	21	6			2		
4. Extra-uterine pregnancy																
5. Others of this class	13					4	2	4	2	1						

TABLE 17.—DEATHS IN THE CITIES IN NEW JERSEY FROM EACH SPECIFIED DISEASE AND CLASS OF DISEASES, WITH DISTINCTION OF AGE AND SEX, DURING THE 6 YEARS ENDING MAY 31, 1890—Continued.

BIRTHPLACE OF MOTHERS—ENGLAND AND WALES—Continued.

CAUSE OF DEATH.	All ages.	Under 1 year.	Total under 5 years.	5 to 10	10 to 15	15 to 20	20 to 25	25 to 30	30 to 35	35 to 40	40 to 45	45 to 50	50 to 55	55 to 60	60 to 65	65 and over and unknown.
I.—General diseases—Continued.																
General diseases—D.....	669	23	47	4	3	26	79	58	56	58	64	62	44	48	45	75
Males.....	349	14	32	1	2	11	39	31	26	33	28	30	28	29	26	33
Females.....	320	9	15	3	1	15	40	27	30	25	36	32	16	19	19	42
1. Rheumatism.....	{ M. 5									1	1	1		1	1	1
F. 5													1	1	1	1
2. Scrofula and tuberc.....	{ M. 5	2	3		1					1						
F. 4	2	2									1					1
3. Leprosy.....	{ M. 5															
F. 5																
4. Consumption.....	{ M. 252	3	5	1		11	37	26	24	26	26	24	23	22	12	15
F. 196	1	4	1	1	14	38	27	25	17	23	11	6	10	6	13	
5. Hydrocephalus.....	{ M. 20	7	20				1					1				
F. 7	2	4	1													
6. Cancer.....	{ M. 35						1	1		3	1	2	3	4	10	10
F. 79									5	6	11	17	8	6	9	17
7. Tumor.....	{ M. 5							1	1					2	1	
F. 6				1			1			1				2	2	1
8. Anæmia.....	{ M. 3		1					1								1
F. 6		2	3			1									1	1
9. Dropsy.....	{ M. 12				1			1						2	2	5
F. 12	1	1							1		1	2		1	7	
10. Diabetes.....	{ M. 9		1				1	1	1	1		2			1	1
F. 4										1			1		1	
11. Others of this group.....	{ M. 3	2	2									1				
F. 1	1	1	1													
12. Others of this class.....	{ M. 5															
F. 5																
II.—Diseases of the nervous system.																
Males.....	365	114	157	6	6	3	7	4	6	14	14	10	5	23	20	90
Females.....	280	63	102	8	4	3	3	3	8	9	11	9	16	15	16	73
1. Inflammation of the brain.....	{ M. 91	31	49	4	4		2	1	3	8	3	2		4	3	8
F. 48	19	32	3	2	1		1	2	2	1	1		1	1	4	
2. Apoplexy.....	{ M. 65	2	2						1	3	4	1	1	5	11	37
F. 75	1	3					1		2	1	1	6	9	5	11	
3. Paralysis.....	{ M. 44	1	1			1			1	1		3	1	5	2	29
F. 45	1	1							3	1	2	2	5	5	3	
4. Tetanus and trismus nascentium.....	{ M. 8	5	5		1			1			1					
F. 2	2	2														
5. Epilepsy.....	{ M. 8		1		1	1	1	1						2		1
F. 5				1	1	1				1		1		1		
6. Convulsions.....	{ M. 85	62	79	2					1					2		1
F. 61	36	52	3	1			1	1			1				2	
7. Mental diseases.....	{ M. 7						1				3	1		1		2
F. 5										1	1				2	
8. Diseases of the brain.....	{ M. 55	13	20			1	2	1		1	4	3	3	4	4	12
F. 35	4	12	1		1	1	1	1		5	4		1	2	2	
9. Diseases of the spinal cord.....	{ M. 2						2									
F. 3					1					1				1		
10. Others of this class.....	{ M. 1															
F. 1											1					
III.—Diseases of the circulatory system.																
Males.....	163	21	23		4	4	6	2	6	6	11	13	16	8	20	44
Females.....	137	11	12	1	6	5	3	5	5	10	9	15	7	8	9	42
1. Angina pectoris.....	{ M. 9												1	2	2	3
F. 2													1		1	
2. Aneurism.....	{ M. 1											1				
F. 3				1					2							
3. Diseases of the heart.....	{ M. 136	4	6		4	4	6	2	6	6	11	11	14	7	18	41
F. 123	4	5		6	5	3	4	2	2	10	9	15	6	8	9	
4. Others of this class.....	{ M. 17	17	17													
F. 9	7	7						1	1							

STATISTICS OF DEATHS.

823

TABLE 17.—DEATHS IN THE CITIES IN NEW JERSEY FROM EACH SPECIFIED DISEASE AND CLASS OF DISEASES, WITH DISTINCTION OF AGE AND SEX, DURING THE 6 YEARS ENDING MAY 31, 1890—Continued.

BIRTHPLACE OF MOTHERS—ENGLAND AND WALES—Continued.

CAUSE OF DEATH.	All ages.	Under 1 year.	Total under 5 years.	5 to 10	10 to 15	15 to 20	20 to 25	25 to 30	30 to 35	35 to 40	40 to 45	45 to 50	50 to 55	55 to 60	60 to 65	65 and over and un-known.
IX.—Diseases of the bones and joints.....	5			1						1		1	1	1		
Males.....	5			1						1		1	1	1		
Females.....																
1. Diseases of the spine.....	{ M 3			1						1				1		
2. Diseases of the bones.....	{ F 2											1	1			
3. Diseases of the hip joint.....	{ M															
4. Others of this class.....	{ F															
X.—Diseases of the skin.....	6							1	1		2	1		1		
Males.....	1											1				
Females.....	5							1	1		2			1		
1. Abscess.....	{ M 1											1				
2. Carbuncle.....	{ F 4							1			2			1		
3. Others of this class.....	{ M 1								1							
Females.....																
XI.—Diseases of the absorbent system.....	3								1		1					1
Males.....	1										1					
Females.....	2								1							1
1. Addison's disease.....	{ M 1										1					
2. Diseases of the spleen.....	{ F 1								1							
3. Others of this class.....	{ M 1															1
Females.....																
XII.—Accidents and injuries.....	197	11	23	8	15	14	8	14	21	13	18	14	6	8	6	24
Males.....	152	5	21	6	12	11	8	9	16	11	17	12	5	6	3	15
Females.....	45	6	7	2	3	3		5	5	2	1	2	1	2	3	9
1. Burns and scalds.....	{ M 13		9		1									1	1	1
2. Drowned.....	{ F 4			1		1		1				1				
3. Exposure and neglect.....	{ M 33	1	6	5	5	4	3	2	3	1	1	2	1			
4. Gunshot wounds.....	{ F 2	1	1		1											
5. Homicide.....	{ M 1										1					
6. Infanticide.....	{ F 1											1				
7. Injuries by machinery.....	{ M 1								1							
8. Railroad accidents.....	{ F 37				3	5	4	2	4	4	4	3	3	1		4
9. Suffocation.....	{ M 4								2							2
10. Suicide by shooting.....	{ F 3	3	3											1		
11. Suicide by drowning.....	{ M 6	3	3						2							
12. Suicide by poison.....	{ F 2										1	1				
13. Other suicides.....	{ M 4		1								1	2				
14. Sunstroke.....	{ F 6								3		1					2
15. Surgical operations.....	{ M 1															1
16. Wounds.....	{ F 2				2						2	1			1	1
17. Other accidents and injuries.....	{ M 39	1	2	1	1	1		4	3	5	6	3	1	4	1	7
Females.....	22	2	3		1	1		4	1	2	1		1	1	2	5

TABLE 17.—DEATHS IN THE CITIES IN NEW JERSEY FROM EACH SPECIFIED DISEASE AND CLASS OF DISEASES, WITH DISTINCTION OF AGE AND SEX, DURING THE 6 YEARS ENDING MAY 31, 1890—Continued.

BIRTHPLACE OF MOTHERS—IRELAND.

CAUSE OF DEATH.	All ages	Under 1 year.	Total under 6 years.	5 to 10	10 to 15	15 to 20	20 to 25	25 to 30	30 to 35	35 to 40	40 to 45	45 to 50	50 to 55	55 to 60	60 to 65	65 and over and unknown.
All causes.....	19,004	3,566	5,809	608	368	631	1,186	1,185	992	1,122	1,048	1,133	1,073	892	816	2,141
Males.....	9,580	1,927	3,071	300	187	299	631	619	529	573	549	597	500	442	373	910
Females.....	9,424	1,639	2,738	308	181	332	555	566	463	549	499	536	573	450	443	1,231
Unknown causes.....	89	17	19	2			3	9	5	3	5	5	9	8	5	16
Males.....	40	9	11					6	4	1	2	3	3	4	2	4
Females.....	49	8	8	2			3	3	1	2	3	2	6	4	3	12
I.—General diseases:																
General diseases—A.....	3,275	763	1,669	270	116	104	177	128	106	99	88	104	95	83	77	159
Males.....	1,597	384	842	123	48	46	95	55	63	50	44	50	47	44	30	60
Females.....	1,678	379	827	147	68	58	82	73	43	49	44	54	48	39	47	99
1. Smallpox.....	{ M. 1		1													
F.....																
2. Measles.....	{ M. 33	6	31	2												
F.....	49	11	44	3		1						1				
3. Scarlet fever.....	{ M. 156	5	106	31	13	2	2				2					
F.....	173	9	115	42	10	3	1	1		1						
4. Diphtheria.....	{ M. 242	11	171	56	10	3	1	1								3
F.....	250	10	152	71	18	3		2		1						
5. Whooping cough.....	{ M. 43	24	43													
F.....	74	32	68	4	1											1
6. Fever.....	{ M. 2						1									
F.....																1
7. Cerebro-spinal fever.....	{ M. 43	7	20	2	3	3	2	1	3		2	4	1	1	1	2
F.....	31	8	13	5	5	2	2									
8. Typhoid fever.....	{ M. 268		12	10	6	24	66	35	29	20	21	13	11	6	5	10
F.....	231		3	8	16	35	45	33	18	17	14	13	8	5	6	10
9. Diarrheal diseases.....	{ M. 326	106	157	7	5	6	6	10	15	17	9	14	18	18	14	30
F.....	379	93	136	11	11	4	6	16	11	13	18	25	25	20	24	59
10. Cholera infantum.....	{ M. 269	208	269													
F.....	269	203	269													
11. Malarial fever.....	{ M. 112	4	13	10	8	6	13	5	12	6	4	5	10	6	5	9
F.....	115		9	1	4	6	12	10	5	8	3	9	10	10	10	13
12. Erysipelas.....	{ M. 37	8	9	2		1		1	1	3	2	7	1	5	1	4
F.....	30	9	9		2	1	6		1		2	2	1	1	1	6
13. Septicæmia.....	{ M. 44	2	6	3	2	1	4	1	2	3	2	7	5	4	2	2
F.....	50	1	3	1		2	8	9	5	9	2	3	2	3	1	1
14. Venereal diseases.....	{ M. 7	3	3					1	1	1				1		
F.....	4	2	2						1		1					
15. Others of this group.....	{ M. 16		1		1		1				2		1	3	2	5
F.....	21	1	4	1	1	1		2	2		1	1	2	2	4	4
General diseases—B.....	229	103	111	3		1	7	13	13	14	22	9	14	6	5	11
Males.....	131	51	56	2		1	6	8	8	11	10	7	7	4	3	3
Females.....	98	52	55	1			1	5	5	3	12	2	7	2	2	3
1. Parasitic diseases.....	{ M. 1			1												
F.....																
2. Alcoholism.....	{ M. 59						4	8	7	9	10	7	5	3	2	4
F.....	29							4	5	3	11	1	3	1		1
3. Lead poison.....	{ M. 1									1						
F.....																
4. Other poisons.....	{ M. 9	1	3	1			1			1			1	1		1
F.....	5	2	3				1				1					
5. Inanition.....	{ M. 62	50	53	1		1	1		1			1	1		1	3
F.....	63	50	52					1				1	4	1	2	2
General diseases—C.....	2,006	1,413	1,488	8	2	5	3	6	3	9	8	13	15	13	34	489
Males.....	1,030	774	807	4	1	2	3	1		4	2	4	3	4	14	181
Females.....	1,066	639	681	4	1	3		5	3	5	6	9	12	9	20	308
1. Premature birth.....	{ M. 135	135	135													
F.....	108	108	108													
2. Stillborn.....	{ M. 433	433	433													
F.....	333	333	333													
3. Malformation.....	{ M. 10	9	9				1									
F.....	5	5	5													
4. Debility and atrophy.....	{ M. 340	197	230	4	1	2	2	1		4	2	4	3	4	8	75
F.....	408	193	235	4	1	3		5	3	5	6	9	12	9	10	106
5. Old age.....	{ M. 112														6	108
F.....	212														10	202

TABLE 17.—DEATHS IN THE CITIES IN NEW JERSEY FROM EACH SPECIFIED DISEASE AND CLASS OF DISEASES, WITH DISTINCTION OF AGE AND SEX, DURING THE 6 YEARS ENDING MAY 31, 1890—Continued.

BIRTHPLACE OF MOTHERS—IRELAND—Continued.

CAUSE OF DEATH.	All ages.	Under 1 year.	Total under 5 years.	5 to 10	10 to 15	15 to 20	20 to 25	25 to 30	30 to 35	35 to 40	40 to 45	45 to 50	50 to 55	55 to 60	60 to 65	65 and over and un-known.
I.—General diseases—Continued.																
General diseases—D.....	3,867	78	161	31	49	241	528	511	412	396	336	344	241	197	141	279
Males.....	1,913	49	98	14	18	98	203	273	204	205	165	182	101	92	74	126
Females.....	1,954	29	63	17	31	143	265	238	208	191	171	162	140	105	67	153
1. Rheumatism.....	{ M 48 F 49			1 4	3 1	5 2	2 2	6 3	3 2	4 2	2 3	5 4	4 6	3 5	3 4	7 11
2. Scrofula and tuberc.....	{ M 14 F 11	10 2	10 3	1	1	1		2	1	1	1			1		1
3. Leprosy.....	{ M F															
4. Consumption.....	{ M 1,595 F 1,517	13 7	28 18	7 7	11 25	92 136	259 254	260 227	197 187	189 168	149 134	153 110	69 84	62 62	51 34	68 71
5. Hydrocephalus.....	{ M 61 F 38	23 17	54 36	3 1	3		1	1								
6. Cancer.....	{ M 126 F 225			1		1	1 3	3 4	1 11	8 16	8 24	14 87	17 40	20 25	15 20	89 43
7. Tumor.....	{ M 13 F 15						1			2	1	4		1	2	2
8. Anæmia.....	{ M 12 F 11	2	3	1		1	1		2		1	3	2	1	1	1
9. Dropsy.....	{ M 28 F 60	1	3	1 2	1 2	1 1	1 1	2	3	2 3	1 6	2 7	6 5	2 5	3 5	5 17
10. Diabetes.....	{ M 13 F 25	1	2	1	2	1	3	2	3		2	1	3	2	2	2
11. Others of this group.....	{ M 3 F 3	1	1	1							1		1			1
12. Others of this class.....	{ M F															
II.—Diseases of the nervous system.....																
	2,229	546	915	89	33	34	41	51	54	94	87	124	131	126	133	317
Males.....	1,139	316	505	43	18	25	22	26	38	58	45	55	54	52	59	139
Females.....	1,090	230	410	46	15	9	19	25	16	36	42	69	77	74	74	178
1. Inflammation of the brain.....	{ M 291 F 219	72 54	158 132	24 15	10 8	10 3	9 7	4 4	9 3	10 11	13 6	10 14	10 2	7 5	7 3	10 6
2. Apoplexy.....	{ M 219 F 266	1	1	1	1	2	3	6	7	14	16	19	22	26	34	69
3. Paralysis.....	{ M 96 F 153	2	3	3	2		1	2	1	7	2	7	9	10	11	41
4. Tetanus and trismus nascentium.....	{ M 41 F 9	16 5	16 6	2 1	2	5	2	4	2	2	1	4	1	1		
5. Epilepsy.....	{ M 15 F 12				1	3	1	1	1	3	2	1	2	1	1	1
6. Convulsions.....	{ M 279 F 245	182 137	263 213	8 16	2 1	1 2	2 1	1 2	1 2	2	1	1	1		2	1
7. Mental diseases.....	{ M 11 F 21				1	1	1	2	1	2	2	1	1	2	1	1
8. Diseases of the brain.....	{ M 170 F 144	42 32	61 52	8 10	1 4	2 1	5 3	3 4	16 2	20 4	8 5	11 7	9 13	7 7	2 7	17 25
9. Diseases of the spinal cord.....	{ M 15 F 17	2 1	3 3	1		1	2	3	1		1	2	1	4	4	
10. Others of this class.....	{ M 2 F 4						1	1				1	2			
III.—Diseases of the circulatory system.....																
	1,100	42	56	24	38	52	45	57	55	73	77	99	121	89	95	219
Males.....	511	22	32	13	18	19	25	27	27	24	37	42	64	37	42	104
Females.....	589	20	24	11	20	33	20	30	28	49	40	57	57	52	53	115
1. Angina pectoris.....	{ M 32 F 42				1	1	1	3	1	2	2	5	3	3	4	8
2. Aneurism.....	{ M 11 F 6					1			1	1	2	2	3	3	2	9
3. Diseases of the heart.....	{ M 451 F 517	8 8	18 11	13 11	17 20	17 31	24 19	24 26	25 27	21 42	33 32	35 47	61 51	31 49	37 47	95 104
4. Others of this class.....	{ M 17 F 24	14 12	14 13			1		2		3		1	1	1	1	1

TABLE 17.—DEATHS IN THE CITIES IN NEW JERSEY FROM EACH SPECIFIED DISEASE AND CLASS OF DISEASES, WITH DISTINCTION OF AGE AND SEX, DURING THE 8 YEARS ENDING MAY 31, 1890—Continued.

BIRTHPLACE OF MOTHERS—IRELAND—Continued.

CAUSE OF DEATH.	All ages.	Under 1 year.	Total under 5 years.	5 to 10	10 to 15	15 to 20	20 to 25	25 to 30	30 to 35	35 to 40	40 to 45	45 to 50	50 to 55	55 to 60	60 to 65	65 and over and un-known.
IV.—Diseases of the respiratory system.	3,329	459	1,134	125	43	89	137	164	141	168	193	191	213	188	172	371
Males	1,724	250	583	71	17	45	83	93	85	96	115	116	107	97	78	138
Females	1,605	209	551	54	26	44	54	71	56	72	78	75	106	91	94	233
1. Croup	{ M. 182 F. 160	{ 13 17	{ 146 129	{ 30 24	{ 2 2	{ 2 1	{ 1 1	{ 1 1	{ 1 1	{ 1 1	{ 1 1	{ 1 1	{ 1 1	{ 1 1	{ 1 1	{ 1 1
2. Laryngitis	{ M. 38 F. 46	{ 4 2	{ 26 35	{ 3 5	{ 1 1	{ 1 1	{ 1 1	{ 2 1	{ 1 1	{ 2 1	{ 1 1	{ 1 1	{ 1 1	{ 1 1	{ 1 1	{ 1 1
3. Bronchitis	{ M. 312 F. 395	{ 100 86	{ 146 146	{ 6 9	{ 1 5	{ 2 5	{ 7 10	{ 3 13	{ 7 13	{ 11 12	{ 14 10	{ 19 13	{ 14 23	{ 20 30	{ 17 27	{ 45 79
4. Pneumonia	{ M. 1,047 F. 858	{ 102 76	{ 225 199	{ 27 13	{ 10 16	{ 33 34	{ 68 36	{ 81 46	{ 73 38	{ 71 50	{ 92 61	{ 87 57	{ 75 68	{ 70 55	{ 56 55	{ 79 130
5. Pleurisy	{ M. 26 F. 23	{ 2 2	{ 2 2	{ 1 1	{ 2 1	{ 2 3	{ 4 3	{ 2 3	{ 2 2	{ 2 6	{ 3 1	{ 1 1	{ 5 1	{ 2 1	{ 2 2	{ 2 3
6. Asthma	{ M. 14 F. 14	{ 1 1	{ 1 1	{ 1 1	{ 1 1	{ 1 1	{ 1 1	{ 1 1	{ 1 1	{ 3 1	{ 1 1	{ 2 4	{ 4 4	{ 1 1	{ 1 1	{ 3 6
7. Others of this class	{ M. 105 F. 109	{ 31 27	{ 38 39	{ 5 3	{ 2 2	{ 5 4	{ 3 3	{ 5 8	{ 2 3	{ 7 3	{ 4 5	{ 7 4	{ 3 8	{ 6 5	{ 4 8	{ 9 14
V.—Diseases of the digestive system.	800	94	130	7	22	29	46	57	51	69	67	81	88	59	65	89
Males	357	45	65	4	13	13	25	23	17	20	20	35	31	35	20	36
Females	503	49	65	3	9	16	21	34	34	49	47	46	57	24	45	53
1. Dentition	{ M. 8 F. 14	{ 5 3	{ 8 14	{ 1 1	{ 1 1	{ 1 1	{ 1 1	{ 1 1	{ 1 1	{ 1 1	{ 1 1	{ 1 1	{ 1 1	{ 1 1	{ 1 1	{ 1 1
2. Angina	{ M. 8 F. 4	{ 2 2	{ 6 2	{ 1 1	{ 1 2	{ 1 1	{ 1 1	{ 1 1	{ 1 1	{ 1 1	{ 1 1	{ 1 1	{ 1 1	{ 1 1	{ 1 1	{ 1 1
3. Diseases of the stomach	{ M. 90 F. 133	{ 15 16	{ 23 19	{ 1 1	{ 3 3	{ 2 6	{ 4 4	{ 7 10	{ 4 8	{ 4 11	{ 4 7	{ 8 12	{ 7 21	{ 8 4	{ 4 14	{ 11 13
4. Obstruction of the bowels	{ M. 16 F. 23	{ 3 1	{ 3 1	{ 1 1	{ 2 1	{ 1 1	{ 1 1	{ 2 1	{ 1 1	{ 2 1	{ 1 1	{ 2 1	{ 2 1	{ 4 1	{ 3 1	{ 3 2
5. Hernia	{ M. 11 F. 12	{ 1 1	{ 1 1	{ 1 1	{ 1 1	{ 1 1	{ 2 1	{ 2 1	{ 1 1	{ 1 1	{ 3 1	{ 2 1	{ 2 1	{ 2 1	{ 2 1	{ 2 2
6. Other diseases of the bowels	{ M. 2 F. 6	{ 1 2	{ 1 2	{ 1 1	{ 1 1	{ 1 1	{ 1 1	{ 1 1	{ 1 1	{ 1 1	{ 1 1	{ 2 1	{ 2 1	{ 1 1	{ 1 1	{ 1 1
7. Jaundice	{ M. 9 F. 13	{ 3 5	{ 3 5	{ 1 1	{ 1 1	{ 1 1	{ 1 1	{ 1 1	{ 1 1	{ 1 1	{ 3 1	{ 1 1	{ 1 1	{ 1 1	{ 1 1	{ 3 3
8. Inflammation and abscess of the liver	{ M. 13 F. 30	{ 1 2	{ 2 2	{ 1 1	{ 1 1	{ 1 1	{ 2 1	{ 2 1	{ 2 1	{ 1 2	{ 2 3	{ 2 6	{ 1 9	{ 2 1	{ 2 2	{ 4 3
9. Other diseases of the liver	{ M. 89 F. 113	{ 1 1	{ 2 1	{ 1 1	{ 1 1	{ 1 1	{ 3 1	{ 4 4	{ 4 10	{ 8 16	{ 9 19	{ 14 17	{ 13 13	{ 20 8	{ 6 9	{ 6 15
10. Peritonitis	{ M. 89 F. 131	{ 6 3	{ 8 5	{ 2 2	{ 9 2	{ 10 7	{ 11 15	{ 8 17	{ 7 13	{ 5 15	{ 4 10	{ 7 9	{ 4 7	{ 3 6	{ 5 11	{ 6 12
11. Ascites	{ M. 1 F. 2	{ 1 1	{ 1 1	{ 1 1	{ 1 1	{ 1 1	{ 1 1	{ 1 1	{ 1 1	{ 1 1	{ 1 1	{ 1 1	{ 1 1	{ 1 1	{ 1 1	{ 1 1
12. Others of this class	{ M. 16 F. 22	{ 8 12	{ 10 14	{ 1 1	{ 1 1	{ 1 1	{ 2 1	{ 2 1	{ 1 1	{ 1 1	{ 1 1	{ 1 1	{ 1 1	{ 2 1	{ 2 1	{ 3 3
VI.—Diseases of the urinary system and male organs of generation.	733	3	31	19	8	18	38	34	57	80	77	69	75	72	49	111
Males	368	1	17	8	5	7	19	15	29	37	42	32	35	32	23	67
Females	370	2	14	11	3	11	19	19	28	43	35	37	40	40	26	44
1. Bright's disease	{ M. 195 F. 189	{ 1 1	{ 17 14	{ 8 11	{ 5 3	{ 7 11	{ 19 19	{ 15 19	{ 29 28	{ 37 43	{ 42 35	{ 32 37	{ 35 40	{ 32 40	{ 23 26	{ 67 44
2. Calculus, urinary	{ M. 3 F. 3	{ 1 1	{ 2 2	{ 1 1	{ 1 1	{ 1 1	{ 1 1	{ 1 1	{ 1 1	{ 1 1	{ 1 1	{ 1 1	{ 1 1	{ 1 1	{ 1 1	{ 1 1
3. Diseases of the kidney	{ M. 131 F. 152	{ 2 2	{ 16 14	{ 4 6	{ 2 1	{ 1 5	{ 8 8	{ 3 9	{ 13 8	{ 14 19	{ 16 12	{ 8 13	{ 12 16	{ 7 11	{ 9 11	{ 18 19
4. Diseases of the bladder	{ M. 30 F. 6	{ 1 1	{ 1 1	{ 1 1	{ 1 1	{ 1 1	{ 1 1	{ 1 1	{ 1 1	{ 2 1	{ 1 1	{ 1 1	{ 4 1	{ 1 1	{ 1 1	{ 17 3
5. Others of this class	{ M. 12 F. 20	{ 1 1	{ 1 1	{ 1 1	{ 1 1	{ 1 1	{ 2 1	{ 2 1	{ 1 4	{ 3 1	{ 2 1	{ 3 1	{ 2 1	{ 2 1	{ 2 1	{ 3 3
VII.—Diseases of the female organs of generation.	25					2	2		3	6	3	5	1		2	1
1. Ovarian tumors	5									1		3			1	
2. Ovarian diseases	2									1						
3. Uterine tumors	2									1						1
4. Uterine diseases	12							2		2	3	2			1	
5. Others of this class	6					2			1	2			1			
VIII.—Affections connected with pregnancy.	183				1	3	54	50	31	34	9	1				
1. Abortion	2									1						
2. Childbirth	89							9	9	7	5					
3. Puerperal septicaemia	132				1	3	40	38	21	24	4	1				
4. Extra-uterine pregnancy	1															
5. Others of this class	10						5	2	1	2						

STATISTICS OF DEATHS.

827

TABLE 17.—DEATHS IN THE CITIES IN NEW JERSEY FROM EACH SPECIFIED DISEASE AND CLASS OF DISEASES, WITH DISTINCTION OF AGE AND SEX, DURING THE 6 YEARS ENDING MAY 31, 1890—Continued.

BIRTHPLACE OF MOTHERS—IRELAND—Continued.

CAUSE OF DEATH.	All ages.	Under 1 year.	Total under 5 years.	5 to 10	10 to 15	15 to 20	20 to 25	25 to 30	30 to 35	35 to 40	40 to 45	45 to 50	50 to 55	55 to 60	60 to 65	65 and over and unknown.
IX.—Diseases of the bones and joints.....	30		3	6	3		6	3	2	3		4				
Males	16		1	2	2		5	2	1	2		1				
Females.....	14		2	4	1		1	1	1	1		3				
1. Diseases of the spine.....	{ M. 12 F. 11		{ 1 2	{ 2 3	{ 2 1		{ 4 1	{ 2 1	{ 1 1			2				
2. Diseases of the bones.....	{ M. 3 F. 1			1			1			1		1				
3. Diseases of the hip joint.....	{ M. 1 F. 1									1		1				
4. Others of this class.....	{ M. 1 F. 1									1						
X.—Diseases of the skin.....	25	5	8		2	2	3	1			2	1	1	3		2
Males	10	2	4		1						1	1		2		1
Females.....	15	3	4		1	2	3	1					1	1		1
1. Abscess.....	{ M. 8 F. 11	{ 2 1	{ 4 2		1	2	3	1			1	1		1		
2. Carbuncle.....	{ M. 1 F. 2	{ 1 1	{ 1 1											1		
3. Others of this class.....	{ M. 1 F. 2	{ 1 1	{ 1 1													1
XI.—Diseases of the absorbent system.....	3							1	1		1					
Males	1										1					
Females.....	2							1	1							
1. Addison's disease.....	{ M. 1 F. 1								1		1					
2. Diseases of the spleen.....	{ M. 1 F. 1															
3. Others of this class.....	{ M. 1 F. 1								1							
XII.—Accidents and injuries.....	926	43	84	24	51	51	96	100	58	74	73	83	69	48	38	77
Males	743	24	50	16	46	43	85	90	53	65	65	69	48	39	28	46
Females.....	183	19	34	8	5	8	11	10	5	9	8	14	21	9	10	31
1. Burns and scalds.....	{ M. 26 F. 29	{ 1 1	{ 11 9	{ 2 4		3	1	4	2		1	2	5	2	1	1
2. Drowned.....	{ M. 103 F. 19	{ 5 1	{ 5 3	{ 5 2	13	5	13	13	7	7	5	11	8	6	1	4
3. Exposure and neglect.....	{ M. 2 F. 1	{ 1 1	{ 1 1				1			1						
4. Gunshot wounds.....	{ M. 19 F. 1			1	4	3	2		2	1	2	3	1			
5. Homicide.....	{ M. 7 F. 1						2		2	1	1	1				
6. Infanticide.....	{ M. 1 F. 1															
7. Injuries by machinery.....	{ M. 5 F. 1				1		1		1	1		1				
8. Railroad accidents.....	{ M. 248 F. 19		{ 3 1	{ 2 2	16	15	45	36	15	23	25	18	14	13	8	15
9. Suffocation.....	{ M. 29 F. 18	{ 17 12	{ 18 12			1	1	2		1	3		1	1	1	1
10. Suicide by shooting.....	{ M. 5 F. 2					1	1		1			1	1			
11. Suicide by drowning.....	{ M. 2 F. 1						1							1		
12. Suicide by poison.....	{ M. 6 F. 5		{ 1 1			1		2	1		2		1			2
13. Other suicides.....	{ M. 9 F. 3							1	2	2	1	2	1	1		
14. Sunstroke.....	{ M. 44 F. 7			2		1	3	3	3	5	8	10	2	1	1	5
15. Surgical operations.....	{ M. 1 F. 1											1		1		
16. Wounds.....	{ M. 26 F. 7		{ 1 1	2	1	1	2	7	1	1	1	3	1	2	2	2
17. Other accidents and injuries.....	{ M. 211 F. 71	{ 7 4	{ 12 7	2	11	13	12	25	16	22	16	10	18	13	14	18

STATISTICS OF DEATHS.

TABLE 17.—DEATHS IN THE CITIES IN NEW JERSEY FROM EACH SPECIFIED DISEASE AND CLASS OF DISEASES, WITH DISTINCTION OF AGE AND SEX, DURING THE 6 YEARS ENDING MAY 31, 1890—Continued.

BIRTHPLACE OF MOTHERS—SCOTLAND—Continued.

CAUSE OF DEATH.	All ages.	Under 1 year.	Total under 5 years.	5 to 10	10 to 15	15 to 20	20 to 25	25 to 30	30 to 35	35 to 40	40 to 45	45 to 50	50 to 55	55 to 60	60 to 65	65 and over and unknown.
I.—General diseases—Continued.																
General diseases—D.....	209	5	13	3	2	14	17	20	13	17	21	19	13	23	13	21
Males	111	3	6	1	2	5	9	9	10	8	16	10	6	10	8	11
Females	98	2	7	2	9	8	11	3	9	5	9	7	13	5	10
1. Rheumatism..... {M.....	1													1		
{F.....																
2. Scrofula and tabes..... {M.....	1	1	1													
{F.....	1		1													
3. Leprosy..... {M.....																
{F.....																
4. Consumption..... {M.....	78				2	4	8	9	9	7	13	9	4	4	3	6
{F.....	62	2	5		8	8	11	3	8	4	4	4	3	1	3
5. Hydrocephalus..... {M.....	6	1	4	1		1										
{F.....	2		1	1												
6. Cancer..... {M.....	14						1				2		2	4	2	4
{F.....	26								1	1	5	3	7	3	3	5
7. Tumor..... {M.....	2														1	1
{F.....																
8. Anæmia..... {M.....	2						1							1		
{F.....	1			1												
9. Dropsy..... {M.....	2								1			1				1
{F.....	4													2	1	
10. Diabetes..... {M.....	4									1				1	2	1
{F.....	1															1
11. Others of this group..... {M.....	2	1	1								1					
{F.....																
12. Others of this class..... {M.....																
{F.....																
II.—Diseases of the nervous system.....																
	173	45	76	6	4	2	5	2	3	6	7	2	8	5	7	40
Males	97	27	44	3	4	1	3	1	2	2	3	1	4	3	3	23
Females	76	18	32	3	1	2	1	1	4	4	1	4	2	4	17
1. Inflammation of the brain {M.....	20	4	12	1	1	1	2	1		1		1				1
{F.....	17	8	12	2			1						1			
2. Apoplexy..... {M.....	21						1		1				2	2	1	14
{F.....	15									1	4		1		2	7
3. Paralysis..... {M.....	9									1			1		1	6
{F.....	10									1		1		2	1	5
4. Tetanus and trismus nascentium. {M.....	4	3	3		1											
{F.....																
5. Epilepsy..... {M.....	2						1	1								
{F.....																
6. Convulsions..... {M.....	23	18	26	2							1					
{F.....	16	8	15													
7. Mental diseases..... {M.....	1								1							
{F.....																
8. Diseases of the brain..... {M.....	13	2	3		2						3		1		1	3
{F.....	14	2	5						1	1			2			4
9. Diseases of the spinal cord {M.....	1														1	
{F.....	1			1												
10. Others of this class..... {M.....	1					1										
{F.....																
III.—Diseases of the circulatory system.....																
	85	7	8	1	1	5	1	7	4	3		7	6	9	9	24
Males	41	5	6	1	1	3	1	2	2	2		2	5	3	2	11
Females	44	2	2			2		5	2	1		5	1	6	7	13
1. Angina pectoris..... {M.....	6									1				1	2	2
{F.....																
2. Aneurism..... {M.....	2												1	1		
{F.....																
3. Diseases of the heart..... {M.....	34		1	1	1	3	1	2	2	2		2	4	2	2	11
{F.....	35	1	1			2		4	1	1		4	1	5	5	11
4. Others of this class..... {M.....	5	5	5													
{F.....	3	1	1					1				1				

TABLE 17.—DEATHS IN THE CITIES IN NEW JERSEY FROM EACH SPECIFIED DISEASE AND CLASS OF DISEASES, WITH DISTINCTION OF AGE AND SEX, DURING THE 6 YEARS ENDING MAY 31, 1890—Continued.

BIRTHPLACE OF MOTHERS—SCOTLAND—Continued.

CAUSE OF DEATH.	All ages.	Under 1 year.	Total under 5 years.	5 to 10	10 to 15	15 to 20	20 to 25	25 to 30	30 to 35	35 to 40	40 to 45	45 to 50	50 to 55	55 to 60	60 to 65	65 and over and un-known.
IX.—Diseases of the bones and joints....	2			1		1										
Males.....																
Females.....	2			1		1										
1. Diseases of the spine..... { M	1			1												
F																
2. Diseases of the bones..... { M	1					1										
F																
3. Diseases of the hip-joint... { M																
F																
4. Others of this class..... { M																
F																
X.—Diseases of the skin.....																
Males.....																
Females.....																
1. Abscess..... { M																
F																
2. Carbuncle..... { M																
F																
3. Others of this class..... { M																
F																
XI.—Diseases of the absorbent system.....																
Males.....																
Females.....																
1. Addison's disease..... { M																
F																
2. Diseases of the spleen..... { M																
F																
3. Others of this class..... { M																
F																
XII.—Accidents and injuries.....	54	4	8	3	1	1	2	4	2	6	2	1	7	7	3	7
Males.....	35	2	5	2	1	1	1	2	2	4	2	1	3	4	2	5
Females.....	19	2	3	1			1	2	2	2			4	3	1	2
1. Burns and scalds..... { M	2		1			1		1				1				
F																
2. Drowned..... { M	6			2				1		1	2					
F																
3. Exposure and neglect..... { M																
F																
4. Gunshot wounds..... { M																
F																
5. Homicide..... { M																
F																
6. Infanticide..... { M																
F																
7. Injuries by machinery..... { M																
F																
8. Railroad accidents..... { M	8		1	1	1			1		2				2	1	
F																
9. Suffocation..... { M	1	1	1													
F																
10. Suicide, by shooting..... { M	2													1		1
F																
11. Suicide, by drowning..... { M																
F																
12. Suicide, by poison..... { M	1															1
F																
13. Other suicides..... { M	1											1				
F																
14. Sunstroke..... { M	1												1			
F																
15. Surgical operations..... { M																
F																
16. Wounds..... { M																
F																
17. Other accidents and injuries. { M	13	1	3				1		2	1			2	3	1	3
F																

TABLE 17.—DEATHS IN THE CITIES IN NEW JERSEY FROM EACH SPECIFIED DISEASE AND CLASS OF DISEASES, WITH DISTINCTION OF AGE AND SEX, DURING THE 6 YEARS ENDING MAY 31, 1890—Continued.

BIRTHPLACE OF MOTHERS—GERMANY.

CAUSE OF DEATH.	All ages.	Under 1 year.	Total under 5 years.	5 to 10	10 to 15	15 to 20	20 to 25	25 to 30	30 to 35	35 to 40	40 to 45	45 to 50	50 to 55	55 to 60	60 to 65	65 and over and un-known.
All causes.....	16,039	5,064	7,816	659	303	421	558	696	606	658	625	617	627	596	657	1,700
Males.....	9,004	2,852	4,020	345	154	217	271	371	354	412	413	410	392	358	395	892
Females.....	7,035	2,212	3,796	314	149	204	287	325	252	246	212	207	235	238	262	808
Unknown causes.....	52	11	14	2	1	1		2	1	4	1	5	3	1	7	10
Males.....	23	6	8						1	2		3	2		2	5
Females.....	29	5	6	2	1	1		2		2	1	2	1	1	5	5
E.—General diseases:																
General diseases—A.....	3,619	1,407	2,364	344	103	104	88	71	73	75	62	62	41	41	63	128
Males.....	1,919	776	1,270	166	49	46	39	45	46	38	36	41	20	25	34	64
Females.....	1,700	631	1,094	178	54	58	40	26	27	37	26	21	21	16	29	64
1. Smallpox.....	{ M. 1 F. 1		1													
2. Measles.....	{ M. 30 F. 32	7 6	28 24	1 5				1								
3. Scarlet fever.....	{ M. 115 F. 124	9 5	72 82	29 31	11 10	2	1									1
4. Diphtheria.....	{ M. 379 F. 365	23 21	243 215	110 116	13 21	5 4	3 4	1	1	1				1		3 1
5. Whooping cough.....	{ M. 39 F. 37	25 18	39 36							1						
6. Fever.....	{ M. 1 F. 1	1	1													
7. Cerebro-spinal fever.....	{ M. 38 F. 21	11 4	20 11	5 4	1 2	1 1	1 1	2 1	1	2	1	2				2 1
8. Typhoid fever.....	{ M. 213 F. 187		5 8	6 10	11 10	28 43	26 30	28 17	24 10	20 12	16 11	18 11	8 6	4 4	9 5	10 10
9. Diarrheal diseases.....	{ M. 473 F. 397	275 232	337 283	10 6	9 6	6 5	5 2	7 2	11 5	7 11	7 10	11 6	8 6	13 6	8 15	34 34
10. Cholera infantum.....	{ M. 491 F. 393	405 318	490 393													1
11. Malarial fever.....	{ M. 61 F. 62	6 7	15 15	4 5	1 4	2 3	1 4	2 1	5 5	2 5	6	4 1	2 3	3 1	5 3	9 12
12. Erysipelas.....	{ M. 20 F. 18	4 7	5 9			1		1	2	2	1	2	1	1	2	2 3
13. Septicæmia.....	{ M. 34 F. 46	3 5	7 9		2	1	3	2	2	4	4	1	1	2	5	
14. Venereal diseases.....	{ M. 8 F. 5	5 5	5 5					1	1						1	
15. Others of this group.....	{ M. 17 F. 12	3 1	3 3	1	1		1			2	1	3		1	2	5 4
General diseases—B.....	192	133	142		1	3	1	2	7	8	7	11	2	2	3	3
Males.....	115	74	79		1	1	1	2	5	6	5	9	1	2	1	2
Females.....	77	59	63			2			2	2	2	2	1	2	2	1
1. Parasitic diseases.....	{ M. 26 F. 3						1	1	5	5	4	7	1	1		1
2. Alcoholism.....	{ M. 2 F. 1				1							1			1	
3. Lead poison.....	{ M. 9 F. 8	1 1	2 2			1		1		1	1	2		1		
4. Other poisons.....	{ M. 78 F. 65	73 58	77 61									1			2	1 1
General diseases—C.....	2,250	1,823	1,902	6	5	5	3	2	2	3	6	1	9	8	23	275
Males.....	1,234	1,042	1,077	4		1	1		3	4	1	4	4	4	16	119
Females.....	1,016	786	825	2	5	4	2	2	2	2	2	5	5	4	7	156
1. Premature birth.....	{ M. 137 F. 102	137 102	137 102													
2. Stillborn.....	{ M. 577 F. 410	577 410	577 410													
3. Malformation.....	{ M. 15 F. 9	14 8	15 8		1											
4. Debility and atrophy.....	{ M. 445 F. 419	314 266	348 305	4		1	1			3	4	1	4	4	14	61 81
5. Old age.....	{ M. 60 F. 76														2	53 75

STATISTICS OF DEATHS.

833

TABLE 17.—DEATHS IN THE CITIES IN NEW JERSEY FROM EACH SPECIFIED DISEASE AND CLASS OF DISEASES, WITH DISTINCTION OF AGE AND SEX, DURING THE 6 YEARS ENDING MAY 31, 1890—Continued.

BIRTHPLACE OF MOTHERS—GERMANY—Continued.

CAUSE OF DEATH.	All ages.	Under 1 year.	Total under 5 years.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 and over and un-known.
I.—General diseases—Continued.																
General diseases—D.....	2,551	134	223	32	24	130	244	313	252	242	223	171	161	140	147	249
Males.....	1,469	80	133	18	10	64	129	161	141	149	149	111	101	84	83	136
Females.....	1,082	54	90	14	14	66	115	152	111	93	74	60	60	56	64	113
1. Rheumatism.....	{ M. 31 F. 18	-----	2	2	1	2	2	1	4	1	-----	3	4	1	2	6
2. Scrofula and tubercles.....	{ M. 12 F. 11	8 7	9 10	-----	-----	-----	-----	1	-----	-----	-----	-----	-----	2	-----	1
3. Leprosy.....	{ M. ----- F. -----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----
4. Consumption.....	{ M. 1,100 F. 731	18 15	31 23	7 5	4 10	56 65	124 110	153 142	132 102	138 75	124 55	84 36	73 25	57 19	53 23	64 36
5. Hydrocephalus.....	{ M. 97 F. 62	45 23	78 49	7 5	2 1	1	-----	3	-----	1	-----	1	-----	1	-----	1 4
6. Cancer.....	{ M. 139 F. 184	-----	-----	-----	-----	3	1	1	2	3	18	14	15	19	23	40
7. Tumor.....	{ M. 13 F. 17	2	2	-----	-----	-----	-----	1	1	2	1	2	2	2	2	3 6
8. Anæmia.....	{ M. 11 F. 9	1	4	-----	1	-----	-----	2	1	-----	1	3	-----	1	-----	2
9. Dropsy.....	{ M. 40 F. 33	4	5 3	2 3	1	2	1	2	-----	3	3	-----	5	2	2	13 10
10. Diabetes.....	{ M. 21 F. 14	1 2	1 2	-----	2	-----	1	-----	1	1	2	4	-----	2	-----	8 2
11. Others of this group.....	{ M. 5 F. 3	1 2	1 3	-----	-----	-----	-----	-----	-----	-----	-----	-----	2	-----	2	-----
12. Others of this class.....	{ M. ----- F. -----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----
II.—Diseases of the nervous system.....																
	2,158	821	1,166	64	35	26	26	41	50	37	61	62	89	88	110	303
Males.....	1,199	467	633	29	18	13	14	27	33	23	36	39	50	51	63	170
Females.....	959	354	533	35	17	13	12	14	17	14	25	23	39	37	47	133
1. Inflammation of the brain.....	{ M. 304 F. 206	117 66	197 142	14 18	6 8	2 5	9 4	10 4	9 7	2 2	6 2	3 4	11 4	10 1	11 2	14 3
2. Apoplexy.....	{ M. 233 F. 194	1 1	2 3	1	1	2	1	7	10	10	15	16	23	21	28	96
3. Paralysis.....	{ M. 99 F. 77	3 1	4 8	3 2	2 1	2	1	2	4	4	9	7	3	6	15	37
4. Tetanus and trismus nas-centium.....	{ M. 28 F. 13	16 9	16 10	1	3	1	2	-----	1	-----	-----	2	-----	1	1	-----
5. Epilepsy.....	{ M. 12 F. 7	-----	-----	1	1	2	1	2	-----	1	-----	1	-----	1	-----	3
6. Convulsions.....	{ M. 381 F. 357	300 255	367 330	6 12	3 2	1	-----	1	2	-----	1	-----	-----	-----	-----	2
7. Mental diseases.....	{ M. 7 F. 8	-----	-----	-----	-----	-----	1	1	2	1	2	2	2	-----	1	2
8. Diseases of the brain.....	{ M. 116 F. 82	27 22	44 43	3 1	3 4	2	1	5	4	5	3	8	8	9	5	17
9. Diseases of the spinal cord.....	{ M. 18 F. 11	3	3 2	-----	-----	1	-----	2	1	1	2	1	2	2	2	3
10. Others of this class.....	{ M. 1 F. 4	-----	-----	1	1	-----	-----	1	-----	-----	-----	-----	-----	1	-----	1
III.—Diseases of the circulatory system.....																
	823	72	86	13	32	13	29	31	38	41	39	69	81	89	73	174
Males.....	461	40	47	7	13	14	15	15	20	30	26	40	53	48	58	95
Females.....	362	32	39	6	19	14	14	16	18	11	13	29	28	41	35	79
1. Angina pectoris.....	{ M. 24 F. 6	-----	-----	-----	-----	-----	-----	-----	1	-----	4	3	5	2	3	6 3
2. Aneurism.....	{ M. 9 F. 3	-----	-----	-----	-----	-----	-----	-----	2	1	-----	1	3	2	-----	1
3. Diseases of the heart.....	{ M. 397 F. 321	13 10	19 17	7 6	13 19	14 14	15 12	15 15	18 17	28 10	22 10	36 27	45 28	43 38	35 32	87 76
4. Others of this class.....	{ M. 31 F. 29	27 22	28 22	-----	-----	-----	2	1	1	-----	1	-----	-----	1	-----	1

TABLE 17.—DEATHS IN THE CITIES IN NEW JERSEY FROM EACH SPECIFIED DISEASE AND CLASS OF DISEASES, WITH DISTINCTION OF AGE AND SEX, DURING THE 6 YEARS ENDING MAY 31, 1890—Continued.

BIRTHPLACE OF MOTHERS—GERMANY—Continued.

CAUSE OF DEATH.	All ages.	Under 1 year.	Total under 5 years.	5 to 10	10 to 15	15 to 20	20 to 25	25 to 30	30 to 35	35 to 40	40 to 45	45 to 50	50 to 55	55 to 60	60 to 65	65 and over and un-known.
IV.—Diseases of the respiratory system.	2,298	476	1,121	134	32	37	47	74	53	83	66	90	85	95	92	289
Males	1,317	264	605	80	16	20	22	47	36	63	48	64	56	50	53	143
Females	981	212	516	54	16	17	25	27	17	20	18	26	29	36	34	146
1. Croup	{ M. 222 F. 178	{ 31 11	{ 172 146	{ 42 24	{ 2 2	{ .. 1	{ .. 1	{ .. 1	{ 1 1	{ .. 1	{ .. 1	{ 2 1	{ .. 1	{ .. 1	{ .. 1	{ 2 1
2. Laryngitis	{ M. 48 F. 25	{ 10 6	{ 31 21	{ 4 2	{ 1 1	{ .. 1	{ .. 1	{ .. 1	{ .. 1	{ 2 3	{ 1 1	{ .. 1	{ .. 1	{ 2 2	{ 1 1	{ 1 1
3. Bronchitis	{ M. 268 F. 215	{ 96 77	{ 150 124	{ 6 6	{ .. 1	{ 1 1	{ 3 1	{ 4 1	{ .. 1	{ 2 3	{ 7 2	{ 7 3	{ 10 4	{ 10 6	{ 21 7	{ 47 58
4. Pneumonia	{ M. 646 F. 471	{ 101 96	{ 216 190	{ 27 20	{ 9 11	{ 15 12	{ 17 20	{ 35 20	{ 30 13	{ 50 13	{ 30 12	{ 44 20	{ 38 21	{ 35 24	{ 28 21	{ 72 74
5. Pleurisy	{ M. 28 F. 15	{ 1 ..	{ 4 1	{ 1 2	{ 1 1	{ 1 ..	{ .. 1	{ 5 2	{ 1 2	{ 4 2	{ 2 1	{ 2 1	{ .. 1	{ .. 1	{ 3 1	{ 3 2
6. Asthma	{ M. 13 F. 7	{	{ 1 ..	{	{	{	{	{ 2 ..	{	{ 1 ..	{ 1 1	{ 1 1	{ .. 1	{ 1 2	{ 2 1	{ 3 3
7. Others of this class	{ M. 92 F. 70	{ 25 22	{ 31 34	{	{ 3 3	{ 3 3	{ 1 3	{ .. 3	{ 3 2	{ 2 2	{ 7 2	{ 8 1	{ 6 3	{ 8 3	{ 5 4	{ 15 10
V.—Diseases of the digestive system.	752	131	184	18	22	17	24	48	38	36	44	50	67	44	63	97
Males	405	75	105	10	10	12	6	17	19	17	25	29	40	25	47	43
Females	347	56	79	8	12	5	18	31	19	19	19	21	27	19	16	54
1. Dentition	{ M. 10 F. 14	{ 8 6	{ 10 14	{	{	{	{	{	{	{	{	{	{	{	{	{
2. Angina	{ M. 16 F. 9	{ 3 ..	{ 13 5	{ 3 3	{ .. 1	{	{	{	{	{	{	{	{	{	{	{
3. Diseases of the stomach	{ M. 70 F. 57	{ 21 20	{ 31 25	{ 3 4	{ .. 3	{ 1 1	{ 1 3	{ .. 3	{ 3 1	{ 5 1	{ 2 1	{ 3 1	{ 6 3	{ 4 1	{ 8 2	{ 3 8
4. Obstruction of the bowels	{ M. 15 F. 21	{ 5 2	{ 5 4	{	{	{	{	{ 1 1	{ 1 1	{ .. 1	{ 2 2	{ .. 1	{ 1 4	{ 1 1	{ 4 3	{ 7 7
5. Hernia	{ M. 21 F. 16	{ 2 ..	{ 2 ..	{	{	{ 1 ..	{	{ 1 1	{ 1 1	{ 1 1	{ .. 1	{ 3 4	{ 1 5	{ 2 1	{ 3 1	{ 6 4
6. Other diseases of the bowels	{ M. 2 F. 3	{ 1 ..	{ 1 ..	{	{	{	{ 1 ..	{	{	{	{	{	{ 1 1	{	{	{ 1 1
7. Jaundice	{ M. 11 F. 12	{ 10 4	{ 10 5	{	{	{	{	{	{	{	{	{ 1 1	{ 3 3	{	{ 1 1	{ 2 2
8. Inflammation and abscess of the liver	{ M. 37 F. 20	{ 2 ..	{ 3 ..	{ 1 ..	{	{	{	{ .. 2	{ 2 2	{ 1 1	{ 3 2	{ 4 2	{ 5 2	{ 4 3	{ 7 2	{ 5 6
9. Other diseases of the liver	{ M. 101 F. 53	{ 1 1	{ 1 1	{	{ 2 ..	{	{ 1 1	{ 3 3	{ 4 5	{ 2 4	{ 11 2	{ 11 9	{ 21 6	{ 10 8	{ 20 4	{ 16 10
10. Peritonitis	{ M. 86 F. 120	{ 5 10	{ 9 12	{ 3 1	{ 8 7	{ 9 3	{ 3 13	{ 11 23	{ 7 10	{ 5 12	{ 6 11	{ 6 4	{ 5 3	{ 4 4	{ 3 5	{ 7 12
11. Ascites	{ M. 3 F. 3	{	{	{	{	{	{ 1 ..	{	{	{	{	{ 1 1	{	{	{ 1 1	{ 1 1
12. Others of this class	{ M. 33 F. 19	{ 17 13	{ 20 13	{	{ 1 1	{ 1 1	{	{	{	{ 2 2	{ 1 1	{ 2 1	{ 1 1	{	{ 1 1	{ 4 3
VI.—Diseases of the urinary system and male organs of generation.	498	13	31	21	14	6	16	26	20	37	40	42	45	49	48	103
Males	296	7	18	10	7	4	5	16	12	24	25	26	26	26	31	66
Females	202	6	13	11	7	2	11	10	8	13	15	16	19	23	17	37
1. Bright's disease	{ M. 130 F. 92	{	{	{ 3 2	{ 3 5	{ 2 ..	{ 1 5	{ 7 3	{ 8 3	{ 9 8	{ 13 10	{ 16 8	{ 14 9	{ 15 14	{ 14 11	{ 25 14
2. Calculus, urinary	{ M. .. F. ..	{	{	{	{	{	{	{	{	{	{	{	{	{	{	{
3. Diseases of the kidney	{ M. 183 F. 101	{ 5 6	{ 16 13	{ 7 9	{ 4 2	{ 2 2	{ 4 6	{ 8 5	{ 4 5	{ 13 2	{ 12 5	{ 8 8	{ 10 9	{ 10 9	{ 14 6	{ 21 21
4. Diseases of the bladder	{ M. 24 F. 4	{ 1 ..	{ 1 ..	{	{	{	{	{ 1 1	{	{	{	{ 1 1	{ 1 1	{ 1 1	{ 3 1	{ 17 17
5. Others of this class	{ M. 9 F. 5	{ 1 ..	{ 1 ..	{	{	{	{	{ 1 1	{	{ 1 2	{	{ 1 1	{ 1 1	{	{	{ 3 1
VII.—Diseases of the female organs of generation.	15	1	1	2	5	2	..	1	..	1	1	1
1. Ovarian tumors	2	1	1
2. Ovarian diseases
3. Uterine tumors	1	1
4. Uterine diseases	6	2	2	1	1	..
5. Others of this class	6	1	1	..	3	1
VIII.—Affections connected with pregnancy.	123	8	35	36	16	19	8	1
1. Abortion	4	2	..	1	1
2. Childbirth	24	6	7	3	6
3. Puerperal septicæmia	90	7	29	25	12	12	4	1
4. Extra-uterine pregnancy
5. Others of this class	5	1	..	2	1	..	1

TABLE 17.—DEATHS IN THE CITIES IN NEW JERSEY FROM EACH SPECIFIED DISEASE AND CLASS OF DISEASES, WITH DISTINCTION OF AGE AND SEX, DURING THE 6 YEARS ENDING MAY 31, 1890—Continued.

BIRTHPLACE OF MOTHERS—GERMANY—Continued.

CAUSE OF DEATH.	All ages.	Under 1 year.	Total under 5 years.	5 to 10	10 to 15	15 to 20	20 to 25	25 to 30	30 to 35	35 to 40	40 to 45	45 to 50	50 to 55	55 to 60	60 to 65	65 and over and un-known.
IX.—Diseases of the bones and joints	16	2	2	1		2	2	1		3	1	1			2	1
Males	8	2	2	1		1				2		1			1	
Females.....	8					1	2	1		1	1				1	1
1. Diseases of the spine..... {M	3			1		1				1						
{F	3							1			1				1	
2. Diseases of the bones..... {M	1	1	1													1
{F	3					1				1						
3. Diseases of the hip joint. {M	1											1				
{F	2						2									
4. Others of this class..... {M	3	1	1								1				1	
{F																
X.—Diseases of the skin	29	9	10			1	3			2	2	1	2	3	1	4
Males	20	5	5			1	3				1	1	1	3	1	4
Females.....	9	4	5							2	1		1			
1. Abscess..... {M	14	3	3				2				1	1	1	3	1	2
{F	8	3	4							2	1		1			
2. Carbuncle..... {M	5	1	1			1	1									2
{F																
3. Others of this class..... {M	1	1	1													
{F	1	1	1													
XI.—Diseases of the absorbent system	1															1
Males	1															1
Females.....																
1. Addison's disease..... {M																
{F																
2. Diseases of the spleen..... {M	1															1
{F																
3. Others of this class..... {M																
{F																
XII.—Accidents and injuries	662	27	71	24	34	52	39	47	51	66	65	50	42	35	24	62
Males	537	14	38	20	30	40	36	41	41	55	58	45	38	31	20	44
Females.....	125	13	33	4	4	12	3	6	10	11	7	5	4	4	4	18
1. Burns and scalds..... {M	24	1	12	3	1	1	2		2		2	1				1
{F	25	1	13	2		1	1		1	1	3	1		1		1
2. Drowned..... {M	106	1	6	8	15	12	7	11	3	6	10	4	5	2	3	14
{F	11		1			6					1			1	1	1
3. Exposure and neglect..... {M	1											1				
{F	1	1	1													
4. Gunshot wounds..... {M	18					2	1	1	3	3		2	2	2	1	1
{F	1								1							
5. Homicide..... {M	8				1			1	1	1	1	1		1	1	
{F	4							1	1	1	1	1		1	1	
6. Infanticide..... {M																
{F																
7. Injuries by machinery..... {M	2						1		1							
{F																
8. Railroad accidents..... {M	90			2	8	11	9	11	9	9	9	2	3	6	5	6
{F	7		1		1				1	1	1	1	1	1	1	
9. Suffocation..... {M	19	6	7	1			1	1		2	4		1	1		1
{F	9	6	6										1			1
10. Suicide by shooting..... {M	36						1	2	5	7	6	3	6	2	2	2
{F																
11. Suicide by drowning..... {M	4							1	1	1					1	
{F	3					1					1					1
12. Suicide by poison..... {M	11					2	2	1			2	1	1			2
{F	10					1	1	1	3	1	1	1				1
13. Other suicides..... {M	48					3	2	2	1	7	4	8	5	4	6	6
{F	3					1				1	1	1				
14. Sunstroke..... {M	23			1			2	2	4	6	4	1	1	2		
{F	6	1	2				1	1		1				1		
15. Surgical operations..... {M	1					1										1
{F	2								1							
16. Wounds..... {M	10					1	1	1		2		1	2	2		
{F																
17. Other accidents and inju- {M	136	6	13	5	5	7	7	7	11	11	16	20	12	9	1	12
{F	43	4	9	2	3	2	7	3	3	5	2	1	1	1	1	12

TABLE 18.

DEATHS IN THE RURAL PART OF NEW JERSEY FROM EACH SPECIFIED DISEASE AND CLASS OF DISEASES, WITH DISTINCTION OF AGE AND SEX, AND SPECIFICATION OF COLOR AND BIRTHPLACES OF MOTHERS, DURING THE 6 YEARS ENDING MAY 31, 1890.

STATISTICS OF DEATHS.

839

TABLE 18.—DEATHS IN THE RURAL PART OF NEW JERSEY FROM EACH SPECIFIED DISEASE AND CLASS OF DISEASES, WITH DISTINCTION OF AGE AND SEX, DURING THE 6 YEARS ENDING MAY 31, 1890—Continued.

AGGREGATE—Continued.

CAUSE OF DEATH.	All ages.	Under 1 year.	Total under 5 years.	5 to 10	10 to 15	15 to 20	20 to 25	25 to 30	30 to 35	35 to 40	40 to 45	45 to 50	50 to 55	55 to 60	60 to 65	65 and over and unknown.
I.—General diseases—Continued.																
General diseases—D.....	10,392	476	841	144	187	604	1,001	999	788	744	659	637	616	557	621	1,094
Males	4,865	246	429	67	71	218	468	454	356	339	303	304	281	267	328	980
Females.....	5,527	230	412	77	116	386	533	545	432	405	356	333	335	290	293	1,014
1. Rheumatism.....	{ M. 139 F. 133	{ 2 2	{ 7 3	{ 5 5	{ 11 8	{ 7 8	{ 4 4	{ 5 4	{ 5 6	{ 7 6	{ 7 5	{ 5 6	{ 6 7	{ 11 7	{ 15 10	{ 44 54
2. Scrofula and tabes.....	{ M. 83 F. 77	{ 31 34	{ 42 47	{ 3 2	{ 5 4	{ 3 2	{ 4 1	{ 3 3	{ 1 3	{ 2 1	{ 3 5	{ 1 1	{ 1 1	{ 5 2	{ 1 1	{ 10 4
3. Leprosy.....	{ M. 1 F. 1	{ 1 1	{ 1 1	{ 1 1	{ 1 1	{ 1 1	{ 1 1	{ 1 1	{ 1 1	{ 1 1	{ 1 1	{ 1 1	{ 1 1	{ 1 1	{ 1 1	{ 1 1
4. Consumption.....	{ M. 3,394 F. 3,600	{ 75 61	{ 136 125	{ 27 40	{ 44 82	{ 180 356	{ 442 514	{ 430 497	{ 327 384	{ 297 328	{ 261 242	{ 243 214	{ 204 171	{ 169 127	{ 192 127	{ 442 393
5. Hydrocephalus.....	{ M. 258 F. 222	{ 119 107	{ 202 187	{ 18 15	{ 5 6	{ 5 5	{ 3 3	{ 1 1	{ 1 1	{ 4 4	{ 1 1	{ 3 3	{ 5 5	{ 2 2	{ 1 1	{ 9 4
6. Cancer.....	{ M. 506 F. 840	{ 1 1	{ 4 5	{ 1 1	{ 1 1	{ 3 1	{ 5 4	{ 3 12	{ 13 9	{ 11 36	{ 27 72	{ 30 86	{ 40 113	{ 48 103	{ 74 96	{ 247 301
7. Tumor.....	{ M. 34 F. 93	{ 2 3	{ 3 3	{ 1 1	{ 1 1	{ 1 1	{ 4 4	{ 6 6	{ 2 3	{ 4 4	{ 4 5	{ 5 5	{ 4 10	{ 2 7	{ 5 13	{ 8 32
8. Anæmia.....	{ M. 46 F. 71	{ 4 9	{ 11 13	{ 1 3	{ 1 1	{ 2 8	{ 2 2	{ 1 4	{ 1 4	{ 2 5	{ 2 5	{ 3 3	{ 2 3	{ 4 2	{ 4 2	{ 16 16
9. Dropsy.....	{ M. 285 F. 373	{ 8 7	{ 14 15	{ 9 5	{ 6 10	{ 4 5	{ 5 3	{ 7 9	{ 3 8	{ 5 18	{ 3 16	{ 7 16	{ 13 18	{ 12 27	{ 25 36	{ 172 187
10. Diabetes.....	{ M. 101 F. 95	{ 1 3	{ 4 3	{ 1 4	{ 1 4	{ 13 3	{ 3 1	{ 4 8	{ 4 12	{ 4 6	{ 7 5	{ 2 2	{ 6 7	{ 12 12	{ 10 7	{ 29 21
11. Others of this group.....	{ M. 18 F. 23	{ 3 6	{ 6 11	{ 1 2	{ 1 2	{ 1 2	{ 2 2	{ 2 2	{ 2 2	{ 1 1	{ 1 1	{ 1 1	{ 2 2	{ 2 1	{ 2 2	{ 3 2
12. Others of this class.....	{ M. 1 F. 1	{ 1 1	{ 1 1	{ 1 1	{ 1 1	{ 1 1	{ 1 1	{ 1 1	{ 1 1	{ 1 1	{ 1 1	{ 1 1	{ 1 1	{ 1 1	{ 1 1	{ 1 1
II.—Diseases of the nervous system.....																
	8,907	1,850	2,842	152	137	128	120	125	173	185	193	255	319	356	568	3,354
Males	4,753	1,010	1,506	77	75	69	67	61	102	97	106	139	174	194	317	1,769
Females.....	4,154	840	1,336	75	62	59	53	64	71	88	87	116	145	162	251	1,585
1. Inflammation of the brain.....	{ M. 648 F. 550	{ 221 184	{ 410 348	{ 36 34	{ 30 22	{ 11 15	{ 15 11	{ 12 17	{ 21 7	{ 7 15	{ 18 7	{ 14 11	{ 11 12	{ 12 4	{ 11 10	{ 40 37
2. Apoplexy.....	{ M. 1,025 F. 884	{ 4 3	{ 8 9	{ 2 1	{ 3 4	{ 3 3	{ 4 3	{ 8 5	{ 17 14	{ 29 12	{ 22 23	{ 39 39	{ 55 60	{ 72 66	{ 127 98	{ 636 548
3. Paralysis.....	{ M. 1,074 F. 1,023	{ 8 13	{ 19 26	{ 4 5	{ 4 8	{ 7 5	{ 4 7	{ 10 13	{ 14 12	{ 16 17	{ 28 20	{ 27 29	{ 38 44	{ 63 41	{ 97 85	{ 743 711
4. Tetanus and trismus nascentium.....	{ M. 120 F. 75	{ 53 47	{ 58 53	{ 4 2	{ 10 10	{ 10 2	{ 4 1	{ 2 1	{ 3 5	{ 1 1	{ 2 3	{ 8 2	{ 4 2	{ 2 2	{ 5 4	{ 7 4
5. Epilepsy.....	{ M. 131 F. 92	{ 6 2	{ 11 5	{ 1 1	{ 4 7	{ 13 9	{ 18 5	{ 9 7	{ 12 9	{ 15 11	{ 7 7	{ 10 6	{ 7 6	{ 4 4	{ 5 4	{ 18 15
6. Convulsions.....	{ M. 823 F. 764	{ 564 460	{ 749 674	{ 17 21	{ 5 7	{ 7 8	{ 5 10	{ 3 4	{ 6 9	{ 3 5	{ 3 5	{ 5 1	{ 3 4	{ 2 2	{ 4 -7	{ 11 7
7. Mental diseases.....	{ M. 104 F. 103	{ 6 13	{ 19 26	{ 4 5	{ 4 8	{ 7 5	{ 4 7	{ 10 13	{ 14 12	{ 16 17	{ 28 20	{ 27 29	{ 38 44	{ 63 41	{ 97 85	{ 743 711
8. Diseases of the brain.....	{ M. 713 F. 575	{ 148 123	{ 242 208	{ 14 9	{ 19 13	{ 10 18	{ 9 11	{ 11 11	{ 16 6	{ 12 16	{ 15 7	{ 19 14	{ 29 11	{ 31 25	{ 49 31	{ 237 200
9. Diseases of the spinal cord.....	{ M. 33 F. 53	{ 4 6	{ 6 11	{ 1 1	{ 1 1	{ 2 2	{ 2 1	{ 1 1	{ 4 1	{ 5 2	{ 5 4	{ 8 3	{ 11 2	{ 3 6	{ 9 5	{ 27 16
10. Others of this class.....	{ M. 32 F. 35	{ 2 2	{ 3 2	{ 1 1	{ 1 1	{ 1 1	{ 1 3	{ 1 1	{ 1 2	{ 1 3	{ 1 3	{ 1 3	{ 3 1	{ 1 2	{ 3 3	{ 16 13
III.—Diseases of the circulatory system.....																
	3,936	391	452	66	75	81	57	74	74	115	144	167	223	259	339	1,810
Males	2,120	226	257	34	30	42	25	33	29	49	79	86	116	127	190	1,023
Females.....	1,816	165	195	32	45	39	32	41	45	66	65	81	107	132	149	787
1. Angina pectoris.....	{ M. 138 F. 85	{ 1 1	{ 1 1	{ 1 2	{ 2 1	{ 1 1	{ 1 1	{ 1 2	{ 1 4	{ 3 5	{ 6 3	{ 7 5	{ 3 5	{ 15 5	{ 17 4	{ 83 48
2. Aneurism.....	{ M. 29 F. 19	{ 1 1	{ 1 1	{ 1 1	{ 1 1	{ 1 1	{ 1 1	{ 1 1	{ 1 1	{ 1 1	{ 1 1	{ 1 1	{ 1 1	{ 1 1	{ 1 1	{ 8 7
3. Diseases of the heart.....	{ M. 1,779 F. 1,579	{ 85 59	{ 109 85	{ 33 28	{ 28 43	{ 42 37	{ 21 29	{ 31 37	{ 28 38	{ 45 57	{ 71 62	{ 75 73	{ 107 100	{ 112 125	{ 169 143	{ 908 722
4. Others of this class.....	{ M. 174 F. 133	{ 141 106	{ 148 110	{ 1 1	{ 1 1	{ 2 2	{ 4 1	{ 1 1	{ 1 1	{ 1 1	{ 1 1	{ 1 1	{ 1 1	{ 1 1	{ 3 1	{ 15 9

TABLE 18.—DEATHS IN THE RURAL PART OF NEW JERSEY FROM EACH SPECIFIED DISEASE AND CLASS OF DISEASES, WITH DISTINCTION OF AGE AND SEX, DURING THE 6 YEARS ENDING MAY 31, 1890—Continued.

AGGREGATE—Continued.

CAUSE OF DEATH.	All ages.	Under 1 year.	Total under 5 years.	5 to 10	10 to 15	15 to 20	20 to 25	25 to 30	30 to 35	35 to 40	40 to 45	45 to 50	50 to 55	55 to 60	60 to 65	65 and over and un-known.
IV.—Diseases of the respiratory system.	7,071	1,428	2,883	338	136	137	135	126	143	157	169	166	221	235	337	1,888
Males	3,623	782	1,556	174	50	65	77	53	67	75	90	101	116	118	133	898
Females	3,448	646	1,327	164	86	72	58	73	76	82	79	65	105	117	154	990
1. Croup	{ M. 418 F. 338	{ 58 43	{ 317 240	{ 75 70	{ 12 17	{ 3 1	{ 2 1				{ 1 1		{ 3 1	{ 2 1	{ 1 1	{ 5 6
2. Laryngitis	{ M. 80 F. 78	{ 7 14	{ 37 42	{ 16 11	{ 3 3	{ 2 1	{ 3 3	{ 2 4	{ 2 3	{ 3 3		{ 2 3	{ 3 1		{ 1 1	{ 6 4
3. Bronchitis	{ M. 806 F. 833	{ 335 282	{ 481 427	{ 21 20	{ 5 6	{ 5 11	{ 5 4	{ 5 12	{ 3 9	{ 7 6	{ 5 8	{ 6 4	{ 11 14	{ 7 20	{ 29 28	{ 216 264
4. Pneumonia	{ M. 1,865 F. 1,743	{ 274 208	{ 556 467	{ 52 50	{ 24 52	{ 46 45	{ 55 40	{ 41 47	{ 51 52	{ 56 67	{ 72 58	{ 73 47	{ 89 70	{ 89 74	{ 121 103	{ 540 571
5. Pleurisy	{ M. 66 F. 62	{ 1 1	{ 6 5	{ 1 1	{ 1 2	{ 2 4	{ 1 2	{ 1 3	{ 3 3	{ 1 1		{ 4 1	{ 3 3	{ 2 2	{ 11 6	{ 30 30
6. Asthma	{ M. 50 F. 47	{ 5 1	{ 6 1		{ 1 1	{ 1 1			{ 1 1		{ 2 2	{ 4 2	{ 2 2	{ 3 5	{ 2 5	{ 28 30
7. Others of this class	{ M. 338 F. 347	{ 102 98	{ 153 146	{ 9 12	{ 5 5	{ 7 9	{ 11 9	{ 3 7	{ 7 12	{ 7 5	{ 10 10	{ 12 10	{ 5 14	{ 17 13	{ 19 10	{ 73 85
V.—Diseases of the digestive system.	2,467	333	486	68	71	92	72	85	76	104	125	108	128	181	171	700
Males	1,238	198	279	35	40	40	29	23	35	47	53	55	60	92	88	357
Females	1,229	135	207	33	31	52	43	57	41	57	72	53	68	89	83	343
1. Dentition	{ M. 62 F. 47	{ 36 25	{ 62 47													
2. Angina	{ M. 21 F. 29	{ 4 5	{ 12 11	{ 5 6	{ 2 3	{ 1 2	{ 2 1							{ 1 1	{ 1 1	{ 1 1
3. Diseases of the stomach	{ M. 225 F. 248	{ 27 26	{ 39 45	{ 3 9	{ 2 2	{ 2 5	{ 4 3	{ 5 10	{ 2 3	{ 10 14	{ 12 10	{ 7 4	{ 12 8	{ 19 14	{ 13 15	{ 95 106
4. Obstruction of the bowels	{ M. 83 F. 95	{ 16 12	{ 21 16		{ 2 4	{ 8 2	{ 2 4	{ 4 4	{ 2 5	{ 5 3	{ 2 4	{ 4 6	{ 5 7	{ 4 8	{ 4 11	{ 20 21
5. Hernia	{ M. 54 F. 46	{ 9 1	{ 9 1			{ 1 1	{ 2 2	{ 2 1	{ 3 1		{ 1 3	{ 3 5	{ 4 3	{ 7 3	{ 3 6	{ 19 20
6. Other diseases of the bowels	{ M. 16 F. 11	{ 4 2	{ 5 2		{ 1 1				{ 1 1		{ 1 2			{ 2 1		{ 7 3
7. Jaundice	{ M. 48 F. 33	{ 27 16	{ 28 17	{ 1 1				{ 2 2						{ 3 1	{ 2 2	{ 11 10
8. Inflammation and abscess of the liver	{ M. 71 F. 83	{ 1 3	{ 3 6	{ 3 6	{ 1 2	{ 1 1	{ 1 1	{ 2 3	{ 4 2	{ 4 4	{ 3 12	{ 3 2	{ 6 9	{ 5 10	{ 4 8	{ 31 28
9. Other diseases of the liver	{ M. 294 F. 188	{ 7 9	{ 14 10	{ 5 1	{ 2 1	{ 1 1	{ 3 2	{ 3 3	{ 8 4	{ 14 7	{ 20 14	{ 26 15	{ 22 19	{ 37 22	{ 39 24	{ 101 66
10. Peritonitis	{ M. 257 F. 346	{ 26 6	{ 39 14	{ 17 14	{ 26 17	{ 24 36	{ 12 31	{ 8 36	{ 13 23	{ 13 25	{ 11 21	{ 12 18	{ 10 16	{ 8 26	{ 16 9	{ 48 60
11. Ascites	{ M. 6 F. 12		{ 1 1							{ 1 1				{ 1 1	{ 1 1	{ 3 6
12. Others of this class	{ M. 101 F. 91	{ 41 32	{ 46 38	{ 1 2	{ 4 2	{ 2 3	{ 5 1	{ 2 3	{ 2 3	{ 1 3	{ 2 3		{ 1 4	{ 5 3	{ 8 6	{ 22 22
VI.—Diseases of the urinary system and male organs of generation.	1,947	36	82	47	31	42	59	45	74	70	93	127	120	141	184	832
Males	1,222	24	44	27	20	19	27	24	30	29	54	70	71	93	116	598
Females	725	12	38	20	11	23	32	21	44	41	39	57	49	48	68	234
1. Bright's disease	{ M. 618 F. 414			{ 10 7	{ 11 9	{ 11 10	{ 19 16	{ 12 11	{ 23 23	{ 16 25	{ 36 20	{ 47 38	{ 51 31	{ 61 29	{ 61 43	{ 260 146
2. Calculus, urinary	{ M. 4 F. 2															{ 4 4
3. Diseases of the kidney	{ M. 307 F. 225	{ 21 10	{ 41 34	{ 14 9	{ 6 1	{ 5 3	{ 8 8	{ 7 7	{ 6 11	{ 10 11	{ 12 17	{ 15 12	{ 14 10	{ 18 16	{ 24 17	{ 129 64
4. Diseases of the bladder	{ M. 206 F. 25	{ 2 1	{ 2 1	{ 1 1	{ 1 2	{ 1 2	{ 1 1	{ 1 1		{ 2 2		{ 2 4	{ 3 3	{ 1 4	{ 3 8	{ 154 11
5. Others of this class	{ M. 87 F. 59	{ 1 1	{ 1 1	{ 2 4	{ 2 1	{ 2 3	{ 1 7	{ 2 7	{ 1 2	{ 1 3	{ 5 2	{ 2 5	{ 3 5	{ 4 2	{ 8 5	{ 51 13
VII.—Diseases of the female organs of generation.	108	1	2			3	12	6	7	11	14	9	12	5	6	21
1. Ovarian tumors	30						3			2	6	3	3	4	2	7
2. Ovarian diseases	5								1		1					3
3. Uterine tumors	12								1	1	1	1	2		2	4
4. Uterine diseases	37						9	2	5	2	4	4	3	1	2	5
5. Others of this class	24	1	2			3		4		6	2	1	4		2	2
VIII.—Affections connected with pregnancy.	354				1	29	82	77	65	66	21	3	1	2		7
1. Abortion	11					1	1	1	4	3						
2. Childbirth	72					7	4	15	21	17	5					3
3. Puerperal septicæmia	247				1	18	67	58	38	44	14	2		2		3
4. Extra-uterine pregnancy																
5. Others of this class	24					3	10	3	2	2	1	1	1			1

TABLE 18.—DEATHS IN THE RURAL PART OF NEW JERSEY FROM EACH SPECIFIED DISEASE AND CLASS OF DISEASES, WITH DISTINCTION OF AGE AND SEX, DURING THE 6 YEARS ENDING MAY 31, 1890—Continued.

AGGREGATE—Continued.

CAUSE OF DEATH.	All ages.	Under 1 year.	Total under 5 years.	5 to 10	10 to 15	15 to 20	20 to 25	25 to 30	30 to 35	35 to 40	40 to 45	45 to 50	50 to 55	55 to 60	60 to 65	65 and over and unknown.
IX.—Diseases of the bones and joints.	73	4	10	3	11	8	4	4	4	4	2	3	3	5	2	10
Males.....	36	1	4	3	7	4	3	2	1	2	2	1	2	2	2	5
Females.....	37	3	6		4	4	1	2	3	2	2	2	1	3	2	5
1. Diseases of the spine.....	19	1	2	2	3	4	1	1	1	2	1	1	1	1	1	1
M.....	19	1	2	2	3	4	1	1	1	2	1	1	1	1	1	1
F.....	25	3	5													2
2. Diseases of the bones.....	12		1		3		2					1	1	1	1	4
M.....	12		1		3		2					1	1	1	1	4
F.....	3															1
3. Diseases of the hip joint.....	4		1	1	1	1		1	1		1	1		1		1
M.....	4		1	1	1	1		1	1		1	1		1		1
F.....	8															
4. Others of this class.....	1		1													1
M.....	1		1													1
F.....	1															
X.—Diseases of the skin.	117	15	19	1	2	5	1	9	5	8	1	8	11	8	7	32
Males.....	66	9	12	1	1	3		6	2	2		4	4	6	5	20
Females.....	51	6	7	1	1	2	1	3	3	6	1	4	7	2	2	12
1. Abscess.....	44	4	7	1	1	3		5	1	1		2	3	5	3	13
M.....	44	4	7	1	1	3		5	1	1		2	3	5	3	13
F.....	32	4	5		1	2	1	2	2	5	1	3	2	1	2	5
2. Carbuncle.....	11							1	1	1		2	1	1	2	3
M.....	11							1	1	1		2	1	1	2	3
F.....	10											1	5	1		2
3. Others of this class.....	11	5	5					1		1						4
M.....	11	5	5					1		1						4
F.....	9	2	2													5
XI.—Diseases of the absorbent system.	22		2	1	1		1	2	1		2	2	2		4	4
Males.....	12		1	1	1		1	1	1		1	2	1		1	2
Females.....	10		1	1				1			1	1	1		3	2
1. Addison's disease.....	6		1				1	1	1		1	2	1		1	
M.....	6		1				1	1	1		1	2	1		1	
F.....	4												1			
2. Diseases of the spleen.....	2			1				1								1
M.....	2			1				1								1
F.....	3															2
3. Others of this class.....	4		1	1							1				1	1
M.....	4		1	1							1				1	1
F.....	3														2	
XII.—Accidents and injuries.	2,741	191	342	110	121	148	237	220	161	189	162	160	156	107	145	483
Males.....	2,141	119	211	88	96	120	207	194	136	158	131	135	126	87	106	346
Females.....	600	72	131	22	25	28	30	26	25	31	31	25	30	20	39	137
1. Burns and scalds.....	95	6	46	5	1	3	6	8	4	2	3	3	1	2	4	7
M.....	95	6	46	5	1	3	6	8	4	2	3	3	1	2	4	7
F.....	74	1	24	9	4	3	4	1	3	4	3	1	2		4	12
2. Drowned.....	432	3	28	48	52	42	47	43	21	26	21	22	16	11	9	46
M.....	432	3	28	48	52	42	47	43	21	26	21	22	16	11	9	46
F.....	88	1	16	3	11	14	10	4	5	3	4	2	3	3	3	7
3. Exposure and neglect.....	26	2	3			1				5	1	3		2	1	10
M.....	26	2	3			1				5	1	3		2	1	10
F.....	5	1	1					1				1				2
4. Gunshot wounds.....	59		1	4	7	6	7	8	2	6	8	1	2	2	1	4
M.....	59		1	4	7	6	7	8	2	6	8	1	2	2	1	4
F.....	8		2					1	2	1	1					1
5. Homicide.....	26		1	3	3	1	3	3	3	3		2		3		4
M.....	26		1	3	3	1	3	3	3	3		2		3		4
F.....	14		1		1	2	1	1	1	1		1	1		4	2
6. Infanticide.....	1	1	1													
M.....	1	1	1													
F.....	1	1	1													
7. Injuries by machinery.....	3						1	1								1
M.....	3						1	1								1
F.....																
8. Railroad accidents.....	496	3	7	7	15	33	72	70	41	50	27	34	32	13	23	72
M.....	496	3	7	7	15	33	72	70	41	50	27	34	32	13	23	72
F.....	42		5	2	3	2	3	5	3	3	2	3	1	1	2	7
9. Suffocation.....	108	63	69	1	1	2	4	3	1	1		2	3	1	9	11
M.....	108	63	69	1	1	2	4	3	1	1		2	3	1	9	11
F.....	57	43	46				1				1			1	1	5
10. Suicide by shooting.....	59					3	6	5	8	7	4	2	6	4	7	7
M.....	59					3	6	5	8	7	4	2	6	4	7	7
F.....	5					1	1	1	1		1	1			1	1
11. Suicide by drowning.....	8							1	1	2	1			1		4
M.....	8							1	1	2	1			1		4
F.....	6														2	
12. Suicide by poison.....	38		1	1		1		4	4	2		6	6	2	4	5
M.....	38		1	1		1		4	4	2		6	6	2	4	5
F.....	11						2	1	1	3		2	2	1	1	
13. Other suicides.....	117					3	6	5	5	4	11	15	13	13	10	32
M.....	117					3	6	5	5	4	11	15	13	13	10	32
F.....	27					1	2	1	3	1	5	1	7	1	3	2
14. Sunstroke.....	29	3	4	1			3	4	3	2	1	6		2		3
M.....	29	3	4	1			3	4	3	2	1	6		2		3
F.....	8	1	1	2	1									1	1	2
15. Surgical operations.....	4								1				1			2
M.....	4								1				1			2
F.....	4									2						1
16. Wounds.....	67	1	3	1	2	5	6	6	4	3	7	8	4	2	4	12
M.....	67	1	3	1	2	5	6	6	4	3	7	8	4	2	4	12
F.....	9	1	3			1	1	1				1	1		3	3
17. Other accidents and injuries.....	573	37	47	20	15	18	48	34	40	44	45	31	42	29	34	126
M.....	573	37	47	20	15	18	48	34	40	44	45	31	42	29	34	126
F.....	241	23	31	5	5	4	4	10	7	16	10	14	13	12	13	82

TABLE 18.—DEATHS IN THE RURAL PART OF NEW JERSEY FROM EACH SPECIFIED DISEASE AND CLASS OF DISEASES, WITH DISTINCTION OF AGE AND SEX, DURING THE 6 YEARS ENDING MAY 31, 1890—Continued.

WHITE.

CAUSE OF DEATH.	All ages.	Under 1 year.	Total under 5 years.	5 to 10	10 to 15	15 to 20	20 to 25	25 to 30	30 to 35	35 to 40	40 to 45	45 to 50	50 to 55	55 to 60	60 to 65	65 and over and un-known.
All causes.....	55,650	13,570	18,949	1,803	1,203	1,585	1,995	1,970	1,703	1,820	1,728	1,808	1,999	2,039	2,653	14,395
Males.....	29,631	7,784	10,585	938	574	742	1,021	966	857	876	896	961	1,067	1,077	1,472	7,599
Females.....	26,019	5,786	8,364	865	629	843	974	1,004	846	944	832	847	932	962	1,181	6,796
Unknown causes.....	259	78	96	2	5	3	3	5	7	12	7	3	10	4	19	33
Males.....	149	35	45	2	3	2	1	3	4	4	5	2	8	2	14	54
Females.....	110	43	51	2	1	2	2	3	8	2	1	2	2	5	29
I.—General diseases:																
General diseases—A.....	10,212	3,272	5,414	835	464	394	306	249	166	183	178	179	194	186	206	1,208
Males.....	5,317	1,814	2,910	445	200	196	165	135	100	86	85	65	108	93	97	632
Females.....	4,895	1,458	2,504	440	264	198	141	114	66	97	93	114	86	93	109	576
1. Smallpox.....	{ M. 9 F. 3	{ 1 2	{ 4 2
2. Measles.....	{ M. 75 F. 82	{ 23 12	{ 57 48	{ 8 10	{ 2 6	{ 2 5	{ 1 2	{ 1 2	{ 2 1	{ 2 2	{ 2 2
3. Scarlet fever.....	{ M. 331 F. 311	{ 26 19	{ 186 168	{ 91 77	{ 32 32	{ 10 14	{ 3 8	{ 2 3	{ 3 3	{ 1 1	{ 1 2
4. Diphtheria.....	{ M. 749 F. 777	{ 54 44	{ 389 341	{ 217 245	{ 62 124	{ 33 38	{ 11 8	{ 6 3	{ 3 1	{ 4 3	{ 1 1	{ 4 1	{ 2 4
5. Whooping cough.....	{ M. 165 F. 205	{ 107 108	{ 156 186	{ 8 12	{ 5	{ 1
6. Fever.....	{ M. 1 F. 1	{ 1	{ 1
7. Cerebro-spinal fever.....	{ M. 119 F. 91	{ 25 17	{ 48 41	{ 13 11	{ 5 8	{ 7 2	{ 6 3	{ 1 2	{ 3 5	{ 5 4	{ 2 1	{ 5 5	{ 7 3	{ 3 3	{ 3 2	{ 11 1
8. Typhoid fever.....	{ M. 719 F. 555	{ 11 8	{ 47 28	{ 36 15	{ 32 47	{ 96 96	{ 108 69	{ 85 52	{ 60 22	{ 33 35	{ 26 28	{ 24 32	{ 35 18	{ 26 20	{ 20 25	{ 91 68
9. Diarrheal diseases.....	{ M. 1,261 F. 1,262	{ 469 380	{ 688 590	{ 44 42	{ 24 25	{ 12 23	{ 14 21	{ 20 19	{ 8 14	{ 17 17	{ 33 30	{ 18 40	{ 34 36	{ 38 34	{ 43 50	{ 288 321
10. Cholera infantum.....	{ M. 1,229 F. 1,001	{ 1,022 819	{ 1,225 999	{ 4 2
11. Malarial fever.....	{ M. 306 F. 329	{ 31 18	{ 54 53	{ 16 20	{ 14 11	{ 20 15	{ 15 15	{ 14 22	{ 13 11	{ 12 17	{ 12 15	{ 9 16	{ 14 10	{ 11 21	{ 14 14	{ 88 89
12. Erysipelas.....	{ M. 111 F. 87	{ 28 15	{ 33 19	{ 2 1	{ 1 2	{ 5 2	{ 2 3	{ 2	{ 2 3	{ 4 4	{ 1 5	{ 4 4	{ 6 4	{ 4 5	{ 2 4	{ 43 31
13. Septicæmia.....	{ M. 108 F. 108	{ 9 5	{ 12 14	{ 6 4	{ 6 3	{ 8 3	{ 2 9	{ 3 10	{ 6 5	{ 5 10	{ 8 8	{ 1 7	{ 9 8	{ 5 6	{ 10 4	{ 27 17
14. Venereal diseases.....	{ M. 11 F. 16	{ 5 8	{ 6 9	{ 1 1	{ 1 2	{ 1	{ 3
15. Others of this group.....	{ M. 103 F. 67	{ 3 3	{ 5 5	{ 4 3	{ 2 1	{ 2	{ 1 2	{ 1 1	{ 1	{ 3 4	{ 2 2	{ 3	{ 5 8	{ 74 40
General diseases—B.....	716	430	468	13	3	2	15	10	10	23	17	30	20	20	16	71
Males.....	456	270	289	8	1	1	5	6	9	18	17	24	19	12	13	40
Females.....	260	160	177	5	2	1	10	4	1	5	6	7	8	3	31
1. Parasitic diseases.....	{ M. 3 F. 3	{ 1	{ 1	{ 1
2. Alcoholism.....	{ M. 104 F. 16	{ 3 1	{ 5 1	{ 2 1	{ 5	{ 8	{ 15 2	{ 16	{ 19 3	{ 11 5	{ 9	{ 5 1	{ 9 3
3. Lead poison.....	{ M. 2 F. 2	{ 1	{ 1
4. Other poisons.....	{ M. 59 F. 40	{ 15 3	{ 22 11	{ 4 1	{ 2	{ 1 1	{ 2 2	{ 1 3	{ 1	{ 3 1	{ 5 1	{ 1 2	{ 3 4	{ 5 1	{ 11 6
5. Inanition.....	{ M. 290 F. 202	{ 252 156	{ 261 165	{ 3 4	{ 1 1	{ 1 1	{ 1	{ 1	{ 3 1	{ 20 22
General diseases—C.....	8,062	5,350	5,526	20	18	16	15	13	14	18	12	21	32	30	88	2,239
Males.....	4,490	3,197	3,297	6	5	7	4	6	7	6	5	8	17	10	46	1,066
Females.....	3,572	2,153	2,229	14	13	9	11	7	7	12	7	13	15	20	42	1,173
1. Premature birth.....	{ M. 476 F. 336	{ 476 336	{ 476 336
2. Stillborn.....	{ M. 2,002 F. 1,268	{ 2,002 1,268	{ 2,002 1,268
3. Malformation.....	{ M. 41 F. 46	{ 37 36	{ 38 39	{ 2	{ 1
4. Debility and atrophy.....	{ M. 1,355 F. 1,177	{ 682 513	{ 781 586	{ 6 10	{ 5 12	{ 5 9	{ 4 11	{ 6 7	{ 7 7	{ 6 12	{ 5 7	{ 8 13	{ 16 15	{ 10 20	{ 41 38	{ 455 430
5. Old age.....	{ M. 616 F. 745	{ 5 4	{ 611 741

STATISTICS OF DEATHS.

843

TABLE 18.—DEATHS IN THE RURAL PART OF NEW JERSEY FROM EACH SPECIFIED DISEASE AND CLASS OF DISEASES, WITH DISTINCTION OF AGE AND SEX, DURING THE 6 YEARS ENDING MAY 31, 1890—Continued.

WHITE—Continued.

CAUSE OF DEATH.	All ages.	Under 1 year.	Total under 5 years.	5 to 10	10 to 15	15 to 20	20 to 25	25 to 30	30 to 35	35 to 40	40 to 45	45 to 50	50 to 55	55 to 60	60 to 65	65 and over and un-known.
I.—General diseases—Continued.																
General diseases—D	9,796	448	774	128	159	539	916	948	742	709	621	611	586	539	608	1,918
Males	4,594	233	399	57	61	194	430	425	342	321	288	291	270	259	319	938
Females	5,202	215	375	71	98	345	486	523	400	388	333	320	316	280	289	978
1. Rheumatism	{ M. 134 F. 123	{ 2 2	{ 7 3	{ 4 5	{ 11 7	{ 7 7	{ 3 4	{ 5 4	{ 5 6	{ 6 6	{ 7 5	{ 4 6	{ 6 6	{ 11 4	{ 15 10	{ 43 50
2. Scrofula and tubercles	{ M. 71 F. 72	{ 29 32	{ 38 43	{ 1 2	{ 2 4	{ 3 2	{ 4 1	{ 2 3	{ 1 3	{ 1 1	{ 3 4	{ 1 1	{ 1 1	{ 5 2	{ 1 1	{ 10 4
3. Leprosy	{ M. 1 F. 1	{ 1 1	{ 1 1	{ 1 1	{ 1 1	{ 1 1	{ 1 1	{ 1 1	{ 1 1	{ 1 1	{ 1 1	{ 1 1	{ 1 1	{ 1 1	{ 1 1	{ 1 1
4. Consumption	{ M. 3,192 F. 3,349	{ 69 52	{ 123 101	{ 21 35	{ 37 66	{ 156 317	{ 407 468	{ 402 476	{ 314 355	{ 282 317	{ 248 222	{ 233 205	{ 195 160	{ 166 124	{ 187 126	{ 421 377
5. Hydrocephalus	{ M. 249 F. 215	{ 115 105	{ 193 180	{ 18 15	{ 5 6	{ 5 5	{ 3 3	{ 1 2	{ 1 1	{ 4 1	{ 1 1	{ 3 3	{ 5 3	{ 2 2	{ 1 1	{ 9 4
6. Cancer	{ M. 496 F. 827	{ 1 1	{ 3 5	{ 1 1	{ 1 1	{ 3 1	{ 5 3	{ 3 11	{ 13 8	{ 11 36	{ 25 72	{ 29 83	{ 39 110	{ 47 102	{ 73 96	{ 244 298
7. Tumor	{ M. 32 F. 86	{ 2 3	{ 3 3	{ 1 1	{ 1 1	{ 1 1	{ 4 4	{ 6 6	{ 1 3	{ 4 3	{ 4 5	{ 5 5	{ 4 7	{ 2 7	{ 5 13	{ 7 29
8. Anæmia	{ M. 45 F. 67	{ 4 8	{ 10 12	{ 1 3	{ 1 1	{ 2 7	{ 2 2	{ 1 4	{ 2 4	{ 2 5	{ 2 5	{ 3 3	{ 2 3	{ 4 2	{ 4 1	{ 16 15
9. Dropsy	{ M. 259 F. 349	{ 8 7	{ 14 15	{ 8 4	{ 6 9	{ 4 5	{ 3 3	{ 7 9	{ 3 7	{ 4 14	{ 3 14	{ 6 15	{ 13 25	{ 8 25	{ 23 34	{ 157 178
10. Diabetes	{ M. 99 F. 92	{ 1 2	{ 4 3	{ 1 4	{ 1 4	{ 13 3	{ 3 1	{ 4 8	{ 4 11	{ 4 5	{ 7 5	{ 2 2	{ 6 7	{ 5 11	{ 12 7	{ 28 21
11. Others of this group	{ M. 16 F. 22	{ 2 5	{ 4 10	{ 1 2	{ 1 2	{ 1 2	{ 2 2	{ 2 2	{ 2 2	{ 1 1	{ 1 1	{ 1 1	{ 2 2	{ 2 1	{ 2 2	{ 3 2
12. Others of this class	{ M. 1 F. 1	{ 1 1	{ 1 1	{ 1 1	{ 1 1	{ 1 1	{ 1 1	{ 1 1	{ 1 1	{ 1 1	{ 1 1	{ 1 1	{ 1 1	{ 1 1	{ 1 1	{ 1 1
II.—Diseases of the nervous system																
.....	8,582	1,749	2,688	152	131	121	111	121	171	181	187	240	307	351	557	3,264
Males	4,591	957	1,430	77	72	64	62	59	100	94	103	131	168	191	312	1,728
Females	3,991	792	1,258	75	59	57	49	62	71	87	84	109	139	160	245	1,536
1. Inflammation of the brain	{ M. 623 F. 533	{ 212 178	{ 393 337	{ 36 34	{ 29 19	{ 9 15	{ 14 10	{ 12 16	{ 21 7	{ 7 15	{ 18 7	{ 13 10	{ 11 11	{ 11 4	{ 11 10	{ 33 37
2. Apoplexy	{ M. 1,002 F. 848	{ 3 3	{ 7 9	{ 2 1	{ 3 4	{ 3 3	{ 3 2	{ 6 5	{ 17 14	{ 28 11	{ 22 20	{ 37 36	{ 51 58	{ 71 66	{ 124 96	{ 628 523
3. Paralysis	{ M. 1,040 F. 993	{ 8 13	{ 18 25	{ 4 5	{ 4 8	{ 7 4	{ 4 6	{ 10 13	{ 12 12	{ 15 17	{ 26 19	{ 24 26	{ 38 40	{ 62 39	{ 97 82	{ 719 697
4. Tetanus and trismus nascentium	{ M. 112 F. 71	{ 50 45	{ 55 51	{ 4 2	{ 8 2	{ 10 2	{ 3 1	{ 2 1	{ 3 5	{ 1 1	{ 2 3	{ 6 2	{ 4 2	{ 2 2	{ 5 3	{ 7 3
5. Epilepsy	{ M. 127 F. 91	{ 5 2	{ 10 4	{ 1 1	{ 4 7	{ 13 9	{ 17 5	{ 9 7	{ 12 9	{ 14 11	{ 7 7	{ 10 6	{ 7 6	{ 2 2	{ 5 4	{ 17 15
6. Convulsions	{ M. 773 F. 710	{ 530 426	{ 703 622	{ 17 21	{ 5 7	{ 6 7	{ 5 9	{ 3 4	{ 6 9	{ 3 5	{ 3 5	{ 5 1	{ 2 4	{ 2 2	{ 3 7	{ 10 7
7. Mental diseases	{ M. 101 F. 101	{ 1 1	{ 1 1	{ 1 1	{ 1 1	{ 4 1	{ 5 2	{ 4 5	{ 9 6	{ 7 7	{ 6 12	{ 8 8	{ 12 5	{ 6 10	{ 6 12	{ 34 32
8. Diseases of the brain	{ M. 699 F. 558	{ 143 117	{ 235 197	{ 14 9	{ 19 13	{ 9 13	{ 8 11	{ 11 11	{ 16 6	{ 12 16	{ 14 7	{ 19 14	{ 29 11	{ 31 25	{ 49 30	{ 233 195
9. Diseases of the spinal cord	{ M. 82 F. 51	{ 4 6	{ 6 11	{ 1 1	{ 1 1	{ 2 2	{ 2 1	{ 1 1	{ 4 1	{ 5 2	{ 5 4	{ 8 3	{ 11 2	{ 3 6	{ 9 5	{ 26 14
10. Others of this class	{ M. 32 F. 35	{ 2 2	{ 3 2	{ 1 1	{ 1 1	{ 1 1	{ 1 3	{ 1 1	{ 2 2	{ 3 3	{ 2 2	{ 1 3	{ 3 1	{ 1 2	{ 3 3	{ 16 13
III.—Diseases of the circulatory system																
.....	3,769	374	431	64	71	76	53	66	68	108	136	156	211	245	329	1,755
Males	2,035	217	244	33	28	41	24	30	27	43	74	82	110	121	187	991
Females	1,734	157	187	31	43	35	29	36	41	65	62	74	101	124	142	764
1. Angina pectoris	{ M. 136 F. 83	{ 1 1	{ 1 1	{ 1 2	{ 2 1	{ 1 1	{ 1 1	{ 1 2	{ 1 4	{ 3 5	{ 6 3	{ 7 5	{ 3 4	{ 15 5	{ 16 4	{ 82 47
2. Aneurism	{ M. 26 F. 19	{ 1 1	{ 1 1	{ 1 1	{ 1 1	{ 1 1	{ 1 1	{ 1 1	{ 1 2	{ 1 3	{ 1 3	{ 2 1	{ 4 1	{ 1 1	{ 1 1	{ 17 8
3. Diseases of the heart	{ M. 1,707 F. 1,503	{ 82 55	{ 102 81	{ 32 27	{ 26 41	{ 41 33	{ 20 26	{ 23 32	{ 26 34	{ 39 56	{ 67 59	{ 72 66	{ 102 95	{ 106 117	{ 167 136	{ 879 700
4. Others of this class	{ M. 166 F. 129	{ 135 102	{ 142 106	{ 1 1	{ 1 1	{ 2 2	{ 4 2	{ 1 1	{ 1 1	{ 1 1	{ 1 1	{ 2 2	{ 1 1	{ 1 1	{ 3 1	{ 13 9

TABLE 18.—DEATHS IN THE RURAL PART OF NEW JERSEY FROM EACH SPECIFIED DISEASE AND CLASS OF DISEASES, WITH DISTINCTION OF AGE AND SEX, DURING THE 6 YEARS ENDING MAY 31, 1890—Continued.

WHITE—Continued.

CAUSE OF DEATH.	All ages.	Under 1 year.	Total under 5 years.	5 to 10	10 to 15	15 to 20	20 to 25	25 to 30	30 to 35	35 to 40	40 to 45	45 to 50	50 to 55	55 to 60	60 to 65	65 and over and un-known.
IV.—Diseases of the respiratory system.	6,697	1,319	2,653	323	125	129	126	120	138	149	163	159	212	224	333	1,843
Males	3,445	731	1,447	168	48	61	73	51	66	71	87	96	112	114	181	870
Females	3,252	588	1,206	155	77	68	53	69	72	78	76	63	100	110	152	973
1. Croup	{ M. 412 F. 332	{ 56 41	{ 313 234	{ 74 70	{ 12 17	{ 3 1	{ 2 1				{ 1 1		{ 2 2			{ 5 6
2. Laryngitis	{ M. 78 F. 76	{ 7 14	{ 36 42	{ 16 11	{ 2 3	{ 2 1	{ 3 2	{ 2 4	{ 2 3	{ 3 3		{ 2 3	{ 3 1		{ 1 1	{ 6 4
3. Bronchitis	{ M. 759 F. 774	{ 311 260	{ 441 382	{ 19 17	{ 4 6	{ 5 10	{ 5 3	{ 5 8	{ 3 7	{ 6 5	{ 5 8	{ 6 4	{ 11 14	{ 7 19	{ 29 28	{ 212 259
4. Pneumonia	{ M. 1,770 F. 1,643	{ 258 185	{ 509 415	{ 50 45	{ 24 43	{ 43 42	{ 52 38	{ 39 45	{ 50 49	{ 52 64	{ 69 55	{ 69 47	{ 87 67	{ 86 70	{ 120 102	{ 520 561
5. Pleurisy	{ M. 63 F. 61	{ 1 1	{ 6 4	{ 1 1	{ 1 2	{ 2 4	{ 1 2	{ 1 3	{ 3 3	{ 1 1		{ 4 1	{ 2 3	{ 2 2	{ 10 6	{ 29 30
6. Asthma	{ M. 46 F. 41	{ 4 1	{ 4 1	{ 1 1					{ 1 1	{ 1 1	{ 2 2	{ 3 1				{ 27 29
7. Others of this class	{ M. 317 F. 325	{ 94 87	{ 138 129	{ 8 11	{ 5 5	{ 6 9	{ 10 8	{ 3 7	{ 7 12	{ 7 4	{ 10 10	{ 12 10	{ 5 14	{ 16 12	{ 19 10	{ 71 84
V.—Diseases of the digestive system.	2,384	322	467	65	69	86	67	85	75	100	120	106	127	175	164	678
Males	1,195	190	266	33	38	39	28	28	34	45	50	55	60	88	85	346
Females	1,189	132	201	32	31	47	39	57	41	55	70	51	67	87	79	332
1. Dentition	{ M. 59 F. 46	{ 34 25	{ 59 46													
2. Angina	{ M. 21 F. 29	{ 4 5	{ 12 11	{ 5 6	{ 2 3	{ 1 2		{ 1 1								{ 1 1
3. Diseases of the stomach	{ M. 217 F. 239	{ 25 26	{ 37 44	{ 3 8	{ 2 2	{ 2 5	{ 4 3	{ 5 10	{ 2 3	{ 10 14	{ 12 10	{ 7 4	{ 12 8	{ 13 14	{ 12 13	{ 91 101
4. Obstruction of the bowels	{ M. 80 F. 98	{ 16 11	{ 19 15		{ 2 4	{ 7 2	{ 2 4	{ 4 4	{ 2 5	{ 5 3	{ 2 4	{ 4 5	{ 5 7	{ 4 8	{ 4 11	{ 20 21
5. Hernia	{ M. 53 F. 46	{ 8 1	{ 8 1			{ 1 1	{ 2 2		{ 3 1	{ 3 3		{ 3 5	{ 4 3	{ 7 3	{ 3 6	{ 19 20
6. Other diseases of the bowels	{ M. 16 F. 11	{ 4 2	{ 5 2			{ 1 1				{ 1 1						{ 7 3
7. Jaundice	{ M. 48 F. 32	{ 27 15	{ 28 16	{ 1 1												{ 11 10
8. Inflammation and abscess of the liver	{ M. 69 F. 81	{ 1 3	{ 3 6	{ 3 1	{ 1 2	{ 1 1	{ 1 3	{ 2 3		{ 4 4	{ 3 12	{ 3 2	{ 6 9	{ 5 9	{ 4 8	{ 30 27
9. Other diseases of the liver	{ M. 285 F. 184	{ 7 8	{ 13 9	{ 5 1		{ 1 1	{ 2 2	{ 3 3	{ 8 4	{ 13 7	{ 19 13	{ 26 15	{ 22 19	{ 35 21	{ 38 23	{ 98 66
10. Peritonitis	{ M. 246 F. 329	{ 25 6	{ 38 14	{ 15 14	{ 25 17	{ 24 32	{ 12 27	{ 8 36	{ 13 23	{ 12 23	{ 9 20	{ 12 17	{ 10 15	{ 8 26	{ 14 9	{ 46 56
11. Ascites	{ M. 4 F. 10						{ 1 1				{ 1 1					{ 2 5
12. Others of this class	{ M. 97 F. 89	{ 39 31	{ 44 37	{ 1 2	{ 3 2	{ 2 3	{ 5 1	{ 2 3	{ 2 3	{ 1 3			{ 1 4	{ 4 3	{ 8 5	{ 22 22
VI.—Diseases of the urinary system and male organs of generation.	1,876	34	80	43	29	39	56	43	73	69	90	122	116	140	176	800
Males	1,173	22	42	23	19	17	25	24	30	28	53	68	69	92	110	573
Females	703	12	38	20	10	22	31	19	43	41	37	54	47	48	66	227
1. Bright's disease	{ M. 598 F. 400			{ 8 7	{ 11 8	{ 11 9	{ 17 16	{ 12 11	{ 23 23	{ 16 25	{ 26 19	{ 45 36	{ 49 29	{ 61 29	{ 57 41	{ 252 142
2. Calculus, urinary	{ M. 4 F. 2	{ 1 1	{ 1 1													{ 4 4
3. Diseases of the kidney	{ M. 289 F. 219	{ 19 10	{ 39 34	{ 13 9	{ 5 1	{ 3 8	{ 6 8	{ 7 6	{ 6 11	{ 9 11	{ 11 16	{ 15 11	{ 14 10	{ 17 16	{ 24 17	{ 120 61
4. Diseases of the bladder	{ M. 198 F. 24	{ 2 1	{ 2 1	{ 1 1		{ 1 2	{ 1 1	{ 3 1								{ 148 11
5. Others of this class	{ M. 84 F. 58	{ 1 1	{ 1 3	{ 1 4	{ 2 1	{ 2 3	{ 1 2	{ 2 2	{ 1 4	{ 1 3	{ 5 3	{ 4 5	{ 3 5	{ 4 2	{ 8 5	{ 49 13
VII.—Diseases of the female organs of generation.	100	1	2			2	12	6	6	9	14	9	12	5	5	18
1. Ovarian tumors	27						3			2	6	3	3	4	1	5
2. Ovarian diseases	4										1					3
3. Uterine tumors	12									1	1	1	2		2	4
4. Uterine diseases	35						9	2	5		4	4	3	1	2	5
5. Others of this class	22	1	2			2		4		6	2	1	4			1
VIII.—Affections connected with pregnancy.	343				1	26	80	74	64	64	21	3	1	2		7
1. Abortion	11					1	1	1	4	3	1					3
2. Childbirth	69					7	4	15	20	15	5					3
3. Puerperal septicæmia	241				1	16	65	56	38	44	14	2		2		8
4. Extra-uterine pregnancy																3
5. Others of this class	22					2	10	2	2	2	1	1	1			1

TABLE 18.—DEATHS IN THE RURAL PART OF NEW JERSEY FROM EACH SPECIFIED DISEASE AND CLASS OF DISEASES, WITH DISTINCTION OF AGE AND SEX, DURING THE 6 YEARS ENDING MAY 31, 1890—Continued.

WHITE—Continued.

CAUSE OF DEATH.	All ages.	Under 1 year.	Total under 5 years.	5 to 10	10 to 15	15 to 20	20 to 25	25 to 30	30 to 35	35 to 40	40 to 45	45 to 50	50 to 55	55 to 60	60 to 65	65 and over and unknown.
IX.—Diseases of the bones and joints	70	4	10	2	11	8	3	4	4	4	2	2	3	5	2	10
Males	33	1	4	2	7	4	2	2	1	2			2	2		5
Females	37	3	6		4	4	1	2	3	2	2	2	1	3	2	5
1. Diseases of the spine..... { M. 18		1	2	1	3	4	1	1	1	2			1	1		1
{ F. 25		3	5		3	3	1	1	2	2	1	1	1	2	1	2
2. Diseases of the bones..... { M. 10					3		1						1	1		4
{ F. 3			1											1		1
3. Diseases of the hip joint... { M. 4			1	1	1			1				1				1
{ F. 8				1	1	1		1	1		1	1		1		
4. Others of this class..... { M. 1			1													1
{ F. 1																
X.—Diseases of the skin	116	15	19	1	2	5	1	8	5	8	1	8	11	8	7	32
Males	65	9	12	1	1	3		5	2	2		4	4	6	5	20
Females	51	6	7		1	2	1	3	3	6	1	4	7	2	2	12
1. Abscess	43	4	7	1	1	3		4	1			2	3	5	3	13
{ M. 43		4	7	1	1	3		4	1			2	3	5	3	13
{ F. 32		4	5		1	2	1	2	2	5	1	2	3	1	2	5
2. Carbuncle	11								1	1		2	1	1	2	3
{ M. 11									1	1		2	1	1	2	3
{ F. 10												1	5	1	2	2
3. Others of this class..... { M. 11		5	5					1		1						4
{ F. 9		2	2						1	1						5
XI.—Diseases of the absorbent system ..	21		1	1	1		1	2	1		2	2	2		4	4
Males	12		1		1		1	1	1		1	2	1		1	2
Females	9			1				1			1	1	1		3	2
1. Addison's disease..... { M. 6							1		1		1	2	1			
{ F. 3								1					1		1	
2. Diseases of the spleen.... { M. 2								1								1
{ F. 3				1												2
3. Others of this class..... { M. 4			1		1										1	1
{ F. 3											1				2	
XII.—Accidents and injuries	2,647	174	322	104	114	139	230	216	159	183	157	157	155	105	139	467
Males	2,076	108	199	83	90	113	201	191	124	156	128	133	125	87	102	334
Females	571	66	123	21	24	26	29	25	25	27	29	24	30	18	37	133
1. Burns and scalds..... { M. 93		6	45	5	1	3	6	8	4	2	3	3	1	2	3	7
{ F. 69		1	24	8	4	2	4	1	3	2	3	1	2	2	4	11
2. Drowned..... { M. 416		3	28	44	50	38	44	42	21	26	21	22	16	11	9	44
{ F. 87		1	15	3	11	14	10	4	5	3	4	2	3	3	3	7
3. Exposure and neglect.... { M. 25		2	3			1				5	1	3		2	1	9
{ F. 5		1	1					1			1	1			2	2
4. Gunshot wounds..... { M. 58			1	4	6	6	7	8	2	6	8	1	2	2	1	4
{ F. 8			2					1	2	1	1				1	1
5. Homicide..... { M. 22			1		2	2	1	3	2	3		2		3		3
{ F. 13			1			1	2	1		1		1	1	4		1
6. Infanticide..... { M. 1		1	1													
{ F. 1																
7. Injuries by machinery.... { M. 3							1	1								1
{ F. 3																
8. Railroad accidents..... { M. 484		3	7	7	13	33	71	68	41	50	25	33	31	13	23	69
{ F. 39			4	2	3	2	2	5	3	2	2	3	1	1	2	7
9. Suffocation..... { M. 102		60	66	1	1	2	4	3	1	1		2	3	1	7	10
{ F. 53		39	42	1	1		1				1		1	1	1	5
10. Suicide by shooting..... { M. 58						2	6	5	3	7	4	2	6	4	7	7
{ F. 5						1	1	1			1	1			1	1
11. Suicide by drowning..... { M. 8										2	1			1		4
{ F. 6							1	1	1	1				2		
12. Suicide by poison..... { M. 38			1	1		1		4	4	2		6	6	2	4	5
{ F. 10							2		1	3		2	2	1	1	
13. Other suicides..... { M. 117						3	6	5	5	4	11	15	13	13	10	32
{ F. 27						1	2	1	3	1	5	1	7	1	3	2
14. Sunstroke..... { M. 29		3	4	1												3
{ F. 8		1	1	2	1			3	4	3	2	1	6	2	1	2
15. Surgical operations..... { M. 4										1			1			2
{ F. 4										1	2					1
16. Wounds..... { M. 65		1	3		2	4	6	6	4	3	7	8	4	2	4	12
{ F. 9		1	3			1						1	1		3	3
17. Other accidents and injuries. { M. 554		30	40	20	15	18	46	34	39	42	44	30	42	29	33	122
{ F. 227		21	29	5	4	4	4	9	7	15	8	13	13	10	16	30

TABLE 18.—DEATHS IN THE RURAL PART OF NEW JERSEY FROM EACH SPECIFIED DISEASE AND CLASS OF DISEASES, WITH DISTINCTION OF AGE AND SEX, DURING THE 6 YEARS ENDING MAY 31, 1890—Continued.

COLORED—Continued.

CAUSE OF DEATH.	All ages.	Under 1 year.	Total under 5 years.	5 to 10	10 to 15	15 to 20	20 to 25	25 to 30	30 to 35	35 to 40	40 to 45	45 to 50	50 to 55	55 to 60	60 to 65	65 and over and un-known.
IX.—Diseases of the bones and joints.....	3			1			1					1				
Males.....	3			1			1					1				
Females.....																
1. Diseases of the spine..... { M.....	1			1												
{ F.....																
2. Diseases of the bones..... { M.....	2						1					1				
{ F.....																
3. Diseases of the hip joint..... { M.....																
{ F.....																
4. Others of this class..... { M.....																
{ F.....																
X.—Diseases of the skin.....	1							1								
Males.....	1							1								
Females.....																
1. Abscess..... { M.....	1							1								
{ F.....																
2. Carbuncle..... { M.....																
{ F.....																
3. Others of this class..... { M.....																
{ F.....																
XI.—Diseases of the absorbent system.....	1		1													
Males.....	1		1													
Females.....																
1. Addison's disease..... { M.....	1		1													
{ F.....																
2. Diseases of the spleen..... { M.....																
{ F.....																
3. Others of this class..... { M.....																
{ F.....																
XII.—Accidents and injuries.....	94	17	20	6	7	9	7	4	2	6	5	3	1	2	6	16
Males.....	65	11	12	5	6	7	6	3	2	2	3	2	1		4	12
Females.....	29	6	8	1	1	2	1	1		4	2	1		2	2	4
1. Burns and scalds..... { M.....	2		1												1	1
{ F.....	5			1		1				2						
2. Drowned..... { M.....	16			4	2	4	3	1								2
{ F.....	1		1													
3. Exposure and neglect..... { M.....	1															1
{ F.....																
4. Gunshot wounds..... { M.....	1				1											
{ F.....																
5. Homicide..... { M.....	4				1	1			1							1
{ F.....	1															1
6. Infanticide..... { M.....	1	1	1													
{ F.....																
7. Injuries by machinery..... { M.....																
{ F.....																
8. Railroad accidents..... { M.....	12				2		1	2			2	1	1			3
{ F.....	3		1				1			1						
9. Suffocation..... { M.....	6	3	3												2	1
{ F.....	4	4	4													
10. Suicide by shooting..... { M.....	1					1										
{ F.....																
11. Suicide by drowning..... { M.....																
{ F.....																
12. Suicide by poison..... { M.....																
{ F.....	1					1										
13. Other suicides..... { M.....																
{ F.....																
14. Sunstroke..... { M.....																
{ F.....																
15. Surgical operations..... { M.....																
{ F.....																
16. Wounds..... { M.....	2			1		1										
{ F.....																
17. Other accidents and injuries..... { M.....	19	7	7				2		1	2	1	1			1	4
{ F.....	14	2	2		1			1		1	2	1		2	2	2

TABLE 18.—DEATHS IN THE RURAL PART OF NEW JERSEY FROM EACH SPECIFIED DISEASE AND CLASS OF DISEASES, WITH DISTINCTION OF AGE AND SEX, DURING THE 6 YEARS ENDING MAY 31, 1890—Continued.

BIRTHPLACE OF MOTHERS—UNITED STATES.

CAUSE OF DEATH.	All ages.	Under 1 year.	Total under 5 years.	5 to 10	10 to 15	15 to 20	20 to 25	25 to 30	30 to 35	35 to 40	40 to 45	45 to 50	50 to 55	55 to 60	60 to 65	65 and over and unknown.
All causes.....	44,333	11,898	16,569	1,489	1,035	1,324	1,588	1,421	1,245	1,266	1,257	1,279	1,364	1,444	1,878	11,224
Males.....	23,260	6,865	9,273	734	492	608	780	644	592	585	619	651	699	744	1,004	5,855
Females.....	21,073	5,033	7,296	705	543	716	808	777	653	681	638	628	665	700	874	5,369
Unknown causes.....	195	71	85	2	4	2	2	4	3	8	4	4	9	1	15	52
Males.....	100	32	38	1	2	2	2	3	1	1	1	3	7	1	11	30
Females.....	95	39	47	1	2	2	2	1	2	7	3	1	2	1	4	22
I.—General diseases:																
General diseases—A.....	8,334	2,765	4,587	710	388	332	244	183	181	134	144	139	130	134	147	931
Males.....	4,370	1,550	2,438	374	170	159	122	95	82	65	71	47	74	63	64	496
Females.....	3,964	1,215	2,099	336	218	173	122	88	49	69	73	92	56	71	83	435
1. Smallpox.....	{ M. 5 F. 2	{ 1 2	{ 2 2				2					1				
2. Measles.....	{ M. 61 F. 66	{ 17 5	{ 44 36	7 9	2 5	2 5	1 1	1 2	2 1	2 2	2 2			2		2
3. Scarlet fever.....	{ M. 264 F. 240	{ 22 14	{ 150 131	71 55	28 28	6 10	2 6	1 3		2 3	1 1		1	1		1
4. Diphtheria.....	{ M. 614 F. 605	{ 46 34	{ 317 269	177 180	66 100	30 31	9 8	5 2	3 1	3 3	1 1		4	3		3 4
5. Whooping cough.....	{ M. 159 F. 202	{ 99 108	{ 151 185	7 11	4				1			1				1
6. Fever.....	{ M. 1 F. 1		{ 1			1										
7. Cerebro-spinal fever.....	{ M. 101 F. 73	{ 23 15	{ 40 34	12 10	6 6	7 2	5 2		3 2	4 2	2 2	3 5	5 3	3 3	2 2	9 1
8. Typhoid fever.....	{ M. 585 F. 472	{ 8 6	{ 40 25	36 13	23 43	78 86	79 64	53 41	50 18	23 28	26 24	19 23	27 13	18 15	18 22	85 57
9. Diarrheal diseases.....	{ M. 1,014 F. 969	{ 384 307	{ 579 491	43 36	21 18	8 22	12 15	14 14	6 7	13 8	25 20	12 28	21 23	25 25	25 34	210 228
10. Cholera infantum.....	{ M. 1,059 F. 840	{ 873 675	{ 1,056 838													3 2
11. Malarial fever.....	{ M. 241 F. 261	{ 35 15	{ 59 43	12 15	13 9	16 13	9 10	11 15	11 11	12 14	7 12	6 15	8 5	5 18	7 9	65 72
12. Erysipelas.....	{ M. 90 F. 70	{ 25 15	{ 29 17	2 1	1 2	4 1	2 3	2 2	1 2	3 1	1 5	2 4	4 2	4 4	3	35 23
13. Septicæmia.....	{ M. 80 F. 92	{ 9 6	{ 11 12	4 4	4 2	5 3	1 8	3 9	4 3	2 10	6 7	1 7	7 5	2 4	7 5	23 13
14. Venereal diseases.....	{ M. 9 F. 18	{ 5 10	{ 5 11				4	1		1	1	1		1		1
15. Others of this group.....	{ M. 87 F. 53	{ 3 3	{ 5 4	3 2	1 1	2	2		1 1		1 1	3 2	1 2	4 2	5 8	61 30
General diseases—B.....	584	369	400	12	3	2	13	6	9	16	12	21	13	15	10	52
Males.....	373	234	251	8	1	1	5	4	8	11	12	16	9	9	9	29
Females.....	211	135	149	4	2	1	8	2	1	5	5	5	4	6	1	23
1. Parasitic diseases.....	{ M. 3 F. 3		{ 1	1	1											
2. Alcoholism.....	{ M. 68 F. 11	{ 2 1	{ 3 1				2	4	7	8	12	11	7	8	4	2 1
3. Lead poison.....	{ M. 1 F. 1															
4. Other poisons.....	{ M. 51 F. 31	{ 15 3	{ 21 9	4 1	2	1	1	6	2	1	3	5	1	1	3	10 5
5. Inanition.....	{ M. 251 F. 169	{ 217 131	{ 226 139	3			2	1		1	1	2	1	5	2	17 17
General diseases—C.....	6,881	4,740	4,904	22	17	14	14	9	9	16	10	20	24	21	63	1,733
Males.....	3,863	2,844	2,935	6	6	5	4	4	4	6	5	8	12	8	34	826
Females.....	3,018	1,896	1,969	16	11	9	10	5	5	10	5	12	12	13	29	912
1. Premature birth.....	{ M. 438 F. 317	{ 438 317	{ 438 317													
2. Stillborn.....	{ M. 1,791 F. 1,103	{ 1,791 1,103	{ 1,791 1,103													
3. Malformation.....	{ M. 30 F. 37	{ 23 29	{ 29 30	4	1							1				2
4. Debility and atrophy.....	{ M. 1,145 F. 997	{ 537 447	{ 677 519	6 12	6 10	5 9	4 10	4 5	4 5	6 10	5 5	8 12	11 12	8 13	31 28	370 347
5. Old age.....	{ M. 459 F. 564														3 1	456 563

TABLE 18.—DEATHS IN THE RURAL PART OF NEW JERSEY FROM EACH SPECIFIED DISEASE AND CLASS OF DISEASES, WITH DISTINCTION OF AGE AND SEX, DURING THE 6 YEARS ENDING MAY 31, 1890—Continued.

BIRTHPLACE OF MOTHERS—UNITED STATES—Continued.

CAUSE OF DEATH.	All ages.	Under 1 year.	Total under 5 years.	5 to 10	10 to 15	15 to 20	20 to 25	25 to 30	30 to 35	35 to 40	40 to 45	45 to 50	50 to 55	55 to 60	60 to 65	65 and over and un-known.
I.—General diseases—Continued.																
General diseases—D.....	7,718	405	712	121	158	457	736	707	583	528	478	452	439	392	440	1,510
Males.....	3,486	213	367	56	62	163	324	301	250	234	211	202	191	177	225	723
Females.....	4,227	192	345	65	96	294	412	406	333	294	267	250	248	215	215	787
1. Rheumatism.....	{ M. 110 F. 95	{ 2 2	{ 6 2	{ 5 4	{ 11 6	{ 6 7	{ 3 3	{ 3 4	{ 3 4	{ 7 5	{ 4 1	{ 4 3	{ 6 4	{ 8 6	{ 13 2	{ 31 44
2. Scrofula and tabes.....	{ M. 70 F. 68	{ 27 30	{ 37 40	{ 3 2	{ 5 4	{ 1 2	{ 4 1	{ 2 3	{ 2 2	{ 1 1	{ 3 5	{ 1 1	{ 1 1	{ 5 2	{ 2 2	{ 8 4
3. Leprosy.....	{ M. F.															
4. Consumption.....	{ M. 2,345 F. 2,720	{ 68 55	{ 118 110	{ 23 34	{ 35 68	{ 134 266	{ 302 396	{ 283 369	{ 226 295	{ 202 238	{ 181 179	{ 160 164	{ 136 123	{ 105 87	{ 129 93	{ 311 298
5. Hydrocephalus.....	{ M. 209 F. 173	{ 99 80	{ 169 146	{ 13 11	{ 5 5	{ 3 2	{ 2 2	{ 2 2	{ 1 1	{ 2 2		{ 1 3	{ 3 3	{ 2 1		{ 8 3
6. Cancer.....	{ M. 367 F. 626	{ 1 1	{ 4 5	{ 1 1		{ 2 1	{ 5 4	{ 3 7	{ 12 9	{ 9 23	{ 18 57	{ 22 61	{ 28 83	{ 34 78	{ 46 75	{ 183 222
7. Tumor.....	{ M. 25 F. 79	{ 1 3	{ 2 3	{ 1 1		{ 1 3	{ 3 5	{ 2 2	{ 1 2	{ 3 4	{ 4 4	{ 4 4	{ 2 10	{ 1 5	{ 5 11	{ 6 27
8. Anæmia.....	{ M. 36 F. 60	{ 4 8	{ 10 11	{ 1 2	{ 1 1	{ 2 8	{ 2 2	{ 1 2	{ 3 3		{ 1 3	{ 5 5	{ 1 2	{ 1 2	{ 3 2	{ 14 15
9. Dropsy.....	{ M. 226 F. 308	{ 8 7	{ 13 15	{ 7 5	{ 6 9	{ 4 5	{ 3 2	{ 5 8	{ 3 6	{ 3 13	{ 3 11	{ 4 14	{ 10 13	{ 10 23	{ 20 27	{ 135 157
10. Diabetes.....	{ M. 85 F. 77	{ 1 1	{ 3 3	{ 1 4	{ 3 3	{ 10 2	{ 3 1	{ 4 6	{ 4 9	{ 6 6	{ 2 5	{ 5 1	{ 4 7	{ 9 10	{ 9 4	{ 25 16
11. Others of this group.....	{ M. 13 F. 21	{ 2 6	{ 5 10	{ 1 2		{ 1 2	{ 2 2			{ 2 1				{ 1 1		{ 2 1
12. Others of this class.....	{ M. F.															
II.—Diseases of the nervous system.																
Males.....	6,851	1,527	2,339	118	111	100	82	87	111	126	128	164	208	245	335	2,647
Females.....	3,618	847	1,250	56	62	54	46	42	61	62	72	85	109	135	206	1,378
1. Inflammation of the brain.....	{ M. 518 F. 443	{ 190 149	{ 344 288	{ 30 29	{ 26 17	{ 9 12	{ 10 6	{ 10 12	{ 14 5	{ 4 11	{ 12 4	{ 7 7	{ 7 9	{ 8 8	{ 4 9	{ 33 31
2. Apoplexy.....	{ M. 729 F. 642	{ 4 2	{ 7 7	{ 2 1	{ 2 3	{ 3 3	{ 2 3	{ 5 3	{ 7 9	{ 18 10	{ 16 15	{ 25 26	{ 37 39	{ 56 41	{ 76 61	{ 473 420
3. Paralysis.....	{ M. 842 F. 846	{ 8 13	{ 19 24	{ 4 5	{ 3 7	{ 6 4	{ 3 6	{ 3 11	{ 7 10	{ 10 9	{ 10 12	{ 17 17	{ 17 23	{ 27 33	{ 40 32	{ 73 69
4. Tetanus and trismus nascentium.....	{ M. 93 F. 56	{ 41 36	{ 46 40	{ 4 1	{ 7 1	{ 8 2	{ 4 1	{ 1 1	{ 2 4	{ 1 1	{ 1 1	{ 6 2	{ 4 1	{ 1 1	{ 3 3	{ 5 4
5. Epilepsy.....	{ M. 87 F. 57	{ 6 2	{ 10 4		{ 2 5	{ 10 5	{ 10 3	{ 5 5	{ 8 5	{ 12 7	{ 4 3	{ 8 4	{ 3 2	{ 1 3	{ 3 3	{ 11 10
6. Convulsions.....	{ M. 660 F. 606	{ 461 363	{ 607 531	{ 9 16	{ 3 7	{ 6 7	{ 5 7	{ 3 7	{ 4 9	{ 2 3	{ 2 4	{ 3 1	{ 3 4		{ 3 5	{ 10 6
7. Mental diseases.....	{ M. 32 F. 42					{ 1 1	{ 2 1	{ 2 1	{ 2 3	{ 2 4	{ 3 6	{ 2 2	{ 2 3		{ 4 3	{ 14 15
8. Diseases of the brain.....	{ M. 576 F. 473	{ 132 108	{ 209 184	{ 7 8	{ 19 9	{ 9 10	{ 8 7	{ 8 7	{ 12 5	{ 9 13	{ 12 5	{ 14 8	{ 19 7	{ 18 20	{ 34 24	{ 198 166
9. Diseases of the spinal cord.....	{ M. 54 F. 40	{ 3 5	{ 5 9			{ 2 2	{ 1 1	{ 1 1	{ 2 2	{ 2 1	{ 5 2	{ 2 3	{ 6 2	{ 2 3	{ 4 5	{ 22 13
10. Others of this class.....	{ M. 26 F. 23	{ 2 2	{ 3 2				{ 1 2	{ 1 2		{ 2 1		{ 1 3		{ 2 2		{ 14 10
III.—Diseases of the circulatory system.																
Males.....	2,924	326	377	54	60	59	44	54	51	69	105	112	144	181	236	1,378
Females.....	1,580	190	216	27	22	32	18	22	22	30	51	63	80	93	130	774
1. Angina pectoris.....	{ M. 111 F. 66			{ 1 2	{ 2 1			{ 1 2		{ 3 4	{ 5 2	{ 3 5	{ 1 2	{ 12 3	{ 14 2	{ 69 41
2. Aneurism.....	{ M. 19 F. 10								{ 1 1	{ 1 1	{ 1 1	{ 3 1	{ 4 1		{ 1 1	{ 8 5
3. Diseases of the heart.....	{ M. 1,310 F. 1,163	{ 76 54	{ 96 77	{ 26 23	{ 20 37	{ 32 25	{ 16 23	{ 21 28	{ 21 24	{ 26 36	{ 44 52	{ 56 41	{ 75 60	{ 81 84	{ 112 102	{ 684 550
4. Others of this class.....	{ M. 140 F. 106	{ 114 82	{ 120 84	{ 1 1	{ 1 1	{ 2 2	{ 2 1	{ 1 1		{ 1 1		{ 1 2		{ 1 1		{ 13 8

TABLE 18.—DEATHS IN THE RURAL PART OF NEW JERSEY FROM EACH SPECIFIED DISEASE AND CLASS OF DISEASES, WITH DISTINCTION OF AGE AND SEX, DURING THE 6 YEARS ENDING MAY 31, 1890—Continued.

BIRTHPLACE OF MOTHERS—UNITED STATES—Continued.

CAUSE OF DEATH.	All ages.	Under 1 year.	Total under 5 years.	5 to 10	10 to 15	15 to 20	20 to 25	25 to 30	30 to 35	35 to 40	40 to 45	45 to 50	50 to 55	55 to 60	60 to 65	65 and over and unknown.
IV.—Diseases of the respiratory system..	5,405	1,205	2,378	272	116	104	95	84	100	103	110	105	144	156	231	1,407
Males.....	2,726	657	1,270	138	45	50	53	34	46	53	56	61	71	73	114	662
Females.....	2,679	548	1,108	134	71	54	42	50	54	50	54	44	73	83	117	745
1. Croup.....	{ M. 316 F. 267	{ 50 37	{ 242 188	{ 57 60	{ 9 13	{ 1 1	{ 1 1						{ 2 1	{ 1 1	{ 1 1	{ 4 3
2. Laryngitis.....	{ M. 59 F. 66	{ 6 13	{ 26 34	{ 13 11	{ 3 3	{ 1 1	{ 1 2	{ 1 2	{ 2 2			{ 2 1	{ 2 1		{ 1 1	{ 5 4
3. Bronchitis.....	{ M. 614 F. 662	{ 273 231	{ 393 354	{ 17 19	{ 5 6	{ 5 11	{ 4 3	{ 4 11	{ 1 7	{ 5 3	{ 2 5	{ 4 3	{ 7 9	{ 5 14	{ 18 24	{ 144 193
4. Pneumonia.....	{ M. 1,389 F. 1,330	{ 234 180	{ 463 397	{ 41 36	{ 23 23	{ 35 29	{ 40 28	{ 26 30	{ 35 38	{ 39 42	{ 45 38	{ 41 32	{ 53 50	{ 54 51	{ 77 75	{ 417 442
5. Pleurisy.....	{ M. 51 F. 50	{ 1 1	{ 6 5	{ 1 2	{ 1 4	{ 2 4	{ 1 1		{ 3 2	{ 1 2		{ 2 3	{ 2 3	{ 1 1	{ 9 5	{ 22 25
6. Asthma.....	{ M. 31 F. 28	{ 4 4	{ 5 5		{ 1 1			{ 1 1	{ 1 1	{ 1 1	{ 1 1	{ 3 1	{ 1 2	{ 2 5	{ 1 3	{ 15 15
7. Others of this class.....	{ M. 266 F. 276	{ 89 86	{ 135 130	{ 9 8	{ 4 4	{ 6 8	{ 6 8	{ 2 5	{ 4 7	{ 5 3	{ 8 8	{ 9 7	{ 4 7	{ 11 10	{ 8 8	{ 55 63
V.—Diseases of the digestive system.....	1,833	279	409	55	55	75	55	59	52	71	81	70	78	113	127	533
Males.....	911	167	236	28	29	32	20	19	25	28	32	39	34	59	67	263
Females.....	922	112	173	27	26	43	35	40	27	43	49	31	44	54	60	270
1. Dentition.....	{ M. 45 F. 32	{ 25 16	{ 45 32													
2. Angina.....	{ M. 15 F. 25	{ 3 4	{ 9 9	{ 4 6	{ 2 3		{ 1 1									{ 1 1
3. Diseases of the stomach.....	{ M. 160 F. 202	{ 23 22	{ 32 40	{ 2 7	{ 2 1	{ 2 4	{ 3 2	{ 4 10	{ 1 3	{ 6 11	{ 8 9	{ 5 4	{ 6 6	{ 14 8	{ 9 12	{ 66 85
4. Obstruction of the bowels.....	{ M. 61 F. 69	{ 15 12	{ 20 16		{ 2 3	{ 6 2	{ 2 3	{ 2 4	{ 2 4	{ 4 1	{ 2 3	{ 2 3	{ 2 4	{ 2 3	{ 3 7	{ 12 16
5. Hernia.....	{ M. 38 F. 32	{ 9 9	{ 9 9			{ 1 1	{ 1 1	{ 1 1	{ 2 1	{ 3 3		{ 2 2	{ 3 3	{ 4 1	{ 1 4	{ 14 16
6. Other diseases of the bowels.....	{ M. 12 F. 9	{ 3 2	{ 4 2		{ 1 1						{ 1 1	{ 2 2				{ 6 3
7. Jaundice.....	{ M. 33 F. 23	{ 22 14	{ 23 15	{ 1 1	{ 1 1			{ 2 2			{ 1 1				{ 2 2	{ 8 8
8. Inflammation and abscess of the liver.....	{ M. 45 F. 62	{ 1 3	{ 2 5	{ 2 1		{ 1 2		{ 2 3	{ 4 1	{ 1 1	{ 1 7	{ 2 6	{ 3 6	{ 3 6	{ 3 7	{ 21 24
9. Other diseases of the liver.....	{ M. 210 F. 121	{ 7 8	{ 14 10	{ 5 1	{ 1 1	{ 1 1	{ 2 1	{ 2 1	{ 5 3	{ 8 3	{ 8 7	{ 19 7	{ 13 12	{ 22 16	{ 29 16	{ 81 47
10. Peritonitis.....	{ M. 205 F. 261	{ 26 6	{ 39 13	{ 14 11	{ 13 14	{ 20 30	{ 8 27	{ 4 21	{ 9 16	{ 9 21	{ 10 14	{ 9 12	{ 6 10	{ 4 17	{ 15 7	{ 40 48
11. Ascites.....	{ M. 5 F. 8		{ 1 1			{ 2 2					{ 1 1					{ 2 4
12. Others of this class.....	{ M. 77 F. 73	{ 33 25	{ 38 30		{ 3 2	{ 1 2	{ 4 1	{ 2 2	{ 2 2		{ 1 3		{ 1 2	{ 4 5	{ 7 5	{ 13 18
VI.—Diseases of the urinary system and male organs of generation.....	1,418	29	63	38	18	32	36	36	47	47	65	84	74	106	129	643
Males.....	902	20	34	22	12	13	19	18	18	22	38	49	42	69	85	461
Females.....	516	9	29	16	6	19	17	18	29	25	27	35	32	37	44	182
1. Bright's disease.....	{ M. 457 F. 238			{ 8 7	{ 5 4	{ 9 8	{ 13 8	{ 9 10	{ 15 16	{ 13 16	{ 26 16	{ 35 24	{ 30 17	{ 46 23	{ 48 27	{ 200 112
2. Calculus, urinary.....	{ M. 3 F. 3															{ 3 3
3. Diseases of the kidney.....	{ M. 223 F. 156	{ 18 8	{ 32 26	{ 11 6	{ 5 1	{ 3 7	{ 4 2	{ 4 5	{ 3 9	{ 6 6	{ 3 9	{ 10 6	{ 9 8	{ 12 12	{ 16 10	{ 100 49
4. Diseases of the bladder.....	{ M. 154 F. 19	{ 1 1	{ 1 1	{ 1 1	{ 1 1	{ 1 1	{ 1 1	{ 3 1		{ 2 1		{ 2 1	{ 1 2	{ 2 2	{ 8 7	{ 118 10
5. Others of this class.....	{ M. 65 F. 53	{ 1 1	{ 1 3	{ 2 3	{ 1 1		{ 3 6	{ 2 2	{ 4 4		{ 3 2		{ 2 5	{ 3 2	{ 7 5	{ 40 11
VII.—Diseases of the female organs of generation.....	88	1	2			3	10	6	7	8	10	9	7	3	4	19
1. Ovarian tumors.....	25						3			2	5	3	3	2	1	6
2. Ovarian diseases.....	4								1		1					3
3. Uterine tumors.....	11								1		1		1		2	4
4. Uterine diseases.....	32						7	2	5	2	3	4	3	1	1	4
5. Others of this class.....	16	1	2			3		4		3	1	1				2
VIII.—Affections connected with pregnancy.....	265				1	25	63	61	46	41	16	3		2		7
1. Abortion.....	8					1	1	1	3	1	1					
2. Childbirth.....	49					5	2	11	13	12	3					3
3. Puerperal septicæmia.....	190				1	17	52	47	28	27	11	2		2		3
4. Extra-uterine pregnancy.....																
5. Others of this class.....	18					2	8	2	2	1	1	1				1

TABLE 18.—DEATHS IN THE RURAL PART OF NEW JERSEY FROM EACH SPECIFIED DISEASE AND CLASS OF DISEASES, WITH DISTINCTION OF AGE AND SEX, DURING THE 6 YEARS ENDING MAY 31, 1890—Continued.

BIRTHPLACE OF MOTHERS—UNITED STATES—Continued.

CAUSE OF DEATH.	All-ages.	Under 1 year.	Total under 5 years.	5 to 10	10 to 15	15 to 20	20 to 25	25 to 30	30 to 35	35 to 40	40 to 45	45 to 50	50 to 55	55 to 60	60 to 65	65 and over and un-known.
IX.—Diseases of the bones and joints.	54	4	10	3	7	4	4	3	3	2	2	2	2	5	2	5
Males	25	1	4	3	4	2	3	2	1	1	1	1	1	2	2	1
Females	29	3	6	2	3	2	1	1	2	1	1	1	1	3	2	4
1. Diseases of the spine..... {M	14	1	2	2	2	1	1	1	1	1	1	1	1	1	1	2
{F	20	3	5	1	3	1	1	1	1	1	1	1	1	2	1	2
2. Diseases of the bones..... {M	7	—	1	—	2	—	2	—	—	—	—	1	—	1	—	1
{F	3	—	—	—	—	—	—	—	—	—	—	—	—	—	1	1
3. Diseases of the hip joint.. {M	3	—	1	1	—	—	—	1	—	—	—	—	—	—	—	—
{F	5	—	—	—	—	1	—	1	1	—	—	—	—	1	—	—
4. Others of this class..... {M	1	—	1	—	—	—	—	—	—	—	—	—	—	—	—	1
{F	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
X.—Diseases of the skin.	88	12	16	1	2	4	1	7	4	5	1	5	6	6	6	24
Males	53	9	12	1	1	2	—	4	1	1	—	2	4	5	5	15
Females	35	3	4	1	1	2	1	3	3	4	1	3	2	1	1	9
1. Abscess	39	4	7	1	1	2	—	3	1	—	—	1	3	5	3	12
{M	23	2	3	—	1	2	1	2	2	3	1	3	1	1	1	3
{F	5	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
2. Carbuncle	5	—	—	—	—	—	—	1	—	—	—	1	1	1	2	1
{M	5	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
{F	5	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
3. Others of this class..... {M	9	5	5	—	—	—	—	1	—	1	—	—	—	—	—	2
{F	7	1	1	—	—	—	—	—	1	1	—	—	—	—	—	4
XI.—Diseases of the absorbent system.	19	—	2	1	1	—	1	2	1	—	1	2	2	—	3	3
Males	11	—	1	1	1	—	1	1	1	—	1	2	1	—	1	1
Females	8	—	1	—	—	—	—	1	—	—	—	—	1	—	2	2
1. Addison's disease..... {M	6	—	—	—	—	—	1	—	1	—	—	—	—	—	—	—
{F	3	—	1	—	—	—	—	—	—	—	—	—	1	—	—	—
2. Diseases of the spleen... {M	1	—	—	1	—	—	—	1	—	—	—	—	—	—	—	2
{F	3	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
3. Others of this class..... {M	4	—	1	—	1	—	—	—	—	—	—	—	—	—	1	1
{F	2	—	—	—	—	—	—	—	—	—	—	—	—	—	2	—
XII.—Accidents and injuries.	1,681	165	285	80	94	111	138	113	88	92	90	87	84	64	80	275
Males	1,242	101	171	64	75	93	115	95	72	71	69	73	64	51	53	176
Females	439	64	114	16	19	18	23	18	16	21	21	14	20	13	27	99
1. Burns and scalds..... {M	65	6	37	3	1	3	4	5	3	1	1	1	—	1	2	4
{F	53	—	19	7	3	3	3	1	1	2	1	1	1	—	2	9
2. Drowned	255	3	23	36	41	33	30	20	8	9	10	14	9	6	5	11
{M	52	—	13	2	7	6	7	2	4	3	2	2	2	1	1	2
{F	11	1	1	—	—	1	—	—	—	1	1	2	—	1	—	4
3. Exposure and neglect... {M	3	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1
{F	3	1	1	—	—	—	—	—	—	—	—	—	—	—	—	1
4. Gunshot wounds..... {M	41	—	1	2	5	5	6	7	2	4	6	—	1	—	—	2
{F	4	—	1	—	—	—	—	—	1	1	1	—	—	—	—	1
5. Homicide..... {M	15	—	—	—	3	3	—	2	1	1	—	—	1	—	—	2
{F	9	—	1	—	—	1	2	1	—	—	—	—	1	—	2	1
6. Infanticide..... {M	1	1	1	—	—	—	—	—	—	—	—	—	—	—	—	—
{F	1	1	1	—	—	—	—	—	—	—	—	—	—	—	—	—
7. Injuries by machinery... {M	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
{F	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
8. Railroad accidents..... {M	228	2	5	2	10	23	33	31	20	20	10	15	14	7	9	29
{F	25	—	4	1	3	1	2	3	3	1	1	2	1	1	1	2
9. Suffocation..... {M	83	54	60	1	1	1	2	2	—	1	—	1	2	—	4	8
{F	50	40	43	—	1	—	1	—	—	—	—	—	—	1	1	3
10. Suicide by shooting..... {M	32	—	—	—	—	2	5	3	5	3	4	1	2	3	3	1
{F	3	—	—	—	—	1	—	—	—	—	1	1	—	—	—	1
11. Suicide by drowning... {M	4	—	—	—	—	—	—	—	—	1	1	—	—	—	—	2
{F	4	—	—	—	—	—	1	1	—	—	—	—	—	—	1	—
12. Suicide by poison..... {M	17	—	1	—	—	1	—	—	3	—	2	1	5	—	2	2
{F	9	—	—	—	—	1	2	—	—	3	3	1	1	1	1	—
13. Other suicides..... {M	59	—	—	—	—	1	2	4	1	—	6	9	6	11	5	14
{F	21	—	—	—	—	1	2	2	—	—	4	1	6	8	3	2
14. Sunstroke..... {M	7	3	4	—	—	—	—	—	1	1	—	1	—	—	—	2
{F	3	1	1	2	1	—	—	—	—	—	—	—	—	1	—	—
15. Surgical operations... {M	2	—	—	—	—	—	—	—	—	1	2	—	—	—	—	2
{F	4	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1
16. Wounds..... {M	35	1	2	1	2	5	1	2	3	—	2	5	2	2	2	6
{F	6	1	3	—	—	—	—	—	—	—	—	1	1	—	—	2
17. Other accidents and inju- {M	387	30	36	19	12	15	32	19	25	29	27	22	23	18	21	89
{F	187	20	27	4	4	4	3	9	5	13	7	9	7	8	15	72

TABLE 18.—DEATHS IN THE RURAL PART OF NEW JERSEY FROM EACH SPECIFIED DISEASE AND CLASS OF DISEASES, WITH DISTINCTION OF AGE AND SEX, DURING THE 6 YEARS ENDING MAY 31, 1890—Continued.

BIRTHPLACE OF MOTHERS—ENGLAND AND WALES—Continued.

CAUSE OF DEATH.	All ages.	Under 1 year.	Total under 5 years.	5 to 10	10 to 15	15 to 20	20 to 25	25 to 30	30 to 35	35 to 40	40 to 45	45 to 50	50 to 55	55 to 60	60 to 65	65 and over and un-known.
IV.—Diseases of the respiratory system.	194	28	65	8	2	7	4	3	7	3	7	7	7	7	11	63
Males	115	16	39	5	1	3	2	2	4	1	6	6	5	7	7	34
Females	79	12	26	3	1	4	2	1	3	2	1	1	2	4	4	29
1. Croup	M 14 F 8	2	11	2	1	1										
2. Laryngitis	M 2 F 1		1	1			1									
3. Bronchitis	M 27 F 25	9	13	1							1	1		1	2	10
4. Pneumonia	M 54 F 36	5	13	1		2	2	2	3	2	5	4	5	4	4	15
5. Pleurisy	M 5 F 1											1				4
6. Asthma	M 1 F 2										1					1
7. Others of this class	M 12 F 6	2	2	1	1	1	1		1	1					2	4
V.—Diseases of the digestive system.	77	8	9	2	2	3	2	3	3	5	7	5	8	5	7	16
Males	40	6	6		1	3	1	1	1	3	3	4	4	3	4	9
Females	37	2	3	2	1	1	1	2	2	2	4	1	4	2	3	7
1. Dentition	M 2 F 1	2	2													
2. Angina	M 1 F 1						1									
3. Diseases of the stomach	M 6 F 5	1	1						1				1	1	1	3
4. Obstruction of the bowels	M 2 F 3					2					1		1		1	
5. Hernia	M 2 F 1										1					1
6. Other diseases of the bowels	M 1 F 1															
7. Jaundice	M 2 F 1	1	1												1	
8. Inflammation and abscess of the liver	M 3 F 2										1		1	1		1
9. Other diseases of the liver	M 14 F 12							1	1	1	1	1	2	3	2	4
10. Peritonitis	M 6 F 10			1	1	1	1	1	1	2	1	3	1			
11. Ascites	M 1 F 1															
12. Others of this class	M 3 F 2	2	2	1	1											
VI.—Diseases of the urinary system and male organs of generation.	75	1	1	1		1	1		1	2	3	1	6	3	13	37
Males	56	1	1	1			1			2	6	1	5	2	9	30
Females	19					1			1		2		1	1	4	7
1. Bright's disease	M 27 F 12						1				4	1	2		5	14
2. Calculus, urinary	M 1 F 1								1	1	1			1	1	6
3. Diseases of the kidney	M 16 F 5	1	1	1							2		3	1	1	7
4. Diseases of the bladder	M 9 F 1									1	1				3	6
5. Others of this class	M 4 F 4													1	1	3
VII.—Diseases of the female organs of generation.	3								1	1						1
1. Ovarian tumors																
2. Ovarian diseases	1										1					
3. Uterine tumors	1															
4. Uterine diseases	1															
5. Others of this class	1								1							
VIII.—Affections connected with pregnancy.	13					1	4		2	3	2		1			
1. Abortion	1									1						
2. Childbirth	4					1	1			2						
3. Puerperal septicæmia	6						2		2	2						
4. Extra-uterine pregnancy	4															
5. Others of this class	2						1						1			

STATISTICS OF DEATHS.

TABLE 18.—DEATHS IN THE RURAL PART OF NEW JERSEY FROM EACH SPECIFIED DISEASE AND CLASS OF DISEASES, WITH DISTINCTION OF AGE AND SEX, DURING THE 6 YEARS ENDING MAY 31, 1890—Continued.

BIRTHPLACE OF MOTHERS—ENGLAND AND WALES—Continued.

CAUSE OF DEATH.	All ages.	Under 1 year.	Total under 5 years.	5 to 10	10 to 15	15 to 20	20 to 25	25 to 30	30 to 35	35 to 40	40 to 45	45 to 50	50 to 55	55 to 60	60 to 65	65 and over and unknown.
IX.—Diseases of the bones and joints.....	1					1										
Males.....	1					1										
Females.....																
1. Diseases of the spine..... { M. 1						1										
{ F.																
2. Diseases of the bones..... { M.																
{ F.																
3. Diseases of the hip joint..... { M.																
{ F.																
4. Others of this class..... { M.																
{ F.																
X.—Diseases of the skin.....	3									1		1		1		
Males.....	1									1		1		1		
Females.....	2															
1. Abscess..... { M. 1														1		
{ F.																
2. Carbuncle..... { M. 1										1		1				
{ F.																
3. Others of this class..... { M.																
{ F.																
XI.—Diseases of the absorbent system.....																
Males.....																
Females.....																
1. Addison's disease..... { M.																
{ F.																
2. Diseases of the spleen..... { M.																
{ F.																
3. Others of this class..... { M.																
{ F.																
XII.—Accidents and injuries.....	78	4	7	1	6	2	6	7	2	3	6	7	5		7	19
Males.....	55	3	4	1	3	2	5	6	1	1	5	5	3		5	14
Females.....	23	1	3		3		1	1	1	2	1	2	2		2	5
1. Burns and scalds..... { M. 1				1												
{ F. 2			1										1			
2. Drowned..... { M. 15					2	1	2	1	1				1		2	5
{ F. 7			1		2		1	1	1						1	1
3. Exposure and neglect..... { M.																
{ F.																
4. Gunshot wounds..... { M. 1					1											
{ F.																
5. Homicide..... { M.												1				
{ F.																
6. Infanticide..... { M.																
{ F.																
7. Injuries by machinery..... { M. 1							1									
{ F.																
8. Railroad accidents..... { M. 10						1	1	1		1	2					4
{ F. 1																1
9. Suffocation..... { M. 3		1	1												1	1
{ F. 1		1	1													
10. Suicide by shooting..... { M.																
{ F.																
11. Suicide by drowning..... { M.															1	
{ F.																
12. Suicide by poison..... { M. 1												1				
{ F.																
13. Other suicides..... { M. 5											3		1		1	
{ F.																
14. Sunstroke..... { M.																
{ F.																
15. Surgical operations..... { M.																
{ F.																
16. Wounds..... { M. 3								2				1				
{ F.																
17. Other accidents and injuries. { M. 15		2	3				1	2				3	1		1	4
{ F. 10					1			1	2	2	1	1	1	1	1	3

TABLE 18.—DEATHS IN THE RURAL PART OF NEW JERSEY FROM EACH SPECIFIED DISEASE AND CLASS OF DISEASES, WITH DISTINCTION OF AGE AND SEX, DURING THE 6 YEARS ENDING MAY 31, 1890—Continued.

BIRTHPLACE OF MOTHERS—IRELAND—Continued.

CAUSE OF DEATH.	All ages.	Under 1 year.	Total under 5 years.	5 to 10	10 to 15	15 to 20	20 to 25	25 to 30	30 to 35	35 to 40	40 to 45	45 to 50	50 to 55	55 to 60	60 to 65	65 and over and un-known.
I.—General diseases—Continued.																
General diseases—D.....	1,000	19	41	9	13	81	118	120	78	87	78	71	55	57	59	133
Males.....	500	9	19	4	3	28	60	53	43	44	45	40	23	30	34	69
Females.....	500	10	22	5	10	53	58	67	35	43	33	31	27	27	25	64
1. Rheumatism.....	{ M.. 6 F.. 10					1					1			1		3
2. Scrofula and tabes.....	{ M.. 2 F.. 2		1			1									4	4
3. Leprosy.....	{ M.. F..															
4. Consumption.....	{ M.. 423 F.. 389	2 3	5 5	1 3	3 8	23 53	60 56	51 63	42 34	41 37	40 26	33 21	23 18	26 18	25 13	50 34
5. Hydrocephalus.....	{ M.. 14 F.. 17	5 6	9 14	2 1	1 1	1		1		1	1					
6. Cancer.....	{ M.. 31 F.. 57								1	1	4	3	2	2	8	10
7. Tumor.....	{ M.. 4 F.. 6	1	1				1	1	1	1	1	1	1	1	1	1
8. Anæmia.....	{ M.. 2 F.. 3		1	1								1	1			
9. Dropsy.....	{ M.. 13 F.. 15		1	1	1		1	1			1	2	1	1	1	5
10. Diabetes.....	{ M.. 4 F.. 1					2						1				1
11. Others of this group.....	{ M.. 1 F..	1	1													
12. Others of this class.....	{ M.. F..															
II.—Diseases of the nervous system.....																
	526	70	135	12	13	10	10	7	15	15	18	23	30	34	55	149
Males.....	243	30	58	8	6	5	3	5	6	8	11	9	16	9	26	73
Females.....	283	40	77	4	7	5	7	2	9	7	7	14	14	25	29	76
1. Inflammation of the brain.....	{ M.. 24 F.. 43	3 10	12 25	1 2	1 3	2	2	1	2	1	1	1	1	1	1	2
2. Apoplexy.....	{ M.. 61 F.. 84		1		1			1	3	5	3	1	6	14	12	30
3. Paralysis.....	{ M.. 35 F.. 50				1	1	1	1		2	2		2	2	3	23
4. Tetanus and trismus nascentium.....	{ M.. 11 F.. 6	2 2	2 3		3	2		1			1	1				1
5. Epilepsy.....	{ M.. 7 F.. 9		1		2	1						1		1	1	1
6. Convulsions.....	{ M.. 46 F.. 47	23 24	37 39	3			2			1	1	2		1	1	1
7. Mental diseases.....	{ M.. 14 F.. 8					1	1	1			1		5	1	1	3
8. Diseases of the brain.....	{ M.. 37 F.. 34	2 4	7 8	4	1	2	2	1		1	2	3	2	3	5	10
9. Diseases of the spinal cord.....	{ M.. 8 F.. 1						1		1	1				1	2	3
10. Others of this class.....	{ M.. F.. 1								1							
III.—Diseases of the circulatory system.....																
	314	25	31	4	5	12	5	9	6	17	7	19	23	33	39	104
Males.....	132	14	18	2	1	5	3	2	1	3	4	4	7	13	15	54
Females.....	182	11	13	2	4	7	2	7	5	14	3	15	16	20	24	50
1. Angina pectoris.....	{ M.. 5 F.. 6											1		2	1	1
2. Aneurism.....	{ M.. 3 F.. 4								1	2						3
3. Diseases of the heart.....	{ M.. 111 F.. 163	4 2	7 4	2 2	1 4	5 7	3 2	1 7	1 4	3 10	4 3	3 15	6 16	11 20	14 22	50 47
4. Others of this class.....	{ M.. 13 F.. 9	10 9	11 9					1					1			

TABLE 18.—DEATHS IN THE RURAL PART OF NEW JERSEY FROM EACH SPECIFIED DISEASE AND CLASS OF DISEASES, WITH DISTINCTION OF AGE AND SEX, DURING THE 6 YEARS ENDING MAY 31, 1890—Continued.

BIRTHPLACE OF MOTHERS—IRELAND—Continued.

CAUSE OF DEATH.	All ages.	Under 1 year.	Total under 5 years.	5 to 10	10 to 15	15 to 20	20 to 25	25 to 30	30 to 35	35 to 40	40 to 45	45 to 50	50 to 55	55 to 60	60 to 65	65 and over and un-known.
IX.—Diseases of the bones and joints...	8				1	2		1		1						3
Males.....	4				1	1										2
Females.....	4					1		1		1						1
1. Diseases of the spine.....	2					1										1
M.....	3					1		1		1						
F.....	2															
2. Diseases of the bones.....	2				1											1
M.....																
F.....	1															1
3. Diseases of the hip joint.....	1															
M.....																
F.....	1															1
4. Others of this class.....	1															
M.....																
F.....	1															
X.—Diseases of the skin.....	10	1	1			1		1		1		1	2	1		2
Males.....	6					1		1				1		1		2
Females.....	4	1	1							1			2			
1. Abscess.....	3					1		1				1				
M.....	1									1						
F.....	2															
2. Carbuncle.....	2													2	1	1
M.....	2															
F.....	2															
3. Others of this class.....	1															1
M.....	1															
F.....	1	1	1													
XI.—Diseases of the absorbent system.....																
Males.....																
Females.....																
1. Addison's disease.....																
M.....																
F.....																
2. Diseases of the spleen.....																
M.....																
F.....																
3. Others of this class.....																
M.....																
F.....																
XII.—Accidents and injuries.....	258	3	10	12	9	14	37	24	18	27	18	17	20	8	17	27
Males.....	212	2	8	9	9	9	33	22	15	24	15	13	18	7	13	17
Females.....	46	1	2	3		5	4	2	3	3	3	4	2	1	4	10
1. Burns and scalds.....	6		3	1			1	1	1	1	1	1				1
M.....	5															
F.....	1		3	1			1	1	1	1	1	1				1
2. Drowned.....	43		1	5	5	3	4	4	6	7	1	2	2	2	1	1
M.....	8					3	2	2	3	4	1	1	2	1		
F.....	35		1	5	5		2	2	3	3		1	1	1	1	1
3. Exposure and neglect.....	4									2				1		1
M.....																
F.....	4									2				1		1
4. Gunshot wounds.....	6			1	1	1					1		1		1	
M.....																
F.....	6			1	1	1					1		1		1	
5. Homicide.....	3		1						1							1
M.....	3								1							
F.....	3		1													1
6. Infanticide.....																
M.....																
F.....																
7. Injuries by machinery.....	1															1
M.....	1															
F.....																1
8. Railroad accidents.....	63			1	2	4	17	10	3	8	2	3	4	1	5	3
M.....	5			1		1	1	1	3	1				1	1	
F.....	58				2	3	16	9		7	2	3	4		4	3
9. Suffocation.....	9	2	2	1		1	2	1					1		2	1
M.....	4	1	1	1									1			
F.....	5	1	1			1	2	1						1	2	1
10. Suicide by shooting.....	1													1		
M.....	1													1		
F.....																
11. Suicide by drowning.....																
M.....																
F.....																
12. Suicide by poison.....	3							1				1			1	
M.....																
F.....	3							1				1			1	
13. Other suicides.....	5						1			1			1		1	1
M.....																
F.....	5						1			1			1		1	1
14. Sunstroke.....	8						2	2				3				1
M.....																
F.....	8						2	2				3				1
15. Surgical operations.....																
M.....																
F.....																
16. Wounds.....	10					1	1	1	1	1	1	1	2			2
M.....	2															
F.....	8					1	1	1	1	1	1	1	2			2
17. Other accidents and injuries.....	50		1	1	1		6	2	4	5	10	2	7	2	3	6
M.....	19		1	1	1		1	1	2	5	10	2	2	1	3	8
F.....	31						5	1	2	5	10	2	5	1		

STATISTICS OF DEATHS.

865

TABLE 18.—DEATHS IN THE RURAL PART OF NEW JERSEY FROM EACH SPECIFIED DISEASE AND CLASS OF DISEASES, WITH DISTINCTION OF AGE AND SEX, DURING THE 6 YEARS ENDING MAY 31, 1890—Continued.

BIRTHPLACE OF MOTHERS—SCOTLAND—Continued.

CAUSE OF DEATH.	All ages.	Under 1 year.	Total under 5 years.	5 to 10	10 to 15	15 to 20	20 to 25	25 to 30	30 to 35	35 to 40	40 to 45	45 to 50	50 to 55	55 to 60	60 to 65	65 and over and unknown.
IX.—Diseases of the bones and joints.....	1												1			
Males.....	1												1			
Females.....																
1. Diseases of the spine..... { M																
{ F																
2. Diseases of the bones..... { M	1												1			
{ F																
3. Diseases of the hip joint..... { M																
{ F																
4. Others of this class..... { M																
{ F																
X.—Diseases of the skin.....																
Males.....																
Females.....																
1. Abscess..... { M																
{ F																
2. Carbuncle..... { M																
{ F																
3. Others of this class..... { M																
{ F																
XI.—Diseases of the absorbent system.....																
Males.....																
Females.....																
1. Addison's disease..... { M																
{ F																
2. Diseases of the spleen..... { M																
{ F																
3. Others of this class..... { M																
{ F																
XII.—Accidents and injuries.....	20			2	1	1		1	3	3	1		1	2		5
Males.....	13			2	1	1		1	2	3	1		1	2		3
Females.....	7								1							2
1. Burns and scalds..... { M	1				1						1					
{ F	2								1							
2. Drowned..... { M	2			1		1				1						1
{ F	2															
3. Exposure and neglect..... { M																1
{ F	1															
4. Gunshot wounds..... { M																
{ F																
5. Homicide..... { M																
{ F																
6. Infanticide..... { M																
{ F																
7. Injuries by machinery..... { M																
{ F																
8. Railroad accidents..... { M	1							1								
{ F																
9. Suffocation..... { M																
{ F																
10. Suicide by shooting..... { M	1															1
{ F																
11. Suicide by drowning..... { M																
{ F																
12. Suicide by poison..... { M	2			1										1		
{ F																
13. Other suicides..... { M	1									1						
{ F																
14. Sunstroke..... { M																
{ F																
15. Surgical operations..... { M																
{ F																
16. Wounds..... { M	1									1						
{ F																
17. Other accidents and injuries. { M	4								2					1		1
{ F	2												1			1

TABLE 18.—DEATHS IN THE RURAL PART OF NEW JERSEY FROM EACH SPECIFIED DISEASE AND CLASS OF DISEASES, WITH DISTINCTION OF AGE AND SEX, DURING THE 6 YEARS ENDING MAY 31, 1890—Continued.

BIRTPPLACE OF MOTHERS—GERMANY—Continued.

CAUSE OF DEATH.	All ages.	Under 1 year.	Total under 5 years.	5 to 10	10 to 15	15 to 20	20 to 25	25 to 30	30 to 35	35 to 40	40 to 45	45 to 50	50 to 55	55 to 60	60 to 65	65 and over and un-known.
IX.—Diseases of the bones and joints	3				1	1				1						
Males.....	1									1						
Females.....	2				1	1										
1. Diseases of the spine..... {M	1									1						
{F	1					1										
2. Diseases of the bones..... {M																
{F																
3. Diseases of the hip joint..... {M	1															
{F					1											
4. Others of this class..... {M																
{F																
X.—Diseases of the skin	6							1				1	1		1	2
Males.....	2							1				1				
Females.....	4												1		1	2
1. Abscess..... {M	1							1								
{F	2														1	1
2. Carbuncle..... {M	1										1					
{F	1											1				
3. Others of this class..... {M																
{F	1															1
XI.—Diseases of the absorbent system																
Males.....																
Females.....																
1. Addison's disease..... {M																
{F																
2. Diseases of the spleen..... {M																
{F																
3. Others of this class..... {M																
{F																
XII.—Accidents and injuries	217	10	23	10	7	8	13	27	13	18	16	16	13	11	14	28
Males.....	178	7	17	7	5	7	12	24	11	16	13	16	10	6	11	23
Females.....	39	3	6	3	2	1	1	3	2	2	3	3	3	5	3	5
1. Burns and scalds..... {M	10		2				1	1	1	1	1				1	1
{F	8	1	3	2											1	2
2. Drowned..... {M	32		3	4	2	3	1	5	3	2	2	3		2	1	1
{F	9		1	1	2	1		1		1	1		1	2		
3. Exposure and neglect..... {M	1	1	1													
{F																
4. Gunshot wounds..... {M	6			1						1	1	1				1
{F	3		1					1		1						
5. Homicide..... {M																
{F																
6. Infanticide..... {M																
{F																
7. Injuries by machinery..... {M	1							1								
{F																
8. Railroad accidents..... {M	41	1	2	2	1	3	3	7	2	3	2	6	3	1		6
{F	3		1													2
9. Suffocation..... {M	5	4	4													1
{F	2	1	1													1
10. Suicide by shooting..... {M	13					1		1	2	2			3		2	2
{F	1						1									
11. Suicide by drowning..... {M									1							
{F	1															
12. Suicide by poison..... {M	8							3		1		2	1	1		
{F	1												1			
13. Other suicides..... {M	18						3	1	1	2	1	2			2	6
{F	5							1	1	1			1	1		
14. Sunstroke..... {M	4						1	2			1					
{F																
15. Surgical operations..... {M	1									1						
{F																
16. Wounds..... {M	6		1				1	1			1				1	1
{F																
17. Other accidents and injuries..... {M	32	1	3		2		2	2	2	3	4	2	3	1	3	5
{F	6	1	1							1	1		2	2	2	

TABLE 19.

**DEATHS IN EACH COUNTY AND CITY IN NEW JERSEY FROM EACH SPECIFIED DISEASE
AND CLASS OF DISEASES, WITH DISTINCTION OF SEX, DURING
THE 6 YEARS ENDING MAY 31, 1890.**

TABLE 19.—DEATHS IN EACH COUNTY AND CITY IN NEW JERSEY FROM EACH SPECIFIED DISEASE

CAUSE OF DEATH.		Total.	Cities.	Rural.	Atlantic county.	Atlantic city.	Bergen county.	Burlington county.	Bordentown.	Burlington city.	Camden county.
1	All causes	163,493	105,260	58,233	1,461	1,501	4,160	4,209	578	1,037	2,371
2	Males	87,001	56,065	30,936	782	785	2,199	2,172	278	547	1,252
3	Females	76,492	49,195	27,297	679	716	1,961	2,037	300	490	1,119
4	Unknown causes	618	339	279	10	1	11	26	7	5	6
5	Males	844	183	161	4	4	12	3	4	5
6	Females	274	156	118	6	1	7	14	4	1	1
7	I.—General diseases: General diseases—A	32,027	21,416	10,611	282	267	843	822	91	187	472
8	Males	16,418	10,894	5,524	143	132	409	430	54	92	252
9	Females	15,609	10,522	5,087	139	135	434	392	37	95	220
10	1. Smallpox	{ M.. 12 F.. 6	{ 3 3	{ 9 3	{ 1	{	{	{ 1	{	{	{ 1
11	2. Measles	{ M.. 282 F.. 321	{ 202 235	{ 80 86	{ 6 9	{ 1 3	{ 9 15	{ 2	{	{ 1	{ 1 4
12	3. Scarlet fever	{ M.. 1,107 F.. 1,155	{ 769 840	{ 338 315	{ 3 4	{ 2 4	{ 32 31	{ 23 30	{ 1	{ 7 7	{ 11 9
13	4. Diphtheria	{ M.. 2,807 F.. 2,901	{ 2,040 2,116	{ 767 735	{ 14 13	{ 10 9	{ 64 66	{ 40 47	{ 6 3	{ 20 32	{ 24 32
14	5. Whooping cough	{ M.. 488 F.. 625	{ 301 395	{ 187 230	{ 2 3	{ 4 6	{ 10 22	{ 15 23	{ 2 3	{ 1 2	{ 11 19
15	6. Fever	{ M.. 6 F.. 5	{ 5 4	{ 1	{ 1	{	{	{	{ 1	{	{
16	7. Cerebro-spinal fever	{ M.. 330 F.. 266	{ 257 172	{ 123 94	{ 4 1	{ 8 5	{ 5 13	{ 13 10	{ 1 1	{ 4 1	{ 5 5
17	8. Typhoid fever	{ M.. 2,136 F.. 1,762	{ 1,432 1,178	{ 754 584	{ 13 16	{ 11 21	{ 47 42	{ 83 73	{ 7 4	{ 15 12	{ 48 38
18	9. Diarrheal diseases	{ M.. 3,707 F.. 3,642	{ 2,395 2,341	{ 1,312 1,301	{ 47 46	{ 45 46	{ 101 102	{ 82 86	{ 15 13	{ 23 20	{ 67 55
19	10. Cholera infantum	{ M.. 3,763 F.. 3,220	{ 2,482 2,179	{ 1,281 1,041	{ 32 31	{ 39 32	{ 82 87	{ 119 83	{ 12 5	{ 14 13	{ 58 45
20	11. Malarial fever	{ M.. 800 F.. 884	{ 473 537	{ 327 347	{ 3 11	{ 1 3	{ 43 34	{ 14 14	{ 7 4	{ 4 4	{ 8 3
21	12. Erysipelas	{ M.. 293 F.. 238	{ 179 149	{ 114 89	{ 4 2	{ 2 1	{ 6 3	{ 14 4	{ 1 2	{ 2	{ 2
22	13. Septicæmia	{ M.. 304 F.. 362	{ 195 247	{ 109 115	{ 3 2	{ 2 1	{ 6 8	{ 10 8	{	{ 1 3	{ 10 4
23	14. Venereal diseases	{ M.. 75 F.. 67	{ 60 42	{ 15 25	{	{ 6 3	{	{ 1 2	{	{ 1 1	{ 2
24	15. Others of this group	{ M.. 208 F.. 155	{ 101 84	{ 107 71	{ 5 1	{ 1 1	{ 4 6	{ 13 10	{	{	{ 6 4
25	General diseases—B	2,473	1,716	757	30	31	52	74	8	12	65
26	Males	1,460	982	478	19	13	30	45	4	6	48
27	Females	1,013	734	279	11	18	22	29	4	6	17
28	1. Parasitic diseases	{ M.. 3 F.. 4	{	{ 3	{	{	{	{	{	{	{
29	2. Alcoholism	{ M.. 333 F.. 85	{ 224 66	{ 109 19	{ 1	{ 3 4	{ 11 4	{ 13 3	{ 1	{ 2	{ 3 1
30	3. Lead poison	{ M.. 7 F.. 3	{ 7 1	{ 2	{	{	{	{	{	{	{
31	4. Other poisons	{ M.. 139 F.. 92	{ 76 51	{ 63 41	{ 2	{	{ 5 2	{ 2 5	{	{ 2 2	{ 4 1
32	5. Inanition	{ M.. 978 F.. 829	{ 675 612	{ 303 217	{ 16 9	{ 10 13	{ 14 16	{ 30 21	{ 3 4	{ 2 4	{ 41 15
33	General diseases—C	24,661	16,210	8,451	262	249	496	697	75	160	376
34	Males	13,451	8,754	4,697	147	132	273	371	42	90	207
35	Females	11,210	7,456	3,754	115	117	223	326	33	70	169
36	1. Premature birth	{ M.. 1,694 F.. 1,297	{ 1,199 941	{ 495 356	{ 14 15	{ 16 17	{ 27 21	{ 40 27	{ 5	{ 5	{ 19 14
37	2. Stillborn	{ M.. 6,147 F.. 4,113	{ 4,064 2,800	{ 2,083 1,318	{ 54 38	{ 54 46	{ 103 72	{ 130 89	{ 16 12	{ 35 17	{ 94 58
38	3. Malformation	{ M.. 150 F.. 122	{ 107 76	{ 43 46	{ 1 2	{	{ 3 4	{ 8	{	{ 1	{ 2 1
39	4. Debility and atrophy	{ M.. 4,371 F.. 4,122	{ 2,945 2,874	{ 1,426 1,243	{ 43 41	{ 47 38	{ 98 84	{ 132 111	{ 12 9	{ 38 39	{ 74 76
40	5. Old age	{ M.. 1,089 F.. 1,561	{ 439 765	{ 650 786	{ 35 19	{ 15 16	{ 42 42	{ 61 97	{ 7 7	{ 12 13	{ 18 20

STATISTICS OF DEATHS.

AND CLASS OF DISEASES, WITH DISTINCTION OF SEX, DURING THE 6 YEARS ENDING MAY 31, 1890.

Camden city.	Gloucester city.	Cape May county.	Cumberland county.	Bridgeton.	Millville.	Essex county.	Newark.	Orange.	Gloucester county.	Hudson county.	Bayonne.	Harrison.	Hoboken.	Jersey city.	
7,266	780	1,072	1,935	1,092	1,029	4,073	25,671	2,331	2,954	3,931	2,194	1,236	6,227	24,128	1
3,784 3,482	435 345	579 493	1,019 916	566 526	541 488	2,134 1,939	13,942 11,729	1,251 1,080	1,568 1,386	2,249 1,682	1,202 992	650 536	3,429 2,798	12,792 11,356	2 3
15	-----	14	12	4	2	13	71	10	7	7	12	3	23	98	4
11 4	-----	9 5	6 6	3 1	1 1	6 7	39 32	4 6	6 1	6 1	7 5	1 2	13 15	49 49	5 6
1,362	129	172	329	181	204	681	5,187	450	543	751	514	269	1,346	5,156	7
700 662	62 67	83 89	182 147	87 94	100 104	357 324	2,627 2,560	220 230	279 264	421 330	268 246	138 131	681 665	2,645 2,511	8 9
-----	-----	-----	-----	1	-----	-----	2	-----	-----	5 3	-----	-----	-----	-----	10
7 12	1	2	2 3	2 2	2 2	8 5	45 50	3 5	-----	12 6	2 7	6	15 22	78 75	11
33 38	6 2	8 6	15 10	2 5	2 1	27 24	99 120	13 12	23 17	18 19	13 18	10 8	21 28	321 354	12
69 106	8 11	7 6	24 18	8 4	18 17	77 78	639 663	37 37	18 21	96 83	49 51	24 35	171 168	478 467	13
9 18	2 4	7 6	9 8	2 2	2 8	8 8	52 75	11 16	14 14	12 9	15 15	13 7	18 23	77 103	14
1	-----	-----	-----	-----	-----	-----	1	-----	-----	-----	-----	-----	-----	1	15
11 7	1 3	-----	1 3	1	-----	8 3	32 27	6 8	4 4	13 6	18 10	6	17 14	77 46	16
196 156	8 8	16 18	26 17	9 14	16 14	53 34	351 292	17 29	45 30	26 20	39 20	19 18	65 47	371 281	17
127 116	11 18	17 26	48 44	38 37	18 22	86 80	640 600	81 75	86 72	104 91	55 61	14 17	164 167	524 524	18
182 139	23 17	22 15	39 27	15 21	35 30	53 45	503 457	32 33	68 72	81 66	50 40	22 24	165 155	479 416	19
36 41	2 2	4 3	9 5	2 1	4 6	21 25	123 141	4 3	4 14	32 19	18 18	22 17	12 19	104 125	20
9 6	-----	1 1	3 4	3 3	2 2	5 6	47 40	2 4	2 7	7 2	5 4	-----	14 12	43 31	21
14 18	1	1	1 3	2	-----	4 9	59 68	8 3	8 9	6 2	4 1	2 1	12 9	52 64	22
1 1	-----	-----	1	4 1	1	2 1	10 7	1 1	1	4	-----	1	4 3	14 6	23
5 4	1	1 3	5 4	1 1	-----	5 6	24 20	5 4	6 1	5 4	-----	-----	3 3	26 17	24
260	24	10	16	19	7	34	428	39	40	34	15	23	68	304	25
147 113	12 12	8 2	8 8	13 6	3 4	20 14	251 177	21 18	24 16	25 9	4 11	12 11	42 26	173 181	26 27
1	-----	-----	-----	-----	-----	-----	1	-----	-----	-----	-----	-----	-----	1	28
16 4	4 1	2	1	1 1	1	4 1	47 6	6 1	3	7 2	1 1	1	12 6	56 26	29
-----	-----	-----	-----	-----	-----	-----	2 1	-----	-----	1	-----	-----	-----	2	30
8 6	2	2	2 2	2	1	1 2	22 8	1 1	3 2	1	1	-----	4 3	9 7	31
123 102	6 11	4 2	5 6	10 5	2 3	15 11	180 161	14 16	18 14	17 6	3 9	11 11	26 17	106 97	32
1,230	115	179	332	192	188	564	3,679	322	445	553	363	184	1,054	3,543	33
645 585	74 41	106 73	186 146	108 84	112 76	315 249	2,037 1,642	161 161	261 184	294 264	210 153	91 93	592 462	1,858 1,685	34 35
91 77	11 6	13 3	18 17	11 11	13 13	37 32	286 200	21 21	24 25	30 25	30 16	11 10	58 50	291 243	36
293 194	31 12	42 34	91 60	51 33	50 28	180 100	942 583	79 75	115 49	113 89	104 62	34 26	336 186	872 706	37
6 6	2	1	2	-----	2	4 2	19 22	3 2	1 1	3 4	3 4	2	13 7	25 15	38
222 246	29 22	37 21	42 45	38 29	33 22	72 73	736 745	52 50	83 80	106 104	66 58	42 55	164 179	578 552	39
33 62	1 1	14 14	35 22	8 11	14 12	22 42	54 92	6 13	38 29	42 42	7 13	2 2	21 40	92 169	40

TABLE 19.—DEATHS IN EACH COUNTY AND CITY IN NEW JERSEY FROM EACH SPECIFIED DISEASE AND

CAUSE OF DEATH.	Town of Union.	Hunterdon county.	Mercer county.	Trenton.	Middlesex county.	New Brunswick.	Perth Amboy.	Monmouth county.	Long Branch.	Morris county.
1 All causes.....	1,372	3,252	2,470	5,181	2,933	2,302	1,033	6,173	559	4,294
2 Males.....	778	1,688	1,820	2,784	1,621	1,195	579	3,243	292	2,323
3 Females.....	594	1,564	1,150	2,417	1,312	1,107	454	2,930	267	1,971
4 Unknown causes.....	1	17	6	19	16	10	6	40	9	23
5 Males.....	1	9	1	10	12	4	5	26	4	11
6 Females.....		8	5	9	4	6	1	14	5	12
I.—General diseases:										
7 General diseases—A.....	350	451	406	1,040	587	468	211	1,275	134	778
8 Males.....	191	228	200	505	313	252	95	670	63	414
9 Females.....	159	223	206	535	274	216	116	605	71	364
10 1. Smallpox.....								1		
11 2. Measles.....	4 2	1 5	3	13 19	3 3	5	1 2	8 10	1 1	3 2
12 3. Scarlet fever.....	8 9	23 16	7 7	15 15	29 20	12 9	10 13	27 27	1 3	19 22
13 4. Diphtheria.....	65 50	24 29	38 43	68 90	28 26	51 38	12 19	94 84	15 15	95 96
14 5. Whooping cough.....	4 4	7 16	6 7	16 24	10 11	11 5	3 9	26 34	1 2	14 12
15 6. Fever.....				1	1	1				
16 7. Cerebro-spinal fever.....	3 2	5 6	7	13 9	5 3	7		20 15	4 1	9 8
17 8. Typhoid fever.....	12 10	36 24	31 21	48 47	41 24	30 27	10 7	71 41	3 10	52 34
18 9. Diarrheal diseases.....	33 27	58 53	24 53	110 115	80 76	52 58	15 17	146 165	10 17	100 79
19 10. Cholera infantum.....	53 44	47 26	54 40	172 160	80 67	75 57	28 33	202 151	20 19	69 55
20 11. Malarial fever.....	6 5	15 18	11 16	19 24	16 22	5 9	13 9	47 50	4 1	21 33
21 12. Erysipelas.....	1 3	5 11	6 7	8 8	7 6	4 2	2	12 7	1	14 11
22 13. Septicæmia.....		3	7	6	6	1	1	6		12
23 14. Venereal diseases.....		3	8	14	11	4		10	2	8
24 15. Others of this group.....	2 1	4 4	5 4	6 6	7 4	3 3		8 5	3	6 2
25 General diseases—B.....	11	53	24	63	53	28	46	81	8	49
26 Males.....	6	34	13	45	36	15	30	50	6	29
27 Females.....	5	19	11	18	17	13	16	31	2	20
28 1. Parasitic diseases.....		1								1
29 2. Alcoholism.....	3 2	3 2	4 1	9 2	8 3	2	5	17 1	4	4
30 3. Lead poison.....				2						
31 4. Other poisons.....		4 2	4 1	5 3	4 3		3 3	14 8	1	5 4
32 5. Inanition.....	3 2	26 15	5 9	29 13	24 10	13 11	22 13	19 22	1 2	19 16
33 General diseases—C.....	238	464	363	881	402	298	132	876	84	532
34 Males.....	143	247	198	465	230	184	70	475	42	308
35 Females.....	95	217	165	416	172	134	62	401	42	224
36 1. Premature birth.....	12 2	32 18	22 14	71 60	26 14	13 14	21 10	48 31	3 7	35 33
37 2. Stillborn.....	82 56	118 103	61 46	197 142	100 70	61 46	23 22	228 150	17 17	156 80
38 3. Malformation.....		1 3		5 3	3 2	1		7 1	2 1	1 6
39 4. Debility and atrophy.....	49 31	56 44	36 60	162 153	69 41	30 56	20 24	137 124	17 16	83 62
40 5. Old age.....		40 5	29 43	30 53	32 45	9 18	6 6	55 95	3 1	33 48

STATISTICS OF DEATHS.

CLASS OF DISEASES, WITH DISTINCTION OF SEX, DURING THE 6 YEARS ENDING MAY 31, 1890—Continued.

Morris-town.	Ocean county.	Passaic county.	Passaic city.	Paterson.	Salem county.	Salem city.	Somerset county.	Sussex county.	Union county.	Eliza-beth.	Plain-field.	Rahway.	Warren county.	Phillips-burg.	
951	1,498	1,109	1,211	9,531	1,803	706	2,672	1,788	1,385	4,540	1,094	781	2,690	929	1
458 403	796 702	601 508	616 595	4,977 4,554	925 878	349 357	1,344 1,328	975 813	717 668	2,433 2,107	550 544	401 380	1,429 1,261	471 453	2 3
1	5	2	2	12	13	5	9	9	6	5	4	3	27	6	4
1	3	1	2	9	9	4	3	9	5	1	2	2	14	5	5
	2	1	2	3	4	1	6		1	4	2	1	13	1	6
216	269	186	275	1,845	321	146	479	272	238	898	179	129	464	182	7
115 101	146 123	87 99	137 138	948 897	172 149	72 74	237 242	143 129	128 110	466 432	85 94	67 62	230 224	92 90	8 9
1										1 1					10
	7 3	1 1	5 2	12 10	2 1		3 4	1 2	4 2	4 14			4 4		11
12 5	4	5 3	4 9	117 122	5 5	5 3	21 22	10 5	6 9	27 22	9 6	11 9	22 29	8 18	12
23 24	11 14	11 13	15 23	112 111	12 19	16 20	36 32	13 17	20 24	99 101	6 14	14 5	21 21	7 8	13
2 4	2 4	2 2	5 5	22 24	7 7	2 1	7 9	9 6	4 4	18 17	1 7	3 6	5 6	5 5	14
			1												15
3 2	2 5	3	5 2	25 25	5	3 1	5 3	2 2	2 1	9 7	1		8 1	2	16
6 10	34 25	10 12	19 16	87 65	26 33	13 14	19 20	25 23	18 16	42 24	10 10	13 13	29 23	15 9	17
27 34	29 30	21 24	36 32	209 185	39 28	14 17	53 64	45 43	23 22	37 80	16 15	9 12	56 37	22 16	18
32 15	42 31	24 26	38 35	230 242	48 40	14 7	59 57	21 15	28 15	120 116	32 27	10 11	53 47	28 26	19
6 4	2 8	11 11	6 8	28 44	19 5	2 7	16 17	6 9	13 13	35 29	6 7	3 2	12 17	1 4	20
1 1	6 1		1 2	21 20	2 4	1 1	7 5	3 3	4 3	7 1	2 1	1 1	4 7	1 1	21
2 1	3	2 2	1 3	18 32	3 5		4 7	7 2	4 3	9 14	1 3	1	4 5	1 3	22
1		1		3 5	1		1			3 3	2	2	3 4		23
	4 2	1	1 1	5 12	4 1	2 1	7 1	1 4	2 1	5 3	2 1	3 1	9 3	2	24
7	16	21	28	187	17	12	30	28	8	61	12	8	22	7	25
6 1	6 10	10 11	13 15	96 91	10 7	8 4	24 6	20 8	5 3	34 27	11 1	6 2	14 8	5 2	26 27
				1											28
4	2	2	3	30 7		1	7	6	1	7 5	2	1	10 1	2	29
										1					30
1 1	1 1	1 1		5 4	1 2	2 2	3	3		3 3	3	1 1	1 3	2 2	31
1	3 9	7 10	10 15	61 90	8 5	5 2	14 6	11 8	4 3	23 19	6 1	4 1	3 4	1	32
119	228	187	216	1,586	346	153	337	213	194	712	173	86	400	178	33
48 71	126 102	103 84	114 102	836 750	207 139	81 72	179 158	137 76	107 87	401 311	93 80	42 44	220 180	103 75	34 35
3 5	11 7	14 6	10 15	106 74	17 9	8 3	19 11	10 8	16 10	66 58	11 5	7 6	23 16	17 13	36
17 19	64 37	50 37	52 37	368 286	78 38	42 32	81 51	67 19	51 27	194 96	40 25	18 14	107 71	56 28	37
	1 2	4	2	9 2	1 1		1	2 2	1	10 5	1 1	2 3	4 3	2	38
18 35	24 20	31 19	45 41	238 275	74 56	25 25	57 60	40 29	27 34	115 110	35 34	11 8	55 55	23 22	39
10 12	26 27	8 18	7 7	65 113	37 35	6 12	22 35	18 18	12 16	16 42	6 15	4 13	31 35	5 12	40

TABLE 19.—DEATHS IN EACH COUNTY AND CITY IN NEW JERSEY FROM EACH SPECIFIED DISEASE AND

CAUSE OF DEATH.		Total.	Cities.	Rural.	Atlantic county.	Atlantic city.	Bergen county.	Burlington county.	Borden-town.	Burlington city.	Camden county.
I.—General diseases—Continued.											
41	General diseases—D.....	27,281	16,889	10,892	263	241	673	722	122	171	406
42	Males.....	13,554	8,689	4,865	117	120	349	308	47	86	176
43	Females.....	13,727	8,200	5,527	146	121	324	414	75	85	230
44	1. Rheumatism.....	{ M.. 314 F.. 313	{ 175 180	{ 189 133	{ 3 5	{ 3 4	{ 13 9	{ 12 7	{ 4 2	{ 1 2	{ 1 3
45	2. Scrofula and tabes.....	{ M.. 219 F.. 196	{ 136 119	{ 83 77	{ 3 2	{ 1 4	{ 5 8	{ 8 8	{ 2 2	{ 5 —	{ 3 3
46	3. Leprosy.....	{ M.. 1 F.. —	{ — —	{ 1 —	{ — —	{ — —	{ — —	{ — —	{ — —	{ — —	{ — —
47	4. Consumption.....	{ M.. 10,000 F.. 9,275	{ 6,606 5,675	{ 3,394 3,600	{ 75 91	{ 88 76	{ 242 210	{ 193 273	{ 32 51	{ 53 59	{ 120 155
48	5. Hydrocephalus.....	{ M.. 858 F.. 656	{ 600 434	{ 258 222	{ 8 9	{ 10 8	{ 24 13	{ 16 10	{ 3 3	{ 3 1	{ 16 10
49	6. Cancer.....	{ M.. 1,158 F.. 2,033	{ 652 1,193	{ 506 340	{ 16 18	{ 5 12	{ 37 46	{ 41 65	{ 4 10	{ 13 13	{ 16 29
50	7. Tumor.....	{ M.. 104 F.. 183	{ 70 95	{ 34 93	{ 2 6	{ 5 2	{ 2 6	{ 1 5	{ — 1	{ 2 1	{ — 1
51	8. Anæmia.....	{ M.. 117 F.. 160	{ 71 89	{ 46 71	{ 1 2	{ — 3	{ 2 4	{ 2 2	{ — —	{ — 1	{ 2 2
52	9. Dropsy.....	{ M.. 506 F.. 657	{ 221 284	{ 285 373	{ 9 11	{ 4 7	{ 15 21	{ 22 39	{ 1 4	{ 7 5	{ 17 21
53	10. Diabetes.....	{ M.. 232 F.. 205	{ 131 110	{ 101 95	{ — 2	{ 4 5	{ 8 7	{ 11 4	{ 1 2	{ 2 3	{ 1 5
54	11. Others of this group.....	{ M.. 45 F.. 42	{ 27 19	{ 18 23	{ — —	{ — —	{ 1 —	{ — 1	{ — —	{ — —	{ 1 1
55	12. Others of this class.....	{ M.. — F.. 2	{ — 2	{ — —	{ — —	{ — —	{ — —	{ — —	{ — —	{ — —	{ — —
56	II.—Diseases of the nervous system.....	23,661	14,754	8,907	184	235	652	616	95	167	396
57	Males.....	12,649	7,896	4,753	99	121	358	322	39	89	214
58	Females.....	11,012	6,858	4,154	85	114	294	294	56	78	182
59	1. Inflammation of the brain.....	{ M.. 2,608 F.. 2,059	{ 1,960 1,509	{ 648 550	{ 11 3	{ 21 20	{ 58 33	{ 25 34	{ 3 7	{ 12 14	{ 30 18
60	2. Apoplexy.....	{ M.. 2,228 F.. 2,093	{ 1,203 1,209	{ 1,025 884	{ 14 15	{ 23 21	{ 81 65	{ 66 52	{ 12 19	{ 11 16	{ 28 19
61	3. Paralysis.....	{ M.. 1,812 F.. 1,847	{ 738 824	{ 1,074 1,023	{ 31 19	{ 19 7	{ 72 66	{ 79 84	{ 11 12	{ 17 17	{ 62 50
62	4. Tetanus and trismus nascentium.....	{ M.. 328 F.. 184	{ 203 109	{ 120 75	{ 5 4	{ 3 1	{ 7 8	{ 3 3	{ 1 1	{ — 1	{ 8 1
63	5. Epilepsy.....	{ M.. 221 F.. 162	{ 90 70	{ 131 92	{ 2 5	{ 1 3	{ 7 4	{ 7 8	{ 1 1	{ 1 2	{ 4 2
64	6. Convulsions.....	{ M.. 3,229 F.. 2,764	{ 2,406 2,000	{ 823 764	{ 22 22	{ 29 27	{ 78 82	{ 59 53	{ 3 6	{ 20 16	{ 45 46
65	7. Mental diseases.....	{ M.. 200 F.. 226	{ 96 123	{ 104 103	{ 1 2	{ 2 —	{ 4 6	{ 4 4	{ — 1	{ 1 1	{ — 3
66	8. Diseases of the brain.....	{ M.. 1,803 F.. 1,492	{ 1,090 917	{ 713 575	{ 12 12	{ 19 30	{ 40 26	{ 66 51	{ 7 9	{ 27 9	{ 35 40
67	9. Diseases of the spinal cord.....	{ M.. 175 F.. 121	{ 92 68	{ 83 53	{ — 2	{ 3 2	{ 7 3	{ 6 5	{ 1 —	{ — —	{ 2 3
68	10. Others of this class.....	{ M.. 45 F.. 64	{ 13 29	{ 32 35	{ 1 1	{ 1 3	{ 4 1	{ 3 —	{ — —	{ — 2	{ — —
69	III.—Diseases of the circulatory system.....	9,321	5,385	3,936	79	127	287	294	36	74	153
70	Males.....	4,845	2,725	2,120	47	60	158	161	20	35	83
71	Females.....	4,476	2,660	1,816	32	67	129	133	16	39	70
72	1. Angina pectoris.....	{ M.. 287 F.. 212	{ 149 127	{ 138 85	{ 3 —	{ — —	{ 6 1	{ 6 9	{ 1 —	{ 1 1	{ 4 2
73	2. Aneurism.....	{ M.. 71 F.. 44	{ 42 25	{ 29 19	{ — —	{ 2 —	{ 1 2	{ 1 1	{ — 1	{ — —	{ 2 —
74	3. Diseases of the heart.....	{ M.. 4,055 F.. 3,874	{ 2,276 2,295	{ 1,779 1,579	{ 43 30	{ 56 62	{ 133 107	{ 145 116	{ 16 15	{ 26 34	{ 71 62
75	4. Others of this class.....	{ M.. 432 F.. 346	{ 253 213	{ 174 133	{ 1 2	{ 2 5	{ 13 19	{ 9 6	{ 3 —	{ 8 4	{ 6 6

STATISTICS OF DEATHS.

877

CLASS OF DISEASES, WITH DISTINCTION OF SEX, DURING THE 6 YEARS ENDING MAY 31, 1890—Continued.

Camden city.	Gloucester city.	Cape May county.	Cumberland county.	Bridgeton.	Millville.	Essex county.	Newark.	Orange.	Gloucester county.	Hudson county.	Bayonne.	Harrison.	Hoboken.	Jersey city.	
1,225	152	183	398	203	220	731	4,333	427	530	656	235	186	932	3,492	41
557 663	69 83	89 94	174 224	98 105	98 122	375 356	2,393 1,940	256 171	248 232	376 280	100 135	100 86	506 426	1,745 1,747	42 43
8 11	1	2 1	4 9		4	10 8	36 35	4 4	8 6	10 6		2 4	12 16	49 39	44
24 32		3 1	3 5	1 1	5 3	6 7	9 11	11 4	7 1	1 1	2 2	1 2	2 1	29 19	45
															46
414 487	56 65	51 51	123 140	67 83	67 85	269 221	1,857 1,338	198 101	170 185	298 193	72 93	74 59	400 305	1,332 1,248	47
33 25	5 3	4 6	12 12	7	7 2	24 11	184 133	15 18	11 5	28 26	19 15	10 5	25 18	133 86	48
38 71	3 9	11 24	16 29	13 13	6 20	41 77	174 278	19 32	14 44	27 40	4 16	5 13	44 67	132 250	49
3 8		1 2	1 6			1 3	27 37	2 1	1 1	1 1	1 1			6 11	50
3 4	2	2	2 4	1 1	3	6 7	31 23	1 1	3 1	2 3		1 1	4	6 16	51
26 26	2 6	12 9	11 16	7 4	6 7	7 11	35 46		30 31	7 4	2 2	3 1	12 11	33 53	52
6 2		2	2 3	2		5 8	37 35	4 4	3 4	2 4		2 1	1 7	17 20	53
2 2		1				6 3	3 3	2 1	1 4		1	1	1	8 5	54
							1								55
1,084	320	216	293	162	111	670	3,973	275	493	594	275	210	777	3,073	56
594 490	71 49	108 108	157 136	80 82	60 51	331 339	2,157 1,816	159 116	260 233	355 239	148 127	116 94	440 337	1,641 1,432	57 58
103 64	4 1	13 7	17 17	12 12	10 4	72 75	589 437	34 35	32 33	82 51	50 35	31 27	102 80	510 396	59
84 66	7 7	23 21	31 24	12 15	6 4	69 78	353 299	26 23	43 41	74 48	23 11	13 16	63 63	263 263	60
57 78	10 6	30 28	36 31	9 16	18 21	58 61	190 200	10 11	55 63	25 21	6 13	6 6	29 26	86 123	61
14 6		2 3	3 2	1 2		11 9	59 39	8 1	5 4	13 4	4	4 1	21 8	43 14	62
7 3		2 1	5 3	1	1	7 3	12 11	4	2 1	13 13	1 1	1 1	6 5	27 17	63
146 107	16 16	7 21	25 22	19 15	13 8	58 60	685 580	53 33	52 38	88 71	53 54	36 31	143 112	475 405	64
2 3	1	1 4	1 4	2 1	1	9 5	41 45	5 5	4 2	8 7		1	6 4	10 14	65
175 156	32 17	30 21	35 30	24 21	8 12	39 44	213 187	15 8	61 40	41 23	10 12	24 11	63 30	203 171	66
4 4	2 1		4 3		3	8	12 13	4	2 5	10 1		1	5 6	24 26	67
2 3		2			1	4	3 5		4 6	1	1		2 3	3	68
370	44	73	115	73	62	330	1,243	117	189	216	82	42	292	1,121	69
167 203	22 22	45 28	63 52	35 38	39 23	169 161	644 599	61 56	107 82	117 99	43 39	19 23	162 130	583 538	70 71
5 9		4 1	3 6	2 4		13 3	18 17		6 3	10 8	5 6		20 8	50 43	72
1	1	1				2	6 3	1	1	6 7			4 3	13 8	73
137 179	13 17	37 25	44 42	23 31	27 17	142 144	581 522	57 50	83 77	87 74	33 28	13 17	130 116	461 458	74
25 14	6 4	3 2	16 4	5 3	12 6	12 14	39 57	4 2	17 2	14 10	5 5	6 6	8 3	59 29	75

TABLE 19.—DEATHS IN EACH COUNTY AND CITY IN NEW JERSEY FROM EACH SPECIFIED DISEASE AND

CAUSE OF DEATH.	Town of Union.	Hunterdon county.	Mercer county.	Trenton.	Middlesex county.	New Brunswick.	Perth Amboy.	Monmouth county.	Long Branch.	Morris county.
I.—General diseases—Continued.										
41. General diseases—D.....	188	624	492	876	483	410	138	1,076	77	762
42. Males.....	100	272	247	473	229	209	82	491	37	356
43. Females.....	88	352	245	403	254	201	56	585	40	406
44. 1. Rheumatism.....	{ M. 1	{ 11	{ 6	{ 6	{ 5	{ 5	{ 0	{ 17	{ 2	{ 9
	{ F. 4	{ 4	{ 11	{ 10	{ 7	{ 8	{ 5	{ 9	{ 2	{ 18
45. 2. Scrofula and tabes.....	{ M. 1	{ 3	{ 1	{ 7	{ 3	{ 6	{ 1	{ 11	{ 3	{ 8
	{ F. 5	{ 5	{ 4	{ 3	{ 5	{ 3	{ 1	{ 6	{ 1	{ 7
46. 3. Leprosy.....	{ M. 0	{ 0	{ 0	{ 0	{ 0	{ 0	{ 0	{ 0	{ 0	{ 0
	{ F. 0	{ 0	{ 0	{ 0	{ 0	{ 0	{ 0	{ 0	{ 0	{ 0
47. 4. Consumption.....	{ M. 73	{ 171	{ 187	{ 370	{ 173	{ 149	{ 66	{ 359	{ 20	{ 243
	{ F. 65	{ 224	{ 162	{ 271	{ 173	{ 126	{ 41	{ 392	{ 22	{ 250
48. 5. Hydrocephalus.....	{ M. 9	{ 10	{ 8	{ 22	{ 9	{ 14	{ 4	{ 15	{ 2	{ 23
	{ F. 5	{ 9	{ 2	{ 16	{ 10	{ 3	{ 1	{ 23	{ 1	{ 18
49. 6. Cancer.....	{ M. 11	{ 44	{ 19	{ 33	{ 22	{ 22	{ 7	{ 44	{ 3	{ 33
	{ F. 12	{ 61	{ 28	{ 60	{ 33	{ 45	{ 5	{ 85	{ 9	{ 62
50. 7. Tumor.....	{ M. 0	{ 6	{ 3	{ 2	{ 1	{ 2	{ 0	{ 4	{ 1	{ 3
	{ F. 2	{ 8	{ 5	{ 1	{ 3	{ 2	{ 0	{ 14	{ 1	{ 5
51. 8. Anemia.....	{ M. 3	{ 0	{ 1	{ 5	{ 1	{ 0	{ 0	{ 5	{ 0	{ 3
	{ F. 2	{ 2	{ 6	{ 4	{ 1	{ 2	{ 1	{ 12	{ 0	{ 5
52. 9. Dropsy.....	{ M. 2	{ 18	{ 17	{ 17	{ 12	{ 5	{ 0	{ 22	{ 2	{ 23
	{ F. 1	{ 29	{ 24	{ 23	{ 17	{ 8	{ 2	{ 31	{ 1	{ 33
53. 10. Diabetes.....	{ M. 8	{ 5	{ 5	{ 10	{ 3	{ 7	{ 1	{ 13	{ 4	{ 10
	{ F. 7	{ 3	{ 3	{ 4	{ 6	{ 7	{ 0	{ 10	{ 3	{ 7
54. 11. Others of this group.....	{ M. 0	{ 1	{ 0	{ 1	{ 0	{ 1	{ 0	{ 1	{ 0	{ 1
	{ F. 3	{ 3	{ 1	{ 0	{ 0	{ 1	{ 2	{ 3	{ 0	{ 1
55. 12. Others of this class.....	{ M. 0	{ 0	{ 0	{ 1	{ 0	{ 0	{ 0	{ 0	{ 0	{ 0
	{ F. 0	{ 0	{ 0	{ 0	{ 0	{ 0	{ 0	{ 0	{ 0	{ 0
56. II.—Diseases of the nervous system.....	160	606	441	699	373	292	157	843	70	628
57. Males.....	95	322	242	388	185	141	78	464	37	341
58. Females.....	65	284	199	313	188	151	79	379	33	287
59. 1. Inflammation of the brain.....	{ M. 29	{ 34	{ 18	{ 60	{ 24	{ 28	{ 11	{ 68	{ 10	{ 40
	{ F. 18	{ 31	{ 18	{ 46	{ 14	{ 30	{ 5	{ 50	{ 9	{ 32
60. 2. Apoplexy.....	{ M. 8	{ 92	{ 45	{ 63	{ 36	{ 26	{ 8	{ 109	{ 4	{ 65
	{ F. 14	{ 78	{ 30	{ 60	{ 37	{ 26	{ 8	{ 90	{ 3	{ 64
61. 3. Paralysis.....	{ M. 3	{ 83	{ 73	{ 64	{ 37	{ 16	{ 6	{ 108	{ 10	{ 71
	{ F. 5	{ 82	{ 71	{ 42	{ 49	{ 34	{ 18	{ 96	{ 8	{ 61
62. 4. Tetanus and trismus nascentium.....	{ M. 1	{ 5	{ 6	{ 5	{ 6	{ 7	{ 1	{ 15	{ 2	{ 1
	{ F. 0	{ 3	{ 4	{ 5	{ 4	{ 4	{ 1	{ 16	{ 3	{ 4
63. 5. Epilepsy.....	{ M. 1	{ 5	{ 24	{ 5	{ 6	{ 0	{ 2	{ 8	{ 0	{ 16
	{ F. 4	{ 4	{ 9	{ 5	{ 5	{ 0	{ 1	{ 8	{ 1	{ 9
64. 6. Convulsions.....	{ M. 45	{ 32	{ 31	{ 102	{ 33	{ 50	{ 37	{ 88	{ 5	{ 52
	{ F. 24	{ 23	{ 33	{ 88	{ 48	{ 37	{ 36	{ 67	{ 4	{ 45
65. 7. Mental diseases.....	{ M. 1	{ 10	{ 7	{ 4	{ 1	{ 3	{ 0	{ 8	{ 0	{ 26
	{ F. 1	{ 7	{ 6	{ 3	{ 1	{ 3	{ 0	{ 4	{ 0	{ 24
66. 8. Diseases of the brain.....	{ M. 5	{ 58	{ 30	{ 73	{ 31	{ 18	{ 12	{ 53	{ 3	{ 59
	{ F. 2	{ 49	{ 25	{ 59	{ 26	{ 13	{ 10	{ 40	{ 4	{ 39
67. 9. Diseases of the spinal cord.....	{ M. 2	{ 1	{ 7	{ 6	{ 6	{ 5	{ 1	{ 4	{ 3	{ 7
	{ F. 1	{ 2	{ 2	{ 2	{ 2	{ 1	{ 0	{ 6	{ 1	{ 6
68. 10. Others of this class.....	{ M. 0	{ 2	{ 1	{ 1	{ 0	{ 1	{ 0	{ 3	{ 0	{ 4
	{ F. 0	{ 5	{ 1	{ 3	{ 2	{ 3	{ 0	{ 2	{ 0	{ 3
69. III.—Diseases of the circulatory system.....	80	247	146	289	177	141	42	377	40	299
70. Males.....	42	133	74	155	106	65	20	188	24	150
71. Females.....	38	114	72	134	71	76	22	189	16	149
72. 1. Angina pectoris.....	{ M. 7	{ 18	{ 8	{ 14	{ 10	{ 5	{ 0	{ 9	{ 2	{ 4
	{ F. 1	{ 3	{ 5	{ 8	{ 3	{ 3	{ 0	{ 13	{ 0	{ 8
73. 2. Aneurism.....	{ M. 0	{ 1	{ 1	{ 2	{ 0	{ 2	{ 0	{ 1	{ 0	{ 5
	{ F. 1	{ 2	{ 0	{ 2	{ 0	{ 0	{ 0	{ 2	{ 0	{ 1
74. 3. Diseases of the heart.....	{ M. 33	{ 109	{ 63	{ 120	{ 83	{ 56	{ 20	{ 166	{ 19	{ 132
	{ F. 30	{ 105	{ 62	{ 112	{ 62	{ 67	{ 21	{ 133	{ 14	{ 131
75. 4. Others of this class.....	{ M. 2	{ 5	{ 2	{ 19	{ 13	{ 2	{ 0	{ 12	{ 3	{ 9
	{ F. 6	{ 4	{ 5	{ 12	{ 6	{ 6	{ 1	{ 11	{ 2	{ 9

STATISTICS OF DEATHS.

CLASS OF DISEASES, WITH DISTINCTION OF SEX, DURING THE 6 YEARS ENDING MAY 31, 1890—Continued.

Morris-town.	Ocean county.	Passaic county.	Passaic city.	Paterson.	Salem county.	Salem city.	Somerset county.	Sussex county.	Union county.	Eliza-beth.	Plain-field.	Rahway.	Warren county.	Phillips-burg.	
218	313	184	158	1,558	323	143	531	323	247	688	189	170	472	137	41
104	134	92	86	770	121	58	231	142	110	360	88	89	223	58	42
114	179	92	72	788	202	85	300	181	137	323	101	81	244	79	43
4	2	1	3	9	4	4	3	3	4	10	3	2	11	1	}44
5	1		4	9	3	1	5	8	5	10	2	1	8	1	
1	4	1		10	2	3	6	1	2	7	3	2	2		}45
	3	3	1	15	2	1	3	1	1	9		3	1	1	
								1							}46
71	95	62	64	614	82	39	142	107	75	258	67	67	157	38	}47
71	140	61	42	564	134	51	195	115	83	209	62	45	152	56	
2	5	8	10	29	5	4	11	4	8	31	4	7	9	2	}48
1	4	7	8	36	9	4	17	3	10	28	6	8	8		
8	18	10	4	58	10	5	37	14	16	29	5	4	20	3	}49
18	19	10	12	120	23	14	49	34	23	45	18	16	42	15	
1			2	7	1		2	2		1	1	1	2	2	}50
2	2	1		11	4	1	6	4	4	5	3		6		
1	1	1	4	4	2		5	3		4	1		1	1	}51
1	2	2	1	5	3	1	7	2	2	7	3	1	3		
7	8	7	1	23	14	1	14	2	2	10	1	5	16	9	}52
15	6	7	3	19	22	11	10	11	4	10	6	4	16	4	
3	1	2	1	12	1	1	9	6	1	10	3	1	8	2	}53
1	2	1	1	8	3		6	2	4	5	1	3	7	1	
			1	4		1	2		2				2		}54
			1	1		1	2		1				1	1	
															}55
123	219	151	185	1,327	264	81	374	295	191	679	168	122	408	134	56
58	109	84	84	706	135	43	182	172	102	352	86	59	211	56	}57
65	110	67	101	621	129	38	192	123	89	327	82	63	197	78	
9	27	13	12	204	10	7	16	16	17	88	11	6	25	4	}59
2	17	10	14	156	18	4	23	21	15	75	7	6	30	5	
17	21	14	4	89	33	11	49	47	29	50	11	9	51	7	}60
28	18	9	11	108	33	8	47	32	23	71	18	14	55	17	
9	27	21	16	58	41	12	55	42	16	38	18	11	51	9	}61
11	22	19	20	59	39	3	72	20	30	36	20	15	49	13	
2	6	2	2	4	3	2	5	2	4	12	6	4	4	2	}62
2	4			10	1					8			1	1	
2	2	1	1	7	4	1	5	4	1	1	3		6	2	}63
	1	3	3	9	5		5	2		2	2		1	3	
10	11	24	29	259	20	5	22	23	15	118	25	12	33	18	}64
11	28	14	31	212	23	5	21	15	11	85	22	12	21	23	
1	1	3	4	8	4	2	2	3	2	5	3	3	8	1	}65
		4		14	4		1	5	2	8	4	2	12	6	
8	12	8	16	63	15	5	18	23	16	39	10	13	26	10	}66
10	18	11	18	45	10	11	20	23	5	38	9	14	22	11	
		1	2	8				7		1	2	1	5	2	}67
1	1	1	1	5	1		3	3	1	4			3		
				1			3		2				2	1	}68
	2			3				2	2				3		
49	101	79	54	521	105	36	222	151	111	265	82	59	185	44	69
13	59	43	21	257	59	23	118	75	52	124	34	25	113	27	}70
31	42	36	33	264	46	13	104	76	59	141	48	34	72	17	
4	2	1	2	6	4	1	7	8	1	3	1	2	11		}72
2	2			12	3	3	2	4	2	4		1	6		
	1	1		6	1	2	1		2			2	1		}73
	1	1	1	1				1		2					
12	55	36	15	224	44	17	96	65	45	111	27	18	100	26	}74
28	38	29	25	243	38	6	89	70	54	116	42	31	61	14	
2	1	5	4	21	10	3	14	2	4	10	6	3	1	1	}75
1	1	5	7	3	5	4	13	1	3	19	4	2	5	3	

TABLE 19.—DEATHS IN EACH COUNTY AND CITY IN NEW JERSEY FROM EACH SPECIFIED DISEASE AND

CAUSE OF DEATH.	Total.	Cities.	Rural.	Atlantic county.	Atlantic city.	Bergen county.	Burlington county.	Bordentown.	Burlington city.	Camden county.
76 IV.—Diseases of the respiratory system.....	22,652	15,581	7,071	147	131	518	468	63	113	247
77 Males.....	12,003	8,830	3,623	79	76	261	231	21	58	128
78 Females.....	10,649	7,201	3,448	68	55	257	237	42	55	119
79 1. Croup.....	{ M. 1,682 F. 1,421	{ M. 1,264 F. 1,083	{ M. 418 F. 338	{ M. 5 F. 10	{ M. 6 F. 8	{ M. 25 F. 19	{ M. 20 F. 22	{ M. 2 F. 5	{ M. 10 F. 8	{ M. 23 F. 12
80 2. Laryngitis.....	{ M. 342 F. 290	{ M. 262 F. 212	{ M. 80 F. 78	{ M. 1 F. 2	{ M. 3 F. 2	{ M. 2 F. 4	{ M. 2 F. 7	{ M. 1 F. 2	{ M. 3 F. 2	{ M. 3 F. 2
81 3. Bronchitis.....	{ M. 2,697 F. 2,639	{ M. 1,891 F. 1,806	{ M. 806 F. 833	{ M. 20 F. 21	{ M. 22 F. 12	{ M. 47 F. 61	{ M. 39 F. 49	{ M. 3 F. 5	{ M. 10 F. 7	{ M. 27 F. 32
82 4. Pneumonia.....	{ M. 6,001 F. 5,165	{ M. 4,136 F. 3,422	{ M. 1,865 F. 1,743	{ M. 41 F. 26	{ M. 32 F. 29	{ M. 161 F. 142	{ M. 132 F. 115	{ M. 10 F. 20	{ M. 30 F. 31	{ M. 59 F. 57
83 5. Pleurisy.....	{ M. 180 F. 161	{ M. 114 F. 99	{ M. 66 F. 62	{ M. 2 F. 3	{ M. 1 F. 1	{ M. 3 F. 7	{ M. 8 F. 7	{ M. 1 F. 2	{ M. 1 F. 1	{ M. 1 F. 2
84 6. Asthma.....	{ M. 111 F. 97	{ M. 61 F. 50	{ M. 50 F. 47			{ M. 4 F. 6	{ M. 2 F. 2	{ M. 1 F. 1		{ M. 3 F. 1
85 7. Others of this class.....	{ M. 980 F. 876	{ M. 652 F. 529	{ M. 338 F. 347	{ M. 10 F. 6	{ M. 12 F. 4	{ M. 19 F. 18	{ M. 28 F. 35	{ M. 4 F. 9	{ M. 4 F. 7	{ M. 12 F. 13
86 V.—Diseases of the digestive system.....	6,510	4,043	2,467	72	71	188	172	24	50	79
87 Males.....	3,272	2,034	1,238	40	40	78	89	10	22	33
88 Females.....	3,238	2,009	1,229	32	33	110	83	14	28	46
89 1. Dentition.....	{ M. 119 F. 107	{ M. 57 F. 60	{ M. 62 F. 47	{ M. 2 F. 1	{ M. 1 F. 3	{ M. 3 F. 9	{ M. 5 F. 4		{ M. 1 F. 1	{ M. 3 F. 4
90 2. Angina.....	{ M. 82 F. 66	{ M. 61 F. 37	{ M. 21 F. 29		{ M. 1 F. 1		{ M. 3 F. 2			{ M. 1 F. 1
91 3. Diseases of the stomach.....	{ M. 599 F. 690	{ M. 374 F. 442	{ M. 225 F. 248	{ M. 4 F. 11	{ M. 12 F. 8	{ M. 14 F. 13	{ M. 20 F. 24	{ M. 6 F. 4	{ M. 2 F. 1	{ M. 8 F. 7
92 4. Obstruction of the bowels.....	{ M. 204 F. 207	{ M. 121 F. 112	{ M. 83 F. 95	{ M. 5 F. 1	{ M. 3 F. 2	{ M. 4 F. 8	{ M. 2 F. 3		{ M. 3 F. 4	{ M. 2 F. 1
93 5. Hernia.....	{ M. 142 F. 114	{ M. 88 F. 68	{ M. 54 F. 46	{ M. 3 F. 2	{ M. 2 F. 2	{ M. 6 F. 6	{ M. 5 F. 5	{ M. 1 F. 1	{ M. 1 F. 1	{ M. 1 F. 2
94 6. Other diseases of the bowels.....	{ M. 34 F. 52	{ M. 18 F. 21	{ M. 16 F. 11	{ M. 2 F. 1		{ M. 2 F. 3	{ M. 3 F. 1		{ M. 1 F. 1	{ M. 1 F. 1
95 7. Jaundice.....	{ M. 113 F. 84	{ M. 65 F. 51	{ M. 48 F. 33		{ M. 3 F. 2	{ M. 4 F. 4	{ M. 4 F. 1		{ M. 1 F. 1	{ M. 1 F. 1
96 8. Inflammation and abscess of the liver.....	{ M. 231 F. 192	{ M. 160 F. 109	{ M. 71 F. 83		{ M. 3 F. 4	{ M. 3 F. 9	{ M. 6 F. 6		{ M. 1 F. 1	{ M. 2 F. 2
97 9. Other diseases of the liver.....	{ M. 749 F. 515	{ M. 455 F. 327	{ M. 294 F. 188	{ M. 13 F. 2	{ M. 6 F. 6	{ M. 12 F. 14	{ M. 24 F. 11	{ M. 2 F. 1	{ M. 8 F. 7	{ M. 10 F. 9
98 10. Peritonitis.....	{ M. 737 F. 1,001	{ M. 480 F. 655	{ M. 257 F. 346	{ M. 6 F. 4	{ M. 8 F. 8	{ M. 23 F. 36	{ M. 12 F. 18	{ M. 1 F. 8	{ M. 5 F. 10	{ M. 4 F. 12
99 11. Ascites.....	{ M. 14 F. 26	{ M. 8 F. 14	{ M. 12 F. 12	{ M. 1 F. 1		{ M. 1 F. 1	{ M. 3 F. 3			{ M. 2 F. 2
100 12. Others of this class.....	{ M. 248 F. 204	{ M. 147 F. 113	{ M. 101 F. 91	{ M. 4 F. 1	{ M. 2 F. 2	{ M. 7 F. 6	{ M. 4 F. 5	{ M. 1 F. 1		{ M. 2 F. 4
101 VI.—Diseases of the urinary system and male organs of generation.....	5,332	3,385	1,947	39	60	147	119	19	29	53
102 Males.....	3,113	1,891	1,222	22	32	33	82	13	16	35
103 Females.....	2,219	1,494	725	17	28	64	37	6	13	18
104 1. Bright's disease.....	{ M. 1,548 F. 1,168	{ M. 930 F. 754	{ M. 618 F. 414	{ M. 9 F. 10	{ M. 14 F. 13	{ M. 41 F. 40	{ M. 54 F. 26	{ M. 7 F. 3	{ M. 10 F. 11	{ M. 22 F. 12
105 2. Calculus, urinary.....	{ M. 6 F. 5	{ M. 2 F. 3	{ M. 4 F. 2							{ M. 1 F. 1
106 3. Diseases of the kidney.....	{ M. 1,005 F. 829	{ M. 698 F. 604	{ M. 307 F. 225	{ M. 3 F. 6	{ M. 10 F. 8	{ M. 21 F. 18	{ M. 18 F. 8	{ M. 1 F. 2	{ M. 2 F. 4	{ M. 6 F. 2
107 4. Diseases of the bladder.....	{ M. 381 F. 84	{ M. 175 F. 39	{ M. 206 F. 25	{ M. 7 F. 2	{ M. 2 F. 2	{ M. 14 F. 2	{ M. 6 F. 2		{ M. 3 F. 1	{ M. 4 F. 1
108 5. Others of this class.....	{ M. 173 F. 153	{ M. 86 F. 94	{ M. 87 F. 59	{ M. 3 F. 1	{ M. 6 F. 7	{ M. 6 F. 4	{ M. 4 F. 3	{ M. 2 F. 2		{ M. 3 F. 2
109 VII.—Diseases of the female organs of generation.....	225	117	108	4	1	10	7	2	2	8
110 1. Ovarian tumors.....	57	27	30			3				4
111 2. Ovarian diseases.....	11	6	5			1	1	1		
112 3. Uterine tumors.....	19	7	12			2	2			
113 4. Uterine diseases.....	34	47	37	4		3	3	1	1	1
114 5. Others of this class.....	54	30	24		1	3	1		1	3
115 VIII.—Affections connected with pregnancy.....	1,048	694	354	6	13	32	25	5	5	10
116 1. Abortion.....	31	20	11		2	4		1		1
117 2. Childbirth.....	209	137	72	3	5	7	4		3	1
118 3. Puerperal septicemia.....	747	500	247	3	6	19	18	4	2	8
119 4. Extra-uterine pregnancy.....										
120 5. Others of this class.....	61	37	24			2	3			

STATISTICS OF DEATHS.

881

CLASS OF DISEASES, WITH DISTINCTION OF SEX, DURING THE 6 YEARS ENDING MAY 31, 1890—Continued.

Camden city.	Gloucester city.	Cape May county.	Cumberland county.	Bridge-ton.	Millville.	Essex county.	Newark.	Orange.	Gloucester county.	Hudson county.	Bayonne.	Harrison.	Hoboken.	Jersey city.	
859	100	112	211	140	144	502	3,867	338	338	575	389	198	941	4,070	76
448	62	66	112	70	81	251	2,119	214	174	306	223	102	525	2,195	77
411	33	46	99	70	63	251	1,748	174	164	269	166	96	416	1,875	78
98	19	8	14	7	24	21	280	25	44	33	38	20	105	309	79
84	16	4	8	4	23	20	240	19	22	32	27	24	95	270	
8	2	-----	6	4	4	5	74	4	5	4	12	6	15	67	80
5	5	1	4	4	2	2	49	2	8	8	12	5	8	47	
85	15	7	20	9	12	74	637	57	24	74	59	24	93	328	81
85	7	7	11	9	8	86	622	41	26	53	48	23	76	367	
198	16	38	59	36	32	125	931	112	66	170	101	43	257	1,310	82
187	6	22	56	39	20	112	683	100	77	157	72	39	197	1,043	
3	1	3	1	-----	-----	2	45	9	-----	5	1	-----	5	25	83
4	2	1	2	2	-----	2	29	3	1	2	-----	-----	3	19	
5	-----	-----	2	-----	-----	2	8	1	3	5	-----	-----	7	14	84
4	-----	2	1	-----	3	2	7	-----	-----	7	-----	-----	3	13	
51	9	10	10	14	8	22	144	6	32	15	12	9	43	142	85
42	2	9	17	12	7	27	118	9	30	10	7	5	34	116	
260	25	38	76	37	45	179	923	68	142	158	77	29	237	1,140	86
120	13	17	45	24	23	91	485	30	55	81	42	13	125	555	87
140	12	21	31	13	22	88	438	38	87	77	35	16	112	585	88
1	-----	1	6	-----	1	4	-----	2	1	4	2	-----	4	29	89
2	-----	-----	-----	-----	-----	1	4	1	4	11	2	-----	6	26	
2	1	-----	-----	1	-----	3	26	-----	1	3	3	-----	7	14	90
-----	-----	1	1	-----	1	2	15	-----	1	5	-----	-----	1	9	
20	2	3	6	3	2	12	85	4	16	5	12	1	15	128	91
23	10	9	5	1	5	6	101	8	23	12	8	2	15	144	
7	1	2	4	3	2	8	35	3	2	4	1	-----	1	24	92
4	-----	-----	4	1	2	10	27	2	5	6	3	2	4	23	
6	-----	1	1	-----	3	4	13	2	1	2	1	1	6	21	93
4	-----	-----	1	-----	2	1	10	1	2	1	-----	-----	6	15	
2	-----	-----	-----	1	-----	1	3	1	1	-----	1	-----	-----	4	94
2	-----	-----	-----	-----	-----	1	3	1	-----	-----	-----	-----	2	5	
2	-----	1	6	2	-----	2	15	1	5	2	1	1	1	14	95
7	-----	-----	1	-----	-----	4	9	1	3	-----	-----	-----	5	13	
19	4	1	1	1	1	4	59	1	4	10	3	2	11	26	96
10	-----	4	4	1	3	7	31	1	8	3	3	2	7	29	
26	4	4	11	6	10	26	105	7	14	30	2	5	40	97	97
25	1	3	7	7	6	19	77	5	18	19	3	8	19	87	
20	1	2	6	8	2	16	115	8	7	19	10	3	24	145	98
48	1	1	6	2	1	28	142	16	21	18	14	2	37	188	
2	-----	-----	-----	-----	-----	1	3	-----	-----	1	-----	-----	-----	1	99
4	-----	-----	-----	-----	-----	1	1	1	-----	-----	1	-----	1	2	
13	-----	2	4	-----	1	10	26	1	3	1	6	-----	16	52	100
11	-----	3	2	-----	2	8	18	1	2	2	1	-----	9	44	
200	19	27	69	36	19	188	891	121	58	128	49	18	207	735	101
114	10	19	39	22	9	110	506	67	47	69	23	13	108	414	102
86	9	8	30	14	10	78	385	54	11	59	21	5	99	321	103
70	6	12	21	13	6	37	220	27	23	42	12	7	64	192	104
58	3	6	14	6	6	39	175	21	7	39	6	2	54	155	
1	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	1	105
19	3	4	7	7	2	43	223	30	11	18	11	4	34	179	
23	3	2	11	7	2	27	175	30	2	16	13	3	30	154	106
10	1	3	9	1	-----	21	45	9	8	6	3	2	6	33	
1	2	-----	-----	-----	1	5	10	-----	-----	2	-----	-----	2	7	107
14	-----	-----	2	1	1	9	18	1	3	3	2	-----	4	9	
4	1	-----	5	1	1	7	25	2	2	1	2	-----	4	4	108
-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	
10	1	1	3	3	1	2	17	3	2	3	1	-----	10	40	109
5	-----	1	2	-----	-----	-----	6	2	-----	1	-----	-----	1	6	110
1	1	-----	-----	-----	-----	1	1	-----	-----	-----	-----	-----	1	2	111
3	-----	-----	1	3	-----	1	2	1	2	-----	1	-----	4	21	112
1	-----	-----	-----	-----	1	6	-----	-----	-----	1	1	-----	4	11	113
31	7	7	14	1	2	20	144	17	18	18	18	11	33	184	115
2	1	-----	-----	-----	1	1	4	-----	-----	-----	-----	-----	-----	3	116
8	4	-----	1	-----	-----	-----	25	3	3	3	3	3	6	40	
19	2	5	9	1	1	19	110	10	15	12	14	7	24	136	118
2	-----	2	4	-----	-----	-----	5	4	-----	3	1	-----	3	5	119
-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	120

TABLE 19.—DEATHS IN EACH COUNTY AND CITY IN NEW JERSEY FROM EACH SPECIFIED DISEASE AND

CAUSE OF DEATH.	Town of Union.	Hunterdon county.	Mercer county.	Trenton	Middlesex county.	New Brunswick.	Perth Amboy.	Monmouth county.	Long Branch.	Morris county.
76. IV.—Diseases of the respiratory system.....	220	360	261	716	383	306	163	751	58	575
77. Males.....	134	177	140	369	194	127	104	373	29	304
78. Females.....	86	183	121	347	189	179	59	378	29	271
79. 1. Croup.....	{ M. 24 F. 15	{ 21 15	{ 14 14	{ 42 41	{ 41 29	{ 23 27	{ 17 13	{ 43 29	{ 4 	{ 26 19
80. 2. Laryngitis.....	{ M. 1 F. 4	{ 11 3	{ 2 3	{ 5 15	{ 2 2	{ 4 12	{ 5 1	{ 8 4	{ 2 	{ 5 6
81. 3. Bronchitis.....	{ M. 22 F. 16	{ 43 46	{ 30 26	{ 100 71	{ 43 46	{ 22 25	{ 24 18	{ 75 84	{ 5 6	{ 87 79
82. 4. Pneumonia.....	{ M. 83 F. 47	{ 81 83	{ 69 65	{ 143 155	{ 87 87	{ 69 100	{ 51 23	{ 193 226	{ 16 20	{ 153 137
83. 5. Pleurisy.....	{ M. 1 F. 1	{ 4 4	{ 3 3	{ 2 2	{ 4 4	{ 2 	{ 2 	{ 8 4	{ 2 	{ 10 2
84. 6. Asthma.....	{ M. 2 F. 1	{ 2 2	{ 1 1	{ 9 2	{ 1 1	{ 1 2	{ 2 1	{ 9 4	{ 1 1	{ 3 3
85. 7. Others of this class.....	{ M. 2 F. 2	{ 15 30	{ 21 9	{ 63 61	{ 16 19	{ 8 11	{ 5 3	{ 32 27	{ 3 	{ 20 25
86. V.—Diseases of the digestive system.....	48	145	85	160	106	87	37	279	25	214
87. Males.....	25	80	40	76	62	57	24	140	13	116
88. Females.....	23	65	45	84	44	30	13	139	12	98
89. 1. Dentition.....	{ M. 1 F. 1	{ 1 	{ 5 	{ 5 4	{ 3 2	{ 2 	{ 1 	{ 7 1	{ 1 	{ 2 2
90. 2. Angina.....	{ M. 1 F. 1	{ 1 2	{ 1 	{ 2 	{ 2 	{ 2 1	{ 1 	{ 1 6	{ 1 	{ 2
91. 3. Diseases of the stomach.....	{ M. 4 F. 3	{ 17 15	{ 15 13	{ 13 18	{ 8 9	{ 4 4	{ 4 2	{ 25 30	{ 1 2	{ 24 15
92. 4. Obstruction of the bowels.....	{ M. 1 F. 3	{ 5 6	{ 2 1	{ 9 2	{ 5 3	{ 2 2	{ 1 	{ 8 11	{ 2 	{ 11 7
93. 5. Hernia.....	{ M. 2 F. 1	{ 2 1	{ 2 4	{ 3 5	{ 1 1	{ 4 	{ 1 	{ 8 6	{ 2 	{ 3 3
94. 6. Other diseases of the bowels.....	{ M. 1 F. 1	{ 1 	{ 1 1	{ 1 	{ 1 	{ 1 	{ 1 	{ 2 	{ 2 	{ 1 1
95. 7. Jaundice.....	{ M. 5 F. 1	{ 7 1	{ 1 	{ 2 3	{ 1 2	{ 1 	{ 1 	{ 6 2	{ 2 	{ 5 5
96. 8. Inflammation and abscess of the liver.....	{ M. 2 F. 2	{ 3 2	{ 1 1	{ 2 2	{ 5 5	{ 5 5	{ 5 5	{ 6 5	{ 6 	{ 10 6
97. 9. Other diseases of the liver.....	{ M. 9 F. 3	{ 15 6	{ 5 4	{ 28 14	{ 13 6	{ 21 6	{ 2 2	{ 28 20	{ 7 1	{ 25 13
98. 10. Peritonitis.....	{ M. 1 F. 10	{ 14 19	{ 4 17	{ 12 28	{ 17 10	{ 17 11	{ 9 6	{ 38 48	{ 2 5	{ 28 35
99. 11. Ascites.....	{ M. 1 F. 1	{ 1 	{ 1 	{ 2 	{ 1 	{ 1 	{ 1 	{ 1 	{ 1 	{ 2
100. 12. Others of this class.....	{ M. 1 F. 1	{ 9 12	{ 4 2	{ 2 4	{ 7 5	{ 1 1	{ 4 3	{ 12 12	{ 2 	{ 8 11
101. VI.—Diseases of the urinary system and male organs of generation.....	30	105	78	140	118	120	30	234	20	137
102. Males.....	16	74	45	90	72	64	20	147	14	94
103. Females.....	14	31	33	50	46	56	10	87	6	43
104. 1. Bright's disease.....	{ M. 6 F. 8	{ 48 24	{ 18 23	{ 60 33	{ 38 21	{ 33 30	{ 2 3	{ 76 51	{ 5 3	{ 39 22
105. 2. Calculus, urinary.....	{ M. 1 F. 1	{ 1 	{ 1 	{ 1 	{ 1 	{ 1 	{ 1 	{ 1 	{ 1 	{ 1
106. 3. Diseases of the kidney.....	{ M. 9 F. 6	{ 10 6	{ 3 6	{ 18 12	{ 17 18	{ 23 18	{ 14 4	{ 41 27	{ 5 3	{ 24 14
107. 4. Diseases of the bladder.....	{ M. 1 F. 1	{ 10 	{ 11 	{ 8 	{ 10 	{ 6 	{ 4 	{ 19 4	{ 3 	{ 22 4
108. 5. Others of this class.....	{ M. 6 F. 4	{ 6 1	{ 3 4	{ 4 4	{ 6 6	{ 2 7	{ 2 3	{ 11 5	{ 1 	{ 9 3
109. VII.—Diseases of the female organs of generation.....	2	12	7	6	3	3	3	5	3	8
110. 1. Ovarian tumors.....	1	1	2	1	1	2	2	2	1	1
111. 2. Ovarian diseases.....	1	3	1	1	1	1	1	1	1	1
112. 3. Uterine tumors.....	1	3	1	3	1	1	1	2	1	6
113. 4. Uterine diseases.....	1	3	4	2	1	1	1	1	1	1
114. 5. Others of this class.....	1	2	4	2	1	1	1	1	1	1
115. VIII.—Affections connected with pregnancy.....	12	19	13	42	19	8	7	36	1	32
116. 1. Abortion.....	1	5	2	2	1	2	1	1	1	1
117. 2. Childbirth.....	2	5	2	10	3	2	1	10	1	4
118. 3. Puerperal septicaemia.....	9	12	10	25	12	6	6	22	2	26
119. 4. Extra-uterine pregnancy.....	1	1	1	1	1	1	1	1	1	1
120. 5. Others of this class.....	1	2	1	5	3	3	3	3	3	1

TABLE 19.—DEATHS IN EACH COUNTY AND CITY IN NEW JERSEY FROM EACH SPECIFIED DISEASE AND

CAUSE OF DEATH.		Total.	Cities.	Rural.	Atlantic county.	Atlantic city.	Bergen county.	Burlington county.	Bordentown.	Burlington city.	Camden county.
121	IX.—Diseases of the bones and joints.....	201	128	73	2	1	4	2		1	1
122	Males.....	109	73	36	1	1	2	1		1	
123	Females.....	92	55	37	1		2	1			1
124	1. Diseases of the spine.....	{ M.. 57 F.. 51	{ 38 26	{ 19 25	{ 1	{ 	{ 1 2	{ 1	{ 	{ 	{ 1
125	2. Diseases of the bones.....	{ M.. 29 F.. 16	{ 17 13	{ 12 3	{ 	{ 	{ 	{ 	{ 	{ 	{
126	3. Diseases of the hip joint.....	{ M.. 18 F.. 22	{ 14 14	{ 4 8	{ 1 	{ 	{ 1 	{ 	{ 	{ 1 	{
127	4. Others of this class.....	{ M.. 5 F.. 3	{ 4 2	{ 1 1	{ 	{ 1 	{ 	{ 1 	{ 	{ 	{
128	X.—Diseases of the skin.....	301	184	117	4	2	5	8	1	4	1
129	Males.....	169	103	66	4	1	2	4		3	1
130	Females.....	132	81	51		1	3	4	1	1	
131	1. Abscess.....	{ M.. 124 F.. 91	{ 80 59	{ 44 32	{ 3 	{ 	{ 2 2	{ 3 2	{ 	{ 3 1	{ 1
132	2. Carbuncle.....	{ M.. 26 F.. 17	{ 15 7	{ 11 10	{ 1 	{ 	{ 1 1	{ 1 1	{ 	{ 	{
133	3. Others of this class.....	{ M.. 19 F.. 24	{ 8 15	{ 11 9	{ 	{ 1 1	{ 1 1	{ 1 1	{ 1 	{ 	{
134	XI.—Diseases of the absorbent system.....	41	19	22			2	2			
135	Males.....	21	9	12			1	1			
136	Females.....	20	10	10			1	1			
137	1. Addison's disease.....	{ M.. 12 F.. 8	{ 6 4	{ 6 4	{ 	{ 	{ 	{ 1 	{ 	{ 	{
138	2. Diseases of the spleen.....	{ M.. 4 F.. 4	{ 2 1	{ 2 3	{ 	{ 	{ 	{ 	{ 	{ 	{
139	3. Others of this class.....	{ M.. 5 F.. 8	{ 1 5	{ 4 3	{ 	{ 	{ 1 1	{ 	{ 	{ 	{
140	XII.—Accidents and injuries.....	7,141	4,400	2,741	77	71	240	155	30	57	98
141	Males.....	5,593	3,452	2,141	60	57	191	115	25	45	70
142	Females.....	1,548	948	600	17	14	49	40	5	12	28
143	1. Burns and scalds.....	{ M.. 260 F.. 236	{ 165 162	{ 95 74	{ 3 2	{ 	{ 5 6	{ 3 4	{ 	{ 1 1	{ 4 6
144	2. Drowned.....	{ M.. 1,095 F.. 171	{ 663 83	{ 432 88	{ 9 2	{ 27 	{ 27 8	{ 25 4	{ 4 	{ 14 4	{ 10 3
145	3. Exposure and neglect.....	{ M.. 47 F.. 13	{ 21 8	{ 26 5	{ 4 1	{ 1 	{ 	{ 5 	{ 	{ 1 	{
146	4. Gunshot wounds.....	{ M.. 142 F.. 14	{ 83 6	{ 59 8	{ 1 1	{ 1 	{ 4 1	{ 2 	{ 	{ 1 	{ 5
147	5. Homicide.....	{ M.. 52 F.. 30	{ 26 16	{ 26 14	{ 1 	{ 	{ 2 	{ 1 1	{ 1 	{ 1 1	{ 1 1
148	6. Infanticide.....	{ M.. 3 F.. 1	{ 2 	{ 1 1	{ 	{ 	{ 	{ 1 	{ 	{ 1 	{
149	7. Injuries by machinery.....	{ M.. 15 F..	{ 12 	{ 3 	{ 	{ 	{ 	{ 1 	{ 	{ 	{
150	8. Railroad accidents.....	{ M.. 1,399 F.. 112	{ 903 70	{ 496 42	{ 6 	{ 9 	{ 62 5	{ 12 2	{ 7 1	{ 13 2	{ 18 2
151	9. Suffocation.....	{ M.. 272 F.. 161	{ 164 104	{ 108 57	{ 3 1	{ 2 	{ 10 6	{ 7 6	{ 2 	{ 1 1	{ 2 3
152	10. Suicide by shooting.....	{ M.. 148 F.. 8	{ 89 3	{ 59 5	{ 4 2	{ 1 1	{ 14 1	{ 1	{ 1 	{ 	{ 2
153	11. Suicide by drowning.....	{ M.. 22 F.. 10	{ 14 4	{ 8 6	{ 1 	{ 	{ 	{ 3 	{ 	{ 	{ 1 1
154	12. Suicide by poison.....	{ M.. 89 F.. 42	{ 51 31	{ 33 11	{ 2 1	{ 	{ 3 1	{ 5 	{ 	{ 1 	{ 1 1
155	13. Other suicides.....	{ M.. 253 F.. 46	{ 136 19	{ 117 27	{ 5 1	{ 1 	{ 11 2	{ 9 	{ 2 1	{ 2 	{ 4 2
156	14. Sunstroke.....	{ M.. 140 F.. 29	{ 111 21	{ 29 8	{ 1 1	{ 1 	{ 2 1	{ 2 1	{ 	{ 2 	{ 1
157	15. Surgical operations.....	{ M.. 10 F.. 11	{ 6 7	{ 4 4	{ 	{ 	{ 1 1	{ 	{ 1 	{ 	{ 1
158	16. Wounds.....	{ M.. 151 F.. 23	{ 84 19	{ 67 9	{ 2 	{ 2	{ 4 1	{ 5 2	{ 1 1	{ 1 	{ 1
159	17. Other accidents and injuries.....	{ M.. 1,495 F.. 636	{ 922 395	{ 573 241	{ 18 5	{ 14 11	{ 46 16	{ 35 18	{ 6 2	{ 7 3	{ 20 8

STATISTICS OF DEATHS.

CLASS OF DISEASES, WITH DISTINCTION OF SEX, DURING THE 6 YEARS ENDING MAY 31, 1890—Continued.

Camden city.	Gloucester city.	Cape May county.	Cumberland county.	Bridgeton.	Millville.	Essex county.	Newark.	Orange.	Gloucester county.	Hudson county.	Bayonne.	Harrison.	Hoboken.	Jersey city.	
5	1	4		2	3	2	22	3	5	4	1	1	12	43	121
3	1	3		2	1	1	12	1	3	2		1	6	26	122
2		1			2	1	10	2	2	2	1		6	17	123
2		1				1	5	2	1	2			3	17	} 124
		1					3						3	12	
1	1	2		1	1	1	5	1	3	2		1	1	4	} 125
							3		1		1		2	2	
1				1			2						1	4	} 126
1				1	2		4						1	2	
													1	1	} 127
													1	1	
14	1	7	2	3	8	40	3	11	6	2	2	9	48	128	
9	1	5	1	2	3	26	3	9	2	2		6	25	129	
5		2	1	1	5	14		2	4	2	2	3	23	130	
5	1	4	1	1	2	24	1	5	1			4	20	} 131	
5		1	1	1	3	8		2	1	2	2	4	16		
2		1		1		2	2	2	1	1		2	2	} 132	
						1	2	1	3			1	3		
2		2			1	4	1	2					3	} 133	
					1								4		
		1			1	2					1		8	134	
					1	1	1				1		3	135	
		1			1	1	1						5	136	
					1	1	1				1		2	} 137	
		1				1	1						1		
													2	} 138	
													1		
													1	} 139	
													4		
341	42	35	60	37	18	148	851	88	133	223	160	60	281	1,073	140
269	38	26	42	25	12	104	645	57	95	195	128	44	223	880	141
72	4	9	18	12	6	44	206	31	38	28	32	16	58	193	142
12	2		3		1	10	26	2	2	6	7	2	17	35	} 143
15			3	4	1	4	30	6	5	5	7	1	8	34	
94	23	15	7	9	3	15	95	2	32	43	37	7	34	121	} 144
5	2	3	1	1	2	5	19		8	7	3	1	6	13	
3			1	2			2		3	1			1	3	} 145
1							1						1	2	
12		3	1			2	36	3	4	2	2		3	13	} 146
1							1		1	1	2		1	1	
						1	4		1	2	1		2	6	} 147
2			1			1	1		1				2	4	
1															} 148
							1			1	1		1	8	} 149
62	4	2	6	2	1	21	119	15	15	66	37	20	34	312	} 150
6			1				10	4	2	5	5		1	19	
14	1	2	3	2		4	29	2	3	5	4	3	8	43	} 151
5	1		2		1	4	21	4	2		3	1	7	20	
			1	1		2	16	1		7	3	1	15	19	} 152
			1										1		
1		1				1	6						1	2	} 153
							2						1		
2			1			2	14			7			9	13	} 154
1				1			9	2		1	1		4	8	
3	1		1			4	32	5	5	13	4		9	31	} 155
3	1		4	1		2	3			1			1	3	
5	1		1			1	20	3	2	6	7	1	19	42	} 156
2							5		1	2	2		2	7	
2													1	2	} 157
				1									1	2	
3			1	2		4	6	1	2	7	3	1	2	87	} 158
2		1					1		1		1	2	1	6	
50	6	4	16	7	7	38	239	23	26	29	22	9	67	193	} 159
29		4	6	4	2	27	103	15	17	8	8	11	22	74	

TABLE 19.—DEATHS IN EACH COUNTY AND CITY IN NEW JERSEY FROM EACH SPECIFIED DISEASE AND

CAUSE OF DEATH.		Town of Union.	Hunterdon county.	Mercer county.	Trenton.	Middlesex county.	New Brunswick.	Perth Amboy.	Monmouth county.	Long Branch.	Morris county.
121	IX.—Diseases of the bones and joints	1	3	4	4	4	3	1	6		8
122	Males	1	2	3	2	2	2		5		4
123	Females		1	1	2	2	1	1	1		4
124	1. Diseases of the spine..... {M.....		2	2	1	1	1		3		3
	{F.....		1			2	1	1			4
125	2. Diseases of the bones..... {M.....			1		1	1		1		
	{F.....								1		
126	3. Diseases of the hip joint..... {M.....				1				1		1
	{F.....			1	1						
127	4. Others of this class..... {M.....	1									
	{F.....				1						
128	X.—Diseases of the skin.....	1	8	6	12	5	4	1	11	1	15
129	Males.....	1	6	1	7	5	3		5		9
130	Females.....		2	5	5	1	1	1	6	1	6
131	1. Abscess..... {M.....		5		6	2	1		4		6
	{F.....		1	4	5		1	1	5	1	5
132	2. Carbuncle..... {M.....	1			1	1	1				1
	{F.....								1		
133	3. Others of this class..... {M.....		1	1		2	1		1		2
	{F.....		1	1			1				1
134	XI.—Diseases of the absorbent system.....	1	3	1	1				4		2
135	Males.....	1	1	1					2		2
136	Females.....		2		1				2		
137	1. Addison's disease..... {M.....		1						1		1
	{F.....		1		1				1		
138	2. Diseases of the spleen..... {M.....	1							1		
	{F.....		1								
139	3. Others of this class..... {M.....			1					1		1
	{F.....										
140	XII.—Accidents and injuries.....	29	135	137	233	204	124	62	279	29	232
141	Males.....	22	103	115	181	175	92	51	207	23	185
142	Females.....	7	32	22	52	29	32	11	72	6	47
143	1. Burns and scalds..... {M.....		3	7	8	8	3	4	7		15
	{F.....	1	5	1	11	4	1	2	4		4
144	2. Drowned..... {M.....	1	15	19	54	26	23	13	74	12	80
	{F.....		3	3	3	3	6	4	17	1	9
145	3. Exposure and neglect..... {M.....		1	1		1			1		4
	{F.....					2	1		1		
146	4. Gunshot wounds..... {M.....		5	4	2	3	1	1	5		5
	{F.....		1								2
147	5. Homicide..... {M.....	1		1	4	4	1		3		1
	{F.....				2	1	1		2		3
148	6. Infanticide..... {M.....								1		
	{F.....										
149	7. Injuries by machinery..... {M.....					1					
	{F.....										
150	8. Railroad accidents..... {M.....		22	36	33	72	30	19	29	6	22
	{F.....		1	2	4	6	4	1	6		3
151	9. Suffocation..... {M.....		7	3	3	6	5	2	12	1	10
	{F.....	3	5	3	3	1	3	1	8	2	5
152	10. Suicide by shooting..... {M.....	5	2	2	4	5		1	5		4
	{F.....										
153	11. Suicide by drowning..... {M.....		1		2				2		
	{F.....			1	1				1		
154	12. Suicide by poison..... {M.....	2	2	1	3		1		5		4
	{F.....			2	1				2		
155	13. Other suicides..... {M.....	7	4	7	9	5	2		7		6
	{F.....				2				5		2
156	14. Sunstroke..... {M.....		2	1	3	5	2		2		1
	{F.....	1			1						
157	15. Surgical operations..... {M.....		1	1							1
	{F.....		1								
158	16. Wounds..... {M.....		4		3	2		1	4	1	14
	{F.....		2	1			1				
159	17. Other accidents and injuries..... {M.....	6	34	32	43	37	24	10	50	3	69
	{F.....	2	14	9	24	12	15	3	26	3	18

STATISTICS OF DEATHS.

CLASS OF DISEASES, WITH DISTINCTION OF SEX, DURING THE 6 YEARS ENDING MAY 31, 1890—Continued.

Morris-town.	Ocean county.	Passaic county.	Passaic city.	Paterson.	Salem county.	Salem city.	Somerset county.	Sussex county.	Union county.	Eliza-beth.	Plain-field.	Rahway.	Warren county.	Phillips-burg.	
	2	2	1	14	3	1	7	1	3	3	3		6	2	121
	1	1	1	9			2		2	1	3		1	1	122
	1	1	1	5	3	1	5	1	1	2			5	1	123
	1	1	1	5			1		2	1	1		1	1	124
	1			3	2	1	1	1	1				2		
				2			1			1				1	125
				1											
			1	2						1					126
				1	1		2			1	2		3		
									1						127
3	2	4	2	14	2	1	3	3	4	7	3	3	4	1	128
1		1	2	7	2		1	2	1	5	1	1	3	1	129
2	2	3	3	7		1	2	1	3	2	2	2	1	1	130
1			2	4	2		1	1	1	4	1	1	3	1	131
2	2	3	1	6		1			1	1	2	1	1		
		1		2				1		1					132
							2	1	1						
				1											133
				1					1	1		1			
1			3	1			4			1			2		134
			2	1			1						2		135
1			1	1			3			1					136
			1										1		137
1							1								
			1				1						1		138
			1				1								
															139
							1			1					
80	72	56	43	339	65	19	127	66	70	211	36	39	129	47	140
22	57	47	37	301	42	11	102	54	56	173	26	32	100	33	141
3	15	9	6	88	23	8	25	12	14	38	10	7	29	14	142
4	5		3	25	5			5	2	9	1	1	2	2	143
1	3	1	1	27	5		5	1	4	9	1	1	2	2	
3	26	11	16	40	8	3	14	6	7	18	1	2	13	7	144
	2	2	2	6	4		1	2	1	4			1	1	
	1	1		2	1					5			1	1	145
							1			2					
	1	3		7					3	1		1	1		146
		1													
	2			5			4						2		147
1				2	1		1					1	1		
															148
			1												149
	2	10	2	73	1		34	11	16	65	11	18	33	11	150
			1	4	3		3	1		3	1	2		2	
5	3	3	2	19	4	2	8	3	5	4	2	2	5	1	151
	1	1		17	3	1	1	1	2	7	1	1	2	2	
		3		10	1		2	2	1	6			2		152
										1					
										1		1			153
	1		2	3	2					1			1		154
				2				1		2			2		
1	2	1	1	17	1		14	1	6	3	1		11	1	155
1	2			2	1		3		1	8			1		
				3			2			2					156
	1			1			1			1			1		
															157
				2			1				1				
	2	1	1	15	4		2		3	2	1	2	5	1	158
				2											
9	12	14	9	32	15	6	22	23	10	51	9	5	23	10	159
5	6	4	2	23	6	7	8	5	6	10	3	2	18	7	

TABLE 20.

**DEATHS IN THE METROPOLITAN DISTRICT AND IN NEW JERSEY FROM CERTAIN SPECIFIED
DISEASES AND CLASSES OF DISEASES, BY MONTHS AND SEX, WITH
DISTINCTION OF COLOR AND CERTAIN GROUPS OF AGES,
DURING THE 6 YEARS ENDING MAY 31, 1890.**

TABLE 20.—DEATHS FROM CERTAIN SPECIFIED DISEASES AND CLASSES OF DISEASES, BY MONTHS AND SEX,
METROPOLITAN DISTRICT—TOTAL.

CAUSE OF DEATH AND AGE.	MONTH AND SEX.									
	January.		February.		March.		April.		May.	
	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.
1 Grand total.....	22,946	20,574	20,252	17,887	22,650	19,843	21,449	18,463	20,279	17,685
2 Under 5.....	9,641	8,132	8,786	7,586	9,723	8,004	9,194	7,521	8,574	7,342
3 60 and over.....	3,036	3,575	2,831	3,083	3,240	3,643	3,013	3,198	2,785	2,852
4 Unknown.....	30	21	31	16	37	21	50	21	58	22
5 Unknown causes:										
6 All ages.....	47	32	39	25	51	36	36	35	51	36
7 Under 5.....	13	6	10	6	10	9	6	16	15	12
8 60 and over.....	11	12	14	6	14	7	15	9	11	14
Unknown.....	1	1	1	2	3	1	3	1	1	1
I.—General diseases.										
General diseases—A:										
9 All ages.....	3,258	3,263	2,966	2,836	3,107	3,010	3,104	2,903	3,095	2,961
10 Under 5.....	2,162	2,108	2,014	1,877	2,054	1,965	2,102	1,895	2,139	1,914
11 60 and over.....	129	131	125	149	164	189	150	186	144	175
12 Unknown.....	1	1	5	1	2	2	3	2	4	4
13 1. Measles.....	354	357	293	283	276	240	268	224	272	230
14 Under 5.....	324	335	271	260	256	225	243	203	243	203
15 60 and over.....										
16 Unknown.....									1	
17 2. Scarlet fever.....	465	470	442	470	465	511	507	464	404	433
18 Under 5.....	334	327	318	334	334	367	370	328	303	296
19 60 and over.....			1							
20 Unknown.....			1			1				1
21 3. Diphtheria.....	1,023	1,124	910	850	902	921	859	843	910	919
22 Under 5.....	759	774	689	609	696	658	659	616	694	656
23 60 and over.....	1	3	1	4	3	3	2	3	1	1
24 Unknown.....	1						1			2
25 4. Whooping cough.....	185	202	168	209	195	238	169	224	186	189
26 Under 5.....	181	189	163	201	190	227	162	210	131	179
27 60 and over.....					1	2		1		
28 Unknown.....										
29 5. Cerebro-spinal fever.....	83	79	81	78	96	74	122	90	119	79
30 Under 5.....	56	58	56	45	62	46	74	58	72	41
31 60 and over.....	1		2	2	3	2	1		2	2
32 Unknown.....								1		
33 6. Typhoid fever.....	235	168	175	120	173	125	155	93	124	88
34 Under 5.....	18	7	19	9	17	10	7	10	10	3
35 60 and over.....	10	6	14	14	11	14	12	11	14	11
36 Unknown.....							2			
37 7. Diarrheal diseases.....	436	479	473	422	510	449	558	474	677	578
38 Under 5.....	342	302	334	262	337	279	407	303	511	390
39 60 and over.....	56	54	55	66	64	86	56	83	53	80
40 Unknown.....			1			1	1		1	1
41 8. Malarial fever.....	152	167	153	167	149	176	160	190	173	190
42 Under 5.....	43	30	50	54	45	40	53	50	58	34
43 60 and over.....	17	35	18	20	32	30	29	23	30	38
44 Unknown.....		1	1				1			
45 General diseases—B:										
46 All ages.....	315	193	274	187	297	144	306	170	276	187
47 Under 5.....	125	129	119	113	139	96	137	110	116	131
48 60 and over.....	18	8	22	8	19	3	17	4	14	6
Unknown.....	1		1				1		1	
49 1. Inanition.....	129	126	127	124	143	101	133	114	122	139
50 Under 5.....	123	121	115	113	137	94	130	106	113	129
51 60 and over.....	2	4	6	5	4	2	3	3	4	4
52 Unknown.....			1							
53 General diseases—C:										
54 All ages.....	2,327	2,476	2,548	2,320	2,389	2,461	2,801	2,373	2,751	2,387
55 Under 5.....	2,538	1,947	2,256	1,374	2,600	1,912	2,499	1,844	2,491	1,990
56 60 and over.....	262	474	255	415	249	498	254	475	235	367
Unknown.....		2	2		3	1	3	3	1	1
57 1. Debility and atrophy.....	623	653	582	584	694	641	662	632	600	578
58 Under 5.....	485	414	441	388	551	395	503	375	486	415
59 60 and over.....	111	186	104	165	105	196	115	205	90	133
60 Unknown.....		1	2		2	1	1	2	1	1
61 2. Old age.....	150	289	151	250	146	302	141	271	145	234
62 60 and over.....	150	238	151	250	145	302	139	270	145	234
63 Unknown.....		1			1		2	1		
64 General diseases—D:										
65 All ages.....	4,090	3,675	3,704	3,093	4,047	3,553	3,893	3,385	3,732	3,362
66 Under 5.....	427	387	421	341	488	402	498	392	476	400
67 60 and over.....	425	505	399	400	433	494	401	431	378	435
Unknown.....	6	6	2	3	7	3	9	1	5	5
68 1. Consumption.....	3,310	2,593	2,913	2,151	3,124	2,430	3,055	2,361	2,844	2,274
69 Under 5.....	113	96	113	94	121	108	142	123	130	100
70 60 and over.....	27	240	243	175	262	217	245	186	207	181
71 Unknown.....	6	5	2	3	3	3	6		5	4

TABLE 20.—DEATHS FROM CERTAIN SPECIFIED DISEASES AND CLASSES OF DISEASES, BY MONTHS AND SEX, WITH
METROPOLITAN DISTRICT—TOTAL—Continued.

CAUSE OF DEATH AND AGE.	MONTH AND SEX.									
	January.		February.		March.		April.		May.	
	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.
1 II.—Diseases of the nervous system:										
2 All ages	2,220	1,873	2,145	1,886	2,445	2,102	2,340	1,972	2,128	1,913
3 Under 5	1,063	853	1,028	912	1,185	956	1,175	921	948	865
4 60 and over	471	426	495	451	495	531	466	454	445	462
5 Unknown	3	1	3		2	1	5	5	4	1
6 III.—Diseases of the respiratory system:										
7 All ages	6,030	5,250	4,711	3,983	5,380	4,574	4,608	3,870	3,789	3,123
8 Under 5	2,814	2,283	2,435	2,073	2,657	2,243	2,205	1,894	1,867	1,596
9 60 and over	741	1,092	571	784	748	955	661	787	543	551
10 Unknown	10	5	1	3	8	5	6		4	3
11 IV.—Affections connected with pregnancy:										
12 All ages		369		384		452		406		365
13 V.—Accidents and injuries:										
14 All ages	909	319	780	339	913	339	1,040	336	1,209	370
15 Under 5	99	71	99	88	108	74	134	92	126	83
16 60 and over	94	59	88	54	94	60	101	45	105	47
17 Unknown	3	3	8	1	12	2	15	3	29	4
18 1. Burns and scalds	56	62	52	82	47	69	48	49	35	42
19 Under 5	27	22	30	28	24	21	31	12	15	12
20 60 and over	7	9	3	7	5	7		6	3	3
21 Unknown										
22 2. Drowned	61	9	79	7	107	15	154	18	285	27
23 Under 5	1	1	3	2	6	4	8	4	10	5
24 60 and over	8	2	8		9	1	9	1	13	2
25 Unknown	1	1	4		7	1	10	3	21	3
26 3. Exposure and neglect	8	1	7	4	10	1	1	2	2	1
27 Under 5	1	1	1	3	1			1	1	1
28 60 and over			1	1	1					
29 Unknown							1			
30 4. Gunshot wounds	12	3	7	2	8		11	1	12	2
31 Under 5										
32 60 and over				1			2		2	
33 Unknown										
34 5. Homicides	27	3	28	8	25	13	26	9	35	10
35 Under 20			5	1	4	3	3		5	5
36 60 and over	1				1		1	2		
37 Unknown					1				1	
38 6. Injuries by machinery	6		4		3		1		3	
39 Under 5										
40 60 and over										
41 Unknown										
42 7. Railroad accidents	111	5	80	6	99	9	94	7	111	11
43 Under 5	1						2		3	2
44 60 and over	11	1	6	1	7	3	7		11	2
45 Unknown	1		1		1		1		2	
46 8. Suicide by shooting	57	2	51	1	59	5	63	4	59	5
47 Under 20	4		2		3	2	2		2	
48 60 and over	6		4		11		9		5	
49 Unknown	1				1				1	
50 9. Suicide by drowning	3	2	3	2	3	1	4		9	5
51 Under 20										
52 60 and over							1		1	1
53 Unknown										
54 10. Suicide by poisoning	30	14	19	15	23	15	43	23	44	20
55 Under 5									1	
56 60 and over	2	2	6	2	3		6	2	14	1
57 Unknown										
58 11. Other suicides	54	8	44	7	71	7	65	7	50	14
59 Under 5										
60 60 and over	5	1	9	1	7		13		5	2
61 Unknown			1							
62 12. Sunstroke				1			1		4	2
63 Under 5										
64 60 and over									1	1
65 Unknown										

TABLE 20.—DEATHS FROM CERTAIN SPECIFIED DISEASES AND CLASSES OF DISEASES, BY MONTHS AND SEX, WITH METROPOLITAN DISTRICT—WHITE.

CAUSE OF DEATH AND AGE.		MONTH AND SEX.									
		January.		February.		March.		April.		May.	
		Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.
1	Grand total.....	22,530	20,206	19,856	17,533	22,159	19,469	21,039	18,100	19,859	17,267
2	Under 5.....	9,486	7,991	8,626	7,453	9,541	7,864	9,055	7,406	8,432	7,212
3	60 and over.....	2,997	3,516	2,791	3,020	3,187	3,574	2,973	3,134	2,754	2,802
4	Unknown.....	29	20	81	16	31	20	47	18	56	22
5	Unknown causes:										
6	All ages.....	46	31	39	25	47	35	36	34	49	34
7	Under 5.....	13	6	10	6	9	8	6	16	15	12
8	60 and over.....	11	12	14	6	13	7	15	8	11	13
	Unknown.....	1	1	1	2	2	1	3	1	1	1
I.—General diseases.											
General diseases—A:											
9	All ages.....	3,226	3,227	2,937	2,804	3,067	2,969	3,060	2,871	3,051	2,911
10	Under 5.....	2,146	2,086	1,996	1,859	2,028	1,945	2,086	1,880	2,110	1,893
11	60 and over.....	127	130	124	146	162	186	147	183	141	172
12	Unknown.....	1	1	5	1		2	3	2	3	4
13	1. Measles.....	353	354	292	281	273	237	265	221	270	229
14	Under 5.....	324	332	270	258	254	222	246	201	241	207
15	60 and over.....										
16	Unknown.....									1	
17	2. Scarlet fever.....	465	469	442	409	465	506	505	433	401	428
18	Under 5.....	334	326	318	333	334	364	369	327	300	295
19	60 and over.....			1							
20	Unknown.....			1			1				1
21	3. Diphtheria.....	1,016	1,118	904	848	892	911	855	841	904	910
22	Under 5.....	756	769	685	609	687	654	657	616	692	652
23	60 and over.....	1	3	1	2	3	3	2	3	1	1
24	Unknown.....	1						1			2
25	4. Whooping cough.....	179	196	164	205	189	232	160	219	180	180
26	Under 5.....	175	184	160	198	184	222	159	206	125	172
27	60 and over.....					1	2		1		
28	Unknown.....										
29	5. Cerebro-spinal fever.....	82	78	80	76	96	73	119	88	118	76
30	Under 5.....	56	57	55	44	62	45	73	56	71	40
31	60 and over.....	1			2	3	2	1		2	2
32	Unknown.....								1		
33	6. Typhoid fever.....	231	166	169	116	169	124	152	91	124	85
34	Under 5.....	17	7	9	8	17	10	6	9	10	3
35	60 and over.....	10	6	13	14	11	14	12	11	14	11
36	Unknown.....							2			
37	7. Diarrheal diseases.....	481	469	469	416	501	445	543	467	666	570
38	Under 5.....	337	296	330	257	329	277	402	299	501	386
39	60 and over.....	56	53	55	66	64	86	53	82	53	78
40	Unknown.....			1	1	1	1	1		1	1
41	8. Malarial fever.....	148	163	157	164	148	173	155	185	173	187
42	Under 5.....	42	29	49	52	45	40	52	49	55	33
43	60 and over.....	17	35	18	20	32	30	29	28	29	38
44	Unknown.....		1	1				1			
General diseases—B:											
45	All ages.....	311	190	260	156	292	141	300	168	272	173
46	Under 5.....	122	126	116	113	135	98	133	109	114	124
47	60 and over.....	17	8	21	7	19	3	17	4	14	5
48	Unknown.....	1			1			1		1	
49	1. Inanition.....	126	123	124	123	139	98	129	113	121	131
50	Under 5.....	120	113	112	113	133	91	126	105	112	122
51	60 and over.....	2	4	6	4	4	2	3	3	4	4
52	Unknown.....				1						
General diseases—C:											
53	All ages.....	2,783	2,434	2,504	2,276	2,836	2,414	2,760	2,327	2,696	2,339
54	Under 5.....	2,501	1,919	2,217	1,842	2,553	1,878	2,463	1,810	2,440	1,952
55	60 and over.....	257	462	250	404	245	485	251	467	232	353
56	Unknown.....		2	2		2	1	3	1	1	1
57	1. Debility and atrophy.....	615	635	577	574	684	628	653	619	591	571
58	Under 5.....	479	406	437	381	543	387	496	369	478	411
59	60 and over.....	111	178	103	163	104	191	115	202	90	131
60	Unknown.....		1	2		2	1	1		1	1
61	2. Old age.....	145	285	147	241	142	294	138	266	142	227
62	60 and over.....	145	284	147	241	142	294	136	265	142	227
63	Unknown.....		1					2	1		
General diseases—D:											
64	All ages.....	3,986	3,594	3,595	3,021	3,923	3,469	3,774	3,292	3,604	3,273
65	Under 5.....	415	376	405	335	478	390	484	373	467	394
66	60 and over.....	421	493	393	395	423	486	394	427	371	430
67	Unknown.....	6	6	2	3	5	2	8	1	5	5
68	1. Consumption.....	3,221	2,533	2,821	2,097	3,019	2,365	2,956	2,236	2,734	2,207
69	Under 5.....	111	90	106	91	119	103	139	121	124	93
70	60 and over.....	269	236	242	173	255	213	240	184	206	179
71	Unknown.....	6	6	2	3	1	2	6		5	4

STATISTICS OF DEATHS.

DISTINCTION OF COLOR AND CERTAIN GROUPS OF AGES, DURING THE 6 YEARS ENDING MAY 31, 1890—Continued.

METROPOLITAN DISTRICT—WHITE.

MONTH AND SEX—continued.

June.		July.		August.		September.		October.		November.		December.		Unknown.		
Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	
20,082	17,019	27,678	24,204	21,973	19,447	19,243	16,938	18,634	16,602	17,849	15,813	20,608	17,937	133	61	1
10,292	8,514	16,726	14,680	11,797	10,450	9,624	8,491	8,236	6,870	7,467	6,196	8,951	7,268	24	25	2
2,228	2,313	2,548	2,763	2,315	2,476	2,198	2,364	2,374	2,725	2,437	2,752	2,801	3,152	28	8	3
56	33	58	18	52	19	31	14	35	23	31	13	19	16	16	2	4
42	27	44	43	44	37	50	33	46	26	30	18	49	27	4	2	5
12	12	16	18	14	10	10	8	11	7	9	4	12	4			6
11	8	7	7	11	12	10	13	10	3	11	3	15	8			7
4	1	4	1	7	2	2	1	3			1				2	8
5,132	4,663	11,345	10,659	7,060	6,820	4,892	4,785	3,553	3,440	2,899	2,789	3,270	3,066	5	9	9
4,111	3,672	9,777	8,962	5,483	5,179	3,586	3,411	2,202	2,057	1,674	1,577	2,073	1,840	1	4	10
154	185	359	514	805	437	221	309	174	242	142	159	137	167		1	11
5	5	9	5	10	5	3	5	1	4	6	3	3	3			12
226	235	236	225	117	108	71	52	67	86	136	185	321	303			13
211	216	220	214	116	99	67	49	64	78	173	166	306	276			14
		1														15
																16
258	347	216	245	171	153	135	152	200	202	253	290	414	395			17
241	255	159	170	117	110	102	100	135	132	170	190	304	268			18
	1			2					2	1	1					19
806	784	671	629	539	594	557	594	814	909	941	950	1,122	1,048	2	2	21
558	533	479	430	403	395	392	410	563	553	652	611	798	700		1	22
1	3	2	1	1	1	1	1	1	1	2	2	2	3			23
	1								3			1	1			24
155	167	219	298	257	323	240	264	148	195	133	132	163	202	5		25
149	160	215	284	253	314	237	257	141	187	128	126	159	191			26
	2	1						1				1				27
																28
93	73	95	74	65	67	66	75	65	50	70	53	73	66			29
50	45	60	52	38	48	46	53	40	29	49	33	47	39			30
3		2	3	2	2		2	1	2	3	1	1	4			31
		1										1				32
120	95	210	146	338	252	391	297	418	305	362	279	287	216		3	33
7	4	12	8	4	7	12	11	14	12	14	8	9	8			34
8	4	8	11	14	13	12	16	15	15	23	12	16	18			35
				1		1	1			1		1				36
2,980	2,594	9,306	8,653	5,187	4,894	2,993	2,952	1,392	1,297	552	527	457	456	2	4	37
2,752	2,323	8,486	7,675	4,451	4,085	2,552	2,420	1,124	957	381	333	301	243	1	3	38
75	123	290	430	235	360	164	289	96	149	51	87	56	86		1	39
4	2	5	4	4	4	2	4	1		1						40
159	183	203	216	229	277	291	274	275	262	219	220	189	186			41
49	50	62	43	33	58	72	55	52	48	39	44	42	35			42
25	26	25	38	31	38	22	35	30	48	34	36	29	30			43
	1			1					1		1					44
305	171	478	286	387	243	361	221	284	163	248	149	238	158			45
148	120	270	232	192	187	202	165	135	106	96	99	121	106			46
11	8	15	7	18	8	16	13	14	8	14	8	14	10			47
													1			48
142	120	266	229	193	191	203	164	137	102	91	99	121	166			49
140	114	253	224	185	181	199	158	133	99	88	95	117	100			50
	4	5	3	4	6	1	2	1	3	3	3	1	3			51
													1			52
2,823	2,355	3,364	2,930	3,240	2,735	3,103	2,697	2,952	2,556	2,608	2,189	2,779	2,395	6	18	53
2,571	1,977	3,087	2,467	2,954	2,338	2,843	2,264	2,694	2,098	2,362	1,745	2,508	1,888	5	13	54
210	334	246	413	239	357	217	395	217	407	215	401	243	451	1	3	55
5	2		3	3			1	2	3	3	1	1	2			56
740	716	1,244	1,176	1,141	1,096	1,081	1,034	874	868	572	594	567	616		5	57
601	545	1,115	949	1,097	931	953	843	735	654	448	382	450	377		2	58
95	129	99	178	87	125	91	154	99	164	98	171	114	185		1	59
4	2		2	2			1	2	3	3	1	1	1			60
116	205	146	236	152	232	126	241	118	233	117	230	134	267	1	2	61
115	205	146	235	152	232	126	241	118	243	117	230	134	266		2	62
			1										1			63
3,192	2,881	3,231	3,198	3,209	3,047	3,178	2,871	3,260	3,126	3,098	2,900	3,490	3,093	23	8	64
490	347	494	450	497	365	477	400	433	316	304	283	356	266	1	1	65
360	382	366	399	332	368	337	321	362	415	347	370	394	420	4		66
1	5	6	4		1	6	3	6	6	6		1	4			67
2,337	1,910	2,390	2,119	2,403	2,082	2,388	1,931	2,484	2,182	2,465	2,040	2,675	2,200	19	7	68
91	87	99	104	111	85	91	85	95	75	74	66	73	75			69
193	153	212	168	194	151	203	148	208	194	215	166	211	189	3		70
1	3	4	2		1	5	1	5	4	6		1	3			71

TABLE 20.—DEATHS FROM CERTAIN SPECIFIED DISEASES AND CLASSES OF DISEASES, BY MONTHS AND SEX, WITH METROPOLITAN DISTRICT—COLORED.

CAUSE OF DEATH AND AGE.	MONTH AND SEX.									
	January.		February.		March.		April.		May.	
	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.
1 Grand total.....	416	363	396	354	491	374	410	363	420	368
2 Under 5.....	155	141	160	128	182	140	139	115	142	130
3 60 and over.....	39	59	40	63	53	69	40	64	31	50
4 Unknown.....	1	1			6	1	3	3	2	
5 Unknown causes:										
6 All ages.....	1	1			4	1		1	2	2
7 Under 5.....					1	1				
8 60 and over.....					1			1		1
9 I.—General diseases.										
10 General diseases—A:										
11 All ages.....	32	36	29	32	40	41	44	32	44	50
12 Under 5.....	16	22	18	18	26	20	16	15	29	21
13 60 and over.....	2	1	1	3	2	3	3	3	3	3
14 Unknown.....									1	
15 1. Measles.....	1	3	1	2	3	3	3	3	2	1
16 Under 5.....		3		2	2	3	2	2	2	1
17 60 and over.....										
18 Unknown.....										
19 2. Scarlet fever.....		1		1		5	2	1	3	5
20 Under 5.....		1		1		3	1	1	3	1
21 60 and over.....										
22 Unknown.....										
23 3. Diphtheria.....	7	6	6	2	10	13	4	2	6	9
24 Under 5.....	3	5	4	2	9	4	2		2	4
25 60 and over.....										
26 Unknown.....										
27 4. Whooping cough.....	6	6	4	4	6	6	3	5	6	9
28 Under 5.....	6	5	3	3	6	5	3	4	6	7
29 60 and over.....										
30 Unknown.....										
31 5. Cerebro-spinal fever.....	1	1	1	2		1	3	2	1	3
32 Under 5.....		1	1	1		1	1	2	1	1
33 60 and over.....										
34 Unknown.....										
35 6. Typhoid fever.....	4	2	6	4	4	1	3	2		3
36 Under 5.....	1		1	1			1	1		
37 60 and over.....			1							
38 Unknown.....										
39 7. Diarrheal diseases.....	5	10	4	6	9	4	10	7	11	8
40 Under 5.....	5	6	4	5	8	2	5	4	10	4
41 60 and over.....		1					3	1		2
42 Unknown.....										
43 8. Malarial fever.....	4	4	1	3	1	3	5	5	5	3
44 Under 5.....	1	1	1	2			1	1	3	1
45 60 and over.....									1	
46 Unknown.....										
47 General diseases—B:										
48 All ages.....	4	3	5	1	5	3	6	2	4	9
49 Under 5.....	3	3	3		4	3	4	1	2	7
50 60 and over.....	1		1	1						1
51 Unknown.....										
52 1. Inanition.....	3	3	3	1	4	3	4	1	1	8
53 Under 5.....	3	3	3	1	4	3	4	1	1	7
54 60 and over.....										
55 Unknown.....										
56 General diseases—C:										
57 All ages.....	44	42	44	44	53	47	41	46	55	48
58 Under 5.....	37	28	39	32	47	34	36	34	51	38
59 60 and over.....	5	12	5	11	4	13	3	8	3	9
60 Unknown.....					1			2		
61 1. Debility and atrophy.....	8	18	5	10	10	13	9	13	9	7
62 Under 5.....	6	8	4	7	8	8	7	6	8	4
63 60 and over.....		8	1	2	1	5		3		2
64 Unknown.....								2		
65 2. Old age.....	5	4	4	9	4	8	3	5	3	7
66 60 and over.....	5	4	4	9	3	8	3	5	3	7
67 Unknown.....					1					
68 General diseases—D:										
69 All ages.....	104	81	109	72	124	84	119	93	128	84
70 Under 5.....	12	11	16	6	10	12	14	14	9	6
71 60 and over.....	4	7	6	5	10	8	7	4	5	5
72 Unknown.....					2	1	1			
73 1. Consumption.....	39	60	92	54	105	65	99	75	110	67
74 Under 5.....	2	6	7	3	2	5	3	7	6	2
75 60 and over.....	3	4	6	2	7	4	5	2	1	2
76 Unknown.....					2	1				

TABLE 20.—DEATHS FROM CERTAIN SPECIFIED DISEASES AND CLASSES OF DISEASES, BY MONTHS AND SEX, WITH NEW JERSEY—TOTAL.

	CAUSE OF DEATH AND AGE.	MONTH AND SEX.									
		January.		February.		March.		April.		May.	
		Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.
1	Grand total.....	7,695	7,016	6,847	6,275	7,725	6,803	7,169	6,374	6,659	5,848
2	Under 5.....	2,940	2,415	2,686	2,316	3,030	2,857	2,884	2,236	2,579	2,206
3	60 and over.....	1,538	1,629	1,468	1,471	1,676	1,670	1,511	1,514	1,390	1,230
4	Unknown.....	34	30	36	27	44	21	40	27	54	27
5	Unknown causes:										
6	All ages.....	31	29	25	19	44	32	34	27	19	13
7	Under 5.....	8	7	6	8	15	9	10	13	7	5
8	60 and over.....	12	11	8	5	15	7	12	5	5	3
	Unknown.....	2		1	1			1		1	
	I.—General diseases.										
	General diseases—A:										
9	All ages.....	999	995	904	898	925	907	913	882	895	873
10	Under 5.....	477	469	421	413	454	435	472	407	467	428
11	60 and over.....	87	67	85	82	91	100	86	109	92	84
12	Unknown.....	3	1	1	3	6		3	7	7	3
13	1. Measles.....	11	24	32	34	34	42	36	47	42	39
14	Under 5.....	10	20	26	26	26	32	32	36	34	30
15	60 and over.....		1				1				
16	Unknown.....										
17	2. Scarlet fever.....	181	129	113	145	126	127	119	115	106	94
18	Under 5.....	82	78	65	77	82	80	74	67	59	58
19	60 and over.....					1				1	1
20	Unknown.....										
21	3. Diphtheria.....	290	322	235	214	183	206	208	201	199	226
22	Under 5.....	199	173	141	119	124	136	137	120	136	126
23	60 and over.....		1		1			1		1	1
24	Unknown.....	1			1					1	
25	4. Whooping cough.....	39	53	32	41	43	53	35	43	39	59
26	Under 5.....	37	48	32	40	42	50	35	38	39	55
27	60 and over.....								1		
28	Unknown.....										
29	5. Cerebro-spinal fever.....	33	27	38	19	37	23	46	25	41	13
30	Under 5.....	15	15	24	9	18	13	19	12	20	7
31	60 and over.....	3			2	3	1	1		2	
32	Unknown.....									1	
33	6. Typhoid fever.....	208	146	165	149	162	140	131	107	112	101
34	Under 5.....	11	5	9	11	9	8	13	7	6	4
35	60 and over.....	15	12	12	16	13	20	13	17	21	17
36	Unknown.....		1		1	2				1	
37	7. Diarrheal diseases.....	160	167	155	169	186	171	186	161	203	195
38	Under 5.....	95	102	90	98	108	87	117	82	132	114
39	60 and over.....	28	19	31	32	39	40	29	43	26	29
40	Unknown.....				1	2		1		2	1
41	8. Malarial fever.....	47	51	56	55	43	64	64	85	73	69
42	Under 5.....	7	10	10	12	12	9	20	19	21	19
43	60 and over.....	13	17	12	16	7	14	12	22	15	20
44	Unknown.....			1							
	General diseases—B:										
45	All ages.....	107	92	117	69	92	83	114	84	97	93
46	Under 5.....	65	74	78	52	62	61	73	56	53	70
47	60 and over.....	13	6	14	6	5	4	7	6	6	8
48	Unknown.....							2			
49	1. Inanition.....	72	77	81	56	60	66	70	63	61	80
50	Under 5.....	64	71	73	51	58	60	63	54	55	69
51	60 and over.....	6	4	5	4	1	3	1	4	4	7
52	Unknown.....										
	General diseases—C:										
53	All ages.....	1,074	900	886	878	1,153	884	1,032	859	1,068	883
54	Under 5.....	853	614	776	632	921	609	823	582	871	655
55	60 and over.....	197	258	180	222	206	239	186	245	173	207
56	Unknown.....	2	2	1	1	5	4	2		1	3
57	1. Debility and atrophy.....	294	267	272	264	314	274	281	273	238	264
58	Under 5.....	173	143	172	149	196	147	163	131	136	152
59	60 and over.....	97	96	73	91	94	92	98	110	80	92
60	Unknown.....	2	2		1	3	3	1		1	3
61	2. Old age.....	100	162	108	131	114	148	89	135	92	115
62	60 and over.....	100	162	107	131	112	147	88	135	92	115
63	Unknown.....			1		2	1	1			
	General diseases—D:										
64	All ages.....	1,285	1,287	1,186	1,116	1,295	1,288	1,208	1,240	1,151	1,185
65	Under 5.....	106	87	94	84	121	98	129	100	113	100
66	60 and over.....	205	222	225	207	234	263	202	231	198	194
67	Unknown.....	5	7	1	8	9	5	5	8	8	12
68	1. Consumption.....	1,014	887	905	772	981	881	925	855	846	770
69	Under 5.....	32	20	33	33	44	29	42	38	41	30
70	60 and over.....	121	83	122	93	122	120	121	97	99	82
71	Unknown.....	4	6	1	6	7	2	5	5	5	6

STATISTICS OF DEATHS.

DISTINCTION OF COLOR AND CERTAIN GROUPS OF AGES, DURING THE 6 YEARS ENDING MAY 31, 1890—Continued.

NEW JERSEY—TOTAL.

MONTH AND SEX—continued.															
June.		July.		August.		September.		October.		November.		December.		Unknown.	
Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.
6,428	5,201	9,656	8,877	8,337	7,354	6,931	6,021	6,480	5,771	5,960	5,309	6,935	6,080	179	68
2,915	2,183	5,328	4,493	4,181	3,623	3,150	2,642	2,604	2,177	2,805	1,866	2,754	2,193	34	23
1,152	1,021	1,378	1,382	1,354	1,284	1,175	1,165	1,279	1,257	1,194	1,189	1,404	1,418	56	11
36	21	87	27	52	29	46	21	38	32	40	20	53	29	1	1
15	17	31	25	31	22	25	30	28	21	21	17	34	21	6	1
4	10	14	11	12	9	6	10	9	7	6	6	12	3	2	2
6	3	6	4	9	6	5	9	4	7	7	4	10	7	2	2
		3	1	4	1	4	1	1	7	1	1	2	1		1
1,226	1,079	3,156	2,975	2,576	2,381	1,623	1,510	1,188	1,212	955	888	1,044	1,001	14	8
837	712	2,551	2,297	1,795	1,611	955	876	560	556	442	385	488	439	2	1
2	3	156	189	189	220	129	167	125	130	75	59	90	87	3	2
40	32	13	4	9	7	6	6	2	4	4	4	4	4		
37	27	33	33	13	14	3	6	5	8	11	15	20	22		
				13	14	3	6	4	6	10	12	18	18		
84	83	58	74	56	55	44	40	68	73	92	102	110	118		
49	56	46	47	32	32	31	25	40	46	54	62	72	74		
				2					2						
178	164	163	158	195	178	207	216	315	366	309	311	322	339	3	
99	93	100	90	119	95	118	118	166	179	204	167	201	195	2	
	3		1	1		1	1		1		2	1	1		
		2			1				2			2	2		
52	51	61	76	56	87	51	51	17	38	24	23	39	50		
49	49	56	74	52	87	51	47	16	37	23	21	38	45		
23	24	41	24	27	25	20	30	18	18	22		34	15		
13	13	25	13	11	15	10	19	7	8	8		18	11		
		2	1	3	2	1	2	2	1	4		1	1		
												1			
116	94	144	109	234	193	247	184	231	200	212	165	220	170	4	4
6	6	6	6	9	12	13	8	12	12	9	7	13	8		
15	9	13	11	20	15	11	17	26	19	17	17	17	18		1
		1		4		3	1	1		2		1			
621	506	2,510	2,321	1,841	1,637	884	847	398	360	166	141	156	163	4	4
556	427	2,253	2,000	1,534	1,321	696	626	283	233	112	84	97	71		1
26	28	108	188	123	165	84	113	62	68	21	22	26	38	1	1
2	1	9	4	3	4	3	4	1	2						
46	63	78	96	89	103	97	80	88	82	58	69	60	58	1	
12	19	18	19	13	17	20	18	21	13	6	10	14	5		
9	13	16	23	21	22	13	23	21	27	15	15	13	18	1	
		1								1	1				
118	60	186	115	165	100	138	97	116	86	115	65	94	68	1	1
72	49	145	94	109	83	94	75	75	64	75	50	57	52	1	
7	1	7	6	14	3	7	3	5	8	10	7	7	8		
1		1	1	1	1	1		1	3			1	1		
69	51	143	98	114	82	95	75	77	68	75	55	60	58	1	
66	43	135	91	103	78	90	68	73	60	71	48	56	50	1	
1	1	5	3	6	2	3	2	2	7	4	5	1	5		
									1				1		
1,073	817	1,420	1,206	1,365	1,188	1,212	997	1,087	904	916	799	1,054	883	11	12
902	610	1,220	916	1,146	915	1,049	769	906	684	754	570	884	613	7	10
152	177	173	243	183	237	141	196	157	198	145	199	155	234	3	1
2	1	2	2	4	1	1	2	4	4	1	1	4	3		56
319	280	632	549	611	581	494	482	368	333	244	262	251	289	3	4
217	170	518	398	489	445	417	363	268	235	159	155	169	155		2
81	76	88	105	86	101	55	89	76	77	68	77	68	101	2	1
2	1	2	2	4	1	1	1	4	4	1		3	1		60
71	101	84	138	97	135	86	108	82	121	77	123	88	134	1	
71	101	84	138	97	135	86	107	82	121	77	122	87	132	1	
							1				1	1	2		63
1,034	959	1,174	1,286	1,088	1,138	1,036	1,077	985	1,054	959	1,005	1,104	1,127	39	15
124	69	160	143	150	105	105	119	86	81	83	84	88	74	3	2
206	173	202	213	183	193	178	171	188	198	172	177	193	214	9	2
5	7	2	9	4	8	8	5	6	7	4	5	7	5		66
718	628	824	825	753	755	751	726	726	689	715	701	813	774	29	12
22	21	41	37	42	29	20	36	19	16	22	25	26	21	1	1
98	58	106	67	80	64	64	64	92	72	83	66	85	81	3	1
3	3	1	6	3	6	8	3	5	3	3	4	7	3		71

TABLE 20.—DEATHS FROM CERTAIN SPECIFIED DISEASES AND CLASSES OF DISEASES, BY MONTHS AND SEX, WITH

NEW JERSEY—WHITE.

CAUSE OF DEATH AND AGE.	MONTH AND SEX.									
	January.		February.		March.		April.		May.	
	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.
1 Grand total.....	7,448	6,786	6,622	6,055	7,443	6,554	6,946	6,144	6,436	5,613
2 Under 5.....	2,845	2,320	2,612	2,228	2,908	2,263	2,761	2,162	2,500	2,125
3 60 and over.....	1,527	1,592	1,428	1,436	1,623	1,616	1,484	1,468	1,847	1,191
4 Unknown.....	31	26	34	27	35	21	34	26	49	26
5 Unknown causes:										
6 All ages.....	28	27	22	17	42	30	34	26	18	12
7 Under 5.....	7	6	6	7	14	8	10	13	7	5
8 60 and over.....	11	11	7	4	14	7	12	4	5	3
9 Unknown.....	2			1			1		1	
I.—General diseases.										
10 General diseases—A:										
11 All ages.....	978	973	890	872	901	875	889	860	869	851
12 Under 5.....	469	455	414	400	442	419	459	398	456	422
13 60 and over.....	87	67	85	81	89	95	83	107	91	80
14 Unknown.....	3	1	1	8	6			3	5	3
15 1. Measles.....	11	24	31	32	33	41	36	44	41	39
16 Under 5.....	10	20	25	25	25	31	32	34	33	30
17 60 and over.....		1				1				
18 Unknown.....										
19 2. Scarlet fever.....	136	128	112	144	125	125	119	114	103	93
20 Under 5.....	81	77	65	77	82	78	74	67	58	53
21 60 and over.....									1	1
22 Unknown.....					1				1	
23 3. Diphtheria.....	287	321	233	213	179	204	205	201	196	224
24 Under 5.....	198	172	141	119	121	135	134	120	136	125
25 60 and over.....		1		1			1			1
26 Unknown.....	1			1						
27 4. Whooping cough.....	37	47	31	37	42	45	31	43	36	57
28 Under 5.....	35	43	31	36	41	42	31	38	36	54
29 60 and over.....								1		
30 Unknown.....										
31 5. Cerebro-spinal fever.....	32	27	38	17	36	21	46	24	40	17
32 Under 5.....	15	15	24	8	18	13	19	11	20	7
33 60 and over.....	3			2	3		1		2	
34 Unknown.....									1	
35 6. Typhoid fever.....	202	141	161	142	160	137	129	103	108	96
36 Under 5.....	11	5	8	10	9	8	13	6	5	4
37 60 and over.....	15	12	12	16	18	20	12	17	20	17
38 Unknown.....		1		1	2				1	
39 7. Diarrheal diseases.....	157	160	152	164	179	165	178	155	197	189
40 Under 5.....	93	97	88	95	104	85	112	79	128	111
41 60 and over.....	28	19	31	31	39	39	27	42	26	27
42 Unknown.....				1	2			1	2	1
43 8. Malarial fever.....	44	50	55	53	42	60	58	31	71	69
44 Under 5.....	3	9	9	10	11	8	19	18	20	19
45 60 and over.....	13	17	12	16	7	12	12	22	15	20
46 Unknown.....			1							
47 General diseases—B:										
48 All ages.....	104	87	115	67	88	78	110	81	96	87
49 Under 5.....	63	70	76	50	60	58	69	55	57	65
50 60 and over.....	13	6	14	6	3	4	7	6	6	7
51 Unknown.....							2			
52 1. Inanition.....	70	73	79	54	57	62	66	62	61	75
53 Under 5.....	62	67	71	49	56	57	64	53	55	64
54 60 and over.....	6	4	5	4		3	1	4	4	7
55 Unknown.....										
56 General diseases—C:										
57 All ages.....	1,046	877	952	847	1,107	852	1,002	821	1,029	856
58 Under 5.....	834	601	752	613	887	591	800	557	842	636
59 60 and over.....	189	249	172	212	193	228	182	234	163	201
60 Unknown.....	2	2	1	1	3	4	1		1	3
61 1. Debility and atrophy.....	282	258	261	252	296	261	268	261	276	251
62 Under 5.....	167	138	165	143	183	142	155	122	176	142
63 60 and over.....	92	93	71	87	92	87	96	109	78	91
64 Unknown.....	2	2		1	2	3			1	3
65 2. Old age.....	87	156	102	125	107	142	87	125	85	110
66 60 and over.....	97	156	101	125	106	141	86	125	85	110
67 Unknown.....			1		1	1	1			
68 General diseases—D:										
69 All ages.....	1,250	1,230	1,134	1,072	1,242	1,234	1,155	1,188	1,094	1,071
70 Under 5.....	103	83	93	78	113	93	120	97	110	91
71 60 and over.....	200	215	220	202	227	255	199	227	188	189
72 Unknown.....	5	7	1	8	6	5	5	8	7	12
73 1. Consumption.....	974	846	862	739	940	841	885	810	802	721
74 Under 5.....	30	19	29	29	39	26	39	35	40	25
75 60 and over.....	116	79	119	91	121	117	118	95	93	80
76 Unknown.....	4	6	1	6	4	2	5	5	5	8

STATISTICS OF DEATHS.

907

DISTINCTION OF COLOR AND CERTAIN GROUPS OF AGES, DURING THE 6 YEARS ENDING MAY 31, 1890—Continued.

NEW JERSEY—WHITE.

MONTH AND SEX—continued.																	
June.		July.		August.		September.		October.		November.		December.		Unknown.			
Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.		
6,226	5,006	9,391	8,090	8,043	7,105	6,739	5,816	6,276	5,588	5,789	5,150	6,716	5,878	175	61	1	
2,822	2,104	5,184	4,337	4,042	3,509	3,058	2,553	2,519	2,105	2,239	1,806	2,660	2,122	34	23	2	
1,125	991	1,846	1,349	1,311	1,245	1,151	1,133	1,240	1,233	1,168	1,167	1,363	1,381	55	11	3	
86	20	62	24	45	26	45	19	36	32	37	19	44	24	1	1	4	
15	17	30	23	28	22	25	30	26	20	20	17	32	20	6	1	5	
4	10	13	9	10	9	6	10	8	7	6	6	11	3	2	2	6	
6	3	6	4	8	6	5	9	4	7	6	4	10	7	2	2	7	
		3	1	4	1	4	1	1	1	1	1	2	1		1	8	
1,192	1,049	3,077	2,894	2,492	2,314	1,579	1,466	1,160	1,187	935	863	1,024	977	13	7	9	
515	693	2,484	2,226	1,738	1,566	924	851	547	545	434	373	479	429	2	1	10	
69	61	133	188	184	215	129	166	122	129	74	58	88	85	3	2	11	
2	3	12	4	9	6	5	6	2	4	4	4	3	3			12	
40	31	33	33	13	14	3	4	5	7	11	15	18	21			13	
37	26	31	33	13	14	3	4	4	5	10	12	16	17			14	
																	15
																	16
84	82	57	74	54	54	43	39	67	73	92	102	109	118			17	
49	56	45	47	32	31	30	24	39	46	54	62	71	74			18	
	1			2					2								19
176	162	103	155	190	178	205	215	311	362	305	302	321	334	3		21	
98	92	100	87	115	95	117	118	164	177	203	161	200	193	2		22	
	3		1	1	1	1	1	1	2		2	1	1			23	
		2			1				1			2	1				24
48	49	55	66	52	82	47	48	16	37	22	21	35	49			25	
45	47	50	64	48	82	47	44	15	36	21	19	35	44			26	
												1					27
																	28
23	24	41	24	26	25	19	28	16	17	22	17	34	15			29	
13	13	25	13	10	15	10	17	6	7	8	7	18	11			30	
		2	1	3	2	1	2	2	1	4		1	1			31	
												1					32
109	89	139	108	223	184	240	173	224	194	205	160	212	162	3	4	33	
6	5	6	6	8	12	13	7	11	11	8	7	13	7			34	
14	9	11	11	19	15	11	17	25	18	17	16	17	13		1	35	
		1		4		2	1	1		2							36
604	495	2,451	2,264	1,790	1,614	860	830	387	356	163	137	153	160	4	3	37	
541	416	2,196	1,944	1,492	1,285	673	611	277	231	109	81	95	69	1	1	38	
24	23	108	138	121	162	84	113	60	63	21	22	25	38	1	1	39	
	1	8	4	3	4	3	4	1	2							40	
43	58	75	94	82	100	95	83	87	79	56	66	60	55	1		41	
10	16	17	18	10	16	19	18	21	13	5	10	14	4			42	
9	13	15	23	20	21	13	22	21	27	15	15	13	11	1		43	
		1								1	1					44	
111	53	183	109	155	98	136	94	112	84	107	64	91	65	1	1	45	
67	48	143	89	101	81	92	73	71	62	70	50	55	50	1		46	
7	1	7	6	14	3	7	3	5	8	9	6	7	7			47	
1		1	1		1	1		1	3			1	1			48	
63	50	141	92	107	80	93	72	73	66	70	54	58	55	1		49	
61	47	133	86	96	76	88	66	69	58	66	48	54	48	1		50	
1	1	5	3	6	2	3	2	2	7	4	4	1	4			51	
									1			1	1				52
1,044	789	1,378	1,160	1,322	1,145	1,174	965	1,050	867	883	775	1,019	858	11	12	53	
377	537	1,183	878	1,114	885	1,015	743	876	655	729	551	856	594	7	10	54	
149	173	170	235	173	226	137	190	151	190	142	195	149	228	3	1	55	
2	1	2	2	4	1	1	2	3	4	1	1	3	3			56	
313	271	611	524	595	556	479	465	357	318	233	250	240	280	3	4	57	
213	169	501	378	475	428	404	347	260	222	149	146	160	148		2	58	
80	75	86	100	85	95	53	88	74	75	67	75	67	99	2	1	59	
2	1	2	2	4	1	1	1	3	4	1		2	1			60	
69	98	83	135	88	130	84	103	77	115	75	121	83	130	1		61	
69	98	83	135	88	130	84	102	77	115	75	120	82	128	1		62	
							1				1	1	2			63	
982	908	1,134	1,223	1,050	1,087	999	1,025	949	1,011	918	967	1,054	1,073	39	14	64	
118	62	158	135	144	99	102	113	82	78	78	80	82	69	3	2	65	
193	167	197	209	177	187	174	164	180	196	166	175	184	209	9	2	66	
5	6	1	8	3	7	8	4	6	7	4	5	4	3			67	
675	593	793	779	730	718	720	682	695	656	686	669	772	785	29	12	68	
18	16	40	34	40	27	19	32	17	16	20	22	22	18	1	1	69	
93	56	105	66	79	62	80	59	86	71	82	66	78	80	3	1	70	
3	3		6	2	5	6	2	5	3	3	4	4	2			71	

TABLE 20.—DEATHS FROM CERTAIN SPECIFIED DISEASES AND CLASSES OF DISEASES, BY MONTHS AND SEX, WITH NEW JERSEY—COLORED.

CAUSE OF DEATH AND AGE.		MONTH AND SEX.									
		January.		February.		March.		April.		May.	
		Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.
1	Grand total.....	247	230	225	220	282	249	223	230	223	235
2	Under 5.....	104	95	84	88	122	94	103	74	79	81
3	60 and over.....	31	37	40	35	53	54	27	46	43	39
4	Unknown.....	3	4	2		9		6	1	5	1
5	Unknown causes:										
6	All ages.....	3	2	3	2	2	2		1	1	1
7	Under 5.....	1	1	1	1	1	1				
8	60 and over.....	1		1	1	1			1		
8	Unknown.....	1		1							
I.—General diseases.											
General diseases—A:											
9	All ages.....	21	22	14	26	24	32	24	22	26	22
10	Under 5.....	8	14	7	13	12	16	13	9	11	6
11	60 and over.....				1	2	5	3	2	1	4
12	Unknown.....									2	
13	1. Measles.....			1	2	1	1		3	1	
14	Under 5.....			1	1	1	1		2	1	
15	60 and over.....										
16	Unknown.....										
17	2. Scarlet fever.....	1	1	1	1	1	2		1	3	1
18	Under 5.....	1	1				2			1	
19	60 and over.....										
20	Unknown.....										
21	3. Diphtheria.....	3	1	2	1	4	2	3		3	2
22	Under 5.....	1	1			3	1	3			1
23	60 and over.....										
24	Unknown.....									1	
25	4. Whooping cough.....	2	6	1	4	1	8	4		3	2
26	Under 5.....	2	5	1	4	1	8	4		3	1
27	60 and over.....										
28	Unknown.....										
29	5. Cerebro-spinal fever.....	1			2	1	2		1	1	1
30	Under 5.....				1				1		
31	60 and over.....						1				
32	Unknown.....										
33	6. Typhoid fever.....	6	5	4	7	2	3	2	4	4	5
34	Under 5.....			1	1				1	1	
35	60 and over.....							1		1	
36	Unknown.....										
37	7. Diarrheal diseases.....	3	7	3	5	7	6	8	6	6	6
38	Under 5.....	2	5	2	3	4	2	5	3	4	3
39	60 and over.....				1		1	2	1		2
40	Unknown.....										
41	8. Malarial fever.....	3	1	1	2	1	4	6	4	2	
42	Under 5.....	2	1	1	2	1	1	1	1	1	
43	60 and over.....						2				
44	Unknown.....										
General diseases—B:											
45	All ages.....	3	5	2	2	4	5	4	3	1	6
46	Under 5.....	2	4	2	2	2	3	4	1	1	5
47	60 and over.....					2					1
48	Unknown.....										
49	1. Inanition.....	2	4	2	2	3	4	4	1		5
50	Under 5.....	2	4	2	2	2	3	4	1		5
51	60 and over.....					1					
52	Unknown.....										
General diseases—C:											
53	All ages.....	28	23	34	31	46	32	30	38	39	27
54	Under 5.....	19	13	24	19	34	18	23	25	29	19
55	60 and over.....	8	9	8	10	8	11	4	11	10	6
56	Unknown.....					2		1			
57	1. Debility and atrophy.....	12	9	11	12	18	13	13	12	12	13
58	Under 5.....	6	5	7	6	13	5	8	9	10	10
59	60 and over.....	5	3	2	4	2	5	2	1	2	1
60	Unknown.....					1		1			
61	2. Old age.....	3	6	6	6	7	6	2	10	7	5
62	60 and over.....	3	6	6	6	6	6	2	10	7	5
63	Unknown.....					1					
General diseases—D:											
64	All ages.....	45	57	52	44	53	54	53	52	57	64
65	Under 5.....	3	4	1	6	8	5	9	3	3	9
66	60 and over.....	5	7	5	5	7	8	3	4	10	5
67	Unknown.....					3				1	
68	1. Consumption.....	40	41	43	33	41	40	40	45	44	49
69	Under 5.....	2	1		4	5	3	3	3	1	5
70	60 and over.....			3	2	1	3	3	2	6	2
71	Unknown.....					3					

STATISTICS OF DEATHS.

DISTINCTION OF COLOR AND CERTAIN GROUPS OF AGES, DURING THE 6 YEARS ENDING MAY 31, 1890—Continued.

NEW JERSEY—COLORED.

MONTH AND SEX—continued.															
June.		July.		August.		September.		October.		November.		December.		Unknown.	
Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.
202	195	265	287	289	249	192	205	204	183	171	159	219	202	4	2
93	79	144	156	139	114	92	89	85	72	66	60	94	76		
27	30	32	33	43	39	24	32	39	24	26	22	41	37	1	
	1	5	3	7	3	1	2	2		3	1	9	5		
		1	2	3				2	1	1		2	1		
		1	2	2				1				1			
				1						1					
34	30	79	81	84	67	44	44	28	25	20	25	20	24	1	1
22	19	67	71	57	45	31	25	13	11	8	12	9	10		
4	3	3	1	5	5		1	3	1	1	1	2	2		
		1			1	1						1	1		
	1	2					2		1			2	1		
	1	2					2		1			2	1		
	1	1		2	1	1	1	1				1			
		1			1	1		1				1			
2	2	1	3	5		2	1	4	4	4	9	1	5		
1	1		3	4		1		2	2	1	6	1	2		
4	2	6	10	4	5	4	3	1	1	2	2	4	1		
4	2	6	10	4	5	4	3	1	1	2	2	3	1		
				1		1	2	2	1		1				
				1		1	2	1	1		1				
7	5	5	6	11	9	7	11	7	6	7	5	8	8	1	
1	1	2		1		1	1	1	1	1	1	1	1		
17	11	59	57	51	43	24	17	11	4	3	4	3	3		1
15	11	57	56	42	36	23	15	6	2	3	3	2	2		
2		1		2	3			2		3	3	1	2		
3	5	3	2	7	3	2	6	1	3	2	3		3		
2	3	1	1	3	1	1	1			1			1		
		1		1	1								2		
7	2	3	6	10	2	2	3	4	2	8	1	3	3		
5	1	2	5	8	2	2	2	4	2	5	1	2	2		
										1			1		
6	1	2	6	7	2	2	3	4	2	5	1	2	3		
5	1	2	5	7	2	2	2	4	2	5	1	2	2		
											1		1		
29	28	42	46	43	43	38	32	37	37	28	24	35	25		
25	23	37	38	32	30	34	26	30	29	25	19	28	19		
3	4	3	8	10	11	4	6	6	8	3	4	6	6		
								1				1			
6	9	21	25	16	25	15	17	11	15	11	12	11	9		
4	7	17	20	14	17	13	16	8	13	10	9	9	7		
1	1	2	5	1	6	2	1	2	2	1	2	1	2		
								1				1			
2	3	1	3	9	5	2	5	5	6	2	2	5	4		
2	3	1	3	9	5	2	5	5	6	2	2	5	4		
52	51	40	58	38	51	37	52	36	43	41	38	50	54		1
6	7	2	8	6	6	3	6	4	3	5	4	6	5		
8	6	5	4	6	6	4	7	8	2	6	2	9	5		
	1	1	1	1	1		1					3	2		
43	35	31	46	23	37	31	44	31	33	29	32	41	39		
4	5	1	3	2	2	1	4	2	3	2	3	4	3		
5	2	1	1	1	2	4	5	6	1	1		7	1		
		1		1	1		1					3	1		

STATISTICS OF DEATHS.

DISTINCTION OF COLOR AND CERTAIN GROUPS OF AGES, DURING THE 6 YEARS ENDING MAY 31, 1890—Continued.

NEW JERSEY—COLORED—Continued.

MONTH AND SEX—continued.															
June.		July.		August.		September.		October.		November.		December.		Unknown.	
Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.
25	20	34	34	37	32	26	25	36	24	20	21	37	30	1	1
17	9	19	18	18	18	9	12	16	14	6	7	19	16		2
1	3	5	9	6	7	6	7	9	5	9	6	9	7		3
		2		1	1		1			1		1			4
18	25	22	20	12	16	18	19	18	19	24	23	39	28		5
10	15	13	9	6	10	7	16	13	11	15	16	25	20		6
4	3	2	3	1	1	2			2	1	3	4	2		7
										2					8
	2		2		2		2		6				4		9
14	6	13	6	17	5	7	2	10	5	5	2	7	8		10
3	2	1	2	1		1	1	3	1		1		2		11
		1	1	2				1	2			1	3		12
			1	3				1				3	1		13
									2						14
									1				1		15
															16
6		6		6				3	1	1					17
				1					1						18
															19
															20
															21
												1			22
															23
												1			24
				2						1					25
															26
															27
															28
															29
1			1			1						1	1		30
1						1									31
			1										1		32
															33
															34
															35
															36
															37
2		2		5	3	2	1	2		1	1	5			38
															39
				2				1				1			40
												2			41
								1							42
								1							43
															44
															45
1															46
															47
															48
															49
									1						50
															51
															52
				1											53
															54
															55
															56
															57
		1													58
															59
															60
															61

TABLE 20.—DEATHS FROM CERTAIN SPECIFIED DISEASES AND CLASSES OF DISEASES, BY MONTHS AND SEX, WITH CITIES IN NEW JERSEY—TOTAL.

CAUSE OF DEATH AND AGE.	MONTH AND SEX.									
	January.		February.		March.		April.		May.	
	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.
1 Grand total.....	5,044	4,588	4,345	4,018	4,929	4,302	4,622	4,002	4,302	3,821
2 Under 5.....	2,126	1,742	1,873	1,682	2,131	1,660	2,073	1,594	1,840	1,599
3 60 and over.....	680	825	659	745	740	895	655	732	647	639
4 Unknown.....	18	16	21	17	19	13	18	13	24	15
5 Unknown causes:										
6 All ages.....	14	19	12	8	22	19	20	16	14	6
7 Under 5.....	2	1	1	2	5	5	5	9	6	2
8 60 and over.....	6	7	3	1	6	3	7	2	2	3
8 Unknown.....	1		1				1			
I.—General diseases.										
9 General diseases—A:										
10 All ages.....	685	688	617	623	618	617	619	575	586	618
11 Under 5.....	351	347	317	299	327	323	345	308	339	215
12 60 and over.....	29	35	38	46	44	58	43	48	37	46
12 Unknown.....	1	1	1	1	2			1	2	2
13 1. Measles.....	9	20	19	22	19	28	30	33	29	26
14 Under 5.....	9	18	16	20	17	25	26	29	23	19
15 60 and over.....										
16 Unknown.....										
17 2. Scarlet fever.....	94	97	76	90	78	84	83	75	63	67
18 Under 5.....	60	62	42	48	54	57	57	47	40	43
19 60 and over.....										
20 Unknown.....					1				1	1
21 3. Diphtheria.....	214	219	161	144	123	146	135	137	146	178
22 Under 5.....	149	127	111	86	92	105	100	94	109	102
23 60 and over.....		1		1			1			1
24 Unknown.....										
25 4. Whooping cough.....	24	32	21	27	22	32	24	29	22	33
26 Under 5.....	23	27	21	26	22	32	24	27	22	31
27 60 and over.....								1		
28 Unknown.....										
29 5. Cerebro-spinal fever.....	22	16	25	16	30	15	38	19	23	13
30 Under 5.....	12	12	19	7	14	8	15	10	13	5
31 60 and over.....	2			2	2	1				
32 Unknown.....										
33 6. Typhoid fever.....	144	108	125	110	110	92	85	61	67	70
34 Under 5.....	6	5	6	9	7	5	6	4	2	2
35 60 and over.....	2	5	7	11	8	10	7	4	9	11
36 Unknown.....		1								
37 7. Diarrheal diseases.....	105	115	116	129	143	123	132	103	136	134
38 Under 5.....	71	76	80	79	90	69	88	61	99	86
39 60 and over.....	11	13	14	18	20	24	14	18	10	15
40 Unknown.....				1	1				1	1
41 8. Malarial fever.....	28	35	33	36	21	42	33	48	50	48
42 Under 5.....	4	7	7	10	7	6	10	11	16	14
43 60 and over.....	5	11	4	6	3	11	4	10	6	10
44 Unknown.....			1							
45 General diseases—B:										
46 All ages.....	73	75	74	50	56	58	74	65	68	59
47 Under 5.....	46	64	52	39	41	48	49	44	37	46
48 60 and over.....	4	2	5	3	1	1	3	4	5	4
48 Unknown.....							1			
49 1. Inanition.....	50	62	51	43	41	49	47	49	42	52
50 Under 5.....	46	62	48	39	40	47	47	43	37	46
51 60 and over.....	2		3			1		2	3	3
52 Unknown.....										
53 General diseases—C:										
54 All ages.....	682	584	629	572	770	568	697	553	690	603
55 Under 5.....	589	443	529	433	659	420	601	406	595	479
56 60 and over.....	79	122	82	121	93	121	80	130	78	114
56 Unknown.....	2	1			4	3			1	1
57 1. Debility and atrophy.....	190	176	195	195	211	192	197	180	183	177
58 Under 5.....	129	112	141	129	149	111	133	98	135	111
59 60 and over.....	47	45	36	53	46	55	49	60	38	56
60 Unknown.....	2	1			2	2			1	1
61 2. Old age.....	32	77	46	68	49	67	31	70	39	58
62 60 and over.....	32	77	46	68	47	66	31	70	39	58
63 Unknown.....					2	1				
64 General diseases—D:										
65 All ages.....	337	313	759	669	836	777	736	727	761	682
66 Under 5.....	72	59	58	53	85	70	93	65	80	67
67 60 and over.....	87	111	98	96	103	123	91	111	100	101
67 Unknown.....	2	4		5	7	1	3	4	3	6
68 1. Consumption.....	680	582	592	466	641	539	622	506	571	469
69 Under 5.....	20	9	16	21	25	23	32	23	25	21
70 60 and over.....	59	46	48	41	52	51	58	43	52	44
71 Unknown.....	2	3		3	5	1	3	2	2	3

STATISTICS OF DEATHS.

DISTINCTION OF COLOR AND CERTAIN GROUPS OF AGES, DURING THE 6 YEARS ENDING MAY 31, 1890—Continued

CITIES IN NEW JERSEY—TOTAL—Continued.

MONTH AND SEX—continued.															
June.		July.		August.		September.		October.		November.		December.		Unknown.	
Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.
680	578	852	709	687	645	585	519	587	487	516	438	667	503	17	5
397	298	531	448	365	349	336	290	301	236	240	197	331	238	8	2
102	114	128	126	117	135	90	106	127	119	109	118	152	121	3	2
2	3	2	1	3	3	2		1	2	1		3			
394	338	359	295	310	281	416	341	601	499	688	619	925	785	14	4
204	192	191	163	178	161	223	209	314	253	327	292	473	425	4	1
48	46	45	46	41	36	46	48	68	91	75	130	102	141	2	2
		1		1	1	1			1	2	1	2			
	48		45		48		39		54		39		50		
326	69	455	95	362	79	299	91	257	64	276	69	233	63	13	
35	19	32	16	31	23	28	22	20	18	32	26	27	19	1	
25	11	35	13	31	12	35	18	27	7	20	11	25	9	1	
11	1	18	2	7	1	9		6		11	1	4	1	1	
12	5	19	9	11	9	9	11	7	19	15	13	17	13	1	
5	3	10	2	7	4	5	4	2	7	12	5	11	9		
	1	2	1						1		1	1	2		
													1		
88	13	134	21	100	9	59	9	32	2	40	4	31	2	4	
6	2	2	2	7	1	5	2	2		2	2	1	1		
6	1	5		3		3		4			1	2			
7	1	8	1	4	1	5		1		6		1		1	
4		1				1	1	1	1	2		2			
1								1							
		1													
7	1	13		8	1	7		4		14		3			
1				1						2					
4		2	5	3	1	5	1	3	1	2	2				
		1	2	1		1		1							
			1												
		1		4				2		2					
64	3	81	4	91	8	90	8	82	7	75	7	75	5	2	
1	1			1	1	1		2				1			
5	1	12		7	1	10	2	6	1	8	1	9	1		
4		4		3		2		5		3	1	2			
14		9		7	1	6		5		8		2		1	
						1									
		1		2											
2			1	2				1		2		1	1		
			1										1		
5		4	4	4	5	4	3	4	2	8	2	1	4	1	
1					1	1		1							
										1					
10	2	22	3	11	2	8	1	12	2	6	3	6	1		
1		1		2	1	3					1	2			
		1		1		1									
22	4	57	11	21	2	9	1		1		1				
			2		2				1						
3	1	4	1	1		1									
		1													

1
2
3
4
5
6
7
8
9
10
11
12
13
14
15
16
17
18
19
20
21
22
23
24
25
26
27
28
29
30
31
32
33
34
35
36
37
38
39
40
41
42
43
44
45
46
47
48
49
50
51
52
53
54
55
56
57
58
59
60
61

TABLE 20.—DEATHS FROM CERTAIN SPECIFIED DISEASES AND CLASSES OF DISEASES, BY MONTHS AND SEX, WITH CITIES IN NEW JERSEY—WHITE.

CAUSE OF DEATH AND AGE.	MONTH AND SEX.									
	January.		February.		March.		April.		May.	
	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.
1 Grand total.....	4,920	4,402	4,240	3,908	4,784	4,178	4,485	3,880	4,181	3,701
2 Under 5.....	2,073	1,690	1,835	1,586	2,064	1,609	2,008	1,551	1,795	1,557
3 60 and over.....	669	808	640	726	723	811	644	716	629	619
4 Unknown.....	18	15	21	17	12	13	16	12	22	15
5 Unknown causes:										
6 All ages.....	13	18	10	8	22	17	20	16	13	6
7 Under 5.....	2	1	1	2	5	4	5	9	6	2
8 60 and over.....	6	7	2	1	6	3	7	2	2	3
9 Unknown.....	1			1			1			
I.—General diseases.										
10 General diseases—A:										
11 All ages.....	676	676	610	608	603	603	606	558	574	606
12 Under 5.....	348	338	313	290	319	318	338	299	331	309
13 60 and over.....	29	35	38	46	43	55	40	48	37	45
14 Unknown.....	1	1	1	1	2		1	1	1	2
15 1. Measles.....	9	20	19	22	19	27	30	30	28	26
16 Under 5.....	9	18	16	20	17	24	26	27	22	19
17 60 and over.....										
18 Unknown.....										
19 2. Scarlet fever.....	93	97	76	90	78	83	83	75	63	66
20 Under 5.....	59	62	42	48	54	56	57	47	40	43
21 60 and over.....									1	
22 Unknown.....					1					1
23 3. Diphtheria.....	214	218	160	144	121	144	134	137	146	177
24 Under 5.....	149	126	111	86	90	104	99	94	109	101
25 60 and over.....		1		1			1			1
26 Unknown.....										
27 4. Whooping cough.....	23	28	20	25	21	31	22	29	20	31
28 Under 5.....	22	24	20	24	21	31	22	27	20	30
29 60 and over.....								1		
30 Unknown.....										
31 5. Cerebro-spinal fever.....	22	16	25	15	29	13	38	18	23	13
32 Under 5.....	12	12	19	6	14	8	15	9	13	5
33 60 and over.....	2		2		2					
34 Unknown.....										
35 6. Typhoid fever.....	140	106	123	104	109	90	83	57	66	68
36 Under 5.....	6	5	5	8	7	5	6	3	2	2
37 60 and over.....	2	5	7	11	8	10	6	4	9	11
38 Unknown.....		1								
39 7. Diarrheal diseases.....	104	111	114	126	137	119	125	98	131	130
40 Under 5.....	70	72	78	76	87	68	84	58	95	83
41 60 and over.....	11	13	14	18	20	23	12	18	10	14
42 Unknown.....			1		1				1	1
43 8. Malarial fever.....	27	35	33	34	21	41	32	46	49	48
44 Under 5.....	4	7	7	8	7	6	10	10	15	14
45 60 and over.....	5	11	4	6	3	10	4	10	6	10
46 Unknown.....			1							
47 General diseases—B:										
48 All ages.....	71	73	72	50	55	57	71	63	68	54
49 Under 5.....	44	62	50	39	40	47	46	43	37	42
50 60 and over.....	4	2	5	3	1	1	3	4	5	3
51 Unknown.....							1			
52 1. Inanition.....	48	60	49	43	40	48	44	48	42	48
53 Under 5.....	44	60	46	39	39	46	44	42	37	42
54 60 and over.....	2		3			1		2	3	3
55 Unknown.....										
56 General diseases—C:										
57 All ages.....	672	573	614	558	743	550	678	538	667	539
58 Under 5.....	580	437	518	428	638	407	586	391	576	469
59 60 and over.....	78	118	78	117	89	116	78	126	74	111
60 Unknown.....	2	1			3	3			1	1
61 1. Debility and atrophy.....	185	171	190	190	201	134	190	173	180	170
62 Under 5.....	125	110	137	126	141	106	129	92	127	106
63 60 and over.....	46	43	35	51	45	52	48	60	38	55
64 Unknown.....	2	1			2	2			1	1
65 2. Old age.....	32	75	43	66	45	65	30	68	36	56
66 60 and over.....	32	75	43	66	44	64	30	66	36	56
67 Unknown.....					1	1				
68 General diseases—D:										
69 All ages.....	312	779	734	648	316	754	754	705	729	655
70 Under 5.....	70	56	58	50	82	63	90	64	77	63
71 60 and over.....	84	107	95	93	100	121	89	110	97	98
72 Unknown.....	2	4	5	5	4	1	3	4	3	6
73 1. Consumption.....	659	559	571	450	625	522	595	484	547	448
74 Under 5.....	19	9	16	20	23	22	30	22	24	19
75 60 and over.....	56	43	46	39	52	51	56	42	50	43
76 Unknown.....	2	3		3	2	1	3	2	2	3

STATISTICS OF DEATHS.

919

DISTINCTION OF COLOR AND CERTAIN GROUPS OF AGES, DURING THE 6 YEARS ENDING MAY 31, 1890—Continued.

CITIES IN NEW JERSEY—WHITE.

MONTH AND SEX—continued.															
June.		July.		August.		September.		October.		November.		December.		Unknown.	
Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.
4,289	3,381	6,149	5,304	4,898	4,430	4,219	3,682	4,064	3,585	3,794	3,387	4,505	3,889	96	40
2,142	1,623	3,629	3,101	2,603	2,352	2,064	1,806	1,794	1,495	1,606	1,332	1,963	1,577	23	14
543	492	641	687	584	601	496	562	537	629	538	601	648	716	14	8
22	11	36	10	17	14	18	9	12	17	20	10	15	12	1	3
9	9	19	14	13	12	15	21	17	9	6	8	18	13	2	1
2	5	9	6	8	5	4	4	6	2	2	1	7	1	2	6
4	2	2	2	2	3	3	9	2	1	1	3	4	3	1	7
		2	1	1	3	1	1						1		8
929	786	2,103	2,009	1,494	1,431	952	903	759	790	644	622	727	695	5	6
867	558	1,722	1,581	1,070	1,007	573	577	385	383	325	286	362	327		10
36	31	76	112	78	86	58	68	52	70	32	28	40	41		11
1	3	6	1	5	3	1	4	1	3	1	2	1	2		12
30	22	22	30	13	12	3	2	4	6	10	12	13	19		13
28	21	22	29	13	12	3	2	4	5	9	9	13	17		14
															15
															16
57	60	40	61	40	38	32	33	51	57	69	82	82	93		17
34	41	33	39	24	23	24	21	31	37	41	53	55	59		18
				2					2						19
															20
147	123	128	111	135	133	146	152	234	273	221	231	237	246	1	21
87	78	82	66	87	79	89	93	132	144	154	129	151	153		22
	2	2		1	1	1	1		2		1	1	1		23
															24
30	29	32	46	37	59	34	33	12	23	14	13	22	29		25
28	28	29	45	37	59	34	33	11	23	13	13	22	26		26
															27
															28
19	14	25	18	20	15	10	18	13	8	10	9	20	8		29
11	10	16	10	8	11	5	11	6	4	5	4	14	6		30
		1	1	1	1		1	1	1	2	4	1			31
															32
78	56	92	65	126	126	136	100	138	119	140	116	162	123	3	3
4	5		4	4	7	5	6	9	7	4	4	12	4		33
9	1	6	4	5	6	6	11	11	10	8	6	11	11		34
				3			1	1		1					35
															36
500	403	1,679	1,575	1,045	953	489	489	223	215	114	93	104	109		37
457	348	1,517	1,369	837	794	392	394	175	142	83	55	70	56		38
11	17	59	87	56	66	38	41	21	33	8	11	13	17		39
1	1	4	1	2	2	1	2		1						40
23	40	44	53	45	54	63	49	52	47	34	38	40	34		41
6	12	13	9	4	10	13	12	11	8	5	8	11	2		42
3	7	4	12	10	8	5	12	10	17	7	9	5	4		43
											1				44
74	45	124	82	99	68	99	70	78	57	73	43	69	50		45
50	41	99	71	64	58	66	55	50	44	49	34	41	38		46
2	1	4	3	7	1	6	3	2	3	6	3	4	5		47
1		1							2			1	1		48
47	43	99	70	69	57	69	53	49	46	50	36	43	41		49
47	41	95	68	63	55	65	49	48	42	47	33	40	37		50
	1	3	1	2	1	2	2		3	3	3		2		51
									1				1		52
716	540	933	807	818	753	760	641	637	591	568	520	668	582	8	10
630	432	834	648	721	629	694	530	603	464	496	396	592	433	7	8
76	93	81	128	74	106	49	93	71	111	61	111	68	123	1	1
1		1	2	2					3	1		1	2		55
237	195	432	396	366	380	328	314	234	234	150	167	166	197		57
179	138	374	308	308	315	287	249	184	167	109	110	127	113		58
46	43	41	57	35	47	24	48	37	51	30	44	31	64		59
1		1	2	2					3	1		1	1		60
30	50	39	71	39	59	25	45	34	60	31	67	37	65		61
30	50	39	71	39	59	25	45	34	60	31	67	37	64	1	62
													1		63
635	558	713	736	662	626	628	607	607	582	606	596	636	649	24	11
86	42	107	94	94	60	69	64	60	46	52	52	61	44	1	2
95	77	95	105	92	89	78	82	92	92	86	85	84	110	4	65
3	2		3	5		3	2	4	3	3	4	1	2		66
															67
443	373	510	482	469	431	473	421	464	390	468	418	523	464	19	10
14	11	27	26	26	18	11	18	13	9	12	10	16	14		68
42	25	57	36	44	37	40	31	52	31	48	28	41	42	2	69
2	1		2		3	2	1	4	1	3	3	1	1		70

TABLE 20.—DEATHS FROM CERTAIN SPECIFIED DISEASES AND CLASSES OF DISEASES, BY MONTHS AND SEX, WITH CITIES IN NEW JERSEY—COLORED.

CAUSE OF DEATH AND AGE.	MONTH AND SEX.									
	January.		February.		March.		April.		May.	
	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.
1 Grand total.....	124	126	105	110	145	124	137	122	121	120
2 Under 5.....	53	52	38	46	67	51	65	43	45	42
3 60 and over.....	11	17	19	19	17	24	11	16	18	20
4 Unknown.....		1			7		2	1	2	
5 Unknown causes:										
6 All ages.....	1	1	2			2			1	
7 Under 5.....						1				
8 60 and over.....			1							
9 Unknown.....										
I.—General diseases.										
10 General diseases—A:										
11 All ages.....	9	12	7	15	15	14	13	17	12	12
12 Under 5.....	3	9	4	9	8	5	7	9	8	6
13 60 and over.....					1	3	3			1
14 Unknown.....									1	
15 1. Measles.....						1		3	1	
16 Under 5.....						1		2	1	
17 60 and over.....										
18 Unknown.....										
19 2. Scarlet fever.....	1					1				1
20 Under 5.....	1					1				
21 60 and over.....										
22 Unknown.....										
23 3. Diphtheria.....		1	1		2	2	1			1
24 Under 5.....		1			2	1	1			1
25 60 and over.....										
26 Unknown.....										
27 4. Whooping cough.....	1	4	1	2	1	1	2		2	2
28 Under 5.....	1	3	1	2	1	1	2		2	1
29 60 and over.....										
30 Unknown.....										
31 5. Cerebro-spinal fever.....				1	1	2		1		
32 Under 5.....				1				1		
33 60 and over.....										
34 Unknown.....										
35 6. Typhoid fever.....	4	2	2	6	1	2	2	4	1	2
36 Under 5.....			1	1				1		
37 60 and over.....							1			
38 Unknown.....										
39 7. Diarrheal diseases.....	1	4	2	3	6	4	7	5	5	4
40 Under 5.....	1	4	2	3	3	1	4	3	4	3
41 60 and over.....						1	2		4	1
42 Unknown.....										
43 8. Malarial fever.....	1			2		1	1	2	1	
44 Under 5.....				2				1	1	
45 60 and over.....						1				
46 Unknown.....										
47 General diseases—B:										
48 All ages.....	2	2	2		1	1	3	2		5
49 Under 5.....	2	2	2		1	1	3	1		4
50 60 and over.....										1
51 Unknown.....										
52 1. Inanition.....	2	2	2		1	1	3	1		4
53 Under 5.....	2	2	2		1	1	3	1		4
54 60 and over.....										
55 Unknown.....										
56 General diseases—C:										
57 All ages.....	10	11	15	14	27	18	19	20	23	14
58 Under 5.....	9	6	11	10	21	13	15	15	19	10
59 60 and over.....	1	4	4	4	4	5	2	4	4	3
60 Unknown.....					1					
61 1. Debility and atrophy.....	5	5	5	5	10	8	7	7	8	7
62 Under 5.....	4	2	4	3	8	5	4	6	8	5
63 60 and over.....	1	2	1	2	1	3	1		8	1
64 Unknown.....										
65 2. Old age.....		2	3	2	4	2	1	4	3	2
66 60 and over.....		2	3	2	3	2	1	4	3	2
67 Unknown.....					1					
68 General diseases—D:										
69 All ages.....	25	34	25	21	20	23	32	22	32	27
70 Under 5.....	2	3	3	3	3	2	3	1	3	4
71 60 and over.....	3	4	3	3	3	2	2	1	3	3
72 Unknown.....					3					
73 1. Consumption.....	21	23	21	16	16	17	27	22	24	21
74 Under 5.....	1			1	2	1	2	1	1	2
75 60 and over.....	3	3	2	2			2	1	2	1
76 Unknown.....					3					

STATISTICS OF DEATHS.

DISTINCTION OF COLOR AND CERTAIN GROUPS OF AGES, DURING THE 6 YEARS ENDING MAY 31, 1890—Continued.

CITIES IN NEW JERSEY—COLORED.

MONTH AND SEX—continued.																
June.		July.		August.		September.		October.		November.		December.		Unknown.		
Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	
110	108	138	147	146	124	92	105	114	94	89	90	117	96	3	2	1
59	38	70	81	74	50	46	51	56	39	36	35	51	40			2
11	17	12	11	15	19	10	10	9	10	7	11	16	20	1		3
		2	1	4						1		5	1			4
			1					2								5
			1					1								6
																7
																8
19	15	38	41	38	35	28	24	14	12	8	16	11	15		1	9
13	8	34	35	26	25	21	11	5	6	2	7	5	8			10
2	2			2	2		1	2		1	1	1				11
													1			12
	1	1					1		1							13
	1	1					1		1							14
																15
	1	1		1	1	1	1					1				16
																17
																18
																19
	1	1	2	3		2		4	4	1	7	1	4			20
	1		2	2		1		2	2		5	1	2			21
																22
																23
																24
1		1	2	2	4	2	1		1		1	1	1			25
1		1	2	2	4	2	1		1		1	1	1			26
																27
																28
																29
						1	1	1	1		1					30
																31
																32
4	3	1	4	7	5	2	5	3	2	4	4	5	6			33
				1				1			1		1			34
																35
																36
12	6	31	30	22	22	17	8	5	1	1	1	3	2		1	37
11	6	31	29	19	19	16	6	2	1	1		2	2			38
1				2	1			1				1	2			39
																40
1	1	1	2	2		1	6	1	1	1	2		1			41
1			1	1			1			1			1			42
																43
																44
4			4	7	1	1	2	2	1	4	1	3	2			45
4			3	6	1	1	1	2	1	3	1	2	1			46
																47
																48
4			4	6	1	1	2	2	1	3	1	2	2			49
4			3	6	1	1	1	2	1	3		2	1			50
											1		1			51
																52
17	17	25	28	23	17	15	17	18	20	14	17	16	11			53
17	12	22	24	21	11	13	16	17	18	14	14	12	8			54
	4	1	4	2	4	2	1	1	2		2	3	3			55
												1				56
2	7	16	12	9	11	5	10	9	13	6	10	4	5			57
2	5	13	9	8	5	4	10	8	12	6	7	3	4			58
	1	1	3	1	4	1		1	1		2		1			59
												1				60
	3		1	1		1	1	1	1			3	2			61
	3		1	1		1	1	1	1			3	2			62
																63
24	30	22	28	22	26	14	22	19	21	21	21	27	18		1	64
3	3		3	4	2	1	3	2	2	2	2	3	1			65
1	2	1	2	3	2	3	2	1	1	1	1	4	4			66
												3				67
23	22	19	22	13	17	13	17	17	17	18	18	23	11			68
3	3		1	1	1		2	1	1	2	1	1				69
1	1					3	1	1	1	1	1	3	1			70
												3				71

TABLE 20.—DEATHS FROM CERTAIN SPECIFIED DISEASES AND CLASSES OF DISEASES, BY MONTHS AND SEX, WITH RURAL PART OF NEW JERSEY—TOTAL.

CAUSE OF DEATH AND AGE.	MONTH AND SEX.									
	January.		February.		March.		April.		May.	
	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.
1 Grand total.....	2,651	2,423	2,502	2,257	2,796	2,501	2,547	2,372	2,357	2,027
2 Under 5.....	823	673	823	684	899	697	791	642	739	607
3 60 and over.....	878	804	809	726	936	835	856	782	743	591
4 Unknown.....	16	14	15	10	25	8	22	14	30	12
5 Unknown causes:										
6 All ages.....	17	10	13	11	22	13	14	11	5	7
7 Under 5.....	6	6	5	6	10	4	5	4	1	3
8 60 and over.....	6	4	5	4	9	4	5	3	3	1
9 Unknown.....	1		1						1	
I.—General diseases.										
General diseases—A:										
All ages.....	314	307	287	275	307	290	294	307	309	255
Under 5.....	126	122	104	114	127	112	127	99	128	113
60 and over.....	58	32	47	36	47	42	43	61	55	38
Unknown.....	2		2		4		2		5	1
1. Measles.....	2	4	13	12	15	14	6	14	13	13
Under 5.....	1	2	10	6	9	7	6	7	11	11
60 and over.....		1				1				
Unknown.....										
2. Scarlet fever.....	37	32	37	55	48	43	36	40	43	27
Under 5.....	22	16	23	29	28	23	17	20	19	15
60 and over.....										
Unknown.....									1	
3. Diphtheria.....	76	103	74	70	60	60	73	64	53	49
Under 5.....	50	46	30	33	32	31	37	26	27	24
60 and over.....										
Unknown.....	1			1					1	
4. Whooping cough.....	15	21	11	14	21	21	11	14	17	20
Under 5.....	14	21	11	14	20	18	11	11	17	24
60 and over.....										
Unknown.....										
5. Cerebro-spinal fever.....	11	11	13	3	7	8	8	6	18	5
Under 5.....	3	2	5	2	4	5	4	2	7	2
60 and over.....	1				1		1		2	
Unknown.....									1	
6. Typhoid fever.....	64	38	40	39	52	48	46	46	45	31
Under 5.....	5		3	2	2	3	7	3	4	2
60 and over.....	13	7	5	5	10	10	6	13	12	6
Unknown.....				1	2				1	
7. Diarrheal diseases.....	55	52	39	40	43	48	54	58	67	61
Under 5.....	24	26	10	19	18	18	29	21	33	28
60 and over.....	17	6	17	14	19	16	15	25	16	14
Unknown.....					1		1		1	
8. Malarial fever.....	19	16	23	19	22	22	31	37	23	21
Under 5.....	3	3	3	2	5	3	10	8	5	5
60 and over.....	8	6	8	10	4	3	8	12	9	10
Unknown.....										
General diseases—B:										
All ages.....	34	17	43	19	36	25	40	19	29	34
Under 5.....	19	10	26	13	21	13	24	12	21	24
60 and over.....	9	4	9	3	4	3	4	2	1	4
Unknown.....							1			
1. Inanition.....	22	15	30	13	19	17	23	14	19	28
Under 5.....	18	9	25	12	13	13	21	11	18	23
60 and over.....	4	4	5	1	1	2	1	2	1	4
Unknown.....										
General diseases—C:										
All ages.....	392	316	357	306	383	316	335	301	378	280
Under 5.....	264	171	247	194	262	189	222	176	276	176
60 and over.....	118	136	98	101	113	118	106	115	95	93
Unknown.....		1	1	1	1	1	2			2
1. Debility and atrophy.....	104	91	77	69	103	82	84	93	100	87
Under 5.....	44	31	31	20	47	36	30	33	51	41
60 and over.....	50	51	37	38	48	37	49	50	43	36
Unknown.....		1		1	1	1	1			2
2. Old age.....	68	85	62	63	65	81	58	65	53	57
60 and over.....	68	85	61	63	65	81	57	65	53	57
Unknown.....			1				1			
General diseases—D:										
All ages.....	458	474	427	447	459	511	422	513	390	453
Under 5.....	34	28	36	31	36	28	36	35	33	33
60 and over.....	118	111	127	111	131	140	111	120	93	93
Unknown.....	3	3	1	3	2	4	2	4	5	6
1. Consumption.....	234	305	313	306	340	342	303	340	275	301
Under 5.....	12	11	13	12	19	6	10	15	16	9
60 and over.....	62	37	74	52	70	69	63	54	47	38
Unknown.....	2	3	1	3	2	1	2	3	3	5

STATISTICS OF DEATHS.

DISTINCTION OF COLOR AND CERTAIN GROUPS OF AGES, DURING THE 6 YEARS ENDING MAY 31, 1890—Continued.

RURAL PART OF NEW JERSEY—TOTAL.

MONTH AND SEX—continued:															
June.		July.		August.		September.		October.		November.		December.		Unknown.	
Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.
2,029	1,712	3,369	2,926	3,293	2,800	2,620	2,234	2,302	2,092	2,077	1,832	2,313	2,095	80	21
714	522	1,629	1,811	1,504	1,221	1,040	785	754	643	663	499	740	581	11	9
598	512	725	684	755	664	669	593	683	618	649	577	740	682	41	8
14	10	29	16	31	15	28	12	26	15	19	10	33	16		
6	8	12	10	18	10	10	9	9	12	15	9	16	8	4	
2	5	5	4	4	4	2	6	2	5	4	5	5	2		
2	1	4	4	7	3	2		2	6	6	1	6	4	2	
		1		3	1	5		1		1	1	2			
278	278	1,015	925	1,044	915	643	583	415	410	303	250	306	291	9	1
157	146	795	681	699	579	361	288	170	67	115	92	121	104	2	
35	31	80	77	109	132	71	98	71	60	42	30	49	46	3	1
1		7	3	4	4	5	2	1	1	3	2	3	1		
10	9	12	8		2		3	1	1	1	3	7	3		
9	5	10	4		2		3			1	3	5	1		
27	22	17	13	15	16	11	6	17	16	23	20	27	25		
15	15	12	8	8	8	6	3	9	9	13	9	16	15		
31	40	34	45	57	45	59	64	77	84	87	73	84	89	2	
12	14	18	22	30	16	28	25	32	33	50	33	49	40	2	
1	1		1						1			1			
21	22	28	28	17	24	15	17	5	14	10	9	16	20		
20	21	26	27	13	24	15	13	5	13	10	7	15	18		
4	10	16	6	7	10	9	11	4	9	12	8	14	7		
2	3	9	3	2	4	5	7	1	3	3	3	4	5		
		1			1	1	1	1		2		1	1		
34	35	51	40	101	62	109	79	90	79	68	45	53	41	1	1
2	1	6	2	4	5	8	2	3	5	5	3	1	3		
6	8	7	7	15	9	5	6	14	9	9	10	6	2		
		1		1		3		1		1		1			
109	97	800	716	774	677	378	350	170	144	51	47	49	52	4	
88	73	705	602	628	503	288	226	106	80	28	29	25	13	1	
14	11	49	51	65	98	46	72	40	30	13	11	12	21		
1		5	3	3	2	2	2	1	1						
22	22	33	41	42	49	33	34	35	34	23	29	20	23	1	
5	7	5	9	8	7	7	6	10	5	8	2	3	2		
6	6	12	11	11	14	8	10	11	10	1	6	8	9	1	
40	15	62	29	50	31	38	25	36	28	38	21	22	16	1	
18	8	46	20	39	24	27	19	23	19	23	16	14	13	1	
5		3	3	1	2	1		3	5	4	3	3	2		
18	8	44	24	39	24	25	20	26	21	22	18	15	15	1	
15	7	40	20	34	22	24	18	23	17	21	15	14	12	1	
1		2	2	4	1	1		2	4	1	1	1	2		
340	260	462	371	524	418	437	339	382	293	334	262	370	290	3	2
255	166	364	244	404	275	342	223	286	202	244	160	280	172	2	2
76	80	91	111	107	127	90	102	85	85	84	86	84	103		
1	1	1		2	1	1	2	4	1		1	2	1		
80	78	184	141	236	190	161	158	125	86	88	85	81	87	3	1
36	33	181	81	173	125	126	104	76	56	44	38	39	38		
35	32	46	45	50	50	30	41	38	25	38	31	37	36	2	1
1	1			2	1	1		4	1						
41	48	45	66	57	76	60	62	47	60	46	56	48	67		
41	48	45	66	57	76	60	61	47	60	46	55	47	66		
							1				1	1	1		
375	371	439	522	404	486	394	448	359	451	332	388	391	460	15	3
35	24	53	46	52	43	85	52	24	33	29	30	24	29	2	
110	94	106	106	88	102	97	87	95	105	85	91	105	100	5	2
2	5	2	6	4	3	5	3	2	4	1	1	3	3		
252	233	295	321	271	307	260	288	245	282	229	265	267	299	10	2
5	7	14	10	15	11	9	16	5	7	8	14	9	7	1	
55	32	49	31	35	26	41	32	39	41	34	38	41	33	1	1
1	2	1	4	3	3	4	2	1	2		1	3	2		

STATISTICS OF DEATHS.

929

DISTINCTION OF COLOR AND CERTAIN GROUPS OF AGES, DURING THE 6 YEARS ENDING MAY 31, 1890—Continued.

RURAL PART OF NEW JERSEY—TOTAL—Continued.

MONTH AND SEX—continued.																	
June.		July.		August.		September.		October.		November.		December.		Unknown.			
Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.		
347	295	525	454	430	394	403	287	365	314	329	292	359	332	15	6	1	
118	83	230	194	159	160	137	98	81	103	85	74	102	88	2	3	2	
135	127	173	170	176	133	162	123	183	145	159	134	166	169	12	1	3	
3	2	6	1	3	5	4	2	2	1	3	3	5	2			4	
153	121	132	136	132	102	141	135	205	219	246	260	322	312	5	3	5	
69	48	63	61	55	54	64	55	93	80	110	92	144	118	1	3	6	
42	39	28	33	41	18	38	35	58	74	68	87	92	111	2		7	
3	1			1			1	3	1	2		1	5			8	
	29		28		26		18		13		31		25		1	9	
163	33	281	82	248	58	186	52	161	46	154	81	160	58	5	1	10	
12	8	18	9	22	11	17	5	14	10	20	2	18	22	1		11	
29	4	36	19	31	12	33	17	24	14	25	11	33	14	1	1	12	
3	1	9		9		4	2	9	1	7		11	1			13	
2	1	16	4	6	2	3	5	5	7	16	7	10	11			14	
2		4	2	4	2	2	1	2	3	11		5	5			15	
							1			2		2	3			16	
																17	
48	8	84	21	83	15	30	8	21	3	17	3	19	6	1		18	
1	2	5	2	6	1	4			1				2			19	
2		4		3		2	2			1	1	3	1			20	
	1	5		2		2	1	4		1			1			21	
2		1		2	1	1				4		5				22	
1		1		1						1		1				23	
										1		1				24	
2	1	3		7		6	2	5		13		3		1		25	
1				1		1	1									26	
																27	
1																28	
																29	
1		2	3	1	2	7	1	1		1	1	3	1			30	
1			1	1	1	3		1		1						31	
													1			32	
																33	
						1										34	
						1										35	
																36	
																37	
23	1	63	11	54	10	54	5	50	3	34	1	47	2		1	38	
		3	2	2	2		1										39
6		8	4	4		9		5		5		5			1		40
		2		5		1	1	1		4		6					41
																	42
5		4	1	8		2		11	1	2		3	1				43
1				3				2									44
				1													45
1		2	2		1	1		1				2					46
1		2			1			1									47
																	48
																	49
2		2	1	5		3	4	6	1	3		4	1				50
1				1		1	1										51
				2				2									52
																	53
13	2	9	2	10	1	7	2	3	2	8	1	11	6				54
3		1		5	1	1	1			4		4	1				55
1												2					56
																	57
7		11	4	8		2	2	1									58
		1		1		1		1									59
		1	2				1										60
1		1															61

TABLE 20.—DEATHS FROM CERTAIN SPECIFIED DISEASES AND CLASSES OF DISEASES, BY MONTH AND SEX, WITH RURAL PART OF NEW JERSEY—WHITE.

CAUSE OF DEATH AND AGE.	MONTH AND SEX.									
	January.		February.		March.		April.		May.	
	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.
1 Grand total.....	2,528	2,324	2,382	2,147	2,659	2,376	2,461	2,264	2,255	1,912
2 Under 5.....	772	630	777	642	844	654	753	611	705	568
3 60 and over.....	858	784	788	710	900	805	840	752	718	572
4 Unknown.....	13	11	13	10	23	8	18	14	27	11
5 Unknown causes:										
6 All ages.....	15	9	12	9	20	13	14	10	5	6
7 Under 5.....	5	5	5	5	9	4	5	4	1	3
8 60 and over.....	5	4	5	3	8	4	5	2	3	3
Unknown.....	1	4	5	3	8	4	5	2	1	1
I.—General diseases.										
General diseases—A:										
9 All ages.....	302	297	280	264	298	272	283	302	295	245
10 Under 5.....	121	117	101	110	123	101	121	99	125	113
11 60 and over.....	58	32	47	35	46	40	43	59	54	35
12 Unknown.....	2	2	2	2	4	4	2	2	4	1
13 1. Measles.....	2	4	12	10	14	14	6	14	13	13
14 Under 5.....	1	2	9	5	8	7	6	7	11	11
15 60 and over.....		1				1				
16 Unknown.....										
17 2. Scarlet fever.....	37	31	36	54	47	42	36	39	40	27
18 Under 5.....	22	15	23	29	28	22	17	20	18	15
19 60 and over.....									1	
20 Unknown.....										
21 3. Diphtheria.....	73	103	73	69	58	60	71	64	50	47
22 Under 5.....	49	46	30	33	31	31	35	26	27	24
23 60 and over.....										
24 Unknown.....	1		1							
25 4. Whooping cough.....	14	19	11	12	21	14	9	14	16	26
26 Under 5.....	13	19	11	12	20	11	9	11	16	24
27 60 and over.....										
28 Unknown.....										
29 5. Cerebro-spinal fever.....	10	11	13	2	7	8	8	6	17	4
30 Under 5.....	3	3	5	2	4	5	4	2	7	2
31 60 and over.....	1				1		1		2	
32 Unknown.....									1	
33 6. Typhoid fever.....	62	35	38	38	51	47	46	46	42	28
34 Under 5.....	5	2	3	2	2	3	7	3	3	2
35 60 and over.....	13	7	5	5	10	10	6	13	11	6
36 Unknown.....			1	1	2				1	
37 7. Diarrheal diseases.....	53	49	38	38	42	46	53	57	66	59
38 Under 5.....	23	25	10	19	17	17	23	21	33	28
39 60 and over.....	17	6	17	13	19	16	15	24	16	13
40 Unknown.....					1			1	1	
41 8. Malarial fever.....	17	15	22	19	21	19	26	35	22	21
42 Under 5.....	1	2	2	2	4	2	9	8	5	5
43 60 and over.....	8	6	3	10	4	2	8	12	9	10
44 Unknown.....										
General diseases—B:										
45 All ages.....	33	14	43	17	33	21	39	18	28	33
46 Under 5.....	19	8	26	11	20	11	23	12	20	23
47 60 and over.....	9	4	9	3	2	3	4	2	1	4
48 Unknown.....							1			
49 1. Inanition.....	22	13	30	11	17	14	22	14	19	27
50 Under 5.....	18	7	25	10	17	11	20	11	18	22
51 60 and over.....	4	4	5	1		2	1	2	1	4
52 Unknown.....										
General diseases—C:										
53 All ages.....	374	304	338	289	364	302	324	283	362	267
54 Under 5.....	254	164	234	185	249	184	214	166	266	167
55 60 and over.....	111	131	94	95	109	112	104	108	89	90
56 Unknown.....		1	1	1		1	1			2
57 1. Debility and atrophy.....	97	87	71	62	95	77	78	88	96	31
58 Under 5.....	42	28	23	17	42	36	26	30	49	36
59 60 and over.....	46	50	36	30	47	35	48	49	40	36
60 Unknown.....		1		1		1				2
61 2. Old age.....	65	31	59	59	62	77	57	59	49	54
62 60 and over.....	65	31	58	59	62	77	56	59	49	54
63 Unknown.....			1				1			
General diseases—D:										
64 All ages.....	438	451	400	424	426	480	401	483	365	416
65 Under 5.....	33	27	35	28	31	35	30	33	33	28
66 60 and over.....	116	108	125	109	127	134	110	117	91	91
67 Unknown.....	3	3	1	3	2	4	2	4	4	6
68 1. Consumption.....	315	287	291	289	315	319	290	326	255	273
69 Under 5.....	11	10	13	9	16	4	9	13	16	6
70 60 and over.....	60	36	73	52	69	66	62	53	43	37
71 Unknown.....	2	3	1	3	2	1	2	3	3	5

STATISTICS OF DEATHS.

DISTINCTION OF COLOR AND CERTAIN GROUPS OF AGES, DURING THE 6 YEARS ENDING MAY 31, 1890—Continued.

RURAL PART OF NEW JERSEY—WHITE.

MONTH AND SEX—continued.															
June.		July.		August.		September.		October.		November.		December.		Unknown.	
Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.
1,937	1,625	3,242	2,786	3,150	2,675	2,520	2,134	2,212	2,003	1,995	1,763	2,211	1,989	79	21
680	481	1,555	1,236	1,439	1,157	994	747	725	610	633	474	697	545	11	9
582	499	705	662	727	644	655	571	653	604	630	566	715	665	41	8
14	9	26	14	28	12	27	10	24	15	17	9	29	12		
6	8	11	9	15	10	10	9	9	11	14	9	14	7	4	
2	5	4	3	2	4	2	6	2	5	4	5	4	2		
2	1	4	4	6	3	2	3	2	6	5	1	6	4	2	
		1		3	1	3		1		1	1	2			
263	263	974	885	998	883	627	563	401	397	291	241	297	282	8	1
148	135	762	645	668	559	351	274	162	162	109	87	117	102	2	
33	30	77	76	106	129	71	98	70	59	42	30	48	44	3	1
1		6	3	4	3	4	2	1	1	3	2	2	1		
10	9	11	8		2		2	1	1	1	3	5	2		
9	5	9	4		2		2			1	3	3			
27	22	17	13	14	16	11	6	16	16	23	20	27	25		
15	15	12	8	8	8	6	3	8	9	13	9	16	15		
29	39	34	44	55	45	59	63	77	84	84	71	84	83	2	
11	14	18	21	28	16	28	25	32	33	49	32	49	40	2	
	1	1	1					1	1			1			
18	20	23	20	15	23	13	15	4	14	8	8	13	20		
17	19	21	19	11	23	13	11	4	13	8	6	13	18		
4	10	16	6	6	10	9	10	3	9	12	8	14	7		
2	3	9	3	2	4	5	6	1	3	3	3	4	5		
		1		2	1	1	1	1		2		1	1		
31	33	47	38	97	58	104	73	86	75	65	44	50	39		1
2		6	2	4	5	8	1	2	4	4	3	1	3		
5	8	5	7	14	9	5	6	14	8	9	10	6	2		1
		1		1		2		1		1					
104	92	772	689	745	656	371	341	164	141	49	44	40	51	4	
84	68	679	575	605	491	281	217	102	89	26	26	25	13		
13	11	49	51	65	96	46	72	39	30	13	11	12	21	1	
1		4	3	3	2	2	2	1	1						
20	18	31	41	37	46	32	34	35	32	22	28	20	21	1	
4	4	4	9	6	6	6	6	10	5	2	2	3	2		
6	6	11	11	10	13	8	10	11	10	8	6	8	7	1	
		1								1					
37	13	59	27	56	30	37	24	34	27	34	21	22	15	1	
17	7	44	18	37	23	26	18	21	18	21	16	14	12	1	
5		3	3	7	2	1		3	5	3	3	3	2		
		1		1	1	1		1	1						
16	7	42	22	38	23	24	19	24	20	20	18	15	14	1	
14	6	33	18	33	21	23	17	21	16	19	15	14	11	1	
1		2	2	4	1	1		2	4	1	1	1	2		
328	249	445	353	504	392	414	324	363	276	320	255	351	276	3	2
247	155	349	280	393	256	321	213	273	191	233	155	264	161	2	2
73	80	89	107	99	120	88	97	80	79	81	84	81	100	2	
1	1	1		2	1	1	2	3	1		1	2	1		
76	76	179	128	229	176	151	151	123	84	83	83	74	83	3	1
34	31	127	70	167	113	117	98	76	55	40	36	33	35		1
34	32	45	43	50	48	29	40	37	24	37	31	36	35	2	
1	1	1		2	1	1	1	3	1			1			
39	48	44	64	49	71	59	58	43	55	44	54	46	65		
89	48	44	64	49	71	59	57	43	55	44	53	45	64		
							1				1	1	1		
347	350	421	492	388	461	371	418	342	429	312	371	368	424	15	3
32	20	51	41	50	39	33	49	22	32	26	28	21	25	2	
103	90	102	104	85	98	96	82	88	104	80	90	100	99	5	2
2	4	1	5	3	2	5	2	2	4	1	1	3	1		
232	220	283	297	261	287	242	261	231	266	218	251	249	271	10	2
4	5	13	8	14	9	8	14	4	7	8	12	6	4	1	
51	31	48	30	35	25	40	28	34	40	34	38	37	38	1	1
1	2	4	4	2	2	4	1	1	2		1	3	1		

TABLE 21.

DEATHS IN THE METROPOLITAN DISTRICT AND IN NEW JERSEY FROM CERTAIN CAUSES AND CLASSES OF CAUSES, BY CONJUGAL CONDITION AND SEX, WITH DISTINCTION OF COLOR, NATIVITY, PARENTAL NATIVITY, CERTAIN AGES, AND BIRTH-PLACES OF MOTHERS, DURING THE 6 YEARS ENDING MAY 31, 1890.

TABLE 21.—DEATHS FROM CERTAIN CAUSES AND CLASSES OF CAUSES, BY CONJUGAL CONDITION AND SEX, WITH THE 6 YEARS ENDING

METROPOLITAN DISTRICT.

	SEX AND CONJUGAL CONDITION.	Aggregate.	Males.	Females.	WHITE.			Colored.	AGE PERIODS.				
					Total.	Native born.			Foreign born.	All ages.	Under 15	15 to 20	20 to 25
						Both parents native.	One or both parents foreign.						
1	All causes.....	481,329	256,484	224,845	472,239	120,672	184,808	141,482	9,090	481,329	246,367	10,452	18,124
2	Single.....	{ M. 169,309 F. 136,238	169,300	136,238	166,109 133,734	48,565 40,993	89,902 74,101	18,203 11,337	3,191 2,504	169,309 136,238	132,207 114,001	5,137 4,813	7,891 4,634
3	Married.....	{ M. 65,220 F. 52,264	65,220	52,264	64,008 51,383	12,127 9,255	7,897 9,788	42,122 30,759	1,212 876	65,220 52,264	60 86	48 412	1,146 3,973
4	Widowed.....	{ M. 17,116 F. 34,456	17,116	34,456	16,805 33,637	2,696 6,462	1,102 2,088	12,129 23,661	311 819	17,116 34,456	11 17	4 9	33 131
5	Divorced.....	{ M. 9 F. 6	9	6	9 6	2 4	1 1	4 2	9 6
6	Unknown.....	{ M. 4,839 F. 1,881	4,839	1,881	4,712 1,831	332 231	263 166	2,231 1,034	127 50	4,839 1,881	23 12	14 15	214 102
7	Consumption.....	59,706	33,017	26,689	57,871	9,346	17,974	27,926	1,835	59,706	3,635	3,740	7,893
8	Single.....	{ M. 15,383 F. 9,773	15,383	9,773	14,785 9,429	2,398 1,877	6,583 4,479	4,922 2,564	598 344	15,383 9,773	1,730 1,897	1,693 1,961	3,501 2,293
9	Married.....	{ M. 14,127 F. 12,668	14,127	12,668	13,734 12,410	2,155 1,965	2,563 3,401	8,616 6,644	393 258	14,127 12,668	3 2	17 111	452 1,475
10	Widowed.....	{ M. 2,852 F. 3,920	2,852	3,920	2,772 3,802	315 541	331 467	2,004 2,652	80 113	2,852 3,920	1 1	3 2	17 70
11	Divorced.....	{ M. 1 F. 3	1	3	1 3	1 2	1	1 3
12	Unknown.....	{ M. 654 F. 325	654	325	620 315	59 33	87 58	345 178	34 10	654 325	1 4	4 4	51 34
13	Cancer and tumor.....	9,588	3,215	6,373	9,453	1,993	912	6,186	135	9,588	123	47	112
14	Single.....	{ M. 456 F. 776	456	776	448 757	86 192	109 143	224 392	8 19	456 776	66 56	26 17	43 28
15	Married.....	{ M. 2,145 F. 3,363	2,145	3,363	2,116 3,328	391 774	126 358	1,536 2,101	29 35	2,145 3,363	2	9 30
16	Widowed.....	{ M. 543 F. 2,145	543	2,145	540 2,105	82 444	22 142	417 1,422	3 40	543 2,145	1 1
17	Divorced.....	{ M. 3 F. 3	3	3	3	2	3
18	Unknown.....	{ M. 71 F. 89	71	89	70 89	8 16	2 10	42 52	1	71 89	1 1
19	Diseases of the nervous system.....	47,761	25,764	21,997	46,912	14,557	16,593	13,440	849	47,761	25,113	550	716
20	Single.....	{ M. 16,050 F. 13,107	16,050	13,107	15,754 12,882	5,553 4,702	8,304 6,832	1,234 890	296 225	16,050 13,107	13,645 11,448	295 240	333 206
21	Married.....	{ M. 7,143 F. 4,286	7,143	4,286	7,050 4,212	1,745 935	551 532	4,343 2,565	93 74	7,143 4,286	7 7	46 107
22	Widowed.....	{ M. 2,136 F. 4,429	2,136	4,429	2,109 4,307	439 1,112	112 236	1,407 2,696	27 122	2,136 4,429	2	2 11
23	Divorced.....	{ M. 3 F. 3	3	3	3	2	3
24	Unknown.....	{ M. 432 F. 175	432	175	424 171	53 18	15 11	207 96	8 4	432 175	3 1	9 2
25	Diseases of the circulatory system.....	25,563	13,235	12,328	24,991	5,661	5,136	13,082	572	25,563	3,891	328	878
26	Single.....	{ M. 4,615 F. 3,685	4,615	3,685	4,522 3,618	1,218 1,025	1,897 1,654	1,182 825	93 67	4,615 3,685	2,022 1,863	430 387	388 254
27	Married.....	{ M. 6,423 F. 4,684	6,423	4,684	6,281 4,592	1,422 855	562 690	4,074 2,903	142 92	6,423 4,684	2 2	2 7	49 167
28	Widowed.....	{ M. 1,812 F. 3,791	1,812	3,791	1,780 3,667	366 711	102 204	1,212 2,608	32 124	1,812 3,791	1	3
29	Divorced.....	{ M. 1 F. 1	1	1	1	1	1
30	Unknown.....	{ M. 385 F. 167	385	167	370 160	30 33	18 9	201 77	15 7	385 167	12 5

STATISTICS OF DEATHS.

DISTINCTION OF COLOR, NATIVITY, PARENTAL NATIVITY, CERTAIN AGES, AND BIRTHPLACES OF MOTHERS, DURING MAY 31, 1890.

METROPOLITAN DISTRICT.

AGE PERIODS—continued.							BIRTHPLACES OF MOTHERS.														
25 to 35	35 to 45	45 to 55	55 to 65	65 and over.	Un-known.	United States.	Eng-land and Wales.	Ire-land.	Scot-land.	France.	Ger-many.	Russia and Po-land.	Can-ada.	Scan-di-navia.	Hun-gary.	Bo-hemia.	Italy.	Other for- eign coun-tries.	Un-known.		
42,108	41,040	38,226	34,340	49,834	772	152,868	19,040	126,822	5,942	3,243	97,701	7,957	2,550	4,695	2,270	3,022	13,888	10,154	31,177	1	
11,560 4,568	5,938 2,291	3,154 1,755	1,674 1,541	1,594 2,527	145 108	63,202 53,673	5,450 4,331	35,571 28,986	1,729 1,257	899 682	32,502 24,801	3,634 2,738	953 762	1,939 1,543	1,004 832	1,266 997	6,508 5,034	4,017 2,798	10,536 7,804	2	
9,809 13,525	14,770 12,455	14,841 9,528	12,391 6,899	12,079 5,379	76 57	13,791 10,824	3,532 2,650	19,770 19,757	1,104 837	722 404	17,610 11,962	759 525	301 200	557 355	181 170	350 230	1,101 817	1,506 944	3,946 2,489	3	
611 1,063	1,619 2,545	2,709 5,034	3,730 7,193	8,368 18,430	31 34	3,100 7,590	1,027 1,811	6,502 14,611	339 589	184 307	3,788 6,004	88 163	70 152	87 109	24 39	47 122	150 182	284 475	1,426 2,242	4	
1 2	2 4	1	5			2 4					2	1						1	3 1	5	
784 245	1,090 326	891 313	625 288	930 527	263 53	411 271	181 58	931 694	58 29	31 14	647 235	36 12	16 6	94 11	12 8	7 3	82 14	108 21	2,235 505	6	
17,005	12,421	7,605	4,414	2,912	78	12,041	2,160	23,524	793	437	12,028	510	334	595	156	349	884	1,348	8,947	7	
5,019 2,114	2,161 739	854 343	312 220	140 188	19 18	3,233 2,567	482 284	5,911 4,130	174 101	92 34	3,060 1,425	149 65	99 51	177 95	80 33	58 44	273 184	426 150	1,219 660	8	
3,837 4,966	4,319 3,465	2,994 1,626	1,684 705	804 310	17 8	2,631 2,406	594 499	4,587 5,318	221 182	158 85	4,050 2,710	175 86	67 77	141 117	53 31	114 99	209 208	404 224	723 626	9	
291 530	671 825	741 863	609 768	517 858	2 3	399 685	118 161	1,283 1,952	43 56	30 30	597 644	10 12	15 21	20 26	4 5	11 18	28 23	55 55	239 242	10	
1 1	2					1 2						1									11
161 88	159 80	123 61	88 28	57 29	10 1	76 41	27 5	199 144	11 5	4 4	97 45	10 2	3 1	17 2		4 1	6 3	28 6	172 66	12	
591	1,631	2,508	2,450	2,115	11	2,241	564	2,708	187	116	2,543	118	67	54	26	50	90	238	577	13	
69 79	70 153	74 178	50 162	56 103	2	99 227	32 36	110 333	8 13		106 76	13 3	7 6	4 4	3	1	14 4	16 6	43 62	14	
109 236	304 858	586 1,084	661 761	474 338	2 4	430 854	113 208	488 374	30 62	26 48	786 936	46 33	9 24	14 20	10 8	22 17	28 38	87 88	117 153	15	
3 33	22 203	80 475	164 607	273 824	1	92 510	39 132	182 674	10 49	7 27	158 504	7 16	3 17	1 10	1 3		2 12	9 44	32 138	16	
																					17
6 6	5 16	15 16	19 26	23 24	2	10 19	3 1	17 30	2 4	1 1	12 15			1	1	1	1	4 4	18 14	18	
1,083	2,991	3,863	4,653	7,832	60	17,710	2,108	10,945	619	335	9,250	685	209	407	205	234	1,091	879	3,084	19	
532 253	469 215	273 182	198 195	242 359	13 9	6,966 5,903	550 417	2,952 2,535	159 138	70 62	2,940 2,271	304 232	78 58	175 135	80 92	122 74	534 415	329 243	791 532	20	
530 491	1,153 792	1,558 989	1,713 989	2,126 890	10 6	1,900 1,079	418 268	1,721 1,897	110 79	90 43	1,830 943	77 41	25 16	59 10	15 4	22 4	75 31	137 76	664 274	21	
23 53	106 161	240 514	455 988	1,302 2,696	6 6	490 1,289	163 260	666 1,549	47 77	27 37	455 721	10 16	5 16	8 9	3 5	4 8	18 15	32 52	208 375	22	
	1	1	1									1							2	23	
40 11	62 32	73 33	84 30	154 63	7 3	64 19	22 10	63 62	7 2	5 1	70 20	3 1	2	4 1			2 1	8 2	182 56	24	
2,853	3,262	4,062	4,342	5,897	50	6,832	1,383	7,754	434	278	5,769	243	146	181	79	90	292	491	1,591	25	
609 295	445 211	319 188	202 197	196 283	4 4	1,540 1,326	169 150	1,242 1,192	73 42	30 27	894 599	61 42	38 17	42 27	19 15	14 11	93 37	99 54	301 146	26	
527 783	1,186 972	1,523 1,102	1,568 936	1,559 710	7 5	1,616 1,000	402 264	1,619 1,575	114 81	105 47	1,786 1,240	79 34	32 31	55 21	15 19	28 20	80 49	157 83	335 220	27	
29 60	118 251	243 579	420 914	895 1,980	6 3	412 860	129 239	541 1,468	47 68	22 45	413 748	5 22	11 14	18 4	1 8	4 12	13 15	39 51	157 237	28	
1						1															29
33 13	59 20	83 25	68 37	116 58	14 7	39 38	27 3	62 55	6 3	2	72 17		3	14	1	1	5	8	145 50	30	

TABLE 21.—DEATHS FROM CERTAIN CAUSES AND CLASSES OF CAUSES, BY CONJUGAL CONDITION AND SEX, WITH THE 6 YEARS ENDING

METROPOLITAN DISTRICT—Continued.

	SEX AND CONJUGAL CONDITION.	Aggregate.	Males.	Females.	WHITE.				Colored.	AGE PERIODS.			
					Total.	Native born.		Foreign born.		All ages.	Under 15	15 to 20	20 to 25
						Both parents native.	One or both parents foreign.						
1	Diseases of the digestive system.....	18,300	9,355	8,945	18,013	4,088	5,069	8,127	287	18,300	5,619	476	609
2	Single.....	{ M 4,520 F 3,460	4,520	3,460	4,432 3,394	1,339 1,049	2,270 1,719	631 483	88 66	4,520 3,460	3,124 2,439	272 177	236 178
3	Married.....	{ M 3,876 F 3,455	3,876	3,455	3,836 3,423	666 555	352 554	2,639 2,221	40 32	3,876 3,455	5 24	3 199	39 199
4	Widowed.....	{ M 771 F 1,941	771	1,941	754 1,909	112 346	42 113	560 1,375	17 32	771 1,941	1		3 3
5	Divorced.....	{ M F											
6	Unknown.....	{ M 188 F 89	188	89	177 88	10 11	11 8	112 56	11 1	188 89			5 6
7	Diseases of the urinary organs.....	23,833	13,110	10,723	23,303	4,299	4,418	13,490	530	23,833	1,922	437	845
8	Single.....	{ M 3,718 F 2,427	3,718	2,427	3,648 2,377	775 530	1,387 900	1,276 742	70 50	3,718 2,427	1,017 903	161 225	338 224
9	Married.....	{ M 6,841 F 4,898	6,841	4,898	6,692 4,808	1,395 740	714 949	4,249 2,993	149 90	6,841 4,898		2 27	30 231
10	Widowed.....	{ M 2,106 F 3,212	2,106	3,212	2,055 3,114	330 473	148 194	1,467 2,333	51 98	2,106 3,212	1		1 5
11	Divorced.....	{ M 2 F 1	2	1	2 1	1 1		1		2 1			
12	Unknown.....	{ M 443 F 185	443	185	426 180	40 14	23 13	221 108	17 5	443 185		2	8 6
13	Diseases of the female organs of generation.....	908		908	869	227	163	455	39	908	7	28	76
14	Single.....	483		188	178	56	50	67	10	188	7	16	26
15	Married.....	570		570	550	140	96	302	20	570		11	50
16	Widowed.....	135		135	128	30	17	77	7	135		1	
17	Divorced.....												
18	Unknown.....	15		15	13	1		9	2	15			
19	Suicide.....	2,148	1,761	387	2,131	299	244	1,415	17	2,148	6	86	200
20	Single.....	{ M 537 F 102	537	102	529 100	98 22	110 25	239 45	8 2	537 102	5 1	51 28	124 23
21	Married.....	{ M 889 F 216	889	216	884 215	115 30	61 34	671 140	5 1	889 216		2 3	15 25
22	Widowed.....	{ M 184 F 54	184	54	184 54	19 8	9 1	154 38		184 54			2 1
23	Divorced.....	{ M F											
24	Unknown.....	{ M 151 F 15	151	15	150 15	7 1	3 1	73 5	1 5	151 15		1 1	8 2
25	All other causes.....	293,522	157,027	136,495	288,696	80,202	134,299	57,361	4,826	293,522	206,051	4,260	6,735
26	Single.....	{ M 124,021 F 102,720	124,021	102,720	121,991 100,999	37,038 31,545	69,237 58,209	8,445 5,329	2,030 1,721	124,021 102,720	110,598 95,337	2,244 1,762	2,938 1,402
27	Married.....	{ M 23,776 F 18,124	23,776	18,124	23,415 17,850	4,238 3,261	2,468 3,174	15,844 10,390	361 274	23,776 18,124	43 24	22 212	497 1,686
28	Widowed.....	{ M 6,712 F 14,829	6,712	14,829	6,611 14,551	1,033 2,797	336 714	4,908 10,460	101 278	6,712 14,829	7 13		8 38
29	Divorced.....	{ M 3 F 1	3	1	3 1		1	1 1		3 1			
30	Unknown.....	{ M 2,515 F 821	2,515	821	2,475 800	125 105	104 56	1,030 453	40 21	2,515 821	19 10	7 9	120 46

STATISTICS OF DEATHS.

943

DISTINCTION OF COLOR, NATIVITY, PARENTAL NATIVITY, CERTAIN AGES, AND BIRTHPLACES OF MOTHERS, DURING
MAY 31, 1890—Continued.

METROPOLITAN DISTRICT—Continued.

AGE PERIODS—continued.						BIRTHPLACES OF MOTHERS.															
25 to 35	35 to 45	45 to 55	55 to 65	65 and over.	Un-known.	United States.	Eng-land and Wales.	Ira-land.	Scot-land.	France.	Ger-many.	Russia and Po-land.	Can-ada.	Scan-di-navia.	Hun-gary.	Bo-hemia.	Italy.	Other for-ign coun-tries.	Un-known.		
1,764	2,264	2,052	2,354	2,480	22	5,044	832	5,453	265	140	4,185	267	111	164	70	56	345	372	996	1	
386 202	212 132	148 92	82 87	74 100	6 3	1,741 1,361	145 124	976 823	50 39	20 14	891 627	93 65	35 26	57 50	23 13	13 8	137 85	102 66	232 154	2	
332 726	794 885	1,048 786	903 537	699 294	3 4	741 639	211 186	1,108 1,357	64 53	52 25	1,190 849	54 39	19 22	25 18	10 7	17 8	66 41	105 55	205 151	3	
19 38	59 135	140 376	212 483	336 905	2 -----	135 400	46 106	291 813	11 40	7 21	133 331	4 11	1 8	4 6	3 2	1 9	6 7	5 29	69 108	4	
25 6	26 21	42 20	36 14	52 20	2 2	15 12	13 1	44 41	2 1	1 -----	38 12	----- 1	----- -----	4 -----	1 1	----- -----	2 1	8 2	60 17	5	
2,910	4,014	4,530	4,147	4,085	43	5,234	1,218	9,051	383	192	4,795	253	109	166	47	109	269	418	1,589	6	
747 319	535 213	411 197	255 151	236 194	8 1	967 712	148 79	1,278 928	53 32	21 11	685 339	44 33	27 11	40 23	9 6	14 13	80 43	65 45	287 147	7	
625 1,040	1,372 1,323	1,683 1,090	1,525 754	1,584 426	6 3	1,602 899	443 231	2,093 2,253	119 75	74 30	1,738 988	77 54	28 18	46 29	14 12	43 15	61 46	144 63	359 198	8	
45 78	159 261	343 661	539 812	1,022 1,386	6 8	392 593	145 141	797 1,592	44 43	21 26	441 521	16 19	9 15	14 9	2 3	8 15	17 21	34 50	166 189	9	
-----	-----	-----	2	-----	-----	1 1	-----	-----	-----	-----	1	-----	-----	-----	-----	-----	-----	-----	-----	-----	10
39 17	115 44	90 50	75 34	107 30	7 4	49 18	19 12	89 69	9 3	6 3	64 18	3 2	----- 1	5 -----	1 -----	----- 1	----- 1	11 1	187 56	11	
235	238	174	82	65	3	289	40	245	16	15	169	20	13	7	5	6	15	22	46	12	
89	38	37	12	11	2	73	6	60	2	2	23	3	5	-----	-----	1	1	2	10	13	
177	174	99	39	19	1	171	23	143	9	6	127	15	6	5	5	5	14	17	24	14	
15	23	32	20	35	-----	43	11	36	5	7	18	1	1	2	-----	-----	2	9	16	15	
-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	16
4	3	6	2	-----	-----	2	-----	6	-----	-----	1	1	1	-----	-----	-----	-----	1	3	17	
474	466	420	304	177	15	330	96	268	24	27	930	38	15	30	11	20	28	85	246	18	
185 24	91 17	45 5	25 2	8 2	3 -----	111 25	16 5	62 15	4 -----	11 2	201 36	13 3	4 2	14 1	3 1	5 1	9 2	32 2	52 7	19	
138 77	229 47	252 39	177 16	72 8	4 1	124 33	52 6	95 53	13 4	6 4	453 82	13 3	8 -----	9 4	3 2	11 1	9 4	32 7	61 13	20	
11 6	24 10	45 11	48 11	54 15	----- -----	21 8	14 1	21 11	2 -----	2 1	98 22	2 1	----- -----	1 -----	----- 1	1 1	3 -----	10 1	9 8	21	
-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	22
29 4	47 1	10 4	23 2	17 1	7 -----	8	2	9 2	1 -----	1 -----	35 3	2 1	1 -----	1 -----	2 -----	----- -----	1 -----	1 -----	37 9	23	
14,850	13,753	12,412	11,600	23,371	400	103,147	10,639	66,874	3,221	1,703	57,432	5,823	1,546	3,091	1,671	2,108	10,865	6,301	19,101	24	
3,983 1,240	1,955 573	1,070 533	550 515	633 1,287	90 71	48,545 41,479	3,908 3,230	23,040 18,970	1,203 890	655 524	23,815 19,405	2,957 2,287	665 586	1,430 1,208	832 667	1,039 845	5,363 4,313	2,948 2,230	7,611 6,086	25	
3,661 4,979	5,413 3,939	5,192 2,713	4,169 2,162	4,761 2,384	27 25	4,747 3,743	1,299 965	8,059 6,805	424 287	211 116	5,818 4,087	238 220	103 97	203 125	61 76	93 61	573 386	460 326	1,482 830	26	
190 250	469 676	877 1,523	1,283 2,581	3,869 9,731	9 13	1,159 3,202	373 770	2,721 6,546	135 246	68 113	1,438 2,505	34 65	26 60	21 43	10 13	18 50	63 89	100 191	546 936	27	
-----	1 1	-----	2	-----	-----	-----	-----	-----	-----	-----	1	-----	-----	-----	-----	-----	-----	1	1	28	
451 96	617 109	446 98	232 115	404 302	219 36	150 122	68 26	448 285	20 11	11 5	259 104	18 4	7 2	48 8	6 6	1 1	65 8	40 5	1,374 234	29	

TABLE 21.—DEATHS FROM CERTAIN CAUSES AND CLASSES OF CAUSES, BY CONJUGAL CONDITION AND SEX, WITH THE 6 YEARS ENDING
NEW JERSEY.

	SEX AND CONJUGAL CONDITION.	Aggregate.	Males.	Females.	WHITE.				Colored.	AGE PERIODS.			
					Total.	Native born.		Foreign born.		All ages.	Under 15	15 to 20	20 to 25
						Both parents native.	One or both parents foreign.						
1	All causes.....	163,493	87,001	76,492	158,101	90,188	34,702	26,743	5,392	163,493	77,557	4,568	6,246
2	Single.....	M.. 52,785 F.. 43,516	52,785	43,516	51,006 41,961	30,771 26,047	16,122 13,408	2,775 1,671	1,779 1,555	52,785 43,516	42,089 35,322	2,110 2,249	2,610 1,611
3	Married.....	M.. 27,198 F.. 20,814	27,198	20,814	26,478 20,130	13,952 10,777	2,033 2,233	9,043 6,175	720 634	27,198 20,814	83 44	35 162	576 1,352
4	Widowed.....	M.. 5,891 F.. 11,671	5,891	11,671	5,703 11,230	2,598 5,703	256 540	2,303 4,202	188 391	5,891 11,671	4 5	2 2	10 30
5	Divorced.....	M.. 8 F.. 8	8	8	8 8	4 5		2 2		8 8			
6	Unknown.....	M.. 1,119 F.. 483	1,119	483	1,060 467	197 124	59 51	367 203	59 16	1,119 483	6 4	5 3	34 23
7	Consumption.....	19,275	10,000	9,275	18,364	9,341	3,440	4,612	911	19,275	1,195	1,466	2,680
8	Single.....	M.. 4,014 F.. 3,378	4,014	3,378	3,793 3,167	1,796 1,834	1,115 883	624 333	221 211	4,014 3,378	557 630	547 855	1,085 819
9	Married.....	M.. 5,146 F.. 4,786	5,146	4,786	4,969 4,572	2,504 2,469	587 687	1,648 1,204	177 214	5,146 4,786	4 3	8 54	205 552
10	Widowed.....	M.. 696 F.. 1,018	696	1,018	670 972	242 450	57 75	321 382	26 46	696 1,018		1	3 18
11	Divorced.....	M.. F..											
12	Unknown.....	M.. 144 F.. 93	144	93	131 90	30 16	18 18	55 45	13 3	144 93		1	11 7
13	Cancer and tumor.....	3,483	1,262	2,221	3,412	1,829	233	1,152	71	3,483	42	22	35
14	Single.....	M.. 125 F.. 264	125	264	122 260	68 162	18 28	25 58	3 4	125 264	24 18	11 9	12 13
15	Married.....	M.. 932 F.. 1,292	932	1,292	914 1,259	479 703	53 97	337 409	18 33	932 1,292			1 7
16	Widowed.....	M.. 185 F.. 646	185	646	185 633	79 327	7 30	83 220	13	185 646		1 1	1 1
17	Divorced.....	M.. F..											
18	Unknown.....	M.. 20 F.. 19	20	19	20 19	6 5		11 9		20 19			1
19	Diseases of the nervous system.....	23,661	12,649	11,012	22,938	13,857	4,679	3,347	723	23,661	11,717	306	312
20	Single.....	M.. 7,322 F.. 6,190	7,322	6,190	7,069 5,974	4,387 3,812	2,246 1,880	256 173	253 216	7,322 6,190	6,352 5,339	156 141	126 98
21	Married.....	M.. 4,154 F.. 2,630	4,154	2,630	4,073 2,560	2,408 1,477	227 180	1,159 749	81 70	4,154 2,630	15 8	1 8	39 42
22	Widowed.....	M.. 1,074 F.. 2,141	1,074	2,141	1,045 2,072	542 1,188	42 94	339 615	29 69	1,074 2,141	1		2 2
23	Divorced.....	M.. 3 F.. 1	3	1	3 1			2		3 1			
24	Unknown.....	M.. 96 F.. 50	96	50	92 49	27 16	5 5	35 19	4 1	96 50	1 1		2 1
25	Diseases of the circulatory system.....	9,321	4,845	4,476	8,976	4,955	1,061	2,471	345	9,321	1,597	262	222
26	Single.....	M.. 1,455 F.. 1,310	1,455	1,310	1,405 1,259	825 796	355 308	173 116	50 51	1,455 1,310	851 740	122 135	93 56
27	Married.....	M.. 2,694 F.. 1,848	2,694	1,848	2,605 1,772	1,449 915	158 160	849 603	89 76	2,694 1,848	4	2 3	21 48
28	Widowed.....	M.. 640 F.. 1,279	640	1,279	621 1,224	313 624	26 50	229 467	19 55	640 1,279	1		1
29	Divorced.....	M.. 3 F.. 2	3	2	3 2	3 1		1		3 2			
30	Unknown.....	M.. 53 F.. 37	53	37	50 35	15 14	3 1	21 12	3 2	53 37			2 1

STATISTICS OF DEATHS.

DISTINCTION OF COLOR, NATIVITY, PARENTAL NATIVITY, CERTAIN AGES, AND BIRTHPLACES OF MOTHERS, DURING MAY 31, 1890—Continued.

NEW JERSEY.

AGE PERIODS—continued.						BIRTHPLACES OF MOTHERS.															
25 to 35	35 to 45	45 to 55	55 to 65	65 and over.	Un-known.	United-States.	Eng-land and Wales.	Ire-land.	Scot-land.	France.	Ger-many.	Russia and Po-land.	Can-ada.	Scan-di-navia.	Hun-gary.	Bo-hemia.	Italy.	Other for-ign coun-tries.	Un-known.		
12,326	11,791	11,698	11,944	20,510	853	98,632	5,851	23,244	1,636	604	19,581	563	357	680	253	28	1,205	1,158	9,701	1	
2,781 1,393	1,125 663	688 505	452 474	760 1,189	170 110	34,049 28,934	1,610 1,287	6,475 5,384	490 369	135 119	6,497 5,050	248 221	125 104	291 220	120 82	17 4	548 415	409 331	1,771 996	2	
3,349 4,238	4,694 4,172	5,041 3,597	4,916 3,107	8,357 4,019	147 123	14,770 11,565	1,232 887	4,062 3,781	282 240	160 86	3,683 2,413	46 28	51 51	81 53	24 14	1 1	129 65	192 124	2,486 1,506	3	
139 194	339 497	579 1,074	933 1,872	3,853 7,949	32 48	2,775 6,141	290 500	987 2,210	84 160	38 59	712 1,106	3 11	4 17	14 12	4 4	2 3	15 21	39 49	924 1,378	4	
1 1	1 1	1 1	2 2	3 4	-----	4 5	-----	1 1	-----	-----	-----	1 -----	-----	-----	-----	-----	-----	-----	3 1	5	
161 70	223 76	149 63	125 61	224 152	192 31	234 155	30 14	191 153	4 7	4 3	85 35	5 -----	3 2	7 2	3 2	1 -----	11 1	11 3	530 106	6	
5,008	3,459	2,386	1,543	1,433	105	10,371	603	3,024	174	72	2,251	16	45	60	10	5	56	129	1,559	7	
1,147 634	379 199	154 92	75 63	52 67	18 19	2,044 2,094	112 85	898 699	33 29	12 3	443 270	5 1	10 3	15 10	3 4	2 1	20 6	24 23	393 150	8	
1,310 1,680	1,323 1,192	1,063 691	677 357	533 255	23 22	2,706 2,708	186 150	805 925	53 40	31 15	776 545	6 4	10 18	13 18	2 1	-----	14 13	46 25	408 324	9	
72 104	135 170	155 186	150 200	177 330	3 9	263 498	31 35	179 237	9 7	3 8	94 104	-----	-----	3 1	-----	1 -----	-----	4 4	110 119	10	
-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	11
33 28	40 21	26 19	13 8	15 4	6 5	37 21	3 1	46 45	1 2	-----	12 7	-----	1 1	-----	-----	1 -----	1 -----	1 2	41 14	12	
141	463	799	873	1,087	21	1,913	171	477	54	20	450	-----	7	10	4	-----	12	27	329	13	
10 20	14 41	10 60	18 45	25 55	1 3	71 166	6 12	16 43	----- 3	----- 3	12 9	-----	-----	1 -----	-----	-----	2 1	1 2	16 25	14	
35 67	105 263	215 385	268 327	304 232	4 11	498 740	37 74	116 170	17 18	2 9	159 169	-----	2 3	5 4	2 -----	-----	5 3	8 7	81 95	15	
-----	2 30	18 108	44 161	120 338	-----	80 346	7 33	36 85	4 11	1 5	29 79	-----	1 -----	-----	1 -----	-----	1 -----	9	27 76	16	
-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	17
3	5 3	1 2	5 5	7 6	1	6 6	2	6 5	-----	-----	2	-----	-----	-----	1	-----	-----	-----	3 6	18	
820	1,123	1,527	2,120	5,637	99	15,061	889	2,755	231	79	2,622	76	42	77	40	4	152	164	1,469	19	
222 107	121 88	98 64	68 80	157 260	22 13	4,866 4,234	297 159	789 674	72 49	16 15	877 738	32 28	16 15	38 23	21 13	3 1	77 55	63 46	215 137	20	
224 237	462 355	641 510	868 571	1,384 879	20 20	2,501 1,564	211 116	439 382	46 28	17 14	463 257	7 4	4 6	11 1	3 -----	-----	11 2	25 20	414 233	21	
7 14	32 48	61 135	170 331	793 1,604	8 7	573 1,273	63 97	141 303	11 24	9 7	103 166	1 3	-----	1 1	3 -----	-----	3 3	5 5	165 255	22	
-----	1	1	1	-----	-----	-----	-----	-----	-----	-----	-----	1	-----	-----	-----	-----	-----	-----	2 1	23	
8 1	10 6	8 9	24 6	24 26	9	33 17	4 2	13 14	-----	1	10 3	-----	-----	-----	-----	-----	1	-----	34 13	24	
585	861	1,182	1,423	3,144	45	5,381	400	1,414	120	46	1,066	19	19	21	4	1	31	49	750	25	
124 80	56 46	65 58	45 65	93 127	6 3	907 877	50 40	209 182	21 13	1 3	160 121	7 4	6 4	4 4	1 1	-----	9 4	5 3	75 54	26	
132 234	364 314	501 369	570 396	1,086 474	14 10	1,551 999	132 86	342 337	25 31	18 3	370 215	3 -----	5 1	4 6	1 1	-----	9 3	15 16	219 142	27	
3 6	20 50	51 128	104 236	458 866	2 2	329 682	38 53	83 243	12 18	6 8	63 126	-----	1 2	2 1	-----	1	2 4	5 5	98 135	28	
1	-----	-----	-----	2	-----	3 1	-----	-----	1	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	29	
2 3	7 4	5 4	9 7	22 16	6 1	17 15	1	9 8	-----	2	10 1	-----	-----	-----	-----	-----	-----	-----	16 11	30	

TABLE 21.—DEATHS FROM CERTAIN CAUSES AND CLASSES OF CAUSES, BY CONJUGAL CONDITION AND SEX, WITH THE 6 YEARS ENDING

NEW JERSEY—Continued.

	SEX AND CONJUGAL CONDITION.	Aggregate.	Males.	Females.	WHITE.				Colored.	AGE PERIODS.			
					Total.	Native born.		Foreign born.		All ages.	Under 15	15 to 20	20 to 25
						Both parents native.	One or both parents foreign.						
1	Diseases of the digestive system.....	6,510	3,272	3,238	6,342	3,323	1,140	1,640	168	6,510	1,817	217	240
2	Single.....	{ M. 1,475 F. 1,152	1,475	1,152	{ M. 1,429 F. 1,121	{ M. 816 F. 664	{ M. 466 F. 358	{ M. 107 F. 80	{ M. 46 F. 31	{ M. 1,475 F. 1,152	{ M. 1,025 F. 790	{ M. 108 F. 93	{ M. 83 F. 52
3	Married.....	{ M. 1,485 F. 1,412	1,485	1,412	{ M. 1,452 F. 1,376	{ M. 728 F. 673	{ M. 114 F. 149	{ M. 550 F. 504	{ M. 33 F. 36	{ M. 1,485 F. 1,412	{ M. 2 F. 4	{ M. 4 F. 11	{ M. 16 F. 86
4	Widowed.....	{ M. 260 F. 641	260	641	{ M. 253 F. 627	{ M. 121 F. 301	{ M. 9 F. 37	{ M. 99 F. 256	{ M. 7 F. 14	{ M. 260 F. 641			
5	Divorced.....	{ M. F.}											
6	Unknown.....	{ M. 52 F. 33	52	33	{ M. 51 F. 33	{ M. 11 F. 9	{ M. 6 F. 1	{ M. 26 F. 18	{ M. 1 F. 1	{ M. 52 F. 33		{ M. 1 F. 1	{ M. 1 F. 2
7	Diseases of the urinary organs.....	5,332	3,113	2,219	5,161	2,671	639	1,543	171	5,332	544	123	133
8	Single.....	{ M. 697 F. 550	697	550	{ M. 672 F. 541	{ M. 349 F. 297	{ M. 177 F. 151	{ M. 115 F. 66	{ M. 25 F. 9	{ M. 697 F. 550	{ M. 291 F. 243	{ M. 51 F. 66	{ M. 64 F. 42
9	Married.....	{ M. 1,905 F. 1,120	1,905	1,120	{ M. 1,849 F. 1,081	{ M. 1,037 F. 539	{ M. 125 F. 138	{ M. 584 F. 353	{ M. 56 F. 39	{ M. 1,905 F. 1,120	{ M. 2 F. 3	{ M. 1 F. 5	{ M. 18 F. 56
10	Widowed.....	{ M. 457 F. 525	457	525	{ M. 437 F. 508	{ M. 204 F. 219	{ M. 20 F. 22	{ M. 175 F. 213	{ M. 20 F. 17	{ M. 457 F. 525			{ M. 1 F.
11	Divorced.....	{ M. F.}											
12	Unknown.....	{ M. 54 F. 24	54	24	{ M. 51 F. 22	{ M. 20 F. 6	{ M. 1 F. 5	{ M. 24 F. 8	{ M. 3 F. 2	{ M. 54 F. 24			{ M. 2 F.
13	Diseases of the female organs of generation.....	225		225	215	130	26	47	10	225	2	9	22
14	Single.....	45		45	42	29	8	3	3	45	2	7	7
15	Married.....	134		134	130	73	15	34	4	134		2	15
16	Widowed.....	43		43	40	26	3	9	3	43			
17	Divorced.....	1		1	1	1				1			
18	Unknown.....	2		2	2	1		1		2			
19	Suicide.....	618	512	106	611	242	58	250	7	618	5	24	50
20	Single.....	{ M. 133 F. 32	133	32	{ M. 130 F. 30	{ M. 50 F. 17	{ M. 28 F. 3	{ M. 44 F. 7	{ M. 3 F. 2	{ M. 133 F. 32	{ M. 4 F. 6	{ M. 17 F. 6	{ M. 30 F. 12
21	Married.....	{ M. 293 F. 58	293	58	{ M. 292 F. 58	{ M. 109 F. 34	{ M. 19 F. 6	{ M. 140 F. 16	{ M. 1 F.	{ M. 293 F. 58	{ M. 1 F.	{ M. 1 F.	{ M. 6 F. 1
22	Widowed.....	{ M. 57 F. 12	57	12	{ M. 56 F. 12	{ M. 19 F. 6	{ M. 2 F.	{ M. 28 F. 6	{ M. 1 F.	{ M. 57 F. 12			
23	Divorced.....	{ M. F.}											
24	Unknown.....	{ M. 29 F. 4	29	4	{ M. 29 F. 4	{ M. 5 F. 2		{ M. 8 F. 1		{ M. 29 F. 4			{ M. 1 F.
25	All other causes.....	95,068	51,348	43,720	92,082	53,840	23,426	11,631	2,986	95,068	60,638	2,139	2,502
26	Single.....	{ M. 37,564 F. 30,595	37,564	30,595	{ M. 36,386 F. 29,567	{ M. 22,480 F. 13,436	{ M. 11,717 F. 9,739	{ M. 1,431 F. 835	{ M. 1,173 F. 1,023	{ M. 37,564 F. 30,595	{ M. 32,935 F. 27,555	{ M. 1,098 F. 937	{ M. 1,117 F. 512
27	Married.....	{ M. 10,539 F. 7,534	10,539	7,534	{ M. 10,324 F. 7,322	{ M. 5,238 F. 3,894	{ M. 750 F. 801	{ M. 3,776 F. 2,303	{ M. 265 F. 212	{ M. 10,539 F. 7,534	{ M. 55 F. 30	{ M. 19 F. 78	{ M. 270 F. 565
28	Widowed.....	{ M. 2,522 F. 5,366	2,522	5,366	{ M. 2,436 F. 5,192	{ M. 1,078 F. 2,562	{ M. 93 F. 229	{ M. 1,029 F. 2,029	{ M. 86 F. 174	{ M. 2,522 F. 5,366	{ M. 2 F. 4	{ M. 1 F.	{ M. 5 F. 7
29	Divorced.....	{ M. 2 F. 4	2	4	{ M. 2 F. 4	{ M. 1 F. 3		{ M. 1 F. 1		{ M. 2 F. 4			
30	Unknown.....	{ M. 671 F. 221	671	221	{ M. 636 F. 213	{ M. 83 F. 65	{ M. 26 F. 21	{ M. 187 F. 90	{ M. 35 F. 8	{ M. 671 F. 221	{ M. 5 F. 2	{ M. 4 F. 2	{ M. 16 F. 10

STATISTICS OF DEATHS.

DISTINCTION OF COLOR, NATIVITY, PARENTAL NATIVITY, CERTAIN AGES, AND BIRTHPLACES OF MOTHERS, DURING MAY 31, 1890—Continued.

NEW JERSEY—Continued.

AGE PERIODS—continued.						BIRTHPLACES OF MOTHERS.															
25 to 35	35 to 45	45 to 55	55 to 65	65 and over.	Un-known.	United States.	Eng-land and Wales.	Ire-land.	Scot-land.	France.	Ger-many.	Russia and Po-land.	Can-ada.	Scan-di-navia.	Hun-gary.	Bo-hemia.	Italy.	Other for-eign coun-tries.	Un-known.		
586	700	766	856	1,286	33	3,592	254	1,072	83	33	923	26	13	23	7		47	30	403	1	
94	51	43	27	34	10	905	49	195	17	4	191	11	7	9	2		21	7	57	} -2	
60	51	31	31	42	2	734	33	167	14	3	142	9	3	6	1		13	3	24		
134	235	301	359	427	7	764	83	213	16	17	256		1	3	2		6	10	114	} 3	
273	301	262	233	229	9	720	54	296	22	3	204	4	4	3	1		4	5	92		
1	11	28	66	153	1	127	7	36	2	3	38	1					1	1	43	} 4	
8	34	90	128	379	2	322	27	135	11	3	80	1	2	1			1	3	55		
																					} 5
6	13	8	9	12	2	11	1	18	1		9		1							11	
5	10	3	3	10		9		12			2				1		1			7	} 6
497	676	793	888	1,597	31	2,867	259	893	66	25	620	13	10	17	2	1	12	23	524	7	
92	49	40	47	56	7	381	14	127	11	2	33	3		5			4	3	64	} 8	
53	38	29	26	47	1	316	17	97	9	4	62	1	2	3			2	3	34		
133	277	355	404	705	10	1,098	114	250	16	9	220	3	5	4			3	7	176	} 9	
193	236	239	202	181	5	584	51	216	15	6	143	3	1	2	1	1	1	7	89		
8	26	46	71	304	2	226	33	65	7	3	56	1	1	2			1	1	61	} 10	
9	34	74	126	278	3	234	23	121	8		51	1	1	1			1	2	82		
																					} 11
7	9	7	6	23	2	19	4	12		1	4	1			1					12	
2	7	3	6	3	1	9	3	5			1									6	} 12
42	52	42	22	30	4	144	7	32		2	21			1			2		16	13	
6	9	5	3	4	2	33		8			2								2	14	
34	33	32	6	6	1	79	6	20		1	15			1			2		10	15	
2	3	5	12	20	1	30	1	4		1	4								3	16	
	1					1															17
	1		1			1													1	18	
105	125	140	81	73	15	255	22	41	8	3	162	3	3	4	2		2	7	106	19	
35	22	15	6	3	1	55	6	9	1		35										} 20
5	5	3			1	19		1			9	1	2	2	1		2	1	19		
38	73	83	53	37	2	114	11	20	6	3	33	2	1	1	1			4	47	} 21	
19	12	19	6			34		7			13								4		
5	5	16	10	19	2	20	3	2	1		18			1				2	10	} 22	
	1	1		10		6	1	2			2								1		
																					} 23
2	6	3	4	4	9	5					2										
1	1		2			2	1													22	
																				1	} 24
4,542	4,323	4,063	4,138	12,223	509	59,048	3,246	12,636	900	324	11,458	416	213	467	134	17	891	729	4,545	25	
1,057	433	263	166	340	105	24,820	1,136	4,232	335	100	4,696	190	84	217	92	12	413	305	932	} 26	
428	186	163	161	587	66	20,461	941	3,513	252	88	3,697	177	77	171	63	2	334	251	568		
1,343	1,855	1,882	1,717	3,381	67	5,538	458	1,787	103	63	1,351	25	23	40	16		81	77	1,027	} 27	
1,496	1,458	1,090	1,009	1,763	45	4,137	350	1,428	36	30	852	10	18	18	7		37	44	517		
43	108	204	318	1,829	13	1,157	108	445	38	13	311		2	5	3	1	8	21	410	} 28	
45	127	347	688	4,124	23	2,750	230	1,080	81	27	494	4	3	7	1	2	9	21	652		
			1	1		1														1	} 29
				4		3	1														
103	133	91	55	107	157	106	15	87	2	2	36	4	1	7	1		9	10	391	} 30	
27	23	23	23	87	24	75	7	64	3	1	21			2	1				47		

TABLE 21.—DEATHS FROM CERTAIN CAUSES AND CLASSES OF CAUSES, BY CONJUGAL CONDITION AND SEX, WITH THE 6 YEARS ENDING CITIES IN NEW JERSEY.

SEX AND CONJUGAL CONDITION.	Aggregate.	Males.	Females.	WHITE.				Colored.	AGE PERIODS.			
				Total.	Native born.		Foreign born.		All ages.	Under 15	15 to 20	20 to 25
					Both parents native.	One or both parents foreign.						
1 All causes.....	105,260	56,065	49,195	102,451	49,205	27,954	21,220	2,809	105,260	54,390	2,858	4,110
2 Single.....	{ M. 36,255 F. 29,809	36,255	29,809	{ M. 35,316 F. 29,007	{ M. 18,873 F. 16,084	{ M. 13,276 F. 11,013	{ M. 2,251 F. 1,853	{ M. 939 F. 802	{ M. 36,255 F. 29,809	{ M. 29,392 F. 24,903	{ M. 1,331 F. 1,406	{ M. 1,739 F. 1,045
3 Married.....	{ M. 16,036 F. 12,448	16,036	12,448	{ M. 15,647 F. 12,089	{ M. 6,145 F. 4,859	{ M. 1,470 F. 1,623	{ M. 7,154 F. 4,978	{ M. 339 F. 359	{ M. 16,036 F. 12,448	{ M. 56 F. 27	{ M. 23 F. 89	{ M. 377 F. 877
4 Widowed.....	{ M. 3,097 F. 6,594	3,097	6,594	{ M. 3,011 F. 6,393	{ M. 841 F. 2,262	{ M. 149 F. 335	{ M. 1,738 F. 3,299	{ M. 86 F. 201	{ M. 3,097 F. 6,594	{ M. 2 F. 2	{ M. 2 F. 2	{ M. 6 F. 20
5 Divorced.....	{ M. 2 F. 1	2	1	{ M. 2 F. 1	{ M. 1 F. 1		{ M. 1 F. 1		{ M. 2 F. 1			
6 Unknown.....	{ M. 675 F. 343	675	343	{ M. 648 F. 337	{ M. 79 F. 61	{ M. 46 F. 42	{ M. 269 F. 177	{ M. 27 F. 6	{ M. 675 F. 343	{ M. 5 F. 3	{ M. 2 F. 3	{ M. 24 F. 22
7 Consumption.....	12,281	6,606	5,675	11,823	4,775	2,602	3,765	458	12,281	741	930	1,724
8 Single.....	{ M. 2,679 F. 2,073	2,679	2,073	{ M. 2,576 F. 1,979	{ M. 1,032 F. 978	{ M. 851 F. 647	{ M. 521 F. 274	{ M. 103 F. 94	{ M. 2,679 F. 2,073	{ M. 353 F. 334	{ M. 371 F. 531	{ M. 715 F. 517
9 Married.....	{ M. 3,383 F. 2,898	3,383	2,898	{ M. 3,275 F. 2,800	{ M. 1,301 F. 1,143	{ M. 458 F. 516	{ M. 1,343 F. 985	{ M. 108 F. 98	{ M. 3,383 F. 2,898	{ M. 1 F. 2	{ M. 4 F. 22	{ M. 199 F. 326
10 Widowed.....	{ M. 444 F. 632	444	632	{ M. 428 F. 602	{ M. 97 F. 197	{ M. 43 F. 61	{ M. 253 F. 304	{ M. 16 F. 80	{ M. 444 F. 632	{ M. 1 F. 1	{ M. 1 F. 1	{ M. 2 F. 12
11 Divorced.....	{ M. 1 F. 1	1	1									
12 Unknown.....	{ M. 100 F. 72	100	72	{ M. 92 F. 71	{ M. 18 F. 9	{ M. 13 F. 13	{ M. 45 F. 40	{ M. 8 F. 1	{ M. 100 F. 72		{ M. 1 F. 1	{ M. 6 F. 7
13 Cancer and tumor.....	2,010	722	1,288	1,971	775	162	905	39	2,010	23	17	22
14 Single.....	{ M. 70 F. 138	70	138	{ M. 68 F. 136	{ M. 29 F. 59	{ M. 12 F. 23	{ M. 21 F. 47	{ M. 2 F. 2	{ M. 70 F. 138	{ M. 15 F. 8	{ M. 8 F. 7	{ M. 8 F. 7
15 Married.....	{ M. 525 F. 760	525	760	{ M. 518 F. 740	{ M. 192 F. 323	{ M. 34 F. 67	{ M. 263 F. 314	{ M. 7 F. 20	{ M. 525 F. 760			{ M. 6 F. 6
16 Widowed.....	{ M. 116 F. 377	116	377	{ M. 116 F. 369	{ M. 33 F. 137	{ M. 7 F. 19	{ M. 67 F. 176	{ M. 8 F. 8	{ M. 116 F. 377		{ M. 1 F. 1	
17 Divorced.....	{ M. 1 F. 1	1	1									
18 Unknown.....	{ M. 11 F. 13	11	13	{ M. 11 F. 13	{ M. 1 F. 1		{ M. 8 F. 9		{ M. 11 F. 13			{ M. 1 F. 1
19 Diseases of the nervous system.....	14,754	7,896	6,858	14,356	7,447	3,788	2,577	393	14,754	8,536	178	192
20 Single.....	{ M. 5,212 F. 4,309	5,212	4,309	{ M. 5,058 F. 4,189	{ M. 2,851 F. 2,441	{ M. 1,898 F. 1,551	{ M. 201 F. 137	{ M. 154 F. 120	{ M. 5,212 F. 4,309	{ M. 4,701 F. 3,870	{ M. 87 F. 86	{ M. 72 F. 65
21 Married.....	{ M. 2,147 F. 1,419	2,147	1,419	{ M. 2,109 F. 1,381	{ M. 937 F. 597	{ M. 140 F. 122	{ M. 893 F. 583	{ M. 38 F. 38	{ M. 2,147 F. 1,419	{ M. 9 F. 4	{ M. 1 F. 4	{ M. 27 F. 22
22 Widowed.....	{ M. 486 F. 1,098	486	1,098	{ M. 474 F. 1,063	{ M. 156 F. 449	{ M. 21 F. 47	{ M. 250 F. 473	{ M. 12 F. 35	{ M. 486 F. 1,098	{ M. 1 F. 1		{ M. 1 F. 2
23 Divorced.....	{ M. 2 F. 1	2	1	{ M. 2 F. 1			{ M. 1 F. 1		{ M. 2 F. 1			
24 Unknown.....	{ M. 49 F. 32	49	32	{ M. 48 F. 32	{ M. 10 F. 6	{ M. 4 F. 5	{ M. 25 F. 14	{ M. 1 F. 1	{ M. 49 F. 32			{ M. 2 F. 1
25 Diseases of the circulatory system.....	5,385	2,725	2,660	5,207	2,230	781	1,900	178	5,385	1,004	181	165
26 Single.....	{ M. 934 F. 814	934	814	{ M. 910 F. 790	{ M. 457 F. 436	{ M. 278 F. 238	{ M. 144 F. 93	{ M. 24 F. 24	{ M. 934 F. 814	{ M. 533 F. 468	{ M. 81 F. 97	{ M. 72 F. 35
27 Married.....	{ M. 1,451 F. 1,116	1,451	1,116	{ M. 1,407 F. 1,072	{ M. 571 F. 413	{ M. 111 F. 113	{ M. 640 F. 485	{ M. 44 F. 44	{ M. 1,451 F. 1,116	{ M. 1 F. 1	{ M. 1 F. 2	{ M. 17 F. 37
28 Widowed.....	{ M. 312 F. 707	312	707	{ M. 304 F. 673	{ M. 95 F. 247	{ M. 9 F. 29	{ M. 170 F. 347	{ M. 8 F. 34	{ M. 312 F. 707	{ M. 1 F. 1		{ M. 1 F. 1
29 Divorced.....	{ M. 1 F. 1	1	1									
30 Unknown.....	{ M. 28 F. 23	28	23	{ M. 28 F. 23	{ M. 3 F. 8	{ M. 2 F. 1	{ M. 13 F. 8		{ M. 28 F. 23			{ M. 2 F. 1

STATISTICS OF DEATHS.

DISTINCTION OF COLOR, NATIVITY, PARENTAL NATIVITY, CERTAIN AGES, AND BIRTHPLACES OF MOTHERS, DURING MAY 31, 1890—Continued.

CITIES IN NEW JERSEY.

AGE PERIODS—continued.							BIRTHPLACES OF MOTHERS.															
25 to 35	35 to 45	45 to 55	55 to 65	65 and over.	Un-known.		United States.	Eng-land and Wales.	Ire-land.	Scot-land.	France.	Ger-many.	Russia and Po-land.	Can-ada.	Scan-di-navia.	Hun-gary.	Bo-hemia.	Italy.	Other for-ign coun-tries.	Un-known.		
8,493.	8,080	7,728	7,113	12,075	413		54,299	4,306	19,004	1,272	395	16,039	482	283	465	201	14	1,002	880	6,618	1	
1,952 919	809 385	455 275	232 285	263 525	82 66		20,980 17,896	1,252 986	5,408 4,514	404 294	92 75	5,456 4,249	216 191	99 85	200 153	94 69	8 1	481 347	317 256	1,248 693	2	
2,366 2,836	3,306 2,742	3,390 2,284	2,891 1,734	3,562 1,796	65 63		6,572 5,272	859 646	3,252 3,030	212 181	104 64	2,942 1,893	34 26	36 43	53 33	16 13	1 1	87 52	137 98	1,732 1,096	3	
98 144	250 362	413 706	614 1,246	1,700 4,039	12 13		927 2,488	133 350	775 1,742	62 110	23 32	542 862	1 9	3 13	10 8	3 2	3 3	9 17	28 37	531 921	4	
	1		1	1			1													2	5	
122 56	163 62	96 49	69 41	100 89	94 18		93 70	18 12	145 138	2 7	4 1	64 31	5 2	2 2	6 2	2 2	1 1	8 1	5 2	320 75	6	
3,370	2,331	1,554	928	652	51		5,306	448	3,112	140	55	1,831	15	38	38	9	4	47	96	1,142	7	
705 401	272 109	101 48	36 42	25 30	11 11		1,148 1,101	33 57	714 541	24 24	5 3	368 206	5 1	9 3	7 7	3 4	2 1	16 6	19 16	276 104	8	
930 1,059	923 766	721 416	414 199	239 98	12 10		1,423 1,258	143 110	706 745	47 32	27 13	645 434	6 3	8 15	10 10	2 1	1 1	10 12	32 22	324 244	9	
53 84	96 119	112 125	93 128	86 162	1 1		112 232	23 28	138 191	7 4	2 5	77 36	1 1	3 1	3 1	1 1	1 1	2 2	3 2	79 79	10	
																						11
27 21	28 18	17 14	11 5	8 4	3 2		22 10	3 1	37 40	2 2		10 5	1 1	1 1			1 1	1 1	2 2	25 11	12	
98	304	506	525	510	10		816	125	379	42	7	353	7	7	4			10	23	237	13	
6 14	10 24	7 33	6 23	10 21	1 1		31 61	4 9	11 40	3 3	1 1	10 4	1 1		1 1			2 1	1 2	10 17	14	
21 46	69 176	142 236	166 184	126 105	7 7		198 343	30 54	89 126	13 13	5 5	117 193	2 3	4 2	2 2			4 3	6 5	60 73	15	
4	18	16 70	32 108	67 176			33 147	5 22	35 69	3 9	1 1	23 64	1 1		1 1				9	16 55	16	
																						17
2	5 2	2 2	2 4	2 3	1 1		1 2	1 1	4 5	1 1		2 2	1 1		1 1					2 4	18	
522	745	953	1,196	2,343	39		8,210	645	2,229	173	50	2,158	67	35	41	31	1	124	127	863	19	
141 62	74 53	51 28	30 42	48 96	8 7		3,190 2,717	189 129	687 560	60 40	11 9	743 627	30 25	13 13	24 14	15 12	1 1	67 41	49 40	134 81	20	
146 152	314 228	396 317	480 312	765 374	9 6		930 644	140 87	341 284	23 19	11 12	369 201	4 5	3 5	3 3	3 3		9 1	14 16	245 143	21	
4 9	27 36	44 106	96 217	310 725	3 3		172 488	35 62	101 234	9 16	5 1	80 129	1 3	1 1	1 1			2 3	5 3	76 157	22	
	1		1																	2	23	
7 1	7 5	5 6	13 5	12 13	3 1		13 6	1 2	10 12	1 1	1 1	7 2						1 1		16 9	24	
437	602	792	825	1,357	22		2,457	300	1,100	85	28	823	13	12	13	4		20	35	495	25	
96 60	47 27	42 34	24 42	37 50	2 1		504 481	43 31	170 145	17 11	2 2	135 93	3 3	4 2	1 2	1 1		6 3	3 2	47 33	26	
100 172	256 210	336 249	313 225	421 214	6 7		618 460	92 66	266 261	18 22	10 6	276 173	3 3	3 1	4 5	1 1		5 2	11 13	144 103	27	
2 3	14 43	37 86	67 144	188 429	3 1		101 281	27 40	69 176	6 11	4 6	44 90	1 1	1 1				1 3	2 4	56 94	28	
																						29
2 2	2 3	5 3	7 3	9 9	1 1		4 8	1 1	6 7			6 1								11 7	30	

TABLE 21.—DEATHS FROM CERTAIN CAUSES AND CLASSES OF CAUSES, BY CONJUGAL CONDITION AND SEX, WITH THE 6 YEARS ENDING

CITIES IN NEW JERSEY—Continued..

	SEX AND CONJUGAL CONDITION.	Aggregate.	Males.	Females.	WHITE.				Colored.	AGE PERIODS.			
					Total.	Native born.		Foreign born.		All ages.	Under 15	15 to 20	20 to 25
						Both parents native.	One or both parents foreign.						
1	Diseases of the digestive system.....	4,043	2,034	2,009	3,958	1,607	887	1,306	85	4,043	1,192	125	168
2	Single.....	{ M.. 970 F.. 729	970	729	947 713	450 347	379 288	86 65	23 16	970 729	671 519	71 44	59 34
3	Married.....	{ M.. 884 F.. 882	884	882	867 864	322 321	81 107	422 407	17 18	884 882	2	2 8	11 61
4	Widowed.....	{ M.. 144 F.. 373	144	373	141 366	46 113	6 21	76 212	3 7	144 373			
5	Divorced.....	{ M.. F..											
6	Unknown.....	{ M.. 36 F.. 25	36	25	35 25	4 4	4 1	22 16	1	36 25			1 2
7	Diseases of the urinary organs.....	3,385	1,891	1,494	3,285	1,330	488	1,255	100	3,385	384	81	124
8	Single.....	{ M.. 480 F.. 371	480	371	467 365	210 178	139 116	96 48	13 6	480 371	201 179	32 43	40 30
9	Married.....	{ M.. 1,122 F.. 755	1,122	755	1,093 726	464 290	96 104	471 295	29 29	1,122 755	1 3	1 5	15 37
10	Widowed.....	{ M.. 261 F.. 348	261	348	250 338	78 101	12 16	136 188	11 10	261 348			1
11	Divorced.....	{ M.. F..											
12	Unknown.....	{ M.. 28 F.. 20	28	20	26 20	5 4		16 8	2	28 20			1
13	Diseases of the female organs of generation..	117		117	115	51	20	34	2	117		6	10
14	Single.....	21		21	21	11	6	3		21		4	1
15	Married.....	77		77	75	30	12	26	2	77		2	9
16	Widowed.....	18		18	18	10	2	4		18			
17	Divorced.....												
18	Unknown.....	1		1	1			1		1			
19	Suicide.....	347	290	57	342	98	43	177	5	347	3	14	32
20	Single.....	{ M.. 82 F.. 20	82	20	80 19	23 9	23 3	30 4	2 1	82 20	3	10 3	21 7
21	Married.....	{ M.. 163 F.. 28	163	28	162 28	43 12	11 4	100 12	1	163 28		1	3
22	Widowed.....	{ M.. 32 F.. 8	32	8	31 8	7 2	2	21 6	1	32 8			
23	Divorced.....	{ M.. F..											
24	Unknown.....	{ M.. 13 F.. 1	13	1	13 1	2		4		13 1			1
25	All other causes.....	62,938	33,901	29,037	61,394	30,802	19,133	9,298	1,544	62,938	42,457	1,326	1,673
26	Single.....	{ M.. 25,828 F.. 21,334	25,828	21,334	25,210 20,795	13,821 11,625	9,696 8,141	1,152 682	618 539	25,828 21,334	22,915 19,475	671 591	752 349
27	Married.....	{ M.. 6,361 F.. 4,513	6,361	4,513	6,216 4,403	2,315 1,730	539 578	3,022 1,871	145 110	6,361 4,513	42 18	14 45	165 379
28	Widowed.....	{ M.. 1,302 F.. 3,033	1,302	3,033	1,267 2,956	329 1,006	49 140	785 1,589	35 77	1,302 3,033	1	1	3 4
29	Divorced.....	{ M.. F..		1	1	1				1			
30	Unknown.....	{ M.. 410 F.. 156	410	156	395 151	36 29	23 17	136 81	15 5	410 156	5 1	2 2	11 10

STATISTICS OF DEATHS.

DISTINCTION OF COLOR, NATIVITY, PARENTAL NATIVITY, CERTAIN AGES, AND BIRTHPLACES OF MOTHERS, DURING MAY 31, 1890—Continued.

CITIES IN NEW JERSEY—Continued.

AGE PERIODS—continued.						BIRTHPLACES OF MOTHERS.															
25 to 35	35 to 45	45 to 55	55 to 65	65 and over.	Un-known.	United States.	Eng-land and Wales.	Ire-land.	Scot-land.	France.	Ger-many.	Russia and Po-land.	Can-ada.	Scan-di-navia.	Hun-gary.	Bo-hemia.	Italy.	Other for-ign coun-tries.	Un-known.		
425	490	530	504	598	21	1,759	177	260	60	20	752	23	12	19	5		40	21	295	1	
69	34	34	15	11	6	505	37	160	13	3	164	9	5	6	1		19	5	43	} 2	
40	32	17	18	23	2	390	23	139	11	1	119	9	1	6		11	1	17			
98	157	207	208	196	3	338	56	157	13	10	204			2	1		5	7	91	} 3	
204	202	174	126	101	0	345	34	242	14	2	162	4	4	3	1		3	4	64		
	7	18	52	66	1	49	6	27	2	2	29			1				1	1	27	} 4
4	27	71	78	191	2	124	20	111	6	2	64	1	1	1			1	3	39		
																					} 5
5	12	6	6	5	1	4	1	13	1		8		1						8	} 6	
5	9	3	1	5		4		11			2						1		6		
378	513	546	563	783	13	1,449	184	738	51	17	498	11	7	14	1	1	10	20	384	7	
73	39	31	34	26	4	230	10	104	8	2	68	2		3			3	3	47	} 8	
45	23	13	15	22	1	190	15	76	6	2	45	1	2	3			2	3	26		
103	210	239	237	312	4	498	79	202	12	6	180	3	4	4			3	7	124	} 9	
139	178	170	126	95	2	320	39	184	12	3	114	3		2	1	1		5	71		
4	21	34	46	156		90	19	54	6	3	45			2			1	1	40	} 10	
7	27	54	97	162		112	18	105	7		42	1	1				1	1	60		
																					} 11
6	8	3	2	7	2	4	1	8		1	3	1							10	} 12	
1	7	2	6	3		5	3	5			1								6		
20	27	21	11	11	2	56	4	25		2	15						2		13	13	
4	6	3	2		1	11		7			2								1	14	
24	20	16	2	4		34	3	17		1	11						2		9	15	
1	1	2	6	7	1	11	1	1		1	2								2	16	
																					17
			1																1	18	
66	82	81	32	32	5	106	15	32	4	2	115	3	2	3	1		1	5	58	19	
19	18	6	4		1	25	4	7	1		25		2	2			1	1	14	} 20	
4	4	2				10		1			6	1							2		
25	45	53	19	16	2	47	7	13	3	2	61				1			2	25	} 21	
12	5	10				12		7			8	2							1		
3	4	9	9	7		8	3	2			12			1				2	4	} 22	
				8		2	1	2			2								1		
																					} 23
2	6	1		1	2	2					1								10	} 24	
1																			1		
3,173	2,996	2,745	2,529	5,789	250	34,140	2,408	10,529	717	214	9,494	350	170	330	146	8	748	553	3,131	25	
753	315	183	83	106	50	15,347	882	3,555	281	71	3,943	167	66	156	74	6	367	236	677	} 26	
289	107	97	101	283	42	12,935	722	3,005	199	57	3,142	151	64	121	51		283	192	412		
943	1,332	1,296	1,054	1,487	28	2,470	312	1,478	78	38	1,090	16	16	26	9		51	58	719	} 27	
1,028	957	696	560	805	25	1,856	253	1,164	69	22	657	9	15	11	7		29	33	388		
32	81	143	219	820	4	362	65	349	29	7	232		2	2	2		5	14	233	} 28	
32	91	252	468	2,179	5	1,091	158	853	57	16	383	3	7	6	1	2	7	15	434		
				1		1															} 29
73	95	59	28	56	81	43	10	67	1	2	27	4		6	1		6	5	238	} 30	
23	18	19	16	52	15	35	6	58	3	1	20			2	1				30		

TABLE 21.—DEATHS FROM CERTAIN CAUSES AND CLASSES OF CAUSES, BY CONJUGAL CONDITION AND SEX, WITH THE 6 YEARS ENDING

RURAL PART OF NEW JERSEY.

	SEX AND CONJUGAL CONDITION.	Aggregate.	Males.	Females.	WHITE.				Colored.	AGE PERIODS.			
					Total.	Native born.		Foreign born.		All ages.	Under 15	15 to 20	20 to 25
						Both parents native.	One or both parents foreign.						
1	All causes.....	58,233	30,936	27,297	55,650	40,983	6,748	5,523	2,583	58,233	23,167	1,710	2,136
2	Single.....	{ M 16,530 F 13,707	16,530	13,707	15,690 12,954	11,898 9,963	2,846 2,395	524 318	840 753	16,530 13,707	12,697 10,419	779 843	871 566
3	Married.....	{ M 11,162 F 8,366	11,162	8,366	10,831 8,041	7,807 5,913	563 610	1,889 1,197	331 325	11,162 8,366	27 17	12 73	199 475
4	Widowed.....	{ M 2,794 F 5,077	2,794	5,077	2,692 4,887	1,757 3,441	107 205	565 903	102 190	2,794 5,077	2 3		4 10
5	Divorced.....	{ M 6 F 7	6	7	6 7	4 4		1 2		6 7			
6	Unknown.....	{ M 444 F 140	444	140	412 130	118 73	13 9	98 26	32 10	444 140	1 1	3	10 1
7	Consumption.....	6,994	3,394	3,600	6,541	4,506	838	847	453	6,994	454	536	956
8	Single.....	{ M 1,335 F 1,305	1,335	1,305	1,217 1,188	764 856	264 286	103 59	118 117	1,335 1,305	204 246	176 324	370 302
9	Married.....	{ M 1,763 F 1,888	1,763	1,888	1,694 1,772	1,203 1,326	129 171	305 219	69 116	1,763 1,888	3 1	4 32	66 206
10	Widowed.....	{ M 252 F 386	252	386	242 370	145 253	14 14	68 78	10 16	252 386			1 6
11	Divorced.....	{ M F											
12	Unknown.....	{ M 44 F 21	44	21	39 19	12 7	5 5	10 5	5 2	44 21			5
13	Cancer and tumor.....	1,473	540	933	1,441	1,054	71	247	32	1,473	19	5	13
14	Single.....	{ M 55 F 126	55	126	54 124	39 103	6 5	4 11	1 2	55 126	9 10	3 2	4 6
15	Married.....	{ M 407 F 532	407	532	396 519	287 380	19 30	74 95	11 13	407 532			1 1
16	Widowed.....	{ M 69 F 269	69	269	69 264	46 190		16 44	5	69 269			1
17	Divorced.....	{ M F											
18	Unknown.....	{ M 9 F 6	9	6	9 6	5 4		3		9 6			
19	Diseases of the nervous system.....	8,307	4,753	4,154	8,532	6,410	891	770	325	8,307	3,131	128	120
20	Single.....	{ M 2,110 F 1,881	2,110	1,881	2,011 1,785	1,536 1,371	348 329	55 36	99 96	2,110 1,881	1,651 1,469	69 55	54 33
21	Married.....	{ M 2,007 F 1,211	2,007	1,211	1,964 1,179	1,471 880	87 58	266 166	43 32	2,007 1,211	6 4	4	12 20
22	Widowed.....	{ M 588 F 1,043	588	1,043	571 1,009	386 739	21 47	89 142	17 34	588 1,043			1
23	Divorced.....	{ M 1 F 1	1	1	1 1			1		1 1			
24	Unknown.....	{ M 47 F 18	47	18	44 17	17 10	1	10 5	3 1	47 18	1		
25	Diseases of the circulatory system.....	3,936	2,120	1,816	3,769	2,725	280	571	167	3,936	593	81	57
26	Single.....	{ M 521 F 496	521	496	495 409	368 300	77 70	29 23	26 27	521 496	318 272	41 38	21 21
27	Married.....	{ M 1,243 F 732	1,243	732	1,198 700	878 502	47 47	209 118	45 32	1,243 732	3	1	4 11
28	Widowed.....	{ M 328 F 572	328	572	317 551	218 377	17 21	59 120	11 21	328 572			
29	Divorced.....	{ M 3 F 2	3	2	3 2	3 1		1		3 2			
30	Unknown.....	{ M 25 F 14	25	14	22 12	12 6	1	8 4	3 2	25 14			

STATISTICS OF DEATHS.

DISTINCTION OF COLOR, NATIVITY, PARENTAL NATIVITY, CERTAIN AGES, AND BIRTHPLACES OF MOTHERS, DURING MAY 31, 1890—Continued.

RURAL PART OF NEW JERSEY.

AGE PERIODS—continued.							BIRTHPLACES OF MOTHERS.															
25 to 35	35 to 45	45 to 55	55 to 65	65 and over.	Un-known.		United States.	Eng-land and Wales.	Ire-land.	Scot-land.	France.	Ger-many.	Russia and Po-land.	Can-ada.	Scan-di-navia.	Hun-gary.	Bo-hemia.	Italy.	Other for-ign coun-tries.	Un-known.		
3,833	3,711	3,970	4,831	14,435	440		44,333	1,545	4,240	364	200	3,542	81	74	215	52	14	203	278	3,083	1	
329 474	316 278	233 230	220 189	497 664	83 44		13,069 11,038	358 301	1,067 870	86 75	43 44	1,041 801	32 30	26 19	91 67	26 13	9 3	67 68	92 75	523 303	2	
983 1,402	1,388 1,430	1,651 1,313	2,025 1,373	4,795 2,223	82 60		8,198 6,293	373 241	810 751	70 59	56 22	741 520	12 2	15 8	28 20	8 1		42 13	55 26	754 410	3	
41 50	89 135	166 308	319 626	2,153 3,910	20 35		1,848 3,653	107 150	212 468	22 50	15 27	170 244	2 2	1 4	4 4	1 2	2 2	6 4	11 12	393 457	4	
1		1	1	3			4					1								1	5	
39 14	60 14	53 14	56 20	124 63	98 13		141 85	12 2	46 15	2		21 4		1	1	1		3	6 1	210 31	6	
1,638	1,128	832	615	781	54		5,065	155	812	34	17	420	1	7	22	1	1	9	33	417	7	
352 233	107 90	53 44	39 21	27 37	7 8		896 993	29 23	184 158	9 5	7	75 64		1	8 3			4	5 7	117 46	8	
380 621	400 426	342 275	263 158	294 157	11 12		1,283 1,450	43 40	189 180	6 8	4 2	131 111	1	2 3	3 8	1		4 1	14 3	84 80	9	
19 20	39 51	43 61	57 72	91 168	2 8		151 266	8 7	41 46	2 3	1 3	17 18		1					1 2	31 40	10	
6 7	12 3	9 5	2 3	7	3 3		15 11		9 5	1		2 2								1	16 3	11
48	159	293	348	577	11		1,097	46	98	12	13	106			3			2	4	92	13	
4 6	4 17	3 27	12 22	15 34	1 2		40 105	2 3	5 3		2	2 5								6 8	14	
14 21	36 87	73 149	102 143	178 127	3 4		300 397	7 20	27 44	4 5	2 4	42 36			1 2			1	2	21 22	15	
2	2 12	2 38	12 53	53 162	1		47 199	2 11	1 16	1 2	1 4	6 15						1		11 21	16	
																					17	
1	1	1	3 1	5 3			5 4	1	2											1 2	18	
298	378	574	924	3,294	60		6,851	244	526	58	20	464	9	7	36	9	3	28	37	606	13	
81 45	47 35	47 36	38 38	109 164	14 6		1,676 1,517	48 30	102 114	12 9	5 6	134 111	2 3	3 2	14 12	6 1	3	10 14	14 6	81 56	20	
78 85	148 127	245 193	388 259	1,119 505	11 14		1,521 920	71 29	98 98	18 9	6 2	99 56	3 1	1 1	8 1			2 1	11 4	169 90	21	
3 5	5 12	17 29	74 114	483 879	5 4		401 785	28 35	40 69	2 8	4 6	23 37			1	2		1	2	89 98	22	
		1											1								23	
1	3 1	3 3	11 1	22 13	6		20 11	3	3 2			3 1								18 4	24	
148	259	390	598	1,787	23		2,924	100	314	35	18	243	6	7	8		1	11	14	255	25	
28 20	9 19	23 24	21 23	56 77	4 2		403 396	7 9	39 37	4 2	1 1	25 23	4 1	2 2	3 2			3 1	2 1	28 21	26	
32 62	108 104	165 120	237 171	665 260	8 3		933 539	40 20	76 76	7 9	8 2	94 42		2	1			4 1	4 3	75 39	27	
1 3	6 7	14 42	37 82	270 437	1		228 401	11 13	14 67	6 7	2 2	19 36	1	1	1		1	1 1	3 1	42 41	28	
1				2			3 1		1												29	
	5 1		2 4	13 7	5		13 7		3 1			4								5 4	30	

TABLE 21.—DEATHS FROM CERTAIN CAUSES AND CLASSES OF CAUSES, BY CONJUGAL CONDITION AND SEX, WITH THE 6 YEARS ENDING

RURAL PART OF NEW JERSEY—Continued.

SEX AND CONJUGAL CONDITION.	Aggregate.	Males.	Females.	WHITE.					Colored.	AGE PERIODS.			
				Total.	Native born.		Foreign born.	All ages.		Under 15	15 to 20	20 to 25	
					Both parents native.	One or both parents foreign.							
1 Diseases of the digestive system.....	2,467	1,238	1,229	2,384	1,716	253	334	83	2,467	625	92	72	
2 Single.....	M 505 F 423	505	423	482 408	366 317	87 70	21 15	23 15	505 423	354 271	37 49	24 18	
3 Married.....	M 601 F 530	601	530	585 512	406 352	33 42	128 97	16 18	601 530		2 3	5 25	
4 Widowed.....	M 110 F 268	116	268	112 261	75 188	3 16	23 44	4 7	116 268				
5 Divorced.....	M F												
6 Unknown.....	M 16 F 8	16	8	16 8	7 5	2	4 2		16 8		1		
7 Diseases of the urinary organs.....	1,947	1,222	725	1,876	1,341	151	285	71	1,947	160	42	59	
8 Single.....	M 217 F 179	217	179	205 176	139 119	38 35	19 18	12 3	217 179	90 69	19 23	24 12	
9 Married.....	M 783 F 365	783	365	756 355	573 249	29 34	113 58	27 10	783 365	1		3 19	
10 Widowed.....	M 196 F 177	196	177	187 170	126 118	8 6	39 30	9 7	196 177				
11 Divorced.....	M F												
12 Unknown.....	M 26 F 4	26	4	25 2	15 2	1	8	1 2	26 4			1	
13 Diseases of the female organs of generation.....	108		108	100	79	6	13	8	108	2	3	12	
14 Single.....	24		24	21	18	2		3	24	2	3	6	
15 Married.....	57		57	55	43	3	8	2	57			6	
16 Widowed.....	25		25	22	16	1	5	3	25				
17 Divorced.....	1		1	1	1				1				
18 Unknown.....	1		1	1	1				1				
19 Suicide.....	271	222	49	269	144	15	73	2	271	2	10	18	
20 Single.....	M 51 F 12	51	12	50 11	27 3	5	14 3	1 1	51 12	1	7 3	9 5	
21 Married.....	M 130 F 30	130	30	130 30	66 22	8 2	40 4		130 30	1		3 1	
22 Widowed.....	M 25 F 4	25	4	25 4	12 4		7		25 4				
23 Divorced.....	M F												
24 Unknown.....	M 16 F 3	16	3	16 3	3 2		4 1		16 3				
25 All other causes.....	32,130	17,447	14,683	30,688	22,948	4,243	2,383	1,442	32,130	13,181	313	829	
26 Single.....	M 11,736 F 9,261	11,736	9,261	11,176 8,772	8,659 6,811	2,021 1,648	279 153	560 489	11,736 9,261	10,070 8,080	427 346	365 163	
27 Married.....	M 4,228 F 3,021	4,228	3,021	4,108 2,919	2,923 2,164	211 223	754 432	120 102	4,228 3,021	13 12	5 33	105 186	
28 Widowed.....	M 1,220 F 2,333	1,220	2,333	1,169 2,236	749 1,556	44 89	264 440	51 97	1,220 2,333	2 3		2 3	
29 Divorced.....	M 2 F 3	2	3	2 3	1 2			1	2 3				
30 Unknown.....	M 261 F 65	261	65	241 62	47 36	3 4	51 9	20 3	261 65	1	2	5	

STATISTICS OF DEATHS.

955

DISTINCTION OF COLOR, NATIVITY, PARENTAL NATIVITY, CERTAIN AGES; AND BIRTHPLACES OF MOTHERS, DURING
MAY 31, 1890—Continued.

RURAL PART OF NEW JERSEY—Continued.

AGE PERIODS—continued.						BIRTHPLACES OF MOTHERS.														
25 to 35	35 to 45	45 to 55	55 to 65	65 and over.	Un-known.	United States.	Eng-land and Wales.	Ire-land.	Scot-land.	France.	Ger-many.	Russia and Po-land.	Can-ada.	Scan-di-navia.	Hun-gary.	Bo-hemia.	Italy.	Other for- eign coun-tries.	Un-known.	
161	229	236	352	688	12	1,833	77	212	23	13	170	3	6	4	2		7	9	108	
25 20	17 19	9 14	12 18	23 19	4	400 344	12 10	35 28	4 3	1 2	27 23	2	2 2	3	1		2 2	2 2	14 7	
36 74	78 102	94 88	151 107	231 128	4 3	426 375	27 20	56 54	3 3	7 1	52 42		1	1	1		1 1	3 1	23 28	
1 4	4 7	10 19	14 50	87 188		78 198	1 7	9 24		1 1	9 16	1	1				1		16 16	
1	1	2	3	7	1	7		5			1							1	3	
1	1		2	5		5		1										1	1	
119	163	247	325	814	18	1,418	75	155	15	8	122	2	3	3	1		2	3	140	
19 8	10 15	9 16	13 11	30 25	3	151 126	4 2	23 21	3 3		15 17	1		2			1		17 8	
30 54	67 58	116 69	167 76	393 86	6 3	600 264	35 12	48 32	4 3	3 3	40 29		1 1				1	2	52 18	
4 2	5 7	12 20	25 29	148 116	2 3	136 122	14 5	11 16	1 1		11 9	1	1	1				1	21 22	
1 1	1	4 1	4	16	1	15 4	3	4			1				1				2	
13	25	21	11	19	2	88	3	7			6			1					3	
2	3	2	1	4	1	22		1											1	
10	18	16	4	2	1	45	3	3			4			1					1	
1	2	3	6	13		19		3			2								1	
	1					1														
	1					1														
39	43	59	49	41	10	149	7	9	4	1	47		1	1	1		1	2	48	
16 1	4 1	9 1	2	3	1	30 9	2	2			10 3				1		1		5	
13 7	28 7	30 9	34 6	21		67 22	4	7	3	1	22 5		1	1				2	22 3	
2	1	7	1	12	2	12			1		6							6		
	1	1		2		4														
		2	4	3	7	3					1								12	
	1		2			2		1												
1,369	1,327	1,318	1,609	6,434	250	24,908	838	2,107	183	110	1,964	60	43	137	38	9	143	176	1,414	
204 139	118 79	80 66	83 60	234 304	55 24	9,473 7,526	254 219	677 508	54 33	29 31	753 555	23 26	18 13	61 50	18 12	6 2	46 51	69 59	255 156	
400 468	523 501	586 394	663 419	1,894 958	39 20	3,068 2,281	146 97	309 264	25 17	25 8	261 195	9 1	7 3	14 7	7		30 8	19 11	308 129	
11 13	27 36	61 95	99 220	1,009 1,945	9 18	795 1,659	43 72	96 227	9 24	6 11	79 111			3 1	1	1	3 2	7 6	177 218	
			1	1		1													1	
			3	3		2		1												
30 4	38 5	32 4	27 7	51 35	76 9	63 40	5 1	20 6	1		9 1		1	1			3	5	153 17	

TABLE 22.

**DEATHS IN THE METROPOLITAN DISTRICT AND IN NEW JERSEY AMONG MALES ENGAGED
IN CERTAIN OCCUPATIONS AND CLASSES OF OCCUPATIONS, WITH DISTINC-
TION OF COLOR, BIRTHPLACES OF MOTHERS, AND CERTAIN AGE-
PERIODS, DURING THE 6 YEARS ENDING MAY 31, 1890.**

STATISTICS OF DEATHS.

961

WITH DISTINCTION OF COLOR, BIRTHPLACES OF MOTHERS, AND CERTAIN AGE PERIODS, DURING THE MAY 31, 1890—Continued.

METROPOLITAN DISTRICT—Continued.

CLASS F.				CLASS G.												
Total.	Laborers (not specified).	Messenger boys.	Servants.	Total.	Artificial flower and paper box makers.	Bakers and confectioners.	Blacksmiths.	Bleachers, dyers, and scourers.	Bookbinders.	Boot and shoe makers.	Brass founders and copper-smiths.	Brewers, distillers, and rectifiers.	Brick and tile makers and terra-cotta workers.	Butchers.	Cabinet makers and upholsterers.	
21,161	18,351	104	2,706	31,189	176	1,255	1,210	89	276	2,034	297	366	22	1,284	1,049	1
19,963	17,701	101	2,161	31,033	175	1,253	1,204	89	276	2,029	297	366	22	1,283	1,047	2
35	21	11	3	32		2				4				1	1	3
443	337	47	59	799	9	36	10	2	12	18	14	4		34	22	4
1,498	1,296	12	190	2,000	22	92	54	6	43	68	44	17		78	59	5
3,901	3,347	10	544	5,655	43	248	208	17	70	202	73	89		238	140	6
4,419	3,858	2	559	6,428	43	277	279	21	41	295	67	103		300	183	7
4,042	3,639	10	393	6,087	23	260	253	15	85	410	46	84		257	201	8
2,928	2,677	6	245	5,207	21	189	207	19	39	486	35	46		170	224	9
2,665	2,497	3	165	4,792	14	149	193	9	37	545	18	23		145	217	10
32	29		3	33						1				1		11
1,198	650	3	545	156	1	2	6			5				1	2	12
1			1	3												13
43	23	2	18	3												14
122	67		55	8												15
275	110	1	155	30		1	1									16
279	149		130	36						2				1		17
217	121		96	33	1		3									18
123	74		49	30		1	1			1					2	19
132	93		39	15			1			2						20
6	4		2	1												21
2,090	1,397	28	665	3,947	17	67	119	2	48	187	42	11	2	144	65	22
6	4	1	1	7						2						23
83	46	15	22	124	1	5	1	1	2	4	1			0	1	24
226	153	2	71	258	2	4	4		4	6	9			7	8	25
460	272	3	185	694	6	16	17		10	22	16	1		27	9	26
471	318		153	666	4	11	20	1	0	18	7	3	1	23	8	27
365	247	2	116	686	2	8	21		5	24	6	2		24	7	28
225	164	3	58	686	1	11	20		7	24	3	4		30	15	29
248	189	2	57	872	1	12	36		11	87				27	17	30
6	4		2	4												31
405	371	4	120	1,902	6	36	60	5	20	77	20	5	1	44	47	32
2	1		1													33
10	9		1	36												34
39	29		10	93		1	1		1					1		35
99	69	1	29	248	2	3	7	2	2	4	5			4	6	36
112	80		32	360	3	7	16	1	4	7	10		1	11	6	37
102	82	2	13	360		3	8	1	5	15	4	3		11	9	38
78	57	1	20	356	1	13	10	1	5	21	3			6	9	39
52	44		8	445		7	18		2	28	3	2		11	17	40
1			1	4												41
135	108	2	25	669	1	33	20	2	9	17	11		3	6	15	42
1		1														43
14	12	1	1	45										1		44
31	22		9	99	1	5	3			3	1			1	1	46
27	24		3	140		3	4		2	3	2			2	2	47
33	27		6	123		7	3	1	1	3	2			1	3	48
15	12		3	130		9	6	1	1	2	3			1	1	49
14	11		3	124		9	4		3	6	3			1	8	50
				1												51
11,698	10,776	48	874	8,805	44	223	599	13	83	539	108	28	7	266	93	52
11	5	5	1	3										1		53
186	142	24	20	234	5	12	4		5	9	4	1		5	3	54
788	700	6	82	659	6	5	36	2	16	14	22	3		17	11	55
2,110	1,910	6	194	1,787	10	47	110	4	26	54	27	7		67	11	56
2,486	2,259		227	2,037	13	56	148	2	14	98	25	3		78	22	57
2,500	2,340	5	164	1,784	5	50	129	2	11	110	19	6	2	50	14	58
1,807	1,759	1	107	1,247	2	28	99	2	7	110	8	5		28	20	59
1,728	1,648	1	79	1,044	3	25	73	1	4	135	3	3		22	12	60
13				10												61
3,012	2,497	10	505	10,915	78	725	266	45	80	860	80	297	7	698	668	62
4	3	1		12		2				1						63
73	54	5	14	261	1	15	3	1	4	1	7	3		19	15	64
174	135	2	37	618	14	60	7	2	13	19	6	12		42	34	65
505	382		123	1,941	20	142	45	6	22	56	14	75	2	169	88	66
683	540		142	2,129	16	161	54	9	7	115	18	91		154	114	67
640	539	1	100	2,159	7	153	61	8	8	188	13	69	3	147	132	68
483	425		58	2,177	11	110	54	11	15	261	14	33	2	95	145	69
446	416		30	1,711	9	82	42	8	11	218	8	14		72	134	70
4	3	1	1	7						1						71

TABLE 22.—DEATHS AMONG MALES ENGAGED IN CERTAIN OCCUPATIONS AND CLASSES OF OCCUPATIONS, METROPOLITAN DISTRICT.—Continued. 6 YEARS ENDING

BIRTHPLACES OF MOTHERS AND AGE PERIODS.	CLASS G—continued.									CLASS H.		
	Plasterers and white-washers.	Plumbers and gas and steam fitters.	Potters.	Rubber factory operatives.	Silk mill operatives.	Tailors.	Tinners and tinware makers.	Wheelwrights.	Woolen mill operatives.	Total.	Boatmen and canalmen.	Draymen, hackmen, teamsters, drivers, etc.
1 Total	383	785	37	16	281	2,930	455	177	50	10,200	415	3,524
2 White	349	784	36	16	281	2,919	454	177	50	9,938	401	3,455
3 Under 15		1				5				13	1	3
4 15 to 20	9	70	2	1	20	60	18	3	1	210	5	94
5 20 to 25	26	97	3	2	27	138	37	8	6	812	32	333
6 25 to 35	60	210	6	1	66	359	103	20	14	2,212	79	1,067
7 35 to 45	96	190	8	4	45	405	117	31	14	1,856	86	793
8 45 to 55	64	114	4	2	47	534	82	31	6	1,593	81	592
9 55 to 65	51	65	6	3	43	724	64	39	4	1,338	66	345
10 65 and over	43	36	6	3	30	694	32	45	5	1,874	48	223
11 Unknown		1	1				1			21	2	5
12 Colored	34	1	1			11	1			262	14	69
13 Under 15										1		
14 15 to 20	1	1								13	1	3
15 20 to 25						2				33		6
16 25 to 35	5					3				46	3	16
17 35 to 45	4		1			2				59	4	18
18 45 to 55	10					1	1			40	1	12
19 55 to 65	8					3				21	2	7
20 65 and over	6									44	3	6
21 Unknown										2		1
22 Birthplaces of mothers: United States	54	99	5	2	21	128	50	26	5	2,133	133	524
23 Under 15										8	1	
24 15 to 20	2	11			3	2	1			36	3	8
25 20 to 25	1	16				9	6		2	132	13	45
26 25 to 35	11	23	1	1	7	13	10	3	3	403	27	141
27 35 to 45	8	17	1	1	1	19	18	2		358	21	131
28 45 to 55	12	14	1		5	13	11	2		814	23	85
29 55 to 65	10	12	1		2	24	7	8		307	23	62
30 65 and over	10	5	1		2	48	6	11		563	21	50
31 Unknown		1			1					7	1	2
32 England and Wales	28	47	1	1	49	80	21	10	10	452	13	100
33 Under 15										1		
34 15 to 20	1	3			2	1	2			7		
35 20 to 25	3	4			4	1			1	33	3	7
36 25 to 35	5	12			7	6	5	1	2	75	2	26
37 35 to 45	7	8		1	6	7	5	1	2	72	2	21
38 45 to 55	4	6			6	11	2	2	2	81	2	27
39 55 to 65	5	6			13	21	4	3	2	79	3	9
40 65 and over	3	8	1		11	33	3	4	1	104	1	10
41 Unknown												
42 Scotland	11	39			11	30	10	1	2	125	3	22
43 Under 15												
44 15 to 20					1	1						
45 20 to 25	3	7				1				9		4
46 25 to 35	3	5			2				1	15	1	5
47 35 to 45	1	7			4	3	3			26		5
48 45 to 55	2	6			3	1				19	1	2
49 55 to 65	2	12			1	9	4	1		19	1	2
50 65 and over		2				15	2		1	37		4
51 Unknown												
52 Ireland	202	434	9	6	38	470	158	46	8	3,748	129	1,913
53 Under 15										3		1
54 15 to 20	3	41	2		4	6	3	2		92	1	60
55 20 to 25	15	58	2	2	10	14	14	2	2	366	13	205
56 25 to 35	33	118	2		11	45	39	6	2	222	22	537
57 35 to 45	99	122		1	5	57	41	11	3	746	33	406
58 45 to 55	38	63			4	97	36	8		689	33	338
59 55 to 65	26	14	1	1	2	123	11	8		441	19	185
60 65 and over	27	18	1	2	2	125	8	9	1	446	8	119
61 Unknown			1				1			3		1
62 Germany	47	89	20	3	91	1,549	150	64	13	1,695	36	656
63 Under 15						1				2		2
64 15 to 20	1	11			5	21	3	1		38		12
65 20 to 25	4	8	1		9	60	10	4	1	107	1	45
66 25 to 35	7	31	3		23	157	38	7	1	376	10	221
67 35 to 45	11	18	8		14	195	33	14	5	344	11	153
68 45 to 55	11	10	3		15	281	26	16	3	286	8	122
69 55 to 65	7	9	4	2	17	448	30	12	1	248	2	68
70 65 and over	6	2	1	1	7	386	10	10	2	291	3	31
71 Unknown					1					3	1	2

VITAL AND SOCIAL STATISTICS.

TABLE 22.—DEATHS AMONG MALES ENGAGED IN CERTAIN OCCUPATIONS AND CLASSES OF OCCUPATIONS, 6 YEARS ENDING

METROPOLITAN DISTRICT—Continued.

BIRTHPLACES OF MOTHERS AND AGE PERIODS.	All selected occupations.	CLASS A.											
		Total.	Actors.	Architects, artists, etc.	Clergymen.	Dentists.	Engineers and surveyors.	Journalists.	Lawyers.	Musicians and teachers of music.	Physicians and surgeons.	Professors, authors, literary and scientific persons.	Teachers.
72 Birthplaces of mothers—Continued.													
73 France.....	885	63	3	11	6			1	3	11	12	7	9
74 Under 15.....	16												
75 15 to 20.....	24												
76 20 to 25.....	116	2								1		1	
77 25 to 35.....	198	1								1	2		
78 35 to 45.....	190	5		1	1					1	2		
79 45 to 55.....	172	14	1	3				1		3	3	2	1
80 55 to 65.....	168	17	1	5	2				2	2	2	2	1
81 65 and over.....	1	24	1	2	3				1	4	4	2	7
81 Unknown.....													
82 Scandinavia.....	952	24	1	6	3	1	1	1		5	3	3	
83 Under 15.....	2												
84 15 to 20.....	24												
85 20 to 25.....	96												
86 25 to 35.....	272	5		2		1	1						
87 35 to 45.....	212	11	1	3						2			
88 45 to 55.....	165	3		1	1			1		1	3	1	
89 55 to 65.....	100	2								1			
90 65 and over.....	81	3		1	1					1		2	
91 Unknown.....													
92 Russia and Poland.....	935	37		2	9		1			4	5	1	15
93 Under 15.....	3												
94 15 to 20.....	47	1								1			
95 20 to 25.....	103	2								1			
96 25 to 35.....	213	3			2								1
97 35 to 45.....	192	2											
98 45 to 55.....	172	11			3					1	2		6
99 55 to 65.....	98	3											3
100 65 and over.....	108	15		2	4		1			1	2	1	4
101 Unknown.....													
102 Italy.....	1,559	43	2	8	2		1	1	2	25		1	1
103 Under 15.....	4												
104 15 to 20.....	64												
105 20 to 25.....	176	3								3			
106 25 to 35.....	434	7		1				1		5			
107 35 to 45.....	397	5		1			1		1	2			
108 45 to 55.....	244	8	1	2						4			1
109 55 to 65.....	140	10		3						7			
110 65 and over.....	96	10	1	1	2			1		4		1	
111 Unknown.....	4												
112 Other foreign countries.....	3,230	163	3	25	13	2	6	6	21	31	29	11	16
113 Under 15.....	9												
114 15 to 20.....	121	4		2						1		1	
115 20 to 25.....	266	9	1	2			1	1	1	1			2
116 25 to 35.....	707	26	2	8			1	1	2	4	4	1	3
117 35 to 45.....	757	33		5	3		2	2	3	9	7	1	1
118 45 to 55.....	594	23		2	3		1	1	6	6	5	3	3
119 55 to 65.....	444	33		3	6		2	2	5	7	4	3	2
120 65 and over.....	328	29		3	2		2	1	4	3	7	2	5
121 Unknown.....	4	1									1		
122 Unknown.....	6,715	256	18	28	29	5	20	17	48	27	34	10	20
123 Under 15.....	11												
124 15 to 20.....	164												
125 20 to 25.....	479	7		2				2	2				
126 25 to 35.....	1,343	26	5	2	2		2	2	3	3	1		1
127 35 to 45.....	1,436	49	6	4	4		3	4	7	10	7	2	2
128 45 to 55.....	1,166	46	4	6	2		5	5	11	6	3	1	3
129 55 to 65.....	922	45	1	6	3		7	3	12	6	3	1	6
130 65 and over.....	1,158	79	2	8	18	1	3	1	13	1	15	5	8
131 Unknown.....	36	4								2	2		

STATISTICS OF DEATHS.

WITH DISTINCTION OF COLOR, BIRTHEPLACES OF MOTHERS, AND CERTAIN AGE PERIODS, DURING THE MAY 31, 1890—Continued.

METROPOLITAN DISTRICT—Continued.

CLASS B.							CLASS C.									
Total.	Stenographers and typewriters.	Accountants, bookkeepers, clerks, and copyists.	Bankers, brokers, and officials of companies.	Collectors, auctioneers, and agents.	Wholesale merchants and dealers.	Newspaper carriers and newsboys.	Total.	Apothecaries, pharmacists, and dealers in chemicals and drugs.	Commercial travelers and salesmen.	Dealers in dry goods (retail).	Dealers in groceries (retail).	Dealers, not specified (retail).	Hucksters and peddlers.	Wine and liquor dealers (retail).	Wine and liquor dealers (wholesale).	
69		49	7	6	7		103	8	5	1	2	67	12	8		72
2		2					2						2			73
12		11			1		1		1							74
18		15	1	1	1		8	2	2			4				75
17		18	2		2		20	1	1			11	6			76
10		5	1	3	1		22	2	1	1		13	1	3		77
10		3	3	2	2		28	1				23	1	3		78
							22	2	1		1	16	2			79
36		29	4	1	2		35	7	3		5	19	1			80
																81
2		2					2		1							82
4		4					1				1					83
14		14					3	1			1					84
5		3			1		8	2	2			4				85
7		4	3				11	2			2	6	1			86
			1				7	1				6				87
4		2		1	1		3	1				2				88
																89
35		18	2	14	1		223	2	8	3	5	68	136	1		90
																91
3		3					6						6			92
3		3					22						18			93
7		6		1			34	1	3			2	13			94
8		3	1	4			40	1	2			7	28			95
6		1	1	4			55					26	25	1		96
6		1		4	1		32		1			13	17			97
2		1		1			34		1	1		10	23			98
																99
21		17	1	2		1	104	1	1		11	59	30	2		100
																101
1						1										102
4		4					6						1			103
							4						3			104
3		3		1			19						9			105
3		2	1				28	1			3		6			106
5		4		1			28				2		18			107
1		1					17				3		9	1		108
8		3					15				1		9	4		109
							15	1					10	5		110
													4			111
235		163	22	41	8	1	352	24	28		13	213	63	9	2	112
																113
15		13		2			2					1	1			114
23		26		2			3		1			3	3			115
65		51	3	10	1		22	2	3			8	10	1		116
49		34	6	9			41	5	3			18	7			117
34		20	7	4	2	1	59	4	3		2	37	10	1		118
25		10	2	10	3		77	6	9		4	44	10	2	2	119
19		9	4	4	2		67	5	4			47	9	2		120
							76	2	2			55	13	2		121
483	2	329	40	83	13	7	416	16	64	1	12	223	92	7	1	122
																123
3		3					2									124
24	1	21		1		1	7		1			3	3			125
33		29	1	1		2	24	2	6			5	9			126
95	1	84	3	6		1	59	2	8			24	24			127
109		78	8	20			33	4	15			33	22	3	1	128
90		53	12	20	4	1	88	4	4			48	10	3		129
72		36	10	20	5	1	68	3	11			38	14	1		130
56		24	12	15	4	1	86	1	2	1		72	9			131
1		1					1						1			132

VITAL AND SOCIAL STATISTICS.

TABLE 22.—DEATHS AMONG MALES ENGAGED IN CERTAIN OCCUPATIONS AND CLASSES OF OCCUPATIONS, METROPOLITAN DISTRICT—Continued. 6 YEARS ENDING.

BIRTHPLACES OF MOTHERS AND AGE PERIODS.	CLASS D.			CLASS E.							
	Total.	Hotel and boarding house keepers.	Saloon keepers, billiard and bowling saloon keepers, bartenders, and restaurant keepers.	Total.	Barbers and hair-dressers.	Janitors and sextons.	Laund-ers.	Nurses.	Police-men, watch-men, and detect-ives.	Soldiers, sailors, and marines (United States).	Under-takers.
Birthplaces of mothers—Continued.											
72 France.....	14	4	10	19	6	3	2	3	5		
73 Under 15.....											
74 15 to 20.....				1					1		
75 20 to 25.....	1		1								
76 25 to 35.....	2		2	4	1	1		1			
77 35 to 45.....	6	2	4	4	2			1	1		
78 45 to 55.....				1					1		
79 55 to 65.....	4	2	2	7	2	2	2	1			
80 65 and over.....	1		1	2	1				1		
81 Unknown.....											
82 Scandinavia.....	13	5	8	50		5		2	17	26	
83 Under 15.....											
84 15 to 20.....				2						2	
85 20 to 25.....	1		1	7						5	
86 25 to 35.....	1	1		13		1			1	7	
87 35 to 45.....	5	2	3	14		1		1	3	9	
88 45 to 55.....	3	1	2	5					3	2	
89 55 to 65.....	3	1	2	5					4	1	
90 65 and over.....				4		2			2		
91 Unknown.....											
92 Russia and Poland.....	10	4	6	14	9	1		1	2	1	
93 Under 15.....											
94 15 to 20.....				1	1						
95 20 to 25.....				3	2				1		
96 25 to 35.....	3		3	4	4						
97 35 to 45.....	3	1	2	1	1						
98 45 to 55.....	3	2	1	1	1						
99 55 to 65.....	1	1		4		1		1	1	1	
100 65 and over.....											
101 Unknown.....											
102 Italy.....	17	3	14	66	59	1	1		4	1	
103 Under 15.....				1	1						
104 15 to 20.....	1		1	5	4				1		
105 20 to 25.....	2		2	14	14						
106 25 to 35.....	3	1	2	19	19						
107 35 to 45.....	3	1	2	13	9		1		3		
108 45 to 55.....	3		3	7	7						
109 55 to 65.....	3		2	5	3					1	
110 65 and over.....	2	1	2	2	2	1					
111 Unknown.....											
112 Other foreign countries.....	60	12	48	246	17	13	175	2	24	14	1
113 Under 15.....											
114 15 to 20.....	2		2	3	1		2				
115 20 to 25.....	2		2	29	1		22		2	4	
116 25 to 35.....	8		8	90	6	2	74	1	3	4	
117 35 to 45.....	21	6	15	71	4	2	59		5	1	
118 45 to 55.....	15	2	13	31	3	2	16	1	4	4	1
119 55 to 65.....	6	2	4	14	1	4	2		7		
120 65 and over.....	6	2	4	8	1	3			3	1	
121 Unknown.....											
122 Unknown.....	134	22	112	227	50	18	7	7	74	65	6
123 Under 15.....											
124 15 to 20.....	2		2	2	2						
125 20 to 25.....	3		3	18	5		1	-1	1	9	1
126 25 to 35.....	43	2	46	47	13	2	3	1	14	13	1
127 35 to 45.....	34	4	30	62	16	2	3		19	22	
128 45 to 55.....	23	7	16	38	6	5		2	16	8	1
129 55 to 65.....	9	3	6	32	4	3		1	13	8	3
130 65 and over.....	7	5	2	25	4	6		1	10	4	
131 Unknown.....	3	1	2	3				1	1	1	

STATISTICS OF DEATHS.

WITH DISTINCTION OF COLOR, BIRTHPLACES OF MOTHERS, AND CERTAIN AGE PERIODS, DURING THE
MAY 31, 1890—Continued.

METROPOLITAN DISTRICT—Continued.

CLASS F.				CLASS G.												
Total.	Laborers (not specified).	Messen- ger boys.	Servants.	Total.	Artificial flower and paper box makers.	Bakers and con- fection- ers.	Black- smiths.	Bleach- ers, dyers, and scourers.	Book- binders.	Boot and shoe makers.	Brass- found- ers and copper- smiths.	Brew- ers, dis- tillers, and rec- tifiers.	Brick and tile makers and terra cotta workers.	Butch- ers.	Cabinet makers and uphol- sterers.	
159	58		101	387	8	27	9	14	1	23	3			12	29	72
6	2		4	9			1			1						73
6			6	10				2		1						74
26	9		17	51		3		3		1				2	2	75
47	12		35	85	3	9	2	5		2				2	5	76
33	14		19	95	2	5	3	2		5	2			4	3	77
24	9		15	68	3	1	3	2		8	1			2	11	78
16	11		5	77					1	6				1	8	79
1	1															80
185	157	2	26	362	2	7	13		2	31	1			1	25	81
1	1		2	1												82
5	2	1	2	6	1					2						83
16	13		4	38		1			1							84
57	52		5	109		1	5			10	1				1	85
42	36		6	80	1	2	3			7					3	86
34	29		5	72		2	2		1	6				1	7	87
21	18	1	2	36		1				4					3	88
9	7		2	20			2			2					3	89
																90
115	104	2	9	432	1	9	6		4	31				11	5	91
1		1	1	2												92
8	6	1	1	24	1	2				1				1		93
12	11		1	50		1				7						94
27	26		1	111		1	1		2	3				4	2	95
40	36		4	84		2	2			6						96
15	15		1	77		2	2			4				3	1	97
9	8		1	36		1	1			3				1	2	98
3	2		1	48						7				2		99
																100
1,051	1,029	1	21	212	3	10	5	1		51		1			7	101
																102
				2												103
37	35	1	1	10						2						104
123	121		2	23						11						105
314	309		5	51	1	4	2			16					1	106
281	277		4	58		5	1	1		10		1			2	107
161	156		5	40	2	1	1			6					2	108
85	83		2	16			1			5					1	109
46	44		2	12		1				1					1	110
4	4															111
446	309	1	136	1,458	5	36	26	5	14	76	6	5		27	39	112
																113
4	3	1		3						1						114
22	17		5	57		2				1				2	1	115
43	32		11	104		2	2		3	2				4	3	116
119	72		47	299	1	8	6	1	1	9	3	1		5	8	117
104	71		33	357	1	8	7	2	3	17	1	1		5	5	118
67	42		25	300	2	9	5	1	2	17				7	12	119
53	46		7	214	1	5	4	1	2	16	2	1		3	3	120
33	26		7	123		2	2		3	13		1		1	7	121
1			1	1												122
1,775	1,545	6	224	2,100	11	82	87	2	15	142	17	10	2	75	61	123
																124
6	4	1	1	2							2				2	125
56	47	2	7	40		6					3				1	126
179	158	1	20	110		10	4		2	4	6			19	10	127
428	343	1	84	395	2	19	13	1	5	24	4	5	1	25	12	128
405	354	1	50	468	2	13	22		2	14	4	4		9	10	129
300	269		31	424	4	17	21		2	23		4		7	16	130
191	170		21	323	2	8	13	1	2	29	1	3		8	10	131
202	192		10	331	1	9	14		2	48	1	3				132
8	8			7									1			133

TABLE 22.—DEATHS AMONG MALES ENGAGED IN CERTAIN OCCUPATIONS AND CLASSES OF OCCUPATIONS, 6 YEARS ENDING.

METROPOLITAN DISTRICT—Continued.

BIRTHPLACES OF MOTHERS AND AGE PERIODS.	CLASS G—continued.								CLASS H.			
	Plasterers and white-washers.	Plumbers and gas and steam fitters.	Potters.	Rubber factory operatives.	Silk mill operatives.	Tailors.	Tinners and tinware makers.	Wheelwrights.	Woolen mill operatives.	Total.	Boatmen and canalmen.	Draymen, hackmen, teamsters, drivers, etc.
72 Birthplaces of mothers—Continued. France.....	1	2			8	36	5	1	2	71	2	13
73 Under 15.....										4		1
74 15 to 20.....										2		
75 20 to 25.....										13		3
76 25 to 35.....					3	2	1		1	12		2
77 35 to 45.....		1			1	5	1			13		3
78 45 to 55.....	1				3	5	1		1	8		4
79 55 to 65.....		1				8	2			16	1	1
80 65 and over.....					1	16		1		16	1	2
81 Unknown.....												
82 Scandinavia.....	1	7			2	71	3	2		247	12	12
83 Under 15.....		1								7	1	1
84 15 to 20.....						1				29		
85 20 to 25.....		1				6				70	3	3
86 25 to 35.....		1				21	2			47	5	5
87 35 to 45.....						15	1	1		30	1	1
88 45 to 55.....		2				15		1		26	1	1
89 55 to 65.....	1	2				11				38	1	2
90 65 and over.....					2	2						
91 Unknown.....												
92 Russia and Poland.....	1					209	2			70		3
93 Under 15.....						2				4		
94 15 to 20.....						12				11		
95 20 to 25.....						24	1			24		1
96 25 to 35.....						56				14		2
97 35 to 45.....	1					40				4		
98 45 to 55.....						41	1			7		
99 55 to 65.....						13				6		
100 65 and over.....						21						
101 Unknown.....												
102 Italy.....	3	2			2	32	2	1		45		12
103 Under 15.....						1				1		
104 15 to 20.....	1				1	3				7		2
105 20 to 25.....						6	1	1		17		6
106 25 to 35.....					1	8				6		3
107 35 to 45.....	1	1				6	1			3		
108 45 to 55.....						3				5		
109 55 to 65.....	1	1				2				6		1
110 65 and over.....												
111 Unknown.....												
112 Other foreign countries.....	8	18			29	198	14	3	2	270	5	40
113 Under 15.....						2				10		4
114 15 to 20.....	1	3				10	3			29		4
115 20 to 25.....		1			3	15	1			59		10
116 25 to 35.....		4			7	39	1	1	2	63	3	14
117 35 to 45.....	2	3			5	38	6			42	1	4
118 45 to 55.....	1	4			7	42	2	1		32	1	4
119 55 to 65.....	3	3			5	34	1			34		
120 65 and over.....	1					20		1		1		
121 Unknown.....												
122 Unknown.....	27	48	2	4	30	127	31	23	8	1,324	32	229
123 Under 15.....						1				33	1	11
124 15 to 20.....	1	2		1	2	3	1		1	100	3	27
125 20 to 25.....		2			1	7	5	1		245	17	70
126 25 to 35.....	6	16			5	17	5	1	2	226	15	69
127 35 to 45.....	9	13		1	9	20	9	2	4	157	13	22
128 45 to 55.....	5	9		2	4	23	3	3		182	17	17
129 55 to 65.....	4	5			3	30	5	7	1	372	16	12
130 65 and over.....	2	1	2		5	26	3	9		9		1
131 Unknown.....					1							

STATISTICS OF DEATHS.

WITH DISTINCTION OF COLOR, BIRTHPLACES OF MOTHERS, AND CERTAIN AGE PERIODS, DURING THE MAY 31, 1890—Continued.

METROPOLITAN DISTRICT—Continued.

CLASS H—continued.														
Farmers, planters, and overseers.	Farm laborers.	Fishermen and oystermen.	Gardeners, florists, nurserymen, and vine growers.	Livery stable keepers and hostlers.	Lumbermen and raftsmen.	Miners (coal).	Miners (not specified).	Pilots.	Quarrymen.	Sailors.	Steam railroad employes (includes conductors, brakemen, engineers, and firemen).	Stock raisers, herders, and drovers.	Telegraph and telephone operators.	Telegraph and telephone linemen and electric light men.
13	1	1	14	2				1		15	8	1		72
										2	1			73
1										1				74
3										3	2			75
1	1		1	1						1	2			76
1										1	2			77
3		1								1	2			78
4				1				1		5	1	1		79
														80
3	1	3	8	4				6		188	6		2	81
														82
	1			1						3				83
		1	2	1						25				84
1								1		58			2	85
1			1	2				1		28				86
1			2					2		23	3		1	87
			1					1		21	2			88
		1	2					1		30	1			89
														90
9	1	1		4										91
										34	3	1	14	92
														93
1										1			2	94
1										6			4	95
2	1			3	1					13	1		5	96
										3	2		3	97
1										4				98
3		1								5		1		99
										2				100
3	1	1	5				3		1	16	2		1	101
														102
										1				103
	1		1				3		1	3			1	104
1										3	1			105
										2				106
1		1								2				107
1			1							2	1			108
1			1							3				109
														110
34	2	7	12	5			4	5		131	20	1	3	111
														112
1										3			1	113
4				1						16	1		2	114
5	1		2	1			2	1		22	11			115
5		3	3	1						30	5			116
5	1	2	2							26		1		117
2			2	2				1		18				118
11			3				1	2		18	1			119
1		1						1		16	1			120
														121
240	13	33	49	59	2	1	11	10	20	433	125	4	12	122
														123
3	4	1	1	4			1			4	2		1	124
3	2	1	2	8			1		1	21	30			125
14		7	8	17	2		6	1	2	56	39	1	5	126
18		6	12	10		1	2	2	7	60	22		2	127
13	1	6	7	9			3	3	2	62	15	1	3	128
35	2	6	8	6			1	2	5	75	7	1		129
151	4	5	11	5				2	3	154	7	1	1	130
3		1								1	3			131

STATISTICS OF DEATHS.

975

WITH DISTINCTION OF COLOR, BIRTHPLACES OF MOTHERS, AND CERTAIN AGE PERIODS, DURING THE
MAY 31, 1890—Continued.

NEW JERSEY.

CLASS B.							CLASS C.									
Total.	Stenogra- phers and type- writers.	Account- ants, book- keepers, clerks, and copyists.	Bankers, brokers, and officials of com- panies.	Collect- ors, auc- tion- eers, and agents.	Whole- sale mer- chants and dealers.	News- paper carriers and news- boys.	Total.	Apotheca- ries, pharma- cists, and dealers in chemicals and drugs.	Commer- cial travelers and sales- men.	Dealers in dry goods (retail).	Dealers in grocer- ies (retail).	Dealers, not specified (retail).	Huck- sters and ped- dlers.	Wine and liquor dealers (retail).	Wine and liquor dealers (whole- sale).	
1,613	9	1,120	238	233	6	7	1,541	106	121	5	34	1,143	113	19		1
1,611	9	1,120	238	232	6	6	1,535	105	121	5	34	1,142	109	19		2
6		6					2									3
109	1	104	2	1		1	12	1				1				4
196	1	179	4	12			41	10	5			6	1			5
380	2	326	27	23	1		215	22	1			18	5	1		6
276	3	189	45	38		1	244	19	27			134	24	3		7
256	1	146	55	58			285	23	27			169	17	5		8
191		88	51	48	4		297	12	21	1		204	17	5		9
191	1	77	53	57		3	434	16	8	2		233	22	2		10
6		5	1				5	1				374	22	3		11
2				1		1	6	1				3	1			12
																13
1						1										14
1				1												15
							2	1					1			16
							1						1			17
							1						1			18
							2					1	1			19
																20
																21
863	4	611	123	121	2	2	815	67	59	2	7	642	38			22
3		3					2									23
72	1	68	2	1			5	1				1				24
122		113	3	5		1	25	7				3	1			25
195	1	169	13	11		1	121	14	2	1		13	1			26
138	1	98	18	20		1	115	14	17			79	10			27
124	1	70	22	30		1	181	12	14			83	4			28
102		48	25	29			147	6	12			105	2			29
104		39	40	25			177	10	10			124	5			30
3		3					268	13	3	1		233	15			31
							1					1				32
105		79	16	10			99	10	9			69	7	1		33
																34
8		8					2	1	1							35
6		6					1	1								36
24		20	3	1			6	2				2				37
24		19	2	3			17	4	2			11	1	1		38
17		9	6	2			18	3	1			12				39
9		7	2	2			23	1	4			16	2			40
17		10	3	4			32	1	4			28	3			41
																42
34		19	8	6	1		15	2	2			10	1			43
																44
																45
3		2		1			1						1			46
6		6					2	1				1				47
6		4	2				3					3				48
7		3	1	3			1					1				49
6		3	3		1		5	1	1			3				50
6		4	2	2			3	1	1			2				51
																52
236		163	35	37		1	179	2	19	1	5	127	19	6		53
																54
11		11					2		1			1				55
43		39		4			6		2			3				56
64		51	3	9		1	22	1				17	2	2		57
39		25	9	5			38					30	2			58
44		28	12	4			35	6				20	7	1		59
13		1	3	4			43	1				23	6	1		60
21		7	3	11			33	4	2			28	1			61
1		1														62
170	2	117	25	23		3	252	18	17	2	18	171	23	8		63
																64
2		2				1	3		1			2				65
15		14					3					1				66
44	1	38	5	1			42	2	6			23	5			67
33		24	4	5			42	1	6			26	3			68
26		11	3	7			60	3	4			40	4	3		69
23		11	6	6			52	2	4			39	3	1		70
12	1	4	1	4		2	43	1		1		38	3	2		71
							2					2				72

STATISTICS OF DEATHS.

977

WITH DISTINCTION OF COLOR, BIRTHPLACES OF MOTHERS, AND CERTAIN AGE PERIODS, DURING THE
MAY 31, 1890—Continued.

NEW JERSEY—Continued.

CLASS F.				CLASS G.												
Total.	Laborers (not specified).	Messen- ger boys.	Servants.	Total.	Artificial flower and paper box makers.	Bakers and con- fection- ers.	Black- smiths.	Bleach- ers, dyers, and scourers.	Book- binders.	Boot and shoe makers.	Brass found- ers and copper- smiths.	Brew- ers, dis- tillers, and rec- tifiers.	Brick and tile makers and terra cotta workers.	Butch- ers.	Cabinet makers and uphol- sterers.	
7,311	6,849	5	457	8,449	18	211	423	11	22	638	48	66	33	321	137	1
0,679	6,335	5	339	8,406	18	210	421	11	22	635	48	66	30	320	136	2
21	19	1	1	12						3						3
191	178		13	251		8	5			16	4	1	1	9	1	4
575	548	1	26	613	4	20	16	1		25	4	3	5	25	8	5
1,032	966		66	1,394	4	34	47	1		51	14	12	4	77	17	6
1,155	1,086		69	1,416	4	47	61	3		54	3	19	5	79	18	7
1,188	1,123	1	62	1,413	3	36	69			91	11	17	2	63	24	8
976	932	1	43	1,300	1	34	79	4		134	10	7	6	32	24	9
1,490	1,432	1	57	1,904	2	30	142	2		260	2	7	6	35	44	10
53	51		2	43		1	2			1			1			11
632	514		118	43		1	2			3			3	1	1	12
1			1													13
26	17		9	2												14
58	47		11	8												15
87	55		32	4		1								2		16
107	82		25	6			1									17
98	82		16	9											1	18
86	73		13	4												19
153	145		8	8				1		3				1		20
16	13		3	2									1			21
2,552	2,342	2	208	3,289		44	176	1	9	278	21	15	10	106	39	22
12	10		2	7						3						23
97	82		15	102		2	2			11	1			4		24
259	238	1	20	241		9	8			12	3	1	3	12	1	25
357	315		42	501		7	15			24	9	2	1	24	5	26
353	309		44	450		9	16			18	1	4	1	21	7	27
362	334		28	499		6	19			28	5	2	1	21	6	28
363	339		24	492		5	25			39	2	4	1	9	5	29
721	689	1	31	982		6	89	1	1	143	2	2	2	15	15	30
28	26		2	15			2			1			1			31
162	149	1	12	592	1	9	26	4	2	26	2	2	1	17	13	32
1	1						1									33
2	2			13												34
11	11			40			2		1		1			2		35
25	23		2	73			2	1		1				1		36
26	24		2	95	1	3	3	1		2	1		1	4	2	37
27	25	1	1	103			4			3		1		4	3	38
29	25		4	117		3	7	1		11				3	5	39
40	37		3	148		2	8	1	1	9		1		3	3	40
1	1			3												41
36	33		3	138		3	6	1		5	1		1	2		42
																43
				1												44
2	2			4												45
6	6			7												46
7	7			19		1										47
11	10		1	33		1				1				1		48
4	4			20			1			2						49
6	4		2	21			3	1			1					50
				32		1	2			2			1			51
				1												52
2,381	2,295	1	85	1,304	4	22	93	1	2	84	10	2	4	54	12	53
5	5															54
55	54		1	48		1				1			1	2	1	55
198	188		10	148	2		3	1		2				4	2	56
377	357		20	239	1	4	14		1	3		1		18	1	57
436	425		11	267		5	23			10	1	1		13	1	58
506	485		21	214	1	5	16			18	3		2	8	2	59
365	356	1	8	173		3	16			17	3		1	6	2	60
429	415		14	161		4	21			28				3	3	61
10	10			4												62
770	702		68	1,820	9	99	56	3	7	146	10	39	9	105	50	63
1	1			3												64
21	20		1	63		3	2			3	2	1		3		65
46	43		3	118	2	9	2			7		2	2	3	4	66
108	97		11	319	2	18	7		1	10		8	3	23	8	67
170	149		21	342	1	22	7	1		14		13		29	6	68
131	120		11	336	2	18	13		1	28	3	11		22	11	69
137	126		11	332	1	20	15	2		42	4	2	3	13	5	70
154	144		10	311	1	9	10			41	1	2	1	12	16	71
2	2			6						1						72

STATISTICS OF DEATHS.

979

WITH DISTINCTION OF COLOR, BIRTHPLACES OF MOTHERS, AND CERTAIN AGE PERIODS, DURING THE MAY 31, 1890—Continued.

NEW JERSEY—Continued.

CLASS G—continued.																
Gun-smiths, lock-smiths, and bell hangers.	Harness and saddle makers and repairers, and trunk, valise, and leather-case makers.	Hat and cap makers.	Iron and steel workers.	Lead and zinc workers.	Leather curriers, dressers, finishers, and tanners.	Machinists.	Marble and stone cutters.	Masons (brick and stone).	Meat packers, curers, and picklers, canners, and fruit preservers.	Mill and factory operatives (textiles not specified).	Millers (flour and grist).	Painters, glaziers, and varnishers.	Paper hangers.	Paper mill operatives.	Photographers.	
13	185	452	410	-----	69	685	81	302	10	272	83	474	13	5	13	1
13	185	449	409	-----	89	684	81	296	10	271	82	473	12	5	13	2
-----	1	1	1	-----	3	25	1	6	2	18	1	16	-----	-----	-----	3
2	5	4	18	-----	6	67	2	17	-----	33	3	34	1	1	1	4
1	11	47	41	-----	16	123	20	49	2	43	3	100	2	2	2	5
3	25	112	74	-----	19	124	20	55	1	36	7	92	4	1	1	6
2	28	107	72	-----	16	114	13	56	3	40	11	99	1	1	2	7
2	30	73	70	-----	17	104	11	49	-----	29	18	75	1	1	1	8
2	33	52	67	-----	12	125	14	62	2	66	39	52	2	3	1	9
3	51	52	64	-----	-----	1	-----	2	-----	4	-----	5	1	-----	5	10
1	1	1	2	-----	-----	1	-----	6	-----	1	1	1	1	-----	-----	11
-----	-----	3	1	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	12
-----	-----	-----	-----	-----	-----	-----	-----	1	-----	-----	-----	-----	-----	-----	-----	13
-----	-----	-----	-----	-----	-----	1	-----	1	-----	-----	-----	-----	-----	-----	-----	14
-----	-----	1	-----	-----	-----	-----	-----	-----	-----	-----	-----	1	-----	-----	-----	15
-----	-----	1	1	-----	-----	-----	-----	-----	-----	1	-----	-----	1	-----	-----	16
-----	-----	-----	1	-----	-----	-----	-----	1	-----	-----	-----	-----	-----	-----	-----	17
-----	-----	-----	-----	-----	-----	-----	-----	2	-----	-----	-----	-----	-----	-----	-----	18
-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	19
-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	20
-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	21
1	65	133	128	-----	18	289	19	103	3	77	71	203	9	4	7	22
-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----
1	1	1	11	-----	1	11	-----	4	1	1	-----	-----	-----	-----	-----	23
4	2	7	7	-----	2	29	-----	7	-----	11	2	16	-----	-----	-----	24
5	10	-----	-----	-----	4	52	-----	15	1	13	2	47	1	1	-----	25
1	37	20	-----	-----	4	57	5	13	-----	5	7	33	3	-----	-----	26
8	25	15	-----	-----	2	36	4	22	-----	10	9	45	1	-----	1	27
9	24	20	-----	-----	1	42	2	16	-----	7	13	29	1	-----	-----	28
9	15	20	-----	-----	4	62	5	25	1	28	37	23	1	3	4	29
23	19	35	-----	-----	-----	-----	-----	1	-----	-----	-----	2	-----	-----	-----	30
1	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	1	-----	-----	31
-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----
-----	11	22	52	-----	3	77	6	29	-----	41	2	40	-----	-----	1	32
-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----
-----	-----	-----	-----	-----	-----	3	-----	-----	-----	1	-----	-----	-----	-----	-----	33
-----	-----	-----	-----	-----	-----	6	-----	-----	-----	5	-----	4	-----	-----	-----	34
1	3	1	6	-----	1	10	1	6	-----	5	-----	5	-----	-----	-----	35
1	1	4	9	-----	-----	15	2	2	-----	2	-----	8	-----	-----	-----	36
1	1	4	5	-----	-----	16	2	5	-----	8	-----	9	-----	-----	-----	37
1	5	12	-----	-----	2	15	1	3	-----	7	1	7	-----	-----	1	38
4	8	14	-----	-----	-----	12	-----	10	-----	11	-----	7	-----	-----	-----	39
-----	-----	1	-----	-----	-----	-----	-----	-----	-----	2	-----	-----	-----	-----	-----	40
-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	41
-----	3	3	9	-----	1	21	9	2	1	9	-----	3	1	-----	-----	42
-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----
-----	-----	2	-----	-----	-----	3	-----	-----	-----	-----	-----	-----	-----	-----	-----	43
-----	-----	-----	1	-----	-----	2	-----	-----	-----	-----	-----	-----	-----	-----	-----	44
-----	-----	-----	-----	-----	-----	3	-----	-----	-----	1	-----	1	-----	-----	-----	45
-----	1	-----	2	-----	-----	4	-----	2	1	4	-----	-----	-----	-----	-----	46
-----	3	-----	3	-----	-----	4	-----	-----	-----	1	-----	-----	-----	-----	-----	47
-----	1	-----	1	-----	1	4	-----	-----	-----	-----	-----	-----	-----	-----	-----	48
-----	2	-----	2	-----	-----	2	-----	3	-----	3	-----	2	-----	-----	-----	49
-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	1	-----	-----	50
-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	51
-----	20	125	121	-----	29	36	24	78	2	53	3	55	1	1	-----	52
-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----
-----	-----	-----	5	-----	-----	2	-----	2	1	9	-----	3	-----	-----	-----	53
-----	3	21	14	-----	4	14	1	5	-----	12	-----	4	-----	-----	-----	54
-----	2	36	33	-----	5	25	9	15	1	10	-----	14	-----	-----	-----	55
-----	2	35	26	-----	7	10	5	19	-----	3	-----	18	-----	-----	-----	56
-----	4	16	19	-----	5	15	1	16	-----	6	-----	9	-----	-----	-----	57
-----	4	9	18	-----	5	12	3	15	-----	3	-----	6	-----	-----	-----	58
-----	5	7	6	-----	3	18	4	6	-----	3	-----	1	-----	1	-----	59
-----	-----	1	-----	-----	-----	-----	-----	-----	-----	1	-----	1	-----	-----	-----	60
-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	61
7	50	74	51	-----	29	97	15	52	2	57	5	86	1	-----	3	62
-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----
-----	1	2	1	-----	2	1	-----	1	-----	4	-----	3	-----	-----	1	63
-----	2	6	2	-----	-----	3	-----	-----	-----	5	-----	6	-----	-----	-----	64
-----	9	17	8	-----	5	14	-----	7	-----	7	-----	21	-----	-----	-----	65
-----	9	21	8	-----	7	19	3	7	-----	-----	-----	-----	-----	-----	-----	66
3	9	11	-----	-----	7	19	4	11	-----	15	-----	19	-----	-----	-----	67
-----	9	15	-----	-----	6	19	4	7	2	10	-----	13	1	-----	1	68
-----	10	8	7	-----	5	15	2	14	-----	10	-----	17	-----	-----	-----	69
-----	10	5	3	-----	4	17	1	10	-----	5	-----	6	-----	-----	1	70
-----	-----	-----	-----	-----	-----	-----	-----	1	-----	1	-----	1	-----	-----	-----	71

TABLE 22.—DEATHS AMONG MALES ENGAGED IN CERTAIN OCCUPATIONS AND CLASSES OF OCCUPATIONS, 6 YEARS ENDING

NEW JERSEY—Continued.

BIRTHPLACES OF MOTHERS AND AGE PERIODS.	CLASS G—continued.									CLASS H.		
	Plasterers and white-washers.	Plumbers and gas and steam fitters.	Potters.	Rubber factory operatives.	Silk mill operatives.	Tailors.	Tinners and tinware makers.	Wheelwrights.	Woolen mill operatives.	Total.	Boatmen and canalmen.	Draymen, hackmen, teamsters, drivers, etc.
1 Total.....	28	88	120	21	265	364	100	112	45	6,335	292	383
2 White.....	28	87	119	21	265	362	99	112	45	6,171	283	349
3 Under 15.....			1							30	3	
4 15 to 20.....	1	8	6	1	22	10	6		2	121	6	16
5 20 to 25.....	2	11	15	3	24	14	5	3	4	323	22	31
6 25 to 35.....	4	23	34	6	60	30	23	8	14	716	53	98
7 35 to 45.....	9	17	18	3	47	35	19	12	13	687	58	69
8 45 to 55.....	3	17	18	4	41	42	16	12	5	745	57	69
9 55 to 65.....	3	8	9	2	30	95	19	27	4	900	53	33
10 65 and over.....	6	3	16	2	38	136	11	50	3	2,589	30	32
11 Unknown.....			2		3					55	1	1
12 Colored.....		1	1			2	1			164	9	34
13 Under 15.....										8	1	2
14 15 to 20.....		1								11	1	2
15 20 to 25.....										21	2	9
16 25 to 35.....										26	3	7
17 35 to 45.....			1			1				18	5	5
18 45 to 55.....							1			16	1	4
19 55 to 65.....						1				60	1	4
20 65 and over.....										4	1	1
21 Unknown.....										4		
22 Birthplaces of mothers: United States.....	11	32	40	9	38	95	36	70	8	4,101	122	116
23 Under 15.....										24	2	
24 15 to 20.....		2	2		5	2	4		1	87	6	7
25 20 to 25.....	1	4	5		5	5	3	1	1	171	9	6
26 25 to 35.....	2	8	12	1	10	7	7	6	3	389	23	37
27 35 to 45.....	2	5	7	3	5	14	4	7	2	381	23	17
28 45 to 55.....	1	9	5	1	6	10	4	8		417	16	21
29 55 to 65.....	2	2	3	2	2	21	10	17		568	24	13
30 65 and over.....	3	2	6	1	7	36	4	31	1	2,040	18	14
31 Unknown.....					1					26	1	1
32 England and Wales.....	2	4	31		46	13	5	3	8	206	8	10
33 Under 15.....										2	1	
34 15 to 20.....			2		2		1			2		
35 20 to 25.....			1		5				1	12	3	
36 25 to 35.....		1	6		7				2	19		2
37 35 to 45.....	1	1	5		4		1	1	2	29	1	4
38 45 to 55.....		1	9		6		2		1	36	1	2
39 55 to 65.....		1	4		9	4	1	1	2	32	1	
40 65 and over.....	1	1	4		13	9		1		74	1	2
41 Unknown.....												
42 Scotland.....	1	3	2		12	4	3	1	2	40	1	2
43 Under 15.....												
44 15 to 20.....					1					2		
45 20 to 25.....		1								2		
46 25 to 35.....		2	1		3			1	1	6		
47 35 to 45.....	1		1		4		1			2		
48 45 to 55.....					3					2		
49 55 to 65.....					1	1				13	1	
50 65 and over.....					3	3	2		1	14		2
51 Unknown.....										1		
52 Ireland.....	6	28	18	3	33	27	15	2	7	726	63	126
53 Under 15.....										3		
54 15 to 20.....		4	2		4		1			16		6
55 20 to 25.....		4	6	1	7	2			1	73	3	14
56 25 to 35.....	1	8	6	2	7	3	3		2	132	10	37
57 35 to 45.....	3	7	2		7	2	4		3	106	11	21
58 45 to 55.....	1	4			4	4	6		1	135	19	28
59 55 to 65.....		1			1	9		1		106	12	10
60 65 and over.....	1				3	7	1			145	3	10
61 Unknown.....			1							5		
62 Germany.....	2	7	7	6	79	159	30	17	8	495	37	68
63 Under 15.....			1									
64 15 to 20.....		2		1	5	7				12	1	4
65 20 to 25.....		1		1	8	6				26	2	6
66 25 to 35.....	1	2	1		20	13	12		1	74	10	17
67 35 to 45.....			1		14	13	7	3	2	74	10	15
68 45 to 55.....			1	1	12	20	4	1	3	80	8	15
69 55 to 65.....		1		1	11	39	4	5	1	82	3	9
70 65 and over.....		1	2	1	8	61	1	7		140	3	1
71 Unknown.....			1		1					7		1

STATISTICS OF DEATHS.

WITH DISTINCTION OF COLOR, BIRTHPLACES OF MOTHERS, AND CERTAIN AGE PERIODS, DURING THE MAY 31, 1890—Continued.

NEW JERSEY—Continued.

CLASS H—continued.															
Farmers, planters, and overseers.	Farm laborers.	Fishermen and oystermen.	Gardeners, florists, nurserymen, and vine growers.	Livery stable keepers and hostlers.	Lumbermen and raftsmen.	Miners (coal).	Miners (not specified).	Pilots.	Quarrymen.	Sailors.	Steam railroad employes (includes conductors, brakemen, engineers, and firemen).	Stock raisers, herders, and drovers.	Telegraph and telephone operators.	Telegraph and telephone linemen and electric light men.	
3,754	22	100	209	98	6	55	97	31	171	290	749	9	62	7	1
3,678	13	98	206	82	6	55	97	31	170	284	741	9	62	7	2
13		2				5			2		2		1		3
50	1	4	1	2			4		1	11	21		4		4
84		11	3	3			14		10	8	125		12	1	5
184	2	16	12	21	1	11	10	2	28	39	205	2	28	4	6
236	1	12	33	16	1	11	16	8	40	38	135	2	9	2	7
323	3	15	42	15	1	8	22	4	27	44	109	2	4		8
578	1	12	39	13	1	7	11	6	28	43	73	1	1		9
2,188	4	26	75	12	2	9	19	9	33	90	55	2	3		10
22	1		1			1	1	1	1	9	16				11
76	9	2	3	16					1	6	8				12
															13
3		1									1				14
4				3							1				15
5	2	1		1						1					16
8				4					1	2	1				17
4	1			5						1	2				18
8	2			1							2				19
44	3		3	2						1	2				20
	1									1	1				21
2,978	12	77	48	45	5	25	22	20	71	165	350	5	42	3	22
12		2				4			1	1	1		1		23
43	1	4	1				3		1	6	12		3		24
68		6		4		1		1	6	5	53		8		25
143	4	12	3	12	1	6	4	1	15	18	83	1	19	2	26
187		9	6	8	1	4	5	6	13	19	73	2	7	1	27
244	1	12	10	9	1	4	3	1	9	27	55	1	3		28
437	2	9	5	6	1	2	1	4	7	22	33				29
1,823	3	23	23	6	1	4	2	7	19	64	31	1	1		30
16	1									3	4				31
69		1	23	1		6	29	1	7	5	38	1	5	2	32
						1									33
1							1		1		1				34
1		1					2		4	1	4				35
6			1	1			5				5		3	1	36
5			3				2			1	8				37
9			3				14	1		1	7		1		38
46			11			3	3		1	1	10	1	1		39
						2	7			1	3				40
															41
15	1	1	7	1					3	4	4		1		42
															43
															44
															45
1									1	1	1		1		46
1			1	1					1	1	1				47
1											1				48
4		1	3						1	2	1				49
8	1		2								1				50
			1												51
182	2	4	50	14		15	33	4	27	12	185	2	6	1	52
1							1		1		1				53
2							8				7				54
8		1	1	2		3		1	5	2	34		2		55
10			2	3							54	1	3	1	56
11		1	9	4		4	5	1	10	2	26		1		57
18	2	2	13	3		2	4	1	6	4	33				58
43			9	1		2	6		4	1	18				59
88			16	1		3	8	1	1	3	10	1			60
1						1	1				2				61
207	4	3	52	11			3	1	34	27	44		4		62
															63
1		1								3	1		1		64
7			2						2		17				65
15		1	4	1			1		1	5	15				66
14			4								10		1		67
28			10					1	9		6				68
39	1	1	12	2			1		7		2				69
100	3		15	3			1		8		2		1		70
							1				1				71
											4				72

VITAL AND SOCIAL STATISTICS.

TABLE 22.—DEATHS AMONG MALES ENGAGED IN CERTAIN OCCUPATIONS AND CLASSES OF OCCUPATIONS, NEW JERSEY—Continued. 6 YEARS ENDING

BIRTHPLACES OF MOTHERS AND AGE PERIODS.	All selected occupations.	CLASS A.												
		Total.	Actors.	Architects, artists, etc.	Clergymen.	Dentists.	Engineers and surveyors.	Journalists.	Lawyers.	Musicians and teachers of music.	Physicians and surgeons.	Professors, authors, literary and scientific persons.	Teachers.	
72 Birthplaces of mothers—Continued.														
France.....	150	6	1		1							1	1	2
73 Under 15.....														
74 15 to 20.....	1													
75 20 to 25.....	3													
76 25 to 35.....	20													
77 35 to 45.....	31	1									1			
78 45 to 55.....	26													
79 55 to 65.....	23	3	1		1							1		
80 65 and over.....	44	2												2
81 Unknown.....	2													
82 Scandinavia.....	125	2		1						1				
83 Under 15.....														
84 15 to 20.....	6													
85 20 to 25.....	8													
86 25 to 35.....	29													
87 35 to 45.....	29	2		1						1				
88 45 to 55.....	22													
89 55 to 65.....	11													
90 65 and over.....	20													
91 Unknown.....														
92 Russia and Poland.....	59	2		1								1		
93 Under 15.....														
94 15 to 20.....	3													
95 20 to 25.....	5													
96 25 to 35.....	18													
97 35 to 45.....	10													
98 45 to 55.....	13													
99 55 to 65.....	4													
100 65 and over.....	6	2		1								1		
101 Unknown.....														
102 Italy.....	172	6		2	1				1		1		1	
103 Under 15.....														
104 15 to 20.....	13													
105 20 to 25.....	26													
106 25 to 35.....	45	1								1				
107 35 to 45.....	32	1		1										
108 45 to 55.....	22													
109 55 to 65.....	13	1		1									1	
110 65 and over.....	18	3			1				1					
111 Unknown.....	3													
112 Other foreign countries.....	331	13		4	3			1				3	1	1
113 Under 15.....	2													
114 15 to 20.....	21													
115 20 to 25.....	24													
116 25 to 35.....	71	3		2										1
117 35 to 45.....	56	3					1				2			
118 45 to 55.....	49												1	
119 55 to 65.....	59	3			2									
120 65 and over.....	44	4		2	1						1			
121 Unknown.....	5													
122 Unknown.....	3,817	121	1	18	21	4	10		16	8	28	3	12	
123 Under 15.....	4													
124 15 to 20.....	39													
125 20 to 25.....	194	5		2					2					1
126 25 to 35.....	489	14	1	2					1	3	3			1
127 35 to 45.....	586	14		3					1	4	2			1
128 45 to 55.....	588	16		3					3	3	4			3
129 55 to 65.....	513	24		3					2	7	7			3
130 65 and over.....	397	47		5	12		2		7		12	2		6
131 Unknown.....	62	1								1				

STATISTICS OF DEATHS.

WITH DISTINCTION OF COLOR, BIRTHPLACES OF MOTHERS, AND CERTAIN AGE PERIODS, DURING THE MAY 31, 1890—Continued.

NEW JERSEY—Continued.

CLASS B.							CLASS C.									
Total.	Stenographers and typewriters.	Accountants, bookkeepers, clerks, and copyists.	Bankers, brokers, and officials of companies.	Collectors, auctioneers, and agents.	Wholesale merchants and dealers.	News-paper carriers and news-boys.	Total.	Apothecaries, pharmacists, and dealers in chemicals and drugs.	Commercial travelers and salesmen.	Dealers in dry goods (retail).	Dealers in groceries (retail).	Dealers, not specified (retail).	Hucksters and peddlers.	Wine and liquor dealers (retail).	Wine and liquor dealers (wholesale).	
9		7	2				10	1				8		1		72
																73
																74
																75
3		3					3					3				76
3		2	1				4	1				2		1		77
1		1					1					1				78
1		1					2					2				79
1			1				1									80
5		4			1		4					4				81
																82
																83
1		1					1					1				84
1		2			1		2									85
2		1					1									86
1		1					2					2				87
							1					1				88
3		3					6		1			2	3			89
																90
																91
																92
																93
																94
1		1					1		1							95
1		1					1						2			96
													1			97
1		1					1					1				98
																99
1			1				8					5	3			100
																101
																102
																103
																104
1			1													105
							2									106
							1						2			107
							1					1				108
							4					3	1			109
							1					1				110
																111
20		15	3	2			12				1	9		2		112
																113
2		2														114
1		1					1								1	115
8		7		1			3					1				116
3		1	2				1				1	2				117
2		2					6					6				118
1				1												119
3		2	1				1							1		120
																121
167	3	102	25	33	3	1	141	11	14			96	19	1		122
																123
1		1														124
1		1														125
7	1	5					4		1			1	2			126
35		31	2	1			20	2	1			11	6			127
28	2	15	7	4			20	1	4			10	4	1		128
32		19	6	7			29	4	4			17	4			129
36		20	7	6		3	20	1	2			16	1			130
25		9	2	13		1	46	2	2			41	1			131
2		1	1				2		1				1			

STATISTICS OF DEATHS.

WITH DISTINCTION OF COLOR, BIRTHPLACES OF MOTHERS, AND CERTAIN AGE PERIODS, DURING THE MAY 31, 1890—Continued.

NEW JERSEY—Continued.

CLASS F.				CLASS G.												
Total.	Laborers (not specified).	Messenger boys.	Servants.	Total.	Artificial flower and paper box makers.	Bakers and confectioners.	Blacksmiths.	Bleachers, dyers, and scourers.	Bookbinders.	Boot and shoe makers.	Brass-founders and copper-smiths.	Brewers, distillers, and rectifiers.	Brick and tile makers and terra cotta workers.	Butchers.	Cabinet makers and upholsterers.	
25	21		4	73	1	4	2			2			1		5	72
1			1	2												73
4	4			11											1	74
5	4		1	17	1	1										75
3	2		1	13		1									1	76
6	5		1	8		1				1					1	77
5	5			22		1	2			1			1		3	78
1	1															79
41	39		2	45			2			2			1	1	2	80
																81
3	2		1	1												82
2	2			6										1		83
12	12			9			2			1						84
8	8			10											1	85
10	10			7												86
1	1			5									1		1	87
5	4		1	7						1						88
																89
30	29		1	11		1	2			1						90
																91
2	2			1			1									92
4	4			3			1									93
12	12		1	15		1										94
5	4			1												95
4	4			5						1						96
2	2			1												97
1	1															98
																99
125	124		1	14				1		4						100
																101
8	8			3						1						102
19	19			3						1						103
37	37			1												104
26	26			2				1		1						105
16	16			3												106
6	6			2												107
10	10			2						1						108
3	2		1													109
109	104		5	115		1	3		1	7				3	2	110
																111
2	2			9												112
7	7			7												113
13	13			21			1		1							114
24	23		1	17		1				1				1		115
19	19			23			1			1				1		116
14	13		1	26			1			1					1	117
15	14		1	11			1			1						118
14	13		1	11						4					1	119
1			1													120
1,080	1,011	1	68	1,038	3	28	57		1	33	4	8	6	33	14	121
																122
1		1		1												123
22	18		4	9		2					1					124
78	75		3	49		2	1			3			2	2	2	125
157	135		22	152	1	4	6			7	2	1		10	1	126
207	193		14	188	1	4	12			7		1		10	2	127
200	186		14	199		6	15		1	11		3		7		128
134	127		7	189		2	12			22		1	1	1	6	129
258	255		3	236	1	7	11			33	1	2	1	3	3	130
23	22		1	15		1							1			131

STATISTICS OF DEATHS.

WITH DISTINCTION OF COLOR, BIRTHPLACES OF MOTHERS, AND CERTAIN AGE PERIODS, DURING THE MAY 31, 1890—Continued.

NEW JERSEY—Continued.

CLASS C—continued.

Gun-smiths, locksmiths, and bell-hangers.	Harness and saddle makers and repairers, and trunk, valise, and leather-case makers.	Hat and cap makers.	Iron and steel workers.	Lead and zinc workers.	Leather curriers, dress-makers, finishers, and tanners.	Machinists.	Marble and stone cutters.	Masons (brick and stone).	Meat packers, curers, and picklers, canners, and fruit preservers.	Mill and factory operatives (textiles not specified).	Millers (flour and grist).	Painters, glaziers, and varnishers.	Paper hangers.	Paper mill operatives.	Photographers.	
1	2	4				5	2	1		4						72
																73
		1								1						74
		1								2						75
1		1				3	1			1						76
		2				1	1			1						77
	1					1		1								78
																79
																80
		1	2		1	7		1		1	1	5				81
																82
												1				83
			1			2										84
						3						1				85
		1				1						1				86
			1					1		1		1				87
																88
					1	1						1				89
																90
																91
	1	1				1										92
																93
																94
	1															95
																96
																97
		1				1										98
																99
																100
																101
			2	1		1										102
																103
		1														104
																105
		1	1			1										106
																107
																108
																109
																110
																111
1	3	8	5		2	13		4		3		11				112
																113
						2				2						114
			2			2		1								115
		2	1			2		2				2				116
		2				2						1				117
		1			1	3		1		1		3				118
		3	2		1							4				119
1		1				2										120
												1				121
3	30	79	41		6	78	6	32	2	27	1	71	1			122
																123
						1				1						124
1		6				4						1				125
												4				126
	4	19				14		1								127
	8	19			1	15	2	4		6		10				128
	19				1	15	1	8		5		12				129
	7	12			2	17	1	5	1	3		19				130
1	11	11			2	15	1	2		2		12				131
1	5	7				11				10		12				132
1	6	12				1		12				1				133

TABLE 22.—DEATHS AMONG MALES ENGAGED IN CERTAIN OCCUPATIONS AND CLASSES OF OCCUPATIONS,
NEW JERSEY—Continued.
6 YEARS ENDING

BIRTHPLACES OF MOTHERS AND AGE PERIODS.	CLASS G—continued.									CLASS H.		
	Plasterers and white-washers.	Plumbers and gas and steam fitters.	Potters.	Rubber factory operatives.	Silk mill operatives.	Tailors.	Tinners and tinware makers.	Wheelwrights.	Woolen mill operatives.	Total.	Boatmen and canalmen.	Draymen, hackmen, teamsters, drivers, etc.
72 Birthplaces of mothers—Continued.												
72 France		1			7	2	1	2	2	24	2	
73 Under 15										1		
74 15 to 20										1		
75 20 to 25										1		
76 25 to 35					3				1	2		
77 35 to 45		1			3				1	1		
78 45 to 55					3				1	3		
79 55 to 65							1			4	1	
80 65 and over					1	2		2		12	1	
81 Unknown										1		
82 Scandinavia		1	1		2	3		1		24	3	2
83 Under 15										2		
84 15 to 20										2		
85 20 to 25										2		
86 25 to 35										5	1	
87 35 to 45			1							6	1	2
88 45 to 55										2	1	
89 55 to 65		1				1		1		3		
90 65 and over					2	2				6	1	
91 Unknown										6		
92 Russia and Poland		1				1				4		
93 Under 15										1		
94 15 to 20										1		
95 20 to 25										2		
96 25 to 35										1		
97 35 to 45										2		
98 45 to 55		1				1				1		
99 55 to 65										1		
100 65 and over										1		
101 Unknown										1		
102 Italy	1				2					9		1
103 Under 15										1		
104 15 to 20	1				1					1		
105 20 to 25										1		1
106 25 to 35					1					3		
107 35 to 45										2		
108 45 to 55										1		
109 55 to 65										1		
110 65 and over										1		
111 Unknown										1		
112 Other foreign countries		2			12	7			2	51	1	5
113 Under 15										3		
114 15 to 20		1			2	1				3		1
115 20 to 25										2		1
116 25 to 35					3	1			2	13	1	2
117 35 to 45					2	2				7		
118 45 to 55		1			3					1		
119 55 to 65					2	3				12		1
120 65 and over										10		
121 Unknown										3		
122 Unknown	5	9	21	3	34	53	10	16	8	655	55	53
123 Under 15					2					1		
124 15 to 20										5		
125 20 to 25		1	3		2	1			1	46	1	5
126 25 to 35		2	8		6	6			2	96	10	12
127 35 to 45	2	3	2	2	11	5	1	1	4	103	15	17
128 45 to 55	1	1	3	1	4	6	1	1		85	13	8
129 55 to 65	1	2	2		4	17	3	3	1	97	12	4
130 65 and over	1		3		4	18	3			206	4	7
131 Unknown					1					16		

STATISTICS OF DEATHS.

WITH DISTINCTION OF COLOR, BIRTHPLACES OF MOTHERS, AND CERTAIN AGE PERIODS, DURING THE MAY 31, 1890—Continued.

NEW JERSEY—Continued.

CLASS H—continued.														
Farmers, planters, and overseers.	Farm laborers.	Fishermen and oystermen.	Gardeners, florists, nurserymen, and vine growers.	Livery stable keepers and hostlers.	Lumbermen and raftsmen.	Miners (coal).	Miners (not specified).	Pilots.	Quarrymen.	Sailors.	Steam railroad employes (includes conductors, brakemen, engineers, and firemen).	Stock raisers, herders, and drovers.	Telegraph and telephone operators.	Telegraph and telephone linemen and electric light men.
11			4		1		1	1			3		1	
											1			
											1		1	
2			1											
			1											
8			1		1		1	1			1			
1			1											
7		1	2	1						6	1		1	
1				1										
		1								1	1		1	
2										1				
1			1							1				
2										1				
1			1							3				
2						1	1							
1						1	1							
1														
4										2	2			
1										1				
2											2			
1														
2														
1										1				
21						1	5	2	1	8	7			
2														
							1							
2							2			3	3			
1						1	2			2	1			
										1				
7								1		2	1			
8									1		1			
1								1			1			
263	3	13	23	25		7	3	2	28	61	115	1	2	1
3				1						1				
4						1			1	1	28			
12		3		6		2			2	11	36		1	1
22	1	2	2	5		2			8	10	17			
26	1	1	4	4		2			4	10	9	1		
44		1	6	5			1	1	4	10	7			
149		3	9	4					8	10	9			
3	1							1	4	15	9		1	
									1	2	9			

72
73
74
75
76
77
78
79
80
81
82
83
84
85
86
87
88
89
90
91
92
93
94
95
96
97
98
99
100
101
102
103
104
105
106
107
108
109
110
111
112
113
114
115
116
117
118
119
120
121
122
123
124
125
126
127
128
129
130
131

TABLE 23.

DEATHS IN THE WHOLE OF THE 6-YEAR RECORD, THE METROPOLITAN DISTRICT, AND THE STATE OF NEW JERSEY, AMONG MALES ENGAGED IN CERTAIN OCCUPATIONS AND CLASSES OF OCCUPATIONS, WITH DISTINCTION OF COLOR, NATIVITY, AND PARENTAL NATIVITY, AND WITH SPECIFICATIONS OF CERTAIN CAUSES OF DEATH, DURING THE 6 YEARS ENDING MAY 31, 1890.

TABLE 23.—DEATHS AMONG MALES ENGAGED IN CERTAIN OCCUPATIONS AND CLASSES OF OCCUPATIONS, WITH DEATH, DURING THE 6 YEARS

LOCALITIES.	All selected occupations.	CLASS A.											
		Total.	Act-ors.	Architects, artists, etc.	Clergy-men.	Den-tists.	Engi-neers and sur-veyors.	Jour-nal-ists.	Law-yers.	Musi-cians and teach-ers of music.	Physi-cians and sur-geons.	Profess-ors, authors, literary and scientific persons.	Teach-ers.
1 SIX-YEAR RECORD.....	146,346	6,093	229	639	747	152	295	347	1,152	759	1,188	216	369
2 White.....	138,149	5,962	225	636	692	151	292	346	1,146	725	1,181	214	354
3 Native born.....	62,005	3,884	155	326	453	124	199	224	973	243	891	136	160
4 Both parents native.....	26,636	2,095	52	145	239	67	94	140	588	103	503	78	86
5 One or both parents foreign.....	18,573	660	63	85	54	14	26	34	141	80	111	27	25
6 Foreign born.....	75,250	2,023	68	308	227	26	91	119	164	478	271	78	193
7 Colored.....	8,197	131	4	3	55	1	3	1	6	34	7	2	15
8 Typhoid fever.....	4,274	161	2	20	11	11	11	15	31	16	28	10	6
9 Malarial fever.....	1,645	78	3	7	17		1	9	16	2	18	3	2
10 Lead poison.....	73	2		1					1				
11 Rheumatism.....	932	27	2	3	1	1	1	2	2	4	6	3	2
12 Dropsy.....	541	21		3	2			2	7	1	5		1
13 Heart disease.....	12,563	685	23	65	93	18	30	39	185	86	142	24	30
14 Consumption.....	36,603	1,052	74	160	95	22	57	66	161	175	142	34	66
15 Diabetes.....	618	53	2	3	11	2	1	4	11	6	12		1
16 Diseases of the nervous system.....	15,152	875	21	88	119	18	37	36	182	90	209	22	53
17 Diseases of the respiratory system.....	20,932	774	22	62	97	20	34	47	160	89	157	29	57
18 Diseases of the liver.....	3,324	156	8	16	22	3	11	12	30	22	24	5	3
19 Ascites.....	64	2		1	1						1		
20 Other diseases of the digestive system.....	4,111	210	6	20	23	4	10	12	50	20	35	6	14
21 Bright's disease.....	6,211	320	13	37	31	9	19	20	62	36	65	8	20
22 Other diseases of the urinary system.....	6,142	333	12	26	38	15	16	15	66	41	76	14	14
23 Diseases of the bones and joints.....	346	16		1	1					3	6		5
24 Burns.....	303	8		1					1	1			
25 Injuries by machinery.....	42												
26 Suicides.....	2,009	111	6	17	4	9	8	7	14	13	19	5	9
27 Other accidents and injuries.....	10,949	211	4	30	19	1	19	13	40	28	23	17	12
28 Cancer of the stomach.....	1,247	50	2	3	13	1	2		8	8	6	2	5
29 Cancer of the liver.....	507	26		5	8				4	6	3		
30 Cancer of the head, face, and neck.....	333	14		2	3	1	1	1	1	1	2		2
31 Cancer of the abdomen.....	226	9	1		1				1	2			2
32 Cancer of the mouth, tongue, and throat.....	304	14		2		1			3	1	6	1	
33 Unknown causes.....	476	33	2		6	1	7	3	4	1	5	1	3
34 METROPOLITAN DISTRICT.....	87,261	3,420	165	427	340	74	123	225	624	508	595	134	205
35 White.....	85,259	3,384	161	426	332	73	122	224	623	495	592	133	203
36 Native born.....	30,193	1,831	104	177	188	56	69	124	482	127	375	70	59
37 Both parents native.....	12,931	1,171	40	94	130	38	40	83	331	57	270	42	38
38 One or both parents foreign.....	14,172	500	51	63	39	14	18	24	109	64	81	22	15
39 Foreign born.....	54,708	1,539	56	249	143	16	53	99	137	365	214	63	144
40 Colored.....	2,002	36	4	1	8	1	1	1	1	13	3	1	2
41 Typhoid fever.....	1,861	80	1	13	4	6	4	7	18	6	13	4	4
42 Malarial fever.....	1,021	42	3	3	6		1	5	11	2	9	2	
43 Lead poison.....	57	2		1					1				
44 Rheumatism.....	587	15	2	1	1	1	1	1	1	3	2	1	2
45 Dropsy.....	131	4		1				1			2		
46 Heart disease.....	7,152	397	18	45	41	7	10	30	81	62	72	17	14
47 Consumption.....	22,755	612	57	101	44	11	26	42	92	116	66	18	39
48 Diabetes.....	343	33	2	2	5	1		4	7	4	7		1
49 Diseases of the nervous system.....	8,034	453	13	55	47	5	16	15	91	61	104	14	32
50 Diseases of the respiratory system.....	13,698	468	14	51	53	12	13	34	96	65	75	17	38
51 Diseases of the liver.....	2,140	92	4	11	12	2	6	11	15	14	13	3	1
52 Ascites.....	26	2		1	1						1		
53 Other diseases of the digestive system.....	2,287	100	3	8	9	2	4	5	28	17	16	3	5
54 Bright's disease.....	4,237	192	11	23	20	3	11	13	38	26	31	6	10
55 Other diseases of the urinary system.....	4,897	216	11	21	21	12	9	13	35	27	48	8	11
56 Diseases of the bones and joints.....	206	9		1						2	4		2
57 Burns.....	169	2		1						1			
58 Injuries by machinery.....	34												
59 Suicides.....	1,265	61	3	9	2	6	2	5	7	10	10	3	4
60 Other accidents and injuries.....	6,948	126	4	21	8		8	11	21	18	17	12	6
61 Cancer of the stomach.....	727	27	2	1	4	1	2		3	5	4	1	4
62 Cancer of the liver.....	315	14		5	2				1	4	2		
63 Cancer of the head, face, and neck.....	188	10		2	2			1	1	1	2		
64 Cancer of the abdomen.....	124	3							1	1	1		1
65 Cancer of the mouth, tongue, and throat.....	190	8		1		1			2	1	2	1	
66 Unknown causes.....	197	11			3		1	2	1		3		1

STATISTICS OF DEATHS.

993

DISTINCTION OF COLOR, NATIVITY, AND PARENTAL NATIVITY, AND WITH SPECIFICATIONS OF CERTAIN CAUSES OF ENDING MAY 31, 1890.

CLASS B.							CLASS C.										
Total.	Stenographers and typewriters.	Accountants, bookkeepers, clerks, and copyists.	Bankers, brokers, and officials of companies.	Collectors, auctioneers, and agents.	Wholesale merchants and dealers.	News-paper carriers and news-boys.	Total.	Apothecaries, pharmacists, and dealers in chemicals and drugs.	Commercial travelers and salesmen.	Dealers in dry goods (retail).	Dealers in groceries (retail).	Dealers, not specified (retail).	Hucksters and peddlers.	Wine and liquor dealers (retail).	Wine and liquor dealers (wholesale).		
13,029	43	9,541	1,122	1,658	611	54	12,712	582	1,662	77	985	7,520	1,286	554	46	1	
12,972	43	9,500	1,120	1,652	607	50	12,597	580	1,658	76	981	7,457	1,245	554	46	2	
9,214	29	6,928	829	1,007	388	33	6,132	369	1,079	26	306	3,837	397	109	9	3	
4,083	15	2,830	533	595	104	6	2,879	177	416	13	95	2,068	96	14	4	4	
2,934	8	2,540	134	192	43	17	1,501	68	294	9	91	779	182	72	6	5	
3,635	13	2,538	282	632	213	17	6,386	208	571	50	672	3,574	833	441	37	6	
57	41	2	6	4	4	4	115	2	4	1	4	63	41			7	
466	2	391	23	32	15	3	365	15	85		31	193	32	9		8	
160	1	129	9	14	7		137	6	18	2	15	82	9	5		9	
1																	10
89		66	4	17	2	2	102	7	10		11	60	10	2	2	11	
31		26	1	2	2		35		4		7	19	4	1		12	
1,152	1	742	142	183	81	3	1,393	51	142	5	107	868	107	48	5	13	
3,880	15	3,340	145	270	96	14	2,514	112	474	19	198	1,242	333	127	9	14	
85		50	16	11	8		132	6	34		10	94	4			15	
1,360	7	868	169	220	86	10	1,645	76	153	7	112	1,112	119	62	4	16	
1,740	5	1,249	151	251	79	5	1,785	75	220	15	129	1,054	212	77	3	17	
273		163	38	56	15	1	395	22	38	2	38	223	24	41	7	18	
2		1		1			9				1	4		8		19	
378	1	253	34	66	24		419	21	65	4	28	234	49	14	4	20	
598	1	389	70	103	34	1	619	25	68	5	48	380	48	42	3	21	
517	2	337	67	78	81	2	673	34	56	3	51	435	62	28	4	22	
32	1	21	5	3	1	1	34	3	4			21	2	1		23	
9		6	1	2			14	2	2			7	3	2		24	
259	3	169	38	45	3	1	226	20	47		14	110	27	8		25	
562	3	391	62	81	18	7	485	21	80	1	36	263	67	15	2	26	
66		32	13	13	8		127	5	9	2	8	84	16	3		28	
38		27	4	4	3		65	4	2		7	41	9	2		29	
20		12	1	4	3		22	1	2		2	15	2			30	
19		14	3	2	2		31	2	3		7	19	2			31	
27		14	6	5	1	1	43	1	2		3	28	7	2		32	
40		22	8	6	4		30	1	4		3	17	2	2		33	
8,029	23	5,914	731	1,114	212	35	7,976	296	1,015	62	573	4,703	940	349	38	84	
8,011	23	5,897	731	1,113	212	35	7,952	294	1,011	61	573	4,690	936	349	38	35	
5,141	14	3,897	494	612	101	23	3,144	124	570	21	113	1,996	246	68	6	36	
2,513	8	1,793	341	395	62	4	1,682	72	273	11	40	1,225	49	12		37	
2,280	5	1,953	119	159	30	14	1,208	42	251	9	65	634	147	54	6	38	
2,852	9	1,930	234	496	111	12	4,788	170	439	40	460	2,684	682	281	32	39	
18		17		1			24	2	4	1		13	4			40	
234		202	12	19		1	169	5	34		15	97	16	2		41	
113		93	8	13	4		102	5	11	1	12	64	5	4		42	
1		1															43
66		48	3	14	1		72	5	8		6	42	8	2	1	44	
9		9					9	2	2		1	4	2			45	
717	1	462	93	129	30	2	835	25	98	3	57	544	74	30	4	46	
2,404	9	2,069	97	183	32	9	1,608	57	281	17	117	788	256	84	8	47	
43		23	11	8	1		88	5	8		7	61	3	4		48	
740	3	467	103	131	30	6	933	29	89	5	61	623	88	35	3	49	
1,159	3	852	97	167	35	5	1,210	43	141	12	88	713	158	52	3	50	
181		101	30	42	7	1	256	13	29	2	25	140	17	24	6	51	
219		146	22	40	11		3		1			2				52	
395		259	48	77	10	1	242	7	39	4	14	133	33	9	3	53	
383	2	257	49	62	12	1	423	13	53	5	30	245	38	37	2	54	
16		9	3	3		1	497	23	41		33	322	54	20	4	55	
5		3	1	1			23	2	3			16	1	1		56	
163	3	102	22	34	1	1	9		1			4	2	2		57	
353	1	254	43	44	8	3	153	14	34		9	72	19	5		58	
32		16	7	6	3		206	8	40	1	22	169	47	7	2	59	
29		24	3	2	2		85	1	5	2	4	57	14	2		60	
11		6	1	2	2		36	2	4		5	22	3			61	
8		7		1			12	1	1			8	2			62	
23		13	3	1	1		20		1		5	13	1			63	
16		10	3	3			31	1	2			21	5	2		64	
							13		2		3	8				65	
																66	

TABLE 23.—DEATHS AMONG MALES ENGAGED IN CERTAIN OCCUPATIONS AND CLASSES OF OCCUPATIONS, WITH DEATH, DURING THE 6 YEARS

LOCALITIES.	CLASS D.			CLASS E.							
	Total.	Hotel and boarding house keepers.	Saloon keepers, billiard and bowling saloon keepers, bartenders, and restaurant keepers.	Total.	Barbers and hair-dressers.	Janitors and sextons.	Laund-ers.	Nurses.	Police-men, watch-men, and detect-ives.	Soldiers, sailors, and marines (United States).	Under-takers.
1 SIX-YEAR RECORD—Continued.....	3,433	628	2,855	4,788	1,131	557	307	102	1,798	722	171
2 White.....	3,431	617	2,814	4,141	908	442	66	96	1,769	695	165
3 Native born.....	1,234	279	1,005	1,791	351	168	29	28	320	286	109
4 Both parents native.....	391	166	225	635	68	78	11	15	303	119	41
5 One or both parents foreign.....	581	61	520	536	155	49	10	5	250	85	32
6 Foreign born.....	2,135	333	1,802	2,323	553	272	35	66	941	401	55
7 Colored.....	52	11	41	647	223	115	241	6	29	27	6
8 Typhoid fever.....	68	12	56	111	42	10	5	5	33	13	3
9 Malarial fever.....	34	9	25	52	11	9	4		20	6	2
10 Lead poison.....											
11 Rheumatism.....	21	7	14	25	8	4	2		9	1	1
12 Dropsy.....	14	3	11	13	5	5			3		
13 Heart disease.....	249	53	196	523	101	74	20	16	209	82	21
14 Consumption.....	889	117	772	1,227	416	109	171	18	313	164	36
15 Diabetes.....	22	4	18	17	2	1			11	2	1
16 Diseases of the nervous system.....	360	93	267	487	95	46	8	8	192	118	20
17 Diseases of the respiratory system.....	492	73	419	670	126	103	36	20	280	84	21
18 Diseases of the liver.....	196	38	158	116	30	12	2	1	50	15	6
19 Ascites.....	1		1								
20 Other diseases of the digestive system.....	92	20	72	139	22	18	9	2	60	21	7
21 Bright's disease.....	192	46	146	210	42	28	11		92	29	8
22 Other diseases of the urinary system.....	146	30	116	223	43	35	3	10	103	16	13
23 Diseases of the bones and joints.....	4	1	3	16	6	1	1	1	6	1	
24 Burns.....	3	1	2	19	6	1		1	10	1	
25 Injuries by machinery.....											
26 Suicides.....	75	11	64	91	34	9	7	3	22	15	1
27 Other accidents and injuries.....	188	25	163	274	40	25	8	7	152	36	6
28 Cancer of the stomach.....	32	7	25	35	2	3	2		23	3	2
29 Cancer of the liver.....	18	4	14	20	3	5			7	4	1
30 Cancer of the head, face, and neck.....	7	2	5	12	1	2	1		6	2	
31 Cancer of the abdomen.....	2	1	1	10	4			2	3	1	
32 Cancer of the mouth, tongue, and throat.....	7	2	5	9	1	2			4	2	
33 Unknown causes.....	13	4	9	8	1	1			4	3	
34 METROPOLITAN DISTRICT—Cont'd.....	2,387	350	2,037	2,899	671	394	216	74	1,196	259	89
35 White.....	2,374	347	2,027	2,604	628	334	41	74	1,190	248	89
36 Native born.....	760	116	644	890	171	98	14	15	448	94	50
37 Both parents native.....	192	59	133	336	33	52	6	9	179	36	21
38 One or both parents foreign.....	485	44	441	423	120	36	6	4	222	10	24
39 Foreign born.....	1,608	229	1,379	1,698	456	235	26	58	737	143	38
40 Colored.....	13	3	10	295	43	60	175		6	11	
41 Typhoid fever.....	33	5	28	55	21	4		2	20	8	
42 Malarial fever.....	22	4	18	42	7	8	4		15	6	2
43 Lead poison.....											
44 Rheumatism.....	14	4	10	21	7	4	1		7	1	1
45 Dropsy.....	7	2	5	1	1						
46 Heart disease.....	162	27	135	291	58	47	11	11	123	30	11
47 Consumption.....	649	65	584	763	235	77	132	13	219	67	20
48 Diabetes.....	17	3	14	12	1	1			9		1
49 Diseases of the nervous system.....	212	43	169	217	49	24	3	6	100	24	11
50 Diseases of the respiratory system.....	376	53	323	436	86	78	25	17	196	22	12
51 Diseases of the liver.....	138	24	114	77	22	10	1	1	34	7	2
52 Ascites.....	1		1								
53 Other diseases of the digestive system.....	54	11	43	81	9	14	5	1	43	5	4
54 Bright's disease.....	140	30	110	155	33	23	7		71	17	4
55 Other diseases of the urinary system.....	115	23	92	160	26	26	3	8	80	10	7
56 Diseases of the bones and joints.....	3		3	15	5	1	1	1	6	1	
57 Burns.....	2	1	1	11	5	1		1	4		
58 Injuries by machinery.....											
59 Suicides.....	47	8	39	57	23	6	4	2	18	4	
60 Other accidents and injuries.....	129	11	118	187	22	21	5	5	111	20	3
61 Cancer of the stomach.....	20	3	17	20	1	3	2		12	1	1
62 Cancer of the liver.....	11	1	10	11	2	4			3	2	
63 Cancer of the head, face, and neck.....	3		3	10	1	2	1		6		
64 Cancer of the abdomen.....	1		1	5	2			1	2		
65 Cancer of the mouth, tongue, and throat.....	5	2	3	5		2			2	1	
66 Unknown causes.....	9	2	7	4					2	2	

STATISTICS OF DEATHS.

995

DISTINCTION OF COLOR, NATIVITY, AND PARENTAL NATIVITY, AND WITH SPECIFICATIONS OF CERTAIN CAUSES OF ENDING MAY 31, 1890—Continued.

CLASS F.				CLASS G.												
Total.	Laborers (not specified).	Messenger boys.	Servants.	Total.	Artificial flower and paper box makers.	Bakers and confectioners.	Blacksmiths.	Bleachers, dyers, and scourers.	Bookbinders.	Boot and shoe makers.	Brass founders and copper-smiths.	Brewers, distillers, and rectifiers.	Brick and tile makers and terra cotta workers.	Butchers.	Cabinet makers and upholsterers.	
35,758	31,325	206	4,227	49,877	195	1,889	2,003	201	405	3,639	448	530	248	1,847	1,689	1
30,347	27,447	173	2,727	49,218	193	1,885	1,977	198	405	3,588	448	529	156	1,823	1,673	2
7,973	6,980	129	864	20,352	84	451	702	57	232	1,071	225	67	105	700	539	3
2,977	2,600	42	335	7,015	19	112	282	5	64	430	47	17	15	199	148	4
3,198	2,788	67	343	6,705	54	171	190	11	115	195	120	27	9	274	206	5
22,195	20,296	44	1,855	28,598	109	1,424	1,265	140	170	2,495	218	460	48	1,121	1,132	6
5,411	3,878	33	1,500	659	2	4	26	3		51		1	92	24	16	7
1,083	943	11	129	1,379	4	104	49	8	12	59	12	21	11	69	47	8
404	373	2	29	494	3	12	23	1	3	31	1	4	6	20	16	9
15	14		1	54		1									1	10
206	172	2	32	330	1	12	11	1	2	27	2	6		15	17	11
137	128		9	172		9	9	1		17		2	4	6	1	12
2,684	2,298	18	368	4,166	18	164	172	14	22	347	37	44	33	146	138	13
9,197	7,726	64	1,407	13,677	67	450	488	51	154	853	154	128	50	433	494	14
59	42	1	16	178	1	7	5		2	13	3	2		10	7	15
3,056	2,692	14	350	5,091	14	180	221	24	35	455	39	42	33	216	160	16
5,964	5,389	21	554	6,843	24	243	285	28	69	525	66	83	28	212	238	17
601	504	3	94	1,191	10	58	55	8	9	97	5	18	3	56	45	18
19	19			20		1	1			1	1			1		19
907	789	9	109	1,401	2	56	69	8	7	91	9	21	7	55	62	20
1,317	1,135	7	175	2,216	12	84	91	10	16	156	14	20	5	82	70	21
1,366	1,168	9	189	2,057	8	84	82	6	15	170	21	20	5	74	75	22
90	79	1	10	107		3	3		1	11	2	1		2	2	23
117	105	1	11	112		8	2	5		3	1	10		6	1	24
17			1	22		1										25
282	226	2	54	764	2	42	17	2	8	50	5	13	4	35	30	26
3,532	3,293	24	221	3,107	10	113	135	12	12	145	30	33	22	121	66	27
235	209		26	524	2	17	17	4	1	46	2	6	3	17	22	28
87	73		14	210	1	12	5	1	1	16	1	3	1	16	9	29
87	83		4	99	1	3	4		1	8	1			2	3	30
37	32		5	94	1	5	4			8		2	1	5	5	31
55	51		4	112		5	5			11	1	1		3	3	32
111	102		9	156		5	7			8	1	1	3	9	5	33
21,161	18,351	104	2,706	31,189	176	1,255	1,210	89	276	2,034	297	366	22	1,284	1,049	34
19,963	17,701	101	2,161	31,033	175	1,253	1,204	89	276	2,029	297	366	22	1,283	1,047	35
4,012	3,331	72	609	9,830	72	216	291	13	141	360	136	38	6	393	222	36
1,052	818	23	211	3,534	14	55	108	2	41	167	56	11	2	126	58	37
2,280	1,938	44	298	5,183	52	132	142	10	88	122	87	22	4	231	144	38
15,853	14,277	29	1,547	21,100	103	1,033	906	76	135	1,660	160	323	15	884	824	39
1,198	650	3	545	156	1	2	6			5				1	2	40
472	405	4	63	595	4	47	19	1	6	23	5	11		38	18	41
211	193	1	17	322	3	8	17	1	3	18	1	3	1	13	8	42
10	10			43		1									1	43
116	94	1	21	214	1	6	5	1	2	13	1	5		10	11	44
32	29		3	49		1	5			2				1		45
1,419	1,201	12	206	2,513	16	108	93	10	18	192	25	32	4	91	87	46
5,493	4,580	30	893	8,929	64	323	329	27	102	486	103	94	4	325	313	47
34	23		11	92	1	3	2		1	6	2	2		6	2	48
1,622	1,391	8	223	2,887	12	98	112	8	21	224	27	31	3	139	90	49
3,854	3,453	15	386	4,701	24	181	187	11	50	349	47	57	5	159	167	50
386	319	3	64	781	10	42	33	5	8	54	2	9		46	28	51
7	7			8												52
509	444	1	64	822	1	41	32	3	6	48	5	16		34	38	53
955	819	4	132	1,568	10	62	67	6	11	116	10	15		67	47	54
1,021	865	3	153	1,503	7	67	57	6	11	108	18	19	1	62	56	55
44	38		6	66		1	2		1	7	1	1			1	56
62	52		10	59		3	1	1		3		5		5		57
14	13		1	18												58
183	142	1	40	506	2	31	8		7	29	3	9		25	21	59
2,148	1,992	14	142	1,869	6	68	90	2	7	65	17	18	2	74	42	60
134	114		20	325	2	14	8	2	1	28	1	4		14	14	61
51	40		11	137	1	6	3	1	1	6	1	2		15	7	62
48	47		1	57	1	3	2		1	4	1				2	63
17	15		2	59	1	4	2			5		2		5	3	64
32	30		2	70		2	2			8				2	2	65
50	47		3	58		2	2			3		1		5	1	66

TABLE 23.—DEATHS AMONG MALES ENGAGED IN CERTAIN OCCUPATIONS AND CLASSES OF OCCUPATIONS, WITH DEATH, DURING THE 6 YEARS.

LOCALITIES.	CLASS G—continued.												
	Car-penters and joiners.	Cigar makers and tobacco work-ers.	Clock and watchre-pairers, jewelers, and opti-cians.	Com-posi-tors, print-ers, and press-men.	Coop-ers.	Cotton mill oper-atives.	Electro-typers and stereo-typers.	Engi-neers and firemen (not loco-motive).	Flax mill oper-atives.	Gas works em-ployés.	Glass blow-ers.	Glass work-ers.	Gun-smiths, lock-smiths, and bell hang-ers.
1 SIX-YEAR RECORD—Continued.....	6,493	1,982	953	1,981	852	13	51	1,494	6	25	215	143	220
2 White.....	6,416	1,940	951	1,967	843	13	50	1,453	6	25	215	143	220
3 Native born.....	3,198	609	454	1,292	272	5	33	703	13	144	72	47
4 Both parents native.....	1,608	104	184	380	66	11	288	7	49	20	14
5 One or both parents foreign.....	588	249	167	576	93	4	15	190	2	48	35	15
6 Foreign born.....	3,186	1,321	492	665	570	8	17	742	6	11	69	69	172
7 Colored.....	77	42	2	14	9	1	41
8 Typhoid fever.....	192	42	32	56	15	1	33	1	9	8	4
9 Malarial fever.....	78	15	9	14	8	28	1	1	1
10 Lead poison.....	1	4
11 Rheumatism.....	38	13	9	13	3	1	10	1
12 Dropsy.....	19	2	4	1	3	2
13 Heart disease.....	584	164	92	134	58	2	5	138	1	17	8	16
14 Consumption.....	1,428	718	276	813	225	3	19	319	2	2	93	07	09
15 Diabetes.....	14	8	4	7	1	4	1
16 Diseases of the nervous system.....	741	159	114	154	102	4	163	4	18	9	16
17 Diseases of the respiratory system.....	368	229	111	253	124	7	209	2	5	23	17	39
18 Diseases of the liver.....	149	38	26	38	25	21	1	6	5	3
19 Ascites.....	2	2	1	2
20 Other diseases of the digestive system.....	194	41	22	41	28	2	1	30	2	4	2	1
21 Bright's disease.....	265	90	41	95	37	3	75	8	4	10
22 Other diseases of the urinary system.....	280	35	40	69	24	2	3	69	1	7	2	11
23 Diseases of the bones and joints.....	13	7	1	3	1	1
24 Burns.....	4	1	1	25
25 Injuries by machinery.....	3	7
26 Suicides.....	83	66	26	16	14	11	1	5	3	5
27 Other accidents and injuries.....	558	75	35	90	50	1	2	179	2	7	2	10
28 Cancer of the stomach.....	86	29	5	7	15	12	1	1	1	1
29 Cancer of the liver.....	31	7	6	3	3	4	2
30 Cancer of the head, face, and neck.....	18	6	4	4	3
31 Cancer of the abdomen.....	17	3	2	3	3	1
32 Cancer of the mouth, tongue, and throat.....	15	2	1	1	4	4	1	1
33 Unknown causes.....	25	4	2	3	4	8	1
34 METROPOLITAN DISTRICT—Continued.....	3,923	1,514	680	1,258	537	7	35	985	5	13	94	93	144
35 White.....	3,908	1,479	680	1,256	535	7	35	978	5	13	94	93	144
36 Native born.....	1,895	325	203	727	140	2	23	410	6	45	36	18
37 Both parents native.....	764	71	124	220	39	7	203	4	8	4	6
38 One or both parents foreign.....	470	219	146	455	78	2	14	150	1	32	30	11
39 Foreign born.....	2,495	1,150	386	525	335	5	12	504	5	6	48	57	126
40 Colored.....	15	35	2	2	7
41 Typhoid fever.....	86	24	18	23	8	1	18	1	3	1
42 Malarial fever.....	51	13	7	8	3	23	1
43 Lead poison.....	1	3
44 Rheumatism.....	21	11	8	9	2	9	1
45 Dropsy.....	6	1	3	1
46 Heart disease.....	340	130	68	88	36	1	4	82	5	5	9
47 Consumption.....	920	549	217	525	147	1	11	203	1	2	45	46	42
48 Diabetes.....	5	6	3	2	1	3
49 Diseases of the nervous system.....	394	112	74	82	56	3	106	3	10	5	13
50 Diseases of the respiratory system.....	584	183	81	174	92	6	148	2	5	8	15	26
51 Diseases of the liver.....	82	32	19	23	18	19	2	3	1
52 Ascites.....	1	2	1	1	1
53 Other diseases of the digestive system.....	111	29	16	23	14	1	1	19	2	3	9
54 Bright's disease.....	131	72	29	61	32	2	62	2	1	7
55 Other diseases of the urinary system.....	194	75	26	56	16	2	2	53	1	6	1
56 Diseases of the bones and joints.....	6	6	2	1	1
57 Burns.....	1	1	17
58 Injuries by machinery.....	3	3
59 Suicides.....	60	51	17	12	9	8	3	2	4
60 Other accidents and injuries.....	346	53	22	59	31	1	107	1	5	1	9
61 Cancer of the stomach.....	47	22	3	7	8	7	1	1
62 Cancer of the liver.....	20	7	5	2	1	3	2
63 Cancer of the head, face, and neck.....	11	3	3	3
64 Cancer of the abdomen.....	10	3	2	3
65 Cancer of the mouth, tongue, and throat.....	7	2	1	2	1	1
66 Unknown causes.....	10	2	1	2	1	1

STATISTICS OF DEATHS.

997

DISTINCTION OF COEOR, NATIVITY, AND PARENTAL NATIVITY, AND WITH SPECIFICATIONS OF CERTAIN CAUSES OF ENDING MAY 31, 1890—Continued.

CLASS G—continued.																	
Harness and saddle makers and repairers, and trunk, valise, and leather-case makers.	Hat and cap makers.	Iron and steel workers.	Lead and zinc workers.	Leather curriers, dressers, finishers, and tanners.	Machinists.	Marble and stone cutters.	Masons (brick and stone).	Meat packers, curers, and picklers, canners, and fruit preservers.	Mill and factory operatives (textiles not specified).	Millers (flour and grist).	Painters, glaziers, and varnishers.	Paper hangers.	Paper mill operatives.	Photographers.	Plasterers and white-washers.	Plumbers and gas and steam fitters.	
573	910	1,600	15	457	2,474	1,216	2,151	31	1,148	198	3,483	174	54	141	649	1,118	1
573	907	1,597	15	453	2,471	1,213	2,108	28	1,147	191	3,452	171	53	140	556	1,112	2
272	495	743	3	173	1,298	342	781	17	425	118	1,847	133	34	94	235	674	3
104	179	220		31	533	57	269	6	96	87	618	38	11	37	44	124	4
79	195	288	1	53	391	186	246	6	102	12	663	25	13	30	90	422	5
296	405	842	12	276	1,158	865	1,311	11	715	71	1,584	38	19	45	315	432	6
5	3	3		4	3	3	43	3	1	7	31	3	1	1	93	6	7
18	23	57	1	16	82	27	54	1	64	3	76	5		7	13	26	8
4	12	10		3	30	14	19	1	16	4	20	1	2	4	7	20	9
			3		2						37					4	10
3	8	8		2	2	4	16	1	3	4	28	2		1	6	13	11
2	5	8		2	10	1	10		5	2	21			1	3	1	12
50	61	129	2	37	217	75	157		90	26	279	20	3	10	64	68	13
163	320	499	2	121	721	483	479	13	316	47	1,004	67	16	38	178	371	14
1	4	6		1	15	2	3		6	1	13	2		1	4	15	15
72	85	146		39	257	85	203	3	101	27	361	11	4	14	54	78	16
72	132	252	2	62	344	191	369	2	137	23	416	23	13	15	87	173	17
15	22	46		10	66	25	49		32	2	61	4	1	2	15	18	18
14	25	48		13	77	27	62	1	40	7	87	3	4	4	17	28	19
29	39	70	3	19	86	59	95		48	10	206	7	1	6	23	55	20
27	38	48		17	75	34	93	2	38	3	164	5		7	32	52	21
3	2	7		3	4	3					10		1		3	4	22
		12		6					2		4	1			1	2	24
11	1	1	1	1	3	1	31		23	2	48	1		6	3	9	25
19	23	110		24	141	69	226	2	61	7	288	6	2	7	51	86	27
8	11	14		7	32	8	16		15	4	20	2		1	4	8	28
1	3	3		1	4		11		4	2	13			1	1	3	29
1	3	3		2	5	3	5		2	1	5					1	30
2	1	4		1	10	1	2	1	2		3						31
4	3	1		2	3	5	5		1		9			1	1	1	32
3	1	7		1	6	1	12		3		16				3	4	33
348	751	964	8	218	1,373	818	1,374	18	375	82	2,229	54	30	87	383	785	34
346	749	962	8	217	1,373	817	1,365	17	374	82	2,218	54	30	87	349	784	35
115	393	357		63	579	178	362	9	121	28	955	20	6	51	105	445	36
42	158	113		20	239	26	117	3	38	16	337	14	16	22	23	80	37
56	181	217		34	287	133	200	4	77	10	502	12	10	23	65	333	38
230	354	599	8	152	791	637	997	8	252	53	1,257	25	14	36	243	334	39
2	2	2		1		1	9	1	1		11				34	1	40
10	19	25		5	33	7	21		8		32			4	4	16	41
2	8	5		3	15	12	17		11	2	13			3	3	14	42
3	8	6		1	7	3	13	1	1	1	31					3	43
	2	2		1	3		3				23			1	2	0	44
											9				1		45
23	46	81	1	18	110	51	91		25	8	181	5	2	9	29	46	46
100	280	286	1	56	413	325	316	7	102	25	671	22	12	24	117	255	47
	3	3		1	5	2	1		1		7	2			1	3	48
43	66	74		21	137	50	116		36	7	210	5	1	5	24	58	49
47	112	162	1	38	217	143	257	2	45	11	290	6	6	8	61	129	50
11	19	28		3	37	20	30		15	1	41	3	1	2	9	15	51
8	20	28		5	46	15	36	1	10	3	42	1	2	1	8	23	52
16	36	51	2	12	59	39	66		20	6	131	3	1	6	15	42	53
21	31	33		8	48	28	64	1	20	2	114	3		5	25	40	54
1	2	7		2	2	3					8					2	56
		2		3	3						4						57
1	1	1		1	3	1			2	1							58
8	4	13		2	26	6	19		8	2	31			3	3	6	59
18	18	59		9	64	44	153	2	22	3	188	1	2	5	32	60	60
7	8	6		3	18	6	9		5	2	14				2	5	61
	2	2		3	3	6	6		1		8				1	2	62
	3	2		1	3	3	1				3					1	63
1	2	2		3	3	1	2		2		2						64
2	1	3		2	3	5	3				3			1	1		65
		3		1	1		6		1		4						66

TABLE 23.—DEATHS AMONG MALES ENGAGED IN CERTAIN OCCUPATIONS AND CLASSES OF OCCUPATIONS, WITH DEATH, DURING THE 6 YEARS

LOCALITIES.	CLASS G—continued.							CLASS H.		
	Potters.	Rubber factory operatives.	Silk mill operatives.	Tailors.	Tinners and tinware makers.	Wheel-wrights.	Woolen mill operatives.	Total.	Boatmen and canalmen.	Draymen, hackmen, teamsters, drivers, etc.
1 SIX-YEAR RECORD—Continued.....	179	44	324	4,128	828	381	74	20,606	573	5,326
2 White	178	44	324	4,100	819	375	74	19,481	539	4,966
3 Native born.....	97	21	107	693	459	196	24	11,375	338	2,587
4 Both parents native.....	40	15	36	190	101	102	8	5,961	186	647
5 One or both parents foreign.....	30	5	58	266	159	23	8	2,458	76	1,373
6 Foreign born.....	74	21	217	3,400	355	178	48	7,895	185	2,361
7 Colored.....	1			28	9	6		1,125	34	360
8 Typhoid fever.....	7	3	15	58	20	8	6	641	27	154
9 Malarial fever.....	1		3	37	9	2		286	9	54
10 Lead poison.....	1							1		
11 Rheumatism.....	1		3	21	8	5		132	7	32
12 Dropsy.....	2		1	11	2	4		118	3	14
13 Heart disease.....	13	3	25	376	61	38	8	1,771	42	420
14 Consumption.....	64	20	108	981	278	77	23	4,167	103	1,495
15 Diabetes.....	1		1	24	2			72	2	15
16 Diseases of the nervous system.....	11	1	33	482	73	42	6	2,278	54	423
17 Diseases of the respiratory system.....	31	4	29	610	113	51	4	2,664	72	828
18 Diseases of the liver.....		1	4	116	14	9	3	396	13	97
19 Ascites.....				3	1	1		11		2
20 Other diseases of the digestive system.....	2		12	148	17	8	2	565	16	125
21 Bright's disease.....	9	1	11	181	39	25	1	739	15	192
22 Other diseases of the urinary system.....	2	2	6	212	29	16	2	827	21	237
23 Diseases of the bones and joints.....				9	1			47	1	12
24 Burns.....			1	14	1	1		26		6
25 Injuries by machinery.....								3		
26 Suicides.....	6		13	66	19	8	1	201	3	43
27 Other accidents and injuries.....	14	5	17	154	60	20	5	2,584	113	607
28 Cancer of the stomach.....	1	1	8	61	5	2	1	178	3	32
29 Cancer of the liver.....	1			36	4			43		9
30 Cancer of the head, face, and neck.....				8		1	1	72	3	13
31 Cancer of the abdomen.....			1	4	1	1		24		7
32 Cancer of the mouth, tongue, and throat.....	1		1	13	2	1		37	1	7
33 Unknown causes.....				14	2	3		85	3	14
34 METROPOLITAN DISTRICT—Continued..	37	16	231	2,980	455	177	50	10,200	415	3,524
35 White	36	16	231	2,919	454	177	50	9,938	401	3,455
36 Native born.....	12	4	81	358	192	54	10	4,585	232	1,644
37 Both parents native.....	4	2	19	106	51	24	4	1,851	118	416
38 One or both parents foreign.....	7	1	52	217	119	15	6	1,814	65	1,075
39 Foreign born.....	24	11	200	2,557	260	122	38	5,270	155	1,804
40 Colored.....	1			11	1			262	14	69
41 Typhoid fever.....	1		13	31	5	2	4	223	16	72
42 Malarial fever.....			1	26	3	2		102	5	35
43 Lead poison.....								1		
44 Rheumatism.....			2	16	3	1		69	3	17
45 Dropsy.....			1	5	1	1		20	1	4
46 Heart disease.....	5	2	24	263	26	17	6	818	33	261
47 Consumption.....	14	4	95	710	155	38	17	2,297	77	994
48 Diabetes.....			1	15	2			24	2	8
49 Diseases of the nervous system.....			26	321	42	18	4	970	34	259
50 Diseases of the respiratory system.....	6	3	28	463	72	25	3	1,494	61	567
51 Diseases of the liver.....		1	4	90	11	2	2	229	11	81
52 Ascites.....				3				5		1
53 Other diseases of the digestive system.....			11	111	6	2	2	260	12	69
54 Bright's disease.....	1	1	10	143	24	19	1	409	12	145
55 Other diseases of the urinary system.....	2		6	171	18	10	2	497	19	200
56 Diseases of the bones and joints.....				8				30	1	9
57 Burns.....			1	11				19		6
58 Injuries by machinery.....								2		
59 Suicides.....	4		12	45	10	3		95	3	29
60 Other accidents and injuries.....	1	4	13	97	32	12	4	1,240	75	415
61 Cancer of the stomach.....		1	7	42	4	1	1	84	3	21
62 Cancer of the liver.....	1			25	3			26		7
63 Cancer of the head, face, and neck.....				6				37	1	10
64 Cancer of the abdomen.....			1	3		1		11		4
65 Cancer of the mouth, tongue, and throat.....	1		1	9	2			16		2
66 Unknown causes.....				7	1	1		36	3	3

STATISTICS OF DEATHS.

999

DISTINCTION OF COLOR, NATIVITY, AND PARENTAL NATIVITY, AND WITH SPECIFICATIONS OF CERTAIN CAUSES OF ENDING MAY 31, 1890—Continued.

CLASS H—continued.															
Farmers, planters, and overseers.	Farm laborers.	Fishermen and oystermen.	Gardeners, florists, nurserymen, and vine growers.	Livery stable keepers and hostlers.	Lumbermen and raftsmen.	Miners (coal).	Miners (not specified).	Pilots.	Quarrymen.	Sailors.	Steam railroad employes (includes conductors, brakemen, engineers, and firemen).	Stock raisers, herders, and drovers.	Telegraph and telephone operators.	Telegraph and telephone linemen and electric light men.	
5,755	796	462	976	924	40	66	187	139	201	2,314	2,003.	55	245	44	1
5,575	683	434	940	804	39	66	179	138	197	2,596	1,982	54	245	44	2
4,363	248	302	212	287	26	41	61	99	107	1,141	1,312	29	196	26	3
3,473	13	157	80	125	11	26	29	57	72	413	565	12	86	9	4
214	7	53	60	78	3	4	18	18	16	112	343	6	71	6	5
1,174	427	129	723	512	13	25	118	38	89	1,382	628	25	48	18	6
180	113	28	36	120	1		8	1	4	218	21	1			7
152	68	15	20	34	4	1	7	2	10	82	52	2	8	3	8
74	3	4	17	10		2	6	3	9	69	21	1	3	1	9
41	3	2	10	4			2		2	1	9			2	10
75	4	2	2	5		1		2	1	6	3				11
590	74	50	94	67	5	1	11	15	13	247	119	7	15	1	13
725	184	102	179	238	8	9	24	22	51	539	356	11	110	11	14
33	2	3	1	3			1			8	1				15
952	56	35	109	67	4	6	15	31	22	330	150	3	20	1	16
712	69	65	156	136	2	10	30	19	22	331	166	12	30	4	17
102	12	12	19	17	2	1	2	3	7	74	30	2	2	1	18
1	2		3	2						1	1				19
190	28	19	18	33	2	4	6	2	2	74	37	4	5		20
216	22	22	41	42	3	4	6	7	5	110	47	1	6		21
271	22	20	39	38	1	1	4	4	9	100	52	4	4		22
10		1		5			1			9	7		1		23
3	1							1		5	10				24
1							2		1	2	2				25
66	9	6	17	9		16	2	1	1	15	22		6		26
302	122	42	39	98	2		51	5	23	379	753	1	13	18	27
76	2		23	4			1	3		24	8		2		28
10		2	4	2		1	1			10	2	1	1		29
27		2	8	2	1		1			8	7				30
6			3	1				1		4	1	1			31
9	3	1	4	1						8	3				32
36	4	4	4	3		1	1	1		9	5				33
1,521	67	213	609	608	15	6	82	90	117	1,641	1,103	30	137	22	34
1,491	60	209	600	559	15	6	75	89	117	1,580	1,092	30	137	22	35
797	23	151	96	159	9	5	23	53	53	592	622	15	96	10	36
537	8	76	30	66	4	2	10	35	31	198	275	5	36	4	37
81	6	44	50	56	3	2	7	15	12	80	255	6	52	5	38
676	34	57	503	397	6	1	52	31	64	985	458	15	40	12	39
30	7	4	9	49			7	1		61	11				40
22		7	10	19			2	1	6	40	23	2	3		41
29		3	11	5			5	1	4	50	13			1	42
13	3	1	7	2			2		1	1	6			1	43
11		1	1	1						1	1				44
137	5	26	46	40	1		5	9	10	152	78	4	10	1	46
209	17	54	123	164	4	1	9	14	32	297	230	6	60	6	47
8		1		2						2	1				48
202	5	18	69	39	1	1	5	20	8	203	92	2	11	1	49
236	6	28	108	83	2	2	16	15	11	220	109	7	22	1	50
30	1	7	10	14				1	5	48	18	2	1		51
1		7	1	1						1	1				52
58		7	12	23	1			2	1	48	24	2	1		53
52	4	14	27	30	1		4	4	1	77	33	1	4		54
87	4	12	27	27			1	3	7	66	33	2	4		55
4		1		2			1			6	5		1		56
2								1		2	8				57
1										1	1				58
16	2	2	8	7			1	1	1	7	15		3		59
87	7	8	25	77	2	2	25	5	17	169	312		5	9	60
21			13	2						18	4		2		61
3		1	3	2						6	1		1		62
5			6	1			1			6	7				63
2				1				1		2	1				64
3		1	2							5	3				65
15		2	3	2				1		4	3				66

TABLE 22.—DEATHS AMONG MALES ENGAGED IN CERTAIN OCCUPATIONS AND CLASSES OF OCCUPATIONS, WITH DEATH, DURING THE 6 YEARS

LOCALITIES.	All selected occupations.	CLASS A.											
		Total.	Act-ors.	Architects, artists, etc.	Clergy-men.	Den-tists.	Engi-neers and sur-veyors.	Jour-nal-ists.	Law-yers.	Musi-cians and teach-ers of music.	Physi-cians and sur-geons.	Profess-ors, authors, literary and scientific persons.	Teach-ers.
1 NEW JERSEY.....	27, 220	991	8	130	173	25	41	47	176	73	216	28	74
2 White.....	26, 339	978	8	130	164	25	41	47	176	71	216	28	72
3 Native born.....	18, 142	764	3	79	132	24	31	37	166	39	185	18	50
4 Both parents native.....	11, 572	576	2	48	101	21	19	28	133	29	147	10	38
5 One or both parents foreign.....	2, 914	104	1	20	14	5	6	19	8	18	6	7
6 Foreign born.....	9, 954	204	4	50	31	10	10	8	31	29	10	21
7 Colored.....	890	13	9	2	2
8 Typhoid fever.....	1, 174	37	6	4	1	2	4	7	3	5	3	2
9 Malarial fever.....	308	10	1	3	1	2	3
10 Lead poison.....	3
11 Rheumatism.....	164	2	1	1
12 Dropsy.....	266	10	1	2	1	2	3	1
13 Heartdisease.....	2, 205	104	1	13	20	4	3	5	18	6	27	2	5
14 Consumption.....	5, 740	164	1	31	26	7	8	8	29	12	24	6	12
15 Diabetes.....	125	8	1	1	1	3	3	1	1	1
16 Diseases of the nervous system.....	3, 647	130	2	24	34	4	9	7	33	10	43	3	11
17 Diseases of the respiratory system.....	3, 365	97	8	21	1	5	4	16	8	22	5	7
18 Diseases of the liver.....	620	24	1	2	7	1	2	4	5	2
19 Ascites.....	8	1	1
20 Other diseases of the digestive system.....	792	29	5	4	1	1	2	5	5	3	3
21 Bright's disease.....	939	41	1	4	10	2	2	6	2	10	2	2	2
22 Other diseases of the urinary system.....	824	37	4	4	1	2	2	8	6	8	2
23 Diseases of the bones and joints.....	23
24 Burns.....	66	1	1
25 Injuries by machinery.....	12
26 Suicides.....	350	22	2	1	2	1	2	2	2	7	3
27 Other accidents and injuries.....	2, 572	48	1	12	1	4	1	7	7	9	2	4
28 Cancer of the stomach.....	202	5	2	2	1
29 Cancer of the liver.....	56	4	1	1	2
30 Cancer of the head, face, and neck.....	62	1	1
31 Cancer of the abdomen.....	36	3	1	2
32 Cancer of the mouth, tongue, and throat.....	43	2	2
33 Unknown causes.....	130	6	2	2	1	1
34 CITIES IN NEW JERSEY.....	15, 915	561	5	95	81	17	25	30	97	58	102	14	37
35 White.....	15, 491	555	5	95	77	17	25	30	97	56	102	14	37
36 Native born.....	7, 653	395	3	55	60	16	17	22	90	30	76	7	19
37 Both parents native.....	4, 586	281	2	33	43	13	3	17	70	23	57	2	13
38 One or both parents foreign.....	2, 102	67	1	13	10	4	5	12	6	9	4	3
39 Foreign born.....	7, 700	153	2	40	17	8	8	5	25	24	7	17
40 Colored.....	424	6	4	2
41 Typhoid fever.....	765	26	4	3	1	2	5	2	2	3	2	2
42 Malarial fever.....	167	6	1	1	2	2
43 Lead poison.....	3
44 Rheumatism.....	87
45 Dropsy.....	114	5	1	1	1	1	1
46 Heartdisease.....	1, 184	57	1	11	5	3	2	3	10	6	13	3
47 Consumption.....	3, 736	97	1	24	14	4	4	7	18	8	9	3	5
48 Diabetes.....	69	5	3	1	1	1
49 Diseases of the nervous system.....	1, 813	81	1	14	10	3	6	2	14	8	15	2	6
50 Diseases of the respiratory system.....	2, 196	56	6	10	1	3	2	9	7	12	2	4
51 Diseases of the liver.....	373	19	2	6	1	4	5	1
52 Ascites.....	4
53 Other diseases of the digestive system.....	459	15	3	1	1	3	3	2	2
54 Bright's disease.....	551	22	1	3	5	1	2	1	2	6	1
55 Other diseases of the urinary system.....	462	23	4	2	1	2	1	5	4	4
56 Diseases of the bones and joints.....	19
57 Burns.....	39	1	1
58 Injuries by machinery.....	9
59 Suicides.....	187	14	2	1	1	1	2	2	1	3	1
60 Other accidents and injuries.....	1, 608	35	1	9	1	4	1	3	6	5	2	3
61 Cancer of the stomach.....	99	1	1
62 Cancer of the liver.....	35	2	1	1
63 Cancer of the head, face, and neck.....	30	1	1
64 Cancer of the abdomen.....	20	1	1
65 Cancer of the mouth, tongue, and throat.....	28	1	1
66 Unknown causes.....	70	3	1	1	1

TABLE 23.—DEATHS AMONG MALES ENGAGED IN CERTAIN OCCUPATIONS AND CLASSES OF OCCUPATIONS, WITH DEATH, DURING THE 6 YEARS

LOCALITIES.	CLASS D.			CLASS E.							
	Total.	Hotel and boarding house keepers.	Saloon keepers, billiard and bowling saloon keepers, bartenders, and restaurant keepers.	Total.	Barbers and hair-dressers.	Janitors and sextons.	Laund-ers.	Nurses.	Police-men, watch-men, and detect-ives.	Soldiers, sailors, and marines (United States).	Under-takers.
1 NEW JERSEY—Continued.....	544	150	394	445	126	43	13	7	209	15	32
2 White.....	543	150	393	416	110	33	12	7	207	15	32
3 Native born.....	264	106	158	222	57	16	7	4	104	8	26
4 Both parents native.....	162	78	84	132	24	16	4	3	63	5	17
5 One or both parents foreign.....	72	17	55	58	27	1	1	2	24	1	5
6 Foreign born.....	278	44	234	188	52	16	4	2	102	7	5
7 Colored.....	1	1	1	29	16	10	1	1	2		
8 Typhoid fever.....	21	8	13	21	13	1		1	5		1
9 Malarial fever.....	8	5	3	6	2	1			2		1
10 Lead poison.....											
11 Rheumatism.....	4	1	3	2					2		
12 Dropsy.....	8	2	6	5	3	1			1		
13 Heart disease.....	38	19	19	29	6	5		1	14	2	1
14 Consumption.....	110	28	82	106	44	8	6	1	40		7
15 Diabetes.....	5		5								
16 Diseases of the nervous system.....	90	28	62	52	11	6	1		29	1	4
17 Diseases of the respiratory system.....	72	11	61	56	14	8	2	1	24	1	6
18 Diseases of the liver.....	34	7	27	14	3	2			6	1	2
19 Ascites.....											
20 Other diseases of the digestive system.....	12	3	9	17	5	1			11		
21 Bright's disease.....	27	9	18	15	4	1			8	1	1
22 Other diseases of the urinary system.....	18	3	15	16	3	1		1	7	1	3
23 Diseases of the bones and joints.....				2	1		1				
24 Burns.....				2	1				1		
25 Injuries by machinery.....											
26 Suicides.....	5	2	3	8	2			1	3	1	1
27 Other accidents and injuries.....	30	6	24	37	8		3		23	2	1
28 Cancer of the stomach.....	3		3	4					4		
29 Cancer of the liver.....	1	1		3		1			2		
30 Cancer of the head, face, and neck.....	1		1	1					1		
31 Cancer of the abdomen.....											
32 Cancer of the mouth, tongue, and throat.....				2					2		
33 Unknown causes.....	5	1	4	1		1					
34 CITIES IN NEW JERSEY—Continued.....	400	71	329	343	88	32	9	2	185	7	20
35 White.....	399	71	328	324	79	23	9	2	184	7	20
36 Native born.....	156	39	117	159	37	9	4	2	90	2	15
37 Both parents native.....	77	25	52	81	11	9	2	1	51		7
38 One or both parents foreign.....	58	11	47	49	20				23	1	5
39 Foreign born.....	242	32	210	161	42	13	4		93	5	4
40 Colored.....	1	1	1	19	9	9			1		
41 Typhoid fever.....	14	5	9	15	10				5		
42 Malarial fever.....	4	1	3	5	1	1			2		1
43 Lead poison.....											
44 Rheumatism.....	2		2	1					1		
45 Dropsy.....	6	1	5	3	2				1		
46 Heart disease.....	28	10	18	23	3	4			14	2	
47 Consumption.....	89	17	72	82	21	7	4		35		5
48 Diabetes.....	5		5								
49 Diseases of the nervous system.....	61	11	50	37	5	4	1		25		2
50 Diseases of the respiratory system.....	60	7	53	45	12	5	2		21		5
51 Diseases of the liver.....	26	4	22	9	2	1			6		
52 Ascites.....											
53 Other diseases of the digestive system.....	11	3	8	16	4	1			11		
54 Bright's disease.....	18	2	16	13	3	1			7	1	1
55 Other diseases of the urinary system.....	11	1	10	13	3	1		1	6	1	1
56 Diseases of the bones and joints.....				2	1		1				
57 Burns.....				2	1				1		
58 Injuries by machinery.....											
59 Suicides.....	4	1	3	5	1				3		1
60 Other accidents and injuries.....	22	3	19	26	6		1		18		1
61 Cancer of the stomach.....	2		2	3					3		
62 Cancer of the liver.....	1	1		2		1			1		
63 Cancer of the head, face, and neck.....				1					1		
64 Cancer of the abdomen.....											
65 Cancer of the mouth, tongue, and throat.....				2					2		
66 Unknown causes.....	4		4	1		1					

STATISTICS OF DEATHS.

1003

DISTINCTION OF COLOR, NATIVITY, AND PARENTAL NATIVITY, AND WITH SPECIFICATIONS OF CERTAIN CAUSES OF ENDING MAY 31, 1890—Continued.

CLASS F.				CLASS G.												
Total.	Laborers (not specified).	Messenger boys.	Servants.	Total.	Artificial flower and paper box makers.	Bakers and confectioners.	Blacksmiths.	Bleachers, dyers, and scourers.	Bookbinders.	Boot and shoe makers.	Brass founders and copper-smiths.	Brewers, distillers, and rectifiers.	Brick and tile makers and terra cotta workers.	Butchers.	Cabinet makers and upholsterers.	
7,311	6,849	5	457	8,449	18	211	423	11	22	638	48	66	33	321	137	1
6,079	6,335	5	339	8,406	18	210	421	11	22	635	48	66	30	320	136	2
2,962	2,784	3	175	4,873	8	75	234	1	13	365	27	18	15	174	58	3
1,990	1,876	1	113	3,165	8	42	169	1	9	267	20	15	8	99	36	4
589	558	1	35	1,189	6	26	36	10	3	49	5	2	5	59	18	5
3,654	3,492	2	160	3,459	10	130	184	10	9	266	19	48	13	145	78	6
632	514	118	43	43	1	2	2	2	3	3	3	3	3	1	1	7
219	299	1	19	366	1	17	17	2	2	19	1	3	4	16	6	8
87	81	6	88	88	1	3	3	1	1	7	3	3	1	4	4	9
1	1	2	2	2	2	2	2	2	2	2	2	2	2	2	2	10
34	34	60	71	60	2	2	2	2	2	7	2	2	2	2	2	11
77	76	1	71	71	3	5	5	5	5	5	5	5	5	5	5	12
519	482	1	36	678	1	14	38	3	3	59	5	4	3	24	16	13
1,614	1,489	125	2,150	2,150	5	55	95	2	7	135	12	13	6	80	38	14
10	18	1	37	37	1	1	1	1	1	3	1	1	1	1	1	15
800	745	1	54	1,099	1	15	66	3	1	117	5	9	5	44	20	16
989	939	50	50	1,045	2	35	47	1	4	78	9	8	2	28	7	17
130	120	1	9	221	1	6	8	8	8	16	2	2	1	12	5	13
3	3	2	2	2	2	2	2	2	2	1	1	1	1	1	1	19
199	182	17	251	251	5	14	14	14	14	14	2	2	2	12	6	20
217	201	15	286	286	3	16	16	16	16	14	1	1	1	11	9	21
170	159	11	251	251	8	12	12	12	12	21	2	3	3	10	3	22
4	3	1	11	11	1	1	1	1	1	1	1	1	1	1	1	23
40	38	2	13	13	2	2	2	2	2	2	2	2	2	2	2	24
8	8	2	2	2	2	2	2	2	2	2	2	2	2	2	2	25
68	64	4	118	118	6	6	2	2	1	5	1	1	1	11	3	26
930	893	37	581	581	1	12	30	1	1	29	9	5	6	16	8	27
47	46	1	63	63	1	1	2	1	1	6	1	1	1	2	1	28
15	14	1	15	15	1	1	1	1	1	2	1	1	1	2	1	29
14	14	2	16	16	2	2	2	2	2	1	1	1	1	2	2	30
6	6	19	19	19	2	2	2	2	2	1	1	1	1	1	1	31
14	12	2	13	13	1	1	1	1	1	1	1	1	1	1	1	32
39	35	4	37	37	1	2	2	2	2	1	1	1	1	4	1	33
4,496	4,164	4	328	6,034	18	160	269	6	19	410	41	57	19	251	89	34
4,207	3,963	4	240	6,006	18	159	268	6	19	409	41	57	18	251	89	35
1,356	1,240	2	114	3,084	8	50	122	11	11	193	24	13	11	118	32	36
757	694	63	1,783	1,783	24	81	81	7	7	128	17	10	6	59	17	37
397	369	1	27	944	6	21	25	3	3	38	5	2	4	48	14	38
2,818	2,692	2	124	2,874	10	105	144	6	8	215	17	44	6	132	57	39
289	201	88	28	28	1	1	1	1	1	1	1	1	1	1	1	40
207	192	1	14	273	1	15	13	2	2	11	1	3	4	14	4	41
50	46	4	60	60	1	1	1	1	1	5	1	1	1	2	2	42
1	1	2	2	2	2	2	2	2	2	2	2	2	2	2	2	43
24	24	40	40	40	1	2	2	2	2	3	2	2	2	2	2	44
32	31	46	46	46	2	5	5	2	2	2	2	2	2	3	3	45
321	296	1	24	463	1	13	26	2	2	37	4	4	1	18	7	46
1,026	933	93	1,628	1,628	5	39	71	2	6	100	12	10	3	66	26	47
11	11	27	27	27	1	1	1	1	1	2	1	1	1	1	1	48
430	392	1	37	701	1	9	37	1	1	68	4	8	3	37	12	49
705	661	44	44	811	2	30	28	1	3	54	8	7	2	25	6	50
75	70	1	4	143	1	4	4	4	4	9	1	1	1	8	4	51
2	2	1	1	1	1	1	1	1	1	1	1	1	1	1	1	52
121	110	11	172	172	3	7	7	7	7	9	2	2	2	7	4	53
137	123	14	215	215	2	10	10	1	1	12	1	1	1	8	7	54
117	109	8	171	171	6	8	8	1	1	12	2	3	3	6	3	55
3	3	9	9	9	9	9	9	9	9	1	1	1	1	1	1	56
20	18	2	9	9	1	1	1	1	1	1	1	1	1	1	1	57
6	6	2	2	2	2	2	2	2	2	2	2	2	2	2	2	58
35	33	2	82	82	4	4	4	4	4	3	3	3	3	9	1	59
587	567	20	434	434	1	9	21	1	1	17	6	5	1	11	5	60
28	27	1	42	42	1	1	1	1	1	3	3	3	3	2	2	61
12	11	1	12	12	1	1	1	1	1	2	2	2	2	2	2	62
6	6	10	10	10	1	1	1	1	1	1	1	1	1	1	1	63
3	3	14	14	14	1	1	1	1	1	1	1	1	1	1	1	64
10	8	2	9	9	1	1	1	1	1	1	1	1	1	1	1	65
21	20	1	25	25	1	1	1	1	1	1	1	1	1	4	1	66

STATISTICS OF DEATHS.

1005

DISTINCTION OF COLOR, NATIVITY, AND PARENTAL NATIVITY, AND WITH SPECIFICATIONS OF CERTAIN CAUSES OF ENDING MAY 31, 1890--Continued.

CLASS G--continued.																		
Harness and saddle makers and repairers, and trunk, valise, and leather-case makers.	Hat and cap makers.	Iron and steel workers.	Lead and zinc workers.	Leather curriers, dressers, finishers, and tanners.	Ma- chin- ists.	Marble and stone cutters.	Masons (brick and stone).	Meat packers, curers, and pic- klers, canners, and fruit pre- servers.	Mill and factory oper- atives (textiles not spec- ified).	Millers (flour and grist).	Painters, glaziers, and var- nishers.	Paper hang- ers.	Paper mill oper- atives.	Pho- togra- phers.	Plas- terers and white- wash- ers.	Plumb- ers and gas and steam fitters.		
185	452	410		89	685	81	302	10	272	83	474	13	5	13	28	38	1	
185	449	409		89	684	81	296	10	271	82	473	12	5	13	28	37	2	
107	274	219		37	421	36	154	7	136	73	320	8	4	10	20	67	3	
65	193	123		18	281	17	96	3	72	70	193	8	4	7	11	29	4	
26	106	80		15	96	15	35	3	56	2	85			1	5	31	5	
75	175	185		52	256	43	140	3	133	8	148	4	1	3	8	19	6	
	3	1			1		6		1	1	1	1				1	7	
6	17	18		3	34	6	12	1	12	2	17			2	1	7	8	
2	4	4		1	12	2	2	1	7	1	2				1	1	9	
																	10	
1	4	2		1	2		3	1		3	5	1				2	11	
2	2	5			6		1		2	5	5			1	1	2	12	
14	24	30		6	55	6	21		17	18	38	3			5	5	13	
50	173	103		21	181	27	64	3	67	13	129	6	1	3	1	30	14	
	2	3		1	6	1				5	5			1			15	
36	45	50		10	91	5	37	2	31	18	61	1		2	3	5	16	
20	66	61		19	81	13	51		39	6	45	1	1	1	2	10	17	
3	16	13		2	18	2	9		12		8					3	18	
3	11	12		2	24	3	6		9	2	23		2			3	19	
7	15	15		4	27	1	7		10	2	23					3	20	
9	15	7		4	21	2	10		8	1	17			1		1	21	
																	22	
	1	2			1						1				1		23	
		3			1						2						24	
					1												25	
	3	4			9		6		3	1	5					1	26	
5	14	30		7	42	4	26	1	21	3	41			1	6	6	27	
																		28
1	1	2		1	6		4		2	1	1						29	
							1			1	1						30	
	1	1		1			3		1	1							31	
					1		1		2								32	
1	2	1				1			1		1						33	
2	1						4										34	
131	394	330		81	514	64	178	7	192	27	326	9	3	9	24	63	35	
131	391	329		81	514	64	173	7	191	27	325	8	3	9	24	67	36	
62	235	168		31	289	23	78	5	88	20	195	5	2	7	18	49	37	
32	108	91		14	172	12	35	1	37	17	104	5	2	4	9	18	38	
20	92	64		13	81	13	28	3	46	2	63			1	5	25	39	
68	156	157		50	221	35	94	2	102	6	128	3	1	2	6	17	40	
	3	1					5		1		1	1				1	41	
5	16	14		3	23	6	8	1	8		12			1	1	4	42	
2	3	4		1	9	2			4		1						43	
																	44	
1	3	2		1	1		2	1		5	1					2	45	
1	2	2			4		1			5				1	1		46	
8	21	23		5	44	4	10		11	8	27	2			5	4	47	
36	151	91		21	138	21	38	2	51	5	95	5	1	3		25	48	
	2	3		1	5	1				3	3						49	
26	40	33		10	56	2	19	1	21	6	37	1		1	3	4	50	
16	55	53		18	69	12	38		28	2	39		1	1	2	8	51	
2	13	10		1	13	2	3		9		5					2	52	
2	9	11		2	19	3	3		9		9		1			3	53	
5	15	10		4	22	1	6		6		15			1		2	54	
6	13	6		2	11	1	4		3	1	12					1	55	
																		56
	1	2			1						1				1		57	
		2			1						2						58	
	3	3			6		2		2	1	3					1	59	
3	12	22		5	36	1	20	1	14	1	27			1	5	4	60	
																		61
	1	1			6		2		2		1						62	
				1			1		1		1						63	
							1		2								64	
	2	1					2		1		1						65	
2	1	1							1		1						66	

TABLE 23.—DEATHS AMONG MALES ENGAGED IN CERTAIN OCCUPATIONS AND CLASSES OF OCCUPATIONS, WITH DEATH, DURING THE 6 YEARS

LOCALITIES.	CLASS G—continued.							CLASS H.		
	Potters.	Rubber factory operatives.	Silk mill operatives.	Tailors.	Tinners and tinware makers.	Wheelwrights.	Woolen mill operatives.	Total.	Boatmen and canalmen.	Draymen, hackmen, teamsters, drivers, etc.
1 NEW JERSEY—Continued.....	120	21	265	364	100	112	45	6,335	292	383
2 White.....	119	21	265	362	99	112	45	6,171	283	349
3 Native born.....	70	12	95	141	56	89	14	4,791	179	183
4 Both parents native.....	37	9	36	90	35	70	7	3,922	112	82
5 One or both parents foreign.....	23	3	48	34	15	7	6	456	39	73
6 Foreign born.....	42	7	170	220	42	23	29	1,312	98	163
7 Colored.....	1			2	1			164	9	34
8 Typhoid fever.....	4	2	15	5	2	3	4	233	22	22
9 Malarial fever.....	1		3	4	1			74	3	4
10 Lead poison.....	1									
11 Rheumatism.....			3	2	3	2		42	1	3
12 Dropsy.....	2		1	3		2		75	2	1
13 Heart disease.....	8	1	22	27	7	15	3	572	20	18
14 Consumption.....	39	11	82	79	23	22	15	933	51	90
15 Diabetes.....	1		1	2				27		1
16 Diseases of the nervous system.....	9		28	51	11	16	4	974	33	41
17 Diseases of the respiratory system.....	22	2	22	46	20	12	1	722	37	45
18 Diseases of the liver.....			4	13	2	4	3	119	2	8
19 Ascites.....				1				1		
20 Other diseases of the digestive system.....	2		11	9	4	1	1	184	12	11
21 Bright's disease.....	7		9	11	2	2	1	211	8	13
22 Other diseases of the urinary system.....			6	16	2	5	2	228	5	14
23 Diseases of the bones and joints.....								6	1	2
24 Burns.....			1					6		
25 Injuries by machinery.....						1		2		
26 Suicides.....	3		9	6	3			73	2	5
27 Other accidents and injuries.....	12	2	15	20	8	5	5	757	57	58
28 Cancer of the stomach.....	1	1	5	5	1	1	1	59		3
29 Cancer of the liver.....				2				9		1
30 Cancer of the head, face, and neck.....						1	1	28	1	4
31 Cancer of the abdomen.....			1	1				7		
32 Cancer of the mouth, tongue, and throat.....				4				6		
33 Unknown causes.....				2		1		31	1	3
34 CITIES IN NEW JERSEY—Continued.....	102	13	217	270	72	34	42	2,029	216	323
35 White.....	101	13	217	268	72	34	42	1,954	208	294
36 Native born.....	60	8	77	87	34	21	13	1,181	123	143
37 Both parents native.....	30	6	29	60	18	13	7	746	72	58
38 One or both parents foreign.....	22	2	39	23	13	3	5	264	33	64
39 Foreign born.....	34	3	140	181	37	13	27	744	79	149
40 Colored.....	1			2				75	8	29
41 Typhoid fever.....	3	1	12	5	1	1	4	101	19	19
42 Malarial fever.....			2	3	1			20	2	2
43 Lead poison.....	1									
44 Rheumatism.....			2	2	1			8	1	3
45 Dropsy.....	2		1	3		1		10		
46 Heart disease.....	6		18	17	5	5	3	124	14	10
47 Consumption.....	36	8	66	67	20	8	15	389	45	79
48 Diabetes.....	1		1					4		1
49 Diseases of the nervous system.....	5		21	30	7	6	3	228	17	34
50 Diseases of the respiratory system.....	20	2	20	35	16	4	1	242	30	39
51 Diseases of the liver.....			4	10	2		2	48	2	5
52 Ascites.....								1		
53 Other diseases of the digestive system.....	2		9	5	2		1	54	11	10
54 Bright's disease.....	6		8	9	2			61	6	13
55 Other diseases of the urinary system.....			5	13	1	2	2	57	4	12
56 Diseases of the bones and joints.....								4	1	2
57 Burns.....			1					4		
58 Injuries by machinery.....								1		
59 Suicides.....	2		7	2	2			16	2	4
60 Other accidents and injuries.....	9	1	13	15	6	3	4	391	35	51
61 Cancer of the stomach.....	1	1	4	4			1	10		2
62 Cancer of the liver.....				2				3		1
63 Cancer of the head, face, and neck.....							1	11	1	3
64 Cancer of the abdomen.....			1	1				2		
65 Cancer of the mouth, tongue, and throat.....				4				1		
66 Unknown causes.....				1		1		9	1	2

STATISTICS OF DEATHS.

1007

DISTINCTION OF COLOR, NATIVITY, AND PARENTAL NATIVITY, AND WITH SPECIFICATIONS OF CERTAIN CAUSES OF ENDING MAY 31, 1890—Continued.

CLASS H—continued.														
Farmers, planters, and overseers.	Farm laborers.	Fishermen and oystermen.	Gardeners, florists, nurserymen, and vine growers.	Livery stable keepers and hostlers.	Lumbermen and raftsmen.	Miners (coal).	Miners (not specified).	Pilots.	Quarrymen.	Sailors.	Steam railroad employes (includes conductors, brakemen, engineers, and firemen).	Stock raisers, herders, and drovers.	Telegraph and telephone operators.	Telegraph and telephone linemen and electric light men.
3,754	22	100	209	98	6	55	97	31	171	290	749	9	62	7
3,678	13	98	206	82	6	55	97	31	170	284	741	9	62	7
3,224	6	93	62	52	5	33	34	24	100	200	529	7	55	5
2,887	3	75	44	30	5	25	21	20	70	162	336	5	42	3
142	6	6	13	7	7	3	11	4	16	9	120	1	11	1
439	7	4	143	29	1	22	63	6	69	68	189	2	7	2
76	9	2	3	16					1	6	8			7
112		7	5	5	2	1	5		9	8	29	2	3	8
38	1		2	1		2	2	1	8	5	6	1		9
28			2						2	1	4			10
61		1	2	2		1			1		3			11
415	3	4	22	4	1	1	5	5	11	25	35		3	13
456	6	21	29	29		8	14	7	46	35	113	1	25	14
20	1					2	2		1	1	1			15
695	3	8	21	7	2	8	8	8	20	54	62		10	16
428	1	14	44	15		2	14	2	20	26	61	1	5	17
66		1	5	3		1	2	1	6	9	14	1		18
110	2	4	1	2		4	4		2	8	12	1	3	19
132	3	4	3	4		3	3		2	6	19		1	20
165		2	4	5		3	3	1	8	7	14			21
2													1	22
1								1			4			23
45		2	5	2		1	1		1	3	2			24
189	1	13	11	7		16	24	1	15	59	299		5	25
44			5				1	1			2			26
6			1								6			27
14		2	1								1			28
5			2								5			29
5			1								1			30
16		2	2	1		1	1			3	2			31
379	2	36	128	70	1	7	6	19	117	148	535	5	34	32
385	2	35	126	58	1	7	6	19	117	145	529	5	34	33
260		34	25	32	1	2	3	14	60	88	361	4	29	34
206		24	15	14	1		3	11	38	68	211	2	22	35
22		5	6	7		1		3	13	6	97	1	6	36
105	2	1	100	25		5	3	5	57	50	156	1	5	37
14		1	2	12						3	6			38
10		3	4	4				1	7	7	22	2	2	39
6			1	1					4	1	4			40
1											2			41
5			1	2					1		2			42
36		1	7	2				4	7	12	29		2	43
53	2	10	18	24			1	6	34	21	82	1	12	44
1										1	1			45
63		5	13	6	1	1		4	7	25	46		6	46
39		4	34	8			3	1	14	14	51	1	4	47
11		1	3	3				1	6	6	9	1		48
8		1	3	2		1		1	1	3	12		2	49
12			6	3				1	2	1	16		1	50
18		1	2	1					8	3	8			51
								1			3			52
											1			53
4			1	1						1	1			54
31		5	8	5		3	1	1	10	36	202		2	55
1			4							2	1			56
			1							1	5			57
2			1							1				58
				1							1			59
2		1	1							1	1			60

TABLE 23.—DEATHS AMONG MALES ENGAGED IN CERTAIN OCCUPATIONS AND CLASSES OF OCCUPATIONS, WITH DEATH, DURING THE 6 YEARS

LOCALITIES.	All selected occupations.	CLASS A.											
		Total.	Act-ors.	Architects, artists, etc.	Clergy-men.	Den-tists.	Engi-neers and sur-veyors.	Jour-nal-ists.	Law-yers.	Musi-cians and teach-ers of music.	Physi-cians and sur-geons.	Profess-ors, authors, literary and scientific persons.	Teach-ers.
1 RURAL PART OF NEW JERSEY.....	11,314	430	3	35	92	8	16	17	79	15	114	14	37
2 White.....	10,848	423	3	35	87	8	16	17	79	15	114	14	35
3 Native born.....	8,489	369	24	72	8	14	15	76	9	109	11	31
4 Both parents native.....	6,986	295	15	58	8	11	11	63	6	90	8	25
5 One or both parents foreign.....	812	37	7	4	1	1	7	2	9	2	4
6 Foreign born.....	2,254	51	2	10	14	2	2	3	6	5	3	4
7 Colored.....	466	7	5	2
8 Typhoid fever.....	409	11	2	1	2	2	1	1
9 Malarial fever.....	141	4	1	2	1
10 Lead poison.....
11 Rheumatism.....	77	2	1	1
12 Dropsy.....	152	5	2	1	2
13 Heart disease.....	1,021	47	2	15	1	1	2	8	14	2	2
14 Consumption.....	2,004	67	7	12	3	4	1	11	4	15	3	7
15 Diabetes.....	56	3	1	1	1	1	1
16 Diseases of the nervous system.....	1,829	99	1	10	24	1	3	5	19	2	28	1	5
17 Diseases of the respiratory system.....	1,169	41	2	11	2	2	7	1	10	3	3
18 Diseases of the liver.....	247	5	1	1	1	1	1
19 Ascites.....	4	1	1
20 Other diseases of the digestive system.....	333	14	2	4	1	1	2	2	1	1
21 Bright's disease.....	338	19	1	5	1	5	4	4	2	1
22 Other diseases of the urinary system.....	362	14	2	1	3	2	4	2
23 Diseases of the bones and joints.....	9
24 Burns.....	27
25 Injuries by machinery.....	3
26 Suicides.....	163	8	1	1	4	2
27 Other accidents and injuries.....	964	13	3	4	1	4	4	1
28 Cancer of the stomach.....	103	4	2	1	1
29 Cancer of the liver.....	21	2	1	1
30 Cancer of the head, face, and neck.....	32
31 Cancer of the abdomen.....	16	2	1	1
32 Cancer of the mouth, tongue, and throat.....	15	1	1
33 Unknown causes.....	60	3	1	1	1

STATISTICS OF DEATHS.

1009

DISTINCTION OF COLOR, NATIVITY, AND PARENTAL NATIVITY, AND WITH SPECIFICATIONS OF CERTAIN CAUSES OF ENDING MAY 31, 1890—Continued.

CLASS B.							CLASS C.									
Total.	Stenographers and typewriters.	Accountants, bookkeepers, clerks, and copyists.	Bankers, brokers, and officials of companies.	Collectors, auctioneers, and agents.	Wholesale merchants and dealers.	News-paper carriers and newsboys.	Total.	Apothecaries, pharmacists, and dealers in chemicals and drugs.	Commercial travelers and salesmen.	Dealers in dry goods (retail).	Dealers in groceries (retail).	Dealers, not specified (retail).	Hucksters and peddlers.	Wine and liquor dealers (retail).	Wine and liquor dealers (wholesale).	
550	5	367	103	74	1	-----	552	41	32	-----	8	446	24	1	-----	1
550	5	367	103	74	1	-----	550	41	32	-----	8	445	23	1	-----	2
487	3	334	86	63	1	-----	457	33	31	-----	5	367	21	-----	-----	3
375	2	254	66	53	-----	-----	389	28	25	-----	4	314	18	-----	-----	4
71	-----	56	11	4	-----	-----	52	4	4	-----	1	40	3	-----	-----	5
61	1	33	16	11	-----	-----	90	8	1	-----	3	75	2	1	-----	6
-----	-----	-----	-----	-----	-----	-----	2	-----	-----	-----	-----	1	1	-----	-----	7
29	1	22	3	3	-----	-----	19	1	2	-----	-----	10	-----	-----	-----	8
8	-----	6	2	-----	-----	-----	5	-----	-----	-----	-----	4	1	-----	-----	9
-----	-----	-----	-----	-----	-----	-----	4	1	-----	-----	-----	2	1	-----	-----	10
4	-----	2	-----	2	-----	-----	3	-----	-----	-----	-----	3	-----	-----	-----	11
5	-----	4	-----	1	-----	-----	64	4	1	-----	-----	54	2	-----	-----	12
-----	-----	17	12	4	-----	-----	87	9	12	-----	3	63	1	-----	-----	13
33	-----	125	17	8	-----	-----	6	-----	1	-----	2	5	-----	-----	-----	14
151	1	5	1	-----	-----	-----	86	6	3	-----	1	73	3	-----	-----	15
6	-----	46	18	20	1	-----	58	3	2	-----	-----	49	4	-----	-----	16
26	1	37	8	4	-----	-----	16	-----	-----	-----	-----	15	1	-----	-----	17
49	-----	5	2	2	-----	-----	1	-----	-----	-----	-----	1	-----	-----	-----	18
9	-----	8	2	5	-----	-----	15	2	2	-----	-----	10	1	-----	-----	19
-----	-----	15	4	5	-----	-----	33	2	-----	-----	-----	29	1	1	-----	20
15	-----	2	3	1	-----	-----	28	1	-----	-----	2	23	2	-----	-----	21
24	-----	3	-----	-----	-----	-----	1	-----	-----	-----	-----	1	-----	-----	-----	22
6	-----	1	-----	-----	-----	-----	13	3	-----	-----	-----	10	-----	-----	-----	23
-----	-----	9	2	1	-----	-----	34	3	7	-----	-----	23	1	-----	-----	24
3	-----	21	8	8	-----	-----	3	-----	-----	-----	-----	3	-----	-----	-----	25
1	-----	4	1	-----	-----	-----	5	-----	-----	-----	-----	5	-----	-----	-----	26
-----	-----	1	-----	-----	-----	-----	1	-----	-----	-----	-----	1	-----	-----	-----	27
12	-----	-----	-----	-----	-----	-----	3	-----	-----	-----	-----	3	-----	-----	-----	28
39	2	-----	-----	-----	-----	-----	5	-----	-----	-----	-----	5	-----	-----	-----	29
5	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	30
1	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	31
-----	-----	-----	-----	-----	-----	-----	1	-----	-----	-----	-----	-----	-----	-----	-----	32
1	-----	-----	-----	-----	-----	-----	3	-----	-----	-----	-----	5	-----	-----	-----	33

TABLE 24.

**DEATHS IN THE METROPOLITAN DISTRICT AND IN NEW JERSEY AMONG FEMALES
ENGAGED IN CERTAIN OCCUPATIONS, WITH DISTINCTION OF COLOR,
BIRTHPLACES OF MOTHERS, AND CERTAIN AGE PERIODS,
DURING THE 6 YEARS ENDING MAY 31, 1890.**

TABLE 24.—DEATHS AMONG FEMALES ENGAGED IN CERTAIN OCCUPATIONS, WITH DISTINCTION OF COLOR,

NEW JERSEY—Continued.

BIRTHPLACES OF MOTHERS AND AGE PERIODS.		All selected occupations.	Musicians and teachers of music.	Teachers in schools.	Stenographers and typewriters.	Accountants, bookkeepers, clerks, and copyists.	Hotel and boarding house keepers.	Lanndresses.	Nurses and midwives.	Servants.
82	Birthplaces of mothers—Continued.									
	Scandinavia.....	23				1				21
83	Under 15 years.....									
84	15 to 20.....	1								1
85	20 to 25.....	1								1
86	25 to 35.....	11								11
87	35 to 45.....	3								3
88	45 to 55.....	3								2
89	55 to 65.....	1				1				1
90	65 and over.....	2								1
91	Unknown.....	1								2
92	Russia and Poland.....	11								10
93	Under 15 years.....									
94	15 to 20.....	1								1
95	20 to 25.....	3								3
96	25 to 35.....	3								3
97	35 to 45.....	2								2
98	45 to 55.....	1								1
99	55 to 65.....	1								1
100	65 and over.....									
101	Unknown.....									
102	Italy.....	38						1		32
103	Under 15 years.....									
104	15 to 20.....	2								2
105	20 to 25.....	4								3
106	25 to 35.....	6								5
107	35 to 45.....	16						1		14
108	45 to 55.....	7								6
109	55 to 65.....	1								1
110	65 and over.....	2								1
111	Unknown.....									
112	Other foreign countries.....	95				1			2	75
113	Under 15 years.....	3								1
114	15 to 20.....	2								2
115	20 to 25.....	17								13
116	25 to 35.....	25								19
117	35 to 45.....	15								13
118	45 to 55.....	8							1	5
119	55 to 65.....	7								7
120	65 and over.....	18				1			1	15
121	Unknown.....									
122	Unknown.....	989		6	1	6	5	13	10	802
123	Under 15 years.....									
124	15 to 20.....	36								28
125	20 to 25.....	59		1	1	2			1	49
126	25 to 35.....	138		2			1	2		117
127	35 to 45.....	168		1		2	1	4	1	140
128	45 to 55.....	152				1	1	4	1	129
129	55 to 65.....	139		1				2	3	124
130	65 and over.....	233		1		1	2		3	204
131	Unknown.....	14						1	1	11

STATISTICS OF DEATHS.

1025

BIRTHPLACES OF MOTHERS, AND CERTAIN AGE PERIODS, DURING THE 6 YEARS ENDING MAY 31, 1890—Continued.

NEW JERSEY—Continued.

Artificial flower and paper box makers.	Cigar makers and tobacco workers.	Cotton mill operatives.	Flax mill operatives.	Mill and factory operatives (textiles not specified).	Milliners.	Dress-makers.	Seam-stresses.	Sewing machine operators.	Silk mill operatives.	Woolen mill operatives.	Telegraph and telephone operators.	Other selected occupations.	
												1	82
													83
													84
													85
													86
													87
													88
													89
													90
												1	91
												1	92
													93
													94
													95
													96
													97
													98
												1	99
													100
													101
									2			3	102
													103
									1				104
												1	105
									1				106
													107
												1	108
													109
												1	110
													111
				4		2			5			6	112
				1					1				113
				1		1			2				114
				1		1			2			2	115
				1								2	116
				1								1	117
													118
												1	119
													120
				10	3	16	7		13	1	1	45	121
				2		2	2		1			1	122
				2		1			1			1	123
				4	1	1	2		3			5	124
				1	1	7	1		4	1		4	125
				1	1	1	1		1		1	10	126
				1	1	1	1		1			6	127
						3			2			17	128
												1	129
													130
													131

TABLE 25.

DEATHS IN THE WHOLE OF THE 6-YEAR RECORD, THE METROPOLITAN DISTRICT, AND THE STATE OF NEW JERSEY, AMONG FEMALES ENGAGED IN CERTAIN OCCUPATIONS, WITH DISTINCTION OF COLOR, NATIVITY, AND PARENTAL NATIVITY, AND WITH SPECIFICATIONS OF CERTAIN CAUSES OF DEATH, DURING THE 6 YEARS ENDING MAY 31, 1890.

VITAL AND SOCIAL STATISTICS.

TABLE 25.—DEATHS AMONG FEMALES ENGAGED IN CERTAIN OCCUPATIONS, WITH DISTINCTION OF COLOR, THE 6 YEARS ENDING

LOCALITIES.	All selected occupations.	Musicians and teachers of music.	Teachers in schools.	Stenographers and typewriters.	Accountants, bookkeepers, clerks, and copyists.	Hotel and boarding house keepers.	Laundresses.	Nurses and midwives.	Servants.
1 SIX-YEAR RECORD.....	39,854	97	561	24	367	93	1,524	691	30,427
2 White.....	34,566	90	524	23	362	91	659	551	26,490
3 Native born.....	13,151	65	421	21	289	51	153	211	8,830
4 Both parents native.....	5,484	37	183	8	128	29	52	91	3,988
5 One or both parents foreign.....	4,961	21	125	11	117	8	61	36	3,161
6 Foreign born.....	21,250	25	100	2	71	39	494	394	17,543
7 Colored.....	5,288	7	37	1	5	2	865	140	3,937
8 Typhoid fever.....	1,118	6	27		29		23	26	795
9 Malarial fever.....	594		18		4	2	22	9	438
10 Lead poison.....	4							1	1
11 Rheumatism.....	282		4		1		15	6	225
12 Dropsy.....	197	1				2	14	4	156
13 Heart disease.....	3,588	3	31	1	29	9	217	77	2,737
14 Consumption.....	10,423	23	209	14	133	15	419	113	7,416
15 Diabetes.....	96	1	5				1		68
16 Diseases of the nervous system.....	3,673	9	45	2	23	9	152	82	2,893
17 Diseases of the respiratory system.....	4,919	9	60	1	29	16	157	83	3,871
18 Diseases of the liver.....	708	1	3		6	1	17	14	596
19 Ascites.....	21	2	1				1		13
20 Other diseases of the digestive system.....	1,539	5	22	1	13	4	53	31	1,186
21 Bright's disease.....	1,544	9	13		13	4	44	23	1,235
22 Other diseases of the urinary system.....	1,565	2	11		11	3	53	21	1,270
23 Diseases of the bones and joints.....	84		2		2		2		59
24 Burns.....	208					1	12	4	175
25 Injuries by machinery.....	1								
26 Suicides.....	165	1	3				2	2	129
27 Other accidents and injuries.....	863	5	18	1	13	1	31	19	615
28 Diseases of the female organs of generation.....	378	2	11	1	4		19	8	277
29 Affections connected with pregnancy.....	1,115	3	2		5	1	22	5	1,001
30 Cancer of the stomach.....	343	1	5		3	1	9	13	287
31 Cancer of the uterus.....	673	3	7		5	6	34	19	509
32 Cancer of the breast.....	339	2	5		2	2	14	4	260
33 Cancer of the liver.....	181		2		1	1	8	3	149
34 Cancer of the head, face, and neck.....	48						3	2	36
35 Cancer of the abdomen.....	94	1	1		1		3	3	72
36 Cancer of the mouth, tongue, and throat.....	23		1				2	1	17
37 Unknown causes.....	98						3	1	79
38 METROPOLITAN DISTRICT.....	25,518	66	284	17	163	46	713	358	20,121
39 White.....	24,449	62	282	17	161	45	567	340	19,271
40 Native born.....	7,062	41	211	15	115	21	128	98	4,735
41 Both parents native.....	2,312	21	99	6	40	12	42	51	1,580
42 One or both parents foreign.....	3,929	18	98	9	72	7	56	27	2,565
43 Foreign born.....	17,297	21	70	2	46	24	434	237	14,470
44 Colored.....	1,069	4	2		2	1	146	18	850
45 Typhoid fever.....	548	3	12		11		3	14	401
46 Malarial fever.....	362		13		1	1	3	4	274
47 Lead poison.....	3								1
48 Rheumatism.....	172		1				5	2	146
49 Dropsy.....	57						1	2	49
50 Heart disease.....	2,193	1	15	1	15	5	89	35	1,732
51 Consumption.....	6,700	14	88	9	59	7	201	60	4,951
52 Diabetes.....	52								35
53 Diseases of the nervous system.....	2,144	8	20	2	11	4	69	37	1,741
54 Diseases of the respiratory system.....	3,405	6	40	1	12	11	75	49	2,740
55 Diseases of the liver.....	538	1	3		3		11	9	463
56 Ascites.....	5								5
57 Other diseases of the digestive system.....	975	4	13		4	2	26	17	787
58 Bright's disease.....	1,196	6	8		9	1	23	16	999
59 Other diseases of the urinary system.....	1,287	2	6		8	3	41	17	1,057
60 Diseases of the bones and joints.....	50		1						36
61 Burns.....	129						6	1	113
62 Injuries by machinery.....	1								
63 Suicides.....	110	1	3				1	1	87
64 Other accidents and injuries.....	537	5	8		7	1	19	6	391
65 Diseases of the female organs of generation.....	228	1	6	1	1		9	5	171
66 Affections connected with pregnancy.....	741	2	2		4	1	6	2	671
67 Cancer of the stomach.....	217	1	3		2	1	4	6	173
68 Cancer of the uterus.....	453	2	7		1	3	17	8	353
69 Cancer of the breast.....	215	1	3		1	1	5	4	160
70 Cancer of the liver.....	128						5	1	110
71 Cancer of the head, face, and neck.....	28						2	1	13
72 Cancer of the abdomen.....	55	1	1				3	2	42
73 Cancer of the mouth, tongue, and throat.....	15						1		13
74 Unknown causes.....	47						2		38

STATISTICS OF DEATHS.

1029

NATIVITY, AND PARENTAL NATIVITY, AND WITH SPECIFICATIONS OF CERTAIN CAUSES OF DEATH, DURING MAY 31, 1890.

Artificial flower and paper box makers.	Cigar makers and tobacco workers.	Cotton mill operatives.	Flax mill operatives.	Mill and factory operatives (textiles not specified).	Milliners.	Dress-makers.	Seamstresses.	Sewing machine operators.	Silk mill operatives.	Woolen mill operatives.	Telegraph and telephone operators.	Other selected occupations.	
103	216	7		312	146	1,384	1,049	10	144	2	78	2,619	1
103	216	7		312	145	1,308	967	10	143	2	77	2,486	2
72	77	4		183	93	719	518	9	83	1	49	1,296	3
4	4			29	25	241	143	2	20		13	487	4
65	61	1		95	53	338	202	6	57	1	32	510	5
31	137	3		129	52	583	445	1	59		28	1,174	6
					1	76	82		1		1	133	7
4	6	2		24	6	48	27		9		3	83	8
2	1			9	2	26	16		1		2	42	9
				2	1	4	11		1			11	10
				1	1	2	1		2			13	11
													12
7	14	1		18	8	110	90		14		5	217	13
43	103	2		131	52	521	405	4	65	2	38	715	14
1				1	1	8	3		1			7	15
	9			17	13	78	63		12		2	263	16
18	27	1		34	8	147	91	3	11		7	346	17
				2	1	14	11	1				41	18
				5	7	72	35		2		1	2	19
7	3	1		8	8	99	37		5		2	91	20
3	5			10	7	49	44		3		4	95	21
1					1	4	6				1	6	23
	1			1	1	2	1					10	24
												1	25
	2					6	4		2		1	13	26
1	3			4	6	31	21		6			88	27
				2	1	17	13				1	19	28
2	6			2	1	13	11	1			2	38	29
	2			2	2	13	9					16	30
2	3			5	2	23	18		1		4	32	31
	1			1	1	20	10				1	16	32
				2		5	2					5	33
1	2					1	2					2	34
	2					3						9	35
												2	36
				2	1	2	3					7	37
92	199	4		160	96	957	648	7	124	1	67	1,395	38
92	199	4		160	95	939	637	7	123	1	67	1,380	39
64	65	1		81	56	449	274	7	71	1	40	589	40
3	4			9	8	132	64	1	15		6	219	41
60	56	1		60	45	284	167	6	50	1	31	316	42
28	132	3		78	39	486	360		52		27	788	43
					1	18	11		1			15	44
4	3	1		9	5	24	12		7		1	38	45
2	1			7	2	20	8		1		2	23	46
					1	2	7		1			6	47
				1	1				1			2	48
									1			2	49
				6	5	84	53		12		4	111	50
7	13			64	36	351	236	3	58	1	33	371	51
39	97	2			1	6	3		1			6	52
				5	4	49	45		11		2	129	53
	7			22	2	113	59	3	9		7	213	54
17	25	1											
				1	1	12	9	1				24	55
7	3			3	5	46	14		2		1	41	56
3	5			5	4	31	21		4		1	55	57
1	5			7	6	39	38		3		4	50	58
					1	4	5				1	1	60
	1			1	1							6	61
												1	62
												8	63
												50	64
				2	4	22	15		1			10	65
	3					13	7				1	26	66
2	6			2		7	8				2	7	67
	1			2	2	9	1					22	68
2	3			3	2	14	11		1		4	2	69
	1			1	1	15	5				1	7	
1	2			1		3	1					4	70
	2					1	2					2	71
												4	72
												1	73
				2		2	1					2	74

TABLE 25.—DEATHS AMONG FEMALES ENGAGED IN CERTAIN OCCUPATIONS, WITH DISTINCTION OF COLOR, THE 6 YEARS ENDING

	LOCALITIES.	All selected occupations.	Musicians and teachers of music.	Teachers in schools.	Stenographers and typewriters.	Accountants, bookkeepers, clerks, and copyists.	Hotel and boarding house keepers.	Laundresses.	Nurses and midwives.	Servants.
1	NEW JERSEY.....	8,413	14	86	3	50	19	63	76	7,044
2	White.....	7,958	14	85	2	50	19	36	71	6,650
3	Native born.....	4,551	14	79	2	42	14	21	44	3,634
4	Both parents native.....	3,149	11	60	1	22	10	16	35	2,547
5	One or both parents foreign.....	953	3	14		16		3	4	709
6	Foreign born.....	3,355		7		7	5	14	26	2,973
7	Colored.....	455		1	1			27	5	394
8	Typhoid fever.....	350	2	4		7		2	4	271
9	Malarial fever.....	122		3			1		2	96
10	Lead poison.....	1								
11	Rheumatism.....	53							1	48
12	Dropsy.....	113					2		2	96
13	Heart disease.....	692	2	4		3		9	9	596
14	Consumption.....	1,921	4	35	2	21	5	16	9	1,499
15	Diabetes.....	36		3						31
16	Diseases of the nervous system.....	1,062		7		3	2	4	13	916
17	Diseases of the respiratory system.....	994	1	8		3	3	3	9	853
18	Diseases of the liver.....	153						3	3	138
19	Ascites.....	4								4
20	Other diseases of the digestive system.....	362		3	1	2	1	2	2	307
21	Bright's disease.....	226	1					3	2	192
22	Other diseases of the urinary system.....	197	1	4				2	1	172
23	Diseases of the bones and joints.....	11				1				6
24	Burns.....	31								30
25	Injuries by machinery.....									
26	Suicides.....	25		1						20
27	Other accidents and injuries.....	191		2		4		6	2	125
28	Diseases of the female organs of generation.....	61		2				1		52
29	Affections connected with pregnancy.....	263	1			1				259
30	Cancer of the stomach.....	78		1				1	2	69
31	Cancer of the uterus.....	116						3	3	100
32	Cancer of the breast.....	56		1						53
33	Cancer of the liver.....	30								23
34	Cancer of the head, face, and neck.....	10							1	9
35	Cancer of the abdomen.....	23							1	20
36	Cancer of the mouth, tongue, and throat.....	5								5
37	Unknown causes.....	40						1	1	32
38	CITIES IN NEW JERSEY.....	5,132	9	44	1	34	10	41	36	4,297
39	White.....	4,894	9	44		34	10	24	34	4,093
40	Native born.....	2,195	9	39		28	8	12	20	1,699
41	Both parents native.....	1,245	6	25		14	5	9	15	981
42	One or both parents foreign.....	694	3	11		11		2	2	510
43	Foreign born.....	2,665		5		5	2	12	14	2,361
44	Colored.....	238			1			17	2	204
45	Typhoid fever.....	250	2	2		4		2	3	196
46	Malarial fever.....	70		2						54
47	Lead poison.....									
48	Rheumatism.....	34								30
49	Dropsy.....	41					1		1	37
50	Heart disease.....	405		4		3		9	6	346
51	Consumption.....	1,233	2	19		17	4	9	4	945
52	Diabetes.....	18								17
53	Diseases of the nervous system.....	597		1		1	1	2	5	497
54	Diseases of the respiratory system.....	647	1	5		1	2	1	7	552
55	Diseases of the liver.....	102						2	2	98
56	Ascites.....	2								2
57	Other diseases of the digestive system.....	215		1	1	2		2	1	189
58	Bright's disease.....	151						3	1	131
59	Other diseases of the urinary system.....	143	1	1				2	1	128
60	Diseases of the bones and joints.....	5				1				3
61	Burns.....	22								21
62	Injuries by machinery.....									
63	Suicides.....	7		1						6
64	Other accidents and injuries.....	108		2		2		2	1	66
65	Diseases of the female organs of generation.....	31		1						28
66	Affections connected with pregnancy.....	174	1			1				171
67	Cancer of the stomach.....	51								46
68	Cancer of the uterus.....	77						1	1	70
69	Cancer of the breast.....	32								30
70	Cancer of the liver.....	22								20
71	Cancer of the head, face, and neck.....	3								3
72	Cancer of the abdomen.....	11							1	9
73	Cancer of the mouth, tongue, and throat.....	2								2
74	Unknown causes.....	26						1		21

STATISTICS OF DEATHS.

1031

NATIVITY, AND PARENTAL NATIVITY, AND WITH SPECIFICATIONS OF CERTAIN CAUSES OF DEATH, DURING MAY 31, 1890—Continued.

Artificial flower and paper box makers.	Cigar makers and tobacco workers.	Cotton mill operatives.	Flax mill operatives.	Mill and factory operatives (textiles not specified).	Milliners.	Dress-makers.	Seamstresses.	Sewing machine operators.	Silk mill operatives.	Woolen mill operatives.	Telegraph and telephone operators.	Other selected occupations.	
2	13			104	27	163	62	1	116	1	12	537	1
2	13			104	27	158	80	1	115	1	12	518	2
2	7			61	22	127	54	1	67		9	351	3
2	7			20	13	83	37	1	17		6	270	4
2	7			34	8	32	12		45		3	61	5
	6			43	5	30	25		47		3	164	6
						5	2		1			19	7
				10	1	15	7		8		2	17	8
				1		8	2		1			8	9
												1	10
												2	11
												8	12
				1		2	2		2				
				6	1	6	1		9		1	41	13
1	5			43	9	62	30		57	1	4	118	14
				1					1				15
1				9	7	13	7		9			70	16
1	5			11	3	14	9		7		2	64	17
				1		1	1					6	18
				3	2	11	6		2			20	19
				2	1	2	2		3		1	19	20
	1			2		5	2		3			4	21
												1	22
												4	23
												1	24
													25
													26
													27
							3	1	1			6	28
									5			1	29
				1								1	30
				1		1						3	31
				1		1	3					5	32
				7							1		33
				1								1	34
												2	35
												2	36
				2		1						3	37
2	13			83	15	96	47	1	100		10	293	38
2	13			83	15	93	45	1	99		10	285	39
2	7			45	11	68	23	1	59		7	157	40
2	7			13	6	34	12	1	14		4	106	41
2	6			25	5	25	8		40		3	40	42
				38	4	25	22		40		3	128	43
							3		1			8	44
				7	1	9	5		7		2	10	45
				1		5	1		1			6	46
													47
													48
							2					2	49
				1								1	
													50
1	2			4	1	5			6		1	18	51
	5			36	4	39	20		54		3	71	52
									1				53
1				6	4	4	5		7			34	54
				11	1	7	4		6		2	41	55
												4	56
													57
				3	2	5			2			7	58
				1		2			3		1	9	59
	1			2		5	1		3			3	
													60
													61
													62
													63
						1			3			31	64
													65
				1								2	66
				1									67
				1		1						3	68
				1			2					2	69
											1		70
				1								1	71
													72
													73
				2		1						1	74

STATISTICS OF DEATHS.

1033

NATIVITY, AND PARENTAL NATIVITY, AND WITH SPECIFICATIONS OF CERTAIN CAUSES OF DEATH, DURING MAY 31, 1890—Continued.

Artificial flower and paper box makers.	Cigar makers and tobacco workers.	Cotton mill operatives.	Flax mill operatives.	Mill and factory operatives (textiles not specified).	Milliners.	Dress-makers.	Seamstresses.	Sewing machine operators.	Silk mill operatives.	Woolen mill operatives.	Telegraph and telephone operators.	Other selected occupations.	
				21	12	67	35		16	1	2	244	1
				21	12	65	35		16	1	2	238	2
				16	11	59	31		8		2	194	3
				7	7	49	25		3		2	164	4
				9	3	7	4		5			21	5
				5	1	5	3		7			36	6
						2						11	7
				3		6	2		1			7	8
						3	1					2	9
												1	10
						2			2			7	11
													12
				2		1	1		3			23	13
				7	5	23	10		3		1	47	14
				1									15
				3	3	9	4		2			36	16
					2	7	3		1			23	17
				1		1						2	18
						6	6					13	19
				1	1		1					10	20
												1	21
													22
												3	23
													24
									1			3	25
						2	1		2			12	26
												4	27
												1	28
													29
						1	1					3	30
													31
													32
													33
												1	34
													35
												2	36
													37